ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297745		D045821	242	0.007	0.242
297746		D045822	43	0.001	0.043
297747		D045823	620	0.018	0.620
297748		D045824	11	<0.001	0.011
297749		D045825	15	<0.001	0.015
297750		D045826	6	<0.001	0.006
297751		D045827	8	<0.001	0.008
297752		D045828	7	<0.001	0.007
297753		D045829	5	<0.001	0.005
297754		D045830	5	<0.001	0.005
297755	Dup	D045830	7	<0.001	0.007
297756		D045831	7	<0.001	0.007
297757		D045832	<5	<0.001	<0.005
297758		D045833	<5	<0.001	<0.005
297759		D045834	<5	<0.001	<0.005
297760		D045835	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297761		D045836	<5	<0.001	<0.005
297762		D045837	5	<0.001	0.005
297763		D045838	5	<0.001	0.005
297764		D045839	5	<0.001	0.005
297765		D045840	<5	<0.001	<0.005
297766	Dup	D045840	<5	<0.001	<0.005
297767		D045841	7	<0.001	0.007
297768		D045842	5	<0.001	0.005
297769		D045843	6	<0.001	0.006
297770		D045844	7	<0.001	0.007
297771		D045845	11	<0.001	0.011
297772		D045846	15	<0.001	0.015
297773		D045847	123	0.004	0.123
297774		D045848	13	<0.001	0.013
297775		D045849	11	<0.001	0.011
297776		D045850	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297777	Dup	D045850	13	<0.001	0.013
297778		D045851	14	<0.001	0.014
297779		D045852	5451	0.159	5.451
297780		D045853	<5	<0.001	<0.005
297781		D045854	9	<0.001	0.009
297782		D045855	10	<0.001	0.010
297783		D045856	11	<0.001	0.011
297784		D045857	13	<0.001	0.013
297785		D045858	23	<0.001	0.023
297786		D045859	336	0.010	0.336
297787		D045860	14	<0.001	0.014
297788	Dup	D045860	11	<0.001	0.011
297789		D045861	8	<0.001	0.008
297790		D045862	21	<0.001	0.021
297791		D045863	6	<0.001	0.006
297792		D045864	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297793		D045865	<5	<0.001	<0.005
297794		D045866	<5	<0.001	<0.005
297795		D045867	<5	<0.001	<0.005
297796		D045868	6	<0.001	0.006
297797		D045869	7	<0.001	0.007
297798		D045870	6	<0.001	0.006
297799	Dup	D045870	21	<0.001	0.021
297800		D045871	8	<0.001	0.008
297801		D045872	10	<0.001	0.010
297802		D045873	14	<0.001	0.014
297803		D045874	14	<0.001	0.014
297804		D045875	91	0.003	0.091
297805		D045876	15	<0.001	0.015
297806		D045877	35	0.001	0.035
297807		D045878	25	<0.001	0.025
297808		D045879	45	0.001	0.045

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297809		D045880	17	<0.001	0.017
297810	Rep	D045880	22	<0.001	0.022
297811		D045881	12	<0.001	0.012
297812		D045882	6	<0.001	0.006
297813		D045883	<5	<0.001	<0.005
297814		D045884	10	<0.001	0.010
297815		D045885	12	<0.001	0.012
297816		D045886	<5	<0.001	<0.005
297817		D045887	<5	<0.001	<0.005
297818		D045888	11	<0.001	0.011
297819		D045889	5	<0.001	0.005
297820		D045890	11	<0.001	0.011
297821	Dup	D045890	<5	<0.001	<0.005
297822		D045891	11	<0.001	0.011
297823		D045892	8	<0.001	0.008
297824		D045893	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297825		D045894	<5	<0.001	<0.005
297826		D045895	6	<0.001	0.006
297827		D045896	43	0.001	0.043
297828		D045897	15	<0.001	0.015
297829		D045898	14	<0.001	0.014
297830		D045899	11	<0.001	0.011
297831		D045900	15	<0.001	0.015
297832	Dup	D045900	10	<0.001	0.010
297833		D045901	6	<0.001	0.006
297834		D045902	1186	0.035	1.186
297835		D045903	<5	<0.001	<0.005
297836		D045904	6	<0.001	0.006
297837		D045905	7	<0.001	0.007
297838		D045906	<5	<0.001	<0.005
297839		D045907	9	<0.001	0.009
297840		D045908	53	0.002	0.053

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297841		D045909	6	<0.001	0.006
297842		D045910	8	<0.001	0.008
297843	Dup	D045910	9	<0.001	0.009
297844		D045911	10	<0.001	0.010
297845		D045912	6	<0.001	0.006
297846		D045913	10	<0.001	0.010
297847		D045914	10	<0.001	0.010
297848		D045915	10	<0.001	0.010
297849		D045916	8	<0.001	0.008
297850		D045917	8	<0.001	0.008
297851		D045918	9	<0.001	0.009
297852		D045919	10	<0.001	0.010
297853		D045920	11	<0.001	0.011
297854	Dup	D045920	11	<0.001	0.011
297855		D045921	8	<0.001	0.008
297856		D045922	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297857		D045923	10	<0.001	0.010
297858		D045924	10	<0.001	0.010
297859		D045925	10	<0.001	0.010
297860		D045926	9	<0.001	0.009
297861		D045927	8	<0.001	0.008
297862		D045928	11	<0.001	0.011
297863		D045929	10	<0.001	0.010
297864		D045930	14	<0.001	0.014
297865	Dup	D045930	14	<0.001	0.014
297866		D045931	10	<0.001	0.010
297867		D045932	10	<0.001	0.010
297868		D045933	6	<0.001	0.006
297869		D045934	5	<0.001	0.005
297870		D045935	423	0.012	0.423
297871		D045936	16	<0.001	0.016
297872		D045937	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297873		D045938	18	<0.001	0.018
297874		D045939	10	<0.001	0.010
297875		D045940	11	<0.001	0.011
297876	Rep	D045940	10	<0.001	0.010
297877		D045941	12	<0.001	0.012
297878		D045942	8	<0.001	0.008
297879		D045943	7	<0.001	0.007
297880		D045944	8	<0.001	0.008
297881		D045945	11	<0.001	0.011
297882		D045946	6	<0.001	0.006
297883		D045947	10	<0.001	0.010
297884		D045948	6	<0.001	0.006
297885		D045949	6	<0.001	0.006
297886		D045950	7	<0.001	0.007
297887	Dup	D045950	5	<0.001	0.005
297888		D045951	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297889		D045952	2938	0.086	2.938
297890		D045953	<5	<0.001	<0.005
297891		D045954	10	<0.001	0.010
297892		D045955	8	<0.001	0.008
297893		D045956	7	<0.001	0.007
297894		D045957	9	<0.001	0.009
297895		D045958	7	<0.001	0.007
297896		D045959	7	<0.001	0.007
297897		D045960	6	<0.001	0.006
297898	Dup	D045960	16	<0.001	0.016
297899		D045961	7	<0.001	0.007
297900		D045962	8	<0.001	0.008
297901		D045963	10	<0.001	0.010
297902		D045964	12	<0.001	0.012
297903		D045965	11	<0.001	0.011
297904		D045966	94	0.003	0.094

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297905		D045967	10	<0.001	0.010
297906		D045968	13	<0.001	0.013
297907		D045969	13	<0.001	0.013
297908		D045970	8	<0.001	0.008
297909	Dup	D045970	9	<0.001	0.009
297910		D045971	10	<0.001	0.010
297911		D045972	8	<0.001	0.008
297912		D045973	10	<0.001	0.010
297913		D045974	205	0.006	0.205
297914		D045975	107	0.003	0.107
297915		D045976	11	<0.001	0.011
297916		D045977	9	<0.001	0.009
297917		D045978	25	<0.001	0.025
297918		D045979	9	<0.001	0.009
297919		D045980	9	<0.001	0.009
297920	Dup	D045980	45	0.001	0.045

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, October 22, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
297921	D045981	26	<0.001	0.026

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/22/2010 3:31 PM