ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324665		D040770	13	<0.001	0.013
324666		D040771	22	<0.001	0.022
324667		D040772	<5	<0.001	<0.005
324668		D040773	28	<0.001	0.028
324669		D040774	39	0.001	0.039
324670		D040775	<5	<0.001	<0.005
324671		D040776	8	<0.001	0.008
324672		D040777	26	<0.001	0.026
324673		D040778	33	<0.001	0.033
324674		D040779	8	<0.001	0.008
324675	Dup	D040779	10	<0.001	0.010
324676		D040780	14	<0.001	0.014
324677		D040781	19	<0.001	0.019
324678		D040782	33	<0.001	0.033
324679		D040783	6	<0.001	0.006
324680		D040784	<5	<0.001	<0.005
324681		D040785	7	<0.001	0.007
324682		D040786	<5	<0.001	<0.005
324683		D040787	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 1:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324684		D040788	17	<0.001	0.017
324685		D040789	<5	<0.001	<0.005
324686	Dup	D040789	<5	<0.001	<0.005
324687		D040790	<5	<0.001	<0.005
324688		D040791	9	<0.001	0.009
324689		D040792	5	<0.001	0.005
324690		D040793	<5	<0.001	<0.005
324691		D040794	5	<0.001	0.005
324692		D040795	<5	<0.001	<0.005
324693		D040796	<5	<0.001	<0.005
324694		D040797	5	<0.001	0.005
324695		D040798	<5	<0.001	<0.005
324696		D040799	6	<0.001	0.006
324697	Dup	D040799	5	<0.001	0.005
324698		D040800	7	<0.001	0.007
324699		D040801	7	<0.001	0.007
324700		D040802	1168	0.034	1.168
324701		D040803	<5	<0.001	<0.005
324702		D040804	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 1:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324703		D040805	16	<0.001	0.016
324704		D040806	11	<0.001	0.011
324705		D040807	9	<0.001	0.009
324706		D040808	14	<0.001	0.014
324707		D040809	11	<0.001	0.011
324708	Dup	D040809	12	<0.001	0.012
324709		D040810	14	<0.001	0.014
324710		D040811	7	<0.001	0.007
324711		D040812	9	<0.001	0.009
324712		D040813	12	<0.001	0.012
324713		D040814	<5	<0.001	<0.005
324714		D040815	6	<0.001	0.006
324715		D040816	7	<0.001	0.007
324716		D040817	8	<0.001	0.008
324717		D040818	8	<0.001	0.008
324718		D040819	8	<0.001	0.008
324719	Dup	D040819	9	<0.001	0.009
324720		D040820	8	<0.001	0.008
324721		D040821	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 1:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324722		D040822	9	<0.001	0.009
324723		D040823	8	<0.001	0.008
324724		D040824	9	<0.001	0.009
324725		D040825	6	<0.001	0.006
324726		D040826	8	<0.001	0.008
324727		D040827	10	<0.001	0.010
324728		D040828	9	<0.001	0.009
324729		D040829	10	<0.001	0.010
324730	Rep	D040829	8	<0.001	0.008
324731		D040830	11	<0.001	0.011
324732		D040831	6	<0.001	0.006
324733		D040832	5	<0.001	0.005
324734		D040833	6	<0.001	0.006
324735		D040834	7	<0.001	0.007
324736		D040835	8	<0.001	0.008
324737		D040836	7	<0.001	0.007
324738		D040837	7	<0.001	0.007
324739		D040838	7	<0.001	0.007
324740		D040839	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 1:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324741	Dup	D040839	9	<0.001	0.009
324742		D040840	7	<0.001	0.007
324743		D040841	8	<0.001	0.008
324744		D040842	11	<0.001	0.011
324745		D040843	9	<0.001	0.009
324746		D040844	13	<0.001	0.013
324747		D040845	8	<0.001	0.008
324748		D040846	9	<0.001	0.009
324749		D040847	6	<0.001	0.006
324750		D040848	19	<0.001	0.019
324751		D040849	25	<0.001	0.025
324752	Dup	D040849	35	0.001	0.035
324753		D040850	22	<0.001	0.022
324754		D040851	22	<0.001	0.022
324755		D040852	3222	0.094	3.222
324756		D040853	<5	<0.001	<0.005
324757		D040854	20	<0.001	0.020
324758		D040855	7	<0.001	0.007
324759		D040856	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 1:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324760		D040857	6	<0.001	0.006
324761		D040858	5	<0.001	0.005
324762		D040859	8	<0.001	0.008
324763	Dup	D040859	7	<0.001	0.007
324764		D040860	5	<0.001	0.005
324765		D040861	31	<0.001	0.031
324766		D040862	72	0.002	0.072
324767		D040863	13	<0.001	0.013
324768		D040864	11	<0.001	0.011
324769		D040865	89	0.003	0.089
324770		D040866	178	0.005	0.178
324771		D040867	72	0.002	0.072
324772		D040868	23	<0.001	0.023
324773		D040869	12	<0.001	0.012
324774	Dup	D040869	15	<0.001	0.015
324775		D040870	52	0.002	0.052
324776		D040871	<5	<0.001	<0.005
324777		D040872	329	0.010	0.329
324778		D040873	46	0.001	0.046

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 1:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, November 12, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
324779	D040874	11	<0.001	0.011
324780	D040875	10	<0.001	0.010
324781	D040876	55	0.002	0.055
324782	D040877	114	0.003	0.114
324783	D040878	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/12/2010 1:10 PM