ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 28, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
305947		D046062	17	<0.001	0.017
305948		D046063	18	<0.001	0.018
305949		D046064	11	<0.001	0.011
305950		D046065	9	<0.001	0.009
305951		D046066	6	<0.001	0.006
305952		D046067	9	<0.001	0.009
305953		D046068	16	<0.001	0.016
305954		D046069	11	<0.001	0.011
305955		D046070	11	<0.001	0.011
305956		D046071	12	<0.001	0.012
305957	Dup	D046071	14	<0.001	0.014
305958		D046072	12	<0.001	0.012
305959		D046073	13	<0.001	0.013
305960		D046074	22	<0.001	0.022
305961		D046075	30	<0.001	0.030
305962		D046076	26	<0.001	0.026
305963		D046077	15	<0.001	0.015
305964		D046078	22	<0.001	0.022
305965		D046079	31	<0.001	0.031

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/28/2010 5:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 28, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
305966		D046080	22	<0.001	0.022
305967		D046081	32	<0.001	0.032
305968	Dup	D046081	35	0.001	0.035
305969		D046082	52	0.002	0.052
305970		D046083	45	0.001	0.045
305971		D046084	31	<0.001	0.031
305972		D046085	71	0.002	0.071
305973		D046086	32	<0.001	0.032
305974		D046087	42	0.001	0.042
305975		D046088	49	0.001	0.049
305976		D046089	131	0.004	0.131
305977		D046090	55	0.002	0.055
305978		D046091	60	0.002	0.060
305979	Dup	D046091	34	0.001	0.034
305980		D046092	356	0.010	0.356
305981		D046093	221	0.006	0.221
305982		D046094	48	0.001	0.048
305983		D046095	85	0.002	0.085
305984		D046096	37	0.001	0.037

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/28/2010 5:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 28, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
305985		D046097	30	<0.001	0.030
305986		D046098	19	<0.001	0.019
305987		D046099	206	0.006	0.206
305988		D046100	747	0.022	0.747
305989		D046101	705	0.021	0.705
305990	Dup	D046101	667	0.019	0.667
305991		D046102	1116	0.033	1.116
305992		D046103	<5	<0.001	<0.005
305993		D046104	221	0.006	0.221
305994		D046105	70	0.002	0.070
305995		D046106	29	<0.001	0.029
305996		D046107	30	<0.001	0.030
305997		D046108	98	0.003	0.098
305998		D046109	420	0.012	0.420
305999		D046110	156	0.005	0.156
306000		D046111	43	0.001	0.043
306001	Dup	D046111	45	0.001	0.045
306002		D046112	154	0.004	0.154
306003		D046113	1057	0.031	1.057

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/28/2010 5:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 28, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
306004		D046114	185	0.005	0.185
306005		D046115	225	0.007	0.225
306006		D046116	107	0.003	0.107
306007		D046117	45	0.001	0.045
306008		D046118	45	0.001	0.045
306009		D046119	30	<0.001	0.030
306010		D046120	22	<0.001	0.022
306011		D046121	15	<0.001	0.015
306012	Rep	D046121	15	<0.001	0.015
306013		D046122	18	<0.001	0.018
306014		D046123	17	<0.001	0.017
306015		D046124	29	<0.001	0.029
306016		D046125	18	<0.001	0.018
306017		D046126	15	<0.001	0.015
306018		D046127	15	<0.001	0.015
306019		D046128	19	<0.001	0.019
306020		D046129	17	<0.001	0.017
306021		D046130	28	<0.001	0.028
306022		D046131	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/28/2010 5:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 28, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
306023	Dup	D046131	14	<0.001	0.014
306024		D046132	15	<0.001	0.015
306025		D046133	17	<0.001	0.017
306026		D046134	17	<0.001	0.017
306027		D046135	14	<0.001	0.014
306028		D046136	13	<0.001	0.013
306029		D046137	17	<0.001	0.017
306030		D046138	15	<0.001	0.015
306031		D046139	33	<0.001	0.033
306032		D046140	31	<0.001	0.031
306033		D046141	27	<0.001	0.027
306034	Dup	D046141	21	<0.001	0.021
306035		D046142	17	<0.001	0.017
306036		D046143	14	<0.001	0.014
306037		D046144	10	<0.001	0.010
306038		D046145	11	<0.001	0.011
306039		D046146	103	0.003	0.103
306040		D046147	54	0.002	0.054
306041		D046148	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/28/2010 5:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 28, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
306042		D046149	30	<0.001	0.030
306043		D046150	20	<0.001	0.020
306044		D046151	33	<0.001	0.033
306045	Dup	D046151	22	<0.001	0.022
306046		D046152	5823	0.170	5.823
306047		D046153	<5	<0.001	<0.005
306048		D046154	16	<0.001	0.016
306049		D046155	18	<0.001	0.018
306050		D046156	26	<0.001	0.026
306051		D046157	492	0.014	0.492
306052		D046158	27	<0.001	0.027
306053		D046159	22	<0.001	0.022
306054		D046160	19	<0.001	0.019
306055		D046161	22	<0.001	0.022
306056	Dup	D046161	26	<0.001	0.026
306057		D046162	19	<0.001	0.019
306058		D046163	35	0.001	0.035
306059		D046164	18	<0.001	0.018
306060		D046165	20	<0.001	0.020

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/28/2010 5:03 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 28, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
306061	D046166	18	<0.001	0.018
306062	D046167	16	<0.001	0.016
306063	D046168	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/28/2010 5:03 PM