ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, September 29, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 09/29/2010
Job #: 201044076
Reference: CWL
Sample #: 83 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
280887	D045363	5	<1	7.68	13	1585	4	46	6.68	10	32	575	131	6.99	1.99	60	2.65	1722	9	64	230	19	6	13	7	138	3255	8	200	7	13	76
280888	D045364	<5	<1	6.09	13	412	2	38	6.64	7	28	521	98	5.71	1.20	38	2.74	1198	5	51	189	13	8	6	5	103	2964	10	149	8	12	65
280889	D045365	<5	<1	8.11	12	234	2	36	7.11	8	35	463	106	6.55	1.74	33	3.34	1202	8	93	404	16	5	19	8	162	2039	8	212	4	15	71
280890	D045366	8	<1	8.88	17	90	3	27	6.56	8	27	593	133	6.02	1.85	36	2.92	1129	8	58	372	15	7	18	8	171	531	9	238	7	10	72
280891	D045367	9	<1	7.55	11	94	2	27	7.65	9	36	362	122	6.85	1.48	31	3.28	1276	7	94	513	15	7	8	9	199	464	9	209	7	10	75
280892	D045368	8	<1	7.16	8	1096	3	38	7.36	8	31	486	152	6.23	2.17	26	3.08	1255	6	69	414	17	7	9	9	234	2265	17	201	5	10	76
280893	D045369	7	<1	6.97	14	1601	4	26	5.92	9	43	287	121	7.17	2.27	27	3.55	1187	6	101	256	20	7	9	8	204	3308	9	201	7	9	86
280894	D045370	5	<1	7.37	13	782	3	30	9.04	7	34	515	41	5.88	2.18	32	3.24	1541	7	104	705	21	5	9	9	283	1683	15	156	4	13	64
280895	D045371	8	<1	7.64	22	202	3	28	6.84	9	40	325	154	6.89	1.67	32	3.23	1154	9	95	313	25	7	5	9	192	738	13	208	4	8	71
280896	D045372	11	<1	7.79	16	830	3	25	5.94	9	47	297	154	7.05	1.89	103	2.28	1440	11	127	279	27	7	12	5	170	947	8	180	6	8	90
280897 Dup	D045372	11	<1	7.54	17	824	3	36	6.05	9	51	306	158	7.41	1.84	108	2.38	1504	11	135	293	32	7	7	8	168	909	15	185	5	8	86
280898	D045373	<5	<1	8.09	16	59	2	20	7.75	8	37	487	139	6.09	1.86	48	3.43	1191	8	130	405	18	4	15	7	214	316	13	212	6	10	68
280899	D045374	<5	<1	8.56	17	287	3	26	6.83	7	38	445	101	5.74	2.32	34	2.99	1494	10	122	427	63	4	15	6	269	1183	11	165	4	12	73
280900	D045375	<5	<1	9.76	17	604	3	38	6.88	9	45	303	118	7.52	2.51	39	2.09	1808	16	125	254	22	4	13	6	173	1122	18	189	5	10	97
280901	D045376	11	<1	6.58	13	322	2	25	6.21	6	41	198	159	4.87	2.04	25	1.95	1582	27	103	275	29	5	12	9	255	798	15	119	4	9	66
280902	D045377	6	<1	7.11	9	219	3	28	6.15	8	38	274	152	5.97	1.96	40	3.04	1314	6	98	269	23	5	13	8	242	1195	14	170	4	9	87
280903	D045378	8	<1	6.88	9	223	2	28	7.66	7	34	261	121	5.27	2.14	40	2.70	1334	9	84	188	26	5	11	6	262	1384	11	151	6	12	66
280904	D045379	<5	<1	9.32	7	68	2	31	6.94	8	39	284	132	6.75	2.00	41	3.30	1124	11	97	222	22	3	15	10	244	381	17	184	5	10	73
280905	D045380	5	<1	8.59	13	39	3	30	6.72	9	39	261	136	6.85	1.64	41	3.53	1118	7	101	224	16	6	9	10	222	249	13	186	4	10	77
280906	D045381	<5	<1	7.45	12	145	3	33	6.77	7	38	230	127	5.89	1.92	29	3.45	1195	7	91	278	17	7	18	7	227	1012	11	166	5	8	67
280907	D045382	19	1	8.66	13	239	3	37	5.39	7	38	244	152	5.46	2.26	32	2.25	1391	23	88	284	166	6	16	7	253	1738	13	151	4	9	96
280908 Dup	D045382	10	<1	7.34	10	252	3	40	5.91	8	44	269	162	6.22	2.34	31	2.60	1571	22	100	313	186	7	6	6	247	1839	15	171	7	10	109
280909	D045383	<5	<1	7.30	12	35	2	29	5.78	8	42	367	113	6.45	1.45	35	3.42	1288	5	114	317	13	7	9	7	145	2078	15	203	6	14	77
280910	D045384	<5	<1	7.04	10	106	2	28	7.32	8	38	233	109	5.99	1.83	33	2.89	1151	6	85	205	17	6	18	8	140	3154	7	157	5	14	60
280911	D045385	<5	<1	9.22	12	188	3	40	7.33	8	43	272	121	6.43	2.26	36	2.67	1162	14	99	234	19	6	20	7	181	3870	9	202	7	14	71
280912	D045386	<5	<1	7.92	10	43	2	33	7.14	7	42	240	121	6.04	1.71	34	3.34	1141	6	95	219	12	5	10	8	156	3564	10	185	5	15	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, September 29, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 09/29/2010
Job #: 201044076
Reference: CWL
Sample #: 83 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
280913	D045387	<5	<1	6.89	14	65	2	29	7.06	7	40	339	108	6.01	1.41	33	3.57	1181	3	106	487	16	6	9	6	198	1981	8	184	7	14	67
280914	D045388	<5	<1	8.12	12	184	3	33	5.81	8	39	271	100	6.66	1.98	38	3.73	1012	6	96	217	16	5	12	7	180	1389	10	202	5	9	61
280915	D045389	11	<1	8.88	13	243	3	31	5.10	8	41	220	123	6.48	2.08	37	3.58	1067	8	79	244	20	6	11	9	201	1977	9	209	4	9	75
280916	D045390	<5	<1	7.47	12	234	2	32	6.41	7	40	215	106	5.65	2.03	35	3.36	1320	5	88	200	23	6	16	8	255	1787	12	180	7	9	65
280917	D045391	31	<1	5.93	13	170	3	29	6.73	8	37	193	129	6.50	1.78	25	2.61	2411	8	79	451	26	5	12	4	263	1129	13	151	7	11	91
280918	D045392	13	<1	8.66	14	165	3	53	4.05	11	41	118	178	8.86	2.04	27	1.46	1364	28	63	332	46	8	14	5	263	954	2	108	7	9	84
280919 Dup	D045392	28	<1	7.24	16	154	3	37	3.96	11	42	113	167	8.72	2.02	26	1.51	1387	24	61	330	45	8	18	6	242	908	6	106	4	9	92
280920	D045393	13	<1	7.62	13	243	2	27	4.71	5	43	177	118	3.79	2.16	22	1.65	1186	138	97	411	47	7	19	6	252	1336	15	145	3	11	77
280921	D045394	24	<1	7.82	10	195	2	30	6.15	7	37	176	107	5.41	2.11	34	2.80	1136	10	99	379	20	6	12	9	213	623	11	154	5	10	87
280922	D045395	<5	<1	8.12	13	281	2	30	6.46	8	38	387	77	6.23	1.86	41	3.73	1189	6	133	476	18	6	19	7	418	466	17	143	7	10	84
280923	D045396	17	<1	10.59	10	360	3	26	7.09	7	36	413	127	5.56	2.13	31	2.72	1242	19	94	233	19	5	24	8	334	472	10	163	6	10	84
280924	D045397	15	<1	11.46	16	694	3	32	7.71	7	33	315	152	5.35	2.44	45	2.78	1043	20	88	213	21	4	23	8	226	736	13	147	7	10	69
280925	D045398	16	<1	8.46	10	313	2	30	7.89	7	38	304	198	5.61	2.19	38	3.10	1079	11	98	235	14	7	20	5	185	436	9	89	6	9	66
280926	D045399	13	<1	8.16	12	260	2	27	7.48	7	37	276	127	5.25	2.01	34	3.02	1050	7	90	202	13	7	13	5	166	399	15	80	4	9	67
280927	D045400	30	<1	8.36	10	281	2	30	7.93	7	38	293	130	5.57	2.10	35	3.14	1115	6	93	208	18	7	21	6	183	416	12	89	6	10	68
280928	D045401	43	<1	7.73	12	270	2	30	7.19	6	31	260	104	4.60	2.12	30	2.63	994	8	76	183	13	6	13	9	169	397	10	80	3	9	56
280929	D045402	2978	61	7.41	36	409	2	28	3.37	13	12	72	182	3.26	1.68	20	1.83	632	15	43	529	1147	97	19	9	263	695	23	68	24	11	2163
280930 Dup	D045402	Insufficient Sample																														
280931	D045403	<5	<1	7.35	10	462	2	35	1.89	4	14	66	24	2.47	2.05	20	0.94	496	13	32	554	16	5	22	7	215	1724	10	77	45	13	54
280932	D045404	20	<1	9.26	14	464	3	18	7.85	8	39	308	151	6.01	2.40	39	3.24	1126	9	98	244	16	5	17	6	266	785	14	135	7	10	72
280933	D045405	60	<1	7.89	11	95	3	42	8.50	8	35	274	141	6.33	1.76	37	3.62	1211	8	69	165	20	6	11	7	220	288	8	177	4	10	69
280934	D045406	114	<1	7.29	17	154	3	41	6.74	9	42	48	222	6.86	1.91	34	2.89	1268	9	35	298	19	8	15	7	173	328	13	338	4	10	83
280935	D045407	58	<1	5.69	14	116	3	26	7.25	7	32	118	175	5.50	1.67	29	3.21	1176	7	49	251	14	5	15	5	256	557	10	153	5	9	68
280936	D045408	55	<1	9.31	13	288	3	29	6.77	7	34	253	163	5.80	1.98	36	3.34	1071	10	63	345	17	7	18	5	261	593	8	162	6	11	67
280937	D045409	15	<1	6.99	16	229	3	37	7.95	6	33	257	143	4.99	2.13	33	3.37	1198	7	66	167	21	6	19	7	376	1018	15	126	5	10	64
280938	D045410	11	<1	8.20	15	329	3	37	7.39	7	39	310	141	5.72	2.17	39	3.50	1130	5	79	208	17	5	14	8	433	1718	12	172	8	9	77

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, September 29, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 09/29/2010
Job #: 201044076
Reference: CWL
Sample #: 83 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
280939	D045411	14	<1	7.92	11	220	3	36	6.68	7	35	144	125	5.70	2.17	33	3.29	1139	8	49	172	19	4	19	7	300	1338	10	182	7	9	77
280940	D045412	78	<1	6.17	12	170	4	25	5.86	10	44	155	207	8.09	1.79	25	2.84	1524	10	26	345	22	6	14	7	240	1077	7	366	5	9	98
280941 Dup	D045412	54	<1	6.61	14	164	3	36	5.53	9	40	145	197	7.65	1.98	26	2.68	1406	11	23	320	21	6	10	9	237	1052	9	348	5	9	88
280942	D045413	35	<1	7.33	24	146	3	38	5.20	9	38	86	251	7.32	2.14	29	2.61	1295	11	21	340	21	4	8	8	233	921	10	332	6	9	101
280943	D045414	68	<1	8.01	17	134	4	24	6.90	11	47	111	395	9.27	1.92	32	2.94	1512	13	32	331	21	6	2	7	218	477	20	450	6	12	110
280944	D045415	65	<1	6.61	10	101	2	31	6.22	10	44	36	303	8.32	1.67	32	2.77	1429	11	20	383	19	5	2	9	167	338	10	327	7	14	101
280945	D045416	153	<1	7.74	21	145	3	26	6.79	11	46	38	239	8.60	2.03	31	2.70	1575	15	20	375	25	5	19	9	196	457	11	328	6	13	100
280946	D045417	38	<1	6.83	12	154	3	24	5.36	8	40	68	194	6.10	1.96	26	2.69	1334	9	34	314	16	7	13	7	219	955	10	191	6	8	93
280947	D045418	40	<1	7.62	12	261	3	22	7.55	8	34	271	149	5.47	2.14	39	3.03	1020	10	95	175	18	9	10	9	204	373	8	76	12	12	71
280948	D045419	14	<1	9.24	7	397	3	24	7.68	7	32	370	108	5.53	2.49	42	3.03	1014	10	84	168	18	4	15	7	229	445	19	105	6	11	65
280949	D045420	11	<1	5.88	14	255	2	25	6.34	6	32	212	103	4.84	2.15	31	3.10	1032	4	67	184	19	5	14	10	218	1259	15	111	7	8	60
280950	D045421	16	<1	6.06	9	195	3	31	6.53	7	35	124	105	5.66	2.18	40	3.56	1284	4	54	181	23	7	16	6	247	1772	12	161	6	8	74
280951	D045422	16	<1	5.53	7	89	3	32	7.35	8	39	98	123	6.51	1.59	28	3.54	1364	5	53	202	19	6	7	7	244	574	12	167	5	8	83
280952 Rep	D045422	19	<1	6.98	16	125	2	30	7.01	8	37	104	127	6.24	1.91	28	3.38	1289	6	50	200	18	6	19	6	249	618	13	181	6	8	80
280953	D045423	55	<1	7.28	11	142	3	38	6.36	8	42	59	245	6.45	2.17	25	2.68	1356	9	30	273	17	5	15	8	283	1195	8	373	5	8	82
280954	D045424	16	<1	7.29	15	140	3	34	6.26	8	36	65	284	6.56	2.33	23	2.50	1485	10	161	351	33	6	15	13	326	1241	17	303	6	9	130
280955	D045425	17	<1	7.20	15	161	3	38	5.13	8	37	34	155	6.13	2.32	25	2.36	1229	11	19	341	17	6	8	9	261	1437	16	311	6	8	115
280956	D045426	13	<1	6.86	12	238	3	39	5.07	9	41	54	86	7.01	2.24	29	2.42	1638	14	11	378	23	3	9	11	327	1185	12	258	8	8	101
280957	D045427	13	<1	7.85	11	212	2	19	3.54	4	18	95	15	3.34	2.23	25	0.98	811	17	14	512	27	5	19	10	393	376	6	81	5	8	44
280958	D045428	13	<1	8.46	9	298	3	32	4.70	8	36	47	104	6.61	2.02	39	2.30	1648	14	10	462	30	5	10	9	316	1062	14	246	7	9	95
280959	D045429	9	<1	8.17	12	181	2	24	4.73	6	31	103	73	4.55	2.25	28	1.85	1492	14	28	475	21	3	16	8	327	1591	10	175	6	9	87
280960	D045430	11	<1	8.46	18	232	3	18	5.09	6	35	114	250	4.66	2.20	36	2.18	1500	11	56	635	29	4	15	10	353	1420	5	159	5	12	114
280961	D045431	12	<1	9.02	16	362	3	27	5.03	6	38	93	146	4.90	2.38	40	2.14	1656	13	70	616	37	6	18	7	423	1366	19	148	4	13	111
280962	D045432	21	1	7.49	13	154	3	32	4.34	7	31	295	49	5.05	2.08	23	1.22	991	22	48	771	122	6	16	7	307	415	6	50	4	13	52
280963 Dup	D045432	33	1	7.31	10	148	2	47	3.95	6	27	269	49	4.57	2.08	21	1.15	910	22	44	709	113	4	14	5	280	386	7	45	3	12	49
280964	D045433	11	<1	8.48	10	462	3	25	7.40	6	30	341	106	4.73	2.52	47	2.97	1334	10	82	251	40	7	16	11	522	1233	9	110	6	11	96

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, September 29, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/24/2010
Date Completed: 09/29/2010
Job #: 201044076
Reference: CWL
Sample #: 83 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
280965	D045434	10	<1	8.69	16	418	3	44	5.49	8	39	130	90	5.91	2.62	48	2.75	1688	13	102	350	34	7	11	11	385	1737	12	146	6	11	99
280966	D045435	23	1	7.57	8	356	3	27	4.99	7	35	97	220	5.19	2.21	26	1.40	1776	13	43	396	113	4	18	8	369	780	9	114	7	12	60
280967	D045436	8	<1	6.36	11	441	2	25	5.43	6	36	130	142	4.64	2.34	21	1.19	2064	13	42	375	24	5	13	8	251	1068	16	146	6	10	74
280968	D045437	8	<1	7.00	10	544	2	28	5.79	6	40	80	160	4.99	2.20	20	1.38	2452	12	40	383	23	6	12	6	256	1198	19	146	4	11	76
280969	D045438	10	<1	8.22	10	310	3	34	5.42	7	39	144	155	5.37	2.01	20	1.19	1959	15	47	391	21	5	14	8	268	1856	10	160	6	10	77
280970	D045439	7	<1	6.71	8	277	3	32	5.12	7	33	92	126	5.80	1.82	17	1.25	2162	13	38	326	18	5	14	4	225	1096	9	125	6	9	71
280971	D045440	11	<1	6.21	13	198	3	17	5.02	8	37	135	257	6.51	1.80	14	1.38	1817	12	41	358	21	6	6	5	223	1033	13	148	7	10	76
280972	D045441	9	<1	8.35	18	315	3	31	6.09	8	41	100	229	6.26	2.09	20	1.58	2556	15	41	568	70	4	19	7	362	1563	16	137	5	11	65
280973	D045442	6	<1	7.98	11	279	2	30	6.00	7	37	118	132	5.79	2.16	21	1.75	2143	12	59	353	20	6	14	10	272	1263	9	147	7	11	72
280974 Dup	D045442	5	<1	7.15	12	234	2	25	5.41	7	32	108	115	5.23	2.21	20	1.62	1932	11	53	316	19	7	18	8	239	1031	6	128	3	10	66
280975	D045443	<5	<1	8.71	18	539	3	37	6.32	8	38	136	117	6.87	2.45	32	1.62	2159	17	71	334	19	8	16	10	199	1603	12	167	6	13	127
280976	D045444	12	<1	5.32	12	241	2	24	4.89	7	39	107	149	5.24	1.95	18	1.50	1540	10	66	373	52	5	11	5	260	954	10	118	6	10	79
280977	D045445	6	<1	8.89	13	353	3	25	5.43	6	43	98	143	4.84	2.29	24	1.33	1573	14	54	400	20	5	19	10	217	1592	12	163	4	10	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory