ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
275987		D045099	<5	<0.001	<0.005
275988		D045100	<5	<0.001	<0.005
275989		D045101	<5	<0.001	<0.005
275990		D045102	1121	0.033	1.121
275991		D045103	<5	<0.001	<0.005
275992		D045104	8	<0.001	0.008
275993		D045105	6	<0.001	0.006
275994		D045106	10	<0.001	0.010
275995		D045107	7	<0.001	0.007
275996		D045108	<5	<0.001	<0.005
275997	Dup	D045108	6	<0.001	0.006
275998		D045109	<5	<0.001	<0.005
275999		D045110	8	<0.001	0.008
276000		D045111	8	<0.001	0.008
276001		D045112	<5	<0.001	<0.005
276002		D045113	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276003		D045114	<5	<0.001	<0.005
276004		D045115	6	<0.001	0.006
276005		D045116	<5	<0.001	<0.005
276006		D045117	<5	<0.001	<0.005
276007		D045118	<5	<0.001	<0.005
276008	Dup	D045118	<5	<0.001	<0.005
276009		D045119	5	<0.001	0.005
276010		D045120	<5	<0.001	<0.005
276011		D045121	11	<0.001	0.011
276012		D045122	17	<0.001	0.017
276013		D045123	12	<0.001	0.012
276014		D045124	5	<0.001	0.005
276015		D045125	5	<0.001	0.005
276016		D045126	<5	<0.001	<0.005
276017		D045127	<5	<0.001	<0.005
276018		D045128	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276019	Dup	D045128	11	<0.001	0.011
276020		D045129	6	<0.001	0.006
276021		D045130	<5	<0.001	<0.005
276022		D045131	6	<0.001	0.006
276023		D045132	6	<0.001	0.006
276024		D045133	7	<0.001	0.007
276025		D045134	8	<0.001	0.008
276026		D045135	6	<0.001	0.006
276027		D045136	5	<0.001	0.005
276028		D045137	5	<0.001	0.005
276029		D045138	7	<0.001	0.007
276030	Dup	D045138	7	<0.001	0.007
276031		D045139	<5	<0.001	<0.005
276032		D045140	16	<0.001	0.016
276033		D045141	15	<0.001	0.015
276034		D045142	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276035		D045143	6	<0.001	0.006
276036		D045144	17	<0.001	0.017
276037		D045145	12	<0.001	0.012
276038		D045146	9	<0.001	0.009
276039		D045147	11	<0.001	0.011
276040		D045148	94	0.003	0.094
276041	Dup	D045148	15	<0.001	0.015
276042		D045149	14	<0.001	0.014
276043		D045150	70	0.002	0.070
276044		D045151	56	0.002	0.056
276045		D045152	5429	0.158	5.429
276046		D045153	<5	<0.001	<0.005
276047		D045154	<5	<0.001	<0.005
276048		D045155	10	<0.001	0.010
276049		D045156	5	<0.001	0.005
276050		D045157	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276051		D045158	13	<0.001	0.013
276052	Rep	D045158	13	<0.001	0.013
276053		D045159	8	<0.001	0.008
276054		D045160	15	<0.001	0.015
276055		D045161	585	0.017	0.585
276056		D045162	12	<0.001	0.012
276057		D045163	10	<0.001	0.010
276058		D045164	16	<0.001	0.016
276059		D045165	<5	<0.001	<0.005
276060		D045166	<5	<0.001	<0.005
276061		D045167	9	<0.001	0.009
276062		D045168	13	<0.001	0.013
276063	Dup	D045168	<5	<0.001	<0.005
276064		D045169	<5	<0.001	<0.005
276065		D045170	6	<0.001	0.006
276066		D045171	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276067		D045172	13	<0.001	0.013
276068		D045173	21	<0.001	0.021
276069		D045174	<5	<0.001	<0.005
276070		D045175	10	<0.001	0.010
276071		D045176	5	<0.001	0.005
276072		D045177	39	0.001	0.039
276073		D045178	76	0.002	0.076
276074	Dup	D045178	62	0.002	0.062
276075		D045179	20	<0.001	0.020
276076		D045180	14	<0.001	0.014
276077		D045181	<5	<0.001	<0.005
276078		D045182	9	<0.001	0.009
276079		D045183	10	<0.001	0.010
276080		D045184	7	<0.001	0.007
276081		D045185	<5	<0.001	<0.005
276082		D045186	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276083		D045187	20	<0.001	0.020
276084		D045188	6	<0.001	0.006
276085	Dup	D045188	8	<0.001	0.008
276086		D045189	<5	<0.001	<0.005
276087		D045190	7	<0.001	0.007
276088		D045191	29	<0.001	0.029
276089		D045192	5	<0.001	0.005
276090		D045193	9	<0.001	0.009
276091		D045194	<5	<0.001	<0.005
276092		D045195	<5	<0.001	<0.005
276093		D045196	14	<0.001	0.014
276094		D045197	<5	<0.001	<0.005
276095		D045198	7	<0.001	0.007
276096	Dup	D045198	5	<0.001	0.005
276097		D045199	7	<0.001	0.007
276098		D045200	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276099		D045201	5	<0.001	0.005
276100		D045202	2955	0.086	2.955
276101		D045203	<5	<0.001	<0.005
276102		D045204	5	<0.001	0.005
276103		D045205	9	<0.001	0.009
276104		D045206	10	<0.001	0.010
276105		D045207	7	<0.001	0.007
276106		D045208	6	<0.001	0.006
276107	Dup	D045208	5	<0.001	0.005
276108		D045209	8	<0.001	0.008
276109		D045210	6	<0.001	0.006
276110		D045211	8	<0.001	0.008
276111		D045212	7	<0.001	0.007
276112		D045213	6	<0.001	0.006
276113		D045214	7	<0.001	0.007
276114		D045215	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276115		D045216	8	<0.001	0.008
276116		D045217	7	<0.001	0.007
276117		D045218	11	<0.001	0.011
276118	Rep	D045218	9	<0.001	0.009
276119		D045219	11	<0.001	0.011
276120		D045220	9	<0.001	0.009
276121		D045221	7	<0.001	0.007
276122		D045222	7	<0.001	0.007
276123		D045223	7	<0.001	0.007
276124		D045224	6	<0.001	0.006
276125		D045225	9	<0.001	0.009
276126		D045226	<5	<0.001	<0.005
276127		D045227	7	<0.001	0.007
276128		D045228	6	<0.001	0.006
276129	Dup	D045228	6	<0.001	0.006
276130		D045229	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276131		D045230	8	<0.001	0.008
276132		D045231	6	<0.001	0.006
276133		D045232	5	<0.001	0.005
276134		D045233	<5	<0.001	<0.005
276135		D045234	<5	<0.001	<0.005
276136		D045235	8	<0.001	0.008
276137		D045236	7	<0.001	0.007
276138		D045237	7	<0.001	0.007
276139		D045238	8	<0.001	0.008
276140	Dup	D045238	8	<0.001	0.008
276141		D045239	7	<0.001	0.007
276142		D045240	9	<0.001	0.009
276143		D045241	29	<0.001	0.029
276144		D045242	12	<0.001	0.012
276145		D045243	8	<0.001	0.008
276146		D045244	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276147		D045245	6	<0.001	0.006
276148		D045246	<5	<0.001	<0.005
276149		D045247	<5	<0.001	<0.005
276150		D045248	<5	<0.001	<0.005
276151	Dup	D045248	5	<0.001	0.005
276152		D045249	<5	<0.001	<0.005
276153		D045250	6	<0.001	0.006
276154		D045251	<5	<0.001	<0.005
276155		D045252	5753	0.168	5.753
276156		D045253	<5	<0.001	<0.005
276157		D045254	<5	<0.001	<0.005
276158		D045255	<5	<0.001	<0.005
276159		D045256	<5	<0.001	<0.005
276160		D045257	<5	<0.001	<0.005
276161		D045258	<5	<0.001	<0.005
276162	Dup	D045258	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276163		D045259	<5	<0.001	<0.005
276164		D045260	<5	<0.001	<0.005
276165		D045261	6	<0.001	0.006
276166		D045262	5	<0.001	0.005
276167		D045263	5	<0.001	0.005
276168		D045264	<5	<0.001	<0.005
276169		D045265	<5	<0.001	<0.005
276170		D045266	<5	<0.001	<0.005
276171		D045267	6	<0.001	0.006
276172		D045268	6	<0.001	0.006
276173	Dup	D045268	5	<0.001	0.005
276174		D045269	5	<0.001	0.005
276175		D045270	<5	<0.001	<0.005
276176		D045271	<5	<0.001	<0.005
276177		D045272	<5	<0.001	<0.005
276178		D045273	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276179		D045274	<5	<0.001	<0.005
276180		D045275	<5	<0.001	<0.005
276181		D045276	5	<0.001	0.005
276182		D045277	<5	<0.001	<0.005
276183		D045278	<5	<0.001	<0.005
276184	Rep	D045278	<5	<0.001	<0.005
276185		D045279	<5	<0.001	<0.005
276186		D045280	6	<0.001	0.006
276187		D045281	<5	<0.001	<0.005
276188		D045282	<5	<0.001	<0.005
276189		D045283	6	<0.001	0.006
276190		D045284	17	<0.001	0.017
276191		D045285	6	<0.001	0.006
276192		D045286	5	<0.001	0.005
276193		D045287	<5	<0.001	<0.005
276194		D045288	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, October 7, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 09/22/2010
Date Completed: 10/06/2010
Job #: 201044011
Reference: Castlewood Lake (CWL)
Sample #: 191 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
276195	Dup	D045288	<5	<0.001	<0.005
276196		D045289	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-10/07/2010 9:41 AM