ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324665	D040770	13	4	8.14	12	202	3	22	5.93	10	35	169	106	6.05	2.25	46	0.84	1186	28	70	399	18	<5	<5	<10	149	377	20	143	<10	13	203
324666	D040771	22	2	8.41	8	187	<2	19	7.04	7	45	232	130	5.60	2.27	48	0.93	1511	24	88	338	9	<5	<5	<10	176	334	3	221	<10	8	100
324667	D040772	<5	2	9.23	7	270	<2	15	8.25	8	43	261	123	5.55	2.37	43	1.41	1555	25	76	512	10	<5	<5	<10	177	378	28	207	<10	13	95
324668	D040773	28	2	8.65	9	215	<2	16	6.86	7	43	239	129	5.31	2.31	48	0.93	1457	26	82	364	10	<5	<5	<10	214	368	13	243	<10	11	107
324669	D040774	39	2	8.56	5	215	<2	17	6.91	8	43	237	135	6.36	2.59	46	1.07	1409	24	82	319	10	<5	<5	<10	196	341	16	247	<10	11	98
324670	D040775	<5	2	8.81	8	246	<2	19	6.27	7	39	241	110	5.17	2.33	46	1.21	1277	22	85	712	15	<5	<5	<10	213	340	23	219	<10	10	85
324671	D040776	8	2	8.52	10	170	<2	18	7.01	8	47	221	130	5.95	2.46	48	1.13	1365	23	78	355	9	<5	<5	<10	199	302	7	228	<10	8	93
324672	D040777	26	1	8.50	7	163	<2	18	6.94	8	41	203	125	6.37	2.24	46	1.13	1326	23	73	343	8	<5	<5	<10	188	314	<2	233	<10	8	90
324673	D040778	33	1	9.33	7	150	<2	19	7.39	9	42	238	112	7.53	2.22	45	1.46	1299	24	79	313	10	<5	<5	<10	174	309	15	233	<10	8	98
324674	D040779	8	1	9.43	9	164	<2	20	7.40	9	44	199	126	7.03	2.22	46	1.45	1395	24	77	320	12	<5	<5	<10	189	302	<2	228	<10	7	99
324675 Dup	D040779	10	2	9.64	6	170	<2	13	7.25	9	42	194	125	6.84	2.56	46	1.45	1371	25	74	318	10	<5	<5	<10	190	297	15	222	<10	7	97
324676	D040780	14	2	10.22	10	185	<2	20	7.71	9	43	220	118	6.77	2.53	45	1.30	1667	25	78	308	7	<5	<5	<10	215	321	3	212	<10	8	107
324677	D040781	19	2	9.30	11	206	<2	14	6.09	9	51	229	134	6.70	2.37	40	1.07	1484	25	84	309	11	<5	<5	<10	242	361	12	239	<10	7	111
324678	D040782	33	2	9.44	8	167	<2	19	5.88	11	41	202	117	8.68	2.30	36	1.31	1630	28	69	291	10	<5	<5	<10	198	330	5	231	<10	11	139
324679	D040783	6	1	10.38	5	254	<2	19	7.42	9	35	194	105	6.93	2.70	41	2.01	1358	23	70	213	12	<5	<5	<10	213	324	19	173	<10	11	100
324680	D040784	<5	2	11.46	10	129	<2	15	8.40	10	44	230	136	7.79	2.40	41	3.04	1342	22	91	229	11	<5	<5	<10	250	474	31	206	<10	11	91
324681	D040785	7	2	9.54	9	153	<2	18	8.02	7	37	393	49	4.76	2.36	45	3.82	982	23	224	2129	12	<5	<5	<10	431	359	20	134	<10	14	68
324682	D040786	<5	2	8.62	7	238	<2	19	7.61	7	37	455	50	4.78	2.23	45	3.63	986	25	256	2309	9	<5	<5	<10	439	377	5	145	<10	13	71
324683	D040787	10	2	11.42	8	366	<2	15	7.36	8	37	312	85	5.91	2.33	43	3.24	1034	26	151	1343	10	<5	<5	<10	312	512	9	174	<10	16	75
324684	D040788	17	2	10.65	9	782	<2	19	4.36	5	18	248	22	3.27	2.32	44	2.26	664	32	99	817	13	<5	<5	<10	201	455	17	54	<10	16	66
324685	D040789	<5	2	8.92	10	121	<2	20	7.55	6	34	428	50	4.48	2.55	62	3.84	1015	24	251	2098	14	<5	<5	<10	179	249	19	136	<10	15	79
324686 Dup	D040789	<5	1	8.97	8	104	<2	20	7.70	6	33	434	58	4.66	2.70	63	4.12	1027	23	257	2139	13	<5	<5	<10	177	238	11	138	<10	16	77
324687	D040790	<5	2	10.85	7	467	<2	13	6.08	5	23	308	18	3.78	2.82	58	3.12	765	26	133	1211	14	<5	<5	<10	185	442	3	84	<10	19	58
324688	D040791	9	2	12.25	8	169	<2	23	7.31	10	46	232	133	8.04	2.07	50	3.47	1208	25	138	646	11	<5	<5	<10	263	493	5	207	<10	17	107
324689	D040792	5	1	12.00	8	98	<2	22	6.00	10	46	184	141	8.36	2.39	43	3.85	1272	22	108	259	14	<5	<5	<10	278	620	17	215	<10	13	104
324690	D040793	<5	2	11.90	10	109	<2	21	6.92	10	42	166	123	7.89	2.15	40	3.33	1225	24	95	252	13	<5	<5	<10	275	796	17	200	<10	15	96
324691	D040794	5	1	11.22	10	99	<2	20	7.23	10	41	207	127	8.44	2.25	38	2.97	1263	25	86	581	15	<5	<5	<10	276	1223	18	236	<10	20	104
324692	D040795	<5	1	9.74	7	397	<2	14	7.95	6	26	197	52	4.36	2.40	48	2.28	941	22	91	644	12	<5	<5	<10	267	614	14	112	<10	18	47
324693	D040796	<5	2	7.27	11	346	<2	12	2.69	<4	10	230	24	1.99	2.32	41	0.98	429	29	37	461	12	<5	<5	<10	209	327	9	29	<10	10	70
324694	D040797	5	2	6.98	9	655	<2	12	1.29	<4	10	107	78	1.44	2.18	33	0.56	239	27	11	249	15	<5	5	<10	189	423	12	16	<10	8	194

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324695	D040798	<5	2	10.56	10	584	<2	21	5.09	5	24	436	45	3.24	2.05	35	2.47	669	29	92	698	13	<5	<5	<10	228	2157	12	76	<10	19	88
324696	D040799	6	2	7.93	5	314	<2	12	3.82	6	15	135	64	4.53	2.35	35	0.86	647	27	30	371	17	<5	<5	<10	192	791	5	86	<10	12	126
324697 Dup	D040799	5	2	7.86	8	308	<2	13	3.62	6	13	125	61	4.29	2.53	35	0.82	617	29	25	357	15	<5	<5	<10	187	758	8	82	<10	11	120
324698	D040800	7	2	11.28	11	434	<2	24	8.17	9	45	232	135	7.40	2.31	41	1.44	1239	31	89	297	17	<5	<5	<10	231	2750	10	186	<10	13	149
324699	D040801	7	2	10.62	8	400	<2	19	7.70	9	45	210	124	7.25	2.54	41	1.45	1175	29	86	269	13	<5	<5	<10	210	2697	18	173	<10	12	139
324700	D040802	1168	4	6.93	85	397	<2	45	0.96	5	5	38	53	3.76	1.73	30	0.34	138	41	8	128	102	12	5	11	118	445	11	26	<10	4	31
324701	D040803	<5	2	7.16	11	551	<2	15	1.82	<4	14	57	23	2.24	2.10	35	0.65	472	32	29	487	16	<5	<5	<10	250	2038	12	73	38	6	52
324702	D040804	9	2	12.76	7	366	<2	22	7.76	11	47	258	135	8.54	2.22	42	2.42	1144	33	101	355	18	<5	<5	<10	275	3747	20	193	<10	15	122
324703	D040805	16	2	11.56	7	140	<2	17	6.84	8	42	201	127	6.78	2.27	39	2.46	1084	28	78	255	12	<5	<5	<10	227	3748	12	179	<10	15	82
324704	D040806	11	2	12.22	13	134	<2	22	6.57	8	38	199	103	6.52	2.16	44	2.90	1008	28	77	554	11	<5	<5	<10	248	3863	13	186	<10	16	77
324705	D040807	9	2	11.85	7	152	<2	20	6.86	9	41	205	100	6.98	2.45	45	2.62	983	27	75	252	14	<5	<5	<10	211	3830	12	181	<10	15	79
324706	D040808	14	2	11.53	7	308	<2	21	7.11	9	45	203	127	7.21	2.37	42	2.17	971	29	79	247	13	<5	<5	<10	183	3534	13	183	<10	14	80
324707	D040809	11	2	11.42	7	306	<2	21	6.47	9	46	204	143	7.67	2.30	41	2.10	1003	30	78	286	10	<5	<5	<10	176	3286	23	190	<10	14	87
324708 Dup	D040809	12	2	11.68	8	312	<2	21	6.59	9	45	206	140	7.73	2.31	42	2.09	1015	30	76	290	9	<5	<5	<10	181	3404	22	192	<10	15	86
324709	D040810	14	2	9.86	6	464	<2	18	6.31	9	42	232	118	6.62	2.47	37	1.39	1060	28	83	272	13	<5	<5	<10	180	2927	15	199	<10	12	77
324710	D040811	7	2	12.20	7	240	<2	24	7.13	9	42	208	121	7.24	2.35	41	2.36	1097	30	83	267	13	<5	<5	<10	272	3269	10	186	<10	16	85
324711	D040812	9	2	7.50	10	127	<2	15	9.40	7	46	702	76	5.19	2.26	35	4.41	1089	25	281	1591	12	<5	<5	<10	458	2996	15	153	<10	16	64
324712	D040813	12	2	12.71	6	116	<2	26	6.50	9	38	200	106	7.14	2.38	42	3.12	1048	26	81	249	10	<5	<5	<10	306	2966	13	180	<10	18	89
324713	D040814	<5	2	12.10	6	111	<2	20	6.24	9	45	212	112	7.38	2.08	39	2.92	1131	25	87	252	10	<5	<5	<10	278	4106	23	199	<10	16	89
324714	D040815	6	2	11.98	9	125	<2	20	6.89	9	40	197	111	6.87	2.20	39	2.67	1189	28	77	273	15	<5	<5	<10	269	4095	11	181	<10	16	81
324715	D040816	7	3	12.93	8	121	<2	28	5.79	9	41	215	113	7.06	2.21	42	3.24	1126	27	83	232	103	<5	<5	<10	261	3980	9	183	<10	16	81
324716	D040817	8	2	12.06	8	117	<2	26	5.86	10	44	204	125	7.58	2.15	42	3.17	1193	28	79	248	6	<5	<5	<10	300	4301	8	191	<10	15	92
324717	D040818	8	2	11.25	8	113	<2	20	7.11	9	41	227	127	6.84	2.49	38	2.46	1222	26	80	229	17	<5	6	<10	305	3995	16	181	<10	14	80
324718	D040819	8	2	9.08	8	104	<2	20	6.88	8	45	208	114	5.96	2.47	33	1.39	1152	23	83	271	18	<5	<5	<10	350	4351	6	166	<10	11	73
324719 Dup	D040819	9	2	9.44	5	107	<2	19	6.83	8	43	203	107	5.89	2.56	33	1.38	1138	24	84	268	16	<5	<5	<10	349	4348	13	165	<10	12	73
324720	D040820	8	2	8.88	9	118	<2	18	7.85	6	34	192	96	4.85	2.36	32	1.14	1012	25	54	343	18	<5	<5	<10	381	3872	14	132	<10	13	52
324721	D040821	10	2	12.08	9	120	<2	23	7.43	9	43	198	126	7.19	2.42	42	2.54	1183	27	79	248	15	<5	<5	<10	256	4203	14	188	<10	15	83
324722	D040822	9	2	12.77	7	127	<2	24	6.55	9	43	201	119	7.30	2.43	44	2.85	1144	29	83	238	12	<5	<5	<10	234	4141	17	189	<10	16	86
324723	D040823	8	2	11.85	6	109	<2	20	6.41	9	42	199	117	7.23	2.46	43	2.87	1133	25	79	226	14	<5	<5	<10	224	4003	21	186	<10	15	85
324724	D040824	9	2	12.92	8	124	<2	23	7.16	10	45	203	122	7.34	2.23	45	2.82	1145	28	85	237	13	<5	<5	<10	248	4134	21	189	<10	16	84

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324725	D040825	6	3	10.79	9	99	2	21	6.84	11	45	204	122	7.36	2.54	45	2.89	1133	25	90	233	16	<5	6	<10	246	4155	24	194	<10	16	89
324726	D040826	8	2	11.27	10	105	<2	20	9.14	9	42	190	119	7.24	2.41	42	2.71	1269	24	80	223	11	<5	<5	<10	233	3876	15	180	<10	15	78
324727	D040827	10	2	11.07	10	115	<2	23	7.19	9	46	214	129	7.29	2.42	42	2.35	1106	27	85	249	11	<5	<5	<10	254	4368	16	193	<10	13	79
324728	D040828	9	2	12.38	6	116	<2	24	7.63	10	47	212	125	7.74	2.43	45	2.74	1194	28	90	259	10	<5	<5	<10	248	4477	17	200	<10	15	86
324729	D040829	10	2	11.03	9	111	<2	23	6.88	9	42	220	124	7.11	2.55	43	2.58	1056	26	87	247	13	<5	<5	<10	252	4293	23	192	<10	13	80
324730 Rep	D040829	8	2	11.57	8	119	<2	17	7.09	10	45	217	129	7.40	2.31	44	2.68	1095	28	87	254	13	<5	<5	<10	263	4387	20	199	<10	14	79
324731	D040830	11	2	11.10	10	135	<2	23	6.58	9	41	192	287	6.53	2.16	41	2.12	982	30	358	234	17	<5	<5	<10	235	3824	16	173	<10	13	223
324732	D040831	6	2	11.75	8	139	<2	23	7.33	9	43	194	125	7.11	1.93	49	2.35	1127	31	82	241	14	<5	<5	<10	234	4094	29	182	<10	14	125
324733	D040832	5	2	11.56	8	160	<2	19	8.38	8	36	196	116	6.36	1.96	42	1.99	1217	30	70	233	11	<5	6	<10	235	3711	23	169	<10	13	88
324734	D040833	6	2	10.44	8	173	<2	22	10.26	9	33	153	90	6.40	2.17	42	1.60	1261	30	66	205	11	<5	<5	<10	257	2981	19	134	<10	12	70
324735	D040834	7	2	11.79	7	223	<2	19	6.88	9	39	185	108	6.62	1.87	47	2.21	1021	32	88	235	10	<5	<5	<10	224	3839	19	172	<10	13	75
324736	D040835	8	2	11.55	9	192	<2	22	6.98	9	39	194	109	6.38	1.85	46	2.33	1082	31	79	243	11	<5	<5	<10	257	3807	20	172	<10	13	77
324737	D040836	7	2	12.06	8	178	<2	21	6.32	9	38	202	110	6.82	1.90	51	2.85	1082	30	86	223	18	<5	<5	<10	257	3828	16	176	<10	13	75
324738	D040837	7	2	12.38	9	196	<2	17	6.78	9	40	187	111	6.59	1.95	49	2.65	1089	29	77	239	13	<5	<5	<10	281	3802	23	170	<10	15	73
324739	D040838	7	2	12.59	6	188	<2	18	6.10	9	38	208	116	6.85	2.12	49	2.88	1068	30	80	248	15	<5	<5	<10	340	1803	17	176	<10	14	82
324740	D040839	7	2	13.31	8	180	<2	20	6.95	9	38	202	101	6.72	1.84	49	2.90	1102	32	74	223	19	<5	<5	<10	499	1673	11	175	<10	13	88
324741 Dup	D040839	9	2	14.11	10	186	<2	23	6.88	8	36	192	97	6.36	1.98	50	2.87	1066	31	72	218	18	<5	<5	<10	497	1669	16	165	<10	14	83
324742	D040840	7	2	14.72	10	255	<2	26	7.03	8	40	221	122	6.53	1.90	58	2.73	1085	33	78	252	17	<5	<5	<10	396	1149	15	171	<10	13	78
324743	D040841	8	2	8.79	7	404	2	15	4.73	7	25	320	96	4.91	1.85	43	1.44	808	34	63	340	29	<5	<5	<10	391	1428	13	127	<10	9	69
324744	D040842	11	3	8.99	6	496	2	17	3.25	5	17	834	70	3.79	1.94	55	1.04	657	35	43	573	31	<5	<5	<10	669	995	12	90	<10	11	59
324745	D040843	9	2	7.96	8	581	2	15	2.23	5	14	644	26	3.11	2.21	63	0.95	497	31	37	468	21	<5	<5	<10	754	980	12	96	<10	9	63
324746	D040844	13	3	8.65	11	917	3	17	3.30	6	22	285	71	4.58	1.83	67	0.97	706	30	34	266	41	<5	<5	<10	779	1184	8	199	<10	9	67
324747	D040845	8	2	11.86	9	237	<2	21	6.00	9	38	203	128	6.68	1.99	54	3.09	1112	31	95	293	17	<5	<5	<10	367	1159	12	177	<10	10	79
324748	D040846	9	2	9.78	8	456	2	20	6.73	9	39	228	119	6.37	2.02	42	1.19	1383	30	74	258	12	<5	<5	<10	319	3114	11	201	<10	9	76
324749	D040847	6	2	10.22	8	454	<2	23	6.28	9	45	220	120	7.02	1.94	42	1.15	1539	33	71	284	13	<5	<5	<10	237	4065	13	233	<10	9	92
324750	D040848	19	2	10.01	8	305	<2	23	6.13	8	45	221	146	6.15	1.85	37	1.13	1420	31	71	291	10	<5	<5	<10	321	4086	12	218	<10	8	82
324751	D040849	25	2	13.20	10	311	2	23	6.88	9	44	280	104	7.40	2.01	47	3.59	1190	37	127	953	14	<5	<5	<10	505	4511	21	211	<10	16	95
324752 Dup	D040849	35	2	14.00	9	322	2	22	7.04	10	45	285	102	7.55	2.03	49	3.71	1197	38	129	971	18	<5	<5	<10	520	4582	9	214	<10	16	96
324753	D040850	22	2	12.83	7	139	<2	23	5.49	11	46	118	113	8.99	2.07	40	2.54	1286	34	62	446	14	<5	<5	<10	317	5087	13	261	<10	11	111
324754	D040851	22	2	13.89	9	141	<2	24	5.98	12	47	115	121	9.44	1.87	42	2.68	1308	35	62	474	15	<5	<5	<10	342	4305	15	274	<10	14	117

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/28/2010
Date Completed: 11/11/2010
Job #: 201044676
Reference: Castlewood Lake(CWL)
Sample #: 109 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
324755	D040852	3222	47	7.98	26	505	<2	17	2.92	10	12	58	156	2.83	2.02	34	1.30	531	32	33	452	747	110	<5	<10	338	963	10	67	22	6	1608
324756	D040853	<5	2	7.82	8	527	<2	17	1.79	<4	14	57	25	2.22	1.93	35	0.73	464	27	27	492	16	<5	<5	<10	260	2191	11	75	37	7	60
324757	D040854	20	2	8.26	4	687	2	23	1.90	14	42	188	600	9.95	1.80	38	1.27	1384	37	55	795	30	<5	<5	<10	192	3869	8	159	<10	6	413
324758	D040855	7	2	10.27	7	239	<2	18	5.10	12	40	113	97	9.17	1.89	37	1.49	2299	33	37	852	15	<5	<5	<10	260	5801	9	227	<10	10	105
324759	D040856	8	2	11.93	8	140	<2	27	5.77	14	48	97	92	10.94	2.04	36	1.77	2870	37	43	457	14	<5	<5	<10	256	6245	22	239	<10	12	111
324760	D040857	6	2	11.08	6	126	<2	25	5.53	15	48	97	106	12.34	2.11	35	1.79	3132	36	39	469	14	<5	<5	<10	224	6934	21	252	<10	12	122
324761	D040858	5	3	12.45	10	143	<2	23	6.74	17	41	84	92	13.92	1.99	34	1.79	3785	41	38	406	23	<5	<5	<10	342	5434	11	210	<10	16	110
324762	D040859	8	2	9.22	8	326	<2	19	4.58	9	33	116	75	6.89	1.99	37	1.24	1797	32	42	926	16	<5	<5	<10	286	4208	16	159	<10	8	100
324763 Dup	D040859	7	2	8.40	10	317	<2	17	4.38	8	32	112	72	6.38	2.02	36	1.16	1719	31	38	898	14	<5	6	<10	270	4617	13	153	<10	7	95
324764	D040860	5	2	10.54	47	394	<2	22	5.05	9	51	119	117	6.87	1.89	47	1.50	1628	33	47	526	10	<5	<5	<10	261	4603	15	279	<10	7	140
324765	D040861	31	2	9.40	15	397	<2	22	4.34	8	27	118	138	5.93	1.88	43	1.03	1150	35	45	1140	19	<5	<5	<10	252	1265	18	93	<10	8	228
324766	D040862	72	3	8.58	12	419	2	17	2.90	9	37	170	227	6.44	1.75	40	0.75	735	40	52	748	20	<5	<5	<10	178	1166	21	115	<10	6	370
324767	D040863	13	2	8.16	8	485	<2	18	2.27	8	23	165	112	5.62	1.82	48	1.39	649	35	29	541	15	<5	<5	<10	126	914	8	107	<10	6	176
324768	D040864	11	2	6.59	7	475	2	14	0.97	11	45	325	273	7.20	1.70	38	1.11	493	40	72	295	21	<5	<5	<10	90	1029	<2	116	<10	4	500
324769	D040865	89	2	12.67	11	145	<2	17	3.32	8	29	134	46	6.62	2.11	51	2.91	900	33	49	549	14	<5	<5	<10	254	1311	18	178	<10	12	104
324770	D040866	178	2	11.25	7	199	<2	24	4.75	12	44	74	111	9.59	2.00	43	2.04	1312	37	23	607	8	<5	<5	<10	360	6861	8	243	<10	12	134
324771	D040867	72	2	11.11	7	410	2	18	5.17	11	41	63	89	8.86	2.05	42	2.01	1226	36	9	658	20	<5	<5	<10	395	7124	14	199	<10	13	125
324772	D040868	23	2	11.11	9	305	<2	22	4.44	11	47	111	145	9.29	2.01	44	2.57	1219	33	37	673	14	<5	<5	<10	386	7534	16	256	<10	10	126
324773	D040869	12	2	11.18	9	466	2	14	4.75	6	29	210	46	4.86	1.94	39	1.98	727	30	65	1342	14	<5	<5	<10	523	4669	11	155	<10	12	84
324774 Dup	D040869	15	2	10.36	7	461	2	17	4.71	6	29	199	47	4.77	2.07	38	1.94	718	26	68	1329	13	<5	<5	<10	517	4584	11	154	<10	10	82
324775	D040870	52	2	11.99	8	498	<2	26	5.53	9	41	106	178	7.78	1.96	43	2.36	1006	30	41	426	16	<5	<5	<10	327	6191	15	292	<10	14	90
324776	D040871	<5	2	13.04	8	276	<2	24	6.37	10	42	115	172	8.13	1.90	48	2.52	1157	33	34	376	11	<5	<5	<10	336	6315	13	307	<10	20	90
324777	D040872	329	2	10.49	6	272	<2	19	5.46	9	42	71	180	7.70	2.08	44	2.22	1006	32	34	350	5	<5	<5	<10	274	6789	32	307	<10	15	92
324778	D040873	46	2	13.00	9	153	<2	21	5.30	10	49	109	81	8.19	2.11	48	2.58	1128	31	55	405	13	<5	<5	<10	251	6596	15	211	<10	21	95
324779	D040874	11	3	10.89	8	142	2	18	5.41	11	44	112	24	7.80	2.02	51	2.77	1228	31	65	312	14	<5	<5	<10	233	6828	19	216	<10	17	92
324780	D040875	10	2	12.48	7	156	<2	21	5.76	10	46	121	21	8.03	1.77	47	2.82	1215	29	58	317	10	<5	<5	<10	256	7004	11	226	<10	21	89
324781	D040876	55	2	10.55	8	153	<2	21	5.07	9	42	115	47	7.54	2.06	44	2.45	1156	29	55	315	5	<5	<5	<10	209	6253	16	201	<10	16	88
324782	D040877	114	2	10.18	8	174	<2	18	5.23	10	48	113	100	8.12	2.03	46	2.52	1162	30	66	511	11	<5	<5	<10	230	6165	19	206	<10	15	105
324783	D040878	23	2	10.59	7	128	<2	23	4.65	11	51	112	97	8.88	2.06	50	2.46	1166	29	72	467	12	<5	<5	<10	246	6749	16	212	<10	16	121

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory