ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297745	D045821	0.242	<1	1.47	6	60	<1	<5	5.37	5	52	53	119	11.46	0.48	8	2.36	1196	19	18	644	23	<5	<5	2	121	1483	3	466	<10	7	105
297746	D045822	0.043	<1	0.49	5	25	<1	<5	6.87	5	44	25	64	10.64	0.17	3	2.00	1613	17	15	591	29	<5	<5	2	154	1060	<1	501	<10	7	72
297747	D045823	0.620	<1	2.11	9	42	<1	<5	7.43	6	53	160	84	12.35	0.35	13	3.22	1558	20	38	687	33	<5	<5	2	194	1281	6	379	<10	9	92
297748	D045824	0.011	<1	2.96	<2	3	<1	<5	7.18	<4	43	807	27	5.19	0.02	23	6.10	1142	7	283	1311	17	<5	<5	<1	183	111	<1	143	<10	8	73
297749	D045825	0.015	<1	4.38	<2	5	<1	<5	5.24	<4	46	407	111	8.10	0.02	27	4.91	1057	<1	142	613	15	<5	<5	<1	118	326	<1	226	<10	7	91
297750	D045826	0.006	<1	4.08	<2	174	1	<5	5.68	<4	43	124	107	8.22	0.33	25	3.83	1080	4	70	313	16	<5	<5	4	121	986	4	250	<10	7	85
297751	D045827	0.008	<1	3.70	<2	151	1	<5	5.76	<4	46	154	115	8.39	1.07	24	3.95	1222	<1	71	299	38	<5	<5	3	121	1690	<1	234	<10	7	77
297752	D045828	0.007	<1	3.40	2	76	<1	<5	5.37	<4	42	117	114	7.65	0.55	22	3.69	1213	<1	63	288	16	<5	<5	1	128	1087	2	212	<10	6	78
297753	D045829	0.005	<1	3.52	<2	297	2	<5	5.00	<4	47	172	95	8.04	2.31	25	3.98	1235	1	71	336	24	<5	<5	3	129	2918	6	271	<10	7	82
297754	D045830	0.005	<1	4.32	<2	462	2	<5	5.53	<4	55	454	75	8.37	3.90	30	4.67	1297	2	157	1144	22	<5	<5	5	149	3933	<1	294	<10	10	104
297755 Dup	D045830	0.007	<1	4.12	<2	438	2	<5	5.29	<4	52	435	65	8.00	3.65	29	4.51	1241	<1	149	1063	28	<5	<5	5	142	3728	2	280	<10	10	99
297756	D045831	0.007	<1	3.13	<2	5	<1	<5	4.64	<4	42	158	111	7.91	0.03	18	3.27	1221	1	61	379	17	<5	<5	2	104	273	8	234	<10	6	68
297757	D045832	<0.005	<1	3.01	2	6	<1	<5	5.01	<4	41	114	60	7.92	0.03	18	3.39	1307	<1	52	320	18	<5	<5	<1	98	378	5	243	<10	5	63
297758	D045833	<0.005	<1	2.84	<2	9	<1	<5	5.15	<4	43	172	69	8.38	0.05	17	3.15	1281	2	49	368	17	<5	<5	2	100	810	<1	266	<10	6	67
297759	D045834	<0.005	<1	2.52	<2	121	<1	<5	4.85	<4	43	131	29	8.38	1.21	16	3.06	1305	2	43	319	18	<5	<5	3	109	2157	3	281	<10	6	63
297760	D045835	<0.005	<1	2.48	4	160	1	<5	5.33	<4	45	184	26	8.61	1.66	17	3.03	1351	7	41	338	24	<5	<5	4	120	2533	8	288	<10	7	66
297761	D045836	<0.005	<1	2.53	<2	87	<1	<5	5.53	<4	42	127	50	8.22	0.86	16	2.87	1421	4	40	249	19	<5	<5	4	119	1700	14	267	<10	6	82
297762	D045837	0.005	<1	2.90	<2	64	<1	<5	6.30	4	45	162	82	9.19	0.59	17	2.90	1530	12	35	387	21	<5	<5	2	122	1369	9	282	<10	8	113
297763	D045838	0.005	<1	3.73	<2	12	<1	<5	4.79	4	45	115	104	8.86	0.10	22	3.49	1239	<1	46	316	20	<5	<5	3	95	839	6	279	<10	6	84
297764	D045839	0.005	<1	3.21	3	191	<1	<5	5.02	<4	45	146	102	7.78	1.89	19	3.72	1307	<1	62	304	15	<5	<5	3	112	2733	3	260	<10	5	69
297765	D045840	<0.005	<1	3.30	3	5	<1	<5	4.74	<4	39	116	46	7.65	0.03	19	3.37	1266	<1	50	316	16	<5	<5	3	81	613	2	231	<10	6	74
297766 Dup	D045840	<0.005	<1	3.28	3	4	<1	<5	4.78	<4	40	115	46	7.63	0.02	19	3.35	1271	<1	51	315	15	<5	<5	<1	81	589	2	230	<10	6	75
297767	D045841	0.007	<1	3.15	3	2	<1	<5	5.02	<4	42	149	133	8.35	<0.01	17	2.90	1291	7	37	351	18	<5	<5	<1	79	680	8	271	<10	8	77
297768	D045842	0.005	<1	2.61	2	74	1	<5	5.37	<4	42	90	46	8.67	0.75	15	2.85	1394	9	34	384	19	<5	<5	4	107	1378	5	296	<10	7	66
297769	D045843	0.006	<1	3.17	<2	36	<1	<5	4.65	4	48	127	90	9.69	0.39	18	3.23	1403	12	37	428	21	<5	<5	4	77	1177	<1	325	<10	7	188
297770	D045844	0.007	<1	2.99	4	25	<1	<5	7.95	<4	46	90	124	8.01	0.12	13	1.63	1495	14	67	297	13	<5	<5	2	80	665	<1	131	<10	8	95
297771	D045845	0.011	<1	3.63	2	21	<1	<5	6.52	<4	42	181	111	8.01	0.08	20	3.18	1179	<1	73	338	15	<5	<5	2	105	492	10	202	<10	8	77
297772	D045846	0.015	<1	3.66	3	25	<1	<5	5.83	<4	44	160	120	8.36	0.12	21	3.90	1245	<1	79	277	20	<5	<5	2	114	478	<1	240	<10	6	95
297773	D045847	0.123	<1	2.84	8	245	1	<5	5.98	4	50	134	149	10.24	1.50	14	2.74	1427	20	33	676	20	<5	<5	4	169	2730	2	413	<10	10	87
297774	D045848	0.013	<1	2.70	<2	7	1	<5	4.41	4	48	18	111	11.33	0.02	12	2.25	1438	20	14	533	24	<5	<5	2	102	1267	3	415	<10	8	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297775	D045849	0.011	<1	2.48	5	274	1	<5	4.92	5	49	82	102	11.22	0.87	11	2.16	1499	21	14	635	23	<5	<5	3	140	2263	5	393	<10	9	98
297776	D045850	0.012	<1	2.33	4	24	<1	<5	5.04	4	44	14	103	10.34	0.05	12	2.01	1384	19	9	546	20	<5	<5	2	146	937	1	355	<10	8	87
297777 Dup	D045850	0.013	<1	2.37	2	23	1	<5	5.13	4	41	14	115	10.35	0.05	11	2.04	1405	18	11	542	25	<5	<5	<1	149	835	2	355	<10	8	89
297778	D045851	0.014	<1	2.26	4	17	<1	<5	4.67	4	44	66	102	9.94	0.04	10	1.95	1354	18	11	535	23	<5	<5	3	138	852	8	341	<10	8	85
297779	D045852	5.451	<1	1.14	723	432	<1	<5	0.80	<4	10	37	32	3.92	0.14	10	0.60	355	375	25	485	31	6	<5	2	61	797	<1	47	<10	5	43
297780	D045853	<0.005	<1	0.98	11	104	<1	<5	0.60	<4	11	42	19	1.82	0.09	8	0.49	326	7	29	450	11	<5	<5	2	31	1002	<1	44	37	6	33
297781	D045854	0.009	<1	3.00	4	372	2	<5	5.25	<4	40	362	69	7.30	1.51	14	3.86	1164	3	87	2023	24	<5	<5	4	213	1991	4	241	<10	13	91
297782	D045855	0.010	<1	2.44	<2	155	1	<5	5.18	4	42	110	68	9.43	0.40	10	2.10	1304	17	19	605	22	<5	<5	3	149	1684	2	344	<10	9	80
297783	D045856	0.011	<1	2.75	<2	5	<1	<5	4.02	4	42	14	64	10.26	<0.01	11	2.06	1265	17	8	534	19	<5	<5	3	70	1984	<1	341	<10	12	81
297784	D045857	0.013	<1	2.75	<2	5	1	<5	3.61	4	52	69	72	10.77	0.01	11	2.02	1289	19	9	566	22	<5	<5	4	55	2985	5	346	<10	18	87
297785	D045858	0.023	<1	3.05	3	4	<1	<5	4.28	4	42	12	48	10.47	<0.01	12	2.14	1359	18	8	432	19	<5	<5	2	57	2061	4	351	<10	13	95
297786	D045859	0.336	<1	3.27	2	2	<1	<5	4.62	4	45	65	83	9.93	<0.01	12	2.16	1324	17	11	501	23	<5	<5	1	54	1329	7	338	<10	10	90
297787	D045860	0.014	<1	3.00	3	2	<1	<5	3.66	4	47	12	92	10.42	<0.01	12	2.16	1356	19	10	542	15	<5	<5	5	35	2250	<1	338	<10	9	97
297788 Dup	D045860	0.011	<1	3.02	<2	2	<1	<5	3.60	4	46	12	92	10.26	<0.01	12	2.14	1343	18	12	533	16	<5	<5	5	34	2056	2	333	<10	9	96
297789	D045861	0.008	<1	2.64	4	2	<1	<5	5.79	<4	41	111	65	8.47	<0.01	10	1.88	1421	13	11	456	13	<5	<5	4	52	2246	2	257	<10	6	83
297790	D045862	0.021	<1	2.92	<2	2	<1	<5	2.50	<4	46	12	41	10.22	<0.01	11	2.26	1215	20	12	528	19	<5	<5	6	23	1798	<1	309	<10	4	95
297791	D045863	0.006	<1	2.80	3	2	1	<5	2.80	4	46	148	72	10.57	<0.01	11	2.03	1236	19	10	662	18	<5	7	4	30	2517	2	233	<10	6	94
297792	D045864	0.006	<1	3.11	<2	2	1	<5	3.56	4	47	108	66	10.51	<0.01	12	2.17	1387	19	14	547	21	<5	<5	3	32	2349	4	339	<10	11	105
297793	D045865	<0.005	<1	3.04	3	3	<1	<5	4.22	4	42	151	45	10.85	<0.01	12	1.95	1407	20	18	812	22	<5	<5	2	47	1584	4	262	<10	16	101
297794	D045866	<0.005	<1	3.14	<2	5	<1	<5	4.38	4	44	272	45	10.13	0.01	12	2.34	1313	19	53	811	18	<5	<5	3	71	1297	<1	268	<10	11	89
297795	D045867	<0.005	<1	3.49	2	2	<1	<5	5.45	<4	44	197	36	9.97	<0.01	13	2.44	1498	17	45	538	21	<5	<5	4	111	1612	<1	336	<10	7	84
297796	D045868	0.006	<1	3.90	4	2	<1	<5	4.94	4	44	70	107	10.41	<0.01	13	2.23	1481	18	13	521	20	<5	<5	2	98	1349	3	364	<10	6	91
297797	D045869	0.007	<1	3.31	5	19	<1	<5	4.78	<4	40	258	99	8.19	0.03	11	1.90	1521	15	37	350	14	<5	<5	4	80	907	<1	247	<10	5	89
297798	D045870	0.006	<1	2.46	15	58	<1	<5	2.86	<4	54	247	73	5.39	0.17	7	1.12	977	9	121	304	12	<5	<5	<1	45	597	<1	97	<10	4	67
297799 Dup	D045870	0.021	<1	2.62	15	61	<1	<5	3.03	<4	58	266	77	5.72	0.18	8	1.19	1034	10	128	322	14	<5	<5	1	48	568	<1	102	<10	4	71
297800	D045871	0.008	<1	2.09	11	32	<1	<5	4.72	<4	62	130	151	4.89	0.16	6	0.86	1313	9	128	303	12	<5	<5	<1	69	388	<1	56	<10	4	63
297801	D045872	0.010	<1	2.63	5	57	<1	<5	3.72	<4	63	194	151	5.25	0.36	7	0.98	1259	9	117	310	16	<5	<5	2	61	616	3	74	<10	4	74
297802	D045873	0.014	<1	2.26	7	59	<1	<5	4.06	<4	51	203	127	4.68	0.33	7	0.92	1212	8	111	343	14	<5	<5	2	72	479	<1	62	<10	5	63
297803	D045874	0.014	<1	2.27	5	66	<1	<5	4.35	<4	55	188	117	5.37	0.20	10	1.14	1524	10	110	402	9	<5	<5	<1	81	343	1	105	<10	6	65
297804	D045875	0.091	<1	1.51	6	18	<1	<5	5.12	<4	49	208	136	5.16	0.05	8	0.95	1494	9	72	298	12	<5	<5	<1	117	364	4	175	<10	7	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297805	D045876	0.015	2	2.69	7	76	2	<5	5.48	4	59	244	138	6.04	0.26	14	1.62	1554	12	126	301	21	<5	<5	3	108	852	4	141	<10	9	91
297806	D045877	0.035	<1	2.61	4	109	<1	<5	6.44	<4	55	303	138	6.09	0.40	12	1.36	1871	12	121	258	15	5	<5	2	120	740	4	81	<10	8	70
297807	D045878	0.025	<1	2.83	3	67	1	<5	6.93	<4	55	208	138	8.21	0.21	14	1.62	2112	15	114	237	20	<5	<5	<1	128	580	<1	128	<10	8	83
297808	D045879	0.045	<1	2.80	3	96	1	<5	6.18	<4	48	178	142	8.63	0.62	14	2.17	1727	16	78	281	20	<5	<5	3	128	1429	<1	256	<10	8	83
297809	D045880	0.017	<1	3.73	<2	3	<1	<5	5.77	<4	45	178	125	8.84	<0.01	18	2.72	1374	14	54	328	14	<5	<5	4	107	1042	2	286	<10	5	92
297810 Rep	D045880	0.022	<1	3.66	2	2	<1	<5	5.66	<4	42	131	128	8.60	<0.01	18	2.71	1337	14	53	321	18	<5	<5	4	106	728	6	279	<10	5	91
297811	D045881	0.012	<1	4.14	<2	4	<1	<5	5.46	4	46	174	228	8.85	0.01	20	3.20	1248	8	233	337	20	<5	<5	3	86	955	6	273	<10	4	221
297812	D045882	0.006	<1	4.35	2	4	<1	<5	6.30	<4	43	257	137	7.57	0.01	23	3.84	1257	<1	116	203	17	<5	<5	3	96	164	<1	203	<10	4	129
297813	D045883	<0.005	<1	4.32	2	16	<1	<5	5.96	<4	45	309	123	7.58	0.07	22	3.83	1219	<1	109	251	16	<5	6	2	104	155	5	184	<10	4	120
297814	D045884	0.010	<1	3.68	2	18	<1	<5	6.37	<4	41	207	110	6.99	0.08	20	3.49	1349	<1	98	207	14	6	<5	3	131	169	4	142	<10	4	119
297815	D045885	0.012	<1	3.95	2	45	<1	<5	6.08	<4	39	312	80	7.23	0.15	23	3.47	1248	<1	95	422	17	<5	<5	5	122	302	5	168	<10	5	117
297816	D045886	<0.005	<1	3.05	<2	50	<1	<5	5.85	<4	31	261	47	5.64	0.09	19	2.74	1028	<1	93	1268	16	<5	<5	<1	168	320	4	140	<10	7	95
297817	D045887	<0.005	<1	2.59	<2	269	<1	<5	5.13	<4	28	266	62	4.83	1.05	14	2.47	828	2	89	1426	12	<5	<5	2	241	1660	1	146	<10	6	80
297818	D045888	0.011	<1	2.47	<2	418	<1	<5	4.76	<4	30	272	72	4.84	1.64	13	2.51	753	<1	91	1455	14	<5	<5	4	235	2605	<1	148	<10	6	80
297819	D045889	0.005	<1	3.66	4	43	<1	<5	6.46	<4	44	273	46	7.40	0.12	24	3.83	1371	<1	120	375	20	<5	<5	4	151	114	2	155	<10	5	112
297820	D045890	0.011	<1	3.91	2	16	<1	<5	6.03	<4	46	207	93	7.71	0.05	25	3.90	1319	<1	109	203	12	<5	<5	2	136	186	3	173	<10	4	121
297821 Dup	D045890	<0.005	<1	3.93	<2	15	<1	<5	6.06	<4	44	206	91	7.74	0.05	25	3.91	1319	<1	108	189	18	<5	<5	<1	136	178	9	174	<10	4	123
297822	D045891	0.011	<1	3.77	2	5	<1	<5	5.67	<4	42	140	125	8.19	0.01	21	2.94	1245	4	50	313	17	<5	<5	3	116	543	1	257	<10	5	121
297823	D045892	0.008	<1	3.84	4	27	<1	<5	5.96	<4	41	236	97	8.25	0.07	20	3.07	1338	6	59	326	19	<5	<5	3	110	1015	<1	226	<10	6	119
297824	D045893	0.010	<1	4.48	2	37	<1	<5	5.16	<4	49	244	23	8.56	0.11	23	3.98	1239	<1	131	201	12	<5	<5	3	83	129	5	153	<10	4	130
297825	D045894	<0.005	<1	4.67	<2	27	<1	<5	5.88	<4	49	204	20	8.88	0.09	22	3.94	1305	<1	127	211	16	<5	<5	3	96	166	6	161	<10	4	130
297826	D045895	0.006	<1	3.52	2	42	<1	<5	9.00	<4	38	194	16	7.08	0.12	16	3.36	1785	<1	95	175	19	<5	<5	3	130	116	3	130	<10	7	90
297827	D045896	0.043	<1	4.51	<2	18	<1	<5	6.79	<4	43	211	46	8.39	0.07	22	3.74	1431	<1	108	248	14	<5	<5	<1	117	316	<1	196	<10	5	113
297828	D045897	0.015	<1	4.35	2	14	<1	<5	6.17	<4	47	126	169	9.01	0.03	22	3.34	1314	3	38	363	17	<5	<5	4	98	928	<1	269	<10	5	106
297829	D045898	0.014	<1	3.86	2	13	<1	<5	6.75	<4	41	159	121	7.75	0.03	20	3.18	1286	3	56	311	14	<5	<5	2	118	756	6	239	<10	6	90
297830	D045899	0.011	<1	4.02	5	36	<1	<5	7.28	<4	40	197	98	6.90	0.09	21	3.59	1254	<1	92	188	17	<5	<5	2	124	159	10	130	<10	4	91
297831	D045900	0.015	<1	4.51	2	32	<1	<5	6.22	<4	42	223	97	7.21	0.08	24	4.09	1169	<1	101	201	15	<5	<5	2	110	222	2	153	<10	5	96
297832 Dup	D045900	0.010	<1	4.52	<2	32	<1	<5	6.21	<4	42	223	99	7.34	0.08	24	4.07	1170	<1	103	205	17	<5	<5	1	110	219	3	153	<10	5	97
297833	D045901	0.006	<1	4.54	<2	21	<1	<5	5.64	<4	43	219	110	7.25	0.06	25	4.06	1112	<1	102	198	18	<5	<5	4	99	197	4	148	<10	4	95
297834	D045902	1.186	2	0.14	107	276	<1	97	0.05	<4	3	23	54	4.35	0.01	<1	0.04	<100	19	9	<100	102	13	7	11	7	<100	2	24	<10	<1	<1

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297835	D045903	<0.005	<1	1.19	4	120	<1	<5	0.76	<4	11	47	22	2.06	0.11	9	0.57	381	6	32	500	11	<5	<5	3	40	1308	<1	53	41	8	37
297836	D045904	0.006	<1	0.74	2	105	<1	<5	2.12	<4	4	111	13	1.06	0.26	3	0.38	254	2	10	397	9	<5	<5	3	63	<100	1	7	<10	2	25
297837	D045905	0.007	<1	5.21	2	83	<1	<5	4.73	<4	48	255	10	8.71	0.08	29	4.43	1184	<1	111	215	18	<5	7	3	75	1504	3	191	<10	8	151
297838	D045906	<0.005	<1	3.57	<2	83	<1	<5	4.28	<4	31	209	6	5.48	0.15	21	3.26	875	<1	76	274	13	<5	<5	3	68	1116	6	112	<10	8	109
297839	D045907	0.009	<1	4.17	<2	65	<1	<5	5.42	<4	37	243	105	7.17	0.12	24	3.60	1085	<1	101	245	17	<5	<5	3	106	683	<1	143	<10	6	127
297840	D045908	0.053	<1	2.75	9	29	<1	<5	5.28	<4	78	196	22	5.74	0.06	15	2.34	878	1	81	1815	12	<5	<5	3	145	852	6	121	<10	8	105
297841	D045909	0.006	<1	2.51	2	35	<1	<5	5.51	<4	28	196	60	4.67	0.14	14	2.36	873	<1	77	1681	12	<5	<5	3	147	1948	10	134	<10	8	76
297842	D045910	0.008	<1	4.70	2	31	<1	<5	6.01	<4	43	231	89	6.86	0.07	28	4.45	1120	<1	101	218	13	<5	<5	4	101	1548	8	175	<10	8	70
297843 Dup	D045910	0.009	<1	4.75	4	31	<1	<5	6.04	<4	43	232	97	6.92	0.07	28	4.50	1132	<1	100	210	12	<5	<5	3	103	1500	4	176	<10	8	72
297844	D045911	0.010	<1	4.89	<2	18	<1	<5	5.60	<4	44	241	113	7.45	0.05	28	4.54	1056	<1	104	218	15	<5	<5	5	72	1753	7	170	<10	8	76
297845	D045912	0.006	<1	4.04	4	59	<1	<5	6.50	<4	47	209	139	7.40	0.14	20	3.24	1285	<1	96	222	15	<5	<5	3	61	1405	7	125	<10	7	80
297846	D045913	0.010	<1	4.38	6	46	<1	<5	5.55	<4	50	215	101	8.12	0.09	22	3.56	1459	2	99	245	15	<5	<5	2	51	1178	10	147	<10	6	89
297847	D045914	0.010	<1	4.30	<2	48	<1	<5	6.26	<4	48	218	100	7.61	0.09	21	3.49	1334	1	100	236	16	<5	<5	6	46	1877	7	143	<10	8	83
297848	D045915	0.010	<1	4.21	2	58	<1	<5	6.84	<4	48	230	96	7.70	0.08	20	3.38	1394	3	105	210	10	<5	5	3	46	1926	7	164	<10	8	90
297849	D045916	0.008	<1	4.45	<2	24	<1	<5	6.37	<4	46	250	95	7.72	0.04	22	3.80	1396	<1	95	209	15	<5	7	3	39	1745	5	186	<10	7	90
297850	D045917	0.008	<1	4.35	<2	25	<1	<5	5.93	<4	49	253	119	7.62	0.04	21	3.74	1305	<1	103	235	15	<5	11	5	35	2271	5	178	<10	8	93
297851	D045918	0.009	<1	4.01	<2	9	<1	<5	6.18	<4	46	245	111	6.87	0.02	18	3.59	1240	<1	102	216	16	<5	<5	4	45	2341	4	181	<10	7	63
297852	D045919	0.010	<1	3.65	<2	68	<1	<5	4.78	<4	42	224	105	7.25	0.16	16	3.25	1163	<1	63	265	18	<5	<5	4	44	3230	9	211	<10	9	67
297853	D045920	0.011	<1	3.57	2	92	<1	<5	5.55	<4	46	223	118	6.80	0.13	16	2.88	1280	<1	113	252	16	<5	<5	3	44	1384	2	153	<10	6	65
297854 Dup	D045920	0.011	<1	3.55	3	89	<1	<5	5.55	<4	47	222	115	6.78	0.13	16	2.85	1274	<1	112	250	14	<5	<5	2	44	1288	7	151	<10	5	64
297855	D045921	0.008	<1	3.68	2	92	<1	<5	6.66	<4	42	280	98	8.43	0.46	16	2.77	1596	10	96	203	17	<5	<5	2	62	1494	2	207	<10	6	98
297856	D045922	0.007	<1	3.69	6	34	<1	<5	5.96	<4	48	246	118	7.62	0.06	16	2.62	1586	8	114	213	14	<5	<5	2	45	1011	<1	174	<10	5	89
297857	D045923	0.010	<1	4.18	2	2	<1	<5	5.50	<4	47	264	114	7.56	<0.01	18	3.78	1312	<1	100	205	12	<5	<5	5	43	2207	2	205	<10	8	87
297858	D045924	0.010	<1	3.17	<2	2	<1	<5	3.40	<4	41	210	114	5.58	0.01	13	3.00	944	<1	95	207	10	<5	<5	3	33	1954	4	129	<10	4	65
297859	D045925	0.010	2	3.20	5	3	2	<5	2.62	<4	44	207	128	5.62	<0.01	15	2.97	931	2	100	221	18	<5	<5	5	31	2684	2	123	<10	6	73
297860	D045926	0.009	<1	3.64	4	2	<1	<5	4.68	<4	42	225	111	6.15	<0.01	16	3.40	1057	<1	92	213	15	<5	<5	3	37	2593	5	140	<10	5	67
297861	D045927	0.008	<1	3.86	2	1	<1	<5	3.99	<4	48	247	127	6.60	<0.01	16	3.51	1070	<1	97	219	16	<5	<5	3	36	3105	7	146	<10	5	76
297862	D045928	0.011	<1	3.60	4	2	<1	<5	4.41	<4	43	207	125	6.27	<0.01	15	3.36	1077	<1	91	215	14	<5	<5	2	35	2442	3	142	<10	5	73
297863	D045929	0.010	<1	4.22	<2	1	<1	<5	5.28	<4	48	260	111	7.33	<0.01	18	3.90	1254	<1	102	221	15	<5	<5	4	30	2986	4	179	<10	6	75
297864	D045930	0.014	<1	3.26	2	1	<1	<5	3.43	<4	41	200	124	5.73	<0.01	15	3.08	990	<1	88	210	12	<5	<5	3	32	2478	<1	120	<10	5	67

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297865 Dup	D045930	0.014	<1	3.23	3	1	<1	<5	3.40	<4	41	198	125	5.70	<0.01	15	3.07	987	<1	87	206	16	<5	<5	3	31	2372	5	119	<10	4	67
297866	D045931	0.010	<1	3.57	2	2	<1	<5	4.18	<4	41	266	93	6.29	<0.01	16	3.40	1114	<1	89	208	11	<5	<5	3	30	2268	6	140	<10	4	74
297867	D045932	0.010	<1	3.56	<2	1	<1	<5	3.68	<4	41	209	111	6.28	<0.01	15	3.35	1072	<1	90	230	12	<5	10	2	30	2352	1	134	<10	4	72
297868	D045933	0.006	<1	3.89	2	2	<1	<5	6.54	<4	42	252	77	7.13	<0.01	17	3.62	1275	<1	92	187	12	<5	<5	3	39	1676	3	183	<10	5	79
297869	D045934	0.005	<1	3.50	3	1	<1	<5	4.55	<4	41	212	110	6.41	<0.01	16	3.35	1045	<1	87	208	11	<5	<5	3	35	2028	2	164	<10	6	65
297870	D045935	0.423	<1	3.51	3	62	<1	<5	6.92	<4	37	281	33	6.59	0.44	16	3.41	1248	<1	88	199	19	<5	<5	4	49	1735	5	180	<10	5	73
297871	D045936	0.016	<1	4.20	5	2	<1	<5	5.33	<4	55	257	118	7.69	0.01	18	3.86	1214	<1	101	226	22	<5	6	3	36	2328	6	203	<10	7	77
297872	D045937	0.010	<1	4.18	<2	2	<1	<5	6.19	<4	46	262	87	7.47	<0.01	17	3.84	1273	<1	98	200	12	<5	<5	5	40	2458	<1	219	<10	8	80
297873	D045938	0.018	<1	3.98	6	2	<1	<5	6.01	<4	49	206	187	8.03	0.01	16	3.39	1274	<1	73	271	14	<5	<5	6	44	2034	<1	227	<10	7	89
297874	D045939	0.010	<1	4.39	2	2	<1	<5	7.26	<4	52	167	94	8.64	<0.01	18	3.62	1424	7	74	333	13	<5	<5	3	51	3006	2	269	<10	9	117
297875	D045940	0.011	<1	4.35	3	7	<1	<5	5.15	<4	50	99	126	8.61	0.02	17	3.66	1263	5	73	299	12	<5	5	5	30	2674	4	249	13	9	118
297876 Rep	D045940	0.010	<1	4.50	4	7	<1	<5	5.29	<4	52	114	124	8.87	0.02	18	3.74	1289	<1	75	316	18	<5	<5	3	31	2921	6	258	10	10	122
297877	D045941	0.012	<1	4.07	5	15	<1	<5	4.98	<4	47	109	195	8.18	0.09	17	3.53	1258	2	207	286	19	<5	<5	3	33	3645	3	237	<10	10	250
297878	D045942	0.008	<1	3.90	3	292	<1	<5	5.48	<4	48	159	118	8.03	1.90	13	3.46	1210	3	78	295	18	5	<5	4	42	3422	<1	237	<10	8	157
297879	D045943	0.007	<1	3.41	2	6	<1	<5	4.14	<4	44	81	146	6.67	0.03	14	2.96	1072	<1	70	322	16	<5	<5	2	40	3920	6	166	<10	9	94
297880	D045944	0.008	<1	3.08	<2	4	<1	<5	3.52	<4	41	109	97	6.23	0.01	12	2.63	1017	<1	61	305	11	<5	<5	2	32	4157	4	153	<10	7	87
297881	D045945	0.011	<1	2.79	<2	2	<1	<5	2.34	<4	37	64	97	5.56	<0.01	10	2.31	870	<1	56	324	17	<5	<5	3	27	3606	3	123	<10	6	79
297882	D045946	0.006	<1	3.07	2	89	<1	<5	2.62	<4	42	110	115	6.08	<0.01	12	2.63	952	<1	63	314	11	<5	<5	3	27	3803	<1	134	<10	6	79
297883	D045947	0.010	<1	3.11	2	2	<1	<5	2.46	<4	40	73	100	5.97	<0.01	12	2.72	943	<1	64	305	15	<5	<5	2	20	3359	<1	125	<10	5	75
297884	D045948	0.006	<1	2.90	2	2	<1	<5	1.84	<4	39	98	107	5.31	<0.01	11	2.40	839	<1	62	313	9	<5	<5	3	22	3602	5	94	<10	5	68
297885	D045949	0.006	<1	2.63	3	1	<1	<5	1.38	<4	35	62	114	4.71	<0.01	10	2.10	737	<1	53	305	9	5	<5	2	24	3020	<1	82	<10	4	60
297886	D045950	0.007	<1	2.80	<2	1	<1	<5	1.18	<4	38	89	104	5.11	<0.01	11	2.30	782	<1	59	328	14	<5	<5	3	21	3598	7	90	<10	5	65
297887 Dup	D045950	0.005	<1	2.66	<2	1	<1	<5	1.05	<4	36	86	101	4.90	<0.01	10	2.24	752	<1	57	312	12	<5	<5	4	18	3132	4	83	<10	4	62
297888	D045951	<0.005	<1	2.47	2	1	<1	<5	1.06	<4	33	56	111	4.57	<0.01	10	2.08	704	<1	53	319	14	<5	<5	2	17	2426	2	73	<10	4	58
297889	D045952	2.938	56	1.76	31	171	<1	<5	2.62	9	12	52	157	2.93	0.26	12	1.59	550	6	42	496	1064	78	<5	4	77	440	<1	49	33	6	2031
297890	D045953	<0.005	<1	1.13	3	111	<1	<5	0.74	<4	11	44	20	1.94	0.11	8	0.54	358	6	29	475	13	<5	<5	2	37	1244	<1	51	38	7	41
297891	D045954	0.010	<1	2.91	2	2	<1	<5	1.98	<4	40	89	108	5.42	<0.01	11	2.41	851	<1	58	322	13	<5	<5	3	27	4045	<1	106	<10	5	66
297892	D045955	0.008	<1	3.17	3	2	<1	<5	2.27	<4	41	69	123	6.09	<0.01	12	2.72	917	3	63	327	11	<5	<5	5	27	3907	<1	127	<10	6	69
297893	D045956	0.007	<1	3.03	7	1	<1	<5	2.71	<4	41	94	114	6.09	<0.01	15	2.82	890	<1	59	318	18	<5	<5	4	28	4023	5	160	<10	9	57
297894	D045957	0.009	<1	2.51	9	11	<1	<5	3.56	<4	37	63	105	5.60	0.10	12	2.25	938	2	50	303	11	5	<5	3	39	3141	3	146	<10	8	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, October 26, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/07/2010
Date Completed: 10/22/2010
Job #: 201044315
Reference: Castlewood Lake(CWL)
Sample #: 161 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
297895	D045958	0.007	<1	3.17	5	220	<1	<5	4.45	<4	44	98	109	7.10	2.30	11	2.86	1114	2	64	308	16	<5	<5	2	41	3896	2	218	<10	7	73
297896	D045959	0.007	<1	2.79	3	4	<1	<5	2.40	<4	39	68	138	6.13	0.03	12	2.48	918	2	64	310	14	<5	<5	4	26	3057	2	128	<10	7	58
297897	D045960	0.006	<1	3.04	3	2	<1	<5	3.40	<4	42	103	107	6.27	0.01	13	2.70	1057	<1	57	341	17	<5	<5	3	29	3344	8	135	<10	5	67
297898 Dup	D045960	0.016	<1	3.03	2	2	<1	<5	3.36	<4	40	102	106	6.22	0.01	13	2.67	1048	<1	56	342	16	<5	<5	4	27	3143	<1	133	<10	5	65
297899	D045961	0.007	<1	2.51	4	11	<1	<5	2.41	<4	38	63	112	5.26	0.09	10	2.11	861	<1	55	308	11	<5	<5	3	23	2564	1	108	<10	6	61
297900	D045962	0.008	<1	2.98	2	2	<1	5	2.76	<4	42	125	127	6.65	<0.01	13	2.53	1094	4	45	373	11	<5	<5	4	31	3247	<1	128	<10	5	83
297901	D045963	0.010	<1	3.70	2	6	<1	<5	4.24	<4	48	101	120	8.44	<0.01	17	3.10	1311	3	36	380	15	<5	<5	3	36	4115	3	221	<10	8	106
297902	D045964	0.012	<1	4.15	<2	1	<1	<5	4.86	<4	50	154	132	8.69	<0.01	17	3.44	1267	4	64	332	14	<5	<5	5	31	3828	2	253	<10	10	138
297903	D045965	0.011	<1	3.67	<2	32	<1	<5	4.91	<4	47	82	110	7.44	0.27	15	3.25	1219	2	70	301	13	<5	<5	2	51	3462	5	187	<10	7	86
297904	D045966	0.094	<1	3.55	3	59	<1	<5	4.70	<4	48	152	120	7.39	0.61	16	3.22	1156	2	73	320	14	<5	<5	3	65	3922	4	185	<10	8	86
297905	D045967	0.010	<1	3.77	2	3	<1	<5	4.78	<4	47	88	126	7.77	0.01	16	3.42	1218	<1	73	315	15	<5	<5	2	56	3121	<1	198	<10	7	85
297906	D045968	0.013	<1	3.85	3	2	<1	<5	4.97	<4	47	119	107	7.51	<0.01	15	3.27	1200	<1	71	306	16	<5	<5	2	60	3181	5	188	<10	8	84
297907	D045969	0.013	<1	3.89	<2	1	<1	<5	5.92	<4	46	91	106	7.70	<0.01	18	2.98	1335	<1	69	283	15	<5	<5	3	53	2357	3	210	<10	7	84
297908	D045970	0.008	<1	3.30	4	19	<1	<5	6.17	<4	50	174	123	6.57	0.12	17	1.93	1259	9	99	229	12	<5	<5	3	37	1452	7	109	<10	4	76
297909 Dup	D045970	0.009	<1	3.29	5	19	<1	<5	6.23	<4	50	173	128	6.55	0.12	17	1.96	1271	11	98	223	15	<5	<5	2	37	1425	2	109	<10	4	77
297910	D045971	0.010	<1	2.98	5	9	<1	<5	6.90	<4	42	146	122	6.19	0.08	16	1.68	1498	11	95	214	23	<5	<5	3	36	1020	<1	89	<10	3	76
297911	D045972	0.008	<1	3.30	5	18	<1	<5	6.46	<4	45	202	112	6.51	0.08	19	2.00	1536	10	104	255	16	<5	<5	1	39	966	<1	110	<10	4	75
297912	D045973	0.010	<1	3.45	2	9	<1	<5	6.87	<4	44	162	123	6.79	0.07	20	2.20	1416	10	97	224	16	<5	<5	<1	48	663	4	121	<10	5	77
297913	D045974	0.205	1	2.73	4	32	<1	<5	5.26	<4	32	203	82	5.26	0.10	16	2.02	958	4	71	368	20	<5	<5	4	91	287	9	125	<10	9	72
297914	D045975	0.107	<1	3.82	9	9	<1	<5	7.30	<4	43	97	116	8.53	0.04	19	2.62	1436	10	37	356	21	<5	<5	3	107	890	4	254	<10	9	97
297915	D045976	0.011	<1	3.41	5	16	<1	<5	7.52	<4	37	142	110	7.85	0.08	16	2.29	1522	15	33	328	19	<5	<5	3	121	803	2	191	<10	8	105
297916	D045977	0.009	<1	3.60	2	23	1	<5	6.37	<4	44	92	108	8.66	0.07	20	2.35	1230	14	35	338	23	<5	<5	2	90	419	2	198	<10	13	94
297917	D045978	0.025	<1	3.87	<2	30	<1	<5	6.36	<4	38	150	88	7.41	0.12	22	3.05	1093	3	66	542	21	<5	<5	2	112	300	1	171	<10	8	85
297918	D045979	0.009	<1	4.43	<2	4	<1	<5	6.70	<4	47	88	104	8.56	0.02	25	3.61	1309	3	70	298	17	<5	<5	<1	97	293	3	247	<10	9	82
297919	D045980	0.009	<1	4.38	3	2	<1	<5	5.63	<4	47	139	113	8.65	<0.01	24	3.48	1279	5	72	302	22	<5	<5	2	81	533	7	255	<10	7	92
297920 Dup	D045980	0.045	<1	4.40	3	2	<1	<5	5.64	<4	46	139	115	8.70	<0.01	24	3.46	1277	3	71	307	17	<5	<5	2	82	505	3	256	<10	7	93
297921	D045981	0.026	<1	3.55	2	14	<1	<5	7.33	<4	45	122	126	8.63	0.12	15	1.80	1995	13	92	266	22	<5	<5	<1	85	443	9	115	<10	7	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory