ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
305947	D046062	0.017	1	7.70	3	222	2	<5	7.98	9	38	359	124	6.13	1.66	35	3.45	1153	37	72	177	12	<5	<5	<10	167	316	2	126	<10	8	67
305948	D046063	0.018	1	8.16	2	272	2	<5	7.59	11	47	326	233	7.51	1.49	39	4.41	1265	25	82	258	8	<5	<5	<10	160	339	7	169	<10	8	103
305949	D046064	0.011	1	7.78	<2	171	2	<5	7.12	9	37	314	216	6.29	1.65	36	3.83	1204	26	64	173	7	<5	<5	<10	181	273	<1	173	<10	7	71
305950	D046065	0.009	1	8.75	4	280	2	<5	7.48	10	42	273	148	6.94	1.59	42	4.02	1164	28	72	227	9	<5	<5	<10	221	356	2	213	<10	9	85
305951	D046066	0.006	1	8.46	2	126	2	<5	7.65	9	36	274	142	6.34	1.65	38	3.69	1289	21	59	292	11	<5	<5	<10	313	274	<1	200	<10	11	67
305952	D046067	0.009	1	8.40	2	270	2	<5	7.65	9	38	147	149	6.27	1.66	41	3.51	1284	26	51	289	13	<5	<5	<10	340	890	<1	196	<10	11	78
305953	D046068	0.016	1	7.71	<2	494	3	<5	8.41	8	38	193	400	5.78	1.81	39	3.21	1176	25	54	240	10	<5	<5	<10	320	727	12	180	<10	10	78
305954	D046069	0.011	2	8.95	3	406	2	<5	8.05	10	50	158	187	7.00	1.67	45	3.70	1196	32	94	556	13	<5	<5	<10	307	787	2	194	<10	12	100
305955	D046070	0.011	1	7.89	<2	412	2	<5	8.66	9	44	205	150	6.15	1.67	45	3.14	1081	28	64	248	9	<5	<5	<10	261	484	2	149	<10	13	80
305956	D046071	0.012	1	7.61	2	448	3	<5	7.71	8	41	129	150	5.74	1.74	35	3.39	1199	23	64	317	10	<5	<5	<10	331	767	3	151	<10	10	72
305957 Dup	D046071	0.014	1	6.73	<2	422	2	<5	7.25	8	37	119	136	5.34	1.87	31	3.19	1128	22	59	314	11	<5	<5	<10	309	697	<1	140	<10	10	65
305958	D046072	0.012	1	8.10	<2	236	4	<5	6.66	10	44	165	142	7.09	1.76	40	3.60	1262	32	52	198	11	<5	<5	<10	319	1232	2	191	<10	9	104
305959	D046073	0.013	1	7.30	2	247	3	<5	6.13	10	43	99	139	6.73	1.74	37	3.41	1242	32	44	187	11	<5	<5	<10	354	1697	<1	183	<10	6	88
305960	D046074	0.022	2	7.97	2	301	2	<5	6.21	11	50	177	237	7.65	1.75	47	3.65	1154	42	57	263	12	<5	<5	<10	294	1156	4	204	<10	8	119
305961	D046075	0.030	1	7.00	3	331	2	<5	6.69	8	39	97	179	5.79	1.75	34	3.00	1189	37	36	163	11	<5	<5	<10	447	1817	3	167	<10	7	79
305962	D046076	0.026	2	7.03	2	376	3	<5	6.64	9	42	155	205	6.45	1.70	33	3.29	1323	37	40	207	13	<5	<5	<10	472	2270	2	189	<10	6	93
305963	D046077	0.015	1	6.40	<2	230	2	<5	3.46	<4	10	110	48	2.27	1.64	20	1.11	638	19	15	589	35	<5	<5	<10	317	426	<1	42	<10	9	11
305964	D046078	0.022	<1	2.85	<2	124	<1	<5	1.93	<4	8	295	58	1.78	1.04	10	0.68	451	12	14	648	19	<5	<5	<10	166	196	<1	23	<10	5	21
305965	D046079	0.031	1	5.30	2	191	<1	<5	3.24	4	12	173	44	2.80	1.53	17	1.19	720	19	50	455	41	<5	<5	<10	229	221	<1	44	<10	7	116
305966	D046080	0.022	1	6.44	3	324	3	<5	7.35	10	35	231	116	6.94	1.54	36	3.77	1576	28	79	339	15	<5	<5	<10	510	1012	3	173	<10	7	144
305967	D046081	0.032	1	4.89	2	474	2	<5	7.08	9	39	140	162	5.95	1.61	26	3.16	1219	29	49	176	11	<5	<5	<10	518	1314	2	148	<10	6	89
305968 Dup	D046081	0.035	1	6.25	<2	572	2	<5	7.53	9	40	156	179	6.39	1.61	31	3.27	1282	29	58	175	10	<5	<5	<10	558	1568	<1	172	<10	7	94
305969	D046082	0.052	1	5.83	3	519	2	<5	7.29	8	38	156	187	5.87	1.75	36	3.19	1316	24	50	185	17	<5	<5	<10	619	1252	<1	161	<10	7	90
305970	D046083	0.045	2	5.34	3	425	2	<5	5.86	7	32	125	242	5.12	1.53	31	2.52	1249	33	40	299	24	<5	<5	<10	609	783	<1	110	<10	7	81
305971	D046084	0.031	1	5.31	<2	816	1	<5	3.00	<4	12	403	42	2.09	1.64	19	0.77	479	40	18	545	11	<5	<5	<10	332	296	<1	33	<10	7	21
305972	D046085	0.071	1	5.93	<2	464	1	<5	1.90	<4	7	158	27	1.36	1.46	13	0.58	288	115	11	667	8	<5	<5	<10	292	188	<1	23	<10	5	6
305973	D046086	0.032	1	5.43	2	622	2	5	1.82	<4	7	305	81	1.56	1.54	17	0.60	267	132	13	718	8	<5	<5	<10	242	352	<1	32	<10	6	5
305974	D046087	0.042	2	4.75	<2	484	2	<5	4.35	<4	15	168	78	2.49	1.50	19	1.78	644	86	36	1097	13	<5	<5	<10	424	456	4	57	<10	11	34
305975	D046088	0.049	1	5.71	3	325	3	<5	6.77	8	37	191	189	5.66	1.62	29	2.95	1312	31	45	353	13	<5	<5	<10	484	1276	4	137	<10	8	93
305976	D046089	0.131	2	6.43	2	380	<1	6	2.54	<4	8	152	34	1.61	1.52	14	0.66	373	211	13	634	18	<5	<5	<10	445	158	<1	11	<10	7	<1

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
305977	D046090	0.055	1	7.37	<2	970	2	<5	2.42	<4	9	360	26	1.96	1.47	20	0.97	389	92	21	865	7	<5	<5	<10	2029	454	<1	41	<10	8	5
305978	D046091	0.060	1	6.90	4	675	2	<5	5.60	6	26	272	65	3.93	1.52	28	3.01	915	17	65	1528	18	<5	<5	<10	603	966	7	100	<10	14	78
305979 Dup	D046091	0.034	2	6.86	3	694	2	<5	5.58	6	27	274	70	3.87	1.57	29	3.00	905	17	63	1525	21	<5	<5	<10	577	976	3	101	<10	14	70
305980	D046092	0.356	2	6.99	<2	920	1	<5	2.35	<4	8	282	24	1.70	1.43	16	0.74	349	19	13	748	7	<5	<5	<10	413	293	<1	36	<10	7	11
305981	D046093	0.221	1	7.52	<2	707	2	<5	2.42	<4	8	121	20	1.50	1.56	17	0.72	328	23	10	716	8	<5	<5	<10	369	342	<1	44	<10	7	9
305982	D046094	0.048	1	7.17	2	583	<1	<5	2.31	<4	8	310	21	1.77	1.60	17	0.86	350	23	16	760	6	<5	<5	<10	423	279	<1	42	<10	7	8
305983	D046095	0.085	1	7.46	3	790	<1	<5	2.39	<4	7	157	12	1.67	1.62	15	0.88	352	19	13	709	7	<5	<5	<10	296	164	<1	34	<10	7	6
305984	D046096	0.037	1	7.30	<2	610	<1	<5	2.30	<4	7	256	13	1.60	1.62	18	0.78	325	20	13	711	7	<5	<5	<10	320	332	<1	56	<10	7	18
305985	D046097	0.030	1	7.16	3	632	1	<5	2.02	<4	6	140	11	1.41	1.59	16	0.64	267	21	10	660	6	<5	<5	<10	439	323	<1	46	<10	6	4
305986	D046098	0.019	2	8.29	2	648	1	<5	2.15	<4	7	122	17	1.41	1.52	19	0.68	275	18	10	718	7	<5	<5	<10	345	507	<1	59	<10	7	10
305987	D046099	0.206	1	6.54	<2	353	<1	<5	2.06	<4	7	125	14	1.36	1.53	13	0.60	297	16	10	644	6	<5	<5	<10	265	121	<1	13	<10	6	3
305988	D046100	0.747	1	5.48	<2	302	<1	<5	2.01	<4	7	125	16	1.39	1.48	12	0.63	277	20	11	688	5	<5	<5	<10	280	156	<1	12	<10	6	2
305989	D046101	0.705	1	6.02	<2	360	1	<5	1.87	<4	7	126	11	1.42	1.60	14	0.62	255	25	11	663	5	<5	<5	<10	277	185	<1	13	<10	6	3
305990 Dup	D046101	0.667	1	3.96	<2	333	<1	<5	1.80	<4	6	136	12	1.43	1.41	11	0.59	255	21	10	669	6	<5	<5	<10	220	153	<1	12	<10	5	7
305991	D046102	1.116	3	3.37	97	339	1	98	0.33	6	4	35	50	4.02	1.55	15	0.15	<100	31	8	<100	108	11	<5	<10	44	174	<1	23	<10	3	8
305992	D046103	<0.005	1	6.38	5	420	1	<5	1.68	<4	13	60	22	2.28	1.64	24	0.87	453	17	31	539	8	<5	<5	<10	169	1559	<1	69	36	13	43
305993	D046104	0.221	2	6.62	<2	275	<1	<5	1.96	<4	7	125	15	1.45	1.52	17	0.66	271	20	12	727	17	<5	<5	<10	292	217	<1	16	<10	7	19
305994	D046105	0.070	4	7.70	2	438	<1	5	3.22	<4	12	131	36	2.50	1.62	25	1.11	593	21	16	694	148	<5	<5	<10	430	263	<1	37	<10	9	28
305995	D046106	0.029	1	6.53	<2	428	<1	<5	3.63	<4	12	237	8	2.11	1.65	20	1.70	472	14	43	687	9	<5	<5	<10	448	296	<1	38	<10	8	48
305996	D046107	0.030	1	5.08	3	540	<1	<5	4.26	<4	15	287	30	2.40	1.55	17	2.20	557	34	62	842	10	<5	<5	<10	450	277	4	46	<10	7	46
305997	D046108	0.098	1	5.91	<2	122	<1	<5	1.68	<4	7	134	35	1.36	1.42	13	0.70	253	54	12	697	4	<5	<5	<10	215	147	<1	19	<10	5	9
305998	D046109	0.420	1	5.56	<2	131	<1	<5	1.74	<4	7	154	24	1.37	1.43	13	0.65	246	19	12	672	6	<5	<5	<10	234	134	<1	17	<10	5	11
305999	D046110	0.156	1	5.59	<2	346	<1	<5	3.56	<4	13	158	17	2.45	1.53	23	1.44	559	21	24	882	18	<5	<5	<10	360	511	<1	48	<10	9	45
306000	D046111	0.043	2	6.22	<2	647	2	<5	2.35	<4	7	136	21	1.73	1.53	22	0.72	434	15	10	721	60	<5	<5	<10	294	664	<1	57	<10	8	87
306001 Dup	D046111	0.045	2	6.50	3	684	1	<5	2.22	<4	7	140	19	1.68	1.55	22	0.70	409	15	11	686	61	<5	<5	<10	297	731	<1	60	<10	8	88
306002	D046112	0.154	2	7.43	4	641	2	<5	3.86	7	24	114	99	4.77	1.59	27	1.17	1042	27	25	616	17	<5	<5	<10	408	2132	<1	133	<10	9	100
306003	D046113	1.057	2	8.64	18	454	4	<5	5.41	14	47	128	155	9.42	1.61	35	1.78	2006	47	47	557	36	<5	<5	<10	442	3037	<1	193	12	13	190
306004	D046114	0.185	2	9.37	9	418	4	<5	7.04	14	49	174	124	9.89	1.70	37	2.58	2296	50	71	619	21	<5	<5	<10	512	2472	<1	253	<10	14	202
306005	D046115	0.225	2	9.34	45	85	4	<5	2.49	14	52	221	231	8.61	1.51	37	1.55	853	51	71	397	30	<5	<5	<10	106	1067	1	127	<10	11	492
306006	D046116	0.107	2	8.37	12	567	3	<5	7.39	13	45	156	179	8.00	1.47	32	2.52	1606	57	85	583	275	<5	<5	<10	257	755	<1	207	<10	14	519

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
306007	D046117	0.045	2	8.37	5	192	3	<5	6.60	12	59	136	73	8.72	1.69	37	3.32	1744	42	138	327	16	<5	<5	<10	198	1581	<1	216	<10	17	101
306008	D046118	0.045	1	8.95	<2	117	3	<5	5.15	13	60	122	122	9.10	1.80	37	3.30	1496	42	126	449	11	<5	<5	<10	161	1967	<1	249	<10	20	113
306009	D046119	0.030	2	9.01	<2	184	4	<5	5.87	14	58	116	133	9.56	1.81	37	3.39	1457	45	117	492	10	<5	<5	<10	166	2002	<1	265	<10	21	115
306010	D046120	0.022	1	8.79	<2	180	3	<5	5.63	14	63	125	99	9.77	1.64	38	3.65	1749	48	145	457	11	<5	<5	<10	149	2204	7	258	<10	21	113
306011	D046121	0.015	1	8.28	<2	185	3	<5	5.89	14	62	125	61	9.90	1.66	35	3.44	1568	47	115	485	11	<5	<5	<10	134	5395	1	267	<10	21	127
306012 Rep	D046121	0.015	1	9.48	3	201	3	<5	6.31	15	65	129	77	10.29	1.68	39	3.56	1654	49	116	489	9	<5	<5	<10	149	5624	<1	278	<10	22	124
306013	D046122	0.018	2	8.49	6	425	4	<5	4.36	15	55	101	140	10.21	1.77	33	2.64	1155	48	55	666	11	<5	<5	<10	122	7434	<1	273	<10	26	205
306014	D046123	0.017	1	8.59	<2	224	3	<5	6.96	14	58	89	124	9.65	1.69	33	2.90	1534	47	50	572	6	<5	<5	<10	178	8717	<1	340	<10	25	120
306015	D046124	0.029	1	7.42	2	210	2	<5	5.19	12	53	177	117	8.30	1.70	29	2.68	1214	38	74	420	9	<5	<5	<10	159	5619	<1	209	<10	18	112
306016	D046125	0.018	1	8.82	4	123	2	<5	4.71	13	62	179	143	9.24	1.65	32	3.09	1284	45	92	473	12	<5	<5	<10	190	6758	5	192	<10	16	159
306017	D046126	0.015	1	8.75	<2	123	3	<5	5.27	13	57	159	126	9.08	1.66	33	2.97	1296	44	71	387	9	<5	<5	<10	151	6745	<1	248	<10	16	128
306018	D046127	0.015	1	9.21	2	114	4	<5	5.89	14	63	164	151	9.86	1.62	36	3.13	1336	48	74	391	8	<5	<5	<10	108	7275	<1	315	<10	18	123
306019	D046128	0.019	1	8.30	3	78	2	<5	5.55	13	59	155	135	9.28	1.68	32	3.05	1282	45	75	391	6	<5	<5	<10	100	7007	1	299	<10	16	114
306020	D046129	0.017	1	7.60	<2	44	3	<5	4.78	13	55	163	188	9.05	1.58	26	2.79	1092	43	62	478	10	<5	<5	<10	121	6951	2	322	<10	17	119
306021	D046130	0.028	2	7.17	3	42	3	<5	5.85	15	59	75	274	9.98	1.73	28	2.66	1148	45	77	364	8	<5	<5	<10	102	8359	<1	548	<10	15	123
306022	D046131	0.023	1	7.02	8	47	3	<5	6.76	13	53	78	204	8.67	1.67	27	2.33	1082	41	52	313	8	<5	<5	<10	164	7388	<1	458	<10	15	98
306023 Dup	D046131	0.014	1	7.17	5	48	3	<5	6.61	12	51	79	196	8.41	1.74	28	2.28	1057	41	51	303	10	<5	<5	<10	160	7260	<1	448	<10	15	93
306024	D046132	0.015	2	7.57	5	44	3	<5	4.44	15	64	49	171	10.53	1.65	27	2.76	1273	49	22	499	8	<5	<5	<10	89	7800	<1	459	<10	15	142
306025	D046133	0.017	1	7.43	2	47	4	<5	4.67	16	65	40	232	10.78	1.63	25	2.73	1220	48	31	534	6	<5	<5	<10	102	6579	<1	556	<10	16	157
306026	D046134	0.017	2	7.84	5	58	4	<5	5.40	16	64	36	265	10.83	1.70	28	2.82	1294	49	39	482	8	<5	<5	<10	104	8086	<1	574	<10	18	156
306027	D046135	0.014	1	7.35	4	34	4	<5	5.45	14	61	66	263	9.79	1.66	24	2.59	1174	48	42	411	9	<5	<5	<10	118	8032	<1	503	<10	15	142
306028	D046136	0.013	2	8.07	2	38	3	<5	5.21	15	63	95	243	10.62	1.60	27	3.11	1319	51	66	451	5	<5	<5	<10	121	8655	<1	468	<10	17	140
306029	D046137	0.017	2	7.87	4	48	4	<5	5.58	15	65	61	311	10.79	1.69	25	2.87	1211	51	71	413	11	<5	<5	<10	124	8149	3	615	<10	16	130
306030	D046138	0.015	2	8.79	12	105	4	<5	5.22	15	65	227	215	10.31	1.69	31	3.14	1309	51	128	600	10	<5	<5	<10	111	7172	<1	280	<10	23	180
306031	D046139	0.033	1	5.97	193	256	2	<5	3.32	11	44	157	144	6.78	1.64	24	1.47	772	38	124	532	13	<5	<5	<10	56	3057	<1	62	<10	15	453
306032	D046140	0.031	2	6.78	121	267	2	<5	2.33	10	35	77	129	6.22	1.47	24	1.01	544	35	72	440	11	<5	<5	<10	58	1325	<1	57	<10	15	521
306033	D046141	0.027	1	7.50	22	141	3	<5	5.98	10	50	231	74	7.13	1.78	36	3.38	1114	34	195	899	13	<5	<5	<10	245	1258	<1	143	<10	16	161
306034 Dup	D046141	0.021	1	7.76	8	147	2	<5	6.02	11	40	232	69	7.18	1.73	36	3.38	1131	33	185	893	11	<5	<5	<10	248	1337	<1	143	<10	16	147
306035	D046142	0.017	1	7.47	5	30	2	<5	6.71	10	49	269	56	7.14	1.37	33	3.85	1125	29	244	853	10	<5	<5	<10	325	605	<1	151	<10	13	107
306036	D046143	0.014	1	6.30	3	30	2	<5	5.27	10	39	245	64	6.89	1.02	29	3.58	891	26	198	840	12	<5	<5	<10	228	458	<1	144	<10	11	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, November 1, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/14/2010
Date Completed: 10/28/2010
Job #: 201044419
Reference: Castle Wood Lake (CWL)
Sample #: 107 Core

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
306037	D046144	0.010	1	8.09	3	268	3	<5	4.41	9	34	133	72	6.14	1.63	35	3.07	754	28	117	700	10	<5	<5	<10	204	2159	1	140	<10	15	93
306038	D046145	0.011	1	8.22	3	82	1	<5	2.77	8	30	170	62	5.82	1.67	29	2.67	648	29	71	713	12	<5	<5	<10	145	2305	1	132	<10	15	118
306039	D046146	0.103	1	6.43	10	276	3	<5	7.96	9	38	191	140	5.94	1.64	33	2.68	1331	29	132	1013	12	<5	<5	<10	346	2499	2	143	<10	15	101
306040	D046147	0.054	1	6.10	4	311	3	<5	7.34	8	36	180	133	5.77	1.69	27	2.02	1204	29	87	1115	13	<5	<5	<10	354	2700	<1	156	<10	16	102
306041	D046148	0.022	1	6.71	<2	118	3	<5	5.13	10	38	179	61	6.72	1.62	24	2.73	1034	33	143	961	8	<5	<5	<10	194	1199	14	158	<10	12	103
306042	D046149	0.030	2	8.08	2	32	2	<5	6.60	11	45	253	76	7.72	1.70	28	3.40	1230	35	166	1065	13	<5	<5	<10	215	3510	3	180	<10	17	140
306043	D046150	0.020	2	7.78	9	30	3	<5	6.92	11	51	311	120	6.95	1.66	28	3.45	1148	35	189	891	20	<5	<5	<10	220	4170	<1	160	10	17	136
306044	D046151	0.033	2	8.52	14	34	3	<5	5.65	11	49	337	103	7.45	1.75	31	3.60	1053	37	178	877	22	<5	<5	<10	183	4261	2	162	<10	17	185
306045 Dup	D046151	0.022	2	8.66	12	33	3	<5	5.84	12	51	351	103	7.84	1.69	31	3.70	1092	42	188	922	20	<5	<5	<10	190	4482	2	168	<10	18	195
306046	D046152	5.823	2	7.25	842	2484	2	<5	2.18	7	13	67	40	4.69	1.35	33	1.14	554	444	33	615	25	<5	<5	<10	236	1849	<1	142	<10	13	61
306047	D046153	<0.005	1	7.00	8	473	<1	<5	1.76	<4	14	63	22	2.33	1.55	25	0.90	468	19	32	552	9	<5	<5	<10	196	1647	<1	72	36	13	38
306048	D046154	0.016	1	7.44	11	343	2	<5	1.79	9	35	147	141	5.82	1.48	28	1.62	439	34	66	319	11	<5	<5	<10	100	2051	<1	94	<10	13	155
306049	D046155	0.018	1	6.91	5	342	2	<5	1.26	8	36	347	136	5.22	1.55	27	1.44	384	32	51	313	11	<5	<5	<10	74	1692	<1	64	<10	12	80
306050	D046156	0.026	1	8.13	4	85	2	<5	5.73	11	39	179	74	7.46	1.58	28	2.80	1031	39	132	937	11	<5	<5	<10	206	2414	3	157	<10	17	179
306051	D046157	0.492	2	8.30	11	30	3	<5	7.00	10	40	212	72	7.28	1.57	32	3.31	1173	34	153	955	11	<5	<5	<10	247	2073	4	168	<10	16	116
306052	D046158	0.027	1	8.74	11	27	2	<5	5.86	11	49	238	61	7.86	1.53	36	3.82	1194	36	214	1029	9	<5	<5	<10	229	2103	<1	162	<10	16	121
306053	D046159	0.022	1	8.66	<2	27	2	<5	6.96	11	52	285	71	7.66	1.61	40	4.32	1235	24	239	896	10	<5	<5	<10	273	3750	2	159	<10	17	113
306054	D046160	0.019	2	8.80	6	168	3	<5	7.22	12	57	283	84	8.11	1.53	44	4.56	1249	33	269	959	13	<5	<5	<10	345	4490	2	173	<10	15	125
306055	D046161	0.022	1	7.59	11	23	2	<5	5.69	10	51	257	58	7.15	1.51	35	3.76	1100	25	221	875	11	<5	<5	<10	213	4584	<1	147	<10	15	102
306056 Dup	D046161	0.026	1	8.76	6	27	2	<5	6.28	11	53	283	61	7.73	1.61	40	4.08	1195	34	235	958	12	<5	<5	<10	238	5172	<1	161	<10	17	112
306057	D046162	0.019	1	8.69	15	23	2	<5	5.56	11	49	253	71	7.58	1.61	43	4.21	1155	31	233	934	11	<5	<5	<10	189	5315	<1	153	<10	17	112
306058	D046163	0.035	2	9.65	24	28	3	<5	6.26	12	49	298	76	8.24	1.60	50	4.57	1259	33	256	1009	7	<5	<5	<10	215	5465	4	164	<10	18	114
306059	D046164	0.018	1	8.61	24	25	3	<5	7.51	9	42	466	42	6.50	1.68	42	5.09	1243	15	251	1670	10	<5	<5	<10	241	3955	2	173	<10	19	86
306060	D046165	0.020	2	8.82	<2	29	3	<5	4.93	14	53	127	106	10.07	1.63	32	3.45	1317	48	72	639	15	<5	<5	<10	144	6553	<1	258	<10	22	262
306061	D046166	0.018	1	7.65	4	89	4	<5	4.91	14	54	196	97	9.42	1.68	32	3.55	1288	44	105	986	12	<5	<5	<10	183	6508	<1	238	<10	23	286
306062	D046167	0.016	1	7.40	2	67	3	<5	3.67	14	60	129	115	9.87	1.56	28	3.07	1260	46	67	586	9	<5	<5	<10	116	7782	<1	230	<10	19	251
306063	D046168	0.018	1	6.90	<2	47	4	<5	4.23	15	60	95	113	10.07	1.27	29	3.21	1432	47	70	587	11	<5	<5	<10	97	7921	3	239	<10	21	206

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory