ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
327990		D040879	18	<0.001	0.018
327991		D040880	30	<0.001	0.030
327992		D040881	20	<0.001	0.020
327993		D040882	231	0.007	0.231
327994		D040883	17	<0.001	0.017
327995		D040884	18	<0.001	0.018
327996		D040885	19	<0.001	0.019
327997		D040886	89	0.003	0.089
327998		D040887	18	<0.001	0.018
327999		D040888	50	0.001	0.050
328000	Dup	D040888	48	0.001	0.048
328001		D040889	36	0.001	0.036
328002		D040890	103	0.003	0.103
328003		D040891	3351	0.098	3.351
328004		D040892	84	0.002	0.084
328005		D040893	71	0.002	0.071
328006		D040894	119	0.003	0.119
328007		D040895	138	0.004	0.138
328008		D040896	46	0.001	0.046

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328009		D040897	162	0.005	0.162
328010		D040898	1461	0.043	1.461
328011	Dup	D040898	1438	0.042	1.438
328012		D040899	3902	0.114	3.902
328013		D040900	4536	0.132	4.536
328014		D040901	3465	0.101	3.465
328015		D040902	4271	0.125	4.271
328016		D040903	<5	<0.001	<0.005
328017		D040904	4856	0.142	4.856
328018		D040905	5627	0.164	5.627
328019		D040906	1817	0.053	1.817
328020		D040907	40	0.001	0.040
328021		D040908	72	0.002	0.072
328022	Dup	D040908	69	0.002	0.069
328023		D040909	13	<0.001	0.013
328024		D040910	15	<0.001	0.015
328025		D040911	17	<0.001	0.017
328026		D040912	12	<0.001	0.012
328027		D040913	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328028		D040914	9	<0.001	0.009
328029		D040915	14	<0.001	0.014
328030		D040916	9	<0.001	0.009
328031		D040917	13	<0.001	0.013
328032		D040918	12	<0.001	0.012
328033	Dup	D040918	12	<0.001	0.012
328034		D040919	16	<0.001	0.016
328035		D040920	17	<0.001	0.017
328036		D040921	282	0.008	0.282
328037		D040922	1344	0.039	1.344
328038		D040923	657	0.019	0.657
328039		D040924	340	0.010	0.340
328040		D040925	311	0.009	0.311
328041		D040926	100	0.003	0.100
328042		D040927	28	<0.001	0.028
328043		D040928	39	0.001	0.039
328044	Dup	D040928	35	0.001	0.035
328045		D040929	15	<0.001	0.015
328046		D040930	27	<0.001	0.027

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328047		D040931	45	0.001	0.045
328048		D040932	54	0.002	0.054
328049		D040933	20	<0.001	0.020
328050		D040934	133	0.004	0.133
328051		D040935	19	<0.001	0.019
328052		D040936	409	0.012	0.409
328053		D040937	25	<0.001	0.025
328054		D040938	62	0.002	0.062
328055	Rep	D040938	85	0.002	0.085
328056		D040939	207	0.006	0.207
328057		D040940	23	<0.001	0.023
328058		D040941	28	<0.001	0.028
328059		D040942	126	0.004	0.126
328060		D040943	488	0.014	0.488
328061		D040944	41	0.001	0.041
328062		D040945	49	0.001	0.049
328063		D040946	132	0.004	0.132
328064		D040947	19	<0.001	0.019
328065		D040948	26	<0.001	0.026

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328066	Dup	D040948	33	<0.001	0.033
328067		D040949	20	<0.001	0.020
328068		D040950	14	<0.001	0.014
328069		D040951	14	<0.001	0.014
328070		D040952	1184	0.035	1.184
328071		D040953	<5	<0.001	<0.005
328072		D040954	13	<0.001	0.013
328073		D040955	14	<0.001	0.014
328074		D040956	17	<0.001	0.017
328075		D040957	14	<0.001	0.014
328076		D040958	25	<0.001	0.025
328077	Dup	D040958	21	<0.001	0.021
328078		D040959	475	0.014	0.475
328079		D040960	373	0.011	0.373
328080		D040961	24	<0.001	0.024
328081		D040962	125	0.004	0.125
328082		D040963	27	<0.001	0.027
328083		D040964	249	0.007	0.249
328084		D040965	349	0.010	0.349

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328085		D040966	12	<0.001	0.012
328086		D040967	67	0.002	0.067
328087		D040968	37	0.001	0.037
328088	Dup	D040968	51	0.001	0.051
328089		D040969	48	0.001	0.048
328090		D040970	30	<0.001	0.030
328091		D040971	27	<0.001	0.027
328092		D040972	96	0.003	0.096
328093		D040973	10	<0.001	0.010
328094		D040974	17	<0.001	0.017
328095		D040975	39	0.001	0.039
328096		D040976	7	<0.001	0.007
328097		D040977	16	<0.001	0.016
328098		D040978	15	<0.001	0.015
328099	Dup	D040978	16	<0.001	0.016
328100		D040979	8	<0.001	0.008
328101		D040980	7	<0.001	0.007
328102		D040981	10	<0.001	0.010
328103		D040982	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328104		D040983	17	<0.001	0.017
328105		D040984	18	<0.001	0.018
328106		D040985	15	<0.001	0.015
328107		D040986	9	<0.001	0.009
328108		D040987	7	<0.001	0.007
328109		D040988	8	<0.001	0.008
328110	Dup	D040988	9	<0.001	0.009
328111		D040989	9	<0.001	0.009
328112		D040990	8	<0.001	0.008
328113		D040991	8	<0.001	0.008
328114		D040992	14	<0.001	0.014
328115		D040993	11	<0.001	0.011
328116		D040994	8	<0.001	0.008
328117		D040995	5	<0.001	0.005
328118		D040996	<5	<0.001	<0.005
328119		D040997	<5	<0.001	<0.005
328120		D040998	8	<0.001	0.008
328121	Rep	D040998	7	<0.001	0.007
328122		D040999	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328123		D041000	9	<0.001	0.009
328124		D041001	6	<0.001	0.006
328125		D041002	1165	0.034	1.165
328126		D041003	6	<0.001	0.006
328127		D041004	6	<0.001	0.006
328128		D041005	26	<0.001	0.026
328129		D041006	8	<0.001	0.008
328130		D041007	18	<0.001	0.018
328131		D041008	9	<0.001	0.009
328132	Dup	D041008	9	<0.001	0.009
328133		D041009	9	<0.001	0.009
328134		D041010	12	<0.001	0.012
328135		D041011	29	<0.001	0.029
328136		D041012	14	<0.001	0.014
328137		D041013	13	<0.001	0.013
328138		D041014	7	<0.001	0.007
328139		D041015	10	<0.001	0.010
328140		D041016	8	<0.001	0.008
328141		D041017	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328142		D041018	10	<0.001	0.010
328143	Dup	D041018	16	<0.001	0.016
328144		D041019	10	<0.001	0.010
328145		D041020	9	<0.001	0.009
328146		D041021	9	<0.001	0.009
328147		D041022	10	<0.001	0.010
328148		D041023	8	<0.001	0.008
328149		D041024	9	<0.001	0.009
328150		D041025	11	<0.001	0.011
328151		D041026	10	<0.001	0.010
328152		D041027	20	<0.001	0.020
328153		D041028	16	<0.001	0.016
328154	Dup	D041028	14	<0.001	0.014
328155		D041029	8	<0.001	0.008
328156		D041030	8	<0.001	0.008
328157		D041031	8	<0.001	0.008
328158		D041032	8	<0.001	0.008
328159		D041033	8	<0.001	0.008
328160		D041034	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328161		D041035	9	<0.001	0.009
328162		D041036	6	<0.001	0.006
328163		D041037	9	<0.001	0.009
328164		D041038	8	<0.001	0.008
328165	Dup	D041038	8	<0.001	0.008
328166		D041039	9	<0.001	0.009
328167		D041040	7	<0.001	0.007
328168		D041041	110	0.003	0.110
328169		D041042	16	<0.001	0.016
328170		D041043	9	<0.001	0.009
328171		D041044	6	<0.001	0.006
328172		D041045	8	<0.001	0.008
328173		D041046	8	<0.001	0.008
328174		D041047	8	<0.001	0.008
328175		D041048	8	<0.001	0.008
328176	Dup	D041048	10	<0.001	0.010
328177		D041049	9	<0.001	0.009
328178		D041050	8	<0.001	0.008
328179		D041051	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328180		D041052	4227	0.123	4.227
328181		D041053	<5	<0.001	<0.005
328182		D041054	9	<0.001	0.009
328183		D041055	9	<0.001	0.009
328184		D041056	9	<0.001	0.009
328185		D041057	10	<0.001	0.010
328186		D041058	9	<0.001	0.009
328187	Rep	D041058	11	<0.001	0.011
328188		D041059	13	<0.001	0.013
328189		D041060	15	<0.001	0.015
328190		D041061	10	<0.001	0.010
328191		D041062	9	<0.001	0.009
328192		D041063	10	<0.001	0.010
328193		D041064	10	<0.001	0.010
328194		D041065	<5	<0.001	<0.005
328195		D041066	9	<0.001	0.009
328196		D041067	12	<0.001	0.012
328197		D041068	9	<0.001	0.009
328198	Dup	D041068	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328199		D041069	9	<0.001	0.009
328200		D041070	9	<0.001	0.009
328201		D041071	9	<0.001	0.009
328202		D041072	9	<0.001	0.009
328203		D041073	10	<0.001	0.010
328204		D041074	8	<0.001	0.008
328205		D041075	7	<0.001	0.007
328206		D041076	8	<0.001	0.008
328207		D041077	9	<0.001	0.009
328208		D041078	7	<0.001	0.007
328209	Dup	D041078	7	<0.001	0.007
328210		D041079	7	<0.001	0.007
328211		D041080	7	<0.001	0.007
328212		D041081	8	<0.001	0.008
328213		D041082	9	<0.001	0.009
328214		D041083	10	<0.001	0.010
328215		D041084	8	<0.001	0.008
328216		D041085	7	<0.001	0.007
328217		D041086	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328218		D041087	21	<0.001	0.021
328219		D041088	6	<0.001	0.006
328220	Dup	D041088	11	<0.001	0.011
328221		D041089	7	<0.001	0.007
328222		D041090	7	<0.001	0.007
328223		D041091	7	<0.001	0.007
328224		D041092	8	<0.001	0.008
328225		D041093	7	<0.001	0.007
328226		D041094	9	<0.001	0.009
328227		D041095	8	<0.001	0.008
328228		D041096	9	<0.001	0.009
328229		D041097	16	<0.001	0.016
328230		D041098	14	<0.001	0.014
328231	Dup	D041098	13	<0.001	0.013
328232		D041099	13	<0.001	0.013
328233		D041100	12	<0.001	0.012
328234		D041101	11	<0.001	0.011
328235		D041102	3116	0.091	3.116
328236		D041103	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, November 16, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 11/02/2010
Date Completed: 11/16/2010
Job #: 201044736
Reference: Castlewood Lake (CWL)
Sample #: 238 Core

Acc #		Client ID	Au ppb	Au oz/t	Au g/t (ppm)
328237		D041104	8	<0.001	0.008
328238		D041105	10	<0.001	0.010
328239		D041106	10	<0.001	0.010
328240		D041107	9	<0.001	0.009
328241		D041108	8	<0.001	0.008
328242	Dup	D041108	8	<0.001	0.008
328243		D041109	9	<0.001	0.009
328244		D041110	7	<0.001	0.007
328245		D041111	8	<0.001	0.008
328246		D041112	8	<0.001	0.008
328247		D041113	21	<0.001	0.021
328248		D041114	12	<0.001	0.012
328249		D041115	8	<0.001	0.008
328250		D041116	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written
approval of the laboratory

AL903-0235-11/16/2010 12:05 PM