ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, November 4, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
313121	D046333	6	<1	8.83	21	620	<1	21	4.45	6	96	174	125	6.06	1.97	31	3.04	1085	19	112	210	35	6	24	<10	101	3354	8	105	15	10	169
313122	D046334	6	<1	6.83	17	1063	<1	16	4.14	6	105	183	99	5.80	1.31	27	2.93	1103	11	108	246	25	5	17	<10	80	3114	14	93	13	8	126
313123	D046335	6	<1	7.69	14	1053	<1	21	4.71	7	96	182	90	6.61	1.46	31	3.35	1192	11	103	225	20	6	22	<10	71	3169	10	95	16	8	101
313124	D046336	8	<1	8.70	12	1727	<1	19	4.60	6	95	179	124	5.95	2.05	31	3.10	1000	18	101	218	21	5	23	<10	93	3278	9	101	11	9	72
313125	D046337	6	<1	6.70	9	1133	<1	16	3.31	5	94	177	110	5.75	1.22	25	2.96	965	9	99	252	23	6	21	<10	66	2973	7	89	12	7	69
313126	D046338	7	<1	8.07	10	836	<1	20	4.49	5	92	179	107	5.66	1.77	28	2.85	1121	18	99	247	21	5	6	<10	85	3274	11	96	15	9	70
313127	D046339	8	<1	8.61	14	857	<1	19	4.28	6	108	203	81	6.42	1.79	30	2.94	1287	16	119	637	25	5	25	<10	90	3585	22	135	15	12	83
313128	D046340	7	<1	8.61	12	1290	<1	21	5.51	6	90	184	97	6.00	2.03	31	3.02	1191	17	95	267	27	6	20	<10	86	3367	14	108	14	10	75
313129	D046341	8	<1	8.49	12	617	<1	19	4.78	6	101	183	102	5.91	1.96	31	2.90	1211	20	99	238	23	6	19	<10	87	3409	15	105	14	10	69
313130	D046342	8	<1	9.31	8	633	<1	22	4.48	6	100	213	106	6.46	2.09	34	3.00	1279	20	101	289	19	7	22	<10	91	3743	16	110	12	10	75
313131 Dup	D046342	8	<1	6.98	12	524	<1	17	3.80	6	101	211	110	6.33	1.15	28	2.95	1253	9	104	288	19	5	19	<10	66	3348	8	95	14	7	75
313132	D046343	8	<1	9.20	7	855	<1	24	4.71	6	99	214	82	6.82	2.01	33	2.98	1483	22	118	224	25	5	24	<10	84	3308	10	110	13	9	96
313133	D046344	6	<1	9.03	12	768	<1	21	5.84	6	99	205	98	5.94	1.98	29	2.65	1378	20	110	219	19	6	24	<10	103	3545	12	115	16	11	64
313134	D046345	7	<1	8.57	9	712	<1	19	4.73	6	104	208	124	6.84	1.76	29	2.78	1342	21	116	237	22	5	17	<10	89	3435	11	108	16	10	64
313135	D046346	6	<1	8.73	9	1248	<1	21	5.35	6	102	212	104	6.60	1.94	30	2.68	1493	21	111	243	27	5	18	<10	86	3245	11	110	13	10	70
313136	D046347	7	<1	9.68	11	935	<1	22	5.60	6	105	227	97	6.82	2.02	32	2.79	1529	22	121	269	25	6	20	<10	99	3441	11	123	14	11	75
313137	D046348	5	<1	8.91	9	1170	<1	18	5.61	6	107	494	81	6.68	2.00	31	2.92	1478	20	114	248	20	5	25	<10	90	3457	6	131	14	10	73
313138	D046349	8	<1	9.88	5	1810	<1	24	5.95	7	106	290	73	6.98	2.10	33	3.03	1544	25	115	220	23	5	13	<10	108	3596	13	130	16	10	78
313139	D046350	7	<1	9.27	8	1002	<1	20	6.22	6	107	597	75	6.73	2.07	33	2.68	1626	22	119	240	23	6	27	<10	99	3421	10	136	14	11	70
313140	D046351	8	<1	9.69	10	1045	<1	23	6.35	6	107	628	70	6.89	2.16	34	2.73	1653	21	126	247	21	6	22	<10	108	3531	11	135	12	12	71
313141	D046352	5571	<1	6.34	659	2103	<1	15	1.88	4	15	58	35	4.23	2.42	28	1.00	477	407	31	508	41	8	24	<10	212	1597	3	112	20	12	54
313142 Dup	D046352	Insufficient Sample																														
313143	D046353	<5	<1	6.48	11	390	<1	14	1.67	<4	19	64	23	2.27	2.52	24	0.89	451	25	32	510	19	5	24	<10	174	1625	4	69	48	13	43
313144	D046354	8	<1	9.28	9	467	<1	24	5.93	8	89	401	72	8.49	2.09	36	2.69	2432	31	91	211	25	6	12	<10	77	3174	4	122	16	10	65
313145	D046355	9	<1	7.81	13	781	<1	18	5.70	7	102	191	96	7.31	1.66	29	2.37	2011	24	104	224	20	5	16	<10	72	3229	11	98	14	9	76
313146	D046356	7	<1	7.13	8	709	<1	18	5.63	7	98	191	103	7.42	1.30	27	2.39	2031	22	108	227	22	6	24	<10	65	3136	17	94	15	8	77
313147	D046357	8	<1	9.83	7	995	<1	23	6.60	7	89	457	143	6.86	2.38	43	3.60	1772	17	99	185	21	5	20	<10	78	3108	11	157	14	13	72
313148	D046358	7	<1	7.96	6	763	<1	20	6.48	6	91	460	144	6.95	1.62	38	3.65	1814	7	99	180	21	6	13	<10	64	3085	8	144	16	12	74
313149	D046359	9	<1	8.90	5	549	<1	22	6.30	6	98	494	184	6.52	2.07	35	4.08	1544	16	109	511	23	8	23	<10	108	3645	11	163	14	13	69

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, November 4, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
313150	D046360	7	<1	6.77	6	599	<1	19	5.37	6	82	645	191	5.95	1.33	25	3.35	1449	9	81	195	26	8	15	<10	80	3704	13	130	16	9	70
313151	D046361	8	<1	8.55	8	644	<1	21	5.90	6	96	649	124	6.30	2.09	28	3.32	1470	20	99	241	21	6	22	<10	101	3993	10	149	16	11	85
313152	D046362	7	<1	8.06	8	735	<1	17	6.13	6	94	571	143	5.86	2.26	27	3.14	1439	20	101	218	23	6	14	<10	103	3705	6	135	13	11	77
313153 Dup	D046362	7	<1	5.94	10	575	<1	18	5.14	5	90	508	139	5.29	1.38	21	2.93	1305	11	97	197	24	6	20	<10	78	3346	11	112	15	8	73
313154	D046363	6	<1	7.44	7	1152	<1	20	4.93	6	78	548	81	5.81	1.86	28	3.35	1290	16	79	107	21	8	19	<10	76	3549	6	127	14	8	61
313155	D046364	8	<1	7.16	10	1951	<1	13	4.96	5	77	556	115	5.53	1.78	27	3.30	1147	13	74	210	20	7	27	<10	75	3685	10	137	14	10	63
313156	D046365	6	<1	7.17	9	1072	<1	18	4.68	6	100	662	74	5.98	1.39	25	3.04	1228	9	108	214	20	7	16	<10	77	3572	5	105	15	8	73
313157	D046366	7	<1	8.10	8	1210	<1	18	5.03	6	88	643	105	5.95	1.77	27	2.89	1293	16	91	175	20	7	23	<10	83	3545	10	130	15	9	73
313158	D046367	8	<1	5.79	4	1006	<1	16	5.55	5	80	579	92	5.28	1.09	20	2.72	1380	9	70	210	24	5	10	<10	68	3545	19	122	14	8	56
313159	D046368	5	<1	8.34	9	801	<1	18	5.03	6	88	678	45	5.99	1.83	26	2.40	1449	19	87	171	24	5	22	<10	89	3324	11	105	15	9	61
313160	D046369	7	<1	7.60	7	748	<1	20	4.92	5	88	671	100	5.56	1.70	25	2.82	1242	16	82	194	19	6	13	<10	77	3537	15	116	13	9	62
313161	D046370	7	<1	6.68	8	651	<1	15	3.88	6	93	722	48	6.17	1.01	24	2.79	1325	13	94	159	20	6	19	<10	65	3370	10	87	15	5	72
313162	D046371	6	<1	8.38	10	813	<1	23	4.59	6	97	706	52	6.04	1.84	28	2.80	1352	17	106	171	21	8	31	<10	90	3514	10	105	13	8	75
313163	D046372	7	<1	8.07	19	817	<1	17	4.43	6	114	604	58	6.23	1.79	27	2.91	1311	17	110	193	21	6	9	<10	95	3780	16	107	15	8	75
313164 Dup	D046372	9	1	6.52	5	757	2	<5	4.09	4	49	614	61	6.26	1.05	22	2.93	1318	10	116	203	10	<5	<5	<10	75	3509	10	99	<10	7	81
313165	D046373	7	<1	7.19	2	905	<1	<5	4.45	<4	38	512	87	5.24	1.75	26	3.01	1133	12	83	204	9	<5	<5	<10	77	3229	<1	121	<10	9	68
313166	D046374	8	<1	7.74	2	517	<1	<5	6.34	<4	38	589	85	6.01	1.79	33	3.58	1412	9	101	353	6	<5	<5	<10	72	2760	4	140	<10	12	69
313167	D046375	10	<1	7.41	2	895	<1	<5	5.75	<4	40	586	155	5.38	1.77	23	3.04	1206	12	83	198	8	<5	6	<10	96	3599	4	140	<10	10	54
313168	D046376	7	<1	7.42	2	957	<1	<5	5.93	<4	37	534	93	5.38	1.74	25	3.04	1295	12	75	199	6	<5	<5	<10	88	3349	3	141	<10	10	56
313169	D046377	7	<1	6.51	2	529	1	<5	4.77	4	43	628	90	6.73	1.00	24	3.15	1463	8	81	306	7	<5	<5	<10	71	3476	<1	137	<10	8	79
313170	D046378	6	<1	7.30	5	627	<1	<5	4.38	<4	40	595	21	5.55	1.58	24	2.32	1355	15	82	164	5	<5	<5	<10	77	3112	2	90	<10	7	79
313171	D046379	12	<1	8.42	2	838	1	<5	4.65	4	44	268	68	6.91	1.71	28	2.88	1569	13	90	211	11	<5	<5	<10	82	3594	<1	130	<10	9	105
313172	D046380	10	<1	7.99	15	673	1	<5	6.02	<4	49	172	90	5.79	1.74	26	2.41	1622	14	115	233	7	<5	<5	<10	90	3326	5	98	<10	10	75
313173	D046381	7	<1	8.58	4	718	1	<5	5.02	4	46	164	82	7.07	1.89	31	3.02	1693	14	107	1302	4	<5	<5	<10	88	3253	5	130	<10	17	102
313174	D046382	9	<1	8.33	6	715	1	<5	4.81	4	53	180	53	6.86	1.71	29	2.92	1670	15	127	276	6	<5	<5	<10	107	3637	4	97	<10	10	109
313175 Dup	D046382	8	<1	8.23	4	689	<1	<5	4.63	4	50	170	50	6.48	1.78	29	2.77	1582	15	118	266	5	<5	<5	<10	105	3405	5	94	<10	10	100
313176	D046383	7	<1	7.84	10	713	2	<5	4.93	4	48	169	92	6.19	1.72	28	2.73	1576	14	112	260	10	<5	<5	<10	108	3467	3	98	<10	9	104
313177	D046384	9	<1	8.39	23	662	<1	<5	4.68	4	51	178	75	6.35	1.96	30	2.67	1581	16	121	210	9	<5	<5	<10	100	3558	<1	95	<10	9	80
313178	D046385	8	<1	7.81	26	775	1	<5	4.38	4	51	179	57	6.80	1.77	28	2.73	1614	17	127	447	9	<5	<5	<10	87	3713	3	157	<10	9	88

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, November 4, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
313179	D046386	9	<1	8.95	25	971	<1	<5	4.10	4	51	176	46	6.70	2.01	32	2.86	1611	16	127	290	6	<5	<5	<10	98	3594	<1	108	<10	10	88
313180	D046387	11	<1	8.18	32	769	<1	<5	4.69	4	58	138	101	7.01	1.85	31	2.86	1739	17	162	395	8	<5	5	<10	96	3275	5	97	<10	9	89
313181	D046388	10	<1	8.43	31	931	2	<5	5.72	4	67	112	266	7.93	1.82	39	4.14	1642	9	219	200	9	<5	<5	<10	79	3065	4	109	<10	8	86
313182	D046389	11	<1	7.64	9	1192	1	<5	4.01	4	55	95	173	7.40	1.54	37	5.05	1179	1	210	190	10	<5	<5	<10	52	2908	1	105	<10	9	90
313183	D046390	11	<1	8.01	8	1071	2	<5	3.59	4	54	86	236	6.98	1.82	36	4.76	1065	7	189	209	11	<5	<5	<10	72	3015	5	99	<10	9	90
313184	D046391	11	<1	8.03	4	752	2	<5	3.48	4	55	93	114	7.62	1.66	39	5.23	1139	5	199	193	5	<5	<5	<10	54	2974	5	106	<10	9	89
313185	D046392	14	<1	8.81	22	832	1	<5	6.78	4	56	94	106	6.91	2.04	37	4.06	1164	15	225	206	11	<5	<5	<10	127	3324	4	110	<10	9	147
313186 Rep	D046392	12	<1	8.39	21	827	1	<5	6.88	4	57	95	95	6.90	1.79	35	4.00	1165	13	194	207	6	<5	<5	<10	134	3356	8	111	<10	9	110
313187	D046393	12	<1	8.41	25	289	2	<5	6.51	5	60	105	129	7.75	1.68	37	4.43	1268	9	218	204	10	<5	<5	<10	95	3040	6	109	<10	9	104
313188	D046394	12	<1	8.66	38	378	1	<5	6.65	4	65	102	97	7.61	1.71	38	4.23	1312	7	232	198	10	<5	<5	<10	115	3002	4	108	<10	9	106
313189	D046395	11	<1	8.34	32	209	2	<5	5.90	4	64	105	98	7.71	1.57	39	4.46	1210	5	223	237	10	<5	<5	<10	97	2860	4	109	<10	9	118
313190	D046396	11	<1	8.45	18	450	1	<5	4.65	4	59	99	72	7.75	1.69	42	5.23	1195	4	213	194	12	<5	<5	<10	61	2703	<1	109	<10	9	134
313191	D046397	12	<1	7.05	11	633	1	<5	4.69	4	59	131	184	7.26	1.09	34	4.96	1153	1	216	360	6	<5	11	<10	80	3163	2	111	<10	9	122
313192	D046398	12	<1	7.95	8	711	1	<5	5.37	4	56	91	190	7.41	1.69	36	4.46	1321	6	213	197	7	<5	<5	<10	94	2863	7	104	<10	9	90
313193	D046399	11	<1	7.73	6	173	2	<5	6.49	4	60	102	218	7.44	1.41	31	4.14	1432	6	217	202	11	<5	8	<10	127	3194	4	106	<10	8	80
313194	D046400	12	<1	8.28	6	879	1	<5	5.16	4	65	112	198	7.71	1.69	33	4.35	1378	8	215	199	9	<5	<5	<10	125	3212	2	108	<10	9	93
313195	D046401	10	<1	8.61	5	1386	2	<5	5.42	5	65	110	181	7.97	1.80	35	4.57	1444	7	222	214	10	<5	<5	<10	130	3445	4	114	<10	9	96
313196	D046402	4373	1	5.38	386	718	1	<5	9.87	<4	3	49	34	1.87	2.56	51	4.27	355	30	33	481	12	49	<5	<10	67	226	6	90	37	11	61
313197 Dup	D046402	Insufficient Sample																														
313198	D046403	<5	1	6.32	6	400	<1	<5	1.73	<4	10	59	21	2.22	2.37	22	0.91	442	21	29	504	8	<5	<5	<10	171	1557	<1	68	32	13	41
313199	D046404	10	<1	8.32	4	563	<1	<5	5.32	4	63	100	177	7.77	1.87	36	4.61	1377	7	226	211	7	<5	<5	<10	105	3081	10	114	<10	9	87
313200	D046405	9	<1	7.50	2	219	2	<5	5.65	5	62	110	106	8.21	0.96	38	4.88	1333	<1	234	208	9	<5	<5	<10	87	3029	4	124	<10	10	135
313201	D046406	10	<1	9.24	2	627	1	<5	6.42	6	60	109	119	9.57	2.01	39	3.78	2069	18	188	217	8	<5	<5	<10	94	2821	<1	120	<10	13	93
313202	D046407	9	<1	8.94	<2	420	2	<5	5.62	5	62	109	114	9.00	1.76	43	4.45	1805	9	202	186	13	<5	<5	<10	86	1374	<1	125	<10	12	99
313203	D046408	12	<1	8.12	<2	439	1	<5	5.36	5	55	104	58	8.60	1.37	41	4.42	1544	6	192	191	13	<5	<5	<10	89	391	3	113	<10	8	89
313204	D046409	18	1	8.60	12	898	2	<5	7.48	4	48	147	94	7.74	2.46	32	2.70	1725	24	117	512	11	<5	8	<10	147	1271	1	201	<10	11	107
313205	D046410	13	<1	8.02	19	355	2	<5	5.29	5	48	83	119	8.88	2.38	25	1.39	2017	32	58	436	12	<5	<5	<10	98	1415	4	227	<10	9	106
313206	D046411	12	<1	8.94	11	236	2	<5	6.67	6	49	92	114	10.50	2.32	31	1.80	2240	35	71	482	15	<5	<5	<10	100	1722	7	242	<10	13	95
313207	D046412	14	<1	7.99	22	290	1	<5	5.79	4	47	91	127	7.03	2.42	29	1.86	1463	26	99	462	7	<5	<5	<10	87	1182	<1	210	<10	12	74

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, November 4, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
313208 Dup	D046412	13	<1	8.19	22	280	2	<5	5.70	4	44	89	122	6.85	2.52	29	1.84	1421	25	97	456	5	<5	7	<10	89	1115	9	205	<10	12	71
313209	D046413	12	<1	7.96	4	27	1	<5	6.83	4	45	248	91	6.61	1.56	41	3.20	1424	12	116	254	8	<5	<5	<10	98	231	2	217	<10	13	85
313210	D046414	14	<1	8.32	3	24	1	<5	7.19	4	44	341	113	7.38	1.56	43	3.94	1465	10	137	747	10	<5	<5	<10	118	333	1	219	<10	12	93
313211	D046415	15	<1	8.86	4	158	2	<5	6.01	5	50	205	131	8.26	2.13	35	2.50	1655	24	100	273	9	<5	<5	<10	111	1064	<1	233	<10	11	100
313212	D046416	14	<1	6.68	3	82	1	<5	5.99	4	59	232	127	7.02	1.32	30	2.05	1511	20	138	208	11	<5	<5	<10	112	3528	4	188	<10	14	88
313213	D046417	13	<1	7.79	3	87	1	<5	6.54	4	42	160	122	7.44	2.02	31	2.48	1514	23	85	402	13	<5	<5	<10	136	1482	5	225	<10	16	84
313214	D046418	11	<1	8.15	2	77	1	<5	6.44	5	47	101	131	8.38	1.87	34	2.93	1457	24	52	371	9	<5	<5	<10	108	5064	7	257	<10	22	100
313215	D046419	14	<1	8.68	7	108	1	<5	6.36	4	52	214	162	7.55	1.95	35	3.24	1466	17	105	275	7	<5	7	<10	90	4381	2	214	<10	17	127
313216	D046420	13	<1	7.96	4	523	1	<5	7.01	<4	41	194	104	6.34	2.19	33	3.26	1127	11	103	194	8	<5	<5	<10	73	3242	1	163	<10	14	68
313217	D046421	14	<1	7.02	4	27	2	<5	6.05	4	49	235	141	7.10	1.07	28	3.66	1162	5	117	216	11	<5	<5	<10	93	3779	2	184	<10	12	60
313218	D046422	14	1	7.87	5	43	2	<5	6.33	4	49	233	138	6.67	1.73	28	3.36	1059	15	127	225	12	<5	<5	<10	131	3946	<1	172	<10	13	68
313219 Dup	D046422	14	<1	6.69	5	34	2	<5	6.13	4	49	236	138	6.75	1.20	24	3.43	1076	6	129	228	7	<5	<5	<10	115	4087	4	165	<10	10	68
313220	D046423	15	<1	7.34	5	33	<1	<5	5.02	4	47	214	120	6.40	1.64	26	3.45	1004	11	114	215	7	<5	<5	<10	98	3950	4	151	<10	10	77
313221	D046424	22	<1	7.26	<2	42	1	<5	5.96	4	51	295	116	7.45	1.08	33	4.32	1139	2	126	372	9	<5	<5	<10	86	3891	3	178	<10	11	75
313222	D046425	51	<1	6.21	12	356	1	<5	5.74	4	40	200	106	6.51	1.44	29	3.51	1031	4	102	256	4	<5	<5	<10	71	2953	<1	151	<10	12	56
313223	D046426	17	<1	7.95	4	281	2	<5	6.30	4	43	208	109	7.21	1.97	36	3.88	1204	8	97	236	11	<5	<5	<10	81	3430	4	187	<10	15	56
313224	D046427	14	<1	7.75	2	341	2	<5	6.17	4	43	214	64	7.03	1.79	35	3.85	1151	4	102	214	5	<5	<5	<10	77	3412	<1	182	<10	14	56
313225	D046428	15	<1	7.91	5	383	2	<5	6.22	4	36	189	75	6.12	2.19	34	3.36	930	11	88	196	7	<5	<5	<10	80	3148	<1	164	<10	14	49
313226	D046429	13	<1	8.33	4	85	2	<5	8.91	4	44	226	83	7.50	1.73	37	3.88	1336	8	99	234	10	<5	<5	<10	107	3534	5	202	<10	16	82
313227	D046430	11	<1	7.50	3	144	2	<5	5.40	4	44	216	96	6.93	1.79	34	3.52	1121	9	95	210	11	<5	6	<10	82	3593	<1	187	<10	13	74
313228	D046431	9	<1	5.89	4	76	2	<5	4.79	4	44	199	115	6.38	1.09	25	3.18	1103	5	93	194	9	<5	6	<10	91	3711	<1	166	<10	9	66
313229	D046432	11	<1	7.80	5	58	<1	<5	5.90	4	44	222	112	6.68	1.78	32	3.46	1175	13	96	192	9	<5	<5	<10	101	3807	<1	181	<10	12	68
313230 Dup	D046432	11	<1	7.88	3	58	2	<5	5.96	4	44	226	118	6.81	1.75	33	3.51	1197	11	99	197	6	<5	8	<10	101	3940	3	182	<10	12	70
313231	D046433	9	<1	7.98	<2	70	1	<5	5.73	4	46	230	122	7.22	1.70	36	3.82	1175	9	105	227	8	<5	<5	<10	88	3885	3	186	<10	12	76
313232	D046434	11	<1	8.24	2	73	2	<5	6.01	4	47	243	127	7.62	1.67	37	4.00	1239	9	112	236	7	<5	<5	<10	90	4035	3	195	<10	12	81
313233	D046435	9	<1	8.36	3	69	1	<5	5.29	4	54	240	144	7.79	1.76	37	4.10	1203	10	114	286	5	<5	<5	<10	112	4410	2	179	<10	12	83
313234	D046436	9	<1	7.48	<2	71	1	<5	5.57	4	48	217	127	7.17	1.56	34	3.81	1171	9	103	234	7	<5	5	<10	100	4131	4	171	<10	11	80
313235	D046437	10	<1	8.56	3	393	2	<5	6.13	4	47	230	118	7.37	2.05	41	3.95	1165	10	110	240	7	<5	<5	<10	98	4102	<1	190	<10	15	77
313236	D046438	10	<1	8.56	3	287	1	<5	6.40	4	46	240	97	7.03	2.09	42	4.10	1173	11	116	238	13	<5	<5	<10	102	3826	4	204	<10	14	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, November 4, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
313237	D046439	9	<1	7.85	2	275	2	<5	5.89	4	50	252	115	7.37	2.31	37	4.38	1210	5	125	311	15	<5	<5	<10	144	4163	1	200	<10	14	67
313238	D046440	9	<1	7.42	2	112	<1	<5	4.29	4	48	229	122	6.87	1.92	31	3.98	1152	9	118	238	10	<5	<5	<10	143	4233	5	172	<10	10	57
313239	D046441	10	<1	7.17	3	184	2	<5	4.26	4	48	242	132	6.82	2.08	28	4.03	1084	12	126	302	5	<5	<5	<10	155	4302	<1	174	<10	11	61
313240	D046442	11	<1	7.43	4	166	2	<5	4.62	4	52	228	144	7.35	1.97	29	3.91	1134	10	118	267	8	<5	<5	<10	159	4697	7	184	<10	11	66
313241 Dup	D046442	10	<1	7.89	2	162	1	<5	4.52	4	51	218	133	7.05	2.20	31	3.80	1088	12	112	264	10	<5	<5	<10	160	4596	<1	178	<10	11	60
313242	D046443	9	<1	7.31	4	202	2	<5	6.05	5	59	264	129	8.41	1.67	35	4.40	1316	5	135	289	14	<5	<5	<10	142	5150	<1	211	<10	11	73
313243	D046444	13	<1	7.56	2	121	2	<5	5.67	4	45	224	116	6.77	1.95	36	3.73	1110	9	99	261	12	<5	<5	<10	140	3832	5	189	<10	12	62
313244	D046445	13	<1	7.72	<2	224	1	<5	5.98	4	46	212	127	7.43	2.39	36	3.48	1252	13	93	264	16	<5	<5	<10	144	4360	<1	212	<10	15	83
313245	D046446	15	<1	6.77	4	47	2	<5	5.85	4	46	246	110	7.05	1.22	34	3.88	1175	5	115	274	12	<5	6	<10	110	3602	1	192	<10	12	71
313246	D046447	17	<1	7.34	2	78	1	<5	6.27	<4	42	208	96	6.25	1.67	34	3.17	1198	10	110	248	6	<5	<5	<10	108	3054	2	168	<10	13	63
313247	D046448	16	<1	7.17	<2	57	2	<5	5.71	4	39	191	113	7.57	1.57	28	2.45	1435	23	87	208	13	<5	<5	<10	108	1061	5	197	<10	13	77
313248	D046449	17	<1	7.22	<2	269	1	<5	6.51	5	45	162	117	8.10	2.05	25	2.02	1939	25	103	226	10	<5	<5	<10	110	1089	2	146	<10	9	81
313249	D046450	18	<1	6.36	5	78	2	<5	6.76	<4	31	151	108	6.17	1.43	23	2.07	1559	19	79	631	19	<5	<5	<10	194	613	1	168	<10	12	69
313250	D046451	13	<1	6.42	3	69	2	<5	6.52	<4	31	134	118	5.85	1.59	23	1.91	1456	21	69	657	11	<5	<5	<10	190	592	3	156	<10	13	62
313251	D046452	3188	54	5.74	31	354	1	<5	2.96	9	10	63	165	2.87	1.74	20	1.65	547	20	40	477	1051	56	<5	<10	209	610	1	58	24	9	1949
313252 Rep	D046452	Insufficient Sample																														
313253	D046453	<5	<1	4.20	4	317	<1	<5	1.43	<4	11	58	23	2.20	1.31	15	0.78	430	12	31	509	9	<5	<5	<10	132	1436	<1	65	29	11	99
313254	D046454	9	<1	5.41	5	44	2	<5	6.95	5	40	191	128	7.22	0.68	25	2.59	1655	16	103	288	10	<5	<5	<10	110	369	5	186	<10	8	105
313255	D046455	13	<1	6.49	5	49	2	<5	6.75	5	45	263	109	7.22	0.94	35	3.48	1486	6	142	496	10	<5	<5	<10	101	223	<1	188	<10	11	164
313256	D046456	15	<1	6.90	5	18	2	<5	6.51	4	46	207	123	6.78	1.12	35	3.18	1423	8	117	286	10	<5	<5	<10	92	249	<1	213	<10	12	167
313257	D046457	19	<1	5.74	8	41	1	<5	6.32	<4	47	185	109	5.84	0.95	28	2.66	1446	5	111	249	7	<5	<5	<10	76	351	4	190	<10	11	103
313258	D046458	49	<1	6.59	2	62	2	<5	6.37	4	42	182	131	7.30	1.36	28	2.35	1629	18	95	204	10	<5	<5	<10	82	645	9	163	<10	11	122
313259	D046459	20	<1	7.91	2	42	2	<5	8.16	5	50	205	138	8.19	1.54	38	3.14	1860	18	99	231	14	<5	<5	<10	110	2707	1	203	<10	16	95
313260	D046460	17	<1	7.03	<2	62	2	<5	6.83	4	42	182	120	7.10	1.59	28	2.30	1581	20	89	212	10	<5	<5	<10	116	945	<1	172	<10	15	89
313261	D046461	16	<1	6.98	4	67	1	<5	7.05	4	47	190	134	7.63	1.58	28	2.34	1695	23	95	225	11	<5	<5	<10	112	1770	2	171	<10	15	87
313262	D046462	30	<1	6.86	3	90	<1	<5	6.94	4	51	184	135	7.53	1.45	29	2.41	1760	20	97	222	12	<5	<5	<10	103	3323	1	156	<10	12	92
313263 Dup	D046462	27	<1	9.85	3	181	2	<5	9.37	6	67	250	177	10.05	2.11	39	3.11	2346	27	124	296	11	<5	<5	<10	153	4652	4	229	<10	18	118
313264	D046463	13	<1	6.66	3	214	2	<5	5.45	<4	30	155	58	4.81	2.00	25	2.36	856	20	75	1652	11	<5	<5	<10	293	4964	9	146	<10	14	84
313265	D046464	21	<1	6.40	3	120	2	<5	7.28	5	56	209	145	8.75	0.92	27	2.65	2007	21	107	235	10	<5	<5	<10	136	3589	8	185	<10	13	104

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, November 4, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
313266	D046465	22	<1	7.93	4	237	1	<5	6.89	4	48	213	125	7.58	2.03	31	2.51	1721	23	105	298	6	<5	<5	<10	136	2817	10	171	<10	14	99
313267	D046466	12	<1	6.76	3	141	2	<5	5.45	<4	29	153	50	4.58	2.01	26	2.36	876	18	81	1277	8	<5	<5	<10	243	4253	3	137	<10	12	78
313268	D046467	20	<1	7.32	4	124	1	<5	6.18	4	46	183	120	7.14	1.72	29	2.21	1634	23	91	215	9	<5	<5	<10	108	2953	7	163	<10	12	87
313269	D046468	15	<1	8.19	4	73	2	<5	6.52	5	51	210	137	7.79	1.63	33	2.49	1819	23	101	230	9	<5	<5	<10	118	4081	2	189	<10	13	97
313270	D046469	68	<1	8.73	5	248	1	<5	6.68	4	49	223	136	7.66	2.25	33	2.47	1893	25	105	312	12	<5	7	<10	119	3365	3	180	<10	15	93
313271	D046470	19	<1	8.55	6	118	2	<5	6.68	5	54	211	143	8.00	1.95	32	2.28	1984	26	109	237	5	<5	8	<10	105	4076	5	186	<10	15	105
313272	D046471	24	1	8.13	7	123	2	<5	6.91	6	53	202	140	8.28	1.93	34	2.47	1921	27	107	228	15	<5	6	<10	83	3405	17	169	<10	16	119
313273	D046472	18	<1	8.41	3	92	1	<5	6.88	5	51	204	137	7.99	1.94	35	2.48	1934	26	97	227	9	<5	7	<10	98	3865	7	174	<10	13	109
313274 Dup	D046472	14	<1	7.85	8	75	1	<5	6.80	5	52	203	133	8.01	1.71	33	2.50	1945	26	99	227	6	<5	<5	<10	89	3808	5	164	<10	11	101
313275	D046473	13	<1	7.73	5	180	2	<5	6.75	5	52	189	140	8.42	1.58	30	2.86	1922	22	98	455	10	<5	8	<10	149	3084	8	195	<10	14	116
313276	D046474	9	<1	7.24	<2	206	1	<5	6.82	<4	41	409	70	6.37	1.95	32	4.12	1160	9	90	929	9	<5	<5	<10	213	3570	8	205	<10	16	69
313277	D046475	11	<1	6.68	2	87	1	<5	4.84	4	46	206	127	7.06	1.44	25	3.51	1159	10	99	252	6	<5	<5	<10	127	4361	<1	193	<10	13	83
313278	D046476	13	<1	6.96	<2	39	1	<5	4.47	4	49	232	136	6.99	1.38	26	3.70	1065	8	109	280	11	<5	5	<10	119	4291	2	174	<10	12	88
313279	D046477	12	<1	6.68	3	135	<1	<5	4.74	4	47	129	106	7.41	1.55	28	3.35	1103	13	66	291	11	<5	<5	<10	104	5280	<1	197	<10	12	87
313280	D046478	11	<1	7.70	5	50	1	<5	6.13	4	47	214	124	7.52	1.52	32	3.74	1252	9	95	241	11	<5	5	<10	102	4070	2	211	<10	13	90
313281	D046479	11	<1	6.29	<2	27	1	<5	4.61	4	45	166	131	6.88	1.21	24	3.19	1099	9	79	240	9	<5	<5	<10	83	4818	<1	186	<10	10	81
313282	D046480	12	<1	6.08	3	69	<1	<5	4.80	<4	42	208	119	5.33	1.20	23	2.58	1214	8	106	211	7	<5	<5	<10	69	3544	5	137	<10	8	71
313283	D046481	10	<1	7.00	4	57	<1	<5	5.83	<4	50	228	127	5.95	1.51	26	3.10	1301	10	112	275	6	<5	8	<10	83	4495	2	175	<10	11	83
313284	D046482	12	<1	6.75	5	52	1	<5	4.43	4	49	213	146	6.54	1.38	25	3.62	1020	7	117	243	6	<5	<5	<10	76	4221	3	159	<10	9	70
313285 Dup	D046482	6	<1	7.18	2	55	2	<5	4.83	4	57	240	171	7.44	1.33	28	4.10	1156	6	134	286	9	<5	<5	<10	80	4891	<1	175	<10	10	80
313286	D046483	9	<1	7.99	5	155	1	<5	5.46	4	45	227	110	7.34	2.07	34	3.95	1158	8	103	226	9	<5	5	<10	77	3842	2	197	<10	12	86
313287	D046484	9	<1	7.46	2	49	2	<5	5.52	4	50	233	115	7.27	1.31	31	4.40	1203	2	122	235	5	<5	<5	<10	76	4097	5	185	<10	11	74
313288	D046485	13	<1	6.51	4	51	<1	<5	5.42	4	45	216	111	6.73	1.15	28	3.73	1115	3	119	201	7	<5	<5	<10	74	3480	2	167	<10	10	71
313289	D046486	17	<1	6.98	3	36	1	<5	5.98	4	46	242	112	6.99	1.04	31	3.84	1202	5	137	218	8	<5	<5	<10	79	3265	4	177	<10	11	75
313290	D046487	14	<1	8.02	4	136	1	<5	6.34	4	46	282	99	6.66	2.13	34	3.98	1165	7	140	441	11	<5	<5	<10	126	3401	7	190	<10	14	74
313291	D046488	11	<1	8.73	5	37	1	<5	6.33	4	63	302	139	7.14	1.49	36	4.08	1339	9	176	266	10	<5	<5	<10	151	4364	<1	221	<10	14	113
313292	D046489	12	<1	8.31	3	35	2	<5	5.87	4	52	264	117	6.55	1.66	33	3.68	1205	8	154	239	8	<5	<5	<10	142	3769	2	206	<10	14	96
313293	D046490	17	<1	7.72	6	70	2	<5	6.99	4	43	347	94	6.42	1.74	33	4.23	1178	9	145	653	4	<5	<5	<10	172	3140	5	196	<10	15	81
313294	D046491	18	<1	7.64	4	101	2	<5	5.72	4	38	244	97	6.62	1.86	29	3.43	1154	14	81	413	9	<5	<5	<10	127	3562	<1	201	<10	15	75

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, November 4, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
313295	D046492	9	<1	8.11	4	38	2	<5	6.12	5	57	253	153	8.38	1.77	30	3.99	1464	13	94	383	10	<5	<5	<10	154	5358	<1	224	<10	16	128
313296 Dup	D046492	8	<1	7.71	5	36	2	<5	5.93	5	54	245	153	8.15	1.65	28	3.89	1430	13	91	366	14	<5	6	<10	149	5222	5	219	<10	16	97
313297	D046493	10	<1	8.04	4	43	2	<5	5.60	4	48	199	140	7.57	1.74	32	3.43	1320	13	90	291	11	<5	<5	<10	110	4473	<1	193	<10	14	89
313298	D046494	31	<1	8.24	17	216	<1	<5	6.38	4	57	175	148	6.68	2.28	33	2.96	1373	16	148	282	3	<5	<5	<10	63	3101	8	155	<10	14	74
313299	D046495	11	<1	7.78	12	61	2	<5	6.81	4	47	178	114	6.28	1.71	29	3.04	1310	12	117	222	8	<5	<5	<10	88	3602	2	168	<10	12	77
313300	D046496	9	<1	6.75	9	21	2	<5	4.78	4	48	159	112	6.52	1.36	25	3.40	1128	7	117	226	7	<5	<5	<10	75	3810	<1	144	<10	9	76
313301	D046497	7	<1	7.80	9	56	1	<5	5.95	4	46	223	95	6.93	1.67	30	3.72	1145	12	113	361	8	<5	5	<10	94	3901	2	174	<10	12	75
313302	D046498	9	<1	7.87	15	27	2	<5	5.42	4	48	186	118	7.34	1.61	30	3.78	1161	9	122	224	5	<5	<5	<10	78	3828	8	170	<10	11	75
313303	D046499	9	<1	8.02	17	27	1	<5	4.89	4	52	173	113	7.37	1.68	29	3.97	1149	8	125	222	12	<5	<5	<10	75	3958	7	166	<10	11	77
313304	D046500	9	<1	7.35	11	143	2	<5	5.55	4	45	264	89	6.50	2.22	27	4.40	1104	12	172	596	7	<5	8	<10	112	3620	<1	148	<10	13	74
313305	D046501	8	<1	5.13	10	125	2	<5	4.63	<4	42	253	89	5.92	1.31	20	3.95	999	<1	169	606	9	<5	<5	<10	86	3439	1	127	<10	10	70
313306	D046502	1183	2	3.54	99	308	1	96	0.38	<4	2	38	49	4.02	1.84	13	0.17	<100	32	8	<100	111	12	7	10	50	223	<1	25	<10	3	18
313307 Dup	D046502	Insufficient Sample																														
313308	D046503	<5	<1	5.44	2	354	<1	<5	1.53	<4	9	59	22	2.17	1.94	20	0.83	427	19	29	495	5	<5	<5	<10	145	1472	<1	66	33	12	48
313309	D046504	12	<1	7.00	16	34	2	<5	4.28	4	49	174	132	6.81	1.74	24	3.68	1104	13	120	233	9	<5	<5	<10	84	4097	6	155	<10	10	77
313310	D046505	7	<1	6.80	15	30	1	<5	3.68	4	48	169	161	6.55	1.69	25	3.40	1053	13	163	232	13	<5	<5	<10	61	4041	1	140	<10	9	74
313311	D046506	15	<1	6.57	14	40	1	<5	5.39	4	50	181	135	6.94	1.37	24	3.55	1203	9	117	245	9	<5	<5	<10	69	4046	<1	166	<10	10	73
313312	D046507	9	<1	6.57	9	68	2	<5	4.44	4	49	185	157	7.29	1.37	26	3.70	1176	6	111	236	6	<5	<5	<10	57	4251	5	179	<10	11	73
313313	D046508	11	<1	7.59	8	259	2	<5	5.99	4	48	198	116	7.71	2.13	29	3.84	1280	10	109	244	9	<5	<5	<10	77	4096	4	199	<10	14	73
313314	D046509	8	<1	6.50	10	225	1	<5	4.50	4	45	175	137	6.74	1.88	24	3.26	1100	11	98	245	7	<5	<5	<10	73	4072	<1	171	<10	11	66
313315	D046510	15	<1	6.99	9	213	2	<5	4.13	4	43	175	138	6.58	2.11	25	3.24	1060	13	94	250	7	<5	<5	<10	81	4108	7	162	<10	11	66
313316	D046511	8	<1	7.46	9	270	2	<5	4.58	4	48	191	122	7.27	2.00	31	3.68	1203	10	104	249	9	<5	<5	<10	70	4272	<1	177	<10	11	69
313317	D046512	10	<1	8.08	7	255	1	<5	5.47	5	52	198	147	7.89	2.04	34	3.73	1311	10	133	267	10	<5	<5	<10	59	4533	2	183	<10	10	116
313318 Rep	D046512	9	<1	7.51	4	229	1	<5	5.14	4	46	187	121	7.27	1.86	31	3.49	1216	12	99	248	9	<5	<5	<10	61	4182	2	176	<10	10	82
313319	D046513	12	<1	4.43	11	158	2	<5	3.25	<4	43	160	126	5.87	0.91	19	2.99	966	2	94	219	6	<5	<5	<10	48	3716	<1	121	<10	6	71
313320	D046514	10	<1	6.58	5	139	1	<5	3.65	<4	44	170	115	6.34	1.82	26	3.30	1031	9	93	217	6	<5	<5	<10	75	3811	<1	153	<10	9	65
313321	D046515	15	<1	7.09	2	215	1	<5	4.43	4	46	198	116	7.10	1.95	28	3.60	1206	10	97	244	6	<5	<5	<10	77	4215	6	169	<10	10	74
313322	D046516	10	<1	6.39	4	107	1	<5	3.17	4	45	175	126	6.39	1.79	25	3.28	1041	7	94	234	5	<5	<5	<10	73	4150	<1	146	<10	8	68
313323	D046517	8	<1	6.23	3	56	1	<5	2.99	<4	40	163	108	5.97	1.69	24	3.21	973	8	90	205	5	<5	<5	<10	61	3699	4	139	<10	8	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, November 4, 2010

Kodiak Exploration Ltd Suite 1205, 700 West Pender St.
Vancouver, BC, CAN
V6C1G8
Ph#: (604) 688-9006
Fax#: (604) 688-9029
Email#: assay@kodiakexp.com

Date Received: 10/20/2010
Date Completed: 11/03/2010
Job #: 201044528
Reference: Castlewood Lake(CWL)
Sample #: 194 Core

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
313324	D046518	8	<1	6.34	5	44	1	<5	4.26	4	44	180	116	6.48	1.45	25	3.33	1089	5	100	218	6	<5	<5	<10	74	3909	2	154	<10	9	68
313325	D046519	24	<1	6.34	4	35	2	<5	6.30	5	48	195	121	7.74	0.94	28	3.56	1259	4	92	236	7	<5	<5	<10	50	3910	<1	193	<10	10	78
313326	D046520	16	1	7.25	4	26	2	<5	5.59	5	50	203	143	7.70	1.40	29	3.55	1278	10	99	262	14	<5	7	<10	61	4424	4	182	<10	11	88
313327	D046521	12	<1	5.87	<2	48	2	<5	4.46	4	40	167	120	6.20	1.51	22	3.06	1077	8	86	213	9	<5	<5	<10	48	3619	4	151	<10	9	68
313328	D046522	10	<1	5.50	3	18	<1	<5	2.72	<4	41	147	120	5.49	1.29	21	2.95	918	7	93	216	9	<5	<5	<10	45	3500	3	111	<10	6	63
313329 Dup	D046522	6	<1	6.22	3	20	2	<5	3.25	<4	43	159	123	5.95	1.53	22	3.07	998	8	97	225	8	<5	<5	<10	57	3861	2	128	<10	8	67
313330	D046523	9	<1	7.23	2	21	2	<5	4.57	4	46	175	109	6.84	1.61	29	3.62	1188	8	111	206	5	<5	<5	<10	57	3616	<1	168	<10	10	72
313331	D046524	22	<1	7.31	5	51	1	<5	6.41	5	42	126	159	8.26	1.65	29	2.76	1590	25	57	250	9	<5	<5	<10	56	1263	5	213	<10	15	80
313332	D046525	14	<1	7.63	3	53	1	<5	5.94	6	52	164	162	10.93	1.80	23	2.15	3101	35	67	220	9	<5	<5	<10	54	848	8	195	<10	8	121
313333	D046526	24	<1	7.79	5	86	1	<5	6.31	5	46	215	149	8.56	2.06	24	1.98	2649	27	102	261	7	<5	10	<10	66	1021	<1	161	<10	9	88

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory