

**Report on Diamond Drilling, Sampling and Trenching,
and Miscellaneous Activities**

on the

Scadding Property

undertaken by

Trueclaim Exploration Inc.

from

March 2010 - Aug. 3, 2011

Scadding, Street and Davis Township, Ontario

Prepared by: Lindsay Moss, B.Sc. Geo., P. Geo., Theresa MacMillian, B.Sc. Geo. &
Robert Komarechka, B.Sc. Geo, P. Geo, P. Geol

Submitted: Aug. 8, 2011

Table of Contents

Introduction.....	1
Location.....	1
Access.....	1
Property Tenure.....	3
Geology.....	11
Regional Geology.....	11
Geology of Study Area.....	11
Style of Mineralization.....	15
Hydrothermal Chlorite Breccia Au Mineralization.....	15
Hydrothermal Cu Au Mineralization in Nipissing Diabase.....	15
Magmatic PGM Mineralization in Nipissing Diabase.....	15
Albite Metasomatism with Associated Iron Carbonate and Quartz Veins.....	15
Previous Work by Others.....	16
Regional Area.....	16
Scadding Minesite Area.....	16
Previous Work Performed by Trueclaim Exploration Inc.	16
Work Performed in this Report by Trueclaim Exploration Inc.	17
Pole Line Property Field Visit.	17
Sample Core Induced Polarization (SCIP) Study	17
Geochemical Multi-elemental Study of Chlorite	17
Stripping, Washing, Channel Sampling and Mapping.....	18
<i>The Scadding Minesite Area Stripping Program.....</i>	<i>25</i>
<i>Alwyn Porcupine Area</i>	<i>38</i>
<i>The Red Rock East Area.....</i>	<i>46</i>
<i>The Jerome Showing</i>	<i>52</i>
<i>The Johnson Road Showing.....</i>	<i>57</i>
<i>The Secret Showing</i>	<i>62</i>
<i>The Glade Showing.....</i>	<i>65</i>
<i>The Inclined Copper Shaft Occurrence</i>	<i>70</i>
Field Sample Assay Results	71
Diamond Drill Program.....	73

Table of Contents

Introduction	1
Location	1
Access	1
Property Tenure	3
Geology	11
Regional Geology	11
Geology of Study Area	11
Style of Mineralization	15
Hydrothermal Chlorite Breccia Au Mineralization	15
Hydrothermal Cu Au Mineralization in Nipissing Diabase	15
Magmatic PGM Mineralization in Nipissing Diabase	15
Albite Metasomatism with Associated Iron Carbonate and Quartz Veins	15
Previous Work by Others	16
Regional Area	16
Scadding Minesite Area	16
Previous Work Performed by Trueclaim Exploration Inc.	16
Work Performed in this Report by Trueclaim Exploration Inc.	17
Pole Line Property Field Visit	17
Sample Core Induced Polarization (SCIP) Study	17
Geochemical Multi-elemental Study of Chlorite	17
Stripping, Washing, Channel Sampling and Mapping	18
<i>The Scadding Minesite Area Stripping Program</i>	25
<i>Alwyn Porcupine Area</i>	38
<i>The Red Rock East Area</i>	46
<i>The Jerome Showing</i>	52
<i>The Johnson Road Showing</i>	57
<i>The Secret Showing</i>	62
<i>The Glade Showing</i>	65
<i>The Inclined Copper Shaft Occurrence</i>	70
Field Sample Assay Results	71
Diamond Drill Program	73

Observations	77
Pole Line Property.....	77
SCIP Study	77
Chlorite Geochemistry Study	77
Stripping, Mapping, Sampling and Diamond Drilling	77
The Scadding Mine Area	77
The Alwyn Porcupine Area.....	77
The Red Rock East Property.....	78
The Jerome Area	78
The Johnson Road Alteration Zone	78
The Secret Showing	79
The Glade Showing.....	79
The Inclined Copper Showing	79
Conclusion & Recommendations	79
Personnel & Companies Involved in this Report.....	82
Bibliography	83
Certificates.....	85

List of Figures

Figure 1: General Location Map of the Scadding Gold Property	2
Figure 2: Scadding Property Claims Options and Areas of Work.....	8
Figure 3: Leases Showing Contained Claims	10
Figure 4: Timescale of Geological Formation and Events.....	12
Figure 5: Geology Scadding Area.....	13
Figure 6: Scadding Mine Site Area - Geology Map prepared by Lindsay Moss.....	25
Figure 7: Scadding Mine Site Area - Trench Location Map.....	26
Figure 8: Scadding Mine Site Area - Geology Map 1 & 2.....	27
Figure 9: Scadding Mine Site Area - Trenches 1 & 2 Apparent Magnetic Susceptibility.....	28
Figure 10: Scadding Mine Site Area - Trench 3.	29
Figure 11: Scadding Mine Site - Trench 3 Apparent Magnetic Susceptibility	29
Figure 12: Scadding Mine Site - Trench 4.....	30
Figure 13: Scadding Mine Site - Trench 4 Apparent Magnetic Susceptibility	30
Figure 14: Scadding Mine Site - Trench 5	31
Figure 15: Scadding Mine Site - Trench 5 Apparent Magnetic Susceptibility	32
Figure 16: Scadding Mine Site - Trench 6	33
Figure 17: Scadding Mine Site - Trench 6 Apparent Magnetic Susceptibility	33
Figure 18: Scadding Mine Site - Trench 7	34
Figure 19: Scadding Mine Site - Trench 7 Apparent Magnetic Susceptibility	34
Figure 20: Scadding Mine Site - Trench 8	35

Figure 21: Scadding Mine Site - Trench 8 Apparent Magnetic Susceptibility	36
Figure 22: Scadding Mine Site - Trench 9	37
Figure 23: Scadding Mine Site - Trench 9 Apparent Magnetic Susceptibility	37
Figure 24: Alwyn Porcupine Area Chalcopyrite.....	38
Figure 25: Alwyn Porcupine Area Map.....	39
Figure 26: Alwyn Porcupine Trench Location Map.....	40
Figure 27: Alwyn Porcupine Trench 1.....	41
Figure 28: Alwyn Porcupine Trench 2.....	42
Figure 29: Alwyn Porcupine Trench 3.....	43
Figure 30: Alwyn Porcupine Trench 4.....	44
Figure 31: Alwyn Porcupine Trench 5.....	45
Figure 32: Alwyn Porcupine Main Showing Chalcopyrite	46
Figure 33: Red Rock East - Plan of Trenched Areas	47
Figure 34: Red Rock East - Trench 1.....	47
Figure 35: Red Rock East - Trench 2.....	48
Figure 36: Red Rock East - Trench 3.....	48
Figure 37: Red Rock East - Main Showing	49
Figure 38: Red Rock East - Trench 4.....	50
Figure 39: Red Rock East - Trench 5.....	51
Figure 40: Red Rock East - Trench 6.....	52
Figure 41: Jerome Showing Drillhole, Grid and Trench Location Map	53
Figure 42: Jerome Showing - Trench 1	54
Figure 43: Jerome Showing - Trenches 2, 3 & 4.....	55
Figure 44: Jerome Showing - Trench 5	55
Figure 45: Jerome Showing - Trench 6.	56
Figure 46: Jerome Showing - Main Showing Area Magnetic Susceptibility	57
Figure 47: Johnson Road Trench Location Map	58
Figure 48: Johnson Road Area - Shouinard Alteration Zone - Trench 1	59
Figure 49: Johnson Road Area - Shouinard Alteration Zone - Trench 2	60
Figure 50: Johnson Road Area - Trench 3.....	61
Figure 51: The Secret Showing - Washing the stripped area	62
Figure 52: The Secret Showing - Trench Location Map	63
Figure 53: The Secret Showing - Trench 1	64
Figure 54: The Secret Showing - Trenches 2 & 3	65
Figure 55: Glade Showing - Trench Location Map	66
Figure 56: Glade Showing - Trench 1	67
Figure 57: Glade Showing - Trench 2	68
Figure 58: Glade Showing - Trench 3.	69
Figure 59: The Inclined Copper Shaft - Trench& Drill Location Map.....	70
Figure 60: The Inclined Copper Shaft - Trench Location Map.....	71
Figure 61: Field sample Location Map.....	72
Figure 62: The Red Rock East Area - Diamond Drill Location Map	74

Figure 63: The Scadding Mine Area – Diamond Drill Location Map.....	75
--	-----------

List of Tables

Table 1: Scadding Property	4
Table 2: Work Location and Tenure Map.....	9
Table 3: Rock formations and types as described in this report.....	14
Table 4: Stripping Work Breakdown	19
Table 4a: Stripping Equipment Use.....	20
Table 5: Stripping Daily Log.....	21
Table 6: Exploration Diamond Drill Program Summary	76

Appendices.....	89
------------------------	-----------

Appendix 1: Pole Line Property Visit Report

Appendix 2: SCIP Study Report

Appendix 3: Geochemical Chlorite Analysis

Appendix 4: All Field Sample Descriptions

Appendix 5: All Field Sample Certificates

Appendix 6: DDH Logs

Appendix 7: DDH Assay Certificates

Appendix 8: DDH Lithologic Sections

Appendix 9: DDH Au Assay Sections

Introduction

This report is based on assessment work conducted on the Scadding Property primarily from the period of March 31, 2010 to March 28, 2011, although a brief 1 day report of work on the Pole Line Property, done on Sept. 5th-10th, 2009, is also included. This work included prospecting sample results, stripping, trenching, washing, geological mapping, channel-cut sampling, a core resistivity and chargeability (SCIP) survey, a study of the chlorite geochemistry and a diamond drill program. This work was done over several areas known to have anomalous mineralization or geophysical anomalies. These areas are further described in this report. The work was undertaken by numerous individuals working under contract to Trueclaim Exploration Inc.

Location

The Scadding Property extends over the townships of Scadding, Street, Davis, Rathbun, MacLennan and to a minor degree Falconbridge and Loughrin Townships, although work undertaken was concentrated in Scadding, Davis, Street and Rathbun townships. This area is located in the Mining District of Sudbury, Ontario, about 50 kilometres northeast of the city of Sudbury, Ontario. Figure 1 shows its location in a regional setting, while figure 2 shows the distribution of the unpatented mining claims and leased land in the area owned or optioned by Trueclaim Exploration Inc. The center of the property can be considered at the Scadding Minesite which is located at NAD 83 co-ordinates 529154mE and 5166510mN Zone 17T.

Access

The area of this work is scattered over a large area as shown in figure 2. A description to some of the major areas of interest are described below. The locations of these sites are also shown in figure 2. Access to the Scadding Mine Site (shown as the green star in figure 2) is via the well maintained gravel Kukagami Lake Road. Take Kukagami Lake Road 17.2 kilometres north from Highway 17 to a gravel road on the west. This road leads through a set of gates to the Scadding Mine Site. On the east side of Kukagami Lake road 300m south of the entrance to the mine site is a road created by excavator leading to the Secret Showing (shown as #7 on figure 2). One kilometre to the south of the Scadding Mine is an ATV/Snowmobile trail which takes you south up to the historical Tailings Area.

Travelling further north on Kukagami Lake Road 0.5km will lead to the intersection with the Ashagami Road West, 2.5km further East on the Ashagami Road West will lead to a boat launch on the shore of Ashagami Lake. Just before the boat launch is Westshore Road, turn left onto Westshore Road. Immediately on the left hand side is an ATV/snowmobile trail which if followed due north for about 400m will bring you to the main showing of the Red Rock East property shown as number 3 on figure 2.

Half a kilometer north on Kukagami Lake Road from the Ashagami Road West is the junction to Johnson Road on the west side. Trenching, known as the Johnson Road Showing, (number 4 on figure 2) was done 3km down Johnson Road between Bugg Lake and Spar Lake to the north off of a snowmobile trail. Just past this trench the ATV/snowmobile trail continues on the south side of Johnson Road. Taking the ATV/snowmobile trail south 1.5km will bring you

to an area directly off the trail where two other trenches were excavated in an area known as the Shouinard Showing (shown as number 5 in figure 2).

Returning back to the intersection of the Johnson and Kukagami Lake Road and traveling 3.5km north we come to a gravel trail to the west just before crossing a swamp creek. Travelling on this trail for about 3km to the northwest will bring you to a fork in the trail. Park your vehicle to the left just before the fork. Taking the left fork down the hill will bring you to two areas of stripping. Going eastward up the hill to the rock promontory is where the Jerome Showing is located (shown as number 2 on figure 2).

Going back to the trail turnoff at Kukagami Lake Road and traveling north past the turnoff to Kukagami Lake for another 700m. a trail is found on the west side of the road, travelling down this trail for another 700 meters brings us to the Alwyn Porcupine Mine (number 2 on figure 2)

To reach the Copper Shaft one travels east about 25 km. on Hwy 17 from the Kukagami Lake Road to Hagar then northward on Hwy 535 for about another 25 km then take the left fork staying to the left for about 7 km. A westward trail leads to a stripped area of the Copper Shaft.




Figure 1: General Location Map of the Scadding Gold Property. The target shown represents the Scadding Mine Location located near the centre of the property. See figures 2 and 3 for more details.

Property Tenure

The Scadding property inclusive of all options shown in table 1 and figure 2 comprises 17,626 ha consisting of 111 claims and 7 leases. The claims, their ownership and their current status, as of the date of April 27, 2011, are shown in table 1 below. Table 1 also shows what type of work was done on which claims via the use of colour codes and asterisks. Figure 2 shows the extent of the claim fabric and where the drilling and stripping work was done as indicated by the underlined areas. On figure 2 the claims are colour coded to show the date and order of the options undertaken. The following table 2 shows the leases which occur in the vicinity of the Scadding Minesite on the property. Colour coding and asterisks indicate the type of work undertaken on these leases. Figure 3 follows and shows the layout of the leases colour coded to match the table and illustrating the claims within each lease.

Table 1 - Scadding Property Mining Claims Ownership as of April 27, 2011

SUDBURY Mining Division - 160856 - LONEY, TERRY

Township or Area	Claim Number	Recording Date	Claim Due Date	Status	Percent Option	Work Required	Total Applied	Total Reserve	Claim Blank
SCADDING	3019281	2007-Dec-12	2011-Jun-08	A	100%	\$2,400	\$2,400	\$0	\$0
SCADDING	3019282	2008-Jan-24	2011-Jan-24	A	100%	\$3,200	\$3,200	\$0	\$0
SCADDING	3019283	2008-Jan-24	2011-Jan-24	A	100%	\$204	\$1,396	\$0	\$0
SCADDING	3019284	2008-Jan-24	2012-Jan-24	A	100%	\$1,200	\$2,400	\$0	\$0
SCADDING	4206207	2008-Jan-24	2011-Jan-24	A	100%	\$1,600	\$1,600	\$0	\$0
SCADDING	4226740	2007-Sep-25	2011-Mar-25	A	100%	\$4,000	\$4,000	\$0	\$0
SCADDING	4226744	2007-Dec-03	2011-Jun-08	A	100%	\$6,400	\$6,400	\$0	\$0
SCADDING	4226747	2007-Nov-30	2011-May-30	A	100%	\$3,200	\$3,200	\$0	\$0
SCADDING	4226748	2007-Nov-30	2011-May-30	A	100%	\$400	\$400	\$0	\$0
SCADDING	4226749	2007-Nov-30	2011-Nov-30	A	100%	\$6,400	\$12,800	\$0	\$0
SCADDING	4229046	2008-Jan-24	2011-Jan-24	A	100%	\$6,000	\$6,000	\$0	\$0
SCADDING	4229047	2008-Jan-24	2011-Jan-24	A	100%	\$800	\$800	\$0	\$0
SCADDING	4229048	2008-Jan-24	2011-Jan-24	A	100%	\$4,400	\$4,400	\$0	\$0
SCADDING	4229049	2008-Mar-07	2011-Mar-07	A	100%	\$6,400	\$6,400	\$0	\$0
SCADDING	4229050	2008-Mar-07	2011-Mar-07	A	100%	\$6,400	\$6,400	\$0	\$0
SCADDING	4229051	2008-Mar-10	2011-Mar-10	A	100%	\$6,400	\$6,400	\$0	\$0
SCADDING	4229052	2008-Mar-10	2011-Mar-10	A	100%	\$6,400	\$6,400	\$0	\$0

SUDBURY Mining Division - 111562 - BRADY, JOHN GREGORY

Township or Area	Claim Number	Recording Date	Claim Due Date	Status	Percent Option	Work Required	Total Applied	Total Reserve	Claim Blank
SCADDING	1230861	1998-Jul-21	2012-Jul-21	A	100%	\$562	\$15,038	\$0	\$0
SCADDING	3004934	2003-Sep-16	2011-Sep-16	A	100%	\$5,600	\$28,000	\$0	\$0
STREET	1230863	1998-Jul-21	2012-Jul-21	A	100%	\$1,200	\$14,400	\$0	\$0
STREET	3004846	2003-Sep-16	2011-Sep-16	A	100%	\$4,400	\$26,400	\$0	\$0
STREET	4252752	2010-Jun-24	2012-Jun-24	A	50%	\$6,000	\$0	\$0	\$0

Property	Trueclaim Exploration Inc.	One London Place, 2555 Queens Ave., Suite 1000, London, Ontario N6A 5R8							
Owners	Terry Loney	326 Penman Avenue, Garson, Ontario, P3L1H8							
	John Brady	1227 Holland Rd., Sudbury, Ontario, P3A 3R1							

Table 1 - Scadding Property Mining Claims Ownership as of April 27, 2011

SUDBURY Mining Division - 407587 - TRUECLAIM EXPLORATION INC.

Township or Area	Claim Number	Recording Date	Claim Due Date	Status	Percent Option	Work Required	Total Applied	Total Reserve	Claim Blank
DAVIS	4225308	2007-Sep-27	2011-Sep-27	A	100%	\$6,400	\$12,800	\$0	\$0
DAVIS	4225309	2007-Sep-27	2011-Sep-27	A	100%	\$4,000	\$8,000	\$0	\$0
DAVIS	4225312	2007-Sep-26	2011-Apr-02	A	100%	\$5,200	\$5,200	\$0	\$0
DAVIS	4225313	2007-Sep-26	2011-Apr-02	A	100%	\$3,200	\$3,200	\$0	\$0
DAVIS	4225314	2007-Sep-26	2011-Apr-02	A	100%	\$6,400	\$6,400	\$0	\$0
DAVIS	4225315	2007-Sep-26	2011-Apr-02	A	100%	\$2,800	\$2,800	\$0	\$0
DAVIS	4226159	2007-Sep-26	2011-Apr-02	A	100%	\$6,400	\$6,400	\$0	\$0
DAVIS	4226160	2007-Sep-26	2011-Apr-02	A	100%	\$6,400	\$6,400	\$103	\$0
DAVIS	4226164	2007-Sep-26	2011-Apr-02	A	100%	\$4,000	\$4,000	\$0	\$0
DAVIS	4226171	2007-Sep-27	2011-Apr-02	A	100%	\$2,400	\$2,400	\$0	\$0
DAVIS	4226172	2007-Sep-27	2011-Apr-02	A	100%	\$6,000	\$6,000	\$566	\$0
DAVIS	4226173	2007-Sep-26	2011-Apr-02	A	100%	\$6,400	\$6,400	\$1,164	\$0
DAVIS	4226174	2007-Sep-26	2011-Apr-02	A	100%	\$2,400	\$2,400	\$827	\$0
DAVIS	4226175	2007-Sep-26	2011-Apr-02	A	100%	\$3,200	\$3,200	\$827	\$0
DAVIS	4226176	2007-Sep-26	2011-Apr-02	A	100%	\$4,400	\$4,400	\$1,217	\$0
DAVIS	4226179	2007-Sep-26	2011-Apr-02	A	100%	\$3,600	\$3,600	\$309	\$0
DAVIS	4226180	2007-Sep-26	2011-Sep-26	A	100%	\$6,000	\$12,000	\$1,267	\$0
DAVIS	4226181	2007-Sep-26	2011-Apr-02	A	100%	\$6,400	\$6,400	\$1,031	\$0
DAVIS	4226182	2007-Sep-26	2011-Apr-02	A	100%	\$5,600	\$5,600	\$1,031	\$0
DAVIS	4226189	2007-Sep-26	2011-Apr-02	A	100%	\$4,000	\$4,000	\$0	\$0
DAVIS	4226190	2007-Sep-26	2011-Apr-02	A	100%	\$4,400	\$4,400	\$0	\$0
LOUGHRIN	4252772	2010-Feb-16	2012-Feb-16	A	100%	\$2,800	\$0	\$0	\$0
LOUGHRIN	4257916	2010-Jun-16	2012-Jun-16	A	100%	\$1,600	\$0	\$0	\$0
RATHBUN	4252776	2010-Nov-04	2012-Nov-04	A	100%	\$800	\$0	\$0	\$0
SCADDING	1235104	2009-Oct-07	2011-Oct-07	A	100%	\$400	\$0	\$0	\$0
SCADDING	3018274	2009-Sep-03	2011-Sep-03	A	100%	\$2,400	\$0	\$0	\$0
SCADDING	4209098	2009-Sep-03	2011-Sep-03	A	100%	\$800	\$0	\$0	\$0
SCADDING	4225286	2007-Sep-27	2011-Apr-04	A	100%	\$2,332	\$10,468	\$0	\$0
SCADDING	4225287	2007-Sep-27	2011-Sep-27	A	100%	\$6,000	\$12,000	\$0	\$0
SCADDING	4225288	2007-Sep-27	2011-Sep-27	A	100%	\$3,200	\$6,400	\$0	\$0
SCADDING	4225289	2007-Sep-27	2011-Sep-27	A	100%	\$3,600	\$7,200	\$0	\$0

Table 1 - Scadding Property Mining Claims Ownership as of April 27, 2011


SUDBURY Mining Division - 407587 - TRUECLAIM EXPLORATION INC.

Township or Area	Claim Number	Recording Date	Claim Due Date	Status	Percent Option	Work Required	Total Applied	Total Reserve	Claim Blank
SCADDING	4225306	2007-Sep-27	2011-Sep-27	A	100%	\$6,400	\$12,800	\$0	\$0
SCADDING	4225307	2007-Sep-27	2011-Sep-27	A	100%	\$6,400	\$12,800	\$0	\$0
SCADDING	4225310	2007-Sep-27	2011-Sep-27	A	100%	\$4,400	\$8,800	\$0	\$0
SCADDING	4225311	2007-Sep-27	2011-Sep-27	A	100%	\$6,400	\$12,800	\$0	\$0
SCADDING	4248944	2009-Sep-28	2012-Sep-28	A	100%	\$400	\$400	\$0	\$0
SCADDING	4250243	2009-Jun-03	2011-Jun-03	A	100%	\$1,222	\$378	\$0	\$0
SCADDING	4250244	2009-Jun-03	2011-Jun-03	A	100%	\$2,000	\$0	\$0	\$0
SCADDING	4250245	2009-Sep-03	2012-Sep-03	A	100%	\$1,600	\$1,600	\$0	\$0
SCADDING	4250246	2009-Sep-03	2012-Sep-03	A	100%	\$1,600	\$1,600	\$0	\$0
SCADDING	4250247	2009-Sep-03	2012-Sep-03	A	100%	\$1,600	\$1,600	\$0	\$0
SCADDING	4252768	2010-Nov-04	2012-Nov-04	A	100%	\$6,400	\$0	\$0	\$0
SCADDING	4252770	2010-Feb-16	2012-Feb-16	A	100%	\$1,200	\$0	\$0	\$0
SCADDING	4252771	2010-Feb-16	2012-Feb-16	A	100%	\$400	\$0	\$0	\$0
STREET	4225290	2007-Sep-27	2011-Apr-02	A	100%	\$2,800	\$2,800	\$0	\$0
STREET	4225291	2007-Sep-27	2011-Apr-02	A	100%	\$5,200	\$5,200	\$0	\$0
STREET	4225292	2007-Sep-27	2011-Apr-02	A	100%	\$4,400	\$4,400	\$0	\$0
STREET	4225293	2007-Sep-27	2011-Apr-02	A	100%	\$6,000	\$6,000	\$0	\$0
STREET	4225294	2007-Sep-27	2011-Apr-02	A	100%	\$3,200	\$3,200	\$0	\$0
STREET	4225296	2007-Sep-27	2011-Apr-02	A	100%	\$6,400	\$6,400	\$0	\$0
STREET	4225297	2007-Sep-27	2011-Apr-02	A	100%	\$6,400	\$6,400	\$0	\$0
STREET	4225298	2007-Sep-27	2011-Apr-02	A	100%	\$4,000	\$4,000	\$0	\$0
STREET	4225299	2007-Sep-27	2011-Apr-02	A	100%	\$6,400	\$6,400	\$0	\$0
STREET	4225300	2007-Sep-27	2011-Apr-02	A	100%	\$6,000	\$6,000	\$0	\$0
STREET	4225301	2007-Sep-27	2011-Apr-02	A	100%	\$3,200	\$3,200	\$0	\$0
STREET	4225320	2007-Oct-02	2011-Apr-02	A	100%	\$6,000	\$6,000	\$0	\$0
STREET	4225321	2007-Oct-02	2011-Oct-02	A	100%	\$6,400	\$12,800	\$0	\$0
STREET	4225322	2007-Oct-02	2011-Apr-02	A	100%	\$789	\$3,211	\$0	\$0
STREET	4258941	2010-Nov-04	2012-Nov-04	A	100%	\$6,400	\$0	\$0	\$0

Table 1 - Scadding Property Mining Claims Ownership as of April 27, 2011

SUDBURY Mining Division - 160856 - LONEY, TERRY

Township or Area	Claim Number	Recording Date	Claim Due Date	Status	Percent Option	Work Required	Total Applied	Total Reserve	Claim Blank
DAVIS	3019275	2008-Jul-25	2011-Jul-25	A	100%	\$800	\$800	\$0	\$0
DAVIS	4209055	2009-Apr-17	2011-Apr-17	A	100%	\$5,200	\$0	\$0	\$0
DAVIS	4245351	2009-Apr-17	2011-Apr-17	A	100%	\$4,400	\$0	\$0	\$0
DAVIS	4245352	2009-Apr-17	2011-Apr-17	A	100%	\$2,400	\$0	\$0	\$0
DAVIS	4248943	2009-Oct-02	2012-Oct-02	A	100%	\$2,400	\$2,400	\$0	\$0
DAVIS	4248945	2009-Oct-02	2012-Oct-02	A	100%	\$3,600	\$3,600	\$0	\$0
DAVIS	4248946	2009-Nov-10	2012-Nov-10	A	100%	\$1,200	\$1,200	\$0	\$0
DAVIS	4248947	2009-Nov-10	2011-Nov-10	A	100%	\$1,600	\$0	\$0	\$0
DAVIS	4248948	2009-Nov-10	2012-Nov-10	A	100%	\$1,600	\$1,600	\$0	\$0
DAVIS	4248950	2009-Nov-19	2012-Nov-19	A	100%	\$400	\$400	\$0	\$0
DAVIS	4252225	2009-Oct-02	2011-Oct-02	A	100%	\$3,600	\$0	\$0	\$0
FALCONBRID	4252774	2010-Mar-01	2012-Mar-01	A	100%	\$6,000	\$0	\$0	\$0
LOUGHRIN	4229054	2009-Apr-02	2011-Apr-02	A	100%	\$400	\$0	\$0	\$0
MACLENNAN	3004254	2002-Sep-10	2011-Jan-30	A	100%	\$4,400	\$26,400	\$0	\$0
MACLENNAN	3004255	2002-Sep-10	2011-Jan-30	A	100%	\$800	\$4,800	\$0	\$0
MACLENNAN	3004260	2002-Sep-10	2011-Jan-30	A	100%	\$3,600	\$21,600	\$0	\$0
MACLENNAN	3004261	2002-Sep-10	2011-Jan-30	A	100%	\$800	\$4,800	\$0	\$0
MACLENNAN	3010294	2002-Sep-24	2011-Mar-25	A	100%	\$6,400	\$38,400	\$0	\$0
MACLENNAN	3010295	2002-Sep-24	2011-Mar-25	A	100%	\$6,400	\$38,400	\$0	\$0
MACLENNAN	4245358	2009-Sep-11	2012-Sep-11	A	100%	\$5,600	\$5,600	\$0	\$0
MACLENNAN	4245359	2009-Sep-11	2012-Sep-11	A	100%	\$800	\$800	\$0	\$0
MACLENNAN	4252773	2010-Mar-01	2012-Mar-01	A	100%	\$4,400	\$0	\$0	\$0
MACLENNAN	4253704	2009-Dec-02	2011-Dec-02	A	100%	\$400	\$0	\$0	\$0
RATHBUN	4252769	2010-Jan-05	2012-Jan-05	A	100%	\$5,600	\$0	\$0	\$0
RATHBUN	4253705	2009-Dec-02	2011-Dec-02	A	100%	\$800	\$0	\$0	\$0
RATHBUN	4253706	2010-Jan-05	2012-Jan-05	A	100%	\$4,000	\$0	\$0	\$0
RATHBUN	4253707	2010-Jan-05	2012-Jan-05	A	100%	\$6,400	\$0	\$0	\$0
RATHBUN	4253708	2010-Jan-05	2012-Jan-05	A	100%	\$5,600	\$0	\$0	\$0
RATHBUN	4253709	2010-Jan-05	2012-Jan-05	A	100%	\$6,400	\$0	\$0	\$0
RATHBUN	4253710	2010-Jan-05	2012-Jan-05	A	100%	\$400	\$0	\$0	\$0
SCADDING	3019280	2007-Dec-03	2011-Jun-08	A	100%	\$6,400	\$6,400	\$0	\$0




1. The Alwyn Porcupine Mine Site
2. The East Jerome Occurrence
3. The East Red Rock Occurrence
4. The Johnson Road Occurrence
5. The Shouinard Alteration Zone
6. The Glade Occurrence

7. The Secret Occurrence
8. The Copper Shaft Occurrence
9. The Tecumseh Occurrence
10. The Atkins Gold Mine
11. The Murray Lake Occurrence
12. The Southern Bus Occurrence
13. The Bonanza Mine

106 claims, of 1009 units and 7 leases
 Total Property Area: approx. 17,000 ha or 42,000 acres

**TABLE 2 - MINING CLAIMS ON LEASES
SCADDING PROPERTY**

MINING LEASES								
LAND TITLE PARCEL #	CROWN LEASE #	MNDM LEASE #	MNDM LEASE AREA	LAND REG.	MNR LEASE #	CLAIM #	CLAIM #	PIN #
				AREA				
651	491221	107388	65.782	65.782	107388	**S-346915**	S-359359	73514-0113 (LT)
						S-346916**	S-359360	
653	530532	107736	47.277	116.824	103925	* S-346893	S-357993	73514-0108 (LT)
						S-346894	S-357994**	
						S-346895	S-357995	
						S-357992	S-357996	
654	531609	107734	65.077	65.08	103932	S-359343	S-359345	73514-0109 (LT)
						S-359344	**S-373196**	
655	532400	107735	65.786	65.789	103943	S-478823	S-478825	73514-0110 (LT)
						S-478824	S-478826	
659	538974	107778	451.700	451.687	103985	S-346887	S-357991	73514-0111 (LT)
						S-346888	S-357997	
						* S-346894	S-357998	
						S-346896	S-478827	
						S-346897	S-478828	
						S-346898	S-478829	
						S-346899	S-478830	
						S-346901	S-478879	
						S-346902	S-478886	
						S-346903	S-478887	
						S-346914**	S-478888	
						S-357986	S-478889**	
						S-357987	S-478890	
						S-357988	S-507803	
S-357989	S-507804							
S-357990	S-507805							
662	557151	107867	55.244	55.244	104062	S-346889	S-346891	73514-0112 (LT)
						S-345890	S-346892	
663	557150	107868	15.934	15.934	104063	S-346900		73514-0113 (LT)
TOTAL AREA 907 ha according to NI43-101 (Stew Winters)								
* S-346894 is split between Crown leases 538974 & 530532								
Calculated Area of Above LAND REG Leases			836.340			Work Done	Field assays	
							SCIP Study	
							**DD Drilling	
							Strip/Map/saw**	



UTM Zone 17
5000m grid

Geology

Regional Geology

The Scadding Property lies in the Precambrian Canadian Shield between the Superior Geological Province to the north and the Grenville Geological Province to the south. The Precambrian Canadian Shield is an Archean basement composed of metavolcanics and metasedimentary rocks intruded by granitoid and mafic intrusive rocks. On top of the Archean basement is a package of Huronian metasedimentary rocks containing minor intercalated mafic volcanic rocks. Intrusive rocks in the vicinity include Nipissing diabase (2115Ma), Olivine diabase (1225Ma), small felsic intrusive (1700-1725Ma Killarney Granite Suite) and lamprophyres. The Huronian metasediments have an unconformable contact above the Archean basement and are part of a Supergroup covering an area between Sault Ste. Marie and Cobalt. The Huronian sediments were deposited during a period of marine transgression. The Huronian Supergroup contains sandstones, conglomerates and argillites with intercalated mafic volcanic. These sediments are thought to have been deposited from the northwest to the southeast. The Huronian Supergroup has been divided into four groups: Cobalt Group, Quirke Lake Group, Hough Lake Group and the Elliot Lake Group. Quirke Lake Group sediments are observed at the Scadding Mine site. The Quirke Lake group consists of the Serpent Formation, Espanola Formation and the Bruce Formation. To the north and east of the minesite lie rocks of the Cobalt group while to the south lie rocks of the Hough Lake Group. Intrusive gabbroic rocks termed the Nipissing Diabase intruded the existing Huronian sediments around 2250 to 2150. The major structural event that deformed the Huronian sediments was the Penokean Orogeny, which affected the region between about 1850 Ma and 1750 Ma. The deformation caused by the Penokean Orogeny resulted in folding and thrust faulting of the Huronian sediments. Intrusions of Killarney granitic rocks and subsequent sodic metasomatism occurred towards the end of the Penokean Orogeny. A timescale of geological formations and events is found below in figure 4.

Geology of Study Area

The Scadding Property lies within the Huronian Supergroup ranging from the Hough Lake to the Cobalt Group. These rocks are exposed southeast of Wanapitei Lake in a series of northwest to southeast oriented secondary fold structures which become truncated at the Grenville front. The Grenville front is located about 1.5km kilometres south of the Scadding Gold Mine. The Huronian stratigraphic sequence becomes younger towards the southeast. The early Penokean related fold structures and intrusive suites are overturned in the southwest. The overprinting metamorphic grade on the Scadding Mine site and surrounding area ranges between greenschist to lower amphibolite facies. The metasedimentary stratigraphy strikes approximately west and dips moderately to steeply north and is intruded by Nipissing diabase sills and then later cross-cut by a swarm of narrow olivine diabase dykes. The overburden in the Scadding property consists of glacial till comprised of unconsolidated sand and cobbles. Table 3 below is a chart listing the formations and rock types used in the logging and mapping on the Scadding Property. Figure 5 shows the geology on the Scadding Property over the area of study as derived from maps produced by the Ontario Geological Survey and georeferenced on an OBM basemap.

Era	Period	Age (Ma)	Intrusions Province/Comple	Group	Formation	Rock Type	Orogenies	Mineralization	Examples	
Proterozoic	Mesoproterozoic	37	Wanapitei Crater							
		1400-1000	Grenville Province							
		1225 (1250)	Keweenawan	Tholeiitic Volcanics & dikes				Keweenawan	Cu, Ag	Michigan native copper, Silver Islet
		1238	Sudbury Diabase Dikes	Olivine Tholeiite						
		1500-1450	Mantoulin Island Alkalic Intrusions	Gabbro, Syenite						
		1600-1500	Chlonte Gold Mineralization	Chlonte Alteration					Au	Scadding, Mckinnon? Rose?
		1700	Soda Metasomatism							
	1750-1700	Cutler Batholith	Granitic Intrusion				Penokean Orogeny 1.9-1.7 Ga folding & metamorph.			
			Whitewater Group	Onwatin Chelmsford	Slate Sandstone					
	1850	Sudbury Igneous Complex	Norte Intrusion					Cu, Ni, Au, Pd, Pt, S	Vale INCO & Xstrata Mines	
	2170	Marathon Dabase Dikes	plagioclase, pyroxene, chlorite, magnetite-ilmenite, iron sulphides, apatite							
	2250-2115	Nipissing	Gabbro Complex at least 2 periods of intrusions of olivine gabbro, hornblende gabbro, feldspathic pyroxenite.					Ag, Cu, Co, Ni, Au, Pd, Pt, S, As	Cobalt & Gowganda Mines, Crystal Gold Mine, Red Rock, Rathbun, Ursa, Major Shakespeare	
	2470-2115	Upper Huronian	Cobalt Group	Bar River Formation, Gordon River Formation	Orthoquartzite, Siltstone					
	2454	Matachewan	Quartz Diabase-50-60%plag, 30% augite, 5-10%qtz, apat, py, po							
	Paleoproterozoic	Upper Huronian		Cobalt Group	Lorraine Formation	Arkose, Orthoquartzite				
					Gowganda Formation	Polymictic Conglomerate				
		Lower Huronian		Quirke Lake Group	Serpent Formation	Orthoquartzite				
					Espanola Formation	Greywacke, limestone				
					Bruce Formation	Limestone, siltstone				
					Mississagi Formation	Orthoquartzite				
Percors Formation					Greywacke, argillite					
Houge Lake Group		Elliot Lake Group	Ramsey Lake Formation	Polymictic Conglomerate						
			McKim Formation	Greywacke, argillite						
			Matinenda Formation	Arkosic Quartzite						
Livingstone Creek Formation				Feldspathic Quartzite						
2490-2470	East Bull Lake Intrusive Suite	Anorthosite Gabbro Complex					Cu, Ni, Pd, Pt	East Bull Lake, River Valley		
Archean		>2500	Superior Province	Granite, metaseds & volcanics						

Figure 4: Timescale of Geological Formations and events




Table 3: Rock formations and type as described in this report.

Formation:	Rock Type:	Description:
Olivine Diabase Dykes	Diabase	These dykes are dark in colour, coarse grained generally, strongly magnetic and have chilled margins (about 1m). Generally significant magnetite and olivine.
Nipissing Diabase	Gabbro	Medium to dark gray, slightly mottled with plagioclase, generally medium crystalline, massive.
Gowganda Formation	Paraconglomerate	Primarily a dark gray argillaceous matrix with ¼" to 6" heterolithic (generally granitic) matrix supported subrounded dropstones.
Serpent Formation	Chlorite Breccia	Dark green in colour, containing fragments of quartzite (commonly unaltered, but in some locations moderately altered by hematite). The chlorite matrix can also contain sulphide mineralization which is strongly associated with gold. Contact with the host quartzite is irregular.
	Carbonate Breccia	Commonly, the quartzite fragments within this unit are hematitically altered. The matrix is composed of sub-euhedral coarsely crystalline rhombohedral ankerite porphyroblasts.
	Quartzite	Massive quartzite is usually unaltered and light grey in colour. Beds are between 10 and 40cm and dip steeply towards the south.
Espanola Formation	Limestone	Fizzes strongly with hydrochloric acid, thinly laminated cream white calcareous bands separated by dark gray argillaceous bands..

Style of Mineralization

Several varieties of mineralization occurs in the area.

Hydrothermal Chlorite Breccia Gold Mineralization

Mineralization on the Scadding mine site seems for the most part, to be confined to the chloritic matrix in the unit logged as chlorite breccia. Fragments within the chlorite breccia are composed of quartzite from the Serpent formation. Gold grades are often greater when there is pyrite present in the chloritic matrix. Visible gold has been observed in core in areas with significant sulphide mineralization.

It has been suggested that the gold mineralization is mesothermal in character and can be classified with quartz-carbonate vein subtype of gold mineralization, although an IOCG style of mineralization has also been proposed. Chloritic alteration is associated with the gold mineralization and appears to be younger than the olivine diabase dykes but later than the hydrothermal sodium metasomatism in the area. There is a crude zoning of hydrothermal alteration near areas of known gold mineralization grading outward from green chlorite breccia with sulphide to pink hematitic alteration and finally a grey arenite with net-vein fabric. The breccias likely acted as both mechanical and chemical traps for the hydrothermal fluids. The transition from green to pink rocks likely represents a redox boundary which envelopes volumes of higher sulphide and gold content. Gold mineralization is hosted within the chlorite/sulphide rich central part of the zone. The mineralization at the Secret Showing appears to be of a similar style but with more localized areas of massive pyrite.

Hydrothermal Copper Gold Mineralization Associated with Nipissing Diabase

Quartz veining with associated iron carbonate and chalcopyrite have been noted within several areas within Nipissing Diabase. In general copper is more abundant than gold however gold has been known to occur in isolation within quartz veins in the area. Sometimes the chalcopyrite can be massive. Areas of this style of mineralization include the Alwyn Porcupine, the East Red Rock and the Inclined Copper Shaft. The area of the Glade occurrence seems to have limited chalcopyrite but visible gold was observed in the vein.

Magmatic PGM Mineralization within Nipissing Diabase

The Jerome Occurrence is a magmatic disseminated sulphide containing pyrrhotite, chalcopyrite and anomalous palladium and platinum.

Albite Metasomatism with Associated Iron Carbonate and Quartz Veins

Both the Johnson Road and Shouinard Showings are of this type. This type of alteration can be extensive in area. And has been noted at the Scadding Minesite as well as the Pole Line Showing. Gold mineralization has been known to be found in this type of alteration.

Previous Work by Others

Regional Area

Numerous activities have been undertaken in the area of these claims which fill several drawers of files at the assessment office. This work extends from the late 1800's to the present. Some of this work is discussed in the sections that describe the work undertaken.

Scadding Minesite Area

The following is a summary of the key Property highlights as previously written by L.D.S. Winter, P.Geo. and later paraphrased or duplicated.

- Previous to Trueclaim Exploration Inc. operations, a total of 19,003 meters of diamond drilling in 221 surface holes have been drilled on the Property and most of this work was restricted to four mining claims.
- In 1980 P.C. McLean calculated a non-compliant resource for the Property of 539,049 tons containing 165,525 oz of gold which represented a grade of 0.307 oz gold per ton.
- The estimated resource base in 1983 was 152,895 tons at an estimated undiluted grade of 0.376 oz gold per ton which represents approximately 57,000 contained ounces. The Scadding Gold Mine produced approximately 914 kg of gold from 127,000 tonnes (t) of ore grading 7.2 g/t Au (29,400 ounces of gold from 139,742 short tons of ore grading 0.21 oz/ton) during the period 1984 to 1990 from three shallow open-cuts (North, East-West and South Zones) and underground development of the Central (Intermediate) Zone. The estimates from 1983 combined indicated and inferred categories which is not permitted under current CIM Reserve and Resource Standards as required by NI43-101. This information is historical data and should only be considered as such. It does not represent current resources compliant with CIM Standards as required by NI43-101.
- The Scadding Gold Mine was run as an extraction project without any attempt to build a sustained mining operation or to evaluate the potential of the Property.
- Previous to the Company's operations, the most recent work was carried out by JML Resources Ltd. in 2003. A preliminary drilling program confirmed the presence of gold at one of the known historic gold zones (North Zone) and confirmed that historic gold zones are associated with broad chlorite and albite-rich alteration envelopes. Geophysical surveys identified 7 distinct linear zones with historical gold development occurring on 3 of them.

Previous Work Performed by Trueclaim Exploration Inc.

Work previously undertaken by Trueclaim Exploration Inc. over the study area has included:

- 1) An airborne geophysical survey in the spring of 2010 that included:
 - a) A triaxial gradient and total field magnetic Survey
 - b) A radiometric survey for each of Thorium, Uranium and Potassium as well as a total count survey and
 - c) A triaxial VLF survey
- 2) Prospecting undertaken in the area along the east boundary of the property as well as along a North-South trend to the south and north of the Scadding Gold Mine site.

Numerous samples were collected and assayed in this work. Only the samples related to prospecting at the east end of the property were received from the assay lab for this work and were submitted for assessment work. Assay results were not yet received from the lab when the other 4 prospecting reports were prepared. These prospecting reports referred to unreported assays and descriptions that are now included in this report.

- 3) Stripping located primarily on the Scadding Gold Mine site leases and one site to the south of the Minesite in the Tate quarry.
- 4) A Phase 1 diamond 30 hole 3,275 metre drill program was undertaken in the area of the Scadding Gold mine site leases from Nov.10, 2009 to Feb. 17, 2010.
- 5) Linecutting and a ground geophysical survey consisting of IP and magnetometer surveys over the Red Rock East, Jerome, Copper Shaft and Copper Shaft Areas.

Work Performed in this Report by Trueclaim Exploration Inc.

This report includes the following work undertaken on the property: a SCIP study, a geochemical study of the multi-element ICP data on core from the phase 1 program, a stripping & trenching program, field sample assay results and a diamond drill program.

Pole Line Property Field Visit

On September 5, 2009 a one day field trip with sample collection was undertaken on the optioned claims of John Brady at the boundary of Street and Scadding township. The details of this visit are given in appendix 1.

Sample Core Induced Polarization (SCIP) Study

In the fall of 2010 from Oct. 1, 2010 to Oct. 22, 2010, a Sample Induced Polarization (SCIP) study was undertaken on core collected from the earlier Phase 1 diamond drill program (see earlier submitted assessment report on file with the MNDM). This work was undertaken on both auriferous and non-auriferous chlorite core and auriferous and non-auriferous pyrite bearing chlorite. This work was undertaken by Caracle Creek International Consulting Inc., Supervised by project geologist Lindsay Moss. A total of 253 SCIP readings were collected from 12 grab samples and 14 diamond drill holes. The locations of these holes are shown on the drill plan map of figure 63. The report of this work is found in appendix 2.

Geochemical Multi-elemental Study of Chlorite

In the fall of November 2010 to February 2011 an analysis of the geochemistry of the chlorite breccia encountered in the Phase 1 drill program at the Scadding Minesite. This work was undertaken by geochemist Adewara Oedwande P.hD., P.Geol. The geochemical database including ICP multielement analysis and the various gold assays was sent to Dr. Oedwande to make a determination if there were any geochemical clues or pathfinder elemental ratios that could be used to discriminate the auriferous chlorite from the nonauriferous chlorite. The report of this work is shown in appendix 3.

Stripping, Washing, Channel Sampling and Mapping

To further examine areas of past workings areas of potential covered with overburden, 9 small stripping programs totalling 6,137 cubic metres were undertaken. This work was done prior to planning out grids for Mag & IP geophysical surveys (submitted previously). Mechanically stripped areas included the Scadding Mine Site Area, the Alywn-Porcupine Mine site, the Red Rock East Property, the Jerome Platinum and Palladium showing, the Johnson Road Alteration Zone, the Shouinard Showing, the Secret Showing, the Glade Showing and the Inclined Copper Shaft. The locations of these sites are shown in figure 2. Trenching, and stripping, washing and mapping on the Scadding Mine Site was done in the early summer of 2010 by Trueclaim. The stripping on the peripheral properties was done in the late summer to fall of 2010. Supervision, washing and channel sampling was contracted out to Klondike Bay Resources. Tables 4 & 5 summarize the stripping work done with each stripped area labelled with a trench number. Maps showing this work are found later on in this section. The co-ordinates on the maps are in NAD83 UTM Zone 17T.

A total of 5,876 square metres was washed and mapped over all the areas, 1679 square metres being on the Scadding Minesite area. Much of this area was also examined in detail with a magnetic susceptibility metre. Some of this ground had previously been stripped or was exposed and was not excavated.

Table 4: Stripping Work Breakdown

Claim #	Trench	Activity	Volume	% Volume	Samples	% Sampled
S373196	SM1	W, M, S, Mag	10		3	
S373196	SM2	W, M, S, Mag	18		2	
S373196	SM9	MS, W, M, S, Mag	125		2	
Total			153	2.49%	5	2.75%
S357994	SM3	HS, W, M, S, Mag	26.04		2	
S357994	SM4	W, M, S, Mag	10		2	
Total			36.04	0.59%	4	2.20%
S346915	SM5	MS, W, M, S, Mag	86.4		2	
S346915	SM6	MS, W, M, S, Mag	963		2	
S346915	SM7	MS, W, M, S, Mag	182		2	
S346915	SM8	MS, W, M, S, Mag	214		3	
Total			1445.4	21.42%	9	4.95%
4226744	AP1	MS, W, M	66		0	
4226744	AP2	MS, W, M, CS	165		28	
Total			131	2.13%	9	15.38%
4226749	AP3	MS, W, M, CS	24		4	
4226749	AP4	MS, W, M, CS	432		5	
4226749	AP5	MS, W, M	140		0	
Total			827	13.47%	37	4.95%
4229046	RRMS	M, CS	0		6	
4229046	RR1	MS, W, M, CS	400		5	
4229046	RR2	MS, W, M	120		0	
4229046	RR3	MS, W, M, CS	40		1	
4229046	RR4	MS, W, M, CS	108		1	
4229046	RR5	MS, W, M, CS	80		2	
4229046	RR6	MS, W, M, CS	70		5	
Total			818	13.33%	20	10.99%
4226740	Jer1	W, M (50m3)	0		0	
4226740	Jer2	MS, W, M	38.5		0	
4226740	Jer3	MS, W, M	72		0	
4226740	Jer4	MS, W, M	135		0	
4226740	Jer5	MS, W, M, CS	117		4	
4226740	Jer6	MS, W, M, CS	15		7	
Total			377.5	6.15%	11	6.04%
478879	JR1	MS, W, M, CS	88		4	
478879	JR2	MS, W, M, CS	323		5	
Total			411	6.70%	9	4.95%
346914	JR3	MS, W, M, CS	48		6	
Total			48	0.78%	6	3.30%
S346916	SS1	MS, W, M, CS	595		14	
S346916	SS2	MS, W, M	232		1	
S346916	SS3	MS, W, M	210		2	
Total			1037	16.90%	17	9.34%
S478827	GS1	MS, W, M, CS	33		4	
S478827	GS2	MS, W, M, CS	23		6	
S478827	GS3	MS, W, M, CS	164		14	
Total			220	3.58%	24	13.19%
S478828	GS3	MS, W, M	109		0	
Total			109	1.78%	0	0.00%
4226180	CS	MS, W, M, CS	655.5		40	
Total			655.5	10.68%	40	21.98%
GrandTotal			6137.44	100.00%	182	100.00%

SM-Scadding Mine, AP-Aylmer Porcupine, RR-Red Rock East, Jer-Jerome Showing, JR-Johnson Road Showing, SS-Secret Showing, GS-Glade Showing, CS-Inclined Copper Shaft. Colour relates to Leases.

Table 4a - Equipment Time Cost breakdown

Date of Work	Inv. Date	Invoice #	Item	Payee	Mobilization	Amount	Rate
18/05/10	27/05/10	601	Float Move	Bruce Tait	\$283		
18/05/10	27/05/10	601	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
19/05/10	27/05/10	601	Excavator Rental	Bruce Tait		\$830	118.65/Hr
06/07/10	26/07/10	32012	Float Move	Bruce Tait	\$283		
06/07/10	26/07/10	32012	Excavator Rental	Bruce Tait		\$1,246	118.65/Hr
07/07/10	26/07/10	32012	Excavator Rental	Bruce Tait		\$1,305	118.65/Hr
07/07/10	26/07/10	32012	Core Shack Maint	Bruce Tait		\$2,175	310.75/yd
11/08/10	31/08/10	32356	Float Move	Bruce Tait	\$282		
11/08/10	31/08/10	32356	Excavator Rental	Bruce Tait		\$949	118.65/Hr
12/08/10	31/08/10	32356	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
13/08/10	31/08/10	32356	Excavator Rental	Bruce Tait		\$1,009	118.65/Hr
16/08/10	31/08/10	32362	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
17/08/10	31/08/10	32362	Excavator Rental	Bruce Tait		\$1,009	118.65/Hr
18/08/10	31/08/10	32362	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
19/08/10	31/08/10	32362	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
20/08/10	31/08/10	32362	Excavator Rental	Bruce Tait		\$1,009	118.65/Hr
23/08/10	22/09/10	32527	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
24/08/10	22/09/10	32527	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
25/08/10	22/09/10	32527	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
26/08/10	22/09/10	32527	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
27/08/10	22/09/10	32527	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
30/08/10	22/09/10	32504	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
31/08/10	22/09/10	32504	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
01/09/10	22/09/10	32504	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
02/09/10	22/09/10	32504	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
03/09/10	22/09/10	32504	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
07/09/10	29/09/10	32569	Excavator Rental	Bruce Tait		\$1,187	118.65/Hr
08/09/10	29/09/10	32569	Excavator Rental	Bruce Tait		\$1,187	118.65/Hr
09/09/10	29/09/10	32569	Excavator Rental	Bruce Tait		\$594	118.65/Hr
09/09/10	29/09/10	32569	Excavator Rental	Bruce Tait		\$650	129.95/Hr
10/09/10	29/09/10	32569	Excavator Rental	Bruce Tait		\$1,300	129.95/Hr
13/09/10	29/09/10	32598	Excavator Rental	Bruce Tait		\$1,105	129.95/Hr
14/09/10	29/09/10	32598	Excavator Rental	Bruce Tait		\$1,105	129.95/Hr
15/09/10	29/09/10	32598	Excavator Rental	Bruce Tait		\$1,302	129.95/Hr
15/09/10	29/09/10	32598	Float Move	Bruce Tait	\$339		
14/10/10	29/10/10	33005	Skidder Rental	Bruce Tait	\$1,356	\$1,200	150/Hr
05/11/10	23/11/10	33005	Float Rental	Bruce Tait	\$1,201		
18/11/10	30/11/10	33097	Float Rental	Bruce Tait	\$1,130		
18/11/10	30/11/10	918	Float Move	Bruce Tait	\$339		
18/11/10	30/11/10	918	Excavator Rental	Bruce Tait		\$1,068	118.65/Hr
19/11/10	30/11/10	918	Excavator Rental	Bruce Tait		\$1,187	118.65/Hr
19/11/10	30/11/10	918	Float Move	Bruce Tait	\$339		
30/11/10	30/11/10	33253	Float Rental	Bruce Tait	\$989		
Excavator Stripping (no colour highlighting) Totals					\$1,865	\$36,915	
Drill Moves Totals					\$4,676	\$0	
Excavator filling deep trenches at Alwyn Porcupine Totals					\$678	\$2,255	

Table 5 Daily Log of Stripping

Date	Activity
06-May-10	Washing outcrop - SK
06-May-10	set up pump and cleaning outcrop -LM
07-May-10	Washing outcrop - SK
07-May-10	mapping -LM
10-May-10	Washing outcrop - SK
10-May-10	Washing outcrop and mapping- LM
11-May-10	Washing outcrop and mapping- LM
12-May-10	Washing outcrop -SK
12-May-10	Washing outcrop - LM
13-May-10	Washing outcrop -SK
13-May-10	Washing outcrop and mapping- LM
14-May-10	Marking up area for excavation - stripping - SK
14-May-10	Marking up area for excavation - stripping - LM
17-May-10	Marking up area for excavation - stripping - LM
17-May-10	Marking up area for excavation - stripping - SK
17-May-10	Site Supervision - stripping - BK
18-May-10	Excavator arrives, supervise excavation - SK
18-May-10	Excavator arrives, supervise excavation and mapping- LM
18-May-10	excavator float move and rental - BT
19-May-10	Excavating, supervise excavation - SK
19-May-10	excavating and mapping - LM
19-May-10	excavator rental - BT
20-May-10	mapping -LM
25-May-10	Rented truck and pumps washed outcrop-SK
25-May-10	Rented truck and pumps and mapped-LM
26-May-10	Washing outcrop - SK
26-May-10	mapped, re-locate the pump and waterline to new location-LM
27-May-10	Washing outcrop - SK
27-May-10	mapping and took samples from trench -LM
28-May-10	Washing outcrop and returned rental truck and pumps- SK
28-May-10	Washing outcrop - LM
01-Jun-10	Rented truck and pumps washed outcrop-SK
02-Jun-10	Washing outcrop - SK
03-Jun-10	Washing outcrop and returned pumps -SK
04-Jun-10	trench map/magnetic read of exposed outcrop, marked locations-SK
07-Jun-10	trench map/mapped outcrop, mark grid - SK
08-Jun-10	map/magnetic readings, trench mapping - SK
09-Jun-10	channel sampling - SK
10-Jun-10	channel cut samples, magnetic readings -SK
11-Jun-10	channel sampling - SK
16-Jun-10	channel sampling prep for shipping - LM
17-Jun-10	Map preparation - LM
16-Jul-10	secure open holes/entrances with caution tape -SK
17-Jul-10	secure peripheral areas for safety-SK
04-Aug-10	mapping -LM
05-Aug-10	mapping -LM
06-Aug-10	Marking up area for excavation - stripping - LM
09-Aug-10	Washing setup and locate proposed stripped areas - ML

Table 5 Daily Log of Stripping

Date	Activity
10-Aug-10	picked up rental truck, marked areas for excavation - ML
10-Aug-10	Hose layouts and assist for stripping locates - LM
11-Aug-10	excavator float move and rental -BT
11-Aug-10	Excavation Supervision and washing on site - ML
12-Aug-10	excavator rental -BT
12-Aug-10	Excavation Supervision and washing on site - ML
13-Aug-10	excavator rental -BT
13-Aug-10	Excavation Supervision and washing on site - ML
16-Aug-10	excavator rental -BT
16-Aug-10	Excavation Supervision and washing on site - ML
17-Aug-10	excavator rental -BT
17-Aug-10	Excavation Supervision and washing on site - ML
18-Aug-10	excavator rental -BT
18-Aug-10	Excavation Supervision and washing on site - ML
19-Aug-10	excavator rental -BT
19-Aug-10	Excavation Supervision and washing on site - ML
20-Aug-10	excavator rental -BT
20-Aug-10	Excavation Supervision and washing on site - ML
21-Aug-10	Washing outcrop and mapping - ML
23-Aug-10	excavator rental -BT
23-Aug-10	Washing outcrop and mapping - ML
24-Aug-10	checked on excavation - LM
24-Aug-10	excavator rental -BT
24-Aug-10	Excavation Supervision and washing on site - ML
25-Aug-10	excavator rental -BT
25-Aug-10	Excavation Supervision and washing on site - ML
26-Aug-10	excavator rental -BT
26-Aug-10	Excavation Supervision and washing on site - ML
27-Aug-10	excavator rental -BT
27-Aug-10	Excavation Supervision and washing on site - ML
28-Aug-10	Washing outcrop and mapping - ML
28-Aug-10	Washing outcrop and mapping - ML
29-Aug-10	Washing outcrop and mapping - ML
30-Aug-10	checked on stripping crew = LM
30-Aug-10	excavator rental -BT
30-Aug-10	Excavation Supervision and washing on site - ML
31-Aug-10	excavator rental -BT
31-Aug-10	Excavation Supervision and washing on site - ML
01-Sep-10	checked out stripping, chose areas for excavation -LM
01-Sep-10	excavator rental -BT
02-Sep-10	Excavation Supervision and washing on site - ML
02-Sep-10	excavator rental -BT
03-Sep-10	Excavation Supervision and washing on site - ML
03-Sep-10	excavator rental -BT
04-Sep-10	Excavation Supervision and washing on site - ML
05-Sep-10	Washing outcrop and mapping - ML
06-Sep-10	Washing outcrop and mapping - ML
07-Sep-10	cleared out a trench, mapped 2 stripped and washed trenches - LM

Table 5 Daily Log of Stripping

Date	Activity
07-Sep-10	excavator rental -BT
07-Sep-10	Excavation Supervision and washing on site - ML
08-Sep-10	excavator rental -BT
08-Sep-10	Excavation Supervision and washing on site - ML
09-Sep-10	mapped trenches washed, chose spots for stripping - LM
09-Sep-10	excavator rental -BT
09-Sep-10	Excavation Supervision and washing on site - ML
09-Sep-10	excavator rental 2nd machine -BT
10-Sep-10	excavator rental -BT
10-Sep-10	Excavation Supervision and washing on site - ML
11-Sep-10	Washing outcrop and mapping - ML
12-Sep-10	Washing outcrop and mapping - ML
13-Sep-10	mapped trenches washed, chose spots for stripping - LM
13-Sep-10	excavator rental -BT
13-Sep-10	Excavation Supervision and washing on site - ML
14-Sep-10	excavator rental -BT
14-Sep-10	Excavation Supervision and washing on site - ML
15-Sep-10	excavator rental & float move -BT
15-Sep-10	Excavation Supervision and washing on site - ML
16-Sep-10	Washing outcrop and mapping - ML
17-Sep-10	Washing outcrop and mapping - ML
18-Sep-10	Washing outcrop and mapping - ML
19-Sep-10	Washing outcrop and mapping - ML
20-Sep-10	mapped trenches -LM
21-Sep-10	excavator rental -BT
21-Sep-10	mapped trenches -LM
22-Sep-10	power washing Excavation Supervision, logistical support - ML
22-Sep-10	excavator rental -BT
23-Sep-11	power washing Excavation Supervision, logistical support - ML
24-Sep-12	power washing Excavation Supervision, logistical support - ML
25-Sep-12	power washing Excavation Supervision, logistical support - ML
26-Sep-10	Channel Cutting- KL
26-Sep-12	power washing Excavation Supervision, logistical support - ML
27-Sep-10	Channel Cutting- KL
27-Sep-10	channel sampling - LM
28-Sep-10	power washing Excavation Supervision, logistical support - ML
28-Sep-10	Channel Cutting- KL
29-Sep-10	power washing Excavation Supervision, logistical support - ML
29-Sep-10	Channel Cutting- KL
30-Sep-10	power washing Excavation Supervision, logistical support - ML
30-Sep-10	Channel Cutting- KL
01-Oct-10	power washing Excavation Supervision, logistical support - ML
01-Oct-10	Channel Cutting- KL
02-Oct-10	power washing Excavation Supervision, logistical support - ML
02-Oct-10	Channel Cutting- KL
03-Oct-10	power washing Excavation Supervision, logistical support - ML
03-Oct-10	Channel Cutting- KL
04-Oct-10	power washing Excavation Supervision, logistical support - ML

Table 5 Daily Log of Stripping

Date	Activity
04-Oct-10	Channel Cutting- KL
05-Oct-10	power washing, Excavation Supervision, logistical support - ML
05-Oct-10	Channel Cutting- KL
05-Oct-10	trench mapping - LM
06-Oct-10	picked up pumps and hoses for washing, washed, mapped and trenched -LM
14-Oct-10	channel sampling - LM
22-Oct-10	put up red fencing, made calls for underground electrical survey-SK
22-Oct-10	put up red fencing, - TP
28-Oct-10	collected samples - TP
29-Oct-10	fix tags on pickets for grid - TP
18-Nov-10	Excavator float move & rental to fill in trenches - BT
19-Nov-10	excavator rental to fill in trenches - BT
	SK- Stanley Kowal
	LM- Lindsay Moss
	TP- Trevor Pacaud
	ML- Mike Loney - Klondike Bay
	KL- Kyle Loney - Klondike Bay
	BT-Bruce Tait Construction Ltd.

The Scadding Minesite Area Stripping Program

The area around the Scadding Minesite was mapped as shown in figure 6 and then followed up with stripping and washing at selected sites to add detail both to the structure and geology in the area. Most of this work was undertaken in the summer of 2010. A total of 9 localized washed areas were mapped. These consisted of six stripped areas (trenches 3, 5, 6, 7, 8, and 9) and 3 washed areas (trenches 1, 2, and 4 which were previously stripped by others). This work was undertaken on 3 separate leased claims with trench 1, 2 and 9 on claim S373196, trench 3 and 4 on claim S357994 and trench 5 to 9 on claim S357994 for a total of 1,582 cubic metres extracted. The following figures 6 to 23 show the locations and mapping of the stripped areas. In addition to the mapping of the stripped areas, apparent magnetic susceptibility readings were taken with an Exploranium KT5 meter at systematic gridded intervals. These readings were colour contoured and are also shown in the odd numbered figures from 9 - 23 below. All the figures in this section have been prepared by Lindsay Moss.




Figure 6: Scadding Mine Site Area – Geology Map, prepared by Lindsay Moss




Figure 7: Scadding Mine Site Area – Trench Location Map




Figure 8: Scadding Mine Site Area - Trenches 1 & 2




Figure 9: Scadding Mine Site Area - Trenches 1 & 2 Apparent Magnetic Susceptibility




Figure 10: Scadding Mine Site Area - Trench 3




Figure 11: Scadding Mine Site Area - Trench 3 Apparent Magnetic Susceptibility




Figure 12: Scadding Mine Site Area - Trench 4




Figure 13: Scadding Mine Site Area - Trench 4 Apparent Magnetic Susceptibility




Figure 14: Scadding Mine Site Area - Trench 5




Figure 15: Scadding Mine Site Area - Trench 5 Apparent Magnetic Susceptibility




Figure 16: Scadding Mine Site Area – Trench 6




Figure 17: Scadding Mine Site Area – Trench 6 Apparent Magnetic Susceptibility




Figure 18: Scadding Mine Site Area - Trench 7




Figure 19: Scadding Mine Site Area - Trench 7 Apparent Magnetic Susceptibility




Figure 20: Scadding Mine Site Area - Trench 8




Figure 21: Scadding Mine Site Area - Trench 8 Apparent Magnetic Susceptibility




Figure 22: Scadding Mine Site Area - Trench 9




Figure 23: Scadding Mine Site Area - Trench 9 Apparent Magnetic Susceptibility

Alwyn Porcupine Area


This area also known as the Haultain Mine was the site of a past mining operation (now flooded) that included a shaft and drifts. Past production yielded 7,000 tons @ 0.20 opt. with historic reserves of 12,000 tons of 0.14 opt Au and 1% Cu, according to the claimholder. A stripping and mapping program was done to determine the host lithology, alteration, distribution of the visible chalcopyrite mineralization, its structure, grade and any associated gold values (often with quartz veining). A geological map was prepared by Lindsay Moss and Bob Komarechka over the area. The result of this mapping is shown in Appendix 6. Figure 24 below shows an example of some of the chalcopyrite mineralization that was found on the site left over from past mining operations.

Stripping of 843 cubic metres of overburden occurred on 5 separate areas on claims 4226749 and 4226744. Mapping of these trenches, the channel sampling and the sample number locations are shown in figures 25 - 31. The results of these samples are described in appendix 4. The results of their assays are shown in the assay certificates in appendix 5.



Figure 24: Broken chalcopyrite ore left behind from past mining operations at the Alwyn Porcupine Area.

Figure 25
Alwyn-Porcupine
Mine
Geology Map



Area of Trenching
& Channel Sampling

Nast

4226740

4226744

4226749

3019280

Map prepared by:
Lindsay Moss &
R. Komarechka P. Geo.

R. Komarechka
UTM NAD83 17T

- Gowganda Formation
- Olivine Diabase
- Quartz vein
- Nipissing Gabbro
- Swamp
- Shaft
- Dip & Strike




Figure 26: Alwyn Porcupine Trench Location Map




Figure 27: Alwyn Porcupine Trench 1




Figure 28: Alwyn Porcupine Trench 2




Figure 29: Alwyn Porcupine Trench 3




Figure 30: Alwyn Porcupine Trench 4




Figure 31: Alwyn Porcupine Trench 5

The Red Rock East Area

The Red Rock East Area includes a main showing area of Brecciated Gowganda Formation whose infilling fracture matrix consists of quartz and iron carbonate with minor chalcopyrite occurring between the quartz and iron carbonate. The area was previously bulk sampled by another company yielding 2,500 tonnes assaying 7% Cu and 0.27 opt, according to information supplied by the claimholder.

A reconnaissance mapping of the area revealed the western contact of the brecciated Gowganda formation with the unbrecciated Gowganda formation to the west. To the east of the main showing outcrop was very limited. Some old working were re-examined by stripping. Trench 6 was particularly interested due to a fault bound contact between the Espanola and the Gowganda formation (no Serpent formation). Shearing with associated pyrite was noted in the area of Trench 6. Assaying of this material revealed anomalous gold. A total of 818 cubic metres of overburden was excavated from 6 trenches in this area. Figures 33 - 40 show the geology encountered in the trenching in this area.



Figure 32: Alwyn Porcupine Main Showing. Chalcopyrite in fracture between infilling of white quartz and cream white iron carbonate.




Figure 33: Red Rock East - Plan of Trenched Areas




Figure 34: Red Rock East - Trench 1




Figure 35: Red Rock East – Trench 2




Figure 36: Red Rock East – Trench 3




Figure 37: Red Rock East - Main Showing




Figure 38: Red Rock East - Trench 4




Figure 39: Red Rock East – Trench 5




Figure 40: Red Rock East – Trench 6

The Jerome Showing

The Jerome Showing is a disseminated magmatic Cu, Ni, PGM occurrence in a Nipissing Diabase Sill known as the Rathbun Sill. A previous grab sample collected by Flag Resources from this property assayed 1.28% Ni & Cu. The Rathbun Sill continues northward and off the property contains the Rathbun Lake Occurrence with 10.2% Cu, 0.14% Ni and 0.056 opt Pt, 34.6 opt Pd, 0.02 opt Au, and 2.22 opt Ag. A total of 388 cubic metres has been excavated from this area from 6 trenches. Trench maps of this work are shown in figures 41 – 45.

In addition to the mapping of the outcrops. Several outcrops were gridded at 0.5m intervals, marked with spray painted spots and then apparent magnetic susceptibility readings were taken using a KT5 magnetic susceptibility meter by Exploranium. These readings were later colour contoured and are shown in figure 46.




Figure 41: Jerome Showing Drillhole, Grid and Trench Location Map




Figure 42: Jerome Showing - Trench 1




Figure 43: Jerome Showing – Trenches 2, 3 & 4




Figure 44: Jerome Showing - Trench 5




Figure 45: Jerome Showing - Trench 6




Figure 46: Jerome Showing – Main Showing Area Magnetic Susceptibility

The Johnson Road Showing

The Johnson Road Showing consists of two separate areas. Trench 1 and 2 occur about 1km southwest of trench 3 and are also known as the Shouinard Alteration Zone. The location of these trenches are shown in figure 47. The alteration area of trench 3 was found in the course of prospecting when an old trench with quartz veining and albite-iron carbonate alteration was noted in rocks of the serpent formation. The Shouinard Showing was also found in the course of prospecting in the area when very large blocks of bull quartz were noted in the area. Further investigation found a very large area of albitized Espanola formation with numerous iron carbonate porphyroblast near the contact with the Serpent formation. A total of 48 cubic meters were excavated from trench 3 while a total of 411 cubic meters were excavated from the Shouinard Showing (trenches 1 & 2). Maps of this stripping are shown in the following figures 48 to 50.




Figure 47: Johnson Road Trench Location Map




Figure 48: Johnson Road Area – Shouinard Alteration Zone – Trench 1




Figure 49: Johnson Road Area – Shouinard Alteration Zone – Trench 2




Figure 50: Johnson Road Area – Trench 3

The Secret Showing

The Secret Showing, so labelled due to its unknown location so near to the Scadding Minesite, was discovered during reconnaissance mapping around the Scadding Minesite by project geologist Lindsay Moss in the summer of 2010. Some old pits, including one blasted pit, was located near in a folded Espanola - Serpent contact. Chlorite and massive pyrite was noted in this area. On sampling the pyrite anomalous gold values were obtained which encouraged the further stripping of this area. This stripping was done on patented claim S346916 and consisted of three trenches totalling 1037 cubic metres excavated. The result of this stripping is shown in figures 51 to 53.



Figure 51: The Secret Showing – Washing the stripped area




Figure 52: The Secret Showing – Trench Location Map




Figure 53: The Secret Showing – Trench 1




Figure 54: The Secret Showing – Trenches 2 & 3

The Glade Showing

This area also known as the tailings area is located south of the Scadding Minesite area and was investigated due to its historic records of visible gold being found in the area. Initial prospecting of the site revealed visible gold. The site was then stripped, washed, mapped and then channel cut. The results of this work are shown below in figures 55 to 58.




Figure 55: Glade Showing – Trench Location Map




Figure 56: Glade Showing – Trench 1




Figure 57: Glade Showing - Trench 2




Figure 58: Glade Showing - Trench 3

The Inclined Copper Shaft Occurrence

The Inclined Copper Shaft or sometimes referred to as the Copper Shaft was originally located on previous MNDM records that stated its general location. On locating the site it was found to occur in an irregular quartz vein near the northern contact of an east-west trending Nipissing diabase sill with the Gowganda formation to the north. Abundant malachite and azurite staining was prevalent in thin fractures in the white bull quartz. Local small pods several inches across and possible boudinaged vein material of massive chalcopyrite was noted. An old shaft and incline was noted along the contact. The area was stripped washed and mapped, channel cut and assayed followed by drilling. Maps of these activities are shown below from figure 59 to 60.




Figure 59: The Inclined Copper Shaft – Trench Location Map




Figure 60: The Inclined Copper Shaft - Trench Location Map

Field Sample Assay Results

To determine the economic potential of interesting areas of alteration and mineralization assays were undertaken on selected samples. Assays were obtained from samples collected in the course of field examinations, mapping, channel cutting and during previous prospecting undertaken. This samples were also collected on Sept. 5, 2009 on the John Brady Option. The previous prospecting has been submitted as earlier separate reports. Unfortunately the assay results from this earlier work was greatly delayed by the assay lab and so these results are now being reported in this report. A total of 461 samples related to the field sample program have been reported in this report. Of these, 130 samples have been collected from channel cut samples, 36 from trenched and stripped areas, 129 collected from prospecting and random field hand samples of interest. An additional 26 samples were from standards and duplicates. The locations of the collected field samples are shown in Figure 61. Descriptions of the samples collected with their gold assays and NAD83 UTM co-ordinates are shown in Appendix 4. The assay results of these samples are shown in the certificates located in Appendix 5. Assays from the drill program are reported separately as described in the section on diamond drilling. Assaying for the field samples was undertaken by SGS Laboratories and AGAT Laboratories.

Wanapitei Lake

Rathbun Tp.

Rathbun Tp.

Kelly Tp.

Maclennan Tp.

Scadding Tp.

Scadding Tp.

Davis Tp.

Davis Tp.

Leased Land

Maclennan Tp.

Scadding Tp.

Scadding Tp.

Davis Tp.

Loughrin Tp.

Falconbridge Tp.

Street Tp.



Street Tp.

Trueclaim Property Map

as of Dec. 31, 2010

Red dots and sample numbers show the locations of 461 field samples in this report

N_{ast.}



Diamond Drill Program

A limited exploration diamond drill program of 20 holes totaling 2,165 metres of NQ core involving numerous moves was undertaken at several sites from October 22 to December 11, 2010 on the Scadding property. This diamond drilling was undertaken on staked and optioned claims and leases controlled by Trueclaim Exploration Inc. described as:

1. the Red Rock East Property as shown on figure 62,
2. the Jerome Platinum and Palladium Showing as shown on figure 41,
3. the Inclined Copper shaft as shown on figure 59 and
4. the Scadding Gold Mine Site as shown in figure 63.

The drilling was focussed on anomalously mineralized areas and on geophysical anomalies from a series of previous ground geophysical surveys undertaken by Trueclaim Exploration Inc. Table 6 below illustrates the location and amount drilled in this program. The drill logs from this program are found in appendix 6 and the drill certificates of the drill assays are found in appendix 7. Lithologic Sections are found in appendix 8 and gold assay result sections are found in appendix 9.

Logging was undertaken by Lindsay Moss, Theresa McMillan and Bob Komarechka. Logging was also supplemented with the use of a rented stereomicroscope and magnetic susceptibility readings using a KT5 Exploranium Magnetic susceptibility meter. This work was conducted in a rented heated garage located at 300 Kukagami Road near Hwy 17. The core from this program has been securely stored on this property behind the garage.

Core cutting, bagging and shipping was undertaken by core technicians Don Lashbrook and Trevor Pacaud. A rental saw with purchased blades was used for this. Power was supplied from the garage line power.

Using known mineral and lithological associations with gold, core samples were selected to be assayed by a number of techniques, including: fire assay with ICP finish, screened metallic assay and acid digestion.

Two companies were contracted to perform assaying, namely: AGAT Laboratories and Accurassay Laboratories. Due diligence was performed by the use of standards, blanks and checking samples of certain intervals using screened metallic assays (duplicates).




Figure 62: The Red Rock East Area - Diamond Drill Location Map




Figure 63: Plan of Trueclaim Drilling as of December 31, 2010 Scadding Minesite, Scadding Township.
 Note: Only the 2010 Exploration Drill holes relate to this report.

Table 6 Exploration Drill Program Summary

East Red Rock Showing

Holes	Depth	Claim
TRM-10-12	102m	4229046
TRM-10-13	103m	4229046
TRM-10-14	110m	4229046
TRM-10-15	101m	4229046
TRM-10-16	80m	4229046
5 holes	496m	4229046

Jerome Showing

Holes	Depth	Claim
TRM-10-17	101m	4226740
TRM-10-18	99m	4226740
TRM-10-19	86m	4226740
TRM-10-20	81m	4226740
TRM-10-21	104m	4226740
5 holes	471m	4229046

Copper Shaft Showing

Holes	Depth	Claim
TRM-10-22	124m	4226180
TRM-10-23	119m	4226180
TRM-10-24	180m	4226180
TRM-10-25	140m	4226180
TRM-10-26	100m	4226180
5 holes	663m	4226180

Scadding Minesite Area

Holes	Depth	Claim
TRM-10-27	133m	346915
TRM-10-28	112m	346915
TRM-10-29	134m	346915
TRM-10-30	140m	373196
TRM-10-31	116m	373196
3 holes	379m	346915
2 holes	256m	373196
5 holes	635m	Both Claims

A total of 2,165m were drilled on four separate areas on five claims as shown above.

Observations

Pole Line Property

The Pole Line Property was only briefly visited during this study. Localized iron carbonate alteration and bull quartz associated with nearby Espanola formation in an area of the Bruce formation suggests some structural controls. Minor sporadic gold mineralization was associated with pyrite in this area and along at least one thin quartz vein.

SCIP Study

The SCIP study undertaken was very useful in identifying those areas of core with varying magnetic susceptibility and chargeability. Those areas with pyrite were distinguished from non pyritiferous areas, however the distinction between auriferous pyrite and nonauriferous pyrite was not possible.

Chlorite Geochemistry Study

This study confirmed that iron rich chlorite was more auriferous than ironpoor chlorite. The study also confirmed a correlation with sulphur and suggested two generations of pyrite, one of which was auriferous.

Stripping, Mapping, Sampling and Diamond Drilling

All ten of the areas stripped added to the understanding of the lithology, structure, alteration and mineralization of the area as further described below.

The Scadding Mine Area

In the Scadding area better understanding of the lithology and especially the structure and distribution of the alteration of the area was obtained. In addition the magnetic susceptibility and subsequent assays obtained confirmed the association of gold with areas of higher magnetic susceptibility at least on a local scale. The localized chaotic nature of the chlorite breccia was also confirmed.

The Alwyn Porcupine Area

The stripping, mapping and sampling at the Alwyn Porcupine Area has shown that the chalcopyrite mineralization and associated gold occurs more commonly along the east-west trending quartz veins. Hand held XRF readings in the vicinity of the quartz veins indicated increased silicification of the surrounding argillaceous Gowganda paraconglomerate. A significant east-west shear was also noted to the west of the mine shaft. Ore grade chalcopyrite rock from past mining operations were noted around the minesite. This material had a banded appearance with quartz and iron carbonate alongside of the chalcopyrite mineralization.

The Red Rock East Property

At the Red Rock East Showing stripping, followed by mapping and drilling revealed the following. The main zone was drilled with only one hole from the northeast. Unfortunately a large shear was encountered that produced excessive mud that inhibited further drilling and the area under the main zone was not fully evaluated. In the vicinity of Trench 6 massive pyrite with minor erytherite (cobalt bloom) was noted near a fault bound contact between the Espanola formation to the south and the Gowganda formation to the north. Anomalous gold values were obtained from this pyrite. The orientation of the bedding here suggests a folded nose along a shear contact (possibly an eroded decollement). A series of old pits in quartz veins were later noted to the east of this area. One drill hole (TRM-10-13) was drilled in the area of trench 6 to intersect the auriferous pyrite. Strong structural deformation was noted in this hole although only minor pyrite was noted. An interval of 5 metres from 20 to 25 metres assayed 0.56 g/t Au and contained a one metre interval of 1.17 g/t Au.

The additional holes in this area were focused on broad IP anomalies that covered relatively large areas. These anomalies turned out to be fine disseminated pyrite contained within the argillaceous Gowganda Formation.

The Jerome Area

The stripping and mapping of the Jerome property revealed the Gowganda contact with the diabase along the western side of the Nipissing diabase sill as well as local areas of possible layered banding within the sill. Disseminated pyrrhotite and chalcopyrite was also observed in the main showing area and was channel sampled. The mineralized contacts appeared gradational. Diamond drilling was undertaken around known mineralized areas and on IP anomalies from a recent survey undertaken by Trueclaim a few weeks before. The drilling of the mineralized zones proved that the Nipissing diabase sill dips toward the east and conforms to some degree with the magnetic contact from the magnetometer survey. Chalcopyrite, pyrrhotite and anomalous PGM values were encountered in some of the core. Interestingly some of the IP anomalies proved to be caused by disseminated pyrite within the Gowganda formation. The magnetic susceptibility meter study was not definitive at the one meter spacing definition as undertaken. However a suggested east-west banding appears observable at a larger scale, perhaps displaced by fractures.

The Johnson Road Alteration Zone

As mentioned earlier pits 1&2 occur to the southwest of trench 3 and is known as the Shouinard Alteration Zone.

The Shouinard Alteration zone is a very large area of altered Espanola formation near the contact with the Serpent formation to the northeast. The government map of this area is incorrect in showing the Bruce formation in this area. The alteration consists of extensive albite alteration with porphyroblasts of iron carbonate. Although extensively stripped, the alteration zone continues northwestward and southeastward. The northeastern contact of the alteration

was not stripped. The southern contact was terminated along a bull quartz vein adjacent to a possible lamprophyre adjacent to a nearby Nipissing diabase contact. Although blebs of pyrite were noted in the alteration zone no significant gold values were obtained.

Trench 3, also known as the Johnson Road Showing, contains a bull quartz vein with associated iron carbonate. Although showing a local northeast strike this vein structure has been traced northwestward to Spar Lake and is covered with overburden to the southeast.

The Secret Showing

This area was stripped and mapped and appears to represent a tightly folded structure at the contact of the Espanola formation with the Serpent formation having localized pyrite occurring in its nose with minor associated chlorite. There appear to be some similarities with the east-west zone of the Scadding mine site which is located a few hundred meters to the west. Anomalous gold has been encountered in this area.

The Glade Showing

The Glade Showing occurs just north of the old Scadding tailings area. A thin (maximum 10 cm wide) subhorizontal vein occurs at this site at the contact of an upper Nipissing Diabase sill and an underlying albitic - monzonite intrusive. Visible gold was noted at this site and subsequent channel sampling has indicated very good gold assays.

The Inclined Copper Showing

The copper showing is located near the north side of the contact of Nipissing diabase with the Gowganda formation to the north. An irregular bull quartz vein containing chalcopyrite, azurite and malachite occur here. One hole was drilled from the Gowganda formation into the Nipissing Diabase towards the perceived dip of the quartz vein into an IP anomaly, however the Nipissing Diabase was not reached. Minor disseminated pyrite was encountered in this hole. Another hole was also drilled from the south northwards towards the showing. This hole was terminated in a fault in Nipissing Diabase, Three other holes in this area targeted IP anomalies in the Nipissing Diabase. Minor disseminated pyrite, pyrrhotite and chalcopyrite was noted. A few thin (<2cm wide) veins of massive pyrrhotite and chalcopyrite were also noted in these holes.

Conclusion & Recommendations

As a result of the work undertaken in this report the following can be stated:

- 1) The albite iron carbonate quartz alteration as seen in the Pole Line Property is not unique and has been noted in many other areas of the Scadding property. It is recommended that these areas be systematically assayed to determine their potential.

- 2) As a result of the SCIP Survey and its inability to distinguish auriferous from non-auriferous pyrite. It was decided not to spend additional funding for a borehole tomographic IP survey due to the potential of locating many false anomalies.
- 3) Field work undertaken at the Scadding Minesite has confirmed that there is a correlation with the magnetic susceptibility and gold mineralization. In addition the surface distribution of the alteration and chlorite breccia has assisted the drill hole targeting of the current phase 2 diamond drill program. The high magnetic susceptibility chlorite should be examined in thin section to confirm if fine magnetite is present or if the magnetic susceptibility is solely due to the formation of the iron rich chlorite chamosite. The use of magnetic susceptibility readings in chlorite may be useful in anticipating auriferous trends. Preliminary work with the use of a beep mat seems to confirm this.
- 4) The results of the geochemical study on the chlorite revealing the correlation between iron and gold correlates with that of the magnetic susceptibility study. The suggestion of two phases of pyrite precipitation may also assist in recognizing which pyrite is auriferous.
- 5) The Alwyn Porcupine Area geology, mineralization, alteration and structure is now better understood with the recognition of peripheral silicification around the mineralized area and the tendency of chalcopyrite to be associated with the east-west trending quartz veins. Changes from a dark argillite to a bleached variety with associated quartz veining may be useful for vectoring into a mineralized area.
- 6) The Red Rock East Property has been recognized to have IP anomalies caused by uneconomic disseminated pyrite associated with the argillaceous Gowganda formation. IP anomalies should be studied carefully to recognize the large sometimes stratiform diffuse anomalies associated with this type of disseminated pyrite to avoid drilling them. There also appears to be an east-west structure that may be associated with breccias stripped along this trend including the chalcopyrite main showing and the fault (deformation zone) associated with auriferous pyrite at trench 6 at this site. This concept should be further investigated in the field especially when it intersects with other structures. The Maclaren fault to the east on trend with this speculated east-west structure should be examined.
- 7) Diamond drilling and sampling has confirmed the presence of PGM mineralization along with anomalous copper and nickel as reported in previous historic drilling in this area. The Jerome Property also contains disseminated pyrite in argillaceous Gowganda formation which can cause IP anomalies. From drilling it has been determined that the PGM bearing Rathbun sill dips to the northeast in this area. This bodes well for further downdip extensions away from Lake Wahnapeitei. It is recommended that the results of all drilling undertaken at the Jerome site be modelled along with the IP sections with the magnetic survey draped on the surface. Consideration for further drilling should then be considered.
- 8) The Johnson Road Showing appears to have significant strike extension with quartz carbonate alteration being traced from the stripped area to the shores of Spar Lake. The Shouinard Showing appears to cover a very large area. From float found it appears to

continue for at least another 100 metres or more to the northwest. Small areas around the main stripping of trench 2 should be stripped in a systematic manner to determine if any variations in alteration exist especially along the Espanola-Serpent contact.

- 9) The Secret Showing has produced anomalous gold assays from an area that has similarities with the Scadding Mine east-west zone. Detailed mapping of the surrounding area followed by a shallow diamond drill program with a portable drill would be recommended.
- 10) The Glade Occurrence contains visible gold and has produced significant assays although it has limited width. Its occurrence along the contact of the Nipissing diabase – granodiorite-albitite is very intriguing. Detailed mapping should be undertaken on this site as well as assaying of the nearby rusty Bruce formation. Detailed review of the past workings on this site should undertaken and the previous drill holes located and labelled in the field the surveyed. This information should be modeled so as to try and get an attitude of the targets to see if there is any correlation with the known auriferous quartz vein on surface and the contact between the two rock types.
- 11) The Inclined Copper Shaft area's main showing has significant quartz and copper mineralization on surface. The surface geology should be mapped out further and in more detail, IP Sections, surface geology, and drill sections should all be put into a 3D model for visualization of potential drill targets. A small portable drill should be used to drill down to any potential targets. Another pitted quartz vein to the southwest should also be examined.

Personnel & Companies Involved in this Report

Bedrock Research Corp.

Bob Komarechka (Supervision, report prep., CAD)

Qualifications: B. Sc. Geo., P. Geo.

Lindsay Moss (Project Geologist, field mapping, logging, report prep., CAD)

Qualifications: B. Sc. Geo

Theresa Mcmillan (Geologist, logging, report prep, CAD)

Qualifications: B. Sc. Geo

Stanley Kowal (Core cutting and sampling)

Core Cutting)

Don Lashbrook (Sample Collection and Core Tech)

Qualifications: Civil Engineer Technologist

Guy Shouinard (Sample Collection)

Prospector

Trevor Pacaud (Core Cutting, washing, field assistant)

Geological Technician

Caracle Creek International Consultants (SCIP Study)

Rory Krockner

Julie Palich

Tait Excavation Inc.

Trackhoe excavation, stripping, filling in trenches, etc.

Klondike Bay Resources

Kyle Loney

Days Worked:

Terry Loney:

Days Worked:

Mike Loney:

Days Worked:

Bibliography

1. There is a library of the internal reports, maps and drawings for the period 1973 to 1990 held by Paul C. McLean, South River, Ontario.
2. Bennet, G., Dressler, B.O., and Robertson, J.A., 1992, The Huronian Supergroup and Associated Intrusive Rocks, in *The Geology of Ontario*, Ontario Geologic Survey Special Volume 4, Part 1, p549-592,
3. Card, K.D. and Pattison, E.F., 1973 Nipissing diabase of the Southern Province, Ontario; in *Huronian Stratigraphy and Sedimentation*, ed. G.M. Young, Geological Association of Canada, Special Paper Number 12, pp. 7-30.
4. Collins, W.H., 1913 Geology of a portion of the Sudbury map-area south of Wanapitei Lake, Ontario; Geological Survey of Canada Summary Report.
5. Collins, W.H., 1914 Wanapitei Sheet, Map 124A; Geological Survey of Canada.
6. Dressler, B.O., 1980 Geology of the Wanapitei Lake Area, District of Sudbury, Ontario Geological Survey, Open File 5287.
7. Dressler, B.O., 1981 Massey Bay, Ontario Geological Survey Map 2541, Precambrian Geology Series, scale 1 inch to ½ mile, 1:31680, Geology 1978.
8. Fairbairn, H.W., 1939 Geology of Ashigami Lake, Ontario Department of Mines, Vol. XLVIII, Part X; 15 pp., including Map 48m, scale 1 inch to ½ mile, 1:31680.
9. Gates, B.I., 1991 Sudbury Mineral Occurrence Study; Ontario Geological Survey, Open File Report 5771, 235 p.
10. Hall, R.D., 2003 Scadding Gold Property at Sudbury, Ontario; for Currie Rose Resources Inc., 37 pp, 3 appendices.
11. Hill, W., 1983 Study of the Scadding Township Ore Reserves for Westfield Minerals Limited by Hill, Goettler de Laporte Limited, 28 p. 1 map.
12. Lapierre, K. and Wood, P.C., 2004 Report on the Scadding Gold Property, Scadding Township, Sudbury Area, Ontario for JML Resources Ltd., 51 p., 2 Vol.
13. Martins, J.M, et al., 1979 McLean-Watt Gold Property; in *Gold Deposits of Ontario*, Part 2: Part of District of Cochrane, Districts of Muskoka, Nipissing, Parry Sound, Sudbury, Timiskaming and Counties of Southern Ontario, Ontario Ministry of Natural Resources, pp. 111-116.
14. Meyer, W., 1995 Exploration Potential in the Sudbury Area; in *Ontario Canada Explore the Opportunities*, Mines and Minerals Division, Ontario Ministry of Northern Development and Mines, p. 16.

15. Roscoe, S.M., 1969 Huronian Rocks and Uraniferous Conglomerates in the Canadian Shield; Geological Survey of Canada, Paper 68-40.
16. Schandl, E.S. and Gorton, M.P 2007 The Scadding Gold Mine, East of The Sudbury Igneous Complex, Ontario: An IOCG-Type Deposit?; *The Canadian Mineralogist*, Vol. 45, pp. 1415-1441 (2007) 607.
17. Schandl, E.S., Gorton, M.P and Davis, D.W., 1994 Albitization at 1700 ± 2 Ma in the Sudbury - Wanapitei Lake area, Ontario; implications for deep-seated alkalic magmatism in the Southern Province; *Can. J. Earth Sci.*, vol. 31, pp. 597-607.
18. Thompson, J.E., 1961 MacLennan and Scadding Townships, Ontario Department of Mines Report No. 2; including Map 2009, scale 1 inch to $\frac{1}{2}$ mile, 1:31680.
19. Thompson, J.E., 1961 MacLennan and Scadding Townships, Ontario Department of Mines Report No. 2; including Map 2009, scale 1 inch to $\frac{1}{2}$ mile, 1:31680.
20. Winter, L.D.S., June 22, 2009, Technical Report NI 43-101 on the Scadding Gold Property, Scadding Township, District of Sudbury, Ontario for Trueclaim Exploration Inc

Certificates

CERTIFICATE of AUTHOR

Mary Theresa MacMillan

1117 Lonsdale Ave.

Sudbury, Ontario P3B 1K3

Tel: (705) 207-9996, Email: tmacmillan@trueclaim.ca

I, Mary Theresa MacMillan, BSc. Geo., do hereby certify that:


I am an independent geologist of: Trueclaim Exploration Inc. engaged to assist with collection of data and compilation of this assessment submission.

1. I am an independent geologist working from:

1117 Lonsdale Ave.
Sudbury, Ontario P3B 1K3

2. I graduated with a degree of BSc. in Geology from the University of New Brunswick, Fredericton, New Brunswick in 2008.
3. I have worked as a geologist for a total of 2.5 years since my graduation from university.
4. I am responsible for the statements made within this assessment report.

Dated this 28 day of March 2011.



Mary Theresa MacMillan, BSc. Geo.

CERTIFICATE of AUTHOR
LINDSAY R. MOSS

43 Kathleen Street

Naughton, Ontario P0M 2M0

Tel: (705) 562-0568, Email: lmoss@trueclaim.ca

I, Lindsay R. Moss, B. Sc. Geo., do hereby certify that:


I am an independent geologist of: Trueclaim Exploration Inc. engaged to assist with collection of data and compilation of this assessment submission.

1. I am an independent geologist working from:

43 Kathleen Street
Naughton, Ontario P0M 2M0

2. I graduated with a degree of B.Sc in Geology from Laurentian University of Sudbury, Ontario in 2007.
3. I have worked as a geologist for a total of 4 years since my graduation from university.
4. I am responsible for the statements made within this assessment report.

Dated this 25 day of April 2011.

A handwritten signature in cursive script that reads "Lindsay R. Moss". The signature is written in black ink on a light-colored background.

Lindsay R. Moss, B. Sc. Geo

CERTIFICATE of SUPERVISOR

ROBERT G. KOMARECHKA

545 GRANITE STREET

SUDBURY, ONTARIO P3C 2P4

Tel: (705) 673-0873 Fax: (705) 673-0873 Email: bkomar@sympatico.ca

I, Robert G. Komarechka, P.Geol., P.Geo., do hereby certify that:

I am an independent consultant of: Trueclaim Explorations Inc. engaged to assist with the production and review of this assessment submission and report.

1. I am an independent consultant with an office at:

Bedrock Research Corp.
545 Granite Street
Sudbury ON P3C 2P4

2. I graduated with a degree of B.Sc in Geology from the Laurentian University of Sudbury, ON in 1978.

3. I have been a member of the Association of Professional Engineers Geologists and Geophysicists of Alberta (APEGGA) since 1985 and I have been a registered member of the Association of Professional Geoscientists of Ontario since 2004.

4. I have been a Fellow of the Canadian Gemmological Association since graduation as a Gemmologist in 1990.

5. I have worked as a geologist for a total of 30 years since my graduation from university.

6. I am responsible for the consolidation, review and approval of all sections of this assessment report.

Dated this 25 day of April 2011.



Robert G. Komarechka, P.Geol., P.Geo

Appendices

Appendix 1
PoleLine Property Visit Report

Preliminary Site Visit Sept. 5, 2009
Brady Powerline Property Street & Scadding Tp.
&
Brady & Rose Property Davis Tp.

A field trip was undertaken on Saturday Sept. 5, 2009 to the Brady Powerline Property and a reconnaissance investigation of access roads to the Brady and Rose Property in Davis Tp. The trip was undertaken with John Brady who is very familiar with access and the previous prospecting undertaken in the area. The Google Earth Map below shows the white tracklog of the route, the green pins the main properties of concern in this report and the yellow pins indicate waypoints of interest.




Fig. 1: Location of route traveled.

The Brady Powerline Property

The Brady Powerline Property consists of four unpatented claims along the boundary of Street and Scadding townships as shown below.




Fig. 2: MNDM September 9, 2009 claim map of Street-Scadding township claim boundary

The table below shows the status of these claims as per the MNDM records as of Sept. 9, 2009.

Township or Area	Claim Number	Recording Date	Claim Due Date	Status	Percent Option	Work Req'd	Total Applied	Total Reserve
SCADDING	1230861	1998-Jul-21	2009-Jul-21	A	100 %	\$ 1,200	\$ 10,800	\$ 0
SCADDING	3004934	2003-Sep-16	2009-Sep-16	A	100 %	\$ 7,600	\$ 14,800	\$ 0
STREET	1230863	1998-Jul-21	2009-Jul-21	A	100 %	\$ 1,200	\$ 10,800	\$ 0
STREET	3004846	2003-Sep-16	2009-Sep-16	A	100 %	\$ 5,761	\$ 16,239	\$ 0

At this time John Brady has work submitted but not yet recorded on these claims. Click on the claim numbers for internet links of more information on each claim.

Access to the property is obtained off the gravel Kukagmai Lake road as per the attached maps. A one lane gravel road off the Kukagami Lake road trends westward and allows road access the property. A branch road to the south at waypoint 92 ends at waypoint 93 & 94 and accesses several stripped areas (waypoints 95, 96, 97 & 98) connected by a track excavator trail to the recently built powerline. Which has several areas of excavation along it (waypoints 100, 101 and 103). An additional area of stripping was visited at waypoint 104.




Fig. 3: Scadding twp. Area showing Scadding Mine and the Brady Pole Line Property




Fig.4: Detailed topo map of the Pole Line Property visit showing traversed route.

The property was originally discovered while blasting bedrock for a hydro pole (at waypoint 102). The blasted rock contained quartz, rusty rock with sulphides and a surveyor/pro prospector on the site (Tom ??) was informed of the find and partnered with John Brady on the claims. Tom later did not wish to participate in the exploration expenses and decided to drop his interest in the claims.

Subsequent work on the property consisted of a few short lines of an MMI and SP survey, a site report of Hayden Butler P. Geo, and subsequent recent trackhoe stripping supervised by John Brady. A few select samples were collected for assay and gave readings as high as 4-6 gm/tonne Au in the vicinity of the original Pole Showing at waypoint 103. An additional sample (#260600) of 3-7 gm/tonne Au was also stated by John to be collected from a very small shear at waypoint 100.

Observations of the site revealed the following:

1) On the several areas of stripping leading from the north to the powerline several minor (boudinaged?) quartz veins were encountered. These quartz veins were generally striking at 340° and dipping ?? These veins did not appear of significance and host rock alteration was limited. At one of these stripped areas (waypoint 98) near the pole line an old trench was dug out. This trench contained some very local pyrite and iron carbonate. The host rock of the area appeared to be Bruce paraconglomerate.

2) The area of the Pole Showing was located within the Espanola formation near the contact with the Bruce formation. Brecciation with iinterstitial iron carbonate, albitization and quartz veining was noted. Occasional local areas of heavy pyrite were also observed in these areas. John stated that the areas of pyrite contained the higher gold values. It should be noted that the area brecciation was chaotic however alteration trends along the east periphery were striking at about 340°. Extensive overburden ranging up to 6 feet prevented more detailed evaluation. Interestingly a very old collapsed cabin was found near this site and was postulated by John as being a possible prospectors cabin.

3) The stripped area of waypoint 104 showed brecciation with iron carbonate alteration within the matrix with a trace of minor quartz. Some Espanola formation fragments were noted however the main host rock was of uncertain origin. Alteration along fractures were noted in two directions namely at 10° and 288°.

4) As a general note, the areas of Espanola formations appeared to weather as recessive (low) areas relative to the adjacent Bruce Formation. More abundant raspberries were noted in areas of Espanola formation suggesting a more alkaline soil. Undertaking a pH survey while doing a soil survey may help delineate underlying Espanola formation and perhaps iron carbonate.

Five samples were collected as shown in the table below. All readings are for zone 17T and are in NAD 27:

Sample #	Waypoint	Easting	Northing	Rock Type	Comments
BK1-09-09-05	98	0528921	5163309	Bruce QV	Near old trench
BK2-09-09-05	100	0529003	5163261	Bruce shear	Thin shear
BK4-09-09-05	101	0528620	5163236	Esp Breccia	Near old cabin
BK5-09-09-05	102	0528589	5163241	CarbBreccia	Rubble at pole
BK6-09-09-05	103	0528576	5163224	Sil Breccia	In pit near QV

Recommendations are to assay the above samples and pending positive values entertain an option on the property to undertake a conventional soil survey of the Pole Showing area. Additional detailed ground VLF and magnetometer surveying should also be undertaken in this area followed by a more extensive stripping, outcrop washing, linecutting, mapping and sampling program. If positive results occur then a drill program could be entertained. This could be followed by an airborne regional triaxial VLF, gradient magnetometer and radiometric survey. A LIDAR survey may also be considered to locate topographic linears (shears?) and topographic lows associated with the Espanola formation.

The remainder of the day consisted in driving along the one lane gravel access road to the properties of John Brady and Ed Rose in Davis Tp. As shown in figure 1. Several showings were pointed out by John and he discussed the geology and prospects of the area. Time did not permit the visiting of the prospects on this property. We returned via Hagar back to Sudbury.

Prepared by:

Bob Komarechka P.Geo.
Sept. 10, 2009

for

True Claim Exploration Inc.

Appendix 2

SCIP Study Report



October 21, 2010

Bob Komarechka
Trueclaim Exploration Inc.
95 Hagerman Crescent
St Thomas, Ontario N5R 6K3

Dear Bob

RE: SCIP Core Survey Results, Scadding Property, Sudbury area, Ontario

At the request of Trueclaim Exploration Inc. (Trueclaim), CCIC undertook SCIP (Sample Core Induced Polarization) readings on core from several boreholes and select rock samples at the Scadding property near Sudbury, ON between October 15 ó 16 2010 using SCIP core testing technology.

Scope of Work and Methodology

A total of 253 SCIP readings were collected from a combination of core and grab samples associated with the Scadding deposit including:

- 28 readings from TRM-09-02 from the EF limestone breccia, EF limestone, and SF quartzite breccia lithologies
- 41 readings from TRM-09-03 from the SF chlorite breccia, SF quartzite breccia and SF quartzite lithologies
- 19 readings from TRM-09-13 from the chlorite breccia lithology
- 18 readings from TRM-09-18 from the chlorite breccia, EF limestone, and SF quartzite lithologies
- 19 readings from TRM-10-06 from the chlorite breccia lithology
- 90 readings from TRM-10-07 from the chlorite breccia and quartzite lithologies
- 17 readings from TRM-10-09 from the chlorite breccia and carbonate breccias lithologies;
- One sample each from TRM-09-04, TRM-09-05, TRM-09-06, TRM-09-07, TRM-09-08, TRM-09-09, TRM-09-10 (7 samples) from the SF quartzite breccia; and
- 12 grab samples of variable lithology.

Samples were tested using the GDD SCIP Rx 8-32 unit. This unit acts as a single dipole receiver relating drill cores to resistivity and chargeability. Full or half core samples were placed into the core holder as available. Readings were taken using a 0.5uA fixed current over 240 ms using an arithmetic decay of 80 ms.

Results and Discussion

Results of the SCIP testing are tabulated in Attachment 1 (including the 12 grab sample results not discussed below), and provided graphically against lithology, gold content (ppm) and sulphur content (%) in Attachment 2. Table 1 summarizes the full range of resistivity and chargeability responses by lithology. For the purpose of the following interpretation, a mineralized sample is defined as having a gold assay concentration greater than 1 ppm.

Lithology	Number of Samples	Resistivity Range (Ohm.m)		Chargeability Range (V/V)	
		Range	Mean	Range	Mean
Carbonate Breccia	3	20,400 ó 60,500	34,200	1.16 ó 4.77	3.45
Chlorite Breccia (non-mineralized)	78	850 ó 2,420,000	76,500	0.47 - 135	14
Chlorite Breccia (non-mineralized)	58	15 ó 828,000	42,700	0.38 - 700	50
EF Limestone ^A	16	1,380 - 147,000	39,000	1.68 - 48	10
EF Limestone Breccia ^A	7	18,800 ó 183,000	104,000	5.70 ó 9.90	7.73
Olivine Diabase ^A	5	308,000 ó 1,400,000	776,000	248 ó 642	380
Quartzite ^B	10	34,300 ó 67,400	42,100	3.48 ó 8.48	4.75
SF Chlorite Breccia (non-mineralized)	10	12,600 ó 235,000	91,218	3.93 ó 26.4	11.5
SF Chlorite Breccia (mineralized)	3	4,370 ó 35,600	17,700	2.33 ó 43.4	23.6
SF Quartzite ^B	30	3,750 ó 155,000	60,600	2.13 ó 77.8	10.2
SF Quartzite Breccia (mineralized) ^B	18	4,550 ó 45,000	31,900	6.39 ó 62.8	18.8

A. No assay data were available for the sampled intervals

B. Assay data were available for only a portion of the sampled intervals ó mineralized status of some samples uncertain.

In consideration of the assay data and observed responses using the SCIP, the following preliminary conclusions can be drawn:

- The resistivity response in the lithologies exhibited six orders of magnitude of variation which suggests measurement of resistivity properties is useful for identifying mineralogical variations within lithologies
- Mineralized zones within the chlorite breccia and SF chlorite breccia predominantly exhibit a low resistivity and elevated chargeability compared to non-mineralized zones within the same unit. Higher gold concentrations tend to relate to the lower resistivity and higher chargeability responses;
- A similar low resistivity/high chargeability response is also observed in the SF quartzite breccia, although no non-mineralized zones within this lithology were sampled for signature comparison;
- The olivine diabase exhibited very high resistivity and very high chargeability, which may reflect the presence of a mineral such as magnetite;
- Other non-mineralized lithologies typically exhibited higher resistivity and lower chargeability than mineralized lithologies.
- Several resistivity and chargeability abnormalities are apparent in the data within both the mineralized and non-mineralized zones. This is in part attributed to the variation in the scale of the SCIP sample (10 cm) compared to the scale of the assay data (typically 1 m). The presence or absence of an SCIP anomaly is strongly influenced by the composition of the sample at a grain size (micro) scale, and alignment with respect to the SCIP tester within the sampled interval. These variances are smoothed during the assay process thus creating potential inconsistency due to scale differences.

Conclusions

Completion of the SCIP survey has been useful to assist in identifying potential strengths and limitation of the downhole IP program, however it is important to note that direct comparison between the two types of data cannot be made without due consideration for the variations in scale and response that the methods represent. The following implications for the ability of the downhole IP program to assist in identifying appropriate drill targets on the Scadding property are derived based on this survey:

- The resistivity and chargeability range observed in the data will be suitable for generating anomalies. Clear downhole resistivity anomalies can typically be generated for variations as small as half an order of magnitude; chargeability anomalies are typically apparent for variations greater than a factor of two.
- The width and concentration of mineralized zones within the Scadding deposit are sufficient to expect anomalous responses to result from an EarthProbe downhole IP survey. Since downhole IP examines the characteristics of the rock at a larger scale, extensive mineralized units tend to provide a cohesive anomaly in the downhole profile, even in mineralized zones where mineralization content is variable.
- Use of the SCIP data collected will be valuable in interpreting the downhole IP response because the geophysicist will be able to interpret the source of the anomalous response in the context of its lithological setting. Therefore, anomalous responses in typically barren lithologies (e.g. olivine diabase) can be discounted when prioritizing targets for future drilling.

If you have any further queries regarding the results of this survey, please do not hesitate to contact the undersigned at 416.368.1801 x 2228.

Sincerely,



Julie Palich, M.Sc, P.Geo.
Geophysicist/Business Development

Attachments:

1. Tabulated SCIP data
2. Striplogs: Chargeability and Resistivity Study

Attachment 1
Tabulated SCIP Data

SUDBURY
Tel: +1 705 671 1801 | Fax: +1 705 671 3665
17 Frood Rd. Suite 2, Sudbury, Ontario
Canada, P3C 4Y9

TORONTO
Tel: +1 866 671 1801 | Fax: +1 705 671 3665
9 - 34 King St. East, Toronto, Ontario
Canada, M5C 2X8

VANCOUVER
Tel: +1 604 637 2050 | Fax: +1 604 602 9496
409 Granville St., Suite 1409, Vancouver, British Columbia
Canada, V6C 1T2

JOHANNESBURG
Tel: +27 (0) 11 880 0278 | Fax: +27 (0) 11 447 4814
11 Cradock Avenue, JHI House, 7th Floor, Rosebank
Gauteng, South Africa

Hole	Lithology	Date	CoreID	D(mm)	I(mm)	Half	Contact(kOhm)	Rho(Ohm*m)	Vp(mV)	ErrVp	M	ErrM
Grab Sample		16/10/2010	Jerome min	----	88	No	1707.88	147195.45	769.95	99.999	8.959	1.632
Grab Sample		16/10/2010	Alwyn ore 1	----	50	No	0.117	5.39	0.082	0.027	117.825	9.999
Grab Sample		16/10/2010	Jerome arg	----	66	No	1259.771	153630.783	2771.026	99.999	4.683	0.139
Grab Sample		16/10/2010	Jerome nip	----	45	No	3315.596	89821.808	1786.013	3.797	16.888	0.428
Grab Sample		16/10/2010	East RR arg	----	65	No	272.598	14668.675	163.172	3.393	2.429	0.237
Grab Sample		16/10/2010	East RR arg	----	50	No	286.694	10109.549	125.809	4.786	26.747	0.941
Grab Sample		16/10/2010	Inc shaft 1	----	39	No	1019.715	36733.517	458.842	14.509	1.717	0.184
Grab Sample		16/10/2010	East RR min 1	----	50	No	7.427	174.814	2.893	0.023	4.449	1.919
Grab Sample		16/10/2010	Jerome blk dyk	----	50	No	1702.812	74958.265	1163.471	55.762	31.951	0.629
Grab Sample		16/10/2010	East RR min 2	----	65	No	92.722	1142.894	35.141	0.62	56.388	1.061
Grab Sample		16/10/2010	East RR LD	----	130	No	3700.777	56172.207	2076.459	5.047	24.52	0.145
Grab Sample		16/10/2010	East RR min 3	----	120	No	750.121	7359.061	362.029	2.421	9.663	0.05
TRM-09-02	EF Limestone Breccia	15/10/2010	85.06m-86m	45	166	No	1722.632	18817.15	974.963	2.027	5.699	0.009
TRM-09-02	EF Limestone Breccia	15/10/2010	85.06m-86m	45	164	No	15252.276	183037.708	8908.991	75.518	9.662	0.08
TRM-09-02	EF Limestone Breccia	15/10/2010	85.06m-86m	45	105	No	7371.277	122054.993	4020.277	41.483	8.183	0.058
TRM-09-02	EF Limestone Breccia	15/10/2010	86m-87m	45	165	No	14624.304	169988.459	8417.456	99.999	7.735	0.014
TRM-09-02	EF Limestone Breccia	15/10/2010	86m-87m	45	157	No	4175.539	45956.13	2257.203	3.37	6.077	0.684
TRM-09-02	EF Limestone Breccia	15/10/2010	87m-87.8m	45	225	No	9666.583	122854.734	8216.662	99.999	6.889	0.112
TRM-09-02	EF Limestone Breccia	15/10/2010	87m-87.8m	45	450	No	10447.707	64897.544	8639.088	92.572	9.895	0.114
TRM-09-02	EF Limestone	15/10/2010	87.8m-89m	45	225	No	14273.204	147030.421	9378.916	99.999	9.97	0.079
TRM-09-02	EF Limestone	15/10/2010	87.8m-89m	45	216	No	5051.517	111768.259	7471.889	99.999	8.447	0.191
TRM-09-02	EF Limestone	15/10/2010	88m-89m	45	295	No	1439.715	13611.039	1253.645	78.78	1.68	0.098
TRM-09-02	EF Limestone	15/10/2010	88m-89m	45	184	No	4436.872	46646.918	2687.831	92.397	5.27	0.083
TRM-09-02	EF Limestone	15/10/2010	89m-90m	45	155	No	1146.803	75406.262	3195.149	64.173	48.29	9.999
TRM-09-02	EF Limestone	15/10/2010	89m-90m	45	130	No	1568.923	60867.429	2476.292	62.151	21.012	0.265
TRM-09-02	EF Limestone	15/10/2010	90m-91m	45	184	No	1591.25	23516.568	1351.639	99.999	3.25	0.788
TRM-09-02	EF Limestone	15/10/2010	90m-91m	45	171	No	2643.414	41223.983	2206.016	10.095	8.331	0.04
TRM-09-02	EF Limestone	15/10/2010	91m-92m	45	290	No	1585.27	62117.921	5656.432	0.34	17.948	1.482
TRM-09-02	EF Limestone	15/10/2010	91m-92m	45	145	No	896.236	23266.884	1076.956	40.357	10.372	0.164
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822565	45	100	Yes	2191.591	45053.679	2823.448	13.348	28.839	0.066
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822565	45	96	Yes	2749.043	31810.502	1911.185	12.597	18.379	0.091
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822566	45	78	Yes	517.123	9244.833	455.943	94.752	12.549	2.955
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822567	45	70	Yes	1303.707	20458.244	822.02	2.607	10.155	0.35
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822567	45	109	Yes	1841.839	16705.202	1136.609	5.674	11.177	0.165
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822568	45	115	Yes	2421.341	17910.854	1287.019	0.262	6.444	0.183
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822568	45	95	Yes	1680.396	16882.673	1001.345	7.352	10.813	0.032
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822568	45	105	Yes	3955.466	31458.866	2067.376	6.6	12.482	0.033

Hole	Lithology	I(uA)	Time	Stack	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10
Grab Sample		0.277	2000	10	18.95	16.137	13.638	12.144	11.415	10.248	9.659	10.018	9.274	8.699
Grab Sample		0.498	2000	10	346.25	301.446	322.151	327.369	258.596	169.82	72.455	-6.449	-40.717	9.903
Grab Sample		0.48	2000	10	11.705	9.597	8.062	7.176	6.425	5.706	5.188	4.556	4.37	3.682
Grab Sample		0.497	2000	10	33.563	29.324	26.267	23.959	22.034	20.25	18.693	17.475	16.384	15.086
Grab Sample		0.501	2000	10	5.168	4.546	4.038	3.725	3.109	2.781	2.547	2.443	2.104	2.208
Grab Sample		0.498	2000	10	46.277	41.736	38.394	35.6	33.074	31.145	29.443	27.771	26.529	24.917
Grab Sample		0.487	2000	10	5.003	4.375	2.918	1.777	1.2	1.911	1.247	2.44	1.226	1.532
Grab Sample		0.497	2000	10	11.792	9.442	5.692	5.454	6.311	6.535	4.858	2.628	2.958	2.622
Grab Sample		0.497	2000	10	64.311	56.087	49.951	45.116	40.889	37.915	35.669	32.573	30.063	28.317
Grab Sample		0.497	2000	10	112.93	98.698	87.834	79.463	72.574	67.113	62.25	57.939	54.281	51.042
Grab Sample		0.498	2000	10	47.466	41.763	37.679	34.154	31.018	28.76	26.947	25.473	23.594	22.224
Grab Sample		0.502	2000	10	18.82	16.569	14.855	13.565	12.4	11.472	10.605	9.934	9.28	8.647
TRM-09-02	EF Limestone Breccia	0.496	2000	10	11.796	10.235	9.044	8.127	7.385	6.774	6.249	5.802	5.416	5.069
TRM-09-02	EF Limestone Breccia	0.472	2000	10	20.153	17.322	15.296	13.736	12.484	11.446	10.547	9.82	9.151	8.552
TRM-09-02	EF Limestone Breccia	0.499	2000	10	16.796	14.459	12.831	11.623	10.636	9.723	8.97	8.276	7.773	7.347
TRM-09-02	EF Limestone Breccia	0.477	2000	10	16.391	14.044	12.519	11.014	9.963	8.977	8.199	7.801	7.298	6.895
TRM-09-02	EF Limestone Breccia	0.498	2000	10	11.905	10.423	9.444	8.771	7.879	7.613	6.711	6.232	5.944	5.517
TRM-09-02	EF Limestone Breccia	0.473	2000	10	15.441	12.525	11.402	9.809	8.838	7.891	6.608	6.057	6.435	6.277
TRM-09-02	EF Limestone Breccia	0.47	2000	10	20.561	17.932	15.815	14.225	12.809	11.555	10.711	9.88	9.227	8.743
TRM-09-02	EF Limestone	0.451	2000	10	21.042	18.04	15.818	14.198	12.913	11.823	10.93	10.15	9.419	8.743
TRM-09-02	EF Limestone	0.492	2000	10	17.722	15.223	13.57	12.01	10.804	10.069	9.24	8.712	7.997	7.26
TRM-09-02	EF Limestone	0.497	2000	10	3.355	3.167	2.58	2.224	2.195	2.23	1.901	1.879	1.81	1.35
TRM-09-02	EF Limestone	0.498	2000	10	10.834	9.435	8.358	7.532	6.893	6.329	5.814	5.405	5.068	4.7
TRM-09-02	EF Limestone	0.435	2000	10	113.129	89.543	75.542	66.034	59.608	54.458	50.092	46.841	43.858	41.892
TRM-09-02	EF Limestone	0.498	2000	10	40.96	35.778	32.118	29.323	26.893	25.091	23.008	21.894	20.539	19.667
TRM-09-02	EF Limestone	0.497	2000	10	6.594	5.746	5.011	4.476	3.997	3.769	3.52	3.349	2.966	3.008
TRM-09-02	EF Limestone	0.498	2000	10	16.511	14.248	12.828	11.35	10.224	9.477	9.162	8.699	8.079	7.489
TRM-09-02	EF Limestone	0.499	2000	10	36.66	31.621	27.984	25.125	22.787	21.099	19.822	18.461	18.164	15.933
TRM-09-02	EF Limestone	0.508	2000	10	20.006	17.762	16.116	14.502	13.602	12.547	11.73	10.617	9.708	8.719
TRM-09-02	SF Quartzite Breccia	0.498	2000	10	63.908	53.956	46.921	41.612	37.446	34.065	31.249	28.869	26.817	25.048
TRM-09-02	SF Quartzite Breccia	0.498	2000	10	40.135	33.979	29.626	26.347	23.765	21.663	19.912	18.43	17.156	16.048
TRM-09-02	SF Quartzite Breccia	0.503	2000	10	26.174	22.51	19.335	17.538	14.106	14.883	13.695	12.46	11.115	10.742
TRM-09-02	SF Quartzite Breccia	0.456	2000	10	23.105	16.905	16.02	15.023	14.634	11.829	10.554	11.77	9.325	7.763
TRM-09-02	SF Quartzite Breccia	0.496	2000	10	27.37	23.1	18.876	16.018	14.696	12.98	12.176	10.893	9.387	9.044
TRM-09-02	SF Quartzite Breccia	0.497	2000	10	14.089	11.945	10.485	9.064	8.463	7.551	7.164	6.606	6.167	5.818
TRM-09-02	SF Quartzite Breccia	0.496	2000	10	22.664	19.563	17.241	15.406	13.986	12.812	11.816	10.952	10.202	9.575
TRM-09-02	SF Quartzite Breccia	0.498	2000	10	26.801	22.931	20.128	17.968	16.251	14.83	13.625	12.615	11.747	10.956

Hole	Lithology	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
Grab Sample		8.349	7.699	6.695	6.967	6.454	5.129	4.636	4.841	5.328	5.068
Grab Sample		5.625	-93.106	-198.107	20.602	143.971	76.983	141.887	117.057	32.172	111.696
Grab Sample		3.423	3.373	3.441	2.761	2.667	2.488	2.375	2.272	2.09	2.172
Grab Sample		14.084	13.24	12.343	11.824	11.27	10.685	10.339	9.922	9.446	9.176
Grab Sample		1.959	1.925	1.943	1.77	1.682	1.604	1.588	1.214	1.522	1.266
Grab Sample		23.529	22.598	21.67	20.792	20.139	19.365	18.61	18.094	17.521	17
Grab Sample		2.174	1.528	2.234	1.824	0.235	0.452	0.492	1.161	0.001	0.661
Grab Sample		2.334	2.772	2.044	2.857	2.956	2.825	2.382	3.706	4.696	3.747
Grab Sample		27.102	25.588	24.368	23.21	21.763	20.868	19.651	18.831	18.955	18.193
Grab Sample		48.132	45.512	43.068	40.806	38.705	36.648	34.819	33.358	32.17	30.638
Grab Sample		21.054	19.81	18.896	18.282	17.452	16.838	16.272	15.611	14.702	14.283
Grab Sample		8.197	7.812	7.513	7.132	6.743	6.484	6.208	5.973	5.674	5.384
TRM-09-02	EF Limestone Breccia	4.775	4.524	4.245	4.073	3.868	3.665	3.488	3.35	3.21	3.062
TRM-09-02	EF Limestone Breccia	8.066	7.62	7.203	6.847	6.504	6.218	5.951	5.68	5.441	5.231
TRM-09-02	EF Limestone Breccia	7.094	7.247	6.866	6.455	6.393	5.735	5.127	4.82	4.642	4.63
TRM-09-02	EF Limestone Breccia	6.424	6.114	5.732	5.535	5.149	5.058	4.804	4.507	4.299	4.064
TRM-09-02	EF Limestone Breccia	5.043	4.532	4.144	3.998	3.854	3.624	3.424	3.282	3.235	3.073
TRM-09-02	EF Limestone Breccia	6.019	5.449	5.474	5.271	4.549	4.641	4.516	3.917	4.005	3.858
TRM-09-02	EF Limestone Breccia	8.38	8.112	7.418	7.001	6.656	6.361	6.166	5.824	5.494	5.246
TRM-09-02	EF Limestone	8.289	7.785	7.378	7.027	6.69	6.404	6.074	5.773	5.508	5.278
TRM-09-02	EF Limestone	7.122	6.595	6.174	5.908	5.74	5.585	5.088	4.934	4.613	4.538
TRM-09-02	EF Limestone	1.511	1.518	1.278	1.301	0.82	0.971	1.232	1.036	0.982	0.964
TRM-09-02	EF Limestone	4.453	4.191	3.936	3.758	3.655	3.455	3.287	3.208	2.975	2.846
TRM-09-02	EF Limestone	40.14	37.597	36.527	36.232	35.702	31.813	29.289	27.423	26.364	25.683
TRM-09-02	EF Limestone	18.116	17.038	16.099	15.473	14.747	13.997	13.526	12.938	12.568	12.105
TRM-09-02	EF Limestone	2.845	2.576	2.626	2.333	2.201	2.455	2.387	1.937	2.006	1.973
TRM-09-02	EF Limestone	6.727	6.561	6.469	5.939	5.693	5.553	5.715	6.074	5.794	5.04
TRM-09-02	EF Limestone	15.162	14.46	13.643	12.946	12.449	11.725	11.349	10.931	10.351	9.895
TRM-09-02	EF Limestone	8.527	8.45	8.349	7.808	7.522	7.119	6.555	5.958	5.884	5.813
TRM-09-02	SF Quartzite Breccia	23.496	22.123	20.885	19.778	18.792	17.897	17.072	16.288	15.589	14.956
TRM-09-02	SF Quartzite Breccia	15.078	14.204	13.428	12.74	12.122	11.559	11.052	10.575	10.132	9.748
TRM-09-02	SF Quartzite Breccia	10.424	10.65	10.095	8.94	8.299	8.054	7.73	7.327	6.55	6.936
TRM-09-02	SF Quartzite Breccia	8.594	8.59	5.666	6.746	4.801	6.845	4.79	7.213	6.46	5.921
TRM-09-02	SF Quartzite Breccia	9.017	8.712	8.288	7.819	6.835	6.248	5.879	5.633	5.724	5.65
TRM-09-02	SF Quartzite Breccia	5.387	4.9	4.635	4.398	4.234	3.867	3.679	3.666	3.524	3.404
TRM-09-02	SF Quartzite Breccia	8.976	8.485	8.066	7.628	7.218	6.912	6.595	6.308	6.042	5.8
TRM-09-02	SF Quartzite Breccia	10.278	9.645	9.123	8.679	8.205	7.781	7.437	7.108	6.825	6.521

Hole	Lithology	Date	CoreID	D(mm)	I(mm)	Half	Contact(kOhm)	Rho(Ohm*m)	Vp(mV)	ErrVp	M	ErrM
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822569	45	195	Yes	5563.269	24340.264	2974.657	5.271	7.851	0.042
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822572	45	265	Yes	7123.778	38554.035	6427.184	42.292	10.93	0.01
TRM-09-02	SF Quartzite Breccia	16/10/2010	H822573	45	95	Yes	3542.828	33142.384	1969.934	8.232	6.388	0.026
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822503	45	89	Yes	644.604	22978.16	1388.512	0.433	26.404	5.98
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822504	45	78	Yes	1670.55	31589.092	1539.913	28.766	3.935	0.134
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822504	45	135	Yes	12780.933	56590.653	4798.427	99.999	6.643	0.119
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822504	45	130	Yes	14545.596	90721.94	7376.146	39.278	7.484	0.034
TRM-09-03	SF Quartzite	15/10/2010	H822505	45	82	Yes	2592.831	22935.984	1174.417	19.515	4.276	0.054
TRM-09-03	SF Quartzite	15/10/2010	H822505	45	77	Yes	3721.809	49692.897	2395.214	29.21	5.158	0.049
TRM-09-03	SF Quartzite	15/10/2010	H822505	45	250	Yes	4707.64	24956.103	3914.272	99.999	3.721	0.119
TRM-09-03	SF Quartzite	15/10/2010	H822507	45	150	Yes	1860.585	56653.401	5110.147	0.684	24.261	4.037
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822508	45	170	Yes	887.109	13194.105	1450.658	6.197	43.463	9.999
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822508	45	130	Yes	18591.552	113621.136	8781.282	2.501	10.657	0.123
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822509	45	130	Yes	1061.624	35634.286	3199.531	0.624	25.068	0.855
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822600	45	50	Yes	5829.612	86848.987	2720.542	8.908	13.388	0.178
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822600	45	60	Yes	10355.766	139220.255	5248.245	5.189	5.713	0.017
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822501	45	57	Yes	10564.561	145400.058	5205.872	8.934	6.805	0.04
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822501	45	55	Yes	16486.337	234955.354	7662.475	14.451	8.502	0.072
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822502	45	60	Yes	501.123	12663.876	480.191	8.002	24.89	0.34
TRM-09-03	SF Quartzite	15/10/2010	H822515	45	50	Yes	9083.933	137198.217	4304.137	28.258	9.922	0.037
TRM-09-03	SF Quartzite	15/10/2010	H822515	45	96	Yes	10401.643	81341.02	4906.382	33.779	8.339	0.136
TRM-09-03	SF Quartzite	15/10/2010	H822515	45	126	Yes	15637.592	112479.507	8521.494	7.841	8.035	0.023
TRM-09-03	SF Quartzite	15/10/2010	H822516	45	126	Yes	13664.039	88273.428	6998.338	12.768	6.426	0.028
TRM-09-03	SF Quartzite	15/10/2010	H822516	45	75	Yes	10927.632	103306.645	4868.109	43.546	5.81	0.016
TRM-09-03	SF Quartzite	15/10/2010	H822517	45	75	Yes	6250.103	57695.281	2711.025	26.202	8.223	0.015
TRM-09-03	SF Quartzite	15/10/2010	H822518	45	129	Yes	759.022	21210.825	1852.61	1.047	77.839	7.111
TRM-09-03	SF Chlorite Breccia	15/10/2010	H822519	45	143	Yes	233.833	4367.632	394.444	68.948	2.331	0.343
TRM-09-03	SF Quartzite	15/10/2010	H822511	45	110	Yes	1176.194	21037.08	1446.284	57.98	4.111	0.148
TRM-09-03	SF Quartzite	15/10/2010	H822512	45	51	Yes	3879.746	69111.981	2206.031	29.108	6.922	0.08
TRM-09-03	SF Quartzite	15/10/2010	H822512	45	83	Yes	4021.001	85321.965	4445.714	46.433	7.795	0.071
TRM-09-03	SF Quartzite	15/10/2010	H822512	45	123	Yes	11827.613	101231.364	7714.405	40.151	9.284	0.028
TRM-09-03	SF Quartzite	15/10/2010	H822513	45	62	Yes	3128.36	73057.329	2838.551	27.716	5.56	0.108
TRM-09-03	SF Quartzite	15/10/2010	H822513	45	75	Yes	5906.468	76390.885	3591.7	13.241	7.498	0.046
TRM-09-03	SF Quartzite	15/10/2010	H822513	45	93	Yes	2913.291	73931.222	4316.752	76.1	7.469	0.19
TRM-09-03	SF Quartzite	15/10/2010	H822514	45	117	Yes	6433.663	64628.495	4748.91	59.623	6.515	0.023
TRM-09-03	SF Quartzite Breccia	16/10/2010	H822573	45	75	Yes	1513.255	32954.19	1544.782	39.588	6.674	0.09
TRM-09-03	SF Quartzite	16/10/2010	1m-2m	45	80	No	1123.28	22414.563	559.282	1.201	5.974	0.014

Hole	Lithology	I(uA)	Time	Stack	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10
TRM-09-02	SF Quartzite Breccia	0.498	2000	10	16.976	14.401	12.69	11.299	10.314	9.496	8.686	7.875	7.411	6.894
TRM-09-02	SF Quartzite Breccia	0.5	2000	10	23.05	19.763	17.364	15.528	14.093	12.916	11.896	11.06	10.315	9.66
TRM-09-02	SF Quartzite Breccia	0.498	2000	10	14.248	12.039	10.463	9.268	8.313	7.567	6.939	6.402	5.932	5.53
TRM-09-03	SF Chlorite Breccia	0.54	2000	10	56.835	49.518	43.049	37.909	33.632	30.957	28.55	26.659	24.805	23.321
TRM-09-03	SF Chlorite Breccia	0.497	2000	10	7.767	6.848	6.141	5.665	5.252	5.054	4.552	4.097	3.877	3.688
TRM-09-03	SF Chlorite Breccia	0.499	2000	10	14.092	12.074	10.862	9.707	8.525	7.847	7.283	6.663	6.304	5.747
TRM-09-03	SF Chlorite Breccia	0.497	2000	10	16.3	13.826	12.091	10.789	9.771	8.928	8.143	7.56	7.131	6.662
TRM-09-03	SF Quartzite	0.497	2000	10	8.782	7.619	6.766	6.098	5.579	5.108	4.782	4.504	4.201	3.943
TRM-09-03	SF Quartzite	0.498	2000	10	10.904	9.37	8.419	7.377	6.688	6.033	5.575	5.225	4.849	4.566
TRM-09-03	SF Quartzite	0.499	2000	10	7.713	5.76	5.74	4.72	4.782	3.802	3.228	2.578	2.902	3.687
TRM-09-03	SF Quartzite	0.478	2000	10	47.197	41.147	36.751	33.275	30.428	28.137	26.37	24.735	23.093	21.822
TRM-09-03	SF Chlorite Breccia	0.514	2000	10	89.423	76.675	67.3	60.718	55.424	50.201	46.057	43.475	40.909	38.612
TRM-09-03	SF Chlorite Breccia	0.473	2000	10	20.659	18.473	16.207	14.536	13.398	12.61	11.528	10.819	10.171	9.623
TRM-09-03	SF Chlorite Breccia	0.549	2000	10	50.033	43.907	39.21	35.896	32.359	29.571	27.219	25.327	23.864	22.471
TRM-09-03	SF Chlorite Breccia	0.498	2000	10	27.263	23.557	21.249	19.291	17.495	16.155	14.96	13.884	13.072	12.241
TRM-09-03	SF Chlorite Breccia	0.5	2000	10	11.905	10.116	8.887	7.827	7.176	6.778	6.525	6.06	5.743	5.461
TRM-09-03	SF Chlorite Breccia	0.5	2000	10	14.614	12.357	10.989	9.659	8.96	8.269	7.538	6.969	6.554	6.109
TRM-09-03	SF Chlorite Breccia	0.472	2000	10	18.625	15.599	13.486	11.603	10.762	10.183	9.262	8.677	8.232	7.492
TRM-09-03	SF Chlorite Breccia	0.503	2000	10	42.829	38.858	35.664	33.028	30.803	28.913	27.245	25.771	24.34	23.266
TRM-09-03	SF Quartzite	0.499	2000	10	20.812	17.892	15.832	14.211	12.917	11.808	10.917	10.141	9.404	8.808
TRM-09-03	SF Quartzite	0.5	2000	10	17.438	14.882	13.142	11.897	10.952	10.063	9.264	8.382	7.775	7.412
TRM-09-03	SF Quartzite	0.478	2000	10	17.257	14.753	12.956	11.527	10.396	9.405	8.787	8.12	7.513	7.219
TRM-09-03	SF Quartzite	0.5	2000	10	13.562	11.598	10.104	9.149	8.271	7.461	6.933	6.428	6.101	5.679
TRM-09-03	SF Quartzite	0.5	2000	10	12.356	10.753	9.306	8.422	7.506	6.936	6.479	5.939	5.426	5.082
TRM-09-03	SF Quartzite	0.498	2000	10	17.18	14.766	13.077	11.735	10.657	9.762	9.033	8.361	7.831	7.344
TRM-09-03	SF Quartzite	0.538	2000	10	135.259	121.293	112.184	103.142	95.95	89.915	84.888	80.429	76.313	72.384
TRM-09-03	SF Chlorite Breccia	0.502	2000	10	4.331	3.715	3.386	3.359	2.898	2.757	3.055	2.974	2.73	1.968
TRM-09-03	SF Quartzite	0.497	2000	10	8.657	7.243	6.523	5.848	5.446	4.583	4.043	3.876	3.745	3.61
TRM-09-03	SF Quartzite	0.498	2000	10	14.174	12.346	10.946	9.84	8.895	8.142	7.587	7.017	6.577	6.17
TRM-09-03	SF Quartzite	0.499	2000	10	16.284	13.986	12.376	11.095	10.065	9.149	8.511	7.927	7.427	6.948
TRM-09-03	SF Quartzite	0.493	2000	10	20.038	17.344	15.139	13.426	11.967	10.913	10.044	9.218	8.703	8.31
TRM-09-03	SF Quartzite	0.498	2000	10	11.924	10.198	8.895	8.079	7.749	7.173	5.799	5.405	5.356	5.204
TRM-09-03	SF Quartzite	0.499	2000	10	15.645	13.602	11.958	10.668	9.691	8.818	8.097	7.447	7.173	6.579
TRM-09-03	SF Quartzite	0.499	2000	10	15.801	13.404	11.856	10.771	9.726	8.945	8.258	7.627	7.216	6.659
TRM-09-03	SF Quartzite	0.499	2000	10	14.19	12.158	10.616	9.422	8.555	7.759	7.157	6.591	6.085	5.64
TRM-09-03	SF Quartzite Breccia	0.497	2000	10	13.985	12.06	10.634	9.548	8.667	7.952	7.331	6.796	6.335	5.913
TRM-09-03	SF Quartzite	0.496	2000	10	12.463	10.77	9.504	8.6	7.798	7.248	6.661	6.045	5.672	5.399

Hole	Lithology	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
TRM-09-02	SF Quartzite Breccia	6.458	6.17	5.682	5.556	5.165	4.859	4.706	4.488	4.096	4.107
TRM-09-02	SF Quartzite Breccia	9.084	8.587	8.105	7.693	7.339	6.993	6.681	6.392	6.139	5.883
TRM-09-02	SF Quartzite Breccia	5.177	4.867	4.619	4.372	4.134	3.93	3.737	3.568	3.41	3.263
TRM-09-03	SF Chlorite Breccia	21.811	20.455	19.353	18.265	17.094	16.479	15.787	15.127	13.211	12.779
TRM-09-03	SF Chlorite Breccia	3.383	2.976	2.854	2.722	2.652	2.554	2.366	2.346	2.106	2.079
TRM-09-03	SF Chlorite Breccia	5.307	5.013	4.741	4.695	4.678	4.539	4.115	3.862	3.647	3.639
TRM-09-03	SF Chlorite Breccia	6.201	5.886	5.471	5.105	4.875	4.68	4.524	4.34	3.912	3.313
TRM-09-03	SF Quartzite	3.702	3.408	3.123	2.857	2.704	2.634	2.6	2.511	2.437	2.358
TRM-09-03	SF Quartzite	4.268	4.083	3.918	3.571	3.485	3.4	3.189	3.026	2.897	2.782
TRM-09-03	SF Quartzite	4.367	3.76	3.869	3.772	2.615	2.268	2.649	1.928	2.565	2.384
TRM-09-03	SF Quartzite	20.908	20.14	19.18	18.047	17.139	16.581	15.947	15.427	14.805	14.096
TRM-09-03	SF Chlorite Breccia	37.452	35.662	33.944	31.676	30.289	29.365	28.003	26.439	26.195	25.416
TRM-09-03	SF Chlorite Breccia	9.157	8.67	7.892	7.656	7.433	6.871	6.593	6.281	6.084	5.933
TRM-09-03	SF Chlorite Breccia	20.909	19.91	18.923	18.016	17.186	16.235	15.755	15.226	14.491	13.967
TRM-09-03	SF Chlorite Breccia	11.17	10.569	10.125	9.507	8.852	8.59	8.232	7.63	7.365	7.141
TRM-09-03	SF Chlorite Breccia	5.069	4.544	4.444	4.088	3.783	3.718	3.695	3.543	3.318	2.975
TRM-09-03	SF Chlorite Breccia	5.699	5.357	5.001	4.836	4.626	4.253	3.868	3.739	3.555	3.602
TRM-09-03	SF Chlorite Breccia	6.95	6.672	6.184	6.171	6.001	5.795	5.479	4.884	4.466	4.354
TRM-09-03	SF Chlorite Breccia	22.315	21.226	20.319	19.646	18.871	17.899	17.277	16.632	16.031	15.963
TRM-09-03	SF Quartzite	8.257	7.878	7.47	6.942	6.661	6.337	6.008	5.721	5.486	5.264
TRM-09-03	SF Quartzite	7.093	6.645	6.314	6.089	5.749	5.315	5.062	4.696	4.606	4.392
TRM-09-03	SF Quartzite	6.629	6.258	5.993	5.725	5.331	5.04	4.894	4.722	4.549	4.181
TRM-09-03	SF Quartzite	5.438	5.193	4.69	4.489	4.252	4.223	3.97	3.773	3.668	3.523
TRM-09-03	SF Quartzite	4.8	4.524	4.251	4.144	3.864	3.698	3.475	3.368	3.247	3.028
TRM-09-03	SF Quartzite	6.856	6.432	6.115	5.811	5.474	5.215	4.985	4.796	4.583	4.395
TRM-09-03	SF Quartzite	69.178	65.99	63.542	60.904	58.472	56.736	54.814	53.044	51.749	50.599
TRM-09-03	SF Chlorite Breccia	2.076	2.311	1.204	0.893	1.253	1.576	1.985	1.61	1.456	1.489
TRM-09-03	SF Quartzite	3.585	3.649	3.349	2.972	2.838	2.752	2.817	2.484	2.544	2.228
TRM-09-03	SF Quartzite	5.814	5.491	5.182	4.907	4.67	4.369	4.217	4.079	3.848	3.648
TRM-09-03	SF Quartzite	6.499	6.158	5.881	5.553	5.29	5.035	4.819	4.546	4.416	4.27
TRM-09-03	SF Quartzite	7.949	7.258	6.714	6.385	6.015	5.707	5.47	5.312	5.142	4.886
TRM-09-03	SF Quartzite	4.388	4.152	4.182	3.941	3.791	3.389	3.391	3.281	3.384	2.994
TRM-09-03	SF Quartzite	6.206	5.877	5.55	5.222	5.017	4.83	4.651	4.439	4.211	4.014
TRM-09-03	SF Quartzite	6.413	6.135	5.617	5.41	5.145	4.668	4.417	4.27	4.019	3.936
TRM-09-03	SF Quartzite	5.28	4.882	4.646	4.449	4.315	4.078	3.881	3.721	3.615	3.483
TRM-09-03	SF Quartzite Breccia	5.568	5.239	4.945	4.675	4.447	4.225	4.03	3.867	3.709	3.543
TRM-09-03	SF Quartzite	4.986	4.678	4.501	4.251	4.005	3.956	3.673	3.438	3.28	3.141

Hole	Lithology	Date	CoreID	D(mm)	I(mm)	Half	Contact(kOhm)	Rho(Ohm*m)	Vp(mV)	ErrVp	M	ErrM
TRM-09-03	SF Quartzite	16/10/2010	2m-3m	45	164	No	14028.007	145191.194	7271.3	4.819	16.735	0.165
TRM-09-03	SF Quartzite	16/10/2010	3m-4m	45	55	No	5878.015	154725.616	2663.86	29.272	14.527	0.089
TRM-09-03	SF Quartzite	16/10/2010	4m-5m	45	46	No	1651.817	58511.088	839.767	1.397	9.152	0.559
TRM-09-03	SF Quartzite	16/10/2010	5m-6m	45	127	No	1918.55	57892.341	2300.782	81.031	5.822	0.106
TRM-09-03	SF Quartzite	16/10/2010	6m-7m	45	184	No	4634.68	52349.056	3015.957	15.953	22.399	0.141
TRM-09-03	SF Quartzite	16/10/2010	7m-8m	45	233	No	7106.482	53559.223	3916.001	6.255	7.258	0.036
TRM-09-03	SF Quartzite	16/10/2010	8m-9m	45	84	No	1818.008	37366.461	979.344	0.401	11.613	0.008
TRM-09-04	SF Quartzite Breccia	16/10/2010	H822557	45	155	Yes	1868.269	67626.975	6188.281	1.104	12.731	2.954
TRM-09-05	SF Quartzite Breccia	16/10/2010	H822557	45	88	Yes	9610.174	142369.579	7739.799	5.636	8.886	0.008
TRM-09-06	SF Quartzite Breccia	16/10/2010	H822558	45	120	Yes	885.309	6712.049	509.208	1.774	62.827	0.155
TRM-09-07	SF Quartzite Breccia	16/10/2010	H822559	45	175	Yes	1240.682	18331.321	2006.155	23.003	33.724	0.447
TRM-09-08	SF Quartzite Breccia	16/10/2010	H822562	45	100	Yes	180.205	4553.422	285.902	43.102	44.035	2.107
TRM-09-09	SF Chloritized Quartzite	16/10/2010	H822563	45	140	Yes	493.441	3327.057	292.956	5.276	24.661	0.236
TRM-09-10	SF Quartzite Breccia	16/10/2010	H822564	45	200	Yes	1106.627	15301.683	1914.294	99.999	34.168	1.278
TRM-09-13	Chlorite Breccia	16/10/2010	E506991	45	125	Yes	1485.515	7917.599	617.412	14.401	0.709	0.034
TRM-09-13	Chlorite Breccia	16/10/2010	E506992	45	87	Yes	912.809	9221.241	508.123	5.009	1.316	0.015
TRM-09-13	Chlorite Breccia	16/10/2010	E506993	45	185	Yes	1447.595	7082.548	817.353	9.503	1.489	0.006
TRM-09-13	Chlorite Breccia	16/10/2010	E506994	45	44	Yes	93.626	1598.793	43.882	0.895	1.053	0.173
TRM-09-13	Chlorite Breccia	16/10/2010	E506995	45	77	Yes	1121.489	11476.579	551.14	22.919	2.007	0.09
TRM-09-13	Chlorite Breccia	16/10/2010	E506995	45	102	Yes	565.142	5464.712	350.035	7.086	2.704	0.256
TRM-09-13	Chlorite Breccia	16/10/2010	E506996	45	140	Yes	1865.177	20331.164	1779.603	99.999	2.164	0.155
TRM-09-13	Chlorite Breccia	16/10/2010	E506996	45	108	Yes	1275.322	18505.344	1248.161	99.999	2.393	0.107
TRM-09-13	Chlorite Breccia	16/10/2010	E506997	45	79	Yes	1179.654	20409.904	1006.57	62.913	2.475	0.157
TRM-09-13	Chlorite Breccia	16/10/2010	E506986	45	143	Yes	3461.073	44846.858	4024.536	99.999	8.701	0.519
TRM-09-13	Chlorite Breccia	16/10/2010	E506986	45	77	Yes	335.692	3542.949	170.972	0.05	2.333	0.225
TRM-09-13	Chlorite Breccia	16/10/2010	E506987	45	187	Yes	1049.907	6968.077	812.711	30.393	2.199	0.221
TRM-09-13	Chlorite Breccia	16/10/2010	E506987	45	103	Yes	825.397	11510.175	754.749	53.451	1.656	0.068
TRM-09-13	Chlorite Breccia	16/10/2010	E506988	45	92	Yes	3180.433	41862.467	2408.965	13.662	7.388	0.246
TRM-09-13	Chlorite Breccia	16/10/2010	E506989	45	115	Yes	11559.955	104310.429	7482.704	61.554	3.924	0.016
TRM-09-13	Chlorite Breccia	16/10/2010	E506999	45	67	Yes	1815.748	39761.656	1665.491	44.658	7.721	0.109
TRM-09-13	Chlorite Breccia	16/10/2010	E506999	45	75	Yes	1217.375	22419.015	1076.942	41.286	2.599	0.149
TRM-09-13	Chlorite Breccia	16/10/2010	E506999	45	182	Yes	2544.387	17918.834	2039.468	55.544	3.975	0.014
TRM-09-13	Chlorite Breccia	16/10/2010	E506501	45	105	Yes	10217.637	68183.096	4493.945	24.27	6.622	0.016
TRM-09-18	Chlorite Breccia	16/10/2010	E506704	45	171	Yes	1110.836	6626.006	707.282	17.935	15.284	0.207
TRM-09-18	Chlorite Breccia	16/10/2010	E506704	45	117	Yes	124.332	850.48	62.214	0.115	8.62	0.061
TRM-09-18	EF Limestone	16/10/2010	74.18m-75m	45	117	No	206.077	3050.088	111.584	0.232	15.392	0.096
TRM-09-18	EF Limestone	16/10/2010	74.18m-75m	45	131	No	112.342	1378.052	56.789	0.009	4.672	0.106

Hole	Lithology	I(uA)	Time	Stack	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10
TRM-09-03	SF Quartzite	0.486	2000	10	33.465	28.715	25.567	23.144	20.998	19.396	17.941	16.765	15.682	14.839
TRM-09-03	SF Quartzite	0.498	2000	10	30.207	26.06	23.043	20.676	18.817	17.32	16.036	14.684	13.704	12.888
TRM-09-03	SF Quartzite	0.496	2000	10	18.182	15.959	14.299	13.05	11.371	10.489	9.582	8.983	8.344	8.312
TRM-09-03	SF Quartzite	0.498	2000	10	12.141	10.504	9.277	8.342	7.563	6.936	6.391	5.92	5.518	5.169
TRM-09-03	SF Quartzite	0.498	2000	10	44.69	39.067	34.823	31.365	28.689	26.3	24.359	22.683	21.335	20.12
TRM-09-03	SF Quartzite	0.499	2000	10	15.27	13.164	11.639	10.418	9.439	8.652	8.009	7.377	6.966	6.566
TRM-09-03	SF Quartzite	0.496	2000	10	21.955	19.346	17.483	15.955	14.731	13.639	12.732	11.953	11.255	10.613
TRM-09-04	SF Quartzite Breccia	0.469	2000	10	26.676	22.848	20.125	18.032	16.353	14.989	13.771	12.8	11.806	11.074
TRM-09-05	SF Quartzite Breccia	0.491	2000	10	18.364	15.821	13.982	12.555	11.426	10.489	9.699	9.024	8.426	7.896
TRM-09-06	SF Quartzite Breccia	0.503	2000	10	108.082	97.626	89.503	82.877	77.316	72.575	68.474	64.858	61.655	58.742
TRM-09-07	SF Quartzite Breccia	0.497	2000	10	58.785	52.945	48.435	44.742	41.674	39.048	36.789	34.832	33.069	31.48
TRM-09-08	SF Quartzite Breccia	0.499	2000	10	76.366	68.93	63.354	58.594	54.171	51.181	48.198	45.537	43.415	41.051
TRM-09-09	SF Chloritized Quartzite	0.5	2000	10	50.03	43.426	38.287	34.346	31.383	28.8	27.102	25.037	23.621	23.046
TRM-09-10	SF Quartzite Breccia	0.497	2000	10	59.819	53.73	49.025	45.29	42.121	39.541	37.245	35.053	33.163	31.523
TRM-09-13	Chlorite Breccia	0.496	2000	10	1.557	1.342	1.175	1.073	0.962	0.85	0.782	0.706	0.674	0.618
TRM-09-13	Chlorite Breccia	0.504	2000	10	2.761	2.419	2.135	1.921	1.701	1.528	1.453	1.341	1.239	1.168
TRM-09-13	Chlorite Breccia	0.496	2000	10	3.193	2.752	2.41	2.14	1.944	1.779	1.622	1.477	1.391	1.299
TRM-09-13	Chlorite Breccia	0.496	2000	10	2.389	2.051	1.682	1.44	1.39	1.35	1.174	0.975	0.973	0.815
TRM-09-13	Chlorite Breccia	0.496	2000	10	3.923	4.491	3.444	3.055	3.381	2.69	2.013	1.588	1.696	2.126
TRM-09-13	Chlorite Breccia	0.499	2000	10	5.288	4.579	4.141	3.782	3.417	3.181	2.966	2.732	2.586	2.424
TRM-09-13	Chlorite Breccia	0.497	2000	10	4.771	4.094	3.583	3.185	2.831	2.584	2.383	2.197	2.046	1.896
TRM-09-13	Chlorite Breccia	0.497	2000	10	4.941	4.271	3.833	3.403	3.163	2.934	2.628	2.406	2.299	2.281
TRM-09-13	Chlorite Breccia	0.496	2000	10	5.013	4.367	3.873	3.469	3.172	2.89	2.674	2.524	2.359	2.207
TRM-09-13	Chlorite Breccia	0.499	2000	10	18.951	16.208	14.14	12.523	11.313	10.396	9.512	8.674	8.052	7.623
TRM-09-13	Chlorite Breccia	0.498	2000	10	4.624	4.02	3.575	3.239	2.983	2.704	2.479	2.322	2.209	2.093
TRM-09-13	Chlorite Breccia	0.496	2000	10	4.164	3.951	3.77	3.301	2.914	3.096	2.533	1.976	1.786	1.898
TRM-09-13	Chlorite Breccia	0.506	2000	10	3.334	2.884	2.55	2.297	2.126	1.99	1.86	1.76	1.651	1.508
TRM-09-13	Chlorite Breccia	0.497	2000	10	17.45	14.58	12.593	11.094	9.754	9.169	8.461	7.664	6.579	6.217
TRM-09-13	Chlorite Breccia	0.496	2000	10	8.584	7.28	6.342	5.637	5.087	4.64	4.264	3.952	3.672	3.419
TRM-09-13	Chlorite Breccia	0.497	2000	10	15.72	13.717	12.075	10.645	9.75	9.174	8.436	7.79	7.325	6.864
TRM-09-13	Chlorite Breccia	0.509	2000	10	5.449	4.696	4.135	3.731	3.391	3.07	2.838	2.605	2.439	2.306
TRM-09-13	Chlorite Breccia	0.497	2000	10	8.251	7.159	6.344	5.62	5.126	4.768	4.397	4.06	3.734	3.498
TRM-09-13	Chlorite Breccia	0.499	2000	10	14.081	12.099	10.629	9.546	8.626	7.866	7.211	6.685	6.232	5.831
TRM-09-18	Chlorite Breccia	0.496	2000	10	31.029	27.106	24.61	22.073	19.982	18.337	16.84	15.665	14.701	13.664
TRM-09-18	Chlorite Breccia	0.497	2000	10	20.355	17.174	14.807	13.126	11.631	10.424	9.48	8.657	8.021	7.468
TRM-09-18	EF Limestone	0.497	2000	10	33.605	28.84	25.329	22.498	20.23	18.41	16.853	15.572	14.423	13.439
TRM-09-18	EF Limestone	0.5	2000	10	9.979	8.482	7.688	6.92	6.148	5.581	5.128	4.627	4.288	4.138

Hole	Lithology	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
TRM-09-03	SF Quartzite	14.032	13.426	12.821	12.252	11.754	11.33	10.97	10.547	10.144	9.726
TRM-09-03	SF Quartzite	11.975	11.371	10.912	10.369	9.884	9.344	9.053	8.475	7.941	7.634
TRM-09-03	SF Quartzite	7.812	7.503	7.152	7.129	7.159	7.025	6.458	6.195	6.245	5.246
TRM-09-03	SF Quartzite	4.851	4.576	4.329	4.085	3.891	3.709	3.539	3.359	3.233	3.116
TRM-09-03	SF Quartzite	18.937	17.986	16.969	16.164	15.432	14.705	14.153	13.522	13.007	12.538
TRM-09-03	SF Quartzite	6.014	5.732	5.393	5.043	4.799	4.612	4.346	4.168	3.995	3.764
TRM-09-03	SF Quartzite	10.073	9.509	9.103	8.695	8.293	7.918	7.63	7.334	7.075	6.809
TRM-09-04	SF Quartzite Breccia	10.371	10.307	9.617	9.06	8.69	8.197	7.848	7.459	7.409	7.124
TRM-09-05	SF Quartzite Breccia	7.445	7.04	6.673	6.341	6.043	5.768	5.516	5.299	5.085	4.878
TRM-09-06	SF Quartzite Breccia	56.149	53.775	51.6	49.636	47.812	46.129	44.554	43.096	41.734	40.458
TRM-09-07	SF Quartzite Breccia	30.033	28.7	27.529	26.395	25.434	24.529	23.689	22.876	22.134	21.435
TRM-09-08	SF Quartzite Breccia	39.272	37.64	36.043	34.71	33.282	31.861	30.768	29.91	28.541	27.583
TRM-09-09	SF Chloritized Quartzite	21.275	19.823	19.112	17.94	17.179	17.231	16.683	15.225	14.495	13.547
TRM-09-10	SF Quartzite Breccia	30.227	29.111	28.089	26.93	25.874	24.891	24.109	23.332	22.544	21.742
TRM-09-13	Chlorite Breccia	0.558	0.522	0.546	0.467	0.396	0.468	0.404	0.419	0.422	0.362
TRM-09-13	Chlorite Breccia	1.066	1.03	0.971	0.943	0.888	0.838	0.819	0.776	0.723	0.704
TRM-09-13	Chlorite Breccia	1.198	1.152	1.079	1.029	1.001	0.93	0.866	0.871	0.845	0.8
TRM-09-13	Chlorite Breccia	0.815	0.785	0.689	0.732	0.687	0.58	0.549	0.575	0.487	0.518
TRM-09-13	Chlorite Breccia	1.597	1.378	1.576	1.523	1.489	1.51	1.7	2.078	1.069	0.625
TRM-09-13	Chlorite Breccia	2.279	2.169	2.025	1.938	1.848	1.762	1.719	1.663	1.598	1.624
TRM-09-13	Chlorite Breccia	1.777	1.649	1.564	1.467	1.387	1.299	1.26	1.2	1.148	1.101
TRM-09-13	Chlorite Breccia	2.085	2.037	1.896	1.792	1.617	1.625	1.586	1.424	1.348	1.336
TRM-09-13	Chlorite Breccia	2.064	1.977	1.869	1.777	1.688	1.616	1.545	1.477	1.416	1.351
TRM-09-13	Chlorite Breccia	7.133	6.742	6.292	5.961	5.604	5.281	5.04	4.893	4.617	4.411
TRM-09-13	Chlorite Breccia	1.914	1.865	1.807	1.843	1.717	1.666	1.613	1.599	1.599	1.55
TRM-09-13	Chlorite Breccia	1.556	1.834	1.993	1.516	1.345	1.488	1.663	1.468	1.592	1.494
TRM-09-13	Chlorite Breccia	1.395	1.311	1.242	1.17	1.14	1.102	1.048	1.037	1.007	0.976
TRM-09-13	Chlorite Breccia	6.009	5.812	5.337	4.872	5.186	4.708	4.312	3.821	3.25	3.21
TRM-09-13	Chlorite Breccia	3.219	3.038	2.864	2.705	2.571	2.445	2.331	2.229	2.129	2.033
TRM-09-13	Chlorite Breccia	6.649	6.118	5.953	5.477	5.228	5.132	4.858	4.711	4.401	4.181
TRM-09-13	Chlorite Breccia	2.223	2.074	1.953	1.825	1.745	1.685	1.652	1.592	1.536	1.418
TRM-09-13	Chlorite Breccia	3.351	3.182	3.005	2.836	2.596	2.523	2.473	2.307	2.249	2.071
TRM-09-13	Chlorite Breccia	5.498	5.172	4.89	4.606	4.382	4.187	3.956	3.83	3.664	3.508
TRM-09-18	Chlorite Breccia	12.729	12.179	11.622	10.77	10.255	9.896	9.386	8.946	8.555	8.12
TRM-09-18	Chlorite Breccia	6.903	6.321	5.931	5.493	5.163	4.882	4.599	4.312	4.033	3.872
TRM-09-18	EF Limestone	12.624	11.797	11.092	10.489	9.886	9.359	8.896	8.444	8.042	7.65
TRM-09-18	EF Limestone	3.718	3.702	3.389	3.263	3.107	2.898	2.72	2.687	2.488	2.391

Hole	Lithology	Date	CoreID	D(mm)	l(mm)	Half	Contact(kOhm)	Rho(Ohm*m)	Vp(mV)	ErrVp	M	ErrM
TRM-09-18	EF Limestone	16/10/2010	75m-76m	45	144	No	358.318	4134.017	186.338	0.469	5.857	0.217
TRM-09-18	EF Limestone	16/10/2010	75m-76m	45	137	No	142.411	1700.844	73.223	0.1	3.731	0.069
TRM-09-18	EF Limestone	16/10/2010	76m-77m	45	176	No	463.151	4715.963	261.81	3.692	6.154	0.066
TRM-09-18	EF Limestone	16/10/2010	77m-78m	45	141	No	230.579	2765.4	122.002	0.439	2.928	0.076
TRM-09-18	Chlorite Breccia	16/10/2010	E506697	45	141	Yes	1225.654	9354.126	823.234	44.734	2.952	0.144
TRM-09-18	Chlorite Breccia	16/10/2010	E506697	45	110	Yes	464.416	3682.049	255.402	1.775	21.14	0.193
TRM-09-18	Chlorite Breccia	16/10/2010	E506698	45	225	Yes	1237.822	4662.071	654.425	4.313	2.398	0.026
TRM-09-18	Chlorite Breccia	16/10/2010	E506699	45	196	Yes	1038.152	4395.151	537.464	1.806	2.122	0.015
TRM-09-18	Chlorite Breccia	16/10/2010	E506701	45	170	Yes	307.612	1283.542	136.003	1.911	13.302	0.173
TRM-09-18	Chlorite Breccia	16/10/2010	E506702	45	105	Yes	209.578	1754.755	115.089	1.139	14.584	0.038
TRM-09-18	SF Quartzite	16/10/2010	E506692	45	147	Yes	674.857	3746.745	345.693	2.859	2.234	0.02
TRM-09-18	SF Quartzite	16/10/2010	E506692	45	105	Yes	485.685	4022.003	266.172	4.631	2.302	0.095
TRM-09-18	SF Quartzite	16/10/2010	E506693	45	145	Yes	657.712	4215.596	384.801	6.326	2.133	0.027
TRM-09-18	Chlorite Breccia	16/10/2010	E506694	45	160	Yes	308.479	3038.043	307.799	28.667	34.819	1.59
TRM-09-18	Chlorite Breccia	16/10/2010	E506695	45	195	Yes	516.482	2941.179	361.187	14.99	40.395	0.708
TRM-09-18	Chlorite Breccia	16/10/2010	E506696	45	335	Yes	1290.024	4281.11	895.083	47.656	4.108	0.166
TRM-10-06	Chlorite Breccia	16/10/2010	E506893	45	55	Yes	811.041	82611.925	3027.489	87.958	5.386	0.145
TRM-10-06	Chlorite Breccia	16/10/2010	E506894	45	45	Yes	9618.538	5462.743	153.243	22.374	0.47	0.087
TRM-10-06	Chlorite Breccia	16/10/2010	E506895	45	89	Yes	110.799	4890.214	273.974	14.513	2.023	0.199
TRM-10-06	Chlorite Breccia	16/10/2010	E506895	45	144	Yes	1463.849	28594.865	2579.131	99.999	3.148	0.44
TRM-10-06	Chlorite Breccia	16/10/2010	E506898	45	105	Yes	43607.825	301854.838	7486.038	99.999	72.424	4.505
TRM-10-06	Chlorite Breccia	16/10/2010	E506899	45	128	Yes	1980.613	206299.227	7208.389	16.699	41.675	1.94
TRM-10-06	Chlorite Breccia	16/10/2010	E506899	45	91	Yes	4992.739	200349.977	9728.811	97.81	8.732	0.175
TRM-10-06	Chlorite Breccia	16/10/2010	E504003	45	154	Yes	83970.404	561426.023	12803.588	2.62	30.554	0.127
TRM-10-06	Chlorite Breccia	16/10/2010	E504004	45	204	Yes	41529.606	2416263.145	13359.199	8.477	53.42	0.939
TRM-10-06	Chlorite Breccia	16/10/2010	E504005	45	75	Yes	16522.071	222561.571	6146.622	99.999	25.398	0.604
TRM-10-06	Chlorite Breccia	16/10/2010	E504005	45	102	Yes	35286.628	295517.984	11022.305	4.82	37.059	0.573
TRM-10-06	Chlorite Breccia	16/10/2010	E504006	45	95	Yes	860.749	44875.467	2112.006	4.478	28.529	9.999
TRM-10-06	Chlorite Breccia	16/10/2010	E504007	45	95	Yes	34881.518	309108.91	8454.589	75.339	105.79	3.225
TRM-10-06	Chlorite Breccia	16/10/2010	E504008	45	85	Yes	88322.83	827591.651	12620.022	2.359	17.503	0.181
TRM-10-06	Chlorite Breccia	16/10/2010	E504009	45	80	Yes	810.936	38114.271	1979.406	99.999	62.162	0.518
TRM-10-06	Chlorite Breccia	16/10/2010	E504009	45	215	Yes	1209.094	16298.008	2175.316	6.515	134.499	9.999
TRM-10-06	Chlorite Breccia	16/10/2010	E504011	45	110	Yes	1168.737	19387.027	1332.341	99.999	1.477	0.189
TRM-10-06	Chlorite Breccia	16/10/2010	E504012	45	112	Yes	1138.798	29083.363	2014.009	3.517	8.505	2.078
TRM-10-06	Chlorite Breccia	16/10/2010	E504013	45	140	Yes	1162.427	49273.454	4230.484	99.999	46.14	9.999
TRM-10-07	Chlorite Breccia	15/10/2010	E504029	45	146	Yes	528.016	2985.176	273.53	1.01	0.38	0.018
TRM-10-07	Chlorite Breccia	15/10/2010	E504029	45	180	Yes	474.598	2284.596	258.307	1.113	25.372	0.148

Hole	Lithology	I(uA)	Time	Stack	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10
TRM-09-18	EF Limestone	0.498	2000	10	11.757	10.153	9.209	8.258	7.495	6.956	6.467	6.049	5.554	5.146
TRM-09-18	EF Limestone	0.5	2000	10	8.189	7.031	6.176	5.47	4.909	4.444	4.096	3.761	3.524	3.35
TRM-09-18	EF Limestone	0.502	2000	10	12.78	11.096	9.898	8.889	8.429	7.587	6.688	6.34	5.964	5.704
TRM-09-18	EF Limestone	0.498	2000	10	6.36	5.447	4.92	4.219	3.902	3.438	3.133	2.928	2.839	2.565
TRM-09-18	Chlorite Breccia	0.496	2000	10	6.042	5.132	4.49	4.026	3.705	3.369	3.067	2.853	2.713	2.606
TRM-09-18	Chlorite Breccia	0.501	2000	10	37.236	33.462	30.54	28.185	26.208	24.537	23.103	21.806	20.657	19.684
TRM-09-18	Chlorite Breccia	0.496	2000	10	4.979	4.31	3.809	3.424	3.121	2.861	2.635	2.466	2.302	2.158
TRM-09-18	Chlorite Breccia	0.496	2000	10	4.449	3.837	3.37	3.028	2.77	2.531	2.331	2.124	1.99	1.875
TRM-09-18	Chlorite Breccia	0.496	2000	10	23.664	21.207	19.331	17.867	16.581	15.48	14.69	13.652	12.96	12.464
TRM-09-18	Chlorite Breccia	0.497	2000	10	25.611	23.002	20.976	19.359	17.991	16.928	15.843	15.018	14.236	13.562
TRM-09-18	SF Quartzite	0.499	2000	10	4.593	3.998	3.524	3.166	2.876	2.622	2.422	2.279	2.122	1.981
TRM-09-18	SF Quartzite	0.501	2000	10	4.709	4.109	3.607	3.253	2.964	2.722	2.534	2.358	2.199	2.047
TRM-09-18	SF Quartzite	0.501	2000	10	4.449	3.83	3.381	3.026	2.762	2.523	2.349	2.18	1.996	1.871
TRM-09-18	Chlorite Breccia	0.504	2000	10	59.225	53.648	49.356	45.743	42.813	40.24	38.023	36.052	34.296	32.71
TRM-09-18	Chlorite Breccia	0.501	2000	10	73.941	66.438	60.328	54.986	51.104	47.519	44.234	41.677	39.314	37.428
TRM-09-18	Chlorite Breccia	0.496	2000	10	8.854	7.485	6.756	6.182	5.207	4.985	4.665	3.763	3.909	3.671
TRM-10-06	Chlorite Breccia	0.53	2000	10	10.853	9.44	8.359	7.451	6.792	6.211	5.759	5.364	5.129	4.879
TRM-10-06	Chlorite Breccia	0.496	2000	10	0.917	0.847	0.796	0.732	0.768	0.636	0.551	0.49	0.439	0.412
TRM-10-06	Chlorite Breccia	0.501	2000	10	3.393	2.888	3.119	2.571	1.676	3.298	2.598	3.588	3.841	1.542
TRM-10-06	Chlorite Breccia	0.498	2000	10	6.986	5.926	5.145	4.525	4.33	4.066	3.475	3.505	3.192	2.9
TRM-10-06	Chlorite Breccia	0.188	2000	10	180.112	148.605	125.617	108.321	95.4	83.875	77.482	70.276	65.307	64
TRM-10-06	Chlorite Breccia	0.217	2000	10	110.964	86.467	71.944	61.837	55.075	49.817	44.739	40.045	36.307	32.489
TRM-10-06	Chlorite Breccia	0.424	2000	10	18.924	16.103	14.167	12.659	11.411	10.38	9.535	8.772	8.166	7.688
TRM-10-06	Chlorite Breccia	0.118	2000	10	101.882	72.353	56.05	45.938	39.075	34.08	30.268	27.2	24.647	22.555
TRM-10-06	Chlorite Breccia	0.022	2000	10	247.867	170.486	123.211	90.808	69.57	55.428	45.185	38.241	33.035	28.911
TRM-10-06	Chlorite Breccia	0.293	2000	10	60.664	49.203	41.84	36.883	32.788	30.383	27.096	24.869	22.139	20.747
TRM-10-06	Chlorite Breccia	0.291	2000	10	72.561	63.431	56.5	51.18	46.875	43.348	40.39	37.729	35.457	33.542
TRM-10-06	Chlorite Breccia	0.394	2000	10	80.682	62.106	51.501	42.192	36.541	32.581	29.841	25.425	23.345	22.629
TRM-10-06	Chlorite Breccia	0.229	2000	10	169.28	148.494	137.507	131.449	124.461	115.321	110.996	110.255	108.382	100.171
TRM-10-06	Chlorite Breccia	0.143	2000	10	50.104	36.029	28.985	24.741	21.8	19.927	18.228	16.647	15.165	14.159
TRM-10-06	Chlorite Breccia	0.516	2000	10	110.351	98.757	90.106	83.112	77.148	72.341	68.252	64.433	61.104	58.063
TRM-10-06	Chlorite Breccia	0.494	2000	10	234.168	210.44	192.229	177.554	165.389	155.011	146.081	138.321	131.408	125.267
TRM-10-06	Chlorite Breccia	0.497	2000	10	3.122	2.65	2.334	2.076	1.884	1.732	1.607	1.445	1.382	1.295
TRM-10-06	Chlorite Breccia	0.492	2000	10	27.627	23.108	19.392	16.21	13.505	11.281	9.182	7.396	6.479	5.116
TRM-10-06	Chlorite Breccia	0.488	2000	10	70.801	63.086	58.759	55.483	52.275	50.179	48.285	46.502	45.125	44.315
TRM-10-07	Chlorite Breccia	0.499	2000	10	0.879	0.701	0.602	0.558	0.456	0.434	0.384	0.337	0.279	0.241
TRM-10-07	Chlorite Breccia	0.5	2000	10	45.955	41.127	37.394	34.348	31.841	29.672	27.804	26.16	24.749	23.392

Hole	Lithology	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
TRM-09-18	EF Limestone	4.96	4.852	4.383	4.513	3.876	3.754	3.718	3.521	3.368	3.352
TRM-09-18	EF Limestone	2.967	2.803	2.68	2.572	2.332	2.196	2.113	2.049	1.868	1.769
TRM-09-18	EF Limestone	5.252	5.057	4.714	4.062	4.102	3.81	3.761	3.52	3.4	3.254
TRM-09-18	EF Limestone	2.384	2.307	2.221	1.939	1.927	1.786	1.884	1.658	1.538	1.409
TRM-09-18	Chlorite Breccia	2.557	2.464	2.313	2.199	2.082	1.992	1.901	1.806	1.712	1.505
TRM-09-18	Chlorite Breccia	18.794	17.917	17.185	16.471	15.8	15.24	14.719	14.211	13.739	13.313
TRM-09-18	Chlorite Breccia	1.994	1.9	1.776	1.671	1.564	1.514	1.466	1.405	1.339	1.289
TRM-09-18	Chlorite Breccia	1.745	1.614	1.542	1.459	1.417	1.359	1.296	1.223	1.17	1.119
TRM-09-18	Chlorite Breccia	11.726	11.245	10.761	9.98	10.188	9.324	9.399	8.597	8.427	8.08
TRM-09-18	Chlorite Breccia	12.941	12.358	11.872	11.426	10.986	10.561	10.216	9.861	9.514	9.24
TRM-09-18	SF Quartzite	1.862	1.781	1.685	1.597	1.52	1.448	1.371	1.307	1.244	1.198
TRM-09-18	SF Quartzite	1.925	1.839	1.732	1.637	1.561	1.498	1.454	1.394	1.333	1.275
TRM-09-18	SF Quartzite	1.747	1.653	1.576	1.498	1.441	1.353	1.318	1.277	1.205	1.144
TRM-09-18	Chlorite Breccia	31.258	29.932	28.77	27.692	26.571	25.604	24.752	23.93	23.181	22.344
TRM-09-18	Chlorite Breccia	35.674	33.631	32.048	30.594	29.298	28.04	26.767	25.786	25.025	24.07
TRM-09-18	Chlorite Breccia	3.211	3.978	3.156	3.321	2.591	2.71	2.331	2.15	2.231	2.059
TRM-10-06	Chlorite Breccia	4.621	4.38	4.181	4.006	3.829	3.628	3.354	3.132	3.006	2.93
TRM-10-06	Chlorite Breccia	0.315	0.339	0.319	0.289	0.305	0.297	0.362	0.382	0.401	0.443
TRM-10-06	Chlorite Breccia	2.257	4.309	0.686	1.31	3.127	2.076	2.009	3.213	1.801	1.144
TRM-10-06	Chlorite Breccia	3.357	2.832	2.59	2.406	2.08	2.039	2.033	1.859	1.888	1.897
TRM-10-06	Chlorite Breccia	60.7	55.424	51.598	49.851	47.615	40.511	36.973	35.501	34.673	34.619
TRM-10-06	Chlorite Breccia	28.761	27.008	25.159	23.903	22.478	21.143	19.315	18.092	17.06	16.236
TRM-10-06	Chlorite Breccia	7.235	6.848	6.452	6.029	5.755	5.438	5.146	4.874	4.685	4.489
TRM-10-06	Chlorite Breccia	20.772	19.237	17.904	16.747	15.724	14.816	14.008	13.283	12.617	11.997
TRM-10-06	Chlorite Breccia	25.214	22.058	20.149	19.226	16.845	15.71	14.729	13.811	13.779	11.853
TRM-10-06	Chlorite Breccia	19.304	18.88	17.921	17.266	15.877	16.091	14.735	13.691	12.568	11.772
TRM-10-06	Chlorite Breccia	31.706	29.934	28.472	27.233	26.111	25.073	23.94	22.887	22.046	21.183
TRM-10-06	Chlorite Breccia	21.116	19.631	19.397	17.642	16.143	15.414	14.41	14.789	12.358	12.829
TRM-10-06	Chlorite Breccia	96.622	92.585	89.118	87.991	88.712	86.912	84.18	82.397	79.98	78.903
TRM-10-06	Chlorite Breccia	13.515	12.699	11.991	11.263	10.711	10.174	9.587	9.076	8.505	8.155
TRM-10-06	Chlorite Breccia	55.058	52.558	50.371	48.696	46.426	44.603	42.986	41.431	40.016	38.656
TRM-10-06	Chlorite Breccia	119.695	114.627	110.037	105.873	102.028	98.528	95.237	92.12	89.331	86.628
TRM-10-06	Chlorite Breccia	1.234	1.167	1.088	1.046	0.98	0.924	0.925	0.907	0.926	0.826
TRM-10-06	Chlorite Breccia	3.272	3.61	3.016	2.821	3.101	3.4	2.826	2.651	2.81	2.616
TRM-10-06	Chlorite Breccia	42.503	41.654	40.741	39.637	39.25	38.953	37.954	36.519	35.594	35.188
TRM-10-07	Chlorite Breccia	0.293	0.327	0.265	0.246	0.267	0.271	0.228	0.295	0.243	0.179
TRM-10-07	Chlorite Breccia	22.19	21.228	20.428	19.547	18.728	18.002	17.326	16.707	16.133	15.596

Hole	Lithology	Date	CoreID	D(mm)	l(mm)	Half	Contact(kOhm)	Rho(Ohm*m)	Vp(mV)	ErrVp	M	ErrM
TRM-10-07	Chlorite Breccia	15/10/2010	E504029	45	69	Yes	284.117	3211.534	138.626	0.715	25.32	0.089
TRM-10-07	Chlorite Breccia	15/10/2010	E504031	45	92	Yes	135.776	1265.179	72.886	0.549	17.617	0.147
TRM-10-07	Chlorite Breccia	15/10/2010	E504031	45	46	Yes	51.717	968.478	27.785	0.071	76.133	0.273
TRM-10-07	Chlorite Breccia	15/10/2010	E504031	45	69	Yes	0.955	15.101	0.653	0.01	263.063	8.993
TRM-10-07	Chlorite Breccia	15/10/2010	E504032	45	96	Yes	228.115	2393.991	143.625	2.258	18.425	0.042
TRM-10-07	Chlorite Breccia	15/10/2010	E504032	45	112	Yes	1904.827	39146.694	2746.55	99.999	35.107	0.544
TRM-10-07	Chlorite Breccia	15/10/2010	E504032	45	111	Yes	939.368	11673.705	824.827	61.936	13.432	0.581
TRM-10-07	Chlorite Breccia	15/10/2010	E504032	45	123	Yes	562.761	5477.509	424.582	25.545	8.938	0.206
TRM-10-07	Chlorite Breccia	15/10/2010	E504033	45	50	Yes	686.067	15828.809	500.447	17.706	2.22	0.077
TRM-10-07	Chlorite Breccia	15/10/2010	E504033	45	112	Yes	2701.778	33256.564	2331.956	99.999	2.016	0.134
TRM-10-07	Chlorite Breccia	15/10/2010	E504033	45	77	Yes	1132.043	20440.122	982.679	44.798	1.696	0.039
TRM-10-07	Chlorite Breccia	15/10/2010	E504033	45	67	Yes	942.384	22492.714	959.688	92.765	2.248	0.246
TRM-10-07	Chlorite Breccia	15/10/2010	E504034	45	174	Yes	5536.946	65427.731	7150.934	99.999	15.373	0.192
TRM-10-07	Chlorite Breccia	15/10/2010	E504034	45	205	Yes	4758.358	39836.26	5134.002	99.999	16.463	0.081
TRM-10-07	Chlorite Breccia	15/10/2010	E504035	45	51	Yes	193.978	3897.786	124.516	0.28	61.282	0.338
TRM-10-07	Chlorite Breccia	15/10/2010	E504036	45	104	Yes	8534.502	81392.266	5320.947	12.654	11.998	0.008
TRM-10-07	Chlorite Breccia	15/10/2010	E504037	45	68	Yes	3510.152	49703.041	2114.573	6.131	8.702	0.447
TRM-10-07	Chlorite Breccia	15/10/2010	E504037	45	62	Yes	1477.366	23807.85	921.215	3.493	14.122	0.022
TRM-10-07	Chlorite Breccia	15/10/2010	E504037	45	60	Yes	3114.105	44106.307	1654.21	9.409	6.201	0.068
TRM-10-07	Chlorite Breccia	15/10/2010	E504038	45	124	Yes	2851.829	18927.639	1467.11	6.88	3.199	0.013
TRM-10-07	Chlorite Breccia	15/10/2010	E504038	45	59	Yes	1720.777	26679.276	982.696	12.471	4.158	0.026
TRM-10-07	Chlorite Breccia	15/10/2010	E504038	45	72	Yes	819.929	9792.912	443.797	2.122	1.697	0.051
TRM-10-07	Chlorite Breccia	15/10/2010	E504038	45	88	Yes	3652.683	35294.071	1942.75	1.055	2.89	0.023
TRM-10-07	Chlorite Breccia	15/10/2010	E504038	45	114	Yes	4345.773	31611.898	2256.433	0.654	2.88	0.029
TRM-10-07	Chlorite Breccia	15/10/2010	E504039	45	96	Yes	2210.971	23422.389	1404.954	3.542	1.707	0.029
TRM-10-07	Chlorite Breccia	15/10/2010	E504039	45	88	Yes	1918.55	23955.982	1316.665	11.52	2.067	0.049
TRM-10-07	Chlorite Breccia	15/10/2010	E504039	45	81	Yes	1874.835	27981.051	1416.727	55.509	8.222	0.288
TRM-10-07	Chlorite Breccia	15/10/2010	E504039	45	87	Yes	2126.45	24555.382	1334.848	6.768	2.257	0.029
TRM-10-07	Chlorite Breccia	15/10/2010	E504039	45	139	Yes	4541.026	28992.532	2524.128	9.25	2.786	0.031
TRM-10-07	Chlorite Breccia	15/10/2010	E504041	45	60	Yes	1192.997	19448.285	728.081	18.358	1.993	0.017
TRM-10-07	Chlorite Breccia	15/10/2010	E504041	45	95	Yes	1573.272	21456.529	1273.318	12.161	2.185	0.015
TRM-10-07	Chlorite Breccia	15/10/2010	E504041	45	68	Yes	1708.21	27882.503	1183.927	6.91	3.274	0.057
TRM-10-07	Chlorite Breccia	15/10/2010	E504042	45	91	Yes	2078.457	18530.437	1052.279	0.524	3.305	0.021
TRM-10-07	Chlorite Breccia	15/10/2010	E504042	45	68	Yes	526.163	11667.635	500.157	0.454	3.271	0.122
TRM-10-07	Chlorite Breccia	15/10/2010	E504042	45	56	Yes	188.537	2992.451	105.227	0.057	50.871	0.119
TRM-10-07	Chlorite Breccia	15/10/2010	E504044	45	60	Yes	968.106	13408.121	506.246	0.472	14.102	0.033
TRM-10-07	Chlorite Breccia	15/10/2010	E504044	45	77	Yes	1076.98	11647.809	559.246	1.05	14.647	0.144

Hole	Lithology	I(uA)	Time	Stack	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10
TRM-10-07	Chlorite Breccia	0.497	2000	10	50.855	44.704	39.928	36.121	32.902	30.269	28.008	26.011	24.292	22.773
TRM-10-07	Chlorite Breccia	0.498	2000	10	34.324	30.234	27.122	24.718	22.769	21.028	19.434	18.091	16.916	15.962
TRM-10-07	Chlorite Breccia	0.496	2000	10	127.622	116.772	107.747	100.409	94.177	88.502	83.57	79.297	75.308	71.615
TRM-10-07	Chlorite Breccia	0.498	2000	10	374.152	345.55	327.904	311.737	303.675	289.566	280.322	263.334	250.581	248.221
TRM-10-07	Chlorite Breccia	0.497	2000	10	32.389	29.282	26.783	24.763	22.977	21.549	20.436	19.191	18.401	17.43
TRM-10-07	Chlorite Breccia	0.498	2000	10	62.926	56.569	51.563	47.48	44.048	41.136	38.588	36.336	34.333	32.553
TRM-10-07	Chlorite Breccia	0.506	2000	10	26.019	22.949	20.594	18.701	17.183	15.578	14.484	13.672	13.043	12.155
TRM-10-07	Chlorite Breccia	0.501	2000	10	16.264	14.5	13.171	12.029	11.15	10.397	9.743	9.197	8.69	8.254
TRM-10-07	Chlorite Breccia	0.503	2000	10	4.474	3.878	3.439	3.097	2.806	2.583	2.433	2.282	2.126	1.999
TRM-10-07	Chlorite Breccia	0.498	2000	10	4.327	3.71	3.264	2.893	2.617	2.394	2.198	2.029	1.879	1.766
TRM-10-07	Chlorite Breccia	0.497	2000	10	3.442	2.99	2.677	2.418	2.196	2.012	1.866	1.717	1.611	1.516
TRM-10-07	Chlorite Breccia	0.506	2000	10	4.676	4.054	3.595	3.243	2.972	2.719	2.48	2.301	2.128	1.957
TRM-10-07	Chlorite Breccia	0.5	2000	10	30.357	26.515	23.631	21.426	19.597	18.099	16.796	15.71	14.755	13.871
TRM-10-07	Chlorite Breccia	0.5	2000	10	31.124	27.381	24.616	22.431	20.656	19.164	17.925	16.814	15.855	15.016
TRM-10-07	Chlorite Breccia	0.498	2000	10	108.296	97.451	89.072	82.198	76.146	71.302	67.229	63.479	59.983	56.783
TRM-10-07	Chlorite Breccia	0.5	2000	10	22.82	20.11	18.072	16.454	15.133	14.047	13.109	12.293	11.575	10.935
TRM-10-07	Chlorite Breccia	0.498	2000	10	16.43	14.585	13.195	12.031	10.981	10.352	9.57	8.955	8.404	7.613
TRM-10-07	Chlorite Breccia	0.496	2000	10	25.992	23.155	20.981	19.208	17.755	16.519	15.457	14.544	13.729	13.019
TRM-10-07	Chlorite Breccia	0.497	2000	10	11.478	10.181	9.224	8.514	7.741	7.16	6.751	6.348	6.046	5.718
TRM-10-07	Chlorite Breccia	0.497	2000	10	6.878	5.958	5.183	4.606	4.196	3.797	3.524	3.392	3.04	2.839
TRM-10-07	Chlorite Breccia	0.496	2000	10	8.945	7.653	6.722	6.001	5.466	4.969	4.564	4.224	3.896	3.651
TRM-10-07	Chlorite Breccia	0.501	2000	10	3.929	3.37	3.052	2.613	2.315	2.036	1.874	1.681	1.453	1.356
TRM-10-07	Chlorite Breccia	0.497	2000	10	6.02	5.123	4.584	4.137	3.672	3.388	3.157	2.873	2.707	2.576
TRM-10-07	Chlorite Breccia	0.498	2000	10	5.983	5.179	4.58	4.12	3.696	3.493	3.124	2.901	2.717	2.493
TRM-10-07	Chlorite Breccia	0.497	2000	10	3.57	2.941	2.635	2.493	2.226	2.15	1.948	1.813	1.666	1.473
TRM-10-07	Chlorite Breccia	0.497	2000	10	4.286	3.664	3.219	2.898	2.662	2.415	2.249	2.059	2.011	1.895
TRM-10-07	Chlorite Breccia	0.497	2000	10	18.214	15.577	13.7	12.089	10.835	9.844	9.078	8.362	7.778	7.241
TRM-10-07	Chlorite Breccia	0.497	2000	10	4.732	4.082	3.576	3.187	2.925	2.653	2.384	2.315	2.17	2.046
TRM-10-07	Chlorite Breccia	0.498	2000	10	5.949	5.22	4.462	3.932	3.718	3.247	3.011	2.825	2.604	2.382
TRM-10-07	Chlorite Breccia	0.496	2000	10	4.099	3.569	3.201	2.882	2.61	2.404	2.208	2.048	1.898	1.782
TRM-10-07	Chlorite Breccia	0.497	2000	10	4.582	3.998	3.469	3.121	2.77	2.521	2.346	2.176	2.045	1.955
TRM-10-07	Chlorite Breccia	0.497	2000	10	6.748	5.746	5.196	4.671	4.339	3.891	3.609	3.364	3.054	2.818
TRM-10-07	Chlorite Breccia	0.496	2000	10	6.814	5.873	5.212	4.654	4.297	3.932	3.691	3.427	3.17	2.956
TRM-10-07	Chlorite Breccia	0.501	2000	10	6.947	5.781	4.798	4.439	4.108	3.933	3.706	3.399	3.303	3.122
TRM-10-07	Chlorite Breccia	0.499	2000	10	81.85	75.149	69.866	65.373	61.467	58.114	55.115	52.542	50.303	48.376
TRM-10-07	Chlorite Breccia	0.5	2000	10	24.06	21.731	19.962	18.436	17.3	16.145	15.316	14.533	13.825	13.166
TRM-10-07	Chlorite Breccia	0.496	2000	10	25.109	22.679	20.685	19.165	17.906	16.82	15.896	15.065	14.328	13.664

Hole	Lithology	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
TRM-10-07	Chlorite Breccia	21.398	20.178	19.091	18.063	17.199	16.4	15.662	14.92	14.249	13.644
TRM-10-07	Chlorite Breccia	15.023	14.283	13.556	12.915	12.352	11.796	11.342	10.833	10.487	9.987
TRM-10-07	Chlorite Breccia	68.509	65.406	63.082	60.725	58.196	56.148	54.207	52.305	50.379	48.809
TRM-10-07	Chlorite Breccia	250.322	239.743	227.524	236.096	227.278	226.1	216.752	219.306	210.143	205.611
TRM-10-07	Chlorite Breccia	16.454	15.701	15.001	14.079	13.424	12.957	12.591	12.15	11.782	11.407
TRM-10-07	Chlorite Breccia	30.973	29.495	28.157	26.962	25.841	24.813	23.843	22.959	22.175	21.368
TRM-10-07	Chlorite Breccia	11.495	10.801	10.55	9.97	9.604	9.223	8.707	8.41	8.053	7.797
TRM-10-07	Chlorite Breccia	7.877	7.48	7.189	6.84	6.518	6.308	6.119	5.948	5.75	5.539
TRM-10-07	Chlorite Breccia	1.887	1.769	1.658	1.557	1.489	1.402	1.367	1.306	1.243	1.184
TRM-10-07	Chlorite Breccia	1.656	1.557	1.475	1.423	1.354	1.272	1.204	1.164	1.123	1.088
TRM-10-07	Chlorite Breccia	1.433	1.362	1.281	1.218	1.158	1.101	1.059	1.009	0.967	0.929
TRM-10-07	Chlorite Breccia	1.846	1.73	1.63	1.567	1.496	1.414	1.367	1.316	1.261	1.215
TRM-10-07	Chlorite Breccia	13.114	12.425	11.771	11.245	10.757	10.248	9.874	9.458	9.085	8.724
TRM-10-07	Chlorite Breccia	14.263	13.578	12.961	12.419	11.912	11.439	11.016	10.608	10.242	9.895
TRM-10-07	Chlorite Breccia	54.371	51.803	49.6	47.689	45.573	43.9	42.503	41.09	39.744	38.635
TRM-10-07	Chlorite Breccia	10.365	9.85	9.402	8.974	8.595	8.241	7.917	7.615	7.352	7.098
TRM-10-07	Chlorite Breccia	7.139	6.757	6.45	6.279	6.059	5.766	5.468	5.077	4.91	4.723
TRM-10-07	Chlorite Breccia	12.342	11.759	11.205	10.72	10.281	9.843	9.483	9.148	8.804	8.495
TRM-10-07	Chlorite Breccia	5.441	5.174	4.901	4.725	4.479	4.296	4.16	3.98	3.855	3.751
TRM-10-07	Chlorite Breccia	2.572	2.435	2.28	2.126	2.07	2.062	1.991	1.847	1.666	1.638
TRM-10-07	Chlorite Breccia	3.423	3.272	3.079	2.845	2.71	2.595	2.473	2.376	2.248	2.145
TRM-10-07	Chlorite Breccia	1.284	1.137	1.084	1.007	0.94	1.001	0.94	0.85	0.808	0.786
TRM-10-07	Chlorite Breccia	2.391	2.244	2.126	2.072	1.942	1.8	1.768	1.642	1.592	1.56
TRM-10-07	Chlorite Breccia	2.411	2.572	2.294	2.119	2.014	1.918	1.812	1.759	1.644	1.508
TRM-10-07	Chlorite Breccia	1.399	1.324	1.288	1.264	1.165	1.027	1.028	1.007	1.017	0.921
TRM-10-07	Chlorite Breccia	1.764	1.621	1.498	1.498	1.422	1.333	1.277	1.194	1.185	1.146
TRM-10-07	Chlorite Breccia	6.687	6.242	5.95	5.461	5.218	4.923	4.639	4.459	4.269	3.986
TRM-10-07	Chlorite Breccia	1.922	1.806	1.684	1.6	1.534	1.468	1.41	1.346	1.254	1.212
TRM-10-07	Chlorite Breccia	2.332	2.156	2.06	1.943	1.842	1.785	1.573	1.316	1.342	1.216
TRM-10-07	Chlorite Breccia	1.662	1.537	1.454	1.375	1.333	1.285	1.22	1.172	1.118	1.05
TRM-10-07	Chlorite Breccia	1.864	1.76	1.698	1.625	1.593	1.454	1.429	1.355	1.244	1.128
TRM-10-07	Chlorite Breccia	2.804	2.672	2.556	2.436	2.196	2.109	1.954	1.851	1.804	1.81
TRM-10-07	Chlorite Breccia	2.788	2.603	2.456	2.304	2.202	2.131	1.985	1.868	1.882	1.836
TRM-10-07	Chlorite Breccia	3.449	2.956	2.646	2.376	2.236	2.177	2.303	2.207	2.166	1.859
TRM-10-07	Chlorite Breccia	46.484	44.631	42.935	41.463	40.058	38.807	37.735	36.688	35.695	34.731
TRM-10-07	Chlorite Breccia	12.571	12.092	11.669	11.265	10.919	10.463	10.206	9.912	9.493	9.269
TRM-10-07	Chlorite Breccia	13.027	12.485	12.001	11.554	11.162	10.764	10.42	10.054	9.75	9.46

Hole	Lithology	Date	CoreID	D(mm)	l(mm)	Half	Contact(kOhm)	Rho(Ohm*m)	Vp(mV)	ErrVp	M	ErrM
TRM-10-07	Chlorite Breccia	15/10/2010	E504044	45	56	Yes	787.945	15205.294	540.445	9.315	3.562	0.075
TRM-10-07	Chlorite Breccia	15/10/2010	E504044	45	52	Yes	4.067	93.878	3.047	0.022	306.336	3.093
TRM-10-07	Chlorite Breccia	15/10/2010	E504045	45	75	Yes	3151.267	37432.854	1756.02	4.363	4.39	0.018
TRM-10-07	Chlorite Breccia	15/10/2010	E504045	45	104	Yes	1132.554	9101.284	590.496	0.378	10.243	0.033
TRM-10-07	Chlorite Breccia	15/10/2010	E504045	45	40	Yes	6.186	131.053	3.268	0.033	27.507	1.57
TRM-10-07	Chlorite Breccia	15/10/2010	E504046	45	46	Yes	2250.86	39449.013	1133.36	1.909	4.079	0.034
TRM-10-07	Chlorite Breccia	15/10/2010	E504046	45	45	Yes	1315.516	25490.71	715.53	4.12	2.969	0.025
TRM-10-07	Chlorite Breccia	15/10/2010	E504046	45	65	Yes	2816.747	42100.032	1709.559	8.907	8.258	0.084
TRM-10-07	Chlorite Breccia	15/10/2010	E504047	45	73	Yes	2931.288	35207.738	1606.775	0.825	6.546	0.086
TRM-10-07	Chlorite Breccia	15/10/2010	E504047	45	125	Yes	100.731	1235.14	96.433	5.29	43.568	1.324
TRM-10-07	Chlorite Breccia	15/10/2010	E504047	45	48	Yes	505.266	9107.135	274.802	1.009	29.618	0.389
TRM-10-07	Chlorite Breccia	15/10/2010	E504048	45	54	Yes	2.475	74.007	2.499	0.014	699.754	9.608
TRM-10-07	Chlorite Breccia	15/10/2010	E504048	45	107	Yes	249.488	2199.01	147.263	0.128	79.343	0.068
TRM-10-07	Chlorite Breccia	15/10/2010	E504048	45	54	Yes	152.953	5459.337	185.132	13.784	32.057	0.33
TRM-10-07	Chlorite Breccia	15/10/2010	E504049	45	50	Yes	4309.007	71490.743	2236.969	2.034	9.143	0.065
TRM-10-07	Chlorite Breccia	15/10/2010	E504049	45	40	Yes	12.007	691.126	17.237	0.417	521.635	4.548
TRM-10-07	Chlorite Breccia	15/10/2010	E504049	45	61	Yes	1621.96	23960.814	912.241	16.621	8.677	0.516
TRM-10-07	Chlorite Breccia	15/10/2010	E504049	45	68	Yes	4158.9	55503.717	2362.454	0.661	21.91	0.12
TRM-10-07	Chlorite Breccia	15/10/2010	E504051	45	56	Yes	683.099	10974.143	386.249	1.086	45.915	0.049
TRM-10-07	Chlorite Breccia	15/10/2010	E504051	45	51	Yes	1206.033	24824.553	789.891	1.628	25.457	0.173
TRM-10-07	Chlorite Breccia	15/10/2010	E504051	45	58	Yes	1399.917	21829.538	789.876	4.089	5.644	0.124
TRM-10-07	Chlorite Breccia	15/10/2010	E504051	45	122	Yes	724.307	11081.428	863.611	99.999	32.362	2.405
TRM-10-07	Chlorite Breccia	15/10/2010	E504051	45	84	Yes	2863.285	56877.806	2995.239	20.942	23.737	0.039
TRM-10-07	Chlorite Breccia	15/10/2010	E504051	45	80	Yes	919.387	10239.617	515.819	2.235	10.75	0.278
TRM-10-07	Chlorite Breccia	15/10/2010	E504052	45	105	Yes	2597.73	21885.573	1435.653	0.188	9.295	0.039
TRM-10-07	Chlorite Breccia	15/10/2010	E504053	45	93	Yes	2959.174	39016.526	2270.37	18.722	15.454	0.099
TRM-10-07	Chlorite Breccia	15/10/2010	E504053	45	90	Yes	625.343	6678.755	377.861	0.842	14.363	0.169
TRM-10-07	Chlorite Breccia	15/10/2010	E504053	45	248	Yes	257.471	1056.324	164.027	0.191	68.498	0.18
TRM-10-07	Chlorite Breccia	15/10/2010	E504054	45	57	Yes	4229.876	64320.851	2294.703	1.573	4.818	0.037
TRM-10-07	Chlorite Breccia	15/10/2010	E504054	45	46	Yes	1080.794	20722.673	594.533	1.68	4.06	0.024
TRM-10-07	Chlorite Breccia	15/10/2010	E504055	45	110	Yes	5277.65	44315.115	3055.527	14.417	5.105	0.06
TRM-10-07	Chlorite Breccia	15/10/2010	E504055	45	135	Yes	7663.021	49941.724	4230.581	32.107	4.847	0.064
TRM-10-07	Chlorite Breccia	15/10/2010	E504055	45	58	Yes	330.057	6882.697	251.473	0.906	134.286	0.992
TRM-10-07	Chlorite Breccia	15/10/2010	E504056	45	34	Yes	558.302	14245.957	304.251	2.878	21.479	0.059
TRM-10-07	Quartzite	15/10/2010	E504057	45	72	Yes	4865.009	60029.656	2707.302	10.294	5.824	0.047
TRM-10-07	Quartzite	15/10/2010	E504057	45	65	Yes	2466.252	34307.172	1393.371	15.658	3.482	0.034
TRM-10-07	Quartzite	15/10/2010	E504057	45	98	Yes	1979.861	37275.678	2286.408	20.51	4.439	0.101

Hole	Lithology	I(uA)	Time	Stack	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10
TRM-10-07	Chlorite Breccia	0.505	2000	10	7.144	6.323	5.536	4.967	4.664	4.194	3.943	3.755	3.411	3.104
TRM-10-07	Chlorite Breccia	0.496	2000	10	436.981	409.569	388.856	371.184	355.485	341.497	327.166	315.761	305.335	295.086
TRM-10-07	Chlorite Breccia	0.497	2000	10	9.018	7.778	6.947	6.228	5.72	5.259	4.832	4.436	4.216	3.876
TRM-10-07	Chlorite Breccia	0.496	2000	10	17.766	15.995	14.6	13.497	12.598	11.822	11.143	10.536	10.029	9.533
TRM-10-07	Chlorite Breccia	0.496	2000	10	42.733	38.679	34.341	33.087	30.948	29.158	28.3	26.243	24.313	23.456
TRM-10-07	Chlorite Breccia	0.497	2000	10	8.301	7.252	6.55	5.783	5.253	4.807	4.503	4.137	3.89	3.69
TRM-10-07	Chlorite Breccia	0.496	2000	10	6.26	5.386	4.772	4.295	3.853	3.537	3.263	2.972	2.834	2.685
TRM-10-07	Chlorite Breccia	0.497	2000	10	16.697	15.039	12.727	11.23	10.398	9.842	8.915	8.924	7.701	7.855
TRM-10-07	Chlorite Breccia	0.497	2000	10	13.029	11.343	10.198	9.192	8.457	7.89	7.273	6.735	6.342	6.086
TRM-10-07	Chlorite Breccia	0.497	2000	10	83.649	74.145	66.821	60.597	55.408	51.354	48.126	44.991	42.245	39.65
TRM-10-07	Chlorite Breccia	0.5	2000	10	49.623	45.224	41.609	38.539	36.097	34.208	32.238	30.776	29.229	27.918
TRM-10-07	Chlorite Breccia	0.497	2000	10	924.599	883.886	845.121	815.739	788.809	764.282	740.193	719.987	702.838	685.514
TRM-10-07	Chlorite Breccia	0.498	2000	10	124.024	114.454	106.7	100.226	94.708	89.945	85.707	81.967	78.59	75.631
TRM-10-07	Chlorite Breccia	0.499	2000	10	58.69	52.501	47.987	44.211	40.813	37.994	35.672	33.555	31.521	29.576
TRM-10-07	Chlorite Breccia	0.498	2000	10	17.509	15.382	13.801	12.574	11.536	10.695	9.976	9.366	8.807	8.294
TRM-10-07	Chlorite Breccia	0.496	2000	10	774.942	724.021	682.563	646.45	615.585	588.243	563.582	541.474	521.029	502.867
TRM-10-07	Chlorite Breccia	0.496	2000	10	16.567	14.533	13.176	12.013	11.071	10.247	9.542	8.972	8.44	7.943
TRM-10-07	Chlorite Breccia	0.498	2000	10	41.536	36.564	32.881	29.963	27.589	25.606	23.874	22.445	21.14	19.979
TRM-10-07	Chlorite Breccia	0.5	2000	10	81.268	73.116	66.729	61.524	57.218	53.536	50.339	47.5	44.965	42.704
TRM-10-07	Chlorite Breccia	0.496	2000	10	46.982	41.82	37.918	34.716	32.033	29.762	27.905	26.188	24.681	23.427
TRM-10-07	Chlorite Breccia	0.496	2000	10	11.356	9.923	8.81	8.017	7.429	6.842	6.303	5.75	5.397	5.089
TRM-10-07	Chlorite Breccia	0.508	2000	10	59.016	52.701	47.869	43.83	40.737	38.152	35.778	33.602	31.49	29.923
TRM-10-07	Chlorite Breccia	0.499	2000	10	45.83	40.3	36.109	32.806	30.14	27.846	25.816	24.118	22.714	21.521
TRM-10-07	Chlorite Breccia	0.501	2000	10	20.492	18.174	16.554	14.994	13.941	12.789	12.026	11.269	10.54	9.873
TRM-10-07	Chlorite Breccia	0.497	2000	10	17.607	15.625	14.027	12.832	11.787	10.931	10.207	9.56	8.923	8.403
TRM-10-07	Chlorite Breccia	0.498	2000	10	28.584	25.953	22.551	20.49	18.15	16.639	16.23	16.109	15.175	14.553
TRM-10-07	Chlorite Breccia	0.5	2000	10	25.525	22.841	20.771	19.163	17.769	16.626	15.662	14.848	14.059	13.418
TRM-10-07	Chlorite Breccia	0.498	2000	10	115.802	105.211	96.762	89.905	84.048	78.963	74.655	70.937	67.513	64.437
TRM-10-07	Chlorite Breccia	0.498	2000	10	9.976	8.422	7.555	7.105	6.235	5.607	5.201	4.871	4.596	4.516
TRM-10-07	Chlorite Breccia	0.496	2000	10	8.065	7.091	6.318	5.652	5.183	4.905	4.583	4.142	3.892	3.702
TRM-10-07	Chlorite Breccia	0.498	2000	10	10.478	8.795	7.607	7.291	6.689	6.317	5.957	5.405	5.14	4.504
TRM-10-07	Chlorite Breccia	0.499	2000	10	10.324	8.868	7.739	6.853	6.286	5.847	5.348	4.846	4.648	4.277
TRM-10-07	Chlorite Breccia	0.501	2000	10	230.358	208.938	192.043	178.107	166.379	156.248	147.332	139.398	132.302	125.982
TRM-10-07	Chlorite Breccia	0.5	2000	10	41.11	36.374	32.742	29.861	27.43	25.393	23.669	22.006	20.661	19.557
TRM-10-07	Quartzite	0.498	2000	10	11.892	10.3	9.098	8.118	7.428	6.815	6.321	5.875	5.567	5.227
TRM-10-07	Quartzite	0.497	2000	10	7.309	6.468	5.968	5.141	4.54	4.202	3.859	3.403	3.605	3.721
TRM-10-07	Quartzite	0.498	2000	10	9.171	8.227	7.236	6.486	6.028	5.352	4.629	4.302	4.137	4.061

Hole	Lithology	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
TRM-10-07	Chlorite Breccia	2.904	2.81	2.703	2.594	2.536	2.439	2.242	2.084	2.119	1.958
TRM-10-07	Chlorite Breccia	285.351	280.547	274.336	265.992	259.524	252.977	248.869	243.362	238.3	230.885
TRM-10-07	Chlorite Breccia	3.603	3.585	3.4	3.146	2.947	2.797	2.748	2.655	2.549	2.488
TRM-10-07	Chlorite Breccia	9.091	8.683	8.379	8.074	7.741	7.466	7.244	7.043	6.829	6.622
TRM-10-07	Chlorite Breccia	22.713	22.759	22.253	23.756	24.381	22.849	22.274	21.937	22.493	22.093
TRM-10-07	Chlorite Breccia	3.467	3.254	3.051	3.022	2.805	2.568	2.613	2.507	2.303	2.197
TRM-10-07	Chlorite Breccia	2.506	2.365	2.234	2.076	1.967	1.872	1.781	1.716	1.632	1.595
TRM-10-07	Chlorite Breccia	7.149	6.821	6.423	5.773	5.82	5.038	5.005	4.527	4.942	5.143
TRM-10-07	Chlorite Breccia	5.642	5.317	4.944	4.636	4.501	4.288	4.082	3.842	3.738	3.661
TRM-10-07	Chlorite Breccia	37.394	35.461	33.705	32.225	30.842	29.335	27.978	26.747	25.664	24.867
TRM-10-07	Chlorite Breccia	26.706	25.587	24.522	23.905	23.013	22.059	21.294	20.539	20.006	19.57
TRM-10-07	Chlorite Breccia	669.512	656.157	642.257	629.471	617.05	604.46	592.097	581.328	571.76	564.087
TRM-10-07	Chlorite Breccia	72.889	70.426	68.009	65.954	63.914	62.099	60.396	58.776	57.201	55.985
TRM-10-07	Chlorite Breccia	27.96	26.598	25.31	24.162	23.022	21.926	21.052	20.133	19.541	18.989
TRM-10-07	Chlorite Breccia	7.85	7.494	7.164	6.804	6.478	6.226	6.026	5.806	5.576	5.407
TRM-10-07	Chlorite Breccia	486.187	470.317	455.735	442.18	429.686	418.011	406.995	396.235	386.553	376.968
TRM-10-07	Chlorite Breccia	7.505	7.118	6.802	6.445	6.16	5.986	5.802	5.466	5.176	4.997
TRM-10-07	Chlorite Breccia	18.96	18.021	17.19	16.47	15.752	15.094	14.537	13.993	13.503	13.066
TRM-10-07	Chlorite Breccia	40.689	38.843	37.201	35.642	34.186	32.874	31.654	30.521	29.452	28.448
TRM-10-07	Chlorite Breccia	22.334	21.166	20.156	19.505	18.777	18.007	17.289	16.566	15.847	15.352
TRM-10-07	Chlorite Breccia	4.763	4.474	4.225	4	3.691	3.555	3.487	3.354	3.244	3.138
TRM-10-07	Chlorite Breccia	28.605	27.135	25.692	24.547	23.439	22.596	22.088	21.325	20.128	19.447
TRM-10-07	Chlorite Breccia	20.406	19.391	18.48	17.739	16.938	16.025	15.306	14.862	14.327	13.826
TRM-10-07	Chlorite Breccia	9.2	8.84	8.385	7.984	7.449	7.142	6.751	6.411	6.118	5.868
TRM-10-07	Chlorite Breccia	7.956	7.534	7.185	6.869	6.584	6.384	6.131	5.81	5.588	5.44
TRM-10-07	Chlorite Breccia	14.483	13.37	12.795	12.053	11.306	10.712	11.363	10.914	10.185	9.453
TRM-10-07	Chlorite Breccia	12.769	12.119	11.609	11.162	10.762	10.357	9.957	9.649	9.322	8.995
TRM-10-07	Chlorite Breccia	61.547	58.903	56.624	54.572	52.655	50.738	49.058	47.693	46.158	44.622
TRM-10-07	Chlorite Breccia	4.293	4.011	3.641	3.316	2.916	2.849	2.742	2.813	2.935	2.666
TRM-10-07	Chlorite Breccia	3.455	3.363	3.164	2.838	2.724	2.999	2.803	2.45	2.302	2.136
TRM-10-07	Chlorite Breccia	4.005	4.198	3.53	3.854	3.922	3.446	3.249	3.137	3.079	2.974
TRM-10-07	Chlorite Breccia	3.903	3.575	3.475	3.389	2.928	2.981	2.871	3.177	3.138	2.917
TRM-10-07	Chlorite Breccia	120.265	114.988	110.193	105.731	101.658	97.877	94.28	90.941	87.874	85.006
TRM-10-07	Chlorite Breccia	18.56	17.647	16.73	15.926	15.233	14.533	13.927	13.315	12.764	12.287
TRM-10-07	Quartzite	5.065	4.809	4.429	4.264	3.974	3.69	3.651	3.552	3.696	3.399
TRM-10-07	Quartzite	2.974	2.433	2.493	2.509	2.331	2.343	2.091	2.101	1.823	1.907
TRM-10-07	Quartzite	3.928	3.473	3.365	3.243	3.105	3.215	2.937	2.686	2.606	2.483

Hole	Lithology	Date	CoreID	D(mm)	I(mm)	Half	Contact(kOhm)	Rho(Ohm*m)	Vp(mV)	ErrVp	M	ErrM
TRM-10-07	Quartzite	15/10/2010	E504058	45	55	Yes	1924.732	36904.331	1267.907	8.725	5.254	0.09
TRM-10-07	Quartzite	15/10/2010	73m-74m	45	58	No	1473.956	42184.534	763.152	0.203	6.251	0.111
TRM-10-07	Quartzite	15/10/2010	73m-74m	45	43	No	1572.575	60802.806	815.972	0.315	6.933	0.021
TRM-10-07	Quartzite	15/10/2010	73m-74m	45	50	No	1816.204	58450.939	912.403	3.531	7.786	0.021
TRM-10-07	Quartzite	15/10/2010	74m-75m	45	79	No	3301.651	67380.511	1663.685	4.307	8.479	0.042
TRM-10-07	Quartzite	15/10/2010	74m-75m	45	166	No	5802.194	57596.276	2995.456	4.281	6.059	0.069
TRM-10-07	Olivine Diabase	16/10/2010	45m-46m	45	110	No	986.531	307955.77	3435.543	22.409	642.397	9.999
TRM-10-07	Olivine Diabase	16/10/2010	46m-47m	45	190	No	56880.752	582530.881	11280.59	99.999	254.178	9.999
TRM-10-07	Olivine Diabase	16/10/2010	47m-48m	45	154	No	69874.059	523963.473	8638.444	99.999	247.854	9.999
TRM-10-07	Olivine Diabase	16/10/2010	48m-49m	45	166	No	68394.568	1064333.44	11798.409	99.999	348.823	9.999
TRM-10-07	Olivine Diabase	16/10/2010	49m-50m	45	70	No	73396.535	1401716.823	8762.911	8.664	409.846	3.44
TRM-10-07	Quartzite	16/10/2010	51m-52m	45	130	No	4330.445	64776.828	2636.389	1.853	7.665	0.14
TRM-10-07	Chlorite Breccia	16/10/2010	E504034 Soaked	45	174	Yes	637.656	4588.004	504.721	17.238	18.993	0.321
TRM-10-07	Chlorite Breccia	16/10/2010	E504034 Soaked	45	205	Yes	2599.426	15785.195	2023.943	44.794	16.078	0.185
TRM-10-09	Chlorite Breccia	15/10/2010	E504141	45	125	Yes	392.052	4278.56	335.458	23.971	0.619	0.064
TRM-10-09	Chlorite Breccia	15/10/2010	E504141	45	120	Yes	503.432	9592.114	735.147	69.245	1.323	0.291
TRM-10-09	Chlorite Breccia	15/10/2010	E504142	45	152	Yes	3992.95	69823.474	6549.067	98.086	8.448	0.039
TRM-10-09	Chlorite Breccia	15/10/2010	E504142	45	131	Yes	2040.148	26567.073	2177.711	64.66	4.518	0.024
TRM-10-09	Chlorite Breccia	15/10/2010	E504143	45	143	Yes	1423.016	58394.541	5139.498	1.151	9.41	3.647
TRM-10-09	Chlorite Breccia	15/10/2010	E504144	45	120	Yes	2009.752	54583.256	4114.172	99.999	8.738	1.403
TRM-10-09	Chlorite Breccia	15/10/2010	E504145	45	150	Yes	1219.903	27217.335	2558.553	0.86	6.184	2.71
TRM-10-09	Chlorite Breccia	15/10/2010	E504145	45	39	Yes	912.986	99515.471	2557.826	76.251	7.54	0.041
TRM-10-09	Carbonate Breccia	15/10/2010	E504146	45	115	Yes	931.625	20456.492	1524.235	99.999	1.16	0.359
TRM-10-09	Carbonate Breccia	15/10/2010	E504147	45	175	Yes	1144.026	21473.666	2350.322	99.999	4.404	2.483
TRM-10-09	Carbonate Breccia	15/10/2010	E504147	45	62	Yes	884.159	60541.165	2470.962	99.999	4.772	0.11
TRM-10-09	Chlorite Breccia	16/10/2010	E504128	45	84	Yes	3536.655	41822.076	2198.633	25.039	4.719	0.011
TRM-10-09	Chlorite Breccia	16/10/2010	E504129	45	85	Yes	1556.157	53666.866	2859.474	93.094	10.14	2.52
TRM-10-09	Chlorite Breccia	16/10/2010	E504131	45	230	Yes	2499.361	13202.542	1898.787	99.999	0.666	0.054
TRM-10-09	Chlorite Breccia	16/10/2010	E504133	45	110	Yes	2482.049	132146.2	8718.399	99.999	8.46	0.209
TRM-10-09	Chlorite Breccia	16/10/2010	E504134	45	90	Yes	305.796	8702.244	492.011	55.915	1.696	0.075
TRM-10-09	Chlorite Breccia	16/10/2010	E504135	45	113	Yes	1226.263	53607.905	3763.072	0.449	16.098	2.524

Hole	Lithology	I(uA)	Time	Stack	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10
TRM-10-07	Quartzite	0.497	2000	10	10.783	9.616	8.819	8.062	7.401	6.345	5.535	4.841	4.599	4.659
TRM-10-07	Quartzite	0.496	2000	10	12.817	12.712	10.058	8.447	7.413	6.707	6.922	7.139	6.31	5.451
TRM-10-07	Quartzite	0.496	2000	10	14.381	12.38	10.835	9.667	8.933	8.248	7.619	7.12	6.629	6.138
TRM-10-07	Quartzite	0.497	2000	10	15.702	13.652	12.342	11.075	10.062	9.161	8.47	7.969	7.455	6.988
TRM-10-07	Quartzite	0.497	2000	10	16.997	14.759	13.085	11.966	11.036	9.987	9.225	8.761	8.366	7.65
TRM-10-07	Quartzite	0.498	2000	10	12.922	11.484	9.818	8.547	8.233	8.379	7.827	6.334	6.104	5.02
TRM-10-07	Olivine Diabase	0.161	2000	10	744.315	742.294	742.291	740.942	739.687	740.64	739.28	737.747	735.059	722.45
TRM-10-07	Olivine Diabase	0.162	2000	10	413.587	372.365	342.324	319.213	300.344	286.242	271.627	259.343	247.704	237.973
TRM-10-07	Olivine Diabase	0.17	2000	10	335.688	313.787	295.902	282.035	275.269	264.82	253.66	250.34	246.912	244.086
TRM-10-07	Olivine Diabase	0.106	2000	10	586.177	532.96	489.55	453.51	423.87	399.237	377.863	355.699	339.708	326.577
TRM-10-07	Olivine Diabase	0.142	2000	10	478.353	474.62	469.858	465.728	458.583	449.259	440.297	431.964	424.558	414.366
TRM-10-07	Quartzite	0.498	2000	10	15.276	13.135	11.575	10.522	9.788	9.259	8.818	8.343	7.848	7.153
TRM-10-07	Chlorite Breccia	0.503	2000	10	34.38	30.726	27.898	25.442	23.812	22.277	21	19.582	18.615	17.654
TRM-10-07	Chlorite Breccia	0.497	2000	10	31.132	27.465	24.526	22.1	20.266	19.051	17.619	16.481	15.338	14.442
TRM-10-09	Chlorite Breccia	0.499	2000	10	1.496	1.137	1.332	1.014	0.734	0.811	0.494	0.567	0.439	0.258
TRM-10-09	Chlorite Breccia	0.508	2000	10	2.718	2.231	2.196	1.942	1.774	1.592	1.612	1.206	1.557	1.643
TRM-10-09	Chlorite Breccia	0.491	2000	10	17.612	15.144	13.373	12.087	10.879	9.963	9.162	8.456	7.881	7.467
TRM-10-09	Chlorite Breccia	0.498	2000	10	10.098	8.461	7.325	6.576	5.946	5.397	4.938	4.536	4.203	3.967
TRM-10-09	Chlorite Breccia	0.489	2000	10	21.736	17.927	15.4	13.52	12.089	10.975	10.072	9.234	8.57	7.954
TRM-10-09	Chlorite Breccia	0.499	2000	10	18.372	15.688	13.867	12.329	11.184	10.26	9.45	8.882	8.225	7.823
TRM-10-09	Chlorite Breccia	0.498	2000	10	12.866	11.276	9.372	8.595	8.046	7.865	6.544	6.218	5.389	5.404
TRM-10-09	Chlorite Breccia	0.524	2000	10	15.302	13.221	11.673	10.562	9.831	8.851	8.264	7.758	7.21	6.861
TRM-10-09	Carbonate Breccia	0.515	2000	10	2.458	2.505	2.308	1.897	1.67	1.375	1.106	1.113	1.102	1.105
TRM-10-09	Carbonate Breccia	0.497	2000	10	8.777	6.923	6.786	6.778	5.732	4.712	4.226	4.456	4.274	4.396
TRM-10-09	Carbonate Breccia	0.523	2000	10	9.874	8.51	7.524	6.911	6.351	5.717	5.364	5.09	4.594	4.264
TRM-10-09	Chlorite Breccia	0.498	2000	10	9.872	8.505	7.516	6.751	6.121	5.608	5.173	4.802	4.462	4.193
TRM-10-09	Chlorite Breccia	0.498	2000	10	20.959	18.049	15.937	14.303	12.982	11.933	11.043	10.265	9.592	9.012
TRM-10-09	Chlorite Breccia	0.497	2000	10	1.552	1.287	1.104	0.859	0.774	0.691	0.694	0.642	0.601	0.558
TRM-10-09	Chlorite Breccia	0.477	2000	10	19.21	16.13	13.979	12.402	11.071	10.069	9.2	8.399	7.845	7.307
TRM-10-09	Chlorite Breccia	0.5	2000	10	3.405	2.96	2.623	2.312	2.164	1.962	1.896	1.767	1.563	1.498
TRM-10-09	Chlorite Breccia	0.494	2000	10	34.814	29.643	25.924	23.157	20.868	19.05	17.557	16.235	15.125	14.111

Hole	Lithology	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
TRM-10-07	Quartzite	4.554	4.156	3.733	3.54	3.535	3.746	3.505	3.079	2.845	2.723
TRM-10-07	Quartzite	4.904	4.701	4.295	4.073	4.623	4.349	3.973	3.844	3.794	3.321
TRM-10-07	Quartzite	5.759	5.284	5.094	4.814	4.734	4.724	4.459	4.147	4.018	3.783
TRM-10-07	Quartzite	6.557	6.208	5.944	5.733	5.361	5.146	4.89	4.761	4.446	4.21
TRM-10-07	Quartzite	7.174	6.767	6.343	6.094	5.877	5.789	5.695	5.309	4.984	4.827
TRM-10-07	Quartzite	4.529	4.914	4.303	4.131	4.193	4.105	3.994	4.437	3.362	3.259
TRM-10-07	Olivine Diabase	699.275	665.936	634.486	593.033	563.878	528.551	488.402	455.908	428.024	404.457
TRM-10-07	Olivine Diabase	230.391	221.693	214.494	209.138	209.047	205.223	207.538	206.794	202.339	196.587
TRM-10-07	Olivine Diabase	240.9	234.119	228.458	231.803	226.548	220.41	215.822	212.054	210.242	211.717
TRM-10-07	Olivine Diabase	314.758	305.127	294.754	287.09	280.433	273.661	269.455	265.472	259.027	251.834
TRM-10-07	Olivine Diabase	44.931	393.533	385.035	376.733	369.776	362.399	354.916	350.416	345.565	340.694
TRM-10-07	Quartzite	6.53	6.197	5.869	5.562	5.523	5.039	4.694	4.512	4.27	4.196
TRM-10-07	Chlorite Breccia	16.602	15.838	15.176	14.59	13.955	13.379	12.927	12.435	12.004	11.636
TRM-10-07	Chlorite Breccia	13.781	13.109	12.502	11.782	11.263	10.914	10.413	10.135	9.619	9.316
TRM-10-09	Chlorite Breccia	0.302	0.456	0.33	0.288	0.302	0.702	0.519	0.278	0.265	0.264
TRM-10-09	Chlorite Breccia	1.159	1.012	0.914	0.881	0.98	1.167	0.74	0.427	0.507	0.617
TRM-10-09	Chlorite Breccia	7.129	6.719	6.248	5.91	5.624	5.473	5.311	5.028	4.771	4.658
TRM-10-09	Chlorite Breccia	3.698	3.449	3.266	3.143	2.952	2.756	2.567	2.499	2.484	2.337
TRM-10-09	Chlorite Breccia	7.644	6.995	6.494	6.336	6.342	5.949	5.611	5.366	5.105	4.875
TRM-10-09	Chlorite Breccia	7.3	6.937	6.524	6.131	5.997	5.856	5.302	5.031	4.876	4.729
TRM-10-09	Chlorite Breccia	5.296	4.924	4.543	4.312	4.095	3.976	3.858	3.647	3.662	3.782
TRM-10-09	Chlorite Breccia	6.372	5.975	5.715	5.268	5.176	4.954	4.582	4.46	4.261	4.118
TRM-10-09	Carbonate Breccia	0.951	0.956	1.009	0.903	0.861	0.776	0.96	0.955	0.579	0.596
TRM-10-09	Carbonate Breccia	4.155	3.346	3.511	3.416	3.278	2.846	2.577	2.696	2.599	2.706
TRM-10-09	Carbonate Breccia	3.891	3.621	3.518	3.519	3.296	2.881	2.694	2.643	2.776	2.555
TRM-10-09	Chlorite Breccia	3.931	3.716	3.529	3.344	3.195	3.045	2.912	2.771	2.645	2.558
TRM-10-09	Chlorite Breccia	8.505	8.044	7.629	7.251	6.917	6.608	6.329	6.057	5.814	5.58
TRM-10-09	Chlorite Breccia	0.453	0.514	0.49	0.499	0.415	0.382	0.351	0.303	0.28	0.267
TRM-10-09	Chlorite Breccia	6.818	6.461	6.025	5.683	5.378	5.086	4.863	4.598	4.422	4.253
TRM-10-09	Chlorite Breccia	1.356	1.294	1.258	1.289	1.201	1.094	1.067	1.048	1.044	0.999
TRM-10-09	Chlorite Breccia	13.226	12.452	11.78	11.179	10.647	10.092	9.645	9.212	8.8	8.436

Attachment 2
Strip Logs: Chargeability and Resistivity Study

SUDBURY
Tel: +1 705 671 1801 | Fax: +1 705 671 3665
17 Frood Rd. Suite 2, Sudbury, Ontario
Canada, P3C 4Y9



TORONTO
Tel: +1 866 671 1801 | Fax: +1 705 671 3665
9 - 34 King St. East, Toronto, Ontario
Canada, M5C 2X8

VANCOUVER
Tel: +1 604 637 2050 | Fax: +1 604 602 9496
409 Granville St., Suite 1409, Vancouver, British Columbia
Canada, V6C 1T2

JOHANNESBURG
Tel: +27 (0) 11 880 0278 | Fax: +27 (0) 11 447 4814
11 Cradock Avenue, JHI House, 7th Floor, Rosebank
Gauteng, South Africa

STRIP LOG: TRM-09-02

Easting 200.0 Northing 0.0 RL 0.0 Azimuth 0.0 Dip -90.0 Depth 92.0



TrueClaim Exploration
Strip Logs
Chargeability and Resistivity Study

STRIP LOG: TRM-09-03


Easting 100.0 Northing 0.0 RL 0.0 Azimuth 0.0 Dip -90.0 Depth 118.0

STRIP

1	LITH_CODE	PAT	LABEL	DESCRIPTION
	QZT	[Pattern]	QZT	quartzite
	SDBX	[Pattern]	SDBX	sedimentary breccia
	CASE	[Pattern]	CASE	Casing
	CB	[Pattern]	CB	Chlorite Breccia


3 AU_PPM NUMBER BANDS

[Color]	1.584
[Color]	0.1095
[Color]	0.026
[Color]	0.012
[Color]	0.006
[Color]	0.003
[Color]	0.002



STRIP LOG: TRM-09-13

Easting 500.0 Northing 0.0 RL 0.0 Azimuth 0.0 Dip -90.0 Depth 122.0




STRIP

1	LITH_CODE	PAT	LABEL	DESCRIPTION
			DLT	dolerite
			LMST	limestone
			QZT	quartzite
			OVB	Overburden
			CB	Chlorite Breccia

3	AU_PPM	NUMBER BANDS
		1.584
		0.1095
		0.026
		0.012
		0.006
		0.003
		0.002

STRIP LOG: TRM-09-18

Easting 300.0 Northing 0.0 RL 0.0 Azimuth 0.0 Dip -90.0 Depth 83.0



STRIP 1


LITH_CODE	PAT	LABEL	DESCRIPTION
LMST	[Pattern]	LMST	limestone
QZT	[Pattern]	QZT	quartzite
OVB	[Pattern]	OVB	Overburden
CB	[Pattern]	CB	Chlorite Breccia

STRIP 3

AU_PPM	NUMBER BANDS
[Color]	1.584
[Color]	0.1095
[Color]	0.026
[Color]	0.012
[Color]	0.006
[Color]	0.003
[Color]	0.002

STRIP LOG: TRM-10-06

Easting 600.0 Northing 0.0 RL 0.0 Azimuth 0.0 Dip -90.0 Depth 140.0



STRIP 1



LITH_CODE	PAT	LABEL	DESCRIPTION
GAB	[Pattern]	GAB	gabbro
QZT	[Pattern]	QZT	quartzite
SDBX	[Pattern]	SDBX	sedimentary breccia
CASE	[Pattern]	CASE	Casing
CB	[Pattern]	CB	Chlorite Breccia

STRIP 3

AU_PPM	NUMBER BANDS
[Color]	1.584
[Color]	0.1095
[Color]	0.026
[Color]	0.012
[Color]	0.006
[Color]	0.003
[Color]	0.002


STRIP LOG: TRM-10-07

Easting Northing RL Azimuth Dip Depth
 0.0 0.0 0.0 0.0 -90.0 158.0



STRIP LOG: TRM-10-09

Easting 400.0 Northing 0.0 RL 0.0 Azimuth 0.0 Dip -90.0 Depth 158.0



STRIP 1

LITH_CODE	PAT	LABEL	DESCRIPTION
QZT	[Pattern]	QZT	quartzite
SDBX	[Pattern]	SDBX	sedimentary breccia
CASE	[Pattern]	CASE	Casing
CB	[Pattern]	CB	Chlorite Breccia

STRIP 3

AU_PPM	NUMBER BANDS
[Color]	1.584
[Color]	0.1095
[Color]	0.026
[Color]	0.012
[Color]	0.006
[Color]	0.003
[Color]	0.002

Appendix 3

Geochemical Chlorite Analysis

Gold geochemistry of the chlorite-rich sulfide-bearing quartzite breccia at Scadding Mine

Prepared for:

**Trueclaim Exploration Inc.
One London Place
255 Queens Avenue
Suite 1000
London, Ontario
N6A 5R8**

Prepared by:

Adewara Odewande P.hD., P.Geo.

Geology of Scadding Mine

- The geology of the ore-zone at Scadding mine essentially consists of quartzite.
- These rocks have been brecciated, albitized and chloritized during various stages of tectonic, magmatic and hydrothermal events.
- Interstitial chlorite dominate the matrix, which also contains some sulfides, mainly pyrite.

Problem

- The occurrence of gold appears to be random e.g.
 - Au+chlorite+pyrite;
 - Au+chlorite without pyrite;
 - Pyrite+chlorite without Au;
 - Chlorite without Au.

Objectives

- To determine the relationship between gold and chlorite
- To determine the relationship between gold and pyrite

Assumptions

- The gold mineralization occurs only within the rock matrix
- The rock matrix consists essentially of chlorite, with minor quartzite and sulfide
- Sulfide in rock matrix is essentially pyrite
- Removing sulfur and the corresponding stoichiometric Fe from the chemical analysis eliminates pyrite
- Barring silicon, the analysis basically represents the chemistry of chlorite.

Chlorite Geochemistry

- Chlorite composition is represented by the formula: $[R^{2+}, R^{3+}]_{12} [Si_{8-x} R_x^{3+}]^4 O_{20} (OH)_{16}$

Where

R^{2+} = Mg, Fe, Mn, Ni, Zn;


R^{3+} = Al, Fe, Cr; and

$x = \sim 1 - 3$.

Chlorite Geochemistry


- The data used in plotting the following diagrams have been corrected for pyrite, i.e. the stoichiometric pyrite composition has been removed. The residual Fe is assumed to be the original Fe composition of chlorite.
- Si is missing from the analytical data, so we will consider Al as the inert element against which the other elements that make up the chlorite composition will be compared. This will help us to understand the relationship these elements have with Au.

Chlorite Geochemistry




This diagram confirms the previous observation made by Lindsay, that Auriferous chlorite has a higher Fe content.

Chlorite Geochemistry




Since Mg apparently does not play any direct role in Au mineralization, it has been made a constant on the ternary diagram alongside Al. The concentration of Mn (originally expressed as ppm) is too small (compared to the concentration of Al and Mg, expressed as wt %) to show any trend on this diagram. It is a similar scenario with Ni, Zn and Cr. Therefore, we are going to use binary plots to show the behavior of these elements.

Chlorite Geochemistry




It can be observed in the plots above that while gold mineralized chlorite clearly has higher Fe content, its Mn content is somewhat similar to that of non-mineralized chlorite (refer to key in the first figure).

Chlorite Geochemistry




The diagrams above show that the Cr and Ni contents of both Au mineralized and non-mineralized chlorite are similar (refer to key in the first figure).

Chlorite Geochemistry



As with the previous elements, the Zn and Mg contents of both Au mineralized and non-mineralized chlorite are also similar (refer to key in the first figure).

Pyrite Chemistry



The above diagrams show the plots of Au against stoichiometric Fe and S in pyrite. These elements correlate positively with Au, although the correlation is weak.

Interpretation

- The association of hydrothermal pyrite with Au at Scadding indicates that gold mineralizing fluids were reducing.
- It also indicates that in addition to being transported as a chloride complex, Au was also present in solution as a bisulfide complex.
- In fact, the apparent affinity that Au has for Fe in chlorite is to be expected. Chemical reactions between sulfide-bearing hydrothermal solutions and Fe-bearing minerals in the wall-rock have been recognized as an important gold deposition mechanism in many deposits.
- This chemical reaction involves Fe from the wall-rock combining with S from the hydrothermal solution to form pyrite, which is deposited. This desulfidation process destabilizes Au in the hydrothermal solution and it is deposited.
- So, despite the assertion by previous workers that Au deposition was triggered by a fluid mixing process, our chemical evidence suggests that Fe played an important role in Au mineralization. These processes almost never occur in isolation in nature, so it is likely that both processes contributed to gold mineralization process at Scadding.

Interpretation

- Bearing the above explanation in mind, it becomes clearer why Au mineralization at Scadding coincide with high magnetic susceptibility of the rocks.
- Naturally, Au and pyrite would be deposited where the Fe content of chlorite is relatively high.
- In places where the chlorite composition consists mainly of Mg, neither pyrite nor Au would be deposited.
- Also, the occurrence of pyritized chlorite without gold indicates that desulfidation occurred early in the evolution of the hydrothermal solution, when the concentration of Au was still too low for it to be deposited. These occurrences would be encountered at locations more distal to the ore zone.
- The occurrence of gold in chlorite without pyrite could be better explained by the fluid separation hypothesis.
- The Ternary and binary diagrams of the standard constituent elements of chlorite suggest that Fe is the only component of chlorite that may have controlled gold mineralization at Scadding.

Interpretation

- Since Au and pyrite are both products of the desulfidation of the hydrothermal fluid, the positive correlation of Fe and S with Au is to be expected.
- The decreasing Fe content of chlorite with distance from the ore zone as observed by Lindsay was probably due to chemical changes as the hydrothermal solution evolved from an Fe-poor to an Fe-rich solution.
- The initial assumption that the analysis represents the chemistry of chlorite implies that Ca, K and Na are impurities. However, they do not correlate with Au.

Conclusion

- The erratic nature of the occurrence of Au at Scadding is due mainly to the fact that more than one depositional mechanism played an important role in Au mineralization.
- Despite this erratic occurrence, Fe and S could still be effective pathfinder elements.

Recommendations

- Electron Microprobe analysis on chlorite is required for accurate characterization of chlorite chemistry based on its relationship with gold. The chlorite samples should clearly be classified based on their textural relationship with Au and pyrite.
- Pyrite would also need to be analyzed by Electron Microprobe to determine its Au and As contents. Without any visible Au inclusions, it could actually contain much Au in invisible form (i.e. refractory Au). Also, As plays an important role in Au fixation in pyrite. If this is found to be true for the Scadding Mine, then As would be a pathfinder element.

Error with original data

- The section of the data from sample E54086 to E540185 was problematic and was eventually deleted. Check the data for sulfur within to see the error.

Appendix 4

All field Sample Descriptions

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
SU08365	H820151	09-09-05-BK1	Quartzite Breccia	5163533	528936	Brady's PoleLine Property, This rock contains quartz, ankorite, pyrite, pyrrhotite and hematite. It is strongly oxidized and contains about 15% sulphides. Some parts of the sample contains fragments of highly chloritic material that are strongly foliated. Looks like some areas have become brecciated and infilled with a sulphidic matrix. Quartzite fragments also contain disseminated sulphides. Translucent clear to milky quartz with 10-60% locally of medium to finely crystalline pyrite, pyrite forms blebs and net texture between quartz, contains areas of voids from past carbonate dissolution. Host rock is a light gray sericitized bruce formation.	0.077	
SU08365	H820154	09-09-05-BK2	Quartzite	5163485	529018	Brady's PoleLine Property, Fine grained quartzite, buff grey in colour. Weak sulphide mineralization (<5% pyrite), moderate carbonate alteration. Sulphides occur both disseminated and blebby. Appears to be at the contact of a narrow chloritic zone with minor quartz.	0.031	
SU08365	H820155	09-09-05-BK4	Quartzite	5163460	528636	Brady's PoleLine Property, Weakly pinkish in colour, this medium grained quartzie has moderate to strong carbonate alteration. 3-5% disseminated pyrite. There are also several quartz veins throughout the sample, which are often less mineralized than the host rock. White quartzite, mottled with fvery finely crystalline flesh coloured iron carbonate/albite? containing finely crystalline pyrite.	6.760	
SU08365	H820153	09-09-05-BK5	Massive Sulphide	5163465	528604	Brady's PoleLine Property. This is a massive sulphide sample containing about 55% pyrite, pyrrhotite with minor chalcopyrite. The host rock is quartzite. 20% of the sample is composed of a large carbonate vein which has soome larger blebby sulphide pods. The strongest mineralization occurs in a band along the contact of the vein with the host rock. Massive pyrite with gray quartz pod contained within very coarsely crystalline Iron carbonate,	0.011	
SU08365	H820152	09-09-05-BK6	Quartzite	5163447	528591	Brady's PoleLine Property. This sample is of a very coarse grained quartzite with carbonate composing about 50% of the rock. 5% pyrite and pyrrhotite are observed within the quartzite. The sample is strongly oxidized. Mottled brown tan medium crystalline, granoblastic, 55% slightly gray-white quartz, 40% flesh coloured ankerite with 15% interstitial pyrite. Ankerite on weathering produces a rusty brown soft earthy material. Some chalcopyrite may be present.	0.021	
SU08365	H820156	09-09-10-BK1	Quartzite	5168250	527630	Spar LK, Pink and grey mottled quartzite containing 5% disseminated pyrite, pyrrhotite and chalcopyrite. Strong carbonate alteration. One section contains a carbonate vein about 4-5cm wide. Quartzite protolith modified by possible albitization and ankerite. 35% ankeite as euhedral coarsely crystalline rhombs visible in weathered surface. 5% pyrite occurring in later fracures.	0.018	
SU08365	H820157	BK Guy1	Quartzite	5168250	527630	Spar Lk, Mottled cream white - medium grey granoblastic, coarsely crystalline ankerite, with disseminated blebs of pyrite.	0.037	
SU08365	H820158	BK Guy2	Quartz	5168523	526883	NW QV, Massive milky white quartz	0.724	
SU08365	H820159	BK Guy3	Quartz	5168523	526883	NWQV, Massive milky white quartz with interstitial 5% tan white ankerite and 1% grren chlorite.	0.047	
SU08366	H820166	09-09-30-BK5	Quartz	5166554	527324	NWQV, Milky white massive quartz with very minor reddish hematite staining. Several void, probably of weathered out carbonate. Random sample collected from quartz rubble at shaft of NWQV	<.005	
10U399707	E5096584		Quartz Vein	5165548	529097	This sample is taken from a quartz vein containing rusty brown alteration. There are some areas which appear to have sulphides that have been rusted out. The quartz is a tan colour because of the multiple fractures running through it that have become infilled with rusty brown material.	0.790	
10U399707	E5096585		Sheared Sediment	5165384	529183	This sample is a moderately chloritized sheared unit, possibly a sediment (hard to tell from hand sample). Pyrite occurs disseminated throughout the sample (2%). There is also some weak patchy carbonate alteration.	0.047	
10U399707	E5096586		Quartz Vein	5165429	529128	This is a sample of a buff white quartz vein with some small flecks of chlorite and patches of dark smokey quartz.	0.002	
10U399707	E5096587		Carbonate Breccia	5165356	529282	This sample appears to be some sort of carbonate breccia or the margin of a vein? The host rock is greyish green in colour and there are wispy veins of carbonate penetrating the rock. These veins are lined with magnetite and in some cases sulphides (5% pyrrhotite). There is also some weak biotite alteration	0.004	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U399707	E5096588		Quartz Vein	5165363	529298	This sample contains both quartz vein as well as some sheared strongly chloritized material (host rock?). The host rock is strongly foliated and serpentinized. The quartz is relatively plain with some small brownish alteration spots. One peice of this sample looks as if the quartz is penetrating into the shear zone.	0.005	
10U399707	E5096589		Diabase	5165479	529079	This sample appears to be a strongly carbonate altered diabase. There are blebby patches as well as elongate alteration following a foliation. (2 alteration stages?) The carbonate appears orangy in colour (ankerite). The sample is abnormally heavy.	0.008	
10U399707	E5096590		Quartzite	5159256	529253	This is a light salmon pink quartzite that appears brecciated. The matrix is composed of vuggy quartz and carbonate. Some cubic vugs look like they could be weathered out pyrite.	0.001	
10U399707	E5096591		Quartzite	5159293	528000	This sample is a quartz flooded pink quartzite. Quartz veining is sporadic and intense throughout and has fuzzy margins in contact with the quartzite. Some rust patches on surface seem to indicate the presence of ankerite in the quartz.	0.001	
10U399707	E5096592		Quartz-Carbonate V	5159253	528017	Sample is from a quartz carbonate vein in a brecciated unit. Has vuggy weathered out carbonates. Moderate hematite alteration.	0.002	
10U401146	E5096598	10-04-29-LM1	Quartz Vein	5159713	528004	Pit found by Guy. Sample of quartz vein out of pit. Smokey grey quartz with rusty spots of ankerite. Strike 310.	0.002	
10U401146	E5096599	10-04-29-LM2	Quartz Vein	5159714	528019	Quartz vein exposed by Guy. Looks like quartz flooded sandstone. Sandstone contains 5% wispy pyrite blebs. Quartz veins contain no sulphides.	0.004	
10U401146	E5096600	10-04-29-LM3	Quartz Vein	5159707	527995	Quartz vein from trench containing about 15% pyrite. Sample is very rusty and has green flecks throughout, possible fucsite. Quartz is a smokey grey colour.	0.111	
10U401146	E5096601	10-04-29-LM4	Quartzite	5159706	527995	Host rock quartzite, appears slightly foliated and mineralized along the margin of the vein. Weak hematite alteration and 3% sulphide.	0.009	
10U401146	E5096602	10-04-29-LM5	Quartzite	5159735	527923	Sulphide bearing host rock quartzite. Bands within the quartzite are altered by hematite and these hematitic bands contain sulphide. Lots of red-brown rust.	0.081	
10U401146	E5096603	10-04-29-LM6	Quartz Vein	5159736	527923	Quartz vein with 2% disseminated pyrite. Rusty filled fractures. Space between brecciated quartz veins contains highly feldspathic material and flecks of fucsite.	0.002	
10U401146	E5096604	10-04-29-LM7	Quartz Vein	5159776	527969	Quartz vein hosted in quartzit. Sample is from an old trench. Contains about 2% sulphide. Lots of rusted out material. Host quartzite is weakly hematitically altered.	0.038	
10U401146	E5096605		Quartz Vein	5159304	528002	This sample is from veins stripped by guy behind the Tait Quarry. Small 2-5cm quartz veins are flooding a weakly hematitically altered quartzite. Some carbonate is present within the sample.	0.009	
10U401146	E5096607		Quartz Vein	5165507	529336	Sample is taken from quartz found on an outcrop of Nipissing diabase. Further exploration of this area is suggested to uncover the vein. Fragments are from a blast pit.	>10	
10U401146	E5096608		Quartz Vein	5165507	529336	Same as above. Sample has a fleck of VG.	>10	
10U401146	E5096609		Quartz Vein	5159716	528050	From outcrop 20m north of pit. Sample taken by Guy. Rusty buff quartz material	1.331	
10U401146	E5096610		Quartzite	5159716	529000	Sample taken by Guy out of histoical pit. Quartz flooded hematitically altered quartzite containing about 3% disseminated pyrite.	0.031	
10U401146	E5096611		Tailings	5165343	529299	Sample from possible tailings material. Sand is medium grained and green in colour.	0.996	
10U413262	E5105560		Nipissing Diabase	5161075	528402	Sulphide zone in Nipissing diabase, sample from Guy.	0.004	
10U413262	E5105561		Nipissing Diabase	5161075	523402	Sulphides in Nipissing diabase taken by Guy. 10% sulphide, weak potassic alteration.	0.001	
10U413262	E5105562		Quartz-Carbonate V	5161230	528040	Pyrite in quartz carbonate outcrop. Sample contains abundant white mica and ankerite alteration. 10% pyrite disseminated throughout. Taken by Guy.	0.037	
10U413262	E5105563		Quartzite	5159726	527952	Sample is thinly laminated quartzite that is strongly potassically alteredwith 5% pyrite in stringers throughout. Taken by Guy.	0.034	
10U413262	E5105564		Quartzite	5161220	528120	Sample comes from a blast pit. Minor quartz carbonate. Sample appears strongly weathered out. Yellow sulphur staining present.	0.127	
10U413262	E5105565		Chlorite Breccia	5166673	529102	Scadding Mine Site. Sample is from outcrop on the south side of the north pit. Rusty chlorite breccia containing 20% pyrite. Quartzite fragments are buff white.	2.680	
10U413262	E5105566		Chlorite Breccia	5166475	529143	Scadding Mine Site. Sample contains about 15% coarse grained pyrite. Quartzite fragments within have diffuse margins. Pyrite appears re-crystallized. 70% chlorite. Sample 1, Trench 1.	29.400	
10U413262	E5105567		Chlorite Breccia	5166475	529143	Scadding mine Site. About 5% coarse grained pyrite. Chlorite matrix is about 90% of the sample. Few small quartzite fragments (2-5cm). Sample 2, Trench 1.	42.000	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U413262	E5105568		Chlorite Breccia	5166475	529143	Scadding Mine Site. Chlorite breccia containing about 20% fragments with diffuse margins. Fragments are composed of hematitically altered quartzite and white bull quartz. Less than 5% pyrite. Sample 3, Trench 1.	3.610	
10U413262	E5105569		Chlorite Breccia	5166479	529154	Scadding Mine Site. Chlorite breccia, 50% matrix, 50% fragmnets. Fragments are between 2-15cm. 2% sulphides. Fragments consist of hematitically altered quartzite and white bull quartz. Sample 4, Trench 2	0.505	
10U413262	E5105570		Chlorite Breccia	5166479	529154	Scadding Mine Site. Chlorite breccia with 50% chlorite matrix containing fragments between 5-15cm of hematitically altered quartzite. 15% sulphide in coarse grained cube between fragments. Sample 5, Trench 2.	33.800	
10U413262	E5105571		Quartzite	5166693	529208	Scadding Mine Site. Quartzite sample with strong hematite alteration. Outcrop contains large 10-40cm ankerite/hematite pits. Sample taken due to degree of alteration. Sample 6, Trench 3.	0.082	
10U413262	E5105572		Chlorite Breccia	5166693	529208	Scadding Mine Site. Fragments are between 2-10cm in size. Band of breccia is located in a quartzite bedding horizon. Fragments are moderately chloriteically altered and matrix is quartzite. Sample 7, trench 3.	0.009	
10U413262	E5105573		Shear Zone	5166658	529119	Scadding Mine Site. Sample taken from chloritically altered and sulphidized shear zone running through the chlorite breccia. Moderate quartz, ankerite and chlorite. Sample 8, Trench 4.	0.856	
10U413262	E5105574		Quartzite	5166417	529322	Scadding Mine Site. Weakly hematitically altered quartzitewith blebs and veinlets of chlorite alteration throughout. About 5% sulphide. Strong ankerite alteration. Sample 9, Trench 5.	0.011	
10U413262	E5105575		Quartzite	5166417	529322	Scadding Mine Site. Moderately hematitically altered quartzite with patchy ankerite alteration and 5% pyrite. Sample 10, Trench 5.	2.950	
10U413262	E5105576		Chlorite Breccia	5166476	529357	Scadding Mine Site. Sample contains some smaller strongly hematitically altered fragments and larger white quartzite. Less than 5% sulphide. Abundant hematite in veins in quartzite and chlorite matrix. 20% fragments, 80% matrix. Sample 11, Trench 6.	0.108	
10U413262	E5105577		Chlorite Breccia	5166473	529366	Scadding Mine Site. Sample contains about 15% sulphide, however 10% is within ankerite alteration and hematitically altered quartzite fragments. Sample contains 25% matrix. Sample 12, Trench 6.	4.300	
10U413262	E5105578		Chlorite Breccia	5166466	529515	Scadding mine Site. Sample is about 85% chlorite, fragments present are almost completely consumed by chlorite. 20% pyrite and abundant hematite filling spaces between pyrite. Sample 13, Trench 7.	0.027	
10U413262	E5105579		Chlorite Breccia	5166475	529522	Scadding Mine Site. Sample contains about 30% chlorite matrix. Fragmnets 1-5cm, moderate hematite altered and well defined boundaries. Less than 5% pyrite. Sample 14, Trench 7.	0.006	
10U413262	E5105580		Quartzite Breccia	5166458	529584	Scadding Mine Site. Small 0.25-2cm quartzite fragments. The matrix is sandy green quartzite with fine grained disseminated pyrite. 20% pyrite, 60% fragments. Sample 15, Trench 8.	0.045	
10U413262	E5105581		Chlorite Breccia	5166458	529584	Scadding Mine Site. Very dark green coloured chlorite. 80% chlorite with minor sulphide and 0.25 - 2cm white quartzite fragments. Sample 16, Trench 8	0.521	
10U413262	E5105582		Chlorite Breccia	5166458	529584	Scadding Mine Site. 90% chlorite matrix, 10% sulphide smearedand surrounding quartz fragments. Sample 17, trench 8.	0.626	
10U413262	E5105583		Shear Zone	5166277	529258	Scadding Mine Site. Chloritically and hematitically altered shear zone on margin of sulphide mineralization and chlorite breccia. Coarse grained bull quartz throughout. Sample 18, Trench 9.	0.082	
10U413262	E5105584		Chlorite Breccia	5166277	529258	Scadding Mine Site. Sulphide/chlorite breccia. Sample contains 60% sulphide (po+py) in chloritic matrix with some coarse grained quartzite fragments. Sample 19, Trench 9.	7.350	
10U413262	E5105585	10-05-27-LM1	Quartz Breccia	5166446	529819	East of Scadding Mine Site. Sample contains 70% sulphide and 25% quartz from veins in old trench.	0.805	
10U413262	E5105586	10-05-27-LM2	Quartz Breccia	5166446	529819	East of Scadding Mine Site. Gossan sample. Contains 30% sulphide. From old trench.	0.075	
10U413262	E5105587	10-05-27- LM3	Quartz Breccia	5166446	529819	East of Scadding Mine Site. Sample contains about 40% sulphide from old trench area.	0.035	
10U319936	E5105595	10-06-29-GS1	Quartzite	5160570	528182	Sample is of metasomatized rock. It appears to be a quartzite with chlorite alteration, within the chlorite there appears to be some small fine grained pyrite with rusty halos around them. There are some lighter pink patches throughout the sample of hematitically altered rock which is slightly more intense around chloritic patches.	0.003	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U319936	E5105596	10-06-29-DAL5	Quartz-Carbonate Vein	5160555	528208	Rusted quartz-carbonate occurring on the margin of a quartz vein. Sample is strongly foliated and gradational from a massive grey quartzite to a pinkish ankerite altered quartzite. 1% of the sample is blebs of fine grained pyrite.	<0.001	
10U319936	E5105597	10-06-29-GS2	Dolomite	5160489	528058	This sample is greish-green in colour with on small patch of pink feldspar in the sample. There are quartz veins commonly through (quartz-flooding) as well as fragments or grains of quartz. Elongated pods of biotite are common. 5% sulphide in the sample with more concentration along margins of quartz veins.	0.002	
10U319936	E5105598	10-06-29-DAL2	Quartzite	5160492	528122	Sample comes from a pit. It consists of pink to grey quartzite that is moderately foliated with some bands being more potassically altered. Biotite occurs as compositional layering within the quartzite. 2% pyrite present as blebs with 0.5% chalcopyrite present.	0.005	
10U319936	E5105599	10-06-29-DAL3	Psammite	5160492	528122	Sample is from an old pit. Light pinkish psammite, very fine grained with very fine grained flecks of biotite and muscovite disseminated throughout. Pyrite is present within the sample that occurs as stringers (possibly stretched blebs), about 5% of the sample. Pink carbonate alteration occurs around blebs of pyrite. On one hand sample submitted pyrite seems to occur along contact between possible bedding planes.	0.012	
10U319936	E5105600	10-06-29-DAL8	Quartz Vein	5160555	528208	This sample is a milky white quartz vein with no alteration or mineralization.	<0.001	
10U319936	E5105601	10-06-29-DAL6	Quartz Vein	5160555	528208	Smokey, cherty looking quartz vein, 5 feet wide. Hematite alteration occurring in fractures. No sulphide mineralization.	0.004	
10U319936	E5105602	10-06-29-DAL7	Quartz Vein	5160555	528208	Rusty looking quartz vein with ankerite alteration. 2% disseminated pyrite with rusty patches around pyrite mineralization.	0.008	
10U319936	E5105603	10-06-29-DAL1	Quartzite	5160546	528226	Quartzite sample with elongated biotite grains in a preferred orientation. 2% pyrite disseminated throughout the sample with rusty patches on the weathered surface. Hematite filled fractures.	0.075	
10U319936	E5105604	10-06-29-DAL4	Psammite	5160492	528122	This sample comes from an old blast pit. It is a very fine grained metamorphosed sandstone with thin grey quartz veins throughout. Bedding horizons are compositionally variable. There is both fine grained disseminated pyrite throughout as well as blebby pyrite and chalcopyrite, sulphides compose 3% of the sample.	<0.001	
10U319936	E5105760	10-07-14-BK2	Nipissing Diabase	5173025	527026	This sample of Nipissing Diabase is coarse grained and consists of quartz, biotite, pyroxene and sulphides. Sulphides are mostly chalcopyrite with small amounts of pyrite and pyrrhotite (5% sulphides overall). Outcrop sample is taken from is bright orangy-red in colour.	0.340	
10U421550	E5105761	10-07-11-DAL6	Quartzite	5161137	527976	Sample is sheared and causing pyrite grains to become stretched in the strain direction. Ankerite rhombs present and rusting, also becoming stretched in strain direction.	0.045	
10U421550	E5105762	10-07-13-GS4	Quartz-Carbonate Vein	5161307	528075	Dark redish brown vein with strong ankerite alteration. Host rock is a light pink quartzite. Quartz vein is a smokey grey colour where no ankerite blebs occur.	0.036	
10U421550	E5105763	10-07-14-DAL6	Quartz-Carbonate Vein	5161272	528192	Pinksh coloured quartzite with brown weathered ankerite patches throughout. 2% disseminated pyrite in sample, commonly associated with clusters of magnetite. There are also white bull quartz veins throughout.	1.840	
10U421550	E5105764	10-07-13-GS5	Quartz Vein	5161298	528075	Smokey grey quartz vein with minor ankerite pods and 0.5% disseminated pyrite.	0.022	
10U421550	E5105765	10-07-14-GS3	Siltstone	5161203	528064	No fresh sample in bag, rusty brown ankerite alteration in fracture planes. Guy documented fine pyrite in the vicinity.	0.042	
10U421550	E5105766	10-07-14-GS4	Siltstone	5161206	528066	Aphanitic, pinkish in colour, with some small patches of quartz fragments. Hematite filled fractures throughout.	0.070	
10U421550	E5105767	10-07-13-GS2	Quartzite	5161330	528067	White quartzite with small ankerite pockets throughout that have become altered to reddish brown clay. There are thin mm smokey grey quartz veins throughout the sample. Patches of pyrite observed within the sandstone, as well pyrite seems smeared along fracture planes.	0.082	
10U421550	E5105768	10-07-14-DAL2	Quartz Vein	5161260	528118	Quartz vein with coarse grained carbonate throughout, sometimes white in other areas rusted brown. Coarse grained feldspar is also common throughout the vein. Commonly fine grained white mica observed in fractures and within spaces between carbonates.	0.092	
10U421550	E5105769	10-07-14-DAL4	Quartz Vein	5161260	528118	Same as previous sample.	0.019	
10U421550	E5105770	10-07-11-DAL4	Quartzite	5161222	528118	Sample is a pinkish quartzite with coarse grained feldspars. Moderate hematitic alteration. 5% blebby pyrite through the sample. Weathered surface shows recessive weathering of host rock between quartz-rich areas.	<0.001	
10U421550	E5105771		STANDARD			STANDARD	0.005	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U421550	E5105772	10-07-13-GS1	Siltstone	5161327	528067	Colman Formation? Dark grey siltstone with on large 2cm bleb of pyrite weathering out around the margins. Lots of hematite within fractures.	0.003	
10U421550	E5105773	10-07-15-GS3	Quartz Vein	5161173	528126	Smokey grey quartz vein within a weakly hematitically altered quartzite. Contact is sharp between the two lithologies, but there is some bleaching or elemental removal along the margin of the vein.	0.005	
10U421550	E5105774	10-07-14-GS5	Quartzite	5161236	528088	Quartz Flooded pink quartzite. Ankerite alteration is quite strong and appears to be overprinting. 0.5% disseminated pyrite throughout the sample.	0.017	
10U421550	E5105775	10-07-14-GS9	Quartz Vein	5161240	528094	White bull quartz vein with patches of beige carbonate throughout. Carbonate on weathered surface turning to brown clay.	0.008	
10U421550	E5105776	10-07-11-DAL1	Quartz Vein	5161222	528118	Pink coloured quartzite flooded with quartz veins. Sulphides (pyrite and chalcopyrite) found disseminated throughout the quartzite as well as within quartz veins that are altered by carbonate. Seems to be several veining events.	0.004	
10U421550	E5105777	10-07-11-DAL2	Quartz Vein	5161222	528118	Similar to above sample, but contains large micaceous porphyroblasts. Mica is generally fuchsite and phlogopite.	0.014	
10U421550	E5105778	10-07-15-GS1	Quartzite	5161227	528104	Highly rusted quartzite with intense thick weathered surface. Fresh rock is pinkish quartzite with very fine grained disseminated pyrite throughout.	0.003	
10U421550	E5105779	10-07-15-GS2	Quartz Vein	5161173	528126	White, sucrose textured quart vein with minor carbonate alteration. Sample is taken from the southside of a shear zone trending 340 degrees.	0.029	
10U421550	E5105780	10-07-03-GS3	Quartz Vein	5161332	528068	Smokey grey quartz vein with abundant ankerite 2-5mm, weathering out. Ankerite composes 30% of the sample and have become elongate parallel to quartz vein contacts.	0.008	
10U421550	E5105781		STANDARD				0.730	
10U421550	E5105782	10-07-14-GS6	Quartzite Breccia	5161231	528088	Quartzite breccia with quartz rich matrix. Fine grained pyrite and magnetite compose 0.5% of the sample.	0.127	
10U421550	E5105783	10-07-14-GS7	Quartzite Breccia	5161230	528090	Sample is similar to above. This sample contains more weathered material than the previous one.	0.009	
10U421550	E5105784	10-07-11-DAL3	Quartz Vein	5161222	528118	Very strongly oxidized sample with 15% pyrite. Sample also contains fuchsite. This sample comes from a pit on the top of the pit wall.	0.147	
10U421550	E5105785	10-07-14-DAL7	Quartzite	5161259	528108	Ankerite altered quartzite. The ankerite alteration occurs in bands throughout the quartzite. Fine grained pyrite and magnetite disseminated throughout (1%). Weathered surface penetrates about 3cm into the sample.	0.015	
10U421550	E5105786	10-07-15-GSBR2	Quartz Breccia	5159302	527997	Brecciated light pink, sub rounded quartzite fragments within a matrix of bull white quartz. No sulphide.	0.002	
10U421550	E5105787	10-07-14-GS1	Quartzite	5161200	528064	Very fine grained light grey quartzite. Massive with fine grained disseminated pyrite. Highly siliceous with minor ankerite alteration.	0.010	
10U421550	E5105788	10-07-14-DAL1	Quartz Breccia	5161320	528094	Quartzite fragments weakly altered by hematite in a quartz matrix. The quartz matrix has 1cm chilled margins that are apparent by their smokey grey colour. Fine grained disseminate pyrite only in fragments (2%).	0.006	
10U421550	E5105789	10-07-14-DAL3	Quartz Vein	5161260	528118	White bull quartz vein with micaceous porphyroblasts. Fractures infilled with phlogopite	0.006	
10U421550	E5105790	10-07-15-GSBR1	Quartz Breccia	5159302	527997	Brecciated light pink, sub rounded quartzite fragments within a matrix of bull white quartz. No sulphide. Moderately foliated.	0.012	
10U421550	E5105791		BLANK				<0.001	
10U421550	E5105792	10-07-14-GS2	Quartzite	5161200	528064	All surfaces of this sample are weathered dark brown in colour. Appears to be a moderately foliated light pinkish carbonate altered quartzite. No apparent sulphide mineralization.	0.008	
10U421550	E5105793	10-07-14-DAL1	Quartzite	5161260	528118	Pinkish quartz flooded quartzite. Quartz veins between 0.2mm-1cm. Moderate ankerite alteration and fine grained disseminated pyrite (2%) within the quartzite.	0.017	
10U421550	E5105794	10-07-15-GSBR3	Quartz Breccia	5159302	527997	Quartzite fragments weakly altered by hematite in a quartz matrix. The quartz matrix has 1cm chilled margins that are apparent by their smokey grey colour. Large beige ankerite throughout.	<0.001	
10U421550	E5105795	10-07-11-DAL5	Quartzite	5161139	527443	Dark grey quartzite with fine grained pyrite.	0.001	
10U421550	E5105796	10-07-14-GS8	Quartz Breccia	5161241	528091	Large ankerite altered fragments in a quartz matrix. Some quartzite fragments between 2-10cm quartzite fragments have become quartz flooded in foliation direction.	0.005	
10U422205	E5105798	10-07-20-GS5	Quartz Vein	5162106	528283	White bull quartz vein. Fractures filled with rusty material. One small speck of pyrite.	0.023	
10U422205	E5105810	10-07-19-DAL1	Quartzite	5161584	528197	Quartz flooded chlorite altered quartzite. Patches of dark green chlorite alteration throughout. Quartzite is strongly hematitically altered. 0.5% disseminated pyrite.	0.004	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U422205	E5105811		STANDARD				4.880	
10U422205	E5105812	10-07-19-DAL2	Quartzite	5161623	528155	Quartz flooded quartzite. Irradic chaotic narrow quartz veins throughout moderately hematitically altered quartzite. 1% pyrite in cubes throughout.	0.002	
10U422205	E5105813	10-07-20-DAL1	Quartzite	5161786	528262	Strongly ankerite altered quartzite. No sulphides.	0.121	
10U422205	E5105814	10-07-20-DAL2	Quartzite	5161786	528262	Very fine grained to aphanitic quartzite with larger crystalline quartz fragments throughout. 3% disseminated sulphide. Quartzite is moderately hematitically altered.	0.038	
10U422205	E5105815	10-07-20-DAL1	Quartzite	5161786	528262	Bluish quartz vein within moderately hematitically altered quartzite. Pyrite and chalcopyrite very fine grained, disseminated, 0.5% of sample. This sample is about 20% quartz vein and 80% host quartzite	0.128	
10U422205	E5105816	10-07-20-DAL4	Quartzite	5162096	528282	Fine grained to aphanitic quartzite, weakly hematitically altered with fine grained disseminated pyrite throughout.	0.011	
10U422205	E5105817	10-07-20-GS1	Quartzite	5161943	528277	Grey quartzite with weak ankerite alteration and 3% medium grained disseminated pyrite throughout.	0.063	
10U422205	E5105818	10-07-20-GS2	Quartzite	5161943	528227	Same as above.	0.007	
10U422205	E5105819	10-07-20-GS3	Quartzite	5161943	528277	Same as above.	0.006	
10U422205	E5105820	10-07-20-GS4	Quartz Vein	5162106	528283	Smokey grey quartz vein with a small fleck of fuchsite and phlogopit located in fractures. Trace pyrite mineralization.	0.046	
10U422205	E5105821		BLANK				<0.001	
10U422205	E5105822	10-07-21-GS1	Quartz Vein	5165362	529291	Sample comes from west wall. Host rock appears strongly foliated and serectitic. Quartz vein is sucrose texture and barren.	0.005	
10U422205	E5105823	10-07-21-GS2	Quartz Vein	5165362	529291	Quartz vein is from same location as above. Quartz vein is sucrose textured and white with patches of smokey grey quartz.	0.001	
10U422205	E5105824	10-07-21-GS3	Sheared Host	5165362	529291	Difficult to tell what the protolith of the host rock is as it is very strongly sheared and banded between a more siliceous material and a more micaceous material. No sulphides, abundant serectite.	0.033	
10U425896	E5105826	10-07-25-DAL1	Quartz Vein	5162951	528542	Smokey quartz vein with some bruce conglomerate wall rock. No sulphides and moderate hematite within fractures throughout vein.	0.004	
10U425896	E5105827	10-07-25-DAL2	Quartz Vein	5162955	528537	WP335. Quartz vein with very strongly prevsive fracturing throughout. Fractures are infilled with carbonate alteration rusting out. 1% disseminated sulphide through. Sample is very crumbled and highly weathered.	0.004	
10U425896	E5105828	10-07-26-DAL1	Quartz Vein	5162982	528417	Bull quartz vein with moderate ankerite alteration.	0.001	
10U425896	E5105829	10-07-26-DAL2	Quartz Vein	5162982	528417	Half of the sample consists of pinkish hematitically altered quartzite with fine grained disseminated pyrite. The other half of the sample is a quartz vein with moderate ankerite alteration.	0.032	
10U425896	E5105830	10-07-26-DAL3	Quartz Vein	5162982	528417	Bull quartz vein with minor ankerite alteration and 1% fine grained disseminated pyrite.	0.001	
10U425896	E5105831	CDN-GS-P8	STANDARD				0.749	
10U425896	E5105832	10-07-26-DAL4	Quartzite	5162982	528417	60% of this sample is a pinkish hematitically altered quartzite. A narrow quartz vein runs through the quartzite and has abundant pyrite (10%) along the contact between the vein and the quartzite. Grab off dump.	0.059	
10U425896	E5105833	10-07-26-DAL5	Quartzite	5162982	528417	Same as above sample. Quartz vein appears slightly yellowed. Grab off dump site.	0.046	
10U425896	E5105840	10-07-28-DAL1	Quartz Vein	5162789	528323	60% of the sample is a strongly ankerite altered quartz vein. Sample is highly weathered. Host rock is pinkish quartzite. 1% disseminate pyrite in the quartz vein.	0.007	
10U425896	E5105841	CDN-BL4	STANDARD				0.002	
10U425896	E5105842	10-07-28-DAL2	Quartzite	5162788	528325	Quartz flooded quartzite. Quartzite is a pinkish colour with abundant white quartz veinlets throughout. Quartz often contains pyrite, composing about 3% of the total sample.	0.030	
10U425896	E5105843	10-07-28-DAL3	Quartzite	5162793	528928	Light pink quartzite with moderate carbonate alteration, 1cm weathered rinds. 1% fine grained disseminate pyrite.	0.038	
10U425896	E5105844	10-07-28-DAL4	Quartz Vein	5162789	528338	Bull white quartz vein with 2% blebby pyrite throughout. Off dump.	0.002	
10U425896	E5105845	10-07-28-DAL5	Quartz Vein	5162788	528338	Same as above sample, but with a few small flecks of green mica.	0.005	
10U425896	E5105846	10-08-02-GS1	Bruce Formation	5165688	529151	Bruce conglomerate with pyrite seams throughout. Pyrite is about 5% of the sample.	0.002	
10U425896	E5105847	10-08-02-GS2	Bruce Formation	5165688	529151	Same as above.	0.004	
10U425896	E5105848	10-08-02-GS3	Bruce Formation	5165688	529151	Same as above	<0.001	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U425896	E5105849	10-08-02-GS4	Bruce Formation	5165688	529151	Same as above	0.001	
10U425896	E5105850	10-08-02-GS5	Bruce Formation	5165688	529151	Same as above	0.001	
10U425896	E5105851	CDN-GS-1E	STANDARD				1.090	
10U425896	E5105852	10-08-02-GS6	Bruce Formation	5165688	529151	Same as above	<0.001	
10U425896	E5105853	10-08-03-GS1	Quartz Vein	5165736	529254	Sample is from a 2 foot wide quartz vein within the Bruce conglomerate. It contains minor amounts of pyrite and was taken from the east wall.	0.002	
10U425896	E5105854	10-08-03-GS2	Quartz Vein	5165736	529254	Same as above sample, but taken from offset displacement.	0.002	
10U425896	E5105855	10-08-03-GS3	Quartz Vein	5165736	529254	Same as above. 2 foot quartz vein.	0.002	
10U425896	E5105856	10-08-03-GS4	Quartz Vein	5165736	529254	Same quartz Vein as above, but sample is taken from the middle of the quartz vein. Much less alteration than previous samples.	<0.001	
10U425896	E5105857	10-08-03-GS5	Bruce Formation	5165736	529254	This sample is taken from the sample location as the above quartz veins, but it is a sample of wall rock conglomerate taken from the east side of the vein. It is dark grey in colour and strongly weathered.	0.005	
10U425896	E5105858	10-08-03-GS6	Bruce Formation	5165736	529254	Same as above.	0.002	
10U425896	E5105859	10-08-03-GS7	Quartz Vein	5165736	529254	Half of this sample is composed of strongly weathered conglomerate and the other half is a bull quartz vein with moderately hematitically filled fractures. No sulphide.	0.001	
10U425896	E5105860	10-07-29-DAL1	Quartzite	5162789	528350	Quartz flooded quartzite. Quartzite is a pinkish colour with abundant pyrite mineralization. 10% pyrite. Quartz is light grey with some weaker pyrite mineralization.	0.020	
10U425896	E5105861	CDN-GS-P8	STANDARD				0.810	
10U425896	E5105862	10-07-29-DAL2	Quartzite	5162788	528350	Same as above.	0.005	
10U425896	E5105863	10-07-29-DAL3	Quartz Vein	5162789	528343	Quartz Vein contains about 50% quartz and 50% carbonate. There is 10% coarse grained disseminate pyrite throughout.	0.025	
10U425896	E5105864	10-07-29-DAL4	Quartzite	5162790	528342	Pink coloured quartzite with about 3% medium grained disseminated pyrite throughout.	0.006	
10U425896	E5105865	10-07-29-DAL5	Quartz Vein	5162796	528340	Quartz vein in host quartzite. Sample is strongly weathered. Quartzite is strongly foliated with alteration coming in along foliation planes. Quartz vein is about 2cm wide and composes about 30% of the total sample.	0.020	
10U425896	E5105866	10-07-29-DAL6	Quartzite	5162795	528338	Pink quartzite with strong ankerite alteration. About 5% disseminate pyrite throughout.	0.010	
10U425896	E5105867	10-07-29-DAL7	Quartzite	5162795	528334	Same as above.	0.006	
10U425896	E5105868	10-07-29-DAL8	Quartzite	5162794	528334	Same as above.	0.023	
10U425896	E5105869	10-07-29-DAL9	Quartzite	5162767	528339	Pink moderately carbonate altered quartzite flooded by smokey grey quartz veins. Host rock contains about 5% fine grained disseminated pyrite. 15% pyrite in and along the margin of quartz veins.	0.017	
10U425896	E5105870	10-07-29-DAL10	Quartzite	5162764	528342	Quartzite with moderate chlorite and carbonate alteration. 5% pyrite disseminated throughout the quartzite.	0.004	
10U425896	E5105871	CDN-GS-5E	STANDARD				5.630	
10U425896	E5105872	10-08-07-DAL1	Quartzite	5162780	528345	Red quartzite with moderate patchy carbonate alteration (Calcic and ferric). Fine grained pyrite 10% disseminate throughout more concentrated along vein margins. One 2cm quartz vein within sample, 10% pyrite within, smokey in colour with weak carbonate.	0.042	
10U425896	E5105873	10-08-07-DAL2	Quartzite	5162778	528334	Same as above, 20% quartz vein, 80% quartzite	0.083	
10U425896	E5105874	10-08-07-DAL3	Quartzite	5162769	528343	Quartz flooded quartzite containing 10% disseminated pyrite in both quartzite and quartz. Moderately altered by carbonate.	0.018	
10U425896	E5105875	10-08-07-DAL4	Quartz Vein	5162766	528340	Smokey coloured quartz vein with 5% cubic medium grained pyrite throughout. Euhedral carbonate rhombs, cm sized, throughout quartz vein.	0.014	
10U425896	E5105876	10-08-07-DAL5	Quartzite	5162766	528340	Smokey grey quartzite with coarse grained quartz grains and carbonate rhombs throughout. 2% disseminated pyrite.	0.073	
10U425896	E5105877	10-08-07-DAL6	Quartz Vein	5162762	528345	Smokey grey quartz vein about 3cm wide containing 2% pyrite mostly along margins. Vein is in a pinkish strongly carbonate altered quartzite.	0.072	
10U425896	E5105878	10-08-07-DAL7	Quartzite	5162693	528333	Moderately foliated grey quartzite with 5% fine grained disseminated pyrite.	0.048	
10U425896	E5105879	10-08-07-GS1	Bruce Formation	5161944	528760	Dark grey Bruce conglomerate with small mm sized quartz veins having moderate hematitic alteration. Bruce conglomerate has 3-10mm quartz clasts within.	0.006	
10U425896	E5105880	10-08-07-GS3	Bruce Formation	5161764	528518	Fragments of white bull quartz within a matrix of Bruce Formation. No sulphides or significant alteration.	0.003	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U425896	E5105881	10-08-04-GS2	Bruce Formation	5161657	528665	Rusted quartz pebble conglomerate.	0.002	
10U425896	E5105882	CDN-GS-1E	STANDARD				1.160	
10U425896	E5105883	10-08-07-GS5	Olivine Diabase	5161347	528463	Olivine diabase with large blebs of pyrite (5%) and some weak potassic alteration.	0.002	
10U425896	E5105884	10-08-07-GS6	Olivine Diabase	5161347	528463	Same as above	0.015	
10U425896	E5105885	10-08-04-GS1	Bruce Formation	5161675	528696	Rusty, magnetic quartz pebble conglomerate. Sampled for possible uranium.	0.006	
10U425896	E5105886	10-08-07-GS2	Bruce Formation	5161744	528504	Quartz breccia in Bruce formation. White bull quartz matrix with moderate ankerite alteration throughout.	0.009	
10U425896	E5105887	10-08-07-GS3	Quartzite	5161633	528618	Medium grey quartzite with 1% disseminated pyrite and moderate ankerite alteration.	0.002	
10U425896	E5105888	10-08-07-GS4	Quartz Vein	5161764	528518	Rusty, strongly weathered quartz vein in Bruce conglomerate. Quartz vein is pinkish in colour due to the intense hematite alteration in fractures.	0.001	
10U425896	E5105889	10-08-04-GS5	Quartz Vein	5161632	528628	Quartz vein with moderate hematite alteration.	0.001	
10U425896	E5105890	10-08-04-GS4	Quartzite	5161448	528497	Medium grey quartzite with quartz fragments throughout and 2% blebby pyrite.	0.001	
10U425896	E5105891	10-08-04-GS6	Bruce Formation	5161495	528599	Quartz Pebble conglomerate with 2% pyrite and magnetite. Sampled for uranium.	0.002	
10U425896	E5105892	CDN-GS-P8	STANDARD				0.733	
10U430199	E5338767	LM1-10-08-16	Quartz Vein	5172094	528308	Quartz flooded greywacke. Veins contain about 10% chalcopyrite with Malachite. Moderate ankerite alteration. Haultain Showing.	0.281	
10U430199	E5338768	LM2-10-08-16	Quartz Vein	5172094	528308	Quartz flooded greywacke containing on average about 15% chalcopyrite with malachite staining and weak ankerite alteration. Haultain showing.	3.700	
10U430199	E5338769	LM3-10-08-16	Quartz Vein	5172091	528313	Quartz vein containing 5% chalcopyrite with intense malachite staining. Vein is 2cm wide and trends 80/-80. Haultain showing.	0.756	
10U430199	E5338770	LM4-10-08-16	Quartz Vein	5172091	528311	Quartz flooded greywacke with 20% chalcopyrite in veins. Weak hematite and moderate ankerite alteration. Haultain showing.	8.200	
10U430199	E5338771	LM5-10-08-16	Quartz Vein	5172103	528308	Sample taken from a quartz vein 20cm wide. Appears to be a crack and seal type vein. 15% chalcopyrite. Intense malachite staining. Haultain showing.	9.060	
10U430199	E5338772	CDN-GS-P8	STANDARD				0.819	
10U430199	E5338773	LM6-10-08-16	Quartz Vein	5172113	528308	Sample is a strongly carbonate altered vein. Sample is strongly weathered containing about 5% chalcopyrite. Moderate malachite staining. Haultain showing.	2.780	
10U430199	E5338774	LM7-10-08-16	Quartz Vein	5172113	528306	Sample contains about 30% vein. Quartz vein is very narrow, 1 cm. Heavily weathered. Contains 10% chalcopyrite in vein with malachite. Haultain showing.	1.720	
10U430199	E5338775	LM8-10-08-16	Quartz Vein	5172064	528249	From trench on top of the hill. Intense malachite staining. 10% chalcopyrite. Moderate ankerite. Haultain showing.	3.090	
10U430199	E5338776	LM9-10-08-16	Quartz Vein	5172064	528249	From same area as previous sample. Taken by Mike. Highly weathered. Most of the sample is mud. Haultain Showing.	0.308	
10U430199	E5338777	LM10-10-08-16	Quartz Vein	5172062	528243	Sample contains about 40% quartz vein with 10% chalcopyrite and bornite. Moderate malachite and ankerite present. Haultain showing.	1.060	
10U430199	E5338778	LM11-10-08-16	Quartz Vein	5172063	528241	Quartz flooded greywacke with 10% chalcopyrite. Moderate malachite staining and hematite filled fractures. Haultain showing.	0.888	
10U430199	E5338779	LM12-10-08-16	Quartz Vein	5172060	528244	Quartz flooded greywacke with 5% chalcopyrite and weak malachite staining. Haultain showing.	0.080	
10U430199	E5338780	LM13-10-08-16	Quartz Vein	5172060	528244	Same as previous sample.	0.475	
10U430199	E5338781	DAL1-10-08-09	Quartzite	5163416	528235	Medium grained quartzite with moderate ankerite alteration and 2% pyrite.	0.004	
10U430199	E5338782	CDN-GS-5E	STANDARD				4.740	
10U430199	E5338783	DAL1-10-08-10	Conglomerate (Bruce)	5162110	528285	Fine grained light grey matrix with medium grained cubic pyrite and clasts of quartz. Pyrite makes up 2% of the matrix. Weak chlorite alteration.	0.004	
10U430199	E5338784	DAL2-10-08-10	Quartzite	5162110	528285	Light pinkish coloured quartzite, moderate ankerite alteration. Weathered rind is about 1cm thick. 2% disseminated pyrite.	<0.001	
10U430199	E5338785	DAL3-10-08-10	Conglomerate (Bruce)	5162231	528367	Clasts are medium to coarse grained and consist primarily of quartz and quartzite. Matrix is fine grained and light grain with disseminated pyrite and pyrrhotite throughout composing 3% of the sample	<0.001	
10U430199	E5338786	DAL1-10-08-12	Quartzite	5168064	527671	Cream coloured quartzite with 2% pyrite and weak ankerite alteration.	0.005	
10U430199	E5338787	DAL2-10-08-12	Quartz Vein	5168064	527671	Milky white bull quartz vein with moderate carbonate.	<0.001	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U430199	E5338788	DAL3-10-08-12	Quartzite	5168064	527671	This sample is of a quartzite that is in contact with a quartz vein. 0.5% pyrite. Quartzite is well bedded, light pinkish in colour and very fine grained.	0.003	
10U430199	E5338789	DAL4-10-08-12	Quartzite	5168064	527671	Sample comes from an old trench. Light pinkish quartzite with 1% very fine grained disseminate pyrite and moderate ankerite alteration.	0.002	
10U430199	E5338790	DAL5-10-08-12	Quartz Vein	5168064	527671	Milky white bull quartz vein with moderate carbonate.	<0.001	
10U430199	E5338791	DAL6-10-08-12	Quartz vein	5168064	527671	Milky white bull quartz vein with moderate carbonate.	<0.001	
10U430199	E5338792	CDN-GS-1E	STANDARD				1.010	
10U430199	E5338793	DAL7-10-08-12	Quartz Vein	5168064	527671	Milky white bull quartz vein with moderate carbonate.	0.005	
10U430199	E5338794	DAL8-10-08-12	Quartzite	5168064	527671	Light pinkish coloured quartzite. Strongly altered by carbonate with very fine grained disseminated pyrite throughout. (1%)	0.002	
10U430199	E5338795	DAL9-10-08-12	Soil	5168064	527671	Powdered gossan. Reddish brown colour.	0.006	
10U430199	E5338796	DAL10-10-08-12	Quartz Vein	5168064	527671	Milky white quartz vein with several fractures throughout infilled with hematite alteration.	<0.001	
10U430199	E5338797	DAL1-10-08-13	Quartz Vein	5168234	527606	Sample contains about 30% bull white quartz vein varying in width from 3-10cm. Host quartzite is a light pinkish colour with strong ankerite alteration and about 2% very fine disseminated pyrite.	0.002	
10U430199	E5338798	DAL2-10-08-13	Quartz Vein	5168197	527617	Milky white quartz vein with large carbonate rhombs . Moderate hematite alteration occurring between carbonate rhombs.	0.005	
10U430199	E5338799	DAL3-10-08-13	Greywacke	5168194	527600	Quartz flooded greywacke with moderate carbonate alteration.	0.155	
10U430199	E5338800	DAL4-10-08-13	Quartz Vein	5168178	527606	Milky white quartz vein with large pinkish iron carbonate rhobs throughout.	0.020	
10U430199	E5338801	DAL5-10-08-13	Gowganda	5168047	527578	Greywacke with large quartz clasts throughout. Numerous hematite infilled veinlets, 1% disseminated pyrite.	0.006	
10U430199	E5338802	CDN-GS-P8	STANDARD				0.740	
10U430199	E5338803	DAL1-10-08-14	Quartzite	5168539	526881	Light grey quartzite with fine dark banding throughout. Some buff white bull quartz present.	0.003	
10U430199	E5338804	DAL2-10-08-14	Quartzite	5168539	526881	Light grey-beige quartzite, very fine grained with fine grained disseminate pyrite (0.5%). Thin half cm size carbonate veinlets throughout.	<0.001	
10U430199	E5338805	DAL3-10-08-14	Quartzite	5168539	526881	Pink quartzite with 30% ankerite rhombs throughout.	0.004	
10U430199	E5338806	DAL4-10-08-14	Quartz Vein	5168539	526881	Buff white quartz vein with about 40% iron carbonate rhombs throughout the sample. 2% disseminated pyrite.	0.008	
10U430199	E5338807	DAL5-10-08-14	Quartzite	5168539	526881	Light pinkish quartzite with strong ankerite alteration and 1% pyrite mineralization. 0.5cm weathered rind.	0.004	
10U430199	E5338808	DAL6-10-08-14	Quartzite	5168539	526881	Light grey quartzite with one large bleb of pyrrhotite. Moderate ankerite alteration.	0.001	
10U430199	E5338809	DAL7-10-08-14	Quartzite	5168539	526881	Light grey quartzite with 3% disseminated pyrrhotite. Darker grey bands defining bedding planes observed throughout sample.	0.001	
10U430199	E5338810	DAL8-10-08-14	Quartzite	5168539	526881	Light grey quartzite with 1% pyrite. Quartzite is strongly altered by ankerite and has a thick 1cm rusty weathered surface.	0.014	
10U430199	E5338811	DAL1-10-08-16	Quartz Breccia	5173392	527298	Brecciated gowganda formation infilled with quartz and chlorite.	0.003	
10U430199	E5338812	CDN-GS-5E	STANDARD				4.410	
10U430199	E5338813	DAL1-10-08-17	Quartzite	5161697	528258	Pink quartzite containing about 2% pyrite and 3% pyrrhotite. Moderate iron carbonate alteration.	0.048	
10U430199	E5338814	DAL2-10-08-17	Quartzite	5162012	528336	Light grey quartzite with moderate iron carbonate alteration. 3% disseminated pyrite throughout the quartzite.	0.008	
10U430199	E5338815	DAL3-10-08-17	Bruce Formation	5162014	528338	Medium grey, medium to coarse grained matrix with blue quartz clasts and 1-2% magnetite grains. 2% pyrite most commonly associated with quartz clasts.	0.002	
10U430199	E5338816	DAL1-10-08-18	Bruce Formation	5161331	528824	Highly sheared Bruce conglomerate. Stretched blebs of carbonate, cubic pyrite, fine grained magnetite, 0.5% pyrrhotite and conatins blue quartz grains.	0.003	
10U430199	E5338817	DAL2-10-08-18	Bruce Formation	5161331	528824	Same as above.	0.003	
10U430199	E5338818	DAL3-10-08-18	Bruce Formation	5161315	528814	Sheared bruce with cubic pyrite, fine magnetite. Stretched carbonate blebs and blue quartz eyes throughout.	0.002	
10U430199	E5338819	GS1-10-08-09	Quartz Vein	5161816	528454	Quartz vein ranges from 3 to 8 inches. Pinch and swell. Sample is of milky white bull quartz.	0.002	
10U430199	E5338820	GS1-10-08-12	Quartz Breccia	5168064	527671	Sample contains about 70% iron carbonate with 30% quartz. Possible breccia outcrop.	<0.001	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U430199	E5338821	GS2-10-08-12	Quartz Breccia	5168064	527671	Same as above sample.	<0.001	
10U430199	E5338822	CDN-GS-1E	STANDARD				1.080	
10U430199	E5338823	GS3-10-08-12	Quartz Breccia	5168064	527671	Sample is about 80% iron carbonate rhoms, very large in size with interstitial quartz material. Hematite is infilling between quartz and carbonate grains.	<0.001	
10U430199	E5338824	GS4-10-08-12	Quartz Breccia	5168064	527671	Milky white bull quartz vein with moderate carbonate.	0.002	
10U430199	E5338825	GS5-10-08-12	Quartzite	5168064	527671	Medium grained quartzite, slightly pinkish in colour with moderate carbonate alteration. Host rock to the above discribed quartz veins and breccia.	0.005	
10U430199	E5338826	GS6-10-08-12	Quartz Breccia	5168064	527671	Milky white bull quartz vein with moderate carbonate alteration as rhombs within the quartz.	<0.001	
10U430199	E5338827	GS7-10-08-12	Quartz Breccia	5168064	527671	Sample is about 80% iron carbonate rhoms, very large in size with interstitial quartz material. Hematite is infilling between quartz and carbonate grains.	<0.001	
10U430199	E5338828	GS8-10-08-12	Quartz Breccia	5168064	527671	Sample is mostly milky white bull quartz with 15% carbonate rhombs.	<0.001	
10U430199	E5338829	GS9-10-08-12	Quartzite	5168064	527671	Light pinkish coloured quartzite with some darker banding throughout. 0.5% disseminate pyrite. Moderately altered by iron carbonate.	0.004	
10U430199	E5338830	GS10-10-08-12	Quartz Breccia	5168064	527671	Sample is about 70% milky white quartz with the remainder being large iron carbonate rhombs.	0.003	
10U430199	E5338831	GS11-10-08-12	Quartz Breccia	5168064	527671	Same as above.	<0.001	
10U430199	E5338832	CDN-GS-P8	STANDARD				0.799	
10U430199	E5338833	GS12-10-08-12	Quartz Breccia	5168064	527671	Sample contains about 60% carbonate matrix with the remainder being bull quartz clasts.	<0.001	
10U430199	E5338834	GS13-10-08-12	Quartzite	5168064	527671	Well bedded medium grey quartzite host rock with moderate ankerite alteration and hematitically filled fractures throughout.	0.002	
10U430199	E5338835	GS1-10-08-13	Quartz Breccia	5168145	527602	Sample conatins 80% milky white bull quartz with a few scattered carbonate rhombs. 10% of the sample is pinkish quartzite host rock.	0.013	
10U430199	E5338836	GS2-10-08-13	Quartz Breccia	5168145	527602	Quartz with weak hematitic alteration, 1% pyrite and several carbonate rhombs.	0.012	
10U430199	E5338837	GS3-10-08-13	Quartzite	5168145	527602	Pink quartzite with 1% disseminate pyrite, weak ankerite alteration and some small 0.5cm quartz veins throughout sample containing no sulphides.	0.018	
10U430199	E5338838	GS4-10-08-13	Quartz	5168145	527602	Sample consists soley of milky white quartz taken from the brecciated area.	0.002	
10U430199	E5338839	GS5-10-08-13	Quartz Breccia	5168145	527602	This sample contains about 60% quartz vein material with 40% iron carbonate rhombs.	<0.001	
10U430199	E5338840	GS6-10-08-13	Quartz	5168145	527602	Sample consists soley of milky white quartz taken from the brecciated area.	0.001	
10U430199	E5338841	GS7-10-08-13	Quartzite	5167145	527602	Pink quartzite with 70% iron carbonate rhombs throughout.	0.002	
10U430199	E5338842	CDN-GS-5E	STANDARD				5.170	
10U430199	E5338843	GS8-10-08-13	Quartzite	5168145	527602	Quartz flooded quartzite. Quartz veins throughout are between 0.2 and 1cm wide. Quartzite is pink and medium grained with some weak hematitic alteration.	0.003	
10U430199	E5338844	GS9-10-08-13	Quartz	5168145	527602	Sample consists soley of milky white quartz taken from the brecciated area.	0.001	
10U430199	E5338845	GS10-10-08-13	Quartz-Carbonate	5168145	527602	Sample is float. Comes from below hill at the lakeshore. Sample consists of vuggy looking weathere out rock. Large euhedral quartz crystals in an ankerite matrix.	0.219	
10U436122	E5338846		Tailings			1m Depth - Green colour	0.715	
10U436122	E5338847		Tailings			2m Depth - Green colour	1.000	
10U436122	E5338848		Tailings			3m Depth - Grey colour	0.514	
10U436122	E5338849		Tailings			4m Depth - Grey colour	0.721	
10U436122	E5338850		Quartz Vein	5169953	536221	Cyrs Showing. Grey coloured quartz vein with 5% chalcopryrite, 2% pyrite and moderate malachite staining. Weak ankerite in fractures.	1.410	
10U436122	E5338851		Quartz Vein	5169959	536222	Cyrs Showing. Grey coloured quartz vein with 1% chalcopryrite, Weak ankerite alteration. 10% of the sample is host rock.	0.221	
10U436122	E5338852	CDN-GS-5E	STANDARD				5.390	
10U436122	E5338853		Quartz Vein	5169927	536162	Cyrs Showing. Sample comes from high grade pile left on the property. Smokey grey quartz vein containing about 15% pyrite and 3% chalcopryrite. Weak ankerite alteration.	0.657	
10U436122	E5338855		Quartz Vein	5169920	536218	Cyrs Showing. 5% pyrite and 2% chalcopryrite with moderate hematite alteration. Quartz vein is a light smokey grey colour.	2.790	
10U436122	E5338856		Quartz Vein	5169927	536162	Cyrs Showing. Sample from high grade pile. Containing 10% pyrite and 3% chlacopryrite with moderate ankerite alteration.	0.501	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U436122	E5338857	LM1-10-08-26	Carbonate Breccia	5167325	526908	Sample is a light grey colour, 80% iron carbonate and 20% quartz in composition with about 2% cubic disseminated pyrite. Weathered surface is about 0.3cm thick and a deep brownish red colour.	0.031	
10U436122	E5338858	BK1		WP 435		Very fine grained medium grey diabase with very fine grained disseminated pyrrhotite, about 1%.	0.014	
10U436122	E5338859	BK2		WP 436		Same as above sample, but with some weak biotite alteration and small blue quartz eyes.	0.003	
10U436122	E5105893	BK3		West of tailings		Very fine grained diabase with moderate biotite alteration and fine grained disseminated pyrrhotite. (1%).	0.047	
10U436122	E5105894	LM2-10-08-30	Quartz Vein	5165463	529332	North of tailings. Quartz Vein sample taken from a trench trending 330 degrees. Sample is a bull white quartz vein with moderate chlorite alteration.	1.230	
10U436122	E5105895		Chlorite Breccia	5165491	529318	Sample is a chloritic zone north of the tailings in the diabase. Large weathered rind, 1 cm.	0.003	
10U436122	E5105896	CDN-GS-P8	STANDARD				0.763	
10U436122	E5105897	LM1-10-08-30	Quartz Vein	5165378	529329	Sample taken from north of the tailings pond. Quartz vein trends 285/70. Bull white quartz vein with moderate chlorite alteration.	0.007	
10U436122	E5105898		Nipissing Diabase	5165512	529323	Medium grained diabase with 2% fine grained pyrrhotite taken from behind the tailings pond.	0.003	
10U436122	E5105899		Nipissing Diabase	5165507	529327	Same as above.	0.085	
10U436122	E5105900	LM3-10-08-30	Quartz Vein	5165553	529098	Bus Zone. Sample comes from main trench. Bull white quartz vein with moderate ankerite alteration and 2% disseminate pyrite.	2.180	
10U436122	E5105901	LM4-10-08-30	Quartz Vein	5165553	529098	Same as above.	1.940	
10U436122	E5105902	LM5-10-08-30	Quartz Vein	5165557	529095	Bus Zone. Sample taken 1m away from main trench in same quartz vein. It is a bull white quartz vein with ankerite alteration, weak pyrite mineralization and some chlorite.	2.740	
10U436122	E5105903	LM6-10-08-30	Nipissing Diabase	5165557	529097	Bus Zone. Sample of host rock diabase. Medium grained, medium grey with rusty surfaces.	2.430	
10U436122	E5105904	LM7-10-08-30	Quartz Vein	5165553	529091	Bus Zone. White bull quartz vein taken about 5m from the main trench. White bull quartz with moderate chlorite alteration.	0.225	
10U436122	E5105905	LM8-10-08-30	Quartz Vein	5165548	529090	Bus zone. 8m along strike of the main trench. Quartz vein sample contains strong hematite alteration and quartz appears to be euhedral in some localized areas.	>10	33.630
10U436122	E5105906	CDN-GS-1E	STANDARD				1.120	
10U436122	E5105907	GS1-10-08-23	Quartzite	5169757	527905	Pink coloured fine grained quartzite with bands of pyrite throughout making up 10% of the sample. Limonite alteration on weathered surface.	0.199	
10U436122	E5105908	GS2-10-08-23	Quartzite	5159757	527905	Same as above sample, but pyrite seems more cubic than stringer.	0.055	
10U436122	E5105909	DAL1-10-08-27	Arenite	5159900	527963	Fine grained darker grey, thinly laminated. Fine grained pyrite (0.5%) associated with hematite in fractures.	0.019	
10U436122	E5105610	DAL1-10-09-01	Arenite	5167574	528008	Very fine grained, light grey, thinly laminated arenite. Has a ankerite vein cutting through. No sulphides.	0.052	
10U436122	E5105611	GS1-10-09-07	Nipissing Diabase	5164426	530774	Shear zone trending 25-40 degrees. Medium grained, moderate biotite alteration. Fine grained, medium grey coloured.	0.021	
10U436122	E5105612	GS2-10-09-07	Nipissing Diabase	5164491	530771	Same as above with coarser grained pyrite.	0.002	
10U436122	E5105613	GS1-10-09-08	Quartz Vein	5164557	530005	Quartz vein in Nipissing diabase. Diabase is lighter grey coloured with large cubic pyrite throughout. (2%). Quartz vein is buff white and barren.	0.023	
10U436122	E5105614	GS2-10-09-08	Quartz Vein	5164576	529995	Bull white quartz vein with thin hematite fractures in Nipissing diabase host rock. Host rock is moderately chloritically altered.	<0.001	
10U436122	E5105615	GS3-10-09-08	Quartzite	5164574	529991	Weakly chloritized grey quartzite. Some small quartz veins throughout. Some weak limonite staining on weathered surface, but no visible sulphide on fresh.	0.091	
10U436122	E5105616	CDN-GS-5E	STANDARD				4.330	
10U436122	E5105617	GS1-10-09-11	Quartz Vein	5164473	530780	Light smokey grey quartz vein with potassium feldspar and white mica. Quartz vein within Nipissing diabase.	<0.001	
10U436122	E5105618	GS3-10-09-11	Quartz Vein	5164473	530730	Quartz vein in Nipissing diabase. Barren looking on weathered surface. Margins are strongly potassically altered.	0.001	
10U436122	E5105619	GS4-10-09-11	Quartz Vein	5164466	530782	1 inch quartz vein in Nipissing diabase. Vein is rusty coloured with weathered out pyrite and hematite alteration.	0.017	
10U436122	E5105620	GS5-10-09-11	Nipissing Diabase	5164461	530778	Light grey nipissing diabase, fine grained biotite with minor sulphides. (1%)	<0.001	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U436122	E5105621	GS6-10-09-11	Nipissing Diabase	5164461	530778	Same as above.	<0.001	
10U436122	E5105622	GS7-10-09-11	Nipissing Diabase	5164447	530773	Nipissing diabase with 2% pyrite throughout. Fine grained disseminated biotite throughout the sample.	0.007	
10U436122	E5105623	GS8-10-09-11	Nipissing Diabase	5164447	530773	Same as above. Zone is 2m wide.	0.004	
10U436122	E5105624	GS9-10-09-11	Nipissing Diabase	5164447	530773	Same as above.	0.002	
10U436122	E5105625	DAL1-10-09-11	Quartz vein	5164511	530776	Quartz vein with moderate ankerite alteration in strongly chloritized greywacke. Angular boulder.	0.001	
10U436122	E5105626	CDN-GS-1E	STANDARD				0.007	
10U436122	E5105627	GS1-10-09-14	Quartz Vein	5164353	530734	12 inch quartz veins in nipissing diabase in one of the two shear zones. Smoky grey quartz vein with weak hematite alteration in fractures throughout the vein.	0.998	
10U436122	E5105628	GS2-10-09-14	Shear Zone	5164317	530697	Light grey coloured, strongly foliated nipissing diabase. Blue quartz eyes (15%) throughout the sample. No sulphides.	0.001	
10U436122	E5105630	GS4-10-09-14	Quartz Vein	5164313	530686	Quartz vein, sample comes from float. Smokey grey in colour with some fine grained white mica flecks.	<0.001	
10U436122	E5105631	GS5-10-09-14	Quartz Veins	5164321	530697	Quartz flooded nipissing diabase, quartz contains ankerite alteration with some fine grained disseminated pyrite (1%). Moderately chloritically altered.	<0.001	
10U436122	E5105632	GS6-10-09-14	Nipissing Diabase	5164316	530698	Same as above with less quartz, highly chloritized.	0.011	
10U436122	E5105633	GS7-10-09-14	Nipissing Diabase	5164300	530709	Strongly foliated, highly chloritized, sheared nipissing diabase. Fine grained disseminated pyrite throughout (1%).	0.117	
10U436132	55877	KL1-10-09-13	Nipissing Diabase	5173017	526958	Gerome Showing, channel sample 1. Medium to coarse grained nipissing with 0.5% disseminated sulphides.	0.045	
10U436132	55878	KL2-10-09-13	Olivine Diabase?	5173016	526959	Gerome showing, channel sample 2. Fine grained mafic dyke. Taken to assess dyke type.	0.004	
10U436132	E5105634	CDN-GS-P8	STANDARD				0.763	
10U436132	55879	KL3-10-09-13	Nipissing Diabase	5173013	526958	Gerome Showing, channel sample 3. Medium grained nipissing diabase with 3% coarse grained disseminated chalcopyrite and 1% pyrrhotite.	0.063	
10U436132	55880	KL4-10-09-13	Nipissing Diabase	5173012	526957	Gerome showing, channel sample 4. Medium grained nipissing diabase with 1% disseminated chalcopyrite. Weak chlorite alteration.	0.206	
10U436132	55881	KL5-10-09-13	Nipissing Diabase	5173031	526984	Gerome showing, channel sample 5. Medium grained nipissing diabase with 10% chalcopyrite and 5% pyrrhotite coarse grained and disseminated throughout the sample.	0.308	
10U436132	55882	KL6-10-09-13	Nipissing Diabase	5173029	526983	Gerome Showing, channel sample 6. Same as above sample only 1m away.	0.235	
10U436132	55883	KL1-10-09-14	Nipissing Diabase	5173032	526983	Gerome Showing, channel sample 7. Medium grained Nipissing diabase with 8% chalcopyrite and 5% pyrrhotite.	0.220	
10U436132	55884	KL2-10-09-14	Nipissing Diabase	5173027	526985	Gerome showing, channel sample 8. Medium grained nipissing diabase with 15% chalcopyrite and 5% pyrrhotite.	0.202	
10U436132	55885	KL3-10-09-14	Nipissing Diabase	5173023	526987	Gerome showing, channel sample 9. Medium grained nipissing diabase with 8% chalcopyrite and 5% pyrrhotite.	0.237	
10U436132	55886	KL4-10-09-14	Nipissing Diabase	5173022	526988	Gerome showing, channel sample 10. Finer grained nipissing diabase with 2% chalcopyrite and 2% pyrrhotite.	0.015	
10U436132	55887	KL5-10-09-14	Nipissing Diabase	5173018	526987	Gerome showing, channel sample 11. Fine grained diabase with 0.5% chalcopyrite and 1% pyrrhotite.	0.006	
10U436132	55888	KL1-10-09-16	Quartz/Pyrite	5166429	529760	McLeans Secret Showing, channel sample 1. Quartz with 5% pyrite and about 20% quartzite.	0.017	
10U436132	55889	KL2-10-09-16	Quartz/Pyrite	5166437	529766	McLeans Secret Showing, channel sample 2. Quartz with 15% pyrite.	0.142	
10U436132	55890	KL3-10-09-16	Quartz/Pyrite	5166440	529770	McLeans Secret Showing, channel sample 3. Quartz with 5% pyrite, on contact with Espanola limestone.	0.010	
10U436132	55891	KL4-10-09-16	Quartz/Pyrite	5166455	529814	McLeans Secret Showing, channel sample 4. Quartzite with about 5% very fine grained disseminate pyrite.	0.063	
10U436132	55892	KL5-10-09-16	Quartz/Pyrite	5166454	529814	McLeans Secret Showing, channel sample 5. Pinkish coloured quartzite and quartz with about 10% cubic pyrite throughout.	0.121	
10U436132	55893	KL6-10-09-16	Quartz/Pyrite	5166453	529814	McLeans Secret Showing, channel sample 6. Pinkish coloured quartzite fragments in a fine grained massive pyrite matrix, 1% chalcopyrite.	0.275	
10U436132	55894	KL7-10-09-16	Quartz/Pyrite	5166452	529814	McLeans Secret Showing, channel sample 7. Quartz with about 10% fine grained pyrite.	0.148	
10U436132	55895	KL8-10-09-16	Quartz/Pyrite	5166451	529814	McLeans Secret Showing, channel sample 8. Quartz with about 10% fine grained pyrite.	0.168	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U436132	55896	KL9-10-09-16	Quartz/Pyrite	5166450	529814	McLeans Secret Showing, channel sample 9. Quartz with 10% pyrite and moderate chlorite alteration.	0.168	
10U436132	E5105635	KL10-10-09-16	Quartz/Pyrite	5166449	529814	McLeans Secret showing, channel sample 10. Weathered surface is yellow, quartz with about 50% pyrite.	0.055	
10U436132	E5105636	KL11-10-09-16	Quartz/Pyrite	5166448	529814	McLeans Secret Showing, channel sample 11. Grey quartzite with about 10% coarse grained cubic disseminated pyrite.	0.044	
10U436132	E5105637	KL12-10-09-16	Quartz/Pyrite	5166447	529814	McLeans Secret Showing, channel sample 12. Quartzite with about 5% coarse blebby pyrite throughout sample.	0.078	
10U436132	E5105638	KL13-10-09-16	Quartz/Pyrite	5166446	529814	McLeans Secret Showing, channel sample 13. Quartz and quartzite with about 5% disseminated pyrite.	0.008	
10U436132	E5105639	KL14-10-09-16	Quartz/Pyrite	5166445	529814	McLeans Secret Showing, channel sample 14. Quartzite with 2% disseminate pyrite.	0.008	
10U436132	E5105640	KL15-10-09-16	Quartz/Pyrite	5166444	529814	McLeans Secret Showing, channel sample 15. Quartzite with 1% disseminate pyrite. Pyrite tends to be very fine grained.	0.018	
10U436132	E5105641	KL16-10-09-16	Quartz/Pyrite	5166452	529813	McLeans Secret Showing, channel sample 16. 75% coarse grained pyrite. Taken to analyse grade between fine and coarse pyrite in this location.	0.504	
10U436132	E5105642	KL17-10-09-16	Quartz/Pyrite	5166451	529813	McLeans Secret Showing, channel sample 17. 60% very fine grained massive pyrite with 40% pink quartzite fragments throughout.	0.131	
10U439207	E5105643	KL1-10-09-17	Quartz Vein	5172089	528313	Alwyn-Porcupine Mine. Channel sample 1, Trench 1. Quartz Vein with 10% CPY and moderate carbonate alteration.	2.680	
10U439207	E5105644	KL2-10-09-17	Quartz Vein	5172092	528315	Alwyn-Porcupine Mine. Channel sample 2, Trench 1. Quartz vein with 5% CPY, moderate carbonate alteration and weak malachite staining.	3.280	
10U439207	E5105645	KL3-10-09-17	Quartz Vein	5172097	528315	Alwyn-Porcupine Mine. Channel sample 3, Trench 1. Quartz vein with 10% CPY, weak carbonate alteration and weak malachite staining.	3.380	
10U439207	E5105646	KL4-10-09-17	Quartz Vein	5172100	528316	Alwyn-Porcupine Mine. Channel sample 4, Trench 1. Quartz vein with 5% CPY, strong pinkish carbonate.	1.650	
10U439207	E5105647	KL5-10-09-17	Quartz Vein	5172103	528314	Alwyn-Porcupine Mine. Channel sample 5, Trench 1. Quartz vein with 2% CPY, weak ankerite and malachite.	1.450	
10U439207	E5105648	KL6-10-09-17	Quartz Vein	5172092	528288	Alwyn-Porcupine Mine. Channel sample 6, Trench 2. Sample is very broken up quartz vein with about 2% CPY and weak malachite and carbonate alteration.	0.489	
10U439207	E5105649	KL7-10-09-17	Quartz Vein	5172095	528291	Alwyn-Porcupine Mine. Channel sample 7, Trench 2. Quartz vein with 1% CPY, strong malachite staining and moderate ankerite alteration.	0.086	
10U439207	E5105650	KL8-10-09-17	Quartz Vein	5172096	528290	Alwyn-Porcupine Mine. Channel sample 8, Trench 2. Quartz vein with 1% CPY, moderate malachite and weak carbonate.	0.537	
10U439207	E5105651	KL9-10-09-17	Quartz Vein	5172096	528292	Alwyn-Porcupine Mine. Channel sample 9, Trench 2. Quartz vein with 3% CPY, moderate ankerite alteration.	0.938	
10U439207	E5105652	KL10-10-09-17	Quartz Vein	5172121	528258	Alwyn-Porcupine Mine. Channel sample 10, Trench 3. Quartz vein with 1% CPY, strong ankerite alteration and weak malachite staining.	2.710	
10U439207	E5105653	KL11-10-09-17	Quartz Vein	5172120	528255	Alwyn-Porcupine Mine. Channel sample 11, Trench 3. Quartz vein with 1% CPY, sample contains about 40% host gowganda.	0.066	
10U439207	E5105654	KL12-10-09-17	Quartz Vein	5172120	528254	Alwyn-Porcupine Mine. Channel sample 12, Trench 3. Quartz vein with 2% CPY, moderate ankerite alteration.	3.390	
10U439207	E5105655	KL13-10-09-17	Shear Zone	5172122	528252	Alwyn-Porcupine Mine. Channel sample 13, Trench 3. Sample comes from the main shear zone, it is highly fragmented and altered by both hematite and chlorite.	0.548	
10U439207	E5105656	KL14-10-09-17	Quartz Vein	5172120	528244	Alwyn-Porcupine Mine. Channel sample 14, Trench 3. Sample from west side of shear zone, relatively clean quartz, vein is about 30cm wide. Test to see if mineralization occurs in veins on other side of shear zone.	0.008	
10U439196	E5105657	KL1-10-09-28	Quartz Breccia	5168186	530752	Red Rock East. Channel Sample 6, Trench 3. Sample comes from a 2m sliver of quartz breccia. No visible sulphide mineralization, but some weak ankerite within the veins.	0.023	
10U439196	E5105658	KL2-10-09-28	Quartz Breccia	5168181	530767	Red Rock East. Channel Sample 7, trench 4. Entire trench is quartz breccia. Sample was taken from area containing the most altered gowganda. Sample is intensely altered by ankerite, quartz looks slightly rusted in places. No visible sulphides.	0.005	
10U439196	E5105659	KL3-10-09-28	Quartz Breccia	5168194	530816	Red Rock East. Channel sample 8, trench 5. Quartz breccia with strong ankerite alteration and moderately altered by hematitically filled fractures throughout the quartz.	0.007	
10U439196	E5105910	KL4-10-09-28	Quartz Breccia	5168191	530818	Red Rock East. Channel Sample 9, trench 5. Same as above sample from, but from 2m away.	0.005	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U439196	E5105911	KL5-10-09-28	Limestone	5168262	530876	Red Rock East. Channel sample 10, trench 6. Sample comes from area in the trench with purplish alteration (cobalt bloom???) containing about 20% sulphide.	0.076	
10U439196	E5105912	KL6-10-09-28	Limestone	5168263	530881	Red Rock East. Channel Sample 11, trench 6. Same as above, but from the west side of the trench.	0.513	
10U439196	E5105913	KL7-10-09-28	Limestone	5168264	530878	Red Rock East. Grab sample 12, trench 6. Several well sulphidized samples identified by Bob, Lindsay and Mike.	1.800	
10U439196	E5105914	KL8-10-09-28	Limestone	5168264	530878	Red Rock East. Grab sample 13, trench 6. Several well sulphidized samples identified by Bob, Lindsay and Mike.	0.261	
10U439196	E5105915	KL9-10-09-28	Limestone	5168264	530878	Red Rock East. Grab sample 14, trench 6. Several well sulphidized samples identified by Bob, Lindsay and Mike.	2.650	
10U439196	E5105916	KL10-10-09-28	Quartz Breccia	5168252	530650	Red Rock East. Channel sample 15, Main showing area. Sample contains 4% CPY with moderate malachite and ankerite.	0.664	
10U439196	E5105917	KL11-10-09-28	Quartz Breccia	5168252	530650	Red Rock East. Channel sample 16, main showing area. Quartz breccia containing 10% CPY with moderate ankerite alteration.	0.359	
10U439196	E5105918	KL12-10-09-28	Quartz Breccia	5168252	530650	Red Rock East. Channel sample 17, main showing area. Quartz breccia containing about 2% CPY with pink carbonate and weak malachite staining.	0.130	
10U440539	E5105919	KL1-10-09-30	Quartz Breccia	5168167	530589	Red Rock East, Channel Sample 1, trench 1. Channel sample taken across first mapped trench. 5m sample across quartz breccia. No visible mineralization on surface. Sample taken 5m east of contact with Gowganda. Following 4 samples from same location. Channel sample from north to south.	0.010	
10U440539	E5105920	KL2-10-09-30	Quartz Breccia	5168166	530589	Red Rock East, channel sample 2, Trench 1.	0.031	
10U440539	E5105921	KL3-10-09-30	Quartz Breccia	5168165	530589	Red Rock East, channel sample 3, Trench 1.	0.005	
10U440539	E5105922	KL4-10-09-30	Quartz Breccia	5168164	530589	Red Rock East, channel sample 4, Trench 1.	0.005	
10U440539	E5105923	KL5-10-09-30	Quartz Breccia	5168163	530589	Red Rock East, channel sample 5, Trench 1.	0.006	
10U440539	E5105924	KL6-10-09-30	Quartz Breccia	5168252	530650	Red Rock East, channel sample 18, main showing area. Quartz breccia with 15% chalcopyrite mineralization and moderate malachite and ankerite alteration.	3.060	
10U440539	E5105925	KL7-10-09-30	Quartz Breccia	5168252	530650	Red Rock East, channel sample 19, main showing area. Quartz breccia with about 5% chalcopyrite and weak hematite and ankerite alteration.	0.102	
10U440539	E5105926	KL8-10-09-30	Quartz Breccia	5168252	530650	Red Rock East, channel sample 20, main showing area. About 3% chalcopyrite with moderate ankerite alteration.	0.238	
10U440539	E5105927	KL1-10-10-01	Qtz Vn/Gowganda	5172088	528315	Alywn-Porcupine Mine, channel sample 15. Trench 2. 22m sample taken across the face to assess the grade over the width of the face. Samples contain variable widths of quartz veins with chalcopyrite and malachite staining. Following samples are from the long channel sample.	2.120	
10U440539	E5105928	KL2-10-10-01	Qtz Vn/Gowganda	5172089	528315	Alywn-Porcupine Mine, channel sample 16, Trench 2.	0.796	
10U440539	E5105929	KL3-10-10-01	Qtz Vn/Gowganda	5172090	528315	Alywn-Porcupine Mine, channel sample 17, trench 2.	0.181	
10U440539	E5105930	KL4-10-10-01	Qtz Vn/Gowganda	5172091	528315	Alywn-Porcupine Mine, channel sample 18, Trench 2.	0.058	
10U440539	E5105931	KL5-10-10-01	Qtz Vn/Gowganda	5172092	528315	Alywn-Porcupine Mine, channel sample 19, Trench 2.	0.407	
10U440539	E5105932	KL6-10-10-01	Qtz Vn/Gowganda	5172093	528315	Alywn-Porcupine Mine, channel sample 20, Trench 2.	0.376	
10U440539	E5105933	KL7-10-10-01	Qtz Vn/Gowganda	5172094	528315	Alywn-Porcupine Mine, channel sample 21, Trench 2.	0.151	
10U440539	E5105934	KL8-10-10-01	Qtz Vn/Gowganda	5172095	528315	Alywn-Porcupine Mine, channel sample 21(b), Trench 2.	0.073	
10U440539	E5105935	KL9-10-10-01	Qtz Vn/Gowganda	5172096	528315	Alywn-Porcupine Mine, channel sample 22, Trench 2.	0.221	
10U443791	E5105936	KL1-10-10-02	Qtz Vn/Gowganda	5172097	528315	Alywn-Porcupine Mine, channel sample 23, Trench 2.	0.030	
10U443791	E5105937	KL2-10-10-02	Qtz Vn/Gowganda	5172098	528315	Alywn-Porcupine Mine, channel sample 24, Trench 2.	0.413	
10U443791	E5105938	KL3-10-10-02	Qtz Vn/Gowganda	5172099	528315	Alywn-Porcupine Mine, channel sample 25, Trench 2.	0.233	
10U443791	E5105939	KL4-10-10-02	Qtz Vn/Gowganda	5172100	528315	Alywn-Porcupine Mine, channel sample 26, Trench 2.	0.424	
10U443791	E5105940	KL5-10-10-02	Qtz Vn/Gowganda	5172101	528315	Alywn-Porcupine Mine, channel sample 27, Trench 2.	0.113	
10U443791	E5105941	KL6-10-10-02	Qtz Vn/Gowganda	5172102	528315	Alywn-Porcupine Mine, channel sample 28, Trench 2.	0.303	
10U443791	E5105942	KL7-10-10-02	Qtz Vn/Gowganda	5172103	528315	Alywn-Porcupine Mine, channel sample 29, Trench 2.	0.235	
10U443791	E5105943	KL8-10-10-02	Qtz Vn/Gowganda	5172104	528315	Alywn-Porcupine Mine, channel sample 30, Trench 2.	0.158	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U443791	E5105944	KL9-10-10-02	Qtz Vn/Gowganda	5172105	528315	Alywn-Porcupine Mine, channel sample 31, Trench 2.	0.111	
10U443791	E5105945	KL10-10-10-02	Qtz Vn/Gowganda	5172106	528315	Alywn-Porcupine Mine, channel sample 32, Trench 2.	0.063	
10U443791	E5105946	KL11-10-10-02	Qtz Vn/Gowganda	5172107	528315	Alywn-Porcupine Mine, channel sample 33, Trench 2.	0.081	
10U443791	E5105947	KL12-10-10-02	Qtz Vn/Gowganda	5172108	528315	Alywn-Porcupine Mine, channel sample 34, Trench 2.	0.193	
10U443791	E5105948	KL13-10-10-02	Qtz Vn/Gowganda	5172109	528315	Alywn-Porcupine Mine, channel sample 35, Trench 2.	0.096	
10U443791	E5105949	KL14-10-10-02	Qtz Vn/Gowganda	5172110	528315	Alywn-Porcupine Mine, channel sample 36, Trench 2.	0.059	
10U443791	E5105950	KL1-10-10-03	Quartz Vein	5167353	539699	Inclined copper shaft, channel sample 1. First sample in a channel sample consisting of the following 14 samples. This channel is cut across the chalcopyrite malachite bearing quartz vein to assess its continuity.	0.003	
10U443791	E5105951	KL2-10-10-03	Quartz Vein	5167354	539699	Inclined copper shaft, channel sample 2.	0.008	
10U443791	E5105952	KL3-10-10-03	Quartz Vein	5167354	539699	Inclined copper shaft, channel sample 3.	0.011	
10U443791	E5105953	KL4-10-10-03	Quartz Vein	5167355	539699	Inclined copper shaft, channel sample 4.	0.002	
10U443791	E5105954	KL5-10-10-03	Quartz Vein	5167355	539699	Inclined copper shaft, channel sample 5.	0.009	
10U443791	E5105955	KL6-10-10-03	Quartz Vein	5167356	539699	Inclined copper shaft, channel sample 6.	0.194	
10U443791	E5105956	KL7-10-10-03	Quartz Vein	5167356	539699	Inclined copper shaft, channel sample 7.	0.026	
10U443791	E5105957	KL8-10-10-03	Quartz Vein	5167357	539699	Inclined copper shaft, channel sample 8.	0.539	
10U443791	E5105958	KL9-10-10-03	Quartz Vein	5167357	539699	Inclined copper shaft, channel sample 9.	0.021	
10U443791	E5105959	KL10-10-10-03	Quartz Vein	5167358	539699	Inclined copper shaft, channel sample 10.	0.005	
10U443791	E5105960	KL11-10-10-03	Quartz Vein	5167358	539699	Inclined copper shaft, channel sample 11.	0.002	
10U443791	E5105961	KL12-10-10-03	Quartz Vein	5167359	539699	Inclined copper shaft, channel sample 12.	0.005	
10U443791	E5105962	KL13-10-10-03	Nipissing Diabase	5167359	539699	Inclined copper shaft, channel sample 13.	0.002	
10U443791	E5105963	KL14-10-10-03	Nipissing Diabase	5167360	539699	Inclined copper shaft, channel sample 14.	0.005	
10U443791	E5105964	KL1-10-10-04	Quartz Vein	5167361	539703	Inclined Copper Shaft, Channel sample 15. Small 2 meter channel taken across quartz seam. Following three samples from this channel.	0.001	
10U443791	E5105965	KL2-10-10-04	Quartz Vein	5167361	539703	Inclined Copper Shaft, Channel sample 16.	0.335	
10U443791	E5105966	KL3-10-10-04	Quartz Vein	5167360	539703	Inclined Copper Shaft, Channel sample 17.	0.003	
10U443791	E5105967	KL4-10-10-04	Quartz Vein	5167360	539703	Inclined Copper Shaft, Channel sample 18.	0.002	
10U443791	E5105968	KL1-10-10-07	Nipissing Diabase	5167365	539693	Inclined Copper Shaft, Channel sample 19. Long channel sample taken across the full width of the exposed quartz vein. Vein contains malachite, azurite and chalcopyrite and is exposed to 10m, but southern contact has not been exposed.	0.004	
10U443791	E5105969	KL2-10-10-07	Quartz Vein	5167364	539693	Inclined Copper Shaft, Channel sample 20.	0.099	
10U443791	E5105970	KL3-10-10-07	Quartz Vein	5167364	539693	Inclined Copper Shaft, Channel sample 21.	0.104	
10U443791	E5105971	KL4-10-10-07	Quartz Vein	5167363	539693	Inclined Copper Shaft, Channel sample 22.	<0.001	
10U443791	E5105972	KL5-10-10-07	Quartz Vein	5167363	539693	Inclined Copper Shaft, Channel sample 23.	<0.001	
10U443791	E5105973	KL6-10-10-07	Quartz Vein	5167362	539693	Inclined Copper Shaft, Channel sample 24.	0.039	
10U443791	E5105974	KL7-10-10-07	Quartz Vein	5167362	539693	Inclined Copper Shaft, Channel sample 25.	0.017	
10U443791	E5105975	KL8-10-10-07	Quartz Vein	5167361	539693	Inclined Copper Shaft, Channel sample 26.	<0.001	
10U443791	E5105976	KL9-10-10-07	Quartz Vein	5167361	539693	Inclined Copper Shaft, Channel sample 27.	0.002	
10U443791	E5105977	KL10-10-10-07	Quartz Vein	5167360	539693	Inclined Copper Shaft, Channel sample 28.	0.125	
10U443791	E5105978	KL11-10-10-07	Quartz Vein	5167360	539693	Inclined Copper Shaft, Channel sample 29.	0.120	
10U443791	E5105979	KL12-10-10-07	Quartz Vein	5167359	539693	Inclined Copper Shaft, Channel sample 30.	0.001	
10U443791	E5105980	KL1-10-10-08	Quartz Vein	5167359	539693	Inclined Copper Shaft, Channel sample 31.	0.131	
10U443791	E5105981	KL2-10-10-08	Quartz Vein	5167358	539693	Inclined Copper Shaft, Channel sample 32.	1.590	
10U443791	E5105982	KL3-10-10-08	Quartz Vein	5167358	539693	Inclined Copper Shaft, Channel sample 33.	0.268	
10U443791	E5105983	KL4-10-10-08	Quartz Vein	5167357	539693	Inclined Copper Shaft, Channel sample 34.	0.310	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U443791	E5105984	KL5-10-10-08	Quartz Vein	5167357	539693	Inclined Copper Shaft, Channel sample 35.	0.058	
10U443791	E5105985	KL6-10-10-09	Quartz Vein	5167356	539693	Inclined Copper Shaft, Channel sample 36.	0.322	
10U443791	E5105986	KL7-10-10-08	Quartz Vein	5167356	539693	Inclined Copper Shaft, Channel sample 37.	0.057	
10U443791	E5105987	KL8-10-10-08	Quartz Vein	5167355	539693	Inclined Copper Shaft, Channel sample 38.	0.396	
10U443791	E5105988	KL9-10-10-08	Quartz Vein	5167355	539693	Inclined Copper Shaft, Channel sample 39.	0.011	
10U443791	E5105989	KL10-10-10-08	Quartz Vein	5167354	539693	Inclined Copper Shaft, Channel sample 40.	0.006	
10U443791	E5105990	KL1-10-10-09	Quartz-Carbonate Vein	5168063	527676	Johnson Road, Channel sample 10, trench 3. Quartz-carbonate vein 5m in width. Sample taken across vein, large ankerite crystals.	0.004	
10U443791	E5105991	KL2-10-10-09	Quartz-Carbonate Vein	5168062	527676	Johnson Road, Channel sample 11, trench 3.	0.001	
10U443791	E5105992	KL3-10-10-09	Quartz-Carbonate Vein	5168061	527676	Johnson Road, Channel sample 12, trench 3.	<0.001	
10U443791	E5105993	KL4-10-10-09	Quartz-Carbonate Vein	5168060	527676	Johnson Road, Channel sample 13, trench 3.	0.001	
10U443791	E5105994	KL5-10-10-09	Quartz-Carbonate Vein	5168059	527676	Johnson Road, Channel sample 14, trench 3.	0.001	
10U443791	E5105995	KL6-10-10-09	Quartz-Carbonate Vein	5168069	527678	Johnson Road, Channel sample 15, trench 3. Sample taken because of interesting purple discolouration.	0.004	
10U443791	E5105996	GS2-10-09-11	Nipissing Diabase	5164473	530780	E-W trending zone in Nipissing diabase. Strongly hematitically altered. Hematite occurs in a wispy alteration pattern with carbonate.	<0.001	
10U443789	E5105997	KL1-10-10-12	Quartzite	5167984	526943	Johnson Road, Channel sample 1, Trench 1. Quartzite with coarse grained euhedral rhombs of ankerite.	<0.001	
10U443789	E5105998	KL2-10-10-12	Quartzite	5167978	526943	Johnson Road, Channel sample 2, Trench 1. As above sample.	0.002	
10U443789	E5105999	KL3-10-10-12	Quartz Vein	5167973	526942	Johnson Road, Channel sample 3, Trench 1. Smokey grey in colour, weak ankerite alteration. No sulphide mineralization.	0.002	
10U443789	E5106000	KL4-10-10-12	Quartzite	5167970	526940	Johnson Road, Channel sample 4, Trench 1. Most significant alteration in trench. Quartzite with intense ankerite alteration.	0.005	
10U443789	E5106001	KL5-10-10-12	Limestone	5167325	526889	Johnson Road, Channel sample 5, Trench 2. 5m long channel sample through intensely ankeritically altered limestone with up to 5% pyrite mineralization.	<0.001	
10U443789	E5106002	KL6-10-10-12	Limestone	5167326	526890	Johnson Road, Channel sample 6, Trench 2.	0.044	
10U443789	E5106003	KL7-10-10-12	Limestone	5167326	526891	Johnson Road, Channel sample 7, Trench 2.	0.005	
10U443789	E5106004	KL8-10-10-12	Limestone	5167327	526892	Johnson Road, Channel Sample 8, Trench 2.	0.015	
10U443789	E5106005	KL9-10-10-12	Limestone	5167327	526893	Johnson Road, Channel sample 9, Trench 2.	0.002	
10U443785	E5106006	KL1-10-10-13	Quartz Vein	5165459	529327	Tailings Area, Channel Sample 1, Trench 1. Main quartz vein trench for historically. Sample taken of this vein previously. White bull quartz with weak ankerite and chlorite alteration, no visible sulphides.	0.015	
10U443785	E5106007	KL2-10-10-13	Quartz Vein	5165463	529328	Tailings Area, Channel Sample 2, Trench 1. Narrow Quartz vein occurring along the contact between the Nipissing diabase and the felsic intrusive body. Strong chloritic alteration within Nipissing diabase. Quartz vein is white and milky with patchy chloritization.	0.004	
10U443785	E5106008	KL3-10-10-13	Contact	5165465	529330	Tailings Area, Channel Sample 3, Trench 1. Contact between Nipissing Diabase and felsic intrusive.	0.003	
10U443785	E5106009	KL4-10-10-13	Quartz Vein	5165464	529328	Tailings Area, Channel Sample 4, Trench 1. Quartz vein within Nipissing diabase truncates at the Felsic intrusive at a 90 degree angle.	0.002	
10U443785	E5106010	KL5-10-10-13	Felsic Intrusive	5165471	529335	Tailings Area, Channel Sample 5, Trench 2. 6m channel sample taken along the contact between the felsic intrusion and the Nipissing diabase within the felsic intrusion. Several thin quartz veins in this unit truncate at the contact with the Nipissing.	0.002	
10U443785	E5106011	KL6-10-10-13	Felsic Intrusive	5165471	529336	Tailings Area, Channel sample 6, Trench 2.	0.001	
10U443785	E5106012	KL7-10-10-13	Felsic Intrusive	5165471	529337	Tailings Area, Channel sample 7, trench 2.	0.001	
10U443785	E5106013	KL8-10-10-13	Felsic Intrusive	5165471	529338	Tailings Area, Channel sample 8, Trench 2.	<0.001	
10U443785	E5106014	KL9-10-10-13	Felsic Intrusive	5165471	529339	Tailings Area, Channel sample 9, Trench 2.	<0.001	
10U443785	E5106015	KL10-10-10-13	Felsic Intrusive	5165471	529340	Tailings Area, Channel sample 10, Trench 2.	<0.001	

Appendix 4: Field Sample Descriptions

Lab Certificate	Lab Sample ID	Field Sample ID	Rock Type	Northing	Easting	Description	Au ppm	Au Metallics
10U443785	E5106016	KL1-10-10-14	Quartz Vein	5165496	529314	Tailings Area, Channel Sample 11, Trench 3. N-S trending channel sample through mineralized quartz veins along the contact between the Bruce Formation and the Nipissing Diabase. Channel sample is 5m long with samples taken at 0.5m intervals.	>10	14.710
10U443785	E5106017	KL2-10-10-14	Quartz Vein	5165497	529314	Tailings Area, Channel sample 12, Trench 3.	2.470	
10U443785	E5106018	KL3-10-10-14	Quartz Vein	5165497	529314	Tailings Area, Channel sample 13, Trench 3.	2.170	
10U443785	E5106019	KL4-10-10-14	Quartz Vein	5165498	529314	Tailings Area, Channel sample 14, Trench 3.	2.140	
10U443785	E5106020	KL5-10-10-14	Quartz Vein	5165498	529314	Tailings Area, Channel sample 15, Trench 3.	>10	3.910
10U443785	E5106021	KL6-10-10-14	Quartz Vein	5165499	529314	Tailings Area, Channel sample 16, Trench 3.	>10	73.910
10U443785	E5106022	KL7-10-10-14	Quartz Vein	5165499	529314	Tailings Area, Channel sample 17, Trench 3.	>10	2.110
10U443785	E5106023	KL8-10-10-14	Quartz Vein	5165500	529314	Tailings Area, Channel sample 18, Trench 3.	4.280	
10U443785	E5106024	KL9-10-10-14	Quartz Vein	5165500	529314	Tailings Area, Channel sample 19, Trench 3.	2.140	
10U443785	E5106025	KL10-10-10-14	Quartz Vein	5165501	529314	Tailings Area, Channel sample 20, Trench 3.	1.520	
10U443785	E5106026	KL11-10-10-14	Quartz Vein	5165500	529313	Tailings Area, Channel sample 21, Trench 3. Individual sample of mineralized quartz vein closer to Nipissing contact than previous 5m channel sample.	>10	17.970
10U443785	E5106027	KL12-10-10-14	Quartz Vein	5165499	529313	Tailings Area, Channel sample 22, Trench 3. Individual sample of mineralized quartz vein closer to Nipissing contact than previous 5m channel sample.	>10	14.410
10U443785	E5106028	KL13-10-10-14	Quartz Vein	5165498	529313	Tailings Area, Channel sample 23, Trench 3. Individual sample of mineralized quartz vein closer to Nipissing contact than previous 5m channel sample.	1.550	
10U443785	E5106029	KL14-10-10-14	Quartz Vein	5165495	529314	Tailings Area, Channel sample 24, Trench 3. Individual sample of mineralized quartz vein closer to Nipissing contact than previous 5m channel sample and further to the south.	0.012	
10U447271	E5106030	LM1-10-08-23	Nipissing Diabase	5172806	526796	Diabase south of Jerome showing. 5% pyrrhotite on fresh surface. Hard to get unweathered surface.	0.010	
10U449764	E5106033	TP1-10-10-29	Nipissing Diabase	5172708	527192	Coarse grained Nipissing Diabase, 35% plagioclase and 65% pyroxene with about 2% sulphides disseminated throughout, most commonly pyrrhotite with minor chalcopyrite.	0.002	
10U449764	E5106034	TP2-10-10-29	Nipissing Diabase	5172920	527005	Very coarse grained Nipissing diabase with blebby sulphides throughout, composing about 3% of the sample. (Chalcopyrite and pyrrhotite). Plagioclase makes up about 50% of the composition with pyroxene composing the other half.	0.024	
10U449764	E5106035	TP1-10-11-02	Soil	5172656	527095	Soil sample taken at L4+00W and 4+00S for analysis to see if there is something conductive in the soil that could be setting off the IP chargeability. WP 132.	0.015	
10U449764	E5106036	TP2-10-11-02	Soil	5172654	527039	Soil sample taken at L4+00W and 3+75S for analysis to see if there is something conductive in the soil that could be setting off the IP chargeability. WP 131.	0.013	
		Samples excluded from map (includes standards)						
Gold Assays		Anomalous +0.1g/t		Highly Anomalous +1g/t				

Appendix 5

All Field Sample Certificates



Certificate of Analysis

Work Order: SU08365

To: Eric Plexman
Trueclaim Resources Inc.
96 Hagerman Cres.
ST. THOMAS
ON N5R 6K3

Date: Dec 19, 2009

P.O. No. : -
Project No. : -
No. Of Samples : 9
Date Submitted : Nov 09, 2009
Report Comprises : Pages 1 to 7
(Inclusive of Cover Sheet)

Distribution of unused material:

STORE:

Certified By :

Gavin McGill
Operations Manager

SGS Minerals Services (Toronto) is accredited by Standards Council of Canada (SCC) and conforms to the requirements of ISO/IEC 17025 for specific tests as indicated on the scope of accreditation to be found at <http://www.scc.ca/en/programs/lab/mineral.shtml>

Report Footer: L.N.R. = Listed not received I.S. = Insufficient Sample
n.a. = Not applicable -- = No result
*INF = Composition of this sample makes detection impossible by this method
M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion
Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Methods marked with the @ symbol (e.g. @AAS21E) denote accredited tests

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08365 Order:

Page 2 of 7

Element	WtKg	Au	Al	Ba	Ca	Cr	Cu	Fe	K	Li
Method	WGH79	FAI323	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B
Det.Lim.	0.001	5	0.01	5	0.01	1	0.5	0.01	0.01	1
Units	kg	ppb	%	ppm	%	ppm	ppm	%	%	ppm
H820151	1.298	77	0.83	56	0.08	83	608	10.4	0.19	6
H820152	1.428	31	3.06	21	2.60	22	8.6	5.92	1.02	<1
H820153	2.173	6760	2.25	8	4.13	81	4.9	>15	0.05	<1
H820154	0.806	11	6.60	568	1.66	68	36.8	2.59	1.82	14
H820155	1.382	21	5.43	13	4.96	99	2.8	2.52	0.06	<1
H820156	2.580	18	4.84	97	11.4	56	147	4.35	0.34	3
H820157	1.700	37	2.53	37	>15	71	267	5.77	0.12	2
H820158	2.210	724	0.15	<5	0.55	44	53.2	0.88	<0.01	<1
H820159	3.616	47	0.53	7	0.79	55	26.2	0.96	0.03	1
*Rep H820157		30								
*Rep H820159			0.53	7	0.78	58	26.6	0.95	0.03	2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08365 Order:

Page 3 of 7

Element Method Det.Lim. Units	Mg @ICM40B 0.01 %	Mn @ICM40B 5 ppm	Na @ICM40B 0.01 %	Ni @ICM40B 0.5 ppm	P @ICM40B 50 ppm	S @ICM40B 0.01 %	Sr @ICM40B 0.5 ppm	Ti @ICM40B 0.01 %	V @ICM40B 1 ppm	Zn @ICM40B 1 ppm
H820151	0.29	318	0.02	498	90	>5	9.1	0.03	10	39
H820152	1.32	356	1.86	461	570	4.99	14.9	0.01	23	2
H820153	1.82	183	1.87	1690	810	>5	24.5	<0.01	23	3
H820154	0.85	401	2.86	55.0	550	0.47	136	0.27	70	29
H820155	2.05	189	4.51	135	500	1.26	33.4	0.03	30	5
H820156	4.77	1520	3.53	256	380	0.62	104	0.04	57	5
H820157	6.89	2040	2.00	262	210	0.80	112	0.01	51	6
H820158	0.35	279	0.03	3.8	<50	0.06	2.8	<0.01	4	11
H820159	0.48	211	0.11	9.5	<50	0.02	11.4	0.02	17	6
*Rep H820159	0.47	210	0.11	9.1	<50	0.02	11.2	0.02	17	6

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08365 Order:

Page 4 of 7

Element	Zr	Ag	As	Be	Bi	Cd	Ce	Co	Cs	Ga
Method	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B
Det.Lim.	0.5	0.02	1	0.1	0.04	0.02	0.05	0.1	5	0.1
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
H820151	12.5	0.53	108	0.3	1.87	0.14	8.69	487	<5	2.1
H820152	50.8	0.06	111	0.4	0.20	<0.02	16.9	306	<5	8.5
H820153	45.1	0.20	89	0.4	0.23	<0.02	18.1	1180	<5	6.1
H820154	134	0.09	10	1.3	0.49	0.04	45.9	18.6	<5	14.9
H820155	97.4	0.08	17	1.1	0.04	0.03	71.1	77.1	<5	14.3
H820156	92.4	0.14	368	1.1	0.18	0.06	15.1	31.3	<5	11.2
H820157	48.8	0.30	429	0.7	0.35	0.08	17.9	22.9	<5	6.1
H820158	1.2	0.06	10	<0.1	0.11	0.06	0.98	1.6	<5	0.5
H820159	2.0	0.04	12	<0.1	0.07	0.03	2.23	3.8	<5	1.4
*Rep H820159	2.5	0.07	5	<0.1	0.06	<0.02	2.11	3.5	<5	1.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08365 Order:

Page 5 of 7

Element Method Det.Lim. Units	Ge @ICM40B 0.1 ppm	Hf @ICM40B 0.02 ppm	In @ICM40B 0.02 ppm	La @ICM40B 0.1 ppm	Lu @ICM40B 0.01 ppm	Mo @ICM40B 0.05 ppm	Nb @ICM40B 0.1 ppm	Pb @ICM40B 0.5 ppm	Rb @ICM40B 0.2 ppm	Sb @ICM40B 0.05 ppm
H820151	0.2	0.31	0.06	2.0	0.24	0.68	0.9	23.5	7.3	0.69
H820152	0.2	1.22	<0.02	6.7	0.14	1.11	0.7	0.9	7.1	0.13
H820153	0.4	1.20	<0.02	8.4	0.06	1.59	0.5	1.6	1.1	0.12
H820154	<0.1	3.20	0.04	21.8	0.22	0.99	6.3	6.3	73.0	0.43
H820155	<0.1	2.58	<0.02	32.8	0.11	3.74	0.8	0.9	1.3	0.10
H820156	<0.1	2.27	0.04	5.5	0.14	0.45	1.2	25.2	11.1	0.77
H820157	0.2	1.30	0.10	5.4	0.13	0.31	0.5	40.0	3.5	1.09
H820158	<0.1	0.03	<0.02	0.3	<0.01	0.19	0.3	3.6	0.5	0.25
H820159	<0.1	0.06	<0.02	1.0	0.03	0.19	0.2	1.8	0.9	0.27
*Rep H820159	<0.1	0.06	<0.02	1.0	0.03	0.17	0.2	1.8	0.9	0.26

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08365 Order:

Page 6 of 7

Element Method Det.Lim. Units	Sc @ICM40B 0.1 ppm	Se @ICM40B 2 ppm	Sn @ICM40B 0.3 ppm	Ta @ICM40B 0.05 ppm	Tb @ICM40B 0.05 ppm	Te @ICM40B 0.05 ppm	Th @ICM40B 0.2 ppm	Tl @ICM40B 0.02 ppm	U @ICM40B 0.1 ppm	W @ICM40B 0.1 ppm
H820151	8.0	18	0.5	<0.05	0.33	0.57	1.1	0.13	1.6	2.1
H820152	7.7	9	<0.3	<0.05	0.27	0.35	3.0	<0.02	0.7	1.1
H820153	6.5	37	<0.3	<0.05	0.17	18.2	1.8	<0.02	0.6	0.9
H820154	10.9	<2	1.2	0.47	0.46	0.12	9.2	0.30	3.7	1.9
H820155	7.5	3	<0.3	0.05	0.44	0.22	8.2	<0.02	1.6	1.2
H820156	9.4	<2	0.5	0.07	0.42	0.05	7.6	0.03	2.5	0.8
H820157	14.5	<2	0.4	<0.05	0.57	0.09	4.0	<0.02	1.4	0.5
H820158	1.1	<2	<0.3	<0.05	<0.05	<0.05	<0.2	<0.02	<0.1	0.1
H820159	3.5	<2	<0.3	<0.05	0.05	<0.05	<0.2	<0.02	<0.1	<0.1
*Rep H820159	3.2	<2	<0.3	<0.05	<0.05	<0.05	<0.2	<0.02	<0.1	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08365 Order:

Page 7 of 7

Element	Y	Yb
Method	@ICM40B	@ICM40B
Det.Lim.	0.1	0.1
Units	ppm	ppm
H820151	21.1	1.9
H820152	8.6	0.9
H820153	4.3	0.3
H820154	13.9	1.4
H820155	7.3	0.7
H820156	9.9	0.9
H820157	11.6	0.9
H820158	1.4	<0.1
H820159	1.8	0.2
*Rep H820159	1.8	0.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Certificate of Analysis

Work Order: SU08366

To: Eric Plexman
Trueclaim Resources Inc.
96 Hagerman Cres.
ST. THOMAS
ON N5R 6K3

Date: Dec 24, 2009

P.O. No. : -
Project No. : -
No. Of Samples : 7
Date Submitted : Nov 09, 2009
Report Comprises : Pages 1 to 7
(Inclusive of Cover Sheet)

Distribution of unused material:

STORE:

Comments:

Quality Note:

Replicate results outside acceptance criteria due to the presence of coarse gold.

Certified By :

Gavin McGill
Operations Manager

SGS Minerals Services (Toronto) is accredited by Standards Council of Canada (SCC) and conforms to the requirements of ISO/IEC 17025 for specific tests as indicated on the scope of accreditation to be found at <http://www.scc.ca/en/programs/lab/mineral.shtml>

Report Footer: L.N.R. = Listed not received I.S. = Insufficient Sample
n.a. = Not applicable -- = No result
*INF = Composition of this sample makes detection impossible by this method
M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion
Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Methods marked with the @ symbol (e.g. @AAS21E) denote accredited tests

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08366 Order:

Page 2 of 7

Element	WtKg	Au	Al	Ba	Ca	Cr	Cu	Fe	K	Li
Method	WGH79	FAI323	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B
Det.Lim.	0.001	5	0.01	5	0.01	1	0.5	0.01	0.01	1
Units	kg	ppb	%	ppm	%	ppm	ppm	%	%	ppm
H820160	3.753	8360	4.65	25	2.38	118	728	>15	0.63	17
H820161	3.095	9010	4.26	189	6.90	27	1240	>15	0.55	14
H820162	1.875	1160	6.12	24	0.33	111	5650	1.98	0.18	<1
H820163	3.857	1260	6.25	26	0.40	31	1880	1.10	0.18	<1
H820164	2.997	2000	5.88	25	0.22	110	9090	2.17	0.17	<1
H820165	1.748	475	6.88	24	0.38	34	3940	0.93	0.20	<1
H820166	2.620	<5	0.08	<5	0.02	76	45.8	0.40	<0.01	<1
*Rep H820165		357								
*Rep H820166			0.08	<5	0.02	67	43.5	0.40	<0.01	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08366 Order:

Page 3 of 7

Element Method Det.Lim. Units	Mg @ICM40B 0.01 %	Mn @ICM40B 5 ppm	Na @ICM40B 0.01 %	Ni @ICM40B 0.5 ppm	P @ICM40B 50 ppm	S @ICM40B 0.01 %	Sr @ICM40B 0.5 ppm	Ti @ICM40B 0.01 %	V @ICM40B 1 ppm	Zn @ICM40B 1 ppm
H820160	3.42	499	0.79	253	60	>5	9.7	0.05	100	42
H820161	4.87	2480	0.09	330	640	>5	40.7	0.08	102	43
H820162	0.12	46	6.41	30.1	560	1.69	42.8	0.12	23	7
H820163	0.12	48	7.00	21.4	440	0.62	43.8	0.16	22	4
H820164	0.05	25	6.80	136	480	2.04	40.9	0.10	20	11
H820165	0.11	37	7.29	10.6	180	0.66	52.0	0.15	23	1
H820166	0.03	46	0.04	2.9	<50	0.01	1.4	0.01	3	1
*Rep H820166	0.03	48	0.02	2.6	<50	0.01	1.6	0.01	3	1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08366 Order:

Page 4 of 7

Element	Zr	Ag	As	Be	Bi	Cd	Ce	Co	Cs	Ga
Method	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B
Det.Lim.	0.5	0.02	1	0.1	0.04	0.02	0.05	0.1	5	0.1
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
H820160	88.9	1.21	>10000	0.5	1.08	0.13	18.5	205	<5	16.7
H820161	106	1.11	>10000	0.6	1.06	0.13	20.1	265	<5	13.2
H820162	90.2	0.44	686	0.9	0.98	0.04	97.5	60.8	<5	16.9
H820163	107	1.28	351	1.1	0.64	<0.02	172	37.9	<5	20.4
H820164	93.5	1.54	1700	1.1	2.13	0.10	141	298	<5	18.9
H820165	107	0.28	117	1.1	0.98	<0.02	125	51.4	<5	21.8
H820166	<0.5	<0.02	9	<0.1	<0.04	<0.02	0.79	1.3	<5	0.3
*Rep H820166	<0.5	<0.02	7	<0.1	<0.04	<0.02	0.93	1.3	<5	0.3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08366 Order:

Page 5 of 7

Element Method Det.Lim. Units	Ge @ICM40B 0.1 ppm	Hf @ICM40B 0.02 ppm	In @ICM40B 0.02 ppm	La @ICM40B 0.1 ppm	Lu @ICM40B 0.01 ppm	Mo @ICM40B 0.05 ppm	Nb @ICM40B 0.1 ppm	Pb @ICM40B 0.5 ppm	Rb @ICM40B 0.2 ppm	Sb @ICM40B 0.05 ppm
H820160	0.3	2.04	0.19	7.1	0.13	0.28	1.1	20.0	6.1	10.9
H820161	0.3	2.34	0.51	8.2	0.22	0.39	1.4	9.9	19.9	4.43
H820162	0.3	2.63	0.28	49.0	0.21	2.35	9.4	6.3	14.9	1.79
H820163	0.4	3.39	0.09	89.5	0.30	2.45	11.9	5.3	25.2	1.29
H820164	0.4	2.93	0.23	73.7	0.35	2.16	11.6	9.7	15.4	2.09
H820165	0.3	3.64	0.22	65.4	0.27	2.92	9.6	6.8	20.6	1.16
H820166	0.3	<0.02	<0.02	0.4	<0.01	0.16	0.2	1.3	0.4	0.18
*Rep H820166	0.2	<0.02	<0.02	0.5	<0.01	0.25	0.2	1.3	0.4	0.19

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08366 Order:

Page 6 of 7

Element	Sc	Se	Sn	Ta	Tb	Te	Th	Tl	U	W
Method	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B	@ICM40B
Det.Lim.	0.1	2	0.3	0.05	0.05	0.05	0.2	0.02	0.1	0.1
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
H820160	10.7	10	<0.3	0.10	0.45	1.58	3.4	0.49	1.6	1.3
H820161	13.5	8	0.6	0.12	0.48	0.90	5.1	0.07	3.0	1.5
H820162	5.8	3	6.7	0.57	0.60	0.13	11.7	0.03	6.2	4.7
H820163	12.5	<2	2.9	0.79	1.01	<0.05	27.6	<0.02	10.1	6.6
H820164	9.2	4	4.3	0.66	1.12	0.33	18.2	0.03	9.4	6.3
H820165	8.1	<2	5.3	0.65	0.62	<0.05	15.9	<0.02	6.9	6.4
H820166	0.4	<2	<0.3	<0.05	<0.05	<0.05	<0.2	<0.02	<0.1	0.4
*Rep H820166	0.5	<2	<0.3	<0.05	<0.05	<0.05	<0.2	<0.02	<0.1	0.4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Final : SU08366 Order:

Element	Y	Yb
Method	@ICM40B	@ICM40B
Det.Lim.	0.1	0.1
Units	ppm	ppm
H820160	8.8	1.0
H820161	11.2	1.3
H820162	12.4	1.2
H820163	21.6	2.1
H820164	26.1	2.2
H820165	15.6	1.6
H820166	0.4	<0.1
*Rep H820166	0.5	<0.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U399707

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Apr 27, 2010

PAGES (INCLUDING COVER): 11

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U399707

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Apr 23, 2010

DATE RECEIVED: Apr 23, 2010

DATE REPORTED: Apr 27, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5096584	<0.5	0.09	65	10	<0.5	<1	0.05	1.3	1	4.5	1503.1	<0.5	42.8	1.70
E5096585	<0.5	7.30	71	194	<0.5	<1	6.20	2.9	13	51.9	258.3	<0.5	835.7	7.18
E5096586	<0.5	0.16	1	5	<0.5	<1	0.13	<0.5	1	2.5	1179.2	<0.5	15.8	0.95
E5096587	<0.5	6.97	46	233	0.7	<1	8.40	2.2	19	37.5	359.3	6.0	103.4	6.42
E5096588	<0.5	3.29	14	126	<0.5	<1	2.06	1.0	7	13.8	722.2	<0.5	67.1	3.62
E5096589	<0.5	7.33	34	265	<0.5	<1	6.68	2.1	12	36.2	280.8	<0.5	257.3	6.36
E5096590	<0.5	0.73	11	28	<0.5	<1	0.04	<0.5	10	3.2	978.5	<0.5	2.1	0.82
E5096591	<0.5	1.13	6	24	<0.5	<1	0.14	<0.5	60	6.6	906.7	<0.5	3.2	0.81
E5096592	<0.5	0.91	6	48	<0.5	<1	0.06	<0.5	11	3.7	922.4	<0.5	5.1	0.91
E5096593	<0.5	6.87	10	276	<0.5	<1	8.34	1.6	9	38.9	479.1	1.5	68.7	6.12
E5096594	<0.5	0.95	10	106	<0.5	<1	0.09	0.6	3	5.8	1129.8	0.8	9.1	1.61
E5096595	<0.5	1.18	8	50	<0.5	<1	0.10	0.5	3	3.5	999.5	<0.5	122.1	2.09
E5096596	<0.5	6.19	15	114	0.5	<1	5.02	2.1	29	52.6	204.9	<0.5	238.0	10.16
E5096597	<0.5	7.35	5	51	<0.5	<1	8.96	1.7	8	35.5	451.7	<0.5	196.6	6.64
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5096584	<5	<1	0.02	<2	<1	0.04	195	5.8	0.2	29.0	13	9	<10	0.015
E5096585	19	<1	0.81	6	15	4.43	1654	0.8	1.35	359.9	183	6	31	0.300
E5096586	<5	<1	0.02	<2	<1	0.07	151	8.3	0.03	19.9	15	3	<10	0.010
E5096587	21	<1	1.01	7	27	4.38	1430	1.1	2.24	10.5	212	7	103	0.118
E5096588	10	<1	0.48	3	12	2.30	903	5.0	0.49	79.8	98	2	21	0.018
E5096589	21	<1	0.90	5	14	3.94	1530	1.1	1.34	165.8	179	5	27	0.115
E5096590	<5	<1	0.16	5	<1	0.06	98	7.7	1.22	16.0	79	5	<10	0.010
E5096591	8	<1	0.16	27	<1	0.16	119	4.9	2.39	24.3	161	3	<10	0.042
E5096592	5	<1	0.26	6	<1	0.14	85	8.2	1.24	15.6	89	7	<10	0.034
E5096593	20	<1	0.75	4	23	4.86	1934	1.7	0.73	134.8	146	40	35	0.097
E5096594	6	<1	0.34	<2	3	0.34	358	9.7	0.15	21.4	55	3	15	<0.005
E5096595	6	<1	0.63	<2	7	0.30	270	7.4	0.66	19.5	249	3	<10	<0.005
E5096596	21	<1	0.49	10	17	3.06	2230	2.4	1.87	54.5	376	6	11	0.462
E5096597	18	<1	0.14	3	22	4.80	1937	1.3	0.98	151.9	157	40	<10	0.130

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U399707

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Apr 23, 2010

DATE RECEIVED: Apr 23, 2010

DATE REPORTED: Apr 27, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Tin	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5096584	<1	<1	<10	<5	6	<10	<10	<5	<0.01	<5	<5	9.1	<1	<1
E5096585	2	34	<10	<5	193	<10	<10	<5	0.35	<5	<5	238.2	1	14
E5096586	<1	<1	<10	<5	4	<10	<10	<5	<0.01	<5	<5	8.1	<1	<1
E5096587	1	37	<10	<5	226	<10	<10	<5	0.34	<5	<5	223.3	<1	14
E5096588	<1	16	<10	<5	19	<10	<10	<5	0.17	<5	<5	117.1	<1	5
E5096589	2	30	<10	<5	157	<10	<10	<5	0.29	<5	<5	212.5	<1	12
E5096590	<1	<1	<10	<5	10	<10	<10	<5	0.01	<5	<5	13.0	2	1
E5096591	<1	1	<10	<5	14	<10	<10	11	0.02	<5	<5	32.9	1	3
E5096592	<1	1	<10	<5	15	<10	<10	<5	0.02	<5	<5	14.3	<1	2
E5096593	<1	32	<10	<5	313	<10	<10	<5	0.25	<5	<5	200.9	<1	10
E5096594	<1	5	<10	<5	11	<10	<10	<5	0.05	<5	<5	55.3	<1	3
E5096595	<1	5	<10	<5	21	<10	<10	<5	0.23	<5	<5	70.2	<1	3
E5096596	2	33	<10	<5	197	<10	<10	<5	0.66	<5	<5	320.7	1	21
E5096597	1	30	<10	<5	304	<10	<10	<5	0.21	<5	<5	185.6	<1	10

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5096584	15.1	<5
E5096585	62.0	32
E5096586	10.8	<5
E5096587	61.5	34
E5096588	41.6	16
E5096589	58.1	38
E5096590	8.48	81
E5096591	12.8	118
E5096592	10.0	67
E5096593	79.3	33
E5096594	14.0	12
E5096595	24.7	32
E5096596	82.7	89
E5096597	104.3	22

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 10U399707

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Apr 23, 2010

DATE RECEIVED: Apr 23, 2010

DATE REPORTED: Apr 27, 2010

SAMPLE TYPE: Rock

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U399707

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-MS finish (201056)

DATE SAMPLED: Apr 23, 2010

DATE RECEIVED: Apr 23, 2010

DATE REPORTED: Apr 27, 2010

SAMPLE TYPE: Rock

Analyte:	Au	Pd	Pt
Unit:	ppm	ppm	ppm
Sample Description RDL:	0.001	0.001	0.0005
E5096596	0.008	<0.001	<0.0005

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U399707

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052)

DATE SAMPLED: Apr 23, 2010

DATE RECEIVED: Apr 23, 2010

DATE REPORTED: Apr 27, 2010

SAMPLE TYPE: Rock

Analyte:	Au
Unit:	ppm
Sample Description	RDL:

E5096584	0.790
E5096585	0.047
E5096586	0.002
E5096587	0.004
E5096588	0.005
E5096589	0.008
E5096590	0.001
E5096591	0.001
E5096592	0.002
E5096593	0.005
E5096594	0.001
E5096595	0.427
E5096596	0.005
E5096597	0.010

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U399707

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Sample Login Weight

DATE SAMPLED: Apr 23, 2010 DATE RECEIVED: Apr 23, 2010 DATE REPORTED: Apr 27, 2010 SAMPLE TYPE: Rock

Sample Description	Analyte: Login Weight	Unit: kg	RDL:
E5096584			0.01
E5096584			0.64
E5096585			0.62
E5096586			0.24
E5096587			2.02
E5096588			1.32
E5096589			3.10
E5096590			1.30
E5096591			2.68
E5096592			1.84
E5096593			0.72
E5096594			2.04
E5096595			1.68
E5096596			1.96
E5096597			2.34

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U399707

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Apr 27, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1735638	< 0.5	<0.5		< 0.5	7	7	100%	80%	120%	
Al	1	1735638	0.09	0.09	0.0%	< 0.01	1.36	2.20	61%	60%	140%	
As	1	1735638	65	65	0.0%	< 1				80%	120%	
Ba	1	1735638	10	10	0.0%	< 1	778	645	120%	80%	120%	
Be	1	1735638	< 0.5	<0.5		< 0.5	0.6	0.7	85%	80%	120%	
Bi	1	1735638	< 1	<1		< 1	1	1	100%	80%	120%	
Ca	1	1735638	0.05	0.05	0.0%	< 0.01	0.45	0.55	81%	80%	120%	
Cd	1	1735638	1.3	1.3	0.0%	< 0.5				80%	120%	
Ce	1	1735638	1	1	0.0%	< 1	7.2	7.0	102%	80%	120%	
Co	1	1735638	4.5	4.4	2.2%	< 0.5	5.4	5.0	108%	80%	120%	
Cr	1	1735638	1503.1	1481.1	1.5%	< 0.5	19.2	22.0	87%	80%	120%	
Cs	1	1735638	< 0.5	<0.5		< 0.5				80%	120%	
Cu	1	1735638	42.8	42.4	0.9%	< 0.5	4700	4700	100%	80%	120%	
Fe	1	1735638	1.70	1.67	1.8%	< 0.01	1.35	1.55	87%	80%	120%	
Ga	1	1735638	< 5	<5		< 5				80%	120%	
In	1	1735638	< 1	<1		< 1				80%	120%	
K	1	1735638	0.02	0.02	0.0%	< 0.01	2.72	2.99	90%	80%	120%	
La	1	1735638	< 2	<2		< 2				80%	120%	
Li	1	1735638	< 1	<1		< 1	7	7	100%	80%	120%	
Mg	1	1735638	0.037	0.034	8.5%	< 0.01	0.15	0.17	88%	80%	120%	
Mn	1	1735638	195	192	1.6%	< 1	342	299	114%	80%	120%	
Mo	1	1735638	5.8	5.8	0.0%	< 0.5	295	280	105%	80%	120%	
Na	1	1735638	0.2	0.02	163.6%	< 0.01	1.68	1.82	92%	80%	120%	
Ni	1	1735638	29.0	24.7	16.0%	< 0.5	6.2	7.0	88%	80%	120%	
P	1	1735638	13	12	8.0%	< 10	235	320	73%	70%	130%	
Pb	1	1735638	9	9	0.0%	< 1	27	30	90%	80%	120%	
Rb	1	1735638	< 10	<10		< 10				80%	120%	
S	1	1735638	0.015	0.010	40.0%	< 0.005	0.361	0.420	85%	80%	120%	
Sb	1	1735638	< 1	<1		< 1				80%	120%	
Sc	1	1735638	< 1	<1		< 1				80%	120%	
Se	1	1735638	< 10	<10		< 10				80%	120%	
Tin	1	1735638	< 5	<5		< 5				80%	120%	
Sr	1	1735638	5.6	5.1	9.3%	< 1	294	390	75%	70%	130%	
Ta	1	1735638	< 10	<10		< 10				80%	120%	
Te	1	1735638	< 10	<10		< 10				80%	120%	
Th	1	1735638	< 5	<5		< 5				80%	120%	
Ti	1	1735638	< 0.01	<0.01		< 0.01	0.06	0.06	100%	80%	120%	
Tl	1	1735638	< 5	<5		< 5				80%	120%	
U	1	1735638	< 5	<5		< 5				80%	120%	
V	1	1735638	9.1	9.5	4.3%	< 0.5	35.4	36.2	97%	80%	120%	
W	1	1735638	< 1	<1		< 1				80%	120%	
Y	1	1735638	< 1	<1		< 1				80%	120%	
Zn	1	1735638	15.1	13.8	9.0%	< 0.5	26.4	32.0	82%	80%	120%	
Zr	1	1735638	< 5	<5		< 5				80%	120%	



Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U399707

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Apr 27, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper

Fire Assay - Trace Au, ICP-OES finish (201052)

Au	1	1735649	0.427	0.397	7.3%	< 0.001	0.312	0.321	97%	70%	130%
----	---	---------	-------	-------	------	---------	-------	-------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (201052)

Au	1					< 0.001	5.590	5.865	95%	70%	130%
----	---	--	--	--	--	---------	-------	-------	-----	-----	------

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U399707

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Tin	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-MS
Pd	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-MS
Pt	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-MS

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U399707

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES
Sample Login Weight	MIN-200-12009		BALANCE

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U401146

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: May 10, 2010

PAGES (INCLUDING COVER): 12

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U401146

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Apr 30, 2010

DATE RECEIVED: Apr 30, 2010

DATE REPORTED: May 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5096598	<0.5	0.09	17	6	<0.5	<1	1.13	<0.5	1	12.4	1313.3	<0.5	14.3	1.50
E5096599	<0.5	1.77	14	9	<0.5	<1	0.70	<0.5	8	13.4	1322.0	<0.5	8.2	1.53
E5096600	<0.5	0.03	23	2	<0.5	<1	0.06	<0.5	<1	63.6	1584.5	<0.5	35.4	3.02
E5096601	<0.5	2.60	62	65	1.1	<1	0.33	<0.5	56	41.2	425.0	<0.5	21.4	2.04
E5096602	<0.5	4.98	114	45	0.9	<1	2.62	<0.5	26	38.1	695.3	<0.5	15.2	3.09
E5096603	<0.5	0.09	4	5	<0.5	<1	5.49	<0.5	1	3.3	1076.8	<0.5	7.7	1.91
E5096604	<0.5	2.48	19	30	<0.5	<1	1.75	<0.5	22	14.5	1141.6	<0.5	29.2	2.08
E5096605	<0.5	1.39	17	16	<0.5	<1	0.35	<0.5	33	9.4	801.7	<0.5	8.8	0.90
E5096606	0.5	7.38	6	383	0.8	<1	0.49	<0.5	41	39.7	1229.8	1.2	471.5	6.65
E5096607	0.6	0.72	23	122	<0.5	<1	0.06	<0.5	3	4.3	1076.5	<0.5	43.4	1.80
E5096608	0.9	0.40	50	47	<0.5	<1	0.06	<0.5	2	4.5	1354.6	<0.5	126.6	2.04
E5096609	<0.5	0.03	2	2	<0.5	<1	0.02	<0.5	<1	2.2	1195.1	<0.5	8.0	0.87
E5096610	<0.5	2.72	26	11	<0.5	<1	1.01	<0.5	13	27.3	802.9	<0.5	3.9	1.44
E5096611	<0.5	4.00	7	68	1.1	<1	0.31	<0.5	37	8.4	493.8	<0.5	14.6	5.01
E5096612	<0.5	2.29	26	653	1.5	<1	0.09	<0.5	55	15.5	638.2	3.5	113.9	1.94
E5096613	1.1	2.39	44	10	<0.5	4.4	7.29	<0.5	8	105.8	1010.3	<0.5	5002.6	10.79
E5096614	0.6	3.57	7	76	<0.5	<1	2.52	<0.5	11	641.9	1357.2	<0.5	2614.9	20.53

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U401146

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Apr 30, 2010

DATE RECEIVED: Apr 30, 2010

DATE REPORTED: May 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5096598	<5	<1	0.03	<2	<1	0.61	208	10.8	0.01	44.4	14	2	<10	0.197
E5096599	5	<1	0.09	4	<1	0.32	140	6.3	1.44	39.1	242	2	<10	0.240
E5096600	<5	<1	0.01	<2	<1	0.04	100	9.2	<0.01	94.2	12	4	<10	0.714
E5096601	19	<1	1.04	25	5	0.74	75	3.9	5.51	81.4	322	3	17	1.187
E5096602	17	<1	0.72	12	2	1.37	451	9.1	4.18	132.9	942	4	13	0.919
E5096603	<5	<1	0.04	<2	<1	2.80	388	5.7	0.03	20.2	12	2	<10	0.080
E5096604	6	<1	0.89	10	3	1.06	268	8.8	1.47	60.2	289	4	<10	0.384
E5096605	7	<1	0.12	16	<1	0.25	53	6.9	2.24	33.5	148	5	<10	0.116
E5096606	22	<1	1.05	21	13	3.78	650	3.6	2.17	200.3	350	22	37	0.874
E5096607	<5	<1	0.25	<2	2	0.14	105	9.0	0.33	17.6	77	7	<10	0.058
E5096608	<5	<1	0.11	<2	1	0.05	112	6.4	0.16	17.7	58	26	<10	0.171
E5096609	<5	<1	<0.01	<2	<1	0.01	62	9.4	0.02	15.7	<10	2	<10	0.006
E5096610	9	<1	0.15	6	<1	0.53	95	4.8	2.59	53.7	283	2	<10	0.607
E5096611	17	<1	0.22	18	4	1.28	195	1.7	3.94	45.1	425	19	<10	0.009
E5096612	15	<1	3.04	26	11	0.64	63	5.8	1.04	34.9	275	13	127	0.309
E5096613	7	<1	0.06	3	2	8.43	1766	0.9	0.14	807.4	90	4	<10	0.850
E5096614	10	<1	0.23	5	3	3.41	742	2.5	1.08	4772.1	222	20	<10	16.633

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U401146

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Apr 30, 2010

DATE RECEIVED: Apr 30, 2010

DATE REPORTED: May 10, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Tin	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5096598	<1	7	<10	<5	8	<10	<10	<5	<0.01	<5	<5	15.2	<1	1
E5096599	<1	6	<10	<5	14	<10	<10	<5	<0.01	<5	<5	23.8	<1	4
E5096600	<1	2	<10	<5	1	<10	<10	<5	<0.01	<5	<5	9.8	<1	<1
E5096601	<1	3	<10	<5	26	<10	<10	7	0.05	<5	<5	90.7	3	4
E5096602	<1	20	<10	<5	48	<10	<10	9	0.05	<5	<5	97.9	3	10
E5096603	<1	22	<10	<5	30	<10	<10	<5	<0.01	<5	<5	23.2	<1	4
E5096604	<1	14	<10	<5	16	<10	<10	<5	0.01	<5	<5	31.3	<1	6
E5096605	<1	1	<10	<5	13	<10	<10	10	0.01	<5	<5	25.4	<1	3
E5096606	<1	23	<10	<5	31	<10	<10	7	0.35	<5	<5	212.8	1	10
E5096607	<1	3	<10	<5	14	<10	<10	<5	0.04	<5	<5	29.1	<1	2
E5096608	<1	2	<10	<5	14	<10	<10	<5	0.02	<5	<5	14.4	<1	2
E5096609	<1	<1	<10	<5	1	<10	<10	<5	<0.01	<5	<5	3.9	<1	<1
E5096610	<1	7	<10	<5	22	<10	<10	6	<0.01	<5	<5	35.6	<1	5
E5096611	<1	3	<10	<5	43	<10	<10	<5	0.08	<5	<5	49.8	4	4
E5096612	<1	6	<10	<5	43	<10	<10	23	0.22	<5	11	72.4	3	7
E5096613	<1	65	<10	<5	20	<10	<10	<5	0.26	<5	<5	310.3	<1	10
E5096614	<1	32	25	<5	24	<10	<10	<5	0.33	<5	<5	249.1	<1	11

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U401146

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Apr 30, 2010

DATE RECEIVED: Apr 30, 2010

DATE REPORTED: May 10, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5096598	9.8	<5
E5096599	12.2	33
E5096600	21.2	<5
E5096601	10.2	111
E5096602	23.1	94
E5096603	16.6	<5
E5096604	18.9	44
E5096605	8.5	96
E5096606	96.1	46
E5096607	12.9	15
E5096608	15.6	10
E5096609	8.5	<5
E5096610	10.5	57
E5096611	18.0	65
E5096612	16.1	197
E5096613	118.4	21
E5096614	54.7	25

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U401146

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-MS finish (201056)				
DATE SAMPLED: Apr 30, 2010		DATE RECEIVED: Apr 30, 2010		DATE REPORTED: May 10, 2010
				SAMPLE TYPE: Rock
Analyte:	Au	Pd	Pt	
Unit:	ppm	ppm	ppm	
Sample Description	RDL:			
E5096613	0.439	0.041	0.0673	
E5096614	0.023	0.020	0.0475	

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U401146

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Apr 30, 2010 DATE RECEIVED: Apr 30, 2010 DATE REPORTED: May 10, 2010 SAMPLE TYPE: Rock

Analyte:	Unit:	RDL:
Au	ppm	0.001
E5096598		0.002
E5096599		0.004
E5096600		0.111
E5096601		0.009
E5096602		0.081
E5096603		0.002
E5096604		0.038
E5096605		0.009
E5096606		0.011
E5096607		>10
E5096608		>10
E5096609		1.331
E5096610		0.031
E5096611		0.996
E5096612		0.055
E5096613		0.368
E5096614		0.058

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U401146

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Sample Login Weight

DATE SAMPLED: Apr 30, 2010 DATE RECEIVED: Apr 30, 2010 DATE REPORTED: May 10, 2010 SAMPLE TYPE: Rock

Sample Description	Analyte: Login Weight	Unit: kg	RDL:
E5096598			0.01
E5096599			0.01
E5096600			0.01
E5096601			0.01
E5096602			0.01
E5096603			0.01
E5096604			0.01
E5096605			0.01
E5096606			0.01
E5096607			0.01
E5096608			0.01
E5096609			0.01
E5096610			0.01
E5096611			0.01
E5096612			0.01
E5096613			0.01
E5096614			0.01

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U401146

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis											
RPT Date: May 10, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)											
Au	1	1744859	0.002	0.003	40.0%	< 0.001	0.194	0.205	94%	70%	130%
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)											
Au	1	1744870	1.331	1.401	5.1%	< 0.001	1.000	1.007	99%	70%	130%
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	1744859	< 0.5	< 0.5	0.0%	< 0.5	5.37	6.39	84%	80%	120%
Al	1	1744859	0.09	0.09	0.0%	< 0.01	3.71	4.30	86%	80%	120%
As	1	1744859	17	16	6.1%	< 1	2.04	2.49	81%	80%	120%
Ba	1	1744859	6	6	0.0%	< 1	651	645	100%	80%	120%
Be	1	1744859	< 0.5	< 0.5		< 0.5				80%	120%
Bi	1	1744859	< 1	< 1	0.0%	< 1	2.26	2.73	82%	80%	120%
Ca	1	1744859	1.13	1.12	0.9%	< 0.01	2.08	2.21	94%	80%	120%
Cd	1	1744859	< 0.5	< 0.5	0.0%	< 0.5	3	3	100%	80%	120%
Ce	1	1744859	1	< 1		< 1	35.7	35.0	102%	80%	120%
Co	1	1744859	12.4	12.1	2.4%	< 0.5	668	672	99%	80%	120%
Cr	1	1744859	1313.3	1177.7	10.9%	< 0.5	329	320	102%	80%	120%
Cs	1	1744859	< 0.5	< 0.5	0.0%	< 0.5	0.3	0.3	100%	80%	120%
Cu	1	1744859	14.3	14.3	0.0%	< 0.5	12038	11850	101%	80%	120%
Fe	1	1744859	1.50	1.48	1.3%	< 0.01	20.49	25.54	80%	80%	120%
Ga	1	1744859	< 5	< 5	0.0%	< 5	10	10	100%	80%	120%
In	1	1744859	< 1	< 1	0.0%	< 1				80%	120%
K	1	1744859	0.03	0.03	0.0%	< 0.01	0.6	0.6	100%	80%	120%
La	1	1744859	< 2	< 2	0.0%	< 2	17	17	100%	80%	120%
Li	1	1744859	< 1	< 1	0.0%	< 1				80%	120%
Mg	1	1744859	0.61	0.61	0.0%	< 0.01	1.666	1.790	93%	80%	120%
Mn	1	1744859	208	200	3.9%	< 1	629	703	89%	80%	120%
Mo	1	1744859	10.8	10.0	7.7%	< 0.5	4	4	100%	80%	120%
Na	1	1744859	0.01	0.01	0.0%	< 0.01	1.5	1.6	93%	80%	120%
Ni	1	1744859	44.4	43.6	1.8%	< 0.5	18904	19530	96%	80%	120%
P	1	1744859	14	13	7.4%	< 10	502	600	83%	80%	120%
Pb	1	1744859	2	2	0.0%	< 1	58	58	100%	80%	120%
Rb	1	1744859	< 10	< 10	0.0%	< 10				80%	120%
S	1	1744859	0.197	0.194	1.5%	< 0.005	13.39	14.14	94%	80%	120%
Sb	1	1744859	< 1	< 1	0.0%	< 1			140%	60%	140%
Sc	1	1744859	7	7	0.0%	< 1	8.3	9.0	92%	80%	120%
Se	1	1744859	< 10	< 10	0.0%	< 10				70%	130%
Tin	1	1744859	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1744859	8	8	0.0%	< 1	237	280	84%	80%	120%
Ta	1	1744859	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1744859	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1744859	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	1744859	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	1744859	< 5	< 5	0.0%	< 5				80%	120%
U	1	1744859	< 5	< 5	0.0%	< 5	0.2	0.2	100%	80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U401146

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: May 10, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
V	1	1744859	15.2	15.8	3.9%	< 0.5	84.5	82.5	102%	80%	120%
W	1	1744859	< 1	< 1	0.0%	< 1				80%	120%
Y	1	1744859	1	1	0.0%	< 1	6.1	8.0	76%	70%	130%
Zn	1	1744859	9.8	10.6	7.8%	< 0.5	249	255	97%	80%	120%
Zr	1	1744859	< 5	< 5	0.0%	< 5				80%	120%
Fire Assay - Au, Pt, Pd Trace Levels, ICP-MS finish (201056)											
Au	1	1744875	0.023	0.021	9.1%	< 0.001	0.300	0.321	93%	70%	130%
Pd	1	1744875	0.020	0.023	14.0%	< 0.001	0.034	0.037	91%	60%	140%
Pt	1	1744875	0.0475	0.025	62.1%	< 0.0005	0.0886	0.090	98%	70%	130%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U401146

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Tin	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-MS
Pd	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-MS
Pt	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-MS

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U401146

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES
Sample Login Weight	MIN-200-12009		BALANCE

Certificate of Analysis

AGAT WORK ORDER: 10U413262

PROJECT NO:

 5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jun 21, 2010

DATE RECEIVED: Jun 17, 2010

DATE REPORTED: Jun 21, 2010

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
5105560	<0.5	5.92	7	177	1.1	<1	0.72	0.9	38	28.8	663	1.7	57.2	5.74
5105561	0.5	4.56	5	165	1.2	<1	0.69	0.6	16	19.3	565	2.5	29.1	3.79
5105562	0.9	4.86	121	73	0.8	1	7.47	2.8	54	122	369	<0.5	<0.5	6.72
5105563	1.0	4.62	91	88	1.3	<1	0.36	1.6	33	27.4	437	<0.5	<0.5	2.65
5105564	0.6	3.32	229	56	0.5	2	1.22	4.2	57	118	837	<0.5	2.2	7.47
5105565	0.5	2.79	3	55	0.7	1	0.05	2.6	6	72.8	233	0.9	296	21.3
5105566	0.7	3.29	5	34	<0.5	<1	0.07	1.9	42	78.1	348	<0.5	301	16.6
5105567	0.8	4.22	54	49	<0.5	16	0.45	3.9	91	433	226	<0.5	509	20.9
5105568	<0.5	4.57	2	55	0.5	1	0.13	2.8	80	16.8	182	<0.5	4.6	21.6
5105569	0.5	5.30	3	37	1.1	<1	0.12	1.6	61	8.4	258	<0.5	1.0	12.0
5105570	0.8	4.06	10	41	1.1	<1	0.09	1.7	12	35.6	267	<0.5	131	12.7
5105571	<0.5	1.97	13	73	1.8	<1	0.32	<0.5	35	7.2	466	<0.5	14.6	0.74
5105572	<0.5	3.35	20	470	2.7	<1	0.33	<0.5	44	15.2	288	<0.5	8.1	0.76
5105573	<0.5	3.03	16	68	1.6	<1	0.08	0.6	18	21.9	495	<0.5	129	3.80
5105574	2.4	3.03	7	58	1.0	<1	0.49	0.6	46	84.4	690	<0.5	427	4.35
5105575	0.8	4.73	6	33	0.8	<1	0.16	2.5	25	37.2	236	<0.5	188	18.4
5105576	<0.5	4.00	4	288	1.6	<1	0.05	1.5	15	7.2	479	0.8	80.9	9.45
5105577	1.1	5.93	774	93	1.1	<1	0.03	13.0	31	26.4	280	<0.5	169	13.7
5105578	0.7	5.88	26	72	1.9	<1	1.86	1.1	43	56.7	285	<0.5	157	2.46
5105579	0.8	4.88	8	60	1.3	<1	3.35	0.7	41	8.7	435	<0.5	1.3	3.49
5105580	0.6	3.31	131	58	0.9	2	0.54	3.7	19	237	484	<0.5	592	8.46
5105581	0.7	3.71	20	28	1.0	2	0.21	2.5	29	246	392	<0.5	709	13.3
5105582	0.6	5.58	4	58	0.8	<1	0.13	4.4	18	63.7	156	<0.5	198	20.1
5105583	<0.5	4.53	10	144	1.7	<1	3.84	1.6	49	141	268	5.4	102	9.89
5105584	0.7	2.69	42	56	0.6	1	1.93	5.7	6	195	406	<0.5	128	25.5
5105585	0.8	1.36	163	31	<0.5	8	0.12	5.1	9	1320	817	<0.5	378	14.9
5105586	<0.5	1.19	115	43	<0.5	2	0.44	3.4	27	496	876	1.9	151	9.86
5105587	0.6	3.73	33	36	0.8	<1	0.10	0.8	12	13.9	544	<0.5	19.1	2.72

Certified By:





Certificate of Analysis

AGAT WORK ORDER: 10U413262

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jun 21, 2010	DATE RECEIVED: Jun 17, 2010						DATE REPORTED: Jun 21, 2010					SAMPLE TYPE: Drill Core			
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
5105560	21	<1	1.48	15	39	3.13	228	3.2	3.17	174	439	13	54	0.417	
5105561	20	<1	1.92	7	20	2.13	177	3.5	4.46	92.7	500	5	61	0.153	
5105562	15	<1	0.68	22	2	3.77	487	4.6	3.67	272	1590	12	14	4.50	
5105563	22	<1	1.01	12	3	0.69	99	7.7	5.67	95.9	456	3	<10	1.40	
5105564	12	<1	0.43	24	<1	0.57	142	9.0	2.88	278	648	13	<10	3.43	
5105565	24	<1	0.21	<2	4	1.94	160	3.0	1.06	78.4	65	9	14	1.07	
5105566	17	<1	0.10	16	3	1.70	531	1.9	1.50	57.8	134	5	<10	3.77	
5105567	22	<1	0.07	30	5	2.31	378	2.2	0.49	1070	1250	7	<10	4.90	
5105568	27	<1	0.07	29	5	2.47	464	1.2	0.50	130	294	2	10	0.050	
5105569	21	<1	0.11	26	7	1.60	559	1.7	2.71	31.0	356	<1	<10	0.015	
5105570	17	<1	0.19	3	6	1.13	273	1.7	3.79	30.6	208	1	<10	4.93	
5105571	16	<1	0.13	15	1	0.29	150	3.9	5.63	17.9	255	3	<10	0.023	
5105572	24	<1	0.56	18	7	0.71	125	2.2	6.88	30.1	621	7	<10	0.009	
5105573	17	<1	0.18	7	6	0.99	190	3.6	4.26	33.2	190	5	<10	0.282	
5105574	18	<1	0.09	16	13	1.51	65	4.5	3.69	235	678	147	<10	1.99	
5105575	28	<1	0.05	9	10	2.60	911	1.5	0.60	41.2	646	8	<10	3.08	
5105576	19	<1	0.27	5	7	2.06	475	4.5	2.14	8.3	206	18	17	0.504	
5105577	31	<1	0.09	13	12	3.72	332	1.9	2.02	12.5	224	18	<10	2.10	
5105578	22	<1	0.08	13	5	2.30	114	2.0	5.81	55.9	532	74	<10	0.433	
5105579	19	<1	0.07	17	7	2.18	1070	2.5	3.01	12.4	1270	3	<10	0.038	
5105580	15	<1	0.18	5	8	1.63	133	3.1	3.08	634	451	4	<10	3.34	
5105581	16	<1	0.07	9	8	1.52	247	2.1	2.32	490	352	3	<10	5.99	
5105582	31	<1	0.08	7	9	3.77	747	0.8	0.13	30.2	481	8	<10	2.23	
5105583	21	<1	0.56	20	39	4.21	635	1.3	1.89	187	725	2	99	0.057	
5105584	19	<1	0.16	<2	3	0.16	95	3.5	1.07	81.4	232	10	<10	6.02	
5105585	6	<1	0.12	3	<1	0.22	19	6.6	1.68	469	298	10	<10	>10	
5105586	7	<1	0.55	11	5	1.44	114	6.2	0.14	410	1350	4	54	8.34	
5105587	16	<1	0.19	4	5	1.59	112	4.8	3.71	51.1	402	2	<10	0.172	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U413262

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jun 21, 2010	DATE RECEIVED: Jun 17, 2010						DATE REPORTED: Jun 21, 2010				SAMPLE TYPE: Drill Core			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5105560	<1	18	<10	<5	76	<10	<10	5	0.37	<5	<5	136	2	10
5105561	<1	16	<10	<5	66	<10	<10	<5	0.31	<5	<5	135	<1	4
5105562	<1	47	<10	<5	107	<10	<10	5	0.01	<5	<5	76.0	1	18
5105563	<1	9	<10	<5	42	<10	<10	7	0.05	<5	<5	86.2	2	4
5105564	1	13	11	<5	40	<10	<10	7	0.01	<5	<5	58.0	<1	7
5105565	<1	4	<10	<5	24	<10	<10	<5	0.07	<5	<5	127	3	1
5105566	<1	2	<10	<5	29	<10	<10	<5	0.10	<5	<5	47.0	4	2
5105567	2	4	<10	<5	23	<10	15	<5	0.08	<5	<5	72.6	3	6
5105568	<1	4	<10	<5	21	<10	<10	<5	0.10	<5	<5	95.9	9	5
5105569	<1	4	<10	<5	32	<10	<10	<5	0.11	<5	<5	69.1	5	5
5105570	<1	1	<10	<5	36	<10	<10	<5	0.07	<5	<5	45.9	10	1
5105571	<1	2	<10	<5	42	<10	<10	<5	0.03	<5	<5	37.7	<1	2
5105572	<1	7	<10	<5	50	<10	<10	<5	0.13	<5	<5	113	3	4
5105573	<1	3	<10	<5	38	<10	<10	<5	0.03	<5	<5	32.9	2	3
5105574	1	9	<10	<5	28	<10	<10	7	0.22	<5	<5	114	<1	9
5105575	<1	13	<10	<5	16	<10	<10	6	0.23	<5	<5	107	7	5
5105576	<1	13	<10	<5	27	<10	<10	<5	0.10	<5	<5	68.9	5	3
5105577	1	14	<10	<5	20	<10	<10	6	0.20	<5	<5	112	21	4
5105578	<1	19	<10	5	44	<10	<10	10	0.32	<5	<5	129	1	21
5105579	<1	15	<10	<5	65	<10	<10	6	0.12	<5	<5	66.3	4	12
5105580	<1	12	13	<5	28	<10	<10	<5	0.05	<5	<5	88.8	<1	7
5105581	<1	10	13	<5	22	<10	<10	6	0.17	<5	<5	90.2	2	9
5105582	<1	42	<10	<5	19	<10	<10	<5	0.19	<5	<5	102	8	6
5105583	<1	16	<10	<5	40	<10	<10	<5	0.13	<5	<5	149	2	15
5105584	5	2	20	<5	193	<10	<10	<5	0.12	<5	<5	214	3	6
5105585	2	<1	33	<5	29	<10	<10	<5	0.02	<5	<5	27.7	<1	2
5105586	<1	4	17	<5	19	<10	<10	<5	0.07	<5	<5	155	<1	7
5105587	<1	6	<10	<5	56	<10	<10	<5	0.07	<5	<5	54.7	1	3

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U413262

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jun 21, 2010

DATE RECEIVED: Jun 17, 2010

DATE REPORTED: Jun 21, 2010

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
5105560		17.6	101
5105561		25.3	106
5105562		11.4	111
5105563		13.3	162
5105564		13.9	90
5105565		17.8	28
5105566		37.4	36
5105567		26.9	40
5105568		31.3	40
5105569		39.1	85
5105570		26.8	59
5105571		6.8	83
5105572		6.7	111
5105573		7.9	49
5105574		5.5	116
5105575		56.3	130
5105576		23.1	55
5105577		29.3	136
5105578		68.1	141
5105579		12.0	99
5105580		7.1	90
5105581		10.4	83
5105582		29.5	92
5105583		16.7	80
5105584		5.9	37
5105585		6.9	25
5105586		12.9	28
5105587		18.1	56

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U413262

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Jun 21, 2010

DATE RECEIVED: Jun 17, 2010

DATE REPORTED: Jun 21, 2010

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Au	Sample
	Unit:	ppm	kg
RDL:		0.001	0.01
5105560		0.004	3.96
5105561		0.001	2.86
5105562		0.037	3.03
5105563		0.034	1.10
5105564		0.127	5.25
5105565		2.68	1.39
5105566		29.4	4.46
5105567		42.0	3.38
5105568		3.61	4.34
5105569		0.505	2.97
5105570		33.8	3.15
5105571		0.082	3.81
5105572		0.009	2.68
5105573		0.856	4.39
5105574		0.011	3.60
5105575		2.95	5.55
5105576		0.108	5.16
5105577		4.30	4.40
5105578		0.027	4.68
5105579		0.006	4.05
5105580		0.045	5.12
5105581		0.521	4.95
5105582		0.626	6.11
5105583		0.082	3.43
5105584		7.35	4.84
5105585		0.805	0.82
5105586		0.075	3.65
5105587		0.035	1.97

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U421550

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Jul 23, 2010

PAGES (INCLUDING COVER): 15

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5105761	<0.5	2.49	19	18	1.0	<1	0.52	<0.5	42	29.9	278	<0.5	1.6	1.29
E5105762	<0.5	3.12	4	36	1.4	<1	0.55	<0.5	59	5.3	350	<0.5	21.5	1.80
E5105763	<0.5	4.54	26	55	1.3	<1	1.96	<0.5	50	28.5	323	<0.5	1.6	1.57
E5105764	<0.5	2.19	12	43	1.2	<1	0.17	<0.5	40	9.8	530	<0.5	6.2	1.11
E5105765	0.8	3.62	11	55	2.7	<1	0.03	<0.5	23	5.9	219	0.9	30.0	1.81
E5105766	0.8	3.83	67	13	0.8	<1	0.04	<0.5	71	9.7	226	<0.5	2.8	1.59
E5105767	<0.5	2.06	3	49	0.7	<1	0.33	<0.5	13	11.2	486	<0.5	73.6	1.36
E5105768	<0.5	1.68	21	397	1.5	<1	7.72	<0.5	7	4.7	475	<0.5	4.6	2.27
E5105769	<0.5	2.96	29	51	0.7	<1	1.17	<0.5	6	25.4	424	<0.5	2.4	1.55
E5105770	<0.5	3.16	115	38	0.6	1	3.30	<0.5	161	145	388	<0.5	6.8	5.72
E5105771	3.3	0.44	208	541	<0.5	75	0.01	<0.5	11	3.2	35.5	<0.5	98.3	6.47
E5105772	0.6	5.48	4	779	4.2	<1	0.15	<0.5	31	18.1	242	2.9	59.3	4.53
E5105773	<0.5	2.98	22	31	0.7	<1	0.41	<0.5	43	31.0	404	<0.5	3.3	1.39
E5105774	0.5	3.88	51	38	1.4	<1	0.30	<0.5	71	13.7	196	<0.5	0.8	1.29
E5105775	<0.5	0.07	6	7	<0.5	<1	4.49	<0.5	3	1.3	515	<0.5	3.3	1.34
E5105776	0.6	4.91	30	22	0.9	<1	2.60	<0.5	142	35.5	322	<0.5	3.9	1.76
E5105777	<0.5	3.94	57	54	0.7	<1	11.6	<0.5	45	67.8	218	<0.5	1.3	4.18
E5105778	<0.5	5.02	27	63	0.8	<1	1.39	<0.5	4	22.6	145	<0.5	10.0	2.43
E5105779	<0.5	0.60	5	5	<0.5	<1	0.05	<0.5	7	4.0	447	<0.5	2.9	0.51
E5105780	<0.5	2.80	13	70	0.8	<1	0.07	<0.5	21	17.6	363	<0.5	70.0	2.31
E5105781	2.6	0.44	119	376	<0.5	96	<0.01	<0.5	12	3.6	37.7	<0.5	72.7	5.36
E5105782	<0.5	3.23	21	25	0.6	<1	1.14	<0.5	62	27.1	287	<0.5	3.3	1.27
E5105783	<0.5	3.37	21	21	0.5	<1	2.24	<0.5	38	23.8	354	<0.5	5.2	1.50
E5105784	<0.5	3.88	160	55	0.8	2	8.17	<0.5	64	341	216	<0.5	8.9	10.7
E5105785	<0.5	2.85	33	29	0.7	<1	0.80	<0.5	76	44.6	320	<0.5	4.9	1.76
E5105786	<0.5	1.22	4	29	<0.5	<1	0.05	<0.5	18	3.8	512	<0.5	5.9	0.53
E5105787	0.7	3.94	26	52	2.2	<1	0.04	<0.5	60	7.8	156	0.8	39.5	1.96
E5105788	<0.5	2.42	17	24	0.7	<1	0.47	<0.5	43	23.7	378	<0.5	2.8	1.15
E5105789	<0.5	0.10	2	9	<0.5	<1	0.08	<0.5	1	1.4	567	<0.5	3.5	0.48
E5105790	<0.5	1.91	2	21	<0.5	<1	0.23	<0.5	73	4.3	532	<0.5	4.7	0.64
E5105791	<0.5	0.03	<1	3	<0.5	<1	0.02	<0.5	<1	0.7	417	<0.5	3.6	0.37
E5105792	0.8	3.48	23	21	2.4	<1	0.06	<0.5	24	9.0	193	<0.5	29.1	2.46

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5105793	<0.5	4.83	40	70	1.1	<1	2.59	<0.5	12	21.5	302	<0.5	1.2	1.49
E5105794	<0.5	1.93	3	24	<0.5	<1	0.20	<0.5	64	4.8	446	<0.5	5.2	0.63
E5105795	<0.5	4.06	2	646	1.2	<1	0.15	<0.5	19	13.9	315	1.9	27.9	3.13
E5105796	<0.5	1.55	13	14	<0.5	<1	2.61	<0.5	21	17.1	346	<0.5	2.1	1.41

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105761	16	<1	0.25	19	1	0.46	181	4.2	4.75	65.6	547	3	<10	0.667
E5105762	11	<1	0.29	27	2	0.48	502	2.3	4.08	42.9	450	4	<10	0.127
E5105763	14	<1	0.85	22	4	1.27	325	1.7	4.23	64.0	410	4	10	0.411
E5105764	6	<1	0.58	19	3	0.24	213	3.3	1.81	19.1	189	4	<10	0.073
E5105765	15	<1	0.83	10	3	0.40	15	1.7	5.08	7.8	310	9	29	0.371
E5105766	15	<1	0.22	29	<1	0.09	23	2.0	6.23	12.3	392	6	<10	0.231
E5105767	5	<1	0.45	5	4	0.26	217	3.3	2.17	49.8	173	6	<10	0.409
E5105768	<5	<1	0.87	3	3	4.43	944	2.9	0.12	34.6	256	2	27	0.163
E5105769	8	<1	0.50	2	1	0.64	275	3.5	2.88	69.0	643	3	<10	0.606
E5105770	7	<1	0.27	74	<1	1.71	299	4.7	2.49	361	731	7	<10	4.38
E5105771	<5	<1	0.05	5	<1	<0.01	120	13.8	<0.01	11.2	124	93	<10	0.150
E5105772	23	<1	3.61	11	18	1.46	69	3.7	1.94	80.8	563	7	121	0.410
E5105773	11	<1	0.22	20	1	0.33	148	2.4	3.97	58.8	325	4	<10	0.715
E5105774	22	<1	0.44	30	2	0.41	180	2.0	7.03	66.2	585	5	<10	0.328
E5105775	<5	<1	0.01	<2	<1	2.51	441	3.9	0.06	18.5	19	2	<10	<0.005
E5105776	13	<1	0.42	66	2	1.49	258	2.7	4.71	92.4	642	6	<10	0.806
E5105777	8	<1	0.47	20	2	6.41	946	1.0	2.95	183	584	6	<10	2.00
E5105778	23	<1	0.55	<2	<1	0.74	1150	1.3	6.92	79.6	1150	5	<10	0.182
E5105779	<5	<1	0.11	3	<1	0.04	95	3.5	0.50	13.7	63	3	<10	0.067
E5105780	6	<1	0.40	7	4	0.31	239	3.3	2.21	57.7	222	10	<10	0.231
E5105781	<5	<1	0.08	6	<1	<0.01	122	13.2	<0.01	8.7	139	143	<10	0.231
E5105782	13	<1	0.18	28	<1	0.62	262	2.0	4.04	45.8	712	5	<10	0.410
E5105783	10	<1	0.30	18	<1	1.20	432	2.1	2.88	47.8	487	5	<10	0.432
E5105784	9	<1	0.45	28	2	4.41	805	4.1	2.90	770	1280	8	<10	9.85
E5105785	12	<1	0.73	34	2	0.62	221	4.0	3.86	97.4	489	4	<10	1.10
E5105786	<5	<1	0.10	8	<1	0.05	66	3.3	1.08	14.0	56	3	<10	0.035
E5105787	15	<1	0.61	26	3	0.46	15	1.7	5.13	9.0	354	11	24	0.455
E5105788	11	<1	0.50	20	1	0.46	212	3.2	3.35	41.9	341	9	<10	0.257
E5105789	<5	<1	0.03	<2	<1	0.05	90	5.6	0.05	9.0	16	2	<10	0.013
E5105790	6	<1	0.19	36	1	0.22	125	5.3	1.90	15.0	147	3	<10	0.027
E5105791	<5	<1	<0.01	<2	<1	<0.01	42	0.8	<0.01	7.9	<10	4	<10	<0.005
E5105792	17	<1	0.38	10	2	0.62	36	2.0	5.65	7.9	567	9	<10	0.424

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description	RDL:													
E5105793	15	<1	0.41	5	1	1.43	274	2.7	4.70	77.4	498	5	<10	0.736
E5105794	6	<1	0.14	31	<1	0.16	96	4.6	2.02	19.5	130	2	<10	0.034
E5105795	14	<1	1.97	7	11	1.16	206	2.7	1.92	40.0	347	6	64	0.151
E5105796	<5	<1	0.09	10	<1	1.42	291	3.8	1.25	50.4	315	2	<10	0.521

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5105761	<1	3	<10	<5	16	<10	<10	<5	0.02	<5	<5	34.8	<1	4
E5105762	<1	5	<10	<5	29	<10	<10	<5	0.04	<5	<5	45.8	<1	5
E5105763	<1	11	<10	<5	66	<10	<10	6	0.04	<5	<5	71.2	2	7
E5105764	<1	3	<10	<5	16	<10	<10	<5	0.02	<5	<5	26.4	<1	3
E5105765	<1	4	<10	<5	19	<10	<10	6	0.12	<5	<5	50.3	1	6
E5105766	<1	3	<10	<5	14	<10	<10	8	0.06	<5	<5	36.8	<1	5
E5105767	<1	2	<10	<5	17	<10	<10	<5	0.02	<5	<5	22.7	<1	2
E5105768	<1	50	<10	<5	54	<10	<10	<5	0.02	<5	<5	57.8	3	10
E5105769	<1	7	<10	<5	33	<10	<10	<5	0.02	<5	<5	41.5	1	6
E5105770	<1	18	<10	<5	43	<10	<10	10	0.02	<5	<5	45.6	1	11
E5105771	22	1	<10	10	54	<10	<10	<5	0.09	<5	<5	31.8	25	1
E5105772	<1	12	<10	<5	15	<10	<10	7	0.40	<5	<5	151	5	5
E5105773	<1	4	<10	<5	40	<10	<10	6	0.02	<5	<5	28.4	<1	4
E5105774	<1	5	<10	<5	44	<10	<10	7	0.06	<5	<5	81.1	2	5
E5105775	<1	18	<10	<5	29	<10	<10	<5	<0.01	<5	<5	15.3	<1	6
E5105776	<1	12	<10	<5	51	<10	<10	11	0.05	<5	<5	50.0	2	11
E5105777	<1	63	<10	<5	98	<10	<10	<5	0.02	<5	<5	60.2	2	19
E5105778	<1	7	<10	<5	23	<10	<10	6	0.06	<5	<5	76.3	2	5
E5105779	<1	1	<10	<5	4	<10	<10	<5	<0.01	<5	<5	5.0	<1	1
E5105780	<1	5	<10	<5	16	<10	<10	<5	0.03	<5	<5	24.9	<1	4
E5105781	22	2	11	12	102	<10	<10	<5	0.09	<5	<5	33.9	3	2
E5105782	<1	6	<10	<5	28	<10	<10	7	0.03	<5	<5	44.1	1	8
E5105783	<1	13	<10	<5	27	<10	<10	6	0.03	<5	<5	38.3	2	10
E5105784	<1	42	<10	<5	79	<10	<10	8	0.01	<5	<5	58.9	1	19
E5105785	<1	5	<10	<5	32	<10	<10	7	0.04	<5	<5	44.5	1	5
E5105786	<1	<1	<10	<5	11	<10	<10	<5	0.01	<5	<5	10.3	<1	2
E5105787	<1	6	<10	<5	17	<10	<10	9	0.07	<5	<5	45.9	<1	7
E5105788	<1	4	<10	<5	21	<10	<10	<5	0.02	<5	<5	25.2	<1	4
E5105789	<1	2	<10	<5	1	<10	<10	<5	<0.01	<5	<5	4.8	<1	<1
E5105790	<1	2	<10	<5	14	<10	<10	14	0.02	<5	<5	22.1	1	3
E5105791	<1	<1	<10	<5	1	<10	<10	<5	<0.01	<5	<5	1.3	<1	<1
E5105792	<1	6	<10	<5	20	<10	<10	6	0.07	<5	<5	45.3	<1	5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5105793	<1	10	<10	<5	66	<10	<10	7	0.02	<5	<5	83.3	1	8
E5105794	<1	1	<10	<5	13	<10	<10	12	0.03	<5	<5	21.6	1	3
E5105795	<1	7	<10	<5	44	<10	<10	5	0.23	<5	<5	83.5	2	6
E5105796	<1	15	<10	<5	21	<10	<10	<5	<0.01	<5	<5	21.7	<1	6

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5105761	6.9	90
E5105762	16.4	62
E5105763	7.4	113
E5105764	9.3	36
E5105765	2.0	185
E5105766	<0.5	184
E5105767	2.2	36
E5105768	10.5	34
E5105769	7.6	78
E5105770	9.4	61
E5105771	6.7	20
E5105772	5.2	145
E5105773	5.0	89
E5105774	12.3	151
E5105775	4.9	<5
E5105776	5.1	148
E5105777	5.7	78
E5105778	78.6	120
E5105779	3.0	13
E5105780	3.3	49
E5105781	5.6	43
E5105782	11.1	98
E5105783	14.1	76
E5105784	5.8	77
E5105785	4.0	97
E5105786	5.0	51
E5105787	1.9	187
E5105788	9.6	81
E5105789	1.7	<5
E5105790	5.8	110
E5105791	1.5	<5
E5105792	4.1	190

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5105793	7.1	120
E5105794	2.6	105
E5105795	19.3	123
E5105796	6.1	30

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-MS finish (201053)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105761		2.00	0.045
E5105762		0.68	0.036
E5105763		2.20	1.84
E5105764		0.58	0.022
E5105765		1.38	0.042
E5105766		0.88	0.070
E5105767		3.96	0.082
E5105768		1.86	0.092
E5105769		1.44	0.019
E5105770		0.72	<0.001
E5105771		0.10	0.005
E5105772		1.20	0.003
E5105773		1.52	0.005
E5105774		1.42	0.017
E5105775		0.66	0.008
E5105776		1.58	0.004
E5105777		2.22	0.014
E5105778		0.36	0.003
E5105779		1.62	0.029
E5105780		1.24	0.008
E5105781		0.10	0.730
E5105782		0.64	0.127
E5105783		0.62	0.009
E5105784		4.80	0.147
E5105785		1.78	0.015
E5105786		1.06	0.002
E5105787		1.02	0.010
E5105788		2.80	0.006
E5105789		0.94	0.006
E5105790		2.32	0.012
E5105791		0.26	<0.001
E5105792		0.86	0.008

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-MS finish (201053)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	
	Unit:	kg	ppm
E5105793		3.84	0.017
E5105794		2.76	<0.001
E5105795		1.16	0.001
E5105796		6.06	0.005

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U421550

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis											
RPT Date: Jul 23, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	1885818	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Al	1	1885818	2.49	2.43	2.4%	< 0.01				80%	120%
As	1	1885818	19	20	5.1%	< 1				80%	120%
Ba	1	1885818	18	17	5.7%	< 1				80%	120%
Be	1	1885818	1.0	1.0	0.0%	< 0.5				80%	120%
Bi	1	1885818	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	1885818	0.524	0.567	7.9%	< 0.01				80%	120%
Cd	1	1885818	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	1885818	42	33	24.0%	< 1				80%	120%
Co	1	1885818	29.9	31.2	4.3%	< 0.5				80%	120%
Cr	1	1885818	278	205		< 0.5				80%	120%
Cs	1	1885818	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	1885818	1.6	1.0		< 0.5				80%	120%
Fe	1	1885818	1.29	1.30	0.8%	< 0.01				80%	120%
Ga	1	1885818	16	15	6.5%	< 5	9	10	93%	90%	110%
In	1	1885818	< 1	< 1	0.0%	< 1				80%	120%
K	1	1885818	0.25	0.24	4.1%	< 0.01				80%	120%
La	1	1885818	19	14		< 2				80%	120%
Li	1	1885818	1	1	0.0%	< 1	8	7	117%	80%	120%
Mg	1	1885818	0.457	0.413	10.1%	< 0.01				80%	120%
Mn	1	1885818	181	181	0.0%	< 1				80%	120%
Mo	1	1885818	4.2	3.0		< 0.5	309	280	110%	90%	110%
Na	1	1885818	4.75	4.92	3.5%	< 0.01				80%	120%
Ni	1	1885818	65.6	67.9	3.4%	< 0.5				80%	120%
P	1	1885818	547	536	2.0%	< 10	286	320	89%	80%	120%
Pb	1	1885818	3	3	0.0%	1	29	30	97%	90%	110%
Rb	1	1885818	< 10	< 10	0.0%	< 10				80%	120%
S	1	1885818	0.667	0.777	15.2%	< 0.005				80%	120%
Sb	1	1885818	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	1885818	3	3	0.0%	< 1				80%	120%
Se	1	1885818	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	1885818	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1885818	16	16	0.0%	< 1	412	390	106%	90%	110%
Ta	1	1885818	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1885818	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1885818	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	1885818	0.024	0.028	15.4%	< 0.01				80%	120%
Tl	1	1885818	< 5	< 5	0.0%	< 5				80%	120%
U	1	1885818	< 5	< 5	0.0%	< 5				80%	120%
V	1	1885818	34.8	36.8	5.6%	< 0.5				80%	120%
W	1	1885818	< 1	1		< 1				80%	120%
Y	1	1885818	4	3	28.6%	< 1				80%	120%
Zn	1	1885818	6.95	8.15	15.9%	< 0.5				80%	120%
Zr	1	1885818	90	88	2.2%	< 5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U421550

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Jul 23, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	1885842	0.5	0.5	0.0%	< 0.5				80%	120%
Al	1	1885842	2.85	2.65	7.3%	< 0.01				80%	120%
As	1	1885842	33	27	20.0%	< 1				80%	120%
Ba	1	1885842	29	28	3.5%	< 1				80%	120%
Be	1	1885842	0.7	0.7	0.0%	< 0.5				80%	120%
Bi	1	1885842	< 1	< 1	0.0%	< 1	2.32	2.73	85%	80%	120%
Ca	1	1885842	0.80	0.80	0.0%	< 0.01				80%	120%
Cd	1	1885842	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	1885842	76	77	1.3%	< 1				80%	120%
Co	1	1885842	44.6	44.4	0.4%	< 0.5				80%	120%
Cr	1	1885842	320	343	6.9%	< 0.5				80%	120%
Cs	1	1885842	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	1885842	4.9	4.7	4.2%	< 0.5				80%	120%
Fe	1	1885842	1.76	1.68	4.7%	< 0.01				80%	120%
Ga	1	1885842	12	12	0.0%	< 5				80%	120%
In	1	1885842	< 1	< 1	0.0%	< 1				80%	120%
K	1	1885842	0.73	0.69	5.6%	< 0.01				80%	120%
La	1	1885842	34	36	5.7%	< 2				80%	120%
Li	1	1885842	2	2	0.0%	< 1				80%	120%
Mg	1	1885842	0.62	0.60	3.3%	< 0.01				80%	120%
Mn	1	1885842	221	201	9.5%	< 1				80%	120%
Mo	1	1885842	4.0	4.0	0.0%	< 0.5				80%	120%
Na	1	1885842	3.86	3.65	5.6%	< 0.01				80%	120%
Ni	1	1885842	97.4	96.0	1.4%	< 0.5				80%	120%
P	1	1885842	489	478	2.3%	< 10				80%	120%
Pb	1	1885842	4	4	0.0%	< 1	62	58	107%	90%	110%
Rb	1	1885842	< 10	< 10	0.0%	< 10				80%	120%
S	1	1885842	1.10	0.998	9.7%	< 0.005				80%	120%
Sb	1	1885842	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	1885842	5	5	0.0%	< 1				80%	120%
Se	1	1885842	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	1885842	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1885842	32	32	0.0%	< 1				80%	120%
Ta	1	1885842	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1885842	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1885842	7	7	0.0%	< 5				80%	120%
Ti	1	1885842	0.04	0.04	0.0%	< 0.01				80%	120%
Tl	1	1885842	< 5	< 5	0.0%	< 5				80%	120%
U	1	1885842	< 5	< 5	0.0%	< 5				80%	120%
V	1	1885842	44.5	42.6	4.4%	< 0.5				80%	120%
W	1	1885842	1	1	0.0%	< 1				80%	120%
Y	1	1885842	5	6	18.2%	< 1				80%	120%
Zn	1	1885842	4.0	4.9	20.2%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U421550

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Jul 23, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Zr	1	1885842	97	102	5.0%	< 5			80%	120%
Fire Assay - Trace Au, ICP-MS finish (201053)										
Au	1	1885829	0.003	0.003	0.0%	< 0.001	0.591	0.615	96%	90% 110%
Fire Assay - Trace Au, ICP-MS finish (201053)										
Au	1	1885842	0.015	0.014	6.9%	< 0.001	0.207	0.205	101%	90% 110%
Fire Assay - Trace Au, ICP-MS finish (201053)										
Au	1	1885853	0.005	0.005	0.0%	< 0.001			70%	130%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U421550

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12004	BUGBEE, E: A Textbook of Fire Assaying	ICP-MS

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U419936

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Jul 27, 2010

PAGES (INCLUDING COVER): 12

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U419936

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 19, 2010

DATE RECEIVED: Jul 16, 2010

DATE REPORTED: Jul 27, 2010

SAMPLE TYPE: Rock

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5
5105588	2.62	0.5	7.45	1	726	1.6	<1	4.69	<0.5	69	43.0	31.6	0.5	30.2
5105589	1.20	<0.5	1.42	5	281	<0.5	<1	0.04	<0.5	3	1.6	364	<0.5	10.1
5105590	1.40	<0.5	3.97	4	636	1.2	<1	0.23	<0.5	23	14.3	252	3.2	27.1
5105591	2.18	<0.5	1.64	1	485	<0.5	<1	0.11	<0.5	10	3.1	212	1.1	9.8
5105592	0.52	<0.5	0.77	1	737	<0.5	<1	0.04	<0.5	2	1.4	312	<0.5	5.5
5105593	2.54	<0.5	7.49	1	753	1.4	<1	4.48	<0.5	72	46.6	37.1	1.1	36.3
5105594	1.90	<0.5	5.07	2	769	1.1	<1	0.53	<0.5	29	9.3	184	0.8	43.0
5105595	1.54	<0.5	4.57	16	112	3.3	<1	1.56	<0.5	85	36.4	315	0.9	3.7
5105596	0.62	<0.5	2.95	29	84	0.8	<1	0.13	<0.5	24	9.7	366	1.5	14.7
5105597	0.56	<0.5	2.81	4	221	2.5	<1	0.74	<0.5	51	9.0	242	1.0	27.6
5105598	2.58	<0.5	3.54	25	28	<0.5	<1	5.92	<0.5	5	52.7	150	<0.5	3.3
5105599	2.16	<0.5	5.43	160	25	0.7	<1	7.71	<0.5	7	15.2	95.9	<0.5	9.2
5105600	2.32	<0.5	0.03	2	2	<0.5	<1	0.08	<0.5	1	1.1	594	<0.5	1.7
5105601	2.64	0.9	1.97	11	94	1.7	<1	2.63	<0.5	84	4.1	317	<0.5	7.3
5105602	0.70	<0.5	1.64	165	89	0.9	<1	0.26	<0.5	17	31.7	182	<0.5	9.5
5105603	1.08	<0.5	1.22	17	43	<0.5	<1	0.48	<0.5	14	16.6	330	<0.5	5.1
5105604	1.26	<0.5	4.74	7	24	0.7	<1	8.64	<0.5	8	6.3	105	<0.5	27.4
5105605	2.70	0.6	0.24	4	12	1.2	<1	4.04	<0.5	56	10.7	486	<0.5	18000
5105606	2.78	2.7	0.01	<1	8	<0.5	6	21.4	<0.5	1	4.9	70.5	<0.5	14000
5105607	0.92	0.6	3.20	8	540	0.5	2	1.62	<0.5	26	36.8	276	<0.5	5250
5105608	3.78	4.1	0.18	68	6	<0.5	<1	0.47	<0.5	2	10.3	637	<0.5	15500
5105609	2.50	0.8	0.19	23	24	<0.5	<1	0.35	<0.5	2	10.6	490	<0.5	2090
5105760	2.86	2.8	6.83	2	82	<0.5	1	7.51	0.6	8	148	629	0.7	9280

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U419936

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 19, 2010

DATE RECEIVED: Jul 16, 2010

DATE REPORTED: Jul 27, 2010

SAMPLE TYPE: Rock

Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
5105588	9.27	24	<1	1.19	30	27	2.59	1740	1.9	2.65	48.5	3130	8	22
5105589	0.81	5	<1	1.82	<2	2	0.12	62	3.2	1.19	3.3	110	8	34
5105590	2.41	14	<1	2.42	9	10	0.99	232	2.3	1.08	37.1	196	9	112
5105591	0.75	8	<1	1.84	4	2	0.28	65	2.4	1.45	5.5	88	10	53
5105592	0.44	<5	<1	0.98	<2	<1	0.06	38	2.8	0.07	4.5	25	8	25
5105593	9.76	22	<1	1.23	31	20	2.98	2010	1.6	2.62	50.3	3540	9	37
5105594	4.03	22	<1	2.22	10	8	1.60	379	1.7	1.86	58.3	493	11	101
5105595	1.30	17	<1	0.88	41	4	1.20	278	1.6	4.86	69.3	476	8	28
5105596	1.75	10	<1	0.68	11	2	0.71	45	1.9	2.94	48.8	336	9	33
5105597	1.17	18	<1	1.50	24	3	0.70	264	3.3	3.38	25.9	653	5	47
5105598	2.69	11	<1	0.28	2	1	3.52	317	1.4	2.71	119	721	3	<10
5105599	2.04	19	<1	0.33	3	<1	4.21	525	0.6	4.48	257	508	3	<10
5105600	0.41	<5	<1	<0.01	<2	<1	0.02	37	5.2	0.02	4.9	24	<1	<10
5105601	1.73	8	<1	0.37	38	1	0.70	727	3.7	1.24	8.9	1500	5	12
5105602	2.23	11	<1	0.75	6	2	0.27	107	3.8	4.67	63.8	750	7	<10
5105603	1.15	<5	<1	0.31	6	1	0.18	178	3.6	1.92	28.0	163	4	<10
5105604	2.34	15	<1	0.36	3	<1	4.58	873	1.5	3.65	17.2	393	2	<10
5105605	2.36	<5	<1	0.05	23	<1	2.57	460	3.7	0.10	8.2	32	5	<10
5105606	1.38	<5	<1	<0.01	<2	<1	0.03	1830	0.6	<0.01	1.8	<10	7	<10
5105607	2.91	9	<1	1.29	11	8	0.94	499	2.0	1.80	31.1	281	6	28
5105608	2.35	<5	<1	0.02	<2	<1	0.23	105	4.5	0.14	42.1	34	5	<10
5105609	0.82	<5	<1	0.05	<2	<1	0.19	230	3.6	0.08	15.2	22	3	<10
5105760	8.42	13	<1	0.25	3	8	4.68	1780	1.2	1.09	2830	154	13	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U419936

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 19, 2010

DATE RECEIVED: Jul 16, 2010

DATE REPORTED: Jul 27, 2010

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
5105588		0.142	<1	16	<10	<5	536	<10	<10	<5	2.02	<5	<5	148	<1
5105589		<0.005	<1	<1	<10	<5	43	<10	<10	6	0.07	<5	<5	16.7	<1
5105590		0.013	<1	6	<10	<5	118	<10	<10	7	0.20	<5	<5	58.8	<1
5105591		0.019	<1	1	<10	<5	72	<10	<10	<5	0.09	<5	<5	23.9	<1
5105592		0.010	<1	<1	<10	<5	85	<10	<10	<5	0.01	<5	<5	6.1	<1
5105593		0.108	<1	19	<10	<5	523	<10	<10	<5	2.11	<5	<5	158	<1
5105594		<0.005	<1	7	<10	<5	225	<10	<10	10	0.27	<5	7	78.6	<1
5105595		0.287	<1	10	<10	<5	127	<10	<10	9	0.07	<5	<5	128	<1
5105596		0.199	<1	4	<10	<5	66	<10	<10	<5	0.07	<5	<5	45.9	<1
5105597		0.218	<1	5	<10	<5	216	<10	<10	25	0.15	<5	5	72.7	2
5105598		1.68	<1	11	<10	<5	86	<10	<10	7	0.02	<5	<5	34.9	<1
5105599		0.590	1	11	<10	<5	137	<10	<10	9	0.06	<5	<5	58.9	1
5105600		<0.005	<1	<1	<10	<5	16	<10	<10	<5	<0.01	<5	<5	2.1	<1
5105601		0.094	<1	3	<10	<5	532	<10	<10	<5	0.20	<5	<5	61.6	<1
5105602		0.822	<1	1	<10	<5	57	<10	<10	<5	0.07	<5	<5	34.4	1
5105603		0.626	<1	2	<10	<5	43	<10	<10	<5	0.02	<5	<5	15.8	<1
5105604		0.099	<1	7	<10	<5	91	<10	<10	7	0.04	<5	<5	40.3	1
5105605		1.22	<1	26	<10	<5	27	<10	<10	<5	<0.01	<5	<5	16.0	<1
5105606		1.11	<1	3	<10	<5	142	<10	<10	<5	<0.01	<5	<5	1.9	<1
5105607		0.444	<1	6	<10	<5	44	<10	<10	<5	0.18	<5	<5	63.0	<1
5105608		0.958	<1	<1	<10	<5	14	<10	<10	<5	<0.01	<5	<5	7.6	<1
5105609		0.113	<1	<1	<10	<5	10	<10	<10	<5	<0.01	<5	<5	7.3	<1
5105760		1.85	<1	35	10	<5	106	<10	<10	<5	0.30	<5	<5	198	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U419936

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 19, 2010

DATE RECEIVED: Jul 16, 2010

DATE REPORTED: Jul 27, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	Cu-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.002
5105588		29	121	251	
5105589		2	5.4	44	
5105590		6	20.4	94	
5105591		1	7.7	35	
5105592		<1	3.9	<5	
5105593		34	138	226	
5105594		6	32.1	105	
5105595		9	11.1	122	
5105596		3	13.2	76	
5105597		8	16.3	256	
5105598		6	5.4	63	
5105599		7	7.3	116	
5105600		<1	4.2	<5	
5105601		20	53.3	377	
5105602		3	9.7	179	
5105603		4	10.2	75	
5105604		6	4.5	84	
5105605		60	12.3	<5	
5105606		11	1.2	<5	
5105607		7	17.9	65	
5105608		1	34.5	<5	
5105609		<1	12.9	<5	
5105760		11	64.3	35	

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U419936

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (201055)

DATE SAMPLED: Jul 19, 2010

DATE RECEIVED: Jul 16, 2010

DATE REPORTED: Jul 27, 2010

SAMPLE TYPE: Rock

Analyte:	Au	Pd	Pt
Unit:	ppm	ppm	ppm
Sample Description RDL:	0.001	0.001	0.005
5105588	<0.001	<0.001	<0.005
5105593	<0.001	0.003	<0.005
5105760	0.340	3.92	0.502

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U419936

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Jul 19, 2010

DATE RECEIVED: Jul 16, 2010

DATE REPORTED: Jul 27, 2010

SAMPLE TYPE: Rock

Analyte: Au
 Unit: ppm
 Sample Description RDL: 0.001

5105589	<0.001
5105590	<0.001
5105591	0.004
5105592	0.001
5105594	0.001
5105595	0.003
5105596	<0.001
5105597	0.002
5105598	0.005
5105599	0.012
5105600	<0.001
5105601	0.004
5105602	0.008
5105603	0.075
5105604	<0.001
5105605	0.420
5105606	2.91
5105607	0.775
5105608	0.083
5105609	0.174

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U419936

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Jul 27, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1879335	< 0.5	< 0.5	0.0%	< 0.5	7	7	103%	90%	110%	
Al	1	1879335	1.64	1.56	5.0%	< 0.01	5.14	4.30	119%	80%	120%	
As	1	1879335	1	1	0.0%	< 1				80%	120%	
Ba	1	1879335	485	492	1.4%	< 1	428	350	122%	70%	130%	
Be	1	1879335	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	1879335	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	1879335	0.11	0.11	0.0%	< 0.01	2.64	2.21	119%	80%	120%	
Cd	1	1879335	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1879335	10	10	0.0%	< 1				80%	120%	
Co	1	1879335	3.1	3.3	6.3%	< 0.5				80%	120%	
Cr	1	1879335	212	212	0.0%	< 0.5	377	320	118%	80%	120%	
Cs	1	1879335	1.1	1.1	0.0%	< 0.5				80%	120%	
Cu	1	1879335	9.83	9.64	2.0%	0.6				80%	120%	
Fe	1	1879335	0.75	0.74	1.3%	< 0.01				80%	120%	
Ga	1	1879335	8	8	0.0%	< 5				80%	120%	
In	1	1879335	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1879335	1.84	1.78	3.3%	< 0.01	0.8	0.6	129%	70%	130%	
La	1	1879335	4	4	0.0%	< 2	16	17	93%	90%	110%	
Li	1	1879335	2	2	0.0%	< 1				80%	120%	
Mg	1	1879335	0.28	0.29	3.5%	< 0.01				80%	120%	
Mn	1	1879335	65	68	4.5%	< 1				80%	120%	
Mo	1	1879335	2.4	2.6	8.0%	< 0.5				80%	120%	
Na	1	1879335	1.45	1.46	0.7%	< 0.01	2	1.6	126%	70%	130%	
Ni	1	1879335	5.5	5.4	1.8%	< 0.5				80%	120%	
P	1	1879335	88	99	11.8%	< 10				80%	120%	
Pb	1	1879335	10	10	0.0%	< 1				80%	120%	
Rb	1	1879335	53	55	3.7%	< 10				80%	120%	
S	1	1879335	0.019	0.015	23.5%	< 0.005				80%	120%	
Sb	1	1879335	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	1879335	1	1	0.0%	< 1				80%	120%	
Se	1	1879335	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	1879335	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	1879335	72	73	1.4%	< 1				80%	120%	
Ta	1	1879335	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	1879335	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	1879335	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	1879335	0.086	0.083	3.6%	< 0.01				80%	120%	
Tl	1	1879335	< 5	< 5	0.0%	< 5				80%	120%	
U	1	1879335	< 5	< 5	0.0%	< 5				80%	120%	
V	1	1879335	23.9	23.0	3.8%	< 0.5				80%	120%	
W	1	1879335	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	1879335	1	2		< 1				80%	120%	
Zn	1	1879335	7.7	7.7	0.0%	< 0.5				80%	120%	
Zr	1	1879335	35	34	2.9%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U419936

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Jul 27, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	1879672	2.8	2.8	0.0%	< 0.5	31	35	90%	90%	110%
Al	1	1879672	6.83	6.99	2.3%	< 0.01				80%	120%
As	1	1879672	2	2	0.0%	< 1				80%	120%
Ba	1	1879672	82	82	0.0%	< 1				80%	120%
Be	1	1879672	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	1879672	1	1	0.0%	< 1	2.31	2.73	85%	80%	120%
Ca	1	1879672	7.51	7.77	3.4%	< 0.01	0.44	0.55	81%	80%	120%
Cd	1	1879672	0.6	0.6	0.0%	< 0.5				80%	120%
Ce	1	1879672	8	8	0.0%	< 1				80%	120%
Co	1	1879672	148	141	4.8%	< 0.5	4.7	5.0	93%	90%	110%
Cr	1	1879672	629	617	1.9%	< 0.5				80%	120%
Cs	1	1879672	0.7	0.7	0.0%	< 0.5				80%	120%
Cu	1	1879672	9280	9230	0.5%	< 0.5	4532	4700	96%	90%	110%
Fe	1	1879672	8.42	8.64	2.6%	< 0.01	1.42	1.55	91%	90%	110%
Ga	1	1879672	13	14	7.4%	< 5				80%	120%
In	1	1879672	< 1	< 1	0.0%	< 1				80%	120%
K	1	1879672	0.25	0.25	0.0%	< 0.01				80%	120%
La	1	1879672	3	4	28.6%	< 2				80%	120%
Li	1	1879672	8	8	0.0%	< 1				80%	120%
Mg	1	1879672	4.68	4.88	4.2%	< 0.01	0.16	0.17	95%	90%	110%
Mn	1	1879672	1780	1790	0.6%	< 1	329	343	96%	90%	110%
Mo	1	1879672	1.2	1.1	8.7%	< 0.5	320	280	114%	80%	120%
Na	1	1879672	1.09	1.11	1.8%	< 0.01				80%	120%
Ni	1	1879672	2830	2710	4.3%	< 0.5				80%	120%
P	1	1879672	154	137	11.7%	< 10				80%	120%
Pb	1	1879672	13	13	0.0%	< 1	64	58	111%	80%	120%
Rb	1	1879672	< 10	< 10	0.0%	< 10				80%	120%
S	1	1879672	1.85	1.90	2.7%	< 0.005				80%	120%
Sb	1	1879672	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	1879672	35	35	0.0%	< 1				80%	120%
Se	1	1879672	10	10	0.0%	< 10				80%	120%
Sn	1	1879672	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1879672	106	98	7.8%	< 1				80%	120%
Ta	1	1879672	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1879672	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1879672	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	1879672	0.30	0.30	0.0%	< 0.01				80%	120%
Tl	1	1879672	< 5	< 5	0.0%	< 5				80%	120%
U	1	1879672	< 5	< 5	0.0%	< 5				80%	120%
V	1	1879672	198	195	1.5%	< 0.5				80%	120%
W	1	1879672	< 1	< 1	0.0%	< 1				80%	120%
Y	1	1879672	11	11	0.0%	< 1				80%	120%
Zn	1	1879672	64.3	63.0	2.0%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U419936

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Jul 27, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Zr	1	1879672	35	33	5.9%	< 5			80%	120%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)											
Au	1	1879343	0.012	0.010	18.2%	< 0.001	0.319	0.321	99%	90%	110%
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (201055)											
Au	1	1879672	0.340	0.318	6.7%	< 0.001	0.319	0.321	99%	90%	110%
Pd	1	1879672	3.92	3.67	6.6%	< 0.001	0.032	0.037	88%	80%	120%
Pt	1	1879672	0.502	0.512	2.0%	< 0.005	0.096	0.090	107%	90%	110%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U419936

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight			BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Cu-OL	MIN-200-12001		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES



Certificate of Analysis

AGAT WORK ORDER: 10U422205

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 26, 2010

DATE RECEIVED: Jul 26, 2010

DATE REPORTED: Jul 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5105797	<0.5	5.77	126	488	0.6	<1	8.16	<0.5	6	32.6	434	1.7	27.5	5.67
E5105798	<0.5	0.09	40	7	<0.5	<1	0.04	<0.5	<1	5.2	556	<0.5	11.6	0.84
E5105799	<0.5	0.68	862	64	<0.5	2	0.20	<0.5	2	15.4	628	<0.5	36.6	1.93
E5105800	<0.5	5.43	83	754	1.3	<1	0.17	<0.5	17	31.0	472	2.0	57.1	3.71
E5105801	3.3	0.49	218	633	<0.5	71	0.02	<0.5	10	2.7	36.4	<0.5	95.3	6.03
E5105802	<0.5	7.53	205	981	1.8	<1	0.18	<0.5	24	26.6	348	2.4	34.9	3.50
E5105803	<0.5	2.24	192	276	0.6	<1	0.03	<0.5	17	4.9	483	1.1	390	1.19
E5105804	<0.5	1.98	293	328	0.6	<1	0.03	<0.5	12	6.5	450	1.3	68.4	1.54
E5105805	<0.5	1.10	137	108	<0.5	<1	0.02	<0.5	7	2.2	496	0.5	45.4	0.71
E5105806	<0.5	0.72	68	57	<0.5	4	<0.01	<0.5	4	2.7	608	<0.5	448	1.97
E5105807	<0.5	1.16	10	118	<0.5	<1	<0.01	<0.5	5	0.6	529	0.5	5.6	0.43
E5105808	<0.5	3.80	51	225	<0.5	<1	0.83	<0.5	5	25.6	523	0.8	476	3.66
E5105809	3.3	0.22	45	17	<0.5	<1	0.55	<0.5	<1	4.9	568	<0.5	1170	1.11
E5105810	<0.5	3.64	4	53	1.5	<1	0.65	<0.5	86	6.0	271	<0.5	15.6	0.77
E5105811	2.9	3.75	18	952	0.6	<1	0.70	0.6	7	7.8	37.9	4.4	51.7	2.60
E5105812	<0.5	4.08	29	45	1.2	<1	1.11	<0.5	9	21.5	300	<0.5	22.4	1.08
E5105813	<0.5	7.02	8	91	1.0	<1	4.31	<0.5	105	4.9	332	<0.5	394	2.86
E5105814	<0.5	2.75	35	35	1.0	<1	0.30	<0.5	70	18.2	315	<0.5	84.0	1.34
E5105815	<0.5	4.24	74	112	1.2	<1	1.61	<0.5	53	27.7	382	<0.5	26.1	2.32
E5105816	<0.5	5.22	13	34	1.0	<1	2.09	<0.5	63	35.7	299	<0.5	4.4	1.26
E5105817	<0.5	5.20	17	49	0.6	<1	10.8	<0.5	40	18.6	168	<0.5	10.0	4.57
E5105818	<0.5	7.29	3	53	0.7	<1	6.25	<0.5	98	2.4	204	<0.5	11.9	3.30
E5105819	<0.5	6.36	4	41	0.6	<1	8.01	<0.5	217	5.1	316	<0.5	9.1	2.68
E5105820	<0.5	2.84	82	61	0.9	<1	0.53	<0.5	61	29.3	404	<0.5	15.2	1.46
E5105821	<0.5	0.15	3	5	<0.5	<1	0.05	<0.5	4	1.7	578	<0.5	4.9	0.43
E5105822	<0.5	5.02	27	388	<0.5	<1	2.64	<0.5	5	24.9	433	0.6	158	4.30
E5105823	<0.5	0.07	2	5	<0.5	<1	0.07	<0.5	<1	1.0	507	<0.5	4.6	0.38
E5105824	<0.5	8.12	38	452	0.5	<1	0.48	<0.5	10	17.4	403	1.1	115	6.99

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U422205

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 26, 2010

DATE RECEIVED: Jul 26, 2010

DATE REPORTED: Jul 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105797		11	<1	2.51	3	13	4.67	3420	1.1	0.28	131	40	10	92	<0.005
E5105798		<5	<1	0.03	<2	<1	0.05	84	3.2	0.03	28.5	<10	2	<10	0.332
E5105799		<5	<1	0.29	3	1	0.17	867	3.3	0.07	40.2	56	8	11	0.284
E5105800		21	<1	3.44	8	19	1.18	740	3.0	0.87	144	339	8	78	0.130
E5105801		<5	<1	0.06	5	<1	<0.01	126	13.2	<0.01	12.0	118	107	<10	0.157
E5105802		27	<1	4.86	10	22	1.36	378	2.2	0.92	134	361	4	95	0.014
E5105803		7	<1	1.43	8	5	0.32	92	3.2	0.08	21.1	79	2	57	0.246
E5105804		8	<1	1.54	5	2	0.16	58	3.3	0.08	35.1	15	7	65	0.929
E5105805		<5	<1	0.67	5	3	0.07	55	3.1	0.03	13.5	11	3	25	0.250
E5105806		<5	<1	0.40	3	1	0.08	69	3.9	0.06	23.9	<10	34	12	1.17
E5105807		<5	<1	0.66	3	<1	0.05	55	3.8	0.06	7.7	<10	<1	26	0.019
E5105808		9	<1	0.83	2	26	2.36	652	2.1	0.13	103	80	8	37	0.054
E5105809		<5	<1	0.05	<2	1	0.11	185	3.6	0.03	19.9	29	32	<10	0.104
E5105810		15	<1	0.21	39	4	0.66	127	1.8	6.65	16.9	487	8	<10	0.053
E5105811		14	<1	5.99	3	8	0.13	224	410	0.39	36.6	462	32	91	2.24
E5105812		16	<1	0.40	4	3	1.07	198	2.6	5.82	102	467	5	10	0.201
E5105813		16	<1	1.05	49	6	1.97	1100	1.8	5.52	135	529	9	<10	0.205
E5105814		16	<1	0.57	31	2	0.21	318	2.5	5.80	52.3	441	3	<10	0.339
E5105815		14	<1	0.73	25	4	1.06	559	5.8	3.75	82.2	527	7	<10	0.908
E5105816		17	<1	0.46	28	2	1.28	253	2.9	6.31	40.5	607	2	<10	0.624
E5105817		12	<1	0.29	18	1	5.04	1290	1.2	4.19	151	375	5	<10	1.24
E5105818		18	<1	0.39	44	<1	2.94	1390	0.9	5.88	70.0	667	5	<10	0.031
E5105819		15	<1	0.47	103	1	3.79	800	1.2	4.96	68.4	342	4	<10	0.257
E5105820		15	<1	0.73	27	3	0.46	305	3.1	4.15	97.6	687	5	<10	0.765
E5105821		<5	<1	0.02	<2	<1	0.03	82	2.1	0.10	11.2	19	<1	<10	0.018
E5105822		11	<1	1.17	3	16	3.08	1300	1.2	0.74	108	151	5	34	<0.005
E5105823		<5	<1	0.01	<2	<1	0.03	91	2.5	0.02	7.6	<10	<1	<10	<0.005
E5105824		17	<1	1.42	5	32	5.42	1880	0.6	0.96	171	227	5	70	<0.005

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U422205

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 26, 2010

DATE RECEIVED: Jul 26, 2010

DATE REPORTED: Jul 26, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description	RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5105797	<1	33	<10	<5	204	<10	<10	<5	0.05	<5	<5	167	<1	8
E5105798	<1	<1	<10	<5	2	<10	<10	<5	<0.01	<5	<5	4.4	<1	<1
E5105799	1	4	<10	<5	9	<10	<10	<5	0.01	<5	<5	25.5	<1	3
E5105800	<1	10	<10	<5	23	<10	<10	<5	0.15	<5	<5	165	2	3
E5105801	21	1	<10	9	57	<10	<10	<5	0.13	<5	<5	33.2	20	2
E5105802	<1	14	<10	<5	22	<10	<10	<5	0.19	<5	<5	229	4	2
E5105803	<1	5	<10	<5	9	<10	<10	<5	0.04	<5	<5	56.0	<1	2
E5105804	<1	4	<10	<5	7	<10	<10	<5	0.04	<5	<5	58.3	<1	2
E5105805	<1	1	<10	<5	4	<10	<10	<5	0.02	<5	<5	21.8	<1	1
E5105806	<1	<1	<10	<5	2	<10	<10	<5	<0.01	<5	<5	11.7	<1	<1
E5105807	<1	2	<10	<5	5	<10	<10	<5	0.01	<5	<5	28.8	<1	<1
E5105808	<1	31	<10	<5	11	<10	<10	<5	0.07	<5	<5	143	<1	2
E5105809	<1	1	<10	<5	4	<10	<10	<5	<0.01	<5	<5	8.2	<1	<1
E5105810	<1	2	<10	<5	67	<10	<10	65	0.07	<5	10	24.0	2	10
E5105811	12	1	<10	<5	534	<10	<10	<5	0.07	<5	<5	40.1	3	3
E5105812	<1	7	<10	<5	44	<10	<10	7	0.06	<5	<5	62.5	<1	6
E5105813	<1	10	<10	<5	58	<10	<10	5	0.11	<5	<5	86.1	<1	9
E5105814	<1	2	<10	<5	29	<10	<10	<5	0.10	<5	<5	44.0	<1	3
E5105815	<1	11	<10	<5	42	<10	<10	5	0.04	<5	<5	69.8	2	9
E5105816	<1	9	<10	<5	45	<10	<10	7	0.04	<5	<5	52.9	1	10
E5105817	<1	18	<10	<5	82	<10	<10	6	0.03	<5	<5	52.2	1	6
E5105818	<1	14	<10	<5	61	<10	<10	10	0.04	<5	<5	45.1	2	10
E5105819	<1	14	<10	<5	78	<10	<10	6	0.04	<5	<5	78.4	<1	8
E5105820	<1	4	<10	<5	28	<10	<10	<5	0.04	<5	<5	58.7	3	6
E5105821	<1	<1	<10	<5	2	<10	<10	<5	<0.01	<5	<5	4.1	<1	<1
E5105822	<1	21	<10	<5	29	<10	<10	<5	0.23	<5	<5	163	1	7
E5105823	<1	<1	<10	<5	2	<10	<10	<5	<0.01	<5	<5	3.2	<1	<1
E5105824	<1	41	<10	<5	20	<10	<10	<5	0.34	<5	<5	254	1	12

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U422205

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 26, 2010

DATE RECEIVED: Jul 26, 2010

DATE REPORTED: Jul 26, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5105797	61.5	8
E5105798	5.2	<5
E5105799	12.2	<5
E5105800	48.2	65
E5105801	11.0	22
E5105802	51.1	79
E5105803	17.3	42
E5105804	9.3	54
E5105805	4.1	19
E5105806	6.6	10
E5105807	9.4	9
E5105808	57.0	16
E5105809	21.9	<5
E5105810	9.7	245
E5105811	326	65
E5105812	6.5	144
E5105813	9.6	119
E5105814	5.6	134
E5105815	24.2	116
E5105816	9.2	154
E5105817	14.5	104
E5105818	16.3	142
E5105819	7.5	101
E5105820	11.2	100
E5105821	7.1	<5
E5105822	58.3	21
E5105823	4.2	<5
E5105824	88.2	39

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U422205

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Jul 26, 2010

DATE RECEIVED: Jul 26, 2010

DATE REPORTED: Jul 26, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105797		0.01	0.001
E5105798		1.44	0.003
E5105799		2.80	0.023
E5105800		2.06	0.083
E5105801		1.00	0.007
E5105802		0.10	0.797
E5105803		1.64	0.010
E5105804		1.96	0.496
E5105805		1.94	0.199
E5105806		1.44	0.120
E5105807		1.26	0.573
E5105808		1.48	0.147
E5105809		1.10	0.003
E5105810		2.12	0.086
E5105811		1.08	0.004
E5105812		0.10	4.88
E5105813		1.88	0.002
E5105814		2.42	0.121
E5105815		2.32	0.038
E5105816		1.76	0.128
E5105817		1.40	0.011
E5105818		0.62	0.063
E5105819		0.26	0.007
E5105820		0.62	0.006
E5105821		3.96	0.046
E5105822		0.22	<0.001
E5105823		0.46	0.005
E5105824		0.80	0.001
		0.50	0.033

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U419936

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Pd	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Pt	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U421550

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Jul 23, 2010

PAGES (INCLUDING COVER): 15

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5105761	<0.5	2.49	19	18	1.0	<1	0.52	<0.5	42	29.9	278	<0.5	1.6	1.29
E5105762	<0.5	3.12	4	36	1.4	<1	0.55	<0.5	59	5.3	350	<0.5	21.5	1.80
E5105763	<0.5	4.54	26	55	1.3	<1	1.96	<0.5	50	28.5	323	<0.5	1.6	1.57
E5105764	<0.5	2.19	12	43	1.2	<1	0.17	<0.5	40	9.8	530	<0.5	6.2	1.11
E5105765	0.8	3.62	11	55	2.7	<1	0.03	<0.5	23	5.9	219	0.9	30.0	1.81
E5105766	0.8	3.83	67	13	0.8	<1	0.04	<0.5	71	9.7	226	<0.5	2.8	1.59
E5105767	<0.5	2.06	3	49	0.7	<1	0.33	<0.5	13	11.2	486	<0.5	73.6	1.36
E5105768	<0.5	1.68	21	397	1.5	<1	7.72	<0.5	7	4.7	475	<0.5	4.6	2.27
E5105769	<0.5	2.96	29	51	0.7	<1	1.17	<0.5	6	25.4	424	<0.5	2.4	1.55
E5105770	<0.5	3.16	115	38	0.6	1	3.30	<0.5	161	145	388	<0.5	6.8	5.72
E5105771	3.3	0.44	208	541	<0.5	75	0.01	<0.5	11	3.2	35.5	<0.5	98.3	6.47
E5105772	0.6	5.48	4	779	4.2	<1	0.15	<0.5	31	18.1	242	2.9	59.3	4.53
E5105773	<0.5	2.98	22	31	0.7	<1	0.41	<0.5	43	31.0	404	<0.5	3.3	1.39
E5105774	0.5	3.88	51	38	1.4	<1	0.30	<0.5	71	13.7	196	<0.5	0.8	1.29
E5105775	<0.5	0.07	6	7	<0.5	<1	4.49	<0.5	3	1.3	515	<0.5	3.3	1.34
E5105776	0.6	4.91	30	22	0.9	<1	2.60	<0.5	142	35.5	322	<0.5	3.9	1.76
E5105777	<0.5	3.94	57	54	0.7	<1	11.6	<0.5	45	67.8	218	<0.5	1.3	4.18
E5105778	<0.5	5.02	27	63	0.8	<1	1.39	<0.5	4	22.6	145	<0.5	10.0	2.43
E5105779	<0.5	0.60	5	5	<0.5	<1	0.05	<0.5	7	4.0	447	<0.5	2.9	0.51
E5105780	<0.5	2.80	13	70	0.8	<1	0.07	<0.5	21	17.6	363	<0.5	70.0	2.31
E5105781	2.6	0.44	119	376	<0.5	96	<0.01	<0.5	12	3.6	37.7	<0.5	72.7	5.36
E5105782	<0.5	3.23	21	25	0.6	<1	1.14	<0.5	62	27.1	287	<0.5	3.3	1.27
E5105783	<0.5	3.37	21	21	0.5	<1	2.24	<0.5	38	23.8	354	<0.5	5.2	1.50
E5105784	<0.5	3.88	160	55	0.8	2	8.17	<0.5	64	341	216	<0.5	8.9	10.7
E5105785	<0.5	2.85	33	29	0.7	<1	0.80	<0.5	76	44.6	320	<0.5	4.9	1.76
E5105786	<0.5	1.22	4	29	<0.5	<1	0.05	<0.5	18	3.8	512	<0.5	5.9	0.53
E5105787	0.7	3.94	26	52	2.2	<1	0.04	<0.5	60	7.8	156	0.8	39.5	1.96
E5105788	<0.5	2.42	17	24	0.7	<1	0.47	<0.5	43	23.7	378	<0.5	2.8	1.15
E5105789	<0.5	0.10	2	9	<0.5	<1	0.08	<0.5	1	1.4	567	<0.5	3.5	0.48
E5105790	<0.5	1.91	2	21	<0.5	<1	0.23	<0.5	73	4.3	532	<0.5	4.7	0.64
E5105791	<0.5	0.03	<1	3	<0.5	<1	0.02	<0.5	<1	0.7	417	<0.5	3.6	0.37
E5105792	0.8	3.48	23	21	2.4	<1	0.06	<0.5	24	9.0	193	<0.5	29.1	2.46

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5105793	<0.5	4.83	40	70	1.1	<1	2.59	<0.5	12	21.5	302	<0.5	1.2	1.49
E5105794	<0.5	1.93	3	24	<0.5	<1	0.20	<0.5	64	4.8	446	<0.5	5.2	0.63
E5105795	<0.5	4.06	2	646	1.2	<1	0.15	<0.5	19	13.9	315	1.9	27.9	3.13
E5105796	<0.5	1.55	13	14	<0.5	<1	2.61	<0.5	21	17.1	346	<0.5	2.1	1.41

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105761	16	<1	0.25	19	1	0.46	181	4.2	4.75	65.6	547	3	<10	0.667
E5105762	11	<1	0.29	27	2	0.48	502	2.3	4.08	42.9	450	4	<10	0.127
E5105763	14	<1	0.85	22	4	1.27	325	1.7	4.23	64.0	410	4	10	0.411
E5105764	6	<1	0.58	19	3	0.24	213	3.3	1.81	19.1	189	4	<10	0.073
E5105765	15	<1	0.83	10	3	0.40	15	1.7	5.08	7.8	310	9	29	0.371
E5105766	15	<1	0.22	29	<1	0.09	23	2.0	6.23	12.3	392	6	<10	0.231
E5105767	5	<1	0.45	5	4	0.26	217	3.3	2.17	49.8	173	6	<10	0.409
E5105768	<5	<1	0.87	3	3	4.43	944	2.9	0.12	34.6	256	2	27	0.163
E5105769	8	<1	0.50	2	1	0.64	275	3.5	2.88	69.0	643	3	<10	0.606
E5105770	7	<1	0.27	74	<1	1.71	299	4.7	2.49	361	731	7	<10	4.38
E5105771	<5	<1	0.05	5	<1	<0.01	120	13.8	<0.01	11.2	124	93	<10	0.150
E5105772	23	<1	3.61	11	18	1.46	69	3.7	1.94	80.8	563	7	121	0.410
E5105773	11	<1	0.22	20	1	0.33	148	2.4	3.97	58.8	325	4	<10	0.715
E5105774	22	<1	0.44	30	2	0.41	180	2.0	7.03	66.2	585	5	<10	0.328
E5105775	<5	<1	0.01	<2	<1	2.51	441	3.9	0.06	18.5	19	2	<10	<0.005
E5105776	13	<1	0.42	66	2	1.49	258	2.7	4.71	92.4	642	6	<10	0.806
E5105777	8	<1	0.47	20	2	6.41	946	1.0	2.95	183	584	6	<10	2.00
E5105778	23	<1	0.55	<2	<1	0.74	1150	1.3	6.92	79.6	1150	5	<10	0.182
E5105779	<5	<1	0.11	3	<1	0.04	95	3.5	0.50	13.7	63	3	<10	0.067
E5105780	6	<1	0.40	7	4	0.31	239	3.3	2.21	57.7	222	10	<10	0.231
E5105781	<5	<1	0.08	6	<1	<0.01	122	13.2	<0.01	8.7	139	143	<10	0.231
E5105782	13	<1	0.18	28	<1	0.62	262	2.0	4.04	45.8	712	5	<10	0.410
E5105783	10	<1	0.30	18	<1	1.20	432	2.1	2.88	47.8	487	5	<10	0.432
E5105784	9	<1	0.45	28	2	4.41	805	4.1	2.90	770	1280	8	<10	9.85
E5105785	12	<1	0.73	34	2	0.62	221	4.0	3.86	97.4	489	4	<10	1.10
E5105786	<5	<1	0.10	8	<1	0.05	66	3.3	1.08	14.0	56	3	<10	0.035
E5105787	15	<1	0.61	26	3	0.46	15	1.7	5.13	9.0	354	11	24	0.455
E5105788	11	<1	0.50	20	1	0.46	212	3.2	3.35	41.9	341	9	<10	0.257
E5105789	<5	<1	0.03	<2	<1	0.05	90	5.6	0.05	9.0	16	2	<10	0.013
E5105790	6	<1	0.19	36	1	0.22	125	5.3	1.90	15.0	147	3	<10	0.027
E5105791	<5	<1	<0.01	<2	<1	<0.01	42	0.8	<0.01	7.9	<10	4	<10	<0.005
E5105792	17	<1	0.38	10	2	0.62	36	2.0	5.65	7.9	567	9	<10	0.424

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description	RDL:													
E5105793	15	<1	0.41	5	1	1.43	274	2.7	4.70	77.4	498	5	<10	0.736
E5105794	6	<1	0.14	31	<1	0.16	96	4.6	2.02	19.5	130	2	<10	0.034
E5105795	14	<1	1.97	7	11	1.16	206	2.7	1.92	40.0	347	6	64	0.151
E5105796	<5	<1	0.09	10	<1	1.42	291	3.8	1.25	50.4	315	2	<10	0.521

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5105761	<1	3	<10	<5	16	<10	<10	<5	0.02	<5	<5	34.8	<1	4
E5105762	<1	5	<10	<5	29	<10	<10	<5	0.04	<5	<5	45.8	<1	5
E5105763	<1	11	<10	<5	66	<10	<10	6	0.04	<5	<5	71.2	2	7
E5105764	<1	3	<10	<5	16	<10	<10	<5	0.02	<5	<5	26.4	<1	3
E5105765	<1	4	<10	<5	19	<10	<10	6	0.12	<5	<5	50.3	1	6
E5105766	<1	3	<10	<5	14	<10	<10	8	0.06	<5	<5	36.8	<1	5
E5105767	<1	2	<10	<5	17	<10	<10	<5	0.02	<5	<5	22.7	<1	2
E5105768	<1	50	<10	<5	54	<10	<10	<5	0.02	<5	<5	57.8	3	10
E5105769	<1	7	<10	<5	33	<10	<10	<5	0.02	<5	<5	41.5	1	6
E5105770	<1	18	<10	<5	43	<10	<10	10	0.02	<5	<5	45.6	1	11
E5105771	22	1	<10	10	54	<10	<10	<5	0.09	<5	<5	31.8	25	1
E5105772	<1	12	<10	<5	15	<10	<10	7	0.40	<5	<5	151	5	5
E5105773	<1	4	<10	<5	40	<10	<10	6	0.02	<5	<5	28.4	<1	4
E5105774	<1	5	<10	<5	44	<10	<10	7	0.06	<5	<5	81.1	2	5
E5105775	<1	18	<10	<5	29	<10	<10	<5	<0.01	<5	<5	15.3	<1	6
E5105776	<1	12	<10	<5	51	<10	<10	11	0.05	<5	<5	50.0	2	11
E5105777	<1	63	<10	<5	98	<10	<10	<5	0.02	<5	<5	60.2	2	19
E5105778	<1	7	<10	<5	23	<10	<10	6	0.06	<5	<5	76.3	2	5
E5105779	<1	1	<10	<5	4	<10	<10	<5	<0.01	<5	<5	5.0	<1	1
E5105780	<1	5	<10	<5	16	<10	<10	<5	0.03	<5	<5	24.9	<1	4
E5105781	22	2	11	12	102	<10	<10	<5	0.09	<5	<5	33.9	3	2
E5105782	<1	6	<10	<5	28	<10	<10	7	0.03	<5	<5	44.1	1	8
E5105783	<1	13	<10	<5	27	<10	<10	6	0.03	<5	<5	38.3	2	10
E5105784	<1	42	<10	<5	79	<10	<10	8	0.01	<5	<5	58.9	1	19
E5105785	<1	5	<10	<5	32	<10	<10	7	0.04	<5	<5	44.5	1	5
E5105786	<1	<1	<10	<5	11	<10	<10	<5	0.01	<5	<5	10.3	<1	2
E5105787	<1	6	<10	<5	17	<10	<10	9	0.07	<5	<5	45.9	<1	7
E5105788	<1	4	<10	<5	21	<10	<10	<5	0.02	<5	<5	25.2	<1	4
E5105789	<1	2	<10	<5	1	<10	<10	<5	<0.01	<5	<5	4.8	<1	<1
E5105790	<1	2	<10	<5	14	<10	<10	14	0.02	<5	<5	22.1	1	3
E5105791	<1	<1	<10	<5	1	<10	<10	<5	<0.01	<5	<5	1.3	<1	<1
E5105792	<1	6	<10	<5	20	<10	<10	6	0.07	<5	<5	45.3	<1	5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5105793	<1	10	<10	<5	66	<10	<10	7	0.02	<5	<5	83.3	1	8
E5105794	<1	1	<10	<5	13	<10	<10	12	0.03	<5	<5	21.6	1	3
E5105795	<1	7	<10	<5	44	<10	<10	5	0.23	<5	<5	83.5	2	6
E5105796	<1	15	<10	<5	21	<10	<10	<5	<0.01	<5	<5	21.7	<1	6

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5105761	6.9	90
E5105762	16.4	62
E5105763	7.4	113
E5105764	9.3	36
E5105765	2.0	185
E5105766	<0.5	184
E5105767	2.2	36
E5105768	10.5	34
E5105769	7.6	78
E5105770	9.4	61
E5105771	6.7	20
E5105772	5.2	145
E5105773	5.0	89
E5105774	12.3	151
E5105775	4.9	<5
E5105776	5.1	148
E5105777	5.7	78
E5105778	78.6	120
E5105779	3.0	13
E5105780	3.3	49
E5105781	5.6	43
E5105782	11.1	98
E5105783	14.1	76
E5105784	5.8	77
E5105785	4.0	97
E5105786	5.0	51
E5105787	1.9	187
E5105788	9.6	81
E5105789	1.7	<5
E5105790	5.8	110
E5105791	1.5	<5
E5105792	4.1	190

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5105793	7.1	120
E5105794	2.6	105
E5105795	19.3	123
E5105796	6.1	30

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-MS finish (201053)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105761		2.00	0.045
E5105762		0.68	0.036
E5105763		2.20	1.84
E5105764		0.58	0.022
E5105765		1.38	0.042
E5105766		0.88	0.070
E5105767		3.96	0.082
E5105768		1.86	0.092
E5105769		1.44	0.019
E5105770		0.72	<0.001
E5105771		0.10	0.005
E5105772		1.20	0.003
E5105773		1.52	0.005
E5105774		1.42	0.017
E5105775		0.66	0.008
E5105776		1.58	0.004
E5105777		2.22	0.014
E5105778		0.36	0.003
E5105779		1.62	0.029
E5105780		1.24	0.008
E5105781		0.10	0.730
E5105782		0.64	0.127
E5105783		0.62	0.009
E5105784		4.80	0.147
E5105785		1.78	0.015
E5105786		1.06	0.002
E5105787		1.02	0.010
E5105788		2.80	0.006
E5105789		0.94	0.006
E5105790		2.32	0.012
E5105791		0.26	<0.001
E5105792		0.86	0.008

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U421550

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-MS finish (201053)

DATE SAMPLED: Jul 23, 2010

DATE RECEIVED: Jul 21, 2010

DATE REPORTED: Jul 23, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	
	Unit:	kg	ppm
E5105793		3.84	0.017
E5105794		2.76	<0.001
E5105795		1.16	0.001
E5105796		6.06	0.005

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U421550

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis											
RPT Date: Jul 23, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	1885818	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Al	1	1885818	2.49	2.43	2.4%	< 0.01				80%	120%
As	1	1885818	19	20	5.1%	< 1				80%	120%
Ba	1	1885818	18	17	5.7%	< 1				80%	120%
Be	1	1885818	1.0	1.0	0.0%	< 0.5				80%	120%
Bi	1	1885818	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	1885818	0.524	0.567	7.9%	< 0.01				80%	120%
Cd	1	1885818	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	1885818	42	33	24.0%	< 1				80%	120%
Co	1	1885818	29.9	31.2	4.3%	< 0.5				80%	120%
Cr	1	1885818	278	205		< 0.5				80%	120%
Cs	1	1885818	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	1885818	1.6	1.0		< 0.5				80%	120%
Fe	1	1885818	1.29	1.30	0.8%	< 0.01				80%	120%
Ga	1	1885818	16	15	6.5%	< 5	9	10	93%	90%	110%
In	1	1885818	< 1	< 1	0.0%	< 1				80%	120%
K	1	1885818	0.25	0.24	4.1%	< 0.01				80%	120%
La	1	1885818	19	14		< 2				80%	120%
Li	1	1885818	1	1	0.0%	< 1	8	7	117%	80%	120%
Mg	1	1885818	0.457	0.413	10.1%	< 0.01				80%	120%
Mn	1	1885818	181	181	0.0%	< 1				80%	120%
Mo	1	1885818	4.2	3.0		< 0.5	309	280	110%	90%	110%
Na	1	1885818	4.75	4.92	3.5%	< 0.01				80%	120%
Ni	1	1885818	65.6	67.9	3.4%	< 0.5				80%	120%
P	1	1885818	547	536	2.0%	< 10	286	320	89%	80%	120%
Pb	1	1885818	3	3	0.0%	1	29	30	97%	90%	110%
Rb	1	1885818	< 10	< 10	0.0%	< 10				80%	120%
S	1	1885818	0.667	0.777	15.2%	< 0.005				80%	120%
Sb	1	1885818	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	1885818	3	3	0.0%	< 1				80%	120%
Se	1	1885818	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	1885818	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1885818	16	16	0.0%	< 1	412	390	106%	90%	110%
Ta	1	1885818	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1885818	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1885818	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	1885818	0.024	0.028	15.4%	< 0.01				80%	120%
Tl	1	1885818	< 5	< 5	0.0%	< 5				80%	120%
U	1	1885818	< 5	< 5	0.0%	< 5				80%	120%
V	1	1885818	34.8	36.8	5.6%	< 0.5				80%	120%
W	1	1885818	< 1	1		< 1				80%	120%
Y	1	1885818	4	3	28.6%	< 1				80%	120%
Zn	1	1885818	6.95	8.15	15.9%	< 0.5				80%	120%
Zr	1	1885818	90	88	2.2%	< 5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U421550

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Jul 23, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	1885842	0.5	0.5	0.0%	< 0.5				80%	120%
Al	1	1885842	2.85	2.65	7.3%	< 0.01				80%	120%
As	1	1885842	33	27	20.0%	< 1				80%	120%
Ba	1	1885842	29	28	3.5%	< 1				80%	120%
Be	1	1885842	0.7	0.7	0.0%	< 0.5				80%	120%
Bi	1	1885842	< 1	< 1	0.0%	< 1	2.32	2.73	85%	80%	120%
Ca	1	1885842	0.80	0.80	0.0%	< 0.01				80%	120%
Cd	1	1885842	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	1885842	76	77	1.3%	< 1				80%	120%
Co	1	1885842	44.6	44.4	0.4%	< 0.5				80%	120%
Cr	1	1885842	320	343	6.9%	< 0.5				80%	120%
Cs	1	1885842	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	1885842	4.9	4.7	4.2%	< 0.5				80%	120%
Fe	1	1885842	1.76	1.68	4.7%	< 0.01				80%	120%
Ga	1	1885842	12	12	0.0%	< 5				80%	120%
In	1	1885842	< 1	< 1	0.0%	< 1				80%	120%
K	1	1885842	0.73	0.69	5.6%	< 0.01				80%	120%
La	1	1885842	34	36	5.7%	< 2				80%	120%
Li	1	1885842	2	2	0.0%	< 1				80%	120%
Mg	1	1885842	0.62	0.60	3.3%	< 0.01				80%	120%
Mn	1	1885842	221	201	9.5%	< 1				80%	120%
Mo	1	1885842	4.0	4.0	0.0%	< 0.5				80%	120%
Na	1	1885842	3.86	3.65	5.6%	< 0.01				80%	120%
Ni	1	1885842	97.4	96.0	1.4%	< 0.5				80%	120%
P	1	1885842	489	478	2.3%	< 10				80%	120%
Pb	1	1885842	4	4	0.0%	< 1	62	58	107%	90%	110%
Rb	1	1885842	< 10	< 10	0.0%	< 10				80%	120%
S	1	1885842	1.10	0.998	9.7%	< 0.005				80%	120%
Sb	1	1885842	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	1885842	5	5	0.0%	< 1				80%	120%
Se	1	1885842	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	1885842	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1885842	32	32	0.0%	< 1				80%	120%
Ta	1	1885842	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1885842	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1885842	7	7	0.0%	< 5				80%	120%
Ti	1	1885842	0.04	0.04	0.0%	< 0.01				80%	120%
Tl	1	1885842	< 5	< 5	0.0%	< 5				80%	120%
U	1	1885842	< 5	< 5	0.0%	< 5				80%	120%
V	1	1885842	44.5	42.6	4.4%	< 0.5				80%	120%
W	1	1885842	1	1	0.0%	< 1				80%	120%
Y	1	1885842	5	6	18.2%	< 1				80%	120%
Zn	1	1885842	4.0	4.9	20.2%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.


AGAT WORK ORDER: 10U421550

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Jul 23, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Zr	1	1885842	97	102	5.0%	< 5				80%	120%	
Fire Assay - Trace Au, ICP-MS finish (201053)												
Au	1	1885829	0.003	0.003	0.0%	< 0.001	0.591	0.615	96%	90%	110%	
Fire Assay - Trace Au, ICP-MS finish (201053)												
Au	1	1885842	0.015	0.014	6.9%	< 0.001	0.207	0.205	101%	90%	110%	
Fire Assay - Trace Au, ICP-MS finish (201053)												
Au	1	1885853	0.005	0.005	0.0%	< 0.001				70%	130%	

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U421550

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12004	BUGBEE, E: A Textbook of Fire Assaying	ICP-MS

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U425896

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Aug 10, 2010

PAGES (INCLUDING COVER): 22

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5105825	<0.5	0.96	64	170	<0.5	6	0.25	<0.5	15	22.8	526	0.5	2970	1.58
E5105826	<0.5	0.78	17	44	<0.5	<1	0.17	<0.5	9	5.9	409	<0.5	21.4	0.60
E5105827	<0.5	0.95	9	33	<0.5	<1	0.25	<0.5	6	11.0	309	<0.5	4.3	0.71
E5105828	<0.5	0.03	4	9	<0.5	<1	7.69	<0.5	16	9.8	487	<0.5	12.5	2.26
E5105829	<0.5	4.06	11	48	1.1	<1	2.35	<0.5	263	98.6	239	<0.5	<0.5	2.35
E5105830	<0.5	0.04	2	7	<0.5	<1	3.14	<0.5	6	12.4	402	<0.5	2.4	1.17
E5105831	4.5	0.43	281	552	<0.5	93	0.03	<0.5	11	4.0	37.6	<0.5	87.0	5.69
E5105832	<0.5	4.21	29	54	1.1	<1	2.95	<0.5	402	179	225	<0.5	5.2	4.17
E5105833	<0.5	2.47	25	25	0.7	<1	1.87	<0.5	39	256	328	<0.5	9.3	6.50
E5105834	<0.5	0.12	3	13	<0.5	<1	0.08	<0.5	1	3.8	515	<0.5	75.1	0.49
E5105835	<0.5	5.33	133	531	2.0	<1	2.17	<0.5	60	72.9	275	1.2	6.9	2.64
E5105836	<0.5	5.56	32	202	1.2	<1	5.06	<0.5	23	35.9	321	1.4	72.7	4.57
E5105837	0.5	4.95	17	743	2.4	<1	1.92	<0.5	87	48.1	264	1.5	3390	4.69
E5105838	0.6	0.93	81	105	<0.5	2	1.08	<0.5	10	86.8	536	0.7	>10000	2.87
E5105839	0.6	2.47	13	274	1.2	48	0.89	<0.5	36	21.7	577	0.8	2020	2.66
E5105840	<0.5	3.59	13	73	0.8	<1	4.02	<0.5	88	99.4	286	<0.5	201	3.42
E5105841	<0.5	4.22	5	612	0.9	<1	1.82	<0.5	18	12.6	74.3	0.7	24.1	2.82
E5105842	<0.5	4.02	33	45	0.9	<1	2.49	<0.5	138	76.3	327	<0.5	105	2.72
E5105843	<0.5	3.79	27	44	1.0	<1	2.30	<0.5	169	157	285	<0.5	7.6	3.92
E5105844	<0.5	0.08	3	4	<0.5	<1	0.65	<0.5	3	31.4	600	<0.5	23.8	1.04
E5105845	<0.5	0.34	11	9	<0.5	<1	6.11	<0.5	45	88.8	473	<0.5	20.8	3.08
E5105846	0.5	3.11	3	843	1.5	<1	0.19	<0.5	47	19.5	337	2.4	8.6	2.06
E5105847	<0.5	2.99	9	958	1.4	<1	0.11	<0.5	11	10.5	444	2.5	3.4	1.53
E5105848	<0.5	3.56	5	1000	2.3	<1	0.13	<0.5	24	10.2	319	3.2	32.0	1.78
E5105849	0.7	4.29	14	921	2.0	<1	0.13	<0.5	17	7.1	349	3.1	8.7	2.42
E5105850	<0.5	3.49	3	850	1.4	<1	0.09	<0.5	20	5.5	394	2.7	7.9	1.90
E5105851	3.5	0.44	172	443	<0.5	115	0.01	<0.5	17	4.3	40.3	<0.5	63.1	4.63
E5105852	0.6	4.34	7	1170	2.7	<1	0.15	<0.5	17	13.2	380	3.7	20.9	2.10
E5105853	<0.5	4.12	2	744	1.4	<1	0.40	<0.5	18	12.6	419	1.4	7.3	2.58
E5105854	<0.5	4.59	2	1170	1.6	<1	0.25	<0.5	22	14.1	440	2.7	12.4	3.35
E5105855	<0.5	3.42	2	365	1.0	<1	0.19	<0.5	23	11.8	555	1.1	5.9	2.29
E5105856	<0.5	1.09	1	218	<0.5	<1	0.08	<0.5	11	8.6	439	<0.5	17.3	0.94

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5105857	0.5	4.67	1	974	1.7	<1	0.27	<0.5	38	31.1	354	1.4	29.0	3.18
E5105858	<0.5	4.94	2	1150	1.9	<1	0.22	<0.5	16	18.7	429	3.7	30.4	3.22
E5105859	<0.5	3.44	<1	425	0.7	<1	0.18	<0.5	7	6.5	419	<0.5	15.2	1.99
E5105860	<0.5	2.42	42	39	0.6	<1	0.90	<0.5	80	320	298	<0.5	<0.5	6.06
E5105861	4.1	0.46	301	547	<0.5	87	0.01	<0.5	14	6.2	36.7	<0.5	85.2	5.97
E5105862	<0.5	1.45	34	59	<0.5	<1	10.3	<0.5	60	114	292	<0.5	3.3	4.28
E5105863	<0.5	2.79	22	20	0.6	<1	8.46	<0.5	94	284	217	<0.5	<0.5	6.50
E5105864	<0.5	3.35	7	14	0.9	<1	5.93	<0.5	74	113	199	<0.5	<0.5	2.85
E5105865	<0.5	3.86	30	30	0.7	2	5.35	<0.5	229	236	251	<0.5	<0.5	5.28
E5105866	<0.5	1.80	30	17	0.5	<1	2.87	<0.5	39	145	851	<0.5	<0.5	4.20
E5105867	<0.5	0.86	13	9	<0.5	<1	2.82	<0.5	81	105	297	<0.5	<0.5	2.48
E5105868	0.5	3.49	15	33	2.1	<1	1.71	<0.5	154	47.8	239	<0.5	<0.5	1.26
E5105869	<0.5	1.79	27	16	<0.5	<1	1.00	<0.5	65	170	380	<0.5	<0.5	4.11
E5105870	<0.5	4.05	35	25	1.1	<1	1.89	<0.5	194	129	227	<0.5	<0.5	3.53
E5105871	3.7	1.83	20	525	0.9	<1	0.51	0.9	8	13.0	32.2	4.8	40.1	2.33
E5105872	<0.5	1.74	17	21	<0.5	<1	8.84	<0.5	37	150	334	<0.5	2.8	4.43
E5105873	<0.5	1.60	81	28	<0.5	<1	4.86	<0.5	70	326	333	<0.5	7.2	7.05
E5105874	<0.5	3.11	67	30	0.7	<1	2.60	<0.5	49	235	293	<0.5	<0.5	5.21
E5105875	<0.5	0.07	57	14	<0.5	<1	14.8	<0.5	300	31.9	224	<0.5	1.7	3.74
E5105876	<0.5	2.76	35	43	0.9	<1	6.91	<0.5	83	241	228	<0.5	<0.5	5.75
E5105877	<0.5	0.03	68	10	<0.5	<1	14.9	<0.5	18	30.1	233	<0.5	0.5	4.18
E5105878	<0.5	3.73	17	307	4.8	<1	0.25	<0.5	17	7.1	306	1.4	<0.5	1.06
E5105879	<0.5	3.36	3	830	1.8	<1	0.55	<0.5	23	19.1	349	2.1	12.4	3.01
E5105880	<0.5	0.93	6	89	<0.5	<1	0.25	<0.5	7	5.6	506	<0.5	15.2	1.02
E5105881	<0.5	3.62	4	774	1.6	<1	0.70	<0.5	28	22.8	353	2.4	24.9	3.89
E5105882	3.2	0.44	159	421	<0.5	111	0.01	<0.5	15	4.3	39.3	<0.5	60.3	4.63
E5105883	<0.5	4.68	3	732	1.4	1	1.02	<0.5	39	22.3	339	1.5	36.7	4.14
E5105884	<0.5	4.58	4	673	1.8	<1	0.64	<0.5	37	17.9	402	1.7	22.1	3.41
E5105885	<0.5	3.76	3	798	1.2	<1	0.58	<0.5	25	15.3	335	1.9	21.4	3.35
E5105886	<0.5	1.41	3	158	<0.5	<1	0.56	<0.5	18	1.9	519	<0.5	1.8	0.70
E5105887	<0.5	3.85	7	408	0.7	<1	2.05	<0.5	25	13.0	329	<0.5	17.1	2.24
E5105888	<0.5	0.30	3	21	<0.5	<1	0.06	<0.5	2	1.6	490	<0.5	4.6	0.55

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5105889	<0.5	1.09	4	170	<0.5	<1	0.21	<0.5	8	5.7	751	<0.5	11.1	1.38
E5105890	<0.5	2.85	1	487	0.8	<1	1.02	<0.5	27	7.7	345	<0.5	14.5	1.48
E5105891	<0.5	4.39	1	777	0.9	<1	0.21	<0.5	22	13.2	410	2.7	21.0	3.90
E5105892	2.8	0.41	183	540	<0.5	63	0.01	<0.5	7	2.5	35.6	<0.5	87.7	5.58
E5338760	<0.5	0.58	3	62	<0.5	<1	0.38	<0.5	4	3.7	471	<0.5	9520	1.17
E5338761	5.8	0.47	21	62	<0.5	200	8.63	<0.5	6	23.9	240	<0.5	>10000	3.35

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105825	<5	<1	0.40	7	7	0.25	353	7.8	0.20	44.8	228	13	14	0.190
E5105826	<5	<1	0.24	4	3	0.21	177	5.8	0.71	14.6	106	5	<10	0.039
E5105827	6	<1	0.26	3	2	0.16	193	5.7	1.02	29.0	343	6	<10	0.128
E5105828	<5	<1	0.01	5	1	3.66	818	7.0	0.05	66.0	423	4	<10	0.067
E5105829	17	<1	0.56	119	2	1.11	275	8.8	3.79	187	1400	5	<10	1.83
E5105830	<5	<1	0.01	2	<1	1.50	371	5.4	0.05	43.9	66	4	<10	0.084
E5105831	<5	<1	0.05	5	<1	0.02	118	18.7	0.01	13.3	166	113	<10	0.138
E5105832	19	<1	0.50	182	1	1.33	331	14.0	3.79	330	1290	7	11	3.46
E5105833	11	<1	0.28	16	<1	0.77	142	10.0	2.27	418	1530	5	<10	6.86
E5105834	<5	<1	0.03	<2	<1	0.03	218	8.2	0.03	11.5	44	9	<10	0.028
E5105835	27	<1	1.76	26	19	0.94	1770	3.4	3.05	144	1020	10	53	0.107
E5105836	18	<1	0.81	13	29	2.25	3300	2.8	1.16	80.1	316	21	40	0.042
E5105837	32	<1	2.07	39	43	1.76	1950	2.6	1.28	145	1210	8	63	0.288
E5105838	<5	<1	0.29	5	5	0.48	899	8.8	0.11	198	54	18	16	1.46
E5105839	13	<1	0.78	18	24	0.84	896	9.3	0.66	97.7	445	14	28	0.162
E5105840	13	<1	0.31	36	4	1.87	501	5.9	2.55	231	2800	7	11	2.05
E5105841	16	<1	0.81	8	17	0.81	921	6.6	2.07	47.4	767	11	13	0.038
E5105842	17	<1	1.14	62	2	1.28	244	9.0	3.36	161	878	5	13	1.75
E5105843	18	<1	0.32	76	<1	1.04	315	33.0	3.57	274	1600	11	<10	2.93
E5105844	<5	<1	0.02	<2	<1	0.33	91	8.5	0.06	70.4	132	4	<10	0.536
E5105845	<5	<1	0.09	19	1	2.97	556	9.0	0.23	200	1110	5	<10	1.76
E5105846	20	<1	2.59	21	21	0.86	227	6.3	1.66	44.7	483	18	126	0.354
E5105847	18	<1	2.67	5	15	0.61	156	5.5	1.83	20.7	415	18	123	0.114
E5105848	26	<1	2.94	10	25	0.98	134	5.0	2.16	24.9	580	26	122	0.097
E5105849	24	<1	2.90	7	24	1.01	221	3.9	1.87	17.1	571	13	124	0.049
E5105850	17	<1	2.59	10	16	0.72	162	4.7	1.55	15.7	385	13	117	0.058
E5105851	6	<1	0.08	9	<1	<0.01	117	17.3	0.01	12.1	252	172	<10	0.241
E5105852	30	<1	3.22	7	30	1.07	186	4.9	1.51	34.1	655	46	140	0.168
E5105853	19	<1	1.77	8	27	1.23	388	3.9	2.00	35.0	530	13	54	0.098
E5105854	23	<1	3.08	9	35	1.37	349	5.0	1.42	33.7	624	11	106	0.153
E5105855	14	<1	1.22	10	16	1.07	329	5.8	1.97	34.9	361	7	45	0.032
E5105856	<5	<1	0.86	6	6	0.32	140	6.5	0.35	26.4	123	5	38	0.074

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105857		27	<1	2.91	16	35	1.63	426	4.3	2.14	89.0	635	7	114	0.315
E5105858		25	<1	3.19	8	34	1.55	302	3.4	1.76	53.4	638	14	137	0.237
E5105859		9	<1	1.51	2	11	0.91	263	4.4	1.65	24.8	234	6	45	0.057
E5105860		9	<1	0.20	36	<1	0.42	72	8.4	2.67	602	738	3	<10	6.68
E5105861		<5	<1	0.05	7	<1	<0.01	116	18.5	<0.01	18.5	212	110	<10	0.147
E5105862		5	<1	0.32	21	2	4.97	738	3.8	0.99	284	3140	4	<10	2.39
E5105863		13	<1	0.34	39	2	4.09	604	10.2	2.17	504	2110	3	<10	5.85
E5105864		12	<1	0.28	30	<1	2.82	497	10.5	2.66	238	2240	2	<10	2.05
E5105865		14	<1	1.09	102	5	2.66	710	21.2	2.50	415	2530	6	<10	4.64
E5105866		6	<1	0.17	15	1	1.51	404	8.1	1.37	318	1610	2	<10	3.08
E5105867		<5	<1	0.14	35	<1	1.36	269	9.0	0.65	224	1010	2	<10	1.97
E5105868		22	<1	0.35	72	2	1.01	218	3.2	5.54	69.7	759	4	<10	0.544
E5105869		7	<1	0.32	28	<1	0.41	79	6.8	1.84	358	1720	4	<10	4.31
E5105870		17	<1	1.33	89	16	1.97	245	7.2	3.17	295	1270	5	<10	3.37
E5105871		18	<1	5.38	3	13	0.10	183	543	0.32	49.9	609	46	111	1.97
E5105872		5	<1	0.40	14	3	4.75	489	8.8	1.21	359	827	3	<10	3.63
E5105873		6	<1	0.22	27	1	2.45	311	5.0	1.21	708	3160	4	<10	7.53
E5105874		11	<1	0.23	20	1	1.25	159	5.8	2.51	507	1970	4	<10	5.59
E5105875		<5	<1	0.04	142	3	7.34	1340	1.7	0.05	136	195	5	<10	0.783
E5105876		8	<1	0.35	37	4	3.68	402	3.0	1.98	584	2440	4	<10	6.09
E5105877		<5	<1	0.02	7	4	7.25	1650	2.3	0.04	134	52	6	<10	1.01
E5105878		35	<1	2.36	7	12	0.75	95	5.5	4.74	25.9	570	2	57	0.079
E5105879		20	<1	2.01	11	25	1.26	304	4.8	2.08	59.1	653	9	90	0.230
E5105880		<5	<1	0.28	4	3	0.23	88	6.8	0.85	30.8	168	3	11	0.174
E5105881		21	<1	1.99	13	30	1.75	681	3.3	2.27	77.5	666	5	95	0.161
E5105882		5	<1	0.08	8	<1	<0.01	113	16.1	<0.01	12.1	216	165	<10	0.214
E5105883		20	<1	1.94	17	30	1.87	874	3.3	2.25	85.1	600	6	78	0.264
E5105884		21	<1	1.90	16	28	1.53	674	3.6	2.19	64.3	505	5	74	0.202
E5105885		16	<1	1.92	11	20	1.43	543	2.3	2.05	48.7	463	4	80	0.085
E5105886		<5	<1	0.55	8	4	0.18	385	4.8	1.07	7.5	122	3	13	0.008
E5105887		11	<1	0.78	13	13	0.99	1050	2.2	2.12	47.6	320	2	21	0.071
E5105888		<5	<1	0.09	<2	1	0.07	70	5.4	0.15	6.1	36	3	<10	<0.005

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description	RDL:													
E5105889	<5	<1	0.46	4	5	0.37	227	6.8	0.40	18.9	102	3	17	0.049
E5105890	10	<1	1.09	12	11	0.58	605	2.9	2.18	31.5	244	2	19	0.056
E5105891	13	<1	2.22	9	15	1.57	306	2.8	1.87	39.8	328	3	89	0.126
E5105892	<5	<1	0.05	3	<1	<0.01	112	12.4	<0.01	9.4	117	79	<10	0.142
E5338760	<5	<1	0.24	<2	7	0.18	121	4.5	0.16	6.7	47	3	<10	0.631
E5338761	<5	<1	0.28	3	2	1.22	1550	3.0	0.04	17.5	26	11	<10	2.33

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5105825	<1	5	<10	<5	20	<10	<10	<5	0.04	<5	<5	50.4	<1	2
E5105826	<1	2	<10	<5	28	<10	<10	<5	0.02	<5	<5	16.5	<1	2
E5105827	<1	3	<10	<5	23	<10	<10	<5	0.01	<5	<5	16.4	<1	4
E5105828	<1	71	<10	<5	70	<10	<10	<5	<0.01	<5	<5	43.2	<1	21
E5105829	<1	13	<10	<5	55	<10	<10	16	0.02	<5	<5	39.5	<1	18
E5105830	<1	26	<10	<5	30	<10	<10	<5	<0.01	<5	<5	21.6	<1	8
E5105831	29	3	11	12	62	<10	<10	<5	0.10	<5	<5	28.1	35	4
E5105832	<1	15	<10	<5	59	<10	<10	24	0.02	<5	<5	52.3	1	19
E5105833	<1	10	16	<5	34	<10	<10	<5	<0.01	<5	<5	26.4	<1	19
E5105834	<1	2	<10	<5	6	<10	<10	<5	<0.01	<5	<5	7.1	<1	<1
E5105835	<1	20	<10	<5	179	<10	<10	9	0.11	<5	<5	166	1	7
E5105836	<1	43	<10	<5	220	<10	<10	<5	0.09	<5	<5	179	1	12
E5105837	<1	19	<10	<5	127	<10	<10	14	0.14	<5	<5	161	2	10
E5105838	<1	9	12	<5	37	<10	<10	<5	<0.01	<5	<5	41.2	<1	3
E5105839	<1	16	<10	<5	69	<10	<10	6	0.04	<5	<5	96.0	1	6
E5105840	<1	43	<10	<5	58	<10	<10	7	0.03	<5	<5	78.2	1	42
E5105841	1	14	<10	<5	318	<10	<10	<5	0.28	<5	<5	93.0	12	15
E5105842	<1	22	<10	<5	52	<10	<10	13	0.02	<5	<5	53.1	1	16
E5105843	<1	19	<10	<5	43	<10	<10	14	0.05	<5	<5	63.1	4	20
E5105844	<1	4	<10	<5	8	<10	<10	<5	<0.01	<5	<5	8.6	<1	3
E5105845	<1	46	<10	<5	54	<10	<10	<5	<0.01	<5	<5	39.4	<1	20
E5105846	<1	7	<10	<5	117	<10	<10	13	0.21	<5	7	62.4	3	11
E5105847	<1	7	<10	<5	124	<10	<10	12	0.22	<5	7	67.4	3	8
E5105848	<1	10	<10	<5	144	<10	<10	8	0.27	<5	<5	87.6	3	9
E5105849	<1	10	<10	<5	120	<10	<10	9	0.30	<5	6	83.3	4	9
E5105850	<1	6	<10	<5	107	<10	<10	12	0.20	<5	6	57.6	3	8
E5105851	29	3	17	17	141	<10	<10	<5	0.11	<5	<5	32.1	2	4
E5105852	<1	11	<10	<5	124	<10	<10	8	0.27	<5	<5	92.8	4	10
E5105853	<1	10	<10	<5	136	<10	<10	7	0.26	<5	<5	92.8	2	8
E5105854	<1	12	<10	<5	105	<10	<10	6	0.31	<5	<5	101	4	8
E5105855	<1	9	<10	<5	103	<10	<10	6	0.20	<5	<5	63.8	2	8
E5105856	<1	3	<10	<5	43	<10	<10	<5	0.06	<5	<5	22.6	1	4

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5105857	<1	13	<10	<5	160	<10	<10	9	0.32	<5	<5	118	3	14
E5105858	<1	14	<10	<5	93	<10	<10	7	0.34	<5	<5	131	3	10
E5105859	<1	6	<10	<5	89	<10	<10	5	0.17	<5	<5	58.1	1	5
E5105860	<1	5	14	<5	23	<10	<10	6	0.01	<5	<5	15.0	<1	7
E5105861	28	3	11	12	76	<10	<10	<5	0.11	<5	<5	27.6	17	4
E5105862	<1	80	<10	<5	90	<10	<10	<5	0.01	<5	<5	71.9	1	46
E5105863	<1	59	13	<5	81	<10	<10	6	0.02	<5	<5	57.0	2	36
E5105864	<1	31	<10	<5	66	<10	<10	5	0.01	<5	<5	54.1	2	34
E5105865	<1	33	<10	<5	57	<10	<10	17	0.02	<5	<5	67.1	1	37
E5105866	<1	18	<10	<5	31	<10	<10	<5	0.02	<5	<5	163	2	22
E5105867	<1	20	<10	<5	29	<10	<10	6	<0.01	<5	<5	23.8	<1	17
E5105868	<1	17	<10	<5	55	<10	<10	7	0.06	<5	<5	88.2	2	12
E5105869	<1	5	10	<5	16	<10	<10	5	<0.01	<5	<5	13.3	2	21
E5105870	<1	11	<10	<5	38	<10	<10	16	0.02	<5	<5	29.5	1	19
E5105871	15	1	<10	<5	587	<10	<10	<5	0.07	<5	<5	36.4	5	3
E5105872	<1	75	<10	<5	87	<10	<10	<5	<0.01	<5	<5	51.5	1	46
E5105873	1	42	19	<5	60	<10	<10	<5	<0.01	<5	<5	39.1	<1	57
E5105874	<1	14	13	<5	45	<10	<10	<5	0.01	<5	<5	32.8	<1	31
E5105875	<1	121	<10	<5	128	<10	<10	7	<0.01	<5	<5	59.9	<1	42
E5105876	<1	53	14	<5	87	<10	<10	<5	0.01	<5	<5	75.1	<1	51
E5105877	<1	123	<10	<5	126	<10	<10	<5	<0.01	<5	<5	54.8	<1	37
E5105878	<1	16	<10	<5	25	<10	<10	5	0.21	<5	<5	136	3	7
E5105879	<1	10	<10	<5	80	<10	<10	6	0.29	<5	<5	89.3	3	11
E5105880	<1	4	<10	<5	26	<10	<10	<5	0.03	<5	<5	17.4	<1	3
E5105881	<1	12	<10	<5	102	<10	<10	5	0.35	<5	<5	118	2	13
E5105882	30	3	16	15	131	<10	<10	<5	0.10	<5	<5	29.7	2	3
E5105883	<1	12	<10	<5	119	<10	<10	7	0.33	<5	<5	110	2	11
E5105884	<1	13	<10	<5	88	<10	<10	7	0.26	<5	<5	107	2	11
E5105885	<1	8	<10	<5	73	<10	<10	5	0.30	<5	<5	107	2	9
E5105886	<1	3	<10	<5	36	<10	<10	<5	0.03	<5	<5	22.0	1	4
E5105887	<1	9	<10	<5	107	<10	<10	<5	0.20	<5	<5	75.2	1	8
E5105888	<1	<1	<10	<5	12	<10	<10	<5	<0.01	<5	<5	5.6	<1	1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5105889	<1	2	<10	<5	21	<10	<10	<5	0.06	<5	<5	26.6	1	2
E5105890	<1	5	<10	<5	69	<10	<10	<5	0.14	<5	<5	48.6	2	5
E5105891	<1	8	<10	<5	48	<10	<10	<5	0.28	<5	<5	91.2	2	6
E5105892	18	1	<10	7	42	<10	<10	<5	0.09	<5	<5	26.8	17	1
E5388760	3	1	<10	<5	13	<10	<10	<5	0.02	<5	<5	13.3	<1	2
E5388761	<1	3	33	<5	51	<10	<10	<5	0.01	<5	<5	16.0	<1	9

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr	Cu-OL
Unit:	ppm	ppm	%
Sample Description RDL:	0.5	5	0.002
E5105825	17.2	29	
E5105826	15.0	28	
E5105827	15.6	35	
E5105828	9.0	<5	
E5105829	7.3	102	
E5105830	4.9	<5	
E5105831	10.9	64	
E5105832	5.4	101	
E5105833	3.7	75	
E5105834	9.7	<5	
E5105835	16.3	140	
E5105836	37.2	47	
E5105837	32.6	160	
E5105838	15.1	<5	1.483
E5105839	26.8	50	
E5105840	10.2	75	
E5105841	62.3	55	
E5105842	4.8	139	
E5105843	8.4	133	
E5105844	3.3	<5	
E5105845	5.6	8	
E5105846	20.2	172	
E5105847	16.1	176	
E5105848	17.0	175	
E5105849	22.0	191	
E5105850	17.5	163	
E5105851	9.9	94	
E5105852	50.6	187	
E5105853	24.5	120	
E5105854	22.4	135	
E5105855	17.2	105	
E5105856	7.8	37	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Zn ppm 0.5	Zr ppm 5	Cu-OL % 0.002
E5105857		26.1	185	
E5105858		22.1	148	
E5105859		18.5	73	
E5105860		3.0	85	
E5105861		10.7	61	
E5105862		7.6	35	
E5105863		5.7	58	
E5105864		4.8	75	
E5105865		10.5	81	
E5105866		12.9	37	
E5105867		3.5	24	
E5105868		12.9	144	
E5105869		2.7	41	
E5105870		6.4	117	
E5105871		348	70	
E5105872		8.0	40	
E5105873		12.7	43	
E5105874		4.0	83	
E5105875		10.8	<5	
E5105876		9.0	44	
E5105877		95.7	<5	
E5105878		8.8	211	
E5105879		24.8	144	
E5105880		8.4	33	
E5105881		44.7	129	
E5105882		9.5	69	
E5105883		47.8	123	
E5105884		40.8	133	
E5105885		28.9	107	
E5105886		6.9	27	
E5105887		36.8	61	
E5105888		6.2	6	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr	Cu-OL
Unit:	ppm	ppm	%
Sample Description RDL:	0.5	5	0.002
E5105889	10.6	21	
E5105890	27.8	62	
E5105891	16.9	90	
E5105892	6.7	17	
E5338760	2.6	8	
E5338761	4.1	<5	3.099

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105825		0.01	0.001
E5105826		1.64	0.042
E5105827		1.70	0.004
E5105828		2.58	0.004
E5105828		0.92	0.001
E5105829		1.28	0.032
E5105830		1.88	0.001
E5105831		0.10	0.749
E5105832		2.26	0.059
E5105833		2.28	0.046
E5105834		1.58	0.002
E5105835		1.46	0.004
E5105836		1.56	0.004
E5105837		3.66	0.029
E5105838		2.70	0.225
E5105839		2.34	0.026
E5105840		1.70	0.007
E5105841		0.10	0.002
E5105842		1.90	0.030
E5105843		1.02	0.038
E5105844		1.66	0.002
E5105845		2.38	0.005
E5105846		2.28	0.002
E5105847		0.68	0.004
E5105848		2.04	<0.001
E5105849		0.60	0.001
E5105850		1.14	0.001
E5105851		0.10	1.09
E5105852		1.56	<0.001
E5105853		0.52	0.002
E5105854		0.94	0.002
E5105855		0.96	0.002
E5105856		2.02	<0.001

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105857		1.64	0.005
E5105858		1.22	0.002
E5105859		1.06	0.001
E5105860		1.26	0.020
E5105861		0.10	0.810
E5105862		1.00	0.005
E5105863		1.12	0.025
E5105864		1.58	0.006
E5105865		1.44	0.020
E5105866		1.04	0.010
E5105867		1.62	0.006
E5105868		0.88	0.023
E5105869		1.28	0.017
E5105870		1.54	0.004
E5105871		0.10	5.63
E5105872		0.82	0.042
E5105873		1.40	0.083
E5105874		1.22	0.018
E5105875		1.26	0.014
E5105876		1.26	0.073
E5105877		1.64	0.072
E5105878		1.24	0.048
E5105879		0.60	0.006
E5105880		1.34	0.003
E5105881		1.56	0.002
E5105882		0.10	1.16
E5105883		1.78	0.002
E5105884		0.68	0.015
E5105885		0.60	0.006
E5105886		2.60	0.009
E5105887		1.42	0.002
E5105888		0.64	0.001

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U425896

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Aug 10, 2010

DATE RECEIVED: Aug 10, 2010

DATE REPORTED: Aug 10, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	
	Unit:	kg	ppm
E5105889		1.22	0.001
E5105890		1.44	0.001
E5105891		0.82	0.002
E5105892		0.10	0.733
E5338760		2.44	1.76
E5338761		6.00	5.62

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U425896

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Aug 10, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1918609	0.004	0.007		< 0.001	0.565	0.615	92%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1918622	0.001	0.003		< 0.001	0.199	0.205	97%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1918635	0.0047	0.0041	13.6%	< 0.001	0.547	0.615	89%	80%	120%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1918647	0.0179	0.0160	11.2%	< 0.001	0.955	1.002	95%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1918659	0.009	0.001		< 0.001		0.031		70%	130%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1918667	5.62	4.54	21.3%	< 0.001		0.031		70%	130%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1918667	5.8	5.7	1.7%	< 0.5	9	7	125%	70%	130%	
Al	1	1918597	0.960	0.976	1.7%	0.14				80%	120%	
As	1	1918667	21	21	0.0%	< 1				80%	120%	
Ba	1	1918597	170	167	1.8%	< 1				80%	120%	
Be	1	1918667	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	1918667	200	191	4.6%	< 1				80%	120%	
Ca	1	1918597	0.246	0.255	3.6%	0.38	0.59	0.55	107%	90%	110%	
Cd	1	1918667	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1918667	6	5	18.2%	< 1				80%	120%	
Co	1	1918667	23.9	22.3	6.9%	< 0.5	5.9	5.0	118%	80%	120%	
Cr	1	1918597	526	558	5.9%	< 0.5				80%	120%	
Cs	1	1918667	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	1918597	2970	3050	2.7%	< 0.5	4898	4700	104%	90%	110%	
Fe	1	1918597	1.58	1.63	3.1%	0.19	1.45	1.55	94%	90%	110%	
Ga	1	1918667	< 5	< 5	0.0%	< 5				80%	120%	
In	1	1918667	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1918597	0.404	0.411	1.7%	0.11	2.87	2.99	96%	90%	110%	
La	1	1918667	3	3	0.0%	< 2				80%	120%	
Li	1	1918667	2	2	0.0%	< 1				80%	120%	
Mg	1	1918597	0.249	0.258	3.6%	0.12				80%	120%	
Mn	1	1918597	353	353	0.0%	< 1				80%	120%	
Mo	1	1918667	3.05	2.85	6.8%	< 0.5	361	280	129%	70%	130%	
Na	1	1918597	0.203	0.209	2.9%	0.12				80%	120%	
Ni	1	1918667	17.5	16.4	6.5%	< 0.5	5	7	77%	70%	130%	
P	1	1918667	26	23	12.2%	< 10				80%	120%	
Pb	1	1918667	11	10	9.5%	< 1	36	30	119%	80%	120%	
Rb	1	1918667	< 10	< 10	0.0%	< 10				80%	120%	
S	1	1918597	0.190	0.204	7.1%	0.069				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U425896

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Aug 10, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sb	1	1918667	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	1918667	3	3	0.0%	< 1				80%	120%	
Se	1	1918667	33	31	6.3%	< 10				80%	120%	
Sn	1	1918667	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	1918667	51	48	6.1%	< 1	438	390	112%	80%	120%	
Ta	1	1918667	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	1918667	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	1918667	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	1918597	0.04	0.04	0.0%	< 0.01				80%	120%	
Tl	1	1918667	< 5	< 5	0.0%	< 5				80%	120%	
U	1	1918667	< 5	< 5	0.0%	< 5				80%	120%	
V	1	1918597	50.4	49.8	1.2%	< 0.5				80%	120%	
W	1	1918667	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	1918667	9	8	11.8%	< 1				80%	120%	
Zn	1	1918667	4.1	4.0	2.5%	0.5	32	32	101%	90%	110%	
Zr	1	1918667	< 5	< 5	0.0%	< 5				80%	120%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1918622	0.69	0.52	28.1%	< 0.5				80%	120%	
Al	1	1918622	4.29	4.16	3.1%	0.05				80%	120%	
As	1	1918622	14	13	7.4%	< 1				80%	120%	
Ba	1	1918622	921	963	4.5%	< 1				80%	120%	
Be	1	1918622	2.0	2.0	0.0%	< 0.5				80%	120%	
Bi	1	1918622	< 1	< 1	0.0%	< 1	2.93	2.73	107%	90%	110%	
Ca	1	1918622	0.126	0.123	2.4%	0.11				80%	120%	
Cd	1	1918622	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1918622	17	20	16.2%	< 1				80%	120%	
Co	1	1918622	7.07	7.16	1.3%	< 0.5				80%	120%	
Cr	1	1918622	349	354	1.4%	< 0.5				80%	120%	
Cs	1	1918622	3.1	3.2	3.2%	< 0.5				80%	120%	
Cu	1	1918622	8.68	7.23	18.2%	< 0.5				80%	120%	
Fe	1	1918622	2.42	2.43	0.4%	0.13				80%	120%	
Ga	1	1918622	24	25	4.1%	< 5				80%	120%	
In	1	1918622	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1918622	2.90	2.92	0.7%	0.08				80%	120%	
La	1	1918622	7	8	13.3%	< 2				80%	120%	
Li	1	1918622	24	24	0.0%	< 1				80%	120%	
Mg	1	1918622	1.01	1.00	1.0%	0.04				80%	120%	
Mn	1	1918622	221	227	2.7%	< 1				80%	120%	
Mo	1	1918622	3.9	4.3	9.8%	< 0.5				80%	120%	
Na	1	1918622	1.87	1.87	0.0%	0.12				80%	120%	
Ni	1	1918622	17.1	17.1	0.0%	< 0.5				80%	120%	
P	1	1918622	571	580	1.6%	< 10	673	600	112%	80%	120%	
Pb	1	1918622	13	13	0.0%	< 1	56	58	97%	90%	110%	
Rb	1	1918622	124	131	5.5%	< 10				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U425896

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Aug 10, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
S	1	1918622	0.0489	0.0384	24.1%	0.116				80%	120%	
Sb	1	1918622	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	1918622	10	10	0.0%	< 1				80%	120%	
Se	1	1918622	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	1918622	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	1918622	120	124	3.3%	< 1				80%	120%	
Ta	1	1918622	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	1918622	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	1918622	9	10	10.5%	< 5				80%	120%	
Ti	1	1918622	0.298	0.280	6.2%	< 0.01				80%	120%	
Tl	1	1918622	< 5	< 5	0.0%	< 5	0.3	0.3	86%	80%	120%	
U	1	1918622	6	6	0.0%	< 5				80%	120%	
V	1	1918622	83.3	86.0	3.2%	< 0.5				80%	120%	
W	1	1918622	4	4	0.0%	< 1				80%	120%	
Y	1	1918622	9	10	10.5%	< 1				80%	120%	
Zn	1	1918622	22.0	22.9	4.0%	< 0.5				80%	120%	
Zr	1	1918622	191	189	1.1%	< 5				80%	120%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1918647	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Al	1	1918647	3.11	3.37	8.0%	0.13				80%	120%	
As	1	1918647	67	69	2.9%	< 1				80%	120%	
Ba	1	1918647	30	30	0.0%	< 1				80%	120%	
Be	1	1918647	0.65	0.63	3.1%	< 0.5				80%	120%	
Bi	1	1918647	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	1918647	2.60	2.83	8.5%	0.18				80%	120%	
Cd	1	1918647	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1918647	49	48	2.1%	< 1				80%	120%	
Co	1	1918647	235	230	2.2%	< 0.5				80%	120%	
Cr	1	1918647	293	297	1.4%	< 0.5				80%	120%	
Cs	1	1918647	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	1918647	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Fe	1	1918647	5.21	5.49	5.2%	0.13				80%	120%	
Ga	1	1918647	11	11	0.0%	< 5				80%	120%	
In	1	1918647	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1918647	0.229	0.235	2.6%	0.08				80%	120%	
La	1	1918647	20	19	5.1%	< 2				80%	120%	
Li	1	1918647	1	1	0.0%	< 1				80%	120%	
Mg	1	1918647	1.25	1.34	6.9%	0.06				80%	120%	
Mn	1	1918647	159	160	0.6%	< 1				80%	120%	
Mo	1	1918647	5.8	5.8	0.0%	< 0.5				80%	120%	
Na	1	1918647	2.51	2.71	7.7%	0.20				80%	120%	
Ni	1	1918647	507	510	0.6%	< 0.5				80%	120%	
P	1	1918647	1970	2010	2.0%	< 10				80%	120%	
Pb	1	1918647	4	4	0.0%	< 1	66	58	113%	80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U425896

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)										
RPT Date: Aug 10, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper
Rb	1	1918647	< 10	< 10	0.0%	< 10			80%	120%
S	1	1918647	5.59	5.86	4.7%	< 0.005			80%	120%
Sb	1	1918647	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	1918647	14	14	0.0%	< 1			80%	120%
Se	1	1918647	13	13	0.0%	< 10			80%	120%
Sn	1	1918647	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	1918647	45	45	0.0%	< 1			80%	120%
Ta	1	1918647	< 10	< 10	0.0%	< 10			80%	120%
Te	1	1918647	< 10	< 10	0.0%	< 10			80%	120%
Th	1	1918647	< 5	< 5	0.0%	< 5			80%	120%
Ti	1	1918647	0.01	0.01	0.0%	0.01			80%	120%
Tl	1	1918647	< 5	< 5	0.0%	< 5			80%	120%
U	1	1918647	< 5	< 5	0.0%	< 5			80%	120%
V	1	1918647	32.8	32.7	0.3%	< 0.5			80%	120%
W	1	1918647	< 1	1		< 1			80%	120%
Y	1	1918647	31	31	0.0%	< 1			80%	120%
Zn	1	1918647	4.0	3.8	5.1%	< 0.5			80%	120%
Zr	1	1918647	83	83	0.0%	< 5			80%	120%
4 Acid Digest - ICP-OES Finish (201070)										
Ag	1	1918667	5.2	5.5	5.6%	< 0.5			80%	120%
Al	1	1918667	0.47	0.48	2.1%	< 0.01			80%	120%
As	1	1918667	27	31	13.8%	< 1			80%	120%
Ba	1	1918667	62	63	1.6%	< 1			80%	120%
Be	1	1918667	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Bi	1	1918667	324	347	6.9%	< 1			80%	120%
Ca	1	1918667	8.63	8.69	0.7%	< 0.01			80%	120%
Cd	1	1918667	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Co	1	1918667	22.8	23.3	2.2%	< 0.5			80%	120%
Cr	1	1918667	240	240	0.0%	< 0.5			80%	120%
Cu	1	1918667	31000	30700	1.0%	< 0.5			80%	120%
Fe	1	1918667	3.35	3.40	1.5%	< 0.01			80%	120%
K	1	1918667	0.284	0.297	4.5%	< 0.01			80%	120%
Mg	1	1918667	1.22	1.24	1.6%	< 0.01			80%	120%
Mn	1	1918667	1550	1540	0.6%	< 1			80%	120%
Mo	1	1918667	5.0	4.2	17.4%	< 0.5			80%	120%
Na	1	1918667	0.04	0.04	0.0%	< 0.01			80%	120%
Ni	1	1918667	16.6	17.1	3.0%	< 0.5			80%	120%
Pb	1	1918667	< 1	< 1	0.0%	< 1			80%	120%
S	1	1918667	2.33	2.40	3.0%	< 0.005			80%	120%
Ti	1	1918667	0.01	0.01	0.0%	< 0.01			80%	120%
V	1	1918667	16.0	17.9	11.2%	< 0.5			80%	120%
Zn	1	1918667	3.84	4.66	19.3%	< 0.5			80%	120%
Zr	1	1918667	5	5	0.0%	< 5			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U425896


PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Aug 10, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U425896

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Cu-OL	MIN-200-12001		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U430199

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Aug 26, 2010

PAGES (INCLUDING COVER): 23

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Cu	
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	0.5
E5338762	<0.5	0.06	<1	7	<0.5	<1	0.20	<0.5	<1	8.1	521	<0.5		39.2	
E5338763	0.8	5.73	2	434	1.2	<1	1.78	<0.5	25	25.0	277	1.6		25.3	
E5338764	0.7	5.84	10	542	1.3	<1	1.55	<0.5	36	29.2	229	1.4		61.7	
E5338765	0.7	4.30	4	532	0.9	<1	0.71	<0.5	10	11.9	149	0.8		608	
E5338766	0.8	6.41	3	987	2.0	<1	0.49	<0.5	24	24.4	211	3.4		131	
E5338767	1.3	2.26	4	377	0.6	7	0.51	<0.5	29	18.3	342	<0.5		2820	
E5338768	1.0	2.85	9	250	<0.5	3	0.31	<0.5	17	50.4	329	0.5	1.27	>10000	
E5338769	0.8	3.43	6	366	0.5	2	1.81	<0.5	15	39.2	376	<0.5		5820	
E5338770	2.2	0.84	26	97	<0.5	11	0.07	<0.5	4	212	464	<0.5	3.40	>10000	
E5338771	2.0	0.32	13	40	<0.5	10	2.74	<0.5	14	26.0	420	<0.5	3.30	>10000	
E5338772	3.7	0.44	193	563	<0.5	70	0.01	<0.5	10	3.2	37.6	<0.5		98.2	
E5338773	0.5	0.82	11	84	<0.5	2	9.47	<0.5	64	42.5	335	<0.5	1.65	>10000	
E5338774	1.0	3.91	19	219	0.5	1	0.88	<0.5	14	117	292	<0.5		3680	
E5338775	4.2	3.33	23	272	0.6	2	0.49	<0.5	45	74.4	359	0.5	1.06	>10000	
E5338776	2.2	3.52	29	460	0.6	3	0.27	<0.5	16	94.6	460	0.5		4150	
E5338777	3.0	3.62	9	372	<0.5	2	0.39	<0.5	17	72.4	357	<0.5		4410	
E5338778	2.1	3.88	45	492	0.7	1	0.17	<0.5	4	115	399	0.6		4240	
E5338779	1.1	4.12	25	472	0.5	<1	1.44	<0.5	33	69.9	285	<0.5		1460	
E5338780	1.9	4.51	26	583	0.7	<1	1.08	<0.5	21	70.5	277	<0.5		1640	
E5338781	0.5	5.69	4	48	0.6	<1	4.85	<0.5	3	3.3	163	<0.5		6.8	
E5338782	3.5	3.24	14	420	0.7	<1	0.66	0.7	4	7.9	33.8	4.0		44.2	
E5338783	1.0	3.46	11	125	1.9	<1	0.22	<0.5	14	9.4	353	0.7		50.8	
E5338784	0.8	5.24	5	23	1.6	<1	2.80	<0.5	100	2.6	246	<0.5		<0.5	
E5338785	0.9	4.70	1	313	0.9	<1	0.87	<0.5	28	27.2	472	0.6		26.5	
E5338786	0.7	3.98	5	62	0.7	<1	1.43	<0.5	18	50.8	194	<0.5		1.5	
E5338787	<0.5	0.38	1	11	<0.5	<1	7.85	<0.5	8	1.7	310	<0.5		3.4	
E5338788	0.9	2.48	3	78	1.0	<1	0.51	<0.5	56	6.9	243	<0.5		<0.5	
E5338789	0.5	2.80	3	49	0.8	<1	0.58	<0.5	23	9.1	255	<0.5		1.6	
E5338790	<0.5	0.11	3	19	<0.5	<1	4.65	<0.5	2	1.3	454	<0.5		5.4	
E5338791	<0.5	0.02	2	9	<0.5	<1	15.9	<0.5	4	1.5	203	<0.5		1.4	
E5338792	3.1	0.43	134	430	<0.5	93	0.01	<0.5	10	3.9	39.0	<0.5		67.2	
E5338793	<0.5	0.03	2	8	<0.5	<1	7.61	<0.5	2	0.9	319	<0.5		2.2	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Cu
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	0.5
E5338794	0.9	2.41	8	65	0.9	<1	0.32	<0.5	60	23.5	214	<0.5	<0.5	<0.5
E5338795	<0.5	3.44	15	308	2.0	<1	1.25	<0.5	38	16.6	218	0.9	<0.5	111
E5338796	<0.5	0.02	1	4	<0.5	<1	0.08	<0.5	<1	<0.5	289	<0.5	<0.5	1.9
E5338797	0.5	1.26	1	11	<0.5	<1	0.07	<0.5	8	3.4	464	<0.5	<0.5	2.0
E5338798	<0.5	0.97	2	17	0.6	<1	14.5	<0.5	17	1.2	168	<0.5	<0.5	<0.5
E5338799	0.7	3.62	5	19	0.6	<1	2.03	<0.5	124	25.9	356	<0.5	<0.5	0.6
E5338800	<0.5	1.94	3	16	0.6	<1	8.54	<0.5	84	9.2	226	<0.5	<0.5	3.0
E5338801	<0.5	7.36	9	341	0.7	<1	5.00	<0.5	25	53.2	251	1.1	<0.5	78.8
E5338802	3.9	0.43	224	560	<0.5	71	0.01	<0.5	9	3.3	36.8	<0.5	<0.5	92.5
E5338803	<0.5	1.60	8	99	<0.5	<1	32.2	<0.5	29	6.4	39.7	<0.5	<0.5	3.7
E5338804	<0.5	2.30	18	125	<0.5	<1	28.4	<0.5	22	4.5	58.3	<0.5	<0.5	<0.5
E5338805	1.0	3.94	176	108	0.9	<1	2.39	<0.5	3	14.1	156	<0.5	<0.5	7.0
E5338806	<0.5	2.03	75	44	0.6	<1	13.5	<0.5	142	7.1	132	<0.5	<0.5	2.8
E5338807	<0.5	3.24	49	41	0.5	<1	12.1	<0.5	12	6.5	113	<0.5	<0.5	32.2
E5338808	<0.5	3.90	20	361	0.7	<1	18.6	<0.5	17	15.3	72.9	<0.5	<0.5	74.8
E5338809	<0.5	2.00	20	208	<0.5	<1	30.1	<0.5	22	12.2	47.4	<0.5	<0.5	22.3
E5338810	0.9	4.78	181	66	1.1	<1	10.3	<0.5	10	25.3	111	<0.5	<0.5	294
E5338811	0.7	5.38	8	388	0.9	<1	1.05	<0.5	50	22.4	269	<0.5	<0.5	3.4
E5338812	3.5	2.91	16	435	0.7	<1	0.59	0.7	3	8.1	29.4	3.5	<0.5	42.2
E5338813	0.7	5.36	17	38	1.0	<1	2.94	<0.5	10	49.0	239	<0.5	<0.5	<0.5
E5338814	0.8	2.97	11	132	0.7	<1	1.09	<0.5	6	14.5	340	<0.5	<0.5	8.1
E5338815	0.8	3.68	8	684	1.4	<1	0.23	<0.5	9	18.7	287	1.3	<0.5	30.6
E5338816	1.0	3.58	2	709	1.4	<1	0.21	<0.5	4	16.8	327	2.1	<0.5	23.0
E5338817	1.1	3.82	1	765	1.6	<1	0.21	<0.5	14	17.8	218	2.2	<0.5	35.8
E5338818	0.8	5.20	1	733	1.6	<1	0.36	<0.5	55	17.7	278	3.2	<0.5	32.0
E5338819	0.6	1.62	2	149	<0.5	<1	0.14	<0.5	11	1.9	260	<0.5	<0.5	1.6
E5338820	<0.5	0.07	<1	17	0.5	<1	20.0	<0.5	6	1.4	105	<0.5	<0.5	<0.5
E5338821	<0.5	0.01	1	12	<0.5	<1	20.5	<0.5	6	1.8	67.3	<0.5	<0.5	<0.5
E5338822	3.0	0.42	118	402	<0.5	86	0.01	<0.5	8	3.8	35.7	<0.5	<0.5	62.2
E5338823	<0.5	0.01	<1	9	<0.5	2	20.2	<0.5	3	1.6	59.9	<0.5	<0.5	<0.5
E5338824	<0.5	0.07	2	5	<0.5	<1	0.68	<0.5	<1	7.0	622	<0.5	<0.5	5.5
E5338825	0.7	3.20	4	63	0.9	<1	0.21	<0.5	32	9.1	321	<0.5	<0.5	2.1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Cu
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	0.5
E5338826	<0.5	0.03	<1	8	<0.5	<1	13.5	<0.5	3	1.1	223	<0.5		2.5
E5338827	<0.5	0.03	<1	7	<0.5	<1	14.6	<0.5	3	1.4	146	<0.5		<0.5
E5338828	<0.5	0.02	1	4	<0.5	<1	0.93	<0.5	<1	<0.5	191	<0.5		1.5
E5338829	0.7	4.70	3	56	0.7	<1	2.66	<0.5	18	13.1	284	<0.5		<0.5
E5338830	0.6	0.24	3	9	<0.5	<1	2.03	<0.5	2	25.6	583	<0.5		5.3
E5338831	0.5	0.02	<1	6	<0.5	<1	2.48	<0.5	<1	1.4	602	<0.5		10.5
E5338832	3.7	0.43	206	546	<0.5	67	0.01	<0.5	9	3.7	38.0	<0.5		88.4
E5338833	<0.5	0.02	3	9	<0.5	<1	15.9	<0.5	5	1.3	157	<0.5		2.7
E5338834	0.7	3.61	2	61	1.0	<1	0.53	<0.5	14	7.8	207	<0.5		<0.5
E5338835	<0.5	0.64	3	12	<0.5	<1	1.57	<0.5	7	4.3	462	<0.5		4.4
E5338836	<0.5	0.17	1	8	<0.5	<1	8.45	<0.5	4	4.1	295	<0.5		5.9
E5338837	0.7	2.51	5	42	0.8	<1	0.62	<0.5	27	26.5	240	<0.5		2.6
E5338838	<0.5	0.14	<1	4	<0.5	<1	0.45	<0.5	<1	1.8	454	<0.5		5.2
E5338839	<0.5	0.06	<1	6	<0.5	<1	7.75	<0.5	7	1.3	303	<0.5		2.7
E5338840	<0.5	<0.01	<1	5	<0.5	<1	5.98	<0.5	2	0.8	345	<0.5		2.7
E5338841	<0.5	1.06	<1	20	<0.5	<1	15.7	<0.5	9	1.8	127	<0.5		<0.5
E5338842	3.2	1.96	16	627	0.8	<1	0.60	0.8	3	8.3	28.4	3.8		43.4
E5338843	0.5	3.30	2	38	0.6	<1	1.99	<0.5	33	2.5	279	<0.5		0.6
E5338844	<0.5	0.18	<1	6	<0.5	<1	0.67	<0.5	1	1.1	460	<0.5		4.1
E5338845	0.6	2.54	8	22	0.5	<1	0.73	<0.5	46	135	206	<0.5		<0.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5338762		0.59	<5	<1	0.01	<2	<1	0.04	97	6.1	0.03	10.9	13	3	<10
E5338763		4.43	19	<1	1.48	12	38	1.97	1200	2.2	2.89	96.3	702	44	56
E5338764		4.55	20	<1	1.60	17	29	2.01	1360	1.8	2.63	97.7	758	8	66
E5338765		2.03	18	<1	1.55	5	14	0.48	444	2.8	3.56	18.6	344	4	56
E5338766		5.57	23	<1	3.13	11	24	1.29	831	2.2	1.72	70.9	752	6	198
E5338767		1.74	8	<1	1.38	13	7	0.56	526	3.7	0.65	20.3	50	9	83
E5338768		3.44	9	<1	1.84	7	7	0.68	1050	3.4	0.66	41.2	<10	<1	84
E5338769		2.51	8	<1	1.25	7	7	0.87	1590	3.1	1.29	21.2	<10	3	77
E5338770		6.63	<5	<1	0.39	<2	2	0.13	925	3.9	0.12	114	<10	8	27
E5338771		4.16	<5	<1	0.13	10	2	1.64	1360	3.7	0.05	20.4	<10	<1	<10
E5338772		5.57	<5	<1	0.05	5	<1	<0.01	113	14.0	<0.01	11.8	226	102	<10
E5338773		2.58	<5	<1	0.37	35	3	4.78	3930	1.5	0.16	19.5	<10	<1	27
E5338774		3.01	12	<1	0.70	6	10	1.37	1810	1.7	3.65	51.2	234	3	16
E5338775		3.85	11	<1	1.91	20	10	1.08	1060	1.3	1.01	51.4	<10	7	101
E5338776		2.80	9	<1	1.83	8	8	0.80	2590	1.6	1.55	39.7	230	35	90
E5338777		3.07	9	<1	1.46	9	7	0.84	483	1.2	2.02	45.7	113	16	76
E5338778		2.47	8	<1	1.95	<2	7	0.65	891	1.3	1.40	29.1	197	16	117
E5338779		2.47	10	<1	1.26	17	8	0.83	664	1.0	2.48	33.5	342	8	56
E5338780		3.37	12	<1	1.71	10	11	1.15	743	1.0	1.91	43.7	401	12	79
E5338781		2.80	12	<1	0.28	<2	2	2.54	1840	0.6	4.30	38.5	751	<1	14
E5338782		2.48	13	<1	5.57	<2	9	0.12	199	410	0.34	34.4	521	30	197
E5338783		1.85	22	<1	0.92	7	8	1.48	66	6.7	4.38	58.1	609	3	52
E5338784		0.79	16	<1	0.27	53	<1	1.45	390	1.8	5.02	8.5	556	<1	11
E5338785		4.53	16	<1	1.32	12	17	2.77	535	1.5	2.52	170	654	2	46
E5338786		0.99	11	<1	0.42	9	3	1.34	329	0.7	4.78	42.8	381	2	13
E5338787		1.70	<5	<1	0.06	4	<1	4.09	915	0.8	0.29	21.0	52	1	<10
E5338788		0.46	16	<1	0.92	24	2	0.59	299	0.6	6.62	20.5	540	3	24
E5338789		0.78	12	<1	0.37	10	3	0.99	183	0.7	4.42	34.0	403	2	<10
E5338790		1.18	<5	<1	0.03	<2	<1	2.45	619	1.1	0.08	16.7	27	3	<10
E5338791		2.82	<5	<1	0.01	2	1	8.11	1510	<0.5	0.03	57.2	50	2	<10
E5338792		4.57	<5	<1	0.08	5	<1	<0.01	117	13.4	0.01	10.0	231	160	<10
E5338793		1.76	<5	<1	<0.01	<2	<1	3.91	959	1.0	0.03	11.7	34	<1	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010	DATE RECEIVED: Aug 26, 2010						DATE REPORTED: Aug 26, 2010					SAMPLE TYPE: Rock			
Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5338794		0.55	17	<1	0.56	25	2	0.46	240	0.8	6.66	24.3	630	2	15
E5338795		9.11	9	<1	0.72	25	7	0.89	5180	1.0	1.24	194	588	15	50
E5338796		0.21	<5	<1	<0.01	<2	<1	0.04	48	0.7	0.03	3.3	<10	<1	<10
E5338797		0.36	<5	<1	0.11	4	<1	0.03	79	1.4	2.12	7.0	109	<1	<10
E5338798		3.63	<5	<1	0.07	7	1	6.93	2570	<0.5	0.75	13.9	99	2	<10
E5338799		1.16	10	<1	0.26	58	2	1.25	371	4.0	3.22	29.6	135	<1	<10
E5338800		1.78	<5	<1	0.11	41	1	4.44	881	0.7	1.60	16.0	94	1	<10
E5338801		7.30	18	<1	1.46	11	15	3.76	1550	0.7	2.19	64.7	552	6	166
E5338802		5.64	<5	<1	0.05	4	<1	<0.01	115	14.4	<0.01	12.5	225	103	<10
E5338803		0.76	<5	<1	0.32	19	4	0.38	2270	<0.5	0.95	10.5	116	<1	19
E5338804		0.93	<5	<1	0.34	14	3	0.46	2090	<0.5	1.42	11.3	171	28	14
E5338805		1.46	18	<1	0.37	<2	1	0.98	1010	0.8	6.39	106	469	3	<10
E5338806		4.36	5	<1	0.15	59	2	6.09	2860	<0.5	1.59	69.1	247	5	11
E5338807		4.58	7	<1	0.13	4	2	5.25	2930	<0.5	2.70	64.1	284	9	<10
E5338808		2.19	8	<1	0.98	10	9	1.72	1560	0.5	1.69	161	347	25	49
E5338809		0.88	<5	<1	0.48	13	4	0.43	1750	<0.5	1.01	23.2	142	4	18
E5338810		4.54	13	<1	0.26	4	3	4.81	1970	1.1	3.71	340	435	22	24
E5338811		4.78	17	<1	1.07	22	20	2.15	1260	1.0	2.20	58.9	625	9	43
E5338812		2.46	13	<1	5.88	<2	9	0.11	194	410	0.34	34.4	501	5	193
E5338813		1.84	16	<1	0.38	5	<1	1.29	459	6.4	5.51	25.3	528	1	<10
E5338814		1.31	9	<1	0.58	3	3	0.72	308	1.3	3.14	77.0	391	<1	21
E5338815		3.76	18	<1	2.27	4	10	1.39	168	1.9	2.15	56.8	569	4	70
E5338816		3.19	16	<1	2.42	<2	28	1.08	638	1.7	1.93	35.2	498	18	80
E5338817		2.95	16	<1	2.40	6	29	1.14	640	1.6	1.76	47.2	496	23	146
E5338818		3.55	17	<1	2.50	24	31	1.40	686	1.6	1.98	46.9	481	27	203
E5338819		0.65	<5	<1	0.66	6	7	0.22	89	0.5	0.47	7.1	98	4	44
E5338820		4.03	<5	<1	0.03	3	2	9.87	2310	<0.5	0.04	28.1	69	2	<10
E5338821		3.72	<5	<1	0.01	3	1	10.1	1980	<0.5	0.03	36.5	60	1	<10
E5338822		4.60	<5	<1	0.08	4	<1	<0.01	113	12.6	0.01	9.3	216	148	<10
E5338823		2.87	<5	<1	0.01	2	1	10.4	1500	<0.5	0.03	50.8	46	2	<10
E5338824		0.63	<5	<1	0.02	<2	<1	0.39	176	0.9	0.07	23.2	16	<1	<10
E5338825		0.80	11	<1	0.48	14	3	0.62	143	0.8	3.89	37.1	348	2	18

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5338826	2.15	<5	<1	0.01	<2	1	7.19	1150	<0.5	0.03	26.7	35	<1	<10
E5338827	2.40	<5	<1	0.01	<2	1	7.66	1370	<0.5	0.02	55.1	36	2	<10
E5338828	0.32	<5	<1	0.01	<2	<1	0.50	129	<0.5	0.02	4.9	<10	1	<10
E5338829	0.93	9	<1	0.45	11	1	1.53	449	0.5	4.18	20.8	340	2	28
E5338830	0.94	<5	<1	0.04	<2	<1	1.05	282	1.0	0.21	28.9	25	4	<10
E5338831	0.87	<5	<1	0.01	<2	<1	1.33	360	0.8	0.03	16.2	17	<1	<10
E5338832	5.59	<5	<1	0.05	5	<1	<0.01	112	12.9	<0.01	11.0	227	97	<10
E5338833	2.72	<5	<1	0.02	3	1	8.15	1670	<0.5	0.03	32.1	51	2	<10
E5338834	1.02	14	<1	0.53	7	6	1.53	159	<0.5	4.16	54.0	307	<1	19
E5338835	0.81	<5	<1	0.10	4	<1	0.87	189	0.8	0.48	16.0	48	5	<10
E5338836	1.71	<5	<1	0.05	2	1	4.49	917	0.5	0.10	21.6	34	2	<10
E5338837	0.56	11	<1	0.27	14	<1	0.55	197	1.1	4.90	26.8	144	<1	11
E5338838	0.44	<5	<1	0.05	<2	<1	0.27	136	0.8	0.07	10.5	12	<1	<10
E5338839	1.54	<5	<1	0.02	3	<1	4.08	755	<0.5	0.06	9.4	28	<1	<10
E5338840	1.32	<5	<1	<0.01	<2	<1	3.12	673	0.6	0.02	14.9	23	<1	<10
E5338841	3.74	<5	<1	0.12	5	1	7.64	2160	<0.5	0.84	12.8	104	2	<10
E5338842	2.31	13	<1	5.61	<2	8	0.11	185	422	0.33	34.9	473	4	187
E5338843	0.63	8	<1	0.24	17	1	1.04	401	4.2	3.18	8.9	259	<1	12
E5338844	0.43	<5	<1	0.02	<2	<1	0.36	141	1.0	0.14	9.2	21	<1	<10
E5338845	1.51	15	<1	0.28	19	<1	0.45	116	7.3	5.68	66.3	120	1	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5338762		0.219	<1	<1	<10	<5	7	<10	<10	<5	<0.01	<5	<5	2.8	<1
E5338763		0.317	<1	11	<10	<5	287	<10	<10	<5	0.37	<5	<5	124	1
E5338764		0.096	1	11	<10	<5	225	<10	<10	<5	0.38	<5	<5	126	1
E5338765		0.035	<1	2	<10	<5	210	<10	<10	<5	0.14	<5	<5	32.6	<1
E5338766		<0.005	<1	13	<10	<5	51	<10	<10	7	0.48	<5	<5	150	3
E5338767		0.219	<1	7	<10	<5	18	<10	<10	<5	0.10	<5	<5	49.3	<1
E5338768		1.36	<1	5	12	<5	15	<10	<10	<5	0.12	<5	<5	41.7	<1
E5338769		0.545	<1	7	<10	<5	25	<10	<10	<5	0.13	<5	<5	51.0	1
E5338770		6.26	<1	2	20	<5	8	<10	<10	<5	0.02	<5	<5	6.0	<1
E5338771		2.84	<1	2	27	<5	12	<10	<10	<5	<0.01	<5	<5	11.4	<1
E5338772		0.138	17	1	<10	8	54	<10	<10	<5	0.08	<5	<5	26.3	26
E5338773		1.07	<1	9	<10	<5	27	<10	<10	<5	0.02	<5	<5	18.7	<1
E5338774		0.474	<1	6	<10	<5	38	<10	<10	<5	0.24	<5	<5	68.1	1
E5338775		1.13	<1	7	<10	<5	19	<10	<10	<5	0.12	<5	<5	60.3	<1
E5338776		0.119	<1	8	<10	<5	24	<10	<10	<5	0.11	<5	<5	51.8	<1
E5338777		0.678	<1	5	<10	<5	33	<10	<10	<5	0.13	<5	<5	59.1	<1
E5338778		0.423	<1	5	<10	<5	20	<10	<10	<5	0.11	<5	<5	39.4	<1
E5338779		0.244	<1	7	<10	<5	49	<10	<10	<5	0.14	<5	<5	55.6	<1
E5338780		0.315	<1	6	<10	<5	42	<10	<10	<5	0.17	<5	<5	75.6	<1
E5338781		0.031	<1	20	<10	<5	65	<10	<10	<5	0.03	<5	<5	35.3	<1
E5338782		2.08	11	1	<10	<5	332	<10	<10	<5	0.06	<5	<5	35.3	3
E5338783		0.257	<1	10	<10	<5	33	<10	<10	<5	0.12	<5	<5	106	1
E5338784		0.026	<1	11	<10	<5	49	<10	<10	9	0.05	<5	<5	62.0	1
E5338785		0.281	<1	13	<10	<5	88	<10	<10	<5	0.35	<5	<5	126	<1
E5338786		0.177	<1	5	<10	<5	60	<10	<10	<5	0.06	<5	<5	35.7	<1
E5338787		<0.005	<1	27	<10	<5	73	<10	<10	<5	<0.01	<5	<5	34.3	<1
E5338788		<0.005	<1	6	<10	<5	34	<10	<10	<5	0.20	<5	<5	106	1
E5338789		0.021	<1	3	<10	<5	47	<10	<10	<5	0.07	<5	<5	65.4	<1
E5338790		<0.005	<1	13	<10	<5	44	<10	<10	<5	<0.01	<5	<5	18.5	<1
E5338791		<0.005	<1	85	<10	<5	126	<10	<10	<5	<0.01	<5	<5	39.3	<1
E5338792		0.211	19	2	13	11	88	<10	<10	<5	0.07	<5	<5	28.9	2
E5338793		<0.005	<1	19	<10	<5	62	<10	<10	<5	<0.01	<5	<5	24.5	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5338794		0.016	<1	3	<10	<5	32	<10	<10	<5	0.20	<5	<5	89.5	1
E5338795		0.024	<1	165	<10	<5	96	<10	<10	<5	0.11	<5	<5	146	<1
E5338796		<0.005	<1	2	<10	<5	7	<10	<10	<5	<0.01	<5	<5	1.3	<1
E5338797		0.018	<1	<1	<10	<5	14	<10	<10	<5	0.01	<5	<5	6.3	<1
E5338798		<0.005	<1	29	<10	<5	130	<10	<10	<5	<0.01	<5	<5	64.0	<1
E5338799		0.251	<1	12	<10	<5	45	<10	<10	<5	0.06	<5	<5	24.6	<1
E5338800		0.042	<1	53	<10	<5	68	<10	<10	<5	<0.01	<5	<5	28.4	<1
E5338801		0.063	1	47	<10	<5	260	<10	<10	<5	0.59	<5	<5	253	<1
E5338802		0.139	20	1	<10	8	50	<10	<10	<5	0.08	<5	<5	25.9	19
E5338803		0.096	<1	4	<10	<5	191	<10	<10	<5	0.06	<5	<5	20.6	<1
E5338804		0.069	<1	5	<10	<5	238	<10	<10	<5	0.05	<5	<5	25.8	<1
E5338805		<0.005	<1	3	<10	<5	38	<10	<10	<5	0.12	<5	<5	56.6	2
E5338806		0.142	<1	9	<10	<5	112	<10	<10	11	0.02	<5	<5	45.4	<1
E5338807		0.102	<1	7	<10	<5	87	<10	<10	<5	0.04	<5	<5	53.2	<1
E5338808		0.431	<1	3	<10	<5	125	<10	<10	5	0.05	<5	<5	27.3	1
E5338809		0.164	<1	4	<10	<5	202	<10	<10	<5	0.06	<5	<5	27.0	<1
E5338810		0.858	<1	10	<10	<5	81	<10	<10	8	0.07	<5	<5	60.1	1
E5338811		0.028	<1	13	<10	<5	155	<10	<10	<5	0.29	<5	<5	111	1
E5338812		1.99	10	1	<10	<5	259	<10	<10	<5	0.06	<5	<5	35.3	3
E5338813		0.755	<1	12	<10	<5	60	<10	<10	8	0.05	<5	<5	52.6	<1
E5338814		0.245	<1	5	<10	<5	34	<10	<10	<5	0.06	<5	<5	50.4	<1
E5338815		0.212	<1	7	<10	<5	31	<10	<10	<5	0.30	<5	<5	106	2
E5338816		0.252	<1	6	<10	<5	75	<10	<10	<5	0.30	<5	<5	88.7	3
E5338817		0.310	<1	7	<10	<5	80	<10	<10	<5	0.28	<5	<5	90.2	3
E5338818		0.452	<1	10	<10	<5	113	<10	<10	7	0.29	<5	<5	84.4	3
E5338819		0.012	<1	3	<10	<5	28	<10	<10	<5	0.05	<5	<5	20.8	<1
E5338820		<0.005	<1	53	<10	<5	171	<10	<10	<5	<0.01	<5	<5	52.1	<1
E5338821		<0.005	<1	42	<10	<5	163	<10	<10	<5	<0.01	<5	<5	63.1	<1
E5338822		0.205	18	1	12	10	96	<10	<10	<5	0.08	<5	<5	27.8	1
E5338823		<0.005	<1	157	<10	<5	160	<10	<10	<5	<0.01	<5	<5	33.5	<1
E5338824		0.033	<1	5	<10	<5	12	<10	<10	<5	<0.01	<5	<5	6.6	<1
E5338825		0.032	<1	3	<10	<5	55	<10	<10	<5	0.04	<5	<5	46.8	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5338826	<0.005	<1	96	<10	<5	113	<10	<10	<5	<0.01	<5	<5	25.7	<1	
E5338827	<0.005	<1	69	<10	<5	140	<10	<10	<5	<0.01	<5	<5	41.7	<1	
E5338828	<0.005	<1	4	<10	<5	12	<10	<10	<5	<0.01	<5	<5	9.1	<1	
E5338829	0.089	<1	8	<10	<5	67	<10	<10	<5	0.06	<5	<5	54.9	<1	
E5338830	0.171	<1	4	<10	<5	24	<10	<10	<5	<0.01	<5	<5	12.2	<1	
E5338831	<0.005	<1	7	<10	<5	26	<10	<10	<5	<0.01	<5	<5	15.0	<1	
E5338832	0.136	19	2	<10	8	54	<10	<10	<5	0.09	<5	<5	25.5	24	
E5338833	<0.005	<1	66	<10	<5	140	<10	<10	<5	<0.01	<5	<5	37.3	<1	
E5338834	0.010	<1	5	<10	<5	56	<10	<10	<5	0.05	<5	<5	75.0	<1	
E5338835	0.011	<1	10	<10	<5	21	<10	<10	<5	<0.01	<5	<5	15.3	<1	
E5338836	0.005	<1	39	<10	<5	82	<10	<10	<5	<0.01	<5	<5	22.8	<1	
E5338837	0.103	<1	4	<10	<5	41	<10	<10	<5	0.02	<5	<5	19.8	<1	
E5338838	<0.005	<1	9	<10	<5	9	<10	<10	<5	<0.01	<5	<5	5.4	<1	
E5338839	<0.005	<1	35	<10	<5	51	<10	<10	<5	<0.01	<5	<5	24.4	<1	
E5338840	<0.005	<1	38	<10	<5	54	<10	<10	<5	<0.01	<5	<5	16.9	<1	
E5338841	0.018	<1	20	<10	<5	138	<10	<10	<5	<0.01	<5	<5	54.2	<1	
E5338842	1.79	11	1	<10	<5	258	<10	<10	<5	0.06	<5	<5	34.8	3	
E5338843	0.020	<1	3	<10	<5	46	<10	<10	<5	0.03	<5	<5	23.0	<1	
E5338844	<0.005	<1	3	<10	<5	10	<10	<10	<5	<0.01	<5	<5	5.2	<1	
E5338845	1.12	<1	5	<10	<5	26	<10	<10	<5	0.03	<5	<5	16.1	<1	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
E5338762	<1	9.7	<5
E5338763	8	127	96
E5338764	9	73.4	95
E5338765	2	28.9	50
E5338766	9	49.8	137
E5338767	4	13.6	36
E5338768	4	12.8	41
E5338769	8	16.2	50
E5338770	1	6.5	10
E5338771	13	8.9	<5
E5338772	1	9.9	17
E5338773	21	34.8	8
E5338774	6	20.2	68
E5338775	4	23.5	64
E5338776	7	29.4	58
E5338777	3	21.8	55
E5338778	3	17.4	49
E5338779	6	17.9	62
E5338780	4	25.3	66
E5338781	9	9.1	67
E5338782	3	307	57
E5338783	3	16.9	119
E5338784	8	4.7	114
E5338785	8	26.2	92
E5338786	3	4.7	50
E5338787	10	3.5	8
E5338788	7	5.9	117
E5338789	3	5.6	64
E5338790	4	30.6	<5
E5338791	12	3.7	<5
E5338792	2	8.6	39
E5338793	6	4.4	<5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5
E5338794		5	4.3	120
E5338795		46	31.9	59
E5338796		<1	3.6	<5
E5338797		<1	5.4	18
E5338798		26	2.5	9
E5338799		10	3.9	55
E5338800		26	4.5	16
E5338801		20	45.7	67
E5338802		1	10.5	23
E5338803		10	3.9	31
E5338804		10	15.8	46
E5338805		5	4.4	115
E5338806		14	7.3	38
E5338807		9	5.6	64
E5338808		10	60.9	77
E5338809		10	5.3	45
E5338810		11	7.3	122
E5338811		7	43.5	76
E5338812		2	284	56
E5338813		5	6.3	116
E5338814		2	5.0	89
E5338815		2	13.0	126
E5338816		3	68.1	116
E5338817		5	80.4	125
E5338818		10	84.6	122
E5338819		2	13.1	37
E5338820		16	5.6	<5
E5338821		23	2.8	<5
E5338822		2	10.2	32
E5338823		13	6.1	<5
E5338824		<1	6.1	<5
E5338825		3	5.9	69

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
E5338826	12	4.0	<5
E5338827	17	2.5	<5
E5338828	1	3.6	<5
E5338829	5	3.8	57
E5338830	2	8.0	<5
E5338831	2	5.7	<5
E5338832	2	9.9	30
E5338833	12	4.2	<5
E5338834	3	4.8	61
E5338835	5	7.7	9
E5338836	8	6.6	<5
E5338837	2	6.6	31
E5338838	1	6.6	<5
E5338839	19	3.6	<5
E5338840	10	3.5	<5
E5338841	15	4.0	12
E5338842	3	296	52
E5338843	8	2.7	38
E5338844	1	4.0	<5
E5338845	2	3.3	42

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5338762		3.70	0.252
E5338763		2.34	0.002
E5338764		4.44	0.004
E5338765		2.70	0.009
E5338766		0.70	0.005
E5338767		2.46	0.281
E5338768		1.74	3.70
E5338769		1.24	0.756
E5338770		2.48	8.20
E5338771		0.92	9.06
E5338772		0.12	0.819
E5338773		1.48	2.78
E5338774		1.26	1.72
E5338775		2.04	3.09
E5338776		1.18	0.308
E5338777		2.40	1.06
E5338778		1.16	0.888
E5338779		3.38	0.080
E5338780		2.10	0.475
E5338781		1.58	0.004
E5338782		0.12	4.74
E5338783		1.48	0.004
E5338784		0.64	<0.001
E5338785		1.74	<0.001
E5338786		2.22	0.005
E5338787		2.02	<0.001
E5338788		1.28	0.003
E5338789		1.94	0.002
E5338790		1.62	<0.001
E5338791		2.44	<0.001
E5338792		0.12	1.01
E5338793		3.66	0.005

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5338794		2.82	0.002
E5338795		0.78	0.006
E5338796		1.50	<0.001
E5338797		1.46	0.002
E5338798		1.90	0.005
E5338799		2.68	0.155
E5338800		1.64	0.020
E5338801		2.04	0.006
E5338802		0.12	0.740
E5338803		1.20	0.003
E5338804		1.26	<0.001
E5338805		1.60	0.004
E5338806		2.62	0.008
E5338807		1.70	0.004
E5338808		1.58	0.001
E5338809		1.66	0.001
E5338810		1.96	0.014
E5338811		0.60	0.003
E5338812		0.12	4.41
E5338813		2.64	0.048
E5338814		1.78	0.008
E5338815		1.22	0.002
E5338816		3.24	0.003
E5338817		2.88	0.003
E5338818		2.90	0.002
E5338819		0.48	0.002
E5338820		3.54	<0.001
E5338821		1.34	<0.001
E5338822		0.12	1.08
E5338823		1.22	<0.001
E5338824		1.80	0.002
E5338825		0.94	0.005

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U430199

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Aug 26, 2010

DATE RECEIVED: Aug 26, 2010

DATE REPORTED: Aug 26, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5338826		0.64	<0.001
E5338827		1.02	<0.001
E5338828		1.88	<0.001
E5338829		1.68	0.004
E5338830		1.78	0.003
E5338831		2.88	<0.001
E5338832		0.12	0.799
E5338833		1.44	<0.001
E5338834		1.74	0.002
E5338835		1.12	0.013
E5338836		0.62	0.012
E5338837		1.28	0.018
E5338838		0.96	0.002
E5338839		1.26	<0.001
E5338840		1.68	0.001
E5338841		1.16	0.002
E5338842		0.12	5.17
E5338843		0.88	0.003
E5338844		0.76	0.001
E5338845		2.52	0.219

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U430199

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Aug 26, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1955222	2.78	3.07	9.9%	< 0.001	2.647	2.637	100%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1955235	0.005	0.005	0.0%	< 0.001	0.184	0.205	90%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1955247	0.005	0.002		< 0.001	0.605	0.615	98%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1955260	0.003	0.003	0.0%	< 0.001	0.958	1.002	96%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1955272	< 0.001	< 0.001	0.0%	< 0.001	2.221	2.342	95%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1955285	0.012	0.012	0.0%	< 0.001		0.031		70%	130%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	1955294	0.219	0.193	12.6%	< 0.001		0.031		70%	130%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1955211	< 0.5	< 0.5	0.0%	< 0.5	8	7	109%	90%	110%	
Al	1	1955211	0.06	0.06	0.0%	0.25				80%	120%	
As	1	1955211	< 1	1		< 1				80%	120%	
Ba	1	1955211	7	7	0.0%	< 1				80%	120%	
Be	1	1955211	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	1955211	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	1955211	0.199	0.208	4.4%	0.24	0.61	0.55	111%	80%	120%	
Cd	1	1955211	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1955211	< 1	< 1	0.0%	< 1				80%	120%	
Co	1	1955211	8.1	8.6	6.0%	< 0.5	5.6	5.0	113%	80%	120%	
Cr	1	1955211	521	560	7.2%	< 0.5				80%	120%	
Cs	1	1955211	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	1955211	39.2	40.5	3.3%	< 0.5	4788	4700	102%	90%	110%	
Fe	1	1955211	0.59	0.62	5.0%	0.18	1.46	1.55	94%	90%	110%	
Ga	1	1955211	< 5	< 5	0.0%	< 5				80%	120%	
In	1	1955211	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1955211	0.01	0.01	0.0%	0.09	2.99	2.99	100%	90%	110%	
La	1	1955211	< 2	< 2	0.0%	< 2				80%	120%	
Li	1	1955211	< 1	< 1	0.0%	< 1				80%	120%	
Mg	1	1955211	0.04	0.04	0.0%	0.15				80%	120%	
Mn	1	1955211	97	105	7.9%	< 1				80%	120%	
Mo	1	1955211	6.1	4.2		< 0.5	263	280	94%	90%	110%	
Na	1	1955211	0.03	0.03	0.0%	0.03				80%	120%	
Ni	1	1955211	10.9	11.7	7.1%	< 0.5	5	7	74%	70%	130%	
P	1	1955211	13	16	20.7%	< 10				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U430199

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Aug 26, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Pb	1	1955211	3	3	0.0%	< 1	22	30	72%	70%	130%
Rb	1	1955211	< 10	< 10	0.0%	< 10				80%	120%
S	1	1955211	0.219	0.226	3.1%	< 0.005				80%	120%
Sb	1	1955211	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	1955211	< 1	< 1	0.0%	< 1				80%	120%
Se	1	1955211	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	1955211	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1955211	7	8	13.3%	< 1	338	390	87%	80%	120%
Ta	1	1955211	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1955211	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1955211	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	1955211	< 0.01	< 0.01	0.0%	0.01				80%	120%
Tl	1	1955211	< 5	< 5	0.0%	< 5				80%	120%
U	1	1955211	< 5	< 5	0.0%	< 5				80%	120%
V	1	1955211	2.8	3.3	16.4%	< 0.5				80%	120%
W	1	1955211	< 1	< 1	0.0%	< 1				80%	120%
Y	1	1955211	< 1	< 1	0.0%	< 1				80%	120%
Zn	1	1955211	9.73	10.5	7.6%	< 0.5	28	32	89%	80%	120%
Zr	1	1955211	< 5	< 5	0.0%	< 5				80%	120%
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	1955235	0.7	0.7	0.0%	0.5				80%	120%
Al	1	1955235	3.98	3.84	3.6%	0.34				80%	120%
As	1	1955235	5	6	18.2%	< 1				80%	120%
Ba	1	1955235	62	59	5.0%	< 1				80%	120%
Be	1	1955235	0.7	0.8	13.3%	< 0.5				80%	120%
Bi	1	1955235	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	1955235	1.43	1.44	0.7%	0.20				80%	120%
Cd	1	1955235	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	1955235	18	18	0.0%	< 1				80%	120%
Co	1	1955235	50.8	49.4	2.8%	< 0.5				80%	120%
Cr	1	1955235	194	192	1.0%	< 0.5				80%	120%
Cs	1	1955235	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	1955235	1.5	2.7		< 0.5				80%	120%
Fe	1	1955235	0.99	0.99	0.0%	0.32				80%	120%
Ga	1	1955235	11	12	8.7%	< 5				80%	120%
In	1	1955235	< 1	< 1	0.0%	< 1				80%	120%
K	1	1955235	0.416	0.415	0.2%	0.04				80%	120%
La	1	1955235	9	9	0.0%	< 2				80%	120%
Li	1	1955235	3	2		< 1				80%	120%
Mg	1	1955235	1.34	1.34	0.0%	0.15				80%	120%
Mn	1	1955235	329	325	1.2%	< 1				80%	120%
Mo	1	1955235	0.65	0.63	3.1%	< 0.5	305	280	109%	90%	110%
Na	1	1955235	4.78	4.74	0.8%	0.25				80%	120%
Ni	1	1955235	42.8	41.1	4.1%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U430199

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Aug 26, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
P	1	1955235	381	367	3.7%	< 10				80%	120%	
Pb	1	1955235	2	< 1		< 1	63	58	108%	90%	110%	
Rb	1	1955235	13	11	16.7%	< 10				80%	120%	
S	1	1955235	0.177	0.169	4.6%	< 0.005				80%	120%	
Sb	1	1955235	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	1955235	5	6	18.2%	< 1				80%	120%	
Se	1	1955235	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	1955235	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	1955235	60	57	5.1%	< 1				80%	120%	
Ta	1	1955235	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	1955235	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	1955235	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	1955235	0.057	0.054	5.4%	0.02				80%	120%	
Tl	1	1955235	< 5	< 5	0.0%	< 5				80%	120%	
U	1	1955235	< 5	< 5	0.0%	< 5				80%	120%	
V	1	1955235	35.7	34.7	2.8%	< 0.5				80%	120%	
W	1	1955235	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	1955235	3	4	28.6%	< 1				80%	120%	
Zn	1	1955235	4.67	3.72	22.6%	< 0.5				80%	120%	
Zr	1	1955235	50	53	5.8%	< 5				80%	120%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1955260	0.66	0.60	9.5%	< 0.5	7	7	103%	90%	110%	
Al	1	1955260	5.38	5.07	5.9%	0.07				80%	120%	
As	1	1955260	8	7	13.3%	< 1				80%	120%	
Ba	1	1955260	388	387	0.3%	< 1				80%	120%	
Be	1	1955260	0.9	0.9	0.0%	< 0.5				80%	120%	
Bi	1	1955260	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	1955260	1.05	1.02	2.9%	0.45	0.49	0.55	89%	80%	120%	
Cd	1	1955260	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1955260	50	42	17.4%	< 1				80%	120%	
Co	1	1955260	22.4	22.6	0.9%	< 0.5	6.3	5.0	126%	70%	130%	
Cr	1	1955260	269	269	0.0%	< 0.5				80%	120%	
Cs	1	1955260	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	1955260	3.4	2.3		< 0.5	4753	4700	101%	90%	110%	
Fe	1	1955260	4.78	4.79	0.2%	0.20	1.3	1.55	84%	80%	120%	
Ga	1	1955260	17	17	0.0%	< 5				80%	120%	
In	1	1955260	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1955260	1.07	1.05	1.9%	< 0.01	2.65	2.99	89%	80%	120%	
La	1	1955260	22	18	20.0%	< 2				80%	120%	
Li	1	1955260	20	20	0.0%	< 1				80%	120%	
Mg	1	1955260	2.15	2.12	1.4%	0.27				80%	120%	
Mn	1	1955260	1260	1280	1.6%	< 1				80%	120%	
Mo	1	1955260	1.0	1.0	0.0%	< 0.5				80%	120%	
Na	1	1955260	2.20	2.20	0.0%	0.08				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U430199

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Aug 26, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Ni	1	1955260	58.9	59.2	0.5%	< 0.5	6	7	81%	80%	120%
P	1	1955260	625	611	2.3%	< 10				80%	120%
Pb	1	1955260	9	7	25.0%	< 1	25	30	83%	80%	120%
Rb	1	1955260	43	33	26.3%	< 10				80%	120%
S	1	1955260	0.0281	0.0310	9.8%	< 0.005				80%	120%
Sb	1	1955260	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	1955260	13	13	0.0%	< 1				80%	120%
Se	1	1955260	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	1955260	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1955260	155	155	0.0%	< 1				80%	120%
Ta	1	1955260	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1955260	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1955260	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	1955260	0.294	0.300	2.0%	0.01				80%	120%
Tl	1	1955260	< 5	< 5	0.0%	< 5				80%	120%
U	1	1955260	< 5	< 5	0.0%	< 5				80%	120%
V	1	1955260	111	113	1.8%	< 0.5				80%	120%
W	1	1955260	1	1	0.0%	< 1				80%	120%
Y	1	1955260	7	6	15.4%	< 1				80%	120%
Zn	1	1955260	43.5	45.5	4.5%	< 0.5	29	32	92%	90%	110%
Zr	1	1955260	76	76	0.0%	< 5				80%	120%
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	1955285	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Al	1	1955285	0.17	0.16	6.1%	< 0.01				80%	120%
As	1	1955285	1	1	0.0%	< 1				80%	120%
Ba	1	1955285	8	8	0.0%	< 1				80%	120%
Be	1	1955285	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	1955285	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	1955285	8.45	7.88	7.0%	< 0.01				80%	120%
Cd	1	1955285	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	1955285	4	4	0.0%	< 1				80%	120%
Co	1	1955285	4.1	4.1	0.0%	< 0.5				80%	120%
Cr	1	1955285	295	295	0.0%	< 0.5				80%	120%
Cs	1	1955285	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	1955285	5.91	5.74	2.9%	< 0.5				80%	120%
Fe	1	1955285	1.71	1.60	6.6%	< 0.01				80%	120%
Ga	1	1955285	< 5	< 5	0.0%	< 5				80%	120%
In	1	1955285	< 1	< 1	0.0%	< 1				80%	120%
K	1	1955285	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	1955285	2	2	0.0%	< 2				80%	120%
Li	1	1955285	1	1	0.0%	< 1				80%	120%
Mg	1	1955285	4.49	4.19	6.9%	< 0.01				80%	120%
Mn	1	1955285	917	887	3.3%	< 1				80%	120%
Mo	1	1955285	0.5	0.5	0.0%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U430199

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Aug 26, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Na	1	1955285	0.099	0.092	7.3%	< 0.01				80%	120%	
Ni	1	1955285	21.6	21.4	0.9%	< 0.5				80%	120%	
P	1	1955285	34	30	12.5%	< 10				80%	120%	
Pb	1	1955285	2	2	0.0%	< 1	54	58	94%	90%	110%	
Rb	1	1955285	< 10	< 10	0.0%	< 10				80%	120%	
S	1	1955285	0.005	< 0.005		< 0.005				80%	120%	
Sb	1	1955285	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	1955285	39	37	5.3%	< 1				80%	120%	
Se	1	1955285	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	1955285	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	1955285	82	80	2.5%	< 1				80%	120%	
Ta	1	1955285	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	1955285	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	1955285	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	1955285	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Tl	1	1955285	< 5	< 5	0.0%	< 5				80%	120%	
U	1	1955285	< 5	< 5	0.0%	< 5				80%	120%	
V	1	1955285	22.8	21.4	6.3%	< 0.5				80%	120%	
W	1	1955285	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	1955285	8	8	0.0%	< 1				80%	120%	
Zn	1	1955285	6.61	7.35	10.6%	< 0.5				80%	120%	
Zr	1	1955285	< 5	< 5	0.0%	< 5				80%	120%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1955294	0.6	0.6	0.0%	< 0.5				80%	120%	
Al	1	1955294	2.54	2.33	8.6%	< 0.01				80%	120%	
As	1	1955294	8	8	0.0%	< 1				80%	120%	
Ba	1	1955294	22	20	9.5%	< 1				80%	120%	
Be	1	1955294	0.5	0.5	0.0%	< 0.5				80%	120%	
Bi	1	1955294	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	1955294	0.733	0.779	6.1%	< 0.01				80%	120%	
Cd	1	1955294	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1955294	46	38	19.0%	< 1				80%	120%	
Co	1	1955294	135	125	7.7%	< 0.5				80%	120%	
Cr	1	1955294	206	145		< 0.5				80%	120%	
Cs	1	1955294	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	1955294	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Fe	1	1955294	1.51	1.50	0.7%	< 0.01				80%	120%	
Ga	1	1955294	15	15	0.0%	< 5				80%	120%	
In	1	1955294	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1955294	0.275	0.256	7.2%	< 0.01				80%	120%	
La	1	1955294	19	15	23.5%	< 2				80%	120%	
Li	1	1955294	< 1	< 1	0.0%	< 1				80%	120%	
Mg	1	1955294	0.446	0.433	3.0%	< 0.01				80%	120%	
Mn	1	1955294	116	106	9.0%	< 1				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U430199

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Aug 26, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Mo	1	1955294	7.3	7.3	0.0%	< 0.5			80%	120%	
Na	1	1955294	5.68	5.77	1.6%	< 0.01			80%	120%	
Ni	1	1955294	66.3	61.7	7.2%	< 0.5			80%	120%	
P	1	1955294	120	116	3.4%	< 10			80%	120%	
Pb	1	1955294	1	2		< 1			80%	120%	
Rb	1	1955294	< 10	< 10	0.0%	< 10			80%	120%	
S	1	1955294	1.12	1.14	1.8%	< 0.005			80%	120%	
Sb	1	1955294	< 1	< 1	0.0%	< 1			80%	120%	
Sc	1	1955294	5	5	0.0%	< 1			80%	120%	
Se	1	1955294	< 10	< 10	0.0%	< 10			80%	120%	
Sn	1	1955294	< 5	< 5	0.0%	< 5			80%	120%	
Sr	1	1955294	26	25	3.9%	< 1			80%	120%	
Ta	1	1955294	< 10	< 10	0.0%	< 10			80%	120%	
Te	1	1955294	< 10	< 10	0.0%	< 10			80%	120%	
Th	1	1955294	< 5	< 5	0.0%	< 5			80%	120%	
Ti	1	1955294	0.03	0.03	0.0%	< 0.01			80%	120%	
Tl	1	1955294	< 5	< 5	0.0%	< 5			80%	120%	
U	1	1955294	< 5	< 5	0.0%	< 5			80%	120%	
V	1	1955294	16.1	13.7	16.1%	< 0.5			80%	120%	
W	1	1955294	< 1	< 1	0.0%	< 1			80%	120%	
Y	1	1955294	2	2	0.0%	< 1			80%	120%	
Zn	1	1955294	3.26	3.20	1.9%	< 0.5			80%	120%	
Zr	1	1955294	42	38	10.0%	< 5			80%	120%	

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U430199

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Cu			AA
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U436122

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Sep 17, 2010

PAGES (INCLUDING COVER): 18

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010		DATE RECEIVED: Sep 16, 2010					DATE REPORTED: Sep 17, 2010					SAMPLE TYPE: Soil			
Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	
Sample Description															
E5338846	4.04	<0.5	4.91	12	81	1.8	<1	0.40	<0.5	28	8.1	136	<0.5	<0.5	
E5338847	4.48	<0.5	5.20	12	81	2.0	<1	0.56	<0.5	35	17.2	212	<0.5	31.4	
E5338848	5.86	<0.5	4.71	10	72	1.8	<1	0.51	<0.5	27	11.9	194	<0.5	21.3	
E5338849	3.50	0.6	5.10	17	87	2.2	<1	0.51	<0.5	32	15.1	223	<0.5	38.9	
E5338850	3.56	1.0	0.20	3	13	<0.5	<1	0.18	<0.5	<1	25.0	357	<0.5	1840	
E5338851	3.72	<0.5	1.36	8	119	<0.5	<1	0.62	1.1	4	33.6	264	<0.5	253	
E5338852	0.10	3.7	5.09	18	684	1.0	2	0.79	<0.5	<1	7.5	31.3	<0.5	38.6	
E5338853	2.72	<0.5	0.34	2	39	<0.5	<1	0.30	<0.5	<1	110	536	<0.5	499	
E5338854	2.32	3.1	1.49	9	100	<0.5	4	1.22	0.8	7	71.4	504	<0.5	3500	
E5338855	5.44	<0.5	1.61	7	107	<0.5	<1	1.55	0.7	5	22.4	603	<0.5	123	
E5338856	3.04	<0.5	0.37	3	34	<0.5	<1	0.31	<0.5	2	53.1	355	<0.5	366	
E5338857	2.66	<0.5	3.85	16	22	0.6	<1	9.91	<0.5	9	87.4	64.3	<0.5	<0.5	
E5338858	1.22	<0.5	5.04	10	499	2.7	<1	1.64	<0.5	29	34.0	413	<0.5	93.2	
E5338859	1.74	<0.5	4.77	8	569	3.0	<1	0.58	<0.5	24	24.4	295	<0.5	43.4	
E5105893	0.94	<0.5	4.34	14	725	2.4	<1	0.53	<0.5	15	14.7	469	<0.5	26.0	
E5105894	3.12	<0.5	2.50	20	103	<0.5	<1	4.21	<0.5	10	23.0	344	<0.5	90.8	
E5105895	1.94	<0.5	6.07	38	249	2.0	<1	1.20	<0.5	6	37.4	246	<0.5	34.6	
E5105896	0.10	3.7	0.44	228	540	0.6	74	0.01	<0.5	6	4.0	33.8	<0.5	84.8	
E5105897	2.16	<0.5	0.40	3	8	<0.5	<1	0.10	<0.5	<1	2.4	806	<0.5	5.2	
E5105898	2.70	0.5	5.00	10	446	2.7	<1	0.48	<0.5	21	23.7	344	<0.5	25.4	
E5105899	2.42	<0.5	4.66	15	558	3.6	<1	1.37	<0.5	20	20.5	149	<0.5	<0.5	
E5105900	1.46	<0.5	1.04	95	203	<0.5	<1	0.04	<0.5	1	9.7	301	<0.5	42.9	
E5105901	3.02	<0.5	0.61	330	153	<0.5	<1	0.12	<0.5	<1	10.8	565	<0.5	17.4	
E5105902	1.24	<0.5	1.03	158	175	<0.5	<1	0.05	<0.5	2	10.4	294	<0.5	51.9	
E5105903	1.24	<0.5	5.53	18	447	3.8	<1	2.49	<0.5	8	38.7	151	<0.5	133	
E5105904	1.96	<0.5	0.50	295	71	<0.5	<1	0.22	<0.5	<1	12.4	620	<0.5	8.8	
E5105905	1.26	0.6	0.30	7	52	<0.5	<1	0.07	<0.5	<1	5.1	663	<0.5	40.8	
E5105906	0.10	2.7	0.44	135	396	0.5	97	0.01	<0.5	7	4.5	35.3	<0.5	57.4	
E5105907	0.78	0.5	2.63	20	26	0.6	<1	0.50	<0.5	29	74.2	241	<0.5	<0.5	
E5105908	0.74	0.7	3.55	14	38	1.5	<1	0.31	<0.5	25	38.9	274	<0.5	1.8	
E5105909	1.52	<0.5	4.21	8	371	2.2	<1	0.08	<0.5	11	17.5	293	<0.5	6.9	
E5105610	2.46	<0.5	2.93	13	102	<0.5	<1	11.9	<0.5	38	3.8	128	<0.5	<0.5	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010		DATE RECEIVED: Sep 16, 2010				DATE REPORTED: Sep 17, 2010				SAMPLE TYPE: Soil				
Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
E5105611	2.14	<0.5	6.40	8	645	3.5	<1	0.92	<0.5	27	42.1	217	<0.5	71.8
E5105612	2.06	0.6	6.24	11	714	2.9	<1	0.11	<0.5	13	16.0	245	<0.5	<0.5
E5105613	3.10	<0.5	5.94	135	273	2.4	<1	5.20	2.4	14	44.0	175	<0.5	595
E5105614	2.22	<0.5	6.89	10	26	<0.5	1	0.19	<0.5	<1	7.6	185	<0.5	8.7
E5105615	1.60	<0.5	7.14	40	274	1.2	<1	6.09	0.6	5	36.9	268	<0.5	41.9
E5105616	0.10	3.0	3.92	20	945	0.9	<1	0.72	<0.5	<1	7.9	29.5	<0.5	39.2
E5105617	0.74	<0.5	3.22	6	128	0.6	<1	0.14	<0.5	3	4.6	436	<0.5	<0.5
E5105618	1.02	<0.5	7.31	12	574	4.7	<1	0.37	<0.5	10	22.2	232	<0.5	<0.5
E5105619	1.16	<0.5	6.71	8	595	3.6	<1	0.77	<0.5	1	15.9	249	<0.5	29.3
E5105620	1.70	<0.5	7.79	9	634	4.7	<1	0.84	<0.5	9	14.5	232	<0.5	3.2
E5105621	2.28	<0.5	6.84	8	765	4.5	<1	0.62	<0.5	7	13.8	208	<0.5	<0.5
E5105622	3.06	<0.5	6.35	10	947	3.4	<1	0.31	<0.5	1	17.5	237	<0.5	<0.5
E5105623	1.38	<0.5	7.16	8	717	4.1	<1	0.39	<0.5	5	18.0	218	<0.5	<0.5
E5105624	1.58	<0.5	6.45	13	499	3.8	<1	0.78	<0.5	22	20.8	238	<0.5	<0.5
E5105625	2.18	<0.5	5.49	38	77	1.3	<1	0.10	<0.5	<1	11.2	226	<0.5	<0.5
E5105626	0.10	2.8	0.44	131	403	0.5	97	0.01	<0.5	5	4.1	33.0	<0.5	56.7
E5105627	1.12	<0.5	0.90	5	22	<0.5	<1	0.68	<0.5	<1	5.9	605	<0.5	1.2
E5105628	0.86	<0.5	4.61	5	467	2.3	<1	0.20	<0.5	3	11.4	286	<0.5	<0.5
E5105629	1.34	<0.5	6.46	42	493	2.1	<1	0.20	<0.5	2	11.9	378	<0.5	<0.5
E5105630	2.90	<0.5	0.05	3	4	<0.5	<1	0.02	<0.5	<1	1.2	509	<0.5	2.6
E5105631	1.88	<0.5	3.91	7	386	1.8	<1	0.08	<0.5	13	9.6	256	<0.5	17.5
E5105632	1.08	<0.5	4.37	6	260	1.8	<1	0.16	<0.5	6	10.2	238	<0.5	11.9
E5105633	0.70	0.5	4.28	7	354	2.0	<1	0.12	<0.5	7	14.8	243	<0.5	27.7

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Soil

Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5338846	5.40	12	1	0.22	16	6	1.26	298	<0.5	3.58	44.5	611	7	<10
E5338847	7.86	13	10	0.23	19	7	1.79	415	1.4	3.21	114	730	26	<10
E5338848	6.77	13	7	0.20	15	6	1.55	383	1.5	3.23	124	687	10	<10
E5338849	8.00	16	5	0.25	18	7	1.64	455	1.2	3.35	133	729	13	<10
E5338850	1.16	<5	<1	0.04	<2	<1	0.11	104	1.9	0.03	19.2	<10	6	<10
E5338851	1.85	<5	4	0.52	3	7	0.62	266	1.5	0.10	17.0	113	15	18
E5338852	2.66	10	<1	5.83	<2	9	0.13	191	452	0.35	33.7	561	22	283
E5338853	2.56	<5	<1	0.15	<2	1	0.11	112	2.6	0.02	40.6	58	6	<10
E5338854	3.82	<5	5	0.43	5	6	1.11	474	2.7	0.24	79.2	<10	15	15
E5338855	2.32	<5	2	0.77	4	5	0.97	592	4.1	0.38	20.1	171	12	24
E5338856	2.34	<5	<1	0.14	<2	1	0.10	88	2.0	0.07	29.1	76	10	<10
E5338857	4.96	<5	<1	0.22	5	1	4.56	1720	1.8	3.81	66.6	504	5	<10
E5338858	4.80	9	5	1.69	16	19	2.23	1020	4.2	2.05	116	713	29	103
E5338859	3.91	11	<1	1.84	14	23	1.68	703	1.8	2.22	85.4	732	34	148
E5105893	3.55	8	<1	1.95	9	18	1.29	547	3.9	2.08	37.6	571	19	142
E5105894	3.56	<5	<1	0.26	7	8	1.45	1050	1.1	0.42	34.5	177	13	21
E5105895	6.91	<5	<1	0.52	4	20	3.68	1580	<0.5	1.61	102	430	8	30
E5105896	5.89	<5	5	0.05	4	<1	0.01	101	16.7	<0.01	11.1	256	98	<10
E5105897	0.79	<5	<1	0.02	<2	<1	0.10	143	1.3	0.23	9.3	42	2	<10
E5105898	3.71	6	1	1.27	13	19	1.77	717	4.3	2.82	88.4	606	30	106
E5105899	4.98	10	<1	1.46	13	13	0.68	851	2.2	2.02	4.3	719	11	116
E5105900	1.60	<5	3	0.38	2	3	0.25	136	0.8	0.06	10.8	122	6	21
E5105901	0.95	<5	<1	0.28	<2	2	0.09	119	2.3	0.04	8.0	66	4	15
E5105902	1.56	<5	<1	0.36	2	3	0.27	154	1.4	0.07	8.4	123	20	23
E5105903	7.57	<5	<1	0.98	8	17	1.83	1240	2.3	1.71	14.4	508	10	44
E5105904	1.21	<5	<1	0.15	<2	1	0.18	195	3.3	0.01	9.5	48	3	<10
E5105905	1.39	<5	<1	0.09	<2	<1	0.08	117	2.7	0.04	6.6	67	21	<10
E5105906	4.79	<5	<1	0.08	6	<1	<0.01	100	15.6	<0.01	8.6	257	159	<10
E5105907	3.40	<5	3	0.40	18	2	0.32	80	1.8	2.03	87.0	205	3	10
E5105908	1.92	12	2	0.56	15	3	0.43	50	3.6	4.45	52.9	424	2	33
E5105909	2.61	11	<1	1.74	8	7	1.01	134	0.8	1.94	23.6	430	5	127
E5105610	2.61	<5	2	0.37	18	2	6.22	1020	1.2	2.02	15.0	351	2	25

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010		DATE RECEIVED: Sep 16, 2010					DATE REPORTED: Sep 17, 2010					SAMPLE TYPE: Soil			
Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5105611		4.41	15	<1	1.96	17	18	1.53	785	2.6	2.54	82.3	428	8	111
E5105612		4.21	19	<1	3.50	8	26	1.45	330	<0.5	0.69	76.2	420	7	289
E5105613		5.82	<5	9	1.04	10	23	3.26	1170	0.5	1.11	78.6	443	32	133
E5105614		10.3	<5	8	0.09	<2	33	6.78	1880	<0.5	0.02	109	222	9	<10
E5105615		6.12	<5	5	1.27	4	28	4.25	1500	1.3	1.09	132	293	9	154
E5105616		2.52	10	<1	5.20	<2	9	0.12	180	440	0.33	34.5	542	20	238
E5105617		1.21	<5	2	1.08	3	10	0.48	180	2.2	1.28	16.4	117	2	39
E5105618		2.59	9	<1	2.51	7	37	1.21	516	<0.5	3.59	46.9	479	7	128
E5105619		4.10	15	7	1.23	4	22	1.29	534	2.0	2.76	26.4	473	12	76
E5105620		3.86	14	<1	1.36	7	19	1.26	558	2.6	3.73	18.8	423	12	87
E5105621		3.81	18	8	1.58	7	20	1.28	578	1.8	3.81	16.2	426	10	83
E5105622		3.83	19	6	2.49	3	18	1.29	641	1.5	2.13	38.2	496	9	161
E5105623		4.17	14	7	2.09	4	18	1.32	588	1.2	3.01	37.5	391	9	112
E5105624		4.25	14	4	1.38	13	19	1.33	668	3.3	2.49	57.2	480	13	74
E5105625		1.67	11	<1	0.58	<2	3	0.58	42	1.9	4.52	28.2	517	2	18
E5105626		4.66	<5	<1	0.08	5	<1	<0.01	101	14.9	<0.01	8.6	240	154	<10
E5105627		1.04	<5	3	0.07	<2	2	0.55	227	2.3	0.09	19.3	43	2	<10
E5105628		3.03	10	<1	1.84	3	9	0.91	481	1.6	1.11	16.7	358	9	153
E5105629		5.03	10	1	1.81	2	27	2.52	914	1.5	1.68	88.1	699	14	84
E5105630		0.40	<5	<1	0.01	<2	<1	0.02	40	2.8	0.01	5.9	16	5	<10
E5105631		2.41	8	<1	1.96	8	11	0.79	244	3.4	0.50	14.5	339	21	154
E5105632		2.94	7	<1	1.06	4	10	0.93	394	2.6	1.97	13.0	358	14	75
E5105633		2.97	7	<1	1.59	5	11	0.95	457	1.9	1.21	22.7	306	12	132

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010	DATE RECEIVED: Sep 16, 2010						DATE REPORTED: Sep 17, 2010					SAMPLE TYPE: Soil			
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5338846		0.024	<1	3	<10	<5	51	<10	<5	0.11	<5	<5	112	6	
E5338847		0.444	<1	4	<10	<5	48	12	<10	<5	<5	<5	151	7	
E5338848		0.204	<1	3	<10	<5	43	10	<10	7	0.10	<5	<5	140	7
E5338849		0.291	<1	3	<10	<5	47	<10	<10	<5	0.12	<5	<5	162	7
E5338850		0.629	2	<1	<10	<5	6	<10	<10	<5	<0.01	<5	<5	33.1	<1
E5338851		0.110	<1	7	<10	<5	13	<10	<10	<5	0.08	<5	<5	173	<1
E5338852		2.30	<1	1	<10	<5	264	<10	<10	<5	0.06	<5	<5	71.9	2
E5338853		1.99	<1	2	<10	<5	5	<10	<10	<5	0.03	<5	<5	73.6	<1
E5338854		1.77	<1	6	<10	<5	14	<10	<10	5	0.06	<5	<5	142	2
E5338855		0.335	<1	9	<10	<5	19	<10	<10	6	0.12	<5	<5	280	<1
E5338856		1.03	<1	2	<10	<5	9	<10	<10	<5	0.03	<5	<5	46.1	<1
E5338857		1.20	<1	6	<10	<5	69	<10	<10	15	0.03	7	<5	109	<1
E5338858		0.940	<1	13	<10	<5	166	<10	<10	14	0.34	<5	<5	267	2
E5338859		0.421	<1	10	<10	<5	127	<10	<10	13	0.34	<5	<5	225	2
E5105893		0.120	<1	8	<10	<5	163	<10	<10	8	0.29	<5	<5	178	1
E5105894		0.313	<1	14	<10	<5	36	<10	<10	6	0.09	<5	<5	218	<1
E5105895		<0.005	<1	30	<10	<5	55	<10	<10	10	0.35	<5	<5	452	2
E5105896		0.147	13	2	13	<5	55	<10	<10	<5	0.11	<5	<5	52.1	17
E5105897		<0.005	6	<1	<10	<5	3	<10	<10	<5	0.02	<5	<5	19.7	<1
E5105898		0.393	<1	9	<10	<5	138	<10	<10	12	0.34	<5	<5	191	1
E5105899		0.109	<1	15	<10	<5	149	<10	<10	<5	0.55	<5	<5	221	<1
E5105900		0.126	<1	6	<10	<5	5	<10	<10	<5	0.10	<5	<5	117	1
E5105901		0.039	3	3	<10	<5	5	<10	<10	<5	0.05	<5	<5	55.3	<1
E5105902		0.059	<1	5	<10	<5	7	<10	<10	<5	0.08	<5	<5	108	<1
E5105903		0.520	<1	33	<10	<5	76	<10	13	6	0.69	<5	<5	1170	2
E5105904		0.051	4	2	<10	<5	5	<10	<10	<5	0.02	<5	<5	56.9	<1
E5105905		0.084	5	2	<10	<5	4	<10	<10	<5	0.04	<5	<5	58.4	<1
E5105906		0.220	14	2	14	7	97	<10	<10	<5	0.11	<5	<5	57.6	1
E5105907		3.49	<1	3	<10	<5	23	<10	<10	<5	0.02	<5	<5	53.5	<1
E5105908		1.56	<1	3	<10	<5	32	<10	<10	9	0.07	<5	<5	111	1
E5105909		0.323	<1	6	<10	<5	45	<10	<10	12	0.11	<5	<5	130	2
E5105610		<0.005	<1	19	<10	<5	152	<10	<10	18	0.03	8	<5	296	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010	DATE RECEIVED: Sep 16, 2010					DATE REPORTED: Sep 17, 2010					SAMPLE TYPE: Soil				
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5105611		0.232	<1	13	<10	<5	53	<10	<10	9	0.49	<5	<5	304	1
E5105612		<0.005	<1	10	<10	<5	49	<10	<10	11	0.17	<5	<5	284	2
E5105613		1.13	<1	32	<10	<5	85	<10	<10	12	0.44	<5	<5	509	2
E5105614		<0.005	<1	18	<10	<5	3	12	<10	10	0.01	<5	<5	596	3
E5105615		0.009	<1	31	<10	<5	71	12	<10	12	0.20	<5	<5	379	1
E5105616		2.17	2	1	<10	<5	319	<10	<10	<5	0.06	<5	<5	73.1	2
E5105617		<0.005	<1	5	<10	<5	53	<10	<10	<5	0.05	<5	<5	82.1	1
E5105618		<0.005	<1	12	<10	<5	143	<10	<10	11	0.41	<5	<5	226	1
E5105619		<0.005	<1	12	<10	<5	102	<10	<10	9	0.37	<5	<5	266	2
E5105620		0.024	<1	13	<10	<5	126	<10	<10	10	0.42	<5	<5	276	2
E5105621		0.048	<1	11	<10	<5	105	<10	<10	9	0.47	<5	<5	301	2
E5105622		0.016	<1	12	<10	<5	56	<10	<10	10	0.40	<5	<5	300	2
E5105623		<0.005	<1	10	<10	<5	74	<10	<10	7	0.50	<5	<5	289	1
E5105624		<0.005	<1	12	<10	<5	100	<10	<10	10	0.41	<5	<5	278	2
E5105625		0.128	<1	8	<10	<5	45	<10	<10	8	0.12	<5	<5	92.5	1
E5105626		0.228	15	2	15	6	87	<10	<10	<5	0.10	<5	<5	55.0	2
E5105627		<0.005	2	6	<10	<5	14	<10	<10	<5	0.04	<5	<5	68.7	<1
E5105628		0.005	<1	8	<10	<5	37	<10	<10	8	0.31	<5	<5	178	2
E5105629		<0.005	<1	13	<10	<5	38	<10	<10	13	0.29	<5	<5	292	2
E5105630		<0.005	6	<1	<10	<5	1	<10	<10	<5	<0.01	<5	<5	2.2	<1
E5105631		0.099	<1	7	<10	<5	17	<10	<10	9	0.15	<5	<5	132	1
E5105632		0.065	<1	7	<10	<5	59	<10	<10	8	0.24	<5	<5	144	<1
E5105633		0.138	<1	7	<10	<5	33	<10	<10	8	0.26	<5	<5	156	1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
RDL:		1	0.5	5
E5338846		4	13.7	79
E5338847		5	23.1	74
E5338848		4	19.6	67
E5338849		5	23.1	76
E5338850		1	50.5	<5
E5338851		3	243	16
E5338852		4	288	56
E5338853		1	34.9	<5
E5338854		4	110	14
E5338855		5	104	21
E5338856		1	10.7	7
E5338857		8	2.7	90
E5338858		12	91.6	101
E5338859		9	66.3	111
E5105893		7	60.0	89
E5105894		7	38.7	18
E5105895		12	81.7	50
E5105896		3	10.1	67
E5105897		<1	9.2	6
E5105898		11	57.3	103
E5105899		17	54.1	115
E5105900		2	15.8	18
E5105901		1	10.6	10
E5105902		3	42.0	15
E5105903		14	75.4	68
E5105904		1	13.8	<5
E5105905		1	30.3	<5
E5105906		2	8.6	64
E5105907		4	3.3	97
E5105908		6	2.4	143
E5105909		4	10.0	122
E5105610		26	6.3	53

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
E5105611	6	48.5	94
E5105612	4	54.0	114
E5105613	15	157	70
E5105614	1	110	9
E5105615	9	76.5	29
E5105616	3	284	56
E5105617	2	17.4	30
E5105618	5	44.3	133
E5105619	4	52.9	90
E5105620	5	50.0	102
E5105621	4	53.3	110
E5105622	4	58.9	98
E5105623	3	57.3	102
E5105624	5	65.7	91
E5105625	3	1.7	92
E5105626	2	8.6	60
E5105627	2	10.3	<5
E5105628	5	42.1	94
E5105629	5	87.4	110
E5105630	<1	4.7	<5
E5105631	4	31.6	79
E5105632	5	33.4	70
E5105633	5	40.2	73

Comments: RDL - Reported Detection Limit
 Some samples exhibit coarse gold effect.

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (201055)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Au	Pd	Pt
	Unit:	ppm	ppm	ppm
RDL:		0.001	0.001	0.005
E5338858		0.014	<0.001	<0.005
E5338859		0.003	<0.001	<0.005
E5105893		0.047	<0.001	0.006
E5105898		0.003	<0.001	<0.005
E5105899		0.085	<0.001	<0.005
E5105903		2.43	0.002	0.005
E5105612		0.002	0.001	<0.005
E5105613		0.023	0.006	<0.005
E5105614		<0.001	<0.001	<0.005
E5105620		<0.001	0.001	0.005
E5105621		0.007	0.005	0.006
E5105622		0.004	0.003	<0.005
E5105623		0.002	<0.001	0.006
E5105624		0.001	0.002	<0.005
E5105631		0.003	<0.001	<0.005
E5105632		0.011	<0.001	<0.005
E5105633		0.117	<0.001	<0.005

Comments: RDL - Reported Detection Limit
 Some samples exhibit coarse gold effect.

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Soil

Analyte:	Au	Au Assay (+) Fraction	Au Assay (-) Fraction	Metallic Gold	Minus (-) Fraction Weight	Plus (+) Fraction Weight
Unit:	ppm	g/t	g/t	g/t	g	g
Sample Description	RDL:	0.001	0.01	0.01	0.01	0.01
E5338846		0.715				
E5338847		1.00				
E5338848		0.514				
E5338849		0.721				
E5338850		1.41				
E5338851		0.221				
E5338852		5.39				
E5338853		0.657				
E5338854		>10	66.428	8.919	14.06	400.52
E5338855		2.79				39.33
E5338856		0.501				
E5338857		0.031				
E5105894		1.23				
E5105895		0.003				
E5105896		0.763				
E5105897		0.007				
E5105900		2.18				
E5105901		1.94				
E5105902		2.74				
E5105904		0.225				
E5105905		>10	91.254	24.947	33.63	271.54
E5105906		1.12				40.94
E5105907		0.199				
E5105908		0.055				
E5105909		0.019				
E5105610		0.052				
E5105611		0.021				
E5105615		0.091				
E5105616		4.33				
E5105617		<0.001				
E5105618		0.001				

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436122

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Soil

Analyte:	Au	Au Assay (+) Fraction	Au Assay (-) Fraction	Metallic Gold	Minus (-) Fraction Weight	Plus (+) Fraction Weight
Unit:	ppm	g/t	g/t	g/t	g	g
Sample Description	RDL:	0.001	0.01	0.01	0.01	0.01
E5105619		0.017				
E5105625		0.007				
E5105626		0.998				
E5105627		0.001				
E5105628		<0.001				
E5105629		<0.001				
E5105630		<0.001				

Comments: RDL - Reported Detection Limit
 Some samples exhibit coarse gold effect.

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436122

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Sep 17, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1996584	0.98	0.93	5.2%	< 0.5				80%	120%	
Al	1	1996584	0.20	0.19	5.1%	< 0.01				80%	120%	
As	1	1996584	3	3	0.0%	< 1				80%	120%	
Ba	1	1996584	13	13	0.0%	< 1				80%	120%	
Be	1	1996584	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	1996584	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	1996584	0.18	0.18	0.0%	< 0.01				80%	120%	
Cd	1	1996584	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1996584	< 1	< 1	0.0%	< 1				80%	120%	
Co	1	1996584	25.0	24.2	3.3%	< 0.5				80%	120%	
Cr	1	1996584	357	341	4.6%	< 0.5				80%	120%	
Cs	1	1996584	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	1996584	1840	1810	1.6%	< 0.5				80%	120%	
Fe	1	1996584	1.16	1.12	3.5%	< 0.01				80%	120%	
Ga	1	1996584	< 5	< 5	0.0%	< 5				80%	120%	
In	1	1996584	< 1	1		< 1				80%	120%	
K	1	1996584	0.04	0.04	0.0%	< 0.01				80%	120%	
La	1	1996584	< 2	< 2	0.0%	< 2				80%	120%	
Li	1	1996584	< 1	< 1	0.0%	< 1				80%	120%	
Mg	1	1996584	0.11	0.11	0.0%	< 0.01				80%	120%	
Mn	1	1996584	104	103	1.0%	< 1				80%	120%	
Mo	1	1996584	1.86	1.57	16.9%	< 0.5				80%	120%	
Na	1	1996584	0.03	0.03	0.0%	< 0.01				80%	120%	
Ni	1	1996584	19.2	19.9	3.6%	< 0.5				80%	120%	
P	1	1996584	< 10	< 10	0.0%	< 10				80%	120%	
Pb	1	1996584	6	5	18.2%	2	63	58	108%	90%	110%	
Rb	1	1996584	< 10	< 10	0.0%	< 10				80%	120%	
S	1	1996584	0.629	0.638	1.4%	< 0.005				80%	120%	
Sb	1	1996584	2	2	0.0%	< 1				80%	120%	
Sc	1	1996584	< 1	< 1	0.0%	< 1				80%	120%	
Se	1	1996584	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	1996584	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	1996584	6	6	0.0%	< 1				80%	120%	
Ta	1	1996584	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	1996584	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	1996584	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	1996584	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Tl	1	1996584	< 5	< 5	0.0%	< 5				80%	120%	
U	1	1996584	< 5	< 5	0.0%	< 5				80%	120%	
V	1	1996584	33.1	32.7	1.2%	< 0.5				80%	120%	
W	1	1996584	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	1996584	1	1	0.0%	< 1				80%	120%	
Zn	1	1996584	50.5	45.1	11.3%	< 0.5				80%	120%	
Zr	1	1996584	< 5	< 5	0.0%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436122

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Sep 17, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	1996609	0.7	< 0.5		< 0.5	7	7	105%	90%	110%
Al	1	1996609	3.55	3.37	5.2%	< 0.01				80%	120%
As	1	1996609	14	15	6.9%	< 1				80%	120%
Ba	1	1996609	38	38	0.0%	< 1				80%	120%
Be	1	1996609	1.48	1.57	5.9%	< 0.5				80%	120%
Bi	1	1996609	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	1996609	0.31	0.31	0.0%	< 0.01	0.66	0.55	121%	70%	130%
Cd	1	1996609	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	1996609	25	24	4.1%	< 1				80%	120%
Co	1	1996609	38.9	41.4	6.2%	< 0.5	6.3	5.0	126%	70%	130%
Cr	1	1996609	274	243	12.0%	< 0.5				80%	120%
Cs	1	1996609	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	1996609	1.8	3.5		< 0.5	4797	4700	102%	90%	110%
Fe	1	1996609	1.92	1.80	6.5%	< 0.01	1.47	1.55	95%	90%	110%
Ga	1	1996609	12	13	8.0%	< 5				80%	120%
In	1	1996609	2	< 1		< 1				80%	120%
K	1	1996609	0.56	0.56	0.0%	< 0.01	2.92	2.99	98%	90%	110%
La	1	1996609	15	15	0.0%	< 2				80%	120%
Li	1	1996609	3	3	0.0%	< 1				80%	120%
Mg	1	1996609	0.43	0.42	2.4%	< 0.01				80%	120%
Mn	1	1996609	50	49	2.0%	< 1				80%	120%
Mo	1	1996609	3.6	4.3	17.7%	< 0.5	345	280	123%	70%	130%
Na	1	1996609	4.45	4.36	2.0%	< 0.01				80%	120%
Ni	1	1996609	52.9	54.5	3.0%	< 0.5	5	7	77%	70%	130%
P	1	1996609	424	424	0.0%	< 10				80%	120%
Pb	1	1996609	2	2	0.0%	2	27	30	91%	90%	110%
Rb	1	1996609	33	35	5.9%	< 10				80%	120%
S	1	1996609	1.56	1.48	5.3%	< 0.005				80%	120%
Sb	1	1996609	< 1	< 1	0.0%	1				80%	120%
Sc	1	1996609	3	4	28.6%	< 1				80%	120%
Se	1	1996609	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	1996609	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	1996609	32	33	3.1%	< 1	379	390	97%	90%	110%
Ta	1	1996609	< 10	< 10	0.0%	< 10				80%	120%
Te	1	1996609	< 10	< 10	0.0%	< 10				80%	120%
Th	1	1996609	9	8	11.8%	< 5				80%	120%
Ti	1	1996609	0.07	0.07	0.0%	< 0.01				80%	120%
Tl	1	1996609	< 5	< 5	0.0%	< 5				80%	120%
U	1	1996609	< 5	< 5	0.0%	< 5				80%	120%
V	1	1996609	111	115	3.5%	< 0.5				80%	120%
W	1	1996609	1	1	0.0%	< 1				80%	120%
Y	1	1996609	6	7	15.4%	< 1				80%	120%
Zn	1	1996609	2.4	2.2	8.7%	< 0.5	24	32	74%	70%	130%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436122

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Sep 17, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Zr	1	1996609	143	148	3.4%	< 5			80%	120%	
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	1996635	0.5	< 0.5		< 0.5			80%	120%	
Al	1	1996635	4.28	4.49	4.8%	< 0.01			80%	120%	
As	1	1996635	7	6	15.4%	< 1			80%	120%	
Ba	1	1996635	354	365	3.1%	< 1			80%	120%	
Be	1	1996635	1.97	1.89	4.1%	< 0.5			80%	120%	
Bi	1	1996635	< 1	< 1	0.0%	< 1			80%	120%	
Ca	1	1996635	0.12	0.13	8.0%	< 0.01			80%	120%	
Cd	1	1996635	< 0.5	< 0.5	0.0%	< 0.5			80%	120%	
Ce	1	1996635	7	9	25.0%	< 1			80%	120%	
Co	1	1996635	14.8	12.9	13.7%	< 0.5			80%	120%	
Cr	1	1996635	243	254	4.4%	< 0.5			80%	120%	
Cs	1	1996635	< 0.5	< 0.5	0.0%	< 0.5			80%	120%	
Cu	1	1996635	27.7	29.5	6.3%	< 0.5			80%	120%	
Fe	1	1996635	2.97	2.98	0.3%	< 0.01			80%	120%	
Ga	1	1996635	7	8	13.3%	< 5			80%	120%	
In	1	1996635	< 1	1		< 1			80%	120%	
K	1	1996635	1.59	1.60	0.6%	< 0.01			80%	120%	
La	1	1996635	5	6	18.2%	< 2			80%	120%	
Li	1	1996635	11	11	0.0%	< 1			80%	120%	
Mg	1	1996635	0.945	0.936	1.0%	< 0.01			80%	120%	
Mn	1	1996635	457	469	2.6%	< 1			80%	120%	
Mo	1	1996635	1.91	1.42	29.4%	< 0.5			80%	120%	
Na	1	1996635	1.21	1.19	1.7%	< 0.01			80%	120%	
Ni	1	1996635	22.7	22.5	0.9%	< 0.5			80%	120%	
P	1	1996635	306	296	3.3%	< 10			80%	120%	
Pb	1	1996635	12	12	0.0%	< 1	62	58	107%	90%	110%
Rb	1	1996635	132	148	11.4%	< 10			80%	120%	
S	1	1996635	0.138	0.135	2.2%	< 0.005			80%	120%	
Sb	1	1996635	< 1	< 1	0.0%	< 1			80%	120%	
Sc	1	1996635	7	8	13.3%	< 1			80%	120%	
Se	1	1996635	< 10	< 10	0.0%	< 10			80%	120%	
Sn	1	1996635	< 5	< 5	0.0%	< 5			80%	120%	
Sr	1	1996635	33	34	3.0%	< 1			80%	120%	
Ta	1	1996635	< 10	< 10	0.0%	< 10			80%	120%	
Te	1	1996635	< 10	< 10	0.0%	< 10			80%	120%	
Th	1	1996635	8	8	0.0%	< 5			80%	120%	
Ti	1	1996635	0.26	0.25	3.9%	< 0.01			80%	120%	
Tl	1	1996635	< 5	< 5	0.0%	< 5			80%	120%	
U	1	1996635	< 5	< 5	0.0%	< 5			80%	120%	
V	1	1996635	156	157	0.6%	< 0.5			80%	120%	
W	1	1996635	1	1	0.0%	< 1			80%	120%	
Y	1	1996635	5	6	18.2%	< 1			80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436122

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Sep 17, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
									Lower	Upper		
Zn	1	1996635	40.2	41.9	4.1%	< 0.5			80%	120%		
Zr	1	1996635	73	74	1.4%	< 5			80%	120%		
Fire Assay - Trace Au, ICP-OES finish (201052)												
Au	1	1996584	1.41	0.373		< 0.001	0.336	0.321	105%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052)												
Au	1	1996603	2.74	0.707		< 0.001	0.188	0.205	92%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052)												
Au	1	1996609	0.055	0.049	11.5%	< 0.001	0.553	0.615	90%	90%	110%	
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (201055)												
Au	1	1996623	0.004	0.004	0.0%	< 0.001	0.336	0.321	105%	90%	110%	
Pd	1	1996623	0.003	0.002		< 0.001	0.034	0.037	92%	90%	110%	
Pt	1	1996623	0.0042	0.0051	19.4%	< 0.005	0.085	0.090	94%	90%	110%	
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (201055)												
Au	1	1996635	0.117	0.055		< 0.001		0.031	70%	130%		
Pd	1	1996635	< 0.001	< 0.001	0.0%	< 0.001		0.036	70%	130%		
Pt	1	1996635	< 0.005	< 0.005	0.0%	< 0.005		0.052	70%	130%		

Certified By: _____

Ron Cardinal

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436122

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight			BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Pd	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436122

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Pt	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES
Au Assay (+) Fraction	MIN-200-12004		ICP/OES
Au Assay (-) Fraction	MIN-200-12004		ICP/OES
Metallic Gold	MIN-200-12004		ICP/OES
Minus (-) Fraction Weight	MIN-200-12004		ICP/OES
Plus (+) Fraction Weight	MIN-200-12004		ICP/OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U436132

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Sep 17, 2010

PAGES (INCLUDING COVER): 12

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U436132

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010		DATE RECEIVED: Sep 16, 2010					DATE REPORTED: Sep 17, 2010					SAMPLE TYPE: Rock			
Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	
Sample Description															
55877	3.76	<0.5	7.44	2	135	<0.5	<1	7.68	<0.5	16	55.4	632	1.6	711	
55878	5.66	1.0	8.24	<1	507	0.7	<1	5.95	<0.5	40	57.3	74.6	1.5	42.0	
55879	7.64	0.5	7.21	1	107	<0.5	<1	8.01	<0.5	10	49.3	809	1.1	888	
55880	6.78	<0.5	7.35	6	123	<0.5	<1	7.26	<0.5	10	49.9	638	0.6	612	
55881	6.00	2.9	7.07	1	54	<0.5	<1	8.12	0.6	8	140	696	0.7	7720	
55882	4.12	1.9	6.89	1	71	<0.5	<1	8.18	0.6	9	131	815	0.8	6100	
55883	4.72	1.7	7.28	1	84	<0.5	<1	8.27	0.5	10	131	825	0.9	5650	
55884	4.48	1.9	7.25	<1	78	<0.5	<1	8.21	0.5	11	137	782	0.9	5750	
55885	5.12	2.2	7.89	2	112	<0.5	<1	8.61	1.3	9	137	942	0.9	6140	
55886	5.12	<0.5	8.02	2	84	<0.5	<1	9.14	<0.5	10	53.9	916	1.1	545	
55887	4.22	<0.5	7.80	<1	66	<0.5	<1	9.04	<0.5	9	45.3	1030	1.0	195	
55888	3.90	1.9	3.68	38	73	1.1	<1	0.23	<0.5	13	65.6	235	0.7	61.6	
55889	5.24	1.0	2.88	416	34	<0.5	12	0.11	<0.5	51	1010	577	<0.5	139	
55890	5.64	0.6	4.35	9	43	1.0	<1	0.26	<0.5	25	97.2	460	<0.5	33.5	
55891	4.22	0.6	4.72	44	52	0.7	3	1.22	<0.5	10	126	427	<0.5	45.7	
55892	3.18	0.9	3.73	99	34	0.6	9	0.15	<0.5	12	484	344	<0.5	96.2	
55893	2.58	0.7	3.35	121	31	<0.5	19	0.17	<0.5	18	521	449	<0.5	434	
55894	2.36	0.7	4.74	81	23	0.6	7	0.17	<0.5	22	343	434	<0.5	252	
55895	3.96	1.0	5.16	298	38	0.7	11	0.18	<0.5	20	253	423	<0.5	163	
55896	4.08	1.2	4.37	204	25	0.6	21	0.14	<0.5	12	701	288	<0.5	97.1	
E5105634	0.10	4.6	0.44	219	464	<0.5	74	0.01	<0.5	9	4.0	30.2	<0.5	84.5	
E5105635	2.50	0.7	3.30	52	26	0.6	4	0.20	<0.5	22	252	423	<0.5	63.6	
E5105636	3.00	<0.5	3.48	90	46	0.6	2	0.25	<0.5	23	185	579	1.4	117	
E5105637	3.16	0.6	4.12	199	72	0.9	5	0.17	<0.5	22	421	397	1.4	125	
E5105638	3.28	0.8	4.92	24	67	1.3	<1	0.15	<0.5	22	47.4	332	1.2	25.9	
E5105639	3.16	0.8	4.20	24	44	1.0	<1	0.12	<0.5	11	58.1	270	0.9	57.1	
E5105640	2.60	<0.5	4.36	75	84	1.0	<1	0.13	<0.5	82	18.6	393	2.2	33.5	
E5105641	5.20	1.0	2.48	227	17	<0.5	13	0.24	<0.5	23	2190	464	<0.5	1370	
E5105642	4.50	0.9	3.21	159	31	<0.5	9	0.21	<0.5	19	616	434	<0.5	191	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436132

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010	DATE RECEIVED: Sep 16, 2010						DATE REPORTED: Sep 17, 2010					SAMPLE TYPE: Rock			
Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	
55877	6.82	17	<1	0.81	7	11	4.75	2250	1.3	1.45	437	243	14	31	
55878	11.1	25	<1	0.68	16	9	3.93	2820	1.0	2.28	72.7	2380	5	11	
55879	6.66	12	<1	0.66	5	15	5.17	2290	0.6	1.23	555	171	13	20	
55880	7.45	14	<1	0.77	4	19	5.22	2460	0.7	1.76	382	175	13	19	
55881	9.29	13	<1	0.26	4	6	4.87	2110	1.0	1.10	2990	158	11	<10	
55882	8.84	13	<1	0.28	4	6	4.97	2200	1.2	1.14	3400	162	11	<10	
55883	8.08	15	<1	0.32	4	8	4.83	2140	1.3	1.16	3000	187	12	12	
55884	8.10	15	<1	0.30	5	7	4.73	2050	1.3	1.12	3110	190	10	12	
55885	8.82	15	<1	0.48	4	13	5.28	2220	1.5	1.26	2950	182	69	22	
55886	6.48	16	<1	0.41	4	9	5.24	2110	1.1	1.18	436	183	12	16	
55887	6.12	15	<1	0.32	4	7	5.29	2110	1.0	1.15	210	165	7	12	
55888	2.40	16	<1	0.56	5	6	1.14	64	2.5	4.22	66.1	668	3	18	
55889	19.0	9	<1	0.26	30	3	0.59	<1	6.3	2.05	814	345	12	<10	
55890	2.74	19	<1	0.35	10	9	1.64	105	4.5	3.43	59.9	934	3	11	
55891	3.70	16	<1	0.34	5	3	1.17	238	3.9	4.44	117	451	8	<10	
55892	7.41	13	<1	0.25	6	2	0.49	6	4.9	3.85	290	672	10	<10	
55893	9.16	12	<1	0.24	8	2	0.57	6	5.5	3.52	373	766	19	<10	
55894	7.14	17	<1	0.19	11	3	1.30	65	7.4	3.68	192	729	11	<10	
55895	7.60	17	<1	0.32	10	4	1.07	48	7.1	4.12	174	680	15	<10	
55896	12.1	14	<1	0.23	6	3	1.13	21	3.5	3.31	618	557	16	<10	
E5105634	5.84	<5	<1	0.05	4	<1	<0.01	117	14.1	<0.01	10.2	112	93	<10	
E5105635	6.24	18	<1	0.31	11	4	1.37	74	3.1	3.20	237	1040	6	13	
E5105636	7.77	18	<1	0.54	10	6	2.11	114	4.3	1.91	298	1240	6	46	
E5105637	7.92	20	<1	0.68	10	6	1.57	72	3.8	3.30	196	1060	13	50	
E5105638	1.72	24	<1	0.80	53	6	0.75	66	2.4	6.36	36.0	712	5	39	
E5105639	1.85	21	<1	0.57	4	4	0.49	28	2.5	6.82	35.8	693	5	19	
E5105640	2.94	23	<1	1.00	39	6	0.96	59	2.5	5.16	31.1	540	4	57	
E5105641	20.8	9	<1	0.15	11	3	1.27	<1	5.2	1.31	516	936	15	<10	
E5105642	12.8	14	<1	0.30	9	6	1.59	48	4.2	2.67	395	990	15	<10	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436132

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010	DATE RECEIVED: Sep 16, 2010					DATE REPORTED: Sep 17, 2010					SAMPLE TYPE: Rock				
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
55877	0.277	<1	43	<10	<5	161	<10	<10	<5	0.33	<5	<5	230	<1	
55878	0.089	<1	25	<10	<5	513	<10	<10	<5	1.73	<5	<5	299	<1	
55879	0.377	<1	35	<10	<5	131	<10	<10	<5	0.30	<5	<5	232	<1	
55880	0.188	<1	39	<10	<5	137	<10	<10	<5	0.30	<5	<5	234	<1	
55881	2.32	<1	39	11	<5	116	<10	<10	<5	0.29	<5	<5	226	<1	
55882	2.09	<1	39	<10	<5	113	<10	<10	<5	0.31	<5	<5	234	<1	
55883	1.79	<1	41	<10	<5	136	<10	<10	<5	0.31	<5	<5	222	<1	
55884	1.80	<1	41	<10	<5	129	<10	<10	<5	0.29	<5	<5	209	1	
55885	1.88	<1	44	<10	<5	202	<10	<10	<5	0.26	<5	<5	228	<1	
55886	0.188	<1	47	<10	<5	182	<10	<10	<5	0.30	<5	<5	233	<1	
55887	0.077	<1	45	<10	<5	132	<10	<10	<5	0.29	<5	<5	234	<1	
55888	1.11	<1	6	<10	<5	56	<10	<10	6	0.14	<5	<5	64.3	2	
55889	>10	1	12	35	<5	24	<10	<10	<5	0.07	<5	<5	34.9	7	
55890	0.734	<1	9	<10	<5	36	<10	<10	8	0.17	<5	<5	67.2	3	
55891	2.32	<1	7	<10	<5	69	<10	<10	<5	0.07	<5	<5	53.8	4	
55892	7.50	<1	3	12	<5	49	<10	<10	<5	0.03	<5	<5	23.5	6	
55893	9.38	1	3	16	<5	39	<10	<10	<5	0.03	<5	<5	22.4	4	
55894	5.73	<1	5	12	<5	47	<10	<10	<5	0.04	<5	<5	36.6	4	
55895	4.19	2	5	21	<5	55	<10	<10	<5	0.07	<5	<5	40.7	3	
55896	>10	1	5	24	<5	50	<10	<10	<5	0.08	<5	<5	40.4	2	
E5105634	0.140	21	1	<10	9	56	<10	<10	<5	0.07	<5	<5	28.2	12	
E5105635	4.48	<1	6	12	<5	33	<10	<10	<5	0.14	<5	<5	97.5	2	
E5105636	4.74	<1	6	12	<5	20	<10	<10	6	0.17	<5	<5	179	3	
E5105637	4.46	2	5	15	<5	41	<10	<10	7	0.20	<5	<5	150	2	
E5105638	0.256	<1	4	<10	<5	48	<10	<10	7	0.29	<5	5	102	<1	
E5105639	0.460	<1	2	<10	<5	39	<10	<10	<5	0.27	<5	<5	78.5	<1	
E5105640	0.217	<1	5	<10	<5	44	<10	<10	5	0.31	<5	<5	117	<1	
E5105641	>10	2	4	48	<5	21	<10	<10	<5	0.04	<5	<5	23.9	1	
E5105642	>10	2	5	24	<5	36	<10	<10	<5	0.09	<5	<5	39.2	1	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436132

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
55877	15	94.6	48
55878	32	149	164
55879	11	93.5	38
55880	12	117	41
55881	10	69.7	32
55882	12	81.1	36
55883	13	78.3	38
55884	13	67.8	38
55885	12	160	33
55886	13	77.7	37
55887	12	73.8	36
55888	8	7.0	152
55889	5	9.5	72
55890	19	7.9	112
55891	4	13.6	62
55892	3	6.5	71
55893	3	7.3	48
55894	4	8.4	66
55895	5	8.6	82
55896	5	7.9	83
E5105634	1	9.7	23
E5105635	6	10.4	100
E5105636	8	15.2	88
E5105637	7	13.9	119
E5105638	11	8.6	160
E5105639	3	5.0	144
E5105640	5	8.9	150
E5105641	4	15.1	36
E5105642	6	10.5	73

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436132

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (201055)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Rock

Analyte:	Au	Pd	Pt
Unit:	ppm	ppm	ppm
Sample Description RDL:	0.001	0.001	0.005
55877	0.045	0.356	0.054
55878	0.004	<0.001	<0.005
55879	0.063	0.744	0.101
55880	0.206	0.292	0.041
55881	0.308	3.66	0.567
55882	0.235	3.07	0.425
55883	0.220	2.50	0.347
55884	0.202	2.32	0.333
55885	0.237	2.29	0.379
55886	0.015	0.255	0.047
55887	0.006	0.061	0.016

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U436132

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052)

DATE SAMPLED: Sep 17, 2010

DATE RECEIVED: Sep 16, 2010

DATE REPORTED: Sep 17, 2010

SAMPLE TYPE: Rock

Analyte:	Au
Unit:	ppm
Sample Description RDL:	0.001

55888	0.017
55889	0.142
55890	0.010
55891	0.063
55892	0.121
55893	0.275
55894	0.148
55895	0.168
55896	0.168
E5105634	0.763
E5105635	0.055
E5105636	0.044
E5105637	0.078
E5105638	0.008
E5105639	0.008
E5105640	0.018
E5105641	0.504
E5105642	0.131

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436132

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Sep 17, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (201055)												
Au	1		6.26	4.83	25.8%	< 0.001	8.278	8.685	95%	90%	110%	
Pd	1		0.005	< 0.001		< 0.001		0.036		70%	130%	
Pt	1		< 0.005	< 0.005	0.0%	< 0.005		0.052		70%	130%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1996677	< 0.5	< 0.5	0.0%	< 0.5	8	7	109%	90%	110%	
Al	1	1996677	7.44	7.36	1.1%	< 0.01				80%	120%	
As	1	1996677	2	1		< 1				80%	120%	
Ba	1	1996677	135	139	2.9%	< 1				80%	120%	
Be	1	1996677	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	1996677	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	1996677	7.68	7.48	2.6%	< 0.01	0.59	0.55	108%	90%	110%	
Cd	1	1996677	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1996677	16	16	0.0%	< 1				80%	120%	
Co	1	1996677	55.4	51.7	6.9%	< 0.5	6.3	5.0	127%	70%	130%	
Cr	1	1996677	632	638	0.9%	3.3				80%	120%	
Cs	1	1996677	1.6	1.6	0.0%	< 0.5				80%	120%	
Cu	1	1996677	711	696	2.1%	< 0.5	4428	4700	94%	90%	110%	
Fe	1	1996677	6.82	6.61	3.1%	< 0.01	1.52	1.55	98%	90%	110%	
Ga	1	1996677	17	17	0.0%	< 5				80%	120%	
In	1	1996677	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1996677	0.813	0.827	1.7%	< 0.01	2.93	2.99	98%	90%	110%	
La	1	1996677	7	7	0.0%	< 2				80%	120%	
Li	1	1996677	11	11	0.0%	< 1				80%	120%	
Mg	1	1996677	4.75	4.63	2.6%	< 0.01				80%	120%	
Mn	1	1996677	2250	2220	1.3%	< 1				80%	120%	
Mo	1	1996677	1.3	1.2	8.0%	< 0.5				80%	120%	
Na	1	1996677	1.45	1.45	0.0%	< 0.01				80%	120%	
Ni	1	1996677	437	430	1.6%	< 0.5	6	7	87%	80%	120%	
P	1	1996677	243	235	3.3%	< 10				80%	120%	
Pb	1	1996677	14	13	7.4%	1	27	30	91%	90%	110%	
Rb	1	1996677	31	33	6.3%	< 10				80%	120%	
S	1	1996677	0.277	0.267	3.7%	< 0.005				80%	120%	
Sb	1	1996677	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	1996677	43	42	2.4%	< 1				80%	120%	
Se	1	1996677	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	1996677	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	1996677	161	160	0.6%	< 1	406	390	104%	90%	110%	
Ta	1	1996677	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	1996677	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	1996677	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	1996677	0.332	0.325	2.1%	< 0.01				80%	120%	
Tl	1	1996677	< 5	< 5	0.0%	< 5				80%	120%	
U	1	1996677	< 5	< 5	0.0%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436132

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Sep 17, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
V	1	1996677	230	234	1.7%	0.7				80%	120%	
W	1	1996677	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	1996677	15	15	0.0%	< 1				80%	120%	
Zn	1	1996677	94.6	101	6.5%	< 0.5	31	32	96%	90%	110%	
Zr	1	1996677	48	55	13.6%	< 5				80%	120%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	1996701	0.8	0.8	0.0%	< 0.5				80%	120%	
Al	1	1996701	4.92	3.70	28.3%	< 0.01				80%	120%	
As	1	1996701	24	27	11.8%	< 1				80%	120%	
Ba	1	1996701	67	59	12.7%	< 1				80%	120%	
Be	1	1996701	1.3	1.1	16.7%	< 0.5				80%	120%	
Bi	1	1996701	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	1996701	0.146	0.130	11.6%	< 0.01				80%	120%	
Cd	1	1996701	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	1996701	90	57		< 1				80%	120%	
Co	1	1996701	47.4	44.4	6.5%	< 0.5				80%	120%	
Cr	1	1996701	332	336	1.2%	< 0.5				80%	120%	
Cs	1	1996701	1.2	1.2	0.0%	< 0.5				80%	120%	
Cu	1	1996701	25.9	25.4	1.9%	< 0.5				80%	120%	
Fe	1	1996701	1.72	1.65	4.2%	< 0.01				80%	120%	
Ga	1	1996701	24	24	0.0%	< 5				80%	120%	
In	1	1996701	< 1	< 1	0.0%	< 1				80%	120%	
K	1	1996701	0.80	0.77	3.8%	< 0.01				80%	120%	
La	1	1996701	53	40	28.0%	< 2				80%	120%	
Li	1	1996701	6	5	18.2%	< 1				80%	120%	
Mg	1	1996701	0.747	0.669	11.0%	< 0.01				80%	120%	
Mn	1	1996701	66	57	14.6%	< 1				80%	120%	
Mo	1	1996701	2.4	2.4	0.0%	< 0.5				80%	120%	
Na	1	1996701	6.36	6.28	1.3%	< 0.01				80%	120%	
Ni	1	1996701	36.0	34.9	3.1%	< 0.5				80%	120%	
P	1	1996701	712	700	1.7%	< 10				80%	120%	
Pb	1	1996701	5	4	22.2%	< 1				80%	120%	
Rb	1	1996701	39	25		< 10				80%	120%	
S	1	1996701	0.256	0.249	2.8%	< 0.005				80%	120%	
Sb	1	1996701	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	1996701	4	3	28.6%	< 1				80%	120%	
Se	1	1996701	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	1996701	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	1996701	48	40	18.2%	< 1				80%	120%	
Ta	1	1996701	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	1996701	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	1996701	7	< 5		< 5				80%	120%	
Ti	1	1996701	0.293	0.327	11.0%	< 0.01				80%	120%	
Tl	1	1996701	< 5	< 5	0.0%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436132

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Sep 17, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
U	1	1996701	5	< 5		< 5			80%	120%		
V	1	1996701	102	102	0.0%	< 0.5			80%	120%		
W	1	1996701	< 1	< 1	0.0%	< 1			80%	120%		
Y	1	1996701	11	7		< 1			80%	120%		
Zn	1	1996701	8.6	8.4	2.4%	< 0.5			80%	120%		
Zr	1	1996701	160	155	3.2%	< 5			80%	120%		
Fire Assay - Trace Au, ICP-OES finish (201052)												
Au	1	1996688	0.0172	0.0176	2.3%	< 0.001	8.278	8.685	95%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052)												
Au	1	1996701	0.008	0.007	13.3%	< 0.001	0.32	0.321	100%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052)												
Au	1					< 0.001	1.05	1.08	98%	90%	110%	

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436132

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight			BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Pd	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U436132

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Pt	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U439196

SOLID ANALYSIS REVIEWED BY: Andrew Rams, Senior Analyst (M.Sc. Biology)

DATE REPORTED: Sep 29, 2010

PAGES (INCLUDING COVER): 7

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U439196

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 29, 2010

DATE RECEIVED: Sep 30, 2010

DATE REPORTED: Sep 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5105657		<0.5	4.22	8	208	1.4	<1	0.39	<0.5	22	22.6	204	<0.5	3.6	3.76
E5105658		<0.5	4.63	8	86	1.4	<1	0.31	<0.5	88	34.5	208	<0.5	19.0	2.59
E5105659		0.5	5.54	6	155	1.6	<1	0.22	<0.5	9	34.0	310	<0.5	15.7	4.59
E5105910		<0.5	5.17	4	315	2.0	<1	0.16	<0.5	14	33.4	349	<0.5	7.9	5.90
E5105911		<0.5	4.13	12	21	<0.5	<1	5.39	<0.5	7	23.1	196	<0.5	15.8	2.16
E5105912		<0.5	0.67	69	21	<0.5	5	16.8	<0.5	23	279	92.4	<0.5	9.5	5.97
E5105913		0.8	2.84	658	61	<0.5	10	1.22	3.0	29	2030	123	<0.5	27.8	16.0
E5105914		<0.5	2.58	32	24	<0.5	<1	12.4	<0.5	24	256	132	<0.5	<0.5	5.03
E5105915		<0.5	1.45	47	22	<0.5	4	16.6	<0.5	30	310	76.9	<0.5	3.5	5.97
E5105916		0.5	3.37	9	125	0.9	22	0.93	<0.5	44	66.9	316	<0.5	4190	4.34
E5105917		<0.5	4.55	9	146	1.1	49	0.30	<0.5	52	57.7	259	<0.5	9400	5.16
E5105918		<0.5	4.95	10	150	1.5	17	6.39	1.4	103	24.1	211	<0.5	3190	3.35
Sample Description	Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
	Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105657		14	4	0.84	14	13	2.16	867	<0.5	2.35	55.6	522	6	22	0.042
E5105658		15	<1	0.65	49	9	1.62	399	<0.5	3.94	40.3	562	6	16	0.106
E5105659		15	4	1.17	4	16	2.69	473	<0.5	2.31	75.7	596	7	40	0.026
E5105910		21	7	1.47	6	17	3.21	720	<0.5	1.35	97.2	672	8	75	0.035
E5105911		12	<1	0.29	2	2	2.83	1390	<0.5	3.17	42.5	499	4	14	0.162
E5105912		<5	7	0.11	5	4	8.42	3760	<0.5	0.33	230	156	8	<10	1.30
E5105913		15	21	0.45	2	3	0.92	1120	<0.5	2.37	1020	613	25	<10	>10
E5105914		9	8	0.31	8	6	6.61	3260	<0.5	1.57	193	378	6	13	1.72
E5105915		5	6	0.22	9	5	8.48	3840	<0.5	0.80	241	246	8	<10	2.17
E5105916		10	6	0.41	21	9	1.71	431	<0.5	1.95	60.1	70	10	18	1.79
E5105917		13	5	0.52	25	12	2.37	458	<0.5	2.26	65.6	<10	2	21	1.38
E5105918		14	5	0.48	54	10	2.22	926	<0.5	2.45	49.8	233	7	30	0.418

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U439196

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 29, 2010		DATE RECEIVED: Sep 30, 2010				DATE REPORTED: Sep 29, 2010				SAMPLE TYPE: Rock					
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	1	1	10	5	1	10	5	0.01	5	5	0.5	1	1	
E5105657		9	8	<10	<5	74	<10	<10	29	0.24	<5	124	85.5	2	5
E5105658		6	6	<10	<5	85	<10	<10	27	0.18	<5	90	62.6	6	3
E5105659		11	9	<10	<5	84	24	<10	35	0.25	<5	166	84.2	7	6
E5105910		12	12	<10	<5	47	17	<10	41	0.30	<5	213	130	5	5
E5105911		5	7	<10	<5	45	<10	<10	33	0.06	<5	76	52.3	7	7
E5105912		4	20	<10	<5	151	15	<10	44	<0.01	<5	269	86.4	1	13
E5105913		3	4	<10	<5	21	42	<10	38	0.03	<5	694	45.8	4	6
E5105914		5	11	<10	<5	103	13	<10	44	0.06	<5	206	82.1	2	10
E5105915		5	17	<10	<5	139	16	<10	43	0.02	<5	240	96.6	1	17
E5105916		9	7	<10	<5	66	12	<10	27	0.16	<5	143	66.2	9	10
E5105917		9	9	<10	<5	62	18	<10	33	0.18	<5	155	85.8	21	7
E5105918		7	23	<10	<5	86	<10	<10	30	0.18	<5	116	77.5	8	49

Analyte:	Zn	Zr	
Unit:	ppm	ppm	
Sample Description	RDL:	0.5	5
E5105657	51.5	70	
E5105658	22.0	92	
E5105659	27.6	96	
E5105910	36.8	98	
E5105911	6.1	76	
E5105912	13.6	19	
E5105913	9.0	74	
E5105914	9.9	57	
E5105915	11.4	31	
E5105916	44.5	50	
E5105917	36.3	58	
E5105918	233	60	

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U439196

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Sep 29, 2010

DATE RECEIVED: Sep 30, 2010

DATE REPORTED: Sep 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105657		4.58	0.023
E5105658		3.52	0.005
E5105659		4.90	0.007
E5105910		5.48	0.005
E5105911		3.70	0.076
E5105912		4.46	0.513
E5105913		5.24	1.80
E5105914		4.62	0.261
E5105915		7.16	2.65
E5105916		5.38	0.664
E5105917		6.20	0.359
E5105918		4.66	0.130

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U439196

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Sep 29, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
									Lower	Upper		
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	2020625	0.005	0.003		< 0.001	0.161	0.205	79%	70%	130%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2020622	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Al	1	2020622	4.22	4.71	11.0%	< 0.01				80%	120%	
As	1	2020622	8	7	13.3%	< 1				80%	120%	
Ba	1	2020622	208	214	2.8%	1				80%	120%	
Be	1	2020622	1.4	1.4	0.0%	< 0.5				80%	120%	
Bi	1	2020622	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2020622	0.39	0.41	5.0%	< 0.01				80%	120%	
Cd	1	2020622	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2020622	22	29	27.5%	< 1				80%	120%	
Co	1	2020622	22.6	23.1	2.2%	< 0.5				80%	120%	
Cr	1	2020622	204	209	2.4%	4.5				80%	120%	
Cs	1	2020622	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2020622	3.6	4.5	22.2%	0.5				80%	120%	
Fe	1	2020622	3.76	3.94	4.7%	0.02				80%	120%	
Ga	1	2020622	14	15	6.9%	< 5				80%	120%	
In	1	2020622	4	4	0.0%	< 1				80%	120%	
K	1	2020622	0.840	0.896	6.5%	< 0.01				80%	120%	
La	1	2020622	14	19		< 2				80%	120%	
Li	1	2020622	13	14	7.4%	< 1				80%	120%	
Mg	1	2020622	2.16	2.32	7.1%	< 0.01				80%	120%	
Mn	1	2020622	867	881	1.6%	108				80%	120%	
Mo	1	2020622	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Na	1	2020622	2.35	2.42	2.9%	< 0.01				80%	120%	
Ni	1	2020622	55.6	56.8	2.1%	< 0.5				80%	120%	
P	1	2020622	522	531	1.7%	< 10				80%	120%	
Pb	1	2020622	6	7	15.4%	8	63	58	109%	90%	110%	
Rb	1	2020622	22	29	27.5%	< 10				80%	120%	
S	1	2020622	0.0424	0.0499	16.3%	< 0.005				80%	120%	
Sb	1	2020622	9	8	11.8%	< 1				80%	120%	
Sc	1	2020622	8	9	11.8%	< 1				80%	120%	
Se	1	2020622	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2020622	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2020622	74	79	6.5%	< 1				80%	120%	
Ta	1	2020622	9	11	20.0%	< 10				80%	120%	
Te	1	2020622	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2020622	29	30	3.4%	< 5				80%	120%	
Ti	1	2020622	0.245	0.255	4.0%	< 0.01				80%	120%	
Tl	1	2020622	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2020622	124	129	4.0%	< 5				80%	120%	
V	1	2020622	85.5	85.7	0.2%	< 0.5				80%	120%	
W	1	2020622	2	2	0.0%	< 1				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U439196

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Sep 29, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Y	1	2020622	5	6	18.2%	< 1				80%	120%
Zn	1	2020622	51.5	49.8	3.4%	7.8				80%	120%
Zr	1	2020622	70	67	4.4%	< 5				80%	120%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U439196

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



Certificate of Analysis

AGAT WORK ORDER: 10U439207

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 29, 2010	DATE RECEIVED: Sep 30, 2010						DATE REPORTED: Sep 29, 2010						SAMPLE TYPE: Rock		
Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01	
E5105643	1.2	1.80	17	253	<0.5	<1	0.11	<0.5	10	77.5	1010	<0.5	>10000	4.62	
E5105644	1.0	2.23	14	215	0.7	<1	1.16	<0.5	4	81.5	626	<0.5	8730	2.81	
E5105645	1.9	1.54	20	121	<0.5	<1	0.60	<0.5	10	44.3	726	<0.5	>10000	8.89	
E5105646	<0.5	0.85	10	70	<0.5	<1	11.1	<0.5	20	17.0	410	<0.5	>10000	2.14	
E5105647	<0.5	3.61	14	188	0.8	<1	0.28	<0.5	11	85.7	465	<0.5	5540	3.54	
E5105648	0.7	3.31	18	267	1.0	<1	0.25	<0.5	12	57.7	637	<0.5	2170	3.09	
E5105649	0.6	3.20	11	326	1.3	<1	0.27	<0.5	17	26.4	463	<0.5	1710	2.81	
E5105650	<0.5	0.65	9	71	<0.5	<1	0.18	<0.5	5	12.2	961	<0.5	4390	1.59	
E5105651	<0.5	1.05	13	115	<0.5	<1	0.51	<0.5	13	18.5	960	<0.5	3830	1.99	
E5105652	4.4	3.05	29	478	1.2	<1	0.34	<0.5	11	69.9	583	<0.5	4760	2.77	
E5105653	2.0	3.29	79	686	2.0	<1	0.30	<0.5	18	241	500	<0.5	730	2.46	
E5105654	2.4	2.65	16	377	0.9	<1	0.16	<0.5	11	26.7	446	<0.5	3630	2.65	
E5105655	0.7	3.29	28	384	1.8	<1	0.19	<0.5	9	94.1	320	<0.5	1720	2.70	
E5105656	<0.5	0.07	4	12	<0.5	<1	0.03	<0.5	<1	3.3	954	<0.5	51.4	0.72	
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
E5105643	<5	2	1.06	3	5	0.31	1450	5.1	0.19	34.2	110	4	78	2.47	
E5105644	<5	2	0.73	3	5	0.42	525	4.1	1.35	40.3	550	5	43	1.10	
E5105645	<5	9	0.53	5	4	0.53	383	3.8	0.46	55.0	120	<1	31	8.63	
E5105646	<5	<1	0.33	12	5	5.66	3080	2.3	0.21	10.1	150	<1	24	0.875	
E5105647	<5	3	0.64	5	9	1.00	402	4.0	2.08	49.6	309	5	36	0.793	
E5105648	<5	<1	0.83	7	10	0.86	662	3.8	1.63	47.4	377	6	42	0.210	
E5105649	<5	<1	1.14	6	10	0.87	438	3.3	1.67	40.1	463	5	63	0.216	
E5105650	<5	<1	0.23	3	1	0.18	461	4.4	0.23	16.3	93	5	11	0.395	
E5105651	<5	<1	0.40	8	3	0.33	481	5.7	0.25	24.4	82	5	28	0.277	
E5105652	<5	2	2.23	8	10	0.83	1350	3.6	0.25	28.5	265	24	170	0.357	
E5105653	7	<1	2.59	11	6	0.74	704	4.1	0.09	39.7	575	16	179	0.443	
E5105654	<5	<1	1.88	5	9	0.75	472	3.1	0.46	30.3	278	6	130	0.202	
E5105655	<5	<1	2.69	4	13	0.93	440	1.9	0.19	37.4	417	5	203	0.196	
E5105656	<5	<1	0.03	<2	<1	0.01	127	5.4	0.03	13.4	31	3	<10	<0.005	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U439207

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 29, 2010		DATE RECEIVED: Sep 30, 2010				DATE REPORTED: Sep 29, 2010				SAMPLE TYPE: Rock					
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	
E5105643	<1	5	24	<5	10	<10	<10	<5	0.06	<5	<5	59.0	21	4	
E5105644	<1	6	<10	<5	25	<10	<10	<5	0.13	<5	<5	86.7	6	5	
E5105645	<1	4	67	<5	13	<10	<10	<5	0.04	<5	<5	58.2	20	9	
E5105646	<1	5	<10	<5	32	<10	<10	22	0.02	5	<5	71.2	5	16	
E5105647	<1	5	<10	<5	35	<10	<10	7	0.12	<5	<5	127	4	4	
E5105648	<1	6	<10	<5	33	<10	<10	7	0.13	<5	<5	139	4	6	
E5105649	<1	6	<10	<5	35	<10	<10	7	0.14	<5	<5	134	2	6	
E5105650	5	1	<10	<5	15	<10	<10	<5	0.02	<5	<5	30.2	4	2	
E5105651	4	3	<10	<5	14	<10	<10	<5	0.04	<5	<5	50.6	7	4	
E5105652	<1	6	<10	<5	11	<10	<10	5	0.12	<5	<5	114	5	6	
E5105653	<1	6	<10	<5	8	<10	<10	8	0.18	<5	<5	160	2	5	
E5105654	<1	5	<10	<5	21	<10	<10	6	0.09	<5	<5	115	8	3	
E5105655	<1	5	<10	<5	10	<10	<10	8	0.16	<5	<5	131	2	5	
E5105656	9	<1	<10	<5	12	<10	<10	<5	<0.01	<5	<5	7.0	7	<1	
Analyte:	Zn	Zr													
Unit:	ppm	ppm													
Sample Description	RDL:	0.5	5												
E5105643	12.0	29													
E5105644	19.5	39													
E5105645	10.7	26													
E5105646	7.8	10													
E5105647	20.5	59													
E5105648	18.5	51													
E5105649	17.8	54													
E5105650	13.0	11													
E5105651	13.8	16													
E5105652	19.8	52													
E5105653	18.3	76													
E5105654	15.8	44													
E5105655	15.0	63													
E5105656	10.4	<5													

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 10U439207

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Sep 29, 2010

DATE RECEIVED: Sep 30, 2010

DATE REPORTED: Sep 29, 2010

SAMPLE TYPE: Rock

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U439207

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Sep 29, 2010

DATE RECEIVED: Sep 30, 2010

DATE REPORTED: Sep 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
		0.01	0.001
E5105643		4.38	2.68
E5105644		4.00	3.28
E5105645		3.76	3.38
E5105646		5.60	1.65
E5105647		3.24	1.45
E5105648		5.40	0.489
E5105649		6.20	0.086
E5105650		5.52	0.537
E5105651		7.98	0.938
E5105652		5.74	2.71
E5105653		6.32	0.066
E5105654		4.22	3.39
E5105655		4.50	0.548
E5105656		4.24	0.008

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U440539

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 04, 2010

DATE RECEIVED: Oct 04, 2010

DATE REPORTED: Oct 04, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5105919	<0.5	5.68	8	188	2.2	<1	0.35	<0.5	19	28.8	451	<0.5	440	4.35
E5105920	<0.5	5.38	7	128	2.7	<1	0.36	<0.5	28	38.5	345	<0.5	12.7	4.63
E5105921	<0.5	4.71	10	113	1.7	<1	0.33	<0.5	25	42.5	495	<0.5	1.4	4.52
E5105922	<0.5	4.87	9	140	2.0	<1	0.32	<0.5	21	43.6	344	<0.5	<0.5	4.13
E5105923	<0.5	4.90	9	114	1.8	<1	0.32	<0.5	31	56.1	533	<0.5	14.1	4.42
E5105924	4.4	3.50	11	118	1.5	<1	4.70	<0.5	77	50.8	351	<0.5	>10000	5.92
E5105925	<0.5	3.32	7	78	0.6	<1	0.44	<0.5	41	13.9	666	<0.5	2790	3.58
E5105926	1.0	3.40	11	73	0.9	<1	4.44	<0.5	40	17.1	400	<0.5	5390	3.22
E5105927	0.9	3.63	29	348	1.0	<1	0.17	<0.5	29	75.6	556	<0.5	6620	4.24
E5105928	<0.5	4.97	23	486	1.5	<1	0.21	<0.5	16	97.1	393	<0.5	3390	3.53
E5105929	<0.5	4.96	19	353	1.3	<1	0.51	<0.5	14	147	523	<0.5	1110	4.04
E5105930	<0.5	4.59	9	344	1.2	<1	2.58	<0.5	21	70.3	321	<0.5	1570	3.16
E5105931	<0.5	5.04	18	370	1.6	<1	1.20	<0.5	27	129	403	<0.5	994	4.07
E5105932	<0.5	4.40	20	316	1.2	<1	1.12	<0.5	6	134	506	<0.5	788	2.73
E5105933	<0.5	4.24	14	315	1.6	<1	0.50	<0.5	8	81.7	334	<0.5	158	2.67
E5105934	<0.5	4.43	14	285	1.5	<1	0.60	<0.5	10	102	313	<0.5	201	2.86
E5105935	0.7	5.07	16	340	1.8	<1	0.61	<0.5	17	115	354	<0.5	441	3.95

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U440539

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 04, 2010	DATE RECEIVED: Oct 04, 2010						DATE REPORTED: Oct 04, 2010					SAMPLE TYPE: Rock			
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
E5105919	5	<1	0.58	10	13	2.37	560	3.3	2.97	65.9	629	7	34	0.158	
E5105920	6	<1	0.46	16	14	2.59	616	3.6	2.46	67.4	600	7	28	0.141	
E5105921	<5	2	0.41	14	14	2.48	637	2.1	2.06	74.4	599	7	25	0.208	
E5105922	<5	4	0.46	11	13	2.33	560	4.1	2.32	67.8	561	7	24	0.200	
E5105923	<5	2	0.38	17	15	2.44	613	2.9	2.09	79.1	593	8	21	0.289	
E5105924	<5	4	0.31	40	8	1.42	581	3.3	1.61	53.7	110	3	19	3.51	
E5105925	<5	4	0.29	22	8	1.78	392	3.9	1.45	48.9	311	6	13	0.286	
E5105926	<5	2	0.25	21	7	1.34	579	2.9	1.63	45.8	500	11	15	0.668	
E5105927	<5	2	1.14	14	8	0.93	1280	7.1	1.19	43.9	282	10	74	0.843	
E5105928	<5	2	1.51	7	10	0.95	1330	6.1	1.98	42.8	413	7	112	0.473	
E5105929	<5	<1	0.99	7	11	1.18	1230	8.5	2.42	58.0	542	8	62	0.572	
E5105930	<5	<1	0.85	13	9	1.17	818	4.4	2.25	58.7	439	5	45	0.401	
E5105931	<5	3	0.97	14	11	1.33	876	3.7	2.97	69.3	564	5	38	0.545	
E5105932	6	<1	0.98	3	7	0.80	696	2.3	2.90	49.4	488	4	52	0.423	
E5105933	8	<1	0.89	5	8	0.91	532	4.0	3.01	44.0	553	5	35	0.202	
E5105934	6	<1	0.86	5	8	0.97	564	3.4	3.08	44.9	551	4	39	0.271	
E5105935	6	5	0.86	10	13	1.40	885	2.0	3.20	67.8	669	7	36	0.292	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U440539

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 04, 2010	DATE RECEIVED: Oct 04, 2010						DATE REPORTED: Oct 04, 2010					SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1	
E5105919	<1	12	<10	<5	89	<10	<10	14	0.30	<5	<5	219	2	9	
E5105920	<1	11	<10	<5	77	<10	<10	13	0.44	<5	<5	195	2	9	
E5105921	<1	10	<10	<5	70	<10	<10	13	0.25	<5	<5	198	2	8	
E5105922	<1	10	<10	<5	80	<10	<10	15	0.25	<5	<5	200	1	7	
E5105923	<1	11	<10	<5	77	<10	<10	16	0.24	<5	<5	210	1	8	
E5105924	<1	17	<10	<5	88	<10	<10	8	0.14	<5	<5	138	21	45	
E5105925	<1	7	<10	<5	56	<10	<10	11	0.10	<5	<5	147	4	6	
E5105926	<1	9	<10	<5	94	<10	<10	9	0.07	7	<5	122	10	25	
E5105927	<1	8	<10	<5	24	<10	<10	6	0.13	<5	<5	132	7	5	
E5105928	<1	10	<10	<5	33	<10	<10	7	0.18	<5	<5	147	8	7	
E5105929	<1	7	<10	<5	38	<10	<10	8	0.19	<5	<5	167	19	7	
E5105930	<1	9	<10	7	52	<10	<10	11	0.17	<5	<5	144	27	10	
E5105931	<1	9	<10	<5	53	<10	<10	10	0.24	<5	<5	185	25	7	
E5105932	<1	8	<10	<5	45	<10	<10	7	0.17	<5	<5	132	11	7	
E5105933	<1	7	<10	<5	46	<10	<10	7	0.20	<5	<5	148	6	5	
E5105934	<1	7	<10	<5	45	<10	<10	7	0.21	<5	<5	147	8	6	
E5105935	<1	9	<10	<5	55	<10	<10	14	0.26	<5	<5	220	11	7	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U440539

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 04, 2010

DATE RECEIVED: Oct 04, 2010

DATE REPORTED: Oct 04, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5105919	31.5	75
E5105920	35.1	71
E5105921	34.9	72
E5105922	28.6	71
E5105923	34.5	70
E5105924	61.8	44
E5105925	29.4	40
E5105926	38.3	42
E5105927	19.8	52
E5105928	15.9	69
E5105929	20.9	70
E5105930	20.7	69
E5105931	25.3	76
E5105932	17.9	65
E5105933	20.8	72
E5105934	18.7	73
E5105935	26.7	91

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U440539

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Oct 04, 2010

DATE RECEIVED: Oct 04, 2010

DATE REPORTED: Oct 04, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105919		5.68	0.010
E5105920		6.26	0.031
E5105921		5.98	0.005
E5105922		5.38	0.005
E5105923		6.12	0.006
E5105924		7.20	3.06
E5105925		5.58	0.102
E5105926		6.00	0.238
E5105927		7.92	2.12
E5105928		6.46	0.796
E5105929		8.00	0.181
E5105930		5.20	0.058
E5105931		6.68	0.407
E5105932		7.40	0.376
E5105933		9.24	0.151
E5105934		6.44	0.073
E5105935		8.60	0.221

Comments: RDL - Reported Detection Limit

Certified By:

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U443785

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Oct 19, 2010

PAGES (INCLUDING COVER): 11

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U443785

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010		DATE RECEIVED: Oct 15, 2010						DATE REPORTED: Oct 19, 2010				SAMPLE TYPE: Rock			
Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
E5106006	<0.5	0.24	<1	7	<0.5	<1	0.28	<0.5	<1	5.5	1160	<0.5	48.4	1.30	
E5106007	<0.5	4.74	18	127	1.2	<1	2.48	<0.5	<1	31.0	437	<0.5	8.5	5.57	
E5106008	<0.5	3.94	14	183	1.1	<1	0.88	<0.5	<1	16.3	573	<0.5	<0.5	3.61	
E5106009	<0.5	2.01	<1	22	0.9	<1	0.11	<0.5	11	3.1	409	<0.5	<0.5	0.84	
E5106010	<0.5	2.72	<1	22	0.8	<1	0.11	<0.5	15	2.3	452	<0.5	<0.5	0.83	
E5106011	<0.5	2.71	<1	30	0.7	<1	0.18	<0.5	15	2.5	517	<0.5	2.7	0.92	
E5106012	<0.5	3.13	<1	29	0.9	<1	0.21	<0.5	18	2.0	379	<0.5	<0.5	0.92	
E5106013	<0.5	3.13	<1	28	0.6	<1	0.26	<0.5	17	1.6	539	<0.5	<0.5	0.94	
E5106014	<0.5	3.00	<1	25	1.0	<1	0.27	<0.5	13	2.5	450	<0.5	<0.5	0.92	
E5106015	<0.5	3.18	<1	24	1.1	<1	0.25	<0.5	15	2.5	417	<0.5	13.8	0.80	
E5106016	<0.5	2.86	25	478	1.7	<1	0.26	<0.5	6	13.2	600	<0.5	83.7	3.51	
E5106017	<0.5	4.62	72	525	3.9	<1	0.49	<0.5	10	27.5	352	<0.5	139	5.25	
E5106018	<0.5	4.14	269	405	3.6	<1	0.56	<0.5	10	21.8	409	<0.5	137	4.58	
E5106019	0.9	4.32	300	286	3.7	<1	0.76	<0.5	8	22.8	362	<0.5	162	4.87	
E5106020	<0.5	1.19	245	174	<0.5	<1	0.14	<0.5	4	8.8	857	<0.5	81.8	1.93	
E5106021	<0.5	0.44	20	26	<0.5	<1	0.33	<0.5	4	4.8	858	<0.5	46.7	1.87	
E5106022	<0.5	0.95	60	188	0.7	<1	0.28	<0.5	2	7.5	790	<0.5	91.9	2.12	
E5106023	<0.5	2.81	418	751	3.1	2	1.04	<0.5	5	25.9	541	<0.5	222	4.27	
E5106024	<0.5	3.52	458	668	2.9	<1	1.64	<0.5	5	25.1	386	<0.5	134	4.75	
E5106025	<0.5	3.69	41	616	3.4	<1	1.79	<0.5	13	17.3	289	<0.5	75.8	5.04	
E5106026	<0.5	0.17	130	9	<0.5	<1	0.21	<0.5	<1	5.4	793	<0.5	31.2	1.33	
E5106027	<0.5	0.12	24	14	<0.5	<1	0.22	<0.5	1	4.6	852	<0.5	15.2	0.96	
E5106028	<0.5	0.42	70	42	<0.5	<1	0.09	<0.5	3	6.1	815	<0.5	26.3	1.44	
E5106029	<0.5	0.65	2	9	<0.5	<1	0.02	<0.5	<1	2.7	821	<0.5	11.2	2.19	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443785

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 15, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5106006	<5	<1	0.02	<2	<1	0.16	269	2.3	0.03	20.6	47	3	<10	0.050	
E5106007	<5	<1	0.33	5	14	2.75	1670	0.6	1.44	67.8	372	12	29	<0.005	
E5106008	<5	<1	0.35	4	11	2.00	943	<0.5	2.60	51.5	320	3	16	<0.005	
E5106009	7	<1	0.10	5	2	0.35	283	0.8	3.98	9.0	216	4	<10	<0.005	
E5106010	8	<1	0.09	8	2	0.36	243	0.6	3.84	9.3	212	4	<10	<0.005	
E5106011	7	4	0.14	8	2	0.39	276	0.9	3.20	10.4	215	4	<10	<0.005	
E5106012	9	3	0.12	8	3	0.46	294	0.9	4.05	8.7	213	4	<10	<0.005	
E5106013	8	<1	0.12	7	2	0.40	336	1.0	3.30	9.4	207	1	<10	<0.005	
E5106014	9	<1	0.11	6	2	0.43	269	0.7	3.73	11.2	181	13	<10	<0.005	
E5106015	10	<1	0.09	7	2	0.40	204	0.6	4.31	12.2	260	27	<10	<0.005	
E5106016	<5	<1	0.95	10	7	0.50	555	1.3	0.72	12.3	398	6	69	0.347	
E5106017	9	<1	1.88	13	12	0.62	795	1.8	2.04	13.9	790	7	128	0.633	
E5106018	9	<1	1.57	13	12	0.64	678	1.5	2.12	11.2	740	37	105	0.762	
E5106019	8	<1	1.75	11	14	0.67	655	0.7	2.24	10.0	768	12	112	1.20	
E5106020	<5	<1	0.30	7	2	0.16	322	1.9	0.44	15.8	204	5	19	0.264	
E5106021	<5	2	0.05	5	1	0.25	389	1.6	0.06	11.3	99	4	<10	0.264	
E5106022	<5	<1	0.43	5	3	0.21	366	2.5	0.51	19.8	223	3	27	0.194	
E5106023	8	<1	1.66	10	12	0.60	602	0.9	2.34	21.5	680	10	108	1.06	
E5106024	7	<1	1.72	10	11	0.66	681	1.8	2.04	10.1	658	8	121	1.15	
E5106025	7	<1	1.56	14	11	0.67	820	2.0	2.02	5.0	705	6	109	0.862	
E5106026	<5	2	0.02	2	<1	0.14	235	1.6	0.02	8.2	40	7	<10	0.263	
E5106027	<5	2	0.02	3	<1	0.07	397	1.5	0.01	9.0	49	<1	<10	0.043	
E5106028	<5	<1	0.09	4	1	0.13	252	0.5	0.10	9.2	107	2	<10	0.069	
E5106029	<5	<1	0.02	<2	2	0.41	379	1.0	0.03	9.8	64	<1	<10	<0.005	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443785

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010	DATE RECEIVED: Oct 15, 2010						DATE REPORTED: Oct 19, 2010					SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1	
E5106006	6	1	<10	<5	4	<10	<10	<5	0.01	<5	<5	31.1	7	1	
E5106007	<1	29	<10	<5	56	<10	<10	10	0.20	<5	<5	362	1	11	
E5106008	<1	16	<10	<5	45	<10	<10	10	0.14	<5	<5	288	3	5	
E5106009	<1	3	<10	<5	56	<10	<10	5	0.08	<5	<5	79.7	6	2	
E5106010	<1	4	<10	<5	64	<10	<10	6	0.05	<5	<5	76.9	7	3	
E5106011	<1	4	<10	<5	54	<10	<10	6	0.05	<5	<5	80.7	10	2	
E5106012	<1	5	<10	<5	64	<10	<10	7	0.05	<5	<5	99.3	5	3	
E5106013	<1	4	<10	<5	62	<10	<10	6	0.02	<5	<5	75.0	4	3	
E5106014	<1	4	<10	<5	59	<10	<10	7	0.07	<5	<5	87.6	8	3	
E5106015	<1	5	<10	<5	57	<10	<10	6	0.07	<5	<5	87.3	10	3	
E5106016	<1	11	<10	<5	34	<10	<10	<5	0.22	<5	<5	148	8	13	
E5106017	<1	16	<10	<5	76	<10	<10	<5	0.49	<5	<5	245	14	18	
E5106018	<1	15	<10	<5	75	<10	<10	5	0.43	<5	<5	228	8	16	
E5106019	<1	15	<10	<5	80	<10	<10	5	0.43	<5	<5	230	9	16	
E5106020	<1	4	<10	<5	20	<10	<10	<5	0.08	<5	<5	53.7	6	7	
E5106021	1	2	<10	<5	7	<10	<10	<5	0.03	<5	<5	35.3	2	6	
E5106022	<1	4	<10	<5	25	<10	<10	<5	0.13	<5	<5	66.0	20	7	
E5106023	<1	12	<10	<5	93	<10	<10	7	0.33	<5	<5	233	23	14	
E5106024	<1	14	<10	<5	99	<10	<10	5	0.35	<5	<5	212	8	16	
E5106025	<1	15	<10	<5	99	<10	<10	<5	0.48	<5	<5	212	2	19	
E5106026	3	<1	<10	<5	4	<10	<10	<5	<0.01	<5	<5	16.5	<1	2	
E5106027	5	<1	<10	<5	4	<10	<10	<5	0.01	<5	<5	11.5	<1	3	
E5106028	2	2	<10	<5	9	<10	<10	<5	0.04	<5	<5	28.2	<1	4	
E5106029	<1	2	<10	<5	2	<10	<10	<5	<0.01	<5	<5	53.8	4	<1	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443785

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 15, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5106006	16.4	<5
E5106007	73.7	39
E5106008	47.9	71
E5106009	10.0	93
E5106010	11.6	94
E5106011	15.1	73
E5106012	19.6	89
E5106013	12.5	84
E5106014	11.9	99
E5106015	9.8	82
E5106016	73.5	64
E5106017	32.9	137
E5106018	43.0	136
E5106019	32.2	144
E5106020	33.7	33
E5106021	31.6	11
E5106022	19.4	36
E5106023	39.3	119
E5106024	31.0	113
E5106025	39.4	118
E5106026	22.1	<5
E5106027	9.5	5
E5106028	39.2	13
E5106029	26.1	<5

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U443785

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 15, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au Metallic Gold	Au Assay (+) Fraction	Au Assay (-) Fraction	Plus (+) Fraction Weight	Minus (-) Fraction Weight	
	Unit:	kg	ppm	g/t	g/t	g	g	
RDL:		0.01	0.001	0.01	0.01	0.01	0.01	
E5106006		6.16	0.015					
E5106007		5.22	0.004					
E5106008		3.58	0.003					
E5106009		6.14	0.002					
E5106010		7.22	0.002					
E5106011		5.70	0.001					
E5106012		6.02	0.001					
E5106013		6.00	<0.001					
E5106014		5.42	<0.001					
E5106015		7.54	<0.001					
E5106016		2.48	>10	14.71	82.64	8.66	38.95	437.39
E5106017		2.10	2.47					
E5106018		2.16	2.17					
E5106019		2.56	2.14					
E5106020		5.02	>10	3.91	9.167	3.419	38.90	421.04
E5106021		3.20	>10	73.91	286.92	53.81	38.52	408.41
E5106022		3.14	>10	2.11	5.49	1.81	37.84	423.98
E5106023		1.70	4.28					
E5106024		1.74	2.14					
E5106025		2.90	1.52					
E5106026		9.02	>10	17.97	57.89	14.29	37.33	405.33
E5106027		1.66	>10	14.41	58.43	4.31	38.95	169.92
E5106028		1.70	1.55					
E5106029		7.12	0.012					

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443785

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Oct 19, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2057191	< 0.5	< 0.5	0.0%	< 0.5	7	7	97%	90%	110%	
Al	1	2057191	0.236	0.233	1.3%	< 0.01				80%	120%	
As	1	2057191	< 1	< 1	0.0%	< 1				80%	120%	
Ba	1	2057191	7	7	0.0%	< 1				80%	120%	
Be	1	2057191	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	2057191	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2057191	0.278	0.272	2.2%	< 0.01	0.56	0.55	102%	90%	110%	
Cd	1	2057191	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2057191	< 1	< 1	0.0%	< 1				80%	120%	
Co	1	2057191	5.5	5.4	1.8%	< 0.5				80%	120%	
Cr	1	2057191	1160	1190	2.6%	< 0.5				80%	120%	
Cs	1	2057191	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2057191	48.4	48.8	0.8%	< 0.5	4684	4700	100%	90%	110%	
Fe	1	2057191	1.30	1.29	0.8%	< 0.01	1.4	1.55	90%	90%	110%	
Ga	1	2057191	< 5	< 5	0.0%	< 5				80%	120%	
In	1	2057191	< 1	< 1	0.0%	< 1				80%	120%	
K	1	2057191	0.02	0.02	0.0%	< 0.01	2.72	2.99	91%	90%	110%	
La	1	2057191	< 2	< 2	0.0%	< 2				80%	120%	
Li	1	2057191	< 1	< 1	0.0%	< 1				80%	120%	
Mg	1	2057191	0.16	0.16	0.0%	< 0.01				80%	120%	
Mn	1	2057191	269	271	0.7%	< 1				80%	120%	
Mo	1	2057191	2.28	2.03	11.6%	< 0.5				80%	120%	
Na	1	2057191	0.03	0.03	0.0%	< 0.01				80%	120%	
Ni	1	2057191	20.6	20.1	2.5%	< 0.5	5	7	78%	70%	130%	
P	1	2057191	47	44	6.6%	< 10				80%	120%	
Pb	1	2057191	3	2		< 1				80%	120%	
Rb	1	2057191	< 10	< 10	0.0%	< 10				80%	120%	
S	1	2057191	0.0495	0.0412	18.3%	< 0.005				80%	120%	
Sb	1	2057191	6	6	0.0%	< 1				80%	120%	
Sc	1	2057191	1	2		< 1				80%	120%	
Se	1	2057191	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2057191	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2057191	4	4	0.0%	< 1				80%	120%	
Ta	1	2057191	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2057191	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2057191	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	2057191	0.01	0.01	0.0%	< 0.01				80%	120%	
Tl	1	2057191	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2057191	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2057191	31.1	31.7	1.9%	< 0.5				80%	120%	
W	1	2057191	7	8	13.3%	< 1				80%	120%	
Y	1	2057191	1	1	0.0%	< 1				80%	120%	
Zn	1	2057191	16.4	16.1	1.8%	< 0.5	28	32	87%	80%	120%	
Zr	1	2057191	< 5	< 5	0.0%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443785

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Oct 19, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1		< 0.001	< 0.001	0.0%	< 0.001	0.309	0.321	96%	90%	110%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2057216	< 0.5	< 0.5	0.0%	< 0.5	33	34	97%	90%	110%	
Al	1	2057216	0.65	0.64	1.6%	< 0.01				80%	120%	
As	1	2057216	2	< 1		< 1				80%	120%	
Ba	1	2057216	9	9	0.0%	< 1				80%	120%	
Be	1	2057216	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	2057216	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2057216	0.02	0.02	0.0%	< 0.01				80%	120%	
Cd	1	2057216	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2057216	< 1	< 1	0.0%	< 1				80%	120%	
Co	1	2057216	2.66	2.62	1.5%	< 0.5				80%	120%	
Cr	1	2057216	821	831	1.2%	< 0.5				80%	120%	
Cs	1	2057216	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2057216	11.2	9.9	12.3%	< 0.5				80%	120%	
Fe	1	2057216	2.19	2.16	1.4%	< 0.01				80%	120%	
Ga	1	2057216	< 5	< 5	0.0%	< 5				80%	120%	
In	1	2057216	< 1	< 1	0.0%	< 1				80%	120%	
K	1	2057216	0.02	0.02	0.0%	< 0.01				80%	120%	
La	1	2057216	< 2	< 2	0.0%	< 2				80%	120%	
Li	1	2057216	2	2	0.0%	< 1				80%	120%	
Mg	1	2057216	0.406	0.401	1.2%	< 0.01				80%	120%	
Mn	1	2057216	379	381	0.5%	< 1				80%	120%	
Mo	1	2057216	1.0	0.7		< 0.5				80%	120%	
Na	1	2057216	0.03	0.03	0.0%	< 0.01				80%	120%	
Ni	1	2057216	9.8	10.2	4.0%	< 0.5				80%	120%	
P	1	2057216	64	62	3.2%	< 10	536	600	89%	80%	120%	
Pb	1	2057216	< 1	< 1	0.0%	< 1	64	58	110%	90%	110%	
Rb	1	2057216	< 10	< 10	0.0%	< 10				80%	120%	
S	1	2057216	< 0.005	< 0.005	0.0%	< 0.005				80%	120%	
Sb	1	2057216	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2057216	2	2	0.0%	< 1				80%	120%	
Se	1	2057216	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2057216	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2057216	2	2	0.0%	< 1				80%	120%	
Ta	1	2057216	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2057216	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2057216	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	2057216	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Tl	1	2057216	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2057216	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2057216	53.8	53.8	0.0%	< 0.5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443785

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Oct 19, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
W	1	2057216	4	3	28.6%	< 1			80%	120%
Y	1	2057216	< 1	< 1	0.0%	< 1			80%	120%
Zn	1	2057216	26.1	27.0	3.4%	< 0.5			80%	120%
Zr	1	2057216	< 5	< 5	0.0%	< 5			80%	120%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443785

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES
Metallic Gold	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443785

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au Assay (+) Fraction	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES
Au Assay (-) Fraction	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES
Plus (+) Fraction Weight	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	BAL
Minus (-) Fraction Weight	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	BAL

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U443789

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Oct 19, 2010

PAGES (INCLUDING COVER): 7

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U443789

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5105997	<0.5	4.19	<1	42	0.5	<1	11.7	<0.5	<1	1.3	130	<0.5	<0.5	2.71
E5105998	<0.5	3.07	<1	16	<0.5	<1	14.8	<0.5	<1	0.8	75.1	<0.5	<0.5	3.28
E5105999	<0.5	0.05	<1	10	<0.5	<1	0.12	<0.5	<1	3.2	1020	<0.5	8.2	0.88
E5106000	<0.5	6.16	<1	159	1.0	<1	5.17	<0.5	12	2.4	322	<0.5	<0.5	3.60
E5106001	<0.5	3.69	<1	18	<0.5	<1	12.2	<0.5	<1	3.5	105	<0.5	<0.5	3.61
E5106002	<0.5	3.01	81	29	<0.5	<1	13.2	<0.5	<1	75.3	124	<0.5	<0.5	5.13
E5106003	<0.5	4.71	2	15	0.6	<1	10.8	<0.5	4	4.7	201	<0.5	<0.5	3.03
E5106004	<0.5	3.68	3	69	1.0	<1	1.53	<0.5	<1	22.8	222	<0.5	<0.5	4.20
E5106005	<0.5	2.69	<1	42	<0.5	<1	14.3	<0.5	<1	1.8	98.0	<0.5	<0.5	5.13
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105997	<5	<1	0.36	<2	2	5.55	1700	<0.5	3.17	51.9	689	<1	21	<0.005
E5105998	<5	<1	0.22	<2	2	7.10	1680	0.8	2.44	56.8	392	<1	<10	<0.005
E5105999	<5	<1	0.02	<2	<1	0.06	291	1.8	0.02	17.1	27	<1	<10	<0.005
E5106000	<5	<1	0.96	10	7	3.06	2950	1.3	3.70	67.7	573	<1	72	<0.005
E5106001	<5	<1	0.23	3	1	5.69	1680	0.5	2.97	24.0	447	<1	<10	<0.005
E5106002	<5	6	0.21	4	2	6.05	1940	<0.5	2.36	60.8	416	4	<10	0.509
E5106003	<5	<1	0.20	5	1	5.06	1470	<0.5	3.86	25.0	825	<1	<10	0.012
E5106004	6	<1	0.39	3	<1	0.68	2500	1.1	6.02	36.5	850	2	<10	0.070
E5106005	<5	<1	0.27	6	2	6.71	3010	0.6	2.09	21.3	272	2	<10	<0.005

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443789

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010		DATE RECEIVED: Oct 14, 2010					DATE REPORTED: Oct 19, 2010					SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	
E5105997	<1	25	<10	<5	108	<10	<10	<5	0.03	8	<5	135	1	7	
E5105998	<1	38	<10	<5	112	<10	<10	<5	0.01	8	<5	93.2	<1	6	
E5105999	7	2	<10	<5	4	<10	<10	<5	<0.01	<5	<5	6.1	<1	3	
E5106000	<1	19	<10	<5	89	<10	<10	<5	0.05	<5	<5	163	2	8	
E5106001	<1	14	<10	<5	82	<10	<10	<5	0.04	7	<5	99.6	<1	12	
E5106002	<1	7	<10	<5	87	<10	<10	<5	0.04	7	<5	96.1	<1	7	
E5106003	<1	11	<10	<5	69	<10	<10	<5	0.05	7	<5	122	1	8	
E5106004	<1	6	<10	<5	25	<10	<10	<5	0.03	<5	<5	111	3	7	
E5106005	<1	27	<10	<5	80	<10	<10	<5	0.02	6	<5	88.0	<1	11	

Analyte:	Zn	Zr	
Unit:	ppm	ppm	
Sample Description	RDL:	0.5	5
E5105997	2.3	125	
E5105998	<0.5	90	
E5105999	11.9	<5	
E5106000	15.7	157	
E5106001	0.7	81	
E5106002	2.3	68	
E5106003	4.7	84	
E5106004	3.9	120	
E5106005	2.2	62	

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443789

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	
	Unit:	kg	ppm
E5105997		2.06	<0.001
E5105998		3.32	0.002
E5105999		1.78	0.002
E5106000		3.16	0.005
E5106001		4.28	<0.001
E5106002		3.86	0.044
E5106003		3.92	0.005
E5106004		2.40	0.015
E5106005		3.56	0.002

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443789

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Oct 19, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2057238	< 0.5	< 0.5	0.0%	< 0.5	33	34	97%	90%	110%	
Al	1	2057238	3.07	3.08	0.3%	< 0.01				80%	120%	
As	1	2057238	< 1	1		< 1				80%	120%	
Ba	1	2057238	16	16	0.0%	< 1				80%	120%	
Be	1	2057238	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	2057238	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2057238	14.8	14.9	0.7%	< 0.01				80%	120%	
Cd	1	2057238	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2057238	< 1	< 1	0.0%	< 1				80%	120%	
Co	1	2057238	0.8	0.5		< 0.5				80%	120%	
Cr	1	2057238	75.1	72.0	4.2%	< 0.5				80%	120%	
Cs	1	2057238	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2057238	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Fe	1	2057238	3.28	3.29	0.3%	< 0.01				80%	120%	
Ga	1	2057238	< 5	< 5	0.0%	< 5				80%	120%	
In	1	2057238	< 1	< 1	0.0%	< 1				80%	120%	
K	1	2057238	0.218	0.211	3.3%	< 0.01				80%	120%	
La	1	2057238	< 2	< 2	0.0%	< 2				80%	120%	
Li	1	2057238	2	2	0.0%	< 1				80%	120%	
Mg	1	2057238	7.10	7.20	1.4%	< 0.01				80%	120%	
Mn	1	2057238	1680	1660	1.2%	< 1				80%	120%	
Mo	1	2057238	0.79	0.96	19.4%	< 0.5				80%	120%	
Na	1	2057238	2.44	2.47	1.2%	< 0.01				80%	120%	
Ni	1	2057238	56.8	57.4	1.1%	< 0.5				80%	120%	
P	1	2057238	392	388	1.0%	< 10	536	600	89%	80%	120%	
Pb	1	2057238	< 1	< 1	0.0%	< 1	64	58	110%	90%	110%	
Rb	1	2057238	< 10	< 10	0.0%	< 10				80%	120%	
S	1	2057238	< 0.005	< 0.005	0.0%	< 0.005				80%	120%	
Sb	1	2057238	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2057238	38	38	0.0%	< 1				80%	120%	
Se	1	2057238	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2057238	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2057238	112	111	0.9%	< 1				80%	120%	
Ta	1	2057238	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2057238	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2057238	17	20	16.2%	< 5				80%	120%	
Ti	1	2057238	0.01	0.01	0.0%	< 0.01				80%	120%	
Tl	1	2057238	8	8	0.0%	< 5				80%	120%	
U	1	2057238	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2057238	93.2	88.1	5.6%	< 0.5				80%	120%	
W	1	2057238	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	2057238	6	8	28.6%	< 1				80%	120%	
Zn	1	2057238	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Zr	1	2057238	90	88	2.2%	< 5				80%	120%	



Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443789

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Oct 19, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

Au	1	2057239	0.002	< 0.001		< 0.001	0.311	0.321	97%	90%	110%
----	---	---------	-------	---------	--	---------	-------	-------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

Au	1					< 0.001	0.309	0.321	96%	90%	110%
----	---	--	--	--	--	---------	-------	-------	-----	-----	------

Certified By:

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443789

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U443791

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Oct 19, 2010

PAGES (INCLUDING COVER): 16

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5105936	<0.5	5.94	13	504	1.6	7	0.59	<0.5	14	130	233	<0.5	159	5.45
E5105937	<0.5	6.03	10	544	1.6	4	1.46	<0.5	26	117	228	<0.5	179	4.15
E5105938	<0.5	4.92	9	302	1.0	<1	1.05	<0.5	16	74.1	239	<0.5	4350	3.27
E5105939	<0.5	4.04	11	178	0.7	<1	0.97	<0.5	8	83.7	258	<0.5	3770	2.42
E5105940	<0.5	3.67	10	197	0.8	5	1.18	<0.5	10	88.6	327	<0.5	285	2.06
E5105941	<0.5	4.51	10	216	1.0	<1	2.10	<0.5	15	91.3	247	<0.5	2100	2.67
E5105942	<0.5	4.51	16	294	1.2	<1	0.92	<0.5	13	139	273	<0.5	885	2.55
E5105943	<0.5	4.34	14	269	1.3	3	0.59	<0.5	21	103	243	<0.5	651	2.53
E5105944	<0.5	4.36	10	261	1.3	6	0.39	<0.5	12	90.3	245	<0.5	427	2.91
E5105945	<0.5	5.39	8	287	1.3	8	0.33	<0.5	33	95.0	240	<0.5	467	3.74
E5105946	1.4	4.96	13	236	1.4	4	0.45	<0.5	22	100	231	<0.5	331	3.40
E5105947	<0.5	5.24	11	261	1.4	4	0.50	<0.5	23	102	194	<0.5	396	3.42
E5105948	<0.5	5.68	11	406	1.4	6	0.33	<0.5	27	122	216	<0.5	528	3.24
E5105949	<0.5	5.64	13	367	1.4	3	0.51	<0.5	30	118	228	<0.5	503	3.53
E5105950	<0.5	0.20	2	12	<0.5	<1	0.37	<0.5	2	5.8	364	<0.5	885	0.50
E5105951	<0.5	0.14	9	15	<0.5	<1	6.36	<0.5	8	6.5	396	<0.5	3510	1.00
E5105952	<0.5	0.04	6	16	<0.5	<1	9.33	1.2	9	6.9	290	115	4360	1.36
E5105953	<0.5	0.02	4	5	<0.5	<1	1.47	<0.5	1	8.6	547	<0.5	2960	0.62
E5105954	<0.5	0.08	17	12	<0.5	<1	10.7	6.5	16	156	181	<0.5	>10000	2.08
E5105955	<0.5	0.24	15	25	<0.5	<1	3.43	1.3	2	29.2	396	<0.5	>10000	9.01
E5105956	<0.5	0.09	6	21	<0.5	<1	3.22	<0.5	2	21.1	486	89.3	1690	1.22
E5105957	2.6	0.04	26	6	<0.5	<1	0.06	<0.5	<1	14.7	515	<0.5	5320	1.52
E5105958	<0.5	0.22	8	7	<0.5	<1	0.07	<0.5	3	5.6	440	5.6	1250	0.83
E5105959	<0.5	0.60	6	43	<0.5	<1	0.10	<0.5	2	6.6	498	<0.5	189	1.19
E5105960	<0.5	6.62	25	242	1.4	7	2.27	0.9	13	53.2	53.9	<0.5	176	9.60
E5105961	<0.5	6.44	17	125	2.0	11	2.88	1.5	10	63.8	80.3	<0.5	329	9.49
E5105962	<0.5	5.47	24	107	1.6	10	3.17	1.1	24	61.5	155	<0.5	79.2	7.59
E5105963	<0.5	6.86	38	121	1.7	9	2.62	1.7	11	76.8	77.9	<0.5	160	8.73
E5105964	<0.5	0.18	3	8	<0.5	<1	0.07	<0.5	<1	2.6	586	<0.5	96.2	0.59
E5105965	1.9	0.13	71	9	<0.5	<1	0.05	<0.5	<1	5.2	488	<0.5	1410	1.94
E5105966	<0.5	0.06	2	4	<0.5	<1	0.04	<0.5	<1	1.5	593	<0.5	102	0.49
E5105967	<0.5	0.10	2	6	<0.5	<1	0.04	<0.5	<1	1.8	421	5.9	35.0	0.40

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5105968	<0.5	0.66	2	22	<0.5	<1	0.06	<0.5	1	5.5	461	48.4	35.5	1.37
E5105969	<0.5	0.19	3	17	<0.5	<1	0.16	<0.5	<1	2.8	568	<0.5	372	0.63
E5105970	<0.5	0.57	6	46	<0.5	<1	0.10	<0.5	1	4.0	449	<0.5	84.8	0.99
E5105971	<0.5	0.70	5	51	<0.5	<1	0.08	<0.5	4	4.4	579	56.6	36.7	1.20
E5105972	<0.5	0.34	3	31	<0.5	<1	0.05	<0.5	2	3.1	418	<0.5	41.1	0.59
E5105973	0.7	1.42	10	126	<0.5	<1	0.60	1.6	2	12.6	478	<0.5	1780	2.03
E5105974	1.2	3.33	20	112	<0.5	<1	1.56	4.0	5	34.2	284	<0.5	939	5.15
E5105975	<0.5	0.21	2	15	<0.5	<1	0.06	<0.5	1	1.9	414	<0.5	174	0.56
E5105976	<0.5	3.50	6	324	1.1	7	1.08	<0.5	15	15.6	351	<0.5	102	2.74
E5105977	1.9	0.27	20	18	<0.5	<1	0.26	<0.5	<1	16.1	448	<0.5	7700	2.11
E5105978	13.2	0.12	10	8	<0.5	<1	0.57	<0.5	<1	13.8	444	<0.5	3790	1.13
E5105979	<0.5	0.05	1	5	<0.5	<1	0.03	<0.5	<1	4.4	600	<0.5	118	0.50
E5105980	6.8	0.02	14	4	<0.5	<1	0.29	2.2	<1	9.1	480	10.0	>10000	1.80
E5105981	20.5	0.07	18	5	<0.5	<1	0.05	0.5	<1	8.5	392	8.3	6610	1.45
E5105982	28.0	0.26	68	32	<0.5	<1	0.64	2.7	<1	19.3	531	69.3	>10000	6.59
E5105983	2.9	0.19	30	16	<0.5	<1	1.17	0.7	<1	27.5	419	31.7	6870	1.54
E5105984	1.6	0.26	17	6	<0.5	<1	0.69	<0.5	<1	31.3	620	<0.5	6510	1.45
E5105985	4.9	0.13	90	18	<0.5	<1	0.80	1.6	<1	47.5	465	<0.5	>10000	3.88
E5105986	1.6	0.15	38	6	<0.5	<1	1.28	<0.5	1	28.5	576	24.8	>10000	1.78
E5105987	9.0	0.05	39	5	<0.5	20	0.03	<0.5	<1	3.2	457	<0.5	1050	1.68
E5105988	<0.5	0.01	3	2	<0.5	<1	0.10	<0.5	<1	3.2	584	<0.5	269	0.49
E5105989	<0.5	0.04	4	4	<0.5	<1	0.06	<0.5	<1	2.1	640	<0.5	275	0.55
E5105990	<0.5	0.16	5	8	<0.5	<1	2.99	<0.5	4	1.9	464	<0.5	195	0.95
E5105991	<0.5	0.05	6	10	<0.5	3	17.8	<0.5	11	1.8	114	<0.5	17.9	3.20
E5105992	<0.5	0.02	5	9	<0.5	3	14.2	<0.5	7	1.1	161	<0.5	26.7	2.64
E5105993	<0.5	0.25	6	12	<0.5	3	11.4	<0.5	7	1.4	254	<0.5	38.1	2.28
E5105994	<0.5	2.56	8	22	<0.5	1	7.04	<0.5	19	4.6	221	<0.5	8.7	1.66
E5105995	<0.5	4.67	16	72	0.8	<1	2.70	<0.5	26	39.1	219	<0.5	5.7	2.17
E5105996	<0.5	8.17	12	133	2.3	<1	0.90	<0.5	8	28.1	290	<0.5	8.4	6.10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105936	<5	<1	1.15	9	20	2.21	2070	4.0	2.35	89.3	594	6	40	0.391	
E5105937	6	<1	1.94	15	17	1.70	798	3.6	1.90	70.3	582	5	106	0.434	
E5105938	<5	<1	0.79	10	11	1.41	771	2.9	2.68	50.6	<10	1	35	0.611	
E5105939	<5	4	0.68	6	7	0.89	538	3.7	2.51	40.3	<10	1	31	0.648	
E5105940	<5	<1	0.68	7	7	0.96	697	4.2	2.20	35.5	325	4	35	0.321	
E5105941	<5	<1	0.80	9	11	1.78	1670	3.5	2.19	42.2	187	2	51	0.402	
E5105942	<5	2	1.31	8	12	1.15	1450	4.9	2.46	48.2	349	3	69	0.472	
E5105943	<5	<1	1.28	10	14	1.12	742	3.4	2.44	45.6	383	3	55	0.269	
E5105944	<5	<1	0.88	7	11	1.18	450	5.1	2.74	49.2	426	3	36	0.304	
E5105945	<5	1	0.79	15	14	1.54	1860	5.1	2.95	51.4	466	<1	26	0.173	
E5105946	<5	<1	0.65	13	11	1.28	2210	3.6	3.33	54.5	473	5	22	0.237	
E5105947	<5	<1	0.67	14	12	1.37	1220	3.6	3.49	55.1	483	4	23	0.334	
E5105948	<5	2	1.04	15	12	1.23	2060	3.5	3.29	51.9	458	4	49	0.300	
E5105949	<5	2	0.76	16	13	1.32	3170	4.6	3.62	57.9	499	6	28	0.249	
E5105950	<5	<1	0.02	<2	1	0.23	316	5.0	0.07	10.5	<10	<1	<10	0.007	
E5105951	<5	1	0.02	5	<1	3.66	2710	7.2	0.05	26.9	<10	<1	<10	<0.005	
E5105952	<5	<1	<0.01	6	<1	5.38	4010	6.1	0.02	38.7	<10	<1	<10	<0.005	
E5105953	<5	2	<0.01	<2	<1	0.85	940	8.8	0.02	22.0	<10	<1	<10	<0.005	
E5105954	<5	3	0.01	11	<1	6.09	6420	2.9	0.01	110	<10	<1	<10	0.524	
E5105955	<5	14	0.04	3	2	1.34	1260	9.0	0.04	64.5	<10	14	<10	0.234	
E5105956	<5	<1	0.03	<2	<1	1.88	1910	7.5	0.02	15.8	<10	<1	<10	0.035	
E5105957	<5	1	<0.01	<2	<1	0.02	306	9.6	0.01	37.5	<10	<1	<10	0.382	
E5105958	<5	<1	0.02	<2	1	0.15	196	7.1	0.01	9.2	<10	<1	<10	0.062	
E5105959	<5	3	0.15	<2	2	0.28	437	7.6	0.02	10.4	28	<1	<10	<0.005	
E5105960	<5	7	1.43	11	35	3.78	2180	2.3	0.48	74.2	474	14	53	<0.005	
E5105961	<5	4	0.41	9	25	3.35	2320	2.1	1.59	55.2	526	77	16	0.195	
E5105962	<5	<1	0.69	17	26	3.03	2340	3.0	1.10	46.3	591	30	23	0.028	
E5105963	<5	6	1.00	9	36	3.40	2010	1.6	1.54	60.9	553	53	22	0.017	
E5105964	<5	<1	0.03	<2	<1	0.07	157	7.0	0.03	7.6	13	2	<10	<0.005	
E5105965	<5	3	0.02	<2	<1	0.03	60	7.2	0.02	8.4	<10	4	<10	0.246	
E5105966	<5	<1	0.01	<2	<1	0.03	59	6.7	0.02	5.5	10	3	<10	<0.005	
E5105967	<5	<1	0.01	<2	<1	0.03	114	5.3	0.02	5.2	20	<1	<10	<0.005	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5105968	<5	4	0.06	<2	4	0.40	371	7.5	0.02	17.2	45	7	<10	<0.005	
E5105969	<5	<1	0.07	<2	<1	0.12	194	7.6	0.02	7.2	<10	11	<10	0.011	
E5105970	<5	<1	0.14	<2	3	0.27	280	5.3	0.02	9.1	46	27	<10	<0.005	
E5105971	<5	<1	0.19	3	3	0.29	435	7.8	0.03	16.2	45	22	11	<0.005	
E5105972	<5	2	0.09	<2	1	0.09	215	6.5	0.02	10.0	29	8	<10	<0.005	
E5105973	<5	4	0.56	<2	7	0.83	417	7.3	0.03	31.9	<10	1200	22	0.154	
E5105974	<5	5	0.77	3	20	2.64	920	4.9	0.12	52.2	114	2500	23	0.209	
E5105975	<5	<1	0.04	<2	1	0.09	92	5.7	0.02	5.9	22	7	<10	0.014	
E5105976	<5	4	0.95	10	14	1.09	1090	4.7	0.69	43.3	286	8	73	0.007	
E5105977	<5	<1	0.05	<2	1	0.16	185	6.4	0.06	85.7	<10	96	<10	0.246	
E5105978	<5	4	0.01	<2	<1	0.36	295	6.3	0.02	23.8	<10	30	<10	0.185	
E5105979	<5	<1	0.01	<2	<1	0.02	103	6.6	0.02	8.3	<10	3	<10	<0.005	
E5105980	<5	2	<0.01	<2	<1	0.17	212	7.3	0.02	34.8	<10	15	<10	0.844	
E5105981	<5	2	<0.01	<2	<1	0.03	62	5.5	0.01	34.6	<10	32	<10	0.668	
E5105982	<5	14	0.08	<2	<1	0.41	256	7.5	0.03	99.9	<10	191	<10	2.48	
E5105983	<5	<1	0.03	<2	1	0.77	700	6.2	0.02	50.8	<10	19	<10	0.265	
E5105984	<5	<1	<0.01	<2	1	0.57	905	10.7	0.02	52.7	<10	3	<10	0.095	
E5105985	<5	13	0.02	<2	1	0.50	760	8.8	0.01	81.6	<10	4	<10	1.62	
E5105986	<5	<1	0.01	<2	<1	0.82	708	7.8	0.02	54.3	<10	<1	<10	0.269	
E5105987	<5	2	<0.01	<2	<1	0.02	58	7.2	0.01	14.6	<10	14	<10	0.039	
E5105988	<5	<1	<0.01	<2	<1	0.06	99	7.5	<0.01	13.4	<10	<1	<10	<0.005	
E5105989	<5	<1	0.01	<2	<1	0.04	65	8.1	0.02	8.4	<10	2	<10	<0.005	
E5105990	<5	<1	0.02	2	1	1.65	437	6.4	0.04	17.9	20	<1	<10	0.014	
E5105991	<5	4	0.01	3	1	9.36	2030	2.7	0.02	42.6	57	1	<10	<0.005	
E5105992	<5	<1	0.01	2	<1	7.41	1610	3.8	0.02	38.6	46	<1	<10	<0.005	
E5105993	<5	<1	0.02	2	2	6.06	1210	2.6	0.14	51.7	48	<1	<10	<0.005	
E5105994	<5	<1	0.16	10	1	3.99	829	3.6	1.93	19.2	148	<1	<10	0.011	
E5105995	11	2	0.60	14	2	1.52	486	1.6	3.53	38.7	239	2	39	0.043	
E5105996	18	<1	2.07	5	75	2.99	1350	3.9	2.49	99.2	308	7	26	<0.005	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description	RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5105936	<1	12	<10	<5	47	<10	<10	7	0.29	<5	<5	275	3	8
E5105937	<1	11	<10	<5	39	<10	<10	6	0.22	<5	<5	241	2	8
E5105938	<1	7	<10	<5	50	<10	<10	6	0.14	<5	<5	161	9	8
E5105939	<1	5	<10	<5	42	<10	<10	<5	0.12	<5	<5	105	8	7
E5105940	<1	5	<10	<5	38	<10	<10	5	0.13	<5	<5	101	2	8
E5105941	<1	7	<10	<5	44	<10	<10	9	0.17	<5	<5	124	5	11
E5105942	<1	6	<10	<5	41	<10	<10	7	0.19	<5	<5	154	3	8
E5105943	<1	6	<10	<5	38	<10	<10	6	0.20	<5	<5	168	4	7
E5105944	<1	5	<10	<5	45	<10	<10	6	0.24	<5	<5	174	3	5
E5105945	<1	8	<10	<5	53	11	<10	6	0.23	<5	<5	191	3	7
E5105946	<1	6	<10	<5	52	<10	<10	5	0.27	<5	<5	181	2	7
E5105947	<1	7	<10	<5	59	<10	<10	6	0.24	<5	<5	190	3	7
E5105948	<1	9	<10	<5	52	<10	<10	6	0.24	<5	<5	187	3	9
E5105949	<1	8	<10	<5	70	12	<10	8	0.25	<5	<5	198	4	10
E5105950	2	<1	<10	<5	9	<10	<10	<5	0.01	<5	<5	18.0	3	1
E5105951	<1	9	<10	<5	16	<10	<10	11	<0.01	<5	<5	35.3	9	11
E5105952	<1	13	<10	<5	17	<10	<10	12	<0.01	<5	<5	31.7	13	14
E5105953	3	2	<10	<5	6	<10	<10	6	<0.01	<5	<5	23.1	7	3
E5105954	<1	22	<10	<5	15	<10	<10	14	<0.01	<5	<5	33.5	87	24
E5105955	<1	10	<10	<5	11	16	<10	<5	<0.01	<5	<5	51.2	30	5
E5105956	<1	3	<10	<5	8	<10	<10	9	<0.01	<5	<5	34.4	5	5
E5105957	2	<1	<10	<5	5	<10	<10	<5	<0.01	<5	<5	6.2	8	1
E5105958	3	<1	<10	<5	3	<10	<10	<5	<0.01	<5	<5	22.3	2	1
E5105959	3	3	<10	<5	5	<10	<10	<5	0.02	<5	<5	79.7	<1	2
E5105960	<1	36	<10	<5	49	20	<10	<5	0.29	<5	<5	896	1	11
E5105961	<1	35	<10	<5	117	17	13	<5	0.54	<5	<5	714	1	9
E5105962	<1	35	<10	<5	95	14	14	6	0.47	<5	<5	583	1	21
E5105963	<1	34	<10	<5	94	14	<10	<5	0.44	<5	<5	591	<1	12
E5105964	6	<1	<10	<5	7	<10	<10	<5	<0.01	<5	<5	18.5	1	<1
E5105965	2	<1	<10	<5	6	<10	<10	<5	0.01	<5	<5	11.6	2	<1
E5105966	6	<1	<10	<5	5	<10	<10	<5	<0.01	<5	<5	9.3	<1	<1
E5105967	4	<1	<10	<5	6	<10	<10	<5	<0.01	<5	<5	7.7	1	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	
E5105968		2	2	<10	<5	6	<10	<10	<5	0.01	<5	<5	65.3	<1	1
E5105969		5	1	<10	<5	5	<10	<10	<5	<0.01	<5	<5	22.8	<1	<1
E5105970		2	3	<10	<5	7	<10	<10	<5	0.03	<5	<5	58.1	1	1
E5105971		4	2	<10	<5	6	11	<10	<5	0.01	<5	<5	71.3	2	3
E5105972		3	1	<10	<5	6	<10	<10	<5	0.02	<5	<5	27.7	4	1
E5105973		<1	11	<10	<5	7	<10	<10	<5	0.08	<5	<5	181	3	2
E5105974		<1	15	<10	<5	12	16	<10	<5	0.08	<5	<5	305	<1	4
E5105975		3	<1	<10	<5	5	<10	<10	<5	<0.01	<5	<5	22.1	<1	<1
E5105976		<1	10	<10	<5	103	<10	<10	6	0.17	<5	<5	161	5	7
E5105977		<1	1	<10	<5	10	<10	<10	<5	0.01	<5	<5	25.2	10	1
E5105978		1	<1	<10	<5	6	<10	<10	<5	<0.01	<5	<5	22.6	4	<1
E5105979		6	<1	<10	<5	4	<10	<10	<5	<0.01	<5	<5	7.0	<1	<1
E5105980		<1	<1	<10	<5	4	<10	<10	<5	<0.01	<5	<5	11.8	20	<1
E5105981		1	<1	12	<5	4	<10	11	<5	<0.01	<5	<5	6.6	11	<1
E5105982		<1	1	16	<5	5	12	23	<5	<0.01	<5	<5	45.7	46	1
E5105983		<1	1	<10	<5	7	<10	<10	<5	<0.01	<5	<5	43.0	10	1
E5105984		3	1	<10	5	5	<10	<10	<5	<0.01	<5	<5	46.3	20	1
E5105985		<1	1	<10	<5	6	<10	<10	<5	<0.01	<5	<5	29.0	37	2
E5105986		<1	2	<10	<5	7	<10	<10	<5	<0.01	<5	<5	35.9	19	2
E5105987		2	<1	<10	<5	3	<10	<10	<5	<0.01	<5	<5	8.0	4	<1
E5105988		5	<1	<10	<5	3	<10	<10	<5	<0.01	<5	<5	7.4	5	<1
E5105989		7	<1	<10	<5	4	<10	<10	<5	<0.01	<5	<5	7.8	2	<1
E5105990		<1	16	<10	<5	38	<10	<10	8	0.01	<5	<5	46.0	2	3
E5105991		<1	35	<10	<5	215	18	<10	14	<0.01	<5	<5	110	10	18
E5105992		<1	40	<10	<5	153	<10	<10	11	<0.01	<5	<5	95.0	5	12
E5105993		<1	60	<10	<5	117	<10	<10	12	<0.01	<5	<5	97.4	4	14
E5105994		<1	18	<10	<5	98	<10	<10	11	0.02	<5	<5	93.2	2	9
E5105995		<1	12	<10	<5	81	11	<10	7	0.04	<5	<5	142	2	6
E5105996		<1	28	<10	<5	125	13	<10	5	0.28	<5	<5	383	2	5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Zn ppm 0.5	Zr ppm 5	Cu-OL % 0.02
E5105936		37.3	110	
E5105937		30.7	96	
E5105938		20.7	69	
E5105939		15.0	55	
E5105940		14.3	53	
E5105941		17.3	61	
E5105942		16.7	66	
E5105943		18.2	69	
E5105944		17.3	77	
E5105945		21.4	79	
E5105946		21.0	83	
E5105947		20.7	81	
E5105948		16.3	79	
E5105949		22.7	82	
E5105950		10.0	<5	
E5105951		24.4	<5	
E5105952		25.2	<5	
E5105953		18.6	<5	
E5105954		126	<5	9.18
E5105955		46.4	7	1.66
E5105956		14.8	<5	
E5105957		22.8	<5	
E5105958		12.9	<5	
E5105959		15.8	<5	
E5105960		170	58	
E5105961		386	66	
E5105962		262	55	
E5105963		423	65	
E5105964		14.0	<5	
E5105965		8.0	<5	
E5105966		6.6	<5	
E5105967		6.9	<5	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Zn ppm 0.5	Zr ppm 5	Cu-OL % 0.02
E5105968		25.3	<5	
E5105969		43.3	<5	
E5105970		13.1	7	
E5105971		14.4	<5	
E5105972		14.2	5	
E5105973		217	15	
E5105974		593	16	
E5105975		8.4	<5	
E5105976		45.0	49	
E5105977		28.5	5	
E5105978		31.1	<5	
E5105979		6.3	<5	
E5105980		246	<5	1.67
E5105981		50.4	<5	
E5105982		157	<5	2.94
E5105983		38.5	<5	
E5105984		23.0	<5	
E5105985		89.7	5	2.42
E5105986		25.3	<5	1.07
E5105987		6.8	<5	
E5105988		7.8	<5	
E5105989		5.2	<5	
E5105990		5.4	<5	
E5105991		5.1	<5	
E5105992		5.1	<5	
E5105993		4.2	6	
E5105994		5.2	28	
E5105995		2.3	63	
E5105996		101	59	

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105936		7.92	0.030
E5105937		7.90	0.413
E5105938		7.68	0.233
E5105939		8.54	0.424
E5105940		3.16	0.113
E5105941		6.08	0.303
E5105942		3.48	0.235
E5105943		6.70	0.158
E5105944		6.54	0.111
E5105945		4.56	0.063
E5105946		7.00	0.081
E5105947		4.24	0.193
E5105948		4.50	0.096
E5105949		6.48	0.059
E5105950		2.02	0.003
E5105951		1.26	0.008
E5105952		1.22	0.011
E5105953		2.80	0.002
E5105954		2.46	0.009
E5105955		1.92	0.194
E5105956		2.52	0.026
E5105957		1.98	0.539
E5105958		1.80	0.021
E5105959		1.60	0.005
E5105960		1.82	0.002
E5105961		3.02	0.005
E5105962		2.02	0.002
E5105963		3.44	0.005
E5105964		1.82	0.001
E5105965		1.44	0.335
E5105966		1.80	0.003
E5105967		2.08	0.002

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U443791

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Oct 15, 2010

DATE RECEIVED: Oct 14, 2010

DATE REPORTED: Oct 19, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5105968		1.54	0.004
E5105969		1.74	0.099
E5105970		1.66	0.104
E5105971		1.70	<0.001
E5105972		1.34	<0.001
E5105973		1.86	0.039
E5105974		1.60	0.017
E5105975		1.66	<0.001
E5105976		0.98	0.002
E5105977		1.34	0.125
E5105978		0.86	0.120
E5105979		1.28	0.001
E5105980		2.20	0.131
E5105981		4.50	1.59
E5105982		2.30	0.268
E5105983		1.98	0.310
E5105984		2.32	0.058
E5105985		2.08	0.322
E5105986		1.14	0.057
E5105987		2.52	0.396
E5105988		1.62	0.011
E5105989		2.02	0.006
E5105990		2.28	0.004
E5105991		3.10	0.001
E5105992		3.20	<0.001
E5105993		3.10	0.001
E5105994		3.92	0.001
E5105995		5.52	0.004
E5105996		1.28	<0.001

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443791

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Oct 19, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2057253	< 0.5	0.6		< 0.5	6	7	92%	90%	110%	
Al	1	2057253	5.94	5.64	5.2%	< 0.01				80%	120%	
As	1	2057253	13	14	7.4%	< 1				80%	120%	
Ba	1	2057253	504	503	0.2%	< 1				80%	120%	
Be	1	2057253	1.62	1.69	4.2%	< 0.5				80%	120%	
Bi	1	2057253	7	9	25.0%	< 1				80%	120%	
Ca	1	2057253	0.59	0.56	5.2%	< 0.01	0.63	0.55	114%	80%	120%	
Cd	1	2057253	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2057253	14	13	7.4%	< 1				80%	120%	
Co	1	2057253	130	135	3.8%	< 0.5	5.2	5.0	105%	90%	110%	
Cr	1	2057253	233	232	0.4%	< 0.5				80%	120%	
Cs	1	2057253	< 0.5	< 0.5	0.0%	69.5				80%	120%	
Cu	1	2057253	159	231		< 0.5	4748	4700	101%	90%	110%	
Fe	1	2057253	5.45	5.21	4.5%	< 0.01	1.45	1.55	93%	90%	110%	
Ga	1	2057253	< 5	< 5	0.0%	< 5				80%	120%	
In	1	2057253	< 1	< 1	0.0%	< 1				80%	120%	
K	1	2057253	1.15	1.11	3.5%	< 0.01	2.62	2.99	88%	80%	120%	
La	1	2057253	9	8	11.8%	< 2				80%	120%	
Li	1	2057253	20	19	5.1%	< 1				80%	120%	
Mg	1	2057253	2.21	2.06	7.0%	< 0.01				80%	120%	
Mn	1	2057253	2070	2000	3.4%	< 1				80%	120%	
Mo	1	2057253	3.96	3.02	26.9%	< 0.5	350	280	125%	70%	130%	
Na	1	2057253	2.35	2.28	3.0%	< 0.01				80%	120%	
Ni	1	2057253	89.3	88.7	0.7%	< 0.5	5	7	71%	70%	130%	
P	1	2057253	594	584	1.7%	< 10				80%	120%	
Pb	1	2057253	6	7	15.4%	< 1				80%	120%	
Rb	1	2057253	40	40	0.0%	< 10				80%	120%	
S	1	2057253	0.391	0.394	0.8%	< 0.005				80%	120%	
Sb	1	2057253	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2057253	12	11	8.7%	< 1				80%	120%	
Se	1	2057253	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2057253	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2057253	47	45	4.3%	< 1	420	390	108%	90%	110%	
Ta	1	2057253	< 10	12		< 10				80%	120%	
Te	1	2057253	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2057253	7	6	15.4%	< 5				80%	120%	
Ti	1	2057253	0.289	0.284	1.7%	< 0.01				80%	120%	
Tl	1	2057253	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2057253	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2057253	275	272	1.1%	< 0.5				80%	120%	
W	1	2057253	3	3	0.0%	< 1				80%	120%	
Y	1	2057253	8	8	0.0%	< 1				80%	120%	
Zn	1	2057253	37.3	41.8	11.4%	< 0.5				80%	120%	
Zr	1	2057253	110	110	0.0%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443791

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Oct 19, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits	
							Lower			Upper	

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	2057277	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Al	1	2057277	6.62	6.20	6.6%	< 0.01			80%	120%
As	1	2057277	25	25	0.0%	< 1			80%	120%
Ba	1	2057277	242	223	8.2%	< 1			80%	120%
Be	1	2057277	1.4	1.4	0.0%	< 0.5			80%	120%
Bi	1	2057277	7	8	13.3%	< 1			80%	120%
Ca	1	2057277	2.27	2.16	5.0%	< 0.01			80%	120%
Cd	1	2057277	0.9	0.8	11.8%	< 0.5			80%	120%
Ce	1	2057277	13	11	16.7%	< 1			80%	120%
Co	1	2057277	53.2	53.6	0.7%	< 0.5			80%	120%
Cr	1	2057277	53.9	52.6	2.4%	< 0.5			80%	120%
Cs	1	2057277	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Cu	1	2057277	176	156	12.0%	< 0.5			80%	120%
Fe	1	2057277	9.60	9.25	3.7%	< 0.01			80%	120%
Ga	1	2057277	< 5	< 5	0.0%	< 5			80%	120%
In	1	2057277	7	5		< 1			80%	120%
K	1	2057277	1.43	1.36	5.0%	< 0.01			80%	120%
La	1	2057277	11	10	9.5%	< 2			80%	120%
Li	1	2057277	35	36	2.8%	< 1			80%	120%
Mg	1	2057277	3.78	3.59	5.2%	< 0.01			80%	120%
Mn	1	2057277	2180	2220	1.8%	< 1			80%	120%
Mo	1	2057277	2.34	2.40	2.5%	< 0.5			80%	120%
Na	1	2057277	0.477	0.461	3.4%	< 0.01			80%	120%
Ni	1	2057277	74.2	72.8	1.9%	< 0.5			80%	120%
P	1	2057277	474	473	0.2%	< 10			80%	120%
Pb	1	2057277	14	14	0.0%	< 1			80%	120%
Rb	1	2057277	53	44	18.6%	< 10			80%	120%
S	1	2057277	< 0.005	< 0.005	0.0%	< 0.005			80%	120%
Sb	1	2057277	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2057277	36	34	5.7%	< 1			80%	120%
Se	1	2057277	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2057277	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2057277	49	48	2.1%	< 1			80%	120%
Ta	1	2057277	20	20	0.0%	< 10			80%	120%
Te	1	2057277	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2057277	< 5	< 5	0.0%	< 5			80%	120%
Ti	1	2057277	0.29	0.31	6.7%	< 0.01			80%	120%
Tl	1	2057277	< 5	< 5	0.0%	< 5			80%	120%
U	1	2057277	< 5	< 5	0.0%	< 5			80%	120%
V	1	2057277	896	871	2.8%	< 0.5			80%	120%
W	1	2057277	1	2		< 1			80%	120%
Y	1	2057277	11	11	0.0%	< 1			80%	120%
Zn	1	2057277	170	162	4.8%	< 0.5			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443791

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)										
RPT Date: Oct 19, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Zr	1	2057277	58	57	1.7%	< 5			80%	120%
4 Acid Digest - ICP-OES Finish (201070)										
Ag	1	2057302	4.9	5.9	18.5%	< 0.5			80%	120%
Al	1	2057302	0.133	0.147	10.0%	< 0.01			80%	120%
As	1	2057302	90	95	5.4%	< 1			80%	120%
Ba	1	2057302	18	15	18.2%	< 1			80%	120%
Be	1	2057302	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Bi	1	2057302	< 1	< 1	0.0%	< 1			80%	120%
Ca	1	2057302	0.803	0.899	11.3%	< 0.01			80%	120%
Cd	1	2057302	1.6	1.6	0.0%	< 0.5			80%	120%
Ce	1	2057302	< 1	3		< 1			80%	120%
Co	1	2057302	47.5	42.0	12.3%	< 0.5			80%	120%
Cr	1	2057302	465	485	4.2%	< 0.5			80%	120%
Cs	1	2057302	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Cu	1	2057302	24200	24500	1.2%	< 0.5			80%	120%
Fe	1	2057302	3.88	4.31	10.5%	< 0.01			80%	120%
Ga	1	2057302	< 5	< 5	0.0%	< 5			80%	120%
In	1	2057302	13	3		< 1			80%	120%
K	1	2057302	0.02	0.02	0.0%	< 0.01			80%	120%
La	1	2057302	< 2	< 2	0.0%	< 2			80%	120%
Li	1	2057302	1	1	0.0%	< 1			80%	120%
Mg	1	2057302	0.501	0.560	11.1%	< 0.01			80%	120%
Mn	1	2057302	760	791	4.0%	< 1			80%	120%
Mo	1	2057302	8.80	7.42	17.0%	< 0.5			80%	120%
Na	1	2057302	0.01	0.01	0.0%	< 0.01			80%	120%
Ni	1	2057302	81.6	84.4	3.4%	< 0.5			80%	120%
P	1	2057302	< 10	< 10	0.0%	< 10			80%	120%
Pb	1	2057302	4	< 1		< 1			80%	120%
Rb	1	2057302	< 10	< 10	0.0%	< 10			80%	120%
S	1	2057302	1.62	1.73	6.6%	< 0.005			80%	120%
Sb	1	2057302	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2057302	1	1	0.0%	< 1			80%	120%
Se	1	2057302	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2057302	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2057302	6	6	0.0%	< 1			80%	120%
Ta	1	2057302	< 10	< 10	0.0%	< 10			80%	120%
Te	1	2057302	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2057302	< 5	< 5	0.0%	< 5			80%	120%
Ti	1	2057302	< 0.01	< 0.01	0.0%	< 0.01			80%	120%
Tl	1	2057302	< 5	< 5	0.0%	< 5			80%	120%
U	1	2057302	< 5	< 5	0.0%	< 5			80%	120%
V	1	2057302	29.0	29.2	0.7%	< 0.5			80%	120%
W	1	2057302	37	37	0.0%	< 1			80%	120%
Y	1	2057302	2	2	0.0%	< 1			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.


AGAT WORK ORDER: 10U443791

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Oct 19, 2010		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
									Lower	Upper		
Zn	1	2057302	89.7	91.9	2.4%	< 0.5			80%	120%		
Zr	1	2057302	5	6	18.2%	< 5			80%	120%		
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1		1.15	1.22	5.9%	< 0.001	0.195	0.205	95%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	2057277	0.0018	0.0014	25.0%	< 0.001		0.031		70%	130%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	2057289	< 0.001	< 0.001	0.0%	< 0.001		0.031		70%	130%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	2057302	0.322	0.347	7.5%	< 0.001		0.031		70%	130%	
Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)												
Au	1	2057313	< 0.001	< 0.001	0.0%	< 0.001		0.031		70%	130%	

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U443791

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Cu-OL			AA
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
Sample Description														
E5106030	2.32	<0.5	7.73	13	229	1.3	<1	6.01	<0.5	<1	49.1	379	<0.5	55.8
E5106031	1.44	<0.5	2.25	<1	318	1.7	<1	0.34	<0.5	<1	12.7	407	<0.5	16.5
E5304060	0.10	3.3	5.37	14	1370	0.9	<1	0.84	0.5	4	7.6	31.4	<0.5	39.0
E5304061	2.12	<0.5	6.31	4	212	1.7	<1	0.41	<0.5	48	20.8	327	<0.5	3.3
E5304062	2.26	<0.5	6.38	3	172	1.7	<1	0.45	<0.5	67	23.5	345	<0.5	<0.5
E5304063	2.20	<0.5	6.02	3	237	1.5	<1	0.46	<0.5	47	17.8	266	<0.5	28.2
E5304064	2.28	<0.5	5.42	3	196	1.2	<1	0.41	<0.5	38	16.7	322	<0.5	9.0
E5304065	2.34	<0.5	6.88	4	230	1.5	<1	0.48	<0.5	103	18.7	213	<0.5	4.4
E5304066	2.18	<0.5	5.18	4	132	1.1	22	2.01	<0.5	47	36.9	375	<0.5	3600
E5304067	2.18	<0.5	5.40	5	115	1.2	<1	1.51	<0.5	34	27.4	216	<0.5	47.4
E5304068	2.24	<0.5	6.05	3	200	1.4	<1	0.58	<0.5	33	20.3	285	<0.5	3.4
E5304069	2.16	<0.5	6.33	3	167	1.4	<1	0.36	<0.5	41	26.4	219	<0.5	<0.5
E5304070	0.10	<0.5	5.43	3	619	1.6	<1	1.93	<0.5	11	10.9	42.9	<0.5	44.7
E5304071	2.20	<0.5	7.15	4	58	1.2	<1	0.48	<0.5	31	24.4	292	<0.5	33.5
E5304072	2.40	1.1	6.11	4	104	1.0	<1	0.30	<0.5	50	27.6	234	<0.5	<0.5
E5304073	2.32	1.4	5.64	5	133	1.1	<1	0.49	<0.5	47	22.9	277	<0.5	<0.5
E5304074	2.10	<0.5	6.84	5	134	1.2	<1	0.41	<0.5	19	24.9	215	<0.5	<0.5
E5304075	2.08	<0.5	6.11	3	187	1.3	5	0.94	<0.5	31	27.9	302	<0.5	616
E5304076	2.14	<0.5	5.37	4	67	0.9	2	0.40	<0.5	54	39.5	245	<0.5	<0.5
E5304077	2.14	<0.5	6.55	4	167	1.4	<1	0.53	<0.5	24	25.2	286	<0.5	25.3
E5304078	2.56	<0.5	5.17	4	165	2.0	3	1.75	<0.5	36	29.0	202	<0.5	314
E5304079	2.04	<0.5	6.56	6	225	1.8	<1	0.39	<0.5	10	21.4	168	<0.5	<0.5
E5304080	0.10	3.4	0.45	189	546	<0.5	71	0.01	<0.5	4	3.4	31.0	<0.5	89.2
E5304081	1.90	<0.5	5.42	6	97	1.2	<1	0.46	<0.5	85	43.7	315	<0.5	7.8
E5304082	2.44	<0.5	5.08	5	122	1.1	<1	0.39	<0.5	40	25.7	286	<0.5	144
E5304083	1.70	<0.5	5.22	5	115	1.2	<1	1.23	<0.5	37	23.9	205	<0.5	<0.5
E5304084	1.86	<0.5	6.32	10	206	1.6	1	0.54	<0.5	32	25.9	220	<0.5	<0.5
E5304085	2.56	<0.5	5.27	6	124	1.2	<1	3.58	<0.5	63	21.0	265	<0.5	<0.5
E5304086	1.90	<0.5	5.35	4	101	1.4	<1	1.27	<0.5	23	22.5	194	<0.5	<0.5
E5304087	2.14	<0.5	5.99	4	72	1.7	<1	1.32	<0.5	57	23.6	268	<0.5	<0.5
E5304088	2.00	<0.5	5.25	6	100	1.7	<1	0.46	<0.5	108	32.1	258	<0.5	<0.5
E5304089	2.12	<0.5	5.55	3	104	1.5	<1	0.57	<0.5	20	23.3	247	<0.5	<0.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Sample Login Weight Unit: kg RDL:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
E5304090	0.10	2.3	0.43	106	371	<0.5	96	<0.01	<0.5	5	3.6	34.6	<0.5	67.1
E5304091	2.02	<0.5	4.39	6	181	1.2	<1	0.89	<0.5	48	19.8	280	<0.5	<0.5
E5304092	1.76	<0.5	4.94	2	162	1.5	<1	0.47	<0.5	42	16.7	249	<0.5	<0.5
E5304093	2.04	<0.5	5.25	5	197	1.9	<1	0.63	<0.5	56	21.0	300	<0.5	<0.5
E5304094	1.98	<0.5	5.82	5	190	2.1	<1	0.52	<0.5	39	25.8	178	<0.5	<0.5
E5304095	2.88	0.6	6.33	11	215	1.5	<1	0.43	<0.5	66	26.6	214	<0.5	<0.5
E5304096	1.98	<0.5	5.45	8	161	1.3	<1	0.59	<0.5	54	27.1	276	<0.5	<0.5
E5304097	2.10	<0.5	5.57	7	165	1.4	<1	0.85	<0.5	65	19.9	259	<0.5	<0.5
E5304098	2.18	<0.5	6.34	5	159	1.4	<1	0.67	<0.5	56	22.5	191	<0.5	<0.5
E5304099	2.04	<0.5	4.71	3	129	1.0	<1	0.87	<0.5	25	16.4	227	<0.5	<0.5
E5304100	0.62	<0.5	0.68	<1	36	<0.5	<1	0.03	<0.5	27	3.1	503	<0.5	<0.5
E5304101	2.26	<0.5	5.15	1	98	1.0	<1	0.65	<0.5	32	20.0	278	<0.5	<0.5
E5304102	2.10	<0.5	5.61	3	124	1.1	<1	0.56	<0.5	42	20.7	286	<0.5	<0.5
E5304103	2.06	<0.5	5.33	2	102	1.1	<1	0.87	<0.5	33	24.3	229	<0.5	<0.5
E5304104	2.16	<0.5	6.08	5	130	1.4	<1	0.76	<0.5	42	25.1	206	<0.5	<0.5
E5304105	2.16	<0.5	6.48	3	163	1.7	<1	0.40	<0.5	49	20.1	255	<0.5	<0.5
E5304106	2.20	1.1	5.49	3	169	1.7	<1	0.57	<0.5	27	14.6	268	<0.5	<0.5
E5304107	2.68	<0.5	5.60	3	259	2.2	<1	0.61	<0.5	17	17.1	161	<0.5	<0.5
E5304108	2.16	<0.5	5.46	3	123	1.4	<1	0.43	<0.5	22	17.9	286	<0.5	<0.5
E5304109	2.24	<0.5	5.98	2	113	1.5	1	0.39	<0.5	22	18.6	262	<0.5	<0.5
E5304110	0.10	2.5	4.98	16	524	0.9	<1	0.82	<0.5	<1	7.7	32.1	<0.5	36.5
E5304111	1.90	<0.5	6.40	4	125	1.7	<1	0.50	<0.5	29	20.5	178	<0.5	6.7
E5304112	2.00	<0.5	5.62	3	154	1.9	<1	0.91	<0.5	24	16.4	160	<0.5	<0.5
E5304113	2.22	<0.5	6.49	4	126	1.3	<1	2.06	<0.5	31	16.2	244	<0.5	<0.5
E5304114	2.30	<0.5	6.38	5	162	1.4	<1	0.91	<0.5	34	22.0	250	<0.5	<0.5
E5304115	2.32	<0.5	6.23	5	173	1.5	<1	0.50	<0.5	46	26.4	209	<0.5	<0.5
E5304116	2.06	<0.5	5.14	4	135	1.2	<1	0.74	<0.5	29	32.0	290	<0.5	<0.5
E5304117	1.74	<0.5	4.20	2	272	1.4	<1	1.69	<0.5	32	14.0	320	<0.5	<0.5
E5304118	2.26	<0.5	5.77	3	207	1.6	<1	0.57	<0.5	51	23.6	295	<0.5	<0.5
E5304119	2.02	<0.5	5.46	3	113	1.1	<1	0.48	<0.5	34	24.0	291	<0.5	<0.5
E5304120	0.10	<0.5	4.75	2	667	1.8	<1	1.82	<0.5	7	12.3	47.8	<0.5	45.8
E5304121	2.08	<0.5	6.00	3	129	1.4	<1	0.37	<0.5	41	22.9	228	<0.5	<0.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Unit:	Login Weight	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	kg	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
E5304122		2.14	<0.5	5.43	5	91	1.1	<1	0.67	<0.5	60	28.1	300	<0.5	<0.5
E5304123		2.16	<0.5	5.78	6	98	1.1	<1	0.54	<0.5	76	31.2	238	<0.5	<0.5
E5304124		2.14	<0.5	5.79	4	74	1.0	<1	0.37	<0.5	41	26.9	328	<0.5	<0.5
E5304125		1.90	<0.5	6.03	4	89	1.1	<1	0.38	<0.5	45	25.7	272	<0.5	<0.5
E5304126		2.06	<0.5	6.28	4	62	1.2	<1	0.34	<0.5	77	33.9	213	<0.5	<0.5
E5304127		2.00	<0.5	5.35	2	63	1.1	<1	1.04	<0.5	22	18.3	273	<0.5	<0.5
E5304128		1.94	<0.5	4.75	2	127	1.3	<1	1.03	<0.5	17	15.4	234	<0.5	<0.5
E5304129		1.94	<0.5	5.61	1	416	1.8	<1	0.59	<0.5	14	19.1	223	<0.5	<0.5
E5304130		0.10	3.0	0.45	192	553	0.5	73	0.01	<0.5	3	3.5	31.8	<0.5	84.1
E5304131		1.08	<0.5	5.80	<1	464	2.2	<1	0.66	<0.5	19	17.4	240	<0.5	<0.5
E5304132		1.90	<0.5	6.01	1	586	2.5	<1	0.48	<0.5	29	19.3	172	<0.5	<0.5
E5304133		1.92	<0.5	5.40	11	554	2.2	<1	1.67	<0.5	21	27.2	257	<0.5	31.3
E5304134		1.88	<0.5	5.69	3	728	2.5	<1	0.56	<0.5	17	19.0	242	<0.5	0.8
E5304135		2.02	<0.5	6.05	4	666	2.5	<1	0.76	<0.5	20	21.2	223	<0.5	13.3
E5304136		1.86	<0.5	6.24	3	654	3.0	<1	1.07	<0.5	33	20.1	249	<0.5	4.1
E5304137		1.14	3.9	6.04	15	609	3.3	<1	0.52	<0.5	152	56.2	262	<0.5	315

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5106030		6.96	11	3	1.00	4	19	4.96	1590	1.6	1.63	138	320	9	121
E5106031		3.11	7	<1	1.15	3	17	0.73	524	4.5	0.49	20.0	206	9	242
E5304060		2.75	8	<1	5.63	3	9	0.13	236	477	0.35	35.2	582	73	252
E5304061		4.69	11	<1	0.80	30	20	2.75	694	3.4	2.58	70.4	713	8	44
E5304062		5.25	13	<1	0.65	39	20	3.11	701	4.7	2.44	76.2	721	8	33
E5304063		4.24	12	2	0.68	29	17	2.49	576	3.2	2.58	62.0	744	8	43
E5304064		4.01	12	3	0.65	23	16	2.40	564	3.5	2.17	60.4	741	6	40
E5304065		4.73	14	4	0.88	63	21	2.82	672	3.8	2.97	68.4	806	6	44
E5304066		4.49	8	4	0.65	27	15	3.26	724	3.6	2.06	61.2	461	5	27
E5304067		4.15	14	5	0.53	20	19	3.10	685	2.9	2.42	65.5	581	7	19
E5304068		3.55	11	2	0.80	20	14	2.11	441	3.1	3.08	54.6	630	6	35
E5304069		4.44	14	6	0.86	25	20	2.57	541	3.2	2.76	72.1	687	7	35
E5304070		3.73	7	3	0.91	8	12	0.99	1100	5.2	2.13	29.9	664	9	53
E5304071		6.16	16	5	0.46	20	29	3.89	758	4.6	2.75	93.4	720	8	14
E5304072		4.69	11	1	0.71	30	20	2.82	508	3.8	2.49	69.9	608	8	20
E5304073		4.17	12	<1	0.62	28	19	2.53	499	3.3	2.47	58.6	591	9	24
E5304074		5.38	15	<1	0.79	13	27	3.21	577	4.0	2.67	85.0	719	7	36
E5304075		4.81	12	2	0.76	19	22	2.97	543	3.9	2.53	72.7	637	6	31
E5304076		4.95	11	6	0.46	31	24	2.91	474	2.6	1.94	76.7	656	7	16
E5304077		5.10	14	<1	0.76	15	23	2.94	480	3.5	2.60	74.3	706	7	39
E5304078		3.49	11	2	0.78	21	16	2.62	703	3.7	2.38	55.0	548	5	32
E5304079		4.59	13	3	1.21	7	20	2.26	332	1.6	3.40	65.7	704	8	27
E5304080		5.82	<5	11	0.05	5	<1	<0.01	123	17.8	<0.01	11.1	265	103	<10
E5304081		4.08	10	3	1.04	48	19	2.25	406	3.2	2.39	59.6	601	2	27
E5304082		3.77	11	<1	0.89	24	18	2.11	367	4.2	2.10	58.1	527	6	30
E5304083		3.83	10	2	1.51	22	20	2.28	444	3.9	1.93	60.8	559	5	37
E5304084		4.20	15	<1	1.66	20	21	2.48	416	3.2	2.15	67.4	678	6	80
E5304085		3.50	10	8	2.07	37	19	3.18	829	4.1	1.36	56.8	514	5	75
E5304086		3.54	10	2	1.78	14	19	2.45	580	2.3	2.13	55.5	596	5	33
E5304087		3.49	12	<1	1.92	32	20	2.36	441	4.1	2.78	55.5	633	5	28
E5304088		3.25	13	<1	2.00	58	18	1.80	330	2.4	2.39	60.9	648	2	31
E5304089		4.01	12	5	1.14	13	17	2.35	356	4.7	2.27	62.8	592	7	34

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5304090	4.55	<5	1	0.07	6	<1	<0.01	125	17.4	<0.01	10.2	252	157	<10
E5304091	3.09	9	5	1.37	26	13	2.03	343	4.9	1.20	48.4	480	4	76
E5304092	4.67	11	5	1.40	23	20	2.04	349	3.3	1.80	67.6	632	6	33
E5304093	4.08	14	7	1.55	30	19	2.09	428	3.3	2.55	66.0	694	4	31
E5304094	3.50	14	<1	2.02	21	14	1.82	320	2.5	3.25	59.8	697	4	31
E5304095	4.30	13	3	1.01	40	17	2.38	378	1.9	2.85	66.2	681	7	37
E5304096	4.16	12	3	0.74	32	18	2.40	437	2.7	2.21	66.4	641	4	34
E5304097	4.21	14	3	1.20	37	18	2.14	419	2.8	2.62	65.2	674	5	25
E5304098	4.34	12	<1	1.01	30	18	2.44	353	2.8	3.03	65.5	662	8	25
E5304099	3.55	9	4	1.13	14	15	2.22	374	4.7	1.93	53.0	543	5	24
E5304100	1.06	<5	3	0.06	17	7	0.07	45	6.7	0.02	5.9	124	2	<10
E5304101	3.59	10	<1	1.20	18	15	2.19	342	3.3	2.09	54.6	561	6	24
E5304102	4.53	13	7	1.16	25	20	2.67	429	4.4	2.02	70.7	598	5	30
E5304103	4.22	11	<1	1.53	20	19	2.63	472	3.6	1.89	66.8	607	5	28
E5304104	4.29	14	2	1.15	25	20	2.62	445	3.1	2.69	71.4	694	5	26
E5304105	4.26	14	2	0.91	29	15	1.99	334	3.5	3.46	66.6	707	6	27
E5304106	4.21	15	6	0.94	17	17	1.90	394	2.1	3.08	67.3	765	5	23
E5304107	4.03	15	<1	1.53	12	15	1.79	431	2.8	3.11	68.6	844	5	27
E5304108	3.90	12	2	0.79	14	17	2.10	319	3.1	2.68	61.9	621	4	27
E5304109	4.01	12	9	0.77	14	18	2.13	294	5.1	3.05	64.9	677	5	24
E5304110	2.73	8	<1	5.92	<2	9	0.13	236	470	0.34	34.8	569	5	260
E5304111	4.70	14	4	1.33	18	21	2.38	350	3.5	3.03	74.9	752	6	26
E5304112	4.27	13	4	1.34	15	17	2.20	417	3.2	3.08	66.9	714	5	23
E5304113	3.92	10	1	1.79	20	17	2.58	548	3.5	2.60	60.9	646	5	42
E5304114	4.85	14	2	1.04	21	18	2.62	515	4.0	2.77	71.4	700	6	38
E5304115	4.64	13	<1	0.83	27	16	2.55	315	3.0	2.62	70.0	673	7	46
E5304116	4.00	12	4	0.94	19	17	2.41	365	3.0	1.86	72.8	590	4	49
E5304117	3.09	9	<1	2.00	20	13	2.50	527	4.8	0.44	56.5	462	4	113
E5304118	4.28	15	3	1.10	30	20	2.51	366	4.0	2.20	79.2	682	5	62
E5304119	3.77	9	3	0.55	20	16	2.18	269	4.3	2.54	61.3	565	7	34
E5304120	3.56	8	1	0.85	7	13	0.92	1140	6.4	2.01	33.6	699	8	45
E5304121	4.19	14	1	0.67	23	19	2.28	248	3.7	3.39	69.3	702	6	26

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010		DATE RECEIVED: Oct 28, 2010						DATE REPORTED: Oct 29, 2010					SAMPLE TYPE: Rock		
Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5304122		4.03	12	<1	0.67	34	19	2.44	305	3.9	2.44	68.1	596	6	32
E5304123		4.29	12	6	0.59	44	21	2.45	298	3.5	2.63	71.1	653	6	27
E5304124		4.12	12	<1	0.44	24	20	2.30	230	3.0	2.64	63.6	584	6	27
E5304125		4.34	12	2	0.55	27	22	2.39	238	3.8	2.68	66.9	648	6	33
E5304126		5.22	15	3	0.52	44	26	2.89	258	3.2	2.67	86.5	696	7	19
E5304127		3.13	9	3	0.84	13	17	2.00	295	3.5	2.85	52.0	593	5	29
E5304128		1.91	12	<1	1.48	10	11	1.53	338	2.9	2.83	38.2	583	3	69
E5304129		3.16	13	<1	2.65	10	16	1.56	659	2.3	2.32	52.4	659	4	102
E5304130		5.97	<5	3	0.05	5	<1	<0.01	124	18.3	<0.01	11.0	278	104	<10
E5304131		4.44	12	<1	2.27	13	19	1.90	1020	1.8	2.08	63.0	693	5	86
E5304132		4.39	15	1	2.52	20	19	1.79	1020	2.1	1.90	65.4	715	5	91
E5304133		4.60	13	2	3.47	14	17	2.19	1070	2.1	1.10	71.6	690	12	135
E5304134		4.11	14	<1	2.04	12	17	1.72	1020	2.4	2.15	62.9	700	5	108
E5304135		4.36	14	4	2.16	13	17	1.85	1110	3.2	2.52	62.6	728	6	98
E5304136		4.43	12	<1	2.15	21	17	1.98	1090	3.7	2.24	67.1	705	10	112
E5304137		6.05	12	3	4.37	66	26	2.09	967	24.7	0.36	79.3	723	13	156

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5106030		0.049	<1	34	<10	<5	221	11	<10	<5	0.23	<5	<5	391	2
E5106031		<0.005	<1	2	<10	<5	33	<10	<10	<5	0.27	<5	<5	77.9	1
E5304060		2.30	<1	<1	<10	<5	441	<10	<10	<5	0.06	<5	<5	74.9	1
E5304061		0.107	<1	12	<10	<5	89	11	<10	9	0.19	<5	<5	233	1
E5304062		0.123	<1	12	<10	<5	81	<10	<10	7	0.20	<5	<5	238	1
E5304063		0.084	<1	11	<10	<5	87	<10	<10	9	0.16	<5	<5	211	1
E5304064		0.071	<1	11	<10	<5	75	<10	<10	8	0.11	<5	<5	210	<1
E5304065		0.096	<1	12	<10	<5	96	<10	<10	7	0.10	<5	<5	237	2
E5304066		0.714	<1	16	<10	<5	75	<10	<10	7	0.08	<5	<5	190	6
E5304067		0.180	<1	14	<10	<5	89	<10	<10	8	0.07	<5	<5	208	<1
E5304068		0.140	<1	10	<10	<5	106	<10	<10	7	0.13	<5	<5	196	1
E5304069		0.179	<1	12	<10	<5	92	<10	<10	8	0.11	<5	<5	233	<1
E5304070		0.046	<1	9	<10	<5	249	<10	<10	<5	0.29	<5	<5	186	<1
E5304071		0.102	<1	14	<10	<5	85	11	<10	7	0.10	<5	<5	268	1
E5304072		0.198	<1	10	<10	<5	77	<10	<10	5	0.08	<5	<5	213	<1
E5304073		0.187	<1	9	<10	<5	86	<10	<10	6	0.09	<5	<5	190	<1
E5304074		0.135	<1	13	<10	<5	82	<10	<10	8	0.09	<5	<5	256	<1
E5304075		0.259	<1	11	<10	<5	80	<10	<10	7	0.08	<5	<5	226	2
E5304076		0.238	<1	10	<10	<5	69	<10	<10	6	0.06	<5	<5	221	1
E5304077		0.170	<1	11	<10	<5	85	<10	<10	7	0.11	<5	<5	232	<1
E5304078		0.233	<1	12	<10	<5	84	<10	<10	8	0.09	<5	<5	190	1
E5304079		0.156	<1	9	<10	<5	100	<10	<10	5	0.15	<5	<5	231	1
E5304080		0.142	6	<1	<10	<5	65	<10	11	<5	0.09	<5	<5	52.7	17
E5304081		0.222	<1	8	<10	<5	69	12	<10	<5	0.15	<5	<5	183	1
E5304082		0.136	<1	9	<10	<5	71	<10	<10	7	0.10	<5	<5	187	1
E5304083		0.084	<1	9	<10	<5	61	<10	<10	8	0.12	<5	<5	196	<1
E5304084		0.099	<1	12	<10	<5	66	<10	<10	7	0.12	<5	<5	238	<1
E5304085		0.104	<1	12	<10	<5	53	<10	<10	8	0.11	<5	<5	194	<1
E5304086		0.184	<1	8	<10	<5	58	<10	<10	7	0.15	<5	<5	187	<1
E5304087		0.136	<1	8	<10	<5	57	<10	<10	7	0.20	<5	<5	183	<1
E5304088		0.113	<1	9	<10	<5	53	<10	<10	8	0.20	<5	<5	210	1
E5304089		0.105	<1	9	<10	<5	56	<10	<10	6	0.18	<5	<5	204	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5304090		0.196	11	<1	<10	6	127	<10	<10	<5	0.08	<5	<5	58.8	2
E5304091		0.083	<1	8	<10	<5	43	<10	<10	7	0.08	<5	<5	169	<1
E5304092		0.054	<1	8	<10	<5	51	<10	<10	<5	0.11	<5	<5	208	<1
E5304093		0.077	<1	8	<10	<5	69	<10	<10	7	0.15	<5	<5	220	1
E5304094		0.107	<1	7	<10	<5	70	<10	<10	5	0.15	<5	<5	204	1
E5304095		0.132	<1	11	<10	<5	81	<10	<10	7	0.11	<5	<5	221	<1
E5304096		0.148	<1	10	<10	<5	75	<10	<10	8	0.08	<5	<5	208	1
E5304097		0.104	<1	9	<10	<5	70	<10	<10	7	0.11	<5	<5	210	<1
E5304098		0.164	<1	11	<10	<5	80	<10	<10	6	0.10	<5	<5	214	<1
E5304099		0.084	<1	8	<10	<5	57	<10	<10	7	0.07	<5	<5	178	<1
E5304100		<0.005	2	<1	<10	<5	7	<10	<10	<5	0.05	<5	<5	15.2	<1
E5304101		0.098	<1	8	<10	<5	61	<10	<10	6	0.08	<5	<5	177	<1
E5304102		0.107	<1	10	<10	<5	60	<10	<10	6	0.07	<5	<5	214	<1
E5304103		0.172	<1	9	<10	<5	55	<10	<10	6	0.08	<5	<5	205	<1
E5304104		0.145	<1	10	<10	<5	80	<10	<10	8	0.09	<5	<5	232	1
E5304105		0.157	<1	8	<10	<5	95	<10	<10	5	0.12	<5	<5	226	1
E5304106		0.074	<1	8	<10	<5	90	<10	<10	7	0.13	<5	<5	227	<1
E5304107		0.101	<1	8	<10	<5	83	<10	<10	6	0.18	<5	<5	242	1
E5304108		0.115	<1	9	<10	<5	78	<10	<10	6	0.09	<5	<5	200	<1
E5304109		0.120	<1	10	<10	<5	86	<10	<10	9	0.11	<5	<5	211	1
E5304110		2.28	<1	<1	<10	<5	290	<10	<10	<5	0.07	<5	<5	75.5	1
E5304111		0.160	<1	10	<10	<5	82	<10	<10	6	0.12	<5	<5	237	2
E5304112		0.116	<1	8	<10	<5	80	<10	<10	6	0.12	<5	<5	221	<1
E5304113		0.118	<1	10	<10	<5	76	<10	<10	7	0.11	<5	<5	197	<1
E5304114		0.167	<1	11	<10	<5	74	<10	<10	6	0.09	<5	<5	239	<1
E5304115		0.186	<1	9	<10	<5	85	<10	<10	6	0.08	<5	<5	219	1
E5304116		0.196	<1	10	<10	<5	60	<10	<10	8	0.07	<5	<5	217	<1
E5304117		0.081	<1	9	<10	<5	28	<10	<10	8	0.07	<5	<5	182	<1
E5304118		0.130	<1	11	<10	<5	66	<10	<10	8	0.09	<5	<5	242	<1
E5304119		0.182	<1	9	<10	<5	78	<10	<10	7	0.08	<5	<5	192	<1
E5304120		0.036	<1	9	<10	<5	249	<10	<10	<5	0.29	<5	<5	201	<1
E5304121		0.138	<1	10	<10	<5	89	<10	<10	7	0.10	<5	<5	229	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010		DATE RECEIVED: Oct 28, 2010					DATE REPORTED: Oct 29, 2010					SAMPLE TYPE: Rock			
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5304122		0.184	<1	9	<10	<5	74	<10	<10	8	0.06	<5	<5	203	<1
E5304123		0.220	<1	10	<10	<5	79	<10	<10	7	0.06	<5	<5	218	<1
E5304124		0.204	<1	8	<10	<5	83	<10	<10	6	0.06	<5	<5	190	<1
E5304125		0.190	<1	9	<10	<5	83	<10	<10	6	0.07	<5	<5	207	<1
E5304126		0.250	<1	10	<10	<5	79	<10	<10	6	0.09	<5	<5	236	<1
E5304127		0.137	<1	6	<10	<5	87	<10	<10	9	0.08	<5	<5	149	<1
E5304128		0.093	<1	4	<10	<5	86	<10	<10	10	0.08	<5	<5	125	<1
E5304129		0.032	<1	7	<10	<5	86	<10	<10	7	0.22	<5	<5	180	<1
E5304130		0.155	6	<1	<10	<5	64	<10	<10	<5	0.09	<5	<5	52.9	14
E5304131		0.015	<1	9	<10	<5	90	<10	<10	6	0.31	<5	<5	214	<1
E5304132		0.031	<1	8	<10	<5	89	<10	<10	6	0.32	<5	<5	226	<1
E5304133		0.793	<1	10	<10	<5	58	<10	<10	6	0.30	<5	<5	218	<1
E5304134		0.032	<1	9	<10	<5	103	<10	<10	6	0.32	<5	<5	218	<1
E5304135		0.050	<1	9	<10	<5	127	<10	<10	6	0.33	<5	<5	224	<1
E5304136		0.065	<1	9	<10	<5	116	<10	<10	7	0.32	<5	<5	220	<1
E5304137		0.024	<1	25	<10	<5	43	<10	<10	7	0.22	<5	<5	357	9

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
E5106030	9	44.2	32
E5106031	1	93.2	84
E5304060	4	310	54
E5304061	9	46.6	85
E5304062	9	48.2	76
E5304063	8	39.4	69
E5304064	8	36.1	70
E5304065	13	39.3	80
E5304066	19	35.1	62
E5304067	16	35.8	68
E5304068	9	26.6	77
E5304069	7	35.2	80
E5304070	12	53.1	41
E5304071	8	49.8	80
E5304072	7	37.2	68
E5304073	7	34.4	69
E5304074	6	39.7	80
E5304075	8	34.1	73
E5304076	7	37.5	69
E5304077	8	33.7	83
E5304078	16	24.1	66
E5304079	4	26.2	87
E5304080	1	14.1	31
E5304081	10	22.6	71
E5304082	6	25.0	64
E5304083	9	22.1	65
E5304084	8	27.2	78
E5304085	21	19.3	61
E5304086	9	19.1	73
E5304087	11	17.6	80
E5304088	10	18.5	82
E5304089	7	21.7	69

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5
E5304090		<1	11.6	16
E5304091		8	19.6	56
E5304092		6	27.2	74
E5304093		7	24.6	85
E5304094		7	19.5	91
E5304095		7	28.3	83
E5304096		8	27.5	76
E5304097		7	26.4	82
E5304098		6	26.4	77
E5304099		6	24.3	58
E5304100		4	5.6	30
E5304101		6	24.0	64
E5304102		7	32.2	80
E5304103		7	31.7	72
E5304104		8	30.6	83
E5304105		7	26.1	86
E5304106		7	28.9	92
E5304107		6	26.1	91
E5304108		5	27.5	76
E5304109		5	27.4	83
E5304110		3	308	57
E5304111		6	26.5	91
E5304112		7	23.7	87
E5304113		11	22.4	79
E5304114		6	26.6	80
E5304115		6	28.3	81
E5304116		6	25.4	72
E5304117		7	16.6	52
E5304118		5	24.2	81
E5304119		4	21.5	69
E5304120		11	60.0	50
E5304121		4	21.5	86

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
E5304122	5	21.4	75
E5304123	5	20.3	77
E5304124	5	19.4	72
E5304125	5	20.7	81
E5304126	5	24.3	84
E5304127	7	14.4	95
E5304128	6	7.7	104
E5304129	5	28.2	93
E5304130	1	13.2	33
E5304131	6	47.4	78
E5304132	7	49.5	80
E5304133	11	43.2	79
E5304134	6	51.0	87
E5304135	6	50.2	82
E5304136	13	51.8	77
E5304137	141	58.2	116

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Trace Au, Pd, Pt, ICP-OES finish (202052, 202055)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	Pd ppm 0.001	Pt ppm 0.005
E5106030		0.010	0.015	0.017
E5106031		0.003		
E5304060		4.86		
E5304061		0.003		
E5304062		0.003		
E5304063		0.001		
E5304064		0.004		
E5304065		0.001		
E5304066		0.650		
E5304067		0.012		
E5304068		0.003		
E5304069		0.003		
E5304070		0.003		
E5304071		0.016		
E5304072		0.003		
E5304073		0.004		
E5304074		0.002		
E5304075		0.017		
E5304076		0.003		
E5304077		0.002		
E5304078		2.40		
E5304079		0.005		
E5304080		0.730		
E5304081		0.004		
E5304082		0.005		
E5304083		0.003		
E5304084		0.014		
E5304085		0.002		
E5304086		0.005		
E5304087		0.007		
E5304088		0.003		
E5304089		0.004		

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Trace Au, Pd, Pt, ICP-OES finish (202052, 202055)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	Pd ppm 0.001	Pt ppm 0.005
E5304090		1.09		
E5304091		0.002		
E5304092		0.015		
E5304093		0.002		
E5304094		0.002		
E5304095		0.002		
E5304096		0.004		
E5304097		0.003		
E5304098		0.002		
E5304099		0.009		
E5304100		<0.001		
E5304101		0.002		
E5304102		0.002		
E5304103		<0.001		
E5304104		0.003		
E5304105		0.001		
E5304106		0.005		
E5304107		0.012		
E5304108		0.015		
E5304109		0.003		
E5304110		4.94		
E5304111		0.004		
E5304112		0.011		
E5304113		0.001		
E5304114		0.002		
E5304115		0.003		
E5304116		0.004		
E5304117		0.003		
E5304118		0.005		
E5304119		0.008		
E5304120		0.002		
E5304121		0.008		

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Trace Au, Pd, Pt, ICP-OES finish (202052, 202055)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Au	Pd	Pt
Unit:	ppm	ppm	ppm
Sample Description RDL:	0.001	0.001	0.005
E5304122	0.008		
E5304123	0.007		
E5304124	0.004		
E5304125	0.030		
E5304126	0.007		
E5304127	0.029		
E5304128	0.001		
E5304129	0.004		
E5304130	0.754		
E5304131	0.001		
E5304132	0.001		
E5304133	0.005		
E5304134	0.001		
E5304135	0.001		
E5304136	0.004		
E5304137	0.025		

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U449764

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 05, 2010

PAGES (INCLUDING COVER): 7

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U449764

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010	DATE RECEIVED: Nov 05, 2010						DATE REPORTED: Nov 05, 2010						SAMPLE TYPE: Soil		
Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL: 0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01	
E5106035	<0.5	1.88	<1	392	1.3	<1	0.50	<0.5	13	9.5	49.5	<0.5	3.1	2.16	
E5106036	<0.5	1.96	<1	368	1.4	<1	0.47	<0.5	13	11.0	55.6	<0.5	10.2	2.45	
E5106032	0.8	3.38	6	169	2.4	<1	0.98	<0.5	32	51.0	271	<0.5	202	6.38	
E5106033	<0.5	6.55	2	91	<0.5	<1	7.62	<0.5	16	38.0	743	<0.5	151	5.34	
E5106034	<0.5	6.32	11	43	1.2	<1	4.21	0.5	21	71.9	216	<0.5	535	4.79	
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL: 5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
E5106035	7	1	1.02	7	12	0.36	295	2.4	1.18	25.8	272	8	62	0.016	
E5106036	8	3	1.00	7	18	0.38	348	1.3	1.17	30.7	391	8	55	0.034	
E5106032	9	9	0.41	17	9	1.06	1030	4.3	3.09	12.9	1310	6	21	0.423	
E5106033	<5	5	0.31	6	7	5.01	1800	3.0	1.04	160	403	4	27	0.123	
E5106034	<5	<1	0.11	9	10	2.78	934	2.8	3.71	81.4	386	5	<10	0.499	
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL: 1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1	
E5106035	<1	3	<10	<5	124	<10	<10	<5	0.24	<5	<5	135	<1	4	
E5106036	<1	2	<10	<5	110	<10	<10	<5	0.25	<5	<5	130	<1	4	
E5106032	<1	14	<10	<5	38	17	21	6	0.67	<5	<5	302	2	23	
E5106033	<1	34	<10	<5	104	15	<10	8	0.26	<5	<5	383	1	10	
E5106034	<1	22	<10	<5	188	16	<10	7	0.36	<5	<5	360	1	15	
Analyte:	Zn	Zr													
Unit:	ppm	ppm													
Sample Description	RDL: 0.5	5													
E5106035	35.4	90													
E5106036	59.9	83													
E5106032	49.9	203													
E5106033	62.6	48													
E5106034	274	56													

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 10U449764

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Soil

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449764

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Soil

Analyte:	Au	Pd	Pt
Unit:	ppm	ppm	ppm
Sample Description RDL:	0.001	0.001	0.005
E5106035	0.001	0.003	<0.005
E5106036	0.002	0.004	<0.005
E5106032	0.024	0.003	<0.005
E5106033	0.015	0.051	0.043
E5106034	0.013	0.001	<0.005

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U449764

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Nov 05, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2108242	< 0.5	< 0.5	0.0%	< 0.5	7	7	103%	90%	110%	
Al	1	2108242	1.88	2.03	7.7%	< 0.01				80%	120%	
As	1	2108242	< 1	< 1	0.0%	< 1				80%	120%	
Ba	1	2108242	392	411	4.7%	< 1				80%	120%	
Be	1	2108242	1.33	1.23	7.8%	< 0.5				80%	120%	
Bi	1	2108242	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2108242	0.50	0.52	3.9%	< 0.01				80%	120%	
Cd	1	2108242	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2108242	13	15	14.3%	< 1				80%	120%	
Co	1	2108242	9.5	9.6	1.0%	< 0.5				80%	120%	
Cr	1	2108242	49.5	52.3	5.5%	< 0.5				80%	120%	
Cs	1	2108242	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2108242	3.1	3.1	0.0%	< 0.5	4595	4700	98%	90%	110%	
Fe	1	2108242	2.16	2.21	2.3%	< 0.01	1.24	1.55	80%	80%	120%	
Ga	1	2108242	7	9	25.0%	< 5				80%	120%	
In	1	2108242	1	1	0.0%	< 1				80%	120%	
K	1	2108242	1.02	1.03	1.0%	< 0.01	2.67	2.99	89%	80%	120%	
La	1	2108242	7	8	13.3%	< 2				80%	120%	
Li	1	2108242	12	12	0.0%	< 1				80%	120%	
Mg	1	2108242	0.362	0.376	3.8%	< 0.01				80%	120%	
Mn	1	2108242	295	293	0.7%	< 1				80%	120%	
Mo	1	2108242	2.39	1.84	26.0%	< 0.5				80%	120%	
Na	1	2108242	1.18	1.21	2.5%	< 0.01				80%	120%	
Ni	1	2108242	25.8	26.8	3.8%	< 0.5				80%	120%	
P	1	2108242	272	284	4.3%	< 10				80%	120%	
Pb	1	2108242	8	9	11.8%	< 1				80%	120%	
Rb	1	2108242	62	68	9.2%	< 10				80%	120%	
S	1	2108242	0.016	0.021	27.0%	< 0.005				80%	120%	
Sb	1	2108242	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2108242	3	3	0.0%	< 1				80%	120%	
Se	1	2108242	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2108242	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2108242	124	127	2.4%	< 1				80%	120%	
Ta	1	2108242	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2108242	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2108242	< 5	< 5	0.0%	< 5				80%	120%	
Ti	1	2108242	0.24	0.24	0.0%	< 0.01				80%	120%	
Tl	1	2108242	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2108242	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2108242	135	139	2.9%	< 0.5				80%	120%	
W	1	2108242	< 1	< 1	0.0%	< 1				80%	120%	
Y	1	2108242	4	4	0.0%	< 1				80%	120%	
Zn	1	2108242	35.4	38.1	7.3%	< 0.5	23	30	75%	70%	130%	
Zr	1	2108242	90	92	2.2%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U449764

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Nov 05, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

Au	1	2108244	0.0236	0.0181	26.4%	< 0.001	0.323	0.321	101%	90%	110%
Pd	1	2108244	0.003	< 0.001		< 0.001	0.037	0.037	100%	90%	110%
Pt	1	2108244	< 0.005	< 0.005	0.0%	< 0.005	0.095	0.090	106%	90%	110%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U449764

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Pd	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Pt	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES

Appendix 6

Diamond Drillhole Logs

APPENDIX 6: Drill Logs

TRM-10-12

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
10/22/2010	10/23/2010	102	NQ	Mallet Drilling	Lindsay Moss	4229046
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
530646	5168275	283	-45	180	10/23/2010	10/24/2010

Lithology Log

From (m)	To (m)	Lithology	Description
0	13.85	Overburden	Casing to 12.28m
13.85	21.4	Gowganda Greywacke	Section of core is homogeneous in composition with some small 1-5cm drop stones similar in composition. There are a few carbonate in filled fractures throughout the section. Greywacke is weakly altered by chlorite.
21.4	22.85	Fault Zone	Interval is highly fragmental rounded pieces of core. Only about one quarter of the interval is preserved the rest is lost during the drilling process. No significant alteration in comparison to surrounding rock.
22.85	30.25	Gowganda Greywacke	Section is similar to above greywacke, but appears slightly more altered by fault gauge decreasing moving down section.

From (m)	To (m)	Lithology	Description
30.25	52.9	Quartz Breccia	This interval contains fragments of moderately chloritized gowganda greywacke with a matrix of quartz. Weak chalcopyrite mineralization in areas with just quartz becoming stronger in areas where carbonate alteration occurs. Chalcopyrite mineralization is strongest between 38.1-38.4m and 39.35-39.5m. Pink drop stones occur throughout the interval. It appears in some locations that pink carbonate veins are cross cutting the quartz matrix, in this location chalcopyrite precipitates.
52.9	57.89	Fault Zone	Section is highly broken up. In areas where core is competent there are sections containing small chloritized greywacke and quartz fragments (0.3-1.0cm) in a carbonate rich matrix with some quartz. Fine disseminated pyrite observed.
57.89	84.6	Quartz Breccia	Fragments remain rather small at the beginning of the interval and increase in size to a less deformed breccias moving down the hole. Between 66-73m quartz matrix content increases to about 40% from 15%, carbonate alteration is slightly stronger in this small interval as well. Small 2cm fault at 80.3m.
84.6	84.92	Quartz Vein	White bull quartz vein with a sucrosic texture. Small hairline fractures throughout infilled with pink carbonate. Contacts are broken and rounded,
84.92	93.8	Quartz Breccia	Greywacke fragments moderately altered by chlorite. Matrix composed of barren white bull quartz material. Fragments appear to be between 30 to 90cm. 10% of the interval is composed of matrix material.
93.8	95.23	Sheared Greywacke	This interval is strongly foliated post brecciation, strongly altered by quartz, hematite and carbonate. Unit is a medium greenish grey in colour becoming more consistently pink moving down section. Small hairline fractures filled with carbonate becoming more abundant towards the base of the unit.

From (m)	To (m)	Lithology	Description
95.23	99	Fault Zone	This interval is highly broken and fractured. In areas of competent core crackle breccia is observed with small (0.2-1cm) fragments of chloritized greywacke in a white carbonate matrix with minor quartz. Some pink drop stone fragments also constitute fragments in the breccia. Very fine grained disseminated pyrite within matrix.
99	102	Gowganda Greywacke	Greywacke is a medium greenish grey in colour with moderate chloritic alteration. Bands of pink to red carbonate appear throughout, sometimes appearing as a muted crackle breccia.
	102	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
13.85	21.4	Chlorite	Moderate	Pervasive	Carbonate	weak	Fracture Filling	
21.4	22.85	Chlorite	Moderate	Pervasive				
22.85	30.25	Chlorite	Moderate	Pervasive				
30.25	38.1	Chlorite	Moderate	Pervasive	Carbonate	weak	Matrix alteration	
38.1	38.4	Chlorite	Moderate	Pervasive	Carbonate	strong	Matrix alteration	
38.4	39.35	Chlorite	Moderate	Pervasive	Carbonate	weak	Matrix alteration	
39.35	39.5	Chlorite	Moderate	Pervasive	Carbonate	strong	Matrix alteration	
39.5	52.9	Chlorite	Moderate	Pervasive	Carbonate	weak	Matrix alteration	
52.9	57.89	Chlorite	Strong	Pervasive	Carbonate	strong	Matrix alteration	
57.89	66	Chlorite	Moderate	Pervasive	Carbonate	weak	Fracture Filling	

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
66	73	Chlorite	Moderate	Pervasive	Carbonate	moderate	Matrix alteration	
73	84.6	Chlorite	Moderate	Pervasive	Carbonate	weak	Fracture Filling	
84.6	84.92	Carbonate	weak	Fracture Filling				
84.92	93.8	Chlorite	Moderate	Pervasive				
93.8	95.23	Chlorite	Moderate	Pervasive	Carbonate	strong	Fracture Filling	Hematite minor
95.23	99	Chlorite	Moderate	Pervasive	Carbonate	strong	Breccia matrix	Hematite strong
99	102	Chlorite	Moderate	Pervasive	Carbonate	strong	vein	

Mineralization Log

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
30.25	38.1	Chalcopyrite	0.5	Disseminated		In Quartz breccia matrix
38.1	38.4	Chalcopyrite	5	Blebbly		In Quartz breccia matrix with carbonate alteration.
38.4	39.35	Chalcopyrite	0.5	Disseminated		In quartz breccia matrix
39.35	39.5	Chalcopyrite	2	Blebbly		In Quartz breccia matrix with carbonate alteration.
39.5	45.4	Chalcopyrite	0.5	Disseminated		In quartz breccia matrix
45.4	45.55	Chalcopyrite	2	Blebbly		In Quartz breccia matrix with carbonate alteration.
45.4	45.55	Pyrite	2	Blebbly		In Quartz breccia matrix with carbonate alteration.
45.55	52.9	Chalcopyrite	0.5	Disseminated		In quartz breccia matrix
52.9	57.89	Pyrite	0.1	Disseminated		
66	73	Chalcopyrite	0.5	Disseminated		In quartz breccia matrix with carbonate alteration.
95.23	99	Pyrite	0.5	Finely disseminate		

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
10/23/2010	41	171.9	-44.4	5597
10/23/2010	98	172.5	-43.5	5605

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.

Sample Intervals

From (m)	To (m)	Sample #	Lithology
CDN-GS-5E		E5304060	STANDARD
33	34	E5304061	
34	35	E5304062	
35	36	E5304063	
36	37	E5304064	
37	38	E5304065	
38	39	E5304066	
39	40	E5304067	
40	41	E5304068	
41	42	E5304069	
CDN-BL-6		E5304070	STANDARD
42	43	E5304071	
43	44	E5304072	
44	45	E5304073	

From (m)	To (m)	Sample #	Lithology
	45	46	E5304074
	46	47	E5304075
	47	48	E5304076
	48	49	E5304077
	49	50	E5304078
	50	51	E5304079
CDN-GS-P8		E5304080	STANDARD
	51	52	E5304081
	52	53	E5304082
	53	54	E5304083
	54	55	E5304084
	55	56	E5304085
	56	57	E5304086
	57	58	E5304087
	58	59	E5304088
	59	60	E5304089
CDN-GS-1E		E5304090	STANDARD
	60	61	E5304091
	61	62	E5304092
	62	63	E5304093
	63	64	E5304094
	64	65	E5304095
	65	66	E5304096
	66	67	E5304097
	67	68	E5304098
	68	69	E5304099
BLANK		E5304100	BLANK

From (m)	To (m)	Sample #	Lithology
69	70	E5304101	
70	71	E5304102	
71	72	E5304103	
72	73	E5304104	
73	74	E5304105	
74	75	E5304106	
75	76	E5304107	
76	77	E5304108	
77	78	E5304109	
CDN-GS-5E		E5304110	STANDARD
78	79	E5304111	
79	80	E5304112	
80	81	E5304113	
81	82	E5304114	
82	83	E5304115	
83	84	E5304116	
84	85	E5304117	
85	86	E5304118	
86	87	E5304119	
CDN-BL-6		E5304120	STANDARD
87	88	E5304121	
88	89	E5304122	
89	90	E5304123	
90	91	E5304124	
91	92	E5304125	
92	93	E5304126	
93	94	E5304127	
94	95	E5304128	
95	96	E5304129	
CDN-GS-P8		E5304130	STANDARD

From (m)	To (m)	Sample #	Lithology
97	98	E5304132	
98	99	E5304133	
99	100	E5304134	
100	101	E5304135	
101	102	E5304136	
102	103	E5304137	Mud at EOH



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-13

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
10/24/2010	10/27/2010	103	NQ	Mallet Drilling	Lindsay Moss	4229046
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
530885	5168273	286	-45	180	10/25/2010	10/27/2010

Lithology Log

From (m)	To (m)	Lithology	Description
0	4	Casing	Overburden to 4m.
4	11.2	Gowganda Greywacke	Medium greenish grey in colour, fine grained with moderate pervasive chlorite alteration. Several small (2-5cm) pink coloured drop stones throughout the section. Small hairline fractures infilled with carbonate. Strong banding throughout the interval, inconsistent orientation of bedding planes throughout. Some banding throughout contains disseminated sulphides and banded sulphides as described in the mineralization log. Carbonate infilled hairline fractures present, but sparse throughout.
11.2	33.72	Espanola Limestone	Appears as if mineralization is more common in bleached sections of core and in areas with a more diffuse banding pattern.
33.72	34.14	Silicified Limestone	Orange tan to light tan quartzite with numerous fractures containing chlorite and quartz. Fractures comprise 5-10% of the rock. The quartz grains are very fine grained with a silty matrix that has been silicified. Solidification resulting in silt sized grains.

From (m)	To (m)	Lithology	Description
34.14	35	Espanola Limestone	Light grey limestone mottled with tan orange with numerous fractures of chlorite at a steep angle to core axis 20-30 degrees. Partially silicified and lightly brecciated, chlorite fractures are hairline. Moderate alteration. Carbonate and quartz associated with fractures.
35	41.1	Espanola Limestone	Brecciated silicified limestone with numerous thin chlorite filled fractures with occasional pink and white iron carbonate infilling larger fractures.
41.1	42.5	Espanola Limestone	Brecciated silicified limestone with orange tan to light grey, fragmented with fractures filled with quartz, white iron carbonate and calcite. Minor pyrite disseminated throughout.
42.5	49.8	Espanola Limestone	Light grey to orange tan. Highly siliceous, possibly originally limestone. Finely crystalline quartz. Texturally shows bands and swirls of orangy tan material, contains fractures filled with white iron carbonate and quartz, several areas with fuzzy to anhedral porphyroblast of white iron carbonate composing up to 30% of the rock and about 1mm in diameter. One local area at 47m lacking iron carbonate porphyroblasts, but having specks of disseminated green chlorite of similar size. 4-6% very finely crystalline pyrite throughout.
49.8	61.17	Espanola Limestone	Pastel beige to orange tan to light grey silicified limestone, shows numerous bands with core axis angle 45 degrees at 54m. Finely crystalline quartz with local areas of potential sodium metasomatism and areas of iron carbonate porphyroblasts. The lower part of the unit contains more fracturing with chlorite in fractures.

From (m)	To (m)	Lithology	Description
61.17	64.35	Espanola Limestone	Tan coloured very finely crystalline silicified limestone/serpent with about 20% white iron carbonate porphyroblasts consisting of 1mm specks. Orangey brown coloured within bands of dark grey argillaceous bands.
64.35	74.24	Espanola Limestone	Dark grey banded, highly silicified limestone/serpent, highly crystalline containing numerous bands of tan grey layers and blebs. Consists primarily of sucrosic quartz containing about 20% magnetite disseminated throughout. Core axis angle at 68m, 45 degrees. High magnetic susceptibility between 20-32ams. Dark colouration seems due to magnetite. Within the last few meters of the interval fragments and bands of the lithology below are observed.
74.24	76.8	Felsic Porphyry Dyke?	Dark pink in colour, porphyroblasts of blue quartz and carbonate throughout the unit. Dyke is homogeneous in composition. Primarily composed of k-spar, quartz and carbonate alteration.
76.8	79	Silicified Limestone	Unit is a light cream colour with pinkish banding throughout. Appears as if the limestone is highly silicified more intensely along certain bands. Bands trend about 45 degrees to the core axis. The unit is generally fine to very fine grained and slightly graded however upper contact is coarse grained along the contact with the over lying dyke.
79	87	Espanola Limestone	This interval is strongly banded with green to pink laminations. Bands vary in width from 1-15mm, pinker bands tend to contain more carbonate alteration and be slightly coarser grained than the green moderately chloritically altered very fine grained counterparts. Some bands contain moderate amounts of hematite.

From (m)	To (m)	Lithology	Description
87	97.04	Espanola Limestone	Banding becomes thinner and whole interval is more bleached in appearance than the previous unit, strong to moderate silicification. Orientation of the bands in this zone becomes chaotic from banding at 90 degrees TCA to almost 0 degrees TCA. On a smaller scale there are crenulations within the bands as well.
97.04	103	Espanola Limestone	The unit becomes more homogeneous, banding is still present, but the unit is moderately altered by chlorite. Banding orientation varies throughout the interval from about 45 degrees to 90 degrees. Weak carbonate alteration in bands throughout.
	103	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
4	11.2	Chlorite	Moderate	Pervasive				Strongly silicified
33.72	34.14	Chlorite	Weak to moderate	Fracture filling	Calcite	Weak	Fracture filling	
34.14	35	Carbonate	Weak	Fracture filling	Quartz	Weak	Fracture filling	
35	42.5	Carbonate	Moderate	Fracture filling	Quartz	Weak	Fracture filling	
41.1	42.5	Quartz	strong	Pervasive	Carbonate	Weak	Fracture filling	Weak iron carbonate, chlorite in fractures at base of unit.
42.5	49.8	Quartz	strong	Pervasive	Carbonate	Moderate		
49.8	61.17	Quartz	strong	Pervasive	albite	strong	Pervasive	
61.17	64.35	Quartz	strong	Pervasive	Carbonate	Moderate	Fracture filling and as porphyroblasts	

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
64.35	74.24	Carbonate	weak	Fracture filling				
74.24	76.8	Carbonate	weak	Fracture filling				
76.8	79	Quartz	strong	Pervasive	Carbonate	Moderate	In bands	
79	87	Chlorite	Moderate	Pervasive	hematite	weak	In bands	
87	97.04	Quartz	strong	Pervasive	Chlorite	Moderate	In bands	

Mineralization Log

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
12	13	Pyrite	1	In bands		
16	21	Pyrite	2	Fine disseminations and in bands		
21	25	Pyrite	1	Disseminated		
41.1	42.5	Pyrite	4	Finely disseminated		
42.5	49.8	Pyrite	5	Finely disseminated		
49.8	61.17	Pyrite	4	Finely disseminated		

Structural Log

Hole ID	From (m)	To (m)	At (m)	Structure	Angle T.C.A.	Comment

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
10/27/2010	11	196.5	-45.2	5627
10/27/2010	50	187.9	-44.6	5595
10/27/2010	103	188.5	-43.7	5598

Sample Intervals

From (m)	To (m)	Sample #	Lithology
12	13	E5304138	
16	17	E5304139	
CDN-GS-P8		E5304140	STANDARD
17	18	E5304141	
18	19	E5304142	
19	20	E5304143	
20	21	E5304144	
21	22	E5304145	
22	23	E5304146	
23	24	E5304147	
24	25	E5304148	
41.1	42	E5304149	
CDN-GS-1E		E5304150	STANDARD
42	43	E5304151	
43	44	E5304152	
44	45	E5304153	
45	46	E5304154	
46	47	E5304155	
47	48	E5304156	
48	49	E5304157	
49	49.8	E5304158	
53	54	E5304159	
BLANK		E5304160	

From (m)	To (m)	Sample #	Lithology
67	68	E5304161	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-14

Summary

Date Started	Date Completed	Total Length	Hole Size	Drill Company	Logged by	Claim Number
10/28/2010	10/30/2010	110	NQ	Mallet Drilling	Bob Komarechka	4229046
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
530954	5168011	303	-90	Vertical	10/28/2010 to 10/30/2010	

Lithology Log

From (m)	To (m)	Lithology	Description
0	4.5	Casing	
4.5	13.9	Greywacke	Light grey silty greywacke with numerous medium grey parallel varved layers, sometimes diffuse ranging from 1mm to 1cm in size. Banding is about 40 degrees to core axis. Fragments of clay throughout. The laminations becomes less distinct towards base of unit with diffuse argillaceous banding. Minor hairline fractures occurring near the contact infilled with calcite.

From (m)	To (m)	Lithology	Description
13.9	14.96	Argillite	Dark grey uniform argillite, slightly silty with very faint light coloured stretched specks running along various laminations. White specks are pieces of pyrite with a frosty white weak sausalitization? Some of the larger blebs contain pyrite. Pyrite is also found along fractures paralleling the stretched fabric and in fractures oblique to the fabric.
14.96	36.7	Paraconglomerate	Dark grey argillaceous matrix containing floating sub-rounded clasts ranging in size from 1mm to 20cm. The clasts comprise 35% of the rock at the top of the unit and 20% near the base of the unit. The clasts themselves are variable in composition with granitic rock, quartz and volcanic rock (Heterolithic). The clast have no specific orientation. The matrix consists of poorly sorted silt to sand size subangular grains. Areas of disseminated pyrite and phlogopite occurring around fractures and peripheries of some grains. Some fragments show sausalitization. Towards base, more quartz, more abundant phlogopite.
36.7	40.8	Paraconglomerate	Dark grey argillite, weakly paraconglomeritic, having occasional fragments comprising up to 15% of the matrix, unit also has bleached bands coloured light grey. Bleached area seems to be predominantly quartzite and containing pyrite and pyrrhotite. The matrix is extremely fine silty quartzite. Darker bands contain up to 12% phlogopite and stronger sulphide mineralization.
40.8	55.63	Paraconglomerate	Dark gray matrix of silty greywacke containing 20-35% fragments averaging from granule sized to 2cm with clasts up to 6cm at 44.5 - 47.5m, sub-rounded, heterolithic. About 12% phlogopite, 2% pyrite, 1% pyrrhotite & trace of chalcopyrite, having up to 5% sulphides in some areas.

From (m)	To (m)	Lithology	Description
55.63	59.16	Greywacke	Medium to dark gray poorly sorted angular to subangular silt to granule sized grains with light beige areas of silty argillaceous material (protoclay) containing numerous very fine grains of pyrite (up to 50%), greywacke appears to have 4% medium crystalline euhedral pyrite. Unit also contains light gray silty quartzite bands approx 0.5m wide.
59.16	69.38	Paraconglomerate	Dark gray matrix of poorly sorted, silty greywacke containing 20-35% fragments averaging from granule sized to 2cm with subrounded heterolithic clasts up to 6cm at 62 - 64.5m. About 8% phlogopite, 2% pyrite, 1% pyrrhotite & trace of chalcopyrite.
69.38	84.57	Greywacke	Medium to dark gray poorly sorted angular to subangular silt to granule sized grains with light gray areas of silty layered quartzite. Bedding to CA =15-25 @ 71.3m. Unit contains numerous thin <2cm wide white fractures filled with white carbonate and quartz, wider veins also contain pyrrhotite, pyrite and minor chalcopyrite. Areas of numerous veining creates a localized bleaching of the core near base of unit due to removal of iron and sausalization of the feldspar. Vein dip to CA =44 @ 81.2m which is orthogonal to apparent bedding at CA=15. Unit contains About 8% phlogopite, 2% pyrite and 1% pyrrhotite.
84.57	110.25	Paraconglomerate	Dark gray matrix of poorly sorted, silty greywacke containing 15-20% fragments erratically distributed, averaging from granule sized to 2cm with subrounded heterolithic clasts up to 10cm. About 8% phlogopite, 2% pyrite, 1% pyrrhotite & trace of chalcopyrite. Bleached zone noted at 96.45 to 97.78m due to sausalitization of feldspars about a 24cm quartz vein containing large biotite flakes and pyrrhotite.
110.25		EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
13.2	13.9	Calcite	Weak	Fracture filling				
13.9	14.96	Saucertization	Weak	In fractures and stretched fabric				
14.96	29.3	Phlogopite	Moderate	In fractures and around clasts	Saucertization	weak	In fractures	Phlogopite and pyrite commonly associated
29.3	36.7	Phlogopite	Strong	In fractures and around clasts				
36.7	40.8	Phlogopite	Strong	Disseminated				
40.8	55.63	Phlogopite	Moderate	Disseminated				
55.63	110.25	Phlogopite	Moderate-Weak	Disseminated				

Mineralization Log

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
4.5	13.9	Pyrite	0.5	Disseminated		More frequent in darker bands.
13.9	14.96	Pyrite	2	Fracture filling and in stretched fabric		

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
13.9	14.96	Chalcopyrite	0.1	Fracture filling and in stretched fabric		
14.96	16.2	Pyrite	2	Along minor fractures, around grains and in alteration (saucertization)		
16.2	29.3	Pyrite	2	Interstitial and disseminated		
29.2	36.7	Pyrite	2	Disseminated and in fractures		
29.2	36.7	Pyrrhotite	1	Disseminated and in fractures		
36.7	40.8	Pyrite	1	Finely disseminated		
36.7	40.8	Pyrrhotite	2	Blebbly		
40.8	55.63	Pyrite	2	Disseminated and in fractures		
40.8	55.63	Pyrrhotite	1	Fracture filling		
55.63	59.16	Pyrite	1	Disseminated		
59.16	110.25	Pyrite	2	Disseminated		
59.16	110.25	Pyrrhotite	1	Fracture		

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.	Comment
		71.3		20	Bedding
		81.2		15	Bedding
		81.2		44	QTZ veins perpendicular to bedding

Reflex Data

Date	Depth	Azimuth	Dip
Oct 30/10	11	346.8	86.2
Oct 30/10	50	340.1	86.3
Oct 30/10	110	330.4	86.4

Sample Interval

From (m)	To (m)	Sample #	Lithology
13	14	E5304162	
14	15	E5304163	
15	16	E5304164	
16	17	E5304165	
17	18	E5304166	
18	19	E5304167	
19	20	E5304168	
20	21	E5304169	
STANDARD		E5304170	CDN-GS-5E
31	32	E5304171	
32	33	E5304172	
33	34	E5304173	
34	35	E5304174	
35	36	E5304175	
36	37	E5304176	
37	38	E5304177	
38	39	E5304178	
44	45	E5304179	
STANDARD		E5304180	CDN-BL-6
45	46	E5304181	
46	47	E5304182	
47	48	E5304183	

From (m)	To (m)	Sample #	Lithology
48	49	E5304184	
53	54	E5304185	
54	55	E5304186	
55	55.63	E5304187	
55.63	56	E5304188	
56	57	E5304189	
STANDARD		E5304190	CDN-GS-P8
57	58	E5304191	
58	59.16	E5304192	
59.16	60	E5304193	
67	68	E5304194	
68	69	E5304195	
69.38	70	E5304196	
75	76	E5304197	
76	77	E5304198	
80	81	E5304199	
STANDARD		E5304200	CDN-GS-1E
81	82	E5304201	
82	83	E5304202	
83	84	E5304203	
84	84.51	E5304204	
84.51	85	E5304205	
85	86	E5304206	
86	87	E5304207	
87	88	E5304208	
88	89	E5304209	
STANDARD		E5304210	BLANK
92	93	E5304211	
96.45	97.28	E5304212	

A handwritten signature in black ink, appearing to read "Robert G. Komarechka". The script is cursive and fluid, with the first name "Robert" and last name "Komarechka" clearly distinguishable.

Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-15

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
10/31/2010	11/2/2010	101	NQ	Mallet Drilling	Lindsay Moss	4229046
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
530954	5168011	303	-45	180	10/31/2010 to 11/3/2010	

Lithology Log

From (m)	To (m)	Lithology	Description
0	6.8	Casing	Overburden to 6.7m.
6.8	12.8	Paraconglomerate	Unit contains a dark grey silicified matrix, on dry surface core appears polished. Clasts tend to be rather small in this interval ranging between 0.1 and 1.5cm. Several small quartz veins are apparent throughout trending about 20 degrees to the core axis. Veins tend to contain significant sulphide mineralization compared to the host rock and are commonly altered by a pink carbonate.
12.8	14	Greywacke	Appears as a tan brown interval appearing slightly bleached in comparison to the surrounding conglomerate. Numerous quartz veins throughout commonly containing pink carbonate and pyrrhotite mineralization. The unit also has an abundant amount of fractures containing carbonate alteration.

From (m)	To (m)	Lithology	Description
14	17.3	Paraconglomerate	This unit is similar to the above paraconglomerate. It seems that the average size of the clasts is larger than in the previous interval. More sulphides present in the matrix. Several small quartz veins present that appear to be cutting through the clasts.
17.3	18.17	Bleached Paraconglomerate	This interval consists of a light grey matrix with clasts ranging in size from 0.1 to 1.2cm in diameter. Clasts consist of a wide range of compositions, most commonly pure quartz. There are numerous quartz veins trending between 45 and 80 degrees to the core axis. Upper and lower contacts are diffuse over about 2cm.
18.17	26.7	Paraconglomerate	Clasts in this interval again are becoming larger ranging from 0.1 to 8cm. Around 2cm on average. The matrix is dark containing sand to silt sized fragments. Sulphide is generally pyrite disseminated throughout the matrix. Clast size increases moving down the section to the base of the unit.
26.7	35.06	Greywacke	This unit is a medium buff grey colour with distinct banding throughout. There is sporadic quartz veining with common pink carbonate alteration. Moderate disseminated pyrite throughout.
35.06	81.04	Paraconglomerate	Clasts are quite large here ranging from 0.1 to 5cm. Larger fragments is more often granitic or dioritic in composition, small clasts seem to be more quartz or clay fragments. The matrix is composed of sand and silt sized material. One notable quartz vein present cutting through a dioritic clast between 36.4 to 36.7m. Very fine pyrite and pyrrhotite disseminated throughout. Two large fragments between 51 to 53m, about 40cm in diameter. Fragment size seems to be increasing down the interval. Between 57.3m to 57.5m there is a zone of thin quartz veining with moderate carbonate alteration. Seems as if at 51.4m a new flow begins.

From (m)	To (m)	Lithology	Description
81.04	83.38	Greywacke	Medium grey in colour with dolomite stringers containing pyrite. Pyrite is also disseminated throughout the interval. Laminations are very thin and the greywacke material is very fine grained, silt sized. Fractures commonly infilled with pyrite, seems the unit becomes slightly brecciated at the base.
83.38	88.01	Paraconglomerate	Conglomerate is very similar to the above described unit. There are a few large clasts up to 14cm. Core is broken up somewhat. Some dolomite veins increasing approaching the fault zone.
88.01	90.86	Fault zone	Very broken core in this interval with gauge material and abundant carbonate alteration. Sections of competent core appear as a crackle breccia with carbonate matrix. Minor pyrite mineralization occurring on fracture surfaces. Small clasts of material similar to the paraconglomerate above are observed throughout.
90.86	95.76	Paraconglomerate	Similar to unit above the fault zone. One large pegmatite clast, 13cm at 93.14m. Pyrite in fractures, clasts and disseminated throughout. Carbonate infilled fractures throughout unit. Core is still slightly broken up.
95.76	101	Paraconglomerate	Similar to unit above with a matrix of silt and sand sized material with abundant medium to large sized clasts up to 6 cm in width, the clasts are composed of conglomerate with carbonate and feldspar veins within, most cross cutting the units and some following the fracture sets. The rock is highly broken up on fracture sets throughout. EOH
	101	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
6.8	12.8	Carbonate	Weak	In veins	Phlogopite	weak	in fractures and around clasts	
12.8	14	Silica	Strong	pervasive	Carbonate	weak	In veins	
14	17.3	Phlogopite	Moderate	In fractures and around clasts				
17.3	18.17	Silica	Strong	pervasive				
18.17	26.7	Phlogopite	Moderate	In fractures and around clasts				
35.06	81.04	Phlogopite	Moderate	In fractures and around clasts				
81.04	83.38	Carbonate	Weak	In veins				
83.38	88.01	Carbonate	Weak	In veins	Phlogopite	weak	in fractures and around clasts	
88.01	90.86	Carbonate	Strong	Matrix and fractures				

Mineralization Log

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
6.8	12.8	Pyrite	2	Disseminated and in clasts		Up to 10% pyrite, 1% arsenopyrite in veins
12.8	14	Pyrite	2	In veins		
12.8	14	Pyrrhotite	3	In veins		
14	17.3	Pyrite	3	Disseminated and in clasts		
14	17.3	Pyrrhotite	1	In veins		
17.3	18.17	Pyrrhotite	1	In veins		
18.17	26.7	Pyrite	2	Disseminated and in clasts		
26.7	35.06	Pyrite	2	Disseminated		
35.06	81.04	Pyrite	2	Disseminated and in clasts		
35.06	81.04	Pyrrhotite	1	Disseminated and in clasts		
81.04	83.38	Pyrite	1	Disseminated		
83.38	88.01	Pyrite	0.1	Disseminated and blebby		
88.01	90.86	Pyrite	1	On fracture planes		
90.86	95.76	Pyrite	1	Disseminated and in clasts		
95.76	101	Pyrite	0.5	On fracture planes		

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.	Comment
		10	Vein Orientation	20	
		32	Bedding	80	
		83.8	Bedding	70	

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
11/2/2010	14	182.6	-48.2	5589
11/2/2010	50	188.1	-45.3	5591
11/2/2010	101	188.1	-45.3	5591

Sample Interval

From (m)	To (m)	Sample #	Lithology
	6.7	7.3	E5304213
	7.3	8	E5304214
	8	9	E5304215
	9	10	E5304216
	10	11	E5304217
	11	12	E5304218
	12	13	E5304219
CDN-GS-5E		E5304220	STANDARD

From (m)	To (m)	Sample #	Lithology	
	13	14	E5304221	
	14	15	E5304222	
	15	16	E5304223	
	16	17	E5304224	
	17	18	E5304225	
	18	19	E5304226	
	19	20	E5304227	
	20	21	E5304228	
	21	22	E5304229	
CDN-BL-6		E5304230	STANDARD	
	22	23	E5304231	
	23	24	E5304232	
	37	38	E5304233	
	38	39	E5304234	
	39	40	E5304235	
	40	41	E5304236	
	41	42	E5304237	
	42	43	E5304238	
	43	44	E5304239	
CDN-GS-P8		E5304240	STANDARD	
	44	45	E5304241	
	45	46	E5304242	
	46	47	E5304243	
	47	48	E5304244	
	55	56	E5304245	
	56	57	E5304246	
	57	58	E5304247	
	58	59	E5304248	
	59	60	E5304249	
CDN-GS-1E		E5304250	STANDARD	

From (m)	To (m)	Sample #	Lithology
60	61	E5304251	
61	62	E5304252	
62	63	E5304253	
63	64	E5304254	
64	65	E5304255	
65	66	E5304256	
66	67	E5304257	
67	68	E5304258	
68	69	E5304259	
BLANK		E5304260	
69	70	E5304261	
81.04	82	E5304262	
82	82.7	E5304263	
82.7	83.38	E5304264	
88.01	89	E5304265	
89	90	E5304266	
90	90.86	E5304267	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-16

Summary

Date Started	Date Completed	Total Length	Hole Size	Drill Company	Logged by	Claim Number
11/2/2010	11/4/2010	80	NQ	Mallet Drilling	Theresa MacMillan	4229046
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
530791	5168002	287	-45	180	11/2/2010 to	11/5/2010

Lithology Log

From (m)	To (m)	Lithology	Description
0	3.1	Casing	Casing
3.1	7.82	Paraconglomerate	Green to grey in color, fine grain matrix of silt and sediment with small to medium sized clasts of pegmatite and quartz 0.5-1cm in size. Thin quartz veins crosscutting the core axis. Some grooves and indents of iron that probably precipitated out when drilled. Some fractured filled areas at the end of unit.
7.82	8.48	Quartz vein	White quartz with sediment mixed within with pegmatite and mix of sediment from previous unit within. Infilled with a mix of carbonate and some unknown yellow alternation. Fractured throughout and some medium sized carbonate crystals infilling.
8.48	10	Brecciated quartzite	Brown to pink, very fine grained silica rich quartzite with veins with dolomite throughout crosscutting the core axis and fractured throughout with some veins of white quartz within.
10	11.72	Paraconglomerate	Green to grey in color, fine grain matrix of silt and sediment with small to medium sized clasts of pegmatite and quartz 0.5-1cm in size. Thin quartz veins crosscutting the core axis.

From (m)	To (m)	Lithology	Description
11.72	12	Breccia	Green to grey, fine grained matrix of sediment mixed with silt with some clasts similar to the paraconglomerate. Highly brecciated throughout, fractures filled with carbonate.
12	21.08	Paraconglomerate	Green to grey, fine grained matrix of sediment mixed with silt with clasts small to medium sized up to 2cm width with a mix of quartz and pegmatite. A 0.2m area of bleached conglomerate possible a very large clast at 13m.
21.08	22	Fault	Green to grey, fine grained to medium grained, matrix of silt and sand with a mixture of clasts small to medium sized up to 3cm width. Mix of fault gouge material mixed infilled with carbonate veins and some dolomite veins. Broken crumbly rock throughout.
22	28.25	Paraconglomerate	Green to grey, fine grained to medium grained, matrix of silt and sand with a mixture of clasts small to large up to 5cm in width. Different lithologies of pegmatite, quartz, with infill fractures of carbonate.
28.25	29.8	Greywacke	Green with minor hints of grey, very fine to fine grained matrix of silt, with minor clasts of quartz within, abundant veins of carbonate throughout.
29.8	31.8	Fault	Green to grey, fine to medium grained, matrix of silt and sand with a mixture of different clasts small to large up to 5cm in width with broken rock throughout. Some fault gouge within, less than the previous fault but still present. Lots of broken crumbly rock throughout.
31.8	36.12	Paraconglomerate	Green to grey, fine to medium grained, matrix of silt and sand with a mixture of clasts small to medium, up to 3cm in width made up of pegmatite and quartz mixtures. Veins of carbonate and dolomite within.
36.12	36.49	Quartzite	Grey to pink, massive quartz throughout with thin veins and pervasive carbonate throughout. Some clasts within the quartzite very small to small up to 1cm width of quartz and other unidentifiably clasts.

From (m)	To (m)	Lithology	Description
40	43.61	Paraconglomerate	Green to grey, fine to medium grained, matrix of silt and sand with a mixture of clasts small to medium sized with up to 3cm width made up of pegmatite and quartz mixtures. Veins of quartz, and dark material following the bedding within. Veins of carbonate alternation within. Highly fractured and broken rock throughout. One section of quartz rich possible large clast within of mostly quartz but with smaller clasts up to 0.2cm within.
43.61	45.3	Quartzite	Pink to grey, mass quartz with large up to 12cm width of unknown yellow mineral with smaller mm sized black inclusions within. Sharp contacts with the paraconglomerate. Veins running throughout the unit filled with silica.
45.3	55.93	Paraconglomerate	Green to grey, fine to medium grained matrix of silt and sand with a mix of clasts, pegmatites, quartz small to medium up to 0.3cm but also large 0.12cm sized large quartz rich inclusions of mostly massive quartz with veins of silica within.
55.93	61.11	Fault	Grey to green fine grained to medium grained, matrix of silt and sand with a mix of clasts within like the above conglomerate with clasts of pegmatites, quartz, to medium up to 0.3cm with large silica rich clasts within up to 0.14cm sized inclusions. Mixed throughout with fault gouge material with lots of broken and fractured rock throughout. 0.5ft of missing core within lots of broken core throughout.
61.11	65.2	Paraconglomerate	Green to grey, fine grained to medium grained, matrix of silt and sand with a mix of clasts within, mostly small, mm sized up and then up to 3 cm in width of quartz and pegmatite structures. Some bands of quartz mixed with pegmatites. Some blocky broken core within. Veins of carbonate within.
65.2	69.92	Paraconglomerate	Green to grey, fine grained, highly laminated matrix of silt and sand with a mix of clasts small to medium up to 10cm in size made up of pegmatite and quartz. Lots of thin laminated layers with some thin veins of carbonate and dolomite.

From (m)	To (m)	Lithology	Description
69.92	80	Paraconglomerate	Green to grey, fine to medium grained, somewhat laminated matrix of silt and sand with a mix of clasts small to medium up to 6cm in width of pegmatite and quartz. Veins of quartz, carbonate and dolomite within. Some crosscutting the laminations and some veins following the lamination. Not as well laminated as previous unit but still laminated throughout with some areas more pervasive than others. EOH
	80	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
7.82	8.48	Carbonate	Weak	Fracture filled				
8.48	10	Carbonate	Medium	Fracture filled				
10	11.72	Carbonate	Weak	Fracture filled				
11.72	12	Carbonate	Medium	Abundant fracture filled				
12	21.08	Carbonate	Weak	Fracture filled				
21.08	22	Carbonate	Strong	Abundant fracture filled				
22	28.25	Carbonate	Medium	Fracture filled				
28.25	29.8	Carbonate	Medium	Vein and fracture filled				
29.8	31.84	Carbonate	Weak	Vein and fracture filled				
31.84	36.12	Carbonate	Weak	Vein filled				

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
36.12	36.49	Carbonate	Strong	Pervasive and vein filled				
36.49	40	Carbonate	Medium	Vein filled				
40	43.61	Carbonate	Medium	Vein filled				
45.3	55.93	Carbonate	Weak	Vein filled				
55.93	61.11	Carbonate	Strong	Fracture, vein filled				
61.11	65.2	Carbonate	Weak	Vein filled				
65.2	69.92	Carbonate	Weak	Vein filled				
69.92	80	Carbonate	Medium	Vein filled				

Mineralization Log

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
8.85	10	Pyrite	0.3	Disseminated		
10	11.72	Pyrite	1	Fracture surface		
12	21.08	Pyrite	0.5	Fracture surface		
21.08	22	Pyrite	1	Fracture surface and Disseminated		
22	28.25	Pyrite	2	Fracture surface and Disseminated		
28.25	29.8	Pyrite	2	Disseminated and Fracture surface		
29.8	31.84	Pyrite	1	Disseminated and Fracture surface		

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
31.84	36.12	Pyrite	2	Disseminated and Fracture surface		
36.12	36.49	Pyrite	0.25	Disseminated		
36.49	40	Pyrite	2	Disseminated and Fracture surface		
40	43.61	Pyrite	2	Disseminated and Fracture surface		
43.61	45.3	Pyrite	0.5	Disseminated		
45.3	55.93	Pyrite/chalcopyrite	4	Disseminated, blebs, fracture surface		
55.93	61.11	Pyrite	2	Disseminated, blebs, fracture surface		
61.11	65.2	Pyrite	0.5	Disseminated		
65.2	69.92	Pyrite	0.5	Disseminated		
69.92	80	Pyrite	0.25	Disseminated		

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.	Comment
		30	Fault contact	35	
61.11	65.2		Bands of quartz mixed with pegmatite	80	

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
4/11/2010	15	187.5	-45.3	5594
4/11/2010	80	190.5	-44.1	5590

Sample Intervals

From (m)	To (m)	Sample #	Lithology
7	7.82	E5304268	
7.82	8.48	E5304269	
Standard		E5304270	CDN-GS-5E
8.48	9	E5304271	
9	10	E5304272	
10	11	E5304273	
11	11.72	E5304274	
11.72	12	E5304275	
12	13	E5304276	
13	14	E5304277	
17	18	E5304278	
18	19	E5304279	
Standard		E5304280	CDN-BL-6
19	20	E5304281	
20	20.5	E5304282	
20.5	21.08	E5304283	
21.08	22	E5304284	
22	23	E5304285	
23	24	E5304286	
24	25	E5304287	
25	26	E5304288	
26	27	E5304289	
Standard		E5304290	CDN-GS-P8

From (m)	To (m)	Sample #	Lithology
27.6	28.25	E5304292	
28.25	29	E5304293	
29	29.8	E5304294	
29.8	30.8	E5304295	
30.8	31.84	E5304296	
31.84	33	E5304297	
33	34	E5304298	
34	35	E5304299	
Standard		E5304300	CDN-GS-1E
35	36	E5304301	
36	36.49	E5304302	
36.49	37	E5304303	
37	38	E5304304	
38	39	E5304305	
39	40	E5304306	
40	41	E5304307	
41	42	E5304308	
42	43	E5304309	
Blank		E5304310	Blank
43	43.61	E5304311	
43.61	44.5	E5304312	
44.5	45.3	E5304313	
45.3	46	E5304314	
46	47	E5304315	
47	48	E5304316	
48	49	E5304317	
49	50	E5304318	
50	51	E5304319	
Standard		E5304320	CDN-GS-5E

From (m)	To (m)	Sample #	Lithology
51	52	E5304321	
52	53	E5304322	
53	54	E5304323	
54	55	E5304324	
55	55.93	E5304325	
55.93	57	E5304326	
			Missing 1m of core
57	59	E5304327	
59	60	E5304328	
60	61	E5304329	
Standard		E5304330	CDN-BL-6
61	61.5	E5304331	
61.5	62	E5304332	
62	63	E5304333	
63	64	E5304334	
64	65	E5304335	
65	66	E5304336	
66	67	E5304337	
67	68	E5304338	
68	69	E5304339	
Standard		E5304340	OREAS19A
69	69.92	E5304341	
69.92	70.5	E5304342	
70.5	71	E5304343	
71	72	E5304344	
72	73	E5304345	
73	74	E5304346	
74	75	E5304347	
75	76	E5304348	
76	77	E5304349	
Standard		E5304350	CDN-GS-1E
77	78	E5304351	
78	79	E5304352	
79	80	E5304353	

A handwritten signature in black ink, appearing to read "Robert G. Komarechka". The script is cursive and fluid, with the first name "Robert" and last name "Komarechka" clearly distinguishable.

Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-17

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
6/11/2010	9/11/2010	101.3	NQ	Mallette Drilling	Theresa MacMillan	4226740
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
527018	5173013	323	-90	Vertical	7/11/2010 to	10/11/2010

Lithology Log

From (m)	To (m)	Lithology	Description
0	1	Casing	Overburden
1	9.71	Diabase	Green and white, fine to medium grained, massive throughout feldspar, quartz, and unknown dark mineral. Homogeneous unit High RQD with minor fractures hosting chlorite alteration and some veins of carbonate within.
9.71	12	Diabase	Same as previous unit except with more feldspar and more chlorite alteration.
12	24.46	Diabase	Green and white, fine to medium grained, massive throughout feldspar, quartz, and pyroxene. Homogeneous unit Fractures hosting chlorite alteration and some veins of carbonate within. Between 16.96m and 17.3m the unit becomes more felsic and coarser grained, a bleached unit. Mag sus varies from 0.5 to 1.0 ams

From (m)	To (m)	Lithology	Description
24.46	25.84	Dyke	Black, very fine grained, abundant quartz and dark minerals but too fine grained to tell all minerals within, some thin veins of carbonate within. Mag sus varies from 0.5 to 1.3 ams.
25.84	47.08	Diabase	Green and white, medium grained, massive throughout, feldspar, quartz, pyroxene, with veins of carbonate throughout. Section of silica rich with thick veins of silica within at 30 m. some chlorite breccias within at 46.17.
47.08	47.54	Quartz vein	Grey, massive quartz throughout, with abundant carbonate vein alteration throughout. A rim of pyrrhotite and chalcopyrite on the contact rim with the diabase.
47.54	48.33	Silicious Diabase	Grey, fine grained pyroxene with massive silica throughout. Abundant veins of carbonate throughout with some sections of dolomite. The veins of pyrrhotite seem to be associated with the carbonate in the veins and fracture surfaces.
48.33	58.53	Diabase	Green and white, fine to medium grained, massive throughout, feldspar, quartz, pyroxene, with veins of carbonate throughout. Gradationally gets finer grained as the unit moves down. Some veins of chlorite alteration within.
58.33	64.14	Chert	Light green to grey, massive chert with veins of silica throughout at 0 to the core angle. Abundant clasts of quartz and pegmatite with sulphides within. Veins of pyrrhotite within.
64.14	68.73	Greywacke	Green to purple, very fine to fine grained, mixed with lots of silica throughout. Abundant albite alteration veins throughout giving the bleaching affect with minor carbonate alteration within the veins. This unit is more blocky and broken up then others.

From (m)	To (m)	Lithology	Description
68.73	75.3	Greywacke	Green with some sections of purple, very fine to fine grained, mixed with lots of silica throughout. Some albite mineralized veins within and some carbonate alteration within the veins.
75.3	101.3	Paraconglomerate	Black to purple, fine grained sediment with abundant silica matrix with mostly small to medium sized mm sized clasts and some larger grained clasts up to 7cm in width. Clasts are composed of chert, and mixes of different lithologies. Mineralization in the clasts in the upper portion of the unit, when present sampled. Some sections more chert rich then others giving it a lighter green look. EOH
	101.3	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
1	9.71	Chlorite	5	Pervasive	Carbonate	2	Veins, fractures
9.71	12	Chlorite	8	Pervasive	Carbonate	3	Veins, fractures
12	24.46	Chlorite	4	Pervasive	Carbonate	2	Veins, fractures
24.46	25.84	Carbonate	1	Veins			
25.84	47.08	Carbonate	2	Veins, fractures surfaces			
47.08	47.54	Carbonate	3	Veins, fractures surfaces			
47.54	48.33	Carbonate	2	Veins, fractures surfaces			

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
48.33	58.53	Carbonate	1	Veins, fractures surfaces	Chlorite	2	Veins
58.33	64.14	Chlorite	1	Veins			
64.14	68.73	Albite	8	Veins	Carbonate	1	Veins
68.73	75.3	Albite	3	Veins	Carbonate	1	Veins
75.3	101.3	Carbonate	1	Veins			

Mineralization Log

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
1	9.71	Pyrrhotite	0.5	Disseminated		
1	9.71	Arsenopyrite	0.5	Disseminated		
9.71	12	Pyrrhotite	0.5	Disseminated		
12	24.46	Pyrrhotite	0.75	Disseminated		
12	24.46	Chalcopyrite	0.5	Coarsely Disseminated		
24.46	25.84	Pyrrhotite	1	Disseminated		
24.46	25.84	Chalcopyrite	0.5	Coarsely Disseminated		
25.84	47.08	Pyrrhotite	3	Coarsely Disseminated		
25.84	47.08	Chalcopyrite	0.5	Disseminated		
47.08	47.54	Pyrrhotite	2	Rim of quartz vein		
47.08	47.54	Chalcopyrite	1	Rim of quartz vein		
47.54	48.33	Pyrrhotite	2	Veins		
48.33	58.53	Pyrrhotite	1	Disseminated, vein		

From (m)	To (m)	Sulphide Mineral	%	Mineralization Type	VG Specks	Comments
58.33	64.14	Pyrrhotite	3	Veins, within clasts		
64.14	68.73	Pyrite	2	Fracture surfaces		
64.14	68.73	Pyrrhotite	0.5	Coarsely Disseminated		
68.73	75.3	Pyrrhotite	2	within Veins of albite		
68.73	75.3	Pyrite	1	Fracture surfaces		
75.3	101.3	Pyrite	0.5	Fracture surfaces		
75.3	101.3	Pyrrhotite	1	Within clasts		

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.	Comment
24.4	25.84		Contact	70	
		47.08	Rim of pyrrhotite and contact of quartz vein	40	

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
9/11/2010	5	143.5	-87.1	119.1
9/11/2010	50	143.9	-87	5622
9/11/2010	101	145.4	-87.1	5638

Sample Intervals

From (m)	To (m)	Sample #	Lithology
1	2	E5304354	
2	3	E5304355	
3	4	E5304356	
4	5	E5304357	
5	6	E5304358	
6	7	E5304359	
Standard		E5304360	CDN-GS-5E
7	8	E5304361	
8	9	E5304362	
9	9.71	E5304363	
9.71	10.5	E5304364	
10.5	11	E5304365	
11	12	E5304366	
12	13	E5304367	
13	14	E5304368	
14	15	E5304369	
Standard		E5304370	CDN-BL-6
15	16	E5304371	
16	17	E5304372	
17	18	E5304373	
18	19	E5304374	
19	20	E5304375	
20	21	E5304376	
21	22	E5304377	
22	23	E5304378	
23	23.7	E5304379	

From (m)	To (m)	Sample #	Lithology
Standard		E5304380	OREAS 19A
23.7	24.46	E5304381	
24.46	25	E5304382	
25	25.84	E5304383	
25.84	26.4	E5304384	
26.4	27	E5304385	
27	28	E5304386	
28	29	E5304387	
29	30	E5304388	
30	31	E5304389	
Standard		E5304390	CDN-GS-1E
31	32	E5304391	
32	33	E5304392	
33	34	E5304393	
34	35	E5304394	
35	36	E5304395	
36	37	E5304396	
37	38	E5304397	
38	39	E5304398	
39	40	E5304399	
Blank		E5304400	Blank
40	41	E5304401	
41	42	E5304402	
42	43	E5304403	
43	44	E5304404	
44	45	E5304405	
45	46	E5304406	
46	47.08	E5304407	
47.08	47.54	E5304408	
47.54	48.33	E5304409	

From (m)	To (m)	Sample #	Lithology
Blank		E5304410	Blank
48.33	49	E5304411	
49	50	E5304412	
50	51	E5304413	
51	52	E5304414	
52	53	E5304415	
53	54	E5304416	
54	55	E5304417	
55	56	E5304418	
56	57	E5304419	
Standard		E5304420	CDN-GS-5E
57	58	E5304421	
58	58.33	E5304422	
58.33	59	E5304423	
59	60	E5304424	
60	61	E5304425	
61	62	E5304426	
62	63	E5304427	
63	63.5	E5304428	
63.5	64.14	E5304429	
Standard		E5304430	CDN-BL6
64.14	65	E5304431	
65	66	E5304432	
66	67	E5304433	
67	68	E5304434	
68	68.5	E5304435	
68.5	69	E5304436	
69	70	E5304437	
70	71	E5304438	
71	72	E5304439	

From (m)	To (m)	Sample #	Lithology
Standard		E5304440	OREAS 19A
72	73	E5304441	
73	74	E5304442	
74	75	E5304443	
75	75.5	E5304444	
75.5	76	E5304445	
76	77	E5304446	
77	78	E5304447	
78	79	E5304448	
79	80	E5304449	
Standard		E5304450	CDN-GS-1E
80	81	E5304451	
81	82	E5304452	
82	83	E5304453	
83	84	E5304454	
84	85	E5304455	
85	86	E5304456	
86	87	E5304457	
87	88	E5304458	
88	89	E5304459	
Standard		E5304460	CDN-GS-5E
89	90	E5304461	
90	91	E5304462	
91	92	E5304463	
92	93	E5304464	
93	94	E5304465	
94	95	E5304466	
95	96	E5304467	
96	97	E5304468	

A handwritten signature in black ink, appearing to read "Robert G. Komarechka". The signature is written in a cursive style with a large initial 'R' and 'K'.

Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-18

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
10/11/2010	11/11/2010	98.58	NQ	Mallet Drilling	Theresa MacMillan	4226740
Location Nad83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
526987	5173029	325	-50	250	11/11/2010	12/11/2010

Lithology Log

From (m)	To (m)	Lithology	Description
0	1.33	Casing	Casing
1.33	33.64	Diabase	Green, fine grained matrix of pyroxene with spotty feldspar throughout. Homogenous throughout. Veins of carbonate throughout folded within. MSR readings vary from 8 to 10.3 ams where there is abundant disseminated sulphide throughout. MSR readings here are around 2ams.
33.64	43.64	Hematite altered paraconglomerate	Pink to grey, fine grained, massive mix of silt sand with abundant silica throughout. Small to medium mm sized granitic clasts. The upper contact with the diabase is brecciated with medium up to 1cm sized clasts of feldspar mixed with pyroxene from the diabase. Abundant hematite alteration throughout concentrated on fracture surface.

From (m)	To (m)	Lithology	Description
97	98.58	Mafic dyke	Black, very fine grained intrusive dyke with pervasive magnetite and abundant talc throughout. Talc alteration on all fracture surfaces. MSR readings taken here go up to 21 ams. EOH
	98.58	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
1.33	33.64	Carbonate	Weak	Veins			
33.64	43.64	Hematite	Strong	Pervasive and concentrated in veins	Albite	Moderate	bleached fracture sets
43.64	97	Albite	Strong	Veins	Carbonate	Strong	Veins
97	98.58	Talc	Strong	Fracture			

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	VG Specks	Comments
1.33	33.64	Pyrrhotite	7	Coarsely Disseminated	Chalcopyrite	2	Veins, blebs		Veins of chalcopyrite within the pyrrhotite and pyrrhotite with rims of chalcopyrite
33.64	97	Pyrite	1	Coarsely Disseminated					

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.	Comment
		33.64	Contact	35	Brecciated contact of diabase with porphyry

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
12/11/2010	8	247.2	-49.6	5626
12/11/2010	50	341.1	-49.7	4856
12/11/2010	98	297.5	-46.6	2332

Sample Interval

From (m)	To (m)	Sample #	Lithology
1.33	2	E5304469	
Standard		E5304470	CDN-BL-6
2	3	E5304471	
3	4	E5304472	
4	5	E5304473	
5	6	E5304474	
6	7	E5304475	
7	8	E5304476	
8	9	E5304477	
9	10	E5304478	
10	11	E5304479	
Standard		E5304480	OREAS 19A

From (m)	To (m)	Sample #	Lithology
11	12	E5304481	
12	13	E5304482	
13	14	E5304483	
14	15	E5304484	
15	16	E5304485	
16	17	E5304486	
17	18	E5304487	
18	19	E5304488	
19	20	E5304489	
Standard		E5304490	CDN-GS-1F
20	21	E5304491	
21	22	E5304492	
22	23	E5304493	
23	24	E5304494	
24	25	E5304495	
25	26	E5304496	
26	27	E5304497	
27	28	E5304498	
28	29	E5304499	
Blank		E5304500	Blank
29	30	E5304501	
30	31	E5304502	
31	32	E5304503	
32	33	E5304504	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 1: Drill Logs

TRM-10-19

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
12/11/2010	13/11/2010	85.7	NQ	Mallette Drilling	Theresa MacMillan	4226740
Location Nad 83						
Easting	Northing	Elevation	Azimuth	Dip	Date Logged	
526962	5173034	312	180	-70	13/11/2010 to	14/11/2010

Lithology Log

From (m)	To (m)	Lithology	Description
0	1.5	Casing	Overburden
1.5	29.3	Paraconglomerate	Grey to green, fine to medium grained matrix of silt and sand with small to medium sized granitic clasts throughout up to 2cm in width. Abundant albite alteration veins within with concentrations of carbonate alteration at the center of the veins. Blocky core and lots of breaks on fracture surfaces. Abundant carbonate alteration on fracture surfaces. Minor bleached area from 22.4m to 22.5m where the rock is more light green.
29.3	30.2	Paraconglomerate	Same as the above unit but with an abundant amount of alteration veins mostly carbonate mixed with a dark red probably hematite alteration within. More veins of dolomite as well within.

From (m)	To (m)	Lithology	Description
30.2	59	Paraconglomerate	Grey to green, fine to medium grained matrix of silt and sand with medium to large sized clasts up to 10cm sized granitic clasts with some alteration veins of carbonate within. Veins and clasts of dolomite throughout following the core axis. Some fractured broken rock within but not abundant. Some banding of almost chert mixed within the matrix, some carbonate alteration mixed within but not abundant.
59	62.4	Greywacke	Dark green to black, very fine to fine grained, homogenous throughout with veins of quartz within, folded throughout. Some minor small clasts of quartz within. Gradational contact with the paraconglomerate.
62.4	85.7	Paraconglomerate	Grey to green, fine to medium grained matrix of silt and sand with small to large sized granitic clasts up to 4cm in width. Bands of chert are within with veins of albite, carbonate throughout. With some fractured areas throughout. EOH
	85.7	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
1.5	29.3	Carbonate	Strong	Fracture surfaces, veins	Albite	Moderate	Veins	

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
29.3	30.2	Carbonate	Strong	Veins, fracture surfaces	Hematite	Moderate	Veins, fracture surfaces	The carbonate and the hematite are mixed together in veins and have a strong fabric within the fracture. The carbonate veins are stronger than in the previous unit.
30.2	59	Albite	Moderate	Veins	Carbonate	Weak	Veins	
62.4	85.7	Albite	Moderate	Veins	Carbonate	Weak	Veins	

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	VG Specks	Comments
62.4	85.7	Pyrrhotite	0.25	Disseminated within clasts	Pyrite	1	Fracture surfaces		

Structure Log

Hole ID	From (m)	To (m)	At (m)	Structure	Angle T.C.A.

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
13/11/2010	14.00	171.40	-69.20	5665.00
13/11/2010	50.00	172.30	-69.20	5612.00
13/11/2010	89.00	173.90	-69.20	5624.00

Sample Intervals

From (m)	To (m)	Sample #	Lithology
29.3	30.2	E5304505	
46	47	E5304506	
66	67	E5304507	
67	68	E5304508	
68	69	E5304509	
Standard		E5304510	CDN-GS-5E
69	70	E5304511	
75	76	E5304512	
76	77	E5304513	
77	78	E5304514	
83	84	E5304515	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-20

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
14/11/2010	15/11/2010	81.22	NQ	Mallette Drilling	Theresa MacMillan	4226740
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
526951	5172818	336	90	Vertical	15/11/2010 to 16/11/2010	

Lithology Log

From (m)	To (m)	Lithology	Description
0	0.3	Casing	Casing
0.3	13.1	Diabase	Green and white, fine to medium grained, homogenous mix of feldspar and pyroxene. Some interstitial biotite within, with cut off albite twinned grains within. Some sets of fractured rock within. Veins of carbonate within and concentrated on fracture surfaces.
13.1	13.7	Diabase	Same as above unit except more bleached unit and more feldspar within, pervasive carbonate alteration within.
13.7	22	Diabase	Green and white, fine to medium grained, homogenous mix of feldspar and pyroxene. Some interstitial biotite within, with cut off albite twinned grains. Some sets of fractured rock within. Alteration veins of carbonate within and concentrated on fracture surfaces.

From (m)	To (m)	Lithology	Description
22	22.42	Diabase	Same as the unit above except with a quartz veins intruding through about 5cm wide and folded around. Veins of pyrrhotite within with carbonate and chlorite alteration abundant within following the orientation of the vein.
22.42	64.87	Diabase	Green and white, fine to medium grained, homogenous mix of feldspar and pyroxene with some interstitial biotite within. Some bands and concentrations of bleached diabase sporadically throughout. Some fractured rock within. Carbonate alteration throughout with concentrations on fracture surfaces.
64.87	70.37	Greywacke	Black to green, very fine grained silt and sand. Alteration veins of albite throughout with thin little veinlets of carbonate throughout with some thicker bands of bleached quartz with a slight pink alteration within and infilled with carbonate veins. Also thick veins of carbonate within following the angles of the core.
70.37	81.22	Greywacke	Black to green, very fine grained silt and sand. Some minor inclusions of dark unknown mineral, fine grained, subrounded and situated within the matrix. Alteration veins of albite throughout with carbonate alteration on fracture surfaces. Some bands of pink altered chert appearing throughout with some dark bands of possible biotite within. EOH
	81.22	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
0.3	13.1	Carbonate	Moderate	Fracture surfaces, veins	Albite	Weak	Pervasive
13.1	13.7	Carbonate	Moderate	Pervasive, fracture surfaces	Albite	Weak	Pervasive
13.7	22	Carbonate	Moderate	Fracture surfaces			
22	22.42	Carbonate	Strong	Infill of veins, fracture surfaces	Chlorite	Moderate	Infill fracture of quartz vein
22.42	64.87	Carbonate	Moderate	Fracture surfaces			
64.87	70.37	Albite	Strong	Veins	Carbonate	Moderate	Fracture infilled and veins
70.37	81.22	Albite	Strong	Veins	Carbonate	Weak	Fracture filled

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	VG Specks
22	22.42	Pyrite	5	Vein, with splays off of it				
22.42	64.87	Pyrite	4	Vein following the orientation of the Core angles				
64.87	70.37	Pyrite	1	Coarsely disseminated				

Structural Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.
22	22.42		Orientation of the quartz vein	30
		41.75	Orientation of a pyrrhotite vein	25

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
15/11/2010	41	318.4	88	5640
15/11/2010	80	342.8	88	5630

Sample Interval

From (m)	To (m)	Sample #	Lithology
13.1	13.7	E5304516	
21	22	E5304517	
22	22.42	E5304518	
22.42	23	E5304519	
Standard		E5304520	CDN-BL-6
30	31	E5304521	
31	32	E5304522	
40.5	41.5	E5304523	
41.5	42	E5304524	
42	43	E5304525	
61	62	E5304526	
72	73	E5304527	
73	74	E5304528	

A handwritten signature in black ink, appearing to read "Robert G. Komarechka". The script is cursive and fluid, with the first name "Robert" and last name "Komarechka" clearly distinguishable.

Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-21

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
15/11/2010	17/11/2010	104	NQ	Mallette Drilling	Theresa MacMillan	4226740
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
526959	5172915	333	-70	180	16/11/2010 to	18/11/2010

Lithology Log

From (m)	To (m)	Lithology	Description
0	4	Casing	Overburden
4	33.32	Diabase	Green and white, fine to medium grained, homogenous mixture throughout of pyroxene and feldspar, with thin veins of carbonate alteration throughout. Fracture sets are infilled with mostly carbonate with a green and red alteration mixed within, probably hematite. Some broken rubble core within.
33.32	33.5	Diabase	Same as the unit above except bleached throughout, the unit has more feldspar within. Less carbonate than previous unit and more thin veins of quartz within.
33.5	53.07	Diabase	Dark green and white, medium grained mixture of pyroxene and feldspar, some small mm sized inclusions possible biotite within. Some areas of more finer grained and more areas of magnetite bands within. Fractures filled with abundant carbonate alteration throughout. 0.26m worth of mud and clay mixed with pebbles, possible the rod was stuck in the mud while drilling from 43.60 to 43.86m.

From (m)	To (m)	Lithology	Description
53.07	63.43	Diabase	Green and white, fine to medium grained, mostly homogenous mixture throughout of pyroxene and feldspar, with thin veins of carbonate alteration throughout. Some areas of coarser grained feldspar, especially in the top of the unit. One band of coarse grained crystals of pyroxene and feldspar flowing with the orientation of the rock. Fracture sets are infilled with mostly carbonate with a green. Some broken rubble core within.
63.43	83.18	Diabase	Green and white, medium to coarse grained with a mixture of pyroxene and feldspar, with veins of carbonate throughout and fractures filled with carbonate. A massive pieces of quartz 3cm in width, within with carbonate veins surrounding the quartz. Some talc alteration within unit as well concentrated on fracture surfaces.
83.18	84.74	Diabase	Same as the unit above except bleached throughout, the unit has more feldspar, and has more carbonate alteration on fracture surfaces.
84.74	95.82	Diabase	Dark green and white, medium grained mixture of pyroxene and feldspar, with veins of carbonate throughout with thin fracture sets throughout infilled with carbonate alteration.
95.82	104	Greywacke	Grey, fine grained matrix of silt and sand with areas of siliceous alteration associated with veins of carbonate and dolomite. The siliceous area forms bands perpendicular to the core angle. Some brecciated section from 99.30 to 99.50m where filled with chalcopyrite and pyrite and abundant dolomite veins and blebs. 0.25m of lost core at 99m. EOH
	104	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
4	33.32	Carbonate	Moderate	Fracture filled, veins	Hematite	Weak	mixed with infilled fracture sets
33.32	33.5	Carbonate	Weak	Fracture filled			
33.5	53.07	Carbonate	Moderate	Fracture filled and veins			
53.07	63.43	Carbonate	Moderate	Fracture filled and veins			
63.43	83.18	Carbonate	Weak	Fracture filled and veins	Talc	Weak	mixed with infilled fracture sets
83.18	84.74	Carbonate	Moderate	Fracture filled and veins	Talc	Moderate	mixed with infilled fracture sets
84.74	95.82	Carbonate	Moderate	Fracture filled and veins			
95.82	99	Carbonate	Strong	Fracture filled	Dolomite	Moderate	Veins and fracture filled

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	VG Specks	Comments
19	20	Pyrite	0.5	Coarsely disseminated					
53.5	54.5	Pyrrhotite	4	Vein					
69.7	70.1	Pyrite	3	Coarsely disseminated within a thin quartz vein					

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	VG Specks	Comments
82	83	Pyrite	3	Coarsely disseminated within a thin quartz vein					
91	95.82	Pyrite	2	Coarsely disseminated					
95.82	102	Chalcopyrite	4	Veins and coarsely disseminated	Pyrite	2	Blebs		

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.	Comment
97	97.75		Chalcopyrite veins	10	General direction

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
17/11/2010	6	182.6	69.8	5642
17/11/2010	50	185.8	70.2	5630
17/11/2010	104	186.6	70.2	5614

Sample Intervals

From (m)	To (m)	Sample #	Lithology
19	20	E5304529	
Standard		E5304530	OREAS 19A
20	21	E5304531	
32.32	33.5	E5304532	
52.5	53.5	E5304533	
53.5	54.5	E5304534	
54.5	55.5	E5304535	
69.5	70.5	E5304536	
70.5	71.5	E5304537	
71.5	72.5	E5304538	
82	83	E5304539	
Standard		E5304540	CDN-GS-1F
83	84	E5304541	
84	84.74	E5304542	
91	92	E5304543	
92	93	E5304544	
93	94	E5304545	
94	95	E5304546	
95	95.82	E5304547	
95.82	96.5	E5304548	
96.5	97	E5304549	
Blank		E5304550	Blank
97	98	E5304551	
98	99	E5304552	
99.25	100	E5304553	
100	101	E5304554	

A handwritten signature in black ink, appearing to read "Robert G. Komarechka". The script is cursive and fluid, with the first name "Robert" and last name "Komarechka" clearly distinguishable.

Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-22

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
20/11/2010	22/11/2010	124.45	NQ	Mallette Drilling	Theresa MacMillan	4226180
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
539946	5167356	286	-72	180	21/11/2010 to 23/11/2010	

Lithology Log

From (m)	To (m)	Lithology	Description
0	3.7	Casing	Casing
3.7	11.12	Paraconglomerate	Grey to green, fine to medium grained matrix of silt and sand with small to large granitic clasts up to 9cm in width. Alteration veins of carbonate and dolomite throughout.
11.12	30.28	Paraconglomerate	Green to grey, fine to medium grained matrix of silt and sand with some granitic clasts within, mostly small up to 2cm in width. Abundant amount of veins and band like structures made up of chert with thin stringers of unknown black mineral. Bleached sections throughout, abundant dolomite and carbonate veins throughout and infilled on fracture surfaces.
30.28	31	Fault	Same as the unit above but broken up rock and infilled with some fault gouge, and dolomite alteration veins.

From (m)	To (m)	Lithology	Description
31	45.16	Paraconglomerate	Green to grey, fine to medium grained matrix of silt and sand with some granitic clasts within, medium to large 6cm in width. Abundant amount of veins and band made up of chert with hematite alteration within. Bleached sections throughout, abundant dolomite and carbonate veins throughout and infilled on fracture surfaces. Some blocky rubble areas and especially infilled with carbonate and dolomite surfaces. Band of white quartz within 6cm in width.
45.16	46.64	Fault	Same as the unit above but broken up rock and infilled with some fault gouge, and dolomite alteration veins.
46.64	70	Siltstone	Grey to green, fine grained, silt and sand with thin veins of carbonate throughout. Abundant bands and inclusions of chert mixed with carbonate, hematite and chlorite alteration. With abundant carbonate alteration on fracture surfaces. Some disseminated sulphides within. Some white quartz vein within, 5cm wide no visible sulphides.
70	72	Paraconglomerate	Green to grey, fine to medium grained matrix of silt and sand with some granitic clasts within, large up to 14cm in width. Veins of carbonate throughout and infilled on fracture surfaces. More chlorite alteration within then previous unit. MSR reading of up to 8ams.
72	77.5	Paraconglomerate	Green to grey, fine to medium grained matrix of silt and sand with some granitic clasts within, small to medium up to 5cm in width. With abundant thin veinlets of dolomite and carbonate throughout. With thicker veins up to 2cm worth of core infilled with carbonate, dolomite, hematite, and some disseminated pyrite. MSR reading up to 11ams.

From (m)	To (m)	Lithology	Description
77.5	98.9	Siltstone	Green to grey, fine grained, with a matrix of mostly silt with some sand mixed within some areas well laminated. Alteration veinlets of dolomite and carbonate throughout with carbonate alteration on fracture surfaces. Some boudaged chert veins of hematite alteration within.
98.9	101	Transition	Transition zone between the Gowganda Formation and the Nispissing Diabase. A mix of siltstone with diabase, alternating back and forth with carbonate alteration on fracture surfaces and in veins within. Some hematite alteration within.
101	124.45	Diabase	Green and white, a gradation change back and forth between medium to fine grained massive with mixture of pyroxene and feldspar. With veins up to 4cm in width of carbonate, dolomite, quartz and infilled with hematite. Strings of pyrite and chalcopyrite infilled within the veins. MSR reading as high at 1ams. EOH
	124.45	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
3.7	11.22	Carbonate	Weak	Veins, fracture surfaces	Dolomite	Weak	Veins, fracture surfaces
11.22	30.28	Dolomite	Strong	Veins, fracture surfaces	Carbonate	Moderate	Veins, fracture surfaces
30.28	31	Dolomite	Moderate	Veins, fracture surfaces			
31	45.16	Carbonate	Weak	Veins, fracture surfaces	Dolomite	Weak	Veins, fracture surfaces
45.16	46.64	Carbonate	Moderate	Veins, fracture surfaces	Dolomite	Weak	Veins, fracture surfaces
46.64	70	Carbonate	Moderate	Veins, fracture surfaces	Hematite	Weak	Veins, inclusions
46.64	70	Chlorite	Weak	Veins			

70	72	Carbonate	Moderate	Veins, fracture surfaces	Chlorite	Weak	Pervasive
72	77.5	Carbonate	Moderate	Veins, fracture surfaces	Dolomite	Moderate	Veinlets
72	77.5	Hematite	Moderate	Veins, fracture surfaces			
77.5	98.9	Carbonate	Moderate	Veins, fracture surfaces	Dolomite	Moderate	Veinlets
77.5	98.9	Hematite	Moderate	Veins, fracture surfaces			
98.9	101	Carbonate	Moderate	Veins, fracture surfaces			
101	124.45	Carbonate	Moderate	Veins, fracture surfaces	Dolomite	Moderate	Veins
101	124.45	Hematite	Moderate	Veins, fracture surfaces			

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type
66	68	Pyrite	0.5	Disseminated			
72	77.5	Pyrite	0.5	Disseminated			
113	121	Pyrite	4	Strings, coarsely disseminated within carbonate veins	Chalcopyrite	2	Strings, blebs

Structure Log

At (m)	Structure	Angle T.C.A.	Comment
120.5	Vein	50	Veins of dolomite and carbonate hosts chalcopyrite
114.5	Vein	70	Veins of carbonate hosts pyrite and chalcopyrite

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
21/11/2010	8	186.3	-70	5592
21/11/2010	50	190.1	-69.9	5586
21/11/2010	125	195.2	-69.3	5598

Sample Intervals

From (m)	To (m)	Sample #	Lithology
30.28	31	E5304555	
45.16	46	E5304556	
46	46.64	E5304557	
66	67	E5304558	
67	68	E5304559	
Standard		E5304560	CDN-BL-7
75	76	E5304561	
82	83	E5304562	
84	85	E5304563	
96	97	E5304564	
97	98	E5304565	
98	98.9	E5304566	
101	102	E5304567	
102	103	E5304568	
103	104	E5304569	
Standard		E5304570	CDN-BL-6

From (m)	To (m)	Sample #	Lithology
104	105	E5304571	
113	114	E5304572	
114	115	E5304573	
115	116	E5304574	
116	117	E5304575	
117	118	E5304576	
118	119	E5304577	
119	120	E5304578	
120	121	E5304579	
Standard		E5304580	OREAS 19A
121	122	E5304581	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-23

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
22/11/2010	23/11/2010	118.87	NQ	Malette Drilling	Theresa MacMillan	4226180
Location Nad 83						
Easting	Northing	Elevation	Dip	Azimuth	Date Logged	
539494	5167286	309	-52	180	23/11/2010 to 24/11/2010	

Lithology Log

From (m)	To (m)	Lithology	Description
0	1.8	Casing	Overburden
1.8	13.83	Diabase	Green and white, medium to coarse grained mix of pyroxene and feldspar, with thin veins of carbonate throughout with fracture filled mix of carbonate and hematite throughout. Broken rubble rock throughout with blocky fractures.
13.83	14.54	Diabase	Same as the unit above with coarse grains up to very coarse grained and more abundant potassium feldspar.
14.54	31	Diabase	Green and white, medium to coarse grained mix of pyroxene and feldspar, with veins of carbonate, dolomite throughout and fracture surfaces infilled with carbonate, dolomite and hematite. With some local areas of larger crystals and potassium feldspar.

From (m)	To (m)	Lithology	Description
31	33.8	Quartz vein	White, mostly mass quartz with infill large sections of dolomite, some veins of dark material probably representing remnants of the diabase throughout. Alteration veins throughout of carbonate, hematite throughout. Some disseminated pyrite within.
33.8	42.4	Diabase	Green and white, medium grained to coarse grained well formed crystals, with quartz veins throughout up to 7cm in width, with thin veins and fracture surfaces of carbonate alteration throughout. Chlorite alteration pervasive throughout and with concentrated blebs. Disseminated pyrite throughout.
42.4	43.68	Diabase	Green, very fine to fine grain, crystals of pyroxene with feldspar mixed throughout. Thin veins of carbonate and dolomite throughout. Some sections of quartz concentrations within. Pervasive chlorite alteration within.
43.68	76.28	Diabase	Green and white, medium grained to coarse grained well formed crystals, mostly homogeneous with local phenocrysts of feldspar and potassium feldspar within 6cm in width. Some veins of Quartz with chlorite alteration within. Thin veins and fracture surfaces of carbonate alteration throughout. Chlorite alteration pervasive throughout and disseminated pyrite within.
76.28	78.5	Diabase	Green, fine grained crystals of pyroxene with feldspar and potassium feldspar (close to the lower contact) mixed throughout. Thin veins of carbonate throughout. Some thin, mm sized quartz within. Some pervasive chlorite alteration within.
78.5	82.51	Diabase	Green, white with some pink, medium grained to coarse grained, well formed crystals of pyroxene mixed with feldspar and some potassium feldspar. Alteration veins of carbonate, chlorite and hematite within, concentrated on fracture surfaces. Some quartz veins within. Disseminated Pyrite and some minor pyrrhotite within.

From (m)	To (m)	Lithology	Description
82.51	83.76	Diabase	Green, white, fine to medium grained, pyroxene mixed with feldspar and minor potassium feldspar. Veins of carbonate, throughout. Disseminated pyrite within.
83.76	84.86	Diabase	Very coarse grained diabase with about 40% feldspar, of that feldspar about 30% is K-spar. Sharp contacts with the finer grained diabase surrounding coarser grained material. Trace pyrite throughout and moderate potassic alteration.
84.86	87.12	Diabase	Fine grained diabase, medium grey in colour. Some pyroxenes are coarser grained, however feldspar content seems to have decreased significantly compared to coarser grained counterpart. No significant sulphide mineralization. Some thin veins of carbonate throughout.
87.12	99.26	Diabase	Coarser grained diabase, lacking k-spar, containing about 50% mafic minerals and 50% felsic minerals. At 96.66 to 96.81m there is a felsic intrusion or fragment containing abundant k-spar and fractures infilled with chlorite. Nipissing diabase on either side of this has chilled margins containing sulphide mineralization (Cpy and Po). A few sporadic quartz veins throughout, one significant sized vein at 98m about 4 cm in width. Between 96 to 98m, there is about 1% sulphide composed of cpy, aspy, py and po.
99.26	102.96	Diabase	Fine grained unit containing abundant crack and seal veins throughout associated with chalcopyrite and pyrrhotite. The sulphides form within the diabase along the margins of veins and within the veins themselves. Lower contact is marked by the re-introduction of feldspar, sharp contact.
102.96	106.6	Diabase	Coarse grained containing about 40% plagioclase feldspar and 60% pyroxene and biotite. Contacts are marked by the appearance and disappearance of feldspars. Pyrite occurs on the edges of fine carbonate veinlets throughout. Quartz vein at 104.14m, 6 cm wide containing soft, grey, metallic mineral throughout, likely graphite.

From (m)	To (m)	Lithology	Description
106.6	111.7	Diabase	Fine grained diabase with about 5% feldspar and the rest of the bulk rock composition being pyroxene, biotite and sulphides. At 107m there is a 10cm crack and seal vein containing about 15% pyrrhotite and 2% chalcopyrite with minor pyrite. The rest of the interval contains small wispy veins with minor sulphide associated with them. Diabase contains minor sulphide mineralization commonly in association with veins.
111.7	118.87	Diabase	Coarse grained diabase with about 50% feldspar and 50% pyroxene. Contains trace sulphides (py, cpy)
	118.87	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
1.8	13.83	Carbonate	Moderate	Veins, fracture filled	Hematite	Moderate	fracture filled
13.83	14.54	Carbonate	Weak	Veins, fracture filled			
14.54	31	Carbonate	Moderate	Veins, fracture filled	Hematite	Moderate	fracture filled
14.54	31	Dolomite	Moderate	Veins, fracture filled			
31	33.8	Dolomite	Strong	Mass, veins	Hematite	Moderate	Fracture filled, veins
31	33.8	Carbonate	Moderate	Veins, fracture filled			
33.8	42.4	Chlorite	Moderate	Pervasive	Carbonate	Weak	Veins, fracture filled
42.4	43.68	Chlorite	Moderate	Pervasive	Carbonate	Weak	Veins, fracture filled
43.68	76.28	Chlorite	Weak	Pervasive	Carbonate	Weak	Veins, fracture filled

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
76.28	78.5	Carbonate	Weak	Veins, fracture filled	Chlorite	Weak	Pervasive
78.5	82.51	Carbonate	Moderate	Veins, fracture filled	Chlorite	Weak	Veins, pervasive
78.5	82.51	Hematite	Weak	Veins, fracture filled			
82.51	83.76	Carbonate	Moderate	Veins, fracture filled			
83.76	84.86	potassic	Moderate	patchy			
87.12	99.26	potassic	Moderate	patchy			
102.96	106.6	potassic	Moderate	patchy			

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type
31	33.8	Pyrite	0.5	Disseminated			
33.8	42.4	Pyrite	3	Coarsely disseminated to finely disseminated.			
42.4	43.68	Pyrite	0.5	Disseminated			
72	76.28	Pyrite	0.5	Disseminated	Pyrrhotite	0.5	Disseminated
76.28	78.5	Pyrite	1	Disseminated throughout but more in veins	Pyrrhotite	0.5	Disseminated within veins.
78.5	82.51	Pyrite	1	Disseminated throughout but more in veins	Pyrrhotite	0.25	Disseminated within veins.
82.51	83.76	Pyrite	0.25	Disseminated			
83.76	84.86	Pyrite	0.5	Disseminated			
96	99	Pyrite	0.25	disseminated	Pyrrhotite	0.25	Disseminated within veins.
96	99	Chalcopyrite	0.5	Disseminated in veins	Arsenopyrite	0.5	Disseminated
99.26	102.96	Chalcopyrite	1	Disseminated and in veins	Pyrrhotite	0.5	Disseminated and in veins
102.96	106.6	Chalcopyrite	0.5	Disseminated and in veins	Pyrrhotite	0.5	Disseminated and in veins

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type
107	107.1	Pyrrhotite	15	In vein	Chalcopyrite	1	In vein

Structure Log

At (m)	Structure	Angle T.C.A.
31	Contact of diabase with quartz vein	45
33.8	Contact of diabase with quartz vein	70

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
23/11/2010	8	181	-53.8	5583
23/11/2010	60	184.2	-54.2	5600
23/11/2010	119	187.5	-54.3	5616

Sample Interval

From (m)	To (m)	Sample #	Lithology
10	11	E5304582	
13.83	14.54	E5304583	
25.5	27.5	E5304584	
30	31	E5304585	
31	32	E5304586	
32	33	E5304587	
33	33.8	E5304588	
33.8	34.5	E5304589	
Standard		E5304590	CDN-GS-1F

From (m)	To (m)	Sample #	Lithology
35.5	36	E5304592	
36	37	E5304593	
37	38	E5304594	
38	39	E5304595	
39	40	E5304596	
40	41	E5304597	
41	42	E5304598	
42.4	43.4	E5304599	
Blank		E5304600	Blank
49	50	E5304601	
57	58	E5304602	
63	64	E5304603	
69	70	E5304604	
72	73	E5304605	
73	74	E5304606	
74	75	E5304607	
75	75.5	E5304608	
75.5	76.28	E5304609	
Standard		E5304610	CDN-BL-7
76.28	77	E5304611	
77	78	E5304612	
78	78.5	E5304613	
78.5	79.5	E5304614	
79.5	80.5	E5304615	
80.5	81.5	E5304616	
81.5	82.5	E5304617	
82.5	83.5	E5304618	
88	89	E5304619	
Standard		E5304620	CDN-BL-6

From (m)	To (m)	Sample #	Lithology
89	90	E5304621	
94	95	E5304622	
95	96	E5304623	
96	97	E5304624	
97	98	E5304625	
98	98.5	E5304626	
98.5	99.26	E5304627	
99.26	100	E5304628	
100	101	E5304629	
Standard		E5304630	OREAS 19A
101	102	E5304631	
102	102.96	E5304632	
104	105	E5304633	
105	106	E5304634	
106	106.6	E5304635	
106.6	107.5	E5304636	
107.5	108.5	E5304637	
108.5	109.5	E5304638	
109.5	110.5	E5304639	
Standard		E5304640	CDN-GS-1F
110.5	111	E5304641	
111	111.7	E5304642	
111.7	112.5	E5304643	
112.5	113.5	E5304644	
113.5	114	E5304645	
114	115	E5304646	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-24

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
24/11/2010	25/11/2010	80	NQ	Mallette Drilling	Lindsay Moss	4226180
Location Nad83						
Easting	Northing	Elevation	Azimuth	Dip	Date Logged	
539590	5167329	298	Vertical	-90	25/11/2010 to	26/11/2010

Lithology Log

From (m)	To (m)	Lithology	Description
0	1	Casing	Overburden
1	27.32	Nipissing Diabase	This interval is coarse grained and contains about 40% felsic minerals (k-spar and plagioclase) and 60% mafic minerals (pyroxene and biotite). Several small quartz veins occur throughout the diabase, containing chalcopyrite and pyrrhotite. Disseminated trace sulphides throughout diabase. Wispy epidote veinlets throughout the unit also contain chalcopyrite and pyrrhotite.
27.32	30.47	Intermediate Dyke	This interval contains an upper and lower contact that are a medium grey colour with wipsy carbonate alteration over about 1m on either end. The middle of the dyke is much coarser grained with a moderate amount of potassium feldspar. Several bands between 5-15cm cross-cut the dyke and are composed of primarily chlorite. Contacts with the Nipissing are sharp.

From (m)	To (m)	Lithology	Description
30.47	42.4	Nipissing Diabase	Coarse grained diabase as above, contains several patches of wispy epidote alteration with minor sulphide association. Bands of stronger chloritic alteration also observed throughout.
42.4	54.81	Intermediate Dyke	Medium grained, buff grey in colour with several bleached fractures throughout. Sporadic veins of quartz-carbonate throughout containing very minor sulphides. One band 1cm band of solid chalcopyrite and pyrrhotite at 47.78m. From 51.7 to 54.81m the unit becomes coarser grained with the introduction of k-spar.
54.81	79.96	Nipissing Diabase	Coarse grained diabase as above, within this unit is the re-introduction of sulphide bearing epidote veinlets occurring sporadically throughout. Sulphides are weakly disseminated throughout the diabase as well. A few hairline quartz veins throughout.
	79.96	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
1	27.32	Epidote	moderate	veinlets	Potassium	Weak	altering as k-spar and biotite
27.32	30.47	Carbonate	moderate	patchy			
30.47	42.4	Epidote	moderate	veinlets	Chlorite	moderate	bands
42.4	54.81	Carbonate	weak	veins			
54.81	80	Epidote	moderate	veinlets			

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type
1	27.32	Pyrrhotite	0.5	In veins and epidote alt'n	Chalcopyrite	0.5	In veins and epidote alt'n
30.47	42.4	Pyrrhotite	0.5	Epidote alteration	Chalcopyrite	0.5	Epidote alteration
54.81	73	Pyrrhotite	0.5	Epidote alteration	Chalcopyrite	0.5	Epidote alteration
73	73.4	Pyrrhotite	2	Disseminated	Chalcopyrite	3	Disseminated
73.4	80	Pyrrhotite	0.1	Disseminated	Chalcopyrite	0.1	Disseminated

Structure Log

At (m)	Structure	Angle T.C.A.
27.32	Contact	85
30.47	Contact	75
42.4	Contact	70
54.81	Contact	80

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
24/11/2010	15	265.5	-89	5636
24/11/2010	80	269.9	-89	5606

Sample Intervals

From (m)	To (m)	Sample #	Lithology
6	7	E5304647	
7	8	E5304648	
8	9	E5304649	
BLANK		E5304650	BLANK
12	13	E5304651	
13	14	E5304652	
14	15	E5304653	
15	16	E5304654	
16	17	E5304655	
46	47	E5304656	
47	48	E5304657	
48	49	E5304658	
54.81	55.5	E5304659	
STANDARD		E5304660	CDN-CGS-24
55.5	56	E5304661	
56	57	E5304662	
57	58	E5304663	
58	59	E5304664	
59	60	E5304665	
60	61	E5304666	
61	62	E5304667	
62	63	E5304668	
63	64	E5304669	
STANDARD		E5304670	CDN-BL-6
64	65	E5304671	
65	66	E5304672	
66	67	E5304673	
67	68	E5304674	
68	69	E5304675	
69	70	E5304676	
70	71	E5304677	
71	72	E5304678	

From (m)	To (m)	Sample #	Lithology
72	73	E5304679	
STANDARD		E5304680	OREAS 19A
73	74	E5304681	
74	75	E5304682	
75	76	E5304683	
76	77	E5304684	
77	78	E5304685	
78	79	E5304686	
79	79.96	E5304687	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-25

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
25/11/2010	27/11/2010	140	NQ	Malette Drilling	Theresa MacMillan and Lindsay Moss	4226180
Location Nad 83						
Easting	Northing	Elevation	Azimuth	Dip	Date Logged	
539702	5167404	293	180	-70	26/11/2010 to 28/11/2010	

Lithology Log

From (m)	To (m)	Lithology	Description
0	2	Casing	Casing
2	29.71	Greywacke	Dark green, very fine to fine grained matrix of silt and sand mixed and quartz rich throughout. Bands of chert throughout some boudanged forming nodules with thin veins splaying off of it. Minor weak carbonate alteration veins within. Fractured broken rock throughout.
29.71	31.61	Fault	Mix of greywacke from former unit, fine grained matrix of silt and sand, with chert veins within. Abundant thick potassium feldspar veins up to 2cm in width throughout with a mix of carbonate and chlorite alteration veins. Dolomite alteration on fracture surfaces throughout. Some disseminated pyrite mixed within the potassium feldspar veins.

From (m)	To (m)	Lithology	Description
31.61	111.1	Greywacke	Dark green, very fine to fine grained matrix of silt and sand mixed and quartz rich throughout. Bands of chert throughout, largest section at 50.3 to 50.5m, some bands are boudaged and form nodules with thin veins splaying off. Carbonate alteration veins within and minor dolomite alteration veins within. Fractured broken rock throughout. From 61.4 to 63.4 there are sections of crackle breccia infilled with a matrix of carbonate. Cherty bands seem to become thicker and more common moving down the hole. A few larger specks of pyrite between 103 and 105m.
111.1	123	Brecciated Greywacke	This unit is a medium grey in colour with similar cherty bands to the above lithology, however bands have fractures through them causing about 0.5-1cm slip displacement. Moving down the section these bands become less green and pinker in colour.
123	132.4	Greywacke	Medium grey greywacke containing large bands 10cm-2.5m in size of cherty material as observed in the above greywacke units. The bands are mostly salmon pink (hematite altered) in colour with some patchy green spots (epidote). Fractures throughout are infilled with hematite and carbonate.
132.4	140	Greywacke	This unit is a medium grey in colour, fine grained with light jade green coloured banding throughout. Bands appear slightly stretched and boudaged. One dropstone occurs at the top of the interval containing minor pyrite.
	140	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Comment
2	29.71	Hematite	Weak	Fracture filled	Carbonate	Weak	Veins	Hematite is highly altered and close to surface
29.71	31.61	Carbonate	Moderate	Veins, fracture filled	Dolomite	Weak	Veins, fracture filled	
31.61	111.1	Carbonate	Moderate	Veins	Dolomite	Weak	Veins	
111.1	123	potassium	weak	veins	Carbonate	weak	Vein	
123	132.4	Hematite	Strong	Veins and fracture filling	Epidote	moderate	Veins and fracture filling	
132.4	140	Epidote	weak	Veins				

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type
29.71	31.61	Pyrite	0.75	Disseminated
31.61	103	Pyrite	0.5	Disseminated
103	105	Pyrite	0.75	Disseminated
105	111.1	Pyrite	0.5	Disseminated
111.1	123	Pyrite	0.1	Disseminated

Structure Log

At (m)	Structure	Angle T.C.A.
59	Bedding	60
83	Bedding	45
91	Bedding	30

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
11/27/2010	11	179.4	-68.4	5671
11/27/2010	50	182	-68.2	5585
11/27/2010	101	183.3	-68.3	5586
11/27/2010	140	185.4	-67.5	5587

Sample Intervals

From (m)	To (m)	Sample #	Lithology
29.71	30.5	E5304688	
30.5	31	E5304689	
Standard		E5304690	CDN-GS-1F
31	31.61	E5304691	
103	104	E5304692	
104	105	E5304693	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-26

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number
28/11/2010	30/11/2010	100.05	NQ	Malette Drilling	Lindsay Moss and Theresa MacMillan	4226180
Location Nad 83						
Easting	Northing	Elevation	Azimuth	Dip	Date Logged	
539695	5167299	289	350	-60	29/11/2010 to 1/12/2010	

Lithology Log

From (m)	To (m)	Lithology	Description
0	2.65	Casing	Casing
2.65	69.07	Nipissing Diabase	Coarse grained, dark grey in colour, containing about 30% feldspar and 70% pyroxene. There are small epidote veinlets throughout containing sulphides. Some small quartz stringers as well. Chalcopyrite and pyrrhotite are commonly found in association with epidote and quartz veins from 14m to 25m. Epidote alteration is present throughout the unit however becomes more predominant between 14 and 25m. From 20 to 24m quartz veins increase, as well there are commonly cm sized quartz porphyroblasts. Last 8m of this unit contain more abundant quartz and epidote veining.

From (m)	To (m)	Lithology	Description
69.07	76	Mafic Intrusion	This unit is a dark grey colour, fine grained, no significant chilled margins with the Nipissing diabase. Abundant quartz veining throughout this interval containing chalcopyrite and pyrrhotite, as well as minor carbonate alteration. Wispy carbonate alteration throughout, however more abundant near contacts.
76	84.54	Nipissing Diabase	Green to grey, medium to coarse grained, with about 60% pyroxene and 40% feldspar with some epidote veins with coarsely disseminated pyrrhotite within at 81-84.54m. A band of quartz within 7cm thick of white quartz with coarsely disseminated pyrrhotite and pyrite within at 77.2m.
84.54	88	Silica rich faulted diabase	A altered fault zone, grey, fine to medium grained, used to be nipissing diabase with abundant silica alteration throughout with abundant veins of dolomite and some carbonate alteration splaying throughout. Abundant alteration veins at the contact. Highly fractured throughout with some minor fault gouge within.
88	90.9	Nipissing Diabase	Green to grey, fine to medium grained mix of pyroxene with feldspar. With thin black veins throughout. With some hematite alteration veins within but minor compared to the next unit. Some coarsely disseminated pyrrhotite within.
90.9	98.47	Hematite altered quartzite	Red and grey, massive quartzite with hematite alteration throughout. Highly fractured quartzite infilled with hematite, dolomite, carbonate and thin black veins of unknown mineral concentrated on veins and pervasive. Fractured broken rock throughout.
98.47	100.05	Fault	Grey, pink, fine grained, blocky faulted zone with hematite alteration throughout, mixed with carbonate and dolomite veins throughout. With fault gouge within and blocky rubble core within.
	100.05	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2
14	25	Epidote	Moderate	Veins	Carbonate	weak	stringers and fracture filling
25	60	Epidote	Weak	Veins	Carbonate	weak	stringers and fracture filling
60	69.07	Epidote	Moderate	Veins	Carbonate	weak	stringers and fracture filling
69.07	76	Carbonate	Moderate	Stringers and veins			
76	85.54	Epidote	Weak	veins	Carbonate	weak	stringers and fracture filling
85.54	88	Dolomite	Strong	Veins	Carbonate	Moderate	veins and fracture filling
88	90.9	Hematite	Weak	Veins	Carbonate	weak	veins and fracture filling
90.9	98.47	Hematite	Strong	Veins, pervasive	Carbonate	Moderate	veins and fracture filling
90.9	98.47	Carbonate	Moderate	Veins			
98.47	100.05	Carbonate	Moderate	Veins, pervasive	Dolomite	weak	veins

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type
2.65	14	Chalcopyrite	0.5	In epidote	Pyrrhotite	0.5	In epidote
14	25	Chalcopyrite	1	In epidote and veins	Pyrrhotite	2	In epidote and veins

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type
25	45	Chalcopyrite	0.1	In epidote	pyrite	0.5	In epidote and veins
45	49	Chalcopyrite	0.5	In epidote and veins	Pyrrhotite	1	In epidote and veins
49	69.07	Chalcopyrite	0.5	In epidote and veins	Pyrrhotite	0.5	In epidote and veins
69.07	76	Chalcopyrite	2	In veins	Pyrrhotite	1	In veins
69.07	76	Pyrite	0.5	Disseminated			
76	84.54	Pyrrhotite	0.5	In epidote veins			
88	90.5	Pyrrhotite	0.25	Disseminated			
90.9	98.47	Pyrite	1	Disseminated			
98.47	100.05	Pyrite	0.5	Disseminated			

Structure Log

At (m)	Structure	Angle T.C.A.
61.1	Vein	20
61.45	Vein	40
69.07	Contact	70
69.6	Vein	45

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
11/30/2010	12	355	-57.5	5625
11/30/2010	50	356.1	-57.6	5600
11/30/2010	101	357.5	-57.6	5616

Sample Interval

From (m)	To (m)	Sample #
4	5	E5304694
5	6	E5304695
6	7	E5304696
7	8	E5304697
8	9	E5304698
9	10	E5304699
BLANK		E5304700
14	15	E5304701
15	16	E5304702
16	17	E5304703
17	18	E5304704
18	19	E5304705
19	20	E5304706
20	21	E5304707
21	22	E5304708
22	23	E5304709
CDN-CGS-24		E5304710
23	24	E5304711
24	25	E5304712
25	26	E5304713
26	27	E5304714
27	28	E5304715
28	29	E5304716
44	45	E5304717
45	46	E5304718
46	47	E5304719
CDN-BL-6		E5304720
47	48	E5304721
48	49	E5304722
49	50	E5304723
54	55	E5304724

From (m)	To (m)	Sample #
55	56	E5304725
56	57	E5304726
57	58	E5304727
58	59	E5304728
59	60	E5304729
OREAS 19A		E5304730
60	61	E5304731
61	62	E5304732
62	63	E5304733
63	64	E5304734
64	65	E5304735
65	66	E5304736
66	67	E5304737
67	68	E5304738
68	68.5	E5304739
CDN-GS-1F		E5304740
68.5	69.07	E5304741
69.07	69.57	E5304742
69.57	70.07	E5304743
70.07	71	E5304744
71	72	E5304745
76	77	E5304746
77	78	E5304747
78	79	E5304748
79	80	E5304749
Blank		E5304750
80	81	E5304751
81	82	E5304752
82	83	E5304753
83	84	E5304754
84	84.54	E5304755

From (m)	To (m)	Sample #
84.54	85	E5304756
85	85.5	E5304757
85.5	86	E5304758
86	87	E5304759
CDN-CGS-24		E5304760
87	88	E5304761
88	89	E5304762
89	90	E5304763
90	90.9	E5304764
98.47	99.51	E5304765



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-27

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number	MNR Lease Number
12/1/2010	12/2/2010	133.1	NQ	Mallette Drilling	Theresa MacMillan	346915	107388
Location Nad 83							
Easting	Northing	Elevation	Azimuth	Dip	Date Logged		
529450	5166433	300	335	-60	12/2/2010 to 12/3/2010		

Lithology Log

From (m)	To (m)	Lithology	Description
0	3.5	Casing	Casing
3.5	8.18	Quartzite	Dark green, grey, and pink in color, massive quartz inclusions of potassium feldspar small to medium. Pervasive alteration throughout of chlorite, albite and carbonate alteration veins within. Fractured broken core throughout.
8.18	12.92	Quartz Breccia	Same as the quartzite unit except highly brecciated throughout. Infilled quartz with veins of carbonate throughout. Chlorite, albite alteration pervasive.
12.92	15.28	Quartzite	Dark green, grey, and pink in color, massive quartz inclusions of potassium feldspar small to medium. Pervasive alteration throughout of chlorite, albite and carbonate alteration veins within. Some small areas of minor brecciation at 15m. Fractured broken core throughout.

From (m)	To (m)	Lithology	Description
15.28	18.14	Quartzite	Same as the quartzite unit above except highly banded chlorite, albite and carbonate throughout.
18.14	24.85	Quartz Breccia	Grey, pink, green, mass quartz broken up into a breccia mix of quartzite albite, chlorite, with carbonate veins throughout, almost a chlorite breccia but still a quartz breccia. Some fractured rubble rock within. The most abundance of sulphides is at 22.5 to 23m.
24.85	52.85	Quartzite	Purple, light green to grey, mass quartz with pervasive and banded alteration of chlorite, albite, with carbonate alteration veins within, the unit varies with the amount of alteration of each mineral throughout but still the entire unit is altered. Some small 10cm width sections of brecciation within and that is where the lot of the sulphides are contained. Also between 25.4 and 26.3 there are significant sulphides within stronger carbonate alteration zones. At 48.74 to 48.81m there is a 7cm width white massive quartz vein with disseminated mostly pyrite within. At 52m the unit starts to increase in chlorite alteration and quartz veins leading into the chlorite zone unit below.
52.85	55.76	Chlorite zone	Dark green, fine to medium grained, heavy altered chlorite zone with carbonate veins throughout and some dolomite veins within. With some inclusions of carbonate within and thicker bands of chlorite within. Some sulphides within the chlorite but not as abundant as the surrounding units.

From (m)	To (m)	Lithology	Description
55.76	57.03	Espanola Limestone	Pink, green, grey, fine to medium grained, strongly laminated bands throughout of carbonate, some veins of chlorite veins throughout. Some small mm pink sized inclusions within the dark bands. The pink bands seem to be the most altered by carbonate.
57.03	58.23	Chlorite zone	Dark green, fine to medium grained, heavy altered chlorite zone with carbonate veins throughout and some dolomite veins within. With some inclusions of carbonate within and thicker bands of chlorite within. Some sulphides within the chlorite but not as abundant
58.23	63.71	Espanola Limestone	Pink, green, grey, fine to medium grained, strongly laminated bands throughout of carbonate, some veins of chlorite veins throughout. Some small mm pink sized inclusions within the dark bands. The pink bands seem to be the most altered by carbonate.
63.71	65.39	Espanola Limestone	Same as the unit above but with more chlorite alteration.
65.39	68.72	Chlorite zone	Dark green, fine to medium grained, heavy altered chlorite zone with carbonate veins throughout and some dolomite veins within. With some inclusions of carbonate within and thicker bands of chlorite within. Some sulphides within the chlorite but not as abundant
68.72	69.88	Espanola Limestone	Pink, green, grey, fine to medium grained, strongly laminated bands throughout of carbonate, some veins of chlorite veins throughout. Some small mm pink sized inclusions within the dark bands. The pink bands seem to be the most altered by carbonate.
69.88	88.25	Quartzite	Light green, pink, grey, massive quartz with chlorite, albite, carbonate alteration throughout. Some bands of albite and carbonate within the pervasive chlorite alteration. Some zones of chlorite breccia 70-70.4m with more abundant sulphides within and also areas of quartz breccias with sulphides within

From (m)	To (m)	Lithology	Description
88.25	107.76	Quartz Breccia	Same as the unit above but brecciated throughout with albite, chlorite fragments throughout. Breccia is becoming less prominent moving down the section and brecciated zone are further apart. Fragments are composed of pink hematitically altered quartzite with a darker grey fine grained quartzite matrix. Chlorite alteration is sporadic and patchy.
107.76	119.26	Transition Zone	This interval is thinly laminated on a mm scale, banding ranges between highly siliceous tan colour quartzite bands and carbonate bands often weakly altered by chlorite. Several sections of this unit appear brecciated with a carbonate matrix.
119.26	133.1	Espanola Limestone	Medium buff grey in colour, thinly laminated with bands containing more to less carbonate. Some bands are moderately altered by chlorite. Carbonate veining occurs sporadically throughout cross-cutting the laminations. 1-2% pyrite, occurring within carbonate veining and disseminated throughout the limestone. Orientation of banding changes throughout from almost parallel TCA to about 30 degrees TCA.
	133.1	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 2
3.5	8.18	Chlorite	Moderate	Pervasive	Albite	Moderate	Veins, pervasive	Carbonate	Weak	Veins
8.18	12.92	Carbonate	Moderate	Veins	Chlorite	Moderate	Pervasive	Albite	Moderate	Veins, pervasive
12.92	15.28	Chlorite	Moderate	Pervasive	Albite	Weak	Veins, pervasive	Carbonate	Weak	Veins
15.28	18.14	Chlorite	Moderate	Bands	Albite	Moderate	Bands	Carbonate	Weak	Veins
18.14	24.85	Chlorite	Moderate to strong	Pervasive to bands	Carbonate	Moderate	Veins, pervasive	Albite	Weak	Bands

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 2
24.85	52.85	Chlorite	Moderate to strong	Bands, pervasive	Carbonate	Moderate	Veins, bands	Albite	Moderate	Pervasive, bands, veins.
52.85	55.76	Chlorite	Strong	Pervasive, bands	Carbonate	Strong	Bands, veins	Dolomite	Moderate	Veins
55.76	57.03	Carbonate	Strong	Pervasive						
57.03	58.23	Chlorite	Strong	Pervasive, bands	Carbonate	Strong	Bands, veins	Dolomite	Weak	Veins
58.23	63.71	Carbonate	Strong	Pervasive						
63.71	65.39	Chlorite	Moderate	Pervasive, bands	Carbonate	Strong	Bands, veins			
65.39	68.72	Chlorite	Strong	Pervasive	Carbonate	Strong	Bands, veins	Dolomite	Weak	Veins
68.72	69.88	Carbonate	Strong	Pervasive						
69.88	88.25	Chlorite	Moderate	Pervasive, bands	Albite	Moderate	Pervasive, bands	Carbonate	Weak	Veins
88.25	107.76	Chlorite	Moderate	Pervasive, bands	Albite	Moderate	Pervasive, bands	Carbonate	Weak	Veins
107.76	119.26	Chlorite	Moderate	Pervasive, bands	Albite	weak	In bands			

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
3.5	8.18	Pyrite	5	In albite and chlorite veins	Chalcopyrite	1	Disseminated and associated with the pyrrhotite	Pyrrhotite	1	Disseminated and associated with the chalcopyrite

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
8.18	12.92	Pyrite	12	In highly brecciated	Chalcopyrite	1	Disseminated and associated with the pyrrhotite	Pyrrhotite	1	Disseminated and associated with the chalcopyrite
12.92	15.28	Pyrite	4	In albite and chlorite veins and minor brecciated zones	Chalcopyrite	0.5	Disseminated and associated with the pyrrhotite	Pyrrhotite	0.5	Disseminated and associated with the chalcopyrite
15.28	18.14	Pyrite	3	In bands	Chalcopyrite	0.25	Disseminated and associated with the pyrrhotite	Pyrrhotite	0.25	Disseminated and associated with the chalcopyrite
18.14	24.85	Pyrite	14	In breccia	Chalcopyrite	0.5	Disseminated and associated with the pyrrhotite	Pyrrhotite	0.5	Disseminated and associated with the chalcopyrite
24.85	52.85	Pyrite	12	In brecciated zones, carbonate, chlorite alteration	Chalcopyrite	0.25	Disseminated and associated with the pyrrhotite	Pyrrhotite	1	Disseminated
52.85	55.76	Pyrite	4	In carbonate and chlorite veins, bands						
55.76	57.05	Pyrite	2	Disseminated						
57.05	58.23	Pyrite	3	In carbonate and chlorite veins, bands						

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
58.23	63.71	Pyrite	2	Disseminated						
63.71	65.39	Pyrite	2	Disseminated						
65.39	68.72	Pyrite	7	In Chlorite, carbonate	Pyrrhotite	2	Disseminated			
68.72	69.88	Pyrite	2	Disseminated						
69.88	88.25	Pyrite	2	Disseminated						
88.25	106.7	Pyrite	1	Disseminated						
106.7	107.76	Pyrite	5	Blebbly						
119.26	133.1	Pyrite	2	Disseminated, carbonate veins						

Structure Log

At (m)	Structure	Angle T.C.A.
122.5	Bedding	5
127	Bedding	30

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
12/2/2010	11	338.1	-59.8	5641
12/2/2010	50	339.4	-59.5	5629
12/2/2010	133	340.4	-59.7	5555

Sample Intervals

From (m)	To (m)	Sample #	Lithology
3.5	4	E5304766	
4	5	E5304767	
5	6	E5304768	
6	7	E5304769	
Standard		E5304770	CDN-BL-6
7	8	E5304771	
8	9	E5304772	
9	10	E5304773	
10	11	E5304774	
11	12	E5304775	
12	12.92	E5304776	
12.92	13.5	E5304777	
13.5	14	E5304778	
14	14.6	E5304779	
Standard		E5304780	OREAS 19A
14.6	15.28	E5304781	
15.28	16	E5304782	
16	17	E5304783	
17	17.6	E5304784	
17.6	18.14	E5304785	
18.14	19	E5304786	
19	20	E5304787	
20	21	E5304788	
21	22	E5304789	
Standard		E5304790	CDN-GS-1F
22	22.5	E5304791	
22.5	23	E5304792	
23	24	E5304793	
24	24.85	E5304794	
24.85	25.4	E5304795	
25.4	26	E5304796	
26	26.5	E5304797	

From (m)	To (m)	Sample #	Lithology
26.5	27	E5304798	
27	28	E5304799	
Blank		E5304800	Blank
28	29	E5304801	
29	30	E5304802	
30	31	E5304803	
31	32	E5304804	
32	33	E5304805	
33	34	E5304806	
34	35	E5304807	
35	36	E5304808	
36	37	E5304809	
Standard		E5304810	CDN-CGS-24
37	38	E5304811	
38	39	E5304812	
39	40	E5304813	
40	41	E5304814	
41	42	E5304815	
42	43	E5304816	
43	44	E5304817	
44	45	E5304818	
45	46	E5304819	
Standard		E5304820	CDN-BL-6
46	47	E5304821	
47	48	E5304822	
48	49	E5304823	
49	50	E5304824	
50	51	E5304825	
51	52	E5304826	
52	52.85	E5304827	
52.85	53.35	E5304828	
53.35	54	E5304829	
Standard		E5304830	OREAS 19A

From (m)	To (m)	Sample #	Lithology
54	55	E5304831	
55	55.76	E5304832	
55.76	56.28	E5304833	
56.28	57.03	E5304834	
57.03	57.53	E5304835	
57.53	58.23	E5304836	
58.23	59	E5304837	
59	60	E5304838	
60	61	E5304839	
Standard		E5304840	CDN-GS-1F
61	62	E5304841	
62	63	E5304842	
63	63.71	E5304843	
63.71	64.5	E5304844	
64.5	65.39	E5304845	
65.39	66	E5304846	
66	66.5	E5304847	
66.5	67	E5304848	
67	68	E5304849	
Blank		E5304850	
67	68.72	E5304851	
68.72	69.2	E5304852	
69.2	69.88	E5304853	
69.88	70.7	E5304854	
70.7	71.3	E5304855	
71.3	72	E5304856	
72	73	E5304857	
73	74	E5304858	
74	75	E5304859	
Standard		E5304860	CDN-CGS-24
75	76	E5304861	
76	77	E5304862	

From (m)	To (m)	Sample #	Lithology
77	78	E5304863	
78	79	E5304864	
79	80	E5304865	
80	81	E5304866	
81	82	E5304867	
82	83	E5304868	
83	84	E5304869	
Standard		E5304870	CDN-BL-6
84	85	E5304871	
85	86	E5304872	
86	87	E5304873	
87	87.5	E5304874	
87.5	88.25	E5304875	
88.25	89	E5304876	
89	90	E5304877	
106.7	107.2	E5304878	
107.2	107.76	E5304879	
Standard		E5304880	OREAS 19A
107.76	108.4	E5304881	
108.4	109	E5304882	
109	110	E5304883	
110	111	E5304884	
121	122	E5304885	
122	123	E5304886	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-28

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number	Lease Number
12/2/2010	12/4/2010	122.04	NQ	Mallette Drilling	Theresa MacMillan	346915	107388
Location Nad 83							
Easting	Northing	Elevation	Dip	Azimuth	Date Logged		
529518	5166425		-60	355	12/2/2010 to 12/5/2010		

Lithology Log

From (m)	To (m)	Lithology	Description
0	3.8	Casing	Casing
3.8	13.52	Espanola Limestone	Grey, pink, green, fine grained, banded layers of carbonate. Some fine grained inclusions within spotty but all highly altered by carbonate. The layers are banded at 80degrees to the core.
13.52	32.7	Espanola Limestone	Same as the previous unit except the banded layers are more angled to about 35 degrees to the core angle
32.7	43.73	Chlorite Breccia	Dark green, white and pink, highly silicified massive matrix of quartz w chlorite alteration throughout with inclusions of brecciated chlorite and cubic potassium alteration inclusions throughout. Carbonate and potassium alteration veins throughout. Sulphides throughout within and concentrated in the brecciated area and the edges of the inclusions.
43.73	49.08	Quartzite Breccia	Grey and pink, mass quartz matrix with inclusions of potassium and chlorite alteration throughout. Brecciated throughout with veins of carbonate, chlorite and potassium alteration. Sulphides within concentrated on brecciated surfaces.

From (m)	To (m)	Lithology	Description
49.08	53.36	Chlorite Breccia	Dark green, white and pink, highly silicified massive matrix of quartz w chlorite alteration throughout with inclusions of brecciated chlorite and cubic potassium alteration inclusions throughout. Carbonate and potassium alteration veins throughout. Sulphides throughout within and concentrated in the brecciated area and the edges of the inclusions.
53.36	59	Quartzite Breccia	Grey and pink, mass quartz matrix with inclusions of potassium and chlorite alteration throughout. Brecciated throughout with veins of carbonate, chlorite and potassium alteration. Sulphides within concentrated on brecciated surfaces. Highly fractured throughout, broken rubble rock.
59	61.48	Chlorite Breccia	Dark green and grey, highly silicified massive matrix of quartz w chlorite alteration throughout with inclusions of brecciated chlorite throughout. Carbonate and potassium alteration veins throughout. Sulphides throughout within and concentrated in one section at 59.86 to 60.30m.
61.48	66.14	Carbonate Breccia	Green and white, fine to medium grained laminated bands of carbonate and chlorite alteration throughout including some medium grained needles of chlorite alteration. Some inclusions of potassium feldspar. Some fractures sets throughout. Sharp contacts on both edges of unit.
66.14	72	Chlorite Breccia	Dark green and grey, highly altered by chlorite with some areas highly silicified with inclusions of chlorite and feldspar within. Veins of carbonate throughout and fracture filling. Sulphides are cubic pyrite throughout but in no particular direction with spotty disseminated pattern throughout.
72	102.18	Quartzite	Grey, green and pink, mass quartz with some areas of brecciation within with inclusions of potassium feldspar and quartz within mixed with chlorite alteration and carbonate alteration veins. Sulphides throughout but more abundant in the brecciation zones.

From (m)	To (m)	Lithology	Description
102.18	105.35	Chlorite Breccia	Dark green and grey, highly altered by chlorite with some areas highly silicified with inclusions of chlorite and feldspar within. The whole unit is not totally brecciated but most of it is. Veins of carbonate throughout and fracture filling. Sulphides are cubic pyrite and are concentrated on veins and fractured areas.
105.35	112.04	Quartzite	Grey, green and pink, mass quartz with some areas of brecciation within with inclusions of potassium feldspar and quartz within mixed with chlorite alteration and carbonate alteration veins. Sulphides within but more abundant in the brecciation zones and ends about 108m.
	112.04	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 3
3.8	13.52	Carbonate	Strong	Pervasive						
13.52	32.7	Carbonate	Strong	Pervasive						
32.7	43.73	Chlorite	Moderate to strong	Pervasive breccia, and veins	Potassium	Moderate	Brecciated	Carbonate	Weak	Veins
43.73	49.08	Chlorite	Moderate	Pervasive breccia, and veins	Potassium	Moderate	Brecciated	Carbonate	Weak	Veins
49.08	53.36	Chlorite	Moderate to strong	Pervasive breccia, and veins	Potassium	Moderate	Brecciated	Carbonate	Weak	Veins
53.36	59	Chlorite	Moderate	Pervasive breccia, and veins	Potassium	Moderate	Brecciated	Carbonate	Weak	Veins
59	61.48	Chlorite	Moderate	Pervasive breccia, and veins	Carbonate	Weak	Veins	Potassium	Very weak	Brecciated

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 3
61.48	66.14	Carbonate	Strong	Laminated bands mixed with chlorite	Chlorite	Moderate to strong	Laminated bands mixed with carbonate and medium grained needles	Potassium	Weak	Brecciated
66.14	72	Chlorite	Strong	Pervasive breccia, and veins	Carbonate	Moderate	Brecciated, vein	Potassium	Weak	Brecciated
72	102.18	Chlorite	Moderate	Pervasive, brecciated	Potassium	Moderate	Brecciated	Carbonate	Weak	Veins, brecciated
102.18	105.35	Chlorite	Moderate	Pervasive, brecciated	Carbonate	Moderate	Veins	Potassium	Weak	Brecciated
105.35	112.04	Chlorite	Weak	Pervasive, brecciated	Carbonate	Weak	Veins	Potassium	Weak	Brecciated

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
8	9	Pyrite	1	Disseminated						
13.52	14.5	Pyrite	0.5	Disseminated						
14.5	15.5	Pyrite	0.5	Disseminated						
32.7	43.73	Pyrite	9	Cubic, brecciated areas in thin bands	Pyrrhotite	1	Disseminated	Chalcopyrite	0.5	Disseminated
43.73	49.08	Pyrite	8	Cubic, brecciated areas in thin bands	Pyrrhotite	0.5	Disseminated			
49.08	53.36	Pyrite	12	Cubic, brecciated areas in thin bands	Pyrrhotite	1	Disseminated			

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
53.36	59	Pyrite	6	Cubic, brecciated areas in thin bands						
59	59.87	Pyrite	8	Cubic, Disseminated	Pyrrhotite	1	Disseminated			
59.87	60.3	Pyrite	20	Cubic, Disseminated	Chalcopyrite	2	Disseminated			
60.3	61.48	Pyrite	8	Cubic, Disseminated	Chalcopyrite	0.5	Disseminated			
61.48	66.14	Pyrite	3	Pyrite, cubic forming bands throughout following the orientation of the laminations.						
66.14	72	Pyrite	16	Pyrite, cubic and forming more massive chunks up to 2cm width	Pyrrhotite	2	Disseminated			
72	102.18	Pyrite	4	Pyrite, cubic disseminated						
102.18	105.35	Pyrite	5	Pyrite, cubic, forms on brecciated areas and in veins of chlorite and carbonate.						
105.35	108	Pyrite	3	Pyrite, cubic, forms on brecciated areas						

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.
3.8	13.52		Bedding	80
13.52	32.7		Bedding	35
61.48	66.14		Laminated	45

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
12/4/2010	4	348.5	-59.9	
12/4/2010	50	328	-59.7	5092
12/4/2010	112	12.3	-59.8	5070

Sample Intervals

From (m)	To (m)	Sample #	Lithology
8	9	E5304887	
13.52	14.5	E5304888	
14.5	15.5	E5304889	
Standard		E5304890	CDN-GS-1F
32.7	33.5	E5304891	
33.5	34	E5304892	
34	35	E5304893	
35	36	E5304894	
36	37	E5304895	
37	38	E5304896	
38	39	E5304897	
39	40	E5304898	
40	41	E5304899	

From (m)	To (m)	Sample #	Lithology
Blank		E5304900	Blank
41	42	E5304901	
42	43	E5304902	
43	43.73	E5304903	
43.73	44.5	E5304904	
44.5	45.5	E5304905	
45.5	46.5	E5304906	
46.5	47.5	E5304907	
47.5	48.5	E5304908	
48.5	49.08	E5304909	
Standard		E5304910	CDN-CGS-24
49.08	50	E5304911	
50	51	E5304912	
51	52	E5304913	
52	52.5	E5304914	
52.5	53.36	E5304915	
53.36	54	E5304916	
54	55	E5304917	
55	56	E5304918	
56	57	E5304919	
Standard		E5304920	CDN-BL-6
57	58	E5304921	
58	59	E5304922	
59	59.84	E5304923	
59.84	60.32	E5304924	
60.32	61	E5304925	
61	61.48	E5304926	
61.48	62	E5304927	
62	63	E5304928	
63	64	E5304929	
Standard		E5304930	OREAS 19A

From (m)	To (m)	Sample #	Lithology
64	65	E5304931	
65	65.5	E5304932	
65.5	66.14	E5304933	
66.14	67	E5304934	
67	68	E5304935	
68	69	E5304936	
69	70	E5304937	
70	71	E5304938	
71	72	E5304939	
Standard		E5304940	CDN-GS-1F
72	73	E5304941	
73	74	E5304942	
74	75	E5304943	
75	76	E5304944	
76	77	E5304945	
77	78	E5304946	
78	79	E5304947	
79	80	E5304948	
80	81	E5304949	
Blank		E5304950	Blank
81	82	E5304951	
82	83	E5304952	
83	84	E5304953	
84	85	E5304954	
85	86	E5304955	
86	87	E5304956	
87	88	E5304957	
88	89	E5304958	
89	90	E5304959	
Standard		E5304960	CDN-CGS-24

From (m)	To (m)	Sample #	Lithology
90	91	E5304961	
91	92	E5304962	
92	93	E5304963	
93	94	E5304964	
94	95	E5304965	
95	95.5	E5304966	
95.5	96	E5304967	
96	97	E5304968	
97	98	E5304969	
Standard		E5304970	CDN-BL-6
98	99	E5304971	
99	100	E5304972	
100	101	E5304973	
101	101.5	E5304974	
101.5	102.18	E5304975	
102.18	103	E5304976	
103	104	E5304977	
104	104.5	E5304978	
104.5	105.35	E5304979	
Standard		E5304980	OREAS 19A
105.35	106	E5304981	
106	107	E5304982	
107	108	E5304983	
108	109	E5304984	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-29

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number	Lease Number
12/4/2010	12/6/2010	134.07	NQ	Malette Drilling	Theresa MacMillan	346915	107388
Location Nad 83							
Easting	Northing	Elevation	Dip	Azimuth	Date Logged		
529342	5166483	300	-90	Vertical	12/5/2010 to 12/7/2010		

Lithology Log

From (m)	To (m)	Lithology	Description
0	3.52	Casing	Casing
3.52	14.7	Quartzite	Brown and grey, mostly massive quartz with some thin laminations within. Mostly infilled with thin veins of white quartz throughout and some minor very weak veins of carbonate alteration. Highly fractured broken core throughout.
14.7	16	Quartzite	Same as the unit above but with abundant white quartz alteration within with large bands and veins of white quartz with thin veins and inclusions of pyroxene?. Pyrite within the quartz bands and veins throughout.
16	33	Quartzite	Brown and grey, mostly massive quartz with some thin laminations within. Mostly infilled with thin veins of white quartz throughout and some minor very weak veins of carbonate alteration. Some minor epidote veins within. Highly fractured broken core throughout.

From (m)	To (m)	Lithology	Description
33	40	Quartz Breccia	Grey, brown, green, massive quartz brecciated throughout mixed in some areas with chlorite alteration with spotty sections and thin veins of dolomite. Pyrite throughout and concentrated within the chlorite zone.
40	44.9	Chlorite Breccia	Green and white, brecciated throughout with large chunks of white quartz mixed within and some thin weak carbonate veins within. Sulphides mixed within the brecciated areas and with the chlorite.
44.9	61	Quartzite	Brown and grey, mostly massive quartzite with areas of quartz breccia within, brecciated areas infilled with carbonate alteration and some talc alteration as well. A white quartz band at 54 to 54.35m Fractures filled with carbonate alteration. Some sulphides within but sparatic and low percent.
61	70	Quartzite Breccia	Brown, grey to white, massive quartz with brecciated areas throughout with very large clasts of brecciated quartz infilled with some potassium grains and veins of quartz and carbonate. Highly fractured throughout, blocky, rubble core throughout. Some areas of more quartzite but mostly brecciated throughout.
70	79.9	Quartzite	Brown and grey, massive quartz throughout with bands of quartz and potassium mixed throughout at 60 degrees to the angle of the core. Some veins of silica and carbonate alteration throughout. Disseminated pyrrhotite throughout.
79.9	89	Quartzite Breccia	Grey, green, mostly quartz with brecciated throughout with angular to subrounded clasts of quartz infilled with chlorite and carbonate alteration throughout. Some clasts of potassium mixed with quartz within. Abundant sulphides throughout with coarsely disseminated and blebs of pyrrhotite and pyrite with minor chalcopyrite within. Some veins of pyrrhotite rimming the clasts of quartz and potassium altered quartz within.

From (m)	To (m)	Lithology	Description
89	108.31	Quartzite	Brown and grey, massive quartz throughout with bands of quartz and potassium mixed throughout at 60 degrees to the angle of the core. Some veins of silica and carbonate alteration throughout. Some brecciated areas within, infilled with silica, potassium and carbonate alteration. Disseminated pyrrhotite, pyrite, and chalcopyrite throughout.
108.31	111.41	Quartzite Breccia	Grey, green, mostly quartz with brecciated throughout with angular to subrounded clasts of quartz infilled with carbonate and chlorite alteration throughout. Some clasts of potassium mixed with quartz within. Abundant sulphides throughout with coarsely disseminated and blebs of pyrrhotite and pyrite with minor chalcopyrite within. Some veins of pyrrhotite rimming the clasts of quartz and potassium altered quartz within.
111.41	112.74	Chlorite Breccia	Green and grey, mass quartz with bands of potassium within infilled and brecciated throughout with chlorite and carbonate. Banded veins of chlorite with veins of carbonate and dark unknown mineral alteration. Thin veins of pyrrhotite mixed with chalcopyrite throughout.
112.74	124.32	Quartzite	Grey, massive quartz throughout with bands of quartz and potassium mixed throughout. Veins of silica, carbonate and some chlorite throughout. Some brecciated areas within, infilled with silica, potassium and carbonate alteration.
124.32	126.16	Quartzite	Dark grey, massive quartz throughout with veins of carbonate and silica alteration throughout. Some potassium clasts within and chlorite veins with cubic pyrite and disseminated chalcopyrite throughout.
126.16	134.07	Quartzite	Grey, massive quartz throughout with bands of quartz and potassium mixed throughout. Veins of silica, carbonate and some chlorite throughout. Some brecciated areas within, infilled with silica, potassium and carbonate alteration. Some small areas of the dark grey finer grained quartzite within.
	134.07	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 3
3.52	14.7	Silica	Strong	Pervasive, veins	Carbonate	Very weak	Veins			
14.7	16	Silica	Strong	Bands, veins, pervasive						
16	33	Silica	Strong	Pervasive, veins						
33	40	Silica	Strong	Pervasive, brecciated, veins	Chlorite	moderate	Brecciated	Dolomite	Moderate	Brecciated, veins
40	44.9	Chlorite	Strong	Pervasive, brecciated	Silica	Strong	Pervasive, brecciated, veins	Carbonate	Weak	Veins
44.9	61	Silica	Strong	Pervasive, brecciated, veins	Carbonate	moderate	Fracture filled, veins	Talc	Weak	Fracture filled
61	70	Silica	Strong	Pervasive, breccia	Potassium	weak	Veins, fracture filled	Carbonate	Weak	Veins, fracture filled
70	79.9	Silica	Strong	Pervasive	Potassium	moderate	Veins, fracture filled	Carbonate	Weak	Veins, fracture filled
79.9	89	Silica	Strong	Pervasive, brecciated	Potassium	moderate	Veins, fracture filled	Carbonate	Weak	Veins, fracture filled
89	108.31	Silica	Strong	Pervasive, brecciated	Potassium	moderate	Veins, fracture filled	Carbonate	Moderate	Veins, fracture filled
108.31	111.41	Silica	Moderate to strong	Pervasive, brecciated	Carbonate	Moderate to strong	Brecciated, veins, fracture filled	Potassium	Weak	Mixed with quartz, clasts

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 3
111.41	112.74	Chlorite	Moderate to strong	Pervasive, brecciated	Carbonate	Moderate	Brecciated, veins, fracture filled veins,	Silica	Weak to Moderate	Veins
112.74	124.32	Silica	Moderate to strong	Pervasive, bands	Carbonate	Moderate	brecciated, fracture filled	Potassium	Moderate	Mixed with quartz, clasts
124.32	126.16	Carbonate	Moderate to strong	Veins	Potassium	weak	Clasts	Chlorite	Weak	Veins

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
3.52	14.7	Pyrite	0.25	Cubic, disseminated						
14.7	16	Pyrite	3	Cubic, disseminated						
16	33	Pyrite	0.5	Cubic, disseminated						
33	40	Pyrite	2	Cubic, disseminated						
40	44.9	Pyrrhotite	8	Blebs throughout within the chlorite	Pyrite	4	Within the chlorite not cubic more interstitial	Chalcopyrite	2	Associated with the pyrrhotite in the chlorite
44.9	61	Pyrite	1	Cubic, disseminated within a white quartz band						

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
61	70	Pyrite	2	Fracture surfaces	Pyrrhotite	1	Disseminated and mostly within the brecciated areas			
70	79.9	Pyrrhotite	4	Disseminated	Pyrite	2	Fracture surfaces			
79.9	89	Pyrrhotite	6	Coarsely disseminated, blebs, rimming veins	Pyrite	4	Fracture surfaces	Chalcopyrite	2	Coarsely disseminated
89	108.31	Pyrrhotite	10	Brecciated, coarsely disseminated and blebs throughout but concentrated in the brecciation	Pyrite	7	Brecciated, coarsely disseminated and blebs throughout but concentrated in the brecciation		4	Brecciated, coarsely disseminated and blebs throughout but concentrated in the brecciation
108.31	111.41	Pyrrhotite	15	Brecciated, coarse blebs, intertwined with chalcopyrite	Chalcopyrite	10	Brecciated, coarse blebs, interstitial with the pyrrhotite	Pyrite	4	Brecciated, coarsely disseminated and blebs throughout but concentrated in the brecciation
111.41	112.74	Pyrrhotite	8	Brecciated, coarsely disseminated and blebs throughout but concentrated in the brecciation	Chalcopyrite	4	Brecciated, coarsely disseminated and blebs throughout but concentrated in the brecciation	Pyrite	1	Brecciated, coarsely disseminated and blebs throughout but concentrated in the brecciation

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
112.74	124.32	Pyrrhotite	2	Disseminated	Pyrrhotite	1	Associated with the chlorite veins			
124.32	126.16	Pyrite	3	Cubic within the chlorite vein						
126.16	134.07	Pyrrhotite	2	Disseminated						

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.
89	108.31		Bands of quartz and potassium mixture	60

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
12/6/2010	11	29	-87.4	5638
12/6/2010	39.5	43.9	-87.2	5605
12/6/2010	134	23.1	-86.7	5628


Sample Intervals

From (m)	To (m)	Sample #	Lithology
13	14	E5304985	
14	14.7	E5304986	
14.7	15.5	E5304987	
15.5	16	E5304988	
16	17	E5304989	
Standard		E5304990	CDN-GS-1F

From (m)	To (m)	Sample #	Lithology
17	18	E5304991	
18	19	E5304992	
31	32	E5304993	
32	33	E5304994	
33	34	E5304995	
34	35	E5304996	
35	36	E5304997	
36	37	E5304998	
37	38	E5304999	
Blank		E5305000	Blank
38	39	E5305001	
39	40	E5305002	
40	41	E5305003	
41	42	E5305004	
42	43	E5305005	
43	44	E5305006	
44	44.9	E5305007	
44.9	45.5	E5305008	
45.5	46.5	E5305009	
Standard		E5305010	CDN-CGS-24
53	54	E5305011	
54	55	E5305012	
58.5	59.5	E5305013	
61	62	E5305014	
65	66	E5305015	
66	67	E5305016	
73	74	E5305017	
74	75	E5305018	
75	76	E5305019	
Standard		E5305020	CDN-BL-6
76	77	E5305021	
77	78	E5305022	

From (m)	To (m)	Sample #	Lithology
78	79	E5305023	
79	79.9	E5305024	
79.9	80.5	E5305025	
80.5	81	E5305026	
81	82	E5305027	
82	83	E5305028	
83	84	E5305029	
Standard		E5305030	OREAS19A
84	85	E5305031	
85	86	E5305032	
86	87	E5305033	
87	88	E5305034	
88	89	E5305035	
89	90	E5305036	
90	91	E5305037	
91	92	E5305038	
92	93	E5305039	
Standard		E5305040	CDN-GS-1F
93	94	E5305041	
94	95	E5305042	
95	96	E5305043	
96	97	E5305044	
97	98	E5305045	
98	99	E5305046	
99	100	E5305047	
100	101	E5305048	
101	102	E5305049	
Blank		E5305050	
102	103	E5305051	
103	104	E5305052	
104	105	E5305053	
105	106	E5305054	
106	107	E5305055	

From (m)	To (m)	Sample #	Lithology
107	107.8	E5305056	
107.8	108.37	E5305057	
108.37	109	E5305058	
109	110	E5305059	
Standard		E5305060	CDN-CGS-24
110	111	E5305061	
111	111.41	E5305062	
111.41	112	E5305063	
112	112.74	E5305064	
112.74	113.3	E5305065	
113.3	114	E5305066	
114	115	E5305067	
115	116	E5305068	
116	117	E5305069	
Standard		E5305070	CDN-BL-6
117	118	E5305071	
118	119	E5305072	
119	120	E5305073	
120	121	E5305074	
121	122	E5305075	
122	123	E5305076	
123	123.6	E5305077	
123.6	124.32	E5305078	
123.32	125	E5305079	
Standard		E5305080	OREAS 19A
125	125.6	E5305081	
125.6	126.16	E5305082	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-30

Summary

Date Started	Date Completed	Final meter	Hole Size	Drill Company	Logged by	Claim Number	Lease Number
12/6/2010	12/8/2010	140	NQ	Mallette Drilling	Theresa MacMillan	373196	103932
Location Nad 83							
Easting	Northing	Elevation	Dip	Azimuth	Date Logged		
529075	5166456	302	-90	Vertical	12/7/2010 to 12/9/2010		

Lithology Log

From (m)	To (m)	Lithology	Description
0	2	Casing	Casing
2	21	Carbonate Breccia	Dark pink, grey, massive carbonate rhombs infilled and mixed with quartz throughout. Angular rhombs scattered throughout with carbonate alteration forming the matrix for the rhombs. Very blocky, rubbly core throughout, forming angular clasts and rubble material.
21	44	Carbonate Breccia	Light pink, grey, massive carbonate rhombs infilled and mixed with quartz throughout. Angular rhombs scattered throughout and range in size throughout. Some rhombs range in size to mm to 3cm sized in bands and up to 1m sized inclusions.
44	51.18	Carbonate Breccia	Grey and pink, a mix of carbonate and silica alteration throughout. Angular rhombs throughout with veins and pervasive carbonate alteration throughout. Some large clasts of quartz as large as 1m in width. One section of blebs and sulphide matrix pyrrhotite within the breccia.

From (m)	To (m)	Lithology	Description
51.18	93.73	Olivine Diabase	Dark grey, fine to medium grained, a homogeneous matrix of pyroxene, feldspar, olivine with some minor biotite within. The pyroxene is all cut in the same orientation to and resemble mica. Some trace disseminated pyrite within. Some veins of epidote and carbonate within and are 70 degrees to the core angle. The MSR readings include 12.0 to 23.0 ams.
93.73	105.2	Quartzite Breccia	Grey and blue, a clear quartzite with angular rhombs of carbonate throughout with rims of chlorite and possibly telluride mixed within. The chlorite rims the carbonate rhombs and is pervasive throughout. Some inclusions of potassium rich quartz within and some veins of carbonate.
105.2	140	Chlorite Breccia	Grey, green and pink, a quartzite with rhomb shaped chlorite replacement inclusions within. The quartzite has quartz inclusions with veins and pervasive carbonate alteration throughout. Also rims of chlorite with telluride mixed within carbonate. Some infill matrix of chlorite alteration. With some possible lamprophyre within that cut through the breccia. The MSR readings include 3.4 to 9.77 with one 23.0 ams, even thou looks like a diabase more fine grained, very olivine rich and contains sulphide stringers throughout, and talc on fracture surfaces possible lamprophyre. Some portions ranging up to 1 meter.
	140	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 3
2	21	Carbonate	Strong	rhombs throughout						

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 3
21	44	Carbonate	Strong	rhombs throughout						
44	51.18	Carbonate	Strong	rhombs throughout						
51.18	93.73	Carbonate	Weak	Veins						
93.73	105.2	Carbonate	Strong	Breccia, rhombs, veins,	Chlorite	Moderate	Veins, rims around the carbonate rhombs	telluride	weak	mixed within the chlorite
105.2	140	Chlorite	Moderate to strong	Breccia, rhombs, veins,	Carbonate	Moderate	Veins, and rhombs, and rims	telluride	weak	mixed within the chlorite

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type	Sulphide Mineral 2	%	Mineralization Type	Sulphide Mineral 3	%	Mineralization Type
45	46	Pyrrhotite	8	Blebs						
51.18	93.73	Pyrite	1	Disseminated						
83.73	105.2	Pyrrhotite	9	Disseminated and coarse blebs	Pyrite	2	Coarsely disseminated			
105.2	140	Pyrrhotite	4	Disseminated	Pyrite	2	Disseminated			

Structure Log

From (m)	To (m)	At (m)	Structure	Angle T.C.A.
51.18			Epidote and carbonate veins	70

Reflex Data

Date	Depth	Azimuth	Dip	Mag Field
12/8/2010	11	354.1	-87.9	5769
12/8/2010	50	338.8	-87.9	5623
12/8/2010	101	342.8	-87.8	5592
12/8/2010	140	345.8	-87.6	5620

Sample Intervals

From (m)	To (m)	Sample #	Lithology
42	43	E5305083	
43	44	E5305084	
44	45	E5305085	
45	46	E5305086	
46	47	E5305087	
47	48	E5305088	
48	49	E5305089	
Standard		E5305090	CDN-GS-1F
49	50	E5305091	
50	51	E5305092	
51	52	E5305093	
52	53	E5305094	
53	54	E5305095	
54	55	E5305096	
55	56	E5305097	
56	56.5	E5305098	
56.5	57.18	E5305099	
Blank		E5305100	Blank

From (m)	To (m)	Sample #	Lithology
93.73	94.3	E5305101	
94.3	95	E5305102	
95	96	E5305103	
96	97	E5305104	
97	98	E5305105	
98	99	E5305106	
99	100	E5305107	
100	101	E5305108	
101	102	E5305109	
Standard		E5305110	CDN-CGS-24
102	103	E5305111	
103	104	E5305112	
104	104.6	E5305113	
104.6	105.2	E5305114	
105.2	106	E5305115	
106	107	E5305116	
107	108	E5305117	
108	109	E5305118	
109	110	E5305119	
Standard		E5305120	CDN-BL-6
110	111	E5305121	
111	112	E5305122	
112	113	E5305123	
113	114	E5305124	
114	115	E5305125	
115	116	E5305126	
116	117	E5305127	
117	118	E5305128	
118	119	E5305129	
Standard		E5305130	OREAS19A
119	120	E5305131	
120	121	E5305132	

From (m)	To (m)	Sample #	Lithology
121	122	E5305133	
122	123	E5305134	
123	124	E5305135	
124	125	E5305136	
125	126	E5305137	
126	127	E5305138	
127	128	E5305139	
Standard		E5305140	CDN-GS-1F
128	129	E5305141	
129	130	E5305142	
130	131	E5305143	
131	132	E5305144	
132	133	E5305145	
133	134	E5305146	
134	135	E5305147	
135	136	E5305148	
136	137	E5305149	
Blank		E5305150	Blank
137	138	E5305151	
138	139	E5305152	
139	140	E5305153	



Robert G. Komarechka, P. Geo, P. Geol

APPENDIX 6: Drill Logs

TRM-10-31

Summary

Date Started	Date Completed	Total Length(m)	Hole Size	Drill Company	Logged by	Claim Number	Lease Number
12/8/2010	12/11/2010	116.66	NQ	Mallette Drilling	Theresa MacMillan and Lindsay Moss	373196	107388
Location Nad 83							
Easting	Northing	Elevation	Dip	Azimuth	Date Logged		
529080	5166357	305	-45	70	12/9/2010 to 12/12/2010		

Lithology Log

From (m)	To (m)	Lithology	Description
0	3	Casing	Casing
3	44	Carbonate Breccia	Pink and grey, fine to coarse grained, matrix of carbonate mixed with potassium alteration throughout with angular carbonate rhombs throughout. Grey, silica rich sections throughout with carbonate alteration veins within. These sections are sparatically throughout and less then 0.5m in width. Some carbonate rhombs are beginning to become chlorite filled and rimming the rhombs with about 1% chlorite infilled. Highly fractured throughout.

From (m)	To (m)	Lithology	Description
44	65	Carbonate Breccia	Pink and grey, fine to coarse grained, matrix of carbonate mix with potassium alteration throughout with angular carbonate rhombs throughout. Grey silica rich sections throughout with carbonate alteration veins sporadically throughout. Highly fractured zone, more strongly fractured zone than previous unit with pumice like material throughout within. Some hematite alteration on fractures, and more abundant carbonate veins throughout and on fracture surfaces.
65	82.28	Quartzite	Grey with some minor pink, mostly mass fine grained silica with carbonate alteration veins throughout. Some potassium veins and alteration zones within up to 30cm in width. Highly fractured rubble material throughout with carbonate and dolomite alteration veins within.
82.28	88.32	Chlorite zone	Dark green, fine to medium grained, chlorite filled zones with veins of carbonate throughout. Chlorite zone is highly fractured throughout and blocky rubble core throughout, unable to get an attitude on any contact. Fragments are 3-40cm in diameter with sharp contacts to the chloritic matrix. Magnetite composes about half of the chlorite matrix. Pyrite makes up about 10% of the interval and is apparent in both the chlorite as well as the quartzite fragments, magnetite is also pervasive within the quartzite fragments.
88.32	94.22	Quartzite Breccia	This interval contains sections of well banded quartzite material as well as more massive quartzite within a quartzite matrix. Alteration includes some pervasive chloritic material as well as moderate carbonate in wisps and bands throughout. Some areas throughout are highly broken core. Weak pyrite mineralization is disseminated throughout the unit. Some fragments consist of limestone, composing about 10% of the entire interval

From (m)	To (m)	Lithology	Description
94.22	104.9	Espanola Limestone	Well banded and thinly laminated limestone. Grey in colour with some crosscutting carbonate veins. Bedding of the limestone is running almost down the axis of the core. Some sections are weakly altered by chlorite and strongly carbonaceous.
104.9	108.61	Carbonate Breccia	This unit is a salmon pink in colour, fragments range in size from about 10 to 50cm and are sub-rounded. The matrix is composed of ankerite rhombs that are grey in colour. Carbonate rhombs are often rimmed with chlorite. Some faint bedding planes are apparent within the quartzite material. Upper contact is sharp, but the lower contact is marked by removal of the carbonate grains.
108.61	114	Quartzite Breccia	This interval is different from the above quartzite breccia as the matrix is moderately altered by chlorite. The fragments are very close together, within millimetres of one another and infilled with quartzite material moderately altered. Fragments are quite angular and some spots contain relatively small fragments. Minor disseminate pyrite occurs throughout.
114	116.66	Quartzite	This section is very fine grained and dark in colour, sections contain relic bedding structures, however faint. This unit is very broken up. No significant alteration is observed, however minor pyrite mineralization occurs disseminated throughout.
	116.66	EOH	

Alteration Log

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 3
3	44	Carbonate	Strong	Rhombs, veins	Silica	Strong	Pervasive	Chlorite	Weak	infilling rhombs
44	65	Carbonate	Strong	Rhombs, veins	Silica	Strong	Pervasive	Carbonate	Moderate	Veins, infilled fractures

From (m)	To (m)	Alteration Mineral 1	%	Alteration Style 1	Alteration Mineral 2	%	Alteration Style 2	Alteration Mineral 3	%	Alteration Style 3
65	82.28	Silica	Strong	Pervasive	Potassium	Moderate	Brecciated areas	Carbonate	Moderate	Veins, fracture filled
82.28	88.32	Chlorite	Strong	Matrix material	Magnetite	Strong	Matrix and fragment disseminations			
94.22	104.9	Chlorite	Weak	in bands	Carbonate	Strong	Pervasive and in bands			
108.61	114	Chlorite	Moderate	Matrix material						

Mineralization Log

From (m)	To (m)	Sulphide Mineral 1	%	Mineralization Type
3	44	Pyrite	4	Localized band at
44	65	Pyrite	0.25	Localized disseminated
65	82.28	Pyrite	0.5	Localized disseminated
82.28	88.32	Pyrite	10	Disseminated
108.61	114	Pyrite	1	Disseminated
114	116.66	Pyrite	0.5	Disseminated

Structure Log

At (m)	Structure	Angle T.C.A.

Reflex Data

No Reflex data taken

Sample Intervals

From (m)	To (m)	Sample #	Lithology
11	12	E5305154	
12	13	E5305155	
13	14	E5305156	
66	67	E5305157	
82.28	83	E5305158	
83	84	E5305159	
CDN-CGS-24		E5305160	
84	85	E5305161	
85	86	E5305162	
86	87	E5305163	
87	87.5	E5305164	
87.5	88.32	E5305165	
88.32	89	E5305166	
89	90	E5305167	
90	91	E5305168	
91	92	E5305169	
CDN-BL-6		E5305170	
92	93	E5305171	
93	93.3	E5305172	
93.3	94.22	E5305173	
106	107	E5305174	
107	108	E5305175	
108	108.61	E5305176	
108.61	109.5	E5305177	

From (m)	To (m)	Sample #	Lithology
109.5	110	E5305178	
110	111	E5305179	
OREAS 19A		E5305180	
111	112	E5305181	
112	113	E5305182	
113	114	E5305183	
114	115	E5305184	
115	116	E5305185	
116	116.66	E5305186	



Robert G. Komarechka, P. Geo, P. Geol

Appendix 7
Diamond Drill Assay Certificates



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
Sample Description														
E5106030	2.32	<0.5	7.73	13	229	1.3	<1	6.01	<0.5	<1	49.1	379	<0.5	55.8
E5106031	1.44	<0.5	2.25	<1	318	1.7	<1	0.34	<0.5	<1	12.7	407	<0.5	16.5
E5304060	0.10	3.3	5.37	14	1370	0.9	<1	0.84	0.5	4	7.6	31.4	<0.5	39.0
E5304061	2.12	<0.5	6.31	4	212	1.7	<1	0.41	<0.5	48	20.8	327	<0.5	3.3
E5304062	2.26	<0.5	6.38	3	172	1.7	<1	0.45	<0.5	67	23.5	345	<0.5	<0.5
E5304063	2.20	<0.5	6.02	3	237	1.5	<1	0.46	<0.5	47	17.8	266	<0.5	28.2
E5304064	2.28	<0.5	5.42	3	196	1.2	<1	0.41	<0.5	38	16.7	322	<0.5	9.0
E5304065	2.34	<0.5	6.88	4	230	1.5	<1	0.48	<0.5	103	18.7	213	<0.5	4.4
E5304066	2.18	<0.5	5.18	4	132	1.1	22	2.01	<0.5	47	36.9	375	<0.5	3600
E5304067	2.18	<0.5	5.40	5	115	1.2	<1	1.51	<0.5	34	27.4	216	<0.5	47.4
E5304068	2.24	<0.5	6.05	3	200	1.4	<1	0.58	<0.5	33	20.3	285	<0.5	3.4
E5304069	2.16	<0.5	6.33	3	167	1.4	<1	0.36	<0.5	41	26.4	219	<0.5	<0.5
E5304070	0.10	<0.5	5.43	3	619	1.6	<1	1.93	<0.5	11	10.9	42.9	<0.5	44.7
E5304071	2.20	<0.5	7.15	4	58	1.2	<1	0.48	<0.5	31	24.4	292	<0.5	33.5
E5304072	2.40	1.1	6.11	4	104	1.0	<1	0.30	<0.5	50	27.6	234	<0.5	<0.5
E5304073	2.32	1.4	5.64	5	133	1.1	<1	0.49	<0.5	47	22.9	277	<0.5	<0.5
E5304074	2.10	<0.5	6.84	5	134	1.2	<1	0.41	<0.5	19	24.9	215	<0.5	<0.5
E5304075	2.08	<0.5	6.11	3	187	1.3	5	0.94	<0.5	31	27.9	302	<0.5	616
E5304076	2.14	<0.5	5.37	4	67	0.9	2	0.40	<0.5	54	39.5	245	<0.5	<0.5
E5304077	2.14	<0.5	6.55	4	167	1.4	<1	0.53	<0.5	24	25.2	286	<0.5	25.3
E5304078	2.56	<0.5	5.17	4	165	2.0	3	1.75	<0.5	36	29.0	202	<0.5	314
E5304079	2.04	<0.5	6.56	6	225	1.8	<1	0.39	<0.5	10	21.4	168	<0.5	<0.5
E5304080	0.10	3.4	0.45	189	546	<0.5	71	0.01	<0.5	4	3.4	31.0	<0.5	89.2
E5304081	1.90	<0.5	5.42	6	97	1.2	<1	0.46	<0.5	85	43.7	315	<0.5	7.8
E5304082	2.44	<0.5	5.08	5	122	1.1	<1	0.39	<0.5	40	25.7	286	<0.5	144
E5304083	1.70	<0.5	5.22	5	115	1.2	<1	1.23	<0.5	37	23.9	205	<0.5	<0.5
E5304084	1.86	<0.5	6.32	10	206	1.6	1	0.54	<0.5	32	25.9	220	<0.5	<0.5
E5304085	2.56	<0.5	5.27	6	124	1.2	<1	3.58	<0.5	63	21.0	265	<0.5	<0.5
E5304086	1.90	<0.5	5.35	4	101	1.4	<1	1.27	<0.5	23	22.5	194	<0.5	<0.5
E5304087	2.14	<0.5	5.99	4	72	1.7	<1	1.32	<0.5	57	23.6	268	<0.5	<0.5
E5304088	2.00	<0.5	5.25	6	100	1.7	<1	0.46	<0.5	108	32.1	258	<0.5	<0.5
E5304089	2.12	<0.5	5.55	3	104	1.5	<1	0.57	<0.5	20	23.3	247	<0.5	<0.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010		DATE RECEIVED: Oct 28, 2010				DATE REPORTED: Oct 29, 2010				SAMPLE TYPE: Rock				
Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
Sample Description														
E5304090	0.10	2.3	0.43	106	371	<0.5	96	<0.01	<0.5	5	3.6	34.6	<0.5	67.1
E5304091	2.02	<0.5	4.39	6	181	1.2	<1	0.89	<0.5	48	19.8	280	<0.5	<0.5
E5304092	1.76	<0.5	4.94	2	162	1.5	<1	0.47	<0.5	42	16.7	249	<0.5	<0.5
E5304093	2.04	<0.5	5.25	5	197	1.9	<1	0.63	<0.5	56	21.0	300	<0.5	<0.5
E5304094	1.98	<0.5	5.82	5	190	2.1	<1	0.52	<0.5	39	25.8	178	<0.5	<0.5
E5304095	2.88	0.6	6.33	11	215	1.5	<1	0.43	<0.5	66	26.6	214	<0.5	<0.5
E5304096	1.98	<0.5	5.45	8	161	1.3	<1	0.59	<0.5	54	27.1	276	<0.5	<0.5
E5304097	2.10	<0.5	5.57	7	165	1.4	<1	0.85	<0.5	65	19.9	259	<0.5	<0.5
E5304098	2.18	<0.5	6.34	5	159	1.4	<1	0.67	<0.5	56	22.5	191	<0.5	<0.5
E5304099	2.04	<0.5	4.71	3	129	1.0	<1	0.87	<0.5	25	16.4	227	<0.5	<0.5
E5304100	0.62	<0.5	0.68	<1	36	<0.5	<1	0.03	<0.5	27	3.1	503	<0.5	<0.5
E5304101	2.26	<0.5	5.15	1	98	1.0	<1	0.65	<0.5	32	20.0	278	<0.5	<0.5
E5304102	2.10	<0.5	5.61	3	124	1.1	<1	0.56	<0.5	42	20.7	286	<0.5	<0.5
E5304103	2.06	<0.5	5.33	2	102	1.1	<1	0.87	<0.5	33	24.3	229	<0.5	<0.5
E5304104	2.16	<0.5	6.08	5	130	1.4	<1	0.76	<0.5	42	25.1	206	<0.5	<0.5
E5304105	2.16	<0.5	6.48	3	163	1.7	<1	0.40	<0.5	49	20.1	255	<0.5	<0.5
E5304106	2.20	1.1	5.49	3	169	1.7	<1	0.57	<0.5	27	14.6	268	<0.5	<0.5
E5304107	2.68	<0.5	5.60	3	259	2.2	<1	0.61	<0.5	17	17.1	161	<0.5	<0.5
E5304108	2.16	<0.5	5.46	3	123	1.4	<1	0.43	<0.5	22	17.9	286	<0.5	<0.5
E5304109	2.24	<0.5	5.98	2	113	1.5	1	0.39	<0.5	22	18.6	262	<0.5	<0.5
E5304110	0.10	2.5	4.98	16	524	0.9	<1	0.82	<0.5	<1	7.7	32.1	<0.5	36.5
E5304111	1.90	<0.5	6.40	4	125	1.7	<1	0.50	<0.5	29	20.5	178	<0.5	6.7
E5304112	2.00	<0.5	5.62	3	154	1.9	<1	0.91	<0.5	24	16.4	160	<0.5	<0.5
E5304113	2.22	<0.5	6.49	4	126	1.3	<1	2.06	<0.5	31	16.2	244	<0.5	<0.5
E5304114	2.30	<0.5	6.38	5	162	1.4	<1	0.91	<0.5	34	22.0	250	<0.5	<0.5
E5304115	2.32	<0.5	6.23	5	173	1.5	<1	0.50	<0.5	46	26.4	209	<0.5	<0.5
E5304116	2.06	<0.5	5.14	4	135	1.2	<1	0.74	<0.5	29	32.0	290	<0.5	<0.5
E5304117	1.74	<0.5	4.20	2	272	1.4	<1	1.69	<0.5	32	14.0	320	<0.5	<0.5
E5304118	2.26	<0.5	5.77	3	207	1.6	<1	0.57	<0.5	51	23.6	295	<0.5	<0.5
E5304119	2.02	<0.5	5.46	3	113	1.1	<1	0.48	<0.5	34	24.0	291	<0.5	<0.5
E5304120	0.10	<0.5	4.75	2	667	1.8	<1	1.82	<0.5	7	12.3	47.8	<0.5	45.8
E5304121	2.08	<0.5	6.00	3	129	1.4	<1	0.37	<0.5	41	22.9	228	<0.5	<0.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010		DATE RECEIVED: Oct 28, 2010				DATE REPORTED: Oct 29, 2010				SAMPLE TYPE: Rock				
Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
E5304122	2.14	<0.5	5.43	5	91	1.1	<1	0.67	<0.5	60	28.1	300	<0.5	<0.5
E5304123	2.16	<0.5	5.78	6	98	1.1	<1	0.54	<0.5	76	31.2	238	<0.5	<0.5
E5304124	2.14	<0.5	5.79	4	74	1.0	<1	0.37	<0.5	41	26.9	328	<0.5	<0.5
E5304125	1.90	<0.5	6.03	4	89	1.1	<1	0.38	<0.5	45	25.7	272	<0.5	<0.5
E5304126	2.06	<0.5	6.28	4	62	1.2	<1	0.34	<0.5	77	33.9	213	<0.5	<0.5
E5304127	2.00	<0.5	5.35	2	63	1.1	<1	1.04	<0.5	22	18.3	273	<0.5	<0.5
E5304128	1.94	<0.5	4.75	2	127	1.3	<1	1.03	<0.5	17	15.4	234	<0.5	<0.5
E5304129	1.94	<0.5	5.61	1	416	1.8	<1	0.59	<0.5	14	19.1	223	<0.5	<0.5
E5304130	0.10	3.0	0.45	192	553	0.5	73	0.01	<0.5	3	3.5	31.8	<0.5	84.1
E5304131	1.08	<0.5	5.80	<1	464	2.2	<1	0.66	<0.5	19	17.4	240	<0.5	<0.5
E5304132	1.90	<0.5	6.01	1	586	2.5	<1	0.48	<0.5	29	19.3	172	<0.5	<0.5
E5304133	1.92	<0.5	5.40	11	554	2.2	<1	1.67	<0.5	21	27.2	257	<0.5	31.3
E5304134	1.88	<0.5	5.69	3	728	2.5	<1	0.56	<0.5	17	19.0	242	<0.5	0.8
E5304135	2.02	<0.5	6.05	4	666	2.5	<1	0.76	<0.5	20	21.2	223	<0.5	13.3
E5304136	1.86	<0.5	6.24	3	654	3.0	<1	1.07	<0.5	33	20.1	249	<0.5	4.1
E5304137	1.14	3.9	6.04	15	609	3.3	<1	0.52	<0.5	152	56.2	262	<0.5	315

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5106030		6.96	11	3	1.00	4	19	4.96	1590	1.6	1.63	138	320	9	121
E5106031		3.11	7	<1	1.15	3	17	0.73	524	4.5	0.49	20.0	206	9	242
E5304060		2.75	8	<1	5.63	3	9	0.13	236	477	0.35	35.2	582	73	252
E5304061		4.69	11	<1	0.80	30	20	2.75	694	3.4	2.58	70.4	713	8	44
E5304062		5.25	13	<1	0.65	39	20	3.11	701	4.7	2.44	76.2	721	8	33
E5304063		4.24	12	2	0.68	29	17	2.49	576	3.2	2.58	62.0	744	8	43
E5304064		4.01	12	3	0.65	23	16	2.40	564	3.5	2.17	60.4	741	6	40
E5304065		4.73	14	4	0.88	63	21	2.82	672	3.8	2.97	68.4	806	6	44
E5304066		4.49	8	4	0.65	27	15	3.26	724	3.6	2.06	61.2	461	5	27
E5304067		4.15	14	5	0.53	20	19	3.10	685	2.9	2.42	65.5	581	7	19
E5304068		3.55	11	2	0.80	20	14	2.11	441	3.1	3.08	54.6	630	6	35
E5304069		4.44	14	6	0.86	25	20	2.57	541	3.2	2.76	72.1	687	7	35
E5304070		3.73	7	3	0.91	8	12	0.99	1100	5.2	2.13	29.9	664	9	53
E5304071		6.16	16	5	0.46	20	29	3.89	758	4.6	2.75	93.4	720	8	14
E5304072		4.69	11	1	0.71	30	20	2.82	508	3.8	2.49	69.9	608	8	20
E5304073		4.17	12	<1	0.62	28	19	2.53	499	3.3	2.47	58.6	591	9	24
E5304074		5.38	15	<1	0.79	13	27	3.21	577	4.0	2.67	85.0	719	7	36
E5304075		4.81	12	2	0.76	19	22	2.97	543	3.9	2.53	72.7	637	6	31
E5304076		4.95	11	6	0.46	31	24	2.91	474	2.6	1.94	76.7	656	7	16
E5304077		5.10	14	<1	0.76	15	23	2.94	480	3.5	2.60	74.3	706	7	39
E5304078		3.49	11	2	0.78	21	16	2.62	703	3.7	2.38	55.0	548	5	32
E5304079		4.59	13	3	1.21	7	20	2.26	332	1.6	3.40	65.7	704	8	27
E5304080		5.82	<5	11	0.05	5	<1	<0.01	123	17.8	<0.01	11.1	265	103	<10
E5304081		4.08	10	3	1.04	48	19	2.25	406	3.2	2.39	59.6	601	2	27
E5304082		3.77	11	<1	0.89	24	18	2.11	367	4.2	2.10	58.1	527	6	30
E5304083		3.83	10	2	1.51	22	20	2.28	444	3.9	1.93	60.8	559	5	37
E5304084		4.20	15	<1	1.66	20	21	2.48	416	3.2	2.15	67.4	678	6	80
E5304085		3.50	10	8	2.07	37	19	3.18	829	4.1	1.36	56.8	514	5	75
E5304086		3.54	10	2	1.78	14	19	2.45	580	2.3	2.13	55.5	596	5	33
E5304087		3.49	12	<1	1.92	32	20	2.36	441	4.1	2.78	55.5	633	5	28
E5304088		3.25	13	<1	2.00	58	18	1.80	330	2.4	2.39	60.9	648	2	31
E5304089		4.01	12	5	1.14	13	17	2.35	356	4.7	2.27	62.8	592	7	34

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5304090		4.55	<5	1	0.07	6	<1	<0.01	125	17.4	<0.01	10.2	252	157	<10
E5304091		3.09	9	5	1.37	26	13	2.03	343	4.9	1.20	48.4	480	4	76
E5304092		4.67	11	5	1.40	23	20	2.04	349	3.3	1.80	67.6	632	6	33
E5304093		4.08	14	7	1.55	30	19	2.09	428	3.3	2.55	66.0	694	4	31
E5304094		3.50	14	<1	2.02	21	14	1.82	320	2.5	3.25	59.8	697	4	31
E5304095		4.30	13	3	1.01	40	17	2.38	378	1.9	2.85	66.2	681	7	37
E5304096		4.16	12	3	0.74	32	18	2.40	437	2.7	2.21	66.4	641	4	34
E5304097		4.21	14	3	1.20	37	18	2.14	419	2.8	2.62	65.2	674	5	25
E5304098		4.34	12	<1	1.01	30	18	2.44	353	2.8	3.03	65.5	662	8	25
E5304099		3.55	9	4	1.13	14	15	2.22	374	4.7	1.93	53.0	543	5	24
E5304100		1.06	<5	3	0.06	17	7	0.07	45	6.7	0.02	5.9	124	2	<10
E5304101		3.59	10	<1	1.20	18	15	2.19	342	3.3	2.09	54.6	561	6	24
E5304102		4.53	13	7	1.16	25	20	2.67	429	4.4	2.02	70.7	598	5	30
E5304103		4.22	11	<1	1.53	20	19	2.63	472	3.6	1.89	66.8	607	5	28
E5304104		4.29	14	2	1.15	25	20	2.62	445	3.1	2.69	71.4	694	5	26
E5304105		4.26	14	2	0.91	29	15	1.99	334	3.5	3.46	66.6	707	6	27
E5304106		4.21	15	6	0.94	17	17	1.90	394	2.1	3.08	67.3	765	5	23
E5304107		4.03	15	<1	1.53	12	15	1.79	431	2.8	3.11	68.6	844	5	27
E5304108		3.90	12	2	0.79	14	17	2.10	319	3.1	2.68	61.9	621	4	27
E5304109		4.01	12	9	0.77	14	18	2.13	294	5.1	3.05	64.9	677	5	24
E5304110		2.73	8	<1	5.92	<2	9	0.13	236	470	0.34	34.8	569	5	260
E5304111		4.70	14	4	1.33	18	21	2.38	350	3.5	3.03	74.9	752	6	26
E5304112		4.27	13	4	1.34	15	17	2.20	417	3.2	3.08	66.9	714	5	23
E5304113		3.92	10	1	1.79	20	17	2.58	548	3.5	2.60	60.9	646	5	42
E5304114		4.85	14	2	1.04	21	18	2.62	515	4.0	2.77	71.4	700	6	38
E5304115		4.64	13	<1	0.83	27	16	2.55	315	3.0	2.62	70.0	673	7	46
E5304116		4.00	12	4	0.94	19	17	2.41	365	3.0	1.86	72.8	590	4	49
E5304117		3.09	9	<1	2.00	20	13	2.50	527	4.8	0.44	56.5	462	4	113
E5304118		4.28	15	3	1.10	30	20	2.51	366	4.0	2.20	79.2	682	5	62
E5304119		3.77	9	3	0.55	20	16	2.18	269	4.3	2.54	61.3	565	7	34
E5304120		3.56	8	1	0.85	7	13	0.92	1140	6.4	2.01	33.6	699	8	45
E5304121		4.19	14	1	0.67	23	19	2.28	248	3.7	3.39	69.3	702	6	26

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010		DATE RECEIVED: Oct 28, 2010					DATE REPORTED: Oct 29, 2010					SAMPLE TYPE: Rock			
Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
E5304122		4.03	12	<1	0.67	34	19	2.44	305	3.9	2.44	68.1	596	6	32
E5304123		4.29	12	6	0.59	44	21	2.45	298	3.5	2.63	71.1	653	6	27
E5304124		4.12	12	<1	0.44	24	20	2.30	230	3.0	2.64	63.6	584	6	27
E5304125		4.34	12	2	0.55	27	22	2.39	238	3.8	2.68	66.9	648	6	33
E5304126		5.22	15	3	0.52	44	26	2.89	258	3.2	2.67	86.5	696	7	19
E5304127		3.13	9	3	0.84	13	17	2.00	295	3.5	2.85	52.0	593	5	29
E5304128		1.91	12	<1	1.48	10	11	1.53	338	2.9	2.83	38.2	583	3	69
E5304129		3.16	13	<1	2.65	10	16	1.56	659	2.3	2.32	52.4	659	4	102
E5304130		5.97	<5	3	0.05	5	<1	<0.01	124	18.3	<0.01	11.0	278	104	<10
E5304131		4.44	12	<1	2.27	13	19	1.90	1020	1.8	2.08	63.0	693	5	86
E5304132		4.39	15	1	2.52	20	19	1.79	1020	2.1	1.90	65.4	715	5	91
E5304133		4.60	13	2	3.47	14	17	2.19	1070	2.1	1.10	71.6	690	12	135
E5304134		4.11	14	<1	2.04	12	17	1.72	1020	2.4	2.15	62.9	700	5	108
E5304135		4.36	14	4	2.16	13	17	1.85	1110	3.2	2.52	62.6	728	6	98
E5304136		4.43	12	<1	2.15	21	17	1.98	1090	3.7	2.24	67.1	705	10	112
E5304137		6.05	12	3	4.37	66	26	2.09	967	24.7	0.36	79.3	723	13	156

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5106030		0.049	<1	34	<10	<5	221	11	<10	<5	0.23	<5	<5	391	2
E5106031		<0.005	<1	2	<10	<5	33	<10	<10	<5	0.27	<5	<5	77.9	1
E5304060		2.30	<1	<1	<10	<5	441	<10	<10	<5	0.06	<5	<5	74.9	1
E5304061		0.107	<1	12	<10	<5	89	11	<10	9	0.19	<5	<5	233	1
E5304062		0.123	<1	12	<10	<5	81	<10	<10	7	0.20	<5	<5	238	1
E5304063		0.084	<1	11	<10	<5	87	<10	<10	9	0.16	<5	<5	211	1
E5304064		0.071	<1	11	<10	<5	75	<10	<10	8	0.11	<5	<5	210	<1
E5304065		0.096	<1	12	<10	<5	96	<10	<10	7	0.10	<5	<5	237	2
E5304066		0.714	<1	16	<10	<5	75	<10	<10	7	0.08	<5	<5	190	6
E5304067		0.180	<1	14	<10	<5	89	<10	<10	8	0.07	<5	<5	208	<1
E5304068		0.140	<1	10	<10	<5	106	<10	<10	7	0.13	<5	<5	196	1
E5304069		0.179	<1	12	<10	<5	92	<10	<10	8	0.11	<5	<5	233	<1
E5304070		0.046	<1	9	<10	<5	249	<10	<10	<5	0.29	<5	<5	186	<1
E5304071		0.102	<1	14	<10	<5	85	11	<10	7	0.10	<5	<5	268	1
E5304072		0.198	<1	10	<10	<5	77	<10	<10	5	0.08	<5	<5	213	<1
E5304073		0.187	<1	9	<10	<5	86	<10	<10	6	0.09	<5	<5	190	<1
E5304074		0.135	<1	13	<10	<5	82	<10	<10	8	0.09	<5	<5	256	<1
E5304075		0.259	<1	11	<10	<5	80	<10	<10	7	0.08	<5	<5	226	2
E5304076		0.238	<1	10	<10	<5	69	<10	<10	6	0.06	<5	<5	221	1
E5304077		0.170	<1	11	<10	<5	85	<10	<10	7	0.11	<5	<5	232	<1
E5304078		0.233	<1	12	<10	<5	84	<10	<10	8	0.09	<5	<5	190	1
E5304079		0.156	<1	9	<10	<5	100	<10	<10	5	0.15	<5	<5	231	1
E5304080		0.142	6	<1	<10	<5	65	<10	11	<5	0.09	<5	<5	52.7	17
E5304081		0.222	<1	8	<10	<5	69	12	<10	<5	0.15	<5	<5	183	1
E5304082		0.136	<1	9	<10	<5	71	<10	<10	7	0.10	<5	<5	187	1
E5304083		0.084	<1	9	<10	<5	61	<10	<10	8	0.12	<5	<5	196	<1
E5304084		0.099	<1	12	<10	<5	66	<10	<10	7	0.12	<5	<5	238	<1
E5304085		0.104	<1	12	<10	<5	53	<10	<10	8	0.11	<5	<5	194	<1
E5304086		0.184	<1	8	<10	<5	58	<10	<10	7	0.15	<5	<5	187	<1
E5304087		0.136	<1	8	<10	<5	57	<10	<10	7	0.20	<5	<5	183	<1
E5304088		0.113	<1	9	<10	<5	53	<10	<10	8	0.20	<5	<5	210	1
E5304089		0.105	<1	9	<10	<5	56	<10	<10	6	0.18	<5	<5	204	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010	DATE RECEIVED: Oct 28, 2010					DATE REPORTED: Oct 29, 2010					SAMPLE TYPE: Rock				
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5304090		0.196	11	<1	<10	6	127	<10	<10	<5	0.08	<5	<5	58.8	2
E5304091		0.083	<1	8	<10	<5	43	<10	<10	7	0.08	<5	<5	169	<1
E5304092		0.054	<1	8	<10	<5	51	<10	<10	<5	0.11	<5	<5	208	<1
E5304093		0.077	<1	8	<10	<5	69	<10	<10	7	0.15	<5	<5	220	1
E5304094		0.107	<1	7	<10	<5	70	<10	<10	5	0.15	<5	<5	204	1
E5304095		0.132	<1	11	<10	<5	81	<10	<10	7	0.11	<5	<5	221	<1
E5304096		0.148	<1	10	<10	<5	75	<10	<10	8	0.08	<5	<5	208	1
E5304097		0.104	<1	9	<10	<5	70	<10	<10	7	0.11	<5	<5	210	<1
E5304098		0.164	<1	11	<10	<5	80	<10	<10	6	0.10	<5	<5	214	<1
E5304099		0.084	<1	8	<10	<5	57	<10	<10	7	0.07	<5	<5	178	<1
E5304100		<0.005	2	<1	<10	<5	7	<10	<10	<5	0.05	<5	<5	15.2	<1
E5304101		0.098	<1	8	<10	<5	61	<10	<10	6	0.08	<5	<5	177	<1
E5304102		0.107	<1	10	<10	<5	60	<10	<10	6	0.07	<5	<5	214	<1
E5304103		0.172	<1	9	<10	<5	55	<10	<10	6	0.08	<5	<5	205	<1
E5304104		0.145	<1	10	<10	<5	80	<10	<10	8	0.09	<5	<5	232	1
E5304105		0.157	<1	8	<10	<5	95	<10	<10	5	0.12	<5	<5	226	1
E5304106		0.074	<1	8	<10	<5	90	<10	<10	7	0.13	<5	<5	227	<1
E5304107		0.101	<1	8	<10	<5	83	<10	<10	6	0.18	<5	<5	242	1
E5304108		0.115	<1	9	<10	<5	78	<10	<10	6	0.09	<5	<5	200	<1
E5304109		0.120	<1	10	<10	<5	86	<10	<10	9	0.11	<5	<5	211	1
E5304110		2.28	<1	<1	<10	<5	290	<10	<10	<5	0.07	<5	<5	75.5	1
E5304111		0.160	<1	10	<10	<5	82	<10	<10	6	0.12	<5	<5	237	2
E5304112		0.116	<1	8	<10	<5	80	<10	<10	6	0.12	<5	<5	221	<1
E5304113		0.118	<1	10	<10	<5	76	<10	<10	7	0.11	<5	<5	197	<1
E5304114		0.167	<1	11	<10	<5	74	<10	<10	6	0.09	<5	<5	239	<1
E5304115		0.186	<1	9	<10	<5	85	<10	<10	6	0.08	<5	<5	219	1
E5304116		0.196	<1	10	<10	<5	60	<10	<10	8	0.07	<5	<5	217	<1
E5304117		0.081	<1	9	<10	<5	28	<10	<10	8	0.07	<5	<5	182	<1
E5304118		0.130	<1	11	<10	<5	66	<10	<10	8	0.09	<5	<5	242	<1
E5304119		0.182	<1	9	<10	<5	78	<10	<10	7	0.08	<5	<5	192	<1
E5304120		0.036	<1	9	<10	<5	249	<10	<10	<5	0.29	<5	<5	201	<1
E5304121		0.138	<1	10	<10	<5	89	<10	<10	7	0.10	<5	<5	229	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010		DATE RECEIVED: Oct 28, 2010					DATE REPORTED: Oct 29, 2010					SAMPLE TYPE: Rock			
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5304122		0.184	<1	9	<10	<5	74	<10	<10	8	0.06	<5	<5	203	<1
E5304123		0.220	<1	10	<10	<5	79	<10	<10	7	0.06	<5	<5	218	<1
E5304124		0.204	<1	8	<10	<5	83	<10	<10	6	0.06	<5	<5	190	<1
E5304125		0.190	<1	9	<10	<5	83	<10	<10	6	0.07	<5	<5	207	<1
E5304126		0.250	<1	10	<10	<5	79	<10	<10	6	0.09	<5	<5	236	<1
E5304127		0.137	<1	6	<10	<5	87	<10	<10	9	0.08	<5	<5	149	<1
E5304128		0.093	<1	4	<10	<5	86	<10	<10	10	0.08	<5	<5	125	<1
E5304129		0.032	<1	7	<10	<5	86	<10	<10	7	0.22	<5	<5	180	<1
E5304130		0.155	6	<1	<10	<5	64	<10	<10	<5	0.09	<5	<5	52.9	14
E5304131		0.015	<1	9	<10	<5	90	<10	<10	6	0.31	<5	<5	214	<1
E5304132		0.031	<1	8	<10	<5	89	<10	<10	6	0.32	<5	<5	226	<1
E5304133		0.793	<1	10	<10	<5	58	<10	<10	6	0.30	<5	<5	218	<1
E5304134		0.032	<1	9	<10	<5	103	<10	<10	6	0.32	<5	<5	218	<1
E5304135		0.050	<1	9	<10	<5	127	<10	<10	6	0.33	<5	<5	224	<1
E5304136		0.065	<1	9	<10	<5	116	<10	<10	7	0.32	<5	<5	220	<1
E5304137		0.024	<1	25	<10	<5	43	<10	<10	7	0.22	<5	<5	357	9

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5
E5106030		9	44.2	32
E5106031		1	93.2	84
E5304060		4	310	54
E5304061		9	46.6	85
E5304062		9	48.2	76
E5304063		8	39.4	69
E5304064		8	36.1	70
E5304065		13	39.3	80
E5304066		19	35.1	62
E5304067		16	35.8	68
E5304068		9	26.6	77
E5304069		7	35.2	80
E5304070		12	53.1	41
E5304071		8	49.8	80
E5304072		7	37.2	68
E5304073		7	34.4	69
E5304074		6	39.7	80
E5304075		8	34.1	73
E5304076		7	37.5	69
E5304077		8	33.7	83
E5304078		16	24.1	66
E5304079		4	26.2	87
E5304080		1	14.1	31
E5304081		10	22.6	71
E5304082		6	25.0	64
E5304083		9	22.1	65
E5304084		8	27.2	78
E5304085		21	19.3	61
E5304086		9	19.1	73
E5304087		11	17.6	80
E5304088		10	18.5	82
E5304089		7	21.7	69

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010	DATE RECEIVED: Oct 28, 2010	DATE REPORTED: Oct 29, 2010	SAMPLE TYPE: Rock
Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
E5304090	<1	11.6	16
E5304091	8	19.6	56
E5304092	6	27.2	74
E5304093	7	24.6	85
E5304094	7	19.5	91
E5304095	7	28.3	83
E5304096	8	27.5	76
E5304097	7	26.4	82
E5304098	6	26.4	77
E5304099	6	24.3	58
E5304100	4	5.6	30
E5304101	6	24.0	64
E5304102	7	32.2	80
E5304103	7	31.7	72
E5304104	8	30.6	83
E5304105	7	26.1	86
E5304106	7	28.9	92
E5304107	6	26.1	91
E5304108	5	27.5	76
E5304109	5	27.4	83
E5304110	3	308	57
E5304111	6	26.5	91
E5304112	7	23.7	87
E5304113	11	22.4	79
E5304114	6	26.6	80
E5304115	6	28.3	81
E5304116	6	25.4	72
E5304117	7	16.6	52
E5304118	5	24.2	81
E5304119	4	21.5	69
E5304120	11	60.0	50
E5304121	4	21.5	86

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
E5304122	5	21.4	75
E5304123	5	20.3	77
E5304124	5	19.4	72
E5304125	5	20.7	81
E5304126	5	24.3	84
E5304127	7	14.4	95
E5304128	6	7.7	104
E5304129	5	28.2	93
E5304130	1	13.2	33
E5304131	6	47.4	78
E5304132	7	49.5	80
E5304133	11	43.2	79
E5304134	6	51.0	87
E5304135	6	50.2	82
E5304136	13	51.8	77
E5304137	141	58.2	116

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Trace Au, Pd, Pt, ICP-OES finish (202052, 202055)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	Pd ppm 0.001	Pt ppm 0.005
E5106030		0.010	0.015	0.017
E5106031		0.003		
E5304060		4.86		
E5304061		0.003		
E5304062		0.003		
E5304063		0.001		
E5304064		0.004		
E5304065		0.001		
E5304066		0.650		
E5304067		0.012		
E5304068		0.003		
E5304069		0.003		
E5304070		0.003		
E5304071		0.016		
E5304072		0.003		
E5304073		0.004		
E5304074		0.002		
E5304075		0.017		
E5304076		0.003		
E5304077		0.002		
E5304078		2.40		
E5304079		0.005		
E5304080		0.730		
E5304081		0.004		
E5304082		0.005		
E5304083		0.003		
E5304084		0.014		
E5304085		0.002		
E5304086		0.005		
E5304087		0.007		
E5304088		0.003		
E5304089		0.004		

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Trace Au, Pd, Pt, ICP-OES finish (202052, 202055)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	Pd ppm 0.001	Pt ppm 0.005
E5304090		1.09		
E5304091		0.002		
E5304092		0.015		
E5304093		0.002		
E5304094		0.002		
E5304095		0.002		
E5304096		0.004		
E5304097		0.003		
E5304098		0.002		
E5304099		0.009		
E5304100		<0.001		
E5304101		0.002		
E5304102		0.002		
E5304103		<0.001		
E5304104		0.003		
E5304105		0.001		
E5304106		0.005		
E5304107		0.012		
E5304108		0.015		
E5304109		0.003		
E5304110		4.94		
E5304111		0.004		
E5304112		0.011		
E5304113		0.001		
E5304114		0.002		
E5304115		0.003		
E5304116		0.004		
E5304117		0.003		
E5304118		0.005		
E5304119		0.008		
E5304120		0.002		
E5304121		0.008		

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447271

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Trace Au, Pd, Pt, ICP-OES finish (202052, 202055)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Au	Pd	Pt
Unit:	ppm	ppm	ppm
Sample Description RDL:	0.001	0.001	0.005
E5304122	0.008		
E5304123	0.007		
E5304124	0.004		
E5304125	0.030		
E5304126	0.007		
E5304127	0.029		
E5304128	0.001		
E5304129	0.004		
E5304130	0.754		
E5304131	0.001		
E5304132	0.001		
E5304133	0.005		
E5304134	0.001		
E5304135	0.001		
E5304136	0.004		
E5304137	0.025		

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447274

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
Sample Description														
E5304138	2.26	<0.5	2.69	14	17	<0.5	3	10.7	<0.5	4	78.9	53.7	<0.5	1.4
E5304139	1.74	<0.5	2.27	7	13	<0.5	3	12.3	<0.5	1	36.9	36.3	<0.5	<0.5
E5304140	0.10	2.6	0.39	180	475	<0.5	70	0.02	<0.5	<1	3.0	27.4	<0.5	89.5
E5304141	2.36	<0.5	2.89	7	16	<0.5	2	11.4	<0.5	1	85.3	68.0	<0.5	<0.5
E5304142	2.12	<0.5	3.02	5	14	<0.5	<1	11.0	<0.5	2	64.3	57.7	<0.5	<0.5
E5304143	2.48	<0.5	2.94	14	16	<0.5	<1	10.4	<0.5	<1	211	101	<0.5	<0.5
E5304144	2.20	<0.5	2.94	15	16	<0.5	4	10.0	<0.5	4	144	101	<0.5	<0.5
E5304145	2.04	<0.5	2.62	7	15	<0.5	2	12.1	<0.5	<1	19.1	86.6	<0.5	<0.5
E5304146	2.40	<0.5	3.54	8	17	<0.5	4	9.53	<0.5	20	119	103	<0.5	<0.5
E5304147	2.26	<0.5	5.06	7	48	0.6	2	7.50	<0.5	24	18.5	157	<0.5	<0.5
E5304148	2.26	<0.5	4.03	8	23	0.5	8	15.0	<0.5	36	11.5	104	<0.5	<0.5
E5304149	1.84	<0.5	7.31	7	19	0.7	<1	3.44	<0.5	42	11.9	132	<0.5	<0.5
E5304150	0.10	2.0	0.39	106	222	<0.5	92	0.01	<0.5	<1	3.2	28.4	<0.5	66.1
E5304151	1.94	<0.5	6.34	6	24	0.6	<1	3.00	<0.5	39	12.2	222	<0.5	<0.5
E5304152	2.40	<0.5	4.72	7	23	<0.5	<1	7.03	<0.5	29	10.8	209	<0.5	<0.5
E5304153	2.02	<0.5	6.13	6	21	0.6	<1	3.01	<0.5	47	11.8	165	<0.5	<0.5
E5304154	2.48	<0.5	5.72	6	48	0.9	<1	2.26	<0.5	42	15.9	271	<0.5	<0.5
E5304155	2.42	<0.5	5.63	6	58	0.9	<1	2.35	<0.5	38	14.2	270	<0.5	<0.5
E5304156	2.14	<0.5	5.39	5	39	0.7	<1	2.27	<0.5	32	18.3	305	<0.5	<0.5
E5304157	1.78	<0.5	5.90	7	26	0.6	<1	2.93	<0.5	45	9.4	271	<0.5	<0.5
E5304158	1.54	<0.5	7.08	7	17	0.6	<1	4.09	<0.5	52	6.4	160	<0.5	<0.5
E5304159	1.70	<0.5	6.19	6	22	1.2	<1	2.08	<0.5	64	3.9	192	<0.5	<0.5
E5304160	0.64	<0.5	0.44	1	22	<0.5	<1	0.05	<0.5	18	3.0	953	<0.5	1.6
E5304161	2.14	<0.5	5.08	5	472	1.9	<1	1.11	<0.5	34	9.2	221	<0.5	<0.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447274

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010	DATE RECEIVED: Oct 28, 2010						DATE REPORTED: Oct 29, 2010					SAMPLE TYPE: Rock			
Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	
E5304138	3.72	<5	6	0.50	3	6	6.11	3200	0.6	1.70	96.3	238	2	19	
E5304139	3.75	<5	3	0.14	<2	3	6.58	2260	0.8	1.76	93.0	244	2	<10	
E5304140	4.78	<5	11	0.04	3	<1	0.01	96	16.6	<0.01	10.5	186	88	<10	
E5304141	3.51	<5	1	0.26	<2	2	6.18	2190	1.2	2.22	75.0	250	1	16	
E5304142	3.37	<5	1	0.18	<2	2	5.79	2040	1.8	2.37	84.9	252	2	12	
E5304143	4.42	<5	2	0.16	<2	2	5.59	1710	1.1	2.35	123	331	3	12	
E5304144	3.91	<5	<1	0.16	4	1	5.26	1750	1.7	2.36	110	285	2	14	
E5304145	3.50	<5	2	0.15	<2	2	6.19	2030	<0.5	2.09	65.7	239	2	12	
E5304146	3.78	<5	2	0.18	13	2	4.99	1730	2.4	2.84	83.6	310	3	17	
E5304147	2.37	<5	2	0.37	15	2	3.89	1400	3.1	3.96	35.8	380	2	31	
E5304148	1.56	<5	<1	0.69	19	4	2.08	1650	1.7	2.91	32.5	224	<1	43	
E5304149	0.64	13	<1	0.28	24	4	0.86	533	1.6	6.16	11.8	518	<1	18	
E5304150	4.00	<5	2	0.07	3	<1	<0.01	98	14.9	<0.01	8.4	163	132	<10	
E5304151	0.86	5	<1	0.23	23	2	1.68	578	2.7	5.32	15.2	357	<1	21	
E5304152	1.47	<5	1	0.17	17	2	4.22	760	2.4	3.77	32.2	245	1	20	
E5304153	0.86	9	<1	0.16	27	2	1.78	387	1.7	5.72	19.8	404	<1	14	
E5304154	1.18	7	<1	0.29	24	5	1.80	383	2.4	4.68	43.4	419	<1	28	
E5304155	0.92	6	3	0.38	22	2	1.53	405	2.7	4.98	22.4	417	<1	33	
E5304156	0.95	<5	<1	0.24	19	2	1.54	442	2.7	4.67	20.9	383	<1	23	
E5304157	0.82	5	<1	0.19	26	2	1.80	550	2.8	4.89	11.7	365	1	15	
E5304158	0.91	8	<1	0.15	30	2	2.44	627	2.4	5.88	17.0	457	1	13	
E5304159	0.59	10	<1	0.17	36	2	1.35	420	0.8	6.03	10.4	380	<1	13	
E5304160	1.20	<5	1	0.03	11	5	0.04	114	5.1	0.05	11.1	89	<1	<10	
E5304161	4.50	7	<1	1.43	22	9	2.06	243	1.1	2.75	67.5	467	4	88	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447274

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010		DATE RECEIVED: Oct 28, 2010					DATE REPORTED: Oct 29, 2010					SAMPLE TYPE: Rock			
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
E5304138	1.18	<1	4	<10	<5	117	<10	<10	13	0.05	<5	<5	109	<1	
E5304139	0.348	<1	5	<10	<5	132	<10	<10	14	0.04	<5	<5	102	<1	
E5304140	0.143	3	<1	<10	<5	53	<10	<10	<5	0.07	<5	<5	56.9	15	
E5304141	0.919	<1	5	<10	<5	120	<10	<10	13	0.04	<5	<5	110	<1	
E5304142	0.691	<1	7	<10	<5	121	<10	<10	14	0.05	<5	<5	122	<1	
E5304143	2.47	<1	9	<10	<5	114	<10	<10	12	0.06	<5	<5	143	2	
E5304144	1.76	<1	10	<10	<5	113	<10	<10	12	0.07	<5	<5	139	2	
E5304145	0.216	<1	10	<10	<5	123	<10	<10	12	0.06	<5	<5	152	<1	
E5304146	1.63	<1	9	<10	<5	103	<10	<10	13	0.08	<5	<5	143	2	
E5304147	0.287	<1	11	<10	<5	87	<10	<10	16	0.09	<5	<5	151	1	
E5304148	0.112	<1	8	<10	<5	217	<10	<10	12	0.08	<5	<5	139	<1	
E5304149	0.208	<1	7	<10	<5	68	<10	<10	10	0.06	<5	<5	82.2	1	
E5304150	0.215	7	<1	20	5	67	<10	<10	<5	0.05	<5	<5	59.6	2	
E5304151	0.234	<1	8	<10	<5	54	<10	<10	14	0.05	5	<5	93.7	<1	
E5304152	0.220	<1	31	<10	<5	102	<10	<10	14	0.02	6	<5	98.2	<1	
E5304153	0.208	<1	12	<10	<5	68	<10	<10	14	0.04	6	<5	109	<1	
E5304154	0.243	<1	10	<10	<5	66	<10	<10	14	0.05	<5	<5	173	<1	
E5304155	0.212	<1	9	<10	<5	60	<10	<10	12	0.06	<5	<5	170	<1	
E5304156	0.275	<1	7	<10	<5	58	<10	<10	13	0.06	<5	<5	116	<1	
E5304157	0.180	<1	8	<10	<5	59	<10	<10	13	0.06	6	<5	101	<1	
E5304158	0.133	<1	15	<10	<5	68	<10	<10	14	0.05	5	<5	106	<1	
E5304159	0.020	<1	9	<10	<5	58	<10	<10	15	0.15	<5	<5	121	1	
E5304160	<0.005	7	<1	<10	<5	6	<10	<10	<5	0.05	<5	<5	18.5	<1	
E5304161	0.010	<1	7	<10	<5	39	<10	<10	10	0.14	<5	<5	225	1	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447274

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
E5304138	9	2.5	65
E5304139	8	2.7	48
E5304140	1	7.4	24
E5304141	8	2.5	65
E5304142	9	2.7	71
E5304143	8	3.3	62
E5304144	8	4.7	70
E5304145	9	3.0	57
E5304146	9	6.2	77
E5304147	8	3.7	96
E5304148	13	3.8	80
E5304149	10	11.5	121
E5304150	1	6.0	24
E5304151	10	2.2	113
E5304152	8	1.7	68
E5304153	9	2.3	119
E5304154	11	4.5	114
E5304155	11	2.5	115
E5304156	9	2.2	107
E5304157	10	3.6	114
E5304158	10	2.5	127
E5304159	12	0.9	137
E5304160	3	7.3	20
E5304161	8	5.9	119

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U447274

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Trace Au, ICP-OES finish (201052-Trueclaim Explorations)

DATE SAMPLED: Oct 28, 2010

DATE RECEIVED: Oct 28, 2010

DATE REPORTED: Oct 29, 2010

SAMPLE TYPE: Rock

Analyte: Au
 Unit: ppm
 Sample Description RDL: 0.001

E5304138	0.247
E5304139	0.020
E5304140	0.754
E5304141	0.041
E5304142	0.167
E5304143	0.355
E5304144	0.660
E5304145	0.073
E5304146	0.550
E5304147	1.17
E5304148	0.025
E5304149	0.022
E5304150	1.16
E5304151	0.010
E5304152	0.006
E5304153	0.005
E5304154	0.007
E5304155	0.006
E5304156	0.006
E5304157	0.004
E5304158	0.004
E5304159	0.004
E5304160	0.003
E5304161	0.001

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: BOB KOMARECHKA

PROJECT NO:

AGAT WORK ORDER: 10U448676

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 02, 2010

PAGES (INCLUDING COVER): 16

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
5304162	<0.5	5.92	7	330	1.7	<1	9.57	<0.5	77	20.6	213	<0.5	70.4	2.25
5304163	0.7	5.43	3	956	3.8	<1	0.48	<0.5	11	26.8	268	<0.5	71.4	4.39
5304164	0.5	5.27	9	548	2.4	<1	0.97	<0.5	23	43.4	401	<0.5	238	5.01
5304165	<0.5	5.87	6	465	2.4	<1	2.13	<0.5	81	36.0	423	<0.5	30.0	4.40
5304166	0.8	5.46	4	541	2.5	<1	1.08	<0.5	25	27.4	450	<0.5	<0.5	4.44
5304167	<0.5	5.58	4	551	2.5	<1	1.21	<0.5	25	26.8	454	<0.5	13.7	4.45
5304168	<0.5	5.42	4	571	2.6	<1	1.18	<0.5	24	25.4	417	<0.5	6.9	4.51
5304169	<0.5	6.41	2	520	2.4	<1	2.31	<0.5	26	25.1	411	<0.5	6.2	4.37
5304170	3.3	4.65	16	506	0.9	<1	0.80	<0.5	<1	8.1	31.6	<0.5	36.0	2.64
5304171	<0.5	5.03	<1	746	2.2	<1	0.42	<0.5	28	19.7	526	<0.5	6.8	3.67
5304172	<0.5	5.25	<1	714	2.1	<1	0.32	<0.5	21	20.4	540	<0.5	6.3	3.84
5304173	<0.5	4.86	2	649	1.8	<1	0.67	<0.5	29	18.7	553	<0.5	9.2	3.46
5304174	<0.5	5.41	2	717	2.2	<1	0.30	<0.5	20	18.8	573	<0.5	4.3	3.65
5304175	<0.5	5.69	3	842	2.5	<1	0.52	<0.5	27	20.4	563	<0.5	5.2	3.79
5304176	<0.5	4.86	2	662	1.6	<1	1.17	<0.5	47	13.4	556	<0.5	<0.5	2.90
5304177	<0.5	4.66	4	587	1.1	<1	3.99	<0.5	41	14.4	529	<0.5	<0.5	1.64
5304178	<0.5	5.35	2	736	1.5	<1	2.08	<0.5	17	17.2	550	<0.5	<0.5	2.43
5304179	<0.5	5.39	<1	1020	2.2	<1	0.30	<0.5	13	21.0	560	<0.5	15.8	3.28
5304180	<0.5	5.25	1	682	1.9	<1	1.91	<0.5	13	12.1	47.2	<0.5	46.5	3.73
5304181	<0.5	5.55	2	948	2.1	<1	0.30	<0.5	89	16.3	551	<0.5	10.5	3.46
5304182	<0.5	6.76	7	960	2.3	<1	0.32	<0.5	204	17.9	471	<0.5	18.5	4.69
5304183	<0.5	5.71	<1	788	1.8	<1	0.27	<0.5	13	19.6	534	<0.5	10.6	3.53
5304184	<0.5	5.43	2	890	2.0	<1	0.40	<0.5	31	22.5	615	<0.5	21.1	3.39
5304185	<0.5	5.03	<1	968	2.5	<1	0.30	<0.5	45	18.5	538	<0.5	53.4	3.41
5304186	<0.5	5.43	1	1030	2.5	<1	0.26	<0.5	24	22.1	565	<0.5	65.9	3.39
5304187	0.5	5.69	2	1050	2.6	<1	0.33	<0.5	15	19.1	545	<0.5	41.8	3.58
5304188	0.5	6.72	6	1270	3.6	<1	0.69	<0.5	92	54.1	413	<0.5	7.9	4.08
5304189	<0.5	7.03	6	433	3.4	<1	0.29	<0.5	88	36.2	422	<0.5	32.8	4.05
5304190	2.9	0.43	191	560	<0.5	71	0.01	<0.5	5	3.1	30.0	<0.5	85.0	5.88
5304191	<0.5	6.60	3	887	2.8	<1	0.30	<0.5	27	19.8	610	<0.5	60.5	3.86
5304192	<0.5	4.79	5	612	1.3	<1	2.33	<0.5	39	15.5	620	<0.5	13.4	2.12
5304193	<0.5	6.14	2	828	2.7	<1	0.37	<0.5	30	22.6	461	<0.5	46.8	4.17

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
5304194	<0.5	6.60	1	888	2.7	<1	0.52	<0.5	20	19.1	468	<0.5	33.9	4.52
5304195	<0.5	6.29	3	861	2.6	<1	0.47	<0.5	29	23.9	485	<0.5	18.7	4.27
5304196	<0.5	6.72	3	717	2.3	<1	0.60	<0.5	46	18.6	516	<0.5	22.1	4.63
5304197	<0.5	5.55	4	625	1.3	<1	1.35	<0.5	18	16.2	650	<0.5	10.4	3.08
5304198	<0.5	5.51	3	712	1.4	<1	0.80	<0.5	35	17.5	719	<0.5	25.3	3.73
5304199	<0.5	4.85	3	540	1.0	<1	2.58	<0.5	32	17.7	652	<0.5	13.5	2.42
5304200	2.4	0.43	107	429	<0.5	90	0.01	<0.5	7	3.2	34.2	<0.5	63.2	4.79
5304201	<0.5	5.17	8	569	1.0	<1	2.57	<0.5	31	14.9	689	<0.5	11.1	2.69
5304202	<0.5	4.92	4	595	1.2	<1	1.36	<0.5	25	15.7	634	<0.5	9.6	2.99
5304203	<0.5	5.27	4	701	1.5	<1	1.24	<0.5	29	17.9	607	<0.5	11.8	3.62
5304204	<0.5	4.65	3	551	0.9	<1	2.88	<0.5	43	13.9	654	<0.5	27.0	2.46
5304205	<0.5	7.89	5	985	3.5	<1	0.43	<0.5	53	30.7	358	<0.5	27.3	5.65
5304206	<0.5	6.60	5	667	2.8	<1	0.35	<0.5	24	32.5	453	<0.5	<0.5	4.50
5304207	<0.5	6.52	3	646	2.8	<1	0.37	<0.5	28	22.4	495	<0.5	<0.5	4.05
5304208	<0.5	5.82	2	517	2.6	<1	0.41	<0.5	36	25.4	482	<0.5	<0.5	3.93
5304209	<0.5	6.20	4	677	3.1	<1	0.29	<0.5	17	25.8	541	<0.5	21.1	3.67
5304210	<0.5	0.49	1	29	<0.5	<1	0.02	<0.5	23	3.2	1210	<0.5	1.5	1.38
5304211	<0.5	5.70	2	676	2.6	<1	0.27	<0.5	25	23.3	514	<0.5	33.1	3.47
5304212	<0.5	2.41	2	446	<0.5	<1	0.98	0.6	39	8.9	1100	<0.5	35.9	1.70

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
5304162	11	<1	1.96	47	16	1.57	1580	4.1	2.69	48.2	525	29	124	0.437
5304163	15	<1	2.88	8	41	1.97	387	4.7	1.62	78.4	777	10	203	0.574
5304164	11	4	2.10	15	33	2.56	630	5.0	1.78	98.1	671	15	112	0.911
5304165	12	<1	1.39	49	25	2.29	854	4.2	2.36	89.5	732	20	110	0.357
5304166	12	<1	1.53	16	25	2.27	709	4.1	2.22	87.4	746	10	112	0.248
5304167	14	<1	1.46	16	25	2.26	782	2.7	2.24	89.6	753	13	117	0.243
5304168	15	<1	1.41	16	25	2.22	717	3.6	2.26	85.5	713	12	130	0.241
5304169	12	<1	1.37	17	22	2.06	815	2.9	2.64	82.7	742	8	133	0.260
5304170	7	<1	5.22	<2	8	0.12	227	476	0.33	34.3	563	9	226	2.40
5304171	11	<1	2.06	17	23	1.51	455	5.6	1.90	63.8	544	8	195	0.453
5304172	9	2	2.19	12	24	1.55	437	4.6	1.83	64.7	514	8	207	0.526
5304173	9	<1	1.69	17	20	1.38	498	5.1	2.13	63.8	515	7	164	0.464
5304174	11	<1	1.96	13	23	1.48	457	4.8	1.94	66.8	563	8	232	0.434
5304175	14	<1	2.38	16	26	1.55	470	5.0	1.78	75.8	589	6	257	0.468
5304176	10	<1	1.76	28	17	1.19	502	3.7	2.28	60.9	503	7	133	0.285
5304177	9	1	1.44	26	12	0.56	855	2.9	2.24	51.0	384	4	119	0.224
5304178	9	1	1.85	11	17	0.95	601	4.4	2.41	55.5	514	8	165	0.325
5304179	12	4	1.68	9	24	1.22	412	3.6	1.68	56.9	460	5	201	0.468
5304180	8	<1	0.89	9	13	0.95	1130	7.2	2.04	33.4	723	8	52	0.053
5304181	11	1	1.85	59	26	1.40	458	4.4	1.62	53.1	455	9	218	0.434
5304182	13	<1	2.15	136	32	2.12	679	4.6	1.96	62.7	523	13	218	0.542
5304183	8	5	1.97	7	21	1.33	404	4.8	1.84	49.4	413	10	200	0.502
5304184	10	4	1.52	19	23	1.30	455	2.8	1.79	56.0	471	6	173	0.553
5304185	11	<1	1.81	27	28	1.28	440	5.0	1.37	60.4	503	8	178	0.595
5304186	11	2	1.78	14	29	1.48	436	4.6	1.36	66.2	522	19	201	0.697
5304187	12	<1	1.54	10	31	1.59	492	5.3	1.42	62.3	550	11	215	0.667
5304188	17	1	1.89	53	43	1.62	430	8.8	1.08	60.0	578	13	259	2.28
5304189	17	<1	3.27	50	36	1.36	379	10.5	1.35	64.7	547	11	406	1.77
5304190	<5	6	0.05	4	<1	<0.01	128	19.0	<0.01	11.9	245	104	<10	0.139
5304191	14	5	2.80	16	28	1.62	480	5.2	1.79	64.2	601	12	286	0.630
5304192	9	<1	1.54	25	15	0.86	704	3.6	1.92	42.6	340	6	117	0.354
5304193	14	1	2.30	19	29	1.81	619	3.5	1.88	91.4	634	10	236	0.625

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
5304194	12	<1	2.22	12	26	2.01	708	3.0	2.01	87.1	648	9	229	0.656
5304195	14	2	2.30	19	27	1.92	685	4.4	1.68	88.7	608	9	271	0.666
5304196	11	<1	1.96	28	22	2.18	770	3.0	2.32	102	733	10	190	0.456
5304197	10	<1	1.49	12	17	1.44	705	3.9	2.26	95.5	536	7	120	0.381
5304198	11	<1	1.74	21	22	1.86	711	3.3	1.81	110	518	8	138	0.447
5304199	8	<1	1.23	20	12	0.98	841	2.7	2.19	78.4	412	6	92	0.259
5304200	<5	1	0.07	4	<1	<0.01	124	18.2	<0.01	9.4	230	154	<10	0.209
5304201	9	1	1.39	20	13	1.09	860	4.9	2.21	74.6	449	11	97	0.234
5304202	10	1	1.37	15	15	1.40	783	4.3	2.08	82.5	480	7	115	0.241
5304203	11	<1	1.84	16	19	1.77	817	4.0	1.94	97.8	525	8	160	0.297
5304204	8	<1	1.40	27	12	1.09	1010	4.8	1.87	72.0	418	8	100	0.386
5304205	19	<1	2.86	31	38	2.66	945	4.6	1.38	131	814	13	286	0.876
5304206	15	6	2.68	15	29	2.07	719	2.8	1.46	89.1	656	8	285	0.801
5304207	14	<1	2.56	17	26	1.82	654	3.9	1.69	74.8	610	9	303	0.839
5304208	12	<1	2.43	21	23	1.53	586	3.6	1.43	65.5	530	8	280	1.05
5304209	15	<1	2.57	11	24	1.52	533	3.5	1.74	62.2	561	7	262	0.737
5304210	<5	<1	0.04	14	6	0.03	154	4.9	0.01	14.8	134	1	<10	0.006
5304211	13	6	2.28	16	24	1.47	551	3.5	1.65	61.6	534	9	242	0.603
5304212	<5	3	1.59	25	14	0.91	394	8.1	0.35	43.0	214	6	67	0.256

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5304162	<1	9	<10	<5	205	<10	<10	13	0.26	<5	<5	177	<1	29
5304163	<1	10	<10	<5	59	<10	<10	7	0.38	<5	<5	268	2	9
5304164	<1	9	<10	<5	66	<10	<10	7	0.32	<5	<5	246	2	11
5304165	<1	14	<10	<5	115	<10	<10	7	0.35	<5	<5	274	<1	15
5304166	<1	9	<10	<5	90	<10	<10	8	0.36	<5	<5	263	<1	10
5304167	<1	11	<10	<5	108	<10	<10	9	0.31	<5	<5	266	1	11
5304168	<1	12	<10	<5	114	10	<10	6	0.34	<5	<5	277	1	11
5304169	<1	13	<10	<5	144	<10	<10	7	0.37	<5	<5	261	<1	14
5304170	<1	<1	<10	<5	297	<10	<10	<5	0.06	<5	<5	74.1	2	3
5304171	<1	7	<10	<5	94	<10	<10	7	0.27	<5	<5	174	2	10
5304172	<1	7	<10	<5	95	<10	<10	7	0.28	<5	<5	174	1	9
5304173	<1	7	<10	<5	113	<10	<10	6	0.25	<5	<5	169	1	10
5304174	<1	8	<10	<5	106	<10	<10	9	0.26	<5	<5	182	2	11
5304175	<1	9	<10	<5	106	<10	<10	8	0.29	<5	<5	203	3	11
5304176	<1	7	<10	<5	114	<10	<10	6	0.24	<5	<5	186	<1	9
5304177	<1	6	<10	<5	163	<10	<10	<5	0.16	<5	<5	121	<1	10
5304178	<1	6	<10	<5	147	<10	<10	8	0.23	<5	<5	141	1	10
5304179	<1	7	<10	<5	100	<10	<10	8	0.24	<5	<5	166	2	11
5304180	<1	10	<10	<5	236	<10	<10	<5	0.28	<5	<5	201	<1	13
5304181	<1	8	<10	<5	100	<10	<10	7	0.24	<5	<5	169	1	13
5304182	<1	10	<10	<5	113	11	<10	6	0.28	<5	<5	229	2	16
5304183	<1	6	<10	<5	96	<10	<10	5	0.24	<5	<5	142	2	10
5304184	<1	7	<10	<5	101	<10	<10	7	0.24	<5	<5	166	2	11
5304185	<1	7	<10	<5	85	<10	<10	7	0.26	<5	<5	179	2	13
5304186	<1	7	<10	<5	86	<10	<10	10	0.25	<5	<5	179	3	11
5304187	<1	8	<10	<5	73	<10	<10	10	0.24	<5	<5	190	2	11
5304188	<1	9	<10	<5	55	<10	<10	10	0.30	<5	<5	200	4	18
5304189	<1	10	<10	<5	67	<10	<10	8	0.30	<5	<5	189	3	18
5304190	6	<1	<10	<5	52	<10	<10	<5	0.07	<5	<5	51.6	14	1
5304191	<1	9	<10	<5	114	<10	<10	8	0.29	<5	<5	204	3	13
5304192	<1	5	<10	<5	146	<10	<10	5	0.16	<5	<5	115	1	15
5304193	<1	10	<10	<5	105	<10	<10	9	0.31	<5	<5	223	2	14

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5304194	<1	10	<10	<5	113	<10	<10	8	0.31	<5	<5	210	2	15
5304195	<1	10	<10	<5	112	<10	<10	9	0.28	<5	<5	210	3	15
5304196	<1	11	<10	<5	127	<10	<10	8	0.31	<5	<5	211	2	14
5304197	<1	7	<10	<5	135	<10	<10	8	0.18	<5	<5	154	<1	10
5304198	<1	8	<10	<5	114	<10	<10	7	0.19	<5	<5	166	1	10
5304199	<1	6	<10	<5	166	<10	<10	5	0.18	<5	<5	128	<1	12
5304200	9	<1	11	5	81	<10	<10	<5	0.07	<5	<5	55.7	1	1
5304201	<1	7	<10	<5	151	<10	<10	<5	0.18	<5	<5	143	<1	12
5304202	<1	7	<10	<5	147	<10	<10	6	0.18	<5	<5	158	<1	8
5304203	<1	7	<10	<5	142	<10	<10	7	0.23	<5	<5	172	1	8
5304204	<1	6	<10	<5	125	<10	<10	5	0.15	<5	<5	124	<1	13
5304205	<1	15	<10	<5	102	<10	<10	10	0.40	<5	<5	303	3	17
5304206	<1	10	<10	<5	127	<10	<10	9	0.30	<5	<5	213	3	12
5304207	<1	10	<10	<5	102	<10	<10	11	0.30	<5	<5	206	3	14
5304208	<1	8	<10	<5	96	<10	<10	8	0.27	<5	<5	177	2	14
5304209	<1	9	<10	<5	110	<10	<10	9	0.32	<5	<5	206	3	13
5304210	10	<1	<10	<5	6	<10	<10	<5	0.04	<5	<5	10.3	<1	3
5304211	<1	8	<10	<5	97	<10	<10	8	0.26	<5	<5	180	3	13
5304212	4	3	<10	<5	48	<10	<10	5	0.07	<5	<5	75.0	<1	9

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
5304162		146	156
5304163		39.6	155
5304164		48.0	112
5304165		90.7	103
5304166		58.6	251
5304167		63.4	109
5304168		61.5	105
5304169		50.1	101
5304170		311	55
5304171		42.7	104
5304172		38.2	128
5304173		39.2	100
5304174		42.7	117
5304175		38.9	116
5304176		29.4	93
5304177		13.0	74
5304178		26.9	100
5304179		41.8	105
5304180		60.2	38
5304181		39.5	99
5304182		56.1	90
5304183		35.2	98
5304184		37.2	99
5304185		42.7	111
5304186		49.7	118
5304187		94.4	122
5304188		29.2	152
5304189		29.8	138
5304190		13.7	23
5304191		45.0	122
5304192		24.1	68
5304193		45.7	128

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5

5304194	55.9	119
5304195	48.9	122
5304196	58.3	117
5304197	32.2	82
5304198	35.4	82
5304199	31.8	57
5304200	10.5	30
5304201	31.7	65
5304202	45.6	68
5304203	59.8	76
5304204	39.1	60
5304205	65.1	150
5304206	59.3	126
5304207	49.7	130
5304208	48.4	126
5304209	46.8	134
5304210	6.2	22
5304211	42.5	129
5304212	228	35

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.001
5304162		2.30	0.002
5304163		2.16	0.004
5304164		2.02	0.002
5304165		2.44	0.004
5304166		2.02	0.014
5304167		2.04	0.025
5304168		2.20	0.006
5304169		2.04	0.003
5304170		0.04	4.87
5304171		2.18	0.009
5304172		2.20	0.009
5304173		2.10	0.011
5304174		2.14	0.011
5304175		2.12	0.008
5304176		2.18	0.005
5304177		2.26	0.006
5304178		2.10	0.007
5304179		2.20	0.009
5304180		0.04	0.004
5304181		2.24	0.006
5304182		2.14	0.004
5304183		2.08	0.011
5304184		2.06	0.009
5304185		2.22	0.004
5304186		3.26	0.003
5304187		1.28	0.004
5304188		0.66	0.022
5304189		2.10	0.016
5304190		0.04	0.711
5304191		2.14	0.004
5304192		2.46	0.001
5304193		1.88	0.010

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
		0.01	0.001
5304194		2.38	0.009
5304195		3.10	0.008
5304196		1.56	0.002
5304197		2.22	0.002
5304198		2.22	0.005
5304199		2.24	0.003
5304200		0.04	1.19
5304201		2.30	0.003
5304202		2.38	0.014
5304203		2.36	0.005
5304204		1.32	0.006
5304205		1.00	0.006
5304206		2.40	0.008
5304207		2.22	0.011
5304208		2.24	0.016
5304209		2.28	0.006
5304210		0.74	0.002
5304211		2.30	0.016
5304212		1.74	0.003

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis											
RPT Date: Nov 02, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	2101113	< 0.5	< 0.5	0.0%	< 0.5	6	7	92%	90%	110%
Al	1	2101113	5.92	5.85	1.2%	< 0.01				80%	120%
As	1	2101113	7	6	15.4%	< 1				80%	120%
Ba	1	2101113	330	326	1.2%	5				80%	120%
Be	1	2101113	1.70	1.77	4.0%	< 0.5				80%	120%
Bi	1	2101113	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2101113	9.57	9.43	1.5%	< 0.01				80%	120%
Cd	1	2101113	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2101113	77	76	1.3%	< 1				80%	120%
Co	1	2101113	20.6	17.2	18.0%	< 0.5	5.9	5.0	119%	80%	120%
Cr	1	2101113	213	210	1.4%	0.6				80%	120%
Cs	1	2101113	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2101113	70.4	65.9	6.6%	< 0.5	4671	4700	99%	90%	110%
Fe	1	2101113	2.25	2.24	0.4%	< 0.01	1.55	1.55	100%	90%	110%
Ga	1	2101113	11	10	9.5%	< 5				80%	120%
In	1	2101113	< 1	< 1	0.0%	< 1				80%	120%
K	1	2101113	1.96	1.95	0.5%	< 0.01	2.8	2.99	94%	90%	110%
La	1	2101113	47	47	0.0%	< 2				80%	120%
Li	1	2101113	16	17	6.1%	< 1				80%	120%
Mg	1	2101113	1.57	1.55	1.3%	< 0.01				80%	120%
Mn	1	2101113	1580	1580	0.0%	< 1				80%	120%
Mo	1	2101113	4.10	3.24	23.4%	< 0.5				80%	120%
Na	1	2101113	2.69	2.65	1.5%	< 0.01				80%	120%
Ni	1	2101113	48.2	46.7	3.2%	< 0.5	7	7	98%	90%	110%
P	1	2101113	525	531	1.1%	< 10				80%	120%
Pb	1	2101113	29	28	3.5%	1	25	30	84%	80%	120%
Rb	1	2101113	124	125	0.8%	< 10				80%	120%
S	1	2101113	0.437	0.429	1.8%	< 0.005				80%	120%
Sb	1	2101113	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2101113	9	9	0.0%	< 1				80%	120%
Se	1	2101113	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2101113	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2101113	205	193	6.0%	< 1	454	390	116%	80%	120%
Ta	1	2101113	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2101113	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2101113	13	13	0.0%	< 5				80%	120%
Ti	1	2101113	0.257	0.252	2.0%	< 0.01				80%	120%
Tl	1	2101113	< 5	< 5	0.0%	< 5				80%	120%
U	1	2101113	< 5	< 5	0.0%	< 5				80%	120%
V	1	2101113	177	173	2.3%	< 0.5				80%	120%
W	1	2101113	< 1	< 1	0.0%	< 1				80%	120%
Y	1	2101113	29	29	0.0%	< 1				80%	120%
Zn	1	2101113	146	151	3.4%	< 0.5	33	32	103%	90%	110%
Zr	1	2101113	156	155	0.6%	< 5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)											
RPT Date: Nov 02, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	2101138	0.5	< 0.5		< 0.5			80%	120%
Al	1	2101138	5.69	6.14	7.6%	< 0.01			80%	120%
As	1	2101138	2	< 1		< 1			80%	120%
Ba	1	2101138	1050	908	14.5%	< 1			80%	120%
Be	1	2101138	2.6	2.5	3.9%	< 0.5			80%	120%
Bi	1	2101138	< 1	< 1	0.0%	< 1			80%	120%
Ca	1	2101138	0.333	0.348	4.4%	< 0.01			80%	120%
Cd	1	2101138	< 0.5	0.5		< 0.5			80%	120%
Ce	1	2101138	15	18	18.2%	< 1			80%	120%
Co	1	2101138	19.1	21.8	13.2%	< 0.5			80%	120%
Cr	1	2101138	545	532	2.4%	< 0.5			80%	120%
Cs	1	2101138	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Cu	1	2101138	41.8	40.2	3.9%	< 0.5			80%	120%
Fe	1	2101138	3.58	3.63	1.4%	< 0.01			80%	120%
Ga	1	2101138	12	11	8.7%	< 5			80%	120%
In	1	2101138	< 1	< 1	0.0%	< 1			80%	120%
K	1	2101138	1.54	2.40		< 0.01			80%	120%
La	1	2101138	10	11	9.5%	< 2			80%	120%
Li	1	2101138	31	31	0.0%	< 1			80%	120%
Mg	1	2101138	1.59	1.62	1.9%	< 0.01			80%	120%
Mn	1	2101138	492	487	1.0%	< 1			80%	120%
Mo	1	2101138	5.3	4.3	20.8%	< 0.5			80%	120%
Na	1	2101138	1.42	1.42	0.0%	< 0.01			80%	120%
Ni	1	2101138	62.3	57.7	7.7%	< 0.5			80%	120%
P	1	2101138	550	537	2.4%	< 10			80%	120%
Pb	1	2101138	11	11	0.0%	1			80%	120%
Rb	1	2101138	215	264	20.5%	< 10			80%	120%
S	1	2101138	0.667	0.664	0.5%	< 0.005			80%	120%
Sb	1	2101138	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2101138	8	8	0.0%	< 1			80%	120%
Se	1	2101138	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2101138	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2101138	73	86	16.4%	< 1			80%	120%
Ta	1	2101138	< 10	< 10	0.0%	< 10			80%	120%
Te	1	2101138	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2101138	10	8	22.2%	< 5			80%	120%
Ti	1	2101138	0.24	0.26	8.0%	< 0.01			80%	120%
Tl	1	2101138	< 5	< 5	0.0%	< 5			80%	120%
U	1	2101138	< 5	< 5	0.0%	< 5			80%	120%
V	1	2101138	190	180	5.4%	< 0.5			80%	120%
W	1	2101138	2	2	0.0%	< 1			80%	120%
Y	1	2101138	11	11	0.0%	< 1			80%	120%
Zn	1	2101138	94.4	88.2	6.8%	< 0.5			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)											
RPT Date: Nov 02, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Zr	1	2101138	122	117	4.2%	< 5				80%	120%
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	2101163	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Al	1	2101163	2.41	2.35	2.5%	< 0.01				80%	120%
As	1	2101163	2	3		< 1				80%	120%
Ba	1	2101163	446	435	2.5%	< 1				80%	120%
Be	1	2101163	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	2101163	< 1	2		< 1				80%	120%
Ca	1	2101163	0.98	0.99	1.0%	< 0.01				80%	120%
Cd	1	2101163	0.64	0.83	25.9%	< 0.5				80%	120%
Ce	1	2101163	39	39	0.0%	< 1				80%	120%
Co	1	2101163	8.9	10.3	14.6%	< 0.5				80%	120%
Cr	1	2101163	1100	1090	0.9%	< 0.5				80%	120%
Cs	1	2101163	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2101163	35.9	35.2	2.0%	< 0.5				80%	120%
Fe	1	2101163	1.70	1.68	1.2%	< 0.01				80%	120%
Ga	1	2101163	< 5	< 5	0.0%	< 5				80%	120%
In	1	2101163	3	< 1		< 1				80%	120%
K	1	2101163	1.59	1.61	1.3%	< 0.01				80%	120%
La	1	2101163	25	25	0.0%	< 2				80%	120%
Li	1	2101163	14	14	0.0%	< 1				80%	120%
Mg	1	2101163	0.911	0.917	0.7%	< 0.01				80%	120%
Mn	1	2101163	394	394	0.0%	< 1				80%	120%
Mo	1	2101163	8.05	6.86	16.0%	< 0.5				80%	120%
Na	1	2101163	0.35	0.35	0.0%	< 0.01				80%	120%
Ni	1	2101163	43.0	41.2	4.3%	< 0.5				80%	120%
P	1	2101163	214	205	4.3%	< 10				80%	120%
Pb	1	2101163	6	7	15.4%	< 1				80%	120%
Rb	1	2101163	67	62	7.8%	< 10				80%	120%
S	1	2101163	0.256	0.256	0.0%	< 0.005				80%	120%
Sb	1	2101163	4	4	0.0%	< 1				80%	120%
Sc	1	2101163	3	3	0.0%	< 1				80%	120%
Se	1	2101163	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2101163	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2101163	48	47	2.1%	< 1				80%	120%
Ta	1	2101163	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2101163	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2101163	5	5	0.0%	< 5				80%	120%
Ti	1	2101163	0.07	0.07	0.0%	< 0.01				80%	120%
Tl	1	2101163	< 5	< 5	0.0%	< 5				80%	120%
U	1	2101163	< 5	< 5	0.0%	< 5				80%	120%
V	1	2101163	75.0	77.1	2.8%	< 0.5				80%	120%
W	1	2101163	< 1	< 1	0.0%	< 1				80%	120%
Y	1	2101163	9	9	0.0%	< 1				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.


AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)												
RPT Date: Nov 02, 2010		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Zn	1	2101163	228	221	3.1%	< 0.5				80%	120%	
Zr	1	2101163	35	34	2.9%	< 5				80%	120%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2101124	0.011	0.011	0.0%	< 0.001	0.277	0.321	86%	80%	120%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2101138	0.0038	0.0046	19.0%	< 0.001	0.198	0.205	97%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2101150	0.0029	0.0022	27.5%	< 0.001		0.031		70%	130%	

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U449769

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 05, 2010

PAGES (INCLUDING COVER): 16

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: BOB KOMARECHKA

PROJECT NO:

AGAT WORK ORDER: 10U448676

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 02, 2010

PAGES (INCLUDING COVER): 16

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
5304162	<0.5	5.92	7	330	1.7	<1	9.57	<0.5	77	20.6	213	<0.5	70.4	2.25
5304163	0.7	5.43	3	956	3.8	<1	0.48	<0.5	11	26.8	268	<0.5	71.4	4.39
5304164	0.5	5.27	9	548	2.4	<1	0.97	<0.5	23	43.4	401	<0.5	238	5.01
5304165	<0.5	5.87	6	465	2.4	<1	2.13	<0.5	81	36.0	423	<0.5	30.0	4.40
5304166	0.8	5.46	4	541	2.5	<1	1.08	<0.5	25	27.4	450	<0.5	<0.5	4.44
5304167	<0.5	5.58	4	551	2.5	<1	1.21	<0.5	25	26.8	454	<0.5	13.7	4.45
5304168	<0.5	5.42	4	571	2.6	<1	1.18	<0.5	24	25.4	417	<0.5	6.9	4.51
5304169	<0.5	6.41	2	520	2.4	<1	2.31	<0.5	26	25.1	411	<0.5	6.2	4.37
5304170	3.3	4.65	16	506	0.9	<1	0.80	<0.5	<1	8.1	31.6	<0.5	36.0	2.64
5304171	<0.5	5.03	<1	746	2.2	<1	0.42	<0.5	28	19.7	526	<0.5	6.8	3.67
5304172	<0.5	5.25	<1	714	2.1	<1	0.32	<0.5	21	20.4	540	<0.5	6.3	3.84
5304173	<0.5	4.86	2	649	1.8	<1	0.67	<0.5	29	18.7	553	<0.5	9.2	3.46
5304174	<0.5	5.41	2	717	2.2	<1	0.30	<0.5	20	18.8	573	<0.5	4.3	3.65
5304175	<0.5	5.69	3	842	2.5	<1	0.52	<0.5	27	20.4	563	<0.5	5.2	3.79
5304176	<0.5	4.86	2	662	1.6	<1	1.17	<0.5	47	13.4	556	<0.5	<0.5	2.90
5304177	<0.5	4.66	4	587	1.1	<1	3.99	<0.5	41	14.4	529	<0.5	<0.5	1.64
5304178	<0.5	5.35	2	736	1.5	<1	2.08	<0.5	17	17.2	550	<0.5	<0.5	2.43
5304179	<0.5	5.39	<1	1020	2.2	<1	0.30	<0.5	13	21.0	560	<0.5	15.8	3.28
5304180	<0.5	5.25	1	682	1.9	<1	1.91	<0.5	13	12.1	47.2	<0.5	46.5	3.73
5304181	<0.5	5.55	2	948	2.1	<1	0.30	<0.5	89	16.3	551	<0.5	10.5	3.46
5304182	<0.5	6.76	7	960	2.3	<1	0.32	<0.5	204	17.9	471	<0.5	18.5	4.69
5304183	<0.5	5.71	<1	788	1.8	<1	0.27	<0.5	13	19.6	534	<0.5	10.6	3.53
5304184	<0.5	5.43	2	890	2.0	<1	0.40	<0.5	31	22.5	615	<0.5	21.1	3.39
5304185	<0.5	5.03	<1	968	2.5	<1	0.30	<0.5	45	18.5	538	<0.5	53.4	3.41
5304186	<0.5	5.43	1	1030	2.5	<1	0.26	<0.5	24	22.1	565	<0.5	65.9	3.39
5304187	0.5	5.69	2	1050	2.6	<1	0.33	<0.5	15	19.1	545	<0.5	41.8	3.58
5304188	0.5	6.72	6	1270	3.6	<1	0.69	<0.5	92	54.1	413	<0.5	7.9	4.08
5304189	<0.5	7.03	6	433	3.4	<1	0.29	<0.5	88	36.2	422	<0.5	32.8	4.05
5304190	2.9	0.43	191	560	<0.5	71	0.01	<0.5	5	3.1	30.0	<0.5	85.0	5.88
5304191	<0.5	6.60	3	887	2.8	<1	0.30	<0.5	27	19.8	610	<0.5	60.5	3.86
5304192	<0.5	4.79	5	612	1.3	<1	2.33	<0.5	39	15.5	620	<0.5	13.4	2.12
5304193	<0.5	6.14	2	828	2.7	<1	0.37	<0.5	30	22.6	461	<0.5	46.8	4.17

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
5304194	<0.5	6.60	1	888	2.7	<1	0.52	<0.5	20	19.1	468	<0.5	33.9	4.52
5304195	<0.5	6.29	3	861	2.6	<1	0.47	<0.5	29	23.9	485	<0.5	18.7	4.27
5304196	<0.5	6.72	3	717	2.3	<1	0.60	<0.5	46	18.6	516	<0.5	22.1	4.63
5304197	<0.5	5.55	4	625	1.3	<1	1.35	<0.5	18	16.2	650	<0.5	10.4	3.08
5304198	<0.5	5.51	3	712	1.4	<1	0.80	<0.5	35	17.5	719	<0.5	25.3	3.73
5304199	<0.5	4.85	3	540	1.0	<1	2.58	<0.5	32	17.7	652	<0.5	13.5	2.42
5304200	2.4	0.43	107	429	<0.5	90	0.01	<0.5	7	3.2	34.2	<0.5	63.2	4.79
5304201	<0.5	5.17	8	569	1.0	<1	2.57	<0.5	31	14.9	689	<0.5	11.1	2.69
5304202	<0.5	4.92	4	595	1.2	<1	1.36	<0.5	25	15.7	634	<0.5	9.6	2.99
5304203	<0.5	5.27	4	701	1.5	<1	1.24	<0.5	29	17.9	607	<0.5	11.8	3.62
5304204	<0.5	4.65	3	551	0.9	<1	2.88	<0.5	43	13.9	654	<0.5	27.0	2.46
5304205	<0.5	7.89	5	985	3.5	<1	0.43	<0.5	53	30.7	358	<0.5	27.3	5.65
5304206	<0.5	6.60	5	667	2.8	<1	0.35	<0.5	24	32.5	453	<0.5	<0.5	4.50
5304207	<0.5	6.52	3	646	2.8	<1	0.37	<0.5	28	22.4	495	<0.5	<0.5	4.05
5304208	<0.5	5.82	2	517	2.6	<1	0.41	<0.5	36	25.4	482	<0.5	<0.5	3.93
5304209	<0.5	6.20	4	677	3.1	<1	0.29	<0.5	17	25.8	541	<0.5	21.1	3.67
5304210	<0.5	0.49	1	29	<0.5	<1	0.02	<0.5	23	3.2	1210	<0.5	1.5	1.38
5304211	<0.5	5.70	2	676	2.6	<1	0.27	<0.5	25	23.3	514	<0.5	33.1	3.47
5304212	<0.5	2.41	2	446	<0.5	<1	0.98	0.6	39	8.9	1100	<0.5	35.9	1.70

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010	DATE RECEIVED: Nov 01, 2010						DATE REPORTED: Nov 02, 2010					SAMPLE TYPE: Rock			
Analyte: Unit: Sample Description	Ga ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	
RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
5304162	11	<1	1.96	47	16	1.57	1580	4.1	2.69	48.2	525	29	124	0.437	
5304163	15	<1	2.88	8	41	1.97	387	4.7	1.62	78.4	777	10	203	0.574	
5304164	11	4	2.10	15	33	2.56	630	5.0	1.78	98.1	671	15	112	0.911	
5304165	12	<1	1.39	49	25	2.29	854	4.2	2.36	89.5	732	20	110	0.357	
5304166	12	<1	1.53	16	25	2.27	709	4.1	2.22	87.4	746	10	112	0.248	
5304167	14	<1	1.46	16	25	2.26	782	2.7	2.24	89.6	753	13	117	0.243	
5304168	15	<1	1.41	16	25	2.22	717	3.6	2.26	85.5	713	12	130	0.241	
5304169	12	<1	1.37	17	22	2.06	815	2.9	2.64	82.7	742	8	133	0.260	
5304170	7	<1	5.22	<2	8	0.12	227	476	0.33	34.3	563	9	226	2.40	
5304171	11	<1	2.06	17	23	1.51	455	5.6	1.90	63.8	544	8	195	0.453	
5304172	9	2	2.19	12	24	1.55	437	4.6	1.83	64.7	514	8	207	0.526	
5304173	9	<1	1.69	17	20	1.38	498	5.1	2.13	63.8	515	7	164	0.464	
5304174	11	<1	1.96	13	23	1.48	457	4.8	1.94	66.8	563	8	232	0.434	
5304175	14	<1	2.38	16	26	1.55	470	5.0	1.78	75.8	589	6	257	0.468	
5304176	10	<1	1.76	28	17	1.19	502	3.7	2.28	60.9	503	7	133	0.285	
5304177	9	1	1.44	26	12	0.56	855	2.9	2.24	51.0	384	4	119	0.224	
5304178	9	1	1.85	11	17	0.95	601	4.4	2.41	55.5	514	8	165	0.325	
5304179	12	4	1.68	9	24	1.22	412	3.6	1.68	56.9	460	5	201	0.468	
5304180	8	<1	0.89	9	13	0.95	1130	7.2	2.04	33.4	723	8	52	0.053	
5304181	11	1	1.85	59	26	1.40	458	4.4	1.62	53.1	455	9	218	0.434	
5304182	13	<1	2.15	136	32	2.12	679	4.6	1.96	62.7	523	13	218	0.542	
5304183	8	5	1.97	7	21	1.33	404	4.8	1.84	49.4	413	10	200	0.502	
5304184	10	4	1.52	19	23	1.30	455	2.8	1.79	56.0	471	6	173	0.553	
5304185	11	<1	1.81	27	28	1.28	440	5.0	1.37	60.4	503	8	178	0.595	
5304186	11	2	1.78	14	29	1.48	436	4.6	1.36	66.2	522	19	201	0.697	
5304187	12	<1	1.54	10	31	1.59	492	5.3	1.42	62.3	550	11	215	0.667	
5304188	17	1	1.89	53	43	1.62	430	8.8	1.08	60.0	578	13	259	2.28	
5304189	17	<1	3.27	50	36	1.36	379	10.5	1.35	64.7	547	11	406	1.77	
5304190	<5	6	0.05	4	<1	<0.01	128	19.0	<0.01	11.9	245	104	<10	0.139	
5304191	14	5	2.80	16	28	1.62	480	5.2	1.79	64.2	601	12	286	0.630	
5304192	9	<1	1.54	25	15	0.86	704	3.6	1.92	42.6	340	6	117	0.354	
5304193	14	1	2.30	19	29	1.81	619	3.5	1.88	91.4	634	10	236	0.625	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
5304194	12	<1	2.22	12	26	2.01	708	3.0	2.01	87.1	648	9	229	0.656
5304195	14	2	2.30	19	27	1.92	685	4.4	1.68	88.7	608	9	271	0.666
5304196	11	<1	1.96	28	22	2.18	770	3.0	2.32	102	733	10	190	0.456
5304197	10	<1	1.49	12	17	1.44	705	3.9	2.26	95.5	536	7	120	0.381
5304198	11	<1	1.74	21	22	1.86	711	3.3	1.81	110	518	8	138	0.447
5304199	8	<1	1.23	20	12	0.98	841	2.7	2.19	78.4	412	6	92	0.259
5304200	<5	1	0.07	4	<1	<0.01	124	18.2	<0.01	9.4	230	154	<10	0.209
5304201	9	1	1.39	20	13	1.09	860	4.9	2.21	74.6	449	11	97	0.234
5304202	10	1	1.37	15	15	1.40	783	4.3	2.08	82.5	480	7	115	0.241
5304203	11	<1	1.84	16	19	1.77	817	4.0	1.94	97.8	525	8	160	0.297
5304204	8	<1	1.40	27	12	1.09	1010	4.8	1.87	72.0	418	8	100	0.386
5304205	19	<1	2.86	31	38	2.66	945	4.6	1.38	131	814	13	286	0.876
5304206	15	6	2.68	15	29	2.07	719	2.8	1.46	89.1	656	8	285	0.801
5304207	14	<1	2.56	17	26	1.82	654	3.9	1.69	74.8	610	9	303	0.839
5304208	12	<1	2.43	21	23	1.53	586	3.6	1.43	65.5	530	8	280	1.05
5304209	15	<1	2.57	11	24	1.52	533	3.5	1.74	62.2	561	7	262	0.737
5304210	<5	<1	0.04	14	6	0.03	154	4.9	0.01	14.8	134	1	<10	0.006
5304211	13	6	2.28	16	24	1.47	551	3.5	1.65	61.6	534	9	242	0.603
5304212	<5	3	1.59	25	14	0.91	394	8.1	0.35	43.0	214	6	67	0.256

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5304162	<1	9	<10	<5	205	<10	<10	13	0.26	<5	<5	177	<1	29
5304163	<1	10	<10	<5	59	<10	<10	7	0.38	<5	<5	268	2	9
5304164	<1	9	<10	<5	66	<10	<10	7	0.32	<5	<5	246	2	11
5304165	<1	14	<10	<5	115	<10	<10	7	0.35	<5	<5	274	<1	15
5304166	<1	9	<10	<5	90	<10	<10	8	0.36	<5	<5	263	<1	10
5304167	<1	11	<10	<5	108	<10	<10	9	0.31	<5	<5	266	1	11
5304168	<1	12	<10	<5	114	10	<10	6	0.34	<5	<5	277	1	11
5304169	<1	13	<10	<5	144	<10	<10	7	0.37	<5	<5	261	<1	14
5304170	<1	<1	<10	<5	297	<10	<10	<5	0.06	<5	<5	74.1	2	3
5304171	<1	7	<10	<5	94	<10	<10	7	0.27	<5	<5	174	2	10
5304172	<1	7	<10	<5	95	<10	<10	7	0.28	<5	<5	174	1	9
5304173	<1	7	<10	<5	113	<10	<10	6	0.25	<5	<5	169	1	10
5304174	<1	8	<10	<5	106	<10	<10	9	0.26	<5	<5	182	2	11
5304175	<1	9	<10	<5	106	<10	<10	8	0.29	<5	<5	203	3	11
5304176	<1	7	<10	<5	114	<10	<10	6	0.24	<5	<5	186	<1	9
5304177	<1	6	<10	<5	163	<10	<10	<5	0.16	<5	<5	121	<1	10
5304178	<1	6	<10	<5	147	<10	<10	8	0.23	<5	<5	141	1	10
5304179	<1	7	<10	<5	100	<10	<10	8	0.24	<5	<5	166	2	11
5304180	<1	10	<10	<5	236	<10	<10	<5	0.28	<5	<5	201	<1	13
5304181	<1	8	<10	<5	100	<10	<10	7	0.24	<5	<5	169	1	13
5304182	<1	10	<10	<5	113	11	<10	6	0.28	<5	<5	229	2	16
5304183	<1	6	<10	<5	96	<10	<10	5	0.24	<5	<5	142	2	10
5304184	<1	7	<10	<5	101	<10	<10	7	0.24	<5	<5	166	2	11
5304185	<1	7	<10	<5	85	<10	<10	7	0.26	<5	<5	179	2	13
5304186	<1	7	<10	<5	86	<10	<10	10	0.25	<5	<5	179	3	11
5304187	<1	8	<10	<5	73	<10	<10	10	0.24	<5	<5	190	2	11
5304188	<1	9	<10	<5	55	<10	<10	10	0.30	<5	<5	200	4	18
5304189	<1	10	<10	<5	67	<10	<10	8	0.30	<5	<5	189	3	18
5304190	6	<1	<10	<5	52	<10	<10	<5	0.07	<5	<5	51.6	14	1
5304191	<1	9	<10	<5	114	<10	<10	8	0.29	<5	<5	204	3	13
5304192	<1	5	<10	<5	146	<10	<10	5	0.16	<5	<5	115	1	15
5304193	<1	10	<10	<5	105	<10	<10	9	0.31	<5	<5	223	2	14

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5304194	<1	10	<10	<5	113	<10	<10	8	0.31	<5	<5	210	2	15
5304195	<1	10	<10	<5	112	<10	<10	9	0.28	<5	<5	210	3	15
5304196	<1	11	<10	<5	127	<10	<10	8	0.31	<5	<5	211	2	14
5304197	<1	7	<10	<5	135	<10	<10	8	0.18	<5	<5	154	<1	10
5304198	<1	8	<10	<5	114	<10	<10	7	0.19	<5	<5	166	1	10
5304199	<1	6	<10	<5	166	<10	<10	5	0.18	<5	<5	128	<1	12
5304200	9	<1	11	5	81	<10	<10	<5	0.07	<5	<5	55.7	1	1
5304201	<1	7	<10	<5	151	<10	<10	<5	0.18	<5	<5	143	<1	12
5304202	<1	7	<10	<5	147	<10	<10	6	0.18	<5	<5	158	<1	8
5304203	<1	7	<10	<5	142	<10	<10	7	0.23	<5	<5	172	1	8
5304204	<1	6	<10	<5	125	<10	<10	5	0.15	<5	<5	124	<1	13
5304205	<1	15	<10	<5	102	<10	<10	10	0.40	<5	<5	303	3	17
5304206	<1	10	<10	<5	127	<10	<10	9	0.30	<5	<5	213	3	12
5304207	<1	10	<10	<5	102	<10	<10	11	0.30	<5	<5	206	3	14
5304208	<1	8	<10	<5	96	<10	<10	8	0.27	<5	<5	177	2	14
5304209	<1	9	<10	<5	110	<10	<10	9	0.32	<5	<5	206	3	13
5304210	10	<1	<10	<5	6	<10	<10	<5	0.04	<5	<5	10.3	<1	3
5304211	<1	8	<10	<5	97	<10	<10	8	0.26	<5	<5	180	3	13
5304212	4	3	<10	<5	48	<10	<10	5	0.07	<5	<5	75.0	<1	9

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
5304162		146	156
5304163		39.6	155
5304164		48.0	112
5304165		90.7	103
5304166		58.6	251
5304167		63.4	109
5304168		61.5	105
5304169		50.1	101
5304170		311	55
5304171		42.7	104
5304172		38.2	128
5304173		39.2	100
5304174		42.7	117
5304175		38.9	116
5304176		29.4	93
5304177		13.0	74
5304178		26.9	100
5304179		41.8	105
5304180		60.2	38
5304181		39.5	99
5304182		56.1	90
5304183		35.2	98
5304184		37.2	99
5304185		42.7	111
5304186		49.7	118
5304187		94.4	122
5304188		29.2	152
5304189		29.8	138
5304190		13.7	23
5304191		45.0	122
5304192		24.1	68
5304193		45.7	128

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
5304194	55.9	119
5304195	48.9	122
5304196	58.3	117
5304197	32.2	82
5304198	35.4	82
5304199	31.8	57
5304200	10.5	30
5304201	31.7	65
5304202	45.6	68
5304203	59.8	76
5304204	39.1	60
5304205	65.1	150
5304206	59.3	126
5304207	49.7	130
5304208	48.4	126
5304209	46.8	134
5304210	6.2	22
5304211	42.5	129
5304212	228	35

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.001
5304162		2.30	0.002
5304163		2.16	0.004
5304164		2.02	0.002
5304165		2.44	0.004
5304166		2.02	0.014
5304167		2.04	0.025
5304168		2.20	0.006
5304169		2.04	0.003
5304170		0.04	4.87
5304171		2.18	0.009
5304172		2.20	0.009
5304173		2.10	0.011
5304174		2.14	0.011
5304175		2.12	0.008
5304176		2.18	0.005
5304177		2.26	0.006
5304178		2.10	0.007
5304179		2.20	0.009
5304180		0.04	0.004
5304181		2.24	0.006
5304182		2.14	0.004
5304183		2.08	0.011
5304184		2.06	0.009
5304185		2.22	0.004
5304186		3.26	0.003
5304187		1.28	0.004
5304188		0.66	0.022
5304189		2.10	0.016
5304190		0.04	0.711
5304191		2.14	0.004
5304192		2.46	0.001
5304193		1.88	0.010

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U448676

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 02, 2010

DATE RECEIVED: Nov 01, 2010

DATE REPORTED: Nov 02, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.001
5304194		2.38	0.009
5304195		3.10	0.008
5304196		1.56	0.002
5304197		2.22	0.002
5304198		2.22	0.005
5304199		2.24	0.003
5304200		0.04	1.19
5304201		2.30	0.003
5304202		2.38	0.014
5304203		2.36	0.005
5304204		1.32	0.006
5304205		1.00	0.006
5304206		2.40	0.008
5304207		2.22	0.011
5304208		2.24	0.016
5304209		2.28	0.006
5304210		0.74	0.002
5304211		2.30	0.016
5304212		1.74	0.003

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis											
RPT Date: Nov 02, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	2101113	< 0.5	< 0.5	0.0%	< 0.5	6	7	92%	90%	110%
Al	1	2101113	5.92	5.85	1.2%	< 0.01				80%	120%
As	1	2101113	7	6	15.4%	< 1				80%	120%
Ba	1	2101113	330	326	1.2%	5				80%	120%
Be	1	2101113	1.70	1.77	4.0%	< 0.5				80%	120%
Bi	1	2101113	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2101113	9.57	9.43	1.5%	< 0.01				80%	120%
Cd	1	2101113	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2101113	77	76	1.3%	< 1				80%	120%
Co	1	2101113	20.6	17.2	18.0%	< 0.5	5.9	5.0	119%	80%	120%
Cr	1	2101113	213	210	1.4%	0.6				80%	120%
Cs	1	2101113	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2101113	70.4	65.9	6.6%	< 0.5	4671	4700	99%	90%	110%
Fe	1	2101113	2.25	2.24	0.4%	< 0.01	1.55	1.55	100%	90%	110%
Ga	1	2101113	11	10	9.5%	< 5				80%	120%
In	1	2101113	< 1	< 1	0.0%	< 1				80%	120%
K	1	2101113	1.96	1.95	0.5%	< 0.01	2.8	2.99	94%	90%	110%
La	1	2101113	47	47	0.0%	< 2				80%	120%
Li	1	2101113	16	17	6.1%	< 1				80%	120%
Mg	1	2101113	1.57	1.55	1.3%	< 0.01				80%	120%
Mn	1	2101113	1580	1580	0.0%	< 1				80%	120%
Mo	1	2101113	4.10	3.24	23.4%	< 0.5				80%	120%
Na	1	2101113	2.69	2.65	1.5%	< 0.01				80%	120%
Ni	1	2101113	48.2	46.7	3.2%	< 0.5	7	7	98%	90%	110%
P	1	2101113	525	531	1.1%	< 10				80%	120%
Pb	1	2101113	29	28	3.5%	1	25	30	84%	80%	120%
Rb	1	2101113	124	125	0.8%	< 10				80%	120%
S	1	2101113	0.437	0.429	1.8%	< 0.005				80%	120%
Sb	1	2101113	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2101113	9	9	0.0%	< 1				80%	120%
Se	1	2101113	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2101113	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2101113	205	193	6.0%	< 1	454	390	116%	80%	120%
Ta	1	2101113	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2101113	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2101113	13	13	0.0%	< 5				80%	120%
Ti	1	2101113	0.257	0.252	2.0%	< 0.01				80%	120%
Tl	1	2101113	< 5	< 5	0.0%	< 5				80%	120%
U	1	2101113	< 5	< 5	0.0%	< 5				80%	120%
V	1	2101113	177	173	2.3%	< 0.5				80%	120%
W	1	2101113	< 1	< 1	0.0%	< 1				80%	120%
Y	1	2101113	29	29	0.0%	< 1				80%	120%
Zn	1	2101113	146	151	3.4%	< 0.5	33	32	103%	90%	110%
Zr	1	2101113	156	155	0.6%	< 5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)										
RPT Date: Nov 02, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	2101138	0.5	< 0.5		< 0.5			80%	120%
Al	1	2101138	5.69	6.14	7.6%	< 0.01			80%	120%
As	1	2101138	2	< 1		< 1			80%	120%
Ba	1	2101138	1050	908	14.5%	< 1			80%	120%
Be	1	2101138	2.6	2.5	3.9%	< 0.5			80%	120%
Bi	1	2101138	< 1	< 1	0.0%	< 1			80%	120%
Ca	1	2101138	0.333	0.348	4.4%	< 0.01			80%	120%
Cd	1	2101138	< 0.5	0.5		< 0.5			80%	120%
Ce	1	2101138	15	18	18.2%	< 1			80%	120%
Co	1	2101138	19.1	21.8	13.2%	< 0.5			80%	120%
Cr	1	2101138	545	532	2.4%	< 0.5			80%	120%
Cs	1	2101138	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Cu	1	2101138	41.8	40.2	3.9%	< 0.5			80%	120%
Fe	1	2101138	3.58	3.63	1.4%	< 0.01			80%	120%
Ga	1	2101138	12	11	8.7%	< 5			80%	120%
In	1	2101138	< 1	< 1	0.0%	< 1			80%	120%
K	1	2101138	1.54	2.40		< 0.01			80%	120%
La	1	2101138	10	11	9.5%	< 2			80%	120%
Li	1	2101138	31	31	0.0%	< 1			80%	120%
Mg	1	2101138	1.59	1.62	1.9%	< 0.01			80%	120%
Mn	1	2101138	492	487	1.0%	< 1			80%	120%
Mo	1	2101138	5.3	4.3	20.8%	< 0.5			80%	120%
Na	1	2101138	1.42	1.42	0.0%	< 0.01			80%	120%
Ni	1	2101138	62.3	57.7	7.7%	< 0.5			80%	120%
P	1	2101138	550	537	2.4%	< 10			80%	120%
Pb	1	2101138	11	11	0.0%	1			80%	120%
Rb	1	2101138	215	264	20.5%	< 10			80%	120%
S	1	2101138	0.667	0.664	0.5%	< 0.005			80%	120%
Sb	1	2101138	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2101138	8	8	0.0%	< 1			80%	120%
Se	1	2101138	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2101138	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2101138	73	86	16.4%	< 1			80%	120%
Ta	1	2101138	< 10	< 10	0.0%	< 10			80%	120%
Te	1	2101138	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2101138	10	8	22.2%	< 5			80%	120%
Ti	1	2101138	0.24	0.26	8.0%	< 0.01			80%	120%
Tl	1	2101138	< 5	< 5	0.0%	< 5			80%	120%
U	1	2101138	< 5	< 5	0.0%	< 5			80%	120%
V	1	2101138	190	180	5.4%	< 0.5			80%	120%
W	1	2101138	2	2	0.0%	< 1			80%	120%
Y	1	2101138	11	11	0.0%	< 1			80%	120%
Zn	1	2101138	94.4	88.2	6.8%	< 0.5			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)											
RPT Date: Nov 02, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Zr	1	2101138	122	117	4.2%	< 5				80%	120%
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	2101163	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Al	1	2101163	2.41	2.35	2.5%	< 0.01				80%	120%
As	1	2101163	2	3		< 1				80%	120%
Ba	1	2101163	446	435	2.5%	< 1				80%	120%
Be	1	2101163	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	2101163	< 1	2		< 1				80%	120%
Ca	1	2101163	0.98	0.99	1.0%	< 0.01				80%	120%
Cd	1	2101163	0.64	0.83	25.9%	< 0.5				80%	120%
Ce	1	2101163	39	39	0.0%	< 1				80%	120%
Co	1	2101163	8.9	10.3	14.6%	< 0.5				80%	120%
Cr	1	2101163	1100	1090	0.9%	< 0.5				80%	120%
Cs	1	2101163	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2101163	35.9	35.2	2.0%	< 0.5				80%	120%
Fe	1	2101163	1.70	1.68	1.2%	< 0.01				80%	120%
Ga	1	2101163	< 5	< 5	0.0%	< 5				80%	120%
In	1	2101163	3	< 1		< 1				80%	120%
K	1	2101163	1.59	1.61	1.3%	< 0.01				80%	120%
La	1	2101163	25	25	0.0%	< 2				80%	120%
Li	1	2101163	14	14	0.0%	< 1				80%	120%
Mg	1	2101163	0.911	0.917	0.7%	< 0.01				80%	120%
Mn	1	2101163	394	394	0.0%	< 1				80%	120%
Mo	1	2101163	8.05	6.86	16.0%	< 0.5				80%	120%
Na	1	2101163	0.35	0.35	0.0%	< 0.01				80%	120%
Ni	1	2101163	43.0	41.2	4.3%	< 0.5				80%	120%
P	1	2101163	214	205	4.3%	< 10				80%	120%
Pb	1	2101163	6	7	15.4%	< 1				80%	120%
Rb	1	2101163	67	62	7.8%	< 10				80%	120%
S	1	2101163	0.256	0.256	0.0%	< 0.005				80%	120%
Sb	1	2101163	4	4	0.0%	< 1				80%	120%
Sc	1	2101163	3	3	0.0%	< 1				80%	120%
Se	1	2101163	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2101163	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2101163	48	47	2.1%	< 1				80%	120%
Ta	1	2101163	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2101163	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2101163	5	5	0.0%	< 5				80%	120%
Ti	1	2101163	0.07	0.07	0.0%	< 0.01				80%	120%
Tl	1	2101163	< 5	< 5	0.0%	< 5				80%	120%
U	1	2101163	< 5	< 5	0.0%	< 5				80%	120%
V	1	2101163	75.0	77.1	2.8%	< 0.5				80%	120%
W	1	2101163	< 1	< 1	0.0%	< 1				80%	120%
Y	1	2101163	9	9	0.0%	< 1				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.


AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)												
RPT Date: Nov 02, 2010		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Zn	1	2101163	228	221	3.1%	< 0.5				80%	120%	
Zr	1	2101163	35	34	2.9%	< 5				80%	120%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2101124	0.011	0.011	0.0%	< 0.001	0.277	0.321	86%	80%	120%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2101138	0.0038	0.0046	19.0%	< 0.001	0.198	0.205	97%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2101150	0.0029	0.0022	27.5%	< 0.001		0.031		70%	130%	

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U448676

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5304213	<0.5	4.44	6	628	2.0	<1	0.40	<0.5	40	23.9	279	<0.5	16.6	2.90
E5304214	<0.5	5.38	4	777	2.5	<1	0.49	<0.5	35	24.1	240	<0.5	15.0	3.24
E5304215	<0.5	5.51	7	756	2.2	<1	0.41	<0.5	42	18.7	258	<0.5	8.4	3.26
E5304216	<0.5	4.39	5	654	1.8	<1	0.26	<0.5	30	15.7	247	<0.5	5.1	2.74
E5304217	<0.5	4.81	7	736	2.1	<1	0.54	<0.5	29	15.9	306	<0.5	21.8	3.27
E5304218	<0.5	5.09	6	644	1.8	<1	0.61	<0.5	30	19.7	314	<0.5	9.4	3.35
E5304219	<0.5	4.81	6	655	1.8	<1	0.53	<0.5	45	15.3	428	<0.5	3.8	2.71
E5304220	2.3	3.40	20	541	0.9	2	0.67	<0.5	9	8.0	30.1	<0.5	40.9	2.41
E5304221	<0.5	5.09	9	605	1.3	<1	2.80	<0.5	24	15.1	286	<0.5	14.8	1.89
E5304222	<0.5	4.99	5	857	2.4	<1	0.19	<0.5	27	21.5	319	<0.5	<0.5	3.01
E5304223	<0.5	3.72	4	644	1.7	<1	0.19	<0.5	24	13.6	313	<0.5	8.8	2.16
E5304224	<0.5	5.40	5	695	2.5	<1	0.26	<0.5	27	20.7	294	<0.5	18.0	3.03
E5304225	<0.5	3.92	9	552	1.0	<1	2.81	<0.5	74	11.9	336	<0.5	13.2	1.39
E5304226	<0.5	3.53	4	561	1.5	<1	0.28	<0.5	32	10.4	264	<0.5	7.9	1.81
E5304227	<0.5	5.12	6	410	2.5	<1	0.22	<0.5	26	22.0	302	<0.5	30.4	3.10
E5304228	<0.5	4.92	4	496	2.6	<1	0.45	<0.5	28	25.0	299	<0.5	29.1	3.45
E5304229	<0.5	5.58	6	659	2.4	<1	0.54	<0.5	43	21.5	295	<0.5	6.4	3.50
E5304230	<0.5	5.35	9	693	1.7	<1	1.88	<0.5	22	12.6	48.7	<0.5	48.2	3.56
E5304231	<0.5	5.72	7	551	2.4	<1	0.68	<0.5	92	26.1	284	<0.5	13.2	4.00
E5304232	<0.5	5.56	6	549	2.6	<1	0.60	<0.5	26	21.7	267	<0.5	19.1	3.98
E5304233	<0.5	5.73	4	822	2.6	<1	0.31	<0.5	23	19.2	282	<0.5	32.5	2.95
E5304234	<0.5	3.37	8	599	1.4	<1	1.72	<0.5	23	16.7	271	<0.5	9.0	1.86
E5304235	<0.5	4.12	5	728	2.2	<1	0.48	<0.5	22	18.4	258	<0.5	21.2	3.15
E5304236	<0.5	3.40	5	671	2.0	<1	0.45	<0.5	20	21.0	248	<0.5	21.6	2.60
E5304237	<0.5	4.95	4	807	2.8	<1	0.31	<0.5	41	21.2	266	<0.5	32.3	3.52
E5304238	<0.5	4.11	5	731	2.9	<1	0.30	<0.5	31	28.8	248	<0.5	32.6	3.33
E5304239	<0.5	4.60	5	730	2.4	<1	0.31	<0.5	31	22.3	257	<0.5	27.5	3.16
E5304240	3.2	0.44	209	557	<0.5	71	0.01	<0.5	21	3.7	32.5	<0.5	89.1	5.59
E5304241	<0.5	4.35	3	801	2.8	<1	0.31	<0.5	43	22.0	258	<0.5	31.9	3.33
E5304242	<0.5	5.93	6	558	2.9	<1	0.32	<0.5	45	22.7	247	<0.5	27.9	3.65
E5304243	<0.5	4.41	6	619	2.7	<1	0.81	<0.5	38	20.1	239	<0.5	39.6	3.45
E5304244	<0.5	4.95	4	671	2.8	<1	0.38	<0.5	26	20.9	237	<0.5	25.1	3.19

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5304245	<0.5	4.94	6	703	2.8	<1	0.57	<0.5	36	21.0	271	<0.5	28.7	4.14
E5304246	<0.5	5.40	6	713	2.9	<1	1.01	<0.5	45	24.8	264	<0.5	39.8	4.31
E5304247	<0.5	4.54	6	584	2.2	<1	0.87	<0.5	51	18.8	247	<0.5	24.5	3.24
E5304248	<0.5	3.64	6	436	1.9	<1	0.89	<0.5	34	17.7	284	<0.5	23.8	2.92
E5304249	<0.5	4.71	4	504	2.6	<1	0.67	<0.5	36	24.5	244	<0.5	31.0	4.16
E5304250	2.3	0.45	124	364	<0.5	98	0.01	<0.5	20	3.8	34.8	<0.5	65.8	4.66
E5304251	<0.5	4.99	5	543	2.8	<1	0.82	<0.5	36	25.6	225	<0.5	33.3	4.23
E5304252	<0.5	4.71	7	473	2.0	<1	1.30	<0.5	39	20.6	250	<0.5	16.9	3.24
E5304253	0.5	5.33	7	585	2.9	<1	1.29	<0.5	44	28.4	243	<0.5	36.3	4.19
E5304254	<0.5	5.00	7	588	2.7	<1	1.24	<0.5	42	25.2	258	<0.5	27.0	4.16
E5304255	<0.5	5.02	7	484	2.1	<1	2.19	<0.5	42	20.3	274	<0.5	23.6	3.34
E5304256	<0.5	5.44	8	660	3.0	<1	1.72	<0.5	59	23.7	228	<0.5	26.4	3.88
E5304257	<0.5	4.04	6	530	2.9	<1	0.80	<0.5	34	24.1	203	<0.5	15.3	3.92
E5304258	<0.5	4.03	5	563	2.4	<1	0.99	<0.5	33	24.0	282	<0.5	40.0	3.68
E5304259	<0.5	5.03	6	542	2.6	<1	1.32	<0.5	47	24.2	252	<0.5	36.1	4.06
E5304260	<0.5	0.60	2	26	<0.5	<1	0.03	<0.5	25	3.2	663	<0.5	<0.5	1.26
E5304261	<0.5	4.32	8	629	2.7	<1	0.67	<0.5	49	24.3	269	<0.5	46.4	3.58
E5304262	<0.5	5.08	4	845	3.8	<1	0.25	<0.5	37	31.5	213	<0.5	58.4	4.06
E5304263	<0.5	4.84	4	821	3.7	<1	0.26	<0.5	42	23.9	229	<0.5	50.7	4.15
E5304264	<0.5	5.11	4	740	3.5	<1	0.30	<0.5	39	30.9	249	<0.5	49.1	3.51
E5304265	<0.5	5.68	8	651	3.7	<1	0.86	<0.5	51	32.6	199	<0.5	30.5	4.33
E5304266	<0.5	4.85	9	550	2.1	<1	0.59	<0.5	29	26.9	360	<0.5	27.2	3.52
E5304267	<0.5	5.35	8	607	2.6	<1	0.75	<0.5	49	30.0	271	<0.5	69.9	4.05

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5304213		14	10	1.72	20	20	1.47	395	3.8	1.52	52.7	443	10	124	0.415
E5304214		17	3	2.10	17	27	1.65	434	4.7	2.14	64.0	519	11	132	0.410
E5304215		17	5	1.95	21	23	1.61	421	3.9	2.10	57.1	468	9	134	0.435
E5304216		15	9	1.79	14	20	1.38	347	3.9	1.62	45.3	403	8	101	0.385
E5304217		18	<1	1.90	13	25	1.78	542	6.0	1.59	65.1	439	8	116	0.502
E5304218		16	3	1.85	13	21	1.82	502	5.8	1.82	85.6	383	11	113	0.744
E5304219		16	5	1.90	23	21	1.42	440	5.2	1.89	55.8	465	8	117	0.333
E5304220		11	<1	5.63	<2	9	0.12	217	464	0.32	34.6	495	26	181	2.03
E5304221		16	<1	2.03	13	18	1.07	720	3.5	2.30	59.1	369	7	110	0.334
E5304222		18	7	2.64	12	29	1.41	377	5.7	1.59	48.7	441	6	154	0.395
E5304223		13	5	1.72	11	17	0.91	241	4.3	1.11	40.9	307	6	127	0.360
E5304224		20	7	2.71	12	27	1.40	365	5.9	1.66	60.0	471	7	172	0.495
E5304225		11	<1	1.34	44	10	0.49	613	4.8	1.97	27.0	238	4	69	0.347
E5304226		12	3	1.72	17	16	0.78	215	3.2	0.93	34.2	279	5	117	0.316
E5304227		19	1	2.48	12	28	1.31	366	4.5	1.56	56.7	415	5	156	0.583
E5304228		17	7	2.47	12	28	1.48	461	8.8	1.80	67.5	513	7	171	0.754
E5304229		20	4	2.05	21	24	1.55	544	5.0	1.93	64.5	487	6	128	0.606
E5304230		15	2	0.91	10	13	0.96	1110	6.2	2.06	32.5	653	6	49	0.035
E5304231		20	3	1.80	49	22	1.73	640	3.6	2.40	81.0	552	7	101	0.651
E5304232		20	3	2.04	10	24	1.79	637	3.0	2.18	81.0	606	7	106	0.517
E5304233		15	2	2.20	10	23	1.36	417	4.4	1.59	56.6	459	6	175	0.493
E5304234		12	<1	1.50	11	14	0.84	544	3.3	1.86	42.6	322	6	70	0.352
E5304235		18	15	2.14	9	23	1.64	566	4.5	1.87	62.9	439	7	136	0.442
E5304236		15	<1	1.85	10	20	1.28	460	3.3	1.63	57.4	409	6	132	0.409
E5304237		19	<1	2.42	20	28	1.62	534	3.5	1.93	73.3	542	8	179	0.670
E5304238		18	3	2.53	14	29	1.64	528	4.7	1.87	70.5	492	9	137	0.588
E5304239		17	4	2.16	15	26	1.52	504	3.7	1.71	65.7	459	7	137	0.514
E5304240		<5	7	0.05	5	<1	<0.01	125	18.8	0.01	11.3	161	98	<10	0.142
E5304241		18	<1	2.41	22	31	1.72	505	3.5	2.03	77.4	527	8	157	0.493
E5304242		19	2	2.56	22	30	1.68	538	4.9	1.92	73.7	545	8	172	0.652
E5304243		18	2	2.52	18	29	1.85	658	3.5	1.75	72.1	500	13	126	0.609
E5304244		18	<1	2.57	11	29	1.65	559	4.8	1.79	62.8	528	11	150	0.605

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5304245	20	<1	1.99	16	28	1.89	760	3.9	2.13	93.9	614	7	101	0.518
E5304246	20	3	2.13	21	29	1.84	841	3.6	2.06	102	631	7	112	0.633
E5304247	14	2	1.85	26	23	1.45	608	4.5	1.90	70.7	483	7	104	0.482
E5304248	14	2	1.30	18	18	1.37	586	2.7	1.74	73.6	369	6	86	0.450
E5304249	18	<1	1.77	16	25	1.97	870	4.5	2.36	96.2	594	8	81	0.593
E5304250	<5	7	0.08	6	<1	<0.01	125	17.8	0.01	9.4	166	157	<10	0.213
E5304251	19	3	1.93	16	26	1.82	778	4.3	2.29	95.4	598	8	92	0.575
E5304252	15	1	1.36	19	19	1.46	709	4.5	1.95	72.0	468	6	86	0.483
E5304253	19	2	1.65	22	25	1.85	878	3.9	2.51	105	636	7	94	0.640
E5304254	20	7	1.62	20	25	1.88	880	5.0	2.42	96.1	580	8	92	0.558
E5304255	17	<1	1.48	22	20	1.55	877	4.3	2.32	71.3	513	8	95	0.416
E5304256	19	8	1.94	31	25	1.88	910	5.5	2.56	80.5	645	8	133	0.484
E5304257	20	<1	1.68	15	23	1.69	743	4.3	2.53	83.4	579	9	69	0.622
E5304258	17	2	1.61	14	21	1.61	727	4.4	2.17	92.1	548	7	75	0.537
E5304259	19	2	1.53	23	21	1.86	860	3.9	2.63	91.7	585	6	83	0.560
E5304260	<5	<1	0.04	13	8	0.04	57	7.4	0.02	7.8	106	1	<10	<0.005
E5304261	18	2	1.97	25	23	1.75	600	5.1	1.90	82.3	535	8	135	0.580
E5304262	19	4	3.02	17	29	1.90	526	8.1	1.48	97.5	647	9	155	0.676
E5304263	22	3	2.98	19	27	1.81	507	7.3	1.46	90.7	687	7	132	0.674
E5304264	19	<1	3.03	18	27	1.51	352	5.3	1.32	72.4	577	7	183	0.788
E5304265	22	2	3.70	26	33	2.07	618	8.5	1.03	80.5	680	7	192	0.814
E5304266	15	2	2.41	14	20	1.76	472	5.7	1.23	65.5	485	8	136	0.591
E5304267	20	<1	3.00	24	25	2.26	470	5.3	1.20	89.7	567	6	151	0.440

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5304213	<1	9	<10	<5	75	<10	<10	27	0.22	<5	<5	161	5	11
E5304214	<1	10	<10	<5	94	<10	<10	28	0.28	<5	<5	203	4	10
E5304215	<1	9	<10	<5	100	<10	<10	30	0.24	<5	<5	172	4	10
E5304216	<1	7	<10	<5	77	<10	<10	24	0.20	<5	<5	145	4	9
E5304217	<1	8	<10	<5	78	<10	<10	31	0.21	<5	<5	162	6	9
E5304218	<1	8	<10	<5	86	<10	<10	31	0.20	<5	<5	148	4	10
E5304219	<1	9	<10	<5	87	<10	<10	26	0.23	<5	<5	170	3	9
E5304220	<1	<1	<10	<5	347	<10	<10	6	0.06	<5	<5	71.7	2	3
E5304221	<1	8	<10	<5	103	<10	<10	22	0.18	<5	<5	132	1	12
E5304222	<1	8	<10	<5	85	<10	<10	29	0.25	<5	<5	178	4	7
E5304223	<1	6	<10	<5	64	<10	<10	21	0.17	<5	<5	116	3	8
E5304224	<1	9	<10	<5	80	<10	<10	26	0.26	<5	<5	176	4	9
E5304225	<1	5	<10	<5	131	<10	<10	16	0.13	<5	<5	72.4	1	17
E5304226	<1	6	<10	<5	59	<10	<10	20	0.16	<5	<5	106	2	8
E5304227	<1	9	<10	<5	75	<10	<10	27	0.23	<5	<5	168	4	9
E5304228	<1	8	<10	<5	79	<10	<10	30	0.29	<5	<5	182	4	12
E5304229	<1	10	<10	<5	103	<10	<10	31	0.26	<5	<5	183	3	13
E5304230	<1	11	<10	<5	257	<10	<10	18	0.28	<5	<5	197	1	14
E5304231	<1	10	<10	<5	122	<10	<10	30	0.30	<5	<5	203	4	13
E5304232	<1	10	<10	<5	117	<10	<10	30	0.31	<5	<5	207	3	10
E5304233	<1	11	<10	<5	99	<10	<10	28	0.29	<5	<5	175	3	12
E5304234	<1	5	<10	<5	115	<10	<10	22	0.17	<5	<5	116	2	10
E5304235	<1	7	<10	<5	91	<10	<10	32	0.25	<5	<5	171	3	9
E5304236	<1	6	<10	<5	86	<10	<10	26	0.23	<5	<5	158	3	9
E5304237	<1	9	<10	<5	103	<10	<10	34	0.29	<5	<5	190	4	13
E5304238	<1	7	<10	<5	84	<10	<10	27	0.29	<5	<5	188	4	9
E5304239	<1	8	<10	<5	90	<10	<10	31	0.26	<5	<5	170	5	10
E5304240	6	<1	<10	<5	63	10	11	6	0.08	<5	<5	50.4	23	1
E5304241	<1	8	<10	<5	105	<10	<10	32	0.31	<5	<5	204	3	12
E5304242	<1	11	<10	<5	103	<10	<10	31	0.31	<5	<5	197	4	13
E5304243	<1	8	<10	<5	86	<10	<10	30	0.28	<5	<5	188	3	9
E5304244	<1	9	<10	<5	95	<10	<10	29	0.29	<5	<5	191	4	9

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5304245	<1	10	<10	<5	108	<10	<10	32	0.32	<5	<5	229	3	9
E5304246	<1	11	<10	<5	114	<10	<10	31	0.33	<5	<5	238	4	11
E5304247	<1	9	<10	<5	117	<10	<10	25	0.27	<5	<5	172	3	10
E5304248	<1	8	<10	<5	95	<10	<10	25	0.24	<5	<5	163	2	11
E5304249	<1	9	<10	<5	99	<10	<10	30	0.33	<5	<5	237	3	9
E5304250	8	<1	<10	7	115	<10	<10	7	0.07	<5	<5	55.4	3	1
E5304251	<1	10	<10	<5	111	<10	<10	29	0.34	<5	<5	225	3	9
E5304252	<1	10	<10	<5	114	<10	<10	28	0.25	<5	<5	177	3	11
E5304253	<1	12	<10	<5	133	<10	<10	34	0.37	<5	<5	242	4	13
E5304254	<1	11	<10	<5	134	<10	<10	30	0.32	<5	<5	231	3	12
E5304255	<1	11	<10	<5	133	<10	<10	28	0.29	<5	<5	199	3	14
E5304256	<1	13	<10	<5	158	<10	<10	33	0.36	<5	<5	268	4	16
E5304257	<1	8	<10	<5	125	11	<10	29	0.36	<5	<5	220	3	8
E5304258	<1	9	<10	<5	111	<10	<10	29	0.30	<5	<5	222	3	9
E5304259	<1	11	<10	<5	134	<10	<10	30	0.33	<5	<5	227	4	12
E5304260	5	<1	<10	<5	5	<10	<10	5	0.05	<5	<5	12.9	1	3
E5304261	<1	9	<10	<5	93	<10	<10	27	0.32	<5	<5	201	3	12
E5304262	<1	11	<10	<5	71	<10	<10	31	0.37	<5	<5	258	5	10
E5304263	<1	10	<10	<5	72	<10	<10	31	0.38	<5	<5	259	5	9
E5304264	<1	10	<10	<5	80	<10	<10	32	0.32	<5	<5	221	5	10
E5304265	<1	12	<10	<5	64	12	<10	33	0.37	<5	<5	263	4	11
E5304266	<1	10	<10	<5	64	<10	<10	31	0.25	<5	<5	185	4	10
E5304267	<1	12	<10	<5	61	<10	<10	31	0.28	<5	<5	236	4	11

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
E5304213		34.4	101
E5304214		35.7	113
E5304215		35.7	108
E5304216		40.9	96
E5304217		60.9	106
E5304218		44.5	98
E5304219		34.9	111
E5304220		314	51
E5304221		26.6	97
E5304222		41.9	115
E5304223		25.9	87
E5304224		33.3	111
E5304225		11.2	67
E5304226		24.0	77
E5304227		29.0	120
E5304228		37.3	136
E5304229		40.7	113
E5304230		60.0	47
E5304231		46.6	114
E5304232		50.0	115
E5304233		40.0	120
E5304234		22.0	85
E5304235		41.6	116
E5304236		39.3	106
E5304237		47.4	132
E5304238		40.9	126
E5304239		46.3	111
E5304240		8.5	29
E5304241		37.1	123
E5304242		36.0	127
E5304243		32.6	119
E5304244		47.1	123

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5304245	57.4	122
E5304246	53.7	125
E5304247	37.7	97
E5304248	40.5	94
E5304249	61.1	120
E5304250	7.1	27
E5304251	49.4	119
E5304252	52.7	99
E5304253	56.2	127
E5304254	55.7	119
E5304255	41.1	102
E5304256	56.0	112
E5304257	50.3	114
E5304258	44.8	112
E5304259	49.4	117
E5304260	6.0	28
E5304261	35.1	106
E5304262	28.6	135
E5304263	31.1	139
E5304264	20.7	139
E5304265	27.8	139
E5304266	25.3	106
E5304267	28.2	121

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
E5304213		1.42	0.004
E5304214		1.52	0.002
E5304215		2.28	0.016
E5304216		2.18	0.009
E5304217		2.12	0.024
E5304218		1.96	0.008
E5304219		2.36	0.006
E5304220		0.10	4.48
E5304221		2.56	0.006
E5304222		2.40	0.012
E5304223		2.36	0.006
E5304224		2.20	0.006
E5304225		2.12	0.012
E5304226		2.36	0.008
E5304227		2.08	0.009
E5304228		2.22	0.018
E5304229		2.18	0.008
E5304230		0.10	0.011
E5304231		2.52	0.007
E5304232		2.30	0.010
E5304233		2.24	0.004
E5304234		2.14	0.010
E5304235		2.10	0.009
E5304236		2.48	0.005
E5304237		2.36	0.011
E5304238		2.32	0.009
E5304239		2.20	0.007
E5304240		0.10	0.754
E5304241		2.12	0.011
E5304242		2.02	0.006
E5304243		2.16	0.006
E5304244		2.08	0.008

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U449769

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 04, 2010

DATE RECEIVED: Nov 05, 2010

DATE REPORTED: Nov 05, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.001
E5304245		2.14	0.005
E5304246		2.28	0.005
E5304247		2.24	0.005
E5304248		2.26	0.004
E5304249		2.20	0.006
E5304250		0.10	1.14
E5304251		2.18	0.008
E5304252		2.14	0.005
E5304253		2.14	0.006
E5304254		2.20	0.016
E5304255		2.14	0.003
E5304256		2.18	0.005
E5304257		2.22	0.008
E5304258		2.58	0.004
E5304259		2.24	0.005
E5304260		0.60	0.001
E5304261		2.14	0.003
E5304262		1.96	0.009
E5304263		1.32	0.005
E5304264		1.42	0.006
E5304265		1.58	0.007
E5304266		1.66	0.005
E5304267		1.42	0.004

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U449769

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis											
RPT Date: Nov 05, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)											
Au	1	2108318	0.006	0.006	0.0%	< 0.001	0.18	0.205	88%	80%	120%
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	2108326	< 0.5	< 0.5	0.0%	< 0.5	7	7	101%	90%	110%
Al	1	2108326	5.56	5.22	6.3%	< 0.01				80%	120%
As	1	2108326	6	5	18.2%	< 1				80%	120%
Ba	1	2108326	549	457	18.3%	2				80%	120%
Be	1	2108326	2.6	2.6	0.0%	< 0.5				80%	120%
Bi	1	2108326	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2108326	0.598	0.573	4.3%	< 0.01	0.68	0.55	124%	70%	130%
Cd	1	2108326	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2108326	26	26	0.0%	< 1				80%	120%
Co	1	2108326	21.7	22.7	4.5%	< 0.5	5.9	5.0	118%	80%	120%
Cr	1	2108326	267	268	0.4%	6.0				80%	120%
Cs	1	2108326	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2108326	19.1	19.6	2.6%	< 0.5	4822	4700	103%	90%	110%
Fe	1	2108326	3.98	3.94	1.0%	< 0.01	1.45	1.55	94%	90%	110%
Ga	1	2108326	20	20	0.0%	< 5				80%	120%
In	1		5	3		< 1				80%	120%
K	1	2108326	2.04	2.07	1.5%	< 0.01	3	2.99	100%	90%	110%
La	1	2108326	10	10	0.0%	< 2				80%	120%
Li	1	2108326	24	24	0.0%	< 1				80%	120%
Mg	1	2108326	1.79	1.77	1.1%	< 0.01				80%	120%
Mn	1	2108326	637	640	0.5%	2				80%	120%
Mo	1	2108326	2.99	3.78	23.3%	11.0	355	280	127%	70%	130%
Na	1	2108326	2.18	2.18	0.0%	< 0.01				80%	120%
Ni	1	2108326	81.0	81.6	0.7%	< 0.5				80%	120%
P	1	2108326	606	601	0.8%	< 10				80%	120%
Pb	1	2108326	7	7	0.0%	2	26	30	85%	80%	120%
Rb	1	2108326	106	98	7.8%	< 10				80%	120%
S	1	2108326	0.517	0.515	0.4%	< 0.005				80%	120%
Sb	1	2108326	< 1	< 1	0.0%	16				80%	120%
Sc	1	2108326	10	9	10.5%	< 1				80%	120%
Se	1	2108326	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2108326	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2108326	117	115	1.7%	< 1	398	390	102%	90%	110%
Ta	1	2108326	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2108326	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2108326	30	31	3.3%	< 5				80%	120%
Ti	1	2108326	0.31	0.31	0.0%	< 0.01				80%	120%
Tl	1	2108326	< 5	< 5	0.0%	< 5				80%	120%
U	1	2108326	< 5	< 5	0.0%	< 5				80%	120%
V	1	2108326	207	211	1.9%	< 0.5				80%	120%
W	1	2108326	3	3	0.0%	16				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U449769

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Nov 05, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Y	1	2108326	10	10	0.0%	< 1				80%	120%	
Zn	1	2108326	50.0	49.0	2.0%	4.9	30	32	92%	90%	110%	
Zr	1	2108326	115	120	4.3%	< 5				80%	120%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2108332	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Al	1	2108332	4.11	4.21	2.4%	< 0.01				80%	120%	
As	1	2108332	5	4	22.2%	< 1				80%	120%	
Ba	1	2108332	731	812	10.5%	< 1				80%	120%	
Be	1	2108332	2.9	2.9	0.0%	< 0.5				80%	120%	
Bi	1	2108332	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2108332	0.30	0.30	0.0%	< 0.01				80%	120%	
Cd	1	2108332	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2108332	31	31	0.0%	< 1				80%	120%	
Co	1	2108332	28.8	26.8	7.2%	< 0.5				80%	120%	
Cr	1	2108332	248	251	1.2%	2.3				80%	120%	
Cs	1	2108332	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2108332	32.6	31.1	4.7%	< 0.5				80%	120%	
Fe	1	2108332	3.33	3.23	3.0%	< 0.01				80%	120%	
Ga	1	2108332	18	18	0.0%	< 5				80%	120%	
In	1	2108332	3	5		< 1				80%	120%	
K	1	2108332	2.53	2.44	3.6%	< 0.01				80%	120%	
La	1	2108332	14	14	0.0%	< 2				80%	120%	
Li	1	2108332	29	29	0.0%	< 1				80%	120%	
Mg	1	2108332	1.64	1.63	0.6%	< 0.01				80%	120%	
Mn	1	2108332	528	540	2.2%	< 1				80%	120%	
Mo	1	2108332	4.73	4.83	2.1%	< 0.5				80%	120%	
Na	1	2108332	1.87	1.81	3.3%	< 0.01				80%	120%	
Ni	1	2108332	70.5	74.1	5.0%	< 0.5				80%	120%	
P	1	2108332	492	499	1.4%	< 10				80%	120%	
Pb	1	2108332	9	8	11.8%	< 1				80%	120%	
Rb	1	2108332	137	165	18.5%	< 10				80%	120%	
S	1	2108332	0.588	0.564	4.2%	< 0.005				80%	120%	
Sb	1	2108332	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2108332	7	8	13.3%	< 1				80%	120%	
Se	1	2108332	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2108332	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2108332	84	88	4.7%	< 1				80%	120%	
Ta	1	2108332	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2108332	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2108332	27	30	10.5%	< 5				80%	120%	
Ti	1	2108332	0.29	0.29	0.0%	< 0.01				80%	120%	
Tl	1	2108332	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2108332	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2108332	188	197	4.7%	< 0.5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U449769

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Nov 05, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
W	1	2108332	4	4	0.0%	< 1				80%	120%
Y	1	2108332	9	10	10.5%	< 1				80%	120%
Zn	1	2108332	40.9	41.7	1.9%	< 0.5				80%	120%
Zr	1	2108332	126	129	2.4%	< 5				80%	120%
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	2108357	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Al	1	2108357	4.84	5.68	16.0%	< 0.01				80%	120%
As	1	2108357	4	5	22.2%	< 1				80%	120%
Ba	1	2108357	821	882	7.2%	< 1				80%	120%
Be	1	2108357	3.72	3.76	1.1%	< 0.5				80%	120%
Bi	1	2108357	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2108357	0.26	0.30	14.3%	< 0.01				80%	120%
Cd	1	2108357	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2108357	42	50	17.4%	< 1				80%	120%
Co	1	2108357	23.9	23.4	2.1%	< 0.5				80%	120%
Cr	1	2108357	229	260	12.7%	< 0.5				80%	120%
Cs	1	2108357	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2108357	50.7	53.9	6.1%	< 0.5				80%	120%
Fe	1	2108357	4.15	4.22	1.7%	< 0.01				80%	120%
Ga	1	2108357	22	24	8.7%	< 5				80%	120%
In	1	2108357	3	4	28.6%	< 1				80%	120%
K	1	2108357	2.98	2.99	0.3%	< 0.01				80%	120%
La	1	2108357	19	24	23.3%	< 2				80%	120%
Li	1	2108357	27	28	3.6%	< 1				80%	120%
Mg	1	2108357	1.81	1.95	7.4%	< 0.01				80%	120%
Mn	1	2108357	507	543	6.9%	< 1				80%	120%
Mo	1	2108357	7.3	8.2	11.6%	< 0.5				80%	120%
Na	1	2108357	1.46	1.48	1.4%	< 0.01				80%	120%
Ni	1	2108357	90.7	91.5	0.9%	< 0.5				80%	120%
P	1	2108357	687	712	3.6%	< 10				80%	120%
Pb	1	2108357	7	7	0.0%	< 1				80%	120%
Rb	1	2108357	132	187		< 10				80%	120%
S	1	2108357	0.674	0.676	0.3%	< 0.005				80%	120%
Sb	1	2108357	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2108357	10	12	18.2%	< 1				80%	120%
Se	1	2108357	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2108357	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2108357	72	78	8.0%	< 1				80%	120%
Ta	1	2108357	9	11	20.0%	< 10				80%	120%
Te	1	2108357	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2108357	31	35	12.1%	< 5				80%	120%
Ti	1	2108357	0.38	0.37	2.7%	< 0.01				80%	120%
Tl	1	2108357	< 5	< 5	0.0%	< 5				80%	120%
U	1	2108357	< 5	< 5	0.0%	< 5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U449769

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Nov 05, 2010		REPLICATE					Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
V	1	2108357	259	261	0.8%	< 0.5			80%	120%	
W	1	2108357	5	5	0.0%	< 1			80%	120%	
Y	1	2108357	9	12	28.6%	< 1			80%	120%	
Zn	1	2108357	31.1	32.7	5.0%	< 0.5			80%	120%	
Zr	1	2108357	139	141	1.4%	< 5			80%	120%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)											
Au	1	2108332	0.009	0.008	11.8%	< 0.001		0.031	70%	130%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)											
Au	1	2108345	0.008	0.005		< 0.001		0.031	70%	130%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)											
Au	1	2108357	0.005	0.005	0.0%	< 0.001		0.031	70%	130%	

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U449769

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: BOB KOMARECHKA

PROJECT NO:

AGAT WORK ORDER: 10U451176

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 10, 2010

PAGES (INCLUDING COVER): 22

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010	DATE RECEIVED: Nov 10, 2010							DATE REPORTED: Nov 10, 2010					SAMPLE TYPE: Rock		
Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01	
5304267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5304268	<0.5	3.80	8	439	1.7	<1	0.57	<0.5	8	21.0	251	<0.5	22.0	2.44	
5304269	<0.5	1.63	12	89	<0.5	3	3.38	<0.5	18	5.1	290	<0.5	70.6	0.76	
5304270	2.5	3.09	13	960	0.9	2	0.60	<0.5	<1	6.7	28.9	<0.5	35.6	2.14	
5304271	<0.5	4.18	12	246	0.8	2	4.39	<0.5	53	12.7	308	<0.5	54.5	1.37	
5304272	<0.5	2.67	8	211	<0.5	<1	1.84	<0.5	32	7.5	431	<0.5	34.2	0.87	
5304273	0.6	5.27	9	700	2.3	<1	0.42	<0.5	13	24.7	252	<0.5	31.6	3.62	
5304274	<0.5	5.53	17	598	2.2	4	2.09	0.6	53	41.0	210	<0.5	81.1	3.99	
5304275	<0.5	4.54	66	344	1.4	5	3.90	<0.5	32	41.2	314	<0.5	95.2	2.99	
5304276	0.6	5.11	9	557	1.9	<1	0.37	<0.5	25	17.1	193	<0.5	26.1	2.89	
5304277	<0.5	4.29	9	600	2.3	<1	0.34	<0.5	14	26.9	234	<0.5	38.1	3.45	
5304278	<0.5	3.53	7	377	1.7	1	0.45	<0.5	15	19.4	402	<0.5	26.0	2.89	
5304279	<0.5	3.45	4	436	2.2	<1	0.40	<0.5	3	18.2	199	<0.5	26.5	3.35	
5304280	<0.5	3.66	5	622	1.7	<1	1.52	<0.5	<1	10.1	42.5	<0.5	43.6	2.88	
5304281	<0.5	3.43	7	381	2.2	<1	0.55	<0.5	7	21.9	234	<0.5	31.8	3.24	
5304282	<0.5	4.01	8	413	2.3	<1	0.98	<0.5	17	22.6	205	<0.5	31.6	3.39	
5304283	<0.5	4.50	10	483	2.3	<1	0.47	<0.5	13	31.8	304	<0.5	40.9	3.71	
5304284	<0.5	4.18	7	475	1.7	<1	0.92	<0.5	17	19.0	258	<0.5	39.8	3.21	
5304285	<0.5	4.20	7	442	2.1	<1	0.46	<0.5	20	21.3	219	<0.5	26.6	3.20	
5304286	<0.5	4.37	6	418	2.2	<1	0.56	<0.5	16	19.1	244	<0.5	26.2	3.28	
5304287	<0.5	3.58	6	304	1.6	<1	0.76	<0.5	15	16.8	229	<0.5	19.5	2.68	
5304288	0.6	4.20	5	369	2.1	<1	0.74	<0.5	19	19.9	228	<0.5	19.7	3.29	
5304289	<0.5	4.42	10	362	2.1	<1	0.55	<0.5	30	24.3	240	<0.5	19.8	3.48	
5304290	3.0	0.40	189	522	<0.5	68	0.01	<0.5	<1	3.0	26.2	<0.5	79.9	4.74	
5304291	<0.5	3.21	6	288	1.3	<1	0.38	<0.5	14	15.4	422	<0.5	17.9	2.52	
5304292	<0.5	4.68	4	452	2.1	<1	0.33	<0.5	18	23.1	213	<0.5	23.4	3.27	
5304293	<0.5	5.07	5	488	2.9	<1	0.46	<0.5	33	23.0	217	<0.5	41.7	3.49	
5304294	0.5	4.77	4	494	2.9	<1	0.21	<0.5	9	20.8	194	<0.5	69.3	3.54	
5304295	<0.5	3.59	5	320	1.7	<1	0.31	<0.5	20	16.9	253	<0.5	17.7	2.40	
5304296	<0.5	5.50	6	352	2.3	<1	0.32	<0.5	16	18.2	239	<0.5	28.9	3.06	
5304297	0.8	4.89	5	477	2.4	<1	0.22	<0.5	22	19.3	275	<0.5	38.1	3.15	
5304298	<0.5	4.08	5	349	1.6	<1	0.23	<0.5	20	21.4	298	<0.5	23.6	2.49	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
5304299	0.7	5.02	6	456	2.2	<1	0.26	<0.5	17	22.1	227	<0.5	44.0	2.98
5304300	2.3	0.43	103	409	<0.5	90	0.01	<0.5	<1	3.3	35.9	<0.5	58.0	4.21
5304301	<0.5	4.45	7	536	2.6	<1	0.44	<0.5	59	21.7	257	<0.5	39.7	2.80
5304302	<0.5	3.09	6	100	0.6	2	2.54	<0.5	15	8.9	281	<0.5	8.1	0.93
5304303	<0.5	4.30	8	234	1.2	<1	0.87	<0.5	14	14.5	232	<0.5	22.7	2.25
5304304	<0.5	5.05	6	326	1.6	<1	0.64	0.5	21	18.2	252	<0.5	54.3	2.35
5304305	<0.5	3.63	4	234	1.1	<1	0.73	<0.5	18	10.7	399	<0.5	58.9	1.68
5304306	0.6	5.53	6	434	2.2	<1	0.47	<0.5	27	17.3	207	<0.5	53.9	2.80
5304307	<0.5	3.76	9	299	1.1	<1	1.20	<0.5	14	13.5	329	<0.5	21.5	1.56
5304308	<0.5	3.79	5	319	1.5	<1	0.38	<0.5	14	15.1	301	<0.5	52.0	2.01
5304309	0.7	5.71	5	547	2.8	<1	0.23	<0.5	21	22.0	202	<0.5	62.1	2.69
5304310	<0.5	0.80	4	68	<0.5	<1	0.10	<0.5	22	5.1	701	<0.5	<0.5	1.20
5304311	<0.5	3.26	5	167	1.0	<1	0.20	<0.5	6	25.2	338	<0.5	70.9	1.48
5304312	0.5	3.76	4	30	0.8	<1	0.10	<0.5	<1	52.3	238	<0.5	<0.5	0.76
5304313	0.8	4.73	6	71	1.0	<1	0.14	<0.5	<1	49.2	298	<0.5	<0.5	1.18
5304314	<0.5	3.95	5	217	1.3	2	0.16	<0.5	5	23.6	336	<0.5	7.5	2.08
5304315	0.5	4.66	5	215	1.4	<1	0.18	<0.5	6	21.3	340	<0.5	<0.5	2.49
5304316	0.6	6.17	7	124	1.2	<1	0.20	<0.5	<1	36.0	234	<0.5	<0.5	3.59
5304317	0.6	7.10	9	91	1.2	<1	0.24	<0.5	<1	51.9	251	<0.5	<0.5	3.56
5304318	<0.5	6.10	8	359	1.7	1	0.19	<0.5	<1	20.5	234	<0.5	4.1	3.63
5304319	0.8	5.52	8	455	2.1	<1	0.17	<0.5	3	19.5	211	<0.5	97.8	2.88
5304320	3.4	4.30	13	727	0.9	2	0.66	<0.5	<1	6.5	28.6	<0.5	36.4	2.25
5304321	0.7	3.67	9	399	1.7	<1	0.21	<0.5	5	15.9	212	<0.5	<0.5	1.98
5304322	0.6	3.44	7	153	0.6	<1	0.15	<0.5	4	15.1	402	<0.5	<0.5	1.75
5304323	0.8	3.99	10	427	1.7	<1	0.27	<0.5	8	11.8	242	<0.5	9.5	1.80
5304324	0.6	4.49	7	480	2.2	<1	0.16	<0.5	17	15.7	202	<0.5	246	2.11
5304325	0.5	5.10	6	67	1.2	<1	0.15	<0.5	<1	33.1	189	<0.5	<0.5	2.13
5304326	1.0	5.88	8	170	1.5	<1	0.14	<0.5	<1	20.9	178	<0.5	14.2	2.81
5304327	0.6	5.76	11	174	1.2	4	0.15	<0.5	2	41.0	207	<0.5	<0.5	2.90
5304328	<0.5	4.69	4	84	1.1	<1	0.18	<0.5	7	36.1	274	<0.5	88.1	2.37
5304329	0.5	3.67	4	196	2.1	<1	0.50	<0.5	27	27.5	180	<0.5	36.7	2.59
5304330	<0.5	3.75	5	597	1.6	<1	1.54	<0.5	2	10.3	40.8	<0.5	42.4	2.88

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
5304331	<0.5	4.87	6	115	1.8	<1	0.45	<0.5	2	28.5	213	<0.5	<0.5	3.46
5304332	<0.5	5.21	4	122	1.8	1	0.25	0.5	5	36.9	177	<0.5	<0.5	3.44
5304333	<0.5	5.78	3	148	2.0	<1	0.31	<0.5	7	28.6	256	<0.5	<0.5	3.64
5304334	<0.5	5.23	4	120	1.7	<1	0.33	<0.5	<1	22.0	330	<0.5	<0.5	3.22
5304335	<0.5	5.85	4	166	2.0	<1	0.37	<0.5	<1	29.7	175	<0.5	<0.5	3.60
5304336	<0.5	4.57	3	255	1.9	1	0.23	<0.5	2	16.6	256	<0.5	<0.5	2.62
5304337	<0.5	5.98	4	148	1.9	<1	0.25	<0.5	<1	22.8	172	<0.5	<0.5	3.11
5304338	<0.5	6.96	4	87	1.7	1	0.24	<0.5	<1	18.9	193	<0.5	<0.5	2.94
5304339	<0.5	5.68	6	90	1.6	<1	0.22	<0.5	<1	18.4	250	<0.5	<0.5	2.59
5304340	0.6	5.24	307	465	2.8	<1	5.03	<0.5	<1	34.7	147	<0.5	131	8.96
5304341	<0.5	6.27	6	151	1.8	1	0.22	<0.5	21	18.8	263	<0.5	<0.5	3.17
5304342	<0.5	4.66	4	63	1.4	<1	0.21	<0.5	24	12.8	243	<0.5	<0.5	1.23
5304343	0.6	5.55	8	76	1.5	<1	0.24	<0.5	32	20.4	381	<0.5	<0.5	1.67
5304344	<0.5	4.57	3	121	1.8	<1	0.19	<0.5	<1	21.9	249	<0.5	<0.5	2.05
5304345	<0.5	4.94	5	240	2.3	2	0.25	<0.5	<1	21.4	210	<0.5	<0.5	2.97
5304346	0.5	5.42	4	212	2.3	<1	0.36	<0.5	17	18.2	161	<0.5	<0.5	3.51
5304347	<0.5	4.91	5	120	2.1	<1	0.32	<0.5	17	17.4	178	<0.5	<0.5	2.70
5304348	<0.5	5.12	3	183	2.2	<1	0.25	<0.5	11	16.5	231	<0.5	<0.5	3.33
5304349	<0.5	5.40	5	183	2.2	<1	0.38	<0.5	12	15.6	158	<0.5	<0.5	3.33
5304350	2.2	0.42	115	305	<0.5	89	0.01	<0.5	<1	3.2	27.5	<0.5	60.8	4.27
5304351	<0.5	5.06	6	234	1.9	2	0.56	<0.5	20	15.9	163	<0.5	<0.5	2.81
5304352	<0.5	5.27	4	274	2.1	<1	0.25	<0.5	28	15.4	163	<0.5	<0.5	2.89
5304353	<0.5	5.03	3	318	2.1	<1	0.21	<0.5	16	19.4	248	<0.5	<0.5	3.26

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010	DATE RECEIVED: Nov 10, 2010						DATE REPORTED: Nov 10, 2010					SAMPLE TYPE: Rock			
Analyte: Unit: Sample Description	Ga ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	
RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
5304267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5304268	16	-	2.67	7	19	1.48	344	4.8	1.01	51.1	412	4	137	0.491	
5304269	5	<1	1.09	11	7	1.07	670	6.0	0.34	24.2	151	5	37	0.084	
5304270	10	<1	5.57	<2	10	0.12	208	462	0.32	34.0	493	5	230	1.95	
5304271	10	<1	2.73	34	15	1.32	1050	5.8	0.86	33.3	300	4	92	0.318	
5304272	8	<1	1.75	21	8	0.83	390	7.3	0.65	25.7	185	4	64	0.107	
5304273	21	4	2.72	13	26	1.94	441	6.9	1.32	89.7	590	10	111	0.280	
5304274	19	3	2.31	36	26	2.02	527	17.1	1.17	72.1	547	10	133	0.518	
5304275	15	5	2.34	22	20	1.93	658	26.3	0.67	119	357	12	114	0.316	
5304276	21	2	2.53	17	20	1.77	398	5.3	2.17	66.1	493	10	120	0.396	
5304277	21	5	2.30	13	22	1.75	501	6.0	1.72	90.8	606	10	85	0.417	
5304278	14	3	1.46	13	14	1.47	397	4.1	1.53	75.1	432	6	94	0.443	
5304279	17	2	2.12	6	20	1.60	461	3.2	1.93	90.1	566	27	61	0.638	
5304280	14	4	0.81	6	15	0.86	1050	6.5	1.92	32.7	601	7	30	0.029	
5304281	20	7	1.68	10	17	1.52	474	4.4	2.11	89.4	568	10	57	0.523	
5304282	19	2	1.71	16	20	1.77	599	4.3	2.19	93.7	582	10	68	0.541	
5304283	19	8	2.14	13	21	2.01	462	3.3	1.83	106	601	8	90	0.610	
5304284	16	<1	2.32	15	20	1.90	382	7.2	0.82	68.9	440	7	114	0.349	
5304285	17	2	1.66	17	20	1.64	422	2.8	2.08	87.5	565	6	87	0.584	
5304286	18	<1	1.58	15	18	1.71	494	4.2	2.14	91.8	562	8	80	0.490	
5304287	14	<1	1.28	13	13	1.40	439	3.3	1.84	67.7	433	5	60	0.368	
5304288	19	<1	1.39	16	15	1.71	501	2.9	2.56	82.9	569	6	75	0.554	
5304289	16	5	1.61	21	17	1.83	457	4.2	2.46	82.0	563	9	68	0.496	
5304290	5	9	0.05	5	<1	<0.01	125	18.0	<0.01	10.4	173	90	<10	0.128	
5304291	13	2	1.28	12	12	1.22	286	3.5	1.42	59.0	354	10	92	0.646	
5304292	17	<1	2.24	15	20	1.77	336	3.8	1.96	81.6	533	10	141	0.595	
5304293	21	5	2.32	24	22	1.77	382	4.5	1.77	83.5	621	11	161	0.737	
5304294	21	5	2.34	11	25	1.68	334	4.5	1.68	90.6	621	17	159	0.795	
5304295	13	1	1.57	15	14	1.25	230	2.9	1.76	60.7	389	8	132	0.444	
5304296	16	<1	1.86	13	16	1.68	294	3.2	3.13	77.6	557	9	139	0.417	
5304297	18	2	1.84	18	18	1.73	308	3.4	2.33	90.3	556	10	133	0.625	
5304298	14	3	1.41	15	13	1.29	233	3.2	1.87	65.1	408	8	120	0.594	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
5304299		19	<1	1.69	15	16	1.57	284	4.6	2.62	72.0	531	10	149	0.452
5304300		<5	9	0.08	6	<1	<0.01	126	17.4	0.01	11.9	185	141	<10	0.180
5304301		20	<1	2.14	37	20	1.49	289	4.8	2.25	65.8	611	8	128	0.401
5304302		8	<1	0.62	10	5	0.47	398	3.9	1.97	23.7	225	4	37	0.174
5304303		15	2	0.99	12	12	1.31	365	3.8	2.55	45.2	362	6	60	0.259
5304304		16	1	1.33	15	12	1.13	268	4.2	2.65	56.7	429	6	86	0.430
5304305		14	<1	1.06	13	9	0.76	209	5.0	1.49	35.6	284	6	85	0.232
5304306		19	2	2.07	20	17	1.42	284	3.4	2.19	51.0	499	6	127	0.508
5304307		12	1	1.39	11	9	0.72	312	5.6	1.74	32.3	311	4	88	0.476
5304308		13	<1	1.30	11	12	0.93	163	3.8	1.53	40.1	344	7	91	0.323
5304309		19	<1	2.28	16	18	1.27	165	3.8	2.34	49.4	526	6	167	0.516
5304310		<5	1	0.13	14	11	0.14	107	8.2	0.07	12.3	214	2	<10	0.020
5304311		13	<1	0.87	6	7	0.70	114	3.9	1.97	36.2	299	4	63	0.330
5304312		11	<1	0.28	<2	2	0.23	39	3.3	4.31	19.6	413	2	<10	0.281
5304313		15	<1	0.45	3	4	0.48	75	5.5	4.33	30.9	428	4	24	0.401
5304314		17	<1	1.00	7	9	1.11	159	4.0	2.02	45.1	365	4	85	0.375
5304315		17	<1	1.11	7	10	1.34	179	3.7	2.23	47.8	429	4	83	0.395
5304316		20	<1	0.90	4	10	1.62	238	3.8	4.20	71.9	648	7	25	0.615
5304317		21	7	0.73	2	9	1.52	269	4.2	4.80	76.0	655	7	20	0.803
5304318		23	<1	1.42	3	13	1.86	240	3.2	2.81	68.5	541	6	89	0.540
5304319		20	8	1.80	6	13	1.52	199	4.4	2.67	58.8	513	<1	87	0.481
5304320		11	<1	5.28	<2	11	0.13	226	462	0.36	31.3	490	12	221	2.64
5304321		16	<1	1.92	6	11	1.00	142	3.5	2.21	33.7	383	4	83	0.354
5304322		10	2	0.97	5	6	0.74	117	4.4	2.43	27.8	282	4	42	0.354
5304323		18	4	1.88	7	11	1.01	142	4.0	1.85	29.5	375	3	104	0.300
5304324		19	<1	2.09	12	12	1.05	128	3.7	2.37	40.0	499	4	160	0.324
5304325		20	2	0.67	<2	8	1.02	154	2.3	5.76	47.8	670	2	11	0.220
5304326		23	7	1.71	4	15	1.42	206	5.7	4.73	62.2	748	4	40	0.238
5304327		19	5	1.03	6	13	1.22	204	2.6	4.64	53.1	627	4	32	0.565
5304328		18	1	0.46	8	12	1.11	222	4.3	4.26	49.1	605	<1	18	0.262
5304329		18	<1	1.42	20	21	1.58	351	3.0	3.04	62.7	600	6	42	0.230
5304330		13	2	0.82	7	15	0.86	1030	6.4	1.91	29.2	584	7	33	0.031

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010	DATE RECEIVED: Nov 10, 2010						DATE REPORTED: Nov 10, 2010					SAMPLE TYPE: Rock			
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
5304331	18	6	0.95	7	15	1.90	447	3.3	3.38	66.1	602	5	25	0.182	
5304332	22	3	0.81	9	15	1.91	419	3.1	3.55	67.5	619	<1	26	0.191	
5304333	16	3	0.83	9	14	1.95	440	2.8	3.53	59.8	578	4	36	0.157	
5304334	17	2	0.66	5	14	1.80	453	3.9	3.36	59.1	549	6	22	0.170	
5304335	21	2	0.84	6	17	1.86	499	2.4	3.69	69.0	686	7	28	0.127	
5304336	18	2	1.14	6	13	1.42	380	2.6	3.10	54.0	627	4	49	0.062	
5304337	23	<1	0.85	5	17	1.72	482	3.4	4.06	65.3	511	2	30	0.067	
5304338	22	3	1.07	4	17	1.82	455	0.5	4.66	61.3	606	7	18	0.086	
5304339	20	<1	1.51	3	17	1.63	404	2.3	3.70	57.8	517	1	23	0.068	
5304340	16	3	0.53	16	14	2.89	5340	5.0	1.38	97.1	1910	15	36	2.34	
5304341	22	1	0.73	17	16	1.56	454	3.0	3.91	59.6	535	4	30	0.089	
5304342	17	3	0.44	16	6	0.62	204	3.0	4.26	22.9	550	<1	13	0.088	
5304343	17	2	0.37	19	6	0.77	259	4.1	4.58	28.6	529	2	<10	0.133	
5304344	19	2	0.46	3	9	0.98	311	2.7	3.83	39.4	550	<1	<10	0.098	
5304345	22	<1	1.37	3	13	1.39	469	2.9	3.30	59.9	655	4	18	0.111	
5304346	22	2	1.29	13	15	1.69	480	3.8	3.73	65.1	653	5	17	0.064	
5304347	21	<1	0.76	12	10	1.25	430	2.7	4.15	46.0	625	4	<10	0.067	
5304348	23	<1	0.88	10	11	1.51	547	3.3	3.58	58.3	625	4	15	0.045	
5304349	25	<1	1.62	11	14	1.60	592	2.5	3.19	59.5	663	3	24	0.029	
5304350	<5	6	0.07	6	<1	<0.01	128	17.2	<0.01	8.3	186	139	<10	0.204	
5304351	20	<1	1.17	14	9	1.43	495	3.5	3.62	47.6	602	4	28	0.078	
5304352	23	6	0.96	19	9	1.27	497	2.2	3.66	51.9	609	5	23	0.060	
5304353	21	<1	1.06	12	10	1.25	493	3.8	3.34	56.1	590	2	22	0.069	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010	DATE RECEIVED: Nov 10, 2010						DATE REPORTED: Nov 10, 2010				SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5304267	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5304268	<1	5	<10	<5	50	<10	<10	12	0.17	<5	<5	148	3	5
5304269	<1	2	<10	<5	34	<10	<10	8	0.03	<5	<5	49.5	<1	11
5304270	<1	<1	<10	<5	301	<10	<10	<5	0.06	<5	<5	67.2	2	2
5304271	<1	6	<10	<5	43	<10	<10	9	0.10	<5	<5	109	<1	18
5304272	<1	3	<10	<5	31	<10	<10	7	0.06	<5	<5	58.8	<1	8
5304273	<1	7	<10	<5	55	<10	<10	11	0.19	<5	<5	212	3	5
5304274	<1	10	<10	<5	69	<10	<10	14	0.18	<5	<5	200	4	13
5304275	<1	7	<10	<5	58	<10	<10	12	0.15	<5	<5	135	2	16
5304276	<1	6	<10	<5	113	<10	<10	11	0.15	<5	<5	175	2	5
5304277	<1	7	<10	<5	76	<10	<10	13	0.22	<5	<5	214	4	5
5304278	<1	6	<10	<5	62	<10	<10	9	0.21	<5	<5	163	2	7
5304279	<1	5	<10	<5	62	<10	<10	8	0.25	<5	<5	213	2	4
5304280	<1	8	<10	<5	229	<10	<10	7	0.26	<5	<5	178	<1	10
5304281	<1	6	<10	<5	74	<10	<10	11	0.26	<5	<5	220	3	5
5304282	<1	8	<10	<5	89	<10	<10	12	0.27	<5	<5	223	3	8
5304283	<1	8	<10	<5	66	<10	<10	14	0.25	<5	<5	219	5	7
5304284	<1	7	<10	<5	43	<10	<10	9	0.20	<5	<5	169	2	7
5304285	<1	6	<10	<5	82	<10	<10	11	0.26	<5	<5	189	2	8
5304286	<1	7	<10	<5	90	<10	<10	9	0.26	<5	<5	188	2	7
5304287	<1	6	<10	<5	78	<10	<10	8	0.22	<5	<5	152	1	6
5304288	<1	6	<10	<5	105	<10	<10	10	0.26	<5	<5	184	2	8
5304289	<1	6	<10	<5	87	<10	<10	10	0.27	<5	<5	187	2	8
5304290	3	<1	21	<5	65	<10	<10	<5	0.08	<5	<5	43.5	16	2
5304291	<1	5	<10	<5	59	<10	<10	9	0.18	<5	<5	121	2	6
5304292	<1	7	<10	<5	74	<10	<10	11	0.26	<5	<5	184	2	8
5304293	<1	9	<10	<5	63	<10	<10	11	0.28	<5	<5	219	3	10
5304294	<1	8	<10	<5	56	<10	<10	10	0.28	<5	<5	234	3	7
5304295	<1	5	<10	<5	71	<10	<10	9	0.18	<5	<5	130	2	7
5304296	<1	8	<10	<5	115	<10	<10	11	0.25	<5	<5	189	2	8
5304297	<1	8	<10	<5	96	<10	<10	11	0.27	<5	<5	189	3	9
5304298	<1	6	<10	<5	82	<10	<10	10	0.19	<5	<5	140	2	7

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010	DATE RECEIVED: Nov 10, 2010						DATE REPORTED: Nov 10, 2010				SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5304299	<1	8	<10	<5	112	<10	<10	12	0.23	<5	<5	189	3	8
5304300	9	<1	21	6	119	<10	<10	<5	0.10	<5	<5	50.6	1	2
5304301	<1	7	<10	<5	86	<10	<10	12	0.29	<5	<5	197	3	9
5304302	<1	3	<10	<5	83	<10	<10	6	0.08	<5	<5	55.6	<1	7
5304303	<1	5	<10	<5	96	<10	<10	9	0.14	<5	<5	127	1	8
5304304	<1	6	<10	<5	120	<10	<10	11	0.16	<5	<5	141	2	8
5304305	<1	5	<10	<5	73	<10	<10	7	0.12	<5	<5	91.6	1	7
5304306	<1	7	<10	<5	97	<10	<10	12	0.21	<5	<5	160	2	10
5304307	<1	4	<10	<5	69	<10	<10	8	0.09	<5	<5	90.4	1	9
5304308	<1	5	<10	<5	65	<10	<10	7	0.14	<5	<5	116	2	7
5304309	<1	7	<10	<5	84	<10	<10	9	0.22	<5	<5	180	3	8
5304310	4	<1	<10	<5	17	<10	<10	<5	0.06	<5	<5	21.3	1	3
5304311	<1	4	<10	<5	64	<10	<10	8	0.09	<5	<5	99.7	1	5
5304312	<1	3	<10	<5	68	<10	<10	7	0.06	<5	<5	34.5	1	4
5304313	<1	4	<10	<5	90	<10	<10	9	0.07	<5	<5	71.2	2	6
5304314	<1	6	<10	<5	72	<10	<10	11	0.10	<5	<5	148	2	6
5304315	<1	6	<10	<5	75	<10	<10	10	0.13	<5	<5	153	1	6
5304316	<1	5	<10	<5	99	<10	<10	12	0.10	<5	<5	181	1	6
5304317	<1	5	<10	<5	105	<10	<10	15	0.12	<5	<5	169	2	8
5304318	<1	9	<10	<5	90	<10	<10	12	0.13	<5	<5	229	2	6
5304319	<1	6	<10	<5	74	<10	<10	11	0.16	<5	<5	202	2	5
5304320	<1	<1	<10	<5	380	<10	<10	<5	0.06	<5	<5	64.8	2	3
5304321	<1	3	<10	<5	45	<10	<10	9	0.13	<5	<5	116	2	4
5304322	<1	2	<10	<5	45	<10	<10	8	0.06	<5	<5	68.9	2	3
5304323	<1	5	<10	<5	45	<10	<10	11	0.13	<5	<5	140	2	5
5304324	<1	5	<10	<5	63	<10	<10	11	0.16	<5	<5	145	2	6
5304325	<1	3	<10	<5	97	<10	<10	9	0.09	<5	<5	111	2	2
5304326	<1	5	<10	<5	80	<10	<10	11	0.13	<5	<5	178	3	4
5304327	<1	5	<10	<5	89	<10	<10	12	0.09	<5	<5	167	3	4
5304328	<1	4	<10	<5	76	<10	<10	10	0.11	<5	<5	136	1	4
5304329	<1	5	<10	<5	68	<10	<10	11	0.18	<5	<5	170	<1	5
5304330	<1	7	<10	<5	231	<10	<10	5	0.26	<5	<5	169	<1	10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5304331	<1	6	<10	<5	85	<10	<10	11	0.20	<5	<5	193	<1	4
5304332	<1	7	<10	<5	94	<10	<10	11	0.21	<5	<5	202	2	4
5304333	<1	7	<10	<5	91	<10	<10	9	0.29	<5	<5	179	1	4
5304334	<1	6	<10	<5	86	<10	<10	9	0.25	<5	<5	173	<1	3
5304335	<1	8	<10	<5	94	<10	<10	11	0.26	<5	<5	214	1	5
5304336	<1	6	<10	<5	69	<10	<10	10	0.22	<5	<5	178	1	3
5304337	<1	6	18	<5	83	<10	<10	12	0.21	<5	<5	185	1	4
5304338	<1	7	<10	<5	90	<10	<10	13	0.18	<5	<5	179	1	5
5304339	<1	6	<10	<5	76	<10	<10	12	0.18	<5	<5	167	<1	4
5304340	<1	13	<10	<5	222	<10	14	5	0.64	<5	<5	297	3	18
5304341	<1	7	<10	<5	95	<10	<10	14	0.18	<5	<5	184	2	5
5304342	<1	3	<10	<5	91	<10	<10	9	0.13	<5	<5	97.1	<1	4
5304343	<1	6	<10	<5	90	<10	<10	9	0.13	<5	<5	115	2	4
5304344	<1	4	<10	<5	89	<10	<10	9	0.18	<5	<5	129	2	2
5304345	<1	6	<10	<5	83	<10	<10	11	0.19	<5	<5	189	2	2
5304346	<1	6	<10	<5	85	<10	<10	12	0.23	<5	<5	206	2	4
5304347	<1	5	<10	<5	92	<10	<10	11	0.23	<5	<5	164	2	3
5304348	<1	6	<10	<5	81	<10	<10	12	0.25	<5	<5	186	2	3
5304349	<1	6	<10	<5	78	<10	<10	13	0.21	<5	<5	203	2	5
5304350	6	<1	15	6	114	<10	<10	<5	0.06	<5	<5	49.1	2	1
5304351	<1	5	<10	<5	95	<10	<10	11	0.17	<5	<5	157	2	5
5304352	<1	5	<10	<5	105	<10	<10	12	0.16	<5	<5	171	2	5
5304353	<1	4	<10	<5	101	<10	<10	11	0.22	<5	<5	179	2	4

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010 DATE RECEIVED: Nov 10, 2010 DATE REPORTED: Nov 10, 2010 SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Zn ppm 0.5	Zr ppm 5
5304267		-	-
5304268		14.5	104
5304269		8.3	16
5304270		288	55
5304271		7.9	49
5304272		62.4	41
5304273		48.5	120
5304274		25.5	114
5304275		24.9	81
5304276		32.7	99
5304277		29.9	113
5304278		23.5	94
5304279		41.1	113
5304280		53.6	44
5304281		23.0	118
5304282		25.3	119
5304283		24.1	122
5304284		20.7	96
5304285		31.1	109
5304286		22.6	113
5304287		18.7	90
5304288		23.1	103
5304289		21.6	107
5304290		12.4	38
5304291		18.1	82
5304292		38.6	114
5304293		18.0	123
5304294		18.9	130
5304295		16.2	92
5304296		14.3	133
5304297		24.4	122
5304298		18.0	97

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
5304299	17.7	120
5304300	11.1	43
5304301	12.7	122
5304302	8.0	48
5304303	35.5	75
5304304	113	99
5304305	16.1	72
5304306	11.7	123
5304307	11.1	92
5304308	13.9	90
5304309	10.0	136
5304310	8.1	31
5304311	11.6	90
5304312	2.2	134
5304313	6.1	136
5304314	12.7	101
5304315	12.2	111
5304316	13.9	160
5304317	14.3	172
5304318	13.9	133
5304319	12.4	138
5304320	285	54
5304321	7.6	142
5304322	7.8	104
5304323	9.5	138
5304324	7.7	145
5304325	13.8	116
5304326	12.5	162
5304327	12.6	176
5304328	13.3	107
5304329	15.9	95
5304330	52.1	42

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
5304331	23.3	89
5304332	24.6	93
5304333	25.0	89
5304334	34.0	80
5304335	22.9	92
5304336	21.4	76
5304337	23.9	68
5304338	20.7	76
5304339	20.1	70
5304340	110	84
5304341	20.1	79
5304342	10.3	101
5304343	13.7	94
5304344	17.6	97
5304345	22.9	109
5304346	24.4	92
5304347	21.7	98
5304348	25.8	90
5304349	25.0	89
5304350	10.2	12
5304351	19.5	91
5304352	23.2	94
5304353	23.1	91

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	RDL:	Login Weight	ppm
	Unit:	kg	
		0.01	0.001
5304267		nrc	-
5304268		1.58	0.008
5304269		1.00	0.003
5304270		0.10	4.41
5304271		0.98	0.008
5304272		1.58	0.003
5304273		1.38	0.004
5304274		1.06	0.008
5304275		0.60	0.003
5304276		2.02	0.004
5304277		1.94	0.003
5304278		2.28	0.006
5304279		2.16	0.006
5304280		0.10	0.002
5304281		2.34	0.006
5304282		1.04	0.005
5304283		1.40	0.003
5304284		1.96	0.002
5304285		2.16	0.002
5304286		2.10	0.007
5304287		2.28	0.003
5304288		2.12	0.004
5304289		2.36	0.003
5304290		0.10	0.786
5304291		1.26	0.005
5304292		1.38	0.016
5304293		1.64	0.004
5304294		1.90	0.004
5304295		1.76	0.004
5304296		1.64	0.004
5304297		2.44	0.004
5304298		2.02	0.004

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.001
5304299		2.18	0.001
5304300		0.10	1.07
5304301		1.90	0.006
5304302		1.02	0.001
5304303		1.10	0.003
5304304		2.02	0.004
5304305		1.64	0.005
5304306		1.90	0.002
5304307		1.50	0.003
5304308		1.58	0.003
5304309		1.30	0.003
5304310		0.86	<0.001
5304311		1.82	0.009
5304312		1.46	0.004
5304313		1.60	0.007
5304314		1.52	0.005
5304315		1.46	0.005
5304316		2.12	0.011
5304317		2.24	0.009
5304318		2.06	0.010
5304319		2.12	0.012
5304320		0.10	4.59
5304321		1.94	0.009
5304322		1.64	0.005
5304323		1.88	0.006
5304324		2.14	0.024
5304325		1.84	0.004
5304326		2.12	0.005
5304327		2.28	0.005
5304328		1.74	0.005
5304329		1.84	0.004
5304330		0.10	<0.001

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451176

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: BOB KOMARECHKA

Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)

DATE SAMPLED: Nov 10, 2010

DATE RECEIVED: Nov 10, 2010

DATE REPORTED: Nov 10, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.001
5304331		1.22	0.003
5304332		0.86	0.004
5304333		1.96	0.002
5304334		1.86	0.003
5304335		2.58	0.005
5304336		2.16	0.002
5304337		2.06	0.001
5304338		2.04	0.002
5304339		1.94	0.002
5304340		0.10	5.46
5304341		1.64	0.004
5304342		0.94	0.002
5304343		1.06	0.002
5304344		1.90	<0.001
5304345		1.92	0.002
5304346		2.50	0.002
5304347		1.82	0.003
5304348		1.76	0.004
5304349		1.80	0.002
5304350		0.10	1.12
5304351		1.84	0.002
5304352		1.62	0.002
5304353		1.56	0.005

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451176

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis											
RPT Date: Nov 10, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1		< 0.5	< 0.5	0.0%	< 0.5	8	7	108%	90%	110%
Al	1		6.60	7.21	8.8%	< 0.01				80%	120%
As	1		6	7	15.4%	< 1				80%	120%
Ba	1		116	114	1.7%	< 1				80%	120%
Be	1		1.39	1.47	5.6%	< 0.5				80%	120%
Bi	1		< 1	< 1	0.0%	< 1				80%	120%
Ca	1		7.20	7.58	5.1%	< 0.01	0.5	0.55	91%	90%	110%
Cd	1		0.5	0.5	0.0%	< 0.5				80%	120%
Ce	1		< 1	< 1	0.0%	< 1				80%	120%
Co	1		49.7	48.4	2.7%	< 0.5	5.6	5.0	111%	80%	120%
Cr	1		270	307	12.8%	< 0.5				80%	120%
Cs	1		< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1		105	116	10.0%	< 0.5	4515	4700	96%	90%	110%
Fe	1		6.60	6.52	1.2%	< 0.01	1.32	1.55	85%	80%	120%
Ga	1		15	14	6.9%	< 5				80%	120%
In	1	2121239	1	1	0.0%	< 1				80%	120%
K	1		0.45	0.45	0.0%	< 0.01	2.93	2.99	98%	90%	110%
La	1		7	7	0.0%	< 2				80%	120%
Li	1		10	12	18.2%	< 1				80%	120%
Mg	1		4.15	4.60	10.3%	< 0.01				80%	120%
Mn	1		2500	2460	1.6%	< 1				80%	120%
Mo	1	2121239	4.8	5.1	6.1%	< 0.5	364	280	130%	70%	130%
Na	1		1.21	1.27	4.8%	< 0.01				80%	120%
Ni	1		109	123	12.1%	< 0.5	6	7	92%	90%	110%
P	1		320	319	0.3%	< 10				80%	120%
Pb	1		13	12	8.0%	< 1	25	30	83%	80%	120%
Rb	1		45	45	0.0%	< 10				80%	120%
S	1		0.0460	0.0444	3.5%	< 0.005				80%	120%
Sb	1		< 1	< 1	0.0%	< 1				80%	120%
Sc	1		30	31	3.3%	< 1				80%	120%
Se	1	2121239	< 10	< 10	0.0%	< 10				80%	120%
Sn	1		< 5	< 5	0.0%	< 5				80%	120%
Sr	1		140	145	3.5%	< 1	356	390	91%	90%	110%
Ta	1		< 10	< 10	0.0%	< 10				80%	120%
Te	1		< 10	< 10	0.0%	< 10				80%	120%
Th	1		11	11	0.0%	< 5				80%	120%
Ti	1		0.346	0.332	4.1%	< 0.01				80%	120%
Tl	1		< 5	< 5	0.0%	< 5				80%	120%
U	1		< 5	< 5	0.0%	< 5				80%	120%
V	1		443	424	4.4%	< 0.5				80%	120%
W	1	2121239	3	3	0.0%	< 1				80%	120%
Y	1		14	14	0.0%	< 1				80%	120%
Zn	1		87.8	82.4	6.3%	0.6	32	32	100%	90%	110%
Zr	1		43	35	20.5%	< 5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451176

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)											
RPT Date: Nov 10, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	2121263	< 0.5	< 0.5	0.0%	< 0.5	5	7	73%	70%	130%
Al	1	2121263	4.68	4.61	1.5%	< 0.01				80%	120%
As	1	2121263	4	6		< 1				80%	120%
Ba	1	2121263	452	442	2.2%	< 1				80%	120%
Be	1	2121263	2.1	2.1	0.0%	< 0.5				80%	120%
Bi	1	2121263	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2121263	0.33	0.33	0.0%	< 0.01	0.64	0.55	116%	80%	120%
Cd	1	2121263	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2121263	18	15	18.2%	< 1				80%	120%
Co	1	2121263	23.1	22.4	3.1%	< 0.5	5.4	5.0	108%	90%	110%
Cr	1	2121263	213	220	3.2%	< 0.5				80%	120%
Cs	1	2121263	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2121263	23.4	20.3	14.2%	< 0.5	4410	4700	94%	90%	110%
Fe	1	2121263	3.27	3.16	3.4%	< 0.01	1.34	1.55	86%	80%	120%
Ga	1	2121263	17	16	6.1%	< 5				80%	120%
In	1	2121263	< 1	5		< 1				80%	120%
K	1	2121263	2.24	2.13	5.0%	< 0.01	2.63	2.99	88%	80%	120%
La	1	2121263	15	14	6.9%	< 2				80%	120%
Li	1	2121263	20	20	0.0%	< 1				80%	120%
Mg	1	2121263	1.77	1.62	8.8%	< 0.01				80%	120%
Mn	1	2121263	336	333	0.9%	< 1				80%	120%
Mo	1	2121263	3.8	4.5	16.9%	< 0.5	349	280	125%	70%	130%
Na	1	2121263	1.96	1.88	4.2%	< 0.01				80%	120%
Ni	1	2121263	81.6	78.5	3.9%	< 0.5	5	7	74%	70%	130%
P	1	2121263	533	544	2.0%	< 10				80%	120%
Pb	1	2121263	10	9	10.5%	< 1	24	30	80%	80%	120%
Rb	1	2121263	141	121	15.3%	< 10				80%	120%
S	1	2121263	0.595	0.580	2.6%	< 0.005				80%	120%
Sb	1	2121263	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2121263	7	7	0.0%	< 1				80%	120%
Se	1	2121263	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2121263	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2121263	74	74	0.0%	< 1	445	390	114%	80%	120%
Ta	1	2121263	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2121263	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2121263	11	10	9.5%	< 5				80%	120%
Ti	1	2121263	0.26	0.26	0.0%	< 0.01				80%	120%
Tl	1	2121263	< 5	< 5	0.0%	< 5				80%	120%
U	1	2121263	< 5	< 5	0.0%	< 5				80%	120%
V	1	2121263	184	182	1.1%	< 0.5				80%	120%
W	1	2121263	2	2	0.0%	< 1				80%	120%
Y	1	2121263	8	8	0.0%	< 1				80%	120%
Zn	1	2121263	38.6	38.5	0.3%	1.0	29	32	89%	80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451176

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)										
RPT Date: Nov 10, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper
Zr	1	2121263	114	116	1.7%	< 5			80%	120%
4 Acid Digest - ICP-OES Finish (201070)										
Ag	1	2121279	0.4	0.5	22.2%	< 0.5			80%	120%
Al	1	2121279	3.79	3.74	1.3%	< 0.01			80%	120%
As	1	2121279	5	6	18.2%	< 1			80%	120%
Ba	1	2121279	319	326	2.2%	< 1			80%	120%
Be	1	2121279	1.5	1.5	0.0%	< 0.5			80%	120%
Bi	1	2121279	< 1	< 1	0.0%	< 1			80%	120%
Ca	1	2121279	0.38	0.35	8.2%	< 0.01			80%	120%
Cd	1	2121279	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Ce	1	2121279	14	12	15.4%	< 1			80%	120%
Co	1	2121279	15.1	16.4	8.3%	< 0.5			80%	120%
Cr	1	2121279	301	343	13.0%	< 0.5			80%	120%
Cs	1	2121279	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Cu	1	2121279	52.0	56.8	8.8%	< 0.5			80%	120%
Fe	1	2121279	2.01	1.91	5.1%	< 0.01			80%	120%
Ga	1	2121279	13	14	7.4%	< 5			80%	120%
In	1	2121279	< 1	< 1	0.0%	< 1			80%	120%
K	1	2121279	1.30	1.49	13.6%	< 0.01			80%	120%
La	1	2121279	11	10	9.5%	< 2			80%	120%
Li	1	2121279	12	12	0.0%	< 1			80%	120%
Mg	1	2121279	0.93	0.94	1.1%	< 0.01			80%	120%
Mn	1	2121279	163	167	2.4%	< 1			80%	120%
Mo	1	2121279	3.85	4.25	9.9%	< 0.5			80%	120%
Na	1	2121279	1.53	1.56	1.9%	< 0.01			80%	120%
Ni	1	2121279	40.1	41.6	3.7%	< 0.5			80%	120%
P	1	2121279	344	361	4.8%	< 10			80%	120%
Pb	1	2121279	7	7	0.0%	< 1			80%	120%
Rb	1	2121279	91	98	7.4%	< 10			80%	120%
S	1	2121279	0.323	0.437		< 0.005			80%	120%
Sb	1	2121279	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2121279	5	5	0.0%	< 1			80%	120%
Se	1	2121279	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2121279	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2121279	65	64	1.6%	< 1			80%	120%
Ta	1	2121279	< 10	< 10	0.0%	< 10			80%	120%
Te	1	2121279	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2121279	7	9	25.0%	< 5			80%	120%
Ti	1	2121279	0.14	0.14	0.0%	< 0.01			80%	120%
Tl	1	2121279	< 5	< 5	0.0%	< 5			80%	120%
U	1	2121279	< 5	< 5	0.0%	< 5			80%	120%
V	1	2121279	116	121	4.2%	< 0.5			80%	120%
W	1	2121279	2	2	0.0%	< 1			80%	120%
Y	1	2121279	7	6	15.4%	< 1			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451176

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)										
RPT Date: Nov 10, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Zn	1	2121279	13.9	14.1	1.4%	< 0.5			80%	120%
Zr	1	2121279	90	92	2.2%	< 5			80%	120%
4 Acid Digest - ICP-OES Finish (201070)										
Ag	1	2121313	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Al	1	2121313	4.66	4.66	0.0%	< 0.01			80%	120%
As	1	2121313	4	5	22.2%	< 1			80%	120%
Ba	1	2121313	63	64	1.6%	< 1			80%	120%
Be	1	2121313	1.4	1.4	0.0%	< 0.5			80%	120%
Bi	1	2121313	< 1	< 1	0.0%	< 1			80%	120%
Ca	1	2121313	0.21	0.21	0.0%	< 0.01			80%	120%
Cd	1	2121313	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Ce	1	2121313	24	16		< 1			80%	120%
Co	1	2121313	12.8	12.2	4.8%	< 0.5			80%	120%
Cr	1	2121313	243	204	17.4%	< 0.5			80%	120%
Cs	1	2121313	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Cu	1	2121313	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Fe	1	2121313	1.23	1.24	0.8%	< 0.01			80%	120%
Ga	1	2121313	17	16	6.1%	< 5			80%	120%
In	1	2121313	3	2		< 1			80%	120%
K	1	2121313	0.445	0.453	1.8%	< 0.01			80%	120%
La	1	2121313	16	11		< 2			80%	120%
Li	1	2121313	6	6	0.0%	< 1			80%	120%
Mg	1	2121313	0.617	0.626	1.4%	< 0.01			80%	120%
Mn	1	2121313	204	199	2.5%	< 1			80%	120%
Mo	1	2121313	3.05	3.12	2.3%	< 0.5			80%	120%
Na	1	2121313	4.26	4.46	4.6%	< 0.01			80%	120%
Ni	1	2121313	22.9	21.7	5.4%	< 0.5			80%	120%
P	1	2121313	550	540	1.8%	< 10			80%	120%
Pb	1	2121313	< 1	< 1	0.0%	< 1			80%	120%
Rb	1	2121313	13	10	26.1%	< 10			80%	120%
S	1	2121313	0.088	0.083	5.8%	< 0.005			80%	120%
Sb	1	2121313	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2121313	3	3	0.0%	< 1			80%	120%
Se	1	2121313	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2121313	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2121313	91	87	4.5%	< 1			80%	120%
Ta	1	2121313	< 10	< 10	0.0%	< 10			80%	120%
Te	1	2121313	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2121313	9	7	25.0%	< 5			80%	120%
Ti	1	2121313	0.13	0.13	0.0%	< 0.01			80%	120%
Tl	1	2121313	< 5	< 5	0.0%	< 5			80%	120%
U	1	2121313	< 5	< 5	0.0%	< 5			80%	120%
V	1	2121313	97.1	97.5	0.4%	< 0.5			80%	120%
W	1	2121313	< 1	1		< 1			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451176

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

Solid Analysis (Continued)												
RPT Date: Nov 10, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
									Lower	Upper		
Y	1	2121313	4	3	28.6%	< 1			80%	120%		
Zn	1	2121313	10.3	10.7	3.8%	< 0.5			80%	120%		
Zr	1	2121313	101	100	1.0%	< 5			80%	120%		
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2121250	0.006	0.010		< 0.001	0.192	0.205	94%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2121263	0.016	0.012	28.6%	< 0.001	0.188	0.205	92%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2121275	0.0044	0.0047	6.6%	< 0.001	2.251	2.342	96%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2121288	0.009	0.009	0.0%	< 0.001	0.191	0.205	93%	90%	110%	
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2121299	0.005	0.005	0.0%	< 0.001		0.031	70%	130%		
Fire Assay - Trace Au, ICP-OES finish (202052-Trueclaim Explorations)												
Au	1	2121313	0.002	0.002	0.0%	< 0.001		0.031	70%	130%		

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451176

PROJECT NO:

ATTENTION TO: BOB KOMARECHKA

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U451941

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 12, 2010

PAGES (INCLUDING COVER): 26

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au	Pd	Pt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
	Unit:	Login Weight	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
RDL:	kg	0.01	0.001	0.001	0.005	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5
5304354		1.56	0.007	0.044	0.022	<0.5	6.82	6	84	0.7	<1	8.22	0.5	<1	35.7
5304355		2.14	0.008	0.061	0.018	<0.5	6.42	9	103	0.5	<1	7.66	0.6	<1	36.1
5304356		2.56	0.006	0.061	0.016	<0.5	6.84	7	87	<0.5	3	8.22	0.6	<1	32.4
5304357		2.16	0.007	0.039	0.012	<0.5	6.82	8	94	0.6	4	8.06	0.7	<1	35.6
5304358		2.22	0.004	0.036	0.012	<0.5	6.50	5	82	0.5	<1	7.97	<0.5	<1	31.3
5304359		2.46	0.003	0.021	0.007	<0.5	6.93	7	112	0.7	<1	8.31	0.5	<1	33.7
5304360		0.10	4.32	0.004	<0.005	2.4	4.72	14	522	0.9	3	0.75	0.6	<1	7.4
5304361		2.36	0.005	0.028	0.012	<0.5	6.54	6	84	0.6	<1	8.37	<0.5	<1	35.1
5304362		2.36	0.004	0.027	0.015	<0.5	6.63	6	91	0.5	<1	8.02	0.6	<1	33.3
5304363		1.64	0.004	0.022	0.012	<0.5	6.46	7	120	<0.5	<1	7.67	<0.5	<1	32.6
5304364		1.68	0.005	0.036	0.014	<0.5	7.01	15	33	0.5	<1	8.31	0.8	<1	32.7
5304365		1.14	0.003	0.016	0.016	<0.5	6.88	14	33	<0.5	<1	9.97	0.6	<1	29.7
5304366		2.10	0.003	0.026	0.009	<0.5	7.57	17	112	0.6	<1	7.93	0.5	<1	37.6
5304367		2.10	0.019	0.020	0.012	<0.5	6.51	7	120	0.6	2	7.51	0.5	<1	31.1
5304368		2.16	0.007	0.072	0.017	<0.5	7.89	8	132	0.7	<1	9.15	<0.5	<1	36.5
5304369		2.18	0.003	0.020	0.011	<0.5	6.70	6	121	0.6	<1	7.90	0.7	<1	36.2
5304370		2.20	0.006	0.004	<0.005	<0.5	4.85	4	627	1.7	<1	1.76	<0.5	5	11.1
5304371		0.08	0.006	0.028	0.010	<0.5	6.34	7	99	0.5	<1	7.51	0.5	<1	32.3
5304372		2.06	0.003	0.018	0.010	<0.5	6.89	8	102	0.7	<1	7.74	<0.5	<1	34.7
5304373		2.18	0.004	0.017	0.007	<0.5	7.18	8	114	1.5	<1	7.24	0.6	<1	36.0
5304374		2.14	0.005	0.024	0.008	<0.5	6.39	7	116	1.2	<1	7.82	<0.5	<1	42.0
5304375		2.16	0.004	0.024	0.011	<0.5	5.98	6	92	0.7	9	6.51	<0.5	<1	31.4
5304376		2.14	0.003	0.020	0.011	<0.5	7.21	7	118	0.7	1	8.23	<0.5	<1	35.2
5304377		2.12	0.039	0.487	0.075	<0.5	7.18	8	111	1.0	3	7.85	0.5	<1	49.4
5304378		2.28	0.032	0.542	0.077	<0.5	7.57	6	122	1.3	<1	7.98	0.6	<1	54.0
5304379		1.56	0.058	0.772	0.119	<0.5	6.35	4	110	0.9	1	7.24	0.6	<1	55.1
5304380		0.10	5.13	0.004	<0.005	<0.5	5.88	297	478	3.2	<1	5.44	<0.5	<1	41.2
5304381		1.72	0.026	0.310	0.050	<0.5	6.12	6	105	1.0	<1	6.11	<0.5	<1	32.7
5304382		1.20	0.005	0.010	<0.005	<0.5	7.34	5	246	2.8	<1	3.31	<0.5	15	32.8
5304383		1.48	0.004	0.010	<0.005	<0.5	5.88	3	226	2.1	<1	2.74	<0.5	12	24.9
5304384		1.32	0.006	0.007	<0.005	<0.5	7.82	3	162	3.0	<1	4.93	<0.5	5	28.5
5304385		1.36	0.005	0.029	0.010	<0.5	6.58	9	149	1.0	<1	6.58	0.6	<1	41.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	Sample Login Weight	Au	Pd	Pt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
Unit:	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
RDL:	0.01	0.001	0.001	0.005	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5
Sample Description														
5304386	2.18	0.006	0.017	0.010	<0.5	7.17	9	182	0.9	<1	7.51	0.5	<1	35.8
5304387	2.34	0.003	0.017	0.010	<0.5	6.33	5	130	0.9	<1	6.63	<0.5	<1	34.0
5304388	2.24	0.006	0.017	0.009	<0.5	7.32	10	91	1.3	<1	6.12	0.5	<1	34.9
5304389	2.10	0.003	0.013	0.008	<0.5	6.18	7	96	1.0	<1	5.06	<0.5	<1	32.3
5304390	0.10	1.17	0.005	0.005	2.4	0.45	104	341	<0.5	93	0.02	<0.5	<1	3.0
5304391	2.20	0.005	0.020	0.009	<0.5	7.25	5	137	1.1	<1	7.30	0.5	<1	37.3
5304392	2.20	0.004	0.016	0.012	<0.5	7.07	5	119	1.3	<1	7.20	<0.5	<1	39.7
5304393	2.34	0.003	0.011	0.008	<0.5	6.44	5	103	1.1	<1	6.49	<0.5	<1	32.8
5304394	2.00	0.004	0.017	0.010	<0.5	7.08	5	117	1.4	<1	7.41	<0.5	<1	38.8
5304395	2.28	0.007	0.016	0.010	<0.5	6.74	7	118	1.4	<1	6.79	<0.5	<1	37.0
5304396	2.14	0.003	0.019	0.011	<0.5	6.34	6	104	1.3	<1	6.62	0.7	<1	36.8
5304397	2.30	0.002	0.021	0.017	<0.5	6.81	9	115	1.4	1	6.92	<0.5	<1	37.2
5304398	2.26	0.005	0.057	0.014	<0.5	6.23	5	135	1.1	<1	6.24	0.5	<1	35.0
5304399	2.18	0.006	0.050	0.014	<0.5	6.96	3	136	1.5	<1	6.94	0.6	<1	39.6
5304400	0.68	0.001	0.002	<0.005	<0.5	0.53	<1	30	<0.5	<1	0.04	<0.5	21	2.5
5304401	2.10	0.003	0.013	0.010	<0.5	6.92	5	123	1.6	<1	6.55	0.5	<1	39.5
5304402	2.24	0.003	0.012	0.013	<0.5	6.90	4	171	1.4	<1	6.59	<0.5	<1	36.0
5304403	2.18	0.003	0.012	0.011	<0.5	6.75	3	133	1.6	<1	6.75	0.5	<1	40.9
5304404	2.34	0.003	0.012	0.010	<0.5	6.41	5	219	1.3	<1	6.89	<0.5	<1	36.5
5304405	2.24	0.002	0.011	0.012	<0.5	6.75	11	542	1.8	<1	6.31	<0.5	<1	36.5
5304406	2.16	0.002	0.013	0.009	<0.5	6.46	12	185	1.7	<1	5.35	<0.5	<1	35.0
5304407	2.36	0.004	0.013	0.010	<0.5	5.80	3	49	1.7	<1	3.88	<0.5	<1	23.7
5304408	1.02	0.012	0.007	<0.005	<0.5	2.26	2	61	<0.5	<1	1.20	<0.5	<1	12.6
5304409	1.60	<0.001	0.014	0.010	<0.5	7.13	5	153	1.8	<1	5.24	<0.5	<1	29.1
5304410	0.76	<0.001	0.003	<0.005	<0.5	0.72	<1	36	<0.5	<1	0.13	<0.5	26	2.3
5304411	1.50	0.002	0.024	0.014	<0.5	6.85	12	156	1.7	<1	5.57	0.5	<1	33.7
5304412	2.26	0.005	0.018	0.012	<0.5	6.74	13	219	1.4	<1	5.12	<0.5	<1	37.3
5304413	2.24	0.003	0.021	0.014	<0.5	7.12	10	209	1.4	<1	6.32	<0.5	<1	33.6
5304414	2.32	0.003	0.014	0.016	<0.5	6.79	7	312	1.3	<1	5.93	<0.5	<1	37.9
5304415	2.42	0.003	0.014	0.013	2.2	6.06	10	518	1.7	<1	5.72	<0.5	<1	45.5
5304416	2.18	0.003	0.013	0.012	<0.5	6.61	7	231	1.7	<1	6.11	<0.5	<1	48.1
5304417	2.26	0.004	0.012	0.010	<0.5	6.07	5	123	1.5	<1	5.65	<0.5	<1	45.3

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au	Pd	Pt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
	Unit:	Login Weight	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
RDL:	kg	0.01	0.001	0.001	0.005	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5
5304418		2.22	0.003	0.014	0.011	<0.5	6.59	5	166	1.5	<1	6.90	<0.5	<1	38.9
5304419		2.22	0.003	0.015	0.015	<0.5	6.91	5	230	1.6	<1	6.61	<0.5	<1	37.2
5304420		0.10	5.36	0.002	<0.005	2.5	1.36	12	241	0.9	1	0.47	<0.5	<1	7.6
5304421		2.26	0.006	0.012	0.012	<0.5	6.41	6	568	1.6	<1	6.73	0.5	<1	37.4
5304422		1.18	0.002	0.012	0.010	<0.5	6.11	7	358	1.8	<1	5.11	<0.5	<1	45.7
5304423		1.10	<0.001	0.007	0.006	<0.5	6.28	8	64	1.9	<1	5.13	<0.5	9	35.3
5304424		2.06	0.003	0.011	0.009	<0.5	6.19	12	88	2.3	<1	3.19	<0.5	3	48.4
5304425		2.18	<0.001	0.005	<0.005	<0.5	5.75	5	39	1.5	<1	5.37	<0.5	21	18.1
5304426		2.20	0.001	0.003	<0.005	<0.5	5.37	9	52	1.8	<1	4.00	<0.5	24	35.7
5304427		2.12	0.001	0.004	<0.005	<0.5	4.30	1	109	2.1	<1	1.96	<0.5	24	18.4
5304428		0.90	0.001	0.004	<0.005	<0.5	4.47	2	137	1.8	2	2.23	0.5	25	22.9
5304429		1.28	0.001	0.002	<0.005	<0.5	4.28	2	185	2.0	<1	2.08	<0.5	22	23.1
5304430		0.10	0.003	0.008	<0.005	<0.5	3.71	4	625	1.7	<1	1.77	<0.5	5	11.2
5304431		1.64	<0.001	<0.001	0.006	<0.5	4.03	3	262	2.2	<1	1.96	<0.5	20	21.6
5304432		2.10	<0.001	0.003	<0.005	<0.5	3.49	1	289	1.7	1	1.53	<0.5	15	15.6
5304433		1.84	<0.001	0.004	<0.005	19.2	4.00	2	311	1.9	<1	1.84	<0.5	20	17.2
5304434		1.92	<0.001	0.004	<0.005	<0.5	4.10	3	322	2.2	<1	1.86	<0.5	17	19.9
5304435		1.08	0.001	0.003	<0.005	<0.5	4.18	1	947	2.6	<1	1.25	<0.5	15	25.0
5304436		1.00	0.001	0.005	<0.005	<0.5	4.19	2	738	1.9	<1	1.45	<0.5	18	17.9
5304437		1.90	<0.001	0.003	<0.005	<0.5	5.03	2	359	2.7	<1	1.94	<0.5	25	19.3
5304438		2.04	<0.001	0.002	<0.005	<0.5	4.46	<1	683	2.7	<1	1.54	0.7	20	21.7
5304439		2.26	<0.001	0.005	<0.005	<0.5	5.20	2	596	2.4	<1	1.68	<0.5	21	18.7
5304440		0.10	5.31	0.010	<0.005	0.7	5.95	417	542	3.0	<1	5.65	<0.5	<1	34.5
5304441		1.62	0.003	0.003	<0.005	<0.5	5.25	2	597	2.4	<1	2.18	<0.5	21	22.4
5304442		1.96	<0.001	0.003	<0.005	<0.5	5.46	3	512	2.5	<1	2.31	<0.5	21	31.5
5304443		1.84	0.002	0.003	<0.005	<0.5	4.40	1	574	2.0	<1	1.30	<0.5	16	23.3
5304444		0.96	<0.001	0.004	0.007	<0.5	5.47	2	604	2.7	<1	1.80	<0.5	20	24.3
5304445		1.06	0.001	0.003	<0.005	1.8	5.29	2	639	2.7	<1	1.82	<0.5	20	23.8
5304446		1.66	<0.001	0.002	<0.005	<0.5	4.08	4	398	1.8	<1	1.35	<0.5	15	17.2
5304447		1.90	0.002	0.002	<0.005	<0.5	5.24	2	500	2.6	<1	1.91	<0.5	21	22.9
5304448		1.70	0.002	0.001	<0.005	<0.5	4.75	2	593	2.5	<1	1.75	<0.5	20	22.4
5304449		2.00	0.002	0.007	<0.005	<0.5	4.35	3	517	2.5	<1	1.77	<0.5	16	22.9

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au	Pd	Pt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
	Unit:	Login Weight	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
RDL:	kg	0.01	0.001	0.001	0.005	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5
5304450		0.10	0.992	0.005	0.006	2.1	0.36	111	398	<0.5	95	<0.01	<0.5	<1	3.3
5304451		1.94	0.002	0.002	<0.005	<0.5	4.86	6	532	2.4	<1	1.89	<0.5	17	21.1
5304452		1.84	<0.001	0.003	<0.005	<0.5	4.94	5	521	2.3	<1	1.99	<0.5	18	20.9
5304453		1.92	0.004	0.004	<0.005	<0.5	4.49	2	459	2.0	<1	1.85	<0.5	17	18.7
5304454		1.88	0.001	0.004	<0.005	<0.5	4.82	1	493	2.4	<1	1.98	<0.5	17	20.6
5304455		2.04	0.001	0.002	<0.005	<0.5	4.70	1	556	2.6	<1	2.02	<0.5	16	21.4
5304456		2.32	<0.001	0.002	<0.005	0.6	4.08	2	454	2.0	<1	1.57	<0.5	16	16.9
5304457		2.06	0.001	0.002	<0.005	<0.5	4.71	5	493	2.3	<1	2.14	<0.5	18	21.5
5304458		2.18	<0.001	0.005	<0.005	<0.5	4.21	4	415	2.1	<1	1.96	<0.5	15	18.3
5304459		1.98	<0.001	0.003	<0.005	<0.5	4.47	1	464	2.3	<1	1.97	<0.5	17	20.1
5304460		0.10	4.82	0.003	<0.005	2.4	1.08	15	187	0.9	<1	0.47	<0.5	<1	8.2
5304461		2.20	0.003	0.003	<0.005	<0.5	4.67	3	523	2.3	<1	1.92	<0.5	15	20.7
5304462		2.12	0.003	0.003	<0.005	<0.5	4.08	2	381	2.0	<1	1.75	<0.5	14	17.2
5304463		2.14	<0.001	0.007	<0.005	<0.5	4.43	2	374	2.3	<1	1.67	<0.5	12	20.0
5304464		2.14	<0.001	0.002	<0.005	<0.5	5.07	2	420	2.5	<1	1.93	<0.5	17	19.7
5304465		1.90	0.004	0.004	<0.005	<0.5	3.80	3	290	2.0	<1	1.23	<0.5	16	16.1
5304466		2.12	0.010	0.002	<0.005	<0.5	4.90	2	446	2.7	<1	1.77	<0.5	19	19.6
5304467		2.04	<0.001	0.003	<0.005	<0.5	4.54	1	388	2.4	<1	2.03	<0.5	19	18.9
5304468		1.88	<0.001	0.003	<0.005	<0.5	4.69	2	351	2.2	<1	1.75	<0.5	18	17.7

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	Cr	Cs	Cu	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
Sample Description	RDL:	0.5	0.5	0.5	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5
5304354		731	<0.5	117	4.80	12	<1	0.46	4	11	5.52	1810	<0.5	0.98	172
5304355		933	<0.5	171	5.11	12	<1	0.52	4	16	5.91	1990	1.4	1.12	209
5304356		956	<0.5	194	4.88	9	<1	0.43	3	26	5.49	1940	<0.5	0.98	190
5304357		985	<0.5	124	4.78	15	<1	0.43	4	18	5.40	1910	<0.5	1.10	165
5304358		965	<0.5	81.5	4.62	12	<1	0.44	4	11	4.97	1650	0.6	0.89	134
5304359		907	<0.5	107	4.76	14	<1	0.46	4	16	5.34	1860	0.9	1.02	145
5304360		27.8	<0.5	40.3	2.32	11	<1	4.55	<2	11	0.13	206	454	0.26	31.8
5304361		907	<0.5	108	4.93	14	1	0.44	4	10	5.31	1850	0.5	0.95	154
5304362		949	<0.5	90.1	4.74	14	<1	0.43	4	12	5.15	1760	<0.5	0.95	137
5304363		962	<0.5	91.9	4.52	13	<1	0.63	4	18	5.16	1750	1.4	0.93	137
5304364		765	<0.5	103	5.34	17	<1	0.14	4	16	5.08	1940	0.7	1.79	142
5304365		718	<0.5	104	5.40	17	1	0.12	4	10	4.44	1900	<0.5	1.43	104
5304366		734	<0.5	114	5.85	13	<1	0.45	4	33	6.12	1960	<0.5	1.97	138
5304367		786	<0.5	74.4	4.43	15	<1	0.58	4	23	4.89	1730	<0.5	0.87	125
5304368		817	<0.5	191	5.42	12	<1	0.69	4	15	6.09	1900	<0.5	1.13	193
5304369		757	<0.5	104	4.86	18	<1	0.49	4	18	5.49	1930	<0.5	0.92	154
5304370		39.6	<0.5	45.0	3.25	14	<1	0.90	8	16	1.00	970	5.5	2.06	24.8
5304371		816	<0.5	101	4.69	16	<1	0.54	4	17	5.10	1730	<0.5	0.88	139
5304372		753	<0.5	90.9	4.82	14	<1	0.54	4	15	5.07	1740	0.8	1.02	130
5304373		395	<0.5	105	6.16	17	<1	0.45	6	17	4.84	1960	<0.5	1.88	101
5304374		598	<0.5	79.4	5.73	15	<1	0.51	5	15	4.89	2000	1.2	1.10	119
5304375		642	<0.5	79.2	4.73	11	<1	0.48	5	14	4.50	1660	0.6	0.92	111
5304376		663	<0.5	107	5.34	12	<1	0.60	4	18	5.77	1910	<0.5	1.04	139
5304377		566	<0.5	1040	5.69	16	<1	0.61	5	21	5.16	1870	1.0	1.08	524
5304378		470	<0.5	1210	6.04	16	<1	0.65	6	20	5.15	1950	0.6	1.17	497
5304379		549	<0.5	1730	5.52	15	<1	0.61	4	17	4.56	1850	<0.5	0.92	732
5304380		139	<0.5	131	9.31	16	<1	0.54	16	16	3.39	5010	5.3	1.39	94.2
5304381		564	<0.5	682	4.79	15	<1	0.62	7	18	4.20	1370	1.8	1.23	345
5304382		216	<0.5	87.8	4.80	25	<1	0.76	19	26	2.81	1140	0.7	2.79	107
5304383		303	<0.5	62.7	3.71	20	<1	0.81	15	19	2.27	958	1.7	2.11	79.7
5304384		129	<0.5	37.9	4.41	17	<1	1.01	10	40	3.70	1140	<0.5	3.09	70.4
5304385		579	<0.5	116	5.35	15	<1	0.68	6	25	4.81	1840	<0.5	1.35	132

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010	DATE RECEIVED: Nov 12, 2010							DATE REPORTED: Nov 12, 2010				SAMPLE TYPE: Rock			
Analyte:	Cr	Cs	Cu	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
Sample Description	RDL:	0.5	0.5	0.5	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5
5304386		574	<0.5	101	5.69	13	<1	0.76	5	28	5.22	2040	<0.5	1.20	127
5304387		526	<0.5	103	5.14	12	<1	0.67	5	19	4.43	1910	<0.5	1.04	112
5304388		490	<0.5	193	5.80	16	<1	0.48	5	23	5.03	1800	<0.5	1.99	112
5304389		491	<0.5	71.2	4.66	13	<1	0.47	5	17	3.86	1370	<0.5	1.87	96.5
5304390		26.4	<0.5	61.8	4.35	<5	<1	0.08	5	<1	0.01	111	14.3	<0.01	8.8
5304391		453	<0.5	95.2	5.91	14	<1	0.66	6	23	5.10	1980	0.5	1.32	112
5304392		297	<0.5	101	5.98	17	<1	0.62	6	16	4.71	1950	<0.5	1.40	102
5304393		342	<0.5	77.1	5.38	12	<1	0.52	6	14	4.15	1720	1.2	1.11	86.6
5304394		284	<0.5	104	6.29	16	<1	0.50	6	13	4.70	2050	0.6	1.41	106
5304395		279	<0.5	90.4	6.05	17	<1	0.56	6	20	4.46	2040	<0.5	1.48	99.7
5304396		259	<0.5	97.3	6.01	15	<1	0.54	6	28	4.52	2020	<0.5	1.41	99.5
5304397		238	<0.5	101	6.14	14	<1	0.57	6	21	4.57	2010	<0.5	1.56	103
5304398		351	<0.5	127	5.25	15	<1	0.61	6	24	4.30	1970	<0.5	1.16	119
5304399		166	<0.5	158	5.96	17	<1	0.61	7	22	4.39	2190	<0.5	1.30	122
5304400		754	<0.5	<0.5	1.06	<5	<1	0.07	14	7	0.06	63	7.6	<0.01	8.1
5304401		163	<0.5	110	6.16	15	<1	0.51	7	17	4.39	2010	<0.5	1.55	97.6
5304402		219	<0.5	121	6.22	17	<1	0.63	7	18	4.37	2040	1.8	1.42	97.8
5304403		164	<0.5	101	6.09	15	<1	0.65	6	17	4.44	2080	1.0	1.40	102
5304404		243	<0.5	96.1	6.30	15	<1	0.71	5	19	4.35	2050	<0.5	1.21	102
5304405		188	<0.5	88.6	6.26	15	<1	1.22	6	21	4.48	2050	1.1	1.22	105
5304406		234	<0.5	94.1	7.05	16	<1	0.42	6	25	4.44	1890	<0.5	1.45	102
5304407		241	<0.5	54.4	6.01	16	<1	0.17	7	25	3.89	1520	<0.5	1.55	83.9
5304408		285	<0.5	160	2.22	10	<1	0.33	2	15	1.36	485	3.2	0.24	34.6
5304409		194	<0.5	7.8	6.22	23	<1	0.92	14	61	4.20	1440	<0.5	0.93	80.4
5304410		347	<0.5	<0.5	0.76	<5	<1	0.11	16	8	0.14	61	3.2	<0.01	6.1
5304411		224	<0.5	41.5	6.34	14	<1	0.47	6	27	4.40	1820	<0.5	1.31	104
5304412		228	<0.5	128	6.28	13	<1	0.61	5	24	4.49	1830	1.1	1.71	111
5304413		163	<0.5	120	6.47	14	<1	0.75	5	23	4.80	2040	<0.5	1.54	108
5304414		234	<0.5	69.6	6.21	16	<1	0.79	6	19	4.39	1850	1.1	1.86	110
5304415		166	<0.5	94.4	6.19	14	<1	0.94	6	19	3.96	2010	<0.5	1.43	102
5304416		187	<0.5	104	6.77	16	<1	0.53	6	19	4.27	2130	1.9	1.63	101
5304417		245	<0.5	113	5.82	17	<1	0.46	6	17	3.82	1900	1.2	1.55	94.1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	Cr	Cs	Cu	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
Sample Description	RDL:	0.5	0.5	0.5	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5
5304418		218	<0.5	102	5.99	14	<1	0.78	7	18	4.18	1950	<0.5	1.13	103
5304419		203	<0.5	106	6.32	16	<1	0.64	6	21	4.43	1990	1.0	1.55	100
5304420		16.1	<0.5	36.8	2.07	10	<1	4.79	2	10	0.10	175	445	0.25	31.9
5304421		185	<0.5	89.1	6.35	18	<1	1.04	6	21	4.28	2020	<0.5	1.10	104
5304422		202	<0.5	60.6	6.88	16	<1	0.62	6	27	4.16	1800	0.8	1.58	118
5304423		292	<0.5	11.9	4.94	21	<1	0.21	13	17	2.68	1170	1.3	1.89	71.4
5304424		169	<0.5	157	5.68	15	<1	0.21	12	28	3.50	1420	<0.5	2.81	97.2
5304425		266	<0.5	15.3	3.49	28	<1	0.14	19	11	1.24	760	1.7	1.49	34.0
5304426		238	<0.5	68.3	3.42	23	<1	0.10	20	10	1.18	640	1.8	3.02	56.5
5304427		185	<0.5	34.8	2.98	18	<1	0.31	18	18	1.61	626	1.3	3.42	45.8
5304428		253	<0.5	33.0	2.76	19	<1	0.35	19	16	1.44	587	2.7	3.05	48.7
5304429		340	<0.5	43.8	2.96	19	<1	0.47	17	16	1.38	581	2.2	3.08	50.3
5304430		40.0	<0.5	45.0	3.21	14	<1	0.90	8	16	1.00	935	5.4	2.09	29.9
5304431		218	<0.5	34.0	3.03	20	<1	0.68	16	24	1.35	617	0.9	2.74	53.2
5304432		264	<0.5	22.3	2.47	19	<1	0.89	12	21	1.10	484	1.9	1.99	38.5
5304433		278	<0.5	24.8	2.78	17	<1	0.82	16	24	1.26	555	1.5	2.30	42.6
5304434		251	<0.5	27.8	3.11	19	<1	1.03	13	25	1.37	584	1.9	3.10	50.8
5304435		204	<0.5	25.5	3.93	22	<1	1.93	15	41	1.84	729	2.3	2.30	69.4
5304436		292	<0.5	8.6	3.10	18	<1	1.37	16	26	1.57	635	3.1	1.49	51.7
5304437		199	<0.5	6.4	3.72	23	<1	0.69	21	27	1.85	770	1.2	3.24	52.1
5304438		192	<0.5	13.1	3.72	22	<1	1.12	17	30	1.70	717	1.6	2.38	71.7
5304439		266	<0.5	5.1	3.61	19	<1	1.14	18	27	1.95	776	2.2	2.41	58.1
5304440		147	<0.5	136	9.66	18	<1	0.56	17	16	3.42	5170	3.8	1.40	101
5304441		171	<0.5	24.0	3.77	25	<1	0.87	18	24	1.81	776	1.7	2.75	73.4
5304442		196	<0.5	30.9	4.09	25	<1	0.96	18	28	1.83	800	1.3	2.75	70.2
5304443		301	<0.5	26.1	3.24	18	<1	1.61	14	33	1.64	611	2.1	1.79	58.5
5304444		174	<0.5	24.2	4.10	23	<1	1.81	18	43	2.03	764	1.3	2.58	69.3
5304445		206	<0.5	32.7	3.97	22	<1	1.92	18	45	1.92	752	1.2	2.25	69.2
5304446		352	<0.5	18.1	3.06	18	<1	1.36	13	28	1.39	557	2.0	1.79	49.3
5304447		181	<0.5	33.8	3.85	21	<1	1.62	18	36	1.92	736	<0.5	2.64	63.3
5304448		210	<0.5	36.1	3.59	22	<1	1.64	17	39	1.71	747	2.8	2.47	63.3
5304449		181	<0.5	42.4	3.62	20	<1	1.44	14	35	1.59	679	<0.5	2.51	64.3

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	Cr	Cs	Cu	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
Sample Description	RDL:	0.5	0.5	0.5	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5
5304450		27.1	<0.5	62.7	4.01	<5	<1	0.07	4	<1	<0.01	112	15.1	<0.01	9.0
5304451		214	<0.5	25.6	3.53	19	<1	1.63	15	35	1.68	741	0.7	2.34	57.1
5304452		255	<0.5	42.0	3.42	19	<1	1.62	15	30	1.59	685	4.8	2.35	55.6
5304453		264	<0.5	28.2	3.03	19	<1	1.41	14	28	1.39	695	1.4	2.12	52.3
5304454		170	<0.5	25.9	3.53	19	<1	1.62	14	32	1.70	738	2.0	2.51	53.9
5304455		235	<0.5	27.0	3.52	21	<1	1.61	15	31	1.64	744	<0.5	2.33	57.3
5304456		248	<0.5	30.5	2.68	17	<1	1.21	14	26	1.26	627	1.1	1.98	44.2
5304457		190	<0.5	35.5	3.40	20	<1	1.32	16	27	1.57	761	2.0	2.46	56.4
5304458		278	<0.5	29.8	3.11	18	<1	1.29	12	25	1.40	639	1.4	2.20	54.4
5304459		173	<0.5	24.9	3.53	20	<1	1.37	14	29	1.63	729	1.5	2.68	55.3
5304460		17.8	<0.5	38.0	1.95	10	<1	5.08	<2	10	0.10	159	462	0.24	32.0
5304461		230	<0.5	34.0	3.49	18	<1	1.47	13	27	1.60	677	2.9	2.64	56.1
5304462		290	<0.5	22.2	2.91	18	<1	1.34	12	24	1.32	537	2.3	2.16	45.9
5304463		180	<0.5	19.0	3.58	20	<1	1.17	11	25	1.65	659	0.6	2.74	55.1
5304464		218	<0.5	71.6	3.72	19	<1	1.51	15	26	1.77	646	2.3	3.15	54.6
5304465		345	<0.5	39.8	2.69	15	<1	1.06	13	20	1.26	511	2.0	2.35	44.2
5304466		186	<0.5	18.4	3.43	18	<1	1.47	16	25	1.63	649	1.7	2.83	54.9
5304467		215	<0.5	16.3	3.34	18	<1	1.44	15	23	1.47	596	1.3	2.83	53.0
5304468		234	<0.5	20.8	3.20	18	<1	1.26	14	21	1.51	590	2.0	2.71	49.3

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010	DATE RECEIVED: Nov 12, 2010				DATE REPORTED: Nov 12, 2010				SAMPLE TYPE: Rock					
Analyte:	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
Sample Description RDL:	10	1	10	0.005	1	1	10	5	1	10	10	5	0.01	5
5304354	226	13	24	0.039	<1	32	<10	<5	119	<10	<10	13	0.25	<5
5304355	222	24	35	0.041	<1	35	<10	<5	125	<10	<10	13	0.23	<5
5304356	200	51	28	0.031	<1	34	<10	<5	157	<10	<10	13	0.21	<5
5304357	206	21	31	0.045	<1	34	<10	<5	137	<10	<10	15	0.24	<5
5304358	211	10	29	0.035	<1	31	<10	<5	109	<10	<10	13	0.25	<5
5304359	227	10	34	0.042	<1	35	<10	<5	130	<10	<10	15	0.24	<5
5304360	501	19	185	2.05	<1	1	<10	<5	414	<10	<10	<5	0.06	<5
5304361	233	9	26	0.036	<1	32	<10	<5	109	<10	<10	12	0.27	<5
5304362	218	11	31	0.025	<1	32	<10	<5	115	<10	<10	14	0.24	<5
5304363	205	10	45	0.043	<1	33	<10	<5	121	<10	<10	14	0.23	<5
5304364	223	54	<10	0.039	<1	32	<10	<5	243	<10	<10	11	0.22	<5
5304365	198	63	<10	0.031	<1	28	<10	<5	349	<10	<10	10	0.20	<5
5304366	223	21	30	0.056	<1	33	<10	<5	127	<10	<10	10	0.24	<5
5304367	205	8	49	0.029	<1	32	<10	<5	123	<10	<10	13	0.22	<5
5304368	225	14	53	0.058	<1	36	<10	<5	143	<10	<10	12	0.26	<5
5304369	222	13	37	0.037	<1	35	<10	<5	133	<10	<10	15	0.22	<5
5304370	601	7	45	0.038	<1	10	<10	<5	247	<10	<10	7	0.29	<5
5304371	208	8	42	0.038	<1	32	<10	<5	115	<10	<10	13	0.23	<5
5304372	225	11	45	0.052	<1	34	<10	<5	127	<10	<10	12	0.26	<5
5304373	331	18	32	0.057	<1	34	<10	<5	180	<10	<10	12	0.39	<5
5304374	304	13	32	0.048	<1	32	<10	<5	133	<10	<10	9	0.38	<5
5304375	221	13	36	0.041	<1	28	<10	<5	133	<10	<10	14	0.24	<5
5304376	232	13	44	0.031	<1	35	<10	<5	143	<10	<10	11	0.25	<5
5304377	243	11	47	0.293	<1	34	<10	<5	157	<10	<10	11	0.30	<5
5304378	277	10	51	0.304	<1	35	<10	<5	157	<10	<10	12	0.36	<5
5304379	191	8	39	0.380	<1	32	<10	<5	142	<10	<10	11	0.27	<5
5304380	1860	15	39	2.42	<1	16	<10	<5	266	<10	15	7	0.68	<5
5304381	371	12	52	0.262	<1	25	<10	<5	150	<10	<10	11	0.27	<5
5304382	512	14	50	0.172	<1	20	<10	<5	351	<10	<10	9	0.52	<5
5304383	447	15	68	0.113	<1	16	<10	<5	312	<10	<10	12	0.39	<5
5304384	450	11	72	0.064	<1	29	<10	<5	165	<10	<10	12	0.64	<5
5304385	274	8	49	0.192	<1	35	<10	<5	183	<10	<10	15	0.27	<5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
Sample Description RDL:	10	1	10	0.005	1	1	10	5	1	10	10	5	0.01	5
5304386	268	24	61	0.040	<1	35	<10	<5	192	<10	<10	14	0.28	<5
5304387	251	9	55	0.048	<1	31	<10	<5	147	<10	<10	12	0.27	<5
5304388	282	12	44	0.058	<1	34	<10	<5	129	<10	<10	12	0.31	<5
5304389	248	8	41	0.078	<1	27	<10	<5	93	<10	<10	12	0.27	<5
5304390	183	139	<10	0.222	6	<1	<10	5	104	<10	<10	<5	0.08	<5
5304391	298	13	63	0.062	<1	34	<10	<5	152	<10	<10	12	0.33	<5
5304392	297	12	51	0.086	<1	32	<10	<5	143	<10	<10	10	0.36	<5
5304393	259	9	42	0.032	<1	27	<10	<5	124	<10	<10	11	0.31	<5
5304394	309	10	29	0.081	<1	33	<10	<5	148	<10	<10	12	0.36	<5
5304395	303	13	41	0.087	<1	32	<10	<5	141	<10	<10	10	0.35	<5
5304396	293	65	38	0.067	<1	31	<10	<5	129	<10	<10	12	0.31	<5
5304397	307	9	40	0.092	<1	32	<10	<5	148	<10	<10	10	0.35	<5
5304398	267	7	69	0.052	<1	31	<10	<5	138	<10	<10	14	0.28	<5
5304399	318	7	63	0.079	<1	33	<10	<5	143	<10	<10	12	0.37	<5
5304400	86	<1	<10	0.005	6	<1	<10	<5	6	<10	<10	<5	0.04	<5
5304401	333	7	55	0.070	<1	32	<10	<5	146	<10	<10	13	0.36	<5
5304402	324	8	56	0.071	<1	32	<10	<5	161	<10	<10	11	0.37	<5
5304403	326	8	61	0.071	<1	32	<10	<5	148	<10	<10	13	0.37	<5
5304404	302	11	33	0.055	<1	28	<10	<5	172	<10	<10	9	0.37	<5
5304405	338	9	81	0.053	<1	33	<10	<5	265	<10	<10	13	0.35	<5
5304406	308	9	18	0.044	<1	29	<10	<5	280	<10	<10	9	0.36	<5
5304407	269	7	11	0.043	<1	25	<10	<5	186	<10	<10	11	0.32	<5
5304408	159	8	32	0.079	<1	12	<10	<5	14	<10	<10	9	0.09	<5
5304409	351	9	84	0.017	<1	37	<10	<5	101	<10	<10	10	0.35	<5
5304410	131	<1	<10	0.012	1	<1	<10	<5	14	<10	<10	<5	0.03	<5
5304411	329	10	38	0.050	<1	31	<10	<5	264	<10	<10	11	0.32	<5
5304412	272	8	54	0.083	<1	30	<10	<5	241	<10	<10	10	0.29	<5
5304413	289	10	55	0.042	<1	31	<10	<5	249	<10	<10	11	0.32	<5
5304414	302	11	62	0.123	<1	29	<10	<5	233	<10	<10	13	0.32	<5
5304415	312	8	61	0.047	<1	30	<10	<5	251	<10	<10	11	0.34	<5
5304416	343	8	39	0.048	<1	31	<10	<5	262	<10	<10	10	0.38	<5
5304417	313	6	38	0.063	<1	30	<10	<5	218	<10	<10	11	0.34	<5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
Sample Description	RDL:	10	1	10	0.005	1	1	10	5	1	10	10	5	0.01	5
5304418		324	6	89	0.052	<1	31	<10	<5	178	<10	<10	12	0.37	<5
5304419		324	7	57	0.041	<1	33	<10	<5	235	<10	<10	10	0.37	<5
5304420		424	35	151	1.82	1	<1	<10	<5	489	<10	<10	<5	0.06	<5
5304421		341	8	80	0.063	<1	31	<10	<5	243	<10	<10	11	0.36	<5
5304422		333	11	26	0.126	<1	28	<10	<5	233	<10	<10	9	0.38	<5
5304423		404	7	12	0.076	<1	21	<10	<5	299	<10	<10	10	0.37	<5
5304424		446	11	14	0.093	<1	23	<10	<5	191	<10	<10	13	0.38	<5
5304425		461	5	<10	0.078	<1	12	<10	<5	443	<10	<10	9	0.25	<5
5304426		600	12	<10	0.198	<1	10	<10	<5	295	<10	<10	8	0.33	<5
5304427		560	19	13	0.078	<1	9	<10	<5	186	<10	<10	10	0.34	<5
5304428		540	29	17	0.108	<1	9	<10	<5	201	<10	<10	11	0.31	<5
5304429		548	25	18	0.140	<1	9	<10	<5	198	<10	<10	10	0.33	<5
5304430		591	6	37	0.036	<1	8	<10	<5	229	<10	<10	6	0.30	<5
5304431		559	18	32	0.122	<1	8	<10	<5	211	<10	<10	10	0.32	<5
5304432		430	15	28	0.075	<1	6	<10	<5	181	<10	<10	9	0.25	<5
5304433		484	14	40	0.057	<1	7	<10	<5	216	<10	<10	10	0.29	<5
5304434		575	8	33	0.078	<1	7	<10	<5	175	<10	<10	8	0.34	<5
5304435		745	15	69	0.077	<1	8	<10	<5	185	<10	<10	12	0.38	<5
5304436		477	11	49	0.052	<1	9	<10	<5	213	<10	<10	11	0.28	<5
5304437		693	16	24	0.031	<1	11	<10	<5	199	<10	<10	12	0.40	<5
5304438		661	29	46	0.044	<1	9	<10	<5	229	<10	<10	12	0.36	<5
5304439		598	21	42	0.040	<1	10	<10	<5	226	<10	<10	12	0.35	<5
5304440		2010	14	39	2.54	<1	17	<10	<5	271	<10	<10	9	0.68	<5
5304441		649	19	21	0.115	<1	11	<10	<5	240	<10	<10	11	0.37	<5
5304442		646	16	29	0.187	<1	10	<10	<5	248	<10	<10	12	0.37	<5
5304443		529	15	95	0.103	<1	9	<10	<5	209	<10	<10	12	0.30	<5
5304444		687	12	106	0.083	<1	11	<10	<5	305	<10	<10	11	0.40	<5
5304445		682	9	135	0.076	<1	11	<10	<5	309	<10	<10	13	0.38	<5
5304446		464	9	66	0.075	<1	8	<10	<5	226	<10	<10	11	0.27	<5
5304447		644	11	106	0.085	<1	10	<10	<5	312	<10	<10	14	0.38	<5
5304448		641	9	104	0.088	<1	10	<10	<5	295	<10	<10	12	0.36	<5
5304449		627	8	66	0.113	<1	8	<10	<5	268	<10	<10	10	0.37	<5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
Sample Description RDL:	10	1	10	0.005	1	1	10	5	1	10	10	5	0.01	5
5304450	178	140	<10	0.209	<1	<1	<10	<5	104	<10	<10	<5	0.07	<5
5304451	602	8	94	0.102	<1	9	<10	<5	306	<10	<10	12	0.35	<5
5304452	583	9	82	0.101	<1	9	<10	<5	316	<10	<10	10	0.35	<5
5304453	543	8	76	0.084	<1	8	<10	<5	287	<10	<10	11	0.31	<5
5304454	607	9	77	0.115	<1	8	<10	<5	301	<10	<10	10	0.36	<5
5304455	626	9	87	0.097	<1	9	<10	<5	310	<10	<10	11	0.36	<5
5304456	488	5	63	0.078	<1	8	<10	<5	255	<10	<10	11	0.27	<5
5304457	605	9	64	0.125	<1	9	<10	<5	326	<10	<10	10	0.34	<5
5304458	568	9	54	0.094	<1	8	<10	<5	283	<10	<10	10	0.32	<5
5304459	617	7	62	0.112	<1	9	<10	<5	288	<10	<10	11	0.35	<5
5304460	429	2	159	1.74	2	<1	<10	<5	303	<10	<10	<5	0.06	<5
5304461	603	8	70	0.106	<1	9	<10	<5	269	<10	<10	9	0.36	<5
5304462	504	9	66	0.083	<1	7	<10	<5	253	<10	<10	8	0.30	<5
5304463	615	14	39	0.109	<1	8	<10	<5	237	<10	<10	10	0.36	<5
5304464	630	15	83	0.120	<1	9	<10	<5	242	<10	<10	10	0.39	<5
5304465	452	9	75	0.078	<1	7	<10	<5	155	<10	<10	9	0.26	<5
5304466	628	14	99	0.103	<1	9	<10	<5	254	<10	<10	12	0.35	<5
5304467	582	8	94	0.071	<1	8	<10	<5	274	<10	<10	9	0.36	<5
5304468	532	10	73	0.070	<1	8	<10	<5	252	<10	<10	11	0.33	<5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	5	0.5	1	1	0.5	5
5304354	<5	369	<1	8	62.3	27	
5304355	<5	383	<1	9	102	27	
5304356	<5	372	<1	9	101	26	
5304357	<5	385	<1	10	88.5	28	
5304358	<5	356	<1	9	58.6	32	
5304359	<5	389	<1	10	65.6	27	
5304360	<5	69.9	2	4	272	55	
5304361	<5	389	<1	9	63.8	25	
5304362	<5	371	<1	9	68.3	25	
5304363	<5	359	<1	9	67.2	28	
5304364	<5	352	<1	9	166	23	
5304365	<5	336	<1	8	116	20	
5304366	<5	355	<1	9	98.4	26	
5304367	<5	350	<1	9	57.8	28	
5304368	<5	385	<1	10	78.0	31	
5304369	<5	386	<1	9	81.5	26	
5304370	<5	184	<1	12	50.2	40	
5304371	<5	358	<1	9	64.4	30	
5304372	<5	382	<1	10	63.6	30	
5304373	<5	447	<1	14	76.1	42	
5304374	<5	439	<1	12	70.8	42	
5304375	<5	336	<1	10	64.3	34	
5304376	<5	375	<1	9	67.3	27	
5304377	<5	388	<1	12	74.9	36	
5304378	<5	425	1	13	73.0	41	
5304379	<5	396	2	9	69.8	30	
5304380	<5	311	3	20	104	86	
5304381	<5	331	<1	10	64.0	29	
5304382	<5	349	<1	9	64.5	52	
5304383	<5	279	<1	7	62.1	49	
5304384	<5	483	<1	11	49.4	35	
5304385	<5	415	<1	11	70.7	36	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	U ppm 5	V ppm 0.5	W ppm 1	Y ppm 1	Zn ppm 0.5	Zr ppm 5
5304386		<5	409	<1	12	91.6	36
5304387		<5	389	<1	11	63.4	37
5304388		<5	418	<1	12	73.8	37
5304389		<5	342	<1	10	55.6	36
5304390		<5	53.1	<1	1	8.7	17
5304391		<5	411	<1	13	66.1	39
5304392		<5	418	<1	13	69.0	40
5304393		<5	353	<1	11	58.7	39
5304394		<5	438	<1	12	79.6	40
5304395		<5	422	<1	12	71.8	44
5304396		<5	420	<1	12	123	42
5304397		<5	429	<1	12	69.6	41
5304398		<5	389	<1	12	65.0	43
5304399		<5	442	<1	14	58.6	46
5304400		<5	12.5	<1	3	8.3	27
5304401		<5	421	<1	14	64.8	42
5304402		<5	428	<1	13	67.3	46
5304403		<5	442	<1	13	68.5	47
5304404		<5	420	<1	11	68.9	43
5304405		<5	441	<1	13	76.2	45
5304406		<5	428	<1	11	68.5	40
5304407		<5	359	<1	11	63.4	46
5304408		<5	147	<1	5	34.1	13
5304409		<5	474	<1	20	70.7	45
5304410		<5	17.0	<1	4	8.1	25
5304411		<5	360	<1	13	67.6	37
5304412		<5	369	2	10	63.0	37
5304413		<5	389	<1	11	79.5	37
5304414		<5	379	<1	12	63.3	44
5304415		<5	430	<1	12	70.8	40
5304416		<5	429	<1	13	72.8	41
5304417		<5	409	<1	13	64.4	45

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	5	0.5	1	1	0.5	5
5304418	<5	440	<1	13	65.4	43
5304419	<5	432	<1	13	68.2	43
5304420	<5	67.2	1	2	269	43
5304421	<5	449	<1	13	75.0	40
5304422	<5	414	<1	11	71.5	39
5304423	<5	349	<1	13	48.9	53
5304424	<5	359	1	12	76.9	56
5304425	<5	239	<1	14	23.7	49
5304426	<5	219	<1	11	44.2	57
5304427	<5	197	<1	10	60.7	58
5304428	<5	192	<1	12	91.6	65
5304429	<5	194	<1	10	74.6	63
5304430	<5	182	<1	12	54.4	38
5304431	<5	189	<1	10	62.5	65
5304432	<5	149	<1	8	54.5	58
5304433	<5	164	<1	9	54.6	65
5304434	<5	193	<1	8	43.4	69
5304435	<5	253	<1	9	78.7	78
5304436	<5	191	<1	9	46.9	55
5304437	<5	234	<1	12	83.5	63
5304438	<5	237	<1	10	128	65
5304439	<5	213	<1	11	63.4	72
5304440	<5	330	3	20	112	90
5304441	<5	237	<1	11	81.6	70
5304442	<5	238	<1	10	53.1	69
5304443	<5	191	<1	9	42.7	72
5304444	<5	243	<1	11	48.6	82
5304445	<5	238	<1	11	55.9	86
5304446	<5	171	<1	8	40.8	68
5304447	<5	229	<1	11	53.3	84
5304448	<5	223	<1	10	54.6	85
5304449	<5	215	<1	9	45.0	81

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U451941

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 12, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 12, 2010

SAMPLE TYPE: Rock

Analyte:	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	5	0.5	1	1	0.5	5
5304450	<5	53.4	1	<1	9.4	16
5304451	<5	206	<1	10	52.8	83
5304452	<5	204	<1	10	49.8	87
5304453	<5	193	<1	9	54.9	82
5304454	<5	205	<1	10	50.0	82
5304455	<5	219	<1	10	51.9	86
5304456	<5	164	<1	9	32.3	74
5304457	<5	211	<1	10	46.9	85
5304458	<5	190	2	8	46.0	80
5304459	<5	219	<1	10	42.2	87
5304460	<5	69.4	2	2	269	45
5304461	<5	210	<1	9	44.4	88
5304462	<5	173	<1	8	43.3	77
5304463	<5	207	<1	7	59.0	86
5304464	<5	207	2	10	53.2	86
5304465	<5	162	<1	9	40.8	73
5304466	<5	206	<1	10	49.5	85
5304467	<5	198	<1	10	40.3	81
5304468	<5	186	<1	9	42.4	83

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Nov 12, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish												
Au	1	2127439	0.0032	0.0040	22.2%	< 0.001	1.01	1.08	94%	90%	110%	
Pd	1	2127439	0.016	0.019	17.1%	< 0.001	0.427	0.412	104%	90%	110%	
Pt	1	2127439	0.016	0.010		< 0.005	0.609	0.578	105%	90%	110%	
Ag	1	2127428	< 0.5	< 0.5	0.0%	< 0.5	7	7	103%	90%	110%	
Al	1	2127428	6.82	6.98	2.3%	< 0.01				80%	120%	
As	1	2127428	6	8	28.6%	< 1				80%	120%	
Ba	1	2127428	84	85	1.2%	< 1				80%	120%	
Be	1	2127428	0.7	0.7	0.0%	< 0.5				80%	120%	
Bi	1	2127428	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2127428	8.22	8.07	1.8%	< 0.01	0.51	0.55	93%	90%	110%	
Cd	1	2127428	0.5	0.5	0.0%	< 0.5				80%	120%	
Ce	1	2127428	< 1	< 1	0.0%	< 1				80%	120%	
Co	1	2127428	35.7	36.3	1.7%	< 0.5	5.9	5.0	117%	80%	120%	
Cr	1	2127428	731	734	0.4%	< 0.5				80%	120%	
Cs	1	2127428	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2127428	117	116	0.9%	< 0.5	4401	4700	94%	90%	110%	
Fe	1	2127428	4.80	4.70	2.1%	< 0.01	1.33	1.55	86%	80%	120%	
Ga	1	2127428	12	12	0.0%	< 5				80%	120%	
In	1	2127428	< 1	< 1	0.0%	< 1				80%	120%	
K	1	2127428	0.456	0.431	5.6%	< 0.01	2.34	2.99	78%	70%	130%	
La	1	2127428	4	4	0.0%	< 2				80%	120%	
Li	1	2127428	11	11	0.0%	< 1				80%	120%	
Mg	1	2127428	5.52	5.62	1.8%	< 0.01				80%	120%	
Mn	1	2127428	1810	1790	1.1%	< 1				80%	120%	
Mo	1	2127428	< 0.5	0.7		< 0.5	353	280	126%	70%	130%	
Na	1	2127428	0.981	0.972	0.9%	< 0.01				80%	120%	
Ni	1	2127428	172	174	1.2%	< 0.5	5	7	74%	70%	130%	
P	1	2127428	226	228	0.9%	< 10				80%	120%	
Pb	1	2127428	13	12	8.0%	< 1	23	30	76%	70%	130%	
Rb	1	2127428	24	31	25.5%	< 10				80%	120%	
S	1	2127428	0.039	0.043	9.8%	< 0.005				80%	120%	
Sb	1	2127428	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2127428	32	32	0.0%	< 1				80%	120%	
Se	1	2127428	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2127428	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2127428	119	120	0.8%	< 1	316	390	81%	80%	120%	
Ta	1	2127428	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2127428	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2127428	13	14	7.4%	< 5				80%	120%	
Ti	1	2127428	0.252	0.243	3.6%	< 0.01				80%	120%	
Tl	1	2127428	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2127428	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2127428	369	373	1.1%	< 0.5				80%	120%	
W	1	2127428	< 1	< 1	0.0%	< 1				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Nov 12, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Y	1	2127428	8	9	11.8%	< 1				80%	120%
Zn	1	2127428	62.3	64.0	2.7%	< 0.5	28	32	88%	80%	120%
Zr	1	2127428	27	26	3.8%	< 5				80%	120%
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish											
Au	1	2127453	0.058	0.058	0.0%	< 0.001	0.313	0.321	98%	90%	110%
Pd	1	2127453	0.772	0.799	3.4%	< 0.001	0.035	0.037	96%	90%	110%
Pt	1	2127453	0.119	0.113	5.2%	< 0.005	0.096	0.090	107%	90%	110%
Ag	1	2127453	< 0.5	0.5		< 0.5	6	7	89%	80%	120%
Al	1	2127453	6.35	7.59	17.8%	< 0.01				80%	120%
As	1	2127453	4	7		< 1				80%	120%
Ba	1	2127453	110	114	3.6%	< 1				80%	120%
Be	1	2127453	0.9	0.9	0.0%	< 0.5				80%	120%
Bi	1	2127453	1	< 1		< 1				80%	120%
Ca	1	2127453	7.24	8.07	10.8%	< 0.01	0.71	0.55	129%	70%	130%
Cd	1	2127453	0.6	0.6	0.0%	< 0.5				80%	120%
Ce	1	2127453	< 1	< 1	0.0%	< 1				80%	120%
Co	1	2127453	55.1	55.8	1.3%	< 0.5	5.1	5.0	102%	90%	110%
Cr	1	2127453	549	560	2.0%	< 0.5				80%	120%
Cs	1	2127453	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2127453	1730	1960	12.5%	1.4	4465	4700	95%	90%	110%
Fe	1	2127453	5.52	6.08	9.7%	< 0.01	1.38	1.55	89%	80%	120%
Ga	1	2127453	15	16	6.5%	< 5				80%	120%
In	1	2127453	< 1	< 1	0.0%	< 1				80%	120%
K	1	2127453	0.61	0.66	7.9%	< 0.01	2.67	2.99	89%	80%	120%
La	1	2127453	4	5	22.2%	< 2				80%	120%
Li	1	2127453	17	19	11.1%	< 1				80%	120%
Mg	1	2127453	4.56	5.34	15.8%	< 0.01				80%	120%
Mn	1	2127453	1850	1900	2.7%	< 1				80%	120%
Mo	1	2127453	< 0.5	< 0.5	0.0%	< 0.5	341	280	122%	70%	130%
Na	1	2127453	0.924	1.04	11.8%	< 0.01				80%	120%
Ni	1	2127453	732	753	2.8%	< 0.5	6	7	90%	90%	110%
P	1	2127453	191	178	7.0%	< 10				80%	120%
Pb	1	2127453	8	8	0.0%	< 1	23	30	78%	70%	130%
Rb	1	2127453	39	54		< 10				80%	120%
S	1	2127453	0.380	0.463	19.7%	0.005				80%	120%
Sb	1	2127453	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2127453	32	35	9.0%	< 1				80%	120%
Se	1	2127453	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2127453	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2127453	142	145	2.1%	< 1	419	390	108%	90%	110%
Ta	1	2127453	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2127453	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2127453	11	12	8.7%	< 5				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Nov 12, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Ti	1	2127453	0.27	0.28	3.6%	< 0.01				80%	120%
Tl	1	2127453	< 5	< 5	0.0%	< 5				80%	120%
U	1	2127453	< 5	< 5	0.0%	< 5				80%	120%
V	1	2127453	396	396	0.0%	< 0.5				80%	120%
W	1	2127453	2	2	0.0%	< 1				80%	120%
Y	1	2127453	9	11	20.0%	< 1				80%	120%
Zn	1	2127453	69.8	70.7	1.3%	< 0.5	27	32	86%	80%	120%
Zr	1	2127453	30	31	3.3%	< 5				80%	120%
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish											
Au	1	2127465	0.005	0.005	0.0%	< 0.001	1.02	1.08	94%	90%	110%
Pd	1	2127465	0.0201	0.0194	3.5%	< 0.001	0.391	0.412	95%	90%	110%
Pt	1	2127465	0.009	0.010	10.5%	< 0.005	0.52	0.578	90%	90%	110%
Ag	1	2127479	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Al	1	2127479	6.75	6.59	2.4%	< 0.01				80%	120%
As	1	2127479	11	9	20.0%	< 1				80%	120%
Ba	1	2127479	542	498	8.5%	1				80%	120%
Be	1	2127479	1.80	1.65	8.7%	< 0.5				80%	120%
Bi	1	2127479	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2127479	6.31	6.21	1.6%	< 0.01				80%	120%
Cd	1	2127479	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2127479	< 1	< 1	0.0%	< 1				80%	120%
Co	1	2127479	36.5	34.7	5.1%	< 0.5				80%	120%
Cr	1	2127479	188	178	5.5%	0.5				80%	120%
Cs	1	2127479	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2127479	88.6	80.8	9.2%	0.9				80%	120%
Fe	1	2127479	6.26	6.18	1.3%	< 0.01				80%	120%
Ga	1	2127479	15	13	14.3%	< 5				80%	120%
In	1	2127479	< 1	< 1	0.0%	< 1				80%	120%
K	1	2127479	1.22	1.20	1.7%	< 0.01				80%	120%
La	1	2127479	6	6	0.0%	< 2				80%	120%
Li	1	2127479	21	20	4.9%	< 1				80%	120%
Mg	1	2127479	4.48	4.46	0.4%	< 0.01				80%	120%
Mn	1	2127479	2050	1980	3.5%	2				80%	120%
Mo	1	2127479	1.1	< 0.5		< 0.5				80%	120%
Na	1	2127479	1.22	1.22	0.0%	< 0.01				80%	120%
Ni	1	2127479	105	97.7	7.2%	< 0.5				80%	120%
P	1	2127479	338	304	10.6%	< 10				80%	120%
Pb	1	2127479	9	10	10.5%	< 1				80%	120%
Rb	1	2127479	81	69	16.0%	< 10				80%	120%
S	1	2127479	0.0529	0.0568	7.1%	0.006				80%	120%
Sb	1	2127479	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2127479	33	30	9.5%	< 1				80%	120%
Se	1	2127479	< 10	< 10	0.0%	< 10				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Nov 12, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sn	1	2127479	< 5	< 5	0.0%	< 5			80%	120%		
Sr	1	2127479	265	252	5.0%	< 1			80%	120%		
Ta	1	2127479	< 10	< 10	0.0%	< 10			80%	120%		
Te	1	2127479	< 10	< 10	0.0%	< 10			80%	120%		
Th	1	2127479	13	10	26.1%	< 5			80%	120%		
Ti	1	2127479	0.35	0.35	0.0%	< 0.01			80%	120%		
Tl	1	2127479	< 5	< 5	0.0%	< 5			80%	120%		
U	1	2127479	< 5	< 5	0.0%	< 5			80%	120%		
V	1	2127479	441	413	6.6%	< 0.5			80%	120%		
W	1	2127479	< 1	< 1	0.0%	< 1			80%	120%		
Y	1	2127479	13	12	8.0%	< 1			80%	120%		
Zn	1	2127479	76.2	70.6	7.6%	< 0.5			80%	120%		
Zr	1	2127479	45	41	9.3%	< 5			80%	120%		
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish												
Au	1	2127479	0.0025	0.0030	18.2%	< 0.001	0.311	0.321	97%	90%	110%	
Pd	1	2127479	0.0111	0.0145	26.6%	< 0.001	0.039	0.037	106%	90%	110%	
Pt	1	2127479	0.0116	0.0113	2.6%	< 0.005	0.086	0.090	96%	90%	110%	
Ag	1	2127488	< 0.5	< 0.5	0.0%	< 0.5			80%	120%		
Al	1	2127488	6.79	6.33	7.0%	< 0.01			80%	120%		
As	1	2127488	7	10		< 1			80%	120%		
Ba	1	2127488	312	316	1.3%	< 1			80%	120%		
Be	1	2127488	1.35	1.39	2.9%	< 0.5			80%	120%		
Bi	1	2127488	< 1	< 1	0.0%	< 1			80%	120%		
Ca	1	2127488	5.93	5.57	6.3%	< 0.01			80%	120%		
Cd	1	2127488	< 0.5	< 0.5	0.0%	< 0.5			80%	120%		
Ce	1	2127488	< 1	< 1	0.0%	< 1			80%	120%		
Co	1	2127488	37.9	47.0	21.4%	< 0.5			80%	120%		
Cr	1	2127488	234	247	5.4%	< 0.5			80%	120%		
Cs	1	2127488	< 0.5	< 0.5	0.0%	< 0.5			80%	120%		
Cu	1	2127488	69.6	73.2	5.0%	1.7			80%	120%		
Fe	1	2127488	6.21	5.93	4.6%	< 0.01			80%	120%		
Ga	1	2127488	16	14	13.3%	< 5			80%	120%		
In	1	2127488	< 1	< 1	0.0%	< 1			80%	120%		
K	1	2127488	0.79	0.76	3.9%	< 0.01			80%	120%		
La	1	2127488	6	6	0.0%	< 2			80%	120%		
Li	1	2127488	19	18	5.4%	< 1			80%	120%		
Mg	1	2127488	4.39	4.07	7.6%	< 0.01			80%	120%		
Mn	1	2127488	1850	1830	1.1%	< 1			80%	120%		
Mo	1	2127488	1.1	0.6		< 0.5			80%	120%		
Na	1	2127488	1.86	1.79	3.8%	< 0.01			80%	120%		
Ni	1	2127488	110	114	3.6%	< 0.5			80%	120%		
P	1	2127488	302	304	0.7%	< 10			80%	120%		
Pb	1	2127488	11	7		< 1			80%	120%		

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)										
RPT Date: Nov 12, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Rb	1	2127488	62	64	3.2%	< 10			80%	120%
S	1	2127488	0.123	0.124	0.8%	< 0.005			80%	120%
Sb	1	2127488	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2127488	29	29	0.0%	< 1			80%	120%
Se	1	2127488	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2127488	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2127488	233	235	0.9%	< 1			80%	120%
Ta	1	2127488	< 10	< 10	0.0%	< 10			80%	120%
Te	1	2127488	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2127488	13	10	26.1%	< 5			80%	120%
Ti	1	2127488	0.317	0.304	4.2%	< 0.01			80%	120%
Tl	1	2127488	< 5	< 5	0.0%	< 5			80%	120%
U	1	2127488	< 5	< 5	0.0%	< 5			80%	120%
V	1	2127488	379	388	2.3%	< 0.5			80%	120%
W	1	2127488	< 1	< 1	0.0%	< 1			80%	120%
Y	1	2127488	12	12	0.0%	< 1			80%	120%
Zn	1	2127488	63.3	60.8	4.0%	< 0.5			80%	120%
Zr	1	2127488	44	40	9.5%	< 5			80%	120%
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish										
Au	1	2127490	0.003	0.005		< 0.001	1	1.08	92%	90% 110%
Pd	1	2127490	0.0131	0.0140	6.6%	< 0.001	0.367	0.412	89%	80% 120%
Pt	1	2127490	0.012	0.011	8.7%	< 0.005	0.561	0.578	97%	90% 110%
Ag	1	2127514	0.7	< 0.5		< 0.5				80% 120%
Al	1	2127514	5.95	5.65	5.2%	< 0.01				80% 120%
As	1	2127514	417	212		< 1				80% 120%
Ba	1	2127514	542	530	2.2%	< 1				80% 120%
Be	1	2127514	3.0	3.1	3.3%	< 0.5				80% 120%
Bi	1	2127514	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	2127514	5.65	5.43	4.0%	< 0.01				80% 120%
Cd	1	2127514	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	2127514	< 1	< 1	0.0%	< 1				80% 120%
Co	1	2127514	34.5	34.0	1.5%	< 0.5				80% 120%
Cr	1	2127514	147	147	0.0%	< 0.5				80% 120%
Cs	1	2127514	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Cu	1	2127514	136	134	1.5%	< 0.5				80% 120%
Fe	1	2127514	9.66	9.42	2.5%	< 0.01				80% 120%
Ga	1	2127514	18	16	11.8%	< 5				80% 120%
In	1	2127514	< 1	< 1	0.0%	< 1				80% 120%
K	1	2127514	0.56	0.55	1.8%	< 0.01				80% 120%
La	1	2127514	17	17	0.0%	< 2				80% 120%
Li	1	2127514	16	15	6.5%	< 1				80% 120%
Mg	1	2127514	3.42	3.24	5.4%	< 0.01				80% 120%
Mn	1	2127514	5170	5060	2.2%	< 1				80% 120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)										
RPT Date: Nov 12, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Mo	1	2127514	3.8	4.0	5.1%	< 0.5			80%	120%
Na	1	2127514	1.40	1.37	2.2%	< 0.01			80%	120%
Ni	1	2127514	101	99.9	1.1%	< 0.5			80%	120%
P	1	2127514	2010	1940	3.5%	< 10			80%	120%
Pb	1	2127514	14	14	0.0%	< 1			80%	120%
Rb	1	2127514	39	37	5.3%	< 10			80%	120%
S	1	2127514	2.54	2.44	4.0%	< 0.005			80%	120%
Sb	1	2127514	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2127514	17	16	6.1%	< 1			80%	120%
Se	1	2127514	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2127514	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2127514	271	260	4.1%	< 1			80%	120%
Ta	1	2127514	< 10	< 10	0.0%	< 10			80%	120%
Te	1	2127514	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2127514	9	9	0.0%	< 5			80%	120%
Ti	1	2127514	0.68	0.68	0.0%	< 0.01			80%	120%
Tl	1	2127514	< 5	< 5	0.0%	< 5			80%	120%
U	1	2127514	< 5	< 5	0.0%	< 5			80%	120%
V	1	2127514	330	321	2.8%	< 0.5			80%	120%
W	1	2127514	3	3	0.0%	< 1			80%	120%
Y	1	2127514	20	18	10.5%	< 1			80%	120%
Zn	1	2127514	112	112	0.0%	< 0.5			80%	120%
Zr	1	2127514	90	87	3.4%	< 5			80%	120%
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish										
Au	1	2127503	0.001	0.002		< 0.001	0.293	0.321	91%	90% 110%
Pd	1	2127503	0.002	0.004		< 0.001	0.039	0.037	105%	90% 110%
Pt	1	2127503	< 0.005	< 0.005	0.0%	< 0.005	0.088	0.090	98%	90% 110%
Ag	1	2127529	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Al	1	2127529	4.70	5.30	12.0%	< 0.01				80% 120%
As	1	2127529	1	2		< 1				80% 120%
Ba	1	2127529	556	565	1.6%	< 1				80% 120%
Be	1	2127529	2.55	2.50	2.0%	< 0.5				80% 120%
Bi	1	2127529	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	2127529	2.02	2.08	2.9%	< 0.01				80% 120%
Cd	1	2127529	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	2127529	16	20	22.2%	< 1				80% 120%
Co	1	2127529	21.4	21.7	1.4%	< 0.5				80% 120%
Cr	1	2127529	235	219	7.0%	< 0.5				80% 120%
Cs	1	2127529	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Cu	1	2127529	27.0	27.6	2.2%	< 0.5				80% 120%
Fe	1	2127529	3.52	3.43	2.6%	< 0.01				80% 120%
Ga	1	2127529	21	21	0.0%	< 5				80% 120%
In	1	2127529	< 1	< 1	0.0%	< 1				80% 120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Nov 12, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits	
							Lower			Upper	

K	1	2127529	1.61	1.59	1.3%	< 0.01			80%	120%
La	1	2127529	15	17	12.5%	< 2			80%	120%
Li	1	2127529	31	31	0.0%	< 1			80%	120%
Mg	1	2127529	1.64	1.59	3.1%	< 0.01			80%	120%
Mn	1	2127529	744	757	1.7%	< 1			80%	120%
Mo	1	2127529	< 0.5	1.6		< 0.5			80%	120%
Na	1	2127529	2.33	2.30	1.3%	< 0.01			80%	120%
Ni	1	2127529	57.3	57.0	0.5%	< 0.5			80%	120%
P	1	2127529	626	617	1.4%	< 10			80%	120%
Pb	1	2127529	9	9	0.0%	< 1			80%	120%
Rb	1	2127529	87	97	10.9%	< 10			80%	120%
S	1	2127529	0.097	0.089	8.6%	< 0.005			80%	120%
Sb	1	2127529	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2127529	9	11	20.0%	< 1			80%	120%
Se	1	2127529	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2127529	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2127529	310	342	9.8%	< 1			80%	120%
Ta	1	2127529	< 10	< 10	0.0%	< 10			80%	120%
Te	1	2127529	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2127529	11	11	0.0%	< 5			80%	120%
Ti	1	2127529	0.36	0.35	2.8%	< 0.01			80%	120%
Tl	1	2127529	< 5	< 5	0.0%	< 5			80%	120%
U	1	2127529	< 5	< 5	0.0%	< 5			80%	120%
V	1	2127529	219	213	2.8%	< 0.5			80%	120%
W	1	2127529	< 1	< 1	0.0%	< 1			80%	120%
Y	1	2127529	10	11	9.5%	< 1			80%	120%
Zn	1	2127529	51.9	50.7	2.3%	< 0.5			80%	120%
Zr	1	2127529	86	91	5.6%	< 5			80%	120%

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

Au	1	2127515	0.003	< 0.001		< 0.001			80%	120%
Pd	1	2127515	0.0033	0.0037	11.4%	< 0.001			80%	120%
Pt	1	2127515	< 0.005	< 0.005	0.0%	< 0.005			80%	120%

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

Au	1	2127529	0.001	< 0.001		< 0.001			80%	120%
Pd	1	2127529	0.002	0.003		< 0.001			80%	120%
Pt	1	2127529	< 0.005	< 0.005	0.0%	< 0.005			80%	120%

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

Au	1	2127542	< 0.001	< 0.001	0.0%	< 0.001			80%	120%
Pd	1	2127542	0.003	0.006		< 0.001			80%	120%
Pt	1	2127542	< 0.005	< 0.005	0.0%	< 0.005			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941


PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Nov 12, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U451941

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight			BALANCE
Au	MIN-200-12004/12006		ICP/OES
Pd	MIN-200-12004/12006		ICP/OES
Pt	MIN-200-12004/12006		ICP/OES
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U452560

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 16, 2010

PAGES (INCLUDING COVER): 13

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U452560

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 15, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 16, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au	Pd	Pt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
	Unit:	Login Weight	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
RDL:	kg	0.01	0.001	0.001	0.005	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5
5304469		1.50	0.003	0.015	0.008	0.8	6.82	9	94	1.0	2	8.32	<0.5	<1	42.3
5304470		0.08	0.004	<0.001	<0.005	0.8	3.88	6	596	1.5	<1	1.63	<0.5	4	11.3
5304471		2.26	0.003	0.018	0.007	<0.5	7.22	8	101	1.0	1	8.49	0.5	<1	42.5
5304472		2.14	0.003	0.023	0.009	<0.5	6.69	11	104	1.0	1	7.40	0.5	<1	42.6
5304473		0.98	0.003	0.017	0.006	1.1	6.86	10	79	0.9	3	7.90	<0.5	<1	41.6
5304474		2.38	0.003	0.017	0.008	<0.5	6.54	9	84	1.0	1	7.96	<0.5	<1	41.4
5304475		2.68	0.003	0.024	0.008	<0.5	6.70	7	81	1.0	<1	7.86	<0.5	<1	42.7
5304476		2.22	0.008	0.019	0.008	<0.5	6.88	9	121	1.0	3	7.99	0.5	<1	45.4
5304477		2.54	0.004	0.016	0.008	<0.5	6.85	6	105	1.0	2	8.07	0.5	<1	42.7
5304478		2.32	0.009	0.018	0.008	<0.5	6.61	9	104	1.3	<1	7.75	0.5	<1	45.3
5304479		2.28	0.010	0.017	0.008	<0.5	6.76	7	113	1.1	<1	8.00	0.5	<1	41.9
5304480		0.10	5.03	0.001	<0.005	0.6	5.65	201	485	3.1	<1	5.42	<0.5	<1	43.6
5304481		2.40	0.004	0.015	0.008	<0.5	6.40	7	121	1.1	<1	7.41	0.6	<1	44.1
5304482		2.22	0.005	0.017	0.008	<0.5	6.48	9	149	1.2	<1	7.41	<0.5	<1	43.0
5304483		1.90	0.003	0.014	0.005	<0.5	6.57	14	134	1.3	<1	6.31	<0.5	<1	39.9
5304484		2.20	0.007	0.048	0.034	<0.5	6.63	11	120	1.2	2	7.90	<0.5	<1	40.2
5304485		2.18	0.005	0.021	0.010	<0.5	5.86	8	117	1.0	<1	7.06	<0.5	<1	40.2
5304486		2.36	0.006	0.017	0.011	<0.5	5.71	7	130	1.2	<1	7.20	<0.5	<1	42.7
5304487		2.40	0.006	0.056	0.015	<0.5	4.74	5	106	1.0	<1	6.71	<0.5	<1	43.9
5304488		2.26	0.024	0.429	0.043	<0.5	5.27	6	95	1.1	3	6.96	0.6	<1	51.0
5304489		2.38	0.070	0.993	0.130	<0.5	6.19	6	116	1.1	3	7.11	0.8	<1	61.9
5304490		0.20	1.21	0.008	<0.005	0.9	5.08	12	505	1.8	<1	1.71	0.8	4	15.2
5304491		2.46	0.011	0.132	0.018	<0.5	6.20	7	117	0.9	<1	7.52	0.5	<1	48.9
5304492		2.32	0.010	0.152	0.037	<0.5	6.32	8	113	1.1	<1	7.36	0.5	<1	47.0
5304493		2.24	0.005	0.066	0.016	<0.5	6.69	8	116	1.3	1	7.26	<0.5	<1	45.8
5304494		2.20	0.005	0.035	0.014	<0.5	6.22	7	107	1.5	<1	6.87	0.5	<1	46.9
5304495		2.50	0.004	0.014	0.012	<0.5	6.65	7	111	1.3	<1	7.15	0.5	<1	49.1
5304496		2.52	0.004	0.029	0.015	<0.5	6.74	5	123	1.6	<1	7.24	0.5	<1	49.3
5304497		2.38	0.004	0.016	0.015	<0.5	6.59	6	133	1.6	2	7.14	0.5	<1	49.6
5304498		2.34	0.004	0.017	0.014	<0.5	6.76	6	128	1.5	<1	7.25	<0.5	<1	49.4
5304499		2.34	0.005	0.014	0.011	<0.5	5.66	6	124	1.4	<1	6.06	<0.5	<1	42.5
5304500		0.84	0.001	0.003	<0.005	<0.5	0.44	2	28	<0.5	<1	0.04	<0.5	21	1.9

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U452560

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 15, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 16, 2010

SAMPLE TYPE: Rock

Analyte:	Sample Login Weight	Au	Pd	Pt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	
Unit:	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
Sample Description	RDL:	0.01	0.001	0.001	0.005	0.5	0.01	1	1	0.5	1	0.01	0.5	1	
5304501		2.44	0.004	0.014	0.013	<0.5	6.68	7	152	1.5	<1	6.98	<0.5	<1	50.1
5304502		2.36	0.004	0.014	0.010	<0.5	6.32	9	194	1.4	<1	6.52	<0.5	<1	46.2
5304503		2.24	0.004	0.016	0.012	<0.5	6.32	9	311	1.5	<1	6.40	0.6	<1	48.2
5304504		2.46	0.004	0.015	0.012	<0.5	6.20	9	383	1.6	<1	6.38	<0.5	<1	47.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U452560

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 15, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 16, 2010

SAMPLE TYPE: Rock

Analyte:	Cr	Cs	Cu	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
Sample Description	RDL:	0.5	0.5	0.5	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5
5304469		739	<0.5	94.6	5.82	12	3	0.30	5	10	4.80	2280	4.6	1.18	133
5304470		39.6	<0.5	42.1	3.10	11	<1	0.74	6	14	0.84	1070	6.5	1.86	29.3
5304471		712	<0.5	98.4	5.82	13	<1	0.33	5	10	4.84	2230	2.4	1.16	133
5304472		695	<0.5	119	5.55	14	4	0.35	5	11	4.54	2170	0.9	1.23	147
5304473		672	<0.5	106	5.60	14	<1	0.26	5	8	4.67	2130	3.0	1.18	133
5304474		703	<0.5	108	5.53	13	<1	0.26	5	9	4.58	2220	2.3	1.07	142
5304475		700	<0.5	96.6	5.46	13	2	0.27	5	8	4.61	2160	1.8	1.07	131
5304476		675	<0.5	125	5.66	13	1	0.36	5	12	4.71	2310	0.7	1.10	140
5304477		641	<0.5	93.5	5.75	13	<1	0.31	5	11	4.72	2310	2.1	1.10	125
5304478		645	<0.5	97.5	5.53	13	<1	0.30	5	9	4.55	2300	2.9	1.08	127
5304479		572	<0.5	102	5.76	13	<1	0.37	5	12	4.54	2300	1.5	1.12	117
5304480		154	<0.5	130	9.62	15	<1	0.52	17	15	3.23	5880	6.4	1.36	102
5304481		568	<0.5	94.0	5.49	17	<1	0.38	6	11	4.27	2350	1.3	1.05	120
5304482		512	<0.5	100	5.72	14	2	0.50	6	15	4.37	2360	1.4	1.17	117
5304483		466	<0.5	80.4	5.85	17	<1	0.58	6	17	4.39	2250	2.2	1.46	114
5304484		534	<0.5	157	6.07	13	<1	0.51	5	14	4.71	2310	1.6	1.17	149
5304485		468	<0.5	117	5.57	11	<1	0.45	5	12	4.16	2110	1.8	1.11	119
5304486		460	<0.5	94.0	5.66	14	<1	0.46	5	10	4.04	2260	2.3	1.07	116
5304487		537	<0.5	148	5.49	12	3	0.35	5	11	3.93	2240	3.2	1.01	148
5304488		606	<0.5	670	5.55	14	3	0.35	5	10	4.37	2280	2.3	1.03	362
5304489		503	<0.5	1710	6.05	13	<1	0.46	5	15	4.46	2330	2.4	1.14	793
5304490		58.4	<0.5	568	3.71	15	<1	1.59	7	15	1.06	1140	40.6	1.77	36.1
5304491		726	<0.5	264	5.80	14	4	0.42	5	13	4.89	2420	2.0	1.02	200
5304492		483	<0.5	244	5.81	13	6	0.45	5	14	4.90	2340	2.5	1.06	190
5304493		395	<0.5	140	6.02	15	5	0.50	6	14	4.72	2350	1.4	1.22	144
5304494		295	<0.5	116	6.05	14	3	0.42	6	10	4.10	2340	2.4	1.15	120
5304495		259	<0.5	119	6.21	15	<1	0.44	6	11	4.30	2460	<0.5	1.20	125
5304496		259	<0.5	112	6.69	14	2	0.48	7	13	4.27	2550	2.7	1.25	109
5304497		254	<0.5	103	6.52	14	3	0.54	7	11	4.09	2480	2.3	1.19	106
5304498		271	<0.5	106	6.62	16	6	0.52	7	11	4.19	2490	2.3	1.20	108
5304499		238	<0.5	96.4	5.73	13	1	0.54	6	13	3.74	2190	2.1	1.13	95.1
5304500		746	<0.5	2.7	1.20	<5	<1	0.05	14	8	0.03	143	6.1	0.02	13.7

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U452560

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 15, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 16, 2010

SAMPLE TYPE: Rock

Analyte:	Cr	Cs	Cu	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
Sample Description	RDL:	0.5	0.5	0.5	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5
5304501		242	<0.5	98.7	6.54	13	2	0.70	7	17	4.35	2430	2.0	1.24	109
5304502		250	<0.5	101	6.41	14	2	0.88	6	19	4.19	2390	2.5	1.24	103
5304503		244	<0.5	96.1	6.45	16	1	1.22	7	21	4.15	2670	2.1	1.15	107
5304504		235	<0.5	91.7	6.37	12	2	1.20	6	25	4.08	2590	2.3	0.94	105

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U452560

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 15, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 16, 2010

SAMPLE TYPE: Rock

Analyte:	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
Sample Description	RDL:	10	1	10	0.005	1	1	10	5	1	10	10	5	0.01	5
5304469	292	12	26	0.026	<1	30	<10	<5	118	21	<10	11	0.30	<5	
5304470	568	7	18	0.037	<1	8	<10	<5	235	<10	<10	<5	0.25	<5	
5304471	283	11	31	0.038	<1	32	<10	<5	127	11	<10	10	0.30	<5	
5304472	262	13	37	0.031	<1	32	<10	<5	130	<10	<10	11	0.27	<5	
5304473	266	9	25	0.024	<1	31	<10	<5	114	11	<10	9	0.28	<5	
5304474	259	10	24	0.026	<1	30	<10	<5	114	<10	<10	10	0.28	<5	
5304475	257	8	26	0.033	<1	32	<10	<5	115	<10	<10	11	0.28	<5	
5304476	269	11	35	0.037	<1	33	<10	<5	135	<10	<10	12	0.29	<5	
5304477	277	15	29	0.036	<1	32	<10	<5	125	<10	<10	11	0.29	<5	
5304478	279	11	31	0.028	<1	33	<10	<5	116	<10	<10	12	0.29	<5	
5304479	269	14	31	0.037	<1	29	<10	<5	124	<10	<10	10	0.31	<5	
5304480	1930	15	41	2.50	<1	15	<10	<5	262	<10	16	7	0.62	<5	
5304481	286	12	38	0.034	<1	31	<10	<5	127	<10	<10	12	0.29	<5	
5304482	282	19	50	0.044	<1	30	<10	<5	137	<10	<10	11	0.30	<5	
5304483	280	21	50	0.021	<1	30	<10	<5	156	<10	<10	10	0.31	<5	
5304484	289	16	45	0.063	<1	28	<10	<5	148	<10	<10	9	0.32	<5	
5304485	273	17	35	0.032	<1	26	<10	<5	143	<10	<10	9	0.29	<5	
5304486	277	13	37	0.036	<1	26	<10	<5	125	<10	<10	10	0.30	<5	
5304487	252	10	27	0.048	<1	23	<10	<5	108	<10	<10	11	0.27	<5	
5304488	238	9	28	0.186	<1	27	<10	<5	113	<10	<10	10	0.27	<5	
5304489	231	22	35	0.464	<1	29	<10	<5	126	<10	<10	9	0.29	<5	
5304490	706	67	71	0.560	<1	9	<10	<5	236	<10	<10	<5	0.27	<5	
5304491	269	12	43	0.064	<1	33	<10	<5	124	<10	<10	14	0.28	<5	
5304492	256	12	45	0.055	<1	31	<10	<5	122	<10	<10	12	0.28	<5	
5304493	288	14	45	0.043	<1	30	<10	<5	129	<10	<10	9	0.31	<5	
5304494	297	11	36	0.046	<1	27	<10	<5	134	<10	<10	11	0.32	<5	
5304495	301	12	41	0.049	<1	30	<10	<5	141	<10	<10	10	0.33	<5	
5304496	330	12	47	0.050	<1	30	14	<5	147	<10	<10	10	0.35	<5	
5304497	313	9	57	0.047	<1	30	<10	<5	139	<10	<10	9	0.35	<5	
5304498	347	9	62	0.042	<1	31	<10	<5	134	<10	<10	9	0.36	<5	
5304499	279	8	54	0.032	<1	25	<10	<5	131	<10	<10	10	0.30	<5	
5304500	122	<1	<10	<0.005	4	<1	<10	<5	13	<10	<10	<5	0.03	<5	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U452560

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 15, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 16, 2010

SAMPLE TYPE: Rock

Analyte:	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
Sample Description	RDL:	10	1	10	0.005	1	1	10	5	1	10	10	5	0.01	5
5304501		325	10	72	0.055	<1	29	<10	<5	168	<10	<10	10	0.35	<5
5304502		301	11	86	0.043	<1	27	<10	<5	216	<10	<10	10	0.33	<5
5304503		311	21	123	0.053	<1	29	<10	<5	233	<10	<10	10	0.33	<5
5304504		315	23	112	0.058	<1	27	<10	<5	246	<10	<10	10	0.33	<5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U452560

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 15, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 16, 2010

SAMPLE TYPE: Rock

Analyte:	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	5	0.5	1	1	0.5	5
5304469	<5	407	6	11	73.1	31
5304470	<5	170	2	10	53.9	36
5304471	<5	411	2	12	72.1	30
5304472	<5	402	4	12	72.8	31
5304473	<5	396	4	12	67.8	33
5304474	<5	401	2	11	71.2	30
5304475	<5	396	2	12	66.6	29
5304476	<5	416	1	13	79.3	35
5304477	<5	406	2	12	79.1	32
5304478	<5	423	<1	13	80.0	31
5304479	<5	395	1	12	78.5	31
5304480	<5	316	4	19	122	83
5304481	<5	416	2	13	78.2	33
5304482	<5	416	1	12	85.2	32
5304483	<5	406	<1	13	88.4	38
5304484	<5	397	1	12	78.3	34
5304485	<5	385	<1	11	78.2	32
5304486	<5	406	<1	11	78.3	35
5304487	<5	400	1	10	72.3	33
5304488	<5	413	2	11	77.6	35
5304489	<5	395	3	12	125	36
5304490	<5	230	27	10	122	34
5304491	<5	436	2	12	82.9	35
5304492	<5	411	2	12	81.9	33
5304493	<5	407	1	12	81.6	38
5304494	<5	418	<1	12	82.5	40
5304495	<5	435	<1	13	83.0	41
5304496	<5	447	1	14	89.2	44
5304497	<5	445	<1	14	89.0	44
5304498	<5	451	1	15	84.8	47
5304499	<5	382	<1	12	73.1	39
5304500	<5	10.1	<1	3	5.3	27

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U452560

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 15, 2010

DATE RECEIVED: Nov 12, 2010

DATE REPORTED: Nov 16, 2010

SAMPLE TYPE: Rock

Analyte:	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	5	0.5	1	1	0.5	5
5304501	<5	442	1	14	77.5	46
5304502	<5	419	<1	13	83.2	41
5304503	<5	435	1	13	102	45
5304504	<5	427	<1	13	84.3	42

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U452560

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Nov 16, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
									Lower	Upper		
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish												
Au	1	2133133	0.0048	0.0044	8.7%	< 0.001	0.291	0.321	91%	90%	110%	
Pd	1	2133118	0.0171	0.0206	18.6%	< 0.001	0.038	0.037	102%	90%	110%	
Pt	1	2133133	0.0136	0.0133	2.2%	< 0.005	0.076	0.090	84%	70%	130%	
Ag	1	2133108	0.75	0.66	12.8%	1.0	8	7	108%	90%	110%	
Al	1	2133108	6.82	5.91	14.3%	< 0.01				80%	120%	
As	1	2133108	9	9	0.0%	< 1				80%	120%	
Ba	1	2133108	94	94	0.0%	< 1				80%	120%	
Be	1	2133108	0.95	0.93	2.1%	< 0.5				80%	120%	
Bi	1	2133108	2	3		< 1				80%	120%	
Ca	1	2133108	8.32	7.42	11.4%	< 0.01	0.5	0.55	91%	90%	110%	
Cd	1	2133108	0.4	0.5	22.2%	< 0.5				80%	120%	
Ce	1	2133108	< 1	< 1	0.0%	2				80%	120%	
Co	1	2133108	42.3	43.7	3.3%	< 0.5	5.6	5.0	111%	80%	120%	
Cr	1	2133108	739	738	0.1%	1.2				80%	120%	
Cs	1	2133108	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2133108	94.6	94.6	0.0%	1.0	4515	4700	96%	90%	110%	
Fe	1	2133108	5.82	5.32	9.0%	< 0.01	1.32	1.55	85%	80%	120%	
Ga	1	2133108	12	14	15.4%	< 5				80%	120%	
In	1	2133108	3	3	0.0%	< 1				80%	120%	
K	1	2133108	0.302	0.272	10.5%	< 0.01				80%	120%	
La	1	2133108	5	5	0.0%	< 2				80%	120%	
Li	1	2133108	10	9	10.5%	< 1				80%	120%	
Mg	1	2133108	4.80	4.23	12.6%	< 0.01				80%	120%	
Mn	1	2133108	2280	2190	4.0%	< 1				80%	120%	
Mo	1	2133108	4.6	3.1		1.7				80%	120%	
Na	1	2133108	1.18	1.06	10.7%	< 0.01				80%	120%	
Ni	1	2133108	133	129	3.1%	0.6	6	7	92%	90%	110%	
P	1	2133108	292	256	13.1%	< 10				80%	120%	
Pb	1	2133108	12	10	18.2%	4	25	30	83%	80%	120%	
Rb	1	2133108	26	26	0.0%	< 10				80%	120%	
S	1	2133108	0.026	0.026	0.0%	< 0.005				80%	120%	
Sb	1	2133108	< 1	< 1	0.0%	2				80%	120%	
Sc	1	2133108	30	28	6.9%	< 1				80%	120%	
Se	1	2133108	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2133108	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2133108	118	113	4.3%	< 1	356	390	91%	90%	110%	
Ta	1	2133108	21	10		< 10				80%	120%	
Te	1	2133108	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2133108	11	11	0.0%	< 5				80%	120%	
Ti	1	2133108	0.30	0.27	10.5%	< 0.01				80%	120%	
Tl	1	2133108	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2133108	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2133108	407	407	0.0%	0.8				80%	120%	
W	1	2133108	6	3		2				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U452560

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Nov 16, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Y	1	2133108	11	11	0.0%	< 1				80%	120%	
Zn	1	2133108	73.1	73.2	0.1%	1.8	32	32	100%	90%	110%	
Zr	1	2133108	31	29	6.7%	< 5				80%	120%	
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish												
Au	1					< 0.001	0.301	0.321	94%	90%	110%	
Pd	1					< 0.001	0.031	0.037	84%	80%	120%	
Pt	1					< 0.005	0.076	0.090	85%	80%	120%	
Ag	1	2133133	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Al	1	2133133	6.22	7.21	14.7%	< 0.01				80%	120%	
As	1	2133133	7	7	0.0%	< 1				80%	120%	
Ba	1	2133133	107	114	6.3%	< 1				80%	120%	
Be	1	2133133	1.5	1.5	0.0%	< 0.5				80%	120%	
Bi	1	2133133	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2133133	6.87	7.58	9.8%	< 0.01				80%	120%	
Cd	1	2133133	0.5	0.5	0.0%	< 0.5				80%	120%	
Ce	1	2133133	< 1	< 1	0.0%	< 1				80%	120%	
Co	1	2133133	46.9	48.4	3.1%	< 0.5				80%	120%	
Cr	1	2133133	295	307	4.0%	< 0.5				80%	120%	
Cs	1	2133133	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2133133	116	116	0.0%	< 0.5				80%	120%	
Fe	1	2133133	6.05	6.52	7.5%	< 0.01				80%	120%	
Ga	1	2133133	14	14	0.0%	< 5				80%	120%	
In	1	2133133	3	< 1		< 1				80%	120%	
K	1	2133133	0.420	0.449	6.7%	< 0.01				80%	120%	
La	1	2133133	6	7	15.4%	< 2				80%	120%	
Li	1	2133133	10	12	18.2%	< 1				80%	120%	
Mg	1	2133133	4.10	4.60	11.5%	< 0.01				80%	120%	
Mn	1	2133133	2340	2460	5.0%	< 1				80%	120%	
Mo	1	2133133	2.4	2.2	8.7%	< 0.5				80%	120%	
Na	1	2133133	1.15	1.27	9.9%	< 0.01				80%	120%	
Ni	1	2133133	120	123	2.5%	< 0.5				80%	120%	
P	1	2133133	297	319	7.1%	< 10				80%	120%	
Pb	1	2133133	11	12	8.7%	< 1				80%	120%	
Rb	1	2133133	36	45	22.2%	< 10				80%	120%	
S	1	2133133	0.0462	0.0444	4.0%	< 0.005				80%	120%	
Sb	1	2133133	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2133133	27	31	13.8%	< 1				80%	120%	
Se	1	2133133	< 10	11		< 10				80%	120%	
Sn	1	2133133	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2133133	134	145	7.9%	< 1				80%	120%	
Ta	1	2133133	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2133133	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2133133	11	11	0.0%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U452560

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Nov 16, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Ti	1	2133133	0.32	0.33	3.1%	< 0.01			80%	120%
Tl	1	2133133	< 5	< 5	0.0%	< 5			80%	120%
U	1	2133133	< 5	< 5	0.0%	< 5			80%	120%
V	1	2133133	418	424	1.4%	< 0.5			80%	120%
W	1	2133133	< 1	< 1	0.0%	< 1			80%	120%
Y	1	2133133	12	14	15.4%	< 1			80%	120%
Zn	1	2133133	82.5	82.4	0.1%	< 0.5			80%	120%
Zr	1	2133133	40	35	13.3%	< 5			80%	120%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U452560

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight			BALANCE
Au	MIN-200-12004/12006		ICP/OES
Pd	MIN-200-12004/12006		ICP/OES
Pt	MIN-200-12004/12006		ICP/OES
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U453422

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 18, 2010

PAGES (INCLUDING COVER): 6

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U453422

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 18, 2010

DATE RECEIVED: Nov 18, 2010

DATE REPORTED: Nov 18, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Au	Pd	Pt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
	Sample Login Weight	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
Unit:	kg													
RDL:	0.01	0.001	0.001	0.005	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5
5304505	1.80	0.003	0.001	<0.005	<0.5	4.76	5	309	2.2	<1	1.72	<0.5	12	20.3
5304506	2.22	0.002	0.001	<0.005	<0.5	4.69	4	427	2.5	<1	1.85	<0.5	16	20.5
5304507	2.34	0.001	<0.001	<0.005	<0.5	4.26	3	65	2.7	<1	0.53	<0.5	<1	29.3
5304508	2.04	0.002	0.002	<0.005	<0.5	4.48	5	95	2.4	<1	1.19	<0.5	12	24.7
5304509	2.00	0.002	<0.001	<0.005	<0.5	4.75	3	127	2.4	<1	1.10	<0.5	7	27.8
5304510	0.08	<0.001	0.003	<0.005	<0.5	4.35	5	611	1.6	<1	1.48	<0.5	5	12.9
5304511	2.14	0.003	<0.001	<0.005	<0.5	5.36	3	139	2.6	<1	1.22	<0.5	16	23.6
5304512	2.10	0.002	<0.001	<0.005	<0.5	4.38	4	153	2.5	1	1.32	<0.5	8	24.0
5304513	2.04	<0.001	<0.001	<0.005	<0.5	4.35	2	265	2.6	<1	1.28	<0.5	9	25.0
5304514	2.34	0.001	<0.001	<0.005	<0.5	4.78	2	220	2.5	<1	1.48	<0.5	8	25.3
5304515	2.24	0.003	<0.001	<0.005	<0.5	4.57	2	379	2.6	<1	1.56	<0.5	11	22.5

Sample Description	Analyte:	Cr	Cs	Cu	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
RDL:	0.5	0.5	0.5	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	
5304505	220	<0.5	71.6	3.39	19	<1	3.11	13	28	1.72	699	1.0	1.83	56.5	
5304506	251	<0.5	24.9	3.48	19	<1	1.47	16	20	1.51	720	1.4	2.32	55.6	
5304507	190	<0.5	4.9	4.04	20	<1	0.32	8	16	1.90	534	2.3	3.89	61.6	
5304508	203	<0.5	<0.5	3.61	19	<1	0.38	14	13	1.56	533	0.7	3.75	54.9	
5304509	214	<0.5	<0.5	4.60	20	<1	0.45	13	14	1.65	574	1.1	3.58	57.3	
5304510	59.4	<0.5	15.5	2.36	11	<1	0.84	8	12	0.78	865	3.3	1.95	26.8	
5304511	210	<0.5	<0.5	3.64	22	<1	0.52	16	17	1.59	561	1.5	3.73	52.9	
5304512	196	<0.5	<0.5	3.92	18	<1	0.54	11	14	1.62	574	2.3	3.60	53.4	
5304513	235	<0.5	7.2	3.86	20	1	0.69	13	17	1.57	668	2.3	2.97	65.5	
5304514	214	<0.5	12.9	3.97	21	<1	0.64	13	15	1.50	620	1.5	3.32	57.9	
5304515	195	<0.5	36.0	4.07	19	<1	1.14	13	20	1.55	646	2.8	2.81	64.9	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U453422

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 18, 2010

DATE RECEIVED: Nov 18, 2010

DATE REPORTED: Nov 18, 2010

SAMPLE TYPE: Rock

Analyte:	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
Sample Description	RDL:	10	1	10	0.005	1	1	10	5	1	10	10	5	0.01	5
5304505	599	5	82	0.117	<1	8	<10	<5	59	<10	<10	11	0.25	<5	
5304506	595	7	80	0.130	<1	10	<10	<5	251	<10	<10	10	0.33	<5	
5304507	618	5	<10	0.104	<1	8	<10	<5	99	<10	<10	11	0.34	<5	
5304508	594	5	<10	0.086	<1	8	<10	<5	157	<10	<10	10	0.32	<5	
5304509	613	6	14	0.130	<1	9	<10	<5	178	<10	<10	10	0.32	<5	
5304510	547	5	27	0.035	<1	9	<10	<5	235	<10	<10	6	0.25	<5	
5304511	600	5	23	0.090	<1	9	<10	<5	180	<10	<10	11	0.34	<5	
5304512	573	6	14	0.098	<1	8	<10	<5	168	<10	<10	9	0.35	<5	
5304513	642	6	22	0.150	<1	8	<10	<5	211	<10	<10	11	0.33	<5	
5304514	631	6	20	0.112	<1	8	<10	<5	210	<10	<10	10	0.34	<5	
5304515	656	6	38	0.079	<1	8	<10	<5	293	<10	<10	10	0.36	<5	

Analyte:	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	0.5	1	0.5	5
5304505	<5	204	<1	10	36.3	87
5304506	<5	214	1	10	45.9	90
5304507	<5	224	<1	5	29.4	93
5304508	<5	205	<1	8	27.1	80
5304509	<5	257	1	8	30.5	81
5304510	<5	166	38	11	47.9	41
5304511	<5	200	<1	9	31.7	87
5304512	<5	206	<1	8	32.7	84
5304513	<5	218	<1	8	39.8	90
5304514	<5	225	<1	9	35.4	93
5304515	<5	228	<1	8	39.4	86

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U453422

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Nov 18, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

Au	1	2140476	0.003	< 0.001		< 0.001	0.93	1.08	86%	80%	120%
Pd	1	2140476	< 0.001	< 0.001	0.0%	< 0.001	0.359	0.412	87%	80%	120%
Pt	1	2140476	< 0.005	< 0.005	0.0%	< 0.005	0.503	0.578	87%	80%	120%
Ag	1	2140466	< 0.5	< 0.5	0.0%	< 0.5	7	7	97%	90%	110%
Al	1	2140466	4.76	4.39	8.1%	< 0.01				80%	120%
As	1	2140466	5	3		< 1				80%	120%
Ba	1	2140466	309	293	5.3%	< 1				80%	120%
Be	1	2140466	2.15	2.11	1.9%	< 0.5				80%	120%
Bi	1	2140466	< 1	1		< 1				80%	120%
Ca	1	2140466	1.72	1.64	4.8%	< 0.01	0.52	0.55	94%	90%	110%
Cd	1	2140466	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2140466	12	18		< 1				80%	120%
Co	1	2140466	20.3	20.9	2.9%	< 0.5	5.5	5.0	109%	90%	110%
Cr	1	2140466	220	223	1.4%	< 0.5				80%	120%
Cs	1	2140466	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2140466	71.6	68.7	4.1%	< 0.5	4597	4700	98%	90%	110%
Fe	1	2140466	3.39	3.26	3.9%	< 0.01	1.28	1.55	83%	80%	120%
Ga	1	2140466	19	18	5.4%	< 5				80%	120%
In	1	2140466	< 1	< 1	0.0%	< 1				80%	120%
K	1	2140466	3.11	3.19	2.5%	< 0.01	2.75	2.99	92%	90%	110%
La	1	2140466	13	16	20.7%	< 2				80%	120%
Li	1	2140466	28	29	3.5%	< 1				80%	120%
Mg	1	2140466	1.72	1.74	1.2%	< 0.01				80%	120%
Mn	1	2140466	699	702	0.4%	< 1				80%	120%
Mo	1	2140466	0.97	1.25	25.2%	< 0.5	352	280	126%	70%	130%
Na	1	2140466	1.83	1.79	2.2%	< 0.01				80%	120%
Ni	1	2140466	56.5	55.4	2.0%	< 0.5	5	7	70%	70%	130%
P	1	2140466	599	577	3.7%	< 10				80%	120%
Pb	1	2140466	5	4	22.2%	< 1	22	30	73%	70%	130%
Rb	1	2140466	82	92	11.5%	< 10				80%	120%
S	1	2140466	0.117	0.108	8.0%	< 0.005				80%	120%
Sb	1	2140466	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2140466	8	8	0.0%	< 1				80%	120%
Se	1	2140466	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2140466	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2140466	59	59	0.0%	< 1	365	390	94%	90%	110%
Ta	1	2140466	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2140466	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2140466	11	11	0.0%	< 5				80%	120%
Ti	1	2140466	0.25	0.26	3.9%	< 0.01				80%	120%
Tl	1	2140466	< 5	< 5	0.0%	< 5				80%	120%
U	1	2140466	< 5	< 5	0.0%	< 5				80%	120%
V	1	2140466	204	198	3.0%	< 0.5				80%	120%
W	1	2140466	< 1	1		< 1				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U453422

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Nov 18, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Y	1	2140466	10	11	9.5%	< 1				80%	120%
Zn	1	2140466	36.3	35.5	2.2%	< 0.5	27	32	84%	80%	120%
Zr	1	2140466	87	84	3.5%	< 5				80%	120%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U453422

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight			BALANCE
Au	MIN-200-12004/12006		ICP/OES
Pd	MIN-200-12004/12006		ICP/OES
Pt	MIN-200-12004/12006		ICP/OES
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U453420

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Nov 18, 2010

PAGES (INCLUDING COVER): 6

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U453420

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 18, 2010		DATE RECEIVED: Nov 18, 2010				DATE REPORTED: Nov 18, 2010				SAMPLE TYPE: Rock				
Analyte:	Sample Login Weight	Au	Pd	Pt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
Unit:	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
RDL:	0.01	0.001	0.001	0.005	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5
5304516	1.56	0.004	0.037	0.013	<0.5	6.65	7	69	0.5	<1	9.02	<0.5	<1	31.3
5304517	2.20	0.006	0.037	0.011	<0.5	7.55	7	89	0.8	<1	8.94	<0.5	<1	33.3
5304518	0.80	0.012	0.028	0.009	<0.5	5.74	9	86	0.6	3	6.84	1.0	<1	39.2
5304519	1.26	0.443	0.027	0.012	<0.5	7.42	7	97	0.9	2	7.85	<0.5	<1	32.1
5304520	0.06	0.018	<0.001	<0.005	<0.5	3.93	5	607	1.7	<1	1.79	<0.5	5	10.4
5304521	2.36	0.002	0.022	0.012	<0.5	7.41	8	108	0.9	<1	8.64	<0.5	<1	30.7
5304522	2.38	<0.001	0.015	0.010	<0.5	7.42	9	105	1.0	<1	8.65	<0.5	<1	31.7
5304523	2.76	0.003	0.021	0.012	<0.5	6.65	9	112	0.9	<1	8.16	<0.5	<1	33.3
5304524	1.04	0.012	0.014	0.010	<0.5	6.32	24	95	0.9	2	6.97	0.6	<1	110
5304525	2.48	0.003	0.021	0.011	<0.5	6.46	7	103	0.9	<1	7.89	<0.5	<1	35.4
5304526	2.42	0.002	0.012	0.009	<0.5	6.53	6	133	1.5	<1	7.35	0.5	<1	38.6
5304527	2.06	0.001	0.002	<0.005	<0.5	3.84	4	183	2.8	<1	1.18	<0.5	13	21.3
5304528	2.06	0.003	0.002	<0.005	<0.5	5.90	3	531	2.8	<1	1.45	<0.5	12	23.2
Analyte:	Cr	Cs	Cu	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
RDL:	0.5	0.5	0.5	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5
5304516	834	<0.5	69.5	4.82	13	1	0.25	4	33	5.32	2090	<0.5	0.54	140
5304517	600	<0.5	77.6	4.94	11	2	0.26	4	8	5.48	1930	<0.5	1.06	136
5304518	587	<0.5	156	4.53	12	<1	0.28	3	18	4.28	1530	1.1	1.10	107
5304519	577	<0.5	45.4	5.18	11	4	0.31	4	14	5.24	1920	<0.5	1.36	121
5304520	39.7	<0.5	42.4	3.12	12	<1	0.86	7	14	0.97	1010	4.8	2.07	28.6
5304521	498	<0.5	67.0	4.97	10	<1	0.39	4	11	5.21	1980	<0.5	1.09	123
5304522	510	<0.5	57.5	5.12	12	<1	0.35	4	13	5.17	2010	<0.5	1.30	122
5304523	439	<0.5	88.3	5.41	13	<1	0.37	4	11	5.07	2140	0.6	1.15	127
5304524	363	<0.5	929	6.85	13	<1	0.34	6	17	4.99	1890	11.0	1.72	148
5304525	399	<0.5	84.4	5.03	13	3	0.36	4	11	4.83	2160	<0.5	1.11	127
5304526	265	<0.5	96.7	5.98	11	6	0.50	5	17	4.63	2290	0.9	1.22	111
5304527	173	<0.5	9.4	3.12	20	1	0.67	11	20	1.74	515	<0.5	4.16	68.3
5304528	177	<0.5	0.9	4.44	22	<1	1.85	12	35	1.96	664	<0.5	3.23	75.1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U453420

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish

DATE SAMPLED: Nov 18, 2010

DATE RECEIVED: Nov 18, 2010

DATE REPORTED: Nov 18, 2010

SAMPLE TYPE: Rock

Analyte:	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
Sample Description RDL:	10	1	10	0.005	1	1	10	5	1	10	10	5	0.01	5
5304516	206	10	18	0.020	<1	32	<10	<5	175	<10	<10	10	0.19	<5
5304517	218	13	21	0.011	<1	32	<10	<5	117	<10	<10	9	0.23	<5
5304518	175	17	23	0.244	<1	24	<10	<5	119	<10	<10	10	0.17	<5
5304519	218	12	26	0.041	<1	32	<10	<5	135	<10	<10	8	0.23	<5
5304520	589	7	35	0.035	<1	8	<10	<5	218	<10	<10	<5	0.27	<5
5304521	232	12	33	0.030	<1	31	<10	<5	125	<10	<10	7	0.25	<5
5304522	242	15	25	0.013	<1	32	<10	<5	172	<10	<10	9	0.25	<5
5304523	242	12	15	0.057	<1	30	<10	<5	142	<10	<10	8	0.25	<5
5304524	236	23	13	1.53	<1	28	<10	<5	137	<10	<10	7	0.23	<5
5304525	245	11	16	0.072	<1	30	<10	<5	146	<10	<10	10	0.23	<5
5304526	298	11	27	0.054	<1	31	<10	<5	135	<10	<10	9	0.32	<5
5304527	673	6	21	0.048	<1	7	<10	<5	204	<10	<10	10	0.35	<5
5304528	712	8	52	<0.005	<1	10	<10	<5	269	<10	<10	7	0.39	<5
Analyte:	U	V	W	Y	Zn	Zr								
Unit:	ppm	ppm	ppm	ppm	ppm	ppm								
Sample Description RDL:	5	0.5	1	1	0.5	5								
5304516	<5	335	<1	9	54.6	25								
5304517	<5	341	<1	9	59.2	28								
5304518	<5	269	<1	7	180	22								
5304519	<5	336	<1	9	66.7	27								
5304520	<5	169	<1	11	51.9	36								
5304521	<5	341	<1	9	66.0	29								
5304522	<5	353	<1	9	67.8	30								
5304523	<5	362	<1	9	77.7	30								
5304524	<5	353	2	9	150	30								
5304525	<5	364	<1	9	75.5	30								
5304526	<5	409	<1	12	83.8	42								
5304527	<5	239	<1	7	32.4	86								
5304528	<5	256	<1	8	40.4	84								

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinali

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U453420

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Nov 18, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Fire Assay Au (202055), 4 Acid Digest (201070) - ICP-OES Finish												
Au	1	2140454	0.003	0.002		< 0.001	0.285	0.321	88%	70%	130%	
Pd	1	2140454	0.002	0.002	0.0%	< 0.001	0.035	0.037	94%	70%	130%	
Pt	1	2140454	< 0.005	< 0.005	0.0%	< 0.005	0.080	0.090	88%	70%	130%	
Ag	1	2140442	< 0.5	< 0.5	0.0%	< 0.5	7	7	102%	90%	110%	
Al	1	2140442	6.65	7.08	6.3%	< 0.01				80%	120%	
As	1	2140442	7	9	25.0%	< 1				80%	120%	
Ba	1	2140442	69	75	8.3%	< 1				80%	120%	
Be	1	2140442	0.5	0.5	0.0%	< 0.5				80%	120%	
Bi	1	2140442	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2140442	9.02	9.59	6.1%	< 0.01	0.61	0.55	112%	80%	120%	
Cd	1	2140442	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2140442	< 1	< 1	0.0%	< 1				80%	120%	
Co	1	2140442	31.3	31.9	1.9%	< 0.5	5.6	5.0	111%	80%	120%	
Cr	1	2140442	834	888	6.3%	< 0.5				80%	120%	
Cs	1	2140442	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2140442	69.5	73.6	5.7%	< 0.5	4763	4700	101%	90%	110%	
Fe	1	2140442	4.82	5.12	6.0%	< 0.01	1.35	1.55	87%	80%	120%	
Ga	1	2140442	13	12	8.0%	< 5				80%	120%	
In	1	2140442	1	4		< 1				80%	120%	
K	1	2140442	0.252	0.275	8.7%	< 0.01	2.61	2.99	87%	80%	120%	
La	1	2140442	4	4	0.0%	< 2				80%	120%	
Li	1	2140442	33	34	3.0%	< 1				80%	120%	
Mg	1	2140442	5.32	5.67	6.4%	< 0.01				80%	120%	
Mn	1	2140442	2090	2140	2.4%	< 1				80%	120%	
Mo	1	2140442	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Na	1	2140442	0.54	0.57	5.4%	< 0.01				80%	120%	
Ni	1	2140442	140	148	5.6%	< 0.5	5	7	75%	70%	130%	
P	1	2140442	206	227	9.7%	< 10				80%	120%	
Pb	1	2140442	10	11	9.5%	< 1	23	30	75%	70%	130%	
Rb	1	2140442	18	20	10.5%	< 10				80%	120%	
S	1	2140442	0.020	0.021	4.9%	< 0.005				80%	120%	
Sb	1	2140442	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2140442	32	34	6.1%	< 1				80%	120%	
Se	1	2140442	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2140442	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2140442	175	179	2.3%	< 1	389	390	100%	90%	110%	
Ta	1	2140442	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2140442	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2140442	10	9	10.5%	< 5				80%	120%	
Ti	1	2140442	0.193	0.205	6.0%	< 0.01				80%	120%	
Tl	1	2140442	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2140442	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2140442	335	352	4.9%	< 0.5				80%	120%	
W	1	2140442	< 1	< 1	0.0%	< 1				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U453420

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)

RPT Date: Nov 18, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Y	1	2140442	9	9	0.0%	< 1			80%	120%
Zn	1	2140442	54.6	58.1	6.2%	< 0.5	29	32	90%	110%
Zr	1	2140442	25	27	7.7%	< 5			80%	120%

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U453420

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight			BALANCE
Au	MIN-200-12004/12006		ICP/OES
Pd	MIN-200-12004/12006		ICP/OES
Pt	MIN-200-12004/12006		ICP/OES
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U457128

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Dec 02, 2010

PAGES (INCLUDING COVER): 17

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 02, 2010		DATE RECEIVED: Nov 22, 2010				DATE REPORTED: Dec 02, 2010				SAMPLE TYPE: Rock				
Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
5304529	2.00	<0.5	8.54	14	80	<0.5	<1	10.5	<0.5	20	38.2	1340	<0.5	74.8
5304530	0.10	0.7	6.27	199	610	3.5	<1	5.88	0.6	42	41.3	182	<0.5	148
5304531	2.40	<0.5	6.85	14	72	<0.5	<1	8.98	0.5	19	38.6	1350	<0.5	80.0
5304532	2.72	<0.5	8.05	14	104	<0.5	<1	9.34	0.6	22	39.6	937	<0.5	60.7
5304533	2.32	<0.5	7.77	12	122	0.5	<1	7.90	0.7	20	38.5	418	<0.5	81.1
5304534	2.38	<0.5	7.80	15	124	<0.5	<1	8.16	0.7	21	59.7	539	<0.5	108
5304535	2.38	<0.5	6.59	13	103	<0.5	<1	7.61	0.5	19	41.7	610	<0.5	107
5304536	2.28	<0.5	6.84	26	35	1.0	<1	5.26	0.7	30	64.7	510	<0.5	88.2
5304537	2.54	<0.5	5.37	84	28	0.6	<1	7.65	0.6	33	126	838	<0.5	15.8
5304538	2.38	<0.5	7.36	12	130	0.7	<1	7.95	0.9	22	39.9	517	<0.5	91.3
5304539	2.52	<0.5	7.48	11	129	1.2	<1	6.80	<0.5	27	58.1	375	<0.5	65.6
5304540	0.12	0.8	4.98	14	704	1.9	<1	1.82	0.8	21	16.6	65.9	<0.5	601
5304541	2.38	<0.5	6.84	7	43	3.3	<1	6.67	<0.5	43	38.0	191	<0.5	49.2
5304542	1.58	<0.5	7.56	3	29	3.9	<1	7.30	<0.5	54	45.9	223	<0.5	52.0
5304543	2.44	<0.5	8.49	9	209	1.4	<1	8.63	<0.5	29	46.7	391	<0.5	113
5304544	2.44	<0.5	6.78	7	230	1.2	<1	6.90	<0.5	24	38.9	310	<0.5	83.6
5304545	2.22	<0.5	7.21	8	166	1.4	<1	6.89	<0.5	26	42.0	310	<0.5	117
5304546	1.60	<0.5	7.61	9	265	1.7	<1	6.24	0.6	28	38.2	296	<0.5	82.1
5304547	1.90	<0.5	6.98	8	127	1.8	<1	5.75	<0.5	28	39.1	268	<0.5	115
5304548	1.64	<0.5	7.55	6	33	1.6	<1	6.32	<0.5	37	31.9	238	<0.5	242
5304549	1.12	<0.5	5.25	3	52	2.4	<1	1.08	<0.5	25	21.3	260	<0.5	297
5304550	0.98	<0.5	0.78	1	61	<0.5	<1	0.08	<0.5	33	3.1	774	<0.5	5.6
5304551	2.04	<0.5	5.64	7	54	1.9	24	1.71	<0.5	31	32.1	272	<0.5	3480
5304552	2.04	<0.5	5.55	5	54	1.6	21	1.69	<0.5	30	29.7	259	<0.5	3450
5304553	1.16	<0.5	5.03	4	90	2.4	<1	0.78	<0.5	24	60.5	257	<0.5	36.9
5304554	1.80	<0.5	5.65	2	359	2.6	<1	0.89	<0.5	47	31.6	227	<0.5	<0.5
5304555	1.32	<0.5	6.30	5	239	2.5	<1	2.22	<0.5	43	36.5	186	<0.5	5.6
5304556	1.74	<0.5	6.30	3	700	3.0	<1	1.52	<0.5	53	24.9	212	<0.5	11.6
5304557	1.56	<0.5	5.77	<1	633	2.7	<1	0.98	<0.5	33	23.4	188	<0.5	11.5
5304558	2.10	<0.5	5.96	2	686	2.8	<1	1.37	<0.5	38	24.4	207	<0.5	58.4
5304559	2.34	<0.5	5.15	2	727	2.8	<1	1.15	<0.5	34	24.7	190	<0.5	53.8
5304560	0.10	<0.5	4.32	4	610	1.5	<1	1.54	<0.5	14	14.9	62.1	<0.5	17.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 02, 2010		DATE RECEIVED: Nov 22, 2010				DATE REPORTED: Dec 02, 2010				SAMPLE TYPE: Rock				
Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5
5304561	2.32	<0.5	5.66	1	661	3.3	<1	0.55	<0.5	41	30.5	219	<0.5	1.7
5304562	2.24	<0.5	5.55	<1	688	3.5	<1	0.47	<0.5	33	26.8	229	<0.5	<0.5
5304563	2.18	<0.5	6.13	<1	355	3.0	<1	0.40	<0.5	27	28.6	216	<0.5	<0.5
5304564	2.16	<0.5	5.47	<1	540	3.4	<1	0.90	<0.5	39	34.3	258	<0.5	<0.5
5304565	2.22	<0.5	5.67	<1	457	3.1	<1	0.54	<0.5	33	29.2	245	<0.5	29.0
5304566	1.98	<0.5	5.97	1	312	2.9	<1	1.62	<0.5	32	37.2	190	<0.5	52.5
5304567	2.22	<0.5	7.57	1	110	2.3	<1	5.30	<0.5	37	54.5	124	<0.5	158
5304568	2.16	<0.5	7.56	3	65	2.2	<1	4.39	<0.5	35	56.1	99.7	<0.5	37.7
5304569	2.34	<0.5	6.73	7	62	2.2	<1	6.30	<0.5	28	59.8	125	<0.5	94.9
5304570	0.10	<0.5	4.36	3	648	1.8	<1	1.90	<0.5	20	12.8	49.5	<0.5	46.5
5304571	2.40	<0.5	6.30	7	110	2.1	<1	6.15	<0.5	26	61.4	104	<0.5	133
5304572	2.50	<0.5	7.04	5	171	1.7	<1	5.71	<0.5	29	41.2	101	<0.5	121
5304573	2.48	<0.5	6.66	6	143	1.3	<1	6.55	<0.5	22	51.0	115	<0.5	174
5304574	2.34	<0.5	6.83	8	61	1.5	<1	3.40	<0.5	113	46.0	91.4	<0.5	49.4
5304575	2.40	<0.5	7.79	8	99	1.2	<1	6.56	0.6	21	40.8	119	<0.5	140
5304576	2.30	<0.5	8.08	8	104	1.3	<1	5.00	<0.5	78	38.3	95.4	<0.5	93.8
5304577	2.34	<0.5	7.16	13	92	1.3	<1	5.14	<0.5	39	37.8	94.6	<0.5	106
5304578	2.22	<0.5	7.48	3	47	1.2	<1	1.65	0.5	40	38.8	72.1	<0.5	21.2
5304579	2.32	<0.5	6.90	10	135	1.2	<1	5.81	<0.5	25	38.2	106	<0.5	346
5304580	0.10	1.1	5.18	298	525	3.1	<1	5.59	0.5	40	45.9	169	<0.5	139
5304581	2.32	<0.5	6.77	14	175	1.2	<1	6.29	<0.5	21	48.6	103	<0.5	154

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 02, 2010	DATE RECEIVED: Nov 22, 2010						DATE REPORTED: Dec 02, 2010					SAMPLE TYPE: Rock			
Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10
5304529		5.54	15	4	0.49	3	18	6.57	1930	2.5	1.27	181	188	15	23
5304530		10.4	19	6	0.58	18	14	3.41	5830	7.2	1.47	115	2140	16	36
5304531		5.31	16	7	0.41	3	17	5.96	2000	1.3	1.10	194	171	36	19
5304532		5.82	15	9	0.63	4	21	6.22	2040	1.8	1.27	168	192	14	31
5304533		5.77	15	12	0.54	3	16	5.43	2140	1.1	1.31	155	135	34	27
5304534		6.36	15	5	0.66	2	15	5.83	2090	1.3	1.33	182	127	35	34
5304535		5.48	13	13	0.47	3	11	5.25	1960	2.8	1.03	173	129	18	25
5304536		5.72	14	6	0.09	9	17	4.80	1530	4.8	3.23	174	241	15	<10
5304537		8.32	13	12	0.08	8	22	8.52	2320	2.4	0.80	320	108	16	<10
5304538		5.73	18	<1	0.56	4	17	5.24	2040	1.8	1.21	152	205	23	46
5304539		7.49	15	4	0.59	6	20	5.03	2020	6.5	1.87	107	277	10	44
5304540		4.00	14	<1	1.71	8	14	1.12	1030	40.2	1.90	39.6	728	73	70
5304541		5.36	24	5	0.16	21	6	2.38	1170	3.2	3.16	40.6	746	8	11
5304542		6.23	26	<1	0.13	29	7	2.40	1010	3.0	3.22	39.9	869	9	<10
5304543		7.71	16	7	1.00	7	25	5.47	2350	3.0	1.30	131	312	11	71
5304544		6.23	13	3	0.93	6	20	4.43	1920	1.6	1.01	110	240	8	69
5304545		6.93	13	5	0.78	6	19	4.68	1980	2.7	1.24	116	264	9	59
5304546		7.25	14	8	1.02	7	27	5.01	1910	2.4	1.54	107	274	13	91
5304547		7.75	17	<1	0.35	7	26	4.72	1890	2.0	1.90	101	280	12	22
5304548		4.86	18	<1	0.22	19	23	3.34	1280	3.2	3.68	73.6	301	10	<10
5304549		3.57	20	3	0.21	11	16	1.93	695	1.6	4.43	60.3	697	7	<10
5304550		1.41	<5	<1	0.08	17	8	0.08	124	6.0	0.05	15.9	160	2	<10
5304551		3.08	20	<1	0.28	15	13	1.54	586	2.0	4.75	55.5	498	3	<10
5304552		3.20	18	3	0.28	14	12	1.47	548	1.7	4.91	55.8	389	3	<10
5304553		4.22	22	3	0.38	9	20	1.95	704	2.9	4.04	81.7	772	6	<10
5304554		5.24	24	<1	1.32	21	28	2.13	789	2.8	2.96	88.4	713	8	37
5304555		7.16	24	9	1.09	17	57	3.23	1420	2.5	1.59	99.9	530	12	35
5304556		4.51	25	3	1.84	26	34	1.68	1050	3.3	2.55	70.2	733	7	89
5304557		4.38	26	<1	1.76	14	29	1.39	860	2.6	2.60	68.0	712	8	64
5304558		4.30	25	<1	2.01	16	27	1.66	944	3.2	2.53	63.7	678	10	88
5304559		4.58	26	<1	2.01	14	27	1.36	901	2.4	2.33	67.6	724	11	52
5304560		2.38	15	3	0.83	6	11	0.79	822	3.8	2.01	34.8	538	5	20

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 02, 2010	DATE RECEIVED: Nov 22, 2010						DATE REPORTED: Dec 02, 2010						SAMPLE TYPE: Rock		
Analyte:	Fe	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description RDL:	0.01	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	
5304561	5.30	26	<1	2.67	17	33	1.37	1490	2.0	1.03	67.9	681	20	99	
5304562	5.31	24	4	2.43	13	23	1.18	1110	1.3	1.35	67.2	745	7	91	
5304563	5.14	24	2	1.54	10	31	1.45	1280	2.5	3.23	72.2	803	7	54	
5304564	5.19	25	<1	2.08	17	30	1.42	1260	5.9	1.96	69.1	768	6	105	
5304565	4.95	25	1	1.71	13	26	1.25	1220	3.2	2.16	68.5	705	7	60	
5304566	7.13	21	2	1.23	11	46	2.54	1720	2.3	1.47	87.9	566	8	40	
5304567	7.78	16	3	1.05	12	43	4.59	2000	3.0	1.42	103	390	9	33	
5304568	8.35	15	5	0.88	10	48	4.86	2100	1.9	1.45	92.0	416	10	16	
5304569	7.71	21	8	0.25	8	23	3.78	2070	2.3	1.82	104	378	8	<10	
5304570	3.58	15	6	0.91	8	13	0.98	1010	5.6	2.16	34.5	623	7	27	
5304571	8.25	19	5	0.35	5	23	3.96	2370	2.5	1.58	109	283	8	15	
5304572	7.07	18	4	0.70	8	26	4.12	2140	1.4	1.79	107	265	8	31	
5304573	6.73	19	<1	0.62	4	18	3.53	2050	1.5	1.58	111	238	9	30	
5304574	7.53	18	<1	0.29	58	31	4.14	1860	2.3	2.40	101	263	14	11	
5304575	6.06	17	11	0.44	4	21	3.60	1750	<0.5	2.04	95.0	212	7	26	
5304576	6.47	16	10	0.48	40	32	4.03	1720	2.3	2.45	99.2	221	7	27	
5304577	6.37	17	1	0.48	15	27	3.61	1640	2.3	2.21	97.5	212	6	22	
5304578	9.10	22	6	0.57	13	62	5.52	2030	2.9	1.97	131	225	9	20	
5304579	6.27	18	3	0.73	7	35	3.66	1730	2.4	1.41	100	188	5	29	
5304580	10.4	15	<1	0.52	16	11	2.95	5280	6.8	1.42	110	1980	16	18	
5304581	6.30	17	<1	0.64	4	20	3.16	1970	1.9	1.75	96.5	227	7	29	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 02, 2010	DATE RECEIVED: Nov 22, 2010						DATE REPORTED: Dec 02, 2010					SAMPLE TYPE: Rock			
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
5304529		0.005	<1	44	<10	<5	147	17	<10	38	0.21	<5	<5	403	2
5304530		2.49	<1	21	<10	<5	291	23	17	52	0.63	<5	<5	365	5
5304531		0.022	<1	42	<10	<5	144	13	<10	38	0.20	<5	<5	413	1
5304532		<0.005	<1	42	<10	<5	176	11	<10	45	0.23	<5	<5	424	2
5304533		0.018	<1	39	<10	<5	184	10	<10	40	0.18	<5	<5	394	1
5304534		0.198	<1	39	<10	<5	184	13	<10	41	0.15	<5	<5	378	1
5304535		0.015	<1	37	<10	<5	157	11	<10	41	0.15	<5	<5	367	2
5304536		0.150	<1	35	<10	<5	117	11	<10	44	0.25	<5	<5	375	3
5304537		0.068	<1	39	<10	<5	149	16	<10	48	0.20	<5	<5	408	<1
5304538		0.009	<1	40	<10	<5	180	11	<10	42	0.21	<5	<5	418	<1
5304539		0.234	<1	37	<10	<5	206	16	<10	40	0.30	<5	<5	442	<1
5304540		0.552	<1	12	<10	<5	236	10	<10	23	0.28	<5	<5	254	28
5304541		0.213	<1	34	<10	<5	305	10	18	41	0.69	<5	<5	539	1
5304542		0.341	<1	33	<10	<5	412	15	20	43	0.86	<5	<5	480	1
5304543		0.043	<1	42	<10	<5	215	14	<10	42	0.38	<5	<5	502	<1
5304544		0.028	<1	35	<10	<5	187	11	<10	42	0.30	<5	<5	420	<1
5304545		0.102	<1	37	<10	<5	221	<10	<10	40	0.33	<5	<5	446	1
5304546		0.042	<1	40	<10	<5	235	14	<10	40	0.34	<5	<5	463	<1
5304547		0.037	<1	38	<10	<5	210	18	<10	43	0.34	<5	<5	482	<1
5304548		0.068	<1	32	<10	<5	54	15	<10	36	0.31	<5	<5	323	<1
5304549		0.018	<1	10	<10	<5	89	<10	<10	35	0.34	<5	<5	252	1
5304550		<0.005	4	<1	<10	<5	22	<10	<10	8	0.04	<5	<5	15.0	<1
5304551		0.371	<1	12	<10	<5	90	<10	<10	31	0.28	<5	<5	196	6
5304552		0.376	<1	11	<10	<5	84	<10	<10	28	0.29	<5	<5	197	6
5304553		0.161	<1	8	<10	<5	95	<10	<10	37	0.33	<5	<5	270	<1
5304554		0.050	<1	10	<10	<5	139	<10	<10	38	0.37	<5	<5	287	1
5304555		0.034	<1	22	<10	<5	260	13	<10	44	0.36	<5	<5	403	1
5304556		0.058	<1	12	<10	<5	161	<10	<10	39	0.32	<5	<5	251	<1
5304557		0.051	<1	9	<10	<5	180	<10	<10	31	0.32	<5	<5	241	<1
5304558		0.044	<1	10	<10	<5	227	<10	<10	37	0.33	<5	<5	236	<1
5304559		0.042	<1	7	<10	<5	233	11	<10	29	0.36	<5	<5	239	<1
5304560		0.027	<1	9	<10	<5	222	<10	<10	17	0.24	<5	<5	169	40

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 02, 2010	DATE RECEIVED: Nov 22, 2010						DATE REPORTED: Dec 02, 2010					SAMPLE TYPE: Rock		
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.005	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1
5304561	0.019	<1	9	<10	<5	52	12	<10	37	0.36	<5	<5	271	2
5304562	<0.005	<1	9	<10	<5	65	15	<10	33	0.37	<5	<5	263	1
5304563	<0.005	<1	9	<10	<5	70	<10	<10	35	0.36	<5	<5	236	2
5304564	0.185	<1	10	<10	<5	152	12	<10	38	0.38	<5	<5	275	1
5304565	0.027	<1	9	<10	<5	112	<10	<10	35	0.34	<5	<5	259	1
5304566	0.011	<1	17	<10	<5	123	16	<10	40	0.39	<5	<5	367	2
5304567	0.093	<1	37	<10	<5	208	10	12	46	0.46	<5	<5	525	<1
5304568	<0.005	<1	39	<10	<5	145	23	13	38	0.51	<5	<5	544	1
5304569	0.067	<1	34	<10	<5	227	13	11	40	0.47	<5	<5	539	<1
5304570	0.028	<1	10	<10	<5	234	<10	<10	21	0.28	<5	<5	198	<1
5304571	0.038	<1	32	<10	<5	217	18	11	41	0.42	<5	<5	619	<1
5304572	0.024	<1	28	<10	<5	194	16	<10	40	0.30	<5	<5	432	<1
5304573	0.072	<1	26	<10	<5	213	12	<10	34	0.29	<5	<5	409	<1
5304574	0.022	<1	26	<10	<5	119	14	<10	38	0.30	<5	<5	454	<1
5304575	0.021	<1	29	<10	<5	217	14	<10	37	0.23	<5	<5	376	<1
5304576	0.009	<1	30	<10	<5	171	11	<10	36	0.24	<5	<5	390	<1
5304577	0.013	<1	26	<10	<5	180	18	<10	35	0.24	<5	<5	379	<1
5304578	<0.005	<1	27	<10	<5	23	18	<10	42	0.23	<5	<5	472	2
5304579	0.039	<1	25	<10	<5	176	<10	<10	40	0.22	<5	<5	369	<1
5304580	2.34	<1	16	<10	<5	254	23	14	41	0.64	<5	<5	338	3
5304581	0.024	<1	24	<10	<5	235	<10	<10	35	0.29	<5	<5	400	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 02, 2010

DATE RECEIVED: Nov 22, 2010

DATE REPORTED: Dec 02, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5
5304529		9	70.3	26
5304530		21	140	94
5304531		9	89.7	23
5304532		10	82.4	29
5304533		8	105	21
5304534		7	101	17
5304535		7	84.3	20
5304536		10	100	45
5304537		10	112	22
5304538		10	111	30
5304539		12	63.6	38
5304540		11	133	47
5304541		29	35.1	102
5304542		37	31.7	115
5304543		14	84.6	43
5304544		12	60.7	37
5304545		13	71.5	41
5304546		14	77.9	42
5304547		13	80.7	37
5304548		26	54.9	50
5304549		8	40.6	83
5304550		4	8.7	27
5304551		13	30.5	83
5304552		12	31.1	79
5304553		7	45.6	92
5304554		9	47.4	95
5304555		13	98.4	76
5304556		11	78.9	105
5304557		7	70.2	102
5304558		8	81.2	101
5304559		6	76.3	100
5304560		9	53.4	45

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 02, 2010	DATE RECEIVED: Nov 22, 2010	DATE REPORTED: Dec 02, 2010	SAMPLE TYPE: Rock
Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
5304561	9	43.9	131
5304562	8	44.4	130
5304563	7	50.9	137
5304564	10	42.2	137
5304565	8	45.2	129
5304566	8	67.7	96
5304567	18	68.7	55
5304568	18	85.0	52
5304569	13	73.3	46
5304570	12	60.0	49
5304571	10	80.8	38
5304572	8	93.9	34
5304573	8	84.9	32
5304574	7	128	37
5304575	8	72.4	30
5304576	8	76.0	30
5304577	8	74.8	30
5304578	7	132	34
5304579	9	71.8	31
5304580	16	128	85
5304581	8	75.7	35

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Dec 02, 2010

DATE RECEIVED: Nov 22, 2010

DATE REPORTED: Dec 02, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	Pd ppm 0.001	Pt ppm 0.005
5304529		0.004	0.023	0.012
5304530		4.87	0.001	<0.005
5304531		0.005	0.022	0.011
5304532		0.003	0.021	0.008
5304533		0.005	0.020	0.018
5304534		0.005	0.027	0.012
5304535		0.006	0.026	0.016
5304536		0.006	0.007	0.009
5304537		0.008	0.056	0.025
5304538		0.004	0.012	0.011
5304539		0.004	0.008	0.009
5304540		1.06	<0.001	<0.005
5304541		0.003	<0.001	<0.005
5304542		0.005	<0.001	<0.005
5304543		0.005	0.010	0.011
5304544		0.004	0.011	0.008
5304545		0.005	0.013	0.010
5304546		0.003	0.009	0.013
5304547		0.003	0.009	0.011
5304548		0.003	0.011	0.007
5304549		0.002	0.002	<0.005
5304550		0.001	<0.001	<0.005
5304551		0.051	<0.001	<0.005
5304552		0.004	<0.001	<0.005
5304553		0.002	0.002	<0.005
5304554		0.002	<0.001	<0.005

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U457128

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Dec 02, 2010

DATE RECEIVED: Nov 22, 2010

DATE REPORTED: Dec 02, 2010

SAMPLE TYPE: Rock

Analyte: Au
 Unit: ppm
 Sample Description RDL: 0.001

5304555	0.002
5304556	0.003
5304557	0.002
5304558	0.003
5304559	0.003
5304560	0.003
5304561	0.002
5304562	0.002
5304563	0.002
5304564	0.003
5304565	0.004
5304566	0.005
5304567	0.005
5304568	0.002
5304569	0.003
5304570	0.004
5304571	0.003
5304572	0.003
5304573	0.003
5304574	0.002
5304575	0.003
5304576	0.004
5304577	0.003
5304578	0.002
5304579	0.010
5304580	5.19
5304581	0.005

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457128

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Dec 02, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2170719	< 0.5	< 0.5	0.0%	< 0.5	8	7	109%	90%	110%	
Al	1	2170719	8.54	7.92	7.5%	< 0.01				80%	120%	
As	1	2170719	14	13	7.4%	< 1				80%	120%	
Ba	1	2170719	80	78	2.5%	< 1				80%	120%	
Be	1	2170719	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Bi	1	2170719	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2170719	10.5	9.79	7.0%	< 0.01	0.7	0.55	128%	70%	130%	
Cd	1	2170719	0.5	0.6	18.2%	< 0.5				80%	120%	
Ce	1	2170719	20	19	5.1%	< 1				80%	120%	
Co	1	2170719	38.2	38.0	0.5%	< 0.5	6.2	5.0	125%	70%	130%	
Cr	1	2170719	1340	1330	0.7%	2.6				80%	120%	
Cs	1	2170719	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2170719	74.8	74.4	0.5%	1.1	4912	4700	105%	90%	110%	
Fe	1	2170719	5.54	5.14	7.5%	< 0.01	1.49	1.55	96%	90%	110%	
Ga	1	2170719	15	13	14.3%	< 5				80%	120%	
In	1	2170719	4	9		< 1				80%	120%	
K	1	2170719	0.49	0.45	8.5%	< 0.01	2.9	2.99	97%	90%	110%	
La	1	2170719	3	3	0.0%	< 2				80%	120%	
Li	1	2170719	18	18	0.0%	< 1				80%	120%	
Mg	1	2170719	6.57	6.10	7.4%	< 0.01				80%	120%	
Mn	1	2170719	1930	1880	2.6%	< 1				80%	120%	
Mo	1	2170719	2.5	1.8		< 0.5				80%	120%	
Na	1	2170719	1.27	1.18	7.3%	< 0.01				80%	120%	
Ni	1	2170719	181	180	0.6%	< 0.5	6	7	84%	80%	120%	
P	1	2170719	188	172	8.9%	< 10				80%	120%	
Pb	1	2170719	15	13	14.3%	2	28	30	94%	90%	110%	
Rb	1	2170719	23	23	0.0%	< 10				80%	120%	
S	1	2170719	0.005	< 0.005		< 0.005				80%	120%	
Sb	1	2170719	< 1	< 1	0.0%	2				80%	120%	
Sc	1	2170719	44	43	2.3%	< 1				80%	120%	
Se	1	2170719	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2170719	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2170719	147	145	1.4%	< 1	425	390	109%	90%	110%	
Ta	1	2170719	17	12		< 10				80%	120%	
Te	1	2170719	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2170719	38	39	2.6%	< 5				80%	120%	
Ti	1	2170719	0.21	0.20	4.9%	< 0.01				80%	120%	
Tl	1	2170719	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2170719	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2170719	403	403	0.0%	< 0.5				80%	120%	
W	1	2170719	2	2	0.0%	< 1				80%	120%	
Y	1	2170719	9	9	0.0%	< 1				80%	120%	
Zn	1	2170719	70.3	67.3	4.4%	< 0.5	33	32	102%	90%	110%	
Zr	1	2170719	26	25	3.9%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457128

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Dec 02, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	2170744	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Al	1	2170744	5.65	6.08	7.3%	< 0.01			80%	120%
As	1	2170744	2	< 1		< 1			80%	120%
Ba	1	2170744	359	394	9.3%	< 1			80%	120%
Be	1	2170744	2.6	2.6	0.0%	< 0.5			80%	120%
Bi	1	2170744	< 1	< 1	0.0%	< 1			80%	120%
Ca	1	2170744	0.89	0.92	3.3%	< 0.01			80%	120%
Cd	1	2170744	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Ce	1	2170744	47	52	10.1%	< 1			80%	120%
Co	1	2170744	31.6	32.0	1.3%	< 0.5			80%	120%
Cr	1	2170744	227	242	6.4%	2.6			80%	120%
Cs	1	2170744	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Cu	1	2170744	< 0.5	< 0.5	0.0%	0.7			80%	120%
Fe	1	2170744	5.24	5.41	3.2%	< 0.01			80%	120%
Ga	1	2170744	24	24	0.0%	< 5			80%	120%
In	1	2170744	< 1	8		< 1			80%	120%
K	1	2170744	1.32	1.38	4.4%	< 0.01			80%	120%
La	1	2170744	21	23	9.1%	< 2			80%	120%
Li	1	2170744	28	30	6.9%	< 1			80%	120%
Mg	1	2170744	2.13	2.28	6.8%	< 0.01			80%	120%
Mn	1	2170744	789	804	1.9%	1			80%	120%
Mo	1	2170744	2.81	3.11	10.1%	< 0.5			80%	120%
Na	1	2170744	2.96	3.06	3.3%	< 0.01			80%	120%
Ni	1	2170744	88.4	93.4	5.5%	0.8			80%	120%
P	1	2170744	713	761	6.5%	< 10			80%	120%
Pb	1	2170744	8	7	13.3%	< 1			80%	120%
Rb	1	2170744	37	45	19.5%	< 10			80%	120%
S	1	2170744	0.050	0.045	10.5%	< 0.005			80%	120%
Sb	1	2170744	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2170744	10	12	18.2%	< 1			80%	120%
Se	1	2170744	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2170744	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2170744	139	143	2.8%	< 1			80%	120%
Ta	1	2170744	< 10	12		< 10			80%	120%
Te	1	2170744	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2170744	38	40	5.1%	< 5			80%	120%
Ti	1	2170744	0.373	0.381	2.1%	< 0.01			80%	120%
Tl	1	2170744	< 5	< 5	0.0%	< 5			80%	120%
U	1	2170744	< 5	< 5	0.0%	< 5			80%	120%
V	1	2170744	287	298	3.8%	< 0.5			80%	120%
W	1	2170744	1	1	0.0%	< 1			80%	120%
Y	1	2170744	9	10	10.5%	< 1			80%	120%
Zn	1	2170744	47.4	50.5	6.3%	0.5			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457128

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)										
RPT Date: Dec 02, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Zr	1	2170744	95	100	5.1%	< 5			80%	120%
4 Acid Digest - ICP-OES Finish (201070)										
Ag	1	2170769	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Al	1	2170769	6.90	6.61	4.3%	< 0.01			80%	120%
As	1	2170769	10	10	0.0%	< 1			80%	120%
Ba	1	2170769	135	138	2.2%	< 1			80%	120%
Be	1	2170769	1.21	1.30	7.2%	< 0.5			80%	120%
Bi	1	2170769	< 1	< 1	0.0%	< 1			80%	120%
Ca	1	2170769	5.81	5.80	0.2%	< 0.01			80%	120%
Cd	1	2170769	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Ce	1	2170769	25	25	0.0%	< 1			80%	120%
Co	1	2170769	38.2	38.4	0.5%	< 0.5			80%	120%
Cr	1	2170769	106	98.7	7.1%	< 0.5			80%	120%
Cs	1	2170769	< 0.5	< 0.5	0.0%	< 0.5			80%	120%
Cu	1	2170769	346	353	2.0%	< 0.5			80%	120%
Fe	1	2170769	6.27	6.34	1.1%	< 0.01			80%	120%
Ga	1	2170769	18	17	5.7%	< 5			80%	120%
In	1	2170769	3	5		< 1			80%	120%
K	1	2170769	0.73	0.72	1.4%	< 0.01			80%	120%
La	1	2170769	7	7	0.0%	< 2			80%	120%
Li	1	2170769	35	33	5.9%	< 1			80%	120%
Mg	1	2170769	3.66	3.52	3.9%	< 0.01			80%	120%
Mn	1	2170769	1730	1720	0.6%	< 1			80%	120%
Mo	1	2170769	2.4	1.7		< 0.5			80%	120%
Na	1	2170769	1.41	1.41	0.0%	< 0.01			80%	120%
Ni	1	2170769	100	104	3.9%	< 0.5			80%	120%
P	1	2170769	188	189	0.5%	< 10			80%	120%
Pb	1	2170769	5	5	0.0%	< 1			80%	120%
Rb	1	2170769	29	27	7.1%	< 10			80%	120%
S	1	2170769	0.0388	0.0340	13.2%	< 0.005			80%	120%
Sb	1	2170769	< 1	< 1	0.0%	< 1			80%	120%
Sc	1	2170769	25	24	4.1%	< 1			80%	120%
Se	1	2170769	< 10	< 10	0.0%	< 10			80%	120%
Sn	1	2170769	< 5	< 5	0.0%	< 5			80%	120%
Sr	1	2170769	176	177	0.6%	< 1			80%	120%
Ta	1	2170769	10	11	9.5%	< 10			80%	120%
Te	1	2170769	< 10	< 10	0.0%	< 10			80%	120%
Th	1	2170769	40	38	5.1%	< 5			80%	120%
Ti	1	2170769	0.219	0.226	3.1%	< 0.01			80%	120%
Tl	1	2170769	< 5	< 5	0.0%	< 5			80%	120%
U	1	2170769	< 5	< 5	0.0%	< 5			80%	120%
V	1	2170769	369	380	2.9%	< 0.5			80%	120%
W	1	2170769	< 1	< 1	0.0%	< 1			80%	120%
Y	1	2170769	9	9	0.0%	< 1			80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457128

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Dec 02, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
									Lower	Upper		

Zn	1	2170769	71.8	74.3	3.4%	< 0.5			80%	120%
Zr	1	2170769	31	31	0.0%	< 5			80%	120%

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

Au	1	2170729	0.0037	0.0028	27.7%	< 0.001	1.03	1.08	95%	90%	110%
Pd	1	2170729	0.008	0.009	11.8%	< 0.001	0.374	0.412	91%	90%	110%
Pt	1	2170729	0.009	0.009	0.0%	< 0.005	0.5	0.578	86%	80%	120%

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

Au	1	2170744	0.002	0.002	0.0%	< 0.001		0.031	70%	130%
Pd	1	2170744	< 0.001	0.002		< 0.001		0.036	70%	130%
Pt	1	2170744	< 0.005	< 0.005	0.0%	< 0.005		0.052	70%	130%


Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	2170756	0.005	0.002		< 0.001	0.3	0.321	93%	90%	110%
----	---	---------	-------	-------	--	---------	-----	-------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	2170769	0.010	0.003		< 0.001		0.031	70%	130%
----	---	---------	-------	-------	--	---------	--	-------	-----	------

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457128

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight			BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Pd	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457128

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Pt	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5304582	<0.5	5.98	8	219	3.9	<1	3.83	<0.5	41	61.2	72.9	<0.5	178	10.3
E5304583	<0.5	5.71	17	62	2.4	<1	5.71	<0.5	61	60.0	153	<0.5	65.0	6.84
E5304584	<0.5	6.25	11	136	3.8	<1	5.83	<0.5	42	57.0	51.0	<0.5	202	10.0
E5304585	<0.5	6.20	17	99	3.9	<1	6.32	<0.5	41	88.7	96.8	<0.5	125	10.0
E5304586	<0.5	0.16	5	6	<0.5	1	6.30	<0.5	11	2.1	383	<0.5	4.9	0.80
E5304587	<0.5	0.16	7	7	<0.5	2	16.1	<0.5	16	1.9	160	<0.5	5.7	1.20
E5304588	<0.5	0.29	8	12	<0.5	2	12.6	<0.5	8	2.3	219	<0.5	35.6	0.82
E5304589	<0.5	5.95	8	132	4.0	<1	5.65	<0.5	37	55.4	44.1	<0.5	140	9.69
E5304590	<0.5	5.86	7	120	4.0	<1	6.61	<0.5	44	69.5	24.9	<0.5	62.9	11.1
E5304591	0.9	5.38	13	776	1.7	<1	1.76	0.9	24	16.7	60.0	<0.5	570	3.86
E5304592	<0.5	3.96	<1	59	6.8	<1	7.43	<0.5	46	119	89.0	<0.5	813	11.3
E5304593	<0.5	5.91	5	146	4.0	<1	6.40	0.5	44	58.6	108	<0.5	71.5	10.4
E5304594	<0.5	6.33	8	146	3.8	<1	6.49	<0.5	38	60.9	67.5	<0.5	174	10.4
E5304595	<0.5	6.18	3	188	4.1	<1	6.86	0.9	38	53.5	40.4	<0.5	244	9.56
E5304596	<0.5	6.04	9	259	3.9	<1	5.68	<0.5	40	58.2	42.3	<0.5	177	10.3
E5304597	<0.5	5.50	4	205	3.4	<1	5.29	<0.5	39	53.9	133	<0.5	179	9.71
E5304598	<0.5	6.13	4	184	4.0	<1	6.04	0.6	40	55.9	34.3	<0.5	151	9.73
E5304599	<0.5	4.85	13	100	2.4	<1	0.67	0.8	28	38.3	186	<0.5	11.4	6.17
E5304600	<0.5	0.59	2	31	<0.5	<1	0.08	<0.5	26	3.1	607	<0.5	<0.5	1.09
E5304601	<0.5	5.55	4	199	2.9	<1	5.09	<0.5	36	50.6	165	<0.5	141	8.82
E5304602	<0.5	6.22	4	250	3.8	<1	6.02	0.5	39	63.4	34.1	<0.5	198	10.7
E5304603	<0.5	6.07	1	300	3.8	<1	6.12	<0.5	38	59.4	60.4	<0.5	214	10.8
E5304604	<0.5	5.91	11	111	3.2	<1	6.41	<0.5	36	65.8	133	<0.5	136	9.77
E5304605	<0.5	6.50	12	172	4.0	<1	6.19	<0.5	42	61.0	58.9	<0.5	104	10.1
E5304606	<0.5	6.21	12	161	3.8	<1	5.73	<0.5	41	58.8	37.1	<0.5	179	9.92
E5304607	<0.5	6.34	11	186	3.5	<1	6.16	<0.5	37	62.0	74.8	<0.5	166	9.96
E5304608	<0.5	6.56	13	226	3.3	<1	4.80	0.5	44	60.6	51.0	<0.5	96.9	9.78
E5304609	<0.5	6.05	10	194	2.6	<1	4.31	<0.5	38	53.4	168	<0.5	26.3	8.45
E5304610	<0.5	3.53	5	626	1.5	<1	1.48	<0.5	13	14.7	58.9	<0.5	16.9	2.42
E5304611	<0.5	6.52	27	362	2.7	<1	2.41	<0.5	41	59.2	493	<0.5	<0.5	9.66
E5304612	<0.5	5.43	13	246	2.9	<1	2.68	<0.5	44	56.3	470	<0.5	<0.5	10.3
E5304613	<0.5	6.29	10	414	2.4	<1	2.92	<0.5	53	50.5	59.9	<0.5	<0.5	9.03

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5304614	<0.5	6.15	8	350	2.5	<1	4.58	<0.5	35	59.6	169	<0.5	123	8.15
E5304615	<0.5	6.46	14	254	2.7	<1	4.60	<0.5	38	60.3	33.2	<0.5	265	8.91
E5304616	<0.5	5.84	10	364	2.5	1	4.99	<0.5	35	52.6	66.8	<0.5	77.1	8.53
E5304617	<0.5	6.49	8	446	2.7	<1	4.78	0.5	38	51.0	41.6	<0.5	62.4	8.20
E5304618	<0.5	5.93	15	356	2.7	<1	2.24	<0.5	37	49.1	278	<0.5	<0.5	6.92
E5304619	<0.5	6.72	19	194	2.3	<1	6.27	0.6	41	62.2	36.7	<0.5	225	8.93
E5304620	<0.5	4.52	7	667	1.6	<1	1.74	<0.5	18	12.6	44.0	<0.5	43.2	3.44
E5304621	<0.5	5.93	19	159	2.3	<1	4.20	<0.5	39	56.8	139	<0.5	54.6	9.60
E5304622	<0.5	6.51	35	224	1.9	<1	4.87	<0.5	42	61.6	39.2	<0.5	63.5	8.27
E5304623	<0.5	6.47	23	207	1.9	<1	5.75	<0.5	30	59.1	77.2	<0.5	90.1	8.08
E5304624	<0.5	6.23	25	233	2.0	<1	5.32	<0.5	31	57.8	39.6	<0.5	177	7.57
E5304625	<0.5	5.98	15	320	2.3	<1	5.66	<0.5	30	49.2	67.7	<0.5	140	8.43
E5304626	<0.5	6.16	29	209	2.0	<1	5.02	<0.5	38	56.5	197	<0.5	63.5	8.33
E5304627	<0.5	5.55	26	272	1.8	<1	4.99	<0.5	30	55.6	111	<0.5	127	7.37
E5304628	<0.5	6.36	36	224	2.3	<1	2.53	<0.5	46	52.6	312	<0.5	5.4	9.08
E5304629	<0.5	6.70	38	224	3.2	<1	2.82	<0.5	45	56.3	513	<0.5	65.5	9.79
E5304630	1.1	5.86	620	546	3.2	<1	5.62	0.5	44	39.0	157	<0.5	131	10.1
E5304631	<0.5	5.14	45	82	2.6	<1	2.55	0.8	40	63.8	673	<0.5	87.7	10.0
E5304632	<0.5	4.21	43	70	4.0	<1	2.93	1.7	41	114	954	<0.5	235	12.0
E5304633	<0.5	6.44	38	297	1.9	<1	4.09	<0.5	40	62.3	89.3	<0.5	15.2	7.90
E5304634	<0.5	5.55	49	371	1.9	<1	2.61	<0.5	36	52.9	252	<0.5	18.9	7.72
E5304635	<0.5	6.33	30	584	2.4	<1	4.91	0.6	34	63.6	78.1	<0.5	123	8.19
E5304636	<0.5	5.97	2250	391	2.3	<1	2.73	1.6	40	67.4	191	<0.5	4.8	7.07
E5304637	<0.5	6.06	27	796	2.6	<1	1.55	<0.5	44	34.0	249	<0.5	<0.5	6.34
E5304638	<0.5	6.72	15	766	2.3	<1	2.06	<0.5	42	31.4	282	<0.5	<0.5	6.00
E5304639	<0.5	6.51	17	775	2.7	<1	2.17	<0.5	40	48.0	259	<0.5	<0.5	6.82
E5304640	0.8	4.32	14	520	1.8	<1	1.64	0.7	19	16.4	57.9	<0.5	550	3.95
E5304641	<0.5	6.56	15	505	2.6	<1	2.80	<0.5	37	47.3	299	<0.5	68.1	6.30
E5304642	<0.5	6.93	19	728	3.0	<1	2.78	0.5	39	58.5	330	<0.5	9.5	7.44
E5304643	<0.5	7.04	22	346	2.5	<1	5.25	<0.5	41	51.2	112	<0.5	108	8.57
E5304644	<0.5	6.63	17	333	2.2	<1	5.65	<0.5	34	51.3	38.6	<0.5	152	8.83
E5304645	<0.5	6.68	13	260	2.0	<1	6.07	<0.5	34	50.3	94.5	<0.5	155	8.56

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
E5304646	<0.5	6.50	13	298	2.0	<1	5.98	<0.5	33	47.6	71.2	<0.5	149	8.40

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5304582	20	<1	0.70	12	38	3.57	2080	2.9	1.47	34.9	611	10	41	0.135
E5304583	24	<1	0.25	28	6	1.50	1470	6.5	2.16	18.4	1190	9	<10	0.080
E5304584	19	1	0.45	13	11	2.70	2820	3.5	2.32	33.7	571	11	26	0.148
E5304585	19	<1	0.33	13	15	2.76	2540	3.1	1.84	47.4	535	11	18	0.183
E5304586	<5	<1	0.05	7	1	3.36	2310	6.6	0.03	15.7	14	2	<10	<0.005
E5304587	<5	1	0.01	10	2	4.22	4890	4.5	0.02	2.7	22	<1	<10	0.008
E5304588	<5	<1	0.05	4	2	1.35	2500	4.3	0.04	4.2	12	2	<10	<0.005
E5304589	16	<1	0.42	11	16	2.72	2610	3.1	1.80	37.2	556	11	35	0.181
E5304590	20	<1	0.37	14	11	2.78	2590	3.7	1.39	53.7	625	14	14	0.251
E5304591	13	<1	1.63	9	15	1.07	1100	42.8	1.76	38.3	761	72	81	0.573
E5304592	13	<1	0.21	15	12	3.80	3200	3.7	0.98	95.1	625	15	11	0.780
E5304593	19	<1	0.43	15	11	3.29	2690	3.6	1.52	55.1	665	14	21	0.091
E5304594	19	<1	0.52	11	11	2.78	2640	3.8	1.86	37.8	643	16	27	0.247
E5304595	18	<1	0.58	12	15	2.81	2660	2.8	1.83	48.6	557	23	30	0.219
E5304596	18	<1	0.82	12	17	2.76	2680	2.9	1.38	39.6	510	14	53	0.188
E5304597	17	<1	0.67	12	17	2.65	2480	7.7	1.15	37.1	494	18	51	0.216
E5304598	21	<1	0.57	13	25	2.90	2610	3.0	1.50	41.0	527	16	38	0.143
E5304599	22	2	0.18	9	17	1.64	1280	10.1	3.95	65.6	775	19	<10	0.069
E5304600	<5	<1	0.04	14	7	0.06	74	6.0	0.02	6.7	112	2	<10	0.005
E5304601	18	5	0.56	11	11	2.41	2400	1.8	1.45	33.4	477	13	40	0.093
E5304602	17	2	0.72	11	14	2.87	2910	4.7	1.63	54.2	510	15	52	0.108
E5304603	18	<1	0.77	10	13	2.96	2790	2.6	1.61	54.7	493	14	41	0.105
E5304604	18	<1	0.40	10	13	2.85	2610	2.7	1.55	52.9	452	12	22	0.084
E5304605	17	<1	0.45	14	14	2.97	2670	3.6	1.93	54.4	435	13	22	0.085
E5304606	18	<1	0.51	13	13	3.11	2780	2.4	1.79	59.8	471	11	28	0.089
E5304607	19	<1	0.52	10	15	3.23	2770	3.1	1.74	59.3	523	13	19	0.094
E5304608	18	<1	0.57	15	19	3.33	2560	3.6	1.84	70.5	845	14	26	0.099
E5304609	17	<1	0.42	13	18	3.05	2240	3.9	1.65	58.6	539	11	21	0.034
E5304610	12	1	0.79	4	14	0.77	884	4.2	1.91	34.5	567	5	13	0.034
E5304611	21	3	0.82	13	42	4.13	2600	2.9	1.62	207	465	9	43	<0.005
E5304612	23	7	0.56	13	47	4.33	2990	1.3	1.21	226	445	14	29	<0.005
E5304613	19	<1	0.80	20	28	3.42	2370	3.8	1.73	83.2	555	10	24	<0.005

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5304614		17	2	0.92	11	18	3.09	2230	3.3	1.89	53.5	420	12	51	0.081
E5304615		15	<1	0.77	12	25	3.47	2380	4.2	2.24	58.5	468	12	39	0.124
E5304616		19	<1	0.92	10	22	3.27	2400	1.9	1.65	55.5	496	10	33	0.092
E5304617		19	3	0.82	12	20	3.03	2410	3.1	1.97	58.6	744	11	27	0.076
E5304618		21	<1	0.60	13	25	2.37	1740	1.9	2.41	111	596	8	14	<0.005
E5304619		18	4	0.48	14	21	4.14	2660	1.5	1.65	69.2	450	11	27	0.057
E5304620		13	<1	0.84	6	14	0.92	1070	7.2	1.96	32.1	620	6	21	0.038
E5304621		20	7	0.44	11	28	4.85	3280	2.5	1.15	136	392	10	32	<0.005
E5304622		18	<1	0.59	12	27	3.58	2400	2.6	1.86	71.8	535	12	22	0.054
E5304623		17	4	0.64	7	15	3.45	2480	2.7	1.67	57.1	380	14	35	0.078
E5304624		15	2	0.61	8	16	3.14	2410	2.1	2.02	56.6	379	16	22	0.065
E5304625		19	<1	0.81	7	17	3.18	2690	0.5	1.59	59.4	423	23	31	0.085
E5304626		17	<1	0.61	12	33	3.65	2470	3.2	1.32	109	406	14	36	0.039
E5304627		17	4	0.77	9	20	3.03	2280	3.1	1.23	55.8	364	18	51	0.126
E5304628		24	7	0.61	16	54	4.56	2680	3.1	1.09	180	383	10	44	<0.005
E5304629		25	<1	0.44	16	44	4.45	2930	2.6	1.66	223	412	15	36	0.027
E5304630		13	<1	0.56	18	15	3.35	5690	5.4	1.41	108	2060	15	36	2.51
E5304631		25	<1	0.30	12	34	4.35	2730	4.4	0.69	235	405	41	26	0.182
E5304632		26	<1	0.29	10	36	5.32	3270	4.3	0.09	397	481	35	26	0.224
E5304633		17	<1	0.66	13	30	3.43	2390	25.0	1.78	69.5	763	11	24	0.007
E5304634		19	<1	0.72	11	29	3.37	2210	2.2	1.60	122	557	12	27	0.021
E5304635		19	<1	1.19	10	27	3.25	2500	5.2	1.52	63.1	425	20	46	0.125
E5304636		21	1	0.63	17	32	2.36	1740	3.5	2.27	83.0	557	9	17	0.231
E5304637		25	<1	0.93	19	34	2.13	1390	2.4	2.88	85.2	564	9	23	<0.005
E5304638		20	<1	1.07	19	25	2.18	1240	3.5	2.39	84.0	469	7	37	<0.005
E5304639		24	<1	1.13	16	29	2.49	1410	1.5	2.52	105	484	7	29	<0.005
E5304640		13	<1	1.68	6	15	1.08	1050	44.4	1.83	37.6	738	71	57	0.577
E5304641		21	<1	0.89	15	25	2.38	1490	2.9	2.94	115	457	16	28	0.058
E5304642		23	<1	1.02	16	40	3.05	2010	2.7	2.28	137	470	13	52	0.019
E5304643		21	3	0.88	13	26	3.55	2580	1.8	1.63	82.4	894	15	48	0.072
E5304644		17	<1	0.95	8	19	3.45	2700	2.8	1.57	61.5	436	14	53	0.089
E5304645		18	9	0.82	9	20	3.55	2700	3.0	1.46	64.1	425	18	55	0.067

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description	RDL:													
E5304646	16	4	0.88	8	20	3.53	2710	2.3	1.37	64.0	409	19	63	0.048

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5304582	<1	34	<10	<5	172	<10	19	<5	0.90	<5	<5	1070	7	21
E5304583	<1	19	<10	<5	434	<10	10	<5	0.58	<5	<5	296	4	40
E5304584	<1	35	<10	<5	245	<10	17	<5	0.86	<5	<5	1030	5	22
E5304585	<1	35	<10	<5	270	11	18	<5	0.92	<5	<5	1140	3	21
E5304586	<1	5	<10	<5	21	<10	<10	<5	<0.01	<5	<5	35.4	<1	10
E5304587	<1	9	<10	<5	62	<10	<10	<5	<0.01	<5	<5	51.3	<1	17
E5304588	<1	6	<10	<5	86	<10	<10	<5	<0.01	<5	<5	56.4	<1	10
E5304589	<1	33	<10	<5	242	<10	18	<5	0.91	<5	<5	1040	4	20
E5304590	<1	35	<10	<5	359	11	20	<5	1.02	<5	<5	1200	4	14
E5304591	<1	11	<10	<5	240	<10	<10	<5	0.27	<5	<5	245	30	12
E5304592	<1	53	<10	<5	91	10	40	<5	1.63	<5	<5	1610	4	24
E5304593	<1	41	<10	<5	279	11	22	<5	1.01	<5	<5	1240	3	18
E5304594	<1	34	<10	<5	297	<10	18	<5	0.91	<5	<5	1080	3	18
E5304595	<1	35	<10	<5	240	<10	20	<5	0.93	<5	<5	1090	3	21
E5304596	<1	34	<10	<5	263	<10	18	<5	0.91	<5	<5	1160	3	20
E5304597	<1	30	<10	<5	266	<10	16	<5	0.84	<5	<5	1060	3	19
E5304598	<1	35	<10	<5	287	<10	19	<5	0.90	<5	<5	1150	3	20
E5304599	<1	9	<10	<5	79	<10	<10	<5	0.40	<5	<5	299	2	4
E5304600	3	<1	<10	<5	7	<10	<10	<5	0.05	<5	<5	23.2	1	3
E5304601	<1	29	<10	<5	179	<10	12	<5	0.66	<5	<5	789	2	18
E5304602	<1	36	<10	<5	212	<10	20	<5	0.89	<5	<5	1300	3	19
E5304603	<1	35	<10	<5	189	<10	17	<5	0.89	<5	<5	1290	2	17
E5304604	<1	34	<10	<5	279	<10	15	<5	0.78	<5	<5	1130	2	18
E5304605	<1	36	<10	<5	336	<10	17	<5	0.86	<5	<5	1230	2	17
E5304606	<1	36	<10	<5	277	<10	17	<5	0.82	<5	<5	1210	2	18
E5304607	<1	36	<10	<5	316	<10	16	<5	0.80	<5	<5	1150	2	17
E5304608	<1	34	<10	<5	250	<10	17	<5	0.75	<5	<5	1280	2	17
E5304609	<1	28	<10	<5	250	<10	10	<5	0.62	<5	<5	866	2	14
E5304610	<1	7	<10	<5	207	<10	<10	<5	0.25	<5	<5	166	43	8
E5304611	<1	28	<10	<5	126	<10	10	<5	0.63	<5	<5	729	2	9
E5304612	<1	28	<10	<5	87	<10	11	<5	0.62	<5	<5	723	2	10
E5304613	<1	21	<10	<5	184	<10	12	<5	0.50	<5	<5	677	2	10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010	DATE RECEIVED: Nov 26, 2010						DATE REPORTED: Nov 26, 2010				SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5304614	<1	30	<10	<5	205	<10	<10	<5	0.55	<5	<5	547	2	16
E5304615	<1	31	<10	<5	162	<10	<10	<5	0.58	<5	<5	566	2	18
E5304616	<1	28	<10	<5	259	<10	<10	<5	0.54	<5	<5	575	2	14
E5304617	<1	28	<10	<5	288	<10	<10	<5	0.52	<5	<5	548	2	14
E5304618	<1	15	<10	<5	191	<10	<10	<5	0.51	<5	<5	405	1	8
E5304619	<1	41	<10	<5	359	<10	<10	<5	0.49	<5	<5	882	3	13
E5304620	<1	9	<10	<5	240	<10	<10	<5	0.27	<5	<5	190	2	10
E5304621	<1	34	<10	<5	187	<10	<10	<5	0.42	<5	<5	718	2	10
E5304622	<1	27	<10	<5	306	<10	<10	<5	0.36	<5	<5	536	2	12
E5304623	<1	30	<10	<5	287	<10	<10	<5	0.43	<5	<5	470	2	12
E5304624	<1	26	<10	<5	239	<10	<10	<5	0.39	<5	<5	470	2	11
E5304625	<1	27	<10	<5	268	<10	<10	<5	0.51	<5	<5	508	2	12
E5304626	<1	25	<10	<5	211	<10	<10	<5	0.45	<5	<5	492	2	12
E5304627	<1	27	<10	<5	218	<10	<10	<5	0.43	<5	<5	447	2	14
E5304628	<1	27	<10	<5	172	<10	<10	<5	0.47	<5	<5	622	2	10
E5304629	<1	29	<10	<5	125	<10	11	<5	0.67	<5	<5	768	2	10
E5304630	<1	17	<10	<5	275	<10	11	<5	0.65	<5	<5	333	5	20
E5304631	<1	28	<10	<5	46	<10	15	<5	0.74	<5	<5	853	2	11
E5304632	<1	32	<10	<5	15	<10	25	<5	1.08	<5	<5	1290	1	11
E5304633	<1	22	<10	<5	297	<10	<10	<5	0.35	<5	<5	483	1	10
E5304634	<1	20	<10	<5	166	<10	<10	<5	0.37	<5	<5	447	2	9
E5304635	<1	27	<10	<5	345	<10	<10	<5	0.45	<5	<5	605	2	12
E5304636	<1	15	<10	<5	194	<10	<10	<5	0.42	<5	<5	415	2	10
E5304637	<1	14	<10	<5	205	<10	<10	<5	0.43	<5	<5	317	2	8
E5304638	<1	15	<10	<5	227	<10	<10	<5	0.45	<5	<5	312	2	9
E5304639	<1	16	<10	<5	252	<10	<10	<5	0.53	<5	<5	378	2	7
E5304640	<1	9	<10	<5	218	<10	<10	<5	0.30	<5	<5	239	30	8
E5304641	<1	14	<10	<5	216	<10	<10	<5	0.51	<5	<5	358	1	8
E5304642	<1	21	<10	<5	242	<10	<10	<5	0.59	<5	<5	484	2	8
E5304643	<1	30	<10	<5	350	<10	<10	<5	0.54	<5	<5	557	3	14
E5304644	<1	32	<10	<5	261	<10	<10	<5	0.51	<5	<5	523	2	15
E5304645	<1	32	<10	<5	227	<10	<10	<5	0.47	<5	<5	493	1	16

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description	RDL:	1	1	10	5	1	10	5	0.01	5	5	0.5	1	1
E5304646	<1	32	<10	<5	220	<10	<10	<5	0.49	<5	<5	542	2	15

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5304582	59.2	105
E5304583	51.6	157
E5304584	72.3	96
E5304585	82.3	88
E5304586	5.1	6
E5304587	4.1	<5
E5304588	6.0	<5
E5304589	72.9	74
E5304590	71.5	64
E5304591	128	42
E5304592	120	76
E5304593	98.5	68
E5304594	79.3	74
E5304595	184	91
E5304596	84.6	82
E5304597	109	84
E5304598	89.4	77
E5304599	176	112
E5304600	7.4	29
E5304601	106	82
E5304602	93.6	87
E5304603	86.4	81
E5304604	86.4	70
E5304605	70.3	70
E5304606	70.3	77
E5304607	71.0	70
E5304608	112	64
E5304609	80.4	61
E5304610	51.7	41
E5304611	99.9	83
E5304612	111	88
E5304613	76.6	79

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5304614	123	69
E5304615	62.1	71
E5304616	79.5	65
E5304617	80.5	71
E5304618	77.0	92
E5304619	68.6	43
E5304620	56.4	44
E5304621	106	71
E5304622	85.1	46
E5304623	80.6	41
E5304624	86.9	48
E5304625	91.6	64
E5304626	97.6	62
E5304627	103	64
E5304628	110	62
E5304629	140	66
E5304630	120	94
E5304631	259	69
E5304632	573	81
E5304633	84.0	50
E5304634	96.7	97
E5304635	121	51
E5304636	70.2	74
E5304637	65.7	95
E5304638	57.6	85
E5304639	66.8	76
E5304640	123	40
E5304641	82.0	67
E5304642	92.2	60
E5304643	86.4	47
E5304644	87.8	61
E5304645	115	74

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5304646	93.3	67

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au	Pd	Pt
	Unit:	Login Weight	ppm	ppm	ppm
RDL:	kg	0.01	0.001	0.001	0.005
E5304582		2.22	0.003	<0.001	<0.005
E5304583		1.60	0.001	0.001	<0.005
E5304584		2.46	0.004	0.002	<0.005
E5304585		2.32	0.097	<0.001	<0.005
E5304586		1.86	<0.001	0.004	<0.005
E5304587		2.00	0.005	<0.001	<0.005
E5304588		1.66	0.003	<0.001	<0.005
E5304589		1.66	0.003	<0.001	<0.005
E5304590		2.38	0.009	<0.001	<0.005
E5304591		0.12	1.06	0.004	<0.005
E5304592		1.24	0.020	<0.001	<0.005
E5304593		2.34	0.003	<0.001	<0.005
E5304594		2.24	0.005	<0.001	<0.005
E5304595		2.40	0.005	0.002	<0.005
E5304596		2.36	0.005	0.002	<0.005
E5304597		2.26	0.003	<0.001	<0.005
E5304598		2.32	0.006	<0.001	<0.005
E5304599		2.14	0.001	0.003	<0.005
E5304600		0.92	<0.001	0.001	<0.005
E5304601		2.40	<0.001	<0.001	<0.005
E5304602		2.44	0.001	0.003	<0.005
E5304603		3.0	0.002	<0.001	<0.005
E5304604		2.46	0.005	0.001	<0.005
E5304605		1.48	0.004	<0.001	<0.005
E5304606		2.3	0.002	<0.001	<0.005
E5304607		3.02	0.003	<0.001	<0.005
E5304608		2.66	0.008	0.003	<0.005
E5304609		2.1	0.001	0.002	<0.005
E5304610		0.14	0.013	<0.001	0.008
E5304611		1.68	0.004	0.005	0.008
E5304612		2.24	<0.001	0.003	0.005
E5304613		1.12	<0.001	<0.001	<0.005

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au	Pd	Pt
	Unit:	Login Weight	ppm	ppm	ppm
RDL:	kg	0.01	0.001	0.001	0.005
E5304614		2.32	0.002	<0.001	<0.005
E5304615		2.18	0.002	0.003	<0.005
E5304616		2.24	0.003	0.002	<0.005
E5304617		2.38	0.001	<0.001	<0.005
E5304618		2.50	0.001	0.004	<0.005
E5304619		2.30	0.006	0.005	<0.005
E5304620		0.10	0.005	0.002	<0.005
E5304621		2.28	0.003	0.002	<0.005
E5304622		2.32	0.005	0.001	<0.005
E5304623		2.26	0.002	0.002	<0.005
E5304624		2.22	0.003	0.003	<0.005
E5304625		2.38	0.002	0.002	<0.005
E5304626		1.14	0.005	0.003	<0.005
E5304627		1.82	0.005	<0.001	<0.005
E5304628		1.62	0.002	0.002	<0.005
E5304629		2.12	0.003	0.007	<0.005
E5304630		0.10	5.32	0.004	<0.005
E5304631		2.36	0.006	0.007	0.009
E5304632		2.18	0.013	0.011	0.013
E5304633		2.12	0.005	<0.001	<0.005
E5304634		1.36	0.003	0.002	<0.005
E5304635		2.04	0.004	<0.001	<0.005
E5304636		2.14	0.046	0.003	<0.005
E5304637		2.16	0.001	0.004	<0.005
E5304638		2.14	<0.001	0.005	<0.005
E5304639		2.10	<0.001	0.003	<0.005
E5304640		0.08	1.15	0.002	<0.005
E5304641		1.08	<0.001	0.004	<0.005
E5304642		1.48	0.003	0.003	0.005
E5304643		1.80	0.003	0.002	<0.005
E5304644		2.26	0.002	0.003	<0.005
E5304645		1.22	0.001	<0.001	<0.005

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455459

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Nov 25, 2010

DATE RECEIVED: Nov 26, 2010

DATE REPORTED: Nov 26, 2010

SAMPLE TYPE: Rock

Analyte:	Sample Login Weight	Au	Pd	Pt	
Unit:	kg	ppm	ppm	ppm	
Sample Description	RDL:	0.01	0.001	0.001	0.005
E5304646	2.34	0.001	<0.001	<0.005	

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 29, 2010

DATE RECEIVED: Nov 29, 2010

DATE REPORTED: Nov 29, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01
5304647	<0.5	6.91	3	447	2.7	<1	5.89	0.6	36	58.5	69.6	<0.5	150	9.01
5304648	<0.5	5.75	3	353	2.8	<1	5.05	0.5	34	62.6	53.4	<0.5	146	8.77
5304649	<0.5	6.70	12	273	2.7	<1	5.71	<0.5	39	59.6	29.6	<0.5	110	9.65
5304650	<0.5	0.66	2	55	<0.5	<1	0.09	<0.5	32	3.3	275	<0.5	<0.5	0.97
5304651	<0.5	6.11	25	52	2.7	<1	4.69	<0.5	34	73.7	29.5	<0.5	177	8.83
5304652	<0.5	6.62	18	41	2.5	<1	5.35	<0.5	38	65.1	22.5	<0.5	222	9.24
5304653	<0.5	6.68	10	52	2.6	<1	5.66	<0.5	35	63.1	42.8	<0.5	151	9.00
5304654	<0.5	6.56	20	102	2.8	<1	5.85	<0.5	35	54.4	26.1	<0.5	119	9.04
5304655	<0.5	6.67	12	123	3.0	<1	5.68	<0.5	37	51.8	30.5	<0.5	146	9.41
5304656	<0.5	5.39	5	758	2.2	1	2.46	<0.5	39	23.0	144	<0.5	22.2	5.58
5304657	1.3	4.36	3	608	2.1	<1	1.11	1.4	26	27.9	229	<0.5	3280	6.12
5304658	<0.5	6.08	3	862	2.6	<1	1.74	<0.5	43	27.9	234	<0.5	138	5.96
5304659	<0.5	6.79	8	173	3.8	<1	6.58	0.5	37	89.1	91.7	<0.5	345	10.2
5304660	1.6	5.09	13	564	2.1	<1	3.18	1.8	27	18.5	68.8	<0.5	4670	4.73
5304661	<0.5	6.79	3	176	3.2	<1	5.80	<0.5	37	45.3	94.2	<0.5	159	9.27
5304662	<0.5	5.93	6	175	3.6	<1	6.01	<0.5	36	53.2	83.7	<0.5	169	9.66
5304663	<0.5	5.64	<1	280	3.6	<1	6.15	<0.5	36	58.6	76.3	<0.5	195	10.6
5304664	<0.5	6.03	2	378	3.9	<1	6.02	<0.5	36	61.6	56.5	<0.5	189	10.2
5304665	<0.5	6.50	1	391	3.7	<1	6.21	<0.5	38	69.6	121	<0.5	191	10.8
5304666	<0.5	6.14	1	511	4.4	<1	5.39	<0.5	38	59.1	52.4	<0.5	197	10.4
5304667	<0.5	6.09	<1	294	3.5	<1	5.98	<0.5	37	59.1	40.5	<0.5	233	10.1
5304668	<0.5	6.62	2	346	4.1	<1	6.16	<0.5	41	63.2	49.5	<0.5	205	11.3
5304669	<0.5	6.11	<1	316	4.5	<1	6.08	<0.5	37	64.7	32.8	<0.5	243	11.0
5304670	<0.5	3.54	5	637	1.8	<1	1.86	<0.5	18	12.0	44.7	<0.5	44.7	3.47
5304671	<0.5	5.22	1	426	4.2	<1	5.83	<0.5	35	66.0	49.0	<0.5	201	10.8
5304672	<0.5	6.10	3	211	4.2	<1	5.60	<0.5	36	58.8	46.7	<0.5	317	10.7
5304673	<0.5	6.36	4	245	4.0	<1	6.11	0.6	38	69.7	71.5	<0.5	210	10.8
5304674	<0.5	5.76	1	134	3.7	<1	5.59	<0.5	36	60.5	94.0	<0.5	313	10.3
5304675	<0.5	6.23	6	35	3.9	<1	6.05	<0.5	35	49.4	51.5	<0.5	136	9.08
5304676	<0.5	5.02	3	133	3.9	<1	5.86	<0.5	34	57.5	81.9	<0.5	174	10.1
5304677	<0.5	6.01	2	473	3.3	<1	5.49	<0.5	36	50.7	94.7	<0.5	169	10.1
5304678	<0.5	5.37	3	204	3.6	<1	8.23	<0.5	43	55.6	55.6	<0.5	127	11.0

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 29, 2010

DATE RECEIVED: Nov 29, 2010

DATE REPORTED: Nov 29, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
5304679	<0.5	5.31	<1	89	3.8	<1	7.10	<0.5	44	82.2	61.4	<0.5	996	11.5
5304680	<0.5	4.83	350	511	3.3	<1	5.23	<0.5	39	37.7	158	<0.5	132	9.82
5304681	0.9	3.63	11	28	4.0	<1	14.2	<0.5	39	102	74.7	<0.5	2210	10.5
5304682	<0.5	4.94	2	66	5.0	<1	7.90	<0.5	38	66.1	21.4	<0.5	775	11.4
5304683	<0.5	5.74	4	126	4.9	<1	6.71	<0.5	36	70.5	40.1	<0.5	191	11.7
5304684	<0.5	5.57	<1	85	4.8	<1	6.65	<0.5	40	63.4	72.8	<0.5	226	11.8
5304685	<0.5	4.73	<1	244	4.9	<1	5.34	<0.5	36	84.6	57.1	<0.5	225	11.6
5304686	<0.5	5.64	2	187	5.0	<1	5.56	<0.5	40	71.6	151	<0.5	202	11.9
5304687	<0.5	5.76	<1	251	5.1	<1	6.03	<0.5	39	85.4	47.5	<0.5	191	11.5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 29, 2010

DATE RECEIVED: Nov 29, 2010

DATE REPORTED: Nov 29, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
5304647	17	<1	1.18	10	19	3.26	2580	1.8	1.56	52.5	448	12	110	0.073
5304648	16	5	1.00	9	17	3.08	2540	2.9	1.58	54.9	440	10	77	0.021
5304649	17	4	0.76	11	19	3.38	2540	2.5	1.84	52.3	501	11	49	0.043
5304650	<5	<1	0.09	16	13	0.14	89	4.5	0.04	7.1	115	1	<10	<0.005
5304651	17	<1	0.14	9	9	3.01	2140	3.6	2.90	50.9	463	10	<10	0.086
5304652	19	<1	0.13	10	8	3.11	2200	2.6	2.99	45.4	458	10	<10	0.074
5304653	17	<1	0.17	10	7	3.07	2180	2.3	2.80	44.2	539	11	<10	0.049
5304654	19	<1	0.32	9	10	3.10	2430	3.3	2.42	39.6	485	10	19	0.068
5304655	16	<1	0.40	10	12	3.22	2580	2.1	2.20	52.1	472	12	22	0.115
5304656	18	<1	1.03	16	39	1.91	1040	2.9	2.85	61.1	583	9	40	<0.005
5304657	21	<1	0.97	7	34	1.89	798	3.0	3.33	81.9	620	17	25	0.429
5304658	23	<1	1.35	17	39	2.14	1020	4.1	3.07	75.4	601	15	53	0.016
5304659	19	<1	0.40	9	17	3.35	2510	3.6	1.80	89.1	589	10	20	0.227
5304660	15	<1	1.65	10	21	1.37	1330	67.4	1.89	79.5	877	38	80	1.16
5304661	16	<1	0.44	10	15	3.05	2270	3.1	1.96	38.8	506	9	19	0.056
5304662	18	<1	0.41	9	14	2.90	2550	3.5	1.89	52.4	488	9	19	0.063
5304663	14	<1	0.73	8	14	2.78	2480	3.0	1.41	45.0	483	11	37	0.101
5304664	18	<1	0.95	9	17	2.87	2720	2.4	1.44	54.9	504	11	67	0.099
5304665	18	<1	1.08	10	17	3.11	2740	2.6	1.58	54.0	487	12	75	0.095
5304666	16	<1	1.09	10	20	2.99	2900	2.8	1.54	53.9	485	12	89	0.160
5304667	17	<1	0.83	10	17	2.94	2680	1.3	1.55	52.8	513	10	56	0.064
5304668	17	3	0.90	11	18	3.28	2830	2.8	1.63	59.1	516	13	76	0.240
5304669	19	<1	0.80	10	19	3.05	3100	2.4	1.64	59.2	504	10	58	0.132
5304670	11	<1	0.87	7	13	0.97	993	7.4	2.12	32.1	607	6	24	0.024
5304671	16	<1	0.97	7	13	2.69	2850	4.1	1.51	57.8	490	11	44	0.181
5304672	15	<1	0.54	9	17	2.94	2800	3.2	1.97	52.8	468	11	35	0.147
5304673	18	<1	0.66	9	18	3.04	3000	3.7	1.75	52.5	458	12	35	0.129
5304674	16	<1	0.34	9	11	2.84	2640	2.4	2.50	54.5	471	10	16	0.148
5304675	16	<1	0.10	10	7	2.84	2190	2.5	3.17	34.9	485	9	<10	0.134
5304676	16	<1	0.37	8	10	2.69	2640	2.7	2.13	49.7	463	9	<10	0.064
5304677	15	3	1.26	9	16	2.91	2740	4.1	1.59	48.6	464	9	77	0.063
5304678	15	<1	0.53	11	17	3.50	2810	3.2	0.96	59.4	442	10	46	0.055

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 29, 2010

DATE RECEIVED: Nov 29, 2010

DATE REPORTED: Nov 29, 2010

SAMPLE TYPE: Rock

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
5304679	16	<1	0.23	11	11	3.59	2440	1.9	1.32	73.7	323	10	13	0.259
5304680	13	<1	0.52	15	12	2.81	5280	7.0	1.37	109	1980	15	20	2.55
5304681	15	<1	0.06	9	14	3.42	2990	2.3	0.03	75.9	61	8	<10	0.561
5304682	18	<1	0.20	9	15	3.06	2720	7.8	1.12	53.0	452	10	<10	0.189
5304683	18	4	0.36	8	11	2.90	2840	2.9	1.81	45.3	512	12	11	0.132
5304684	21	<1	0.77	11	22	3.15	2960	3.7	1.00	35.9	486	11	24	0.072
5304685	17	<1	0.63	8	17	2.73	3160	2.9	1.59	47.7	490	11	21	0.141
5304686	17	<1	0.44	9	15	2.76	3160	3.2	1.82	41.0	513	11	19	0.160
5304687	21	<1	0.56	11	14	2.80	3140	2.8	1.81	47.7	526	11	30	0.166

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 29, 2010	DATE RECEIVED: Nov 29, 2010					DATE REPORTED: Nov 29, 2010					SAMPLE TYPE: Rock				
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1	
5304647	<1	31	<10	<5	217	<10	<10	<5	0.52	<5	13	529	1	18	
5304648	<1	27	<10	<5	199	<10	<10	<5	0.53	<5	14	543	2	16	
5304649	<1	31	<10	<5	218	<10	<10	<5	0.55	<5	9	545	2	19	
5304650	<1	<1	<10	<5	11	<10	<10	<5	0.05	<5	<5	18.8	<1	4	
5304651	<1	28	<10	<5	170	<10	<10	<5	0.53	<5	10	523	2	17	
5304652	<1	31	<10	<5	231	<10	<10	<5	0.51	<5	22	548	3	20	
5304653	<1	31	<10	<5	253	<10	<10	<5	0.52	<5	21	542	2	18	
5304654	<1	30	<10	<5	262	<10	<10	<5	0.56	<5	13	565	2	18	
5304655	<1	31	<10	<5	233	<10	<10	<5	0.59	<5	10	577	2	18	
5304656	<1	11	<10	<5	154	<10	<10	<5	0.31	<5	<5	264	1	12	
5304657	<1	9	<10	<5	128	<10	<10	<5	0.35	<5	<5	272	6	6	
5304658	<1	13	<10	<5	200	<10	<10	<5	0.39	<5	<5	281	2	10	
5304659	<1	34	<10	<5	353	<10	19	<5	0.77	<5	23	1410	3	19	
5304660	<1	10	<10	<5	264	<10	<10	<5	0.31	<5	<5	286	12	13	
5304661	<1	28	<10	<5	338	<10	<10	<5	0.60	<5	<5	1010	2	17	
5304662	<1	30	<10	<5	293	<10	16	<5	0.71	<5	29	1010	2	17	
5304663	<1	27	<10	<5	232	<10	16	<5	0.82	<5	<5	1070	2	15	
5304664	<1	31	<10	<5	219	<10	15	<5	0.74	<5	28	1080	2	18	
5304665	<1	33	<10	<5	216	<10	22	<5	0.80	<5	17	1090	1	18	
5304666	<1	34	<10	<5	235	<10	15	<5	0.79	<5	19	1160	2	18	
5304667	<1	32	<10	<5	258	10	16	<5	0.75	<5	15	1050	2	17	
5304668	<1	36	<10	<5	214	10	16	<5	0.88	<5	21	1230	2	20	
5304669	<1	36	<10	<5	258	<10	19	<5	0.90	<5	33	1390	2	19	
5304670	<1	8	<10	<5	220	<10	<10	<5	0.27	<5	<5	190	<1	11	
5304671	<1	28	<10	<5	217	<10	18	<5	0.84	<5	6	1300	2	14	
5304672	<1	35	<10	<5	210	<10	17	<5	0.84	<5	<5	1200	2	17	
5304673	<1	34	<10	<5	244	<10	22	<5	0.82	<5	16	1210	3	17	
5304674	<1	31	<10	<5	202	12	19	<5	0.81	<5	17	1180	3	16	
5304675	<1	34	<10	<5	251	<10	18	<5	0.81	<5	21	1130	5	19	
5304676	<1	27	<10	<5	233	<10	16	<5	0.78	<5	7	1130	2	14	
5304677	<1	31	<10	<5	220	14	12	<5	0.73	<5	8	991	2	16	
5304678	<1	36	<10	<5	135	<10	16	<5	0.77	<5	7	1290	2	31	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 29, 2010

DATE RECEIVED: Nov 29, 2010

DATE REPORTED: Nov 29, 2010

SAMPLE TYPE: Rock

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
5304679	<1	35	<10	<5	122	<10	17	<5	0.86	<5	10	1330	3	29
5304680	<1	14	<10	<5	249	<10	10	<5	0.61	<5	23	332	4	17
5304681	<1	38	<10	<5	49	<10	24	<5	0.81	<5	31	1520	5	52
5304682	<1	34	<10	41	233	<10	25	<5	0.98	<5	12	1410	3	24
5304683	<1	33	<10	5	325	<10	22	<5	1.06	<5	13	1540	2	17
5304684	<1	32	<10	84	468	<10	23	<5	1.02	<5	31	1490	2	18
5304685	<1	29	<10	<5	250	15	27	<5	1.02	<5	30	1550	2	15
5304686	<1	34	<10	<5	232	13	26	<5	1.05	<5	22	1480	2	18
5304687	<1	36	<10	<5	278	<10	28	<5	1.07	<5	38	1550	3	20

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 29, 2010

DATE RECEIVED: Nov 29, 2010

DATE REPORTED: Nov 29, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
5304647	205	76
5304648	143	70
5304649	83.0	77
5304650	9.5	36
5304651	88.0	69
5304652	77.3	61
5304653	81.5	50
5304654	73.2	54
5304655	76.9	77
5304656	44.0	92
5304657	331	87
5304658	62.8	88
5304659	75.4	49
5304660	226	48
5304661	66.6	49
5304662	74.9	52
5304663	71.8	66
5304664	87.2	73
5304665	100	79
5304666	93.7	71
5304667	84.1	58
5304668	81.0	76
5304669	69.0	82
5304670	57.6	41
5304671	75.7	79
5304672	71.6	77
5304673	87.3	80
5304674	89.9	79
5304675	51.5	76
5304676	71.0	70
5304677	76.4	75
5304678	75.4	92

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Nov 29, 2010

DATE RECEIVED: Nov 29, 2010

DATE REPORTED: Nov 29, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
5304679	75.0	73
5304680	121	92
5304681	84.1	101
5304682	87.6	71
5304683	70.8	76
5304684	62.2	85
5304685	71.7	86
5304686	87.5	90
5304687	77.8	93

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Nov 29, 2010		DATE RECEIVED: Nov 29, 2010		DATE REPORTED: Nov 29, 2010		SAMPLE TYPE: Rock	
Analyte:	Sample Login Weight	Au	Pd	Pt			
Unit:	kg	ppm	ppm	ppm			
Sample Description	RDL:	0.01	0.001	0.001	0.005		
5304647		2.36	0.002	0.004	<0.005		
5304648		2.42	0.002	0.003	<0.005		
5304649		2.30	<0.001	0.002	<0.005		
5304650		0.66	<0.001	0.003	<0.005		
5304651		2.10	<0.001	<0.001	<0.005		
5304652		2.32	0.004	0.004	<0.005		
5304653		2.36	0.003	<0.001	<0.005		
5304654		2.30	0.001	0.003	<0.005		
5304655		2.40	0.003	<0.001	<0.005		
5304656		2.12	0.004	0.001	<0.005		
5304657		2.14	0.058	0.003	<0.005		
5304658		2.10	0.001	0.003	0.005		
5304659		1.62	0.006	0.001	<0.005		
5304660		0.12	0.501	0.021	0.028		
5304661		1.14	0.003	<0.001	<0.005		
5304662		2.36	0.001	0.003	<0.005		
5304663		2.34	0.001	0.002	<0.005		
5304664		2.32	<0.001	<0.001	<0.005		
5304665		2.34	<0.001	0.001	<0.005		
5304666		2.22	<0.001	0.001	<0.005		
5304667		2.36	<0.001	<0.001	<0.005		
5304668		2.28	0.004	0.007	<0.005		
5304669		2.38	0.008	<0.001	<0.005		
5304670		0.10	<0.001	0.008	<0.005		
5304671		2.40	0.001	0.002	<0.005		
5304672		2.38	0.005	0.003	<0.005		
5304673		2.38	0.003	0.004	<0.005		
5304674		2.24	0.002	0.002	<0.005		
5304675		2.34	0.002	0.002	<0.005		
5304676		2.30	0.002	<0.001	<0.005		
5304677		2.38	<0.001	0.004	<0.005		
5304678		2.52	<0.001	0.002	<0.005		

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U455986

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: Bob Komarechka

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Nov 29, 2010

DATE RECEIVED: Nov 29, 2010

DATE REPORTED: Nov 29, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au	Pd	Pt
	Unit:	Login Weight	ppm	ppm	ppm
	RDL:	0.01	0.001	0.001	0.005
5304679		2.36	0.010	<0.001	<0.005
5304680		0.10	5.18	0.008	0.011
5304681		2.28	0.047	0.002	<0.005
5304682		2.40	0.021	<0.001	<0.005
5304683		2.50	0.003	<0.001	<0.005
5304684		2.32	0.002	0.003	<0.005
5304685		2.42	0.003	<0.001	<0.005
5304686		2.38	0.002	<0.001	<0.005
5304687		2.30	<0.001	0.004	<0.005

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

CLIENT NAME: TRUECLAIM EXPLORATION INC.
96 HAGERMAN CRESCENT
ST. THOMAS, on N5R6K3

ATTENTION TO: ERIC PLEXMAN

PROJECT NO:

AGAT WORK ORDER: 10U457512

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, General Manager

DATE REPORTED: Dec 06, 2010

PAGES (INCLUDING COVER): 23

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at 1-800-856-6261

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010	DATE RECEIVED: Dec 03, 2010							DATE REPORTED: Dec 06, 2010				SAMPLE TYPE: Rock			
Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.5	0.01	
E5304694	<0.5	6.40	6	213	2.8	<1	5.37	1.3	41	52.0	64.3	<0.5	133	9.29	
E5304695	<0.5	6.30	6	269	2.8	<1	5.66	0.6	41	52.4	67.0	<0.5	123	9.32	
E5304696	<0.5	6.25	9	242	2.7	<1	5.49	0.7	40	51.9	42.1	<0.5	126	9.43	
E5304697	<0.5	6.50	5	236	2.8	<1	5.69	0.5	40	52.2	42.3	<0.5	131	9.23	
E5304698	<0.5	6.32	3	276	2.8	<1	5.31	0.7	40	50.2	33.3	<0.5	121	9.37	
E5304699	<0.5	6.28	4	258	3.0	<1	5.31	0.6	40	51.7	38.8	<0.5	157	9.66	
E5304700	<0.5	0.71	3	44	<0.5	<1	0.09	<0.5	33	2.9	605	<0.5	4.4	1.25	
E5304701	<0.5	5.80	<1	266	4.3	<1	5.38	0.5	49	58.9	57.1	<0.5	88.7	10.7	
E5304702	<0.5	5.74	4	116	4.5	<1	5.24	<0.5	51	58.8	38.2	<0.5	72.4	10.8	
E5304703	<0.5	6.20	2	259	4.4	<1	5.03	<0.5	51	59.0	40.9	<0.5	78.7	10.9	
E5304704	<0.5	5.97	1	162	4.4	<1	5.08	<0.5	50	53.5	43.6	<0.5	65.5	10.6	
E5304705	<0.5	6.03	<1	365	4.6	<1	4.87	<0.5	49	51.7	32.3	<0.5	64.0	10.7	
E5304706	<0.5	6.31	2	211	4.4	<1	4.51	<0.5	55	61.0	44.1	<0.5	104	10.6	
E5304707	<0.5	6.06	2	205	4.6	<1	4.46	0.5	59	48.2	48.7	<0.5	49.8	10.8	
E5304708	<0.5	6.08	4	153	4.5	<1	5.13	<0.5	59	54.3	49.5	<0.5	69.8	9.78	
E5304709	0.8	6.44	11	102	3.8	<1	5.27	<0.5	56	72.2	69.7	<0.5	329	9.13	
E5304710	2.4	6.25	14	547	1.8	3	3.05	1.9	28	18.6	67.4	<0.5	4540	5.01	
E5304711	<0.5	6.33	3	175	4.0	<1	4.88	<0.5	51	46.1	52.8	<0.5	54.2	9.54	
E5304712	<0.5	7.16	6	184	3.9	<1	5.39	<0.5	48	51.0	41.5	<0.5	94.2	9.99	
E5304713	<0.5	6.31	2	189	4.1	<1	5.22	<0.5	46	58.9	29.8	<0.5	95.7	10.6	
E5304714	<0.5	6.56	<1	486	4.3	<1	5.70	0.5	40	63.4	18.0	<0.5	187	11.1	
E5304715	<0.5	6.25	2	280	4.8	<1	5.50	0.5	40	66.0	16.9	<0.5	82.1	11.2	
E5304716	<0.5	6.23	11	238	4.1	<1	4.08	<0.5	38	88.7	24.4	<0.5	277	10.5	
E5304717	<0.5	6.42	4	232	3.6	<1	6.37	<0.5	32	65.8	17.5	<0.5	204	10.7	
E5304718	<0.5	6.10	1	131	3.6	<1	6.29	0.5	33	69.1	16.2	<0.5	199	10.8	
E5304719	<0.5	6.02	2	161	4.6	<1	6.90	<0.5	35	67.3	18.5	<0.5	211	10.2	
E5304720	<0.5	4.07	6	667	1.6	<1	1.72	<0.5	20	12.3	44.0	<0.5	41.9	3.42	
E5304721	<0.5	6.64	6	258	2.5	<1	6.08	<0.5	36	49.8	32.1	<0.5	137	8.81	
E5304722	<0.5	6.48	10	128	2.9	<1	5.82	<0.5	42	49.1	43.5	<0.5	137	8.58	
E5304723	<0.5	6.34	6	143	2.5	<1	6.49	<0.5	36	49.5	38.4	<0.5	129	8.81	
E5304724	<0.5	6.62	8	158	2.8	<1	6.26	<0.5	37	50.9	35.0	<0.5	167	8.98	
E5304725	<0.5	6.85	6	229	2.8	<1	6.38	<0.5	37	52.7	32.8	<0.5	153	9.09	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010

DATE RECEIVED: Dec 03, 2010

DATE REPORTED: Dec 06, 2010

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5304726	<0.5	6.94	3	239	2.3	<1	6.40	<0.5	33	47.5	29.0	<0.5	127	8.46
E5304727	<0.5	6.53	8	223	2.3	<1	6.05	<0.5	33	48.9	35.7	<0.5	135	8.71
E5304728	<0.5	6.90	8	233	2.1	<1	6.57	<0.5	33	49.0	30.9	<0.5	137	8.21
E5304729	<0.5	6.80	8	220	2.0	<1	6.12	0.8	31	51.0	29.8	<0.5	159	8.26
E5304730	1.0	6.00	305	544	3.2	<1	5.78	<0.5	46	39.8	157	<0.5	134	10.5
E5304731	<0.5	6.63	12	262	1.8	<1	6.29	0.7	29	48.6	25.6	<0.5	149	8.15
E5304732	<0.5	6.49	19	134	2.3	<1	6.08	0.5	33	51.4	41.7	<0.5	125	8.46
E5304733	<0.5	6.82	11	291	2.2	<1	5.90	0.7	31	48.8	35.9	<0.5	145	8.15
E5304734	<0.5	7.13	10	268	1.5	<1	6.45	<0.5	26	46.9	33.2	<0.5	153	7.57
E5304735	<0.5	6.72	11	192	1.8	<1	6.56	<0.5	28	45.9	28.6	<0.5	102	7.89
E5304736	<0.5	6.57	5	205	1.9	<1	6.37	<0.5	28	48.1	36.4	<0.5	146	7.91
E5304737	<0.5	6.62	7	187	1.9	<1	6.15	0.5	28	51.2	26.5	<0.5	151	7.81
E5304738	<0.5	7.34	7	198	2.1	<1	6.57	<0.5	31	53.9	39.1	<0.5	170	7.87
E5304739	<0.5	7.51	9	281	1.5	<1	5.48	<0.5	24	48.9	33.0	<0.5	74.7	7.23
E5304740	0.9	3.90	12	756	1.8	<1	1.62	0.9	18	16.8	61.2	<0.5	564	3.72
E5304741	<0.5	7.37	13	35	1.8	<1	7.21	<0.5	28	36.0	38.8	<0.5	20.1	6.19
E5304742	<0.5	6.65	11	311	2.1	<1	3.09	<0.5	37	51.2	66.9	<0.5	8.3	7.64
E5304743	<0.5	4.96	27	188	1.2	<1	2.11	<0.5	28	66.3	234	<0.5	344	4.76
E5304744	<0.5	4.61	25	295	1.9	<1	0.86	0.5	30	58.6	205	<0.5	49.6	5.18
E5304745	0.5	4.39	16	511	2.3	<1	0.54	<0.5	28	63.4	184	<0.5	<0.5	5.87
E5304746	<0.5	6.84	9	197	3.0	<1	6.45	<0.5	37	48.9	53.8	<0.5	124	9.13
E5304747	<0.5	7.44	16	207	1.5	<1	7.10	<0.5	25	50.3	72.8	<0.5	96.0	7.09
E5304748	<0.5	7.19	13	226	1.3	2	6.87	0.5	23	47.9	66.7	<0.5	133	6.39
E5304749	<0.5	7.18	10	200	1.2	<1	6.99	0.6	22	48.5	83.5	<0.5	133	6.40
E5304750	<0.5	0.63	3	43	<0.5	<1	0.14	<0.5	27	3.1	604	<0.5	6.4	1.28
E5304751	<0.5	6.78	12	247	1.2	<1	6.79	0.6	22	51.7	87.8	<0.5	122	6.53
E5304752	<0.5	7.01	6	300	1.5	<1	6.65	0.5	24	55.8	66.9	<0.5	176	6.92
E5304753	<0.5	6.91	15	257	1.9	<1	6.62	0.5	26	49.3	72.6	<0.5	161	7.71
E5304754	<0.5	6.57	8	225	1.9	<1	6.22	<0.5	28	55.3	136	<0.5	131	7.79
E5304755	<0.5	6.71	10	106	2.2	<1	6.41	0.5	30	54.8	67.6	<0.5	122	8.20
E5304756	<0.5	5.95	19	160	1.7	<1	4.32	1.0	27	54.2	66.5	<0.5	142	7.66
E5304757	<0.5	6.11	43	233	2.1	<1	3.34	1.2	27	55.1	79.1	<0.5	178	8.33

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010		DATE RECEIVED: Dec 03, 2010						DATE REPORTED: Dec 06, 2010				SAMPLE TYPE: Rock			
Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	0.5	0.01	1	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
E5304758	<0.5	5.28	52	441	2.8	<1	2.88	<0.5	21	62.0	79.1	<0.5	126	7.46	
E5304759	<0.5	5.49	22	166	1.9	<1	1.65	<0.5	24	57.3	80.3	<0.5	129	7.82	
E5304760	2.7	5.13	15	698	1.9	3	2.95	1.9	25	19.1	68.8	<0.5	4810	4.73	
E5304761	<0.5	5.46	16	129	1.7	<1	1.17	<0.5	24	55.7	101	<0.5	130	7.56	
E5304762	<0.5	6.63	8	325	2.1	<1	3.67	<0.5	29	58.0	102	<0.5	145	7.59	
E5304763	<0.5	6.80	8	107	2.0	<1	5.10	<0.5	33	45.9	96.1	<0.5	119	7.52	
E5304764	<0.5	6.40	4	167	2.3	<1	1.62	<0.5	28	45.3	139	<0.5	94.5	8.26	
E5304765	0.5	5.19	5	1240	2.9	<1	0.86	<0.5	34	22.4	169	<0.5	10.9	4.35	
E5304688	<0.5	4.56	4	719	2.5	<1	0.57	<0.5	35	18.4	188	<0.5	1.2	3.52	
E5304689	0.6	4.66	5	714	2.5	<1	0.92	<0.5	34	20.0	160	<0.5	5.5	3.41	
E5304690	0.9	3.95	12	774	1.6	<1	1.63	0.8	20	16.6	60.6	<0.5	571	3.68	
E5304691	<0.5	4.77	5	706	2.8	<1	0.73	<0.5	28	24.0	150	<0.5	3.1	4.03	
E5304692	<0.5	4.71	7	499	2.5	<1	1.23	<0.5	37	26.9	149	<0.5	95.6	3.73	
E5304693	<0.5	5.49	7	735	2.8	<1	1.19	<0.5	44	25.6	160	<0.5	62.0	4.29	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010	DATE RECEIVED: Dec 03, 2010						DATE REPORTED: Dec 06, 2010					SAMPLE TYPE: Rock			
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
E5304694	16	<1	0.73	13	15	3.01	2990	3.1	1.87	38.6	529	11	49	0.112	
E5304695	19	3	0.80	12	16	3.18	3120	4.4	1.67	49.5	573	11	46	0.070	
E5304696	19	<1	0.73	12	17	3.03	3130	2.2	1.78	37.9	551	11	42	0.083	
E5304697	18	<1	0.67	13	16	3.04	3080	2.2	1.75	38.7	566	10	46	0.078	
E5304698	18	<1	0.79	12	16	2.93	3000	4.2	1.75	37.7	557	11	48	0.090	
E5304699	21	<1	0.74	12	19	2.95	3100	2.9	1.77	39.2	555	11	43	0.091	
E5304700	<5	3	0.06	17	8	0.07	153	7.6	0.03	11.7	157	<1	<10	<0.005	
E5304701	20	1	0.70	18	15	2.50	3080	4.0	1.68	24.7	680	12	47	0.112	
E5304702	21	<1	0.37	19	10	2.13	3000	3.5	1.92	20.8	757	11	20	0.162	
E5304703	20	7	0.74	19	14	2.04	2920	4.3	1.93	17.0	775	13	55	0.223	
E5304704	24	<1	0.46	19	10	2.05	2940	4.0	2.17	17.9	745	12	27	0.124	
E5304705	22	<1	0.86	18	12	2.09	2980	2.9	1.89	18.8	754	11	52	0.108	
E5304706	23	<1	0.52	22	16	1.57	2580	3.6	2.16	12.5	884	13	30	0.481	
E5304707	21	5	0.53	23	15	1.54	2820	3.6	2.04	8.1	944	19	30	0.121	
E5304708	24	<1	0.46	26	12	1.60	2400	2.8	1.87	6.8	911	14	27	0.267	
E5304709	20	<1	0.43	23	13	1.89	2040	3.5	2.29	10.3	997	10	21	0.523	
E5304710	16	<1	1.73	11	21	1.31	1360	66.6	1.80	75.6	865	38	87	1.38	
E5304711	25	3	0.43	20	14	1.57	2530	3.4	2.22	9.8	823	11	23	0.123	
E5304712	22	<1	0.49	18	12	1.66	2270	3.2	2.28	13.3	736	12	24	0.199	
E5304713	22	<1	0.45	16	13	2.04	2620	2.6	2.06	23.2	749	12	24	0.198	
E5304714	19	<1	1.09	12	19	2.68	2980	3.4	1.62	22.9	513	12	75	0.077	
E5304715	21	<1	0.71	12	18	2.69	3150	2.0	1.74	23.6	550	13	46	0.128	
E5304716	23	<1	0.80	11	27	2.63	2550	3.0	1.73	21.1	595	11	38	0.159	
E5304717	16	2	0.83	7	17	3.41	2920	3.7	1.40	57.5	361	12	56	0.094	
E5304718	18	6	0.49	8	15	3.35	2840	2.1	1.52	55.7	387	11	32	0.096	
E5304719	18	<1	0.59	10	26	2.80	2550	2.1	1.42	49.2	473	11	41	0.283	
E5304720	13	<1	0.88	7	15	0.97	1060	6.9	2.04	32.1	617	7	29	0.037	
E5304721	18	2	0.87	10	18	3.24	2700	2.4	1.62	56.5	473	11	60	0.070	
E5304722	20	2	0.38	15	12	2.72	2470	1.7	2.11	38.0	639	12	25	0.111	
E5304723	17	6	0.53	10	17	3.23	2580	2.3	1.61	53.5	482	11	37	0.098	
E5304724	21	<1	0.51	11	14	2.99	2580	2.6	1.72	51.0	498	12	36	0.096	
E5304725	20	1	0.72	10	18	3.25	2770	1.9	1.57	55.3	491	11	47	0.094	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010	DATE RECEIVED: Dec 03, 2010						DATE REPORTED: Dec 06, 2010					SAMPLE TYPE: Rock			
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005	
E5304726	19	<1	0.74	9	26	3.33	2510	1.8	1.68	46.2	438	10	56	0.065	
E5304727	19	<1	0.85	8	19	3.44	2640	3.0	1.53	60.7	416	10	48	0.073	
E5304728	17	<1	0.89	8	23	3.54	2510	2.5	1.56	63.4	412	10	56	0.086	
E5304729	16	<1	0.90	7	28	3.70	2700	1.7	1.55	67.2	382	10	58	0.073	
E5304730	13	<1	0.57	19	15	3.41	5700	6.9	1.46	110	2120	16	35	2.49	
E5304731	16	6	0.88	6	19	3.62	2700	3.5	1.44	69.6	337	12	50	0.057	
E5304732	18	<1	0.33	9	18	3.27	2600	1.9	1.79	62.1	421	10	19	0.137	
E5304733	18	3	0.60	8	15	3.32	2860	1.7	1.77	66.5	405	13	34	0.068	
E5304734	16	6	0.76	5	21	3.97	2600	1.9	1.60	76.5	304	11	49	0.043	
E5304735	16	<1	0.61	6	22	3.70	2600	1.1	1.58	71.4	335	10	38	0.051	
E5304736	18	1	0.69	6	20	3.67	2500	1.1	1.51	72.6	339	12	36	0.061	
E5304737	15	1	0.62	6	20	3.71	2510	2.3	1.56	75.7	347	10	38	0.069	
E5304738	19	<1	0.59	8	16	3.09	2370	1.3	1.75	60.4	428	10	28	0.080	
E5304739	16	2	0.67	4	19	3.36	1970	0.7	2.27	72.4	291	8	36	0.016	
E5304740	13	<1	1.62	6	15	1.05	1060	42.9	1.76	38.1	764	70	58	0.532	
E5304741	18	3	0.10	8	7	2.59	1560	1.9	3.14	34.4	384	7	<10	0.013	
E5304742	18	<1	0.54	13	29	2.96	1650	3.5	2.24	46.0	690	11	41	<0.005	
E5304743	15	2	0.30	11	16	1.81	1330	3.3	2.76	72.4	598	24	16	0.384	
E5304744	21	<1	0.45	10	17	1.54	850	3.3	3.62	60.6	747	31	13	0.037	
E5304745	19	1	0.70	8	20	1.64	782	1.5	3.71	64.8	747	14	14	0.035	
E5304746	20	<1	0.46	11	24	3.36	2540	2.8	1.22	71.8	589	12	35	0.098	
E5304747	16	5	0.68	5	26	4.06	2240	2.8	1.43	100	300	10	47	0.013	
E5304748	15	<1	0.88	5	25	4.20	2190	3.0	1.25	110	305	9	63	0.035	
E5304749	17	<1	0.83	4	25	4.31	2210	0.5	1.26	113	285	9	59	0.025	
E5304750	<5	1	0.07	14	9	0.14	162	6.9	0.03	13.8	165	1	<10	<0.005	
E5304751	14	2	0.94	4	29	4.24	2200	2.6	1.20	111	266	9	67	0.034	
E5304752	15	3	0.88	5	30	4.36	2420	4.9	1.20	107	278	11	83	0.077	
E5304753	16	6	0.52	5	23	4.13	2420	2.7	1.49	99.4	318	11	37	0.070	
E5304754	15	6	0.70	6	28	4.03	2560	2.8	1.29	98.8	389	13	49	0.058	
E5304755	17	2	0.38	7	25	3.93	2410	2.0	1.45	91.0	409	13	21	0.085	
E5304756	16	<1	1.45	7	66	3.85	1630	1.6	0.57	94.6	397	17	54	0.038	
E5304757	16	5	1.35	6	64	5.09	1710	2.2	0.28	99.1	387	8	61	0.010	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010		DATE RECEIVED: Dec 03, 2010					DATE REPORTED: Dec 06, 2010					SAMPLE TYPE: Rock			
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S	
Unit:	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	5	1	0.01	2	1	0.01	1	0.5	0.01	0.5	10	1	10	0.005
E5304758		18	2	1.78	3	59	4.00	1470	2.5	0.02	98.5	407	6	45	<0.005
E5304759		14	4	1.13	4	63	3.85	1460	0.6	0.71	96.4	397	7	29	0.017
E5304760		15	2	1.74	9	23	1.35	1400	66.6	1.85	80.2	795	38	76	1.34
E5304761		16	<1	1.13	5	70	3.70	1540	4.0	0.82	101	363	5	24	0.027
E5304762		19	6	1.37	7	54	4.63	1840	3.2	1.11	113	380	7	55	0.076
E5304763		16	2	0.68	9	46	4.50	1870	1.7	1.30	100	387	7	29	0.073
E5304764		17	<1	1.67	6	63	4.69	1730	1.9	0.83	109	406	7	28	0.041
E5304765		22	<1	3.34	14	65	2.04	1120	2.7	1.72	65.7	809	5	166	0.050
E5304688		22	2	2.57	17	37	1.55	830	4.0	2.08	42.0	782	6	115	0.006
E5304689		20	<1	2.88	17	39	1.74	822	5.1	1.82	51.7	705	5	139	0.050
E5304690		13	<1	1.63	7	15	1.06	1050	44.3	1.77	38.5	730	70	68	0.514
E5304691		24	4	2.23	12	46	1.80	1000	4.9	1.88	64.3	733	5	96	0.050
E5304692		22	2	1.55	17	47	1.58	901	3.8	2.89	55.7	653	5	59	0.080
E5304693		24	<1	2.03	22	44	1.72	1000	5.1	2.51	69.2	765	5	87	0.127

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010	DATE RECEIVED: Dec 03, 2010						DATE REPORTED: Dec 06, 2010				SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5304694	<1	33	<10	<5	206	<10	<10	<5	0.62	<5	<5	550	2	21
E5304695	<1	33	<10	<5	206	<10	<10	<5	0.61	<5	<5	532	2	21
E5304696	<1	32	<10	<5	195	<10	<10	<5	0.59	<5	<5	533	2	20
E5304697	<1	34	<10	<5	217	<10	<10	<5	0.59	<5	<5	560	2	21
E5304698	<1	32	<10	<5	198	<10	<10	<5	0.59	<5	<5	533	2	20
E5304699	<1	31	<10	<5	197	<10	10	<5	0.64	<5	<5	580	2	21
E5304700	3	<1	<10	<5	10	<10	<10	<5	0.04	<5	<5	18.2	<1	4
E5304701	<1	35	<10	<5	172	<10	20	<5	0.99	<5	<5	1050	2	27
E5304702	<1	34	<10	<5	221	<10	21	<5	1.04	<5	<5	940	3	31
E5304703	<1	32	<10	<5	214	<10	18	<5	0.97	<5	<5	728	2	30
E5304704	<1	33	<10	<5	239	<10	18	<5	0.92	<5	<5	686	2	29
E5304705	<1	33	<10	<5	197	<10	18	<5	0.98	<5	<5	749	2	29
E5304706	<1	28	<10	<5	229	<10	15	<5	0.93	<5	<5	506	3	33
E5304707	<1	28	<10	<5	204	<10	15	<5	0.93	<5	<5	449	2	36
E5304708	<1	28	<10	<5	374	<10	18	<5	0.96	<5	<5	438	3	38
E5304709	<1	27	<10	<5	460	<10	14	<5	0.90	<5	<5	368	3	35
E5304710	<1	11	<10	<5	264	<10	<10	<5	0.30	<5	<5	275	12	14
E5304711	<1	26	<10	<5	278	<10	16	<5	0.86	<5	<5	555	2	31
E5304712	<1	26	<10	<5	295	<10	15	<5	0.93	<5	<5	721	3	27
E5304713	<1	30	<10	<5	236	<10	18	<5	0.96	<5	<5	803	3	26
E5304714	<1	36	<10	<5	249	<10	22	<5	1.07	<5	<5	1070	2	21
E5304715	<1	36	<10	<5	251	<10	23	<5	1.07	<5	<5	1070	2	21
E5304716	<1	34	<10	<5	206	<10	19	<5	0.98	<5	<5	916	3	21
E5304717	<1	38	<10	<5	227	<10	18	<5	0.87	<5	<5	1260	2	14
E5304718	<1	38	<10	<5	197	<10	22	<5	0.87	<5	<5	1210	2	15
E5304719	<1	35	<10	<5	184	<10	22	<5	1.03	<5	<5	1210	3	18
E5304720	<1	9	<10	<5	220	<10	<10	<5	0.28	<5	<5	187	<1	11
E5304721	<1	32	<10	<5	219	<10	<10	<5	0.56	<5	<5	529	2	17
E5304722	<1	32	<10	<5	226	<10	<10	<5	0.62	<5	<5	465	2	24
E5304723	<1	33	<10	<5	203	<10	<10	<5	0.59	<5	<5	523	2	19
E5304724	<1	33	<10	<5	238	<10	11	<5	0.64	<5	<5	690	2	20
E5304725	<1	33	<10	<5	252	<10	10	<5	0.59	<5	<5	605	2	19

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010	DATE RECEIVED: Dec 03, 2010						DATE REPORTED: Dec 06, 2010				SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	1
E5304726	<1	32	<10	<5	211	<10	<10	<5	0.54	<5	<5	547	2	16
E5304727	<1	30	<10	<5	218	<10	<10	<5	0.53	<5	<5	516	2	14
E5304728	<1	30	<10	<5	242	<10	<10	<5	0.48	<5	<5	499	2	15
E5304729	<1	32	<10	<5	261	<10	<10	<5	0.45	<5	<5	506	2	14
E5304730	<1	17	<10	<5	280	<10	11	<5	0.68	<5	<5	343	5	21
E5304731	<1	32	<10	<5	245	<10	<10	<5	0.41	<5	<5	524	2	12
E5304732	<1	31	<10	<5	342	<10	<10	<5	0.49	<5	<5	539	2	16
E5304733	<1	30	<10	<5	257	<10	<10	<5	0.46	<5	<5	500	2	14
E5304734	<1	32	<10	<5	254	<10	<10	<5	0.36	<5	<5	443	2	11
E5304735	<1	32	<10	<5	238	<10	<10	<5	0.40	<5	<5	491	2	13
E5304736	<1	30	<10	<5	231	<10	<10	<5	0.42	<5	<5	514	2	12
E5304737	<1	32	<10	<5	258	<10	<10	<5	0.39	<5	<5	492	2	12
E5304738	<1	27	<10	<5	276	<10	<10	<5	0.50	<5	<5	486	2	14
E5304739	<1	25	<10	<5	260	<10	<10	<5	0.30	<5	<5	380	2	8
E5304740	<1	9	<10	<5	217	<10	<10	<5	0.28	<5	<5	245	30	10
E5304741	<1	25	<10	<5	423	<10	<10	<5	0.41	<5	<5	408	1	16
E5304742	<1	27	<10	<5	95	<10	<10	<5	0.44	<5	<5	460	2	9
E5304743	<1	10	<10	<5	98	<10	<10	<5	0.15	<5	<5	182	2	8
E5304744	<1	8	<10	<5	91	<10	<10	<5	0.24	<5	<5	241	2	4
E5304745	<1	8	<10	<5	90	<10	<10	<5	0.34	<5	<5	237	2	3
E5304746	<1	33	<10	<5	284	<10	11	<5	0.73	<5	<5	740	2	18
E5304747	<1	27	<10	<5	251	<10	<10	<5	0.33	<5	<5	399	2	11
E5304748	<1	28	<10	<5	232	<10	<10	<5	0.33	<5	<5	406	2	10
E5304749	<1	28	<10	<5	232	<10	<10	<5	0.31	<5	<5	395	2	10
E5304750	3	<1	<10	<5	12	<10	<10	<5	0.04	<5	<5	20.7	<1	3
E5304751	<1	28	<10	<5	234	<10	<10	<5	0.30	<5	<5	414	2	9
E5304752	<1	31	<10	<5	234	<10	<10	<5	0.36	<5	<5	486	2	11
E5304753	<1	34	<10	<5	291	<10	<10	<5	0.46	<5	<5	561	2	13
E5304754	<1	30	<10	<5	211	<10	12	<5	0.48	<5	<5	483	2	14
E5304755	<1	30	<10	<5	218	<10	<10	<5	0.51	<5	<5	490	2	15
E5304756	<1	27	<10	<5	43	<10	<10	<5	0.35	<5	<5	475	2	14
E5304757	<1	28	<10	<5	21	<10	<10	<5	0.38	<5	<5	482	3	11

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010		DATE RECEIVED: Dec 03, 2010						DATE REPORTED: Dec 06, 2010				SAMPLE TYPE: Rock			
Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	
Unit:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	1	1	10	5	1	10	10	5	0.01	5	5	0.5	1	
E5304758	<1	24	<10	<5	16	<10	<10	<5	0.44	<5	<5	530	5	7	
E5304759	<1	24	<10	<5	18	<10	<10	<5	0.37	<5	<5	492	3	10	
E5304760	<1	11	<10	<5	262	<10	<10	<5	0.32	<5	<5	286	12	13	
E5304761	<1	25	<10	<5	22	<10	<10	<5	0.37	<5	<5	489	3	10	
E5304762	<1	32	<10	<5	182	<10	<10	<5	0.43	<5	<5	514	2	13	
E5304763	<1	30	<10	<5	242	<10	<10	<5	0.42	<5	<5	473	2	15	
E5304764	<1	29	<10	<5	85	<10	<10	<5	0.44	<5	<5	511	2	10	
E5304765	<1	8	<10	<5	156	<10	<10	<5	0.35	<5	<5	228	2	9	
E5304688	<1	7	<10	<5	121	<10	<10	<5	0.33	<5	<5	213	2	6	
E5304689	<1	7	<10	<5	104	<10	<10	<5	0.31	<5	<5	207	2	7	
E5304690	<1	9	<10	<5	223	<10	<10	<5	0.28	<5	<5	245	30	11	
E5304691	<1	8	<10	<5	137	<10	<10	<5	0.32	<5	<5	234	2	7	
E5304692	<1	8	<10	<5	218	<10	<10	<5	0.32	<5	<5	224	2	8	
E5304693	<1	9	<10	<5	201	<10	<10	<5	0.35	<5	<5	246	2	8	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010 DATE RECEIVED: Dec 03, 2010 DATE REPORTED: Dec 06, 2010 SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5304694	418	92
E5304695	246	93
E5304696	290	90
E5304697	162	96
E5304698	176	91
E5304699	139	93
E5304700	8.8	27
E5304701	87.4	113
E5304702	79.8	139
E5304703	86.7	142
E5304704	80.0	122
E5304705	77.9	123
E5304706	74.8	104
E5304707	185	163
E5304708	82.2	157
E5304709	46.3	154
E5304710	217	47
E5304711	57.2	135
E5304712	64.3	115
E5304713	73.8	102
E5304714	176	90
E5304715	90.9	92
E5304716	70.3	96
E5304717	107	52
E5304718	95.9	59
E5304719	69.4	75
E5304720	57.7	42
E5304721	81.7	74
E5304722	75.4	100
E5304723	77.7	73
E5304724	84.4	78
E5304725	89.8	75

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010

DATE RECEIVED: Dec 03, 2010

DATE REPORTED: Dec 06, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5

Sample Description	Zn	Zr
E5304726	74.9	63
E5304727	81.3	61
E5304728	70.9	59
E5304729	174	57
E5304730	124	94
E5304731	180	47
E5304732	84.0	60
E5304733	110	61
E5304734	80.7	39
E5304735	73.2	46
E5304736	65.4	49
E5304737	71.5	49
E5304738	73.7	63
E5304739	69.1	33
E5304740	125	40
E5304741	35.8	42
E5304742	64.4	82
E5304743	62.8	89
E5304744	97.2	117
E5304745	52.5	116
E5304746	69.8	71
E5304747	81.8	37
E5304748	73.0	41
E5304749	84.1	36
E5304750	8.1	23
E5304751	82.7	35
E5304752	97.3	37
E5304753	101	43
E5304754	117	57
E5304755	72.5	57
E5304756	195	54
E5304757	257	56

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

4 Acid Digest - ICP-OES Finish (201070)

DATE SAMPLED: Dec 03, 2010

DATE RECEIVED: Dec 03, 2010

DATE REPORTED: Dec 06, 2010

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
Sample Description RDL:	0.5	5
E5304758	48.0	62
E5304759	56.7	55
E5304760	223	50
E5304761	62.9	54
E5304762	75.9	52
E5304763	72.2	48
E5304764	88.1	39
E5304765	43.6	132
E5304688	57.2	101
E5304689	56.4	113
E5304690	124	40
E5304691	76.0	104
E5304692	55.2	99
E5304693	69.3	102

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Dec 03, 2010		DATE RECEIVED: Dec 03, 2010		DATE REPORTED: Dec 06, 2010		SAMPLE TYPE: Rock	
Analyte:	Sample Login Weight	Au	Pd	Pt			
Unit:	kg	ppm	ppm	ppm			
Sample Description	RDL:	0.01	0.001	0.001	0.005		
E5304694	2.30	<0.001	0.006	<0.005			
E5304695	2.40	0.001	0.002	0.005			
E5304696	2.40	<0.001	<0.001	<0.005			
E5304697	2.50	<0.001	0.004	<0.005			
E5304698	2.42	<0.001	0.002	<0.005			
E5304699	2.40	<0.001	0.004	<0.005			
E5304700	0.68	<0.001	0.001	<0.005			
E5304701	2.50	0.003	0.001	<0.005			
E5304702	2.36	<0.001	0.001	0.005			
E5304703	2.46	0.002	<0.001	0.005			
E5304704	2.42	0.002	0.001	<0.005			
E5304705	2.34	0.002	0.003	<0.005			
E5304706	2.38	0.003	0.007	<0.005			
E5304707	2.28	0.001	<0.001	0.006			
E5304708	2.36	0.006	<0.001	<0.005			
E5304709	2.22	0.008	0.003	<0.005			
E5304710	0.10	0.407	0.025	0.041			
E5304711	2.38	0.002	0.004	<0.005			
E5304712	2.26	0.003	0.003	<0.005			
E5304713	2.28	0.006	0.001	0.007			
E5304714	2.36	<0.001	<0.001	<0.005			
E5304715	2.38	0.001	0.001	<0.005			
E5304716	2.32	0.008	0.002	<0.005			
E5304717	2.36	0.002	0.001	<0.005			
E5304718	2.40	0.003	<0.001	<0.005			
E5304719	2.38	0.003	0.002	<0.005			
E5304720	0.12	0.007	0.003	<0.005			
E5304721	2.24	0.005	<0.001	<0.005			
E5304722	2.32	<0.001	<0.001	<0.005			
E5304723	2.34	0.001	0.003	<0.005			
E5304724	2.44	0.004	<0.001	<0.005			
E5304725	2.36	0.001	<0.001	<0.005			

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Dec 03, 2010		DATE RECEIVED: Dec 03, 2010		DATE REPORTED: Dec 06, 2010		SAMPLE TYPE: Rock	
Analyte:	Sample Login Weight	Au	Pd	Pt			
Unit:	kg	ppm	ppm	ppm			
Sample Description	RDL:	0.01	0.001	0.001	0.005		
E5304726	2.32	0.001	0.001	<0.005			
E5304727	2.38	0.002	<0.001	<0.005			
E5304728	2.40	0.002	0.004	<0.005			
E5304729	2.32	0.002	0.003	<0.005			
E5304730	0.10	5.48	0.006	0.007			
E5304731	2.26	0.002	0.003	<0.005			
E5304732	2.24	0.179	<0.001	<0.005			
E5304733	2.30	0.004	<0.001	<0.005			
E5304734	2.42	0.003	0.001	<0.005			
E5304735	2.16	0.002	<0.001	<0.005			
E5304736	2.36	0.001	<0.001	<0.005			
E5304737	2.36	0.002	<0.001	<0.005			
E5304738	2.22	0.003	<0.001	<0.005			
E5304739	1.24	0.001	<0.001	<0.005			
E5304740	0.12	1.11	<0.001	<0.005			
E5304741	1.26	0.002	<0.001	<0.005			
E5304742	1.08	0.004	<0.001	<0.005			
E5304743	1.06	0.005	0.003	<0.005			
E5304744	1.92	0.003	0.004	<0.005			
E5304745	2.06	0.010	0.002	<0.005			
E5304746	2.64	0.004	<0.001	<0.005			
E5304747	2.30	0.003	0.004	<0.005			
E5304748	2.42	0.005	0.010	<0.005			
E5304749	2.30	0.005	0.010	0.006			
E5304750	0.86	0.001	0.004	<0.005			
E5304751	2.52	0.004	0.018	0.009			
E5304752	2.52	0.006	0.013	0.012			
E5304753	2.60	0.003	0.012	0.008			
E5304754	2.40	0.003	0.008	0.010			
E5304755	1.34	0.006	0.008	0.014			
E5304756	1.00	0.016	0.010	0.010			
E5304757	1.12	0.002	0.010	0.011			

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 10U457512

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: TRUECLAIM EXPLORATION INC.

ATTENTION TO: ERIC PLEXMAN

Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)

DATE SAMPLED: Dec 03, 2010

DATE RECEIVED: Dec 03, 2010

DATE REPORTED: Dec 06, 2010

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au	Pd	Pt
	Unit:	Login Weight	ppm	ppm	ppm
	RDL:	0.01	0.001	0.001	0.005
E5304758		1.26	0.003	0.012	0.012
E5304759		2.26	0.005	0.010	0.012
E5304760		0.12	0.435	0.026	0.023
E5304761		1.52	0.002	0.011	0.008
E5304762		2.18	0.003	0.008	0.009
E5304763		2.30	0.003	0.008	0.010
E5304764		1.70	0.003	0.008	0.011
E5304765		1.84	0.002	0.001	0.005
E5304688		1.66	0.001	<0.001	<0.005
E5304689		0.96	0.003	0.004	<0.005
E5304690		0.12	1.19	<0.001	<0.005
E5304691		1.10	0.001	<0.001	<0.005
E5304692		2.18	0.001	<0.001	0.008
E5304693		2.24	0.001	0.002	0.006

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457512

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis												
RPT Date: Dec 06, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2173360	< 0.5	< 0.5	0.0%	< 0.5	7	7	93%	90%	110%	
Al	1	2173360	6.31	6.11	3.2%	< 0.01				80%	120%	
As	1	2173360	2	1		< 1				80%	120%	
Ba	1	2173360	189	184	2.7%	< 1				80%	120%	
Be	1	2173360	4.1	4.1	0.0%	< 0.5				80%	120%	
Bi	1	2173360	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2173360	5.22	5.15	1.4%	< 0.01	0.59	0.55	107%	90%	110%	
Cd	1	2173360	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Ce	1	2173360	46	45	2.2%	< 1				80%	120%	
Co	1	2173360	58.9	58.9	0.0%	< 0.5	6.2	5.0	123%	70%	130%	
Cr	1	2173360	29.8	29.2	2.0%	2.4				80%	120%	
Cs	1	2173360	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2173360	95.7	91.6	4.4%	0.5	4312	4700	92%	90%	110%	
Fe	1	2173360	10.6	10.5	0.9%	< 0.01	1.51	1.55	98%	90%	110%	
Ga	1	2173360	22	22	0.0%	< 5				80%	120%	
In	1	2173360	< 1	< 1	0.0%	< 1				80%	120%	
K	1	2173360	0.445	0.438	1.6%	< 0.01	2.86	2.99	96%	90%	110%	
La	1	2173360	16	15	6.5%	< 2				80%	120%	
Li	1	2173360	13	12	8.0%	< 1				80%	120%	
Mg	1	2173360	2.04	1.96	4.0%	< 0.01				80%	120%	
Mn	1	2173360	2620	2470	5.9%	1				80%	120%	
Mo	1	2173360	2.6	4.0		< 0.5				80%	120%	
Na	1	2173360	2.06	2.03	1.5%	< 0.01				80%	120%	
Ni	1	2173360	23.2	23.0	0.9%	0.8	8	7	108%	90%	110%	
P	1	2173360	749	737	1.6%	< 10				80%	120%	
Pb	1	2173360	12	12	0.0%	< 1	24	30	81%	80%	120%	
Rb	1	2173360	24	21	13.3%	< 10				80%	120%	
S	1	2173360	0.198	0.203	2.5%	< 0.005				80%	120%	
Sb	1	2173360	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2173360	30	29	3.4%	< 1				80%	120%	
Se	1	2173360	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2173360	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2173360	236	224	5.2%	< 1	394	390	101%	90%	110%	
Ta	1	2173360	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2173360	18	18	0.0%	< 10				80%	120%	
Th	1	2173360	36	33	8.7%	< 5				80%	120%	
Ti	1	2173360	0.96	0.96	0.0%	< 0.01				80%	120%	
Tl	1	2173360	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2173360	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2173360	803	792	1.4%	< 0.5				80%	120%	
W	1	2173360	3	2		< 1				80%	120%	
Y	1	2173360	26	25	3.9%	< 1				80%	120%	
Zn	1	2173360	73.8	72.7	1.5%	< 0.5	31	32	97%	90%	110%	
Zr	1	2173360	102	99	3.0%	< 5				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457512

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Dec 06, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	

4 Acid Digest - ICP-OES Finish (201070)

Ag	1	2173380	< 0.5	< 0.5	0.0%	< 0.5	7	7	101%	90%	110%
Al	1	2173380	6.82	7.35	7.5%	< 0.01				80%	120%
As	1	2173380	11	12	8.7%	< 1				80%	120%
Ba	1	2173380	291	291	0.0%	< 1				80%	120%
Be	1	2173380	2.17	2.14	1.4%	< 0.5				80%	120%
Bi	1	2173380	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2173380	5.90	6.12	3.7%	< 0.01				80%	120%
Cd	1	2173380	0.7	0.5		< 0.5				80%	120%
Ce	1	2173380	31	32	3.2%	< 1				80%	120%
Co	1	2173380	48.8	46.2	5.5%	< 0.5	5.9	5.0	118%	80%	120%
Cr	1	2173380	35.9	35.6	0.8%	2.3				80%	120%
Cs	1	2173380	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2173380	145	140	3.5%	< 0.5	4514	4700	96%	90%	110%
Fe	1	2173380	8.15	8.36	2.5%	< 0.01	1.6	1.55	103%	90%	110%
Ga	1	2173380	18	18	0.0%	< 5				80%	120%
In	1	2173380	3	1		< 1				80%	120%
K	1	2173380	0.603	0.628	4.1%	< 0.01	3.03	2.99	101%	90%	110%
La	1	2173380	8	8	0.0%	< 2				80%	120%
Li	1	2173380	15	17	12.5%	< 1				80%	120%
Mg	1	2173380	3.32	3.59	7.8%	< 0.01				80%	120%
Mn	1	2173380	2860	2930	2.4%	2				80%	120%
Mo	1	2173380	1.7	1.1		< 0.5	358	280	128%	70%	130%
Na	1	2173380	1.77	1.85	4.4%	< 0.01				80%	120%
Ni	1	2173380	66.5	63.1	5.2%	0.8	6	7	92%	90%	110%
P	1	2173380	405	417	2.9%	< 10				80%	120%
Pb	1	2173380	13	13	0.0%	< 1	26	30	87%	80%	120%
Rb	1	2173380	34	40	16.2%	< 10				80%	120%
S	1	2173380	0.068	0.079	15.0%	< 0.005				80%	120%
Sb	1	2173380	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2173380	30	32	6.5%	< 1				80%	120%
Se	1	2173380	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2173380	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2173380	257	278	7.9%	< 1	469	390	120%	80%	120%
Ta	1	2173380	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2173380	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2173380	40	35	13.3%	< 5				80%	120%
Ti	1	2173380	0.461	0.470	1.9%	< 0.01				80%	120%
Tl	1	2173380	< 5	< 5	0.0%	< 5				80%	120%
U	1	2173380	< 5	< 5	0.0%	< 5				80%	120%
V	1	2173380	500	486	2.8%	< 0.5				80%	120%
W	1	2173380	2	3		< 1				80%	120%
Y	1	2173380	14	15	6.9%	< 1				80%	120%
Zn	1	2173380	110	104	5.6%	< 0.5	30	32	92%	90%	110%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457512

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Dec 06, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Zr	1	2173380	61	59	3.3%	< 5				80%	120%	
4 Acid Digest - ICP-OES Finish (201070)												
Ag	1	2173400	< 0.5	< 0.5	0.0%	< 0.5	7	7	97%	90%	110%	
Al	1	2173400	6.91	7.15	3.4%	< 0.01				80%	120%	
As	1	2173400	15	14	6.9%	< 1				80%	120%	
Ba	1	2173400	257	265	3.1%	< 1				80%	120%	
Be	1	2173400	1.9	2.0	5.1%	< 0.5				80%	120%	
Bi	1	2173400	< 1	< 1	0.0%	< 1				80%	120%	
Ca	1	2173400	6.62	6.81	2.8%	< 0.01	0.48	0.55	87%	80%	120%	
Cd	1	2173400	0.5	0.5	0.0%	< 0.5				80%	120%	
Ce	1	2173400	26	26	0.0%	< 1				80%	120%	
Co	1	2173400	49.3	49.4	0.2%	< 0.5	6.1	5.0	122%	70%	130%	
Cr	1	2173400	72.6	75.1	3.4%	2.3				80%	120%	
Cs	1	2173400	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Cu	1	2173400	161	162	0.6%	< 0.5	4343	4700	92%	90%	110%	
Fe	1	2173400	7.71	7.94	2.9%	< 0.01	1.33	1.55	86%	80%	120%	
Ga	1	2173400	16	17	6.1%	< 5				80%	120%	
In	1	2173400	6	2		< 1				80%	120%	
K	1	2173400	0.520	0.539	3.6%	< 0.01	2.74	2.99	92%	90%	110%	
La	1	2173400	5	6	18.2%	< 2				80%	120%	
Li	1	2173400	23	23	0.0%	< 1				80%	120%	
Mg	1	2173400	4.13	4.26	3.1%	< 0.01				80%	120%	
Mn	1	2173400	2420	2380	1.7%	< 1				80%	120%	
Mo	1	2173400	2.66	2.52	5.4%	< 0.5	359	280	128%	70%	130%	
Na	1	2173400	1.49	1.54	3.3%	< 0.01				80%	120%	
Ni	1	2173400	99.4	101	1.6%	< 0.5	7	7	94%	90%	110%	
P	1	2173400	318	321	0.9%	< 10				80%	120%	
Pb	1	2173400	11	12	8.7%	< 1	24	30	80%	80%	120%	
Rb	1	2173400	37	41	10.3%	< 10				80%	120%	
S	1	2173400	0.0701	0.0728	3.8%	< 0.005				80%	120%	
Sb	1	2173400	< 1	< 1	0.0%	< 1				80%	120%	
Sc	1	2173400	34	33	3.0%	< 1				80%	120%	
Se	1	2173400	< 10	< 10	0.0%	< 10				80%	120%	
Sn	1	2173400	< 5	< 5	0.0%	< 5				80%	120%	
Sr	1	2173400	291	289	0.7%	< 1	310	390	79%	70%	130%	
Ta	1	2173400	< 10	< 10	0.0%	< 10				80%	120%	
Te	1	2173400	< 10	< 10	0.0%	< 10				80%	120%	
Th	1	2173400	31	32	3.2%	< 5				80%	120%	
Ti	1	2173400	0.46	0.47	2.2%	< 0.01				80%	120%	
Tl	1	2173400	< 5	< 5	0.0%	< 5				80%	120%	
U	1	2173400	< 5	< 5	0.0%	< 5				80%	120%	
V	1	2173400	561	576	2.6%	< 0.5				80%	120%	
W	1	2173400	2	2	0.0%	< 1				80%	120%	
Y	1	2173400	13	13	0.0%	< 1				80%	120%	

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457512

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)											
RPT Date: Dec 06, 2010		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Zn	1	2173400	101	87.3	14.6%	< 0.5	30	32	94%	90%	110%
Zr	1	2173400	43	43	0.0%	< 5				80%	120%
4 Acid Digest - ICP-OES Finish (201070)											
Ag	1	2179470	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Al	1	2179470	5.49	5.74	4.5%	< 0.01				80%	120%
As	1	2179470	7	6	15.4%	< 1				80%	120%
Ba	1	2179470	735	718	2.3%	< 1				80%	120%
Be	1	2179470	2.8	2.7	3.6%	< 0.5				80%	120%
Bi	1	2179470	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2179470	1.19	1.22	2.5%	< 0.01				80%	120%
Cd	1	2179470	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2179470	44	45	2.2%	< 1				80%	120%
Co	1	2179470	25.6	24.8	3.2%	< 0.5				80%	120%
Cr	1	2179470	160	157	1.9%	< 0.5				80%	120%
Cs	1	2179470	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cu	1	2179470	62.0	52.0	17.5%	< 0.5				80%	120%
Fe	1	2179470	4.29	4.55	5.9%	< 0.01				80%	120%
Ga	1	2179470	24	24	0.0%	< 5				80%	120%
In	1	2179470	< 1	< 1	0.0%	< 1				80%	120%
K	1	2179470	2.03	2.18	7.1%	< 0.01				80%	120%
La	1	2179470	22	22	0.0%	< 2				80%	120%
Li	1	2179470	44	44	0.0%	< 1				80%	120%
Mg	1	2179470	1.72	1.82	5.6%	< 0.01				80%	120%
Mn	1	2179470	1000	978	2.2%	< 1				80%	120%
Mo	1	2179470	5.1	4.6	10.3%	< 0.5				80%	120%
Na	1	2179470	2.51	2.66	5.8%	< 0.01				80%	120%
Ni	1	2179470	69.2	66.1	4.6%	< 0.5				80%	120%
P	1	2179470	765	756	1.2%	< 10				80%	120%
Pb	1	2179470	5	6	18.2%	< 1				80%	120%
Rb	1	2179470	87	94	7.7%	< 10				80%	120%
S	1	2179470	0.127	0.127	0.0%	< 0.005				80%	120%
Sb	1	2179470	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2179470	9	9	0.0%	< 1				80%	120%
Se	1	2179470	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2179470	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2179470	201	191	5.1%	< 1				80%	120%
Ta	1	2179470	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2179470	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2179470	32	31	3.2%	< 5				80%	120%
Ti	1	2179470	0.35	0.37	5.6%	< 0.01				80%	120%
Tl	1	2179470	< 5	< 5	0.0%	< 5				80%	120%
U	1	2179470	< 5	< 5	0.0%	< 5				80%	120%
V	1	2179470	246	238	3.3%	< 0.5				80%	120%
W	1	2179470	2	2	0.0%	< 1				80%	120%

Quality Assurance

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457512

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

Solid Analysis (Continued)												
RPT Date: Dec 06, 2010			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
									Lower	Upper		
Y	1	2179470	8	8	0.0%	< 1			80%	120%		
Zn	1	2179470	69.3	66.3	4.4%	< 0.5			80%	120%		
Zr	1	2179470	102	100	2.0%	< 5			80%	120%		
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)												
Au	1	2173364	0.002	0.001		< 0.001	0.317	0.321	99%	90%	110%	
Pd	1	2173352	0.003	0.004	28.6%	< 0.001	0.037	0.037	100%	90%	110%	
Pt	1	2173352	< 0.005	< 0.005	0.0%	< 0.005	0.085	0.090	94%	90%	110%	
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)												
Au	1	2173376	0.002	0.004		< 0.001	0.301	0.321	94%	90%	110%	
Pd	1	2173376	0.003	0.002		< 0.001	0.038	0.037	103%	90%	110%	
Pt	1	2173376	< 0.005	< 0.005	0.0%	< 0.005	0.106	0.090	118%	80%	120%	
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)												
Au	1	2173388	0.002	0.003		< 0.001	1.01	1.08	93%	90%	110%	
Pd	1	2173388	< 0.001	0.001		< 0.001	0.42	0.412	102%	90%	110%	
Pt	1	2173388	< 0.005	< 0.005	0.0%	< 0.005	0.522	0.578	90%	90%	110%	
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)												
Au	1	2173400	0.003	0.003	0.0%	< 0.001		0.031		70%	130%	
Pd	1	2173400	0.012	0.012	0.0%	< 0.001		0.036		70%	130%	
Pt	1	2173400	0.0081	0.0106	26.7%	< 0.005		0.052		70%	130%	
Fire Assay - Au, Pt, Pd Trace Levels, ICP-OES finish (202055)												
Au	1	2173412	0.002	0.002	0.0%	< 0.001		0.031		70%	130%	
Pd	1	2173412	0.001	0.003		< 0.001		0.036		70%	130%	
Pt	1	2173412	0.005	< 0.005		< 0.005		0.052		70%	130%	

Certified By:



Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457512

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cs	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES
Pd	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES

Method Summary

CLIENT NAME: TRUECLAIM EXPLORATION INC.

AGAT WORK ORDER: 10U457512

PROJECT NO:

ATTENTION TO: ERIC PLEXMAN

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Pt	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP/OES

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/13/2010
 Date Completed: 12/24/2010
 Job #: 201010337
 Reference:
 Sample #: 219

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39712	5304766	23	<0.001	0.023
39713	5304767	10	<0.001	0.010
39714	5304768	4	<0.001	0.004
39715	5304769	7	<0.001	0.007
39716	5304770	4	<0.001	0.004
39717	5304771	6	<0.001	0.006
39718	5304772	20	<0.001	0.020
39719	5304773	38	0.001	0.038
39720	5304774	19	<0.001	0.019
39721	5304775	39	0.001	0.039
39722 Dup	5304775	36	0.001	0.036
39723	5304776	10	<0.001	0.010
39724	5304777	7	<0.001	0.007
39725	5304778	7	<0.001	0.007
39726	5304779	4	<0.001	0.004
39727	5304780	4212	0.123	4.212
39728	5304781	44	0.001	0.044
39729	5304782	6	<0.001	0.006
39730	5304783	6	<0.001	0.006
39731	5304784	7	<0.001	0.007
39732	5304785	6	<0.001	0.006
39733 Dup	5304785	9	<0.001	0.009
39734	5304786	16	<0.001	0.016
39735	5304787	19	<0.001	0.019
39736	5304788	14	<0.001	0.014
39737	5304789	10	<0.001	0.010
39738	5304790	1040	0.030	1.040
39739	5304791	10	<0.001	0.010
39740	5304792	41	0.001	0.041
39741	5304793	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 12/13/2010
 Date Completed: 12/24/2010
 Job #: 201010337

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 219

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39742	5304794	7	<0.001	0.007
39743	5304795	13	<0.001	0.013
39744 Dup	5304795	11	<0.001	0.011
39745	5304796	40	0.001	0.040
39746	5304797	89	0.003	0.089
39747	5304798	9	<0.001	0.009
39748	5304799	16	<0.001	0.016
39749	5304800	7	<0.001	0.007
39750	5304801	7	<0.001	0.007
39751	5304802	15	<0.001	0.015
39752	5304803	5	<0.001	0.005
39753	5304804	6	<0.001	0.006
39754	5304805	7	<0.001	0.007
39755 Dup	5304805	3	<0.001	0.003
39756	5304806	5	<0.001	0.005
39757	5304807	4	<0.001	0.004
39758	5304808	4	<0.001	0.004
39759	5304809	3	<0.001	0.003
39760	5304810	492	0.014	0.492
39761	5304811	3	<0.001	0.003
39762	5304812	5	<0.001	0.005
39763	5304813	2	<0.001	0.002
39764	5304814	4	<0.001	0.004
39765	5304815	42	0.001	0.042
39766 Dup	5304815	47	0.001	0.047
39767	5304816	5	<0.001	0.005
39768	5304817	10	<0.001	0.010
39769	5304818	13	<0.001	0.013
39770	5304819	32	<0.001	0.032
39771	5304820	19	<0.001	0.019

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/13/2010
 Date Completed: 12/24/2010
 Job #: 201010337
 Reference:
 Sample #: 219

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39772	5304821	6	<0.001	0.006
39773	5304822	21	<0.001	0.021
39774	5304823	26	<0.001	0.026
39775	5304824	22	<0.001	0.022
39776	5304825	31	<0.001	0.031
39777 Rep	5304825	28	<0.001	0.028
39778	5304826	22	<0.001	0.022
39779	5304827	31	<0.001	0.031
39780	5304828	23	<0.001	0.023
39781	5304829	36	0.001	0.036
39782	5304830	5170	0.151	5.170
39783	5304831	161	0.005	0.161
39784	5304832	159	0.005	0.159
39785	5304833	20	<0.001	0.020
39786	5304834	14	<0.001	0.014
39787	5304835	1446	0.042	1.446
39788 Dup	5304835	1428	0.042	1.428
39789	5304836	67	0.002	0.067
39790	5304837	8	<0.001	0.008
39791	5304838	9	<0.001	0.009
39792	5304839	32	<0.001	0.032
39793	5304840	964	0.028	0.964
39794	5304841	6	<0.001	0.006
39795	5304842	21	<0.001	0.021
39796	5304843	13	<0.001	0.013
39797	5304844	15	<0.001	0.015
39798	5304845	96	0.003	0.096
39799 Dup	5304845	116	0.003	0.116
39800	5304846	23	<0.001	0.023
39801	5304847	284	0.008	0.284

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

Date Received: 12/13/2010

Date Completed: 12/24/2010

Job #: 201010337

Ph#: (705) 598-2030

Reference:

Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

Sample #: 219

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39802	5304848	20	<0.001	0.020
39803	5304849	15	<0.001	0.015
39804	5304850	6	<0.001	0.006
39805	5304851	8	<0.001	0.008
39806	5304852	14	<0.001	0.014
39807	5304853	46	0.001	0.046
39808	5304854	16	<0.001	0.016
39809	5304855	6	<0.001	0.006
39810 Dup	5304855	6	<0.001	0.006
39811	5304856	6	<0.001	0.006
39812	5304857	3	<0.001	0.003
39813	5304858	7	<0.001	0.007
39814	5304859	12	<0.001	0.012
39815	5304860	544	0.016	0.544
39816	5304861	4	<0.001	0.004
39817	5304862	4	<0.001	0.004
39818	5304863	6	<0.001	0.006
39819	5304864	5	<0.001	0.005
39820	5304865	5	<0.001	0.005
39821 Dup	5304865	5	<0.001	0.005
39822	5304866	5	<0.001	0.005
39823	5304867	5	<0.001	0.005
39824	5304868	4	<0.001	0.004
39825	5304869	5	<0.001	0.005
39826	5304870	10	<0.001	0.010
39827	5304871	3	<0.001	0.003
39828	5304872	6	<0.001	0.006
39829	5304873	13	<0.001	0.013
39830	5304874	6	<0.001	0.006
39831	5304875	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/13/2010
 Date Completed: 12/24/2010
 Job #: 201010337
 Reference:
 Sample #: 219

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39832 Dup	5304875	5	<0.001	0.005
39833	5304876	6	<0.001	0.006
39834	5304877	8	<0.001	0.008
39835	5304878	9	<0.001	0.009
39836	5304879	11	<0.001	0.011
39837	5304880	4867	0.142	4.867
39838	5304881	11	<0.001	0.011
39839	5304882	22	<0.001	0.022
39840	5304883	17	<0.001	0.017
39841	5304884	6	<0.001	0.006
39842	5304885	15	<0.001	0.015
39843 Rep	5304885	13	<0.001	0.013
39844	5304886	22	<0.001	0.022
39845	5304887	7	<0.001	0.007
39846	5304888	10	<0.001	0.010
39847	5304889	8	<0.001	0.008
39848	5304890	1074	0.031	1.074
39849	5304891	7	<0.001	0.007
39850	5304892	22	<0.001	0.022
39851	5304893	14	<0.001	0.014
39852	5304894	9	<0.001	0.009
39853	5304895	9	<0.001	0.009
39854 Dup	5304895	9	<0.001	0.009
39855	5304896	9	<0.001	0.009
39856	5304897	30	<0.001	0.030
39857	5304898	16	<0.001	0.016
39858	5304899	11	<0.001	0.011
39859	5304900	<2	<0.001	<0.002
39860	5304901	6	<0.001	0.006
39861	5304902	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 12/13/2010
 Date Completed: 12/24/2010
 Job #: 201010337

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 219

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39862	5304903	7	<0.001	0.007
39863	5304904	7	<0.001	0.007
39864	5304905	11	<0.001	0.011
39865 Dup	5304905	22	<0.001	0.022
39866	5304906	5	<0.001	0.005
39867	5304907	7	<0.001	0.007
39868	5304908	6	<0.001	0.006
39869	5304909	12	<0.001	0.012
39870	5304910	498	0.015	0.498
39871	5304911	27	<0.001	0.027
39872	5304912	10	<0.001	0.010
39873	5304913	7	<0.001	0.007
39874	5304914	34	<0.001	0.034
39875	5304915	34	<0.001	0.034
39876 Dup	5304915	54	0.002	0.054
39877	5304916	7	<0.001	0.007
39878	5304917	5	<0.001	0.005
39879	5304918	14	<0.001	0.014
39880	5304919	10	<0.001	0.010
39881	5304920	8	<0.001	0.008
39882	5304921	13	<0.001	0.013
39883	5304922	18	<0.001	0.018
39884	5304923	25	<0.001	0.025
39885	5304924	81	0.002	0.081
39886	5304925	35	0.001	0.035
39887 Dup	5304925	25	<0.001	0.025
39888	5304926	24	<0.001	0.024
39889	5304927	8	<0.001	0.008
39890	5304928	8	<0.001	0.008
39891	5304929	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 12/13/2010
 Date Completed: 12/24/2010
 Job #: 201010337

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 219

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39892	5304930	5139	0.150	5.139
39893	5304931	16	<0.001	0.016
39894	5304932	10	<0.001	0.010
39895	5304933	16	<0.001	0.016
39896	5304934	35	0.001	0.035
39897	5304935	37	0.001	0.037
39898 Dup	5304935	46	0.001	0.046
39899	5304936	24	<0.001	0.024
39900	5304937	136	0.004	0.136
39901	5304938	105	0.003	0.105
39902	5304939	147	0.004	0.147
39903	5304940	1088	0.032	1.088
39904	5304941	3	<0.001	0.003
39905	5304942	2	<0.001	0.002
39906	5304943	<2	<0.001	<0.002
39907	5304944	2	<0.001	0.002
39908	5304945	<2	<0.001	<0.002
39909 Rep	5304945	<2	<0.001	<0.002
39910	5304946	<2	<0.001	<0.002
39911	5304947	<2	<0.001	<0.002
39912	5304948	<2	<0.001	<0.002
39913	5304949	<2	<0.001	<0.002
39914	5304950	<2	<0.001	<0.002
39915	5304951	<2	<0.001	<0.002
39916	5304952	5	<0.001	0.005
39917	5304953	9	<0.001	0.009
39918	5304954	<2	<0.001	<0.002
39919	5304955	2	<0.001	0.002
39920 Dup	5304955	3	<0.001	0.003
39921	5304956	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 12/13/2010
 Date Completed: 12/24/2010
 Job #: 201010337

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 219

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39922	5304957	<2	<0.001	<0.002
39923	5304958	<2	<0.001	<0.002
39924	5304959	<2	<0.001	<0.002
39925	5304960	523	0.015	0.523
39926	5304961	<2	<0.001	<0.002
39927	5304962	<2	<0.001	<0.002
39928	5304963	<2	<0.001	<0.002
39929	5304964	4	<0.001	0.004
39930	5304965	6	<0.001	0.006
39931 Dup	5304965	3	<0.001	0.003
39932	5304966	9	<0.001	0.009
39933	5304967	9	<0.001	0.009
39934	5304968	2	<0.001	0.002
39935	5304969	<2	<0.001	<0.002
39936	5304970	3	<0.001	0.003
39937	5304971	<2	<0.001	<0.002
39938	5304972	<2	<0.001	<0.002
39939	5304973	<2	<0.001	<0.002
39940	5304974	<2	<0.001	<0.002
39941	5304975	<2	<0.001	<0.002
39942 Dup	5304975	<2	<0.001	<0.002
39943	5304976	<2	<0.001	<0.002
39944	5304977	2	<0.001	0.002
39945	5304978	<2	<0.001	<0.002
39946	5304979	2	<0.001	0.002
39947	5304980	5349	0.156	5.349
39948	5304981	4	<0.001	0.004
39949	5304982	<2	<0.001	<0.002
39950	5304983	<2	<0.001	<0.002
39951	5304984	<2	<0.001	<0.002

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/14/2010
 Date Completed: 12/24/2010
 Job #: 201010340
 Reference:
 Sample #: 169

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40145	E5304985	9	<0.001	0.009
40146	E5304986	8	<0.001	0.008
40147	E5304987	11	<0.001	0.011
40148	E5304988	10	<0.001	0.010
40149	E5304989	5	<0.001	0.005
40150	E5304990	970	0.028	0.970
40151	E5304991	9	<0.001	0.009
40152	E5304992	10	<0.001	0.010
40153	E5304993	6	<0.001	0.006
40154	E5304994	6	<0.001	0.006
40155 Dup	E5304994	7	<0.001	0.007
40156	E5304995	12	<0.001	0.012
40157	E5304996	56	0.002	0.056
40158	E5304997	15	<0.001	0.015
40159	E5304998	6	<0.001	0.006
40160	E5304999	6	<0.001	0.006
40161	E5305000	6	<0.001	0.006
40162	E5305001	7	<0.001	0.007
40163	E5305002	6	<0.001	0.006
40164	E5305003	16	<0.001	0.016
40165	E5305004	2854	0.083	2.854
40166 Dup	E5305004	2610	0.076	2.610
40167	E5305005	2123	0.062	2.123
40168	E5305006	37	0.001	0.037
40169	E5305007	7	<0.001	0.007
40170	E5305008	7	<0.001	0.007
40171	E5305009	4	<0.001	0.004
40172	E5305010	448	0.013	0.448
40173	E5305011	16	<0.001	0.016
40174	E5305012	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/14/2010
 Date Completed: 12/24/2010
 Job #: 201010340
 Reference:
 Sample #: 169

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40175	E5305013	6	<0.001	0.006
40176	E5305014	7	<0.001	0.007
40177 Dup	E5305014	5	<0.001	0.005
40178	E5305015	6	<0.001	0.006
40179	E5305016	5	<0.001	0.005
40180	E5305017	8	<0.001	0.008
40181	E5305018	6	<0.001	0.006
40182	E5305019	9	<0.001	0.009
40183	E5305020	6	<0.001	0.006
40184	E5305021	7	<0.001	0.007
40185	E5305022	9	<0.001	0.009
40186	E5305023	6	<0.001	0.006
40187	E5305024	8	<0.001	0.008
40188 Dup	E5305024	8	<0.001	0.008
40189	E5305025	7	<0.001	0.007
40190	E5305026	7	<0.001	0.007
40191	E5305027	5	<0.001	0.005
40192	E5305028	6	<0.001	0.006
40193	E5305029	8	<0.001	0.008
40194	E5305030	5090	0.148	5.090
40195	E5305031	10	<0.001	0.010
40196	E5305032	8	<0.001	0.008
40197	E5305033	8	<0.001	0.008
40198	E5305034	8	<0.001	0.008
40199 Dup	E5305034	9	<0.001	0.009
40200	E5305035	7	<0.001	0.007
40201	E5305036	6	<0.001	0.006
40202	E5305037	8	<0.001	0.008
40203	E5305038	9	<0.001	0.009
40204	E5305039	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/14/2010
 Date Completed: 12/24/2010
 Job #: 201010340
 Reference:
 Sample #: 169

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40205	E5305040	961	0.028	0.961
40206	E5305041	7	<0.001	0.007
40207	E5305042	7	<0.001	0.007
40208	E5305043	7	<0.001	0.007
40209	E5305044	10	<0.001	0.010
40210 Rep	E5305044	8	<0.001	0.008
40211	E5305045	7	<0.001	0.007
40212	E5305046	8	<0.001	0.008
40213	E5305047	7	<0.001	0.007
40214	E5305048	9	<0.001	0.009
40215	E5305049	8	<0.001	0.008
40216	E5305050	8	<0.001	0.008
40217	E5305051	7	<0.001	0.007
40218	E5305052	11	<0.001	0.011
40219	E5305053	6	<0.001	0.006
40220	E5305054	12	<0.001	0.012
40221 Dup	E5305054	15	<0.001	0.015
40222	E5305055	14	<0.001	0.014
40223	E5305056	5	<0.001	0.005
40224	E5305057	9	<0.001	0.009
40225	E5305058	7	<0.001	0.007
40226	E5305059	7	<0.001	0.007
40227	E5305060	492	0.014	0.492
40228	E5305061	8	<0.001	0.008
40229	E5305062	7	<0.001	0.007
40230	E5305063	8	<0.001	0.008
40231	E5305064	6	<0.001	0.006
40232 Dup	E5305064	8	<0.001	0.008
40233	E5305065	6	<0.001	0.006
40234	E5305066	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/14/2010
 Date Completed: 12/24/2010
 Job #: 201010340
 Reference:
 Sample #: 169

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40235	E5305067	8	<0.001	0.008
40236	E5305068	8	<0.001	0.008
40237	E5305069	8	<0.001	0.008
40238	E5305070	10	<0.001	0.010
40239	E5305071	7	<0.001	0.007
40240	E5305072	7	<0.001	0.007
40241	E5305073	9	<0.001	0.009
40242	E5305074	8	<0.001	0.008
40243 Dup	E5305074	10	<0.001	0.010
40244	E5305075	7	<0.001	0.007
40245	E5305076	9	<0.001	0.009
40246	E5305077	6	<0.001	0.006
40247	E5305078	9	<0.001	0.009
40248	E5305079	8	<0.001	0.008
40249	E5305080	5087	0.148	5.087
40250	E5305081	11	<0.001	0.011
40251	E5305082	6	<0.001	0.006
40252	E5305083	10	<0.001	0.010
40253	E5305084	10	<0.001	0.010
40254 Dup	E5305084	13	<0.001	0.013
40255	E5305085	13	<0.001	0.013
40256	E5305086	362	0.011	0.362
40257	E5305087	49	0.001	0.049
40258	E5305088	23	<0.001	0.023
40259	E5305089	80	0.002	0.080
40260	E5305090	1492	0.044	1.492
40261	E5305091	18	<0.001	0.018
40262	E5305092	10	<0.001	0.010
40263	E5305093	32	<0.001	0.032
40264	E5305094	40	0.001	0.040

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/14/2010
 Date Completed: 12/24/2010
 Job #: 201010340
 Reference:
 Sample #: 169

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40265 Dup	E5305094	43	0.001	0.043
40266	E5305095	22	<0.001	0.022
40267	E5305096	21	<0.001	0.021
40268	E5305097	10	<0.001	0.010
40269	E5305098	11	<0.001	0.011
40270	E5305099	7	<0.001	0.007
40271	E5305100	5	<0.001	0.005
40272	E5305101	18	<0.001	0.018
40273	E5305102	38	0.001	0.038
40274	E5305103	28	<0.001	0.028
40275	E5305104	139	0.004	0.139
40276 Rep	E5305104	143	0.004	0.143
40277	E5305105	14	<0.001	0.014
40278	E5305106	55	0.002	0.055
40279	E5305107	12	<0.001	0.012
40280	E5305108	80	0.002	0.080
40281	E5305109	107	0.003	0.107
40282	E5305110	502	0.015	0.502
40283	E5305111	27	<0.001	0.027
40284	E5305112	21	<0.001	0.021
40285	E5305113	7	<0.001	0.007
40286	E5305114	19	<0.001	0.019
40287 Dup	E5305114	20	<0.001	0.020
40288	E5305115	23	<0.001	0.023
40289	E5305116	127	0.004	0.127
40290	E5305117	146	0.004	0.146
40291	E5305118	22	<0.001	0.022
40292	E5305119	12	<0.001	0.012
40293	E5305120	9	<0.001	0.009
40294	E5305121	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 12/14/2010
 Date Completed: 12/24/2010
 Job #: 201010340

 Ph#: (705) 598-2030
 Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 169

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40295	E5305122	8	<0.001	0.008
40296	E5305123	12	<0.001	0.012
40297	E5305124	13	<0.001	0.013
40298 Dup	E5305124	10	<0.001	0.010
40299	E5305125	359	0.010	0.359
40300	E5305126	163	0.005	0.163
40301	E5305127	156	0.005	0.156
40302	E5305128	13	<0.001	0.013
40303	E5305129	42	0.001	0.042
40304	E5305130	4613	0.135	4.613
40305	E5305131	60	0.002	0.060
40306	E5305132	111	0.003	0.111
40307	E5305133	99	0.003	0.099
40308	E5305134	<2	<0.001	<0.002
40309 Dup	E5305134	46	0.001	0.046
40310	E5305135	59	0.002	0.059
40311	E5305136	18	<0.001	0.018
40312	E5305137	41	0.001	0.041
40313	E5305138	41	0.001	0.041
40314	E5305139	74	0.002	0.074
40315	E5305140	1416	0.041	1.416
40316	E5305141	138	0.004	0.138
40317	E5305142	68	0.002	0.068
40318	E5305143	29	<0.001	0.029
40319	E5305144	75	0.002	0.075
40320 Dup	E5305144	92	0.003	0.092
40321	E5305145	73	0.002	0.073
40322	E5305146	9	<0.001	0.009
40323	E5305147	21	<0.001	0.021
40324	E5305148	36	0.001	0.036

PROCEDURE CODES: ALP1, ALFA3

 Certified By:  Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, December 24, 2010

Certificate of AnalysisTrue Claim Exploration
96 Hagaman Cr.
St. Thomas, On, N5RPh#: (705) 598-2030
Email: johncavtera@sympatico.ca, bkomar@sympatico.ca

Date Received: 12/14/2010

Date Completed: 12/24/2010


Job #: 201010340

Reference:

Sample #: 169

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40325	E5305149	41	0.001	0.041
40326	E5305150	4	<0.001	0.004
40327	E5305151	52	0.002	0.052
40328	E5305152	37	0.001	0.037
40329	E5305153	25	<0.001	0.025

PROCEDURE CODES: ALP1, ALFA3

Certified By: 
Derek Demianuk H Bsc., Laboratory ManagerThe results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Monday, March 14, 2011

Certificate of Analysis

 Trueclaim Exploration
 One London Place, 255 Queens Avenue
 London, On,
 N6A 5R8
 Ph#: (519) 913-9008
 Fax#: (888) 686-1405
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 12/20/2010
 Date Completed: 01/03/2011
 Job #: 201010343
 Reference:
 Sample #: 33

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40337	E5305154	13	<0.001	0.013
40338	E5305155	94	0.003	0.094
40339	E5305156	19	<0.001	0.019
40340	E5305157	26	<0.001	0.026
40341	E5305158	146	0.004	0.146
40342	E5305159	129	0.004	0.129
40343	E5305160	523	0.015	0.523
40344	E5305161	2906	0.085	2.906
40345	E5305162	5201	0.152	5.201
40346	E5305163	1731	0.050	1.731
40347 Dup	E5305163	1763	0.051	1.763
40348	E5305164	2283	0.067	2.283
40349	E5305165	698	0.020	0.698
40350	E5305166	108	0.003	0.108
40351	E5305167	22	<0.001	0.022
40352	E5305168	24	<0.001	0.024
40353	E5305169	14	<0.001	0.014
40354	E5305170	21	<0.001	0.021
40355	E5305171	24	<0.001	0.024
40356	E5305172	17	<0.001	0.017
40357	E5305173	24	<0.001	0.024
40358 Dup	E5305173	18	<0.001	0.018
40359	E5305174	24	<0.001	0.024
40360	E5305175	37	0.001	0.037
40361	E5305176	19	<0.001	0.019
40362	E5305177	53	0.002	0.053
40363	E5305178	28	<0.001	0.028
40364	E5305179	19	<0.001	0.019
40365	E5305180	5361	0.156	5.361
40366	E5305181	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA3

 Certified By: *P. Boucher*

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Monday, March 14, 2011

Certificate of Analysis

Trueclaim Exploration
One London Place, 255 Queens Avenue
London, On,
N6A 5R8
Ph#: (519) 913-9008
Fax#: (888) 686-1405
Email: cartera@sympatico.ca, bkomar@sympatico.ca

Date Received: 12/20/2010
Date Completed: 01/03/2011
Job #: 201010343
Reference:
Sample #: 33

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
40367	E5305182	23	<0.001	0.023
40368	E5305183	27	<0.001	0.027
40369 Dup	E5305183	25	<0.001	0.025
40370	E5305184	18	<0.001	0.018
40371	E5305185	15	<0.001	0.015
40372	E5305186	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA3

Certified By: *P. Boucher*

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140009

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 219

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
326	5304766	4	9.75	139	304	2	2	1.45	<4	9	66	92	2.46	2.38	28	1.42	<100	32	<0.01	96	447	49	<5	<5	<10	88	2050	12	83	<10	8	53
1846	5304767	2	10.87	47	243	2	<1	2.76	<4	15	92	74	2.17	2.30	24	1.93	<100	32	0.31	60	470	50	<5	<5	11	94	2504	11	94	<10	18	47
1847	5304768	1	11.61	27	310	3	4	2.39	<4	<1	88	9	1.67	2.27	26	1.73	<100	31	<0.01	22	591	50	5	<5	12	101	2419	16	87	<10	12	62
1848	5304769	1	10.17	22	228	2	2	2.58	<4	<1	77	7	1.02	2.00	21	1.20	<100	36	0.96	15	580	24	<5	<5	10	95	2012	6	60	<10	11	49
1849	5304770	2	8.97	21	665	<2	2	2.19	<4	<1	25	50	3.22	1.93	29	0.87	551	39	<0.01	17	595	30	<5	6	<10	253	2326	9	88	<10	9	79
1850	5304771	3	11.77	37	239	3	<1	3.03	<4	<1	125	11	1.60	1.96	23	1.85	<100	33	1.34	28	700	42	<5	<5	<10	99	3523	15	111	<10	18	49
1851	5304772	<1	9.36	103	234	2	3	2.24	<4	14	82	225	3.05	2.00	24	1.72	<100	40	0.27	187	838	40	<5	19	<10	83	1788	10	87	<10	11	135
1852	5304773	2	9.26	169	244	2	1	2.56	<4	16	82	87	3.46	1.79	24	1.53	100	36	0.01	117	813	37	<5	<5	<10	87	1985	7	86	<10	13	43
1853	5304774	1	9.53	128	246	2	3	1.97	<4	<1	83	22	2.22	1.90	23	1.34	<100	37	0.60	53	793	25	<5	<5	<10	82	1940	6	89	<10	11	43
1854	5304775	1	9.93	367	233	2	<1	1.32	<4	<1	88	100	3.60	2.04	22	1.61	<100	41	0.12	180	887	41	<5	<5	<10	76	2084	10	109	<10	12	39
1855D	5304775	1	11.28	387	221	2	3	1.41	<4	16	94	106	3.90	2.20	22	2.00	<100	31	0.95	183	995	52	<5	<5	<10	77	2139	19	113	<10	16	43
1856	5304776	1	11.22	43	287	2	<1	1.79	<4	<1	120	61	2.31	2.27	26	1.98	<100	30	1.04	76	767	37	5	<5	10	91	3097	9	128	<10	15	40
1857	5304777	2	14.38	29	297	3	1	3.06	<4	<1	163	7	1.91	2.96	28	2.51	<100	33	2.94	39	490	58	<5	<5	11	117	4728	24	181	<10	19	43
1858	5304778	3	11.73	25	229	3	1	2.97	<4	<1	130	5	1.51	2.28	22	2.24	<100	29	1.56	34	474	41	<5	<5	10	94	3829	23	123	<10	18	38
1859	5304779	4	11.42	27	308	3	3	2.33	<4	<1	131	7	1.77	2.24	27	2.18	<100	28	0.94	36	507	36	<5	<5	<10	86	3820	21	151	<10	15	39
1860	5304780	2	11.63	4488	605	3	<1	6.05	<4	<1	127	146	9.98	2.26	31	2.81	3081	61	<0.01	78	1810	140	9	<5	<10	281	3657	25	158	<10	18	100
1861	5304781	2	11.31	668	241	2	4	2.58	<4	<1	89	145	3.38	2.02	23	2.12	109	31	0.82	156	927	54	<5	<5	<10	93	1946	11	119	<10	14	40
1862	5304782	3	10.57	44	210	2	<1	3.19	<4	<1	95	19	1.38	1.93	23	1.83	<100	26	0.63	24	436	31	<5	<5	<10	85	2839	19	84	<10	15	39
1863	5304783	2	9.93	24	301	2	2	2.63	<4	<1	104	7	1.86	1.95	28	1.94	117	32	0.89	28	400	28	<5	<5	<10	90	2764	17	113	<10	11	43
1864	5304784	<1	9.80	27	250	2	2	3.00	<4	<1	73	66	1.41	1.87	23	1.21	119	30	1.10	35	581	27	<5	<5	<10	102	1731	9	74	<10	9	54

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140009
 Reference:
 Sample #: 219

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1865	5304785	1	9.39	24	232	2	1	2.84	<4	<1	66	64	1.09	2.13	22	0.99	114	29	0.78	21	367	21	<5	<5	<10	96	1281	14	52	<10	8	47
1866D	5304785	1	9.73	24	236	2	3	2.89	<4	<1	67	67	1.11	2.03	23	1.00	115	33	0.66	26	410	23	<5	<5	<10	97	1281	15	53	<10	8	75
1867	5304786	2	11.39	53	221	2	1	3.16	<4	<1	93	79	1.79	2.14	23	1.80	120	34	1.10	58	703	37	<5	<5	<10	107	1842	15	104	<10	17	65
1868	5304787	2	12.05	41	255	2	3	3.23	<4	<1	124	395	2.08	2.44	26	2.66	134	32	1.25	65	932	51	<5	<5	<10	97	1734	15	131	<10	20	68
1869	5304788	2	11.25	37	244	2	3	4.57	<4	<1	83	44	1.77	2.23	24	2.16	202	31	0.46	55	702	43	5	<5	14	109	1448	13	100	<10	19	64
1870	5304789	<1	10.95	38	217	2	3	3.19	<4	<1	85	52	1.37	2.08	22	2.11	122	31	0.98	44	764	30	<5	<5	10	102	1516	19	92	<10	14	49
1871	5304790	4	10.62	30	762	2	<1	2.31	<4	<1	40	605	3.70	2.18	30	1.09	578	43	<0.01	21	697	109	5	<5	<10	256	2088	14	112	29	11	134
1872	5304791	1	11.11	34	267	2	2	2.94	<4	<1	108	86	1.56	2.24	27	2.29	116	29	1.13	43	960	34	<5	<5	<10	100	2755	24	143	<10	22	37
1873	5304792	2	8.53	939	81	2	4	3.29	<4	31	56	592	12.46	1.78	22	1.20	187	70	<0.01	1511	582	128	6	<5	10	81	1182	9	71	<10	15	37
1874	5304793	3	10.42	39	181	3	1	4.23	<4	<1	61	82	1.59	1.96	21	2.02	165	36	0.64	74	546	33	<5	<5	<10	100	1109	15	76	<10	17	43
1875	5304794	2	11.94	6	213	<2	3	5.84	<4	<1	99	18	1.45	2.28	25	2.39	227	35	1.42	16	344	50	<5	<5	<10	125	1527	29	105	<10	20	44
1876	5304795	1	10.25	22	209	2	3	2.43	<4	<1	64	155	0.87	2.00	20	0.94	<100	32	1.38	17	549	26	<5	<5	<10	95	1381	14	69	<10	10	45
1877D	5304795	1	9.88	20	205	2	<1	2.36	<4	<1	60	145	0.82	2.11	21	0.93	<100	35	1.03	15	482	23	<5	<5	<10	89	1312	9	65	<10	10	44
1878	5304796	3	11.20	274	226	2	<1	6.58	<4	<1	82	492	6.14	2.22	26	2.48	277	49	0.83	203	676	106	<5	<5	<10	146	1842	28	131	<10	20	44
1879	5304797	1	9.95	347	186	2	1	3.94	<4	<1	77	683	2.98	2.24	21	1.89	146	37	0.13	233	768	51	5	<5	<10	102	1767	18	99	<10	16	43
1880	5304798	2	11.21	30	251	2	<1	5.19	<4	<1	86	81	1.72	2.07	24	1.71	164	32	0.93	59	435	112	<5	<5	<10	123	2543	22	106	<10	17	118
1881	5304799	2	12.68	131	280	2	2	5.55	<4	<1	73	66	1.88	2.32	27	1.81	185	31	<0.01	181	564	72	5	<5	<10	125	1948	14	90	<10	17	74
1882	5304800	3	9.20	20	661	3	<1	1.28	<4	<1	13	2	1.17	1.94	42	0.68	160	33	<0.01	18	806	18	<5	<5	<10	166	1212	7	22	<10	9	45
1883	5304801	3	10.70	28	249	2	1	3.26	<4	<1	93	51	1.20	2.20	23	1.65	106	30	0.91	63	817	35	<5	<5	<10	110	2326	17	100	<10	16	37
1884	5304802	1	10.21	24	258	2	2	3.38	<4	<1	84	205	2.24	2.09	25	1.65	134	34	0.40	302	663	53	<5	<5	<10	100	1891	18	101	<10	14	50

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140009
 Reference:
 Sample #: 219

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1885	5304803	2	10.43	25	285	2	2	2.57	<4	<1	85	47	0.94	2.08	22	1.05	<100	31	1.29	28	661	25	<5	<5	12	111	1819	18	61	<10	10	56
1886	5304804	<1	10.93	30	281	2	2	2.89	<4	<1	80	104	1.64	2.19	23	1.25	<100	33	1.14	41	624	41	<5	<5	11	116	1787	13	66	<10	12	43
1887	5304805	1	11.60	28	279	2	2	2.77	<4	<1	101	52	1.47	2.17	26	1.91	<100	31	1.54	49	593	49	<5	<5	11	99	2539	19	112	<10	15	44
1888D	5304805	1	11.23	22	294	2	3	2.75	<4	<1	106	53	1.48	2.17	26	1.78	<100	31	0.30	49	571	47	<5	<5	14	101	2660	16	114	<10	13	45
1889	5304806	2	11.14	29	231	2	<1	2.71	<4	<1	92	139	1.73	2.22	24	2.16	<100	25	0.94	86	636	42	5	<5	12	93	2734	25	111	<10	18	40
1890	5304807	1	10.72	20	236	2	<1	2.18	<4	<1	95	17	0.98	2.10	22	1.47	<100	32	0.80	20	635	27	<5	<5	<10	95	2660	13	94	<10	12	40
1891	5304808	2	9.37	18	265	2	<1	2.39	<4	<1	81	6	0.78	2.37	20	1.14	<100	31	0.57	14	452	21	6	<5	<10	100	2413	18	65	<10	9	38
1892	5304809	3	9.63	50	255	2	2	2.86	<4	<1	64	15	1.08	2.23	23	0.95	<100	34	<0.01	24	611	22	<5	<5	<10	94	2221	12	63	<10	10	39
1893	5304810	4	10.63	32	1115	2	<1	3.40	<4	<1	46	4763	4.77	2.14	37	1.10	783	54	<0.01	41	890	98	14	<5	<10	288	1794	7	131	<10	9	163
1894	5304811	1	10.87	18	286	2	1	2.05	<4	<1	94	4	1.14	2.04	24	1.27	<100	25	0.51	15	573	22	<5	<5	10	99	2600	14	83	<10	10	41
1895	5304812	1	10.85	25	263	2	1	2.15	<4	<1	93	2	1.14	2.24	22	1.46	<100	26	1.40	18	475	23	<5	<5	11	100	2867	19	83	<10	11	40
1896	5304813	4	12.11	16	414	3	3	2.14	<4	<1	120	7	2.04	2.15	32	2.24	<100	19	1.67	36	641	39	<5	<5	<10	97	3663	23	130	<10	15	36
1897	5304814	1	11.68	14	315	3	3	2.10	<4	<1	102	7	1.69	2.17	29	2.17	<100	32	1.35	36	477	32	<5	<5	10	90	3010	16	100	<10	13	42
1898	5304815	2	10.61	36	264	2	<1	2.57	<4	16	79	807	1.74	2.05	23	1.31	<100	31	0.66	52	665	42	<5	<5	<10	94	2203	13	78	<10	10	41
1899D	5304815	1	10.18	41	220	2	<1	2.58	<4	15	79	831	1.75	2.09	21	1.38	<100	29	1.29	53	593	32	<5	<5	15	89	2152	8	78	<10	12	44
1900	5304816	2	10.07	12	270	2	2	2.45	<4	<1	109	23	1.07	2.21	24	1.23	<100	27	<0.01	21	647	23	<5	<5	<10	93	3460	12	115	<10	11	39
1901	5304817	2	9.36	21	308	2	<1	2.83	<4	<1	106	4	1.15	2.21	24	1.00	<100	25	<0.01	24	1209	16	<5	<5	<10	87	3114	12	102	<10	11	39
1902	5304818	<1	9.71	31	241	2	<1	2.32	<4	31	72	154	3.82	1.86	21	1.64	<100	30	<0.01	177	590	51	<5	<5	<10	71	2311	8	98	<10	12	33
1903	5304819	2	11.05	26	284	2	<1	3.25	<4	16	70	587	2.54	2.15	25	1.74	<100	29	<0.01	54	579	46	<5	<5	<10	89	2379	12	107	<10	13	42
1904	5304820	2	10.02	21	741	2	<1	2.26	<4	<1	25	52	3.21	1.82	32	0.84	542	36	<0.01	13	748	42	6	<5	<10	255	2397	11	90	<10	8	59

PROCEDURE CODES: ALM1, ALMA1

 Certified By: 
 Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140009
 Reference:
 Sample #: 219

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1905	5304821	2	12.56	25	265	3	1	2.91	<4	<1	96	70	1.86	2.22	25	1.82	<100	32	1.57	33	530	50	6	<5	10	89	2946	14	102	<10	16	45
1906	5304822	2	11.08	81	257	3	<1	6.54	<4	53	50	138	5.84	2.11	30	3.24	172	46	1.38	161	4046	101	<5	<5	10	99	1902	26	182	<10	25	48
1907	5304823	2	11.30	77	275	2	2	7.77	<4	21	63	117	4.00	2.27	25	1.71	151	33	0.67	82	702	71	<5	<5	13	112	1901	17	134	<10	22	37
1908	5304824	3	10.27	31	276	2	<1	5.07	<4	<1	62	211	3.47	2.02	22	1.63	107	34	0.59	61	874	46	<5	<5	10	91	1895	15	128	<10	18	38
1909	5304825	3	11.41	33	385	2	2	5.24	<4	72	70	70	4.57	2.17	26	1.69	124	35	0.90	62	1021	71	<5	<5	10	100	2241	28	139	<10	16	40
1910R	5304825	2	11.06	34	351	2	1	5.33	<4	67	70	79	4.79	2.14	25	1.67	124	35	0.56	85	1110	72	<5	<5	15	99	2198	15	134	<10	16	40
1911	5304826	3	11.59	26	384	2	<1	6.02	<4	<1	96	115	4.21	2.34	25	1.90	189	34	1.62	161	767	81	6	<5	12	119	2932	19	187	<10	18	56
1912	5304827	2	12.99	27	370	3	<1	11.17	<4	52	75	41	5.63	2.55	30	2.19	282	45	0.39	43	980	121	<5	<5	14	183	2432	21	321	<10	18	56
1913	5304828	3	12.76	23	408	3	1	11.95	<4	<1	50	16	14.29	2.62	30	1.84	474	75	1.35	39	426	186	5	<5	<10	205	1786	13	273	<10	13	50
1914	5304829	4	6.56	19	301	2	1	19.67	<4	<1	36	1	2.78	2.15	27	1.23	431	44	1.14	17	342	35	<5	<5	10	283	1419	9	53	<10	6	42
1915	5304830	Insufficient Sample																														
1916	5304831	2	11.45	25	438	4	2	8.09	<4	<1	54	37	16.24	2.47	30	1.46	357	79	0.61	60	542	196	7	<5	14	153	1908	11	183	12	11	48
1917	5304832	3	10.08	24	356	4	4	7.03	<4	<1	69	24	15.25	2.64	26	1.38	352	76	1.35	45	561	165	6	<5	<10	140	2168	16	178	<10	11	47
1918	5304833	2	7.08	22	256	2	1	18.50	<4	<1	42	2	1.99	2.00	22	0.99	330	39	0.44	15	367	28	<5	<5	<10	237	1454	21	44	<10	7	41
1919	5304834	3	6.89	19	317	<2	<1	20.32	<4	<1	32	4	2.01	2.53	25	0.85	348	36	0.52	13	415	26	<5	<5	<10	233	1325	17	40	<10	7	39
1920	5304835	2	8.47	13	375	4	2	5.91	<4	26	59	63	14.71	2.28	25	1.03	303	73	1.11	57	521	145	7	<5	<10	118	1603	13	239	<10	9	35
1921D	5304835	<1	8.52	10	344	4	2	5.81	<4	<1	58	64	14.14	2.43	22	1.11	291	66	0.51	56	564	131	6	<5	13	111	1490	8	223	<10	9	35
1922	5304836	3	9.01	18	257	4	3	11.93	<4	10	47	7	14.85	2.46	21	0.81	364	77	1.30	30	514	141	6	<5	12	163	1549	7	128	<10	9	31
1923	5304837	3	8.07	21	284	2	<1	19.40	<4	<1	36	2	1.82	2.40	24	0.88	398	35	0.56	12	345	36	<5	<5	<10	223	1436	35	41	<10	8	38
1924	5304838	4	8.87	25	206	<2	<1	22.93	<4	<1	38	<1	2.38	1.99	21	1.16	457	34	0.18	16	469	41	<5	<5	<10	192	1532	15	44	<10	12	33

PROCEDURE CODES: ALM1, ALMA1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

True Claim Exploration
96 Hagaman Cr.
St. Thomas, On, N5R

Date Received: 01/06/2011
Date Completed: 01/20/2011
Job #: 201140009
Reference:
Sample #: 219

Ph#: (705) 598-2030
Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1925	5304839	4	11.70	14	233	2	2	16.94	<4	10	61	3	7.35	2.34	23	1.62	396	49	2.04	33	1044	109	5	<5	<10	172	2204	10	78	<10	15	39
1926	5304840	Insufficient Sample																														
1927	5304841	2	10.86	18	263	3	3	10.12	<4	<1	74	8	6.48	2.25	23	1.45	250	45	2.45	31	523	87	<5	<5	<10	132	2600	8	93	<10	14	35
1928	5304842	<1	11.87	19	293	2	<1	13.49	<4	<1	69	4	3.35	2.24	25	1.51	263	32	2.40	27	567	72	<5	<5	<10	164	2486	18	74	<10	15	39
1929	5304843	2	10.96	21	350	3	2	9.55	<4	<1	82	9	4.35	2.29	28	1.63	213	37	1.84	38	636	75	<5	<5	11	141	2967	17	95	<10	13	36
1930	5304844	3	12.15	22	383	2	<1	13.15	<4	<1	71	8	3.55	2.67	29	1.58	260	34	1.85	32	642	83	<5	<5	11	181	2625	18	80	<10	15	38
1931	5304845	<1	11.57	25	584	3	1	7.72	<4	<1	87	10	4.42	2.62	34	1.81	196	30	1.81	40	615	80	<5	<5	<10	139	3023	12	95	<10	13	39
1932D	5304845	3	10.72	19	550	3	1	8.08	<4	<1	88	10	4.57	2.37	32	1.88	200	41	1.62	42	620	69	5	<5	<10	135	3056	20	100	<10	13	40
1933	5304846	2	10.43	16	492	3	1	6.61	<4	8	77	30	8.39	2.63	25	1.80	258	54	0.96	40	515	102	<5	<5	12	134	2665	24	163	<10	12	41
1934	5304847	3	8.31	16	345	6	4	5.04	<4	134	35	292	21.60	2.11	22	1.80	294	91	0.43	126	639	209	9	<5	12	113	1445	9	336	<10	9	41
1935	5304848	2	9.86	21	390	5	2	6.66	<4	31	55	133	15.07	2.49	26	1.52	287	75	0.52	48	428	171	6	<5	<10	140	1937	9	206	<10	10	40
1936	5304849	2	10.65	17	542	4	<1	6.85	<4	13	88	24	7.89	2.36	33	1.67	192	51	2.24	39	548	95	6	<5	12	131	3021	15	119	<10	12	33
1937	5304850	<1	8.05	18	323	<2	2	0.92	<4	<1	8	1	0.70	2.04	35	0.39	<100	30	0.63	10	226	10	<5	<5	<10	76	603	11	12	<10	6	37
1938	5304851	4	11.44	19	520	3	<1	6.72	<4	<1	88	11	4.44	2.27	31	1.50	181	34	1.67	31	365	75	<5	<5	11	138	2797	13	88	<10	11	35
1939	5304852	4	10.07	22	394	2	2	18.31	<4	<1	50	12	4.27	2.33	27	1.51	382	41	1.71	26	453	69	6	<5	<10	264	1812	17	58	<10	12	37
1940	5304853	1	13.45	28	499	3	1	14.75	<4	5	68	18	6.57	3.06	32	1.64	342	45	3.85	28	613	114	5	<5	16	253	2214	13	94	<10	13	40
1941	5304854	2	10.70	21	283	3	<1	4.98	<4	9	86	81	2.66	2.00	25	2.16	108	27	1.51	60	2347	47	<5	<5	<10	102	3291	13	158	<10	19	34
1942	5304855	3	10.24	16	212	2	<1	2.75	<4	<1	111	<1	1.37	2.40	19	1.72	<100	24	2.07	22	540	24	<5	<5	<10	85	3249	23	76	<10	14	35
1943D	5304855	4	10.37	15	213	2	<1	2.78	<4	<1	116	<1	1.40	2.43	19	1.74	<100	26	2.43	23	534	25	<5	<5	13	86	3321	16	78	<10	14	39
1944	5304856	4	10.58	15	307	2	<1	2.28	<4	<1	129	<1	1.74	2.60	28	1.85	<100	25	2.54	23	707	30	<5	<5	<10	88	3814	24	81	<10	13	34

PROCEDURE CODES: ALM1, ALMA1

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140009
 Reference:
 Sample #: 219

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1945	5304857	<1	9.63	13	282	2	2	1.83	<4	<1	70	1	1.11	2.08	24	1.13	<100	30	1.41	11	447	15	<5	<5	<10	82	2227	17	71	<10	8	36
1946	5304858	<1	9.67	18	288	2	2	2.09	<4	<1	92	<1	1.28	2.05	24	1.31	<100	25	1.43	18	484	21	<5	<5	<10	97	2944	15	86	<10	9	36
1947	5304859	2	9.26	14	255	2	2	2.08	<4	<1	72	<1	1.11	2.10	22	1.03	<100	26	1.74	14	438	18	<5	<5	<10	89	2220	14	69	<10	8	36
1948	5304860	3	11.28	24	1010	2	<1	3.57	<4	<1	45	4900	4.86	1.86	37	1.27	785	57	0.48	41	1017	104	12	<5	11	292	1667	9	129	<10	12	164
1949	5304861	<1	11.65	13	211	2	2	2.10	<4	<1	104	25	1.45	2.31	18	1.89	<100	27	1.18	23	557	29	<5	<5	<10	92	2815	24	84	<10	15	38
1950	5304862	2	12.13	22	254	2	3	2.06	<4	<1	110	<1	1.68	2.33	22	1.96	<100	30	2.49	29	610	35	<5	<5	11	99	2965	17	84	<10	16	37
1951	5304863	1	11.91	16	230	2	1	2.30	<4	<1	110	<1	1.63	1.97	20	2.18	<100	29	1.55	28	499	34	<5	<5	13	98	2972	23	93	<10	15	34
1952	5304864	3	11.75	16	339	2	3	1.87	<4	<1	117	<1	2.03	2.44	26	2.07	<100	32	1.20	33	578	31	<5	<5	<10	88	3344	11	131	<10	14	36
1953	5304865	<1	11.11	19	262	2	<1	2.13	<4	16	78	1	1.71	2.24	21	1.48	<100	30	1.44	23	776	24	<5	<5	<10	96	2337	13	85	<10	13	35
1954D	5304865	<1	9.08	15	223	<2	<1	1.81	<4	11	68	1	1.43	1.78	18	1.31	<100	27	1.48	18	577	17	<5	<5	<10	76	2187	14	70	<10	12	30
1955	5304866	<1	10.55	20	233	2	1	2.84	<4	<1	88	1	1.61	2.16	20	1.89	<100	31	1.33	24	797	23	5	<5	10	98	2643	15	99	<10	17	42
1956	5304867	<1	11.07	13	284	2	1	2.20	<4	<1	94	<1	1.56	2.08	24	1.64	<100	30	1.52	22	548	21	<5	<5	<10	94	2942	19	102	<10	11	33
1957	5304868	3	10.67	16	165	<2	2	4.47	<4	<1	85	<1	0.98	2.12	18	1.32	<100	26	1.08	8	624	19	<5	<5	<10	90	2585	17	68	<10	15	34
1958	5304869	2	11.46	17	171	2	<1	3.69	<4	<1	117	<1	1.54	2.26	18	2.02	<100	24	1.42	14	313	29	5	<5	10	85	3320	13	81	<10	18	31
1959	5304870	1	10.45	18	650	2	1	2.34	<4	<1	26	52	3.41	2.23	28	1.04	572	38	<0.01	16	703	39	<5	<5	<10	265	2277	13	91	<10	13	53
1960	5304871	3	11.84	12	300	3	<1	2.74	<4	<1	137	<1	2.45	2.54	26	3.02	<100	31	1.09	35	582	49	<5	<5	<10	90	4047	23	138	<10	22	35
1961	5304872	2	11.58	21	215	2	2	3.75	<4	<1	103	<1	1.32	2.01	21	1.53	<100	26	1.28	19	624	30	5	<5	10	90	2912	18	73	<10	15	40
1962	5304873	2	14.92	31	267	3	3	6.85	<4	<1	128	2	2.06	2.89	28	2.99	144	26	4.57	34	790	65	6	<5	<10	129	3295	15	165	<10	23	49
1963	5304874	2	11.47	30	183	2	<1	6.13	<4	<1	94	<1	2.05	2.29	19	2.98	135	18	1.46	29	169	47	6	<5	<10	105	2456	19	155	<10	18	37
1964	5304875	2	11.68	14	198	2	1	6.27	<4	<1	97	<1	2.00	2.24	21	2.80	137	23	1.79	29	657	49	<5	<5	<10	109	2873	20	182	<10	21	40

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


True Claim Exploration
96 Hagaman Cr.
St. Thomas, On, N5R

Date Received: 01/06/2011
Date Completed: 01/20/2011
Job #: 201140009
Reference:
Sample #: 219

Ph#: (705) 598-2030
Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1965D	5304875	1	10.95	16	182	2	2	5.84	<4	<1	90	<1	1.89	2.17	19	2.67	127	22	1.40	27	582	40	<5	<5	11	103	2684	21	169	<10	19	34
1966	5304876	<1	10.67	21	202	<2	3	3.31	<4	<1	73	1	0.95	1.98	19	1.11	<100	27	1.72	10	593	21	<5	<5	<10	110	2356	14	82	<10	16	34
1967	5304877	2	10.38	16	200	2	1	5.37	<4	<1	67	<1	1.34	2.06	18	1.63	116	26	1.44	17	569	27	5	<5	<10	124	2615	17	101	<10	18	33
1968	5304878	<1	10.23	19	190	2	<1	5.21	<4	13	98	12	2.12	2.00	18	1.81	144	27	0.89	111	543	31	<5	<5	<10	105	2979	17	115	<10	17	35
1969	5304879	2	10.57	18	209	2	<1	3.06	<4	46	94	12	2.68	2.42	19	2.10	101	25	0.59	147	591	35	<5	<5	<10	81	3048	12	121	<10	17	39
1970	5304880	3	11.39	4493	554	2	2	5.93	<4	18	120	146	10.14	1.66	30	2.97	3118	57	<0.01	76	2110	132	9	<5	<10	262	2962	18	154	<10	19	97
1971	5304881	1	10.93	24	234	2	1	4.64	<4	<1	99	14	1.84	2.32	23	2.09	176	25	0.65	51	658	39	<5	<5	<10	102	3111	17	99	10	21	36
1972	5304882	4	14.38	29	293	3	2	4.79	<4	9	139	20	2.87	2.33	28	2.78	204	33	2.98	91	822	84	7	<5	13	117	3785	13	165	<10	30	40
1973	5304883	3	10.96	21	192	2	2	3.44	<4	28	79	46	2.12	2.03	19	1.70	150	27	0.64	91	633	36	5	<5	<10	92	2179	14	94	<10	16	36
1974	5304884	3	10.31	16	196	2	1	8.05	<4	<1	82	5	2.40	2.26	24	3.03	428	24	0.95	64	571	51	<5	<5	<10	134	1689	21	107	10	16	34
1975	5304885	2	10.70	19	730	2	1	7.23	<4	8	84	136	5.95	2.31	33	2.36	429	41	0.99	47	541	85	<5	<5	<10	136	2644	21	114	<10	11	35
1976R	5304885	1	11.02	22	737	2	<1	7.10	<4	8	78	132	5.89	2.15	33	2.32	421	39	1.40	46	638	87	<5	<5	11	137	2701	30	113	<10	12	38
1977	5304886	3	11.18	14	660	2	3	9.68	<4	8	78	544	4.97	2.33	32	2.06	446	39	1.29	316	533	92	<5	<5	<10	165	2630	20	99	<10	14	273
1978	5304887	4	10.28	14	271	2	2	22.65	<4	<1	46	3	2.13	2.31	29	2.32	407	23	2.34	21	480	67	<5	<5	<10	226	1661	31	49	<10	10	49
1979	5304888	4	12.16	19	230	<2	<1	21.75	<4	<1	63	14	2.70	2.36	25	1.45	327	33	1.96	24	508	74	5	<5	<10	240	2078	18	68	<10	13	37
1980	5304889	<1	10.25	19	239	2	1	22.33	<4	<1	55	6	2.11	2.21	26	1.30	353	32	2.15	20	499	54	6	<5	<10	225	1939	18	62	<10	11	38
1981	5304890	2	11.28	19	789	<2	2	2.58	<4	<1	39	608	3.73	2.09	31	1.09	583	41	0.68	18	767	114	<5	<5	<10	264	2187	8	116	31	11	91
1982	5304891	3	10.47	19	389	2	2	16.55	<4	<1	56	5	3.46	2.11	29	1.63	400	31	1.98	20	572	64	5	<5	11	196	2123	8	77	<10	12	40
1983	5304892	3	10.74	24	276	2	4	5.10	<4	28	72	76	4.27	2.17	22	2.09	154	28	1.52	57	1048	58	<5	<5	<10	93	2399	24	120	<10	15	31
1984	5304893	1	10.26	11	209	2	<1	4.05	<4	<1	81	24	2.64	2.11	20	1.72	118	29	1.60	30	543	33	<5	<5	<10	76	2548	17	90	<10	14	38

PROCEDURE CODES: ALM1, ALMA1

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140009
 Reference:
 Sample #: 219

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1985	5304894	1	10.05	20	218	2	<1	2.63	<4	<1	94	25	2.66	2.20	20	1.78	<100	28	1.35	34	734	28	<5	<5	<10	68	2781	18	99	<10	14	33
1986	5304895	<1	10.24	20	204	2	2	3.46	<4	4	88	39	3.34	2.16	19	2.39	100	28	0.85	42	2577	42	<5	<5	<10	66	3103	14	127	<10	21	32
1987D	5304895	2	10.00	17	202	2	2	3.33	<4	4	81	38	3.20	2.28	19	2.29	<100	33	0.51	40	2471	36	<5	<5	10	64	2929	12	122	<10	20	35
1988	5304896	2	10.57	18	274	2	2	2.38	<4	<1	103	27	2.92	2.41	22	2.10	<100	22	1.18	31	735	35	5	<5	<10	68	3282	16	121	<10	17	33
1989	5304897	2	10.82	15	235	2	<1	2.66	<4	8	98	80	3.28	2.17	20	2.03	<100	28	1.10	61	1032	37	<5	<5	<10	69	3148	12	113	<10	17	33
1990	5304898	1	11.00	21	204	2	3	2.58	<4	8	89	114	3.00	2.01	18	1.92	<100	31	1.10	65	646	38	<5	<5	<10	68	2916	9	96	<10	17	41
1991	5304899	1	10.90	15	247	2	2	2.46	<4	7	84	77	3.22	2.24	20	2.09	<100	30	0.83	73	1195	41	<5	<5	<10	66	2727	18	105	<10	16	35
1992	5304900	<1	7.68	11	287	<2	<1	0.75	<4	<1	17	2	0.67	1.57	33	0.41	<100	29	<0.01	8	357	4	<5	<5	<10	58	580	8	11	<10	8	34
1993	5304901	1	11.53	17	245	2	<1	2.45	<4	<1	87	44	2.71	2.27	21	2.07	<100	29	1.01	43	952	40	7	<5	10	70	2728	13	100	<10	17	36
1994	5304902	<1	11.52	18	237	2	2	3.35	<4	<1	96	38	2.96	1.92	22	2.30	108	28	0.94	39	1105	41	5	<5	<10	72	2800	15	100	<10	19	37
1995	5304903	2	11.41	22	253	2	1	3.41	<4	<1	104	12	3.42	2.25	25	2.68	123	30	1.12	42	803	50	5	<5	<10	76	3628	24	151	11	24	37
1996	5304904	1	11.29	12	231	2	<1	3.78	<4	<1	110	1	2.12	2.38	23	1.95	124	28	1.19	20	601	33	<5	<5	<10	85	3139	25	144	<10	15	36
1997	5304905	1	10.14	16	235	2	<1	2.43	<4	<1	92	61	2.31	2.32	21	1.79	<100	28	1.15	42	433	23	<5	<5	<10	75	2877	12	102	<10	13	36
1998D	5304905	2	10.62	16	255	2	<1	2.48	<4	<1	94	63	2.36	2.25	23	1.77	<100	29	1.78	42	494	29	<5	<5	<10	79	2928	19	104	<10	13	36
1999	5304906	4	10.84	20	285	2	2	2.13	<4	<1	107	7	2.56	2.58	23	2.25	<100	31	0.75	31	596	29	<5	<5	<10	67	3356	14	117	<10	17	31
2000	5304907	3	11.21	16	434	2	<1	1.17	<4	<1	119	8	3.12	2.25	29	2.02	<100	28	1.37	35	642	37	<5	<5	<10	67	3516	13	116	<10	12	33
2001	5304908	1	11.40	12	342	2	2	2.24	<4	<1	110	8	2.90	2.01	24	2.11	<100	23	1.35	23	578	35	5	<5	10	74	3518	10	126	<10	17	36
2002	5304909	3	12.19	17	402	2	<1	2.86	<4	<1	122	41	3.18	1.99	28	2.23	100	22	1.30	36	835	49	<5	<5	12	82	3761	14	162	<10	19	34
2003	5304910	5	13.39	23	930	2	<1	3.93	<4	<1	50	4805	5.30	1.71	36	1.55	846	57	<0.01	41	1189	118	5	<5	<10	306	1760	8	139	10	16	175
2004	5304911	2	11.51	15	215	2	<1	4.72	<4	5	84	63	3.31	1.69	20	2.77	147	26	1.11	50	557	53	6	<5	<10	88	3108	19	159	<10	19	33

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140009
 Reference:
 Sample #: 219

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2005	5304912	1	11.06	15	205	2	<1	3.33	<4	<1	81	6	2.22	2.11	19	2.30	104	26	0.68	20	395	33	<5	<5	<10	75	2798	23	122	<10	16	37
2006	5304913	2	12.13	18	266	2	<1	2.93	<4	<1	103	27	2.83	1.84	23	2.37	112	28	1.19	37	618	47	<5	<5	11	84	2944	23	120	<10	20	35
2007	5304914	1	11.00	24	236	2	2	3.20	<4	10	87	190	3.36	1.78	23	2.12	129	28	0.08	105	711	46	6	<5	<10	83	2467	28	111	<10	17	34
2008	5304915	<1	11.47	45	202	2	2	4.45	<4	23	78	210	3.37	1.84	23	2.57	177	33	0.94	135	1573	63	<5	<5	<10	92	2097	24	117	<10	18	37
2009D	5304915	<1	10.27	34	206	2	2	4.08	<4	19	75	196	3.13	2.17	22	2.30	165	29	0.73	128	1440	46	<5	<5	<10	86	1931	14	109	<10	16	32
2010	5304916	3	11.28	16	178	<2	2	2.44	<4	<1	64	2	0.66	2.07	18	0.77	<100	29	2.85	3	577	17	<5	<5	<10	72	1340	21	59	<10	7	38
2011	5304917	3	9.73	18	153	<2	<1	4.30	<4	<1	122	<1	1.12	2.17	19	1.50	162	31	0.52	10	1993	17	<5	<5	<10	79	2136	8	99	<10	12	37
2012	5304918	<1	9.17	17	245	2	3	3.28	<4	<1	79	2	1.00	1.95	24	0.85	121	28	2.48	9	2689	17	6	<5	<10	87	2180	10	77	<10	8	34
2013	5304919	2	9.18	19	230	2	<1	3.24	<4	<1	77	5	1.22	2.29	24	1.08	145	29	2.85	20	742	19	<5	<5	10	84	1419	8	70	<10	7	44
2014	5304920	2	11.14	18	697	2	3	2.39	<4	<1	25	46	3.26	2.18	32	0.99	550	29	1.38	14	705	47	<5	<5	<10	262	2327	13	89	<10	12	55
2015	5304921	<1	11.02	35	205	2	1	4.00	<4	<1	83	10	1.34	2.31	20	1.42	154	26	2.69	43	1271	28	<5	<5	<10	96	1657	19	76	<10	12	37
2016	5304922	3	12.00	28	290	2	1	3.76	<4	5	90	172	2.77	2.18	29	2.07	162	27	2.90	70	923	63	<5	<5	<10	107	2593	19	100	<10	16	37
2017	5304923	<1	11.93	24	360	3	3	2.38	<4	26	92	225	5.40	2.25	33	2.42	172	38	2.24	134	723	83	<5	<5	<10	90	2729	12	118	<10	15	39
2018	5304924	2	10.09	113	211	5	4	2.59	<4	227	39	879	12.32	2.03	34	2.83	213	55	0.15	616	1000	161	8	<5	<10	75	1556	3	147	<10	17	38
2019	5304925	2	11.04	79	305	3	4	3.17	<4	92	74	327	6.22	1.83	30	2.36	179	45	1.65	223	1033	79	<5	<5	<10	92	2299	7	114	<10	16	40
2020D	5304925	2	10.76	69	304	2	2	3.15	<4	91	77	324	6.25	1.67	30	2.33	179	42	1.61	222	938	74	<5	<5	<10	92	2327	12	114	<10	16	34
2021	5304926	2	10.48	19	213	2	2	4.27	<4	8	77	69	2.18	2.11	22	1.69	167	26	2.36	84	1281	33	<5	<5	10	104	2084	20	84	<10	14	37
2022	5304927	3	7.62	15	211	<2	<1	13.20	<4	<1	53	103	2.72	2.27	27	4.45	621	27	0.74	13	329	42	5	<5	<10	194	1407	40	52	<10	12	40
2023	5304928	1	8.53	18	213	<2	1	14.33	<4	<1	49	<1	3.63	2.47	31	4.68	754	29	0.26	9	587	60	<5	<5	<10	184	1430	25	52	<10	15	40
2024	5304929	1	7.50	14	214	<2	<1	15.59	<4	<1	47	<1	4.06	2.49	33	5.02	796	51	<0.01	12	370	59	<5	<5	<10	159	1444	20	66	<10	14	43

PROCEDURE CODES: ALM1, ALMA1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

True Claim Exploration
96 Hagaman Cr.
St. Thomas, On, N5R

Date Received: 01/06/2011
Date Completed: 01/20/2011
Job #: 201140009
Reference:
Sample #: 219

Ph#: (705) 598-2030
Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2025	5304930	7	12.09	4852	523	3	4	6.44	<4	20	132	154	10.88	1.56	31	3.21	3372	62	<0.01	82	2273	142	10	<5	<10	281	3394	17	167	<10	20	109
2026	5304931	2	12.35	30	215	<2	2	14.48	<4	<1	66	2	3.47	2.37	32	5.00	715	28	1.52	24	640	93	<5	<5	<10	200	1745	20	71	<10	16	39
2027	5304932	4	7.56	22	200	<2	1	20.06	<4	<1	39	<1	4.33	2.14	32	5.66	966	38	<0.01	15	460	68	5	<5	<10	269	1318	26	65	<10	15	41
2028	5304933	3	7.61	1000	206	2	3	17.44	<4	25	52	21	4.00	2.25	29	5.01	710	28	<0.01	515	701	61	5	<5	<10	238	1458	27	76	<10	18	52
2029	5304934	3	10.09	498	146	2	5	3.48	<4	231	42	606	8.99	1.66	25	2.33	161	50	0.30	651	946	97	5	<5	<10	84	1355	6	73	<10	16	37
2030	5304935	2	10.45	94	250	4	4	2.63	<4	265	42	673	12.94	2.07	34	3.17	191	55	0.11	761	1352	149	<5	<5	10	66	1527	10	114	<10	17	35
2031D	5304935	2	10.26	76	211	3	4	2.56	<4	249	43	658	12.56	2.14	33	3.09	185	58	0.05	734	1334	140	<5	<5	<10	66	1499	14	110	<10	17	35
2032	5304936	3	11.03	25	349	3	3	2.50	<4	32	65	424	7.55	1.98	31	2.37	134	43	1.35	498	934	95	5	<5	<10	83	2036	11	96	<10	15	33
2033	5304937	3	8.58	218	168	3	6	2.23	<4	311	21	836	13.11	1.91	25	2.07	155	67	<0.01	741	916	121	<5	<5	<10	63	970	9	75	<10	14	33
2034	5304938	4	8.42	680	137	3	7	2.72	<4	493	22	1183	14.74	1.99	25	1.70	151	69	<0.01	1619	591	136	6	<5	<10	72	775	10	72	10	11	33
2035	5304939	3	8.75	65	296	2	4	2.37	<4	182	24	794	8.51	2.06	27	1.85	114	46	0.13	496	842	86	5	<5	<10	69	1076	11	75	<10	12	38
2036	5304940	Insufficient Sample																														
2037	5304941	2	11.60	18	231	2	1	3.03	<4	<1	97	16	2.59	2.07	20	2.27	<100	29	1.24	39	631	41	<5	<5	10	97	2873	25	107	<10	17	40
2038	5304942	2	12.09	18	248	2	<1	3.84	<4	<1	105	16	2.43	2.22	23	1.98	104	31	2.10	47	755	47	6	<5	<10	106	3188	20	120	<10	18	37
2039	5304943	2	11.63	17	216	2	<1	3.28	<4	<1	111	2	2.21	1.99	21	2.03	<100	27	2.32	28	972	43	<5	<5	<10	89	3324	25	120	<10	18	39
2040	5304944	<1	11.83	12	244	2	2	4.16	<4	<1	106	7	2.45	1.85	22	2.10	114	23	2.48	38	1251	47	<5	<5	14	105	3440	15	132	<10	20	38
2041	5304945	2	10.60	15	236	2	2	3.07	<4	<1	98	2	2.35	2.05	20	2.23	<100	28	1.22	30	642	32	<5	<5	<10	90	2912	17	116	<10	16	35
2042R	5304945	<1	10.92	14	259	2	<1	2.91	<4	<1	98	3	2.27	1.96	22	2.00	<100	24	1.94	30	638	38	<5	<5	12	94	2967	17	113	<10	14	37
2043	5304946	5	11.13	19	457	3	3	1.63	<4	<1	108	8	3.04	2.14	29	2.00	<100	31	1.56	47	526	41	<5	<5	<10	92	3347	11	121	<10	11	53
2044	5304947	2	10.41	15	305	2	<1	2.08	<4	<1	82	1	2.05	1.85	22	1.67	<100	33	0.41	28	546	25	<5	<5	11	87	2440	12	89	<10	12	45

PROCEDURE CODES: ALM1, ALMA1

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


True Claim Exploration
96 Hagaman Cr.
St. Thomas, On, N5R

Date Received: 01/06/2011
Date Completed: 01/20/2011
Job #: 201140009
Reference:
Sample #: 219

Ph#: (705) 598-2030
Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2045	5304948	1	11.50	21	237	2	1	3.40	<4	<1	100	<1	1.98	2.04	21	1.96	100	24	1.69	30	476	38	<5	<5	13	93	2812	13	106	<10	16	40
2046	5304949	<1	11.98	19	204	2	3	4.00	<4	<1	81	<1	1.65	1.98	19	1.54	107	33	2.82	22	784	36	<5	<5	13	98	2947	20	114	<10	17	46
2047	5304950	1	7.44	22	257	<2	1	0.75	<4	<1	6	1	0.60	2.01	30	0.34	<100	32	<0.01	12	258	6	<5	<5	<10	57	506	9	8	<10	7	39
2048	5304951	2	11.83	19	257	2	3	2.38	<4	<1	103	<1	2.23	2.09	20	1.88	<100	32	1.84	32	667	38	<5	<5	<10	102	2887	15	92	<10	13	38
2049	5304952	2	11.42	20	213	2	<1	3.16	<4	<1	96	<1	2.31	2.22	19	2.03	<100	34	1.72	27	618	40	<5	<5	10	95	2962	10	108	<10	19	40
2050	5304953	2	11.13	19	196	2	2	5.22	<4	<1	93	1	2.66	2.18	18	2.43	134	31	1.35	44	701	48	<5	<5	13	114	3069	16	149	<10	23	40
2051	5304954	<1	10.85	19	169	2	1	3.73	<4	<1	86	<1	1.69	2.12	16	1.78	<100	32	0.92	21	361	24	<5	<5	<10	97	2680	13	98	<10	16	36
2052	5304955	<1	10.59	19	228	2	2	2.76	<4	<1	112	<1	2.28	2.21	19	2.05	<100	28	0.45	39	641	27	<5	<5	<10	82	3303	13	125	<10	18	39
2053D	5304955	4	10.79	22	243	2	2	2.72	<4	<1	108	<1	2.22	2.33	20	1.89	<100	33	1.25	37	588	27	6	<5	<10	86	3209	16	122	<10	17	39
2054	5304956	<1	10.66	12	238	2	<1	2.06	<4	51	86	5	2.17	2.05	19	1.50	<100	38	0.60	42	630	21	<5	<5	<10	82	2538	14	94	<10	15	36
2055	5304957	<1	8.94	13	325	2	2	2.41	<4	<1	103	<1	2.87	1.75	24	2.50	<100	31	<0.01	41	744	23	<5	<5	<10	66	2920	14	124	<10	17	37
2056	5304958	2	11.09	14	192	2	2	2.14	<4	<1	77	<1	1.21	2.03	17	1.25	<100	24	0.91	17	521	20	<5	<5	<10	77	2257	11	70	<10	16	39
2057	5304959	2	12.15	17	318	2	1	1.99	<4	<1	110	<1	2.76	2.29	26	2.52	<100	22	1.29	36	597	43	<5	<5	<10	89	3436	18	117	<10	16	36
2058	5304960	Insufficient Sample																														
2059	5304961	3	11.70	15	281	2	<1	2.79	<4	<1	98	<1	2.36	1.96	24	2.28	<100	26	2.14	29	564	35	7	<5	<10	87	3455	12	130	<10	15	44
2060	5304962	2	12.02	19	229	2	3	3.48	<4	<1	76	<1	1.61	2.02	21	1.58	<100	28	1.41	17	566	28	6	<5	<10	95	2439	16	82	<10	13	42
2061	5304963	<1	10.35	19	199	2	1	3.19	<4	<1	82	<1	1.76	1.93	18	1.91	<100	30	0.44	23	472	20	<5	<5	10	78	2690	25	102	10	16	36
2062	5304964	2	10.43	14	198	2	3	2.52	<4	<1	96	<1	1.99	2.07	18	2.03	<100	30	0.46	28	705	22	5	<5	13	81	3086	10	99	<10	18	38
2063	5304965	2	10.09	18	225	2	<1	3.05	<4	1	108	2	2.60	2.22	19	2.49	<100	27	0.67	43	558	29	<5	<5	11	80	3154	13	135	<10	18	39
2064D	5304965	3	9.86	18	205	2	1	3.08	<4	2	108	1	2.63	2.16	18	2.59	<100	34	0.15	45	557	24	<5	<5	<10	76	3207	21	138	<10	19	37

PROCEDURE CODES: ALM1, ALMA1

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R


 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140009

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 219

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
2065	5304966	3	9.15	21	162	2	3	3.32	<4	23	93	4	2.23	1.94	15	1.60	<100	35	<0.01	40	762	20	<5	<5	13	80	2639	10	97	<10	16	40
2066	5304967	<1	10.84	21	183	2	1	3.58	<4	27	93	3	2.38	2.24	18	1.87	<100	29	1.31	42	640	29	<5	<5	10	84	2408	16	116	<10	15	35
2067	5304968	1	11.57	17	285	3	2	2.12	<4	<1	100	6	1.94	2.25	23	1.72	<100	31	1.45	28	627	39	<5	<5	<10	86	2821	11	95	<10	16	43
2068	5304969	3	11.69	41	244	2	2	3.36	<4	<1	112	<1	2.52	2.30	22	2.52	<100	21	1.35	28	470	48	<5	<5	10	89	3665	16	137	<10	21	38
2069	5304970	Insufficient Sample																														
2070	5304971	3	10.69	24	185	2	<1	4.93	<4	<1	111	<1	2.40	2.12	18	2.71	124	30	0.42	29	566	43	<5	<5	<10	89	3202	16	149	10	19	37
2071	5304972	2	10.70	20	173	2	1	5.57	<4	<1	108	<1	2.09	2.13	17	2.36	132	27	0.85	23	304	39	<5	<5	10	93	3263	21	125	<10	18	37
2072	5304973	2	11.47	22	204	2	3	7.33	<4	<1	107	<1	2.06	2.26	20	2.20	162	23	2.30	19	288	49	<5	<5	<10	115	4140	16	121	<10	22	36
2073	5304974	3	11.58	17	236	2	2	4.92	<4	<1	132	<1	2.00	1.98	23	1.94	111	29	2.03	18	327	41	<5	<5	<10	120	4202	18	115	<10	18	43
2074	5304975	4	11.41	14	206	2	<1	3.33	<4	<1	133	<1	2.25	2.33	20	2.28	<100	27	1.74	23	260	41	<5	<5	<10	85	4062	22	92	<10	18	34
2075D	5304975	2	11.31	19	192	2	2	3.37	<4	<1	138	<1	2.29	2.28	19	2.37	<100	23	1.37	27	309	41	<5	<5	<10	82	4111	15	93	<10	19	39
2076	5304976	2	11.69	16	270	2	2	2.46	<4	<1	131	<1	3.17	2.39	26	2.59	<100	28	1.27	36	498	50	<5	<5	<10	86	4188	17	117	<10	19	35
2077	5304977	1	10.88	17	399	2	1	1.96	<4	<1	128	<1	3.11	2.60	32	2.22	<100	32	1.24	42	681	39	6	<5	12	75	3805	11	117	<10	14	37
2078	5304978	<1	10.37	19	174	2	1	1.86	<4	<1	122	<1	1.86	1.93	25	1.35	<100	29	2.15	27	814	23	<5	<5	<10	68	3475	15	80	<10	11	37
2079	5304979	4	10.42	20	166	2	1	2.47	<4	<1	112	40	2.33	2.23	22	1.68	<100	28	1.31	83	605	37	<5	<5	10	71	3345	4	113	<10	12	36
2080	5304980	Insufficient Sample																														
2081	5304981	1	9.53	18	128	2	1	3.58	<4	<1	78	19	1.94	2.28	19	1.34	112	26	1.55	72	686	26	<5	<5	10	88	2645	17	103	<10	11	38
2082	5304982	1	9.37	16	150	2	2	2.27	<4	<1	100	<1	1.68	2.10	21	1.16	<100	27	1.78	24	780	20	<5	<5	<10	84	2808	9	88	<10	11	41
2083	5304983	2	9.61	23	160	2	2	2.38	<4	<1	80	<1	1.63	1.99	22	1.13	<100	27	2.18	19	569	21	<5	<5	11	71	2698	5	84	<10	9	34
2084	5304984	2	9.33	31	131	2	2	2.47	<4	<1	78	2	1.35	1.80	21	0.98	<100	31	2.25	13	489	17	6	<5	<10	74	2303	14	67	<10	9	38

PROCEDURE CODES: ALM1, ALMA1

 Certified By: 
 Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R


 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140010

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 169

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1661	E5304985	2	10.89	20	331	2	26	1.21	<4	5	69	16	0.77	1.54	28	1.22	<100	6	0.55	31	379	7	6	29	<10	147	689	4	47	13	6	38
1662	E5304986	2	10.96	29	420	2	23	1.45	<4	5	92	52	0.71	1.76	29	1.22	<100	8	<0.01	53	430	4	6	32	<10	146	719	8	47	12	6	33
1663	E5304987	2	9.92	40	184	2	24	2.16	<4	2	54	3	0.47	1.65	24	1.09	144	8	<0.01	45	318	3	6	26	<10	110	439	6	27	11	7	28
1664	E5304988	3	9.74	60	235	2	24	1.62	<4	4	58	10	0.49	1.53	26	0.88	106	9	<0.01	63	273	2	7	24	<10	114	519	16	28	12	6	33
1665	E5304989	3	9.98	18	335	2	23	1.26	<4	3	79	7	0.69	1.48	31	1.01	<100	8	<0.01	50	371	6	6	25	<10	133	898	7	42	13	5	38
1666	E5304990	3	10.05	25	561	<2	27	2.04	<4	15	55	477	3.11	1.54	32	0.94	515	31	<0.01	40	564	60	7	21	<10	222	2310	9	102	36	9	124
1667	E5304991	2	9.87	19	312	2	22	1.54	<4	5	78	14	0.73	1.69	27	1.15	<100	7	<0.01	43	350	8	7	24	<10	144	868	10	41	12	6	37
1668	E5304992	2	10.71	19	324	2	22	1.66	<4	6	83	7	0.81	1.77	29	1.30	<100	9	<0.01	56	422	9	6	30	<10	147	858	12	46	14	7	36
1669	E5304993	2	10.63	21	729	3	26	1.19	<4	7	93	4	1.01	1.35	29	1.39	<100	7	<0.01	56	387	6	5	18	<10	117	751	8	59	12	7	35
1670	E5304994	2	10.13	17	317	2	21	0.89	<4	5	92	5	1.07	1.46	25	1.46	<100	7	0.52	51	421	6	6	17	<10	106	799	4	58	15	6	39
1671D	E5304994	2	10.62	19	309	2	16	0.91	<4	5	91	5	1.08	1.57	25	1.46	<100	7	1.05	49	419	4	7	28	<10	108	804	9	58	11	6	38
1672	E5304995	2	9.52	16	163	2	21	2.18	<4	1	63	5	0.81	1.34	23	1.07	217	8	0.17	22	366	9	6	20	<10	107	410	6	33	12	9	32
1673	E5304996	2	11.76	21	202	3	27	2.80	<4	3	98	19	1.49	1.58	29	1.83	373	11	0.74	32	521	11	6	25	<10	126	490	13	58	11	11	36
1674	E5304997	2	8.99	16	195	2	17	1.91	<4	1	76	4	0.75	1.47	24	0.84	148	8	1.69	32	382	8	7	19	<10	117	433	8	34	15	7	35
1675	E5304998	2	10.28	14	186	2	22	1.93	<4	1	80	2	0.66	1.36	25	0.82	157	10	<0.01	25	394	7	5	27	<10	121	450	9	35	12	8	35
1676	E5304999	2	9.98	13	186	3	23	1.92	<4	2	87	3	0.70	1.48	25	0.94	141	8	<0.01	34	317	4	6	20	<10	118	475	8	40	11	9	34
1677	E5305000	3	8.19	13	145	<2	20	1.05	<4	2	36	2	0.50	1.39	32	0.44	<100	10	<0.01	42	162	6	6	23	<10	83	628	8	9	13	6	42
1678	E5305001	2	9.95	21	236	3	24	1.81	<4	4	75	3	0.75	1.50	27	1.36	155	9	<0.01	39	299	5	6	28	<10	121	671	6	47	13	8	36
1679	E5305002	2	9.16	14	221	2	18	1.27	<4	2	62	2	0.68	1.32	24	0.85	<100	7	<0.01	36	335	5	5	27	<10	114	652	11	37	11	7	34
1680	E5305003	2	8.43	12	170	2	20	1.30	<4	2	64	6	1.06	1.25	22	0.84	103	6	<0.01	28	296	4	5	25	<10	106	542	6	31	13	6	41

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R


 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140010

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 169

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1681	E5305004	2	10.21	18	212	3	26	1.05	<4	14	91	534	3.86	1.35	26	1.44	118	7	<0.01	37	478	7	<5	22	<10	107	681	6	48	15	8	46
1682D	E5305004	1	9.80	16	198	3	20	0.94	<4	16	92	557	4.00	1.57	23	1.41	117	6	0.55	36	492	9	7	26	<10	103	600	8	49	14	9	45
1683	E5305005	2	11.50	17	400	3	23	1.09	<4	4	91	57	2.23	1.80	25	1.21	114	7	1.35	36	428	4	7	36	<10	105	676	5	62	16	10	40
1684	E5305006	2	10.87	13	187	2	26	1.19	<4	5	91	53	2.35	1.48	25	1.04	112	7	<0.01	24	473	6	5	25	<10	100	848	6	42	14	7	44
1685	E5305007	2	11.46	20	189	2	25	1.94	<4	3	98	8	1.02	1.62	25	1.00	160	9	0.94	28	446	8	6	20	<10	125	524	4	43	11	10	36
1686	E5305008	2	10.25	18	290	2	21	1.23	<4	2	52	4	0.73	1.59	26	1.04	<100	7	0.71	35	255	6	7	24	<10	135	648	2	31	14	7	36
1687	E5305009	1	9.76	15	274	2	21	0.92	<4	5	78	3	0.84	1.55	24	1.28	<100	6	1.75	31	367	4	5	20	<10	120	682	6	41	14	6	37
1688	E5305010	4	9.51	48	891	<2	22	3.14	4	18	73	4122	4.38	1.46	33	1.18	742	48	2.21	67	783	44	8	19	<10	269	1760	12	119	17	12	218
1689	E5305011	2	10.43	91	297	3	24	2.04	<4	16	93	79	1.58	1.71	30	1.58	129	7	3.34	111	494	9	7	28	<10	150	782	6	54	16	9	40
1690	E5305012	2	9.97	22	238	2	24	1.95	<4	8	74	15	0.89	1.54	26	1.56	171	7	4.75	33	414	10	6	29	<10	146	503	12	45	11	10	36
1691	E5305013	1	9.34	14	239	2	19	1.07	<4	5	74	4	0.92	1.42	27	1.30	<100	6	3.01	30	299	5	6	17	<10	116	570	7	50	14	6	34
1692	E5305014	1	9.43	16	249	3	22	1.41	<4	6	106	21	1.31	1.58	24	1.60	<100	5	3.72	44	422	5	6	22	<10	106	683	11	81	12	11	31
1693D	E5305014	2	9.76	15	278	4	22	1.54	<4	7	113	22	1.34	1.67	30	1.54	<100	7	2.28	47	452	7	7	16	<10	116	799	6	86	11	10	35
1694	E5305015	1	8.92	12	213	2	18	1.86	<4	9	90	20	1.00	1.60	25	1.40	<100	6	1.64	41	463	11	5	24	<10	131	1348	12	65	14	9	31
1695	E5305016	2	9.90	14	252	2	19	1.82	<4	7	83	14	1.05	1.63	28	1.43	<100	6	2.27	35	420	7	<5	18	<10	139	969	6	51	12	9	31
1696	E5305017	2	10.48	17	304	3	22	1.50	<4	18	106	12	1.74	1.82	28	2.16	<100	4	2.51	52	500	2	<5	23	<10	135	2625	5	81	13	16	39
1697	E5305018	2	10.75	17	307	3	23	1.72	<4	20	109	16	1.72	1.77	30	1.94	<100	6	<0.01	57	484	2	6	23	<10	142	2627	6	78	13	13	34
1698	E5305019	2	10.43	22	321	3	21	1.61	<4	26	120	20	1.88	1.62	29	1.93	<100	6	<0.01	73	519	8	6	20	<10	129	2785	9	83	12	12	40
1699	E5305020	2	9.15	12	509	<2	20	2.04	<4	11	41	42	2.82	1.55	34	0.88	508	9	<0.01	35	478	9	6	19	<10	231	2384	4	81	13	10	74
1700	E5305021	1	9.96	12	196	2	24	2.97	<4	14	116	17	1.60	1.49	22	2.09	100	5	2.62	50	484	3	6	25	<10	127	2451	10	77	13	19	38

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140010

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 169

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1701	E5305022	2	9.69	16	229	2	20	2.48	<4	15	122	25	1.76	1.49	27	1.82	<100	5	2.60	59	504	13	5	24	<10	118	2937	4	93	13	13	52
1702	E5305023	1	10.25	13	199	2	23	3.82	<4	16	117	25	1.81	1.76	27	2.04	128	4	4.30	56	500	10	8	28	<10	136	2847	10	94	16	19	33
1703	E5305024	2	10.82	15	254	2	23	2.45	<4	13	122	23	1.78	1.75	28	1.87	<100	6	4.81	61	491	10	6	25	<10	119	2701	9	110	16	14	44
1704D	E5305024	2	10.12	15	238	2	24	2.27	<4	13	113	21	1.64	1.78	28	1.70	<100	6	4.68	59	455	11	8	28	<10	112	2472	17	101	16	12	42
1705	E5305025	2	10.55	14	169	3	23	4.79	<4	6	106	8	0.96	1.86	30	1.21	152	6	4.35	32	432	5	6	35	<10	141	2264	9	79	12	20	28
1706	E5305026	1	10.04	11	217	2	19	2.48	<4	7	93	9	1.27	1.88	25	1.76	<100	6	4.96	33	414	8	7	30	<10	112	1622	12	74	13	13	30
1707	E5305027	2	9.63	12	203	2	24	2.23	<4	8	100	11	1.13	1.98	27	1.63	<100	7	2.68	43	548	7	7	26	<10	118	1873	10	64	14	11	31
1708	E5305028	1	9.00	14	209	2	23	1.93	<4	7	98	11	1.09	1.56	23	1.42	<100	6	3.54	38	350	3	6	27	<10	112	1960	4	85	13	10	31
1709	E5305029	2	9.82	16	201	2	23	2.87	<4	11	111	12	1.39	1.70	28	2.03	101	6	<0.01	47	465	6	7	29	<10	128	2597	11	111	13	16	29
1710	E5305030	3	13.51	2062	475	<2	31	5.34	5	35	142	118	8.67	1.75	38	2.62	2701	8	<0.01	96	1596	13	8	23	<10	272	4968	16	145	15	20	129
1711	E5305031	2	9.14	29	179	2	22	1.82	<4	7	66	10	0.91	1.41	27	1.26	<100	6	<0.01	31	313	9	5	26	<10	110	1048	9	46	13	9	37
1712	E5305032	1	9.32	11	165	2	22	1.99	<4	5	94	8	1.06	1.53	21	1.64	<100	6	3.24	34	417	9	9	26	<10	102	941	19	57	18	13	34
1713	E5305033	2	9.19	12	208	2	21	1.33	<4	8	88	14	1.23	1.49	25	1.32	<100	6	2.99	54	409	11	5	34	<10	93	1384	7	53	15	9	42
1714	E5305034	2	9.64	11	237	2	20	1.63	<4	8	95	18	1.24	1.60	26	1.48	<100	6	4.14	51	455	12	7	29	<10	111	1292	10	67	14	9	37
1715D	E5305034	2	10.35	11	249	2	21	1.70	<4	9	102	19	1.34	1.82	27	1.61	<100	6	4.96	55	477	8	5	23	<10	116	1347	8	70	13	11	34
1716	E5305035	2	11.71	13	193	2	25	5.98	<4	9	107	12	1.66	2.17	30	3.10	257	7	5.38	42	508	7	7	27	<10	170	1348	14	70	11	26	26
1717	E5305036	2	9.57	12	209	2	20	2.19	<4	10	106	18	1.24	1.83	28	1.47	<100	6	4.87	47	486	7	7	28	<10	121	1875	14	75	14	12	35
1718	E5305037	2	8.83	14	141	2	20	2.53	<4	22	93	85	2.00	1.64	23	1.43	107	7	4.03	137	390	12	<5	22	<10	113	1287	13	65	12	14	36
1719	E5305038	1	8.23	14	176	2	18	2.42	<4	8	90	16	1.00	1.66	23	1.26	<100	5	2.59	38	394	8	6	17	<10	121	1744	7	56	14	9	32
1720	E5305039	2	9.06	10	220	2	17	2.24	<4	15	122	42	1.64	1.74	26	1.65	<100	8	2.61	52	452	9	7	26	<10	108	2937	12	102	13	13	43

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R


 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140010

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 169

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1721	E5305040	2	9.03	26	609	<2	21	2.09	<4	14	57	513	3.36	1.58	32	0.96	552	35	1.17	34	592	76	6	28	<10	240	2224	5	108	39	10	133
1722	E5305041	2	9.76	12	229	3	24	2.70	<4	14	115	24	1.68	1.71	30	1.67	115	7	<0.01	59	515	14	6	25	<10	120	3022	13	99	14	11	53
1723	E5305042	2	8.92	15	242	2	16	2.28	<4	13	109	127	1.42	1.48	28	1.27	<100	6	<0.01	265	450	19	<5	28	<10	112	2529	10	95	14	9	68
1724	E5305043	1	9.12	13	179	2	22	2.10	<4	14	108	35	1.55	1.52	22	1.58	<100	5	2.91	74	548	8	6	27	<10	98	2496	8	79	13	15	44
1725	E5305044	2	9.23	14	173	2	22	2.70	<4	15	107	14	1.29	1.51	26	1.26	<100	6	3.44	49	446	8	7	20	<10	114	2418	10	72	14	12	37
1726R	E5305044	2	9.34	16	173	2	15	2.71	<4	15	106	13	1.27	1.56	25	1.27	<100	6	4.08	45	442	8	7	27	<10	114	2460	9	73	12	12	35
1727	E5305045	2	10.55	11	202	2	25	2.85	<4	13	119	20	1.71	1.88	28	1.83	104	6	5.31	52	402	8	6	34	<10	118	3052	9	96	15	15	31
1728	E5305046	2	10.36	18	202	2	21	3.05	<4	26	122	53	2.04	1.92	27	1.80	107	6	5.05	97	526	9	6	31	<10	118	2830	10	99	14	18	39
1729	E5305047	2	9.73	13	196	2	19	3.82	<4	11	101	29	1.15	1.75	27	1.44	122	5	4.74	32	428	2	5	26	<10	138	2617	8	76	13	14	27
1730	E5305048	1	9.11	13	171	2	20	2.69	<4	10	105	22	1.21	1.65	22	1.30	<100	5	3.74	43	449	7	6	26	<10	116	2442	10	73	14	12	32
1731	E5305049	1	8.77	12	245	2	20	2.74	<4	12	99	37	1.39	1.63	24	1.36	<100	6	3.13	42	456	6	5	29	<10	115	2322	6	88	13	11	30
1732	E5305050	2	6.40	14	97	<2	16	0.74	<4	<1	38	2	0.58	1.37	30	0.32	<100	9	0.95	44	122	6	5	19	<10	56	484	4	8	13	6	34
1733	E5305051	2	11.44	14	155	2	31	5.01	<4	17	117	47	1.89	2.03	29	2.46	142	7	0.88	71	483	8	8	35	<10	134	2617	13	91	18	20	32
1734	E5305052	2	9.17	10	174	<2	17	2.05	<4	56	57	34	3.86	1.58	26	1.36	<100	7	<0.01	311	250	10	7	22	<10	101	1198	7	42	14	8	42
1735	E5305053	2	9.77	15	203	2	22	2.23	<4	2	44	4	0.53	1.56	27	0.64	<100	8	<0.01	36	200	6	7	29	<10	106	958	12	24	15	7	34
1736	E5305054	1	9.66	13	193	2	20	3.23	<4	13	118	30	1.91	1.69	25	1.77	100	5	2.75	66	509	5	8	22	<10	114	2852	8	96	14	14	32
1737D	E5305054	1	9.59	13	191	2	18	3.18	<4	13	118	31	1.88	1.65	23	1.78	<100	4	3.54	64	517	6	6	32	<10	112	2830	7	96	15	14	33
1738	E5305055	2	10.36	16	150	2	21	3.79	<4	17	126	22	1.73	1.65	25	1.66	105	6	4.38	64	524	10	5	33	<10	124	3076	15	98	16	15	32
1739	E5305056	2	10.18	11	143	2	23	3.59	<4	17	126	24	1.68	2.03	24	1.64	101	5	4.86	55	505	6	7	26	<10	123	3032	10	95	13	15	33
1740	E5305057	2	10.20	12	193	2	19	2.92	<4	11	125	32	1.74	1.89	27	1.74	<100	5	5.13	55	522	6	9	26	<10	110	3056	18	100	14	13	33

PROCEDURE CODES: ALM1, ALMA1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140010
 Reference:
 Sample #: 169

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1741	E5305058	2	10.72	16	167	2	23	6.99	<4	26	104	347	3.94	1.84	30	2.66	191	5	3.72	141	357	11	7	32	<10	148	1761	16	104	17	20	31
1742	E5305059	2	9.03	15	203	2	23	2.80	<4	6	64	46	1.07	1.66	25	0.99	<100	7	4.49	46	431	8	7	23	<10	116	1239	9	44	13	9	31
1743	E5305060	4	10.21	51	942	<2	27	3.30	4	18	67	4217	4.58	1.74	36	1.26	770	53	2.84	70	828	50	8	29	<10	288	1833	10	127	19	12	226
1744	E5305061	2	8.97	11	159	2	21	4.13	<4	24	82	210	4.17	1.70	27	1.66	147	7	0.18	225	594	14	7	15	<10	111	1902	10	88	15	14	44
1745	E5305062	2	9.02	12	143	2	28	3.59	<4	30	57	163	4.17	1.79	27	0.84	124	6	1.61	247	271	13	7	25	<10	108	1019	9	50	15	11	74
1746	E5305063	2	11.52	17	222	3	29	6.88	<4	16	99	22	3.24	1.54	34	3.25	203	6	0.35	58	440	10	7	21	<10	150	2312	23	115	15	24	32
1747	E5305064	2	10.84	15	166	2	26	5.18	<4	15	93	15	2.41	1.53	27	2.50	145	5	3.39	46	458	5	<5	22	<10	135	2483	11	90	12	19	30
1748D	E5305064	1	10.97	12	161	2	25	5.37	<4	16	96	15	2.52	1.54	26	2.73	148	5	3.42	45	470	6	<5	17	<10	135	2483	9	92	14	20	28
1749	E5305065	1	11.05	11	163	2	24	3.43	<4	10	125	23	1.81	1.65	24	2.15	100	5	5.06	58	434	8	7	17	<10	118	3134	4	99	11	18	31
1750	E5305066	1	9.08	10	119	2	22	3.10	<4	11	103	42	1.62	1.51	23	1.55	<100	6	4.08	49	467	4	7	24	<10	102	2524	15	84	13	14	28
1751	E5305067	2	9.49	11	156	2	22	3.13	<4	13	107	50	1.72	1.81	25	1.43	<100	5	4.48	58	480	5	7	31	<10	105	2648	2	84	12	13	31
1752	E5305068	1	9.80	10	173	2	21	2.54	<4	9	99	37	1.38	1.69	23	1.37	<100	5	4.92	43	508	10	5	20	<10	114	2326	10	65	15	15	31
1753	E5305069	1	9.49	18	129	2	21	2.74	<4	20	114	33	1.61	1.69	23	1.49	<100	6	5.21	49	569	8	6	22	<10	112	2649	10	81	16	16	32
1754	E5305070	3	10.69	21	547	2	28	2.24	<4	12	46	167	3.05	1.47	38	0.96	542	10	<0.01	282	515	16	9	21	<10	245	2665	6	87	17	10	310
1755	E5305071	2	11.32	15	237	3	23	2.37	<4	13	132	47	1.85	1.58	34	1.74	<100	7	2.58	73	510	7	7	31	<10	117	3418	13	111	14	13	61
1756	E5305072	3	11.79	15	220	3	23	2.88	<4	17	136	32	1.84	1.66	34	1.66	108	8	3.57	72	513	10	<5	29	<10	136	3231	9	103	12	13	40
1757	E5305073	2	11.10	16	300	3	20	2.06	<4	16	122	23	1.90	1.57	34	1.58	<100	7	5.45	62	463	1	6	32	<10	125	3175	11	95	14	13	38
1758	E5305074	4	12.76	14	232	3	28	2.69	<4	10	121	33	1.70	1.63	46	1.53	109	10	6.52	54	514	11	5	26	<10	133	3098	9	84	14	12	47
1759D	E5305074	2	11.06	18	174	3	24	2.96	<4	9	140	39	1.96	1.78	30	1.80	104	8	7.48	43	577	10	6	26	<10	124	3219	6	96	14	17	37
1760	E5305075	1	11.42	15	121	2	28	2.83	<4	8	124	36	1.86	1.75	20	2.44	<100	7	4.44	46	516	5	6	29	<10	103	2953	10	96	15	27	30

PROCEDURE CODES: ALM1, ALMA1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

Date Received: 01/06/2011

Date Completed: 01/20/2011

Job #: 201140010


Reference:

Sample #: 169

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1761	E5305076	1	10.18	16	105	2	19	2.97	<4	17	122	17	1.56	1.83	20	1.69	<100	6	5.10	42	543	6	7	28	<10	106	2901	15	78	14	23	29
1762	E5305077	<1	10.43	13	135	2	24	2.97	<4	17	131	2	1.64	2.01	19	1.77	<100	6	4.39	52	436	2	8	30	<10	103	3163	5	92	13	18	30
1763	E5305078	1	10.33	12	260	2	21	3.24	<4	24	131	2	2.52	1.65	25	2.04	108	5	4.48	49	476	3	6	23	<10	113	3385	7	115	11	20	31
1764	E5305079	1	10.53	11	623	3	25	1.23	<4	24	135	<1	3.81	1.63	36	2.19	<100	4	3.51	65	525	5	7	21	<10	93	3806	17	137	15	13	44
1765	E5305080	3	12.70	2215	485	<2	31	5.59	5	39	151	124	9.22	1.61	37	2.76	2870	7	<0.01	99	1690	14	8	14	<10	280	4679	18	152	17	20	133
1766	E5305081	2	11.66	33	680	3	26	1.27	<4	15	138	2	3.97	1.62	41	2.17	117	5	1.77	66	540	5	6	29	<10	113	3651	16	124	13	12	39
1767	E5305082	2	12.55	12	687	3	29	1.67	<4	12	135	<1	3.91	1.64	44	2.34	101	5	2.11	72	531	13	5	34	<10	125	3821	15	126	14	11	45
1768	E5305083	2	11.65	21	127	2	21	4.23	<4	2	43	2	1.22	1.63	32	2.06	439	6	4.83	18	175	7	6	31	<10	115	592	20	29	17	9	29
1769	E5305084	2	11.81	14	126	2	19	3.84	<4	2	35	3	0.96	1.59	31	1.67	313	6	4.36	19	109	5	6	25	<10	112	561	19	23	14	8	26
1770D	E5305084	2	10.68	15	108	<2	27	3.70	<4	3	34	3	0.91	1.70	28	1.60	309	7	4.90	23	<100	3	6	25	<10	104	475	11	22	14	8	24
1771	E5305085	1	11.26	16	80	<2	21	5.26	<4	3	42	2	1.54	2.12	25	2.89	505	6	4.86	21	<100	4	6	23	<10	99	431	18	30	11	18	25
1772	E5305086	1	10.45	20	74	<2	20	4.62	<4	63	46	7	1.84	1.87	24	2.86	432	5	3.90	54	159	6	6	20	<10	90	496	9	31	14	18	84
1773	E5305087	1	9.70	18	86	2	24	4.53	<4	15	52	5	1.38	1.61	25	2.34	388	5	3.36	33	230	4	6	19	<10	109	581	11	38	14	33	27
1774	E5305088	<1	9.89	19	91	2	19	4.13	<4	4	63	5	1.13	2.00	23	2.34	311	4	2.33	26	227	5	6	23	<10	108	759	15	42	13	15	26
1775	E5305089	1	8.98	19	108	3	17	1.87	<4	4	70	7	0.54	1.58	24	0.98	<100	7	3.80	40	394	5	5	20	<10	114	648	12	44	17	7	28
1776	E5305090	2	8.57	24	550	<2	18	1.93	<4	13	52	469	3.09	1.54	26	0.93	503	31	1.36	31	542	64	7	15	<10	223	1902	11	97	35	10	121
1777	E5305091	<1	10.40	17	92	2	20	7.67	<4	4	67	5	2.15	1.52	24	3.71	627	5	2.83	37	295	9	8	28	<10	148	754	11	51	14	49	27
1778	E5305092	2	9.92	15	139	2	25	3.09	<4	2	50	3	0.76	1.53	32	1.29	200	8	<0.01	42	402	8	5	28	<10	118	817	4	30	17	10	28
1779	E5305093	2	10.34	22	149	2	23	4.61	<4	8	43	3	1.28	1.42	33	2.00	370	6	3.32	28	149	8	7	28	<10	133	754	11	31	14	15	29
1780	E5305094	2	10.21	20	133	2	22	3.19	<4	14	71	6	1.06	1.55	35	1.41	248	7	3.88	38	419	9	6	26	<10	119	1186	8	51	14	11	27

PROCEDURE CODES: ALM1, ALMA1

 Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

Date Received: 01/06/2011

Date Completed: 01/20/2011

Job #: 201140010


Reference:

Sample #: 169

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1781D	E5305094	2	11.75	23	146	3	20	3.59	<4	14	79	7	1.19	1.79	38	1.62	274	8	5.12	43	456	11	7	28	<10	133	1293	5	56	17	13	32
1782	E5305095	3	11.00	27	157	4	23	2.71	<4	10	90	37	1.01	1.68	36	1.46	204	9	4.27	55	498	12	5	26	<10	116	1365	11	64	18	9	38
1783	E5305096	1	11.30	25	129	3	24	2.28	<4	12	97	21	1.18	1.77	23	1.85	133	7	3.89	62	536	5	8	27	<10	106	1331	6	68	17	14	83
1784	E5305097	<1	9.97	18	118	2	20	2.11	<4	7	65	10	0.93	1.81	22	1.51	105	6	3.08	33	361	5	5	25	<10	118	943	7	39	13	10	38
1785	E5305098	<1	9.28	13	131	2	23	2.42	<4	4	52	5	0.91	1.59	23	1.46	147	6	4.14	34	286	1	6	26	<10	125	729	6	33	15	6	29
1786	E5305099	<1	9.02	18	124	<2	22	2.63	<4	6	43	4	1.36	1.68	28	1.72	221	5	2.79	30	280	5	5	23	<10	128	1327	8	36	13	9	32
1787	E5305100	1	7.41	12	104	<2	16	0.75	<4	<1	34	2	0.59	1.37	30	0.37	<100	9	1.46	40	136	6	5	22	<10	55	459	8	10	13	8	33
1788	E5305101	<1	8.80	13	122	<2	19	1.98	<4	6	111	1	0.66	1.64	20	0.95	160	6	3.38	28	248	4	<5	30	<10	109	2002	12	58	16	6	36
1789	E5305102	1	9.61	23	217	<2	20	3.40	<4	13	79	2	1.05	1.44	27	1.53	301	6	2.71	32	305	10	5	24	<10	140	1971	11	54	16	8	40
1790	E5305103	2	10.25	17	206	<2	19	3.16	<4	18	64	3	0.95	1.58	31	1.36	259	6	1.14	29	174	15	6	24	<10	140	1534	8	40	15	7	42
1791	E5305104	2	11.87	21	294	<2	24	5.53	<4	15	100	2	1.42	1.69	49	2.61	404	5	3.16	32	174	9	6	31	<10	179	1593	23	54	17	11	35
1792R	E5305104	2	12.13	19	336	<2	22	5.24	<4	11	106	2	1.38	1.43	52	2.29	391	7	4.14	30	201	12	5	29	<10	189	1760	8	56	20	11	35
1793	E5305105	2	11.35	15	250	<2	24	4.32	<4	4	58	2	0.98	1.65	43	1.83	323	6	6.18	19	222	10	6	28	<10	175	1098	19	35	14	9	33
1794	E5305106	2	10.69	22	160	2	20	3.68	<4	69	55	4	1.60	1.59	34	1.58	316	6	3.53	65	110	26	5	24	<10	128	1221	15	35	17	8	66
1795	E5305107	2	11.69	18	194	2	25	3.85	<4	7	56	2	1.06	1.77	40	1.71	340	7	<0.01	36	140	14	<5	35	<10	141	1246	24	35	16	9	42
1796	E5305108	<1	9.17	14	84	<2	20	3.84	<4	127	58	3	2.44	1.76	20	1.59	325	5	2.94	121	165	29	<5	26	<10	102	877	13	37	15	20	52
1797	E5305109	1	11.60	22	105	<2	20	4.19	<4	22	59	3	1.23	2.09	34	1.88	289	6	5.78	36	858	7	7	30	<10	121	883	10	36	17	11	30
1798	E5305110	4	11.27	53	979	<2	30	3.65	4	18	73	4755	5.05	1.80	36	1.44	845	54	3.20	76	901	48	10	17	<10	312	1785	5	135	18	15	244
1799	E5305111	2	12.84	18	381	<2	26	5.64	4	59	75	26	7.93	2.11	42	3.05	1122	6	4.29	76	1863	3	7	23	<10	345	11412	29	226	18	26	132
1800	E5305112	<1	10.10	15	108	2	23	4.03	<4	9	86	3	1.41	2.28	24	2.01	266	5	3.93	41	400	3	7	26	<10	141	1537	7	60	15	12	30

PROCEDURE CODES: ALM1, ALMA1

 Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R


 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140010

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Reference:
 Sample #: 169

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1801	E5305113	1	10.80	20	124	2	20	4.01	<4	14	43	2	1.01	1.82	30	1.63	319	7	3.62	35	162	14	6	28	<10	120	934	19	32	15	9	33
1802	E5305114	2	9.62	21	148	2	25	3.75	<4	10	58	2	1.15	1.53	34	1.44	324	9	2.64	39	220	15	7	22	<10	112	1275	9	44	17	10	32
1803D	E5305114	2	10.09	26	199	2	21	3.83	<4	12	62	2	1.17	1.49	34	1.49	335	9	2.82	27	226	11	7	19	<10	115	1340	17	46	19	10	34
1804	E5305115	3	11.29	10	244	3	24	1.81	<4	23	151	3	2.14	1.63	33	1.92	168	8	4.23	101	538	6	6	27	<10	131	3915	9	172	21	11	45
1805	E5305116	2	11.96	16	190	2	18	2.31	<4	30	109	3	1.89	1.77	32	1.53	160	9	6.70	65	516	11	5	26	<10	113	2389	11	85	18	9	39
1806	E5305117	2	11.37	24	230	2	25	4.37	<4	39	71	3	1.40	1.79	35	1.65	309	10	3.06	46	366	8	6	23	<10	133	1163	20	40	18	8	32
1807	E5305118	1	11.78	23	207	2	24	4.44	<4	16	70	2	1.14	2.04	30	1.84	306	8	7.29	32	501	12	8	27	<10	141	1115	8	38	15	9	35
1808	E5305119	1	10.84	20	173	<2	20	3.76	<4	14	49	2	1.04	1.85	24	1.63	300	7	6.03	31	437	21	6	30	<10	164	1041	12	33	13	8	38
1809	E5305120	1	9.58	12	530	<2	23	2.12	<4	10	41	44	3.10	1.49	25	1.00	538	8	1.70	27	508	8	7	13	<10	251	2164	11	83	14	13	78
1810	E5305121	<1	8.65	14	143	<2	19	3.06	<4	3	42	1	0.80	1.71	19	1.30	244	6	3.77	25	235	12	8	33	<10	125	701	12	27	15	5	34
1811	E5305122	1	9.99	18	181	<2	22	4.21	<4	10	45	2	1.08	1.88	25	1.73	309	6	4.73	31	618	13	8	33	<10	139	822	16	29	13	8	35
1812	E5305123	<1	9.24	13	92	2	20	3.41	<4	8	62	6	0.99	1.61	20	1.54	245	7	3.81	34	335	14	6	27	<10	102	1304	7	42	16	12	43
1813	E5305124	1	9.63	19	199	2	22	4.55	<4	6	69	6	1.34	1.49	26	1.96	400	6	4.59	33	304	26	7	26	<10	149	1383	11	44	25	12	59
1814D	E5305124	2	10.40	17	244	2	25	4.41	<4	7	68	6	1.32	1.57	32	1.79	398	8	4.43	48	309	27	5	25	<10	154	1504	13	45	25	11	60
1815	E5305125	2	9.03	15	143	2	20	3.37	<4	14	72	7	1.20	1.46	26	1.44	274	7	2.11	36	359	10	7	23	<10	111	1852	13	54	15	9	46
1816	E5305126	2	9.73	100	149	2	23	4.45	<4	81	85	13	1.32	1.35	27	1.48	305	8	0.14	50	385	10	5	32	<10	131	1945	11	68	20	16	30
1817	E5305127	2	9.92	44	209	2	21	4.08	<4	35	63	6	1.84	1.44	29	1.59	425	8	0.72	47	461	3	6	24	<10	149	2636	10	71	19	10	42
1818	E5305128	2	12.66	20	202	2	27	5.99	<4	9	65	12	1.75	1.78	35	2.17	513	10	2.64	38	559	17	6	21	<10	165	1736	9	52	19	13	40
1819	E5305129	2	11.36	19	190	<2	31	5.59	<4	18	74	7	2.41	1.89	32	2.45	613	6	6.43	40	533	7	5	34	<10	158	2724	26	72	16	12	45
1820	E5305130	3	13.14	2266	529	<2	30	5.70	4	40	154	131	9.48	1.30	32	2.85	2920	9	<0.01	115	1729	14	7	10	<10	282	4901	17	155	18	20	145

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

Date Received: 01/06/2011

Date Completed: 01/20/2011

Job #: 201140010

Reference:

Sample #: 169

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1821	E5305131	2	12.20	39	183	<2	24	5.50	<4	20	60	8	1.75	1.38	31	2.31	447	9	0.29	38	420	13	6	27	<10	141	1314	21	43	17	11	51
1822	E5305132	2	12.33	22	159	<2	27	4.77	<4	61	81	12	2.44	1.65	29	2.05	419	8	1.50	62	485	12	7	25	<10	124	1178	19	48	17	10	54
1823	E5305133	3	14.04	24	406	2	26	4.62	4	86	71	20	6.63	1.71	33	2.55	850	7	0.98	97	1558	13	7	28	<10	299	10198	25	199	17	20	102
1824	E5305134	2	14.11	26	351	2	24	5.03	<4	48	70	17	5.38	1.89	35	2.97	790	8	3.27	67	1282	13	<5	27	<10	258	7767	7	166	16	18	79
1825D	E5305134	2	13.96	25	334	2	33	4.72	<4	43	66	16	4.97	1.61	34	2.80	732	8	2.72	70	1182	8	5	36	<10	243	7149	20	153	16	17	77
1826	E5305135	2	17.12	19	606	<2	35	5.34	5	75	56	31	10.48	1.43	47	4.32	1396	6	1.10	78	2251	23	6	12	<10	452	14265	8	265	16	36	150
1827	E5305136	3	15.75	22	533	<2	35	5.09	4	64	60	25	8.60	1.66	43	3.64	1211	6	0.53	70	1789	7	6	20	<10	371	11856	11	217	18	27	138
1828	E5305137	2	10.40	23	207	<2	24	3.25	<4	24	55	13	3.20	1.42	27	1.82	479	9	<0.01	40	609	6	7	25	<10	141	3258	12	71	14	10	56
1829	E5305138	3	12.89	23	356	<2	35	4.01	<4	41	57	19	4.76	1.39	33	2.30	784	9	<0.01	69	1306	7	5	22	<10	237	8272	25	149	18	17	63
1830	E5305139	2	14.10	24	437	<2	29	5.24	<4	50	64	16	6.03	1.41	35	3.22	1054	7	<0.01	72	1628	7	9	25	<10	294	10690	10	197	19	23	64
1831	E5305140	4	11.94	26	544	2	34	2.49	<4	18	69	590	3.98	1.44	36	1.11	654	47	<0.01	50	706	81	9	21	<10	269	2874	9	129	46	10	154
1832	E5305141	2	13.99	24	483	<2	32	5.69	4	60	70	25	7.16	1.56	35	3.31	1153	8	0.12	83	1792	12	6	23	<10	324	12020	17	219	19	27	80
1833	E5305142	2	12.79	22	484	<2	27	5.58	<4	43	78	17	5.20	1.65	32	3.20	970	8	1.08	73	1461	5	6	23	<10	265	9839	25	183	20	24	60
1834	E5305143	2	10.78	27	152	<2	22	3.81	<4	11	66	10	1.67	1.76	25	1.79	316	8	0.12	32	358	10	7	26	<10	103	948	8	37	16	9	40
1835	E5305144	3	11.58	27	184	<2	24	1.42	<4	21	47	7	0.83	1.65	28	0.67	<100	11	1.75	42	328	9	6	30	<10	87	665	13	28	18	7	55
1836D	E5305144	2	9.44	25	130	<2	23	1.14	<4	20	40	7	0.74	1.46	22	0.53	<100	8	1.78	34	300	9	<5	21	<10	70	492	7	25	15	6	55
1837	E5305145	2	11.32	19	190	2	24	1.86	<4	8	45	4	1.18	1.68	26	1.02	192	9	<0.01	33	433	7	7	26	<10	121	1681	6	39	15	7	46
1838	E5305146	3	14.97	24	461	2	34	5.12	4	68	64	26	7.87	1.61	36	3.21	999	7	<0.01	80	2044	27	7	19	<10	371	13559	15	244	16	29	115
1839	E5305147	3	12.00	23	246	<2	29	3.06	<4	20	59	9	2.99	1.43	32	2.24	401	9	<0.01	48	741	10	8	29	<10	159	3790	11	77	14	13	56
1840	E5305148	2	10.05	21	182	<2	23	1.59	<4	13	47	7	1.05	1.44	24	0.80	144	9	<0.01	39	462	9	5	24	<10	103	1985	7	38	13	6	46

PROCEDURE CODES: ALM1, ALMA1

 Certified By: 
 Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140010
 Reference:
 Sample #: 169

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1841	E5305149	2	11.55	22	161	<2	28	3.88	<4	13	54	6	1.09	1.69	28	1.93	226	9	<0.01	33	297	6	5	29	<10	100	813	9	28	14	11	43
1842	E5305150	3	9.51	14	217	<2	24	1.11	<4	1	34	5	0.60	1.45	32	0.52	<100	11	<0.01	34	196	11	6	24	<10	80	702	11	9	17	7	41
1843	E5305151	3	10.90	41	180	<2	33	1.90	<4	11	49	4	0.76	1.50	26	0.85	109	10	<0.01	43	316	14	6	25	<10	86	579	6	17	16	7	153
1844	E5305152	2	12.04	35	153	<2	25	2.04	<4	8	43	5	0.66	1.70	26	0.75	118	9	0.83	30	347	14	8	33	<10	95	399	12	15	16	8	36
1845	E5305153	3	13.69	19	171	2	29	3.60	<4	7	38	7	0.95	1.83	28	1.55	280	10	<0.01	33	424	11	8	34	<10	114	473	9	18	18	8	32

PROCEDURE CODES: ALM1, ALMA1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis


 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

 Date Received: 01/06/2011
 Date Completed: 01/20/2011
 Job #: 201140011
 Reference:
 Sample #: 33

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
714	E5305154	2	10.10	18	192	2	<1	2.47	<4	<1	105	4	1.75	2.04	30	1.74	191	27	2.47	38	695	23	<5	<5	10	104	960	21	110	<10	7	43
1626	E5305155	1	10.96	20	116	2	3	4.34	<4	1	43	3	1.35	1.88	21	1.54	293	26	3.37	22	476	26	<5	<5	<10	84	336	9	41	<10	6	39
1627	E5305156	<1	10.41	17	145	2	2	2.87	<4	<1	73	2	1.38	1.97	25	1.53	199	29	2.10	23	572	21	<5	<5	<10	91	647	16	66	10	8	42
1628	E5305157	5	11.31	19	273	2	<1	3.24	<4	9	76	47	4.15	2.21	32	2.39	338	36	1.77	35	1279	66	5	<5	<10	169	4816	10	146	<10	14	45
1629	E5305158	1	10.67	25	120	<2	<1	0.77	<4	<1	71	20	4.10	2.11	21	0.83	<100	44	2.10	34	740	34	<5	<5	<10	59	1591	8	72	<10	6	39
1630	E5305159	1	11.68	21	107	2	4	0.73	<4	46	61	132	7.88	1.86	25	1.44	107	44	1.74	344	530	86	6	<5	<10	57	1039	7	129	<10	7	41
1631	E5305160	4	12.04	31	859	2	<1	3.58	<4	<1	44	4752	4.86	1.65	32	1.43	788	52	<0.01	40	1027	1795	<5	<5	<10	267	1515	9	128	12	15	164
1632	E5305161	2	11.54	19	79	2	4	0.70	<4	41	76	66	8.70	2.04	22	1.57	116	52	0.15	161	748	89	8	<5	<10	46	831	9	179	<10	9	39
1633	E5305162	<1	11.63	<2	62	3	4	0.70	<4	101	92	84	16.33	2.01	26	3.06	219	76	<0.01	371	1041	163	6	<5	<10	37	604	6	338	13	9	36
1634	E5305163	<1	10.78	14	79	2	4	0.71	<4	32	36	18	11.59	2.13	22	1.73	134	61	<0.01	131	687	103	<5	<5	<10	41	637	5	215	41	9	35
1635D	E5305163	<1	10.56	14	75	2	3	0.68	<4	31	35	17	11.67	2.11	21	1.66	132	57	<0.01	127	583	101	7	<5	<10	40	686	14	219	51	9	36
1636	E5305164	1	9.81	19	80	2	3	0.64	<4	33	64	27	6.05	1.94	18	0.64	<100	44	1.60	62	627	41	<5	<5	<10	43	1365	7	139	30	5	34
1637	E5305165	2	11.76	18	86	2	<1	0.75	<4	5	57	12	6.53	2.30	22	1.47	117	43	1.53	73	500	69	<5	<5	10	48	1864	6	131	24	8	35
1638	E5305166	2	11.27	21	126	2	<1	4.19	<4	1	85	4	2.05	1.99	22	1.88	342	26	1.95	29	596	36	<5	<5	<10	86	1450	18	96	<10	16	39
1639	E5305167	2	10.80	16	108	2	1	5.08	<4	3	68	2	1.69	2.13	20	2.19	378	27	0.97	28	508	29	<5	<5	<10	83	1306	21	72	<10	19	41
1640	E5305168	3	10.41	13	159	2	1	3.76	<4	7	100	3	2.01	1.99	22	2.21	227	23	0.61	35	637	25	5	<5	<10	78	1509	18	119	<10	17	35
1641	E5305169	<1	9.68	14	124	2	<1	2.86	<4	<1	77	4	1.32	2.03	21	1.47	254	27	1.93	23	641	16	<5	<5	<10	70	682	14	82	<10	10	39
1642	E5305170	2	9.61	18	565	<2	<1	2.27	<4	<1	23	47	3.22	1.85	31	0.88	558	33	0.83	12	734	29	<5	<5	<10	245	2335	8	90	<10	10	56
1643	E5305171	<1	10.97	17	129	2	2	3.92	<4	5	84	4	1.81	2.07	23	2.42	250	21	0.46	31	658	26	<5	<5	10	75	831	14	86	<10	17	36
1644	E5305172	2	10.99	17	157	3	3	4.07	<4	8	110	<1	2.13	2.06	27	2.63	206	24	1.18	36	688	32	<5	<5	<10	72	1361	16	119	<10	20	42

PROCEDURE CODES: ALM1, ALMA1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, January 20, 2011

Certificate of Analysis

 True Claim Exploration
 96 Hagaman Cr.
 St. Thomas, On, N5R

Date Received: 01/06/2011

Date Completed: 01/20/2011

Job #: 201140011

Reference:

Sample #: 33

 Ph#: (705) 598-2030
 Email: cartera@sympatico.ca, bkomar@sympatico.ca

Acc #	Client ID	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
1645	E5305173	2	11.30	22	152	2	<1	3.39	<4	9	88	1	1.81	1.97	24	2.07	133	25	1.04	31	721	27	<5	<5	<10	73	1358	23	94	<10	18	41
1646D	E5305173	2	10.77	12	160	3	1	3.41	<4	9	93	2	1.84	1.82	24	1.99	137	19	1.34	31	703	28	<5	<5	13	75	1402	24	95	<10	16	36
1647	E5305174	2	10.20	15	142	3	2	2.78	<4	<1	82	1	1.56	2.14	27	1.94	190	23	1.95	29	556	20	<5	<5	<10	74	746	12	96	<10	12	39
1648	E5305175	<1	9.80	24	81	2	2	3.03	<4	<1	27	1	0.68	2.05	17	0.83	166	30	1.55	9	598	12	<5	<5	<10	64	347	11	38	<10	9	38
1649	E5305176	<1	9.14	14	105	2	2	4.14	<4	<1	52	89	0.91	2.08	24	1.03	267	24	2.89	105	913	17	<5	<5	<10	75	503	8	53	<10	8	50
1650	E5305177	1	9.61	13	121	2	<1	4.93	<4	1	72	3	1.32	2.03	25	1.49	314	25	2.90	20	475	24	<5	<5	10	101	1316	25	80	<10	14	46
1651	E5305178	1	8.90	18	124	2	<1	4.08	<4	2	44	2	1.15	2.07	26	1.28	234	25	2.47	9	507	18	<5	<5	<10	95	800	13	41	<10	9	42
1652	E5305179	3	9.25	17	162	2	3	2.12	<4	<1	45	2	0.74	1.93	28	0.84	<100	23	2.71	11	519	20	<5	<5	<10	88	751	19	40	<10	5	47
1653	E5305180	4	12.01	4510	530	2	3	6.28	<4	22	134	145	10.22	2.02	35	2.79	3203	50	1.47	71	2142	140	7	<5	10	285	3939	10	165	11	18	103
1654	E5305181	2	8.98	14	136	2	<1	3.02	<4	<1	58	3	1.21	1.99	29	1.29	191	17	2.88	11	505	25	<5	<5	<10	85	1230	11	68	<10	7	51
1655	E5305182	2	9.65	17	109	2	2	3.44	<4	<1	39	2	0.99	1.85	22	1.39	195	23	2.09	6	419	19	<5	<5	<10	86	926	10	35	<10	8	43
1656	E5305183	3	9.28	13	121	3	1	3.35	<4	4	77	4	1.35	1.78	27	1.54	175	24	2.06	19	574	20	<5	<5	<10	94	1491	12	69	<10	10	41
1657D	E5305183	3	10.54	20	145	3	2	3.63	<4	5	82	5	1.46	2.02	31	1.50	190	24	4.05	19	613	33	5	<5	<10	105	1578	15	75	<10	11	46
1658	E5305184	2	9.54	12	262	3	3	1.96	<4	8	96	3	2.37	1.95	30	1.83	134	18	1.89	31	711	27	<5	<5	11	83	2754	14	112	<10	9	35
1659	E5305185	1	9.19	15	172	2	<1	2.75	<4	<1	89	9	1.52	1.76	26	1.11	140	23	2.64	22	707	16	<5	<5	10	95	2017	13	78	<10	9	37
1660	E5305186	<1	9.75	15	220	3	<1	2.64	<4	<1	102	37	2.34	1.86	40	1.60	150	24	1.95	30	718	28	<5	<5	<10	97	2685	16	113	<10	9	40

PROCEDURE CODES: ALM1, ALMA1

 Certified By: 
 Jason Moore, General Manager

 The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Appendix 8

Diamond Drillhole Lithologic Sections

TRM-10-12




Legend

	Argillite
	Breccia
	Brecciated quartzite
	Casing
	Episodic Limestone
	Fault
	Geoglyph Cryswade
	Porphyry Dyke
	Quartzite
	Quartz Breccia
	Quartz Vein
	Sheared Cryswade
	Shealed Limestone

Claim number: 4229046

TRM-10-12 Section 6 Section Looking West	
Azimuth: 180 Dip: -45	X and Y coordinates are expressed in NAD83 Elevation expressed in meters above sea level
Geology: Scale: 1:500	Approved By: Robert Komarek

TRM-10-13




Lithology Legend

	Argillite
	Breccia
	Brecciated quartzite
	Casing
	Espanola Limestone
	Fault
	Gowganda Greywacke
	Porphyry Dyke
	Quartzite
	Quartz Breccia
	Quartz Vein
	Sheared Greywacke
	Silicified Limestone















Claim number: 4229046

<p>TRM-10-13 Section 7 Section Looking East</p>	
<p>Azimuth: 180 Dip: -45</p>	<p>X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level</p>
<p>Geology Scale 1:500</p>	<p>Approved By: </p>
<p>Robert Kormreichka</p>	


TRM-10-14



Lithology Legend

	Argillite
	Breccia
	Precipitated quartzite
	Casing
	Espanola Limestone
	Fault
	Gowganda Greywacke
	Paraconglomerate
	Porphyry Dyke
	Quartzite
	Quartz Breccia
	Quartz Vein
	Sheared Greywacke
	Silicified Limestone

Claim number: 4229046




TRUECLAIM
EXPLORATION INC.


TRM-10-14
Section 8
Section Looking East

Azimuth: Vertical
Dip: -90

Geology X and Y coordinates are expressed in NAD83
Scale 1:600 Elevation expressed as meters above sea level

Approved By:  Robert Komarechka


TRM-10-15



Lithology Legend

	Argillite
	Breccia
	Brecciated quartzite
	Casing
	Espanola Limestone
	Fault
	Gowganda Greywacke
	Paraconglomerate
	Porphyry Dyke
	Quartzite
	Quartz Breccia
	Quartz Vein
	Sheared Greywacke
	Silicified Limestone

Claim number: 4229046




TRUECLAIM
EXPLORATION INC.


TRM-10-15
Section 9
Section Looking East

Azimuth: 180
Dip: -45

Geology X and Y coordinates are expressed in NAD83
Scale 1:600 Elevation expressed as meters above sea level

Approved By:  Robert Komarechka

TRM-10-16



290 Z
 285 Z
 280 Z
 275 Z
 270 Z
 265 Z
 260 Z
 255 Z
 250 Z
 245 Z
 240 Z
 235 Z
 230 Z
 5168010 N
 5168005 N
 5168000 N
 5167995 N
 5167990 N
 5167985 N
 5167980 N
 5167975 N
 5167970 N
 5167965 N
 5167960 N
 5167955 N
 5167950 N
 5167945 N
 5167940 N

Lithology Legend

	Agillite
	Breccia
	Brecciated quartzite
	Casing
	Esquima Limestone
	Fault
	Georgian Greywacke
	Paraconglomerate
	Porphyry Dyke
	Quartzite
	Quartz Breccia
	Quartz Vein
	Sheared Greywacke
	Siltified Limestone

Claim number: 4229046



TRUECLAIM
TECHNOLOGIES INC.

TRM-10-16
Section 10
Section Looking East


Azimuth: 80
 Dip: -45

Geology:
 Scale: 1:500

X and Y coordinates are expressed in NAD83
 Elevation expressed in meters above sea level



Approved By:  Robert Kumarachia

TRM-10-17




Lithology Legend	
	Casing
	Chert
	Dyke
	Gowganda Greywacke
	Nissiping Diabase
	Quartz vein








Claim number: 4226740

	
<p>TRM-10-17 Section 6 Section Looking North</p>	
<p>Geology</p>	<p>X and Y coordinates are expressed in NAD83</p>
<p>Scale 1:600</p>	<p>Elevation expressed as meters above sea level</p>
<p>Approved By: </p>	<p>Robert Komarechka</p>

TRM-10-18



Legend

	Quartz
	Chert
	Dyke
	Clay-rich Crystalline
	Mafic Dyke
	Pyroclastic
	Quartz vein

Claim number: 4226740



TRUECLAIM
PROPERTY SOFTWARE

TRM-10-18
Section 7
Section Looking North


Altitude: 200
Dip: -50

Geology
Scale: 1:800

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level



Approved By:  Robert Samardis

TRM-10-19




Lithology Legend	
	Casing
	Chert
	Dyke
	Gowganda Greywacke
	Nissiping Diabase
	Paraconglomerate
	Quartz vein

Claim number: 4226740



	
<p>TRM-10-19 Section 8 Section Looking West</p>	
<p>Azimuth: 180 Dip: -70</p>	
Geology	X and Y coordinates are expressed in NAD83
Scale 1:500	Elevation expressed as meters above sea level
Approved By: 	Robert Komarechka

TRM-10-20




Lithology Legend	
	Casing
	Chert
	Dyke
	Gowganda Greywacke
	Nissiping Diabase
	Quartz vein

Claim number: 4226740



	
<p>TRM-10-20 Section 9 Section Looking South</p>	
<p>Azimuth: Vertical Dip: -90</p>	
Geology	X and Y coordinates are expressed in NAD83
Scale 1:600	Elevation expressed as meters above sea level
Approved By: 	Robert Kemarechka

TRM-10-21




Claim number: 4226740

Lithology Legend	
	Casing
	Chert
	Dyke
	Gowganda Greywacke
	Nissiping Diabase
	Quartz vein

	
<p>TRM-10-21 Section 10 Section Looking North</p>	
<p>Azimuth: Vertical Dip: -90</p>	<p>X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level</p>
<p>Geology Scale 1:600</p>	
<p>Approved By: </p>	<p>Robert Komarechka</p>

TRM-10-22




Depth 124.45m

Lithology Legend

	Brecciated Greywacke
	Casing
	Dyke
	Fault
	Gowganda Greywacke
	Mafic Intrusion
	Nissiping Diabase
	Paraconglomerate
	Quartzite
	Quartz Vein
	Siltstone
	Transition

Claim number: 4226180




TRUECLAIM
EXPLORATION INC.


TRM-10-22
Section 6
Section Looking East

Azimuth: 180
Dip: -72

Geology X and Y coordinates are expressed in NAD83
Scale 1:700 Elevation expressed as meters above sea level

Approved By:  Robert Komarechka

TRM-10-23




Lithology Legend

	Brecciated Greywacke
	Casing
	Dyke
	Fault
	Gowganda Greywacke
	Mafic Intrusion
	Nissiping Diabase
	Paraconglomerate
	Quartzite
	Quartz Vein
	Siltstone
	Transition

Claim number: 4226180



TRM-10-23 Section 6 Section Looking East	
Azimuth: 180 Dip: -52	X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level
Geology Scale 1:600	Approved By: Robert Komarechka

TRM-10-24




Lithology Legend	
	Brecciated Greywacke
	Casing
	Dyke
	Fault
	Gowganda Greywacke
	Mafic Intrusion
	Nissiping Diabase
	Paraconglomerate
	Quartzite
	Quartz Vein
	Siltstone
	Transition












Claim number: 4226180

	
<p>TRM-10-24 Section 8 Section Looking West</p>	
<p>Azimuth: Vertical Dip: -90</p>	
<p>Geology Scale 1:500</p>	<p>X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level</p>
<p>Approved By: </p>	<p>Robert Komarechka</p>



TRM-10-25




Lithology Legend

	Brecciated Greywacke
	Casing
	Dyke
	Fault
	Gowganda Greywacke
	Mafic Intrusion
	Nissiping Diabase
	Paraconglomerate
	Quartzite
	Quartz Vein
	Siltstone
	Transition

Claim number: 4226180

	
TRM-10-25 Section 9 Section Looking East	
Azimuth: 180 Dip: -70	X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level
Geology Scale 1:700	
Approved By: 	Robert Komarechka

TRM-10-26




Lithology Legend

	Brecciated Greywacke
	Casing
	Dyke
	Fault
	Gowganda Greywacke
	Mafic Intrusion
	Nissiping Diabase
	Paraconglomerate
	Quartzite
	Quartz Vein
	Siltstone
	Transition


Claim number: 4226180

<p>TRM-10-26 Section 10 Section Looking East</p>	
<p>Azimuth: 250 Dip: -60</p>	<p>X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level</p>
<p>Geology: Scale 1:600</p>	<p>Approved By: </p>
<p>Robert Komarechka</p>	

TRM-10-27




Lithology Legend	
	Argillite
	Argillite Breccia
	Bruce Formation
	Carbonate Breccia
	Casing
	Chlorite Breccia
	Chlorite Zone
	Espanola Limestone
	Fault
	Iron Formation
	Nipissing Diabase
	Olivine Diabase
	Quartzite
	Quartzite Breccia
	Transition Zone



Claim number: 346915

<p>TRM-10-27 Section 6 Section Looking East</p>	
<p>Azimuth: 335 Dip: -60</p>	<p>X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level</p>
<p>Geology</p>	<p>Scale 1:700</p>
<p>Approved By: </p>	<p>Robert Komarechka</p>

TRM-10-28



Lithology Legend

	Argillite
	Argillite Breccia
	Bruce Formation
	Carbonate Breccia
	Casing
	Chlorite Breccia
	Chlorite Zone
	Espanola Limestone
	Fault
	Iron Formation
	Nipissing Diabase
	Olivine Diabase
	Quartzite
	Quartzite Breccia
	Transition Zone

Claim number: 346915




TRM-10-28
Section 7
Section Looking East

Azimuth: 355
Dip: -60

Geology X and Y coordinates are expressed in NAD83
Scale 1:600 Elevation expressed as meters above sea level

Approved By:  Robert Komarchik

TRM-10-29




Lithology Legend

	Argillite
	Argillite Breccia
	Bruce Formation
	Carbonate Breccia
	Casing
	Chlorite Breccia
	Chlorite Zone
	Espanola Limestone
	Fault
	Iron Formation
	Nipissing Diabase
	Olivine Diabase
	Quartzite
	Quartzite Breccia
	Transition Zone

Claim number: 346915

<p>TRM-10-29 Section 8 Section Looking West</p>	
<p>Azimuth: Vertical Dip: -90</p>	
Geology	X and Y coordinates are expressed in NAD83
Scale 1:700	Elevation expressed as meters above sea level
Approved By:	Robert Komarechka

TRM-10-30




Lithology Legend

	Argillite
	Argillite Breccia
	Bruce Formation
	Carbonate Breccia
	Casing
	Chlorite Breccia
	Chlorite Zone
	Espanola Limestone
	Fault
	Iron Formation
	Nipissing Diabase
	Olivine Diabase
	Quartzite
	Quartzite Breccia
	Transition Zone

Claim number: 373196

<p>TRM-10-30 Section 9 Section Looking West</p>	
<p>Azimuth: Vertical Dip: -90</p>	
<p>Geology Scale 1:800</p>	<p>X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level</p>
<p>Approved By: </p>	<p>Robert Komarechka</p>

TRM-10-31



Lithology Legend

	Argillite
	Argillite Breccia
	Beuce Formation
	Carbonate Breccia
	Casing
	Chlorite Breccia
	Chlorite Zone
	Espanola Limestone
	Fault
	Iron Formation
	Nipissing Diabase
	Olivine Diabase
	Quartzite
	Quartzite Breccia
	Transition Zone


Claim number: 346915

<p>TRM-10-31 Section 10 Section Looking South</p>	
<p>Azimuth: 070 Dip: -45</p>	<p>X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level</p>
<p>Geology Scale: 1:600</p>	<p>Approved By: </p>
<p>Robert Komarechka</p>	


Appendix 9


Diamond Drillhole Assay Sections

TRM-10-12



Claim number: 4229046






TRUECLAIM
EXPLORATION INC.

TRM-10-12
Section I
Section Looking West

Azimuth: 180
Dip: -45°


X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level

Assay
Scale 1:500


Approved By: 

Robert Komarechka

TRM-10-13



Claim number: 4229046





TRUECLAIM
EXPLORATION INC.

TRM-10-13
Section 2
Section Looking East


Azimuth: 180
Dip: -45

Assay
Scale 1:500

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level

Approved By:  Robert Komarechka


TRM-10-14



Claim number: 4229046

Assay Legend:
Au(ppm)

	0 - 0.5
	0.5 - 1
	1 - 1.5
	1.5 - 2
	2 - 3



TRUECLAIM
EXPLORATION INC.

TRM-10-14
Section 3
Section Looking East


Azimuth: Vertical
Dip: -90

Assay

X and Y coordinates are expressed in NAD83


Scale 1:600

Elevation expressed as meters above sea level


Approved By: 

Robert Komarechka

TRM-10-15



Claim number: 4229046





TRUECLAIM
EXPLORATION INC.


TRM-10-15
Section 4
Section Looking East

Azimuth: 180
Dip: -45

Assay X and Y coordinates are expressed in NAD83
Scale 1:600 Elevation expressed as meters above sea level

Approved By: *Robert Komarechka* Robert Komarechka

TRM-10-16




Claim number: 4229046

Assign Legend:
As per (m)


0 - 0.5	Blue
0.5 - 1	Yellow
1 - 1.5	Orange
1.5 - 2	Red
2 - 3	Purple


 TRUECLAIM EXPLORATION L.P.	
TRM-10-16	
Section 5	
Section Looking East	
Azimuth: 180	X and Y coordinates are expressed in NAD83
Dip: 45	Elevation expressed as meters above sea level
Geology:	
Scale 1:500	
Approved By: 	Robert Karamachia

TRM-10-17



Claim number: 4226740





TRUECLAIM
EXPLORATION INC.

TRM-10-17
Section I
Section Looking North


Azimuth: Vertical
Dip: -90

Assay
Scale 1:600


X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level

Approved By: *Robert Komarechka* Robert Komarechka

TRM-10-18



Claim number: 4226740





TRUECLAIM
EXPLORATION INC.

TRM-10-18
Section 2
Section Looking North


Azimuth: 250
Dip: -30

Assay
Scale 1:600


X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level


Approved By: *Robert Komosedka* Robert Komosedka

TRM-10-19



Claim number: 4226740






TRUECLAIM
EXPLORATION INC.

TRM-10-19
Section 3
Section Looking West

Azimuth: 180
Dip: -70


X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level

Assay
Scale: 1:500


Approved By: 

Robert Komarechka

TRM-10-20



Claim number: 4226740





TRUECLAIM
EXPLORATION INC.

TRM-10-20
Section 4
Section Looking East


Azimuth: Vertical
Dip: -90

Assay
Scale 1:600

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level

Approved By: *Robert Komarechka* Robert Komarechka


TRM-10-22



Claim number: 4226180

Assay Legend:
Au(ppm)

	0 - 0.1
	0.1 - 0.4
	0.4 - 0.8
	0.8 - 1.2
	1.2 - 1.5
	1.5 - 2


TRUECLAIM
REGISTRATION INC.

TRM-10-22

Section I


Section Looking East

Azimuth: 180
Dip: -72

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level


Assay

Scale 1:700


Approved By: 


Robert Komarechka

TRM-10-23



Claim number: 4226180





TRUECLAIM
EXPLORATION INC.

TRM-10-23

Section 2


Section Looking East

Azimuth: 180
Dip: -52

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level


Assay

Scale 1:600


Approved By: 


Robert Komarechka

TRM-10-24



Claim number: 4226180





TRUECLAIM
EXPLORATION INC.

TRM-10-24
Section 3
Section Looking West


Azimuth: Vertical
Dip: -90

Assay
Scale 1:500

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level


Approved By: *Robert Komarechka* Robert Komarechka

TRM-10-25



Claim number: 4226180

Assay Legend (Au/ppm)	
	0 - 0.1
	0.1 - 0.4
	0.4 - 0.8
	0.8 - 1.2
	1.2 - 1.5
	1.5 - 2




TRUECLAIM
EXPLORATION INC.

TRM-10-25
Section 4
Section Looking East


Azimuth: 180
Dip: -70

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level

Assay
Scale 1:700


Approved By:  Robert Komarechka

TRM-10-27



Depth 133.10m

Claim number: 346915






TRUECLAIM
EXPLORATION INC.


TRM-10-27
Section 1
Section Looking East

Azimuth: 335
Dip: -60


Assay X and Y coordinates are expressed in NAD83
Scale 1:700 Elevation expressed as meters above sea level

Approved By:  Robert Komarechka

TRM-10-28



Claim number: 346915





TRUECLAIM
EXPLORATION INC.

TRM-10-28

Section 2

Section Looking East

Azimuth: 355
Dip: -60

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level



Assay

Scale 1:600


Approved By: 

Robert Komarechka

TRM-10-29



Claim number: 346915




TRUECLAIM
EXPLORATION INC.

TRM-10-29
Section 3
Section Looking West

Azimuth: Vertical
Dip: -90

X and Y coordinates are expressed in NAD83
Elevation expressed as meters above sea level

Assay
Scale: 1:700

Approved By:  Robert Komarechka

TRM-10-30

320 Z

300 Z

280 Z

260 Z


240 Z

220 Z

200 Z

180 Z


160 Z



Depth 140.0m


5166450 N
5166460 N
5166470 N

Claim number: 373196





	
<p>TRM-10-30 Section 4 Section Looking West</p>	
<p>Azimuth: Vertical Dip: -90</p>	<p>X and Y coordinates are expressed in NAD83 Elevation expressed as meters above sea level</p>
<p>Assay Scale 1:800</p>	<p>Approved By:  Robert Komarechka</p>

TRM-10-31



Claim number: 346915




 **TRUECLAIM**
A GEMCOM COMPANY

TRM-10-31
Section 5
Section Looking South

Azimuth: 070
Dip: -45

Assay X and Y coordinates are expressed in NAD83

Scale 1:600 Elevation expressed as meters above sea level

Approved By:  Robert Komrochka