ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE TM10180795

Project:

P.O. No.:

This report is for 174 Drill Core samples submitted to our lab in Timmins, ON, Canada on 6-DEC-2010.

The following have access to data associated with this certificate:

MYLES JOHNSON QUENTIN YARIE	JACOB MCKINNON	RICHARD SCHLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
ATTN: JACOB MCKINNON
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J507632		2.69	0.161	0.26	4.92	4.2	70	0.76	0.99	4.09	0.13	24.6	14.7	14	1.22	53.5
J507633		2.46	0.215	0.39	4.95	7.4	20	0.51	1.48	4.44	0.15	21.8	14.0	6	0.27	70.7
J507634		1.29	0.021	0.13	6.06	3.5	110	0.86	0.26	4.18	0.13	29.0	14.8	6	2.02	43.9
J507635		3.24	0.040	0.22	6.02	5.8	100	1.23	0.95	3.53	0.09	32.5	21.6	4	2.47	63.4
J507636		3.40	0.100	0.19	5.64	12.3	60	0.91	2.79	4.36	0.11	29.4	18.5	3	1.54	104.0
J507637		2.46	0.162	0.21	5.31	3.7	60	0.96	0.86	4.06	0.09	27.6	18.2	3	1.81	49.3
J507638		2.71	0.108	0.35	5.69	6.0	50	0.94	1.09	4.31	0.12	28.9	18.0	3	1.57	62.4
J507639		2.62	0.008	0.08	5.81	2.8	70	1.05	0.33	3.60	0.10	30.2	18.5	3	2.33	24.3
J507640		0.07	2.28	33.0	3.87	419	790	0.57	23.8	1.36	0.70	32.6	13.4	215	0.55	318
J507641		2.44	0.024	0.21	5.86	3.4	80	1.04	1.01	3.55	0.09	29.8	18.5	4	2.22	54.2
J507642		2.23	0.023	0.20	5.84	2.6	40	0.76	0.16	4.39	0.12	30.0	18.5	3	1.17	48.4
J507643		2.01	0.208	0.25	6.01	2.3	30	0.75	0.39	4.07	0.06	32.7	19.2	3	0.53	38.0
J507644		2.27	0.040	0.17	5.82	3.5	40	0.73	0.86	3.82	0.08	30.0	19.5	3	0.88	58.5
J507645		2.38	0.046	0.19	5.79	3.2	30	0.63	0.61	4.43	0.07	30.3	20.7	3	0.44	51.8
J507646		2.46	0.026	0.13	5.88	4.1	50	0.73	0.46	4.37	0.06	30.7	19.3	3	1.06	64.8
J507647		2.45	0.010	0.11	5.89	3.2	30	0.72	0.41	4.82	0.07	29.8	18.9	3	0.66	24.3
J507648		1.25	0.029	0.17	5.83	5.7	70	0.78	4.63	4.39	0.03	30.4	20.6	4	1.29	48.7
J507649		1.69	0.155	0.15	5.45	3.2	90	0.76	0.75	3.97	0.07	27.8	17.7	3	1.37	18.5
J507748		2.42	<0.005	0.09	6.16	22.9	50	0.58	0.03	5.04	0.10	18.85	35.6	8	0.54	41.7
J507749		2.49	<0.005	0.10	6.19	22.1	50	0.85	0.02	5.30	0.16	18.85	36.8	9	0.57	50.5
J507750		2.44	0.010	0.13	6.61	21.3	100	0.94	0.18	4.05	0.09	20.8	27.9	10	0.57	41.5
J507751		2.45	<0.005	0.13	6.35	20.8	30	0.82	0.02	4.95	0.11	20.0	40.9	9	0.30	51.0
J507752		1.65	<0.005	0.10	6.95	29.8	30	0.50	0.06	5.27	0.08	22.8	40.4	11	0.60	41.4
J507753		3.55	<0.005	0.01	6.52	12.0	140	0.63	0.03	1.91	0.09	27.2	6.2	15	0.45	14.9
J507754		1.58	<0.005	0.08	6.68	26.7	70	0.61	0.06	4.80	0.07	21.4	40.3	10	0.72	52.3
J507755		2.54	<0.005	0.13	6.08	24.6	30	0.49	0.03	6.48	0.16	18.70	41.0	8	0.58	62.8
J507756		0.07	2.26	35.4	3.98	436	750	0.44	25.1	1.48	0.76	33.4	15.5	232	0.62	321
J507757		2.08	<0.005	0.29	5.21	23.1	20	0.47	0.05	8.66	0.26	18.95	46.9	6	0.57	60.3
J507758		2.55	<0.005	0.15	6.56	19.8	30	0.44	0.02	5.23	0.11	19.20	40.9	9	0.40	50.2
J507759		1.33	<0.005	0.35	6.47	31.8	160	0.50	0.03	4.69	0.40	18.55	60.5	10	1.48	64.3
J507760		1.56	0.008	0.55	4.68	63.5	100	0.35	0.03	7.92	1.01	14.90	47.5	5	0.97	86.7
J507761		2.93	0.006	0.06	7.98	5.8	290	0.57	0.04	5.90	0.09	19.05	44.8	29	1.28	124.5
J507762		0.07	2.30	34.0	3.84	427	750	0.40	22.2	1.43	0.73	31.2	14.3	224	0.57	312
J507763		2.03	<0.005	0.12	7.81	4.5	290	0.67	0.09	4.42	0.06	22.1	30.9	22	1.92	76.3
J507764		2.60	<0.005	0.02	7.12	2.8	490	0.91	0.03	1.46	<0.02	23.4	5.2	10	3.24	6.1
J507765		2.50	<0.005	0.03	6.88	5.8	400	0.78	0.08	1.83	0.04	23.2	5.8	12	2.58	6.2
J507766		2.51	0.008	0.13	6.43	10.2	250	0.61	0.34	5.24	0.07	28.4	17.8	7	2.52	19.1
J507767		2.37	<0.005	0.07	6.93	5.6	170	0.45	0.13	3.93	0.04	28.9	14.7	7	1.59	67.7
J507768		2.54	<0.005	0.08	6.98	4.9	120	0.46	0.04	6.17	0.05	15.15	35.5	166	1.63	47.7
J507769		0.52	<0.005	0.03	5.43	0.6	450	0.91	0.04	1.55	0.04	25.9	5.1	29	0.67	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J507632		9.76	19.40	0.17	2.5	0.124	0.67	9.0	9.9	1.05	1740	35.5	1.99	3.7	2.5	2330
J507633		8.96	17.20	0.17	2.4	0.090	0.14	7.9	3.1	0.93	1660	60.6	3.58	4.0	2.2	2210
J507634		11.65	25.1	0.24	2.7	0.142	1.03	10.5	11.9	1.10	2000	8.73	1.86	3.9	2.6	2940
J507635		11.45	21.6	0.17	2.5	0.127	1.06	11.1	16.4	1.02	1640	19.35	1.38	4.6	3.2	2920
J507636		10.70	20.6	0.17	2.6	0.117	0.76	9.9	19.4	1.09	1780	33.4	1.53	4.4	2.7	2680
J507637		10.05	21.7	0.16	2.4	0.121	0.93	9.2	15.1	1.02	1710	24.4	1.19	4.2	2.6	2520
J507638		10.55	21.2	0.17	2.5	0.123	0.77	9.7	19.1	1.06	1640	120.0	1.50	4.8	2.9	2720
J507639		11.00	21.1	0.18	2.5	0.116	1.22	9.9	17.6	1.10	1740	1.55	0.80	4.2	2.7	2830
J507640		4.77	16.70	0.11	1.8	0.583	0.23	15.6	15.9	0.84	286	6.49	0.49	7.5	40.2	620
J507641		10.90	21.4	0.17	2.6	0.113	1.18	9.8	18.5	1.08	1630	9.29	0.91	3.9	2.8	2870
J507642		11.30	21.6	0.17	2.4	0.128	0.40	9.9	20.5	1.11	1790	10.95	1.84	4.4	2.7	2780
J507643		11.45	21.0	0.18	2.7	0.110	0.20	10.9	20.6	0.95	1100	8.35	2.48	4.4	2.9	2970
J507644		11.15	21.9	0.17	2.9	0.120	0.32	10.0	24.1	1.06	1020	111.5	1.94	4.7	2.9	2820
J507645		11.15	20.4	0.17	2.8	0.110	0.16	10.1	22.8	1.08	1200	29.7	2.15	4.3	3.0	2780
J507646		11.05	21.6	0.18	2.9	0.112	0.38	10.2	22.3	1.08	1120	27.4	1.96	4.9	2.9	2800
J507647		10.70	21.0	0.17	3.0	0.118	0.18	9.9	22.7	1.12	1160	38.7	2.25	4.6	3.2	2800
J507648		11.00	21.0	0.18	3.2	0.125	0.51	9.9	20.2	1.04	951	18.10	1.77	4.1	2.9	2910
J507649		10.55	19.25	0.16	2.8	0.107	0.67	9.2	16.7	1.16	1420	76.5	1.59	3.6	2.7	2600
J507748		9.15	19.75	0.14	2.8	0.093	0.20	6.6	23.5	2.01	1600	0.51	1.75	4.9	15.3	650
J507749		11.10	20.7	0.18	2.6	0.099	0.22	6.8	24.2	2.23	1660	0.47	1.33	4.8	15.2	660
J507750		7.53	21.0	0.12	2.7	0.068	0.23	8.8	18.8	1.55	1050	0.39	2.76	3.9	13.0	520
J507751		9.29	20.1	0.15	2.7	0.098	0.06	7.1	18.5	2.08	1620	0.37	2.13	5.2	16.3	670
J507752		9.50	22.7	0.20	3.3	0.103	0.15	9.6	20.0	2.20	1420	0.40	2.25	6.6	17.0	720
J507753		1.54	19.70	0.12	2.6	0.021	0.24	14.3	5.8	0.39	294	0.39	5.21	2.6	7.3	290
J507754		8.76	23.3	0.19	3.3	0.098	0.24	8.5	18.0	1.91	1690	0.35	2.39	6.7	16.3	720
J507755		10.90	21.0	0.21	2.9	0.113	0.07	7.3	17.6	2.14	1920	1.80	1.78	6.0	14.9	630
J507756		5.08	17.95	0.12	1.9	0.663	0.25	17.9	17.3	0.91	298	8.25	0.53	9.3	43.1	640
J507757		11.65	19.20	0.20	2.5	0.096	0.04	7.6	18.8	2.17	2180	1.81	0.92	5.2	14.0	500
J507758		10.65	22.5	0.20	3.1	0.103	0.06	7.5	22.6	2.33	1750	0.48	1.83	6.4	16.0	670
J507759		14.25	22.9	0.27	2.7	0.117	0.86	7.2	24.6	2.47	1790	0.91	0.22	6.4	17.4	650
J507760		16.05	16.80	0.29	2.3	0.098	0.51	6.2	17.3	1.66	1900	3.24	0.39	4.5	16.0	470
J507761		9.11	17.70	0.09	1.9	0.064	0.71	8.9	24.3	4.47	1610	0.32	2.39	3.5	47.4	330
J507762		4.96	16.80	0.10	1.9	0.630	0.24	16.7	15.6	0.88	289	7.79	0.51	8.9	39.6	620
J507763		5.57	21.1	0.13	2.3	0.041	1.12	11.1	11.2	2.32	888	0.22	3.07	3.2	34.0	330
J507764		1.47	22.5	0.09	2.8	0.018	1.78	11.7	4.3	0.40	187	0.35	3.48	2.5	7.3	320
J507765		1.45	20.3	0.09	2.7	0.019	1.31	11.3	3.9	0.34	234	0.32	3.96	2.4	6.9	300
J507766		7.80	24.1	0.18	3.4	0.096	0.82	12.4	9.6	0.92	1160	1.08	2.54	6.5	5.6	1890
J507767		6.75	23.4	0.19	3.4	0.073	0.55	13.0	11.1	0.89	835	0.84	3.47	6.4	5.8	1700
J507768		9.53	22.2	0.19	2.2	0.074	0.57	5.6	26.8	3.19	1400	0.59	1.38	5.1	79.1	1020
J507769		1.31	12.35	0.08	1.3	0.012	1.41	12.5	8.8	0.43	242	0.12	2.17	3.1	13.4	250

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J507632		2.4	33.0	0.008	1.41	1.23	23.7	2	0.8	94.4	0.23	0.54	0.6	0.423	0.21	0.2
J507633		3.2	6.2	0.014	2.54	1.30	19.8	2	0.9	148.0	0.24	0.72	0.5	0.449	0.04	0.2
J507634		2.0	44.9	0.002	0.53	1.59	27.8	2	1.0	94.7	0.23	0.19	0.7	0.442	0.32	0.2
J507635		2.5	47.5	0.004	1.48	2.12	28.0	1	1.0	66.0	0.27	0.34	0.7	0.513	0.31	0.2
J507636		2.3	33.2	0.007	2.07	1.18	26.1	2	0.9	66.4	0.27	1.27	0.6	0.483	0.23	0.2
J507637		2.0	42.0	0.005	1.24	1.35	25.2	1	1.0	55.0	0.27	0.45	0.6	0.453	0.29	0.2
J507638		2.6	35.0	0.024	2.18	1.42	26.4	2	0.9	78.6	0.29	0.46	0.6	0.524	0.24	0.2
J507639		1.7	56.0	<0.002	0.58	1.67	27.6	1	0.9	53.1	0.26	0.10	0.6	0.475	0.38	0.2
J507640		278	7.0	<0.002	1.46	113.5	8.5	10	8.7	402	0.48	19.35	4.6	0.424	0.72	1.4
J507641		2.0	53.1	0.002	1.23	1.60	27.3	2	0.8	55.0	0.24	0.27	0.6	0.436	0.37	0.2
J507642		2.7	19.1	0.002	0.81	1.48	26.7	1	0.9	83.5	0.27	0.29	0.6	0.479	0.13	0.2
J507643		2.5	8.7	<0.002	1.24	1.31	26.1	1	0.9	77.8	0.27	0.67	0.6	0.482	0.06	0.2
J507644		2.8	16.1	0.020	2.15	1.36	26.8	2	1.0	66.7	0.28	0.62	0.6	0.517	0.11	0.2
J507645		2.8	7.2	0.007	1.35	1.26	26.5	2	0.9	78.4	0.26	0.28	0.6	0.480	0.05	0.2
J507646		2.8	19.2	0.007	1.86	1.69	27.8	2	1.0	83.3	0.29	0.22	0.6	0.521	0.12	0.2
J507647		2.8	8.9	0.011	0.98	1.32	27.1	1	1.0	99.0	0.28	0.15	0.6	0.524	0.06	0.2
J507648		2.2	25.1	0.005	1.84	0.96	26.6	2	1.0	68.3	0.24	2.15	0.6	0.431	0.17	0.2
J507649		2.1	30.5	0.018	1.39	1.23	25.6	1	0.6	75.9	0.22	0.32	0.6	0.414	0.22	0.2
J507748		1.2	7.7	0.003	0.29	0.40	35.3	1	1.1	97.0	0.29	<0.05	0.5	0.904	0.04	0.1
J507749		1.9	8.2	0.003	1.08	0.45	34.1	1	1.1	94.2	0.29	<0.05	0.5	0.886	0.04	0.1
J507750		3.0	7.6	0.002	0.82	0.57	24.9	1	0.9	110.5	0.24	<0.05	1.3	0.630	0.05	0.4
J507751		2.4	1.2	0.004	0.57	0.46	36.3	1	1.0	83.8	0.31	<0.05	0.5	0.940	0.02	0.1
J507752		2.3	5.4	0.003	0.18	0.43	40.0	2	1.2	103.5	0.38	<0.05	0.6	1.000	0.03	0.2
J507753		1.2	8.3	<0.002	0.01	0.96	4.3	1	0.6	150.5	0.19	<0.05	2.9	0.162	0.04	0.9
J507754		0.9	9.9	0.003	0.16	0.28	40.4	3	1.1	93.1	0.36	<0.05	0.6	0.984	0.04	0.2
J507755		2.3	2.0	0.004	1.68	0.36	33.8	3	1.1	114.0	0.33	<0.05	0.6	0.865	0.03	0.1
J507756		280	8.2	<0.002	1.50	111.5	8.7	13	8.1	416	0.57	22.7	5.1	0.439	0.87	1.3
J507757		5.7	1.1	0.003	2.06	0.81	29.3	3	1.0	99.8	0.27	<0.05	0.5	0.726	0.08	0.1
J507758		2.6	1.6	0.004	0.78	0.57	37.7	3	1.1	83.9	0.34	<0.05	0.6	0.942	0.03	0.1
J507759		10.9	37.1	0.003	3.15	1.65	36.2	3	1.2	72.1	0.33	<0.05	0.6	0.945	0.40	0.1
J507760		26.0	24.3	0.005	8.94	3.35	22.5	4	0.8	102.5	0.23	<0.05	0.5	0.610	1.21	0.1
J507761		3.6	26.2	0.002	0.11	1.48	36.3	1	0.8	299	0.25	<0.05	1.6	0.545	0.13	0.5
J507762		269	7.5	<0.002	1.44	106.0	8.3	11	7.6	400	0.52	21.0	4.7	0.427	0.79	1.2
J507763		3.2	38.4	<0.002	0.10	0.74	24.4	1	0.6	139.0	0.20	0.06	2.4	0.353	0.19	0.7
J507764		1.8	69.5	<0.002	0.04	0.47	3.4	1	0.6	141.5	0.19	<0.05	3.1	0.141	0.31	0.9
J507765		3.0	46.1	<0.002	0.08	0.57	3.2	1	0.6	178.0	0.19	<0.05	2.8	0.140	0.22	0.8
J507766		4.4	31.7	<0.002	0.43	0.78	20.8	3	1.0	146.0	0.37	<0.05	1.7	0.573	0.14	0.5
J507767		2.3	23.8	<0.002	0.14	0.57	18.2	2	0.9	136.0	0.37	<0.05	2.0	0.538	0.09	0.6
J507768		1.0	24.0	0.002	0.11	0.48	31.3	2	0.8	63.0	0.28	<0.05	0.7	0.771	0.09	0.2
J507769		9.5	46.4	<0.002	<0.01	0.06	4.7	1	0.4	324	0.16	<0.05	3.7	0.101	0.26	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J507632		22	14.9	19.2	111	87.7
J507633		44	53.9	14.6	55	81.6
J507634		30	19.8	17.7	130	97.9
J507635		18	8.5	21.4	140	90.5
J507636		16	11.4	22.7	128	90.9
J507637		16	9.1	21.7	132	79.2
J507638		13	10.7	23.1	141	86.8
J507639		11	12.8	20.7	149	91.3
J507640		70	12.3	8.6	81	55.6
J507641		13	14.4	19.4	145	91.3
J507642		12	4.0	25.9	156	87.5
J507643		37	22.0	25.5	144	97.6
J507644		14	4.8	28.8	146	96.3
J507645		15	5.0	26.9	151	98.2
J507646		16	4.6	28.6	139	95.2
J507647		12	3.7	30.9	140	101.0
J507648		18	3.5	27.7	137	106.0
J507649		19	13.9	21.5	136	91.2
J507748		273	0.2	25.0	132	88.9
J507749		269	0.2	25.3	153	84.2
J507750		190	0.4	23.9	113	85.3
J507751		287	0.2	32.0	133	85.9
J507752		306	0.5	31.6	144	119.5
J507753		30	0.7	5.2	30	98.1
J507754		294	0.4	28.5	127	120.5
J507755		260	0.3	31.5	135	104.0
J507756		74	15.6	9.0	82	69.5
J507757		222	2.1	36.8	139	89.2
J507758		283	0.3	45.5	147	109.5
J507759		288	0.3	28.6	187	98.9
J507760		183	0.3	21.0	157	80.9
J507761		290	0.2	19.0	90	64.0
J507762		73	14.5	8.5	81	67.7
J507763		166	0.5	12.2	58	84.2
J507764		27	0.8	3.8	19	101.5
J507765		24	1.0	3.2	17	94.3
J507766		28	2.2	40.3	84	122.5
J507767		36	1.2	36.3	83	125.0
J507768		171	1.6	32.3	123	77.0
J507769		27	0.2	5.8	14	51.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
J507770		2.40	<0.005	0.07	6.83	2.1	60	0.40	0.01	5.78	0.05	19.25	29.7	128	0.86	41.7
J507771		2.07	<0.005	0.07	6.77	2.1	20	0.44	0.01	6.02	0.07	36.8	29.7	124	0.37	47.7
J507772		2.54	<0.005	0.06	6.57	1.7	100	0.48	0.01	5.88	0.07	18.70	29.5	122	1.31	48.3
J507773		2.57	<0.005	0.07	6.59	2.4	100	0.45	0.01	5.98	0.09	24.8	28.4	125	1.10	38.1
J507774		2.49	<0.005	0.07	6.62	2.3	60	0.35	0.01	4.95	0.08	20.3	29.5	122	0.63	48.0
J507775		2.49	0.244	0.14	6.76	12.6	170	0.76	0.01	5.65	0.07	20.9	29.2	119	2.09	46.3
J507776		2.54	0.020	0.06	6.76	2.6	140	0.59	0.01	5.94	0.05	22.6	29.0	124	2.32	46.5
J507777		2.63	0.010	0.06	6.41	2.0	150	0.68	0.01	6.95	0.07	23.3	27.5	106	2.46	44.0
J507778		2.36	1.665	0.68	4.66	30.9	140	1.44	0.02	8.53	0.08	19.95	22.5	75	2.73	31.7
J507779		2.42	0.466	0.27	6.00	13.4	210	1.24	0.01	6.75	0.06	22.8	23.8	94	3.23	23.8
J507780		2.43	0.006	0.03	6.72	1.5	60	0.53	0.01	5.20	0.08	19.85	29.4	119	0.95	39.8
J507781		2.50	<0.005	0.01	6.83	1.6	30	0.59	0.01	4.91	0.07	20.3	26.2	108	0.51	36.4
J507782		2.15	<0.005	0.03	6.47	2.8	40	0.73	0.03	4.46	0.06	31.3	27.1	111	1.09	27.9
J507783		1.83	<0.005	0.05	7.07	2.1	20	0.51	0.01	4.01	0.04	21.3	29.4	143	1.14	30.9
J507784		2.35	<0.005	0.04	6.70	2.0	10	0.58	0.01	4.27	0.07	20.5	29.1	268	0.47	27.5
J507785		2.07	<0.005	0.05	6.54	2.1	10	0.42	0.01	3.75	0.04	17.20	31.5	321	0.61	27.7
J507786		2.28	<0.005	0.04	7.27	1.8	10	0.71	0.01	3.98	0.04	20.5	30.2	236	0.38	31.3
J507787		2.10	<0.005	0.05	7.04	2.2	20	0.42	0.01	3.99	0.04	16.15	29.1	112	0.32	44.8
J507788		2.49	<0.005	0.05	6.99	1.1	90	0.46	0.02	5.37	0.06	27.1	27.9	126	1.16	56.1
J507789		3.08	<0.005	0.06	7.03	1.2	230	0.59	0.02	4.93	0.04	28.0	32.1	158	2.92	64.5
J507790		1.64	<0.005	0.05	6.87	0.7	110	0.46	0.01	5.53	0.08	26.6	29.1	163	1.44	57.3
J507791		0.07	2.33	36.1	3.83	446	760	0.49	24.9	1.33	0.76	37.3	14.1	224	0.61	339
J507792		2.31	<0.005	0.14	6.61	3.1	80	0.44	0.08	4.90	0.06	25.6	30.0	193	1.06	62.2
J507793		2.03	0.031	0.08	6.87	4.0	180	0.75	0.06	4.45	0.02	27.0	29.1	123	2.72	64.9
J507794		2.15	0.005	0.12	6.95	1.5	150	0.60	0.03	4.87	0.06	27.7	28.2	123	1.85	63.6
J507795		2.90	0.078	0.09	7.20	2.8	270	1.04	0.10	5.84	0.06	47.9	26.2	195	2.39	56.7
J507796		1.70	0.006	0.10	7.18	5.0	130	0.87	0.26	6.44	0.09	32.0	31.3	138	0.97	94.0
J507797		2.42	<0.005	0.07	7.16	3.9	60	0.86	0.10	6.12	0.09	42.5	26.0	183	0.65	63.4
J507798		2.57	0.029	0.08	7.25	5.2	70	0.74	0.08	5.64	0.06	25.3	28.7	140	0.85	60.5
I402162		1.54	0.020	0.20	6.17	4.2	140	0.85	0.90	3.10	0.07	35.6	20.0	6	2.30	40.6
I402163		0.53	0.021	0.24	6.02	3.3	200	1.27	0.83	3.97	0.08	59.1	14.3	10	2.38	296
I402164		2.21	0.010	0.15	5.96	2.4	90	1.12	0.35	5.18	0.09	31.8	16.8	5	1.89	137.5
I402165		2.37	0.017	0.16	6.09	2.7	90	0.97	0.39	5.14	0.07	33.7	19.7	5	1.97	232
I402166		1.75	0.022	0.15	6.07	2.8	130	1.06	0.23	5.69	0.08	34.4	20.0	4	2.13	93.2
I402167		2.47	0.064	0.22	6.06	4.9	180	1.08	0.46	5.15	0.09	35.1	23.4	5	2.67	136.0
I402168		1.55	0.036	0.19	5.03	4.8	150	0.70	0.54	9.80	0.10	35.3	18.8	5	2.00	70.4
I402169		1.53	0.010	0.37	6.29	5.9	130	0.81	0.72	4.62	0.10	36.4	22.1	4	1.80	56.4
I402170		2.43	0.013	0.14	6.12	3.7	100	0.74	0.21	4.37	0.10	34.7	19.3	6	1.54	33.3
I402171		2.63	0.029	0.16	5.13	2.0	100	0.67	0.52	5.51	0.09	30.3	14.9	5	1.12	72.5
I402172		2.47	0.025	0.22	6.22	4.3	150	0.85	0.44	4.33	0.08	35.3	20.1	4	1.77	124.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J507770		9.94	21.9	0.19	2.3	0.091	0.25	7.2	25.0	2.60	1460	0.57	1.75	6.4	41.1	1290
J507771		9.24	22.6	0.22	2.1	0.093	0.07	14.3	23.9	2.56	1540	0.58	2.07	6.9	41.4	1290
J507772		9.41	20.8	0.18	2.0	0.092	0.52	7.0	23.5	2.48	1460	0.49	1.24	6.2	38.9	1260
J507773		9.87	21.6	0.19	2.0	0.092	0.38	9.6	22.5	2.54	1670	0.57	1.39	6.1	37.8	1320
J507774		9.34	21.5	0.18	1.6	0.094	0.21	7.6	21.0	2.47	1540	0.53	1.87	5.5	39.3	1350
J507775		8.99	21.3	0.17	1.9	0.089	1.01	8.0	19.9	2.55	1410	0.68	0.91	5.0	40.9	1230
J507776		8.31	20.9	0.16	2.2	0.087	1.11	9.1	21.3	2.92	1280	0.56	0.83	4.7	47.9	980
J507777		8.92	20.7	0.17	1.8	0.091	1.24	9.3	18.2	2.49	1600	0.54	0.49	4.9	36.2	1290
J507778		7.48	16.75	0.11	1.6	0.083	1.22	8.5	12.9	2.77	1520	5.11	0.03	2.8	30.0	890
J507779		8.07	19.45	0.12	1.7	0.098	1.56	9.4	17.4	2.82	1400	2.59	0.13	3.8	35.0	1070
J507780		9.69	20.8	0.12	2.1	0.099	0.39	7.6	25.3	2.54	1390	0.53	1.58	4.7	41.4	1390
J507781		9.49	21.2	0.12	3.0	0.100	0.18	7.6	24.1	2.37	1310	0.58	2.08	6.8	32.3	1550
J507782		10.25	20.6	0.15	2.1	0.087	0.17	12.2	35.9	2.44	1480	0.51	1.69	6.4	34.6	1410
J507783		9.09	19.20	0.14	2.8	0.057	0.23	8.5	31.1	3.44	1300	0.48	1.71	6.3	49.6	980
J507784		8.95	19.00	0.10	2.7	0.075	0.06	7.3	38.4	4.24	1280	0.37	1.21	5.5	59.3	870
J507785		8.77	17.65	0.11	2.1	0.064	0.09	6.4	24.8	4.25	1220	0.15	1.01	5.4	67.6	840
J507786		9.11	19.80	0.09	2.5	0.074	0.14	7.6	44.1	4.11	1260	0.48	1.72	5.8	59.0	900
J507787		8.77	20.0	0.11	2.7	0.063	0.09	6.2	24.5	3.39	1200	0.45	2.29	5.9	46.6	900
J507788		7.44	18.45	0.11	2.0	0.091	0.56	10.2	26.0	2.95	1180	0.38	1.63	4.7	52.1	920
J507789		8.16	20.0	0.15	3.3	0.101	1.47	10.7	26.4	3.28	1120	0.39	0.49	5.0	57.2	960
J507790		7.89	18.40	0.12	2.5	0.089	0.67	9.9	25.0	3.36	1140	0.17	1.10	5.0	56.1	910
J507791		4.78	16.65	0.08	1.8	0.708	0.24	19.0	16.9	0.86	287	7.20	0.49	8.5	42.8	640
J507792		7.87	18.05	0.12	2.2	0.090	0.46	9.8	27.4	3.62	1080	0.39	1.14	4.9	60.6	860
J507793		7.56	18.70	0.11	2.2	0.101	0.99	10.7	41.2	3.42	1180	0.45	0.92	4.3	58.4	920
J507794		7.76	17.95	0.14	2.0	0.099	0.84	10.7	26.0	2.79	1220	0.47	1.30	4.1	51.8	950
J507795		6.86	17.05	0.12	2.3	0.070	0.89	22.8	21.1	3.33	1100	0.41	1.71	3.5	72.8	850
J507796		7.66	18.80	0.14	2.2	0.076	0.30	13.5	21.4	3.28	1300	0.46	2.03	4.6	59.8	980
J507797		6.22	17.05	0.09	2.4	0.065	0.11	19.6	19.6	3.15	1140	0.52	2.64	4.8	61.5	950
J507798		7.78	18.85	0.10	2.8	0.076	0.20	9.9	20.2	3.16	1280	0.57	2.23	5.7	54.6	990
I402162		11.00	22.0	0.23	2.9	0.134	1.06	12.6	18.5	1.23	1470	65.6	1.49	5.1	3.0	3040
I402163		6.97	18.90	0.17	3.6	0.095	1.17	28.4	5.5	0.95	1460	20.0	2.41	8.2	4.7	1980
I402164		9.33	22.0	0.19	3.2	0.176	0.69	11.1	13.4	0.98	1760	18.75	2.46	6.9	3.6	2820
I402165		10.20	21.7	0.18	2.9	0.147	0.72	11.8	20.8	1.00	1430	14.05	1.95	6.7	3.0	3040
I402166		10.40	22.5	0.21	2.3	0.117	0.90	12.3	26.9	1.23	1540	34.5	1.07	6.3	2.9	2920
I402167		11.05	22.8	0.22	2.3	0.151	1.31	12.7	19.4	1.28	1920	72.5	0.96	5.9	3.2	2960
I402168		9.96	19.35	0.18	2.0	0.215	1.02	13.1	18.4	1.26	2570	21.3	0.52	5.5	3.0	2670
I402169		11.95	23.8	0.25	2.4	0.161	0.71	12.9	30.6	1.17	1480	69.6	0.94	5.5	2.9	3160
I402170		11.25	21.4	0.20	2.4	0.141	0.54	12.3	23.8	1.01	1510	63.7	1.77	6.3	3.1	3100
I402171		8.91	16.15	0.13	2.2	0.124	0.51	11.0	17.2	0.94	1740	23.5	1.50	5.5	2.2	2520
I402172		10.75	22.6	0.23	2.8	0.137	0.77	12.5	20.4	1.07	1420	52.3	1.71	5.5	2.7	3180

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J507770		0.8	10.2	<0.002	0.11	0.34	29.5	2	0.9	62.4	0.34	<0.05	0.6	0.791	0.04	0.1
J507771		0.9	2.6	<0.002	0.10	0.39	30.3	3	0.9	75.9	0.37	<0.05	0.6	0.802	<0.02	0.2
J507772		0.7	21.0	<0.002	0.14	0.54	28.7	2	0.9	72.8	0.34	<0.05	0.6	0.773	0.08	0.1
J507773		0.7	15.4	<0.002	0.11	0.49	28.8	2	0.8	85.6	0.33	<0.05	0.6	0.732	0.06	0.1
J507774		0.9	8.5	<0.002	0.11	0.40	29.0	2	0.8	93.1	0.30	<0.05	0.6	0.673	0.03	0.1
J507775		0.8	37.1	<0.002	0.27	0.64	29.2	2	0.8	94.2	0.27	0.08	0.5	0.603	0.15	0.1
J507776		0.5	40.4	<0.002	0.15	0.63	27.7	2	0.8	81.1	0.26	<0.05	0.6	0.560	0.17	0.1
J507777		0.6	44.4	<0.002	0.15	0.55	27.5	2	0.8	98.9	0.26	0.06	0.5	0.592	0.20	0.1
J507778		1.0	53.5	<0.002	1.57	0.77	22.2	1	0.7	84.0	0.17	1.27	0.4	0.387	0.19	0.1
J507779		0.8	64.1	<0.002	0.81	0.74	25.2	1	0.9	69.3	0.24	0.50	0.4	0.547	0.22	0.1
J507780		1.4	14.7	<0.002	0.09	0.42	30.9	1	0.8	76.3	0.29	<0.05	0.5	0.652	0.05	0.1
J507781		1.1	6.3	<0.002	0.08	0.51	31.0	1	1.2	68.7	0.42	<0.05	0.7	0.839	0.03	0.2
J507782		1.3	6.8	<0.002	0.09	1.07	29.1	1	1.2	60.2	0.39	<0.05	0.6	0.805	0.03	0.2
J507783		1.1	3.5	<0.002	0.06	0.84	28.2	2	0.9	86.7	0.34	<0.05	0.6	0.780	<0.02	0.2
J507784		0.9	0.9	<0.002	0.01	0.79	26.5	1	1.2	121.5	0.35	<0.05	0.6	0.724	<0.02	0.2
J507785		0.9	1.5	<0.002	<0.01	0.79	27.9	2	0.8	132.5	0.29	<0.05	0.6	0.695	<0.02	0.1
J507786		1.0	0.9	0.002	0.01	0.85	28.0	1	0.9	94.1	0.35	<0.05	0.6	0.745	<0.02	0.2
J507787		1.2	1.2	<0.002	0.08	0.64	27.6	2	0.9	59.8	0.33	<0.05	0.6	0.747	<0.02	0.2
J507788		0.7	19.7	0.002	0.08	0.59	29.4	2	0.9	77.4	0.30	<0.05	0.6	0.613	0.07	0.1
J507789		0.6	49.1	0.002	0.06	0.66	31.7	2	0.9	58.8	0.33	<0.05	0.7	0.657	0.20	0.2
J507790		0.7	26.1	<0.002	0.02	0.62	29.9	2	0.8	100.5	0.33	<0.05	0.7	0.670	0.08	0.2
J507791		281	8.0	0.002	1.51	113.5	8.5	11	8.3	412	0.59	21.1	5.3	0.439	0.83	1.3
J507792		1.3	17.5	0.002	0.11	1.00	28.9	2	0.9	78.2	0.31	0.06	0.6	0.656	0.07	0.1
J507793		0.8	38.9	<0.002	0.07	0.66	29.5	2	0.8	48.0	0.29	<0.05	0.6	0.590	0.14	0.1
J507794		1.5	30.7	0.002	0.17	0.52	29.0	2	0.9	91.0	0.26	<0.05	0.7	0.542	0.11	0.1
J507795		2.8	35.8	<0.002	0.25	0.58	21.1	1	0.8	157.5	0.24	<0.05	4.6	0.364	0.13	1.4
J507796		6.8	12.2	0.002	0.41	0.50	27.2	2	0.9	197.0	0.31	<0.05	1.9	0.549	0.05	0.6
J507797		3.7	3.9	0.002	0.12	0.50	23.7	2	0.8	183.5	0.30	<0.05	3.8	0.509	0.02	1.2
J507798		2.3	7.5	<0.002	0.20	0.53	28.3	2	1.0	150.0	0.37	<0.05	1.7	0.702	0.03	0.5
I402162		3.1	51.7	0.017	1.69	1.90	29.8	2	0.7	82.3	0.32	0.40	0.8	0.551	0.36	0.2
I402163		3.6	54.9	0.005	2.71	1.78	19.3	4	1.3	198.0	0.42	0.27	5.0	0.485	0.39	1.4
I402164		4.3	35.0	0.005	2.31	1.80	28.9	3	1.3	142.0	0.44	0.15	0.8	0.659	0.23	0.2
I402165		3.7	36.5	0.005	2.15	1.76	28.4	4	1.5	123.5	0.43	0.19	0.7	0.674	0.25	0.2
I402166		3.0	46.1	0.010	1.71	1.74	29.1	3	1.1	114.0	0.41	0.21	0.7	0.631	0.29	0.2
I402167		3.0	62.0	0.017	2.35	2.00	29.3	3	1.3	98.0	0.37	0.37	0.7	0.599	0.41	0.2
I402168		2.6	45.5	0.006	1.66	1.74	27.1	3	1.1	154.0	0.34	0.30	0.6	0.579	0.33	0.2
I402169		2.8	34.9	0.016	1.69	1.64	30.5	3	0.9	119.5	0.36	0.40	0.8	0.561	0.25	0.2
I402170		2.9	27.0	0.020	1.29	2.28	29.3	3	0.8	158.0	0.41	0.19	0.7	0.665	0.18	0.2
I402171		2.7	22.8	0.006	2.48	2.21	23.3	4	1.0	162.5	0.34	0.36	0.8	0.582	0.16	0.2
I402172		3.1	36.2	0.015	2.50	2.35	30.2	4	1.3	144.5	0.35	0.34	0.8	0.548	0.25	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J507770		118	0.5	40.8	105	81.9
J507771		114	0.3	46.9	103	76.5
J507772		111	0.6	42.2	100	66.1
J507773		110	0.4	39.5	108	65.0
J507774		111	0.4	34.0	111	57.8
J507775		119	7.6	20.3	101	72.1
J507776		141	5.9	19.2	91	79.9
J507777		102	20.6	16.2	104	65.9
J507778		145	36.7	16.5	74	61.0
J507779		130	33.6	17.2	89	65.1
J507780		105	2.1	24.7	113	75.1
J507781		93	0.7	47.9	112	116.5
J507782		95	2.4	45.2	122	101.5
J507783		160	0.8	32.6	115	103.5
J507784		155	0.3	34.2	94	86.0
J507785		155	0.3	31.5	93	66.9
J507786		162	0.5	35.9	94	76.9
J507787		162	1.2	33.7	89	98.2
J507788		151	0.8	20.7	88	65.0
J507789		163	1.7	21.9	92	104.5
J507790		150	1.8	18.2	89	83.0
J507791		74	15.1	9.5	85	62.0
J507792		149	1.7	17.8	88	74.4
J507793		161	0.8	18.1	80	75.8
J507794		151	1.0	15.2	101	66.5
J507795		150	0.9	14.9	84	77.2
J507796		156	0.7	27.8	91	70.4
J507797		151	1.0	28.8	83	82.3
J507798		157	1.1	38.9	92	90.5
I402162		15	3.8	28.1	160	98.7
I402163		36	6.6	21.2	80	123.5
I402164		44	5.0	25.1	150	101.0
I402165		38	4.1	26.9	127	89.3
I402166		27	6.6	25.9	152	73.0
I402167		37	7.6	20.2	160	75.8
I402168		21	9.8	30.0	148	65.3
I402169		13	11.3	22.6	194	79.4
I402170		14	3.8	25.1	172	81.9
I402171		25	6.6	19.3	128	73.6
I402172		39	4.9	26.7	166	92.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I402173		2.25	0.034	0.25	6.41	4.3	160	0.99	0.59	4.09	0.10	36.1	20.0	5	2.21	116.0
I402174		2.46	0.044	0.23	5.86	3.3	140	0.91	0.47	4.26	0.09	34.0	18.6	4	1.99	158.0
I402175		1.08	0.195	0.33	5.52	4.9	160	0.97	0.73	5.62	0.11	32.8	17.4	6	2.05	77.1
I402176		1.20	0.086	0.28	5.83	5.5	180	1.00	0.79	5.23	0.10	34.7	19.4	5	2.19	87.6
I402177		2.49	0.042	0.18	6.51	3.7	190	1.24	0.35	6.49	0.15	38.8	19.7	6	2.54	44.5
I402178		2.36	0.025	0.14	6.13	3.9	90	0.85	0.29	4.63	0.13	36.0	18.7	5	1.39	40.6
I402179		1.22	0.177	0.52	4.88	4.4	30	0.57	0.68	4.97	0.15	26.6	15.4	8	0.36	29.8
I402180		0.07	2.27	35.1	3.79	442	900	0.49	23.4	1.29	0.74	35.9	13.7	224	0.59	336
I402181		2.47	0.034	0.29	5.87	5.1	100	0.91	0.56	5.00	0.11	33.5	20.4	5	1.18	82.4
I402182		2.50	0.049	0.31	5.73	6.0	130	1.00	0.65	4.55	0.09	32.4	19.5	5	1.36	82.7
I402183		2.52	0.086	0.26	6.17	7.4	170	1.03	0.53	4.86	0.11	32.8	19.7	10	1.69	45.9
I402184		2.44	0.242	0.31	5.83	3.6	110	0.93	0.41	4.20	0.13	33.6	17.9	5	1.27	21.2
I402185		1.95	0.036	0.18	6.36	3.3	270	1.01	0.21	3.98	0.12	33.8	19.7	6	2.37	23.0
I402186		1.99	0.464	0.54	6.23	8.1	240	1.02	1.09	4.90	0.19	37.1	24.8	9	2.41	40.6
I402187		1.11	0.006	0.03	6.84	1.6	440	1.62	0.03	1.64	0.04	38.5	4.3	18	3.41	4.5
I402188		2.35	<0.005	0.02	6.93	1.2	440	1.40	0.02	1.32	0.02	39.8	4.8	19	3.33	2.0
I402189		2.64	<0.005	0.03	7.36	1.6	390	1.37	0.05	1.45	0.02	42.6	5.7	18	3.06	4.7
I402190		2.29	0.032	0.07	6.34	1.0	290	1.10	0.03	1.40	0.02	34.9	4.9	16	2.38	2.0
I402191		2.37	0.047	0.15	6.57	1.4	320	1.29	0.04	1.58	0.03	35.5	4.7	22	2.16	4.5
I402192		2.45	0.061	0.16	7.03	1.4	350	1.51	0.03	1.49	0.02	40.7	5.7	19	2.48	2.1
I402193		2.42	<0.005	0.03	7.23	1.0	380	1.56	0.02	1.56	0.03	41.0	4.9	19	2.84	3.1
I402194		2.45	0.017	0.07	6.94	1.3	330	1.44	0.02	1.56	0.02	37.7	5.1	18	2.55	1.5
I402195		2.27	0.041	0.11	6.56	1.4	250	1.34	0.03	1.57	0.02	35.3	4.9	20	2.12	1.7
I402196		2.60	0.055	0.19	6.90	1.6	260	1.40	0.03	1.36	0.02	38.0	5.9	21	2.11	2.1
I402197		1.96	0.017	0.12	6.75	0.9	240	1.34	0.01	1.40	0.02	35.5	4.7	22	1.95	2.0
I402198		1.26	0.586	0.53	5.98	8.7	420	1.96	0.26	5.25	0.15	23.8	27.9	8	4.55	73.5
I402199		1.65	0.079	0.17	6.98	2.3	950	2.42	0.14	3.01	0.05	65.5	11.9	33	3.59	16.3
I402200		0.08	2.30	33.6	3.69	436	880	0.44	23.3	1.28	0.73	33.5	15.1	222	0.57	334
I401513		1.95	0.059	0.11	6.87	0.3	1050	2.52	0.32	2.58	0.03	65.4	11.3	33	3.49	26.4
I401514		2.76	0.005	0.06	7.41	0.4	3650	1.95	0.12	4.21	0.07	201	24.2	122	1.85	34.0
I401515		2.84	0.127	0.18	6.86	2.2	1080	2.75	0.25	2.87	0.05	63.1	12.1	36	3.39	21.4
I401516		2.75	0.291	0.14	4.96	3.7	230	1.30	0.06	9.26	0.16	61.3	18.2	37	2.17	22.0
I401517		2.40	0.379	0.15	6.12	4.2	160	1.01	0.07	4.20	0.11	51.0	21.1	20	1.21	41.8
I401518		0.47	1.980	0.61	4.68	2.7	70	0.64	0.07	8.18	0.16	25.1	16.9	3	0.50	20.9
I401519		1.68	0.348	0.29	5.40	16.5	50	0.67	0.02	5.78	0.15	29.6	20.2	5	0.37	27.7
I401520		0.07	2.28	32.1	3.73	444	710	0.44	22.6	1.30	0.66	32.0	14.0	219	0.54	333
I401521		2.48	<0.005	0.09	6.04	0.9	80	0.76	0.02	3.61	0.15	26.2	22.2	5	1.12	32.8
I401522		2.43	<0.005	0.11	5.95	1.0	60	0.62	0.01	4.26	0.18	27.4	20.0	5	0.65	21.5
I401523		2.51	<0.005	0.10	6.05	0.7	40	0.57	0.01	3.83	0.15	28.0	20.9	4	0.61	17.1
I401524		1.95	<0.005	0.08	6.43	<0.2	110	0.83	0.01	3.77	0.16	26.0	21.9	4	1.44	29.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I402173		11.35	22.5	0.22	2.5	0.150	0.87	12.7	21.2	1.19	1800	60.4	1.59	6.0	2.7	3170
I402174		10.70	20.3	0.22	2.6	0.136	0.88	12.0	21.2	1.16	1680	15.60	1.23	5.9	2.4	3040
I402175		10.60	20.7	0.20	2.1	0.157	0.94	11.6	21.5	1.03	1920	10.50	0.88	6.0	3.3	2770
I402176		10.25	21.2	0.18	2.4	0.144	1.03	12.2	21.8	1.02	1760	19.95	0.98	7.2	2.5	2930
I402177		11.60	24.9	0.25	2.5	0.179	1.30	13.9	35.1	1.29	2510	50.0	0.64	7.0	3.1	3290
I402178		10.45	22.0	0.20	2.6	0.158	0.60	13.0	23.1	1.13	1880	30.2	1.92	5.6	2.9	3060
I402179		8.33	14.65	0.10	2.2	0.108	0.17	9.5	8.7	1.18	2170	13.60	2.78	4.5	2.3	2200
I402180		4.69	16.35	0.09	1.8	0.675	0.24	18.4	16.8	0.84	282	6.98	0.49	8.1	41.1	640
I402181		10.65	21.0	0.22	2.7	0.139	0.54	11.9	25.8	1.17	1580	46.4	1.42	5.3	3.1	2880
I402182		9.65	20.7	0.15	2.8	0.127	0.68	11.4	21.2	1.06	1580	16.05	1.64	6.2	3.3	2730
I402183		10.65	22.2	0.21	2.6	0.151	0.89	11.6	18.6	1.14	1820	11.70	1.76	5.6	4.5	2920
I402184		10.55	20.3	0.18	2.7	0.143	0.60	11.9	18.2	1.21	1780	6.05	2.04	4.6	3.3	2840
I402185		10.90	21.4	0.22	1.9	0.155	1.32	12.0	17.6	1.11	2000	3.05	1.14	3.9	4.0	3090
I402186		10.80	21.6	0.23	2.1	0.138	1.23	13.5	13.7	1.21	2190	19.95	1.64	5.7	5.3	2980
I402187		1.55	23.7	0.11	2.7	0.027	2.03	18.5	1.8	0.58	329	1.53	2.58	1.9	17.2	410
I402188		1.32	25.1	0.15	3.0	0.023	2.09	19.2	1.6	0.49	194	0.11	2.64	2.1	17.1	400
I402189		1.39	25.0	0.16	3.0	0.020	2.10	20.9	1.7	0.53	204	0.10	2.95	2.2	18.1	420
I402190		1.23	20.5	0.14	2.4	0.017	1.63	17.0	1.3	0.48	182	0.07	2.77	1.8	15.4	380
I402191		1.18	21.7	0.15	2.6	0.019	1.64	17.4	1.4	0.44	189	0.08	3.07	2.0	14.8	370
I402192		1.31	24.1	0.17	2.9	0.016	1.74	20.1	1.4	0.50	196	0.06	3.35	2.2	17.7	400
I402193		1.33	24.5	0.18	2.9	0.017	1.92	20.1	1.5	0.52	206	0.07	3.18	2.2	17.3	410
I402194		1.33	23.6	0.16	2.8	0.017	1.82	18.5	1.4	0.53	223	0.08	3.21	2.0	17.1	370
I402195		1.21	21.4	0.15	2.8	0.017	1.54	17.4	1.4	0.49	238	0.08	3.33	1.9	15.8	350
I402196		1.29	22.4	0.16	2.8	0.017	1.53	18.9	1.3	0.45	244	0.06	3.59	2.0	17.0	400
I402197		1.28	19.25	0.17	2.5	0.018	1.35	17.8	1.1	0.42	277	0.14	3.52	1.8	15.1	440
I402198		8.70	23.7	0.22	2.3	0.115	2.88	9.5	1.9	1.44	1310	1.92	0.41	3.8	15.0	1280
I402199		2.49	20.8	0.20	3.8	0.030	2.18	30.8	2.3	1.19	593	0.38	2.94	4.6	20.5	1010
I402200		4.60	17.00	0.12	1.7	0.676	0.24	17.9	16.7	0.82	276	7.03	0.48	8.2	42.8	620
I401513		2.31	20.7	0.20	3.7	0.028	1.91	31.3	2.7	1.13	470	0.11	3.29	4.3	20.4	1010
I401514		3.90	21.0	0.39	5.0	0.038	0.86	99.0	20.6	2.86	702	0.67	3.58	7.0	107.5	2570
I401515		2.42	20.7	0.21	4.1	0.027	1.85	29.4	2.3	1.13	507	0.24	3.48	4.6	21.6	1010
I401516		7.73	16.95	0.19	2.4	0.112	1.36	28.4	7.3	1.55	2030	0.75	1.17	5.4	15.5	2520
I401517		9.85	21.1	0.19	1.9	0.127	0.75	22.3	15.5	1.41	1610	0.82	2.05	5.1	15.7	2940
I401518		8.52	15.60	0.13	2.0	0.128	0.28	9.0	11.9	1.02	2310	2.32	1.84	5.7	1.5	2590
I401519		9.58	20.1	0.16	2.2	0.136	0.18	10.8	10.4	1.24	2060	1.55	2.73	6.1	2.7	2820
I401520		4.68	15.75	0.06	1.6	0.634	0.23	17.1	15.7	0.83	282	6.69	0.48	7.8	39.9	630
I401521		11.30	22.2	0.20	1.8	0.153	0.50	9.2	18.4	1.22	1830	0.43	2.02	3.4	4.0	2950
I401522		10.15	21.4	0.17	2.1	0.131	0.26	9.8	16.9	1.27	1880	0.33	2.43	3.0	3.0	2920
I401523		11.30	22.4	0.18	2.1	0.143	0.21	9.8	19.9	1.23	2000	1.14	2.33	2.6	3.0	2930
I401524		11.10	23.3	0.18	1.9	0.148	0.74	8.9	14.8	1.14	1940	0.56	2.18	2.3	3.4	3160

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I402173		3.6	41.5	0.015	3.05	2.80	30.1	4	1.3	147.0	0.39	0.42	0.8	0.621	0.29	0.2
I402174		3.4	43.9	0.004	3.49	2.69	28.7	4	1.2	138.0	0.38	0.37	0.7	0.603	0.30	0.2
I402175		3.7	44.7	0.003	2.57	2.32	27.7	3	1.4	154.0	0.38	0.50	0.7	0.609	0.30	0.2
I402176		3.8	48.0	0.005	2.43	2.61	29.4	3	1.4	149.0	0.45	0.47	0.8	0.739	0.35	0.2
I402177		3.0	57.4	0.013	1.29	2.52	33.1	3	1.3	146.0	0.44	0.29	0.8	0.710	0.38	0.2
I402178		3.4	27.5	0.008	1.15	2.07	29.5	2	1.3	145.5	0.37	0.36	0.8	0.567	0.18	0.2
I402179		3.1	6.8	0.003	2.00	1.45	23.5	2	0.6	119.0	0.29	0.98	0.6	0.484	0.05	0.2
I402180		273	7.9	0.002	1.50	111.5	8.5	11	8.0	409	0.57	20.3	5.3	0.439	0.80	1.2
I402181		4.5	24.2	0.011	2.45	1.43	27.8	3	0.9	135.0	0.36	0.54	0.7	0.575	0.16	0.2
I402182		3.4	30.8	0.004	2.65	1.21	27.3	3	1.0	144.0	0.39	0.58	0.7	0.632	0.21	0.2
I402183		3.5	39.6	0.003	1.79	1.37	29.2	2	1.0	155.5	0.36	0.62	0.7	0.640	0.25	0.2
I402184		3.0	26.6	0.002	1.31	1.18	28.2	2	0.8	146.0	0.30	0.53	0.7	0.504	0.16	0.2
I402185		2.6	53.8	<0.002	0.87	1.46	29.5	2	0.9	123.0	0.26	0.33	0.7	0.462	0.35	0.1
I402186		4.8	50.6	0.003	2.55	2.04	29.2	3	1.2	179.5	0.36	1.28	0.9	0.662	0.32	0.2
I402187		3.4	78.3	<0.002	0.03	0.92	3.8	1	0.5	204	0.13	<0.05	4.0	0.110	0.47	0.9
I402188		2.7	82.4	<0.002	0.02	0.82	3.7	1	0.5	189.5	0.14	<0.05	4.1	0.118	0.50	1.0
I402189		3.7	81.8	<0.002	0.07	0.98	3.8	1	0.5	207	0.14	<0.05	4.4	0.121	0.46	1.0
I402190		2.8	61.0	<0.002	0.08	0.64	3.2	1	0.4	201	0.12	0.05	3.5	0.103	0.34	0.8
I402191		3.8	57.8	<0.002	0.18	0.70	3.3	1	0.5	222	0.13	0.12	3.6	0.112	0.33	0.9
I402192		4.3	66.6	<0.002	0.13	0.63	3.6	1	0.5	231	0.14	0.13	4.1	0.120	0.36	1.0
I402193		4.9	74.3	<0.002	0.03	0.75	3.7	1	0.5	217	0.14	<0.05	4.3	0.121	0.39	1.0
I402194		3.6	67.8	<0.002	0.07	0.65	3.5	1	0.5	210	0.12	0.06	4.0	0.115	0.37	0.9
I402195		4.1	57.4	<0.002	0.10	0.64	3.3	1	0.4	181.0	0.13	0.08	3.6	0.110	0.32	0.8
I402196		4.3	56.8	<0.002	0.20	0.65	3.4	1	0.5	202	0.13	0.18	3.8	0.120	0.33	0.9
I402197		3.4	50.1	<0.002	0.14	0.58	3.4	1	0.5	188.0	0.11	0.08	3.7	0.106	0.27	0.8
I402198		7.1	117.5	0.009	1.68	1.72	24.4	3	1.0	220	0.23	0.93	1.2	0.530	0.61	0.4
I402199		9.3	77.5	<0.002	0.52	1.04	7.1	1	0.7	275	0.28	0.18	6.1	0.208	0.51	1.9
I402200		270	7.5	<0.002	1.46	110.5	8.3	11	7.8	398	0.55	20.1	5.0	0.436	0.82	1.2
I401513		7.5	74.4	<0.002	0.15	1.08	7.0	1	0.6	292	0.25	0.09	5.8	0.189	0.45	1.7
I401514		9.8	39.3	<0.002	0.14	1.11	13.0	2	0.8	498	0.37	<0.05	11.3	0.315	0.20	3.0
I401515		7.7	67.1	<0.002	0.49	1.06	7.0	1	0.7	362	0.29	0.23	5.9	0.206	0.43	1.8
I401516		4.1	54.5	<0.002	0.44	1.14	21.9	2	0.8	321	0.32	0.24	3.3	0.514	0.27	0.7
I401517		3.0	29.6	<0.002	0.31	1.10	24.6	2	0.7	186.5	0.32	0.17	1.9	0.467	0.15	0.5
I401518		2.4	10.9	0.002	2.06	0.86	22.2	2	0.6	257	0.34	0.79	0.5	0.559	0.05	0.1
I401519		2.1	6.7	<0.002	0.93	1.11	26.1	2	0.7	218	0.39	0.69	0.6	0.632	0.04	0.2
I401520		274	7.1	<0.002	1.47	106.0	7.7	10	7.5	399	0.52	19.00	4.7	0.433	0.78	1.2
I401521		1.3	18.9	<0.002	0.09	1.07	27.8	2	0.5	94.2	0.20	<0.05	0.6	0.348	0.09	0.1
I401522		0.8	9.9	<0.002	0.09	0.88	26.4	2	0.5	106.5	0.19	<0.05	0.6	0.311	0.05	0.1
I401523		0.8	8.3	<0.002	0.07	0.83	27.5	2	0.4	105.0	0.16	<0.05	0.6	0.267	0.04	0.1
I401524		1.0	27.4	<0.002	0.07	1.00	28.7	2	0.6	98.9	0.15	<0.05	0.6	0.254	0.13	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I402173		48	7.7	24.1	173	83.9
I402174		37	8.1	26.6	174	88.4
I402175		33	31.1	20.1	151	69.2
I402176		31	30.2	22.2	157	78.2
I402177		41	19.5	21.5	187	81.9
I402178		24	6.9	23.7	152	91.9
I402179		26	30.6	13.0	87	77.4
I402180		73	14.3	9.5	85	61.0
I402181		18	8.7	25.8	138	92.3
I402182		20	10.7	23.8	123	93.5
I402183		24	13.9	23.3	139	90.3
I402184		21	12.2	21.4	157	96.9
I402185		25	6.7	15.4	190	70.2
I402186		47	29.0	13.6	162	71.0
I402187		30	2.5	4.8	27	89.5
I402188		28	2.8	3.8	27	95.5
I402189		25	2.8	3.9	30	98.4
I402190		22	3.6	3.1	28	81.3
I402191		28	5.0	3.2	29	85.7
I402192		28	3.4	3.7	32	95.3
I402193		26	2.8	3.7	33	97.2
I402194		26	2.5	3.5	29	95.3
I402195		25	2.4	3.3	27	89.4
I402196		32	3.5	3.4	29	92.3
I402197		29	2.8	3.7	28	86.1
I402198		187	17.5	12.1	109	80.0
I402199		70	10.2	10.0	51	139.5
I402200		73	13.7	8.1	84	60.6
I401513		65	11.7	9.5	44	141.0
I401514		101	3.0	19.0	118	187.5
I401515		72	10.4	9.4	49	143.0
I401516		30	17.6	20.3	115	86.4
I401517		24	8.5	20.0	158	73.0
I401518		16	13.3	20.0	103	69.4
I401519		31	28.1	18.1	132	75.2
I401520		73	12.8	7.7	84	55.6
I401521		17	0.6	15.9	180	66.8
I401522		12	0.6	17.0	161	79.1
I401523		14	0.5	16.6	188	73.7
I401524		13	0.4	15.9	182	66.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I401525		1.09	<0.005	0.09	5.85	0.9	90	0.75	0.02	5.09	0.15	25.3	18.5	5	1.36	19.1
I401526		1.29	<0.005	0.08	5.80	0.7	90	0.75	0.01	4.66	0.14	23.3	17.5	5	1.43	15.5
I401527		2.64	0.006	0.08	5.70	2.9	100	0.77	0.01	4.87	0.20	22.3	20.8	4	1.58	30.3
I401528		1.88	0.006	0.09	6.05	1.3	80	0.64	0.01	4.03	0.14	19.70	22.4	8	1.17	28.9
I401529		1.47	0.033	0.09	6.50	5.9	180	0.76	0.02	6.80	0.12	5.96	38.9	182	2.99	76.6
I401530		2.73	0.027	0.11	6.42	20.8	180	0.56	0.01	7.09	0.11	8.18	40.0	177	2.45	70.0
I401531		2.45	<0.005	0.08	5.93	29.2	20	0.38	0.01	4.66	0.10	18.05	36.9	12	0.28	48.3
I401532		1.17	0.012	0.05	6.11	16.8	240	0.74	0.11	2.80	0.02	22.6	10.5	9	1.34	21.5
I401533		2.29	<0.005	0.02	7.41	7.2	520	1.52	0.05	1.19	<0.02	24.1	5.5	10	3.19	4.4
I401534		2.15	<0.005	0.02	6.83	7.0	470	1.33	0.06	1.77	<0.02	20.8	4.9	8	2.80	5.8
I401535		2.40	<0.005	0.02	6.76	5.1	430	1.03	0.06	1.56	0.06	22.0	4.8	9	3.23	3.6
I401536		2.36	<0.005	0.06	6.90	4.3	440	1.00	0.06	1.62	<0.02	22.4	5.1	10	3.48	4.2
I401537		2.34	<0.005	0.01	6.29	4.7	420	0.98	0.04	1.97	0.06	18.20	4.8	21	3.21	4.8
I401538		2.32	<0.005	0.02	7.27	3.8	430	1.05	0.10	1.66	0.04	22.6	5.0	9	3.37	22.2
I401539		2.35	<0.005	0.03	6.49	4.2	420	0.91	0.12	2.29	0.03	23.3	5.0	9	3.31	22.9
I401540		0.07	2.29	35.8	4.04	443	380	0.52	25.7	1.39	0.73	31.4	14.4	225	0.59	341
I401541		2.49	<0.005	0.05	6.39	4.5	440	1.02	0.09	2.79	0.05	19.75	5.6	9	2.84	29.3
I401542		0.73	<0.005	0.09	6.29	4.6	20	0.40	0.02	6.15	0.17	21.2	41.3	8	0.42	54.2
I401543		1.18	<0.005	0.01	5.67	1.2	170	0.45	0.03	3.95	0.07	19.50	7.1	11	1.08	3.6
I401544		2.24	0.006	0.08	6.81	4.8	90	0.57	0.04	5.17	0.06	20.1	29.6	90	1.66	63.1
I401545		2.56	0.037	0.04	6.99	5.3	150	0.46	0.04	6.48	0.14	18.55	31.7	123	2.12	82.1
I401546		2.32	0.013	0.04	7.40	0.5	50	0.18	0.01	8.54	0.09	4.41	41.9	186	0.90	107.5
I401547		2.27	0.012	0.04	7.42	0.6	70	0.17	<0.01	8.12	0.08	4.36	40.4	183	1.19	87.1
I401548		1.76	0.006	0.04	7.34	0.9	30	0.23	<0.01	7.53	0.06	4.23	36.3	185	1.26	84.0
I401549		1.83	0.020	0.04	7.63	1.3	30	0.19	<0.01	7.30	0.05	4.12	40.3	209	1.27	84.8
I401550		2.21	0.024	0.03	7.92	0.7	110	0.14	<0.01	9.04	0.05	3.85	43.6	204	1.10	96.3
I403067		2.14	0.010	0.02	6.89	2.3	280	0.72	0.03	8.75	0.05	20.2	27.5	100	1.33	52.5
I403068		2.39	<0.005	0.04	7.42	0.8	80	0.49	0.03	5.83	0.04	22.8	29.8	124	0.63	59.0
I403069		2.50	0.005	0.10	7.42	0.4	250	0.48	0.04	6.31	0.04	13.35	36.3	169	2.94	80.6
I403070		2.68	<0.005	0.03	8.15	2.2	60	0.23	0.01	8.37	0.04	5.12	43.3	203	0.73	108.0
I403071		2.57	0.005	0.04	7.18	2.4	190	0.19	0.05	9.04	0.03	4.28	38.8	183	2.13	87.8
I403072		3.23	0.006	0.02	6.96	5.6	70	0.14	0.01	9.95	0.03	4.53	35.9	174	0.72	101.5
I403073		2.62	0.008	0.03	8.11	8.3	20	0.14	0.01	9.19	0.11	5.55	42.0	192	0.25	108.5
I403074		2.76	<0.005	0.04	8.44	8.5	20	0.11	0.01	9.15	0.10	5.68	42.3	202	0.31	112.0
I403075		2.70	<0.005	0.04	8.18	6.1	30	0.11	0.01	9.08	0.09	5.62	41.3	199	0.31	105.5
I403076		2.76	<0.005	3.32	8.11	11.4	50	0.12	0.01	9.93	0.22	5.59	41.7	190	0.31	105.0
I403077		1.10	<0.005	0.04	8.15	24	30	0.15	<0.01	12.40	0.14	4.74	35.8	152	0.17	89.6
I403078		1.48	<0.005	0.07	7.88	16	60	0.18	0.01	11.20	0.11	4.97	36.4	177	0.18	91.0
I403079		1.60	<0.005	0.05	7.92	3.9	30	0.13	0.01	8.54	0.06	5.35	40.7	202	0.76	103.5
I403080		0.07	2.28	33.4	3.88	436	860	0.43	25.4	1.35	0.70	32.9	13.2	210	0.59	346

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I401525		9.50	20.3	0.15	1.4	0.129	0.69	8.6	14.7	1.22	2050	0.75	1.82	2.8	3.4	2870
I401526		8.85	19.65	0.14	1.5	0.121	0.72	8.1	14.6	1.12	1860	0.82	1.77	3.3	3.1	2850
I401527		12.40	20.5	0.20	1.2	0.124	0.80	7.4	20.0	1.42	2630	0.42	0.88	3.2	3.9	2710
I401528		10.80	21.2	0.15	1.5	0.134	0.61	6.7	22.5	1.52	1820	0.38	1.47	4.7	7.1	2860
I401529		7.38	15.20	0.10	0.4	0.063	1.58	2.1	24.4	3.32	1440	0.34	0.67	1.3	98.2	540
I401530		7.58	15.40	0.08	0.5	0.066	1.43	2.9	25.7	3.12	1480	0.24	1.04	1.6	113.0	670
I401531		9.16	18.40	0.11	1.5	0.086	0.03	6.8	22.1	1.85	1420	0.28	2.46	4.4	15.4	590
I401532		2.67	17.00	0.11	2.2	0.029	0.78	11.0	9.9	0.56	418	1.59	3.08	2.3	7.5	390
I401533		1.46	25.1	0.11	2.8	0.018	2.08	12.0	6.3	0.40	188	0.05	3.26	2.3	7.6	320
I401534		1.23	22.1	0.16	2.6	0.015	1.88	9.9	4.9	0.34	227	<0.05	3.00	2.3	6.8	310
I401535		1.31	21.1	0.09	2.5	0.012	2.11	10.9	3.7	0.38	182	<0.05	3.00	2.2	7.2	310
I401536		1.38	21.6	0.08	2.7	0.010	2.21	11.2	3.6	0.39	188	0.13	3.02	2.3	7.6	310
I401537		1.24	20.0	0.09	2.5	0.012	2.09	8.5	3.2	0.34	199	0.09	2.78	2.2	6.8	290
I401538		1.37	21.4	0.10	2.7	0.012	2.04	11.2	3.5	0.39	183	<0.05	3.11	2.4	6.9	310
I401539		1.32	22.0	0.08	2.5	0.017	1.96	12.0	3.6	0.35	243	0.13	2.96	2.1	6.5	280
I401540		4.94	16.50	0.14	1.7	0.640	0.26	16.9	15.7	0.91	289	7.31	0.52	8.5	42.2	650
I401541		1.39	20.3	0.08	2.6	0.017	1.76	8.9	3.7	0.36	312	0.66	3.25	2.3	7.4	310
I401542		11.45	22.1	0.19	2.3	0.092	0.03	8.2	19.7	2.66	1980	0.29	1.44	4.8	14.6	610
I401543		1.74	14.40	0.08	2.1	0.040	0.56	9.3	4.3	0.43	656	0.35	3.73	2.1	6.7	300
I401544		8.00	18.05	0.15	1.3	0.083	0.49	7.7	20.8	2.58	1200	0.51	1.67	3.9	49.4	820
I401545		9.17	18.00	0.18	1.5	0.112	1.02	6.8	21.4	2.76	1560	1.03	0.68	3.5	69.7	770
I401546		7.00	13.70	0.14	0.2	0.044	0.36	1.5	21.9	3.72	1340	0.13	1.99	1.0	133.0	250
I401547		7.24	13.20	0.14	0.2	0.046	0.51	1.5	25.6	4.08	1380	0.16	1.57	1.0	133.5	230
I401548		6.66	13.00	0.12	0.2	0.048	0.40	1.5	40.5	3.98	1480	0.10	1.88	0.9	136.5	240
I401549		7.18	13.60	0.13	0.3	0.045	0.36	1.5	35.0	3.85	1340	0.10	1.88	1.0	146.0	250
I401550		7.43	14.10	0.13	0.3	0.047	0.44	1.3	17.3	3.38	1460	0.13	2.30	1.1	140.5	260
I403067		7.64	18.45	0.15	3.3	0.076	0.60	7.5	15.8	2.81	1420	1.27	1.71	5.5	54.8	950
I403068		7.74	19.55	0.14	3.5	0.085	0.29	8.3	14.2	2.83	1260	0.41	2.45	6.0	58.4	1050
I403069		8.00	16.75	0.16	2.4	0.069	1.56	4.6	22.6	3.39	1320	0.34	0.37	3.7	96.2	640
I403070		7.45	14.60	0.12	0.7	0.052	0.30	1.8	22.6	3.83	1390	0.22	1.32	1.4	144.0	270
I403071		6.66	13.50	0.13	0.6	0.044	1.26	1.5	23.5	3.16	1280	0.18	0.83	1.1	128.5	230
I403072		6.49	12.25	0.09	0.6	0.046	0.39	1.6	23.7	3.21	1280	0.12	1.71	1.2	119.0	230
I403073		7.41	14.75	0.12	0.9	0.051	0.03	1.9	18.5	3.89	1360	0.15	1.75	1.5	137.5	290
I403074		8.01	15.55	0.13	1.0	0.049	0.01	2.0	21.6	4.59	1400	0.15	1.10	1.6	142.0	300
I403075		7.74	14.65	0.13	0.9	0.050	0.02	1.9	19.2	3.97	1400	0.12	1.38	1.5	138.5	290
I403076		7.57	15.25	0.14	0.9	0.049	0.01	2.0	18.1	3.77	1330	0.13	0.75	1.5	139.5	280
I403077		6.47	15.25	0.11	0.8	0.045	0.01	1.7	17.4	3.01	1170	0.15	0.59	1.3	116.5	240
I403078		6.55	15.20	0.10	0.8	0.044	0.01	1.8	17.8	3.13	1140	0.19	0.49	1.3	121.0	250
I403079		7.13	14.00	0.11	0.9	0.051	0.04	1.9	19.7	3.61	1220	0.17	2.35	1.5	137.0	280
I403080		4.83	15.85	0.13	1.8	0.663	0.24	17.3	16.3	0.87	291	6.84	0.50	7.9	43.4	670

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I401525		0.8	25.4	<0.002	0.11	1.06	25.8	2	0.5	101.5	0.18	<0.05	0.5	0.307	0.12	0.1
I401526		0.7	25.7	<0.002	0.08	1.17	25.2	2	0.6	94.6	0.21	<0.05	0.5	0.360	0.13	0.1
I401527		0.9	29.9	<0.002	0.09	1.20	25.5	2	0.6	89.0	0.19	<0.05	0.5	0.339	0.14	0.1
I401528		0.9	21.8	<0.002	0.09	1.50	27.0	2	1.0	83.4	0.29	<0.05	0.6	0.510	0.10	0.1
I401529		1.1	54.8	<0.002	0.35	1.67	31.3	1	0.3	124.5	0.08	<0.05	0.2	0.367	0.25	0.1
I401530		1.1	49.9	<0.002	0.32	1.73	29.9	1	0.3	130.5	0.09	<0.05	0.2	0.360	0.22	0.1
I401531		0.9	1.0	0.003	0.14	0.92	32.0	2	0.6	180.0	0.27	<0.05	0.5	0.789	<0.02	0.1
I401532		1.6	33.1	<0.002	0.09	0.44	9.3	1	0.5	100.5	0.17	<0.05	2.3	0.245	0.13	0.7
I401533		1.8	86.0	<0.002	0.02	0.78	3.8	1	0.6	92.2	0.20	<0.05	3.3	0.161	0.37	1.1
I401534		1.7	74.8	<0.002	0.01	0.66	3.4	1	0.6	108.5	0.19	<0.05	2.8	0.145	0.33	0.8
I401535		1.4	80.5	<0.002	0.01	0.60	3.3	1	0.6	82.9	0.18	<0.05	2.8	0.150	0.34	0.9
I401536		2.0	86.2	<0.002	0.01	0.61	3.4	1	0.6	97.8	0.19	<0.05	2.9	0.152	0.36	0.9
I401537		1.7	73.8	<0.002	0.01	0.64	3.1	1	0.5	92.7	0.17	<0.05	2.3	0.143	0.34	0.7
I401538		2.0	82.2	<0.002	0.02	0.72	3.6	1	0.6	108.5	0.19	<0.05	2.9	0.152	0.36	0.9
I401539		2.2	79.2	<0.002	0.01	0.62	3.2	1	0.6	99.2	0.19	<0.05	2.8	0.140	0.35	0.9
I401540		284	7.4	<0.002	1.55	109.5	9.1	11	7.7	417	0.54	20.6	4.5	0.452	0.78	1.2
I401541		1.8	61.3	<0.002	0.01	0.92	3.9	1	0.6	121.0	0.19	<0.05	2.2	0.159	0.30	0.8
I401542		1.4	0.9	0.003	0.66	0.51	35.9	2	1.0	97.4	0.29	<0.05	0.5	0.857	0.02	0.1
I401543		1.1	19.0	<0.002	0.04	0.36	6.9	1	0.5	145.5	0.16	<0.05	2.0	0.192	0.09	0.6
I401544		1.3	25.6	0.002	0.23	0.66	28.1	1	0.8	87.4	0.25	<0.05	0.6	0.655	0.07	0.2
I401545		0.7	52.9	0.002	0.36	0.50	29.8	1	1.1	70.4	0.21	<0.05	0.4	0.517	0.14	0.1
I401546		0.5	17.8	0.002	0.15	0.51	36.1	1	0.2	106.5	0.06	<0.05	<0.2	0.431	0.05	<0.1
I401547		<0.5	24.8	0.002	0.09	0.42	35.9	1	0.2	88.6	0.06	<0.05	<0.2	0.418	0.07	<0.1
I401548		<0.5	16.9	<0.002	0.06	0.42	35.3	1	0.2	67.9	0.05	<0.05	<0.2	0.393	0.05	<0.1
I401549		<0.5	15.9	0.002	0.10	0.41	36.3	1	0.2	71.5	0.06	<0.05	<0.2	0.432	0.05	<0.1
I401550		0.5	22.7	0.002	0.15	0.48	39.0	1	0.3	103.5	0.07	<0.05	<0.2	0.470	0.06	<0.1
I403067		0.9	34.1	0.002	0.15	0.26	29.1	2	1.0	105.0	0.34	<0.05	0.7	0.721	0.09	0.2
I403068		1.0	14.9	0.002	0.13	0.24	31.4	2	1.0	85.7	0.37	<0.05	0.8	0.792	0.04	0.2
I403069		0.7	71.0	0.002	0.21	0.50	33.7	2	0.7	44.6	0.23	<0.05	0.4	0.660	0.24	0.1
I403070		0.8	16.5	0.002	0.14	0.90	39.1	1	0.3	152.0	0.09	<0.05	<0.2	0.562	0.05	<0.1
I403071		<0.5	70.0	0.002	0.18	0.17	34.3	1	0.3	34.5	0.07	<0.05	<0.2	0.449	0.19	<0.1
I403072		<0.5	20.0	0.002	0.21	0.10	32.9	1	0.3	47.0	0.07	<0.05	<0.2	0.464	0.05	<0.1
I403073		0.6	0.6	0.002	0.22	0.24	38.1	1	0.3	122.0	0.09	<0.05	0.2	0.549	<0.02	<0.1
I403074		0.6	0.5	<0.002	0.07	0.23	38.4	1	0.3	129.0	0.10	<0.05	0.2	0.570	<0.02	<0.1
I403075		0.7	0.4	0.002	0.11	0.12	37.8	1	0.3	127.0	0.09	<0.05	0.2	0.564	<0.02	<0.1
I403076		1.0	0.4	0.002	0.13	0.30	37.1	1	0.3	167.0	0.09	<0.05	0.2	0.553	<0.02	<0.1
I403077		0.9	0.4	0.002	0.05	0.34	32.1	1	0.3	171.5	0.08	<0.05	<0.2	0.475	<0.02	<0.1
I403078		1.4	0.6	0.002	0.07	0.36	33.6	1	0.3	170.0	0.08	<0.05	0.2	0.492	<0.02	<0.1
I403079		1.0	1.4	0.002	0.12	0.08	38.0	1	0.4	136.5	0.09	<0.05	0.2	0.554	<0.02	<0.1
I403080		298	9.6	0.002	1.60	115.5	8.2	11	8.1	427	0.53	18.35	5.1	0.445	0.83	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I401525		13	0.5	13.2	156	51.6
I401526		13	0.4	12.8	148	54.6
I401527		15	0.8	11.8	194	41.8
I401528		21	1.5	12.8	165	53.3
I401529		217	1.9	5.4	96	14.4
I401530		203	1.3	6.7	93	16.8
I401531		259	0.1	11.9	111	49.9
I401532		70	2.8	8.4	49	73.8
I401533		35	2.3	3.8	32	94.5
I401534		27	1.2	2.8	31	87.6
I401535		27	0.6	3.1	43	90.6
I401536		28	0.6	3.0	39	95.6
I401537		26	0.6	2.6	40	88.0
I401538		26	0.4	2.9	42	94.7
I401539		25	0.8	2.6	36	78.5
I401540		74	13.7	8.7	91	63.1
I401541		31	0.6	4.0	38	91.5
I401542		283	0.3	41.6	157	77.9
I401543		60	1.1	6.9	25	74.0
I401544		187	1.8	14.4	101	47.0
I401545		174	4.0	13.0	170	52.8
I401546		252	0.5	7.3	75	9.2
I401547		252	0.7	8.3	78	9.0
I401548		244	0.3	9.5	64	7.4
I401549		255	0.3	8.8	75	12.7
I401550		272	0.4	9.3	80	9.8
I403067		151	9.3	44.3	90	106.5
I403068		157	1.3	46.4	93	112.0
I403069		209	3.6	32.6	92	76.6
I403070		272	1.4	16.7	82	23.8
I403071		237	1.6	14.3	71	21.1
I403072		234	0.8	14.2	68	18.1
I403073		266	0.3	17.3	78	25.5
I403074		276	0.3	17.7	81	28.5
I403075		266	0.3	17.4	81	27.0
I403076		264	0.6	17.1	91	28.5
I403077		244	0.4	14.7	77	26.2
I403078		252	0.4	14.8	77	27.1
I403079		262	0.2	17.0	69	27.1
I403080		75	14.2	9.2	85	63.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I403081		1.98	<0.005	0.05	7.93	2.8	30	0.15	0.02	9.91	0.06	5.48	41.7	217	1.18	111.5
I403082		2.78	<0.005	0.04	7.70	2.9	10	0.13	0.01	9.22	0.41	5.22	40.6	191	0.24	98.5
I403083		2.62	<0.005	0.03	7.87	9.3	10	0.12	0.01	7.86	0.06	5.52	42.6	198	0.27	113.0
I403084		2.58	<0.005	0.01	7.60	8.3	10	0.15	<0.01	9.09	0.03	5.22	37.8	189	0.35	91.8
I403085		2.50	<0.005	0.01	7.25	5	90	0.13	0.01	10.45	0.04	5.47	37.6	180	1.01	96.1
I403086		2.64	<0.005	0.03	7.36	0.2	60	0.11	0.01	9.02	0.06	5.08	39.9	184	0.81	99.8
I403087		2.53	<0.005	0.02	6.79	<5	70	0.14	0.02	10.40	0.06	4.54	35.0	183	0.95	81.4
I403088		1.14	<0.005	0.02	6.36	<5	150	0.08	<0.01	10.35	0.04	4.09	28.9	168	1.58	56.7
I403089		2.96	<0.005	0.01	7.23	4.4	10	0.13	0.01	8.44	0.06	4.47	37.6	212	0.32	88.9
I403090		2.54	<0.005	0.03	7.05	2.6	40	0.13	0.01	8.58	0.07	5.52	37.7	205	0.57	90.1
I403091		2.65	<0.005	0.03	7.00	1.2	50	0.14	0.01	8.43	0.07	5.07	35.6	199	0.75	85.1
I403092		2.58	0.006	0.03	6.74	1.9	60	0.12	0.01	9.39	0.07	4.96	35.4	185	0.93	91.0
I403093		1.62	<0.005	0.03	6.67	1.9	50	0.11	<0.01	9.66	0.08	4.77	33.1	183	0.48	77.8
I403094		1.37	<0.005	0.03	6.76	11	10	0.10	<0.01	10.80	0.05	4.96	33.4	200	0.15	81.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I403081		7.46	14.30	0.12	0.9	0.050	0.06	2.0	15.1	3.73	1390	0.18	1.77	1.5	136.0	270
I403082		7.02	13.65	0.12	0.8	0.048	0.02	1.8	17.3	3.53	1360	0.14	1.59	1.4	132.0	270
I403083		7.49	14.45	0.12	0.8	0.051	0.01	1.9	25.7	4.13	1300	0.10	0.98	1.5	140.5	290
I403084		7.09	14.50	0.12	0.8	0.048	0.05	1.8	27.6	3.65	1250	0.27	1.12	1.4	124.0	260
I403085		6.87	13.15	0.11	0.4	0.043	0.63	1.9	39.7	3.37	1420	0.12	0.92	1.3	126.0	290
I403086		6.65	13.65	0.11	0.2	0.046	0.49	1.8	33.4	3.07	1290	0.11	1.52	1.1	128.0	250
I403087		6.56	12.60	0.13	0.4	0.042	0.53	1.5	28.0	3.17	1270	0.15	1.17	1.0	112.5	220
I403088		5.85	14.30	0.12	0.5	0.041	1.01	1.3	26.0	2.63	1100	0.08	0.31	1.0	94.0	200
I403089		7.21	13.20	0.12	0.9	0.043	0.06	1.5	22.2	3.69	1270	0.14	1.60	1.3	119.5	240
I403090		7.06	13.20	0.12	0.5	0.046	0.26	1.9	34.8	3.43	1180	0.15	1.23	1.1	119.0	250
I403091		6.91	12.90	0.14	0.6	0.045	0.42	1.8	32.0	3.49	1180	0.11	0.66	1.0	112.5	240
I403092		6.49	12.80	0.12	0.5	0.046	0.51	1.7	21.3	3.06	1260	0.11	0.95	1.0	109.0	230
I403093		6.42	12.30	0.12	0.4	0.046	0.22	1.6	29.6	3.11	1280	0.10	1.43	1.0	105.5	230
I403094		6.23	13.05	0.12	0.9	0.045	0.02	1.7	8.7	2.62	1210	0.13	0.75	1.3	106.5	220

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
I403081		1.6	2.7	0.002	0.12	0.28	38.0	1	0.4	232	0.09	<0.05	0.2	0.561	<0.02	<0.1
I403082		0.8	0.4	0.002	0.09	0.24	36.3	1	0.3	128.0	0.09	<0.05	<0.2	0.537	<0.02	<0.1
I403083		0.6	0.5	0.002	0.19	0.50	37.8	1	0.3	110.0	0.09	<0.05	0.2	0.548	<0.02	<0.1
I403084		<0.5	2.4	0.002	0.12	0.52	35.4	1	0.3	124.0	0.08	<0.05	<0.2	0.509	<0.02	<0.1
I403085		<0.5	28.9	0.002	0.17	0.12	34.7	1	0.3	46.8	0.08	<0.05	<0.2	0.489	0.09	<0.1
I403086		<0.5	23.7	0.002	0.12	0.24	34.7	1	0.2	48.8	0.07	<0.05	<0.2	0.426	0.07	<0.1
I403087		1.1	22.8	0.002	0.07	0.23	32.9	1	0.2	38.7	0.07	<0.05	<0.2	0.414	0.09	<0.1
I403088		<0.5	40.7	<0.002	0.11	0.28	27.8	1	0.2	32.9	0.07	<0.05	<0.2	0.382	0.16	<0.1
I403089		<0.5	2.3	0.002	0.08	0.56	34.8	1	0.3	55.3	0.08	<0.05	<0.2	0.496	<0.02	<0.1
I403090		<0.5	10.5	0.002	0.11	0.91	34.5	1	0.2	42.0	0.07	<0.05	<0.2	0.439	0.04	<0.1
I403091		<0.5	15.6	0.002	0.07	0.61	33.0	1	0.2	65.2	0.07	<0.05	<0.2	0.421	0.08	<0.1
I403092		0.5	19.2	<0.002	0.17	0.70	32.4	1	0.2	74.9	0.07	<0.05	<0.2	0.421	0.09	<0.1
I403093		<0.5	8.7	0.002	0.08	0.31	31.7	1	0.2	51.5	0.07	<0.05	<0.2	0.420	0.04	<0.1
I403094		1.1	0.4	0.002	0.10	0.86	29.0	1	0.3	217	0.09	<0.05	<0.2	0.469	<0.02	<0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I403081		262	0.5	17.0	69	27.2
I403082		253	0.1	16.3	110	26.2
I403083		263	0.2	16.9	78	24.7
I403084		255	0.5	16.0	75	23.7
I403085		239	1.7	14.2	74	14.1
I403086		247	0.7	8.7	75	8.6
I403087		228	0.5	9.4	67	11.0
I403088		206	0.1	10.8	55	12.8
I403089		242	0.4	11.1	72	21.8
I403090		238	0.4	4.3	71	12.1
I403091		236	0.1	3.6	68	19.8
I403092		227	1.7	4.1	64	14.2
I403093		226	0.1	4.4	63	11.0
I403094		232	0.1	13.5	65	24.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 17-DEC-2010
Account: VNCGLD

CERTIFICATE OF ANALYSIS TM10180795

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.