ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

CERTIFICATE TM10120890

Project: ABITIBI WEST

P.O. No.:

This report is for 67 Drill Core samples submitted to our lab in Timmins, ON, Canada on 27-AUG-2010.

The following have access to data associated with this certificate:

MYLES JOHNSON QUENTIN YARIE	JACOB MCKINNON	RICHARD SCHLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
ATTN: JACOB MCKINNON
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I403187		1.95	0.603	0.26	5.34	1.1	70	0.53	0.43	1.64	<0.02	52.6	4.6	39	0.25	6.2
I403188		1.90	0.098	0.14	5.55	0.9	70	0.48	0.21	1.41	<0.02	49.0	2.4	26	0.26	2.9
I403189		1.66	0.395	0.18	6.06	0.8	230	0.64	0.22	1.15	<0.02	56.7	2.4	18	0.72	3.0
I403190		1.95	0.697	0.19	5.61	1.0	370	0.51	0.26	0.93	0.02	51.7	2.9	29	0.25	3.0
I403191		1.98	0.569	0.33	5.81	1.2	230	0.51	0.25	1.08	<0.02	58.3	2.7	21	0.25	2.8
I403192		1.97	0.779	0.50	5.65	1.4	210	0.54	0.33	1.63	<0.02	87.7	4.7	28	0.35	3.7
I403193		1.86	0.235	0.12	5.66	1.7	150	0.78	0.12	3.14	0.02	96.4	5.6	13	0.96	4.6
I403194		1.94	0.796	0.21	5.44	2.5	50	0.43	0.39	1.61	<0.02	43.8	4.4	31	0.20	4.2
I403195		2.22	4.73	1.34	5.11	10.7	50	0.43	2.02	2.07	<0.02	39.2	14.4	38	0.26	7.4
I403196		0.48	<0.005	0.02	5.25	0.7	430	1.01	0.03	1.35	0.04	26.6	4.4	30	0.58	3.9
I403197		1.93	3.37	0.64	5.65	3.1	70	0.60	0.87	1.68	<0.02	54.4	5.9	26	0.32	8.1
I403198		2.06	0.279	0.17	5.73	4.1	410	0.98	0.25	2.55	<0.02	111.5	9.0	17	1.94	8.1
I403199		2.05	0.069	0.02	6.53	1.9	1140	1.33	0.03	4.42	0.07	169.0	13.5	6	3.42	5.2
I403200		Empty Bag														
I403201		1.08	0.072	0.03	6.85	1.8	1160	1.31	0.03	4.56	0.10	193.5	13.9	6	3.46	5.4
I403202		0.46	<0.005	0.02	5.29	0.5	440	1.09	0.03	1.38	0.04	20.6	4.5	26	0.61	4.1
I403203		2.04	0.054	0.01	6.58	1.6	1390	1.34	0.03	4.43	0.04	176.5	12.6	6	3.44	7.8
I403204		2.00	0.109	0.09	6.58	4.2	600	1.42	0.22	4.85	<0.02	175.0	13.3	8	3.50	7.3
I403205		2.09	0.096	0.05	6.63	2.8	690	1.48	0.04	4.76	0.11	162.5	9.8	7	4.63	4.1
I403206		1.96	0.197	0.11	6.07	1.1	260	0.71	0.19	1.23	<0.02	74.1	3.8	17	0.76	6.2
I403207		2.18	0.767	0.24	6.37	1.6	420	0.75	0.24	0.97	<0.02	62.9	3.3	20	0.75	8.4
I403208		2.31	0.507	0.15	5.73	1.1	750	0.78	0.19	0.96	0.02	60.3	3.1	22	0.67	4.3
I403209		2.08	0.317	0.15	5.89	1.2	410	0.75	0.16	1.08	0.02	71.2	3.0	18	0.71	5.5
I403210		2.04	0.577	0.17	5.98	1.4	220	0.69	0.23	0.93	0.02	67.2	3.6	17	0.62	4.8
I403211		2.05	0.509	0.16	5.79	1.1	250	0.57	0.19	0.92	0.03	54.7	2.7	18	0.51	3.5
I403212		2.15	0.335	0.12	6.29	0.9	280	0.78	0.21	0.99	0.04	62.9	2.7	18	0.54	3.5
I403213		2.17	0.298	0.25	5.87	1.2	190	0.73	0.26	1.40	0.02	52.3	3.3	26	0.58	4.8
I403214		2.23	1.740	0.80	6.33	2.1	150	0.80	1.51	2.63	0.08	40.8	10.9	13	0.72	23.3
I403215		2.26	2.93	0.68	6.12	3.4	300	1.02	2.21	5.44	0.16	32.6	21.8	8	2.04	27.7
I403216		2.08	0.694	0.47	5.75	1.5	160	0.79	0.43	2.05	0.04	42.5	7.1	18	0.77	8.8
I403217		2.19	1.000	0.21	6.11	1.5	160	0.75	0.49	1.35	0.03	55.5	6.2	23	0.44	7.6
I403218		2.09	0.596	0.13	5.97	1.2	360	0.81	0.10	0.98	0.02	58.2	2.5	19	0.82	3.6
I403219		2.07	0.069	0.11	5.90	1.4	460	0.90	0.09	0.90	<0.02	55.6	2.5	16	1.06	3.2
I403220		Empty Bag														
I403221		2.07	0.368	0.10	6.13	1.6	610	0.68	0.10	0.94	0.02	57.2	2.4	23	0.75	3.5
I403222		2.06	0.221	0.15	5.62	1.3	480	0.58	0.10	0.93	0.02	50.8	2.0	17	0.65	5.4
I403223		1.84	0.839	0.33	6.17	2.5	390	0.82	0.24	1.14	0.03	77.2	5.4	17	1.36	5.2
I403224		2.12	0.180	0.26	7.41	4.0	1340	1.34	0.01	4.59	0.06	193.5	13.5	5	3.86	8.1
I403225		1.07	0.064	0.25	6.59	4.7	1430	1.43	0.01	4.08	0.15	141.5	13.6	3	4.18	4.0
I403226		0.92	0.086	0.26	7.04	5.1	1350	1.50	0.01	4.20	0.15	178.5	14.2	3	4.50	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I403187		1.35	14.20	<0.05	2.5	0.013	0.16	26.7	4.9	0.20	288	40.0	4.17	3.0	6.4	260
I403188		0.88	14.15	<0.05	2.2	0.009	0.14	25.2	3.0	0.13	233	47.4	4.31	2.4	4.3	210
I403189		1.09	17.25	0.06	2.5	0.012	0.42	29.4	3.3	0.15	217	40.2	4.11	2.4	4.6	160
I403190		1.09	14.60	<0.05	2.3	0.010	0.14	27.3	1.3	0.21	247	42.0	4.29	2.1	5.1	140
I403191		1.05	15.65	0.05	2.4	0.011	0.13	29.9	1.7	0.29	284	80.3	4.49	2.6	8.5	180
I403192		1.40	16.40	0.12	2.9	0.021	0.19	43.4	2.0	0.45	397	79.8	4.32	3.8	10.2	650
I403193		2.39	20.3	0.16	4.5	0.045	0.58	39.9	11.9	0.63	658	29.6	4.12	5.0	10.0	1810
I403194		1.14	14.90	<0.05	2.5	0.012	0.11	23.2	3.9	0.18	274	31.1	4.23	2.3	9.8	300
I403195		3.36	16.20	0.08	2.3	0.020	0.20	19.4	7.2	0.42	530	86.7	3.58	2.4	20.6	660
I403196		1.14	12.05	<0.05	1.2	0.010	1.32	13.4	7.5	0.37	214	0.19	2.09	2.5	12.9	210
I403197		2.01	16.45	0.08	2.5	0.018	0.19	27.3	2.4	0.38	447	38.8	4.24	3.0	8.7	440
I403198		2.44	20.3	0.18	4.3	0.030	1.11	47.3	5.8	0.66	490	13.35	3.06	5.0	9.8	1650
I403199		3.51	22.4	0.29	5.4	0.041	2.09	75.0	5.7	1.20	740	0.23	2.06	7.0	10.4	2800
I403200																
I403201		3.68	22.6	0.28	5.5	0.047	2.15	83.4	5.9	1.25	770	0.19	2.05	7.0	11.5	2850
I403202		1.21	12.10	<0.05	1.0	0.010	1.32	9.3	7.6	0.37	223	0.11	2.09	2.4	12.3	220
I403203		3.48	23.4	0.29	5.7	0.042	2.20	72.4	4.7	1.19	764	0.22	2.08	7.3	10.6	2940
I403204		3.60	24.6	0.29	5.6	0.050	2.06	73.6	17.9	0.72	760	5.31	1.81	7.2	13.2	2860
I403205		3.42	26.1	0.25	6.1	0.048	2.49	64.5	17.0	0.63	648	0.63	1.72	8.0	13.3	3170
I403206		1.60	16.00	0.08	2.7	0.011	0.34	36.8	7.0	0.20	238	25.3	4.10	2.9	6.7	200
I403207		1.81	17.35	0.08	2.7	0.009	0.39	32.3	4.3	0.18	249	66.2	4.40	2.3	7.0	110
I403208		1.24	15.15	0.06	2.4	0.010	0.32	31.0	3.0	0.25	277	10.55	4.10	2.6	4.4	160
I403209		1.33	15.25	0.09	2.9	0.011	0.34	36.9	3.9	0.29	327	13.80	4.24	2.7	4.3	160
I403210		1.19	15.60	0.08	2.8	0.013	0.31	34.7	1.4	0.24	278	16.35	4.42	3.1	4.2	140
I403211		1.16	14.65	0.05	2.4	0.010	0.29	28.2	1.0	0.23	267	13.10	4.26	2.3	4.4	170
I403212		1.13	19.20	0.07	2.8	0.011	0.29	33.0	1.4	0.25	282	9.28	4.62	3.0	4.0	210
I403213		1.60	19.15	0.06	2.4	0.020	0.29	27.0	4.3	0.37	429	44.0	4.10	2.8	4.5	280
I403214		4.29	22.8	0.12	3.4	0.045	0.39	19.1	8.6	0.74	970	178.0	4.23	4.0	8.1	760
I403215		7.87	20.2	0.20	4.1	0.111	1.04	12.9	5.1	1.52	2050	169.0	2.83	6.2	7.4	2020
I403216		3.26	22.8	0.07	3.0	0.033	0.40	20.1	6.6	0.58	725	7.48	3.78	4.3	6.6	730
I403217		2.08	20.4	0.08	2.8	0.018	0.21	28.4	4.4	0.35	419	8.16	4.39	3.7	7.6	290
I403218		1.17	21.0	0.08	2.5	0.013	0.42	29.6	2.2	0.27	302	9.35	4.18	2.9	4.6	190
I403219		1.04	20.3	0.08	2.4	0.009	0.59	28.9	2.0	0.26	255	15.10	3.84	2.7	4.5	180
I403220																
I403221		1.06	17.10	0.09	2.2	0.010	0.38	30.0	3.1	0.26	281	12.40	4.00	3.4	4.6	150
I403222		0.99	17.45	0.11	2.1	0.010	0.31	26.8	1.8	0.25	267	4.92	4.21	2.9	4.4	120
I403223		1.48	19.75	0.20	2.7	0.015	0.68	38.6	2.9	0.33	273	10.05	3.95	4.1	7.2	600
I403224		3.52	26.0	0.36	5.3	0.042	2.02	86.3	7.2	1.35	648	0.13	2.68	8.6	13.4	3270
I403225		3.43	27.1	0.30	5.1	0.049	2.19	60.6	7.5	1.24	604	0.10	2.37	8.3	13.9	3020
I403226		3.55	27.8	0.34	5.1	0.051	2.29	78.8	7.6	1.30	607	0.08	2.17	8.2	14.3	2990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I403187		2.5	4.2	0.009	0.60	0.36	2.6	1	0.3	99.9	0.22	0.28	4.4	0.088	0.04	1.0
I403188		1.7	4.6	0.019	0.29	0.28	1.8	1	0.3	97.5	0.19	0.13	4.2	0.058	0.04	0.9
I403189		1.8	18.0	0.019	0.36	0.28	1.9	1	0.3	93.6	0.18	0.13	4.7	0.057	0.11	1.0
I403190		1.9	5.8	0.015	0.52	0.26	1.7	<1	0.2	101.0	0.16	0.19	4.4	0.047	0.04	0.9
I403191		2.4	5.4	0.023	0.30	0.32	1.8	<1	0.3	115.0	0.19	0.30	4.7	0.061	0.05	1.0
I403192		2.8	7.9	0.015	0.49	0.43	3.0	1	0.4	137.0	0.24	0.51	6.2	0.118	0.06	1.4
I403193		2.4	14.7	0.009	0.22	0.74	4.3	1	0.6	174.0	0.33	0.13	6.5	0.256	0.15	1.6
I403194		2.0	3.3	0.008	0.51	0.37	2.1	1	0.3	107.5	0.16	0.25	4.7	0.078	0.03	1.1
I403195		3.9	6.0	0.008	2.15	0.64	8.4	1	0.4	77.1	0.15	1.71	2.8	0.157	0.07	0.8
I403196		8.9	51.8	<0.002	<0.01	<0.05	4.3	1	0.3	322	0.18	<0.05	2.5	0.085	0.23	0.4
I403197		2.7	6.6	0.008	1.20	0.43	4.3	1	0.4	117.5	0.22	0.56	4.0	0.109	0.06	0.8
I403198		3.6	40.8	0.004	0.36	0.84	4.8	1	0.7	177.0	0.34	0.20	8.0	0.261	0.30	1.8
I403199		4.6	80.5	0.002	0.06	1.10	6.6	1	1.0	280	0.45	<0.05	11.9	0.391	0.53	2.9
I403200																
I403201		4.4	85.2	0.002	0.06	1.11	6.9	1	1.0	290	0.45	<0.05	12.8	0.392	0.52	3.2
I403202		8.7	52.0	<0.002	<0.01	0.05	4.3	2	0.3	322	0.15	<0.05	2.3	0.090	0.23	0.4
I403203		4.4	78.4	0.003	0.05	1.10	6.7	1	1.0	288	0.48	<0.05	11.4	0.413	0.54	2.8
I403204		3.7	77.8	0.003	0.27	1.20	7.3	2	1.0	187.5	0.46	0.12	12.0	0.407	0.54	3.0
I403205		4.7	79.8	<0.002	0.05	1.33	6.5	1	1.2	210	0.52	<0.05	10.5	0.451	0.64	2.8
I403206		2.4	15.8	0.009	0.31	0.34	2.0	<1	0.3	103.0	0.23	0.20	5.5	0.068	0.10	1.2
I403207		2.6	18.1	0.017	0.25	0.36	1.9	1	0.4	101.0	0.19	0.28	5.3	0.054	0.11	1.2
I403208		1.9	15.2	0.004	0.34	0.31	1.8	1	0.4	114.5	0.20	0.17	4.7	0.062	0.08	1.1
I403209		2.0	16.7	0.005	0.29	0.33	1.9	<1	0.4	135.5	0.22	0.13	5.4	0.067	0.10	1.3
I403210		2.1	15.3	0.007	0.39	0.32	2.0	<1	0.3	124.0	0.24	0.17	5.5	0.075	0.09	1.2
I403211		1.9	13.8	0.006	0.42	0.25	1.8	<1	0.3	110.5	0.20	0.16	4.7	0.055	0.08	1.1
I403212		2.7	13.9	0.003	0.35	0.31	2.0	1	0.4	127.0	0.22	0.17	5.2	0.064	0.08	1.1
I403213		2.6	16.2	0.013	0.38	0.35	3.1	2	0.3	126.5	0.20	0.28	4.5	0.076	0.09	1.0
I403214		5.7	17.4	0.030	1.47	0.81	11.2	3	0.7	138.5	0.26	1.36	3.1	0.254	0.17	0.9
I403215		5.3	64.7	0.025	2.58	1.52	31.4	3	1.1	160.5	0.36	2.40	1.2	0.633	0.36	0.8
I403216		3.6	19.8	0.002	0.70	0.65	9.7	2	0.7	103.5	0.26	0.47	3.4	0.246	0.12	0.8
I403217		3.9	12.3	0.002	0.82	0.42	4.3	3	0.5	121.5	0.22	0.36	4.9	0.119	0.06	1.2
I403218		2.0	23.3	0.006	0.21	0.33	2.5	2	0.4	115.0	0.22	0.11	5.0	0.071	0.12	1.0
I403219		2.1	32.8	0.007	0.17	0.37	2.3	2	0.3	101.0	0.20	0.11	4.9	0.066	0.16	1.0
I403220																
I403221		2.8	19.0	0.003	0.16	0.67	1.9	1	0.4	119.0	0.22	0.13	4.6	0.077	0.10	1.0
I403222		2.4	15.7	0.002	0.17	0.35	1.9	1	0.4	107.5	0.22	0.08	4.1	0.071	0.09	0.9
I403223		2.6	27.8	0.003	0.45	0.51	2.9	1	0.5	126.0	0.28	0.23	5.8	0.141	0.19	1.4
I403224		4.8	79.9	<0.002	0.05	1.43	8.3	2	1.1	303	0.53	<0.05	12.3	0.473	0.57	3.0
I403225		4.2	66.9	<0.002	0.06	1.36	6.8	2	1.1	287	0.51	<0.05	8.2	0.450	0.58	2.3
I403226		4.5	82.3	<0.002	0.05	1.36	7.6	2	1.1	277	0.51	<0.05	11.0	0.451	0.62	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I403187		7	10.3	5.6	7	69.0
I403188		5	6.4	4.5	3	58.9
I403189		9	6.3	4.8	5	66.5
I403190		4	5.4	4.2	6	60.5
I403191		5	6.8	4.7	8	64.4
I403192		11	12.9	7.1	10	85.2
I403193		40	23.6	10.7	23	139.0
I403194		6	10.6	4.8	6	75.2
I403195		13	20.6	6.2	14	66.2
I403196		21	0.1	4.8	13	36.3
I403197		9	13.6	5.7	9	67.5
I403198		52	24.2	10.7	28	132.5
I403199		91	29.2	15.1	52	183.5
I403200						
I403201		90	27.4	16.2	57	185.5
I403202		23	0.2	4.8	14	31.8
I403203		93	26.6	15.0	49	191.0
I403204		90	35.9	18.8	40	188.0
I403205		102	36.4	16.1	55	210
I403206		14	6.7	4.2	14	71.3
I403207		13	5.2	4.3	22	70.8
I403208		10	6.1	4.4	9	66.8
I403209		10	7.0	4.6	10	75.8
I403210		10	7.3	4.4	8	75.3
I403211		7	6.5	3.9	10	62.8
I403212		11	7.8	4.3	12	75.8
I403213		13	8.4	4.6	12	69.1
I403214		49	29.3	7.9	41	103.0
I403215		133	72.0	16.1	55	133.0
I403216		55	25.8	6.5	41	89.3
I403217		17	12.8	5.6	17	85.3
I403218		17	8.0	4.1	11	74.3
I403219		21	7.4	4.3	9	71.3
I403220						
I403221		16	7.0	4.4	12	74.1
I403222		12	7.0	4.5	9	65.3
I403223		23	11.5	7.0	15	92.8
I403224		92	38.3	17.7	68	207
I403225		104	41.0	13.8	83	201
I403226		107	40.4	15.8	85	201

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I403227		2.13	0.036	0.25	6.92	2.5	990	1.32	0.02	4.50	0.06	184.0	13.0	3	4.15	3.5
I403228		2.12	0.059	0.27	7.04	3.1	880	1.50	0.03	4.22	0.05	180.5	14.4	4	4.26	10.5
I403229		2.35	0.098	0.27	6.88	2.6	1680	1.35	0.02	4.44	0.09	187.0	13.0	3	3.54	11.3
I403230		2.02	0.040	0.26	6.66	2.2	1120	1.42	0.02	4.07	0.04	154.0	13.6	4	4.24	11.0
I403231		1.99	1.350	1.31	6.76	13.7	480	0.82	1.25	4.19	0.06	97.3	22.6	45	1.33	26.2
I403232		2.23	3.84	1.25	6.14	7.4	160	0.60	1.88	3.72	0.05	62.5	17.8	16	0.46	23.5
I403233		2.08	2.40	0.67	6.22	8.1	180	0.55	1.92	2.69	0.05	52.3	13.8	14	0.37	18.1
I403234		2.09	2.33	0.47	6.30	6.0	390	0.80	1.06	2.76	0.05	69.5	13.4	18	1.32	21.4
I403235		2.09	1.360	0.38	6.73	3.1	840	1.21	0.31	3.56	0.06	139.0	11.5	9	3.13	27.5
I403236		2.04	2.62	0.52	7.03	3.8	1160	1.35	0.34	3.72	0.03	166.0	13.9	9	4.04	12.2
I403237		2.21	0.184	0.30	7.25	2.3	1830	1.57	0.04	4.55	0.04	193.5	14.6	4	3.86	24.8
I403238		2.24	0.092	0.24	6.96	2.1	1660	1.55	0.04	4.35	0.03	170.0	14.4	4	4.09	16.9
I403239		2.12	0.077	0.24	6.61	1.5	1380	1.44	0.03	4.43	0.04	164.0	13.4	4	3.27	12.9
I403240		Empty Bag														
I403241		2.04	0.140	0.27	7.10	1.9	1590	1.58	0.03	4.30	0.04	177.5	13.3	4	4.25	11.3
I403242		2.13	0.333	0.28	6.84	2.1	1760	1.45	0.03	4.41	0.04	168.5	13.1	4	3.42	28.3
I403243		2.10	0.154	0.26	7.23	1.5	1170	1.61	0.04	4.24	0.04	182.0	14.9	4	4.09	12.1
I403244		2.18	0.129	0.27	6.85	1.5	2020	1.53	0.03	4.40	0.03	153.5	15.1	4	3.80	16.2
I403245		2.06	0.098	0.25	7.05	1.7	2520	1.52	0.03	4.73	0.03	165.5	14.2	4	3.79	16.4
I403246		2.10	0.193	0.27	7.05	1.5	1780	1.49	0.02	4.44	0.04	156.5	14.8	3	3.70	25.0
I403247		1.97	0.153	0.23	6.48	1.7	1130	1.33	0.02	4.26	0.04	151.0	11.9	5	3.80	7.7
I403248		2.09	0.163	0.25	6.79	2.2	1060	1.31	0.03	4.47	0.08	160.0	15.5	4	3.27	9.4
I403249		2.17	0.110	0.24	6.61	1.8	1370	1.42	0.02	4.23	0.04	148.0	12.6	3	3.56	17.4
I403250		2.23	0.095	0.25	6.60	1.5	2000	1.49	0.03	4.51	0.04	145.5	14.1	3	3.64	24.4
I403251		2.22	0.120	0.29	6.54	1.6	1510	1.48	0.02	4.38	0.03	154.5	12.7	3	4.48	15.7
I403252		2.28	0.249	0.25	6.97	3.0	1220	1.32	0.03	4.40	0.05	174.0	13.0	4	3.66	57.0
I403253		1.98	0.078	0.24	6.59	4.1	780	1.13	0.01	4.72	0.06	159.5	10.2	3	2.87	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I403227		3.64	26.0	0.33	5.0	0.044	1.97	80.0	7.3	1.41	706	0.09	2.42	8.4	13.2	3120
I403228		3.58	25.8	0.34	5.2	0.041	2.30	79.7	7.9	1.31	644	0.11	2.26	8.5	13.1	3100
I403229		3.42	23.6	0.35	4.8	0.042	1.94	83.9	6.0	1.36	705	0.11	2.50	8.4	12.2	3000
I403230		3.65	25.8	0.30	5.2	0.044	2.38	64.5	7.9	1.29	675	0.10	2.11	8.4	12.9	3080
I403231		5.16	23.4	0.22	3.8	0.050	0.68	44.8	7.7	1.33	1040	47.1	4.10	7.1	28.7	2050
I403232		6.44	22.9	0.21	3.7	0.051	0.21	28.2	4.8	1.09	1200	46.2	4.61	7.3	16.5	2280
I403233		5.08	21.2	0.19	3.2	0.035	0.15	25.0	3.5	0.77	871	56.2	4.59	5.9	10.7	1500
I403234		3.61	22.6	0.18	3.4	0.050	0.65	31.0	2.3	0.80	751	42.5	4.33	6.0	12.8	1370
I403235		3.26	23.5	0.28	4.2	0.067	1.67	62.6	4.4	1.09	674	12.80	2.84	6.9	12.5	2340
I403236		3.78	24.8	0.32	4.6	0.050	2.18	76.3	6.7	1.17	659	8.35	2.17	7.4	13.8	2500
I403237		3.74	25.2	0.36	5.3	0.045	2.07	84.1	6.9	1.44	722	0.29	2.74	8.7	12.3	3210
I403238		3.65	24.0	0.32	5.0	0.044	2.08	73.8	6.4	1.36	670	0.19	2.53	7.8	11.7	3000
I403239		3.41	21.8	0.30	4.8	0.040	1.72	72.4	3.7	1.35	668	0.26	2.88	7.4	10.9	2830
I403240																
I403241		3.51	23.9	0.34	4.9	0.043	2.14	81.1	4.5	1.29	654	0.18	2.49	8.0	11.7	3030
I403242		3.47	23.0	0.30	5.1	0.053	1.75	72.4	4.0	1.32	700	0.20	2.99	8.2	12.2	3050
I403243		3.53	24.2	0.34	5.1	0.044	2.21	81.8	5.1	1.29	681	0.23	2.47	7.8	12.0	3030
I403244		3.70	24.2	0.30	4.8	0.046	2.35	66.0	7.2	1.13	626	0.30	2.14	7.9	13.0	3020
I403245		3.69	24.7	0.33	5.1	0.043	2.34	71.2	6.3	1.14	686	0.15	2.30	8.1	12.5	3030
I403246		3.70	24.1	0.30	4.9	0.044	2.21	67.8	5.3	1.31	704	0.09	2.56	7.5	12.2	2990
I403247		3.21	22.6	0.29	4.5	0.039	2.08	64.6	4.0	1.26	669	0.06	2.29	6.9	11.2	2850
I403248		3.54	23.1	0.30	4.8	0.042	1.72	66.6	6.2	1.26	725	0.07	2.92	7.3	12.1	2920
I403249		3.27	23.0	0.29	4.7	0.043	1.91	62.4	5.9	1.24	693	0.08	2.76	7.4	11.4	2950
I403250		3.54	23.6	0.28	4.9	0.044	2.15	59.1	4.4	1.29	720	0.07	2.56	7.7	11.2	3060
I403251		3.40	23.6	0.30	4.6	0.041	2.25	66.5	4.4	1.26	666	0.06	2.01	7.5	11.6	3000
I403252		3.29	24.0	0.33	4.9	0.046	1.74	75.7	5.4	1.23	668	0.07	2.98	7.9	11.5	3060
I403253		3.21	23.1	0.30	4.6	0.048	1.43	67.5	4.4	1.34	751	0.09	3.18	7.5	10.8	2900

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I403227		3.9	79.0	<0.002	0.05	1.25	7.8	2	1.1	259	0.50	<0.05	10.6	0.436	0.53	2.4
I403228		4.9	82.6	<0.002	0.07	1.31	7.8	2	1.2	264	0.52	<0.05	11.3	0.469	0.57	2.8
I403229		4.4	77.5	<0.002	0.07	1.21	7.6	2	1.1	330	0.48	<0.05	11.3	0.442	0.47	2.5
I403230		4.6	72.3	<0.002	0.04	1.21	7.0	2	1.1	262	0.52	<0.05	8.9	0.447	0.62	2.5
I403231		5.1	24.2	0.008	2.13	1.41	15.9	2	1.1	197.5	0.41	1.36	5.8	0.490	0.19	1.6
I403232		6.0	8.0	0.008	4.46	1.21	17.9	3	1.2	156.0	0.42	1.31	3.6	0.529	0.07	1.4
I403233		5.4	7.4	0.009	3.29	1.00	13.6	3	0.9	145.5	0.36	1.12	3.2	0.394	0.05	1.1
I403234		5.2	18.5	0.008	1.90	1.40	9.6	2	0.9	147.0	0.37	0.55	4.6	0.328	0.18	1.3
I403235		4.5	63.0	0.003	0.54	1.06	7.6	2	1.0	194.0	0.42	0.12	8.9	0.369	0.43	2.2
I403236		5.1	84.6	0.002	0.50	1.13	8.3	2	1.1	209	0.46	0.09	10.7	0.411	0.54	2.9
I403237		4.6	78.2	<0.002	0.09	1.27	8.1	2	1.2	357	0.53	<0.05	11.6	0.464	0.52	2.8
I403238		4.5	73.6	<0.002	0.07	1.13	7.4	2	1.1	346	0.48	<0.05	10.6	0.431	0.53	2.8
I403239		4.5	62.3	<0.002	0.08	1.31	7.0	2	1.1	373	0.46	<0.05	10.5	0.410	0.44	2.3
I403240																
I403241		4.3	85.2	0.002	0.07	1.35	7.7	2	1.1	317	0.48	<0.05	11.3	0.430	0.57	2.6
I403242		4.6	62.2	<0.002	0.07	1.66	7.4	2	1.1	355	0.51	<0.05	9.9	0.443	0.46	2.5
I403243		4.8	82.5	<0.002	0.09	1.14	7.7	2	1.1	270	0.49	<0.05	10.1	0.441	0.55	2.9
I403244		4.7	74.8	<0.002	0.09	1.14	7.1	2	1.1	290	0.49	<0.05	9.2	0.439	0.59	2.5
I403245		4.8	79.2	<0.002	0.08	1.19	7.2	2	1.1	357	0.50	<0.05	10.3	0.436	0.57	2.8
I403246		4.9	69.6	<0.002	0.08	1.09	6.9	2	1.0	344	0.46	<0.05	9.6	0.402	0.53	2.6
I403247		4.0	73.7	<0.002	0.05	1.06	6.5	2	1.0	266	0.43	<0.05	9.3	0.374	0.53	2.2
I403248		4.3	57.6	<0.002	0.09	1.05	6.9	2	1.0	306	0.45	<0.05	10.0	0.392	0.44	2.6
I403249		5.4	61.4	<0.002	0.05	1.13	6.7	2	1.0	324	0.45	<0.05	8.9	0.403	0.48	2.4
I403250		6.1	67.7	<0.002	0.09	1.14	6.5	2	1.1	373	0.48	<0.05	8.4	0.416	0.55	2.4
I403251		5.2	75.8	<0.002	0.07	1.17	7.0	2	1.1	277	0.46	<0.05	9.3	0.416	0.57	2.4
I403252		5.1	63.1	<0.002	0.09	1.12	7.5	2	1.1	287	0.48	<0.05	11.0	0.442	0.45	2.6
I403253		4.4	48.8	<0.002	0.03	1.11	7.4	2	1.1	296	0.45	<0.05	10.1	0.416	0.38	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I403227		91	34.7	17.3	71	198.5
I403228		96	25.3	17.5	64	204
I403229		89	30.4	17.7	69	195.5
I403230		95	21.2	15.5	73	202
I403231		54	69.1	14.7	52	141.0
I403232		35	64.5	15.1	32	131.5
I403233		27	46.1	12.4	20	108.5
I403234		35	37.4	10.0	24	120.5
I403235		70	28.5	13.7	47	165.5
I403236		85	22.2	16.5	50	177.0
I403237		91	19.4	17.8	61	210
I403238		88	19.5	15.9	63	198.5
I403239		80	20.1	14.9	54	184.0
I403240						
I403241		86	25.3	16.0	56	196.0
I403242		83	23.5	15.2	57	197.5
I403243		91	17.8	16.3	59	198.0
I403244		91	18.3	14.8	61	195.5
I403245		92	21.4	15.4	54	202
I403246		90	19.4	14.9	67	200
I403247		86	18.6	13.7	54	179.0
I403248		82	20.4	14.9	63	193.0
I403249		85	18.2	13.8	59	191.5
I403250		88	19.5	13.7	63	195.0
I403251		92	24.6	14.5	62	187.0
I403252		87	34.6	16.0	57	194.5
I403253		79	39.6	16.0	51	181.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RED PINE EXPLORATION INC. (FORMERLY VENCAN GOLD)**
520 - 141 ADELAIDE ST. WEST
TORONTO ON M5H 3L5

Finalized Date: 6-SEP-2010
Account: VNCGLD

Project: ABITIBI WEST

CERTIFICATE OF ANALYSIS TM10120890

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.