ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **XSTRATA ZINC CANADA**
**8801 TRANS CANADA HWY**
**SUITE 400**
**SAINT-LAURENT QC H4S 1Z6**


**Finalized Date: 3-NOV-2010**
**Account: XSZNEX**

# CERTIFICATE TB10155381

Project: STURGEON LK DRILLING

P.O. No.:

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 22-OCT-2010.

The following have access to data associated with this certificate:

| | | |
|---|---|---|
| LUCY POTTER | | |

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|---|---|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| PUL-32 | Pulverize 1000g to 85% < 75 um |
| LOG-23 | Pulp Login - Rcvd with Barcode |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|---|---|---|
| Cu-AA46 | Ore grade Cu - aqua regia/AA | AAS |
| Pb-AA46 | Ore grade Pb - aqua regia/AA | AAS |
| Zn-AA46 | Ore grade Zn - aqua regia/AA | AAS |
| ME-OG62 | Ore Grade Elements - Four Acid | ICP-AES |
| Zn-OG62 | Ore Grade Zn - Four Acid | VARIABLE |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| Ag-AA45 | Trace Ag - aqua regia/AAS | AAS |

To: **XSTRATA ZINC CANADA**
**ATTN: LUCY POTTER**
**8801 TRANS CANADA HWY**
**SUITE 400**
**SAINT-LAURENT QC H4S 1Z6**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **XSTRATA ZINC CANADA**
**8801 TRANS CANADA HWY**
**SUITE 400**
**SAINT-LAURENT QC H4S 1Z6**


**Finalized Date: 3-NOV-2010**
**Account: XSZNEX**

Project: STURGEON LK DRILLING

# CERTIFICATE OF ANALYSIS TB10155381

| Sample Description | Method / Analyte / Units / LOR | WEI-21 Recvd Wt. kg 0.02 | Cu-AA46 Cu % 0.001 | Pb-AA46 Pb % 0.001 | Zn-AA46 Zn % 0.001 | Ag-AA45 Ag ppm 0.2 | Zn-OG62 Zn % 0.001 | Au-AA23 Au ppm 0.005 |
|---|---|---|---|---|---|---|---|---|
| E460501 | | 1.39 | 0.024 | <0.001 | 0.004 | 0.2 | | |
| E460502 | | 1.28 | 0.021 | <0.001 | 0.003 | 0.2 | | |
| E460503 | | 1.32 | 0.016 | 0.001 | 0.004 | 0.2 | | |
| E460504 | | 1.95 | 0.012 | <0.001 | 0.005 | 0.2 | | |
| E460505 | | 0.70 | 0.010 | <0.001 | 0.003 | 0.2 | | |
| E460506 | | 1.47 | 0.012 | <0.001 | 0.004 | 0.2 | | |
| E460507 | | 0.72 | 0.050 | 0.002 | 0.007 | 0.4 | | |
| E460508 | | 0.71 | 0.065 | <0.001 | 0.053 | 0.7 | | |
| E460509 | | 1.43 | 0.075 | <0.001 | 0.014 | 1.4 | | |
| E460510 | | 1.09 | 0.013 | <0.001 | 0.059 | 0.4 | | |
| E460511 | | 0.98 | 0.013 | <0.001 | 0.073 | 0.9 | | |
| E460512 | | 1.45 | 0.030 | 0.001 | 0.042 | 0.9 | | |
| E460513 | | 0.95 | 0.003 | <0.001 | 0.004 | 0.3 | | |
| E460514 | | 0.98 | 0.008 | <0.001 | 0.004 | 0.5 | | |
| E460515 | | 1.40 | 0.004 | <0.001 | 0.012 | 0.2 | | |
| E460516 | | 1.36 | 0.007 | <0.001 | 0.003 | 0.3 | | |
| E460517 | | 0.74 | 0.173 | <0.001 | 0.348 | 1.5 | | |
| E460518 | | 1.34 | 0.001 | <0.001 | 0.008 | 0.2 | | |
| E460519 | | 1.49 | 0.004 | <0.001 | 0.010 | 0.4 | | |
| E460520 | | 1.33 | <0.001 | <0.001 | 0.013 | 0.2 | | |
| E460521 | | 1.31 | 0.002 | <0.001 | 0.003 | <0.2 | | |
| E460522 | | 1.52 | 0.012 | <0.001 | 0.013 | 0.4 | | |
| E460523 | | 1.63 | 0.003 | <0.001 | 0.016 | 0.2 | | |
| E460524 | | 1.46 | 0.003 | <0.001 | 0.018 | 0.4 | | |
| E460525 | | 0.06 | 0.952 | 0.032 | 9.89 | 10.5 | 10.20 | 0.079 |
| E460526 | | 2.19 | 0.002 | <0.001 | 0.037 | 0.2 | | |
| E460527 | | 1.60 | 0.002 | 0.001 | 0.024 | 0.6 | | |
| E460528 | | 1.67 | 0.003 | 0.001 | 0.026 | 0.5 | | |
| E460529 | | 1.47 | 0.001 | <0.001 | 0.026 | 0.6 | | |
| E460530 | | 1.44 | <0.001 | <0.001 | 0.014 | 0.2 | | |
| E460531 | | 1.26 | <0.001 | 0.001 | 0.008 | 0.3 | | |
| E460532 | | 1.15 | <0.001 | <0.001 | 0.005 | <0.2 | | |
| E460533 | | 1.27 | 0.002 | 0.001 | 0.015 | 0.4 | | |
| E460534 | | 1.40 | <0.001 | <0.001 | 0.011 | <0.2 | | |
| E460535 | | 2.55 | 0.001 | 0.001 | 0.008 | 0.4 | | |
| E460536 | | 2.11 | <0.001 | <0.001 | 0.009 | 0.2 | | |
| E460537 | | 2.40 | <0.001 | <0.001 | 0.009 | 0.6 | | |
| E460538 | | 1.64 | 0.001 | <0.001 | 0.013 | 0.4 | | |
| E460539 | | 1.46 | 0.001 | <0.001 | 0.014 | 0.2 | | |
| E460540 | | 1.34 | 0.001 | <0.001 | 0.012 | 0.2 | | |

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **XSTRATA ZINC CANADA**
**8801 TRANS CANADA HWY**
**SUITE 400**
**SAINT-LAURENT QC H4S 1Z6**


**Finalized Date: 3-NOV-2010**
**Account: XSZNEX**

Project: STURGEON LK DRILLING

# CERTIFICATE OF ANALYSIS TB10155381

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Cu-AA46<br>Cu<br>%<br>0.001 | Pb-AA46<br>Pb<br>%<br>0.001 | Zn-AA46<br>Zn<br>%<br>0.001 | Ag-AA45<br>Ag<br>ppm<br>0.2 | Zn-OG62<br>Zn<br>%<br>0.001 | Au-AA23<br>Au<br>ppm<br>0.005 |
|---|---|---|---|---|---|---|---|---|
| I599501 | | 0.83 | 0.002 | <0.001 | 0.005 | <0.2 | | |
| I599502 | | 0.74 | 0.004 | <0.001 | 0.009 | 0.2 | | |
| I599503 | | 1.76 | 0.002 | <0.001 | 0.006 | 0.2 | | |
| I599504 | | 1.44 | <0.001 | <0.001 | 0.006 | 0.2 | | |
| I599505 | | 2.14 | 0.002 | <0.001 | 0.102 | 0.2 | | |
| I599506 | | 1.84 | <0.001 | <0.001 | 0.009 | 0.2 | | |
| I599507 | | 0.93 | 0.003 | <0.001 | 0.018 | <0.2 | | |
| I599508 | | 1.56 | 0.004 | <0.001 | 0.015 | <0.2 | | |
| I599509 | | 1.63 | 0.011 | <0.001 | 0.023 | 0.3 | | |
| I599510 | | 1.85 | 0.008 | <0.001 | 0.171 | 0.7 | | |