

Appendix IV – Diamond Drill Hole Assay Certificates



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29985	087651	0.013	<1	6.21	42	35	4	26	1.48	<4	<1	60	735	177	7.62	11	<1	<1	2	2	0.82	<1	40	1.71	1220	24	18	167	187	7	<1	0.04	<5	19	17	<10	28	13	16	5	134	12	47	132	<10	6	85	<1
29986	087652	0.011	<1	9.81	21	36	3	35	2.37	5	<1	66	375	98	14.80	24	<1	<1	<1	<1	1.48	<1	44	2.91	2349	42	13	221	178	17	<1	0.03	<5	27	<5	<10	27	10	15	<1	282	8	70	156	<10	12	156	<1
29987	087653	0.014	<1	8.84	46	86	2	24	3.42	<4	<1	62	404	116	8.83	16	<1	<1	<1	<1	1.45	<1	49	2.02	1564	27	10	246	213	12	<1	0.04	<5	16	20	<10	52	6	10	<1	189	6	33	124	<10	8	92	<1
29988	087654	0.018	<1	8.36	29	56	3	31	4.09	4	<1	54	409	119	11.55	18	<1	<1	<1	<1	1.26	<1	39	2.32	1997	32	9	223	165	14	<1	0.10	<5	20	13	<10	35	8	15	<1	201	7	58	121	<10	11	117	<1
29989	087655	0.013	<1	7.86	32	53	3	26	3.92	<4	<1	54	422	81	10.72	15	<1	<1	1	2	1.06	<1	38	2.16	1861	30	9	222	148	8	<1	0.07	<5	19	7	<10	33	6	13	<1	178	9	44	115	<10	10	105	<1
29990	087656	0.024	<1	7.09	18	50	3	24	6.14	<4	<1	47	411	179	8.89	12	<1	<1	<1	1	0.87	<1	41	2.70	1614	21	9	233	187	9	<1	0.10	<5	19	18	<10	32	3	10	<1	140	12	40	112	<10	9	90	<1
29991	087657	0.012	<1	7.53	39	76	3	29	6.90	<4	<1	56	308	90	8.56	13	<1	<1	<1	2	1.15	<1	41	2.26	1630	24	9	267	232	9	<1	0.06	<5	19	22	<10	41	5	5	<1	185	14	52	122	<10	10	82	<1
29992	087658	0.008	<1	7.59	7	19	3	37	6.39	5	<1	57	325	107	15.98	21	<1	<1	<1	<1	0.61	<1	22	3.09	2519	39	11	258	158	17	<1	0.59	<5	33	9	<10	17	10	9	<1	230	6	62	148	<10	9	139	<1
29993	087659	0.011	<1	9.07	24	66	2	24	7.89	<4	<1	51	320	73	9.51	17	<1	<1	<1	5	1.56	<1	59	3.32	2145	22	12	293	363	10	<1	0.06	<5	21	19	<10	39	6	12	<1	188	6	45	140	<10	10	95	<1
29994	087660	0.009	<1	9.45	50	49	2	36	2.20	4	<1	64	397	88	11.81	19	<1	<1	<1	2	1.29	<1	56	2.79	1807	33	14	374	206	10	<1	0.22	<5	23	16	<10	37	7	10	<1	183	10	51	168	<10	10	129	<1
29995D	087660	0.009	<1	9.64	46	59	2	34	2.15	<4	<1	60	376	82	11.05	18	<1	<1	<1	2	1.56	<1	58	2.66	1670	33	14	343	222	7	<1	0.20	<5	23	23	<10	42	5	7	<1	198	8	55	163	<10	10	120	<1
29996	087661	0.007	<1	9.00	79	56	3	28	2.61	<4	<1	66	386	76	9.03	16	<1	<1	<1	<1	1.67	<1	58	2.23	1660	30	14	381	223	7	<1	0.04	<5	23	26	<10	43	5	9	<1	180	8	29	167	<10	7	101	<1
29997	087662	0.014	<1	9.92	54	93	2	28	1.17	<4	<1	58	480	158	8.93	17	2	<1	<1	<1	1.87	<1	64	1.99	1320	31	15	331	294	10	<1	0.05	<5	26	25	<10	58	6	5	<1	204	8	<20	182	<10	7	94	<1
29998	087663	0.073	<1	8.69	53	58	2	29	0.73	<4	<1	61	442	369	10.13	19	<1	<1	<1	<1	1.75	<1	44	2.02	1393	34	15	282	203	10	<1	0.29	<5	32	12	<10	37	6	6	<1	216	12	46	187	<10	5	115	<1
29999	087664	0.008	<1	10.50	53	68	2	37	1.22	<4	<1	54	470	71	9.35	20	3	<1	<1	4	1.87	<1	67	2.02	1346	32	16	333	213	12	2	0.05	<5	28	21	<10	60	6	7	<1	208	8	33	185	<10	6	127	<1
30000	087665	0.011	<1	10.51	58	77	3	32	1.16	<4	<1	57	491	116	9.74	21	<1	<1	<1	<1	1.81	<1	66	2.07	1434	34	16	335	220	9	<1	0.04	<5	29	32	<10	61	7	8	<1	212	11	<20	197	<10	6	136	<1
30001	087666	0.008	<1	9.29	52	97	2	31	1.01	<4	<1	49	453	97	6.92	18	<1	<1	<1	<1	1.88	<1	49	1.36	981	28	13	209	281	4	3	0.15	<5	20	38	<10	61	5	7	3	193	12	<20	155	<10	11	109	<1
30002	087667	<0.005	<1	9.19	25	77	2	32	1.03	<4	<1	29	402	52	6.71	19	<1	<1	<1	3	1.79	<1	48	1.27	917	29	14	94	457	5	2	0.03	<5	22	24	<10	61	4	7	4	184	4	<20	173	<10	17	107	<1
30003	087668	0.008	<1	9.95	29	55	2	32	1.19	<4	<1	44	295	92	9.11	25	3	<1	<1	<1	1.66	<1	55	1.72	1258	33	24	111	583	10	3	0.14	<5	34	20	<10	54	7	4	2	197	5	32	287	<10	17	108	<1
30004	087669	0.010	<1	10.48	33	47	2	33	1.67	<4	<1	46	237	115	8.85	24	<1	<1	<1	5	1.56	<1	74	2.12	1206	30	28	146	618	8	<1	0.14	<5	35	30	<10	55	8	<1	<1	191	12	<20	324	<10	18	113	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30005	087670	13.560	5	5.94	24	386	2	11	2.33	<4	<1	21	72	130	3.80	9	<1	<1	<1	8	2.16	<1	15	1.13	506	27	9	39	612	33	460	0.50	<5	11	27	<10	99	2	7	1	3055	7	<20	93	<10	15	165	<1
30007	087671	0.020	<1	9.46	72	48	2	39	2.01	<4	<1	69	246	131	8.32	21	<1	<1	<1	1	1.72	<1	62	2.26	1326	28	28	223	714	10	<1	0.13	<5	30	38	<10	47	7	<1	1	220	9	32	322	<10	18	104	<1
30008	087672	0.015	<1	8.06	34	45	3	28	0.75	<4	<1	59	218	111	10.32	23	<1	<1	<1	<1	1.73	<1	40	1.72	1349	35	23	147	488	8	<1	0.82	<5	31	11	<10	35	7	3	1	198	12	56	278	14	16	156	<1
30009	087673	0.008	<1	9.97	44	60	3	34	1.04	<4	<1	65	349	125	10.89	28	<1	1	<1	<1	1.68	<1	57	1.91	1447	37	29	162	619	13	<1	0.23	<5	35	15	<10	57	8	3	<1	199	9	46	335	<10	17	168	<1
30010	087674	0.007	<1	9.86	31	55	3	30	1.08	<4	<1	58	330	109	10.55	26	1	<1	1	<1	1.66	<1	59	2.32	1472	35	28	126	671	10	<1	0.03	<5	37	13	<10	53	7	1	<1	205	6	34	323	<10	23	131	<1
30011	087675	<0.005	<1	9.39	22	42	2	37	1.00	<4	<1	55	226	95	10.73	25	3	<1	<1	<1	1.58	<1	59	2.54	1565	34	28	113	644	9	<1	0.04	<5	38	20	<10	39	9	1	1	195	15	44	321	<10	19	132	<1
30012	087676	<0.005	<1	7.76	11	39	2	27	0.94	<4	<1	40	248	93	9.17	18	2	<1	2	4	1.66	<1	42	2.09	1372	31	21	95	411	5	<1	0.18	<5	29	19	<10	30	5	2	1	189	13	<20	243	<10	17	116	<1
30013	087677	0.012	<1	8.53	22	34	3	31	2.72	<4	<1	53	224	144	10.61	21	<1	<1	<1	0.81	<1	55	2.54	1697	27	26	130	689	9	<1	0.25	<5	33	5	<10	42	8	1	<1	146	5	39	307	<10	19	131	<1	
30014	087678	0.009	<1	8.61	18	57	3	28	5.10	<4	<1	43	192	106	8.73	21	<1	<1	<1	6	1.61	<1	54	2.17	1674	30	23	110	632	10	<1	0.07	<5	21	16	<10	62	8	5	<1	192	11	33	269	<10	18	104	<1
30015	087679	0.009	<1	7.04	12	32	2	26	2.64	<4	3	48	251	83	9.21	18	<1	<1	<1	6	0.75	<1	49	2.59	1622	23	21	160	816	7	<1	0.14	<5	27	22	<10	35	7	7	<1	129	5	31	247	<10	17	149	<1
30016	087680	<0.005	<1	6.50	5	670	2	12	0.86	<4	59	4	357	7	1.24	6	<1	<1	1	12	2.13	36	29	0.38	205	22	2	6	351	22	47	0.01	<5	2	33	<10	155	<1	9	22	729	5	<20	17	<10	6	27	<1
30018	087681	0.009	<1	9.72	26	94	3	30	0.89	<4	<1	56	291	71	10.46	24	7	1	<1	<1	2.11	<1	50	2.04	1399	38	24	128	548	11	<1	0.16	<5	31	16	<10	64	7	2	<1	287	10	35	278	<10	15	142	<1
30019	087682	0.185	<1	7.16	12	41	3	23	0.52	4	<1	87	196	201	14.82	23	<1	2	<1	<1	1.85	<1	17	1.75	1066	48	16	94	423	17	2	3.05	<5	23	9	<10	21	10	6	<1	431	5	53	190	13	16	176	<1
30020	087683	0.007	<1	7.93	22	53	3	21	0.63	<4	<1	52	248	62	9.80	18	<1	<1	<1	1.73	<1	33	1.47	1111	35	20	137	539	11	<1	0.24	<5	24	15	<10	46	7	5	<1	415	4	39	245	25	13	174	<1	
30021	087684	0.009	<1	8.80	23	78	2	26	0.73	<4	<1	53	220	109	9.00	23	<1	1	<1	4	1.94	<1	37	1.36	1074	37	23	166	651	7	14	0.11	<5	25	19	<10	67	7	4	<1	560	10	20	273	21	18	144	<1
30022	087685	0.008	<1	6.60	28	42	2	22	0.49	<4	<1	52	213	102	8.59	16	<1	<1	<1	1.30	<1	26	1.32	969	28	19	163	641	9	3	0.09	<5	22	11	<10	36	8	3	2	227	5	24	227	18	19	137	<1	
30023	087686	0.039	<1	8.67	41	66	3	25	0.73	<4	<1	61	227	53	9.26	22	2	<1	1	<1	1.79	<1	39	1.54	1129	33	22	167	728	6	6	0.03	<5	26	11	<10	58	7	3	<1	474	<2	30	264	<10	19	133	<1
30024	087687	0.424	<1	8.76	9	57	4	30	1.74	4	<1	47	225	138	14.16	28	<1	3	<1	<1	1.93	<1	36	2.09	1614	45	20	122	552	11	<1	1.11	<5	28	<5	<10	48	10	5	1	611	9	81	246	10	17	209	<1
30025	087688	0.688	<1	6.58	7	43	3	28	1.15	<4	7	42	189	30	8.68	15	<1	1	1	<1	1.88	3	20	1.58	1200	36	4	72	406	10	1	0.44	<5	11	22	<10	27	2	13	4	430	3	29	61	<10	19	163	<1
30026	087689	0.240	<1	7.38	5	30	3	36	1.35	4	22	35	146	153	13.41	21	<1	<1	1	<1	1.43	9	20	2.22	1943	43	7	68	414	11	<1	0.63	<5	16	12	<10	21	9	12	3	360	3	51	88	14	25	266	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30027	087690	0.128	<1	6.78	4	47	4	25	2.08	4	3	36	227	136	14.49	24	<1	3	<1	<1	2.08	<1	18	2.08	1777	49	7	75	434	13	<1	1.18	<5	16	6	<10	28	8	15	<1	683	8	32	92	<10	11	174	<1
30028D	087690	0.126	<1	6.88	4	47	3	31	2.08	4	1	36	228	136	14.50	23	<1	3	<1	<1	1.96	1	17	2.09	1759	48	7	74	423	16	<1	1.19	<5	16	10	<10	28	9	13	<1	647	4	47	92	<10	11	172	<1
30029	087691	0.009	<1	5.91	5	19	3	26	0.54	<4	<1	40	173	95	12.59	18	<1	<1	<1	<1	0.74	<1	21	1.80	1509	34	16	83	518	12	<1	0.66	<5	25	7	<10	14	8	7	<1	309	10	31	204	17	13	197	<1
30030	087692	0.015	<1	5.82	6	44	3	30	2.58	5	<1	55	290	212	15.35	24	<1	2	<1	<1	1.94	<1	19	1.70	1898	47	8	112	722	12	<1	1.86	<5	16	6	<10	29	9	12	<1	446	16	66	105	<10	13	139	<1
30031	087693	0.007	<1	6.88	8	28	3	25	1.76	<4	<1	53	315	44	11.44	18	<1	<1	<1	<1	0.94	<1	35	2.22	2157	31	12	156	443	10	<1	0.06	<5	17	6	<10	21	7	7	<1	275	6	59	150	<10	13	156	<1
30032	087694	0.005	<1	9.38	6	64	2	22	5.08	4	<1	40	245	55	14.12	27	<1	1	<1	3	2.00	<1	29	2.29	3824	42	20	107	381	7	2	0.44	<5	31	15	<10	48	11	9	<1	951	14	63	252	<10	14	166	<1
30033	087695	0.007	<1	7.68	6	22	3	32	3.34	4	<1	39	315	5	15.63	23	<1	<1	<1	<1	0.87	<1	16	2.59	3469	38	18	97	231	14	<1	0.24	<5	30	19	<10	19	12	8	<1	462	16	75	217	<10	10	196	<1
30034	087696	0.008	<1	8.27	31	76	2	21	4.38	<4	<1	58	220	111	6.85	16	<1	<1	<1	5	2.07	<1	38	1.47	2466	25	17	131	378	8	<1	0.05	<5	18	32	<10	70	6	3	<1	1002	20	<20	198	<10	13	90	<1
30035	087697	0.011	<1	5.70	41	27	2	21	2.80	<4	<1	64	214	164	7.80	12	<1	<1	1	<1	0.75	<1	23	1.38	1838	20	15	155	414	6	<1	0.46	<5	13	21	<10	43	5	<1	<1	521	13	28	187	<10	11	123	<1
30036	087698	0.008	<1	7.60	40	79	2	21	4.56	<4	<1	53	265	126	5.53	15	<1	<1	<1	8	1.96	<1	35	1.05	1906	23	21	129	429	4	<1	0.19	<5	20	39	<10	98	6	<1	<1	1050	5	<20	242	<10	12	96	<1
30037	087699	0.007	<1	8.68	42	74	2	24	4.53	<4	<1	55	232	149	5.23	17	<1	<1	<1	9	2.01	<1	34	1.16	1869	25	18	138	380	3	6	0.20	<5	19	45	<10	101	5	1	<1	852	9	<20	216	<10	11	71	<1
30038	087700	0.954	<1	7.16	5	114	3	14	3.54	<4	11	27	92	39	4.64	16	<1	<1	<1	3	1.97	4	16	1.84	749	27	14	21	706	9	22	0.05	<5	16	22	<10	131	4	7	<1	4503	14	<20	146	<10	25	80	<1
30040	087701	0.007	<1	7.39	36	37	2	19	4.28	<4	<1	59	260	156	7.31	15	<1	<1	<1	8	1.28	<1	27	1.44	2235	22	17	147	421	5	<1	0.29	<5	14	24	<10	62	5	3	<1	715	18	<20	205	<10	10	114	<1
30041	087702	0.007	<1	8.56	26	55	3	23	4.00	<4	<1	53	223	111	8.32	19	<1	<1	<1	<1	1.91	<1	29	1.69	2137	30	20	140	385	6	<1	0.30	<5	19	25	<10	69	8	5	<1	1110	12	20	239	<10	14	160	<1
30042	087703	0.007	<1	8.58	37	70	2	22	3.52	<4	<1	60	255	153	4.75	13	<1	<1	1	5	1.89	<1	23	1.08	1287	24	17	139	420	5	<1	0.21	<5	16	34	<10	102	5	5	2	1005	8	34	202	<10	10	79	<1
30043	087704	0.006	<1	7.30	15	31	2	19	3.86	<4	<1	61	246	140	8.42	18	<1	<1	<1	<1	1.17	<1	25	1.57	2017	26	18	147	448	8	<1	0.20	<5	9	28	<10	64	6	3	<1	865	16	<20	224	<10	8	128	<1
30044	087705	0.006	<1	7.55	17	34	2	23	4.67	<4	<1	66	257	157	8.43	16	<1	<1	<1	<1	1.42	<1	26	1.60	2173	27	18	150	455	8	<1	0.30	<5	8	25	<10	64	8	3	<1	690	13	21	217	<10	8	124	<1
30045	087706	<0.005	<1	9.22	8	44	4	29	5.05	4	4	60	263	159	11.40	28	<1	3	<1	<1	1.78	2	33	1.76	3181	38	36	138	449	10	<1	0.23	<5	24	22	<10	82	19	10	2	1605	12	59	320	<10	18	189	<1
30046	087707	<0.005	<1	8.98	20	60	2	28	5.15	<4	<1	60	301	146	8.46	20	<1	<1	<1	<1	1.79	<1	29	1.53	2191	31	25	140	362	9	<1	0.24	<5	21	17	<10	104	8	<1	<1	1310	9	32	274	<10	14	121	<1
30047	087708	<0.005	<1	8.48	23	53	2	24	4.29	<4	<1	61	249	156	8.01	18	<1	<1	<1	4	1.73	<1	26	1.51	1969	28	21	143	456	6	<1	0.36	<5	18	25	<10	91	7	6	<1	1155	15	<20	245	<10	14	116	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30048	087709	0.006	<1	7.50	36	53	2	20	4.22	<4	<1	62	240	150	4.86	11	<1	<1	<1	7	1.44	<1	19	1.08	1338	18	15	150	472	4	<1	0.17	<5	15	34	<10	95	5	3	1	844	8	36	179	<10	11	67	<1
30049	087710	5.410	2	7.80	267	247	3	28	2.70	<4	46	126	162	1622	7.29	41	15	8	<1	27	1.67	23	20	1.36	656	38	17	1392	561	771	254	1.30	<5	23	22	<10	130	7	28	31	2453	5	47	90	33	16	530	287
30051	087711	0.006	<1	9.73	36	91	2	25	5.42	<4	3	66	314	255	6.66	20	<1	<1	<1	7	2.01	1	28	1.37	1765	28	23	166	418	7	19	0.21	<5	28	27	<10	128	6	4	<1	1555	12	<20	271	<10	17	129	<1
30052	087712	0.009	<1	9.26	35	102	2	23	4.64	<4	<1	66	273	145	7.02	19	<1	<1	1	7	1.77	<1	25	1.39	1606	24	24	151	344	7	<1	0.34	<5	30	35	<10	128	7	5	<1	1310	13	25	273	<10	18	121	<1
30053	087713	0.006	<1	8.92	15	183	2	30	5.29	<4	<1	54	294	118	8.28	19	<1	<1	<1	2	1.78	<1	33	2.14	1955	25	23	128	352	12	13	0.13	<5	31	22	<10	109	8	3	<1	698	8	<20	271	<10	19	143	<1
30054	087714	<0.005	<1	9.41	16	83	3	26	5.34	<4	<1	58	254	144	9.47	23	<1	<1	1	4	1.77	<1	29	1.74	2614	31	28	115	470	11	<1	0.45	<5	35	17	<10	130	10	3	<1	1941	7	53	322	<10	21	153	<1
30055	087715	<0.005	<1	9.62	8	49	2	25	5.55	<4	1	51	236	139	10.46	26	<1	<1	<1	9	1.79	<1	30	1.93	3217	34	29	110	513	7	<1	0.19	<5	36	13	<10	107	11	2	<1	2177	16	23	332	<10	24	169	<1
30056	087716	0.007	<1	9.87	9	45	3	27	5.19	4	<1	54	246	134	12.11	27	<1	<1	<1	4	1.63	<1	33	2.12	2998	36	30	139	472	12	<1	0.28	<5	32	12	<10	104	11	<1	<1	1945	9	33	341	<10	27	195	<1
30057	087717	<0.005	<1	8.66	7	64	3	22	5.17	<4	<1	52	236	130	9.17	21	<1	<1	<1	<1	1.53	<1	28	1.78	2559	29	27	125	387	7	<1	0.15	<5	31	9	<10	112	7	3	<1	1718	14	26	305	<10	21	152	<1
30058	087718	<0.005	<1	7.79	9	28	3	22	5.67	4	<1	45	206	110	12.46	22	<1	<1	<1	<1	1.37	<1	23	1.90	4407	35	26	98	416	7	<1	0.19	<5	31	19	<10	73	9	3	<1	1448	5	88	297	<10	22	214	<1
30059	087719	0.008	<1	8.36	9	29	3	32	5.87	4	<1	53	213	105	12.65	23	<1	<1	<1	5	1.41	<1	26	1.94	3683	36	27	128	411	8	<1	0.23	<5	30	13	<10	72	13	1	<1	1373	10	77	316	<10	23	213	<1
30060	087720	0.007	<1	7.89	10	24	3	19	5.89	<4	<1	52	219	105	12.40	21	<1	<1	<1	<1	1.19	<1	24	1.90	3626	34	26	125	385	10	<1	0.26	<5	28	19	<10	67	11	4	<1	1135	15	44	309	<10	21	205	<1
30061D	087720	0.008	<1	7.66	7	27	3	30	5.82	4	<1	50	217	107	12.17	23	<1	<1	<1	<1	1.32	<1	25	1.88	3490	35	25	125	404	13	<1	0.25	<5	25	9	<10	61	11	3	<1	628	12	50	300	<10	18	205	<1
30062	087721	0.008	<1	8.56	10	27	3	33	6.49	5	<1	55	223	112	16.10	29	<1	<1	<1	3	1.39	<1	28	2.24	5324	43	31	124	374	12	<1	0.34	<5	43	11	<10	49	14	3	<1	1205	16	69	363	<10	26	266	<1
30063	087722	0.011	<1	8.42	11	28	3	23	5.83	4	<1	52	224	135	13.55	25	<1	<1	<1	<1	1.34	<1	26	1.87	4753	35	28	124	373	10	<1	0.46	<5	31	9	<10	64	12	3	<1	1784	8	52	323	<10	27	243	<1
30064	087723	0.012	<1	8.07	10	71	2	25	4.44	<4	<1	59	247	141	8.76	20	<1	<1	<1	<1	1.47	<1	29	1.68	2566	27	23	159	401	5	<1	0.12	<5	23	19	<10	79	7	<1	<1	1161	21	31	276	<10	18	172	<1
30065	087724	0.010	<1	9.47	24	99	2	31	4.78	<4	<1	65	286	151	7.03	20	<1	<1	<1	3	1.70	<1	27	1.42	2206	24	20	186	482	6	<1	0.17	<5	22	39	<10	102	8	1	<1	1721	20	<20	239	<10	17	106	<1
30066	087725	0.006	<1	7.47	5	739	2	16	1.09	<4	70	5	518	10	1.67	10	<1	<1	<1	7	1.91	40	35	0.49	306	28	3	11	418	25	46	0.02	<5	3	34	<10	202	<1	8	26	1100	9	<20	24	<10	9	38	<1
30067	087726	0.010	<1	10.38	27	108	2	29	5.20	<4	<1	61	335	176	7.57	21	<1	<1	<1	5	1.75	<1	24	1.31	2270	26	29	162	541	6	<1	0.27	<5	32	30	<10	111	9	2	<1	1722	9	40	330	<10	22	114	<1
30068	087727	0.008	<1	9.17	15	67	3	25	5.73	<4	2	58	300	72	9.73	22	2	<1	<1	<1	1.62	<1	31	1.58	3726	32	28	170	444	9	<1	0.09	<5	29	29	<10	92	10	3	<1	1974	15	38	321	<10	21	181	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30069	087728	0.011	<1	8.95	8	87	3	22	5.36	<4	<1	53	252	134	7.23	18	<1	<1	<1	<1	1.74	<1	28	1.43	2903	26	19	154	440	9	3	0.20	<5	20	27	<10	91	6	5	<1	1699	9	<20	230	<10	16	121	<1
30070	087729	0.009	<1	10.15	16	65	3	30	5.49	<4	<1	62	299	142	8.31	21	<1	<1	<1	5	1.63	<1	30	1.63	2752	27	22	182	565	6	<1	0.18	<5	23	33	<10	102	7	3	<1	1793	12	<20	267	<10	19	142	<1
30071	087730	0.005	<1	9.33	24	69	2	28	5.74	<4	<1	61	302	159	7.42	21	<1	<1	<1	5	1.68	<1	29	1.49	2451	26	21	179	514	3	<1	0.16	<5	19	33	<10	97	6	5	<1	1307	9	<20	246	<10	16	131	<1
30072D	087730	0.005	<1	8.39	17	54	2	22	5.29	<4	<1	56	277	151	6.92	16	<1	<1	<1	7	1.47	<1	25	1.42	2296	22	17	166	459	3	<1	0.15	<5	14	41	<10	84	7	5	<1	979	23	<20	214	<10	14	121	<1
30073	087731	0.006	<1	7.33	48	56	2	26	4.57	<4	<1	62	305	159	3.73	9	<1	<1	<1	5	1.30	<1	18	0.85	1497	17	15	159	473	4	<1	0.16	<5	17	23	<10	85	4	2	<1	306	8	<20	179	<10	10	89	<1
30074	087732	0.006	<1	8.78	58	71	2	22	4.46	<4	<1	68	345	172	3.81	13	<1	<1	<1	9	1.72	<1	23	0.96	1540	19	18	168	566	8	11	0.14	<5	23	40	<10	101	5	2	2	383	4	<20	208	<10	15	74	<1
30075	087733	0.005	<1	9.74	48	92	2	23	5.20	<4	<1	64	286	153	4.11	17	<1	<1	<1	11	2.03	<1	28	1.14	1942	23	19	142	477	5	4	0.13	<5	27	38	<10	110	5	2	1	465	13	<20	226	<10	16	70	<1
30076	087734	<0.005	<1	8.88	12	66	2	25	5.45	<4	<1	55	273	174	9.89	22	<1	<1	<1	3	1.87	<1	31	1.64	4296	34	27	117	426	8	<1	0.48	<5	31	21	<10	80	10	1	<1	2192	11	47	309	<10	18	310	<1
30077	087735	0.005	<1	8.60	15	73	2	23	5.79	<4	<1	56	273	169	9.52	23	<1	<1	<1	5	1.80	<1	32	1.60	4387	34	28	120	443	7	4	0.37	<5	32	21	<10	81	10	2	<1	2244	13	23	324	<10	18	297	<1
30078	087736	<0.005	<1	9.09	12	78	2	29	4.56	<4	<1	52	278	147	6.64	18	<1	<1	<1	9	1.91	<1	29	1.32	2809	27	24	116	419	2	5	0.27	<5	27	25	<10	92	8	<1	<1	1671	15	<20	277	<10	17	217	<1
30079	087737	0.005	<1	8.62	24	82	2	19	4.51	<4	<1	54	278	156	5.38	18	<1	<1	<1	8	2.03	<1	28	1.12	2005	25	21	128	538	5	<1	0.13	<5	26	34	<10	101	7	<1	2	1134	10	20	248	<10	14	109	<1
30080	087738	<0.005	<1	8.82	7	57	3	28	6.49	<4	<1	45	278	115	10.23	24	<1	<1	<1	<1	1.81	<1	33	1.76	4491	34	30	112	462	9	<1	0.26	<5	34	18	<10	80	10	1	<1	2075	6	22	346	<10	22	221	<1
30081	087739	<0.005	<1	8.77	22	77	2	27	5.22	<4	<1	50	261	166	7.81	20	<1	<1	<1	4	1.88	<1	32	1.49	2960	29	26	129	444	14	<1	0.20	<5	29	30	<10	88	9	<1	<1	1355	7	21	296	<10	18	193	<1
30082	087740	13.157	4	6.82	27	441	2	23	2.65	<4	<1	24	88	143	4.26	13	<1	<1	<1	10	2.01	<1	19	1.33	604	31	10	44	682	32	427	0.54	<5	12	44	<10	107	4	9	1	3252	17	<20	107	<10	16	181	<1
30084	087741	0.014	<1	9.35	30	179	2	29	4.73	<4	<1	64	264	257	6.29	21	<1	<1	<1	6	1.97	<1	27	1.15	2052	28	22	121	587	5	<1	0.55	<5	25	26	<10	116	6	1	<1	1237	8	<20	258	<10	16	123	<1
30085	087742	0.006	<1	9.15	33	165	2	20	4.43	<4	<1	55	238	135	6.20	18	2	<1	<1	7	1.97	<1	29	1.25	2418	27	20	130	534	7	<1	0.10	<5	24	30	<10	95	6	1	1	1058	9	26	230	<10	17	127	<1
30086	087743	0.006	<1	9.06	21	147	2	26	5.10	<4	<1	50	283	136	6.94	19	<1	<1	<1	<1	1.82	<1	26	1.23	2924	26	24	121	465	5	<1	0.13	<5	31	32	<10	101	8	<1	<1	1573	16	31	279	<10	18	135	<1
30087	087744	0.009	<1	6.72	24	99	2	23	4.51	<4	<1	52	226	157	6.03	13	<1	<1	<1	9	1.30	<1	22	1.11	2592	22	19	124	515	7	<1	0.14	<5	25	28	<10	69	7	3	<1	870	9	<20	224	<10	14	121	<1
30088	087745	0.010	<1	8.02	21	202	2	18	5.20	<4	<1	43	241	135	5.53	19	<1	<1	<1	7	2.02	<1	33	0.98	2713	28	23	104	471	1	<1	0.09	<5	23	34	<10	118	6	2	<1	1947	5	<20	268	<10	15	127	<1
30089	087746	0.011	<1	8.51	20	191	2	24	5.42	<4	<1	47	252	130	7.61	24	<1	<1	<1	7	2.03	<1	36	1.22	3490	32	30	114	475	6	<1	0.12	<5	34	28	<10	107	9	4	<1	2234	3	<20	337	<10	16	197	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30090	087747	0.018	<1	9.64	40	171	2	28	4.96	<4	<1	58	262	159	7.35	21	8	<1	<1	9	2.04	<1	35	1.34	3018	29	26	126	555	7	12	0.21	<5	38	26	<10	123	8	6	<1	1665	19	27	302	<10	21	158	<1
30091	087748	0.027	<1	7.56	21	155	2	27	6.17	<4	<1	47	228	128	7.21	18	<1	<1	<1	2	1.95	<1	33	1.27	2850	29	21	108	469	8	<1	0.17	<5	26	32	<10	97	7	1	<1	1084	14	33	249	<10	17	184	<1
30092	087749	0.017	<1	8.18	51	203	2	26	5.17	<4	<1	58	253	154	4.06	16	<1	<1	<1	6	2.01	<1	30	0.80	1700	22	24	120	555	4	<1	0.18	<5	28	35	<10	151	6	<1	<1	1099	7	<20	279	<10	16	106	<1
30093	087750	<0.005	<1	7.44	8	941	2	18	0.99	<4	112	5	520	12	1.61	9	<1	<1	<1	11	2.00	68	34	0.45	254	28	2	8	463	32	55	0.02	<5	4	27	<10	171	<1	7	50	1105	7	<20	22	<10	8	32	<1
30095	087751	0.012	<1	8.89	45	191	2	20	5.14	<4	<1	53	304	131	5.18	16	<1	<1	2	8	1.96	<1	28	1.08	2047	23	25	117	467	5	8	0.19	<5	26	28	<10	123	7	6	<1	1674	6	<20	281	<10	17	128	<1
30096	087752	0.015	<1	8.51	49	205	2	19	4.68	<4	2	52	296	144	4.73	17	<1	<1	<1	7	1.92	<1	30	0.96	1728	22	25	126	583	6	7	0.10	<5	25	29	<10	143	6	<1	<1	1438	4	<20	286	<10	16	129	<1
30097	087753	0.019	<1	9.09	36	199	2	19	4.09	<4	5	46	243	88	5.26	18	8	<1	2	8	1.95	<1	31	1.10	2048	27	24	110	700	6	4	0.05	<5	29	32	<10	134	7	4	2	1481	8	<20	274	<10	22	222	<1
30098	087754	0.053	<1	5.36	6	126	5	25	11.23	8	5	106	289	614	20.50	35	4	7	<1	<1	1.93	4	16	1.54	5554	58	26	147	302	32	<1	4.21	5	39	23	<10	55	24	18	<1	428	12	107	233	<10	17	207	<1
30099	087755	0.028	<1	6.00	5	147	4	28	10.30	7	<1	89	286	522	19.46	33	<1	4	<1	<1	2.10	<1	17	1.58	5332	56	19	125	351	22	<1	3.54	<5	37	23	<10	56	17	10	<1	559	13	93	237	<10	15	216	<1
30100	087756	0.010	<1	9.71	41	224	3	28	2.70	<4	<1	55	277	59	4.40	18	4	<1	<1	3	2.00	<1	32	0.97	2186	24	22	114	736	<1	<1	0.06	<5	24	36	<10	170	7	5	2	3014	10	<20	249	<10	19	175	<1
30101	087757	0.777	<1	4.98	3	139	3	27	5.06	7	<1	20	187	343	19.01	25	<1	4	<1	<1	2.06	<1	16	1.92	6524	56	15	34	322	21	<1	3.57	<5	32	37	<10	43	16	11	<1	409	13	72	195	<10	10	217	<1
30102	087758	0.503	<1	4.09	3	71	3	26	8.89	7	<1	28	125	310	20.21	25	<1	<1	<1	<1	1.21	<1	11	1.56	6385	50	11	51	512	20	<1	4.90	<5	25	20	<10	42	15	15	<1	376	10	98	148	<10	14	186	<1
30103	087759	0.021	<1	7.92	6	111	3	36	6.45	7	1	35	159	227	18.98	36	<1	2	<1	<1	1.78	<1	16	1.96	6843	52	31	69	432	18	<1	2.62	<5	45	39	<10	44	17	4	<1	951	17	74	367	19	19	589	<1
30104	087760	0.013	<1	4.21	7	128	2	20	5.02	4	<1	18	329	191	13.07	16	<1	1	<1	<1	1.88	<1	13	1.53	5127	44	11	23	236	14	<1	2.59	<5	30	6	<10	39	9	7	<1	299	7	43	139	<10	8	123	<1
30105D	087760	0.013	<1	4.06	4	131	2	25	5.18	4	<1	18	339	196	13.33	17	<1	2	<1	<1	1.89	<1	13	1.53	5299	44	10	22	234	13	9	2.68	<5	29	21	<10	40	10	11	<1	278	11	50	140	<10	8	127	<1
30106	087761	0.010	<1	8.42	15	158	2	30	3.66	<4	<1	51	224	119	9.45	25	<1	<1	<1	5	1.90	<1	31	1.26	4358	34	33	114	658	11	2	0.31	<5	33	25	<10	106	11	<1	<1	2621	10	38	365	<10	17	226	<1
30107	087762	0.010	<1	9.03	34	146	2	33	4.08	<4	1	58	311	110	8.71	22	6	<1	<1	3	1.79	<1	26	1.18	4232	32	31	117	577	5	<1	0.25	<5	38	25	<10	120	10	3	<1	2536	17	<20	353	<10	22	189	<1
30108	087763	0.006	<1	5.79	5	132	<2	23	4.27	<4	<1	24	162	118	8.14	13	<1	<1	<1	5	1.90	<1	17	1.16	4362	32	18	44	251	8	5	1.10	<5	28	16	<10	46	8	3	<1	1752	6	41	212	<10	10	124	<1
30109	087764	0.012	<1	4.58	4	142	2	21	4.60	4	<1	12	371	91	11.88	16	<1	2	<1	7	2.04	<1	14	1.70	4950	42	12	21	280	13	1	1.00	<5	31	8	<10	44	10	4	<1	366	11	73	151	<10	12	116	<1
30110	087765	0.011	<1	2.26	3	70	2	12	4.81	<4	<1	7	251	67	6.31	3	<1	<1	<1	5	1.20	<1	7	0.93	4379	22	7	11	232	9	<1	0.83	<5	16	6	<10	30	5	5	<1	158	6	<20	88	<10	8	43	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	
30111	087766	0.011	<1	5.91	2	90	3	46	12.27	8	2	35	106	650	24.51	39	<1	3	<1	<1	1.56	<1	10	1.94	12436	62	33	61	435	28	<1	4.01	<5	60	21	<10	55	22	7	<1	<1	551	8	130	402	<10	18	256	<1
30112	087767	<0.005	<1	9.19	5	81	2	30	2.52	4	<1	44	208	32	15.41	28	<1	<1	1	<1	1.31	<1	20	2.54	6403	42	32	106	576	16	<1	0.31	<5	50	6	<10	59	13	<1	<1	1721	6	43	361	<10	22	500	<1	
30113	087768	0.008	<1	3.72	3	106	2	16	3.70	<4	<1	13	313	96	9.65	9	<1	<1	<1	<1	1.73	<1	11	1.33	4797	33	7	19	207	9	<1	1.00	<5	17	11	<10	35	6	10	<1	535	14	31	91	<10	7	124	<1	
30114	087769	0.010	<1	8.30	38	152	2	20	4.02	<4	10	56	195	159	5.57	17	<1	<1	<1	7	1.71	1	27	1.25	1667	22	18	124	692	13	14	0.39	<5	22	40	<10	122	6	3	1	1101	9	21	215	<10	19	163	<1	
30115	087770	1.014	<1	4.44	7	123	2	12	2.77	<4	17	28	82	158	4.88	9	<1	<1	<1	5	1.72	10	11	1.67	730	22	13	29	798	15	11	0.08	<5	16	14	<10	85	3	2	<1	4505	4	<20	142	<10	27	116	<1	
30117	087771	0.009	<1	8.65	34	151	2	20	4.53	<4	5	48	311	142	5.45	17	<1	<1	<1	3	1.75	<1	22	0.99	2186	22	28	99	710	4	4	0.26	<5	29	45	<10	127	8	<1	<1	2580	13	<20	312	<10	21	93	<1	
30118	087772	0.011	<1	8.92	79	182	2	20	4.01	<4	2	66	360	151	3.80	17	<1	<1	<1	6	1.75	<1	20	0.76	1187	20	21	133	781	5	<1	0.21	<5	24	49	<10	149	5	1	<1	1312	11	<20	244	<10	20	188	<1	
30119	087773	0.006	<1	8.14	10	84	3	30	4.30	4	4	42	187	115	14.29	27	<1	<1	<1	<1	1.34	<1	21	1.83	3378	38	29	89	520	13	<1	0.68	<5	43	13	<10	48	14	2	<1	1180	5	80	333	<10	39	351	<1	
30120	087774	0.008	<1	8.32	17	88	2	29	4.67	<4	10	55	209	220	9.85	22	<1	<1	<1	<1	1.26	3	27	1.58	2423	29	20	104	546	8	<1	0.65	<5	25	31	<10	105	8	4	<1	1654	15	50	237	<10	23	223	<1	
30121	087775	0.011	<1	8.78	52	118	2	26	4.70	<4	<1	51	318	148	4.68	16	<1	<1	<1	7	1.48	<1	21	1.03	1510	19	19	118	494	8	<1	0.14	<5	23	34	<10	131	5	5	<1	1279	5	<20	229	<10	16	97	<1	
30122	087776	0.011	<1	10.02	55	155	2	27	5.85	<4	<1	63	366	178	5.79	20	<1	<1	1	4	1.88	<1	26	1.22	2080	23	24	133	556	3	<1	0.26	<5	28	46	<10	143	6	6	<1	1900	8	<20	278	<10	19	125	<1	
30123	087777	0.010	<1	8.57	60	128	2	20	5.11	<4	<1	58	339	175	3.70	15	<1	<1	<1	6	1.53	<1	19	0.77	1504	17	19	127	548	7	5	0.18	<5	23	41	<10	127	5	4	<1	1483	7	<20	220	<10	14	85	<1	
30124	087778	0.011	<1	8.41	55	98	2	19	5.35	<4	<1	56	315	161	4.81	15	<1	<1	<1	8	1.25	<1	23	1.09	1786	18	19	127	559	7	<1	0.14	<5	23	33	<10	117	6	3	<1	1306	13	<20	223	<10	16	127	<1	
30125	087779	0.008	<1	8.91	41	115	2	25	5.04	<4	<1	53	280	134	6.09	17	<1	<1	1	8	1.57	<1	29	1.37	2456	22	21	115	456	7	<1	0.13	<5	23	35	<10	108	7	2	<1	2214	16	<20	249	<10	16	127	<1	
30126	087780	0.006	<1	6.34	3	739	2	17	0.82	<4	44	3	426	8	1.20	6	2	<1	<1	13	2.14	27	26	0.31	200	21	1	7	320	30	37	0.01	<5	2	40	<10	154	<1	8	23	594	4	<20	16	<10	5	23	<1	
30128	087781	0.011	<1	9.00	41	138	2	24	6.14	<4	<1	49	309	135	5.63	18	<1	<1	2	8	1.70	<1	30	1.20	2450	22	24	115	496	6	<1	0.10	<5	28	28	<10	123	7	2	<1	2393	4	25	271	<10	18	131	<1	
30129	087782	0.012	<1	10.44	39	134	2	22	5.71	<4	3	56	308	111	7.74	22	<1	<1	<1	9	1.79	<1	34	1.66	3385	27	27	124	508	3	<1	0.13	<5	36	27	<10	121	9	<1	<1	3414	16	29	311	<10	22	141	<1	
30130	087783	0.015	<1	9.04	57	128	2	25	5.61	<4	<1	58	305	132	4.29	17	<1	<1	<1	4	1.29	<1	23	0.99	1947	19	20	128	541	4	<1	0.10	<5	31	39	<10	122	5	1	1	1315	8	<20	240	<10	18	94	<1	
30131	087784	1.238	<1	7.86	37	119	2	23	5.92	<4	<1	52	242	157	6.45	16	<1	<1	1	5	1.72	<1	30	1.35	2655	24	22	106	445	5	<1	0.34	<5	31	31	<10	82	8	2	<1	2040	13	34	260	<10	16	130	<1	
30132	087785	1.385	<1	7.46	41	133	2	19	6.00	<4	<1	54	267	155	6.49	19	<1	<1	<1	4	1.78	<1	32	1.26	2580	25	23	109	447	7	<1	0.38	<5	28	37	<10	92	8	2	<1	1852	10	<20	274	<10	14	128	<1	

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30133	087786	0.013	<1	9.39	84	146	2	24	4.28	<4	<1	74	322	136	3.12	15	<1	<1	<1	8	1.63	<1	28	0.68	1126	17	21	163	601	7	<1	0.14	<5	31	45	<10	140	5	<1	<1	972	9	<20	246	<10	14	81	<1
30134	087787	0.013	<1	9.77	56	154	2	25	4.34	<4	<1	54	367	137	2.82	16	<1	<1	1	14	1.64	<1	26	0.62	1080	17	22	137	564	3	<1	0.14	<5	28	33	<10	151	5	<1	4	1022	7	<20	263	<10	14	81	<1
30135	087788	0.011	<1	10.70	70	169	2	23	5.06	<4	<1	73	360	141	3.27	18	<1	<1	<1	8	1.77	<1	31	0.66	1509	19	24	182	593	2	<1	0.19	<5	25	46	<10	160	6	<1	1	1972	7	<20	274	<10	13	66	<1
30136	087789	0.008	<1	9.20	42	149	2	20	4.00	<4	<1	57	328	145	3.74	16	<1	<1	<1	4	1.81	<1	29	0.71	1674	20	22	136	491	5	10	0.18	<5	23	37	<10	136	6	4	<1	3360	8	<20	251	<10	12	99	<1
30137	087790	<0.005	<1	9.08	37	132	2	21	4.62	<4	<1	62	269	157	7.25	18	<1	<1	<1	4	1.79	<1	29	1.18	2572	26	25	126	442	4	<1	0.41	<5	24	36	<10	100	7	3	<1	2400	12	37	287	<10	16	114	<1
30138D	087790	0.008	<1	8.68	43	115	2	22	4.66	<4	<1	64	276	161	7.51	17	<1	<1	<1	6	1.57	<1	28	1.20	2625	27	25	128	426	8	<1	0.40	<5	22	11	<10	95	8	4	<1	2351	10	24	284	<10	15	121	<1
30139	087791	0.009	<1	10.27	11	164	2	27	4.13	<4	<1	31	344	121	5.66	21	<1	<1	<1	8	1.87	<1	28	0.99	2397	24	29	48	480	<1	4	0.21	<5	35	43	<10	139	8	1	<1	3339	6	<20	330	<10	20	112	<1
30140	087792	0.008	<1	10.31	18	185	2	22	4.90	<4	<1	21	351	66	2.77	19	7	<1	2	14	1.82	<1	26	0.58	1475	18	36	38	439	<1	5	0.06	<5	48	37	<10	170	6	<1	<1	1919	9	<20	403	<10	16	70	<1
30141	087793	0.011	<1	10.89	59	195	2	27	4.82	<4	2	49	374	153	2.67	20	<1	<1	<1	15	1.98	<1	27	0.59	1131	19	37	124	542	2	4	0.10	<5	39	49	<10	171	7	<1	2	1016	9	<20	403	<10	15	175	<1
30142	087794	0.011	<1	9.35	73	178	2	23	3.66	<4	<1	65	321	144	2.98	16	<1	<1	1	7	1.91	<1	30	0.56	1280	18	25	159	506	3	3	0.10	<5	19	42	<10	165	5	4	1	2022	5	<20	288	<10	11	104	<1
30143	087795	0.011	<1	10.45	86	190	2	26	4.14	<4	<1	76	377	162	3.51	23	5	<1	<1	12	1.82	<1	33	0.64	1432	19	30	190	648	4	2	0.13	<5	22	51	<10	178	7	<1	<1	2041	7	<20	336	<10	13	121	<1
30144	087796	0.013	<1	11.11	66	183	2	32	4.54	<4	1	64	370	202	4.75	22	<1	<1	<1	8	1.98	<1	34	0.87	1899	22	34	154	560	2	<1	0.17	<5	41	54	<10	164	7	<1	<1	2803	4	<20	386	<10	18	187	<1
30145	087797	0.011	<1	10.32	84	187	2	21	4.46	<4	<1	64	357	140	2.69	18	<1	<1	<1	9	1.83	<1	30	0.59	830	19	28	183	607	3	<1	0.12	<5	22	50	<10	163	6	<1	1	642	6	<20	319	<10	12	77	<1
30146	087798	0.011	<1	9.60	85	181	2	25	4.23	<4	1	63	365	163	2.72	18	<1	<1	2	9	1.87	<1	32	0.57	919	18	28	162	533	<1	1	0.10	<5	26	42	<10	170	5	<1	1	924	7	<20	321	<10	13	72	<1
30147	087799	0.011	<1	9.72	94	162	2	30	4.35	<4	2	65	329	170	2.19	16	<1	<1	2	9	1.72	<1	24	0.53	718	18	22	143	576	5	<1	0.11	<5	26	42	<10	144	4	<1	3	481	3	<20	258	<10	13	42	<1
30148	087800	13.741	1	6.51	27	477	2	15	2.57	<4	<1	25	83	136	4.07	12	<1	<1	<1	6	2.14	<1	16	1.27	555	28	10	45	617	34	464	0.51	<5	12	26	<10	109	4	7	<1	3247	5	<20	103	<10	16	169	<1
30150	087801	0.010	<1	9.63	70	163	2	27	4.43	<4	<1	50	301	169	2.45	15	<1	<1	<1	9	1.72	<1	23	0.60	877	18	22	121	529	7	3	0.10	<5	26	47	<10	133	4	2	3	680	5	<20	258	<10	13	46	<1
30151	087802	0.010	<1	9.79	72	160	3	26	4.93	<4	10	51	301	145	3.18	20	<1	<1	2	6	1.90	3	29	0.73	1441	20	32	105	441	8	13	0.11	<5	37	37	<10	134	14	7	3	1645	8	<20	289	<10	17	70	<1
30152	087803	0.019	<1	8.80	115	166	2	27	5.36	<4	3	62	298	132	3.73	16	<1	<1	<1	11	1.98	<1	31	0.80	1530	22	27	147	531	8	2	0.15	<5	34	27	<10	122	6	<1	1	1164	10	<20	301	<10	15	87	<1
30153	087804	0.076	<1	8.09	234	183	2	22	5.70	<4	2	64	297	93	2.49	13	4	<1	<1	9	2.02	<1	27	0.57	1107	22	19	195	577	2	<1	0.10	<5	17	41	<10	118	5	2	1	421	4	<20	224	<10	13	72	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30154	087805	0.076	<1	8.97	197	188	2	19	4.62	<4	<1	55	278	76	2.19	13	2	<1	<1	11	2.17	<1	27	0.54	964	20	21	164	542	3	7	0.09	<5	20	46	<10	128	3	1	2	589	7	<20	237	<10	12	67	<1
30155	087806	0.151	<1	8.87	286	194	2	26	5.12	<4	2	73	294	145	3.10	17	2	<1	1	6	1.96	<1	32	0.66	1149	23	22	206	642	2	<1	0.17	<5	20	41	<10	152	5	<1	2	480	8	<20	257	<10	13	104	<1
30156	087807	0.042	<1	10.08	340	203	2	29	5.82	<4	3	79	321	137	2.43	19	3	<1	3	8	2.01	<1	30	0.57	1158	22	23	223	735	5	6	0.14	<5	25	52	<10	178	4	<1	2	508	6	<20	266	<10	16	62	<1
30157	087808	0.041	<1	8.50	311	192	2	21	5.47	<4	4	74	257	148	2.61	15	<1	<1	<1	12	1.97	<1	26	0.58	1107	23	20	204	694	3	9	0.18	<5	20	44	<10	143	5	2	<1	511	5	<20	228	<10	14	80	<1
30158	087809	0.087	<1	8.45	596	203	2	22	4.05	<4	<1	75	266	133	2.31	15	<1	<1	<1	11	2.07	<1	25	0.55	881	21	20	204	593	6	2	0.22	<5	16	30	<10	145	4	<1	2	296	7	<20	237	<10	11	118	<1
30159	087810	1.031	<1	6.10	10	164	2	13	3.27	<4	14	27	91	41	4.66	12	<1	<1	<1	9	2.08	5	13	1.82	743	23	14	20	766	15	31	0.05	<5	17	22	<10	113	4	8	1	4441	8	<20	147	<10	27	83	<1
30161	087811	1.140	<1	7.74	5940	219	2	24	6.28	<4	<1	61	262	252	3.86	16	<1	<1	<1	10	2.33	<1	26	0.61	1390	25	19	160	470	4	15	1.28	<5	15	42	<10	125	5	<1	<1	357	3	<20	221	<10	12	109	<1
30162	087812	0.650	<1	7.88	3180	217	2	25	7.86	<4	4	31	460	107	2.21	12	6	<1	1	10	2.29	<1	22	0.48	1709	23	17	107	450	4	17	0.52	<5	16	42	<10	124	3	<1	<1	316	9	<20	197	<10	12	112	<1
30163	087813	0.932	<1	9.32	2946	222	3	26	4.38	<4	3	62	275	167	3.05	16	1	<1	<1	13	2.13	<1	27	0.77	1312	20	22	161	604	5	38	0.58	<5	23	46	<10	134	5	<1	2	340	9	<20	251	<10	14	128	<1
30164	087814	3.029	<1	7.51	1298	210	2	13	9.11	<4	4	43	390	83	1.57	11	<1	<1	<1	14	2.18	<1	20	0.42	1597	20	17	98	519	4	19	0.36	<5	21	50	<10	170	4	<1	<1	293	6	<20	206	82	15	24	<1
30165	087815	1.249	<1	8.21	2319	231	2	21	6.98	<4	5	52	252	227	2.75	15	<1	<1	<1	11	2.15	<1	24	0.67	1529	21	21	80	561	5	25	0.57	<5	27	31	<10	123	4	<1	<1	330	10	<20	249	<10	17	63	<1
30166	087816	0.118	<1	8.41	815	191	3	22	4.41	<4	<1	51	266	149	3.59	14	4	<1	1	10	2.07	<1	26	0.91	1535	20	21	104	520	3	12	0.24	<5	32	37	<10	123	5	<1	3	657	7	<20	245	<10	12	118	<1
30167	087817	0.530	<1	9.14	662	190	3	30	5.00	<4	<1	54	309	119	4.77	18	2	<1	<1	9	2.03	<1	28	0.98	2256	24	22	115	482	2	15	0.43	<5	29	39	<10	144	6	<1	<1	2059	10	<20	257	16	12	119	<1
30168	087818	3.476	<1	8.61	1658	177	2	23	5.27	<4	2	61	268	159	4.95	17	<1	<1	1	12	1.98	<1	26	0.98	1951	24	21	141	439	5	16	0.82	<5	33	32	<10	105	7	<1	<1	978	11	22	247	17	13	155	<1
30169	087819	0.879	<1	8.75	2414	193	3	23	3.71	<4	<1	51	277	148	3.25	15	6	<1	<1	8	2.02	<1	23	0.69	1263	20	22	121	571	2	17	0.53	<5	25	33	<10	139	5	<1	3	620	5	<20	254	<10	12	114	<1
30170	087820	<0.005	<1	6.84	34	858	2	21	1.11	<4	24	5	551	8	1.30	8	2	<1	<1	12	1.94	15	28	0.41	264	19	3	11	355	23	34	0.02	<5	1	35	<10	315	<1	8	15	1052	5	<20	19	<10	8	32	<1
30172	087821	1.949	<1	6.98	6597	180	2	19	7.41	<4	1	36	409	127	3.43	11	<1	<1	<1	8	2.25	<1	23	0.53	1329	22	14	97	415	4	13	0.94	<5	17	46	<10	151	4	1	<1	347	6	<20	167	<10	15	70	<1
30173	087822	0.022	<1	8.60	322	172	2	21	4.26	<4	3	52	302	151	3.04	15	<1	<1	2	5	2.08	<1	27	0.66	1310	21	23	127	514	2	8	0.15	<5	29	36	<10	134	5	2	<1	1356	7	<20	271	<10	13	104	<1
30174	087823	0.057	<1	7.89	255	159	2	21	5.10	<4	1	70	254	169	3.90	16	<1	<1	2	10	2.21	<1	28	0.83	1236	23	21	171	560	3	9	0.31	<5	21	40	<10	104	6	<1	1	576	3	<20	242	<10	14	118	<1
30175	087824	0.010	<1	6.98	210	156	2	15	5.17	<4	<1	62	208	153	2.75	12	<1	<1	<1	11	2.04	<1	28	0.57	976	21	16	172	545	2	9	0.22	<5	14	41	<10	99	4	<1	1	434	6	<20	195	<10	13	92	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140456
Reference:
Sample #: 180

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30176	087825	0.007	<1	8.48	218	172	2	27	5.35	<4	2	66	229	155	2.86	14	<1	<1	<1	6	1.99	<1	31	0.62	1019	23	19	175	555	7	4	0.25	<5	17	35	<10	113	4	<1	<1	595	7	<20	219	<10	14	99	<1
30177	087826	0.010	<1	7.13	100	153	2	20	5.17	<4	2	52	230	200	2.52	10	1	<1	<1	10	1.73	<1	26	0.55	767	19	18	88	686	2	<1	0.16	<5	23	40	<10	87	2	<1	<1	483	9	<20	219	<10	19	43	<1
30178	087827	0.009	<1	8.52	77	172	2	16	4.38	<4	2	48	248	170	2.50	13	<1	<1	<1	12	1.90	<1	27	0.57	675	19	26	68	631	6	7	0.08	<5	34	43	<10	105	5	<1	<1	910	10	<20	293	<10	22	102	<1
30179	087828	0.009	<1	10.71	81	199	2	29	4.68	<4	2	49	280	192	2.27	18	<1	<1	1	13	1.89	<1	27	0.57	576	20	25	73	740	2	3	0.08	<5	36	45	<10	138	4	<1	2	635	7	<20	288	<10	20	69	<1
30180	087829	0.009	<1	10.01	87	228	2	23	4.84	<4	4	57	286	310	2.82	22	2	<1	<1	6	2.14	<1	33	0.55	742	27	28	87	675	7	8	0.15	<5	23	47	<10	147	6	<1	1	1253	6	<20	315	<10	18	86	<1
30181	087830	0.008	<1	10.25	79	171	2	17	5.71	<4	<1	59	330	213	3.55	19	<1	<1	2	11	1.91	<1	35	0.75	987	20	27	93	720	<1	<1	0.13	<5	23	42	<10	135	6	<1	1	1229	6	<20	304	<10	21	89	<1
30182R	087830	0.010	<1	10.11	69	184	2	33	5.31	<4	<1	53	293	183	3.02	21	8	<1	1	7	1.92	<1	36	0.65	989	19	28	76	604	<1	<1	0.12	<5	25	46	<10	143	6	<1	2	1651	6	<20	315	<10	21	68	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140457
Reference:
Sample #: 130

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30183	087941	<0.005	<1	10.97	10	107	<2	43	6.14	4	<1	55	383	129	8.09	28	<1	2	<1	<1	2.18	<1	36	1.41	4293	21	32	136	423	5	<1	0.15	<5	32	<5	<10	150	11	<1	<1	5751	335	<20	348	<10	19	102	67
30184	087942	<0.005	3	11.53	15	100	<2	37	5.77	<4	1	56	376	143	5.02	23	<1	<1	<1	<1	2.08	<1	37	1.14	2283	16	22	139	460	<1	<1	0.17	<5	26	24	<10	153	8	<1	<1	3253	208	<20	254	20	17	82	<1
30185	087943	<0.005	<1	11.82	12	129	<2	33	4.67	<4	2	54	415	133	4.57	22	<1	<1	1	<1	2.09	<1	34	1.14	1651	16	23	144	462	4	<1	0.29	<5	32	22	<10	152	7	<1	<1	1342	30	<20	260	<10	17	90	4
30186	087944	<0.005	<1	11.47	17	90	<2	31	4.83	<4	2	52	378	121	4.40	21	<1	<1	2	<1	2.27	<1	31	1.09	1478	16	22	141	651	4	<1	0.48	<5	26	10	<10	153	7	<1	<1	1047	209	20	238	<10	15	78	6
30187	087945	0.005	<1	11.44	15	94	<2	39	5.37	<4	1	49	398	133	4.76	23	<1	<1	<1	<1	2.32	<1	33	1.16	1908	16	20	132	531	5	17	0.38	<5	26	15	<10	148	7	4	<1	1862	309	<20	233	<10	16	85	<1
30188	087946	<0.005	<1	11.39	14	82	<2	41	5.81	<4	1	44	311	113	5.79	21	<1	<1	<1	<1	2.15	<1	37	1.48	2123	16	20	123	358	<1	<1	0.24	<5	32	<5	<10	129	6	<1	<1	1639	223	<20	241	<10	20	91	<1
30189	087947	0.006	<1	11.13	20	96	<2	41	5.64	<4	3	51	370	128	5.29	23	<1	<1	<1	<1	2.17	<1	34	1.04	2102	17	24	125	349	<1	<1	0.28	<5	29	5	<10	152	9	<1	<1	4535	200	<20	281	<10	18	68	26
30190	087948	<0.005	<1	10.42	13	70	<2	39	5.25	<4	<1	52	379	121	7.07	26	<1	<1	<1	<1	2.22	<1	32	1.25	2514	19	27	129	405	<1	<1	0.23	<5	31	15	<10	150	9	<1	<1	5184	276	<20	303	<10	18	88	9
30191	087949	<0.005	<1	11.83	20	103	<2	42	5.93	<4	3	55	362	125	5.23	22	<1	<1	<1	<1	2.03	<1	28	1.11	2126	15	23	139	503	<1	<1	0.18	<5	38	16	<10	162	8	<1	<1	3961	204	<20	260	<10	20	64	<1
30192	087950	<0.005	<1	9.34	7	859	<2	34	1.29	<4	68	3	662	10	1.45	14	<1	<1	<1	<1	2.05	40	28	0.37	226	16	3	11	309	26	46	0.02	<5	2	13	<10	234	1	<1	21	935	93	<20	19	<10	7	22	29
30194	087951	<0.005	<1	10.78	29	78	<2	31	5.59	<4	4	49	250	236	5.64	18	<1	<1	<1	<1	2.03	<1	29	1.23	2316	17	20	120	429	9	<1	0.22	<5	26	11	<10	129	8	<1	<1	2569	340	<20	232	<10	20	135	<1
30195	087952	<0.005	<1	10.97	26	84	<2	35	4.92	<4	<1	48	257	129	5.04	18	<1	<1	<1	<1	1.98	<1	31	1.23	1897	16	21	121	389	5	<1	0.16	<5	27	<5	<10	127	8	<1	<1	2241	161	<20	246	<10	17	78	<1
30196	087953	<0.005	<1	11.49	22	70	<2	33	5.67	<4	2	47	263	120	5.28	21	<1	<1	<1	<1	1.99	<1	32	1.29	2007	16	23	128	343	<1	<1	0.24	<5	33	17	<10	137	7	<1	<1	2266	196	<20	268	<10	18	73	<1
30197	087954	0.009	<1	11.42	21	83	<2	38	5.39	<4	2	44	261	126	4.82	20	<1	<1	<1	<1	1.84	<1	35	1.25	1854	15	21	128	382	<1	<1	0.27	<5	31	12	<10	133	7	<1	<1	1552	359	<20	247	<10	17	71	<1
30198	087955	<0.005	<1	11.12	23	82	<2	43	5.46	<4	2	44	273	127	4.83	20	<1	<1	<1	<1	2.10	<1	33	1.21	1903	13	23	129	417	<1	<1	0.28	<5	34	<5	<10	138	7	<1	<1	1697	310	<20	264	<10	17	71	<1
30199	087956	0.024	<1	10.80	38	94	<2	42	5.95	<4	3	48	253	136	4.87	20	<1	<1	<1	<1	2.19	<1	46	1.18	1906	16	21	132	397	2	<1	0.52	<5	32	13	<10	128	7	<1	<1	1481	285	<20	247	<10	17	74	<1
30200	087957	0.015	<1	10.61	32	76	<2	39	6.12	<4	<1	47	236	121	5.60	19	<1	<1	1	<1	2.27	<1	42	1.43	2061	15	22	127	411	4	<1	0.36	<5	42	<5	<10	110	8	<1	<1	1195	336	<20	263	<10	21	89	<1
30201	087958	<0.005	<1	10.77	18	58	<2	44	6.07	<4	2	49	232	129	6.08	20	<1	<1	<1	<1	2.27	<1	30	1.39	2173	15	20	129	414	4	<1	0.36	<5	36	8	<10	112	9	<1	<1	1628	200	<20	241	<10	23	93	<1
30202	087959	<0.005	<1	11.34	30	83	<2	39	5.93	<4	1	47	244	108	5.39	21	<1	<1	<1	<1	2.31	<1	36	1.34	2065	16	21	123	418	<1	<1	0.22	<5	37	17	<10	121	6	<1	<1	1548	402	<20	244	<10	21	87	<1
30203	087960	<0.005	<1	10.41	34	67	<2	37	5.54	<4	<1	47	235	119	5.02	16	<1	<1	<1	<1	2.01	<1	30	1.24	1905	13	18	125	409	<1	<1	0.21	<5	28	9	<10	113	6	<1	<1	1221	135	<20	211	<10	18	84	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140457
Reference:
Sample #: 130

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30204D	087960	0.006	<1	11.10	31	77	<2	36	5.66	<4	1	47	237	122	4.99	19	<1	<1	1	<1	2.22	<1	32	1.25	1945	16	18	122	459	<1	<1	0.21	<5	31	13	<10	120	7	<1	<1	1492	174	<20	219	<10	19	84	<1
30205	086091	<0.005	<1	7.68	17	522	<2	30	3.39	<4	21	27	608	30	3.46	12	<1	<1	<1	<1	1.99	7	30	4.01	616	19	10	195	982	13	16	0.05	<5	11	8	<10	515	2	<1	3	2081	383	<20	85	<10	10	48	4
30206	086092	0.006	3	8.55	11	774	2	35	4.14	<4	23	31	620	46	4.47	15	<1	<1	1	<1	2.15	8	32	4.43	763	18	13	182	1316	14	34	0.08	<5	15	7	<10	608	4	<1	4	2785	179	<20	110	<10	12	64	19
30207	086093	0.007	2	9.11	15	785	2	38	4.31	<4	28	31	570	50	4.61	17	<1	2	<1	<1	1.76	11	34	4.53	815	20	12	185	1357	14	30	0.08	<5	15	7	<10	639	3	1	3	2870	116	<20	114	<10	13	66	46
30208	086094	0.008	<1	8.00	11	754	2	31	4.28	<4	23	35	649	39	4.45	15	<1	<1	<1	<1	2.24	9	35	5.02	799	17	12	232	1139	11	37	0.05	<5	15	<5	<10	591	3	<1	3	2748	240	<20	105	<10	11	59	<1
30209	086095	0.006	<1	7.96	8	738	2	28	4.14	<4	24	33	597	37	4.25	14	<1	<1	<1	<1	2.35	9	35	4.88	770	17	12	224	1103	9	48	0.04	<5	15	<5	<10	578	4	<1	4	2659	232	<20	100	<10	11	60	<1
30210	086096	0.007	3	8.64	22	715	2	36	4.19	<4	27	34	612	50	4.56	16	<1	<1	<1	<1	2.25	10	35	4.65	780	19	12	209	1373	14	38	0.08	<5	15	<5	<10	634	3	<1	4	2691	182	<20	112	<10	12	65	17
30211	086097	0.007	<1	8.23	19	605	2	31	4.01	<4	23	32	549	48	4.51	15	<1	<1	<1	<1	2.24	9	32	4.56	786	18	12	207	1257	12	34	0.09	<5	14	<5	<10	581	3	<1	5	2441	92	<20	109	<10	12	62	1
30212	086098	0.033	<1	9.04	49	383	<2	35	5.10	4	4	44	103	166	7.85	19	<1	<1	<1	<1	2.02	<1	28	3.36	1754	17	14	72	394	8	<1	0.13	<5	14	<5	<10	213	8	<1	<1	2239	142	<20	146	11	7	102	<1
30213	086099	0.012	<1	9.01	68	163	<2	46	3.25	4	<1	45	58	191	8.22	20	<1	<1	<1	<1	2.20	<1	34	3.58	1385	15	13	79	404	6	<1	0.09	<5	14	<5	<10	127	6	<1	<1	472	400	25	145	<10	6	119	<1
30214	086100	0.967	<1	8.92	6	130	<2	36	4.20	<4	15	30	101	39	5.27	19	<1	<1	<1	<1	1.76	3	17	2.19	829	17	16	24	606	10	31	0.05	<5	19	<5	<10	162	6	<1	<1	5419	187	<20	162	<10	29	85	<1
30216	086101	0.016	<1	9.15	83	244	<2	36	4.48	4	3	41	81	179	7.09	17	<1	1	<1	<1	2.13	<1	27	2.99	1298	17	11	70	466	7	<1	0.10	<5	12	<5	<10	141	5	1	<1	1043	277	<20	130	<10	8	100	<1
30217	086102	0.019	<1	8.92	134	249	<2	42	5.16	4	4	47	54	201	8.25	19	<1	<1	<1	<1	1.98	<1	24	2.83	1386	16	13	81	460	6	<1	0.14	<5	13	<5	<10	135	7	1	<1	1872	202	<20	138	<10	8	122	<1
30218	086103	0.022	<1	9.38	162	248	2	34	5.41	5	10	45	111	198	7.69	23	<1	4	2	<1	1.72	3	27	2.85	1407	19	21	84	442	8	<1	0.12	<5	15	<5	<10	136	14	4	1	1691	230	<20	146	11	10	108	<1
30219	086104	0.017	<1	9.12	125	210	<2	32	6.76	4	2	38	88	165	6.58	19	<1	2	<1	<1	1.74	<1	24	2.87	1441	19	11	62	380	4	<1	0.14	<5	12	<5	<10	141	5	<1	<1	570	600	<20	116	<10	9	88	34
30220	086105	0.016	<1	8.78	128	201	<2	34	6.23	<4	3	36	153	152	6.24	17	<1	2	<1	<1	1.95	<1	23	2.70	1356	18	9	60	348	3	<1	0.14	<5	11	<5	<10	131	4	<1	<1	538	483	<20	111	<10	8	82	20
30221	086106	1.693	<1	7.11	6044	145	<2	26	3.27	<4	<1	16	303	56	3.38	11	<1	1	<1	<1	2.04	<1	18	1.30	631	18	6	34	187	<1	<1	0.45	<5	7	<5	<10	76	3	<1	<1	381	210	<20	68	<10	6	32	28
30222	086107	0.232	<1	9.24	734	174	<2	28	5.78	<4	<1	38	303	108	5.31	17	<1	1	1	<1	2.14	<1	22	2.10	1379	18	15	84	276	4	<1	0.22	<5	24	<5	<10	111	4	<1	<1	391	219	<20	175	<10	6	82	5
30223	086108	0.174	<1	10.98	248	209	<2	42	4.31	4	<1	53	225	127	7.75	24	<1	1	<1	<1	1.92	<1	30	1.85	1789	18	23	116	305	9	<1	0.63	<5	34	<5	<10	113	8	<1	<1	449	218	31	266	<10	6	139	6
30224	086109	0.050	<1	9.31	115	185	<2	33	5.74	<4	<1	36	270	91	4.89	16	<1	<1	<1	<1	2.23	<1	23	1.91	1964	18	16	80	358	6	<1	0.13	<5	25	9	<10	115	4	<1	<1	357	460	<20	179	<10	6	75	16

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140457
Reference:
Sample #: 130

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30225	086110	5.532	<1	8.62	191	229	<2	32	2.59	5	15	107	148	1371	6.92	18	<1	1	1	<1	2.06	6	21	1.29	597	25	8	1195	423	664	105	1.08	<5	10	<5	<10	130	5	2	1	2738	214	<20	85	32	16	444	27
30227	086111	0.105	<1	6.42	411	90	<2	30	1.98	7	<1	14	236	51	12.25	18	<1	2	<1	<1	2.06	<1	21	1.67	2395	24	5	38	247	20	<1	0.51	<5	9	<5	<10	53	8	1	<1	270	224	<20	68	<10	6	93	11
30228	086112	0.105	<1	5.43	406	62	<2	40	1.79	9	<1	15	366	56	15.97	21	<1	3	<1	<1	2.16	<1	19	1.98	3827	27	<1	23	190	16	<1	0.95	<5	3	<5	<10	41	10	6	<1	225	235	42	23	<10	6	92	36
30229	086113	0.099	<1	9.42	111	192	<2	32	6.16	4	<1	31	275	35	7.90	21	<1	2	<1	<1	2.10	<1	31	2.00	2549	19	15	72	343	3	<1	0.19	<5	25	<5	<10	91	8	<1	<1	326	213	<20	182	<10	6	145	33
30230	086114	0.022	<1	10.15	163	230	<2	37	4.98	<4	<1	43	207	88	5.13	19	<1	<1	<1	<1	2.27	<1	26	1.40	1883	17	20	97	353	4	<1	0.34	<5	30	<5	<10	114	6	<1	<1	328	256	<20	231	<10	6	71	5
30231	086115	0.022	<1	10.15	110	221	<2	40	4.85	<4	<1	45	177	94	4.98	18	<1	1	<1	<1	2.16	<1	27	1.21	1602	17	19	105	321	5	<1	0.45	<5	30	<5	<10	118	5	<1	<1	328	19	<20	225	<10	6	72	11
30232	086116	0.011	<1	10.02	89	200	<2	29	6.20	<4	<1	42	194	109	5.83	18	<1	<1	1	<1	2.13	<1	28	1.36	1873	17	18	90	341	7	<1	0.47	<5	31	8	<10	115	6	<1	<1	322	134	<20	218	<10	6	114	6
30233	086117	0.009	<1	9.99	127	168	<2	37	5.94	<4	<1	36	206	127	4.61	18	<1	2	<1	<1	2.12	<1	28	1.41	1325	17	18	81	328	1	<1	0.13	<5	27	10	<10	104	5	<1	<1	299	235	<20	206	<10	7	68	25
30234	086118	0.014	<1	9.84	103	166	<2	39	6.48	<4	<1	38	190	125	5.57	19	<1	1	1	<1	2.08	<1	29	1.50	1503	17	18	84	280	5	<1	0.15	<5	30	<5	<10	101	6	<1	<1	289	279	<20	210	<10	7	89	17
30235	086119	0.014	<1	10.22	118	193	<2	44	6.78	<4	<1	42	198	148	6.47	21	<1	<1	<1	<1	2.03	<1	30	1.38	1875	17	21	98	282	2	<1	0.55	<5	33	11	<10	116	7	<1	<1	316	406	<20	241	<10	6	122	<1
30236	086120	<0.005	<1	8.74	8	799	<2	24	1.24	<4	88	4	331	8	1.39	12	<1	<1	<1	<1	2.07	52	29	0.41	214	16	3	7	339	24	43	0.03	<5	3	12	<10	205	<1	2	31	919	259	<20	22	<10	8	27	26
30238	086121	0.379	<1	9.01	1002	149	<2	39	6.94	<4	<1	36	215	114	3.97	15	<1	<1	<1	<1	2.24	<1	26	1.15	1307	15	15	81	334	<1	<1	0.19	<5	28	13	<10	104	5	<1	<1	257	166	<20	189	172	7	70	<1
30239	086122	0.098	<1	9.73	267	147	<2	31	5.64	<4	<1	41	221	152	4.30	17	<1	<1	<1	<1	2.45	<1	26	1.15	1197	15	19	90	385	<1	<1	0.20	<5	30	<5	<10	107	4	<1	<1	256	335	<20	223	<10	6	101	<1
30240	086123	0.370	<1	8.53	503	111	<2	28	6.64	<4	<1	41	182	123	5.81	16	<1	<1	<1	<1	2.26	<1	27	1.50	1476	15	15	85	372	4	<1	0.19	<5	27	<5	<10	94	6	<1	<1	226	253	<20	177	134	6	102	<1
30241	086124	0.026	<1	9.94	123	145	<2	42	6.78	<4	<1	43	197	136	4.81	18	<1	<1	<1	<1	2.30	<1	31	1.24	1472	17	19	95	365	<1	<1	0.20	<5	35	8	<10	119	5	<1	<1	260	211	<20	223	<10	7	80	<1
30242	086125	0.018	<1	10.18	123	148	<2	33	6.95	<4	<1	43	179	134	4.87	20	<1	2	<1	<1	2.19	<1	32	1.27	1506	17	19	97	357	<1	<1	0.21	<5	35	10	<10	121	5	<1	<1	274	280	<20	220	<10	7	83	27
30243	086126	0.081	<1	10.84	181	188	<2	32	5.93	<4	<1	43	242	149	3.21	20	<1	1	<1	<1	2.20	<1	33	0.93	1037	17	21	106	391	2	<1	0.16	<5	27	10	<10	141	5	<1	<1	282	299	<20	244	141	8	99	30
30244	086127	0.018	<1	10.80	159	196	<2	35	5.39	<4	<1	43	205	151	2.70	18	<1	<1	<1	<1	2.07	<1	32	0.91	754	17	20	117	408	<1	6	0.13	<5	28	9	<10	137	5	<1	<1	278	192	<20	232	<10	8	84	22
30245	086128	0.019	<1	10.88	149	208	<2	43	5.46	<4	<1	39	239	154	2.94	19	<1	2	<1	<1	2.02	<1	34	1.07	891	17	19	110	390	3	<1	0.14	<5	22	7	<10	147	4	<1	<1	285	185	<20	221	<10	7	87	46
30246	086129	0.481	<1	10.57	838	201	<2	33	4.91	<4	<1	40	273	140	2.68	17	<1	<1	<1	<1	2.01	<1	31	1.02	691	16	20	111	5103	<1	<1	0.23	<5	27	12	<10	135	5	<1	<1	257	184	<20	228	19	11	89	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140457
Reference:
Sample #: 130

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30247	086130	0.470	<1	10.42	1288	194	<2	32	3.91	<4	<1	42	319	165	2.99	19	<1	<1	<1	<1	1.91	<1	30	1.13	778	16	20	109	409	<1	<1	0.29	<5	30	8	<10	125	5	<1	<1	271	162	<20	236	11	7	98	22
30248R	086130	0.495	<1	11.12	1298	206	<2	35	4.07	<4	<1	46	282	159	3.09	21	<1	<1	<1	<1	2.07	<1	32	1.18	810	17	22	111	463	1	<1	0.29	<5	33	11	<10	133	5	<1	<1	281	188	<20	255	<10	7	101	24
30249	086131	1.114	<1	10.23	1359	147	<2	38	5.98	<4	<1	43	274	122	5.55	21	<1	2	<1	<1	2.29	<1	33	1.72	1245	18	19	98	306	3	<1	0.81	<5	30	15	<10	121	5	<1	<1	277	327	<20	216	<10	6	129	45
30250	086132	0.448	<1	10.01	310	110	<2	36	6.29	<4	<1	43	181	98	5.05	19	<1	2	2	<1	2.48	<1	30	1.73	1269	18	18	91	247	<1	<1	0.38	<5	28	<5	<10	116	5	<1	<1	276	345	<20	202	50	6	124	56
30251	086133	0.123	<1	9.34	84	92	<2	36	6.12	<4	<1	44	185	141	6.58	19	<1	<1	2	<1	2.19	<1	30	1.88	1381	17	17	97	224	<1	<1	0.61	<5	30	<5	<10	102	5	<1	<1	250	276	<20	199	<10	6	156	<1
30252	086134	0.028	3	8.97	120	105	<2	32	5.27	<4	<1	46	170	143	4.11	17	<1	<1	1	<1	2.28	<1	30	1.39	1144	15	15	102	359	3	<1	0.34	<5	26	14	<10	104	5	<1	<1	230	324	<20	181	<10	5	157	<1
30253	086135	0.014	<1	10.43	117	127	<2	37	5.31	<4	<1	45	213	140	4.21	20	<1	2	<1	<1	2.20	<1	37	1.38	1153	18	19	101	356	<1	<1	0.39	<5	26	9	<10	125	6	<1	<1	293	146	<20	225	<10	6	139	57
30254	086136	0.006	<1	8.04	79	87	<2	35	5.73	<4	<1	38	154	104	4.64	14	<1	<1	<1	<1	2.00	<1	27	1.51	1159	15	13	88	308	3	<1	0.32	<5	23	8	<10	92	5	<1	<1	217	241	<20	149	<10	5	112	<1
30255	086137	0.023	<1	9.96	47	105	<2	34	6.62	<4	<1	40	208	115	6.24	22	<1	2	<1	<1	2.10	<1	34	1.68	1287	18	18	89	289	1	<1	0.80	<5	29	<5	<10	119	7	<1	<1	277	340	<20	213	<10	6	155	37
30256	086138	0.015	<1	9.47	92	102	<2	31	5.71	<4	<1	43	187	120	4.63	18	<1	<1	1	<1	1.92	<1	32	1.44	1164	16	16	107	343	<1	<1	0.40	<5	28	7	<10	109	3	<1	<1	241	400	<20	191	<10	6	106	<1
30257	086139	0.008	<1	9.75	64	104	<2	40	6.14	<4	<1	40	203	100	4.78	18	<1	<1	<1	1.89	<1	32	1.57	1287	16	18	91	320	<1	<1	0.32	<5	30	5	<10	114	5	<1	<1	254	245	<20	205	<10	6	94	<1	
30258	086140	13.515	6	6.97	23	396	<2	31	2.64	<4	2	26	80	232	4.42	14	<1	<1	1	<1	1.95	<1	16	1.29	543	22	9	39	574	30	472	0.53	<5	12	<5	<10	115	3	1	<1	3419	76	<20	100	<10	16	191	<1
30260	086141	0.012	<1	7.69	81	88	<2	24	5.13	<4	<1	44	167	116	3.98	12	<1	<1	<1	<1	1.73	<1	26	1.34	1052	11	14	93	343	3	<1	0.24	<5	25	<5	<10	92	4	<1	<1	224	170	<20	173	<10	5	98	<1
30261	086142	0.011	<1	7.31	87	79	<2	30	5.78	<4	<1	48	149	145	4.56	11	<1	<1	<1	<1	1.80	<1	24	1.52	1212	12	14	108	331	<1	<1	0.29	<5	26	5	<10	87	4	<1	<1	181	180	<20	165	<10	5	102	<1
30262	086143	0.012	<1	7.68	91	75	<2	27	5.74	<4	<1	46	182	154	4.67	12	<1	<1	<1	<1	1.75	<1	22	1.54	1297	11	15	97	305	<1	<1	0.31	<5	26	6	<10	92	4	<1	<1	183	310	<20	180	<10	4	97	<1
30263	086144	0.010	<1	7.66	102	75	<2	24	5.30	<4	<1	46	152	108	4.13	13	<1	<1	<1	<1	1.85	<1	22	1.33	1130	11	13	92	293	<1	<1	0.28	<5	24	<5	<10	87	4	<1	<1	186	264	<20	167	<10	5	111	<1
30264	086145	0.010	<1	8.23	74	76	<2	28	6.27	<4	<1	43	171	117	5.41	14	<1	<1	<1	<1	1.92	<1	24	1.55	1396	13	15	92	270	2	<1	0.50	<5	28	<5	<10	90	5	<1	<1	210	200	<20	185	<10	5	125	<1
30265	086146	0.012	<1	7.87	82	71	<2	37	6.15	4	<1	48	143	167	6.63	16	<1	<1	<1	<1	1.97	<1	24	1.63	1462	14	14	114	268	2	<1	0.94	<5	28	<5	<10	81	6	<1	<1	203	142	25	174	<10	5	166	<1
30266	086147	0.005	<1	7.61	104	69	<2	25	6.10	<4	<1	41	178	114	5.08	12	<1	<1	<1	<1	1.82	<1	22	1.55	1411	11	14	92	239	4	<1	0.33	<5	26	<5	<10	84	4	<1	<1	183	207	<20	174	<10	5	116	<1
30267	086148	0.010	<1	8.15	139	76	<2	28	5.24	<4	<1	43	158	132	4.28	14	<1	<1	<1	<1	1.93	<1	25	1.36	1282	13	15	98	339	2	<1	0.28	<5	28	9	<10	86	4	<1	<1	198	214	<20	181	<10	5	93	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140457
Reference:
Sample #: 130

Acc #	Client ID	Au ppm	Ag %	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30268	086149	0.015	<1	7.93	139	76	<2	37	5.16	<4	<1	43	186	125	3.84	13	<1	<1	<1	<1	1.84	<1	26	1.26	1196	11	16	98	404	<1	<1	0.15	<5	28	<5	<10	86	4	<1	<1	174	267	<20	191	<10	5	68	<1
30269	086150	<0.005	<1	7.47	9	762	<2	17	1.16	<4	61	4	250	8	1.26	10	<1	<1	1	<1	1.94	38	24	0.35	198	10	2	6	292	25	42	0.02	<5	3	8	<10	198	<1	<1	24	970	12	<20	20	<10	6	27	<1
30271	086151	0.014	<1	7.68	97	76	<2	35	6.08	<4	<1	38	182	117	4.98	14	<1	<1	<1	<1	1.86	<1	26	1.47	1415	12	15	91	300	<1	<1	0.34	<5	28	<5	<10	87	5	<1	<1	185	336	<20	179	<10	5	112	<1
30272	086152	0.101	<1	8.06	429	80	<2	32	6.70	<4	<1	45	220	120	5.48	14	<1	<1	<1	<1	1.82	<1	27	1.56	1552	12	16	96	272	2	<1	0.43	<5	31	<5	<10	96	5	<1	<1	189	168	<20	190	<10	5	90	<1
30273	086153	0.202	<1	7.29	244	72	<2	30	7.56	<4	<1	35	164	96	6.52	14	<1	<1	<1	<1	1.92	<1	25	1.77	1791	13	13	84	220	<1	<1	0.73	<5	27	<5	<10	91	5	<1	<1	188	177	<20	159	<10	5	146	<1
30274	086154	1.845	<1	8.49	4540	88	<2	29	7.34	<4	<1	39	270	121	4.67	14	<1	<1	<1	<1	1.85	<1	30	1.14	1163	13	14	90	355	<1	<1	0.76	<5	24	7	<10	111	4	<1	<1	190	532	<20	171	56	6	115	<1
30275	086155	2.443	<1	8.37	5657	88	<2	33	6.93	<4	<1	37	207	114	4.47	14	<1	<1	<1	<1	1.98	<1	30	1.07	1089	13	14	87	368	3	<1	0.78	5	23	<5	<10	107	5	<1	<1	191	156	<20	166	44	6	119	<1
30276	086156	1.040	<1	7.59	3997	78	<2	31	4.90	<4	<1	35	288	114	4.06	12	<1	<1	<1	<1	1.74	<1	24	1.16	1050	10	15	87	429	<1	<1	0.54	<5	25	<5	<10	96	3	<1	<1	158	341	<20	181	<10	5	75	<1
30277	086157	1.706	<1	7.43	5910	82	<2	27	4.75	<4	<1	37	243	109	3.61	10	<1	<1	<1	<1	1.71	<1	24	0.99	899	10	16	92	339	1	<1	0.49	<5	25	<5	<10	97	5	<1	<1	154	191	<20	190	<10	5	50	<1
30278	086158	0.024	<1	7.07	132	68	<2	28	5.31	<4	<1	39	159	125	4.93	12	<1	<1	<1	<1	1.76	<1	21	1.49	1232	11	13	90	397	3	<1	0.47	<5	24	<5	<10	84	4	<1	<1	157	184	<20	152	<10	7	68	<1
30279	086159	0.025	<1	6.97	90	64	<2	33	5.76	<4	<1	41	174	119	5.79	14	<1	<1	<1	<1	1.76	<1	22	1.69	1436	12	14	83	356	<1	<1	0.41	<5	27	<5	<10	78	5	<1	<1	162	226	<20	171	<10	6	80	<1
30280	086160	0.021	<1	6.60	71	66	<2	25	4.92	<4	<1	42	164	129	5.98	12	<1	<1	<1	<1	1.64	<1	21	1.37	1286	12	14	98	362	<1	<1	1.15	<5	25	<5	<10	77	4	<1	<1	142	276	<20	174	<10	6	67	<1
30281D	086160	0.020	<1	5.73	73	57	<2	26	5.03	<4	<1	43	155	134	6.17	10	<1	<1	<1	<1	1.48	<1	19	1.39	1332	11	13	101	356	2	<1	1.19	<5	23	<5	<10	69	4	<1	<1	121	361	<20	158	<10	5	71	<1
30282	086161	0.036	<1	5.57	58	58	<2	22	5.28	<4	<1	38	191	107	6.21	11	<1	<1	<1	<1	1.40	<1	17	1.32	1197	11	11	94	328	<1	<1	1.57	<5	18	<5	<10	73	5	<1	<1	115	256	28	140	<10	5	90	<1
30283	086162	0.006	<1	7.00	52	73	<2	28	5.66	<4	<1	40	203	114	5.69	13	<1	<1	<1	<1	1.74	<1	21	1.33	1408	12	14	100	285	2	<1	0.88	<5	23	<5	<10	87	5	<1	<1	156	393	<20	169	<10	6	95	<1
30284	086163	0.005	<1	7.17	86	67	<2	32	5.48	<4	<1	49	178	132	6.33	14	<1	<1	<1	<1	1.60	<1	23	1.50	1657	12	16	104	317	5	<1	0.37	5	32	<5	<10	80	5	<1	<1	154	256	<20	196	<10	6	90	<1
30285	086164	<0.005	<1	7.22	66	63	<2	33	5.73	<4	<1	42	178	125	6.54	15	<1	<1	<1	<1	1.69	<1	24	1.58	1651	12	17	93	275	<1	<1	0.17	<5	36	<5	<10	74	6	<1	<1	163	316	<20	210	<10	6	87	<1
30286	086165	<0.005	<1	7.86	74	71	<2	41	5.69	<4	<1	41	189	130	6.37	16	<1	<1	1	<1	1.75	<1	26	1.58	1642	12	19	95	367	<1	<1	0.16	<5	36	<5	<10	82	6	<1	<1	180	240	<20	219	<10	6	86	<1
30287	086166	<0.005	<1	8.16	58	74	<2	34	6.00	<4	<1	43	190	116	6.86	15	<1	<1	<1	<1	1.79	<1	28	1.59	1799	13	18	90	313	<1	<1	0.35	<5	37	<5	<10	89	7	<1	<1	188	204	<20	228	<10	6	85	<1
30288	086167	0.006	<1	7.53	53	70	<2	22	5.41	<4	<1	47	184	135	6.69	14	<1	<1	<1	<1	1.69	<1	25	1.40	1455	12	17	102	328	2	<1	0.80	<5	33	<5	<10	82	6	<1	<1	164	192	<20	213	<10	6	74	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140457
Reference:
Sample #: 130

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30289	086168	<0.005	<1	7.31	52	66	<2	30	5.74	<4	<1	43	177	128	6.38	13	<1	<1	1	<1	1.78	<1	26	1.42	1575	13	16	99	267	2	<1	0.56	<5	30	<5	<10	78	5	<1	<1	163	135	<20	194	<10	6	72	<1
30290	086169	0.493	<1	7.55	65	70	<2	30	5.81	<4	<1	51	191	130	6.53	15	<1	<1	<1	<1	1.78	<1	28	1.51	1663	13	17	106	305	4	<1	0.34	<5	33	<5	<10	77	7	<1	<1	173	170	<20	207	<10	6	70	<1
30291	086170	0.978	2	5.98	7	91	<2	26	3.30	<4	12	25	85	36	4.55	11	<1	<1	<1	<1	1.97	2	11	1.78	719	11	13	21	533	11	17	0.05	<5	17	<5	<10	116	5	<1	<1	4309	278	<20	141	<10	25	72	<1
30293	086171	0.007	<1	6.43	58	65	<2	22	5.34	<4	<1	48	160	125	5.63	11	<1	<1	<1	<1	1.83	<1	23	1.42	1505	12	14	95	308	<1	<1	0.25	<5	27	<5	<10	67	5	<1	<1	205	283	<20	169	<10	6	67	<1
30294	086172	<0.005	<1	8.21	52	78	<2	32	6.11	<4	<1	42	182	106	6.20	15	<1	<1	<1	<1	1.99	<1	31	1.38	1442	14	16	91	325	<1	<1	0.34	<5	32	<5	<10	82	6	<1	<1	206	290	<20	200	<10	7	93	<1
30295	086173	<0.005	<1	7.79	59	81	<2	27	6.41	<4	<1	35	167	117	4.58	13	<1	<1	<1	<1	1.96	<1	24	1.25	1581	13	14	77	294	3	<1	0.14	<5	28	<5	<10	85	5	<1	<1	198	254	<20	171	<10	7	56	<1
30296	086174	<0.005	<1	7.76	52	72	<2	30	6.11	<4	<1	40	180	121	5.80	15	<1	<1	<1	<1	2.04	<1	25	1.42	1545	12	16	78	295	1	<1	0.13	<5	34	<5	<10	77	6	<1	<1	193	224	<20	201	<10	7	85	<1
30297	086175	<0.005	<1	9.12	49	82	<2	27	5.86	<4	<1	35	193	119	6.16	17	<1	<1	<1	<1	2.19	<1	31	1.46	1512	15	19	74	290	1	<1	0.10	<5	38	<5	<10	87	7	<1	<1	238	169	<20	231	<10	8	96	<1
30298	086176	<0.005	<1	8.10	53	81	<2	32	5.71	<4	<1	36	180	132	4.96	14	<1	<1	<1	<1	1.88	<1	26	1.31	1434	13	16	78	326	<1	<1	0.10	<5	30	<5	<10	84	5	<1	<1	200	217	<20	192	<10	8	63	<1
30299	086177	0.013	<1	7.59	51	73	<2	27	5.58	<4	<1	38	175	127	5.65	12	<1	<1	1	<1	1.95	<1	26	1.42	1425	13	15	80	293	1	<1	0.09	<5	30	<5	<10	74	5	<1	<1	185	270	<20	183	<10	7	74	<1
30300	086178	<0.005	<1	7.83	43	74	<2	35	5.44	<4	<1	41	175	130	5.79	14	<1	<1	<1	<1	1.93	<1	27	1.40	1522	13	16	84	334	<1	<1	0.10	<5	33	<5	<10	74	6	<1	<1	194	134	<20	197	<10	7	75	<1
30301	086179	<0.005	<1	8.36	38	74	<2	30	5.80	<4	<1	39	193	114	6.54	17	<1	<1	<1	<1	2.06	<1	30	1.57	1712	14	18	85	345	2	<1	0.08	<5	36	<5	<10	77	7	<1	<1	208	195	<20	211	<10	8	88	<1
30302	086180	<0.005	<1	7.44	9	767	<2	20	1.03	<4	79	3	537	8	1.45	10	<1	<1	<1	<1	1.86	48	26	0.36	215	13	2	8	247	19	29	0.01	<5	3	9	<10	178	<1	<1	28	927	195	<20	19	<10	7	24	<1
30304	086181	<0.005	<1	8.06	36	68	<2	29	5.87	4	<1	38	181	126	7.50	17	<1	<1	<1	<1	1.91	<1	31	1.60	1789	14	19	89	286	2	<1	0.10	<5	39	<5	<10	69	7	<1	<1	196	156	<20	230	<10	7	94	<1
30305	086182	<0.005	<1	7.15	39	61	<2	26	6.18	<4	<1	39	173	131	6.36	15	<1	<1	<1	<1	1.92	<1	27	1.59	1677	13	15	90	336	2	<1	0.09	<5	29	<5	<10	64	7	<1	<1	173	250	<20	179	<10	7	79	<1
30306	086183	<0.005	<1	8.17	45	77	<2	32	5.36	<4	<1	38	185	130	5.66	15	<1	<1	<1	<1	2.11	<1	28	1.62	1277	13	17	85	364	4	<1	0.09	<5	37	<5	<10	78	5	<1	<1	209	89	24	209	<10	8	76	<1
30307	086184	0.020	<1	7.90	33	71	<2	27	6.45	<4	<1	34	163	120	6.25	16	<1	<1	<1	<1	1.93	<1	28	1.71	1520	14	15	71	306	<1	<1	0.12	<5	32	<5	<10	77	6	<1	<1	206	335	<20	191	<10	7	94	<1
30308	086185	0.046	<1	7.83	36	69	<2	34	6.29	<4	<1	34	176	119	6.26	15	<1	<1	<1	<1	1.84	<1	28	1.70	1508	12	16	71	349	<1	<1	0.12	<5	31	<5	<10	76	7	<1	<1	204	200	<20	191	<10	7	91	<1
30309	086186	0.006	<1	7.87	37	69	<2	35	5.77	<4	<1	35	191	114	6.42	15	<1	<1	<1	<1	1.90	<1	28	1.63	1618	14	17	74	373	2	<1	0.15	<5	32	8	<10	73	6	<1	<1	200	260	<20	197	<10	7	88	<1
30310	086187	0.009	<1	8.34	41	77	<2	41	6.08	<4	<1	39	173	124	5.93	16	<1	<1	<1	<1	1.89	<1	32	1.54	1425	13	18	78	361	2	<1	0.11	<5	35	<5	<10	84	6	<1	<1	211	471	<20	211	<10	7	89	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Thursday, February 10, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140457
Reference:
Sample #: 130

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30311	086188	0.005	<1	9.28	47	103	<2	33	5.10	<4	<1	39	215	140	3.86	17	<1	<1	<1	<1	2.02	<1	28	1.20	1057	14	19	94	394	<1	<1	0.21	<5	27	<5	<10	105	4	<1	<1	225	149	<20	221	<10	7	61	<1
30312	086189	0.084	<1	6.97	123	71	<2	41	4.06	9	<1	77	243	142	15.13	27	<1	<1	<1	<1	1.90	<1	24	0.78	776	22	12	154	211	15	<1	>10.00	28	15	<5	<10	83	11	1	<1	188	165	22	172	<10	5	456	<1
30313	086190	0.006	<1	8.66	47	109	<2	33	4.06	<4	<1	39	213	154	3.09	14	<1	<1	<1	<1	2.06	<1	26	0.90	839	13	15	92	390	<1	4	0.51	<5	14	7	<10	102	3	<1	<1	206	185	<20	181	<10	6	105	<1
30314R	086190	0.005	<1	8.15	42	102	<2	30	4.27	<4	<1	39	170	163	3.09	12	<1	<1	<1	<1	2.00	<1	25	0.95	888	13	13	96	397	<1	<1	0.42	<5	13	12	<10	92	4	<1	<1	202	224	<20	160	<10	6	103	<1
30315	086191	0.018	<1	9.00	41	111	<2	34	4.90	<4	<1	47	209	142	4.74	16	<1	<1	<1	<1	2.02	<1	29	1.07	1074	14	17	108	408	3	<1	1.15	<5	20	<5	<10	106	5	<1	<1	215	182	<20	207	<10	8	135	<1
30316	086192	0.016	<1	8.29	43	91	<2	28	5.49	<4	<1	46	190	150	4.71	15	<1	<1	<1	<1	1.98	<1	28	1.11	1292	13	16	87	365	<1	<1	0.80	<5	26	<5	<10	93	5	<1	<1	200	288	<20	196	<10	7	85	<1
30317	086193	0.007	<1	8.28	40	77	<2	28	6.45	<4	<1	42	227	131	5.10	15	<1	<1	1	<1	1.87	<1	28	1.29	1587	11	19	83	358	2	<1	0.20	<5	38	<5	<10	88	4	<1	<1	193	183	<20	225	<10	7	59	<1
30318	086194	0.006	<1	9.71	40	112	<2	35	5.32	<4	<1	44	205	144	4.50	19	<1	<1	1	<1	1.96	<1	32	1.08	1243	15	19	84	360	<1	<1	0.76	<5	27	7	<10	111	5	<1	<1	252	465	<20	228	<10	7	79	<1
30319	086195	0.005	<1	9.59	37	81	<2	30	5.86	<4	1	40	213	134	6.11	20	<1	<1	<1	<1	1.88	<1	34	1.42	1490	15	21	78	388	3	<1	0.16	<5	38	16	<10	91	6	<1	<1	241	265	22	242	<10	8	84	<1
30320	086196	<0.005	<1	8.92	36	75	<2	27	5.82	<4	<1	42	192	143	6.44	18	<1	<1	<1	<1	1.81	<1	33	1.47	1551	14	22	84	341	5	<1	0.14	<5	41	<5	<10	84	7	<1	<1	212	343	<20	258	<10	7	75	<1
30321	086197	<0.005	<1	10.26	39	106	<2	34	5.18	<4	<1	40	225	148	4.92	20	<1	<1	<1	<1	1.86	<1	36	1.18	1532	14	24	92	363	<1	<1	0.17	<5	36	<5	<10	116	6	<1	<1	249	72	<20	276	<10	8	81	<1
30322	086198	0.025	<1	6.75	45	52	<2	43	6.89	10	<1	63	155	157	17.35	28	<1	<1	<1	<1	1.86	<1	27	1.37	2895	25	11	113	210	19	<1	7.94	19	20	<5	<10	62	12	2	<1	201	93	63	163	<10	7	167	<1
30323	086199	0.006	<1	8.87	35	90	<2	29	5.77	<4	2	44	214	222	5.40	17	<1	<1	<1	<1	1.70	<1	34	1.28	1685	15	20	91	373	4	<1	0.24	<5	31	7	<10	98	6	<1	<1	219	95	<20	240	<10	8	94	<1
30324	086200	14.270	2	6.32	21	354	2	29	2.54	4	4	22	79	123	3.91	14	<1	<1	3	<1	1.85	2	14	1.23	527	18	17	44	526	31	503	0.47	<5	13	<5	<10	113	12	8	<1	3341	235	<20	97	<10	17	154	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
30326	087831	9	<1	11.31	110	192	2	27	4.90	<4	1	67	308	206	2.31	20	2	<1	<1	16	1.81	<1	32	0.59	679	20	29	110	773	<1	<1	0.12	<5	31	50	<10	150	5	<1	1	477	6	<20	321	<10	21	68	<1
30327	087832	18	<1	10.29	115	189	2	26	5.94	<4	1	65	274	223	2.07	17	3	<1	<1	13	1.90	<1	29	0.54	997	17	23	114	719	3	<1	0.11	<5	23	47	<10	134	4	2	<1	518	13	<20	271	<10	19	54	<1
30328	087833	9	<1	10.12	85	168	2	25	4.27	<4	<1	56	310	204	3.46	19	<1	<1	<1	12	1.84	<1	31	0.69	963	19	30	93	633	2	5	0.29	<5	33	47	<10	126	6	<1	<1	1190	6	<20	335	<10	19	116	<1
30329	087834	10	<1	9.74	66	174	2	19	5.67	<4	2	43	278	167	3.27	20	<1	<1	<1	6	1.99	<1	32	0.70	1124	20	28	71	625	3	8	0.09	<5	28	44	<10	120	6	1	1	1255	6	<20	320	<10	19	100	<1
30330	087835	9	<1	9.97	84	171	2	25	4.09	<4	<1	50	272	179	2.07	15	<1	<1	<1	9	1.76	<1	28	0.52	632	18	22	87	667	3	4	0.08	<5	23	46	<10	126	4	<1	1	603	10	<20	254	<10	17	50	<1
30331	087836	8	<1	10.32	77	155	2	25	4.89	<4	<1	53	302	201	3.13	15	<1	<1	2	7	1.82	<1	28	0.68	757	20	23	83	696	3	5	0.17	<5	22	42	<10	124	6	<1	1	964	6	<20	267	<10	18	72	<1
30332	087837	10	<1	9.49	77	144	2	19	4.76	<4	1	59	291	201	3.67	16	<1	<1	<1	7	1.77	<1	27	0.77	823	21	22	111	697	5	<1	0.20	<5	20	40	<10	107	5	<1	2	829	5	<20	252	<10	18	102	<1
30333	087838	11	<1	8.32	93	123	2	21	4.14	<4	<1	69	267	207	3.18	14	<1	<1	1	12	1.66	<1	25	0.62	718	17	18	123	703	3	<1	0.20	<5	17	45	<10	97	4	<1	2	911	7	<20	215	<10	15	82	<1
30334	087839	11	<1	7.46	72	103	2	23	4.25	<4	<1	56	239	177	3.41	10	<1	<1	<1	8	1.41	<1	23	0.71	858	16	16	119	628	<1	5	0.20	<5	12	40	<10	81	4	2	<1	499	9	<20	186	<10	12	66	<1
30335	087840	5502	<1	7.01	244	223	3	25	2.43	<4	13	115	151	1469	6.70	14	<1	<1	<1	7	2.23	6	18	1.26	606	35	7	1298	520	706	165	1.18	<5	10	21	<10	114	4	9	6	2251	7	<20	83	28	15	484	<1
30337	087841	13	<1	9.49	94	84	2	24	4.31	<4	<1	56	257	187	2.61	15	3	<1	1	13	1.98	<1	27	0.58	805	20	20	139	623	9	7	0.14	<5	18	32	<10	112	4	1	<1	1167	6	<20	233	<10	14	64	<1
30338	087842	16	<1	11.22	140	102	2	26	5.38	<4	3	68	296	182	2.90	19	<1	<1	<1	5	2.05	<1	28	0.57	1040	18	26	153	706	3	9	0.14	<5	25	41	<10	143	5	<1	2	2049	7	<20	293	<10	18	72	<1
30339	087843	13	<1	8.85	62	69	2	24	5.45	<4	2	59	227	167	5.33	17	<1	<1	<1	9	2.00	<1	32	0.90	1380	27	20	139	597	5	5	0.32	<5	21	21	<10	96	6	3	<1	1397	7	<20	232	<10	20	134	<1
30340	087844	12	<1	8.14	74	98	2	24	5.10	<4	3	44	245	212	3.61	17	<1	<1	<1	14	2.08	<1	34	0.70	1138	23	27	87	543	9	2	0.17	<5	23	37	<10	108	6	<1	3	1415	5	<20	309	<10	17	147	<1
30341	087845	24	<1	7.62	98	93	2	20	5.62	<4	3	44	249	87	4.91	16	<1	<1	<1	9	2.11	<1	28	0.82	1547	24	20	60	434	6	18	0.80	<5	26	27	<10	104	6	<1	1	933	9	22	239	25	14	120	<1
30342	087846	2823	<1	8.50	218	82	2	22	5.63	<4	7	69	200	406	5.77	15	<1	<1	<1	5	2.05	<1	31	1.18	2294	25	19	201	770	5	14	0.40	<5	20	30	<10	106	6	<1	<1	1011	7	<20	213	17	20	220	<1
30343	087847	92	<1	7.27	99	79	2	17	4.59	<4	7	51	172	140	5.04	14	<1	<1	<1	3	1.92	<1	26	0.92	1745	24	18	132	710	5	11	0.37	<5	19	21	<10	90	5	2	<1	973	9	<20	218	27	21	180	<1
30344	087848	34	<1	7.17	105	70	2	22	4.75	<4	6	53	169	145	5.12	13	<1	<1	<1	7	1.89	<1	25	0.95	1793	21	17	138	706	6	8	0.37	<5	18	42	<10	86	6	3	<1	932	3	22	205	28	22	184	<1
30345	087849	19	<1	6.63	107	57	2	14	4.39	<4	4	50	163	143	4.30	11	<1	<1	<1	10	1.72	<1	22	0.80	1835	20	16	121	774	4	4	0.27	<5	18	29	<10	71	5	2	1	848	9	<20	184	<10	21	175	<1
30346	087850	<5	<1	5.60	5	509	2	15	1.03	<4	27	5	328	6	1.23	6	<1	<1	1	11	1.95	16	30	0.44	287	18	4	11	384	15	68	0.01	<5	1	27	<10	239	<1	6	14	1110	5	<20	19	<10	9	40	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30348	087851	16	<1	8.49	74	97	2	19	4.89	<4	4	54	287	139	4.88	18	<1	<1	1	10	2.10	<1	29	0.78	1687	25	25	110	714	3	6	0.26	<5	22	42	<10	114	7	<1	<1	2046	14	<20	283	<10	20	95	<1
30349	087852	17	<1	6.51	58	57	4	16	5.14	<4	12	56	235	133	5.00	14	<1	<1	<1	7	1.37	4	24	0.83	1635	20	27	120	685	7	<1	0.24	<5	28	24	<10	73	13	11	4	1186	4	<20	225	<10	24	101	<1
30350	087853	12	<1	7.93	54	72	2	21	4.55	<4	5	56	257	125	4.89	16	<1	<1	<1	8	1.92	<1	29	0.91	1903	24	23	106	685	6	8	0.28	<5	24	26	<10	90	6	4	<1	1571	8	34	244	<10	22	123	<1
30351	087854	21	<1	7.64	82	95	2	20	4.48	<4	3	55	288	143	3.96	18	<1	<1	1	9	1.80	<1	34	0.77	1493	22	27	137	732	5	4	0.14	<5	23	36	<10	115	7	<1	1	1519	7	<20	300	<10	18	140	<1
30352	087855	20	<1	8.27	81	99	2	20	4.28	<4	4	54	273	119	3.37	17	<1	<1	<1	12	1.95	<1	32	0.70	1401	21	25	126	682	6	6	0.15	<5	24	44	<10	119	6	<1	3	1665	7	<20	279	<10	18	111	<1
30353	087856	18	<1	8.00	69	109	2	18	3.61	<4	<1	44	321	117	3.50	17	<1	<1	<1	9	1.84	<1	36	0.61	1407	20	26	112	702	5	9	0.05	<5	23	48	<10	145	6	<1	<1	2096	8	<20	297	<10	14	76	<1
30354	087857	37	<1	7.99	53	97	2	23	6.83	<4	<1	40	508	131	3.86	14	<1	<1	<1	11	1.99	<1	36	0.69	1717	23	21	106	635	<1	14	0.12	<5	25	33	<10	110	5	2	<1	1717	13	<20	247	<10	18	68	<1
30355	087858	14	<1	8.45	113	110	2	20	5.31	<4	2	61	264	92	3.27	18	<1	<1	<1	8	1.88	<1	33	0.64	1860	22	27	151	685	3	6	0.09	<5	24	39	<10	140	7	<1	2	2000	5	<20	306	<10	18	103	<1
30356	087859	17	<1	9.38	80	81	2	26	5.11	<4	2	52	265	120	4.39	16	<1	<1	1	11	1.87	<1	30	0.96	2148	21	24	153	753	7	<1	0.11	<5	22	33	<10	114	6	2	<1	1406	5	<20	277	<10	19	139	<1
30357	087860	9	<1	9.36	42	62	2	25	4.47	<4	2	44	302	109	5.82	19	<1	<1	<1	5	1.69	<1	27	1.01	2112	24	27	116	745	6	<1	0.28	<5	23	35	<10	109	8	2	2	1406	6	27	297	<10	22	197	<1
30358D	087860	10	<1	9.37	48	59	2	23	4.49	<4	2	46	302	110	5.91	19	<1	<1	2	<1	1.65	<1	27	1.02	2110	24	25	119	695	11	<1	0.30	<5	21	26	<10	107	7	1	2	1175	9	21	283	<10	21	206	<1
30359	087861	18	<1	10.10	49	80	2	21	4.68	<4	2	53	345	123	5.82	20	<1	<1	<1	3	2.01	<1	32	0.98	2574	27	28	121	688	1	3	0.27	<5	27	38	<10	128	8	<1	<1	2882	9	<20	306	<10	20	174	<1
30360	087862	13	<1	9.93	58	95	2	30	4.53	<4	3	52	301	103	5.41	18	<1	<1	1	11	1.95	<1	34	1.05	2375	26	27	109	742	7	16	0.18	<5	27	45	<10	120	8	<1	<1	1525	8	<20	308	<10	21	146	<1
30361	087863	10	<1	8.49	49	80	2	21	4.71	<4	2	50	244	128	6.13	19	<1	<1	<1	9	1.97	<1	32	1.00	2551	27	22	126	700	7	4	0.33	<5	24	39	<10	104	7	3	<1	1373	6	22	254	<10	18	127	<1
30362	087864	9	<1	8.73	57	85	2	25	4.65	<4	1	53	284	131	5.11	15	<1	<1	1	6	1.74	<1	27	0.96	2669	22	19	118	709	9	12	0.22	<5	24	36	<10	119	6	4	<1	1712	7	<20	222	<10	19	138	<1
30363	087865	12	<1	8.92	52	85	2	19	4.71	<4	<1	54	300	137	5.35	16	<1	<1	<1	9	1.77	<1	28	1.02	2712	23	20	117	665	7	<1	0.21	<5	27	38	<10	122	6	1	<1	1585	11	28	232	<10	19	139	<1
30364	087866	7	<1	9.57	44	68	2	25	5.21	<4	3	51	319	140	6.23	18	<1	<1	<1	6	1.71	<1	28	1.09	3210	24	24	114	665	<1	<1	0.27	<5	23	27	<10	128	8	3	<1	1950	7	30	268	<10	20	230	<1
30365	087867	15	<1	9.68	59	83	2	27	4.94	<4	<1	47	328	132	4.95	19	<1	<1	<1	8	1.82	<1	33	1.10	2444	23	26	101	703	4	<1	0.17	<5	26	31	<10	129	8	2	1	1874	11	<20	292	<10	21	227	<1
30366	087868	7	<1	9.56	55	77	3	23	4.43	<4	<1	46	304	125	6.21	19	<1	<1	<1	5	1.82	<1	31	1.17	2713	24	28	101	647	5	4	0.20	<5	24	29	<10	115	8	2	<1	1864	5	21	310	<10	20	125	<1
30367	087869	12	<1	9.83	69	86	2	28	4.22	<4	1	49	334	122	6.69	20	4	<1	1	6	1.95	<1	30	1.07	3107	28	28	105	717	5	10	0.13	<5	25	26	<10	120	8	2	<1	2422	9	<20	322	<10	22	193	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30368	087870	13636	3	7.40	28	447	3	26	2.87	<4	<1	24	92	144	4.42	15	<1	<1	<1	14	2.18	<1	18	1.37	624	30	10	44	789	35	533	0.57	<5	13	37	<10	122	4	5	<1	3513	17	<20	111	<10	17	189	<1
30370	087871	22	<1	9.04	51	65	2	28	4.01	<4	<1	44	250	103	8.48	21	<1	<1	<1	5	1.92	<1	36	1.46	4005	31	28	109	603	3	2	0.11	<5	24	36	<10	78	10	<1	<1	1459	24	30	319	<10	19	309	<1
30371	087872	10	<1	8.81	86	76	3	27	2.58	<4	<1	49	238	53	7.01	21	<1	<1	<1	5	1.89	<1	30	1.14	2541	27	24	151	644	7	<1	0.04	<5	25	24	<10	85	8	2	<1	1479	9	<20	282	<10	19	320	<1
30372	087873	13	<1	4.94	8	39	3	35	3.89	5	<1	40	253	158	16.45	20	<1	2	<1	1	1.88	<1	14	2.11	6391	48	12	36	448	23	<1	2.19	<5	19	24	<10	27	11	9	<1	361	12	68	151	<10	9	244	<1
30373	087874	8	<1	4.51	6	40	4	39	3.35	10	<1	28	63	164	28.35	35	7	7	<1	<1	1.95	<1	13	2.90	10523	77	3	31	554	30	<1	1.92	<5	9	22	<10	27	20	22	<1	302	18	156	65	<10	7	358	<1
30374	087875	15	<1	4.06	8	40	3	26	2.38	7	<1	14	135	122	19.95	22	<1	4	<1	<1	1.90	<1	13	2.44	7781	57	3	25	517	25	<1	1.91	<5	11	22	<10	27	12	13	<1	235	13	74	65	<10	6	239	<1
30375	087876	11	<1	3.68	5	39	4	26	2.14	6	<1	19	152	230	18.10	18	<1	3	<1	<1	1.85	<1	12	2.17	6872	53	4	35	620	21	<1	2.91	<5	13	21	<10	25	13	16	<1	196	8	108	64	<10	6	194	<1
30376	087877	108	<1	4.62	4	40	2	27	2.55	5	<1	26	157	321	15.13	18	<1	1	<1	<1	1.82	<1	13	1.73	4078	48	6	41	433	20	<1	3.58	<5	11	<5	<10	28	8	11	<1	361	9	39	88	<10	7	167	<1
30377	087878	17	<1	8.31	68	68	2	22	4.98	<4	3	43	210	107	6.89	20	<1	<1	2	9	1.93	<1	37	1.30	3165	28	27	98	648	9	<1	0.23	<5	39	28	<10	86	8	3	<1	932	9	29	314	<10	25	157	<1
30378	087879	23	<1	7.17	120	85	2	29	5.26	<4	5	48	196	102	3.98	13	<1	<1	<1	7	1.93	<1	28	0.78	2336	22	23	107	711	6	9	0.20	<5	27	35	<10	92	6	<1	2	762	7	<20	265	<10	22	117	<1
30379	087880	23	<1	7.02	128	83	2	20	5.43	<4	6	44	188	100	3.43	13	4	<1	<1	9	1.92	<1	26	0.72	2313	20	22	104	667	5	7	0.14	<5	26	39	<10	89	6	<1	<1	865	11	<20	249	<10	22	101	<1
30380D	087880	18	<1	7.05	128	84	2	24	5.40	<4	6	43	186	95	3.36	12	<1	<1	1	8	1.98	<1	26	0.71	2279	20	21	101	696	9	5	0.14	<5	25	39	<10	89	5	1	2	758	13	<20	246	10	22	97	<1
30381	087881	133	<1	7.47	89	63	2	22	6.35	<4	5	43	189	117	4.76	12	<1	<1	<1	8	1.88	<1	29	1.06	2992	23	19	105	634	10	8	0.21	<5	23	28	<10	100	5	1	<1	795	8	27	220	15	21	156	<1
30382	087882	25	<1	6.56	73	56	2	21	6.03	<4	4	37	168	110	4.89	11	<1	<1	<1	6	1.63	<1	25	0.95	3203	21	17	89	646	3	2	0.20	<5	16	41	<10	94	6	3	<1	435	6	22	198	111	19	179	<1
30383	087883	20	<1	5.59	93	48	2	17	4.24	<4	4	45	166	105	5.09	9	<1	<1	<1	7	1.13	<1	21	0.92	2630	18	15	110	693	10	<1	0.18	<5	18	31	<10	66	5	1	1	492	14	<20	188	<10	19	187	<1
30384	087884	13	<1	6.06	71	46	2	20	4.84	<4	4	42	172	121	5.44	13	<1	<1	<1	11	1.11	<1	24	1.03	2973	19	19	100	642	7	<1	0.13	<5	19	34	<10	73	4	2	1	638	4	<20	222	<10	20	198	<1
30385	825708	13	1	7.20	67	101	<2	22	3.70	<4	<1	14	146	138	4.71	<1	<1	<1	1	<1	1.81	<1	44	0.56	2688	15	25	149	424	55	<1	0.07	<5	9	6	<10	150	2	<1	<1	4230	8	<20	269	<10	11	309	<1
30386	087886	9	<1	9.41	52	68	2	28	4.89	<4	7	47	206	129	6.92	20	<1	<1	<1	7	1.84	<1	28	1.16	3458	27	23	105	752	4	<1	0.25	<5	21	20	<10	121	7	<1	1	1421	11	<20	262	<10	23	197	<1
30387	087887	10	<1	9.41	62	66	3	27	4.44	<4	5	43	227	108	7.49	20	<1	<1	<1	3	1.63	<1	30	1.16	4202	26	26	96	735	12	<1	0.07	<5	23	27	<10	125	9	4	<1	1884	12	28	296	<10	22	230	<1
30388	087888	<5	<1	9.43	19	44	3	34	3.98	5	7	44	189	136	15.85	30	<1	2	<1	<1	1.84	4	30	2.49	8366	48	29	97	633	21	<1	0.08	<5	42	7	<10	31	15	4	<1	1880	17	68	333	<10	26	505	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30389	087889	<5	<1	3.48	11	33	4	36	4.35	10	<1	18	93	63	27.15	32	<1	6	<1	<1	1.62	<1	11	2.88	13055	68	9	26	385	37	<1	0.72	<5	21	13	<10	28	20	17	<1	263	16	115	144	<10	7	351	<1
30390	087890	14	<1	3.69	11	35	3	36	3.29	10	<1	22	109	60	26.09	32	<1	5	<1	<1	1.78	<1	11	2.72	11526	67	7	28	350	32	<1	0.57	<5	17	13	<10	26	21	15	<1	278	13	112	105	<10	7	496	<1
30391R	087890	11	<1	3.75	11	37	4	24	3.09	10	<1	22	115	56	25.48	31	<1	5	<1	<1	1.80	<1	12	2.62	10917	66	6	29	313	25	<1	0.54	<5	16	20	<10	27	18	15	<1	287	23	123	100	<10	7	463	<1
30392	087891	11	<1	4.21	5	34	3	36	3.97	8	<1	21	95	77	21.74	22	<1	2	<1	<1	1.75	<1	13	1.87	8810	58	10	33	230	22	14	0.36	<5	24	22	<10	27	17	11	<1	677	19	97	143	10	9	296	<1
30393	087892	6	<1	8.88	18	31	2	36	4.70	7	1	50	182	79	19.64	37	18	2	<1	2	1.58	<1	21	2.51	8147	55	31	113	473	17	1	0.23	<5	39	7	<10	28	19	8	<1	1355	9	89	369	10	35	572	<1
30394	087893	5	<1	4.51	6	35	2	20	4.89	4	<1	23	304	115	14.27	15	<1	<1	<1	<1	1.74	<1	14	1.52	7755	44	10	39	276	22	19	1.18	<5	16	21	<10	29	11	11	<1	687	10	27	129	<10	12	182	<1
30395	087894	13	<1	10.35	86	120	3	28	3.32	<4	1	50	267	83	9.12	23	3	<1	<1	<1	2.19	<1	35	1.48	3737	34	24	114	620	6	21	0.06	<5	26	24	<10	111	9	5	<1	2115	14	42	270	<10	24	280	<1
30396	087895	11	<1	8.70	83	81	3	28	2.96	<4	<1	44	234	85	7.84	18	<1	<1	<1	10	1.60	<1	29	1.33	3090	26	19	115	646	9	<1	0.04	<5	20	29	<10	95	8	3	2	1160	14	34	226	<10	21	247	<1
30397	087896	11	<1	8.15	94	60	2	25	4.51	<4	<1	50	252	100	6.19	14	<1	<1	<1	9	1.50	<1	31	1.30	3208	22	19	129	491	4	<1	0.06	<5	21	28	<10	90	7	4	1	916	7	35	226	<10	15	174	<1
30398	087897	8	<1	9.43	80	60	2	28	6.05	<4	3	51	308	113	5.22	14	<1	<1	<1	12	1.55	<1	29	1.22	2983	20	21	138	449	6	7	0.15	<5	26	56	<10	118	7	4	2	1204	3	20	248	<10	14	95	<1
30399	087898	11	<1	10.55	109	84	2	32	5.76	<4	4	53	334	147	4.57	17	<1	<1	<1	3	1.81	<1	32	1.04	2376	21	21	153	566	6	4	0.17	<5	25	37	<10	138	6	4	<1	1148	10	<20	247	<10	16	149	<1
30400	087899	18	<1	8.62	136	85	3	26	5.13	<4	8	56	271	143	3.36	18	1	<1	<1	11	1.84	3	35	0.79	1652	22	28	146	557	9	14	0.17	<5	29	27	<10	122	14	7	7	1016	5	<20	230	<10	17	119	<1
30401	087900	978	<1	7.35	8	122	2	21	4.04	<4	17	32	112	45	5.54	17	<1	<1	<1	4	2.17	6	15	2.20	891	25	18	24	802	17	62	0.06	<5	20	37	<10	141	6	11	<1	5104	8	<20	173	<10	30	99	<1
30403	087901	21	<1	9.14	95	73	2	23	6.05	<4	4	55	264	131	5.31	16	2	<1	<1	6	1.88	<1	39	1.26	2418	26	23	141	596	6	6	0.22	<5	28	34	<10	123	6	2	<1	1535	11	28	259	<10	16	97	<1
30404	087902	44	<1	7.70	123	88	2	13	5.65	<4	<1	53	275	128	4.96	19	4	<1	<1	8	1.86	<1	34	0.97	2507	23	24	132	569	7	<1	0.18	<5	24	36	<10	143	8	<1	<1	2115	6	<20	279	<10	11	88	<1
30405	087903	1041	<1	8.21	351	147	2	25	6.84	<4	<1	52	271	133	6.32	19	<1	<1	<1	4	2.19	<1	27	1.20	2923	28	22	132	602	6	18	1.02	<5	31	36	<10	104	7	<1	<1	1029	6	<20	252	11	12	102	<1
30406	087904	8902	<1	7.16	863	199	2	25	6.36	<4	<1	34	604	95	3.62	16	<1	<1	<1	11	2.14	<1	22	0.61	1796	26	17	94	360	5	23	1.27	<5	19	31	<10	143	5	2	2	444	11	<20	200	227	9	39	<1
30407	087905	7530	<1	6.93	409	155	2	16	6.78	<4	<1	28	547	70	3.13	12	<1	<1	<1	12	2.12	<1	21	0.72	2057	22	13	73	386	8	20	0.63	<5	19	35	<10	127	4	2	2	354	7	<20	163	263	10	42	<1
30408	087906	486	<1	8.11	124	108	3	23	6.47	<4	4	51	262	136	5.22	17	<1	<1	1	8	2.09	<1	30	1.20	2671	25	20	141	580	9	10	0.31	<5	23	43	<10	114	6	<1	1	868	5	<20	245	<10	12	89	<1
30409	087907	35	<1	7.84	65	74	2	18	5.79	<4	2	54	244	130	4.71	15	<1	<1	<1	12	1.85	<1	36	1.13	2166	23	19	140	544	9	<1	0.23	<5	24	40	<10	95	5	2	1	740	12	<20	218	<10	15	71	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30410	087908	10	<1	8.78	33	63	2	26	5.59	<4	<1	49	259	123	5.46	17	<1	<1	<1	10	1.91	<1	36	1.38	2546	23	20	127	469	10	11	0.20	<5	32	42	<10	94	6	2	<1	839	24	<20	234	<10	17	76	<1
30411	087909	7	<1	10.84	34	75	2	25	6.49	<4	3	54	322	149	6.56	22	<1	<1	<1	8	2.08	<1	37	1.64	2873	27	24	145	511	11	<1	0.37	<5	28	42	<10	122	8	3	1	816	9	<20	275	<10	18	95	<1
30412	087910	5572	<1	5.40	240	179	3	17	2.19	<4	12	116	146	1464	6.49	10	<1	<1	<1	13	1.96	7	14	1.17	611	30	6	1285	500	701	119	1.19	<5	10	16	<10	94	3	9	5	1901	3	30	77	25	13	482	<1
30414	087911	8	<1	7.69	30	42	2	21	5.86	<4	<1	55	287	141	5.99	14	<1	<1	<1	4	1.18	<1	26	1.48	2300	20	18	153	501	7	<1	0.54	<5	21	35	<10	107	6	<1	<1	661	17	20	222	<10	14	96	<1
30415	087912	7	<1	10.02	41	63	2	28	5.11	<4	2	61	302	140	4.80	18	<1	<1	<1	11	1.90	<1	26	1.10	1816	22	18	153	692	7	2	0.28	<5	26	37	<10	127	5	2	<1	1631	4	<20	214	<10	16	79	<1
30416	087913	7	<1	9.05	45	88	2	20	5.26	<4	<1	53	293	124	4.02	16	<1	<1	<1	8	1.88	<1	27	0.87	1874	24	20	132	481	8	<1	0.20	<5	22	36	<10	124	5	2	<1	1447	8	<20	226	<10	13	70	<1
30417	087914	6	<1	9.27	47	109	2	22	4.58	<4	<1	58	305	144	4.46	20	<1	<1	<1	10	2.12	<1	32	0.91	1652	28	22	146	594	7	6	0.33	<5	20	24	<10	132	7	1	<1	1718	6	<20	250	<10	12	72	<1
30418	087915	7	<1	7.75	45	85	2	18	6.44	<4	2	57	259	121	5.07	15	<1	<1	<1	7	2.01	<1	39	1.02	2888	26	21	136	543	9	<1	0.22	<5	24	27	<10	110	7	3	1	1551	9	<20	245	<10	14	80	<1
30419	087916	10	<1	9.07	25	74	2	25	6.93	<4	2	52	299	192	7.36	20	<1	<1	<1	3	2.00	<1	51	1.57	3140	29	25	131	489	5	<1	0.30	<5	33	35	<10	100	8	5	<1	1129	27	47	291	<10	17	130	<1
30420	087917	6	<1	9.35	32	67	2	24	5.61	<4	3	48	264	90	6.45	18	2	<1	2	10	2.03	<1	44	1.56	2488	27	20	133	645	6	7	0.17	<5	36	25	<10	96	6	5	3	855	11	30	241	<10	17	101	<1
30421	087918	6	<1	7.19	44	55	2	18	5.58	<4	2	53	315	119	5.16	13	<1	<1	<1	9	1.47	<1	31	1.17	2106	20	20	132	475	6	6	0.44	<5	26	32	<10	78	6	3	<1	753	6	31	232	<10	13	74	<1
30422	087919	5	<1	10.10	44	70	2	30	5.23	<4	<1	60	310	136	5.49	16	<1	<1	<1	9	1.96	<1	31	1.35	2117	23	22	162	550	3	<1	0.18	<5	23	24	<10	110	7	1	1	1090	7	34	265	<10	13	97	<1
30423	087920	5	<1	7.71	3	757	2	16	1.66	<4	37	5	586	11	1.50	10	<1	<1	2	13	2.15	21	31	0.43	256	24	4	11	429	30	52	0.35	<5	3	34	<10	262	1	6	20	966	3	<20	24	<10	7	34	<1
30425	087921	6	<1	9.66	28	77	2	25	5.42	<4	3	55	303	148	4.97	17	<1	<1	<1	11	1.95	<1	31	1.21	1992	23	19	147	468	6	2	0.26	<5	28	41	<10	113	6	<1	1	961	13	33	225	<10	14	77	<1
30426	087922	7	<1	10.17	40	119	3	27	6.75	<4	4	73	368	169	6.53	20	<1	<1	<1	4	2.07	<1	56	1.35	2301	30	22	168	477	3	18	1.16	<5	37	40	<10	114	7	4	<1	1207	14	<20	264	<10	14	88	<1
30427	087923	5	<1	11.01	31	93	2	33	5.14	<4	3	60	300	149	5.53	21	<1	<1	<1	9	2.10	<1	38	1.34	2053	28	22	163	593	8	2	0.40	<5	27	40	<10	130	6	<1	<1	1223	13	26	259	<10	15	83	<1
30428	087924	<5	<1	11.00	13	66	2	29	5.61	<4	3	54	355	131	6.93	21	<1	<1	<1	9	2.12	<1	33	1.54	2861	29	22	151	537	5	2	0.26	<5	27	34	<10	121	7	9	<1	2009	16	35	265	<10	16	96	<1
30429	087925	<5	<1	10.09	13	58	3	34	5.35	<4	1	52	304	127	6.71	18	<1	<1	<1	<1	1.83	<1	30	1.48	2741	25	22	148	512	5	<1	0.24	<5	26	36	<10	112	7	6	<1	1722	11	22	257	<10	15	92	<1
30430	087926	<5	<1	10.02	10	67	2	31	6.04	<4	<1	52	327	129	7.31	21	<1	<1	<1	7	2.04	<1	31	1.48	3562	29	23	135	458	9	<1	0.26	<5	27	35	<10	111	8	5	<1	1535	18	31	274	<10	14	100	<1
30431	087927	6	<1	9.29	23	69	2	26	4.93	<4	<1	52	331	131	4.18	16	<1	<1	2	10	1.91	<1	26	1.13	1857	21	17	139	560	6	6	0.21	<5	20	31	<10	112	5	2	<1	791	12	<20	200	<10	13	64	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
30432	087928	6	<1	9.85	29	99	2	25	3.92	<4	<1	54	286	138	3.48	16	<1	<1	<1	8	2.10	<1	28	0.90	1323	20	17	156	640	2	9	0.20	<5	24	35	<10	114	4	5	<1	878	4	<20	198	<10	13	61	<1
30433	087929	6	<1	10.61	21	71	2	28	5.28	<4	1	55	434	138	5.00	16	<1	<1	<1	13	1.88	<1	28	1.17	1935	23	20	143	575	7	13	0.21	<5	27	33	<10	124	6	3	<1	1292	4	<20	237	<10	14	71	<1
30434	087930	<5	<1	10.52	18	77	2	24	5.34	<4	<1	60	446	139	4.90	18	<1	<1	<1	10	1.84	<1	27	1.19	2001	22	18	160	632	3	2	0.30	<5	21	41	<10	124	5	7	<1	1068	9	48	216	<10	14	70	<1
30435D	087930	<5	<1	10.22	15	73	2	21	5.32	<4	2	62	446	143	5.00	17	<1	<1	<1	10	1.75	<1	26	1.19	2017	21	18	162	612	6	<1	0.31	<5	20	36	<10	120	6	7	2	1003	12	<20	215	<10	13	71	<1
30436	087931	<5	<1	10.25	14	68	2	26	4.98	<4	<1	64	475	146	5.84	17	<1	<1	1	4	1.80	<1	29	1.36	2160	24	21	170	563	5	<1	0.38	<5	24	34	<10	116	7	3	2	1145	17	23	246	<10	13	90	<1
30437	087932	<5	<1	11.77	13	68	2	36	6.41	<4	3	60	446	139	6.36	22	8	<1	<1	7	1.98	<1	32	1.51	2568	28	23	149	664	<1	<1	0.35	<5	30	35	<10	136	8	3	<1	1730	12	22	270	<10	18	93	<1
30438	087933	<5	<1	10.17	11	61	2	32	5.25	<4	2	55	440	147	5.25	17	2	<1	<1	8	1.82	<1	26	1.16	1985	26	21	149	508	4	<1	0.48	<5	29	39	<10	121	6	6	<1	1430	3	<20	250	<10	14	76	<1
30439	087934	<5	<1	10.18	16	66	2	31	4.96	<4	2	54	454	137	4.11	16	<1	<1	<1	13	1.69	<1	23	1.01	1644	22	18	153	613	<1	<1	0.24	<5	22	43	<10	125	6	1	<1	1278	7	<20	210	<10	14	62	<1
30440	087935	<5	<1	10.77	17	73	2	24	4.93	<4	4	60	528	150	4.43	18	<1	<1	<1	10	1.83	<1	24	1.09	1596	21	19	166	655	3	8	0.24	<5	23	38	<10	132	6	3	1	1095	6	<20	222	<10	15	69	<1
30441	087936	7	<1	10.57	11	89	2	21	5.34	<4	3	54	465	134	5.30	18	<1	<1	<1	7	1.91	<1	27	1.24	2236	23	21	148	578	9	<1	0.19	<5	34	38	<10	131	7	4	<1	1499	4	53	246	<10	15	75	<1
30442	087937	<5	<1	9.96	9	83	3	23	6.12	<4	2	54	408	134	7.20	22	<1	<1	<1	3	1.88	<1	27	1.23	3641	28	27	147	536	8	6	0.19	<5	30	42	<10	140	8	2	<1	2920	9	26	305	<10	14	81	<1
30443	087938	5	<1	10.10	11	84	2	22	5.14	<4	2	51	389	138	6.71	20	3	<1	<1	9	1.84	<1	24	1.20	3011	27	26	135	557	8	2	0.18	<5	25	38	<10	133	8	2	<1	2309	6	<20	289	<10	16	122	<1
30444	087939	6	<1	9.43	10	43	3	26	5.45	<4	2	47	319	126	10.10	21	<1	<1	<1	3	1.64	<1	32	1.72	4930	32	26	118	405	13	<1	0.22	<5	33	34	<10	88	11	6	<1	1857	7	35	297	<10	17	122	<1
30445	087940	13320	3	6.13	23	400	2	17	2.41	<4	<1	23	81	128	3.94	10	<1	<1	<1	5	2.22	<1	15	1.22	578	27	9	39	614	31	510	0.51	<5	11	27	<10	99	4	9	1	3038	9	<20	98	<10	15	168	<1
30447	086001	461	<1	3.86	2704	72	3	24	0.58	4	<1	14	438	26	11.65	10	<1	<1	<1	<1	1.89	<1	14	1.12	2849	37	<1	16	429	18	17	0.72	<5	2	14	<10	25	5	12	<1	184	9	40	29	<10	5	372	<1
30448	086002	53	<1	5.15	372	113	3	24	0.62	<4	<1	24	414	49	9.04	12	<1	<1	<1	3	1.79	<1	18	1.23	1948	30	5	20	437	12	13	0.65	<5	6	13	<10	25	7	10	1	192	6	37	73	<10	4	182	<1
30449	086003	163	<1	4.18	754	77	2	27	0.41	<4	<1	18	681	64	10.13	11	<1	<1	<1	4	1.65	<1	15	1.08	3500	34	3	29	424	17	13	1.34	<5	5	7	<10	21	7	8	<1	156	6	38	47	<10	5	436	<1
30450	086004	77	<1	3.14	188	44	3	20	0.48	<4	<1	11	674	23	11.33	9	<1	<1	<1	<1	1.73	<1	11	1.00	2948	37	<1	15	265	14	10	0.42	<5	<1	17	<10	20	6	11	<1	128	11	36	10	<10	4	229	<1
30451	086005	79	<1	2.99	93	41	3	23	0.51	<4	<1	11	664	21	10.93	8	<1	<1	<1	2	1.67	<1	11	0.99	2958	35	<1	17	252	11	10	0.51	<5	<1	8	<10	21	6	9	<1	167	9	34	9	<10	4	196	<1
30452	086006	78	<1	5.63	119	93	5	29	0.60	6	<1	32	235	94	20.24	24	2	3	<1	<1	1.85	<1	22	2.10	5062	54	5	28	713	26	22	0.39	5	7	23	<10	23	12	14	<1	204	5	88	80	<10	6	266	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
30453	086007	27	<1	1.88	60	25	4	17	0.57	5	<1	9	685	36	11.55	9	<1	2	2	<1	1.05	<1	8	1.06	3560	34	6	20	349	19	2	0.61	<5	2	19	<10	17	13	17	2	<100	8	36	6	<10	5	134	<1
30454	086008	169	<1	2.29	89	27	3	21	0.38	4	<1	29	758	151	14.48	12	<1	<1	<1	<1	1.24	<1	9	0.98	4081	40	<1	68	244	22	<1	4.37	<5	<1	24	<10	16	9	13	<1	<100	17	65	6	<10	4	208	<1
30455	086009	396	<1	2.23	972	26	3	22	0.56	5	<1	15	554	39	15.38	13	<1	<1	<1	<1	1.24	<1	8	1.30	5303	42	<1	23	507	21	<1	1.23	<5	<1	21	<10	17	11	15	<1	<100	12	73	6	<10	5	253	<1
30456	086010	954	<1	4.39	13	77	2	12	2.78	<4	11	26	89	42	4.82	8	<1	<1	1	4	1.58	5	10	1.71	788	17	13	19	799	14	17	0.06	<5	16	23	<10	81	4	6	2	4362	8	<20	142	<10	27	88	<1
30458	086011	2410	<1	1.91	5617	35	3	22	0.45	<4	<1	25	626	40	9.90	5	<1	<1	<1	<1	0.97	<1	6	0.70	2813	29	<1	24	634	11	<1	1.46	5	<1	20	<10	16	7	10	<1	127	8	21	11	<10	4	257	<1
30459	086012	315	<1	2.83	467	36	2	17	0.69	<4	<1	6	666	18	8.83	6	<1	<1	<1	<1	1.65	<1	10	0.81	2205	31	<1	11	247	9	<1	0.50	<5	<1	<5	<10	23	4	8	<1	108	7	<20	4	<10	4	80	<1
30460	086013	730	<1	2.68	919	39	2	22	0.72	<4	<1	14	443	76	10.60	8	<1	<1	<1	<1	1.50	<1	9	0.81	2620	34	<1	27	365	14	<1	1.80	<5	<1	7	<10	23	5	11	<1	104	12	34	6	<10	4	253	<1
30461	086014	1611	<1	4.06	1208	88	3	16	0.44	4	<1	49	539	125	10.63	12	<1	<1	<1	<1	1.87	<1	11	0.30	1389	38	<1	94	156	27	6	5.82	<5	4	7	<10	23	5	11	<1	180	7	42	27	12	5	533	<1
30462	086015	2219	<1	3.87	4879	81	3	18	0.40	<4	<1	31	522	137	8.83	10	<1	<1	<1	<1	1.72	<1	10	0.26	1017	38	1	59	301	27	6	3.41	6	4	18	<10	22	5	9	<1	169	10	33	29	13	5	601	<1
30463	086016	798	<1	6.01	1495	127	2	18	0.80	<4	<1	30	609	97	7.96	14	<1	1	<1	<1	2.32	<1	15	0.54	1145	39	3	61	233	30	30	3.53	7	6	23	<10	34	4	13	2	271	9	33	46	<10	6	479	<1
30464	086017	2273	<1	3.93	5102	49	2	20	1.01	<4	<1	5	271	18	11.67	11	<1	2	<1	<1	2.19	<1	14	1.09	3887	42	<1	7	615	12	<1	1.15	<5	<1	5	<10	32	5	15	<1	143	15	42	4	<10	6	50	<1
30465	086018	168	<1	3.18	335	40	2	12	0.63	<4	<1	4	468	12	10.00	7	<1	<1	2	1.85	<1	12	0.86	2322	36	<1	5	549	15	<1	0.34	<5	<1	9	<10	24	4	7	<1	118	5	24	4	<10	5	51	<1	
30466	086019	51	<1	3.15	78	39	2	14	0.65	<4	<1	3	327	8	8.37	4	<1	<1	<1	1	1.69	<1	12	0.75	1815	32	<1	3	207	9	6	0.21	<5	<1	11	<10	24	4	13	<1	116	7	<20	3	<10	4	25	<1
30467	086020	<5	<1	6.95	15	831	2	16	0.88	<4	75	3	429	7	1.57	7	<1	<1	2	12	1.89	46	30	0.37	237	23	2	5	393	29	33	0.03	<5	2	39	<10	164	<1	8	32	792	7	<20	16	<10	7	34	<1
30469	086021	184	<1	3.76	556	54	3	18	0.84	<4	<1	4	476	12	9.89	8	<1	1	<1	2	1.86	<1	14	0.95	2453	38	<1	7	235	17	4	0.43	<5	<1	14	<10	30	6	11	1	147	10	37	3	<10	5	36	<1
30470	086022	187	<1	3.91	202	49	3	19	0.92	4	<1	6	583	19	13.66	12	<1	3	<1	1	2.02	<1	14	1.26	3676	47	<1	8	577	18	7	0.50	<5	<1	<5	<10	31	7	11	<1	148	11	54	5	<10	6	42	<1
30471	086023	96	<1	3.08	462	38	3	21	0.87	4	<1	5	387	13	13.62	11	<1	2	<1	2	1.76	<1	11	1.11	2468	43	<1	5	1061	19	3	0.33	<5	<1	<5	<10	27	6	13	<1	115	9	45	3	<10	6	48	<1
30472	086024	86	<1	3.76	206	46	3	26	0.88	<4	<1	4	410	9	11.44	9	<1	2	<1	<1	1.73	<1	14	1.05	2835	41	<1	4	605	16	10	0.30	<5	<1	30	<10	29	6	11	<1	138	4	25	3	<10	5	33	<1
30473	086025	78	<1	3.85	205	47	3	22	0.90	<4	<1	5	534	9	11.11	10	<1	2	<1	<1	1.92	<1	14	1.04	2724	42	<1	7	581	11	<1	0.29	<5	<1	12	<10	30	6	13	<1	141	5	35	4	<10	6	35	<1
30474	086026	159	<1	3.26	478	40	2	17	0.69	<4	<1	3	637	12	10.10	8	<1	<1	<1	1	1.83	<1	12	0.85	1983	37	<1	8	217	13	<1	0.34	<5	<1	12	<10	25	7	9	<1	121	9	28	3	<10	4	29	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30475	086027	77	<1	2.86	191	35	2	15	0.84	<4	<1	3	417	8	9.41	6	<1	<1	<1	<1	1.74	<1	10	0.82	1880	33	<1	5	160	13	3	0.23	<5	<1	10	<10	25	5	5	<1	106	7	21	3	<10	3	29	<1
30476	086028	404	<1	3.61	969	46	3	21	0.56	4	<1	6	520	39	13.32	13	<1	3	<1	5	1.98	<1	13	1.21	4852	44	<1	14	300	14	2	1.26	<5	<1	6	<10	25	8	12	<1	134	21	52	4	<10	5	46	<1
30477	086029	525	<1	3.58	891	45	3	21	0.84	4	<1	7	313	14	13.82	12	<1	3	<1	<1	1.79	<1	13	1.40	5151	45	<1	7	317	20	13	0.56	<5	<1	19	<10	27	9	11	<1	133	14	56	5	<10	5	50	<1
30478	086030	350	<1	3.99	790	48	3	20	0.73	<4	<1	5	676	19	10.06	9	<1	2	<1	<1	1.93	<1	14	1.00	3537	40	<1	12	210	11	11	0.54	<5	<1	6	<10	29	7	8	<1	149	11	33	4	<10	5	37	<1
30479D	086030	327	<1	3.86	796	46	2	18	0.71	<4	<1	4	663	19	9.92	8	<1	2	<1	<1	1.92	<1	14	0.99	3519	40	<1	10	179	11	7	0.55	<5	<1	11	<10	28	7	11	<1	145	6	22	5	<10	4	36	<1
30480	086031	74	<1	4.01	116	51	2	20	0.71	5	<1	7	286	17	14.40	14	<1	4	<1	<1	1.84	<1	15	1.50	6692	48	<1	5	243	19	<1	0.73	<5	<1	<5	<10	28	9	14	<1	147	11	70	5	<10	6	47	<1
30481	086032	37	<1	4.36	56	55	3	24	0.63	4	<1	8	265	21	15.20	15	2	5	<1	<1	1.75	<1	16	1.51	6662	51	<1	6	204	20	7	0.66	<5	<1	26	<10	28	9	14	<1	160	10	67	6	<10	5	53	<1
30482	086033	19	<1	4.30	36	52	2	26	0.61	<4	<1	4	376	7	11.02	11	<1	3	1	<1	1.99	<1	16	0.96	2166	42	<1	7	221	12	15	0.29	<5	<1	12	<10	29	6	11	<1	163	6	41	3	<10	5	39	<1
30483	086034	249	<1	5.36	907	120	3	30	0.50	4	<1	44	929	80	10.88	14	<1	2	<1	<1	1.61	<1	14	0.79	2404	44	2	62	249	31	10	3.04	<5	4	12	<10	30	7	11	<1	284	8	26	39	12	6	482	<1
30484	086035	105	<1	3.56	388	62	2	24	0.46	5	<1	29	419	88	13.59	14	<1	<1	<1	<1	1.74	<1	11	1.14	4124	42	<1	46	277	29	13	2.78	<5	2	6	<10	23	9	10	<1	160	12	44	17	<10	5	304	<1
30485	086036	199	<1	4.19	668	62	3	24	0.54	4	<1	22	539	73	12.60	13	<1	3	<1	<1	1.71	<1	14	1.23	4255	44	<1	29	233	20	9	1.80	<5	1	23	<10	27	7	12	<1	169	19	29	11	<10	5	97	<1
30486	086037	58	<1	3.98	178	50	2	16	0.54	<4	<1	3	354	12	8.34	7	<1	1	<1	8	1.78	<1	14	0.74	2050	36	<1	6	180	10	9	0.18	<5	<1	6	<10	26	3	7	1	156	8	<20	4	<10	4	34	<1
30487	086038	233	<1	3.71	895	55	3	20	0.86	5	<1	8	488	32	15.35	15	<1	3	<1	<1	1.88	<1	12	1.55	5034	47	<1	11	373	15	3	0.65	<5	<1	13	<10	27	9	12	<1	164	11	57	7	<10	5	71	<1
30488	086039	194	<1	3.61	83	49	2	17	0.61	<4	<1	10	609	34	11.21	10	<1	2	<1	<1	2.02	<1	13	1.11	3133	40	<1	15	263	15	8	0.80	<5	<1	21	<10	25	5	14	<1	149	5	28	6	<10	4	73	<1
30489	086040	5501	<1	7.17	258	225	3	19	2.45	<4	18	120	165	1542	7.33	15	<1	<1	<1	4	1.77	9	19	1.29	659	36	7	1363	566	742	123	1.28	<5	10	19	<10	117	5	11	5	2307	10	31	83	27	15	509	<1
30491	086041	323	<1	4.06	72	66	3	20	0.65	<4	<1	16	545	49	11.05	11	<1	1	<1	9	1.80	<1	13	0.99	2899	40	<1	34	307	16	13	2.02	<5	1	6	<10	27	5	9	<1	172	5	34	11	<10	5	216	<1
30492	086042	348	<1	5.46	27	118	3	26	0.52	5	<1	36	487	123	13.05	17	<1	2	<1	<1	1.51	<1	13	1.08	3331	45	1	64	435	29	11	4.09	<5	4	24	<10	28	7	11	<1	281	16	43	31	10	6	760	<1
30493	086043	181	<1	4.44	20	95	3	16	0.48	4	<1	14	523	41	11.14	12	<1	1	<1	<1	1.79	<1	12	1.03	3601	39	<1	24	308	25	20	1.65	5	2	9	<10	24	7	9	<1	216	10	32	20	<10	5	276	<1
30494	086044	415	<1	3.65	208	50	2	19	0.71	<4	<1	10	492	37	11.04	9	<1	2	<1	<1	1.87	<1	13	1.16	3338	38	<1	13	168	15	<1	0.76	<5	<1	7	<10	27	6	10	<1	142	6	35	6	<10	4	142	<1
30495	086045	167	<1	3.52	77	74	3	14	0.96	<4	<1	13	474	43	8.24	7	<1	<1	<1	3	1.96	<1	11	1.03	1763	32	<1	19	149	16	7	0.79	<5	1	8	<10	29	3	9	<1	149	6	34	12	<10	4	133	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demianuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30496	086046	51	<1	7.58	154	265	3	25	1.99	<4	<1	46	125	127	9.06	17	<1	1	<1	<1	2.28	<1	21	2.74	1494	35	9	73	579	11	20	0.41	<5	11	11	<10	60	4	7	2	398	17	26	110	<10	6	238	<1
30497	086047	8	<1	7.04	110	393	3	25	4.26	<4	6	47	72	205	8.90	16	<1	<1	<1	8	2.12	1	17	2.82	1687	30	8	70	642	12	18	0.19	<5	10	8	<10	116	4	5	2	428	15	52	102	<10	7	140	<1
30498	086048	8	<1	6.51	81	505	3	27	5.33	<4	7	47	72	192	9.10	15	<1	<1	<1	<1	1.85	<1	17	2.84	1574	29	8	76	654	9	7	0.28	<5	10	15	<10	177	7	10	<1	493	13	55	99	<10	7	135	<1
30499	086049	13	<1	6.57	60	447	2	29	4.93	<4	1	42	102	175	8.38	15	<1	<1	1	<1	1.98	<1	21	2.70	1526	26	8	67	575	10	4	0.25	<5	10	28	<10	189	5	10	2	429	19	<20	102	<10	6	129	<1
30500	086050	<5	<1	8.11	5	789	2	16	1.14	<4	77	4	436	10	1.48	11	<1	<1	<1	10	2.21	47	32	0.44	213	29	2	6	455	29	62	0.02	<5	3	40	<10	188	1	10	34	1001	4	<20	18	<10	7	31	17
30502	086051	7	<1	9.20	53	134	3	28	3.31	<4	6	48	47	202	9.97	24	<1	3	<1	4	1.84	1	34	3.23	1419	32	13	67	716	14	<1	0.33	<5	15	33	<10	184	8	8	3	300	7	31	149	<10	7	151	<1
30503	086052	5	<1	9.27	47	48	3	33	3.65	<4	12	44	40	175	9.69	21	3	2	<1	<1	1.87	3	34	3.37	1576	28	12	64	725	11	<1	0.13	<5	16	11	<10	213	4	9	3	288	12	30	148	<10	7	146	<1
30504	086053	6	<1	7.69	42	39	3	29	3.40	<4	8	44	46	158	9.18	20	<1	<1	<1	<1	1.52	2	28	3.13	1507	25	12	57	669	9	2	0.13	<5	14	17	<10	193	6	10	2	422	9	37	138	<10	6	142	<1
30505	086054	<5	<1	8.54	43	52	3	28	3.61	<4	12	46	80	183	8.83	22	<1	<1	<1	6	1.81	4	29	3.22	1634	26	13	68	696	13	<1	0.12	<5	15	24	<10	230	7	6	4	683	9	33	152	<10	7	135	<1
30506	086055	<5	<1	8.12	42	49	3	26	3.55	<4	9	43	70	171	8.51	19	<1	<1	<1	<1	1.71	3	28	3.13	1606	24	12	63	670	9	<1	0.11	<5	15	16	<10	225	6	11	3	639	10	20	146	<10	7	132	<1
30507	086056	<5	<1	7.96	39	54	2	15	5.14	<4	13	45	70	211	8.55	20	<1	<1	1	4	1.70	4	25	2.99	1796	24	14	67	679	11	<1	0.13	5	15	30	<10	292	5	9	2	1165	7	38	158	<10	8	131	<1
30508	086057	<5	<1	8.58	33	41	3	25	3.61	<4	12	53	47	215	8.98	20	3	<1	<1	<1	1.62	4	25	3.05	1599	27	16	82	675	10	<1	0.15	<5	17	26	<10	260	7	11	2	1730	13	<20	183	<10	7	145	<1
30509	086058	<5	<1	7.46	42	41	3	25	4.41	<4	6	58	51	191	7.62	17	<1	<1	<1	9	1.45	<1	20	2.97	1646	19	13	140	582	10	<1	0.24	<5	15	26	<10	347	4	6	2	1310	11	22	148	<10	6	111	<1
30510	086059	<5	<1	7.94	19	43	2	22	3.74	<4	6	47	67	214	8.34	21	<1	<1	<1	6	1.58	<1	23	3.10	1548	21	15	92	556	11	<1	0.15	<5	15	15	<10	322	6	6	2	1493	20	<20	173	<10	7	136	<1
30511	086060	<5	<1	7.82	15	38	3	25	3.36	<4	7	49	67	202	8.70	20	<1	<1	<1	3	1.52	2	26	3.59	1573	21	15	72	618	9	<1	0.12	<5	16	24	<10	292	6	6	2	1237	13	22	172	<10	7	135	<1
30512D	086060	<5	<1	7.94	16	39	3	22	3.43	<4	5	50	69	206	8.90	21	<1	<1	<1	4	1.54	1	27	3.69	1606	21	15	73	643	10	<1	0.12	<5	16	26	<10	297	6	7	3	1162	7	<20	178	<10	7	137	<1
30513	086061	<5	<1	8.01	14	38	5	24	2.91	4	13	48	55	196	9.31	24	<1	4	2	4	1.58	7	32	3.92	1350	24	22	74	670	16	<1	0.08	<5	17	21	<10	250	15	10	4	1141	13	38	164	<10	8	150	<1
30514	086062	<5	<1	6.75	16	27	3	20	3.67	<4	8	46	69	177	8.80	17	<1	<1	<1	3	1.02	3	23	3.48	1497	15	14	69	643	12	<1	0.13	<5	16	6	<10	257	7	9	3	942	5	39	155	<10	6	130	<1
30515	086063	<5	<1	7.80	30	48	3	26	4.33	<4	12	48	38	193	9.47	20	<1	<1	<1	6	1.47	3	27	3.55	1588	22	15	72	567	7	<1	0.12	<5	16	18	<10	232	6	8	1	769	15	30	162	<10	6	140	<1
30516	086064	12	<1	7.77	33	270	3	28	6.39	<4	12	45	95	224	8.34	19	<1	<1	1	11	1.64	3	18	2.50	1491	28	14	63	695	11	<1	0.17	<5	15	31	<10	250	5	10	<1	1179	9	38	160	<10	8	130	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
30517	086065	13	<1	7.19	35	230	3	22	5.57	<4	14	49	53	223	8.79	17	<1	<1	<1	6	1.58	3	18	2.48	1330	28	15	60	631	7	<1	0.15	<5	14	21	<10	219	7	8	1	1369	19	<20	160	<10	8	147	<1
30518	086066	17	<1	7.28	50	778	3	27	8.20	<4	13	50	86	329	8.93	17	<1	<1	<1	2	1.82	4	15	2.03	1436	31	13	79	607	6	8	0.24	<5	13	24	<10	226	6	9	<1	1384	14	50	141	<10	7	163	<1
30519	086067	21	<1	6.62	49	410	2	21	11.00	<4	11	36	52	197	5.62	12	<1	<1	<1	9	1.80	2	10	1.35	1352	21	10	54	687	10	5	0.19	<5	11	24	<10	246	5	9	<1	1052	14	48	118	<10	7	84	<1
30520	086068	39	<1	7.09	67	402	3	24	6.21	<4	1	49	77	203	7.92	16	<1	<1	<1	6	1.79	<1	14	1.92	1216	28	13	75	596	11	8	0.56	<5	13	23	<10	162	6	7	<1	1254	4	24	136	<10	6	133	<1
30521	086069	37	<1	7.00	97	371	3	19	5.70	<4	7	46	51	191	7.64	14	<1	<1	<1	3	1.69	1	19	2.86	1592	22	12	72	571	7	9	0.16	<5	13	18	<10	187	5	7	<1	1088	12	39	130	<10	7	114	<1
30522	086070	13675	1	4.52	25	398	2	13	1.93	<4	<1	21	68	129	3.69	6	<1	<1	2	7	1.74	<1	13	1.07	489	27	7	37	583	35	292	0.50	<5	10	19	<10	73	3	8	<1	2755	3	<20	85	<10	14	164	<1
30524	086071	21	<1	6.42	100	130	2	13	4.99	<4	6	49	91	212	8.60	16	<1	<1	<1	7	1.70	<1	19	3.17	1761	21	14	84	593	6	3	0.12	<5	16	6	<10	217	7	7	<1	941	9	30	157	<10	6	129	<1
30525	086072	20	<1	5.79	86	64	3	24	4.43	<4	6	48	46	202	8.99	16	<1	<1	<1	2	1.02	<1	24	3.95	1638	12	14	82	568	8	<1	0.06	<5	17	16	<10	221	7	6	3	330	7	51	162	<10	5	144	<1
30526	086073	28	<1	5.10	97	225	3	23	5.77	<4	1	37	116	142	7.05	12	<1	<1	<1	8	1.44	<1	20	3.38	1844	11	10	59	553	10	<1	0.10	<5	11	18	<10	241	4	1	2	554	11	31	119	<10	5	95	<1
30527	086074	12	<1	6.60	87	46	3	24	4.58	<4	10	46	39	196	8.50	18	<1	<1	2	4	1.44	2	33	4.14	1628	17	15	77	506	11	<1	0.11	<5	17	12	<10	182	5	9	2	754	12	58	168	<10	6	129	<1
30528	086075	13	<1	7.71	77	57	3	20	5.15	<4	14	49	41	199	8.55	21	3	<1	<1	6	1.76	5	39	3.97	1450	24	16	78	637	17	<1	0.17	<5	17	28	<10	273	7	4	2	750	8	22	175	11	8	133	<1
30529	086076	5	<1	5.70	53	468	3	23	4.74	<4	18	38	548	54	4.91	11	<1	<1	<1	9	1.99	7	30	4.91	960	19	11	204	1462	16	39	0.09	<5	16	26	<10	383	2	8	8	2361	12	<20	115	<10	11	76	<1
30530	086077	31	<1	8.11	27	372	3	25	8.18	<4	13	36	66	163	7.05	19	6	<1	<1	5	2.16	4	33	2.61	1707	37	14	39	643	12	15	0.21	<5	12	35	<10	539	5	9	1	2881	10	<20	135	14	11	112	<1
30531	086078	17	<1	7.80	36	503	3	19	6.30	<4	19	40	217	106	6.99	17	<1	<1	<1	12	2.09	7	39	3.19	1459	39	14	105	1047	9	34	0.14	<5	14	27	<10	368	6	12	3	2901	4	<20	133	16	12	111	<1
30532	086079	12	<1	7.63	35	570	3	20	6.04	<4	14	44	75	141	7.90	18	<1	<1	<1	12	1.88	5	34	2.79	1482	26	16	51	660	9	15	0.28	<5	13	19	<10	349	7	8	1	3205	16	36	152	12	10	125	<1
30533	086080	6	<1	8.02	8	940	2	20	1.11	<4	83	3	224	7	1.19	12	<1	<1	<1	11	2.04	49	29	0.35	187	22	2	3	355	33	41	0.02	<5	2	38	<10	216	<1	7	32	819	7	<20	18	<10	6	23	<1
30535	086081	22	<1	8.30	52	395	3	22	4.29	<4	21	54	137	227	8.42	19	5	<1	<1	7	1.89	7	40	3.83	1277	25	19	113	744	7	24	0.18	<5	19	20	<10	275	6	6	2	2703	7	<20	191	<10	9	138	<1
30536	086082	22	<1	8.19	44	604	3	28	4.91	<4	26	49	287	155	7.46	20	<1	<1	<1	6	2.06	11	40	4.24	1258	24	17	141	1108	14	60	0.14	<5	18	16	<10	345	6	6	6	3389	9	<20	164	11	10	114	<1
30537	086083	6	<1	7.20	14	698	4	17	4.69	<4	25	39	603	62	5.11	14	<1	<1	<1	8	1.82	10	38	5.04	896	26	13	226	1631	18	40	0.09	<5	17	25	<10	519	3	7	7	3156	9	<20	124	<10	12	77	<1
30538	086084	6	<1	6.45	5	1081	4	19	4.62	<4	18	40	691	53	5.19	13	<1	<1	<1	12	1.89	7	35	5.50	940	23	14	254	1762	15	59	0.12	<5	17	19	<10	543	4	7	7	3217	6	<20	126	<10	12	79	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demianuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 01/31/2011
Date Completed: 02/09/2011
Job #: 201140458
Reference:
Sample #: 200

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
30539	086085	<5	<1	6.20	5	1070	4	20	4.46	<4	15	38	670	52	5.00	10	<1	<1	<1	10	1.98	5	34	5.32	912	24	13	245	1620	17	60	0.11	<5	17	30	<10	521	4	6	6	3054	5	<20	121	<10	11	76	<1
30540	086086	6	<1	6.09	6	999	4	17	4.29	<4	16	36	618	56	4.84	12	<1	<1	<1	8	2.13	6	32	4.94	856	21	13	215	1657	15	66	0.08	<5	16	25	<10	506	2	8	5	3012	8	<20	118	<10	12	75	<1
30541	086087	15	<1	6.17	7	1280	3	14	3.87	<4	12	32	548	46	4.25	11	<1	<1	<1	6	2.11	5	29	4.28	758	22	12	171	1455	15	59	0.08	<5	14	27	<10	521	2	5	7	2684	9	<20	105	<10	11	68	<1
30542	086088	<5	<1	5.47	8	2372	3	18	4.31	<4	17	36	636	52	4.77	11	<1	<1	<1	9	1.86	7	31	4.73	834	18	13	190	1553	14	77	0.09	<5	16	16	<10	510	3	5	8	2997	17	<20	114	<10	11	75	<1
30543	086089	<5	<1	4.83	3	1221	3	16	4.16	<4	18	36	631	52	4.69	10	<1	<1	<1	15	1.81	7	28	4.90	821	10	12	209	1619	13	67	0.09	<5	16	26	<10	459	3	6	7	2844	15	22	110	<10	10	72	<1
30544	086090	<5	<1	5.55	17	695	3	20	4.15	<4	24	37	703	46	4.87	12	<1	<1	<1	13	1.84	11	31	4.92	835	18	13	215	1672	21	53	0.08	<5	16	30	<10	497	3	6	8	2845	11	<20	117	<10	10	78	<1
30545D	086090	7	<1	5.48	16	679	3	5	4.13	<4	27	36	691	46	4.83	10	<1	<1	<1	8	1.67	12	31	4.93	828	18	12	214	1698	19	36	0.07	<5	16	23	<10	497	2	9	8	2814	7	<20	116	<10	10	76	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk M.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/03/2011
Date Completed: 02/09/2011
Job #: 201140531
Reference:
Sample #: 26

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
34839	086201	<5	<1	10.47	36	114	<2	41	7.39	<4	10	122	236	172	5.55	27	<1	2	4	<1	2.14	<1	38	1.34	1773	25	23	114	471	4	4	0.61	<5	38	29	<10	120	7	<1	<1	216	21	<20	279	<10	9	80	46
34840	086202	<5	<1	10.50	28	115	<2	37	6.66	<4	9	135	224	196	6.72	27	<1	3	5	<1	1.99	<1	38	1.27	1410	30	20	131	469	3	3	2.12	<5	31	33	<10	115	8	<1	<1	222	<2	<20	250	<10	8	86	87
34841	086203	<5	<1	11.97	27	119	<2	44	6.39	<4	12	118	254	195	6.10	30	<1	4	5	<1	1.92	<1	43	1.54	1368	32	28	110	581	9	<1	0.36	<5	47	39	<10	123	7	<1	<1	250	5	<20	315	<10	10	99	119
34842	086204	<5	<1	13.31	21	133	<2	46	7.07	4	14	134	282	212	6.26	35	<1	4	6	<1	1.86	<1	47	1.62	1414	33	29	121	560	8	<1	0.40	<5	49	36	10	140	8	<1	<1	276	<2	<20	347	<10	11	102	143
34843	086205	<5	1	13.01	25	136	<2	43	7.31	4	10	120	268	197	6.17	35	7	5	5	<1	1.91	<1	48	1.56	1455	34	31	105	596	7	<1	0.33	<5	45	32	<10	147	8	<1	<1	294	7	<20	354	<10	10	101	144
34844	086206	<5	<1	13.07	35	142	<2	44	5.77	<4	12	133	242	180	4.66	31	3	5	5	<1	1.84	<1	43	1.22	1167	34	26	129	507	1	2	0.52	<5	40	37	<10	145	8	<1	<1	280	<2	<20	306	<10	10	78	181
34845	086207	<5	<1	12.79	27	141	<2	38	5.41	<4	12	112	235	170	4.81	29	<1	4	4	<1	1.94	<1	43	1.23	1244	33	25	114	535	2	<1	0.45	<5	40	53	<10	143	6	<1	<1	277	<2	<20	297	<10	9	76	158
34846	086208	<5	<1	10.69	33	100	<2	38	6.65	<4	9	126	210	163	6.13	28	<1	3	5	<1	1.88	<1	39	1.48	1550	27	24	116	530	8	<1	0.18	<5	44	34	<10	110	7	<1	<1	220	8	<20	284	<10	8	99	55
34847	086209	<5	1	11.05	21	107	<2	38	6.73	<4	9	102	210	145	6.27	30	4	5	5	<1	2.08	<1	42	1.45	1616	34	22	99	464	6	<1	0.16	<5	36	30	<10	110	7	<1	<1	265	5	<20	266	<10	8	106	166
34848	086210	953	4	7.87	8	122	<2	30	4.40	<4	25	74	122	47	6.07	24	<1	1	5	<1	2.06	7	14	2.42	980	26	17	29	751	13	29	0.07	<5	23	31	<10	153	6	<1	<1	5316	<2	<20	186	<10	31	114	43
34850	086211	<5	2	11.24	26	110	<2	42	6.32	<4	11	101	212	146	5.51	26	<1	3	5	<1	2.24	<1	38	1.35	1492	31	22	98	448	8	<1	0.15	<5	40	41	<10	116	7	<1	<1	248	4	<20	266	<10	8	103	113
34851	086212	<5	<1	10.99	16	122	<2	38	7.33	<4	6	121	236	178	6.46	30	20	4	6	1	2.27	<1	43	1.38	1812	34	26	102	544	6	<1	0.22	<5	38	24	<10	132	8	<1	<1	280	17	<20	310	<10	8	115	149
34852	086213	<5	<1	11.83	24	119	<2	36	6.57	<4	9	118	216	160	5.68	27	<1	3	5	<1	2.12	<1	39	1.32	1673	31	23	100	508	5	<1	0.19	<5	41	38	<10	125	7	<1	<1	254	12	<20	278	<10	8	94	113
34853	086214	<5	1	12.19	18	122	<2	41	7.05	<4	13	115	237	176	6.53	30	16	4	3	<1	2.08	<1	41	1.50	1833	31	26	106	480	8	<1	0.17	<5	49	37	<10	125	8	<1	<1	260	3	<20	308	<10	9	109	125
34854	086215	<5	<1	11.75	17	110	<2	40	7.41	4	9	120	226	165	6.91	30	<1	4	5	<1	2.24	<1	40	1.56	1991	33	26	106	538	10	<1	0.20	<5	47	43	<10	116	8	<1	<1	248	6	<20	306	<10	9	119	102
34855	086216	<5	<1	12.04	14	114	<2	40	7.36	4	11	114	229	173	7.02	30	<1	4	5	<1	2.11	<1	41	1.60	1994	31	25	102	526	6	<1	0.18	<5	45	21	<10	123	8	<1	<1	256	3	<20	296	<10	9	120	112
34856	086217	<5	<1	12.05	16	116	<2	42	7.16	4	11	112	231	175	7.55	32	<1	4	4	<1	2.11	<1	44	1.68	1945	34	27	117	459	6	1	0.23	<5	46	39	<10	124	7	<1	<1	275	3	<20	317	<10	9	121	135
34857	086218	<5	<1	11.86	15	128	<2	46	7.33	4	9	112	237	175	6.38	31	4	4	4	<1	2.02	<1	41	1.39	1852	32	25	103	529	9	2	0.67	<5	43	40	<10	140	8	<1	<1	268	11	<20	303	<10	9	109	120
34858	086219	<5	<1	9.33	16	90	<2	35	6.48	<4	8	117	205	149	6.15	22	<1	<1	4	<1	1.75	<1	31	1.31	1595	22	21	105	392	<1	<1	0.47	<5	39	29	<10	106	6	<1	<1	184	21	<20	259	<10	7	100	<1
34859	086220	<5	3	8.45	10	981	<2	30	1.03	<4	95	<1	562	10	1.46	17	<1	3	5	<1	2.00	53	30	0.38	218	29	2	7	390	29	23	0.02	<5	3	46	<10	195	1	4	34	1050	<2	<20	18	<10	8	51	155

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/03/2011
Date Completed: 02/09/2011
Job #: 201140531
Reference:
Sample #: 26

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
34861	086221	<5	<1	10.86	22	133	<2	33	6.84	<4	11	130	232	178	5.00	25	<1	2	5	<1	2.10	<1	36	1.11	1386	24	22	131	418	<1	5	0.91	<5	32	26	<10	146	7	<1	<1	226	<2	<20	266	<10	8	97	54
34862	086222	<5	<1	8.60	19	94	<2	34	5.92	<4	8	110	209	169	5.00	21	<1	<1	4	<1	1.61	<1	29	1.21	1299	19	20	117	469	7	<1	0.40	<5	31	22	<10	106	4	<1	<1	166	<2	<20	246	<10	7	111	<1
34863	086223	<5	<1	10.32	20	134	<2	34	5.59	<4	7	99	223	181	3.81	23	<1	2	5	<1	2.15	<1	31	0.97	1178	21	19	117	464	6	1	0.44	<5	25	44	<10	142	5	<1	<1	214	<2	<20	235	<10	8	99	31
34864	086224	<5	<1	10.51	11	76	<2	37	7.99	5	7	119	194	144	9.79	33	3	3	5	<1	2.15	<1	43	2.24	2450	34	21	96	366	11	<1	0.83	<5	36	42	<10	91	11	<1	<1	227	5	<20	252	<10	8	181	66
34865	086225	<5	<1	10.34	15	71	<2	44	8.10	5	6	117	197	145	10.15	33	<1	3	7	<1	2.07	<1	43	2.34	2488	33	21	102	381	12	<1	0.82	<5	38	21	<10	87	10	<1	<1	219	7	<20	258	<10	8	187	46
34866	086226	<5	<1	10.95	9	77	<2	47	5.53	6	6	121	220	162	11.01	36	<1	2	6	<1	1.98	<1	45	2.52	2028	34	24	109	339	13	<1	0.66	<5	45	16	<10	88	11	<1	<1	224	<2	<20	299	<10	8	206	32

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demariuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/03/2011
Date Completed: 02/15/2011
Job #: 201140532
Reference:
Sample #: 50

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
34867	087961	<5	1	11.88	43	112	<2	15	5.61	<4	4	54	290	219	5.71	26	<1	<1	<1	<1	2.00	<1	44	1.28	1859	36	21	151	562	<1	20	0.26	<5	29	12	<10	147	5	<1	<1	1377	2	<20	272	<10	18	110	33
34868	087962	<5	3	11.23	47	127	<2	21	5.68	<4	3	47	277	141	4.69	25	<1	<1	2	<1	1.91	<1	44	1.00	1953	40	23	138	510	2	<1	0.25	<5	24	17	<10	155	6	<1	<1	2347	<2	<20	278	<10	16	78	106
34869	087963	<5	<1	10.95	41	113	<2	21	6.23	<4	4	44	247	132	5.15	23	<1	<1	<1	<1	2.05	<1	37	1.04	2466	36	20	127	326	6	26	0.28	<5	28	<5	<10	133	5	<1	<1	2039	<2	<20	248	<10	17	70	63
34870	087964	5	4	10.55	50	106	<2	16	5.19	<4	2	51	294	126	5.26	27	<1	<1	2	<1	1.99	<1	40	1.06	1736	37	24	148	313	<1	<1	0.32	<5	82	<5	<10	138	6	<1	<1	2461	<2	<20	299	<10	14	78	61
34871	087965	6	3	9.95	48	108	<2	17	4.87	<4	<1	49	276	125	5.01	26	<1	<1	3	<1	2.04	<1	41	0.99	1628	39	23	146	363	1	14	0.28	<5	56	12	<10	139	7	<1	<1	2535	<2	<20	287	<10	13	76	103
34872	087966	32	3	10.33	51	109	<2	21	5.55	<4	2	44	249	116	4.43	22	9	<1	<1	<1	2.08	<1	45	0.98	1900	38	20	128	397	2	<1	0.27	<5	23	11	<10	151	6	<1	<1	2829	<2	<20	257	<10	14	57	88
34873	087967	20	2	10.58	57	100	<2	20	5.53	<4	2	42	238	111	5.41	22	<1	<1	1	<1	2.16	<1	41	1.24	2338	35	20	121	406	2	<1	0.22	<5	26	8	<10	125	5	<1	<1	2680	2	<20	251	<10	15	68	31
34874	087968	19	2	9.73	64	122	<2	23	5.19	<4	<1	46	242	136	5.60	26	<1	1	1	<1	2.11	<1	45	1.11	2236	43	21	125	227	6	<1	0.33	<5	21	<5	<10	135	6	<1	<1	3108	3	<20	265	<10	13	78	144
34875	087969	9	2	9.95	63	148	<2	16	5.91	<4	1	42	247	106	5.46	27	<1	2	<1	<1	2.22	<1	45	1.08	2393	47	23	121	430	10	2	0.30	<5	19	<5	<10	143	8	<1	<1	4109	<2	<20	278	<10	13	74	214
34876	087970	1002	2	8.92	7	153	<2	24	4.81	<4	10	32	116	41	5.68	25	<1	<1	<1	1.95	<1	22	2.12	892	40	16	30	520	10	47	0.21	<5	15	<5	<10	186	5	<1	<1	6233	<2	<20	179	<10	25	93	85	
34878	087971	17	4	9.23	62	155	<2	14	5.02	<4	<1	50	273	128	5.05	29	5	3	<1	<1	1.81	<1	43	0.91	2038	47	26	128	494	<1	30	0.27	<5	17	<5	<10	150	8	<1	<1	5232	2	<20	307	<10	11	71	216
34879	087972	461	2	9.32	114	144	<2	22	5.54	<4	<1	45	264	103	5.99	25	<1	<1	<1	2.03	<1	36	1.05	2339	38	24	129	265	1	31	0.33	<5	21	<5	<10	101	7	<1	<1	2736	7	<20	286	17	11	82	82	
34880	087973	18	2	9.44	64	108	<2	16	6.03	<4	2	45	243	126	5.19	22	<1	<1	<1	1.92	<1	41	1.04	2485	38	22	121	408	5	<1	0.27	<5	21	5	<10	141	6	<1	<1	3310	6	<20	273	<10	14	67	72	
34881	087974	10	3	9.00	64	98	<2	19	5.42	<4	1	46	243	111	4.52	22	1	<1	<1	<1	2.12	<1	45	0.89	2133	35	20	125	378	4	<1	0.22	<5	17	9	<10	151	6	<1	<1	4244	<2	<20	257	<10	12	61	70
34882	087975	8	1	10.31	55	108	<2	24	5.85	<4	2	42	265	127	4.05	24	<1	<1	<1	<1	1.87	<1	45	0.89	1817	35	22	124	428	1	<1	0.21	<5	22	21	<10	146	6	<1	<1	2963	<2	<20	273	<10	15	56	69
34883	087976	10	2	8.95	48	110	<2	12	5.43	<4	<1	45	282	118	4.00	22	3	<1	2	<1	2.04	<1	39	0.80	1748	34	19	121	377	<1	<1	0.26	<5	22	18	<10	134	5	<1	<1	2880	5	<20	244	<10	12	56	51
34884	087977	9	1	9.15	49	106	<2	17	5.67	<4	<1	47	277	149	4.81	24	2	<1	<1	<1	2.02	<1	43	0.96	1703	39	22	136	512	2	10	0.40	<5	28	13	<10	126	6	<1	<1	1279	<2	<20	278	<10	13	65	101
34885	087978	9	<1	9.78	63	97	<2	18	5.38	<4	2	49	233	121	3.72	21	<1	<1	<1	<1	2.10	<1	42	0.92	1504	36	18	126	569	2	13	0.24	<5	22	17	<10	125	5	<1	<1	810	6	<20	228	<10	14	58	55
34886	087979	9	<1	10.76	76	122	<2	18	4.41	<4	3	44	254	125	2.63	22	<1	<1	<1	<1	2.19	<1	44	0.75	1106	35	19	128	447	1	8	0.21	<5	26	18	<10	143	4	<1	<1	359	7	<20	234	<10	14	46	72
34887	087980	<5	<1	9.58	8	855	<2	19	1.43	<4	68	4	316	9	1.38	16	1	2	<1	<1	2.26	35	33	0.43	217	41	3	11	303	25	64	0.14	<5	2	18	<10	229	<1	<1	21	1300	<2	<20	24	<10	9	36	172

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. BSc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/03/2011
Date Completed: 02/15/2011
Job #: 201140532
Reference:
Sample #: 50

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
34889	087981	10	1	11.17	80	108	<2	25	4.13	<4	4	46	273	127	2.90	23	<1	<1	<1	<1	1.91	<1	45	0.83	1068	34	19	132	447	<1	<1	0.22	<5	32	24	<10	142	4	<1	<1	355	<2	<20	241	<10	15	63	52
34890	087982	11	<1	10.23	88	133	<2	27	4.83	<4	2	59	358	88	3.29	25	<1	<1	1	<1	1.87	<1	58	0.75	1338	37	22	151	396	<1	<1	0.25	<5	20	15	10	154	5	<1	<1	1335	5	<20	278	<10	14	64	93
34891	087983	8	2	9.64	54	112	<2	18	8.55	<4	4	35	217	76	2.10	18	<1	<1	1	<1	1.98	<1	47	0.55	1676	35	12	92	537	<1	<1	0.32	<5	16	18	<10	135	3	<1	<1	479	5	<20	162	<10	13	20	81
34892	087984	11	<1	11.79	72	103	<2	20	4.69	<4	4	44	287	134	3.26	20	<1	<1	<1	<1	2.09	<1	50	0.85	1246	28	19	148	752	3	40	0.19	<5	31	16	<10	136	4	<1	<1	986	<2	<20	247	<10	19	77	<1
34893	087985	8	1	10.58	67	113	<2	22	4.40	<4	<1	40	270	121	2.97	22	<1	<1	<1	<1	1.92	<1	52	0.70	1190	31	20	133	393	2	<1	0.20	<5	22	14	<10	146	4	<1	<1	1181	<2	<20	254	<10	15	61	14
34894	087986	7	3	11.46	73	108	<2	25	4.53	<4	<1	46	300	83	3.86	21	<1	<1	<1	<1	2.04	<1	41	0.86	1187	35	21	136	232	<1	<1	0.19	<5	23	28	<10	133	5	<1	<1	2324	<2	<20	254	<10	19	100	62
34895	087987	7	<1	10.37	61	80	<2	15	6.33	<4	2	49	337	133	4.76	22	<1	<1	<1	<1	2.09	<1	37	0.97	1634	33	20	150	276	<1	21	0.24	<5	26	12	<10	134	6	<1	<1	2002	<2	<20	263	<10	17	86	27
34896	087988	10	1	10.80	59	91	<2	18	6.11	<4	2	51	359	125	4.91	23	<1	<1	<1	<1	2.04	<1	45	1.08	1791	35	20	152	467	4	5	0.28	<5	25	20	<10	140	6	<1	<1	975	4	<20	257	<10	15	74	50
34897	087989	6	<1	11.22	63	110	<2	16	5.39	<4	2	52	340	98	3.72	21	<1	<1	<1	<1	2.14	<1	41	0.86	1544	34	19	153	479	<1	<1	0.25	<5	54	13	<10	144	5	<1	<1	1002	7	<20	246	13	15	54	28
34898	087990	14	2	11.06	64	97	<2	28	5.75	<4	2	59	338	130	5.63	27	<1	<1	1	<1	2.12	<1	47	0.95	1931	38	22	165	106	8	<1	0.40	<5	28	13	10	145	7	<1	<1	2934	<2	<20	275	<10	19	86	76
34899D	087990	14	3	10.48	51	97	<2	23	5.50	<4	<1	54	320	124	5.35	23	<1	<1	<1	<1	2.12	<1	46	0.90	1824	41	20	157	<100	4	<1	0.42	<5	25	10	<10	138	6	<1	<1	2648	2	<20	258	<10	18	82	104
34900	087991	10	1	8.53	30	95	2	27	5.93	<4	5	46	287	128	9.28	31	14	5	2	<1	1.85	<1	49	1.04	3966	50	33	141	349	9	36	0.34	6	20	<5	<10	120	19	<1	<1	4398	3	<20	296	<10	18	146	151
34901	087992	7	<1	9.91	133	109	<2	14	4.79	<4	3	45	295	136	3.52	18	<1	<1	2	<1	1.96	<1	36	0.77	1320	29	18	154	314	<1	31	0.16	<5	20	13	<10	136	6	<1	<1	1635	<2	<20	223	<10	14	76	<1
34902	087993	6	2	10.35	112	129	<2	23	5.48	<4	2	54	314	129	4.42	23	<1	<1	<1	<1	1.75	<1	48	0.88	1654	40	21	155	285	1	40	0.29	<5	23	14	11	161	6	<1	<1	2367	<2	<20	259	<10	13	71	121
34903	087994	10	<1	10.74	116	114	<2	18	5.19	<4	2	52	320	138	4.65	23	<1	<1	<1	<1	1.93	<1	47	1.04	1624	38	20	161	635	4	31	0.23	<5	24	22	<10	157	6	<1	<1	1997	3	<20	258	<10	13	90	90
34904	087995	10	1	11.28	116	100	<2	23	5.15	<4	3	51	304	133	4.49	20	<1	<1	<1	<1	1.95	<1	42	1.09	1571	31	19	156	532	8	34	0.21	<5	31	16	<10	144	7	<1	<1	1683	<2	<20	242	<10	15	86	<1
34905	087996	14	1	9.77	103	97	<2	26	5.76	<4	4	48	287	272	4.53	20	<1	<1	<1	<1	2.09	<1	45	1.06	1625	37	15	148	341	5	31	0.29	<5	21	13	<10	145	4	<1	<1	625	<2	<20	208	<10	11	103	42
34906	087997	11	1	10.68	133	106	<2	26	5.28	<4	4	49	317	125	3.72	24	8	1	1	<1	1.88	<1	48	1.06	1587	37	23	159	289	6	36	0.22	8	29	23	10	167	8	<1	<1	371	<2	<20	241	<10	12	72	59
34907	087998	13	<1	10.79	152	109	<2	18	5.30	<4	2	47	308	110	3.09	20	3	<1	1	1	1.96	<1	40	0.86	1607	34	18	153	184	2	10	0.20	7	27	19	<10	161	6	<1	<1	861	<2	<20	222	<10	12	66	42
34908	087999	95	1	11.06	169	119	<2	22	5.18	<4	2	51	320	124	4.04	23	<1	<1	<1	<1	1.98	<1	40	1.01	1790	34	20	165	335	7	34	0.29	5	28	14	<10	165	6	<1	<1	1154	3	<20	245	<10	12	88	43

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/03/2011
Date Completed: 02/15/2011
Job #: 201140532
Reference:
Sample #: 50

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
34909	088000	13241	7	8.77	28	391	<2	18	2.87	<4	<1	21	81	125	3.97	17	<1	<1	<1	<1	2.13	<1	22	1.32	533	41	8	45	890	31	475	0.29	5	11	10	11	126	3	1	<1	3586	7	<20	100	<10	16	166	11
34911	082501	33	<1	10.86	189	118	<2	24	4.67	<4	2	46	325	98	3.53	20	<1	<1	2	4	2.00	<1	40	1.18	1558	34	19	154	179	5	32	0.17	<5	26	26	<10	152	4	<1	<1	388	4	<20	236	<10	10	73	27
34912	082502	18	<1	10.31	128	118	<2	19	4.71	<4	<1	46	322	120	4.11	24	<1	<1	<1	<1	2.04	<1	41	1.05	1642	37	20	158	424	6	14	0.35	<5	23	13	<10	149	5	<1	<1	392	<2	<20	249	<10	10	85	89
34913	082503	13	2	11.05	107	102	<2	31	5.14	<4	2	46	327	116	3.78	20	<1	<1	<1	<1	1.97	<1	38	1.09	1750	34	19	150	376	9	27	0.27	5	27	28	<10	136	5	<1	<1	346	3	<20	241	<10	13	74	52
34914	082504	13	1	11.06	105	95	<2	30	5.91	<4	4	43	291	100	4.63	21	<1	<1	3	<1	2.05	<1	40	1.29	2055	35	17	148	521	6	32	0.31	5	32	12	<10	122	5	<1	<1	377	<2	<20	218	<10	14	76	43
34915	082505	12	1	10.26	100	107	<2	24	5.96	<4	3	42	302	99	4.27	21	2	<1	<1	<1	2.11	<1	42	1.08	2011	38	17	142	153	2	7	0.35	<5	25	13	10	134	6	<1	<1	409	<2	<20	223	<10	12	69	88
34916	082506	19	2	8.83	80	140	<2	22	11.86	<4	3	30	226	92	2.77	17	3	1	1	7	2.07	<1	39	0.67	2662	41	12	110	341	8	31	0.45	<5	18	21	<10	129	5	<1	<1	397	6	<20	160	<10	11	33	133
34917	082507	9	1	9.80	138	98	<2	22	5.27	<4	1	47	341	107	4.19	21	<1	<1	<1	<1	2.11	<1	43	1.13	1816	31	18	151	197	4	13	0.24	<5	24	23	<10	139	5	<1	<1	322	3	<20	235	<10	11	69	<1
34918	082508	6	2	10.19	83	85	<2	23	4.88	<4	<1	47	346	118	4.60	22	<1	<1	<1	<1	2.01	<1	41	1.22	1681	32	18	155	475	9	34	0.34	5	26	12	<10	122	5	<1	<1	304	<2	<20	231	<10	13	73	6
34919	082509	<5	1	10.45	67	109	<2	24	5.23	<4	<1	49	350	116	4.31	22	<1	<1	2	<1	1.98	<1	46	1.15	1932	34	19	156	365	5	5	0.32	<5	24	11	<10	141	5	<1	<1	352	<2	<20	236	<10	12	66	39
34920	082510	5742	4	8.94	239	255	2	16	2.84	<4	13	114	161	1533	7.31	22	<1	<1	1	<1	1.99	5	25	1.30	639	47	7	1330	636	688	135	0.58	5	9	<5	13	142	6	3	<1	3227	4	<20	96	36	15	491	115

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37127	080561	0.012	<1	8.54	80	615	<2	<1	6.09	12	4	39	54	186	7.72	20	6	1	<1	<1	1.86	<1	21	2.71	1375	19	7	73	723	15	6	0.39	11	11	15	<10	185	5	16	16	527	10	42	111	13	7	102	<1
37128	080562	<0.005	1	8.84	78	644	2	3	5.41	15	5	45	70	202	8.73	24	13	2	<1	<1	1.85	<1	24	3.18	1502	20	12	84	782	10	13	0.35	11	15	10	<10	185	8	16	20	373	8	67	142	13	7	138	<1
37129	080563	0.008	<1	9.96	82	952	2	<1	7.11	13	8	43	75	201	8.39	25	15	2	3	<1	1.81	<1	26	2.99	1322	21	8	74	550	15	13	0.23	11	15	13	<10	243	4	15	16	648	12	35	144	10	8	120	2
37130	080564	<0.005	<1	8.75	73	795	2	<1	5.47	15	4	47	76	219	9.32	24	10	<1	2	<1	1.85	<1	22	3.09	1224	18	8	73	667	22	5	0.35	12	14	8	<10	168	6	20	15	613	19	54	140	<10	6	130	<1
37131	080565	<0.005	<1	9.16	76	820	<2	<1	5.14	15	8	45	65	172	9.15	26	6	<1	<1	<1	1.84	<1	23	3.09	1166	22	9	71	664	17	10	0.18	9	15	8	<10	162	6	17	16	711	6	32	146	10	7	137	<1
37132	080566	<0.005	<1	7.76	82	773	2	<1	6.61	13	6	44	62	188	8.39	20	5	<1	<1	<1	1.85	<1	16	2.91	1485	18	9	72	663	12	16	0.17	10	14	9	<10	185	5	19	15	1413	11	26	141	<10	6	108	<1
37133	080567	0.007	<1	8.43	103	427	2	<1	5.98	13	6	48	67	211	8.24	23	15	<1	<1	4	1.82	<1	18	3.07	1460	19	9	86	630	10	4	0.19	5	15	<5	<10	189	6	15	14	1615	11	38	153	12	7	114	<1
37134	080568	0.406	<1	8.84	104	159	2	<1	3.97	14	7	48	111	215	8.46	22	14	<1	<1	<1	1.68	2	24	4.33	2002	20	11	95	605	12	<1	0.14	12	17	11	<10	177	5	18	17	482	9	68	158	12	7	115	<1
37135	080569	0.011	<1	8.83	71	42	2	<1	3.43	15	9	54	64	251	9.61	25	7	<1	2	<1	1.54	2	25	4.98	1980	21	13	110	563	14	<1	0.09	9	19	8	<10	187	5	14	19	748	4	68	184	16	7	143	<1
37136	080570	1.006	<1	9.63	10	143	<2	<1	5.06	10	12	36	125	46	6.07	27	9	<1	<1	4	1.86	4	16	2.52	988	18	14	29	791	17	62	0.05	8	22	8	<10	192	6	17	17	6049	8	37	183	<10	29	100	<1
37138	080571	<0.005	<1	8.84	51	46	<2	<1	3.45	14	5	54	75	237	8.82	23	7	<1	<1	<1	1.64	<1	24	4.12	1658	21	13	102	723	8	<1	0.08	8	18	15	<10	191	5	14	16	1954	5	53	185	<10	7	129	<1
37139	080572	<0.005	<1	10.30	40	73	2	<1	4.90	14	15	56	59	249	8.97	27	15	<1	<1	<1	1.87	4	24	2.89	1610	22	14	103	640	12	4	0.08	10	18	9	<10	255	6	15	15	3074	11	<20	190	14	9	125	<1
37140	080573	<0.005	<1	9.53	35	83	2	<1	4.84	14	16	57	54	244	9.11	25	16	<1	2	<1	1.75	3	22	2.91	1683	21	14	104	676	17	3	0.08	7	19	8	<10	257	7	19	15	2753	11	51	189	<10	8	127	<1
37141	080574	<0.005	<1	10.23	32	99	2	<1	4.70	14	14	56	47	255	9.31	27	12	1	1	12	1.81	4	25	3.05	1568	24	15	103	586	15	<1	0.08	10	19	15	<10	251	6	20	14	3494	5	42	189	11	10	134	4
37142	080575	<0.005	<1	9.30	32	91	<2	<1	4.64	14	13	56	48	244	9.01	25	18	<1	<1	<1	1.75	4	23	2.97	1701	19	14	101	602	11	<1	0.08	14	19	5	<10	247	7	21	16	2877	12	24	186	11	9	126	<1
37143	080576	<0.005	<1	9.43	29	122	<2	<1	5.42	13	13	53	45	237	8.40	23	19	<1	1	<1	1.89	4	23	2.72	1540	22	14	98	769	15	6	0.08	11	18	7	<10	290	6	15	16	3395	19	24	176	10	9	118	<1
37144	080577	0.010	<1	9.00	23	110	<2	<1	6.48	14	16	56	69	230	8.75	26	10	<1	<1	<1	1.76	3	23	2.82	1596	19	14	102	722	8	3	0.15	9	18	<5	<10	349	6	15	15	2985	14	47	176	13	9	118	<1
37145	080578	<0.005	<1	9.62	26	217	2	1	5.72	13	16	55	50	234	8.41	25	16	<1	<1	<1	1.98	4	25	2.80	1722	22	14	101	585	11	18	0.10	11	18	<5	<10	298	6	20	16	3160	9	22	174	13	10	119	<1
37146	080579	<0.005	<1	9.01	9	965	<2	<1	1.40	<4	36	5	493	7	1.30	13	14	<1	<1	4	1.74	21	27	0.39	236	11	4	12	374	26	44	0.01	7	2	7	<10	424	<1	2	36	1078	8	<20	17	<10	10	26	<1
37147	080580	<0.005	<1	9.85	20	269	2	<1	4.80	13	16	56	70	244	8.38	27	12	<1	<1	<1	1.90	4	24	2.85	1468	19	14	95	734	8	19	0.08	8	18	8	<10	264	6	20	14	3415	11	<20	173	15	9	129	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37149	080581	<0.005	<1	9.34	20	364	<2	<1	4.08	12	14	54	67	235	8.25	24	1	<1	<1	<1	1.95	4	22	2.80	1387	19	14	96	661	9	34	0.08	9	18	6	<10	227	5	11	15	3207	13	<20	173	13	8	125	<1
37150	080582	<0.005	<1	8.80	18	622	2	<1	4.46	13	14	54	63	237	8.43	22	4	<1	<1	<1	2.25	4	21	3.11	1477	19	15	97	588	11	54	0.06	13	18	13	<10	236	6	13	16	3075	14	36	179	12	8	117	<1
37151	080583	<0.005	<1	9.88	14	523	2	<1	3.65	14	15	59	59	248	9.24	25	11	<1	<1	<1	1.54	4	28	4.18	1617	22	16	100	603	8	27	0.12	8	19	13	<10	190	6	20	14	3484	8	23	190	10	8	138	<1
37152	080584	<0.005	<1	9.69	17	516	2	<1	3.61	14	13	57	58	255	9.21	26	18	<1	<1	<1	1.44	4	27	4.16	1625	23	16	99	564	13	39	0.12	9	19	<5	<10	188	8	14	12	3739	6	28	190	<10	7	138	<1
37153	080585	<0.005	<1	9.45	21	527	2	<1	3.62	14	16	62	60	251	9.52	25	7	<1	1	<1	1.51	5	26	4.27	1698	18	17	102	682	11	29	0.12	8	19	<5	<10	189	6	20	13	4133	9	38	197	<10	7	146	<1
37154	080586	<0.005	<1	8.65	13	667	2	<1	3.05	14	13	61	56	244	9.18	25	12	<1	<1	3	1.41	3	29	4.42	1660	22	17	114	530	12	31	0.08	13	16	<5	<10	162	7	23	13	4820	5	25	193	11	6	135	<1
37155	080587	<0.005	<1	9.13	16	366	<2	<1	3.31	15	13	60	54	254	9.28	26	27	<1	<1	<1	1.45	3	30	4.38	1501	22	16	109	640	10	14	0.08	9	17	<5	<10	174	7	19	12	4393	4	30	194	<10	7	134	<1
37156	080588	<0.005	<1	9.84	22	127	<2	<1	4.55	14	15	56	53	247	9.10	26	12	<1	1	2	1.90	3	28	3.63	1407	23	15	107	628	16	5	0.14	10	18	<5	<10	198	6	19	13	3697	10	35	184	10	9	126	<1
37157	080589	<0.005	<1	9.86	31	71	2	<1	7.04	14	18	55	58	248	8.76	27	13	<1	1	<1	1.93	4	27	2.43	1418	23	14	109	641	8	<1	0.13	9	18	<5	<10	194	8	18	14	3202	7	54	181	10	13	115	<1
37158	080590	<0.005	<1	9.18	43	62	2	<1	7.43	14	14	56	52	241	8.53	26	8	<1	<1	<1	1.83	3	25	2.25	1353	20	14	110	540	7	1	0.09	8	18	<5	<10	155	6	15	12	2948	9	80	181	11	13	112	<1
37159D	080590	<0.005	<1	8.92	42	61	<2	<1	7.15	12	14	53	50	234	8.28	23	22	<1	<1	<1	1.86	3	25	2.18	1309	20	12	107	626	8	<1	0.09	11	17	7	<10	149	6	17	13	2776	13	45	176	13	13	107	<1
37160	080591	<0.005	<1	10.19	48	127	<2	<1	10.00	11	13	55	50	212	6.85	24	8	1	<1	<1	2.00	2	26	1.84	1483	20	13	95	670	11	8	0.12	6	16	9	<10	183	5	17	13	3479	6	27	164	11	15	84	26
37161	080592	<0.005	<1	9.80	22	80	<2	<1	9.10	12	17	50	45	232	7.84	26	22	<1	<1	<1	1.92	3	26	2.36	1587	20	12	92	521	13	6	0.10	9	17	7	<10	218	6	17	14	3203	7	<20	178	11	15	99	<1
37162	080593	<0.005	<1	9.10	15	53	2	<1	5.43	14	14	53	59	237	9.03	24	5	<1	<1	<1	1.66	3	28	3.58	1369	21	13	109	652	10	<1	0.11	9	18	8	<10	159	7	16	13	2340	14	35	182	11	13	123	<1
37163	080594	<0.005	<1	9.26	13	82	<2	<1	5.22	14	15	59	61	265	9.18	24	14	2	<1	<1	1.65	3	32	4.20	1557	23	16	127	541	6	<1	0.05	10	17	8	<10	186	8	23	14	3735	10	53	191	<10	12	123	<1
37164	080595	<0.005	<1	9.03	14	75	2	<1	5.31	15	14	62	63	273	9.51	27	15	<1	1	<1	1.63	3	33	4.27	1625	23	17	131	721	15	<1	0.05	8	17	8	<10	186	8	17	11	4101	8	48	192	11	12	133	<1
37165	080596	<0.005	<1	9.28	16	365	2	<1	5.66	13	16	55	55	236	8.37	24	16	<1	<1	<1	1.96	4	28	3.79	1626	22	15	115	496	13	20	0.09	10	18	8	<10	219	6	16	15	3964	7	39	177	11	13	109	<1
37166	080597	<0.005	<1	8.24	16	480	<2	<1	2.95	14	13	58	65	242	9.04	24	10	<1	<1	<1	1.38	4	27	4.52	1526	21	16	119	649	13	16	0.06	6	18	8	<10	123	6	20	13	3613	7	27	184	11	10	133	<1
37167	080598	<0.005	<1	9.95	13	497	2	<1	2.55	14	14	57	42	234	9.17	25	25	1	<1	<1	1.80	4	28	3.97	1558	24	16	88	696	10	34	0.08	8	17	6	<10	123	7	18	13	5137	6	28	185	12	11	128	<1
37168	080599	<0.005	<1	9.96	17	337	2	<1	3.49	15	11	55	55	226	9.62	26	22	2	<1	<1	1.92	4	26	3.54	1746	24	16	81	681	14	23	0.11	11	16	10	<10	152	6	16	13	4865	8	42	176	12	13	124	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37169	080600	13.406	6	8.87	29	409	2	2	3.11	7	<1	26	92	140	4.50	21	1	<1	<1	<1	1.72	<1	20	1.45	596	23	8	45	705	30	430	0.51	6	13	5	<10	138	4	8	13	4109	10	<20	110	12	17	156	<1
37171	080601	0.005	<1	9.59	14	284	<2	<1	4.00	13	15	53	46	222	8.37	25	8	<1	1	<1	1.95	4	26	3.33	1598	22	15	79	593	10	15	0.07	9	17	<5	<10	160	7	20	12	4358	11	24	170	11	16	116	<1
37172	080602	<0.005	<1	8.26	25	143	2	<1	4.60	11	13	57	65	243	7.54	20	<1	<1	2	<1	1.62	4	20	2.54	1516	17	15	92	582	9	7	0.10	8	17	<5	<10	173	8	22	13	5791	8	<20	160	14	15	114	<1
37173	080603	<0.005	<1	9.25	23	106	2	<1	3.82	12	14	61	55	243	8.33	24	5	<1	<1	<1	1.77	4	23	2.72	1516	17	16	95	627	10	14	0.08	11	18	13	<10	173	8	23	12	6332	6	<20	170	11	16	124	<1
37174	080604	0.006	<1	9.51	37	102	<2	<1	4.41	13	14	65	74	249	8.35	24	6	<1	<1	<1	1.83	4	24	2.65	1560	18	16	94	655	12	11	0.09	11	18	<5	<10	202	8	20	12	6379	13	23	173	12	16	125	<1
37175	080605	0.007	<1	9.87	31	100	<2	<1	4.04	14	14	63	64	250	8.73	25	2	1	2	<1	1.83	3	25	2.82	1569	21	16	101	674	7	9	0.06	9	19	7	<10	196	7	19	13	6763	12	39	181	10	17	135	<1
37176	080606	0.008	<1	9.06	25	130	<2	1	4.59	11	15	55	76	218	7.27	23	21	<1	<1	<1	1.82	2	23	2.32	1497	19	14	77	558	7	5	0.12	9	16	8	<10	200	7	17	12	5524	9	20	154	<10	14	109	<1
37177	080607	0.183	<1	9.56	33	127	<2	<1	4.29	12	15	60	61	241	7.96	22	<1	<1	<1	1.71	3	22	2.36	1546	19	16	89	707	10	<1	0.11	11	18	9	<10	252	8	20	14	6531	8	<20	169	<10	16	125	<1	
37178	080608	0.008	<1	8.39	29	205	<2	<1	5.11	12	13	59	112	236	7.68	22	4	<1	<1	<1	1.56	2	18	2.29	1646	17	15	90	543	3	8	0.11	12	16	13	<10	290	7	21	14	6014	8	<20	168	12	14	124	<1
37179	080609	<0.005	<1	9.68	27	84	2	<1	3.63	14	14	66	58	272	9.28	26	17	<1	<1	<1	1.68	4	24	2.94	1746	19	17	101	684	7	6	0.09	10	18	12	<10	324	10	24	13	6927	9	39	184	12	16	148	<1
37180	080610	0.984	<1	9.03	10	132	<2	<1	4.76	8	12	34	115	42	5.67	23	3	<1	<1	<1	1.79	2	15	2.32	902	16	13	28	757	16	44	0.04	7	21	16	<10	182	5	15	12	5617	7	<20	170	11	28	82	<1
37182	080611	<0.005	<1	9.22	25	107	<2	1	4.04	12	13	59	65	239	8.05	23	14	<1	<1	<1	1.75	3	20	2.50	1526	19	16	82	735	6	12	0.10	11	16	10	<10	293	8	21	13	6477	15	23	174	12	15	127	<1
37183	080612	<0.005	<1	10.29	27	116	2	<1	4.13	12	14	62	66	250	8.33	25	19	<1	<1	<1	1.84	4	23	2.58	1557	20	17	83	686	7	11	0.10	13	17	15	<10	311	7	19	14	6610	12	<20	180	13	16	125	<1
37184	080613	<0.005	<1	9.32	24	154	<2	1	5.01	10	12	53	97	222	6.82	22	4	<1	1	<1	1.85	3	21	2.16	1443	19	15	79	575	5	7	0.10	9	16	<5	<10	267	7	11	13	5909	13	<20	159	10	15	102	<1
37185	080614	<0.005	<1	9.13	26	162	2	1	5.11	11	14	54	56	215	7.48	22	11	<1	1	<1	1.79	3	22	2.16	1578	18	15	78	488	5	3	0.10	14	16	11	<10	255	7	20	12	5914	13	<20	160	12	15	115	<1
37186	080615	<0.005	<1	9.59	33	141	<2	<1	4.84	13	14	56	55	225	8.04	23	4	<1	<1	<1	1.86	2	25	2.21	1630	19	15	82	607	6	14	0.14	12	17	8	<10	214	7	21	12	6081	17	26	169	10	15	125	<1
37187	080616	<0.005	2	10.02	30	135	3	<1	4.02	15	17	63	50	245	8.95	30	26	4	<1	<1	1.89	6	27	2.02	1539	22	21	91	739	9	18	0.31	12	18	15	<10	278	14	25	16	6478	10	48	178	14	17	134	<1
37188	080617	0.007	<1	10.09	31	285	2	1	4.28	13	13	64	89	251	8.41	26	23	<1	<1	<1	1.69	3	23	1.89	1440	21	18	90	784	12	13	0.38	8	18	17	<10	310	7	21	13	6444	8	34	185	11	16	125	<1
37189	080618	<0.005	<1	9.86	31	249	<2	<1	3.52	12	16	55	64	236	8.22	25	18	<1	<1	<1	1.82	4	22	2.14	1299	20	15	81	582	10	<1	0.21	14	17	7	<10	216	7	14	13	5084	11	<20	180	13	15	129	<1
37190	080619	<0.005	<1	9.40	27	285	2	2	4.89	12	15	54	51	214	8.17	25	8	<1	<1	<1	1.76	3	23	2.52	1531	19	15	73	567	10	4	0.08	8	16	12	<10	221	6	18	15	4745	7	27	172	12	13	113	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37191	080620	<0.005	<1	9.44	14	933	<2	<1	1.20	<4	63	4	336	5	1.17	14	7	<1	2	<1	1.92	40	29	0.34	173	14	2	5	424	31	42	0.01	11	2	9	<10	226	<1	4	38	859	4	<20	15	13	6	12	6
37193	080621	<0.005	<1	9.92	17	301	<2	<1	4.68	14	16	55	40	244	9.01	27	10	<1	<1	<1	1.74	5	27	3.22	1730	21	15	89	592	11	2	0.07	10	17	14	<10	204	8	17	12	4450	8	36	183	13	11	144	<1
37194	080622	<0.005	<1	9.28	24	334	2	<1	4.89	13	14	52	39	208	8.38	24	6	<1	<1	<1	1.78	4	22	2.54	1575	16	14	78	545	7	17	0.08	10	16	7	<10	219	7	13	12	4150	6	42	171	14	11	120	<1
37195	080623	<0.005	<1	9.55	19	267	2	<1	4.50	14	15	53	42	225	8.88	25	14	<1	<1	<1	1.83	3	26	2.62	1534	20	15	82	711	9	9	0.06	10	16	18	<10	208	7	16	13	4297	10	<20	178	10	11	184	<1
37196	080624	<0.005	<1	9.67	27	189	<2	<1	4.01	12	12	51	36	207	8.00	23	13	<1	<1	<1	1.76	3	22	2.27	1384	20	14	75	676	15	10	0.06	11	15	<5	<10	197	7	21	12	4343	7	21	167	12	11	119	<1
37197	080625	<0.005	<1	7.77	27	182	<2	<1	4.15	12	13	51	37	215	7.94	18	10	<1	<1	3	1.30	3	18	2.35	1336	16	12	77	457	7	<1	0.06	10	16	10	<10	188	5	17	14	2414	10	30	167	<10	10	124	<1
37198	080626	<0.005	<1	9.59	23	180	<2	<1	4.90	12	16	51	39	216	8.12	22	5	<1	<1	<1	1.67	4	21	2.19	1470	19	14	78	691	12	7	0.11	11	16	8	<10	233	8	18	13	3838	8	<20	173	10	11	114	<1
37199	080627	<0.005	<1	9.47	30	83	<2	<1	5.38	13	14	56	41	216	8.01	23	16	<1	<1	<1	1.82	3	23	2.34	1489	21	14	85	646	8	<1	0.08	6	16	8	<10	239	6	18	13	3867	10	23	170	<10	11	109	<1
37200	080628	<0.005	<1	8.84	27	80	<2	<1	6.61	10	11	44	45	168	6.80	21	17	<1	<1	<1	1.67	1	21	1.97	1502	17	11	64	514	11	4	0.23	7	13	7	<10	274	5	14	13	2949	8	<20	140	13	11	89	<1
37201	080629	<0.005	<1	9.40	23	58	<2	<1	4.46	13	13	53	31	230	8.67	24	19	<1	2	<1	1.67	4	24	2.60	1360	20	14	79	748	9	2	0.07	8	17	7	<10	200	7	16	12	3745	9	<20	178	15	12	131	<1
37202	080630	<0.005	<1	8.97	33	58	2	<1	3.83	12	14	52	33	233	8.17	23	<1	<1	<1	1.65	3	24	2.53	1197	19	13	86	673	16	<1	0.08	8	17	10	<10	173	5	18	13	1951	9	43	181	10	9	126	<1	
37203D	080630	0.012	<1	9.06	29	60	2	<1	3.81	12	13	52	38	219	8.08	24	8	<1	<1	<1	1.75	3	25	2.52	1182	19	12	85	645	6	10	0.09	7	17	10	<10	172	8	15	14	1902	7	52	179	13	10	122	<1
37204	080631	0.005	<1	9.42	37	61	<2	<1	7.06	11	14	46	32	206	7.30	21	4	<1	<1	<1	1.91	2	27	2.50	1539	19	11	78	542	12	<1	0.09	8	15	<5	<10	279	5	16	14	2321	5	<20	163	12	10	123	<1
37205	080632	<0.005	<1	9.88	50	56	<2	<1	4.41	14	14	56	48	243	8.92	25	9	<1	1	<1	1.87	3	30	3.04	1352	22	13	98	641	9	<1	0.10	10	18	13	<10	170	7	15	15	3510	9	36	182	<10	9	126	<1
37206	080633	<0.005	<1	9.51	53	61	2	<1	5.78	12	12	55	46	244	8.19	23	7	<1	<1	<1	1.77	2	27	2.95	1375	17	14	93	756	4	2	0.13	9	18	8	<10	176	7	16	13	3907	11	27	181	12	8	124	<1
37207	080634	<0.005	<1	10.22	71	91	<2	<1	4.26	13	13	56	69	233	8.51	25	17	<1	<1	<1	1.77	4	30	3.32	1389	21	14	96	608	6	<1	0.12	10	17	<5	<10	162	7	19	13	4154	14	34	180	11	8	128	<1
37208	080635	<0.005	<1	9.93	61	94	<2	<1	4.32	12	14	54	59	229	7.93	24	5	<1	2	2	1.83	3	29	3.10	1379	19	12	95	609	6	<1	0.14	8	17	<5	<10	171	7	19	13	3835	10	34	176	<10	8	113	<1
37209	080636	0.013	<1	9.30	71	379	<2	<1	4.44	11	11	47	84	208	7.11	21	18	<1	<1	<1	1.89	2	29	3.19	1435	19	9	90	578	12	5	0.07	12	15	9	<10	157	5	19	15	1670	8	37	152	10	7	97	<1
37210	080637	0.008	<1	8.95	74	915	<2	<1	4.50	11	10	42	73	196	7.11	20	17	1	1	<1	1.80	1	30	3.28	1277	21	9	84	376	11	<1	0.06	8	14	9	<10	136	6	17	12	1470	6	28	137	12	7	93	<1
37211	080638	0.010	<1	9.36	89	1324	2	<1	4.94	10	9	44	54	205	6.61	21	16	<1	1	<1	1.86	<1	27	3.00	1338	19	10	77	671	11	14	0.06	6	15	6	<10	126	5	14	13	3072	13	20	147	14	7	89	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37212	080639	0.027	<1	10.19	139	885	<2	<1	5.45	10	13	48	48	219	6.78	24	18	1	2	<1	1.88	2	29	2.70	1262	21	11	82	546	15	8	0.11	5	15	18	<10	129	6	16	12	3268	14	<20	155	14	8	96	10
37213	080640	5.626	2	8.22	260	241	2	<1	2.62	12	17	114	153	1563	7.25	19	13	<1	<1	<1	1.70	8	19	1.28	609	25	5	1282	405	673	127	1.10	8	11	11	<10	132	4	12	16	2931	9	26	87	43	15	454	<1
37215	080641	0.142	<1	9.78	156	440	<2	<1	6.80	12	12	53	53	254	8.00	23	6	<1	<1	<1	1.86	2	32	2.62	1346	21	10	113	607	18	7	0.22	9	16	12	<10	171	6	15	12	2095	15	25	160	14	8	120	<1
37216	080642	0.372	<1	8.80	268	457	<2	2	7.80	8	3	45	122	192	5.69	18	10	<1	<1	<1	1.91	<1	26	2.19	1488	18	11	93	469	13	11	0.36	7	20	7	<10	171	4	13	12	1599	9	34	162	23	8	75	<1
37217	080643	0.069	<1	10.02	217	633	<2	<1	6.21	7	<1	50	196	146	4.56	19	4	<1	4	<1	1.88	<1	28	1.68	1391	14	15	111	427	5	18	0.18	10	30	6	<10	145	3	13	12	1518	10	<20	237	19	7	84	<1
37218	080644	0.182	<1	9.47	217	383	<2	1	5.69	8	2	50	176	136	5.37	17	5	<1	2	<1	2.04	<1	27	1.53	1385	16	12	117	440	7	5	0.87	10	26	18	<10	126	5	4	10	1365	7	<20	188	15	8	177	<1
37219	080645	0.015	<1	10.29	158	372	<2	<1	5.38	7	<1	54	222	145	4.63	20	<1	<1	1	2	1.90	<1	28	1.61	1347	15	17	111	484	6	12	0.14	12	31	<5	<10	156	5	9	12	3637	6	<20	252	17	11	86	<1
37220	080646	<0.005	<1	7.99	14	466	3	<1	4.48	7	27	35	508	55	4.53	15	11	<1	<1	<1	1.57	11	31	4.47	853	13	9	204	1323	13	38	0.09	9	15	<5	<10	501	1	14	21	2435	8	<20	113	13	12	56	<1
37221	080647	0.006	<1	7.48	12	468	2	<1	4.21	7	24	34	530	51	4.53	17	5	<1	<1	<1	1.78	9	30	4.59	806	13	9	199	1449	15	45	0.09	10	15	10	<10	503	3	8	20	2705	11	<20	112	<10	11	56	<1
37222	080648	<0.005	<1	7.86	14	759	2	<1	4.25	7	27	35	540	52	4.58	15	23	<1	<1	<1	1.68	11	30	4.75	804	13	9	220	1431	14	41	0.09	7	15	6	<10	628	3	8	20	2561	4	<20	111	10	11	53	<1
37223	080649	<0.005	<1	7.85	17	726	3	<1	4.31	7	27	34	535	58	4.65	15	11	<1	2	<1	1.66	9	28	4.76	811	13	9	224	1455	24	33	0.12	11	15	7	<10	603	2	10	21	2072	6	31	113	10	11	51	<1
37224	080650	<0.005	<1	8.26	9	752	<2	<1	1.29	<4	54	5	305	7	1.24	12	3	<1	<1	<1	1.84	33	28	0.42	213	11	3	9	348	21	52	0.01	10	2	<5	<10	286	<1	3	33	1069	3	<20	17	<10	7	19	<1
37226	080651	0.005	<1	8.82	25	58	<2	<1	4.25	12	12	48	75	210	7.60	22	19	<1	<1	<1	1.83	3	22	3.01	1223	22	10	85	582	12	<1	0.17	11	15	13	<10	229	5	15	14	2406	6	29	156	<10	7	104	<1
37227	080652	<0.005	<1	7.38	13	64	<2	<1	5.28	7	19	34	551	55	4.60	14	10	<1	2	<1	1.85	8	32	4.89	867	15	7	245	1154	16	<1	0.05	11	14	<5	<10	355	<1	14	17	446	11	<20	97	11	9	54	<1
37228	080653	0.013	<1	8.40	84	211	<2	<1	5.39	11	8	41	51	187	7.02	21	11	<1	<1	<1	1.98	<1	25	2.53	1203	20	7	72	551	13	8	0.17	9	13	7	<10	153	3	16	12	367	6	24	127	15	7	98	<1
37229	080654	0.013	<1	8.09	113	210	<2	<1	5.89	12	9	42	40	190	7.54	19	<1	<1	2	<1	1.92	1	27	2.72	1309	18	7	75	597	9	8	0.10	10	11	11	<10	118	5	16	12	314	11	27	119	11	7	106	<1
37230	080655	0.013	<1	8.71	128	243	<2	<1	5.93	11	10	47	37	207	7.37	20	15	<1	<1	<1	1.82	<1	28	2.59	1299	18	7	76	447	16	5	0.15	11	12	<5	<10	123	4	17	13	353	<2	32	127	11	7	101	<1
37231	080656	0.173	<1	9.22	219	261	<2	<1	5.54	11	7	40	52	199	7.04	21	19	<1	2	<1	1.82	<1	30	2.90	1402	20	7	73	496	16	9	0.19	8	13	8	<10	113	4	13	14	385	8	25	125	10	7	81	<1
37232	080657	0.140	<1	9.42	253	214	<2	<1	5.32	11	5	44	59	197	7.20	23	12	1	<1	<1	1.67	<1	33	2.97	1300	21	8	79	585	9	1	0.12	10	14	11	<10	106	3	14	11	387	8	40	131	12	7	90	<1
37233	080658	0.021	<1	9.32	212	118	<2	<1	4.98	13	5	47	56	229	8.59	24	12	<1	<1	<1	1.76	<1	45	3.33	1295	20	9	100	534	12	9	0.12	10	16	12	<10	96	4	19	13	290	9	27	148	11	6	116	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37234	080659	0.013	<1	8.74	205	65	<2	2	4.50	13	10	50	62	252	8.92	23	9	<1	1	<1	1.77	2	55	3.73	1285	22	10	114	517	11	4	0.06	11	18	6	<10	88	5	17	13	224	10	56	154	<10	6	114	<1
37235	080660	0.012	<1	8.80	191	160	<2	2	5.36	10	<1	39	167	134	6.87	20	11	<1	<1	<1	1.78	<1	34	2.76	1107	15	11	113	361	9	23	0.15	10	25	5	<10	99	5	12	11	270	9	41	177	12	5	61	<1
37236D	080660	0.009	<1	9.67	205	173	<2	<1	5.48	10	<1	39	172	135	6.90	20	11	<1	1	<1	1.75	<1	36	2.78	1112	19	11	112	386	10	25	0.15	9	26	16	<10	106	5	13	11	303	7	23	183	11	5	61	<1
37237	080661	0.012	<1	8.87	234	149	<2	<1	6.75	9	<1	39	183	141	6.13	17	12	<1	2	<1	1.76	<1	31	2.94	1189	16	11	112	424	8	12	0.09	8	26	6	<10	122	3	16	13	260	6	29	176	<10	6	66	<1
37238	080662	0.013	<1	7.95	212	143	<2	<1	7.00	7	<1	40	186	151	5.05	15	3	<1	<1	<1	1.85	<1	24	2.56	1249	13	9	108	464	4	26	0.09	12	23	5	<10	123	2	12	14	252	10	40	149	11	5	53	<1
37239	080663	0.015	<1	10.11	178	193	<2	<1	7.23	9	<1	48	211	187	6.00	19	10	<1	2	<1	1.71	<1	31	2.34	1879	17	12	119	306	5	14	0.24	10	34	20	<10	153	4	13	13	279	9	<20	210	13	5	74	<1
37240	080664	0.026	2	8.33	88	126	2	4	3.91	12	3	39	158	241	7.30	21	18	4	2	3	1.71	2	34	1.69	1338	21	11	78	438	18	34	1.00	10	17	7	<10	93	9	12	16	240	5	46	101	15	7	121	<1
37241	080665	0.028	<1	8.69	98	127	<2	<1	4.40	11	<1	40	160	269	7.23	19	10	2	1	<1	1.76	<1	34	1.82	1415	21	6	70	388	10	13	0.92	11	16	7	<10	95	4	16	13	243	9	39	100	12	6	119	8
37242	080666	0.011	<1	9.94	213	210	<2	3	6.11	6	<1	42	196	155	4.32	17	13	<1	3	1	1.81	<1	32	2.38	1157	15	13	107	464	5	6	0.06	10	33	14	<10	143	4	8	12	263	9	<20	198	11	5	44	<1
37243	080667	0.145	<1	9.82	224	209	<2	2	6.36	7	<1	45	190	197	4.74	17	19	<1	<1	<1	1.77	<1	33	2.58	1190	16	13	119	275	5	14	0.06	10	34	<5	<10	139	3	11	12	255	7	<20	199	13	5	49	<1
37244	080668	0.021	<1	9.18	166	186	<2	<1	6.03	8	<1	45	196	203	5.05	18	3	<1	2	<1	2.06	<1	31	2.43	1061	15	12	122	291	6	23	0.21	11	34	8	<10	140	4	11	12	214	<2	21	199	14	4	56	<1
37245	080669	0.033	<1	15.52	323	310	2	<1	11.23	16	<1	84	381	390	10.25	37	5	<1	<1	<1	1.98	<1	54	4.47	1999	21	25	223	740	9	25	0.40	15	67	15	<10	259	9	22	12	310	9	64	380	12	6	134	<1
37246	080670	13.760	6	8.68	33	399	<2	<1	3.10	7	<1	27	92	140	4.51	19	2	<1	1	<1	1.74	<1	20	1.45	597	22	9	45	712	27	440	0.45	6	13	11	10	135	4	12	12	4267	8	<20	111	13	16	150	<1
37248	080671	0.172	<1	9.61	169	159	<2	<1	6.63	6	<1	34	220	177	4.29	16	13	<1	<1	1	2.02	<1	30	2.44	1172	13	13	89	335	10	10	0.11	10	30	6	<10	164	3	5	13	250	11	<20	197	15	4	46	<1
37249	080672	6.023	<1	7.74	8837	121	<2	2	5.44	6	<1	29	256	118	4.01	13	4	<1	<1	3	1.86	<1	23	2.05	1023	12	8	76	217	5	16	0.48	15	20	10	<10	129	3	10	14	190	5	<20	133	10	4	37	<1
37250	080673	1.426	<1	7.94	8225	108	<2	2	4.52	4	<1	23	278	79	3.21	11	14	<1	1	6	1.78	<1	25	1.79	727	14	7	61	<100	5	3	0.37	12	16	6	<10	116	2	8	13	207	10	<20	111	12	5	36	<1
37251	080674	0.211	<1	10.61	875	135	<2	3	5.17	6	<1	37	230	153	3.92	17	6	<1	<1	<1	2.03	<1	37	2.54	888	15	13	112	357	6	7	0.07	8	27	<5	<10	157	2	8	13	224	12	<20	202	10	5	56	<1
37252	080675	0.039	<1	10.23	180	124	<2	1	5.44	6	<1	40	204	156	4.06	17	5	<1	<1	<1	2.24	<1	39	2.70	864	14	13	112	427	5	<1	0.07	9	28	17	<10	144	2	10	13	226	7	<20	197	<10	5	56	<1
37253	080676	0.011	<1	10.14	149	127	<2	4	5.70	5	<1	37	201	160	3.77	18	23	<1	1	<1	1.84	<1	34	2.65	812	14	13	105	517	7	6	0.11	7	29	5	<10	145	3	9	13	222	5	29	195	<10	5	52	<1
37254	080677	0.173	<1	9.82	144	128	<2	2	5.92	7	<1	39	199	151	4.32	18	9	<1	1	<1	1.80	<1	37	2.90	728	14	13	108	545	5	1	0.11	8	30	6	<10	140	3	11	13	209	13	<20	198	<10	5	72	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37255	080678	0.008	<1	10.40	155	131	<2	2	5.58	6	<1	40	235	150	4.40	18	2	<1	2	<1	1.71	<1	40	2.89	688	15	14	111	414	10	<1	0.09	8	33	9	<10	144	3	6	11	213	11	<20	219	12	5	81	<1
37256	080679	0.007	<1	10.96	154	141	<2	2	5.48	6	<1	34	241	163	3.80	20	15	<1	3	<1	1.89	<1	39	2.56	676	13	15	103	374	6	8	0.05	13	32	9	<10	151	3	5	13	223	7	<20	225	11	5	61	<1
37257	080680	<0.005	<1	8.95	13	824	<2	<1	1.45	<4	137	9	403	10	2.06	15	4	<1	<1	<1	1.71	75	28	0.49	248	14	7	9	896	28	41	0.02	6	4	6	<10	237	1	6	60	2167	8	<20	32	<10	14	33	<1
37259	080681	0.008	<1	9.57	134	118	<2	3	5.42	7	<1	42	237	268	4.60	19	6	<1	<1	<1	1.77	<1	35	2.59	724	14	14	115	481	5	<1	0.10	9	35	12	<10	132	4	8	13	190	8	21	225	12	4	102	<1
37260	080682	0.006	<1	8.38	129	109	<2	2	5.80	7	<1	40	265	148	4.50	16	<1	<1	3	<1	1.59	<1	32	2.61	814	10	14	104	345	6	<1	0.11	9	34	<5	<10	123	4	10	13	166	<2	<20	214	<10	4	73	<1
37261	080683	0.007	1	10.10	153	131	<2	3	5.44	6	<1	41	234	174	3.95	19	8	<1	<1	<1	1.94	<1	36	2.28	780	12	14	108	401	2	4	0.09	12	33	6	<10	139	3	7	11	200	6	<20	224	10	5	53	<1
37262	080684	0.009	<1	9.39	117	115	<2	<1	5.30	6	<1	32	247	175	4.23	17	16	<1	2	<1	1.81	<1	35	2.19	785	13	14	83	193	6	6	0.06	9	34	<5	<10	122	4	6	11	207	15	<20	219	15	5	64	<1
37263	080685	0.013	<1	9.32	132	116	<2	1	5.27	6	<1	35	240	182	4.29	18	3	<1	<1	<1	1.81	<1	35	2.19	778	13	15	91	388	9	9	0.06	10	36	15	<10	123	3	7	13	198	8	<20	231	10	5	73	<1
37264	080686	0.028	<1	9.69	179	120	<2	1	6.61	6	<1	37	232	157	4.31	16	2	<1	<1	<1	1.82	<1	31	2.24	1115	12	14	110	415	6	4	0.10	15	33	<5	<10	135	3	5	14	187	14	<20	218	10	5	49	<1
37265	080687	0.021	<1	9.38	174	112	<2	<1	6.84	7	<1	37	239	152	4.44	16	15	<1	<1	<1	1.86	<1	28	2.21	1264	11	14	109	385	<1	2	0.10	<5	32	7	<10	129	3	8	12	183	4	<20	215	12	5	35	<1
37266	080688	0.043	<1	8.07	157	96	<2	<1	6.33	7	<1	36	199	149	4.33	13	7	<1	1	5	1.86	<1	25	2.10	1112	13	11	107	381	6	<1	0.11	9	29	12	<10	108	2	9	11	162	7	<20	183	<10	5	46	<1
37267	080689	0.013	<1	8.76	181	105	<2	1	5.85	6	<1	35	219	145	4.00	15	7	<1	2	<1	1.97	<1	29	2.06	928	13	11	101	388	2	9	0.06	8	28	12	<10	109	3	6	13	179	8	<20	188	13	5	40	<1
37268	080690	0.044	<1	8.88	185	113	<2	1	6.40	6	<1	42	207	147	4.00	15	5	<1	<1	2	1.99	<1	27	2.10	971	12	12	114	359	5	4	0.11	10	27	11	<10	109	3	9	12	190	5	<20	181	10	5	29	<1
37269D	080690	0.039	<1	9.78	186	124	<2	3	6.45	6	<1	42	235	149	4.06	18	17	<1	2	<1	2.05	<1	29	2.10	984	13	13	113	317	5	4	0.11	10	30	11	<10	123	3	9	13	199	7	<20	211	12	5	32	<1
37270	080691	0.038	<1	9.88	218	127	<2	<1	5.82	6	<1	35	234	145	4.03	17	6	<1	<1	<1	1.92	<1	28	2.06	929	12	12	93	366	8	9	0.13	9	28	<5	<10	121	3	6	14	212	11	<20	195	<10	5	37	<1
37271	080692	0.017	<1	6.67	96	98	<2	2	3.41	6	5	12	115	127	4.13	14	1	<1	2	5	1.66	<1	22	1.17	589	12	<1	31	543	14	7	0.69	7	4	5	<10	84	2	15	14	145	3	<20	25	<10	6	51	<1
37272	080693	0.162	<1	7.27	121	134	<2	<1	2.46	4	8	39	140	131	2.33	13	3	<1	2	<1	1.82	2	20	0.78	379	11	1	49	426	8	16	0.43	13	5	5	<10	90	<1	7	16	161	<2	<20	31	12	7	282	<1
37273	080694	0.110	<1	7.96	152	177	<2	1	2.54	5	<1	56	212	227	3.20	12	5	<1	<1	<1	1.89	<1	22	0.75	512	14	6	98	396	6	21	0.77	10	21	<5	<10	86	1	10	14	197	3	<20	114	<10	6	205	<1
37274	080695	0.118	<1	7.34	128	154	<2	<1	2.70	5	3	48	329	175	3.17	13	16	<1	<1	3	1.80	<1	21	0.78	536	13	4	81	401	9	30	0.70	14	16	9	<10	79	3	7	14	188	7	<20	82	11	6	245	<1
37275	080696	0.127	<1	7.93	151	202	<2	3	3.22	6	5	39	226	212	3.94	15	11	<1	<1	<1	1.81	<1	21	0.92	716	13	5	77	454	9	28	0.85	9	15	10	<10	85	2	6	13	200	6	<20	91	13	6	360	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37276	080697	0.022	<1	8.84	110	259	<2	2	4.49	5	1	27	246	85	3.35	15	7	<1	2	3	1.91	<1	22	1.21	1015	12	9	68	399	4	32	0.19	10	30	12	<10	93	2	5	13	237	5	<20	148	12	6	95	<1
37277	080698	0.048	<1	8.12	143	213	<2	<1	3.28	4	19	21	204	86	2.74	14	9	<1	2	<1	1.85	10	22	0.90	678	12	1	34	558	9	32	0.40	10	7	9	<10	82	<1	5	14	211	9	<20	41	16	7	192	<1
37278	080699	0.009	<1	8.24	102	234	<2	1	3.30	5	3	25	280	94	3.13	13	9	<1	<1	<1	1.82	<1	21	0.90	812	12	6	58	415	6	37	0.43	10	15	12	<10	77	1	9	13	223	2	<20	101	43	6	84	<1
37279	080700	0.978	<1	7.98	9	124	<2	<1	4.51	8	8	32	111	40	5.42	19	<1	<1	<1	<1	2.01	2	12	2.21	854	14	12	26	784	18	69	0.04	8	21	8	<10	173	5	9	12	4948	7	22	163	10	26	71	<1
37281	080701	0.010	<1	8.60	45	232	<2	<1	3.24	5	19	16	177	73	2.87	14	10	<1	2	<1	1.66	9	21	0.92	953	12	2	29	536	10	14	0.36	11	6	<5	<10	84	<1	12	15	263	8	<20	43	11	7	45	<1
37282	080702	0.006	<1	8.93	214	175	<2	1	4.72	10	<1	52	205	127	6.79	19	<1	<1	<1	<1	1.84	<1	31	1.28	1768	15	11	133	403	13	40	0.51	9	31	<5	<10	74	4	9	10	219	4	28	190	12	6	88	<1
37283	080703	0.016	<1	6.21	22	130	<2	2	1.41	<4	11	9	169	47	2.00	7	<1	<1	2	<1	1.79	8	18	0.48	488	10	<1	16	275	6	29	0.12	10	3	<5	<10	57	<1	<1	16	164	5	<20	15	10	5	14	<1
37284	080704	0.010	<1	7.39	42	180	<2	1	1.42	<4	27	9	151	24	1.28	10	3	<1	2	3	1.77	15	16	0.41	449	9	<1	16	440	3	29	0.09	9	5	<5	<10	80	<1	5	17	183	8	<20	23	<10	6	<1	<1
37285	080705	0.019	<1	7.45	38	175	<2	2	2.03	<4	24	16	170	72	1.77	10	3	<1	<1	<1	1.79	13	18	0.50	611	10	<1	24	367	3	34	0.22	12	4	10	<10	78	<1	5	15	193	6	<20	20	10	6	<1	<1
37286	080706	0.011	<1	7.91	94	175	<2	1	3.67	5	7	32	224	93	2.98	12	<1	<1	1	<1	1.83	1	20	0.81	1260	11	7	69	425	4	25	0.20	8	17	6	<10	82	3	4	13	204	7	<20	117	10	6	8	<1
37287	080707	0.006	<1	6.57	51	122	<2	3	2.90	4	5	19	179	54	2.68	8	3	<1	<1	2	1.84	<1	18	0.67	1059	10	3	44	295	7	29	0.15	5	11	7	<10	72	1	3	13	168	7	<20	72	<10	5	12	<1
37288	080708	<0.005	<1	5.94	21	77	<2	<1	3.29	5	9	6	128	17	3.34	9	5	<1	2	<1	1.77	5	23	0.80	1055	11	<1	21	396	2	30	0.05	9	6	5	<10	58	<1	10	13	147	12	<20	26	<10	6	48	<1
37289	080709	0.014	<1	8.73	176	112	<2	1	5.68	11	<1	52	208	138	7.51	19	<1	<1	2	<1	1.87	<1	34	1.41	1838	16	13	127	459	6	34	0.42	7	46	<5	<10	82	6	17	11	201	7	27	222	10	6	142	<1
37290	080710	5.433	2	6.84	261	224	2	<1	2.53	12	14	117	155	1611	7.34	17	<1	<1	3	<1	1.75	8	14	1.24	616	21	5	1313	581	694	180	1.09	13	11	<5	<10	126	6	17	14	2540	5	<20	87	36	14	465	<1
37292	080711	0.019	<1	8.76	178	116	<2	3	6.97	11	<1	60	199	306	7.58	20	6	<1	<1	<1	1.98	<1	33	1.61	2056	16	13	151	428	12	33	0.25	9	35	11	<10	89	5	16	11	215	10	<20	214	<10	6	89	<1
37293	080712	0.007	1	7.52	91	73	3	<1	6.35	15	1	50	179	175	9.25	23	6	<1	2	<1	1.49	2	36	1.70	1613	18	18	120	429	17	28	0.43	10	48	<5	<10	65	14	20	13	169	9	39	209	15	7	116	<1
37294	080713	<0.005	<1	6.26	44	89	<2	<1	3.74	5	7	16	149	32	3.74	8	<1	<1	<1	<1	1.85	2	23	1.00	930	12	4	42	451	4	28	0.07	9	17	10	<10	61	2	6	13	161	4	23	66	11	6	30	<1
37295	080714	0.007	<1	8.53	102	162	<2	2	3.56	4	8	27	243	58	2.70	11	11	<1	2	<1	1.81	3	26	0.95	778	11	7	52	407	1	18	0.03	8	18	13	<10	90	2	6	13	218	3	<20	109	12	6	7	<1
37296	080715	0.426	<1	10.23	148	154	<2	<1	5.22	9	<1	43	233	147	5.68	20	11	<1	1	<1	1.70	<1	37	1.76	1143	16	14	105	438	6	22	0.09	15	41	<5	<10	101	4	8	12	241	10	<20	222	<10	6	54	<1
37297	080716	0.063	<1	8.21	38	132	<2	<1	3.51	<4	9	10	161	23	1.72	9	6	<1	2	6	1.82	3	25	0.69	504	9	3	27	571	5	35	0.03	9	9	16	<10	94	1	3	14	190	9	<20	62	<10	6	<1	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37298	080717	0.008	<1	10.09	71	144	<2	4	4.90	6	<1	34	188	101	4.52	18	10	<1	1	<1	1.69	<1	35	1.19	1104	15	10	76	440	3	28	0.09	9	30	<5	<10	98	3	8	11	242	3	<20	177	11	6	51	<1
37299	080718	<0.005	<1	8.18	46	107	<2	<1	5.03	5	<1	27	238	81	3.81	12	7	<1	<1	<1	1.83	<1	28	0.97	1258	12	8	64	236	6	6	0.08	8	21	<5	<10	82	3	3	11	208	6	<20	135	<10	6	26	<1
37300	080719	<0.005	<1	6.69	27	90	<2	2	4.04	<4	<1	16	372	53	2.46	8	12	<1	2	5	1.79	<1	22	0.60	948	11	6	40	361	5	2	0.06	12	15	12	<10	67	2	9	12	187	5	<20	96	<10	5	4	<1
37301	080720	<0.005	<1	8.59	11	908	<2	<1	1.18	<4	87	4	322	7	1.27	11	3	<1	<1	2	1.69	55	29	0.32	197	11	2	6	455	27	38	0.01	8	2	12	<10	221	<1	3	43	881	5	<20	17	11	6	16	<1
37303	080721	<0.005	<1	6.30	15	94	<2	1	1.96	<4	3	3	252	3	1.13	6	1	<1	1	6	1.88	<1	20	0.43	422	11	<1	12	346	<1	<1	0.01	9	2	14	<10	67	<1	2	14	174	6	<20	14	<10	5	<1	<1
37304	080722	<0.005	<1	8.05	35	84	<2	<1	4.87	6	<1	29	196	88	4.49	14	<1	<1	1	<1	1.92	<1	31	1.36	1308	14	7	73	481	2	30	0.05	9	21	5	<10	70	3	9	12	178	12	<20	132	<10	6	37	<1
37305	080723	<0.005	<1	8.61	40	77	<2	2	7.77	8	<1	45	197	161	5.32	17	3	<1	1	<1	1.95	<1	36	1.76	1847	14	11	115	461	8	36	0.11	8	29	16	<10	75	4	14	11	177	14	<20	183	11	6	39	<1
37306	080724	0.007	<1	9.77	35	83	<2	2	6.18	8	<1	46	235	166	5.41	20	<1	<1	<1	2	1.79	<1	38	2.21	1612	13	14	120	526	8	21	0.08	8	33	5	<10	95	4	13	11	192	8	<20	221	13	6	47	<1
37307	080725	<0.005	<1	10.20	35	87	<2	<1	6.14	7	<1	44	237	163	5.29	20	8	<1	<1	<1	1.82	<1	40	2.16	1573	15	14	116	384	6	25	0.07	12	32	9	<10	98	3	12	11	210	7	<20	218	13	6	42	<1
37308	080726	<0.005	<1	10.38	19	74	<2	<1	6.51	7	<1	47	231	163	5.15	19	6	<1	<1	<1	1.79	<1	43	1.92	1507	13	14	119	370	2	28	0.10	11	34	9	<10	101	3	11	11	203	9	22	229	<10	7	41	<1
37309	080727	<0.005	<1	10.05	21	68	<2	<1	6.60	7	<1	43	238	163	4.82	19	13	<1	3	<1	1.81	<1	42	1.86	1515	13	14	120	467	6	28	0.08	9	32	<5	<10	97	4	14	12	201	4	<20	218	11	7	34	<1
37310	080728	0.005	<1	10.36	13	68	<2	<1	6.93	8	<1	46	231	167	5.57	20	13	<1	1	<1	1.81	<1	41	1.79	1702	14	14	122	530	7	31	0.13	11	35	6	<10	102	4	16	11	204	<2	33	234	10	8	48	<1
37311	080729	<0.005	<1	10.31	18	87	<2	4	6.75	8	<1	47	247	161	5.35	20	25	<1	<1	<1	1.76	<1	42	1.80	1660	14	15	120	402	4	22	0.20	10	33	12	<10	108	5	12	11	211	6	20	236	10	7	53	<1
37312	080730	<0.005	<1	11.31	30	104	<2	<1	5.85	8	<1	48	272	184	5.32	22	12	<1	<1	2	1.79	<1	43	2.00	1410	14	17	141	482	4	27	0.10	9	39	9	<10	113	4	11	12	203	3	<20	266	10	8	57	<1
37313D	080730	<0.005	<1	10.57	22	99	<2	<1	5.39	7	<1	48	250	168	4.85	19	9	<1	<1	6	1.86	<1	40	1.86	1306	13	15	128	391	4	20	0.09	9	36	11	<10	105	4	12	12	200	9	<20	243	13	8	53	<1
37314	080731	0.005	<1	9.33	17	65	<2	<1	6.90	8	<1	46	246	171	5.18	18	<1	<1	2	<1	1.76	<1	41	2.02	1567	14	13	127	390	8	5	0.12	14	31	11	<10	91	3	12	12	187	3	<20	213	11	8	53	<1
37315	080732	<0.005	<1	9.69	34	62	<2	<1	7.46	7	<1	45	230	164	4.76	19	8	<1	2	<1	1.83	<1	43	2.14	1435	15	13	122	476	3	23	0.10	9	32	<5	<10	94	4	14	12	208	11	<20	212	11	8	55	<1
37316	080733	<0.005	<1	9.74	27	58	<2	3	6.97	7	<1	39	232	163	4.72	17	14	<1	<1	<1	1.89	<1	43	2.22	1248	14	13	113	488	7	21	0.24	12	31	11	<10	92	3	12	11	193	11	<20	208	10	8	46	<1
37317	080734	0.006	<1	10.13	40	52	<2	1	6.30	6	<1	39	242	164	4.57	18	11	<1	3	<1	1.89	<1	47	2.84	982	14	14	111	590	5	16	0.09	8	33	15	<10	86	3	10	12	181	7	<20	215	<10	7	49	<1
37318	080735	<0.005	<1	10.69	40	59	<2	<1	6.64	6	<1	39	253	167	4.46	19	16	<1	1	<1	1.78	<1	47	2.74	1029	13	15	112	355	5	19	0.11	7	35	18	<10	107	3	7	12	204	10	<20	236	<10	7	46	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37319	080736	<0.005	<1	10.33	43	61	<2	<1	6.42	6	<1	36	245	166	4.13	18	21	<1	1	5	1.76	<1	46	2.55	976	13	15	106	370	8	24	0.09	11	31	10	<10	117	3	6	10	215	8	21	227	<10	7	49	<1
37320	080737	<0.005	<1	10.04	41	54	<2	<1	5.71	6	<1	31	240	162	4.04	19	24	<1	<1	3	1.66	<1	41	2.47	938	12	14	96	369	6	20	0.10	12	28	5	<10	110	3	9	11	201	8	<20	221	10	7	52	<1
37321	080738	0.007	<1	9.65	56	62	<2	2	8.40	6	<1	37	219	142	4.39	16	15	<1	<1	1	1.81	<1	43	2.61	1350	14	13	103	519	4	25	0.11	8	28	7	<10	111	3	12	11	198	9	<20	201	10	7	55	<1
37322	080739	0.007	<1	9.78	74	73	<2	<1	6.79	6	<1	42	212	166	4.38	16	13	<1	<1	<1	1.84	<1	39	2.73	1171	13	14	114	535	4	25	0.16	11	31	5	<10	127	3	15	11	198	14	<20	208	<10	6	48	<1
37323	080740	14.113	5	5.99	26	364	<2	<1	2.56	6	<1	23	76	208	3.94	11	<1	<1	<1	1.68	<1	12	1.20	515	17	7	179	587	35	558	0.41	10	12	<5	<10	112	3	9	10	3108	8	<20	94	14	14	140	<1	
37325	080741	0.015	<1	6.96	88	61	<2	2	6.65	6	<1	37	183	160	4.22	12	6	<1	2	<1	1.21	<1	31	2.78	1102	9	10	113	381	6	27	0.08	12	25	17	<10	104	3	11	10	141	4	<20	165	12	4	49	<1
37326	080742	0.008	<1	8.24	73	39	<2	1	5.83	9	1	42	147	186	6.03	18	<1	<1	2	<1	1.08	<1	40	3.67	1117	13	12	103	322	7	12	0.07	10	25	10	<10	97	3	16	12	134	2	<20	183	11	6	64	<1
37327	080743	<0.005	<1	8.41	55	22	<2	<1	3.50	9	<1	36	157	145	6.38	18	<1	<1	<1	0.94	<1	37	3.79	1111	14	12	87	543	9	<1	0.03	7	24	12	<10	89	4	11	11	141	8	29	193	<10	6	59	<1	
37328	080744	<0.005	<1	8.67	49	30	<2	<1	4.90	12	12	46	41	236	8.10	21	<1	<1	<1	1.30	2	39	3.64	1236	16	8	76	461	14	2	0.18	7	16	8	<10	104	5	19	11	189	10	27	147	<10	9	90	<1	
37329	080745	<0.005	1	7.95	30	49	<2	<1	3.86	7	<1	39	204	157	5.21	17	<1	<1	<1	0.93	<1	38	3.33	893	11	13	98	396	10	<1	0.07	8	26	5	<10	124	4	11	10	403	6	<20	204	12	9	59	<1	
37330	080746	<0.005	<1	9.15	24	40	<2	2	3.57	6	<1	38	255	161	4.46	17	<1	<1	<1	1.43	<1	45	3.41	783	10	16	113	297	10	<1	0.03	8	31	<5	<10	142	4	7	12	345	9	<20	242	<10	11	44	<1	
37331	080747	<0.005	<1	8.08	22	37	<2	<1	4.39	6	<1	36	229	144	4.11	14	4	<1	<1	1.28	<1	35	2.82	830	11	14	96	360	6	8	0.03	14	27	8	<10	140	3	11	11	2492	8	<20	219	11	10	36	<1	
37332	080748	<0.005	<1	8.36	12	32	<2	<1	5.85	12	11	52	27	230	8.26	21	<1	<1	1	<1	1.45	<1	36	3.43	1337	19	13	71	599	7	17	0.17	11	16	12	<10	107	8	19	11	5197	11	50	157	<10	12	97	<1
37333	080749	<0.005	<1	7.84	7	30	2	<1	5.48	11	9	53	30	227	7.84	19	3	<1	<1	<1	1.35	<1	35	3.22	1307	16	13	76	544	6	17	0.20	9	15	7	<10	106	7	20	11	5238	12	27	152	12	12	98	<1
37334	080750	<0.005	<1	5.99	5	705	<2	<1	0.84	<4	57	4	177	9	1.12	6	<1	<1	2	3	1.87	35	25	0.33	169	9	1	5	295	21	53	0.01	7	2	7	<10	168	<1	1	33	858	5	<20	15	<10	5	10	<1
37336	080751	<0.005	<1	8.22	20	35	<2	<1	4.37	6	<1	48	260	188	4.54	16	<1	<1	2	<1	1.27	<1	34	2.62	1013	11	17	115	477	7	22	0.11	10	27	12	<10	138	5	8	11	4455	5	<20	238	11	11	64	<1
37337	080752	<0.005	<1	9.21	10	35	<2	<1	4.28	6	<1	45	251	162	4.61	16	<1	<1	<1	1.34	<1	36	2.94	1065	10	16	110	461	2	19	0.04	9	26	10	<10	130	5	14	9	4760	9	<20	240	11	10	34	<1	
37338	080753	<0.005	<1	9.29	10	32	<2	<1	3.87	8	<1	49	266	158	5.28	17	<1	<1	1	<1	1.30	<1	34	3.03	1030	12	16	110	399	6	15	0.05	6	28	<5	<10	121	5	13	9	4927	11	25	245	10	10	51	<1
37339	080754	<0.005	<1	8.19	12	27	<2	<1	5.27	11	4	52	78	196	7.49	17	<1	<1	<1	1.11	<1	33	3.40	1434	14	14	99	598	7	14	0.15	6	17	16	<10	96	8	16	8	5399	10	<20	168	<10	11	90	<1	
37340	080755	<0.005	<1	8.50	11	30	<2	<1	5.24	11	5	54	88	193	7.29	18	<1	<1	1	<1	1.35	<1	34	3.31	1395	17	14	99	545	5	16	0.14	7	18	6	<10	100	6	19	9	5396	7	<20	170	<10	11	86	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140569
Reference:
Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37341	080756	<0.005	<1	9.26	22	31	<2	<1	4.12	8	<1	65	253	197	6.09	19	<1	<1	1	<1	1.21	<1	29	2.70	1161	14	16	129	441	5	15	0.11	12	28	10	<10	143	6	16	10	5075	9	<20	236	11	10	80	<1
37342	080757	<0.005	7	7.03	14	22	<2	<1	5.39	11	13	50	277	417	4.89	24	<1	3	<1	15	0.66	4	22	2.31	1315	9	20	581	383	20	<1	0.20	<5	31	6	<10	117	7	3	3	4795	10	23	250	16	10	1211	114
37343	080758	<0.005	<1	7.93	13	30	<2	<1	7.27	9	<1	57	221	165	6.20	15	7	<1	<1	<1	1.32	<1	24	1.89	1996	12	11	132	354	5	24	0.13	8	19	12	<10	96	6	19	9	4132	13	<20	182	10	10	52	<1
37344	080759	<0.005	<1	8.10	21	33	<2	1	6.80	9	<1	56	214	159	6.15	15	<1	<1	3	<1	1.53	<1	28	2.14	1921	12	13	123	361	7	5	0.16	5	19	15	<10	66	6	13	10	4093	13	<20	195	<10	10	52	<1
37345	080760	<0.005	<1	8.42	31	31	<2	<1	5.03	8	<1	61	246	189	5.62	13	8	<1	<1	<1	1.30	<1	28	2.31	1367	13	12	137	275	5	17	0.16	6	21	13	<10	85	5	13	8	4540	10	<20	188	10	10	63	<1
37346D	080760	0.005	<1	7.59	25	27	<2	<1	4.73	7	<1	61	237	188	5.52	12	<1	<1	<1	1.15	<1	27	2.29	1333	12	12	136	252	5	<1	0.16	10	18	11	<10	74	6	16	7	4148	11	33	168	11	9	65	<1	
37347	080761	0.013	1	6.09	20	15	<2	<1	5.11	7	<1	50	236	172	5.08	9	<1	<1	2	<1	0.59	<1	21	2.71	1164	9	11	131	325	5	<1	0.15	8	17	6	<10	63	4	8	8	3711	8	<20	161	10	8	72	<1
37348	080762	0.005	<1	6.62	16	17	<2	<1	4.86	8	<1	54	261	170	5.51	8	<1	<1	2	<1	0.79	<1	18	3.25	1210	11	11	132	336	5	5	0.08	11	18	5	<10	69	5	15	9	4026	11	22	170	10	9	73	<1
37349	080763	<0.005	<1	6.23	20	18	<2	<1	5.98	7	<1	47	217	145	5.20	9	<1	<1	<1	2	0.87	<1	15	3.18	1225	11	11	114	280	4	12	0.09	7	20	13	<10	74	5	13	10	3645	10	<20	163	12	9	75	<1
37350	080764	<0.005	<1	6.61	16	20	<2	<1	6.04	8	<1	48	264	145	4.98	9	<1	<1	<1	0.95	<1	19	3.27	1104	11	12	120	318	5	<1	0.09	13	21	10	<10	76	4	11	9	3670	7	<20	170	<10	10	71	<1	
37351	080765	<0.005	<1	7.37	17	21	<2	<1	6.11	7	<1	52	319	151	5.33	12	<1	<1	<1	1.02	<1	21	3.43	1133	11	14	126	470	6	7	0.07	5	26	14	<10	94	5	12	10	4109	10	<20	193	11	12	73	<1	
37352	080766	<0.005	<1	12.80	27	27	<2	<1	10.78	14	<1	92	515	340	9.82	29	5	<1	<1	<1	0.90	<1	44	4.86	2283	16	26	224	366	6	<1	0.14	11	43	14	15	172	11	21	7	8129	9	33	380	13	17	154	<1
37353	080767	<0.005	<1	8.22	14	23	<2	<1	6.93	8	<1	50	281	165	5.60	13	1	<1	1	<1	1.12	<1	28	3.32	1224	12	15	125	406	4	18	0.07	5	27	17	<10	101	6	19	9	4424	13	<20	214	11	13	70	<1
37354	080768	0.008	<1	8.44	11	27	<2	<1	5.81	7	<1	49	313	179	5.35	15	3	<1	<1	<1	1.34	<1	27	3.16	1089	13	14	125	327	2	14	0.06	8	26	13	<10	114	5	13	10	4422	11	<20	207	11	12	74	<1
37355	080769	<0.005	<1	8.22	13	27	<2	<1	5.84	8	<1	49	252	161	5.76	15	<1	<1	1	<1	1.35	<1	32	3.62	1219	13	13	119	281	5	9	0.04	9	21	10	<10	69	6	17	10	4293	7	30	197	<10	11	81	<1
37356	080770	0.978	<1	6.27	12	106	<2	<1	3.96	7	8	30	95	41	5.04	15	5	<1	2	<1	1.68	2	9	1.97	788	11	11	24	627	19	62	0.03	9	19	<5	<10	146	5	13	12	4353	10	<20	150	10	25	71	<1
37358	080771	0.010	3	7.73	15	26	<2	<1	5.18	8	<1	45	251	170	5.92	12	<1	<1	1	<1	1.34	<1	31	3.43	1288	14	12	113	434	3	7	0.08	10	17	17	<10	71	4	16	10	3787	10	<20	174	12	10	94	<1
37359	080772	<0.005	<1	9.41	21	32	<2	<1	6.65	9	<1	49	273	175	5.96	17	12	<1	<1	<1	1.49	<1	31	2.91	1309	14	15	107	453	6	20	0.09	7	27	6	<10	100	7	17	9	4789	10	<20	225	14	14	72	<1
37360	080773	<0.005	<1	8.77	16	31	<2	<1	7.23	8	<1	48	269	157	5.86	16	<1	<1	<1	1.45	<1	33	2.85	1343	13	14	104	399	8	13	0.10	9	25	6	<10	92	6	15	9	4444	11	34	208	10	13	82	<1	

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140570
Reference:
Sample #: 120

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
37361	082511	<5	<1	7.08	69	37	5	18	4.59	4	9	86	302	119	4.52	22	<1	4	6	<1	1.08	3	29	1.16	1937	11	23	153	298	13	<1	0.92	<5	20	6	<10	72	16	17	3	249	11	<20	156	<10	12	73	<1
37362	082512	19	<1	5.94	153	44	4	24	5.14	<4	<1	65	300	86	4.51	16	<1	<1	4	<1	1.02	<1	23	1.03	1661	8	13	117	114	10	<1	1.00	<5	20	8	<10	62	7	9	<1	249	6	<20	149	<10	10	59	<1
37363	082513	<5	<1	7.28	59	43	3	20	4.09	<4	<1	73	298	94	4.17	16	<1	<1	5	<1	1.18	<1	28	1.06	1565	9	13	128	385	7	<1	0.59	<5	20	10	<10	75	6	7	<1	263	9	<20	155	<10	10	56	<1
37364	082514	<5	<1	6.76	61	39	4	24	4.03	<4	<1	70	287	90	3.27	14	<1	<1	5	<1	1.17	<1	21	0.83	1415	8	10	131	270	8	<1	0.51	<5	12	15	<10	72	4	10	<1	310	7	<20	118	<10	8	42	<1
37365	082515	11	<1	8.43	69	74	4	24	4.74	<4	<1	74	322	98	4.19	18	8	<1	4	<1	1.54	<1	34	0.93	1531	10	14	135	197	4	<1	0.73	<5	23	18	<10	93	6	9	<1	633	10	25	172	62	11	54	<1
37366	082516	8	<1	7.71	76	70	3	23	4.59	<4	<1	70	311	97	3.85	17	<1	<1	6	<1	1.45	<1	30	0.90	1452	9	13	129	239	2	13	0.61	<5	36	<5	<10	85	6	2	<1	342	6	<20	157	<10	11	50	<1
37367	082517	8	<1	7.12	48	43	3	20	3.88	<4	<1	58	322	94	3.52	15	<1	<1	3	<1	1.48	<1	26	0.85	1218	11	9	110	311	8	<1	0.65	<5	20	<5	<10	77	4	12	<1	255	10	<20	115	<10	9	45	9
37368	082518	9	<1	6.69	84	33	4	23	5.07	<4	<1	69	305	72	4.26	15	<1	<1	5	<1	1.08	<1	25	1.03	1910	9	12	126	493	7	<1	0.66	<5	48	<5	<10	79	6	9	<1	284	11	26	152	<10	10	59	<1
37369	082519	17	<1	6.08	61	41	3	20	5.40	<4	<1	71	254	124	5.28	15	<1	<1	4	<1	1.23	<1	27	1.03	2052	9	12	125	141	10	6	1.36	<5	24	<5	<10	73	6	6	<1	335	8	<20	159	<10	15	68	<1
37370	082520	<5	<1	4.47	6	478	2	15	0.67	<4	52	<1	289	10	1.20	8	<1	<1	5	<1	1.83	27	24	0.33	189	11	2	4	209	20	30	0.04	<5	3	12	<10	96	2	4	17	758	7	<20	17	<10	5	35	63
37372	082521	1272	<1	6.16	309	66	3	21	5.48	<4	1	76	245	108	4.97	14	<1	<1	4	<1	1.33	<1	23	1.16	1772	9	9	131	299	9	<1	1.33	<5	16	<5	<10	71	5	8	<1	183	4	<20	125	<10	11	74	<1
37373	082522	202	1	7.64	133	94	3	21	5.04	<4	3	71	251	102	4.46	18	<1	<1	6	<1	1.89	<1	27	1.17	1919	11	12	129	<100	4	20	0.81	<5	20	<5	<10	72	6	8	<1	349	9	25	147	<10	13	63	21
37374	082523	13	<1	6.63	50	28	4	21	4.35	<4	<1	68	279	116	6.38	19	<1	<1	6	<1	1.05	<1	28	1.39	2557	11	13	124	407	10	<1	1.38	<5	24	<5	<10	68	7	5	<1	408	2	<20	169	<10	9	71	<1
37375	082524	12	<1	7.57	72	53	3	28	6.44	<4	2	72	280	117	5.25	19	<1	<1	4	<1	1.49	<1	30	1.23	2285	11	15	125	415	11	<1	1.13	<5	29	7	<10	86	6	11	<1	272	8	26	181	<10	11	60	<1
37376	082525	17	<1	8.08	81	62	3	31	5.63	<4	<1	72	308	116	4.87	20	<1	<1	4	<1	1.59	<1	30	1.15	2000	11	14	125	210	8	<1	1.03	<5	31	<5	<10	97	8	12	<1	312	4	<20	185	<10	11	57	5
37377	082526	<5	<1	8.61	62	65	3	24	4.68	<4	<1	74	305	106	4.44	21	<1	<1	4	<1	1.65	<1	33	1.10	1596	10	14	137	216	8	7	0.70	<5	29	<5	<10	98	6	11	<1	298	13	<20	177	<10	11	58	15
37378	082527	6	<1	8.00	54	57	3	21	4.99	<4	<1	65	304	97	4.29	18	<1	<1	4	<1	1.49	<1	34	1.17	1717	11	13	130	483	9	<1	0.63	<5	21	9	<10	82	5	7	<1	322	13	26	166	<10	10	60	5
37379	082528	<5	<1	7.74	58	51	4	24	5.03	<4	<1	72	265	80	3.30	17	<1	<1	5	<1	1.39	<1	32	0.88	1529	10	13	121	271	6	<1	0.53	<5	22	20	<10	85	5	7	<1	281	11	<20	154	<10	11	42	1
37380	082529	6	<1	8.10	53	50	3	24	5.16	<4	<1	76	262	129	5.61	20	<1	<1	4	<1	1.49	<1	39	1.38	2014	13	15	140	255	13	3	1.10	<5	26	<5	<10	77	6	9	<1	289	10	27	187	<10	11	77	26
37381	082530	7	<1	8.43	65	66	3	25	5.00	<4	3	80	329	102	3.88	20	<1	<1	5	<1	1.79	<1	35	1.07	1526	12	14	139	393	6	3	0.50	<5	30	19	<10	89	7	7	<1	262	10	<20	179	<10	12	58	36

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140570
Reference:
Sample #: 120

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
37382D	082530	6	<1	8.19	59	63	3	21	4.89	<4	3	71	325	101	3.77	18	<1	<1	3	<1	1.70	<1	34	1.04	1498	11	14	135	441	7	<1	0.49	<5	30	9	<10	87	5	11	<1	254	10	<20	175	<10	12	55	19
37383	082531	7	<1	8.23	80	58	4	22	5.18	<4	5	76	317	87	3.88	19	6	<1	5	<1	1.81	<1	28	1.03	1750	11	13	135	318	7	23	0.51	<5	26	13	<10	91	6	11	<1	293	12	<20	163	<10	13	53	28
37384	082532	8	<1	8.18	54	55	4	26	4.73	<4	3	78	337	110	4.68	20	<1	<1	5	<1	1.77	<1	30	1.13	1635	12	14	147	221	10	7	0.78	<5	31	8	<10	84	5	9	<1	300	9	<20	173	<10	14	74	28
37385	082533	10	<1	7.81	66	59	3	24	5.00	<4	3	70	330	88	3.91	19	<1	<1	5	<1	1.65	<1	28	0.97	1748	11	13	126	429	9	<1	0.63	<5	29	14	<10	89	5	10	<1	435	11	<20	166	<10	13	50	5
37386	082534	11	<1	8.81	74	61	3	26	4.97	<4	5	74	334	94	4.41	22	13	<1	5	<1	1.76	<1	31	1.11	1867	12	16	134	127	9	6	0.79	<5	32	15	<10	101	6	10	<1	512	13	<20	193	<10	13	71	44
37387	082535	12	<1	7.92	77	53	4	23	5.10	<4	3	74	325	97	4.50	18	<1	<1	5	<1	1.50	<1	29	1.12	1955	10	15	137	392	7	<1	0.77	<5	31	13	<10	91	5	10	<1	429	6	20	184	<10	13	68	<1
37388	082536	11	<1	6.27	67	36	3	24	4.44	<4	<1	74	285	97	4.51	16	<1	<1	4	<1	1.06	<1	25	1.12	1800	9	13	140	<100	8	<1	0.59	<5	25	6	<10	67	5	5	<1	354	9	<20	164	<10	11	70	<1
37389	082537	14	<1	8.99	85	71	3	27	4.51	<4	3	76	323	115	4.34	22	<1	2	5	<1	1.77	<1	34	1.10	1648	14	15	137	443	7	6	0.57	<5	26	5	<10	100	6	11	<1	558	14	<20	186	<10	11	68	99
37390	082538	14	<1	9.10	91	78	3	26	4.23	<4	3	76	335	99	3.39	20	<1	<1	6	<1	1.67	<1	34	0.91	1351	13	15	137	<100	4	3	0.50	<5	30	19	<10	112	6	9	<1	315	7	<20	194	<10	12	60	72
37391	082539	25	<1	7.55	90	59	3	25	5.96	<4	5	73	296	194	3.92	18	<1	<1	4	<1	1.54	<1	32	0.97	1853	10	13	280	249	8	<1	0.74	<5	27	8	<10	90	6	8	<1	225	7	28	169	<10	13	149	<1
37392	082540	14150	6	5.20	22	377	3	17	2.03	<4	<1	29	61	115	3.44	15	<1	<1	4	<1	2.04	<1	13	1.03	455	18	8	34	637	30	376	0.59	<5	10	<5	<10	80	4	7	<1	2921	4	<20	85	<10	13	146	12
37394	082541	372	<1	6.66	95	77	3	20	9.81	<4	5	56	225	59	2.00	13	2	<1	4	<1	1.91	<1	30	0.51	1965	12	9	93	284	5	18	0.79	<5	21	13	<10	101	5	7	<1	285	11	<20	114	297	10	20	28
37395	082542	16	<1	7.08	155	69	3	24	6.10	<4	3	81	220	91	2.54	14	<1	<1	4	<1	1.75	<1	31	0.77	1334	10	12	147	280	4	9	0.23	<5	24	15	<10	81	5	10	<1	205	7	<20	146	15	11	62	15
37396	082543	20	<1	7.02	68	50	3	19	5.04	<4	2	67	230	106	4.02	17	<1	<1	4	<1	1.59	<1	29	0.96	1619	11	12	124	230	7	<1	0.66	<5	21	6	<10	70	4	9	<1	486	8	<20	156	<10	12	81	18
37397	082544	12	<1	5.90	152	57	3	20	4.13	<4	2	68	218	119	1.28	8	3	<1	4	<1	1.37	<1	22	0.45	784	8	10	122	545	4	<1	0.09	<5	13	18	<10	73	3	7	<1	149	16	<20	124	<10	11	57	<1
37398	082545	13	<1	8.16	91	73	2	25	4.85	<4	2	67	255	125	3.07	17	7	<1	5	<1	1.73	<1	38	0.77	1022	12	15	122	583	3	<1	0.60	<5	20	14	<10	92	6	13	<1	403	4	<20	188	<10	13	85	52
37399	082546	9	<1	7.52	65	67	4	23	5.47	<4	4	71	233	107	3.27	16	8	<1	4	<1	1.67	<1	34	0.87	1384	12	14	114	315	4	<1	0.38	<5	26	10	<10	81	5	8	<1	293	5	<20	172	<10	12	54	27
37400	082547	10	<1	8.03	106	81	2	20	4.61	<4	4	77	236	115	1.39	15	3	2	6	<1	1.73	<1	34	0.49	657	12	13	147	424	5	<1	0.17	<5	20	24	<10	102	4	11	<1	212	8	<20	166	<10	11	27	58
37401	082548	5	<1	7.23	92	73	3	27	4.40	<4	2	78	227	75	1.50	14	5	<1	6	<1	1.72	<1	30	0.50	674	10	12	147	596	3	3	0.17	<5	21	27	<10	88	4	9	<1	190	8	<20	154	<10	10	36	27
37402	082549	<5	<1	5.77	54	49	3	22	4.71	<4	<1	74	211	88	2.41	12	<1	<1	4	<1	1.16	<1	26	0.57	1032	7	11	133	455	6	<1	0.47	<5	23	12	<10	71	3	6	<1	141	5	<20	141	<10	9	42	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140570
Reference:
Sample #: 120

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37403	082550	<5	<1	5.23	6	610	2	18	0.66	<4	74	<1	251	8	1.09	9	3	3	6	<1	2.10	41	27	0.35	163	14	2	3	331	25	30	0.02	<5	2	11	<10	98	<1	5	26	733	6	<20	16	<10	6	32	138
37405	082551	<5	<1	8.53	49	76	3	25	5.05	<4	4	81	245	113	3.76	21	10	1	6	<1	2.03	<1	40	0.94	1338	14	13	131	212	10	<1	0.70	<5	28	13	<10	88	5	11	<1	279	11	<20	171	<10	13	50	94
37406	082552	<5	<1	8.63	50	76	3	24	5.04	<4	3	75	271	86	2.93	18	8	1	4	<1	1.90	<1	36	0.80	1287	11	15	121	438	5	1	0.33	<5	26	25	<10	98	5	12	<1	369	7	<20	185	<10	12	37	47
37407	082553	<5	<1	8.66	46	56	3	25	5.64	<4	3	68	292	82	3.41	20	3	<1	6	<1	1.75	<1	27	0.93	1530	12	14	115	493	10	10	0.52	<5	27	14	<10	91	5	9	<1	470	4	<20	173	<10	12	39	62
37408	082554	<5	<1	7.25	44	61	3	21	5.51	<4	4	71	228	84	3.83	17	<1	1	6	<1	1.74	<1	37	1.04	1766	12	12	122	364	9	<1	0.54	<5	21	16	<10	64	5	9	<1	235	8	<20	146	<10	12	49	52
37409	082555	<5	<1	4.45	46	31	3	18	5.31	<4	1	70	206	86	3.83	12	<1	<1	4	<1	0.68	<1	26	0.96	1782	6	9	124	352	7	<1	0.54	<5	18	<5	<10	41	4	<1	<1	129	11	<20	125	<10	9	50	<1
37410	082556	<5	<1	6.35	46	46	3	22	3.53	<4	<1	73	254	79	3.45	13	<1	<1	4	<1	1.26	<1	22	0.87	1318	8	10	125	314	5	<1	0.65	<5	15	12	<10	61	4	6	<1	338	6	<20	125	<10	9	46	<1
37411	082557	9	<1	6.18	44	27	3	22	3.19	<4	<1	67	250	315	6.32	17	<1	<1	4	<1	1.02	<1	23	1.26	1892	10	14	108	113	7	<1	1.84	<5	21	<5	<10	54	7	1	<1	628	14	<20	174	<10	11	76	<1
37412	082558	20	<1	5.53	37	31	5	28	5.25	7	2	96	186	856	16.83	34	<1	<1	3	<1	1.34	<1	23	1.61	2847	21	15	77	142	22	<1	8.34	<5	30	18	<10	30	16	12	<1	646	4	36	218	<10	14	102	<1
37413	082559	7	<1	7.11	52	45	3	25	3.71	<4	<1	81	241	122	6.05	18	<1	<1	3	<1	1.39	<1	25	1.22	2495	12	13	106	272	11	<1	1.81	<5	18	5	<10	65	7	9	<1	1539	19	<20	166	<10	12	69	<1
37414	082560	<5	<1	5.81	42	29	3	19	4.07	<4	<1	67	250	86	5.22	15	<1	<1	4	<1	0.89	<1	31	1.19	2286	9	11	111	313	7	<1	0.96	<5	17	7	<10	52	6	3	<1	744	12	<20	154	<10	11	64	<1
37415D	082560	5	<1	7.26	45	43	3	24	4.44	<4	3	73	264	87	5.44	19	4	<1	4	<1	1.36	<1	37	1.26	2450	12	13	117	511	8	<1	1.02	<5	21	7	<10	66	7	8	<1	933	12	<20	170	<10	13	66	<1
37416	082561	11	<1	7.62	47	47	4	27	5.31	<4	1	65	380	233	8.02	23	<1	<1	4	<1	1.51	<1	28	1.39	2293	14	16	107	156	14	<1	2.66	<5	32	8	<10	71	8	9	<1	541	16	<20	203	132	14	80	10
37417	082562	<5	<1	8.98	61	66	3	23	4.06	<4	1	80	445	108	4.03	19	3	<1	4	<1	1.79	<1	29	1.05	1323	13	13	134	275	8	6	0.77	<5	23	13	<10	90	5	10	<1	396	10	<20	161	<10	10	69	68
37418	082563	8	<1	7.95	54	56	4	24	4.60	<4	<1	80	400	122	4.79	19	<1	<1	5	<1	1.64	<1	28	0.99	1619	12	13	131	<100	10	<1	1.13	<5	25	10	<10	89	6	11	<1	395	5	<20	164	<10	10	60	6
37419	082564	6	<1	6.99	36	52	3	24	5.00	<4	2	70	275	140	4.99	17	3	<1	4	<1	1.56	<1	34	1.08	1898	12	12	119	254	9	<1	1.19	<5	27	<5	<10	73	6	9	<1	245	4	<20	151	23	11	59	1
37420	082565	8	<1	6.99	35	49	4	21	4.77	<4	<1	71	287	135	5.09	18	<1	<1	5	<1	1.40	<1	34	1.14	1882	12	12	129	258	8	<1	1.07	<5	26	13	<10	73	4	7	<1	230	13	21	155	<10	10	63	<1
37421	082566	11	<1	5.51	32	63	4	19	4.23	<4	9	67	314	142	4.60	17	1	2	5	<1	1.43	3	23	0.97	1585	27	18	118	261	8	<1	1.03	<5	21	<5	<10	50	13	13	<1	201	10	<20	126	<10	12	55	<1
37422	082567	194	<1	8.24	76	100	3	21	5.65	<4	4	59	406	124	4.60	21	<1	<1	4	<1	2.23	<1	23	0.93	1773	18	13	99	359	4	<1	1.38	<5	24	6	<10	79	5	10	<1	310	7	<20	164	<10	12	45	83
37423	082568	8	<1	8.58	35	72	3	23	5.05	<4	6	70	289	109	4.83	23	5	<1	4	<1	1.99	<1	27	1.07	1910	12	17	117	361	6	<1	1.02	<5	29	14	<10	91	8	4	<1	353	9	<20	196	<10	15	58	28

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140570
Reference:
Sample #: 120

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37424	082569	12	<1	7.06	20	41	4	20	4.68	<4	2	77	298	204	7.23	22	8	<1	4	<1	1.54	<1	25	1.12	2092	13	12	130	378	11	10	2.30	<5	24	8	<10	71	8	5	<1	336	8	<20	163	<10	13	71	13
37425	082570	1037	<1	5.09	5	81	3	21	2.69	<4	12	35	69	35	3.91	15	<1	<1	4	<1	1.84	2	12	1.50	625	12	11	15	651	12	9	0.07	<5	14	<5	<10	85	5	3	<1	3840	3	<20	123	<10	22	68	44
37427	082571	9	<1	6.37	48	56	3	22	4.48	<4	4	72	287	196	3.99	16	<1	<1	5	<1	1.30	<1	28	0.83	1547	11	12	125	508	9	<1	0.81	<5	26	10	<10	70	5	6	<1	218	10	21	149	<10	11	60	<1
37428	082572	10	<1	6.29	51	44	4	18	4.69	<4	1	72	298	88	3.55	14	<1	<1	5	<1	1.20	<1	29	0.80	1465	8	12	123	410	6	4	0.75	<5	32	7	<10	70	4	6	<1	192	11	<20	150	<10	10	55	<1
37429	082573	<5	<1	7.17	61	53	3	23	5.11	<4	4	77	306	86	3.75	16	<1	<1	6	<1	1.41	<1	33	0.97	1550	9	13	135	441	6	<1	0.67	<5	26	11	<10	78	5	8	<1	191	6	<20	164	<10	13	57	<1
37430	082574	<5	<1	7.72	55	56	3	25	5.26	<4	2	76	297	95	4.09	17	<1	<1	6	<1	1.61	<1	35	1.02	1679	11	13	131	<100	6	<1	0.75	<5	26	<5	<10	79	5	9	<1	222	13	<20	167	<10	14	60	3
37431	082575	<5	<1	6.77	51	71	3	22	6.89	<4	2	50	387	46	2.44	14	<1	<1	4	<1	1.62	<1	28	0.67	2048	10	11	97	424	5	<1	0.33	<5	22	13	<10	74	5	6	<1	204	5	<20	143	<10	11	35	2
37432	082576	7	<1	6.21	59	48	3	19	4.83	<4	2	71	255	81	2.66	12	<1	<1	4	<1	1.23	<1	27	0.70	1186	8	11	119	380	7	<1	0.45	<5	27	12	<10	71	4	6	<1	163	7	<20	140	<10	10	40	<1
37433	082577	<5	<1	6.95	50	56	2	15	4.92	<4	3	71	240	86	3.14	14	9	<1	4	<1	1.40	<1	32	0.79	1376	9	12	119	266	6	1	0.51	<5	24	7	<10	75	3	9	<1	207	9	<20	153	<10	11	50	<1
37434	082578	<5	<1	7.39	44	48	3	19	4.36	<4	<1	73	316	121	4.15	18	<1	<1	4	<1	1.21	<1	29	1.02	1274	9	16	141	442	2	<1	0.59	<5	27	17	<10	81	4	10	<1	207	5	<20	204	<10	10	73	<1
37435	082579	18	<1	6.52	112	63	3	18	3.74	<4	<1	78	278	113	1.75	12	<1	<1	5	<1	1.29	<1	32	0.54	705	7	12	136	293	7	<1	0.18	<5	16	14	<10	80	4	4	<1	171	4	<20	154	<10	10	35	<1
37436	082580	<5	<1	5.31	11	645	3	17	0.68	<4	82	<1	481	12	1.29	9	2	3	5	<1	2.13	45	26	0.33	183	13	2	8	508	24	30	0.02	<5	2	18	<10	107	2	3	32	732	5	<20	17	<10	6	30	115
37438	082581	8	<1	5.84	82	81	2	21	3.14	<4	<1	46	378	51	1.34	10	<1	<1	6	<1	1.49	<1	23	0.41	552	9	10	95	<100	5	<1	0.11	<5	15	17	<10	63	2	8	<1	185	7	<20	126	<10	8	19	<1
37439	082582	11	<1	7.33	104	73	3	17	4.25	<4	4	66	266	92	1.86	15	<1	<1	6	<1	1.56	<1	33	0.60	763	10	12	131	581	5	<1	0.27	<5	17	13	<10	89	3	9	<1	184	9	<20	151	22	11	23	11
37440	082583	11	<1	7.07	97	68	3	22	4.49	<4	4	69	264	99	1.77	12	<1	<1	6	<1	1.40	<1	33	0.61	837	8	12	117	693	5	<1	0.17	<5	22	18	<10	92	3	7	<1	168	12	<20	149	<10	11	21	<1
37441	082584	11	<1	7.54	123	69	3	21	4.88	<4	7	66	250	98	2.22	14	6	<1	5	<1	1.58	<1	36	0.80	847	11	12	114	505	5	<1	0.38	<5	34	21	<10	89	4	2	<1	189	7	<20	152	<10	14	36	49
37442	082585	8	<1	7.78	214	76	3	20	4.50	<4	4	76	277	66	1.01	13	<1	<1	4	<1	1.63	<1	35	0.56	487	11	13	139	356	6	<1	0.07	<5	33	20	<10	98	3	8	<1	187	8	<20	156	<10	12	29	43
37443	082586	6	<1	6.73	178	63	2	20	4.35	<4	3	72	250	50	1.16	11	<1	<1	5	<1	1.37	<1	33	0.61	529	9	11	128	367	1	<1	0.05	<5	31	14	<10	84	2	6	<1	155	10	<20	138	<10	12	33	<1
37444	082587	<5	<1	7.38	198	68	2	23	4.68	<4	4	67	270	31	1.04	14	4	<1	5	<1	1.63	<1	32	0.50	545	10	12	129	422	4	<1	0.06	<5	22	22	<10	94	3	8	<1	170	8	<20	146	<10	12	30	20
37445	082588	10	<1	7.18	93	67	4	22	4.62	<4	3	71	252	112	2.36	14	7	<1	5	<1	1.67	<1	30	0.55	966	11	12	128	295	6	<1	0.51	<5	27	18	<10	86	3	9	<1	457	8	<20	151	<10	12	43	28

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140570
Reference:
Sample #: 120

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
37446	082589	11	<1	7.21	53	61	4	19	4.92	<4	3	74	250	184	4.18	17	3	<1	5	<1	1.64	<1	32	0.68	1250	11	12	136	<100	8	<1	1.19	<5	21	7	<10	82	5	13	<1	536	6	<20	160	<10	15	72	31
37447	082590	22	<1	6.25	73	57	3	18	5.47	<4	3	69	240	125	2.47	14	<1	<1	4	<1	1.42	<1	27	0.56	1087	8	13	134	305	5	<1	0.44	<5	18	11	<10	82	4	4	<1	342	6	<20	157	<10	12	49	<1
37448D	082590	20	<1	6.81	74	63	3	22	5.50	<4	5	69	250	122	2.47	15	1	<1	5	<1	1.63	<1	29	0.57	1096	10	13	136	559	5	<1	0.45	<5	19	11	<10	90	4	4	<1	392	10	<20	166	<10	12	50	8
37449	082591	23	<1	6.49	83	74	3	20	5.40	<4	4	68	220	100	2.81	15	<1	<1	5	<1	1.81	<1	23	0.63	1097	11	12	132	538	8	<1	0.57	<5	15	7	<10	73	4	5	<1	401	4	<20	150	14	13	45	16
37450	082592	144	<1	7.68	149	113	4	21	5.87	<4	6	63	241	96	2.07	15	4	<1	4	<1	1.93	<1	23	0.51	925	11	12	120	504	7	10	0.58	<5	26	12	<10	100	4	12	<1	419	10	<20	145	<10	13	29	43
37451	082593	12	<1	6.30	65	56	3	20	4.34	<4	2	60	238	99	2.62	12	<1	<1	4	<1	1.35	<1	24	0.52	876	8	12	126	492	7	<1	0.60	<5	14	8	<10	87	4	10	<1	713	4	<20	149	<10	11	33	<1
37452	082594	12	<1	8.84	77	88	3	22	5.00	<4	5	77	287	141	3.38	21	2	2	4	<1	1.83	<1	39	0.64	1215	13	16	135	316	4	<1	0.87	<5	24	20	<10	106	6	14	<1	976	11	<20	202	<10	13	37	75
37453	082595	8	<1	8.69	69	82	3	22	5.38	<4	5	68	256	144	3.42	19	<1	1	5	<1	1.72	<1	38	0.64	1281	12	16	136	<100	5	<1	0.89	<5	22	11	<10	103	6	13	<1	980	9	<20	194	<10	13	42	75
37454	082596	18	<1	8.55	141	88	3	26	4.90	<4	5	64	276	97	1.60	17	10	1	6	<1	1.75	<1	41	0.50	736	10	15	128	383	3	<1	0.27	<5	21	12	<10	114	4	11	<1	242	7	<20	186	13	12	33	45
37455	082597	12	<1	9.08	109	84	3	20	4.38	<4	3	67	317	111	2.06	18	<1	<1	6	<1	1.60	<1	32	0.59	723	10	16	132	432	7	<1	0.30	<5	23	22	<10	115	5	15	<1	294	6	<20	202	<10	12	33	18
37456	082598	6	<1	9.70	116	81	2	25	4.50	<4	7	69	345	114	2.46	20	2	1	5	<1	1.64	<1	30	0.73	881	11	16	126	434	7	<1	0.34	<5	24	31	<10	120	4	16	<1	394	10	<20	197	<10	14	38	48
37457	082599	7	<1	9.79	134	85	3	28	4.34	<4	5	71	329	109	2.11	19	<1	<1	5	<1	1.63	<1	27	0.57	867	10	15	135	523	5	<1	0.32	<5	17	16	<10	123	5	16	<1	666	9	<20	178	<10	11	36	26
37458	082600	13849	6	6.28	24	379	3	18	2.33	<4	<1	31	70	119	3.70	17	<1	<1	3	<1	2.14	<1	15	1.13	496	18	8	36	717	35	464	0.61	<5	10	8	<10	99	3	9	<1	3178	8	<20	92	<10	14	149	28
37460	082601	<5	<1	7.98	43	63	3	28	3.97	<4	2	75	326	133	4.48	18	<1	<1	5	<1	1.49	<1	27	0.76	1546	10	13	142	279	8	<1	1.08	<5	15	10	<10	96	5	13	<1	1029	10	<20	166	<10	13	48	3
37461	082602	<5	<1	8.35	45	85	3	26	3.79	<4	2	83	332	95	3.88	19	<1	<1	3	<1	1.71	<1	26	0.73	1348	11	13	154	440	8	<1	0.88	<5	15	19	<10	87	6	11	<1	789	10	<20	159	<10	11	43	31
37462	082603	10	<1	7.23	20	39	4	26	3.95	4	1	80	282	300	10.16	26	<1	<1	5	<1	1.26	<1	24	1.31	2568	15	17	133	554	19	<1	3.54	<5	25	<5	<10	65	9	13	<1	1167	13	<20	212	<10	17	100	<1
37463	082604	<5	<1	8.78	39	73	3	27	4.63	<4	7	90	299	129	5.19	22	<1	<1	5	<1	1.69	<1	31	1.01	1725	13	15	150	267	7	<1	1.13	<5	25	17	<10	95	6	10	<1	1033	3	<20	183	<10	14	58	26
37464	082605	6	<1	8.44	36	86	3	24	4.44	<4	4	84	281	118	4.60	21	<1	<1	4	<1	1.66	<1	31	0.89	1595	11	14	133	350	10	2	1.07	<5	24	9	<10	92	6	13	<1	950	9	<20	177	<10	13	50	16
37465	082606	31	<1	8.15	46	74	3	22	4.84	<4	6	78	273	162	4.28	20	<1	<1	5	<1	1.52	<1	34	0.85	1563	11	16	138	354	7	<1	0.95	<5	29	18	<10	99	6	13	<1	810	6	<20	199	<10	13	48	<1
37466	082607	37	1	7.88	54	80	3	27	5.36	<4	5	68	237	178	6.86	24	<1	<1	3	<1	1.81	<1	26	1.18	1713	14	18	114	878	12	<1	2.48	<5	28	<5	<10	73	7	11	<1	1125	13	25	226	30	18	72	46

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140570
Reference:
Sample #: 120

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
37467	082608	33	<1	7.83	61	77	4	27	5.22	4	3	63	250	186	8.28	25	<1	<1	5	<1	1.65	<1	27	1.30	1735	14	20	105	299	12	<1	3.05	<5	33	<5	<10	72	10	17	<1	1365	14	<20	261	37	21	86	10
37468	082609	<5	<1	8.05	50	80	4	30	4.26	4	4	97	268	261	9.61	27	<1	<1	5	<1	1.80	<1	33	1.39	1719	15	22	136	294	14	5	3.67	<5	37	<5	<10	70	9	17	<1	1296	6	<20	273	11	24	105	34
37469	082610	954	<1	5.60	5	89	4	22	3.01	<4	13	41	79	38	4.40	18	<1	1	4	<1	1.91	3	12	1.70	710	12	12	17	460	13	24	0.08	<5	16	11	<10	99	5	15	<1	4220	14	<20	138	<10	24	71	50
37471	082611	9	<1	7.66	39	60	3	26	4.74	<4	5	77	244	123	5.75	24	<1	<1	6	<1	1.76	<1	35	1.22	1613	12	17	135	533	5	<1	1.28	<5	28	12	<10	76	6	14	<1	847	8	50	205	<10	15	70	26
37472	082612	8	<1	7.28	46	68	4	24	5.07	<4	6	70	232	84	4.13	19	<1	<1	3	<1	1.61	<1	29	0.98	1668	11	13	127	626	9	<1	0.91	<5	25	21	<10	79	5	10	<1	284	5	<20	172	<10	15	47	7
37473	082613	21	<1	7.55	41	75	4	23	4.87	<4	7	73	275	150	5.28	20	3	<1	4	<1	1.61	<1	29	1.07	1666	12	16	128	632	10	<1	1.24	<5	30	12	<10	82	6	11	<1	502	13	<20	204	<10	15	59	21
37474	082614	12	<1	6.80	54	86	5	25	4.95	<4	12	76	282	95	3.92	21	4	4	5	<1	1.69	3	27	0.85	1479	12	21	124	390	16	8	0.95	<5	23	<5	10	79	13	16	<1	405	12	<20	165	<10	13	51	5
37475	082615	<5	<1	4.98	28	50	3	18	5.76	<4	2	31	377	39	2.19	11	<1	<1	6	<1	1.41	<1	19	0.54	1565	9	8	58	<100	5	<1	0.40	<5	13	7	<10	63	4	6	<1	154	14	<20	91	<10	9	16	<1
37476	082616	5	<1	5.75	7	628	3	19	0.81	<4	74	<1	275	8	1.12	10	<1	2	5	<1	1.91	38	26	0.33	185	12	2	3	430	23	8	0.03	<5	2	16	<10	127	<1	5	23	754	3	<20	15	<10	6	30	92
37477	082617	9	<1	7.27	39	57	3	26	5.33	<4	5	70	242	83	4.50	19	<1	<1	5	<1	1.46	<1	34	1.12	1868	10	15	126	377	11	<1	0.88	<5	26	16	<10	80	5	7	<1	200	10	22	184	<10	14	52	<1
37478	082618	13298	5	4.85	25	376	4	21	2.02	<4	<1	30	64	119	3.59	12	<1	<1	5	<1	1.75	<1	12	1.04	480	17	8	36	707	31	334	0.61	<5	10	<5	<10	79	4	8	<1	2795	4	<20	86	<10	14	145	<1
37479	082619	12	<1	7.31	36	53	3	20	5.43	<4	6	74	231	113	4.75	21	<1	<1	6	<1	1.39	<1	32	1.02	1978	10	14	122	363	12	<1	1.14	<5	26	<5	<10	87	6	15	<1	341	3	20	177	<10	15	52	<1
37480	082620	16	<1	7.71	41	53	4	28	5.16	<4	6	79	287	57	6.39	25	<1	<1	3	<1	1.29	<1	39	1.44	2154	11	18	139	431	12	<1	0.94	<5	29	<5	<10	80	7	15	<1	682	11	<20	231	<10	16	108	<1
37481D	082620	10	<1	8.46	38	58	3	28	5.41	<4	7	79	300	58	6.66	27	<1	<1	5	<1	1.47	<1	42	1.50	2231	12	20	144	377	15	<1	0.99	<5	30	<5	<10	90	8	19	<1	804	15	<20	246	<10	17	115	<1
37482	082621	8	<1	7.46	35	54	3	28	4.45	<4	5	80	232	99	4.41	19	<1	<1	4	<1	1.44	<1	33	1.00	1604	10	14	130	723	10	<1	0.87	<5	24	11	<10	86	7	9	<1	290	14	<20	173	<10	14	50	<1
37483	082622	<5	<1	7.30	19	53	3	25	4.88	<4	6	68	240	128	5.02	21	4	<1	4	<1	1.44	<1	32	1.09	1822	11	15	125	522	9	<1	1.11	<5	26	<5	<10	82	7	9	<1	212	8	<20	193	<10	14	50	7
37484	082623	36	<1	6.29	25	43	4	22	4.09	<4	2	73	220	106	4.68	17	<1	<1	3	<1	1.19	<1	27	0.98	1570	9	13	130	117	9	<1	1.18	<5	21	8	<10	73	6	5	<1	207	3	<20	164	<10	12	47	<1
37485	082624	17	<1	5.61	24	37	3	23	3.90	<4	2	74	214	109	4.60	16	<1	<1	3	<1	0.93	<1	25	0.96	1550	8	13	131	504	4	<1	1.10	<5	21	<5	<10	65	4	7	<1	178	7	<20	162	<10	11	50	<1
37486	082625	13	<1	5.57	20	47	3	23	4.27	<4	3	55	263	124	4.23	14	<1	<1	5	<1	1.28	<1	21	0.83	1485	10	11	93	229	10	<1	1.10	<5	19	<5	<10	62	5	8	<1	490	9	<20	141	<10	11	46	<1
37487	082626	30	<1	6.22	35	59	4	24	4.28	<4	5	68	191	124	4.52	17	<1	<1	4	<1	1.39	<1	22	0.83	1425	10	13	107	532	8	<1	1.57	<5	22	<5	<10	73	5	3	<1	595	5	<20	159	<10	13	46	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. BSc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, February 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/18/2011
Job #: 201140570
Reference:
Sample #: 120

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37488	082627	<5	<1	4.00	6	490	2	18	0.53	<4	74	<1	334	10	1.23	6	<1	1	5	<1	1.73	40	24	0.31	191	11	2	4	234	23	29	0.04	<5	2	5	<10	80	<1	3	22	726	5	<20	17	<10	5	30	55
37489	082628	51	<1	4.34	35	55	3	21	4.92	<4	<1	30	266	46	2.41	10	<1	<1	3	<1	1.40	<1	16	0.42	1019	11	6	57	622	9	<1	1.05	<5	11	8	<10	61	4	9	<1	257	5	<20	74	<10	6	15	<1
37490	082629	165	<1	4.81	67	72	3	20	7.11	<4	2	54	237	57	3.30	12	<1	<1	4	<1	1.48	<1	19	0.28	1337	17	6	73	441	7	<1	2.45	<5	14	<5	<10	76	4	10	<1	197	18	<20	80	<10	8	2	<1
37491	082630	522	<1	1.65	32	24	2	8	3.50	<4	2	16	139	91	1.63	4	<1	<1	3	<1	0.63	<1	6	0.14	635	6	2	28	418	6	<1	1.14	<5	5	<5	<10	24	2	3	<1	<100	3	<20	23	<10	3	26	<1
37492R	082630	477	<1	3.84	80	49	4	20	6.71	<4	<1	32	322	50	3.89	9	<1	<1	4	<1	1.40	<1	14	0.30	1237	13	3	55	418	8	<1	3.12	<5	10	<5	<10	49	4	5	<1	136	6	<20	47	23	6	24	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/15/2011
Job #: 201140571
Reference:
Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37493	080451	0.720	<1	2.33	311	28	7	32	0.33	13	<1	75	225	60	25.76	40	<1	<1	5	<1	1.25	<1	8	0.11	184	31	<1	24	<100	44	<1	>10.00	30	<1	6	<10	17	15	21	<1	<100	27	51	6	<10	2	81	<1
37494	080452	0.015	<1	5.87	69	65	4	25	1.20	4	<1	131	186	135	9.83	24	<1	<1	4	<1	1.01	<1	29	1.67	3084	13	15	121	287	13	<1	1.84	<5	28	<5	<10	40	9	8	<1	132	7	24	192	<10	4	252	<1
37495	080453	0.016	<1	5.81	71	70	4	21	0.88	4	<1	133	173	129	9.44	23	<1	<1	4	<1	1.14	<1	27	1.44	3112	13	14	120	462	16	<1	1.13	<5	27	5	<10	40	8	5	<1	157	11	<20	183	<10	5	278	<1
37496	080454	0.029	<1	6.20	56	49	3	25	1.05	5	<1	124	203	159	10.56	26	<1	<1	4	<1	0.78	<1	35	2.25	1928	13	18	127	598	16	<1	2.42	5	31	<5	<10	33	11	10	<1	308	5	<20	225	<10	4	223	<1
37497	080455	0.026	<1	7.86	60	73	4	27	1.19	5	<1	134	213	171	10.66	28	10	<1	5	<1	1.47	<1	40	2.31	2066	16	19	135	590	22	<1	2.34	<5	34	11	<10	48	8	10	<1	431	9	21	241	<10	5	225	7
37498	080456	0.005	<1	5.79	60	77	3	21	1.94	<4	<1	92	167	146	5.57	18	<1	<1	4	<1	1.13	<1	27	1.61	1873	9	15	100	460	9	<1	0.29	<5	26	<5	<10	47	6	5	<1	122	8	<20	185	<10	4	126	<1
37499	080457	0.008	<1	6.39	44	60	3	23	1.12	<4	<1	99	169	131	7.85	23	<1	<1	4	<1	1.05	<1	35	1.97	2153	11	17	115	<100	9	<1	0.55	<5	28	<5	<10	40	7	6	<1	134	8	<20	208	<10	4	202	<1
37500	080458	0.007	<1	5.25	42	45	3	20	3.69	<4	<1	88	167	125	6.40	19	<1	<1	6	<1	0.77	<1	28	1.90	1553	8	15	99	460	8	<1	0.63	<5	27	<5	<10	44	6	4	<1	105	11	<20	194	<10	4	132	<1
37501	080459	<0.005	<1	5.56	41	44	4	23	3.45	<4	<1	85	176	132	6.01	20	<1	<1	5	<1	0.92	<1	28	1.79	1639	9	17	100	735	6	<1	0.36	<5	28	<5	<10	44	8	6	<1	111	5	<20	206	<10	4	126	<1
37502	080460	<0.005	<1	5.50	32	41	4	21	2.61	<4	<1	74	194	142	5.58	18	<1	<1	6	<1	0.85	<1	27	1.66	955	9	16	99	322	9	<1	0.30	<5	27	<5	<10	44	6	3	<1	108	2	<20	207	<10	4	117	<1
37503D	080460	<0.005	<1	5.80	28	47	4	22	2.46	<4	<1	67	181	133	5.18	19	<1	<1	3	<1	1.05	<1	27	1.57	884	9	16	92	583	8	<1	0.27	<5	27	<5	<10	47	4	2	<1	127	5	<20	199	<10	4	106	<1
37504	080461	<0.005	<1	5.70	39	44	4	21	3.47	<4	<1	80	167	136	5.16	18	7	<1	5	<1	1.07	<1	28	1.62	1327	9	16	93	410	9	<1	0.20	<5	27	<5	<10	48	5	3	<1	122	14	<20	197	<10	4	108	<1
37505	080462	<0.005	<1	7.15	33	63	4	23	3.57	<4	<1	80	180	131	4.71	17	<1	<1	5	<1	1.43	<1	30	1.64	1230	10	17	90	547	9	<1	0.25	<5	27	6	<10	66	6	11	<1	158	10	<20	209	<10	4	89	13
37506	080463	<0.005	<1	5.81	26	43	4	19	5.43	<4	1	60	162	115	4.45	17	<1	<1	6	<1	1.04	<1	27	1.54	1353	8	16	80	532	11	<1	0.21	6	27	7	<10	57	6	4	<1	123	15	<20	193	<10	4	77	<1
37507	080464	<0.005	<1	6.48	29	48	4	21	5.90	<4	<1	74	166	122	5.06	20	<1	<1	4	<1	1.04	<1	28	1.60	1414	8	17	85	494	3	<1	0.34	<5	30	10	<10	65	6	8	<1	141	21	<20	212	<10	4	89	<1
37508	080465	0.006	<1	6.50	27	45	4	22	6.14	<4	2	76	166	125	5.50	20	<1	<1	4	<1	1.00	<1	29	1.70	1469	8	17	86	679	8	<1	0.48	<5	30	<5	<10	63	6	8	<1	133	10	<20	214	<10	4	94	<1
37509	080466	0.007	<1	6.24	24	35	4	20	5.04	<4	<1	66	168	112	5.33	20	<1	<1	4	<1	1.03	<1	29	1.73	1261	9	17	87	315	9	<1	0.35	<5	28	<5	<10	46	7	7	<1	144	12	<20	215	<10	5	97	<1
37510	080467	0.007	<1	4.95	28	34	4	22	4.52	<4	<1	74	168	123	5.40	19	<1	<1	4	<1	0.56	<1	27	1.74	1200	6	17	92	<100	8	<1	0.36	<5	28	<5	<10	44	7	4	<1	<100	25	<20	208	<10	4	101	<1
37511	080468	0.007	<1	5.72	34	38	3	23	5.43	<4	<1	69	163	119	5.20	18	<1	<1	4	<1	0.87	<1	28	1.74	1301	8	17	91	435	9	<1	0.21	<5	28	12	<10	45	5	5	<1	115	23	<20	207	<10	4	90	<1
37512	080469	0.007	<1	6.67	28	53	3	19	6.69	<4	3	69	174	115	4.95	21	2	<1	3	<1	1.16	<1	30	1.72	1356	9	17	88	<100	10	<1	0.38	<5	28	14	<10	57	6	8	<1	134	6	<20	210	<10	5	82	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/15/2011
Job #: 201140571
Reference:
Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37513	080470	14.104	5	2.89	20	363	3	16	1.56	<4	<1	27	52	118	3.13	7	<1	<1	4	<1	1.26	<1	8	0.83	411	14	6	34	476	28	137	0.60	<5	8	<5	<10	52	3	<1	<1	2472	5	<20	74	<10	12	143	<1
37515	080471	0.009	<1	7.34	45	103	4	25	4.89	<4	<1	69	180	129	3.26	20	4	<1	5	<1	1.61	<1	31	1.38	840	11	16	86	740	6	<1	0.13	<5	26	8	<10	77	4	8	<1	188	12	<20	196	<10	6	68	15
37516	080472	<0.005	<1	7.11	29	87	4	22	5.58	<4	2	66	176	126	3.69	18	<1	<1	5	<1	1.51	<1	31	1.44	884	11	16	96	428	7	<1	0.32	<5	29	15	<10	72	4	3	<1	158	16	<20	198	<10	5	79	19
37517	080473	<0.005	<1	8.54	32	117	3	26	6.53	<4	4	70	180	126	3.89	21	5	1	5	<1	1.85	<1	37	1.49	1025	12	18	96	<100	11	1	0.32	<5	30	20	<10	99	6	7	<1	219	11	<20	217	<10	6	86	58
37518	080474	<0.005	<1	7.95	40	116	3	21	6.57	<4	3	66	153	126	3.18	17	<1	1	5	<1	1.77	<1	34	1.30	1053	13	16	93	490	6	<1	0.21	<5	26	7	<10	96	5	8	<1	187	10	<20	194	<10	6	72	53
37519	080475	<0.005	<1	8.11	38	118	4	19	6.58	<4	6	62	173	117	3.02	18	2	1	6	<1	1.76	<1	35	1.22	1017	12	16	77	492	2	<1	0.19	<5	26	5	<10	114	5	8	<1	205	18	<20	197	<10	6	57	41
37520	080476	<0.005	<1	7.90	18	80	3	30	6.72	<4	3	74	155	119	5.85	22	<1	<1	5	<1	1.60	<1	41	2.11	1579	11	18	101	357	11	<1	0.55	<5	33	5	<10	76	8	12	<1	198	15	<20	219	<10	5	107	19
37521	080477	<0.005	<1	7.59	25	62	4	26	7.13	<4	7	54	121	107	5.54	21	<1	<1	5	<1	1.53	<1	45	2.48	1785	11	15	64	<100	6	<1	0.12	<5	24	11	<10	68	6	10	<1	188	12	<20	180	<10	6	102	18
37522	080478	0.008	<1	7.61	26	59	3	24	7.24	<4	3	57	147	126	5.40	22	<1	<1	5	<1	1.72	<1	46	2.55	1450	13	15	74	138	4	<1	0.29	<5	25	16	<10	72	6	11	<1	197	6	<20	181	<10	6	111	53
37523	080479	<0.005	<1	6.42	21	49	4	21	10.27	<4	7	37	129	81	4.22	18	<1	<1	3	<1	1.40	<1	38	2.07	1380	11	11	44	399	9	<1	0.16	<5	19	6	<10	89	5	8	<1	155	24	<20	139	<10	6	59	<1
37524	080480	<0.005	<1	4.80	7	477	3	16	0.78	<4	57	<1	196	8	1.13	8	<1	2	4	<1	1.79	31	25	0.35	174	12	2	2	202	21	23	0.02	<5	2	12	<10	99	2	2	19	758	6	<20	16	<10	5	46	73
37526	080481	<0.005	<1	6.68	46	71	3	28	6.75	<4	6	69	184	131	3.29	18	<1	<1	5	<1	1.49	<1	36	1.79	727	10	15	89	574	9	<1	0.14	5	25	15	<10	72	4	11	<1	148	11	<20	184	<10	6	86	<1
37527	080482	<0.005	<1	4.71	50	48	4	19	5.95	<4	10	69	142	130	2.59	15	5	2	6	<1	0.81	2	28	1.43	621	7	19	99	282	12	<1	0.11	<5	19	7	<10	55	12	10	<1	<100	22	<20	136	<10	6	78	<1
37528	080483	<0.005	<1	6.48	50	70	3	19	6.58	<4	4	74	159	121	3.00	16	7	<1	6	<1	1.22	<1	33	1.55	706	8	16	95	311	5	<1	0.38	<5	26	15	<10	72	4	8	<1	123	17	<20	179	<10	5	76	<1
37529	080484	<0.005	<1	6.88	53	79	3	26	4.99	<4	4	76	170	148	2.58	16	<1	<1	7	1	1.55	<1	32	1.48	580	11	15	105	621	7	<1	0.10	<5	23	11	<10	72	5	8	<1	140	7	<20	179	<10	5	72	10
37530	080485	<0.005	<1	6.29	54	72	3	26	4.79	<4	3	74	163	135	2.55	14	5	<1	5	<1	1.35	<1	30	1.45	565	10	14	104	639	5	<1	0.09	<5	22	14	<10	65	4	9	<1	125	11	<20	169	<10	5	76	<1
37531	080486	<0.005	<1	7.11	38	74	3	20	8.92	<4	6	58	166	112	2.86	18	4	<1	6	<1	1.46	<1	35	1.67	866	10	15	85	428	6	<1	0.11	<5	22	9	<10	85	4	10	<1	143	15	<20	182	<10	6	75	<1
37532	080487	<0.005	<1	7.32	35	82	3	23	7.86	<4	2	65	164	115	2.66	17	6	1	6	<1	1.54	<1	34	1.53	834	11	16	95	308	6	<1	0.12	<5	26	23	<10	81	4	12	<1	157	14	<20	191	<10	6	65	6
37533	080488	0.006	<1	6.67	32	74	2	22	5.74	<4	3	66	169	131	2.90	15	<1	<1	4	1	1.37	<1	31	1.63	711	10	16	101	459	5	<1	0.18	<5	24	8	<10	66	4	4	<1	131	11	<20	185	<10	6	87	<1
37534	080489	0.006	<1	7.34	30	81	3	24	7.25	<4	3	63	173	126	2.92	18	11	<1	6	<1	1.51	<1	33	1.74	841	11	17	94	548	6	<1	0.13	<5	27	16	<10	74	4	7	<1	157	13	<20	202	<10	7	78	11

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/15/2011
Job #: 201140571
Reference:
Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37535	080490	<0.005	<1	7.37	18	67	3	20	8.57	<4	6	62	159	116	3.49	19	3	<1	5	<1	1.63	<1	36	2.07	984	12	16	92	308	2	<1	0.17	<5	28	15	<10	68	4	10	<1	160	11	<20	190	<10	7	86	25
37536D	080490	<0.005	<1	7.42	20	69	3	26	8.67	<4	4	63	161	120	3.55	20	3	<1	5	<1	1.62	<1	36	2.09	994	12	16	93	<100	4	<1	0.17	<5	28	11	<10	69	5	13	<1	166	15	<20	192	<10	7	85	23
37537	080491	0.008	<1	7.20	9	61	4	20	7.75	<4	3	62	173	123	3.58	19	1	<1	4	<1	1.52	<1	36	2.14	940	11	17	95	335	7	<1	0.13	<5	28	<5	<10	65	5	8	<1	143	17	<20	197	<10	6	91	2
37538	080492	<0.005	<1	7.77	17	64	3	23	8.81	<4	5	74	171	120	3.24	19	<1	<1	4	<1	1.50	<1	35	2.03	1026	10	16	105	173	6	<1	0.13	<5	27	9	<10	77	6	5	<1	147	16	<20	197	<10	7	73	<1
37539	080493	0.005	<1	5.50	12	54	3	23	5.56	<4	2	64	179	125	2.90	14	<1	<1	5	<1	0.85	<1	27	1.75	754	6	15	92	283	7	<1	0.09	<5	25	<5	<10	60	4	3	<1	<100	14	<20	183	<10	5	73	<1
37540	080494	<0.005	<1	5.82	12	64	3	17	4.68	<4	<1	71	163	124	2.79	14	<1	<1	4	<1	1.14	<1	27	1.59	707	8	14	102	496	7	<1	0.10	<5	21	7	<10	61	5	4	<1	113	26	<20	169	<10	6	76	<1
37541	080495	<0.005	<1	7.39	12	84	4	22	4.99	<4	3	71	173	127	2.80	16	<1	1	4	<1	1.73	<1	32	1.62	726	12	16	102	186	4	<1	0.11	<5	25	23	<10	78	6	9	<1	156	12	<20	192	<10	7	77	27
37542	080496	0.005	<1	6.62	8	65	3	25	4.99	<4	<1	65	165	117	2.85	15	3	<1	5	<1	1.42	<1	30	1.65	740	9	15	92	578	6	<1	0.13	<5	24	<5	<10	67	4	6	<1	139	8	<20	185	<10	6	73	<1
37543	080497	<0.005	<1	8.02	9	67	4	23	6.44	<4	3	67	172	127	3.59	21	<1	1	6	<1	1.67	<1	37	1.92	889	12	18	94	304	10	<1	0.27	<5	31	14	<10	76	6	14	<1	173	13	<20	218	<10	7	92	43
37544	080498	<0.005	<1	7.77	8	66	3	21	6.08	<4	1	69	172	126	3.39	17	5	1	5	<1	1.62	<1	36	1.84	830	11	17	95	227	6	<1	0.18	<5	27	13	<10	74	6	8	<1	165	13	<20	205	<10	7	87	30
37545	080499	<0.005	<1	7.22	8	59	4	23	6.52	<4	6	75	173	126	3.74	19	6	<1	4	<1	1.41	<1	35	1.81	976	10	18	105	266	12	<1	0.25	<5	29	6	<10	74	6	11	<1	150	14	<20	208	<10	7	90	<1
37546	080500	1.064	<1	4.87	5	79	4	24	2.88	<4	11	36	72	35	4.11	15	<1	<1	6	<1	1.49	3	10	1.59	654	11	12	16	503	15	3	0.06	<5	15	6	<10	89	5	6	<1	3960	10	<20	130	<10	23	72	4
37548	080501	<0.005	<1	6.65	8	51	2	19	7.92	<4	4	67	146	116	3.64	17	<1	<1	5	<1	1.29	<1	33	1.88	1098	9	15	88	143	9	<1	0.18	<5	25	<5	<10	67	5	6	<1	172	10	<20	185	<10	7	88	<1
37549	080502	<0.005	<1	6.30	7	47	3	22	6.10	<4	<1	71	170	128	3.70	17	<1	<1	4	<1	1.10	<1	32	1.92	1006	8	16	100	575	5	<1	0.19	<5	32	11	<10	60	5	6	<1	124	12	<20	201	<10	6	97	<1
37550	080503	<0.005	<1	5.91	8	48	3	21	6.26	<4	1	67	168	127	3.28	15	<1	<1	5	<1	1.02	<1	29	1.73	893	7	15	97	339	6	<1	0.14	<5	25	6	<10	59	5	3	<1	113	17	<20	188	<10	6	86	<1
37551	080504	<0.005	<1	6.54	11	62	2	25	6.68	<4	2	71	165	121	3.24	18	<1	<1	6	<1	1.28	<1	31	1.69	966	9	17	99	348	6	<1	0.17	<5	28	<5	<10	69	5	9	<1	130	14	<20	201	<10	6	80	<1
37552	080505	<0.005	<1	7.01	12	67	3	25	7.05	<4	4	70	172	121	3.28	18	<1	<1	5	<1	1.27	<1	32	1.71	1017	9	18	96	544	8	<1	0.17	<5	31	14	<10	78	6	8	<1	142	21	<20	215	<10	7	80	<1
37553	080506	<0.005	<1	6.69	11	63	4	18	5.71	<4	<1	65	171	118	3.22	17	<1	<1	5	<1	1.26	<1	31	1.75	829	10	17	91	613	8	<1	0.16	<5	28	5	<10	69	4	3	<1	138	22	<20	206	<10	6	75	<1
37554	080507	<0.005	<1	6.96	13	66	3	19	6.80	<4	4	66	185	120	3.42	17	<1	<1	5	<1	1.35	<1	32	1.87	1019	10	17	92	238	4	<1	0.17	<5	27	9	<10	70	4	6	<1	140	15	<20	201	<10	6	86	<1
37555	080508	<0.005	<1	6.35	8	56	3	19	5.02	<4	<1	71	191	127	3.88	18	1	<1	3	<1	1.13	<1	31	1.93	965	8	17	100	199	6	<1	0.13	<5	29	7	<10	57	5	6	<1	119	10	<20	214	<10	6	102	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/15/2011
Job #: 201140571
Reference:
Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37556	080509	<0.005	<1	9.51	9	104	3	29	5.43	<4	7	72	199	226	4.47	24	4	4	4	<1	1.99	<1	42	1.91	1074	18	19	105	138	9	<1	0.29	<5	30	23	<10	94	6	15	<1	248	12	<20	234	<10	8	140	149
37557	080510	5.855	2	5.49	205	175	5	23	2.12	<4	14	178	125	1306	6.27	19	2	<1	6	<1	1.59	5	13	1.10	540	18	6	1171	249	625	92	1.44	<5	9	5	<10	93	5	9	<1	1888	<2	<20	74	26	12	432	16
37559	080511	<0.005	<1	6.66	25	61	3	24	5.54	<4	3	70	184	151	3.90	18	4	<1	4	<1	1.30	<1	31	1.82	1096	10	15	116	553	18	<1	0.13	<5	24	15	<10	60	6	12	<1	155	12	<20	190	<10	6	118	<1
37560	080512	<0.005	<1	6.31	7	55	4	25	7.22	<4	3	61	160	119	4.30	19	<1	<1	4	<1	1.11	<1	31	1.84	1362	9	15	91	287	8	<1	0.18	<5	26	8	<10	62	6	11	<1	117	21	<20	187	<10	6	113	<1
37561	080513	<0.005	<1	6.30	13	52	4	26	7.21	<4	4	60	155	120	4.74	18	<1	<1	6	<1	1.19	<1	33	1.99	1316	9	16	85	464	8	<1	0.25	<5	27	<5	<10	55	6	7	<1	122	17	<20	195	<10	6	107	<1
37562	080514	<0.005	<1	6.68	14	54	3	21	6.91	<4	3	61	141	122	5.23	21	12	<1	3	<1	1.30	<1	37	2.25	1385	10	16	78	236	12	<1	0.10	5	28	5	<10	56	5	13	<1	147	10	<20	200	<10	5	118	<1
37563	080515	<0.005	<1	4.98	13	30	4	22	6.43	<4	<1	68	136	107	5.43	16	<1	<1	5	<1	0.64	<1	32	2.06	1192	6	15	85	228	10	<1	0.38	<5	26	<5	<10	39	6	6	<1	<100	19	<20	188	<10	4	117	<1
37564	080516	<0.005	<1	5.34	15	34	3	23	6.80	<4	2	65	139	116	5.45	17	<1	<1	4	<1	0.78	<1	33	2.02	1232	7	15	87	231	8	<1	0.37	<5	26	<5	<10	51	5	9	<1	<100	9	36	186	<10	4	110	<1
37565	080517	<0.005	<1	6.69	26	59	4	21	6.68	<4	<1	68	151	115	5.19	20	2	<1	4	<1	1.51	<1	36	1.88	1257	10	15	90	600	8	<1	0.22	<5	25	13	<10	68	6	14	<1	146	16	34	182	<10	5	106	7
37566	080518	<0.005	<1	6.10	34	63	3	24	6.11	<4	2	64	144	118	4.65	18	7	<1	4	<1	1.34	<1	30	1.63	1476	9	13	83	265	7	<1	0.16	<5	23	6	<10	59	5	10	<1	127	19	<20	168	<10	4	74	<1
37567	080519	<0.005	<1	6.00	37	54	4	23	6.15	<4	2	71	148	132	5.51	19	<1	<1	4	<1	1.07	<1	31	1.76	1473	8	14	89	208	10	<1	0.16	<5	24	6	<10	54	6	9	<1	113	13	<20	181	<10	4	91	<1
37568	080520	<0.005	<1	8.58	11	784	4	27	1.42	<4	90	4	331	8	1.62	20	9	6	6	<1	1.92	37	31	0.53	244	20	7	5	922	27	33	0.03	<5	3	29	10	265	3	17	29	1575	10	<20	27	<10	14	50	247
37570	080521	<0.005	<1	9.21	39	97	3	28	6.84	<4	4	66	173	116	6.01	27	7	3	4	<1	2.15	<1	43	1.87	1527	15	19	87	329	13	<1	0.12	5	29	14	10	92	7	17	<1	267	8	<20	228	<10	6	102	131
37571	080522	<0.005	<1	9.31	40	113	4	29	6.88	<4	3	61	157	113	5.46	26	28	5	6	<1	2.16	<1	39	1.85	1925	19	17	79	475	18	<1	0.20	<5	25	7	<10	101	7	15	<1	307	8	25	212	<10	6	90	223
37572	080523	<0.005	<1	8.58	32	103	3	29	7.09	<4	1	60	154	94	5.95	27	9	4	5	<1	2.18	<1	35	1.87	1873	16	18	82	184	6	<1	0.25	<5	26	18	10	101	7	19	<1	301	24	<20	217	<10	5	90	147
37573	080524	<0.005	<1	8.64	39	105	4	29	8.20	<4	2	56	158	108	5.42	28	20	5	6	<1	2.09	<1	36	1.63	1682	17	16	82	174	8	<1	0.20	<5	24	8	<10	115	7	17	<1	318	18	<20	204	<10	6	91	186
37574	080525	<0.005	<1	8.42	42	100	4	30	8.84	<4	4	57	147	100	5.19	26	25	5	6	<1	2.13	<1	35	1.56	1643	18	16	83	<100	15	<1	0.21	<5	23	14	10	110	6	22	<1	317	24	<20	190	<10	6	82	180
37575	080526	<0.005	<1	6.28	47	71	4	25	6.53	<4	2	65	117	116	5.42	18	4	<1	6	<1	1.64	<1	22	1.75	1618	11	12	88	678	11	<1	0.23	<5	24	<5	<10	81	6	14	<1	166	12	<20	153	<10	4	78	23
37576	080527	<0.005	<1	6.71	53	69	4	25	6.06	<4	<1	63	161	108	6.05	19	6	<1	6	<1	1.70	<1	29	1.87	1393	12	15	92	<100	12	<1	0.10	5	25	<5	<10	77	6	15	<1	179	19	29	187	<10	4	133	33
37577	080528	<0.005	<1	6.11	55	71	3	28	6.17	<4	2	57	124	122	5.02	17	1	<1	5	<1	1.57	<1	20	1.86	1656	10	12	81	279	11	<1	0.18	<5	23	<5	<10	80	6	13	<1	151	9	38	152	<10	4	76	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/15/2011
Job #: 201140571
Reference:
Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37578	080529	<0.005	<1	7.32	67	72	3	27	6.02	<4	<1	78	141	125	7.63	25	3	2	5	<1	1.73	<1	27	2.06	2000	15	16	104	470	16	<1	0.51	<5	29	<5	<10	80	9	15	<1	215	16	<20	205	<10	4	155	63
37579	080530	0.005	<1	6.68	80	76	4	23	6.38	<4	<1	61	148	128	6.29	19	<1	<1	4	<1	1.69	<1	24	2.00	2067	12	12	91	531	10	13	0.52	<5	22	15	<10	80	6	10	<1	163	11	<20	147	<10	4	103	34
37580D	080530	0.005	<1	7.25	79	84	5	22	6.29	4	5	63	154	127	6.15	21	11	4	6	<1	2.00	<1	27	1.97	2044	14	18	94	387	13	<1	0.51	<5	23	7	<10	86	12	13	<1	198	17	<20	154	<10	5	105	62
37581	080531	<0.005	<1	6.88	155	87	4	25	8.65	<4	<1	57	152	100	5.37	18	8	1	4	<1	1.91	<1	22	2.53	2234	12	14	103	245	5	<1	0.16	<5	23	5	<10	101	7	18	<1	217	11	29	147	<10	4	54	38
37582	080532	0.010	<1	6.75	155	79	4	20	7.18	<4	<1	58	152	109	4.49	17	10	<1	4	<1	1.83	<1	20	2.28	1927	11	12	94	655	11	<1	0.12	<5	21	<5	<10	91	5	7	<1	186	25	<20	136	<10	4	37	29
37583	080533	<0.005	<1	6.95	143	81	4	22	8.27	<4	<1	62	148	109	5.13	17	1	2	4	<1	1.88	<1	21	2.57	1915	13	12	107	526	9	<1	0.17	<5	21	<5	<10	95	7	11	<1	228	12	<20	134	<10	4	49	68
37584	080534	0.005	<1	5.48	101	59	4	20	8.12	<4	<1	55	125	100	5.63	17	6	<1	3	<1	1.58	<1	17	2.71	2088	9	10	98	815	7	<1	0.22	<5	20	<5	<10	75	5	9	<1	151	14	21	118	<10	4	61	<1
37585	080535	<0.005	<1	6.05	100	66	3	24	7.83	<4	<1	54	131	101	5.48	16	9	<1	5	<1	1.75	<1	19	2.60	1999	11	11	97	<100	8	<1	0.21	<5	20	<5	<10	78	4	10	<1	196	12	51	126	<10	4	66	24
37586	080536	0.006	<1	6.95	133	88	3	21	7.23	<4	3	58	149	115	4.37	17	6	2	6	<1	1.97	<1	19	2.28	1639	13	11	89	333	8	<1	0.18	<5	21	7	<10	94	4	13	<1	220	8	36	136	<10	4	53	74
37587	080537	<0.005	<1	7.07	157	93	3	26	9.15	<4	1	50	158	98	4.60	19	9	1	5	<1	2.06	<1	21	2.28	2010	13	12	82	410	9	<1	0.16	<5	20	<5	<10	106	5	9	<1	263	18	<20	147	<10	5	48	71
37588	080538	0.018	<1	7.20	160	104	4	23	7.98	<4	<1	60	155	117	4.61	18	5	2	6	<1	2.03	<1	21	2.11	1769	15	11	97	103	13	<1	0.23	<5	19	<5	<10	102	5	14	<1	255	18	<20	136	<10	5	57	89
37589	080539	0.018	<1	6.78	137	112	4	24	5.89	<4	<1	60	176	133	3.81	14	7	<1	3	<1	1.93	<1	17	1.82	1296	10	12	94	573	5	<1	0.22	<5	22	<5	<10	96	5	10	<1	177	21	<20	149	<10	4	53	4
37590	080540	13.889	6	4.41	26	376	4	18	1.92	<4	<1	29	56	120	3.38	13	<1	<1	5	<1	1.91	<1	11	0.94	442	17	7	35	592	33	283	0.64	<5	9	<5	<10	76	4	6	<1	2762	3	<20	81	<10	13	143	<1
37592	080541	0.027	<1	6.63	124	126	4	25	6.39	<4	<1	58	175	126	4.01	16	2	<1	5	<1	1.88	<1	16	2.03	1361	10	12	79	411	9	6	0.23	<5	22	<5	<10	93	5	8	<1	203	6	<20	150	<10	4	58	<1
37593	080542	0.016	<1	5.96	122	119	4	22	8.15	<4	<1	54	177	105	5.52	18	<1	<1	5	<1	1.87	<1	16	2.54	1908	9	11	94	323	16	<1	0.52	<5	20	<5	<10	87	3	9	<1	180	13	<20	132	<10	4	70	<1
37594	080543	0.025	<1	5.60	140	123	4	19	7.20	<4	<1	54	168	75	5.44	18	<1	<1	5	<1	1.61	<1	14	2.40	2167	9	10	91	482	19	<1	0.68	7	20	8	<10	78	6	9	<1	170	13	20	127	<10	4	116	<1
37595	080544	0.973	<1	4.09	345	81	3	20	2.55	6	<1	76	510	94	7.50	18	<1	<1	4	<1	1.55	<1	14	1.11	1389	16	2	74	260	43	<1	4.09	8	7	<5	<10	46	5	5	<1	130	6	<20	38	19	6	1170	23
37596	080545	0.681	<1	5.33	32	144	4	24	1.91	7	2	112	326	167	11.02	27	<1	<1	5	<1	1.73	<1	13	1.02	1329	21	3	115	406	51	<1	6.98	11	9	18	10	46	7	10	<1	177	16	21	57	19	7	1239	36
37597	080546	1.223	1	4.91	54	158	3	19	1.04	5	2	66	251	134	6.89	20	<1	<1	4	<1	1.51	<1	13	0.74	747	18	4	86	316	24	<1	4.06	15	9	5	<10	33	4	1	<1	168	12	<20	53	20	8	1313	33
37598	080547	0.305	<1	2.52	80	64	4	18	1.75	4	<1	40	565	123	8.23	13	<1	<1	4	<1	1.22	<1	7	0.89	2477	13	<1	51	575	25	<1	3.80	5	3	<5	<10	32	5	7	<1	<100	8	<20	22	<10	3	263	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 2, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/07/2011
Date Completed: 02/15/2011
Job #: 201140571
Reference:
Sample #: 110

Acc #	Client ID	Au ppm	Ag %	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
37599	080548	0.985	<1	3.39	96	84	3	23	0.63	4	<1	36	838	53	8.51	16	<1	<1	4	<1	1.50	<1	10	0.59	1746	17	<1	74	364	28	6	4.23	<5	3	<5	<10	25	7	<1	<1	129	8	<20	26	10	4	356	16
37600	080549	1.084	<1	3.93	837	97	5	23	1.90	5	<1	123	788	93	11.40	23	<1	<1	4	<1	1.79	<1	12	0.88	1641	20	<1	125	<100	35	<1	7.91	10	4	<5	<10	37	8	7	<1	141	4	<20	28	13	4	430	42
37601	080550	<0.005	<1	5.46	15	592	2	15	0.66	<4	55	<1	575	10	1.43	10	<1	3	4	<1	2.07	31	25	0.33	195	13	2	9	378	26	34	0.10	<5	2	15	<10	120	2	8	23	688	7	<20	14	<10	5	35	94
37603	080551	0.679	<1	4.49	1514	147	3	18	1.09	<4	<1	47	520	99	5.58	15	<1	<1	4	<1	1.97	<1	12	0.56	792	18	2	54	<100	29	16	3.05	7	5	11	<10	34	4	4	<1	176	5	<20	34	10	5	625	61
37604	080552	2.483	<1	3.32	3903	51	3	22	1.26	4	<1	51	565	145	8.26	15	<1	<1	7	<1	1.56	<1	12	0.99	2930	18	<1	52	<100	17	<1	3.35	6	1	10	<10	28	6	3	<1	116	9	<20	14	<10	4	208	45
37605	080553	1.371	<1	3.18	1922	52	3	20	2.73	<4	<1	36	342	68	5.88	9	<1	<1	6	<1	1.47	<1	11	1.17	2089	13	<1	31	386	18	5	2.35	<5	2	<5	<10	42	4	2	<1	110	9	<20	13	<10	4	133	21
37606	080554	0.051	<1	5.43	112	179	4	22	5.10	<4	<1	60	68	148	7.44	20	2	<1	6	<1	1.66	<1	18	2.58	1628	11	7	65	612	15	<1	0.80	<5	9	<5	<10	64	5	9	<1	221	17	<20	93	<10	5	114	<1
37607	080555	0.049	<1	5.16	98	178	5	22	5.10	<4	<1	63	57	159	7.70	19	<1	<1	5	<1	1.55	<1	17	2.63	1649	9	7	69	771	14	<1	0.87	6	10	<5	<10	62	5	10	<1	203	12	<20	93	<10	4	118	<1
37608	080556	0.013	<1	5.01	111	172	5	24	4.80	<4	<1	70	34	160	7.90	18	<1	<1	4	<1	1.49	<1	16	2.48	1627	10	6	63	329	13	<1	0.43	<5	9	5	<10	63	6	6	<1	203	13	<20	87	<10	4	115	<1
37609	080557	0.057	16	6.06	159	161	5	23	4.44	<4	5	67	43	200	8.10	20	4	<1	6	<1	1.59	<1	22	2.85	1301	12	9	70	439	14	1	0.12	<5	11	<5	<10	81	6	7	<1	249	8	<20	110	89	4	112	<1
37610	080558	0.006	<1	6.03	107	193	4	23	4.23	<4	9	65	38	174	7.78	21	<1	<1	4	<1	1.66	<1	21	3.16	1079	12	9	64	797	15	<1	0.09	<5	11	7	<10	95	6	10	<1	279	10	<20	105	<10	5	106	<1
37611	080559	0.006	<1	6.08	104	193	4	24	4.27	<4	5	66	31	171	7.76	23	<1	<1	4	<1	1.59	<1	22	3.13	1078	12	8	66	506	18	<1	0.10	<5	11	<5	<10	97	5	10	<1	286	5	22	104	<10	5	109	19
37612	080560	0.272	<1	6.25	89	312	4	23	4.85	<4	7	66	36	178	7.05	19	<1	<1	5	<1	1.71	<1	19	2.85	1203	13	8	67	518	12	<1	0.13	<5	10	<5	<10	113	4	8	<1	323	16	27	100	<10	5	97	25
37613D	080560	0.263	<1	6.25	89	309	5	22	4.89	<4	8	68	35	183	7.09	19	<1	<1	4	<1	1.78	<1	19	2.79	1222	11	8	67	647	12	<1	0.18	<5	10	<5	<10	117	5	14	<1	312	8	<20	98	<10	5	97	28

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/25/2011
Job #: 201140624
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42216	80774	<0.005	<1	9.93	11	82	<2	14	5.59	10	<1	37	64	164	5.69	26	23	6	2	4	2.14	<1	50	2.22	1369	25	20	36	439	16	<1	0.11	5	34	<5	<10	103	4	11	10	284	8	46	305	<10	8	112	152
42217	80775	<0.005	<1	10.15	10	94	2	15	5.19	10	1	41	49	151	5.94	29	42	7	<1	<1	2.13	<1	52	2.47	1328	28	20	39	564	13	8	0.12	8	32	11	<10	107	4	8	10	321	13	<20	295	<10	9	127	227
42218	80776	<0.005	<1	8.94	8	186	2	14	4.62	12	<1	51	67	151	6.81	27	23	5	3	<1	2.11	<1	47	2.18	1769	26	20	48	490	10	<1	0.12	<5	30	18	<10	114	6	15	8	335	21	57	311	<10	8	169	133
42219	80777	<0.005	<1	10.05	9	74	<2	29	4.70	14	<1	57	87	161	7.85	26	30	6	4	<1	2.33	<1	50	2.67	2683	28	18	60	399	10	<1	0.11	<5	34	9	<10	116	7	14	8	291	9	54	280	<10	9	169	124
42220	80778	<0.005	<1	9.41	11	64	<2	14	3.87	15	<1	52	102	157	8.94	28	19	6	3	7	2.26	<1	45	2.53	2877	27	18	47	385	14	<1	0.13	5	33	11	<10	109	9	19	9	297	7	51	280	<10	8	172	116
42221	80779	<0.005	<1	8.51	9	323	2	16	0.77	18	<1	82	122	175	10.49	28	32	7	4	2	2.04	<1	48	1.65	3095	29	19	86	375	18	5	0.08	<5	29	<5	<10	66	7	19	7	300	9	80	303	<10	5	375	118
42222	80780	<0.005	<1	6.52	3	778	<2	<1	1.13	<4	26	7	303	9	1.17	15	42	5	1	9	2.10	11	38	0.33	223	20	3	7	259	31	23	0.01	<5	2	7	<10	191	<1	1	22	1066	7	<20	22	<10	4	21	205
42223	80781	<0.005	<1	6.75	10	181	3	27	0.65	17	<1	125	177	184	9.59	27	26	6	<1	<1	1.95	<1	42	0.95	3434	27	19	122	363	23	<1	0.08	<5	22	7	<10	94	7	17	8	320	9	72	303	11	3	477	120
42224	80782	<0.005	<1	7.56	17	120	3	22	0.70	20	<1	61	177	173	11.69	28	33	7	1	<1	1.96	<1	41	0.92	3074	29	16	69	341	14	<1	0.10	<5	25	<5	<10	96	9	19	6	318	9	64	266	<10	4	283	114
42225	80783	0.005	<1	7.09	22	145	3	23	0.70	17	<1	119	218	197	9.89	26	23	7	3	<1	2.19	<1	38	0.56	3996	27	16	125	341	9	19	0.08	<5	20	<5	<10	116	7	17	7	319	6	63	267	<10	4	585	132
42226D	80783	0.006	<1	7.95	18	144	3	30	0.71	18	<1	118	222	184	10.01	27	18	6	<1	<1	2.15	<1	38	0.62	3972	26	16	129	370	16	11	0.08	5	25	<5	<10	122	8	15	7	285	8	62	268	<10	5	586	96
42227	80784	0.008	<1	7.25	27	252	2	19	0.68	17	<1	56	292	191	9.45	28	25	6	<1	<1	2.11	<1	39	0.59	2868	27	16	65	337	13	3	0.08	<5	20	<5	<10	124	8	16	7	331	6	56	271	<10	4	281	140
42228	80785	0.008	<1	7.88	26	251	3	19	0.66	17	<1	59	304	193	9.81	28	13	6	<1	<1	1.88	<1	38	0.65	2879	25	17	69	337	19	<1	0.08	<5	25	10	<10	132	8	16	7	333	10	75	285	<10	4	258	84
42229	80786	<0.005	<1	8.01	117	184	3	23	0.56	18	<1	74	317	177	10.28	30	27	6	4	<1	1.88	<1	43	0.76	375	27	17	136	437	19	9	0.02	11	22	8	<10	128	8	19	6	364	3	78	274	<10	3	311	134
42230	80787	<0.005	<1	7.55	78	146	3	19	0.52	16	<1	63	333	153	8.87	27	27	5	<1	<1	1.86	<1	44	0.86	331	26	16	100	324	13	<1	0.02	<5	20	8	<10	114	7	16	8	330	9	57	265	<10	3	216	111
42231	80788	<0.005	<1	7.94	16	129	2	13	0.62	13	<1	64	335	192	7.47	27	52	6	<1	<1	1.94	<1	47	0.84	3110	26	18	85	305	12	<1	0.09	<5	21	<5	<10	114	6	9	6	401	12	45	288	<10	3	159	173
42232	80789	0.005	<1	7.11	29	114	3	28	0.66	17	<1	58	311	163	9.89	25	17	6	2	<1	1.87	<1	38	0.64	2678	25	14	86	269	13	9	0.07	<5	19	5	<10	104	7	16	6	280	4	65	224	<10	4	307	72
42233	80790	<0.005	<1	6.00	31	105	4	36	0.70	30	<1	74	246	115	16.70	31	35	8	3	<1	1.94	<1	38	0.54	4119	33	9	101	188	25	<1	0.04	<5	15	8	<10	92	11	28	2	292	6	134	195	11	5	423	96
42234	80791	<0.005	<1	5.99	40	115	4	30	0.72	26	<1	57	353	152	14.42	31	32	8	<1	<1	1.98	<1	40	0.45	4302	32	11	109	246	23	<1	0.04	<5	12	8	<10	106	11	27	4	304	4	110	207	<10	3	418	126
42235	80792	0.006	<1	7.30	70	127	2	24	0.53	14	<1	48	492	204	8.13	23	10	4	2	<1	2.02	<1	37	0.42	1393	22	15	81	183	10	8	0.04	<5	22	6	<10	118	7	13	6	277	5	48	256	<10	4	194	49

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/25/2011
Job #: 201140624
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42236	80793	<0.005	<1	6.41	45	132	2	25	0.57	21	<1	59	429	171	11.73	28	17	5	2	<1	2.11	<1	36	0.37	3074	27	13	86	199	17	6	0.05	5	16	10	<10	131	10	26	5	265	2	82	228	<10	4	328	72
42237D	80793	<0.005	<1	5.86	46	149	3	21	0.61	20	<1	56	437	174	11.41	31	53	10	1	<1	2.20	<1	38	0.33	3044	30	14	98	208	17	11	0.05	<5	11	<5	<10	126	7	23	6	356	8	83	238	<10	3	329	256
42238	80794	0.007	1	6.94	51	149	5	23	0.79	24	<1	52	385	153	13.24	33	74	13	<1	<1	2.29	<1	38	0.41	4160	35	11	124	225	17	17	0.06	8	13	<5	<10	126	9	19	3	394	8	113	197	10	4	522	362
42239	80795	0.007	<1	6.96	50	118	4	33	0.71	28	<1	58	399	153	15.24	29	14	7	2	<1	1.93	<1	33	0.45	4696	30	10	129	228	21	<1	0.07	5	21	7	<10	125	11	28	5	230	4	122	190	<10	6	593	33
42240	80796	0.014	<1	7.17	72	139	4	43	0.59	26	<1	66	465	169	13.41	28	13	4	1	<1	1.76	<1	33	0.39	3584	27	14	133	233	17	<1	0.08	7	20	6	<10	136	9	19	6	240	4	112	242	<10	4	584	<1
42241	80797	0.005	<1	6.73	63	140	4	37	0.65	29	<1	63	405	151	15.07	30	7	6	2	<1	1.72	<1	32	0.38	4423	29	12	144	207	25	8	0.10	5	16	5	<10	139	10	28	6	240	7	90	218	<10	5	563	<1
42242	80798	0.012	<1	6.30	183	184	5	37	0.39	24	<1	57	444	171	13.03	27	6	5	2	<1	1.81	<1	31	0.24	361	28	14	141	186	18	<1	0.01	8	16	<5	<10	144	9	21	7	248	9	83	244	<10	4	594	<1
42243	80799	0.008	<1	5.95	67	181	3	23	0.52	24	<1	62	421	139	12.82	27	5	4	2	<1	1.82	<1	29	0.23	3335	26	12	112	113	17	16	0.06	8	12	6	<10	140	10	23	4	241	6	91	221	<10	3	334	<1
42244	80800	13.274	6	7.56	26	397	2	10	2.84	7	<1	26	88	141	4.09	16	15	<1	<1	<1	1.90	<1	23	1.17	574	24	7	42	525	30	380	0.41	<5	10	<5	<10	133	4	10	8	3840	11	<20	104	<10	13	139	<1
42245	80801	0.017	<1	6.51	104	211	5	20	0.59	23	<1	51	461	176	12.55	28	9	5	1	<1	2.05	<1	31	0.29	2626	26	12	110	317	23	9	0.05	10	14	8	<10	160	10	26	6	276	7	73	218	<10	5	501	7
42246	80802	0.009	<1	6.46	110	192	4	25	0.58	29	<1	59	338	170	15.77	34	21	7	2	<1	2.14	<1	36	0.42	2308	32	10	114	198	24	19	0.02	7	13	7	<10	146	11	32	4	265	6	109	199	<10	4	621	70
42247	80803	0.010	<1	6.84	82	176	4	29	0.59	27	<1	56	109	180	14.96	30	9	7	3	<1	2.19	<1	34	0.38	3526	30	10	77	260	27	<1	0.03	6	12	8	<10	150	11	32	5	252	9	121	197	<10	4	619	44
42248D	80803	0.009	<1	6.78	79	174	4	28	0.58	27	<1	56	106	173	15.03	30	4	6	1	<1	2.03	<1	32	0.39	3565	30	10	81	264	25	27	0.04	6	12	6	<10	147	10	27	5	249	4	119	197	<10	4	617	20
42249	80804	0.059	<1	7.41	137	176	3	18	0.54	23	<1	56	240	133	11.88	26	11	5	<1	<1	2.08	<1	37	0.49	2004	26	10	168	266	18	12	0.04	7	15	9	<10	148	9	20	6	237	5	55	192	<10	4	601	28
42250	80805	0.009	<1	8.10	127	176	3	20	0.50	23	<1	56	242	126	10.64	23	6	3	2	<1	1.94	<1	35	0.49	1982	23	10	149	286	18	<1	0.05	7	17	9	<10	147	7	18	5	223	4	71	198	<10	4	406	<1
42251	80806	0.014	<1	7.52	127	194	3	24	0.51	22	<1	56	238	104	12.31	26	<1	6	2	<1	1.86	<1	36	0.55	1699	27	10	151	157	19	9	0.02	<5	15	<5	<10	151	8	22	5	240	5	83	188	<10	4	283	39
42252	80807	0.014	<1	7.66	134	239	2	23	0.51	14	<1	58	258	131	8.00	24	5	4	<1	<1	1.84	<1	39	0.63	1658	22	12	159	145	16	9	0.02	5	16	9	<10	164	7	13	7	256	5	45	211	<10	3	164	28
42253	80808	0.038	<1	7.05	252	222	3	23	0.43	19	<1	50	301	108	10.62	24	<1	4	2	<1	1.83	<1	34	0.70	670	25	9	141	281	17	22	<0.01	<5	15	12	<10	133	7	16	7	222	4	46	172	<10	4	222	<1
42254	80809	0.007	<1	6.86	128	229	3	33	0.59	22	<1	70	211	108	12.81	26	6	6	2	<1	1.67	<1	38	0.64	4683	28	10	164	213	20	15	0.03	9	12	8	<10	134	9	18	6	260	5	82	185	<10	3	248	40
42255	80810	0.992	<1	7.71	3	126	<2	8	4.09	8	10	31	101	40	5.00	19	<1	2	<1	<1	2.29	<1	18	1.91	831	19	11	22	573	16	23	0.03	<5	17	<5	<10	158	6	8	8	4878	8	<20	154	<10	24	70	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/25/2011
Job #: 201140624
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42256	80811	<0.005	<1	6.67	176	175	4	26	0.58	25	<1	66	186	103	14.66	29	<1	6	<1	<1	1.84	<1	33	0.55	3355	29	8	165	234	23	<1	0.03	<5	13	<5	<10	112	8	24	6	275	2	112	165	<10	4	298	<1
42257	80812	0.031	<1	8.32	164	226	2	11	0.42	7	<1	33	253	383	4.42	18	<1	<1	3	<1	1.99	<1	38	0.52	439	16	14	119	581	8	<1	0.02	<5	17	<5	<10	145	3	6	9	267	4	<20	239	<10	3	92	<1
42258	80813	0.005	<1	8.05	69	196	<2	<1	0.42	<4	<1	13	221	80	2.00	13	10	<1	3	<1	2.00	<1	36	0.39	<100	14	12	70	226	6	15	0.03	<5	17	<5	<10	133	2	5	10	249	7	<20	203	<10	4	40	<1
42259D	80813	0.012	<1	8.86	78	174	2	6	0.44	4	<1	13	208	78	2.17	12	<1	<1	4	<1	2.01	<1	33	0.45	<100	13	11	72	258	7	<1	0.03	<5	22	<5	<10	126	2	<1	10	222	5	<20	181	<10	5	42	<1
42260	80814	0.025	<1	6.25	633	96	3	19	0.43	12	<1	12	241	233	7.17	11	<1	2	3	<1	2.02	<1	22	0.19	<100	20	2	35	341	19	14	0.21	6	7	10	<10	70	4	9	8	172	5	43	61	<10	5	62	<1
42261	80815	0.038	<1	5.50	701	96	3	19	0.43	15	2	15	198	188	8.90	14	<1	3	2	<1	1.81	1	16	0.16	116	22	<1	35	422	29	<1	0.73	7	5	13	<10	88	5	16	7	142	7	51	45	<10	4	26	<1
42262	80816	0.017	<1	6.13	580	91	2	14	0.48	14	<1	14	298	316	7.96	12	<1	3	4	<1	2.05	<1	18	0.20	107	22	2	30	372	23	<1	0.65	14	4	6	<10	79	4	15	9	166	7	51	56	<10	4	27	17
42263	80817	0.012	<1	5.70	1238	65	4	35	0.48	25	<1	13	229	159	14.67	19	8	7	2	<1	1.71	<1	20	0.17	160	30	<1	32	368	30	13	0.06	12	3	5	<10	49	8	29	6	183	4	99	41	<10	4	87	62
42264	80818	0.034	<1	4.54	504	140	3	16	0.46	11	<1	9	254	111	6.97	15	17	5	2	<1	1.83	<1	22	0.16	105	23	<1	24	413	25	<1	0.03	11	3	5	<10	70	4	11	7	225	7	47	44	<10	4	69	88
42265	80819	0.008	<1	3.89	887	70	5	37	0.55	33	<1	15	235	67	17.72	25	17	9	2	<1	1.92	<1	19	0.19	190	35	<1	18	218	38	6	0.02	5	2	<5	<10	39	11	37	5	187	8	120	17	<10	4	107	83
42266	80820	<0.005	<1	7.01	11	830	<2	<1	1.22	<4	18	8	425	104	1.42	13	20	2	5	<1	1.91	9	35	0.34	198	19	3	12	320	27	13	0.03	<5	<1	5	<10	297	2	<1	17	1068	5	<20	18	<10	6	35	103
42267	80821	0.013	<1	3.76	983	79	6	35	0.59	33	<1	12	297	164	18.23	26	7	9	<1	<1	1.68	<1	20	0.18	193	34	<1	11	406	43	<1	0.03	9	2	<5	<10	52	12	36	3	205	12	127	17	<10	4	87	81
42268	80822	0.102	3	6.76	264	282	4	5	0.47	4	5	46	290	238	1.88	19	23	6	3	<1	2.00	4	24	0.20	<100	19	9	53	476	35	14	0.47	15	8	17	<10	122	8	<1	13	307	9	<20	70	<10	5	5	97
42269	80823	0.197	<1	7.01	321	299	3	<1	0.47	<4	<1	90	205	227	0.73	20	18	3	1	2	2.03	<1	26	0.20	<100	22	5	91	340	35	4	0.40	15	8	16	<10	87	2	2	11	338	3	<20	74	<10	4	<1	131
42270D	80823	0.192	<1	7.30	339	303	3	3	0.45	<4	<1	93	211	230	0.74	19	19	2	<1	4	1.94	<1	25	0.20	<100	20	5	93	359	40	18	0.41	10	9	14	<10	89	<1	<1	12	326	5	<20	76	<10	4	<1	93
42271	80824	0.009	<1	3.86	714	70	5	29	0.54	35	<1	15	225	88	19.49	28	13	10	4	<1	2.04	<1	21	0.24	178	36	<1	19	194	36	9	0.08	5	<1	<5	<10	38	13	41	4	196	8	144	15	<10	4	144	86
42272	80825	0.011	<1	4.14	611	68	5	40	0.54	30	<1	13	157	79	16.71	24	<1	9	1	<1	2.08	<1	21	0.24	152	33	<1	12	178	29	11	0.06	<5	<1	<5	<10	38	10	34	4	194	10	137	14	<10	4	117	91
42273	80826	0.018	<1	5.66	477	99	3	26	0.74	18	<1	24	131	156	10.60	17	5	6	2	<1	2.08	<1	25	0.39	571	26	2	40	396	26	<1	0.50	<5	5	<5	<10	76	6	17	6	203	6	50	66	<10	5	194	70
42274	80827	0.077	<1	7.10	190	100	2	20	5.16	15	<1	54	224	173	8.61	20	<1	5	<1	<1	2.23	<1	30	1.28	4402	25	10	60	361	11	<1	0.21	7	22	6	<10	88	7	12	6	222	7	47	177	<10	7	228	26
42275	80828	0.008	<1	7.31	69	92	2	13	6.89	10	<1	38	84	138	5.87	19	15	4	2	<1	2.34	<1	35	2.04	2169	22	13	28	379	9	<1	0.17	<5	23	7	<10	91	5	8	7	242	11	43	207	<10	7	114	66

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/25/2011
Job #: 201140624
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42276	80829	0.011	<1	7.22	146	104	2	14	0.87	11	<1	54	93	250	6.44	24	5	3	1	<1	1.93	<1	43	0.73	674	20	20	70	570	11	3	0.12	<5	27	11	<10	85	6	8	6	247	7	36	326	<10	4	228	44
42277	80830	0.006	<1	7.36	73	86	2	15	7.39	10	<1	37	64	160	5.83	17	8	4	1	<1	2.22	<1	33	2.41	2089	19	12	32	348	11	4	0.06	<5	25	12	<10	83	3	15	7	209	13	<20	194	<10	6	98	26
42278	80831	0.013	<1	7.62	79	119	2	20	5.79	13	<1	43	53	163	7.25	25	13	6	<1	<1	2.26	<1	39	1.76	3154	25	17	41	430	11	<1	0.10	<5	21	19	<10	111	6	11	7	294	8	32	267	<10	6	150	131
42279	80832	0.018	<1	7.61	52	80	2	12	6.70	13	<1	40	107	132	7.24	20	22	5	2	<1	2.36	<1	35	2.02	4105	26	12	36	373	14	2	0.06	<5	24	10	<10	117	5	14	7	246	10	49	193	<10	8	112	98
42280	80833	0.005	<1	8.93	45	74	<2	16	7.65	13	<1	37	101	141	6.93	22	16	7	1	<1	2.51	<1	45	2.75	2576	28	13	36	358	9	<1	0.07	<5	27	11	<10	108	6	14	8	286	10	59	206	<10	8	93	154
42281R	80833	0.005	<1	9.40	47	78	2	23	7.70	12	<1	36	106	148	6.83	23	36	7	<1	1	2.55	<1	48	2.66	2531	30	12	29	337	8	<1	0.07	6	26	11	<10	113	6	11	6	308	11	45	207	<10	8	99	189
42282	80834	<0.005	<1	8.33	36	72	<2	8	10.19	8	1	32	104	123	4.76	17	27	5	2	<1	2.37	<1	42	2.23	2918	23	11	33	283	6	2	0.06	7	23	<5	<10	133	4	9	5	272	21	37	179	<10	9	42	126
42283	80835	<0.005	<1	8.43	44	74	2	17	6.84	9	<1	37	79	129	5.40	19	27	5	3	5	2.39	<1	46	2.35	2012	25	13	40	327	8	<1	0.04	8	24	<5	<10	114	4	7	7	266	8	36	204	<10	7	74	135
42284	80836	<0.005	<1	7.91	39	78	<2	18	9.43	9	<1	30	54	128	5.13	19	31	6	<1	4	2.44	<1	42	2.31	2524	23	12	31	358	6	3	0.15	<5	21	10	<10	120	4	9	6	276	18	<20	192	<10	8	42	149
42285	80837	<0.005	<1	8.24	40	71	2	24	8.16	10	<1	30	63	143	5.85	18	22	4	2	<1	2.32	<1	42	2.64	2199	25	12	32	337	8	<1	0.12	<5	27	7	<10	101	4	10	5	263	5	49	193	<10	8	73	92
42286	80838	<0.005	<1	7.54	38	91	<2	5	7.03	9	<1	27	90	151	5.15	22	46	5	4	<1	2.15	<1	44	1.96	2244	23	15	35	360	8	<1	0.09	<5	21	<5	<10	133	4	7	7	301	5	27	237	<10	6	65	135
42287	80839	0.006	<1	7.32	48	76	<2	9	8.74	9	<1	29	67	127	5.55	16	<1	3	2	5	2.33	<1	32	2.43	1937	21	11	25	345	15	7	0.08	<5	24	8	<10	105	4	9	7	239	9	24	177	<10	7	77	44
42288	80840	5.860	2	7.41	240	240	2	13	2.52	12	7	105	142	1654	6.22	17	6	3	2	<1	2.27	1	24	1.08	572	27	5	1169	412	623	101	1.03	<5	9	7	<10	128	6	16	10	2556	8	<20	82	28	12	403	60
42289	80841	0.007	<1	7.88	71	100	2	17	8.71	9	<1	32	97	139	5.41	18	18	4	3	<1	2.54	<1	34	2.13	1887	24	13	46	333	22	<1	0.11	<5	24	15	<10	116	4	8	7	269	12	28	207	<10	7	59	87
42290	80842	0.008	<1	8.45	52	109	<2	20	7.09	10	<1	29	97	156	5.64	21	18	6	1	2	2.54	<1	39	2.00	1832	25	15	33	347	12	4	0.13	7	22	5	<10	106	6	12	6	288	8	30	239	<10	6	65	164
42291	80843	0.005	<1	8.97	65	102	2	20	9.15	12	<1	27	96	129	6.72	21	11	7	<1	<1	2.50	<1	38	2.70	2516	27	13	30	318	6	5	0.13	<5	23	8	<10	102	6	10	7	310	8	32	207	<10	8	69	164
42292D	80843	0.007	<1	9.07	67	101	<2	21	9.47	13	<1	28	99	129	6.98	22	27	7	3	<1	2.36	<1	37	2.82	2614	28	13	34	318	9	1	0.13	<5	24	7	<10	104	5	15	7	313	13	49	216	<10	8	75	137
42293	80844	0.049	<1	8.10	73	102	<2	19	10.10	12	<1	26	133	110	6.57	20	35	6	2	<1	2.42	<1	33	2.53	1906	27	11	27	267	8	8	0.06	13	19	13	<10	100	6	10	8	276	10	21	174	<10	8	42	144
42294	80845	0.010	<1	7.84	72	113	<2	8	7.00	7	<1	28	165	146	4.52	19	28	4	3	1	2.25	<1	35	1.84	1506	21	13	38	336	11	<1	0.06	<5	19	<5	<10	103	3	5	8	275	2	<20	197	<10	6	79	126
42295	80846	0.014	<1	8.15	63	105	<2	16	8.68	10	<1	30	143	133	6.01	21	22	6	3	<1	2.38	<1	35	2.37	2010	24	11	34	248	9	8	0.11	7	20	<5	<10	100	4	13	7	268	10	<20	185	<10	7	75	124

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/25/2011
Job #: 201140624
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42296	80847	0.012	<1	8.04	53	117	<2	1	6.41	9	<1	26	195	159	5.46	21	21	5	<1	<1	2.25	<1	42	1.81	1547	24	13	32	337	14	<1	0.10	<5	20	<5	<10	105	5	10	10	282	4	31	209	<10	5	60	138
42297	80848	0.008	<1	8.26	83	119	2	15	8.58	10	<1	29	230	134	5.85	20	26	5	2	<1	2.14	<1	38	2.35	1918	25	10	43	292	8	<1	0.05	<5	20	7	<10	104	3	13	8	288	10	41	174	<10	7	55	140
42298	80849	<0.005	<1	8.05	81	123	3	20	7.45	11	<1	27	294	98	6.27	21	15	5	<1	<1	2.29	<1	38	2.20	2325	25	11	32	294	11	19	0.15	<5	24	9	<10	106	5	15	8	259	10	37	189	<10	6	55	81
42299	80850	<0.005	<1	6.34	5	882	<2	<1	1.34	<4	49	9	268	7	1.72	18	28	3	1	6	2.16	19	33	0.43	236	20	8	10	729	30	35	0.02	<5	2	7	<10	225	2	8	26	2188	6	<20	32	<10	8	42	175
42300	80851	0.378	<1	5.93	213	84	2	11	1.79	12	<1	7	230	18	7.11	14	41	8	2	3	2.07	<1	27	1.05	1561	28	<1	15	187	12	23	0.29	<5	<1	9	<10	48	3	15	7	272	6	25	11	<10	5	32	271
42301	80852	0.032	<1	7.26	85	77	3	11	2.12	21	<1	7	198	12	11.91	19	37	11	4	<1	2.37	<1	27	1.74	2418	35	<1	20	419	20	26	0.08	7	<1	<5	<10	48	6	21	6	253	<2	107	9	<10	8	53	267
42302	80853	0.189	<1	5.61	731	60	2	31	1.89	18	<1	7	194	18	10.17	15	8	7	<1	<1	2.10	<1	22	1.43	2141	27	<1	4	115	19	<1	0.31	<5	<1	<5	<10	39	6	23	5	193	7	67	6	<10	6	39	128
42303D	80853	0.188	<1	5.86	642	63	2	18	1.83	17	<1	7	186	16	9.74	13	<1	8	<1	<1	2.07	<1	22	1.39	2051	30	<1	3	109	15	8	0.31	6	<1	<5	<10	40	6	20	7	202	7	61	6	<10	6	35	148
42304	80854	0.166	<1	5.93	312	57	3	21	2.98	26	<1	19	159	114	14.73	23	4	8	2	<1	2.01	<1	22	2.09	2563	35	<1	18	370	30	<1	0.93	6	2	<5	<10	46	8	28	5	194	9	116	17	<10	7	110	93
42305	80855	0.177	<1	5.94	333	57	3	37	3.00	26	<1	21	152	114	14.81	22	6	8	2	<1	2.07	<1	22	2.10	2571	35	<1	16	383	26	11	0.93	10	2	6	<10	46	10	29	6	194	8	122	16	<10	7	113	93
42306	80856	0.200	<1	5.09	260	55	3	23	1.56	24	<1	11	227	21	13.46	18	<1	8	3	<1	1.92	<1	19	1.72	2145	32	<1	11	338	27	5	0.36	10	1	5	<10	37	7	26	5	175	3	101	6	<10	6	83	72
42307	80857	0.043	<1	5.29	30	58	4	22	1.93	26	<1	11	190	61	14.85	19	13	8	<1	<1	1.96	<1	20	1.81	2149	34	<1	12	480	27	4	0.56	<5	<1	10	<10	40	8	34	5	182	6	104	6	<10	7	64	97
42308	80858	0.150	<1	6.26	881	64	4	33	1.46	27	<1	27	156	140	15.96	25	18	12	<1	<1	2.11	<1	24	1.80	1914	38	<1	36	212	35	9	1.85	6	2	5	<10	41	9	32	5	212	10	125	12	<10	7	163	166
42309	80859	0.237	<1	5.96	469	62	4	42	2.88	27	<1	13	155	59	14.95	21	12	10	2	<1	2.25	<1	23	1.90	1780	36	<1	13	469	28	<1	0.89	<5	2	5	<10	51	9	31	6	200	4	119	11	<10	7	98	131
42310	80860	0.182	<1	7.47	533	187	4	23	1.78	24	<1	26	169	157	12.34	27	11	8	<1	<1	2.07	<1	32	1.38	1813	33	<1	63	209	37	6	1.90	8	8	12	<10	63	6	24	8	270	9	84	49	30	7	1120	130
42311	80861	0.124	<1	5.87	473	62	3	39	0.89	25	<1	24	137	197	14.23	20	17	9	<1	<1	2.14	<1	23	1.64	3598	35	<1	39	220	31	8	2.10	7	2	8	<10	36	9	29	6	201	7	98	9	<10	6	230	136
42312	80862	0.148	2	5.38	5259	56	4	38	0.93	29	<1	41	230	266	16.49	23	13	8	<1	<1	2.09	<1	21	1.68	3085	37	<1	62	428	28	<1	3.08	13	1	5	<10	34	10	29	3	183	10	115	8	<10	6	125	96
42313	80863	0.109	<1	5.38	488	61	3	35	1.46	19	<1	15	256	68	11.11	15	<1	7	4	<1	2.18	<1	21	1.41	2568	29	<1	16	393	19	8	0.76	<5	2	7	<10	39	6	24	8	188	7	51	15	<10	6	103	94
42314D	80863	0.113	<1	5.04	429	58	4	27	1.44	20	<1	15	258	68	11.19	14	<1	6	<1	<1	2.02	<1	19	1.42	2609	29	<1	18	402	20	<1	0.75	6	2	10	<10	38	6	19	7	175	9	56	15	<10	6	104	57
42315	80864	0.088	1	7.47	663	158	4	27	0.50	27	<1	73	294	550	13.61	31	<1	7	<1	<1	1.60	<1	29	0.63	740	31	3	173	276	77	8	6.99	20	10	11	<10	89	8	25	7	271	6	72	73	19	5	1714	59

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/25/2011
Job #: 201140624
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42316	80865	0.112	1	6.59	859	138	5	31	0.58	31	<1	70	326	711	15.62	31	<1	8	<1	<1	1.61	<1	29	0.74	1468	34	1	164	302	66	<1	6.47	17	8	11	<10	68	10	33	7	249	6	112	60	20	5	1600	75
42317	80866	0.092	<1	8.34	92	124	4	22	0.44	20	2	55	288	462	9.72	25	4	5	3	<1	1.49	<1	27	0.57	320	26	3	140	296	50	8	5.40	10	10	17	<10	94	5	17	9	282	10	50	69	17	6	1581	43
42318	80867	0.053	<1	7.71	10	186	3	13	0.76	17	<1	32	207	257	8.58	23	<1	4	2	<1	1.76	<1	28	0.71	858	25	2	86	285	28	7	3.13	<5	7	12	<10	90	5	13	7	270	5	68	56	13	6	1060	59
42319	80868	<0.005	<1	8.83	43	187	2	15	4.10	15	8	39	85	192	8.19	20	3	4	2	<1	2.11	<1	35	1.93	1867	24	7	62	392	24	<1	0.69	<5	11	7	<10	80	5	18	8	279	6	61	113	<10	8	246	41
42320	80869	0.006	<1	7.69	25	131	2	34	0.98	19	<1	43	234	264	10.63	23	9	5	<1	<1	1.98	<1	33	1.39	2078	27	3	134	217	25	7	2.26	8	10	13	<10	49	6	18	8	236	4	46	74	12	5	794	32
42321	80870	13.804	9	7.09	22	389	2	5	2.49	6	<1	22	76	132	3.67	13	<1	<1	2	<1	2.25	<1	20	1.14	504	27	6	35	473	29	454	0.44	<5	10	10	<10	111	3	5	8	3157	8	<20	92	<10	13	141	<1
42322	80871	0.011	1	6.71	13	66	3	55	7.20	33	<1	29	70	418	18.17	29	37	11	<1	<1	2.22	<1	27	2.86	13711	39	<1	60	110	35	<1	2.81	<5	7	8	<10	63	11	43	4	248	22	147	30	<10	8	142	125
42323	80872	<0.005	<1	8.01	48	214	<2	20	4.38	11	<1	48	146	117	6.82	25	30	4	2	<1	2.12	<1	39	1.30	1513	24	13	85	411	14	4	0.21	<5	17	11	<10	97	5	13	9	335	3	42	217	<10	6	128	99
42324	80873	<0.005	<1	8.58	26	175	<2	4	6.07	12	3	49	130	140	6.90	20	9	3	2	3	2.14	<1	37	1.89	1308	21	11	77	335	13	7	0.34	<5	21	<5	<10	100	4	12	7	284	6	39	185	<10	7	132	30
42325D	80873	<0.005	<1	8.70	28	171	2	20	6.15	12	1	50	131	144	7.00	21	<1	4	<1	<1	2.24	<1	37	1.96	1321	22	11	77	280	14	5	0.34	<5	23	8	<10	98	4	13	7	276	11	20	185	<10	7	138	17
42326	80874	<0.005	<1	8.42	22	229	2	15	4.31	6	<1	40	181	165	4.17	16	<1	2	2	<1	1.90	<1	33	1.40	950	18	12	89	333	5	<1	0.24	<5	21	8	<10	102	5	4	7	285	4	<20	200	<10	6	54	19
42327	80875	<0.005	<1	9.11	27	177	<2	14	4.78	8	<1	46	196	164	5.15	17	<1	<1	<1	<1	1.67	<1	36	1.79	967	19	14	89	328	7	1	0.15	6	31	5	<10	97	4	3	8	255	2	34	218	<10	6	65	<1
42328	80876	<0.005	2	8.90	23	172	3	11	5.00	10	3	40	191	168	5.13	23	22	6	5	4	2.12	<1	47	1.64	892	22	21	100	349	20	12	0.11	8	26	20	<10	107	10	10	11	314	12	23	232	<10	7	73	95
42329	80877	<0.005	<1	9.90	26	164	<2	23	5.16	9	<1	48	218	170	5.27	22	5	3	2	<1	1.93	<1	45	1.68	888	19	17	108	362	13	<1	0.08	9	33	<5	<10	111	5	10	8	283	10	20	252	<10	6	75	14
42330	80878	<0.005	<1	8.96	7	164	2	21	5.12	10	<1	46	205	163	5.73	24	17	3	<1	<1	2.08	<1	47	1.32	1311	21	18	113	316	9	<1	0.08	8	29	14	<10	110	7	10	8	314	10	32	283	<10	5	69	66
42331	80879	<0.005	<1	7.66	3	122	<2	3	6.84	10	<1	45	181	141	5.84	19	10	<1	2	<1	1.96	<1	39	1.28	2127	18	15	95	332	11	8	0.11	6	30	12	<10	84	6	8	7	243	4	29	241	<10	6	63	<1
42332	80880	<0.005	<1	6.95	<2	745	<2	7	1.33	<4	10	5	340	3	1.00	10	<1	<1	1	4	2.04	4	33	0.37	239	13	4	7	224	21	19	<0.01	<5	1	<5	<10	370	<1	<1	19	1019	8	<20	18	<10	7	14	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140625
Reference:
Sample #: 100

Acc #	Client ID	Au ppm	Ag %	Al %	As ppm	Ba ppm	Be ppm	Bi %	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42333	82631	0.095	<1	2.97	19	44	<2	<1	8.27	<4	<1	9	272	28	1.37	<1	<1	<1	3	6	1.15	<1	10	0.30	1332	2	2	25	252	5	<1	0.40	5	10	<5	<10	65	4	24	8	119	8	<20	45	12	8	29	<1
42334	82632	0.032	<1	8.12	92	95	<2	<1	5.67	5	<1	128	278	113	4.92	17	<1	<1	3	5	1.29	<1	26	1.05	1636	<1	14	150	343	5	23	1.31	6	34	<5	<10	133	8	27	10	371	7	<20	241	13	11	73	<1
42335	82633	5.357	2	4.76	281	165	2	<1	1.82	7	16	271	140	1602	6.50	14	<1	<1	3	<1	1.60	8	12	0.99	526	7	2	1268	356	720	93	1.60	<5	9	14	10	85	7	33	14	1651	8	<20	66	26	13	427	<1
42336	82634	0.025	<1	7.33	65	84	<2	<1	6.24	5	<1	101	277	98	4.60	17	<1	<1	5	<1	1.46	<1	28	0.95	1874	2	12	134	341	4	9	1.43	5	30	18	<10	107	6	34	10	262	4	<20	200	10	12	60	<1
42337	82635	0.035	<1	8.10	86	88	2	<1	6.07	6	2	126	281	109	5.56	18	<1	<1	4	<1	1.40	<1	30	1.10	1906	1	14	154	436	7	9	1.89	5	39	19	<10	120	8	32	9	306	6	31	231	11	14	74	<1
42338	82636	0.022	<1	8.18	84	84	2	2	5.71	5	<1	134	280	102	5.35	17	<1	<1	5	<1	1.48	<1	31	1.15	1908	1	13	149	348	8	14	1.59	6	30	16	<10	117	7	32	10	293	7	23	220	12	12	74	<1
42339	82637	0.265	<1	9.37	71	105	2	3	6.40	6	<1	129	300	95	7.37	24	1	<1	5	<1	1.89	<1	42	1.52	2294	1	14	136	241	11	27	2.89	9	37	7	<10	106	8	38	7	269	6	49	239	12	13	93	<1
42340	82638	0.033	<1	7.59	67	80	2	2	4.51	5	1	132	292	139	6.28	19	<1	<1	4	<1	1.32	<1	31	1.35	1706	1	14	147	320	10	13	1.92	10	33	12	10	89	8	35	9	230	4	28	233	11	15	95	<1
42341	82639	0.059	<1	8.45	60	81	2	<1	5.03	7	3	131	327	126	6.45	21	<1	<1	5	<1	1.38	<1	33	1.21	1953	1	14	166	339	10	22	2.27	6	35	14	<10	108	9	36	11	630	9	27	239	16	14	90	<1
42342	82640	5.320	2	4.97	288	169	3	<1	1.88	8	17	275	140	1624	6.57	13	<1	<1	3	<1	1.68	8	13	1.01	532	7	3	1274	364	713	104	1.65	6	9	10	11	88	7	33	12	1685	2	24	67	27	13	426	<1
42344	82641	0.119	<1	7.83	59	86	2	2	6.10	5	<1	111	333	98	4.37	15	<1	<1	7	4	1.38	<1	32	0.79	1645	1	11	140	453	4	18	2.04	7	28	<5	<10	110	6	31	9	243	8	27	192	13	11	54	<1
42345	82642	0.009	<1	8.57	36	71	2	<1	5.10	4	<1	111	310	123	4.34	17	<1	<1	4	<1	1.31	<1	34	1.11	1571	2	12	145	259	4	16	0.80	8	33	9	<10	113	6	28	12	202	8	23	207	11	13	74	<1
42346	82643	0.067	<1	8.80	48	90	<2	3	6.12	<4	<1	108	310	93	3.08	15	9	<1	5	<1	1.42	<1	32	0.74	1532	1	12	135	305	2	25	0.65	5	31	<5	<10	123	5	24	11	202	5	<20	202	13	13	55	<1
42347	82644	0.036	<1	8.26	34	52	2	2	5.28	6	<1	114	288	127	5.77	17	1	<1	6	<1	1.09	<1	36	1.29	1843	1	11	135	262	7	15	1.46	7	32	16	<10	105	7	34	10	192	6	<20	202	11	13	89	<1
42348	82645	0.005	<1	8.01	33	52	2	2	5.25	5	<1	102	286	124	4.81	17	<1	<1	5	<1	1.14	<1	36	1.13	1663	1	11	138	216	9	<1	1.02	5	29	8	<10	107	6	30	9	160	5	28	187	12	11	79	<1
42349	82646	<0.005	1	7.47	38	56	<2	<1	5.27	4	<1	103	279	94	4.16	13	<1	<1	5	<1	1.12	<1	33	1.03	1601	1	10	137	239	4	18	0.82	7	29	16	<10	99	7	31	10	160	5	<20	178	10	12	75	<1
42350	82647	0.019	<1	7.69	43	63	2	<1	4.49	5	<1	121	295	151	5.89	17	<1	<1	3	<1	1.33	<1	27	1.18	1754	1	11	143	242	14	24	2.22	6	31	9	<10	84	8	36	9	362	2	25	196	<10	15	93	<1
42351	82648	0.017	<1	8.16	36	57	<2	2	4.96	7	<1	111	289	162	6.40	20	<1	<1	6	4	1.36	<1	31	1.34	1969	2	11	136	221	5	<1	1.94	7	32	10	<10	97	7	34	12	624	8	<20	202	10	13	90	<1
42352	82649	0.014	1	7.20	26	54	3	2	6.91	7	2	108	244	166	5.68	20	<1	<1	4	<1	1.17	<1	33	1.03	1699	2	15	128	188	14	26	1.80	8	33	10	<10	91	13	29	11	1157	4	40	176	14	13	80	<1
42353	82650	<0.005	<1	4.46	<2	508	<2	<1	0.54	<4	84	1	277	9	1.24	5	<1	<1	5	5	1.97	50	27	0.33	189	2	2	8	241	21	22	0.03	6	3	<5	<10	86	4	24	42	766	7	<20	16	11	6	52	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140625
Reference:
Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42355	82651	<0.005	<1	9.30	33	114	2	3	4.33	<4	<1	93	336	130	2.52	15	4	<1	6	6	1.46	<1	38	0.60	727	2	12	139	391	7	3	0.51	6	27	11	<10	134	6	26	11	208	6	<20	199	<10	11	57	<1
42356	82652	<0.005	<1	8.13	42	100	<2	2	4.87	<4	2	89	310	99	1.90	12	<1	<1	5	5	1.33	<1	40	0.45	680	2	10	140	379	<1	<1	0.47	<5	20	<5	<10	121	5	22	11	174	7	<20	170	<10	10	45	<1
42357	82653	0.015	<1	7.73	69	84	<2	1	4.52	<4	<1	113	318	133	1.40	11	<1	<1	5	4	1.26	<1	38	0.40	455	2	10	161	395	2	2	0.20	8	26	8	<10	111	5	21	12	157	7	<20	175	13	9	41	<1
42358	82654	0.011	<1	8.93	50	78	<2	2	4.97	<4	<1	100	327	139	1.82	13	<1	<1	3	1	1.38	<1	43	0.48	472	2	12	141	395	5	22	0.30	6	29	8	<10	123	6	22	12	175	5	<20	205	10	11	50	<1
42359	82655	0.017	<1	9.01	50	79	<2	2	5.06	<4	<1	96	351	150	1.85	13	<1	<1	4	2	1.48	<1	44	0.49	486	2	13	148	404	5	10	0.29	8	28	15	10	125	5	24	11	177	10	<20	209	10	11	50	<1
42360	82656	0.014	<1	9.02	60	92	<2	1	4.87	<4	<1	96	331	135	1.29	13	<1	<1	4	<1	1.54	<1	41	0.39	446	3	12	155	410	2	11	0.21	6	21	10	<10	121	4	24	11	190	7	<20	196	12	10	42	<1
42361	82657	0.014	<1	8.24	48	75	<2	2	5.38	<4	<1	121	329	153	2.98	14	<1	<1	4	<1	1.47	<1	40	0.67	853	2	12	161	313	7	18	0.84	5	34	13	<10	104	5	23	10	174	7	<20	203	11	14	62	<1
42362	82658	0.014	<1	7.68	59	70	<2	2	4.90	<4	<1	106	316	129	1.40	10	<1	<1	4	8	1.37	<1	38	0.41	510	1	10	136	382	4	15	0.16	6	17	11	<10	105	4	22	10	152	7	<20	169	12	10	42	<1
42363	82659	0.008	<1	6.81	24	60	<2	<1	5.04	<4	<1	107	285	143	2.28	10	<1	<1	5	2	1.14	<1	39	0.47	809	1	9	158	380	5	16	0.51	5	16	9	<10	90	5	25	11	147	4	<20	156	11	10	45	<1
42364	82660	0.006	<1	7.07	8	58	2	<1	4.84	4	<1	115	298	172	4.41	13	<1	<1	6	<1	1.03	<1	39	0.81	1276	1	10	160	278	4	<1	1.10	6	26	13	<10	83	6	32	9	272	6	<20	178	<10	12	64	<1
42365D	82660	0.006	<1	7.59	10	65	<2	<1	4.81	4	<1	106	297	163	4.32	15	<1	<1	4	<1	1.24	<1	40	0.81	1260	2	11	154	271	7	17	1.07	7	27	11	<10	88	7	28	9	298	4	<20	181	10	12	63	<1
42366	82661	0.011	<1	8.05	17	45	2	<1	5.38	7	2	143	309	245	6.79	18	<1	<1	3	5	1.13	<1	37	1.15	1980	1	11	145	190	9	<1	2.25	7	37	8	<10	92	8	32	8	601	3	36	203	11	14	85	<1
42367	82662	0.021	<1	7.26	20	50	2	<1	4.78	5	<1	105	329	143	5.30	14	<1	<1	4	<1	0.97	<1	34	1.05	1776	<1	10	130	201	8	<1	1.70	5	32	13	<10	85	6	33	9	323	7	26	186	11	12	75	<1
42368	82663	0.010	<1	8.44	26	45	<2	2	5.70	5	<1	110	307	121	5.46	17	<1	<1	6	2	1.06	<1	43	1.41	2009	1	11	153	232	9	4	1.27	5	31	8	<10	91	7	32	10	277	8	30	194	11	15	84	<1
42369	82664	0.020	<1	7.77	19	46	2	<1	5.14	6	<1	112	309	167	5.26	18	<1	<1	5	3	0.99	<1	40	1.07	1677	1	11	149	221	4	<1	1.50	8	34	20	<10	91	7	35	10	322	13	25	188	10	12	74	<1
42370	82665	0.024	<1	8.87	19	55	<2	<1	5.47	5	<1	107	321	151	5.02	17	<1	<1	6	3	1.27	<1	41	1.05	1650	<1	10	149	248	<1	21	1.37	<5	34	9	<10	104	7	30	10	351	2	27	190	10	13	72	<1
42371	82666	0.044	<1	8.62	36	74	<2	1	5.39	<4	<1	109	350	129	2.85	15	1	<1	10	<1	1.31	<1	45	0.63	1069	1	12	147	344	6	22	0.83	9	26	14	<10	115	6	27	11	310	3	<20	199	11	11	58	<1
42372	82667	0.062	<1	8.82	36	93	<2	<1	4.49	<4	<1	109	377	148	2.45	14	<1	<1	6	<1	1.51	<1	40	0.51	762	1	12	145	376	6	24	0.90	5	21	6	<10	118	5	23	11	510	6	<20	200	13	11	52	<1
42373	82668	0.021	<1	8.01	33	64	<2	1	5.78	<4	<1	102	393	78	3.46	14	<1	<1	6	<1	1.32	<1	36	1.18	1410	<1	11	132	249	7	<1	0.50	<5	31	<5	<10	104	5	27	12	170	8	<20	182	<10	12	69	<1
42374	82669	0.017	<1	7.30	21	35	<2	<1	6.82	5	24	69	397	106	5.57	17	<1	<1	8	<1	0.92	4	42	1.56	1940	1	9	114	611	8	17	1.21	7	26	11	<10	98	7	30	12	174	5	29	159	11	15	91	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140625
Reference:
Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42375	82670	13.247	6	3.04	27	380	2	<1	1.63	4	<1	43	64	133	3.33	4	<1	<1	3	8	1.34	<1	9	0.95	446	8	5	36	343	28	175	0.70	<5	9	6	10	58	5	25	10	2542	7	<20	79	13	13	162	<1
42377	82671	0.084	<1	7.34	27	28	2	<1	6.81	7	31	74	426	156	6.68	17	<1	<1	4	<1	0.79	8	39	1.72	2007	1	8	142	796	10	<1	1.90	7	24	11	<10	99	7	36	12	203	12	25	150	11	16	98	<1
42378	82672	0.024	<1	8.68	33	31	<2	1	7.43	5	19	81	381	190	6.25	19	2	<1	3	<1	1.23	2	43	1.92	2176	1	11	119	589	7	18	1.45	5	28	13	<10	103	7	34	11	213	7	37	193	42	17	97	<1
42379	82673	0.032	<1	9.69	45	57	2	1	5.93	5	2	120	348	205	5.27	21	<1	<1	4	<1	1.57	<1	44	1.32	1584	1	13	168	209	<1	6	1.29	5	38	8	<10	120	7	31	10	437	5	23	222	<10	14	86	<1
42380	82674	0.017	<1	7.69	74	93	2	<1	4.80	4	7	104	306	132	3.66	14	<1	<1	3	3	1.55	<1	28	1.11	1078	2	10	138	398	3	29	0.68	<5	27	6	<10	101	6	28	11	222	9	<20	174	11	12	80	<1
42381	82675	0.519	<1	7.31	421	183	<2	2	9.77	<4	3	81	302	90	1.76	12	<1	<1	4	2	1.58	<1	17	0.53	1204	2	9	101	229	5	61	0.57	5	25	9	<10	111	4	25	13	298	14	<20	159	15	9	40	<1
42382	82676	1.265	<1	4.46	1988	157	<2	1	2.82	<4	19	6	404	16	1.63	7	<1	<1	5	4	1.27	6	11	0.41	353	2	<1	13	305	7	18	0.69	8	3	9	<10	64	3	23	18	115	3	<20	25	11	5	53	<1
42383	82677	0.109	<1	6.69	129	160	<2	1	7.42	<4	<1	58	386	75	2.09	11	<1	<1	4	1	1.54	<1	19	0.54	926	2	8	84	200	11	29	0.86	6	20	6	<10	102	5	22	11	247	10	<20	145	15	8	42	<1
42384	82678	0.022	<1	6.91	65	57	2	3	5.25	4	1	106	306	200	5.21	15	<1	<1	3	<1	1.15	<1	34	1.24	1418	2	11	133	303	11	3	1.72	5	30	18	<10	96	6	30	11	305	7	<20	190	11	14	82	<1
42385	82679	0.008	<1	8.23	65	59	<2	<1	4.82	<4	<1	115	390	114	2.65	14	2	<1	5	2	1.29	<1	39	0.88	984	1	10	133	293	3	8	0.46	6	27	6	<10	113	5	27	12	270	6	<20	175	13	10	62	<1
42386	82680	<0.005	<1	3.48	2	448	<2	<1	0.40	<4	86	<1	497	7	1.25	2	<1	<1	4	3	1.99	51	23	0.28	167	2	<1	8	253	16	44	0.02	<5	2	10	<10	70	3	24	45	690	4	<20	14	<10	5	47	<1
42388	82681	0.005	<1	9.08	78	71	<2	2	4.94	<4	<1	137	427	126	3.20	16	<1	<1	5	3	1.46	<1	23	0.99	1109	1	11	156	327	7	17	0.64	5	26	<5	<10	112	6	20	10	479	7	<20	189	<10	11	59	<1
42389	82682	0.032	<1	8.41	62	81	<2	<1	3.73	<4	<1	117	444	129	2.76	14	<1	<1	5	1	1.53	<1	19	0.73	668	2	9	139	341	6	19	0.63	5	20	9	<10	95	5	22	9	313	8	<20	162	11	11	57	<1
42390	82683	0.010	<1	9.31	81	33	2	2	6.41	4	<1	118	407	119	3.68	16	<1	<1	4	<1	1.21	<1	33	1.44	1267	<1	12	144	306	5	<1	0.45	5	29	<5	<10	121	7	27	11	457	7	<20	201	11	13	74	<1
42391	82684	0.024	<1	6.29	51	75	<2	1	2.74	<4	<1	78	598	95	1.75	8	<1	<1	5	2	1.48	<1	17	0.42	471	1	8	113	222	3	3	0.40	<5	17	<5	<10	70	4	22	10	236	8	<20	144	13	7	44	<1
42392	82685	0.061	<1	7.05	54	56	<2	<1	3.47	<4	<1	113	415	167	2.96	12	<1	<1	5	7	1.10	<1	16	0.66	829	1	10	160	338	6	16	0.73	6	23	8	<10	90	5	25	11	336	4	<20	174	11	10	76	<1
42393	82686	0.045	<1	9.89	66	83	<2	3	4.20	<4	4	130	465	284	3.23	18	<1	<1	4	<1	1.63	<1	21	0.71	823	3	12	161	381	2	<1	0.74	8	26	<5	<10	122	6	25	11	402	<2	<20	205	<10	12	93	<1
42394	82687	0.009	<1	8.29	48	43	<2	<1	5.01	4	<1	116	389	206	3.99	15	2	<1	1	<1	1.12	<1	20	1.00	1310	2	13	157	328	6	<1	0.99	6	29	11	<10	116	6	28	9	872	5	34	208	<10	12	90	<1
42395	82688	0.006	<1	8.13	72	38	<2	<1	5.62	<4	<1	119	428	128	3.03	13	<1	<1	5	<1	1.12	<1	20	1.00	1411	2	11	132	276	1	14	0.53	6	25	<5	<10	112	5	25	8	1573	<2	<20	179	<10	11	70	<1
42396	82689	0.007	<1	6.88	88	71	<2	3	4.56	<4	<1	129	352	96	2.39	12	<1	<1	3	<1	1.40	<1	19	0.91	1016	1	11	151	275	3	25	0.38	<5	29	10	<10	77	5	22	10	684	6	<20	172	10	10	68	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140625
Reference:
Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42397	82690	0.009	<1	7.97	92	63	<2	1	5.01	<4	<1	139	431	133	2.55	14	<1	<1	5	<1	1.42	<1	22	0.98	1039	1	12	157	284	2	<1	0.35	5	33	<5	<10	103	5	22	9	954	6	<20	192	10	11	72	<1
42398R	82690	0.008	<1	8.49	88	65	<2	<1	5.25	<4	<1	132	435	134	2.57	14	<1	<1	5	<1	1.21	<1	23	0.97	1050	2	12	154	287	5	13	0.35	7	37	10	10	111	5	23	12	991	7	<20	205	11	11	75	<1
42399	82691	<0.005	<1	7.66	76	26	<2	<1	6.61	<4	<1	118	400	91	3.32	15	<1	<1	3	<1	0.78	<1	28	1.52	1456	1	13	136	267	2	<1	0.39	6	35	<5	<10	107	6	24	10	950	7	<20	210	11	12	75	<1
42400	82692	0.034	<1	7.48	87	32	<2	2	6.04	4	<1	121	365	95	3.71	14	<1	<1	5	<1	0.81	<1	29	1.47	1458	2	12	141	273	4	<1	0.70	5	32	5	<10	108	6	29	11	540	6	<20	198	11	12	75	<1
42401	82693	0.016	<1	6.85	77	42	<2	<1	5.70	5	<1	112	314	120	4.79	15	<1	<1	5	<1	0.93	<1	41	1.55	1663	1	12	149	226	7	<1	0.74	6	36	13	<10	87	5	25	10	167	9	37	203	<10	14	81	<1
42402	82694	0.030	<1	6.93	98	57	2	4	5.44	4	<1	111	303	106	3.85	13	<1	<1	3	1	1.09	<1	45	1.02	1467	<1	10	134	245	5	17	0.90	9	29	<5	<10	102	6	28	10	186	6	20	186	10	13	72	<1
42403	82695	0.044	<1	6.47	95	52	<2	1	5.54	4	<1	107	313	104	3.85	13	<1	<1	2	<1	1.01	<1	44	1.00	1445	2	10	134	240	7	16	0.98	6	27	<5	<10	93	5	28	10	183	4	22	177	10	12	73	<1
42404	82696	0.012	<1	6.94	56	51	<2	<1	5.54	5	<1	108	262	89	4.95	13	<1	<1	4	<1	1.10	<1	38	1.40	2044	<1	11	136	258	7	9	1.09	6	29	5	<10	83	6	27	8	204	7	<20	182	<10	15	75	<1
42405	82697	0.009	<1	7.12	54	75	2	2	4.98	4	2	105	271	106	3.49	13	3	<1	6	<1	1.23	<1	44	0.74	1650	2	14	137	265	9	<1	1.09	<5	27	11	<10	103	10	27	12	298	8	<20	188	41	11	61	<1
42406	82698	0.013	<1	7.01	62	83	<2	2	4.56	4	<1	129	239	108	3.88	13	<1	<1	4	<1	1.33	<1	43	0.82	1698	<1	11	167	292	<1	5	1.42	6	27	15	<10	101	7	27	10	221	8	<20	178	10	12	59	<1
42407	82699	1.218	<1	6.08	>8000	93	2	2	9.27	6	<1	83	182	143	5.86	13	<1	<1	6	<1	1.55	<1	26	1.05	2223	4	9	89	259	9	16	2.72	17	34	8	<10	104	8	30	8	232	5	55	166	11	11	48	<1
42408	82700	0.965	<1	2.99	82	52	<2	<1	2.14	4	8	49	66	40	3.83	6	<1	<1	4	<1	1.11	1	7	1.36	614	2	7	19	544	10	4	0.06	5	14	9	<10	59	6	28	10	3594	7	<20	114	10	22	90	<1
42410	82701	1.099	<1	6.61	2499	72	4	2	3.87	13	<1	79	170	202	13.87	28	<1	<1	5	<1	1.15	<1	32	2.07	2183	1	12	78	273	26	29	6.36	8	33	7	<10	55	13	44	8	645	5	95	225	16	12	129	<1
42411	82702	0.232	<1	6.83	93	191	2	1	3.16	7	4	110	257	193	6.84	20	<1	<1	5	<1	1.80	<1	23	1.02	1296	2	15	90	368	10	38	3.37	5	28	10	10	81	8	32	7	1207	2	20	249	<10	15	74	<1
42412	82703	0.029	<1	7.26	58	186	2	<1	3.63	5	2	106	258	214	6.72	19	<1	<1	4	<1	1.62	<1	24	1.15	1231	1	14	102	399	11	49	2.76	7	29	11	<10	86	8	34	11	883	6	52	227	15	16	76	<1
42413	82704	0.012	<1	7.33	53	207	2	<1	3.53	5	<1	107	258	153	5.09	17	<1	<1	4	<1	1.54	<1	24	0.96	1120	1	14	97	240	6	<1	1.78	6	27	13	<10	92	7	25	10	744	9	34	228	10	16	68	<1
42414	82705	0.016	<1	5.47	57	120	2	3	3.81	5	<1	107	174	158	5.01	12	<1	<1	3	1	1.54	<1	23	0.99	1075	2	9	97	259	5	32	1.64	5	18	7	<10	65	6	34	10	460	13	<20	153	<10	15	65	<1
42415	82706	0.033	<1	5.61	35	56	3	<1	3.04	5	<1	122	193	152	6.35	15	<1	<1	4	<1	1.08	<1	31	1.14	1495	<1	10	109	283	6	30	1.38	5	23	9	<10	72	7	32	10	897	9	21	179	13	15	86	<1
42416	82707	0.675	<1	5.60	78	71	3	<1	5.50	10	<1	95	377	294	10.96	21	<1	<1	4	<1	1.30	<1	23	1.25	1421	2	8	86	206	16	35	5.84	5	26	5	<10	59	10	44	7	622	10	52	164	18	13	95	<1
42417	82708	1.613	1	6.51	41	41	3	3	6.26	7	14	90	128	253	8.34	21	<1	<1	4	<1	0.90	1	38	2.71	1281	2	7	52	402	14	19	2.30	8	13	12	<10	54	8	37	12	157	12	34	130	27	12	104	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140625
Reference:
Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg ppm	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42418	82709	<0.005	<1	5.46	7	110	<2	2	1.82	<4	<1	<1	119	3	0.88	4	<1	<1	4	7	1.47	<1	24	0.96	182	1	<1	9	215	3	18	0.03	5	1	<5	<10	49	2	22	14	198	11	<20	11	<10	3	37	<1
42419	82710	5.408	2	4.04	278	139	3	<1	1.73	7	16	268	137	1595	6.38	11	<1	<1	3	<1	1.44	7	11	0.95	514	7	2	1261	346	707	102	1.69	6	8	12	10	77	6	32	12	1574	4	<20	64	27	12	424	<1
42421	82711	0.006	<1	5.68	3	102	<2	4	1.91	<4	<1	<1	76	8	1.02	6	<1	<1	3	8	1.43	<1	30	0.99	162	2	<1	11	172	3	18	0.05	7	<1	10	<10	64	2	21	13	189	3	<20	9	<10	3	36	<1
42422	82712	0.007	<1	5.52	2	100	<2	<1	1.61	<4	<1	<1	288	3	1.10	6	<1	<1	4	4	1.40	<1	26	0.83	156	1	<1	9	165	<1	14	0.03	7	1	<5	<10	85	3	23	12	175	9	<20	10	<10	3	34	<1
42423	82713	<0.005	<1	4.94	5	122	<2	1	1.18	<4	<1	<1	286	2	0.97	6	<1	<1	5	5	1.35	<1	17	0.65	126	1	<1	7	173	<1	<1	0.02	<5	1	7	<10	72	2	21	13	173	9	<20	10	10	3	39	<1
42424	82714	<0.005	<1	4.56	4	109	<2	2	1.57	<4	<1	<1	142	1	0.92	4	<1	<1	5	8	1.46	<1	19	0.79	138	1	<1	7	160	1	<1	0.02	5	<1	5	<10	60	2	25	12	150	8	<20	9	<10	3	40	<1
42425	82715	<0.005	<1	4.54	2	114	<2	<1	1.48	<4	<1	<1	191	2	0.85	6	<1	<1	5	<1	1.41	<1	19	0.81	113	1	<1	6	165	<1	13	0.01	5	1	5	<10	67	2	19	13	152	7	<20	9	<10	3	35	<1
42426	82716	0.013	<1	4.51	5	174	<2	1	1.44	<4	<1	<1	104	1	0.80	3	<1	<1	5	<1	1.48	<1	17	0.76	101	1	<1	7	176	4	21	0.06	5	<1	7	<10	78	2	23	12	176	4	<20	8	10	3	37	<1
42427	82717	0.006	<1	4.49	4	184	<2	1	1.93	<4	3	5	230	8	1.30	6	<1	<1	4	3	1.42	<1	22	1.16	185	2	<1	31	303	2	9	0.08	<5	3	<5	<10	96	2	23	12	159	6	<20	21	12	4	42	<1
42428	82718	0.006	<1	3.39	2	164	<2	<1	1.30	<4	<1	<1	244	3	1.00	3	<1	<1	4	2	1.18	<1	15	0.61	110	2	<1	7	172	<1	<1	0.03	6	<1	<5	<10	75	3	23	12	126	9	<20	8	<10	3	38	<1
42429	82719	0.021	<1	4.83	2	371	<2	2	1.58	<4	<1	<1	453	3	1.01	6	<1	<1	4	7	1.57	<1	12	0.63	128	2	<1	9	170	5	<1	0.03	8	1	13	<10	126	3	19	12	233	8	<20	10	<10	3	36	<1
42430	82720	0.005	<1	3.25	4	471	<2	<1	0.50	<4	34	3	629	5	1.38	2	<1	<1	4	<1	1.87	18	25	0.37	257	2	2	11	251	12	21	<0.01	<5	1	10	<10	105	3	25	27	1027	6	<20	16	<10	8	57	<1
42432	82721	0.019	<1	5.56	5	392	2	1	4.35	4	67	50	277	42	4.23	16	<1	<1	4	4	1.51	27	29	2.81	667	1	5	109	1306	8	18	0.42	5	10	13	<10	518	6	27	20	214	5	20	93	11	10	92	<1
42433	82722	0.018	<1	4.83	3	165	2	<1	5.29	4	59	66	480	42	4.54	13	<1	<1	3	<1	0.88	22	34	3.78	749	1	6	200	1150	3	<1	0.37	7	14	13	<10	487	4	28	17	133	6	20	96	11	9	94	<1
42434	82723	0.014	<1	4.73	<2	511	<2	<1	1.41	<4	<1	<1	313	4	0.97	7	<1	<1	4	3	1.68	<1	9	0.64	142	2	<1	11	183	4	<1	0.04	6	1	7	<10	140	3	23	11	265	8	<20	12	<10	3	38	<1
42435	82724	0.009	<1	4.69	7	276	<2	1	1.63	<4	<1	<1	327	3	1.01	6	<1	<1	3	4	1.51	<1	13	0.57	147	2	<1	9	177	<1	20	0.06	7	1	11	<10	115	3	22	13	197	6	<20	11	11	3	39	<1
42436	82725	0.012	<1	7.22	4	334	<2	2	1.71	<4	<1	<1	357	4	1.05	10	<1	<1	5	2	1.59	<1	17	0.61	142	2	<1	9	172	<1	25	0.06	8	2	12	<10	184	3	21	13	259	6	<20	13	12	4	38	<1
42437	82726	0.172	<1	3.01	5	170	<2	2	1.06	<4	<1	<1	405	3	1.04	3	<1	<1	4	6	1.13	<1	10	0.38	120	2	<1	9	169	3	19	0.07	<5	1	<5	<10	85	2	21	12	116	10	<20	10	<10	2	37	<1
42438	82727	0.296	<1	2.97	3	177	<2	1	1.24	<4	<1	<1	438	4	1.16	2	<1	<1	3	4	1.09	<1	10	0.39	142	<1	<1	9	171	<1	16	0.16	8	1	<5	<10	96	2	22	11	112	6	<20	11	11	2	40	<1
42439	82728	0.097	<1	4.34	6	275	<2	<1	2.35	<4	<1	<1	316	3	1.05	5	<1	<1	4	1	1.44	<1	10	0.39	237	1	<1	7	179	7	17	0.27	6	2	13	<10	144	3	21	13	179	5	<20	13	<10	4	35	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140625
Reference:
Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42440	82729	0.144	<1	3.83	4	255	<2	1	1.64	<4	<1	<1	329	3	0.97	2	<1	<1	2	7	1.52	<1	9	0.56	145	2	<1	8	163	<1	25	0.14	5	1	8	<10	149	2	22	13	170	10	<20	11	11	3	41	<1
42441	82730	0.024	<1	5.02	3	238	<2	3	1.41	<4	<1	<1	486	4	1.20	8	<1	<1	5	5	1.48	<1	14	0.62	155	1	<1	9	147	6	11	0.03	6	1	10	<10	120	3	22	14	190	8	<20	11	<10	3	41	<1
42442D	82730	0.024	<1	4.23	<2	211	<2	2	1.33	<4	<1	<1	476	4	1.16	5	1	<1	5	<1	1.50	<1	13	0.59	151	2	<1	9	146	1	21	0.03	6	<1	<5	<10	96	4	25	14	167	8	<20	10	<10	3	43	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42443	080881	<0.005	<1	9.13	10	173	<2	<1	4.92	5	<1	49	242	214	4.97	25	<1	1	3	<1	2.24	<1	38	1.08	1555	21	18	119	455	14	26	0.18	<5	28	<5	<10	124	4	9	<1	317	7	36	285	<10	6	102	60
42444	080882	<0.005	<1	9.57	12	164	<2	<1	7.54	4	<1	47	219	149	4.50	26	<1	2	3	<1	2.58	<1	38	1.19	2250	20	18	105	403	6	35	0.13	<5	30	<5	<10	123	6	5	<1	328	10	36	274	<10	7	82	93
42445	080883	<0.005	<1	9.39	8	139	<2	<1	5.45	5	<1	52	220	154	4.78	25	<1	2	3	<1	2.44	<1	40	1.36	1462	20	18	117	413	14	26	0.24	<5	27	<5	10	118	4	8	<1	316	3	<20	271	<10	6	80	92
42446	080884	0.005	<1	9.56	11	132	<2	<1	6.37	6	<1	51	224	162	5.71	27	<1	2	1	<1	2.49	<1	41	1.35	1779	22	17	123	436	12	31	0.89	<5	24	<5	<10	132	5	9	<1	326	12	37	263	<10	7	110	99
42447	080885	0.005	2	8.94	8	136	<2	3	5.73	6	<1	52	229	159	5.58	26	<1	2	4	<1	2.67	<1	41	1.25	1664	21	17	122	407	16	23	0.89	<5	21	<5	<10	131	5	11	<1	344	4	<20	269	<10	6	107	92
42448	080886	0.006	<1	9.29	7	100	<2	2	6.75	7	<1	44	223	137	6.39	28	<1	2	3	<1	2.59	<1	42	1.56	1882	22	15	103	390	8	13	0.53	<5	24	<5	<10	106	4	14	<1	325	4	37	245	<10	6	140	93
42449	080887	<0.005	2	8.86	6	109	<2	<1	5.39	6	<1	46	218	149	5.44	26	<1	2	4	<1	2.58	<1	43	1.47	1490	21	16	108	425	13	12	0.15	<5	23	<5	<10	114	5	5	<1	333	9	<20	259	<10	6	110	100
42450	080888	<0.005	<1	9.02	9	114	<2	<1	4.95	6	<1	48	222	154	5.28	25	<1	<1	3	<1	2.55	<1	40	1.42	1476	20	16	109	393	10	33	0.25	<5	23	<5	10	123	5	4	<1	310	6	25	250	<10	6	112	50
42451	080889	<0.005	<1	8.53	9	104	<2	<1	11.21	<4	3	31	175	104	3.46	20	<1	2	2	<1	2.70	<1	37	1.12	2630	19	11	73	264	11	13	0.17	<5	19	<5	<10	132	3	3	<1	316	8	<20	176	<10	12	47	109
42452	080890	<0.005	2	8.83	11	122	<2	<1	6.44	5	<1	48	216	160	5.24	26	<1	2	1	<1	2.36	<1	45	1.51	1829	21	17	107	446	12	17	0.17	<5	24	<5	<10	138	5	7	<1	333	3	29	268	<10	6	101	80
42453D	080890	<0.005	<1	9.63	9	128	<2	2	6.50	5	<1	51	223	166	5.38	29	<1	2	2	<1	2.55	<1	47	1.57	1859	21	18	110	474	7	17	0.17	5	26	5	<10	146	5	10	<1	347	10	38	280	<10	6	98	97
42454	080891	<0.005	<1	10.01	13	118	<2	<1	6.36	6	<1	49	218	156	6.06	31	12	3	2	<1	2.64	<1	50	1.73	1780	23	17	113	395	11	24	0.30	<5	26	<5	<10	136	5	7	<1	402	7	28	267	<10	7	125	140
42455	080892	<0.005	<1	10.07	7	111	<2	<1	7.04	5	<1	44	200	145	5.42	27	<1	3	<1	<1	2.57	<1	47	1.72	1835	22	15	94	405	6	6	0.17	<5	27	<5	<10	128	5	9	<1	371	10	37	242	<10	9	106	114
42456	080893	<0.005	<1	10.82	8	77	2	<1	8.18	10	<1	53	191	155	11.19	34	4	4	2	<1	2.87	<1	51	2.29	2918	30	16	90	334	20	9	1.19	<5	37	<5	<10	80	9	25	<1	414	17	68	279	<10	12	159	161
42457	080894	<0.005	<1	9.43	6	121	2	2	6.10	7	<1	47	211	151	6.74	29	<1	2	<1	<1	2.75	<1	48	1.53	2082	24	18	105	477	11	28	0.13	<5	28	<5	10	130	5	19	<1	409	9	31	288	<10	8	125	103
42458	080895	<0.005	<1	9.57	5	123	<2	<1	6.82	7	<1	49	208	158	6.89	29	<1	3	2	<1	2.81	<1	49	1.55	2249	23	19	104	463	16	18	0.14	<5	29	<5	<10	131	6	11	<1	425	5	37	294	<10	8	125	126
42459	080896	<0.005	<1	9.72	10	110	<2	<1	7.18	7	<1	49	216	148	7.51	28	<1	3	1	<1	2.60	<1	50	2.01	1991	24	16	99	329	13	20	1.08	<5	26	<5	<10	113	5	13	<1	365	10	61	250	<10	8	133	133
42460	080897	<0.005	<1	9.40	11	151	<2	<1	5.05	6	<1	54	238	173	6.17	32	<1	3	1	<1	2.71	<1	56	1.71	1369	23	18	113	447	13	<1	0.44	<5	25	<5	<10	156	5	15	<1	448	6	30	291	<10	7	132	117
42461	080898	<0.005	<1	9.47	11	138	<2	<1	6.69	6	<1	53	228	155	6.26	28	6	2	<1	<1	2.67	<1	50	1.89	1687	23	17	108	353	7	19	0.49	<5	26	<5	<10	135	6	5	<1	463	8	24	264	<10	10	135	100
42462	080899	<0.005	2	10.07	9	96	<2	<1	7.21	9	<1	49	202	151	9.00	32	<1	4	2	<1	2.71	<1	50	2.22	2227	28	16	106	354	19	7	0.82	<5	30	<5	10	101	8	18	<1	642	9	67	265	<10	11	139	124

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42463	080900	0.953	10	9.48	4	172	2	2	5.32	6	6	38	136	45	6.11	30	<1	2	2	<1	2.89	<1	23	2.35	1020	22	15	34	736	23	76	0.05	<5	19	<5	<10	207	7	14	<1	6630	12	36	196	<10	26	117	99
42465	080901	<0.005	1	10.32	8	99	<2	<1	7.30	6	<1	52	220	151	6.07	24	<1	2	3	<1	2.73	<1	52	2.10	2084	22	18	106	394	11	5	0.21	<5	36	<5	10	118	5	10	<1	567	6	37	279	<10	14	79	78
42466	080902	<0.005	2	10.73	7	71	<2	2	6.50	11	<1	46	186	124	11.55	32	<1	3	3	<1	2.74	<1	48	2.81	2271	26	15	96	342	16	19	0.89	5	35	<5	<10	71	7	23	<1	437	10	95	252	<10	13	162	81
42467	080903	<0.005	2	10.86	10	69	<2	<1	7.85	8	<1	38	188	109	8.36	25	<1	2	<1	<1	2.70	<1	52	2.51	2045	24	15	90	398	15	11	0.49	<5	35	<5	11	88	7	10	<1	714	9	51	247	<10	18	151	50
42468	080904	<0.005	<1	12.61	12	74	2	<1	6.13	10	<1	69	220	183	12.08	36	<1	4	3	<1	2.07	<1	66	3.38	2051	29	18	109	379	21	5	1.76	<5	44	<5	<10	83	9	21	<1	1308	9	94	298	<10	23	240	93
42469	080905	<0.005	1	11.67	7	61	<2	<1	6.33	11	<1	57	224	164	11.50	34	<1	2	4	<1	2.35	<1	64	3.45	2142	29	18	108	330	21	<1	0.90	<5	42	<5	<10	71	9	21	<1	1251	12	74	292	<10	21	244	18
42470	080906	<0.005	1	10.99	13	122	<2	<1	7.31	5	<1	54	235	166	5.21	27	<1	2	4	<1	2.20	<1	51	1.84	1462	21	18	108	445	8	<1	0.28	<5	31	<5	<10	130	5	5	<1	1567	11	<20	284	<10	18	88	99
42471	080907	<0.005	<1	10.18	7	109	<2	<1	6.52	6	<1	48	224	158	6.15	27	<1	2	<1	<1	2.51	<1	51	2.05	1551	22	18	92	379	5	21	0.13	<5	35	<5	<10	109	5	12	<1	1213	13	20	289	<10	19	76	79
42472	080908	<0.005	2	9.81	9	135	<2	<1	6.83	6	<1	52	227	162	5.65	27	2	2	2	<1	2.54	<1	48	1.61	1543	21	18	107	410	5	24	0.15	<5	29	<5	11	131	5	11	<1	1652	13	42	291	<10	17	67	90
42473	080909	<0.005	1	9.92	7	118	<2	<1	6.42	7	<1	55	229	157	7.22	30	3	1	<1	<1	2.33	<1	51	1.91	1688	22	19	117	386	14	20	0.76	<5	30	<5	10	120	7	12	<1	2299	8	40	301	<10	18	107	70
42474	080910	5.370	4	8.63	287	265	2	<1	2.79	8	12	124	168	1699	7.23	23	<1	2	4	<1	2.49	4	25	1.29	641	29	6	1343	531	736	136	1.30	<5	10	<5	12	142	6	19	<1	2934	13	23	91	33	15	484	106
42476	080911	0.005	2	10.81	8	98	<2	<1	6.71	7	<1	55	216	164	6.66	27	<1	2	5	<1	2.66	<1	51	2.02	1731	23	18	110	422	12	29	0.33	<5	33	<5	10	111	7	5	<1	2468	8	22	288	<10	19	117	106
42477	080912	<0.005	2	10.67	7	92	<2	<1	7.39	8	<1	55	198	152	8.09	28	<1	2	5	<1	2.83	<1	51	2.22	2205	24	16	106	352	17	13	1.12	<5	33	<5	13	102	9	14	<1	1176	8	51	257	<10	16	126	92
42478	080913	<0.005	2	10.54	8	130	2	<1	6.82	8	<1	52	215	162	7.41	28	<1	<1	5	<1	2.60	<1	46	1.78	1866	22	16	126	384	12	33	1.06	<5	32	<5	<10	140	6	12	<1	395	9	34	275	<10	13	129	28
42479	080914	0.005	2	10.08	10	136	<2	<1	6.81	8	<1	65	237	154	7.43	30	<1	3	<1	<1	2.68	<1	48	1.57	1641	24	19	121	403	12	17	1.22	<5	32	<5	<10	141	6	11	<1	461	5	34	296	<10	13	116	81
42480	080915	<0.005	2	10.96	8	114	<2	3	7.57	8	<1	49	218	169	7.93	31	<1	3	1	<1	2.64	<1	54	2.18	1905	23	19	95	399	11	9	0.42	<5	40	<5	<10	121	6	10	<1	378	6	41	323	<10	14	81	102
42481	080916	<0.005	<1	10.04	8	105	<2	2	6.63	7	<1	48	216	162	6.71	26	<1	2	4	<1	2.78	<1	50	1.95	1594	23	17	95	381	7	<1	0.53	<5	33	<5	<10	115	5	13	<1	313	2	48	278	<10	12	71	48
42482	080917	<0.005	<1	10.27	7	121	<2	<1	6.33	6	<1	42	227	166	6.32	28	<1	2	3	<1	2.45	<1	51	1.79	1674	21	17	92	449	14	30	0.58	<5	28	<5	<10	135	5	5	<1	298	5	41	269	<10	11	85	67
42483	080918	<0.005	<1	9.84	10	115	2	2	5.94	8	<1	41	264	120	8.30	30	<1	3	<1	<1	2.43	<1	52	1.77	1888	24	16	73	440	16	18	1.33	<5	29	<5	<10	127	6	11	<1	314	15	69	282	<10	9	81	89
42484	080919	<0.005	<1	10.38	4	111	2	3	6.23	8	<1	45	239	141	8.42	34	<1	3	<1	<1	2.57	<1	55	1.84	1829	24	21	86	419	15	21	0.16	<5	40	<5	<10	124	6	12	<1	332	11	54	329	<10	10	91	92

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42485	080920	<0.005	1	8.71	5	928	2	<1	1.55	<4	103	10	605	11	2.36	22	<1	4	2	<1	2.71	44	31	0.52	281	22	10	13	911	36	79	0.02	<5	4	<5	<10	225	2	4	14	2595	8	<20	36	<10	13	53	186
42487	080921	<0.005	<1	9.49	4	115	2	2	7.08	7	<1	49	226	154	6.80	29	<1	2	5	<1	2.74	<1	48	1.49	1898	23	18	104	389	9	7	0.15	<5	32	<5	<10	125	6	16	<1	312	13	45	296	<10	9	84	66
42488	080922	<0.005	<1	9.65	5	124	<2	2	7.00	7	<1	55	235	171	7.46	32	<1	2	1	<1	2.64	<1	50	1.45	1916	23	19	116	466	12	26	0.17	<5	31	<5	<10	130	7	15	<1	342	5	31	308	<10	8	73	87
42489	080923	<0.005	2	9.49	6	117	<2	<1	6.94	6	<1	47	310	146	6.44	29	<1	2	2	<1	2.76	<1	50	1.30	1713	22	18	98	391	8	9	0.09	<5	28	<5	<10	126	6	7	<1	356	8	42	289	<10	8	68	108
42490	080924	<0.005	<1	9.62	8	127	<2	1	7.09	6	<1	49	250	163	6.40	31	<1	1	3	<1	2.70	<1	50	1.28	2029	21	20	102	405	9	20	0.10	<5	34	<5	<10	133	6	12	<1	335	11	40	328	<10	8	68	73
42491	080925	<0.005	2	9.71	10	117	<2	<1	7.21	6	<1	46	231	150	6.16	27	<1	1	6	<1	2.70	<1	47	1.29	1988	20	19	94	444	9	22	0.09	<5	34	<5	<10	127	6	10	<1	327	4	<20	306	<10	9	64	47
42492	080926	<0.005	<1	9.26	12	126	<2	<1	8.05	5	<1	44	244	141	5.21	25	<1	2	2	<1	2.64	<1	47	1.13	1711	20	17	97	351	10	24	0.12	<5	27	<5	<10	138	5	7	<1	315	13	27	276	<10	9	44	63
42493	080927	<0.005	<1	9.66	12	112	<2	<1	6.37	7	<1	54	245	176	6.87	30	<1	2	1	<1	2.68	<1	48	1.33	1760	22	20	102	431	13	26	0.19	<5	34	<5	<10	117	7	14	<1	324	7	45	326	<10	8	74	81
42494	080928	<0.005	1	10.22	11	130	<2	2	6.74	6	<1	47	249	180	6.39	30	<1	3	3	<1	2.45	<1	49	1.27	1715	23	19	96	385	10	22	0.16	<5	30	<5	<10	133	5	11	<1	335	13	27	305	<10	8	73	128
42495	080929	<0.005	<1	9.72	17	130	<2	2	6.00	5	<1	43	243	176	4.93	25	<1	1	3	<1	2.29	<1	44	1.03	1427	19	18	93	433	11	2	0.33	<5	26	<5	<10	134	4	6	<1	307	8	31	283	<10	7	68	78
42496	080930	<0.005	<1	10.08	35	147	<2	<1	6.65	5	<1	52	253	183	4.89	28	<1	1	1	<1	2.65	<1	49	1.04	1516	20	20	97	460	7	<1	0.12	<5	27	<5	<10	154	4	7	<1	330	9	22	307	<10	7	67	102
42497D	080930	<0.005	<1	9.37	36	139	2	<1	6.41	5	<1	52	245	177	4.74	27	2	4	<1	2.26	<1	45	1.00	1478	19	21	98	409	10	9	0.12	<5	27	<5	<10	143	7	8	<1	312	10	37	292	<10	7	70	73	
42498	080931	<0.005	<1	9.66	18	124	<2	3	6.68	6	<1	47	247	174	5.96	25	<1	<1	1	<1	2.26	<1	46	1.22	1663	18	18	104	453	12	20	0.19	<5	31	<5	<10	136	4	7	<1	288	5	46	288	<10	7	102	19
42499	080932	<0.005	<1	8.79	21	132	<2	<1	6.22	7	<1	48	225	167	6.51	27	<1	2	2	<1	2.56	<1	50	1.16	1849	22	15	105	381	8	2	1.19	<5	20	<5	<10	135	6	10	<1	306	4	33	246	<10	6	106	88
42500	080933	<0.005	<1	8.81	23	130	<2	<1	6.81	9	<1	51	210	141	8.38	29	<1	3	4	<1	2.71	<1	46	1.28	2442	23	14	102	354	14	26	1.58	<5	22	<5	<10	129	6	13	<1	310	3	45	235	<10	7	114	87
42501	080934	0.008	<1	9.83	35	205	<2	2	7.41	7	<1	64	242	170	6.70	26	<1	1	3	<1	2.57	<1	49	1.37	2039	22	15	115	381	18	27	0.93	<5	25	<5	<10	157	6	12	<1	299	12	59	245	<10	8	103	48
42502	080935	0.005	<1	9.75	31	215	<2	<1	6.69	5	<1	57	238	164	6.24	25	<1	<1	<1	2.36	<1	49	1.34	1865	20	16	112	373	9	10	0.61	<5	26	<5	<10	162	6	7	<1	298	4	22	257	<10	7	109	5	
42503	080936	0.006	<1	10.18	35	184	<2	<1	7.74	7	<1	47	199	154	6.97	28	<1	2	3	<1	2.69	<1	48	1.78	2069	22	15	100	387	8	4	0.38	<5	28	<5	<10	137	5	9	<1	301	8	43	244	<10	8	120	60
42504	080937	<0.005	1	11.51	13	66	2	<1	6.25	9	14	48	33	238	9.01	32	<1	5	6	<1	2.87	<1	54	3.17	1503	29	10	62	577	17	23	0.12	<5	16	<5	<10	143	6	14	<1	320	11	67	164	<10	11	116	140
42505	080938	<0.005	2	11.24	9	75	2	<1	6.98	10	12	43	33	221	8.64	30	<1	4	1	<1	2.55	<1	48	2.75	1550	28	9	60	514	12	14	0.10	<5	15	<5	<10	211	4	14	<1	340	8	75	156	<10	11	107	132

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42506	080939	<0.005	1	10.75	18	132	<2	<1	6.68	7	<1	57	243	163	6.41	30	<1	3	2	<1	2.79	<1	42	1.52	1633	23	16	128	404	13	11	0.33	<5	29	<5	<10	231	5	12	<1	343	7	59	270	<10	10	119	97
42507	080940	13.459	10	8.63	30	428	2	<1	3.16	5	<1	29	94	148	4.45	22	<1	<1	2	<1	2.78	<1	25	1.38	607	26	8	45	667	36	554	0.55	<5	12	7	12	145	5	9	<1	4215	11	<20	112	<10	16	162	<1
42509	080941	0.015	<1	11.40	11	177	2	<1	7.23	8	<1	51	216	175	7.89	29	<1	1	4	<1	2.63	<1	48	2.28	1616	23	17	116	437	14	22	0.17	<5	38	<5	<10	156	6	15	<1	285	8	44	283	<10	10	164	<1
42510	080942	<0.005	1	10.38	11	199	<2	2	7.79	7	<1	49	218	172	6.54	28	<1	1	1	<1	2.75	<1	44	1.54	2157	22	17	112	406	8	<1	0.08	<5	28	<5	<10	136	5	11	<1	338	9	20	280	<10	8	125	34
42511	080943	0.005	3	8.83	5	91	2	<1	5.55	12	<1	47	107	123	11.83	30	<1	3	3	<1	2.49	<1	38	1.38	2890	29	11	87	328	18	19	0.82	<5	29	<5	<10	78	8	24	<1	428	<2	115	203	<10	8	381	80
42512	080944	0.007	<1	9.87	9	151	<2	<1	6.33	8	<1	54	205	172	7.38	29	2	2	<1	<1	2.47	<1	43	1.28	2543	23	17	111	329	13	1	0.28	<5	25	<5	<10	130	7	8	<1	409	12	51	274	<10	6	163	75
42513	080945	<0.005	<1	9.75	16	141	<2	2	6.99	7	<1	53	197	154	6.31	27	<1	2	4	<1	2.49	<1	46	1.68	1673	22	16	109	411	11	4	0.16	<5	26	<5	<10	125	5	6	<1	311	4	40	267	<10	7	101	57
42514	080946	<0.005	<1	10.30	16	88	<2	<1	8.07	8	<1	39	165	135	7.65	25	<1	2	1	<1	2.47	<1	55	3.17	1236	27	13	90	325	9	23	0.08	<5	30	<5	<10	102	5	11	<1	266	14	56	219	<10	7	94	54
42515	080947	0.008	<1	10.50	113	108	<2	4	7.38	8	<1	43	178	145	7.33	26	8	4	3	<1	2.51	<1	46	2.75	1192	27	14	95	323	13	18	0.13	<5	27	<5	<10	127	5	12	<1	298	6	52	226	<10	7	98	142
42516	080948	0.018	<1	10.84	165	115	2	<1	7.19	7	<1	42	185	135	7.90	27	<1	3	1	<1	2.52	<1	54	3.34	1198	24	14	94	362	12	2	0.22	<5	30	<5	<10	130	6	15	<1	273	7	42	222	<10	8	105	100
42517	080949	0.278	<1	8.28	663	161	<2	2	3.84	<4	1	33	134	160	3.46	21	<1	3	3	<1	2.50	<1	36	1.18	618	20	3	60	378	10	<1	0.80	<5	7	<5	<10	116	2	7	<1	258	3	<20	59	<10	7	52	122
42518	080950	<0.005	<1	8.97	7	869	2	<1	1.74	<4	29	6	123	18	1.03	18	<1	<1	2	<1	2.82	9	37	0.42	224	15	10	9	333	41	36	0.01	<5	<1	<5	<10	512	2	<1	<1	1608	7	<20	19	<10	15	27	51
42520	080951	0.204	<1	8.73	452	165	<2	3	2.73	4	<1	36	198	132	3.57	22	<1	2	<1	<1	2.50	<1	36	0.86	908	19	9	83	324	9	<1	0.82	<5	18	<5	<10	118	2	3	<1	282	8	<20	157	<10	5	119	121
42521	080952	0.832	<1	7.85	461	108	<2	3	4.69	<4	<1	22	183	66	3.49	16	<1	<1	3	<1	2.68	<1	28	1.31	1173	17	6	55	351	10	19	0.38	<5	16	<5	<10	98	2	8	<1	213	4	24	105	<10	6	70	28
42522	080953	0.520	<1	8.79	1163	115	<2	<1	7.22	5	<1	40	246	134	4.51	20	<1	1	3	<1	2.75	<1	35	1.99	1519	19	12	101	426	12	17	0.23	<5	22	<5	<10	123	4	6	<1	240	9	22	184	<10	5	46	11
42523	080954	1.141	<1	9.88	2615	141	<2	1	6.33	5	<1	49	261	182	4.64	25	<1	<1	3	<1	2.46	<1	44	1.67	1564	19	16	126	354	10	12	0.53	<5	25	<5	<10	148	5	8	<1	269	13	30	250	<10	5	39	27
42524	080955	1.671	<1	10.21	3424	139	<2	2	6.73	5	<1	56	246	173	4.85	26	<1	1	<1	<1	2.59	<1	44	1.79	1653	20	15	132	369	9	4	0.56	<5	27	<5	<10	145	3	6	<1	269	5	<20	235	<10	5	41	66
42525	080956	0.028	<1	9.03	228	128	<2	<1	6.81	5	<1	44	240	164	4.81	24	<1	1	<1	<1	2.61	<1	40	1.74	1628	19	15	113	289	14	<1	0.26	<5	22	<5	<10	136	3	4	<1	267	12	<20	236	<10	5	46	19
42526	080957	0.015	<1	9.58	186	130	<2	<1	7.01	5	<1	48	238	166	5.17	25	<1	2	4	<1	2.40	<1	43	1.73	1789	21	15	115	328	11	14	0.21	<5	23	<5	<10	141	3	6	<1	279	11	30	242	<10	5	44	95
42527	080958	0.023	<1	9.43	208	110	<2	<1	6.26	6	<1	49	236	155	5.79	24	<1	2	<1	<1	2.49	<1	39	1.68	1993	21	15	126	325	8	7	0.32	<5	24	<5	<10	130	4	7	<1	262	4	30	242	<10	5	80	57

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42528	080959	0.047	<1	9.01	755	112	<2	<1	6.64	4	<1	45	231	161	4.58	24	<1	2	<1	2.67	<1	42	1.67	1581	20	14	113	302	9	<1	0.22	<5	21	5	<10	135	3	6	<1	260	6	<20	230	<10	5	44	58	
42529	080960	0.021	<1	9.62	220	103	<2	4	6.88	5	<1	45	217	167	4.74	23	<1	2	4	<1	2.54	<1	38	1.84	1701	20	14	118	314	7	<1	0.27	<5	23	5	<10	134	4	2	<1	249	9	20	227	<10	6	78	71
42530D	080960	0.022	<1	9.30	236	106	<2	<1	6.92	5	<1	46	236	175	4.83	26	<1	3	<1	<1	2.51	<1	39	1.84	1756	21	15	120	340	8	6	0.26	<5	22	<5	<10	139	4	10	<1	263	5	<20	248	<10	6	81	71
42531	080961	0.019	<1	9.01	202	97	<2	<1	5.98	4	<1	42	244	166	4.38	23	<1	1	2	<1	2.62	<1	40	2.08	1331	19	15	108	275	4	<1	0.10	<5	22	<5	<10	142	3	9	<1	248	11	20	235	<10	5	70	43
42532	080962	0.058	<1	9.45	299	97	<2	<1	6.42	5	<1	41	262	179	4.73	24	<1	<1	2	<1	2.79	<1	43	2.31	1275	19	15	113	327	12	4	0.14	<5	26	<5	<10	138	4	3	<1	231	6	<20	234	<10	5	70	6
42533	080963	0.008	<1	9.53	107	109	<2	<1	7.47	6	<1	45	221	153	5.80	23	<1	1	4	<1	2.51	<1	40	2.54	1462	21	13	114	283	8	<1	0.26	<5	26	5	<10	117	4	8	<1	255	5	20	214	<10	6	63	28
42534	080964	<0.005	<1	10.51	48	117	<2	3	8.98	6	<1	40	215	144	5.35	23	<1	2	3	<1	2.68	<1	50	2.67	1689	21	13	114	268	10	14	0.11	<5	29	<5	<10	112	4	9	<1	289	10	<20	213	<10	7	51	36
42535	080965	0.006	<1	9.91	49	112	<2	<1	9.00	5	<1	40	210	138	5.04	22	<1	<1	3	<1	2.60	<1	45	2.55	1660	19	13	112	266	11	8	0.10	<5	28	<5	<10	106	3	3	<1	263	15	29	202	<10	7	48	<1
42536	080966	0.005	<1	10.58	16	70	<2	<1	7.12	5	<1	41	224	152	5.25	21	5	1	5	<1	2.42	<1	54	3.00	1460	21	14	115	278	6	<1	0.15	<5	32	<5	<10	100	3	7	<1	282	7	<20	221	<10	9	55	24
42537	080967	0.005	2	10.35	14	106	<2	<1	7.79	6	<1	40	225	166	5.23	25	<1	<1	<1	<1	2.43	<1	54	2.42	1680	21	15	116	326	10	<1	0.17	<5	30	<5	10	150	5	9	<1	370	8	28	243	<10	11	65	8
42538	080968	0.006	2	10.67	19	150	<2	<1	8.19	5	<1	37	225	167	5.66	25	<1	<1	3	<1	2.38	<1	52	2.38	1708	21	15	105	325	11	<1	0.15	<5	32	<5	11	179	5	10	<1	321	7	47	241	<10	11	71	10
42539	080969	0.007	<1	10.05	49	105	<2	2	6.56	5	<1	38	233	167	5.19	23	<1	<1	2	<1	2.58	<1	51	2.37	1445	20	14	109	313	8	5	0.10	<5	27	<5	<10	175	5	5	<1	261	6	30	230	<10	8	58	11
42540	080970	1.010	7	8.53	6	159	<2	<1	5.08	6	5	36	127	46	5.93	27	<1	<1	<1	<1	2.60	<1	21	2.21	957	22	13	28	721	18	33	0.05	<5	18	<5	<10	200	7	17	<1	6245	8	<20	184	<10	24	92	16
42542	080971	0.009	1	11.51	37	60	2	<1	5.50	7	7	53	100	230	8.11	30	<1	2	4	<1	2.58	<1	36	3.58	1480	27	15	97	479	9	7	0.14	<5	23	<5	<10	139	7	16	<1	3366	11	45	198	<10	14	100	53
42543	080972	<0.005	7	10.18	12	54	2	1	5.52	8	13	53	37	226	8.25	26	<1	1	4	<1	2.55	2	27	3.18	1274	24	15	67	583	11	4	0.10	<5	16	<5	<10	212	7	16	<1	5717	11	39	165	<10	15	111	8
42544	080973	<0.005	8	11.17	17	57	2	3	5.31	9	6	58	123	213	8.21	27	<1	2	4	<1	2.66	<1	31	3.97	1594	25	16	106	471	14	1	0.14	<5	26	<5	10	190	6	19	<1	5455	15	39	211	<10	16	108	22
42545	080974	0.005	2	10.91	32	48	<2	<1	4.93	7	<1	59	251	214	6.74	23	<1	<1	1	<1	2.20	<1	33	3.98	1540	22	17	123	312	10	<1	0.47	<5	38	<5	<10	162	6	17	<1	4579	15	<20	254	<10	17	86	<1
42546	080975	0.005	5	10.91	40	51	<2	<1	4.85	6	<1	52	273	173	5.74	23	<1	<1	2	<1	2.21	<1	35	3.38	1219	20	18	115	339	5	<1	0.09	<5	40	<5	10	194	5	8	<1	4917	11	50	275	<10	16	79	<1
42547	080976	0.006	12	11.34	41	52	<2	<1	6.65	6	<1	54	279	176	5.63	23	<1	<1	3	<1	2.15	<1	41	3.22	1191	20	20	125	340	14	5	0.09	<5	44	<5	<10	258	7	16	<1	4890	8	<20	284	<10	18	74	<1
42548	080977	0.006	<1	10.47	24	58	<2	<1	6.02	6	<1	51	265	177	6.10	25	<1	<1	4	<1	2.10	<1	42	2.87	1194	21	17	114	328	13	<1	0.09	<5	41	<5	<10	231	5	12	<1	2866	11	47	270	<10	14	80	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42549	080978	0.006	<1	10.34	26	168	<2	<1	8.14	6	<1	46	236	161	6.06	24	<1	<1	<1	<1	2.26	<1	42	2.71	1445	18	15	100	284	12	<1	0.13	<5	37	<5	<10	220	4	8	<1	239	19	45	238	<10	10	78	<1
42550	080979	0.009	1	10.11	47	227	3	2	7.33	7	3	43	263	186	5.97	25	2	3	7	<1	2.39	<1	38	2.03	1556	21	22	93	349	13	8	0.09	<5	37	<5	<10	179	12	10	<1	240	6	60	251	11	10	91	<1
42551	080980	<0.005	1	8.93	6	903	<2	<1	1.29	<4	83	4	227	8	1.28	15	<1	1	3	<1	2.57	47	34	0.40	203	15	3	9	347	37	49	0.01	<5	2	<5	<10	265	2	<1	12	993	4	<20	20	<10	7	26	40
42553	080981	0.005	<1	10.54	43	392	<2	3	5.04	5	<1	38	338	155	5.20	23	<1	<1	4	<1	2.35	<1	33	1.85	1073	17	18	86	339	7	2	0.06	<5	41	<5	<10	131	6	7	<1	268	5	37	277	<10	8	84	<1
42554	080982	<0.005	<1	9.76	53	96	<2	1	7.56	7	<1	40	200	130	6.58	22	<1	<1	2	<1	2.58	<1	40	3.42	1281	22	12	104	294	16	<1	0.07	<5	30	<5	<10	150	5	16	<1	218	7	55	197	<10	6	63	<1
42555	080983	0.005	<1	9.98	63	159	<2	3	6.91	7	<1	36	188	108	6.68	23	<1	1	1	<1	2.79	<1	41	3.86	1238	25	12	104	290	11	17	0.04	<5	29	<5	<10	121	5	11	<1	242	7	37	192	<10	6	63	<1
42556	080984	0.007	<1	9.47	112	170	<2	<1	7.36	7	<1	40	200	125	6.61	21	<1	1	3	<1	2.78	<1	41	3.85	1033	23	12	107	249	13	27	0.06	<5	28	<5	<10	136	4	10	<1	251	6	29	194	<10	5	65	<1
42557	080985	0.006	<1	10.71	109	177	<2	<1	7.47	7	<1	40	202	126	6.62	23	<1	2	2	<1	2.55	<1	42	3.92	1036	24	12	110	267	6	4	0.06	<5	30	<5	10	142	3	10	<1	276	5	34	198	<10	6	64	20
42558	080986	0.015	<1	10.18	172	212	2	1	9.21	7	<1	38	235	125	6.74	25	<1	2	<1	<1	2.09	<1	32	2.88	1478	24	13	85	289	18	12	0.19	<5	30	<5	<10	153	4	13	<1	311	16	30	209	<10	7	64	39
42559	080987	0.246	<1	10.31	182	149	2	<1	7.61	8	8	35	213	147	7.44	25	<1	3	2	<1	2.18	<1	43	3.44	1187	27	8	74	517	12	10	0.08	<5	17	<5	<10	151	3	12	<1	305	17	37	132	<10	9	115	103
42560	080988	0.052	1	10.12	171	114	2	<1	6.20	8	9	45	47	216	8.36	27	<1	3	3	<1	2.46	<1	44	3.32	1418	28	8	82	483	9	12	0.10	<5	16	<5	<10	123	4	12	<1	294	5	57	144	<10	8	121	64
42561	080989	0.012	<1	10.58	172	121	2	<1	7.14	9	7	46	85	230	8.36	28	<1	3	1	<1	2.45	<1	44	3.34	1674	26	10	84	504	8	<1	0.13	<5	20	<5	<10	129	5	14	<1	314	8	76	171	<10	8	111	69
42562	080990	0.035	<1	9.97	182	188	<2	<1	6.92	5	<1	46	249	159	5.01	26	<1	1	3	<1	2.17	<1	44	2.33	1191	21	15	107	394	9	9	0.10	<5	27	<5	<10	157	4	8	<1	301	6	<20	245	<10	6	53	58
42563D	080990	0.028	<1	9.72	174	178	<2	<1	6.70	5	<1	47	241	151	4.85	23	<1	1	3	<1	2.27	<1	40	2.29	1155	18	15	102	409	8	15	0.09	<5	29	<5	<10	150	4	4	<1	277	6	<20	238	<10	6	51	11
42564	080991	0.020	<1	9.48	162	122	<2	1	8.14	5	<1	39	208	120	4.88	21	<1	2	2	<1	2.36	<1	37	2.78	1174	21	12	90	279	5	7	0.10	<5	25	<5	<10	129	3	9	<1	241	10	48	193	<10	7	73	31
42565	080992	0.006	<1	9.42	138	101	<2	<1	6.37	4	<1	44	212	149	4.24	19	<1	<1	1	<1	2.48	<1	35	2.35	999	17	14	104	361	8	8	0.08	<5	30	<5	<10	115	4	5	<1	225	7	24	227	<10	6	73	<1
42566	080993	<0.005	<1	9.38	45	82	<2	<1	6.76	5	<1	39	190	140	5.37	22	<1	<1	3	<1	2.26	<1	39	2.34	1278	20	14	85	350	8	3	0.12	<5	29	<5	<10	113	4	8	<1	240	6	27	226	<10	6	96	3
42567	080994	0.008	<1	10.13	23	75	<2	<1	6.24	6	<1	46	204	149	5.72	24	<1	<1	3	<1	2.22	<1	43	2.45	1255	21	15	99	362	9	<1	0.12	<5	34	<5	<10	112	4	5	<1	241	13	25	246	<10	6	110	<1
42568	080995	<0.005	<1	10.12	29	78	<2	<1	6.75	6	<1	48	204	162	5.90	24	<1	<1	2	<1	2.43	<1	44	2.52	1329	19	16	107	392	11	2	0.13	<5	34	<5	<10	117	4	13	<1	244	7	23	258	<10	5	107	<1
42569	080996	<0.005	<1	9.90	26	97	2	<1	6.82	5	<1	52	231	160	4.80	26	<1	2	3	<1	2.31	<1	45	2.07	1079	20	17	102	407	9	5	0.13	<5	29	<5	10	136	4	7	<1	297	13	30	276	<10	6	78	56

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42570	080997	<0.005	<1	10.26	29	98	<2	<1	6.65	5	<1	48	227	169	4.69	27	<1	2	1	<1	2.34	<1	45	2.07	1044	20	17	101	395	9	8	0.11	<5	30	<5	<10	131	4	4	<1	287	12	25	268	<10	6	83	55
42571	080998	0.005	1	9.61	16	85	<2	<1	6.93	6	<1	47	211	150	6.11	25	<1	2	<1	<1	2.50	<1	47	1.90	1493	21	16	102	329	8	3	0.18	<5	28	<5	<10	102	4	12	<1	359	11	<20	263	<10	6	109	52
42572	080999	<0.005	2	9.66	32	113	<2	<1	6.04	5	<1	46	244	155	4.94	27	<1	1	<1	<1	2.45	<1	46	1.33	1300	20	17	106	352	8	7	0.20	<5	27	<5	<10	114	4	4	<1	347	10	23	274	<10	6	89	50
42573	081000	13.397	8	8.40	29	425	2	<1	3.18	4	<1	28	96	148	4.47	24	<1	<1	4	<1	2.39	<1	25	1.35	607	25	8	44	675	35	461	0.56	<5	11	<5	11	146	5	8	<1	4454	10	<20	114	<10	15	163	<1
42575	081001	0.012	1	10.09	38	103	<2	3	7.34	7	<1	49	222	172	6.34	24	<1	<1	3	<1	2.49	<1	46	1.99	1627	18	17	104	385	13	7	0.20	6	34	<5	<10	110	5	15	<1	285	8	48	277	<10	6	133	<1
42576	081002	<0.005	<1	8.40	42	98	<2	1	6.38	5	<1	42	181	131	4.81	20	<1	<1	<1	<1	2.24	<1	37	1.67	1035	16	15	92	318	13	<1	0.13	<5	28	<5	<10	101	3	4	<1	246	2	<20	236	<10	6	92	<1
42577	081003	0.007	<1	10.01	57	111	2	<1	6.75	7	<1	54	232	184	7.04	29	<1	<1	2	<1	2.46	<1	52	1.97	1124	21	19	125	321	12	<1	0.16	<5	33	<5	<10	106	6	11	<1	299	5	32	303	<10	6	162	<1
42578	081004	0.005	<1	9.97	72	111	2	<1	8.50	6	<1	52	213	161	6.17	24	<1	<1	1	<1	2.35	<1	47	2.02	1372	18	17	113	371	10	11	0.11	<5	35	<5	<10	102	5	6	<1	251	4	28	278	<10	7	132	<1
42579	081005	<0.005	<1	9.72	70	107	<2	4	6.83	6	<1	52	219	157	6.17	24	<1	<1	4	<1	2.22	<1	45	1.99	1199	18	17	111	375	11	14	0.09	<5	35	<5	<10	95	4	11	<1	252	8	23	275	<10	6	140	<1
42580	081006	0.007	<1	9.08	83	109	<2	<1	7.13	6	<1	48	207	146	5.88	23	<1	<1	<1	<1	2.19	<1	43	2.21	1204	17	15	110	383	9	9	0.07	<5	31	<5	<10	85	3	7	<1	235	9	37	248	<10	6	108	<1
42581	081007	0.009	<1	9.54	90	128	<2	2	7.02	6	<1	46	187	155	6.27	23	<1	<1	<1	<1	2.16	<1	44	2.25	1289	20	16	116	371	16	12	0.07	<5	33	<5	<10	80	5	6	<1	258	5	37	261	<10	6	119	<1
42582	081008	0.011	<1	9.26	102	161	<2	<1	6.97	5	<1	40	218	157	5.41	19	<1	<1	3	<1	2.28	<1	38	1.89	1503	18	14	109	285	11	<1	0.26	<5	29	<5	<10	83	4	11	<1	271	12	42	230	<10	6	103	<1
42583	081009	0.012	<1	12.84	147	83	2	<1	12.32	13	<1	70	375	276	12.93	37	<1	<1	2	<1	2.21	<1	67	5.75	2120	33	20	177	424	14	<1	0.10	<5	52	<5	<10	242	8	27	<1	241	9	98	331	<10	6	142	<1
42584	081010	0.941	8	8.02	6	140	<2	<1	4.81	6	7	34	119	45	5.62	22	<1	<1	1	<1	2.47	<1	17	2.24	907	18	13	30	718	20	45	0.05	<5	19	<5	<10	186	5	15	<1	5336	11	<20	173	<10	25	87	<1
42586	081011	0.392	<1	9.24	99	72	2	<1	6.54	7	<1	38	198	92	6.56	19	<1	<1	2	<1	2.47	<1	51	3.84	1091	23	11	100	200	11	<1	0.04	<5	27	<5	<10	69	2	6	<1	262	7	48	174	<10	6	72	<1
42587	081012	0.031	<1	9.13	104	86	<2	<1	6.96	6	<1	34	197	116	6.24	18	<1	<1	2	<1	2.33	<1	46	3.51	1148	21	11	99	218	9	2	0.05	<5	26	<5	<10	97	3	5	<1	207	8	39	181	<10	5	62	<1
42588	081013	0.008	<1	8.73	112	80	<2	2	6.90	7	<1	40	195	144	6.33	20	<1	<1	1	<1	2.33	<1	41	3.09	1125	20	12	105	244	8	<1	0.10	<5	27	<5	<10	110	4	9	<1	216	9	23	191	<10	5	65	<1
42589	081014	0.007	<1	9.08	98	50	<2	<1	7.17	7	<1	45	201	150	6.99	20	<1	<1	2	<1	2.19	<1	43	3.28	1189	21	11	110	238	5	<1	0.17	<5	29	<5	<10	105	4	14	<1	197	13	27	190	<10	4	73	<1
42590	081015	0.005	<1	9.10	41	43	<2	<1	6.44	7	<1	41	192	140	6.98	18	<1	<1	3	<1	2.12	<1	41	3.36	1158	21	11	110	226	11	<1	0.17	<5	29	<5	<10	195	4	13	<1	196	4	33	184	<10	5	71	<1
42591	081016	<0.005	<1	8.95	32	42	<2	<1	7.77	7	<1	39	186	130	6.95	21	<1	<1	<1	<1	2.16	<1	38	3.24	1189	21	10	106	247	5	<1	0.17	<5	28	<5	<10	215	5	7	<1	191	7	32	180	<10	5	67	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42592	081017	<0.005	<1	8.89	43	46	<2	3	7.25	7	<1	37	183	121	6.70	20	<1	<1	3	<1	2.34	<1	39	3.37	1118	21	10	100	231	10	<1	0.16	<5	26	<5	<10	189	5	10	<1	204	<2	30	170	<10	5	74	<1
42593	081018	0.012	<1	9.86	64	54	<2	2	6.35	7	<1	42	203	138	7.07	23	<1	<1	<1	<1	2.48	<1	45	3.62	1150	24	11	110	249	11	<1	0.05	<5	29	<5	<10	250	3	9	<1	236	6	49	190	<10	5	81	<1
42594	081019	<0.005	<1	9.31	77	52	<2	<1	6.00	7	<1	40	188	131	6.56	19	<1	<1	2	<1	2.48	<1	43	3.60	1096	22	12	105	227	12	<1	0.05	<5	28	<5	<10	118	5	5	<1	208	8	41	179	<10	5	81	<1
42595	081020	<0.005	<1	8.29	5	767	2	<1	1.52	<4	36	6	417	6	1.36	13	<1	<1	1	<1	2.32	19	32	0.45	263	12	4	13	298	29	35	0.01	<5	2	<5	<10	394	2	<1	<1	1111	<2	<20	20	<10	8	34	<1
42597	081021	0.012	<1	9.03	79	64	<2	<1	6.62	7	<1	37	199	138	6.67	20	<1	<1	<1	<1	2.45	<1	43	3.46	1086	22	12	103	233	10	<1	0.14	<5	28	<5	<10	130	5	9	<1	199	7	25	188	<10	4	66	<1
42598	081022	0.022	<1	9.81	128	72	2	<1	7.18	8	<1	37	211	138	7.27	22	<1	<1	3	<1	2.29	<1	46	3.33	1222	23	12	106	227	12	1	0.17	<5	27	<5	<10	122	5	12	<1	221	7	57	194	<10	5	78	<1
42599	081023	0.742	<1	8.79	1534	71	<2	3	8.19	6	<1	36	230	125	6.14	18	<1	<1	3	<1	2.20	<1	35	2.96	1197	18	9	100	215	13	4	0.33	<5	25	<5	<10	116	4	9	<1	190	14	37	159	<10	5	60	<1
42600	081024	0.052	<1	8.95	482	63	<2	<1	7.59	7	<1	33	245	120	6.19	19	<1	<1	<1	<1	2.20	<1	38	2.95	1176	19	9	91	205	9	<1	0.22	<5	27	<5	<10	98	3	12	<1	200	7	31	164	<10	5	76	<1
42601	081025	0.034	<1	9.02	546	64	<2	<1	7.78	7	<1	35	256	123	6.44	19	<1	<1	3	<1	1.89	<1	39	3.08	1218	21	10	98	205	13	<1	0.23	<5	28	<5	<10	99	3	7	<1	200	11	34	166	<10	5	79	<1
42602	081026	0.017	<1	8.86	105	57	<2	<1	6.95	6	<1	38	195	122	6.02	19	<1	<1	2	<1	1.98	<1	34	2.91	1104	18	10	117	208	7	<1	0.21	<5	26	<5	<10	85	4	8	<1	198	8	27	162	<10	5	64	<1
42603	081027	0.007	<1	9.19	118	58	2	<1	6.90	7	<1	44	203	135	6.11	20	<1	2	2	<1	2.32	<1	42	3.00	1135	21	15	152	231	14	<1	0.16	<5	27	<5	<10	89	8	12	<1	224	6	41	173	<10	6	77	<1
42604	081028	0.007	<1	8.95	108	57	<2	3	6.12	6	<1	43	198	130	5.62	18	<1	<1	3	<1	2.39	<1	40	2.96	990	20	10	151	213	8	<1	0.10	<5	25	6	<10	85	4	6	<1	213	15	<20	166	<10	5	88	<1
42605	081029	0.008	<1	9.29	91	57	<2	2	7.09	6	<1	45	206	135	6.11	19	<1	<1	<1	<1	2.38	<1	43	3.26	1150	20	11	145	227	12	<1	0.13	<5	27	<5	<10	97	3	9	<1	211	10	22	176	<10	5	92	<1
42606	081030	0.008	<1	9.37	73	51	<2	<1	5.99	7	<1	46	226	154	6.30	20	<1	<1	3	<1	2.11	<1	49	3.37	1030	20	12	137	259	6	<1	0.07	<5	32	<5	<10	91	3	9	<1	193	6	44	198	<10	5	96	<1
42607D	081030	0.007	<1	9.17	78	56	<2	<1	6.00	6	<1	45	229	154	6.29	21	<1	<1	3	<1	2.38	<1	51	3.30	1029	21	13	137	286	14	<1	0.07	<5	29	8	<10	97	4	6	<1	210	4	45	204	<10	5	97	<1
42608	081031	0.007	<1	8.20	70	56	<2	<1	8.94	6	<1	35	163	112	6.03	18	<1	<1	1	<1	2.39	<1	36	3.23	1435	20	10	98	233	6	<1	0.08	<5	25	<5	<10	94	3	11	<1	210	9	39	162	<10	5	54	<1
42609	081032	0.009	<1	8.42	164	69	<2	<1	6.68	6	<1	44	201	149	5.29	19	<1	<1	2	<1	2.25	<1	38	2.37	1300	19	12	122	274	5	<1	0.11	<5	28	<5	<10	102	2	7	<1	221	10	23	205	<10	4	67	<1
42610	081033	0.009	<1	9.65	155	77	<2	3	7.39	7	<1	45	214	149	6.34	21	<1	<1	<1	<1	2.24	<1	39	2.49	1508	20	12	118	290	13	12	0.14	<5	30	<5	<10	102	3	11	<1	244	12	39	201	<10	5	73	<1
42611	081034	0.009	<1	9.73	176	77	2	1	7.38	7	<1	45	230	146	6.61	22	<1	<1	5	<1	2.16	<1	38	2.57	1895	21	13	125	260	17	8	0.16	<5	33	<5	<10	103	4	9	<1	230	9	41	213	<10	4	74	<1
42612	081035	0.008	<1	9.52	177	74	<2	<1	7.38	7	<1	45	218	153	6.67	22	<1	<1	3	<1	2.17	<1	37	2.58	1892	21	13	122	284	10	<1	0.19	<5	33	<5	<10	99	3	10	<1	211	9	25	203	<10	4	73	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42613	081036	0.007	<1	9.32	169	68	<2	<1	7.16	8	<1	45	213	145	6.83	21	<1	<1	4	<1	2.24	<1	42	2.98	1237	20	12	140	286	14	<1	0.10	<5	30	<5	<10	94	4	10	<1	211	14	38	200	<10	4	81	<1
42614	081037	0.008	<1	9.25	85	81	<2	3	6.28	7	<1	43	212	155	6.88	20	<1	<1	2	<1	2.15	<1	43	2.76	1110	19	12	128	275	5	<1	0.11	<5	32	<5	<10	87	4	7	<1	190	10	51	204	<10	4	80	<1
42615	081038	0.008	<1	9.38	12	82	<2	<1	7.68	8	<1	43	206	137	7.14	22	<1	<1	<1	<1	2.17	<1	49	3.29	1229	21	12	118	259	13	<1	0.13	<5	30	<5	<10	93	4	11	<1	206	7	62	196	<10	5	74	<1
42616	081039	<0.005	<1	9.03	4	85	<2	1	7.53	7	<1	39	205	133	6.54	20	<1	<1	2	<1	2.23	<1	50	2.87	1376	20	11	122	256	14	<1	0.10	<5	29	<5	10	101	4	12	<1	190	6	28	187	<10	5	68	<1
42617	081040	5.373	2	6.39	275	210	2	<1	2.32	9	15	118	154	1686	6.91	16	<1	<1	3	<1	2.15	8	18	1.18	593	23	4	1286	466	723	114	1.34	<5	10	<5	<10	110	3	8	<1	1961	8	41	77	22	15	470	<1
42619	081041	0.006	1	9.08	6	47	<2	<1	8.01	7	<1	39	195	149	6.52	20	<1	<1	2	<1	1.86	<1	48	3.05	1413	21	11	129	250	13	<1	0.10	<5	29	<5	<10	87	5	8	<1	191	16	70	191	<10	6	72	<1
42620	081042	0.005	<1	8.79	5	29	<2	4	6.03	7	<1	43	220	154	6.59	19	<1	<1	2	<1	1.56	<1	53	3.61	1123	19	14	129	263	12	<1	0.08	<5	34	<5	<10	77	4	8	<1	157	12	42	220	<10	5	80	<1
42621	081043	<0.005	<1	7.82	5	32	<2	<1	5.66	7	<1	41	199	138	6.86	17	<1	<1	2	<1	1.42	<1	45	3.54	1110	18	12	112	245	12	<1	0.10	<5	30	<5	<10	85	4	8	<1	143	3	54	193	<10	4	76	<1
42622	081044	0.006	<1	8.06	6	49	2	2	7.14	8	<1	40	191	130	6.93	19	<1	<1	3	<1	1.91	<1	44	3.82	1140	19	11	101	202	8	<1	0.20	<5	28	<5	<10	87	3	10	<1	157	8	45	180	<10	4	68	<1
42623	081045	0.012	<1	9.37	99	65	<2	<1	8.03	8	<1	43	245	153	7.41	21	<1	<1	2	<1	1.98	<1	44	3.37	1462	21	12	131	259	11	<1	0.10	<5	31	<5	<10	97	4	9	<1	199	7	42	202	<10	5	90	<1
42624	081046	0.012	<1	9.34	155	71	<2	<1	6.94	7	<1	42	230	148	6.67	20	<1	<1	3	<1	2.18	<1	36	2.64	1545	18	13	123	256	10	<1	0.12	<5	34	<5	<10	96	4	14	<1	210	12	47	210	<10	4	79	<1
42625	081047	0.024	1	9.81	280	117	<2	<1	6.96	7	<1	49	253	159	6.23	21	<1	<1	2	<1	2.15	<1	36	2.22	1920	19	12	144	297	9	5	0.14	<5	30	<5	<10	103	5	8	<1	262	7	47	203	<10	5	76	<1
42626	081048	0.383	<1	9.18	660	108	<2	<1	7.32	8	<1	44	271	140	7.40	21	<1	<1	4	<1	2.17	<1	33	2.28	2154	20	13	130	234	9	<1	0.22	<5	35	<5	<10	81	4	9	<1	244	6	64	215	<10	5	101	<1
42627	081049	0.010	<1	9.43	121	79	2	<1	8.82	10	<1	44	224	135	10.24	25	<1	<1	3	<1	2.23	<1	39	2.99	2906	25	13	128	178	7	5	0.14	<5	37	<5	<10	80	8	22	<1	324	9	47	224	<10	7	118	<1
42628	081050	<0.005	1	8.57	3	811	2	<1	1.46	<4	44	5	428	4	1.38	15	<1	<1	<1	<1	2.44	25	34	0.42	247	13	3	13	331	29	38	0.01	<5	2	<5	<10	372	1	<1	<1	1067	11	<20	19	<10	7	29	<1
42630	081051	0.014	1	8.32	111	76	<2	<1	8.60	8	<1	37	211	128	7.24	19	<1	<1	<1	<1	2.41	<1	38	2.62	2469	20	11	107	206	7	2	0.18	<5	29	<5	<10	82	4	12	<1	231	10	39	193	<10	6	77	<1
42631	081052	0.011	2	9.52	120	190	<2	<1	7.99	6	<1	44	234	136	6.20	20	<1	<1	<1	<1	2.29	<1	38	2.56	1459	19	13	130	285	13	6	0.24	<5	34	<5	<10	163	5	8	<1	1204	7	26	224	<10	11	81	<1
42632	081053	<0.005	2	7.45	10	809	3	<1	4.69	5	33	37	560	52	4.79	16	<1	<1	<1	<1	2.28	14	31	4.67	863	20	9	203	1611	12	60	0.11	<5	17	<5	<10	443	3	6	<1	2724	8	<20	117	<10	14	58	<1
42633	081054	<0.005	<1	7.94	11	225	2	<1	5.67	5	28	36	532	39	4.96	17	<1	<1	2	<1	2.36	11	36	4.30	1001	21	9	196	1361	13	20	0.10	<5	18	<5	<10	373	3	9	<1	2495	14	28	130	<10	14	72	<1
42634	081055	<0.005	3	7.54	11	221	2	<1	5.51	5	30	36	516	37	4.88	16	<1	<1	<1	<1	2.21	11	34	4.26	978	19	9	193	1379	7	17	0.10	<5	17	<5	<10	374	3	6	<1	2431	12	<20	127	<10	13	71	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/10/2011
Date Completed: 02/24/2011
Job #: 201140626
Reference:
Sample #: 183

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
42635	081056	0.054	<1	9.23	27	808	2	<1	5.89	6	16	43	470	85	5.32	20	<1	<1	2	<1	1.94	4	36	3.91	1111	21	13	185	1039	12	24	0.15	<5	28	<5	<10	430	4	7	<1	2904	12	<20	186	11	14	67	<1
42636	081057	0.007	<1	7.44	11	571	3	<1	4.51	5	36	37	548	60	4.77	16	<1	<1	<1	<1	1.89	14	30	4.53	901	20	9	197	1626	12	43	0.06	<5	15	<5	10	520	4	6	<1	2918	11	<20	115	<10	14	63	<1
42637	081058	<0.005	<1	7.39	8	1554	3	<1	4.83	5	34	39	667	55	4.93	15	<1	<1	1	<1	1.88	14	32	5.11	892	22	9	241	1523	17	56	0.06	<5	17	<5	<10	724	4	11	<1	3052	18	38	117	<10	13	72	<1
42638	081059	0.005	<1	7.03	15	677	3	<1	4.66	5	32	40	597	58	4.76	15	<1	<1	2	<1	1.87	13	30	4.84	857	21	9	227	1477	18	40	0.09	<5	16	<5	<10	414	2	7	<1	2661	10	<20	109	<10	13	64	<1
42639	081060	0.025	<1	6.29	32	239	2	<1	5.79	9	3	47	277	134	7.70	20	<1	<1	<1	<1	1.44	<1	28	3.24	1425	19	17	118	680	17	6	0.13	<5	30	<5	<10	431	5	12	<1	2506	8	34	250	<10	19	124	<1
42640R	081060	0.026	<1	6.87	32	252	2	<1	5.70	8	4	46	267	128	7.61	19	<1	<1	2	<1	1.62	<1	29	3.16	1423	20	17	116	646	13	<1	0.13	<5	30	<5	<10	453	6	15	<1	2681	13	49	248	<10	19	116	<1
42641	081061	0.005	1	6.36	16	620	3	<1	4.23	5	30	34	549	52	4.38	13	<1	<1	<1	<1	2.02	13	27	4.34	837	17	8	173	1513	10	55	0.04	<5	14	<5	<10	418	3	7	<1	2671	2	<20	105	<10	12	74	<1
42642	081062	<0.005	1	6.24	31	574	2	1	4.30	5	31	35	501	49	4.57	13	<1	<1	<1	<1	1.82	13	27	4.08	1035	16	8	160	1513	8	43	0.06	<5	16	<5	<10	448	2	7	<1	2081	8	23	118	<10	12	76	<1
42643	081063	0.149	1	5.82	28	995	2	<1	4.61	5	24	29	383	73	4.51	14	<1	<1	2	<1	1.94	9	23	3.30	1014	17	7	124	1115	11	27	0.22	<5	12	<5	<10	400	3	7	<1	1977	9	38	102	<10	11	85	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45559	086476	<0.005	<1	7.96	6	160	2	<1	5.66	5	7	27	251	63	5.35	16	<1	<1	4	<1	1.75	<1	30	2.03	910	<1	11	48	662	10	4	0.04	<5	24	<5	<10	145	4	10	<1	209	4	29	157	<10	10	74	<1
45560	086477	<0.005	<1	8.68	7	102	2	<1	4.35	6	3	37	212	73	7.31	20	<1	<1	4	<1	1.56	<1	42	2.83	990	<1	13	52	656	11	<1	0.03	<5	23	<5	<10	128	5	19	<1	1040	6	<20	181	<10	11	107	<1
45561	086478	<0.005	4	6.36	<2	39	2	<1	6.08	5	3	42	183	80	5.98	13	<1	<1	3	<1	0.56	<1	32	2.31	1077	<1	13	76	680	6	<1	0.09	<5	18	<5	<10	163	6	17	<1	3866	5	<20	173	<10	13	87	<1
45562	086479	<0.005	4	7.52	<2	58	2	<1	5.43	5	3	41	184	78	6.12	14	<1	<1	4	<1	1.07	<1	31	2.15	1017	<1	13	64	688	10	<1	0.06	<5	18	<5	<10	193	6	13	<1	4879	7	<20	172	<10	13	88	<1
45563	086480	<0.005	2	3.99	<2	500	<2	<1	0.55	<4	54	5	559	5	1.21	3	<1	<1	5	<1	1.78	33	22	0.26	155	<1	<1	5	329	21	33	0.01	<5	2	<5	<10	90	1	<1	14	553	3	<20	13	<10	4	20	<1
45564	086481	<0.005	5	7.61	<2	93	2	<1	5.80	4	2	45	191	79	5.41	13	<1	<1	3	<1	1.08	<1	29	2.03	952	<1	13	89	684	6	<1	0.10	<5	18	<5	<10	195	5	15	<1	4842	4	<20	167	<10	13	78	<1
45565	086482	<0.005	2	6.78	6	36	2	<1	5.31	5	4	51	167	274	5.92	12	<1	<1	3	<1	0.82	3	32	2.67	957	3	11	131	629	9	<1	0.09	<5	16	<5	<10	182	5	13	<1	4680	7	<20	150	<10	12	204	<1
45566	086483	<0.005	3	6.99	<2	171	<2	<1	5.98	5	<1	56	171	75	6.12	13	<1	<1	4	<1	1.06	<1	31	2.27	1142	<1	11	184	533	10	<1	0.07	<5	15	<5	<10	144	6	12	<1	4035	9	<20	133	<10	11	86	<1
45567	086484	<0.005	4	6.91	<2	255	2	<1	9.99	7	<1	53	164	92	7.56	15	<1	<1	4	<1	1.10	<1	30	2.44	1665	<1	10	193	563	8	<1	0.22	<5	18	<5	<10	110	6	15	<1	3321	4	29	138	<10	13	93	<1
45568	086485	<0.005	3	6.35	<2	252	2	<1	8.89	5	<1	51	160	106	7.38	12	<1	<1	4	<1	0.89	<1	28	2.38	1556	<1	10	197	561	12	<1	0.20	8	16	<5	<10	98	6	19	<1	3104	9	32	132	<10	12	91	<1
45569D	086485	<0.005	2	7.09	<2	253	3	<1	9.48	6	<1	56	171	91	7.88	15	<1	<1	3	<1	1.13	<1	31	2.53	1647	<1	10	198	627	11	<1	0.22	5	17	<5	<10	106	7	19	<1	3315	6	37	140	<10	13	94	<1
45570	086486	<0.005	2	7.34	<2	331	2	<1	7.18	5	<1	55	273	56	6.79	16	<1	<1	4	<1	1.23	<1	36	2.74	1318	<1	10	225	598	9	<1	0.06	<5	18	<5	<10	102	5	15	<1	3231	13	21	133	<10	12	84	<1
45571	086487	<0.005	2	6.94	<2	45	2	<1	7.50	6	<1	58	340	57	6.77	14	<1	<1	2	<1	0.90	<1	28	2.79	1391	<1	11	243	601	13	<1	0.06	<5	18	7	<10	132	6	16	<1	3471	6	<20	145	<10	12	86	<1
45572	086488	<0.005	3	7.22	<2	38	3	<1	6.92	5	<1	58	489	60	6.52	14	<1	<1	4	<1	1.14	<1	34	4.13	1128	<1	10	280	534	9	<1	0.07	<5	18	7	<10	157	6	14	<1	3080	3	<20	130	<10	11	77	<1
45573	086489	<0.005	1	5.90	<2	29	2	<1	6.70	5	<1	61	617	73	6.77	13	<1	<1	3	<1	0.65	<1	22	3.79	1317	<1	10	259	511	11	<1	0.06	<5	17	<5	<10	154	6	14	<1	2442	8	23	130	<10	11	96	<1
45574	086490	<0.005	2	7.11	<2	41	2	<1	6.54	6	2	62	724	53	7.34	16	<1	<1	3	<1	1.26	<1	22	4.20	1329	<1	10	310	512	11	<1	0.06	<5	19	<5	<10	195	5	17	<1	1967	3	39	131	<10	12	91	<1
45575	086491	<0.005	<1	6.72	<2	245	2	<1	5.11	6	<1	60	712	57	7.08	15	<1	<1	2	<1	0.97	<1	21	5.26	1107	<1	9	355	534	7	<1	0.04	<5	19	<5	<10	187	4	16	<1	1800	10	27	126	<10	11	86	<1
45576	086492	<0.005	1	6.84	<2	204	3	<1	4.64	6	<1	61	813	51	7.31	15	<1	<1	5	<1	1.00	<1	22	5.64	1049	1	9	392	542	12	<1	0.04	<5	18	<5	<10	172	5	18	<1	980	3	40	123	<10	11	89	<1
45577	086493	<0.005	2	7.34	<2	497	2	<1	6.07	6	<1	57	778	43	6.96	16	<1	<1	3	<1	1.47	<1	23	5.47	1210	<1	9	360	417	11	<1	0.06	5	18	<5	<10	254	5	14	<1	1373	7	39	119	<10	12	79	<1
45578	086494	<0.005	2	7.27	<2	50	2	<1	5.80	6	2	49	712	64	6.76	15	<1	<1	2	<1	1.31	<1	22	4.48	1133	<1	10	289	553	11	<1	0.05	5	20	<5	<10	250	6	17	<1	757	7	<20	136	<10	10	92	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45579	086495	<0.005	1	7.15	<2	44	2	<1	5.99	6	1	49	717	56	6.70	16	<1	<1	3	<1	1.30	<1	22	4.41	1156	<1	10	279	619	14	<1	0.05	<5	20	<5	<10	257	5	14	<1	696	11	<20	136	<10	10	86	<1
45580D	086495	<0.005	1	7.59	<2	49	2	<1	6.09	5	5	50	724	59	6.82	17	<1	<1	3	<1	1.49	<1	24	4.44	1167	<1	10	278	444	9	<1	0.05	<5	20	<5	<10	263	5	13	<1	718	5	<20	138	<10	11	85	<1
45581	086496	<0.005	1	8.18	<2	44	3	<1	6.33	6	2	57	632	49	7.32	18	<1	<1	4	<1	1.63	<1	26	4.34	1218	<1	11	269	607	11	<1	0.05	6	22	8	<10	238	5	17	<1	641	7	28	152	<10	8	92	<1
45582	086497	<0.005	1	7.96	<2	35	2	1	6.06	6	3	67	541	90	7.16	19	<1	<1	4	<1	1.46	<1	31	3.90	1197	<1	11	404	592	8	<1	0.25	<5	24	5	<10	162	3	13	<1	185	7	33	159	<10	7	102	<1
45583	086498	<0.005	<1	5.80	5	94	2	<1	2.60	6	7	30	105	74	7.47	12	<1	<1	5	<1	1.78	2	24	1.27	1250	1	3	68	666	11	<1	3.68	<5	7	<5	<10	60	5	15	<1	188	5	29	58	<10	6	100	<1
45584	086499	<0.005	<1	6.18	4	352	2	1	4.49	5	2	37	108	103	5.79	12	<1	<1	4	<1	1.82	<1	15	1.36	2134	<1	5	65	605	11	17	1.55	<5	11	<5	<10	109	4	13	<1	185	<2	<20	80	<10	6	75	<1
45585	086500	1.024	2	5.14	<2	86	2	<1	3.10	<4	7	24	76	37	4.07	11	<1	<1	4	<1	1.71	2	10	1.54	656	<1	10	14	798	13	33	0.06	<5	15	<5	<10	107	4	10	<1	3672	4	<20	124	<10	23	67	<1
45586	086501	0.006	<1	5.08	21	146	2	<1	4.15	5	5	29	57	70	5.99	12	<1	<1	3	<1	1.54	<1	17	1.31	2434	<1	2	23	825	11	<1	0.42	<5	6	<5	<10	117	4	10	<1	166	<2	<20	41	<10	6	121	<1
45587	086502	<0.005	1	4.90	17	66	2	<1	4.41	8	<1	39	28	138	9.99	16	<1	<1	5	<1	0.57	<1	31	2.41	3790	<1	5	51	592	17	<1	0.47	<5	9	<5	<10	121	6	20	<1	<100	10	60	90	<10	4	202	<1
45588	086503	<0.005	<1	5.02	8	53	3	1	2.61	10	<1	64	75	212	11.77	19	<1	<1	3	<1	0.73	<1	33	2.32	3078	<1	5	76	607	23	<1	2.67	8	9	<5	<10	86	6	25	<1	<100	5	68	97	<10	4	326	<1
45589	086504	0.012	<1	6.62	19	156	4	<1	1.95	11	<1	175	119	464	10.97	24	<1	<1	3	<1	1.96	<1	26	1.41	2052	4	9	112	538	84	18	5.20	<5	10	<5	<10	113	9	22	<1	171	5	49	91	17	6	1064	<1
45590	086505	0.012	1	6.89	21	86	4	1	1.86	13	<1	228	228	585	12.34	28	<1	<1	3	<1	1.76	<1	25	1.33	2012	5	5	130	602	92	16	6.53	11	10	8	<10	113	8	24	<1	176	5	77	88	18	6	1587	<1
45591D	086505	0.011	1	6.97	22	94	4	<1	1.82	13	<1	226	227	570	12.11	27	<1	<1	6	<1	1.86	<1	25	1.30	1970	5	5	124	526	92	3	6.40	<5	10	<5	<10	117	6	23	<1	180	3	61	90	16	6	1545	<1
45592	086506	0.005	1	6.91	2	172	3	2	3.37	9	<1	57	107	463	9.28	35	62	16	3	<1	1.89	<1	24	1.73	2760	2	8	96	580	40	<1	3.30	7	4	8	<10	151	5	18	<1	172	3	42	99	12	6	867	>500
45593	086507	<0.005	<1	4.45	46	66	5	<1	1.94	12	<1	57	235	322	13.82	35	64	13	5	<1	1.39	<1	16	1.12	1561	<1	7	80	482	47	11	9.69	9	2	<5	<10	88	7	24	<1	117	5	43	70	<10	4	492	>500
45594	086508	0.013	2	3.92	166	25	10	<1	1.24	29	<1	54	223	89	31.73	43	52	6	5	<1	1.55	<1	15	0.59	505	2	<1	31	192	115	26	>10.00	23	1	<5	<10	55	16	58	<1	138	7	261	19	<10	3	268	315
45595	086509	0.011	<1	3.93	139	21	8	<1	1.60	27	<1	56	440	187	29.93	44	59	8	4	<1	1.54	<1	14	0.71	663	1	<1	54	142	107	13	>10.00	26	<1	<5	<10	74	15	56	<1	132	7	254	17	<10	3	238	408
45596	086510	5.439	2	4.62	261	143	2	<1	2.04	6	<1	105	137	1458	6.37	24	29	8	5	<1	1.62	<1	13	1.02	522	6	7	1175	471	666	49	1.83	<5	5	<5	<10	85	6	15	<1	1563	4	<20	63	21	12	431	316
45597	086511	<0.005	<1	6.57	9	152	2	1	3.57	6	<1	37	98	186	7.33	26	14	4	5	<1	1.83	<1	31	2.04	1412	<1	10	58	692	24	<1	1.96	<5	8	<5	<10	166	6	13	<1	167	6	<20	92	<10	8	152	172
45598	086512	<0.005	1	8.10	6	145	3	2	4.07	6	<1	34	53	153	8.64	31	49	10	4	<1	1.96	<1	41	2.37	1636	<1	8	39	666	18	11	0.56	5	7	<5	<10	207	6	19	<1	168	6	24	113	<10	8	153	387

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45599	086513	<0.005	<1	7.36	28	172	3	3	3.89	4	<1	43	68	167	5.39	28	36	7	4	<1	1.90	<1	30	1.78	973	1	10	38	769	8	<1	0.12	5	6	<5	<10	232	3	14	<1	151	9	27	106	<10	8	119	263
45600	086514	<0.005	1	6.93	31	157	2	2	3.80	5	<1	46	57	167	5.66	28	38	9	5	<1	1.81	<1	31	1.58	996	1	13	39	781	9	16	0.10	<5	6	<5	<10	210	8	9	2	139	4	<20	100	<10	7	162	305
45601	086515	<0.005	1	3.59	42	109	4	<1	3.98	9	<1	52	49	267	5.72	27	34	6	2	<1	0.69	<1	40	1.55	1958	<1	11	52	900	10	<1	0.11	<5	7	5	<10	148	5	14	<1	<100	4	<20	66	<10	10	164	232
45602D	086515	<0.005	<1	3.52	3	88	<2	1	4.17	5	<1	49	55	247	5.48	29	45	9	3	<1	0.68	<1	20	1.58	999	<1	10	48	672	14	<1	0.10	<5	6	<5	<10	163	5	11	<1	<100	<2	<20	52	<10	6	145	221
45603	086516	<0.005	1	8.80	11	272	3	<1	4.64	5	3	47	48	170	6.24	29	27	7	3	<1	1.83	<1	33	1.88	1169	2	10	40	694	15	<1	0.10	<5	8	6	<10	306	5	16	<1	196	8	<20	122	<10	9	145	296
45604	086517	<0.005	<1	7.50	19	185	2	2	4.00	5	<1	47	46	170	6.46	30	50	11	4	<1	1.77	<1	30	1.57	1199	1	10	44	697	13	3	0.15	6	5	<5	<10	226	5	13	<1	155	2	<20	118	<10	7	156	440
45605	086518	<0.005	<1	7.94	15	207	3	2	4.40	6	<1	50	44	176	6.81	34	54	11	6	<1	1.93	<1	32	1.83	1253	1	9	40	762	9	<1	0.17	<5	6	<5	<10	244	4	13	<1	174	9	<20	121	<10	8	151	429
45606	086519	<0.005	<1	7.45	8	246	2	3	4.12	4	<1	43	57	170	5.55	27	45	9	4	<1	1.81	<1	27	1.58	1089	<1	10	35	826	12	<1	0.15	<5	5	<5	<10	263	4	15	<1	165	4	24	115	<10	8	126	355
45607	086520	<0.005	1	6.30	<2	731	<2	<1	0.95	<4	27	7	488	15	1.82	24	64	13	5	<1	1.79	9	27	0.49	219	3	9	9	918	27	40	0.02	<5	2	<5	<10	165	3	9	12	1219	4	<20	24	<10	15	44	>500
45608	086521	<0.005	<1	4.73	<2	126	2	2	4.07	5	<1	43	35	161	5.89	29	67	11	3	<1	1.07	<1	21	1.60	1200	<1	10	36	657	7	<1	0.15	<5	5	<5	<10	174	5	9	<1	100	4	<20	93	<10	6	136	419
45609	086522	<0.005	<1	7.18	4	207	2	1	4.46	5	<1	47	42	189	6.35	31	60	11	7	<1	1.89	<1	28	1.79	1220	<1	9	43	740	11	<1	0.16	<5	6	<5	<10	230	4	17	<1	159	4	33	114	<10	8	150	389
45610	086523	<0.005	<1	6.98	6	173	2	<1	4.23	5	<1	44	34	163	6.54	30	53	10	4	<1	1.69	<1	27	1.72	1297	<1	10	38	689	9	3	0.18	<5	6	<5	<10	216	4	11	<1	145	5	<20	115	<10	7	174	376
45611	086524	<0.005	<1	7.56	2	196	2	1	4.14	5	<1	47	36	181	5.86	28	34	6	4	2	1.87	<1	27	1.65	1062	1	10	35	803	17	<1	0.12	<5	6	<5	<10	226	5	15	<1	161	4	<20	117	<10	8	133	235
45612	086525	<0.005	1	7.02	4	182	2	2	3.78	4	<1	46	36	165	5.48	29	48	9	4	<1	1.82	<1	25	1.53	985	1	10	36	743	8	17	0.13	8	6	<5	<10	209	5	12	<1	149	2	<20	110	<10	7	123	343
45613D	086525	<0.005	<1	7.07	<2	165	2	2	3.72	4	<1	43	36	165	5.38	28	52	10	5	<1	1.74	<1	25	1.50	964	1	10	33	664	6	<1	0.12	<5	6	<5	<10	201	5	13	<1	147	10	<20	102	<10	7	121	377
45614	086526	<0.005	<1	6.79	4	177	2	<1	3.95	5	7	42	32	162	5.86	15	<1	<1	3	<1	1.78	1	25	1.73	1156	<1	7	35	686	9	<1	0.10	<5	9	<5	<10	176	4	10	<1	145	7	<20	103	<10	7	122	<1
45615	086527	<0.005	<1	4.59	23	121	2	<1	3.91	5	10	44	33	162	7.13	14	<1	<1	3	<1	0.84	2	24	1.97	1580	<1	7	36	720	10	<1	0.08	<5	9	<5	<10	132	5	14	<1	<100	4	27	103	<10	6	147	<1
45616	086528	<0.005	1	6.42	42	130	3	<1	4.26	7	<1	41	35	164	8.81	19	<1	<1	4	<1	1.50	<1	33	2.24	1852	<1	6	37	670	9	<1	0.60	<5	9	<5	<10	132	6	13	<1	141	8	31	101	<10	6	166	<1
45617	086529	0.058	2	3.70	318	23	9	<1	1.55	26	<1	51	209	149	28.27	36	<1	<1	4	<1	1.49	<1	13	0.72	804	<1	<1	32	214	78	15	>10.00	84	4	<5	<10	56	15	56	<1	124	5	280	33	<10	3	399	<1
45618	086530	0.426	1	3.37	478	14	9	<1	1.11	28	<1	50	265	141	30.38	38	<1	<1	4	<1	1.45	<1	12	0.46	513	<1	<1	40	147	76	1	>10.00	90	4	<5	<10	41	16	62	<1	114	8	253	25	11	2	507	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45619	086531	<0.005	<1	6.05	129	186	2	2	6.31	5	<1	36	129	131	6.75	12	<1	<1	3	<1	1.90	<1	21	2.06	1886	<1	9	75	436	12	<1	1.52	<5	21	<5	<10	130	5	14	<1	160	8	<20	140	<10	4	252	<1
45620	086532	0.007	<1	6.07	143	147	2	3	6.97	5	<1	37	137	115	6.10	12	<1	<1	4	<1	1.82	<1	22	2.18	1852	<1	9	76	323	7	<1	0.24	5	20	<5	<10	127	4	9	<1	156	3	23	134	<10	4	83	<1
45621	086533	0.010	<1	4.80	158	160	2	<1	6.59	4	<1	42	126	121	5.19	9	<1	<1	3	<1	1.47	<1	17	2.10	1501	<1	8	68	346	12	<1	0.14	<5	18	<5	<10	112	3	8	<1	119	<2	34	123	<10	3	110	<1
45622	086534	0.125	1	5.22	1024	201	2	<1	6.52	4	<1	36	137	122	5.14	9	<1	<1	4	<1	1.74	<1	17	1.92	1568	1	8	71	440	10	12	0.26	7	18	<5	<10	112	4	9	<1	142	4	20	119	<10	4	118	<1
45623	086535	0.187	<1	6.57	1281	250	2	3	7.56	5	<1	41	167	128	6.02	14	<1	<1	6	<1	2.09	<1	22	2.18	1873	<1	10	82	559	8	8	0.30	7	22	<5	<10	138	4	10	<1	190	9	34	146	<10	4	120	<1
45624R	086535	0.183	<1	5.85	1194	218	2	<1	6.87	4	<1	36	142	113	5.36	11	<1	<1	5	<1	2.00	<1	20	1.96	1691	<1	8	75	576	13	<1	0.28	6	18	<5	<10	123	5	12	<1	174	11	<20	123	<10	4	110	<1
45625	086536	0.015	1	5.63	152	131	2	<1	7.30	7	<1	36	107	119	8.51	14	<1	<1	5	<1	1.73	<1	22	2.47	3463	<1	7	75	393	18	17	0.37	7	18	<5	<10	90	5	19	<1	140	9	39	112	<10	4	107	<1
45626	086537	0.015	<1	5.63	120	116	2	1	5.43	5	<1	41	127	141	6.49	12	<1	<1	3	<1	1.54	<1	23	1.75	2443	<1	10	77	397	8	<1	0.37	<5	22	<5	<10	84	5	12	<1	125	7	23	140	<10	3	67	<1
45627	086538	0.017	<1	5.59	91	113	2	<1	5.85	5	<1	42	129	178	6.48	12	<1	<1	5	<1	1.52	<1	23	1.68	2157	<1	9	74	512	12	<1	0.72	<5	24	<5	<10	90	5	13	<1	122	6	<20	144	<10	3	63	<1
45628	086539	0.010	<1	5.93	99	101	2	2	6.55	5	<1	40	137	156	6.82	15	<1	<1	4	<1	1.53	<1	24	1.82	2615	<1	10	70	282	10	<1	0.47	5	24	<5	<10	92	5	14	<1	127	9	40	149	<10	3	75	<1
45629	086540	13.599	6	3.79	16	332	<2	<1	1.78	<4	<1	18	56	112	2.96	5	<1	<1	3	<1	1.63	<1	10	0.85	383	8	5	30	455	25	266	0.51	<5	8	<5	<10	70	2	<1	<1	2318	4	<20	69	<10	11	122	<1
45630	086541	0.017	<1	4.68	104	86	<2	2	6.73	5	<1	41	128	141	6.49	11	<1	<1	5	<1	1.09	<1	19	1.88	2550	<1	9	64	465	12	1	0.28	<5	22	<5	<10	78	5	16	<1	140	2	<20	129	<10	3	74	<1
45631	086542	0.010	<1	4.92	95	84	<2	2	6.13	5	<1	34	133	222	5.94	10	<1	<1	1	<1	1.24	<1	19	1.66	2382	<1	8	81	452	12	<1	0.20	<5	21	<5	<10	72	4	12	<1	<100	6	<20	122	<10	3	140	<1
45632	086543	0.008	<1	4.92	85	88	2	2	6.04	5	<1	41	133	162	6.46	11	<1	<1	3	<1	1.08	<1	20	1.72	2600	<1	9	72	445	9	<1	0.25	7	22	<5	<10	68	4	11	<1	<100	11	39	137	<10	3	106	<1
45633	086544	0.009	<1	5.40	91	117	2	3	6.11	4	<1	34	123	153	5.29	9	<1	<1	2	<1	1.44	<1	19	1.69	2271	<1	10	58	385	7	<1	0.21	<5	22	<5	<10	79	5	16	<1	111	7	<20	138	<10	3	96	<1
45634	086545	0.009	<1	4.93	97	157	2	3	8.25	6	<1	27	183	110	5.96	9	<1	<1	3	<1	1.55	<1	16	2.10	2591	<1	8	45	295	10	<1	0.17	<5	20	<5	<10	91	5	10	<1	119	6	<20	119	<10	3	305	<1
45635D	086545	0.008	1	4.55	100	151	2	2	7.97	4	<1	25	186	102	5.78	9	<1	<1	3	<1	1.40	<1	14	2.03	2519	<1	8	42	306	12	5	0.16	5	19	<5	<10	87	5	9	<1	107	11	<20	118	<10	3	105	<1
45636	086546	0.067	<1	5.36	382	197	2	3	8.34	5	<1	33	133	109	5.77	11	<1	<1	5	<1	1.62	<1	16	2.35	2503	<1	9	56	349	8	<1	0.18	<5	22	<5	<10	97	5	11	<1	129	7	<20	139	<10	3	90	<1
45637	086547	0.027	<1	4.48	278	151	3	<1	7.46	5	<1	34	169	104	5.84	9	<1	<1	3	<1	1.28	<1	16	2.16	2135	<1	8	71	473	6	5	0.11	7	18	<5	<10	86	4	11	<1	101	7	<20	121	<10	3	90	<1
45638	086548	0.005	1	6.56	128	166	2	3	6.63	5	<1	39	137	211	6.36	13	<1	<1	3	<1	1.92	<1	25	1.98	2204	<1	11	96	337	8	17	0.16	6	23	<5	<10	97	5	11	<1	162	6	27	153	<10	4	107	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45639	086549	0.006	<1	5.96	83	118	2	4	6.42	5	<1	35	132	133	6.39	13	<1	<1	3	<1	1.67	<1	24	1.85	2468	<1	10	80	479	11	<1	0.17	7	22	<5	<10	90	4	12	<1	133	7	<20	140	<10	3	91	<1
45640	086550	<0.005	1	4.90	<2	656	<2	<1	0.73	<4	40	4	332	10	1.07	3	<1	<1	4	<1	1.82	24	22	0.32	200	2	3	7	401	21	32	0.02	<5	2	5	<10	189	1	1	18	777	6	<20	14	<10	7	28	<1
45641	086551	<0.005	<1	4.32	66	77	2	2	7.46	5	<1	36	123	125	5.73	9	<1	<1	4	<1	1.02	<1	21	1.95	2194	<1	7	92	301	13	<1	0.17	<5	20	<5	<10	84	3	11	<1	102	2	<20	110	<10	3	78	<1
45642	086552	0.008	1	4.97	71	81	2	<1	6.11	5	<1	37	122	124	7.08	12	<1	<1	4	<1	1.34	<1	24	2.01	2851	<1	10	80	345	8	<1	0.48	<5	19	<5	<10	72	8	13	<1	109	5	21	112	<10	3	101	<1
45643	086553	0.008	<1	6.34	137	153	2	1	7.53	4	<1	35	153	126	5.51	13	<1	<1	4	<1	1.82	<1	23	1.91	2588	1	10	69	440	8	7	0.17	10	21	<5	<10	112	5	11	<1	152	3	<20	136	<10	4	68	<1
45644	086554	<0.005	<1	6.30	114	128	2	<1	6.08	5	<1	39	127	125	6.40	14	<1	<1	4	<1	1.77	<1	25	1.79	2687	<1	11	76	422	10	<1	0.14	6	22	<5	<10	94	5	9	<1	146	8	31	144	<10	3	84	<1
45645	086555	<0.005	<1	7.27	125	150	2	2	6.37	5	<1	42	146	131	6.67	16	<1	<1	3	<1	1.82	<1	28	1.87	2761	<1	11	86	436	12	<1	0.15	<5	25	<5	<10	108	6	15	<1	168	9	34	166	<10	4	88	<1
45646D	086555	<0.005	<1	7.50	118	153	2	2	6.26	5	<1	41	144	138	6.52	16	<1	<1	5	<1	1.86	<1	29	1.83	2704	<1	12	76	452	9	<1	0.14	<5	25	<5	<10	109	5	10	<1	176	9	<20	164	<10	4	86	<1
45647	086556	<0.005	<1	6.12	111	135	2	<1	6.06	6	<1	37	132	114	7.05	14	<1	<1	3	<1	1.73	<1	26	2.06	2774	<1	11	72	384	11	3	0.23	<5	24	<5	<10	99	5	13	<1	138	6	<20	149	<10	3	95	<1
45648	086557	0.011	<1	7.04	107	171	2	1	5.06	6	<1	33	111	118	7.73	16	<1	<1	4	<1	1.83	<1	30	1.96	2599	<1	9	54	540	9	<1	0.21	<5	20	<5	<10	110	5	14	<1	161	11	20	132	<10	4	117	<1
45649	086558	0.014	1	6.68	148	153	2	<1	5.14	6	<1	38	86	188	7.97	17	<1	<1	2	<1	1.78	<1	27	2.13	2024	<1	6	41	617	12	7	0.16	<5	9	<5	<10	159	5	16	<1	153	5	24	96	<10	6	100	<1
45650	086559	0.012	<1	7.12	166	356	3	<1	4.35	7	<1	35	43	88	8.83	20	<1	<1	5	<1	1.89	<1	29	2.26	1988	<1	4	29	744	15	<1	0.15	<5	8	<5	<10	153	4	16	<1	211	4	42	64	<10	6	137	<1
45651	086560	0.014	1	6.05	42	243	2	2	2.59	5	<1	21	33	51	5.89	12	<1	<1	3	<1	1.80	<1	21	1.37	1585	1	2	23	617	9	12	0.16	<5	5	<5	<10	118	3	7	<1	177	6	<20	43	<10	5	81	<1
45652	086561	0.006	<1	6.55	41	293	3	2	3.91	7	<1	31	38	72	9.22	18	<1	<1	4	<1	1.90	<1	26	2.13	2462	<1	3	19	670	15	<1	0.14	<5	7	<5	<10	171	6	14	<1	178	5	40	56	<10	6	138	<1
45653	086562	0.005	<1	6.13	42	242	3	2	3.13	7	5	31	28	66	8.98	16	<1	<1	3	<1	1.86	<1	23	1.94	2634	<1	2	11	816	15	10	0.05	<5	7	<5	<10	150	6	14	<1	170	3	38	51	<10	6	131	<1
45654	086563	<0.005	<1	5.37	34	199	2	3	5.87	6	2	27	41	56	7.51	14	<1	<1	3	<1	1.73	<1	20	2.06	2431	<1	2	10	723	12	<1	0.11	<5	5	<5	<10	186	4	16	<1	139	9	20	44	<10	5	107	<1
45655	086564	0.015	1	6.44	24	259	2	3	8.77	6	<1	22	44	45	7.40	14	<1	<1	3	<1	1.89	<1	19	2.37	3388	<1	3	11	666	12	<1	0.16	7	6	<5	<10	238	4	13	<1	225	5	23	49	<10	6	83	<1
45656	086565	0.014	1	6.24	31	256	2	<1	8.46	6	<1	22	43	46	7.11	15	1	<1	3	<1	2.04	<1	18	2.29	3288	<1	3	11	654	10	<1	0.18	<5	5	<5	<10	231	4	11	<1	225	4	28	49	<10	6	76	<1
45657D	086565	0.009	2	6.14	25	266	2	2	8.46	6	<1	23	54	47	7.08	14	4	<1	5	<1	1.98	<1	19	2.23	3286	1	3	10	719	14	<1	0.19	<5	5	<5	<10	233	5	14	<1	239	6	29	50	<10	6	95	<1
45658	086566	<0.005	2	7.39	38	312	2	2	5.67	6	2	32	31	59	7.43	19	<1	<1	3	<1	1.97	<1	26	1.93	1870	2	3	9	739	8	9	0.13	6	7	<5	<10	201	5	13	<1	246	5	25	63	<10	6	125	8

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag %	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45659	086567	0.012	1	7.13	36	302	2	<1	3.82	6	3	30	55	65	7.31	19	<1	<1	4	<1	1.90	<1	28	1.62	1653	2	3	12	741	12	<1	0.10	<5	7	<5	<10	170	4	10	<1	229	4	23	64	<10	6	130	<1
45660	086568	0.006	1	6.97	58	293	2	<1	4.34	6	4	34	47	96	7.92	18	<1	<1	3	<1	1.84	<1	23	1.80	2398	2	3	24	759	12	7	0.11	7	8	5	<10	183	5	18	<1	208	2	31	63	<10	6	124	<1
45661	086569	<0.005	<1	6.18	35	271	2	<1	5.40	6	5	28	36	75	7.21	15	<1	<1	4	<1	1.89	<1	20	2.07	2240	<1	2	22	682	10	<1	0.09	7	7	<5	<10	183	4	17	<1	186	10	31	51	<10	6	108	<1
45662	086570	0.952	3	5.57	<2	103	2	<1	3.29	<4	7	26	81	39	4.39	12	<1	<1	4	<1	1.89	2	12	1.69	712	1	11	18	748	11	26	0.05	<5	16	<5	<10	111	4	10	<1	3886	3	<20	132	<10	24	87	<1
45663	086571	<0.005	1	7.03	44	319	2	<1	4.33	6	5	30	48	89	6.91	18	<1	<1	3	<1	1.90	<1	23	1.77	1764	1	3	21	843	12	<1	0.08	<5	8	<5	<10	178	4	11	<1	267	3	21	53	<10	7	111	<1
45664	086572	0.007	1	6.81	48	329	3	2	3.98	6	<1	30	56	90	7.32	17	<1	<1	4	<1	1.98	<1	25	1.71	2132	<1	3	24	706	13	<1	0.13	<5	8	<5	<10	166	4	13	<1	190	2	<20	61	<10	6	110	<1
45665	086573	0.017	<1	5.63	138	303	2	3	5.79	4	<1	37	96	116	5.24	10	<1	<1	3	<1	1.90	<1	20	1.94	1879	1	6	70	413	12	13	0.24	<5	12	<5	<10	170	3	6	<1	160	7	<20	86	<10	4	66	<1
45666	086574	0.054	<1	5.94	128	310	2	<1	5.86	4	<1	38	123	110	5.32	12	<1	<1	2	<1	1.98	<1	19	1.96	1966	<1	7	81	445	12	<1	0.55	9	15	<5	<10	186	3	11	<1	150	9	20	94	<10	5	84	<1
45667	086575	0.071	1	7.41	195	348	3	1	5.40	7	<1	39	57	390	8.27	20	<1	<1	3	<1	2.20	<1	35	2.16	1472	4	7	50	584	22	<1	1.48	<5	12	<5	<10	215	5	20	<1	196	4	40	106	<10	6	208	<1
45668D	086575	0.073	1	8.07	164	399	3	3	5.44	7	<1	35	59	171	8.05	21	2	<1	5	<1	2.15	<1	36	2.14	1462	1	8	51	484	16	1	1.47	<5	13	<5	<10	228	5	18	<1	225	2	<20	120	<10	6	207	<1
45669	086576	<0.005	1	5.12	47	211	2	<1	5.49	6	<1	38	16	203	7.66	14	<1	<1	4	<1	1.25	<1	32	2.22	1199	<1	8	45	463	11	<1	0.08	<5	11	<5	<10	172	4	12	<1	119	4	<20	128	<10	4	105	<1
45670	086577	<0.005	2	7.69	<2	80	2	<1	5.82	6	3	36	12	258	7.58	20	1	<1	4	<1	1.73	<1	35	2.03	1206	<1	21	46	455	9	<1	0.07	<5	16	<5	<10	307	6	13	<1	1128	3	36	287	<10	7	110	<1
45671	086578	<0.005	2	8.22	<2	76	3	<1	6.09	6	<1	47	12	363	8.59	22	<1	<1	4	<1	1.72	<1	41	2.59	1237	<1	26	52	457	16	<1	0.07	<5	19	<5	<10	304	8	15	<1	1097	4	28	355	<10	7	125	<1
45672	086579	<0.005	1	8.10	<2	68	3	<1	5.79	6	<1	43	22	332	8.02	20	<1	<1	3	<1	1.64	<1	38	2.30	1129	<1	24	49	326	11	<1	0.07	<5	18	<5	<10	330	7	12	<1	900	7	45	336	<10	7	113	<1
45673	086580	<0.005	1	6.46	<2	651	<2	<1	0.97	<4	68	5	213	10	1.25	9	<1	<1	4	<1	1.96	38	30	0.41	189	1	3	4	496	24	37	0.02	<5	3	<5	<10	178	1	<1	22	936	<2	<20	21	<10	8	29	5
45674	086581	<0.005	1	9.23	<2	227	3	<1	6.58	7	6	40	30	298	7.78	22	<1	<1	5	<1	1.89	<1	44	2.11	1220	2	21	46	298	15	<1	0.08	<5	17	<5	<10	381	6	18	<1	292	8	31	294	<10	8	114	<1
45675	086582	<0.005	1	7.54	55	634	2	<1	5.62	6	3	46	28	307	7.69	18	<1	<1	4	<1	1.90	<1	31	2.21	1259	<1	17	47	374	11	<1	0.08	<5	13	<5	<10	264	5	16	<1	454	7	35	238	<10	6	108	<1
45676	086583	<0.005	2	7.41	8	291	3	<1	6.10	6	3	45	21	284	8.03	20	<1	<1	4	<1	1.69	<1	31	2.45	1246	<1	22	35	491	11	5	0.07	6	16	<5	<10	315	6	11	<1	991	9	39	302	<10	7	121	<1
45677	086584	<0.005	1	7.39	<2	125	3	<1	5.62	6	3	43	25	276	7.38	18	<1	<1	3	<1	1.31	<1	23	2.28	1195	<1	22	33	465	3	<1	0.06	<5	15	<5	<10	366	8	11	<1	1250	6	22	296	<10	8	95	<1
45678	086585	<0.005	2	7.39	<2	115	3	<1	5.85	6	3	43	21	278	7.24	18	<1	<1	3	1	1.47	<1	25	2.31	1197	<1	22	33	399	10	<1	0.06	<5	15	<5	<10	359	7	9	<1	1207	5	34	300	<10	8	100	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45679D	086585	<0.005	1	7.05	<2	109	3	<1	5.90	6	4	43	21	280	7.38	18	<1	<1	4	<1	1.39	<1	24	2.33	1213	<1	22	32	297	13	<1	0.06	<5	16	<5	<10	354	7	6	<1	1331	2	36	304	<10	8	96	<1
45680	086586	<0.005	3	7.68	<2	669	2	<1	5.66	6	3	50	33	236	7.08	18	<1	<1	5	<1	1.53	<1	26	2.34	1144	<1	25	29	439	12	<1	0.06	<5	16	<5	<10	294	8	14	<1	4966	5	28	307	<10	10	94	<1
45681	086587	<0.005	3	7.61	<2	810	3	<1	5.19	6	5	50	34	255	8.06	18	<1	<1	4	<1	1.57	<1	27	2.43	1313	<1	23	37	455	5	12	0.05	<5	14	<5	<10	272	8	19	<1	5413	7	24	278	<10	10	112	<1
45682	086588	<0.005	3	5.62	<2	575	3	<1	5.37	5	<1	56	44	384	7.53	16	<1	<1	4	<1	0.77	<1	24	2.34	1413	<1	24	42	293	8	<1	0.07	6	13	<5	<10	215	8	15	<1	5526	6	22	296	<10	8	111	<1
45683	086589	<0.005	3	6.94	<2	498	3	<1	7.08	7	1	51	30	320	9.26	21	<1	<1	3	<1	1.24	<1	29	2.45	1799	<1	24	42	386	11	<1	0.07	<5	14	<5	<10	246	9	16	<1	5783	8	33	300	<10	10	124	<1
45684	086590	<0.005	4	7.55	<2	855	3	<1	5.80	7	<1	49	47	327	7.88	19	<1	<1	3	<1	1.61	<1	29	2.48	1316	<1	24	38	403	13	<1	0.07	<5	13	<5	<10	254	8	18	<1	5934	6	28	293	<10	9	112	<1
45685	086591	0.006	3	7.34	<2	491	2	<1	6.17	6	<1	47	25	225	8.21	17	<1	<1	2	<1	1.62	<1	31	2.59	1571	<1	23	39	393	4	<1	0.06	<5	12	<5	<10	212	9	20	<1	5663	6	42	278	<10	8	110	<1
45686	086592	<0.005	2	7.65	<2	626	3	<1	6.21	6	<1	45	19	268	8.46	20	<1	<1	3	<1	1.56	<1	34	2.66	1694	<1	25	37	382	9	<1	0.06	<5	12	<5	<10	181	9	13	<1	6191	5	<20	304	<10	9	127	<1
45687	086593	<0.005	4	8.15	<2	711	2	<1	6.58	7	1	52	36	299	8.22	21	<1	<1	2	<1	1.83	<1	33	2.55	1717	<1	25	40	372	11	<1	0.06	5	12	<5	<10	240	9	20	<1	6327	8	21	298	<10	9	114	<1
45688	086594	<0.005	3	8.47	<2	606	2	<1	5.71	6	<1	47	41	317	7.49	20	<1	<1	6	<1	1.93	<1	31	2.44	1422	<1	26	42	370	11	2	0.06	<5	14	<5	<10	241	10	18	<1	6957	6	<20	310	<10	9	100	<1
45689	086595	<0.005	2	6.90	<2	548	2	<1	5.22	6	<1	45	35	312	7.14	16	<1	<1	2	<1	1.64	<1	28	2.38	1365	<1	23	38	347	8	<1	0.06	<5	11	<5	<10	175	8	17	<1	6152	8	27	277	<10	7	103	<1
45690R	086595	<0.005	4	6.42	<2	519	2	<1	5.05	5	<1	44	29	304	7.02	15	<1	<1	3	<1	1.52	29	28	2.38	1385	<1	21	38	282	14	<1	0.06	<5	10	<5	<10	142	7	13	<1	5353	10	<20	258	<10	6	95	<1
45691	086596	<0.005	5	6.35	<2	434	3	<1	6.01	6	<1	57	24	336	7.47	16	<1	<1	4	<1	1.26	<1	27	2.47	1469	<1	23	43	373	7	12	0.07	<5	14	<5	<10	196	8	15	<1	5351	10	27	290	<10	8	115	<1
45692	086597	<0.005	2	5.57	7	485	2	<1	6.92	6	2	53	19	341	7.48	15	<1	<1	3	<1	0.79	<1	29	2.46	1323	<1	24	42	388	7	<1	0.08	<5	15	<5	<10	298	7	12	<1	1192	5	<20	316	<10	8	123	<1
45693	086598	0.012	2	5.13	10	775	2	<1	6.16	5	1	45	31	342	7.22	14	<1	<1	3	<1	1.16	<1	23	2.11	1146	<1	22	33	365	11	<1	0.09	6	15	<5	<10	310	7	8	<1	944	8	20	301	<10	6	107	<1
45694	086599	<0.005	2	5.37	<2	586	2	<1	5.69	6	<1	47	23	324	8.06	16	<1	<1	4	<1	1.10	<1	25	2.31	1206	<1	25	29	372	10	<1	0.06	<5	16	<5	<10	208	8	16	<1	2659	7	20	324	<10	8	124	<1
45695	086600	13.443	8	3.22	16	375	2	<1	1.77	<4	<1	21	56	135	3.18	5	<1	<1	3	<1	1.39	<1	9	0.86	404	9	8	33	553	28	199	0.55	<5	8	<5	<10	67	5	3	<1	2539	3	<20	75	<10	12	142	<1
45696	086601	<0.005	2	6.27	<2	677	3	<1	5.25	6	<1	50	28	319	7.93	18	<1	<1	5	<1	1.30	<1	25	2.27	1598	<1	24	32	344	17	<1	0.06	<5	13	<5	<10	220	9	19	<1	5488	5	<20	292	<10	9	114	<1
45697	086602	<0.005	3	5.41	<2	655	2	<1	4.74	6	<1	54	32	347	7.39	15	<1	<1	3	<1	1.07	<1	23	2.24	1193	<1	22	27	328	10	<1	0.06	<5	12	<5	<10	170	8	12	<1	5511	7	<20	270	<10	7	107	<1
45698	086603	<0.005	6	5.50	<2	752	2	<1	4.40	6	<1	55	35	383	7.45	13	<1	<1	3	<1	1.18	<1	22	2.31	1042	<1	23	28	418	8	<1	0.06	<5	13	<5	<10	139	8	14	<1	5889	4	22	289	<10	6	118	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45699	086604	<0.005	3	5.86	<2	691	2	<1	4.66	6	<1	56	38	359	7.69	15	<1	<1	5	<1	1.27	<1	22	2.28	1159	<1	22	29	274	8	<1	0.06	<5	13	<5	<10	170	8	19	<1	5929	4	<20	271	<10	7	111	<1
45700	086605	<0.005	5	5.64	<2	661	2	<1	4.36	6	<1	56	25	360	7.39	14	<1	<1	4	<1	1.24	<1	23	2.27	1143	<1	20	28	286	8	<1	0.06	<5	11	<5	<10	141	7	13	<1	5359	6	27	251	<10	6	113	<1
45701D	086605	<0.005	4	5.47	<2	643	3	<1	4.27	5	<1	54	24	359	7.27	13	<1	<1	3	<1	1.25	<1	23	2.25	1128	<1	19	26	283	7	<1	0.05	<5	11	<5	<10	130	7	15	<1	5307	6	<20	245	<10	6	112	<1
45702	086606	<0.005	4	6.44	<2	832	2	<1	5.17	5	<1	51	28	356	7.41	16	<1	<1	4	<1	1.39	<1	25	2.22	1101	<1	21	24	424	10	<1	0.06	5	13	<5	<10	169	8	16	<1	6172	4	<20	266	<10	8	116	<1
45703	086607	<0.005	3	5.93	<2	813	2	<1	4.88	6	<1	54	26	323	7.82	15	<1	<1	3	<1	1.31	<1	26	2.35	1573	<1	19	26	343	11	<1	0.05	<5	10	<5	<10	145	8	14	<1	5567	7	<20	245	<10	7	97	<1
45704	086608	<0.005	3	6.30	<2	773	2	<1	4.90	6	<1	50	28	300	7.51	16	<1	<1	3	<1	1.38	<1	28	2.39	1807	<1	22	25	380	11	<1	0.06	6	10	<5	<10	148	8	14	<1	6037	5	20	271	<10	7	104	<1
45705	086609	<0.005	3	4.70	<2	83	2	<1	2.79	<4	6	23	67	41	3.80	9	<1	<1	3	<1	1.66	1	10	1.36	587	2	10	14	764	12	22	0.05	<5	13	<5	<10	97	4	8	<1	3709	8	<20	118	<10	22	61	<1
45706	086610	0.970	2	6.39	<2	725	3	<1	5.11	6	<1	63	30	348	8.16	17	<1	<1	3	<1	1.79	<1	25	2.58	1180	<1	28	36	355	8	<1	0.06	<5	17	<5	<10	187	9	19	<1	7193	9	<20	351	<10	8	106	<1
45707	086611	<0.005	4	6.58	<2	624	3	<1	5.39	7	<1	60	23	284	8.54	18	<1	<1	3	<1	1.77	<1	28	2.74	1422	<1	30	46	398	11	<1	0.06	7	17	<5	<10	154	11	17	<1	7415	15	27	365	<10	8	118	<1
45708	086612	<0.005	6	6.71	2	784	3	3	5.81	7	<1	76	27	366	9.13	19	<1	<1	4	<1	1.94	<1	29	2.92	1365	<1	31	69	340	10	11	0.06	<5	19	5	<10	159	10	20	<1	7281	5	<20	391	<10	8	109	<1
45709	086613	<0.005	3	6.91	<2	554	3	<1	5.97	7	<1	69	24	417	8.93	19	<1	<1	4	<1	1.80	<1	30	2.93	1252	<1	29	63	355	12	<1	0.07	<5	18	<5	<10	170	11	23	<1	7147	5	26	375	<10	8	131	<1
45710	086614	<0.005	1	7.61	<2	506	3	<1	5.65	7	<1	60	20	324	9.13	21	<1	<1	4	<1	1.73	<1	34	2.67	1720	<1	28	41	361	9	<1	0.06	<5	17	<5	<10	184	10	19	<1	6849	4	43	350	<10	9	179	<1
45711	086615	<0.005	8	7.56	<2	504	2	<1	5.68	8	<1	59	20	328	9.04	21	<1	<1	2	<1	1.69	<1	34	2.68	1735	<1	27	42	351	11	6	0.06	9	17	8	<10	185	10	17	<1	6763	7	25	345	<10	9	179	<1
45712D	086615	<0.005	4	7.88	<2	432	2	<1	6.02	6	<1	53	23	350	7.87	21	<1	<1	3	<1	1.71	<1	35	2.38	1371	<1	25	29	388	8	9	0.06	<5	16	<5	<10	239	9	16	<1	4471	9	<20	325	<10	10	108	<1
45713	086616	<0.005	2	7.29	<2	877	2	<1	5.30	6	<1	50	26	356	7.05	18	<1	<1	3	<1	1.84	<1	31	2.24	998	<1	22	29	201	13	<1	0.06	<5	15	<5	<10	333	6	15	<1	2131	6	30	295	<10	8	102	<1
45714	086617	<0.005	1	8.17	<2	633	3	<1	5.28	6	<1	46	24	353	7.66	21	2	<1	3	<1	1.79	<1	34	2.27	1123	<1	23	24	309	8	<1	0.06	<5	16	<5	<10	320	7	15	<1	1730	4	23	305	<10	8	112	<1
45715	086618	<0.005	3	5.87	<2	860	2	<1	4.92	6	<1	51	27	299	7.20	14	<1	<1	3	<1	1.42	1	26	2.25	1183	<1	21	28	487	4	<1	0.05	<5	10	<5	<10	164	8	16	<1	5591	10	31	260	<10	7	101	<1
45716	086619	0.005	2	7.39	<2	719	2	<1	5.50	5	5	36	25	320	7.01	17	<1	<1	4	<1	1.97	<1	26	2.03	1395	<1	19	16	326	9	11	0.06	<5	13	<5	<10	281	5	13	<1	1492	3	<20	249	<10	7	94	<1
45717	086620	<0.005	<1	5.93	<2	577	<2	<1	0.86	<4	63	4	195	11	1.13	7	<1	<1	4	<1	2.08	38	29	0.37	169	<1	2	6	446	25	39	0.02	6	2	<5	<10	131	2	5	23	768	2	<20	18	<10	5	24	<1
45718	086621	0.027	2	6.05	<2	509	3	<1	5.75	6	2	33	33	311	6.90	13	<1	<1	2	1	1.89	<1	23	1.95	1706	<1	13	13	430	11	<1	0.06	<5	9	<5	<10	292	5	17	<1	913	6	28	177	<10	6	90	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag %	Al ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
45719	086622	<0.005	2	7.47	<2	256	2	<1	6.22	7	<1	38	18	328	8.25	18	<1	<1	4	<1	1.55	<1	35	2.28	2093	<1	18	18	349	13	<1	0.06	<5	14	<5	<10	322	7	12	<1	1429	6	47	247	<10	8	102	<1
45720	086623	<0.005	2	7.29	<2	341	2	<1	4.91	6	2	41	25	327	7.39	18	<1	<1	4	<1	1.62	<1	30	2.10	1137	<1	18	15	493	10	<1	0.05	<5	14	6	<10	273	6	17	<1	1453	8	29	250	<10	8	101	<1
45721	086624	<0.005	1	7.62	<2	282	2	<1	5.45	6	<1	49	26	352	7.34	19	<1	<1	3	<1	1.63	<1	32	2.32	987	<1	22	22	340	10	9	0.06	12	14	<5	<10	294	7	13	<1	1556	5	28	300	<10	8	107	<1
45722	086625	<0.005	2	8.55	<2	352	3	<1	5.63	6	<1	51	28	364	7.59	20	<1	<1	4	<1	1.85	<1	34	2.38	1023	<1	23	24	380	17	<1	0.06	<5	15	<5	<10	325	7	16	<1	2068	4	<20	311	<10	9	110	<1
45723D	086625	<0.005	2	8.23	2	342	3	<1	5.70	6	<1	50	26	356	7.64	21	<1	<1	5	<1	1.78	<1	34	2.40	1019	1	23	29	350	11	<1	0.06	6	15	<5	<10	314	6	13	<1	1830	4	<20	312	<10	9	112	<1
45724	086626	<0.005	1	8.06	<2	223	2	<1	5.28	6	2	48	21	352	7.25	19	<1	<1	3	<1	1.69	<1	31	2.25	980	<1	22	22	402	11	<1	0.06	<5	15	<5	<10	301	7	15	<1	2020	4	<20	300	<10	8	111	<1
45725	086627	<0.005	2	8.15	<2	806	3	<1	5.45	7	<1	52	18	354	8.08	21	<1	<1	3	<1	1.87	<1	34	2.25	1059	1	22	25	443	11	<1	0.06	<5	15	<5	<10	271	7	17	<1	1483	5	42	299	<10	7	103	<1
45726	086628	0.037	<1	7.25	29	1472	2	<1	5.98	5	<1	41	88	288	6.62	16	<1	<1	4	<1	1.92	<1	24	1.95	1206	1	17	22	588	11	27	0.16	<5	11	<5	<10	271	6	14	<1	1168	5	26	230	12	6	86	<1
45727	086629	<0.005	2	7.88	<2	208	2	<1	5.44	6	<1	45	18	333	7.83	21	<1	<1	4	<1	1.78	<1	32	2.31	1227	<1	24	23	388	10	<1	0.06	5	15	<5	<10	313	7	15	<1	1372	4	42	324	<10	7	107	<1
45728	086630	<0.005	2	8.19	<2	1091	2	<1	6.14	7	<1	50	25	301	8.37	22	<1	<1	1	<1	1.88	<1	37	2.34	1317	<1	24	23	338	7	<1	0.06	<5	15	<5	<10	218	8	17	<1	3874	3	28	304	<10	9	199	<1
45729	086631	<0.005	6	7.96	<2	1037	2	<1	5.01	6	<1	61	30	381	6.98	16	<1	<1	2	<1	1.91	<1	30	2.42	1094	<1	20	24	357	7	1	0.06	<5	14	<5	<10	191	8	21	<1	4935	4	26	254	<10	8	140	<1
45730	086632	<0.005	3	7.98	<2	795	2	<1	4.85	6	<1	58	35	378	7.40	19	<1	<1	5	<1	1.95	<1	30	2.44	1252	<1	20	29	443	9	<1	0.06	<5	12	<5	<10	159	8	20	<1	5517	5	<20	248	<10	7	140	<1
45731	086633	<0.005	4	6.36	<2	590	3	<1	4.90	6	<1	55	32	307	7.16	15	<1	<1	3	<1	1.44	<1	26	2.29	1178	<1	18	26	355	6	<1	0.05	<5	10	<5	<10	148	7	15	<1	5076	5	<20	228	<10	7	185	<1
45732	086634	<0.005	4	5.83	<2	529	2	<1	5.25	6	<1	58	32	362	7.52	14	<1	<1	4	<1	1.09	<1	26	2.37	1210	<1	21	23	436	10	<1	0.06	<5	11	6	<10	118	7	15	<1	5293	6	<20	263	<10	6	135	<1
45733	086635	<0.005	2	7.39	<2	569	3	<1	5.59	6	<1	62	31	366	7.97	17	<1	<1	5	<1	1.51	<1	29	2.44	1248	<1	23	22	442	12	<1	0.06	<5	13	<5	<10	150	8	21	<1	5972	9	<20	289	<10	8	133	<1
45734D	086635	<0.005	4	7.60	<2	566	2	<1	5.51	6	<1	60	30	369	7.79	18	<1	<1	5	<1	1.63	<1	30	2.40	1226	<1	22	21	287	7	9	0.06	<5	13	<5	<10	151	8	16	<1	5947	6	<20	283	<10	8	127	<1
45735	086636	0.008	4	7.75	<2	627	3	<1	5.40	6	<1	60	33	389	8.09	19	<1	<1	4	<1	1.77	<1	31	2.38	1253	<1	22	22	261	8	9	0.06	<5	13	<5	<10	179	8	19	<1	6181	8	<20	280	<10	8	142	<1
45736	086637	<0.005	4	6.91	<2	900	3	<1	5.05	6	<1	54	31	377	7.27	16	<1	<1	2	<1	1.62	<1	26	2.26	1228	<1	21	24	367	13	11	0.06	<5	12	<5	<10	173	7	16	<1	5591	6	<20	255	<10	8	133	<1
45737	086638	<0.005	6	7.47	<2	829	2	<1	5.17	5	<1	64	41	396	7.64	17	<1	<1	4	<1	1.71	<1	28	2.40	1241	1	23	23	426	5	4	0.06	<5	13	<5	<10	166	9	15	<1	6211	3	<20	287	<10	7	134	<1
45738	086639	<0.005	3	7.38	<2	531	2	<1	5.51	6	<1	48	26	336	8.15	17	<1	<1	4	<1	1.69	<1	32	2.49	1422	<1	20	19	435	10	<1	0.05	5	10	<5	<10	150	8	18	<1	5484	9	<20	253	<10	7	126	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, March 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/14/2011
Date Completed: 02/24/2011
Job #: 201140671
Reference:
Sample #: 165

Acc #	Client	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
ID		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
45739	086640	5.406	3	6.12	261	182	2	<1	2.37	5	10	107	131	1515	6.01	13	<1	<1	4	<1	1.89	4	16	1.14	547	7	5	1198	490	649	105	1.30	<5	10	<5	<10	107	5	12	1	1903	3	<20	73	26	13	427	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 02/28/2011
Job #: 201140700
Reference:
Sample #: 75

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg ppm	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
47723	086641	<5	5	8.80	9	590	<2	23	5.41	21	<1	55	40	624	8.67	17	<1	<1	1	<1	1.58	1	29	2.54	1380	4	24	30	277	14	16	0.49	<5	14	<5	<10	253	5	28	<1	6247	13	<20	302	12	9	172	<1
47724	086642	<5	3	9.33	7	635	<2	21	5.97	21	<1	57	31	362	8.85	18	6	<1	3	<1	1.65	<1	30	2.53	1649	2	25	29	231	9	20	0.47	<5	15	<5	<10	292	5	35	<1	6613	12	<20	322	13	10	198	<1
47725	086643	<5	7	8.85	7	491	<2	14	7.57	18	<1	48	50	339	7.71	17	6	<1	<1	<1	1.52	<1	28	2.29	1296	2	25	26	216	9	9	0.44	<5	15	6	<10	331	6	23	<1	6467	10	<20	314	14	9	134	<1
47726	086644	<5	3	9.26	5	347	<2	25	4.77	21	<1	57	36	412	8.78	19	<1	<1	3	<1	1.54	<1	32	2.70	1214	2	27	27	246	10	14	0.46	<5	16	<5	<10	221	7	30	<1	6506	11	<20	361	11	11	163	<1
47727	086645	<5	3	9.72	5	350	<2	24	5.77	20	<1	55	26	371	8.50	18	3	<1	4	<1	1.36	<1	31	2.53	1238	2	27	26	243	7	10	0.45	6	18	<5	<10	268	5	22	<1	4535	8	<20	365	12	11	146	<1
47728	086646	<5	5	9.58	13	833	<2	24	6.92	20	<1	63	19	364	8.37	19	<1	<1	4	<1	1.45	<1	32	2.49	1285	2	27	32	230	13	13	0.44	<5	18	8	<10	321	6	26	<1	3433	16	<20	366	10	9	161	<1
47729	086647	<5	2	8.57	10	933	<2	22	6.62	19	<1	53	24	339	8.32	15	1	<1	4	3	1.46	<1	31	2.33	1368	1	24	27	238	10	14	0.38	6	17	11	<10	346	5	21	<1	2363	5	<20	334	12	8	145	<1
47730	086648	<5	2	7.76	5	501	<2	21	5.59	20	<1	46	28	310	8.46	15	<1	<1	3	<1	1.42	<1	27	2.37	1721	2	20	25	238	10	15	0.34	7	15	7	<10	304	3	23	<1	1795	13	<20	283	10	7	136	<1
47731	086649	7	2	8.75	4	525	<2	19	5.55	19	<1	42	37	319	8.04	18	<1	<1	2	<1	1.45	<1	27	2.31	1523	3	21	24	281	9	18	0.41	5	16	<5	<10	298	3	20	<1	2206	12	<20	300	10	7	134	<1
47732	086650	<5	2	8.43	<2	764	<2	13	1.24	<4	61	5	312	7	1.29	14	4	2	3	<1	1.48	35	30	0.41	220	3	2	10	326	32	35	0.40	<5	2	9	<10	229	<1	4	22	854	11	<20	19	<10	6	58	94
47734	086651	<5	2	7.10	<2	418	<2	17	5.78	17	<1	47	35	321	7.38	14	<1	<1	2	<1	1.70	<1	22	2.15	1331	2	19	22	221	13	12	0.35	5	14	5	<10	291	3	22	<1	1737	7	<20	267	11	6	127	<1
47735	086652	<5	4	8.44	4	473	<2	27	5.01	19	<1	48	32	365	8.19	17	2	<1	1	<1	1.71	<1	25	2.24	1347	2	23	24	236	7	15	0.40	6	17	8	<10	287	4	20	<1	2669	6	<20	322	12	7	140	<1
47736	086653	40	2	8.50	9	562	<2	20	5.90	22	<1	47	33	324	9.57	19	2	<1	2	2	1.76	<1	30	2.64	1621	2	20	30	220	16	10	0.47	7	16	12	<10	285	6	26	<1	1980	5	<20	281	14	7	146	<1
47737	086654	6	3	8.88	2	440	<2	26	6.09	19	<1	45	27	342	8.35	18	<1	<1	3	<1	1.67	<1	29	2.35	1468	2	22	28	226	13	8	0.46	5	16	11	<10	319	5	25	<1	2471	16	<20	309	10	7	144	5
47738	086655	6	2	8.38	<2	453	<2	27	6.13	19	<1	44	27	339	8.43	19	<1	<1	7	<1	1.53	<1	28	2.35	1474	2	22	26	234	12	9	0.42	6	17	5	<10	314	4	23	<1	2165	17	<20	311	10	7	146	<1
47739	086656	9	2	8.51	6	523	<2	20	5.27	20	<1	49	30	338	8.93	19	<1	<1	3	3	1.61	<1	28	2.39	1491	2	24	24	225	10	8	0.39	10	17	5	<10	289	5	29	<1	2509	12	<20	326	10	7	158	<1
47740	086657	13	2	8.52	6	294	<2	25	5.93	21	<1	48	25	363	9.14	20	<1	<1	4	<1	1.55	<1	31	2.58	2064	1	24	29	240	9	6	0.42	6	17	9	<10	312	4	26	<1	2400	9	<20	336	<10	8	150	<1
47741	086658	<5	2	8.06	<2	93	<2	18	5.36	18	<1	43	25	918	7.98	17	<1	<1	5	<1	1.52	<1	27	2.21	1846	2	22	29	277	18	<1	0.42	<5	16	6	<10	314	4	24	<1	2061	5	<20	307	10	7	128	<1
47742	086659	<5	2	8.13	<2	78	<2	34	5.87	21	<1	43	25	369	9.42	19	<1	<1	2	<1	1.54	<1	26	2.45	2336	2	21	29	262	12	<1	0.42	6	15	<5	<10	305	5	27	<1	2019	15	<20	301	11	8	139	<1
47743	086660	20	2	8.48	16	413	<2	25	5.55	19	<1	45	36	328	8.57	18	<1	<1	2	<1	1.78	<1	26	2.43	1860	2	20	29	342	12	2	0.48	<5	16	9	<10	277	4	19	<1	1121	17	<20	288	10	6	144	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 02/28/2011
Job #: 201140700
Reference:
Sample #: 75

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
47744D	086660	21	2	8.29	19	403	<2	25	5.51	19	<1	44	37	325	8.53	18	2	<1	2	<1	1.77	<1	26	2.43	1853	1	19	27	337	10	7	0.48	5	16	<5	<10	268	3	21	<1	935	5	<20	283	12	6	142	<1
47745	086661	18	1	6.42	10	375	<2	18	6.17	20	<1	45	72	368	8.76	15	<1	<1	6	<1	1.58	<1	29	2.34	1568	2	18	24	219	14	<1	0.31	7	15	5	<10	263	3	20	<1	188	17	20	265	13	5	132	<1
47746	086662	21	1	8.59	24	345	<2	25	5.58	18	<1	41	109	293	8.09	19	<1	<1	4	<1	1.84	<1	36	2.18	1450	3	14	25	455	15	10	0.49	7	13	<5	<10	288	4	21	<1	220	15	<20	205	10	7	135	<1
47747	086663	109	2	8.12	39	309	<2	24	5.93	17	<1	43	87	326	7.70	16	<1	<1	3	<1	1.96	<1	33	2.15	1550	2	16	21	258	13	18	0.53	7	15	<5	<10	276	4	19	<1	225	19	<20	238	11	5	148	<1
47748	086664	37	2	8.36	32	302	<2	17	5.94	20	<1	40	75	394	8.40	18	<1	<1	5	2	1.42	<1	33	2.28	1663	1	17	23	359	16	4	0.62	7	16	7	<10	281	3	22	<1	217	12	<20	259	13	5	158	<1
47749	086665	24	<1	8.26	29	315	<2	18	5.48	19	<1	39	77	306	8.30	17	2	<1	4	<1	1.67	<1	32	2.16	1603	2	17	24	375	12	7	0.63	8	15	6	<10	283	3	21	<1	216	15	<20	245	13	6	156	<1
47750	086666	48	1	8.26	50	338	<2	18	5.88	20	<1	51	56	312	8.74	17	4	<1	6	<1	1.68	<1	39	2.86	1315	1	21	29	225	12	2	0.54	6	17	5	<10	290	4	21	<1	210	13	<20	311	11	5	125	<1
47751	086667	86	2	9.07	64	295	<2	28	4.30	21	<1	60	63	345	9.40	19	7	<1	2	<1	1.77	<1	48	3.31	1225	1	22	28	210	17	7	0.59	6	17	5	<10	258	3	29	<1	237	9	<20	308	11	5	139	<1
47752	086668	220	1	8.06	45	352	<2	17	5.59	18	<1	46	144	292	7.91	17	<1	<1	4	<1	1.66	<1	38	2.93	1170	2	15	23	145	11	8	0.82	8	13	7	<10	275	3	22	<1	228	8	<20	227	16	5	126	<1
47753	086669	116	2	8.81	61	399	<2	19	5.89	22	<1	58	75	329	9.57	18	<1	<1	4	<1	1.89	<1	39	2.79	1513	2	20	24	200	14	13	0.67	7	17	6	<10	302	4	24	<1	248	15	<20	282	36	5	149	<1
47754	086670	13125	7	6.66	26	423	<2	16	2.55	9	<1	24	85	142	4.09	12	<1	<1	5	<1	1.66	<1	17	1.31	570	11	7	44	555	34	325	1.00	<5	12	8	<10	105	2	16	<1	3172	14	<20	100	10	16	184	<1
47756	086671	157	3	8.55	76	382	<2	28	6.77	21	<1	64	63	386	8.98	17	2	<1	4	<1	1.50	<1	37	2.77	1543	2	17	27	227	15	10	0.67	7	17	7	<10	302	3	21	<1	275	10	21	256	37	5	140	<1
47757	086672	94	1	7.88	56	361	<2	26	5.94	24	<1	58	86	420	10.50	20	<1	<1	3	<1	1.59	<1	37	2.63	1699	1	13	22	239	14	12	0.87	6	16	6	<10	251	4	25	<1	227	4	36	198	22	5	170	<1
47758	086673	191	1	7.92	27	439	<2	22	4.97	20	<1	39	128	244	9.13	20	<1	<1	4	<1	1.99	<1	31	1.88	1575	2	5	20	497	16	14	1.14	8	9	8	<10	249	4	25	<1	309	10	<20	92	19	8	150	46
47759	086674	70	2	7.17	54	376	<2	24	5.76	21	<1	50	162	401	9.34	16	<1	<1	3	<1	1.94	<1	27	2.10	1694	2	10	26	258	12	14	0.69	5	14	11	<10	232	4	26	<1	505	10	<20	162	23	5	147	5
47760	086675	50	2	7.75	63	326	<2	22	6.13	23	<1	54	102	425	10.16	17	3	<1	4	<1	1.91	<1	28	2.24	1938	2	12	27	182	14	18	0.59	7	19	5	<10	263	5	27	<1	615	6	<20	200	21	5	163	<1
47761	086676	31	2	7.63	69	287	<2	23	6.24	25	<1	64	100	381	10.69	20	2	<1	3	<1	1.37	<1	29	2.26	1814	2	11	26	247	14	9	0.53	9	17	5	<10	265	5	27	<1	866	9	34	181	28	6	175	<1
47762	086677	34	2	8.15	46	307	<2	23	6.25	22	<1	50	70	344	9.87	19	<1	<1	3	<1	1.30	<1	28	2.16	1939	2	8	24	315	13	5	0.51	6	14	9	<10	294	3	24	<1	474	7	22	142	14	6	156	<1
47763	086678	17	2	7.95	50	283	<2	21	5.88	22	<1	52	66	359	9.87	18	<1	<1	5	<1	1.44	<1	28	2.14	2049	2	10	25	209	13	10	0.53	5	15	<5	<10	287	4	23	<1	400	11	<20	160	<10	5	145	<1
47764	086679	28	2	8.02	27	291	<2	19	5.76	19	<1	37	67	294	8.49	18	12	<1	5	<1	1.93	<1	26	1.89	1604	3	7	16	349	13	11	0.55	5	13	11	<10	305	3	24	<1	851	8	<20	119	17	7	143	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 02/28/2011
Job #: 201140700
Reference:
Sample #: 75

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
47765	086680	<5	2	8.41	2	923	<2	12	1.31	5	183	8	379	13	2.32	16	6	2	6	2	1.79	95	25	0.60	239	4	6	11	1147	34	57	0.40	5	5	8	<10	185	<1	10	56	1994	5	<20	34	<10	19	87	121
47767	086681	34	1	7.12	32	201	<2	21	4.06	21	31	37	76	498	9.35	21	2	<1	6	<1	1.68	14	24	1.71	1548	2	3	24	299	13	16	0.67	7	7	8	<10	232	4	24	<1	387	16	<20	66	13	17	160	23
47768	086682	26	2	8.05	56	253	<2	31	5.86	21	<1	51	52	452	9.44	20	<1	<1	4	<1	1.49	<1	29	2.11	1604	2	8	31	283	13	10	0.64	7	14	6	<10	294	3	24	<1	504	19	<20	131	15	8	172	1
47769	086683	68	2	8.36	49	331	<2	21	5.90	23	<1	52	38	338	9.91	20	<1	<1	4	<1	1.78	<1	33	2.28	1685	2	9	28	393	9	11	0.72	7	16	8	<10	313	3	26	<1	360	6	29	147	21	6	150	<1
47770	086684	34	2	8.29	76	355	<2	24	6.60	17	<1	45	46	347	7.86	16	<1	<1	3	2	1.99	<1	36	2.55	1818	3	20	58	261	16	23	0.48	8	17	8	<10	340	4	22	<1	225	6	<20	297	16	5	118	<1
47771	086685	36	2	8.78	67	379	<2	25	6.64	17	<1	37	67	305	7.30	17	<1	<1	4	5	1.83	<1	36	2.47	1769	3	20	55	246	13	17	0.53	8	16	<5	<10	354	3	19	<1	263	8	<20	300	13	5	109	24
47772	086686	183	2	8.54	58	338	<2	18	6.93	19	<1	38	43	299	8.60	17	2	<1	3	3	1.70	<1	37	2.59	2252	2	21	56	163	10	7	0.57	5	15	10	<10	336	4	26	<1	265	20	20	299	12	5	113	32
47773	086687	30	2	9.53	82	469	<2	30	6.86	21	<1	44	37	285	9.10	19	<1	<1	4	<1	1.39	<1	33	2.64	2525	3	23	68	188	8	14	0.51	8	19	7	<10	327	5	30	<1	281	17	21	341	12	5	113	8
47774	086688	<5	3	8.80	48	1040	<2	20	7.35	18	<1	49	23	311	7.92	16	8	<1	5	<1	1.52	<1	27	2.60	2186	2	24	81	162	8	15	0.46	7	18	8	<10	254	3	20	<1	312	6	<20	341	<10	5	112	<1
47775	086689	<5	2	10.05	2	551	<2	22	6.57	21	<1	54	13	344	9.03	21	<1	<1	3	2	1.42	<1	40	2.92	1930	2	28	91	173	10	4	0.41	6	21	7	<10	236	5	25	<1	926	4	<20	404	<10	7	128	<1
47776	086690	<5	4	9.70	4	114	<2	18	7.18	18	<1	67	15	356	7.90	20	12	<1	4	<1	1.76	<1	34	2.86	1941	2	35	97	160	15	1	0.44	5	20	5	<10	280	11	26	<1	5375	12	<20	422	14	9	116	<1
47777D	086690	<5	4	9.08	4	99	<2	18	6.91	17	<1	65	14	352	7.55	17	12	<1	2	<1	1.76	<1	33	2.78	1845	2	30	91	157	13	<1	0.42	<5	19	7	<10	247	5	25	<1	4962	19	<20	403	11	8	112	<1
47778	086691	<5	5	8.65	10	87	<2	27	6.21	18	<1	65	20	332	7.81	17	2	<1	3	<1	1.56	<1	32	2.85	2082	2	30	85	162	11	<1	0.39	5	17	7	<10	222	6	30	<1	5751	10	<20	406	10	8	120	<1
47779	086692	6	3	9.24	7	150	<2	21	7.01	16	<1	58	24	314	7.10	18	12	<1	2	<1	1.69	<1	32	2.81	1585	2	29	88	187	8	5	0.42	<5	17	<5	<10	218	5	25	<1	5925	10	<20	388	11	9	112	<1
47780	086693	6	4	9.68	5	99	<2	19	7.64	20	<1	62	16	314	8.77	20	<1	<1	3	<1	1.75	<1	34	2.95	1903	2	31	95	188	10	<1	0.43	<5	20	7	<10	158	6	35	<1	6078	10	<20	414	15	9	123	<1
47781	086694	<5	8	9.71	6	121	<2	28	6.48	16	<1	61	38	256	7.00	16	3	<1	5	<1	1.72	<1	30	3.01	1464	3	19	112	192	5	<1	0.42	8	19	7	<10	270	4	24	<1	4679	10	<20	246	12	9	117	<1
47782	086695	<5	5	8.75	5	108	<2	22	7.43	14	<1	54	35	231	6.21	14	<1	<1	4	2	1.59	<1	27	2.72	1426	2	17	101	191	5	<1	0.39	5	16	6	<10	241	5	21	<1	4256	8	<20	220	10	8	106	<1
47783	086696	5	4	9.35	8	186	<2	21	6.85	13	<1	59	37	201	5.79	14	<1	<1	5	<1	1.56	<1	27	2.97	1374	3	12	124	180	11	<1	0.46	7	20	7	<10	281	2	21	<1	3716	27	<20	163	<10	9	103	4
47784	086697	<5	2	9.76	4	109	<2	24	6.20	16	<1	54	36	246	7.10	16	4	<1	3	<1	1.55	<1	30	2.92	1821	2	15	91	177	5	<1	0.40	6	19	12	<10	363	3	26	<1	4016	12	<20	198	12	9	108	<1
47785	086698	<5	3	9.76	21	124	<2	25	6.95	14	<1	62	40	225	6.00	14	2	<1	4	<1	1.59	<1	33	3.08	1456	3	12	106	167	9	<1	0.42	7	25	6	<10	391	2	24	<1	3297	6	<20	159	10	10	98	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 02/28/2011
Job #: 201140700
Reference:
Sample #: 75

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
47786	086699	<5	3	10.13	53	1176	<2	21	7.05	13	<1	48	34	161	5.48	14	<1	<1	4	<1	1.77	<1	35	2.75	1191	2	8	97	185	5	13	0.44	5	20	6	<10	213	1	22	<1	1484	27	<20	131	12	9	92	<1
47787	086700	939	4	8.06	<2	148	<2	20	4.08	12	7	32	108	42	5.13	17	<1	<1	3	<1	1.48	<1	16	2.19	863	3	13	27	673	16	30	0.43	<5	21	<5	<10	145	3	16	<1	4906	11	<20	162	12	29	111	31
47789	086701	15	<1	9.22	9	419	<2	29	7.07	15	<1	43	49	424	6.45	15	<1	<1	2	<1	1.42	<1	41	2.65	1418	5	14	85	191	12	<1	0.41	<5	20	13	<10	297	<1	21	<1	232	20	<20	205	<10	7	110	<1
47790	086702	8	1	9.31	18	263	<2	21	7.37	13	<1	38	32	172	5.61	13	2	<1	3	<1	1.63	<1	42	2.61	1590	2	8	88	160	13	7	0.38	<5	21	11	<10	286	2	16	<1	182	11	<20	125	<10	6	99	<1
47791	086703	8	1	9.10	89	415	<2	25	6.73	12	<1	47	37	197	5.38	11	4	<1	4	3	1.44	<1	32	2.70	1265	2	8	98	148	11	<1	0.42	8	20	9	<10	373	2	15	<1	202	7	<20	125	11	5	97	<1
47792	086704	10	<1	8.68	173	344	<2	26	6.91	11	<1	41	59	162	4.93	12	12	<1	4	<1	1.51	<1	30	2.57	1176	3	7	89	150	9	<1	0.42	5	19	10	<10	393	<1	15	<1	178	12	<20	112	10	5	86	<1
47793	086705	10	2	8.27	178	335	<2	16	6.84	11	<1	41	48	157	4.86	10	<1	<1	5	<1	1.55	<1	29	2.51	1165	3	6	90	136	9	<1	0.40	7	18	8	<10	381	2	13	<1	165	6	<20	108	<10	5	81	<1
47794	086706	26	1	7.95	165	303	<2	13	6.88	13	<1	35	72	216	5.84	12	<1	<1	3	5	1.59	<1	29	2.36	1208	3	12	86	164	15	9	0.39	9	17	13	<10	333	2	18	<1	166	8	<20	183	11	5	99	<1
47795	086707	56	1	8.51	184	348	<2	21	7.44	16	<1	39	37	321	6.95	16	9	<1	5	8	1.64	<1	32	2.48	1370	2	19	90	159	12	5	0.40	10	19	<5	<10	345	4	21	<1	193	5	<20	275	11	5	135	<1
47796	086708	25	1	7.66	112	351	<2	26	9.68	18	<1	34	64	246	8.09	15	<1	<1	3	<1	2.10	<1	33	3.34	2564	3	11	60	244	10	4	0.51	6	12	6	<10	312	3	26	<1	210	12	<20	163	10	7	121	<1
47797	086709	10	2	7.14	106	244	<2	25	10.67	23	<1	37	33	186	9.81	14	13	<1	5	<1	1.94	<1	36	3.84	3562	2	4	55	188	13	<1	0.56	8	12	8	<10	271	4	30	<1	216	16	21	84	<10	6	126	<1
47798	086710	922	4	7.18	4	124	<2	13	3.96	11	4	31	105	43	5.07	15	<1	<1	2	5	1.56	1	15	2.12	873	3	13	28	687	13	28	0.38	6	20	6	<10	135	3	19	<1	4635	11	<20	158	<10	28	114	<1
47800	086711	8	2	8.45	154	647	<2	21	7.42	12	<1	46	63	129	5.39	12	<1	<1	5	<1	1.28	<1	32	3.15	1373	2	7	104	159	8	8	0.37	10	22	11	<10	347	2	17	<1	274	10	<20	117	<10	5	92	<1
47801	086712	9	1	8.14	102	1482	<2	15	8.33	14	<1	46	78	176	6.00	11	<1	<1	3	<1	1.35	<1	30	3.36	1652	2	9	113	180	13	12	0.37	9	25	14	<10	247	3	19	<1	254	11	<20	134	12	5	123	<1
47802	086713	5	1	9.07	20	99	<2	18	7.84	13	<1	41	54	168	5.71	14	1	<1	4	<1	1.56	<1	45	3.15	1421	3	9	106	154	7	<1	0.38	8	27	<5	<10	227	<1	15	<1	191	11	<20	140	11	7	102	<1
47803	086714	5	2	8.70	5	70	<2	20	7.69	13	<1	46	54	170	6.02	12	3	<1	4	1	1.49	<1	28	3.29	1562	2	11	112	153	4	<1	0.38	5	27	13	<10	254	2	22	<1	1736	11	<20	151	11	9	114	<1
47804	086715	6	5	8.13	2	118	<2	22	8.29	14	<1	46	48	197	6.20	12	<1	<1	2	<1	1.30	<1	18	3.26	1722	2	11	109	156	6	<1	0.30	5	27	7	<10	310	2	22	<1	2868	9	<20	157	11	9	106	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 03/02/2011
Job #: 201140701
Reference:
Sample #: 80

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
47816	082731	<5	<1	6.41	2	296	<2	12	1.59	<4	<1	3	364	6	1.28	8	<1	<1	5	3	1.29	<1	16	0.57	180	3	<1	13	206	5	12	0.38	8	2	11	<10	172	<1	4	<1	275	5	<20	15	<10	4	48	<1
47817	082732	<5	1	8.50	<2	329	<2	12	1.71	<4	<1	3	402	4	1.17	12	<1	<1	5	7	1.42	<1	15	0.47	139	3	<1	13	197	4	16	0.34	8	2	12	<10	322	<1	7	1	249	7	<20	14	10	4	45	<1
47818	082733	<5	2	6.76	2	317	<2	9	1.58	<4	<1	3	327	3	1.08	10	<1	<1	4	4	1.58	<1	16	0.58	130	3	<1	10	188	4	12	0.36	5	1	13	<10	152	<1	10	<1	270	6	<20	12	11	4	47	<1
47819	082734	<5	1	7.20	<2	265	<2	8	1.81	<4	<1	3	358	3	1.17	10	<1	<1	2	4	1.72	<1	17	0.69	161	3	<1	13	190	5	14	0.37	6	2	8	<10	195	<1	6	<1	241	4	<20	13	<10	4	42	<1
47820	082735	<5	<1	8.26	<2	294	<2	11	1.96	<4	<1	4	334	2	1.14	11	<1	<1	5	1	1.87	<1	15	0.66	163	3	<1	11	190	7	21	0.30	8	2	6	<10	276	<1	5	<1	245	6	<20	14	12	4	40	<1
47821	082736	<5	<1	8.28	3	444	<2	10	2.13	<4	<1	3	344	3	1.15	12	<1	<1	5	<1	1.97	<1	18	0.78	178	4	<1	14	183	5	25	0.36	6	1	10	<10	265	<1	8	<1	349	12	<20	14	10	4	41	<1
47822	082737	<5	1	8.82	3	335	<2	14	1.84	<4	<1	3	341	2	1.10	13	2	<1	6	<1	1.98	<1	18	0.60	135	3	<1	12	200	9	18	0.37	8	2	13	<10	301	<1	8	<1	240	5	<20	14	<10	4	41	<1
47823	082738	31	<1	8.41	<2	364	<2	8	1.89	<4	<1	3	337	3	1.06	13	2	<1	3	3	1.78	<1	18	0.65	130	3	<1	11	196	6	19	0.38	6	2	9	<10	292	<1	6	<1	250	3	<20	14	<10	4	43	<1
47824	082739	9	2	9.10	<2	383	<2	14	1.85	<4	<1	3	372	3	1.18	13	3	<1	4	2	1.58	<1	17	0.58	127	3	<1	11	204	9	24	0.39	5	2	8	<10	329	<1	7	2	268	3	<20	15	10	5	45	<1
47825	082740	14204	6	7.43	22	407	<2	19	2.59	8	<1	24	87	125	3.79	14	<1	<1	5	<1	1.55	<1	17	1.26	521	10	7	40	576	31	362	0.92	6	11	6	<10	118	<1	16	<1	3237	10	<20	93	<10	15	169	<1
47827	082741	12	<1	6.80	2	357	<2	14	1.79	<4	<1	3	398	6	1.20	9	<1	<1	3	<1	1.34	<1	16	0.56	138	2	<1	10	186	9	17	0.41	5	2	10	<10	204	<1	9	<1	292	6	<20	14	11	4	50	<1
47828	082742	5	1	8.09	<2	295	<2	8	1.57	<4	<1	2	348	3	1.07	12	5	<1	3	3	1.77	<1	15	0.48	103	2	<1	10	184	7	16	0.34	8	2	6	<10	311	<1	6	<1	226	4	<20	14	<10	4	46	<1
47829	082743	52	2	8.43	2	334	<2	16	2.21	<4	<1	2	381	5	1.11	11	<1	<1	4	<1	1.56	<1	17	0.63	144	3	<1	12	189	7	18	0.45	8	2	14	<10	253	<1	3	<1	249	<2	<20	14	<10	5	41	<1
47830	082744	<5	2	8.18	2	300	<2	13	1.92	<4	<1	3	354	4	1.09	11	<1	<1	4	5	1.59	<1	19	0.69	134	4	<1	11	200	7	15	0.35	6	2	9	<10	263	<1	6	<1	243	4	<20	13	<10	4	59	<1
47831	082745	57	2	8.22	<2	301	<2	15	1.85	<4	<1	3	326	4	1.13	12	<1	<1	2	<1	1.66	<1	21	0.75	126	3	<1	11	198	2	15	0.39	5	2	7	<10	234	<1	11	1	255	3	<20	13	13	5	48	<1
47832	082746	16	2	8.59	4	371	<2	9	2.06	<4	<1	2	280	3	1.08	11	7	<1	5	5	1.65	<1	24	0.81	131	3	<1	10	197	7	18	0.38	6	1	9	<10	240	<1	8	<1	294	6	<20	13	15	4	43	<1
47833	082747	<5	<1	7.05	<2	250	<2	8	2.23	<4	<1	3	253	3	1.09	8	<1	<1	4	<1	1.62	<1	23	0.92	159	3	<1	10	184	7	14	0.29	6	1	6	<10	216	<1	4	<1	214	10	<20	10	12	4	43	<1
47834	082748	27	2	8.05	3	269	<2	13	2.45	<4	<1	2	195	4	0.94	10	<1	<1	6	<1	1.81	<1	25	1.01	167	3	<1	10	184	7	27	0.45	6	1	10	<10	208	<1	8	<1	288	4	<20	11	<10	5	38	<1
47835	082749	6	<1	7.81	3	267	<2	12	2.08	<4	<1	3	193	3	1.13	9	<1	<1	3	<1	1.32	<1	25	1.00	155	2	<1	10	199	5	10	0.37	<5	1	9	<10	167	<1	6	<1	298	11	<20	11	14	5	45	<1
47836	082750	<5	1	6.74	2	744	<2	8	0.86	<4	73	3	343	8	1.22	8	<1	<1	6	2	1.56	47	27	0.38	199	3	<1	9	289	30	34	0.31	<5	2	10	<10	177	<1	5	23	848	5	<20	13	<10	7	56	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 03/02/2011
Job #: 201140701
Reference:
Sample #: 80

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
47838	082751	72	1	7.19	4	242	<2	12	2.00	<4	<1	3	262	3	1.03	9	<1	<1	4	4	1.35	<1	13	0.60	130	3	<1	10	194	7	12	0.35	<5	2	10	<10	149	<1	5	<1	253	8	<20	14	11	4	42	<1
47839	082752	6	1	7.63	2	294	<2	10	1.74	<4	<1	3	232	3	1.06	9	<1	<1	6	4	1.28	<1	15	0.66	145	4	<1	11	200	7	15	0.34	<5	2	12	<10	159	<1	7	<1	300	6	<20	13	<10	4	43	<1
47840	082753	32	1	7.84	3	369	<2	13	2.02	<4	<1	3	185	4	0.95	10	<1	<1	6	<1	1.56	<1	15	0.73	155	4	3	11	187	4	22	0.34	6	2	14	<10	186	4	3	<1	316	5	<20	13	12	5	41	<1
47841	082754	54	2	8.33	2	443	<2	9	2.09	<4	<1	3	234	5	1.02	11	<1	<1	5	8	1.65	<1	16	0.71	165	3	<1	14	184	7	18	0.40	<5	2	8	<10	196	<1	6	<1	292	5	<20	15	11	5	42	<1
47842	082755	57	<1	7.59	2	395	<2	10	1.97	<4	<1	2	208	4	1.01	9	1	<1	5	<1	1.79	<1	15	0.72	162	3	<1	14	189	4	15	0.36	5	2	13	<10	179	<1	4	<1	267	8	<20	13	12	4	42	<1
47843	082756	116	<1	8.26	5	472	<2	7	1.94	<4	<1	3	232	7	1.04	12	1	<1	5	<1	1.90	<1	17	0.71	152	3	<1	14	181	4	19	0.40	7	2	12	<10	182	<1	3	<1	332	6	<20	16	11	4	41	<1
47844	082757	65	<1	7.39	<2	237	<2	8	1.97	<4	<1	3	191	4	0.99	8	<1	<1	2	<1	1.78	<1	16	0.66	139	3	<1	9	192	7	25	0.37	<5	1	13	<10	170	<1	3	<1	216	2	<20	12	<10	4	39	<1
47845	082758	13	<1	7.40	<2	238	<2	6	2.24	<4	<1	3	213	10	1.25	8	<1	<1	4	2	1.72	<1	19	1.02	197	4	<1	15	180	4	15	0.39	7	1	9	<10	170	<1	6	<1	236	4	<20	11	11	5	42	<1
47846	082759	14	1	7.09	2	178	<2	14	2.29	<4	<1	2	170	3	1.00	7	<1	<1	4	4	1.64	<1	23	1.08	181	3	<1	11	167	8	14	0.36	6	1	9	<10	143	<1	8	<1	233	7	<20	9	13	4	46	<1
47847	082760	<5	1	8.70	3	264	<2	16	2.23	<4	<1	2	170	3	1.01	11	<1	<1	5	2	1.27	<1	32	1.02	166	3	<1	13	188	8	16	0.39	5	1	10	<10	195	<1	7	<1	280	9	<20	12	10	5	43	4
47848D	082760	<5	1	8.84	<2	269	<2	17	2.28	<4	<1	3	173	3	1.05	12	<1	<1	4	2	1.25	<1	33	1.06	172	4	<1	11	194	5	9	0.41	5	1	5	<10	198	<1	8	<1	287	7	<20	12	<10	5	41	11
47849	082761	<5	1	9.38	5	403	<2	17	1.89	<4	<1	3	227	3	1.15	13	<1	<1	5	3	1.49	<1	22	0.77	164	3	<1	14	203	6	15	0.37	5	2	<5	<10	237	<1	8	<1	295	5	<20	15	12	5	42	<1
47850	082762	<5	1	9.37	3	291	<2	15	2.28	<4	<1	3	202	14	1.22	13	<1	1	6	3	1.44	<1	27	1.03	216	4	<1	14	190	3	11	0.49	7	2	<5	<10	218	<1	8	<1	292	13	<20	14	10	5	44	62
47851	082763	<5	1	8.67	<2	361	<2	13	1.63	<4	<1	3	234	3	1.05	12	<1	<1	4	<1	1.81	<1	20	0.83	151	4	<1	11	192	7	14	0.33	5	2	11	<10	204	<1	7	<1	283	4	<20	14	11	4	44	<1
47852	082764	<5	1	9.03	<2	315	<2	20	2.43	<4	<1	4	212	3	1.14	13	<1	<1	3	<1	1.22	<1	29	1.11	222	3	<1	12	190	4	9	0.40	<5	2	9	<10	156	<1	6	<1	316	7	<20	13	10	5	43	11
47853	082765	<5	<1	6.17	<2	215	<2	8	1.55	<4	<1	4	200	4	1.30	6	<1	<1	4	4	1.55	<1	24	1.23	212	3	<1	11	186	4	12	0.21	7	1	11	<10	113	<1	6	<1	205	7	<20	10	11	4	46	<1
47854	082766	<5	<1	7.92	<2	278	<2	10	1.78	<4	<1	3	183	3	1.21	10	<1	<1	5	<1	1.43	<1	27	1.24	232	3	<1	13	215	6	7	0.29	<5	2	5	<10	132	<1	6	<1	286	5	<20	12	11	5	51	<1
47855	082767	<5	1	8.14	5	266	<2	10	2.79	<4	<1	3	163	6	1.23	13	<1	<1	5	<1	1.72	<1	51	0.84	304	3	<1	13	194	8	10	0.37	7	1	12	<10	180	<1	6	<1	330	4	<20	16	14	4	42	<1
47856	082768	<5	2	9.17	<2	194	<2	12	1.91	<4	<1	4	132	2	1.33	12	<1	<1	6	<1	1.62	<1	62	1.17	275	4	<1	15	209	8	10	0.37	5	1	11	<10	152	<1	7	<1	253	4	<20	12	11	5	47	<1
47857	082769	6	<1	8.46	2	183	<2	8	2.37	4	<1	6	163	2	1.95	11	<1	<1	3	<1	1.49	<1	64	1.51	387	3	<1	23	192	7	<1	0.33	6	2	<5	<10	132	<1	8	<1	220	15	<20	14	<10	6	59	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 03/02/2011
Job #: 201140701
Reference:
Sample #: 80

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
47858	082770	971	3	4.04	<2	107	<2	15	2.58	9	2	24	77	38	3.98	6	<1	<1	2	<1	1.42	<1	10	1.51	656	2	9	19	620	13	18	0.22	<5	15	<5	<10	82	1	12	<1	3893	14	<20	125	<10	24	95	<1
47860	082771	<5	<1	9.78	3	275	<2	13	3.23	<4	<1	4	141	5	1.26	13	2	<1	4	5	1.12	<1	74	1.29	345	3	<1	18	193	8	3	0.37	5	2	11	<10	148	<1	6	<1	328	6	<20	15	<10	5	46	<1
47861	082772	6	1	9.50	3	328	<2	9	2.13	<4	<1	4	163	5	1.22	12	<1	<1	4	<1	1.11	<1	76	1.05	231	3	<1	14	190	5	<1	0.39	5	2	9	<10	130	<1	5	<1	288	7	<20	14	10	4	47	<1
47862	082773	<5	<1	9.20	4	247	<2	15	2.62	<4	<1	3	171	3	1.06	11	2	<1	6	<1	1.10	<1	74	1.13	238	3	<1	13	196	6	2	0.34	<5	2	13	<10	115	<1	6	<1	271	11	<20	13	10	5	44	<1
47863	082774	<5	1	9.28	3	209	<2	11	2.61	<4	<1	4	136	2	1.00	12	3	<1	4	<1	1.53	<1	80	1.31	229	3	<1	9	195	6	5	0.36	6	1	7	<10	109	<1	<1	<1	236	18	<20	12	10	4	45	<1
47864	082775	<5	<1	8.60	5	286	<2	9	2.61	<4	<1	7	145	273	1.47	14	<1	<1	4	1	1.64	<1	78	1.18	255	6	<1	33	222	11	<1	0.42	5	1	6	<10	115	<1	2	<1	313	10	<20	16	<10	4	66	<1
47865	082776	<5	1	9.14	4	254	<2	15	2.74	<4	<1	4	158	22	1.01	13	<1	<1	5	<1	1.45	<1	72	1.20	211	3	<1	14	195	6	7	0.42	7	1	<5	<10	110	<1	1	<1	293	8	<20	14	<10	4	51	<1
47866	082777	<5	<1	9.64	<2	213	<2	19	4.60	<4	<1	4	149	7	1.35	12	5	<1	3	<1	1.18	<1	61	2.01	393	3	<1	14	191	8	<1	0.40	<5	2	7	<10	122	<1	3	<1	249	13	<20	15	12	5	57	<1
47867	082778	<5	1	8.60	2	216	<2	16	2.70	<4	<1	3	163	3	1.11	10	<1	<1	7	4	1.43	<1	52	1.36	246	3	<1	11	182	2	6	0.32	6	1	11	<10	125	<1	5	<1	246	11	<20	12	<10	4	50	<1
47868	082779	<5	1	8.46	4	269	<2	11	2.38	<4	<1	3	148	3	0.95	11	<1	<1	5	<1	1.42	<1	37	0.94	236	3	<1	9	191	5	18	0.35	6	1	7	<10	139	<1	2	<1	313	5	<20	12	<10	4	45	<1
47869	082780	<5	1	6.28	<2	764	<2	9	0.89	<4	74	4	304	6	1.15	7	<1	<1	3	<1	1.50	46	25	0.36	192	2	1	8	308	28	45	0.23	<5	2	5	<10	199	<1	7	26	899	6	<20	15	<10	8	55	<1
47871	082781	<5	1	8.80	<2	260	<2	9	1.80	<4	<1	4	154	2	1.19	12	3	<1	5	<1	1.41	<1	41	1.05	222	4	<1	11	198	4	9	0.31	6	2	9	<10	139	<1	2	<1	315	6	<20	14	<10	5	43	<1
47872	082782	<5	1	8.97	2	291	<2	18	2.23	<4	<1	4	153	2	1.21	12	<1	<1	3	<1	1.55	<1	39	0.99	274	3	<1	15	197	9	13	0.33	5	2	11	<10	149	<1	<1	<1	316	10	<20	13	10	5	48	<1
47873	082783	7	1	9.10	3	319	<2	9	2.72	<4	<1	4	174	2	1.10	10	<1	<1	7	<1	1.64	<1	38	0.92	267	3	<1	15	196	6	22	0.53	5	2	13	<10	166	<1	4	<1	302	8	<20	13	<10	5	45	<1
47874	082784	29	1	7.68	2	298	<2	9	2.09	<4	<1	4	192	4	0.98	9	<1	<1	5	<1	1.58	<1	21	0.68	198	3	<1	9	198	3	19	0.46	8	1	<5	<10	139	<1	9	<1	251	7	<20	12	<10	4	46	<1
47875	082785	46	1	9.10	<2	355	<2	16	2.51	<4	<1	2	151	4	1.03	12	10	<1	4	4	1.79	<1	25	0.73	218	4	<1	11	191	10	16	0.50	8	2	13	<10	176	<1	6	<1	300	7	<20	14	11	4	48	<1
47876	082786	9	<1	6.50	3	290	<2	12	1.86	<4	<1	3	210	3	1.04	8	<1	<1	5	<1	1.46	<1	15	0.73	227	2	<1	10	194	8	14	0.36	7	1	8	<10	126	<1	2	<1	230	4	<20	12	<10	4	50	<1
47877	082787	<5	1	9.02	<2	351	<2	11	2.09	<4	<1	3	206	2	1.09	12	<1	<1	4	2	1.55	<1	22	0.96	224	3	<1	10	184	11	25	0.34	6	2	13	<10	167	<1	8	<1	318	9	<20	13	<10	4	49	<1
47878	082788	<5	2	8.88	<2	338	<2	21	2.30	<4	<1	3	209	5	1.09	12	<1	<1	5	5	1.50	<1	17	0.87	234	2	<1	10	190	6	24	0.34	5	2	11	<10	180	<1	6	<1	269	3	<20	14	10	4	50	<1
47879	082789	<5	1	9.01	<2	338	<2	21	2.41	<4	<1	3	164	1	1.04	12	<1	<1	3	9	1.39	<1	34	1.06	218	2	<1	9	200	5	15	0.34	<5	2	9	<10	158	<1	2	<1	279	7	<20	13	11	4	47	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 03/02/2011
Job #: 201140701
Reference:
Sample #: 80

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
47880	082790	<5	1	9.71	4	265	<2	13	2.58	<4	<1	4	125	1	1.13	13	<1	<1	5	3	1.04	<1	43	1.30	220	2	<1	11	207	8	5	0.36	<5	2	10	<10	159	<1	6	<1	297	6	<20	13	<10	5	46	<1
47881R	082790	<5	<1	9.02	2	257	<2	18	2.42	<4	<1	3	139	2	1.05	12	<1	<1	2	<1	1.44	<1	39	1.19	215	3	<1	12	188	8	20	0.35	<5	1	9	<10	148	<1	5	<1	280	3	<20	13	10	4	46	<1
47882	082791	<5	<1	8.95	<2	195	<2	17	3.82	<4	<1	3	123	1	1.28	10	<1	<1	3	6	1.55	<1	44	1.62	363	2	<1	13	189	8	16	0.34	6	2	10	<10	142	<1	5	<1	229	6	<20	14	12	4	51	<1
47883	082792	<5	1	9.43	6	232	<2	16	2.21	<4	<1	4	129	11	1.62	13	<1	<1	4	3	1.56	<1	53	1.24	281	4	<1	14	186	10	21	0.57	5	2	8	<10	135	<1	9	<1	277	6	<20	13	10	5	52	<1
47884	082793	24	1	9.43	<2	257	<2	10	2.51	<4	<1	3	113	1	1.32	12	<1	<1	4	4	1.42	<1	51	1.08	275	3	<1	12	202	6	10	0.36	<5	2	9	<10	155	<1	8	<1	289	4	<20	13	12	5	48	<1
47885	082794	<5	<1	8.03	5	209	<2	18	2.40	<4	<1	3	104	1	1.29	9	<1	<1	4	6	1.68	<1	43	1.26	241	2	<1	10	199	8	7	0.29	6	1	11	<10	139	<1	8	<1	226	5	<20	11	10	4	47	<1
47886	082795	<5	<1	8.22	3	218	<2	13	2.26	<4	<1	4	101	1	1.28	9	1	<1	4	3	1.63	<1	44	1.29	223	3	<1	11	200	9	13	0.30	9	1	7	<10	142	<1	6	<1	237	2	<20	12	<10	4	45	<1
47887	082796	44	1	8.72	<2	280	<2	13	2.65	<4	<1	3	132	2	1.04	10	<1	<1	2	6	1.83	<1	36	1.08	204	2	<1	10	190	5	17	0.44	6	1	8	<10	139	<1	5	<1	286	9	<20	14	15	4	43	<1
47888	082797	<5	<1	8.39	<2	258	<2	6	2.16	<4	<1	4	158	1	1.20	10	<1	<1	6	<1	1.56	<1	34	1.15	208	2	<1	10	203	7	15	0.29	<5	1	<5	<10	145	<1	7	<1	259	11	<20	12	<10	4	44	<1
47889	082798	34	1	9.07	<2	382	<2	16	2.43	<4	<1	3	195	4	1.13	13	6	<1	5	<1	1.66	<1	19	0.92	202	3	<1	11	191	7	24	0.38	5	2	9	<10	185	<1	11	<1	327	8	<20	15	<10	4	48	<1
47890	082799	6	1	9.21	2	338	<2	10	2.16	<4	<1	4	228	2	1.10	12	1	<1	3	<1	1.34	<1	16	0.69	194	3	<1	13	194	4	14	0.39	5	2	12	<10	234	<1	7	<1	252	6	<20	14	10	5	44	<1
47891	082800	13014	7	7.82	26	508	<2	23	2.75	9	<1	26	93	135	4.09	16	<1	<1	5	4	1.71	<1	19	1.36	573	11	7	45	601	35	392	0.98	7	12	6	<10	128	1	17	<1	3509	9	<20	103	14	16	182	<1
47893	082801	31	2	8.35	3	376	<2	12	2.28	<4	<1	4	231	3	1.10	11	<1	<1	4	2	1.29	<1	25	0.79	194	3	1	13	201	5	19	0.40	9	2	13	<10	164	<1	4	<1	299	7	<20	13	10	4	46	<1
47894	082802	7	1	8.59	3	368	<2	14	2.44	<4	<1	4	253	2	1.06	11	<1	<1	5	<1	1.48	<1	27	0.86	184	4	<1	10	185	4	7	0.35	6	2	7	<10	164	<1	9	<1	279	6	<20	13	11	4	44	<1
47895	082803	6	<1	8.99	<2	286	<2	10	2.96	<4	<1	3	211	2	1.16	10	<1	<1	5	<1	1.61	<1	44	1.32	224	4	<1	11	187	8	5	0.34	8	2	8	<10	142	<1	9	<1	230	2	<20	13	14	4	45	<1
47896	082804	<5	<1	8.69	3	374	<2	12	2.66	<4	<1	4	160	2	1.30	11	<1	<1	4	4	1.48	<1	54	1.46	231	3	<1	17	186	6	11	0.28	5	2	6	<10	119	<1	6	<1	221	11	<20	12	11	4	46	<1
47897	082805	<5	<1	8.83	3	371	<2	14	2.66	<4	<1	4	144	1	1.25	11	<1	<1	4	<1	1.62	<1	55	1.41	226	3	<1	18	186	7	12	0.33	<5	1	10	<10	118	<1	3	<1	230	10	<20	12	<10	4	48	<1
47898	082806	8	<1	7.61	4	480	<2	9	2.67	<4	<1	4	165	1	1.24	10	<1	<1	6	8	1.71	<1	38	1.65	255	4	<1	15	176	4	12	0.32	6	1	15	<10	88	<1	8	<1	242	8	<20	14	10	4	51	<1
47899	082807	<5	<1	8.12	4	183	<2	21	5.94	7	<1	8	148	4	2.88	11	2	<1	4	<1	1.62	<1	42	4.47	657	4	2	28	151	6	<1	0.42	5	2	7	<10	54	<1	14	<1	195	7	<20	28	14	6	95	<1
47900	082808	7	<1	8.67	5	243	<2	10	2.57	<4	<1	5	173	1	1.52	12	<1	<1	6	6	1.44	<1	55	1.74	264	3	<1	17	197	9	<1	0.29	6	2	10	<10	116	<1	8	<1	212	6	<20	15	11	5	56	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. BSc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 3, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/16/2011
Date Completed: 03/02/2011
Job #: 201140701
Reference:
Sample #: 80

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
47901	082809	<5	<1	7.75	<2	254	<2	11	2.32	<4	<1	4	155	<1	1.23	9	<1	<1	4	3	1.41	<1	48	1.27	225	2	<1	13	199	4	4	0.21	6	1	10	<10	128	<1	8	<1	180	5	<20	11	10	4	49	<1
47902	082810	917	3	4.14	<2	111	<2	12	2.69	9	1	25	85	38	4.21	7	<1	<1	3	<1	1.38	<1	10	1.61	692	2	9	20	625	14	17	0.22	<5	16	9	<10	82	2	14	<1	3895	11	<20	130	<10	24	96	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54772	088531	<0.005	2	10.62	66	126	6	10	5.11	52	17	51	38	216	7.87	22	4	2	30	29	2.16	4	28	3.46	1503	143	16	113	470	<1	<1	0.18	13	16	20	289	269	<1	30	<1	2578	<2	<20	174	53	10	114	126
54773	088532	<0.005	2	11.23	92	98	7	6	4.00	59	19	57	55	241	8.80	23	26	4	55	31	2.03	6	26	3.55	1717	152	16	136	484	8	<1	0.13	5	18	20	477	235	<1	<1	<1	3157	<2	<20	191	45	9	144	195
54774	088533	<0.005	1	10.60	70	89	7	13	4.04	58	9	54	59	291	8.82	20	8	2	77	29	1.99	1	21	3.89	1675	153	14	140	401	<1	<1	0.08	16	18	<5	403	236	<1	18	<1	2054	5	<20	186	48	8	154	121
54775	088534	<0.005	2	9.66	60	251	6	15	7.16	54	8	46	49	223	8.24	17	2	4	30	43	2.03	1	24	3.71	2085	144	10	124	341	2	<1	0.15	9	16	26	364	262	<1	19	<1	491	<2	<20	145	41	8	104	129
54776	088535	<0.005	<1	9.91	69	276	6	18	7.14	54	9	46	54	214	8.41	20	4	4	16	38	1.93	<1	25	3.72	2084	144	11	124	378	7	<1	0.13	12	15	22	63	265	<1	26	<1	546	<2	<20	150	36	8	120	151
54777	088536	0.005	2	10.48	156	270	7	8	4.40	59	7	51	51	234	8.93	21	14	5	38	32	2.01	<1	35	3.81	1576	161	10	120	403	<1	6	0.13	10	15	39	204	163	<1	17	<1	335	<2	<20	155	53	8	129	159
54778	088537	0.024	1	10.19	184	281	7	19	4.27	56	4	51	49	226	8.76	17	1	4	54	38	1.95	<1	43	3.92	1490	151	11	129	420	<1	7	0.15	11	15	36	163	110	<1	<1	<1	292	<2	<20	157	<10	7	134	97
54779	088538	0.533	<1	8.61	2384	308	6	19	4.99	50	<1	43	192	132	7.61	16	16	5	36	30	2.02	<1	22	1.88	1884	106	5	120	290	12	14	0.38	7	9	10	323	95	<1	52	<1	316	<2	<20	85	<10	7	465	171
54780	088539	5.289	1	8.35	6570	116	8	23	4.40	80	<1	43	239	167	12.45	19	5	6	29	35	2.03	<1	26	1.92	4691	124	4	94	<100	11	6	0.62	7	10	<5	37	74	<1	76	<1	215	<2	<20	75	<10	7	349	283
54781	088540	13.150	6	9.19	219	411	4	<1	3.19	31	<1	27	92	138	4.49	19	5	2	40	10	1.90	<1	25	1.32	684	68	9	61	687	17	395	0.16	<5	10	13	774	153	<1	76	<1	4056	<2	<20	112	25	15	150	161
54783	088541	0.123	<1	9.86	191	230	7	22	5.50	57	<1	48	178	109	8.84	20	12	3	63	46	2.12	<1	28	2.03	3076	111	14	123	258	<1	23	0.43	21	24	5	250	96	<1	44	<1	344	<2	<20	215	63	6	152	117
54784	088542	0.860	<1	8.31	719	144	6	12	5.43	52	<1	45	205	159	7.95	18	10	4	57	37	1.80	<1	23	1.85	1785	103	5	177	121	<1	1	1.23	11	15	<5	172	104	<1	51	<1	170	3	<20	85	53	9	788	133
54785	088543	0.116	<1	8.04	1194	105	6	17	10.10	51	<1	40	158	118	7.71	12	8	<1	54	36	1.79	<1	24	3.34	3008	135	10	122	125	15	<1	0.34	8	23	19	302	115	<1	<1	<1	161	<2	<20	145	24	6	106	<1
54786	088544	0.047	1	8.42	595	113	5	19	10.80	46	<1	38	146	117	6.76	14	2	3	49	21	1.90	<1	24	3.33	2614	126	9	119	103	<1	<1	0.46	7	23	17	206	125	<1	11	<1	172	<2	<20	151	193	7	129	54
54787	088545	0.017	<1	8.93	379	102	5	16	10.02	44	<1	39	154	123	6.54	11	15	2	21	36	2.07	<1	28	3.23	2416	123	10	129	128	<1	<1	0.24	15	23	<5	402	126	<1	<1	<1	183	<2	<20	157	45	6	97	62
54788	088546	0.024	<1	8.29	247	90	4	7	8.68	41	<1	42	148	142	6.17	10	<1	1	39	30	2.00	<1	26	2.89	2254	109	10	144	118	<1	<1	0.19	14	23	24	17	109	<1	16	<1	166	<2	<20	151	30	6	102	8
54789	088547	0.291	<1	8.54	729	97	5	5	8.50	44	<1	42	157	126	6.76	13	9	3	28	29	1.90	<1	26	2.64	2045	116	10	152	153	<1	<1	0.56	12	23	<5	132	110	<1	15	<1	161	<2	<20	150	13	7	135	42
54790	088548	0.196	<1	9.60	552	121	3	9	7.36	28	<1	45	156	135	4.21	15	8	4	59	30	1.96	<1	30	1.75	1532	78	14	130	372	<1	8	0.30	10	26	12	231	131	<1	2	<1	179	<2	<20	198	27	8	85	132
54791	088549	0.026	<1	7.80	224	88	4	<1	7.10	29	<1	47	136	156	4.34	9	6	<1	13	25	1.83	<1	22	2.35	932	86	11	121	241	3	<1	0.28	10	26	14	80	99	<1	<1	<1	136	<2	<20	166	55	6	97	<1
54792	088550	<0.005	<1	9.98	51	826	2	<1	1.55	9	39	5	189	4	1.07	14	11	<1	20	<1	2.09	21	33	0.45	239	28	4	21	311	13	38	<0.01	12	2	19	163	401	<1	20	9	1048	<2	<20	18	36	9	39	67

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54794	088551	0.009	<1	9.04	165	111	3	11	7.70	31	<1	47	166	170	4.54	13	4	4	48	20	2.08	<1	30	1.80	1328	87	13	133	270	8	9	0.30	15	22	31	122	126	<1	<1	<1	181	<2	<20	193	34	8	156	153
54795	088552	0.010	<1	9.11	237	111	3	17	6.20	28	<1	52	155	120	4.12	14	12	4	30	15	2.10	<1	32	1.54	1028	75	13	170	391	<1	<1	0.29	7	23	26	170	123	<1	<1	<1	171	<2	<20	195	44	7	99	105
54796	088553	0.009	<1	8.95	140	83	4	<1	5.96	35	<1	49	174	157	5.15	14	6	3	27	23	1.80	<1	30	2.35	1108	91	13	121	320	2	<1	0.18	9	31	7	274	100	<1	<1	<1	147	<2	<20	196	50	7	91	56
54797	088554	0.008	<1	8.64	127	70	3	<1	6.19	32	<1	52	169	154	4.61	13	12	2	23	14	2.00	<1	30	2.73	1145	101	12	155	358	6	2	0.13	18	28	57	342	97	<1	<1	<1	136	6	<20	175	48	7	113	47
54798	088555	0.006	<1	8.89	132	70	4	<1	5.89	30	<1	49	170	146	4.41	13	<1	1	32	32	2.07	<1	30	2.63	1080	97	13	143	364	<1	5	0.15	8	29	<5	292	100	<1	<1	<1	134	<2	<20	180	48	7	109	23
54799	088556	<0.005	<1	8.76	120	60	3	<1	4.08	30	<1	50	189	144	4.38	14	<1	<1	45	28	1.99	<1	45	3.73	1236	115	14	141	280	17	<1	0.14	7	30	<5	160	74	<1	<1	<1	123	4	<20	206	41	6	114	<1
54800	088557	0.007	<1	9.11	115	100	5	13	6.08	41	<1	55	162	261	6.19	17	2	4	61	18	2.09	<1	34	2.15	1478	105	14	146	176	3	2	0.55	<5	28	14	309	109	<1	33	<1	164	<2	<20	201	47	6	128	79
54801	088558	<0.005	<1	9.47	116	103	4	2	6.27	34	<1	50	175	157	5.23	18	3	3	37	31	2.08	<1	34	1.96	1321	89	14	120	311	5	7	0.26	<5	29	<5	283	112	<1	<1	<1	166	37	<20	214	33	7	107	91
54802	088559	0.009	<1	9.53	120	88	5	17	6.23	37	<1	52	202	154	5.55	15	3	1	21	29	1.91	<1	33	1.67	1695	85	14	166	186	6	<1	0.25	10	29	<5	203	105	<1	59	<1	150	<2	<20	205	48	6	120	20
54803	088560	0.008	<1	9.59	105	71	5	2	6.74	47	<1	50	214	152	6.92	17	13	1	18	15	2.20	<1	38	2.14	2109	97	14	157	126	11	<1	0.22	7	30	32	382	100	<1	13	<1	155	<2	<20	211	53	7	94	16
54804D	088560	0.007	<1	9.57	64	67	5	8	7.03	48	<1	53	202	151	7.25	17	5	2	71	39	1.87	<1	37	2.35	2204	107	12	162	<100	12	<1	0.14	18	31	27	350	90	<1	14	<1	146	3	<20	190	15	8	97	47
54805	088561	0.008	<1	8.78	133	66	4	2	6.21	33	<1	48	167	153	4.98	11	<1	2	65	29	2.05	<1	31	2.20	1414	95	11	140	192	<1	<1	0.15	7	27	15	298	92	<1	<1	<1	139	6	<20	163	54	6	67	48
54806	088562	0.008	<1	8.37	147	60	4	<1	7.09	34	<1	44	180	137	5.17	12	6	2	41	17	2.14	<1	31	2.47	1086	103	11	128	154	10	<1	0.17	9	26	17	262	85	<1	<1	<1	134	<2	<20	157	<10	6	72	33
54807	088563	0.009	<1	7.43	89	50	4	<1	7.58	37	<1	47	176	157	5.57	10	<1	<1	29	26	2.10	<1	28	2.88	1232	111	10	136	168	<1	<1	0.25	17	26	<5	238	72	<1	<1	<1	107	8	<20	163	49	5	73	<1
54808	088564	0.056	<1	9.18	120	64	4	6	7.15	36	<1	45	210	150	5.54	15	8	2	44	19	2.13	<1	36	2.40	1236	103	12	127	188	<1	3	0.18	10	27	13	44	89	<1	40	<1	141	<2	<20	185	53	7	79	51
54809	088565	0.009	<1	9.03	83	61	4	2	7.31	36	<1	48	212	161	5.43	13	3	<1	41	10	1.91	<1	34	2.37	1279	94	12	130	138	2	<1	0.18	18	30	21	99	90	<1	<1	<1	133	<2	<20	194	39	7	79	2
54810	088566	<0.005	1	7.51	86	48	6	5	13.55	51	<1	34	122	92	7.67	12	6	2	27	26	2.11	<1	35	3.81	2913	150	10	122	<100	7	<1	0.38	<5	20	13	399	82	<1	48	<1	132	<2	<20	147	70	8	79	<1
54811	088567	0.007	<1	10.00	111	65	5	<1	8.51	45	<1	49	253	172	6.68	17	<1	1	67	48	2.10	<1	41	2.56	1601	112	16	136	194	<1	<1	0.19	22	36	26	160	92	<1	<1	<1	146	<2	<20	241	50	7	96	<1
54812	088568	0.013	<1	9.76	91	92	3	11	6.25	24	<1	51	248	174	3.28	13	4	2	30	22	2.02	<1	33	1.54	1145	63	14	124	251	<1	<1	0.15	19	28	40	273	109	<1	<1	<1	138	<2	<20	210	19	6	53	6
54813	088569	0.005	<1	10.91	108	82	5	7	7.80	45	<1	67	227	152	6.77	18	11	3	75	29	2.09	<1	47	2.54	1402	116	15	254	189	<1	<1	0.32	11	33	43	184	96	<1	<1	<1	165	4	<20	220	15	7	123	93

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54814	088570	0.980	2	7.30	49	103	4	<1	3.83	36	12	34	98	44	5.12	13	<1	<1	41	10	1.79	4	15	2.10	861	86	12	36	793	<1	25	0.12	11	20	31	712	133	<1	75	<1	4816	11	<20	162	30	29	91	<1
54816	088571	0.009	<1	9.74	51	81	4	11	5.90	40	<1	56	243	149	5.83	16	2	3	26	34	2.09	<1	42	2.45	1073	104	13	192	186	13	<1	0.17	15	28	19	265	88	<1	<1	<1	221	<2	<20	197	54	7	108	52
54817	088572	0.005	<1	9.18	23	83	4	<1	6.74	32	<1	53	211	152	4.53	11	9	2	55	31	2.14	<1	37	2.10	1051	84	12	214	192	5	<1	0.19	14	25	11	218	88	<1	<1	<1	148	<2	<20	176	48	6	83	37
54818	088573	0.006	<1	9.34	107	82	4	<1	7.60	35	<1	52	224	154	5.10	14	3	4	48	15	2.00	<1	39	2.47	1111	97	12	213	160	13	<1	0.32	23	25	18	320	88	<1	<1	<1	157	<2	<20	177	42	7	96	86
54819	088574	<0.005	<1	9.31	94	75	4	<1	8.41	36	<1	51	197	132	5.50	15	7	3	14	20	2.19	<1	41	2.65	1401	108	11	231	152	3	<1	0.31	20	24	6	291	87	<1	36	<1	155	<2	<20	169	37	7	86	85
54820	088575	<0.005	<1	9.88	36	94	4	<1	7.28	33	<1	61	229	151	4.79	17	4	3	5	23	1.91	<1	41	2.22	1299	94	13	240	145	4	<1	0.15	23	27	18	164	106	<1	<1	<1	167	<2	<20	200	14	7	86	67
54821	088576	<0.005	<1	8.37	67	82	2	<1	12.23	22	<1	40	211	116	3.29	9	13	1	54	15	2.16	<1	32	1.33	1964	63	9	128	137	<1	2	0.29	5	20	53	422	117	<1	1	<1	132	<2	<20	162	<10	8	71	9
54822	088577	<0.005	<1	9.58	67	91	3	9	8.36	27	<1	48	231	187	3.95	13	11	2	38	19	1.92	<1	36	1.74	1459	72	13	138	235	<1	<1	0.26	14	30	32	277	108	<1	1	<1	146	7	<20	199	61	7	81	23
54823	088578	0.006	<1	9.83	82	91	4	3	8.43	35	2	61	205	159	5.05	15	12	3	37	19	1.93	<1	39	2.55	1360	107	13	189	118	2	2	0.26	17	28	29	229	105	<1	18	<1	160	14	<20	202	72	7	98	49
54824	088579	<0.005	<1	9.93	36	91	4	<1	8.12	40	<1	48	218	160	5.63	17	4	2	63	27	2.12	<1	41	2.06	1358	96	14	153	133	<1	2	0.22	14	28	46	419	107	<1	<1	<1	162	<2	<20	216	62	7	102	38
54825	088580	<0.005	<1	8.58	24	790	2	6	1.36	13	117	7	271	9	1.73	13	4	<1	26	11	1.90	62	28	0.58	228	33	4	21	1120	8	51	<0.01	12	4	26	396	245	<1	17	38	1425	<2	<20	29	<10	16	57	79
54827	088581	<0.005	<1	9.35	111	79	5	19	7.39	42	<1	42	211	139	6.39	14	9	2	9	23	2.01	<1	39	2.52	1263	107	14	145	109	10	3	0.22	8	31	<5	298	91	<1	32	<1	164	<2	<20	207	57	6	94	5
54828	088582	0.005	<1	9.59	151	66	5	6	6.90	43	<1	51	216	165	6.43	16	<1	2	10	30	1.95	<1	38	2.46	1508	107	14	165	134	16	<1	0.20	6	33	27	251	92	<1	<1	<1	146	<2	<20	213	45	7	83	8
54829	088583	0.009	<1	8.63	63	66	4	3	7.85	36	<1	49	197	156	5.46	13	17	2	61	25	2.24	<1	33	1.55	1888	78	12	174	<100	3	7	0.33	13	27	<5	169	104	<1	<1	<1	139	8	<20	190	12	7	72	18
54830	088584	0.005	<1	8.97	99	65	4	<1	7.70	41	<1	49	198	149	6.17	13	<1	2	37	29	2.29	<1	36	2.03	1857	97	13	134	<100	<1	2	0.18	15	28	15	423	99	<1	<1	<1	150	<2	<20	197	53	7	87	50
54831	088585	<0.005	<1	8.34	65	57	4	4	7.66	40	<1	48	187	146	6.15	14	5	1	32	22	2.16	<1	34	1.98	1847	96	11	159	<100	6	<1	0.19	<5	27	<5	361	87	<1	37	<1	134	<2	<20	183	39	6	79	6
54832	088586	0.013	<1	10.27	40	92	4	3	7.69	39	1	41	219	152	5.81	19	20	6	26	24	1.82	<1	46	1.98	1528	96	19	114	229	11	3	0.15	<5	28	45	927	138	<1	<1	<1	201	29	<20	236	27	7	87	159
54833	088587	0.005	<1	9.42	83	70	4	<1	8.67	38	<1	34	219	145	5.62	15	11	<1	54	32	1.94	<1	38	2.00	1428	84	14	117	218	<1	1	0.31	<5	29	<5	384	124	<1	2	<1	147	<2	<20	214	14	8	76	<1
54834	088588	<0.005	<1	9.71	50	47	6	<1	7.97	51	<1	40	223	122	7.88	19	<1	2	31	31	1.96	<1	44	3.19	1450	136	17	103	196	2	<1	0.26	15	38	<5	200	75	<1	<1	<1	145	<2	<20	262	32	8	101	<1
54835	088589	<0.005	<1	9.96	79	38	6	2	6.93	50	2	42	232	129	7.54	19	<1	2	29	26	2.01	<1	42	3.44	1349	138	17	101	226	<1	<1	0.26	7	38	<5	285	65	<1	<1	<1	140	<2	<20	269	57	7	100	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54836	088590	0.005	<1	9.26	59	38	6	4	7.76	48	<1	35	210	99	7.12	16	7	<1	31	32	2.01	<1	38	2.99	1464	118	16	99	212	<1	<1	0.30	<5	35	44	383	71	<1	<1	<1	129	<2	<20	242	53	7	99	<1
54837R	088590	<0.005	<1	10.57	56	56	5	2	8.61	47	<1	34	201	105	7.08	21	13	5	75	25	2.09	<1	44	2.84	1595	128	15	104	243	<1	<1	0.26	16	32	36	216	93	<1	<1	<1	178	3	<20	244	109	9	95	154
54838	088591	0.006	<1	11.04	86	55	5	16	7.50	49	<1	38	222	123	7.32	21	2	4	41	23	1.91	<1	45	3.00	1335	127	18	101	324	4	<1	0.28	25	40	<5	542	84	<1	7	<1	173	<2	<20	273	29	8	97	98
54839	088592	0.005	<1	10.87	113	60	6	4	6.04	49	<1	37	225	122	7.05	19	<1	3	71	18	1.76	<1	45	2.91	1106	128	17	111	207	<1	<1	0.23	21	35	27	11	91	<1	<1	<1	173	<2	<20	248	<10	7	96	57
54840	088593	0.009	<1	11.26	43	77	5	11	8.08	46	<1	36	216	116	6.72	21	16	4	49	28	1.92	<1	48	2.81	1391	119	14	113	174	<1	<1	0.21	7	30	27	794	127	<1	<1	<1	180	<2	<20	219	75	7	80	107
54841	088594	0.005	<1	9.88	73	68	5	13	7.41	41	<1	46	203	155	6.21	16	9	3	52	22	2.28	<1	43	2.84	1213	113	13	121	105	3	<1	0.16	17	29	11	357	108	<1	<1	<1	160	<2	<20	209	31	6	77	60
54842	088595	<0.005	<1	10.71	86	75	5	<1	7.23	42	<1	47	216	154	6.35	17	<1	4	40	23	2.34	<1	46	2.89	1220	114	15	152	148	13	<1	0.15	7	31	<5	157	119	<1	5	<1	180	<2	<20	226	23	7	83	102
54843	081201	<0.005	<1	9.16	93	62	3	<1	5.11	34	<1	59	279	138	4.53	11	4	<1	60	25	1.92	<1	22	1.77	882	79	19	122	379	<1	4	0.25	<5	36	35	763	118	<1	58	<1	6047	<2	<20	271	30	18	149	<1
54844	081202	<0.005	<1	9.84	79	121	4	<1	3.19	31	<1	64	309	96	4.17	9	3	<1	87	16	2.01	<1	23	1.75	836	78	18	144	422	12	2	0.11	<5	39	10	964	116	<1	98	<1	7106	<2	<20	254	23	20	127	<1
54845	081203	<0.005	<1	9.06	48	109	3	<1	3.76	28	<1	68	284	331	3.65	13	3	<1	46	20	2.12	<1	22	1.65	741	65	17	154	208	<1	2	0.19	11	28	11	889	103	<1	58	<1	6156	<2	<20	229	<10	16	113	<1
54846	081204	<0.005	<1	11.53	86	63	5	<1	6.33	42	<1	60	230	149	6.00	19	9	<1	46	38	2.29	<1	28	2.26	1793	100	20	129	217	<1	<1	0.18	5	32	<5	834	126	<1	128	<1	5958	<2	<20	277	62	19	120	59
54847	081205	<0.005	1	11.01	89	60	4	<1	5.96	40	<1	59	219	143	5.59	16	9	<1	59	14	2.31	<1	27	2.11	1684	94	18	129	222	<1	6	0.12	13	27	<5	711	118	<1	106	<1	5597	<2	<20	251	35	17	114	61
54848D	081205	<0.005	<1	10.91	40	60	4	<1	5.85	39	<1	59	218	143	5.50	15	<1	<1	78	24	2.37	<1	27	2.08	1673	95	17	129	190	6	10	0.14	10	25	17	1019	114	<1	60	<1	5502	<2	<20	241	61	17	112	63
54849	081206	<0.005	<1	10.80	61	50	5	<1	7.07	46	1	58	223	145	6.46	17	8	<1	64	25	1.97	<1	27	2.15	1618	101	19	126	320	<1	<1	0.20	<5	32	28	827	123	<1	68	<1	6007	<2	<20	276	23	20	103	57
54850	081207	<0.005	<1	11.86	31	61	5	<1	7.31	48	1	61	235	165	6.73	20	10	2	51	30	1.93	<1	31	2.67	1847	116	20	144	297	2	<1	0.17	6	31	10	942	127	<1	99	<1	6082	<2	<20	276	30	21	111	99
54851	081208	<0.005	<1	11.41	57	50	5	6	6.76	44	<1	57	234	144	6.36	18	16	<1	46	19	1.95	<1	27	2.46	1558	107	19	123	225	<1	1	0.24	16	31	35	881	101	<1	63	<1	6004	29	<20	263	46	20	101	63
54852	081209	<0.005	<1	10.19	56	47	5	<1	6.07	45	<1	60	238	146	6.22	16	7	<1	36	24	1.78	<1	23	2.18	1497	100	17	146	280	<1	<1	0.13	5	26	8	834	96	<1	70	<1	6048	6	<20	239	17	17	109	26
54853	081210	0.966	2	8.22	104	125	5	<1	4.29	38	13	33	108	43	5.36	17	<1	<1	59	23	2.06	2	17	2.18	912	103	13	53	768	5	34	0.14	6	18	11	921	163	<1	77	<1	5246	<2	<20	172	<10	26	92	58
54854	081211	<0.005	<1	11.16	57	59	5	1	7.30	46	3	56	224	152	6.52	20	9	2	65	32	2.22	<1	27	2.29	1507	101	21	128	262	12	5	0.20	11	32	23	773	127	<1	61	<1	5959	<2	<20	287	48	20	96	113
54855	081212	<0.005	<1	10.48	77	55	5	<1	7.08	44	<1	54	222	130	5.90	18	<1	2	52	18	2.25	<1	24	1.94	1445	91	19	123	217	2	5	0.22	13	29	53	856	123	<1	98	<1	5630	<2	<20	272	45	18	103	93

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54856	081213	<0.005	2	10.52	42	58	4	3	7.07	40	<1	57	204	140	5.68	16	14	2	53	33	2.21	<1	24	1.85	1296	91	19	132	202	<1	1	0.21	12	29	<5	888	128	<1	107	<1	5615	2	<20	265	42	18	100	100
54857	081214	<0.005	1	10.53	58	59	4	<1	6.01	34	<1	55	220	147	4.63	15	8	<1	58	28	2.22	<1	23	2.03	1041	82	17	136	218	2	3	0.35	16	28	<5	812	117	<1	71	<1	5548	<2	<20	238	36	17	117	51
54858	081215	<0.005	<1	10.73	88	89	3	<1	6.32	28	2	58	228	148	3.62	16	11	<1	43	20	2.14	<1	23	2.07	849	76	23	126	305	<1	<1	0.24	10	32	30	835	142	<1	55	<1	6192	<2	<20	306	22	19	63	23
54859D	081215	<0.005	1	11.76	57	93	3	<1	6.61	29	<1	62	239	155	3.82	18	13	<1	42	19	2.05	<1	24	2.20	876	84	24	139	337	2	<1	0.22	6	35	<5	723	150	<1	89	<1	6401	11	<20	315	23	21	66	51
54860	081216	<0.005	<1	12.15	100	177	3	<1	6.77	25	<1	61	247	166	3.35	20	<1	1	74	18	2.14	<1	24	1.87	726	76	23	141	479	<1	6	0.32	8	34	35	787	167	<1	86	<1	6444	<2	<20	308	63	20	90	79
54861	081217	<0.005	<1	10.59	23	219	3	<1	5.93	22	<1	66	236	172	2.93	14	6	<1	48	9	2.02	<1	18	1.60	621	60	19	157	379	<1	8	0.20	11	26	42	857	139	<1	76	<1	6365	<2	<20	265	59	16	84	<1
54862	081218	<0.005	<1	9.30	25	126	3	<1	5.79	28	<1	58	197	157	3.73	10	<1	<1	28	27	1.96	<1	19	1.66	892	64	15	139	273	2	1	0.15	8	23	15	810	117	<1	48	<1	5470	<2	<20	209	44	15	88	<1
54863	081219	<0.005	<1	9.41	43	835	2	6	1.31	10	90	5	271	8	1.38	13	<1	2	16	<1	1.78	53	32	0.44	206	29	2	19	369	16	40	<0.01	7	2	24	212	237	<1	31	34	965	<2	<20	22	50	8	42	125
54864	081220	<0.005	<1	10.70	89	167	4	<1	6.73	38	2	54	180	158	5.29	16	2	<1	44	21	1.83	<1	22	1.85	1125	80	19	126	304	<1	2	0.21	6	30	30	933	154	<1	87	<1	5954	<2	<20	251	23	19	96	<1
54865	081221	<0.005	<1	10.49	91	168	3	<1	5.66	26	<1	62	310	162	3.54	14	3	<1	36	11	1.94	<1	21	1.74	745	68	20	153	405	<1	4	0.24	<5	30	33	966	148	<1	127	<1	6197	<2	<20	271	37	18	58	<1
54866	081222	<0.005	<1	10.45	77	132	3	<1	5.41	27	<1	65	336	163	3.58	14	9	<1	36	16	1.95	<1	19	1.79	795	71	20	143	308	<1	<1	0.28	<5	31	37	696	139	<1	64	<1	6351	<2	<20	268	32	17	76	<1
54867	081223	<0.005	<1	10.65	82	178	3	<1	5.98	32	<1	58	259	144	4.43	16	13	<1	39	28	2.15	<1	21	2.05	1170	82	20	127	226	<1	3	0.26	8	34	16	814	119	<1	134	<1	5917	<2	<20	272	29	19	103	<1
54868	081224	<0.005	<1	11.06	63	182	3	<1	5.02	30	<1	67	346	164	4.10	16	<1	<1	46	25	1.96	<1	21	1.97	784	77	20	165	335	5	3	0.29	18	30	30	1164	131	<1	142	<1	6511	<2	<20	269	58	18	96	<1
54869	081225	0.011	<1	9.51	54	141	3	<1	4.57	29	<1	64	321	156	3.95	12	2	<1	30	14	1.98	<1	18	1.89	763	76	18	129	351	<1	11	0.30	13	26	<5	703	112	<1	82	<1	6078	<2	<20	237	35	16	95	<1
54870D	081225	<0.005	<1	10.27	57	150	3	<1	4.69	29	<1	63	325	158	3.94	13	5	<1	70	25	2.07	<1	20	1.94	764	84	18	130	286	<1	<1	0.29	19	27	56	985	119	<1	75	<1	6140	<2	<20	244	53	16	97	<1
54871	081226	<0.005	<1	8.33	44	56	3	<1	4.87	28	<1	58	302	158	3.66	8	<1	<1	46	11	1.66	<1	16	1.78	821	69	15	124	317	5	<1	0.18	10	22	<5	727	102	<1	40	<1	5652	<2	<20	209	65	13	101	<1
54872	081227	<0.005	<1	8.85	37	61	3	<1	4.69	23	<1	48	359	168	3.06	10	<1	<1	12	11	1.83	<1	19	2.21	695	79	16	95	398	<1	<1	0.16	13	24	35	861	99	<1	101	<1	6182	<2	<20	222	41	14	91	<1
54873	081228	<0.005	<1	9.43	50	41	3	2	5.90	29	<1	55	483	162	3.96	12	4	<1	64	17	1.84	<1	20	2.84	824	95	18	118	235	<1	<1	0.22	15	30	48	768	111	<1	84	<1	5261	<2	<20	249	67	14	80	<1
54874	081229	<0.005	<1	9.86	68	42	3	<1	6.95	29	<1	56	415	142	3.97	12	6	<1	58	18	1.93	<1	21	2.88	847	102	18	129	278	5	<1	0.20	8	30	45	745	114	<1	58	<1	5680	<2	<20	240	48	17	90	<1
54875	081230	<0.005	<1	10.78	86	49	4	5	6.40	32	<1	61	398	160	4.39	16	6	<1	12	18	1.80	<1	23	3.06	978	103	20	154	339	3	<1	0.18	6	30	32	646	131	<1	127	<1	5877	<2	<20	271	12	17	89	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54876	081231	<0.005	<1	9.79	80	46	3	<1	5.54	33	<1	64	329	121	4.66	13	3	<1	46	16	1.83	<1	21	3.04	1029	104	19	158	321	<1	<1	0.17	17	30	60	1033	111	<1	71	<1	6151	<2	<20	252	70	18	97	<1
54877	081232	<0.005	<1	11.89	98	47	4	<1	7.82	35	2	63	419	141	4.90	16	4	<1	54	33	1.84	<1	21	2.95	1059	101	19	153	258	2	<1	0.25	<5	32	15	825	148	<1	105	<1	5709	<2	<20	250	34	19	85	26
54878	081233	<0.005	<1	11.87	84	46	4	<1	7.88	36	2	63	414	140	4.85	16	7	<1	56	34	1.91	<1	21	2.93	1060	110	18	155	306	12	<1	0.21	11	32	40	1063	149	<1	56	<1	5657	21	<20	253	44	19	79	17
54879	081234	<0.005	<1	10.72	94	43	4	<1	6.81	32	<1	58	347	129	4.51	14	6	<1	10	25	2.07	<1	20	2.86	1025	104	17	161	288	<1	<1	0.18	14	29	75	959	128	<1	55	<1	5234	<2	<20	235	41	17	84	<1
54880	081235	<0.005	<1	10.71	62	45	4	4	6.84	33	<1	59	361	132	4.61	14	8	<1	48	21	2.10	<1	20	2.87	1045	97	17	178	218	9	<1	0.21	8	28	<5	621	126	<1	49	<1	5397	<2	<20	235	61	17	87	<1
54881D	081235	<0.005	<1	10.22	106	44	4	<1	6.39	32	<1	59	352	129	4.34	12	10	<1	49	25	2.09	<1	20	2.82	998	93	17	167	234	7	<1	0.24	11	25	<5	769	116	<1	47	<1	5141	<2	<20	219	31	15	84	<1
54882	081236	<0.005	<1	10.51	24	43	4	<1	7.11	34	<1	58	315	137	4.60	12	2	<1	24	29	2.03	<1	21	3.04	1155	107	17	172	300	<1	<1	0.32	7	26	53	1241	117	<1	83	<1	5298	2	<20	223	78	16	76	<1
54883	081237	<0.005	1	10.05	69	40	4	<1	7.63	34	<1	62	322	139	4.65	12	5	<1	73	29	1.96	<1	19	2.85	1219	102	17	164	228	<1	3	0.28	10	26	28	1288	117	<1	64	<1	5392	<2	<20	231	51	16	86	<1
54884	081238	<0.005	<1	9.61	94	48	3	3	6.81	33	<1	55	316	137	4.52	13	2	<1	74	20	2.01	<1	20	2.41	1172	93	15	151	306	8	<1	0.38	10	22	56	980	116	<1	82	<1	5155	<2	<20	212	45	15	83	<1
54885	081239	<0.005	<1	9.41	67	64	5	2	6.75	32	<1	59	224	140	4.39	13	<1	<1	28	8	1.93	<1	23	2.81	1168	93	21	153	265	9	<1	0.23	21	24	<5	556	109	<1	59	<1	5178	<2	<20	229	27	15	91	<1
54886	081240	5.283	1	8.26	344	255	6	14	2.66	51	16	128	162	1621	7.34	15	<1	<1	37	1.60	10	20	1.33	658	81	7	1505	723	523	107	0.87	5	11	8	597	130	<1	<1	<1	2526	<2	<20	89	77	16	435	25	
54887	081241	<0.005	<1	10.27	81	100	3	1	6.44	32	8	57	286	130	4.46	14	10	<1	45	10	1.94	<1	25	3.31	1082	109	16	179	544	<1	<1	0.18	14	23	6	457	149	<1	76	<1	4822	<2	<20	216	22	14	71	<1
54888	081242	<0.005	<1	9.89	70	117	3	10	5.88	30	<1	61	256	152	4.09	13	1	<1	57	25	1.97	<1	22	2.50	991	91	16	162	293	<1	<1	0.28	16	23	58	534	124	<1	63	<1	5837	7	<20	223	60	13	74	<1
54889	081243	<0.005	<1	9.81	57	189	3	<1	6.42	29	<1	60	249	164	3.88	12	<1	<1	21	14	1.99	<1	20	1.86	1161	74	16	136	441	<1	3	0.27	12	21	20	594	106	<1	65	<1	6113	<2	<20	221	39	15	89	<1
54890	081244	<0.005	<1	8.29	89	59	6	10	7.58	46	<1	51	226	145	6.49	8	5	<1	42	32	1.36	<1	19	2.63	1813	113	12	155	125	<1	<1	0.36	8	18	33	743	84	<1	103	<1	4276	<2	<20	176	46	12	132	<1
54891	081245	<0.005	<1	9.21	75	108	5	9	7.60	49	<1	57	213	139	7.20	12	7	<1	51	35	1.78	<1	22	2.70	2406	119	13	163	<100	<1	<1	0.35	13	20	22	575	69	<1	98	<1	4350	<2	<20	200	60	13	112	<1
54892D	081245	<0.005	<1	9.97	82	116	5	10	7.76	52	<1	56	218	144	7.43	14	14	<1	41	29	2.00	<1	24	2.79	2437	127	15	164	<100	<1	<1	0.22	13	20	18	894	75	<1	31	<1	4499	<2	<20	205	23	13	122	<1
54893	081246	<0.005	1	9.11	79	66	6	10	8.09	56	<1	56	212	146	8.00	12	4	<1	31	32	1.71	<1	22	2.53	2830	117	12	132	<100	<1	<1	0.49	<5	17	20	723	72	<1	117	<1	4408	<2	<20	184	70	11	113	<1
54894	081247	0.005	2	9.52	71	69	5	2	7.65	50	<1	56	215	166	7.05	10	6	<1	56	46	2.02	<1	23	2.33	2302	112	12	164	<100	10	<1	0.43	17	18	18	734	86	<1	47	<1	4359	<2	<20	178	24	12	106	<1
54895	081248	0.006	2	10.28	92	91	5	5	7.88	51	<1	56	211	142	7.23	13	7	<1	32	34	2.23	<1	26	2.61	2371	115	14	161	<100	2	<1	0.20	24	19	28	646	96	<1	65	<1	4555	<2	<20	189	62	13	104	6

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54896	081249	0.007	1	9.68	36	132	4	12	6.18	42	1	56	239	156	5.94	13	2	<1	63	20	2.17	<1	25	2.67	2095	107	13	180	150	3	<1	0.27	9	16	10	733	79	<1	111	<1	4209	6	<20	178	50	11	98	<1
54897	081250	<0.005	<1	9.07	78	826	2	10	1.25	10	78	5	233	8	1.40	15	5	2	13	1	1.87	45	33	0.49	241	30	3	23	335	9	37	0.08	18	2	43	309	216	<1	14	27	995	<2	<20	22	<10	7	43	122
54898	081251	0.006	2	10.94	110	96	5	3	8.29	53	<1	55	237	145	7.66	14	7	<1	95	24	1.74	<1	24	2.31	2825	116	16	166	<100	6	<1	0.26	21	26	<5	624	104	<1	96	<1	4747	<2	<20	229	60	16	105	<1
54899	081252	<0.005	1	10.01	55	106	4	<1	6.30	39	<1	58	250	155	5.57	13	<1	<1	76	30	1.92	<1	23	2.32	1714	91	14	181	<100	15	<1	0.22	6	22	53	698	88	<1	121	<1	4767	<2	<20	207	36	12	85	<1
54900	081253	0.005	<1	8.65	45	75	3	3	6.22	31	<1	56	247	139	4.42	9	3	<1	20	17	1.74	<1	19	2.20	1271	80	13	165	173	<1	<1	0.08	15	19	5	544	84	<1	24	<1	4439	<2	<20	182	18	10	78	<1
54901	081254	0.005	<1	9.48	94	179	5	5	6.96	43	<1	58	228	173	6.16	13	2	<1	51	35	1.95	<1	21	2.39	1857	108	14	163	<100	4	<1	0.21	11	21	15	468	74	<1	22	<1	4735	<2	<20	194	33	12	105	<1
54902	081255	0.007	<1	10.05	22	222	4	<1	6.40	38	<1	56	224	162	5.56	12	<1	<1	67	26	2.13	<1	22	2.29	1661	95	14	171	<100	<1	6	0.21	7	21	24	966	78	<1	58	<1	4672	9	<20	194	41	13	98	<1
54903R	081255	0.005	<1	9.31	17	187	4	1	6.53	40	<1	62	231	164	5.83	10	<1	<1	76	34	1.90	<1	20	2.30	1758	97	13	173	<100	<1	<1	0.19	21	20	33	449	72	<1	48	<1	4747	<2	<20	184	24	12	106	<1
54904	081256	<0.005	<1	9.38	17	199	4	7	6.32	40	<1	62	239	164	5.93	10	3	<1	56	21	1.83	<1	20	2.42	1729	96	14	190	<100	<1	<1	0.20	22	20	53	557	71	<1	79	<1	5056	<2	<20	197	39	12	111	<1
54905	081257	0.005	<1	8.65	68	85	4	2	6.24	45	<1	58	231	154	6.55	11	8	<1	71	37	1.59	<1	20	2.53	1953	108	12	184	<100	<1	<1	0.18	18	17	35	507	64	<1	74	<1	4661	<2	<20	181	52	11	104	<1
54906	081258	<0.005	1	8.47	53	51	5	8	7.43	49	<1	53	217	135	7.18	10	3	<1	16	30	1.49	<1	19	2.49	2384	112	12	161	<100	1	<1	0.29	8	19	28	736	69	<1	26	<1	4449	<2	<20	180	36	12	102	<1
54907	081259	0.005	<1	6.72	55	50	4	<1	6.15	36	<1	56	243	149	5.15	5	<1	<1	55	14	1.05	<1	15	2.43	1492	100	11	163	102	4	<1	0.22	5	15	<5	612	57	<1	97	<1	4271	<2	<20	147	19	9	85	<1
54908	081260	<0.005	<1	7.98	63	139	3	<1	8.86	31	<1	38	235	115	4.29	7	<1	<1	49	15	1.54	<1	18	2.64	1444	88	13	105	126	<1	<1	0.24	5	19	20	1154	62	<1	43	<1	4200	<2	<20	182	<10	10	72	<1
54909	081261	<0.005	<1	11.21	86	98	4	8	7.51	34	<1	59	296	160	4.74	14	5	<1	51	25	2.08	<1	25	3.10	1198	115	17	181	170	2	<1	0.24	23	28	52	684	106	<1	100	<1	5123	<2	<20	233	74	13	87	5
54910	081262	0.005	<1	8.91	76	59	4	3	5.57	31	<1	57	331	152	4.49	11	8	<1	49	18	1.90	<1	20	3.03	913	105	13	170	130	<1	<1	0.15	12	22	46	589	87	<1	12	<1	4100	<2	<20	174	27	10	86	<1
54911	081263	0.006	<1	8.84	90	57	3	5	5.91	30	<1	54	281	146	4.31	9	<1	<1	34	26	1.85	<1	20	2.82	947	102	13	165	140	<1	<1	0.14	12	20	30	646	80	<1	55	<1	4122	<2	<20	167	34	10	82	<1
54912	081264	0.006	<1	8.45	65	49	3	<1	6.45	31	<1	52	250	143	4.47	8	<1	<1	41	30	1.61	<1	18	2.60	1068	92	13	157	102	<1	<1	0.27	7	20	6	647	80	<1	59	<1	4173	<2	<20	173	21	11	72	<1
54913	081265	0.006	<1	7.73	43	49	3	8	5.50	30	<1	51	228	146	4.20	6	2	<1	38	31	1.66	<1	18	2.63	1038	88	9	151	<100	<1	<1	0.16	<5	14	21	466	63	<1	44	<1	3752	<2	<20	140	21	9	75	<1
54914D	081265	0.006	2	8.71	77	55	3	2	6.19	32	<1	54	243	148	4.51	9	<1	<1	56	25	1.78	<1	20	2.69	1078	99	12	166	133	<1	<1	0.19	17	19	20	391	78	<1	32	<1	4098	<2	<20	169	20	11	72	<1
54915	081266	0.007	<1	7.80	53	42	4	7	5.68	40	<1	57	224	143	5.82	7	<1	<1	11	37	1.48	<1	17	2.75	1288	102	10	150	102	<1	<1	0.26	8	17	16	521	68	<1	4	<1	4268	<2	<20	153	36	10	94	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54916	081267	0.007	<1	7.89	67	50	3	3	5.48	30	<1	55	273	146	4.11	6	<1	<1	<1	12	1.52	<1	17	2.41	1061	88	12	157	<100	<1	<1	0.19	9	18	23	408	73	<1	66	<1	4335	<2	<20	158	25	10	50	<1
54917	081268	0.008	<1	6.84	37	55	2	<1	7.98	22	<1	43	407	137	3.03	5	<1	<1	24	14	1.45	<1	14	1.73	912	66	10	138	<100	9	<1	0.25	<5	20	36	522	85	<1	49	<1	3948	<2	<20	138	46	10	32	<1
54918	081269	0.006	1	9.05	67	71	3	<1	4.73	28	<1	62	337	142	4.03	10	3	<1	67	11	1.81	<1	20	2.56	1007	88	13	181	163	<1	<1	0.13	9	21	47	673	90	<1	56	<1	4959	<2	<20	179	39	11	71	<1
54919	081270	12.986	5	7.63	41	423	3	<1	2.73	28	<1	23	83	134	4.10	11	<1	<1	25	25	1.91	<1	18	1.33	572	65	8	58	594	12	437	0.42	10	12	<5	508	117	<1	93	<1	3457	<2	<20	103	<10	16	149	<1
54920	081271	0.017	<1	8.86	53	114	3	5	5.59	28	<1	55	250	147	4.00	9	6	<1	32	23	1.93	<1	19	2.33	1084	85	13	145	107	<1	8	0.12	10	21	25	622	86	<1	37	<1	4535	<2	<20	182	47	11	75	<1
54921	081272	0.009	<1	8.37	80	49	5	9	8.01	49	<1	54	217	143	7.04	9	<1	<1	52	29	1.53	<1	19	2.72	2159	111	12	163	<100	1	<1	0.28	6	19	28	490	84	<1	86	<1	4310	<2	<20	176	32	12	111	<1
54922	081273	0.005	<1	9.03	49	152	3	<1	5.36	32	<1	56	245	151	4.71	10	<1	<1	50	19	1.69	<1	19	2.11	1407	91	12	159	<100	<1	<1	0.15	<5	19	14	541	90	<1	77	<1	4494	<2	<20	166	54	11	83	<1
54923	081274	0.006	<1	9.10	36	172	3	1	4.14	32	<1	62	255	173	4.69	10	9	<1	48	19	1.98	<1	20	2.55	1118	95	13	178	111	2	<1	0.20	8	19	26	477	77	<1	55	<1	5088	<2	<20	179	33	10	78	<1
54924	081275	<0.005	<1	8.53	56	142	3	<1	5.23	30	<1	55	226	153	4.33	6	1	<1	53	23	1.83	<1	20	2.72	1215	93	12	162	104	<1	<1	0.17	7	17	<5	464	81	<1	54	<1	4607	<2	<20	157	<10	9	62	<1
54925D	081275	<0.005	<1	7.54	45	113	3	<1	5.15	31	<1	59	228	166	4.53	5	<1	<1	31	11	1.65	<1	19	2.90	1292	101	10	180	102	<1	<1	0.16	10	13	19	626	64	<1	57	<1	4490	<2	<20	134	38	7	68	<1
54926	081276	<0.005	<1	8.23	47	85	4	7	3.82	33	<1	53	225	158	4.79	8	5	<1	25	20	1.58	<1	20	3.29	1207	115	12	176	<100	<1	<1	0.13	<5	20	20	652	81	<1	67	<1	4431	<2	<20	162	20	10	67	<1
54927	081277	<0.005	<1	9.06	60	69	4	2	3.70	44	<1	57	218	153	6.36	10	3	<1	25	37	1.64	<1	23	3.82	1547	132	14	167	<100	<1	<1	0.14	6	21	10	803	69	<1	73	<1	4490	<2	<20	175	25	10	100	<1
54928	081278	<0.005	1	11.35	105	115	4	3	7.00	36	<1	47	235	72	5.18	15	15	2	56	31	2.03	<1	26	3.18	1377	114	15	129	164	<1	<1	0.27	15	26	30	421	140	<1	36	<1	4065	<2	<20	206	21	14	74	106
54929	081279	<0.005	<1	7.82	33	109	4	<1	3.60	38	<1	58	236	166	5.43	7	1	<1	32	29	1.56	<1	18	3.48	1386	118	14	171	125	<1	<1	0.07	<5	22	43	602	73	<1	65	<1	4653	<2	<20	177	39	11	87	<1
54930	081280	<0.005	<1	6.39	35	697	2	4	0.98	14	170	8	224	10	2.11	10	<1	<1	15	<1	1.68	84	23	0.61	201	36	5	18	1790	5	52	0.03	8	5	9	297	118	<1	28	46	1572	<2	<20	34	<10	18	65	<1
54931	081281	<0.005	<1	7.31	69	113	4	<1	5.07	38	<1	50	219	154	5.42	7	<1	<1	37	36	1.44	<1	17	3.31	1671	114	14	166	<100	<1	<1	0.08	13	21	18	475	68	<1	74	<1	4249	<2	<20	180	44	10	93	<1
54932	081282	<0.005	<1	6.18	29	235	3	4	4.12	30	<1	52	205	156	4.19	5	4	<1	32	20	1.51	<1	13	2.76	1212	90	12	164	121	<1	<1	0.11	16	20	7	554	69	<1	44	<1	4418	<2	<20	162	21	9	65	<1
54933	081283	<0.005	<1	6.86	60	324	2	<1	3.93	26	<1	55	205	160	3.65	7	<1	<1	22	14	1.80	<1	14	2.52	1075	80	12	165	108	3	<1	0.09	9	22	9	738	81	<1	35	<1	4490	<2	<20	171	13	10	88	<1
54934	081284	<0.005	<1	6.77	23	170	4	<1	3.47	35	<1	53	215	148	5.17	5	<1	<1	40	24	1.45	<1	15	3.07	1456	104	12	163	<100	<1	<1	0.10	5	19	<5	524	64	<1	129	<1	4304	<2	<20	159	29	9	93	<1
54935	081285	<0.005	<1	7.59	75	164	4	10	3.50	35	<1	50	202	143	5.05	7	<1	<1	20	27	1.78	<1	17	2.87	1403	104	12	142	<100	<1	<1	0.12	8	19	41	363	69	<1	26	<1	4143	<2	<20	158	30	10	84	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, March 17, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/08/2011
Job #: 201140786
Reference:
Sample #: 165

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54936D	081285	<0.005	<1	7.07	63	149	3	3	3.23	33	<1	49	193	138	4.89	6	<1	<1	32	13	1.69	<1	16	2.85	1362	98	11	162	<100	3	<1	0.10	14	16	7	570	62	<1	71	<1	3955	<2	<20	144	18	9	85	<1
54937	081286	<0.005	<1	8.71	60	172	4	3	3.79	40	<1	55	214	157	5.80	11	3	<1	66	32	2.10	<1	20	3.17	1553	110	12	180	<100	<1	<1	0.12	7	20	53	647	81	<1	92	<1	4249	<2	<20	167	38	11	87	<1
54938	081287	<0.005	<1	8.68	87	114	5	7	4.37	41	<1	52	230	146	5.94	12	9	<1	9	20	1.79	<1	19	3.15	1632	115	16	169	<100	<1	<1	0.16	19	22	35	703	94	<1	30	<1	4197	<2	<20	180	28	12	87	<1
54939	081288	<0.005	1	10.17	35	94	5	5	5.84	47	<1	55	180	155	7.02	14	10	<1	35	38	2.00	<1	21	3.11	1836	125	16	132	163	<1	<1	0.23	5	24	37	615	126	<1	96	<1	4911	<2	<20	201	23	15	94	<1
54940	081289	<0.005	<1	8.10	97	92	4	<1	4.25	38	<1	51	198	139	5.33	10	3	<1	46	19	1.52	<1	18	2.90	1576	103	13	147	<100	<1	<1	0.13	9	22	<5	480	85	<1	32	<1	4155	<2	<20	185	30	11	78	<1
54941	081290	<0.005	<1	8.50	66	125	3	7	3.86	37	<1	46	191	127	5.26	10	6	<1	55	14	1.34	<1	17	2.71	1557	102	13	127	<100	3	<1	0.14	11	23	22	469	103	<1	32	<1	3845	<2	<20	183	<10	12	80	<1
54942	081291	<0.005	<1	9.07	71	201	5	4	5.40	41	<1	57	208	150	5.88	11	3	<1	54	26	1.79	<1	18	2.93	1977	119	14	161	152	<1	<1	0.15	10	24	21	625	115	<1	<1	<1	4421	<2	<20	203	30	12	113	<1
54943	081292	<0.005	<1	8.74	40	178	3	3	5.89	35	<1	56	228	152	4.96	11	4	<1	38	23	1.76	<1	17	2.49	1810	99	15	149	<100	<1	<1	0.36	15	25	14	561	118	<1	48	<1	4604	<2	<20	207	28	12	96	<1
54944	081293	<0.005	<1	7.51	93	222	3	<1	4.89	26	<1	47	184	117	3.65	6	3	<1	33	12	1.58	<1	15	2.21	1434	83	12	144	<100	<1	<1	0.18	7	19	5	551	92	<1	<1	<1	3820	<2	<20	174	19	9	86	<1
54945	081294	<0.005	<1	8.35	42	169	3	<1	5.85	31	<1	51	223	110	4.36	9	<1	<1	22	15	1.70	<1	17	2.46	1433	91	15	156	126	<1	<1	0.20	7	23	18	551	147	<1	13	<1	4422	<2	<20	198	41	11	78	<1
54946	081295	0.006	<1	7.13	64	141	3	<1	5.07	28	<1	48	201	107	4.01	5	<1	<1	50	28	1.39	<1	15	2.24	1311	81	12	154	142	<1	<1	0.15	11	18	5	488	124	<1	77	<1	4030	4	<20	171	52	9	70	<1
54947D	081295	<0.005	<1	7.81	29	152	3	<1	5.39	31	<1	50	212	111	4.29	9	<1	<1	31	14	1.50	<1	16	2.35	1372	92	12	163	118	2	<1	0.14	26	20	40	355	137	<1	32	<1	4277	<2	<20	184	30	10	72	<1
54948	081296	<0.005	<1	7.37	99	73	6	4	5.25	51	5	55	22	210	7.48	11	<1	<1	34	32	1.32	<1	16	2.31	1156	104	12	95	382	<1	<1	0.16	18	10	36	449	109	<1	102	<1	5189	<2	<20	136	71	10	108	<1
54949	081297	<0.005	1	7.28	33	179	6	11	6.02	54	6	55	17	193	7.87	12	2	<1	8	30	1.57	<1	16	1.93	1378	94	11	111	313	<1	<1	0.20	17	13	7	484	62	<1	74	<1	4343	<2	<20	133	31	12	99	<1
54950	081298	<0.005	<1	5.91	29	240	5	8	7.54	41	<1	38	108	114	5.87	6	5	<1	11	26	1.46	<1	12	1.34	1762	77	8	86	110	7	<1	0.27	8	15	7	376	70	<1	71	<1	2634	<2	<20	116	44	10	88	<1
54951	081299	<0.005	<1	7.11	77	302	4	3	6.82	38	<1	51	124	132	5.45	9	<1	<1	30	32	1.86	<1	15	1.59	1527	77	12	120	204	6	1	0.21	7	21	<5	530	75	<1	39	<1	4280	<2	<20	171	38	14	64	<1
54952	081300	0.947	1	6.77	50	114	4	4	3.42	32	13	28	91	39	4.66	11	9	<1	32	19	1.92	3	15	1.86	773	81	11	37	809	7	32	0.08	7	17	19	404	114	<1	66	<1	4425	<2	<20	145	28	25	76	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54953	086811	<0.005	<1	9.34	131	201	<2	45	7.88	<4	<1	36	160	116	5.66	17	16	<1	<1	<1	1.85	<1	30	1.27	1839	24	17	90	1072	13	4	0.24	<5	19	15	<10	179	11	4	<1	349	<2	<20	183	<10	7	100	2
54954	086812	<0.005	<1	8.49	88	166	<2	47	7.22	<4	<1	37	144	102	6.75	18	2	<1	<1	<1	1.96	<1	30	1.36	2501	23	16	71	435	12	<1	0.31	<5	21	11	<10	136	8	3	<1	290	<2	<20	204	<10	6	84	<1
54955	086813	<0.005	<1	8.89	99	125	<2	33	9.14	<4	<1	28	139	103	5.13	13	<1	<1	<1	<1	2.11	<1	28	1.64	1736	21	12	59	1050	5	<1	0.17	<5	21	23	<10	129	5	1	<1	225	<2	<20	164	<10	8	55	<1
54956	086814	<0.005	1	8.93	129	121	<2	40	8.64	<4	8	29	217	86	5.28	17	2	<1	<1	<1	1.99	3	30	1.89	1741	25	14	94	1249	6	<1	0.17	<5	20	16	<10	139	6	<1	<1	278	4	<20	176	<10	9	42	18
54957	086815	<0.005	<1	8.60	56	105	<2	34	7.99	<4	<1	36	133	112	4.98	14	<1	<1	2	<1	2.06	<1	28	2.14	1602	21	13	69	962	6	<1	0.16	<5	22	23	<10	114	4	1	<1	207	<2	<20	175	<10	7	59	<1
54958	086816	<0.005	<1	11.66	44	133	<2	59	9.36	<4	<1	31	124	95	6.29	23	48	8	<1	<1	1.49	<1	34	1.84	2207	38	13	60	963	9	<1	0.24	<5	18	22	<10	149	7	<1	<1	361	4	32	178	<10	10	94	361
54959	086817	<0.005	<1	8.96	35	90	<2	45	9.11	<4	<1	32	115	100	6.06	14	2	<1	1	<1	1.96	<1	29	1.64	2093	22	12	72	549	11	<1	0.23	<5	19	23	<10	117	5	2	<1	236	<2	<20	151	<10	7	106	<1
54960	086818	<0.005	<1	9.15	30	115	<2	48	8.22	<4	<1	28	124	89	4.37	17	37	4	<1	<1	1.85	<1	29	1.20	1709	30	13	62	566	7	<1	0.25	<5	14	19	<10	139	5	<1	<1	310	<2	<20	168	<10	8	50	164
54961	086819	<0.005	<1	9.25	29	106	<2	44	9.11	<4	<1	39	121	104	6.49	19	29	2	2	<1	1.65	<1	30	1.62	2146	28	13	74	730	10	<1	0.59	<5	17	21	<10	133	6	2	<1	312	6	27	172	<10	8	93	109
54962	086820	<0.005	2	7.26	7	620	<2	33	1.40	<4	41	7	119	8	1.72	17	19	6	<1	<1	1.55	14	28	0.47	244	30	9	5	914	30	10	0.04	<5	2	14	<10	188	3	<1	14	2291	<2	<20	33	<10	8	60	260
54964	086821	<0.005	<1	10.92	31	122	<2	49	9.35	<4	<1	30	127	96	6.06	20	39	5	1	<1	1.71	<1	31	1.65	2233	32	13	63	1079	10	<1	0.28	<5	19	19	<10	145	6	<1	<1	358	<2	<20	172	<10	9	94	221
54965	086822	<0.005	<1	9.96	42	107	<2	50	9.78	<4	<1	34	129	102	4.80	16	15	1	<1	<1	1.99	<1	32	1.34	1852	26	13	75	423	15	<1	0.28	<5	19	27	<10	140	4	<1	<1	267	<2	39	177	<10	8	69	66
54966	086823	<0.005	<1	11.01	39	122	<2	47	9.65	<4	<1	30	131	104	5.34	20	33	5	1	<1	1.78	<1	34	1.46	1926	31	14	70	182	8	<1	0.26	<5	19	28	<10	153	4	<1	<1	353	<2	<20	178	<10	9	84	206
54967	086824	<0.005	<1	10.81	31	121	<2	46	9.05	<4	<1	32	140	99	6.08	20	24	5	<1	<1	1.75	<1	34	1.48	2125	31	13	72	342	5	<1	0.29	5	19	26	<10	146	5	<1	<1	347	<2	<20	181	<10	9	77	198
54968	086825	<0.005	<1	12.76	35	139	2	79	11.15	<4	2	41	161	118	7.59	27	25	8	2	<1	2.11	<1	40	1.82	2605	37	16	86	848	16	7	0.32	<5	23	20	<10	173	6	<1	<1	400	11	32	220	<10	11	100	262
54969	086826	<0.005	<1	10.13	30	126	<2	52	9.57	<4	<1	29	130	97	4.84	18	29	4	<1	1	1.76	<1	32	1.36	2074	29	13	65	586	13	<1	0.28	<5	17	30	<10	148	5	<1	<1	306	<2	<20	173	<10	9	57	157
54970	086827	<0.005	<1	10.91	33	128	<2	54	11.58	<4	<1	27	115	89	4.93	19	44	6	1	<1	1.77	<1	32	1.37	2032	32	12	53	510	13	<1	0.27	<5	18	21	<10	162	5	<1	<1	324	<2	<20	164	<10	10	48	264
54971	086828	<0.005	<1	10.69	34	132	<2	60	13.14	<4	<1	26	115	91	4.57	19	43	6	<1	2	1.86	<1	30	1.16	2237	30	12	58	1153	10	<1	0.23	<5	18	26	<10	171	5	<1	<1	310	<2	26	162	<10	11	32	199
54972	086829	<0.005	<1	10.60	45	141	<2	49	11.51	<4	<1	31	125	113	5.28	19	34	5	2	<1	1.74	<1	30	1.32	2209	31	12	67	693	9	<1	0.21	<5	17	10	<10	168	5	<1	<1	322	8	<20	171	<10	10	68	175
54973	086830	<0.005	<1	10.91	78	177	<2	47	10.21	<4	2	32	156	115	4.23	19	34	5	<1	<1	1.90	<1	31	1.10	2078	30	15	69	840	12	<1	0.22	<5	20	36	<10	180	5	<1	<1	312	<2	<20	202	<10	10	43	158

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54974D	086830	<0.005	<1	10.34	81	177	<2	47	10.12	<4	2	34	158	117	4.25	18	30	4	<1	<1	2.00	<1	30	1.07	2106	28	16	70	916	10	<1	0.20	<5	19	22	<10	179	5	<1	<1	310	3	<20	206	<10	10	41	136
54975	086831	<0.005	<1	11.26	42	227	<2	59	11.37	<4	<1	26	128	94	4.90	21	37	8	<1	<1	1.74	<1	30	1.25	2267	34	13	52	625	13	<1	0.27	<5	17	22	<10	199	5	<1	<1	376	<2	<20	183	<10	11	39	280
54976	086832	<0.005	<1	11.59	54	263	<2	62	13.51	<4	1	22	116	81	4.71	19	60	8	1	<1	1.76	<1	28	1.35	2341	33	12	55	670	10	5	0.38	<5	17	41	<10	224	6	<1	<1	493	<2	<20	160	<10	14	78	323
54977	086833	0.010	<1	10.63	55	264	<2	52	8.84	<4	<1	29	141	80	6.00	18	10	3	1	<1	2.02	<1	26	1.79	2681	28	13	67	637	10	<1	0.79	<5	19	20	<10	166	6	<1	<1	359	<2	<20	183	<10	9	68	102
54978	086834	0.017	<1	7.95	45	221	2	47	2.41	5	<1	31	539	115	8.31	20	3	4	<1	<1	1.85	<1	25	0.78	1347	35	5	68	816	30	<1	5.62	9	7	14	<10	111	7	<1	<1	285	<2	30	81	<10	7	411	200
54979	086835	0.103	1	7.77	40	188	<2	44	2.44	5	<1	28	682	141	8.41	19	8	3	1	<1	1.81	<1	24	0.77	1406	35	4	67	831	32	<1	5.39	8	6	7	<10	106	7	<1	<1	259	<2	<20	68	<10	7	436	173
54980	086836	0.126	<1	7.89	53	224	2	54	2.15	4	<1	28	491	118	7.87	18	15	6	2	<1	1.72	<1	24	0.84	1427	37	3	63	698	31	<1	5.05	7	4	6	<10	108	5	5	<1	282	<2	<20	50	<10	7	482	288
54981	086837	0.195	<1	7.37	84	215	2	59	1.63	9	<1	59	642	249	13.70	28	38	8	2	<1	1.46	<1	26	0.71	1247	45	2	120	870	47	1	>10.00	8	4	<5	<10	102	8	9	<1	307	<2	51	57	14	6	686	340
54982	086838	<0.005	2	10.63	209	268	<2	52	8.51	<4	46	30	534	47	4.17	17	29	8	2	<1	1.84	19	27	3.15	1411	38	8	184	2071	16	<1	0.87	<5	11	27	<10	300	2	<1	5	692	<2	<20	92	<10	17	65	293
54983	086839	0.235	<1	7.52	96	221	2	37	1.89	7	<1	43	568	138	11.88	24	37	7	2	<1	1.68	<1	26	0.88	1455	42	3	105	628	38	<1	7.70	6	4	<5	<10	106	8	5	<1	306	<2	28	53	13	7	614	307
54984	086840	13.562	8	10.64	30	384	<2	55	3.03	<4	<1	24	93	132	4.23	23	40	6	1	<1	2.03	<1	28	1.25	592	40	10	42	1338	34	343	0.75	<5	9	22	<10	162	5	<1	1	4324	<2	<20	110	<10	15	150	256
54986	086841	1.461	<1	0.25	5544	12	<2	15	0.52	<4	<1	7	416	15	2.22	2	<1	<1	<1	0.07	<1	<1	0.20	528	2	<1	<1	<100	<1	48	0.61	<5	<1	<5	<10	9	2	2	<1	<100	<2	<20	6	<10	<2	33	<1	
54987	086842	1.468	<1	7.36	7018	89	<2	52	2.34	<4	<1	27	651	54	6.49	13	21	6	<1	<1	1.61	<1	24	0.98	1856	34	<1	28	526	21	<1	2.88	<5	1	8	<10	89	5	<1	<1	202	<2	<20	11	<10	7	174	255
54988	086843	0.291	<1	8.00	150	372	2	47	0.90	6	<1	28	771	70	6.05	27	25	7	<1	<1	1.58	<1	24	0.53	983	38	6	71	702	23	9	2.68	5	7	13	<10	91	5	<1	<1	405	<2	<20	91	18	5	1133	289
54989	086844	0.253	1	6.95	734	97	<2	41	1.05	<4	<1	10	692	66	6.45	13	18	7	<1	<1	1.82	<1	24	0.74	1823	36	<1	32	643	14	<1	2.38	<5	<1	<5	<10	71	4	2	<1	216	<2	<20	12	<10	5	163	298
54990	086845	0.412	<1	6.20	443	99	<2	37	0.75	5	<1	17	774	82	8.81	10	<1	<1	<1	2.07	<1	18	0.93	2550	27	<1	38	842	17	6	3.50	<5	3	<5	<10	50	6	2	<1	145	<2	23	20	10	7	279	<1	
54991	086846	0.062	<1	6.02	259	59	<2	40	0.90	4	<1	8	660	44	7.98	7	<1	<1	<1	1.96	<1	19	1.02	3116	26	<1	23	555	15	<1	1.67	<5	2	<5	<10	54	4	2	<1	127	<2	<20	10	<10	7	37	<1	
54992	086847	0.417	<1	7.15	513	102	<2	50	1.71	4	<1	17	558	83	8.62	14	<1	2	1	<1	1.86	<1	23	0.85	1897	32	<1	43	641	17	<1	4.04	<5	2	<5	<10	74	6	4	<1	195	<2	23	23	<10	7	254	107
54993	086848	0.192	<1	6.07	636	104	2	47	1.00	10	<1	59	643	314	16.82	22	1	<1	<1	1.77	<1	22	0.44	921	40	<1	117	1088	50	3	>10.00	10	3	12	<10	61	9	12	<1	194	<2	78	34	<10	5	206	31	
54994	086849	0.507	<1	6.96	216	161	3	52	1.20	9	<1	86	459	157	14.35	27	18	2	2	<1	1.40	<1	22	0.43	836	38	9	120	1090	75	4	>10.00	48	8	<5	<10	89	9	7	<1	325	<2	56	146	11	4	442	104

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
54995	086850	<0.005	<1	8.42	15	701	<2	47	1.35	<4	31	5	575	10	1.75	15	30	4	2	<1	1.73	13	30	0.43	245	28	6	9	832	32	10	0.24	<5	2	17	<10	242	3	<1	12	1443	<2	<20	23	<10	7	47	174
54997	086851	0.668	<1	6.06	262	131	2	47	1.04	8	<1	54	293	177	13.88	22	17	4	<1	<1	1.53	<1	21	0.41	849	39	<1	78	238	59	<1	>10.00	28	1	<5	<10	71	8	6	<1	244	4	49	25	<10	5	272	193
54998	086852	1.322	<1	5.85	747	94	3	64	0.79	13	<1	81	294	263	21.04	29	21	3	<1	<1	1.24	<1	22	0.41	828	47	<1	148	152	84	<1	>10.00	42	2	13	<10	60	11	12	<1	221	6	102	34	<10	4	323	153
54999	086853	0.533	<1	7.05	3621	99	<2	52	1.57	4	<1	15	222	84	7.51	12	10	3	<1	<1	1.66	<1	23	0.80	1462	31	<1	33	763	17	<1	3.81	5	3	12	<10	74	4	1	<1	199	<2	<20	25	<10	6	168	184
55000	086854	0.573	<1	7.06	2130	80	<2	47	1.58	4	<1	15	465	155	7.58	12	3	3	2	<1	1.54	<1	23	0.71	1377	33	<1	62	680	37	<1	5.54	6	1	7	<10	73	5	2	<1	181	<2	<20	11	<10	7	38	178
55001	086855	0.554	<1	6.83	2761	71	<2	46	1.36	4	<1	15	558	117	8.00	10	2	2	2	<1	1.77	<1	22	0.64	1323	32	<1	70	430	57	<1	6.41	8	<1	<5	<10	67	5	2	<1	159	<2	24	8	<10	7	30	77
55002	086856	0.360	<1	7.53	157	127	2	47	1.87	7	<1	25	302	237	12.33	20	3	1	2	<1	1.69	<1	25	0.81	1069	37	2	112	866	31	<1	9.85	<5	6	<5	<10	76	8	5	<1	223	<2	44	59	<10	7	337	100
55003	086857	0.045	<1	9.84	92	210	2	47	4.63	<4	<1	35	273	95	6.23	18	5	<1	<1	<1	2.19	<1	23	1.55	1593	22	16	79	632	14	5	1.65	<5	23	12	<10	118	7	<1	<1	305	<2	<20	216	<10	6	124	<1
55004	086858	0.083	<1	10.15	132	268	2	48	4.76	<4	<1	40	225	85	6.29	23	13	2	<1	<1	1.94	<1	27	1.49	1630	28	19	90	698	8	<1	1.36	<5	20	19	<10	133	5	<1	<1	378	8	<20	249	<10	6	188	70
55005	086859	1.866	<1	0.58	6568	18	<2	17	1.00	<4	<1	13	253	25	3.53	5	<1	<1	2	<1	0.15	<1	1	0.34	740	3	<1	<1	<100	<1	<1	1.47	<5	2	<5	<10	13	4	<1	<1	<100	<2	<20	15	<10	<2	40	<1
55006	086860	0.454	<1	7.09	1366	98	<2	35	2.33	<4	<1	8	359	34	4.18	10	8	4	<1	<1	1.84	<1	23	0.81	978	29	<1	19	661	15	<1	2.38	<5	2	18	<10	79	2	<1	<1	190	<2	<20	18	<10	7	51	152
55007D	086860	0.517	<1	6.26	1282	80	<2	33	2.29	<4	<1	8	366	36	4.26	4	<1	<1	<1	2.00	<1	20	0.83	992	21	<1	19	749	19	<1	2.48	5	2	<5	<10	66	2	<1	<1	143	<2	<20	17	<10	7	53	<1	
55008	086861	0.744	<1	7.43	5768	144	2	66	1.88	8	<1	60	400	126	15.06	26	13	<1	1	<1	1.45	<1	25	0.77	1138	39	2	88	700	76	<1	>10.00	39	6	<5	<10	83	9	10	<1	238	<2	62	54	16	8	243	78
55009	086862	1.243	<1	6.68	6050	93	<2	47	2.38	4	<1	14	316	103	7.65	11	6	1	<1	<1	1.92	<1	22	1.05	1651	29	<1	43	862	22	<1	4.91	6	2	16	<10	79	5	7	<1	171	<2	24	21	<10	8	355	55
55010	086863	0.569	<1	6.45	2086	63	<2	49	1.39	<4	<1	4	491	38	6.71	8	3	<1	1	<1	1.94	<1	20	0.95	2675	27	<1	20	523	13	3	1.85	<5	<1	16	<10	61	5	1	<1	140	<2	<20	8	<10	7	31	15
55011	086864	0.262	<1	6.48	1374	85	<2	35	1.35	<4	<1	6	339	56	5.37	8	11	2	2	<1	1.72	<1	22	0.79	2020	28	<1	21	780	14	<1	2.21	<5	2	11	<10	67	4	<1	<1	174	<2	<20	20	<10	6	56	94
55012	086865	0.522	<1	6.90	2623	90	<2	46	1.45	<4	<1	8	481	62	6.56	10	1	2	3	<1	1.64	<1	23	0.87	2261	30	<1	33	891	17	<1	2.77	<5	3	11	<10	69	5	1	<1	178	<2	<20	23	<10	7	50	89
55013	086866	0.026	<1	9.82	98	183	2	46	3.98	4	<1	39	230	123	6.72	19	5	3	2	<1	2.14	<1	27	1.43	1325	27	18	92	384	22	8	3.59	<5	20	24	<10	128	9	<1	<1	313	3	<20	206	<10	7	337	28
55014	086867	0.030	<1	8.75	124	170	2	52	1.93	10	<1	43	321	341	11.60	23	11	3	1	<1	1.88	<1	32	1.36	1212	37	4	122	221	37	3	9.01	14	8	20	<10	90	7	5	<1	268	<2	27	66	21	9	1471	99
55015	086868	0.008	<1	7.29	29	103	<2	43	2.72	4	<1	13	366	171	5.94	8	5	2	2	<1	1.90	<1	23	1.26	1522	27	<1	34	743	19	<1	3.33	5	3	8	<10	85	4	1	<1	181	<2	<20	22	11	8	495	73

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55016	086869	0.103	<1	8.18	152	159	2	53	2.35	8	<1	58	425	111	11.57	24	6	2	1	<1	1.51	<1	24	1.12	1263	36	4	115	733	62	<1	>10.00	32	9	<5	<10	102	7	4	<1	295	<2	51	74	12	8	816	81
55017	086870	0.971	2	10.18	11	155	<2	54	4.41	<4	14	32	115	40	5.42	22	9	<1	2	<1	1.70	6	22	2.05	872	24	16	25	983	24	31	0.20	<5	18	11	<10	195	6	<1	<1	5943	<2	<20	170	<10	26	89	<1
55019	086871	0.059	<1	6.37	60	88	<2	25	1.57	5	<1	17	260	285	8.90	8	7	<1	3	<1	1.99	<1	20	0.75	834	29	<1	43	404	40	<1	7.96	19	2	8	<10	67	5	4	<1	155	<2	28	17	<10	7	167	<1
55020	086872	0.109	<1	7.88	129	174	2	46	1.18	5	2	43	287	98	7.48	17	2	<1	<1	<1	1.43	<1	22	0.64	415	29	4	110	671	54	<1	7.56	28	9	11	<10	84	5	<1	<1	299	<2	<20	71	12	8	690	<1
55021	086873	0.081	<1	5.58	66	57	<2	39	2.11	6	<1	18	241	134	11.03	10	<1	<1	<1	<1	1.46	<1	18	0.99	878	28	<1	32	494	49	<1	>10.00	19	2	17	<10	58	6	8	<1	120	<2	21	12	<10	6	113	<1
55022	086874	0.058	<1	6.00	12	56	<2	45	2.19	4	<1	2	262	181	8.40	7	8	<1	<1	<1	1.92	<1	20	1.40	2140	25	<1	27	1054	23	<1	4.49	<5	1	5	<10	71	4	7	<1	125	<2	<20	11	<10	7	73	<1
55023	086875	0.075	<1	8.93	159	241	2	39	1.41	6	4	71	191	235	6.19	24	1	<1	1	<1	1.42	2	22	0.79	496	29	7	147	422	41	6	6.71	26	13	16	<10	97	4	2	<1	404	<2	25	109	15	10	1284	<1
55024	086876	0.095	<1	8.97	172	234	2	39	1.33	6	7	72	191	298	5.77	21	<1	<1	2	<1	1.39	3	19	0.76	361	25	8	169	291	52	<1	6.87	32	16	13	<10	88	4	5	2	392	<2	<20	110	19	11	1470	<1
55025	086877	0.032	<1	8.30	143	287	<2	36	1.25	5	3	67	182	289	3.71	18	<1	<1	<1	<1	1.58	<1	20	0.68	307	24	6	146	433	30	4	4.20	17	11	25	<10	83	3	<1	<1	372	<2	<20	94	15	9	1407	<1
55026	086878	0.016	<1	6.75	64	131	<2	30	0.93	<4	<1	17	253	36	5.08	9	5	<1	<1	<1	2.21	<1	20	0.43	278	24	<1	35	548	23	5	6.33	17	3	9	<10	63	3	2	<1	196	<2	<20	28	<10	6	282	<1
55027	086879	0.052	<1	6.67	111	114	2	51	1.21	7	<1	29	234	68	11.83	16	<1	<1	<1	<1	1.45	<1	19	0.57	457	30	<1	41	963	50	<1	>10.00	32	4	<5	<10	66	7	8	<1	206	<2	28	32	<10	6	310	<1
55028	086880	<0.005	<1	8.69	9	852	<2	40	1.37	<4	107	7	202	8	1.96	11	<1	<1	<1	2.02	47	28	0.57	191	21	7	5	1450	30	54	0.08	<5	4	21	<10	193	2	<1	31	1886	<2	<20	31	<10	16	62	<1	
55030	086881	0.011	<1	5.34	27	96	<2	33	1.08	<4	<1	5	270	31	2.83	1	<1	<1	<1	<1	1.66	<1	15	0.52	470	18	<1	17	428	15	<1	2.34	<5	3	9	<10	51	2	<1	<1	141	<2	<20	15	<10	6	143	<1
55031	086882	0.098	<1	8.04	113	171	2	47	1.18	5	<1	42	234	124	7.07	18	<1	<1	<1	<1	1.31	<1	20	0.69	478	27	6	116	678	40	5	7.57	19	10	14	<10	78	5	1	<1	380	<2	<20	87	12	8	662	<1
55032	086883	0.012	1	9.46	121	319	2	39	4.17	<4	26	30	518	61	4.26	12	<1	<1	<1	<1	1.99	11	34	4.48	778	21	8	215	1299	16	<1	0.36	<5	15	11	<10	603	3	<1	5	449	<2	<20	96	<10	13	70	<1
55033	086884	0.008	<1	9.12	78	792	2	35	3.93	<4	21	28	458	51	4.16	12	<1	<1	<1	<1	1.80	9	29	4.13	813	22	8	196	1686	17	<1	1.17	<5	14	14	<10	552	3	1	4	484	<2	<20	101	<10	12	77	<1
55034	086885	0.007	<1	8.58	75	744	2	40	3.76	<4	18	29	468	48	4.05	11	8	<1	1	<1	1.90	9	28	3.98	782	21	8	193	861	15	<1	1.24	<5	13	22	<10	533	3	<1	4	451	7	<20	98	<10	12	77	<1
55035	086886	0.101	1	5.33	31	70	3	63	0.55	17	<1	31	114	329	27.25	36	4	<1	<1	<1	1.38	<1	17	0.33	310	48	<1	122	171	95	<1	>10.00	16	2	<5	<10	50	16	17	<1	403	10	213	54	<10	4	382	<1
55036	086887	0.007	<1	8.06	119	400	2	41	2.69	4	8	19	346	82	8.95	14	<1	<1	2	<1	1.63	3	23	2.99	2531	23	5	122	1317	15	<1	4.41	6	11	<5	<10	257	5	6	1	401	3	38	75	<10	10	107	<1
55037	086888	0.012	<1	5.79	148	84	<2	31	0.74	<4	<1	3	299	28	4.86	5	<1	<1	<1	<1	2.02	<1	19	0.58	750	23	<1	16	455	11	<1	2.53	<5	<1	13	<10	56	3	1	<1	140	<2	<20	9	<10	6	51	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55038	086889	0.022	<1	5.51	116	64	<2	31	0.76	<4	<1	12	320	47	5.09	3	<1	<1	1	<1	2.05	<1	18	0.50	807	22	<1	13	638	13	<1	2.99	<5	<1	9	<10	53	3	<1	<1	129	<2	<20	7	<10	5	18	<1
55039	086890	0.021	<1	5.80	225	69	<2	40	0.64	<4	<1	8	314	63	7.27	6	<1	<1	<1	<1	1.93	<1	19	0.56	1255	25	<1	20	811	15	<1	4.11	<5	1	<5	<10	48	4	2	<1	132	<2	<20	11	<10	6	20	<1
55040D	086890	0.021	<1	5.27	200	63	<2	33	0.57	<4	<1	6	296	60	7.09	4	<1	<1	<1	<1	1.91	<1	17	0.53	1210	23	<1	20	596	13	<1	4.03	<5	<1	<5	<10	43	4	4	<1	117	<2	21	11	<10	6	20	<1
55041	086891	0.012	<1	6.40	24	237	<2	38	0.69	<4	<1	7	286	59	7.62	8	<1	<1	2	<1	1.76	<1	19	0.89	2454	27	<1	21	572	14	<1	4.83	<5	4	6	<10	55	4	<1	<1	219	<2	<20	21	<10	6	37	<1
55042	086892	0.049	<1	8.57	21	84	3	55	0.81	13	<1	9	217	148	17.16	33	<1	<1	<1	<1	1.40	<1	22	1.12	1368	41	5	76	966	52	<1	>10.00	6	7	15	<10	73	11	9	<1	691	<2	72	98	16	7	971	<1
55043	086893	<0.005	<1	9.82	52	765	2	49	3.94	<4	29	26	455	46	4.35	13	<1	<1	2	<1	1.90	13	29	3.85	844	24	9	156	2018	17	26	0.21	<5	13	22	<10	614	4	<1	7	1542	<2	<20	98	<10	14	62	<1
55044	086894	<0.005	6	9.82	12	746	2	39	3.87	<4	29	28	484	50	3.93	13	5	<1	<1	<1	1.84	14	31	3.86	718	24	9	156	1571	16	48	0.10	<5	14	19	<10	629	3	<1	7	2472	<2	<20	99	<10	14	52	<1
55045	086895	<0.005	2	9.38	7	715	2	42	3.89	<4	30	27	480	48	3.90	11	2	<1	<1	<1	1.91	13	31	3.91	724	22	9	158	1242	19	58	0.10	<5	14	19	<10	613	3	<1	4	2466	<2	<20	97	<10	13	53	<1
55046	086896	<0.005	5	9.98	16	714	2	38	4.08	<4	29	32	512	53	4.18	13	11	<1	2	<1	2.06	14	33	4.17	746	21	10	170	1468	16	50	0.11	<5	15	29	<10	656	3	<1	7	2492	<2	<20	105	<10	14	56	<1
55047	086897	<0.005	<1	9.89	21	644	2	47	4.22	<4	28	30	488	53	4.29	13	8	<1	3	<1	1.96	13	33	4.25	773	24	10	177	1709	17	11	0.16	<5	14	13	<10	701	4	2	6	1704	<2	<20	102	<10	14	57	<1
55048	086898	0.007	1	9.45	25	797	2	50	3.81	<4	19	28	473	44	5.00	13	7	<1	3	<1	1.87	9	31	3.95	862	23	9	163	1299	19	23	0.37	<5	14	10	<10	506	3	<1	4	2150	<2	<20	101	<10	13	71	<1
55049	086899	0.358	<1	6.57	155	147	2	53	1.16	10	<1	11	252	100	18.64	21	7	<1	2	<1	1.34	<1	20	1.50	2687	39	<1	78	888	26	<1	>10.00	<5	3	<5	<10	95	11	9	<1	272	<2	78	28	<10	7	60	<1
55050	086900	12.713	5	8.98	25	380	<2	48	2.81	<4	<1	22	82	127	4.13	14	<1	<1	2	<1	1.87	<1	24	1.26	568	28	9	39	1079	32	381	0.82	<5	10	5	<10	140	5	<1	<1	3882	5	<20	101	<10	16	134	<1
55052	086901	0.817	<1	6.72	298	116	2	59	1.09	10	<1	31	276	137	17.67	26	3	<1	<1	<1	1.41	<1	22	1.06	1395	39	1	65	885	31	3	>10.00	<5	2	7	<10	81	11	9	<1	401	<2	68	45	<10	7	93	5
55053	086902	0.972	<1	6.58	5995	72	<2	49	0.86	<4	<1	6	337	31	6.97	8	4	1	<1	<1	1.63	<1	22	0.69	1102	30	<1	14	877	14	<1	3.02	<5	<1	14	<10	60	5	<1	<1	160	<2	<20	5	<10	6	23	90
55054	086903	0.954	<1	6.63	4265	78	<2	34	0.86	4	<1	8	365	60	9.13	11	8	4	2	<1	1.71	<1	22	0.65	1252	35	<1	19	213	19	<1	5.33	<5	<1	<5	<10	62	5	3	<1	179	<2	33	6	<10	5	31	208
55055	086904	3.009	<1	6.18	7900	65	<2	52	0.86	9	<1	24	365	88	16.55	16	<1	<1	1	<1	1.68	<1	20	0.64	1220	38	<1	43	589	26	<1	>10.00	6	<1	11	<10	55	9	10	<1	139	<2	81	6	<10	7	42	19
55056	086905	4.152	<1	0.03	5676	3	<2	14	0.15	<4	<1	16	171	29	5.94	7	<1	<1	<1	<1	0.01	<1	<1	0.26	751	5	<1	<1	<100	<1	<1	1.92	<5	<1	<5	<10	3	4	<1	<1	<100	5	<20	4	<10	<2	12	<1
55057	086906	0.400	<1	5.89	3621	58	<2	46	0.83	6	<1	16	337	70	11.87	10	<1	<1	<1	<1	1.96	<1	19	0.77	1869	30	<1	29	884	23	<1	7.72	<5	<1	<5	<10	50	7	4	<1	124	<2	37	7	<10	6	39	<1
55058	086907	0.706	<1	5.85	3759	57	<2	43	0.68	<4	<1	2	400	19	7.53	6	2	<1	<1	<1	1.87	<1	19	0.74	1181	26	<1	7	922	19	<1	2.70	<5	<1	9	<10	48	4	1	<1	122	<2	26	4	<10	6	27	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55059	086908	0.736	<1	5.75	5781	57	<2	47	0.70	<4	<1	1	316	13	7.61	5	<1	<1	3	<1	2.00	<1	18	0.79	1283	25	<1	4	303	14	<1	2.02	<5	<1	<5	<10	48	5	1	<1	120	<2	<20	4	<10	6	31	<1
55060	086909	0.981	<1	5.58	3524	56	<2	32	0.71	4	<1	3	297	17	9.29	8	<1	<1	<1	<1	2.01	<1	18	0.98	1597	26	<1	6	660	15	<1	2.24	<5	<1	<5	<10	47	5	5	<1	116	<2	22	5	<10	6	38	<1
55061	086910	0.919	5	8.68	23	138	<2	38	4.26	<4	13	31	107	41	5.33	16	<1	<1	1	<1	2.14	6	19	2.03	864	19	15	24	1123	18	24	0.10	<5	17	16	<10	181	6	<1	<1	5704	<2	<20	170	<10	26	81	<1
55063	086911	0.270	<1	5.37	2752	55	<2	37	0.63	5	<1	19	435	75	9.90	8	<1	<1	<1	<1	2.05	<1	17	0.49	959	27	<1	27	563	22	<1	6.66	<5	<1	<5	<10	44	5	6	<1	118	<2	<20	6	<10	5	30	<1
55064	086912	0.496	<1	5.72	4047	65	<2	44	0.67	6	<1	26	706	130	12.51	12	<1	<1	<1	<1	1.95	<1	19	0.46	845	32	<1	41	634	17	<1	8.63	<5	<1	<5	<10	48	7	8	<1	126	<2	27	7	<10	6	40	<1
55065	086913	0.902	<1	6.16	469	71	<2	41	0.79	4	<1	9	455	46	8.53	8	<1	<1	2	<1	1.78	<1	20	0.75	1672	29	<1	19	217	16	<1	4.27	<5	1	<5	<10	53	6	4	<1	136	<2	<20	10	<10	6	36	<1
55066	086914	0.310	<1	5.30	875	51	<2	39	0.62	<4	<1	6	574	21	5.95	5	<1	<1	<1	<1	2.00	<1	17	0.56	741	25	3	13	606	9	<1	1.76	<5	<1	<5	<10	43	9	<1	<1	116	<2	<20	4	<10	6	20	<1
55067	086915	0.469	<1	5.87	861	55	2	33	0.71	5	<1	6	504	26	9.14	9	<1	<1	2	<1	1.89	<1	19	0.74	1147	33	<1	17	622	19	<1	3.21	6	<1	<5	<10	48	8	5	<1	127	<2	27	6	<10	7	28	<1
55068	086916	1.449	<1	5.42	3349	55	<2	41	0.64	5	<1	12	423	89	9.95	9	<1	<1	2	<1	1.78	<1	17	0.64	913	32	<1	22	321	20	<1	4.91	5	<1	<5	<10	44	6	5	<1	114	<2	35	6	<10	6	28	<1
55069	086917	0.695	<1	5.19	1282	62	<2	39	0.67	5	<1	14	318	58	10.28	8	<1	<1	<1	<1	1.89	<1	17	0.64	1312	30	<1	30	593	20	<1	6.17	<5	<1	<5	<10	43	6	5	<1	110	<2	34	9	<10	6	29	<1
55070	086918	0.579	<1	5.13	705	53	<2	28	0.66	4	<1	10	407	58	9.36	7	<1	<1	<1	<1	1.91	<1	16	0.58	920	30	<1	26	485	18	<1	5.16	<5	<1	<5	<10	43	6	3	<1	108	<2	23	8	<10	6	26	<1
55071	086919	0.254	<1	5.26	734	51	<2	40	0.70	4	<1	6	406	49	8.52	7	<1	<1	2	<1	1.84	<1	17	0.83	1266	29	<1	12	869	13	<1	2.24	6	<1	<5	<10	43	4	3	<1	109	<2	24	6	<10	6	23	<1
55072	086920	<0.005	<1	8.33	13	862	<2	35	1.40	<4	124	6	210	9	2.02	14	6	<1	3	<1	1.68	52	29	0.52	218	24	9	4	1582	37	17	0.06	<5	3	32	<10	197	1	<1	36	2138	<2	<20	32	<10	14	62	<1
55074	086921	0.605	<1	5.84	243	68	2	46	0.64	8	<1	17	426	271	14.63	14	<1	<1	2	<1	1.79	<1	19	0.46	705	38	<1	52	826	27	<1	>10.00	6	<1	10	<10	48	9	6	<1	129	5	60	7	<10	6	37	<1
55075	086922	0.214	<1	6.02	214	106	<2	43	0.61	6	<1	19	467	78	10.49	10	<1	<1	<1	<1	1.85	<1	17	0.70	1854	29	<1	36	861	23	<1	6.22	5	2	<5	<10	53	7	3	<1	150	<2	44	24	<10	6	280	<1
55076	086923	1.042	<1	5.78	640	96	2	58	0.78	10	<1	37	332	172	16.77	16	<1	<1	2	<1	1.37	<1	16	0.70	1799	38	<1	72	1123	40	<1	>10.00	7	2	6	<10	54	8	8	<1	150	<2	81	20	11	6	351	<1
55077	086924	0.135	<1	6.64	737	104	<2	47	0.78	6	<1	8	715	31	9.84	11	<1	<1	2	<1	2.14	<1	20	0.97	1917	31	<1	20	392	23	<1	2.31	8	1	<5	<10	53	5	2	<1	174	<2	<20	15	<10	7	329	<1
55078	086925	0.213	<1	6.06	691	102	<2	37	0.72	6	<1	7	569	34	9.86	10	<1	<1	1	<1	2.04	<1	18	0.93	1865	33	<1	20	177	25	<1	2.42	9	1	<5	<10	48	6	4	<1	161	<2	<20	15	10	7	360	<1
55079	086926	0.670	<1	5.74	1567	53	<2	36	0.75	5	<1	15	485	50	10.86	10	<1	<1	3	<1	1.83	<1	18	0.96	3251	31	<1	29	924	20	<1	4.11	8	<1	<5	<10	47	6	2	<1	131	<2	24	8	<10	6	36	<1
55080	086927	0.298	<1	5.23	467	47	<2	44	1.05	8	<1	8	437	42	15.22	13	<1	<1	<1	<1	1.89	<1	17	2.05	8414	34	<1	15	702	26	<1	2.23	6	1	10	<10	45	10	12	<1	121	<2	45	9	<10	7	60	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55081	086928	0.163	<1	5.84	340	53	<2	33	1.21	5	<1	4	380	18	10.01	8	<1	<1	<1	<1	1.75	<1	19	1.47	4070	31	<1	9	458	21	<1	0.68	<5	<1	<5	<10	50	6	3	<1	127	<2	29	10	<10	8	86	<1
55082	086929	0.037	<1	5.99	62	54	<2	43	1.11	4	<1	4	452	21	8.53	8	1	<1	3	<1	1.83	<1	20	1.25	3400	31	<1	8	658	15	<1	0.47	6	<1	<5	<10	50	5	4	<1	133	<2	36	10	<10	7	96	<1
55083	086930	0.068	<1	5.25	138	51	<2	49	1.02	6	<1	8	390	49	11.92	9	<1	<1	<1	<1	1.98	<1	18	1.59	4834	30	<1	18	549	26	<1	0.82	<5	1	<5	<10	44	8	5	<1	135	<2	37	10	<10	7	189	<1
55084R	086930	0.051	<1	5.25	133	50	<2	40	1.03	6	<1	8	316	47	11.59	9	<1	<1	1	<1	1.95	<1	17	1.55	4659	29	<1	15	450	22	<1	0.86	<5	1	<5	<10	44	7	5	<1	131	<2	35	9	<10	7	165	<1
55085	086931	0.036	<1	4.67	106	45	<2	39	0.94	4	<1	4	519	22	8.14	4	<1	<1	<1	<1	1.77	<1	15	1.12	2439	28	<1	11	657	17	<1	0.36	<5	<1	<5	<10	41	4	4	<1	100	<2	<20	8	<10	6	87	<1
55086	086932	<0.005	<1	4.73	23	45	<2	38	0.82	5	<1	2	525	13	8.82	5	<1	<1	<1	<1	1.77	<1	15	1.06	2930	29	<1	9	443	18	<1	0.61	<5	<1	<5	<10	40	5	4	<1	109	<2	20	5	<10	7	48	<1
55087	086933	0.054	<1	4.93	92	55	<2	43	1.07	8	<1	17	330	66	13.58	11	<1	<1	1	<1	1.94	<1	15	1.72	4940	32	<1	25	797	27	<1	2.03	7	4	22	<10	44	8	7	<1	134	<2	42	20	<10	7	217	<1
55088	086934	0.099	<1	6.45	578	151	2	47	0.93	7	<1	31	393	103	12.49	15	<1	<1	<1	<1	1.85	2	14	1.25	2735	28	2	49	549	27	1	3.43	7	6	<5	<10	66	7	4	<1	249	<2	30	47	11	8	401	<1
55089	086935	0.079	<1	6.73	482	156	2	48	1.06	6	<1	25	368	87	11.12	14	<1	<1	1	<1	2.11	2	16	1.18	2635	29	1	43	706	22	<1	2.89	5	5	<5	<10	67	8	4	<1	241	<2	34	42	10	8	310	<1
55090	086936	0.012	<1	7.43	85	69	2	48	1.70	6	<1	4	264	11	12.73	14	17	1	<1	<1	1.77	<1	22	1.72	3365	36	<1	6	1184	22	<1	0.37	5	<1	<5	<10	66	7	8	<1	170	<2	40	6	<10	9	59	99
55091	086937	<0.005	<1	2.51	63	25	<2	24	1.18	6	<1	2	519	3	10.34	2	<1	<1	1	<1	1.39	<1	8	1.28	2873	21	<1	7	706	13	<1	0.16	<5	<1	<5	<10	26	7	7	<1	<100	<2	22	5	<10	4	33	<1
55092	086938	0.029	<1	5.46	121	61	2	41	1.64	9	<1	14	262	33	15.92	15	<1	<1	<1	<1	2.03	<1	17	2.03	4850	34	<1	12	799	24	<1	1.15	<5	2	<5	<10	54	9	7	<1	129	<2	57	12	<10	8	122	<1
55093	086939	0.020	<1	6.58	20	89	2	50	1.21	5	<1	5	503	20	10.79	12	<1	<1	2	<1	1.99	<1	20	1.34	2670	31	<1	11	748	19	<1	0.70	<5	<1	<5	<10	56	6	3	<1	240	<2	26	11	<10	9	87	<1
55094	086940	5.337	4	8.42	217	227	2	49	2.45	4	16	108	140	1481	6.52	14	<1	<1	1	<1	1.84	9	21	1.21	577	26	6	1262	888	646	103	1.84	<5	10	14	<10	135	4	2	2	2558	<2	<20	84	31	16	403	<1
55096	086941	<0.005	<1	5.13	14	52	<2	41	2.08	6	<1	3	418	8	10.46	8	<1	<1	1	<1	1.84	<1	16	1.43	2338	26	<1	8	908	15	<1	0.19	6	<1	<5	<10	51	5	5	<1	128	3	<20	7	<10	7	51	<1
55097	086942	0.202	<1	9.18	92	392	4	65	1.82	12	5	72	147	131	19.15	30	<1	<1	<1	<1	1.67	3	20	2.29	5984	40	3	43	1369	42	3	3.58	8	8	12	11	81	14	10	<1	430	<2	98	59	18	13	340	<1
55098	086943	0.075	<1	5.45	399	54	<2	48	2.15	7	<1	8	330	16	12.74	11	<1	<1	<1	<1	1.81	<1	17	1.65	3235	30	<1	8	562	16	<1	0.50	<5	<1	<5	<10	56	7	8	<1	160	<2	48	9	<10	7	55	<1
55099	086944	0.077	6	9.48	375	292	3	48	1.55	5	<1	48	63	218	10.50	22	<1	<1	<1	<1	1.87	<1	30	1.59	1429	24	17	41	1362	11	<1	0.39	<5	14	<5	<10	79	8	1	<1	4301	<2	37	210	15	6	100	<1
55100	086945	0.013	3	9.33	111	174	2	45	2.09	4	<1	46	35	245	9.40	22	<1	<1	1	<1	1.87	<1	33	1.75	1618	22	14	53	893	12	<1	0.25	<5	14	9	<10	124	7	1	<1	2434	<2	34	189	<10	7	99	<1
55101	086946	0.013	8	8.89	98	273	2	48	2.53	4	<1	44	40	226	7.94	19	<1	<1	<1	<1	1.88	<1	30	1.66	1301	20	14	44	971	17	<1	0.24	<5	13	16	<10	100	7	<1	<1	2896	<2	<20	179	<10	8	101	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55102	086947	0.027	<1	9.10	107	234	2	49	4.37	7	1	43	132	182	11.80	19	<1	<1	<1	<1	1.98	1	27	2.33	3036	27	8	50	824	26	5	1.66	<5	12	<5	<10	100	9	3	<1	1727	4	23	123	<10	10	196	<1
55103	086948	0.006	2	6.08	36	62	2	55	3.66	10	<1	13	112	80	17.51	19	<1	<1	<1	<1	2.10	<1	20	2.69	4776	36	<1	18	523	27	<1	1.90	5	1	7	<10	71	10	9	<1	221	<2	77	13	<10	10	62	<1
55104	086949	<0.005	<1	5.53	31	59	2	50	1.76	7	<1	6	491	8	12.51	10	<1	<1	2	<1	2.11	<1	18	1.59	2451	30	<1	9	1064	26	<1	0.31	6	<1	<5	<10	50	7	8	<1	191	3	40	9	<10	9	33	<1
55105	086950	<0.005	5	8.05	10	894	<2	47	1.38	<4	106	7	370	10	2.37	14	<1	<1	2	<1	1.92	45	27	0.54	277	21	10	6	1304	35	45	0.05	<5	3	25	<10	202	3	<1	29	2510	<2	<20	35	<10	14	65	<1
55107	086951	<0.005	<1	5.89	21	67	2	37	1.58	5	<1	4	480	8	10.07	9	<1	<1	1	<1	1.80	<1	18	1.28	1722	27	<1	8	789	15	<1	0.34	<5	<1	5	<10	54	6	6	<1	199	<2	28	8	<10	9	25	<1
55108	086952	<0.005	<1	5.45	65	56	<2	39	1.88	7	<1	4	303	6	12.30	11	<1	<1	2	<1	1.72	<1	17	1.67	3606	29	<1	6	902	15	<1	0.37	6	<1	<5	<10	52	8	8	<1	143	<2	48	8	<10	8	29	<1
55109	086953	<0.005	<1	5.57	85	57	<2	44	1.27	4	<1	3	532	5	8.80	7	1	<1	<1	<1	1.88	<1	18	1.06	1802	25	<1	7	682	14	<1	0.22	<5	<1	<5	<10	51	4	6	<1	128	<2	24	5	<10	8	22	<1
55110	086954	<0.005	<1	6.59	46	62	2	50	1.33	6	<1	4	242	12	11.81	12	4	<1	2	<1	1.97	<1	19	1.48	2394	29	<1	7	780	23	<1	0.70	<5	<1	<5	<10	67	8	7	<1	326	<2	38	10	<10	9	43	<1
55111	086955	<0.005	<1	6.36	48	60	<2	46	1.26	6	<1	5	381	13	11.38	12	3	<1	<1	<1	1.86	<1	18	1.43	2254	29	<1	8	716	23	<1	0.69	<5	<1	<5	<10	64	7	6	<1	351	<2	40	11	<10	9	40	<1
55112	086956	<0.005	<1	6.04	42	88	<2	47	1.46	6	<1	6	544	25	10.51	10	<1	<1	2	<1	1.94	<1	19	1.45	2491	28	<1	10	602	22	<1	0.30	5	<1	<5	<10	64	6	5	<1	211	<2	24	12	<10	9	143	<1
55113	086957	<0.005	<1	5.49	28	90	<2	31	0.88	4	<1	4	602	23	8.30	8	<1	<1	1	<1	1.90	<1	17	1.01	1320	24	<1	8	766	16	<1	0.18	<5	<1	<5	<10	51	5	4	<1	216	<2	<20	9	<10	8	42	<1
55114	086958	0.010	<1	5.98	58	62	<2	36	1.06	4	<1	6	600	29	8.83	8	4	<1	1	<1	1.91	<1	18	1.05	1761	27	<1	9	573	13	<1	0.19	<5	<1	<5	<10	61	6	5	<1	187	<2	<20	11	<10	8	41	<1
55115	086959	<0.005	<1	6.14	20	145	2	42	0.98	4	<1	3	339	28	7.66	7	<1	<1	2	<1	1.95	<1	18	0.96	1104	24	<1	5	827	16	<1	0.12	<5	<1	<5	<10	86	5	2	<1	515	<2	<20	12	<10	6	48	<1
55116	086960	<0.005	<1	6.01	35	68	<2	46	1.20	<4	<1	4	584	38	6.86	6	<1	<1	2	<1	1.94	<1	19	0.78	924	25	<1	10	298	13	<1	0.31	5	<1	<5	<10	67	4	<1	<1	142	<2	<20	5	<10	6	22	<1
55117D	086960	<0.005	<1	5.49	38	61	<2	35	1.16	<4	<1	3	573	37	6.84	5	<1	<1	2	<1	2.00	<1	17	0.75	917	24	<1	10	559	9	<1	0.31	5	<1	<5	<10	62	4	<1	<1	125	<2	<20	5	<10	6	22	<1
55118	086961	0.005	<1	11.05	60	971	3	50	3.55	<4	27	24	498	28	5.51	16	9	2	<1	<1	1.85	11	43	3.92	1071	27	7	165	1753	25	<1	0.09	<5	12	27	<10	280	4	2	4	596	<2	24	91	<10	15	70	101
55119	086962	0.478	<1	5.40	37	108	<2	32	0.95	<4	<1	8	525	55	5.04	4	<1	<1	1	<1	1.88	<1	18	0.74	1023	21	4	29	746	15	<1	2.43	<5	2	13	<10	66	7	4	<1	287	<2	<20	13	<10	6	148	<1
55120	086963	0.009	<1	5.81	1926	60	2	38	1.06	5	<1	14	514	19	10.19	11	<1	<1	2	<1	1.83	<1	17	1.53	1666	27	2	36	847	19	<1	0.93	5	3	<5	<10	72	7	8	<1	479	<2	<20	23	<10	7	101	<1
55121	086964	0.217	<1	9.24	66	462	3	47	3.64	<4	41	29	517	50	4.87	12	<1	<1	1	<1	1.99	20	37	4.03	1105	17	10	169	1726	38	9	0.08	<5	14	18	<10	612	4	2	6	1602	<2	22	110	<10	15	77	<1
55122	086965	0.008	1	9.96	41	527	3	53	3.68	<4	46	24	444	77	4.58	13	3	<1	1	<1	2.00	21	37	3.75	1028	21	10	147	1808	36	9	0.07	<5	14	26	<10	668	5	<1	9	1707	<2	<20	112	<10	16	71	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55123	086966	0.080	<1	6.08	138	321	2	44	1.56	6	4	10	406	38	11.65	12	<1	<1	<1	<1	1.79	3	21	2.31	2543	28	1	46	904	17	<1	0.73	<5	3	<5	<10	128	7	8	<1	551	2	42	30	<10	11	66	<1
55124	086967	<0.005	<1	7.92	53	740	3	40	4.03	<4	33	34	567	44	4.60	10	<1	<1	2	<1	1.65	17	38	4.56	973	14	11	214	1933	24	40	0.14	<5	15	6	<10	619	4	<1	6	2523	<2	<20	109	<10	12	64	<1
55125	086968	<0.005	5	8.55	19	865	2	45	4.02	<4	34	34	559	54	4.38	11	<1	<1	<1	<1	1.92	16	39	4.62	812	17	12	224	1944	21	60	0.19	<5	15	12	<10	667	5	<1	6	2774	<2	<20	110	<10	14	55	<1
55126	086969	<0.005	2	8.59	34	654	2	41	3.65	<4	40	35	577	42	5.52	12	<1	<1	2	<1	1.87	19	40	4.48	1163	17	11	216	2178	15	42	0.08	<5	16	10	<10	504	5	<1	5	2626	<2	<20	118	<10	14	115	<1
55127	086970	13.516	7	8.08	25	374	<2	30	2.69	<4	1	23	83	126	3.95	12	<1	<1	3	<1	1.71	<1	19	1.31	540	21	9	40	429	31	412	0.83	<5	11	9	<10	133	5	<1	<1	3594	<2	<20	100	<10	16	137	<1
55129	086971	0.432	<1	6.95	51	121	<2	49	1.21	6	6	24	477	63	11.28	14	<1	<1	1	<1	2.02	5	25	1.63	1446	29	2	32	652	30	<1	2.14	<5	3	<5	<10	105	7	7	<1	651	<2	<20	33	12	8	212	<1
55130	086972	0.098	<1	7.05	15	192	2	60	3.00	11	<1	14	191	37	19.03	23	<1	<1	1	<1	2.24	2	26	2.35	3021	40	<1	24	757	28	<1	0.44	6	3	<5	<10	250	10	13	<1	576	<2	90	34	<10	10	66	<1
55131	086973	<0.005	4	9.04	39	790	2	37	4.11	<4	38	34	518	14	4.79	12	<1	<1	1	<1	2.19	17	41	4.38	902	19	11	190	2237	13	37	0.07	<5	16	10	<10	632	5	<1	6	2789	<2	<20	120	<10	16	57	<1
55132	086974	<0.005	6	8.81	33	691	2	43	4.30	<4	37	33	600	14	4.50	12	<1	<1	<1	1	1.76	18	38	4.63	807	18	11	212	1689	18	30	0.07	<5	15	10	<10	619	4	<1	6	2580	<2	<20	110	<10	14	54	<1
55133	086975	0.014	2	8.28	55	266	3	40	4.23	<4	35	33	604	45	5.02	11	<1	<1	<1	<1	1.38	17	35	4.83	982	20	9	224	1833	17	<1	0.08	6	16	18	<10	495	4	<1	5	1015	<2	<20	108	<10	14	61	<1
55134	086976	0.016	<1	4.67	29	373	2	42	1.96	9	<1	6	199	57	16.09	14	<1	<1	<1	<1	1.94	<1	14	1.87	2621	31	<1	7	1221	21	<1	0.35	<5	<1	<5	<10	121	11	9	<1	182	<2	65	12	<10	9	63	<1
55135	086977	0.022	<1	5.17	101	271	2	49	0.84	7	<1	6	228	45	13.91	11	<1	<1	<1	<1	2.02	<1	16	1.67	2436	30	<1	5	883	20	<1	0.47	<5	<1	<5	<10	56	11	9	<1	157	<2	49	8	<10	7	63	<1
55136	086978	0.066	<1	3.22	310	241	<2	31	1.30	6	<1	7	295	158	11.14	6	<1	<1	<1	<1	1.57	<1	10	1.53	2425	22	<1	10	978	17	<1	1.98	<5	<1	5	<10	77	6	5	<1	220	<2	44	17	<10	5	48	<1
55137	086979	0.063	<1	4.57	104	323	<2	45	1.12	8	<1	6	183	50	15.23	13	<1	<1	<1	<1	1.82	<1	14	1.87	2637	30	<1	12	747	24	<1	0.92	5	2	<5	<10	78	9	8	<1	206	<2	61	16	<10	6	67	<1
55138	086980	<0.005	<1	7.85	8	780	<2	36	1.30	<4	27	3	300	5	1.20	12	4	<1	2	<1	1.81	13	34	0.40	220	20	4	5	449	25	21	0.04	<5	1	28	<10	300	1	<1	8	1092	<2	<20	17	<10	6	35	<1
55140	086981	0.054	<1	8.58	63	204	2	39	3.51	<4	35	32	553	34	6.74	14	<1	<1	<1	<1	1.61	19	34	4.63	1380	13	9	206	2059	14	<1	0.19	<5	15	<5	<10	337	5	<1	4	1161	<2	<20	111	<10	14	79	<1
55141	086982	<0.005	2	8.77	55	265	2	40	3.94	<4	40	33	578	5	5.44	12	<1	<1	1	<1	1.66	20	37	4.76	1482	18	10	224	1829	11	<1	0.07	<5	16	19	<10	396	4	<1	4	1293	4	<20	115	<10	15	125	<1
55142	086983	0.130	<1	6.92	124	501	2	47	1.24	11	5	50	182	70	10.19	13	<1	<1	<1	<1	2.09	4	18	1.59	2586	29	2	58	672	15	<1	1.41	<5	3	<5	<10	90	8	6	<1	704	3	35	31	37	8	2191	<1
55143	086984	0.027	<1	9.51	84	167	2	68	3.53	<4	38	32	535	26	7.00	16	2	<1	1	<1	1.60	19	35	4.22	1679	17	8	172	2024	16	<1	0.39	5	15	15	<10	407	6	<1	5	696	4	<20	107	10	14	244	<1
55144	086985	0.014	<1	9.86	51	178	2	47	3.44	<4	42	33	562	14	6.83	16	2	<1	<1	<1	1.28	20	35	4.53	1803	16	9	187	2105	17	<1	0.20	<5	16	6	<10	397	5	<1	6	869	<2	<20	114	<10	15	186	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55145	086986	1.500	<1	7.43	1094	278	2	55	3.07	10	2	24	241	211	15.35	18	2	<1	2	<1	1.79	2	20	2.47	4332	34	4	59	932	23	<1	3.38	5	9	11	<10	201	12	9	<1	986	<2	62	69	22	9	699	<1
55146	086987	0.007	2	9.32	22	626	2	37	4.11	<4	36	33	606	59	4.28	12	<1	<1	1	<1	1.79	17	38	4.49	795	20	10	219	1762	22	55	0.10	<5	14	16	<10	569	5	<1	5	2670	3	<20	107	<10	14	58	<1
55147	086988	<0.005	4	8.91	17	683	2	45	4.04	<4	34	34	738	52	4.38	12	<1	<1	2	<1	1.79	18	36	4.77	799	19	11	244	1856	22	47	0.09	<5	14	19	<10	573	4	<1	7	2765	<2	<20	109	<10	13	58	<1
55148	086989	0.085	2	9.24	125	696	<2	44	5.91	<4	<1	48	195	131	5.75	17	<1	<1	<1	<1	2.02	<1	35	1.97	1260	22	22	104	1067	13	<1	0.50	<5	27	11	<10	283	6	<1	<1	2289	<2	<20	272	19	10	136	<1
55149	086990	0.018	<1	9.85	139	516	<2	53	5.62	<4	<1	46	210	142	5.72	17	<1	<1	<1	<1	2.01	<1	34	2.48	1087	16	20	108	1385	11	<1	0.30	<5	31	12	<10	281	5	<1	<1	1453	3	<20	253	<10	11	137	<1
55150R	086990	0.016	<1	8.78	125	391	<2	46	5.53	<4	<1	42	181	145	5.56	13	<1	<1	1	<1	1.89	<1	31	2.46	1064	14	18	105	571	13	<1	0.34	<5	29	25	<10	258	6	<1	<1	1118	<2	<20	229	<10	10	122	<1
55151	086991	<0.005	1	8.84	71	134	2	42	4.84	<4	37	31	547	64	4.64	12	<1	<1	2	<1	1.47	18	38	4.34	866	17	10	186	2509	13	<1	0.26	<5	17	15	<10	342	4	<1	6	340	<2	<20	117	<10	14	79	<1
55152	086992	0.230	<1	9.26	200	409	<2	50	5.27	<4	1	43	187	136	5.55	15	<1	<1	<1	<1	1.76	<1	28	1.69	1211	18	19	95	711	12	<1	0.41	<5	26	18	<10	227	5	<1	<1	807	<2	<20	243	<10	8	107	<1
55153	086993	0.007	<1	8.76	133	212	<2	42	5.88	<4	1	31	167	119	5.24	13	<1	<1	2	<1	1.89	<1	23	2.05	1168	15	16	84	554	12	<1	0.19	<5	22	30	<10	140	5	<1	<1	395	4	33	206	<10	7	85	<1
55154	086994	0.005	<1	8.32	164	188	<2	39	6.24	<4	1	44	156	129	5.45	14	<1	<1	1	<1	1.96	<1	21	2.18	1258	16	15	100	737	11	<1	0.34	<5	21	20	<10	124	4	<1	<1	381	5	<20	197	<10	7	113	<1
55155	086995	0.005	<1	9.25	132	202	<2	41	6.61	<4	<1	45	174	129	5.52	14	<1	<1	<1	<1	2.18	<1	22	2.24	1300	16	17	100	510	12	<1	0.32	<5	24	13	<10	137	5	<1	<1	417	7	<20	221	<10	8	111	<1
55156	086996	0.007	<1	8.40	217	193	<2	45	5.61	<4	<1	55	163	147	5.43	14	<1	<1	1	<1	1.95	<1	21	1.99	1248	15	17	114	955	10	<1	0.32	<5	23	10	<10	125	6	<1	<1	362	<2	<20	219	<10	7	108	<1
55157	086997	<0.005	<1	8.38	109	208	<2	44	6.22	<4	2	41	176	111	5.16	12	<1	<1	3	<1	2.17	<1	19	2.05	1524	15	15	86	922	8	<1	0.30	<5	24	25	<10	138	6	<1	<1	380	4	<20	206	<10	7	94	<1
55158	086998	0.009	<1	8.27	111	203	<2	38	5.36	<4	4	42	61	192	7.00	13	<1	<1	3	<1	2.27	1	22	2.25	1385	17	9	77	984	11	<1	0.37	<5	13	15	<10	147	5	<1	<1	298	5	<20	129	<10	7	101	<1
55159	086999	0.005	<1	8.31	60	124	2	49	5.14	4	10	38	41	191	8.25	15	<1	<1	<1	<1	1.86	4	28	2.87	1394	16	10	70	627	15	<1	0.14	<5	15	<5	<10	177	5	<1	<1	226	<2	<20	140	<10	8	110	<1
55160	087000	0.966	4	8.39	10	129	<2	49	4.07	<4	12	29	104	41	5.22	17	<1	<1	2	<1	2.02	6	19	2.04	846	20	15	25	756	23	18	0.10	<5	17	18	<10	168	6	2	<1	5314	<2	<20	166	<10	25	81	<1
55162	088501	0.023	<1	9.94	60	222	<2	53	5.21	4	13	42	43	179	8.11	19	<1	<1	3	<1	2.35	5	31	2.77	1360	21	10	66	1237	12	<1	0.17	<5	14	19	<10	201	5	<1	<1	417	<2	24	139	<10	9	105	<1
55163	088502	0.016	<1	10.05	36	590	2	49	4.75	4	19	42	35	196	8.36	20	<1	<1	<1	<1	2.33	7	33	2.80	1428	21	11	73	885	11	<1	0.25	<5	15	8	<10	218	6	<1	<1	830	<2	<20	151	<10	10	112	<1
55164	088503	0.011	<1	8.68	39	442	<2	45	7.35	<4	14	35	33	179	6.64	13	<1	<1	2	<1	2.29	6	24	1.89	1481	19	9	60	1191	15	<1	0.30	<5	12	11	<10	335	5	<1	<1	1627	3	<20	132	<10	10	81	<1
55165	088504	0.038	<1	8.70	33	618	2	46	6.68	4	16	36	29	170	7.50	15	<1	<1	1	<1	2.15	7	28	2.93	1478	16	9	63	441	9	<1	0.28	<5	14	6	<10	278	4	<1	<1	455	<2	<20	132	<10	9	96	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55166	088505	0.013	<1	9.15	27	446	2	49	5.15	4	18	40	25	182	8.27	17	<1	<1	2	<1	1.94	8	30	3.18	1361	18	10	70	1146	14	<1	0.16	6	15	<5	<10	214	6	2	2	503	<2	<20	143	<10	9	108	<1
55167	088506	0.013	<1	9.26	20	145	<2	51	6.57	<4	17	39	25	192	7.26	16	<1	<1	<1	<1	2.20	7	29	2.35	1317	19	10	60	1124	11	<1	0.28	<5	13	16	<10	288	5	<1	<1	1634	<2	<20	146	<10	11	95	<1
55168	088507	0.015	<1	9.46	23	180	2	50	6.21	4	19	43	26	183	7.85	17	<1	<1	2	<1	2.32	7	31	2.78	1320	19	9	70	406	10	<1	0.78	<5	14	13	<10	259	5	<1	<1	403	<2	55	133	<10	10	95	<1
55169	088508	0.009	<1	8.91	18	61	2	43	5.37	4	19	42	25	207	8.33	17	<1	<1	<1	<1	2.03	8	31	2.83	1376	18	11	70	582	13	<1	0.23	<5	16	<5	<10	210	4	2	<1	414	<2	29	150	<10	9	104	<1
55170	088509	0.011	<1	8.50	17	74	<2	48	5.96	<4	15	37	34	182	7.74	14	<1	<1	<1	<1	2.12	6	31	2.99	1558	15	10	69	575	15	<1	0.19	<5	14	<5	<10	235	4	<1	<1	285	2	<20	136	<10	8	94	<1
55171	088510	5.357	3	7.18	218	215	2	40	2.33	4	12	107	139	1502	6.32	11	<1	<1	1	<1	1.83	7	18	1.15	575	24	7	1255	773	652	103	2.13	<5	9	14	<10	125	5	5	<1	2252	<2	22	81	31	14	408	<1
55173	088511	0.006	<1	9.65	30	78	<2	49	5.24	4	13	45	34	188	7.85	18	<1	<1	<1	<1	2.30	5	36	3.24	1530	20	13	74	1346	9	<1	0.11	<5	15	11	<10	212	8	2	<1	266	<2	27	143	<10	9	98	<1
55174	088512	0.013	2	8.69	22	173	<2	40	6.10	<4	8	38	37	193	7.67	16	<1	<1	<1	<1	2.24	2	33	3.25	1703	17	10	67	789	16	<1	0.18	<5	14	7	<10	253	5	<1	<1	319	<2	29	138	<10	8	91	<1
55175	088514	0.385	4	9.14	31	678	2	43	5.99	4	7	47	39	196	7.84	18	<1	<1	2	<1	2.28	2	28	2.13	1476	22	13	74	1080	11	<1	0.44	<5	13	13	<10	196	6	<1	<1	2679	<2	<20	161	<10	9	108	<1
55176	088515	0.007	<1	9.48	23	469	<2	50	5.35	<4	14	41	44	176	7.57	16	<1	<1	1	<1	2.29	6	29	2.20	1345	20	11	73	1145	10	<1	0.23	<5	13	8	<10	161	5	1	<1	1403	<2	23	146	<10	9	102	<1
55177	088516	0.015	4	8.45	28	391	<2	44	7.22	<4	13	37	17	119	6.79	18	<1	<1	2	<1	2.15	4	26	1.44	1443	22	13	32	1246	11	<1	0.24	<5	9	<5	<10	212	7	2	<1	3539	<2	<20	141	<10	10	93	<1
55178	088517	<0.005	<1	8.12	19	363	<2	45	9.51	<4	15	30	17	86	6.23	17	<1	<1	<1	<1	2.21	5	26	1.18	1779	22	10	19	968	10	<1	0.18	<5	7	14	<10	242	6	2	<1	2987	<2	22	117	<10	11	88	<1
55179	088518	0.006	5	8.72	30	209	<2	50	7.84	<4	13	43	40	194	7.24	17	<1	<1	<1	<1	2.19	4	25	1.68	1454	20	14	73	569	12	<1	0.19	<5	13	14	<10	227	6	<1	<1	2597	<2	<20	161	<10	10	97	<1
55180	088519	<0.005	5	10.30	16	59	2	52	4.17	<4	19	47	49	224	7.78	20	1	<1	2	<1	2.07	7	30	3.50	1633	19	16	87	1163	13	<1	0.13	<5	16	6	<10	211	5	<1	<1	2690	<2	35	173	<10	11	106	<1
55181	088520	<0.005	<1	7.05	8	846	<2	32	1.24	<4	34	2	236	6	1.15	10	<1	<1	2	<1	1.83	16	33	0.34	201	18	3	4	637	32	17	0.03	<5	1	18	<10	272	2	<1	12	1039	<2	<20	17	<10	5	35	<1
55182	088521	<0.005	<1	9.61	12	92	2	46	3.65	4	20	49	44	220	7.83	18	<1	<1	<1	<1	2.19	8	26	3.02	1391	17	14	87	1033	12	<1	0.16	<5	17	6	<10	210	5	<1	<1	1650	<2	<20	178	<10	11	113	<1
55183D	088521	<0.005	6	10.07	17	105	2	53	3.62	4	14	49	44	226	7.74	20	7	<1	<1	<1	1.74	5	29	2.81	1400	22	16	84	649	12	<1	0.16	<5	15	11	<10	215	6	<1	<1	2988	2	<20	178	<10	11	110	<1
55184	088522	<0.005	<1	9.52	15	241	2	51	3.21	<4	17	48	34	218	7.81	17	<1	<1	<1	<1	2.09	8	24	3.14	1296	16	16	85	712	13	<1	0.17	5	17	5	<10	192	6	<1	<1	2234	<2	<20	176	<10	9	108	<1
55185	088523	<0.005	<1	8.45	14	275	2	40	3.50	<4	20	45	39	205	7.55	13	<1	<1	1	<1	1.79	9	20	2.68	1326	15	15	82	1327	10	<1	0.11	<5	17	<5	<10	195	6	<1	<1	1994	<2	40	174	<10	10	103	<1
55186	088524	<0.005	<1	8.94	21	168	2	44	3.69	4	21	51	42	238	8.02	16	<1	<1	2	<1	1.94	9	24	2.80	1437	18	15	99	724	11	<1	0.16	<5	18	<5	<10	191	6	<1	<1	1752	<2	<20	181	<10	10	115	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 18, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140787
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55187	088525	<0.005	<1	8.55	21	163	<2	44	3.34	4	19	48	42	225	7.86	15	<1	<1	<1	<1	1.87	8	22	2.65	1287	17	14	96	1055	16	<1	0.14	<5	18	<5	<10	176	4	<1	<1	1654	<2	22	174	<10	10	109	<1
55188	088526	<0.005	6	8.90	29	148	<2	41	4.25	4	15	49	32	214	7.87	17	<1	<1	<1	<1	1.95	6	23	2.14	1552	20	15	78	869	10	<1	0.15	<5	14	<5	<10	212	7	<1	<1	3002	<2	<20	166	<10	12	102	<1
55189	088527	<0.005	6	9.14	18	140	<2	48	4.59	<4	18	44	38	205	7.03	15	<1	<1	1	<1	1.96	7	24	2.50	1404	18	14	80	1297	14	<1	0.13	<5	15	13	<10	205	7	<1	<1	2460	4	<20	155	<10	11	98	<1
55190	088528	<0.005	<1	8.12	7	211	<2	28	3.73	<4	23	53	39	221	7.42	28	9	2	4	1	1.37	6	19	3.13	1307	14	15	<1	193	<1	<1	0.10	<5	17	32	14	160	9	<1	<1	2109	16	<20	170	<10	10	98	175
55191	088529	<0.005	3	10.60	14	273	2	64	3.22	4	18	47	31	208	7.57	19	<1	<1	2	<1	1.47	7	29	3.39	1346	20	16	74	1174	11	<1	0.14	<5	16	18	<10	168	6	<1	<1	3263	<2	<20	173	<10	12	108	<1
55192	088530	<0.005	9	10.09	13	276	2	43	3.50	4	20	48	38	198	7.35	17	<1	<1	<1	<1	2.14	8	26	3.43	1306	16	15	78	756	8	<1	0.22	<5	16	12	<10	176	5	<1	<1	2394	6	21	169	<10	12	100	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140788
Reference:
Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55193	086716	0.007	<1	7.94	54	79	4	16	7.59	42	<1	46	177	123	6.22	13	7	<1	58	33	1.90	<1	23	2.17	1508	94	12	143	9756	14	<1	0.25	9	23	<5	236	100	<1	<1	<1	536	<2	<20	179	35	6	72	<1
55194	086717	0.008	<1	5.19	97	52	5	2	6.83	46	<1	44	150	116	6.66	6	<1	<1	12	25	1.21	<1	18	2.70	1394	110	7	127	<100	4	<1	0.22	19	15	<5	239	65	<1	45	<1	212	<2	<20	130	30	4	79	<1
55195	086718	0.013	<1	6.27	179	121	5	9	7.05	42	<1	41	160	129	6.37	7	<1	<1	37	34	1.66	<1	19	2.63	1116	105	8	133	44966	9	<1	0.24	17	19	17	269	65	<1	58	<1	368	<2	<20	141	23	4	74	<1
55196	086719	0.006	<1	6.53	134	68	5	<1	6.55	44	<1	42	159	123	6.68	10	<1	<1	12	44	1.68	<1	22	2.75	1254	114	10	133	34850	<1	<1	0.26	7	18	14	84	90	<1	34	<1	237	<2	<20	145	19	5	71	<1
55197	086720	<0.005	<1	6.39	50	651	2	3	0.98	9	50	4	270	6	1.20	6	3	<1	25	3	1.64	31	28	0.43	234	24	3	23	39226	<1	36	0.06	15	2	13	65	204	<1	10	14	977	10	<20	18	42	8	36	<1
55198	086721	0.006	<1	6.21	73	62	5	6	5.43	47	<1	42	172	137	6.97	10	<1	<1	53	22	1.55	<1	22	3.10	1255	124	11	139	<100	3	<1	0.19	20	18	29	138	90	<1	55	<1	213	<2	<20	148	18	4	81	<1
55199	086722	<0.005	<1	5.55	43	70	3	12	13.82	26	<1	20	126	76	3.94	5	1	<1	29	23	1.82	<1	16	1.81	908	78	7	85	51306	2	<1	0.49	14	12	29	323	149	<1	36	<1	192	<2	<20	97	28	4	25	<1
55200	086723	0.005	<1	6.39	67	86	4	14	7.25	41	<1	39	143	114	6.05	7	2	<1	41	34	1.78	<1	21	2.72	1194	109	8	130	<100	<1	<1	0.24	9	16	<5	225	112	<1	<1	<1	255	<2	<20	127	28	4	62	<1
55201	086724	<0.005	<1	6.83	25	59	5	15	9.13	40	<1	34	158	105	6.12	8	<1	<1	33	17	1.36	<1	25	2.67	1307	103	11	129	<100	8	<1	0.32	14	24	44	48	161	<1	<1	<1	270	<2	<20	172	33	6	59	<1
55202	086725	<0.005	<1	7.19	83	64	4	15	9.53	42	<1	37	165	110	6.38	10	<1	<1	44	26	1.38	<1	25	2.70	1357	110	11	118	<100	9	<1	0.33	11	25	36	253	171	<1	26	<1	302	<2	<20	181	26	6	63	<1
55203D	086725	0.005	<1	6.28	39	51	5	15	9.68	43	<1	36	170	113	6.51	8	1	<1	18	41	0.93	<1	23	2.77	1383	107	12	131	<100	<1	<1	0.40	9	26	45	169	168	<1	46	<1	252	<2	<20	182	27	5	64	<1
55204	086726	<0.005	<1	6.43	40	52	5	<1	9.72	43	<1	36	170	119	6.60	9	3	<1	49	34	1.06	<1	24	2.79	1395	116	12	132	29576	3	<1	0.21	<5	26	46	113	167	<1	10	<1	262	<2	<20	184	47	5	63	<1
55205	086727	<0.005	<1	7.28	70	35	6	12	6.70	50	<1	43	207	128	7.57	13	6	<1	40	32	1.05	<1	32	3.58	1215	135	14	142	<100	1	<1	0.24	7	33	<5	140	132	<1	<1	<1	470	<2	<20	230	55	5	83	<1
55206	086728	<0.005	<1	7.59	39	110	5	16	8.63	42	<1	43	195	139	6.29	11	<1	<1	18	36	1.54	<1	27	2.74	1211	110	14	130	6493	<1	<1	0.31	18	29	38	212	146	<1	14	<1	932	<2	<20	210	33	6	68	<1
55207	086729	<0.005	3	10.37	173	93	5	<1	9.10	48	4	45	203	152	7.27	21	8	3	64	43	2.28	<1	38	2.93	1392	113	21	1729	1087	6	3	2.01	15	31	<5	<10	195	<1	<1	<1	2044	32	<20	240	37	9	86	146
55208	086730	<0.005	1	10.72	67	85	6	<1	8.12	49	2	46	218	152	7.70	20	<1	2	43	21	2.02	<1	39	3.54	1359	134	17	1373	1019	<1	<1	1.78	<5	34	<5	<10	208	<1	<1	<1	1605	<2	<20	250	10	8	85	120
55209	086731	<0.005	1	9.70	126	76	5	<1	5.16	52	<1	46	219	139	8.24	24	8	4	78	36	2.21	<1	42	4.40	1393	157	17	1505	802	<1	<1	1.83	10	30	14	<10	130	<1	<1	<1	537	8	<20	237	13	6	93	117
55210	086732	0.005	2	10.77	112	150	6	<1	5.96	53	<1	46	212	151	8.04	21	19	2	40	33	2.08	<1	43	4.13	1360	147	18	1300	432	5	15	1.78	14	34	<5	13	163	<1	14	<1	2291	<2	<20	244	<10	7	97	113
55211	086733	<0.005	2	9.11	85	147	6	<1	6.58	50	<1	46	203	136	7.81	17	13	<1	10	40	2.21	<1	39	4.22	1431	140	16	893	1180	<1	19	1.28	14	33	<5	<10	148	<1	33	<1	2173	<2	<20	229	43	9	97	<1
55212	086734	0.014	3	9.80	86	126	5	<1	10.60	40	4	36	228	282	6.07	16	5	3	69	15	2.23	<1	32	2.38	1303	96	14	1358	1345	4	<1	2.06	14	26	14	<10	194	<1	55	<1	2648	3	<20	196	21	13	62	171

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140788
Reference:
Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55213	086735	0.012	2	9.75	99	121	4	<1	10.31	41	3	37	338	223	6.17	17	11	2	42	34	2.22	<1	30	2.32	1295	99	14	1328	1471	<1	<1	1.88	9	25	6	<10	207	<1	18	<1	2958	9	<20	197	16	13	58	124
55214D	086735	0.012	<1	10.16	119	123	4	<1	10.18	40	2	38	327	221	6.11	16	24	2	11	31	2.34	<1	31	2.31	1275	97	14	1414	799	7	9	1.89	11	26	22	<10	208	<1	19	<1	3034	25	<20	194	16	13	58	138
55215	086736	0.006	5	10.85	114	188	6	<1	6.41	54	1	52	216	151	8.25	21	14	2	84	24	2.22	<1	38	3.92	1363	141	17	1490	1431	<1	18	1.54	14	33	<5	<10	150	<1	49	<1	4168	<2	<20	242	33	16	94	117
55216	086737	<0.005	2	10.84	74	184	6	<1	3.23	53	<1	63	240	148	8.29	20	1	1	96	23	2.17	<1	38	4.60	1427	160	18	1241	723	<1	29	1.59	9	35	<5	<10	114	<1	<1	4153	3	<20	254	36	15	114	55	
55217	086738	<0.005	4	10.08	101	95	5	<1	4.41	50	<1	47	215	140	7.66	20	12	2	75	33	2.27	<1	35	5.00	1424	161	19	1282	868	<1	<1	1.65	10	32	17	1357	100	<1	31	<1	4476	<2	<20	238	20	17	83	96
55218	086739	<0.005	2	10.04	102	99	5	<1	4.39	50	<1	48	213	144	7.55	20	21	2	73	31	2.25	<1	35	4.93	1410	150	19	1248	905	4	4	1.84	11	30	<5	<10	103	<1	86	<1	4450	<2	<20	238	24	17	86	117
55219	086740	5.650	3	9.80	388	299	6	<1	2.94	51	15	123	166	1706	7.81	24	13	6	50	33	1.90	5	29	1.32	679	83	8	2864	693	510	106	2.31	10	10	<5	<10	149	<1	60	<1	3295	<2	<20	100	69	15	456	313
55220	086741	<0.005	3	9.86	88	99	6	6	3.74	56	<1	54	242	162	8.87	23	22	4	100	15	1.95	<1	41	5.06	1569	173	19	1583	630	2	<1	2.04	8	29	<5	<10	87	<1	77	<1	4800	<2	<20	261	21	17	108	154
55221	086742	<0.005	2	9.51	110	99	6	<1	4.63	53	<1	52	218	156	8.17	20	<1	<1	44	26	2.20	<1	33	4.81	1518	158	18	1156	758	<1	<1	1.69	5	32	<5	<10	82	<1	66	<1	4560	<2	<20	239	28	17	101	84
55222	086743	<0.005	5	11.04	119	105	6	<1	3.96	58	<1	54	222	152	8.88	22	5	3	88	33	2.28	<1	35	5.07	1510	179	19	1461	1215	4	<1	1.98	10	34	<5	155	92	<1	47	<1	4634	<2	<20	250	35	18	108	155
55223	086744	<0.005	2	10.18	126	93	5	<1	5.53	52	<1	51	229	144	8.12	18	13	<1	80	23	2.08	<1	28	4.61	1404	159	19	1270	1452	1	<1	1.57	11	35	<5	<10	118	<1	5	<1	4621	9	<20	250	<10	17	93	64
55224	086745	<0.005	4	11.58	102	125	5	<1	5.18	54	<1	49	219	142	8.12	22	11	3	72	32	2.45	<1	35	4.51	1398	163	20	1777	838	<1	15	1.91	18	35	<5	474	129	<1	24	<1	4572	26	<20	254	17	18	97	136
55225D	086745	0.005	4	11.97	96	131	5	<1	5.20	54	1	49	218	139	8.29	22	8	4	77	27	2.26	<1	37	4.58	1394	156	20	1866	1230	3	15	2.01	10	35	18	<10	131	<1	51	<1	4583	<2	<20	253	26	19	93	164
55226	086746	<0.005	3	11.95	130	139	5	<1	5.23	50	<1	50	220	150	7.68	21	16	4	86	39	2.62	<1	39	4.38	1368	147	19	2150	738	10	22	2.05	6	34	22	1336	136	<1	20	<1	4470	<2	<20	250	20	18	90	182
55227	086747	<0.005	3	9.78	80	78	6	10	5.73	54	<1	51	215	143	8.36	19	10	<1	50	42	1.97	<1	35	4.93	1497	171	18	1121	1333	<1	<1	1.30	7	34	<5	<10	116	<1	49	<1	4120	<2	<20	244	18	17	101	<1
55228	086748	<0.005	<1	10.90	129	87	5	<1	6.11	49	<1	49	216	138	7.34	19	5	3	<1	23	2.43	<1	36	3.90	1255	132	18	1601	1312	<1	17	1.97	5	31	<5	200	142	<1	60	<1	4428	6	<20	250	12	17	92	144
55229	086749	<0.005	2	11.17	88	83	4	3	6.14	48	1	49	221	145	7.36	21	11	3	66	20	2.36	<1	39	3.91	1188	128	18	1842	1036	22	<1	2.04	6	32	10	849	126	<1	66	<1	4319	<2	<20	247	15	17	88	170
55230	086750	<0.005	1	8.54	147	975	2	<1	1.52	8	9	5	532	5	1.28	20	18	5	16	<1	1.73	4	38	0.43	259	24	5	2408	843	21	33	2.28	13	1	<5	<10	440	<1	12	5	1215	<2	<20	19	28	6	31	269
55231	086751	<0.005	2	8.81	76	47	6	<1	4.32	52	<1	47	227	142	7.88	18	<1	<1	50	23	1.55	<1	37	4.88	1400	160	20	899	1425	<1	<1	1.12	15	34	<5	<10	92	<1	69	<1	3532	<2	<20	240	11	16	92	<1
55232	086752	<0.005	2	10.41	83	72	6	<1	3.79	49	<1	46	226	140	7.54	20	8	2	34	13	2.09	<1	41	4.83	1277	151	18	1494	399	<1	<1	1.63	7	32	32	<10	106	<1	42	<1	3020	7	<20	245	18	15	93	64

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140788
Reference:
Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55233	086753	<0.005	1	9.86	129	60	5	<1	4.74	49	<1	45	229	160	8.16	19	7	1	51	36	1.95	<1	41	4.67	1198	151	17	1291	835	1	<1	1.47	11	32	<5	<10	113	<1	52	<1	978	<2	<20	236	27	10	104	30
55234	086754	<0.005	1	10.75	68	68	5	<1	4.59	48	3	44	182	150	7.66	21	9	4	81	28	2.16	<1	51	4.35	1138	149	15	1437	708	6	<1	1.77	<5	28	27	<10	102	<1	12	<1	376	6	<20	203	18	7	143	111
55235	086755	<0.005	1	10.06	97	77	5	<1	4.76	48	2	44	170	160	7.58	22	12	6	49	18	2.13	<1	53	4.09	1149	149	16	1523	817	4	<1	2.03	12	24	5	<10	105	<1	30	<1	358	<2	<20	201	11	7	144	153
55236D	086755	0.007	1	9.52	65	61	6	<1	4.81	49	3	43	172	170	7.78	20	7	3	37	25	2.09	<1	50	4.32	1184	149	15	1134	1707	7	3	1.58	14	26	23	<10	100	<1	<1	<1	326	<2	<20	209	<10	6	146	55
55237	086756	<0.005	3	11.51	78	187	6	<1	5.80	51	10	45	106	179	8.29	25	14	6	50	20	2.34	1	58	3.96	1182	154	14	1677	821	7	<1	2.02	11	24	42	<10	124	<1	<1	<1	392	<2	<20	196	<10	7	105	166
55238	086757	<0.005	1	9.80	88	272	6	2	5.54	52	<1	42	206	137	8.14	21	7	5	39	17	2.34	<1	76	4.52	1087	159	15	1679	1568	9	<1	2.09	9	24	9	<10	106	<1	<1	<1	368	<2	<20	215	12	5	104	131
55239	086758	<0.005	<1	9.19	109	398	5	<1	5.71	49	<1	44	191	154	7.81	17	15	2	31	19	2.11	<1	54	4.15	1134	141	12	1122	192	14	<1	1.59	<5	20	9	<10	81	<1	15	<1	462	<2	<20	176	15	5	88	37
55240	086759	0.006	2	8.97	138	343	4	<1	10.81	42	<1	35	188	127	6.70	17	3	4	57	23	2.18	<1	33	2.04	1618	87	12	1443	1413	2	<1	2.10	13	19	<5	<10	115	<1	25	<1	562	22	<20	168	<10	6	84	157
55241	086760	<0.005	3	8.47	140	202	4	<1	10.50	41	<1	42	156	129	6.40	12	8	<1	39	27	2.06	<1	26	1.36	1608	73	10	905	947	<1	9	1.55	12	21	26	<10	72	<1	30	<1	348	12	<20	149	15	6	74	29
55242	086761	<0.005	2	9.69	125	283	4	76	8.64	43	<1	39	165	128	7.00	20	11	6	96	26	2.11	<1	41	1.77	1618	86	14	1874	483	9	12	2.38	10	21	<5	<10	100	<1	<1	<1	451	<2	<20	212	33	6	84	224
55243	086762	<0.005	2	10.16	141	332	4	<1	9.21	39	<1	36	156	118	5.99	24	39	8	90	32	1.78	<1	43	1.40	1749	71	15	4119	396	9	17	3.07	13	20	12	<10	124	<1	<1	<1	498	18	<20	224	26	7	66	330
55244	086763	<0.005	1	8.93	133	205	3	<1	10.85	32	3	34	174	115	5.00	15	12	2	50	24	2.10	<1	34	1.26	1513	61	13	1195	1010	7	5	1.69	5	24	<5	<10	135	<1	<1	<1	287	11	<20	197	<10	7	43	56
55245	086764	<0.005	3	8.94	114	141	6	<1	9.55	64	<1	41	151	106	9.91	18	8	1	31	27	2.14	<1	47	2.34	2441	111	14	1119	<100	23	4	1.43	5	29	<5	<10	88	<1	<1	<1	233	<2	<20	218	14	5	125	<1
55246	086765	<0.005	2	9.51	112	166	7	<1	10.18	63	<1	42	154	109	9.73	20	13	3	44	33	2.27	<1	48	2.30	2517	117	15	1199	1306	<1	10	1.67	19	29	12	<10	100	<1	<1	<1	262	<2	<20	223	15	6	118	55
55247D	086765	<0.005	2	9.54	87	153	7	25	10.80	66	<1	43	162	115	10.09	20	10	2	54	27	1.81	<1	48	2.48	2670	123	15	1125	1073	3	<1	1.42	11	32	7	<10	99	<1	<1	<1	245	19	<20	234	17	6	129	<1
55248	086766	<0.005	3	8.46	74	155	5	<1	11.39	50	<1	36	152	112	7.81	16	12	<1	20	22	1.93	<1	38	1.98	2694	96	13	923	1368	7	6	1.28	<5	28	<5	<10	103	<1	<1	<1	222	2	<20	205	12	6	89	<1
55249	086767	<0.005	1	9.01	66	143	5	<1	9.42	49	<1	42	169	131	7.79	19	4	<1	58	34	1.89	<1	41	1.95	2067	96	14	857	311	3	7	1.25	<5	32	<5	<10	105	<1	51	<1	207	<2	<20	228	30	5	109	<1
55250	086768	<0.005	2	8.36	110	142	4	<1	10.00	43	<1	40	159	121	6.81	15	5	<1	80	18	1.96	<1	38	1.91	1948	86	14	826	798	14	<1	1.34	14	29	<5	<10	103	<1	<1	<1	199	<2	<20	209	24	5	96	<1
55251	086769	<0.005	2	8.64	90	153	4	<1	11.11	44	<1	37	154	118	6.88	16	12	1	33	33	2.04	<1	38	2.03	2000	90	13	841	857	<1	8	1.40	11	28	17	<10	110	<1	<1	<1	207	9	<20	200	<10	6	94	<1
55252	086770	14.065	10	9.10	118	527	4	<1	3.19	30	<1	26	89	145	4.67	20	6	2	26	16	1.74	<1	24	1.46	638	63	9	941	876	34	422	1.60	10	13	25	<10	141	<1	53	<1	3936	<2	<20	115	33	17	165	108

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140788
Reference:
Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55253	086771	0.009	1	8.87	92	215	5	<1	8.78	45	4	41	200	120	7.10	18	8	3	61	19	2.12	<1	37	2.57	2028	106	13	995	866	11	15	1.72	8	25	<5	<10	127	<1	2	<1	303	28	<20	183	<10	6	109	70
55254	086772	<0.005	2	9.61	124	228	5	<1	10.75	46	1	37	166	111	7.15	20	21	5	4	16	2.37	<1	44	2.05	2297	93	13	1497	1415	14	<1	2.18	<5	25	9	<10	144	<1	<1	<1	307	<2	<20	198	<10	7	94	173
55255	086773	<0.005	1	9.42	107	224	4	<1	7.50	38	<1	49	214	162	5.95	19	7	3	39	24	1.86	<1	45	1.44	1362	70	17	1109	1808	8	2	1.81	9	27	55	<10	150	<1	<1	<1	263	<2	<20	250	37	6	71	92
55256	086774	<0.005	2	9.14	105	209	5	39	9.99	43	<1	37	161	127	6.79	16	10	4	32	45	1.97	<1	42	1.89	1694	93	13	1350	305	6	<1	1.98	10	24	23	<10	133	<1	15	<1	262	<2	<20	193	28	7	71	112
55257	086775	<0.005	2	8.74	137	223	4	<1	10.44	40	1	37	160	119	6.15	15	2	3	47	36	2.10	<1	40	1.66	1673	79	12	1250	1459	21	7	1.80	10	24	8	<10	132	<1	<1	<1	254	<2	<20	191	20	7	70	90
55258R	086775	<0.005	3	6.78	113	147	4	<1	10.41	39	<1	36	144	109	5.93	11	7	<1	17	40	1.69	<1	30	1.65	1636	76	11	744	1108	13	5	0.93	9	25	7	<10	110	<1	9	<1	160	<2	<20	174	31	6	57	<1
55259	086776	<0.005	2	7.45	81	389	4	<1	9.52	34	10	34	234	118	5.47	12	5	<1	38	22	2.04	2	25	2.15	1543	86	12	829	1198	2	5	1.25	10	24	<5	<10	176	<1	<1	<1	241	<2	<20	173	31	8	83	<1
55260	086777	<0.005	<1	8.51	121	372	4	<1	9.12	42	18	37	434	100	6.50	16	7	4	64	16	2.13	5	39	3.68	1946	119	12	1129	888	19	7	1.61	9	23	<5	<10	354	<1	10	<1	256	4	<20	164	20	10	83	70
55261	086778	<0.005	2	6.50	93	154	4	<1	9.20	41	1	36	153	125	6.40	9	4	<1	21	35	1.59	<1	29	1.59	2025	76	12	548	1514	9	<1	0.86	9	23	<5	<10	107	<1	58	<1	153	<2	<20	177	18	6	82	<1
55262	086779	<0.005	2	8.71	102	246	4	<1	9.48	41	<1	35	156	109	6.55	17	9	2	37	22	2.38	<1	39	1.54	1950	78	13	985	659	<1	15	1.76	8	25	7	<10	134	<1	<1	<1	250	<2	<20	201	37	7	87	63
55263	086780	<0.005	1	6.33	92	801	<2	<1	1.12	8	40	5	248	7	1.24	10	1	<1	9	<1	1.75	22	28	0.42	269	16	4	395	671	15	36	0.84	<5	2	<5	<10	266	<1	5	11	1115	<2	<20	20	<10	10	36	<1
55264	086781	<0.005	2	9.36	117	312	4	<1	8.42	32	2	42	173	140	5.27	18	11	3	37	28	2.05	<1	38	1.50	1718	64	14	946	1688	<1	9	1.83	<5	25	33	<10	150	<1	<1	<1	304	<2	<20	214	<10	7	76	97
55265	086782	<0.005	2	8.35	99	292	3	<1	9.25	32	<1	36	155	127	4.84	15	7	1	60	25	2.04	<1	29	1.58	1588	66	12	937	1170	6	9	1.49	9	27	17	<10	132	<1	<1	<1	249	23	<20	186	<10	7	74	18
55266	086783	<0.005	2	8.75	112	410	4	<1	9.62	32	1	40	155	128	5.14	16	16	3	25	17	2.35	<1	30	1.70	1707	70	13	1080	736	<1	22	1.88	16	25	<5	<10	133	<1	<1	<1	313	<2	<20	195	<10	7	103	100
55267	086784	<0.005	2	9.97	121	545	5	<1	10.16	44	1	47	161	130	6.82	18	10	4	49	24	1.72	<1	38	2.17	2475	95	14	1579	1539	17	9	2.06	<5	26	15	<10	157	<1	<1	<1	347	<2	<20	206	20	8	84	148
55268	086785	<0.005	2	9.16	117	480	5	<1	10.44	46	2	41	156	126	7.06	17	12	2	51	36	1.92	<1	35	2.21	2529	93	13	1206	1068	8	12	1.63	8	27	<5	<10	151	<1	49	<1	293	<2	<20	199	20	7	85	44
55269D	086785	<0.005	2	9.43	98	514	5	<1	10.50	46	1	36	162	130	7.20	18	6	2	78	35	1.90	<1	35	2.25	2563	96	14	1127	1950	3	24	1.64	6	28	35	<10	153	<1	5	<1	306	<2	<20	207	<10	8	88	49
55270	086786	<0.005	3	9.29	88	324	5	<1	10.03	48	2	40	177	131	7.39	18	9	1	76	36	2.00	<1	44	1.88	2507	90	14	894	413	16	<1	1.46	11	29	<5	<10	166	<1	<1	<1	229	<2	<20	226	<10	7	85	16
55271	086787	<0.005	1	10.44	82	184	5	5	6.69	49	19	41	304	129	7.65	22	26	6	34	26	1.86	7	65	4.20	1719	150	13	1557	1412	9	<1	1.88	7	25	<5	<10	210	<1	<1	<1	248	<2	<20	186	16	9	99	158
55272	086788	<0.005	2	9.07	102	146	5	<1	7.26	50	8	45	153	507	7.79	18	6	2	36	32	1.93	6	48	3.54	2193	138	14	991	370	<1	<1	1.46	13	26	17	<10	172	<1	<1	<1	196	<2	<20	197	28	6	131	27

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140788
Reference:
Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55273	086789	<0.005	3	9.32	88	240	5	<1	10.33	48	<1	42	152	136	7.46	18	15	3	46	22	1.94	<1	42	2.09	2226	100	13	1311	1338	<1	<1	1.81	12	27	5	<10	144	<1	<1	<1	263	4	<20	212	30	6	112	76
55274	086790	<0.005	3	9.14	148	326	5	<1	11.61	44	3	38	151	119	6.96	19	2	3	54	34	1.92	<1	36	1.48	2419	81	14	1275	742	8	9	1.93	12	24	28	<10	152	<1	<1	<1	327	<2	<20	209	23	7	94	108
55275	086791	<0.005	2	8.69	134	326	4	<1	9.78	41	<1	37	154	127	6.24	18	9	3	34	16	2.07	<1	33	1.29	1983	71	14	1169	1683	16	9	1.84	<5	22	42	<10	153	<1	<1	<1	308	<2	<20	217	12	6	93	80
55276	086792	<0.005	2	8.19	126	347	4	<1	9.24	38	<1	36	148	119	5.90	15	9	<1	20	13	2.18	<1	24	1.44	1935	74	14	873	917	8	11	1.47	7	25	9	<10	149	<1	<1	<1	271	<2	<20	203	14	5	81	<1
55277	086793	0.005	3	8.29	120	402	4	<1	10.06	42	<1	38	144	133	6.66	18	17	4	24	26	2.00	<1	31	1.58	2265	79	13	1593	1120	2	11	2.07	8	19	39	<10	179	<1	7	<1	339	11	<20	197	18	5	99	128
55278	086794	0.008	2	8.86	203	341	4	<1	11.79	37	2	36	142	128	5.80	16	10	3	22	34	2.04	<1	30	1.67	2405	75	13	1140	1080	6	23	1.82	13	24	29	<10	187	<1	<1	<1	292	<2	<20	196	18	7	70	84
55279	086795	0.005	3	8.44	211	329	4	<1	11.31	36	<1	32	143	116	5.63	14	8	2	45	28	2.06	<1	29	1.59	2314	75	13	1077	890	3	9	1.73	<5	23	13	<10	183	<1	<1	<1	282	26	<20	197	37	6	68	56
55280D	086795	0.006	2	8.55	235	332	4	<1	11.45	36	<1	32	138	120	5.80	16	6	3	29	13	1.96	<1	29	1.64	2336	76	11	1143	781	9	4	1.85	<5	22	22	<10	178	<1	18	<1	287	27	<20	187	10	6	73	90
55281	086796	0.006	<1	7.51	375	302	4	<1	9.69	37	12	36	332	80	5.68	12	8	1	41	27	1.68	3	23	3.25	2085	104	11	1080	794	18	11	1.31	12	21	23	<10	179	<1	48	<1	231	9	<20	154	15	7	54	<1
55282	086797	<0.005	1	8.63	186	283	4	<1	8.28	41	<1	32	172	83	6.38	16	16	4	33	21	2.27	<1	35	2.28	2193	90	13	1466	1016	2	13	1.90	7	23	<5	<10	168	<1	<1	<1	283	<2	<20	185	14	7	106	109
55283	086798	<0.005	2	8.53	148	244	5	<1	9.63	42	<1	33	126	103	6.80	16	4	3	12	32	2.06	<1	30	2.81	2345	112	11	1261	533	7	16	1.91	6	23	<5	<10	166	<1	<1	<1	258	6	<20	163	21	8	60	108
55284	086799	0.008	<1	8.44	429	295	7	<1	7.66	56	6	32	309	153	8.78	17	7	6	66	30	2.05	<1	34	2.91	2135	131	12	1326	823	8	10	1.89	15	19	<5	<10	174	2	<1	<1	276	<2	<20	129	13	9	131	136
55285	086800	0.970	3	8.39	72	214	4	<1	4.18	37	17	32	103	46	5.46	18	5	1	50	23	2.11	6	19	2.13	881	83	13	795	1075	13	54	1.51	6	20	<5	493	152	<1	14	<1	5012	<2	<20	166	11	28	92	76
55286	086801	0.006	1	9.60	304	335	5	<1	8.03	37	<1	42	171	124	5.85	16	6	4	55	34	1.87	<1	34	2.39	2062	92	12	1532	1020	6	13	2.13	5	22	<5	<10	220	<1	<1	<1	382	<2	<20	175	28	6	58	159
55287	086802	0.007	3	10.95	251	261	7	<1	6.04	59	5	44	63	222	9.52	23	15	5	41	27	1.99	<1	49	2.95	1643	130	11	1599	871	4	7	1.95	12	18	21	<10	166	<1	<1	<1	286	7	<20	170	26	8	140	137
55288	086803	0.006	2	8.68	234	244	4	<1	7.74	43	<1	41	133	147	6.82	14	12	2	33	34	2.16	<1	34	2.36	1693	101	11	1009	1166	5	4	1.63	9	23	16	<10	189	<1	<1	<1	232	<2	<20	156	11	5	93	51
55289	086804	0.005	2	7.61	228	227	4	<1	8.80	43	<1	34	153	143	6.74	13	1	<1	3	27	1.92	<1	28	2.23	1955	95	11	963	626	<1	1	1.45	10	24	10	<10	200	<1	4	<1	205	17	<20	162	15	4	69	<1
55290	086805	0.007	2	8.72	262	251	4	<1	8.65	41	<1	36	200	153	6.49	16	17	2	29	16	1.89	<1	32	2.14	1896	85	12	1204	700	4	<1	1.73	<5	24	22	<10	215	<1	<1	<1	235	<2	<20	178	16	4	69	59
55291D	086805	0.006	1	8.47	293	254	5	<1	8.87	42	<1	36	207	156	6.68	17	13	2	51	31	2.03	<1	31	2.14	1964	93	12	1089	<100	<1	12	1.61	6	24	23	<10	218	<1	<1	<1	228	<2	<20	184	24	4	74	26
55292	086806	<0.005	1	8.05	168	238	4	<1	6.99	36	6	34	216	130	5.82	15	4	2	69	28	2.00	<1	29	2.12	1305	87	9	1119	394	7	2	1.68	8	18	17	<10	198	<1	<1	<1	217	<2	<20	139	20	5	64	64

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/09/2011
Job #: 201140788
Reference:
Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55293	086807	0.014	2	8.62	124	206	5	<1	6.52	45	14	38	146	169	7.29	17	9	3	41	30	1.95	3	38	2.84	1186	117	9	1037	917	<1	<1	1.63	5	12	<5	<10	207	<1	30	<1	207	<2	<20	116	14	7	84	64
55294	086808	<0.005	4	9.82	140	260	6	<1	5.81	50	3	46	59	195	7.94	22	8	6	28	35	2.26	<1	45	2.65	1398	103	9	1941	1178	26	<1	2.24	9	12	10	<10	213	<1	63	<1	276	16	<20	133	14	6	152	184
55295	086809	<0.005	2	9.31	180	297	5	<1	6.80	45	<1	44	123	234	7.19	18	3	3	18	22	2.05	<1	40	2.86	1659	112	10	1112	541	5	10	1.83	7	20	<5	<10	174	<1	34	<1	258	<2	<20	154	<10	5	118	92
55296	086810	5.413	3	7.76	290	293	5	<1	2.60	45	15	116	146	1583	7.06	17	8	<1	29	33	1.73	8	20	1.26	634	72	6	1888	378	481	109	1.43	<5	11	<5	<10	127	<1	58	<1	2249	22	<20	84	28	15	429	57

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/02/2011
Job #: 201140789
Reference:
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55297	082811	<0.005	<1	8.23	<2	399	<2	<1	3.13	<4	<1	1	131	2	0.99	15	<1	<1	1	<1	1.70	<1	46	0.90	239	12	<1	10	178	<1	10	0.04	<5	2	<5	<10	142	<1	<1	<1	215	7	<20	12	<10	4	19	43
55298	082812	0.005	1	8.47	<2	341	2	<1	2.65	<4	<1	2	172	2	1.14	16	<1	<1	<1	1	1.43	<1	58	1.14	232	13	<1	10	200	2	6	0.03	<5	2	<5	<10	146	<1	<1	<1	190	4	<20	12	<10	4	23	23
55299	082813	<0.005	2	9.16	<2	562	<2	<1	1.72	<4	<1	2	151	1	1.02	17	<1	1	<1	3	1.72	<1	70	1.12	161	14	<1	13	219	2	11	0.02	<5	2	<5	<10	136	<1	<1	<1	249	6	<20	13	<10	4	23	44
55300	082814	0.013	3	7.44	<2	341	<2	<1	3.65	<4	<1	3	208	3	1.29	13	<1	<1	<1	5	1.89	<1	32	0.97	314	12	<1	15	189	<1	14	0.85	<5	2	<5	<10	104	<1	<1	<1	269	2	<20	16	<10	4	15	27
55301	082815	1.490	1	9.10	9	241	3	<1	3.92	5	<1	29	321	142	4.50	19	<1	1	<1	<1	1.91	<1	40	1.84	768	33	13	71	263	3	<1	0.87	<5	22	<5	<10	97	3	<1	<1	299	6	<20	156	<10	9	43	65
55302	082816	0.008	<1	8.38	<2	195	2	<1	2.93	<4	<1	8	207	15	1.95	15	<1	1	<1	<1	1.74	<1	50	1.44	409	18	3	47	215	7	17	0.04	<5	6	<5	<10	112	1	<1	<1	220	3	<20	42	<10	5	28	39
55303	082817	0.015	1	6.29	46	66	<2	<1	11.51	<4	<1	7	141	27	2.93	13	<1	1	<1	3	1.22	<1	39	3.40	1178	32	3	32	147	9	<1	0.29	5	3	<5	<10	59	<1	<1	<1	126	8	<20	31	165	6	50	35
55304	082818	0.014	<1	8.94	<2	177	<2	2	2.15	<4	<1	2	177	2	1.09	16	1	<1	<1	2	1.31	<1	84	1.02	168	13	<1	11	228	3	6	0.03	6	2	<5	<10	129	<1	<1	<1	180	<2	<20	13	<10	4	18	22
55305	082819	<0.005	<1	9.18	<2	156	<2	<1	2.70	<4	<1	4	141	1	1.34	17	<1	2	2	2	1.49	<1	82	1.31	261	16	<1	24	201	4	12	0.03	<5	2	<5	<10	134	<1	<1	<1	184	5	<20	13	<10	4	22	66
55306	082820	0.007	<1	5.33	<2	679	<2	<1	0.60	<4	82	2	348	5	1.22	11	3	4	<1	<1	1.97	50	28	0.34	171	18	1	8	303	20	30	0.02	<5	2	<5	<10	118	<1	<1	26	810	3	<20	14	<10	6	34	169
55308	082821	0.012	<1	9.39	<2	109	<2	<1	2.32	<4	<1	2	113	<1	1.10	18	2	2	<1	<1	1.45	<1	90	1.10	178	16	<1	19	197	2	<1	0.03	<5	2	<5	<10	140	<1	<1	<1	167	4	<20	12	<10	4	24	87
55309	082822	<0.005	1	9.75	<2	181	<2	<1	2.57	<4	<1	4	126	1	1.63	19	<1	3	<1	<1	1.71	<1	79	1.43	283	18	1	21	204	5	13	0.03	<5	2	<5	<10	154	<1	<1	<1	203	5	<20	15	<10	5	32	101
55310	082823	<0.005	1	10.84	<2	226	<2	<1	2.37	<4	<1	3	179	1	1.25	21	5	4	3	3	1.69	<1	91	1.17	196	21	1	15	227	1	2	0.03	<5	2	<5	<10	174	<1	<1	<1	246	5	<20	14	<10	5	25	176
55311	082824	0.006	<1	10.35	16	286	<2	3	3.95	<4	<1	4	123	4	1.28	19	1	4	1	2	1.76	<1	92	1.33	301	20	1	20	198	5	14	0.10	6	2	<5	<10	150	1	<1	<1	238	3	<20	17	13	5	28	151
55312	082825	0.006	1	10.24	14	307	<2	<1	3.77	<4	<1	4	167	3	1.28	19	<1	4	<1	<1	1.79	<1	92	1.27	288	19	1	20	207	5	6	0.10	<5	2	<5	<10	150	<1	<1	<1	231	4	<20	17	<10	5	25	142
55313	082826	<0.005	<1	10.48	6	317	2	<1	2.44	<4	<1	4	150	1	1.49	20	<1	3	<1	6	1.74	<1	96	1.40	247	19	1	21	225	2	<1	0.03	<5	3	<5	<10	143	<1	<1	<1	214	4	<20	17	<10	5	28	129
55314	082827	<0.005	1	9.85	2	269	2	3	3.00	<4	<1	2	195	2	1.39	19	1	2	<1	<1	1.72	<1	86	1.02	281	16	<1	13	206	4	6	0.05	<5	3	<5	<10	166	2	<1	<1	210	<2	<20	15	<10	5	23	99
55315	082828	0.009	<1	7.86	<2	207	2	<1	3.28	<4	<1	4	148	4	2.19	15	<1	<1	<1	<1	1.04	<1	65	1.60	518	19	<1	20	198	<1	<1	0.04	<5	3	<5	<10	129	<1	<1	<1	159	4	<20	16	<10	6	32	<1
55316	082829	0.018	<1	8.36	7	181	2	<1	2.68	<4	<1	7	197	65	3.32	17	<1	<1	<1	<1	1.30	<1	67	1.47	494	25	2	29	188	5	<1	0.65	5	7	<5	<10	120	<1	<1	<1	176	<2	<20	25	<10	9	36	36
55317	082830	<0.005	<1	9.56	3	155	2	2	2.73	<4	<1	4	164	1	1.48	18	<1	2	<1	4	1.35	<1	90	1.39	262	17	1	17	216	2	<1	0.03	<5	2	<5	<10	157	<1	<1	<1	170	7	<20	14	<10	4	22	69

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/02/2011
Job #: 201140789
Reference:
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55318D	082830	<0.005	1 9.44	<2	148	<2	2 2.74	<4	<1	4 171	1 1.52	18	<1	2 2	<1	1.26	<1	91	1.40	269	17	<1	17 213	1	<1	0.03	<5	2	<5	<10	157	1	<1	<1	162	6	<20	15	<10	4	24	49						
55319	082831	<0.005	1 8.39	<2	149	<2	<1 2.14	<4	<1	3 179	2 1.41	16	<1	2 2	<1	1.36	<1	74	1.53	231	16	<1	21 189	<1	<1	0.03	<5	2	<5	<10	134	<1	<1	<1	156	8	<20	14	<10	4	25	67						
55320	082832	0.013	1 7.26	12	124	<2	<1 6.14	<4	<1	3 139	7 1.84	14	<1	2 2	<1	1.35	<1	59	2.29	590	25	6	21 140	<1	<1	0.16	<5	2	<5	<10	103	3	<1	<1	146	9	<20	21	<10	4	38	55						
55321	082833	<0.005	<1 8.53	<2	150	<2	<1 2.15	<4	<1	2 92	2 1.15	16	<1	1 1	<1	1.35	<1	71	1.16	202	13	1	13 210	3	<1	0.03	<5	2	<5	<10	172	<1	<1	<1	180	<2	<20	12	<10	4	25	39						
55322	082834	<0.005	<1 7.70	16	140	<2	<1 5.23	<4	<1	4 154	5 1.59	15	<1	<1 2	<1	1.35	<1	59	2.10	498	21	2	18 173	2	<1	0.08	5	2	<5	<10	123	2	<1	<1	160	10	<20	18	<10	4	37	36						
55323	082835	<0.005	<1 7.56	15	150	<2	<1 6.66	<4	<1	5 182	8 1.58	14	<1	<1 1	<1	1.32	<1	58	2.15	597	19	1	19 173	<1	<1	0.12	<5	2	<5	<10	126	1	<1	<1	160	12	<20	20	<10	4	35	20						
55324	082836	<0.005	<1 9.10	<2	204	<2	<1 2.35	<4	<1	2 165	2 1.19	18	2	1 1	<1	1.41	<1	81	1.22	184	14	1	12 198	2	<1	0.03	<5	2	<5	<10	166	<1	<1	<1	186	5	<20	13	<10	4	23	48						
55325	082837	<0.005	<1 8.41	17	213	<2	<1 5.35	<4	<1	3 247	6 1.53	16	<1	1 1	<1	1.56	<1	45	1.62	450	18	<1	15 179	3	5	0.08	<5	2	<5	<10	186	1	<1	<1	178	2	<20	15	<10	4	30	56						
55326	082838	<0.005	1 8.82	<2	195	<2	<1 2.40	<4	<1	3 192	3 1.45	16	<1	2 2	<1	1.48	<1	66	1.29	247	16	<1	14 211	<1	<1	0.03	<5	2	<5	<10	165	<1	<1	<1	178	6	<20	12	<10	4	27	54						
55327	082839	0.007	<1 8.12	2	257	2	<1 2.96	<4	<1	10 190	52 3.17	17	<1	2 2	<1	1.61	<1	61	1.58	536	26	2	38 188	1	5	0.79	<5	5	<5	<10	109	1	<1	<1	191	9	<20	24	27	6	41	76						
55328	082840	5.298	3 5.29	295	170	3	1 2.34	8	12	115 154	1547 6.71	16	<1	1 1	<1	1.72	6	14	1.22	608	42	6	1384 419	754	80	2.02	<5	10	<5	<10	100	3	<1	<1	1804	3	<20	74	19	14	414	58						
55330	082841	<0.005	<1 8.22	<2	153	2	<1 2.56	<4	<1	2 85	1 1.29	15	<1	<1 1	<1	1.32	<1	62	1.04	257	13	<1	13 199	3	<1	0.03	<5	2	<5	<10	138	<1	<1	<1	169	6	<20	12	<10	4	22	19						
55331	082842	<0.005	<1 6.66	<2	93	2	<1 2.15	<4	<1	3 167	4 2.20	13	<1	<1 1	<1	1.06	<1	43	1.02	539	16	<1	18 195	3	<1	0.10	<5	2	<5	<10	109	<1	<1	<1	168	5	<20	11	<10	5	49	<1						
55332	082843	<0.005	<1 6.77	10	100	4	6 1.16	6	<1	15 141	3 6.58	17	<1	<1 1	<1	1.45	<1	26	0.91	1694	31	1	66 165	8	6	0.22	<5	7	<5	<10	61	3	1	<1	362	<2	<20	23	<10	14	206	14						
55333	082844	0.011	<1 7.69	<2	118	2	<1 2.01	<4	<1	6 118	2 3.35	16	<1	<1 1	<1	1.51	<1	50	1.14	858	23	<1	28 189	3	3	0.14	<5	3	<5	<10	99	<1	<1	<1	231	7	<20	13	<10	7	73	47						
55334	082845	<0.005	1 7.34	2	175	2	<1 2.32	<4	<1	5 162	12 2.25	15	<1	<1 1	<1	1.59	<1	50	0.73	511	16	<1	19 192	1	3	0.26	<5	2	<5	<10	96	<1	<1	<1	201	6	<20	12	<10	5	29	29						
55335	082846	<0.005	<1 8.92	4	90	2	<1 1.88	<4	<1	4 80	<1 2.19	17	<1	<1 1	<1	1.03	<1	97	1.09	385	17	<1	21 194	<1	<1	0.03	<5	3	<5	<10	101	<1	<1	<1	162	2	<20	14	<10	5	31	3						
55336	082847	0.142	<1 7.90	5	98	2	<1 1.41	<4	<1	4 139	1 2.06	16	<1	1 1	<1	1.38	<1	73	1.13	351	17	<1	24 203	2	8	0.02	5	2	<5	<10	74	<1	<1	<1	171	5	<20	14	<10	6	26	49						
55337	082848	0.015	<1 7.61	9	49	2	<1 1.78	<4	<1	10 135	443 2.33	15	<1	<1 1	<1	0.81	8	85	1.06	356	20	<1	36 262	4	<1	0.10	<5	2	<5	<10	89	<1	<1	<1	129	<2	<20	14	<10	5	43	<1						
55338	082849	<0.005	<1 7.94	5	72	2	1 1.53	<4	<1	5 97	15 2.09	15	<1	<1 1	<1	1.29	<1	80	0.99	324	17	<1	20 193	2	3	0.02	<5	2	<5	<10	77	<1	<1	<1	162	2	<20	12	<10	5	30	41						

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/02/2011
Job #: 201140789
Reference:
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55339	082850	<0.005	<1	3.75	<2	445	<2	<1	0.46	<4	87	1	158	6	1.15	7	<1	3	<1	<1	1.72	53	27	0.34	162	16	2	5	322	18	32	0.01	<5	3	<5	<10	71	<1	<1	28	810	2	<20	15	<10	6	38	124
55341	083001	0.009	<1	7.29	5	111	2	<1	1.91	<4	<1	4	167	4	2.30	15	<1	<1	<1	<1	1.55	<1	55	1.16	465	19	1	23	165	<1	2	0.03	<5	2	<5	<10	65	<1	<1	<1	202	5	<20	14	<10	5	30	22
55342	083002	<0.005	1	7.98	<2	139	2	<1	1.50	4	<1	8	202	5	3.63	17	<1	1	<1	<1	1.71	<1	50	1.00	713	25	<1	32	178	5	16	0.12	<5	2	<5	<10	69	2	<1	<1	301	7	<20	15	<10	6	38	57
55343	083003	0.015	<1	8.85	107	69	3	3	3.86	7	<1	45	240	143	7.21	21	<1	<1	<1	<1	1.21	<1	45	2.46	1273	43	20	115	344	6	<1	0.56	<5	28	<5	<10	79	5	<1	<1	322	4	<20	227	<10	17	86	8
55344	083004	0.016	<1	9.00	49	63	5	9	4.71	9	<1	53	240	189	9.29	24	<1	<1	<1	<1	1.05	<1	39	2.85	1569	54	22	92	354	10	<1	1.20	<5	36	<5	<10	75	7	<1	<1	361	2	<20	262	<10	21	115	<1
55345	083005	0.013	<1	8.52	31	53	4	14	4.22	9	<1	44	241	179	8.92	24	<1	<1	<1	<1	0.89	<1	37	2.71	1450	51	21	89	352	6	<1	1.15	<5	34	<5	<10	71	5	<1	<1	333	2	<20	247	<10	20	113	<1
55346	083006	0.010	<1	7.28	7	60	<2	<1	1.82	<4	<1	4	398	12	2.39	13	<1	<1	<1	<1	1.14	<1	63	1.06	400	23	<1	25	176	<1	<1	0.05	<5	4	<5	<10	65	<1	<1	<1	153	<2	<20	21	<10	5	77	15
55347	083007	<0.005	<1	6.45	5	73	2	<1	1.74	<4	<1	15	130	51	3.34	13	<1	1	<1	<1	1.54	<1	35	1.13	399	24	<1	60	162	5	7	0.95	<5	3	<5	<10	55	1	<1	<1	181	10	<20	18	<10	6	59	34
55348	083008	0.011	<1	7.51	14	47	4	4	6.20	7	<1	37	194	118	7.15	19	<1	<1	<1	<1	1.07	<1	35	3.26	1178	50	15	102	273	6	<1	0.89	5	23	<5	<10	89	4	<1	<1	210	5	<20	175	<10	15	69	<1
55349	083009	0.015	<1	7.00	15	35	4	10	6.71	8	<1	40	190	102	7.52	19	<1	<1	<1	<1	0.84	<1	32	3.31	1315	54	16	105	244	4	<1	1.06	<5	26	<5	<10	95	4	<1	<1	204	9	<20	189	<10	13	68	<1
55350	083010	0.984	5	3.08	<2	53	2	<1	2.37	4	6	22	74	39	3.97	9	<1	<1	<1	<1	1.05	2	8	1.45	633	27	11	21	617	8	3	0.07	<5	14	<5	<10	58	4	4	<1	3727	3	<20	121	<10	23	58	6
55352	083011	1.819	<1	9.35	16	119	3	5	6.37	8	<1	42	146	146	8.08	24	<1	4	<1	<1	1.73	<1	34	3.18	1276	59	20	91	315	9	<1	1.56	6	29	<5	<10	116	6	<1	<1	1094	7	<20	222	<10	12	72	172
55353	083012	0.031	1	7.24	22	94	4	5	6.07	8	<1	42	187	115	7.52	20	<1	<1	<1	<1	1.31	<1	29	3.25	1198	46	18	102	263	5	<1	1.16	5	28	<5	<10	96	4	<1	<1	663	8	<20	207	<10	8	73	<1
55354	083013	0.624	<1	4.48	18	125	3	<1	3.65	5	<1	24	359	120	4.70	11	<1	<1	<1	<1	1.71	<1	12	1.92	763	32	10	52	219	4	27	1.19	<5	17	<5	<10	78	3	<1	<1	559	5	<20	122	<10	4	38	3
55355	083014	0.020	2	6.73	9	148	4	6	6.08	8	<1	42	229	143	7.69	19	<1	<1	<1	<1	1.81	<1	17	3.27	1372	51	19	79	265	6	21	1.55	<5	29	<5	<10	128	5	<1	<1	917	9	<20	212	<10	5	68	29
55356	083015	0.033	2	6.64	9	180	4	39	5.77	8	<1	44	216	144	7.89	20	<1	<1	2	<1	1.84	<1	21	3.70	1299	53	17	86	251	8	23	1.15	5	28	<5	<10	105	4	19	<1	827	8	<20	202	<10	4	77	1
55357	083016	0.016	1	7.25	31	130	4	8	4.80	9	<1	46	197	141	8.27	20	<1	<1	<1	<1	1.38	<1	32	4.60	1334	61	19	110	249	8	<1	0.35	<5	30	<5	<10	89	4	<1	<1	457	11	<20	211	<10	4	81	<1
55358	083017	0.017	2	7.50	27	81	4	<1	4.54	8	<1	44	189	150	8.33	21	<1	<1	<1	<1	1.29	<1	32	4.49	1277	62	20	116	259	4	<1	0.50	<5	31	<5	<10	104	4	<1	<1	514	9	<20	220	<10	3	82	25
55359	083018	0.037	<1	6.62	29	82	4	4	4.80	9	<1	47	176	190	8.50	20	<1	<1	<1	<1	1.14	<1	28	4.25	1284	57	18	112	241	7	<1	0.71	5	27	<5	<10	97	5	<1	<1	587	6	<20	204	<10	3	91	<1
55360	083019	0.592	<1	5.49	17	138	3	<1	4.83	7	<1	36	246	152	6.59	16	<1	<1	<1	<1	1.60	<1	16	2.79	1046	42	14	91	199	3	7	1.38	<5	21	<5	<10	107	4	<1	<1	647	5	<20	161	<10	3	62	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/02/2011
Job #: 201140789
Reference:
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55361	083020	<0.005	<1	4.57	<2	577	<2	<1	0.63	<4	70	4	436	8	1.45	10	<1	2	<1	<1	1.73	41	27	0.39	217	19	2	11	339	18	32	0.03	<5	2	<5	<10	121	1	2	23	902	<2	<20	17	<10	7	39	122
55363	083021	0.519	<1	7.89	29	136	5	3	2.54	9	<1	65	229	149	9.25	23	<1	<1	<1	<1	1.69	<1	20	1.91	1413	48	20	169	251	8	25	0.98	<5	31	<5	<10	57	5	<1	<1	839	4	<20	234	12	4	78	<1
55364	825709	0.024	<1	7.69	9	122	4	<1	5.00	8	<1	47	186	159	8.40	21	<1	<1	<1	<1	1.80	<1	24	2.66	1529	45	19	119	286	10	13	1.07	<5	30	<5	<10	103	5	<1	<1	968	5	<20	219	12	5	84	31
55365	083031	0.037	2	7.51	21	99	3	2	10.01	8	<1	38	186	120	6.66	20	<1	1	<1	<1	1.56	<1	23	2.59	1294	45	18	89	251	7	1	1.25	<5	27	<5	<10	168	5	<1	<1	944	8	<20	198	21	9	67	55
55366	083032	0.010	1	8.36	13	118	4	<1	6.10	8	<1	46	213	137	7.99	23	<1	1	<1	<1	1.60	<1	32	3.58	1240	55	21	106	263	9	<1	0.51	<5	32	<5	<10	114	5	<1	<1	1382	6	<20	237	<10	7	78	86
55367	083033	0.007	<1	8.37	15	50	3	1	5.38	8	<1	47	203	157	8.29	23	3	1	2	<1	1.44	<1	33	3.87	1230	63	22	101	262	7	<1	0.43	<5	34	<5	<10	126	5	<1	<1	1279	5	<20	246	<10	7	80	84
55368	083034	0.014	<1	8.63	4	50	4	<1	5.80	8	<1	46	208	152	8.20	24	<1	2	1	<1	1.51	<1	35	3.87	1240	59	22	105	256	6	<1	0.22	<5	33	<5	<10	101	5	<1	<1	1369	8	<20	240	<10	7	81	95
55369	083035	0.009	1	8.70	3	50	4	<1	5.95	9	<1	46	207	147	8.39	24	<1	2	<1	<1	1.57	<1	37	3.96	1251	64	22	108	269	13	<1	0.22	<5	33	<5	<10	103	6	<1	<1	1254	10	<20	244	<10	7	81	103
55370	083036	0.098	2	7.45	2	48	3	<1	5.85	8	<1	44	226	142	8.04	21	1	<1	<1	<1	1.13	<1	33	3.89	1207	55	21	104	297	5	<1	0.21	<5	31	<5	<10	104	5	<1	<1	1061	5	<20	229	<10	6	80	20
55371	083037	0.007	2	8.55	8	69	4	4	5.26	9	<1	49	196	188	8.46	24	<1	2	<1	<1	1.47	<1	35	4.17	1223	61	22	107	279	11	<1	0.31	<5	33	<5	<10	135	5	<1	<1	1198	4	<20	247	<10	6	82	77
55372	083038	0.014	<1	8.21	3	48	4	<1	5.04	9	<1	45	191	194	8.28	23	2	1	<1	<1	1.38	<1	33	4.16	1198	61	22	105	265	7	<1	0.16	<5	34	<5	<10	143	5	<1	<1	951	2	<20	244	<10	6	79	71
55373D	083038	0.010	<1	7.55	5	47	3	<1	4.57	8	<1	42	175	173	7.48	21	<1	2	<1	<1	1.27	<1	30	3.78	1084	56	23	96	245	7	<1	0.15	<5	31	<5	<10	134	6	<1	<1	1030	3	<20	220	<10	6	73	50
55374	083039	0.012	1	8.22	5	64	4	3	5.58	8	<1	42	174	148	7.94	22	<1	2	<1	<1	1.36	<1	34	3.67	1160	51	21	101	251	2	<1	0.24	<5	32	<5	<10	163	3	<1	<1	1307	6	<20	231	<10	9	80	61
55375	083040	5.298	2	6.29	293	193	4	3	2.48	9	12	115	152	1507	6.80	19	<1	2	<1	<1	1.74	7	15	1.27	611	46	7	1303	439	732	102	2.06	<5	11	<5	<10	111	3	3	<1	1929	4	<20	78	21	14	400	117
55376	083041	0.012	1	7.18	8	62	3	3	5.69	7	14	42	382	146	6.70	21	<1	1	<1	<1	1.08	6	38	4.11	1006	54	16	220	605	21	<1	0.58	<5	26	<5	<10	169	4	<1	<1	572	10	<20	182	<10	12	76	41
55377	083042	0.012	<1	7.01	2	142	5	7	2.86	13	<1	51	214	221	11.85	25	<1	<1	<1	<1	1.35	<1	19	1.73	2341	54	19	105	293	12	5	0.96	<5	33	<5	<10	102	7	<1	<1	963	5	23	221	<10	15	123	<1
55378	083043	0.013	2	8.20	3	157	4	2	2.30	8	<1	47	217	197	8.15	23	<1	<1	<1	<1	1.82	<1	21	1.41	1421	40	23	96	329	7	16	0.57	<5	33	<5	<10	98	5	<1	<1	1311	6	<20	261	<10	16	94	8
55379	083044	0.010	1	8.50	26	141	6	7	3.04	13	<1	62	207	191	12.36	26	<1	<1	1	<1	1.75	<1	23	1.81	2536	57	22	169	229	12	25	0.86	<5	36	<5	<10	108	9	<1	<1	1164	6	23	248	<10	20	118	23
55380	083045	0.005	<1	7.89	5	41	8	9	2.57	17	<1	65	180	115	16.03	28	<1	<1	<1	<1	0.98	<1	26	2.40	3563	73	18	202	178	18	<1	0.32	<5	36	<5	<10	71	9	2	<1	961	6	37	215	12	19	139	6
55381	083046	0.009	<1	8.12	<2	64	7	6	2.41	14	<1	58	184	210	12.79	28	5	<1	<1	<1	1.14	<1	28	2.12	2439	61	22	143	205	11	2	0.41	<5	36	<5	<10	77	7	<1	<1	1043	6	21	260	<10	19	102	21

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 11, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/02/2011
Job #: 201140789
Reference:
Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55382	083047	0.010	2	8.38	4	47	5	11	2.62	12	<1	53	185	182	11.36	26	2	<1	<1	<1	1.24	<1	29	2.13	2419	58	23	131	195	11	<1	0.30	<5	38	<5	<10	96	7	<1	<1	1365	6	<20	272	<10	14	96	50
55383	083048	0.017	<1	8.21	8	71	5	<1	1.83	12	<1	62	177	177	11.64	26	<1	<1	<1	<1	1.17	<1	27	2.05	2201	57	25	153	183	8	6	0.20	<5	39	<5	<10	84	8	<1	<1	1195	10	<20	295	<10	12	93	13
55384D	083048	0.017	<1	6.86	9	51	5	4	1.72	12	<1	61	175	177	11.59	25	<1	<1	<1	<1	0.69	<1	24	2.02	2175	53	24	152	176	10	<1	0.20	5	38	<5	<10	64	7	<1	<1	862	6	<20	286	<10	11	94	<1
55385	083049	0.013	3	9.11	3	134	5	6	1.13	11	<1	48	193	146	10.83	26	<1	2	<1	<1	1.68	<1	26	1.61	1931	54	21	127	217	8	14	0.31	5	31	<5	<10	55	7	<1	<1	1406	3	<20	236	<10	9	92	125
55386	083050	0.006	<1	6.76	<2	760	<2	<1	0.81	<4	85	7	397	13	1.76	15	<1	4	<1	<1	1.69	50	27	0.41	264	19	4	13	372	27	23	0.04	<5	4	<5	<10	165	2	<1	30	957	<2	<20	26	<10	8	40	175
55387	083051	<0.005	<1	8.56	<2	199	5	11	1.67	12	<1	48	219	209	11.81	27	<1	2	<1	<1	1.85	<1	24	1.75	2048	58	21	95	204	10	16	1.57	<5	33	<5	<10	72	8	<1	<1	1366	<2	26	240	<10	11	107	93
55388	083052	0.011	2	8.01	<2	213	4	2	1.20	8	<1	39	221	178	7.93	23	<1	<1	<1	<1	1.83	<1	22	1.40	1145	43	21	68	292	11	22	0.79	<5	29	<5	<10	100	5	<1	<1	1354	6	<20	239	<10	8	90	74
55389	083053	0.199	1	8.46	2	126	5	4	0.69	10	<1	55	189	167	10.01	24	<1	<1	<1	<1	1.69	<1	23	1.45	1554	47	22	98	275	8	10	0.66	<5	33	<5	<10	50	6	<1	<1	1335	4	<20	249	<10	7	112	60
55390	083054	0.012	2	9.05	6	113	4	5	1.86	10	4	47	366	180	9.70	26	<1	2	<1	<1	1.76	1	34	2.76	1779	59	21	184	503	8	13	0.50	<5	35	<5	<10	136	6	<1	<1	1630	12	<20	241	<10	8	96	119
55391	083055	0.013	<1	8.66	7	120	5	1	2.00	10	5	49	363	161	10.12	26	<1	2	<1	<1	1.79	1	34	2.88	1836	59	21	193	523	9	4	0.76	5	34	<5	<10	138	6	<1	<1	1465	7	<20	234	<10	8	101	88
55392	083056	0.027	<1	7.75	100	62	8	10	1.97	15	<1	71	644	206	13.84	28	1	1	<1	<1	1.60	<1	23	1.97	3073	65	17	206	160	13	12	0.54	5	34	<5	<10	42	8	<1	<1	962	6	30	205	17	6	193	76

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/10/2011
Job #: 201140790
Reference:
Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55393	081064	<0.005	<1	13.60	37	320	<2	19	7.36	9	22	58	176	161	7.25	22	32	6	<1	2	2.21	<1	39	3.60	1242	32	19	<1	369	<1	27	0.06	7	19	29	10	518	5	<1	4	4668	23	<20	166	<10	11	75	105
55394	081065	<0.005	<1	13.55	40	305	<2	11	7.42	10	20	62	222	169	7.64	24	22	4	<1	<1	2.41	<1	40	3.81	1288	28	21	<1	365	<1	15	0.07	10	20	30	17	528	8	<1	<1	4824	11	32	172	<10	11	75	58
55395	081066	<0.005	<1	12.89	42	294	<2	18	7.14	8	22	59	200	153	7.00	21	25	3	<1	<1	2.42	<1	37	3.63	1189	27	20	<1	369	<1	12	0.06	7	19	29	13	530	6	<1	<1	4745	13	<20	165	11	12	71	53
55396	081067	<0.005	<1	11.26	32	303	<2	11	8.24	9	26	55	186	173	7.26	23	20	4	<1	7	2.44	2	35	3.10	1250	29	20	<1	475	<1	<1	0.09	11	15	23	<10	472	7	4	3	5417	22	<20	171	<10	11	70	62
55397	081068	0.005	<1	11.53	50	254	<2	20	6.59	11	21	73	178	168	8.46	20	22	3	<1	1	2.39	<1	35	4.24	1335	26	20	<1	322	<1	2	0.08	7	17	20	10	354	9	3	<1	4393	12	22	162	<10	11	82	14
55398	081069	<0.005	<1	7.43	64	233	<2	16	6.68	12	21	98	154	139	9.75	23	22	1	<1	2	1.97	<1	40	4.66	1558	28	19	<1	302	<1	<1	0.07	7	8	18	13	198	7	9	<1	3756	14	65	138	<10	9	92	<1
55399	081070	13.182	5	7.09	26	562	<2	12	2.98	6	<1	30	91	148	4.46	17	8	<1	<1	<1	1.92	<1	26	1.02	627	37	10	<1	684	23	197	0.82	6	6	15	<10	142	4	<1	<1	4289	15	<20	113	10	10	157	<1
55400	081071	0.017	<1	7.12	74	222	<2	8	5.81	11	9	102	122	130	9.04	19	18	<1	<1	<1	2.13	<1	38	4.63	1413	23	16	<1	266	<1	9	0.06	7	8	14	<10	166	5	8	<1	3297	13	48	121	<10	8	87	<1
55401	081072	0.112	<1	6.46	66	236	<2	17	5.97	11	19	102	118	124	8.85	18	23	<1	<1	4	1.95	<1	37	4.37	1495	31	17	<1	279	7	4	0.06	6	6	7	14	180	6	<1	<1	3453	15	36	127	<10	8	89	<1
55402	081073	0.006	<1	7.54	61	209	<2	18	5.89	11	17	101	124	139	9.09	19	10	<1	<1	<1	2.16	<1	37	4.91	1454	22	17	<1	272	<1	7	0.07	5	9	13	10	208	5	6	1	3515	16	38	127	<10	8	86	<1
55403D	081073	0.009	<1	9.85	48	236	<2	14	6.33	12	19	99	129	136	9.74	22	13	3	<1	6	2.26	<1	40	5.45	1526	29	18	<1	288	<1	3	0.07	9	11	15	<10	228	8	3	<1	3742	17	45	135	<10	10	90	11
55404	081074	0.007	<1	10.49	18	272	<2	16	4.94	7	16	57	122	126	6.32	16	20	3	<1	<1	2.16	<1	30	3.31	964	27	17	<1	309	<1	13	0.06	7	15	18	13	349	4	2	<1	3848	23	<20	140	<10	10	61	15
55405	081075	0.005	<1	7.09	46	244	<2	15	4.39	9	6	83	104	99	7.47	16	31	<1	<1	2	1.70	<1	34	3.75	1056	25	15	<1	263	<1	4	0.04	7	7	13	<10	193	3	<1	<1	3240	13	24	114	<10	7	73	<1
55406	081076	0.006	<1	6.78	44	271	<2	11	6.05	8	14	78	138	94	6.66	15	21	1	<1	2	1.66	<1	34	3.28	1146	30	13	<1	226	<1	<1	0.07	7	7	14	12	336	3	2	<1	2811	20	<20	101	<10	7	66	<1
55407	081077	<0.005	<1	7.21	16	241	<2	9	5.28	7	11	64	110	106	5.84	10	14	<1	<1	2	1.48	<1	31	3.26	1044	20	12	<1	210	<1	<1	0.06	6	8	9	<10	315	3	<1	<1	2159	16	<20	90	<10	7	58	<1
55408	081078	<0.005	<1	5.45	17	303	<2	11	4.99	8	10	85	136	112	6.99	13	11	<1	<1	3	1.54	<1	36	3.68	1147	25	13	<1	291	<1	<1	0.13	5	6	9	11	287	4	3	<1	2467	21	30	98	<10	6	70	<1
55409	081079	<0.005	<1	6.04	9	335	<2	11	4.51	8	10	82	106	104	7.21	15	13	<1	<1	3	1.63	<1	35	3.46	1133	24	14	<1	333	<1	2	0.25	6	7	6	13	287	4	6	<1	3121	17	<20	113	<10	6	71	<1
55410	081080	<0.005	2	6.57	<2	896	<2	9	1.13	<4	22	5	388	7	1.22	9	5	<1	<1	4	1.78	11	32	0.32	192	34	2	<1	280	11	32	0.02	5	<1	27	11	199	<1	<1	5	1101	8	<20	17	<10	3	31	<1
55411	081081	0.009	<1	5.95	14	280	<2	13	4.66	8	16	79	139	94	6.77	11	10	<1	<1	<1	1.56	<1	36	3.97	1039	21	13	<1	339	<1	<1	0.19	7	7	13	11	285	2	<1	<1	2285	19	41	95	<10	6	67	<1
55412	081082	0.016	<1	5.22	33	258	<2	8	6.28	8	14	81	162	106	6.67	11	5	<1	<1	1	1.57	<1	36	3.43	1224	21	13	<1	115	<1	<1	0.19	7	6	17	<10	407	2	3	<1	2068	20	<20	95	<10	6	68	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/10/2011
Job #: 201140790
Reference:
Sample #: 137

Acc #	Client ID	Au ppm	Ag %	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	
55413	081083	0.013	<1	6.20	22	230	<2	8	4.76	9	9	80	92	96	7.28	11	6	<1	<1	<1	1.87	<1	35	4.53	1141	17	13	<1	185	<1	6	0.08	8	8	11	10	319	3	<1	<1	1706	19	<20	89	<10	5	71	<1	
55414D	081083	<0.005	<1	5.67	24	234	<2	10	4.65	8	10	82	89	102	7.03	11	15	<1	<1	<1	1.83	<1	33	4.16	1128	17	12	<1	189	3	<1	0.07	6	7	5	<10	313	3	4	<1	<1	1715	18	26	88	<10	5	71	<1
55415	081084	<0.005	<1	6.52	26	317	<2	12	4.46	9	3	98	89	127	8.06	15	29	<1	<1	<1	2.02	<1	39	4.39	1247	26	13	<1	194	<1	8	0.09	8	7	<5	<10	290	4	<1	<1	2259	13	56	96	<10	6	79	<1	
55416	081085	<0.005	<1	7.28	25	310	<2	10	4.25	9	11	89	83	112	7.72	15	31	<1	<1	<1	1.84	<1	39	4.48	1169	28	13	<1	199	<1	6	0.07	8	8	7	<10	282	4	4	<1	<1	2117	18	<20	91	<10	6	72	<1
55417	081086	<0.005	<1	6.96	21	287	<2	11	4.66	10	11	89	99	95	7.74	15	19	<1	<1	<1	1.69	<1	39	4.51	1177	25	14	<1	224	<1	8	0.07	5	7	13	<10	316	5	4	<1	<1	2288	14	22	93	<10	6	75	<1
55418	081087	<0.005	<1	4.82	26	233	<2	8	7.14	7	13	76	173	87	5.80	10	19	<1	<1	2	1.69	<1	32	3.59	1230	18	12	<1	203	<1	<1	0.10	<5	5	7	<10	562	2	2	<1	<1	1706	16	<20	77	<10	5	61	<1
55419	081088	<0.005	<1	5.14	37	262	<2	15	5.09	9	9	95	90	88	7.53	12	16	<1	<1	<1	1.61	<1	37	4.45	1267	21	13	<1	181	<1	6	0.05	<5	6	5	13	322	3	6	<1	<1	1931	16	36	89	<10	5	76	<1
55420	081089	<0.005	<1	5.56	52	237	<2	11	3.63	9	7	108	91	92	8.01	15	16	<1	<1	1	1.58	<1	40	4.69	1054	24	14	<1	210	4	<1	0.03	6	6	<5	<10	235	5	5	<1	<1	2058	18	70	98	<10	5	77	<1
55421	081090	<0.005	<1	5.18	44	218	<2	10	3.48	9	7	87	80	102	7.16	11	15	<1	<1	<1	1.43	<1	34	4.20	978	22	13	<1	193	4	<1	0.04	7	6	<5	<10	228	3	3	<1	<1	1804	15	<20	89	<10	5	69	<1
55422	081091	<0.005	<1	4.57	51	222	<2	6	5.17	8	8	83	91	65	6.85	12	20	<1	<1	6	1.59	<1	35	3.79	1167	21	11	<1	177	6	1	0.06	7	5	6	<10	392	3	<1	<1	1716	19	<20	83	<10	5	71	<1	
55423	081092	<0.005	<1	5.29	34	236	<2	13	5.66	8	6	71	99	91	6.64	10	17	<1	<1	<1	1.85	<1	33	3.39	1242	21	12	<1	186	<1	<1	0.06	6	6	11	<10	369	3	3	<1	<1	2002	29	20	94	<10	5	64	<1
55424	081093	<0.005	<1	6.49	51	219	<2	11	5.35	8	2	84	90	91	7.16	11	10	<1	<1	5	1.89	<1	38	4.11	1136	23	12	<1	192	2	2	0.05	5	8	8	11	334	5	<1	<1	1835	16	<20	93	<10	6	69	<1	
55425D	081093	<0.005	<1	6.30	40	236	<2	14	5.00	8	6	74	86	91	6.67	14	29	<1	<1	<1	1.79	<1	36	3.64	1073	28	13	<1	191	<1	<1	0.05	5	7	11	<10	319	3	<1	<1	1860	16	<20	89	<10	6	66	<1	
55426	081094	<0.005	<1	5.59	37	255	<2	16	5.07	8	11	73	81	79	6.24	14	32	<1	<1	<1	1.74	<1	30	3.18	1106	28	11	<1	189	3	<1	0.04	6	6	11	<10	317	2	<1	<1	1754	10	23	83	<10	5	61	<1	
55427	081095	<0.005	<1	5.87	39	248	<2	12	5.47	8	2	80	80	71	6.44	13	29	<1	<1	<1	1.75	<1	30	3.52	1166	25	11	<1	190	<1	<1	0.05	6	6	15	<10	338	3	1	<1	1633	13	20	85	<10	5	60	<1	
55428	081096	<0.005	<1	7.15	30	275	<2	9	4.74	8	3	77	81	114	6.53	15	33	1	<1	<1	1.73	<1	31	3.71	1126	28	12	<1	207	<1	<1	0.05	6	8	14	<10	290	3	1	<1	1842	17	<20	92	<10	6	67	19	
55429	081097	<0.005	<1	5.29	59	235	<2	13	5.13	8	8	85	85	80	6.91	13	36	<1	<1	1	1.63	<1	34	3.97	1224	25	12	<1	255	2	<1	0.05	6	6	6	11	307	4	2	<1	<1	1860	21	<20	86	<10	5	69	<1
55430	081098	<0.005	<1	6.61	37	217	<2	14	4.31	9	11	72	95	107	7.02	13	11	<1	<1	<1	1.53	<1	34	4.21	1090	18	13	<1	239	<1	<1	0.05	6	8	14	10	265	3	<1	<1	2173	16	43	101	<10	5	80	<1	
55431	081099	<0.005	<1	6.04	39	215	<2	11	4.59	8	12	72	82	105	6.80	11	4	<1	<1	<1	1.62	<1	32	3.89	1127	19	12	<1	225	<1	<1	0.05	6	8	12	10	277	4	3	<1	<1	1971	15	30	97	<10	5	73	<1
55432	081100	0.976	<1	6.90	<2	214	<2	12	3.68	6	12	31	92	37	4.83	12	<1	<1	<1	1.51	<1	18	1.73	779	23	15	<1	608	3	10	0.06	5	12	18	<10	141	3	<1	<1	4578	8	<20	149	<10	19	70	<1		

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/10/2011
Job #: 201140790
Reference:
Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55433	081101	0.005	<1	6.08	34	195	<2	14	4.23	9	9	79	87	118	7.75	8	<1	<1	<1	<1	1.83	<1	29	4.64	1098	9	14	<1	244	<1	<1	0.05	6	11	<5	<10	240	4	3	<1	1752	13	24	113	<10	5	78	<1
55434	081102	<0.005	<1	6.76	12	255	<2	13	4.86	9	12	70	82	109	7.13	12	<1	<1	<1	<1	1.81	<1	34	4.00	1114	17	13	<1	242	<1	<1	0.05	6	10	17	12	260	4	2	<1	2205	18	27	105	<10	6	94	<1
55435	081103	<0.005	<1	7.59	4	244	<2	8	5.05	10	16	75	86	119	7.69	11	<1	<1	<1	<1	1.88	<1	35	4.62	1153	16	15	<1	265	<1	<1	0.05	8	12	15	10	273	4	<1	<1	2234	17	20	111	<10	7	79	<1
55436D	081103	<0.005	<1	6.68	8	243	<2	11	4.91	9	13	78	85	122	7.50	11	<1	<1	<1	<1	1.86	<1	35	4.33	1143	16	15	<1	261	1	3	0.06	8	10	10	<10	268	4	2	<1	2124	11	30	110	<10	6	82	<1
55437	081104	<0.005	<1	7.35	9	255	<2	10	5.35	10	15	86	86	121	8.31	11	<1	<1	<1	1	2.00	<1	37	4.98	1242	16	15	<1	304	<1	6	0.06	10	12	6	<10	267	3	4	<1	2425	15	45	108	<10	7	84	<1
55438	081105	<0.005	<1	6.24	5	253	<2	11	5.08	9	9	79	80	119	7.67	12	<1	<1	<1	<1	1.87	<1	36	4.42	1174	18	14	<1	266	<1	6	0.07	<5	9	10	10	255	3	3	<1	2217	25	55	102	<10	6	78	<1
55439	081106	<0.005	<1	7.29	12	272	<2	11	4.80	10	12	82	86	106	8.18	12	2	<1	<1	2	1.79	<1	37	4.81	1137	20	15	<1	269	<1	<1	0.07	5	12	14	10	238	5	3	<1	2335	15	53	116	<10	7	83	<1
55440	081107	<0.005	<1	6.84	4	277	<2	9	5.56	8	13	64	94	66	6.76	10	<1	<1	<1	<1	1.75	<1	32	3.70	1193	16	14	<1	239	<1	<1	0.05	8	10	13	11	318	5	4	<1	2169	16	<20	110	<10	6	69	<1
55441	081108	<0.005	<1	9.60	2	259	<2	13	4.62	9	18	66	84	140	7.28	12	5	<1	<1	<1	1.63	<1	33	4.18	1078	19	15	<1	293	<1	14	0.05	6	15	15	<10	248	3	1	<1	2394	15	<20	118	<10	8	73	<1
55442	081109	0.013	<1	8.32	<2	264	<2	12	4.43	9	12	69	85	140	7.62	13	3	<1	<1	6	1.55	<1	32	4.00	1130	17	14	<1	315	<1	1	0.05	8	13	17	<10	240	6	4	<1	2427	7	<20	122	<10	7	81	<1
55443	081110	5.489	<1	7.01	246	312	<2	13	2.36	9	6	117	143	1393	6.45	12	<1	<1	<1	<1	1.77	2	20	1.02	569	35	6	<1	449	645	55	1.70	8	7	15	15	124	3	6	<1	2719	3	<20	83	32	10	375	<1
55444	081111	0.006	<1	7.62	5	263	<2	13	4.70	9	15	67	81	118	7.72	13	2	<1	<1	<1	1.89	<1	33	3.77	1138	19	15	<1	323	<1	6	0.06	6	11	10	14	258	4	2	<1	2632	11	21	130	<10	7	84	<1
55445	081112	<0.005	<1	8.46	2	227	<2	14	4.06	8	59	52	56	136	7.00	50	20	10	<1	<1	1.83	11	27	3.24	961	17	36	<1	372	<1	19	0.05	8	30	20	<10	244	16	2	6	1919	10	106	129	<10	7	74	257
55446	081113	<0.005	2	9.11	7	240	<2	11	4.46	9	55	51	43	247	7.29	43	19	10	<1	<1	1.93	11	26	2.87	928	23	39	<1	432	<1	15	0.07	<5	27	22	12	305	21	<1	7	2081	13	79	151	<10	8	74	201
55447D	081113	0.008	<1	9.63	6	265	<2	13	4.96	10	50	56	46	258	7.98	58	31	14	<1	<1	2.02	18	28	3.05	1012	25	38	<1	474	<1	50	0.08	7	38	12	10	322	14	<1	8	1908	24	130	166	<10	8	84	446
55448	081114	0.009	1	11.14	19	320	2	<1	4.59	6	24	59	54	247	8.99	24	<1	<1	<1	2	2.22	2	34	3.31	1208	28	18	138	495	<1	<1	0.98	5	16	<5	13	368	5	<1	<1	2130	13	55	181	<10	9	167	<1
55449	081115	0.006	<1	11.68	19	333	2	3	4.04	6	18	58	52	260	9.25	26	5	1	<1	<1	2.09	1	34	3.33	1296	32	19	133	513	1	<1	0.93	9	16	5	<10	346	5	<1	2	2718	22	88	183	<10	10	170	<1
55450	081116	0.006	<1	10.73	13	309	2	3	5.16	6	17	55	47	260	8.65	25	3	2	<1	<1	2.25	<1	32	2.92	1226	33	19	118	504	<1	<1	1.11	5	14	<5	10	391	5	<1	4	2735	20	36	188	<10	9	163	<1
55451	081117	0.007	<1	10.34	19	316	2	3	5.38	6	20	55	40	253	8.72	23	3	<1	<1	<1	2.06	1	30	2.87	1282	31	19	113	519	<1	<1	1.02	5	14	10	14	387	5	<1	3	2658	14	26	187	<10	10	167	<1
55452	081118	0.008	<1	10.90	15	302	2	2	4.21	6	15	56	52	235	8.69	24	2	<1	<1	<1	2.11	<1	32	3.06	1267	29	17	127	484	<1	<1	0.89	5	15	10	12	353	6	<1	4	2598	9	51	181	<10	10	167	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/10/2011
Job #: 201140790
Reference:
Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55453	081119	0.006	<1	10.74	11	277	2	3	4.64	5	18	52	43	222	8.37	25	13	<1	<1	<1	2.30	1	29	2.96	1394	28	17	117	480	<1	<1	0.96	5	14	12	<10	405	5	3	2	2535	27	38	169	<10	10	160	<1
55454	081120	<0.005	<1	8.58	9	1160	<2	2	1.42	<4	39	6	307	11	1.45	14	<1	1	<1	<1	2.40	17	37	0.43	243	33	2	11	316	14	33	0.90	<5	2	11	11	266	<1	<1	12	1283	10	<20	22	<10	4	77	<1
55455	081121	0.007	<1	11.22	13	301	2	<1	4.08	6	21	56	43	251	9.23	24	7	<1	<1	<1	2.29	3	29	3.30	1459	28	19	114	526	<1	<1	0.94	7	16	<5	11	386	6	<1	1	3683	15	38	187	<10	10	173	<1
55456	081122	0.008	<1	11.43	15	278	2	2	3.53	7	11	58	20	254	9.99	25	10	<1	<1	<1	2.35	3	28	3.54	1496	31	22	74	539	<1	<1	1.04	<5	16	<5	15	261	6	3	4	5095	14	83	201	<10	10	217	<1
55457	081123	<0.005	<1	11.59	14	302	2	1	1.44	7	7	66	26	317	10.71	28	10	<1	<1	<1	2.24	3	30	3.68	1727	33	24	81	612	<1	<1	1.02	6	16	<5	14	130	5	3	4	5459	11	121	229	<10	8	217	<1
55458R	081123	<0.005	<1	12.16	19	329	2	2	1.51	7	12	60	22	309	10.41	27	7	1	<1	<1	2.38	4	33	3.90	1717	31	20	82	600	<1	<1	1.04	7	17	8	17	131	7	<1	1	1895	12	120	217	<10	10	217	<1
55459	081124	<0.005	<1	11.74	13	233	2	5	3.06	6	16	53	39	246	9.37	29	10	2	<1	<1	2.42	5	33	3.84	1154	32	19	69	626	<1	<1	0.92	6	15	9	14	210	7	<1	2	2638	8	73	194	<10	11	189	<1
55460	081125	<0.005	<1	11.35	17	220	2	2	3.19	7	14	53	40	250	9.80	26	7	<1	<1	<1	2.09	6	32	4.10	1207	30	20	72	594	<1	<1	0.91	6	15	5	11	213	5	<1	<1	2243	11	85	201	<10	10	203	<1
55461	081126	<0.005	<1	11.57	19	229	2	2	3.28	6	11	55	31	244	9.43	29	2	2	<1	<1	2.31	3	34	3.66	1146	33	20	70	542	<1	<1	1.12	7	14	<5	11	228	5	<1	2	3108	15	84	206	<10	10	184	5
55462	081127	<0.005	<1	11.47	16	207	2	3	2.83	7	7	56	28	245	9.78	27	5	1	2	<1	2.17	<1	34	3.74	1217	32	20	68	552	<1	<1	0.96	8	15	<5	12	208	5	<1	<1	2802	13	105	205	<10	9	195	<1
55463	081128	<0.005	3	12.29	14	74	2	3	2.86	7	<1	58	26	258	10.63	29	6	2	<1	<1	2.14	<1	38	4.03	1578	34	21	78	517	<1	<1	1.08	5	16	<5	13	227	6	<1	<1	2963	12	102	216	<10	10	200	16
55464	081129	<0.005	<1	11.12	16	71	2	1	4.12	6	9	56	35	258	9.14	27	6	2	2	<1	2.17	<1	33	3.51	1674	30	20	72	642	<1	<1	1.16	7	15	9	17	356	3	<1	5	3543	17	83	207	<10	8	193	7
55465	081130	<0.005	<1	11.23	17	72	2	3	3.62	6	8	51	49	231	9.16	26	4	2	<1	<1	2.21	<1	36	3.59	1667	32	20	70	524	<1	<1	1.13	6	14	7	12	359	6	<1	3	3263	15	67	198	<10	9	189	5
55466	081131	<0.005	<1	11.97	30	74	3	2	3.30	7	5	57	33	244	9.99	29	7	2	<1	<1	2.69	<1	37	3.94	1785	33	21	74	529	<1	<1	1.07	7	15	5	11	376	3	<1	2	3161	16	105	208	<10	9	193	23
55467	081132	<0.005	<1	11.97	39	71	2	3	2.33	7	<1	58	29	237	10.43	28	4	2	<1	<1	2.52	<1	40	4.15	1637	36	21	78	595	<1	<1	1.13	<5	16	7	13	275	7	<1	4	2736	11	118	211	<10	9	204	19
55468	081133	<0.005	<1	9.76	35	64	2	5	2.84	7	4	53	26	286	10.41	27	2	<1	2	<1	2.44	<1	41	4.04	1808	33	19	77	567	<1	<1	0.95	<5	14	<5	17	330	5	<1	6	1635	16	73	214	<10	7	203	<1
55469D	081133	<0.005	<1	12.27	50	70	3	<1	2.86	7	2	60	25	249	10.38	29	<1	3	<1	2	2.30	<1	43	4.40	1781	32	20	74	578	<1	<1	1.02	7	17	<5	12	329	6	<1	2	2020	10	148	210	<10	9	201	12
55470	081134	<0.005	<1	11.43	49	60	2	3	2.45	7	3	49	23	229	10.10	26	1	<1	<1	<1	1.94	2	42	4.25	1795	25	16	70	522	<1	<1	0.90	8	16	5	<10	262	5	<1	<1	562	10	112	181	<10	8	188	<1
55471	081135	<0.005	<1	10.03	58	61	2	3	2.50	7	<1	53	28	243	10.35	26	2	<1	<1	<1	2.01	<1	43	3.89	1867	31	16	75	539	<1	<1	0.99	6	13	<5	11	269	5	<1	<1	548	11	107	187	<10	7	197	<1
55472	081136	<0.005	<1	12.35	51	70	3	3	2.78	7	10	42	34	240	10.07	28	4	3	<1	<1	1.95	3	49	4.21	1668	34	16	73	546	<1	<1	1.11	5	15	13	12	261	6	<1	<1	496	16	88	181	<10	9	184	9

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/10/2011
Job #: 201140790
Reference:
Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55473	081137	<0.005	<1	12.34	67	107	2	5	3.80	7	10	46	33	224	10.14	27	9	3	<1	<1	1.95	3	51	4.20	1575	36	16	67	529	<1	<1	1.15	6	15	<5	12	293	5	<1	1	543	19	99	177	<10	10	183	11
55474	081138	<0.005	<1	10.42	94	387	2	2	3.20	6	8	49	36	217	9.20	26	5	2	<1	<1	2.17	<1	43	3.80	1543	31	15	66	500	<1	<1	1.00	5	12	7	11	191	3	<1	3	814	16	57	174	<10	9	181	<1
55475	081139	<0.005	<1	10.86	105	227	2	3	3.59	6	10	51	34	245	9.53	25	4	2	<1	<1	2.16	<1	47	3.79	1179	33	16	69	543	<1	<1	1.13	<5	13	7	16	207	4	<1	2	754	8	95	180	<10	10	187	<1
55476	081140	13.636	2	7.58	34	455	2	2	3.28	<4	7	31	100	158	4.76	22	4	<1	<1	<1	2.44	<1	29	1.10	677	37	11	52	715	26	299	1.32	<5	7	11	12	153	3	3	2	4838	8	<20	125	<10	11	221	<1
55477	081141	0.008	<1	12.36	114	170	3	2	3.41	7	11	57	33	265	11.25	30	12	3	2	<1	2.46	<1	57	4.51	1292	36	17	77	534	<1	<1	1.14	7	15	<5	11	201	4	<1	<1	687	23	122	194	<10	10	209	40
55478	081142	<0.005	<1	10.50	98	180	2	3	6.11	5	19	43	61	200	7.91	23	2	1	<1	<1	2.61	<1	42	3.71	1308	27	14	59	413	<1	<1	1.14	6	11	<5	<10	313	3	<1	<1	640	15	27	154	<10	10	157	<1
55479	081143	<0.005	<1	12.25	115	163	3	2	3.84	8	8	56	26	255	11.56	31	2	3	1	<1	2.42	<1	53	4.02	1088	38	16	74	569	<1	3	1.21	5	15	<5	11	192	5	3	2	623	9	126	194	<10	10	206	11
55480D	081143	0.006	<1	12.24	119	165	3	4	3.82	8	8	57	26	256	11.28	30	9	4	<1	<1	2.57	<1	53	3.91	1072	37	16	76	556	<1	2	1.15	<5	15	<5	15	191	5	<1	2	642	7	124	191	<10	10	202	40
55481	081144	<0.005	<1	11.42	122	249	3	3	5.35	8	12	60	34	273	11.41	30	1	2	<1	<1	2.35	<1	45	3.59	1270	38	17	83	487	3	<1	1.41	9	15	<5	12	218	4	3	1	648	7	100	195	<10	10	242	<1
55482	081145	<0.005	<1	9.72	110	287	3	4	4.65	7	7	54	39	246	10.39	24	3	<1	<1	<1	2.15	<1	34	2.87	1446	34	14	74	452	3	<1	2.79	7	12	<5	11	170	5	<1	<1	723	11	60	180	<10	8	284	<1
55483	081146	0.008	<1	7.97	254	231	2	<1	3.36	7	3	60	172	232	8.67	25	<1	<1	<1	<1	1.89	<1	21	1.35	1384	39	11	92	481	26	6	5.24	9	9	15	12	121	3	<1	<1	745	7	60	164	<10	7	460	<1
55484	081147	0.045	<1	8.04	237	226	3	3	1.99	8	<1	86	245	362	7.48	24	<1	2	<1	<1	1.94	<1	24	0.91	707	44	8	178	400	83	4	4.87	23	10	9	13	88	3	2	3	768	9	82	143	15	7	1434	10
55485	081148	0.006	<1	6.95	79	268	2	4	4.19	6	5	57	121	147	8.59	25	1	3	<1	<1	1.86	<1	24	1.31	2137	43	13	81	477	22	1	5.23	10	6	<5	11	128	2	5	<1	820	10	57	175	<10	6	231	26
55486	081149	0.033	<1	6.76	153	158	3	2	2.16	10	<1	36	441	107	12.95	25	10	6	3	<1	2.21	<1	28	0.70	1568	61	2	83	457	72	3	8.07	32	5	<5	10	88	4	8	2	504	7	148	64	<10	7	656	157
55487	081150	<0.005	<1	7.75	11	946	2	3	1.48	<4	32	6	316	10	1.49	18	13	4	<1	<1	2.45	13	42	0.38	266	41	2	9	353	21	40	1.13	<5	1	26	12	239	<1	<1	11	1378	5	<20	23	<10	5	86	118
55488	081151	0.028	<1	6.33	326	284	3	1	1.54	9	<1	68	456	124	9.44	28	22	6	<1	<1	2.16	<1	29	0.54	702	59	4	195	148	33	18	6.19	35	5	<5	12	83	4	7	1	726	4	112	103	14	6	1248	179
55489	081152	0.034	<1	4.95	381	81	5	7	0.87	23	<1	59	415	91	30.16	43	35	10	<1	<1	1.53	<1	26	0.28	336	101	<1	42	<100	75	<1	>10.00	94	<1	<5	13	54	13	26	1	360	10	516	17	<10	4	249	206
55490	081153	0.032	<1	5.15	287	70	4	11	0.77	20	<1	39	370	47	27.10	38	41	9	1	<1	1.81	<1	24	0.28	319	90	<1	32	<100	51	<1	>10.00	71	<1	<5	<10	48	9	23	<1	321	17	457	14	<10	4	164	162
55491D	081153	0.013	<1	4.97	281	68	4	10	0.75	20	<1	37	365	45	26.87	36	46	8	<1	<1	1.67	<1	23	0.27	314	89	<1	33	<100	51	<1	>10.00	67	<1	<5	<10	47	11	23	<1	311	21	476	13	<10	4	155	135
55492	081154	0.033	<1	4.99	206	68	3	7	0.90	15	<1	28	428	26	21.04	30	34	7	<1	<1	1.88	<1	22	0.32	760	78	<1	32	<100	47	<1	>10.00	46	<1	<5	11	50	8	15	<1	326	4	302	17	<10	4	165	133

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/10/2011
Job #: 201140790
Reference:
Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55493	081155	0.024	<1	5.10	219	93	4	7	0.91	18	<1	29	386	26	23.79	37	56	9	<1	<1	1.54	<1	26	0.31	723	85	<1	32	<100	58	<1	>10.00	46	<1	<5	14	54	10	17	<1	372	9	377	19	<10	4	167	216
55494	081156	0.011	<1	6.01	81	149	3	3	0.88	8	<1	18	450	33	10.94	23	42	12	<1	<1	1.89	<1	29	0.35	930	71	<1	31	<100	23	17	6.15	20	<1	<5	10	58	4	7	<1	467	16	144	24	<10	4	367	420
55495	081157	0.006	<1	6.41	43	190	2	3	0.80	5	<1	25	436	67	5.84	13	14	6	2	<1	1.83	<1	26	0.33	700	51	<1	57	<100	16	16	3.57	8	1	<5	12	53	<1	<1	447	12	55	32	<10	4	582	214	
55496	081158	0.005	<1	6.88	23	236	2	3	0.86	6	<1	30	346	72	6.58	17	23	7	1	<1	2.27	<1	28	0.35	1001	54	<1	64	111	15	24	3.32	7	2	<5	<10	56	1	2	1	476	10	64	39	<10	5	846	217
55497	081159	<0.005	<1	6.17	11	164	2	2	0.79	4	<1	12	471	46	5.36	12	8	3	<1	<1	2.42	<1	26	0.37	1164	45	<1	29	<100	2	15	2.44	<5	1	<5	11	49	<1	<1	359	5	48	24	<10	4	329	100	
55498	081160	0.008	<1	6.25	9	153	2	3	1.56	8	<1	22	309	98	10.50	17	<1	2	<1	<1	2.56	<1	25	0.73	2915	48	<1	47	114	16	4	3.44	7	2	<5	11	58	3	6	<1	320	10	125	28	<10	5	480	22
55499	081161	<0.005	<1	5.50	8	88	3	7	1.01	9	<1	14	322	46	12.77	17	3	2	<1	<1	2.35	<1	22	0.79	3847	49	<1	31	231	20	<1	3.30	7	<1	6	10	47	6	4	<1	301	16	163	16	<10	5	146	<1
55500	081162	<0.005	<1	5.78	9	79	2	2	1.17	7	<1	7	380	24	10.37	13	4	3	<1	<1	2.32	<1	24	0.77	3328	49	<1	16	165	12	<1	2.12	6	<1	<5	<10	48	4	2	<1	336	7	106	11	<10	5	129	50
55501	081163	0.007	<1	5.76	14	62	2	3	1.53	7	<1	13	266	44	9.57	12	<1	<1	<1	<1	2.30	<1	20	1.00	3019	41	<1	29	134	14	<1	1.91	5	2	6	<10	45	4	5	<1	430	11	105	22	<10	6	321	<1
55502D	081163	0.006	<1	5.51	5	72	2	3	1.53	7	<1	13	252	45	9.26	14	<1	2	<1	<1	2.14	<1	23	0.85	2940	46	<1	28	136	9	<1	1.95	7	1	<5	10	49	3	7	<1	488	9	93	22	<10	5	308	25
55503	081164	0.005	<1	5.71	6	70	2	2	2.62	8	<1	15	209	96	11.58	15	<1	3	<1	<1	2.25	<1	24	1.06	3917	48	<1	29	258	22	<1	2.62	7	1	<5	10	50	3	7	<1	335	4	135	20	<10	6	252	7
55504	081165	0.007	<1	5.36	8	71	2	3	2.53	8	<1	17	225	102	11.16	16	<1	2	<1	<1	2.00	<1	23	0.94	3722	48	<1	30	247	18	<1	2.69	5	1	<5	11	49	4	6	<1	371	6	111	21	<10	5	244	14
55505	081166	<0.005	<1	7.34	64	250	2	<1	5.78	<4	18	55	237	164	4.13	20	<1	<1	<1	<1	1.95	<1	38	0.59	1743	32	21	123	420	<1	<1	1.14	<5	15	<5	<10	126	2	<1	<1	437	12	<20	296	<10	7	180	<1
55506	081167	0.006	<1	9.13	42	257	<2	2	4.76	<4	13	49	265	178	3.54	24	10	<1	<1	<1	2.19	<1	41	0.61	1016	34	26	128	444	<1	8	1.35	7	20	17	<10	156	3	<1	<1	462	10	<20	349	<10	7	197	<1
55507	081168	<0.005	<1	8.19	53	239	<2	<1	4.43	<4	12	56	274	171	2.70	22	<1	<1	<1	<1	2.26	<1	39	0.45	950	31	26	135	488	<1	6	1.38	<5	16	15	<10	167	2	<1	<1	420	11	<20	354	<10	6	178	<1
55508	081169	0.005	<1	6.68	9	79	2	<1	3.17	6	2	17	278	88	7.87	13	11	3	<1	<1	2.00	<1	29	0.88	2201	43	2	29	186	6	<1	2.36	<5	4	<5	<10	53	3	3	<1	394	5	40	51	<10	6	192	63
55509	081170	1.037	<1	9.00	10	161	<2	1	4.57	<4	20	34	112	44	5.57	21	6	<1	<1	<1	2.29	<1	25	1.90	916	31	16	28	677	1	41	1.07	<5	14	<5	14	182	2	<1	3	5983	8	<20	174	<10	21	130	<1
55510	081171	0.008	<1	5.32	5	79	2	5	2.48	6	<1	24	167	88	9.20	17	10	2	<1	<1	2.24	<1	31	0.65	2122	46	5	40	207	6	<1	2.39	5	5	<5	<10	49	3	2	<1	601	4	71	87	<10	5	316	34
55511	081172	<0.005	<1	6.65	13	163	2	3	4.87	5	6	48	207	138	8.35	24	<1	<1	<1	<1	2.14	<1	41	0.75	1450	38	18	106	309	7	<1	2.85	<5	14	<5	<10	116	4	<1	<1	366	3	49	260	<10	6	166	<1
55512	081173	<0.005	<1	8.08	28	179	2	5	6.19	5	16	47	231	150	6.64	22	2	<1	<1	<1	2.26	<1	50	1.21	1900	32	20	105	320	2	1	1.46	<5	19	<5	12	109	4	<1	<1	423	9	28	275	<10	7	187	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/10/2011
Job #: 201140790
Reference:
Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55513D	081173	<0.005	<1	7.18	24	168	<2	2	5.96	4	14	45	221	140	6.39	20	<1	<1	<1	<1	2.08	<1	47	1.18	1835	30	20	100	302	<1	<1	1.24	5	18	6	11	105	3	<1	<1	383	9	<20	266	<10	6	184	<1
55514	081174	<0.005	<1	7.68	33	293	<2	<1	5.37	4	10	50	255	150	6.20	21	<1	<1	<1	<1	1.99	<1	42	1.25	1543	30	23	114	334	<1	<1	1.03	5	21	5	16	81	5	<1	<1	410	7	<20	297	<10	6	175	<1
55515	081175	<0.005	<1	7.00	18	238	2	<1	7.01	4	6	44	197	144	6.30	22	<1	<1	<1	1	1.98	<1	45	1.23	1831	32	19	101	310	2	<1	1.26	<5	17	<5	<10	101	3	<1	<1	365	4	<20	258	<10	7	157	<1
55516	081176	<0.005	<1	9.44	12	102	2	4	6.87	5	18	52	215	160	6.84	24	1	1	<1	<1	2.59	<1	52	1.73	1722	34	20	116	347	<1	<1	1.35	8	24	<5	12	115	4	<1	<1	400	14	<20	264	<10	10	171	<1
55517	081177	<0.005	<1	9.79	30	115	<2	<1	9.04	4	29	44	214	158	5.19	20	<1	1	<1	<1	2.47	<1	55	2.04	1851	28	20	101	462	<1	5	1.19	7	23	17	14	112	3	<1	<1	406	18	<20	244	<10	12	166	<1
55518	081178	<0.005	<1	10.62	32	165	<2	<1	6.60	<4	16	52	371	164	5.21	21	<1	<1	<1	<1	2.20	<1	50	2.21	1359	22	22	108	405	<1	<1	1.10	7	28	13	12	123	3	<1	<1	396	10	<20	283	<10	13	179	<1
55519	081179	<0.005	<1	9.04	57	233	<2	5	4.98	<4	11	53	479	232	2.87	16	1	<1	<1	<1	2.42	<1	40	1.19	830	29	19	120	429	<1	2	1.10	6	18	15	12	141	2	<1	<1	535	14	<20	262	<10	10	127	<1
55520	081180	0.006	<1	8.58	13	900	<2	<1	1.33	<4	61	5	465	10	1.50	13	<1	<1	<1	<1	2.26	29	37	0.42	232	35	<1	12	313	13	41	0.91	5	2	20	13	231	<1	<1	21	984	9	<20	22	<10	6	74	4
55521	081181	<0.005	<1	9.47	54	234	<2	3	4.59	<4	13	64	406	133	3.53	16	<1	<1	<1	<1	2.18	<1	40	1.33	754	25	20	156	463	<1	<1	1.08	<5	24	16	<10	142	1	<1	<1	476	6	<20	282	<10	12	252	<1
55522	081182	<0.005	<1	9.45	29	232	<2	<1	5.21	4	15	63	303	194	5.03	24	<1	<1	<1	1	2.07	<1	45	1.49	910	27	25	143	404	<1	<1	1.36	<5	25	19	<10	150	4	<1	<1	921	13	<20	334	<10	14	210	<1
55523	081183	<0.005	<1	8.58	19	199	<2	1	5.81	<4	15	61	318	174	4.10	28	29	4	<1	<1	2.16	<1	47	1.22	859	42	26	123	418	<1	5	1.78	<5	16	15	10	156	4	<1	2	3237	8	<20	325	<10	12	139	139
55524R	081183	<0.005	<1	7.90	15	194	2	3	5.57	<4	15	59	327	172	4.23	27	15	4	<1	2	2.14	<1	48	1.17	874	38	25	124	417	<1	<1	1.78	<5	15	7	<10	154	4	<1	1	2924	8	<20	324	<10	11	140	117
55525	081184	<0.005	<1	8.33	16	161	<2	1	5.94	<4	14	55	315	169	4.32	24	16	2	<1	<1	2.10	<1	49	1.34	925	36	27	105	406	<1	8	1.51	<5	19	12	12	157	5	<1	<1	5200	9	<20	335	<10	11	147	63
55526	081185	<0.005	<1	8.26	13	154	2	<1	5.63	<4	13	55	286	170	4.46	26	19	2	<1	<1	2.08	<1	50	1.37	923	33	27	99	411	<1	7	1.61	5	19	8	<10	155	6	<1	<1	5258	9	<20	331	<10	11	146	68
55527	081186	<0.005	2	8.63	26	126	<2	1	6.52	<4	16	52	348	164	4.59	25	9	1	<1	<1	2.06	<1	49	1.58	999	30	27	87	395	<1	<1	1.39	5	21	14	<10	148	6	<1	2	5401	10	<20	328	<10	12	156	<1
55528	081187	<0.005	<1	6.73	24	182	<2	<1	5.86	<4	17	61	346	175	3.29	23	16	1	<1	<1	1.90	<1	40	0.90	743	34	27	114	423	<1	3	1.37	<5	13	13	<10	160	5	<1	4	6253	7	<20	330	<10	9	156	<1
55529	081188	<0.005	8	7.96	11	122	<2	1	7.22	<4	20	55	355	177	3.90	24	25	2	<1	<1	2.14	<1	42	1.32	973	34	28	79	521	<1	4	1.56	5	18	13	11	142	6	<1	2	6770	10	<20	328	<10	12	148	33
55530	081189	<0.005	<1	7.52	17	190	<2	1	6.59	<4	14	48	330	132	3.40	21	16	1	<1	<1	2.03	<1	39	1.16	931	35	23	87	359	<1	7	1.37	<5	14	13	10	129	5	<1	<1	4756	8	<20	288	<10	10	129	40
55531	081190	<0.005	16	7.70	16	166	<2	<1	5.21	<4	15	62	354	184	3.59	23	22	3	<1	<1	2.07	<1	37	1.14	766	39	28	103	438	<1	<1	1.49	<5	15	11	<10	145	5	<1	3	7192	14	<20	346	<10	10	154	89
55532	081191	<0.005	2	8.12	14	127	<2	<1	6.01	<4	16	60	391	197	4.22	23	13	1	<1	<1	2.16	<1	37	1.34	890	30	30	102	442	<1	2	1.43	6	20	18	10	134	5	<1	2	6865	13	<20	354	<10	11	161	15

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/23/2011
Date Completed: 03/10/2011
Job #: 201140790
Reference:
Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
55533	081192	<0.005	<1	9.16	17	138	2	2	7.01	<4	21	49	241	131	4.15	23	18	2	<1	<1	2.20	<1	39	1.78	1201	31	23	90	349	<1	4	1.35	6	21	15	<10	122	4	<1	<1	5229	24	<20	274	<10	12	131	47
55534	081193	<0.005	<1	8.82	12	174	<2	<1	6.31	<4	18	54	271	144	4.30	24	28	2	<1	<1	2.14	<1	37	1.62	1056	33	27	106	386	<1	<1	1.39	5	20	12	15	130	6	<1	<1	6120	15	<20	316	<10	12	142	46
55535D	081193	<0.005	<1	9.23	8	180	<2	3	6.58	<4	14	58	296	158	4.59	25	5	1	<1	<1	2.06	<1	40	1.91	1136	28	29	116	405	<1	5	1.29	<5	20	11	10	138	6	<1	<1	6583	22	<20	341	<10	12	156	<1
55536	081194	<0.005	19	8.69	17	405	<2	<1	5.79	<4	13	70	414	155	3.79	27	8	2	<1	<1	2.11	<1	37	1.30	854	36	31	145	446	<1	5	1.48	5	17	16	11	154	5	<1	3	7276	11	<20	371	<10	11	159	56
55537	081195	<0.005	8	8.31	18	377	2	<1	6.43	<4	15	75	429	170	3.83	28	7	2	<1	<1	2.06	<1	36	1.27	875	33	32	157	453	<1	9	1.47	<5	18	12	10	152	6	<1	4	7631	13	<20	383	<10	11	156	28
55538	081196	<0.005	11	7.79	16	433	<2	<1	4.50	<4	12	74	360	205	3.20	25	13	2	<1	<1	1.96	<1	33	1.11	623	36	32	156	437	<1	20	1.31	<5	14	12	11	134	7	<1	3	7606	14	<20	387	<10	9	181	44
55539	081197	<0.005	<1	8.00	20	231	<2	<1	7.09	<4	9	61	254	186	4.56	23	9	<1	<1	<1	2.45	<1	33	1.04	919	33	26	116	426	<1	4	1.32	5	14	9	12	169	5	<1	4	6476	12	<20	298	<10	10	166	<1
55540	081198	<0.005	<1	7.87	12	246	<2	2	5.76	<4	11	60	310	183	3.50	23	20	1	<1	<1	2.47	<1	34	1.16	917	34	29	129	402	<1	15	1.39	5	15	8	10	154	5	<1	2	6614	9	<20	345	<10	10	154	4
55541	081199	<0.005	3	7.49	14	250	<2	1	5.70	<4	15	63	325	187	3.26	23	9	<1	<1	2	2.50	<1	33	0.99	789	30	28	131	418	<1	16	1.30	<5	15	10	12	168	6	<1	2	6820	12	<20	337	<10	10	173	<1
55542	081200	13.357	3	7.12	34	417	2	2	3.13	<4	<1	28	96	147	4.46	19	3	<1	<1	<1	2.51	<1	29	1.00	643	40	11	49	673	25	293	1.38	<5	7	10	<10	146	3	<1	5	4558	12	<20	119	<10	10	212	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Wednesday, March 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/11/2011
Job #: 201140832
Reference:
Sample #: 9

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
58778	083022	1.568	<1	7.67	17	114	<2	45	2.14	<4	<1	36	393	158	7.57	12	<1	<1	<1	<1	2.04	<1	20	1.38	852	23	11	95	455	13	<1	2.96	<5	18	<5	<10	114	6	2	<1	1028	1407	<20	153	14	5	79	<1
58779	083023	5.630	11	7.43	226	232	2	38	2.46	4	9	111	144	1548	6.52	14	<1	<1	<1	<1	1.74	5	21	1.10	589	27	7	1273	1019	658	72	1.91	<5	8	<5	<10	138	5	4	<1	2485	>5000	<20	86	33	13	411	<1
58780	083024	0.215	1	8.59	19	149	<2	48	5.25	<4	<1	40	224	99	6.81	16	1	<1	<1	<1	2.11	<1	33	2.74	1197	20	18	88	598	16	<1	0.83	<5	24	8	<10	162	7	<1	<1	2162	2075	<20	225	23	6	87	<1
58781	083025	0.049	2	8.40	36	223	<2	36	5.16	<4	<1	32	231	144	4.37	16	<1	<1	<1	1	2.05	<1	32	1.90	889	21	17	71	997	8	<1	0.36	<5	17	18	<10	143	5	<1	<1	2277	4331	<20	219	15	6	54	<1
58782	083026	0.022	<1	9.33	38	181	<2	44	2.59	<4	<1	40	251	159	5.88	17	<1	<1	3	<1	1.99	<1	30	1.41	983	19	21	88	420	8	<1	0.25	<5	29	8	<10	105	7	<1	<1	2206	664	<20	265	<10	7	81	<1
58783	083027	0.015	4	7.87	25	177	<2	31	5.02	<4	<1	35	233	178	5.05	15	<1	<1	<1	<1	2.04	<1	31	1.41	985	17	20	72	574	10	<1	0.44	<5	21	13	<10	178	6	<1	<1	2860	4297	<20	251	<10	7	65	<1
58784	083028	0.016	<1	8.26	23	170	<2	36	4.75	<4	<1	34	218	175	5.02	16	<1	<1	<1	<1	1.93	<1	32	1.48	910	17	19	74	869	7	<1	0.45	<5	21	10	<10	168	5	<1	<1	2035	4502	<20	242	<10	7	66	<1
58785	083029	0.006	<1	9.23	10	137	<2	47	5.07	<4	<1	38	214	159	6.43	15	<1	<1	<1	<1	1.96	<1	33	2.22	1122	17	18	96	690	9	<1	0.77	5	26	15	<10	166	6	<1	<1	1707	3564	26	238	<10	10	76	<1
58786	083030	0.013	<1	9.60	13	65	<2	41	5.69	<4	<1	41	172	102	7.01	16	<1	<1	<1	<1	2.04	<1	36	2.82	1135	19	17	99	822	10	<1	0.44	<5	25	16	<10	134	7	<1	<1	2099	>5000	21	222	<10	9	82	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59260	081301	<0.005	<1	22.45	9	285	<2	47	8.49	<4	35	54	83	188	8.42	24	15	5	<1	<1	2.20	11	40	4.00	1430	68	19	103	547	3	27	0.07	<5	35	29	10	174	9	<1	<1	5615	115	<20	173	<10	31	102	135
59261	081302	0.006	<1	8.16	13	281	<2	9	7.74	<4	10	62	40	195	8.54	23	<1	<1	2	<1	2.02	<1	26	1.33	2083	52	18	130	862	8	<1	0.21	<5	12	10	<10	123	11	<1	<1	5297	61	<20	164	<10	11	132	<1
59262	081303	0.006	<1	8.13	4	230	<2	9	8.71	<4	9	26	193	97	5.48	16	4	<1	<1	<1	2.11	<1	28	1.17	1988	53	4	45	512	17	<1	0.47	<5	5	16	<10	138	4	4	<1	1196	132	21	52	<10	9	241	<1
59263	081304	<0.005	<1	11.08	4	122	<2	25	6.00	4	5	37	132	95	11.36	26	<1	<1	<1	<1	2.15	<1	31	2.78	4019	54	14	86	661	13	<1	0.32	<5	23	<5	<10	94	9	<1	<1	2153	66	46	174	<10	12	192	<1
59264	081305	<0.005	<1	10.53	2	116	<2	25	6.49	4	4	35	121	89	11.26	24	<1	<1	<1	<1	1.96	<1	30	2.70	4153	53	14	83	434	11	<1	0.31	<5	21	12	<10	98	11	<1	<1	1950	123	39	169	<10	11	195	<1
59265	081306	0.005	<1	9.18	<2	89	<2	26	9.05	<4	<1	37	143	108	10.21	23	6	<1	<1	<1	1.98	<1	31	2.37	4236	50	17	93	294	18	<1	0.33	<5	22	<5	<10	112	12	<1	<1	987	53	20	201	<10	9	136	<1
59266	081307	0.007	<1	9.20	6	163	<2	19	6.57	<4	<1	45	179	168	6.34	21	<1	<1	<1	<1	1.89	<1	30	2.15	1862	43	22	130	335	7	<1	0.07	<5	25	8	<10	100	8	<1	<1	483	16	<20	242	<10	9	111	<1
59267	081308	0.006	<1	7.53	8	179	<2	12	6.97	<4	<1	41	198	142	5.22	17	<1	<1	<1	<1	1.75	<1	28	1.46	1894	43	17	131	200	11	<1	0.08	<5	16	<5	<10	115	6	<1	<1	504	241	<20	192	<10	6	101	<1
59268	081309	0.008	<1	8.49	4	187	<2	14	7.55	<4	2	43	185	148	6.30	20	<1	<1	2	<1	1.92	<1	30	1.70	2151	48	16	127	443	9	4	0.17	<5	17	<5	<10	131	7	<1	<1	529	43	<20	190	<10	7	98	<1
59269	081310	5.446	<1	6.17	280	277	2	8	2.69	4	<1	118	161	1598	6.96	19	<1	<1	<1	<1	1.56	<1	29	0.85	662	58	8	1392	827	746	40	1.25	<5	5	<5	<10	140	6	<1	<1	3388	5	<20	87	40	8	491	<1
59271	081311	0.014	<1	10.39	20	258	<2	15	7.03	<4	1	45	219	152	4.70	18	<1	<1	<1	<1	2.20	<1	34	1.99	1434	49	19	142	292	10	<1	0.08	<5	24	7	<10	136	6	<1	<1	540	51	<20	213	<10	7	71	<1
59272	081312	0.007	<1	10.05	32	320	<2	20	6.46	<4	<1	47	242	158	3.83	18	5	<1	2	<1	1.98	<1	28	1.72	1123	43	21	148	273	4	7	0.06	<5	24	8	<10	144	5	<1	<1	549	<2	<20	233	<10	6	63	<1
59273	081313	0.009	<1	10.35	26	268	<2	22	8.97	<4	1	44	224	156	4.15	18	6	<1	<1	<1	2.00	<1	31	1.90	1435	45	20	140	436	3	<1	0.08	<5	24	13	<10	155	6	<1	<1	484	29	22	221	<10	7	68	<1
59274	081314	<0.005	<1	9.09	38	226	<2	10	7.27	<4	<1	48	240	158	4.21	18	3	<1	<1	<1	1.99	<1	29	1.56	1299	44	20	132	493	6	<1	0.09	<5	22	16	<10	180	7	<1	<1	432	31	24	228	<10	5	71	<1
59275	081315	<0.005	<1	8.03	46	209	<2	17	6.43	<4	<1	47	254	153	4.02	19	7	<1	2	<1	1.91	<1	29	1.39	1177	45	21	133	257	8	<1	0.07	<5	18	8	<10	191	6	<1	<1	424	<2	<20	228	<10	5	75	<1
59276	081316	0.005	<1	8.02	20	199	<2	16	7.54	<4	<1	42	194	136	5.41	20	5	<1	<1	<1	1.94	<1	32	1.62	1850	47	18	114	486	7	<1	0.20	<5	18	<5	<10	190	6	<1	<1	428	<2	<20	203	<10	5	108	<1
59277	081317	0.005	<1	8.50	35	377	<2	10	5.33	<4	<1	47	205	161	4.77	21	2	<1	1	<1	1.80	<1	31	1.71	1208	46	22	124	157	8	<1	0.09	<5	21	8	<10	158	7	<1	<1	441	<2	<20	249	<10	5	83	<1
59278	081318	<0.005	<1	9.72	12	171	<2	17	6.83	<4	76	37	658	62	4.67	16	8	<1	<1	<1	2.01	32	36	4.10	1249	58	12	199	2027	12	<1	0.05	<5	16	8	<10	123	4	<1	5	477	200	<20	126	<10	14	66	<1
59279	081319	<0.005	<1	8.92	13	264	<2	16	7.63	<4	<1	42	171	140	6.24	20	2	<1	<1	<1	1.87	<1	33	1.89	2144	46	20	112	303	7	<1	0.21	<5	22	5	<10	166	6	<1	<1	443	99	21	222	<10	6	95	<1
59280	081320	<0.005	<1	8.07	2	894	<2	6	1.42	<4	21	3	247	6	1.24	15	4	2	1	<1	1.99	7	41	0.37	203	56	3	7	507	35	18	0.02	<5	1	12	<10	228	1	<1	6	1127	7	<20	19	<10	4	37	90

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59282	081321	0.009	<1	9.86	19	267	<2	17	6.78	<4	3	43	179	146	6.03	22	10	<1	1	<1	2.09	<1	35	1.79	1936	54	21	113	399	14	<1	0.19	<5	23	8	<10	190	6	<1	<1	485	150	<20	233	<10	6	89	<1
59283	081322	<0.005	<1	10.24	13	230	<2	19	6.74	<4	<1	41	180	145	6.10	23	<1	<1	<1	<1	2.03	<1	37	1.88	1762	51	21	108	216	7	<1	0.16	<5	24	13	<10	191	6	<1	<1	439	144	<20	231	<10	6	90	<1
59284	081323	<0.005	<1	10.61	4	141	<2	26	8.94	<4	<1	37	151	132	6.58	20	4	<1	<1	<1	2.12	<1	33	2.26	2227	48	18	97	455	6	<1	0.12	<5	26	15	<10	155	6	<1	<1	402	136	<20	208	<10	7	78	<1
59285	081324	0.006	<1	9.68	11	147	<2	14	7.82	<4	<1	42	173	147	5.46	19	5	<1	<1	<1	2.09	<1	32	1.99	1658	46	21	101	458	11	<1	0.11	<5	26	13	<10	159	6	<1	<1	389	57	23	232	<10	6	74	<1
59286	081325	<0.005	<1	8.88	12	150	<2	19	7.72	<4	<1	44	179	153	5.45	21	3	<1	1	<1	1.97	<1	31	1.93	1670	46	22	102	377	7	<1	0.11	<5	23	12	<10	162	8	<1	<1	405	110	<20	238	<10	6	74	<1
59287	081326	<0.005	<1	9.44	4	122	<2	17	8.57	<4	2	41	171	140	5.86	19	<1	<1	<1	<1	1.92	<1	33	2.30	1912	46	20	105	360	5	<1	0.10	<5	26	12	<10	144	7	<1	<1	378	27	29	223	<10	6	78	<1
59288	081327	0.005	<1	8.92	9	130	<2	12	7.09	<4	<1	39	195	155	5.21	21	<1	<1	<1	<1	1.95	<1	30	1.72	1496	42	21	96	684	8	<1	0.14	<5	23	6	<10	156	7	<1	<1	361	49	21	241	<10	5	75	<1
59289	081328	<0.005	<1	9.49	7	115	<2	23	9.11	<4	<1	40	161	132	6.30	20	2	<1	<1	<1	1.93	<1	34	2.41	2158	48	19	102	481	7	<1	0.12	<5	25	<5	<10	145	7	<1	<1	466	84	29	217	<10	7	79	<1
59290	081329	0.005	<1	8.36	10	125	<2	9	8.05	<4	<1	39	164	132	5.33	18	<1	<1	<1	<1	1.98	<1	31	2.02	1906	45	19	95	531	5	<1	0.12	<5	21	<5	<10	158	6	<1	<1	392	<2	24	212	<10	5	74	<1
59291	081330	<0.005	<1	8.14	11	129	<2	9	7.41	<4	<1	41	178	170	5.17	19	<1	<1	<1	<1	1.94	<1	32	1.82	1543	45	20	107	346	7	<1	0.11	<5	21	<5	<10	160	6	<1	<1	375	52	27	227	<10	5	87	<1
59292D	081330	<0.005	<1	9.19	13	135	<2	16	7.84	<4	<1	43	186	161	5.48	22	<1	<1	<1	<1	2.00	<1	34	1.97	1608	49	21	107	454	6	<1	0.10	<5	23	21	<10	168	7	<1	<1	392	22	<20	236	<10	6	85	<1
59293	081331	0.011	<1	9.52	11	112	<2	20	8.55	<4	<1	41	163	143	7.39	22	<1	<1	<1	<1	2.08	<1	36	2.36	2716	50	19	108	281	14	<1	0.19	<5	24	<5	<10	127	8	<1	<1	420	<2	38	215	<10	7	85	<1
59294	081332	<0.005	<1	8.25	16	98	<2	12	10.68	<4	<1	37	132	112	7.98	19	<1	<1	<1	<1	2.04	<1	31	2.71	3613	49	16	100	219	10	<1	0.20	<5	21	<5	<10	104	7	<1	<1	407	148	30	184	<10	7	90	<1
59295	081333	<0.005	<1	8.89	15	121	<2	14	8.12	<4	<1	41	168	133	6.20	20	<1	<1	<1	<1	1.93	<1	34	2.03	2101	52	19	105	388	5	<1	0.29	<5	21	23	<10	130	6	<1	<1	424	115	<20	206	<10	6	93	<1
59296	081334	<0.005	<1	8.64	25	122	<2	15	7.79	<4	<1	46	213	153	6.58	21	<1	<1	<1	<1	1.86	<1	31	1.99	2179	43	20	118	420	9	<1	0.47	<5	22	<5	<10	135	8	<1	<1	344	320	<20	229	<10	5	98	<1
59297	081335	<0.005	<1	8.03	18	122	<2	14	7.32	<4	<1	45	197	174	6.42	20	10	<1	1	<1	1.94	<1	29	1.94	2112	46	19	109	294	15	<1	0.51	<5	20	<5	<10	130	7	<1	<1	365	155	24	219	<10	5	98	<1
59298	081336	<0.005	<1	8.41	31	121	<2	15	8.12	<4	<1	45	238	137	5.52	19	7	<1	<1	<1	1.98	<1	29	1.97	1774	42	18	128	316	10	<1	0.13	<5	20	6	<10	131	6	<1	<1	375	151	27	205	<10	5	83	<1
59299	081337	<0.005	<1	7.72	29	115	<2	17	8.26	<4	<1	38	217	115	5.43	15	<1	<1	1	<1	1.89	<1	28	2.29	2233	42	16	108	285	6	<1	0.10	<5	19	8	<10	120	7	<1	<1	364	197	<20	180	<10	5	65	<1
59300	081338	<0.005	<1	8.97	21	108	<2	19	8.70	<4	<1	40	244	132	5.86	16	<1	<1	<1	<1	1.97	<1	30	2.42	2093	39	17	125	446	4	<1	0.11	<5	24	10	<10	124	7	<1	<1	317	<2	<20	194	<10	6	67	<1
59301	081339	<0.005	<1	8.21	34	128	<2	14	7.47	<4	1	50	261	148	4.98	18	<1	<1	<1	<1	1.89	<1	29	1.93	1572	40	20	146	498	3	<1	0.13	<5	20	14	<10	141	7	<1	<1	346	61	<20	215	<10	5	58	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K ppm	La ppm	Li ppm	Mg ppm	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S ppm	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59302	081340	13.677	<1	7.65	25	444	2	12	3.15	<4	<1	25	92	139	4.41	15	<1	<1	<1	<1	1.89	<1	24	1.24	629	43	10	46	884	32	362	0.56	<5	9	<5	<10	140	6	<1	<1	3991	110	<20	101	<10	13	175	<1
59304	081341	0.014	<1	8.32	17	119	<2	20	8.71	<4	<1	38	239	131	5.52	20	<1	<1	<1	<1	1.84	<1	32	2.20	1716	46	17	125	<100	10	<1	0.13	<5	19	9	<10	125	6	<1	<1	424	163	<20	193	<10	5	69	<1
59305	081342	0.006	<1	8.57	36	125	<2	18	7.06	<4	<1	49	257	160	5.27	18	<1	<1	2	<1	1.80	<1	32	2.06	1491	42	18	148	517	6	<1	0.15	<5	22	<5	<10	133	6	<1	<1	340	61	21	212	<10	4	67	<1
59306	081343	0.006	<1	8.31	32	111	<2	18	8.16	<4	<1	43	230	144	4.87	14	<1	<1	<1	<1	1.82	<1	29	2.12	1678	39	15	122	329	9	<1	0.12	<5	21	16	<10	111	5	<1	<1	301	96	<20	173	<10	5	56	<1
59307	081344	0.006	<1	9.29	27	117	<2	9	9.41	<4	<1	44	239	143	5.57	16	<1	<1	<1	<1	1.95	<1	32	2.41	2008	43	16	126	353	8	<1	0.12	<5	24	14	<10	114	6	<1	<1	337	65	<20	186	<10	6	67	<1
59308	081345	<0.005	<1	8.50	10	104	<2	19	9.99	<4	<1	31	231	104	5.54	15	8	<1	1	<1	1.98	<1	29	2.23	2305	42	14	96	244	<1	<1	0.10	<5	19	<5	<10	100	6	<1	<1	353	7	<20	153	<10	6	66	<1
59309	081346	<0.005	<1	8.31	10	110	<2	16	8.21	<4	<1	33	204	122	5.35	15	11	<1	<1	<1	2.05	<1	27	2.23	2063	44	14	105	439	8	<1	0.11	<5	19	<5	<10	104	5	<1	<1	370	79	24	168	<10	5	59	<1
59310	081347	<0.005	<1	9.33	9	99	<2	16	10.22	<4	1	36	212	118	6.75	17	3	<1	<1	<1	2.01	<1	31	2.88	2459	42	16	114	<100	9	<1	0.13	<5	24	<5	<10	101	5	<1	<1	378	<2	<20	179	<10	6	61	<1
59311	081348	0.007	<1	8.56	27	125	<2	13	7.28	<4	<1	45	272	151	4.97	18	<1	<1	<1	<1	1.79	<1	33	1.83	1500	44	18	140	361	9	<1	0.11	<5	20	10	<10	122	6	<1	<1	345	44	<20	206	<10	5	67	<1
59312	081349	<0.005	<1	7.84	16	112	<2	13	7.91	<4	<1	39	233	132	5.11	18	<1	<1	<1	<1	1.96	<1	30	1.89	1690	42	17	121	504	9	<1	0.12	<5	18	<5	<10	108	5	<1	<1	341	154	<20	190	<10	5	61	<1
59313	081350	0.005	<1	8.31	<2	900	<2	10	1.46	<4	44	3	338	8	1.52	16	5	<1	2	<1	1.88	19	40	0.40	233	54	3	9	529	38	17	0.02	<5	1	12	<10	244	2	<1	14	1104	50	<20	22	<10	5	39	<1
59315	081351	<0.005	<1	7.84	15	152	<2	17	6.51	<4	<1	31	344	84	4.14	22	46	6	<1	<1	1.84	<1	34	1.33	1147	70	14	109	360	11	<1	0.08	<5	11	12	<10	108	6	<1	<1	551	221	<20	154	<10	5	51	239
59316	081352	<0.005	<1	8.93	17	150	<2	15	7.64	<4	<1	39	255	132	5.03	24	20	4	<1	<1	1.84	<1	36	2.07	1632	65	19	119	241	7	<1	0.09	<5	17	16	<10	124	6	<1	<1	495	166	<20	201	<10	5	64	133
59317	081353	<0.005	<1	8.41	10	150	<2	14	6.91	<4	<1	36	230	129	4.42	22	25	4	<1	<1	1.85	<1	32	1.71	1358	66	17	120	582	8	<1	0.13	<5	14	<5	<10	123	5	<1	<1	506	76	<20	178	<10	5	58	158
59318	081354	0.008	<1	8.10	4	102	<2	11	10.16	<4	2	37	221	115	5.58	17	1	<1	<1	<1	1.81	<1	32	2.46	1905	44	15	107	357	8	<1	0.13	5	20	17	<10	99	5	<1	<1	357	227	<20	169	<10	6	77	<1
59319	081355	0.007	<1	7.67	4	97	<2	10	9.94	<4	<1	32	205	100	5.11	14	<1	<1	2	<1	1.85	<1	31	2.24	1834	43	14	93	394	3	<1	0.11	<5	18	<5	<10	94	5	<1	<1	339	17	<20	152	<10	6	65	<1
59320	081356	0.007	<1	8.54	12	105	2	11	7.91	<4	9	44	234	145	5.48	19	9	<1	1	<1	2.03	3	33	2.24	1539	41	26	151	493	9	3	0.13	<5	25	7	<10	107	15	<1	<1	339	22	<20	197	<10	7	80	<1
59321	081357	0.005	<1	9.19	17	105	<2	13	9.05	<4	<1	39	225	129	4.80	14	2	<1	1	<1	2.07	<1	32	2.30	1557	42	17	126	426	8	<1	0.13	<5	23	13	<10	109	6	<1	<1	324	31	36	176	<10	6	53	<1
59322	081358	<0.005	<1	9.77	10	107	<2	17	9.80	<4	<1	35	212	130	5.23	16	3	<1	2	<1	2.05	<1	33	2.59	1928	43	15	110	177	4	<1	0.12	<5	23	17	<10	108	6	<1	<1	344	89	<20	172	<10	7	58	<1
59323	081359	<0.005	<1	9.63	16	106	<2	14	9.29	<4	2	39	220	131	5.01	15	<1	<1	<1	<1	1.95	<1	30	2.61	1530	42	16	118	388	5	<1	0.13	<5	25	15	<10	117	6	<1	<1	325	100	<20	181	<10	6	55	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag %	Al ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59324	081360	0.006	<1	9.47	21	113	<2	17	8.81	<4	1	40	231	136	4.93	15	4	<1	<1	<1	1.91	<1	31	2.57	1738	39	17	121	509	6	<1	0.12	<5	25	<5	<10	121	5	<1	<1	307	68	<20	187	<10	6	54	<1
59325R	081360	<0.005	<1	7.46	20	118	<2	8	7.99	<4	<1	38	225	125	4.73	17	<1	<1	1	<1	2.07	<1	33	2.22	1626	43	17	115	514	7	<1	0.10	<5	16	8	<10	120	5	<1	<1	347	<2	<20	187	<10	5	52	<1
59326	081361	0.006	<1	8.60	19	122	<2	8	8.01	<4	<1	48	257	153	5.18	19	<1	<1	<1	<1	1.98	<1	35	2.33	1556	43	20	149	355	10	<1	0.15	5	20	7	<10	128	6	<1	<1	326	103	<20	216	<10	5	59	<1
59327	081362	0.006	<1	7.41	9	102	<2	17	7.86	<4	<1	35	227	131	6.03	18	<1	<1	<1	<1	1.97	<1	38	2.28	1759	41	17	117	113	7	<1	0.08	5	18	15	<10	102	6	<1	<1	341	112	31	195	<10	5	78	<1
59328	081363	0.008	<1	7.08	3	76	<2	11	11.12	<4	<1	26	257	63	6.28	13	<1	<1	1	<1	2.04	<1	33	2.40	2143	44	10	93	226	11	<1	0.13	<5	14	17	<10	71	5	<1	<1	318	221	39	116	<10	7	66	<1
59329	081364	0.006	<1	9.16	7	83	<2	15	10.67	<4	<1	39	234	125	8.30	18	<1	<1	1	<1	2.05	<1	39	3.12	2162	40	17	137	357	13	<1	0.10	<5	24	<5	<10	91	7	<1	<1	313	123	38	197	<10	7	113	<1
59330	081365	0.009	<1	8.72	5	98	<2	24	9.77	<4	<1	40	248	126	8.13	21	<1	<1	<1	<1	1.90	<1	43	2.89	2026	45	18	144	269	12	<1	0.09	<5	21	14	<10	100	9	<1	<1	365	141	<20	210	<10	6	119	<1
59331	081366	<0.005	<1	6.69	11	94	<2	10	10.46	<4	<1	31	184	102	5.44	14	<1	<1	<1	<1	1.96	<1	34	2.30	2093	41	13	100	301	8	<1	0.10	<5	15	12	<10	96	6	<1	<1	333	117	<20	149	<10	5	63	<1
59332	081367	0.005	<1	6.40	13	111	<2	2	7.48	<4	<1	38	234	130	5.16	17	<1	<1	<1	<1	1.91	<1	37	1.81	1530	42	17	118	398	8	<1	0.12	<5	13	<5	<10	107	5	<1	<1	342	<2	26	189	<10	4	64	<1
59333	081368	<0.005	<1	7.45	10	118	<2	14	7.17	<4	<1	44	272	142	5.71	19	<1	<1	1	<1	1.99	<1	41	1.88	1234	44	19	144	436	10	<1	0.08	<5	17	<5	<10	120	6	<1	<1	341	258	21	215	<10	4	82	<1
59334	081369	0.007	<1	7.44	10	109	<2	12	7.63	<4	<1	40	247	130	5.57	18	<1	<1	<1	<1	2.02	<1	37	1.93	1367	42	18	144	601	3	<1	0.09	<5	18	5	<10	109	6	<1	<1	315	14	<20	197	<10	5	74	<1
59335	081370	1.008	<1	7.14	3	174	<2	12	5.06	<4	5	37	132	41	5.98	23	<1	<1	<1	<1	2.09	<1	22	1.81	1006	43	18	30	889	22	9	0.06	<5	12	7	<10	201	8	<1	<1	7296	5	<20	173	<10	18	104	<1
59337	081371	0.005	<1	8.00	19	103	<2	10	8.39	<4	<1	45	221	121	5.52	15	<1	<1	<1	<1	1.95	<1	32	2.11	1736	38	15	153	423	5	<1	0.14	<5	19	<5	<10	104	5	<1	<1	320	111	50	177	<10	5	63	<1
59338	081372	<0.005	<1	7.23	5	67	<2	13	13.92	<4	<1	29	169	85	7.40	12	<1	<1	2	<1	1.95	<1	28	2.62	3680	36	10	76	419	12	<1	0.28	<5	17	<5	<10	71	5	<1	<1	277	128	<20	122	<10	8	67	<1
59339	081373	<0.005	<1	8.21	13	88	<2	16	9.99	<4	<1	34	199	118	6.61	16	<1	<1	<1	<1	1.94	<1	31	2.49	2458	37	15	111	392	7	<1	0.10	<5	22	<5	<10	90	7	<1	<1	319	41	42	174	<10	6	73	<1
59340	081374	<0.005	<1	8.75	16	99	<2	17	10.84	<4	<1	36	250	102	7.65	18	<1	<1	<1	<1	1.94	<1	36	2.88	3028	46	15	107	551	14	<1	0.10	<5	21	<5	<10	98	7	<1	<1	356	140	25	180	<10	7	83	<1
59341	081375	0.005	<1	8.32	33	112	<2	12	8.85	<4	<1	40	228	132	6.04	16	<1	<1	<1	<1	1.86	<1	34	2.37	2330	41	16	128	343	8	<1	0.13	<5	20	8	<10	109	7	<1	<1	321	38	<20	188	<10	5	60	<1
59342	081376	<0.005	<1	8.06	35	108	<2	16	9.05	<4	<1	38	223	118	5.91	15	<1	<1	<1	<1	1.92	<1	34	2.44	2517	41	15	119	367	6	<1	0.13	<5	18	<5	<10	106	6	<1	<1	317	<2	21	170	<10	5	58	<1
59343	081377	<0.005	<1	7.92	24	98	<2	12	9.07	<4	<1	31	209	99	6.40	17	<1	<1	<1	<1	2.10	<1	35	2.96	2604	42	14	106	242	3	<1	0.11	<5	18	15	<10	94	6	<1	<1	352	<2	<20	157	<10	5	78	<1
59344	081378	0.007	<1	6.68	5	88	<2	7	4.66	<4	5	19	278	200	5.20	12	<1	<1	<1	<1	2.05	<1	32	1.59	1171	49	2	40	370	12	<1	0.45	<5	3	12	<10	70	3	<1	<1	293	156	<20	29	<10	6	63	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59345	081379	<0.005	<1	8.49	43	124	<2	22	6.70	<4	1	37	360	107	6.70	22	7	<1	<1	<1	2.01	<1	47	2.45	1695	57	15	121	456	15	<1	0.28	<5	16	<5	<10	110	6	<1	<1	392	16	<20	175	<10	6	70	4
59346	081380	0.008	<1	7.38	5	953	<2	4	1.79	<4	55	8	242	13	2.14	16	<1	2	1	<1	1.83	20	41	0.56	339	52	9	14	921	40	38	0.03	<5	2	8	<10	220	3	<1	16	2083	81	<20	39	<10	8	62	38
59348	081381	<0.005	<1	8.11	28	106	<2	21	14.70	<4	<1	19	251	73	4.97	15	14	<1	1	<1	2.25	<1	37	2.45	2504	50	10	69	317	4	<1	0.10	<5	14	<5	<10	104	5	2	<1	423	138	35	108	<10	9	34	<1
59349	081382	0.007	<1	7.38	61	104	<2	16	8.83	<4	<1	47	278	136	7.64	20	<1	<1	<1	<1	1.73	<1	42	3.09	2688	38	19	140	490	15	<1	0.07	<5	19	6	<10	111	8	<1	<1	353	<2	<20	216	<10	4	86	<1
59350	081383	<0.005	<1	8.16	47	92	<2	11	11.42	<4	<1	36	292	107	5.88	16	<1	<1	<1	<1	1.94	<1	39	2.23	1947	38	14	110	481	4	<1	0.09	<5	18	<5	<10	108	6	<1	<1	315	99	<20	165	<10	7	64	<1
59351	081384	<0.005	<1	7.93	46	92	<2	6	9.91	<4	<1	35	260	120	6.42	15	<1	<1	<1	<1	1.77	<1	36	2.82	2482	40	14	118	343	6	<1	0.10	<5	19	<5	<10	98	5	<1	<1	309	<2	23	160	<10	6	74	<1
59352	081385	<0.005	<1	8.12	41	93	<2	14	9.46	<4	<1	33	274	107	6.32	15	<1	<1	<1	<1	1.84	<1	37	2.74	2327	40	14	117	307	11	<1	0.09	<5	20	13	<10	98	6	<1	<1	330	29	<20	160	<10	6	70	<1
59353	081386	<0.005	<1	7.84	34	80	<2	11	11.70	<4	1	30	241	101	7.68	14	<1	<1	<1	<1	2.00	<1	34	3.15	2871	37	11	102	534	11	<1	0.28	<5	18	<5	<10	89	6	<1	<1	300	49	23	136	<10	7	75	<1
59354	081387	0.006	<1	8.09	36	89	<2	15	11.02	<4	<1	34	230	108	6.89	15	<1	<1	<1	<1	2.08	<1	36	3.25	2763	37	14	110	383	8	<1	0.11	<5	20	<5	<10	97	6	<1	<1	332	246	29	161	<10	6	76	<1
59355	081388	0.007	<1	9.46	51	105	<2	18	8.66	<4	<1	49	229	136	6.55	18	<1	<1	1	<1	2.39	<1	39	3.02	2023	40	17	167	284	12	<1	0.17	<5	24	<5	<10	106	6	<1	<1	355	55	<20	190	<10	6	92	<1
59356	081389	<0.005	<1	7.98	33	102	<2	13	11.83	<4	2	33	189	108	5.40	14	<1	<1	<1	<1	2.01	<1	31	2.97	2129	38	14	109	467	8	<1	0.16	<5	19	<5	<10	108	5	<1	<1	290	95	<20	153	<10	7	47	<1
59357	081390	<0.005	<1	8.14	33	111	<2	10	9.75	<4	<1	36	223	126	5.80	16	<1	<1	<1	<1	2.11	<1	35	2.82	1897	41	17	129	407	4	<1	0.14	<5	20	6	<10	110	6	<1	<1	332	6	22	190	<10	6	71	<1
59358D	081390	<0.005	<1	9.13	30	97	<2	18	9.96	<4	<1	38	211	127	6.07	17	<1	<1	<1	<1	1.88	<1	32	3.16	1915	35	16	128	543	10	<1	0.15	<5	25	12	<10	100	5	<1	<1	278	144	24	175	<10	7	73	<1
59359	081391	<0.005	<1	7.92	22	94	<2	9	11.34	<4	<1	31	185	101	5.85	15	<1	<1	<1	<1	1.97	<1	31	3.16	2120	40	13	106	102	6	<1	0.13	<5	19	<5	<10	97	5	<1	<1	329	66	26	152	<10	7	61	<1
59360	081392	<0.005	<1	8.37	18	92	<2	14	12.24	<4	1	42	198	104	7.16	15	<1	<1	<1	<1	1.96	<1	35	2.97	2439	41	15	117	219	12	<1	0.19	<5	21	7	<10	96	8	<1	<1	354	197	28	171	<10	7	70	<1
59361	081393	<0.005	<1	9.74	25	83	<2	20	8.99	<4	1	44	234	136	6.32	13	<1	<1	1	<1	1.89	<1	29	3.03	1862	27	16	141	373	6	<1	0.13	<5	34	7	<10	96	7	<1	<1	228	4	<20	182	<10	6	67	<1
59362	081394	<0.005	<1	9.45	8	80	<2	13	11.66	<4	<1	36	204	110	7.23	15	<1	<1	<1	<1	1.84	<1	33	3.43	2467	31	15	121	397	10	<1	0.15	<5	28	16	<10	95	6	<1	<1	261	<2	38	172	<10	7	64	<1
59363	081395	<0.005	<1	9.23	10	87	<2	9	11.62	<4	<1	38	211	126	7.34	17	<1	<1	<1	<1	2.15	<1	35	3.40	2508	36	15	127	330	4	<1	0.15	<5	26	15	<10	100	6	<1	<1	280	15	26	177	<10	7	65	<1
59364	081396	<0.005	<1	10.88	11	86	<2	16	9.57	<4	2	45	240	140	6.42	16	<1	<1	<1	<1	1.98	<1	36	2.90	1748	35	17	139	367	9	<1	0.17	<5	34	9	<10	114	7	<1	<1	292	192	<20	198	<10	7	65	<1
59365	081397	<0.005	<1	10.45	3	74	<2	22	10.94	<4	2	39	215	119	7.12	15	<1	<1	1	<1	2.03	<1	36	3.37	2290	33	16	128	402	7	<1	0.14	<5	33	<5	<10	97	7	<1	<1	280	48	<20	185	<10	7	66	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59366	081398	<0.005	<1	9.21	4	77	<2	18	12.51	<4	2	32	186	116	7.36	18	<1	<1	<1	<1	1.96	<1	39	3.15	2676	40	14	107	436	10	<1	0.25	<5	22	6	<10	95	6	<1	<1	315	43	27	158	<10	8	65	<1
59367	081399	<0.005	<1	11.08	<2	81	<2	17	10.84	<4	<1	40	240	127	7.52	17	<1	<1	<1	<1	2.19	<1	41	3.19	2711	38	17	133	467	6	<1	0.19	<5	33	<5	<10	103	6	<1	<1	308	73	44	200	<10	8	63	<1
59368	081400	14.028	3	8.73	27	479	2	11	3.49	<4	<1	27	122	149	4.88	16	<1	<1	<1	<1	1.97	<1	26	1.44	693	46	11	50	818	35	371	0.62	<5	11	8	<10	153	6	<1	<1	4418	<2	<20	111	<10	15	184	<1
59370	081401	0.012	<1	8.99	7	84	<2	12	10.56	<4	<1	36	211	117	6.54	15	<1	<1	1	<1	2.03	<1	38	3.10	2751	40	16	120	551	9	<1	0.10	<5	24	10	<10	100	6	<1	<1	332	191	<20	179	<10	6	55	<1
59371	081402	0.006	<1	8.32	5	59	<2	16	13.47	<4	4	32	139	103	7.91	13	<1	<1	<1	<1	1.92	<1	34	3.21	3702	34	10	95	361	11	<1	0.49	<5	19	10	<10	75	7	<1	<1	241	123	30	122	<10	8	74	<1
59372	081403	0.006	<1	10.63	6	86	<2	22	9.62	<4	3	40	230	140	6.27	17	<1	<1	<1	<1	1.87	<1	39	2.99	1807	35	17	139	306	7	<1	0.16	<5	31	10	<10	94	7	<1	<1	278	253	<20	197	<10	7	69	<1
59373	081404	0.007	<1	11.52	6	107	2	18	9.41	<4	8	44	254	154	6.33	21	3	<1	1	<1	2.14	2	44	3.01	1550	42	26	146	556	10	<1	0.12	5	34	11	<10	109	13	<1	<1	344	121	<20	220	<10	9	86	<1
59374	081405	0.005	<1	10.44	6	105	<2	20	9.35	<4	2	43	249	143	6.14	19	<1	<1	<1	<1	1.92	<1	43	2.81	1518	41	20	138	334	10	<1	0.11	<5	28	<5	<10	109	8	<1	<1	331	203	21	218	<10	7	82	<1
59375	081406	<0.005	<1	9.11	12	129	<2	13	10.26	<4	<1	37	224	118	5.00	15	<1	<1	<1	<1	1.96	<1	38	2.49	1652	38	17	122	521	11	<1	0.12	<5	23	13	<10	111	5	<1	<1	350	148	31	183	<10	7	79	<1
59376	081407	0.006	<1	9.41	4	320	<2	11	4.84	<4	11	37	325	125	5.11	16	<1	<1	<1	<1	1.72	3	32	1.60	1027	41	11	159	566	12	<1	0.38	<5	14	13	<10	80	5	<1	<1	435	40	<20	123	<10	7	226	<1
59377	081408	<0.005	<1	6.93	3	163	<2	9	8.99	<4	4	18	155	84	6.02	10	<1	<1	<1	<1	1.93	<1	26	1.52	2124	36	6	52	524	8	<1	0.52	<5	11	<5	<10	69	5	2	<1	275	64	29	80	<10	8	53	<1
59378	081409	0.011	<1	9.87	2	309	<2	21	5.63	4	7	35	221	96	11.03	21	<1	<1	<1	<1	1.86	1	33	2.90	1334	41	11	112	720	16	<1	0.41	<5	21	<5	<10	59	6	<1	<1	402	57	<20	139	<10	8	132	<1
59379	081410	0.993	<1	8.63	2	145	2	13	4.72	<4	12	33	123	42	5.96	17	<1	<1	<1	<1	1.93	4	19	2.36	972	36	17	27	787	17	28	0.06	<5	19	7	<10	174	7	2	<1	5668	43	23	161	<10	26	100	<1
59381	081411	0.006	<1	9.21	<2	249	<2	17	6.49	<4	<1	30	221	80	8.59	15	<1	<1	<1	<1	2.11	<1	36	2.77	1436	39	11	95	331	10	<1	0.29	<5	22	9	<10	65	7	<1	<1	321	91	34	131	<10	7	70	<1
59382	081412	<0.005	<1	9.37	8	594	<2	12	10.32	<4	2	39	239	143	5.74	15	<1	<1	2	<1	1.89	<1	35	2.30	1528	34	17	130	412	12	<1	0.09	<5	26	<5	<10	100	6	<1	<1	364	209	<20	189	<10	8	68	<1
59383	081413	<0.005	<1	9.13	7	299	<2	15	9.83	<4	<1	40	245	139	6.03	18	<1	<1	<1	<1	2.17	<1	39	2.52	1465	37	18	131	315	10	<1	0.08	<5	25	<5	<10	131	6	<1	<1	311	64	31	198	<10	7	82	<1
59384	081414	<0.005	<1	10.30	2	66	<2	16	6.46	<4	6	31	212	98	7.54	18	<1	<1	2	<1	2.10	<1	44	3.66	1043	45	12	107	514	11	<1	0.23	<5	21	7	<10	103	6	<1	<1	294	97	35	139	<10	8	69	<1
59385	081415	<0.005	<1	11.51	5	56	<2	19	5.48	<4	<1	37	236	100	8.05	17	<1	<1	1	<1	2.32	<1	49	4.87	920	39	17	125	613	13	<1	0.05	<5	33	6	<10	92	6	<1	<1	291	90	<20	191	<10	7	71	<1
59386	081416	<0.005	<1	10.45	3	59	<2	15	5.73	<4	2	38	240	113	8.23	19	<1	<1	<1	<1	2.02	<1	49	4.21	897	42	15	130	535	5	<1	0.06	5	26	<5	<10	101	5	<1	<1	296	26	33	169	<10	7	81	<1
59387	081417	<0.005	<1	11.43	6	59	<2	15	6.71	<4	<1	40	234	124	7.38	18	<1	<1	<1	<1	2.29	<1	47	4.04	1098	37	16	127	294	8	<1	0.06	<5	32	17	<10	115	5	<1	<1	327	<2	<20	186	<10	7	89	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59388	081418	<0.005	<1	8.38	6	523	<2	12	11.54	<4	<1	42	226	132	6.43	16	<1	<1	<1	<1	1.84	<1	38	2.45	1452	32	17	128	394	12	6	0.10	<5	25	<5	<10	154	6	<1	<1	330	100	29	197	<10	7	81	<1
59389	081419	<0.005	<1	8.51	5	795	<2	15	11.29	<4	5	28	159	85	4.56	13	<1	<1	2	<1	2.11	<1	32	1.38	1578	39	11	83	346	5	<1	0.23	<5	16	13	<10	128	5	<1	<1	482	254	24	136	<10	8	68	<1
59390	081420	<0.005	<1	6.61	<2	98	<2	<1	0.73	<4	4	1	6	25	0.14	<1	<1	<1	1	<1	1.90	2	23	0.32	<100	49	<1	4	413	8	15	0.03	<5	<1	11	<10	43	<1	<1	4	311	132	<20	5	<10	6	25	<1
59392	081421	<0.005	<1	13.10	15	363	<2	21	11.98	<4	<1	39	185	124	5.58	23	25	4	<1	<1	1.93	<1	54	2.25	1762	64	16	127	462	10	<1	0.10	<5	19	20	<10	141	6	<1	<1	732	8	<20	180	<10	10	77	130
59393	081422	<0.005	<1	11.02	24	353	<2	13	9.33	<4	<1	39	184	118	5.29	25	33	5	<1	<1	1.89	<1	50	1.92	1786	67	17	131	348	5	<1	0.11	<5	16	13	<10	129	6	<1	<1	778	179	<20	180	<10	8	78	182
59394	081423	<0.005	<1	20.50	17	368	<2	47	11.60	<4	6	40	198	129	7.51	28	17	10	3	<1	2.20	<1	58	3.26	1993	81	18	122	421	7	18	0.17	5	38	27	10	132	8	<1	<1	952	24	32	196	<10	14	75	344
59395	081424	<0.005	42	9.38	8	372	2	28	7.39	4	8	39	332	215	6.23	54	126	17	<1	10	1.82	<1	100	2.60	1965	55	32	205	494	29	77	0.18	14	29	46	10	156	13	<1	6	1086	<2	72	214	16	12	113	147
59396	081425	0.038	45	8.52	10	372	2	30	7.00	4	9	38	324	201	5.84	51	130	17	<1	19	1.85	<1	99	2.38	2007	56	30	200	461	26	77	0.15	14	24	29	11	159	15	<1	10	1151	685	76	208	16	11	105	132
59397	081426	0.009	39	9.93	9	278	3	35	7.74	4	6	35	305	203	6.08	55	119	20	<1	21	2.03	<1	109	2.73	1945	60	29	190	420	21	34	0.14	13	28	24	<10	180	14	<1	6	1245	2473	28	195	15	14	103	188
59398	081427	<0.005	41	6.84	22	307	3	29	9.29	4	6	37	317	195	5.45	51	92	12	<1	12	1.87	<1	91	2.51	1750	46	29	188	389	27	72	0.21	14	20	<5	11	211	14	<1	9	918	3244	72	205	16	10	116	<1
59399	081428	<0.005	39	7.59	19	317	3	31	7.10	4	4	37	334	208	6.22	51	134	15	<1	18	1.89	<1	97	2.36	1916	51	31	184	450	37	61	0.18	18	21	33	12	191	14	<1	6	984	2544	55	212	16	10	128	73
59400	081429	<0.005	40	7.48	15	305	2	27	7.54	4	7	38	336	214	6.23	51	105	13	<1	14	1.96	<1	94	2.43	1917	48	31	179	429	28	40	0.18	17	24	9	12	188	14	<1	8	917	1474	54	213	16	9	133	26
59401	081430	<0.005	<1	17.71	15	187	<2	42	10.69	<4	4	35	158	111	6.57	30	53	14	<1	<1	2.16	<1	63	2.32	1992	92	16	72	548	6	<1	0.17	<5	22	25	<10	148	7	<1	<1	697	16	<20	184	<10	12	63	>500
59402D	081430	<0.005	<1	16.34	15	140	<2	34	11.39	<4	5	37	170	120	7.26	23	<1	4	<1	<1	2.22	<1	56	2.62	2183	64	17	81	560	<1	<1	0.20	<5	29	27	<10	134	8	<1	<1	483	112	<20	197	<10	11	73	112
59403	081431	0.005	<1	16.26	9	160	<2	36	10.75	<4	4	37	172	124	7.29	29	17	9	1	<1	2.11	<1	63	2.44	2064	79	19	80	458	12	<1	0.15	<5	25	11	<10	144	7	<1	<1	601	167	<20	208	<10	11	81	318
59404	081432	<0.005	<1	19.20	11	150	<2	35	11.48	<4	4	39	165	113	8.78	34	20	14	<1	<1	2.10	<1	72	2.75	2435	90	18	87	426	5	<1	0.16	<5	30	15	<10	135	7	<1	<1	652	<2	27	202	<10	14	80	>500
59405	081433	<0.005	<1	9.20	5	159	<2	27	7.71	<4	<1	26	162	111	6.10	27	26	4	2	<1	1.81	<1	56	1.67	1656	67	17	62	536	10	<1	0.09	<5	15	11	<10	142	7	<1	<1	572	<2	24	191	<10	7	80	184
59406	081434	0.011	<1	11.24	27	224	<2	29	7.09	<4	<1	36	149	104	6.76	41	78	24	<1	<1	1.76	<1	65	1.04	2028	111	17	82	518	14	3	0.13	<5	11	<5	<10	152	7	<1	<1	932	160	30	181	<10	8	81	>500
59407	081435	<0.005	<1	17.00	28	211	<2	35	10.15	<4	3	39	167	122	7.91	38	47	20	<1	<1	2.07	<1	75	2.17	2236	106	18	89	669	10	<1	0.18	<5	20	13	<10	171	8	<1	<1	825	110	<20	200	10	12	85	>500
59408	081436	<0.005	<1	9.38	47	202	<2	23	7.94	<4	<1	43	168	144	7.32	32	41	9	<1	<1	1.91	<1	62	1.59	2253	78	18	98	357	13	<1	0.15	<5	12	<5	<10	165	7	<1	<1	759	99	31	205	<10	7	103	358

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59409	081437	<0.005	<1	9.34	50	193	<2	20	7.33	<4	<1	41	172	117	6.21	30	31	9	<1	<1	2.00	<1	56	1.32	1883	76	18	79	787	13	<1	0.14	<5	12	9	<10	153	6	<1	<1	708	125	<20	201	<10	6	78	355
59410	081438	<0.005	<1	6.66	52	167	<2	7	8.68	<4	<1	35	151	111	5.88	25	15	3	<1	<1	1.84	<1	48	1.28	1995	60	16	73	528	10	5	0.14	5	10	<5	<10	144	6	<1	<1	582	135	<20	179	<10	5	154	126
59411	081439	<0.005	<1	7.49	68	195	<2	14	7.03	<4	<1	30	181	118	5.24	28	17	5	<1	<1	1.86	<1	49	1.17	1572	65	20	69	316	9	<1	0.13	<5	10	12	<10	157	6	<1	<1	608	<2	<20	212	<10	5	72	208
59412	081440	5.414	<1	5.04	272	313	2	7	2.38	4	<1	117	165	1560	7.11	29	20	10	1	<1	1.56	<1	40	0.52	653	83	9	1338	896	707	<1	1.23	5	1	<5	10	136	7	<1	<1	3892	<2	<20	89	38	5	471	419
59414	081441	<0.005	<1	8.00	81	182	<2	14	8.55	<4	<1	26	187	139	5.34	24	2	<1	<1	<1	1.87	<1	46	1.27	1729	54	19	77	361	11	4	0.15	<5	14	11	<10	164	6	<1	<1	546	108	20	217	<10	6	52	25
59415	081442	0.009	<1	7.13	147	178	<2	15	7.96	<4	<1	42	175	112	6.63	24	8	2	<1	<1	1.74	<1	50	1.54	1879	60	17	82	231	11	<1	0.14	<5	10	<5	<10	151	6	<1	<1	591	131	<20	187	<10	5	88	96
59416	081443	<0.005	<1	7.59	89	153	<2	13	8.95	<4	<1	38	185	118	8.12	24	<1	<1	<1	2.04	<1	48	1.71	2633	48	17	73	451	11	<1	0.35	<5	15	<5	<10	148	8	<1	<1	453	82	<20	202	<10	5	100	<1	
59417	081444	0.055	<1	7.53	1872	191	<2	16	8.21	<4	<1	33	209	115	6.24	22	7	<1	<1	<1	2.06	<1	45	1.55	2056	54	16	87	232	7	<1	0.83	<5	12	<5	<10	151	7	<1	<1	526	85	<20	180	<10	5	69	<1
59418	081445	<0.005	<1	7.33	86	196	<2	11	9.11	<4	<1	40	182	117	5.87	22	19	<1	<1	<1	2.19	<1	50	1.44	1763	55	16	118	592	11	<1	0.21	<5	12	<5	<10	141	6	<1	<1	566	109	33	178	<10	5	77	30
59419	081446	<0.005	<1	7.30	59	219	<2	10	7.86	<4	<1	38	176	114	6.21	24	13	1	2	<1	1.98	<1	51	1.34	1856	57	17	99	237	10	<1	0.10	<5	11	8	<10	109	7	<1	<1	556	<2	30	186	<10	5	80	55
59420	081447	<0.005	<1	7.35	40	166	<2	16	8.60	<4	<1	33	156	97	7.01	26	12	<1	<1	<1	2.01	<1	57	1.47	1950	55	15	79	204	13	<1	0.12	<5	12	5	<10	99	7	<1	<1	550	58	33	176	<10	6	91	16
59421	081448	<0.005	<1	14.74	28	158	<2	28	10.03	<4	8	37	249	111	9.43	27	3	7	<1	<1	2.15	<1	62	2.68	1861	72	12	130	271	12	6	0.20	<5	22	<5	<10	109	8	<1	<1	891	51	52	144	<10	12	159	230
59422	081449	<0.005	<1	8.62	38	287	<2	17	7.19	<4	<1	43	238	124	5.02	22	4	2	<1	<1	1.96	<1	55	2.03	1173	61	18	123	300	7	2	0.06	<5	15	9	<10	116	5	<1	<1	593	6	26	192	<10	6	80	81
59423	081450	<0.005	<1	6.54	<2	908	<2	9	1.41	<4	22	5	332	7	1.41	17	3	6	<1	<1	1.84	8	51	0.34	240	65	4	10	253	33	28	0.02	<5	<1	<5	<10	216	2	<1	5	1547	<2	<20	22	<10	4	44	248
59425	081451	0.013	<1	8.93	41	299	<2	24	7.91	<4	<1	34	223	115	5.02	21	22	<1	<1	<1	1.97	<1	51	1.99	1220	57	16	110	273	7	<1	0.06	<5	16	15	<10	112	5	<1	<1	567	<2	22	184	<10	7	68	22
59426	081452	0.047	<1	12.42	50	343	<2	19	8.00	<4	1	37	248	124	6.75	23	<1	2	2	<1	2.28	<1	65	3.21	986	60	18	123	431	8	<1	0.06	<5	27	6	<10	112	7	<1	<1	583	207	23	192	<10	9	76	35
59427	081453	0.013	<1	10.54	162	499	<2	23	6.31	<4	1	34	252	109	6.61	24	3	4	<1	<1	2.00	<1	55	2.96	855	65	17	110	176	11	10	0.08	<5	19	<5	<10	122	8	<1	<1	671	44	40	172	<10	7	76	122
59428	081454	0.020	<1	9.71	173	1037	<2	17	9.33	<4	<1	36	231	123	4.77	21	2	2	<1	<1	2.14	<1	39	2.07	1303	59	17	117	398	11	7	0.14	<5	17	7	<10	154	5	<1	<1	744	53	<20	186	<10	7	89	46
59429	081455	0.017	<1	8.13	186	1264	<2	13	8.76	<4	<1	38	244	127	4.70	20	2	<1	<1	<1	2.10	<1	32	1.93	1299	49	18	128	371	6	2	0.13	<5	15	<5	<10	156	5	<1	<1	711	113	27	193	<10	6	87	<1
59430	081456	0.006	<1	11.90	55	400	<2	22	5.25	<4	<1	36	228	124	6.68	22	11	3	<1	<1	2.22	<1	64	4.31	852	61	17	113	155	7	<1	0.09	<5	26	<5	<10	133	6	<1	<1	410	227	<20	179	<10	7	84	10

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140837
Reference:
Sample #: 170

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59431	081457	<0.005	<1	13.70	34	297	<2	25	4.12	<4	<1	39	237	121	7.13	25	4	4	1	<1	2.04	<1	77	4.91	699	67	18	119	264	6	<1	0.06	<5	28	15	10	132	6	<1	<1	477	165	24	186	<10	8	83	85
59432	081458	<0.005	<1	12.38	17	271	<2	23	4.46	<4	<1	35	208	108	7.09	20	<1	2	1	<1	2.11	<1	72	4.48	843	63	15	108	541	8	<1	0.10	<5	23	20	<10	111	5	<1	<1	440	<2	29	155	<10	8	116	22
59433	081459	<0.005	<1	11.32	11	443	<2	20	7.26	<4	3	36	225	121	7.18	26	<1	4	<1	<1	2.01	<1	75	3.25	1238	64	18	101	525	7	<1	0.09	<5	24	12	<10	132	7	<1	<1	555	69	25	199	<10	8	79	92
59434	081460	<0.005	<1	7.38	4	417	<2	18	9.02	<4	<1	27	177	109	6.83	23	<1	<1	<1	<1	1.95	<1	57	1.46	2249	54	17	64	691	13	<1	0.15	<5	13	<5	<10	145	7	<1	<1	519	92	33	194	<10	6	79	<1
59435D	081460	<0.005	<1	7.54	12	425	<2	9	9.16	<4	<1	32	178	112	6.83	25	<1	<1	<1	<1	1.91	<1	58	1.46	2266	55	17	68	554	9	3	0.16	<5	13	5	<10	145	8	<1	<1	537	20	<20	195	<10	6	81	9
59436	081461	<0.005	<1	7.05	6	505	<2	15	9.53	<4	<1	34	178	117	6.36	26	<1	<1	2	<1	1.92	<1	54	1.38	2210	55	19	68	558	13	<1	0.16	<5	13	13	<10	131	7	<1	<1	578	133	41	213	<10	6	86	10
59437	081462	<0.005	<1	8.73	5	434	<2	17	8.53	<4	<1	34	177	115	6.17	24	5	2	<1	<1	2.06	<1	53	1.51	2100	57	18	62	587	5	<1	0.13	<5	16	<5	<10	115	8	<1	<1	582	<2	<20	203	<10	6	75	52
59438	081463	0.005	<1	9.72	12	430	<2	16	8.00	<4	<1	35	169	114	6.57	28	5	4	<1	<1	2.11	<1	58	1.69	2306	64	18	76	352	11	<1	0.11	<5	16	9	<10	126	7	<1	<1	668	<2	27	205	<10	7	84	134
59439	081464	0.009	<1	10.27	14	380	<2	24	10.36	<4	2	29	169	121	6.74	28	6	3	<1	<1	2.05	<1	57	1.71	2355	60	19	68	623	10	<1	0.15	<5	19	9	<10	153	8	<1	<1	605	67	<20	211	<10	8	79	93
59440	081465	<0.005	<1	9.36	12	347	<2	20	10.59	<4	<1	29	167	115	6.59	25	6	<1	1	<1	2.10	<1	56	1.66	2312	55	19	67	467	5	<1	0.15	5	18	14	<10	144	7	<1	<1	545	189	<20	206	<10	7	79	11
59441	081466	0.008	<1	9.47	34	384	<2	16	9.00	<4	<1	40	176	123	6.72	29	16	5	1	<1	1.92	<1	59	1.55	2371	65	19	79	574	10	<1	0.19	<5	15	5	<10	154	8	<1	<1	604	46	<20	209	<10	6	84	173
59442	081467	0.006	<1	8.78	63	341	<2	12	10.43	<4	<1	50	143	106	6.22	24	3	2	<1	<1	1.99	<1	54	1.63	2267	57	16	74	483	11	<1	0.16	<5	15	<5	<10	150	6	<1	<1	536	151	<20	183	<10	7	75	58
59443	081468	0.005	<1	7.37	65	359	<2	22	8.36	<4	<1	54	203	143	6.90	28	<1	2	1	<1	1.87	<1	59	1.30	2116	58	21	97	443	13	<1	0.23	5	12	7	<10	158	8	<1	<1	564	76	<20	227	<10	5	97	54
59444	081469	0.006	<1	7.68	46	388	<2	17	8.02	<4	<1	37	173	115	6.50	26	7	2	1	<1	2.02	<1	53	1.08	1878	61	19	80	359	8	<1	0.22	<5	13	<5	<10	164	8	<1	<1	594	94	22	212	<10	5	90	92
59445	081470	14.202	<1	6.08	24	645	2	8	3.19	<4	<1	27	97	139	4.58	24	<1	2	<1	<1	1.82	<1	37	0.79	657	65	12	45	729	31	138	0.53	6	4	<5	10	163	7	<1	<1	4947	75	<20	109	<10	7	168	77

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140838
Reference:
Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59447	081471	0.016	<1	5.94	61	377	<2	12	8.83	<4	<1	41	188	119	6.51	25	2	<1	<1	<1	2.00	<1	51	0.90	2217	54	19	87	497	10	<1	0.28	<5	10	<5	<10	170	8	<1	<1	546	<2	25	218	<10	4	93	<1
59448	081472	0.012	<1	7.81	28	371	<2	15	12.09	5	2	36	131	142	12.67	29	2	3	<1	<1	1.98	<1	44	1.56	5863	69	10	77	543	20	<1	1.72	6	11	9	10	161	13	1	<1	490	49	41	136	<10	7	127	56
59449	081473	0.015	<1	7.40	96	475	<2	23	9.73	<4	<1	37	229	126	5.53	25	17	<1	<1	<1	2.07	<1	46	0.90	2375	55	22	85	562	9	<1	0.54	6	13	7	<10	195	9	<1	<1	527	<2	28	241	<10	6	57	14
59450	081474	0.054	<1	8.44	133	551	<2	10	8.30	<4	<1	41	265	108	4.43	27	<1	2	<1	<1	1.97	<1	47	0.89	1891	58	24	91	598	11	<1	0.35	<5	14	5	<10	206	6	<1	<1	600	89	<20	260	<10	6	69	99
59451	081475	0.104	<1	8.82	1263	410	<2	17	9.19	<4	<1	30	206	117	6.53	24	4	3	<1	<1	2.09	<1	46	1.74	2010	59	13	64	457	19	<1	0.75	<5	14	<5	<10	186	6	<1	<1	521	126	38	149	<10	8	187	80
59452	081476	0.021	<1	9.26	303	472	<2	23	8.39	<4	<1	31	244	103	6.25	25	2	3	1	<1	2.00	<1	42	1.93	1991	62	17	70	396	12	<1	0.31	<5	15	<5	<10	197	6	<1	<1	581	36	<20	192	<10	6	71	107
59453	081477	0.012	<1	8.33	127	476	<2	22	7.68	<4	<1	25	227	83	5.43	21	12	4	<1	<1	1.86	<1	41	1.78	1832	65	14	53	458	9	<1	0.16	6	11	10	<10	182	6	<1	<1	587	89	28	157	<10	6	51	147
59454	081478	0.007	<1	7.08	60	417	<2	19	6.95	<4	<1	25	178	74	6.59	24	6	3	1	<1	1.97	<1	45	1.77	1592	61	12	40	568	5	<1	0.12	<5	9	<5	<10	186	6	<1	<1	551	74	<20	146	<10	6	75	111
59455	081479	0.007	<1	10.14	36	387	<2	21	5.01	4	8	32	100	218	9.73	33	5	6	1	<1	2.10	<1	52	1.81	1374	72	29	23	1072	18	2	0.17	<5	20	6	<10	178	11	<1	<1	562	<2	30	317	<10	9	144	210
59456	081480	<0.005	<1	6.83	3	1144	<2	10	1.38	<4	20	6	314	11	1.75	19	10	6	3	<1	1.86	5	42	0.36	256	62	7	11	802	32	17	0.03	<5	<1	8	<10	223	2	<1	5	2008	43	<20	30	<10	5	68	199
59458	081481	0.010	<1	10.08	39	370	<2	20	5.81	<4	7	31	72	302	9.52	32	3	5	<1	<1	1.96	<1	49	1.94	1488	64	27	18	1061	10	<1	0.26	5	21	<5	<10	211	8	<1	<1	504	215	35	293	<10	9	109	130
59459	081482	<0.005	<1	8.24	30	396	<2	27	4.32	<4	4	30	54	94	9.08	32	12	6	<1	<1	1.96	<1	48	1.48	1239	68	26	13	1073	14	<1	0.19	<5	16	<5	<10	202	11	<1	<1	502	111	47	284	<10	7	119	167
59460	081483	0.005	<1	8.17	35	415	<2	18	4.62	<4	5	36	65	120	9.47	31	20	5	<1	<1	2.05	<1	47	1.36	1390	69	27	16	1331	14	<1	0.26	6	16	<5	<10	215	10	<1	<1	510	53	23	300	<10	7	126	165
59461	081484	0.005	<1	9.39	20	383	<2	22	5.14	<4	11	29	47	90	9.64	32	23	7	<1	<1	2.18	<1	47	1.37	1515	71	15	14	1243	10	<1	0.17	<5	16	<5	<10	189	7	<1	<1	495	131	37	181	<10	10	149	206
59462	081485	<0.005	<1	10.26	29	389	<2	26	5.49	4	13	31	40	90	10.07	34	28	7	<1	<1	2.15	<1	48	1.48	1579	74	16	18	1478	13	<1	0.19	<5	18	<5	<10	196	8	<1	<1	505	109	51	185	<10	11	152	222
59463	081486	0.006	<1	8.95	25	375	<2	21	6.20	4	13	38	44	144	9.32	29	6	4	<1	<1	2.16	<1	46	1.60	1710	64	20	17	975	15	<1	0.09	<5	18	<5	<10	229	10	<1	<1	462	145	32	230	<10	10	167	112
59464	081487	0.007	<1	9.06	9	300	<2	24	5.63	<4	12	26	49	128	9.06	29	5	4	<1	<1	2.07	<1	45	1.51	1618	65	19	11	993	10	<1	0.07	<5	17	<5	<10	307	8	<1	<1	656	48	<20	213	<10	9	165	118
59465	081488	<0.005	<1	8.03	<2	307	<2	22	5.05	<4	9	29	80	103	8.67	30	16	5	<1	<1	1.96	<1	39	1.34	1447	67	20	13	1252	9	<1	0.06	<5	14	<5	<10	366	9	<1	<1	2298	118	25	227	<10	8	175	134
59466	081489	<0.005	<1	8.99	2	293	2	21	4.51	<4	9	34	69	99	8.99	30	5	4	<1	<1	1.89	<1	43	1.64	1391	64	18	11	1390	14	<1	0.09	6	17	17	<10	347	8	<1	<1	2309	36	<20	209	<10	8	201	121
59467	081490	<0.005	<1	10.26	<2	320	<2	15	5.17	4	11	35	62	135	9.35	30	8	5	<1	<1	1.98	<1	44	1.95	1457	68	25	17	964	15	4	0.09	5	22	<5	<10	403	10	<1	<1	2381	49	40	276	<10	9	221	162

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140838
Reference:
Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59468D	081490	<0.005	<1	10.21	8	308	<2	23	4.89	<4	13	34	59	122	8.86	30	6	5	<1	<1	1.80	<1	42	1.88	1361	64	24	13	1169	11	4	0.09	<5	22	<5	10	384	10	<1	<1	2258	143	37	262	<10	9	211	108
59469	081491	0.007	<1	9.70	10	298	<2	15	5.33	<4	11	40	52	125	8.60	28	5	4	<1	<1	2.08	<1	44	1.93	1458	65	25	18	1171	13	<1	0.10	<5	24	13	<10	363	9	<1	<1	948	125	<20	272	<10	9	318	118
59470	081492	0.009	<1	9.43	3	288	<2	21	5.17	<4	13	32	54	99	8.98	29	8	4	<1	<1	2.06	<1	47	1.62	1455	62	19	13	1145	11	5	0.08	<5	19	7	<10	303	8	<1	<1	944	92	35	216	<10	10	176	106
59471	081493	0.008	<1	10.35	19	440	<2	25	6.09	<4	13	33	53	154	8.71	29	16	5	<1	<1	2.18	<1	51	1.78	1515	64	27	27	1020	9	<1	0.11	<5	22	<5	<10	235	10	<1	<1	586	99	<20	298	<10	10	129	141
59472	081494	<0.005	<1	10.54	33	473	<2	23	6.23	<4	11	35	53	154	9.71	30	19	4	<1	<1	2.17	<1	54	1.97	1623	63	25	25	989	14	8	0.13	<5	20	<5	<10	273	9	<1	<1	516	107	35	282	<10	9	131	122
59473	081495	<0.005	<1	10.54	25	479	<2	23	6.33	<4	10	28	60	132	9.15	31	26	5	<1	<1	2.22	<1	52	1.90	1591	66	24	25	968	14	<1	0.12	<5	19	<5	<10	267	8	<1	<1	536	<2	27	268	<10	9	123	122
59474	081496	<0.005	<1	9.17	35	458	<2	15	5.31	<4	6	30	73	143	8.11	31	19	4	<1	<1	2.04	<1	50	1.54	1239	65	25	24	901	12	<1	0.15	5	15	5	<10	260	9	<1	<1	547	126	27	280	<10	7	118	144
59475	081497	0.009	<1	9.66	33	423	<2	25	6.19	<4	5	29	68	141	8.66	32	24	6	<1	<1	2.11	<1	50	1.73	1353	67	27	21	674	12	5	0.18	<5	17	<5	<10	259	10	<1	<1	570	6	32	299	<10	7	112	193
59476	081498	0.016	<1	7.38	71	421	<2	22	5.69	<4	<1	30	67	144	7.98	29	22	4	1	<1	1.84	<1	44	1.49	1244	64	25	21	764	11	<1	0.18	<5	12	<5	<10	215	8	<1	<1	558	122	23	269	<10	5	102	136
59477	081499	1.915	<1	8.86	3033	459	<2	12	5.21	<4	<1	26	215	71	6.15	21	33	6	<1	<1	2.00	<1	42	1.69	896	70	16	33	824	7	<1	0.28	<5	12	11	<10	204	5	<1	<1	548	141	<20	180	<10	6	83	212
59478	081500	0.968	<1	8.87	14	384	2	8	5.02	<4	6	36	134	42	6.04	29	18	3	<1	<1	2.09	<1	30	1.69	1023	60	19	31	849	19	25	0.07	<5	11	10	<10	217	9	<1	<1	8179	15	<20	180	<10	18	100	91
59480	081501	0.229	<1	9.76	514	504	2	16	6.33	<4	<1	27	182	57	5.83	23	7	4	1	<1	2.02	<1	44	2.17	953	64	13	41	608	10	3	0.09	<5	14	<5	<10	258	5	<1	<1	607	106	39	153	<10	6	73	119
59481	081502	0.275	<1	9.01	535	567	2	18	5.23	<4	<1	27	350	52	5.64	24	12	4	<1	<1	2.04	<1	45	2.22	855	64	14	58	677	4	4	0.07	5	14	<5	<10	219	5	<1	<1	591	4	<20	155	<10	5	78	133
59482	081503	0.008	<1	12.34	112	568	<2	27	6.13	<4	5	36	534	50	6.27	22	18	5	2	<1	2.16	<1	52	3.73	1177	70	13	121	803	9	3	0.05	6	24	9	10	209	5	<1	<1	585	156	<20	142	<10	9	70	137
59483	081504	0.008	<1	14.14	103	318	<2	22	5.61	<4	8	53	461	27	7.23	24	19	5	<1	<1	2.12	<1	75	5.76	1154	69	11	283	707	10	<1	0.05	5	19	25	<10	214	4	<1	<1	485	109	<20	115	<10	8	64	139
59484	081505	0.192	<1	15.80	103	344	<2	38	5.89	<4	9	54	479	26	7.71	26	30	8	<1	<1	2.22	1	80	6.16	1192	79	12	300	621	10	<1	0.05	6	21	21	<10	227	5	<1	<1	526	291	34	121	10	10	67	207
59485	081506	0.006	<1	13.11	54	316	<2	30	6.09	<4	5	42	416	21	6.72	21	27	6	<1	<1	2.14	<1	60	4.97	1178	71	11	247	711	8	<1	0.09	8	17	8	<10	232	5	<1	<1	509	208	<20	114	<10	8	58	146
59486	081507	0.032	<1	14.03	93	409	<2	27	6.87	<4	6	52	419	34	6.87	22	36	8	2	<1	2.31	<1	60	5.22	1237	80	10	271	404	15	<1	0.11	5	17	14	<10	255	4	<1	<1	553	30	23	104	<10	9	68	246
59487	081508	<0.005	<1	13.74	304	488	<2	28	4.70	<4	4	52	485	55	7.03	24	27	6	2	<1	2.14	<1	61	5.01	1070	73	11	311	522	11	<1	0.08	6	18	13	<10	230	4	<1	<1	534	52	33	119	<10	9	82	151
59488	081509	<0.005	<1	12.75	233	358	<2	22	4.96	<4	7	47	528	32	6.80	21	17	4	1	<1	2.18	<1	61	5.51	1203	66	11	285	734	6	<1	0.05	5	18	<5	<10	230	4	<1	<1	484	112	43	116	<10	9	82	72

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140838
Reference:
Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59489	081510	4.428	<1	5.77	254	470	2	9	2.38	<4	<1	107	153	1446	6.57	22	16	4	<1	<1	1.97	<1	33	0.70	615	68	8	1262	535	662	10	1.17	6	3	<5	<10	142	6	3	<1	3396	24	<20	82	37	6	443	147
59491	081511	0.006	<1	12.46	178	445	<2	22	5.75	<4	6	43	484	25	6.49	21	6	3	<1	<1	2.32	<1	55	5.00	1141	64	12	273	645	9	<1	0.05	<5	18	13	<10	249	5	<1	<1	493	20	28	117	<10	8	68	44
59492	081512	0.008	<1	13.22	306	661	<2	27	5.75	<4	7	46	575	46	7.10	23	29	7	<1	<1	2.30	<1	54	4.76	1072	77	11	314	597	11	<1	0.06	<5	18	10	10	253	5	<1	<1	607	205	26	123	<10	8	60	206
59493	081513	0.009	<1	13.67	353	694	2	34	6.06	<4	7	52	703	57	7.03	21	19	6	2	<1	2.31	<1	57	5.15	1106	74	11	335	399	12	<1	0.06	<5	18	13	10	235	4	<1	<1	567	311	27	112	<10	9	62	179
59494	081514	<0.005	<1	12.96	163	886	<2	26	6.28	<4	8	56	787	87	7.70	24	22	6	<1	<1	2.28	<1	53	4.59	1287	74	13	332	673	8	<1	0.15	<5	19	8	<10	214	5	<1	<1	589	151	<20	135	<10	8	117	170
59495	081515	0.010	<1	12.40	308	872	<2	20	6.27	<4	5	52	759	63	7.45	22	21	5	<1	<1	2.30	<1	51	4.59	1351	69	12	324	614	9	<1	0.11	5	18	6	<10	216	6	<1	<1	558	259	<20	124	<10	9	113	131
59496	081516	0.009	<1	11.93	411	1087	<2	25	5.64	<4	2	56	848	64	8.25	25	15	4	2	<1	2.17	<1	47	4.15	1369	63	13	326	764	8	<1	0.11	<5	20	<5	<10	205	7	<1	<1	622	<2	26	148	<10	8	115	93
59497	081517	0.007	<1	12.61	467	681	<2	28	6.58	<4	5	65	861	60	9.12	24	10	4	<1	<1	2.08	<1	54	5.22	1567	66	13	428	612	12	<1	0.27	6	20	11	<10	257	6	<1	<1	531	103	31	139	10	8	104	82
59498	081518	0.005	<1	13.02	454	554	<2	32	5.71	<4	7	69	890	70	8.21	24	21	5	<1	<1	2.21	<1	58	5.54	1406	69	12	425	648	16	<1	0.09	<5	19	<5	<10	234	5	<1	<1	510	111	<20	125	<10	9	125	125
59499	081519	<0.005	<1	11.91	165	682	<2	23	6.21	<4	5	54	713	56	7.27	23	14	4	2	<1	2.36	<1	54	4.36	1390	64	12	317	753	16	<1	0.10	9	18	8	<10	216	5	<1	<1	547	135	42	133	<10	8	101	85
59500	081520	<0.005	<1	7.09	6	1148	<2	8	1.60	<4	46	9	208	11	2.35	21	10	6	<1	<1	1.98	15	41	0.51	288	64	12	15	1382	37	22	0.03	<5	2	14	<10	217	3	<1	13	3132	<2	<20	38	<10	8	76	250
59502	081521	<0.005	<1	11.72	255	1052	<2	18	5.81	<4	7	49	713	55	7.35	23	15	3	<1	<1	2.28	<1	51	3.82	1250	58	14	271	522	11	12	0.07	<5	21	10	<10	204	7	<1	<1	582	31	32	148	<10	8	101	15
59503	081522	<0.005	<1	10.09	317	1264	<2	22	5.86	<4	<1	51	804	77	7.79	25	5	4	<1	<1	2.20	<1	42	3.01	1434	64	13	224	793	8	<1	0.11	<5	16	9	<10	207	8	<1	<1	666	121	<20	156	<10	6	120	101
59504	081523	0.034	<1	10.29	233	1090	2	23	6.08	4	2	52	441	124	9.70	26	21	5	<1	<1	2.09	<1	39	2.82	1503	63	16	180	411	20	13	1.42	<5	16	<5	<10	215	12	2	<1	621	90	34	140	<10	8	137	54
59505	081524	0.030	<1	11.43	320	602	<2	24	4.91	5	2	55	434	68	12.41	31	28	8	2	<1	2.10	<1	47	3.13	1292	75	10	272	733	19	<1	3.52	<5	14	10	<10	195	8	<1	<1	575	156	40	112	<10	8	138	232
59506	081525	0.046	<1	11.64	347	617	<2	26	5.32	5	<1	58	535	60	12.30	29	14	6	1	<1	2.09	<1	49	3.43	1312	68	10	277	771	21	<1	3.57	6	17	<5	<10	201	9	3	<1	548	88	32	121	<10	8	133	134
59507	081526	0.332	<1	6.10	2054	651	2	13	3.95	<4	<1	44	177	111	8.07	27	11	2	<1	<1	1.83	<1	28	1.04	1279	61	12	86	681	13	11	3.67	<5	5	<5	<10	151	8	<1	<1	704	46	22	145	<10	3	152	57
59508	081527	0.147	<1	6.24	888	147	2	19	4.10	7	<1	60	132	170	17.92	36	<1	2	<1	<1	1.75	<1	28	1.09	1743	74	10	81	901	26	<1	9.90	7	6	<5	<10	152	11	3	<1	727	219	47	141	<10	4	172	<1
59509	081528	<0.005	<1	10.84	143	736	<2	31	5.11	<4	3	44	408	79	8.74	25	12	3	<1	<1	2.41	<1	49	3.03	1304	62	11	208	776	13	<1	0.47	6	16	18	<10	196	6	<1	<1	504	45	29	129	<10	7	142	55
59510	081529	<0.005	<1	7.00	45	589	<2	23	3.79	4	<1	50	260	101	10.56	26	9	4	<1	<1	1.92	<1	35	1.28	1255	66	12	138	880	17	<1	3.47	<5	8	12	<10	161	9	<1	<1	1225	150	23	141	<10	4	104	90

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140838
Reference:
Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59511	081530	<0.005	<1	6.42	25	649	<2	12	4.02	<4	<1	31	203	48	5.53	24	10	2	2	<1	1.88	<1	31	0.86	898	55	19	85	512	14	<1	2.55	5	8	<5	<10	206	5	<1	<1	612	56	<20	216	<10	4	42	57
59512R	081530	<0.005	<1	9.78	52	327	<2	22	6.07	<4	6	42	36	281	8.27	25	9	3	<1	<1	2.17	<1	55	2.10	1706	59	12	50	781	8	<1	0.16	<5	10	5	<10	307	8	<1	<1	439	90	33	142	<10	7	137	51
59513	081531	<0.005	<1	11.64	52	395	<2	24	6.24	<4	9	43	35	307	8.48	30	23	8	<1	<1	2.25	<1	57	2.24	1784	72	13	48	695	9	7	0.14	<5	11	9	<10	319	9	<1	<1	547	136	<20	147	<10	8	138	270
59514	081532	<0.005	<1	9.67	43	682	2	15	5.55	<4	2	43	39	288	8.69	27	10	3	1	<1	2.08	<1	43	1.92	1891	61	17	50	507	8	<1	0.44	5	10	<5	<10	307	7	<1	<1	894	62	<20	187	<10	7	130	77
59515	081533	0.030	<1	7.04	68	593	2	17	4.50	4	<1	53	75	265	8.57	27	7	<1	<1	<1	1.98	<1	32	1.26	1689	56	10	30	910	8	6	1.01	<5	5	<5	<10	286	8	<1	<1	3444	48	<20	105	<10	6	199	<1
59516	081534	0.797	<1	8.04	2721	479	<2	14	3.96	<4	<1	29	110	136	7.04	25	20	5	<1	<1	1.84	<1	33	1.09	1475	67	5	31	1212	14	<1	0.78	5	3	<5	<10	251	5	4	<1	2384	<2	<20	36	<10	7	121	167
59517	081535	0.897	<1	7.61	2778	480	<2	13	3.59	<4	<1	36	161	136	7.54	24	16	4	<1	<1	1.96	<1	33	1.02	1336	66	5	29	1069	10	<1	1.42	<5	3	<5	<10	230	6	1	<1	2288	107	<20	37	<10	7	110	139
59518	081536	0.013	<1	8.09	73	463	2	14	4.07	<4	2	41	52	219	8.31	29	19	5	<1	<1	1.93	<1	32	1.15	1948	67	5	19	880	10	<1	0.47	<5	3	14	<10	228	8	3	<1	3195	51	23	43	<10	7	93	166
59519	081537	0.006	<1	8.54	54	415	<2	16	4.58	<4	4	46	68	266	8.58	27	5	2	<1	<1	2.04	<1	33	1.33	1927	61	5	19	887	10	<1	0.28	<5	5	<5	<10	273	7	4	<1	3951	76	<20	41	<10	6	113	51
59520	081538	0.013	<1	6.83	58	356	<2	15	4.55	5	<1	63	28	428	10.69	32	1	2	<1	<1	1.84	<1	36	1.34	2065	64	7	21	713	7	<1	0.33	<5	5	<5	<10	269	10	8	<1	7079	52	30	63	10	5	214	14
59521	081539	0.009	<1	6.16	46	531	<2	14	4.86	<4	<1	52	47	307	8.49	26	<1	<1	<1	1.94	<1	34	1.35	1944	54	6	18	696	9	<1	0.17	<5	4	<5	<10	331	7	6	<1	6824	139	<20	57	<10	4	159	<1	
59522	081540	14.782	<1	6.24	22	615	2	6	3.01	<4	<1	27	94	137	4.37	22	8	<1	<1	<1	1.96	<1	35	0.83	642	61	11	45	846	31	135	0.55	<5	4	8	<10	154	6	<1	<1	5091	74	<20	105	<10	8	169	11
59524	081541	0.015	<1	7.90	51	478	<2	16	5.20	4	4	55	29	290	9.44	29	6	2	<1	<1	2.01	<1	39	1.51	2221	62	5	21	604	13	<1	0.27	<5	5	10	<10	342	8	6	<1	6671	158	<20	58	<10	6	161	38
59525	081542	0.013	<1	7.39	53	600	<2	10	5.13	<4	2	51	42	319	8.83	28	<1	1	<1	<1	2.05	<1	37	1.37	1940	59	5	21	791	11	<1	0.26	<5	5	<5	<10	332	8	4	<1	5029	<2	<20	70	13	5	159	10
59526	081543	0.007	<1	6.75	56	516	<2	12	4.93	<4	4	43	47	271	7.06	23	<1	<1	<1	<1	2.18	<1	31	1.26	1668	50	6	18	752	9	<1	0.15	<5	4	8	<10	334	7	3	<1	3064	17	<20	85	<10	5	121	<1
59527	081544	0.007	<1	6.82	45	527	<2	11	4.54	<4	2	42	41	295	7.60	27	20	2	1	<1	1.98	<1	38	1.30	1649	58	9	37	701	15	<1	0.13	<5	5	<5	<10	317	7	2	<1	1663	47	<20	100	<10	5	129	35
59528	081545	0.006	<1	8.14	37	884	<2	17	5.59	<4	10	36	90	228	6.81	24	12	2	<1	<1	2.10	<1	39	1.92	1580	58	11	30	1534	11	<1	0.13	5	7	<5	<10	331	5	<1	<1	625	56	<20	126	<10	7	100	26
59529	081546	<0.005	<1	8.19	32	995	2	13	4.61	<4	1	51	49	280	7.88	27	12	2	1	<1	1.96	<1	40	1.66	1535	61	14	27	810	12	<1	0.16	5	7	<5	<10	323	9	<1	<1	5261	<2	28	163	<10	5	132	49
59530	081547	<0.005	<1	8.11	15	604	2	13	4.94	<4	17	36	164	137	5.71	21	8	<1	<1	<1	2.02	2	40	2.47	1096	58	11	43	2471	17	<1	0.14	<5	10	<5	<10	550	5	<1	4	2507	63	<20	120	<10	9	99	<1
59531	081548	0.005	<1	7.25	36	744	<2	9	4.71	<4	4	51	31	361	7.18	25	3	<1	1	<1	1.89	<1	37	1.46	1588	52	12	30	849	7	<1	0.14	<5	5	<5	<10	324	8	<1	<1	4461	101	23	129	<10	5	155	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140838
Reference:
Sample #: 148

Acc #	Client ID	Au ppm	Ag %	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59532	081549	0.007	<1	8.17	39	668	2	9	4.51	<4	4	57	20	356	7.65	25	<1	<1	<1	<1	2.05	<1	38	1.68	1340	51	14	32	835	17	<1	0.14	<5	7	6	<10	324	7	<1	<1	4474	14	<20	156	<10	5	163	<1
59533	081550	<0.005	<1	8.37	2	1193	<2	7	1.38	<4	41	4	289	10	1.44	15	<1	1	1	<1	1.93	18	41	0.41	223	53	5	7	569	35	28	0.02	<5	1	18	<10	250	<1	2	15	1561	111	<20	21	<10	6	43	33
59535	081551	0.009	<1	6.61	47	625	<2	9	4.51	<4	3	57	39	315	7.33	24	<1	<1	2	<1	1.95	<1	36	1.58	1283	49	15	33	711	14	13	0.16	<5	5	<5	<10	282	9	<1	<1	4796	<2	<20	161	<10	5	166	<1
59536	081552	<0.005	<1	7.70	51	576	<2	15	4.74	<4	5	62	40	328	6.89	24	<1	<1	<1	<1	2.05	<1	38	1.43	1240	49	11	36	966	10	<1	0.17	<5	6	<5	<10	316	7	<1	<1	4754	10	<20	131	<10	6	153	<1
59537	081553	<0.005	<1	7.61	40	552	<2	15	4.61	<4	2	60	45	320	7.77	27	9	<1	<1	<1	2.14	<1	40	1.46	1855	57	11	39	706	11	<1	0.11	<5	5	<5	<10	334	8	4	<1	6203	91	<20	123	<10	5	151	31
59538	081554	0.005	<1	7.48	50	707	2	13	5.12	<4	4	62	33	336	7.70	26	9	1	<1	<1	1.94	<1	39	1.53	1927	59	11	36	705	9	<1	0.14	<5	5	<5	<10	334	9	<1	<1	6078	66	<20	127	10	6	153	48
59539	081555	<0.005	<1	7.44	43	612	<2	11	4.79	<4	4	56	23	307	7.60	24	11	<1	<1	<1	1.99	<1	38	1.57	1850	55	11	32	798	11	<1	0.14	<5	5	<5	<10	319	8	<1	<1	5100	179	<20	122	<10	6	156	<1
59540	081556	<0.005	<1	7.01	49	836	<2	9	4.38	<4	3	53	44	297	6.64	23	19	<1	1	<1	2.08	<1	35	1.33	1350	55	12	35	819	10	8	0.09	<5	5	<5	<10	298	7	<1	<1	4585	146	<20	143	<10	5	133	<1
59541	081557	0.013	<1	7.44	42	684	2	12	4.71	<4	3	47	49	290	7.38	24	20	<1	2	<1	1.99	<1	37	1.51	1688	55	12	29	478	18	<1	0.09	<5	6	13	<10	312	8	<1	<1	4653	112	<20	145	16	5	141	<1
59542	081558	0.006	<1	7.79	39	619	<2	13	4.94	<4	<1	46	31	273	7.66	25	18	2	<1	<1	2.07	<1	41	1.54	1927	61	13	30	265	9	<1	0.08	5	6	9	<10	339	8	<1	<1	3718	<2	<20	155	<10	5	124	70
59543	081559	0.011	<1	7.05	30	723	2	13	4.29	<4	<1	34	53	284	6.53	23	26	<1	<1	<1	2.04	<1	36	1.33	1339	56	17	30	656	12	<1	0.09	<5	6	21	<10	284	8	<1	<1	2617	37	<20	196	<10	5	117	25
59544	081560	0.026	<1	8.15	58	995	<2	15	6.04	<4	6	53	35	312	7.43	26	5	<1	<1	<1	2.11	<1	36	1.64	1791	56	15	30	557	9	<1	0.12	<5	7	<5	<10	329	8	<1	<1	3928	244	<20	167	11	6	129	3
59545D	081560	0.026	<1	8.66	56	1013	2	18	6.07	<4	6	55	35	328	7.53	26	<1	<1	2	<1	2.02	<1	35	1.71	1786	54	15	26	452	11	<1	0.15	<5	7	<5	<10	331	7	<1	<1	4174	166	<20	169	15	6	128	<1
59546	081561	0.014	<1	8.58	29	1274	<2	17	4.76	<4	5	46	22	331	7.42	25	<1	<1	<1	<1	2.13	<1	37	1.72	1569	56	17	27	492	10	<1	0.09	<5	7	9	<10	291	9	<1	<1	5530	12	<20	188	14	6	125	<1
59547	081562	0.011	<1	8.44	38	2215	2	9	6.44	<4	4	43	28	341	6.83	24	<1	2	<1	<1	2.06	<1	35	1.81	1579	59	25	40	638	11	<1	0.15	<5	7	<5	<10	334	9	<1	<1	5236	105	<20	264	21	6	101	31
59548	081563	<0.005	<1	8.01	39	1056	<2	10	5.29	<4	<1	48	28	334	6.46	26	<1	1	<1	<1	1.98	<1	38	1.58	1282	58	27	34	724	8	13	0.07	<5	7	<5	<10	307	10	<1	<1	4090	88	<20	286	<10	5	118	34
59549	081564	<0.005	<1	7.74	5	950	<2	14	5.47	<4	<1	38	52	307	6.12	25	<1	<1	<1	<1	1.97	<1	41	1.45	1191	53	26	30	302	9	<1	0.07	<5	7	<5	<10	351	8	<1	<1	1934	<2	21	286	<10	6	112	<1
59550	081565	0.006	<1	7.65	3	915	<2	12	5.83	<4	2	39	41	309	6.14	24	5	<1	<1	<1	2.02	<1	39	1.51	1186	49	26	29	374	5	<1	0.07	<5	8	8	<10	354	8	<1	<1	1660	166	<20	280	<10	6	110	<1
59551	081566	<0.005	<1	7.37	<2	1135	<2	11	5.77	<4	<1	39	18	312	6.77	26	<1	<1	<1	<1	1.89	<1	41	1.50	1269	48	26	31	702	14	<1	0.07	<5	8	6	<10	348	9	<1	<1	1193	36	<20	287	<10	7	119	<1
59552	081567	<0.005	<1	8.69	3	838	<2	20	5.69	<4	4	49	21	327	6.90	24	17	1	<1	<1	2.12	<1	44	1.69	1319	56	26	35	561	10	<1	0.09	<5	9	<5	<10	367	9	<1	<1	1021	<2	<20	288	<10	7	116	5

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140838
Reference:
Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59553	081568	<0.005	<1	8.96	5	736	<2	19	6.13	<4	7	49	24	322	6.47	27	22	4	<1	<1	2.17	<1	44	1.58	1532	65	24	39	781	7	4	0.08	<5	9	9	<10	403	8	<1	<1	603	38	<20	269	<10	8	107	141
59554	081569	0.006	<1	7.57	2	544	<2	18	6.19	<4	3	37	38	320	6.46	23	9	<1	1	<1	2.11	<1	45	1.51	1621	53	24	33	267	10	<1	0.07	<5	8	5	<10	447	7	<1	<1	503	58	<20	263	<10	6	97	<1
59555	081570	1.040	<1	6.25	<2	200	<2	14	4.93	<4	3	36	133	45	6.03	26	1	<1	1	<1	1.93	<1	28	1.36	1027	53	19	29	1087	20	27	0.06	<5	7	<5	<10	207	8	<1	<1	7822	124	<20	180	<10	14	105	<1
59557	081571	0.007	<1	9.99	3	248	<2	18	6.77	<4	7	48	33	365	7.34	25	<1	<1	<1	<1	1.96	<1	47	1.94	1673	50	26	39	451	12	<1	0.09	5	13	<5	<10	473	8	<1	<1	477	68	46	285	<10	8	114	<1
59558	081572	<0.005	<1	10.32	3	700	<2	22	6.77	<4	6	54	24	382	6.99	25	<1	<1	<1	<1	1.93	<1	49	2.01	1653	54	28	44	708	9	<1	0.09	<5	12	<5	<10	403	9	<1	<1	438	70	<20	310	<10	7	110	<1
59559	081573	<0.005	<1	8.69	28	585	<2	14	5.85	<4	2	56	25	372	6.89	25	<1	<1	<1	<1	1.96	<1	44	1.70	1659	53	29	46	233	7	13	0.09	<5	10	<5	<10	357	9	<1	<1	456	67	<20	309	<10	6	112	<1
59560	081574	0.007	<1	8.65	9	530	<2	16	6.59	<4	4	48	32	356	7.73	26	<1	<1	<1	<1	1.96	<1	47	1.81	2123	54	30	45	450	11	<1	0.13	5	10	<5	<10	365	8	<1	<1	458	237	27	320	<10	6	120	<1
59561	081575	<0.005	<1	8.29	11	691	<2	19	5.61	<4	2	46	27	345	6.47	24	2	<1	2	<1	1.93	<1	43	1.69	1506	54	29	47	314	10	9	0.11	<5	9	<5	<10	362	8	<1	<1	484	91	<20	310	<10	5	114	<1
59562	081576	<0.005	<1	8.86	4	518	<2	18	5.99	<4	4	46	27	360	6.88	22	<1	<1	<1	<1	2.11	<1	43	1.95	1441	47	28	48	198	8	<1	0.09	<5	12	5	<10	370	8	<1	<1	386	103	25	311	<10	5	115	<1
59563	081577	<0.005	<1	7.85	23	599	<2	17	6.28	<4	2	44	49	346	6.11	21	<1	<1	2	<1	2.23	<1	41	1.71	1452	48	28	45	228	7	13	0.09	<5	9	<5	<10	411	9	<1	<1	427	95	<20	302	<10	5	103	<1
59564	081578	<0.005	<1	6.99	7	529	<2	13	6.51	<4	1	38	34	367	6.53	21	<1	<1	<1	<1	2.16	<1	43	1.69	1623	48	30	49	557	12	<1	0.08	<5	9	<5	<10	380	8	<1	<1	385	103	29	317	<10	5	112	<1
59565	081579	<0.005	<1	8.98	5	574	<2	15	6.07	<4	4	38	33	380	6.42	19	<1	<1	<1	<1	2.22	<1	40	2.05	1403	41	28	51	585	9	19	0.10	<5	13	13	<10	367	8	<1	<1	326	<2	<20	311	<10	5	119	<1
59566	081580	<0.005	<1	8.44	4	959	<2	7	1.40	<4	30	3	302	8	1.31	10	<1	<1	<1	<1	1.97	15	36	0.37	209	41	3	7	618	31	40	0.02	<5	1	17	<10	259	1	<1	8	1122	18	<20	20	<10	5	36	<1
59568	081581	<0.005	<1	7.95	3	613	<2	10	6.13	<4	2	35	40	345	6.59	24	<1	<1	<1	<1	2.02	<1	44	1.80	1336	50	30	47	546	12	<1	0.08	<5	9	<5	<10	403	9	<1	<1	403	71	23	318	<10	5	126	<1
59569	081582	<0.005	<1	9.37	4	564	<2	23	6.62	<4	6	42	36	339	7.41	24	1	<1	2	<1	1.87	<1	48	2.01	1446	54	31	57	528	13	<1	0.09	<5	12	5	<10	388	10	<1	<1	454	168	26	330	<10	6	135	<1
59570	081583	<0.005	<1	9.24	5	640	<2	15	6.23	<4	3	51	42	332	6.64	24	3	<1	1	<1	1.70	<1	47	1.81	1356	53	28	62	370	8	<1	0.09	<5	11	6	<10	294	8	<1	<1	557	48	<20	312	<10	7	139	<1
59571	081584	<0.005	<1	9.67	4	445	<2	21	6.66	<4	5	45	35	333	7.62	26	4	<1	<1	<1	1.93	<1	52	1.98	1489	52	27	50	588	12	<1	0.09	<5	12	<5	<10	311	10	<1	<1	480	<2	26	294	<10	7	127	<1
59572	081585	0.006	<1	10.03	<2	433	<2	22	7.15	<4	5	45	30	339	7.87	26	<1	<1	<1	<1	2.06	<1	52	2.15	1553	50	27	49	529	10	9	0.10	<5	13	<5	<10	320	9	<1	<1	441	<2	26	296	<10	7	126	<1
59573	081586	<0.005	<1	9.26	3	425	<2	15	6.80	<4	6	45	33	358	7.74	25	<1	<1	<1	<1	2.05	<1	50	1.95	1600	50	27	54	642	10	<1	0.08	<5	12	<5	<10	329	8	<1	<1	395	<2	22	295	<10	7	120	<1
59574	081587	0.021	<1	9.55	2	342	<2	19	7.33	<4	5	41	24	324	8.23	24	<1	<1	<1	<1	2.15	<1	51	2.15	1898	47	26	54	161	14	<1	0.08	6	14	<5	<10	315	9	<1	<1	366	31	32	292	<10	7	120	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140838
Reference:
Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59575	081588	<0.005	<1	8.85	3	348	<2	16	6.72	<4	6	42	25	396	7.45	25	<1	<1	1	<1	2.05	<1	50	1.86	1570	51	30	60	272	16	<1	0.08	<5	12	12	<10	407	10	<1	<1	409	196	25	324	<10	7	118	<1
59576	081589	<0.005	<1	9.99	<2	196	<2	17	6.05	<4	6	48	38	442	6.89	21	<1	<1	<1	<1	2.22	<1	43	2.31	1319	40	32	59	657	13	<1	0.08	<5	18	6	<10	439	9	<1	<1	338	<2	26	348	<10	8	116	<1
59577	081590	<0.005	<1	9.96	3	207	<2	23	6.57	<4	6	56	29	408	7.42	24	<1	<1	<1	<1	2.14	<1	44	2.27	1489	43	31	64	501	9	<1	0.09	<5	16	<5	<10	458	9	<1	<1	351	81	<20	330	<10	8	123	<1
59578R	081590	<0.005	<1	10.45	<2	191	<2	17	6.41	<4	9	54	29	397	7.28	22	<1	<1	<1	<1	2.01	<1	43	2.34	1452	41	29	64	548	8	<1	0.09	6	17	<5	<10	431	9	<1	<1	351	68	<20	320	<10	9	120	<1
59579	081591	<0.005	<1	11.64	<2	268	<2	18	7.00	<4	13	60	30	414	8.14	22	<1	<1	<1	<1	1.90	1	47	2.78	1596	40	32	72	511	10	<1	0.11	<5	22	5	<10	361	9	<1	<1	317	21	<20	347	<10	9	136	<1
59580	081592	0.005	<1	8.49	2	260	<2	14	6.21	<4	4	51	27	366	6.62	23	<1	<1	<1	<1	2.00	<1	49	1.91	1305	48	29	61	630	8	<1	0.08	<5	12	5	<10	342	7	<1	<1	402	67	36	315	<10	6	121	<1
59581	081593	0.005	<1	8.85	6	370	<2	20	6.24	<4	<1	49	37	328	6.83	23	10	<1	<1	<1	1.91	<1	45	1.95	1665	51	24	61	647	12	<1	0.08	6	12	<5	<10	304	8	<1	<1	409	78	<20	264	<10	6	112	<1
59582	081594	0.006	<1	8.64	55	339	<2	24	6.61	<4	5	51	42	355	6.71	23	2	<1	<1	<1	1.85	<1	41	1.93	1564	50	29	64	448	10	6	0.10	7	11	<5	<10	370	8	<1	<1	428	17	22	316	<10	5	125	<1
59583	081595	0.006	<1	8.25	49	318	<2	10	5.97	<4	3	49	48	332	6.29	21	<1	<1	<1	<1	2.06	<1	40	1.86	1431	48	27	61	314	15	<1	0.11	<5	11	<5	<10	347	8	<1	<1	419	224	23	290	<10	5	116	<1
59584	081596	0.006	<1	8.18	71	409	<2	18	6.02	<4	2	43	73	329	6.06	20	<1	<1	1	<1	2.06	<1	44	1.82	1248	50	28	62	285	11	<1	0.08	<5	10	<5	<10	390	9	<1	<1	450	117	<20	299	<10	5	121	<1
59585	081597	<0.005	<1	8.04	54	281	<2	11	5.76	<4	6	48	49	309	6.72	19	<1	<1	<1	<1	2.10	<1	35	2.08	1581	39	32	68	367	13	<1	0.07	<5	13	<5	<10	251	12	<1	<1	335	135	28	295	<10	5	126	<1
59586	081598	0.009	<1	8.14	95	391	<2	12	6.47	<4	1	38	52	333	6.05	21	<1	<1	1	<1	2.08	<1	44	1.98	1407	45	29	60	351	12	<1	0.09	<5	10	11	<10	328	7	<1	<1	395	<2	<20	299	<10	5	105	<1
59587	081599	0.012	<1	7.39	139	371	2	13	5.88	<4	<1	49	100	328	6.18	20	<1	<1	<1	<1	2.01	<1	44	1.79	1359	47	24	60	244	8	3	0.11	<5	9	13	<10	274	8	<1	<1	412	44	27	256	<10	5	102	<1
59588	081600	13.397	<1	7.46	25	429	<2	9	3.11	<4	<1	24	91	132	4.40	17	<1	<1	1	<1	1.96	<1	29	1.10	611	52	11	41	884	32	216	0.52	<5	7	<5	<10	144	6	<1	<1	4646	111	<20	102	<10	11	164	<1
59590	081601	0.027	<1	7.93	150	308	<2	14	6.38	<4	3	49	81	217	7.08	20	<1	<1	<1	<1	1.94	<1	44	2.03	1281	45	13	74	573	6	<1	0.15	<5	10	8	<10	247	7	<1	<1	353	145	<20	149	<10	6	102	<1
59591	081602	0.025	<1	7.70	104	312	<2	21	5.76	<4	<1	42	106	159	9.88	23	<1	<1	<1	<1	1.82	<1	49	1.94	3252	49	14	55	596	18	<1	0.27	<5	11	12	<10	200	9	<1	<1	350	101	<20	173	20	5	99	<1
59592	081603	0.033	<1	7.59	277	322	2	18	5.23	5	<1	58	107	203	11.14	27	<1	<1	<1	<1	1.75	<1	46	2.17	2457	49	12	80	762	20	<1	1.88	5	10	6	<10	183	9	<1	<1	308	178	52	150	16	5	397	<1
59593	081604	0.018	<1	8.11	105	211	<2	19	5.50	<4	<1	44	161	146	7.23	20	<1	<1	<1	<1	1.81	<1	35	1.77	1699	42	12	111	563	16	<1	1.36	<5	15	7	<10	154	6	<1	<1	294	66	32	147	<10	6	421	<1
59594	081605	0.021	<1	5.49	113	206	<2	11	5.38	<4	<1	46	177	136	6.78	19	<1	<1	<1	<1	1.90	<1	37	1.50	1740	44	12	109	581	19	6	1.16	8	9	<5	<10	150	6	<1	<1	324	50	<20	147	<10	4	332	<1
59595	081606	0.012	<1	7.57	114	168	<2	13	8.48	<4	<1	31	180	72	5.36	14	<1	<1	<1	<1	2.12	<1	33	2.20	1900	45	11	74	272	11	5	0.20	6	12	<5	<10	142	5	<1	<1	323	141	<20	129	<10	6	105	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, March 25, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/28/2011
Date Completed: 03/14/2011
Job #: 201140838
Reference:
Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
59596	081607	0.009	<1	8.05	125	203	<2	11	7.24	<4	<1	44	203	134	6.32	19	<1	<1	1	<1	2.08	<1	41	1.82	2490	42	19	99	438	10	<1	0.24	<5	18	11	<10	159	7	<1	<1	376	21	<20	224	<10	5	83	<1
59597	081608	0.009	<1	5.98	102	198	<2	9	6.54	<4	<1	46	207	145	6.49	21	<1	<1	<1	<1	1.94	<1	43	1.41	2180	44	22	106	426	8	<1	0.31	<5	11	<5	<10	167	8	<1	<1	384	139	<20	243	<10	3	106	<1
59598	081609	0.008	<1	7.75	55	232	<2	16	5.94	<4	<1	38	222	112	5.80	24	8	<1	1	<1	1.88	<1	49	1.46	1823	49	23	83	389	10	11	0.15	5	14	<5	<10	175	8	<1	<1	494	<2	29	257	<10	5	89	<1
59599	081610	1.013	<1	8.01	<2	158	<2	10	4.93	<4	9	34	125	41	6.00	21	<1	<1	<1	<1	2.16	2	21	2.09	979	39	17	27	854	19	33	0.06	<5	14	<5	<10	192	8	<1	<1	6623	139	<20	167	<10	22	96	<1
59601	081611	0.013	<1	8.49	51	196	<2	14	5.68	<4	<1	44	190	214	4.31	15	<1	<1	1	<1	1.95	<1	35	1.62	1115	38	17	93	376	3	<1	0.14	<5	19	7	<10	144	6	<1	<1	336	99	<20	200	<10	5	66	<1
59602	081612	0.005	<1	8.57	33	165	<2	14	6.76	<4	<1	39	232	93	5.67	16	<1	<1	<1	<1	1.88	<1	38	2.14	1280	34	17	83	503	10	<1	0.10	<5	25	15	<10	124	6	<1	<1	285	51	42	202	<10	6	106	<1
59603	081613	<0.005	<1	8.12	11	188	<2	16	6.76	<4	<1	29	227	69	5.04	18	<1	<1	<1	<1	1.86	<1	43	2.22	1089	39	20	77	446	6	<1	0.07	<5	20	<5	<10	136	6	<1	<1	307	<2	<20	219	<10	5	78	<1
59604	081614	0.007	<1	8.66	6	185	<2	7	7.25	<4	2	37	334	91	4.60	16	<1	<1	<1	<1	1.80	<1	48	2.75	1010	43	16	85	589	7	<1	0.09	7	23	7	<10	125	6	<1	<1	298	92	<20	171	<10	6	70	<1
59605	081615	0.006	<1	8.40	6	122	<2	12	7.26	<4	3	37	274	83	4.51	15	<1	<1	1	<1	2.08	<1	44	2.21	1044	37	18	78	283	4	<1	0.14	<5	25	<5	<10	116	5	<1	<1	290	204	<20	194	<10	7	73	<1
59606	081616	0.007	<1	9.89	6	67	<2	12	7.44	<4	5	39	330	88	4.34	14	<1	<1	1	<1	2.21	<1	56	3.11	1046	43	15	83	601	8	<1	0.13	5	28	<5	<10	120	4	<1	<1	445	128	<20	172	<10	11	72	<1
59607	081617	0.006	<1	10.22	7	66	<2	12	7.65	<4	7	36	330	80	4.17	15	<1	<1	2	<1	2.11	<1	58	3.32	1045	45	17	79	368	10	<1	0.12	5	27	11	<10	129	5	<1	<1	747	46	<20	179	<10	13	70	<1
59608	081618	0.005	<1	10.30	9	65	<2	23	7.23	<4	6	39	311	84	4.15	13	<1	<1	<1	<1	2.06	<1	55	3.30	991	41	15	73	589	9	<1	0.25	<5	29	8	<10	119	4	<1	<1	772	50	22	169	<10	13	72	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
63926	081619	<0.005	2	11.29	13	77	<2	2	12.39	7	32	42	199	139	7.90	22	11	3	<1	<1	2.12	<1	<1	2.49	1980	12	24	133	279	13	12	0.17	6	33	5	<10	99	6	6	<1	249	40	29	222	<10	9	78	<1
63927	081620	<0.005	2	11.97	8	941	<2	<1	1.67	<4	78	5	379	11	1.47	19	5	6	2	<1	2.02	40	<1	0.51	232	38	3	12	344	34	82	0.03	<5	3	16	<10	263	<1	4	29	974	35	<20	20	<10	10	37	208
63928	081621	<0.005	2	10.23	28	93	<2	<1	10.42	5	69	39	225	126	5.44	18	12	3	2	<1	2.17	<1	<1	1.86	1469	24	21	117	262	12	14	0.16	<5	27	5	<10	125	4	4	<1	187	47	27	202	<10	8	65	62
63929	081622	<0.005	2	9.98	30	83	<2	2	10.53	5	26	41	192	128	5.83	17	11	2	2	<1	2.36	<1	<1	2.28	1415	13	23	127	260	8	5	0.14	<5	29	<5	<10	118	4	5	<1	184	62	65	213	<10	8	69	18
63930	081623	<0.005	2	9.51	36	70	<2	1	10.57	6	23	46	197	138	6.65	17	8	1	<1	<1	2.27	<1	<1	2.30	1508	11	22	152	275	12	18	0.20	<5	30	<5	<10	105	5	7	<1	160	49	28	204	<10	7	117	<1
63931	081624	<0.005	2	8.26	37	65	<2	3	9.85	5	21	45	177	134	5.69	16	5	<1	<1	3	2.09	<1	<1	1.70	1331	14	18	168	245	8	<1	0.27	5	26	<5	<10	96	5	4	<1	141	34	33	175	<10	7	90	<1
63932	081625	<0.005	1	9.39	37	80	<2	<1	9.93	4	20	46	187	137	5.83	16	10	2	1	1	2.22	<1	<1	1.66	1306	24	20	169	250	9	42	0.28	<5	29	10	<10	108	4	<1	<1	159	84	34	202	<10	7	81	<1
63933	081626	<0.005	2	9.51	39	86	<2	<1	12.17	5	43	38	191	122	5.48	17	10	3	<1	<1	2.12	<1	<1	1.67	1700	22	19	114	253	8	22	0.15	<5	22	<5	<10	142	3	<1	<1	182	70	65	183	<10	7	78	34
63934	081627	<0.005	1	9.87	21	81	<2	<1	9.78	5	38	39	197	140	6.15	18	8	2	1	<1	2.00	<1	<1	1.66	1373	21	20	112	274	9	<1	0.28	6	27	<5	<10	123	4	5	<1	173	54	36	197	<10	7	62	<1
63935	081628	<0.005	2	9.26	26	77	<2	2	11.27	5	27	45	185	134	6.26	18	6	2	<1	<1	2.06	<1	<1	1.75	1524	18	20	127	265	10	17	0.24	7	23	<5	<10	113	4	<1	<1	170	44	27	185	<10	8	74	13
63936D	081628	<0.005	1	9.55	25	69	<2	1	11.13	5	74	46	176	131	6.18	15	10	2	<1	<1	2.37	<1	<1	1.87	1491	16	18	127	260	9	12	0.25	5	26	6	<10	107	5	8	<1	154	19	39	173	<10	8	73	<1
63937	081629	<0.005	2	11.37	24	92	<2	2	9.76	5	22	42	196	125	5.76	20	16	4	2	<1	2.56	<1	<1	1.93	1350	25	20	128	269	9	60	0.14	6	29	11	<10	127	4	2	<1	192	60	41	202	<10	8	62	87
63938	081630	0.010	1	10.27	11	74	<2	1	10.61	6	23	45	200	142	7.03	18	7	2	1	1	2.14	<1	<1	1.91	1634	22	19	114	282	9	75	0.33	<5	28	<5	<10	108	3	10	<1	164	48	32	197	<10	8	88	<1
63939	081631	<0.005	1	10.18	37	105	<2	2	12.10	4	34	43	200	127	5.05	17	10	3	1	<1	2.28	<1	<1	1.52	1373	21	19	114	252	7	70	0.17	6	27	<5	<10	139	4	4	<1	181	45	54	194	<10	8	65	19
63940	081632	<0.005	1	10.44	38	126	<2	1	10.48	4	28	43	246	131	4.62	17	10	2	<1	<1	2.15	<1	<1	1.32	1186	21	21	113	271	7	75	0.20	5	27	9	<10	144	4	5	<1	194	55	47	208	<10	8	64	<1
63941	081633	<0.005	1	10.22	39	127	<2	1	11.02	4	72	42	216	121	4.66	16	10	3	2	<1	2.08	<1	<1	1.41	1270	21	20	112	244	10	55	0.14	<5	25	8	<10	154	4	5	<1	202	59	73	198	<10	8	64	27
63942	081634	0.005	1	9.73	26	86	<2	2	11.67	6	71	41	198	118	7.22	17	9	1	<1	<1	2.15	<1	<1	1.95	1861	17	22	114	223	11	61	0.15	5	27	<5	<10	124	5	9	<1	180	37	<20	203	<10	8	95	<1
63943	081635	<0.005	1	9.32	22	81	<2	<1	12.96	6	34	39	174	112	6.73	18	9	2	1	<1	2.03	<1	<1	1.80	1947	20	20	103	206	12	27	0.17	6	25	<5	<10	129	6	5	<1	176	45	47	187	<10	8	85	<1
63944	081636	<0.005	1	9.24	5	57	<2	3	11.69	8	26	37	162	105	9.84	20	8	2	<1	<1	2.16	<1	<1	2.13	2390	25	20	99	192	17	30	0.16	6	27	<5	<10	95	5	11	<1	205	54	27	201	<10	8	124	<1
63945	081637	0.005	2	9.70	7	91	<2	1	11.00	7	23	36	159	83	8.46	19	13	4	2	<1	2.07	<1	<1	1.90	2394	27	18	98	196	15	45	0.14	<5	23	8	<10	101	5	12	<1	231	35	<20	180	<10	9	101	53

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
63946	081638	<0.005	2	10.64	7	126	<2	2	11.86	6	19	39	185	111	7.72	19	15	4	2	<1	2.39	<1	<1	2.00	2242	23	21	112	223	14	46	0.17	5	28	5	<10	119	4	7	<1	229	57	<20	196	<10	9	101	32
63947D	081638	<0.005	1	9.28	12	111	<2	<1	11.37	6	32	39	172	106	7.36	15	8	1	1	<1	2.40	<1	<1	1.88	2129	17	18	107	203	9	43	0.16	<5	26	<5	<10	107	6	4	<1	197	43	37	187	<10	8	98	<1
63948	081639	<0.005	1	10.09	17	192	<2	<1	9.56	5	20	38	184	131	5.83	16	4	<1	<1	<1	2.10	<1	<1	1.77	1612	12	18	94	257	14	28	0.15	<5	24	6	<10	117	2	8	<1	199	51	24	179	<10	8	74	<1
63949	081640	5.361	3	9.40	295	231	<2	4	2.79	6	15	115	141	1477	6.31	17	6	2	<1	<1	1.95	4	<1	1.24	581	35	8	1220	505	678	191	1.36	8	10	<5	<10	143	2	9	2	2179	26	<20	84	36	16	403	55
63950	081641	<0.005	1	9.27	17	171	<2	2	10.38	6	17	38	172	119	7.39	15	11	1	<1	<1	2.05	<1	<1	1.88	2026	19	19	95	228	11	29	0.24	7	25	<5	<10	128	6	7	<1	212	55	41	190	<10	8	85	<1
63951	081642	<0.005	2	8.58	14	49	<2	1	9.48	8	22	34	160	82	9.12	19	20	2	<1	<1	2.01	<1	<1	2.48	1902	20	19	91	192	14	2	0.54	5	23	5	<10	138	6	9	<1	187	42	<20	176	<10	8	99	<1
63952	081643	<0.005	2	9.10	15	63	<2	1	10.47	8	21	36	161	87	9.53	20	20	3	2	<1	1.91	<1	<1	2.60	2041	18	20	98	190	16	14	0.58	<5	24	5	<10	145	5	10	<1	267	74	22	184	<10	8	103	<1
63953	081644	<0.005	2	10.89	18	61	<2	5	6.52	7	13	45	177	143	8.02	21	20	3	2	<1	1.83	<1	<1	3.23	1496	8	24	109	297	12	8	0.69	7	27	<5	<10	113	6	8	<1	259	51	<20	219	<10	7	90	<1
63954	081645	<0.005	1	10.16	20	53	<2	2	7.36	4	25	36	189	109	5.14	15	9	<1	2	<1	1.99	<1	<1	2.55	1375	8	22	99	249	8	6	0.20	<5	27	11	<10	101	4	6	<1	212	48	<20	199	<10	8	73	<1
63955	081646	<0.005	1	9.33	22	184	<2	<1	8.03	4	18	36	194	110	4.95	15	11	<1	<1	<1	2.04	<1	<1	2.32	1563	9	21	97	220	6	28	0.19	<5	26	5	<10	118	3	5	<1	225	39	21	188	<10	7	59	<1
63956	081647	<0.005	2	10.86	23	235	<2	<1	11.45	4	30	39	186	120	4.78	17	15	2	2	<1	2.34	<1	<1	1.82	1402	19	20	107	232	6	36	0.19	<5	27	8	<10	156	5	1	<1	291	57	23	194	<10	8	57	<1
63957	081648	<0.005	1	10.61	20	217	<2	2	10.62	5	57	37	179	113	5.84	17	15	2	<1	<1	2.35	<1	<1	1.76	1606	19	19	103	223	11	56	0.14	<5	26	<5	<10	132	5	5	<1	322	50	<20	191	<10	8	71	3
63958D	081648	<0.005	1	10.56	17	216	<2	1	10.83	5	20	38	182	119	5.97	17	9	2	2	3	2.29	<1	<1	1.80	1644	19	21	107	227	9	49	0.14	5	27	<5	<10	134	4	4	<1	320	39	47	194	<10	8	71	<1
63959	081649	<0.005	1	9.71	15	141	<2	2	9.12	5	17	42	177	113	6.55	17	8	<1	<1	<1	2.16	<1	<1	1.96	1667	12	20	111	210	10	33	0.18	7	27	<5	<10	109	4	3	<1	250	52	<20	194	<10	7	81	<1
63960	081650	<0.005	2	10.24	6	908	<2	<1	1.59	<4	35	4	170	4	1.03	13	8	<1	2	<1	1.95	19	<1	0.46	227	25	4	9	296	23	84	0.02	<5	1	10	<10	381	<1	3	15	1070	42	<20	17	<10	9	30	<1
63961	081651	<0.005	1	9.62	17	216	<2	2	10.75	4	35	39	277	118	4.86	14	11	2	2	<1	2.19	<1	<1	2.18	1630	17	17	105	626	8	49	0.18	<5	20	5	<10	167	2	4	<1	278	45	<20	146	<10	10	66	<1
63962	081652	<0.005	1	9.19	13	235	<2	<1	9.49	4	29	41	291	128	5.11	13	8	<1	1	<1	2.16	<1	<1	2.08	1620	10	18	116	692	8	53	0.23	7	22	<5	<10	241	2	7	<1	245	71	40	166	<10	9	66	<1
63963	081653	<0.005	1	9.41	18	259	<2	3	8.83	5	22	43	192	128	5.82	18	19	3	3	<1	1.95	<1	<1	1.51	1809	22	20	113	259	11	46	0.26	5	22	<5	<10	143	5	5	<1	330	61	<20	199	<10	7	80	13
63964	081654	<0.005	2	9.18	18	142	<2	<1	11.21	5	23	39	164	117	6.27	17	25	2	<1	<1	1.96	<1	<1	1.74	2141	19	19	102	223	12	40	0.26	<5	22	<5	<10	149	4	4	<1	279	36	<20	185	<10	7	78	<1
63965	081655	<0.005	1	9.69	16	160	<2	2	10.97	5	20	40	178	120	6.37	20	30	3	<1	<1	2.00	<1	<1	1.84	2157	22	21	106	234	10	29	0.20	<5	23	<5	<10	153	3	3	<1	317	64	33	202	<10	7	84	37

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
63966	081656	<0.005	1	10.02	10	96	<2	2	10.56	5	16	40	168	114	6.61	16	15	1	1	<1	2.34	<1	<1	2.04	1991	13	19	102	226	10	34	0.16	6	26	<5	<10	138	6	4	<1	237	60	<20	186	<10	7	80	<1
63967	081657	<0.005	1	9.28	15	119	<2	3	8.32	5	15	38	173	116	6.21	17	8	<1	1	<1	2.26	<1	<1	1.57	1732	16	19	88	268	8	20	0.23	<5	25	<5	<10	141	4	<1	<1	232	49	26	197	<10	6	92	<1
63968	081658	<0.005	1	9.41	21	139	<2	2	8.06	5	18	44	171	126	5.88	16	7	<1	<1	<1	2.17	<1	<1	1.63	1732	15	23	91	333	10	34	0.13	5	28	<5	<10	146	4	6	<1	230	54	20	224	<10	6	96	<1
63969D	081658	<0.005	1	9.40	19	160	<2	<1	7.83	5	13	43	178	128	5.77	21	12	2	<1	<1	2.16	<1	<1	1.50	1710	22	24	91	335	7	68	0.14	6	25	<5	<10	160	5	2	<1	281	38	<20	240	<10	6	95	<1
63970	081659	0.006	1	10.21	19	133	<2	3	9.38	6	12	48	180	126	7.88	24	9	2	2	2	2.22	<1	<1	2.26	2156	16	25	100	331	11	65	0.17	5	30	11	<10	142	7	5	<1	273	60	35	241	<10	7	121	<1
63971	081660	<0.005	1	9.32	19	141	<2	<1	9.30	6	15	38	165	95	6.95	17	11	1	<1	<1	2.16	<1	<1	2.30	2087	11	21	80	277	10	46	0.11	<5	25	<5	<10	147	3	5	<1	251	59	<20	201	<10	7	98	<1
63972	081661	<0.005	1	8.42	7	88	<2	2	12.43	6	27	40	136	101	7.47	14	9	<1	1	<1	2.00	<1	<1	1.98	2416	15	20	87	241	11	<1	0.21	<5	26	<5	<10	190	5	6	<1	199	38	23	189	<10	8	91	<1
63973	081662	<0.005	1	10.31	10	150	<2	5	11.32	6	19	36	146	106	7.13	19	18	4	<1	<1	2.19	<1	<1	2.03	2296	24	20	68	305	12	<1	0.15	5	24	<5	<10	170	6	3	<1	287	54	<20	196	<10	9	84	62
63974	081663	<0.005	1	9.46	8	157	<2	2	10.69	5	17	37	162	112	6.41	17	14	<1	<1	<1	2.04	<1	<1	1.65	2093	18	22	76	337	12	<1	0.16	<5	25	5	<10	150	6	7	<1	243	53	22	217	<10	8	80	<1
63975	081664	<0.005	1	9.78	27	177	<2	2	13.63	5	39	42	165	111	6.04	17	20	3	<1	1	2.10	<1	<1	1.59	1981	23	22	112	334	11	51	0.20	5	25	8	<10	199	4	2	<1	273	58	<20	208	<10	10	80	9
63976	081665	<0.005	1	10.65	23	187	<2	1	13.70	5	27	42	170	111	6.02	16	23	3	1	3	2.36	<1	<1	1.68	1999	23	22	106	328	10	51	0.21	5	27	13	<10	202	5	6	<1	283	14	46	213	<10	10	75	26
63977	081666	<0.005	2	11.04	19	221	<2	2	9.44	6	17	49	118	158	7.61	24	19	3	1	<1	2.19	<1	<1	2.06	1469	20	21	106	454	10	31	0.32	<5	22	<5	<10	150	5	4	<1	296	39	20	206	<10	9	112	21
63978	081667	<0.005	1	9.80	7	285	<2	2	9.57	6	16	43	94	142	6.87	17	17	2	1	<1	2.10	<1	<1	1.93	1657	21	19	83	389	8	47	0.53	<5	18	<5	<10	172	5	4	<1	290	47	23	174	<10	9	91	2
63979	081668	<0.005	1	9.22	5	393	<2	<1	10.02	5	12	36	161	111	5.98	18	18	<1	<1	<1	2.21	<1	<1	1.43	1858	19	22	73	310	13	45	0.18	5	24	<5	<10	173	4	3	<1	280	46	34	216	<10	9	72	<1
63980D	081668	<0.005	2	10.44	14	421	<2	2	11.14	6	21	41	176	129	6.60	20	18	2	<1	2	2.32	<1	<1	1.61	2025	22	24	82	339	12	32	0.20	5	27	6	<10	189	5	5	<1	303	55	20	235	<10	10	80	<1
63981	081669	<0.005	2	7.93	8	198	<2	<1	6.55	4	81	39	750	63	4.48	15	18	5	1	<1	1.99	27	<1	4.17	995	14	17	226	1974	17	<1	0.08	6	12	<5	<10	158	4	<1	<1	297	23	<20	118	<10	13	69	127
63982	081670	0.962	2	10.62	3	151	<2	<1	4.90	4	22	35	118	43	5.63	21	7	2	<1	<1	1.99	5	<1	2.25	904	19	21	29	781	17	94	0.07	<5	23	<5	<10	183	4	10	2	5558	23	<20	185	<10	33	84	21
63983	081671	0.006	2	10.86	5	87	<2	<1	7.68	6	24	37	276	114	6.81	19	12	2	2	3	2.06	2	<1	2.62	1619	12	25	77	788	12	11	0.14	6	30	6	<10	166	5	2	<1	263	56	25	234	<10	11	78	<1
63984	081672	<0.005	2	11.05	3	149	<2	<1	8.83	6	16	36	190	132	7.43	20	9	<1	<1	<1	2.15	<1	<1	2.23	1787	13	25	65	375	13	58	0.14	5	34	<5	<10	172	6	7	<1	239	13	21	253	<10	10	79	<1
63985	081673	<0.005	2	10.42	10	345	<2	2	7.91	5	16	39	173	131	5.91	17	6	1	<1	<1	2.01	<1	<1	1.88	1475	16	22	74	346	10	61	0.13	7	27	7	<10	143	4	7	<1	272	57	<20	220	<10	9	77	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
63986	081674	<0.005	1	9.71	7	307	<2	<1	9.89	5	19	39	172	117	6.01	16	10	<1	1	<1	2.30	<1	<1	1.81	1645	12	23	71	324	9	<1	0.26	<5	29	<5	<10	153	5	1	<1	245	46	<20	227	<10	9	83	<1
63987	081675	<0.005	1	9.57	12	210	<2	2	7.18	5	11	41	181	130	5.76	17	6	<1	<1	<1	1.97	<1	<1	1.73	1350	13	23	78	345	10	<1	0.12	5	28	<5	<10	133	4	4	<1	221	63	<20	227	<10	8	73	<1
63988	081676	<0.005	5	9.08	33	242	<2	<1	6.74	5	4	44	181	135	6.14	19	16	2	<1	<1	1.97	<1	<1	1.68	1786	20	25	84	380	9	<1	0.20	5	24	<5	<10	204	7	3	<1	265	42	31	237	<10	6	90	<1
63989	081677	<0.005	1	8.70	27	189	<2	2	9.44	6	7	38	144	108	6.63	14	19	2	<1	<1	2.00	<1	<1	2.53	2426	14	20	78	302	9	12	0.64	8	24	<5	<10	292	5	6	<1	243	45	40	180	<10	6	72	<1
63990	081678	0.007	2	9.35	85	84	<2	2	6.24	6	22	46	518	130	6.91	16	12	3	1	<1	1.90	3	<1	4.79	1335	<1	17	249	987	13	<1	1.39	5	16	<5	<10	254	4	6	<1	218	60	<20	123	<10	9	79	<1
63991R	081678	0.008	1	7.78	72	90	<2	2	5.24	5	16	39	434	119	5.73	17	20	2	<1	<1	2.01	1	<1	3.61	1151	7	16	211	816	14	<1	1.26	5	11	13	<10	229	5	4	<1	236	68	<20	110	<10	8	72	22
63992	081679	<0.005	1	10.13	41	429	<2	<1	8.01	5	15	40	154	205	6.20	18	19	3	<1	<1	2.14	<1	<1	2.01	1583	17	22	215	367	15	23	0.57	<5	25	<5	<10	264	4	8	1	291	60	<20	206	<10	7	109	13
63993	081680	<0.005	<1	7.99	4	671	<2	<1	1.18	<4	59	4	195	7	1.18	10	1	<1	2	2	2.06	29	<1	0.41	195	24	3	6	391	24	57	0.03	<5	2	10	<10	213	<1	2	21	994	43	<20	19	<10	9	39	<1
63994	081681	<0.005	1	8.90	32	399	<2	<1	7.95	5	41	36	163	121	5.66	16	6	<1	<1	2	2.02	<1	<1	1.09	1828	18	21	67	346	11	<1	0.22	<5	28	11	<10	148	5	4	<1	249	37	<20	217	<10	6	112	<1
63995	081682	<0.005	<1	7.72	64	169	<2	<1	7.61	4	87	38	601	53	4.60	14	10	<1	<1	<1	1.90	28	<1	4.27	1093	<1	17	226	1474	8	<1	0.09	11	16	6	<10	178	1	2	<1	203	43	39	110	<10	10	64	<1
63996	081683	<0.005	1	7.60	57	115	<2	1	8.05	4	116	38	708	36	4.62	12	9	<1	<1	<1	1.97	39	<1	5.04	890	<1	17	249	1837	9	<1	0.08	9	14	5	<10	169	3	6	6	191	40	31	94	<10	12	76	<1
63997	081684	<0.005	<1	7.37	87	156	<2	<1	8.99	4	126	33	632	29	4.50	11	8	1	1	<1	2.14	44	<1	4.70	993	<1	15	209	1942	13	<1	0.09	12	13	7	<10	181	3	7	9	198	57	37	88	<10	13	67	<1
63998	081685	<0.005	1	7.29	136	161	<2	2	9.29	4	123	36	632	23	4.45	12	8	1	<1	2	2.07	40	<1	4.58	1033	<1	16	232	1854	12	<1	0.10	12	13	<5	<10	183	3	7	8	206	29	55	86	<10	13	66	<1
63999	081686	<0.005	<1	8.52	206	307	<2	2	8.32	4	27	43	237	107	5.06	12	11	<1	1	<1	2.05	<1	<1	2.52	1854	4	21	170	559	9	5	0.15	6	23	6	<10	168	4	7	<1	245	27	30	177	<10	7	73	<1
64000	081687	<0.005	1	9.43	73	310	<2	<1	7.93	4	17	48	162	139	5.28	15	8	<1	<1	<1	2.47	<1	<1	1.86	1705	13	21	106	373	8	31	0.22	6	25	5	<10	142	4	7	<1	268	47	<20	198	<10	6	144	<1
64001	081688	0.007	<1	6.58	59	182	<2	<1	10.04	5	24	35	124	120	6.02	10	5	<1	<1	<1	2.17	<1	<1	1.57	2136	9	16	77	306	13	26	0.26	<5	24	<5	<10	121	3	4	<1	170	50	36	158	<10	5	90	<1
64002D	081688	<0.005	<1	6.36	60	174	<2	2	10.06	5	22	36	117	120	6.00	10	<1	<1	<1	1.98	<1	<1	1.56	2145	7	15	80	304	11	39	0.27	<5	23	<5	<10	112	5	5	<1	169	50	32	149	<10	6	90	<1	
64003	081689	<0.005	<1	7.67	61	174	<2	<1	9.21	5	20	43	119	135	5.75	13	1	<1	1	<1	2.23	<1	<1	1.42	1899	15	16	93	354	8	44	0.27	<5	23	<5	<10	102	4	2	<1	206	45	<20	151	<10	7	106	<1
64004	081690	<0.005	<1	8.17	75	164	<2	2	10.32	5	32	39	139	113	6.59	14	4	<1	<1	<1	2.09	<1	<1	1.74	2479	16	19	77	332	10	23	0.26	<5	26	<5	<10	119	6	7	<1	217	37	23	183	<10	7	92	<1
64005	081691	<0.005	1	9.44	132	196	<2	4	12.74	6	56	41	155	131	7.19	17	14	2	1	<1	2.47	<1	<1	1.69	2858	19	20	86	333	14	48	0.35	5	27	<5	<10	142	5	4	<1	257	68	83	200	<10	9	101	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64006	081692	<0.005	<1	8.38	106	167	<2	<1	11.75	7	25	33	147	140	7.59	17	11	<1	<1	<1	2.03	<1	<1	1.84	3120	14	18	72	297	13	23	0.95	6	27	<5	<10	144	5	6	<1	216	51	49	178	<10	8	130	<1
64007	081693	0.014	1	6.73	124	125	<2	<1	5.16	9	6	43	215	217	9.18	13	3	<1	2	<1	1.92	<1	<1	1.39	1828	26	8	106	282	25	<1	5.71	9	13	9	<10	126	4	10	<1	180	29	49	90	<10	8	721	<1
64008	081694	0.062	2	6.45	255	83	2	5	2.00	15	<1	57	393	173	15.78	24	6	1	2	<1	1.80	<1	<1	0.82	965	56	2	122	154	74	7	>10.00	43	8	<5	<10	57	6	18	2	218	31	162	52	<10	8	841	<1
64009	081695	0.047	1	6.29	211	103	2	3	1.88	12	<1	52	500	159	12.43	22	5	1	<1	<1	1.72	<1	<1	0.73	862	48	3	109	152	56	10	>10.00	35	8	<5	<10	59	4	19	<1	228	32	164	53	<10	7	915	<1
64010	081696	0.044	2	6.80	289	113	2	4	1.76	13	<1	69	340	204	12.27	20	4	<1	1	<1	1.83	<1	<1	0.81	872	44	4	151	215	58	<1	>10.00	38	12	<5	<10	64	6	19	2	213	36	166	68	12	9	1197	<1
64011	081697	0.043	1	5.83	227	136	2	2	2.79	11	2	53	244	142	10.74	16	1	<1	<1	<1	1.92	<1	<1	1.12	1884	34	4	117	209	53	30	9.89	35	10	<5	<10	70	5	17	<1	187	39	87	55	10	8	914	<1
64012	081698	0.075	1	5.32	338	87	2	8	1.15	15	<1	71	247	137	15.36	20	<1	<1	1	<1	1.82	<1	<1	0.69	721	49	2	147	165	70	31	>10.00	49	10	<5	<10	42	5	17	4	167	21	174	56	10	7	940	<1
64013D	081698	0.069	2	6.90	333	80	2	6	1.29	15	<1	70	263	136	15.33	22	1	<1	<1	<1	1.80	<1	<1	0.74	716	57	3	147	172	81	<1	>10.00	58	11	<5	<10	54	7	19	6	232	40	212	66	<10	8	945	<1
64014	081699	0.089	2	6.99	270	57	2	8	1.12	17	<1	61	261	119	18.79	29	5	3	<1	<1	1.80	<1	<1	0.85	883	66	3	96	177	68	8	>10.00	41	9	<5	<10	43	7	24	4	228	46	291	60	<10	7	502	<1
64015	081700	13.828	7	8.36	28	409	<2	<1	2.97	4	13	24	82	134	4.00	15	6	<1	<1	<1	2.14	<1	<1	1.24	549	20	11	43	648	33	566	0.67	<5	12	5	<10	130	3	13	9	3298	48	<20	103	<10	17	154	<1
64016	081701	0.014	1	4.86	28	56	<2	5	1.00	10	<1	9	580	140	11.26	12	4	<1	<1	<1	1.85	<1	<1	0.85	2152	43	<1	56	322	22	<1	6.17	8	3	<5	<10	31	4	14	<1	182	19	134	23	<10	6	180	<1
64017	081702	<0.005	1	3.77	10	42	<2	3	1.65	9	<1	6	348	187	10.73	9	5	<1	<1	<1	1.87	<1	<1	0.88	2740	38	<1	45	467	21	<1	5.71	7	<1	<5	<10	35	4	16	<1	127	29	84	9	<10	5	103	<1
64018	081703	0.034	1	5.01	189	65	2	7	1.08	14	<1	47	564	69	16.38	19	2	<1	<1	<1	1.68	<1	<1	0.72	1187	57	<1	65	145	54	<1	>10.00	34	5	<5	<10	31	5	22	3	156	22	255	33	<10	6	215	<1
64019	081704	0.039	2	5.88	476	81	2	8	0.56	14	<1	45	360	90	15.94	23	5	1	1	<1	1.84	<1	<1	0.61	816	60	<1	60	287	51	29	>10.00	25	6	<5	<10	31	7	21	7	194	32	236	41	<10	7	280	<1
64020	081705	0.019	1	5.49	252	86	2	7	0.46	15	<1	47	578	72	16.57	22	3	<1	3	<1	1.89	<1	<1	0.63	718	57	1	63	192	52	36	>10.00	23	7	<5	<10	26	7	25	6	169	28	250	44	<10	6	266	<1
64021	081706	<0.005	2	5.65	56	76	<2	3	0.61	9	<1	14	378	96	10.81	13	11	<1	<1	<1	2.23	<1	<1	0.83	2071	47	<1	48	163	22	32	5.55	8	4	<5	<10	30	5	11	6	186	41	158	23	<10	6	452	<1
64022	081707	<0.005	1	4.96	64	88	2	3	0.52	11	<1	15	756	103	12.34	15	4	<1	<1	<1	1.85	<1	<1	0.77	1796	45	<1	59	204	27	10	6.50	9	4	<5	<10	25	5	15	6	161	31	187	32	<10	5	289	<1
64023	081708	<0.005	1	4.66	144	60	<2	5	0.89	10	<1	12	384	40	12.26	14	8	<1	<1	<1	1.99	<1	<1	1.11	2704	44	<1	23	179	25	<1	3.36	7	1	<5	<10	28	6	17	5	154	26	157	16	<10	5	136	<1
64024D	081708	<0.005	2	5.66	151	71	2	5	1.02	11	<1	14	415	42	13.03	17	10	2	1	<1	1.96	<1	<1	1.20	2866	50	<1	25	192	24	<1	3.58	8	2	<5	<10	34	5	23	6	186	51	205	15	<10	6	142	<1
64025	081709	<0.005	1	5.37	19	63	<2	4	1.79	9	<1	11	619	35	10.59	11	8	<1	1	<1	2.11	<1	<1	1.27	2234	40	<1	20	170	21	3	1.46	7	<1	<5	<10	41	4	20	6	183	10	98	12	<10	6	80	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64026	081710	0.995	<1	8.04	3	117	<2	<1	3.84	4	30	28	99	36	4.64	15	4	<1	2	<1	2.21	3	<1	1.83	759	12	18	23	652	13	50	0.08	5	18	8	<10	140	2	14	6	4299	37	<20	151	<10	26	79	<1
64027	081711	0.009	2	5.74	13	81	<2	3	1.75	10	<1	9	470	36	10.97	14	9	3	<1	<1	2.18	<1	<1	1.25	2299	44	2	19	360	22	11	2.09	8	1	<5	<10	42	8	22	12	222	42	118	15	<10	6	185	21
64028	081712	<0.005	2	6.16	39	75	<2	3	1.82	8	<1	6	600	18	10.13	12	10	3	<1	<1	1.92	<1	<1	1.23	1970	41	<1	18	156	21	<1	1.46	6	<1	<5	<10	45	5	16	6	212	41	54	12	<10	6	60	65
64029	081713	<0.005	1	4.93	29	64	<2	4	1.30	8	<1	6	474	17	10.01	11	2	<1	<1	<1	1.98	<1	<1	1.11	1975	40	<1	13	192	19	<1	1.71	7	<1	<5	<10	35	4	13	2	189	36	103	10	<10	5	56	<1
64030	081714	<0.005	1	4.54	157	67	2	6	1.43	13	<1	21	573	116	14.35	15	5	<1	2	<1	1.98	<1	<1	1.19	3280	46	<1	52	225	34	<1	5.23	10	1	<5	<10	34	6	22	2	152	31	204	17	<10	5	96	<1
64031	081715	<0.005	1	5.43	118	112	<2	<1	1.71	8	<1	12	428	80	8.24	10	3	<1	<1	<1	2.19	<1	<1	1.03	2245	33	1	38	194	16	<1	3.55	5	3	<5	<10	45	4	14	1	188	36	50	25	<10	6	458	<1
64032	081716	0.007	2	6.65	151	128	2	5	0.77	10	<1	15	780	116	11.51	17	6	2	2	<1	1.93	<1	<1	0.81	1205	49	2	56	222	30	16	5.28	10	7	<5	<10	38	6	13	4	224	28	170	47	<10	7	448	<1
64033	081717	0.012	2	6.58	186	131	2	3	0.84	11	<1	40	389	120	12.38	21	9	3	2	<1	1.81	<1	<1	0.74	975	53	2	64	203	37	<1	8.58	10	6	<5	<10	40	7	19	<1	245	35	182	45	<10	6	410	35
64034	081718	0.017	2	6.76	230	97	2	7	1.11	13	<1	40	647	123	14.52	23	12	3	3	<1	1.87	<1	<1	1.01	2115	59	2	72	243	40	14	>10.00	15	5	<5	<10	43	7	20	6	238	32	214	36	<10	7	372	81
64035D	081718	0.019	2	5.28	191	80	2	2	0.89	11	<1	34	535	103	12.13	16	7	<1	<1	<1	1.71	<1	<1	0.82	1800	46	1	59	203	36	<1	8.52	16	4	<5	<10	34	5	15	2	188	27	178	30	<10	5	318	<1
64036	081719	0.007	2	6.02	150	98	2	2	0.74	10	<1	15	332	129	11.02	16	16	4	2	<1	1.71	<1	<1	0.84	1799	51	<1	53	236	25	<1	6.05	7	3	<5	<10	38	4	18	6	243	25	138	30	<10	5	351	107
64037	081720	<0.005	<1	7.29	2	742	<2	<1	1.04	<4	29	3	433	5	1.09	8	2	<1	2	<1	1.86	16	<1	0.34	189	20	2	10	250	25	33	0.05	5	1	15	<10	252	<1	5	19	810	25	<20	13	<10	6	30	<1
64038	081721	0.023	1	6.00	142	96	2	4	0.87	10	<1	25	396	109	11.33	16	7	2	<1	<1	1.68	<1	<1	0.88	1437	47	2	50	197	34	<1	7.96	14	5	<5	<10	36	4	14	2	208	31	144	36	<10	6	427	<1
64039	081722	0.055	2	5.74	159	79	<2	3	1.09	10	<1	20	534	97	11.14	15	5	<1	<1	<1	1.65	<1	<1	0.81	1073	46	<1	44	175	43	<1	9.77	22	4	5	<10	40	4	17	4	192	29	125	28	<10	6	278	<1
64040	081723	0.091	2	5.96	188	68	2	5	1.20	13	<1	42	354	118	13.96	19	5	<1	1	<1	1.60	<1	<1	0.84	1030	49	2	65	113	57	<1	>10.00	37	6	<5	<10	44	5	17	3	194	44	186	40	<10	6	579	<1
64041	081724	0.090	1	7.29	295	119	2	3	0.93	10	<1	66	456	117	9.48	19	5	<1	1	<1	1.54	<1	<1	0.58	546	41	6	156	185	48	7	9.60	39	14	<5	<10	64	4	10	5	281	25	104	88	15	7	1130	<1
64042	081725	0.084	2	10.29	373	95	3	5	1.20	13	<1	83	345	143	11.95	26	6	3	2	<1	1.66	<1	<1	0.76	616	53	7	187	232	63	30	>10.00	43	20	8	<10	82	6	18	2	339	57	137	105	12	12	1327	36
64043	081726	0.031	1	8.41	235	346	2	<1	0.98	5	<1	63	395	102	4.01	21	2	<1	1	<1	1.60	<1	<1	0.52	440	29	9	191	194	25	39	3.55	20	16	16	<10	91	2	3	7	356	49	<20	111	12	9	1101	<1
64044	081727	0.054	1	5.43	122	78	<2	4	1.07	9	<1	22	390	146	10.04	12	5	<1	2	<1	1.61	<1	<1	0.82	901	40	1	46	100	39	<1	8.52	17	4	5	<10	37	3	11	3	178	38	121	27	<10	5	354	<1
64045	081728	0.032	1	5.31	110	91	<2	3	1.07	8	<1	24	716	73	9.74	11	4	<1	2	<1	1.80	<1	<1	0.90	1601	39	<1	47	106	34	<1	6.88	17	4	<5	<10	37	4	12	<1	185	43	118	27	<10	6	282	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64046D	081728	0.032	2	7.09	113	115	<2	2	1.30	9	<1	25	732	74	9.89	16	15	4	<1	<1	1.72	<1	<1	0.96	1636	51	1	49	119	30	<1	6.93	20	4	<5	<10	50	6	16	<1	268	57	90	29	<10	7	283	152
64047	081729	0.005	1	5.31	46	57	<2	2	1.61	8	<1	10	835	143	9.79	12	3	<1	<1	2	1.72	<1	<1	1.27	2233	37	2	38	144	19	<1	4.46	8	2	<5	<10	39	5	11	<1	182	31	62	19	<10	6	149	<1
64048	081730	0.060	1	5.91	188	114	<2	6	1.26	10	<1	34	829	81	10.79	16	3	<1	<1	<1	1.72	<1	<1	0.85	1078	46	2	71	162	50	<1	9.78	29	7	<5	<10	53	4	11	<1	205	36	129	44	<10	6	397	<1
64049	081731	0.042	1	6.75	364	145	2	4	1.98	11	<1	86	423	286	9.01	17	4	<1	2	<1	1.70	<1	<1	0.96	1033	36	5	185	186	61	3	9.53	46	12	5	<10	103	3	9	<1	239	38	81	71	18	8	1873	<1
64050	081732	0.032	1	6.54	251	113	<2	2	2.78	8	<1	47	588	213	7.07	13	<1	<1	<1	<1	1.74	<1	<1	1.27	1379	27	5	120	201	47	<1	7.14	29	11	<5	<10	129	3	11	<1	223	32	23	57	10	8	997	<1
64051	081733	0.017	6	0.23	57	4	4	17	0.03	11	<1	9	17	21	0.10	49	67	26	3	139	0.22	9	<1	0.02	<100	18	12	25	<100	57	3636	0.27	60	9	90	62	144	10	237	454	<100	479	205	9	43	2	486	<1
64052	081734	0.016	6	0.18	3	3	<2	<1	0.04	<4	<1	<1	10	6	0.16	<1	<1	<1	<1	<1	0.03	<1	<1	0.03	<100	<1	<1	3	<100	<1	<1	0.12	<5	<1	<5	<10	<3	<1	<1	<1	<100	6	<20	2	<10	<2	21	<1
64053	081735	0.012	<1	<0.01	<2	<1	<2	<1	<0.01	<4	<1	<1	<1	<1	<0.01	<1	<1	<1	<1	<1	<0.01	<1	<1	<0.01	<100	<1	<1	<1	<100	<1	<1	<0.01	<5	<1	<5	<10	<3	<1	<1	<1	<100	10	<20	<2	<10	<2	<1	<1
64054	081736	0.025	<1	0.22	5	3	<2	<1	0.06	<4	<1	1	9	7	0.34	<1	<1	<1	<1	<1	0.05	<1	<1	0.05	<100	<1	<1	4	<100	<1	<1	0.31	<5	<1	<5	<10	<3	<1	<1	<1	<100	9	<20	2	<10	<2	15	<1
64055	081737	0.057	<1	<0.01	<2	<1	<2	<1	<0.01	<4	<1	<1	<1	<1	<0.01	<1	<1	<1	<1	<1	<0.01	<1	<1	<0.01	<100	<1	<1	<1	<100	<1	<1	<0.01	<5	<1	<5	<10	<3	<1	<1	<1	<100	<2	<20	<2	<10	<2	<1	<1
64056	081738	0.018	1	6.76	255	103	<2	2	2.71	10	7	66	294	309	8.13	16	2	<1	1	<1	1.50	<1	<1	1.39	1610	26	6	143	334	59	<1	8.33	33	12	12	<10	87	3	11	<1	222	45	38	65	20	10	1908	<1
64057R	081738	0.019	2	8.21	292	160	<2	4	2.96	12	10	76	354	354	9.30	22	6	2	<1	<1	1.78	<1	<1	1.53	1773	36	7	160	393	67	11	9.25	37	14	6	<10	103	4	11	<1	270	32	27	79	23	11	2175	<1
64058	081739	0.020	2	8.46	235	148	2	2	1.73	11	<1	64	397	324	10.40	23	13	3	<1	<1	1.92	<1	<1	1.10	971	47	6	222	309	89	28	>10.00	45	13	9	<10	85	4	11	<1	304	25	99	81	13	9	1225	54
64059	081740	5.428	3	8.47	305	234	<2	3	2.62	7	15	119	150	1525	6.71	16	5	<1	<1	<1	2.09	6	<1	1.22	588	29	9	1249	492	691	153	1.56	6	11	<5	<10	124	2	8	<1	2309	45	<20	87	31	16	419	<1
64060	081741	0.016	2	8.62	366	154	2	4	1.64	13	<1	97	196	487	7.44	22	4	<1	<1	<1	1.69	<1	<1	1.15	911	31	10	214	373	91	27	7.36	41	21	14	<10	108	4	11	<1	299	29	58	117	33	11	3423	<1
64061	081742	0.028	2	7.31	266	121	<2	2	1.66	10	<1	61	292	264	8.37	18	4	<1	<1	<1	1.63	<1	<1	1.13	1106	31	7	139	252	77	<1	8.25	31	14	11	<10	84	4	5	<1	248	23	57	88	16	9	1712	<1
64062	081743	0.015	2	9.40	318	216	2	2	1.20	10	<1	81	189	479	5.21	23	4	<1	1	<1	1.69	<1	<1	1.20	777	26	13	170	320	54	15	4.41	22	23	8	14	96	3	7	<1	295	34	35	140	27	11	2803	<1
64063	081744	0.015	1	7.85	213	211	<2	2	1.19	6	<1	63	167	311	3.69	16	4	<1	<1	<1	1.57	<1	<1	1.11	788	21	10	130	297	38	<1	2.80	19	16	12	<10	90	3	1	<1	266	37	<20	105	16	9	1540	<1
64064	081745	0.026	2	8.25	237	163	<2	2	1.61	8	<1	63	151	233	6.57	18	3	<1	<1	<1	1.66	<1	<1	1.18	1063	29	8	130	296	68	<1	6.24	30	16	9	<10	85	5	7	<1	268	22	<20	90	13	11	1260	<1
64065	081746	0.041	2	7.30	273	144	<2	1	1.49	9	<1	61	290	265	7.72	14	2	<1	<1	<1	1.71	<1	<1	1.01	1027	30	7	136	245	73	<1	7.58	28	14	7	<10	75	4	9	<1	248	40	44	80	12	9	1364	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64066	081747	0.036	2	9.29	329	179	2	2	0.95	9	<1	70	308	278	7.59	22	4	<1	2	<1	1.72	<1	<1	0.99	598	34	9	179	251	66	18	6.67	29	20	12	<10	73	3	10	<1	340	46	65	113	14	10	1243	<1
64067	081748	0.038	1	7.28	260	182	<2	<1	1.51	9	<1	53	187	179	7.43	17	9	<1	1	<1	1.70	<1	<1	0.85	1075	33	6	123	213	46	<1	6.11	21	11	<5	<10	68	4	8	<1	281	35	54	71	11	8	1275	<1
64068D	081748	0.027	1	7.35	254	158	<2	2	1.55	9	<1	54	192	183	7.54	15	<1	<1	1	<1	1.66	<1	<1	0.90	1115	32	5	124	217	45	10	6.21	22	13	6	<10	68	3	7	<1	265	36	41	70	12	8	1263	<1
64069	081749	0.019	<1	7.21	245	127	<2	2	3.54	5	<1	58	724	15	6.53	10	10	<1	1	<1	1.54	<1	<1	5.65	1147	<1	16	386	189	9	<1	0.09	5	14	<5	<10	209	3	4	<1	151	41	<20	92	<10	4	91	<1
64070	081750	<0.005	<1	7.67	397	207	<2	1	3.81	5	<1	64	731	22	6.78	11	10	<1	<1	<1	1.51	<1	<1	5.67	1211	<1	16	401	199	12	<1	0.06	5	15	<5	<10	221	4	5	<1	180	69	<20	98	<10	5	88	<1
64071	081751	0.033	<1	7.49	407	274	<2	2	4.33	6	<1	59	709	12	6.65	12	8	<1	<1	<1	1.61	<1	<1	5.57	1073	<1	16	387	214	9	<1	0.07	6	14	<5	<10	210	4	3	<1	182	37	<20	97	<10	5	70	<1
64072	081752	0.364	<1	7.77	378	225	<2	<1	4.89	5	1	60	737	2	6.43	11	5	<1	1	2	1.72	<1	<1	5.68	983	<1	16	403	185	12	<1	0.06	6	14	<5	<10	216	2	8	<1	189	38	<20	92	<10	5	63	<1
64073	081753	<0.005	<1	6.76	432	170	<2	2	5.16	5	3	55	649	18	6.39	10	8	<1	<1	<1	1.59	<1	<1	5.47	997	<1	17	357	250	12	<1	0.07	6	15	<5	<10	233	2	4	<1	155	56	<20	96	<10	4	66	<1
64074	081754	<0.005	<1	7.10	352	202	<2	<1	5.18	5	4	44	455	24	6.02	10	9	<1	<1	<1	1.80	<1	<1	4.45	1033	<1	17	256	281	7	<1	0.07	6	15	<5	<10	228	3	3	<1	183	6	<20	108	<10	5	54	<1
64075	081755	<0.005	<1	7.30	266	100	<2	2	4.70	6	7	50	504	7	6.80	13	5	<1	2	<1	1.55	<1	<1	4.76	1013	<1	19	317	340	11	<1	0.10	5	16	5	<10	203	3	5	<1	170	53	<20	139	<10	4	49	<1
64076	081756	<0.005	<1	7.81	276	67	<2	2	4.29	5	10	48	533	11	6.67	14	7	<1	<1	<1	1.53	<1	<1	4.73	856	<1	19	291	474	9	<1	0.06	<5	18	<5	<10	182	4	7	<1	164	48	<20	128	<10	5	48	<1
64077	081757	<0.005	<1	8.02	341	51	<2	2	4.10	5	11	45	484	20	5.95	12	7	<1	<1	<1	1.39	<1	<1	4.83	693	<1	19	252	629	8	<1	0.06	6	19	<5	<10	176	4	5	<1	162	3	<20	131	<10	6	51	<1
64078	081758	<0.005	<1	8.46	268	111	<2	2	5.37	4	6	31	408	10	5.53	11	7	<1	2	<1	1.75	<1	<1	4.53	695	<1	18	194	182	8	<1	0.07	6	20	5	<10	194	1	3	<1	201	42	<20	128	<10	6	35	<1
64079D	081758	<0.005	<1	8.07	268	106	<2	<1	5.22	4	6	31	384	9	5.34	11	7	<1	<1	2	1.62	<1	<1	4.38	671	<1	19	190	172	9	<1	0.07	<5	19	<5	<10	186	3	3	<1	190	57	<20	123	<10	6	35	<1
64080	081759	<0.005	<1	8.12	189	217	<2	1	5.19	<4	7	22	240	37	3.72	9	3	<1	1	<1	1.85	<1	<1	2.85	488	2	15	112	386	5	<1	0.12	<5	16	<5	<10	144	2	<1	<1	266	35	<20	111	<10	6	25	<1
64081	081760	<0.005	<1	7.28	192	171	<2	<1	5.25	<4	7	22	192	28	3.68	6	5	<1	1	<1	1.82	<1	<1	2.85	495	1	13	112	376	5	<1	0.12	<5	12	7	<10	140	1	<1	<1	227	44	<20	89	<10	6	26	<1
64082	081761	<0.005	<1	6.72	2460	174	<2	<1	4.54	5	2	25	62	84	5.86	11	<1	<1	1	<1	1.63	<1	<1	1.66	912	13	9	27	606	13	<1	1.49	5	9	<5	<10	93	3	1	<1	228	22	<20	83	<10	7	90	<1
64083	081762	<0.005	<1	5.92	85	114	<2	3	1.67	8	<1	31	273	136	8.38	14	<1	<1	2	<1	1.46	<1	<1	1.00	1158	30	5	63	161	45	<1	4.79	6	9	<5	<10	55	4	6	<1	209	41	49	62	<10	7	443	<1
64084	081763	<0.005	<1	5.51	4	558	<2	<1	0.75	<4	48	3	171	6	1.10	4	<1	<1	<1	<1	1.68	25	<1	0.35	169	18	2	5	347	20	<1	0.06	<5	2	9	<10	138	<1	<1	14	834	26	<20	16	<10	7	32	<1
64085	081764	<0.005	<1	4.72	92	93	<2	2	0.99	7	<1	24	186	149	7.73	8	<1	<1	<1	<1	1.64	<1	<1	0.69	803	30	2	56	145	25	<1	5.42	8	6	<5	<10	32	2	3	<1	168	23	56	36	<10	5	375	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64086	081765	<0.005	<1	6.89	240	151	<2	2	3.43	5	<1	59	749	12	6.45	10	6	<1	<1	<1	1.41	<1	<1	5.56	1131	<1	15	384	175	8	<1	0.08	7	14	<5	<10	201	4	5	<1	144	28	<20	90	<10	4	80	<1
64087	081766	<0.005	<1	6.75	227	81	<2	<1	3.81	5	<1	61	771	27	6.37	11	5	<1	1	<1	1.36	<1	<1	5.46	1197	<1	16	399	321	10	<1	0.05	6	13	<5	<10	190	4	3	<1	145	20	<20	91	<10	4	92	<1
64088	081767	<0.005	<1	7.30	238	39	<2	<1	3.57	5	3	55	786	9	6.14	9	9	<1	<1	<1	1.55	<1	<1	5.64	1144	<1	15	393	153	7	<1	0.05	7	13	<5	<10	192	3	6	<1	161	39	<20	82	<10	4	87	<1
64089	081768	<0.005	<1	6.49	308	29	<2	2	3.49	5	<1	62	792	10	6.26	10	3	<1	<1	<1	1.15	<1	<1	5.69	1164	<1	15	414	209	10	<1	0.05	6	13	<5	<10	190	3	3	<1	135	47	<20	87	<10	4	92	<1
64090D	081768	<0.005	<1	6.56	296	29	<2	1	3.51	5	<1	60	795	9	6.30	8	7	<1	2	<1	1.18	<1	<1	5.69	1166	<1	16	408	213	9	<1	0.06	5	13	<5	<10	190	4	2	<1	138	37	<20	88	<10	3	92	<1
64091	081769	<0.005	<1	6.51	243	30	<2	3	3.47	5	<1	59	749	30	6.30	9	5	<1	<1	<1	1.16	<1	<1	5.55	1207	<1	15	394	230	11	<1	0.05	6	13	<5	<10	179	3	4	<1	137	24	<20	89	<10	3	96	<1
64092	081770	0.968	<1	6.19	<2	92	<2	<1	3.29	<4	15	26	89	34	4.22	10	<1	<1	<1	<1	1.65	<1	<1	1.65	672	6	16	25	616	11	<1	0.06	<5	16	<5	<10	111	3	7	<1	3824	33	<20	139	<10	24	65	<1
64093	081771	0.015	<1	7.21	311	40	<2	<1	4.46	5	<1	57	776	9	6.12	9	9	<1	1	<1	1.55	<1	<1	5.68	1061	<1	15	409	130	7	<1	0.06	<5	13	<5	<10	220	4	7	<1	194	48	<20	85	<10	4	66	<1
64094	081772	<0.005	1	7.51	441	56	<2	3	4.51	6	1	66	940	10	7.15	12	7	<1	2	<1	1.72	<1	<1	6.34	1210	<1	17	467	202	8	<1	0.06	6	15	<5	<10	192	5	7	<1	161	53	<20	99	<10	5	91	<1
64095	081773	<0.005	<1	6.65	413	309	<2	<1	4.44	5	<1	52	696	14	5.92	8	5	<1	<1	<1	1.50	<1	<1	5.43	1019	<1	15	351	174	10	<1	0.06	7	13	<5	<10	205	4	5	<1	153	35	<20	85	<10	4	69	<1
64096	081774	<0.005	<1	7.88	432	240	<2	2	4.18	6	1	63	795	12	6.86	11	7	<1	2	<1	1.51	<1	<1	5.91	1123	<1	17	413	252	6	<1	0.06	8	16	<5	<10	231	4	4	<1	171	25	<20	104	<10	5	68	<1
64097	081775	<0.005	<1	7.49	216	35	<2	2	4.80	6	13	65	827	6	7.37	11	3	<1	<1	<1	1.32	<1	<1	6.46	1292	<1	19	447	385	11	<1	0.06	5	17	<5	<10	308	5	7	<1	150	41	<20	115	<10	5	81	<1
64098	081776	<0.005	<1	7.89	165	41	<2	2	3.77	6	<1	67	864	52	7.30	12	10	<1	2	<1	1.68	<1	<1	6.09	1321	<1	17	447	281	14	<1	0.05	6	16	<5	<10	266	4	5	<1	177	51	<20	108	<10	5	119	<1
64099	081777	<0.005	<1	7.24	187	37	<2	<1	3.88	6	<1	62	795	11	6.86	12	4	<1	<1	<1	1.39	<1	<1	5.99	1254	<1	17	424	197	8	<1	0.05	8	14	<5	<10	263	4	5	<1	161	44	<20	100	<10	4	99	<1
64100	081778	<0.005	<1	8.04	229	42	<2	<1	3.88	6	2	64	780	17	7.01	13	8	<1	<1	<1	1.53	<1	<1	5.95	1219	<1	18	407	296	14	<1	0.05	6	15	<5	<10	243	4	5	<1	172	37	<20	107	<10	5	87	<1
64101D	081778	<0.005	<1	7.61	211	45	<2	4	3.84	6	<1	59	784	19	6.90	13	10	<1	<1	<1	1.60	<1	<1	5.74	1208	<1	18	404	290	10	<1	0.05	5	14	<5	<10	239	3	8	<1	181	47	<20	107	<10	5	85	<1
64102	081779	<0.005	<1	7.65	251	38	<2	2	3.84	5	<1	58	752	16	6.63	11	4	<1	2	<1	1.47	<1	<1	5.80	1081	<1	18	390	266	10	<1	0.05	6	16	<5	<10	219	4	5	<1	168	58	<20	107	<10	4	73	<1
64103	081780	<0.005	<1	8.59	8	834	<2	<1	1.24	<4	59	7	535	7	1.45	10	<1	<1	1	<1	2.08	30	<1	0.51	236	20	3	17	343	29	50	0.03	5	2	15	<10	264	<1	5	20	987	30	<20	18	<10	8	36	<1
64104	081781	<0.005	<1	9.00	377	55	<2	4	4.42	7	2	68	809	53	8.02	19	9	<1	<1	<1	1.83	<1	<1	6.10	1276	<1	20	415	365	17	<1	0.07	8	20	<5	<10	221	8	10	<1	187	51	22	137	<10	5	108	<1
64105	081782	<0.005	<1	8.87	235	45	<2	1	5.36	7	9	65	759	44	8.07	16	8	<1	<1	<1	1.60	<1	<1	5.85	1283	<1	20	392	376	14	<1	0.09	6	21	<5	<10	222	5	8	<1	180	58	<20	136	<10	5	101	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64106	081783	<0.005	<1	8.58	160	43	<2	3	5.30	7	12	60	698	50	7.87	15	10	<1	3	<1	1.54	<1	<1	5.63	1270	<1	19	353	364	10	<1	0.07	<5	20	<5	<10	224	4	9	<1	180	64	<20	139	<10	5	96	<1
64107	081784	0.009	1	9.29	167	42	<2	<1	4.94	7	13	63	689	229	7.98	17	10	<1	2	1	1.71	<1	<1	5.64	1244	<1	22	352	433	14	<1	0.09	6	22	<5	<10	224	3	9	<1	190	40	25	152	<10	5	115	<1
64108	081785	<0.005	<1	8.40	164	35	<2	3	4.68	7	9	63	680	159	7.84	15	7	<1	2	<1	1.62	<1	<1	5.49	1210	<1	20	348	402	14	<1	0.07	9	22	<5	<10	210	5	10	<1	168	63	<20	147	<10	5	106	<1
64109	081786	<0.005	<1	9.57	138	43	<2	3	4.79	7	8	58	666	43	8.12	18	11	<1	1	<1	1.85	<1	<1	5.75	1263	<1	23	342	446	15	<1	0.06	6	24	<5	<10	211	4	10	<1	195	53	<20	161	<10	5	85	<1
64110	081787	0.021	<1	8.36	401	111	<2	1	5.75	7	8	64	752	401	7.74	16	5	<1	<1	<1	1.80	<1	<1	5.70	1192	<1	20	367	364	9	<1	0.12	9	21	<5	<10	255	4	8	<1	166	21	<20	137	<10	6	92	<1
64111	081788	<0.005	<1	9.10	308	41	<2	3	6.24	7	5	65	805	104	7.86	18	10	<1	<1	<1	1.70	<1	<1	6.26	1137	<1	21	396	312	15	<1	0.09	5	22	<5	<10	297	4	9	<1	175	47	<20	143	<10	6	98	<1
64112D	081788	<0.005	<1	7.90	272	34	<2	<1	5.46	6	<1	58	701	89	6.91	14	4	<1	<1	<1	1.44	<1	<1	5.48	988	<1	19	350	276	10	<1	0.08	5	19	<5	<10	263	4	7	<1	152	43	<20	126	<10	6	82	<1
64113	081789	<0.005	<1	9.11	181	40	<2	<1	6.07	6	5	64	791	43	7.86	17	8	<1	<1	<1	1.63	<1	<1	6.28	1162	<1	21	404	363	9	<1	0.07	5	21	<5	<10	260	4	7	<1	186	66	<20	143	<10	6	80	<1
64114	081790	<0.005	<1	8.25	146	35	<2	3	5.34	6	10	59	698	56	7.26	13	4	<1	<1	<1	1.56	<1	<1	5.61	1080	<1	21	360	374	8	<1	0.07	8	21	<5	<10	203	4	5	<1	168	35	<20	140	<10	5	81	<1
64115	081791	<0.005	<1	9.00	164	39	<2	<1	6.07	6	9	63	744	46	7.69	16	4	<1	2	<1	1.85	<1	<1	5.99	1180	<1	21	379	397	11	<1	0.08	7	22	<5	<10	218	4	7	<1	189	60	<20	149	<10	6	82	<1
64116	081792	<0.005	<1	8.76	388	61	<2	4	6.42	6	10	61	764	71	7.64	16	3	<1	2	<1	2.03	<1	<1	5.77	1172	<1	21	387	383	11	<1	0.09	7	21	<5	<10	189	5	6	<1	176	61	<20	144	<10	6	91	<1
64117	081793	0.023	<1	10.44	164	467	<2	<1	5.63	4	16	31	242	93	4.96	16	9	<1	<1	3	2.07	<1	<1	2.83	911	8	13	107	665	13	20	0.41	6	14	<5	<10	159	4	1	<1	344	39	<20	104	<10	8	147	<1
64118	081794	0.028	<1	6.03	49	288	<2	2	4.10	4	8	34	109	103	4.49	5	<1	<1	1	<1	2.00	<1	<1	1.47	935	5	8	63	487	12	<1	1.01	5	10	<5	<10	85	2	1	<1	201	39	<20	73	<10	5	232	<1
64119	081795	0.024	<1	6.83	48	310	<2	2	4.36	4	7	31	136	95	4.38	9	2	<1	<1	<1	1.75	<1	<1	1.51	973	9	8	57	474	11	<1	0.92	6	11	5	<10	96	2	2	<1	231	43	<20	78	<10	6	221	<1
64120	081796	0.018	<1	6.63	71	232	<2	2	4.42	5	4	39	170	121	6.29	10	4	<1	<1	<1	1.80	<1	<1	1.54	1508	11	11	71	405	12	7	0.87	5	13	<5	<10	82	3	1	<1	206	51	<20	111	<10	5	96	<1
64121	081797	0.086	<1	7.09	85	204	<2	<1	5.02	6	4	43	92	156	7.13	12	<1	<1	2	<1	1.79	<1	<1	1.81	1496	15	12	57	474	14	<1	1.21	5	12	<5	<10	101	3	4	<1	195	43	<20	115	<10	6	97	<1
64122	081798	0.064	<1	5.78	39	136	<2	2	3.70	8	<1	53	223	529	9.04	12	<1	<1	<1	<1	1.77	<1	<1	1.25	1020	23	10	97	233	25	<1	4.56	9	16	<5	<10	84	3	8	<1	166	28	<20	111	<10	4	281	<1
64123R	081798	0.081	1	8.58	47	236	<2	<1	4.18	8	<1	53	237	531	8.76	17	15	2	<1	<1	1.76	<1	<1	1.35	1061	31	15	241	252	26	<1	4.28	10	19	<5	<10	125	6	6	<1	292	20	28	166	<10	5	285	12
64124	081799	0.008	<1	8.37	125	243	<2	<1	7.19	4	10	42	149	128	4.58	15	12	<1	<1	<1	2.10	<1	<1	1.87	1237	14	22	86	410	8	<1	0.43	<5	24	7	<10	158	2	4	<1	286	39	20	211	<10	6	76	<1
64125	081800	13.632	6	6.95	27	395	<2	<1	2.55	<4	3	24	72	128	3.71	9	4	<1	<1	<1	1.70	<1	<1	1.11	497	22	10	38	591	31	402	0.71	<5	11	5	<10	105	2	3	<1	2955	30	<20	96	<10	15	144	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64126	081811	0.013	<1	9.21	39	97	<2	<1	5.94	5	8	45	182	133	5.51	17	8	<1	<1	<1	1.94	<1	<1	1.92	1293	14	22	93	332	12	<1	0.29	5	27	<5	<10	87	4	5	<1	241	28	<20	211	<10	5	109	<1
64127	081812	0.007	<1	9.99	37	105	<2	<1	6.15	4	11	47	180	126	5.23	16	12	<1	1	<1	2.15	<1	<1	1.75	1138	16	22	92	331	11	<1	0.18	<5	32	<5	<10	83	4	3	<1	229	49	<20	223	<10	6	90	<1
64128	081813	0.007	<1	9.08	29	109	<2	<1	6.31	4	10	46	160	120	4.60	13	6	<1	<1	<1	1.96	<1	<1	1.46	1268	17	22	86	316	5	<1	0.23	<5	29	<5	<10	84	3	<1	<1	209	35	<20	212	<10	6	76	<1
64129	081814	<0.005	<1	9.07	27	93	<2	<1	6.07	4	13	42	165	125	5.29	16	9	<1	<1	<1	2.04	<1	<1	1.62	1565	14	21	88	312	9	<1	0.18	5	28	<5	<10	74	4	3	<1	221	9	<20	215	<10	6	86	<1
64130	081815	<0.005	<1	9.22	35	89	<2	<1	6.06	5	12	45	161	114	5.64	15	6	<1	<1	1	2.13	<1	<1	1.78	1614	14	22	85	311	5	<1	0.15	5	28	<5	<10	74	4	1	<1	223	23	<20	215	<10	6	87	<1
64131	081816	0.007	<1	9.20	23	86	<2	2	7.81	5	9	40	160	112	6.33	16	6	<1	<1	<1	1.97	<1	<1	1.83	2021	16	22	86	297	14	<1	0.30	6	28	<5	<10	76	3	1	<1	216	31	20	214	<10	7	92	<1
64132	081817	0.006	<1	8.81	29	92	<2	<1	7.01	5	9	40	154	105	5.61	14	9	<1	<1	<1	1.98	<1	<1	1.66	1669	14	20	82	310	10	<1	0.38	<5	27	<5	<10	78	4	1	<1	212	44	<20	205	<10	6	84	<1
64133	081818	0.006	<1	8.92	63	124	<2	<1	5.66	<4	18	44	169	124	3.83	13	8	<1	2	<1	1.88	<1	<1	1.51	1161	13	22	94	346	5	<1	0.10	<5	28	11	<10	101	5	2	<1	213	36	<20	216	<10	6	81	<1
64134D	081818	0.005	<1	8.58	65	115	<2	<1	5.62	<4	14	44	162	129	3.79	11	3	<1	<1	<1	1.92	<1	<1	1.50	1153	13	21	93	346	5	<1	0.09	<5	27	<5	<10	94	3	3	<1	204	47	<20	206	<10	6	80	<1
64135	081819	0.006	<1	9.75	54	120	<2	<1	7.60	5	11	50	186	146	5.75	18	8	<1	<1	<1	2.02	<1	<1	1.84	1491	15	24	104	377	9	<1	0.31	5	31	<5	<10	114	5	3	<1	234	45	<20	239	<10	7	100	<1
64136	081820	0.007	<1	8.04	2	689	<2	<1	1.15	<4	49	4	217	6	1.09	8	5	<1	<1	<1	1.88	24	<1	0.39	175	23	3	8	318	21	<1	0.02	<5	2	7	<10	195	1	<1	15	926	17	<20	17	<10	7	26	<1
64137	081821	0.005	1	9.38	37	96	<2	<1	7.12	5	15	42	159	120	6.38	18	12	<1	2	<1	2.14	<1	<1	1.94	1727	14	23	87	291	10	<1	0.35	<5	29	<5	<10	84	5	4	<1	229	23	21	215	<10	6	95	<1
64138	081822	<0.005	<1	8.35	37	86	<2	1	8.72	4	15	37	142	97	5.00	12	12	<1	<1	<1	2.09	<1	<1	1.77	1751	14	20	77	286	10	<1	0.19	<5	25	<5	<10	84	3	<1	<1	214	40	<20	189	<10	6	73	<1
64139	081823	<0.005	<1	8.66	33	93	<2	2	8.80	4	14	37	139	107	4.86	13	10	<1	1	<1	1.99	<1	<1	1.73	1704	15	20	78	283	6	<1	0.24	<5	25	5	<10	93	2	<1	<1	217	57	30	188	<10	7	74	<1
64140	081824	0.005	<1	9.26	36	103	<2	3	6.36	5	12	45	174	131	5.64	18	6	<1	<1	<1	2.09	<1	<1	2.05	1585	11	23	95	318	6	<1	0.22	8	29	<5	<10	89	4	<1	<1	223	53	<20	226	<10	6	102	<1
64141	081825	<0.005	<1	10.22	36	119	<2	<1	6.05	4	12	43	166	123	5.34	17	11	2	1	<1	1.80	<1	<1	1.97	1479	18	23	89	318	7	<1	0.20	5	29	6	<10	100	4	<1	<1	259	38	<20	229	<10	7	98	<1
64142	081826	<0.005	<1	9.30	27	118	<2	<1	7.22	4	10	37	175	133	4.99	15	10	1	1	<1	1.97	<1	<1	1.87	1573	17	24	75	338	10	<1	0.19	5	28	8	<10	102	3	<1	<1	253	54	<20	230	<10	7	94	<1
64143	081827	0.005	<1	9.27	24	97	<2	<1	7.05	4	10	40	172	126	4.98	16	3	<1	3	<1	1.98	<1	<1	1.92	1516	13	24	82	340	11	<1	0.30	<5	32	<5	<10	90	6	<1	<1	226	50	30	232	<10	8	77	<1
64144	081828	0.005	<1	8.73	33	89	<2	<1	7.78	4	26	40	160	131	4.71	14	8	<1	<1	<1	1.93	<1	<1	1.91	1465	10	22	84	328	5	<1	0.17	<5	29	<5	<10	81	5	1	<1	202	21	<20	203	<10	8	77	<1
64145D	081828	<0.005	<1	9.49	30	103	<2	<1	7.86	4	19	42	163	127	4.72	16	8	<1	2	<1	1.91	<1	<1	1.90	1467	14	23	87	330	7	<1	0.18	<5	30	6	<10	93	4	2	<1	232	51	<20	214	<10	8	79	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140885
Reference:
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64146	081829	<0.005	<1	9.41	29	99	<2	<1	7.34	4	10	42	158	120	5.18	13	6	2	<1	<1	1.86	<1	<1	1.69	1474	17	20	88	309	9	<1	0.22	<5	27	6	<10	91	3	3	<1	235	65	22	196	<10	8	87	<1
64147	081830	<0.005	<1	8.70	17	84	<2	<1	5.57	5	10	44	158	120	6.20	15	7	<1	1	<1	1.93	<1	<1	1.93	1295	8	22	95	281	11	<1	0.22	6	29	6	<10	72	5	2	1	205	64	<20	216	<10	7	108	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64148	081801	0.012	<1	8.14	262	272	<2	1	5.57	<4	10	42	152	4	3.01	11	10	<1	<1	<1	1.89	<1	<1	1.58	842	11	20	92	484	8	4	0.07	5	25	14	<10	147	2	2	2	245	48	38	193	<10	6	29	<1
64149	081802	0.008	<1	7.81	138	190	<2	1	6.55	<4	12	39	143	114	3.44	9	4	<1	<1	4	1.76	<1	<1	1.69	855	10	17	81	314	5	<1	0.30	6	24	7	<10	132	3	<1	<1	215	6	<20	157	<10	6	59	<1
64150	081803	0.007	<1	8.22	81	118	<2	<1	5.45	<4	16	44	153	134	2.50	9	3	<1	1	6	1.77	<1	<1	1.15	654	12	17	91	364	3	<1	0.24	<5	26	8	<10	121	1	<1	<1	198	53	23	176	<10	6	69	<1
64151	081804	0.008	<1	7.96	71	91	<2	<1	6.28	<4	15	42	165	138	3.31	8	3	<1	2	<1	1.78	<1	<1	1.15	745	13	15	88	345	5	8	0.26	<5	23	5	<10	104	2	1	<1	184	37	30	159	<10	6	80	<1
64152	081805	0.007	<1	7.83	67	94	<2	<1	6.50	<4	14	39	139	131	2.83	11	5	<1	1	2	1.75	<1	<1	1.09	709	13	16	88	306	7	10	0.24	<5	23	7	<10	108	2	<1	<1	186	55	<20	154	<10	6	81	<1
64153	081806	0.028	<1	7.69	61	86	<2	1	4.60	<4	5	38	155	114	2.48	8	5	<1	1	<1	1.78	<1	<1	1.08	568	9	17	90	305	4	<1	0.20	<5	26	9	<10	100	3	<1	<1	163	41	<20	175	<10	5	76	<1
64154	081807	0.006	<1	7.71	52	82	<2	<1	5.16	<4	15	36	177	112	3.36	9	2	<1	<1	<1	1.82	<1	<1	1.19	926	9	17	85	268	6	<1	0.17	7	24	10	<10	90	3	<1	<1	170	58	<20	173	<10	5	96	<1
64155	081808	<0.005	<1	8.23	64	85	<2	1	5.22	4	9	43	153	120	4.82	11	5	<1	<1	<1	1.89	<1	<1	1.71	1123	8	20	88	286	6	<1	0.12	7	26	8	<10	84	2	2	<1	187	52	20	187	<10	4	102	<1
64156	081809	<0.005	<1	8.06	41	75	<2	<1	5.58	4	8	36	154	108	4.64	12	5	<1	1	<1	1.98	<1	<1	1.62	1057	8	18	81	286	4	<1	0.15	<5	25	<5	<10	79	3	5	<1	183	24	<20	181	<10	4	89	<1
64157	081810	1.004	<1	7.72	3	113	<2	<1	3.77	4	20	28	90	36	4.43	15	2	<1	<1	3	1.95	2	<1	1.75	716	7	17	23	625	15	41	0.07	<5	18	9	<10	140	2	7	3	4043	27	<20	147	<10	26	73	<1
64159	081831	0.006	<1	9.68	28	112	<2	<1	6.59	4	20	40	177	117	5.24	18	10	<1	<1	4	2.03	<1	<1	1.83	1476	10	23	86	305	8	7	0.14	6	29	5	<10	96	6	3	3	245	72	<20	223	<10	7	91	<1
64160	081832	<0.005	<1	9.85	24	92	<2	2	8.06	6	18	42	167	118	6.61	18	13	<1	<1	<1	2.11	<1	<1	2.21	1991	10	24	88	302	10	2	0.16	7	31	<5	<10	81	5	5	<1	238	43	30	234	<10	9	101	<1
64161	081833	0.006	<1	9.76	32	104	<2	<1	7.47	4	19	42	177	129	5.41	14	11	<1	2	<1	2.15	<1	<1	1.90	1862	8	23	84	341	8	13	0.10	7	31	8	<10	88	5	2	<1	219	52	30	226	<10	9	90	<1
64162	081834	<0.005	<1	9.71	21	103	<2	2	7.57	5	21	42	178	123	5.88	19	6	<1	1	<1	2.15	<1	<1	1.99	1789	8	24	88	308	8	36	0.18	7	30	8	<10	91	4	7	1	239	44	21	237	<10	8	102	<1
64163	081835	<0.005	1	10.63	25	106	<2	3	8.51	5	24	46	183	133	6.29	21	10	1	4	2	2.25	<1	<1	2.20	1956	10	25	98	348	12	24	0.15	8	33	9	<10	92	4	6	2	246	69	49	248	<10	9	110	<1
64164	081836	<0.005	<1	10.66	22	116	<2	3	7.04	5	16	45	193	137	5.52	19	11	<1	2	<1	2.20	<1	<1	2.03	1663	11	25	98	343	7	29	0.14	5	35	<5	<10	87	5	8	5	238	60	50	246	<10	10	98	<1
64165	081837	<0.005	1	10.43	9	92	<2	<1	7.00	6	23	47	193	131	6.90	22	11	1	2	<1	2.10	<1	<1	2.11	1761	15	25	101	306	11	9	0.23	6	33	8	<10	80	5	4	5	274	77	<20	248	<10	10	110	<1
64166	081838	<0.005	<1	10.15	11	62	<2	1	6.92	6	19	50	185	133	6.84	20	7	<1	<1	<1	2.01	<1	<1	2.33	1829	8	28	111	301	14	<1	0.20	7	37	<5	<10	68	7	8	2	263	58	31	260	<10	10	120	<1
64167	081839	<0.005	<1	11.17	16	126	<2	<1	6.22	5	14	51	212	151	5.29	20	6	<1	<1	1	2.14	<1	<1	2.05	1465	8	26	100	369	11	30	0.16	7	35	12	<10	89	5	7	2	309	67	22	257	<10	10	109	<1
64168	081840	5.427	3	8.56	310	235	2	2	2.82	6	19	122	148	1554	6.70	16	4	<1	2	<1	2.01	4	<1	1.26	614	26	9	1254	492	710	171	1.61	7	11	<5	<10	129	4	15	11	2187	23	<20	89	31	16	428	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64170	081841	<0.005	1	11.46	4	81	<2	1	8.29	6	22	50	190	139	7.56	20	14	2	<1	<1	2.15	<1	<1	2.36	2196	13	27	110	342	16	11	0.23	8	37	8	<10	81	5	9	5	317	43	30	263	<10	12	121	<1
64171	081842	<0.005	<1	9.87	4	80	<2	<1	6.59	5	12	48	189	138	6.05	20	5	<1	3	<1	2.11	<1	<1	1.96	1737	6	25	102	347	11	18	0.19	6	35	5	<10	80	4	3	4	278	53	<20	251	<10	11	112	<1
64172	081843	<0.005	<1	10.10	9	82	<2	2	7.04	5	17	47	193	134	5.97	17	7	<1	<1	<1	1.91	<1	<1	1.94	1631	5	25	102	330	7	<1	0.23	8	35	<5	<10	84	4	5	3	283	41	<20	251	<10	11	109	<1
64173	081844	<0.005	<1	10.19	36	104	<2	<1	5.77	4	19	53	218	145	4.89	18	6	<1	<1	<1	2.03	<1	<1	1.76	1314	8	25	100	386	7	41	0.14	<5	36	13	<10	92	3	6	4	314	65	21	253	<10	11	99	<1
64174	081845	<0.005	<1	9.82	24	100	<2	4	6.99	4	19	47	231	143	5.23	17	7	<1	1	<1	1.95	<1	<1	1.71	1512	7	25	97	342	7	27	0.18	6	35	11	<10	90	5	4	2	243	64	<20	250	<10	9	93	<1
64175	081846	<0.005	<1	10.97	28	120	<2	3	7.25	5	16	49	222	149	6.22	20	12	<1	<1	2	2.24	<1	<1	1.91	1965	13	26	102	386	15	28	0.11	7	36	16	<10	107	4	10	5	241	76	31	267	<10	9	105	<1
64176	081847	0.022	1	10.67	27	100	<2	<1	7.36	6	18	46	196	126	6.59	20	7	<1	2	<1	2.46	<1	<1	2.01	2029	12	26	97	344	8	29	0.20	6	35	6	<10	94	6	5	3	232	51	<20	253	<10	9	111	<1
64177	081848	<0.005	<1	10.59	34	103	<2	3	7.93	5	21	49	206	143	5.67	20	2	<1	2	<1	2.28	<1	<1	1.83	1763	12	26	97	372	10	36	0.17	<5	34	8	<10	104	5	2	<1	227	54	<20	254	<10	8	97	<1
64178	081849	<0.005	<1	10.19	36	99	<2	1	6.94	5	16	50	203	151	5.83	17	2	<1	<1	2	2.22	<1	<1	1.95	1680	8	25	100	381	8	11	0.16	6	36	9	<10	95	4	7	2	204	61	<20	255	<10	8	100	<1
64179	081850	<0.005	1	8.80	7	729	<2	<1	1.19	<4	100	4	351	6	1.41	13	<1	2	<1	<1	2.08	53	<1	0.44	209	26	2	7	373	29	85	0.03	<5	3	20	<10	200	<1	5	44	952	42	<20	20	<10	8	40	14
64181	081851	<0.005	<1	9.97	33	90	<2	2	5.61	5	13	52	197	145	5.73	18	5	<1	1	<1	1.84	<1	<1	1.93	1488	6	24	100	371	8	<1	0.15	5	34	<5	<10	78	6	5	<1	190	58	<20	247	<10	7	98	<1
64182	081852	<0.005	<1	10.71	18	111	<2	<1	7.28	5	17	45	185	136	5.94	21	11	2	1	<1	2.09	<1	<1	1.88	1671	15	26	99	344	7	3	0.16	6	33	5	<10	91	5	6	<1	257	43	37	251	<10	8	101	<1
64183	081853	<0.005	<1	9.23	25	109	<2	2	7.08	4	37	41	174	118	5.03	17	4	<1	1	1	2.01	<1	<1	1.61	1579	11	23	82	313	10	<1	0.13	6	29	<5	<10	104	4	2	<1	228	30	21	233	<10	6	86	<1
64184	081854	0.005	<1	8.74	24	107	<2	2	6.30	5	13	44	179	135	5.35	14	6	<1	<1	1	1.87	<1	<1	1.66	1350	10	23	93	306	7	<1	0.12	5	30	7	<10	104	4	6	<1	207	40	<20	230	<10	6	91	<1
64185	081855	0.006	<1	8.67	25	111	<2	2	5.97	4	14	42	171	125	5.05	17	9	<1	<1	<1	1.85	<1	<1	1.54	1269	12	23	88	289	9	<1	0.12	5	29	8	<10	110	4	4	<1	216	45	<20	229	<10	6	86	<1
64186	081856	0.010	<1	9.80	28	112	<2	2	6.85	5	11	49	187	120	5.83	18	9	<1	2	<1	2.11	<1	<1	1.76	1465	13	24	93	323	9	<1	0.48	5	32	<5	<10	116	5	6	<1	229	49	<20	242	<10	7	91	<1
64187	081857	<0.005	<1	9.64	15	101	<2	<1	7.45	5	20	44	176	130	6.07	17	6	<1	<1	<1	2.03	<1	<1	1.91	1728	12	24	92	322	7	<1	0.17	6	32	<5	<10	94	6	3	<1	226	56	31	240	<10	7	95	<1
64188	081858	0.005	<1	8.81	17	106	<2	<1	5.93	5	8	44	177	230	5.77	20	12	1	2	3	2.09	<1	<1	1.73	1448	17	24	268	288	12	<1	0.13	<5	24	10	<10	96	5	14	<1	285	34	<20	243	<10	5	153	<1
64189	081859	0.005	<1	8.26	17	105	<2	<1	5.71	4	12	37	163	116	4.61	16	4	<1	1	<1	2.06	<1	<1	1.38	1360	13	22	84	301	10	<1	0.09	<5	25	5	<10	95	4	<1	<1	236	38	<20	227	<10	5	94	<1
64190	081860	0.005	<1	9.95	39	130	<2	2	4.99	<4	11	47	198	153	4.00	17	6	<1	1	<1	1.91	<1	<1	1.53	1118	14	25	99	380	7	11	0.07	<5	30	9	<10	108	4	3	<1	240	32	<20	255	<10	6	84	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64191D	081860	0.006	<1	9.69	36	114	<2	1	4.68	<4	11	44	182	150	3.80	14	5	<1	<1	3	1.71	<1	<1	1.55	1046	9	23	93	362	5	<1	0.07	<5	32	<5	<10	93	4	<1	1	207	29	<20	231	<10	6	77	<1
64192	081861	0.005	<1	9.76	25	151	<2	<1	4.66	<4	8	43	194	135	3.53	17	4	<1	1	3	1.91	<1	<1	1.31	974	17	24	93	351	7	<1	0.11	<5	27	7	<10	128	4	2	<1	246	51	25	248	<10	6	70	<1
64193	081862	0.006	<1	8.98	7	108	<2	2	5.34	4	13	40	184	131	4.60	17	7	<1	2	<1	1.96	<1	<1	1.44	1216	16	24	81	324	11	<1	0.15	<5	26	<5	<10	93	3	5	<1	272	50	<20	243	<10	5	80	<1
64194	081863	0.006	<1	10.42	14	104	<2	1	6.21	5	18	48	191	135	5.36	21	2	<1	1	<1	1.67	<1	<1	1.78	1278	12	26	98	319	9	<1	0.24	<5	32	5	<10	98	4	<1	<1	253	29	20	259	<10	7	96	<1
64195	081864	0.005	<1	9.14	8	102	<2	<1	5.47	<4	10	39	172	114	3.70	11	<1	<1	<1	<1	1.50	<1	<1	1.28	1123	11	21	79	304	6	<1	0.12	5	28	<5	<10	93	3	<1	<1	212	48	<20	216	<10	6	68	<1
64196	081865	0.006	<1	9.99	8	124	<2	<1	5.99	<4	11	45	198	131	4.21	18	8	<1	2	<1	1.72	<1	<1	1.39	1242	18	25	92	343	6	<1	0.14	<5	28	<5	<10	109	4	<1	<1	262	18	<20	250	<10	6	78	<1
64197	081866	<0.005	<1	10.23	11	104	<2	<1	5.58	5	14	48	201	141	5.80	20	6	<1	<1	<1	1.80	<1	<1	1.65	1361	15	28	103	347	11	<1	0.18	6	31	5	<10	99	4	4	<1	272	40	<20	276	<10	6	104	<1
64198	081867	0.006	<1	11.08	10	87	<2	<1	5.93	6	14	54	194	149	6.90	20	7	<1	2	<1	1.69	<1	<1	2.17	1434	12	28	112	307	11	<1	0.28	7	40	<5	<10	85	6	5	<1	236	27	<20	283	<10	7	126	<1
64199	081868	<0.005	<1	10.04	14	97	<2	<1	5.46	4	8	45	172	121	5.23	18	7	<1	2	<1	1.80	<1	<1	1.62	1240	17	24	92	306	9	<1	0.18	5	30	6	<10	89	5	<1	<1	254	40	<20	242	<10	6	87	<1
64200	081869	0.010	1	10.06	20	105	<2	<1	6.19	4	15	49	185	132	4.94	19	7	<1	<1	2	1.74	<1	<1	1.43	1312	13	25	91	328	7	<1	0.53	<5	33	8	<10	101	4	2	<1	241	49	<20	252	<10	6	84	<1
64201	081870	14.020	6	7.12	28	368	<2	<1	2.61	<4	<1	23	77	116	3.62	15	2	<1	<1	<1	1.68	<1	<1	1.04	503	26	11	36	581	28	311	0.55	<5	8	9	<10	112	1	2	<1	3253	40	<20	97	<10	12	127	<1
64203	081871	0.012	1	10.42	28	105	<2	<1	7.29	4	19	50	199	156	5.47	22	7	2	<1	<1	1.89	<1	<1	1.84	1457	19	27	102	355	9	<1	0.15	5	30	<5	<10	98	5	5	<1	305	41	<20	278	<10	6	104	1
64204	081872	0.009	<1	10.66	35	85	<2	3	7.76	6	21	51	201	143	6.63	20	4	<1	<1	<1	1.84	<1	<1	2.18	1768	12	29	107	334	14	5	0.26	6	39	<5	<10	92	4	7	<1	224	77	<20	279	<10	7	114	<1
64205	081873	0.008	1	9.01	35	97	<2	2	7.09	5	13	44	180	130	6.26	21	9	2	<1	<1	1.89	<1	<1	1.81	1603	20	26	92	294	13	<1	0.21	6	24	<5	<10	95	6	7	<1	305	<2	50	255	<10	6	102	<1
64206	081874	0.008	<1	9.31	45	100	<2	<1	7.41	5	31	43	178	122	6.43	20	10	2	<1	<1	1.81	<1	<1	2.02	1640	16	26	86	317	10	<1	0.15	<5	26	7	<10	101	6	3	<1	291	32	<20	248	<10	6	101	<1
64207	081875	0.009	1	8.06	40	115	<2	<1	5.85	5	13	41	161	131	6.22	20	8	2	1	<1	1.89	<1	<1	1.56	1671	22	18	86	328	14	<1	0.76	<5	16	<5	<10	106	5	<1	<1	286	52	<20	181	<10	6	198	12
64208	081876	0.020	1	8.04	47	104	<2	3	6.26	6	13	37	159	128	6.94	19	9	1	<1	<1	1.67	<1	<1	1.74	2170	19	21	76	339	11	<1	0.69	5	17	8	<10	101	5	3	<1	275	44	<20	197	<10	6	157	<1
64209	081877	0.007	1	8.90	61	117	<2	<1	5.96	4	9	38	163	153	4.72	17	7	1	<1	<1	1.84	<1	<1	1.92	1240	17	24	83	385	8	<1	0.28	5	24	<5	<10	105	4	2	<1	264	56	<20	231	<10	6	90	<1
64210	081878	0.008	1	8.36	49	115	<2	<1	4.77	5	5	40	177	130	5.27	18	9	2	<1	<1	1.80	<1	<1	1.31	1423	23	22	83	342	9	<1	0.32	<5	18	<5	<10	106	5	1	<1	295	36	<20	230	<10	5	94	11
64211	081879	0.017	<1	8.46	47	93	<2	<1	4.67	5	6	40	162	120	6.56	18	7	<1	<1	<1	1.77	<1	<1	1.56	1747	20	22	78	297	12	<1	0.27	<5	23	<5	<10	87	5	3	<1	268	69	22	221	<10	6	107	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64212	081880	0.006	1	8.14	5	757	<2	1	1.38	<4	24	3	114	6	1.01	14	4	<1	<1	<1	1.66	11	<1	0.37	188	27	3	6	297	23	19	0.03	<5	1	10	<10	262	<1	<1	6	997	34	<20	18	<10	6	31	8
64214	081881	0.013	<1	9.90	43	102	<2	3	6.64	7	14	42	185	123	7.89	21	6	3	<1	<1	1.87	<1	<1	1.90	2023	21	26	90	297	15	<1	0.38	<5	30	<5	<10	109	7	9	<1	294	32	<20	262	<10	7	139	<1
64215	081882	0.040	<1	9.48	63	100	<2	<1	6.61	6	11	46	190	127	7.27	22	3	<1	1	<1	1.85	<1	<1	1.92	1906	14	25	93	317	11	<1	0.42	5	29	<5	<10	114	5	5	<1	258	41	<20	254	23	7	115	<1
64216	081883	0.010	1	9.51	50	98	<2	1	7.09	7	11	42	184	134	8.18	23	9	3	<1	<1	1.85	<1	<1	1.90	2649	23	24	85	363	17	2	0.34	5	25	7	<10	101	5	10	<1	300	27	<20	242	<10	7	106	11
64217	081884	0.009	1	9.43	53	91	<2	<1	5.63	8	2	45	187	127	8.68	21	4	2	<1	<1	1.75	<1	<1	2.17	2887	23	25	88	333	18	<1	0.46	6	28	<5	<10	89	6	14	<1	278	38	<20	242	<10	6	199	<1
64218	081885	0.007	<1	9.38	53	83	<2	1	5.29	7	7	43	173	122	7.99	19	4	<1	<1	<1	1.78	<1	<1	2.16	2653	16	23	84	318	14	<1	0.40	7	31	<5	<10	82	5	7	<1	238	40	<20	227	<10	6	175	<1
64219	081886	0.007	<1	8.77	78	114	<2	<1	6.86	<4	12	45	193	134	4.23	20	6	<1	<1	<1	1.81	<1	<1	1.27	1087	20	24	87	354	7	<1	0.17	5	24	9	<10	116	4	<1	<1	262	48	<20	257	<10	5	67	<1
64220	081887	0.007	<1	7.89	65	110	<2	<1	5.86	<4	11	41	192	135	3.91	15	4	<1	1	3	1.59	<1	<1	1.31	893	15	24	83	355	5	<1	0.14	<5	23	10	<10	101	3	1	<1	229	47	<20	248	<10	5	65	<1
64221	081888	0.008	<1	9.22	74	123	<2	<1	6.43	4	32	48	219	150	5.10	22	5	1	<1	2	1.80	<1	<1	1.37	1089	22	28	93	397	10	<1	0.15	7	26	8	<10	113	4	4	<1	278	31	28	290	<10	5	100	<1
64222	081889	0.008	<1	10.55	75	107	<2	29	5.39	<4	25	46	216	153	4.60	28	11	10	<1	<1	1.84	2	35	1.55	912	9	28	85	713	8	<1	2.27	<5	34	11	<10	114	5	4	<1	174	27	43	269	<10	6	84	418
64223	081890	0.007	<1	7.05	51	105	<2	<1	8.11	<4	29	33	167	110	3.62	15	9	<1	1	<1	1.71	<1	<1	1.08	837	16	21	62	305	5	<1	0.14	5	18	<5	<10	115	2	<1	<1	238	43	34	212	<10	6	71	<1
64224D	081890	0.006	<1	8.24	54	105	<2	<1	8.35	<4	27	33	168	109	3.71	14	3	<1	<1	5	1.71	<1	<1	1.20	841	18	21	63	313	6	<1	0.15	5	23	6	<10	119	3	<1	<1	230	44	27	210	<10	7	69	<1
64225	081891	0.006	<1	8.09	72	115	<2	2	5.74	<4	28	45	191	129	3.88	15	6	<1	<1	<1	1.62	<1	<1	1.29	818	15	23	73	353	6	<1	0.12	<5	23	<5	<10	105	5	<1	<1	236	36	<20	245	<10	5	68	<1
64226	081892	0.007	<1	8.66	73	128	<2	2	5.61	<4	18	40	222	137	3.79	19	8	<1	1	<1	1.86	<1	<1	1.35	924	17	27	76	392	8	<1	0.13	<5	23	6	<10	116	3	2	<1	274	63	<20	264	<10	5	63	<1
64227	081893	0.007	<1	8.22	74	116	<2	<1	5.72	<4	12	42	194	123	3.68	14	4	<1	1	<1	1.62	<1	<1	1.22	849	16	23	77	345	5	<1	0.14	<5	23	<5	<10	107	3	<1	<1	240	56	<20	239	<10	5	71	<1
64228	081894	<0.005	<1	8.13	80	107	<2	<1	5.42	<4	9	43	214	129	4.19	16	3	<1	<1	<1	1.70	<1	<1	1.41	1032	19	23	105	285	5	<1	0.13	<5	19	6	<10	112	4	<1	<1	263	41	<20	226	<10	4	71	<1
64229	081895	<0.005	<1	8.97	84	109	<2	<1	5.60	<4	24	41	206	129	4.24	17	9	<1	1	<1	1.72	<1	<1	1.53	1072	18	23	107	298	6	<1	0.14	<5	22	<5	<10	113	3	<1	<1	260	48	<20	224	<10	5	68	<1
64230	081896	<0.005	<1	9.39	103	101	<2	2	6.80	4	13	49	218	146	5.16	19	4	<1	<1	<1	1.65	<1	<1	1.76	1369	16	25	119	261	6	<1	0.15	<5	25	5	<10	118	4	<1	<1	269	60	<20	238	<10	5	76	<1
64231	081897	0.006	<1	6.96	92	101	<2	<1	6.18	4	9	46	206	143	5.06	18	5	<1	2	<1	1.88	<1	<1	1.47	1314	16	24	115	245	6	<1	0.14	<5	18	<5	<10	113	4	3	<1	273	34	<20	240	<10	4	81	<1
64232	081898	0.007	<1	7.12	121	99	<2	<1	6.28	<4	8	44	227	140	4.31	17	5	1	<1	<1	1.67	<1	<1	1.12	1299	21	22	111	250	6	<1	0.14	<5	17	<5	<10	125	4	<1	<1	285	48	<20	225	<10	4	72	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64233	081899	0.102	<1	7.40	248	82	<2	<1	5.57	4	4	46	196	121	5.14	15	6	<1	<1	<1	1.70	<1	<1	1.40	1477	17	22	120	229	7	<1	0.13	<5	21	8	<10	97	4	<1	<1	250	64	<20	223	<10	4	90	<1
64234	081900	0.968	<1	7.37	4	124	<2	<1	3.81	4	16	29	100	35	4.71	15	3	<1	<1	<1	1.80	<1	<1	1.81	777	14	18	23	608	16	10	0.06	<5	15	<5	<10	133	3	6	<1	4431	22	<20	155	<10	22	76	<1
64236	081901	0.012	<1	7.44	120	95	<2	<1	6.56	4	9	44	194	121	4.89	18	8	<1	1	<1	1.71	<1	<1	1.11	1479	23	22	112	230	7	<1	0.16	<5	17	6	<10	112	3	<1	<1	271	45	26	220	<10	4	75	<1
64237	081902	0.008	<1	10.48	74	93	<2	1	6.28	4	5	50	216	144	5.43	18	2	<1	<1	<1	1.78	<1	<1	1.64	1353	12	23	116	274	9	<1	0.18	5	33	<5	<10	117	4	4	<1	227	66	<20	233	<10	6	72	<1
64238	081903	0.006	<1	8.47	48	98	<2	<1	6.52	5	11	44	198	121	6.09	19	13	<1	1	<1	1.78	<1	<1	1.69	1670	18	23	107	263	12	<1	0.11	<5	22	<5	<10	107	5	2	<1	282	52	33	232	<10	5	88	<1
64239	081904	0.006	<1	8.35	9	105	<2	1	7.55	4	20	36	183	87	5.32	18	12	<1	<1	2	1.76	<1	<1	1.92	1180	14	24	79	289	9	<1	0.14	6	25	<5	<10	95	5	1	<1	254	36	<20	225	<10	6	81	<1
64240	081905	0.008	<1	8.66	10	109	<2	<1	7.72	4	33	37	177	91	5.43	14	3	<1	<1	<1	1.67	<1	<1	2.14	1206	4	22	73	280	7	<1	0.17	<5	31	<5	<10	85	5	2	<1	190	49	22	217	<10	6	82	<1
64241	081906	0.027	<1	8.96	5	63	<2	2	6.35	5	25	35	201	97	6.29	17	5	<1	1	1	1.54	<1	<1	2.67	1159	4	26	71	318	10	<1	0.10	<5	35	<5	<10	59	5	2	<1	184	46	<20	234	<10	6	85	<1
64242	081907	<0.005	<1	8.97	5	55	<2	2	5.94	5	15	34	210	97	5.96	15	6	<1	2	<1	1.53	<1	<1	2.41	1048	3	25	80	306	9	<1	0.09	<5	35	<5	<10	52	6	<1	<1	196	47	<20	234	<10	6	92	<1
64243	081908	<0.005	<1	9.07	2	68	<2	3	6.52	5	12	35	173	88	6.69	18	6	1	<1	<1	1.72	<1	<1	2.60	1224	11	24	76	278	11	<1	0.13	<5	31	5	<10	60	5	2	<1	249	50	<20	219	<10	6	97	<1
64244	081909	0.101	<1	7.37	15	94	<2	<1	5.17	4	18	34	181	96	4.99	15	5	<1	2	<1	1.62	<1	<1	1.85	1006	12	20	80	251	10	<1	0.11	5	20	5	<10	86	3	<1	<1	235	43	<20	204	<10	4	74	<1
64245	081910	5.508	2	6.65	271	225	<2	<1	2.37	6	2	105	136	1310	5.86	15	1	<1	1	<1	1.72	<1	<1	0.93	530	31	8	1110	437	617	53	1.22	8	7	<5	<10	113	3	4	<1	2341	22	<20	81	28	10	365	<1
64247	081911	0.009	<1	8.03	39	93	<2	3	6.31	5	9	38	188	112	5.71	17	8	<1	<1	<1	1.67	<1	<1	2.14	1087	12	22	76	267	8	<1	0.09	<5	23	<5	<10	85	4	<1	<1	250	52	<20	209	<10	5	79	<1
64248	081912	0.006	<1	8.35	38	79	<2	<1	6.20	6	5	35	173	105	6.36	18	6	<1	<1	<1	2.00	<1	<1	2.48	1149	9	23	63	288	13	<1	0.16	<5	28	<5	<10	74	5	2	<1	233	33	<20	207	<10	6	86	<1
64249	081913	0.010	1	9.15	51	97	<2	3	6.81	5	8	38	193	101	6.64	22	16	3	<1	<1	1.92	<1	<1	2.58	1191	16	25	64	295	11	<1	0.08	<5	27	5	<10	90	6	2	<1	291	51	21	231	<10	6	91	27
64250	081914	<0.005	<1	8.33	74	81	<2	2	6.70	5	11	32	187	102	5.81	16	6	<1	2	2	1.81	<1	<1	2.39	1120	7	22	59	288	9	<1	0.09	<5	27	<5	<10	77	5	4	<1	230	43	<20	197	<10	6	75	<1
64251	081915	0.013	<1	9.04	146	95	<2	<1	7.40	5	13	32	180	119	6.00	17	6	<1	1	<1	1.73	<1	<1	2.17	1278	13	21	85	293	10	<1	0.16	<5	27	<5	<10	99	5	5	<1	234	39	<20	200	<10	6	91	<1
64252	081916	0.075	<1	9.04	201	107	<2	<1	7.58	5	13	45	246	130	5.91	18	11	1	<1	<1	1.84	<1	<1	1.76	1663	19	21	108	223	9	<1	0.17	5	24	<5	<10	114	5	3	<1	261	55	34	209	43	6	96	<1
64253	081917	0.006	1	8.66	182	101	<2	2	7.85	10	14	45	189	149	7.76	19	16	2	1	<1	1.91	<1	<1	2.11	2459	22	21	108	237	14	<1	0.55	6	24	<5	<10	98	5	2	<1	286	49	<20	194	<10	7	468	7
64254	081918	0.006	<1	8.22	202	192	<2	<1	5.48	<4	20	44	256	118	3.81	18	8	<1	<1	<1	1.81	<1	<1	1.96	769	15	25	152	568	6	<1	0.15	<5	19	7	<10	156	3	2	<1	283	60	<20	235	<10	5	72	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64255	081919	0.007	1	8.20	107	170	<2	2	5.14	4	8	50	232	142	4.19	22	11	1	<1	<1	1.69	<1	<1	1.40	717	22	28	110	441	7	<1	0.15	<5	20	5	<10	166	4	<1	<1	307	40	<20	281	<10	5	83	12
64256	081920	<0.005	1	8.29	5	832	<2	<1	1.29	<4	54	4	242	8	1.15	15	3	2	2	<1	1.76	24	<1	0.37	195	32	2	6	277	29	33	0.03	<5	1	13	<10	213	<1	<1	11	886	24	<20	20	<10	6	29	70
64258	081921	0.010	1	9.29	93	161	<2	<1	5.97	<4	13	48	254	144	4.05	22	4	2	1	<1	1.78	<1	<1	1.40	770	19	29	89	411	10	<1	0.13	<5	24	8	<10	163	4	2	<1	291	40	24	286	<10	6	76	<1
64259	081922	0.007	<1	9.30	120	175	<2	<1	7.09	<4	35	47	227	142	3.96	20	7	1	1	<1	1.70	<1	<1	1.74	910	16	29	110	465	4	<1	0.17	5	25	7	<10	172	4	2	<1	275	58	21	275	<10	7	75	<1
64260	081923	0.017	<1	9.97	90	146	<2	2	7.25	4	34	48	203	140	4.69	23	4	2	<1	6	1.74	<1	<1	1.66	1168	19	29	98	392	9	<1	0.16	<5	27	7	<10	153	4	4	<1	284	38	34	280	<10	7	83	<1
64261	081924	0.013	<1	9.25	80	123	<2	1	6.86	6	12	50	195	142	6.62	22	5	2	<1	<1	1.85	<1	<1	1.76	1559	21	28	102	382	11	<1	0.18	6	27	<5	<10	124	7	2	<1	289	50	<20	277	<10	6	107	<1
64262	081925	<0.005	<1	9.52	77	121	<2	<1	6.85	6	6	51	194	138	6.71	24	5	1	<1	<1	1.83	<1	<1	1.76	1540	22	27	103	380	16	<1	0.18	<5	28	<5	<10	121	7	4	<1	283	68	<20	278	<10	6	113	<1
64263	081926	0.005	2	9.51	27	98	2	4	5.76	12	33	45	108	292	13.02	26	6	5	2	<1	1.85	<1	<1	2.14	4140	43	11	89	328	25	<1	2.39	5	14	<5	<10	87	7	13	<1	291	43	88	117	<10	8	354	114
64264	081927	<0.005	1	8.72	43	119	<2	2	5.09	7	10	44	149	165	7.81	23	9	3	<1	<1	1.85	<1	<1	1.86	2187	24	18	96	340	18	<1	0.92	5	17	<5	<10	110	6	12	<1	293	53	<20	176	<10	6	332	45
64265	081928	0.006	1	9.42	44	110	<2	<1	6.02	6	28	38	159	116	7.18	20	6	1	<1	<1	1.88	<1	<1	2.00	2184	21	21	84	341	14	<1	0.58	6	20	<5	<10	109	4	6	<1	261	53	<20	195	<10	7	198	<1
64266	081929	0.013	2	7.95	61	134	<2	3	7.55	6	13	37	134	112	7.19	26	32	8	<1	<1	1.86	<1	<1	1.26	3375	45	16	90	299	18	<1	0.52	5	10	<5	<10	116	3	8	<1	419	30	<20	155	<10	7	178	321
64267	081930	0.026	1	9.68	49	86	<2	2	5.76	10	26	40	147	161	11.25	24	9	3	1	<1	1.94	<1	<1	2.09	3934	33	14	91	265	22	<1	1.22	5	19	<5	<10	79	8	13	<1	275	36	<20	152	<10	7	299	6
64268D	081930	0.028	1	9.08	45	90	<2	2	5.41	9	9	38	139	149	10.64	23	12	3	2	<1	1.80	<1	<1	1.91	3707	35	15	87	251	21	<1	1.14	6	16	<5	<10	79	8	10	<1	285	42	<20	144	<10	7	285	43
64269	081931	0.011	<1	8.64	90	125	<2	<1	6.47	4	9	52	226	147	4.80	21	6	1	<1	1	1.69	<1	<1	1.27	1253	21	24	116	278	10	<1	0.11	<5	20	8	<10	132	4	3	<1	288	53	20	250	<10	5	75	<1
64270	081932	0.008	<1	8.60	66	104	<2	<1	6.66	4	8	45	196	129	4.99	18	7	<1	<1	2	1.59	<1	<1	1.68	1446	18	22	112	239	11	<1	0.12	5	21	<5	<10	109	5	2	<1	266	59	27	216	<10	5	76	<1
64271	081933	0.005	1	9.41	66	91	<2	2	7.37	5	30	48	198	125	6.15	19	5	<1	<1	5	1.72	<1	<1	2.00	1536	15	23	112	243	12	<1	0.24	5	25	<5	<10	98	5	5	<1	264	48	<20	221	<10	6	85	<1
64272	081934	<0.005	<1	9.39	73	108	<2	<1	6.08	4	22	51	215	141	5.04	21	5	1	<1	<1	1.82	<1	<1	1.95	991	16	25	127	261	9	<1	0.08	<5	25	8	<10	113	4	3	<1	286	60	<20	242	<10	5	93	<1
64273	081935	<0.005	1	10.21	74	109	<2	<1	6.72	4	14	51	228	146	5.36	20	6	2	2	2	1.70	<1	<1	2.12	1076	15	27	133	267	9	<1	0.10	<5	28	8	<10	117	4	4	<1	294	53	<20	251	<10	6	99	<1
64274	081936	0.005	<1	10.49	31	88	<2	<1	6.85	5	13	47	212	139	5.52	17	6	<1	2	<1	1.70	<1	<1	2.32	1199	12	25	107	260	10	<1	0.13	6	30	6	<10	95	5	3	<1	259	41	<20	231	<10	6	81	<1
64275	081937	<0.005	<1	10.14	13	100	<2	2	6.68	4	27	46	230	149	5.44	20	7	1	1	3	1.78	<1	<1	1.94	1338	17	25	109	285	10	<1	0.13	7	28	9	<10	107	3	3	<1	275	47	35	251	<10	5	80	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64276	081938	<0.005	<1	10.44	8	98	<2	3	6.24	4	11	48	219	152	5.31	20	<1	<1	<1	<1	1.77	<1	<1	1.98	1274	16	25	99	289	10	<1	0.15	5	29	11	<10	96	4	3	<1	253	42	<20	242	<10	5	72	<1
64277	081939	0.006	<1	9.89	5	88	<2	2	6.02	4	28	46	222	146	4.42	17	5	<1	<1	1	1.92	<1	<1	2.09	949	12	24	136	259	7	<1	0.10	5	27	7	<10	97	4	3	<1	257	21	<20	226	<10	6	83	<1
64278	081940	13.098	7	7.73	28	414	<2	<1	2.77	<4	<1	24	82	130	3.89	15	1	<1	2	<1	1.87	<1	<1	1.14	536	29	11	39	615	33	338	0.56	<5	9	7	<10	119	2	8	<1	3328	18	<20	103	<10	14	139	<1
64280	081941	0.009	1	10.55	5	94	<2	<1	6.16	4	11	50	224	151	5.62	20	9	1	<1	1	1.73	<1	<1	2.23	1161	13	25	123	268	7	<1	0.14	5	30	7	<10	99	4	3	<1	281	47	<20	245	<10	7	94	<1
64281	081942	0.008	1	12.02	5	111	<2	<1	7.80	5	13	54	234	169	6.37	25	10	2	<1	4	1.93	<1	<1	2.34	1545	15	27	131	293	9	<1	0.19	5	35	12	<10	100	4	8	<1	302	54	23	263	<10	7	89	<1
64282	081943	0.006	1	11.34	9	140	<2	<1	8.68	4	16	53	233	156	5.53	23	12	4	<1	<1	1.93	<1	<1	1.99	1426	22	28	121	290	10	<1	0.15	<5	29	<5	<10	127	6	4	<1	310	52	21	263	<10	7	86	41
64283	081944	<0.005	1	9.89	7	132	<2	1	8.03	4	17	52	239	152	5.29	22	7	3	<1	<1	1.86	<1	<1	1.80	1389	20	26	120	293	10	<1	0.15	<5	24	7	<10	130	5	<1	<1	302	55	<20	263	<10	6	86	16
64284	081945	0.008	1	10.56	7	113	<2	<1	8.75	4	18	49	218	143	5.00	19	4	1	1	<1	1.79	<1	<1	1.83	1379	14	24	106	265	6	<1	0.16	<5	29	9	<10	121	3	4	<1	266	87	37	238	<10	7	72	<1
64285	081946	<0.005	<1	12.27	12	119	<2	3	7.61	5	16	56	248	166	5.73	22	3	2	2	<1	1.89	<1	<1	2.01	1318	16	27	123	285	10	<1	0.19	6	36	<5	<10	127	5	5	<1	276	58	<20	271	<10	7	81	<1
64286	081947	0.005	<1	10.31	9	116	<2	<1	7.36	4	42	50	237	145	5.52	55	12	14	<1	8	1.94	<1	<1	1.88	1345	18	52	107	280	7	<1	0.14	6	55	7	<10	118	10	21	<1	282	63	77	251	<10	6	73	478
64287	081948	0.006	1	10.56	30	113	<2	3	8.05	5	31	49	217	145	5.76	19	6	2	<1	<1	2.01	<1	<1	2.21	1494	17	24	105	284	9	<1	0.22	6	29	<5	<10	116	5	2	<1	284	42	<20	234	<10	6	72	10
64288	081949	0.005	1	9.70	72	112	<2	1	7.23	5	9	47	237	156	5.53	20	3	2	1	<1	1.98	<1	<1	2.11	1266	14	26	119	299	7	8	0.12	6	25	6	<10	123	4	4	<1	273	51	<20	242	<10	5	79	<1
64289	081950	<0.005	1	9.35	6	903	<2	<1	1.60	<4	54	4	287	4	1.28	15	4	2	<1	<1	1.98	23	<1	0.43	238	32	6	8	321	30	46	0.02	<5	2	14	<10	357	1	3	20	1178	25	<20	20	<10	9	37	55
64291	081951	0.005	<1	8.74	27	100	<2	<1	6.80	4	10	40	195	124	5.09	16	8	<1	1	<1	1.71	<1	<1	2.00	1311	14	21	95	236	9	<1	0.16	<5	22	5	<10	101	4	4	<1	268	40	34	202	<10	5	63	<1
64292	081952	0.031	<1	10.09	94	109	<2	<1	7.13	4	13	44	228	140	5.54	20	8	2	2	<1	1.66	<1	<1	2.13	1343	18	23	109	272	7	<1	0.17	7	25	10	<10	114	6	3	<1	280	54	33	220	<10	6	76	8
64293	081953	0.011	<1	7.78	105	99	<2	<1	5.81	<4	9	36	197	118	4.26	16	6	<1	1	<1	1.67	<1	<1	1.65	1008	15	20	88	232	8	<1	0.08	<5	18	<5	<10	112	4	3	<1	244	53	<20	200	<10	4	62	<1
64294	081954	0.017	<1	0.11	<2	1	<2	<1	0.10	<4	<1	<1	3	2	0.07	<1	<1	<1	<1	0.02	<1	<1	0.03	<100	<1	<1	<1	<100	<1	<1	<0.01	<5	<1	<5	<10	<3	<1	<1	<1	<100	13	<20	3	<10	<2	<1	<1	
64295	081955	0.017	<1	9.11	102	116	<2	<1	5.82	4	6	41	213	120	4.43	15	3	1	<1	<1	1.82	<1	<1	1.74	948	18	20	96	239	9	<1	0.09	<5	23	<5	<10	105	4	<1	<1	220	51	<20	196	<10	5	66	<1
64296	081956	0.013	<1	11.15	68	176	<2	<1	7.35	4	15	37	263	167	4.62	22	4	2	<1	<1	1.91	<1	<1	1.45	1234	27	25	97	333	15	<1	0.21	<5	27	7	<10	173	4	3	<1	276	70	<20	256	<10	6	77	71
64297	081957	0.040	1	8.65	65	143	<2	<1	6.48	4	10	35	227	129	4.68	18	2	<1	<1	<1	1.65	<1	<1	1.42	1129	21	22	91	246	8	<1	0.15	6	22	7	<10	137	3	3	<1	247	44	<20	217	<10	5	77	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64298	081958	0.021	<1	8.71	107	133	<2	1	5.95	4	9	40	208	141	4.66	16	<1	<1	<1	<1	1.56	<1	<1	1.48	1044	19	20	91	266	8	<1	0.62	<5	23	<5	<10	130	4	<1	<1	219	49	<20	205	<10	5	76	<1
64299	081959	0.013	<1	8.66	44	124	<2	<1	6.13	5	6	44	217	131	6.30	19	<1	<1	<1	<1	1.69	<1	<1	1.74	1384	18	23	114	220	11	<1	0.13	<5	26	<5	<10	118	5	5	<1	236	37	<20	231	<10	5	98	<1
64300	081960	<0.005	<1	8.37	13	138	<2	<1	6.38	4	9	45	193	122	5.42	16	1	<1	<1	<1	1.75	<1	<1	1.48	1377	18	22	102	214	10	<1	0.12	5	27	<5	<10	133	4	3	<1	221	43	<20	222	<10	5	83	<1
64301D	081960	<0.005	<1	8.87	16	139	<2	<1	6.54	5	12	45	193	126	5.45	17	4	<1	1	<1	1.70	<1	<1	1.53	1394	16	22	101	220	11	<1	0.13	5	27	<5	<10	131	5	3	<1	227	21	<20	217	<10	5	87	<1
64302	081961	0.006	1	8.14	9	190	<2	2	6.17	<4	13	34	200	137	4.03	19	13	2	2	<1	1.64	<1	<1	1.12	1066	28	22	86	286	10	<1	0.12	<5	16	9	<10	156	5	2	<1	290	37	<20	219	<10	5	68	43
64303	081962	0.010	<1	8.48	7	252	<2	<1	5.18	4	5	44	198	147	4.82	18	5	<1	2	<1	1.62	<1	<1	1.27	1053	20	21	120	254	11	<1	0.27	<5	20	<5	<10	132	3	<1	<1	268	48	<20	222	<10	5	70	<1
64304	081963	0.011	<1	10.71	9	198	<2	2	6.81	5	26	47	207	146	5.85	19	5	1	<1	<1	2.00	<1	<1	1.76	1253	17	23	112	291	12	<1	0.09	<5	29	<5	<10	144	3	3	<1	251	45	<20	234	<10	6	81	<1
64305	081964	0.011	<1	9.51	4	189	<2	<1	6.50	5	15	41	163	165	5.97	20	4	2	<1	<1	1.95	<1	<1	1.68	1253	21	22	101	328	12	<1	0.10	<5	24	<5	<10	131	4	5	<1	266	43	<20	225	<10	6	93	8
64306	081965	0.006	<1	10.33	5	178	<2	<1	6.92	5	18	42	162	163	6.17	20	<1	1	1	<1	1.69	<1	<1	1.87	1332	16	22	102	341	10	<1	0.10	5	29	5	<10	128	5	2	<1	244	59	<20	221	<10	7	96	<1
64307	081966	0.007	<1	9.36	4	307	<2	<1	6.16	4	10	38	207	139	4.66	19	<1	1	<1	4	1.69	<1	<1	1.36	1188	21	22	94	248	9	<1	0.13	5	23	10	<10	162	3	4	<1	266	24	<20	227	<10	5	62	<1
64308	081967	0.061	<1	8.64	11	257	<2	<1	8.34	6	16	36	220	101	6.59	14	1	<1	<1	<1	1.74	<1	<1	2.48	1731	8	21	102	204	10	<1	0.27	5	29	<5	<10	146	4	6	<1	218	45	<20	182	<10	6	85	<1
64309	081968	0.062	<1	8.64	15	416	<2	<1	6.06	4	15	40	263	126	4.95	16	4	2	<1	<1	1.78	<1	<1	1.89	1284	18	19	76	600	14	<1	0.27	7	21	5	<10	182	3	<1	<1	288	57	<20	189	<10	6	74	<1
64310	081969	0.011	<1	8.78	9	440	<2	<1	4.94	4	2	54	240	137	5.36	18	4	<1	<1	<1	1.84	<1	<1	1.44	1278	17	24	121	225	11	<1	0.18	5	23	5	<10	163	5	1	<1	298	26	21	246	<10	4	71	<1
64311	081970	0.978	<1	8.43	4	152	<2	<1	4.19	4	22	32	106	37	5.05	18	<1	2	2	<1	1.93	<1	<1	1.95	811	16	20	23	664	17	<1	0.06	<5	17	<5	<10	154	5	10	<1	4803	36	<20	166	<10	25	79	<1
64313	081971	0.008	<1	7.51	7	257	<2	<1	5.38	4	6	42	188	117	4.66	15	2	<1	2	<1	1.55	<1	<1	1.06	1203	22	19	105	204	8	<1	0.11	<5	18	8	<10	129	4	<1	<1	275	45	<20	207	<10	4	63	<1
64314	081972	0.007	1	8.93	11	189	<2	2	5.93	4	6	45	213	123	5.42	20	10	3	<1	5	1.83	<1	<1	1.61	1319	24	22	102	260	9	<1	0.13	5	23	<5	<10	157	5	2	<1	293	47	<20	233	<10	5	67	11
64315	081973	<0.005	<1	8.51	9	117	<2	<1	5.65	4	12	41	182	116	5.13	15	4	<1	1	<1	1.77	<1	<1	1.43	1351	15	19	85	213	8	<1	0.12	<5	23	<5	<10	117	4	<1	<1	209	35	<20	189	<10	5	67	<1
64316	081974	0.009	1	8.54	10	122	<2	4	5.72	5	10	48	203	130	6.08	18	6	1	<1	<1	1.53	<1	<1	1.44	1557	20	23	97	242	11	<1	0.13	<5	24	<5	<10	117	5	<1	<1	244	53	<20	233	<10	5	91	<1
64317	081975	0.006	<1	8.84	19	132	<2	<1	5.73	4	6	49	226	135	5.12	20	6	1	<1	<1	1.65	<1	<1	1.26	1306	24	23	102	246	13	<1	0.10	<5	22	7	<10	131	3	2	<1	263	30	<20	237	<10	5	80	<1
64318	081976	<0.005	<1	8.26	11	121	<2	<1	5.87	4	7	47	216	137	5.29	18	4	<1	<1	<1	1.63	<1	<1	1.29	1276	21	22	102	230	2	<1	0.12	<5	20	<5	<10	119	5	3	<1	244	47	<20	228	<10	4	77	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64319	081977	0.014	<1	8.82	9	114	<2	1	6.38	4	46	44	191	123	5.40	15	<1	<1	1	<1	1.62	<1	<1	1.55	1331	15	20	98	199	11	<1	0.12	<5	26	6	<10	101	3	5	<1	210	33	23	209	<10	5	79	<1
64320	081978	0.010	2	10.77	12	152	<2	<1	6.91	6	15	56	232	221	6.76	25	21	4	<1	3	1.76	<1	<1	1.67	1577	30	26	222	286	14	<1	0.16	6	27	<5	<10	132	6	5	<1	328	46	25	264	<10	6	111	112
64321	081979	0.010	1	11.15	9	129	<2	1	7.16	6	14	53	233	149	7.12	21	15	3	<1	<1	1.88	<1	<1	2.11	1550	20	27	132	283	9	<1	0.15	<5	35	<5	<10	116	6	9	<1	261	55	<20	265	<10	6	117	<1
64322	081980	<0.005	1	9.48	7	942	<2	<1	1.30	<4	74	5	356	9	1.42	12	<1	2	<1	<1	1.72	40	<1	0.47	231	32	4	10	337	26	17	0.02	<5	3	12	<10	247	<1	4	23	1109	25	<20	21	<10	9	34	68
64324	081981	0.011	<1	9.09	7	109	<2	<1	5.36	4	10	47	194	129	5.27	16	3	<1	<1	<1	1.55	<1	<1	1.42	1192	16	21	94	224	8	<1	0.12	<5	24	6	<10	91	4	1	<1	215	44	<20	209	<10	5	65	<1
64325	081982	0.006	<1	8.08	8	128	<2	<1	5.17	4	3	46	200	128	5.00	18	8	1	1	<1	1.54	<1	<1	1.15	1232	25	21	91	227	9	<1	0.12	<5	17	<5	<10	100	4	<1	<1	263	49	<20	215	<10	4	61	<1
64326	081983	0.006	<1	10.33	7	112	<2	1	6.34	4	7	51	212	142	5.83	18	3	<1	<1	<1	1.63	<1	<1	1.55	1491	17	23	108	235	8	<1	0.14	<5	32	7	<10	100	4	4	<1	213	33	<20	235	<10	5	76	<1
64327	081984	0.005	<1	9.29	5	104	<2	<1	5.53	4	3	44	190	122	5.00	14	1	<1	<1	<1	1.38	<1	<1	1.44	1285	16	19	91	226	10	<1	0.10	<5	27	<5	<10	88	3	1	<1	201	24	<20	204	<10	5	55	<1
64328	081985	0.007	<1	10.85	8	125	<2	2	6.30	5	11	52	214	143	5.63	18	5	<1	<1	<1	1.97	<1	<1	1.68	1444	17	23	104	251	11	<1	0.13	<5	32	6	<10	101	5	5	<1	237	44	<20	230	<10	6	70	<1
64329	081986	0.009	<1	9.10	7	147	<2	1	5.97	4	6	52	236	152	5.65	21	12	3	<1	<1	2.02	<1	<1	1.33	1501	28	25	114	252	9	<1	0.13	<5	21	5	<10	120	5	3	<1	300	59	<20	252	<10	5	71	52
64330	081987	0.010	1	10.82	10	137	<2	<1	5.40	5	7	57	231	164	5.80	20	3	<1	<1	<1	1.84	<1	<1	1.54	1393	21	25	122	270	10	<1	0.13	<5	31	6	<10	113	4	3	<1	246	44	<20	248	<10	5	73	<1
64331	081988	0.006	<1	8.76	8	128	<2	<1	5.40	<4	10	41	189	115	4.27	14	10	<1	<1	<1	1.47	<1	<1	1.26	1264	22	19	89	205	6	<1	0.10	<5	20	<5	<10	99	4	<1	<1	237	35	<20	192	<10	5	51	<1
64332	081989	0.007	<1	9.90	9	109	<2	1	5.84	5	5	46	185	134	5.79	15	6	<1	<1	<1	1.47	<1	<1	1.72	1451	17	21	104	225	11	<1	0.11	<5	31	<5	<10	90	4	1	<1	226	46	<20	210	<10	5	62	<1
64333	081990	0.008	<1	8.16	14	110	<2	2	5.53	4	2	47	196	124	5.75	16	5	<1	<1	<1	1.58	<1	<1	1.41	1409	21	20	107	191	10	<1	0.11	<5	21	<5	<10	99	4	<1	<1	243	33	<20	210	<10	4	57	<1
64334D	081990	0.008	<1	9.08	15	92	<2	<1	5.83	5	7	50	198	132	6.07	14	5	<1	2	<1	1.53	<1	<1	1.67	1465	12	20	114	202	8	<1	0.12	<5	30	<5	<10	88	3	2	<1	191	43	<20	206	<10	5	61	<1
64335	081991	0.005	<1	8.93	10	99	<2	2	5.55	4	7	46	185	131	5.42	14	2	<1	1	<1	1.53	<1	<1	1.61	1348	9	20	109	217	5	<1	0.11	<5	27	<5	<10	86	3	<1	<1	202	41	<20	198	<10	5	59	<1
64336	081992	0.006	1	8.86	11	131	<2	2	6.53	5	2	52	209	127	6.40	20	17	3	<1	<1	1.72	<1	<1	1.50	1665	29	24	128	228	10	<1	0.11	<5	22	<5	<10	100	4	<1	<1	326	52	21	238	<10	5	67	71
64337	081993	0.013	<1	8.63	12	90	<2	<1	5.75	4	6	40	179	112	5.05	12	<1	<1	1	<1	1.44	<1	<1	1.66	1293	11	19	93	222	6	<1	0.09	<5	28	<5	<10	81	4	1	<1	179	43	<20	185	<10	5	62	<1
64338	081994	0.007	<1	9.44	5	92	<2	2	6.83	5	12	39	194	125	5.57	14	5	<1	1	<1	1.79	<1	<1	1.97	1411	7	21	90	250	10	<1	0.11	8	32	5	<10	85	4	2	<1	191	53	<20	197	<10	5	76	<1
64339	081995	0.012	<1	10.23	5	115	<2	<1	7.72	4	12	38	199	127	5.78	16	5	<1	<1	<1	2.02	<1	<1	2.04	1526	17	22	95	257	5	<1	0.11	<5	32	6	<10	96	4	2	<1	234	23	37	207	<10	6	79	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 1, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/03/2011
Date Completed: 03/17/2011
Job #: 201140886
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
64340	081996	0.013	<1	9.63	12	123	<2	1	7.19	4	9	42	209	145	4.88	16	2	<1	2	<1	1.77	<1	<1	1.58	1361	18	21	94	257	8	<1	0.11	5	26	<5	<10	111	3	2	<1	230	50	28	200	<10	5	57	<1
64341	081997	0.010	<1	8.83	17	105	<2	<1	5.85	5	7	53	195	127	6.17	18	6	<1	2	<1	1.79	<1	<1	1.55	1514	21	21	117	217	8	<1	0.13	<5	24	<5	<10	87	4	3	<1	233	39	<20	209	<10	5	68	<1
64342	081998	0.009	<1	9.71	12	107	<2	<1	6.16	4	5	51	199	141	5.61	16	7	<1	<1	<1	1.70	<1	<1	1.50	1421	17	20	115	236	9	<1	0.12	<5	27	5	<10	89	4	4	<1	211	58	<20	203	<10	5	56	<1
64343	081999	0.006	<1	8.79	13	111	<2	<1	6.21	5	6	45	183	124	5.99	14	4	<1	1	<1	1.82	<1	<1	1.52	1579	20	20	113	224	11	<1	0.10	<5	21	<5	<10	84	5	3	<1	230	52	<20	196	<10	5	57	<1
64344	082000	13.855	6	7.31	25	393	<2	<1	2.56	<4	<1	23	78	118	3.64	12	5	<1	<1	<1	1.50	<1	<1	1.08	505	30	11	38	575	29	265	0.47	<5	8	10	<10	109	3	<1	<1	3157	35	<20	96	<10	13	123	<1
64346	088601	0.013	<1	9.38	23	108	<2	<1	7.45	6	7	46	188	120	7.33	18	8	<1	1	<1	1.64	<1	<1	1.99	1796	23	22	123	199	12	<1	0.12	6	27	<5	<10	83	6	<1	<1	263	36	34	211	<10	5	79	<1
64347	088602	<0.005	<1	9.31	64	121	<2	2	6.00	5	1	47	183	131	6.34	16	3	<1	1	<1	1.62	<1	<1	1.72	1546	19	20	111	215	10	<1	0.13	5	28	<5	<10	83	5	<1	<1	242	36	<20	205	<10	5	75	<1
64348	088603	0.015	1	8.97	129	149	<2	<1	7.28	5	6	43	194	129	5.89	16	6	<1	1	<1	2.00	<1	<1	1.71	1709	20	20	105	223	9	<1	0.14	5	23	<5	<10	96	4	<1	<1	247	14	<20	198	<10	5	68	<1
64349	088604	0.022	1	8.97	179	146	<2	<1	6.36	5	4	47	186	134	6.47	16	6	<1	<1	<1	1.98	<1	<1	1.88	1544	17	20	115	244	14	<1	0.21	<5	24	<5	<10	96	4	1	<1	236	41	21	194	<10	4	79	<1
64350	088605	0.025	1	9.56	186	152	<2	3	6.66	5	6	49	191	141	6.82	17	3	1	<1	<1	1.93	<1	<1	1.96	1611	19	21	113	245	13	<1	0.22	<5	26	5	<10	103	5	1	<1	254	43	<20	204	<10	5	80	<1
64351	088606	0.020	<1	8.93	232	121	<2	<1	6.06	5	2	44	207	119	6.02	15	<1	<1	1	<1	1.67	<1	<1	1.79	1405	16	19	109	216	11	<1	0.17	5	24	<5	<10	95	4	2	<1	215	48	<20	182	<10	4	63	<1
64352	088607	0.008	<1	8.49	226	110	<2	1	6.58	4	5	37	154	109	4.99	13	5	<1	1	<1	1.62	<1	<1	2.08	1138	16	17	97	216	10	<1	0.07	<5	23	<5	<10	88	3	<1	<1	227	39	<20	163	<10	5	54	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73230	088614	0.009	2	12.85	17	125	<2	<1	1.07	13	3	68	318	172	13.35	24	9	9	<1	<1	1.82	2	34	2.90	3154	85	22	162	495	15	<1	1.56	<5	28	<5	<10	129	8	1	2	1396	<2	44	260	<10	11	172	167
73231	088615	0.007	1	10.80	10	131	<2	2	1.00	10	<1	64	279	154	10.06	22	3	6	<1	<1	1.73	<1	37	2.47	2403	68	26	159	385	13	<1	0.26	<5	26	<5	<10	144	6	<1	1	519	<2	<20	295	<10	6	160	105
73232	088616	<0.005	2	10.78	12	128	<2	<1	1.04	10	<1	70	259	167	11.68	22	21	8	<1	<1	1.85	<1	38	2.16	2829	78	24	136	408	16	<1	0.25	<5	25	<5	<10	150	8	<1	2	629	<2	20	279	<10	8	183	180
73233	088617	<0.005	2	12.49	14	130	<2	<1	1.16	10	<1	67	239	146	10.93	22	22	8	1	<1	2.00	<1	42	2.64	2929	76	23	128	359	15	<1	0.17	<5	29	<5	<10	143	6	<1	3	736	<2	<20	262	<10	11	181	185
73234	088618	<0.005	1	11.47	10	138	<2	<1	2.76	8	<1	60	249	139	8.63	20	30	7	<1	<1	1.81	<1	44	2.68	2848	68	23	121	357	13	<1	0.13	<5	27	13	<10	166	6	<1	1	750	<2	34	266	<10	9	127	167
73235	088619	<0.005	1	11.36	14	135	<2	<1	1.11	9	<1	70	264	154	10.18	21	1	5	<1	<1	1.75	<1	43	2.99	3127	64	26	154	372	15	<1	0.27	<5	29	<5	<10	133	7	<1	2	693	<2	<20	293	<10	8	180	49
73236	088620	<0.005	1	6.50	5	634	2	<1	1.24	<4	28	7	676	13	2.08	15	18	4	1	<1	1.66	10	33	0.38	303	51	12	12	771	37	22	0.04	<5	1	<5	<10	230	3	<1	8	2832	<2	<20	34	<10	5	141	129
73237	088621	<0.005	2	10.36	14	138	<2	<1	2.77	7	<1	56	252	149	7.94	20	18	7	4	<1	1.71	<1	42	2.39	2433	68	23	126	365	8	<1	0.14	<5	23	<5	<10	173	5	<1	2	795	4	<20	271	<10	7	148	158
73238	088622	<0.005	1	11.01	10	119	<2	<1	1.08	9	<1	61	260	153	10.03	21	7	5	<1	<1	1.74	<1	41	2.92	3130	67	25	130	356	10	<1	0.15	9	27	<5	<10	126	6	<1	<1	1038	13	<20	287	<10	8	194	111
73239	088623	<0.005	1	10.54	8	115	<2	<1	1.09	8	<1	65	259	147	9.62	20	<1	5	<1	<1	1.60	<1	40	2.48	3143	65	24	133	362	15	<1	0.09	<5	25	<5	<10	127	6	<1	1	1371	3	<20	285	<10	7	170	57
73240D	088623	<0.005	1	10.72	12	116	<2	<1	1.09	9	<1	65	264	153	9.83	19	1	5	<1	<1	1.85	<1	40	2.50	3202	66	25	134	373	8	<1	0.09	<5	24	<5	<10	129	6	<1	<1	1385	13	23	290	<10	7	174	67
73241	088624	<0.005	1	11.92	12	123	<2	<1	1.47	10	<1	67	235	150	10.83	23	<1	7	2	<1	1.84	<1	40	2.50	3421	74	26	124	390	10	<1	0.13	<5	27	<5	<10	148	7	<1	1	2236	<2	<20	303	<10	10	194	130
73242	088625	<0.005	<1	12.79	9	93	<2	<1	1.87	10	3	69	241	168	11.80	20	<1	1	3	<1	1.97	2	38	3.16	3816	66	26	126	413	11	<1	0.13	<5	41	7	<10	144	5	<1	<1	1644	<2	<20	314	<10	18	206	<1
73243	088626	<0.005	1	13.97	11	119	<2	<1	1.02	13	2	62	234	138	13.84	23	17	6	<1	<1	2.12	2	35	3.18	3392	81	27	149	467	8	<1	0.33	<5	37	<5	<10	123	10	<1	<1	3540	14	46	299	<10	20	265	52
73244	088627	<0.005	<1	12.34	10	281	<2	<1	0.95	8	<1	50	273	129	8.72	19	<1	1	1	<1	1.93	<1	48	3.00	1822	53	31	167	456	16	<1	0.07	<5	37	14	<10	100	9	<1	1	4930	<2	<20	343	<10	16	155	<1
73245	088628	<0.005	1	11.28	19	569	<2	<1	1.04	7	<1	70	275	173	7.76	20	8	5	1	<1	1.79	<1	46	2.62	1772	56	33	162	463	13	<1	0.04	<5	29	<5	<10	94	7	<1	<1	7368	<2	<20	352	<10	12	140	32
73246	088629	<0.005	1	13.12	11	182	<2	<1	1.51	7	4	60	325	115	8.16	19	21	8	2	<1	1.95	2	44	3.40	2378	65	29	138	599	5	<1	0.06	<5	34	9	<10	160	8	<1	<1	6787	<2	<20	304	<10	19	167	118
73247	088630	<0.005	1	14.89	10	131	<2	<1	1.52	7	2	52	292	86	8.38	21	15	7	<1	<1	2.09	1	50	3.96	1607	61	36	153	424	11	<1	0.05	<5	42	18	<10	171	8	<1	<1	7358	<2	<20	376	<10	27	120	89
73248	088631	0.005	<1	11.19	11	117	<2	<1	1.51	7	<1	71	302	159	7.47	18	<1	3	<1	<1	1.75	<1	46	3.17	1585	47	34	163	471	5	<1	0.10	<5	30	<5	<10	190	8	<1	<1	7430	<2	<20	347	<10	14	157	<1
73249	088632	<0.005	<1	12.88	15	103	<2	<1	2.56	10	14	71	144	226	10.96	20	4	5	<1	<1	1.84	6	45	3.40	2257	65	25	97	581	9	<1	0.35	<5	21	<5	<10	262	8	2	<1	7536	7	<20	244	<10	18	257	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73250	088633	<0.005	<1	11.30	8	113	<2	<1	2.75	8	6	63	157	179	9.50	22	6	5	<1	<1	1.91	3	42	3.09	1633	62	28	106	542	9	<1	0.21	<5	18	<5	<10	329	8	<1	<1	7648	<2	<20	262	<10	13	147	57
73251D	088633	<0.005	1	12.18	12	107	<2	<1	2.76	8	9	62	155	177	9.57	18	<1	5	<1	<1	2.02	3	43	3.23	1634	57	27	104	544	8	<1	0.22	<5	21	<5	<10	327	7	<1	<1	7645	7	<20	259	<10	16	142	<1
73252	088634	<0.005	<1	11.00	6	97	<2	<1	3.97	9	11	61	60	223	9.83	19	<1	4	<1	<1	2.01	5	44	2.92	1596	59	23	77	583	10	<1	0.14	<5	13	<5	<10	469	8	<1	2	7520	4	<20	198	<10	12	158	<1
73253	088635	<0.005	<1	10.32	3	98	<2	<1	3.92	9	9	61	56	225	9.69	19	4	5	<1	<1	1.87	3	40	2.84	1579	60	23	77	573	8	<1	0.12	<5	12	<5	<10	466	8	7	1	7627	<2	<20	201	<10	11	192	<1
73254	088636	<0.005	<1	13.65	5	99	<2	<1	2.60	7	10	62	165	198	8.38	17	10	3	<1	<1	2.13	5	42	3.77	1462	52	29	109	486	9	<1	0.17	<5	30	11	<10	222	6	<1	<1	7395	<2	<20	285	10	22	154	<1
73255	088637	<0.005	<1	13.28	6	87	<2	<1	2.55	7	4	61	251	159	8.01	16	2	1	<1	<1	2.10	2	48	4.06	1446	36	31	120	410	13	<1	0.17	<5	39	10	<10	182	7	<1	<1	6988	2	<20	327	<10	25	146	<1
73256	088638	<0.005	<1	12.89	11	103	<2	<1	2.95	7	2	58	255	162	7.56	19	<1	5	<1	<1	1.99	<1	43	3.52	1552	53	33	111	428	6	<1	0.11	<5	34	<5	<10	216	7	<1	<1	7256	<2	<20	339	<10	19	168	1
73257	088639	<0.005	<1	12.30	9	88	<2	<1	3.23	6	3	58	258	149	7.04	15	<1	<1	<1	<1	1.99	<1	46	3.42	1390	39	31	106	414	15	<1	0.14	<5	34	13	<10	212	7	<1	<1	7105	<2	<20	333	<10	18	133	<1
73258	088640	14.028	6	7.57	30	350	<2	<1	2.84	4	<1	27	97	135	4.51	14	20	<1	<1	<1	1.91	<1	27	0.97	631	57	12	43	664	31	226	0.70	<5	6	9	<10	144	5	<1	<1	5011	<2	<20	115	11	10	143	<1
73259	088641	0.013	<1	10.83	9	90	<2	<1	4.40	6	3	55	257	147	6.67	16	<1	<1	<1	1	1.78	2	46	2.98	1320	41	31	103	405	7	<1	0.13	<5	28	15	<10	221	7	<1	<1	6913	5	<20	325	<10	17	104	<1
73260	088642	0.007	<1	10.97	10	108	<2	<1	5.18	6	2	55	234	142	6.17	16	9	2	<1	<1	2.16	2	43	2.57	1296	53	30	91	384	4	<1	0.18	<5	25	11	<10	220	6	<1	<1	6615	8	<20	308	<10	16	88	19
73261	088643	0.007	<1	12.37	12	93	<2	<1	5.31	6	7	56	225	124	7.33	16	8	<1	<1	<1	2.39	3	48	3.40	1448	47	30	100	360	5	<1	0.38	<5	33	17	<10	185	6	<1	<1	6212	3	<20	309	<10	22	106	<1
73262D	088643	0.011	<1	12.66	14	88	<2	<1	5.58	7	8	58	235	135	7.77	15	<1	2	<1	<1	2.26	4	52	3.68	1529	40	30	104	388	8	<1	0.40	<5	35	12	<10	186	8	<1	<1	6548	22	<20	322	<10	24	113	<1
73263	088644	<0.005	<1	13.49	13	85	<2	<1	5.27	6	7	58	239	130	7.32	16	<1	<1	2	<1	2.22	4	54	3.97	1407	37	30	104	419	7	<1	0.13	<5	37	<5	<10	200	5	<1	<1	6895	4	<20	309	<10	23	96	<1
73264	088645	<0.005	<1	12.94	12	96	<2	<1	5.59	6	7	53	234	131	7.02	17	5	<1	1	<1	2.14	3	50	3.55	1295	47	31	95	387	8	<1	0.26	<5	34	<5	<10	203	8	<1	<1	6821	19	<20	320	<10	21	81	<1
73265	088646	<0.005	<1	14.17	14	108	<2	<1	3.34	6	6	53	266	114	7.37	17	3	2	<1	<1	2.21	3	53	3.71	1407	49	30	111	412	10	<1	0.06	<5	39	<5	<10	187	7	<1	1	6994	3	<20	320	<10	21	120	<1
73266	088647	0.008	<1	13.07	22	92	<2	<1	3.55	5	3	58	262	127	6.34	17	<1	3	<1	<1	2.11	2	47	3.49	1143	46	30	109	386	4	<1	0.08	<5	37	12	<10	182	7	<1	<1	7078	<2	<20	323	<10	19	110	<1
73267	088648	0.009	<1	10.93	31	82	<2	<1	4.87	5	3	58	295	199	6.16	16	<1	<1	<1	<1	1.93	1	42	2.87	1109	40	28	99	397	7	<1	0.20	<5	29	15	<10	214	6	<1	<1	6824	3	<20	302	<10	16	115	<1
73268	088649	0.006	<1	11.76	17	87	<2	<1	6.42	6	7	52	246	176	5.99	14	<1	<1	<1	<1	2.07	3	43	3.13	1086	46	26	97	344	5	<1	0.20	<5	32	<5	<10	219	7	<1	<1	6361	8	<20	283	<10	18	83	<1
73269	088650	<0.005	<1	7.28	5	691	<2	<1	1.26	<4	26	4	422	9	1.47	11	8	<1	<1	<1	1.83	12	37	0.36	244	43	4	6	301	35	9	0.03	6	1	12	<10	235	1	<1	7	1373	<2	<20	21	<10	4	39	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73270	088651	<0.005	<1	11.28	13	105	<2	<1	4.68	6	3	57	259	144	6.39	17	6	3	2	<1	2.02	1	45	3.24	1145	50	28	101	336	2	<1	0.19	<5	27	13	<10	194	6	<1	<1	6595	4	<20	302	<10	15	113	<1
73271	088652	<0.005	5	11.82	8	101	<2	<1	6.49	5	5	52	257	170	6.15	17	2	1	<1	<1	2.23	2	42	2.78	1110	53	27	86	379	7	<1	0.14	<5	30	<5	<10	229	6	<1	<1	6550	2	<20	284	<10	18	77	<1
73272	088653	0.006	<1	11.72	14	99	<2	<1	6.89	6	7	59	239	160	7.00	19	3	3	2	<1	2.08	2	44	3.04	1225	50	29	92	377	4	<1	0.18	<5	28	7	<10	266	7	<1	<1	6673	15	<20	307	<10	17	75	<1
73273D	088653	0.010	<1	11.95	14	108	<2	<1	6.56	5	6	57	231	153	6.70	17	5	3	<1	<1	2.06	2	43	2.90	1175	57	27	88	355	5	<1	0.18	<5	28	<5	<10	257	7	<1	<1	6458	<2	<20	294	<10	17	67	37
73274	088654	0.008	1	11.59	8	104	<2	<1	7.91	5	5	42	222	86	5.78	16	9	<1	<1	<1	2.14	2	42	2.57	1208	51	26	61	343	6	<1	0.14	<5	29	19	<10	194	6	<1	<1	6000	10	<20	283	<10	18	59	<1
73275	088655	<0.005	<1	11.69	11	98	<2	<1	8.29	5	8	46	246	88	6.12	16	<1	<1	<1	<1	2.08	3	43	2.73	1273	48	27	62	352	4	1	0.18	<5	31	9	<10	199	6	<1	<1	6266	10	<20	295	<10	19	61	<1
73276	088656	<0.005	<1	12.63	11	116	<2	<1	5.82	5	7	39	226	78	5.59	17	8	<1	<1	7	2.09	3	43	2.93	1173	53	31	56	419	5	<1	0.08	<5	33	14	<10	164	8	<1	<1	6444	14	<20	322	<10	23	83	<1
73277	088657	0.006	<1	13.10	7	121	<2	<1	3.16	4	5	40	246	118	5.66	16	<1	2	<1	<1	2.12	2	48	3.15	1196	47	31	60	411	9	<1	0.05	<5	36	<5	<10	146	6	<1	<1	6777	3	<20	326	<10	22	134	<1
73278	088658	<0.005	<1	11.48	15	142	<2	<1	2.45	5	<1	43	263	157	5.86	18	8	5	2	<1	1.85	<1	43	2.60	1479	54	32	72	401	4	<1	0.09	<5	29	6	<10	144	6	<1	<1	7338	<2	<20	337	<10	15	199	25
73279	088659	<0.005	<1	10.81	23	141	<2	<1	5.47	4	5	49	265	170	5.12	17	3	3	<1	<1	1.86	<1	43	2.39	1001	55	32	62	396	8	<1	0.12	<5	27	<5	<10	187	6	<1	<1	6753	3	<20	332	<10	14	96	7
73280	088660	<0.005	<1	11.94	17	142	<2	<1	4.64	5	4	46	278	158	5.87	20	9	3	<1	<1	1.97	<1	42	2.40	1134	56	34	60	433	12	<1	0.18	<5	32	11	<10	186	7	<1	<1	7418	<2	<20	358	<10	17	130	56
73281	088661	<0.005	<1	11.45	7	123	<2	<1	7.22	4	7	40	214	179	4.99	17	10	4	<1	2	2.07	3	42	2.51	1164	57	34	42	422	3	<1	0.28	6	30	11	<10	187	6	<1	<1	7172	2	<20	349	<10	17	89	26
73282	088662	<0.005	1	12.44	10	127	<2	<1	5.52	4	8	38	145	191	5.48	18	13	7	<1	<1	2.05	2	43	2.71	1186	62	33	37	489	6	<1	0.18	<5	33	19	<10	174	8	<1	<1	8223	2	<20	346	<10	20	110	99
73283	088663	<0.005	<1	11.74	7	114	<2	<1	5.90	4	8	40	135	156	5.44	17	7	4	<1	<1	2.15	2	42	2.59	1192	55	33	37	485	<1	<1	0.27	<5	31	12	<10	175	7	<1	<1	7820	8	<20	344	<10	18	123	27
73284D	088663	<0.005	<1	11.83	4	102	<2	<1	6.22	5	6	42	144	156	5.75	17	<1	2	1	<1	1.98	3	44	2.82	1254	49	34	38	506	<1	<1	0.31	<5	35	5	<10	175	8	<1	<1	7609	8	<20	355	<10	19	137	<1
73285	088664	<0.005	<1	12.43	5	108	<2	<1	5.14	6	7	47	156	182	6.27	20	<1	3	<1	<1	2.07	2	47	3.27	1248	50	39	44	469	12	<1	0.10	<5	40	12	<10	176	7	<1	<1	7201	7	<20	410	<10	20	142	<1
73286	088665	<0.005	<1	12.34	4	109	<2	<1	5.36	5	6	45	150	183	5.99	16	<1	3	<1	<1	2.05	2	45	3.13	1223	53	37	41	452	8	<1	0.10	<5	37	9	<10	170	7	<1	<1	7103	12	<20	384	<10	19	124	<1
73287	088666	0.006	<1	12.43	12	174	<2	<1	4.09	5	7	49	160	193	6.17	17	<1	<1	<1	<1	1.96	2	49	3.25	1418	47	35	49	479	2	<1	0.08	<5	40	<5	<10	155	8	<1	<1	5841	<2	<20	377	<10	20	114	<1
73288	088667	0.005	<1	10.21	14	114	<2	<1	7.46	5	6	43	112	141	5.66	15	<1	<1	<1	<1	1.91	2	45	2.88	1521	41	28	40	418	6	<1	0.17	<5	32	<5	<10	132	5	<1	<1	4025	8	<20	311	<10	19	107	<1
73289	088668	0.010	<1	11.29	24	117	<2	<1	4.62	6	7	51	96	175	6.32	16	<1	<1	<1	<1	1.82	3	51	3.35	1404	37	33	46	545	12	<1	0.18	<5	39	7	<10	118	7	<1	<1	3024	<2	<20	362	<10	24	129	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73290	088669	0.010	<1	12.11	12	137	<2	<1	5.81	7	6	42	107	156	8.13	19	5	3	<1	<1	2.22	2	47	2.99	2111	53	30	43	425	12	<1	0.42	<5	37	<5	<10	133	6	<1	<1	1231	2	<20	349	<10	19	140	6
73291	088670	13.573	7	9.17	30	383	2	<1	3.07	4	2	27	100	144	4.68	18	11	4	1	<1	1.95	<1	31	1.09	661	65	12	44	698	34	255	0.71	<5	7	<5	<10	157	4	<1	<1	5263	4	<20	121	<10	11	154	98
73292	088671	0.015	<1	12.16	19	170	<2	<1	6.06	5	6	36	110	138	5.97	18	11	4	<1	<1	2.18	2	45	2.84	1520	62	29	42	466	9	<1	0.12	5	33	<5	<10	154	5	<1	<1	844	<2	<20	315	<10	16	106	87
73293	088672	0.009	<1	11.78	23	157	<2	<1	6.52	5	10	45	115	165	5.74	17	8	1	<1	<1	2.19	3	46	2.89	1487	54	28	48	467	7	<1	0.11	<5	35	<5	<10	156	5	<1	<1	776	5	<20	320	<10	15	118	10
73294	088673	0.007	1	11.47	17	182	<2	<1	5.62	5	7	40	101	155	5.80	19	16	2	<1	<1	2.18	2	43	2.54	1403	59	30	45	451	7	<1	0.14	<5	31	<5	<10	164	3	<1	<1	747	6	<20	327	<10	14	115	78
73295R	088673	<0.005	1	9.91	21	186	<2	<1	5.59	5	6	42	104	198	5.70	18	6	<1	<1	<1	2.24	2	46	2.32	1403	59	28	45	449	9	<1	0.15	<5	26	<5	<10	165	5	<1	<1	684	5	<20	322	<10	11	133	60
73296	088674	<0.005	<1	9.55	23	130	<2	<1	6.83	4	6	38	104	144	4.95	15	18	2	3	<1	2.32	1	44	2.04	1541	57	23	41	411	5	<1	0.18	<5	24	12	<10	180	6	<1	<1	680	4	<20	272	<10	12	91	38
73297	088675	<0.005	<1	8.22	14	136	<2	<1	5.60	5	4	37	93	159	5.39	14	3	<1	<1	<1	2.14	<1	44	1.96	1497	48	27	39	467	11	<1	0.12	<5	22	<5	<10	167	4	<1	<1	531	<2	<20	310	<10	11	100	<1
73298	088676	<0.005	<1	9.67	12	107	<2	<1	6.47	5	7	39	97	161	6.18	17	<1	<1	1	<1	2.15	2	48	2.63	1693	43	28	41	469	9	<1	0.18	<5	32	10	<10	150	6	<1	<1	519	<2	<20	322	<10	12	115	<1
73299	088677	<0.005	<1	8.59	7	117	<2	<1	6.29	5	6	38	92	151	6.30	17	<1	<1	2	<1	2.03	2	46	2.01	1929	47	28	42	441	11	<1	0.37	<5	24	<5	<10	150	5	<1	<1	530	3	<20	316	<10	9	106	<1
73300	088678	<0.005	<1	9.52	4	100	<2	8	4.98	6	4	42	92	168	7.06	18	<1	<1	<1	1.86	2	50	2.70	1570	44	30	42	481	8	<1	0.67	<5	30	<5	<10	129	6	<1	<1	425	7	20	346	<10	8	113	<1	
73301	088679	<0.005	<1	10.33	4	105	<2	<1	5.22	6	5	38	78	160	6.83	18	3	2	<1	<1	1.90	1	51	2.72	1545	51	30	38	467	6	<1	0.19	<5	31	<5	<10	120	5	<1	<1	459	3	29	343	<10	9	112	<1
73302	088680	<0.005	<1	6.67	7	725	2	<1	1.39	<4	15	3	188	6	1.21	12	7	<1	2	<1	1.63	7	42	0.35	241	45	6	5	325	33	19	0.02	<5	<1	<5	<10	342	<1	<1	4	1601	<2	<20	23	<10	5	35	49
73303	088681	<0.005	<1	9.98	5	115	<2	<1	5.31	6	6	40	68	154	6.60	18	7	2	2	<1	2.21	1	50	2.46	1622	55	29	39	457	9	<1	0.17	<5	28	<5	<10	143	6	<1	<1	485	<2	<20	328	<10	8	107	15
73304	088682	<0.005	<1	10.89	7	94	<2	<1	6.34	7	8	38	72	158	7.59	16	<1	<1	2	<1	2.35	2	54	3.03	1753	44	29	39	484	13	<1	0.13	<5	35	6	<10	136	6	<1	<1	508	<2	<20	338	<10	11	112	<1
73305	088683	<0.005	<1	9.31	11	93	<2	<1	9.66	6	9	30	54	103	6.15	11	<1	<1	2	<1	2.31	3	47	2.58	2564	47	18	27	322	12	<1	0.16	<5	25	<5	<10	143	5	<1	<1	437	<2	<20	216	<10	10	75	<1
73306D	088683	<0.005	<1	9.61	6	106	<2	3	9.50	5	8	29	54	111	5.99	13	<1	2	<1	<1	2.32	3	49	2.46	2527	53	18	26	326	9	<1	0.15	<5	23	10	<10	147	4	<1	<1	469	6	<20	214	<10	10	76	<1
73307	088684	0.010	<1	8.90	8	119	<2	2	9.93	6	9	31	64	112	6.19	13	9	<1	1	<1	2.15	3	40	2.00	2172	48	20	29	355	10	<1	0.54	<5	22	<5	<10	186	4	<1	<1	559	6	<20	230	<10	10	94	<1
73308	088685	0.012	<1	8.44	11	106	<2	<1	10.09	6	9	35	80	122	6.39	13	<1	<1	1	<1	2.04	3	39	2.05	2199	40	20	32	361	12	<1	0.58	<5	23	<5	<10	186	4	<1	<1	533	12	<20	238	<10	10	98	<1
73309	088686	0.008	<1	8.09	26	124	<2	3	6.17	6	4	35	57	147	6.40	16	<1	<1	<1	1.94	2	40	2.07	1989	50	24	30	457	11	<1	0.29	<5	21	7	<10	146	5	<1	<1	446	<2	<20	285	<10	7	100	<1	

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73310	088687	0.019	<1	8.54	31	126	<2	<1	5.28	6	3	36	90	139	6.56	15	<1	1	1	<1	1.89	<1	42	2.26	1987	51	24	34	462	13	<1	0.12	<5	21	9	<10	132	5	<1	<1	483	8	<20	271	<10	7	98	<1
73311	088688	0.006	<1	7.82	33	134	<2	2	5.13	5	<1	43	95	160	6.28	17	<1	<1	1	<1	1.81	<1	40	1.96	1802	47	27	41	483	10	<1	0.28	<5	21	10	<10	148	5	<1	<1	450	<2	<20	314	<10	6	115	<1
73312	088689	<0.005	<1	7.44	26	109	<2	5	5.11	5	2	43	82	166	5.72	17	<1	<1	1	<1	1.80	<1	41	1.67	1535	46	27	41	486	8	<1	0.20	<5	20	<5	<10	123	5	<1	<1	389	<2	<20	316	<10	6	113	<1
73313	088690	<0.005	<1	9.34	20	97	<2	5	5.50	7	3	47	96	177	6.91	17	<1	<1	<1	<1	1.92	1	48	2.30	1520	43	31	46	525	9	<1	0.24	6	30	<5	<10	114	6	<1	<1	372	4	<20	353	<10	8	139	<1
73314	088691	<0.005	<1	7.85	16	172	<2	5	6.44	5	4	41	77	161	5.83	17	<1	<1	3	<1	2.10	1	44	1.61	1650	45	30	41	472	8	<1	0.19	<5	22	<5	<10	139	4	<1	<1	427	<2	<20	335	<10	7	116	<1
73315	088692	0.073	<1	8.57	10	160	<2	4	6.04	5	6	37	88	152	5.54	13	<1	<1	3	<1	2.18	2	45	2.08	1425	40	27	37	433	7	<1	0.17	<5	27	14	<10	128	4	<1	<1	403	7	<20	308	<10	8	113	<1
73316	088693	0.017	3	11.47	11	139	<2	4	6.20	5	7	36	75	146	5.53	15	<1	<1	<1	<1	2.09	2	45	2.29	1482	50	27	36	415	7	<1	0.18	<5	32	<5	<10	132	2	<1	<1	405	<2	<20	299	<10	10	95	<1
73317D	088693	<0.005	<1	9.47	12	130	<2	<1	6.74	5	4	40	83	167	5.97	16	<1	<1	<1	<1	2.12	1	48	2.15	1634	43	29	41	448	5	<1	0.20	7	29	17	<10	132	4	<1	<1	394	<2	20	330	<10	9	106	<1
73318	088694	0.006	<1	9.28	15	108	<2	3	4.66	6	1	40	93	157	6.24	17	8	3	<1	<1	2.07	<1	45	2.07	1328	53	28	40	446	11	<1	0.17	<5	25	<5	<10	114	4	<1	<1	444	<2	<20	321	<10	7	116	18
73319	088695	0.008	<1	9.19	11	96	<2	4	4.51	6	3	43	100	157	6.38	18	2	<1	<1	<1	1.97	1	46	2.28	1301	47	29	41	462	12	<1	0.16	9	27	<5	<10	112	5	<1	<1	392	<2	<20	327	<10	7	120	<1
73320	088696	0.020	<1	10.11	9	79	<2	<1	5.82	7	9	39	97	153	7.40	17	<1	<1	<1	<1	1.90	2	51	2.85	1817	42	28	37	496	10	<1	0.16	<5	33	<5	<10	96	5	<1	<1	356	<2	<20	319	<10	9	113	<1
73321	088697	0.009	<1	8.77	7	92	<2	5	6.27	6	7	36	94	150	6.27	15	<1	<1	<1	<1	1.88	2	49	2.32	1866	40	25	37	442	4	<1	0.15	<5	27	<5	<10	106	5	<1	<1	447	13	<20	286	<10	9	85	<1
73322	088698	0.037	<1	9.39	3	122	<2	<1	6.21	6	6	37	90	149	6.30	17	1	2	<1	<1	1.93	<1	47	1.95	1720	55	26	39	430	15	<1	0.17	<5	24	<5	<10	132	6	<1	<1	636	<2	<20	293	<10	9	92	33
73323	088699	0.018	1	9.99	5	108	<2	1	5.98	6	7	37	94	164	6.89	17	<1	<1	<1	<1	2.08	1	51	2.43	1757	52	28	39	421	13	<1	0.18	<5	28	<5	<10	137	5	<1	<1	629	<2	<20	311	<10	11	119	<1
73324	088700	1.027	<1	7.59	4	181	<2	<1	4.88	5	9	41	137	44	6.30	19	<1	2	<1	<1	2.09	3	29	1.58	1050	52	21	27	709	19	16	0.08	<5	10	<5	<10	207	6	<1	<1	8556	<2	<20	203	<10	17	90	<1
73325	088701	0.026	<1	8.89	5	106	<2	<1	5.73	6	6	35	103	152	6.62	17	<1	<1	<1	<1	2.17	<1	51	2.43	1728	52	27	39	433	7	<1	0.16	<5	28	<5	<10	145	5	<1	<1	690	3	<20	305	<10	10	99	<1
73326	088702	0.011	<1	10.27	2	109	<2	<1	5.93	7	4	34	108	154	7.28	19	<1	2	2	<1	2.11	2	52	2.46	1868	53	27	40	415	4	<1	0.31	<5	29	<5	<10	150	4	<1	<1	683	<2	<20	305	<10	11	111	5
73327	088703	0.005	1	9.76	3	110	<2	<1	6.81	6	6	34	114	149	6.78	17	1	<1	<1	<1	2.12	<1	49	2.15	1880	51	27	42	411	9	<1	0.33	<5	26	<5	<10	159	6	<1	<1	736	8	21	307	<10	11	92	<1
73328D	088703	0.005	<1	8.84	6	99	<2	2	7.16	6	7	33	113	152	6.62	16	<1	<1	<1	<1	2.04	2	48	2.04	1863	47	27	41	410	6	<1	0.33	<5	25	5	<10	149	5	<1	<1	696	4	<20	303	<10	10	95	<1
73329	088704	0.009	<1	9.32	6	102	<2	<1	6.81	6	4	40	118	156	6.29	16	<1	<1	<1	<1	2.03	<1	50	2.31	1695	51	26	44	405	11	<1	0.18	<5	26	<5	<10	144	6	<1	<1	741	7	<20	306	<10	11	99	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73330	088705	0.018	<1	12.09	6	99	<2	<1	6.65	6	10	39	126	156	6.42	17	<1	<1	2	<1	1.87	3	53	2.81	1590	49	26	44	404	3	<1	0.16	<5	37	9	<10	143	5	<1	<1	818	6	<20	304	<10	15	100	<1
73331	088706	<0.005	<1	10.08	5	82	<2	<1	6.52	6	6	43	129	163	6.06	15	<1	<1	<1	<1	1.93	2	51	2.70	1499	40	28	50	412	15	<1	0.16	<5	35	18	<10	137	6	<1	<1	666	<2	<20	316	<10	12	116	<1
73332	088707	<0.005	<1	10.16	7	83	<2	<1	6.47	6	6	44	156	179	5.91	16	<1	<1	<1	2	1.79	2	53	2.70	1381	39	29	53	412	7	<1	0.16	<5	35	5	<10	163	4	<1	<1	576	2	<20	327	<10	11	108	<1
73333	088708	<0.005	<1	9.16	3	98	<2	<1	6.07	5	3	38	163	176	5.46	16	<1	<1	2	<1	2.14	2	52	2.58	1334	46	26	52	379	9	<1	0.18	<5	28	8	<10	158	5	<1	<1	540	4	<20	304	<10	9	91	<1
73334	088709	<0.005	<1	8.16	15	108	<2	2	5.65	5	2	36	189	158	5.14	15	<1	<1	<1	<1	2.17	<1	51	2.58	1365	50	24	52	323	10	<1	0.09	<5	23	<5	<10	155	5	<1	<1	456	<2	<20	274	<10	6	94	<1
73335	088710	5.299	2	6.26	282	233	<2	<1	2.43	7	3	116	158	1512	6.94	13	<1	<1	<1	<1	2.05	2	29	0.80	623	57	8	1285	436	677	38	1.42	<5	5	<5	<10	138	5	<1	<1	3431	<2	<20	90	36	8	390	<1
73336	088711	<0.005	<1	8.91	17	97	<2	<1	6.13	4	4	33	210	165	5.09	12	<1	<1	<1	<1	2.05	1	47	2.62	1273	39	22	58	308	10	<1	0.16	<5	26	<5	<10	151	3	<1	<1	451	19	<20	245	<10	7	90	<1
73337	088712	0.057	<1	8.72	55	99	<2	6	6.27	4	2	38	299	176	4.87	11	<1	<1	4	<1	1.87	1	46	2.83	1212	42	22	65	302	8	<1	0.14	<5	28	<5	<10	138	2	<1	<1	386	19	<20	257	<10	6	76	<1
73338	088713	0.006	<1	7.86	51	110	<2	2	6.34	4	<1	38	338	195	4.70	13	<1	<1	1	<1	1.96	1	46	2.55	1294	48	22	65	287	5	<1	0.13	<5	25	<5	<10	137	4	<1	<1	449	<2	<20	256	<10	6	84	<1
73339D	088713	0.020	<1	8.08	49	106	<2	3	6.43	4	3	36	336	192	4.68	13	<1	<1	<1	<1	1.85	1	46	2.60	1292	48	22	65	287	12	<1	0.13	<5	26	<5	<10	134	3	<1	<1	453	9	<20	253	<10	6	91	<1
73340	088714	0.008	<1	8.55	43	107	<2	<1	6.75	4	3	34	325	190	4.77	12	<1	<1	<1	<1	1.84	2	45	2.69	1368	49	21	61	292	9	1	0.13	<5	26	6	<10	134	4	<1	<1	451	<2	<20	246	<10	6	86	<1
73341	088715	0.390	<1	9.56	53	105	<2	4	7.23	4	3	37	386	199	4.57	12	<1	<1	<1	<1	1.85	2	46	3.03	1323	50	21	68	246	6	<1	0.10	<5	31	17	<10	128	4	<1	<1	438	17	<20	237	<10	7	72	<1
73342	088716	0.009	<1	7.84	47	116	<2	4	6.41	4	<1	32	332	180	4.45	13	<1	<1	<1	<1	1.79	1	43	2.37	1234	47	19	59	249	3	<1	0.17	<5	20	<5	<10	138	4	<1	<1	427	<2	<20	224	<10	5	71	<1
73343	088717	0.011	<1	9.08	40	109	<2	3	7.32	4	3	30	296	150	4.71	12	2	<1	<1	<1	2.17	1	40	2.80	1494	48	18	51	272	7	<1	0.31	<5	25	<5	<10	141	3	<1	<1	406	3	<20	203	<10	6	50	<1
73344	088718	0.008	<1	8.91	57	124	<2	4	7.12	5	3	33	315	145	5.05	12	<1	<1	<1	1	2.12	1	44	2.70	1463	44	18	54	269	8	<1	0.25	<5	22	8	<10	145	5	<1	<1	371	<2	<20	216	10	6	68	<1
73345	088719	0.010	<1	9.03	45	135	<2	6	6.87	4	5	33	311	152	4.57	10	<1	<1	<1	2	2.16	2	43	2.56	1251	46	16	56	255	5	<1	0.24	<5	21	12	<10	137	3	<1	<1	364	<2	<20	189	<10	6	59	<1
73346	088720	0.005	<1	7.13	5	695	<2	<1	1.44	<4	28	4	434	8	1.72	12	<1	<1	<1	<1	2.06	11	41	0.39	267	38	6	8	471	30	39	0.03	<5	1	<5	<10	296	2	<1	7	1624	<2	<20	26	<10	6	39	<1
73347	088721	0.007	<1	9.40	48	126	<2	3	6.51	4	4	33	370	148	4.90	13	<1	<1	<1	<1	2.13	1	45	2.86	1189	47	16	59	232	6	<1	0.16	<5	24	10	<10	117	2	<1	<1	377	3	<20	196	<10	6	71	<1
73348	088722	0.008	<1	8.79	48	132	<2	6	6.62	5	<1	33	375	160	4.75	13	<1	<1	<1	<1	2.06	1	44	2.83	1220	45	17	59	245	4	<1	0.11	<5	22	10	<10	122	4	<1	<1	366	<2	<20	195	<10	6	58	<1
73349	088723	0.009	<1	8.97	46	155	<2	6	6.82	4	4	32	412	158	4.41	10	<1	<1	1	<1	2.10	2	42	2.89	1120	45	17	61	233	4	<1	0.11	<5	23	<5	<10	113	4	<1	<1	349	6	<20	192	<10	6	54	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag %	Al ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73350D	088723	0.009	<1	9.01	45	161	<2	4	6.73	4	4	27	406	155	4.29	11	<1	<1	2	<1	2.11	1	42	2.72	1107	49	17	61	232	5	<1	0.11	<5	22	10	<10	117	2	<1	<1	381	<2	<20	192	<10	6	54	<1
73351	088724	0.009	<1	8.57	60	224	<2	3	6.88	4	1	32	413	162	4.34	12	<1	<1	<1	<1	1.87	2	40	2.52	1276	46	18	57	253	8	<1	0.12	<5	21	12	<10	105	3	<1	<1	405	14	<20	209	<10	6	51	<1
73352	088725	0.009	<1	9.24	51	187	<2	5	6.91	4	3	30	407	156	4.71	9	<1	<1	<1	<1	1.89	2	36	2.97	1253	34	17	61	261	5	<1	0.11	<5	28	<5	<10	86	2	<1	<1	365	6	<20	189	<10	6	60	<1
73353	088726	0.058	<1	8.39	39	209	<2	4	7.51	5	2	32	403	156	5.46	12	<1	<1	<1	<1	2.09	2	38	2.38	1621	43	17	61	227	6	<1	0.45	<5	20	5	<10	97	5	<1	<1	368	2	<20	203	<10	5	48	<1
73354	088727	0.009	<1	8.98	53	204	<2	5	6.93	4	2	36	591	188	4.55	12	<1	<1	<1	<1	2.22	2	39	2.26	1356	41	20	76	266	6	<1	0.18	<5	25	<5	<10	125	4	<1	<1	376	12	<20	245	<10	5	45	<1
73355	088728	0.014	<1	9.30	46	143	<2	5	8.89	4	5	31	483	148	4.58	9	<1	<1	1	<1	2.16	3	37	2.68	1576	40	17	68	248	5	<1	0.20	<5	25	<5	<10	126	2	<1	<1	346	<2	<20	191	<10	7	41	<1
73356	088729	0.008	<1	9.20	51	141	<2	5	8.90	4	6	34	451	151	5.15	11	<1	<1	<1	<1	2.19	2	40	2.68	1639	37	18	71	223	7	<1	0.13	<5	26	<5	<10	141	5	<1	<1	325	9	<20	213	<10	6	73	<1
73357	088730	0.007	<1	8.29	46	159	<2	5	6.50	4	2	34	316	189	4.85	13	<1	<1	<1	11	2.04	<1	40	1.77	1146	42	20	53	276	7	<1	0.25	<5	19	13	<10	144	3	<1	<1	355	2	<20	242	<10	5	67	<1
73358	088731	0.009	<1	8.06	35	152	<2	6	6.41	4	3	29	402	165	4.95	13	<1	<1	<1	<1	2.05	<1	40	1.61	1275	42	21	52	278	8	<1	0.22	<5	19	12	<10	142	4	<1	<1	366	<2	<20	247	<10	5	74	<1
73359	088732	0.008	<1	8.17	62	140	<2	4	6.53	4	2	45	537	183	4.14	13	<1	<1	<1	<1	1.94	1	35	1.69	1078	43	21	70	272	10	<1	0.17	5	19	6	<10	144	4	<1	<1	354	<2	<20	248	<10	5	62	<1
73360	088733	0.007	<1	7.11	67	129	<2	3	5.95	4	2	36	465	236	5.01	13	<1	<1	<1	<1	2.05	<1	35	1.71	1163	44	19	69	252	14	<1	0.19	<5	17	<5	<10	128	4	<1	<1	373	<2	<20	227	<10	5	164	<1
73361R	088733	0.007	<1	6.98	54	133	<2	3	5.89	5	3	36	465	171	5.09	13	2	<1	<1	<1	2.03	1	35	1.71	1197	45	19	67	244	13	<1	0.16	<5	16	<5	<10	128	4	<1	<1	390	<2	<20	229	<10	5	109	<1
73362	088734	0.008	<1	7.49	76	137	<2	<1	6.73	4	1	41	511	165	4.49	13	5	<1	3	<1	1.86	<1	34	1.72	1312	48	20	71	260	5	<1	0.16	<5	18	<5	<10	136	4	<1	<1	412	5	<20	234	<10	5	80	<1
73363	088735	0.008	<1	7.47	70	137	<2	<1	6.49	4	2	40	511	173	4.25	13	<1	<1	1	6	1.86	2	36	1.64	1231	47	19	68	252	7	<1	0.16	<5	17	12	<10	135	3	<1	<1	404	<2	<20	228	<10	5	86	<1
73364	088736	0.006	<1	7.41	43	132	<2	4	6.93	4	3	28	418	156	4.57	12	7	<1	<1	<1	1.75	1	35	1.78	1587	45	20	52	298	7	<1	0.15	<5	17	10	<10	133	3	<1	<1	438	9	<20	225	<10	5	58	<1
73365	088737	0.006	<1	7.34	34	121	<2	3	7.49	6	2	32	414	137	6.43	14	<1	<1	<1	<1	1.71	1	41	2.09	2153	44	18	53	215	8	<1	0.22	<5	19	<5	<10	116	5	<1	<1	396	7	<20	212	<10	5	107	<1
73366	088738	0.007	<1	7.45	32	127	<2	5	6.64	6	<1	33	398	153	6.39	14	<1	<1	<1	<1	2.01	<1	42	2.07	1996	48	19	56	248	6	<1	0.18	<5	19	<5	<10	120	4	<1	<1	377	<2	<20	226	<10	5	104	<1
73367	088739	0.006	<1	7.27	44	148	<2	3	5.74	5	2	30	507	166	4.82	16	8	<1	<1	<1	2.08	<1	38	1.67	1551	54	20	58	250	11	<1	0.18	<5	15	7	<10	130	3	<1	<1	498	<2	<20	228	<10	5	60	25
73368	088740	13.529	6	6.63	26	377	<2	<1	2.87	4	<1	27	99	137	4.39	14	<1	<1	<1	<1	1.93	<1	32	0.87	628	53	12	43	636	33	180	0.57	<5	5	<5	<10	146	5	<1	<1	4940	<2	<20	115	<10	8	142	<1
73369	088741	0.016	<1	7.29	32	128	<2	4	6.43	6	<1	33	384	164	6.50	13	<1	<1	<1	<1	2.02	<1	39	1.89	2088	48	19	63	244	9	<1	0.62	<5	17	5	<10	121	4	<1	<1	408	<2	<20	220	<10	5	76	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73370	088742	0.010	<1	7.44	41	130	<2	4	6.90	6	3	33	420	141	6.88	16	3	1	1	<1	2.00	<1	42	1.93	2048	53	16	65	230	11	<1	0.30	10	17	<5	<10	110	5	<1	<1	429	7	<20	195	<10	5	106	10
73371	088743	0.010	<1	7.36	100	126	<2	5	7.28	4	1	35	519	147	4.37	12	<1	<1	<1	<1	1.92	2	36	2.00	1517	42	18	79	216	13	<1	0.11	7	19	<5	<10	125	3	<1	<1	349	10	<20	220	<10	5	54	<1
73372D	088743	0.014	<1	7.04	97	120	<2	4	7.19	4	3	35	512	148	4.42	12	<1	<1	1	<1	1.85	2	35	1.96	1515	40	19	80	213	7	<1	0.10	<5	17	<5	<10	122	4	<1	<1	348	9	<20	219	<10	4	75	<1
73373	088744	0.019	<1	7.25	146	129	<2	6	6.52	4	3	43	470	144	4.01	11	<1	<1	<1	<1	1.80	2	34	1.96	1187	44	19	104	253	7	<1	0.09	9	16	10	<10	127	3	<1	<1	376	<2	<20	223	<10	5	55	<1
73374	088745	0.006	<1	6.82	118	127	<2	<1	6.05	4	1	43	430	143	4.39	12	<1	<1	<1	<1	1.83	1	35	1.84	1222	41	19	93	243	7	<1	0.10	<5	15	5	<10	120	3	<1	<1	377	<2	<20	222	<10	4	60	<1
73375	088746	0.018	<1	6.88	135	134	<2	3	6.24	4	3	41	449	138	4.15	13	1	<1	1	<1	1.75	<1	35	1.81	1219	45	19	90	256	<1	<1	0.10	<5	14	<5	<10	125	4	<1	<1	401	<2	<20	221	<10	4	56	<1
73376	088747	0.019	<1	7.26	147	126	<2	7	6.49	4	<1	39	499	166	4.42	12	<1	<1	<1	<1	2.10	<1	36	1.94	1273	42	19	84	243	12	<1	0.13	8	17	<5	<10	129	4	<1	<1	338	<2	<20	228	<10	4	71	<1
73377	088748	0.156	<1	7.35	231	152	<2	2	6.34	4	2	38	502	152	4.18	15	8	<1	<1	<1	2.24	<1	36	1.73	1285	50	19	85	232	7	<1	0.23	<5	15	8	<10	138	4	<1	<1	443	13	<20	215	<10	5	69	<1
73378	088749	0.015	<1	6.93	165	138	<2	4	6.07	<4	3	37	496	160	3.75	13	2	<1	<1	<1	2.18	<1	36	1.72	1095	43	21	82	241	10	<1	0.11	<5	15	<5	<10	137	4	<1	<1	369	5	<20	241	<10	4	81	<1
73379	088750	<0.005	<1	6.83	9	760	<2	<1	1.30	<4	36	4	237	8	1.60	12	8	<1	1	<1	2.13	15	40	0.37	238	43	7	6	568	36	46	0.02	<5	1	<5	<10	217	2	<1	8	2026	<2	<20	28	<10	6	46	46
73380	088751	0.258	<1	6.84	238	152	<2	2	6.43	4	1	42	482	155	4.03	13	<1	<1	<1	<1	2.12	<1	35	1.66	1183	45	19	92	222	11	<1	0.19	8	14	6	<10	144	3	<1	<1	407	<2	<20	218	<10	4	68	<1
73381	088752	3.674	<1	7.03	9626	151	<2	6	6.22	4	<1	32	394	148	4.21	13	1	<1	2	<1	2.08	<1	36	1.63	1071	47	17	58	185	6	<1	0.49	5	13	8	<10	143	3	<1	<1	382	<2	<20	194	<10	4	55	<1
73382	088753	2.499	<1	7.02	1786	149	<2	2	5.13	<4	<1	23	324	88	3.68	12	<1	<1	<1	<1	2.02	<1	34	1.37	1016	54	14	36	129	7	<1	0.49	7	12	6	<10	121	4	<1	<1	391	<2	<20	165	11	4	60	22
73383D	088753	2.652	<1	7.25	1810	149	<2	6	5.29	<4	<1	24	327	84	3.75	10	<1	<1	<1	<1	1.94	<1	35	1.47	1035	52	14	37	133	5	<1	0.48	<5	12	<5	<10	123	3	<1	<1	391	<2	<20	167	<10	4	62	17
73384	088754	2.621	<1	8.08	5164	117	<2	<1	8.50	10	3	32	120	185	9.80	16	<1	<1	<1	<1	1.95	1	38	2.71	2230	58	18	49	277	13	<1	1.72	<5	23	<5	<10	119	5	<1	<1	387	12	24	223	<10	7	227	<1
73385	088755	2.443	<1	8.68	5576	115	<2	<1	8.90	10	4	35	115	184	10.26	15	<1	<1	<1	<1	1.83	2	38	2.93	2339	58	19	51	285	13	<1	1.78	5	26	<5	<10	120	7	<1	<1	404	16	38	229	10	7	183	<1
73386	088756	4.868	<1	8.21	11908	112	<2	6	9.91	9	6	30	141	163	9.15	11	<1	<1	<1	<1	2.20	<1	34	3.07	2501	52	15	44	161	9	<1	1.62	5	23	<5	<10	123	5	<1	<1	372	5	<20	175	10	7	253	<1
73387	088757	1.763	<1	7.96	3178	123	<2	3	8.81	5	4	20	205	58	5.52	11	<1	<1	1	<1	2.20	2	35	2.50	1584	38	18	36	444	10	<1	0.41	7	21	<5	<10	135	3	<1	<1	338	8	<20	206	<10	6	92	<1
73388	088758	0.337	<1	7.26	2137	124	<2	3	6.79	4	1	26	264	79	4.92	15	<1	<1	<1	<1	2.09	<1	34	1.75	1179	37	23	45	368	5	<1	0.44	<5	20	11	<10	135	4	<1	<1	365	<2	<20	269	<10	5	57	<1
73389	088759	0.343	<1	8.36	1935	113	<2	5	6.24	4	1	26	264	259	4.95	11	<1	<1	<1	1	1.97	<1	31	1.70	1058	33	21	46	397	3	<1	0.61	<5	25	<5	<10	124	5	<1	<1	301	<2	<20	247	<10	6	75	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73390	088760	0.017	<1	7.49	135	121	<2	4	8.90	5	5	20	190	126	5.51	12	<1	<1	<1	<1	1.79	<1	33	2.25	1703	41	18	33	323	9	<1	0.19	<5	19	8	<10	127	4	<1	<1	400	4	<20	213	<10	6	76	<1
73391	088761	0.007	<1	9.04	55	115	<2	<1	8.59	4	5	14	175	137	4.99	11	<1	<1	<1	<1	1.95	2	32	2.49	1475	40	18	26	346	3	<1	0.11	<5	23	<5	<10	121	4	<1	<1	463	22	<20	215	<10	8	61	<1
73392	088762	0.011	<1	9.42	58	191	<2	<1	8.61	4	5	14	127	204	4.82	8	<1	<1	<1	<1	1.97	3	32	2.64	1387	34	18	26	227	2	<1	0.11	<5	25	<5	<10	122	3	<1	<1	601	18	<20	208	<10	8	55	<1
73393	088763	0.008	<1	7.69	56	207	<2	6	8.17	4	3	15	126	135	4.44	12	<1	<1	<1	<1	1.96	1	34	2.16	1369	38	21	26	267	10	<1	0.10	<5	20	<5	<10	130	3	<1	<1	413	2	<20	246	<10	6	44	<1
73394D	088763	0.008	<1	9.55	60	212	<2	<1	8.57	4	5	16	116	134	4.64	12	<1	<1	<1	<1	1.84	2	35	2.56	1406	39	18	25	275	12	<1	0.10	<5	27	<5	<10	128	3	<1	<1	666	18	<20	218	<10	8	47	<1
73395	088764	0.243	<1	9.06	755	204	<2	<1	10.66	5	7	15	123	98	5.74	12	<1	<1	<1	3	1.87	3	34	3.00	1612	38	17	29	244	6	<1	0.15	<5	23	<5	<10	131	3	<1	<1	822	8	<20	193	<10	9	61	<1
73396	088765	0.050	1	8.59	348	150	<2	<1	10.95	6	2	13	122	93	5.98	8	<1	<1	<1	<1	1.97	3	28	3.50	1642	23	15	29	251	8	<1	0.13	<5	27	<5	<10	114	3	<1	<1	622	<2	<20	178	<10	8	61	<1
73397	088766	0.488	<1	9.83	1777	173	<2	<1	9.97	5	6	19	170	144	5.95	9	<1	<1	<1	<1	2.14	2	31	3.17	1642	28	18	37	348	7	<1	0.20	<5	29	<5	<10	128	5	<1	<1	514	<2	<20	212	<10	9	60	<1
73398	088767	0.240	<1	7.93	462	172	<2	5	7.47	4	2	13	269	115	4.90	9	<1	<1	<1	<1	2.02	1	31	2.18	1285	27	18	28	428	6	<1	0.19	<5	19	10	<10	124	3	<1	<1	305	23	<20	212	<10	6	44	<1
73399	088768	0.077	<1	8.23	185	175	<2	6	6.65	7	1	23	225	120	7.36	13	<1	<1	1	<1	2.04	1	38	2.22	1378	44	20	50	412	10	<1	0.44	<5	31	<5	<10	119	4	<1	<1	322	<2	<20	231	<10	6	95	<1
73400	088769	0.129	<1	8.13	771	161	<2	5	6.91	7	2	31	215	120	7.60	12	<1	<1	<1	2	2.04	1	38	2.46	1478	41	21	59	319	10	<1	0.33	6	31	<5	<10	110	5	<1	<1	309	12	<20	248	<10	6	93	<1
73401	088770	1.015	<1	8.57	6	201	<2	<1	4.76	5	18	34	124	42	5.97	14	<1	<1	3	<1	2.14	7	22	2.09	977	37	17	26	679	19	39	0.07	<5	16	<5	<10	192	3	<1	<1	6488	16	<20	182	<10	23	75	<1
73402	088771	0.456	<1	8.43	455	176	<2	4	8.19	6	4	18	186	90	6.57	11	<1	<1	<1	<1	1.94	1	35	2.60	1695	38	18	42	282	9	<1	0.35	<5	23	<5	<10	119	3	<1	<1	351	<2	<20	213	<10	6	63	<1
73403	088772	0.168	<1	8.30	422	173	<2	<1	9.19	7	3	29	185	106	7.82	10	<1	<1	<1	<1	1.97	2	35	2.80	1648	45	14	59	201	11	<1	0.63	<5	22	6	<10	108	3	<1	<1	599	<2	<20	160	<10	7	73	<1
73404	088773	0.026	<1	8.17	307	193	<2	2	8.18	5	3	36	189	119	5.46	9	<1	<1	<1	<1	1.76	2	33	2.18	1536	31	17	70	285	13	<1	0.31	<5	20	<5	<10	130	4	<1	<1	351	<2	<20	204	<10	6	49	<1
73405D	088773	0.024	<1	8.04	305	178	<2	5	8.32	5	3	36	185	120	5.54	8	<1	<1	2	<1	1.79	<1	31	2.28	1536	30	16	72	278	3	<1	0.30	6	22	<5	<10	124	3	<1	<1	338	<2	26	195	<10	6	55	<1
73406	088774	0.067	<1	7.03	285	191	<2	5	5.87	<4	2	39	240	140	3.86	11	<1	<1	<1	<1	2.01	<1	33	1.44	993	30	20	78	314	5	<1	0.16	7	17	<5	<10	133	4	<1	<1	327	<2	<20	234	<10	4	61	<1
73407	088775	0.053	<1	7.69	272	194	<2	5	6.32	4	3	38	233	155	4.80	12	<1	<1	<1	<1	1.98	<1	35	1.60	1256	31	21	75	334	2	<1	0.39	<5	20	<5	<10	139	3	<1	<1	334	<2	<20	247	<10	4	75	<1
73408	088776	0.018	<1	7.63	169	223	<2	5	5.91	5	2	40	209	141	5.06	14	15	<1	<1	<1	2.16	<1	36	1.65	1154	41	22	83	309	5	<1	0.26	<5	16	9	<10	141	4	<1	<1	396	<2	<20	258	<10	4	66	<1
73409	088777	0.157	<1	7.15	148	217	<2	4	5.95	4	2	36	218	124	4.56	13	1	<1	1	<1	2.04	<1	35	1.65	892	40	19	73	307	7	<1	0.11	<5	14	<5	<10	136	4	<1	<1	393	<2	<20	225	<10	4	53	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73410	088778	0.013	<1	7.18	115	225	<2	5	5.35	5	<1	44	220	136	5.40	15	4	<1	<1	<1	1.95	<1	37	1.71	930	41	22	85	297	8	<1	0.36	<5	14	5	<10	135	5	<1	<1	435	<2	<20	251	<10	4	63	<1
73411	088779	0.009	<1	7.65	111	208	<2	3	6.55	5	<1	36	180	124	5.42	13	<1	<1	<1	1.94	<1	37	2.25	1191	37	20	73	309	7	<1	0.16	<5	16	<5	<10	133	5	<1	<1	401	2	<20	225	<10	5	59	<1	
73412	088780	<0.005	<1	7.06	8	808	<2	<1	1.47	<4	33	5	167	7	1.55	11	5	<1	<1	<1	1.84	13	38	0.39	248	34	8	3	561	35	36	0.02	<5	1	22	<10	323	<1	<1	7	1956	<2	<20	28	<10	6	42	<1
73413	088781	0.007	<1	7.65	124	180	<2	4	5.69	5	<1	38	202	122	5.68	13	<1	<1	1	<1	1.97	<1	38	2.23	1108	31	20	80	334	11	<1	0.11	5	19	<5	<10	127	5	<1	<1	363	4	<20	231	<10	5	52	<1
73414	088782	0.008	<1	8.02	131	178	<2	5	6.04	6	2	35	197	114	6.30	13	<1	<1	<1	<1	1.85	<1	41	2.56	1085	37	20	81	311	4	<1	0.08	<5	21	<5	<10	121	3	<1	<1	389	<2	<20	240	<10	5	64	<1
73415	088783	0.007	<1	8.44	96	173	<2	4	5.95	6	3	29	165	97	6.10	13	<1	<1	<1	<1	1.76	<1	40	2.61	1054	32	20	65	489	11	<1	0.08	5	22	<5	<10	116	4	<1	<1	380	2	<20	230	<10	7	57	<1
73416D	088783	0.009	<1	9.49	103	169	<2	2	6.06	6	3	29	161	103	6.16	13	<1	<1	<1	<1	1.78	1	40	2.77	1055	32	19	62	496	<1	<1	0.08	<5	26	<5	<10	114	4	<1	<1	425	<2	20	225	<10	8	55	<1
73417	088784	0.006	<1	9.87	112	183	<2	<1	6.22	6	3	28	217	93	6.73	13	<1	<1	<1	<1	1.72	2	44	2.84	1074	35	23	81	396	8	<1	0.08	<5	28	<5	<10	125	3	<1	<1	481	9	<20	262	<10	7	62	<1
73418	088785	<0.005	<1	8.85	105	175	<2	2	5.63	6	<1	27	183	84	6.13	11	<1	<1	2	<1	1.71	1	41	2.56	970	32	20	73	347	5	<1	0.07	<5	24	<5	<10	113	5	<1	<1	369	4	<20	233	<10	6	58	<1
73419	088786	0.013	<1	8.49	116	190	<2	7	5.59	6	<1	40	194	135	6.61	12	<1	<1	<1	<1	1.83	<1	41	2.40	1128	39	20	87	343	6	<1	0.28	<5	23	11	<10	122	3	<1	<1	373	10	<20	237	<10	5	68	<1
73420	088787	0.321	<1	9.85	1109	241	<2	5	6.89	11	3	37	169	61	12.11	17	<1	<1	<1	<1	1.86	<1	42	2.79	5291	67	15	72	199	13	<1	1.12	<5	21	<5	<10	137	7	<1	<1	452	5	22	184	10	7	133	<1
73421	088788	2.533	<1	5.97	5381	226	<2	3	2.96	9	<1	21	273	58	10.13	10	<1	<1	<1	1.64	<1	28	0.97	1809	60	3	41	<100	11	<1	3.67	8	4	<5	<10	82	6	<1	<1	329	<2	25	56	135	4	98	<1	
73422	088789	3.605	<1	4.60	6226	143	<2	2	0.84	16	<1	42	421	49	17.25	11	<1	3	3	<1	1.51	<1	26	0.53	1150	83	<1	26	<100	31	<1	8.93	20	<1	<5	<10	53	8	7	<1	304	<2	36	8	<10	3	37	<1
73423	088790	0.971	1	5.06	4360	107	<2	7	0.98	13	<1	16	311	17	13.69	8	<1	2	2	<1	1.48	<1	25	0.60	1692	72	<1	11	<100	25	<1	8.39	19	<1	<5	<10	54	6	3	<1	288	<2	32	8	<10	3	26	<1
73424	088791	1.004	<1	5.31	606	201	<2	5	0.74	9	<1	9	450	10	9.32	6	<1	<1	<1	<1	1.63	<1	26	0.48	1089	57	<1	10	<100	9	<1	4.80	11	<1	<5	<10	52	5	<1	<1	292	<2	<20	6	<10	3	15	<1
73425	088792	0.541	<1	4.62	240	101	<2	4	0.61	17	<1	23	347	79	17.73	8	<1	<1	<1	<1	1.57	<1	18	0.63	1286	78	<1	24	153	21	<1	>10.00	24	<1	<5	<10	40	9	5	<1	210	<2	52	5	<10	4	36	<1
73426	088793	0.727	<1	4.14	233	90	<2	11	0.47	19	<1	25	445	36	18.98	8	<1	<1	<1	<1	1.55	<1	15	0.45	1400	76	<1	26	<100	23	<1	>10.00	30	<1	<5	<10	31	10	8	<1	161	<2	51	6	<10	4	31	<1
73427R	088793	0.805	<1	5.26	281	86	<2	2	0.61	20	<1	28	218	38	20.78	12	<1	<1	2	<1	1.50	<1	19	0.49	1413	88	<1	25	<100	33	<1	>10.00	35	<1	<5	<10	39	11	9	<1	221	3	48	6	<10	4	34	<1
73428	088794	2.814	<1	5.54	257	98	<2	<1	0.72	21	<1	31	208	58	21.12	14	<1	2	<1	<1	1.46	<1	20	0.61	2041	90	<1	26	112	25	<1	>10.00	35	<1	<5	<10	45	11	7	<1	253	<2	58	8	<10	4	36	<1
73429	088795	1.249	<1	4.77	301	125	<2	10	0.59	14	<1	21	456	33	15.08	6	<1	<1	2	<1	1.61	<1	19	0.49	1347	68	<1	20	<100	20	<1	9.85	21	<1	<5	<10	40	7	5	<1	214	<2	35	6	<10	3	24	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/14/2011
Date Completed: 03/25/2011
Job #: 201141021
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
73430	088796	2.113	<1	4.64	401	113	<2	2	0.68	17	<1	24	335	74	17.70	10	<1	<1	<1	<1	1.74	<1	19	0.72	1803	77	<1	28	135	27	<1	9.51	19	<1	<5	<10	40	9	3	<1	222	<2	52	5	<10	3	32	<1
73431	088797	0.684	<1	5.63	923	150	<2	7	0.91	15	<1	9	230	57	15.31	8	<1	<1	<1	<1	1.56	<1	20	1.14	3879	70	<1	18	371	17	<1	4.58	<5	<1	<5	<10	44	8	<1	<1	212	<2	41	8	<10	6	52	<1
73432	088798	0.239	<1	5.39	303	153	<2	5	0.67	11	<1	13	352	27	11.99	4	<1	<1	<1	<1	1.49	<1	20	0.71	1465	59	<1	13	<100	11	<1	4.49	11	<1	<5	<10	42	5	<1	<1	213	<2	<20	5	<10	5	50	<1
73433	088799	0.256	<1	5.20	132	132	<2	5	0.74	13	<1	17	382	20	14.28	6	<1	<1	<1	<1	1.47	<1	20	0.74	2494	66	<1	16	<100	16	<1	6.95	9	<1	<5	<10	42	6	<1	<1	216	<2	29	9	<10	5	28	<1
73434	088800	12.468	5	8.64	29	406	<2	<1	3.16	4	2	26	95	145	4.66	10	<1	<1	1	<1	1.54	1	24	1.32	648	40	10	46	696	32	376	0.60	<5	11	9	<10	153	3	<1	<1	4128	5	<20	114	<10	14	145	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74359	088801	0.264	1	7.64	121	101	<2	57	0.98	10	<1	14	671	20	13.08	4	<1	<1	6	24	2.30	<1	23	0.79	2156	45	<1	18	<100	48	<1	0.26	24	<1	35	<10	63	10	69	<1	174	<2	<20	10	21	8	7	<1
74360	088802	0.025	<1	7.20	92	75	<2	65	0.92	14	<1	15	688	88	18.10	11	<1	<1	7	28	2.19	<1	22	0.95	2168	50	<1	36	<100	47	<1	0.19	18	<1	38	<10	60	12	78	<1	152	9	<20	9	23	8	15	<1
74361	088803	0.385	1	7.41	238	75	<2	62	0.85	15	<1	56	564	149	20.78	13	<1	<1	6	22	2.27	<1	23	0.62	1221	53	<1	46	<100	56	<1	0.31	26	<1	18	<10	60	13	80	<1	156	10	35	9	22	7	10	<1
74362	088804	2.295	3	8.46	837	64	<2	94	1.01	26	<1	24	406	348	34.15	28	<1	3	8	18	2.01	<1	29	0.95	975	70	<1	96	326	138	<1	0.52	52	4	34	<10	65	16	90	<1	213	13	64	57	28	9	69	<1
74363	088805	1.878	2	7.95	592	85	<2	87	1.03	25	<1	20	382	302	31.69	26	<1	2	8	13	2.19	<1	28	0.87	914	67	<1	87	172	129	<1	0.49	45	4	30	<10	65	17	91	<1	199	12	81	40	23	7	126	<1
74364	088806	0.131	1	10.14	435	247	<2	82	1.49	13	<1	49	548	79	17.12	14	<1	<1	6	33	2.25	<1	29	1.96	6136	51	2	41	195	68	2	0.21	22	8	50	13	81	10	70	<1	226	11	<20	63	29	11	365	<1
74365	088807	0.263	<1	7.01	459	74	<2	54	1.18	9	<1	11	1016	66	11.91	5	<1	<1	5	32	2.63	<1	22	1.13	3651	43	<1	36	<100	58	<1	0.15	20	<1	24	<10	60	11	68	<1	148	2	<20	12	24	7	22	<1
74366	088808	1.154	1	10.86	969	224	2	78	1.59	17	<1	38	393	109	19.45	18	<1	<1	5	17	2.22	3	34	1.94	3723	54	3	45	133	97	4	0.26	32	8	20	10	95	12	73	<1	281	4	<20	70	41	12	802	<1
74367	088809	0.715	1	8.12	2697	128	<2	66	1.07	9	<1	8	693	55	12.50	4	<1	<1	6	23	2.51	<1	24	1.23	2966	46	<1	20	<100	62	20	0.10	22	1	25	<10	69	10	71	<1	182	10	<20	20	24	8	173	<1
74368	088810	1.038	<1	13.98	23	189	<2	69	6.08	6	12	40	146	46	7.15	6	<1	<1	6	39	2.39	5	27	3.10	1152	35	13	24	401	57	16	0.02	14	18	46	11	246	8	68	<1	7092	8	<20	223	25	38	95	<1
74370	088811	0.781	1	6.83	1584	71	<2	55	1.39	8	<1	12	670	40	10.72	<1	<1	<1	7	30	2.14	<1	21	1.45	4116	39	<1	26	<100	48	12	0.11	21	<1	35	<10	62	7	71	<1	149	9	<20	9	22	7	74	<1
74371	088812	3.628	1	10.18	18350	314	2	83	1.73	11	<1	41	561	80	13.01	11	<1	<1	7	31	2.19	<1	29	1.07	2371	53	2	36	163	60	7	0.18	34	5	24	<10	106	9	64	<1	302	5	<20	55	37	10	475	<1
74372	088813	3.174	1	8.25	16476	98	<2	75	3.75	12	<1	31	473	87	15.34	8	<1	<1	7	26	2.44	<1	26	1.89	5469	49	<1	40	306	52	<1	0.20	23	2	12	<10	91	10	74	<1	169	8	<20	19	27	10	132	<1
74373	088814	0.531	<1	7.28	1115	81	<2	51	1.15	6	<1	4	766	29	7.01	<1	<1	<1	7	33	2.30	<1	22	0.69	953	38	<1	20	<100	47	<1	0.07	20	<1	35	<10	62	7	60	<1	155	6	<20	9	24	7	41	<1
74374	088815	1.007	1	8.40	4269	85	<2	68	1.15	10	<1	1	639	10	14.07	4	<1	<1	8	36	2.31	<1	26	1.39	2045	50	<1	10	<100	48	6	0.06	21	<1	24	<10	70	10	72	<1	173	5	<20	8	24	9	17	<1
74375	088816	1.199	1	7.79	3182	76	<2	54	1.09	12	<1	7	597	12	15.23	6	<1	<1	6	36	2.26	<1	24	1.24	2023	49	<1	11	<100	57	<1	0.19	24	<1	17	<10	66	11	71	<1	163	4	<20	7	25	8	12	<1
74376	088817	0.828	1	7.14	1146	81	<2	67	0.97	8	<1	6	1129	18	11.52	2	<1	<1	7	24	2.30	<1	22	0.96	3044	45	<1	14	<100	44	3	0.16	23	<1	38	<10	59	10	64	<1	153	6	<20	9	25	7	10	<1
74377	088818	0.113	1	6.94	433	107	<2	63	1.61	14	<1	7	493	25	19.24	10	<1	<1	4	29	2.39	<1	22	2.25	9675	48	<1	10	240	72	<1	0.10	19	1	43	<10	63	12	74	<1	143	8	<20	16	24	11	20	<1
74378	088819	0.035	1	8.70	57	128	<2	78	1.46	11	<1	5	608	20	15.91	6	<1	<1	6	30	2.41	<1	27	1.81	6770	52	<1	12	153	53	<1	0.09	17	<1	49	<10	73	10	74	<1	184	7	<20	14	23	11	14	<1
74379	088820	<0.005	<1	11.82	13	1019	2	63	2.02	<4	121	7	563	8	2.78	6	<1	<1	7	33	2.46	55	40	0.73	410	33	5	9	508	70	44	0.01	15	3	56	<10	349	6	64	32	2688	<2	<20	37	26	19	68	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74381	088821	0.202	1	8.57	925	92	<2	60	1.45	11	<1	5	437	17	14.09	4	<1	<1	6	30	2.45	<1	26	1.67	5764	49	<1	8	<100	51	<1	0.08	22	<1	34	<10	72	10	71	<1	180	8	<20	11	22	10	15	<1
74382	088822	0.470	<1	7.37	1413	81	<2	50	1.05	5	<1	<1	1234	13	6.11	<1	<1	<1	7	33	2.36	<1	23	0.86	2061	39	<1	15	<100	38	<1	0.05	14	<1	42	11	61	7	65	<1	157	9	<20	6	22	7	7	<1
74383	088823	0.101	1	7.17	424	118	<2	49	1.19	9	<1	3	876	17	11.70	5	<1	<1	6	29	2.55	<1	22	1.39	4809	43	<1	14	<100	49	1	0.06	17	<1	18	<10	61	9	64	<1	152	5	<20	13	27	8	13	<1
74384	088824	0.121	<1	7.31	291	125	<2	56	1.01	6	<1	3	1170	19	8.32	<1	<1	<1	5	30	2.35	<1	22	0.89	2889	42	<1	16	101	44	<1	0.10	22	<1	28	<10	61	8	61	<1	155	4	<20	11	26	8	7	<1
74385	088825	0.119	<1	7.07	330	117	<2	49	0.99	6	<1	4	709	16	8.40	<1	<1	<1	8	35	2.30	<1	21	0.90	3019	40	<1	11	122	38	<1	0.11	16	<1	29	<10	58	7	62	<1	147	6	<20	9	21	8	8	<1
74386	088826	0.162	<1	6.82	1337	80	<2	51	1.21	8	<1	4	1114	21	11.49	2	<1	<1	5	31	2.17	<1	21	1.30	4133	42	<1	14	<100	44	<1	0.07	19	<1	8	<10	59	10	67	<1	143	2	<20	12	22	7	12	<1
74387	088827	0.223	<1	7.12	969	84	<2	66	1.18	9	<1	6	799	17	13.23	4	<1	<1	7	32	2.25	<1	22	1.40	3977	44	<1	10	<100	52	<1	0.07	23	<1	16	<10	61	10	69	<1	147	4	<20	10	23	8	17	<1
74388	088828	0.562	<1	6.40	440	69	<2	53	0.88	12	<1	10	577	23	16.30	9	<1	1	7	31	2.15	<1	20	1.18	2338	44	<1	15	<100	52	<1	0.18	28	<1	22	<10	53	11	69	<1	131	6	<20	7	23	7	18	<1
74389	088829	0.253	<1	6.52	675	70	<2	53	0.90	11	<1	7	716	11	14.03	8	<1	<1	7	26	2.41	<1	20	0.96	1632	43	<1	15	<100	49	<1	0.16	22	<1	17	<10	55	10	73	<1	137	6	<20	7	24	7	10	<1
74390	088830	0.196	<1	7.13	638	69	<2	63	1.09	10	<1	5	719	10	13.92	5	<1	<1	7	32	2.32	<1	22	1.29	1780	45	<1	10	<100	53	<1	0.04	19	<1	31	11	61	8	67	<1	149	2	<20	6	24	9	11	<1
74391D	088830	0.225	<1	6.94	619	68	<2	69	1.07	10	<1	4	684	9	13.64	7	<1	<1	6	27	2.40	<1	21	1.26	1740	44	<1	7	<100	43	<1	0.04	18	<1	37	<10	60	9	65	<1	145	7	<20	5	22	8	11	<1
74392	088831	0.037	<1	6.18	51	65	<2	49	0.80	8	<1	11	791	11	10.40	3	<1	<1	6	33	2.01	<1	19	0.71	962	37	<1	13	<100	42	<1	0.06	16	<1	23	<10	52	8	65	<1	131	2	<20	4	18	7	22	<1
74393	088832	0.026	<1	6.20	93	70	<2	54	0.79	7	<1	3	682	8	8.68	3	<1	<1	7	33	2.17	<1	19	0.70	866	36	<1	10	<100	41	<1	0.04	14	<1	22	<10	55	8	57	<1	138	<2	<20	4	22	6	10	<1
74394	088833	0.018	1	7.66	40	83	<2	46	0.98	7	<1	5	662	8	10.42	3	<1	<1	8	36	1.93	<1	23	0.90	1140	43	<1	11	<100	42	<1	0.05	18	<1	15	<10	63	8	66	<1	161	3	<20	5	22	8	10	<1
74395	088834	0.008	<1	7.24	26	76	<2	51	0.95	7	<1	6	685	17	9.65	4	<1	<1	4	26	1.86	<1	22	0.86	1014	40	<1	10	<100	44	<1	0.05	15	<1	32	<10	60	8	58	<1	152	2	<20	5	22	8	10	<1
74396	088835	0.008	<1	6.14	31	65	<2	51	0.83	8	<1	9	702	13	10.50	3	<1	<1	4	24	2.01	<1	19	0.85	1097	37	<1	10	<100	43	<1	0.06	18	<1	18	<10	52	8	60	<1	128	2	<20	4	22	7	9	<1
74397	088836	0.036	<1	6.16	102	64	<2	38	0.84	8	<1	1	645	14	9.95	5	<1	<1	7	25	2.04	<1	19	0.92	1241	36	<1	9	<100	41	<1	0.04	18	<1	14	<10	52	8	62	<1	130	4	<20	5	18	7	9	<1
74398	088837	0.021	<1	6.86	28	70	<2	49	0.89	7	<1	2	695	9	8.39	2	<1	<1	7	39	1.80	<1	21	0.82	1051	38	<1	10	<100	39	<1	0.03	15	<1	28	<10	57	7	65	<1	145	<2	<20	4	21	7	6	<1
74399	088838	0.079	<1	6.74	26	83	<2	44	0.92	8	<1	<1	698	18	10.51	3	<1	<1	6	28	1.76	<1	21	0.84	1039	39	<1	13	<100	42	<1	0.05	16	<1	30	<10	57	8	61	<1	142	2	<20	4	21	7	9	<1
74400	088839	0.029	<1	5.74	96	72	<2	51	0.72	7	<1	2	789	80	8.38	<1	<1	<1	7	26	1.85	<1	17	0.56	701	34	<1	133	<100	35	<1	0.04	16	<1	22	<10	49	8	59	<1	126	3	<20	4	20	6	8	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74401	088840	5.377	2	8.18	258	225	<2	47	2.57	6	14	114	150	1442	6.81	11	<1	<1	7	30	1.93	9	21	1.27	605	33	6	1255	218	700	81	0.05	13	10	25	<10	134	7	67	<1	2363	4	<20	84	49	15	400	<1
74403	088841	0.146	<1	6.30	184	76	<2	46	0.76	7	<1	7	422	63	8.91	2	<1	<1	5	35	1.80	<1	20	0.70	1452	36	<1	20	<100	44	<1	0.09	19	1	16	<10	49	8	57	<1	133	3	<20	13	22	6	22	<1
74404	088842	0.229	<1	6.87	396	99	<2	56	0.69	15	<1	39	319	129	19.00	17	<1	<1	6	25	1.68	<1	22	1.04	2264	44	1	60	147	71	<1	0.26	29	6	41	<10	67	11	69	<1	154	3	31	53	39	7	464	<1
74405	088843	0.516	<1	7.03	764	124	2	57	0.67	17	<1	60	335	155	16.85	20	<1	<1	6	32	1.67	<1	19	0.64	1258	42	4	59	105	76	<1	0.25	38	6	37	11	85	13	66	<1	213	7	<20	77	48	7	1656	<1
74406	088844	0.277	<1	6.87	1249	183	2	47	1.08	11	<1	48	366	104	13.28	10	<1	<1	5	29	1.80	<1	20	1.25	5437	40	2	34	<100	55	<1	0.16	23	4	24	<10	77	11	72	<1	178	3	<20	46	30	7	521	<1
74407	088845	0.142	<1	5.78	65	61	<2	54	1.17	9	<1	9	338	93	12.40	5	<1	<1	6	29	1.96	<1	18	1.55	6976	36	<1	28	<100	44	<1	0.14	16	2	20	<10	50	11	65	<1	118	6	<20	16	22	7	33	<1
74408	088846	0.128	<1	5.85	70	62	<2	63	1.17	11	<1	74	308	71	15.42	7	<1	<1	5	29	1.79	<1	19	1.31	6009	43	<1	37	<100	61	<1	0.21	20	2	22	<10	51	14	72	<1	125	2	<20	16	19	6	25	<1
74409	088847	0.030	<1	4.81	26	54	<2	41	0.90	8	<1	9	348	105	11.47	3	<1	<1	6	23	1.92	<1	14	1.07	4194	34	<1	28	101	43	<1	0.12	15	<1	35	<10	41	9	68	<1	<100	3	<20	8	21	6	16	<1
74410	088848	0.053	<1	6.26	16	75	<2	57	1.53	11	<1	6	307	47	14.94	7	<1	<1	6	18	1.82	<1	19	1.78	5809	41	<1	16	274	38	<1	0.07	14	<1	47	<10	54	11	77	<1	127	2	<20	12	24	9	26	<1
74411	088849	0.005	<1	6.52	91	158	2	65	1.51	12	<1	6	214	24	16.72	11	<1	<1	6	15	1.86	<1	19	1.97	4822	41	<1	8	254	51	<1	0.03	17	2	20	<10	55	12	69	<1	149	4	<20	17	25	10	53	<1
74412	088850	<0.005	<1	8.73	6	727	<2	53	1.27	<4	105	1	194	5	1.57	6	<1	<1	7	38	1.87	51	30	0.53	234	23	5	9	285	50	66	<0.01	17	2	50	<10	234	6	64	29	1296	<2	<20	22	20	15	46	<1
74414	088851	<0.005	<1	6.25	32	92	<2	59	1.48	9	<1	5	455	19	12.20	5	<1	<1	4	29	1.75	<1	19	1.45	3148	38	<1	8	248	42	13	0.03	17	<1	12	<10	57	9	73	<1	143	6	<20	9	23	9	38	<1
74415	088852	0.021	<1	6.27	72	66	<2	52	1.20	8	<1	11	206	43	10.92	5	<1	<1	8	33	1.77	<1	19	1.28	3134	35	<1	16	<100	42	<1	0.07	20	1	24	<10	52	8	69	<1	135	2	<20	10	23	7	61	<1
74416	088853	0.961	2	8.43	200	75	2	78	0.66	21	<1	56	156	228	23.44	35	<1	<1	5	10	1.61	3	25	0.70	1035	54	4	96	137	109	10	0.36	41	11	45	10	79	16	85	<1	293	3	50	92	44	7	1384	<1
74417	088854	1.765	<1	5.59	1606	57	<2	44	0.90	6	<1	8	199	76	8.47	<1	<1	<1	7	34	1.80	<1	17	0.80	2151	31	<1	15	<100	38	<1	0.07	21	<1	18	<10	47	8	66	<1	115	5	<20	4	22	6	48	<1
74418	088855	1.431	<1	6.13	1502	69	<2	55	1.01	6	<1	7	664	58	7.86	<1	<1	<1	6	30	1.67	<1	21	0.78	2019	37	<1	15	<100	39	<1	0.06	14	<1	24	<10	56	8	57	<1	146	2	<20	4	23	6	41	<1
74419	088856	0.137	<1	6.69	413	75	<2	56	1.08	8	<1	1	541	13	10.82	5	<1	<1	7	38	1.74	<1	20	1.38	3676	36	<1	7	<100	47	<1	0.03	15	<1	18	<10	56	8	63	<1	139	3	<20	5	21	7	16	<1
74420	088857	0.092	<1	6.87	96	71	<2	60	1.35	8	<1	3	412	15	11.69	4	<1	<1	8	27	1.85	<1	21	1.61	4131	38	<1	6	219	49	<1	0.03	16	<1	23	<10	61	10	67	<1	159	7	<20	7	25	9	24	<1
74421	088858	0.822	1	6.81	305	80	<2	54	1.45	10	<1	7	429	36	13.63	7	<1	<1	8	23	1.97	<1	21	1.90	5944	38	<1	11	184	47	<1	0.05	18	<1	50	<10	59	10	72	<1	144	5	<20	10	26	10	135	<1
74422	088859	0.049	<1	6.16	100	64	<2	44	1.07	4	<1	1	436	14	5.87	<1	<1	<1	7	33	1.98	<1	18	0.99	2766	29	<1	6	<100	35	<1	0.02	14	<1	28	<10	51	8	58	<1	128	6	<20	5	20	6	53	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74423	088860	0.123	<1	6.44	377	70	<2	57	0.93	6	<1	2	610	16	8.18	<1	<1	<1	8	36	2.02	<1	20	0.95	2083	34	<1	10	<100	42	<1	0.03	18	<1	22	<10	52	8	64	<1	135	3	<20	3	21	7	12	<1
74424R	088860	0.140	<1	6.00	300	64	<2	44	0.86	5	<1	<1	443	16	7.44	8	<1	4	8	26	1.80	<1	18	0.84	1799	31	<1	8	<100	35	<1	0.03	12	<1	25	<10	51	8	58	<1	125	3	<20	3	22	6	11	43
74425	088861	0.035	<1	5.84	42	59	<2	53	1.14	9	<1	19	514	64	12.77	10	<1	2	6	32	1.94	<1	18	1.39	4265	36	<1	41	174	47	<1	0.10	18	<1	25	<10	51	9	73	<1	122	3	<20	7	23	7	18	<1
74426	088862	0.518	<1	7.87	454	99	2	57	0.79	15	<1	69	397	161	16.06	28	<1	4	7	19	1.58	<1	22	1.18	2861	42	5	83	114	69	<1	0.18	23	7	31	10	74	10	72	<1	217	2	29	73	51	8	1739	2
74427	088863	0.175	<1	6.54	182	114	<2	46	3.47	8	<1	16	501	84	10.59	8	<1	<1	5	34	1.81	<1	19	1.71	4818	32	<1	39	206	47	6	0.09	19	3	22	<10	75	9	65	<1	150	3	<20	26	28	7	148	<1
74428	088864	0.544	1	6.68	278	78	<2	58	0.77	17	<1	72	231	291	21.65	24	<1	2	7	18	1.65	<1	21	0.92	2948	48	1	140	114	102	<1	0.29	28	4	29	<10	73	14	77	<1	170	11	41	46	32	6	485	<1
74429	088865	0.507	2	6.15	283	96	<2	55	0.76	12	<1	59	415	427	16.63	19	<1	2	6	25	1.73	<1	18	0.70	2075	43	1	114	123	85	<1	0.23	27	2	38	<10	67	12	73	<1	158	8	<20	36	30	6	383	<1
74430	088866	0.869	<1	5.86	163	82	<2	52	1.08	9	<1	24	427	106	11.35	9	<1	<1	7	29	1.86	<1	18	1.33	4391	35	<1	39	103	60	<1	0.09	20	4	26	<10	52	9	62	<1	123	6	<20	25	28	7	421	<1
74431	088867	0.243	<1	5.83	384	60	<2	54	1.57	8	<1	6	371	23	10.74	7	<1	<1	8	34	1.92	<1	18	1.51	3361	35	<1	10	122	45	<1	0.04	19	<1	32	<10	53	9	68	<1	121	5	<20	11	25	7	48	<1
74432	088868	0.339	<1	5.98	377	58	<2	55	1.90	12	<1	8	288	51	16.16	12	<1	2	7	17	2.01	<1	19	1.99	5344	41	<1	13	104	54	<1	0.06	18	1	40	<10	56	11	71	<1	122	7	<20	12	26	7	85	<1
74433	088869	0.212	<1	7.44	1054	91	<2	65	2.18	12	<1	25	299	51	16.27	17	<1	<1	5	28	2.05	<1	24	2.29	5715	42	1	19	170	60	<1	0.06	20	3	54	<10	71	13	77	<1	151	11	23	37	36	9	216	<1
74434	088870	13.696	6	8.92	30	422	<2	49	3.07	4	<1	23	86	125	4.44	16	<1	<1	9	37	1.88	<1	21	1.46	611	30	10	39	305	56	500	0.03	14	11	33	<10	141	7	63	<1	3787	2	<20	110	25	17	143	<1
74436	088871	0.051	<1	6.65	24	75	<2	62	1.08	9	<1	6	346	39	11.61	11	<1	<1	6	26	1.86	<1	21	1.66	4611	40	<1	15	<100	45	4	0.04	18	1	30	<10	55	9	72	<1	204	6	<20	15	26	7	103	<1
74437	088872	0.559	<1	5.26	341	50	<2	59	1.43	13	<1	13	299	42	17.19	18	<1	3	6	25	1.87	<1	17	2.43	7259	39	<1	12	153	60	4	0.04	23	2	37	<10	47	17	77	<1	112	10	<20	16	25	7	125	<1
74438	088873	0.295	<1	6.05	818	61	<2	45	2.47	7	<1	6	338	51	9.57	8	<1	1	7	24	1.84	<1	18	1.64	3317	35	<1	16	<100	42	2	0.05	15	1	19	<10	64	8	65	<1	124	4	<20	9	22	7	35	<1
74439	088874	0.697	<1	6.27	63	58	<2	65	1.69	10	<1	12	394	41	13.60	11	<1	2	7	35	1.83	<1	20	1.97	4354	39	<1	16	208	42	<1	0.05	19	<1	19	<10	58	11	71	<1	130	7	<20	10	26	8	45	<1
74440	088875	0.046	<1	7.42	36	68	<2	64	1.41	6	<1	4	525	24	8.25	3	<1	<1	8	29	2.06	<1	22	1.32	2267	41	<1	11	143	46	<1	0.03	20	<1	24	<10	65	8	65	<1	153	3	<20	7	27	8	15	<1
74441	088876	0.087	<1	6.77	45	64	<2	58	1.50	10	<1	10	362	36	13.52	12	<1	2	7	25	1.93	<1	21	1.72	4314	42	<1	14	109	54	<1	0.05	21	1	12	<10	59	10	73	<1	138	7	<20	14	28	8	206	<1
74442	088877	0.096	<1	5.75	59	55	<2	65	1.26	11	<1	12	344	46	16.01	11	<1	2	6	23	1.92	<1	18	1.97	5183	42	<1	19	<100	61	<1	0.05	18	1	36	<10	50	14	69	<1	119	7	<20	14	28	8	72	<1
74443	088878	0.032	<1	6.37	25	68	<2	42	0.97	6	<1	3	521	17	7.84	5	<1	<1	6	32	1.88	<1	21	1.07	2187	39	<1	11	<100	42	<1	0.03	17	<1	32	<10	56	7	65	<1	143	3	<20	7	24	6	16	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74444	088879	0.029	<1	6.54	23	62	<2	57	1.11	7	<1	<1	463	12	9.81	10	<1	5	5	35	1.84	<1	20	1.54	2348	39	<1	5	131	38	12	0.02	17	<1	18	<10	55	9	62	<1	134	4	<20	6	22	7	16	72
74445	088880	<0.005	<1	8.68	6	1093	2	45	1.54	<4	16	<1	235	4	1.02	7	<1	<1	7	39	1.92	8	32	0.43	234	26	4	7	119	57	20	<0.01	14	1	50	<10	479	5	54	<1	1030	<2	<20	14	20	7	30	<1
74447	088881	0.145	1	7.07	82	77	<2	65	1.12	7	<1	9	259	36	10.35	7	<1	<1	4	34	2.01	<1	22	1.45	3134	38	<1	16	<100	50	<1	0.05	21	<1	14	<10	59	9	68	<1	149	7	<20	9	24	7	47	<1
74448	088882	0.104	<1	7.37	33	70	<2	56	1.52	10	<1	11	247	47	14.14	14	<1	3	5	24	1.86	<1	24	1.86	4652	41	<1	16	<100	51	<1	0.05	17	1	16	<10	62	11	68	<1	151	8	<20	14	25	8	67	<1
74449	088883	0.030	<1	6.14	37	61	<2	51	1.48	10	<1	6	286	16	13.69	8	<1	<1	7	28	1.91	<1	19	1.66	3935	38	<1	10	182	52	<1	0.03	15	<1	20	<10	55	10	61	<1	125	5	<20	9	19	8	20	<1
74450	088884	0.044	<1	7.09	211	69	<2	56	1.30	7	<1	2	404	12	9.23	6	<1	<1	5	26	1.66	<1	22	1.02	1585	38	<1	6	132	47	<1	0.04	20	<1	32	<10	62	6	62	<1	151	4	<20	5	24	7	9	<1
74451	088885	0.078	<1	6.19	116	60	<2	51	1.16	7	<1	2	384	11	9.19	7	<1	<1	6	22	1.69	<1	19	1.00	1658	33	<1	9	127	36	<1	0.04	19	<1	24	<10	52	7	64	<1	129	2	<20	4	20	7	8	<1
74452	088886	0.038	<1	6.45	32	62	<2	47	1.17	7	<1	2	442	14	8.86	6	<1	1	7	26	1.96	<1	19	1.07	1831	36	<1	10	146	48	<1	0.04	18	<1	23	<10	55	9	59	<1	133	2	<20	4	21	7	9	<1
74453	088887	0.044	1	6.68	67	64	<2	62	1.41	9	<1	7	393	39	12.22	11	<1	1	7	29	1.96	<1	20	1.35	2925	40	<1	18	244	52	<1	0.05	18	<1	15	<10	58	9	71	<1	138	6	<20	6	25	9	14	<1
74454	088888	0.077	<1	5.29	34	53	<2	60	1.47	12	<1	12	308	42	16.26	14	<1	<1	4	31	1.96	<1	16	1.91	4484	39	<1	18	327	48	<1	0.05	17	<1	29	<10	50	12	71	<1	107	3	29	8	21	8	25	<1
74455	088889	0.023	<1	5.94	11	58	<2	44	1.29	6	<1	1	445	17	7.83	4	<1	<1	6	36	1.99	<1	18	1.10	1633	32	<1	8	<100	38	<1	0.03	19	<1	28	<10	58	7	64	<1	121	<2	<20	3	22	6	15	<1
74456	088890	0.005	<1	10.72	321	249	<2	58	7.04	5	68	34	456	13	5.94	14	<1	<1	8	44	2.16	26	58	4.99	1237	28	11	259	560	48	<1	0.01	22	14	37	<10	460	6	65	<1	205	7	<20	129	24	12	113	<1
74457D	088890	<0.005	<1	10.03	310	240	<2	61	6.99	5	67	33	453	13	5.91	14	<1	<1	6	36	2.18	25	55	5.02	1229	23	10	260	556	48	3	0.01	17	14	31	<10	451	7	64	<1	191	9	<20	129	22	11	113	<1
74458	088891	1.011	1	8.34	239	122	<2	88	1.42	25	<1	62	139	313	31.54	30	<1	3	4	17	1.92	<1	29	3.40	8156	61	<1	118	253	107	<1	0.20	29	5	32	<10	85	20	90	<1	175	6	83	41	47	13	182	<1
74459	088892	0.097	1	8.93	29	265	2	56	1.37	11	<1	25	330	109	14.79	20	<1	2	8	22	2.14	<1	28	1.70	3287	42	1	51	175	61	<1	0.10	23	2	17	<10	105	10	66	<1	215	9	<20	34	38	9	124	<1
74460	088893	0.032	1	7.99	59	77	<2	58	1.87	12	<1	6	304	18	16.19	13	<1	2	7	23	1.88	<1	25	2.18	5066	46	<1	10	137	53	13	0.03	21	<1	47	<10	76	11	71	<1	163	12	<20	11	23	9	56	<1
74461	088894	0.126	<1	6.68	30	62	<2	54	1.48	9	<1	8	412	44	11.55	10	<1	2	7	28	1.83	<1	21	1.59	3836	37	<1	16	<100	64	<1	0.04	17	1	19	<10	62	9	65	<1	136	5	<20	10	25	8	37	<1
74462	088895	0.036	2	6.85	29	64	<2	58	1.63	11	<1	13	402	59	14.88	11	<1	2	6	35	1.82	<1	21	1.99	4974	42	<1	21	129	54	<1	0.05	18	1	16	<10	64	10	72	<1	139	7	<20	13	22	9	47	<1
74463	088896	0.031	<1	5.88	31	55	<2	53	1.25	9	<1	6	345	22	11.95	10	<1	3	7	32	2.06	<1	18	1.55	3164	35	<1	8	139	52	<1	0.03	15	<1	8	<10	54	10	66	<1	121	3	<20	7	24	7	22	<1
74464	088897	0.009	<1	6.68	21	62	<2	64	1.57	10	<1	3	349	11	12.74	12	<1	3	7	30	1.91	<1	20	1.66	2897	40	<1	9	<100	49	<1	0.03	18	<1	18	<10	60	11	67	<1	138	8	<20	7	26	8	14	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74465	088898	<0.005	<1	6.39	14	60	<2	50	1.32	9	<1	<1	325	7	11.45	13	<1	2	7	27	2.01	<1	19	1.62	2889	37	<1	6	110	46	<1	0.03	16	<1	28	<10	55	9	65	<1	131	7	<20	5	22	7	13	<1
74466	088899	0.006	1	7.72	14	74	<2	52	1.35	7	<1	3	416	73	8.93	10	<1	4	6	33	1.93	<1	24	1.30	1781	39	<1	120	<100	39	7	0.03	22	<1	31	<10	65	9	64	<1	167	6	<20	5	21	8	13	14
74467	088900	1.014	<1	10.09	10	143	<2	56	4.88	5	14	31	121	39	5.97	16	<1	<1	4	32	1.97	5	20	2.46	968	27	16	25	330	42	61	0.01	13	18	37	<10	191	8	65	<1	6006	5	<20	186	21	29	81	<1
74469	088901	0.231	1	8.63	328	68	3	78	0.81	18	<1	104	444	278	19.03	28	<1	2	8	23	1.65	<1	25	0.88	1388	50	3	228	142	114	<1	0.26	34	3	41	<10	114	12	76	<1	332	5	30	77	39	7	1300	<1
74470	088902	0.243	1	10.15	265	203	4	61	0.70	12	<1	88	414	171	10.05	31	<1	2	6	32	1.73	<1	26	0.64	351	40	9	166	175	84	30	0.12	32	6	25	12	140	9	65	<1	336	<2	<20	118	41	8	1442	<1
74471	088903	0.794	1	8.51	208	120	3	59	1.05	17	<1	74	375	286	16.58	25	<1	2	6	24	1.68	<1	23	0.95	1624	45	4	190	144	109	<1	0.22	37	4	42	11	114	10	68	<1	249	6	20	73	45	7	1682	<1
74472	088904	0.197	<1	6.68	79	73	<2	45	1.26	7	<1	6	390	37	9.31	7	<1	2	9	32	1.88	<1	20	1.17	2096	35	<1	14	145	46	<1	0.03	13	1	24	<10	60	9	62	<1	142	<2	<20	8	24	7	89	<1
74473	088905	0.070	<1	6.79	82	73	<2	58	1.49	10	<1	10	309	29	13.96	11	<1	2	7	28	1.92	<1	20	1.65	3356	39	<1	19	346	47	<1	0.04	19	2	32	<10	62	10	66	<1	141	3	21	11	22	9	41	<1
74474	088906	0.071	<1	5.93	216	58	<2	48	0.99	8	<1	2	409	11	9.60	7	<1	1	5	24	1.87	<1	18	1.04	1615	35	<1	7	<100	41	<1	0.04	15	<1	11	<10	51	8	62	<1	123	4	<20	4	21	6	17	<1
74475	088907	0.120	<1	5.68	208	53	<2	38	0.95	7	<1	3	384	20	10.01	7	<1	1	8	25	2.04	<1	17	1.01	1467	34	<1	12	109	37	<1	0.03	10	<1	31	<10	48	7	63	<1	118	5	<20	5	23	6	14	<1
74476	088908	0.045	<1	6.78	134	69	<2	48	1.20	7	<1	5	320	14	9.68	4	<1	<1	5	22	2.06	<1	20	1.17	1959	37	<1	10	188	42	<1	0.03	17	<1	26	<10	58	9	64	<1	140	3	<20	6	24	8	23	<1
74477	088909	0.122	<1	7.04	840	73	<2	61	1.42	11	<1	6	267	17	14.51	9	<1	<1	7	24	2.01	<1	22	1.90	3647	42	<1	10	120	52	2	0.03	14	<1	40	<10	62	11	68	<1	145	2	<20	9	21	8	30	<1
74478	088910	5.568	2	9.57	285	251	<2	60	2.88	7	11	123	163	1513	7.47	14	<1	<1	9	29	1.88	6	24	1.42	668	37	7	1365	236	747	100	0.05	18	9	20	10	152	7	64	<1	2662	<2	<20	92	53	16	425	<1
74480	088911	0.291	<1	6.86	2601	67	<2	53	1.44	9	<1	8	711	33	12.53	8	<1	<1	7	31	1.79	<1	21	1.58	3068	38	<1	18	117	45	<1	0.04	20	<1	12	<10	61	9	63	<1	156	7	<20	9	24	8	35	<1
74481	088912	0.178	<1	6.87	1075	67	<2	59	1.44	13	<1	8	682	19	18.16	13	<1	2	8	22	1.94	<1	22	2.23	4489	46	<1	11	234	56	<1	0.03	19	<1	24	<10	61	12	70	<1	152	4	40	12	26	10	33	<1
74482	088913	0.106	<1	6.68	704	63	<2	53	1.36	5	<1	3	1256	16	7.83	6	<1	2	7	36	1.86	<1	20	0.84	1228	36	<1	13	<100	44	<1	0.04	17	<1	32	<10	59	7	62	<1	143	4	<20	5	21	7	9	<1
74483	088914	0.113	<1	6.70	700	66	<2	56	2.03	10	<1	5	550	16	13.69	6	<1	<1	6	27	1.87	<1	21	1.68	3153	39	<1	12	139	49	<1	0.04	13	<1	47	<10	64	9	69	<1	139	<2	<20	8	25	8	20	<1
74484	088915	0.104	<1	6.86	638	66	<2	49	1.36	8	<1	4	1202	18	9.19	13	<1	7	7	34	1.88	<1	21	1.02	1711	38	<1	14	<100	43	10	0.05	21	<1	19	<10	59	8	60	<1	146	2	<20	7	22	7	12	216
74485	088916	0.208	<1	6.63	1120	65	<2	63	1.69	14	<1	8	429	26	18.42	16	<1	3	6	16	2.03	<1	20	2.35	5093	44	<1	11	176	53	5	0.04	15	1	42	<10	62	14	80	<1	136	7	39	13	27	9	131	<1
74486	088917	0.274	<1	7.54	1281	83	<2	62	1.69	12	<1	10	540	44	15.88	13	<1	2	6	28	2.00	<1	24	2.06	4438	43	<1	22	<100	52	<1	0.06	16	1	8	11	65	11	66	<1	162	9	26	16	24	9	82	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74487	088918	0.672	<1	5.56	4227	92	<2	71	0.94	22	<1	35	171	123	29.97	30	<1	6	6	12	1.68	<1	18	3.08	7707	51	<1	57	<100	90	<1	0.13	30	2	26	<10	42	21	96	<1	132	7	73	27	32	8	158	<1
74488	088919	0.366	1	7.53	59	83	<2	67	1.91	18	<1	16	584	68	23.54	20	<1	4	7	23	2.20	<1	24	2.97	6752	52	<1	19	<100	68	6	0.07	23	1	30	<10	66	14	77	<1	163	14	57	18	28	9	111	<1
74489	088920	<0.005	<1	9.79	15	959	<2	47	1.71	<4	50	3	581	8	2.10	18	<1	3	3	33	2.03	19	38	0.58	344	31	7	8	289	58	38	0.01	11	1	44	11	335	6	65	5	1700	5	<20	26	20	11	50	96
74491	088921	0.047	<1	7.51	49	75	<2	79	1.74	15	<1	8	672	21	20.43	40	<1	7	5	16	1.95	<1	23	2.50	5795	50	<1	12	231	62	<1	0.02	19	<1	37	<10	68	23	104	<1	165	6	162	12	26	11	30	<1
74492	088922	0.049	<1	6.59	184	64	<2	57	1.41	8	<1	3	655	12	11.26	10	<1	3	5	25	1.91	<1	20	1.39	2420	38	<1	11	252	48	<1	0.02	14	<1	15	<10	58	10	65	<1	139	3	<20	7	23	8	15	17
74493	088923	0.861	<1	6.96	438	146	<2	53	1.16	10	<1	39	715	142	11.48	15	<1	3	6	23	1.75	<1	17	0.88	1632	37	2	77	129	67	<1	0.11	26	2	16	<10	73	8	63	<1	200	6	<20	38	28	7	601	15
74494	088924	0.039	<1	6.19	32	63	<2	65	1.88	11	<1	5	845	15	15.10	15	<1	3	8	22	1.94	<1	19	1.96	3711	40	<1	9	<100	50	<1	0.02	16	<1	17	<10	60	10	67	<1	131	6	21	10	23	8	24	<1
74495	088925	0.031	<1	6.28	27	64	<2	56	1.86	10	<1	6	609	13	14.32	13	<1	4	4	18	2.08	<1	19	1.88	3482	40	<1	11	<100	48	<1	0.02	15	<1	13	<10	60	11	66	<1	131	4	<20	9	23	8	22	52
74496	088926	0.126	<1	6.09	74	60	<2	74	2.00	16	<1	9	570	20	20.80	20	<1	6	4	22	2.02	<1	19	2.56	5279	46	<1	11	133	61	<1	0.02	18	1	31	<10	60	13	71	<1	127	4	42	14	22	9	28	60
74497	088927	0.096	<1	5.51	52	56	<2	53	1.63	12	<1	7	586	17	16.50	16	<1	5	7	17	2.17	<1	17	2.05	5038	41	<1	13	270	55	<1	0.02	20	1	35	<10	54	10	67	<1	116	8	21	13	25	9	36	90
74498	088928	0.259	<1	6.44	146	63	<2	51	2.82	9	<1	6	634	26	12.28	10	<1	5	6	17	2.02	<1	20	1.91	4515	37	<1	11	233	54	<1	0.03	15	1	25	<10	73	9	71	<1	133	8	<20	13	22	8	42	60
74499	088929	1.578	1	7.89	4223	91	<2	65	3.01	11	<1	35	784	81	14.74	14	<1	4	8	31	2.00	<1	25	1.98	4115	44	<1	47	122	60	<1	0.09	22	2	9	<10	84	11	67	<1	173	4	<20	26	30	9	211	30
74500	088930	2.262	1	8.81	11822	167	2	78	2.47	18	<1	61	456	118	23.31	26	<1	5	5	19	2.01	<1	29	2.91	7184	53	2	69	246	80	<1	0.12	25	6	31	<10	78	12	77	<1	218	5	45	61	40	12	448	44
74501D	088930	2.583	1	9.15	12199	172	2	80	2.50	18	<1	60	439	117	23.11	25	<1	6	5	17	2.12	<1	30	2.89	7090	54	2	67	245	73	<1	0.12	30	5	41	<10	82	15	72	<1	226	10	38	61	46	12	443	55
74502	088931	0.575	<1	6.79	2293	68	<2	65	2.05	8	<1	11	490	31	10.64	8	<1	2	7	25	1.94	<1	21	1.56	2157	36	<1	14	180	42	<1	0.04	18	<1	20	<10	68	8	62	<1	141	5	<20	10	26	7	104	<1
74503	088932	5.387	1	6.68	28124	62	<2	81	2.82	17	<1	61	595	104	21.91	20	<1	3	5	21	1.96	<1	22	2.39	5870	51	<1	66	104	84	<1	0.15	29	1	33	<10	75	13	78	<1	140	8	44	16	26	8	84	<1
74504	088933	1.905	<1	6.82	11895	64	<2	65	3.07	8	<1	15	994	66	11.90	12	<1	4	6	23	1.74	<1	21	1.73	3896	40	<1	35	105	42	<1	0.08	21	<1	38	<10	78	8	66	<1	142	6	<20	9	19	7	36	36
74505	088934	6.810	1	7.28	27177	128	<2	79	1.92	13	<1	97	733	122	16.31	24	<1	6	7	28	1.83	<1	24	1.18	2471	55	2	94	234	63	<1	0.18	31	2	13	<10	77	12	77	<1	211	5	<20	45	30	8	261	111
74506	088935	1.135	<1	7.11	10443	87	<2	57	2.04	8	<1	41	1080	104	10.71	12	<1	4	6	22	1.86	<1	21	1.19	2248	44	<1	48	138	49	<1	0.10	20	1	23	<10	70	10	55	<1	160	6	<20	20	25	8	131	31
74507	088936	0.187	<1	6.83	937	64	<2	51	2.43	8	<1	7	882	42	10.07	11	<1	6	6	29	2.00	<1	21	1.62	3116	37	<1	19	283	43	<1	0.04	18	<1	21	<10	70	9	67	<1	142	3	<20	12	26	8	72	139

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74508	088937	0.871	<1	7.27	16321	77	<2	68	2.53	12	<1	51	773	83	16.07	16	<1	5	6	13	2.03	<1	22	1.89	4475	45	<1	47	<100	60	<1	0.09	27	4	46	11	78	13	78	<1	154	7	31	22	37	8	313	63
74509	088938	2.767	<1	7.57	24329	191	<2	55	1.62	9	<1	74	761	97	10.24	19	<1	3	8	19	2.06	<1	21	0.81	1630	41	4	71	139	64	11	0.11	27	3	29	10	77	8	70	<1	256	3	<20	54	34	7	746	63
74510	088939	5.648	2	9.65	31724	170	3	79	1.58	14	<1	163	238	179	15.01	34	<1	5	6	29	1.84	<1	25	1.02	2577	49	7	136	274	80	10	0.18	37	7	53	11	111	11	77	<1	433	<2	28	118	131	9	1519	114
74511	088940	13.564	6	9.44	140	454	<2	46	3.31	4	<1	26	96	129	4.72	21	<1	<1	8	34	2.14	<1	27	1.41	648	38	10	39	329	64	372	0.03	11	9	33	<10	160	7	61	<1	4784	<2	<20	120	29	15	153	<1
74513	088941	1.100	<1	8.41	5448	186	2	58	1.74	10	<1	46	385	94	11.53	17	<1	4	5	24	2.04	<1	25	1.57	4052	42	3	47	153	59	31	0.08	24	6	28	<10	80	10	67	<1	273	5	<20	55	36	9	641	36
74514	088942	1.447	1	9.99	6858	300	3	64	1.40	11	<1	59	398	111	9.72	26	<1	5	6	31	1.75	<1	24	0.93	2012	44	7	73	181	66	10	0.10	25	5	45	11	97	8	64	<1	436	5	20	109	50	9	1522	82
74515	088943	0.585	1	8.35	2739	139	<2	55	0.99	10	<1	40	382	138	13.44	20	<1	5	7	14	1.89	<1	25	1.34	2779	42	2	67	100	76	4	0.12	25	3	12	<10	62	9	68	<1	221	4	23	47	37	9	338	83
74516	088944	0.429	1	8.73	864	114	2	80	1.00	17	<1	59	253	229	22.79	26	<1	6	4	20	1.72	<1	26	1.96	6310	51	1	110	155	92	6	0.19	27	5	39	<10	72	13	80	<1	227	9	53	52	34	10	224	76
74517	088945	0.102	1	8.30	74	179	2	48	0.79	9	<1	26	381	115	11.04	19	<1	2	7	23	1.69	<1	21	0.57	1142	41	3	84	193	98	16	0.14	28	2	17	<10	75	8	64	<1	352	5	<20	64	28	8	421	<1
74518	088946	0.047	<1	7.28	294	77	<2	68	1.25	9	<1	9	567	46	12.59	11	<1	4	8	23	1.88	<1	23	1.80	4591	41	<1	21	160	45	<1	0.04	15	2	14	<10	60	11	67	<1	160	3	21	20	24	9	92	45
74519	088947	0.269	1	8.08	77	76	<2	74	1.84	13	<1	8	420	23	17.61	17	<1	4	5	24	1.98	<1	25	2.46	6144	50	<1	7	139	54	<1	0.03	17	<1	37	<10	73	11	73	<1	170	4	40	12	23	9	50	12
74520	088948	0.084	<1	5.90	66	56	<2	53	1.55	11	<1	4	567	10	15.74	12	<1	4	6	24	1.81	<1	18	1.98	4869	40	<1	11	149	55	<1	0.03	20	1	36	<10	53	9	70	<1	122	<2	27	8	21	7	22	45
74521	088949	0.127	<1	5.94	929	56	<2	79	1.77	11	<1	4	576	19	16.00	15	<1	5	2	25	2.01	<1	18	2.01	4853	39	<1	9	151	52	<1	0.04	13	<1	44	<10	56	9	72	<1	122	7	29	9	25	7	29	39
74522	088950	<0.005	<1	9.52	14	941	<2	50	1.53	<4	83	5	462	8	2.19	16	<1	2	4	29	1.93	33	33	0.59	275	29	7	7	409	64	41	<0.01	16	2	50	<10	243	5	58	17	1801	2	<20	29	19	14	58	68
74524	088951	0.127	<1	6.00	539	61	<2	44	1.46	10	<1	7	616	48	13.80	10	<1	3	6	23	1.90	<1	19	1.76	3873	37	<1	21	116	47	<1	0.04	19	<1	36	<10	56	10	69	<1	133	3	27	10	22	7	44	<1
74525	088952	0.063	<1	6.43	991	100	<2	53	2.07	11	<1	19	295	53	13.93	16	<1	4	6	25	1.84	<1	20	1.84	3919	36	<1	24	119	55	<1	0.06	15	2	27	<10	65	9	73	<1	148	6	25	19	26	8	222	51
74526	088953	0.065	<1	7.29	25521	84	<2	57	1.41	6	<1	15	399	22	7.64	6	<1	3	7	31	1.95	<1	24	0.98	1625	38	<1	11	<100	43	<1	0.06	19	<1	26	<10	71	8	59	<1	169	2	<20	8	23	7	27	<1
74527	088954	0.066	<1	6.34	13144	66	<2	58	1.17	6	<1	2	483	18	7.00	5	<1	1	8	27	1.92	<1	19	1.01	1321	31	<1	9	<100	45	<1	0.04	17	<1	23	<10	57	6	60	<1	132	5	<20	7	22	6	24	<1
74528	088955	0.060	<1	6.36	12611	66	<2	47	1.16	6	<1	<1	459	18	7.17	8	<1	5	7	28	1.93	<1	19	1.03	1359	31	<1	7	<100	38	14	0.04	19	<1	28	<10	56	8	63	<1	132	4	<20	7	22	6	25	125
74529	088956	0.010	<1	6.87	17253	92	<2	56	1.47	9	<1	<1	404	26	11.19	11	<1	3	6	32	1.93	<1	21	1.56	2232	36	<1	12	<100	41	45	0.04	17	<1	27	<10	62	7	73	<1	146	4	<20	13	22	7	42	31

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 12, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/16/2011
Date Completed: 03/29/2011
Job #: 201141044
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
74530	088957	0.008	<1	6.74	6058	85	<2	55	1.66	9	<1	2	369	32	12.07	9	<1	2	5	26	1.86	<1	21	1.73	2571	36	<1	4	<100	46	<1	0.03	16	<1	6	<10	62	8	67	<1	139	4	<20	13	23	8	51	<1
74531	088958	0.015	<1	7.58	5661	103	<2	66	1.49	7	<1	3	475	24	8.96	11	<1	5	5	34	2.00	<1	25	1.22	1917	40	<1	7	<100	44	18	0.04	17	<1	31	<10	73	8	64	<1	186	6	30	13	27	8	30	104
74532	088959	0.114	<1	6.39	5398	129	<2	64	1.65	16	<1	9	241	166	21.92	19	<1	2	7	23	2.04	<1	18	2.75	5440	44	<1	167	122	64	1	0.05	19	2	40	<10	61	15	79	<1	152	3	57	28	35	10	119	<1
74533	088960	0.061	<1	4.62	5501	55	<2	51	1.23	9	<1	6	446	44	11.35	13	<1	5	6	22	1.90	<1	14	1.44	2668	30	<1	18	<100	54	19	0.05	16	<1	26	<10	46	7	67	<1	<100	4	21	12	26	6	123	76
74534D	088960	0.042	<1	6.35	5367	69	<2	48	1.41	8	<1	5	431	42	11.23	11	<1	3	8	24	1.84	<1	19	1.50	2635	36	1	14	<100	53	1	0.05	21	<1	16	<10	59	8	67	<1	134	7	<20	13	27	7	114	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84619	088961	1.136	13	0.39	5740	17	<2	<1	0.46	13	<1	4	131	18	7.37	18	5	7	<1	<1	0.10	<1	2	0.91	1962	59	2	18	<100	<1	<1	0.88	<5	1	<5	<10	8	9	3	<1	<100	<2	153	6	<10	2	89	104
84620	088962	1.689	<1	0.15	7075	7	<2	<1	0.25	8	<1	1	131	7	4.57	6	<1	4	<1	<1	0.05	<1	<1	0.35	798	31	<1	11	<100	1	<1	0.80	<5	<1	<5	<10	4	4	3	<1	<100	6	63	2	<10	<2	33	58
84621	088963	0.183	<1	4.00	1347	50	2	2	1.01	<4	<1	4	341	13	10.64	8	<1	4	<1	<1	1.87	<1	14	1.47	3395	30	<1	9	219	19	<1	1.20	<5	1	<5	<10	28	6	5	<1	139	5	74	11	<10	5	56	36
84622	088964	0.682	1	6.00	6523	143	5	7	1.87	9	<1	97	519	219	21.22	30	<1	7	<1	<1	1.41	<1	16	1.34	3103	58	4	167	271	72	<1	>10.00	8	7	6	<10	70	11	11	<1	216	<2	234	55	23	8	652	38
84623	088965	0.625	1	5.17	3255	61	3	4	2.32	4	<1	15	248	57	11.28	12	5	6	<1	<1	1.79	<1	18	1.67	3535	35	2	27	206	23	<1	2.53	<5	1	<5	<10	51	6	4	<1	173	<2	25	12	<10	6	76	120
84624	088966	0.698	4	0.43	4209	16	<2	<1	0.73	13	<1	8	150	27	7.20	14	2	7	<1	<1	0.14	<1	2	0.78	2121	55	1	31	<100	7	<1	1.15	<5	1	<5	<10	11	8	3	<1	<100	5	136	5	<10	2	45	139
84625	088967	0.626	<1	0.40	4167	16	<2	<1	0.70	13	<1	7	149	26	7.02	17	8	7	<1	<1	0.13	<1	1	0.76	2059	53	2	27	<100	<1	<1	1.12	<5	1	<5	<10	11	8	4	<1	<100	<2	120	5	<10	<2	40	142
84626	088968	0.812	1	4.25	4278	51	3	4	2.81	4	<1	6	286	26	13.28	12	<1	5	<1	<1	1.89	<1	15	1.80	3650	36	<1	15	301	22	<1	1.89	<5	<1	<5	<10	46	5	4	<1	144	4	59	9	<10	6	54	55
84627	088969	0.707	<1	5.44	1862	70	2	3	2.49	<4	<1	6	434	22	9.38	10	6	6	<1	<1	1.68	<1	18	1.44	2813	36	1	17	299	19	<1	1.92	<5	<1	<5	<10	53	4	2	<1	190	4	<20	9	<10	6	60	146
84628	088970	1.035	<1	7.60	3	115	<2	<1	3.61	<4	22	28	89	40	4.89	16	<1	3	<1	<1	1.59	3	14	1.87	767	11	20	23	689	20	<1	0.47	<5	17	<5	<10	135	5	<1	<1	4628	2	32	145	<10	27	77	14
84630	088971	3.380	<1	0.35	22428	7	<2	<1	1.10	18	<1	14	125	25	10.67	18	1	6	<1	<1	0.12	<1	2	1.24	3564	83	2	32	563	7	<1	1.51	<5	2	<5	<10	17	11	6	<1	<100	<2	199	5	<10	2	52	15
84631	088972	0.911	<1	3.92	4701	67	3	3	1.72	5	<1	7	281	17	15.14	13	<1	4	<1	<1	1.77	<1	16	2.22	4418	30	2	37	193	25	<1	1.96	<5	2	<5	<10	65	6	5	<1	137	11	135	17	<10	5	50	1
84632	088973	0.632	<1	3.78	3702	47	3	5	1.48	5	<1	3	262	10	16.32	11	<1	4	<1	<1	1.78	<1	13	1.98	4354	39	2	10	392	25	<1	1.53	<5	<1	<5	<10	36	9	7	<1	129	10	139	7	<10	5	47	29
84633	088974	0.545	<1	4.21	177	56	3	4	1.61	5	<1	4	295	20	15.20	13	<1	5	<1	<1	1.89	<1	14	1.86	3865	38	<1	13	340	23	<1	1.70	<5	<1	<5	<10	35	7	7	<1	147	8	129	8	<10	6	49	51
84634	088975	0.752	<1	4.21	4864	66	3	3	1.51	5	<1	22	253	76	15.09	12	<1	5	<1	<1	1.84	<1	14	1.83	4336	39	1	35	263	25	<1	3.36	<5	1	<5	<10	38	7	9	<1	148	<2	144	12	<10	6	79	33
84635	088976	2.899	<1	0.45	7013	22	<2	<1	0.54	14	<1	12	121	35	7.69	12	5	2	<1	<1	0.16	<1	1	0.82	2293	58	1	32	<100	6	<1	1.64	<5	1	<5	<10	10	8	5	<1	<100	11	162	7	<10	<2	164	<1
84636	088977	2.037	<1	0.97	30086	65	<2	<1	0.79	13	<1	16	194	41	7.55	16	7	4	<1	<1	0.38	<1	2	0.76	2026	58	2	35	<100	8	<1	1.92	11	2	<5	<10	19	6	3	<1	<100	24	107	11	<10	2	126	3
84637	088978	2.447	<1	1.13	17324	81	<2	<1	0.64	14	<1	15	148	36	7.78	18	3	5	<1	<1	0.43	<1	2	0.76	2047	59	1	32	<100	8	<1	1.90	6	1	<5	<10	17	7	4	<1	<100	<2	115	9	<10	2	101	36
84638	088979	0.749	<1	3.98	6464	51	3	6	1.36	6	<1	12	401	55	17.23	13	<1	5	<1	<1	1.75	<1	14	2.04	5335	41	1	34	354	29	<1	3.32	<5	1	<5	<10	35	9	5	<1	138	4	222	12	<10	6	110	29
84639	088980	<0.005	<1	7.61	108	794	2	<1	1.11	<4	47	5	440	8	1.57	11	4	2	<1	<1	2.19	24	28	0.45	299	20	4	11	362	26	44	0.54	<5	2	<5	<10	278	<1	1	13	1028	<2	<20	16	<10	9	39	38

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84641	088981	3.156	<1	0.50	18375	19	<2	<1	0.65	10	<1	11	356	43	5.66	10	4	2	<1	<1	0.13	<1	1	0.50	1268	41	1	26	<100	<1	<1	1.63	7	1	<5	<10	16	6	3	<1	<100	<2	110	7	<10	<2	72	<1
84642	088982	0.750	<1	0.29	5387	17	<2	<1	0.45	14	<1	9	292	22	7.96	18	7	5	<1	<1	0.10	<1	<1	0.83	2070	61	1	14	<100	2	<1	0.87	<5	1	<5	<10	9	7	6	<1	<100	<2	180	6	<10	2	54	47
84643	088983	0.954	1	5.36	7520	145	4	5	1.10	6	<1	31	562	88	17.05	21	<1	6	<1	<1	1.84	<1	14	1.89	4833	44	3	50	254	38	<1	3.80	<5	5	<5	<10	41	9	2	<1	250	16	194	40	11	7	351	53
84644	088984	0.655	<1	3.62	7394	57	2	3	0.86	4	<1	3	484	10	11.76	9	<1	3	<1	<1	1.78	<1	13	1.23	2651	35	<1	13	177	18	<1	1.46	<5	<1	<5	<10	25	5	4	<1	134	4	127	7	<10	4	44	8
84645	088985	0.486	<1	4.06	5423	62	3	5	0.91	4	<1	3	486	9	12.15	9	7	4	<1	<1	1.78	<1	13	1.32	2911	37	<1	12	155	16	<1	1.44	<5	<1	<5	<10	28	5	4	<1	150	5	92	8	<10	5	39	50
84646	088986	2.995	<1	0.05	22003	13	<2	<1	0.31	9	<1	2	228	6	5.11	6	<1	2	<1	<1	0.02	<1	<1	0.46	993	39	<1	4	<100	<1	<1	0.86	<5	<1	<5	<10	5	4	4	<1	<100	<2	92	2	<10	<2	21	<1
84647	088987	1.698	<1	0.08	24643	12	<2	<1	0.27	12	<1	5	316	27	6.92	13	3	5	<1	<1	0.02	<1	<1	0.68	1839	51	<1	15	<100	<1	<1	1.40	<5	<1	<5	<10	6	8	5	<1	<100	14	174	3	<10	<2	32	75
84648	088988	0.678	<1	0.18	3974	6	<2	<1	0.14	11	<1	3	202	9	6.15	12	2	5	<1	<1	0.02	<1	<1	0.61	1426	45	1	5	<100	3	<1	0.55	<5	<1	<5	<10	4	5	3	<1	<100	<2	107	3	<10	<2	27	80
84649	088989	1.754	<1	0.42	17305	24	<2	<1	0.41	16	<1	11	146	50	9.28	19	<1	7	<1	<1	0.09	<1	<1	1.05	2207	72	3	31	<100	2	<1	1.59	<5	4	<5	<10	11	10	8	<1	145	<2	183	11	<10	2	63	73
84650	088990	1.720	<1	0.35	21684	39	<2	<1	0.14	8	<1	2	247	18	4.80	9	<1	4	<1	<1	0.09	<1	<1	0.44	1055	36	1	7	<100	<1	<1	1.00	5	<1	<5	<10	4	4	2	<1	<100	<2	109	5	<10	<2	38	36
84651D	088990	1.729	<1	0.35	21782	39	<2	<1	0.14	8	<1	2	251	19	4.82	8	2	5	<1	<1	0.09	<1	<1	0.45	1060	36	<1	10	<100	2	4	0.99	<5	<1	<5	<10	4	5	2	<1	<100	<2	95	5	<10	<2	37	82
84652	088991	5.919	<1	0.18	25782	22	<2	<1	0.44	8	<1	3	301	25	4.76	8	<1	4	<1	<1	0.04	<1	<1	0.48	950	36	<1	18	<100	5	<1	1.15	<5	<1	<5	<10	14	6	4	<1	<100	<2	38	4	<10	<2	31	75
84653	088992	0.109	<1	7.94	1271	840	3	<1	4.58	<4	19	37	659	51	6.40	16	2	4	<1	<1	2.18	2	30	5.04	1043	<1	23	244	1713	23	<1	0.67	<5	14	<5	<10	537	3	<1	<1	2678	11	27	116	<10	12	134	55
84654	088993	<0.005	<1	7.74	163	825	2	1	4.77	<4	31	42	711	55	5.41	14	5	4	<1	1	1.97	8	26	5.38	979	<1	23	269	1625	24	<1	0.52	<5	15	<5	<10	668	4	2	3	2666	9	24	116	<10	11	95	47
84655	088994	0.255	<1	7.73	1167	841	3	1	4.33	<4	24	35	632	52	6.14	14	7	4	<1	<1	1.94	4	27	4.79	1098	<1	19	236	1569	30	<1	0.77	<5	13	<5	<10	577	5	1	<1	1945	9	<20	103	<10	12	91	78
84656	088995	0.220	<1	7.26	1275	791	2	<1	4.19	<4	19	34	622	49	6.23	13	8	3	<1	<1	1.66	3	26	4.72	1123	<1	19	229	1508	31	<1	0.74	<5	13	<5	<10	540	4	<1	<1	1906	17	21	98	<10	11	134	48
84657	088996	0.845	<1	5.28	3048	161	2	<1	0.96	<4	<1	8	465	49	10.25	11	3	5	<1	<1	1.90	<1	17	1.23	2135	35	<1	25	214	20	<1	2.17	<5	<1	<5	<10	50	4	4	<1	278	4	88	11	<10	6	62	129
84658	088997	0.720	<1	5.55	5121	186	3	3	0.66	<4	<1	18	722	57	9.63	13	8	5	<1	<1	1.97	<1	15	1.01	1813	36	<1	35	187	25	<1	2.36	<5	2	<5	<10	46	5	<1	<1	224	<2	104	21	<10	7	60	88
84659	088998	0.216	1	5.25	1680	149	3	2	0.62	<4	<1	5	401	22	10.68	11	<1	3	<1	<1	1.97	<1	15	1.18	2316	34	<1	13	251	20	<1	1.38	<5	<1	<5	<10	36	5	<1	<1	238	<2	94	14	<10	6	75	54
84660	088999	0.076	<1	2.38	597	33	2	<1	0.42	<4	<1	3	580	26	8.17	4	<1	<1	<1	1.23	<1	9	0.79	1557	23	<1	12	154	14	<1	0.89	<5	<1	<5	<10	17	2	2	<1	<100	2	58	7	<10	3	35	<1	

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84661	089000	14.276	6	7.03	37	407	2	<1	2.49	<4	4	23	87	138	4.18	14	4	2	<1	<1	2.12	<1	17	1.23	566	20	11	43	545	37	391	1.02	<5	11	<5	<10	105	3	1	<1	3119	7	<20	95	<10	16	153	<1
84663	089001	0.091	<1	4.59	450	56	2	2	0.66	<4	<1	4	603	24	8.79	9	<1	4	<1	<1	2.23	<1	15	0.90	1423	35	<1	11	144	18	<1	1.21	<5	<1	<5	<10	27	3	6	<1	172	2	60	7	<10	5	43	88
84664	089002	0.045	<1	4.47	647	54	3	4	0.90	4	<1	5	561	33	11.87	10	<1	5	<1	<1	2.06	<1	15	1.35	2250	36	<1	16	141	22	<1	1.35	<5	<1	<5	<10	31	6	5	<1	161	2	127	9	<10	5	60	70
84665	089003	0.155	<1	4.05	3471	48	2	4	0.56	<4	<1	3	644	16	6.77	5	<1	3	<1	<1	1.87	<1	14	0.62	874	31	<1	12	120	13	<1	1.27	<5	<1	<5	<10	26	3	<1	<1	143	<2	39	4	<10	4	25	53
84666	825710	0.243	<1	4.29	3612	69	3	2	0.93	4	<1	6	416	39	11.72	12	2	3	<1	<1	1.88	<1	13	1.32	2222	34	1	15	165	20	<1	1.52	<5	<1	<5	<10	32	5	2	<1	156	3	60	11	<10	5	58	23
84667	089004	0.201	<1	4.12	2526	48	3	4	0.69	<4	<1	3	530	12	10.11	9	<1	4	<1	<1	1.68	<1	14	1.15	1870	32	<1	11	102	18	<1	1.17	<5	<1	<5	<10	25	5	2	<1	145	<2	100	6	<10	4	37	58
84668	089005	0.246	<1	3.94	2588	46	2	4	0.69	4	<1	4	589	14	11.79	10	<1	4	<1	<1	1.84	<1	14	1.29	2106	36	<1	12	124	17	<1	1.17	<5	<1	<5	<10	25	4	2	<1	139	3	143	6	<10	4	41	43
84669	089006	0.275	<1	3.61	4210	43	2	2	0.70	<4	<1	3	440	13	10.18	6	<1	3	<1	<1	1.84	<1	13	1.19	2564	30	<1	11	<100	15	<1	1.17	<5	<1	<5	<10	23	4	5	<1	125	5	82	5	<10	4	36	11
84670	089007	0.321	<1	3.92	4783	46	3	5	1.13	6	<1	7	409	43	17.26	14	1	6	<1	<1	1.80	<1	13	2.16	4897	38	1	19	154	27	<1	1.89	<5	<1	<5	<10	27	8	10	<1	135	6	183	9	<10	5	67	31
84671	089008	0.205	1	4.19	645	47	4	6	1.29	6	<1	12	456	208	17.34	15	7	6	<1	<1	1.85	<1	15	2.15	4787	41	2	35	608	25	<1	3.00	<5	2	<5	<10	31	8	8	<1	146	9	166	11	<10	7	107	56
84672	089009	0.808	1	6.65	2084	177	4	7	0.82	19	<1	72	361	462	17.92	28	<1	7	<1	<1	1.45	<1	13	0.91	1676	61	4	111	360	79	<1	8.79	8	8	<5	<10	46	8	11	<1	365	7	189	63	44	8	3382	70
84673D	089009	0.796	2	6.79	2143	172	4	10	0.83	20	<1	75	380	482	18.48	30	<1	7	<1	<1	1.43	<1	13	0.90	1712	62	5	118	357	81	9	9.04	5	8	<5	<10	50	8	8	<1	390	<2	213	68	46	8	3569	79
84674	089010	0.940	<1	7.14	31	113	2	<1	3.53	<4	16	30	98	48	5.32	15	5	4	<1	<1	1.87	1	14	1.95	823	9	20	26	702	18	<1	0.59	<5	18	<5	<10	124	5	1	<1	4724	4	26	151	<10	28	127	17
84675	089011	0.108	<1	3.82	651	46	2	1	3.92	4	<1	6	425	44	11.30	9	<1	3	<1	<1	1.85	<1	13	1.79	2881	28	2	20	115	24	<1	1.72	<5	1	<5	<10	48	4	5	<1	187	7	56	10	<10	5	64	14
84676	089012	0.544	<1	4.10	4290	55	4	3	1.59	5	<1	18	504	112	15.24	14	8	5	<1	<1	1.93	<1	14	1.81	3370	39	1	34	491	22	<1	2.75	<5	<1	<5	<10	35	6	8	<1	149	13	124	11	<10	6	92	33
84677	089013	2.388	<1	0.67	19377	30	<2	<1	0.95	7	<1	13	226	21	3.79	9	<1	2	<1	<1	0.21	<1	<1	0.46	799	31	3	17	<100	6	<1	1.15	8	3	<5	<10	18	3	<1	<1	<100	25	<20	14	<10	<2	50	3
84678	089014	4.454	<1	1.22	20248	40	<2	<1	1.55	5	3	11	217	19	2.99	16	<1	4	<1	<1	0.39	<1	<1	0.53	618	28	7	21	<100	6	<1	1.04	12	8	<5	<10	31	8	4	<1	110	<2	<20	37	<10	2	90	<1
84679	089015	2.109	<1	0.50	7336	17	<2	<1	0.93	7	<1	4	213	12	4.14	7	4	4	<1	<1	0.16	<1	<1	0.60	581	34	2	9	<100	4	<1	0.72	<5	3	<5	<10	17	4	4	<1	<100	<2	31	13	<10	<2	29	76
84680	089016	4.920	<1	0.40	38722	14	<2	<1	0.91	11	<1	7	158	29	6.30	10	1	4	<1	<1	0.14	<1	<1	0.66	757	49	2	13	107	1	<1	1.82	7	1	<5	<10	17	4	5	<1	<100	18	83	9	<10	2	25	44
84681	089017	4.443	<1	0.60	27880	22	<2	<1	0.69	12	<1	20	158	40	6.64	15	<1	5	<1	<1	0.18	<1	1	0.73	1232	51	2	27	<100	<1	<1	1.86	5	4	<5	<10	22	6	7	<1	<100	<2	100	12	<10	<2	73	73

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84682	089018	3.186	<1	2.31	26551	121	<2	<1	1.78	9	4	27	104	27	5.02	19	7	5	<1	<1	0.97	<1	1	0.91	1101	44	11	41	<100	2	11	1.38	10	9	<5	<10	64	5	<1	<1	202	4	<20	57	33	2	97	88
84683	089019	0.113	<1	4.05	312	53	<2	2	1.19	<4	<1	3	482	12	8.52	7	<1	3	<1	<1	2.01	<1	13	1.30	2205	27	2	10	338	17	<1	1.02	<5	<1	<5	<10	39	3	3	<1	141	6	46	8	<10	5	51	34
84684R	089019	0.114	<1	4.40	128	61	2	2	1.27	<4	<1	4	535	22	9.30	8	<1	4	<1	<1	2.11	<1	14	1.43	2444	29	<1	14	206	17	<1	1.03	<5	<1	<5	<10	42	5	3	<1	153	3	42	9	<10	5	97	58
84685	089020	<0.005	<1	8.12	8	732	<2	<1	1.14	<4	64	5	390	7	1.47	11	2	3	<1	<1	1.84	35	34	0.48	269	23	3	11	321	26	28	0.52	<5	2	<5	<10	255	<1	<1	26	1168	2	<20	17	<10	10	54	90
84686	089021	0.249	<1	6.00	991	210	2	2	0.93	4	<1	12	454	59	7.48	13	3	3	<1	<1	1.81	<1	14	0.78	1327	31	4	35	176	22	15	2.91	<5	5	<5	<10	50	4	2	<1	311	13	69	39	19	6	723	63
84687	089022	0.925	2	8.49	6779	359	4	1	0.56	10	<1	53	276	158	9.59	28	<1	7	<1	<1	1.49	<1	14	0.51	447	52	11	124	325	72	<1	5.20	8	12	<5	<10	72	5	1	2	646	3	105	114	60	8	2710	152
84688	089023	4.937	<1	0.36	27713	27	<2	<1	0.43	11	<1	10	255	40	6.03	13	2	5	<1	<1	0.15	<1	<1	0.57	753	45	<1	18	<100	3	<1	1.94	9	1	<5	<10	16	5	3	<1	<100	<2	78	6	<10	<2	102	77
84689	089024	3.114	<1	0.89	6270	132	<2	<1	0.54	11	<1	30	225	59	6.12	15	<1	5	<1	<1	0.39	<1	1	0.62	764	47	2	46	<100	3	<1	2.64	6	3	<5	<10	32	6	4	<1	<100	7	84	16	<10	<2	108	73
84690	089025	3.575	<1	0.96	4850	77	<2	<1	0.44	12	<1	35	340	95	6.84	15	<1	4	<1	<1	0.41	<1	1	0.50	649	49	2	46	<100	12	6	3.36	<5	3	<5	<10	28	5	3	<1	105	32	104	17	16	<2	307	71
84691	089026	0.346	<1	7.76	890	390	2	2	3.99	<4	21	34	517	44	7.10	17	13	4	<1	<1	1.69	3	34	4.50	938	<1	17	206	1402	26	<1	1.03	<5	13	<5	<10	491	6	<1	<1	411	9	<20	91	<10	11	119	51
84692	089027	0.364	<1	3.97	1863	120	3	3	1.50	4	<1	13	260	86	12.32	10	<1	3	<1	<1	1.92	<1	13	1.66	2180	32	1	32	267	21	<1	3.41	<5	1	<5	<10	62	3	5	<1	154	2	79	13	<10	5	85	<1
84693	089028	0.490	<1	5.37	1323	146	3	3	1.40	4	<1	12	277	96	11.81	12	3	5	<1	<1	2.24	<1	16	1.38	2065	34	2	32	218	23	<1	3.63	<5	<1	<5	<10	51	5	3	<1	245	2	132	12	<10	5	74	65
84694	089029	0.144	<1	7.50	123	447	4	2	0.83	4	<1	14	290	98	12.72	21	5	5	<1	<1	1.18	<1	16	1.11	1307	42	2	43	217	30	13	4.74	<5	1	<5	<10	48	4	3	<1	478	<2	112	22	18	6	69	86
84695D	089029	0.142	<1	8.13	114	537	4	1	0.88	4	<1	14	278	94	12.68	20	2	7	<1	<1	1.31	<1	18	1.14	1288	44	1	43	223	28	<1	4.73	<5	1	<5	<10	53	5	3	<1	502	<2	126	22	19	6	73	139
84696	089030	0.128	<1	4.14	261	53	2	2	1.22	4	<1	4	348	53	11.64	10	<1	4	<1	<1	1.81	<1	14	1.63	2456	33	2	13	101	21	<1	1.45	<5	<1	<5	<10	37	4	5	<1	149	<2	85	7	<10	5	48	51
84697	089031	0.267	<1	3.91	1189	47	3	4	1.22	5	<1	4	255	10	16.13	15	<1	5	<1	<1	1.71	<1	13	2.09	3418	38	1	11	383	29	<1	1.14	<5	<1	<5	<10	34	7	8	<1	150	8	132	10	<10	6	66	24
84698	089032	0.181	<1	3.04	1112	40	3	5	1.08	6	<1	4	252	15	17.85	15	5	4	<1	<1	1.55	<1	10	2.17	3856	36	2	11	276	25	<1	1.06	<5	<1	<5	<10	30	8	8	<1	125	3	161	12	<10	5	52	<1
84699	089033	0.295	<1	3.35	2991	49	4	7	0.98	6	<1	3	274	12	18.31	15	<1	5	<1	<1	1.63	<1	12	2.15	3522	38	2	11	431	26	<1	0.83	<5	<1	<5	<10	27	11	10	<1	133	5	217	12	<10	6	49	<1
84700	089034	0.016	<1	2.63	77	33	3	4	1.00	4	<1	3	303	10	13.28	9	<1	2	<1	<1	1.41	<1	10	1.71	2784	28	<1	11	670	23	<1	0.74	<5	<1	<5	<10	29	7	3	<1	107	6	112	8	<10	6	41	<1
84701	089035	0.023	<1	3.02	28	35	4	5	1.10	6	<1	3	248	13	16.18	13	1	3	<1	<1	1.51	<1	11	2.00	3555	35	<1	9	758	23	<1	0.72	<5	<1	<5	<10	28	6	9	<1	121	21	198	9	<10	7	45	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84702	089036	0.036	<1	2.22	166	38	5	5	1.40	7	<1	4	145	13	22.17	16	<1	3	<1	<1	1.20	<1	8	2.58	4050	40	2	7	246	33	<1	0.47	<5	<1	<5	<10	24	8	7	<1	<100	3	225	12	<10	6	51	<1
84703	089037	0.024	<1	4.12	81	50	3	2	1.23	4	<1	3	299	10	11.72	8	2	4	<1	<1	1.98	<1	14	1.53	1849	34	<1	8	1271	16	<1	0.72	<5	<1	<5	<10	35	4	6	<1	159	<2	75	7	<10	9	32	52
84704	089038	0.009	<1	3.62	37	42	3	5	1.06	5	<1	2	191	5	15.17	11	<1	4	<1	<1	1.76	<1	13	1.99	2128	35	<1	7	563	22	<1	0.60	<5	<1	<5	<10	31	5	5	<1	136	3	154	8	<10	6	41	7
84705	089039	0.022	<1	3.95	26	48	4	8	1.09	6	<1	6	268	35	18.65	17	7	5	<1	<1	1.80	<1	14	2.21	3392	40	2	15	328	31	<1	1.99	<5	<1	<5	<10	32	9	7	<1	155	3	200	13	<10	6	75	16
84706D	089039	0.018	<1	3.90	22	48	4	6	1.07	6	<1	7	246	33	17.99	17	1	5	<1	<1	1.92	<1	14	2.16	3315	41	1	15	307	31	<1	1.93	<5	<1	<5	<10	31	7	8	<1	157	4	201	12	<10	6	74	13
84707	089040	5.825	2	6.76	296	202	2	<1	2.42	4	10	119	156	1652	7.35	14	<1	2	<1	<1	1.56	5	15	1.31	694	25	10	1408	479	759	76	1.92	<5	10	<5	<10	109	5	<1	4	2164	<2	<20	80	31	15	445	<1
84708	089041	<0.005	<1	4.55	5	76	3	3	1.22	4	<1	5	334	38	12.45	10	2	5	<1	<1	1.81	<1	15	1.62	2656	35	<1	33	<100	31	<1	0.76	<5	<1	<5	<10	37	4	6	<1	238	2	100	10	<10	6	48	73
84709	089042	<0.005	<1	4.23	<2	87	4	7	1.04	5	<1	4	253	15	16.09	16	<1	5	<1	<1	1.81	<1	15	2.02	2410	38	1	11	599	25	<1	0.62	<5	<1	<5	<10	34	7	4	<1	215	12	186	10	<10	7	52	21
84710	089043	<0.005	<1	4.24	<2	88	3	3	1.16	5	<1	3	332	19	14.38	13	3	4	<1	<1	1.70	<1	14	1.78	2389	35	2	9	336	23	<1	0.58	<5	<1	<5	<10	35	4	7	<1	205	6	147	11	<10	6	52	9
84711	089044	<0.005	<1	4.23	97	60	3	4	1.11	4	<1	4	379	22	12.08	11	<1	4	<1	<1	1.83	<1	14	1.54	2512	34	<1	10	178	21	<1	1.08	<5	<1	<5	<10	33	4	3	<1	169	4	97	7	<10	5	45	49
84712	089045	0.689	1	4.19	30	73	3	6	1.41	4	<1	13	392	64	12.72	13	<1	3	<1	<1	1.71	<1	13	1.60	2725	33	2	25	196	27	<1	2.45	<5	2	<5	<10	45	5	<1	<1	158	3	113	19	<10	5	171	3
84713	089046	0.039	<1	5.91	1075	133	3	3	0.94	6	<1	32	297	123	16.48	22	2	5	<1	<1	1.42	<1	17	1.85	3198	41	4	48	467	35	<1	4.59	<5	5	<5	<10	51	9	4	<1	230	7	151	51	<10	7	330	45
84714	089047	0.040	<1	5.57	110	141	3	5	0.75	5	<1	16	269	76	14.08	19	8	5	<1	<1	1.78	<1	15	1.76	3159	36	4	33	231	29	<1	2.61	<5	5	<5	<10	48	7	7	<1	228	8	179	43	10	6	518	36
84715	089048	0.135	1	6.68	11	192	4	3	0.38	12	2	55	62	187	12.48	20	2	5	<1	<1	1.51	2	18	0.85	465	43	4	110	538	55	20	5.59	8	5	<5	<10	45	6	5	<1	272	4	136	54	40	9	3535	39
84716	089049	0.136	1	8.51	12	274	4	3	0.78	9	<1	38	318	158	10.73	25	<1	7	<1	<1	1.40	<1	19	1.00	1739	43	6	89	325	51	38	4.37	12	8	<5	<10	70	6	5	<1	415	2	77	74	29	8	2498	136
84717D	089049	0.132	1	7.29	15	232	3	4	0.74	9	<1	38	319	164	10.88	19	<1	5	<1	<1	1.48	<1	16	1.00	1774	40	5	90	329	51	<1	4.33	11	7	<5	<10	59	6	4	<1	320	<2	95	59	32	8	2533	73
84718	089050	0.005	<1	7.24	3	698	<2	<1	1.03	<4	56	6	258	9	1.55	9	2	2	<1	<1	1.82	28	29	0.46	250	20	4	11	425	27	49	0.56	<5	2	<5	<10	220	<1	2	18	1089	2	<20	19	<10	9	116	43
84719	089051	0.123	1	8.10	7	187	5	3	0.43	10	<1	61	102	313	12.58	26	3	5	<1	<1	1.16	<1	13	0.41	619	49	5	93	296	63	<1	7.04	10	8	<5	<10	100	6	3	<1	393	3	131	72	32	8	2851	56
84720	089052	0.018	<1	4.16	59	72	3	2	1.00	5	<1	14	378	68	12.83	12	<1	4	<1	<1	1.78	<1	13	1.60	2576	34	<1	26	239	25	<1	1.78	<5	<1	<5	<10	38	5	5	<1	156	2	102	14	<10	5	272	8
84721	089053	0.007	<1	4.06	79	47	2	<1	1.37	<4	<1	8	549	40	5.47	4	<1	2	<1	<1	1.68	<1	14	0.90	1369	24	<1	18	156	11	<1	1.20	<5	<1	<5	<10	35	4	<1	<1	143	7	<20	5	<10	4	35	51

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag %	Al ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84722	089054	0.006	<1	3.86	35	44	2	4	1.71	4	<1	5	342	22	13.66	11	2	4	<1	<1	1.87	<1	13	1.85	2677	32	<1	12	203	23	<1	1.03	<5	<1	<5	<10	36	7	3	<1	153	11	67	7	<10	6	57	28
84723	089055	<0.005	<1	4.30	31	47	2	4	2.02	4	<1	4	370	14	12.18	11	6	5	<1	<1	1.94	<1	14	1.71	2423	32	1	12	227	19	<1	0.88	<5	<1	<5	<10	41	5	4	<1	166	2	98	6	<10	6	50	73
84724	089056	<0.005	<1	4.06	37	43	3	4	1.81	6	<1	5	281	16	16.51	14	3	5	<1	<1	1.76	<1	14	2.14	3659	38	1	11	161	24	<1	0.89	<5	<1	<5	<10	37	7	8	<1	192	5	159	8	<10	6	66	38
84725	089057	0.066	<1	8.02	99	270	3	<1	0.86	4	<1	45	126	164	8.69	18	<1	4	<1	<1	1.63	<1	15	0.81	887	34	4	111	399	34	<1	3.78	<5	7	<5	<10	95	6	<1	<1	361	6	66	47	<10	7	654	62
84726	089058	0.096	1	8.97	62	334	3	2	0.56	5	<1	53	244	184	8.49	24	6	5	<1	<1	1.51	<1	19	0.61	319	38	9	132	312	39	16	4.32	6	12	<5	<10	85	3	2	<1	487	<2	77	102	13	7	1062	93
84727	089059	0.056	1	8.52	77	265	2	<1	1.62	5	<1	67	135	205	8.60	20	8	6	<1	<1	1.32	<1	21	1.01	1008	36	9	121	269	33	<1	4.12	<5	11	<5	<10	92	4	<1	<1	413	<2	73	86	<10	7	863	141
84728D	089059	0.065	1	8.02	83	307	2	<1	1.52	4	<1	63	139	192	8.18	19	2	4	<1	<1	1.73	<1	19	0.92	993	33	10	115	252	28	<1	3.73	<5	11	<5	<10	99	3	1	<1	438	2	48	98	10	6	790	95
84729	089060	0.006	<1	9.37	266	329	4	<1	6.46	6	9	106	224	337	12.63	26	9	7	<1	<1	1.53	<1	24	2.66	2748	29	21	212	605	37	<1	4.11	<5	24	<5	<10	153	10	4	<1	450	3	40	172	12	10	881	92
84730	089061	<0.005	<1	7.85	106	278	2	<1	4.98	<4	8	38	164	160	6.32	13	3	3	<1	<1	1.69	<1	23	2.14	1955	14	21	92	348	11	<1	1.03	<5	23	<5	<10	116	6	<1	<1	409	5	26	174	<10	6	127	37
84731	089062	<0.005	<1	7.10	116	244	2	<1	7.37	<4	16	30	208	109	6.52	12	<1	2	<1	<1	1.98	<1	17	2.60	2305	10	17	82	120	12	<1	0.71	<5	16	<5	<10	157	2	<1	<1	339	10	72	120	<10	6	94	5
84732	089063	<0.005	<1	7.80	138	391	2	<1	7.15	<4	41	33	206	130	5.32	13	6	2	<1	<1	1.48	<1	15	2.46	1821	3	22	82	113	7	<1	0.51	<5	19	<5	<10	159	4	<1	<1	446	8	40	163	<10	7	103	<1
84733	089064	0.007	<1	7.30	109	420	2	3	7.43	<4	12	40	144	153	6.57	12	1	<1	<1	<1	1.43	<1	15	2.56	1866	9	22	83	283	13	<1	0.74	<5	22	<5	<10	172	7	<1	<1	441	6	53	169	<10	8	179	<1
84734	089065	0.005	<1	7.31	114	406	<2	<1	7.18	<4	12	38	119	121	6.07	12	7	2	<1	<1	1.54	<1	16	2.47	1741	8	22	78	212	12	<1	0.64	<5	19	<5	<10	164	5	<1	<1	475	5	41	159	<10	7	128	<1
84735	089066	0.009	<1	7.43	77	399	2	<1	4.89	<4	15	41	64	214	7.89	18	6	2	<1	<1	1.29	<1	20	1.88	1429	17	17	75	366	13	<1	0.70	<5	12	<5	<10	150	5	3	<1	726	<2	38	131	<10	6	178	<1
84736	089067	0.006	<1	7.49	65	382	2	<1	4.69	<4	17	39	56	190	9.02	17	<1	<1	<1	<1	1.54	<1	24	2.18	1427	14	17	71	493	13	<1	0.50	<5	12	<5	<10	165	7	<1	<1	837	<2	<20	131	<10	7	150	<1
84737	089068	<0.005	<1	8.45	63	442	2	<1	4.37	<4	20	42	54	184	9.36	18	3	3	<1	<1	1.49	1	29	2.63	1493	14	18	71	508	13	<1	0.45	<5	13	<5	<10	175	5	<1	<1	847	4	29	141	<10	7	138	<1
84738	089069	0.006	<1	7.55	60	335	3	<1	5.00	<4	21	42	48	200	8.94	17	7	1	<1	<1	1.45	<1	24	2.50	1719	12	19	77	543	15	<1	0.46	<5	14	<5	<10	201	6	1	<1	957	2	<20	152	<10	7	121	<1
84739D	089069	0.062	<1	7.74	57	343	2	3	5.01	<4	21	42	49	195	8.93	17	1	<1	<1	<1	1.59	<1	24	2.49	1709	14	20	76	544	16	<1	0.47	<5	15	<5	<10	208	5	<1	<1	1047	5	21	155	<10	7	123	<1
84740	089070	14.311	<1	8.38	60	375	2	1	5.09	<4	18	42	49	199	9.01	19	<1	3	<1	<1	1.88	<1	26	2.50	1720	12	21	75	551	13	<1	0.58	<5	15	<5	<10	213	4	<1	<1	1335	5	<20	162	<10	7	123	8
84741	089071	0.009	<1	7.35	27	61	2	<1	5.81	<4	15	36	58	174	8.55	17	2	<1	<1	<1	1.51	<1	20	2.75	1859	9	21	71	469	18	<1	0.66	<5	16	<5	<10	327	5	<1	<1	895	7	23	162	<10	7	104	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84742	089072	<0.005	<1	4.67	20	28	2	1	5.07	<4	18	37	247	151	7.03	11	<1	<1	<1	<1	0.73	<1	19	3.35	1319	4	20	136	869	24	<1	0.37	<5	16	<5	<10	318	6	<1	<1	303	7	37	140	<10	7	141	<1
84743	089073	<0.005	<1	7.19	<2	51	2	1	4.74	<4	25	36	609	57	5.35	14	1	2	<1	<1	1.47	3	28	5.35	930	<1	21	257	1615	16	<1	0.51	<5	17	<5	<10	571	4	<1	<1	309	5	29	113	<10	11	79	<1
84744	089074	<0.005	<1	6.57	<2	55	2	2	4.92	<4	22	37	709	46	4.99	11	5	2	<1	<1	1.47	5	25	5.63	926	<1	21	290	1325	26	<1	0.49	<5	17	<5	<10	730	3	<1	<1	309	13	42	102	<10	10	67	<1
84745	089075	<0.005	<1	6.24	4	53	2	<1	4.87	<4	23	33	629	49	4.75	11	13	1	<1	<1	1.39	5	24	5.12	897	<1	20	259	1390	17	<1	0.47	<5	16	<5	<10	708	4	<1	<1	297	14	70	98	<10	11	66	<1
84746	089076	<0.005	<1	6.63	6	47	2	2	4.89	<4	21	39	665	55	5.23	12	10	1	<1	<1	1.34	5	26	5.44	932	<1	21	269	1546	19	<1	0.47	<5	17	<5	<10	740	5	<1	<1	272	9	31	106	<10	11	74	<1
84747	089077	<0.005	<1	7.45	17	85	2	<1	4.97	<4	31	35	603	70	5.11	14	9	2	<1	<1	1.56	10	31	5.17	1052	<1	20	248	1402	20	<1	0.50	<5	16	<5	<10	529	3	<1	1	326	17	56	105	<10	12	91	12
84748	089078	0.010	<1	4.51	78	86	2	<1	4.32	<4	15	44	93	189	8.04	13	<1	<1	<1	<1	0.62	3	13	2.20	1645	7	19	76	668	10	<1	0.23	<5	14	<5	<10	191	5	<1	<1	424	7	45	146	<10	6	121	<1
84749	089079	0.010	<1	7.57	81	135	2	<1	3.83	<4	27	46	89	406	9.06	17	<1	<1	<1	<1	1.49	13	20	2.30	1608	18	19	76	609	16	<1	0.50	<5	14	<5	<10	195	4	<1	<1	1007	5	<20	139	14	7	150	<1
84750R	089079	0.010	<1	8.34	75	151	2	<1	3.95	<4	23	41	102	176	8.91	19	3	3	<1	<1	1.57	5	21	2.35	1644	18	19	66	561	15	<1	0.56	<5	14	<5	<10	201	10	<1	<1	1245	6	20	143	12	8	142	10
84751	089080	<0.005	<1	6.60	4	701	2	<1	0.94	<4	103	7	421	14	1.95	10	<1	3	<1	<1	1.34	56	31	0.58	284	21	3	15	382	26	15	0.43	<5	3	<5	<10	154	<1	2	32	936	3	<20	24	<10	8	50	63
84752	089081	0.041	<1	6.92	85	329	2	<1	4.86	<4	15	37	128	151	7.58	14	2	<1	<1	<1	1.52	1	19	2.17	1920	10	15	59	502	15	<1	0.46	<5	11	<5	<10	206	6	<1	<1	1056	7	<20	109	12	7	106	<1
84753	089082	0.043	<1	7.86	113	458	2	1	5.80	<4	22	42	82	210	7.83	17	5	1	<1	<1	1.43	3	20	1.98	1952	17	17	54	611	11	<1	0.50	<5	12	<5	<10	258	5	<1	<1	1260	2	26	123	12	10	131	<1
84754	089083	0.015	<1	8.71	85	324	3	1	4.48	<4	10	47	65	223	9.57	20	8	2	<1	<1	1.48	<1	25	2.29	1612	17	21	78	651	14	<1	0.54	<5	16	<5	<10	202	8	2	<1	1147	6	39	159	10	9	148	<1
84755	089084	0.009	<1	8.97	71	268	2	<1	3.77	<4	23	45	53	213	9.98	19	3	2	<1	<1	1.46	5	27	2.49	1638	19	21	76	691	14	<1	0.52	<5	16	<5	<10	163	9	<1	<1	1151	4	<20	167	10	8	154	<1
84756	089085	0.007	<1	7.86	71	185	2	3	3.77	<4	21	44	47	206	10.32	20	3	<1	<1	<1	1.51	3	26	2.55	1694	15	20	76	617	18	<1	0.42	<5	15	<5	<10	152	6	2	<1	765	4	<20	158	<10	7	155	<1
84757	089086	0.006	<1	7.82	71	146	2	1	3.11	<4	20	43	56	173	9.22	19	2	<1	<1	<1	1.59	2	26	2.38	1384	17	17	70	645	14	<1	0.42	<5	13	<5	<10	136	7	<1	<1	653	4	<20	135	<10	7	141	<1
84758	089087	0.006	<1	8.20	60	101	2	<1	5.69	<4	18	39	77	153	9.94	19	<1	2	<1	<1	1.65	2	27	2.46	2098	13	16	59	599	18	<1	0.53	<5	13	<5	<10	223	6	2	<1	767	<2	28	123	<10	9	169	<1
84759	089088	0.007	<1	6.83	79	116	2	2	4.03	4	7	47	94	180	10.50	18	6	<1	<1	<1	1.27	<1	27	2.57	1748	10	15	75	578	14	<1	0.36	<5	12	<5	<10	136	6	<1	<1	301	2	22	124	<10	7	161	<1
84760	089089	0.059	<1	3.14	284	44	2	5	0.53	4	<1	6	681	20	13.18	9	3	3	<1	<1	1.61	<1	12	1.20	3714	35	1	19	240	22	<1	1.34	<5	1	<5	<10	35	5	3	<1	116	7	140	12	<10	5	59	<1
84761D	089089	0.055	<1	3.85	272	51	3	3	0.54	4	<1	5	664	17	12.61	9	<1	4	<1	<1	1.92	<1	13	1.17	3617	39	<1	18	229	23	<1	1.42	<5	<1	<5	<10	37	6	1	<1	142	4	130	10	<10	5	53	28

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84762	089090	0.012	<1	3.50	111	47	2	2	0.46	4	<1	5	769	17	11.07	8	<1	3	<1	<1	1.66	<1	13	0.99	3408	36	<1	20	150	19	<1	1.42	<5	<1	<5	<10	33	6	5	<1	124	4	102	9	<10	5	53	<1
84763	089091	0.018	<1	3.22	31	44	<2	3	0.39	<4	<1	4	771	8	7.88	5	1	<1	<1	<1	1.67	<1	11	0.70	2242	30	<1	16	117	11	<1	1.02	<5	<1	<5	<10	31	5	1	<1	114	<2	79	6	<10	4	32	<1
84764	089092	0.054	<1	3.24	63	55	<2	1	0.33	<4	<1	7	229	30	4.32	1	<1	<1	<1	<1	1.61	<1	12	0.37	1126	22	<1	19	<100	9	<1	2.17	<5	<1	<5	<10	23	2	<1	<1	115	<2	<20	8	<10	3	68	<1
84765	089093	0.109	<1	2.12	765	39	2	4	0.32	4	<1	7	670	27	12.48	7	<1	<1	<1	<1	1.14	<1	9	1.23	5001	30	<1	23	236	21	<1	2.35	<5	<1	<5	<10	32	8	5	<1	<100	2	120	10	<10	4	73	<1
84766	089094	0.028	<1	2.61	371	44	3	2	0.34	4	<1	8	713	48	11.40	7	<1	1	<1	<1	1.37	<1	9	1.16	4588	30	<1	27	141	24	<1	3.06	<5	<1	<5	<10	37	5	3	<1	<100	2	114	10	<10	4	106	<1
84767	089095	0.029	<1	2.98	292	49	2	2	0.37	4	<1	6	836	45	9.60	5	<1	<1	<1	<1	1.60	<1	11	1.00	3993	29	<1	26	108	34	<1	2.62	<5	<1	<5	<10	33	5	<1	<1	105	5	65	10	<10	4	95	<1
84768	089096	0.029	<1	3.49	342	55	<2	2	0.38	<4	<1	34	925	113	7.45	7	<1	2	<1	<1	1.79	<1	12	0.30	995	35	<1	51	<100	18	<1	5.68	<5	<1	<5	<10	40	4	2	<1	122	<2	52	9	<10	3	120	<1
84769	089097	0.039	1	4.02	301	105	4	12	0.42	9	<1	42	1015	194	21.34	22	<1	4	<1	<1	1.39	<1	10	1.07	4769	59	<1	102	247	48	24	>10.00	<5	4	<5	<10	41	11	8	<1	136	11	287	35	<10	6	341	<1
84770	089098	0.037	<1	3.59	179	108	3	7	0.39	6	<1	18	817	129	14.85	15	<1	1	<1	<1	1.37	<1	10	0.67	2359	44	<1	68	213	35	<1	6.99	<5	5	<5	<10	31	5	7	<1	120	14	209	33	<10	6	287	<1
84771	089099	0.024	1	4.88	148	112	3	6	0.57	7	<1	19	708	185	17.65	21	<1	4	<1	<1	1.59	<1	14	0.62	2957	56	<1	78	191	40	<1	7.74	<5	6	<5	<10	31	9	5	<1	154	7	247	33	<10	8	808	<1
84772D	089099	0.020	2	4.80	159	103	4	8	0.57	8	<1	19	726	192	18.09	20	<1	4	<1	<1	1.58	<1	14	0.63	3025	58	<1	79	193	43	<1	8.02	<5	5	<5	<10	31	11	8	<1	150	10	232	31	10	8	823	<1
84773	089100	1.011	<1	4.79	3	78	2	<1	2.64	<4	16	25	93	45	4.80	9	<1	2	<1	<1	1.53	2	11	1.54	754	7	16	22	651	14	<1	0.56	<5	14	<5	<10	83	3	<1	<1	4113	3	<20	128	<10	25	93	<1
84774	089101	0.033	<1	2.37	70	80	2	2	0.30	4	<1	9	605	94	8.14	5	<1	<1	<1	<1	0.97	<1	7	0.30	1260	27	<1	39	123	16	<1	3.34	<5	2	<5	<10	22	3	2	<1	158	2	85	19	<10	4	232	<1
84775	089102	0.094	<1	4.59	128	122	3	4	0.47	4	<1	12	659	98	10.01	10	<1	2	<1	<1	1.36	<1	13	0.69	1864	37	<1	47	257	24	<1	4.08	<5	4	<5	<10	32	5	3	<1	168	3	85	28	<10	6	341	<1
84776	089103	<0.005	<1	4.06	112	55	3	5	0.61	7	<1	13	585	92	14.88	13	<1	3	<1	<1	1.75	<1	15	1.22	3196	44	<1	41	423	29	<1	3.67	<5	2	<5	<10	25	7	6	<1	132	<2	167	15	11	7	814	6
84777	089104	0.054	<1	4.34	84	101	3	4	0.44	5	<1	19	522	114	12.59	14	<1	3	<1	<1	1.45	<1	12	0.83	2231	39	1	59	231	27	<1	5.32	<5	5	<5	<10	29	6	4	<1	155	2	142	29	<10	6	409	<1
84778	089105	0.020	<1	4.75	120	113	3	4	0.44	5	<1	18	660	111	11.49	13	<1	3	<1	<1	1.59	<1	13	0.83	2052	40	2	56	258	25	13	4.61	<5	5	<5	<10	33	6	3	<1	167	<2	122	32	<10	6	337	<1
84779	089106	0.085	<1	6.28	155	174	3	4	0.45	6	<1	37	420	115	11.39	19	3	3	<1	<1	1.42	2	13	0.57	1550	43	5	105	227	37	<1	5.97	<5	11	<5	<10	46	4	4	3	250	<2	135	66	10	9	825	<1
84780	089107	0.035	1	6.34	241	147	4	4	0.42	8	<1	73	244	171	15.30	24	<1	5	<1	<1	1.45	<1	14	0.45	1124	56	4	192	169	62	10	>10.00	12	12	<5	<10	47	7	6	<1	291	6	151	67	<10	8	676	33
84781	089108	0.155	1	6.71	220	169	3	3	0.41	6	<1	55	205	113	9.81	18	4	4	<1	<1	1.66	<1	14	0.52	735	41	4	177	236	50	<1	7.07	12	12	<5	<10	48	4	2	<1	281	3	102	67	<10	9	647	41

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84782	089109	0.204	1	6.63	240	154	4	6	0.40	7	<1	71	258	133	15.29	23	3	5	<1	<1	1.32	<1	14	0.58	1179	57	4	139	214	64	30	>10.00	19	10	<5	<10	54	6	6	1	290	7	184	73	10	8	706	44
84783D	089109	0.228	1	5.98	230	137	4	4	0.37	7	<1	67	227	121	14.37	19	<1	3	<1	<1	1.40	<1	12	0.55	1107	51	4	129	204	62	<1	>10.00	15	9	<5	<10	46	6	8	<1	245	8	191	59	<10	8	663	8
84784	089110	5.426	2	6.64	299	196	2	<1	2.37	4	15	120	156	1625	7.15	14	4	2	<1	<1	1.53	5	16	1.27	645	25	9	1445	478	756	78	2.08	<5	10	<5	<10	105	4	2	1	2018	3	<20	80	28	15	449	<1
84785	089111	0.123	<1	2.33	1183	38	3	4	0.27	6	<1	46	761	133	13.77	10	<1	<1	<1	<1	1.19	<1	9	0.30	917	45	<1	81	<100	59	<1	>10.00	14	<1	<5	<10	20	5	5	<1	115	6	141	12	<10	3	264	<1
84786	089112	0.033	1	3.47	2459	43	3	3	0.42	5	<1	25	402	109	12.11	8	1	3	<1	<1	1.68	<1	12	0.77	3258	41	<1	49	155	26	<1	7.83	<5	<1	<5	<10	27	5	4	<1	118	2	169	13	<10	4	272	3
84787	089113	0.039	<1	3.13	435	41	3	8	0.33	7	<1	35	404	226	18.55	15	<1	3	<1	<1	1.55	<1	11	0.51	2690	60	<1	103	<100	33	<1	>10.00	<5	<1	<5	<10	20	7	10	<1	104	16	228	16	<10	4	246	<1
84788	089114	0.092	<1	3.34	1324	44	2	7	0.47	5	<1	6	588	170	14.33	9	2	3	<1	<1	1.67	<1	13	1.25	7620	41	<1	48	158	25	<1	6.67	<5	1	<5	<10	28	8	2	<1	113	11	161	14	<10	5	185	<1
84789	089115	0.023	<1	3.16	499	42	2	6	0.44	4	<1	6	634	63	11.54	9	<1	2	<1	<1	1.62	<1	11	1.35	5978	33	<1	28	123	17	<1	3.23	<5	<1	<5	<10	23	6	6	<1	108	9	106	11	<10	5	85	<1
84790	089116	0.006	<1	3.00	28	38	4	7	0.50	6	<1	5	309	46	16.61	10	3	3	<1	<1	1.56	<1	11	2.03	8010	37	1	18	133	26	<1	2.65	<5	<1	<5	<10	22	9	7	<1	101	11	207	11	<10	6	94	<1
84791	089117	0.012	<1	2.09	100	37	2	6	0.26	4	<1	6	426	142	11.10	4	<1	<1	<1	<1	1.07	<1	8	0.88	3675	31	<1	53	154	26	<1	6.77	<5	<1	<5	<10	14	5	3	<1	<100	2	121	12	<10	3	161	<1
84792	089118	0.013	<1	2.04	304	40	2	5	0.28	5	<1	7	642	305	14.54	9	<1	<1	<1	<1	1.01	<1	8	0.89	4842	39	<1	78	142	35	<1	9.41	<5	1	<5	<10	16	7	7	<1	<100	17	153	13	<10	4	130	<1
84793	089119	0.056	1	5.06	203	129	3	5	0.41	7	<1	38	630	130	14.86	17	4	3	<1	<1	1.51	<1	12	0.68	1766	49	2	65	171	55	<1	>10.00	11	7	<5	<10	39	6	6	<1	195	7	185	42	<10	6	575	<1
84794D	089119	0.065	1	5.02	204	121	3	6	0.40	7	<1	40	645	131	15.43	20	<1	3	<1	<1	1.32	<1	13	0.69	1752	51	2	67	176	57	<1	>10.00	10	7	<5	<10	38	6	9	<1	186	<2	230	42	<10	7	608	<1
84795	089120	<0.005	<1	5.67	7	561	<2	<1	0.65	<4	71	5	518	12	1.75	7	<1	2	<1	<1	1.45	39	30	0.40	242	21	1	10	321	24	15	0.57	<5	2	<5	<10	113	<1	1	26	813	<2	<20	16	<10	6	49	49
84796	089121	0.238	1	5.78	262	122	4	7	0.89	7	<1	57	434	113	17.38	25	<1	5	<1	<1	1.49	<1	14	0.66	1286	58	3	113	181	72	17	>10.00	26	10	<5	<10	50	8	8	<1	227	9	170	62	11	7	702	8
84797	089122	0.047	<1	5.98	253	127	3	4	0.95	6	<1	61	378	215	10.47	16	<1	2	<1	<1	1.38	<1	15	0.86	940	35	7	217	253	41	<1	7.23	10	15	<5	<10	56	5	4	<1	214	2	119	88	12	10	1143	<1
84798	089123	0.063	<1	7.35	182	153	3	2	1.69	4	<1	59	262	304	9.34	18	<1	2	<1	<1	1.29	<1	20	1.34	1100	27	17	139	468	32	<1	6.40	<5	22	<5	<10	65	5	<1	<1	276	<2	32	164	<10	7	314	6
84799	089124	0.055	1	7.74	302	181	3	1	1.51	6	18	85	349	342	7.72	19	<1	3	<1	<1	1.41	8	16	0.94	705	32	9	242	226	46	<1	6.57	18	19	<5	<10	84	3	2	5	298	2	24	93	15	13	1464	32
84800	089125	0.067	<1	7.62	320	167	3	2	1.46	6	16	88	428	350	8.45	18	2	3	<1	<1	1.43	9	15	0.91	693	34	8	249	224	48	9	7.29	16	19	6	<10	81	6	5	4	294	2	48	93	14	14	1442	23
84801	089126	0.054	<1	5.09	125	143	2	<1	1.14	<4	<1	34	560	133	5.75	9	<1	<1	<1	<1	1.61	<1	13	0.76	873	24	4	100	<100	29	7	4.28	6	9	<5	<10	55	2	<1	<1	201	4	<20	44	<10	7	479	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84802	089127	0.091	<1	5.37	142	108	3	3	0.88	4	<1	24	489	141	10.85	14	<1	3	<1	<1	1.45	<1	13	0.70	1477	40	2	76	109	45	11	9.24	16	8	<5	<10	52	6	5	<1	222	3	123	40	<10	7	364	18
84803	089128	0.032	<1	5.61	281	137	3	3	2.20	6	8	65	317	408	11.90	17	4	1	<1	<1	1.46	4	13	1.53	1585	28	7	217	248	39	5	7.76	5	14	<5	<10	80	5	6	<1	217	<2	65	72	15	11	1106	<1
84804	089129	0.063	<1	5.08	197	175	2	1	0.89	4	9	51	400	125	5.91	12	<1	<1	<1	<1	1.41	4	10	0.58	675	25	4	159	177	28	13	4.03	9	12	<5	<10	52	4	2	2	212	3	52	57	10	10	876	<1
84805D	089129	0.051	<1	5.90	189	174	2	2	0.91	4	8	49	379	113	5.52	12	3	<1	<1	<1	1.31	3	12	0.58	625	28	5	152	168	28	14	3.88	6	13	<5	<10	57	3	<1	2	244	6	33	57	11	10	836	<1
84806	089130	0.008	<1	4.38	135	103	3	4	5.02	5	16	26	424	434	12.31	14	<1	2	<1	<1	1.26	<1	12	2.58	2385	23	7	132	179	32	<1	6.14	<5	9	<5	<10	105	5	5	<1	165	6	<20	47	<10	8	308	<1
84807	089131	0.062	<1	5.80	272	201	2	<1	1.52	4	12	75	188	142	5.17	12	<1	<1	1	<1	1.32	6	10	0.81	664	21	8	222	199	30	5	4.17	13	18	<5	<10	79	3	2	2	225	<2	21	78	14	12	1243	<1
84808	089132	0.073	<1	4.97	292	138	2	1	2.08	4	12	77	167	170	6.13	10	<1	<1	<1	<1	1.42	3	9	0.97	819	21	5	210	182	34	11	5.17	20	14	<5	<10	89	2	3	3	168	5	<20	57	12	11	1085	<1
84809	089133	0.092	<1	7.02	301	171	2	3	1.33	5	17	93	190	231	6.33	17	4	2	<1	<1	1.12	8	13	0.73	515	29	9	235	231	45	22	5.60	18	19	<5	<10	83	4	3	5	271	7	<20	91	15	14	1299	9
84810	089134	0.061	<1	5.80	221	216	2	<1	1.12	4	16	70	164	163	4.14	11	<1	<1	<1	<1	1.15	9	9	0.62	423	20	7	220	232	30	11	3.43	11	18	<5	<10	70	1	<1	5	234	<2	<20	77	13	13	1187	<1
84811	089135	0.047	<1	7.68	193	278	2	<1	1.05	<4	23	63	177	123	3.48	16	<1	2	<1	<1	1.14	11	13	0.62	347	24	9	202	238	27	31	3.02	10	21	<5	<10	83	2	<1	7	316	3	<20	92	12	15	979	35
84812	089136	0.070	<1	6.85	160	279	3	<1	1.09	<4	25	68	171	101	3.23	15	1	<1	<1	<1	1.17	11	12	0.65	381	21	10	209	245	26	6	2.61	6	21	<5	<10	76	<1	1	8	276	<2	<20	92	11	16	1036	<1
84813	089137	0.073	<1	7.01	197	218	2	3	1.52	4	13	78	173	141	5.37	16	2	2	<1	<1	1.15	6	13	0.84	597	24	9	228	208	31	<1	4.31	8	20	<5	<10	85	2	<1	2	286	2	<20	90	15	14	1256	<1
84814	089138	0.020	<1	6.15	136	110	4	6	0.95	8	3	50	366	583	14.78	21	2	4	<1	<1	1.04	6	16	0.90	870	50	4	156	241	35	<1	9.90	<5	11	6	<10	52	5	5	2	249	14	183	60	12	10	1136	<1
84815	089139	0.005	<1	6.31	199	457	3	2	3.91	<4	15	27	508	165	7.76	15	10	2	<1	<1	1.08	2	31	3.45	1227	3	13	200	1439	13	<1	2.08	<5	12	<5	<10	290	4	<1	<1	240	3	<20	77	<10	11	253	<1
84816R	089139	0.005	<1	6.90	198	471	2	2	3.91	<4	19	26	502	172	7.57	16	7	4	<1	<1	1.09	<1	34	3.47	1253	5	13	202	1326	15	<1	2.22	<5	11	<5	<10	286	4	<1	<1	272	9	<20	75	<10	10	216	35
84817	089140	12.717	6	6.92	28	443	<2	<1	2.66	<4	6	25	91	148	4.44	14	2	<1	<1	<1	1.27	<1	15	1.35	596	18	13	49	625	35	260	0.99	<5	12	<5	<10	113	4	5	<1	3356	2	<20	102	<10	16	168	<1
84818	089141	0.009	<1	5.82	192	722	2	<1	5.47	<4	30	33	519	46	4.90	11	4	2	<1	<1	1.25	2	28	4.58	1132	<1	17	248	1594	10	<1	1.09	<5	12	<5	<10	472	3	2	2	325	18	39	78	<10	11	64	<1
84819	089142	<0.005	<1	6.73	46	272	2	1	5.09	<4	26	36	677	62	5.40	14	7	3	<1	2	1.33	2	36	5.39	952	<1	20	277	1738	20	<1	1.52	<5	15	<5	<10	617	2	<1	1	270	14	27	99	<10	11	114	<1
84820	089143	<0.005	<1	7.17	89	405	3	1	4.65	<4	23	35	605	54	5.11	14	1	3	<1	<1	1.28	2	35	5.18	903	<1	19	258	1646	17	<1	1.47	<5	14	<5	<10	586	3	<1	<1	275	12	31	92	<10	10	99	25
84821	089144	<0.005	<1	6.55	159	509	3	<1	4.20	<4	20	31	529	42	4.88	11	<1	2	<1	<1	1.33	2	33	4.70	894	<1	17	225	1596	9	<1	1.28	<5	11	<5	<10	464	2	<1	1	285	11	<20	78	<10	10	83	11

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 15, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/24/2011
Date Completed: 04/07/2011
Job #: 201141181
Reference:
Sample #: 191

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
84822	089145	<0.005	<1	6.17	199	523	2	<1	4.62	<4	20	35	519	52	5.29	10	5	2	<1	<1	1.39	2	33	4.98	950	<1	17	247	1765	9	<1	1.31	<5	11	<5	<10	480	4	<1	<1	299	17	28	80	<10	10	87	<1
84823	089146	<0.005	<1	5.78	120	354	3	<1	3.39	<4	1	32	507	61	9.06	14	<1	3	<1	<1	1.37	<1	27	4.06	1384	7	15	229	1548	20	<1	1.31	<5	12	<5	<10	376	6	<1	<1	249	4	<20	80	<10	10	145	<1
84824	089147	<0.005	<1	5.74	28	142	2	<1	4.39	<4	19	33	567	57	5.27	11	<1	2	<1	<1	1.32	1	28	5.08	939	<1	18	261	1553	20	<1	1.40	<5	14	<5	<10	613	3	<1	2	192	8	24	84	<10	10	83	<1
84825	089148	<0.005	<1	6.20	93	176	3	1	4.31	<4	20	35	572	52	6.00	13	<1	1	<1	<1	1.29	<1	41	5.09	992	<1	19	259	1617	14	<1	1.28	<5	13	<5	<10	447	3	1	<1	231	12	24	94	<10	9	91	<1
84826	089149	<0.005	<1	6.59	116	508	2	<1	4.10	<4	19	27	490	168	8.21	14	<1	3	<1	<1	1.12	<1	40	4.28	1346	2	15	219	1406	18	<1	2.44	<5	11	<5	<10	300	5	<1	2	280	9	21	83	<10	10	212	<1
84827D	089149	<0.005	<1	6.64	108	561	3	3	3.97	<4	16	26	477	165	8.04	14	3	3	<1	<1	1.06	<1	39	4.14	1314	1	15	212	1361	16	<1	2.37	<5	11	<5	<10	290	4	2	<1	288	8	<20	84	<10	9	210	<1
84828	089150	<0.005	<1	6.72	5	704	<2	<1	1.04	<4	59	6	323	9	1.42	8	4	1	<1	<1	1.29	28	32	0.54	269	16	4	14	351	22	16	0.49	<5	2	<5	<10	227	<1	3	18	1101	2	<20	17	<10	11	44	13

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89467	825711	<0.005	<1	7.32	112	216	3	4	4.83	9	10	34	527	72	5.26	14	<1	1	2	<1	1.46	4	46	4.82	978	98	7	241	1719	16	<1	1.18	12	13	5	<10	488	2	6	6	294	17	45	105	<10	10	95	3
89468	089151	<0.005	<1	7.85	103	523	4	3	4.85	9	7	37	520	73	5.55	14	<1	2	<1	2	1.52	3	45	4.41	1096	98	8	220	1617	14	8	1.50	10	14	<5	<10	405	2	7	3	357	17	52	119	<10	10	108	26
89469	089152	<0.005	<1	7.12	8	157	4	2	3.23	14	<1	39	212	218	8.46	13	<1	<1	<1	<1	1.55	<1	13	1.64	1500	67	10	108	413	14	24	5.02	14	20	10	<10	122	4	12	<1	387	13	97	157	10	6	246	<1
89470	089153	<0.005	<1	5.59	<2	111	8	4	2.27	30	<1	8	305	637	19.77	21	<1	3	<1	<1	1.63	<1	14	1.24	1570	119	3	183	113	31	10	>10.00	11	10	<5	<10	73	8	29	<1	275	9	274	69	13	6	486	<1
89471	089154	0.018	<1	4.98	72	91	7	5	0.86	29	<1	75	412	477	18.94	21	2	3	<1	<1	1.56	<1	15	0.84	1171	104	<1	129	<100	57	<1	>10.00	24	6	6	<10	43	7	32	<1	253	10	258	37	10	5	560	12
89472	089155	0.018	<1	5.37	85	122	8	8	1.25	34	<1	106	564	610	21.87	23	2	4	<1	<1	1.72	<1	16	1.09	1501	125	<1	165	<100	66	6	>10.00	22	7	<5	<10	55	10	37	<1	265	17	351	42	14	6	767	36
89473	089156	0.078	<1	5.71	194	67	7	5	1.25	28	<1	81	428	140	17.96	21	<1	3	<1	<1	1.60	<1	14	0.66	738	99	1	103	282	87	20	>10.00	59	7	<5	<10	56	7	35	<1	294	5	232	47	12	7	647	4
89474	089157	0.013	<1	6.35	214	73	5	5	0.99	19	2	119	242	149	9.54	16	<1	<1	2	<1	1.69	1	12	0.63	553	63	3	234	193	41	36	9.02	35	13	<5	<10	60	3	18	1	299	3	107	69	25	11	2463	<1
89475	089158	0.011	<1	6.31	111	128	5	2	2.15	18	<1	63	430	267	10.90	15	<1	<1	1	<1	1.71	<1	13	1.08	1474	72	4	142	158	36	41	8.95	27	13	7	<10	79	4	18	<1	291	7	131	80	12	8	1006	<1
89476	089159	<0.005	<1	6.67	26	225	3	5	2.97	9	<1	39	166	178	5.53	9	<1	<1	<1	<1	1.51	<1	12	1.29	1366	47	10	94	353	12	17	2.99	8	19	<5	<10	90	3	4	<1	308	8	58	151	<10	5	192	<1
89477D	089159	<0.005	<1	8.37	29	277	4	2	3.66	11	<1	48	202	219	6.87	13	<1	<1	<1	<1	1.77	<1	15	1.58	1669	59	12	117	446	18	40	3.74	7	23	<5	<10	113	3	8	<1	382	9	87	184	<10	7	243	<1
89478	089160	<0.005	<1	8.03	32	311	3	1	3.88	10	<1	52	262	194	6.15	16	<1	<1	1	<1	1.52	<1	17	1.55	1702	56	14	122	390	15	25	3.20	7	21	8	<10	120	3	8	<1	422	10	74	202	<10	6	163	25
89479	089161	0.027	<1	6.28	50	136	4	4	3.72	15	<1	36	343	191	8.80	11	<1	<1	<1	<1	1.62	<1	14	1.53	1611	69	5	75	204	27	22	6.70	17	12	6	<10	108	4	11	<1	281	8	103	84	<10	7	705	<1
89480	089162	0.015	<1	6.51	34	157	4	2	4.52	15	<1	34	327	392	9.75	13	<1	<1	<1	<1	1.71	<1	13	1.76	2017	71	7	87	231	31	28	6.39	9	17	<5	<10	115	4	17	<1	292	8	132	123	10	6	386	<1
89481	089163	<0.005	<1	7.78	20	270	4	3	4.78	11	<1	48	190	146	6.85	14	<1	<1	<1	<1	1.71	<1	15	1.75	1825	58	12	106	412	15	31	3.19	10	22	10	<10	125	4	8	<1	375	11	69	191	<10	6	135	<1
89482	089164	<0.005	<1	7.54	29	241	4	3	5.49	11	<1	50	167	115	6.94	13	<1	<1	3	<1	1.78	<1	14	1.94	1894	59	12	107	399	10	37	2.74	7	23	<5	<10	123	3	6	<1	326	9	65	183	<10	6	96	<1
89483	089165	<0.005	<1	7.87	28	265	4	<1	5.55	11	<1	44	174	102	6.35	14	<1	<1	<1	<1	1.73	<1	15	1.96	1842	57	13	104	450	11	35	2.35	<5	22	5	<10	128	3	7	<1	348	22	76	193	<10	6	80	<1
89484	089166	<0.005	<1	8.31	32	238	3	<1	6.01	11	<1	48	196	112	6.57	14	<1	<1	<1	<1	1.82	<1	15	1.99	1852	62	13	104	427	15	37	2.50	5	25	7	<10	130	3	10	<1	349	9	76	202	<10	6	97	<1
89485	089167	0.011	<1	7.96	24	229	3	3	4.19	10	<1	48	221	129	5.97	12	<1	<1	3	<1	1.65	<1	14	1.45	1472	51	13	114	439	13	41	2.47	9	24	<5	<10	112	3	<1	<1	328	6	73	197	<10	6	148	<1
89486	089168	<0.005	<1	8.11	29	186	4	4	3.67	12	<1	51	250	154	7.11	14	2	<1	<1	<1	1.72	<1	14	1.25	1556	54	13	119	408	13	33	3.83	10	26	6	<10	111	3	6	<1	325	7	82	200	11	6	204	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89487	089169	<0.005	<1	6.38	24	171	3	6	4.05	11	<1	45	171	159	6.54	11	<1	<1	<1	<1	1.66	<1	11	1.27	1440	51	10	113	381	7	41	2.94	5	21	<5	<10	99	4	6	<1	246	9	82	166	<10	5	153	<1
89488D	089169	<0.005	<1	6.45	27	168	3	5	4.07	11	<1	50	182	158	6.52	11	<1	<1	<1	<1	1.65	<1	12	1.28	1438	53	10	112	385	9	25	2.96	12	21	<5	<10	98	3	9	<1	247	8	63	161	<10	5	153	<1
89489	089170	1.040	<1	7.35	<2	108	3	<1	3.85	9	8	30	95	43	5.21	14	<1	<1	<1	<1	1.60	4	14	1.96	842	55	12	27	668	15	36	0.12	<5	18	5	<10	129	4	14	<1	4676	15	48	154	<10	27	103	<1
89490	089171	<0.005	<1	8.00	26	207	3	<1	4.50	11	<1	45	227	168	6.65	15	<1	1	<1	<1	1.84	<1	16	1.38	1521	54	14	111	413	11	35	2.79	9	23	10	<10	122	4	5	<1	417	11	71	207	<10	6	157	18
89491	089172	<0.005	<1	8.47	44	220	4	3	3.83	11	<1	49	229	166	6.87	17	<1	1	<1	<1	1.66	<1	16	1.19	1417	54	14	118	443	15	35	3.86	10	27	<5	<10	120	3	7	<1	348	4	68	221	<10	7	202	6
89492	089173	0.013	<1	6.88	96	128	5	2	4.11	17	<1	52	270	198	10.76	19	1	2	<1	<1	1.64	<1	16	1.27	1861	74	9	108	302	34	18	8.50	19	19	6	<10	110	6	15	<1	294	7	138	153	<10	7	464	14
89493	089174	0.092	<1	4.76	240	46	10	6	1.43	39	<1	44	377	125	25.80	23	<1	3	<1	<1	1.41	<1	12	0.53	737	130	<1	78	<100	112	<1	>10.00	78	6	<5	<10	54	12	50	<1	198	15	481	38	<10	5	473	<1
89494	089175	0.125	1	4.97	275	56	8	4	1.49	35	<1	56	458	164	22.19	22	<1	2	<1	<1	1.58	<1	12	0.67	818	117	<1	107	<100	131	12	>10.00	104	7	5	<10	55	8	42	<1	219	17	422	39	12	6	622	<1
89495	089176	0.099	<1	5.72	269	72	8	4	1.86	30	<1	70	401	196	19.52	22	<1	2	<1	<1	1.49	<1	13	0.82	1014	104	<1	148	<100	103	17	>10.00	91	10	<5	<10	69	8	37	<1	241	9	257	49	12	7	877	<1
89496	089177	0.036	<1	4.58	109	74	7	2	2.76	28	<1	20	445	220	18.73	17	<1	3	<1	<1	1.55	<1	15	1.26	2087	110	<1	35	170	65	<1	>10.00	40	2	<5	<10	61	8	31	<1	188	11	262	14	<10	6	213	7
89497	089178	0.022	<1	3.79	109	69	5	5	2.10	19	<1	28	388	193	12.50	10	<1	<1	<1	<1	1.56	<1	10	0.94	1239	73	<1	56	<100	41	<1	>10.00	30	5	<5	<10	60	5	19	<1	158	9	163	26	10	5	313	<1
89498	089179	0.006	<1	6.60	162	179	4	4	2.17	13	3	50	236	169	6.95	12	<1	<1	<1	<1	1.56	3	13	1.04	1026	55	3	150	156	31	21	6.63	23	13	9	<10	77	3	8	1	302	10	73	68	16	10	893	<1
89499D	089179	0.009	<1	6.44	152	215	3	<1	2.07	12	<1	48	219	164	6.56	13	<1	<1	<1	<1	1.52	<1	13	1.00	981	54	3	146	148	35	30	6.30	27	12	<5	10	74	2	8	2	294	10	69	63	14	10	865	<1
89500	089180	<0.005	<1	6.46	6	598	<2	<1	0.89	<4	48	6	352	11	1.38	8	<1	<1	<1	<1	1.85	26	29	0.41	230	20	3	12	297	21	39	0.14	9	2	<5	<10	168	1	2	16	969	4	<20	17	<10	7	78	<1
89501	089181	<0.005	<1	6.37	96	228	3	7	1.27	10	<1	34	350	57	5.62	10	<1	<1	<1	<1	1.71	1	14	0.83	1027	46	3	103	121	20	23	2.76	19	10	<5	<10	61	3	8	<1	286	4	51	55	<10	9	567	<1
89502	089182	<0.005	<1	4.54	<2	72	3	6	0.94	13	<1	5	597	14	7.82	7	<1	1	<1	<1	1.61	<1	15	0.91	2170	55	<1	15	<100	14	3	1.04	11	1	<5	<10	31	3	12	<1	176	9	75	9	<10	5	57	28
89503	089183	<0.005	<1	3.11	<2	50	4	8	1.06	14	<1	4	367	17	9.39	4	<1	<1	<1	<1	1.45	<1	11	1.08	2678	64	<1	11	117	15	<1	1.04	9	1	<5	<10	24	3	17	<1	119	7	107	8	<10	4	56	<1
89504	089184	<0.005	<1	3.83	<2	59	3	7	0.96	13	<1	3	475	14	8.50	6	<1	<1	<1	<1	1.54	<1	13	1.06	2580	63	<1	10	<100	11	<1	0.91	6	1	<5	<10	27	4	13	<1	147	9	95	8	<10	4	57	<1
89505	089185	<0.005	<1	2.62	<2	45	4	5	0.92	15	<1	4	463	17	10.05	4	<1	<1	<1	<1	1.33	<1	9	1.22	3244	68	<1	11	<100	9	<1	1.13	8	1	<5	<10	21	3	21	<1	101	5	113	8	<10	3	64	<1
89506	089186	<0.005	<1	4.01	39	73	6	4	1.16	25	<1	12	410	163	16.66	14	<1	1	<1	<1	1.56	<1	12	1.54	3407	102	<1	56	214	47	<1	9.28	13	3	<5	<10	37	7	24	<1	153	14	209	15	11	5	287	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89507	089187	<0.005	<1	3.45	<2	51	4	5	1.31	18	<1	4	415	127	12.29	8	<1	<1	<1	<1	1.51	<1	12	1.41	2929	82	<1	36	344	20	<1	5.12	12	1	<5	<10	30	4	21	<1	129	11	125	6	<10	5	97	<1
89508	089188	<0.005	<1	4.03	4	58	2	5	1.28	10	<1	2	510	61	6.29	5	<1	<1	<1	<1	1.55	<1	14	0.81	1184	51	<1	23	177	14	<1	3.03	10	<1	<5	<10	33	2	10	<1	152	11	63	6	<10	4	70	<1
89509	089189	0.042	<1	4.67	125	75	9	5	0.51	37	<1	48	361	218	23.65	24	<1	2	<1	<1	1.52	<1	13	0.57	1554	121	<1	88	<100	72	<1	>10.00	43	6	<5	<10	34	8	38	<1	196	8	438	33	<10	5	624	<1
89510D	089189	0.043	<1	4.98	121	73	10	5	0.52	36	<1	50	357	222	23.82	24	<1	2	<1	<1	1.47	<1	14	0.58	1557	124	<1	89	<100	76	2	>10.00	43	6	6	<10	35	10	38	<1	204	10	441	34	11	6	619	<1
89511	089190	0.013	<1	5.71	70	120	6	5	0.55	23	<1	30	417	109	14.68	19	<1	2	3	<1	1.45	<1	15	0.34	942	83	2	55	105	33	19	>10.00	24	6	<5	<10	43	6	27	<1	266	6	187	45	<10	5	647	13
89512	089191	0.089	1	5.33	423	44	11	10	0.37	43	<1	87	330	125	28.96	31	<1	3	<1	<1	1.46	<1	13	0.24	440	141	<1	80	116	106	<1	>10.00	103	5	<5	<10	39	14	50	<1	248	21	498	43	10	5	454	<1
89513	089192	0.009	<1	4.49	212	68	6	3	0.43	25	<1	43	456	72	17.26	14	<1	2	<1	<1	1.62	<1	15	0.37	919	94	<1	44	<100	56	<1	>10.00	59	2	<5	<10	27	6	30	<1	183	9	207	15	<10	4	94	13
89514	089193	0.013	<1	4.25	62	67	3	7	0.45	12	<1	12	569	38	7.57	6	<1	1	<1	<1	1.64	<1	14	0.40	1053	52	<1	21	<100	17	1	4.83	17	<1	<5	<10	25	4	15	<1	162	7	70	8	<10	4	49	9
89515	089194	0.006	<1	4.29	1208	63	4	3	0.86	13	<1	9	486	62	8.78	7	<1	2	<1	<1	1.61	<1	15	0.69	2657	60	<1	21	362	13	<1	4.45	12	2	6	<10	30	4	14	<1	162	3	95	11	<10	5	55	17
89516	089195	0.007	<1	4.08	1892	60	3	6	0.76	12	<1	5	490	46	8.09	6	<1	<1	1	<1	1.61	<1	14	0.74	3105	58	<1	18	227	8	<1	3.44	9	2	<5	<10	27	3	12	<1	153	6	93	10	<10	5	54	1
89517	089196	0.026	<1	3.49	3686	56	3	3	0.48	14	<1	4	475	82	9.77	7	<1	<1	<1	<1	1.65	<1	12	0.56	1766	75	<1	24	113	10	<1	4.66	10	<1	<5	<10	22	4	13	<1	177	6	106	8	<10	4	65	<1
89518	089197	0.023	<1	4.82	2975	72	3	6	0.56	12	<1	4	512	41	8.18	7	<1	3	<1	<1	1.64	<1	16	0.66	1886	59	<1	15	<100	13	<1	3.12	10	<1	<5	<10	29	4	16	<1	183	6	85	8	<10	4	54	61
89519	089198	0.265	<1	3.99	798	63	8	6	0.40	32	<1	73	316	146	21.97	19	<1	2	<1	<1	1.39	<1	13	0.68	2759	114	<1	52	<100	38	<1	>10.00	48	1	<5	<10	30	8	37	<1	142	13	404	12	<10	4	142	<1
89520	089199	0.008	<1	4.06	42	62	3	4	0.54	15	<1	4	560	92	10.17	7	<1	1	<1	<1	1.54	<1	14	0.75	3266	67	<1	26	<100	18	1	4.58	11	<1	<5	<10	25	4	19	<1	154	7	123	8	<10	4	55	5
89521D	089199	0.008	<1	4.53	45	68	4	5	0.59	15	<1	4	585	97	10.37	9	<1	2	2	<1	1.56	<1	15	0.78	3323	67	<1	25	<100	15	<1	4.62	13	1	<5	<10	28	4	15	<1	174	6	119	8	<10	5	54	45
89522	089200	13.774	6	8.55	28	447	3	<1	2.98	8	<1	29	92	149	4.68	18	<1	2	<1	<1	1.70	<1	23	1.38	660	57	9	46	644	42	425	0.89	9	11	6	<10	125	3	4	<1	3775	12	47	108	<10	16	183	50
89523	089201	0.015	<1	5.09	69	95	3	5	0.68	13	<1	3	496	49	8.54	8	<1	2	<1	<1	1.75	<1	16	0.93	2977	59	<1	17	<100	13	7	2.14	9	3	<5	<10	33	3	12	<1	209	6	93	14	<10	5	136	64
89524	089202	0.135	<1	4.84	1683	68	3	8	0.77	13	<1	3	381	54	8.78	7	<1	3	<1	<1	1.60	<1	18	0.80	1814	59	<1	21	219	12	<1	3.81	7	<1	<5	<10	32	3	11	<1	195	7	101	7	<10	5	85	68
89525	089203	0.275	<1	4.77	3691	68	3	5	0.58	12	<1	8	499	47	8.02	7	<1	2	3	<1	1.67	<1	16	0.70	1397	54	<1	16	<100	11	10	2.95	12	<1	6	<10	29	4	12	<1	181	9	101	7	<10	4	54	60
89526	089204	0.122	<1	4.47	2254	64	3	7	0.73	11	<1	9	286	47	7.55	7	<1	2	<1	<1	1.57	<1	15	0.62	1227	51	<1	18	119	12	6	3.35	9	<1	<5	<10	30	3	13	<1	169	13	78	8	<10	4	58	34

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89527	089205	0.081	<1	4.02	1704	57	3	4	0.70	11	<1	7	443	41	7.01	6	<1	<1	<1	<1	1.61	<1	14	0.57	1196	46	<1	18	<100	8	3	3.00	10	<1	5	<10	27	3	12	<1	152	3	77	7	<10	4	54	<1
89528	089206	0.177	<1	4.41	1532	66	3	5	0.53	11	<1	5	354	59	7.66	7	<1	1	<1	<1	1.57	<1	15	0.53	942	51	<1	19	132	8	<1	3.94	10	<1	<5	<10	26	3	11	<1	166	7	70	8	<10	4	56	27
89529	089207	0.214	<1	4.63	1991	67	3	8	0.57	12	<1	4	508	23	8.09	8	<1	2	<1	<1	1.58	<1	16	0.64	1103	52	<1	12	109	14	<1	1.96	10	<1	<5	<10	28	2	18	<1	176	8	80	7	<10	4	53	44
89530	089208	0.063	<1	3.50	291	60	3	6	0.43	13	<1	14	311	55	9.19	6	<1	<1	<1	<1	1.24	<1	12	0.51	1261	54	<1	22	119	10	<1	4.78	11	<1	<5	<10	21	3	11	<1	131	6	107	8	<10	3	47	<1
89531	089209	0.006	<1	3.72	240	54	3	4	0.43	10	<1	2	532	15	6.16	4	<1	<1	1	<1	1.51	<1	13	0.52	1092	42	<1	11	<100	8	4	0.96	8	<1	<5	<10	22	2	9	<1	146	7	52	5	<10	3	56	<1
89532R	089209	0.006	<1	4.26	241	61	3	6	0.50	10	<1	3	386	13	6.01	4	<1	<1	<1	<1	1.59	<1	16	0.55	1077	42	<1	9	<100	10	4	0.83	9	<1	<5	<10	25	3	8	<1	170	7	58	5	<10	4	68	21
89533	089210	1.047	<1	6.14	<2	94	3	<1	3.28	9	9	30	95	41	5.13	11	<1	<1	<1	<1	1.69	4	14	1.88	827	55	11	22	668	17	21	0.09	8	17	<5	<10	97	2	13	<1	4677	4	52	148	<10	27	102	<1
89534	089211	0.013	<1	4.37	607	61	4	6	0.55	15	<1	5	473	44	10.45	9	<1	1	3	<1	1.47	<1	15	0.82	1591	66	<1	19	171	12	<1	3.28	8	<1	<5	<10	27	5	19	<1	237	10	119	8	<10	4	56	31
89535	089212	0.022	<1	4.36	415	60	4	5	0.52	13	<1	5	375	39	9.10	7	<1	1	2	<1	1.43	<1	15	0.67	1200	58	<1	15	<100	11	3	2.86	7	<1	<5	<10	26	4	15	<1	180	4	106	5	<10	4	54	34
89536	089213	0.043	<1	4.04	134	57	2	7	0.49	10	<1	6	528	34	6.14	3	<1	<1	<1	<1	1.50	<1	14	0.40	680	42	<1	15	265	14	6	2.72	7	<1	<5	<10	24	3	11	<1	158	4	60	5	<10	4	50	3
89537	089214	0.040	<1	4.54	109	65	2	5	0.52	10	<1	7	371	27	5.86	5	<1	2	<1	<1	1.65	<1	16	0.47	840	42	<1	11	114	7	8	1.92	6	<1	<5	<10	27	2	8	<1	176	7	66	6	<10	4	45	48
89538	089215	0.061	<1	2.49	33	40	3	5	0.40	14	<1	29	500	57	9.70	4	<1	<1	<1	<1	1.29	<1	9	0.53	1756	54	<1	24	148	17	<1	4.61	10	<1	<5	<10	16	3	19	<1	<100	3	125	8	<10	3	51	<1
89539	089216	0.042	<1	4.22	226	61	3	3	0.57	14	<1	12	324	60	9.60	8	<1	2	<1	<1	1.60	<1	15	0.46	1130	57	<1	27	193	21	<1	5.16	11	<1	<5	<10	27	3	18	<1	169	6	118	5	<10	4	48	40
89540	089217	0.118	<1	4.56	516	67	3	7	0.68	13	<1	9	503	97	8.24	8	<1	2	<1	<1	1.55	<1	16	0.52	1374	53	<1	27	<100	18	<1	4.33	12	<1	<5	<10	29	3	12	<1	173	6	90	8	<10	4	61	44
89541	089218	0.037	<1	4.65	554	63	2	7	0.63	11	<1	5	372	35	6.81	6	<1	2	<1	<1	1.53	<1	16	0.63	1495	48	<1	16	<100	12	11	2.81	7	<1	<5	<10	28	2	9	<1	177	7	76	5	<10	4	49	56
89542	089219	0.126	<1	4.23	109	60	3	5	0.60	11	<1	11	531	27	7.12	5	<1	1	<1	<1	1.66	<1	14	0.57	1184	48	<1	14	<100	12	6	3.55	11	<1	<5	<10	26	4	9	<1	162	8	68	5	<10	4	48	23
89543D	089219	0.117	<1	4.12	105	57	3	6	0.58	11	<1	10	540	26	7.00	5	<1	<1	1	<1	1.58	<1	14	0.56	1154	48	<1	14	<100	12	4	3.51	11	<1	<5	<10	25	3	14	<1	159	5	71	5	<10	3	48	14
89544	089220	<0.005	<1	5.91	5	614	<2	<1	0.73	<4	66	5	280	7	1.45	7	<1	<1	<1	<1	1.64	36	29	0.40	214	21	2	6	379	30	49	0.09	8	2	7	<10	126	1	5	21	957	3	<20	17	<10	7	61	16
89545	089221	0.040	<1	4.05	53	60	2	6	0.54	10	<1	3	491	22	5.94	3	<1	<1	<1	<1	1.59	<1	14	0.58	1288	43	<1	11	<100	8	<1	1.88	6	<1	<5	<10	25	2	8	<1	159	3	55	4	<10	3	48	3
89546	089222	0.931	<1	3.36	380	52	3	7	0.37	14	<1	8	343	16	9.55	6	<1	<1	2	<1	1.51	<1	11	0.39	1020	55	<1	13	<100	23	<1	8.30	25	<1	<5	<10	20	3	17	<1	131	8	101	4	<10	3	51	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89547	089223	0.254	<1	3.96	579	56	3	6	0.44	12	<1	15	606	33	8.47	7	<1	<1	<1	<1	1.50	<1	13	0.47	975	54	<1	18	<100	16	2	4.28	13	<1	<5	<10	23	4	14	<1	154	4	92	4	<10	3	49	2
89548	089224	0.207	<1	3.94	733	61	3	5	0.56	13	<1	5	755	30	8.35	7	<1	<1	<1	<1	1.64	<1	13	0.66	1555	55	<1	20	<100	14	1	2.53	12	<1	<5	<10	25	4	14	<1	152	8	96	6	<10	4	59	<1
89549	089225	0.338	<1	4.72	612	69	3	3	0.63	11	<1	3	437	28	7.47	6	<1	2	2	<1	1.49	<1	16	0.69	1462	52	<1	13	102	13	2	1.98	10	<1	<5	<10	29	3	9	<1	182	4	73	6	<10	4	55	58
89550	089226	0.355	<1	4.62	245	127	5	7	0.41	19	<1	12	361	58	11.86	13	<1	<1	<1	<1	1.45	<1	11	0.44	1230	66	1	38	169	29	9	6.60	10	2	<5	<10	32	5	18	<1	180	9	136	31	11	6	554	<1
89551	089227	0.881	<1	7.70	566	112	9	7	0.52	33	<1	24	228	119	18.94	32	<1	4	<1	<1	1.41	<1	16	0.55	1873	104	3	70	333	66	16	>10.00	21	6	<5	<10	60	9	32	<1	331	4	245	79	25	10	2028	74
89552	089228	0.904	1	9.27	683	173	8	7	0.47	31	4	37	188	125	16.60	31	<1	5	2	<1	1.57	2	18	0.95	3084	99	4	61	304	84	15	8.52	31	8	<5	<10	63	8	26	<1	348	9	203	86	25	13	2534	103
89553	089229	0.035	<1	5.07	155	101	4	5	0.64	16	<1	8	479	52	10.77	10	<1	2	<1	<1	1.75	<1	15	0.98	3976	69	<1	23	118	21	1	3.18	14	3	<5	<10	33	6	20	<1	184	13	117	18	<10	6	215	27
89554D	089229	0.038	<1	3.89	142	84	4	5	0.53	16	<1	8	490	50	10.66	9	<1	<1	<1	1.53	<1	11	0.94	4016	66	<1	24	115	27	3	3.10	11	2	<5	<10	26	4	14	<1	138	4	119	17	<10	5	176	<1	
89555	089230	0.130	1	7.69	668	120	8	6	0.39	33	9	40	197	139	17.55	27	<1	3	<1	<1	1.53	5	15	0.93	3149	101	3	66	305	91	20	9.34	25	8	<5	10	50	10	26	<1	278	8	229	71	29	13	2771	34
89556	089231	<0.005	<1	4.41	76	71	5	2	0.68	24	<1	13	333	102	16.56	13	<1	3	<1	<1	1.59	<1	15	1.20	6050	96	<1	37	<100	23	3	6.94	10	3	<5	<10	28	8	27	<1	166	9	223	15	<10	5	107	30
89557	089232	0.008	<1	3.42	18	58	3	6	0.50	12	<1	4	592	13	7.54	5	<1	<1	<1	<1	1.39	<1	12	0.73	2989	50	<1	10	<100	8	4	0.93	13	<1	<5	<10	21	3	17	<1	132	4	81	6	<10	4	50	<1
89558	089233	0.008	<1	3.48	17	68	4	8	0.56	16	<1	7	365	47	10.51	7	<1	<1	<1	<1	1.51	<1	12	0.92	4665	65	<1	18	<100	19	<1	3.08	11	1	<5	<10	22	4	17	<1	131	10	134	8	<10	4	56	<1
89559	089234	0.056	<1	3.40	16	55	4	9	0.62	15	<1	7	579	26	10.66	6	<1	<1	<1	<1	1.46	<1	12	1.06	4933	68	<1	14	<100	16	<1	1.67	10	1	<5	<10	22	4	15	<1	132	5	120	7	<10	4	55	<1
89560	089235	0.027	<1	3.53	4	67	4	5	0.61	17	<1	12	400	70	11.96	7	<1	<1	<1	<1	1.45	<1	12	1.05	5645	73	<1	26	<100	18	<1	4.26	10	2	<5	<10	23	6	19	<1	135	7	150	12	<10	4	54	<1
89561	089236	0.042	<1	3.40	7	63	5	3	0.63	19	<1	13	576	55	13.67	11	<1	<1	<1	<1	1.43	<1	12	1.14	6340	82	<1	31	<100	18	<1	4.88	8	2	<5	<10	22	7	23	<1	132	8	155	12	<10	4	60	<1
89562	089237	0.123	<1	3.67	98	73	3	6	0.52	13	<1	5	425	34	8.35	6	<1	<1	<1	<1	1.64	<1	13	0.73	2975	55	<1	17	<100	12	3	2.35	9	<1	<5	<10	23	3	14	<1	138	4	94	8	<10	4	53	<1
89563	089238	0.099	<1	4.51	63	92	4	<1	0.70	19	<1	6	360	76	12.39	12	<1	2	<1	<1	1.57	<1	14	1.21	6284	78	<1	31	<100	24	5	5.42	8	4	<5	<10	31	5	23	<1	163	8	138	30	<10	5	236	<1
89564	089239	0.067	1	4.54	100	64	7	3	1.14	29	<1	6	338	82	20.15	17	<1	4	<1	<1	1.44	<1	16	2.44	10807	128	<1	24	145	31	<1	4.49	11	5	<5	<10	31	6	36	<1	180	17	271	21	11	7	103	43
89565D	089239	0.072	1	4.92	109	69	8	6	1.21	30	<1	7	347	85	20.92	18	<1	4	<1	<1	1.47	<1	17	2.55	11185	136	<1	25	165	35	<1	4.66	11	5	<5	<10	34	10	37	<1	195	16	302	22	<10	7	106	73
89566	089240	5.372	1	6.26	245	199	3	<1	2.12	10	2	103	128	1310	5.84	12	<1	<1	<1	<1	1.53	2	16	1.03	561	50	5	1121	373	600	99	1.51	11	7	<5	<10	99	3	5	<1	1915	7	58	69	28	12	374	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89567	089241	0.036	<1	5.25	123	119	4	5	1.23	16	<1	8	396	100	10.71	11	<1	2	3	<1	1.50	<1	15	1.16	5328	72	<1	51	100	34	10	4.35	13	4	<5	<10	44	5	19	<1	230	7	130	26	27	6	430	9
89568	089242	1.014	2	4.13	3370	50	13	11	1.50	53	<1	94	191	352	35.59	31	<1	5	<1	<1	1.37	<1	13	0.77	3212	171	<1	111	<100	111	<1	>10.00	57	1	<5	<10	36	13	65	<1	161	15	619	6	12	4	254	<1
89569	089243	0.296	2	5.68	505	116	8	5	0.86	30	<1	29	309	147	18.98	20	<1	2	<1	<1	1.44	<1	13	0.97	4069	106	<1	59	108	64	4	>10.00	27	4	5	<10	46	8	30	<1	209	8	239	45	17	6	1117	<1
89570	089244	0.031	1	4.32	42	69	3	4	0.80	14	<1	9	489	47	10.02	8	<1	2	<1	<1	1.49	<1	14	1.15	5305	68	<1	22	<100	19	3	3.13	9	2	<5	<10	29	4	17	<1	165	14	121	12	11	4	86	17
89571	089245	0.010	1	4.40	31	68	4	6	0.97	19	<1	10	397	206	12.07	12	<1	2	<1	<1	1.49	<1	16	1.55	5729	86	<1	87	<100	24	6	1.78	13	1	<5	<10	32	5	22	<1	173	4	157	10	<10	5	293	24
89572	089246	0.034	2	4.40	48	68	5	5	1.32	22	<1	8	406	74	15.83	12	<1	3	<1	<1	1.51	<1	16	1.88	8831	104	<1	34	<100	30	<1	2.32	11	2	<5	<10	33	7	28	<1	167	17	196	11	<10	5	135	27
89573	089247	0.021	1	4.48	78	66	3	6	0.79	13	<1	6	471	41	8.63	8	<1	2	2	<1	1.58	<1	15	1.03	4246	65	<1	21	133	10	2	1.60	10	<1	<5	<10	29	3	16	<1	173	12	93	7	<10	5	80	38
89574	089248	0.026	1	4.08	65	62	4	7	0.89	16	<1	6	431	33	11.04	8	<1	2	<1	<1	1.49	<1	14	1.28	6282	77	<1	17	106	19	<1	2.13	8	2	<5	<10	28	4	18	<1	157	11	135	9	<10	5	79	<1
89575	089249	0.204	1	7.91	540	150	7	6	0.73	31	<1	46	351	100	17.23	23	<1	4	2	<1	1.66	<1	18	1.42	6061	107	3	47	302	51	19	7.57	16	10	12	16	53	9	26	<1	314	7	221	70	30	10	2345	74
89576D	089249	0.218	1	8.74	588	134	8	7	0.79	35	<1	50	387	114	19.53	30	<1	5	2	<1	1.68	1	19	1.58	6778	119	3	53	361	56	19	8.58	18	12	<5	12	59	9	31	<1	342	13	240	78	32	12	2649	98
89577	089250	<0.005	<1	8.24	7	836	2	<1	1.17	<4	52	4	465	10	1.59	15	4	3	<1	<1	1.74	27	35	0.40	248	28	3	9	322	37	48	0.07	7	2	8	<10	197	3	1	16	1079	5	<20	19	<10	6	77	136
89578	089251	0.018	2	4.74	79	63	7	10	1.19	33	<1	20	311	161	22.43	19	<1	5	<1	<1	1.70	<1	17	2.15	10996	137	<1	58	157	41	<1	9.00	11	3	<5	<10	33	9	43	<1	179	7	422	21	<10	6	99	61
89579	089252	0.730	<1	4.59	3414	65	4	7	0.55	16	<1	15	508	58	10.74	9	<1	3	<1	<1	1.58	<1	15	0.64	1447	69	<1	31	<100	15	<1	4.46	12	<1	<5	<10	28	4	17	<1	176	8	130	5	<10	4	63	53
89580	089253	0.406	<1	4.69	4796	69	3	7	0.58	13	<1	5	526	36	8.85	8	<1	3	4	<1	1.59	<1	16	0.71	1368	63	<1	15	113	17	6	1.65	10	<1	<5	<10	28	5	15	<1	182	5	101	5	<10	4	56	59
89581	089254	0.272	5	4.93	1634	78	5	4	0.74	19	<1	14	487	90	13.41	12	<1	4	1	<1	1.51	<1	17	0.85	2526	82	<1	34	206	17	5	4.81	13	<1	<5	<10	31	5	20	<1	190	7	166	8	<10	5	64	86
89582	089255	0.312	1	4.68	1620	75	5	5	0.73	20	<1	14	496	99	14.15	11	<1	3	<1	<1	1.49	<1	16	0.86	2571	86	<1	38	224	17	3	5.19	15	<1	<5	<10	30	6	24	<1	180	6	189	7	<10	5	63	66
89583	089256	0.776	1	4.14	3172	62	4	5	0.57	17	<1	12	535	77	11.55	9	<1	2	<1	<1	1.49	<1	14	0.65	1906	71	<1	32	226	24	2	4.53	14	<1	<5	<10	26	5	18	<1	166	8	136	5	<10	5	58	21
89584	089257	0.098	1	4.63	276	78	4	6	0.64	16	<1	8	461	65	10.83	10	<1	2	<1	<1	1.48	<1	16	0.79	2673	71	<1	26	<100	18	<1	3.36	10	<1	<5	<10	28	4	17	<1	186	8	119	6	<10	5	53	60
89585	089258	<0.005	35	4.61	45	72	4	6	0.76	17	<1	2	494	9	11.68	10	<1	3	<1	<1	1.72	<1	16	1.04	2028	77	<1	7	188	12	1	0.36	9	<1	<5	<10	28	5	19	<1	181	7	146	3	<10	7	57	51
89586	089259	0.122	1	6.28	230	97	4	5	0.99	17	<1	7	431	46	11.41	14	5	7	2	<1	1.66	<1	23	1.09	4048	82	<1	19	<100	18	6	2.37	9	<1	<5	<10	41	6	19	<1	267	5	137	7	<10	6	59	239

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89587D	089259	0.134	<1	4.54	239	67	4	4	0.78	17	<1	7	432	44	11.67	9	<1	3	<1	<1	1.58	<1	16	1.09	4191	79	<1	20	<100	16	<1	2.44	10	<1	<5	<10	28	4	18	<1	176	7	117	6	<10	5	58	47
89588	089260	0.119	<1	3.67	87	68	4	6	0.72	18	<1	10	410	124	12.33	8	<1	1	<1	<1	1.57	<1	13	1.09	5060	79	<1	27	160	21	<1	3.64	8	<1	<5	<10	24	5	17	<1	140	8	156	7	<10	5	59	<1
89589	089261	0.148	<1	4.04	259	61	4	3	0.58	14	<1	6	603	35	9.59	7	<1	1	2	<1	1.52	<1	14	0.84	2107	65	<1	16	<100	19	5	1.76	13	<1	<5	<10	25	5	13	<1	157	3	92	5	<10	4	57	4
89590	089262	0.270	<1	4.10	1152	61	4	8	0.57	15	<1	6	500	35	10.42	7	<1	1	<1	<1	1.62	<1	14	0.84	1726	70	<1	23	103	21	4	2.60	12	<1	<5	<10	25	4	15	<1	158	5	122	4	<10	4	68	10
89591	089263	0.171	<1	5.73	1004	159	4	8	0.60	16	<1	54	456	65	9.86	12	<1	2	<1	<1	1.64	<1	16	0.83	2353	68	<1	36	<100	36	6	4.59	13	5	<5	<10	43	4	14	<1	222	8	117	29	11	6	682	43
89592	089264	0.171	<1	4.64	470	70	4	9	0.90	17	<1	7	565	33	11.39	11	<1	3	<1	<1	1.44	<1	16	1.34	4712	80	<1	17	163	18	<1	1.44	12	1	<5	<10	31	4	18	<1	177	9	123	6	<10	5	78	45
89593	089265	0.159	2	4.90	1327	81	7	4	1.30	29	<1	14	1067	55	19.83	18	<1	4	2	<1	1.54	<1	17	2.12	7901	129	<1	27	285	32	<1	2.45	15	2	<5	<10	36	7	35	<1	188	17	256	9	<10	7	119	60
89594	089266	0.241	2	7.06	558	175	8	7	1.28	31	<1	10	255	57	21.50	23	<1	7	<1	<1	1.58	<1	21	2.35	7014	137	<1	20	635	29	6	2.94	8	3	<5	<10	48	9	33	<1	276	10	335	14	11	10	115	146
89595	089267	0.197	<1	5.64	1157	128	7	2	1.04	23	<1	10	299	53	15.94	19	<1	4	1	<1	1.58	<1	18	1.80	5243	102	<1	21	478	23	6	2.39	11	2	<5	<10	39	5	26	<1	231	15	200	11	<10	8	107	63
89596	089268	0.443	<1	5.35	1613	100	6	3	1.00	21	<1	8	429	41	14.51	15	2	3	<1	<1	1.57	<1	18	1.62	5127	94	<1	20	380	18	<1	2.01	12	2	<5	<10	36	6	21	<1	210	9	182	9	<10	7	89	62
89597	089269	1.342	<1	4.58	11286	61	6	5	0.74	20	<1	18	747	110	14.19	12	<1	3	3	<1	1.79	<1	16	1.12	3484	86	<1	41	194	30	16	5.49	15	<1	<5	<10	31	7	31	<1	168	13	134	6	<10	5	91	9
89598R	089269	1.170	<1	4.31	12243	59	4	7	0.64	16	<1	13	675	75	11.26	9	<1	2	1	<1	1.59	<1	15	0.91	2792	69	<1	31	137	13	2	4.24	15	<1	<5	<10	27	6	19	<1	166	5	131	4	<10	4	70	28
89599	089270	13.303	6	7.02	239	421	3	<1	2.73	8	<1	26	94	145	4.55	12	<1	<1	<1	<1	1.74	<1	17	1.36	653	52	8	45	572	36	401	0.86	8	12	<5	<10	107	2	10	<1	3392	7	34	103	<10	17	181	<1
89600	089271	2.458	<1	3.94	9034	62	4	5	0.63	17	<1	15	535	83	11.86	9	<1	1	2	<1	1.61	<1	14	0.74	2119	69	<1	34	149	19	3	4.67	16	<1	<5	<10	26	4	16	<1	209	7	137	5	<10	4	67	<1
89601	089272	0.301	<1	3.96	1643	57	3	7	0.86	11	<1	2	421	22	7.40	5	<1	1	<1	<1	1.60	<1	14	0.79	1821	52	<1	7	<100	10	2	0.64	8	<1	<5	<10	27	3	10	<1	156	9	78	4	<10	4	51	<1
89602	089273	0.496	<1	7.06	2639	194	5	7	0.76	17	<1	49	526	122	11.00	19	<1	2	2	<1	1.51	<1	13	0.60	1349	66	3	46	328	41	26	5.13	17	5	<5	<10	55	5	13	<1	287	7	138	59	13	8	464	5
89603	089274	0.161	1	4.66	2548	80	4	3	0.52	15	<1	41	772	115	10.46	9	<1	2	<1	<1	1.50	<1	15	0.61	1924	64	<1	47	<100	23	1	4.87	14	3	<5	<10	29	4	11	<1	176	3	117	19	<10	5	233	22
89604	089275	0.022	1	3.83	222	59	4	9	0.74	16	<1	13	366	77	10.94	7	<1	2	<1	<1	1.50	<1	13	1.28	4980	72	<1	25	<100	22	<1	3.18	12	2	<5	<10	25	4	22	<1	148	6	116	11	<10	4	68	<1
89605	089276	0.007	<1	4.03	66	66	3	6	0.58	12	<1	4	729	13	7.69	5	<1	<1	2	<1	1.78	<1	14	0.75	1931	53	<1	11	<100	7	<1	0.72	12	<1	<5	<10	25	3	13	<1	157	9	78	4	<10	4	48	1
89606	089277	0.020	<1	4.11	272	67	3	6	0.59	12	<1	5	396	17	7.84	5	<1	2	<1	<1	1.59	<1	14	0.72	2054	52	<1	8	233	16	3	1.71	7	<1	<5	<10	25	3	14	<1	158	10	84	4	<10	4	51	9

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89607	089278	0.071	<1	4.53	482	73	3	3	0.61	12	<1	4	911	9	8.19	7	3	2	<1	<1	1.56	<1	16	0.75	1479	56	<1	11	100	13	3	0.57	8	<1	<5	<10	27	4	13	<1	176	7	89	3	<10	4	48	42
89608	089279	0.058	<1	4.88	312	73	4	5	0.69	14	<1	5	754	23	9.40	9	3	3	<1	<1	1.60	<1	17	0.85	2431	63	<1	13	115	13	<1	1.71	7	<1	<5	<10	30	3	15	<1	191	6	101	5	<10	5	50	73
89609D	089279	0.052	<1	3.37	309	55	3	6	0.54	14	<1	3	746	22	9.41	6	<1	<1	<1	<1	1.53	<1	12	0.79	2454	58	<1	13	103	13	<1	1.72	11	<1	<5	<10	21	4	16	<1	133	6	97	5	<10	4	49	<1
89610	089280	<0.005	<1	5.70	11	658	<2	<1	0.68	4	54	6	388	6	1.56	7	<1	<1	<1	<1	1.64	30	28	0.38	259	21	2	7	333	24	41	0.06	5	2	<5	<10	127	1	1	19	905	5	<20	15	<10	6	61	2
89611	089281	<0.005	<1	5.01	28	82	3	<1	0.71	13	<1	3	382	24	9.10	8	<1	3	<1	<1	1.53	<1	17	0.78	1987	61	<1	8	116	8	<1	1.71	6	<1	<5	<10	32	5	14	<1	207	6	104	4	<10	6	51	86
89612	089282	0.006	<1	4.67	89	67	4	3	0.72	16	<1	3	391	8	10.90	10	<1	2	<1	<1	1.64	<1	16	0.98	2135	69	<1	7	201	13	<1	0.93	7	<1	<5	<10	30	4	16	<1	183	6	131	3	<10	7	56	55
89613	089283	0.007	<1	4.31	118	60	4	6	0.71	17	<1	3	381	7	11.64	11	<1	2	<1	<1	1.55	<1	15	1.07	2318	72	<1	6	258	11	<1	0.57	9	<1	<5	<10	27	5	16	<1	168	9	134	2	<10	8	53	27
89614	089284	0.015	<1	3.83	419	58	3	8	0.58	12	<1	3	272	14	7.81	5	<1	<1	<1	<1	1.59	<1	13	0.72	2202	51	<1	6	159	13	<1	0.80	7	<1	5	<10	23	3	11	<1	149	8	80	3	<10	5	51	<1
89615	089285	0.076	<1	4.11	382	63	3	7	0.61	12	<1	4	540	15	8.18	5	<1	1	<1	<1	1.67	<1	14	0.73	2253	54	<1	9	174	16	<1	0.85	9	<1	<5	<10	25	3	14	<1	161	9	92	3	<10	5	49	9
89616	089286	0.008	<1	4.17	176	59	4	<1	0.88	18	<1	4	370	19	12.09	10	<1	2	<1	<1	1.69	<1	15	1.28	4592	78	<1	7	116	13	<1	0.93	8	<1	<5	<10	28	4	16	<1	164	10	156	3	<10	6	57	12
89617	089287	0.022	<1	4.90	424	67	5	6	0.87	19	<1	6	590	39	13.01	11	<1	3	<1	<1	1.58	<1	17	1.10	3669	82	<1	13	142	14	<1	1.97	9	<1	<5	<10	31	6	20	<1	189	7	153	5	<10	6	60	75
89618	089288	0.015	<1	4.81	341	73	5	4	0.89	21	<1	9	444	79	14.52	12	<1	3	<1	<1	1.50	<1	17	1.17	5235	89	<1	25	387	22	<1	4.66	12	1	<5	<10	31	5	23	<1	190	3	189	10	<10	7	62	77
89619	089289	0.013	2	5.36	162	89	7	3	1.40	27	<1	8	389	86	18.91	17	<1	5	<1	<1	1.56	<1	19	1.75	8836	116	<1	25	1412	27	<1	5.29	10	2	<5	<10	38	7	34	<1	208	8	248	11	<10	12	69	117
89620D	089289	0.017	1	4.68	166	80	7	5	1.32	26	<1	8	370	84	18.15	16	<1	4	1	<1	1.67	<1	17	1.64	8521	109	<1	25	1372	24	<1	5.17	11	2	<5	<10	34	7	29	<1	186	7	233	11	<10	11	69	64
89621	089290	0.012	1	4.74	128	96	5	3	1.07	21	<1	8	370	66	15.01	12	<1	3	<1	<1	1.53	<1	17	1.56	7933	95	<1	20	258	24	<1	3.62	10	1	<5	<10	32	6	29	<1	181	12	179	10	<10	7	62	64
89622	089291	0.015	<1	4.43	276	62	4	7	0.68	16	<1	3	408	16	10.41	9	<1	2	2	<1	1.69	<1	15	0.90	1863	67	<1	7	141	15	<1	0.97	6	<1	<5	<10	28	3	20	<1	172	10	112	2	<10	6	51	38
89623	089292	0.029	<1	3.06	112	45	4	6	0.46	14	<1	9	704	47	9.25	5	<1	<1	<1	<1	1.55	<1	11	0.66	1473	57	<1	27	<100	13	<1	2.13	13	<1	<5	<10	20	4	16	<1	120	5	109	3	<10	3	52	<1
89624	089293	0.011	<1	4.48	106	63	3	7	0.65	13	<1	15	812	91	8.68	8	<1	2	<1	<1	1.54	<1	15	1.09	2052	62	<1	35	<100	17	9	3.01	10	<1	<5	<10	28	3	14	<1	175	10	89	3	<10	4	70	47
89625	089294	<0.005	<1	5.47	2261	116	7	5	1.23	30	<1	92	625	213	19.23	21	<1	2	<1	<1	1.67	<1	13	1.55	5011	114	<1	124	188	60	<1	7.96	20	9	<5	<10	55	9	35	<1	213	16	259	38	16	8	914	<1
89626	089295	0.088	1	5.99	3474	119	9	8	1.32	37	<1	116	443	231	24.23	26	<1	5	<1	<1	1.68	<1	16	2.31	8184	147	<1	126	330	63	4	8.55	21	12	6	10	55	11	46	<1	232	9	457	39	14	9	673	37

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89627	089296	0.005	<1	3.55	49	57	2	8	0.67	9	<1	6	621	38	5.61	3	<1	<1	<1	1.63	<1	12	0.66	1868	42	<1	19	188	11	9	0.79	10	<1	<5	<10	24	3	11	<1	139	4	41	5	<10	4	82	<1	
89628	089297	0.046	<1	3.37	207	58	6	5	1.20	27	<1	22	427	100	18.74	14	<1	2	<1	1.63	<1	12	1.97	7954	114	<1	47	136	34	<1	3.44	14	4	<5	<10	28	7	33	<1	131	22	254	7	<10	6	100	<1	
89629	089298	0.251	2	6.73	320	146	8	4	0.77	35	1	58	174	265	19.05	26	<1	2	2	<1	1.61	2	12	1.36	5699	111	2	139	242	103	10	8.42	25	10	<5	12	51	8	32	<1	306	8	244	77	29	10	2604	<1
89630	089299	0.330	1	9.09	477	120	8	7	0.76	33	<1	64	261	358	18.23	33	<1	3	<1	1.53	<1	14	1.07	4033	106	5	169	257	98	30	9.11	39	11	5	15	66	7	25	<1	449	14	264	114	27	10	2432	38	
89631D	089299	0.344	1	7.95	474	153	8	4	0.76	33	<1	64	241	362	18.07	29	<1	3	2	<1	1.55	<1	14	1.07	4128	105	4	170	260	95	17	9.14	32	10	13	15	57	5	30	<1	388	6	248	95	30	10	2461	34
89632	089300	0.996	<1	7.89	11	119	3	<1	3.95	10	9	34	107	50	5.88	16	<1	2	<1	1.70	4	16	2.11	977	59	12	30	692	17	40	0.29	9	19	<5	<10	131	4	15	<1	4886	10	61	162	10	29	157	14	
89633	089301	0.201	<1	8.33	2510	152	8	6	0.75	27	2	108	369	285	16.43	29	2	3	<1	1.64	2	15	0.64	1504	94	5	135	301	76	22	9.57	16	14	15	15	65	8	29	<1	497	8	206	99	20	10	1534	61	
89634	089302	0.070	<1	3.24	415	49	5	7	0.67	17	<1	7	420	39	11.89	7	<1	<1	<1	1.40	<1	11	1.00	1562	71	<1	14	177	17	<1	1.45	9	<1	<5	<10	23	5	22	<1	140	2	155	2	<10	5	72	<1	
89635	089303	0.021	<1	4.24	193	62	4	7	0.66	17	<1	3	508	14	11.91	9	<1	3	<1	1.84	<1	15	0.99	1649	75	<1	10	172	14	7	0.80	10	<1	<5	<10	27	4	18	<1	167	9	123	2	<10	5	73	21	
89636	089304	<0.005	<1	3.79	62	56	4	2	0.53	15	<1	3	456	13	9.95	7	<1	1	<1	1.69	<1	13	0.75	1231	61	<1	11	112	17	<1	0.85	9	<1	<5	<10	24	4	15	<1	149	8	120	2	<10	5	93	<1	
89637	089305	<0.005	<1	2.88	65	42	4	6	0.44	15	<1	5	653	13	10.03	6	<1	<1	<1	1.46	<1	10	0.70	1243	60	<1	14	101	12	<1	0.84	11	<1	<5	<10	19	4	16	<1	114	8	128	<2	<10	4	80	<1	
89638	089306	0.011	<1	3.01	27	47	5	7	0.56	18	<1	5	409	15	12.02	8	<1	<1	1	<1	1.58	<1	11	0.98	1780	72	<1	9	118	14	<1	0.64	8	<1	<5	<10	21	5	20	<1	118	14	129	<2	<10	5	81	<1
89639	089307	0.022	<1	2.81	263	58	5	6	0.54	20	<1	15	590	98	13.88	8	<1	<1	<1	1.42	<1	10	0.95	4784	79	<1	42	<100	31	<1	4.53	12	1	<5	<10	19	7	23	<1	109	9	177	7	<10	4	84	<1	
89640	089308	0.015	<1	2.70	1015	45	5	5	0.89	20	<1	15	532	119	13.94	9	<1	<1	<1	1.44	<1	10	0.93	4333	80	<1	42	167	29	<1	5.11	8	1	<5	<10	22	7	24	<1	103	11	170	5	<10	4	83	<1	
89641	089309	0.020	<1	3.27	983	50	3	4	0.65	13	<1	12	472	131	9.19	6	<1	<1	<1	1.43	<1	11	0.58	2083	56	<1	30	<100	26	<1	3.17	9	<1	<5	<10	22	3	17	<1	126	5	104	5	<10	3	66	<1	
89642D	089309	0.023	<1	2.49	930	39	3	8	0.56	14	<1	11	468	125	8.87	4	<1	<1	<1	1.31	<1	9	0.53	2014	51	<1	28	<100	25	<1	3.06	11	<1	<5	<10	17	3	13	<1	<100	9	99	4	<10	3	64	<1	
89643	089310	5.364	4	6.44	307	197	4	<1	2.52	13	7	128	148	1630	7.17	12	<1	<1	<1	1.55	5	15	1.27	662	61	5	1456	450	765	110	1.80	10	10	<5	<10	109	3	15	<1	2075	6	69	81	34	14	483	<1	
89644	089311	0.020	<1	2.97	299	45	4	7	0.67	20	<1	16	580	120	13.60	8	<1	<1	<1	1.39	<1	10	0.88	4138	77	<1	52	<100	32	<1	5.30	14	1	<5	<10	21	5	22	<1	120	3	163	5	<10	3	72	<1	
89645	089312	0.032	<1	3.24	282	49	5	3	0.68	19	<1	14	539	114	13.18	9	<1	1	<1	1.50	<1	11	0.87	4017	75	<1	44	<100	29	<1	5.17	12	1	<5	<10	22	5	21	<1	126	2	162	4	<10	3	71	<1	
89646	089313	0.124	<1	2.37	1502	36	4	4	0.41	16	<1	6	384	36	10.94	5	<1	<1	<1	1.25	<1	8	0.82	1809	62	<1	15	101	12	<1	1.64	10	<1	<5	<10	16	4	16	<1	<100	4	129	2	<10	3	60	<1	

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/28/2011
Date Completed: 04/08/2011
Job #: 201141231
Reference:
Sample #: 171

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
89647	089314	0.114	<1	2.83	1238	47	4	4	0.46	18	<1	9	505	89	11.72	7	<1	<1	1	<1	1.45	<1	10	0.97	3459	70	<1	40	<100	17	<1	3.15	8	2	<5	<10	19	4	19	<1	111	7	125	8	<10	3	70	<1
89648	089315	0.150	<1	3.68	10435	103	4	6	0.57	15	<1	66	518	51	9.80	8	<1	<1	<1	<1	1.63	<1	10	0.69	1622	58	<1	72	<100	22	7	3.94	14	3	<5	<10	31	4	20	<1	153	10	100	20	<10	4	390	<1
89649	089316	0.116	<1	7.98	1192	180	6	2	0.64	24	14	64	279	246	10.11	22	<1	2	3	<1	1.70	8	13	0.51	904	69	6	80	323	54	33	5.61	17	15	8	16	52	5	13	4	390	7	107	107	36	12	3240	52
89650	089317	0.067	<1	3.45	377	56	3	6	1.11	12	<1	7	568	53	8.43	4	<1	<1	<1	<1	1.64	<1	12	1.06	2714	59	<1	23	150	15	<1	1.48	8	1	<5	<10	28	4	15	<1	133	6	96	6	<10	4	101	<1
89651	089318	0.373	8	4.93	1040	113	6	5	0.59	25	<1	57	317	419	14.27	16	<1	2	1	<1	1.54	<1	10	0.72	2173	114	<1	89	195	42	17	7.94	19	4	7	<10	35	5	25	<1	237	12	190	29	188	6	1458	<1
89652	089319	0.006	<1	2.67	138	39	3	7	0.56	13	<1	4	597	16	8.61	5	<1	<1	<1	<1	1.34	<1	9	0.93	2700	55	<1	10	469	11	<1	0.51	9	<1	<5	<10	18	5	18	<1	105	5	84	2	<10	5	58	<1
89653D	089319	<0.005	<1	2.79	156	41	3	5	0.57	13	<1	3	583	15	8.61	4	<1	<1	1	<1	1.42	<1	10	0.94	2703	56	<1	10	464	12	<1	0.49	9	<1	<5	<10	19	4	15	<1	110	4	96	<2	<10	5	56	<1
89654	089320	<0.005	<1	5.64	5	572	<2	<1	0.72	<4	66	5	294	12	1.41	6	<1	<1	1	<1	1.62	36	29	0.38	200	20	2	6	325	25	39	0.02	11	2	6	<10	115	<1	2	20	959	3	<20	17	10	6	64	16

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91801	089321	<0.005	<1	2.63	55	44	4	5	0.46	14	<1	3	634	10	9.49	4	<1	<1	1	<1	1.35	<1	9	0.76	1770	56	<1	9	278	13	<1	0.54	6	<1	<5	<10	17	4	19	<1	107	5	109	2	<10	5	56	<1
91802	089322	0.006	<1	2.84	3	47	7	4	1.12	24	<1	5	315	18	16.71	12	<1	<1	<1	<1	1.41	<1	10	1.94	5310	103	<1	7	292	25	<1	0.61	10	<1	<5	<10	24	6	29	<1	116	10	196	2	<10	6	83	<1
91803	089323	0.009	<1	3.08	18	47	5	2	0.98	19	<1	7	568	17	13.05	9	<1	<1	<1	<1	1.52	<1	10	1.47	4757	81	<1	9	<100	19	<1	0.35	15	<1	<5	<10	24	5	24	<1	133	7	176	3	<10	5	71	<1
91804	089324	0.016	<1	3.44	24	52	5	4	1.01	19	<1	6	620	18	13.33	9	<1	<1	2	<1	1.58	<1	12	1.49	4768	83	<1	11	<100	22	<1	0.37	13	<1	<5	<10	25	4	20	<1	151	13	167	3	<10	6	75	<1
91805	089325	0.012	<1	3.92	28	57	5	3	1.24	21	<1	9	305	21	14.08	10	<1	2	<1	<1	1.69	<1	13	1.73	5210	93	<1	9	198	19	<1	0.52	11	1	<5	<10	29	5	22	<1	160	15	176	3	<10	6	82	<1
91806	089326	<0.005	<1	3.32	35	47	2	6	0.53	9	<1	4	731	14	5.94	4	<1	<1	<1	<1	1.54	<1	11	0.65	1866	42	<1	9	<100	14	<1	0.24	9	<1	<5	<10	20	2	8	<1	136	11	60	3	<10	4	50	<1
91807	089327	0.097	<1	3.37	381	55	6	5	1.06	21	<1	10	395	55	14.52	10	<1	<1	<1	<1	1.53	<1	12	1.75	5554	91	<1	17	102	22	<1	1.32	10	2	<5	<10	25	6	21	<1	143	7	165	6	<10	5	221	<1
91808	089328	0.019	<1	2.74	235	41	5	3	0.62	16	<1	4	625	20	11.05	6	<1	<1	<1	<1	1.40	<1	9	1.08	3115	68	<1	10	112	16	<1	0.66	13	<1	<5	<10	19	4	18	<1	111	3	128	3	<10	4	97	<1
91809	089329	0.108	<1	3.29	592	49	4	9	0.92	14	<1	5	364	25	9.92	6	<1	<1	<1	<1	1.50	<1	11	1.12	3745	63	<1	9	290	17	<1	0.92	10	<1	<5	<10	24	2	19	<1	130	6	106	2	<10	5	69	<1
91810	089330	1.550	2	4.40	1471	142	6	5	0.51	24	<1	44	343	187	13.86	14	<1	<1	<1	<1	1.48	<1	9	0.93	3056	78	<1	106	141	40	<1	6.29	19	5	<5	<10	29	5	26	<1	244	8	157	34	20	5	1624	<1
91811D	089330	1.226	<1	4.61	1379	145	5	5	0.51	23	<1	43	327	181	12.97	14	<1	<1	<1	<1	1.52	<1	9	0.89	2848	76	<1	102	129	47	2	5.92	19	5	<5	<10	30	5	24	<1	253	8	158	33	23	5	1533	<1
91812	089331	0.480	<1	2.63	199	40	2	7	0.53	8	<1	4	393	202	4.28	<1	<1	<1	<1	<1	1.33	<1	9	0.47	1370	31	<1	14	220	8	<1	0.99	5	<1	<5	10	18	1	9	<1	105	4	40	3	<10	3	115	<1
91813	089332	0.647	<1	3.79	2683	127	5	6	0.62	20	<1	24	498	127	13.63	11	<1	<1	1	<1	1.51	<1	9	1.08	3573	78	<1	47	227	40	<1	4.65	18	3	<5	<10	28	5	20	<1	193	2	179	20	10	5	334	<1
91814	089333	0.409	<1	2.70	2999	46	6	6	1.04	24	<1	8	240	35	16.32	11	<1	<1	<1	<1	1.35	<1	9	1.87	5201	99	<1	13	321	24	<1	1.39	15	1	<5	<10	26	6	32	<1	114	15	199	3	<10	4	111	<1
91815	089334	0.351	<1	2.73	4616	67	4	8	0.87	19	<1	12	458	41	12.93	7	<1	<1	<1	<1	1.29	<1	8	1.47	3752	80	<1	24	274	20	<1	1.56	11	1	<5	<10	32	5	24	<1	121	12	153	6	<10	4	93	<1
91816	089335	0.235	<1	2.01	5043	66	5	3	0.86	20	<1	11	489	41	13.72	7	<1	<1	<1	<1	0.91	<1	6	1.52	4002	81	<1	25	308	16	<1	1.62	12	<1	<5	<10	28	5	27	<1	<100	14	171	4	<10	3	93	<1
91817	089336	0.170	<1	3.10	5096	84	4	3	0.99	19	<1	12	644	41	13.02	9	<1	<1	<1	<1	1.51	<1	10	1.47	3718	81	<1	27	286	17	<1	1.56	10	<1	<5	<10	35	5	18	<1	136	14	153	6	<10	4	88	<1
91818	089337	0.006	<1	7.22	115	940	4	<1	4.78	9	13	42	704	65	5.56	13	<1	<1	<1	<1	1.77	6	32	5.27	1019	101	11	263	1673	17	67	0.14	12	16	<5	<10	658	3	16	6	3100	15	44	121	<10	11	98	<1
91819	089338	0.008	<1	7.09	208	807	4	<1	4.70	10	12	41	690	53	6.22	13	<1	<1	<1	<1	1.76	5	31	5.11	1031	104	10	261	1714	24	55	0.41	9	15	5	<10	619	2	9	5	2718	23	52	117	<10	11	151	<1
91820	089339	0.777	<1	4.04	6495	292	4	1	1.04	12	<1	16	548	65	7.54	6	<1	<1	1	<1	1.58	<1	13	0.95	1424	57	<1	33	131	17	<1	3.35	10	2	<5	<10	63	3	9	<1	281	10	93	14	<10	4	165	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91821	089340	13.834	6	6.62	95	419	3	<1	2.72	8	<1	27	85	141	4.38	11	<1	<1	2	<1	1.63	<1	14	1.30	603	46	8	46	578	32	440	0.82	6	12	<5	<10	109	1	5	<1	3328	15	28	101	<10	16	180	<1
91823	089341	0.031	<1	6.52	111	588	4	<1	3.78	9	6	33	573	44	5.49	11	<1	<1	<1	<1	1.32	3	27	4.13	856	86	8	193	1350	24	21	0.35	5	12	5	<10	500	3	5	<1	2366	9	47	97	<10	9	94	<1
91824	089342	<0.005	<1	7.84	90	869	4	<1	4.82	9	14	39	704	51	5.42	13	2	<1	<1	<1	1.96	7	34	4.85	978	99	10	232	1731	23	64	0.13	9	15	5	<10	741	3	11	6	2949	8	42	117	<10	11	152	<1
91825	089343	<0.005	<1	5.13	61	681	3	<1	3.73	8	3	36	557	29	4.93	9	<1	<1	<1	<1	1.41	1	24	3.95	869	76	8	187	1502	22	48	0.31	9	13	<5	<10	559	2	7	3	2444	8	38	100	<10	8	86	<1
91826	089344	<0.005	<1	7.56	59	770	4	<1	4.55	9	10	37	598	64	5.25	13	<1	<1	1	<1	1.88	4	30	4.47	968	88	10	202	1679	25	80	0.22	14	15	<5	<10	594	3	8	5	3072	18	31	120	<10	11	102	<1
91827	089345	0.005	<1	7.01	58	854	4	<1	4.43	10	9	37	618	43	6.17	13	2	<1	<1	<1	1.77	4	30	4.58	951	96	10	208	1753	22	73	0.23	13	14	<5	<10	568	2	7	5	2941	20	50	118	<10	11	100	<1
91828	089346	<0.005	<1	7.40	67	708	4	<1	4.46	9	15	40	641	44	5.64	13	<1	<1	<1	<1	1.79	7	31	4.56	1050	93	10	205	1724	31	74	0.08	10	15	<5	<10	560	2	10	5	3127	13	50	123	<10	12	101	<1
91829	089347	0.487	<1	5.02	1276	431	3	<1	2.89	11	<1	20	541	43	6.73	9	<1	<1	<1	3	2.00	<1	22	2.87	1526	78	4	131	607	18	17	0.65	11	6	<5	<10	270	3	9	<1	777	15	68	60	12	6	79	<1
91830	089348	0.229	<1	3.30	4848	81	3	7	0.59	14	<1	5	749	14	9.50	7	<1	<1	3	<1	1.46	<1	11	1.03	1684	59	<1	16	117	8	<1	0.79	14	<1	<5	<10	36	4	16	<1	166	7	93	6	<10	3	64	<1
91831	089349	0.355	<1	3.69	3617	150	3	5	0.87	13	<1	5	750	15	8.62	7	<1	<1	<1	<1	1.49	<1	13	1.12	1458	59	<1	25	186	12	<1	0.98	11	<1	<5	<10	59	4	12	<1	193	5	101	10	<10	4	59	<1
91832	089350	0.006	<1	8.15	57	829	2	<1	1.07	4	77	6	623	8	1.94	13	<1	<1	3	<1	1.63	41	29	0.42	265	24	3	8	427	34	46	0.04	11	3	14	<10	187	2	3	25	1164	4	<20	21	<10	8	66	46
91834	089351	<0.005	<1	7.48	91	1102	5	<1	4.18	10	23	37	607	4	5.93	13	<1	<1	<1	<1	1.96	10	30	4.47	1258	94	7	197	1768	17	31	0.05	11	11	<5	<10	338	2	11	4	1350	11	43	96	<10	12	97	<1
91835	089352	<0.005	<1	6.52	91	486	4	1	1.86	13	11	34	609	9	8.47	13	<1	<1	<1	<1	1.34	6	27	4.53	976	98	7	189	1670	18	19	0.08	11	12	<5	<10	142	2	12	<1	803	6	94	102	<10	10	117	<1
91836	089353	0.066	<1	6.55	750	794	4	<1	3.97	10	10	30	508	15	6.40	11	<1	<1	<1	<1	1.72	5	27	4.03	1347	90	6	164	1437	14	25	0.13	9	9	<5	<10	295	2	9	3	979	7	67	79	<10	11	89	<1
91837	089354	0.098	<1	3.05	1063	103	4	7	0.72	15	<1	4	515	25	10.44	6	<1	<1	<1	<1	1.43	<1	11	1.32	2251	69	<1	15	161	18	<1	0.43	13	<1	<5	<10	43	4	17	<1	151	7	118	7	<10	3	65	<1
91838	089355	0.082	<1	2.39	1327	82	4	7	0.60	16	<1	4	528	23	10.79	6	<1	<1	<1	<1	1.23	<1	8	1.26	2460	67	<1	13	111	11	<1	0.45	7	<1	<5	<10	34	5	17	<1	115	9	122	5	<10	3	65	<1
91839	089356	0.170	<1	3.01	1535	73	4	4	0.70	18	<1	5	618	20	12.46	8	<1	<1	2	<1	1.46	<1	10	1.44	3286	78	<1	12	<100	19	<1	1.19	11	<1	<5	<10	37	5	21	<1	134	13	152	3	10	3	71	<1
91840	089357	0.284	<1	2.53	4586	97	5	5	1.06	20	<1	4	639	10	13.54	8	<1	<1	<1	<1	1.35	<1	9	1.43	3286	81	<1	10	<100	14	<1	0.95	13	<1	<5	<10	40	5	22	<1	108	9	172	3	<10	3	71	<1
91841	089358	0.100	<1	2.96	69	42	<2	2	0.31	<4	<1	1	14	2	0.26	<1	<1	<1	2	<1	1.49	<1	10	0.17	<100	11	<1	<1	<100	5	5	0.02	7	<1	7	<10	18	<1	<1	<1	114	3	<20	<2	<10	2	37	<1
91842	089359	0.304	<1	4.21	791	197	8	6	1.72	31	<1	7	1142	28	21.05	19	<1	3	<1	<1	1.62	<1	14	2.50	4832	136	<1	16	238	32	<1	1.97	19	<1	<5	<10	67	9	38	<1	181	9	267	5	12	5	105	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91843	089360	0.031	<1	2.92	37	137	5	5	0.99	22	<1	4	473	17	15.12	10	<1	<1	3	<1	1.35	<1	9	1.75	2945	95	<1	8	375	19	<1	1.08	11	<1	<5	<10	45	5	24	<1	174	15	193	7	<10	4	82	<1
91844D	089360	0.041	1	5.85	42	175	5	5	1.28	22	<1	6	486	18	15.39	16	5	5	1	<1	1.69	<1	19	1.86	2939	102	<1	8	392	21	<1	1.08	11	<1	<5	<10	61	5	27	<1	298	6	179	8	12	7	82	120
91845	089361	0.080	<1	3.69	59	96	6	2	0.99	23	<1	5	417	62	16.05	12	<1	<1	<1	<1	1.54	<1	11	1.68	2733	101	<1	16	232	22	<1	3.09	12	1	<5	<10	49	5	27	<1	395	12	190	12	<10	5	88	<1
91846	089362	0.029	<1	3.03	49	55	4	5	0.72	18	<1	4	413	34	12.22	8	<1	<1	2	<1	1.35	<1	9	1.35	2313	78	<1	11	128	15	<1	1.83	13	<1	<5	<10	36	6	16	<1	153	9	145	7	<10	3	72	<1
91847	089363	1.952	<1	4.35	7716	226	5	2	1.88	20	<1	22	429	242	13.95	11	<1	<1	1	<1	1.69	2	14	2.05	2758	112	<1	82	473	26	4	2.17	12	3	<5	<10	116	5	24	<1	592	19	168	25	10	6	158	<1
91848	089364	0.008	<1	7.22	121	1063	5	<1	4.63	10	25	39	605	6	6.31	13	<1	<1	<1	<1	1.75	12	28	4.61	1102	95	9	202	1809	21	63	0.08	7	15	8	<10	526	3	9	7	2697	17	64	117	<10	12	100	<1
91849	089365	0.006	<1	6.65	96	978	5	<1	4.53	10	23	37	587	10	5.67	12	<1	<1	2	<1	1.67	11	27	4.40	1060	89	8	192	1719	15	52	0.07	12	14	6	<10	515	2	9	3	2492	6	57	111	<10	11	105	<1
91850	089366	0.018	<1	6.27	35	609	6	<1	0.85	15	<1	21	274	74	10.21	14	<1	<1	<1	<1	1.52	<1	17	1.76	1565	77	7	24	533	11	19	2.20	8	7	<5	<10	89	3	15	<1	1790	10	116	69	12	7	91	<1
91851	089367	0.042	<1	4.66	22	129	4	2	0.86	18	<1	12	471	88	12.44	11	<1	1	4	<1	1.54	<1	14	1.79	2771	86	<1	22	145	19	<1	4.19	8	1	<5	<10	58	5	16	<1	361	9	155	14	<10	4	83	<1
91852	089368	<0.005	<1	7.94	37	868	4	<1	4.11	8	22	32	569	34	4.95	14	<1	1	<1	<1	1.73	10	30	4.13	911	84	9	174	1469	21	65	0.14	10	13	9	<10	644	2	11	7	2655	20	48	104	<10	11	91	22
91853	089369	<0.005	<1	7.20	39	754	4	<1	4.01	9	11	33	598	42	5.49	12	<1	<1	2	<1	1.74	5	29	4.44	869	91	9	206	1489	20	59	0.25	9	13	7	10	551	1	12	6	2642	16	53	105	<10	10	94	<1
91854	089370	1.060	<1	7.51	<2	126	3	<1	4.07	9	11	34	112	43	5.62	15	<1	<1	<1	<1	1.57	3	15	2.22	908	57	13	28	713	18	23	0.08	<5	20	<5	<10	140	5	13	<1	4977	9	56	165	<10	29	108	<1
91856	089371	0.020	<1	6.67	49	662	5	<1	3.82	11	3	28	507	64	7.16	12	<1	<1	1	<1	1.66	2	23	3.62	1477	91	7	122	1243	29	28	0.81	11	10	<5	<10	447	3	12	5	2114	18	83	86	<10	10	96	<1
91857	089372	0.018	<1	3.46	62	111	3	7	1.19	10	<1	10	616	101	6.75	4	<1	<1	2	<1	1.56	<1	11	1.04	1443	55	<1	18	<100	9	<1	2.08	10	<1	<5	<10	84	3	14	<1	215	10	59	8	<10	4	64	<1
91858	089373	0.088	<1	4.90	42	389	5	4	1.59	16	<1	13	497	94	10.59	10	<1	<1	1	<1	1.68	<1	15	2.05	1667	82	2	62	597	19	17	3.09	11	4	<5	<10	123	4	12	<1	723	22	129	37	<10	6	100	<1
91859	089374	0.131	<1	3.76	360	89	6	8	0.53	22	<1	8	567	179	15.37	12	<1	<1	<1	<1	1.52	<1	11	0.65	1192	86	<1	46	<100	21	<1	8.45	12	<1	<5	<10	33	7	27	<1	279	9	197	8	<10	4	71	<1
91860	089375	0.490	<1	4.46	678	226	5	3	0.83	18	<1	14	525	50	11.78	12	<1	<1	<1	<1	1.49	<1	11	1.45	1641	78	2	29	217	16	3	2.55	14	3	<5	<10	62	4	18	<1	818	9	121	36	15	4	182	<1
91861	089376	0.016	<1	7.15	94	726	5	<1	4.44	11	19	36	572	21	6.82	14	<1	<1	<1	<1	1.65	9	26	4.46	1137	110	8	197	1555	25	45	0.08	11	14	5	<10	558	2	6	5	1842	18	81	110	<10	11	104	<1
91862	089377	<0.005	<1	7.70	100	797	5	1	4.84	12	17	36	651	24	7.03	13	<1	<1	3	<1	1.73	8	30	4.90	983	106	8	222	1790	16	29	0.26	11	15	<5	<10	523	3	10	6	1074	17	77	115	<10	12	101	<1
91863	089378	1.523	<1	4.02	15826	460	7	8	1.72	25	<1	13	204	39	17.36	15	<1	<1	<1	<1	1.43	<1	10	2.45	1533	114	2	14	430	24	<1	2.50	16	3	<5	<10	106	6	28	<1	301	13	230	39	<10	5	93	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91864	089379	0.461	<1	2.78	3211	103	8	4	2.29	32	<1	7	176	116	21.09	15	<1	1	<1	<1	1.43	<1	9	2.53	1840	132	<1	21	498	25	<1	5.70	15	<1	<5	<10	99	8	44	<1	108	14	290	3	10	5	95	<1
91865	089380	0.005	<1	6.48	26	797	2	<1	0.98	5	100	8	430	8	2.06	9	<1	<1	3	<1	1.44	47	27	0.52	271	24	5	12	704	27	51	0.05	10	3	7	<10	202	2	<1	30	1441	9	<20	25	<10	13	76	<1
91867	089381	0.447	<1	2.50	1952	98	7	4	1.60	29	<1	5	163	37	19.64	13	<1	<1	<1	1.19	<1	8	1.92	1263	117	<1	6	1022	30	<1	2.44	11	<1	<5	<10	51	7	35	<1	109	10	358	2	<10	6	84	<1	
91868	089382	0.677	<1	3.03	2923	112	10	5	1.31	36	<1	4	322	7	24.18	17	<1	2	<1	<1	1.54	<1	10	2.43	1343	143	<1	9	745	33	<1	0.63	15	<1	<5	<10	39	9	47	<1	142	8	469	2	<10	7	105	<1
91869	089383	0.144	<1	3.01	1316	84	7	3	1.40	28	<1	6	249	62	19.08	14	<1	1	<1	<1	1.45	<1	10	2.20	1217	119	<1	17	399	30	<1	3.73	12	<1	<5	<10	51	7	36	<1	120	15	247	2	<10	5	97	<1
91870	089384	0.180	<1	3.54	3566	104	8	2	1.71	30	<1	5	382	49	19.91	13	<1	2	<1	<1	1.65	<1	12	2.45	1594	127	<1	15	364	28	<1	2.75	11	<1	<5	<10	61	6	33	<1	142	10	265	3	<10	5	104	<1
91871	089385	0.309	<1	3.29	3185	97	7	2	1.38	29	<1	5	206	39	19.66	14	<1	2	<1	<1	1.47	<1	11	2.35	1487	124	<1	13	344	32	<1	2.26	12	<1	<5	<10	50	6	37	<1	133	6	269	2	11	5	104	<1
91872	089386	0.166	<1	3.21	8029	93	8	8	1.93	34	<1	9	308	126	22.94	18	<1	1	<1	<1	1.38	<1	10	2.53	2024	140	<1	28	745	33	<1	7.73	14	<1	<5	<10	71	11	41	<1	118	9	438	5	<10	6	114	<1
91873	089387	0.142	<1	3.45	2240	100	9	7	1.40	34	<1	5	177	65	22.77	17	<1	3	1	<1	1.51	<1	11	2.54	1761	141	<1	12	530	31	<1	4.00	12	<1	<5	<10	52	7	42	<1	137	12	434	2	10	6	123	<1
91874	089388	0.507	<1	2.77	844	102	9	4	0.73	34	<1	4	301	11	22.25	16	<1	1	<1	<1	1.38	<1	9	2.37	1385	137	<1	6	332	31	<1	0.83	15	<1	<5	<10	28	7	40	<1	125	14	432	<2	10	5	127	<1
91875	089389	0.461	<1	2.87	6330	82	9	4	1.72	34	<1	8	192	125	22.83	17	<1	2	<1	<1	1.31	<1	9	2.36	1553	139	<1	19	2284	33	<1	6.46	14	<1	<5	<10	60	11	41	<1	109	16	442	<2	<10	9	95	<1
91876	089390	0.466	<1	2.34	1678	99	8	4	1.19	33	<1	3	260	12	21.80	14	<1	<1	<1	1.19	<1	7	2.23	1266	131	<1	7	395	33	<1	0.86	13	<1	<5	<10	37	8	39	<1	106	13	439	<2	11	6	92	<1	
91877D	089390	0.426	<1	2.41	1583	100	9	6	1.19	32	<1	4	261	11	21.95	15	<1	<1	<1	1.25	<1	8	2.24	1267	130	<1	6	374	35	<1	0.79	12	<1	<5	<10	38	9	37	<1	110	13	414	<2	<10	6	92	<1	
91878	089391	0.235	<1	2.59	289	91	10	6	1.59	35	<1	3	193	16	23.28	15	<1	1	<1	<1	1.37	<1	9	2.20	1323	140	<1	7	404	36	<1	0.88	16	<1	<5	<10	49	9	40	<1	120	9	460	<2	<10	7	90	<1
91879	089392	0.042	<1	3.07	289	88	9	6	1.10	33	<1	5	306	13	22.16	14	<1	2	<1	<1	1.63	<1	10	2.56	1233	140	<1	8	522	33	<1	0.83	13	<1	<5	<10	46	13	41	<1	134	16	393	<2	<10	7	95	<1
91880	089393	0.007	<1	2.46	69	80	8	3	1.01	31	<1	3	212	7	20.81	13	<1	<1	<1	1.31	<1	8	2.11	935	124	<1	5	510	32	<1	0.32	13	<1	<5	<10	31	8	36	<1	115	6	277	<2	<10	7	81	<1	
91881	089394	0.068	<1	2.10	190	82	9	5	1.06	32	<1	4	334	10	21.65	14	<1	<1	<1	1.11	<1	7	2.19	973	128	<1	5	415	24	<1	0.52	16	<1	<5	<10	31	8	42	<1	<100	17	432	2	<10	7	85	<1	
91882	089395	0.048	<1	3.20	138	90	8	2	1.03	31	<1	3	278	9	20.54	13	<1	2	<1	<1	1.60	<1	11	2.13	900	123	<1	5	374	19	<1	0.42	13	<1	<5	<10	34	6	34	<1	141	10	280	2	10	7	82	<1
91883	089396	0.043	<1	2.93	158	83	10	4	1.49	35	<1	3	263	10	23.07	16	<1	2	<1	<1	1.42	<1	10	2.33	1215	137	<1	5	394	28	<1	0.53	14	<1	<5	<10	44	9	44	<1	134	11	480	<2	11	9	87	<1
91884	089397	0.011	<1	1.86	22	76	8	<1	1.05	31	<1	4	199	10	20.86	11	<1	<1	2	<1	0.98	<1	6	2.19	928	125	<1	5	452	27	<1	0.45	13	<1	<5	<10	34	8	38	<1	<100	12	269	<2	<10	7	92	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91885	089398	0.006	<1	2.17	57	67	8	5	0.97	30	<1	7	267	26	19.81	12	<1	<1	<1	<1	1.08	<1	7	2.08	1053	117	<1	8	528	30	<1	1.51	13	<1	<5	<10	40	7	35	<1	<100	7	249	<2	<10	6	91	<1
91886	089399	0.579	<1	2.16	5244	86	8	3	1.71	30	<1	4	306	9	19.87	10	<1	<1	<1	<1	1.04	<1	7	2.11	1157	118	<1	6	479	21	<1	0.62	15	<1	<5	<10	50	7	35	<1	<100	10	266	4	<10	7	88	<1
91887	089400	13.667	6	3.70	25	397	2	<1	2.01	7	<1	25	67	137	3.86	4	<1	<1	<1	<1	1.39	<1	10	1.06	513	40	6	44	419	29	196	0.83	9	10	<5	<10	68	2	9	<1	2890	6	<20	88	<10	14	175	<1
91889	089401	0.056	<1	2.59	376	65	8	<1	1.39	29	<1	4	288	7	19.44	12	<1	<1	<1	<1	1.34	<1	9	2.14	1188	118	<1	5	491	26	<1	0.19	11	<1	<5	<10	43	9	32	<1	122	8	265	3	<10	7	89	<1
91890	089402	0.050	<1	3.11	49	52	7	7	0.90	27	<1	9	255	36	18.37	14	<1	<1	<1	<1	1.16	<1	11	1.91	1269	110	<1	15	323	24	<1	2.38	10	1	<5	<10	30	7	33	<1	187	17	233	12	<10	5	105	<1
91891	089403	0.064	<1	2.70	37	43	7	1	1.12	25	<1	6	496	29	16.49	12	<1	<1	2	<1	1.23	<1	9	1.85	1941	102	<1	15	395	28	<1	1.38	9	1	<5	<10	31	6	31	<1	138	16	207	10	<10	4	89	<1
91892	089404	0.172	<1	3.03	79	45	8	3	1.13	30	<1	5	334	17	20.59	16	<1	<1	<1	<1	1.32	<1	11	2.29	1944	124	<1	7	436	23	<1	0.64	11	<1	<5	<10	30	8	33	<1	155	9	271	7	<10	6	113	<1
91893	089405	0.201	<1	3.27	175	53	7	2	1.31	29	<1	5	382	15	19.18	14	<1	1	<1	<1	1.52	<1	12	2.16	1839	117	<1	10	434	25	<1	0.57	12	<1	<5	<10	35	7	37	<1	159	9	232	6	<10	6	105	<1
91894	089406	0.021	<1	2.74	17	44	6	2	1.14	26	<1	4	307	7	17.87	12	<1	<1	<1	<1	1.40	<1	9	2.14	1744	111	<1	7	384	28	<1	0.28	14	1	<5	<10	28	8	33	<1	112	13	215	4	<10	7	104	<1
91895	089407	0.035	<1	3.01	103	39	5	3	0.99	24	<1	13	433	63	16.43	11	<1	<1	<1	<1	1.33	<1	11	1.84	1629	101	<1	15	310	22	<1	2.43	11	2	<5	<10	28	6	31	<1	126	12	202	9	<10	5	122	<1
91896	089408	0.042	<1	2.36	79	30	6	3	1.73	25	<1	6	299	23	16.40	11	<1	<1	<1	<1	1.10	<1	8	2.00	1974	103	<1	8	574	22	<1	1.09	11	<1	<5	<10	35	6	29	<1	103	15	196	6	<10	6	119	<1
91897	089409	0.011	<1	2.61	83	35	6	6	1.55	25	<1	8	450	26	17.03	12	<1	<1	<1	<1	1.27	<1	9	2.03	3878	104	<1	15	662	26	<1	1.12	11	1	<5	<10	31	6	31	<1	111	8	215	7	10	6	120	<1
91898	089410	0.986	<1	5.38	<2	87	3	<1	3.26	9	7	31	97	41	5.38	9	<1	<1	<1	<1	1.46	3	12	1.93	888	52	11	23	680	14	12	0.09	10	17	<5	<10	92	3	15	<1	4461	7	60	150	<10	27	103	<1
91900	089411	0.010	<1	2.49	91	36	5	4	1.15	19	<1	2	259	13	13.09	7	<1	<1	<1	<1	1.29	<1	9	1.55	2668	83	<1	7	184	20	<1	0.75	13	<1	<5	<10	25	5	23	<1	133	8	161	4	<10	4	79	<1
91901	089412	0.028	<1	3.45	70	33	5	5	3.23	20	<1	18	272	68	13.33	9	<1	<1	<1	<1	1.23	<1	15	1.84	5692	89	<1	25	108	16	<1	1.93	9	3	6	<10	45	5	27	<1	119	13	178	16	10	4	256	<1
91902	089413	0.077	2	6.22	34	28	11	7	2.35	44	<1	49	71	157	28.51	31	<1	2	2	<1	0.99	<1	30	3.24	12312	173	<1	80	143	49	<1	4.56	17	10	<5	<10	37	11	48	<1	165	18	529	48	12	6	621	<1
91903	089414	0.036	2	3.79	9	33	11	3	3.01	47	<1	26	20	103	30.89	27	<1	3	2	<1	1.17	<1	18	3.87	18608	194	<1	24	<100	48	<1	2.45	13	6	<5	<10	44	11	57	<1	127	34	579	15	10	5	341	<1
91904	089415	0.015	<1	5.63	158	114	5	6	5.04	18	<1	48	121	136	11.92	13	<1	<1	2	<1	1.49	<1	20	2.29	5261	82	8	88	293	11	<1	0.85	10	19	<5	<10	66	5	11	<1	166	6	142	138	<10	5	182	<1
91905	089416	0.012	<1	5.18	226	122	3	6	6.12	9	<1	52	153	140	5.15	7	<1	<1	2	<1	1.58	<1	14	1.89	1900	47	9	107	334	11	5	0.15	7	22	<5	<10	78	2	4	<1	147	20	49	147	<10	6	82	<1
91906	089417	0.012	<1	5.78	174	110	3	6	6.19	12	<1	44	124	109	7.08	8	<1	<1	2	<1	1.73	<1	19	2.10	2817	63	9	87	306	12	<1	0.30	10	25	<5	<10	82	3	10	<1	161	13	84	145	10	7	108	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91907	089418	0.013	<1	6.94	84	87	5	10	7.38	19	<1	36	134	201	12.48	17	<1	<1	<1	<1	1.67	<1	31	2.57	4071	95	10	79	232	18	<1	1.69	14	30	<5	<10	83	6	17	<1	194	10	151	170	<10	6	182	<1
91908	089419	0.010	<1	6.40	176	110	3	7	6.39	11	<1	51	163	152	6.86	9	<1	<1	<1	<1	1.59	<1	22	2.18	2000	56	10	118	325	11	10	0.43	10	22	10	<10	97	3	8	<1	150	16	87	156	12	6	132	<1
91909	089420	<0.005	<1	6.42	3	772	2	<1	0.92	<4	63	8	421	9	1.63	8	<1	<1	3	<1	1.51	33	29	0.44	271	21	3	10	410	26	34	0.02	9	3	<5	<10	187	2	5	21	1092	7	<20	21	<10	9	65	<1
91911	089421	0.019	<1	6.87	202	117	3	6	5.84	10	<1	54	143	180	6.21	10	<1	<1	<1	<1	1.57	<1	22	1.88	1543	56	10	143	327	8	<1	0.51	7	21	<5	<10	103	2	8	<1	159	9	57	155	<10	5	121	<1
91912	089422	0.010	<1	11.84	269	205	3	<1	6.59	9	<1	59	233	183	5.67	19	<1	2	2	<1	1.66	<1	33	1.96	1315	59	17	158	340	15	17	0.28	8	31	5	<10	173	2	<1	<1	295	5	47	248	<10	7	111	39
91913	089423	0.006	<1	9.81	272	189	3	5	8.01	9	<1	48	153	120	5.37	15	3	3	<1	<1	1.71	<1	29	2.01	1382	63	11	135	287	8	11	0.24	9	18	7	<10	148	3	5	<1	289	10	55	160	<10	7	102	82
91914	089424	0.008	<1	9.86	278	186	3	5	5.57	8	<1	60	182	157	4.54	15	<1	<1	<1	<1	1.64	<1	29	1.63	1029	48	13	158	331	6	9	0.21	11	24	7	<10	149	2	<1	<1	264	9	42	197	<10	7	119	12
91915	089425	0.011	<1	9.92	281	183	3	2	5.78	8	<1	60	151	155	4.62	15	<1	1	1	<1	1.67	<1	30	1.69	1057	49	12	161	349	8	5	0.21	7	23	<5	<10	142	1	2	<1	268	11	45	183	<10	7	122	47
91916	089426	0.007	<1	9.58	262	189	2	<1	5.73	8	<1	66	176	161	4.69	12	2	1	<1	<1	1.60	<1	28	1.64	1127	49	12	156	380	9	9	0.25	7	20	10	<10	131	3	<1	<1	261	11	47	168	<10	7	129	8
91917	089427	<0.005	<1	9.12	214	180	3	3	6.41	8	<1	51	146	134	4.46	13	1	1	2	<1	1.71	<1	27	1.54	1189	46	11	124	356	9	<1	0.26	11	19	<5	<10	128	3	<1	<1	255	20	51	149	<10	7	84	16
91918	089428	0.006	<1	9.64	104	184	2	5	6.14	10	<1	44	133	212	5.98	19	<1	2	<1	<1	1.68	<1	32	1.93	1390	61	17	66	597	13	<1	0.21	8	29	<5	<10	124	3	3	<1	274	21	70	266	<10	9	126	37
91919	089429	0.007	1	11.25	76	195	3	4	7.28	12	<1	30	192	187	7.22	22	<1	4	2	<1	1.85	<1	38	2.29	1805	72	19	55	519	14	1	0.20	6	32	<5	<10	146	4	3	<1	312	6	85	289	<10	10	218	101
91920	089430	0.018	<1	9.99	85	202	3	<1	6.30	11	<1	50	288	188	6.47	17	2	2	<1	<1	1.80	<1	33	1.92	1589	60	15	93	343	15	9	0.68	17	27	<5	<10	137	3	1	<1	276	17	64	220	<10	7	111	49
91921D	089430	0.013	<1	10.16	92	205	3	<1	6.25	10	<1	50	285	190	6.38	17	<1	2	2	<1	1.87	<1	33	1.90	1574	60	15	89	334	13	11	0.69	8	27	<5	<10	138	2	2	<1	285	39	71	220	<10	7	110	69
91922	089431	0.006	<1	7.82	65	165	2	5	7.02	10	<1	34	119	131	5.52	13	<1	2	<1	<1	1.70	<1	23	1.94	1664	61	10	70	562	14	10	0.47	8	23	14	<10	110	2	5	<1	227	7	61	148	<10	8	132	28
91923	089432	<0.005	<1	9.38	5	68	3	3	2.70	13	<1	56	67	145	8.60	27	<1	<1	3	<1	1.69	<1	22	2.38	2176	76	21	57	817	13	<1	0.23	10	39	<5	<10	176	4	2	<1	642	12	108	314	<10	11	230	<1
91924	089433	<0.005	1	11.72	4	241	4	<1	1.11	12	<1	59	30	94	8.33	33	6	4	1	<1	1.65	<1	29	2.02	1826	71	14	51	1253	16	<1	0.21	6	37	10	11	128	3	5	<1	986	10	104	207	<10	13	234	151
91925	089434	<0.005	<1	10.19	12	177	3	<1	0.76	10	<1	47	67	102	6.79	27	5	2	2	<1	1.59	<1	25	1.70	1113	59	14	41	1016	13	<1	0.30	6	33	<5	<10	104	2	<1	<1	288	12	72	207	<10	11	212	63
91926	089435	<0.005	<1	11.22	9	202	3	2	0.78	10	<1	57	70	121	7.38	31	5	3	<1	<1	1.70	<1	26	1.90	1100	62	17	55	1219	9	1	0.37	<5	41	6	<10	119	4	1	<1	273	13	75	246	<10	12	231	61
91927	089436	<0.005	<1	10.99	15	210	3	<1	0.88	12	<1	60	49	147	8.51	29	<1	4	1	<1	1.71	<1	28	1.86	2325	73	20	50	955	10	<1	0.24	9	39	<5	<10	94	5	4	<1	294	12	104	296	<10	12	239	94

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91928	089437	<0.005	<1	10.96	16	202	4	3	0.81	15	<1	64	46	166	10.36	29	12	3	<1	1.51	<1	31	2.22	2723	83	24	63	738	13	<1	0.27	7	43	8	<10	75	5	3	<1	295	16	131	358	<10	11	257	63	
91929	089438	<0.005	1	11.34	4	110	4	1	0.97	16	2	70	50	171	11.34	29	<1	4	<1	<1	1.56	<1	33	2.33	3624	85	25	63	733	17	<1	0.16	7	45	8	<10	71	7	9	<1	267	11	137	369	10	13	268	90
91930	089439	<0.005	2	13.53	23	173	4	<1	2.93	12	<1	55	59	162	8.23	35	15	11	1	<1	1.67	<1	40	2.14	2070	80	24	51	708	18	9	0.27	8	35	7	<10	171	5	<1	<1	487	8	99	349	11	10	204	438
91931	089440	5.379	3	9.56	291	269	4	<1	2.81	12	8	121	153	1561	7.35	20	<1	4	3	<1	1.72	5	25	1.32	687	67	6	1356	485	690	101	1.91	9	10	5	12	138	4	14	<1	2597	5	79	94	43	15	441	146
91933	089441	0.007	<1	10.60	11	285	4	<1	1.54	13	<1	64	57	167	9.05	25	<1	2	<1	<1	1.48	<1	31	2.33	2641	76	24	71	609	12	<1	0.17	8	41	5	<10	93	5	3	<1	300	7	94	347	<10	10	218	20
91934	089442	<0.005	<1	10.34	12	274	4	2	0.73	15	<1	68	69	197	9.77	27	2	1	1	<1	1.71	<1	32	2.53	2433	81	24	74	602	10	<1	0.21	6	41	<5	<10	58	5	5	<1	302	6	115	353	<10	9	246	11
91935	089443	<0.005	1	11.80	17	272	5	2	1.92	16	<1	68	75	172	11.12	29	<1	4	2	<1	1.68	<1	37	2.77	3297	90	25	70	598	19	<1	0.18	7	43	8	<10	87	5	2	<1	342	12	134	359	<10	11	255	89
91936	089444	<0.005	<1	10.78	20	358	3	2	0.63	13	<1	63	90	176	8.61	25	1	2	1	<1	1.66	<1	33	2.49	1530	74	25	77	585	12	<1	0.26	6	43	12	<10	57	3	2	<1	343	14	94	362	<10	8	224	20
91937	089445	<0.005	<1	7.78	13	346	3	<1	0.43	12	<1	59	63	182	7.73	19	<1	<1	1	<1	1.56	<1	27	2.22	1665	64	20	74	555	17	2	0.17	<5	36	<5	<10	33	4	<1	<1	242	12	84	299	<10	6	209	<1
91938	089446	<0.005	<1	10.73	13	441	4	2	0.75	12	<1	50	70	171	8.30	24	<1	3	1	<1	1.66	<1	33	1.98	2245	73	24	54	602	20	7	0.30	6	39	<5	<10	57	3	2	<1	425	17	106	353	<10	9	210	89
91939	089447	<0.005	<1	10.47	11	268	3	2	0.63	13	<1	43	75	178	8.39	24	<1	2	<1	<1	1.63	<1	33	2.04	1363	72	23	57	555	19	<1	0.39	6	39	7	<10	51	5	<1	<1	343	15	72	342	10	8	194	43
91940	089448	<0.005	<1	11.76	13	406	4	1	0.73	15	<1	55	70	185	10.47	27	3	2	<1	<1	1.76	<1	36	2.47	2395	81	26	60	672	14	9	0.29	11	44	<5	<10	51	5	2	<1	425	17	137	381	10	10	230	71
91941	089449	<0.005	1	11.48	9	348	5	<1	1.08	19	<1	68	74	201	13.04	29	<1	3	<1	<1	1.67	<1	35	2.45	4370	99	25	60	609	19	2	0.26	9	43	<5	<10	53	6	6	<1	407	13	174	365	13	12	275	74
91942	089450	<0.005	<1	9.93	2	799	2	<1	1.37	4	62	8	420	12	1.81	15	<1	2	2	<1	1.70	32	36	0.54	367	27	4	10	333	31	30	0.03	6	3	<5	<10	295	<1	<1	22	1216	5	<20	29	<10	9	68	114
91944	089451	<0.005	<1	10.60	10	435	3	3	0.65	12	<1	56	159	213	8.24	23	<1	<1	1	<1	1.51	<1	28	1.81	2096	65	23	56	621	9	<1	0.18	9	40	<5	<10	49	4	<1	<1	418	8	95	343	<10	9	211	13
91945	089452	<0.005	<1	10.16	14	326	4	2	0.66	13	<1	63	204	205	9.06	21	<1	<1	1	<1	1.58	<1	27	1.76	2658	72	22	60	582	11	2	0.18	7	39	5	<10	50	5	4	<1	369	16	106	328	<10	9	246	6
91946	089453	<0.005	<1	10.04	7	359	4	1	0.74	14	<1	56	210	175	9.09	23	2	1	<1	<1	1.54	<1	27	1.72	2802	69	21	51	584	13	2	0.21	10	36	<5	<10	44	5	3	<1	390	10	106	321	<10	10	246	13
91947	089454	<0.005	<1	10.72	17	378	3	2	2.76	13	<1	56	208	187	8.89	23	<1	2	2	<1	1.74	<1	29	2.23	2591	75	22	55	576	11	7	0.17	6	40	7	<10	61	5	5	<1	426	6	113	334	<10	10	221	27
91948	089455	0.015	<1	12.21	26	460	4	<1	2.89	13	<1	57	207	203	8.90	30	<1	3	<1	<1	1.87	<1	32	2.27	2564	83	28	55	603	17	28	0.20	7	46	<5	<10	71	6	<1	<1	551	18	103	411	<10	10	231	113
91949	089456	<0.005	<1	10.53	19	293	4	2	2.10	16	<1	65	179	176	10.69	26	<1	3	<1	<1	1.75	<1	32	2.02	3383	83	22	60	557	17	4	0.26	5	39	<5	<10	63	5	10	<1	400	6	134	335	<10	10	243	58

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91950	089457	0.010	<1	10.32	10	221	6	3	1.22	19	11	72	583	152	12.55	26	<1	3	2	<1	1.60	6	30	2.71	3575	94	20	161	1435	18	<1	0.38	10	37	5	<10	184	6	7	<1	331	16	159	303	<10	17	302	55
91951	089458	0.007	<1	9.56	30	312	4	1	0.79	14	<1	74	226	203	9.72	22	<1	<1	<1	<1	1.63	<1	26	1.84	3083	71	24	76	666	14	3	0.17	8	40	9	<10	55	5	<1	<1	349	7	115	351	<10	11	314	<1
91952	089459	0.005	<1	11.51	33	334	4	3	1.41	13	<1	70	224	204	9.42	26	<1	2	3	<1	1.84	<1	29	1.90	3324	73	26	68	657	11	10	0.17	11	45	11	<10	77	6	4	<1	453	16	114	377	13	12	313	28
91953	089460	<0.005	<1	10.55	26	273	4	<1	0.69	12	<1	58	293	184	7.98	23	<1	1	1	<1	1.76	<1	32	1.88	2176	65	25	83	731	11	<1	0.25	8	41	<5	<10	73	4	<1	<1	358	7	93	356	<10	11	263	4
91954D	089460	0.006	<1	11.42	30	305	3	3	0.80	12	<1	58	291	187	7.94	26	<1	3	2	<1	1.79	<1	36	1.85	2133	71	26	82	715	9	<1	0.25	6	41	<5	<10	81	4	<1	<1	425	5	75	376	10	10	258	96
91955	089461	0.009	<1	11.37	34	295	4	4	0.75	11	<1	59	194	212	7.41	25	<1	2	<1	<1	1.66	<1	33	1.80	1689	63	25	81	794	8	<1	0.21	5	41	<5	<10	76	5	<1	<1	372	8	88	357	<10	10	243	57
91956	089462	0.008	<1	11.63	33	204	4	3	0.77	16	<1	73	215	210	11.46	28	<1	3	<1	<1	1.56	<1	35	2.24	3592	88	26	88	644	16	<1	0.24	10	46	<5	<10	66	5	6	<1	331	14	148	384	12	12	362	34
91957	089463	0.005	<1	11.40	34	171	4	3	0.82	17	2	67	316	185	11.23	28	<1	3	4	<1	1.71	<1	36	2.51	2678	89	26	103	1023	16	<1	0.60	9	43	<5	<10	80	5	6	<1	292	13	153	373	<10	13	338	59
91958	089464	0.007	<1	10.23	26	208	3	2	0.61	12	<1	48	290	167	8.03	22	2	1	<1	<1	1.67	<1	31	1.94	1515	65	23	69	591	12	<1	0.23	8	39	<5	<10	58	6	<1	<1	301	8	92	341	<10	9	249	5
91959	089465	0.005	<1	10.90	34	243	3	<1	0.63	13	<1	56	229	197	8.14	23	<1	2	2	<1	1.47	<1	32	1.96	1574	70	25	80	595	9	3	0.24	7	40	17	<10	61	3	1	<1	313	14	108	352	<10	9	273	19
91960	089466	0.200	<1	11.06	27	208	3	<1	2.57	12	<1	46	249	162	8.15	23	<1	3	1	<1	1.68	<1	33	2.27	2138	73	23	48	575	9	2	0.30	5	40	<5	<10	76	4	2	<1	322	8	104	331	<10	9	221	63
91961	089467	0.012	<1	0.11	<2	2	<2	2	0.02	<4	<1	1	3	<1	0.08	<1	<1	<1	<1	0.01	<1	<1	0.02	<100	<1	<1	<1	<100	<1	<1	<0.01	<5	<1	<5	<10	<3	<1	<1	<100	3	<20	4	<10	<2	22	<1		
91962	089468	0.064	<1	11.01	21	138	4	2	2.70	12	<1	50	201	183	8.34	24	<1	2	<1	<1	1.66	<1	35	2.48	2149	78	23	59	479	13	<1	0.39	10	40	12	<10	89	5	<1	<1	271	15	95	341	<10	9	201	36
91963	089469	0.011	<1	10.36	10	113	3	4	4.66	13	<1	44	219	173	8.27	22	<1	2	1	<1	1.79	<1	35	2.78	2020	83	21	50	428	13	12	0.19	7	37	<5	<10	93	5	6	<1	257	9	102	310	<10	9	177	20
91964	089470	13.794	6	8.79	30	436	3	<1	2.91	8	<1	27	82	143	4.41	17	<1	2	<1	<1	1.62	<1	22	1.38	601	55	9	43	612	38	375	0.83	8	12	10	<10	120	3	10	<1	3623	10	33	105	<10	17	175	70
91966	089471	0.026	<1	10.41	20	142	3	3	1.79	13	<1	54	268	187	8.73	22	<1	2	<1	<1	1.61	<1	33	2.48	2278	79	21	67	475	13	<1	0.72	10	38	8	<10	77	3	<1	<1	267	9	97	312	<10	9	218	1
91967	089472	0.012	<1	11.02	11	109	3	3	3.59	12	<1	45	241	185	8.01	21	<1	2	<1	<1	1.71	<1	36	2.69	1889	80	21	62	412	13	<1	0.21	11	40	<5	<10	95	4	4	<1	256	12	96	316	<10	8	176	35
91968	089473	0.010	<1	11.25	15	110	4	6	2.37	14	<1	57	276	181	9.18	24	<1	3	<1	<1	1.66	<1	36	2.58	3044	84	22	72	451	15	<1	0.26	7	42	8	<10	94	5	2	<1	255	8	107	327	10	10	251	44
91969	089474	0.009	<1	10.45	25	112	3	<1	4.08	12	<1	56	249	191	7.42	21	7	2	2	<1	1.80	<1	33	2.56	2688	72	20	68	412	8	<1	0.16	11	39	<5	<10	102	4	<1	<1	247	9	77	301	<10	9	218	31
91970	089475	0.012	<1	11.02	24	110	3	3	2.83	12	<1	61	277	189	7.79	22	<1	2	<1	<1	1.71	<1	35	2.53	2949	78	20	73	438	10	<1	0.16	7	40	<5	<10	90	2	2	<1	248	15	90	301	<10	10	252	55

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/30/2011
Date Completed: 04/13/2011
Job #: 201141263
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
91971	089476	0.008	<1	11.69	26	113	3	<1	3.45	11	<1	55	302	203	7.42	24	1	2	1	<1	1.89	<1	37	2.73	2456	73	24	74	460	11	6	0.10	12	45	6	<10	97	5	<1	<1	262	12	95	343	<10	9	230	42
91972	089477	0.008	<1	9.90	33	94	2	5	7.27	10	<1	49	233	180	5.64	19	<1	2	2	<1	1.83	<1	35	2.61	1472	68	19	68	369	13	<1	0.17	7	38	11	<10	107	4	<1	<1	220	22	54	285	12	8	138	12
91973	089478	<0.005	<1	10.80	20	115	3	6	3.25	10	<1	49	367	184	6.43	21	<1	2	<1	<1	1.63	<1	38	2.55	1973	67	20	65	389	6	<1	0.21	9	41	7	<10	104	3	3	<1	238	10	60	288	<10	8	220	21
91974	089479	<0.005	<1	11.49	7	110	4	<1	1.07	13	<1	60	454	203	8.96	23	<1	2	<1	<1	1.55	<1	43	2.95	3081	82	22	87	383	9	<1	0.20	11	45	<5	<10	90	4	4	<1	258	11	116	317	<10	10	352	19
91975	089480	<0.005	<1	9.33	4	930	2	<1	1.28	4	53	7	460	10	1.64	13	3	<1	<1	<1	1.65	26	30	0.52	318	26	5	14	399	24	24	0.02	9	3	9	<10	327	<1	<1	20	1243	<2	<20	27	<10	12	69	52

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97802	089481	<0.005	1	20.31	16	107	<2	3	1.37	6	<1	55	400	228	14.90	17	31	1	<1	<1	2.23	<1	40	2.71	3304	5	27	80	313	11	<1	0.18	5	35	<5	<10	78	6	<1	2	478	14	33	224	<10	9	326	<1
97803	089482	<0.005	1	19.41	23	110	<2	1	0.49	4	<1	53	550	226	11.70	17	36	<1	<1	<1	1.88	<1	37	2.33	2182	<1	28	83	311	9	<1	0.13	<5	37	<5	<10	84	6	<1	<1	408	14	29	234	<10	7	269	<1
97804	089483	0.006	<1	18.96	19	94	<2	<1	0.43	5	<1	55	635	203	14.15	19	17	<1	<1	<1	1.62	<1	39	2.73	2160	2	28	103	325	10	5	0.07	6	39	<5	<10	67	7	<1	<1	381	3	71	237	<10	7	267	<1
97805	089484	0.005	<1	17.16	14	73	<2	1	0.98	5	<1	48	597	195	13.44	17	19	<1	<1	<1	1.67	<1	38	2.82	1746	<1	29	90	296	9	<1	0.12	<5	36	<5	<10	45	6	<1	<1	356	12	<20	230	<10	7	267	<1
97806	089485	0.006	<1	17.71	16	74	<2	<1	1.00	5	<1	49	605	213	13.32	17	20	<1	<1	<1	1.74	<1	38	2.78	1774	<1	28	89	304	9	<1	0.12	<5	36	<5	<10	48	5	<1	<1	367	14	36	227	<10	8	264	<1
97807	089486	<0.005	1	19.14	32	102	<2	1	2.64	4	4	50	563	207	9.98	15	75	13	<1	<1	2.00	<1	38	2.38	1052	<1	26	88	326	8	7	0.08	5	34	<5	<10	82	5	<1	<1	430	15	<20	212	<10	7	170	<1
97808	089487	<0.005	<1	17.88	26	89	<2	1	3.37	<4	9	47	605	190	9.15	14	79	7	<1	<1	1.86	<1	36	2.41	936	<1	27	81	267	7	9	0.08	5	33	<5	<10	70	4	<1	<1	372	7	<20	214	<10	7	134	<1
97809	089488	<0.005	<1	18.24	19	88	<2	<1	3.86	<4	15	45	528	181	9.46	17	91	9	<1	<1	1.99	<1	37	2.51	1012	<1	26	87	305	5	<1	0.10	<5	33	5	<10	67	4	<1	<1	390	<2	<20	211	<10	7	132	<1
97810	089489	0.005	<1	16.06	16	72	<2	<1	6.26	<4	19	49	533	135	9.69	15	1	5	<1	1	1.58	<1	33	2.40	1251	<1	25	110	254	9	15	0.16	<5	31	<5	<10	64	4	<1	<1	320	6	31	199	<10	7	95	<1
97811	089490	0.005	1	22.61	16	140	<2	1	4.74	<4	20	49	564	121	8.67	21	250	52	<1	<1	2.21	<1	44	2.24	932	6	28	108	275	7	19	0.10	<5	29	<5	<10	101	4	<1	<1	628	8	<20	232	<10	8	97	121
97812D	089490	<0.005	<1	19.04	16	86	<2	<1	4.72	<4	14	53	561	120	9.00	16	60	13	<1	<1	1.96	<1	36	2.55	945	<1	25	111	267	10	14	0.10	<5	31	<5	<10	66	5	<1	1	382	18	<20	207	<10	7	98	<1
97813	089491	<0.005	<1	19.71	19	108	<2	<1	4.23	<4	9	53	392	113	9.49	15	118	10	<1	<1	2.08	<1	37	2.48	1097	<1	23	137	257	8	14	0.11	<5	24	<5	<10	65	4	<1	<1	397	6	<20	178	<10	7	134	<1
97814	089492	<0.005	<1	19.16	11	89	<2	1	3.70	<4	8	57	232	95	9.91	18	58	8	<1	<1	2.04	<1	38	2.59	846	<1	22	143	384	7	<1	0.12	<5	23	<5	<10	62	4	<1	<1	398	6	<20	176	<10	7	106	<1
97815	089493	<0.005	<1	16.81	9	75	<2	<1	5.71	4	28	54	219	124	10.24	14	67	16	<1	<1	1.68	<1	34	2.39	1158	<1	24	139	270	8	<1	0.16	<5	26	<5	<10	61	5	<1	<1	333	10	<20	186	<10	7	96	<1
97816	089494	<0.005	<1	18.85	11	100	<2	2	5.78	4	17	53	228	125	10.13	15	35	12	<1	<1	1.98	<1	38	2.33	1332	<1	24	134	266	7	2	0.12	<5	26	<5	<10	74	5	<1	<1	411	13	<20	197	<10	7	90	<1
97817	089495	<0.005	<1	17.08	9	82	<2	<1	5.56	<4	17	50	230	122	9.83	13	81	7	<1	<1	1.79	<1	34	2.32	1293	<1	23	131	260	6	<1	0.12	<5	25	<5	<10	66	3	<1	<1	354	17	<20	182	<10	7	83	<1
97818	089496	<0.005	<1	19.08	6	84	<2	<1	6.40	5	16	51	259	114	13.84	18	122	21	<1	<1	2.04	<1	41	2.71	1944	<1	24	139	243	11	<1	0.23	<5	24	<5	<10	66	6	<1	<1	424	11	<20	187	<10	7	104	<1
97819	089497	<0.005	<1	18.14	17	111	<2	<1	5.64	<4	17	52	214	99	9.22	15	73	15	<1	<1	2.08	<1	35	2.08	1288	<1	19	158	286	3	14	0.10	<5	20	<5	<10	81	3	<1	<1	414	14	29	157	<10	7	79	<1
97820	089498	<0.005	1	18.33	26	123	<2	<1	6.47	<4	21	57	201	114	9.41	15	103	23	<1	<1	2.12	<1	36	1.91	1156	2	21	146	273	6	22	0.19	<5	21	<5	<10	84	4	<1	<1	436	7	26	168	<10	7	84	<1
97821	089499	0.006	<1	18.04	12	100	<2	3	6.53	4	31	53	210	116	10.67	15	41	19	<1	1	1.94	<1	38	2.34	1251	<1	21	165	249	7	<1	0.13	<5	21	<5	<10	64	3	<1	<1	418	11	<20	160	<10	8	92	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97822	089500	0.969	<1	17.32	4	144	<2	<1	3.96	4	30	30	98	39	10.71	19	87	<1	<1	<1	2.61	3	15	2.06	831	<1	21	24	612	14	62	0.09	<5	19	<5	<10	162	5	4	2	10265	11	<20	157	<10	28	76	<1
97824	916751	0.008	<1	18.30	10	106	<2	<1	5.94	4	17	54	203	115	10.73	15	131	20	<1	<1	2.18	<1	39	2.35	1213	<1	21	157	259	10	<1	0.10	<5	22	<5	<10	70	3	<1	<1	438	<2	<20	169	<10	7	96	<1
97825	916752	<0.005	<1	19.73	10	104	<2	2	6.62	4	21	53	189	95	11.86	17	79	21	<1	<1	2.16	<1	41	2.54	1372	<1	23	146	287	8	<1	0.14	<5	23	<5	<10	72	3	1	<1	441	8	<20	179	<10	8	103	<1
97826	916753	<0.005	<1	18.24	3	107	<2	<1	5.81	4	18	50	183	121	10.55	16	52	12	<1	<1	1.93	<1	39	2.36	1109	<1	22	157	247	7	<1	0.11	<5	22	<5	<10	71	3	<1	<1	397	<2	20	175	<10	7	91	<1
97827	916754	0.005	<1	16.79	5	91	<2	<1	9.32	<4	29	41	166	109	9.38	13	52	18	<1	1	1.87	<1	35	2.15	1153	<1	18	128	207	6	6	0.17	<5	19	<5	<10	86	3	<1	<1	367	2	44	146	<10	9	83	<1
97828	916755	<0.005	1	16.77	6	787	<2	<1	1.09	<4	69	4	100	7	2.31	10	65	7	<1	<1	2.42	34	29	0.39	171	9	3	5	363	23	102	0.03	<5	2	<5	<10	203	<1	<1	24	2026	4	<20	17	<10	8	20	<1
97829	916756	<0.005	<1	18.97	11	79	<2	<1	5.71	<4	15	40	144	102	9.75	15	134	10	<1	<1	2.24	<1	39	2.65	1279	<1	21	119	243	8	2	0.13	<5	20	<5	<10	90	3	<1	<1	1018	5	24	166	<10	12	83	<1
97830	916757	<0.005	<1	17.90	3	69	<2	<1	5.84	<4	15	39	143	106	9.44	14	43	16	<1	<1	2.11	<1	36	2.47	1141	<1	20	128	253	7	<1	0.13	<5	20	<5	<10	80	2	<1	<1	822	6	<20	155	<10	12	80	<1
97831	916758	<0.005	<1	16.99	4	64	<2	<1	5.33	<4	18	42	134	106	9.30	12	78	5	<1	<1	1.82	<1	35	2.51	1053	<1	20	131	253	6	<1	0.10	<5	19	<5	<10	68	4	<1	<1	784	14	<20	154	<10	11	88	<1
97832	916759	<0.005	<1	16.34	8	59	<2	<1	5.49	<4	18	43	140	103	9.49	11	18	4	<1	<1	1.77	<1	36	2.67	1092	<1	20	131	236	8	<1	0.10	<5	18	<5	<10	53	2	<1	<1	507	11	<20	148	<10	10	91	<1
97833	916760	<0.005	<1	17.66	3	70	<2	<1	4.35	4	19	45	148	110	10.64	15	10	2	<1	<1	1.81	<1	39	2.93	1023	<1	22	150	255	8	<1	0.07	<5	19	<5	<10	55	3	1	<1	455	19	<20	159	<10	10	98	<1
97834D	916760	<0.005	<1	19.02	<2	84	<2	<1	4.43	4	18	47	151	100	10.62	16	63	10	<1	<1	2.14	<1	41	2.91	1027	<1	23	152	255	7	<1	0.08	<5	20	<5	<10	63	3	<1	<1	515	<2	<20	167	<10	10	99	<1
97835	916761	<0.005	<1	18.73	6	86	<2	<1	6.39	<4	20	43	140	103	9.65	14	93	23	<1	<1	2.29	<1	37	2.28	1200	2	20	134	242	6	<1	0.15	<5	20	<5	<10	75	3	<1	<1	540	11	<20	153	<10	11	86	<1
97836	916762	<0.005	1	18.89	7	91	<2	<1	6.26	<4	50	42	144	99	9.94	15	83	27	<1	<1	2.25	<1	37	2.33	1273	<1	21	134	229	9	6	0.14	<5	21	<5	<10	72	3	<1	<1	473	11	<20	165	<10	9	79	<1
97837	916763	<0.005	<1	18.95	2	80	<2	<1	6.62	4	30	45	147	108	11.39	14	72	20	<1	<1	2.24	<1	40	2.70	1396	<1	22	147	239	8	<1	0.15	<5	21	<5	<10	64	4	<1	<1	482	8	<20	165	<10	10	97	<1
97838	916764	0.006	<1	18.23	3	80	<2	<1	6.53	4	22	47	155	107	10.64	16	35	19	<1	<1	2.07	<1	39	2.54	1359	<1	21	146	247	8	<1	0.13	5	21	<5	<10	78	4	<1	<1	518	5	<20	166	<10	10	83	<1
97839	916765	0.007	<1	17.95	6	72	<2	<1	6.37	4	22	44	147	112	10.47	14	52	11	<1	<1	2.00	<1	38	2.73	1301	<1	22	140	249	6	<1	0.19	<5	21	<5	<10	69	5	<1	<1	501	9	<20	162	<10	10	81	<1
97840	916766	<0.005	<1	17.81	4	74	<2	<1	5.88	4	17	45	155	112	10.00	15	54	7	<1	<1	2.02	<1	39	2.71	1257	<1	22	140	243	7	<1	0.10	<5	21	<5	<10	74	4	<1	<1	505	15	<20	164	<10	9	88	<1
97841	916767	<0.005	<1	17.31	4	80	<2	<1	5.88	<4	22	46	149	103	10.27	14	75	16	<1	<1	1.99	<1	39	2.46	1382	<1	21	143	243	6	<1	0.09	<5	19	<5	<10	77	4	<1	<1	489	7	<20	164	<10	9	78	<1
97842	916768	<0.005	<1	18.12	<2	58	<2	<1	7.29	5	21	36	147	84	13.18	15	89	11	<1	<1	1.97	<1	37	2.66	1459	<1	20	113	212	9	<1	0.19	<5	20	<5	<10	55	4	<1	<1	434	12	<20	157	<10	11	89	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97843	916769	0.032	<1	17.90	5	71	<2	1	6.54	4	28	44	148	110	11.22	15	75	19	<1	<1	2.09	<1	37	2.44	1518	<1	21	143	250	8	<1	0.10	<5	21	<5	<10	75	4	<1	<1	443	9	<20	164	<10	10	78	<1
97844	916770	0.982	<1	15.67	4	133	<2	<1	3.63	<4	29	28	91	42	10.14	16	33	<1	<1	<1	2.44	3	15	1.91	789	1	20	22	594	15	46	0.08	<5	17	<5	<10	145	3	4	1	9788	10	<20	149	<10	26	72	<1
97846	916771	0.006	1	18.92	8	77	<2	1	6.44	4	16	44	154	105	11.21	15	108	16	<1	<1	2.15	<1	39	2.40	1494	<1	22	144	241	7	<1	0.10	<5	21	<5	<10	82	4	<1	<1	494	9	<20	172	<10	10	80	<1
97847	916772	<0.005	<1	17.44	5	62	<2	<1	6.10	4	27	44	140	105	11.81	16	71	<1	<1	<1	1.84	<1	36	2.67	1329	<1	20	135	230	7	<1	0.28	<5	21	<5	<10	53	3	<1	<1	423	16	26	153	<10	9	90	<1
97848	916773	<0.005	1	17.32	9	56	<2	2	6.30	5	19	38	129	98	13.16	14	52	8	<1	<1	1.91	<1	37	2.69	1316	<1	20	122	223	8	<1	0.55	<5	20	<5	<10	51	2	<1	<1	405	<2	<20	145	<10	9	85	<1
97849	916774	<0.005	<1	17.37	5	68	<2	<1	5.81	4	18	42	138	109	10.61	14	43	9	<1	<1	2.07	<1	38	2.45	1150	<1	19	134	222	7	<1	0.18	<5	20	<5	<10	59	2	<1	<1	430	12	<20	152	<10	8	79	<1
97850	916775	<0.005	<1	17.66	3	95	<2	<1	6.70	<4	19	43	151	98	9.91	13	143	13	<1	1	1.91	<1	39	2.68	1323	<1	21	139	250	6	<1	0.10	<5	21	<5	<10	64	3	<1	<1	394	4	25	157	<10	8	84	<1
97851	916776	<0.005	<1	17.44	2	99	<2	<1	9.73	<4	27	41	151	105	9.42	12	129	25	<1	<1	1.98	<1	36	2.14	1175	<1	20	128	209	8	<1	0.17	<5	20	<5	<10	95	2	<1	<1	386	13	58	150	<10	9	79	<1
97852	916777	<0.005	<1	17.53	5	85	<2	<1	5.95	4	15	48	162	113	10.40	13	31	15	<1	1	1.96	<1	39	2.57	1113	<1	21	147	243	5	<1	0.10	<5	22	<5	<10	60	3	<1	<1	372	6	<20	164	<10	8	91	<1
97853	916778	<0.005	<1	18.00	7	97	<2	<1	5.13	4	24	49	172	114	10.37	13	46	9	<1	<1	1.87	<1	38	2.64	1125	<1	23	157	245	5	<1	0.09	<5	23	<5	<10	60	4	<1	<1	378	14	<20	174	<10	7	81	<1
97854	916779	0.017	<1	20.02	2	114	<2	<1	4.95	4	23	48	173	108	10.72	16	56	11	<1	<1	2.18	<1	43	2.68	1046	<1	23	153	248	9	<1	0.09	<5	23	<5	<10	71	4	<1	<1	432	6	<20	178	<10	7	95	<1
97855	916780	0.007	1	18.88	2	846	<2	<1	1.21	<4	84	5	116	8	2.78	13	2	34	<1	<1	2.29	43	36	0.52	208	11	4	7	416	25	97	0.03	<5	3	<5	<10	207	2	<1	30	2242	<2	<20	21	<10	9	29	111
97857	916781	<0.005	<1	18.87	4	62	<2	<1	4.47	4	17	48	156	117	11.13	15	<1	2	<1	<1	1.88	<1	39	3.04	1254	<1	22	146	279	8	6	0.09	<5	20	<5	<10	72	4	<1	<1	1092	10	<20	165	<10	12	96	<1
97858	916782	<0.005	<1	18.91	5	63	<2	<1	6.54	5	27	42	146	101	12.63	15	35	24	<1	<1	2.16	<1	40	2.86	1668	<1	21	125	245	9	<1	0.27	<5	18	<5	<10	67	4	<1	<1	837	14	<20	154	<10	13	87	<1
97859	916783	<0.005	<1	19.67	4	61	<2	<1	6.29	5	26	45	155	126	14.86	16	13	17	<1	<1	2.12	<1	44	3.20	1775	<1	22	130	247	9	<1	0.51	<5	18	<5	<10	62	4	<1	<1	913	11	25	164	<10	12	97	<1
97860	916784	<0.005	1	20.37	5	61	<2	4	4.20	5	16	46	161	112	13.37	18	13	11	<1	<1	1.94	<1	45	3.54	1404	<1	24	140	276	9	<1	0.12	<5	20	<5	<10	63	5	<1	<1	890	3	<20	175	<10	11	102	<1
97861	916785	<0.005	1	17.06	<2	53	<2	<1	3.30	4	11	35	134	86	10.62	11	<1	<1	<1	<1	1.77	<1	37	2.89	1113	<1	19	110	213	5	<1	0.09	<5	15	<5	<10	52	2	<1	<1	741	17	<20	139	<10	9	77	<1
97862	916786	<0.005	<1	20.85	2	77	<2	<1	4.67	4	21	45	138	106	10.85	15	76	21	<1	<1	2.21	<1	42	3.03	1138	<1	24	146	366	6	<1	0.12	<5	23	<5	<10	88	4	<1	<1	981	18	<20	186	<10	14	92	<1
97863	916787	<0.005	<1	20.12	6	75	<2	<1	5.70	4	17	45	168	109	10.46	16	91	15	<1	<1	2.08	<1	39	2.79	1187	<1	24	147	343	7	<1	0.14	<5	23	<5	<10	109	4	<1	<1	781	21	<20	187	<10	14	86	<1
97864	916788	<0.005	<1	18.61	6	67	<2	<1	5.71	4	16	49	158	120	11.18	14	39	<1	<1	<1	1.86	<1	39	2.99	1193	<1	25	155	298	5	<1	0.19	<5	23	<5	<10	81	2	<1	<1	622	25	<20	181	<10	12	92	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97865	916789	<0.005	<1	18.15	7	65	<2	<1	6.30	4	27	44	161	110	10.30	14	51	13	<1	<1	1.77	<1	37	2.85	1225	<1	22	151	266	7	<1	0.14	<5	23	<5	<10	89	3	<1	<1	485	13	<20	168	<10	11	83	<1
97866	916790	<0.005	<1	19.12	6	68	<2	<1	6.47	4	20	45	169	109	11.78	15	59	<1	<1	2	1.91	<1	39	2.88	1269	<1	25	128	325	8	<1	0.36	<5	23	<5	<10	80	3	<1	<1	475	11	<20	194	<10	13	90	<1
97867R	916790	<0.005	1	21.30	11	102	<2	<1	6.82	4	23	40	149	100	10.47	19	95	40	<1	2	2.65	<1	43	2.62	1240	3	25	115	369	8	<1	0.32	<5	23	<5	<10	107	3	<1	<1	635	10	25	197	<10	14	80	51
97868	916791	<0.005	<1	20.24	6	92	<2	<1	5.71	<4	16	46	162	110	10.35	16	71	26	<1	<1	2.36	<1	42	2.78	1138	<1	23	147	258	7	<1	0.13	<5	23	<5	<10	103	4	<1	<1	514	5	<20	175	<10	11	84	<1
97869	916792	<0.005	1	20.78	6	94	<2	<1	5.91	4	20	45	155	114	10.03	18	122	27	<1	<1	2.42	<1	42	2.75	1066	<1	22	149	268	9	<1	0.17	<5	22	<5	<10	112	3	<1	<1	543	10	<20	170	<10	11	84	<1
97870	916793	<0.005	<1	22.02	14	98	<2	2	6.08	4	20	47	166	118	11.05	18	105	25	<1	<1	2.45	<1	44	3.03	1080	<1	25	153	271	8	<1	0.17	<5	25	<5	<10	119	3	<1	<1	543	7	<20	187	<10	11	95	<1
97871	916794	<0.005	<1	20.46	8	109	<2	3	5.98	4	29	47	169	116	10.64	16	57	23	<1	<1	2.29	<1	41	2.81	1163	<1	25	158	262	8	<1	0.15	<5	25	<5	<10	95	2	<1	<1	477	11	<20	186	<10	9	93	<1
97872	916795	<0.005	<1	20.74	9	114	<2	2	6.20	4	20	50	165	116	10.99	19	204	19	<1	<1	2.30	<1	42	2.77	1207	<1	25	163	269	7	<1	0.17	<5	25	<5	<10	103	4	<1	<1	482	8	<20	194	<10	9	92	<1
97873	916796	<0.005	1	22.35	7	134	<2	<1	5.99	4	29	50	185	126	11.79	18	150	22	<1	<1	2.26	<1	43	2.82	1584	<1	27	159	291	11	<1	0.11	<5	28	<5	<10	106	3	<1	<1	463	15	<20	205	<10	9	94	<1
97874	916797	0.006	2	18.74	7	102	<2	<1	10.15	6	21	40	102	79	17.26	18	153	34	<1	<1	2.41	<1	36	2.33	3742	10	17	117	201	12	<1	1.96	<5	17	<5	<10	96	6	2	<1	563	18	<20	130	<10	10	98	50
97875	916798	<0.005	1	22.06	7	97	<2	<1	6.04	6	40	44	59	178	16.02	21	106	35	<1	<1	2.55	<1	39	2.36	1550	6	20	77	441	11	<1	0.17	<5	17	<5	<10	79	5	2	<1	536	10	<20	162	<10	10	109	39
97876	916799	<0.005	1	22.81	7	75	<2	<1	5.98	6	39	42	47	215	17.63	25	112	42	<1	<1	2.62	1	40	2.30	1430	10	18	59	497	13	<1	0.17	<5	14	<5	<10	75	6	<1	<1	576	12	<20	153	<10	11	115	77
97877	916800	14.010	7	17.43	24	445	<2	<1	2.61	<4	11	24	74	138	8.46	15	49	8	<1	<1	1.95	<1	21	1.31	551	13	13	39	562	30	427	0.72	<5	12	<5	<10	123	2	4	<1	6890	12	<20	99	<10	18	143	<1
97879	916801	0.010	1	20.86	<2	71	<2	2	5.28	6	35	40	51	198	17.36	22	85	21	<1	<1	2.27	2	40	2.59	1501	8	18	57	472	10	<1	0.15	<5	14	<5	<10	69	7	3	<1	527	6	<20	149	<10	10	115	10
97880	916802	<0.005	1	21.75	3	143	<2	1	5.00	6	20	43	143	121	16.04	19	145	24	<1	<1	2.29	<1	40	2.66	1485	5	21	116	320	12	<1	0.13	<5	22	<5	<10	91	4	<1	<1	506	<2	<20	179	<10	8	108	<1
97881	916803	<0.005	<1	20.48	4	233	2	<1	5.19	4	21	44	192	101	11.25	18	166	17	<1	<1	2.39	<1	39	2.16	1365	1	25	144	262	8	<1	0.07	<5	24	<5	<10	146	3	<1	<1	522	27	<20	206	<10	7	92	<1
97882	916804	<0.005	<1	22.82	7	147	<2	1	5.20	4	24	54	188	117	11.94	20	198	23	<1	<1	2.26	<1	43	2.89	1199	<1	26	189	266	9	<1	0.09	<5	27	<5	<10	101	5	<1	<1	515	5	<20	210	<10	8	103	<1
97883	916805	<0.005	1	21.52	3	142	<2	<1	5.35	4	22	50	208	121	11.39	18	107	22	<1	<1	2.15	<1	42	2.72	1160	<1	25	172	280	7	<1	0.10	<5	25	<5	<10	102	3	<1	<1	518	11	<20	197	<10	8	99	<1
97884	916806	<0.005	1	22.09	6	131	<2	<1	5.90	4	21	47	160	112	12.54	20	65	23	<1	2	2.36	<1	44	2.88	1354	<1	24	161	292	8	<1	0.29	<5	25	<5	<10	101	5	2	<1	512	2	<20	186	<10	8	97	<1
97885	916807	<0.005	<1	22.88	9	177	<2	<1	5.67	4	21	51	193	114	11.21	18	79	19	<1	<1	2.46	<1	41	2.66	1415	1	26	174	264	7	<1	0.11	<5	27	<5	<10	123	4	<1	<1	516	7	<20	206	<10	8	90	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97886	916808	<0.005	1	19.59	14	169	<2	<1	5.78	4	22	45	165	98	11.51	18	86	16	<1	<1	2.53	<1	40	2.60	1514	1	23	150	239	9	<1	0.14	<5	21	<5	<10	111	4	<1	<1	527	6	<20	188	<10	7	91	<1
97887	916809	0.006	1	21.18	24	161	<2	<1	7.01	4	24	44	196	106	11.11	18	96	25	<1	<1	2.49	<1	39	2.75	1813	<1	24	134	253	8	<1	0.21	<5	24	<5	<10	115	5	<1	<1	520	13	<20	187	<10	8	78	<1
97888	916810	0.963	1	17.98	5	148	<2	<1	3.82	4	32	30	96	39	10.62	19	94	10	<1	<1	2.60	5	19	2.05	819	4	21	23	603	15	50	0.09	<5	18	<5	<10	154	3	3	1	10250	13	<20	155	<10	28	79	14
97890	916811	<0.005	1	20.65	25	149	<2	<1	5.74	<4	11	41	159	113	9.62	14	180	28	<1	<1	2.49	<1	36	2.72	1589	1	22	121	249	5	<1	0.10	<5	23	<5	<10	103	4	<1	<1	494	25	<20	173	<10	7	75	<1
97891	916812	<0.005	<1	20.87	15	124	<2	<1	5.67	4	21	45	194	117	11.84	17	52	15	<1	<1	2.23	<1	39	2.77	1414	<1	26	122	287	10	<1	0.16	<5	27	<5	<10	98	4	<1	<1	454	12	<20	199	<10	8	89	<1
97892	916813	<0.005	1	18.47	29	124	<2	1	6.84	<4	28	42	199	118	9.73	14	79	4	<1	1	2.07	<1	34	2.48	1520	<1	25	106	262	7	<1	0.14	<5	26	<5	<10	115	4	<1	<1	399	7	<20	193	<10	7	82	<1
97893	916814	<0.005	1	21.29	28	139	<2	2	4.54	4	22	45	196	130	11.77	18	59	19	<1	<1	2.29	<1	40	2.96	1279	<1	27	128	278	9	<1	0.13	<5	28	<5	<10	97	4	<1	<1	456	10	<20	209	<10	7	95	<1
97894	916815	0.033	1	17.53	33	120	<2	<1	14.08	<4	35	26	165	118	7.07	12	81	38	<1	<1	2.47	<1	35	1.61	1875	4	20	83	201	3	<1	0.29	<5	20	<5	<10	187	3	<1	<1	486	9	59	145	<10	11	53	10
97895	916816	0.006	<1	19.79	46	122	<2	<1	5.39	4	23	47	178	128	10.52	14	92	17	<1	<1	2.17	<1	34	2.74	1251	<1	25	119	275	7	<1	0.16	<5	27	<5	<10	103	5	<1	<1	435	7	<20	190	<10	7	84	<1
97896	916817	<0.005	<1	19.55	35	128	<2	<1	6.14	<4	19	39	182	118	8.85	17	79	15	<1	<1	2.30	<1	33	2.11	1224	1	25	108	270	5	10	0.13	<5	25	<5	<10	118	4	<1	<1	470	23	23	195	<10	8	78	<1
97897	916818	<0.005	<1	20.19	40	137	<2	<1	6.57	4	29	42	188	128	10.04	17	103	36	<1	<1	2.32	<1	37	2.09	1493	2	26	110	296	8	<1	0.14	<5	26	<5	<10	125	4	<1	<1	523	12	<20	208	<10	8	79	2
97898	916819	<0.005	<1	18.65	30	105	<2	<1	8.03	5	37	41	160	115	13.75	17	67	16	<1	<1	2.15	<1	36	2.39	2632	3	24	105	272	13	<1	0.16	<5	25	<5	<10	96	3	<1	<1	470	19	<20	188	<10	9	97	<1
97899	916820	<0.005	2	18.72	4	969	<2	<1	1.10	<4	76	4	226	8	2.63	13	54	41	<1	<1	2.31	37	34	0.41	179	13	3	6	368	25	65	0.03	<5	2	<5	<10	204	<1	<1	24	2232	<2	<20	18	<10	8	23	119
97901	916821	<0.005	<1	18.96	47	124	<2	<1	6.82	4	15	45	183	134	11.56	16	<1	23	<1	<1	2.29	<1	36	1.90	2095	5	24	127	307	10	<1	0.14	<5	24	<5	<10	107	5	<1	<1	502	20	27	193	<10	8	89	3
97902	916822	<0.005	1	17.88	43	119	<2	<1	8.23	4	22	41	145	113	11.93	18	91	34	<1	<1	2.22	<1	32	2.32	2494	1	22	104	280	7	4	0.21	<5	23	<5	<10	100	4	<1	<1	479	8	32	169	<10	9	77	<1
97903	916823	<0.005	<1	18.37	32	132	<2	<1	7.07	4	27	39	173	113	12.10	18	74	31	<1	<1	2.28	<1	36	2.03	2445	4	25	102	283	10	<1	0.16	<5	22	<5	<10	113	5	<1	<1	556	7	<20	201	<10	8	85	24
97904	916824	<0.005	1	19.15	25	107	<2	3	7.91	6	33	44	153	114	15.76	20	73	28	<1	<1	2.22	<1	38	2.36	2732	6	25	94	267	12	<1	0.30	<5	24	<5	<10	97	6	<1	<1	542	16	<20	199	<10	8	111	<1
97905	916825	<0.005	1	19.55	25	107	<2	1	8.25	6	19	43	153	123	16.33	20	106	24	<1	<1	2.43	<1	38	2.46	2854	6	25	96	272	12	<1	0.31	<5	25	<5	<10	96	6	<1	<1	532	4	<20	197	<10	9	116	<1
97906	916826	<0.005	2	19.05	39	126	<2	1	8.63	5	30	43	157	124	13.50	20	126	32	<1	<1	2.46	<1	38	2.14	2613	5	25	112	275	8	<1	0.21	5	23	<5	<10	115	6	<1	<1	558	9	<20	205	<10	9	105	27
97907	916827	<0.005	<1	18.92	37	121	<2	2	6.95	4	16	47	174	138	12.07	18	53	17	<1	<1	2.30	<1	36	1.96	1788	4	25	119	298	9	5	0.15	<5	24	<5	<10	104	5	<1	<1	505	11	<20	213	<10	8	109	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97908	916828	<0.005	1	19.32	36	142	<2	<1	7.82	<4	29	42	167	131	9.13	17	134	30	<1	<1	2.41	<1	34	1.83	1625	5	25	98	305	9	6	0.16	<5	24	<5	<10	130	4	<1	<1	523	3	36	208	<10	8	82	14
97909	916829	<0.005	<1	19.12	35	125	<2	<1	6.47	4	25	46	186	144	10.63	18	63	22	<1	<1	2.32	<1	36	1.83	1466	3	26	110	318	6	<1	0.14	<5	25	<5	<10	106	4	<1	<1	504	6	<20	218	<10	7	104	<1
97910	916830	0.016	<1	20.25	24	121	<2	<1	7.59	4	24	38	168	124	10.73	17	95	30	<1	<1	2.33	<1	35	1.89	1626	5	25	91	312	6	6	0.29	<5	26	<5	<10	109	4	<1	<1	511	12	<20	208	<10	8	101	5
97911D	916830	0.016	<1	18.94	28	109	<2	<1	7.65	4	29	39	163	131	10.89	17	61	17	<1	<1	2.23	<1	33	1.93	1638	4	24	91	315	5	<1	0.30	<5	26	<5	<10	100	3	<1	<1	453	6	25	199	<10	8	103	<1
97912	916831	<0.005	1	18.02	24	109	<2	2	6.38	4	26	40	167	131	10.81	16	107	14	<1	<1	2.20	<1	33	1.74	1588	3	24	97	306	6	<1	0.13	<5	25	<5	<10	90	4	<1	<1	458	13	<20	207	<10	7	100	<1
97913	916832	<0.005	1	17.64	19	103	<2	2	7.49	7	26	41	135	114	18.13	19	86	26	<1	<1	2.20	<1	36	2.12	3220	9	23	104	280	16	<1	0.71	<5	24	<5	<10	86	9	<1	<1	514	<2	<20	196	<10	8	124	<1
97914	916833	<0.005	1	17.73	41	108	<2	<1	6.18	4	24	48	169	137	10.75	16	21	15	<1	<1	2.14	<1	33	1.81	1512	3	23	127	326	6	<1	0.12	<5	27	<5	<10	85	4	<1	<1	435	8	<20	199	<10	7	102	<1
97915	916834	<0.005	1	19.79	42	123	<2	1	6.83	4	19	49	161	134	10.95	17	74	24	<1	<1	2.42	<1	36	1.88	1603	4	25	124	317	8	3	0.17	<5	27	<5	<10	99	4	<1	<1	482	4	27	205	<10	8	97	<1
97916	916835	<0.005	<1	21.56	48	136	<2	<1	6.92	4	26	56	206	152	11.95	21	101	26	<1	<1	2.29	<1	39	2.00	1694	3	29	131	347	11	2	0.18	<5	30	<5	<10	119	5	<1	<1	513	9	<20	243	<10	8	106	<1
97917	916836	0.009	<1	20.30	29	105	<2	<1	5.80	5	24	47	172	152	13.11	19	44	16	<1	<1	2.30	<1	39	1.93	1314	5	26	116	311	8	<1	0.19	<5	27	<5	<10	88	6	<1	<1	497	8	<20	219	<10	8	125	<1
97918	916837	<0.005	<1	18.60	33	120	<2	<1	7.80	4	33	43	171	120	11.45	17	73	26	<1	<1	2.43	<1	36	2.11	1884	2	23	95	266	5	<1	0.14	<5	23	<5	<10	97	3	<1	<1	526	13	25	193	<10	8	99	12
97919	916838	<0.005	1	17.01	11	77	<2	2	9.37	6	33	32	126	102	16.41	17	137	30	<1	<1	2.20	<1	36	2.74	2403	2	21	83	207	12	<1	0.23	<5	24	<5	<10	70	7	<1	<1	451	14	<20	164	<10	8	114	<1
97920	916839	0.007	1	19.99	19	111	<2	2	8.23	5	30	38	149	124	13.91	18	79	25	<1	<1	2.35	<1	41	2.37	1815	4	26	92	288	8	<1	0.17	<5	27	<5	<10	87	5	<1	<1	505	11	27	209	<10	9	100	<1
97921	916840	5.582	3	19.07	274	284	2	2	2.49	6	22	112	141	1626	14.60	18	34	22	<1	<1	1.86	7	24	1.27	615	18	10	1231	470	635	127	1.63	5	10	<5	<10	131	6	3	2	5199	6	<20	84	30	17	404	80
97923	916841	0.006	<1	16.59	23	93	<2	<1	8.99	5	34	34	135	113	12.73	14	26	12	<1	<1	1.90	<1	33	2.32	1991	<1	23	84	271	7	<1	0.17	<5	24	<5	<10	82	4	<1	<1	406	7	<20	173	<10	8	95	<1
97924	916842	0.082	<1	13.90	27	99	<2	<1	12.66	4	27	26	110	85	10.27	10	76	21	<1	<1	1.87	<1	30	1.84	2128	<1	21	63	213	3	<1	0.26	<5	17	<5	<10	142	3	<1	<1	412	12	32	148	<10	8	62	<1
97925	916843	0.006	<1	18.77	26	116	<2	1	7.79	5	28	34	154	124	14.94	19	4	21	<1	<1	2.35	<1	37	2.33	2323	4	25	72	294	9	5	0.13	<5	26	<5	<10	89	5	<1	<1	490	14	<20	201	<10	8	88	<1
97926	916844	<0.005	<1	18.25	47	118	<2	1	7.50	4	21	47	148	121	12.36	18	104	29	<1	<1	2.37	<1	35	1.91	2167	5	24	74	303	4	<1	0.12	<5	25	<5	<10	90	6	<1	<1	497	12	<20	198	<10	7	68	<1
97927	916845	<0.005	1	18.44	32	144	<2	<1	7.14	4	18	37	154	118	11.81	20	155	49	<1	<1	2.56	<1	40	2.01	1969	6	26	71	311	8	<1	0.13	<5	22	<5	<10	106	5	<1	<1	633	15	<20	208	<10	7	75	73
97928	916846	<0.005	<1	17.12	22	104	<2	<1	8.08	4	21	35	154	126	11.48	15	35	4	<1	<1	1.79	<1	33	2.04	1588	<1	23	82	297	6	<1	0.14	<5	25	<5	<10	88	5	<1	<1	369	12	<20	182	<10	8	87	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97929	916847	<0.005	<1	19.32	31	118	<2	<1	7.09	4	29	43	181	136	12.06	18	68	4	<1	<1	2.02	<1	37	1.95	1248	2	26	95	318	9	<1	0.14	<5	29	<5	<10	97	5	<1	<1	426	8	21	219	<10	8	88	<1
97930	916848	<0.005	1	17.15	20	116	<2	2	9.95	5	28	28	122	99	13.22	15	64	30	<1	<1	2.36	<1	37	2.15	2346	3	20	68	235	8	<1	0.72	<5	19	<5	<10	100	3	<1	<1	528	12	20	157	<10	9	72	22
97931	916849	<0.005	<1	19.07	27	118	<2	1	8.71	4	25	39	161	127	11.49	16	25	19	<1	<1	2.26	<1	37	2.48	1840	<1	26	86	294	6	3	0.20	<5	27	<5	<10	94	5	<1	<1	465	16	22	197	<10	8	80	<1
97932	916850	<0.005	2	17.74	5	977	2	<1	1.47	<4	27	7	171	49	2.98	18	141	54	<1	<1	2.25	11	40	0.40	258	17	6	7	268	28	63	0.04	<5	1	<5	<10	344	<1	<1	9	2605	<2	<20	20	<10	6	67	204
97934	916851	<0.005	1	19.41	21	149	<2	1	9.59	4	53	34	150	118	10.49	18	216	43	<1	<1	2.52	<1	42	2.35	2074	4	25	80	273	8	<1	0.28	<5	21	<5	<10	119	4	<1	<1	618	11	<20	192	<10	9	84	75
97935	916852	<0.005	<1	19.23	16	135	<2	<1	8.79	4	29	33	156	126	10.41	17	115	39	<1	<1	2.51	<1	43	2.19	1650	4	27	78	292	8	<1	0.18	<5	22	<5	<10	105	4	<1	<1	626	10	26	207	<10	9	80	47
97936	916853	<0.005	1	19.75	16	154	<2	2	7.46	4	21	35	155	124	11.78	22	188	47	<1	<1	2.54	<1	49	2.54	1573	7	26	79	295	9	<1	0.18	<5	21	<5	<10	105	6	<1	<1	696	<2	<20	199	<10	8	84	132
97937	916854	<0.005	1	20.27	19	142	<2	1	7.91	4	23	39	176	120	11.37	22	262	40	<1	<1	2.50	<1	49	2.29	1602	6	25	97	323	9	<1	0.20	<5	23	<5	<10	101	5	<1	<1	642	8	<20	206	<10	8	90	95
97938	916855	<0.005	1	20.49	17	134	<2	1	7.95	4	21	41	165	120	11.38	20	213	46	<1	<1	2.49	<1	48	2.32	1567	6	25	96	321	7	<1	0.19	<5	23	<5	<10	100	5	<1	<1	623	18	33	201	<10	8	90	85
97939	916856	<0.005	1	20.59	21	130	<2	1	7.82	4	28	40	171	114	10.89	18	189	39	<1	<1	2.50	<1	47	2.23	1679	5	27	96	286	10	<1	0.18	<5	24	<5	<10	94	6	<1	<1	609	28	<20	211	<10	8	88	79
97940	916857	<0.005	1	19.10	16	128	<2	<1	11.64	4	66	31	131	107	10.06	16	157	42	<1	<1	2.61	<1	43	2.05	2193	7	22	74	250	9	<1	0.26	<5	19	5	<10	99	4	<1	<1	628	11	45	168	<10	10	67	104
97941	916858	<0.005	1	18.16	25	184	<2	<1	9.16	<4	27	32	141	109	9.44	17	219	46	<1	<1	2.55	<1	40	2.12	1756	6	22	79	256	8	<1	0.15	<5	18	<5	<10	100	3	<1	<1	624	12	33	167	<10	8	75	98
97942	916859	0.008	1	20.28	22	150	<2	<1	7.74	4	31	41	159	127	11.24	20	217	46	<1	<1	2.57	<1	45	2.38	1671	5	26	106	294	8	<1	0.27	<5	23	<5	<10	107	4	<1	<1	624	15	<20	208	<10	8	87	94
97943	916860	0.010	1	18.62	13	105	<2	3	9.33	5	32	32	143	101	14.64	19	119	36	<1	<1	2.52	<1	44	2.32	1997	6	23	79	229	9	<1	1.26	<5	20	<5	<10	78	7	<1	<1	566	9	<20	178	<10	9	78	49
97944D	916860	0.012	1	18.43	14	109	<2	2	9.52	5	27	32	148	100	14.93	20	140	33	<1	<1	2.54	<1	46	2.32	2072	6	23	81	239	12	<1	1.30	<5	19	<5	<10	80	4	<1	<1	600	5	<20	182	<10	9	84	59
97945	916861	<0.005	1	19.76	10	133	<2	1	8.88	4	35	33	151	102	12.05	21	150	53	<1	<1	2.46	<1	50	2.32	1764	5	24	82	285	11	<1	0.60	<5	22	<5	<10	92	4	<1	<1	649	9	24	191	<10	9	85	88
97946	916862	<0.005	1	18.41	9	122	<2	<1	8.66	4	35	31	149	125	10.96	18	132	45	<1	<1	2.41	<1	44	1.95	1892	7	24	71	262	12	<1	0.22	<5	19	<5	<10	89	4	<1	<1	607	17	<20	192	<10	9	74	67
97947	916863	<0.005	1	16.68	8	102	<2	<1	12.05	4	31	23	110	82	12.44	15	249	36	<1	<1	2.55	<1	42	2.55	3387	2	22	49	223	10	<1	0.17	<5	17	<5	<10	93	4	<1	<1	601	13	<20	153	<10	9	55	50
97948	916864	0.011	1	14.97	7	88	<2	<1	9.95	6	29	16	120	41	16.43	16	136	38	<1	<1	2.68	<1	35	2.74	4008	6	15	40	129	10	<1	0.66	<5	11	<5	<10	75	7	2	<1	581	15	<20	98	<10	8	57	63
97949	916865	0.010	1	13.99	12	93	<2	2	12.15	6	35	13	58	56	16.86	14	253	39	<1	<1	2.79	<1	32	2.77	5328	8	13	29	<100	13	<1	0.90	<5	8	<5	<10	82	7	<1	<1	611	21	<20	72	<10	9	50	105

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97950	916866	<0.005	1	18.27	2	130	<2	2	8.48	4	28	34	149	101	11.32	17	74	21	<1	<1	2.49	<1	41	2.71	2224	<1	26	73	273	10	<1	0.15	<5	23	<5	<10	117	5	<1	<1	586	19	22	198	<10	8	65	<1
97951	916867	<0.005	1	19.36	9	114	<2	<1	8.45	4	35	37	156	122	10.52	17	70	25	<1	<1	2.47	<1	46	2.43	1515	1	27	71	289	9	<1	0.21	<5	25	<5	<10	96	3	<1	<1	568	7	<20	216	<10	8	76	18
97952	916868	0.005	1	19.02	6	103	<2	2	8.47	4	35	36	144	107	10.44	18	163	34	<1	<1	2.60	<1	47	2.52	1594	1	27	72	274	6	<1	0.23	<5	23	<5	<10	86	4	<1	<1	573	15	<20	206	<10	9	66	34
97953	916869	<0.005	1	19.23	6	98	<2	1	6.74	4	28	32	164	104	11.24	17	83	24	<1	<1	2.32	<1	48	2.86	1477	<1	27	70	285	9	<1	0.15	<5	25	<5	<10	79	5	<1	<1	504	18	31	209	<10	8	74	<1
97954	916870	14.134	7	17.35	27	465	2	<1	2.86	<4	9	25	81	140	8.94	18	71	8	<1	<1	2.14	<1	23	1.26	582	14	13	39	614	33	493	0.71	<5	10	<5	<10	139	3	1	<1	7796	3	<20	106	<10	15	145	<1
97956	916871	<0.005	2	18.73	8	145	<2	<1	7.45	4	28	34	153	120	10.59	19	96	37	<1	<1	2.49	<1	48	2.44	1438	3	27	69	289	9	<1	0.18	<5	22	<5	<10	95	5	<1	<1	620	<2	38	218	<10	8	83	42
97957	916872	<0.005	2	18.87	6	125	<2	<1	7.08	4	22	36	148	112	10.49	18	188	33	<1	<1	2.41	<1	45	2.30	1434	5	27	69	289	9	<1	0.21	<5	22	<5	<10	104	5	<1	<1	658	3	<20	216	<10	10	77	50
97958	916873	<0.005	<1	20.06	4	91	<2	<1	7.46	4	30	37	161	119	12.01	20	112	24	<1	<1	2.44	<1	46	2.67	1546	<1	29	73	303	10	<1	0.18	<5	26	<5	<10	111	5	<1	<1	683	9	<20	227	<10	12	79	<1
97959	916874	0.007	1	21.40	9	94	<2	2	8.49	5	21	38	158	122	13.22	21	173	30	<1	<1	2.70	<1	46	2.58	1963	3	29	75	306	10	<1	0.21	<5	27	<5	<10	121	5	<1	<1	865	4	30	232	<10	14	81	18
97960	916875	<0.005	<1	19.78	5	82	<2	<1	6.64	5	30	40	162	137	12.89	20	61	25	<1	<1	2.33	<1	45	2.68	1730	<1	28	80	298	8	<1	0.24	<5	26	<5	<10	107	4	<1	<1	940	9	<20	222	<10	13	88	<1
97961	916876	<0.005	<1	19.00	9	76	<2	1	6.95	4	45	38	158	127	10.41	15	95	21	<1	<1	2.25	<1	40	2.40	1482	<1	26	70	295	9	<1	0.19	<5	26	<5	<10	106	4	<1	<1	1211	19	<20	213	<10	14	76	<1
97962	916877	<0.005	<1	19.10	10	76	<2	<1	8.58	4	33	35	161	129	10.68	17	4	15	<1	<1	2.22	<1	41	2.36	1660	<1	29	70	312	7	<1	0.21	<5	26	<5	<10	118	3	<1	<1	1674	14	<20	226	<10	17	80	<1
97963	916878	<0.005	1	18.80	7	76	<2	<1	7.58	4	31	42	158	125	10.78	16	170	28	<1	<1	2.42	<1	41	2.25	1669	3	26	77	299	8	<1	0.17	<5	23	<5	<10	100	3	<1	<1	2755	6	21	211	<10	17	75	1
97964	916879	<0.005	<1	18.76	3	78	<2	<1	5.87	<4	26	37	151	112	9.61	16	91	25	<1	1	2.31	<1	38	2.11	1478	4	25	67	281	6	<1	0.11	<5	23	<5	<10	97	5	<1	<1	4718	10	<20	199	<10	16	64	2
97965	916880	<0.005	1	17.62	2	935	2	<1	1.37	<4	50	5	138	5	2.47	16	20	23	<1	<1	2.41	22	33	0.40	212	11	4	6	320	25	44	0.02	<5	2	<5	<10	297	<1	<1	12	2424	<2	<20	20	<10	7	19	56
97967	916881	<0.005	2	19.62	12	74	<2	<1	8.61	5	33	45	167	139	14.25	19	114	11	<1	<1	2.43	<1	45	2.40	2247	2	28	79	294	10	<1	0.69	<5	24	<5	<10	113	6	<1	<1	6921	4	<20	221	<10	20	72	35
97968	916882	<0.005	1	20.56	8	73	<2	<1	8.86	6	31	47	186	126	16.00	23	113	20	<1	<1	2.62	<1	48	2.88	2446	2	30	84	305	11	<1	0.58	<5	25	<5	<10	101	5	<1	<1	7890	13	<20	230	<10	21	86	42
97969	916883	<0.005	<1	21.43	7	63	<2	<1	7.68	4	30	44	181	133	12.64	19	140	14	<1	<1	2.29	<1	41	2.46	1913	<1	30	70	321	5	<1	0.20	<5	28	<5	<10	120	6	<1	<1	9920	12	<20	242	<10	21	88	<1
97970	916884	<0.005	1	20.48	7	63	<2	<1	7.66	4	32	49	190	134	11.10	17	101	<1	<1	<1	2.28	<1	39	2.36	1656	2	30	82	321	7	<1	0.27	<5	27	<5	<10	116	5	1	<1	10340	<2	<20	228	<10	19	81	<1
97971	916885	<0.005	1	20.09	8	72	<2	<1	7.20	4	27	46	163	124	10.20	17	128	14	<1	<1	2.50	<1	39	2.20	1522	3	28	76	303	7	<1	0.26	<5	23	<5	<10	108	5	<1	<1	9503	13	<20	215	<10	18	76	42

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/06/2011
Date Completed: 04/15/2011
Job #: 201141349
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
97972	916886	<0.005	1	19.92	10	69	<2	<1	7.75	4	23	43	172	129	12.12	18	168	11	<1	<1	2.45	<1	41	2.52	1777	2	29	72	314	7	<1	0.17	<5	23	<5	<10	117	6	3	<1	10360	9	41	229	<10	18	80	13
97973	916887	<0.005	<1	20.45	6	70	<2	<1	7.22	5	29	42	164	131	12.81	18	98	11	<1	<1	2.45	<1	41	2.64	1853	<1	29	70	292	8	<1	0.34	<5	23	<5	<10	96	5	4	<1	9567	5	<20	221	<10	19	88	10
97974	916888	<0.005	1	20.92	8	79	<2	<1	7.50	4	29	47	171	126	11.50	18	187	29	<1	<1	2.46	<1	40	2.26	1735	5	29	80	306	8	<1	0.17	<5	24	<5	<10	132	6	<1	<1	10091	6	<20	225	<10	19	77	70
97975	916889	<0.005	1	21.46	5	68	<2	<1	7.02	5	28	47	177	137	12.85	19	79	15	<1	<1	2.37	<1	42	2.74	1784	<1	30	81	320	6	<1	0.22	<5	25	<5	<10	112	8	2	<1	10516	12	<20	237	<10	19	91	13
97976	916890	<0.005	2	20.39	8	81	<2	<1	10.65	4	39	42	148	130	12.19	21	210	22	<1	<1	2.55	<1	44	2.41	2299	5	28	67	285	11	<1	0.35	<5	22	<5	<10	129	6	<1	<1	8614	11	44	217	<10	21	78	75
97977D	916890	<0.005	1	17.79	7	65	<2	<1	10.40	4	28	42	146	130	11.87	16	107	8	<1	<1	2.35	<1	41	2.38	2301	<1	28	67	272	8	<1	0.34	<5	19	<5	<10	111	5	<1	<1	8419	12	35	205	<10	19	76	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, April 28, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/15/2011
Job #: 201141421
Reference:
Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100226	916891	<0.005	<1	11.25	15	65	<2	5	7.84	5	37	39	163	108	5.70	18	45	<1	<1	<1	1.72	<1	48	2.61	1790	15	28	66	326	9	<1	0.23	<5	22	<5	<10	130	5	<1	8	3707	9	20	214	<10	19	77	<1
100227	916892	<0.005	<1	11.79	7	68	<2	7	8.26	4	71	42	172	116	5.58	18	42	<1	<1	<1	1.66	<1	50	2.67	1849	18	29	70	340	11	<1	0.23	<5	24	<5	<10	153	6	<1	5	4033	11	<20	228	<10	20	78	<1
100228	916893	<0.005	<1	12.10	7	75	<2	6	7.68	5	37	48	213	133	5.63	22	30	<1	<1	<1	1.59	<1	49	2.55	1751	22	34	81	380	12	<1	0.18	<5	24	<5	<10	192	6	<1	3	5138	9	<20	268	<10	20	93	<1
100229	916894	<0.005	1	13.82	8	84	<2	<1	8.40	5	40	49	186	124	6.41	24	53	2	<1	<1	1.54	<1	51	2.69	2001	26	33	78	412	11	<1	0.22	5	26	<5	<10	236	6	3	2	5424	11	<20	257	<10	24	88	86
100230	916895	<0.005	<1	11.90	5	58	<2	3	8.77	5	33	50	199	128	6.84	19	9	<1	<1	<1	1.91	<1	47	2.85	2058	12	33	82	402	11	<1	0.20	<5	29	<5	<10	219	7	3	<1	5785	8	<20	269	<10	24	95	<1
100231	916896	<0.005	<1	12.44	3	65	<2	11	8.49	5	39	43	181	124	6.48	20	32	<1	<1	<1	1.59	<1	48	2.60	2079	18	32	69	403	9	<1	0.25	<5	27	<5	<10	165	7	2	3	5041	<2	35	259	<10	24	83	<1
100232	916897	<0.005	<1	10.82	6	57	<2	11	9.61	5	36	43	185	121	6.08	18	28	<1	<1	<1	1.85	<1	45	2.49	2163	11	32	69	351	8	<1	0.20	<5	24	<5	<10	178	5	<1	2	4824	5	<20	245	<10	21	75	<1
100233	916898	0.005	<1	11.06	7	59	<2	<1	10.27	5	37	47	190	126	6.55	19	20	<1	<1	<1	1.73	<1	47	2.55	2301	14	31	74	355	11	<1	0.23	<5	24	<5	<10	175	6	3	<1	4483	3	33	245	<10	21	76	<1
100234	916899	<0.005	<1	11.44	9	61	<2	6	9.17	5	70	40	186	137	6.63	20	28	<1	<1	<1	1.71	<1	50	2.60	2097	17	32	73	382	16	<1	0.24	<5	25	<5	<10	175	5	<1	<1	2975	8	<20	257	<10	22	87	<1
100235	916900	0.911	<1	9.56	4	168	<2	7	5.22	5	42	40	131	43	6.25	24	<1	<1	<1	1.61	<1	25	2.19	1051	15	27	29	716	23	52	0.11	<5	16	<5	<10	229	3	10	6	8146	7	<20	199	<10	24	86	<1	
100237	916901	<0.005	<1	11.89	4	67	<2	9	6.42	5	27	41	201	133	6.42	22	24	<1	<1	<1	1.67	<1	51	2.49	1672	22	29	80	398	13	<1	0.17	<5	26	<5	<10	155	6	<1	<1	974	9	<20	247	<10	17	87	<1
100238	916902	<0.005	<1	11.55	6	57	<2	10	7.34	5	33	42	177	131	6.97	19	21	<1	<1	<1	1.79	<1	50	2.66	1906	14	30	77	392	12	<1	0.20	5	28	<5	<10	133	6	<1	<1	675	<2	<20	252	<10	15	81	<1
100239	916903	<0.005	<1	10.65	11	81	<2	14	9.23	5	35	39	173	130	6.41	17	<1	<1	<1	1.83	<1	49	2.59	2230	9	28	75	363	11	<1	0.24	<5	26	<5	<10	123	6	<1	<1	319	9	<20	232	<10	13	79	<1	
100240	916904	<0.005	<1	11.63	4	167	<2	7	8.28	6	36	38	173	131	7.51	19	<1	<1	<1	1.82	<1	50	2.75	2022	7	29	76	373	11	<1	0.21	5	29	5	<10	119	5	<1	<1	225	4	<20	242	<10	11	84	<1	
100241	916905	<0.005	<1	11.91	9	130	<2	5	9.49	6	36	38	164	121	7.22	20	19	<1	<1	<1	1.80	<1	51	2.61	2257	16	28	71	365	12	<1	0.29	<5	27	<5	<10	130	5	<1	<1	246	5	26	229	<10	12	77	<1
100242	916906	0.005	<1	10.33	7	102	<2	<1	10.57	4	72	32	140	104	5.94	17	15	<1	<1	<1	1.84	<1	47	2.40	2276	14	24	65	317	10	<1	0.27	<5	22	<5	<10	124	5	<1	<1	227	2	46	196	<10	10	65	<1
100243	916907	0.012	<1	9.81	9	109	<2	1	10.74	4	43	34	150	110	5.42	15	29	<1	<1	<1	1.73	<1	40	2.06	2021	20	23	69	313	8	<1	0.36	<5	20	<5	<10	144	4	<1	<1	242	4	21	194	<10	10	76	<1
100244	916908	0.009	<1	9.78	10	151	<2	2	6.15	4	24	42	171	132	5.83	18	31	<1	<1	<1	1.77	<1	44	2.13	1327	20	29	88	348	7	<1	0.32	<5	21	<5	<10	139	3	<1	<1	267	8	<20	237	<10	7	89	<1
100245	916909	0.007	<1	9.55	10	155	<2	3	7.19	4	59	36	185	126	5.33	19	30	<1	<1	<1	1.70	<1	41	1.98	1534	20	28	74	343	10	<1	0.25	<5	21	<5	<10	141	6	<1	1	266	12	<20	234	<10	7	80	<1
100246	916910	5.245	2	8.52	277	252	2	11	2.76	6	21	116	151	1484	7.03	17	11	<1	<1	<1	1.69	1	29	1.14	643	41	11	1244	475	654	69	1.66	<5	7	<5	<10	157	6	8	8	3372	4	<20	91	34	12	399	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, April 28, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/15/2011
Job #: 201141421
Reference:
Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100248	916911	0.008	<1	10.45	15	140	<2	4	8.78	4	39	36	170	133	5.74	19	28	1	<1	<1	1.71	<1	44	2.29	1998	21	25	84	327	15	<1	0.37	<5	20	<5	<10	143	5	<1	<1	309	9	30	204	<10	9	90	<1
100249	916912	0.006	<1	10.65	9	127	<2	12	8.84	4	68	40	164	129	5.24	16	34	<1	<1	<1	1.71	<1	47	2.47	1692	18	28	81	335	10	<1	0.28	6	23	<5	<10	139	4	<1	<1	239	<2	42	217	<10	9	80	<1
100250	916913	0.005	<1	10.73	6	120	<2	8	8.49	4	35	40	183	130	5.59	19	<1	<1	<1	<1	1.60	<1	46	2.55	1553	15	28	81	347	11	<1	0.26	<5	24	<5	<10	150	5	<1	<1	257	5	<20	233	<10	8	90	<1
100251	916914	0.009	<1	10.83	14	124	<2	8	8.45	4	36	41	210	123	5.85	21	<1	<1	<1	<1	1.51	<1	48	2.19	1627	25	27	77	365	13	<1	0.29	<5	21	<5	<10	158	6	<1	<1	284	10	<20	233	<10	9	86	<1
100252	916915	0.009	<1	10.39	42	120	<2	5	7.86	4	34	42	193	130	5.26	18	<1	<1	<1	<1	1.67	<1	45	1.89	1360	18	27	81	357	9	<1	0.25	<5	22	<5	<10	147	5	<1	<1	259	9	23	239	<10	8	76	<1
100253	916916	0.010	<1	10.04	61	121	<2	5	7.28	4	35	43	188	135	5.18	18	<1	<1	<1	<1	1.68	<1	42	1.92	1336	19	29	85	353	9	<1	0.24	6	22	<5	<10	143	5	<1	<1	249	16	28	247	<10	8	70	<1
100254	916917	0.010	<1	9.81	57	101	<2	<1	8.52	4	36	35	173	115	5.99	18	19	<1	<1	<1	1.82	<1	37	1.97	1533	19	24	76	309	9	<1	0.28	<5	20	<5	<10	133	5	<1	<1	275	12	<20	207	<10	8	69	<1
100255	916918	0.034	<1	9.22	69	99	<2	5	8.99	5	33	33	161	116	6.78	17	2	<1	<1	<1	1.59	<1	39	2.68	2486	13	25	65	293	11	<1	0.22	<5	18	<5	<10	129	6	<1	<1	223	10	<20	190	<10	7	69	<1
100256	916919	0.050	<1	9.33	64	96	<2	2	9.58	5	37	24	162	78	6.07	13	18	<1	<1	<1	1.75	<1	35	2.83	2392	12	21	52	253	12	<1	0.16	<5	18	<5	<10	127	5	<1	<1	229	7	21	158	<10	8	56	<1
100257	916920	0.008	<1	9.44	4	1016	<2	8	1.56	<4	38	3	373	7	1.37	13	16	<1	<1	<1	1.64	14	39	0.48	244	35	4	8	308	32	33	0.03	<5	2	<5	<10	304	<1	<1	12	1148	<2	<20	18	<10	7	29	<1
100259	916921	0.014	<1	10.73	50	111	2	12	8.32	5	37	30	155	106	7.00	19	46	1	<1	<1	1.66	<1	42	2.79	2560	24	21	63	277	11	<1	0.19	<5	19	<5	<10	133	3	<1	<1	290	8	<20	170	<10	9	71	<1
100260	916922	0.009	<1	13.38	59	109	<2	6	7.52	4	31	32	185	112	5.51	20	31	1	<1	<1	1.68	<1	43	2.67	1532	23	23	76	328	10	<1	0.13	<5	25	<5	<10	146	4	<1	<1	290	4	<20	193	<10	11	67	<1
100261	916923	0.008	<1	13.97	58	106	<2	4	7.44	5	31	42	188	119	6.06	20	38	2	<1	<1	1.67	<1	49	2.93	1847	26	26	103	323	9	<1	0.20	<5	28	<5	<10	151	4	<1	<1	312	5	21	211	<10	11	77	<1
100262	916924	0.011	<1	9.77	56	92	<2	15	6.62	4	31	36	185	107	5.07	15	1	<1	<1	<1	1.59	<1	42	2.47	1407	16	24	108	347	12	<1	0.19	<5	19	<5	<10	129	4	<1	<1	258	2	<20	192	<10	7	68	<1
100263	916925	0.006	<1	12.83	58	92	<2	4	7.77	4	30	40	205	127	5.95	17	<1	<1	<1	<1	1.61	<1	44	3.01	1597	14	26	117	384	7	<1	0.21	<5	29	<5	<10	135	2	<1	<1	240	5	<20	206	<10	10	79	<1
100264	916926	0.007	<1	12.02	65	83	<2	3	7.40	4	30	43	189	115	5.67	13	<1	<1	<1	<1	1.59	<1	40	2.90	1505	9	23	116	390	9	<1	0.19	<5	28	<5	<10	125	4	<1	<1	213	4	<20	177	<10	10	71	<1
100265	916927	0.025	<1	12.58	109	88	<2	15	8.19	4	29	44	191	121	5.53	17	3	<1	<1	<1	1.70	<1	44	3.09	1543	10	25	118	346	9	<1	0.16	8	28	<5	<10	137	7	<1	<1	225	6	23	192	<10	10	75	<1
100266	916928	0.008	<1	11.07	112	80	<2	11	8.17	4	33	43	177	115	5.20	13	<1	<1	<1	<1	1.69	<1	35	2.92	1465	8	22	118	375	9	<1	0.20	<5	27	<5	<10	125	4	<1	<1	180	4	<20	170	<10	9	66	<1
100267	916929	0.006	<1	11.28	106	79	<2	3	7.75	5	45	40	177	115	6.03	14	<1	<1	<1	<1	1.62	<1	38	2.99	1502	10	24	98	272	8	<1	0.16	<5	28	<5	<10	121	3	<1	<1	188	3	<20	191	<10	8	86	<1
100268	916930	0.027	<1	11.16	159	81	<2	<1	9.00	5	33	42	176	109	6.05	14	<1	<1	<1	<1	1.71	<1	38	3.32	1605	7	25	109	263	8	<1	0.18	5	27	<5	<10	131	3	<1	<1	180	6	<20	190	<10	8	91	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, April 28, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/15/2011
Job #: 201141421
Reference:
Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100269D	916930	0.023	<1	10.82	153	78	<2	9	8.91	5	33	42	172	112	5.96	11	<1	<1	<1	<1	1.75	<1	37	3.32	1587	<1	24	104	261	12	<1	0.17	<5	27	<5	<10	125	3	<1	<1	170	6	<20	179	<10	8	90	<1
100270	916931	0.047	<1	11.80	144	85	<2	12	7.94	5	33	40	167	113	6.48	16	2	<1	1	<1	1.79	<1	41	3.09	1676	9	25	102	301	14	<1	0.18	5	29	<5	<10	131	4	<1	<1	200	3	<20	201	<10	9	96	<1
100271	916932	0.051	<1	12.18	248	100	<2	1	8.28	4	25	40	165	123	5.93	15	<1	<1	<1	<1	1.92	<1	37	2.89	1639	10	25	102	290	9	<1	0.41	<5	29	<5	<10	152	7	<1	<1	197	12	<20	202	<10	9	82	<1
100272	916933	0.968	<1	9.32	2066	112	<2	12	6.71	<4	29	36	247	86	4.19	12	<1	<1	<1	<1	1.85	<1	34	2.09	1181	16	17	110	269	8	<1	0.45	6	16	<5	<10	142	1	<1	<1	194	7	<20	142	<10	6	63	<1
100273	916934	0.243	<1	10.04	1733	134	<2	13	8.37	4	27	39	490	163	5.32	16	<1	<1	<1	<1	1.84	<1	35	2.51	1792	12	26	83	269	13	<1	0.66	5	26	<5	<10	155	4	<1	<1	213	10	<20	209	<10	7	79	<1
100274	916935	0.245	<1	10.67	1263	150	<2	12	6.98	4	51	36	498	160	4.54	20	20	<1	<1	<1	1.66	<1	39	2.13	1439	24	25	82	262	10	<1	0.55	5	23	<5	<10	164	5	<1	<1	274	9	29	217	<10	7	71	<1
100275	916936	7.680	1	10.89	3873	148	<2	10	7.63	4	27	31	369	156	5.74	20	11	1	<1	<1	1.52	<1	41	2.34	1707	26	24	63	280	11	<1	1.18	6	21	<5	<10	165	5	<1	<1	276	7	21	192	10	8	77	<1
100276	916937	0.639	<1	10.27	2931	125	2	14	9.77	5	34	17	164	79	5.80	17	6	<1	<1	<1	1.62	<1	38	2.88	2002	16	22	41	356	9	<1	0.62	<5	19	<5	<10	163	2	1	<1	232	11	<20	166	13	8	108	<1
100277	916938	2.835	<1	10.08	7787	137	<2	12	8.49	5	33	20	180	97	6.05	18	16	<1	<1	<1	1.62	<1	38	2.47	1899	19	24	44	311	11	<1	1.06	<5	19	<5	<10	167	4	<1	<1	245	9	<20	195	<10	8	55	<1
100278	916939	1.167	<1	9.91	4595	143	2	10	7.53	4	47	19	209	92	5.39	17	16	<1	<1	<1	1.62	<1	38	2.14	1369	22	25	47	330	13	<1	0.78	5	20	<5	<10	166	5	<1	<1	249	2	<20	210	<10	7	47	<1
100279	916940	12.982	6	8.55	39	424	2	<1	3.09	4	11	26	88	133	4.40	17	6	<1	<1	<1	1.63	<1	29	1.21	616	33	14	42	652	32	347	0.75	<5	8	<5	<10	160	3	2	3	4650	<2	<20	110	<10	13	139	<1
100281	916941	2.931	<1	8.86	6606	123	<2	9	6.28	<4	28	15	201	81	4.46	12	14	<1	<1	<1	1.62	<1	33	1.83	1300	21	19	34	339	10	<1	0.76	<5	15	<5	<10	135	4	<1	<1	228	5	<20	157	10	7	37	<1
100282	916942	0.878	<1	9.31	3910	133	2	15	7.18	5	26	22	180	130	6.25	16	7	<1	<1	<1	1.66	<1	37	2.18	1675	15	25	55	297	12	<1	0.94	<5	20	<5	<10	142	5	<1	<1	217	12	<20	215	<10	7	61	<1
100283	916943	0.188	<1	9.71	722	129	2	9	9.68	5	67	23	153	95	6.42	14	16	<1	<1	<1	1.84	<1	34	2.71	2724	14	22	46	292	10	<1	0.46	6	20	<5	<10	142	4	<1	<1	226	6	<20	177	<10	8	58	<1
100284	916944	0.056	<1	9.43	591	131	2	6	9.38	4	52	24	165	99	5.26	13	<1	<1	<1	<1	1.86	<1	33	2.25	2331	14	24	47	340	10	<1	0.23	<5	21	<5	<10	149	5	<1	<1	220	13	21	199	<10	8	43	<1
100285	916945	0.443	<1	9.06	1180	125	<2	4	9.12	4	35	23	165	91	5.12	13	<1	<1	<1	<1	1.83	<1	33	1.78	1895	17	23	54	323	9	<1	0.33	<5	20	<5	<10	148	3	<1	<1	214	4	<20	186	<10	8	38	<1
100286	916946	0.175	<1	10.47	623	139	2	5	8.91	4	35	28	178	46	5.07	19	14	<1	<1	<1	1.58	<1	37	2.02	1722	27	25	55	314	8	<1	0.25	<5	19	<5	<10	170	4	<1	<1	282	11	<20	202	<10	9	30	<1
100287	916947	0.037	<1	10.36	326	115	<2	<1	9.60	4	57	25	187	23	4.90	18	4	<1	<1	<1	1.57	<1	35	2.15	1628	21	22	60	375	17	<1	0.20	5	19	<5	<10	163	3	<1	<1	224	7	29	172	225	9	29	<1
100288	916948	0.142	<1	10.49	241	118	<2	4	7.79	<4	26	37	234	91	4.72	18	<1	<1	<1	<1	1.52	<1	35	2.20	1259	20	23	77	723	13	<1	0.22	6	21	5	<10	163	4	<1	<1	209	<2	<20	195	568	8	61	<1
100289	916949	0.493	<1	9.70	1583	116	<2	6	7.58	<4	32	40	208	86	4.69	15	<1	<1	<1	<1	1.58	<1	33	2.20	1119	16	23	78	441	8	<1	0.30	8	20	<5	<10	160	3	<1	<1	210	7	<20	189	<10	7	55	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, April 28, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/15/2011
Job #: 201141421
Reference:
Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100290	916950	0.006	<1	10.13	5	961	2	8	1.70	<4	59	3	282	8	1.45	17	<1	<1	<1	<1	1.47	24	42	0.50	246	36	4	7	399	34	60	0.04	<5	2	<5	<10	337	<1	4	17	1411	<2	<20	20	<10	8	34	<1
100292	916951	1.635	<1	10.19	4517	161	2	10	6.89	4	27	43	234	130	5.45	18	<1	<1	<1	<1	1.80	<1	38	1.82	1663	15	29	78	487	11	<1	0.92	<5	27	<5	<10	161	4	<1	<1	235	8	<20	254	<10	8	105	<1
100293	916952	0.361	<1	10.01	1599	140	2	5	5.88	6	17	38	193	168	7.76	16	<1	<1	<1	<1	1.82	<1	35	1.83	2066	22	26	71	383	14	14	1.46	<5	30	<5	<10	135	6	<1	<1	214	<2	<20	238	<10	8	98	<1
100294	916953	0.270	<1	11.01	114	159	2	11	4.57	5	15	43	249	141	6.53	18	<1	<1	<1	<1	1.78	<1	39	1.52	1546	21	31	74	406	12	<1	0.71	<5	30	<5	<10	143	6	<1	<1	240	2	<20	291	<10	8	97	<1
100295	916954	0.007	<1	10.89	131	155	2	10	4.51	5	9	52	241	145	7.05	19	<1	<1	<1	<1	1.82	<1	40	1.55	1637	21	30	87	429	13	10	0.51	<5	30	<5	<10	138	6	<1	<1	235	2	<20	287	<10	9	110	<1
100296	916955	0.006	<1	10.96	131	150	2	8	4.79	5	17	51	223	148	7.15	19	<1	<1	<1	<1	1.83	<1	40	1.64	1711	20	30	84	415	13	6	0.47	<5	32	<5	<10	134	6	<1	<1	221	3	<20	276	<10	9	110	<1
100297	916956	0.138	<1	9.14	764	117	<2	8	8.67	4	37	34	177	125	5.15	7	<1	<1	<1	2	1.77	<1	26	1.90	1791	10	21	63	346	9	<1	0.29	<5	27	<5	<10	117	3	<1	<1	172	5	<20	178	32	10	56	<1
100298	916957	0.134	<1	9.42	167	110	<2	6	8.58	<4	33	32	187	104	4.51	10	<1	<1	<1	<1	1.98	<1	26	2.22	1701	2	25	65	317	10	<1	0.15	<5	27	<5	<10	143	5	<1	<1	166	8	<20	202	<10	9	66	<1
100299	916958	0.008	<1	9.55	149	113	<2	6	8.93	4	53	38	207	118	4.87	12	<1	<1	<1	<1	1.75	<1	28	2.28	1785	7	25	80	333	7	<1	0.20	<5	25	<5	<10	171	4	<1	<1	179	16	26	202	<10	9	68	<1
100300	916959	<0.005	<1	9.21	125	130	<2	2	8.35	4	40	36	186	90	4.70	12	<1	<1	<1	<1	1.74	<1	29	2.53	1508	6	21	99	519	9	<1	0.24	5	21	<5	<10	203	3	<1	<1	176	3	20	170	<10	9	56	<1
100301	916960	<0.005	<1	8.67	76	84	<2	12	6.84	4	27	36	208	95	5.63	14	<1	<1	<1	<1	1.81	<1	33	2.35	1174	5	25	65	337	7	<1	0.14	<5	23	<5	<10	140	5	<1	<1	179	4	<20	209	<10	7	72	<1
100302D	916960	<0.005	<1	8.71	76	80	<2	12	7.20	4	25	37	217	104	5.91	12	<1	<1	<1	<1	1.85	<1	32	2.47	1240	4	25	68	350	9	<1	0.14	<5	25	<5	<10	134	5	<1	<1	165	2	<20	204	<10	8	69	<1
100303	916961	<0.005	<1	10.51	63	95	<2	3	7.68	4	30	25	175	61	5.99	13	<1	<1	1	<1	1.78	<1	32	2.48	1287	8	24	57	329	10	<1	0.13	5	26	<5	<10	141	5	<1	<1	182	8	<20	191	<10	9	52	<1
100304	916962	<0.005	<1	9.69	131	103	<2	3	8.21	4	32	32	163	86	5.50	10	<1	<1	<1	<1	1.82	<1	28	2.40	1411	5	21	66	311	8	10	0.14	<5	25	<5	<10	133	2	<1	<1	170	3	<20	169	<10	9	44	<1
100305	916963	0.006	<1	9.60	157	105	<2	7	8.78	4	30	38	159	133	5.86	9	<1	<1	<1	<1	1.68	<1	25	2.31	1405	5	22	81	302	10	<1	0.17	<5	29	<5	<10	125	3	<1	<1	162	3	<20	177	<10	10	53	<1
100306	916964	0.005	<1	10.74	139	138	<2	7	6.61	4	20	39	211	165	4.93	12	<1	<1	<1	<1	1.76	<1	31	2.01	1218	10	27	69	376	10	14	0.15	<5	32	<5	<10	132	4	<1	<1	188	<2	<20	228	<10	10	51	<1
100307	916965	0.018	2	10.70	131	135	<2	<1	6.94	4	26	40	207	157	5.18	14	<1	<1	<1	<1	1.64	<1	30	2.10	1296	6	26	70	369	9	<1	0.16	<5	33	<5	<10	132	4	1	<1	180	6	<20	226	<10	9	57	<1
100308	916966	0.066	<1	10.88	111	145	2	19	7.05	5	30	36	189	125	6.19	13	<1	<1	<1	<1	1.82	<1	33	2.29	1609	1	27	62	355	10	<1	0.24	6	35	<5	<10	132	5	<1	<1	192	<2	<20	239	<10	9	65	<1
100309	916967	0.092	<1	12.39	111	170	2	19	3.93	5	12	30	235	123	6.29	16	<1	<1	<1	<1	1.70	<1	43	1.77	1559	12	31	56	426	11	5	0.22	<5	44	<5	<10	137	6	<1	<1	216	<2	<20	286	<10	8	92	<1
100310	916968	0.007	<1	13.39	89	182	3	27	2.53	6	<1	24	302	137	7.64	22	<1	<1	<1	<1	1.65	<1	56	1.75	1348	19	38	46	451	15	6	0.10	6	49	<5	<10	138	8	<1	<1	248	4	<20	360	<10	8	124	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, April 28, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/15/2011
Job #: 201141421
Reference:
Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100311	916969	0.084	<1	14.82	228	179	3	12	1.86	8	<1	73	336	46	10.01	28	<1	<1	<1	<1	1.69	<1	73	1.98	1381	25	45	108	580	18	6	0.27	13	58	<5	<10	159	10	<1	<1	245	<2	69	432	<10	8	212	<1
100312	916970	0.919	<1	11.17	2	152	<2	13	4.92	5	34	35	119	40	5.97	17	<1	<1	<1	<1	1.89	5	21	2.41	965	4	24	26	669	21	69	0.10	<5	21	<5	<10	213	5	4	3	6590	2	<20	181	<10	30	76	<1
100314	916971	0.047	<1	9.81	852	79	2	13	3.14	9	7	47	161	266	10.38	16	<1	<1	<1	<1	1.86	<1	44	1.84	2604	36	12	76	363	22	17	1.94	6	15	<5	<10	88	6	7	<1	215	2	35	111	<10	9	502	<1
100315	916972	0.056	<1	14.23	424	101	3	8	0.89	11	<1	83	45	246	14.32	33	<1	<1	<1	<1	1.70	<1	71	2.28	1020	43	22	103	750	26	<1	1.28	10	25	<5	<10	111	8	5	<1	253	<2	114	215	<10	11	343	<1
100316	916973	0.112	<1	10.70	268	89	2	10	3.16	8	22	104	137	288	9.98	20	<1	<1	<1	<1	1.95	3	46	1.87	1780	33	9	118	361	24	16	1.95	17	15	<5	<10	106	6	5	<1	201	<2	29	84	<10	11	163	<1
100317	916974	0.046	<1	6.38	585	56	<2	6	1.67	6	<1	18	282	49	8.11	6	<1	<1	<1	<1	1.57	<1	23	1.18	1566	29	4	23	215	14	4	0.36	<5	4	<5	<10	59	3	3	<1	123	<2	35	36	<10	6	86	<1
100318	916975	0.010	<1	4.93	18	43	<2	3	1.08	7	<1	4	300	11	8.98	3	<1	<1	<1	<1	1.75	<1	17	1.14	1455	32	<1	6	134	16	<1	0.09	<5	<1	<5	<10	41	4	5	<1	<100	<2	43	5	<10	6	21	<1
100319	916976	0.008	<1	4.29	13	36	2	14	1.21	12	<1	6	231	9	16.06	7	<1	<1	<1	<1	1.58	<1	15	1.91	3515	42	<1	5	127	22	<1	0.07	6	<1	<5	<10	38	6	13	<1	<100	7	155	6	<10	7	31	<1
100320	916977	0.012	<1	4.57	8	40	2	15	0.97	10	<1	6	285	11	11.81	11	<1	<1	1	<1	1.64	<1	16	1.45	2109	35	<1	6	323	21	<1	0.06	<5	<1	<5	<10	39	4	11	7	<100	2	98	6	<10	8	28	<1
100321	916978	0.011	<1	4.80	11	41	2	17	1.29	11	<1	6	279	14	14.62	8	<1	<1	<1	<1	1.56	<1	16	1.83	2180	39	1	7	356	23	<1	0.09	<5	<1	<5	<10	42	6	10	<1	<100	<2	133	7	<10	8	32	<1
100322	916979	<0.005	<1	5.05	7	43	2	15	2.16	12	<1	7	233	14	15.36	10	<1	<1	<1	<1	1.68	<1	17	2.07	2493	42	1	7	172	24	<1	0.11	<5	<1	<5	<10	47	7	12	<1	<100	<2	119	6	<10	8	39	<1
100323	916980	<0.005	<1	10.17	2	984	<2	<1	1.47	<4	81	3	226	6	1.45	9	<1	<1	<1	<1	1.68	40	32	0.44	235	19	6	5	360	29	76	0.03	<5	2	<5	<10	344	1	2	24	1224	<2	<20	18	<10	9	22	<1
100325	916981	0.011	<1	4.95	20	44	2	<1	2.12	11	<1	6	356	15	14.14	9	<1	<1	<1	<1	1.63	<1	17	1.90	2611	39	2	9	133	21	<1	0.13	7	<1	<5	<10	51	6	9	<1	101	<2	108	6	<10	7	33	<1
100326	916982	0.016	<1	4.74	18	39	2	2	2.22	14	<1	8	322	20	17.35	10	<1	<1	<1	<1	1.57	<1	17	2.22	3511	44	2	10	270	26	<1	0.11	<5	<1	<5	<10	49	7	15	<1	<100	<2	135	8	<10	8	41	<1
100327	916983	<0.005	<1	4.52	5	38	2	6	1.82	10	<1	5	428	12	12.95	6	<1	<1	<1	<1	1.66	<1	16	1.71	2977	35	<1	8	166	18	<1	0.08	<5	<1	<5	<10	45	6	10	<1	<100	<2	87	5	<10	7	28	<1
100328	916984	0.236	<1	5.68	595	46	2	24	2.36	15	<1	7	272	11	18.31	13	<1	<1	<1	<1	1.61	<1	19	2.33	4188	50	1	8	678	29	<1	0.26	<5	<1	<5	<10	58	8	12	<1	104	2	176	6	<10	9	42	<1
100329	916985	0.306	<1	4.20	764	35	2	19	2.21	15	<1	7	321	10	18.31	11	<1	<1	<1	<1	1.57	<1	15	2.29	4241	45	<1	7	727	27	<1	0.26	5	<1	<5	<10	43	8	12	<1	<100	7	147	6	<10	8	43	<1
100330	916986	0.293	<1	3.94	544	33	2	24	2.47	15	<1	8	332	12	18.50	11	<1	<1	<1	<1	1.58	<1	14	2.41	4034	41	1	8	291	27	<1	0.34	5	<1	<5	<10	40	7	14	<1	<100	3	163	6	<10	7	40	<1
100331	916987	2.569	<1	5.07	5139	41	2	8	2.96	10	<1	5	441	13	13.49	9	<1	<1	<1	<1	1.52	<1	17	2.08	2743	36	2	7	432	23	<1	0.58	6	<1	<5	<10	51	6	10	<1	<100	<2	79	6	<10	8	34	<1
100332	916988	2.033	<1	3.99	5561	33	<2	8	2.34	10	<1	6	459	18	12.52	3	<1	<1	<1	<1	1.77	<1	14	1.75	2027	31	1	10	236	20	<1	1.00	<5	<1	<5	<10	41	4	9	<1	<100	<2	72	8	<10	6	31	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, April 28, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/15/2011
Job #: 201141421
Reference:
Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100333	916989	0.359	<1	4.26	990	35	2	9	1.99	15	<1	8	382	18	18.31	11	<1	<1	<1	<1	1.57	<1	15	2.34	3557	43	2	8	294	28	<1	0.31	7	<1	<5	<10	40	8	14	<1	<100	2	176	8	<10	7	46	<1
100334	916990	0.218	<1	4.47	295	36	2	11	3.62	12	5	6	285	18	14.71	8	<1	<1	<1	<1	1.60	<1	15	2.33	2725	35	2	8	559	21	<1	0.20	<5	<1	<5	<10	47	6	9	<1	<100	6	61	7	<10	8	32	<1
100335D	916990	0.237	<1	4.93	321	39	<2	22	3.85	12	7	7	296	20	15.53	8	<1	<1	<1	<1	1.62	<1	17	2.44	2861	37	3	8	588	25	<1	0.21	<5	<1	<5	<10	51	7	9	<1	<100	<2	92	7	<10	9	35	<1
100336	916991	0.716	<1	4.34	752	35	2	8	3.45	13	2	7	325	12	16.46	9	<1	<1	<1	<1	1.77	<1	15	2.46	3285	39	2	7	1162	27	<1	0.33	<5	<1	<5	<10	45	7	11	<1	<100	<2	122	6	<10	9	37	<1
100337	916992	0.113	<1	5.13	138	42	2	19	2.81	11	3	6	404	24	13.34	7	<1	<1	<1	<1	1.59	<1	18	2.04	1939	35	2	10	370	21	10	0.23	<5	<1	<5	<10	50	3	10	<1	<100	<2	73	7	<10	8	32	<1
100338	916993	0.061	<1	5.41	502	46	2	16	2.70	12	<1	9	330	45	14.87	9	<1	<1	<1	<1	1.71	<1	19	2.15	2069	39	2	10	265	21	<1	0.41	5	2	<5	<10	54	5	9	<1	101	<2	95	18	<10	7	39	<1
100339	916994	0.398	<1	12.86	3645	235	4	29	1.28	11	<1	68	57	270	13.90	28	<1	<1	<1	<1	1.67	<1	53	1.80	851	38	21	55	748	28	<1	1.43	7	21	<5	<10	152	9	2	<1	265	<2	126	218	<10	10	85	<1
100340	916995	1.184	<1	12.18	4085	222	3	21	1.49	10	<1	66	68	236	12.59	23	<1	<1	<1	<1	1.82	<1	49	1.74	876	34	19	57	788	25	16	1.27	8	19	<5	<10	140	5	<1	<1	245	<2	102	194	10	11	82	<1
100341	916996	0.698	<1	14.26	153	286	4	17	0.92	12	<1	71	21	338	14.96	33	<1	<1	<1	<1	1.62	<1	62	2.01	733	39	26	61	945	23	<1	1.05	5	25	<5	<10	157	10	3	<1	316	<2	152	265	<10	10	111	<1
100342	916997	0.136	<1	6.28	378	64	2	<1	3.79	10	9	17	296	72	13.15	10	<1	<1	<1	<1	1.58	<1	24	2.17	1698	36	6	18	287	19	<1	0.60	<5	5	<5	<10	64	6	6	<1	132	<2	74	48	13	8	44	<1
100343	916998	0.020	<1	12.92	207	229	3	10	3.34	10	11	61	39	257	12.84	26	<1	<1	<1	<1	1.60	2	52	2.51	1536	28	23	52	725	18	<1	0.27	<5	23	<5	<10	129	10	<1	<1	268	<2	29	218	<10	11	94	<1
100344	916999	0.149	<1	11.42	2253	146	2	22	4.03	10	26	49	34	256	12.08	20	<1	<1	<1	<1	1.79	1	46	2.51	1630	26	21	48	644	19	<1	0.34	<5	21	<5	<10	120	9	5	<1	214	<2	42	190	<10	11	78	<1
100345	917000	13.922	6	9.41	64	409	<2	6	2.96	4	18	25	82	143	4.61	12	<1	<1	<1	<1	1.67	<1	22	1.44	621	20	13	42	629	30	458	0.65	<5	13	<5	<10	139	3	4	1	3967	8	<20	108	<10	19	131	<1
100347	825713	0.073	<1	12.57	615	249	3	21	2.03	10	4	68	24	246	12.39	28	<1	<1	<1	<1	1.70	<1	50	2.16	1215	31	24	57	787	20	<1	0.26	5	23	<5	<10	133	8	4	<1	334	<2	88	226	<10	9	79	<1
100348	825714	0.028	<1	6.59	52	87	2	4	2.71	9	<1	14	263	49	11.93	10	<1	<1	<1	<1	1.74	<1	23	1.92	1907	34	6	18	383	18	15	0.57	<5	6	<5	<10	64	4	9	<1	147	2	51	51	<10	8	47	<1
100349	918001	0.990	<1	7.32	2412	101	2	3	7.15	10	33	18	150	75	13.01	12	<1	<1	<1	<1	1.91	<1	25	2.74	2511	33	10	21	747	21	<1	0.60	5	7	<5	<10	108	7	10	<1	160	<2	24	66	36	9	59	<1
100350	918002	0.029	<1	10.43	256	171	2	14	4.15	8	30	51	46	258	9.91	17	<1	<1	<1	<1	1.74	<1	38	2.24	1434	23	18	55	636	17	2	0.15	5	17	<5	<10	125	7	2	<1	212	2	<20	164	<10	10	86	<1
100351	918003	0.012	<1	10.16	104	189	2	14	5.80	7	35	41	49	235	9.78	16	<1	<1	<1	<1	1.72	<1	34	2.53	1527	20	19	55	534	14	<1	0.17	<5	17	<5	<10	133	6	2	<1	215	2	<20	158	<10	9	90	<1
100352	918004	0.026	<1	9.78	97	138	2	8	5.08	8	28	45	45	230	10.53	17	<1	<1	<1	<1	1.73	<1	35	2.46	1520	24	17	54	529	20	18	0.21	<5	15	<5	<10	111	6	2	<1	194	<2	<20	148	<10	10	121	<1
100353	918005	0.011	<1	10.14	95	156	2	11	5.21	8	32	45	48	230	10.61	16	<1	<1	<1	<1	1.63	<1	36	2.48	1562	25	18	53	528	14	<1	0.21	<5	17	<5	<10	118	5	5	<1	209	3	<20	157	<10	10	121	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, April 28, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/15/2011
Job #: 201141421
Reference:
Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100354	918006	0.016	<1	9.90	96	192	2	4	4.56	7	27	44	67	214	9.11	16	<1	<1	<1	<1	1.61	<1	33	2.15	1302	21	16	52	527	12	<1	0.22	<5	16	<5	<10	125	7	2	<1	218	<2	<20	145	<10	10	92	<1
100355	918007	0.005	<1	10.49	110	185	2	8	4.09	7	29	51	60	228	9.19	16	<1	<1	<1	<1	1.69	2	34	2.10	1337	22	17	60	588	14	<1	0.19	<5	17	<5	<10	134	6	4	<1	227	<2	<20	157	<10	10	106	<1
100356	918008	<0.005	<1	9.06	107	160	2	9	4.48	6	27	47	50	210	8.63	12	<1	<1	<1	<1	1.79	<1	30	2.10	1315	20	16	57	492	13	<1	0.19	<5	15	<5	<10	124	3	2	<1	199	<2	<20	145	<10	9	93	<1
100357R	918008	0.006	<1	8.95	111	159	2	13	4.46	7	27	51	59	221	8.79	13	<1	<1	<1	<1	1.70	<1	30	2.11	1326	20	16	59	513	12	<1	0.20	<5	16	<5	<10	123	7	2	<1	195	2	<20	147	<10	9	90	<1
100358	918009	<0.005	<1	8.90	100	185	2	14	5.51	6	37	41	36	194	8.36	13	<1	<1	1	<1	1.81	1	28	2.22	1300	17	15	53	454	14	<1	0.13	<5	14	<5	<10	132	2	<1	<1	211	<2	<20	130	<10	9	84	<1
100359	918010	1.015	<1	10.92	4	145	<2	5	4.67	4	39	33	108	42	5.80	16	<1	<1	<1	<1	1.70	5	22	2.30	920	16	23	25	670	19	45	0.09	<5	21	<5	<10	198	5	5	3	6074	<2	<20	173	<10	31	73	<1
100360	918011	0.014	2	14.10	94	236	2	<1	5.64	6	36	41	57	233	7.99	24	11	5	<1	<1	1.64	2	46	2.22	1207	48	17	50	511	14	<1	0.18	5	12	<5	<10	189	5	<1	<1	413	7	<20	141	<10	13	103	275
100361	918012	0.011	1	13.72	94	218	3	10	5.67	7	38	41	43	210	8.87	24	<1	4	<1	<1	1.82	<1	46	2.31	1381	42	18	51	528	17	<1	0.20	<5	14	<5	<10	186	4	<1	<1	375	<2	<20	155	<10	13	86	134
100362	918013	0.013	2	15.70	97	222	2	17	4.71	7	26	41	49	217	9.15	30	16	8	<1	<1	1.91	<1	56	2.25	1521	59	19	47	562	17	<1	0.20	<5	14	<5	<10	195	6	<1	<1	429	3	<20	160	<10	13	84	397
100363	918014	0.024	2	17.60	156	372	4	24	2.05	10	<1	68	21	316	13.88	43	16	5	<1	<1	1.76	<1	71	2.32	1097	59	28	64	835	24	<1	0.16	6	22	<5	<10	179	10	<1	<1	517	<2	79	268	29	11	115	273
100364	918015	1.584	2	13.64	3184	239	3	11	3.51	9	11	43	172	175	11.93	25	28	6	<1	<1	1.85	<1	46	2.07	2082	58	12	43	402	23	<1	1.59	6	11	<5	<10	152	7	3	<1	355	2	67	109	74	13	139	299
100365	918016	0.172	2	11.50	108	116	2	13	2.24	12	4	31	180	150	13.91	24	19	6	2	<1	1.71	<1	41	1.84	2823	67	4	39	438	35	<1	1.95	7	5	<5	<10	91	6	5	<1	271	5	107	40	<10	12	321	297
100366	918017	0.168	2	11.23	105	170	3	11	1.90	19	4	49	250	216	15.61	26	9	4	<1	<1	1.73	2	40	1.82	2651	68	5	75	304	37	<1	2.57	10	8	<5	<10	85	6	11	<1	275	<2	113	55	16	12	1500	144
100367	918018	<0.005	<1	9.45	115	129	<2	11	2.99	<4	25	15	482	18	4.21	8	<1	<1	<1	<1	1.69	7	39	2.34	595	34	7	118	444	16	<1	0.10	5	6	<5	<10	175	2	2	<1	212	3	<20	46	<10	10	41	19
100368D	918018	<0.005	<1	7.78	112	114	<2	5	2.83	<4	26	15	475	16	4.15	5	<1	<1	<1	<1	1.84	7	34	2.32	586	23	7	118	429	14	2	0.08	<5	6	<5	<10	163	3	2	<1	176	5	<20	46	<10	8	39	<1
100369	918019	<0.005	<1	6.55	9	69	<2	<1	1.47	5	<1	5	561	20	7.10	4	<1	<1	<1	<1	1.55	<1	21	1.01	865	36	<1	13	206	15	19	0.07	<5	<1	<5	<10	50	4	3	<1	142	<2	28	7	<10	7	20	<1
100370	918020	<0.005	<1	12.43	4	905	2	6	1.76	<4	47	3	233	10	1.22	14	5	<1	<1	<1	1.66	22	41	0.53	230	39	5	6	318	27	38	0.04	<5	2	<5	<10	391	<1	3	15	1274	<2	<20	15	<10	11	19	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100371	918021	<0.005	1	9.62	24	110	2	9	2.25	10	<1	9	277	25	13.87	18	<1	4	<1	<1	1.78	<1	30	1.69	1466	62	2	14	406	22	<1	0.19	5	1	<5	<10	78	6	9	<1	270	<2	85	14	<10	11	56	168
100372	918022	0.023	2	10.49	32	102	2	11	2.27	9	<1	7	221	36	11.58	16	21	6	<1	<1	1.73	<1	32	1.57	1403	67	1	14	549	19	<1	0.46	<5	2	<5	<10	85	6	6	<1	266	2	76	10	<10	12	83	282
100373	918023	0.137	1	12.60	174	261	2	3	1.47	6	7	74	312	224	5.38	21	22	5	<1	<1	1.69	2	32	0.90	714	60	5	100	240	42	<1	1.90	8	8	<5	<10	104	3	1	<1	404	2	<20	52	11	11	1130	284
100374	918024	0.015	1	10.24	69	105	2	9	2.37	11	<1	10	212	31	14.94	20	26	6	<1	<1	1.62	<1	32	1.82	1911	70	2	14	481	24	<1	0.34	6	1	<5	<10	84	7	10	<1	253	3	111	11	<10	12	75	270
100375	918025	0.015	2	11.12	69	108	2	30	2.29	9	<1	7	230	22	11.86	18	35	7	<1	<1	1.62	<1	34	1.60	1462	71	<1	11	406	22	<1	0.25	<5	<1	<5	<10	90	5	4	<1	268	<2	88	9	<10	12	53	381
100376	918026	0.007	1	9.60	68	91	2	10	2.08	7	<1	6	205	15	9.95	12	19	4	<1	<1	1.71	<1	30	1.43	1094	59	2	11	315	13	<1	0.16	<5	<1	<5	<10	75	4	4	<1	213	2	35	9	<10	11	36	199
100377	918027	0.020	2	11.23	134	113	2	8	1.98	9	<1	10	140	44	13.25	20	31	7	<1	<1	1.56	<1	33	1.71	2473	70	<1	15	306	22	<1	0.52	<5	2	<5	<10	90	6	4	<1	276	<2	123	12	<10	12	82	337
100378	918028	0.240	2	11.79	1130	168	2	22	3.06	10	7	25	225	64	12.44	21	32	6	<1	<1	1.69	<1	34	1.78	2650	64	3	20	469	28	<1	0.86	<5	3	<5	<10	105	6	8	<1	287	<2	79	27	<10	13	127	292
100379	918029	0.221	1	10.17	1125	102	2	3	2.40	7	<1	5	140	23	9.47	15	30	5	<1	<1	1.41	<1	29	1.46	1228	55	2	8	348	20	<1	0.30	5	<1	<5	<10	81	3	3	<1	338	3	27	9	<10	11	57	184
100380	918030	0.013	1	10.45	28	92	2	7	2.60	7	<1	5	451	15	9.63	13	34	5	<1	<1	1.71	<1	31	1.55	1237	60	1	11	424	18	<1	0.17	5	<1	<5	<10	84	4	7	<1	238	4	<20	9	<10	12	24	278
100381D	918030	0.014	1	10.57	19	95	2	<1	2.77	7	3	5	314	17	10.32	16	16	6	<1	<1	1.55	<1	32	1.64	1332	63	2	10	458	21	<1	0.17	<5	<1	<5	<10	86	3	6	<1	241	5	31	9	<10	12	31	285
100382	918031	0.038	2	12.62	177	187	2	4	2.81	7	5	7	225	39	10.37	20	12	7	<1	<1	1.62	<1	37	1.57	1449	68	2	15	476	18	<1	0.51	<5	2	<5	<10	106	4	7	<1	716	3	62	12	14	14	50	402
100383	918032	0.066	2	14.41	166	315	4	19	1.71	12	8	58	222	226	13.03	32	15	8	<1	<1	1.56	3	39	1.48	2125	77	8	89	399	54	<1	2.41	17	9	<5	<10	121	6	5	<1	485	<2	88	77	35	13	869	409
100384	918033	0.062	2	16.13	152	560	6	7	1.11	7	17	95	165	215	5.62	34	31	8	<1	<1	1.72	5	34	0.68	165	71	10	112	414	44	24	2.03	14	13	<5	<10	165	4	<1	3	642	<2	<20	106	61	13	1344	410
100385	918034	0.107	1	12.88	665	274	3	<1	1.98	8	8	42	243	183	9.57	24	13	5	<1	<1	1.77	4	34	1.37	1517	60	6	42	341	31	<1	1.56	8	9	<5	<10	103	4	6	<1	372	2	57	62	26	13	674	234
100386	918035	0.106	1	13.79	238	328	4	10	1.77	8	14	59	352	156	8.52	25	41	6	<1	<1	1.75	4	34	1.18	1261	62	7	66	365	29	17	1.72	12	9	<5	<10	121	5	5	<1	429	3	31	70	36	13	784	287
100387	918036	0.139	2	12.61	474	172	3	12	1.85	13	3	52	253	210	14.72	28	23	6	<1	<1	1.71	<1	39	1.86	2575	67	6	66	327	45	<1	1.96	11	8	<5	<10	88	7	12	<1	345	3	137	62	<10	12	743	268
100388	918037	0.137	2	13.88	75	205	3	<1	1.62	10	3	42	322	170	10.52	23	66	9	1	<1	1.64	<1	37	1.41	1889	73	6	53	307	36	<1	1.75	12	7	<5	<10	107	4	6	<1	440	2	76	53	17	13	712	449
100389	918038	1.028	2	12.74	5908	134	3	23	2.98	14	<1	83	254	287	16.59	28	34	7	<1	<1	1.63	<1	37	2.05	3750	76	3	67	280	42	<1	2.91	14	6	<5	<10	112	9	15	<1	296	9	122	38	14	14	692	382
100390	918039	0.098	2	14.69	224	330	4	21	2.22	9	12	69	246	155	9.33	28	28	7	<1	<1	1.64	5	39	1.69	1421	67	8	117	560	31	<1	1.25	19	11	<5	<10	123	5	7	2	445	<2	20	79	17	14	938	372

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100391	918040	5.399	3	14.25	266	289	2	6	3.08	6	26	108	140	1559	7.27	23	49	6	<1	<1	1.62	8	36	1.47	620	65	11	1183	492	580	94	1.33	5	10	<5	<10	188	3	2	3	3610	<2	<20	88	33	20	363	316
100393	918041	0.084	2	12.54	229	170	3	17	2.52	12	<1	46	317	273	14.45	24	25	7	<1	<1	1.62	<1	36	1.95	2850	69	5	66	274	48	<1	2.39	10	8	<5	<10	105	6	6	<1	310	4	83	48	15	13	511	327
100394	918042	0.167	2	12.60	165	229	2	10	1.60	11	<1	53	460	238	12.15	25	<1	6	<1	<1	1.62	<1	35	1.49	2395	69	5	78	345	47	7	2.24	11	8	<5	<10	105	7	8	<1	350	3	65	54	22	12	768	313
100395	918043	0.083	2	9.98	113	98	2	11	2.18	12	<1	22	366	175	14.79	18	12	4	<1	<1	1.70	<1	31	1.86	3704	66	2	32	398	36	<1	1.53	<5	4	<5	<10	80	7	10	<1	234	3	95	16	<10	11	254	192
100396	918044	0.201	2	11.85	124	168	2	12	1.74	14	<1	46	383	241	16.83	26	8	6	<1	<1	1.72	<1	34	1.94	3879	77	4	67	267	44	<1	2.48	12	7	5	<10	90	10	12	<1	320	4	150	40	21	12	590	292
100397	918045	0.014	2	10.24	67	125	2	8	2.23	8	<1	6	468	20	10.88	18	17	6	<1	<1	1.52	<1	32	1.54	1614	64	<1	13	345	22	<1	0.21	<5	<1	<5	<10	85	6	4	<1	275	2	69	9	<10	11	43	300
100398	918046	0.032	<1	6.00	49	56	<2	9	1.56	8	<1	8	679	67	11.10	7	<1	<1	<1	<1	1.52	<1	19	1.40	1405	42	1	18	424	18	<1	0.62	<5	<1	<5	<10	48	6	6	<1	130	<2	82	9	<10	7	70	<1
100399	918047	0.024	1	10.08	31	94	2	11	2.05	10	<1	8	371	30	13.84	15	33	5	<1	<1	1.43	<1	27	1.76	1928	66	1	14	456	22	<1	0.25	<5	1	<5	<10	81	7	6	<1	226	<2	106	10	<10	11	65	240
100400	918048	0.231	2	9.50	402	87	2	16	2.56	8	2	21	549	101	11.21	15	39	4	<1	<1	1.51	<1	28	1.73	1644	57	2	46	324	23	<1	1.26	5	1	<5	<10	82	4	7	<1	217	3	52	10	<10	10	52	195
100401	918049	0.023	2	9.34	10	88	2	27	2.18	15	<1	10	258	33	18.68	23	50	4	<1	<1	1.43	<1	28	2.14	2965	73	1	15	373	31	<1	0.14	7	1	<5	<10	77	8	8	<1	256	11	181	12	<10	11	90	171
100402	918050	<0.005	1	13.59	3	832	2	<1	1.77	<4	105	6	541	9	2.10	18	70	6	<1	<1	1.45	46	39	0.67	272	56	8	8	685	28	27	0.02	<5	3	<5	<10	257	2	<1	29	2281	3	<20	26	<10	16	36	275
100404	918051	0.041	1	9.72	39	91	2	18	2.65	13	<1	12	256	48	17.66	22	68	5	<1	<1	1.51	<1	28	2.17	2345	72	2	20	526	29	<1	0.59	5	2	<5	<10	81	7	10	<1	274	4	160	14	<10	12	72	202
100405	918052	0.374	2	12.99	206	361	2	10	1.43	9	12	96	574	257	8.35	23	35	3	<1	<1	1.53	6	29	1.07	618	56	5	128	383	44	<1	3.17	12	10	<5	<10	102	3	5	2	406	2	46	66	21	13	1351	145
100406	918053	0.218	2	9.63	80	97	2	16	2.21	9	<1	9	469	57	11.42	15	40	4	<1	<1	1.49	<1	28	1.73	2552	58	2	26	163	20	<1	0.76	<5	3	<5	<10	80	7	7	<1	227	5	73	10	<10	10	120	216
100407	918054	0.146	2	9.06	47	113	2	9	1.79	9	<1	17	647	50	11.40	15	19	2	<1	<1	1.63	<1	28	1.56	1683	56	2	19	500	26	<1	0.39	6	1	<5	<10	75	6	5	<1	231	<2	47	13	<10	10	364	119
100408	918055	0.035	2	9.84	65	105	3	4	2.04	12	<1	15	378	40	14.73	21	30	4	<1	<1	1.50	<1	29	1.96	2166	63	2	14	756	26	<1	0.32	<5	1	<5	<10	81	9	8	2	240	<2	138	11	<10	13	194	190
100409	918056	0.284	1	9.06	300	85	2	9	2.21	11	<1	9	369	31	14.84	16	6	2	<1	<1	1.53	<1	28	2.01	2438	59	1	11	359	28	<1	0.45	6	<1	<5	<10	71	7	11	<1	206	<2	82	9	<10	11	46	84
100410	918057	1.153	1	9.92	2575	93	2	5	2.21	8	<1	7	435	33	10.75	13	43	5	<1	<1	1.51	<1	27	1.52	1550	61	1	13	460	20	<1	0.65	<5	<1	<5	<10	81	4	5	<1	227	2	30	9	<10	11	29	238
100411	918058	0.862	1	9.57	436	96	2	11	2.22	13	<1	16	518	79	17.98	21	26	4	<1	<1	1.37	<1	26	2.20	3117	68	3	22	294	32	<1	1.28	7	2	<5	<10	80	8	8	<1	231	8	124	19	<10	12	67	119
100412	918059	0.130	1	8.77	290	88	<2	5	1.54	<4	<1	7	734	24	4.76	7	34	3	<1	<1	1.37	<1	27	0.81	747	52	<1	18	106	13	<1	0.45	<5	<1	<5	<10	72	2	3	<1	221	<2	<20	7	<10	8	27	192

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100413	918060	1.107	1	9.57	261	79	2	15	1.88	13	<1	27	439	166	16.35	18	24	3	<1	<1	1.34	<1	28	1.99	3530	65	2	52	320	37	<1	2.72	8	5	<5	<10	76	8	11	<1	212	<2	155	20	<10	11	199	129
100414D	918060	0.921	2	9.43	225	83	2	15	1.86	12	<1	25	421	158	15.56	20	45	4	<1	<1	1.48	<1	27	1.86	3352	68	2	48	316	33	<1	2.54	6	4	<5	<10	79	8	9	<1	225	2	103	19	<10	11	188	186
100415	918061	0.716	2	9.94	511	95	2	3	2.26	13	<1	26	404	86	16.62	20	37	4	<1	<1	1.51	<1	29	2.01	3222	69	2	33	902	40	<1	1.94	9	3	<5	<10	86	6	10	<1	234	8	130	16	<10	12	266	209
100416	918062	1.853	2	12.37	694	275	4	12	1.55	15	<1	54	296	268	17.60	30	46	4	<1	<1	1.67	<1	32	1.53	1420	75	5	106	266	45	<1	5.85	12	9	<5	<10	92	8	11	<1	349	9	150	66	59	12	629	120
100417	918063	1.706	2	10.78	196	107	3	18	1.22	21	<1	64	174	473	24.69	33	38	4	<1	<1	1.61	<1	31	2.37	4718	86	5	100	373	63	<1	5.80	11	12	<5	<10	71	12	16	<1	256	4	288	57	18	13	689	116
100418	918064	1.777	2	11.61	505	200	3	29	1.55	20	<1	64	199	340	23.14	33	35	3	<1	<1	1.59	<1	32	1.94	3326	80	4	125	198	63	<1	7.16	13	10	<5	<10	96	11	14	<1	296	<2	264	56	36	12	959	121
100419	918065	2.647	2	11.80	693	195	4	27	1.60	23	<1	69	124	430	26.47	37	31	4	<1	<1	1.51	<1	32	2.21	4332	91	4	133	175	70	<1	7.89	14	10	<5	<10	97	14	15	<1	299	6	292	54	30	13	1079	158
100420	918066	0.233	1	9.99	124	171	<2	<1	2.33	4	4	7	770	78	4.89	9	13	4	<1	<1	1.49	<1	28	0.99	930	53	2	27	<100	20	<1	1.07	7	3	<5	<10	91	3	<1	<1	252	<2	<20	18	11	10	402	179
100421	918067	0.397	1	9.16	511	94	2	2	1.79	8	<1	7	424	31	10.14	13	34	4	<1	<1	1.57	<1	28	1.47	2310	54	1	14	184	22	<1	0.45	<5	2	<5	<10	77	4	9	<1	247	2	34	10	<10	10	197	154
100422	918068	0.135	<1	8.96	43	79	2	17	1.99	11	<1	7	437	31	14.34	16	10	2	<1	<1	1.48	<1	26	1.90	3171	58	2	11	584	23	<1	0.34	5	2	<5	<10	75	6	11	<1	226	3	107	10	<10	11	243	85
100423	918069	0.188	1	9.33	86	87	2	23	2.16	13	<1	12	288	37	18.18	20	28	4	<1	<1	1.34	<1	25	2.27	3488	68	2	17	1025	35	<1	0.70	6	1	<5	<10	78	8	11	<1	221	<2	129	9	<10	13	57	114
100424	918070	14.138	6	12.50	33	438	<2	<1	3.30	<4	13	25	88	136	4.73	17	25	<1	<1	1.48	<1	31	1.56	656	44	14	41	665	31	406	0.57	<5	12	<5	<10	172	3	6	<1	4993	9	<20	110	<10	21	130	<1	
100426	918071	0.110	1	8.97	239	85	2	4	1.88	9	<1	8	441	21	12.37	14	39	3	<1	<1	1.43	<1	26	1.65	2488	59	1	12	662	20	<1	0.29	5	1	<5	<10	77	6	8	<1	248	3	92	9	<10	11	60	145
100427	918072	0.022	1	9.37	39	86	2	24	1.82	11	<1	6	300	27	13.82	15	27	3	<1	<1	1.53	<1	26	1.80	3156	61	1	10	624	24	<1	0.14	<5	3	<5	<10	74	5	7	<1	236	2	108	11	<10	12	481	119
100428	918073	0.064	1	8.38	40	86	<2	<1	1.47	7	<1	10	506	83	7.22	9	21	2	<1	<1	1.56	<1	26	1.11	1714	47	1	19	<100	16	<1	0.66	<5	3	<5	<10	66	3	3	<1	200	2	26	11	<10	8	665	81
100429	918074	0.414	2	12.74	133	286	4	18	1.23	22	<1	68	185	504	22.21	38	40	5	<1	<1	1.51	<1	32	1.91	3504	86	5	120	281	74	24	5.10	14	9	<5	<10	100	8	13	<1	454	4	225	63	78	12	2182	201
100430	918075	0.279	2	14.24	130	298	4	15	0.90	20	<1	71	171	384	15.91	37	31	2	<1	<1	1.50	<1	29	1.09	1245	69	8	135	381	58	<1	5.38	13	8	<5	<10	132	9	11	<1	608	2	136	98	76	11	3159	83
100431	918076	0.166	3	13.55	375	294	3	15	1.24	16	<1	57	157	526	19.58	33	45	5	<1	<1	1.64	<1	34	1.77	2668	77	8	111	422	56	<1	4.23	14	10	<5	<10	107	10	9	<1	560	10	208	82	48	13	806	188
100432	918077	0.110	2	10.19	554	129	2	<1	2.87	8	5	22	463	142	9.79	15	34	5	<1	<1	1.61	<1	30	1.44	1969	58	3	37	229	31	<1	1.39	7	2	<5	<10	98	4	4	<1	290	5	34	17	<10	10	172	222
100433	918078	0.339	2	13.50	306	231	3	16	1.71	16	<1	78	270	266	17.01	31	71	6	<1	<1	1.46	<1	37	1.68	1552	77	6	119	275	68	<1	4.42	15	7	<5	<10	114	9	10	<1	472	6	192	63	40	12	1413	281

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K ppm	La ppm	Li ppm	Mg ppm	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S ppm	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100434	918079	0.201	2	9.55	116	87	2	7	1.16	12	<1	59	423	258	14.21	20	17	3	<1	<1	1.49	<1	29	1.52	2622	65	2	61	149	42	<1	2.62	11	5	<5	<10	72	7	11	<1	267	<2	138	29	<10	10	587	150
100435	918080	<0.005	<1	12.57	5	904	<2	4	1.73	<4	52	3	461	7	1.49	14	19	1	<1	<1	1.45	27	38	0.53	253	42	4	8	302	26	11	0.03	<5	2	<5	<10	381	<1	<1	15	1309	2	<20	17	<10	11	24	8
100437	918081	0.593	2	11.80	59	256	3	8	1.51	12	<1	53	352	674	12.10	25	12	2	<1	<1	1.46	<1	28	1.07	865	60	4	125	214	78	<1	4.07	11	4	<5	<10	95	6	6	<1	456	<2	85	50	26	11	1414	56
100438	918082	0.082	<1	8.45	83	92	<2	8	1.19	10	<1	19	422	263	10.88	13	20	1	<1	<1	1.54	<1	26	1.42	2529	50	2	32	266	33	<1	1.25	<5	3	<5	<10	64	5	7	<1	230	<2	66	19	11	9	880	23
100439	918083	0.240	<1	11.87	192	372	3	10	1.10	6	10	67	448	132	5.48	20	16	1	<1	<1	1.61	7	25	0.79	633	48	8	74	275	26	<1	1.26	8	10	<5	<10	100	3	2	<1	673	3	<20	78	17	11	776	34
100440	918084	0.013	<1	8.40	9	74	<2	5	2.41	7	<1	5	449	19	9.47	9	26	1	<1	<1	1.65	<1	26	1.57	1998	48	<1	9	103	14	<1	0.20	<5	1	<5	<10	75	5	5	<1	206	<2	24	7	<10	9	31	47
100441	918085	0.017	1	9.77	20	82	2	6	2.61	8	2	6	423	26	10.48	13	31	3	<1	<1	1.58	<1	28	1.80	2222	52	2	11	124	17	<1	0.25	<5	1	<5	<10	83	5	8	<1	226	<2	56	8	<10	11	33	138
100442	918086	0.045	<1	9.07	286	81	2	7	2.90	8	<1	11	354	41	11.00	11	20	2	<1	<1	1.62	<1	26	1.77	1893	50	2	16	267	17	<1	0.42	5	1	<5	<10	81	7	5	<1	275	5	43	10	<10	11	85	74
100443	918087	0.039	1	9.44	207	77	3	12	2.57	13	<1	9	188	29	17.20	18	20	3	<1	<1	1.56	<1	26	2.36	2706	63	3	9	601	27	<1	0.36	7	<1	<5	<10	78	8	10	<1	298	<2	129	10	<10	13	51	119
100444	918088	0.063	1	9.16	408	74	2	27	3.58	13	<1	12	186	38	18.05	20	8	3	<1	<1	1.55	<1	27	2.44	3051	62	3	15	672	29	<1	0.67	<5	1	<5	<10	90	8	15	<1	318	4	110	14	<10	12	60	71
100445	918089	0.064	1	9.62	1029	79	2	3	3.81	12	<1	10	234	48	15.80	18	27	4	<1	<1	1.50	<1	28	2.35	2527	61	2	12	496	24	<1	0.67	5	1	<5	<10	96	6	10	<1	310	<2	104	11	<10	12	58	139
100446	918090	0.039	1	9.50	771	114	2	11	2.57	8	4	16	265	67	9.91	15	31	3	<1	<1	1.49	<1	28	1.61	1891	53	4	23	251	19	<1	0.71	<5	5	<5	<10	89	3	7	<1	567	<2	35	29	<10	10	188	175
100447D	918090	0.044	1	9.66	851	116	2	3	2.67	8	5	16	272	68	10.51	13	19	3	<1	<1	1.43	<1	28	1.69	2003	55	4	25	262	14	<1	0.77	5	5	<5	<10	91	7	5	<1	583	<2	37	31	<10	11	200	154
100448	918091	0.015	1	8.78	202	77	2	9	3.02	8	3	8	289	65	10.88	11	15	3	<1	<1	1.47	<1	26	1.84	2379	52	1	16	277	17	<1	0.41	5	1	<5	<10	91	6	6	<1	246	3	48	9	<10	11	63	105
100449	918092	0.011	1	11.21	102	351	2	<1	2.04	9	2	33	422	179	9.25	17	25	3	<1	<1	1.50	2	35	2.23	1889	51	6	99	415	26	<1	1.47	12	8	<5	<10	106	3	6	<1	325	2	<20	46	11	12	1235	138
100450	918093	<0.005	<1	11.89	194	539	2	1	4.47	<4	44	28	611	16	4.78	15	28	3	<1	<1	1.60	12	54	4.09	1057	33	16	200	1231	25	<1	0.06	8	13	<5	<10	340	4	<1	1	373	14	<20	91	<10	15	158	84
100451	918094	<0.005	1	13.28	144	350	2	5	5.17	<4	53	31	609	51	4.99	16	39	4	1	<1	1.55	15	58	4.82	955	34	18	234	1459	52	<1	0.06	16	16	<5	<10	585	3	<1	1	350	9	<20	105	<10	17	93	142
100452	918095	<0.005	<1	12.91	129	349	2	<1	4.91	<4	51	29	555	45	4.70	12	46	3	<1	<1	1.64	15	55	4.68	891	32	18	223	1366	41	<1	0.06	16	15	<5	<10	560	3	<1	2	330	4	<20	99	<10	17	93	92
100453	918096	<0.005	<1	13.93	23	139	2	4	4.96	<4	38	29	579	55	4.94	17	51	4	<1	<1	1.58	16	45	4.75	926	37	17	225	1410	22	<1	0.06	<5	16	<5	<10	648	3	<1	4	333	6	<20	98	<10	18	51	185
100454	918097	<0.005	1	8.77	45	76	<2	<1	2.86	7	2	6	364	14	10.29	12	32	3	<1	<1	1.56	<1	27	1.92	2673	50	1	10	163	17	<1	0.23	6	<1	<5	<10	97	5	6	<1	215	2	50	5	<10	10	29	115

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100455	918098	<0.005	<1	8.67	50	132	2	12	3.75	10	4	16	285	42	13.69	14	12	1	<1	<1	1.58	<1	28	2.72	3444	47	3	40	396	23	<1	0.52	7	2	<5	<10	123	6	6	<1	240	3	57	18	<10	11	62	19
100456	918099	<0.005	<1	13.03	66	606	2	<1	5.11	<4	46	28	549	43	4.78	15	38	4	<1	<1	1.83	14	53	4.60	921	31	17	217	1456	18	<1	0.06	<5	15	<5	<10	584	4	<1	4	359	14	<20	101	<10	17	60	120
100457	918100	1.082	<1	13.92	2	176	<2	4	4.92	4	33	33	111	38	5.83	22	48	1	1	<1	1.66	5	27	2.40	907	35	24	24	632	18	37	0.07	<5	21	<5	<10	230	7	<1	<1	7597	<2	<20	177	<10	32	66	20
100459	918101	<0.005	<1	13.04	73	698	2	5	3.88	5	35	29	520	71	7.24	17	14	3	<1	<1	1.40	15	54	4.32	1338	34	15	191	1411	13	<1	0.21	<5	14	<5	<10	283	3	<1	2	426	7	<20	99	<10	17	102	95
100460	918102	<0.005	1	9.43	29	80	2	9	2.73	12	<1	10	294	33	15.50	17	6	3	<1	<1	1.32	<1	28	2.39	3627	61	2	21	356	21	<1	0.38	7	1	<5	<10	102	5	9	<1	251	<2	106	11	<10	12	45	107
100461	918103	0.017	<1	9.57	51	776	2	20	2.29	9	<1	17	184	114	11.78	18	9	2	<1	<1	1.58	<1	27	2.05	2649	56	5	52	321	20	<1	1.41	7	5	<5	<10	98	5	6	<1	366	2	93	42	<10	10	172	69
100462	918104	<0.005	<1	13.35	127	642	2	4	4.72	4	46	30	532	46	5.38	16	31	3	<1	<1	1.55	18	63	4.69	1252	30	18	222	1567	15	<1	0.06	13	16	<5	<10	390	3	<1	1	363	8	23	108	<10	18	110	92
100463	918105	<0.005	<1	13.43	134	691	2	<1	4.59	4	43	33	514	33	5.22	16	38	3	<1	<1	1.57	17	61	4.46	1231	38	16	220	1464	14	<1	0.06	13	16	<5	<10	380	3	<1	<1	375	12	<20	107	<10	18	105	96
100464	918106	<0.005	<1	13.05	29	120	2	9	5.36	<4	44	33	578	75	4.84	16	27	3	1	<1	1.57	15	45	4.87	962	33	19	236	1502	20	<1	0.13	<5	16	<5	<10	744	3	<1	2	321	13	<20	104	<10	18	76	82
100465	918107	<0.005	<1	12.31	2	398	2	12	4.53	<4	36	31	523	54	4.61	14	15	1	<1	<1	1.50	13	29	4.71	819	29	17	227	1428	14	<1	0.12	<5	15	<5	<10	854	3	<1	4	1153	11	<20	102	<10	17	55	9
100466	918108	<0.005	<1	12.04	8	372	2	<1	4.95	4	38	35	587	64	5.16	15	9	<1	<1	<1	1.41	13	33	5.02	886	22	19	241	1600	19	<1	0.13	<5	17	<5	<10	758	3	<1	5	1631	15	<20	118	<10	18	55	<1
100467	918109	<0.005	<1	10.93	6	160	2	5	4.63	<4	37	30	543	57	4.74	13	5	<1	<1	<1	1.76	11	35	4.49	918	20	18	212	1466	13	<1	0.11	<5	14	<5	<10	489	4	<1	2	691	12	<20	106	<10	15	53	<1
100468	918110	5.523	2	9.49	269	255	2	9	2.67	6	19	112	147	1604	7.20	15	<1	<1	<1	<1	1.59	7	26	1.23	625	39	11	1248	472	608	74	1.31	<5	9	<5	<10	152	3	4	1	3498	<2	<20	89	36	16	379	<1
100470	918111	0.007	<1	12.24	25	217	<2	4	6.55	<4	23	41	226	120	4.26	14	14	<1	<1	<1	1.74	<1	38	2.61	1283	22	27	110	401	13	<1	0.20	<5	30	<5	<10	457	4	<1	<1	487	3	22	219	<10	11	60	<1
100471	918112	0.005	<1	11.05	30	127	<2	11	11.48	<4	21	39	156	109	5.01	15	21	<1	<1	<1	1.77	<1	33	1.85	2206	28	26	78	292	12	<1	0.27	<5	24	<5	<10	408	5	<1	<1	3405	4	26	212	<10	13	53	<1
100472	918113	<0.005	<1	11.21	28	149	<2	8	12.99	4	31	31	116	69	5.22	11	29	<1	<1	<1	1.72	<1	35	2.81	2133	27	22	61	219	11	<1	0.21	<5	20	<5	<10	399	4	<1	<1	2071	9	31	155	<10	18	49	<1
100473	918114	<0.005	<1	11.74	24	185	<2	<1	12.87	4	33	32	155	84	5.07	13	32	<1	1	<1	1.65	<1	37	2.62	2362	28	24	73	191	12	<1	0.18	<5	23	<5	<10	373	4	<1	<1	2376	2	50	181	<10	17	52	<1
100474	918115	<0.005	<1	11.60	17	122	<2	<1	15.82	<4	40	29	111	86	4.89	11	34	<1	<1	<1	1.71	<1	34	1.76	2514	32	20	49	241	13	<1	0.25	<5	21	<5	<10	452	4	<1	<1	3303	5	21	160	<10	21	50	<1
100475	918116	<0.005	<1	12.42	7	389	2	2	5.57	<4	46	35	465	61	4.99	14	8	<1	1	<1	1.58	15	40	4.21	1058	20	22	180	1385	16	<1	0.13	<5	18	<5	<10	515	5	2	4	3098	8	<20	130	<10	19	51	<1
100476	918117	<0.005	<1	11.56	<2	1377	2	<1	4.35	<4	41	32	493	57	4.66	13	9	<1	<1	<1	1.51	17	38	4.31	828	21	21	186	1410	13	<1	0.08	<5	15	<5	<10	616	4	2	5	3167	10	<20	111	<10	17	46	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100477	918118	<0.005	<1	12.48	3	1462	2	12	4.62	<4	42	38	615	57	5.20	15	<1	<1	<1	<1	1.30	18	42	5.02	861	26	21	231	1498	16	<1	0.08	<5	18	<5	<10	686	5	4	4	3438	9	<20	122	<10	18	50	<1
100478	918119	<0.005	<1	10.86	4	1627	2	7	4.45	<4	39	36	585	50	4.97	14	<1	<1	<1	<1	1.68	16	41	4.83	843	17	21	232	1399	13	<1	0.08	<5	16	<5	<10	733	4	1	3	3340	11	<20	117	<10	16	47	<1
100479	918120	<0.005	<1	11.33	<2	860	<2	4	1.51	<4	68	3	260	7	1.26	10	<1	<1	1	<1	1.50	35	37	0.49	189	42	3	6	304	26	6	0.02	<5	2	<5	<10	263	<1	1	17	1227	<2	<20	16	<10	9	18	6
100481	918121	<0.005	<1	12.31	5	1531	2	2	4.46	<4	38	34	515	58	4.88	13	34	<1	<1	<1	1.60	17	41	4.60	830	22	21	204	1540	15	<1	0.09	<5	16	<5	<10	770	4	5	3	3312	5	<20	118	<10	18	49	<1
100482	918122	<0.005	<1	13.00	2	1460	2	<1	4.54	<4	42	33	495	66	4.83	16	21	<1	<1	<1	1.59	18	42	4.35	836	30	20	190	1537	17	<1	0.09	<5	16	<5	<10	721	3	<1	4	3310	12	<20	118	<10	19	49	23
100483	918123	<0.005	<1	13.10	5	572	2	7	4.86	<4	52	33	482	58	4.87	16	25	1	<1	<1	1.53	20	44	4.35	878	29	21	184	1540	13	<1	0.06	<5	16	<5	<10	506	4	2	4	3404	11	<20	118	<10	20	51	27
100484	918124	<0.005	<1	12.30	8	1455	3	<1	4.71	<4	48	34	532	54	4.84	14	20	<1	<1	<1	1.67	18	38	4.56	830	24	20	201	1461	12	<1	0.09	<5	16	<5	<10	485	4	3	4	3245	13	<20	115	<10	18	47	<1
100485	918125	0.007	<1	13.71	9	1301	3	4	4.85	<4	44	34	522	55	4.94	17	28	2	<1	<1	1.56	18	40	4.61	845	29	21	202	1466	13	<1	0.10	<5	16	<5	<10	487	4	6	4	3255	11	<20	116	<10	20	50	96
100486	918126	<0.005	<1	13.04	5	300	2	13	5.17	<4	46	34	527	50	4.77	16	24	2	<1	<1	1.85	17	43	4.44	891	37	20	196	1408	18	<1	0.10	<5	16	<5	<10	396	3	1	3	3147	9	<20	118	<10	19	56	52
100487	918127	0.008	<1	13.14	13	75	2	13	8.43	4	29	41	196	103	5.77	17	21	<1	<1	<1	1.75	<1	40	2.87	1477	38	26	87	530	10	<1	0.18	<5	26	<5	<10	375	5	<1	<1	4772	5	32	205	<10	23	42	<1
100488	918128	<0.005	<1	11.95	4	62	2	5	8.03	4	26	40	222	99	6.06	14	13	<1	<1	<1	1.73	<1	40	3.24	1468	17	28	97	533	9	<1	0.12	<5	26	<5	<10	303	5	2	<1	4543	2	<20	208	<10	22	38	<1
100489	918129	<0.005	<1	13.19	9	68	<2	20	8.30	5	14	42	164	94	6.78	18	15	<1	<1	<1	1.54	<1	42	3.04	1661	25	31	76	327	10	<1	0.12	<5	30	<5	<10	304	6	<1	<1	4892	6	<20	242	<10	24	35	<1
100490	918130	<0.005	<1	12.38	6	57	<2	2	7.79	5	15	48	178	197	7.37	17	<1	<1	<1	<1	1.63	<1	44	3.20	1596	18	31	78	334	12	<1	0.11	<5	32	<5	<10	266	8	<1	<1	5506	4	<20	255	<10	23	35	<1
100491D	918130	<0.005	<1	12.94	5	60	<2	4	7.91	5	11	48	181	199	7.52	18	7	<1	<1	<1	1.66	<1	45	3.24	1618	25	32	78	345	14	<1	0.11	7	33	<5	<10	277	8	1	<1	5701	9	<20	260	<10	24	35	<1
100492	918131	<0.005	<1	12.30	8	60	<2	5	9.15	4	17	32	148	102	6.33	16	5	<1	<1	<1	1.80	<1	39	2.76	1727	23	28	55	306	10	<1	0.11	<5	29	<5	<10	316	6	<1	<1	4754	8	22	224	<10	24	36	<1
100493	918132	0.026	<1	12.52	9	66	<2	15	8.14	5	17	33	176	85	6.89	17	10	<1	<1	<1	1.84	<1	36	2.68	2076	25	28	57	340	12	<1	0.39	<5	30	<5	<10	430	6	<1	<1	4943	9	<20	221	<10	24	47	<1
100494	918133	0.005	<1	11.92	7	213	2	5	5.59	4	47	36	565	58	5.42	15	7	<1	<1	<1	1.60	19	47	4.79	1097	22	22	217	1564	10	<1	0.13	<5	18	<5	<10	411	4	<1	5	2988	5	21	132	<10	19	71	<1
100495	918134	0.005	<1	13.25	11	428	3	9	5.34	<4	56	37	559	66	5.36	16	12	1	<1	<1	1.53	21	46	4.94	987	27	24	231	1662	9	<1	0.12	<5	17	<5	<10	390	5	2	2	3507	9	<20	129	<10	21	65	15
100496	918135	<0.005	2	11.69	4	384	2	<1	5.09	<4	53	33	491	63	4.99	13	3	<1	<1	<1	1.87	19	40	4.60	943	24	21	211	1526	10	<1	0.12	<5	16	<5	<10	371	4	2	5	3388	10	<20	122	<10	19	59	<1
100497	918136	<0.005	1	11.89	3	64	<2	16	12.34	4	25	33	142	70	5.44	13	17	<1	<1	<1	1.96	<1	35	2.54	2477	24	27	50	305	12	<1	0.18	<5	27	<5	<10	344	6	<1	<1	4495	6	35	200	<10	26	36	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100498	918137	<0.005	<1	12.88	8	64	<2	<1	7.75	4	16	36	174	96	6.16	14	8	<1	<1	<1	2.01	<1	39	2.84	1720	24	29	53	337	5	<1	0.09	<5	31	<5	<10	250	7	1	<1	5458	9	20	236	<10	24	44	<1
100499	918138	<0.005	<1	12.58	<2	64	<2	10	8.63	4	16	33	183	91	6.09	14	6	<1	<1	<1	2.03	<1	37	2.74	1740	25	26	47	302	10	<1	0.10	<5	29	<5	<10	259	6	1	<1	5095	5	<20	223	<10	22	48	<1
100500	918139	<0.005	<1	12.26	3	62	<2	6	8.81	5	17	31	195	98	6.59	16	12	<1	<1	<1	1.61	<1	35	2.68	1933	24	30	46	334	10	<1	0.10	<5	32	<5	<10	268	7	<1	<1	5474	3	<20	240	<10	25	52	<1
100501	918140	13.882	6	11.03	25	441	2	21	3.23	<4	11	25	87	143	4.73	16	<1	<1	1	<1	1.50	<1	27	1.46	629	37	15	41	662	31	450	0.61	<5	12	<5	<10	167	4	3	<1	5005	5	<20	115	<10	19	133	<1
100503	918141	0.013	<1	11.27	7	61	<2	10	10.98	4	27	28	167	98	6.02	13	5	<1	<1	<1	1.74	<1	33	2.48	2423	21	27	40	323	6	<1	0.12	<5	28	<5	<10	245	6	<1	<1	4940	8	37	215	<10	24	60	<1
100504	918142	0.005	<1	11.64	6	61	<2	<1	9.10	4	25	30	188	140	6.16	13	<1	<1	<1	<1	1.68	<1	33	2.58	2047	19	32	47	339	9	<1	0.10	<5	32	<5	<10	231	6	2	<1	5522	8	20	259	<10	25	79	<1
100505	918143	<0.005	<1	11.22	<2	57	<2	2	8.23	4	14	32	194	123	6.50	15	<1	<1	<1	<1	1.73	<1	33	2.73	2029	16	31	48	351	11	<1	0.10	<5	32	<5	<10	203	6	<1	<1	5756	9	<20	253	<10	24	77	<1
100506	918144	<0.005	<1	10.59	5	54	<2	7	9.37	4	13	27	192	119	5.70	10	<1	<1	<1	<1	1.86	<1	31	2.50	2302	19	27	40	317	8	<1	0.11	<5	28	<5	<10	181	6	2	<1	5238	6	<20	220	<10	21	65	<1
100507	918145	<0.005	<1	11.05	4	59	<2	10	8.49	4	22	31	246	124	6.22	12	<1	<1	<1	<1	1.80	<1	31	2.85	2083	15	29	63	461	10	<1	0.11	<5	31	<5	<10	194	6	3	<1	5482	2	<20	227	<10	23	82	<1
100508	918146	<0.005	<1	11.28	3	62	<2	7	8.48	4	21	30	246	132	6.24	15	<1	<1	<1	<1	1.85	<1	31	2.83	2094	18	30	64	459	9	<1	0.10	<5	31	<5	<10	202	6	3	<1	5574	6	31	231	<10	23	77	<1
100509	918147	<0.005	<1	10.14	6	56	<2	4	13.05	4	24	25	210	106	5.63	8	<1	<1	<1	<1	1.92	<1	27	2.28	2757	19	26	38	289	8	<1	0.14	<5	28	<5	<10	212	8	2	<1	4782	17	29	207	<10	24	51	<1
100510	918148	<0.005	<1	10.98	2	59	<2	7	8.64	4	18	30	257	167	6.22	14	<1	<1	<1	1	1.80	<1	29	2.71	2060	18	31	48	328	10	<1	0.10	<5	32	<5	<10	188	9	<1	<1	6138	7	34	259	<10	22	82	<1
100511	918149	<0.005	<1	10.72	7	56	<2	<1	8.46	4	15	29	210	112	6.07	11	<1	<1	<1	<1	1.87	<1	28	2.37	2063	19	30	41	339	9	<1	0.09	<5	30	<5	<10	176	6	2	<1	5749	2	20	239	<10	24	67	<1
100512	918150	<0.005	<1	11.65	<2	903	<2	<1	1.50	<4	80	4	632	7	1.56	12	<1	<1	<1	<1	1.55	43	36	0.47	243	38	3	9	289	28	25	0.02	<5	2	<5	<10	271	<1	<1	20	1244	3	<20	18	<10	9	19	<1
100514	918151	<0.005	<1	12.53	5	73	<2	11	11.28	4	22	28	199	128	6.14	15	12	<1	<1	<1	1.74	<1	34	2.31	2435	30	27	41	306	10	<1	0.13	<5	29	<5	<10	212	6	1	<1	4732	9	36	222	<10	25	55	<1
100515	918152	<0.005	<1	12.36	3	63	<2	6	9.86	5	15	31	213	85	6.76	16	<1	<1	<1	<1	1.68	<1	38	2.72	2323	20	31	47	318	8	<1	0.10	<5	32	<5	<10	174	7	<1	<1	5484	8	25	254	<10	25	64	<1
100516	918153	<0.005	<1	11.64	5	59	<2	3	10.39	4	18	28	177	112	6.43	14	<1	<1	<1	<1	1.68	<1	37	2.44	2480	24	28	43	297	9	<1	0.11	<5	31	<5	<10	142	6	<1	<1	4882	4	24	235	<10	23	64	<1
100517	918154	<0.005	<1	11.75	9	63	<2	8	10.29	4	17	22	194	83	5.78	13	<1	<1	<1	<1	1.74	<1	41	2.41	2348	23	26	42	310	10	<1	0.11	<5	31	<5	<10	146	5	<1	<1	1325	6	<20	227	<10	18	63	<1
100518	918155	<0.005	<1	11.33	7	58	<2	<1	10.15	4	24	24	183	87	5.91	14	<1	<1	<1	<1	1.71	<1	39	2.42	2318	18	27	43	302	9	<1	0.11	<5	32	<5	<10	140	5	<1	<1	1652	7	<20	228	<10	18	61	<1
100519	918156	<0.005	<1	11.39	24	60	<2	8	11.72	4	61	22	179	101	5.86	12	<1	<1	<1	<1	1.82	<1	42	2.43	2390	16	27	47	300	9	<1	0.13	<5	31	5	<10	145	5	<1	<1	224	7	38	224	<10	14	59	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100520	918157	<0.005	<1	10.79	33	263	<2	4	9.93	<4	26	22	153	90	5.27	11	<1	<1	1	<1	1.80	<1	30	2.26	1860	17	25	46	278	8	<1	0.12	<5	29	<5	<10	136	4	<1	<1	262	14	30	210	<10	11	42	<1
100521	918158	0.008	<1	10.32	59	280	<2	3	10.00	<4	18	22	156	64	5.28	10	<1	<1	<1	<1	1.64	<1	21	2.41	2014	20	21	46	254	8	<1	0.13	<5	25	<5	<10	157	5	<1	<1	399	7	34	175	<10	10	38	<1
100522	918159	0.036	<1	11.11	79	207	<2	13	9.63	4	22	21	137	60	5.43	11	<1	<1	<1	<1	1.78	<1	22	2.42	2072	22	23	45	296	11	<1	0.20	<5	27	<5	<10	146	4	<1	<1	420	7	<20	190	<10	10	29	<1
100523	918160	0.016	<1	10.76	117	229	<2	10	8.36	4	21	22	171	90	5.63	10	<1	<1	<1	<1	1.79	<1	20	2.29	1985	22	23	46	319	11	<1	0.31	<5	27	<5	<10	134	7	<1	<1	416	14	39	187	<10	9	36	<1
100524D	918160	0.016	<1	11.10	115	231	<2	8	8.42	4	15	22	174	89	5.63	12	<1	<1	1	<1	1.56	<1	21	2.31	1973	22	22	45	323	9	<1	0.30	<5	27	<5	<10	133	4	<1	<1	425	12	37	188	<10	9	37	<1
100525	918161	1.148	<1	11.01	19513	546	2	9	6.52	4	24	36	245	55	6.76	15	<1	<1	<1	<1	1.50	<1	25	2.64	1678	29	20	69	548	10	<1	1.53	8	23	<5	<10	203	3	<1	<1	496	6	<20	172	15	10	98	<1
100526	918162	0.508	<1	9.43	2374	574	2	7	3.81	4	14	36	522	63	5.64	10	<1	<1	<1	<1	1.67	3	32	3.22	1491	22	12	141	729	14	<1	1.37	6	11	<5	<10	279	3	4	<1	417	10	<20	71	<10	11	182	<1
100527	918163	0.625	<1	6.69	1327	74	<2	9	2.02	6	<1	11	743	158	8.23	6	<1	<1	<1	<1	1.48	<1	22	1.37	2798	43	<1	40	156	14	<1	3.17	<5	1	<5	<10	87	4	<1	<1	166	2	<20	10	<10	7	51	<1
100528	918164	3.859	<1	7.37	11384	189	<2	16	2.40	6	<1	39	648	91	8.18	7	<1	<1	<1	<1	1.50	<1	22	1.23	2328	43	2	54	256	22	<1	3.43	6	3	<5	<10	130	5	6	<1	216	5	<20	18	<10	8	192	<1
100529	918165	2.673	<1	6.91	7754	187	<2	7	2.10	6	<1	27	693	221	8.38	6	<1	<1	<1	<1	1.62	<1	21	1.15	2337	41	2	52	252	18	<1	3.50	8	2	<5	<10	111	7	6	<1	202	<2	<20	17	<10	7	183	<1
100530	918166	0.017	<1	9.98	62	823	2	15	4.66	5	36	37	578	181	5.88	11	<1	<1	<1	<1	1.53	16	36	4.86	1076	7	19	230	1679	18	<1	0.35	5	16	<5	<10	682	2	2	5	1631	12	<20	118	<10	15	234	<1
100531	918167	0.006	<1	9.82	10	924	2	<1	4.40	<4	31	37	645	61	5.13	10	<1	<1	<1	<1	1.57	10	31	4.96	885	9	21	240	1502	14	<1	0.19	<5	16	<5	<10	774	4	<1	6	3210	14	<20	118	<10	15	75	<1
100532	918168	<0.005	<1	10.24	5	953	2	10	4.30	<4	29	35	566	48	4.92	11	<1	<1	<1	<1	1.52	14	30	4.60	865	15	20	208	1500	16	<1	0.13	<5	16	<5	<10	830	3	<1	4	3189	9	<20	115	<10	16	67	<1
100533	918169	<0.005	<1	9.85	6	969	2	4	4.50	<4	37	38	654	55	5.06	10	<1	<1	<1	<1	1.69	13	33	5.05	894	11	21	255	1520	17	<1	0.11	<5	16	<5	<10	808	4	<1	3	3322	13	<20	119	<10	14	61	<1
100534	918170	0.970	<1	10.06	3	138	<2	6	4.47	4	25	31	104	40	5.68	15	<1	<1	<1	<1	1.50	3	19	2.19	892	19	22	25	631	15	<1	0.08	<5	19	<5	<10	195	5	2	<1	5825	3	<20	167	<10	29	69	<1
100536	918171	0.006	<1	10.07	39	560	2	2	4.34	4	36	32	506	55	5.43	12	<1	<1	<1	<1	1.58	14	36	4.61	904	10	19	212	1497	21	<1	0.08	6	16	<5	<10	680	4	1	2	1939	13	<20	112	<10	15	59	<1
100537	918172	1.017	<1	7.08	3216	213	2	16	1.96	8	<1	23	345	61	10.75	11	<1	<1	<1	<1	1.58	<1	20	1.59	3268	40	4	52	345	20	<1	3.07	6	5	<5	<10	109	6	7	<1	350	<2	35	33	<10	8	320	<1
100538	918173	0.163	<1	5.78	940	61	<2	<1	1.53	5	<1	8	278	68	6.96	1	<1	<1	<1	<1	1.55	<1	18	1.23	3357	31	2	19	193	13	<1	1.70	<5	1	<5	<10	69	4	4	<1	144	2	<20	15	<10	6	30	<1
100539	918174	1.201	<1	9.35	229	229	2	2	0.96	10	<1	40	282	170	10.30	23	<1	<1	<1	<1	1.37	<1	21	0.61	712	52	8	92	181	58	41	5.35	19	12	<5	<10	77	5	4	<1	676	2	74	96	22	9	1352	<1
100540	918175	1.171	<1	9.38	211	70	2	15	1.03	13	<1	40	178	214	12.81	26	<1	<1	<1	<1	1.37	<1	19	0.67	783	51	7	79	245	58	25	>10.00	12	13	<5	<10	76	6	5	2	798	2	102	93	34	8	1465	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Friday, April 29, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/11/2011
Date Completed: 04/18/2011
Job #: 201141422
Reference:
Sample #: 161

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100541	918176	0.103	<1	6.83	407	70	<2	9	1.61	6	<1	7	443	46	9.10	6	<1	<1	<1	<1	1.49	<1	21	1.25	2866	43	1	17	369	14	<1	1.11	<5	<1	<5	<10	65	4	4	<1	171	<2	<20	8	<10	8	57	<1
100542	918177	0.192	<1	6.69	791	78	<2	11	1.54	8	<1	5	206	48	10.93	8	<1	<1	<1	<1	1.56	<1	21	1.36	3582	43	<1	13	442	17	<1	0.84	5	<1	<5	<10	59	4	3	<1	188	<2	47	9	<10	8	31	<1
100543	918178	0.326	<1	5.46	2826	77	<2	13	1.44	8	<1	9	398	32	11.59	6	<1	<1	<1	<1	1.51	<1	16	1.53	4676	40	<1	18	495	18	<1	0.95	6	<1	<5	<10	49	6	9	<1	162	<2	70	10	<10	7	24	<1
100544	918179	0.210	<1	4.87	636	90	<2	10	1.44	7	<1	12	238	51	10.98	4	<1	<1	<1	<1	1.56	<1	15	1.41	4538	34	<1	20	353	18	<1	2.02	<5	<1	<5	<10	48	5	5	<1	129	2	55	8	<10	6	30	<1
100545	918180	<0.005	<1	8.51	5	741	<2	2	1.14	<4	44	3	324	5	1.23	4	<1	<1	<1	<1	1.51	27	31	0.42	245	22	3	7	271	17	26	0.02	<5	1	<5	<10	290	<1	2	11	1051	<2	<20	14	<10	10	16	<1
100547	918181	0.955	<1	4.72	1423	76	<2	14	1.82	6	<1	8	226	42	9.09	1	<1	<1	<1	<1	1.56	<1	14	1.26	3977	31	<1	17	189	14	<1	1.67	<5	<1	<5	<10	59	4	6	<1	128	<2	35	7	<10	6	24	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109371	918182	0.013	<1	7.53	44	341	2	<1	0.41	<4	<1	4	433	62	0.19	20	6	<1	<1	<1	1.51	<1	4	0.14	<100	<1	23	45	336	11	37	0.03	<5	10	17	<10	190	4	<1	<1	252	9	<20	258	<10	2	8	<1
109372	918183	0.006	1	5.71	72	361	<2	<1	0.33	<4	<1	7	661	92	0.22	18	8	<1	<1	<1	1.38	<1	5	0.10	<100	<1	25	45	362	10	<1	0.06	<5	7	14	<10	159	5	<1	<1	312	4	<20	282	<10	2	10	<1
109373	918184	0.008	<1	8.11	264	385	<2	<1	0.40	<4	<1	29	701	335	1.38	17	<1	<1	<1	1.55	<1	2	0.14	<100	<1	27	43	268	11	55	0.03	8	17	14	<10	183	6	<1	<1	248	2	<20	309	<10	3	58	<1	
109374	918185	0.008	<1	8.47	268	394	<2	2	0.38	<4	<1	29	713	321	1.33	18	<1	<1	<1	1.60	<1	2	0.13	<100	<1	28	43	275	10	52	0.03	9	19	14	<10	189	5	<1	<1	248	5	<20	318	<10	3	53	<1	
109375	918186	0.005	1	6.18	833	301	2	<1	0.45	10	<1	67	452	466	8.35	21	2	1	<1	<1	1.51	<1	<1	0.25	282	<1	20	164	241	18	28	0.09	7	11	6	<10	161	6	<1	<1	226	20	42	249	<10	4	302	<1
109376	918187	0.006	1	8.47	267	255	<2	1	0.56	10	<1	73	313	143	10.31	24	<1	2	1	<1	1.52	<1	6	0.74	2424	<1	18	176	118	22	31	0.09	5	18	<5	<10	145	7	<1	<1	227	13	69	225	<10	5	229	<1
109377	918188	0.005	<1	5.95	188	297	<2	1	0.46	6	<1	48	294	120	6.11	19	<1	<1	<1	1.56	<1	<1	0.31	1336	<1	20	117	<100	16	42	0.09	<5	11	7	<10	156	6	<1	<1	233	8	<20	239	<10	3	189	<1	
109378	918189	<0.005	<1	5.63	336	271	<2	1	0.53	11	<1	69	238	135	11.54	24	<1	3	<1	<1	1.62	<1	<1	0.33	1749	5	17	160	116	24	37	0.06	6	10	<5	<10	131	7	2	<1	225	5	55	214	<10	4	294	<1
109379	918190	0.015	<1	6.17	324	288	2	3	0.57	14	<1	86	241	132	13.13	26	<1	3	<1	<1	1.60	<1	<1	0.26	3045	8	13	185	<100	25	39	0.12	5	10	6	<10	113	10	3	<1	220	18	73	183	<10	4	476	<1
109380	918191	0.010	1	7.65	320	238	2	<1	0.53	11	<1	52	211	131	9.45	20	<1	2	<1	<1	1.66	<1	<1	0.39	1977	<1	14	127	180	21	32	0.07	7	15	11	<10	115	6	<1	<1	201	10	52	186	<10	4	346	<1
109381D	918191	0.010	1	7.14	316	273	2	1	0.52	10	<1	50	232	125	9.26	22	<1	3	<1	<1	1.57	<1	2	0.35	1908	2	17	124	183	23	51	0.05	8	13	6	<10	130	6	<1	<1	233	6	47	215	<10	3	336	<1
109382	918192	0.016	1	5.23	678	96	<2	1	0.56	7	<1	15	269	113	7.65	12	4	5	<1	<1	1.61	<1	<1	0.25	135	5	2	39	499	16	30	0.04	5	3	<5	<10	64	5	2	<1	156	13	<20	58	<10	4	73	95
109383	918193	0.013	1	4.45	419	60	<2	2	0.59	11	<1	9	201	92	12.10	16	<1	6	<1	<1	1.63	<1	<1	0.24	171	16	<1	18	479	22	37	0.02	<5	<1	<5	<10	45	4	5	<1	126	9	54	11	<10	5	115	89
109384	918194	0.076	1	5.51	261	248	2	1	0.57	7	<1	42	468	127	6.93	22	3	6	<1	<1	1.95	<1	<1	0.27	188	10	3	78	409	38	83	1.55	12	3	7	<10	72	3	5	<1	272	8	25	49	<10	4	91	141
109385	918195	0.040	1	5.34	172	217	2	2	0.47	5	<1	23	478	99	5.68	17	4	3	<1	<1	1.81	<1	<1	0.27	167	<1	2	47	329	30	<1	1.11	10	3	6	<10	61	3	3	<1	230	7	27	37	<10	4	79	49
109386	918196	0.079	1	6.08	400	277	3	1	0.47	6	<1	67	266	234	6.95	23	3	4	<1	<1	1.67	<1	<1	0.28	195	4	4	103	567	45	49	2.83	12	5	11	<10	80	4	4	<1	290	4	23	70	<10	5	77	78
109387	918197	0.086	2	4.21	303	101	<2	1	0.58	13	<1	35	377	163	13.00	22	4	6	<1	<1	1.64	<1	<1	0.25	433	18	<1	56	409	49	34	1.75	12	1	5	<10	55	6	8	<1	161	13	87	25	<10	5	191	89
109388	918198	0.088	1	4.22	179	141	2	3	0.56	13	<1	24	293	127	13.04	21	4	6	<1	<1	1.70	<1	<1	0.21	443	18	<1	46	471	56	<1	2.05	14	<1	<5	<10	57	6	10	<1	178	6	83	27	<10	5	159	90
109389	918199	0.013	1	4.10	95	57	<2	3	0.59	15	<1	10	361	31	14.92	19	<1	6	<1	<1	1.69	<1	<1	0.29	695	17	<1	17	283	33	<1	0.08	7	<1	<5	<10	40	7	12	<1	117	9	109	10	<10	5	97	33
109390	918200	13.302	7	8.06	28	376	<2	<1	2.89	4	<1	25	90	132	4.20	15	3	1	<1	<1	1.81	<1	<1	1.28	608	<1	11	43	652	34	353	0.80	<5	10	6	<10	131	5	<1	<1	3742	17	<20	106	<10	14	142	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109391	918201	0.023	<1	3.72	77	60	<2	3	0.68	22	<1	13	137	25	22.35	29	1	8	<1	<1	1.71	<1	<1	0.31	736	34	<1	13	360	44	56	0.13	9	<1	<5	<10	39	11	18	<1	147	10	175	13	<10	6	100	12
109392D	918201	0.031	1	4.16	77	61	<2	7	0.72	24	<1	14	143	25	22.82	29	1	9	<1	<1	1.64	<1	<1	0.33	752	37	<1	13	371	45	<1	0.12	9	<1	<5	<10	42	9	18	<1	129	28	182	12	<10	6	101	49
109393	918202	0.009	<1	4.18	158	44	<2	3	0.55	13	<1	8	327	19	13.67	15	<1	3	<1	<1	1.78	<1	<1	0.22	534	10	<1	15	336	30	21	0.03	7	<1	<5	<10	36	4	12	<1	<100	26	83	9	<10	7	107	<1
109394	918203	0.019	1	6.18	146	65	<2	2	0.74	13	<1	10	185	21	13.71	19	5	7	<1	<1	1.82	<1	<1	0.94	1214	14	<1	12	362	27	28	0.22	8	<1	6	<10	47	9	6	<1	132	13	106	8	<10	8	84	110
109395	918204	<0.005	1	5.22	66	46	<2	3	0.74	15	<1	10	364	14	15.26	18	2	5	<1	<1	1.70	<1	<1	1.60	1909	8	<1	11	401	30	24	0.14	7	<1	<5	<10	37	6	10	<1	110	7	89	8	<10	8	107	7
109396	918205	0.047	1	5.41	56	48	<2	2	0.79	18	<1	10	194	15	17.36	20	6	6	<1	<1	1.67	<1	<1	1.79	2317	8	<1	10	375	32	<1	0.18	7	<1	<5	<10	38	8	11	<1	115	8	137	8	<10	8	92	27
109397	918206	0.083	1	5.19	128	46	<2	4	0.71	19	<1	13	404	23	18.75	24	4	6	<1	<1	1.75	<1	<1	1.37	1638	14	<1	16	467	37	21	0.42	7	<1	<5	<10	38	9	15	<1	113	4	135	11	<10	9	93	<1
109398	918207	0.009	1	5.10	74	44	<2	4	0.80	19	<1	14	178	21	19.21	23	1	6	<1	<1	1.63	<1	<1	1.69	2164	14	<1	13	717	34	9	0.31	7	<1	<5	<10	34	8	15	<1	111	7	140	11	<10	9	110	<1
109399	918208	0.011	1	4.86	72	41	<2	3	0.58	13	<1	11	571	31	12.36	15	<1	4	<1	<1	1.77	<1	<1	0.60	1323	6	<1	21	346	29	42	0.61	6	3	<5	<10	33	4	10	<1	107	11	54	17	<10	7	225	<1
109400	918209	0.075	1	8.08	68	243	3	2	0.62	15	<1	47	135	155	13.47	31	3	6	<1	<1	1.68	<1	<1	1.29	2017	7	14	57	253	43	<1	3.22	11	15	12	<10	52	5	3	<1	251	6	104	166	<10	7	413	55
109401	918210	1.016	<1	8.15	4	114	<2	<1	4.12	5	16	32	109	40	5.32	19	<1	2	<1	<1	1.81	2	<1	2.10	902	<1	19	25	679	17	47	0.12	6	17	8	<10	151	4	<1	<1	4940	12	<20	164	<10	25	79	<1
109402	918211	0.010	1	5.54	30	47	<2	2	1.31	8	<1	9	576	33	8.74	11	<1	4	<1	<1	1.89	<1	<1	1.10	1707	<1	1	15	<100	19	20	0.64	5	5	5	<10	40	4	3	<1	171	8	<20	24	<10	6	103	23
109403D	918211	0.009	<1	5.49	27	46	<2	<1	1.32	9	<1	9	620	34	9.10	11	<1	3	<1	<1	1.86	<1	<1	1.12	1770	<1	1	15	<100	22	28	0.66	6	5	<5	<10	39	5	5	<1	127	11	29	23	<10	6	106	25
109404	918212	0.015	1	5.95	24	50	<2	6	1.74	19	<1	14	213	40	18.26	24	<1	8	<1	<1	1.98	<1	<1	2.12	3657	12	1	15	647	38	<1	0.81	6	3	5	<10	44	10	9	<1	136	13	125	20	<10	10	148	66
109405	918213	0.013	1	6.11	51	55	<2	5	1.95	21	<1	15	463	37	20.24	30	<1	8	<1	<1	1.88	<1	<1	2.31	3199	17	<1	15	280	39	<1	0.74	11	2	<5	<10	46	11	12	<1	139	6	147	17	<10	9	180	74
109406	918214	0.014	1	5.95	36	54	<2	6	2.56	19	<1	11	187	32	19.01	27	<1	8	<1	<1	1.85	<1	<1	2.43	2798	12	2	10	272	35	33	0.62	9	1	6	<10	46	12	13	<1	127	12	111	16	<10	9	93	60
109407	918215	0.009	1	5.02	26	43	<2	5	3.31	20	<1	11	308	16	20.34	26	3	6	<1	<1	1.76	<1	<1	2.69	2266	10	<1	10	480	38	19	0.35	9	<1	<5	<10	41	9	16	<1	108	9	103	12	<10	9	76	<1
109408	918216	0.007	31	4.75	25	41	<2	3	3.96	25	<1	13	102	59	23.50	28	<1	7	<1	<1	1.82	<1	<1	3.09	2400	15	2	9	493	39	8	0.38	8	1	<5	<10	42	13	18	<1	<100	12	136	12	87	9	84	<1
109409	918217	0.013	1	5.13	73	41	<2	4	1.95	17	<1	10	375	33	17.29	21	<1	6	<1	<1	1.67	<1	<1	2.00	1766	6	<1	13	574	33	<1	0.74	8	<1	<5	<10	40	8	12	<1	109	9	68	11	<10	8	76	<1
109410	918218	0.008	1	5.21	69	41	<2	6	2.44	18	<1	11	322	26	18.28	22	2	6	<1	<1	1.83	<1	<1	2.14	1670	10	<1	10	692	29	1	0.56	6	<1	8	<10	43	8	12	<1	109	7	94	10	<10	8	70	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109411	918219	0.015	1	6.03	51	54	<2	6	2.01	19	<1	10	355	20	19.61	26	6	9	<1	<1	1.86	<1	<1	2.07	2137	22	<1	9	669	36	<1	0.41	10	<1	5	<10	50	12	13	<1	140	4	124	11	<10	9	73	127
109412	918220	<0.005	<1	7.57	3	865	<2	<1	1.47	<4	24	4	541	6	1.69	15	<1	1	<1	<1	1.89	12	4	0.41	301	<1	4	11	317	34	85	0.03	5	<1	7	<10	346	1	<1	7	1179	9	<20	18	<10	5	30	1
109413	918221	0.006	2	6.54	34	71	<2	4	3.22	16	<1	10	330	29	16.24	23	4	8	<1	<1	1.90	<1	<1	2.35	2719	10	2	13	596	33	33	0.60	10	2	<5	<10	57	6	13	<1	160	5	71	16	<10	10	74	106
109414D	918221	0.011	1	5.49	31	51	<2	4	3.21	17	<1	12	324	31	16.76	23	<1	6	<1	<1	1.85	<1	<1	2.42	2815	5	2	13	605	33	<1	0.63	8	2	7	<10	44	9	12	<1	121	7	65	16	<10	10	75	3
109415	918222	0.017	1	6.92	38	240	4	1	0.98	6	<1	34	260	95	6.80	25	2	6	<1	<1	1.84	<1	<1	0.85	1036	1	20	24	154	44	65	1.19	6	12	11	<10	75	5	<1	<1	268	5	<20	225	<10	6	179	127
109416	918223	0.022	1	>10.00	105	249	4	3	0.68	11	<1	76	92	175	10.72	34	5	7	<1	<1	1.89	<1	12	1.40	976	3	24	49	1095	42	11	2.14	9	29	9	<10	74	9	<1	<1	313	3	51	283	<10	13	372	132
109417	918224	0.033	2	9.69	219	191	3	4	0.74	16	<1	75	77	292	15.28	44	8	9	<1	<1	1.84	<1	18	1.59	1477	14	26	69	1259	48	40	3.82	10	24	<5	<10	62	10	<1	<1	310	7	119	299	<10	11	396	160
109418	918225	0.035	2	>10.00	244	195	3	2	0.75	15	<1	67	67	263	14.93	44	5	9	<1	<1	1.87	<1	18	1.64	1448	14	25	63	1220	45	<1	3.59	9	27	8	<10	63	11	<1	<1	302	11	94	296	<10	13	387	166
109419	918226	0.037	1	8.28	266	134	2	2	0.89	13	<1	37	308	207	13.39	28	<1	7	<1	<1	1.78	<1	<1	1.27	2243	8	10	61	457	37	54	3.89	7	13	10	<10	52	7	<1	<1	222	6	57	134	<10	10	282	82
109420	918227	0.017	1	5.88	81	49	<2	2	0.95	10	<1	15	482	106	10.03	13	<1	4	<1	<1	1.66	<1	<1	1.06	1934	<1	<1	33	208	25	44	2.01	6	5	<5	<10	39	4	6	<1	134	11	37	28	<10	8	242	20
109421	918228	0.074	2	6.75	2259	48	<2	6	1.24	21	<1	104	296	248	19.51	30	<1	7	<1	<1	1.77	<1	<1	1.88	4979	15	3	69	412	47	30	5.03	11	9	7	<10	37	11	15	<1	142	9	115	46	<10	11	562	29
109422	918229	0.144	2	8.94	397	171	2	4	1.20	20	<1	71	223	207	16.56	33	<1	7	<1	<1	1.69	<1	<1	1.97	3930	10	5	113	407	64	<1	3.88	16	8	<5	<10	52	9	11	<1	218	8	91	68	13	10	1365	34
109423	918230	0.017	1	6.20	80	49	<2	3	2.76	13	<1	11	392	39	13.78	18	2	6	<1	<1	1.86	<1	<1	2.08	2818	5	1	21	712	27	<1	0.82	8	1	<5	<10	48	5	8	<1	133	4	36	12	<10	9	91	84
109424	918231	0.069	2	6.78	280	97	<2	4	1.00	15	<1	38	351	329	13.39	24	<1	6	<1	<1	1.72	<1	<1	1.26	2527	8	2	103	268	56	34	5.24	16	6	10	<10	49	7	8	<1	169	7	61	46	12	7	1061	68
109425D	918231	0.067	2	6.92	293	95	<2	3	0.99	16	<1	40	343	336	13.72	25	<1	6	<1	<1	1.74	<1	<1	1.31	2591	6	3	105	268	57	44	5.37	12	7	7	<10	47	7	9	<1	163	6	71	46	11	7	1079	46
109426	918232	0.041	1	5.14	80	95	<2	<1	1.19	9	<1	22	515	150	8.58	14	<1	3	<1	<1	1.88	<1	<1	0.90	3199	<1	<1	52	120	40	28	2.80	7	2	12	<10	47	5	2	<1	141	13	<20	21	<10	5	517	16
109427	918233	0.005	1	4.97	2	44	<2	3	2.38	15	<1	10	343	38	14.85	19	<1	5	<1	<1	1.78	<1	<1	1.93	6684	4	<1	9	<100	30	<1	0.49	6	<1	5	<10	43	9	11	<1	115	4	61	11	<10	7	168	8
109428	918234	<0.005	1	5.56	5	44	<2	5	2.53	19	<1	11	315	39	18.39	24	<1	7	<1	<1	1.71	<1	<1	2.45	7875	9	2	11	118	31	20	0.50	9	<1	<5	<10	42	11	14	<1	118	17	120	12	<10	8	174	25
109429	918235	0.008	<1	3.52	9	65	<2	3	2.35	17	<1	11	300	37	16.34	20	<1	3	<1	<1	1.73	<1	<1	1.64	7056	<1	1	9	102	31	18	0.50	6	<1	<5	<10	33	8	15	<1	192	10	79	12	<10	5	158	<1
109430	918236	<0.005	<1	4.91	30	61	<2	2	1.94	13	<1	8	453	17	13.84	17	<1	1	<1	<1	1.69	<1	<1	1.86	3868	<1	<1	10	356	25	11	0.37	6	<1	<5	<10	29	6	6	<1	182	6	57	9	<10	7	77	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109431	918237	<0.005	1	6.17	13	77	<2	1	1.76	11	<1	7	583	14	12.05	16	1	3	<1	<1	1.78	<1	<1	1.53	3139	<1	<1	14	183	24	34	0.22	7	<1	5	<10	38	5	6	<1	232	3	38	9	<10	7	49	<1
109432	918238	<0.005	<1	4.68	12	58	<2	2	1.90	15	<1	9	418	10	15.26	17	<1	3	<1	<1	1.56	<1	<1	1.94	4095	<1	<1	10	387	30	<1	0.24	7	<1	7	<10	29	9	12	<1	173	6	66	8	<10	6	52	<1
109433	918239	<0.005	2	8.24	7	116	<2	3	2.71	13	<1	7	261	12	13.35	23	27	11	<1	<1	1.89	<1	<1	1.73	3636	14	<1	7	362	26	<1	0.29	6	<1	8	<10	58	5	7	<1	372	8	46	9	<10	8	48	265
109434	918240	5.806	2	7.26	292	218	<2	<1	2.40	7	13	120	148	1591	6.42	14	<1	<1	<1	<1	1.71	4	<1	1.19	632	<1	8	1336	475	703	37	1.98	7	9	6	<10	113	3	2	2	2373	8	<20	81	29	13	416	<1
109435	918241	0.007	<1	5.19	8	62	<2	4	2.57	14	<1	9	556	22	14.06	16	<1	3	<1	<1	1.65	<1	<1	2.00	4078	<1	1	15	1056	25	30	0.29	8	<1	<5	<10	36	7	11	<1	196	15	44	9	<10	8	51	<1
109436R	918241	0.006	1	6.06	2	76	<2	<1	2.70	14	<1	9	259	15	14.10	18	<1	4	<1	1	2.00	<1	<1	1.99	4114	<1	<1	7	1105	26	35	0.29	6	<1	<5	<10	41	7	9	<1	230	8	68	9	<10	8	53	<1
109437	918242	0.011	<1	4.97	11	58	<2	5	3.82	18	<1	11	422	59	16.61	19	<1	3	<1	<1	1.67	<1	<1	2.45	5108	<1	2	10	180	29	<1	0.51	8	1	6	<10	37	11	10	<1	180	12	63	13	<10	7	336	<1
109438	918243	<0.005	<1	5.68	2	67	<2	1	3.94	13	<1	6	280	13	12.70	15	<1	3	<1	<1	1.73	<1	<1	2.31	3929	<1	1	8	<100	20	15	0.19	8	<1	8	<10	43	7	9	<1	206	6	<20	9	<10	7	107	<1
109439	918244	<0.005	1	5.17	2	61	<2	3	3.01	14	<1	10	576	34	13.69	17	<1	2	<1	<1	1.78	<1	<1	2.27	5606	<1	2	12	<100	22	<1	0.76	7	<1	5	<10	36	8	9	<1	190	11	49	10	<10	6	113	<1
109440	918245	0.012	1	5.06	803	62	<2	4	4.69	18	<1	18	138	132	17.49	22	<1	4	<1	<1	2.00	<1	<1	2.91	6813	<1	2	23	105	30	20	2.36	7	1	<5	<10	41	11	10	<1	190	13	70	12	<10	8	154	<1
109441	918246	0.008	<1	4.50	891	56	<2	4	2.16	13	<1	10	679	62	12.90	14	<1	2	<1	<1	1.81	<1	<1	1.82	4097	<1	<1	15	228	27	49	1.85	7	<1	<5	<10	28	6	9	<1	167	6	33	8	<10	5	59	<1
109442	918247	0.009	1	4.28	250	56	<2	5	2.40	22	<1	11	152	37	21.16	26	<1	4	<1	<1	1.69	<1	<1	2.71	6500	6	<1	7	562	38	23	1.12	8	<1	<5	<10	29	9	16	<1	161	13	137	11	<10	7	109	<1
109443	918248	<0.005	<1	3.76	27	63	<2	2	2.91	18	<1	10	481	16	17.02	20	<1	3	<1	<1	1.86	<1	<1	2.04	5112	<1	<1	9	507	29	31	0.45	5	<1	5	<10	33	8	13	<1	175	8	87	9	<10	6	104	<1
109444	918249	<0.005	<1	7.24	14	78	<2	2	8.27	7	8	13	186	30	6.07	11	<1	<1	<1	<1	2.11	<1	5	2.84	2190	<1	10	61	229	15	41	0.15	5	13	17	<10	79	4	3	<1	249	10	<20	70	<10	8	335	<1
109445	918250	<0.005	<1	7.21	4	955	<2	<1	1.28	<4	36	4	466	8	1.44	15	3	2	<1	<1	1.96	16	5	0.36	246	<1	4	9	358	34	94	0.03	5	1	13	<10	224	<1	<1	10	1298	4	<20	21	<10	5	83	31
109446	918251	<0.005	<1	8.92	70	172	<2	<1	4.47	6	<1	45	269	157	6.81	25	7	<1	<1	<1	1.74	<1	28	1.83	1828	<1	25	125	312	16	21	0.12	5	20	9	<10	123	6	<1	<1	396	10	<20	259	<10	5	112	<1
109447D	918251	<0.005	<1	8.33	68	173	<2	<1	4.34	6	<1	44	262	155	6.60	25	9	2	<1	<1	1.79	<1	30	1.63	1797	<1	26	124	310	11	<1	0.12	<5	17	9	<10	124	6	<1	<1	416	11	<20	259	<10	5	104	<1
109448	918252	<0.005	<1	9.51	92	203	<2	<1	5.89	6	<1	47	258	139	6.76	26	11	3	<1	<1	1.93	<1	25	1.96	2218	<1	24	122	314	14	<1	0.15	5	21	12	<10	118	7	<1	<1	473	12	<20	240	<10	6	95	30
109449	918253	0.010	<1	>10.00	151	212	<2	<1	6.69	7	16	52	236	153	7.45	24	4	1	<1	<1	1.73	<1	15	2.04	2017	<1	26	134	313	12	18	0.16	6	28	5	<10	126	5	<1	<1	575	12	<20	267	<10	8	114	<1
109450	918254	0.013	<1	10.00	149	294	<2	<1	5.09	6	5	47	230	153	5.91	21	1	<1	<1	<1	1.94	<1	5	1.81	1297	<1	24	101	419	18	<1	0.37	<5	24	8	<10	116	6	<1	<1	2005	9	<20	244	<10	15	93	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109451	918255	0.010	<1	>10.00	144	329	<2	<1	5.22	6	6	46	260	157	6.03	23	1	<1	<1	<1	1.77	<1	7	1.75	1343	<1	27	99	434	13	32	0.36	8	23	8	<10	128	6	<1	<1	2773	22	<20	265	<10	15	89	<1
109452	918256	0.009	<1	9.09	268	265	<2	<1	5.61	6	2	77	249	173	6.74	26	<1	<1	<1	<1	1.67	<1	<1	1.97	1357	<1	32	148	487	15	36	0.38	5	23	8	<10	120	6	<1	<1	653	32	<20	318	<10	6	131	<1
109453	918257	<0.005	<1	8.58	171	181	<2	<1	5.44	5	11	27	173	100	5.17	15	<1	<1	<1	<1	1.96	<1	<1	1.56	1470	<1	14	55	357	12	36	0.28	<5	16	<5	<10	93	2	<1	<1	440	12	<20	142	<10	7	147	<1
109454	918258	<0.005	<1	8.92	98	1022	2	1	5.21	5	12	41	271	120	5.63	20	5	2	<1	<1	1.96	<1	<1	2.36	1421	<1	25	87	1431	15	47	0.21	7	18	10	<10	208	6	<1	2	889	16	<20	237	<10	9	77	<1
109455	918259	<0.005	1	8.79	81	1176	2	<1	3.39	7	11	45	285	109	7.29	27	5	4	<1	<1	1.79	1	8	2.27	1014	<1	25	103	2088	23	11	0.07	8	17	<5	<10	242	6	<1	3	1683	11	<20	243	<10	10	101	35
109456	918260	<0.005	<1	7.70	96	550	<2	<1	4.67	6	<1	48	321	144	6.26	24	<1	<1	<1	<1	1.83	<1	2	2.01	1653	<1	29	135	727	17	<1	0.28	5	17	<5	<10	161	7	<1	<1	1951	18	<20	287	<10	6	75	<1
109457	918261	<0.005	<1	8.26	109	466	<2	<1	6.00	8	2	47	213	134	8.09	26	3	3	<1	<1	1.89	<1	<1	1.88	1654	<1	27	96	430	16	48	0.93	7	20	8	<10	144	6	<1	<1	691	14	<20	281	<10	6	99	<1
109458D	918261	<0.005	<1	8.02	110	412	<2	<1	5.83	7	<1	46	199	127	7.78	24	<1	1	<1	<1	1.82	<1	<1	1.87	1595	<1	25	93	407	16	<1	0.90	<5	20	9	<10	133	6	<1	<1	589	12	<20	251	<10	5	92	<1
109459	918262	0.006	<1	8.49	106	220	<2	1	5.69	6	2	46	183	156	6.35	21	7	<1	<1	<1	1.89	<1	<1	2.09	1378	<1	25	99	467	13	26	0.59	<5	20	9	<10	114	6	<1	<1	498	16	<20	247	<10	5	95	<1
109460	918263	<0.005	<1	8.48	120	189	<2	<1	6.84	6	5	45	161	144	6.45	20	<1	<1	<1	<1	2.40	<1	<1	1.85	1656	<1	24	102	411	13	35	0.44	6	19	12	<10	105	5	<1	<1	679	13	<20	239	<10	6	85	<1
109461	918264	<0.005	<1	9.50	79	185	<2	<1	5.55	5	4	53	176	149	5.82	16	1	<1	<1	<1	1.81	<1	<1	1.88	1706	<1	24	98	447	13	49	0.24	8	26	15	<10	119	5	<1	<1	809	10	<20	244	<10	7	73	<1
109462	918265	<0.005	<1	9.12	72	168	<2	<1	5.16	5	4	52	167	135	5.53	15	<1	<1	<1	<1	1.87	<1	<1	1.89	1664	<1	21	101	442	10	31	0.19	<5	24	12	<10	112	5	<1	<1	720	22	<20	211	<10	7	74	<1
109463	918266	0.007	<1	>10.00	132	263	<2	2	1.51	7	<1	56	282	150	6.97	22	3	<1	<1	<1	1.68	<1	17	2.10	1051	<1	25	141	312	13	26	0.08	5	26	<5	<10	79	6	<1	<1	455	16	<20	263	<10	5	79	<1
109464	918267	0.245	<1	9.77	131	279	<2	<1	3.26	7	<1	53	262	140	7.37	21	3	<1	<1	<1	1.56	<1	19	2.47	1212	<1	23	136	296	14	18	0.39	<5	27	5	<10	147	5	<1	<1	651	7	<20	235	<10	5	97	<1
109465	918268	<0.005	<1	9.37	17	165	<2	<1	5.15	5	43	38	440	74	5.23	15	3	<1	<1	<1	1.49	15	4	4.13	1116	<1	19	191	1443	17	<1	0.28	<5	18	8	<10	406	4	<1	2	2161	20	<20	135	<10	15	80	<1
109466	918269	<0.005	<1	9.24	11	1037	2	<1	4.63	5	39	41	657	58	5.10	16	4	<1	<1	<1	1.92	16	3	5.02	957	<1	19	238	1745	26	70	0.18	7	17	5	<10	508	3	<1	5	3008	23	<20	124	<10	15	69	<1
109467	918270	13.522	6	8.09	28	414	<2	<1	2.82	4	1	25	91	137	4.17	13	1	<1	<1	<1	1.87	<1	<1	1.41	601	<1	12	45	642	34	575	0.86	<5	13	9	<10	123	2	<1	<1	3613	10	<20	105	<10	16	145	<1
109468	918271	0.011	<1	7.76	8	785	2	<1	3.92	4	35	37	540	61	4.79	12	<1	<1	<1	<1	1.95	14	<1	4.48	1025	<1	18	206	1560	16	80	0.20	5	15	5	<10	434	4	<1	3	3016	26	<20	115	<10	14	60	<1
109469D	918271	<0.005	<1	8.36	11	838	2	<1	4.08	5	42	38	583	64	4.99	15	<1	<1	<1	<1	1.96	15	<1	4.59	1065	<1	17	208	1668	17	51	0.18	<5	15	7	<10	433	3	<1	3	3022	21	<20	117	<10	15	60	<1
109470	918272	<0.005	<1	9.05	8	322	2	<1	4.80	5	42	37	608	60	4.96	15	10	<1	<1	<1	1.64	16	2	4.93	973	<1	17	236	1687	16	11	0.21	5	16	<5	<10	493	3	<1	2	1295	22	<20	118	<10	14	62	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109471	918273	0.022	<1	9.77	97	155	<2	<1	7.22	6	17	50	204	139	6.19	15	1	<1	<1	<1	2.07	<1	6	2.05	1923	<1	20	118	264	14	<1	0.23	<5	25	9	<10	140	4	<1	<1	444	25	<20	199	<10	7	68	<1
109472	918274	0.011	<1	>10.00	122	151	<2	2	5.60	7	3	54	196	153	7.55	15	<1	<1	<1	<1	1.93	<1	<1	2.01	2493	<1	18	137	209	11	44	0.19	<5	26	8	<10	84	5	<1	<1	354	7	<20	195	<10	6	81	<1
109473	918275	0.005	<1	9.62	259	164	<2	1	>10.00	7	12	34	161	104	6.73	17	3	1	<1	<1	2.13	<1	<1	3.27	2841	<1	20	83	194	14	9	0.25	7	22	<5	<10	103	6	<1	<1	530	21	<20	173	<10	8	66	<1
109474	918276	<0.005	<1	9.57	69	110	<2	<1	>10.00	7	28	38	158	110	7.06	16	4	<1	<1	<1	1.87	<1	8	3.83	2919	<1	20	91	194	14	1	0.18	6	22	10	<10	110	6	<1	<1	374	14	<20	168	<10	8	61	<1
109475	918277	<0.005	<1	>10.00	41	88	<2	1	8.41	8	19	50	182	124	8.16	20	<1	<1	<1	<1	1.57	<1	21	2.59	2051	<1	21	127	209	15	17	0.21	7	31	9	<10	95	6	<1	<1	298	24	<20	210	<10	7	88	<1
109476	918278	<0.005	<1	>10.00	42	99	<2	3	7.87	8	6	55	206	141	8.13	22	<1	<1	<1	<1	1.56	<1	25	2.66	1879	<1	23	146	219	15	<1	0.19	<5	28	6	<10	112	6	<1	<1	330	13	<20	228	<10	7	87	<1
109477	918279	<0.005	<1	>10.00	42	95	<2	1	9.33	8	22	54	189	139	8.33	21	3	<1	<1	<1	1.81	<1	24	2.82	2181	<1	22	141	208	18	7	0.20	<5	28	9	<10	109	6	<1	<1	347	19	<20	210	<10	7	94	<1
109478	918280	<0.005	<1	7.78	<2	873	<2	<1	1.35	<4	50	4	301	8	1.32	11	<1	<1	<1	<1	1.86	24	<1	0.38	250	<1	3	8	280	33	30	0.03	<5	2	14	<10	276	1	<1	13	1067	9	<20	20	<10	5	26	<1
109479	918281	<0.005	<1	>10.00	18	93	<2	2	7.34	9	5	59	187	135	8.90	20	2	<1	<1	<1	1.88	<1	21	2.88	2366	<1	22	150	175	17	<1	0.22	7	32	14	<10	92	6	<1	<1	323	10	<20	214	<10	7	116	<1
109480D	918281	<0.005	<1	>10.00	19	86	<2	2	7.30	9	16	59	186	133	8.91	21	2	<1	<1	<1	1.89	<1	21	2.85	2371	<1	23	150	174	18	10	0.23	5	31	6	<10	92	7	<1	<1	330	11	<20	216	<10	7	113	<1
109481	918282	<0.005	<1	7.68	14	83	<2	2	>10.00	8	20	39	117	84	7.88	14	4	<1	<1	<1	2.06	<1	7	3.54	2798	<1	18	88	179	19	3	0.18	5	18	9	<10	88	6	<1	<1	357	19	<20	140	<10	7	86	<1
109482	918283	<0.005	<1	8.97	27	111	<2	<1	9.23	6	6	35	181	102	6.69	16	1	<1	<1	1	1.80	<1	9	2.83	1942	<1	20	95	268	14	24	0.17	<5	26	9	<10	100	6	<1	<1	372	13	<20	187	<10	7	90	<1
109483	918284	<0.005	<1	8.47	40	132	<2	<1	7.05	6	16	45	163	133	6.06	19	6	<1	<1	<1	1.92	<1	9	2.04	1573	<1	22	99	341	10	17	0.29	6	19	14	<10	107	6	<1	<1	311	18	<20	219	<10	6	71	<1
109484	918285	<0.005	<1	8.99	41	130	<2	<1	7.26	6	18	45	174	129	6.17	18	8	<1	<1	1	1.80	<1	9	2.15	1610	<1	22	100	348	14	22	0.26	5	21	11	<10	108	5	<1	<1	313	14	<20	219	<10	6	72	<1
109485	918286	<0.005	<1	9.19	62	132	<2	1	9.93	6	22	52	137	108	6.22	13	3	<1	<1	<1	1.84	<1	<1	3.23	2398	<1	17	105	166	11	25	0.17	<5	21	10	<10	102	4	<1	<1	400	18	<20	155	<10	7	67	<1
109486	918287	<0.005	<1	8.30	49	126	<2	<1	9.49	5	11	36	155	96	5.42	11	4	<1	<1	<1	1.75	<1	<1	2.89	2385	<1	17	81	171	9	7	0.18	6	18	12	<10	98	3	<1	<1	373	20	<20	145	<10	6	44	<1
109487	918288	0.009	<1	8.75	46	107	<2	<1	9.33	8	7	36	133	104	8.07	16	7	<1	<1	<1	1.74	<1	2	3.19	2404	<1	20	91	243	16	3	0.20	<5	26	7	<10	87	5	<1	<1	324	6	<20	181	<10	7	84	<1
109488	918289	0.007	<1	9.83	102	155	<2	<1	6.43	5	15	43	179	124	5.41	16	7	<1	<1	2	1.78	<1	<1	2.11	1366	<1	21	102	322	12	<1	0.18	6	29	5	<10	93	4	<1	<1	353	18	<20	213	<10	7	85	<1
109489	918290	0.020	<1	5.74	42	118	<2	<1	2.58	11	<1	31	148	102	10.73	16	<1	<1	<1	<1	1.82	<1	<1	1.70	3252	<1	6	56	167	24	18	2.37	6	9	11	<10	54	7	3	<1	841	8	<20	75	<10	6	236	<1
109490	918291	0.007	<1	3.84	74	49	<2	2	2.07	12	<1	10	438	34	12.03	12	<1	<1	<1	<1	1.80	<1	<1	1.77	4910	<1	<1	17	149	24	12	0.77	7	<1	<5	<10	34	5	9	<1	200	8	32	10	<10	5	81	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109491D	918291	0.008	1	2.93	83	38	<2	1	1.94	11	<1	9	434	33	11.71	10	<1	<1	<1	<1	1.45	<1	<1	1.69	4861	<1	1	16	137	23	16	0.74	7	<1	5	<10	29	7	7	<1	155	9	34	9	<10	4	76	<1
109492	918292	0.018	<1	3.86	30	59	<2	1	1.38	10	<1	10	256	37	10.64	10	<1	<1	<1	<1	1.73	<1	<1	1.32	2165	<1	1	18	360	18	<1	0.85	6	<1	<5	<10	34	5	7	<1	259	9	35	12	<10	6	140	<1
109493	918293	0.005	<1	8.76	10	831	2	<1	4.38	5	22	38	630	54	5.18	15	5	<1	<1	<1	1.91	9	<1	4.94	977	<1	18	241	1622	22	54	0.24	5	16	6	<10	690	5	<1	4	2812	22	<20	115	<10	13	73	<1
109494	918294	0.008	<1	7.39	34	522	<2	<1	3.83	7	14	38	473	59	6.78	13	<1	<1	<1	<1	1.90	5	<1	4.13	1582	<1	13	182	1283	19	4	0.83	<5	13	8	<10	433	4	3	1	2065	12	<20	94	<10	11	148	<1
109495	918295	0.007	<1	7.19	24	514	<2	<1	3.97	7	8	34	575	57	6.87	13	1	<1	<1	<1	1.97	5	<1	4.18	1607	<1	13	190	1271	21	40	0.78	5	13	8	<10	424	4	2	<1	2025	21	<20	93	<10	11	216	<1
109496	918296	<0.005	<1	9.97	9	800	2	<1	4.28	5	31	35	482	56	5.00	16	9	1	<1	2	2.02	13	1	4.44	875	<1	19	193	1668	25	69	0.18	5	15	10	<10	565	3	<1	4	2902	18	<20	119	<10	15	71	<1
109497	918297	0.020	<1	5.76	177	109	<2	1	1.56	8	<1	8	746	27	9.03	12	<1	3	<1	<1	1.73	<1	<1	1.06	1146	<1	<1	21	248	19	33	0.54	8	<1	<5	<10	62	5	4	<1	375	12	<20	13	<10	5	44	<1
109498	918298	0.010	<1	4.56	57	90	<2	3	1.81	12	<1	8	265	15	11.95	13	<1	<1	<1	<1	1.62	<1	<1	1.41	1776	<1	<1	17	387	25	10	0.31	8	<1	<5	<10	51	6	5	<1	300	6	41	11	<10	6	68	<1
109499	918299	0.030	<1	4.93	106	101	<2	2	2.03	20	<1	20	221	44	19.94	27	<1	3	<1	<1	1.39	<1	<1	2.13	1560	5	4	18	652	40	<1	0.73	9	5	6	<10	49	8	13	<1	710	13	129	50	<10	8	107	<1
109500	918300	0.990	<1	8.16	3	113	<2	<1	4.04	5	23	30	105	38	5.32	16	<1	<1	<1	<1	1.75	4	<1	2.17	874	<1	19	24	653	22	66	0.08	<5	19	6	<10	144	6	<1	<1	4964	18	<20	159	<10	27	78	<1
109501	918301	0.011	1	3.93	29	125	2	4	2.06	27	<1	16	82	7	25.82	34	2	5	<1	<1	1.48	<1	<1	2.29	1219	16	<1	7	798	48	<1	0.10	13	<1	<5	<10	49	15	21	<1	325	27	200	16	<10	8	108	<1
109502R	918301	0.011	<1	3.64	21	119	2	7	1.96	27	<1	15	191	9	26.75	32	<1	4	<1	<1	1.48	<1	<1	2.44	1254	16	1	8	823	51	<1	0.12	12	<1	<5	<10	44	13	21	<1	246	30	209	14	<10	7	107	<1
109503	918302	0.008	<1	3.32	33	117	<2	5	1.69	24	<1	16	63	132	24.42	31	<1	3	<1	<1	1.41	<1	<1	2.27	1022	10	1	8	859	45	11	0.24	13	<1	5	<10	44	16	18	<1	202	12	166	15	<10	7	129	<1
109504	918303	0.009	<1	3.29	30	99	<2	5	2.13	24	<1	13	191	22	23.48	27	<1	3	<1	<1	1.45	<1	<1	2.35	1197	8	1	8	703	42	15	0.26	12	<1	<5	<10	46	11	23	<1	201	28	162	13	<10	6	130	<1
109505	918304	0.014	<1	3.71	50	110	2	6	1.56	25	<1	14	83	19	24.34	28	<1	4	<1	<1	1.34	<1	<1	2.41	1372	11	1	7	583	42	7	0.31	11	<1	<5	<10	38	14	18	<1	206	27	186	13	<10	7	155	<1
109506	918305	0.019	<1	3.53	41	118	2	6	1.94	27	<1	15	145	21	26.36	33	<1	4	<1	<1	1.31	<1	<1	2.46	1503	15	<1	8	673	38	<1	0.32	12	<1	<5	<10	43	12	22	<1	204	15	200	14	<10	7	160	<1
109507	918306	0.014	<1	3.81	97	100	2	5	2.00	25	<1	15	204	29	24.85	31	<1	4	<1	<1	1.47	<1	<1	2.34	1299	11	1	11	801	39	<1	0.29	11	<1	<5	<10	58	14	17	<1	228	29	202	16	<10	8	120	<1
109508	918307	0.014	1	9.58	128	292	2	2	0.91	17	<1	44	173	313	16.43	31	3	4	<1	<1	1.88	2	<1	1.86	1597	<1	15	65	578	42	33	4.18	11	14	6	<10	40	10	3	2	1253	6	106	160	<10	9	227	<1
109509	918308	0.037	1	>10.00	278	398	2	<1	1.67	15	6	51	162	189	13.62	32	<1	5	<1	<1	2.00	5	<1	1.94	2088	<1	13	74	460	42	24	3.97	8	12	8	<10	55	6	4	2	1374	7	80	115	17	9	849	<1
109510	918309	0.008	<1	4.90	81	96	2	2	2.65	21	<1	16	231	37	20.93	27	<1	4	<1	<1	1.71	<1	<1	2.38	2164	4	2	15	771	36	38	0.84	11	2	<5	<10	71	7	15	<1	346	12	104	25	<10	8	144	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S ppm	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109511	918310	5.403	3	7.49	317	264	<2	1	2.72	8	13	129	169	1743	7.37	19	<1	2	<1	<1	2.03	3	<1	1.17	706	<1	9	1439	515	755	133	2.17	8	7	<5	<10	132	3	3	<1	2814	7	<20	93	31	12	456	<1
109512	918311	0.193	1	7.35	596	107	<2	4	2.31	20	<1	43	317	157	19.74	31	4	6	<1	<1	1.86	<1	<1	2.12	1219	13	3	54	629	39	15	3.10	12	3	6	<10	66	9	14	<1	469	6	126	29	<10	8	269	<1
109513D	918311	0.246	1	7.66	505	110	<2	3	2.31	20	<1	39	309	145	19.73	31	4	7	<1	<1	1.81	<1	<1	2.12	1218	12	2	50	607	43	14	3.13	12	3	5	<10	69	9	12	<1	481	6	123	28	<10	8	267	3
109514	918312	0.019	1	7.29	144	111	<2	5	3.29	23	<1	20	209	50	22.01	34	8	9	<1	<1	1.84	<1	<1	2.46	2354	18	1	27	535	41	26	1.43	15	2	6	<10	95	11	14	<1	469	7	138	25	<10	9	295	51
109515	918313	0.094	<1	7.45	202	109	<2	5	1.49	20	<1	33	209	79	17.28	27	<1	5	<1	<1	1.63	<1	<1	2.05	2842	5	4	40	437	30	2	2.22	7	5	9	<10	63	8	11	<1	570	9	115	43	12	8	892	<1
109516	918314	0.040	<1	7.50	1067	82	<2	1	2.97	21	<1	25	178	71	20.23	32	1	6	<1	<1	1.71	<1	<1	2.30	1446	14	3	38	538	34	9	2.00	8	5	5	<10	125	11	9	<1	457	4	104	44	<10	8	272	<1
109517	918315	0.044	<1	7.28	1253	95	<2	5	3.07	19	<1	33	150	61	18.69	29	<1	5	<1	<1	1.66	<1	<1	2.45	1285	7	3	34	640	35	10	2.22	9	3	6	<10	134	10	11	<1	416	12	91	33	10	8	171	<1
109518	918316	0.017	1	6.14	852	120	<2	2	3.46	14	<1	17	250	58	14.56	19	<1	4	<1	<1	1.92	<1	<1	2.11	2197	<1	1	31	347	33	29	1.50	7	2	<5	<10	193	8	10	<1	373	8	30	18	<10	7	110	<1
109519	918317	<0.005	<1	>10.00	30	963	2	<1	5.09	5	37	40	665	33	5.56	21	10	2	<1	<1	2.05	16	4	5.29	1052	<1	19	248	1748	22	82	0.09	7	17	8	<10	709	6	<1	8	3028	19	<20	124	<10	16	85	16
109520	918318	0.008	<1	8.02	78	600	2	<1	3.47	5	15	30	616	43	6.08	16	3	2	<1	<1	2.01	5	<1	3.50	1428	<1	12	182	1107	21	46	0.69	6	9	10	<10	442	4	<1	3	1887	22	<20	91	<10	10	82	<1
109521	918319	0.073	1	5.49	440	87	<2	<1	1.78	9	<1	8	611	27	9.52	13	<1	1	<1	2	2.05	<1	<1	1.22	2843	<1	<1	20	228	19	38	1.03	7	<1	6	<10	104	4	3	<1	251	6	<20	10	<10	5	68	<1
109522	918320	<0.005	<1	7.78	7	849	<2	<1	1.28	<4	34	4	406	5	1.33	12	<1	<1	<1	1.89	16	6	0.40	257	<1	4	8	304	29	82	0.03	<5	1	14	<10	292	<1	<1	11	1180	3	<20	17	<10	6	31	<1	
109523	918321	<0.005	<1	8.57	35	864	2	<1	4.85	5	29	39	658	41	5.46	18	9	2	<1	<1	1.91	11	2	4.47	1058	<1	18	240	1481	21	51	0.09	<5	13	10	<10	567	5	1	2	2843	14	<20	121	<10	12	78	<1
109524D	918321	<0.005	<1	8.45	34	853	2	<1	4.70	5	28	38	633	40	5.32	17	9	2	<1	<1	1.93	10	2	4.32	1033	<1	17	233	1452	11	58	0.09	6	13	10	<10	558	4	<1	7	2817	20	<20	118	<10	12	75	<1
109525	918322	<0.005	<1	>10.00	27	656	2	<1	4.89	5	40	38	667	51	5.31	19	7	2	<1	<1	1.84	16	1	5.13	1068	<1	19	238	1624	25	49	0.06	6	17	8	<10	528	5	<1	6	2590	25	<20	122	<10	15	75	<1
109526	918323	0.015	1	5.93	80	89	<2	3	2.09	11	<1	8	580	13	11.68	15	<1	3	<1	<1	1.96	<1	<1	1.47	2687	<1	1	14	240	16	<1	0.46	8	<1	<5	<10	93	7	6	<1	262	10	23	9	<10	6	69	<1
109527	918324	0.084	<1	4.50	262	60	<2	4	1.55	14	<1	20	502	47	14.68	18	<1	<1	<1	1.64	<1	<1	1.60	3637	<1	2	33	269	30	<1	2.20	9	2	<5	<10	65	9	11	<1	269	8	57	19	<10	6	166	<1	
109528	918325	0.071	<1	4.88	272	64	<2	3	1.55	13	<1	18	354	45	13.97	17	<1	2	<1	<1	1.70	<1	<1	1.58	3568	<1	1	26	256	28	38	1.89	8	2	5	<10	65	5	10	<1	293	8	50	18	<10	6	159	<1
109529	918326	0.032	<1	4.30	378	73	<2	3	1.69	13	<1	10	446	26	14.65	18	<1	<1	<1	1.68	<1	<1	1.74	2233	<1	<1	15	426	26	<1	1.06	7	<1	<5	<10	68	7	10	<1	233	11	51	14	<10	6	133	<1	
109530	918327	0.040	<1	4.06	430	136	<2	6	1.45	16	<1	10	257	15	16.55	20	<1	3	<1	<1	1.74	<1	<1	1.53	1447	3	<1	13	512	31	24	0.50	10	<1	7	<10	66	6	10	<1	277	7	77	16	<10	5	77	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109531	918328	0.006	<1	3.51	162	95	<2	3	2.45	17	<1	8	474	6	17.56	24	<1	2	<1	<1	1.66	<1	<1	1.49	1625	5	<1	10	536	30	18	0.19	10	<1	<5	<10	103	8	12	<1	221	2	72	11	<10	5	68	<1
109532	918329	<0.005	1	3.08	81	77	<2	6	1.86	17	<1	9	441	5	17.93	22	<1	2	<1	<1	1.55	<1	<1	1.54	1969	5	<1	11	588	29	22	0.12	10	<1	<5	<10	86	9	11	<1	238	6	94	13	<10	5	80	<1
109533	918330	<0.005	<1	8.23	31	748	2	<1	4.04	7	28	32	528	42	7.33	19	2	<1	<1	<1	1.86	10	<1	3.84	1172	<1	15	180	1544	25	22	0.32	<5	12	12	<10	383	4	<1	4	1792	14	<20	113	<10	13	100	<1
109534	918331	0.150	<1	3.81	993	82	<2	5	2.01	19	<1	23	290	32	19.19	26	<1	3	<1	<1	1.49	<1	<1	1.60	4476	7	1	20	435	35	28	1.65	9	<1	<5	<10	76	10	18	<1	293	12	127	20	<10	6	101	<1
109535D	918331	0.160	<1	4.31	987	82	<2	4	1.99	18	<1	22	283	32	18.91	24	<1	3	<1	<1	1.66	<1	<1	1.70	4431	7	1	20	429	38	43	1.62	11	<1	<5	<10	74	11	12	<1	295	6	123	20	<10	6	96	<1
109536	918332	0.148	<1	5.37	282	93	<2	4	1.24	18	<1	24	237	58	19.05	26	<1	2	<1	<1	1.50	<1	<1	2.06	4445	<1	2	32	210	33	10	2.86	8	2	<5	<10	42	9	13	<1	320	4	140	28	<10	6	101	<1
109537	918333	0.028	<1	5.39	130	74	<2	<1	1.88	9	<1	8	441	15	10.30	13	<1	<1	<1	<1	1.96	<1	<1	1.39	2994	<1	1	13	308	19	8	0.93	7	<1	10	<10	59	4	8	<1	285	6	<20	11	<10	6	72	<1
109538	918334	0.040	1	8.20	120	223	2	1	1.37	17	<1	25	347	42	16.02	29	12	7	<1	<1	1.89	<1	<1	1.68	3107	9	4	51	256	37	<1	2.45	10	4	7	<10	58	7	6	<1	869	4	77	47	15	7	514	53
109539	918335	0.060	1	7.61	96	221	2	3	1.48	18	<1	24	315	54	16.84	28	<1	5	<1	<1	1.84	<1	<1	1.76	3648	7	3	47	275	36	9	2.57	10	4	6	<10	54	9	10	<1	703	7	101	44	10	7	500	<1
109540	918336	0.026	<1	5.99	52	215	<2	<1	1.22	11	<1	19	414	60	10.71	15	<1	2	<1	<1	1.88	<1	<1	1.21	3447	<1	2	35	224	26	17	2.17	8	2	5	<10	41	5	4	<1	575	11	27	26	<10	6	223	<1
109541	918337	0.022	1	5.38	229	63	<2	2	1.23	15	<1	13	452	29	14.99	20	<1	3	<1	<1	1.69	<1	<1	1.68	4305	<1	2	20	169	29	15	1.18	9	1	<5	<10	39	6	12	<1	374	13	90	18	<10	6	157	<1
109542	918338	0.069	1	6.36	198	56	<2	3	1.65	18	<1	18	219	43	17.95	26	<1	6	<1	<1	1.41	<1	<1	1.95	4720	9	1	22	251	39	8	1.69	12	2	6	<10	68	7	14	<1	375	8	124	20	<10	9	173	<1
109543	918339	0.056	1	6.11	293	181	<2	2	0.95	15	<1	28	457	70	14.39	21	<1	4	<1	<1	1.97	<1	<1	1.33	2458	6	<1	47	332	30	13	3.26	11	2	5	<10	60	6	6	<1	411	3	77	22	<10	7	201	<1
109544	918340	13.530	7	8.33	29	398	<2	<1	2.72	4	6	25	87	142	4.27	14	<1	<1	<1	<1	1.82	<1	<1	1.41	611	<1	11	45	586	36	385	0.92	<5	13	13	<10	126	3	<1	<1	3557	12	<20	105	<10	18	148	<1
109545	918341	0.053	1	5.45	154	53	<2	4	1.32	15	<1	14	341	31	14.75	18	<1	3	<1	<1	1.71	<1	<1	1.77	4079	1	<1	17	263	29	2	1.39	10	1	<5	<10	59	7	6	<1	255	9	67	14	<10	8	116	<1
109546D	918341	0.048	1	5.99	144	58	<2	2	1.38	15	<1	15	341	32	14.90	20	<1	4	<1	<1	1.95	<1	<1	1.80	4120	5	<1	19	277	28	<1	1.41	5	1	<5	<10	64	7	10	<1	265	4	95	14	<10	8	116	<1
109547	918342	0.185	1	5.48	1766	57	<2	5	1.69	16	<1	11	364	21	16.30	22	<1	5	<1	<1	1.74	<1	<1	1.94	2470	6	<1	13	324	31	<1	1.12	8	<1	5	<10	70	7	11	<1	197	12	94	14	<10	7	100	<1
109548	918343	0.108	1	5.89	977	57	<2	<1	1.48	13	<1	13	468	31	12.80	16	<1	4	<1	<1	1.92	<1	<1	1.49	4237	3	<1	19	207	25	23	1.49	5	<1	6	<10	66	6	9	<1	232	5	53	12	<10	7	82	4
109549	918344	0.123	2	6.54	153	63	<2	6	1.41	16	<1	19	425	47	16.38	22	<1	7	<1	<1	1.88	<1	<1	1.82	5944	12	2	30	223	30	19	2.76	8	1	<5	<10	68	7	9	<1	257	11	85	16	<10	8	85	52
109550	918345	0.035	<1	6.23	47	93	<2	3	1.63	10	<1	11	483	15	10.30	14	<1	2	<1	<1	1.91	<1	<1	1.27	2933	<1	2	25	<100	22	12	1.69	12	2	7	<10	60	4	7	<1	401	7	<20	23	<10	6	106	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109551	918346	0.021	<1	4.30	52	43	<2	1	0.85	9	<1	7	522	16	9.33	8	<1	<1	<1	<1	1.85	<1	<1	1.20	3782	<1	<1	16	<100	19	<1	1.06	6	<1	8	<10	44	4	5	<1	149	11	24	9	<10	5	63	<1
109552	918347	0.023	<1	4.01	83	45	<2	3	1.42	13	<1	8	422	13	13.17	15	<1	1	<1	<1	1.69	<1	<1	1.52	4295	<1	<1	10	229	23	<1	0.77	7	<1	6	<10	49	8	10	<1	123	11	68	8	<10	6	49	<1
109553	918348	0.038	1	5.07	34	50	<2	1	1.63	13	<1	11	499	41	12.95	15	<1	3	<1	<1	1.79	<1	<1	1.55	4010	<1	<1	22	154	25	<1	1.92	9	<1	5	<10	56	6	4	<1	155	12	46	9	<10	7	54	<1
109554	918349	0.021	1	5.40	35	52	<2	2	0.94	11	<1	10	517	24	11.57	14	<1	3	<1	<1	1.81	<1	<1	1.27	3392	<1	<1	21	214	26	15	1.49	7	<1	<5	<10	52	6	6	<1	252	10	72	13	<10	6	63	<1
109555	918350	<0.005	<1	6.71	<2	895	<2	<1	1.13	<4	21	3	401	5	1.20	11	<1	<1	<1	<1	1.79	10	2	0.33	226	<1	4	8	260	30	54	0.04	<5	<1	13	<10	297	<1	<1	9	1003	9	<20	15	<10	6	29	<1
109556	918351	0.009	<1	4.64	50	48	<2	2	1.44	9	<1	4	543	4	9.62	11	<1	1	<1	<1	1.83	<1	<1	1.20	1509	<1	<1	8	154	20	<1	0.18	5	<1	6	<10	51	5	4	<1	128	17	23	7	<10	5	35	<1
109557D	918351	0.017	1	4.69	42	47	<2	3	1.46	9	<1	5	547	4	9.74	8	<1	2	<1	<1	1.99	<1	<1	1.21	1530	<1	<1	9	157	19	7	0.18	6	<1	8	<10	50	2	6	<1	129	11	<20	7	<10	5	37	<1
109558	918352	0.037	<1	4.21	60	41	<2	2	3.05	10	<1	4	477	6	9.64	10	<1	<1	<1	<1	1.88	<1	<1	1.71	1360	<1	1	9	199	16	<1	0.22	9	<1	9	<10	57	5	4	<1	108	6	<20	7	<10	5	35	<1
109559	918353	<0.005	<1	6.56	568	363	2	4	>10.00	10	17	89	1319	58	8.80	19	<1	<1	<1	<1	1.86	<1	3	4.24	1846	<1	16	389	145	17	<1	0.21	10	17	7	<10	132	7	<1	2	211	23	<20	127	<10	7	90	<1
109560	918354	<0.005	<1	7.70	222	513	<2	<1	8.54	7	24	87	1248	110	6.84	18	<1	<1	<1	<1	1.74	<1	3	4.00	1329	<1	20	320	188	14	26	0.15	6	21	11	<10	112	6	<1	<1	269	22	<20	157	<10	7	81	<1
109561	918355	<0.005	<1	>10.00	218	590	<2	2	8.64	7	21	84	1281	105	7.01	19	5	3	<1	<1	1.86	<1	6	4.48	1308	<1	21	314	211	14	28	0.15	7	32	18	<10	128	5	<1	<1	373	28	<20	169	<10	10	79	2
109562	918356	<0.005	<1	8.81	135	305	<2	<1	8.72	6	27	59	682	78	6.60	15	8	2	<1	<1	1.89	<1	5	4.12	1230	<1	18	222	231	13	19	0.12	6	23	17	<10	118	4	<1	<1	266	21	<20	149	<10	8	85	<1
109563	918357	0.011	<1	8.68	80	227	<2	1	6.27	10	10	54	494	121	8.96	20	1	<1	<1	<1	1.85	<1	<1	3.19	2142	<1	13	149	257	22	<1	2.08	6	17	12	<10	100	5	2	<1	248	9	<20	112	<10	8	366	<1
109564	918358	<0.005	<1	8.77	137	246	<2	<1	8.62	6	28	59	782	75	6.60	17	8	2	<1	<1	1.95	<1	7	4.27	1262	<1	18	262	198	12	4	0.13	8	22	<5	<10	159	5	<1	<1	273	20	<20	150	<10	8	76	<1
109565	918359	0.007	<1	>10.00	69	308	<2	<1	7.66	7	14	59	639	121	6.68	15	8	1	<1	<1	1.94	<1	<1	3.87	1335	<1	17	185	252	17	28	0.62	7	26	13	<10	134	5	<1	<1	331	28	<20	148	<10	8	139	<1
109566	918360	0.010	<1	9.14	15	369	<2	2	6.02	7	14	45	215	175	6.51	16	3	2	<1	<1	1.97	<1	<1	2.49	1749	<1	12	85	301	18	16	1.78	<5	16	9	<10	128	4	<1	<1	278	13	<20	121	<10	8	223	<1
109567	918361	<0.005	<1	9.34	3	89	<2	<1	5.41	5	37	39	640	65	5.28	16	4	1	<1	<1	1.68	11	<1	5.48	1038	<1	17	278	1663	15	<1	0.25	6	16	10	<10	565	3	<1	5	310	27	<20	120	<10	13	69	<1
109568R	918361	<0.005	<1	9.20	7	87	<2	1	5.21	5	27	37	601	62	5.03	13	6	1	<1	<1	1.67	10	<1	5.29	988	<1	17	266	1585	17	<1	0.24	8	16	14	<10	541	4	<1	3	316	21	<20	114	<10	12	62	<1
109569	918362	<0.005	1	7.06	36	342	<2	2	5.44	7	6	42	205	244	7.22	26	3	4	<1	<1	1.70	<1	3	1.48	2770	<1	23	69	389	15	7	0.34	<5	11	<5	<10	129	7	<1	<1	374	14	<20	248	<10	5	154	47
109570	918363	<0.005	<1	8.50	37	128	<2	<1	7.03	6	7	41	172	114	6.40	15	3	<1	<1	<1	1.82	<1	<1	2.27	2502	<1	20	68	295	14	28	0.36	<5	19	11	<10	115	4	<1	<1	257	18	<20	190	<10	7	94	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109571	918364	<0.005	<1	9.26	30	120	<2	<1	6.37	6	8	39	217	127	6.04	19	2	1	<1	<1	1.87	<1	2	2.18	1636	<1	21	78	317	12	16	0.33	<5	22	<5	<10	122	5	<1	<1	292	17	<20	212	<10	7	97	<1
109572	918365	<0.005	<1	9.00	30	105	<2	<1	6.48	6	17	39	210	129	6.04	16	<1	<1	<1	<1	1.84	<1	<1	2.35	1620	<1	20	77	317	14	<1	0.34	6	24	11	<10	110	5	<1	<1	241	23	<20	200	<10	7	89	<1
109573	918366	<0.005	<1	9.35	50	109	<2	<1	6.14	6	5	50	190	130	5.93	19	1	<1	<1	<1	1.88	<1	2	2.04	1576	<1	21	94	350	13	14	0.15	<5	22	<5	<10	117	5	<1	<1	222	10	<20	213	<10	7	95	<1
109574	918367	<0.005	<1	8.92	38	98	<2	1	6.82	6	5	53	183	122	6.50	18	<1	<1	<1	<1	1.76	<1	2	1.91	1370	<1	20	109	334	14	1	0.16	<5	21	12	<10	113	5	<1	<1	242	16	<20	204	<10	6	111	<1
109575	918368	<0.005	<1	9.16	30	96	<2	<1	7.05	6	8	47	168	121	6.18	16	3	<1	<1	<1	1.82	<1	<1	2.33	1192	<1	19	111	324	9	5	0.18	5	24	5	<10	107	4	<1	<1	231	14	<20	193	<10	7	87	<1
109576	918369	<0.005	<1	9.14	43	94	<2	<1	6.22	5	4	45	176	131	5.73	17	1	<1	<1	<1	1.80	<1	<1	2.28	1151	<1	20	97	340	9	<1	0.15	5	23	14	<10	108	3	<1	<1	216	13	<20	192	<10	6	75	<1
109577	918370	0.999	<1	8.13	<2	110	<2	<1	4.01	5	21	31	107	40	5.23	17	<1	<1	<1	<1	1.95	4	<1	2.16	879	<1	18	24	681	17	64	0.08	<5	19	10	<10	152	5	<1	2	4962	15	<20	163	<10	27	80	<1
109578	918371	0.005	<1	8.61	42	98	<2	<1	6.17	6	7	39	161	123	5.91	18	4	<1	<1	<1	1.78	<1	4	2.03	1414	<1	21	94	351	17	<1	0.16	6	19	14	<10	115	5	<1	<1	274	10	<20	205	<10	6	76	<1
109579D	918371	<0.005	<1	>10.00	44	97	<2	<1	6.56	6	10	40	166	129	6.28	21	<1	1	<1	<1	1.93	<1	6	2.31	1481	<1	21	99	368	12	<1	0.16	7	25	12	<10	116	5	<1	<1	241	14	<20	209	<10	7	81	<1
109580	918372	<0.005	<1	9.18	50	116	<2	2	6.97	6	22	44	212	141	6.44	24	3	4	<1	<1	1.92	<1	10	2.07	1467	<1	25	102	366	11	<1	0.19	5	19	<5	<10	134	5	<1	<1	250	24	<20	244	<10	6	87	47
109581	918373	<0.005	<1	9.28	50	100	<2	1	6.64	7	23	55	179	159	7.17	23	1	2	<1	<1	1.91	<1	9	2.26	1754	<1	23	104	359	17	<1	0.20	5	22	9	<10	117	6	<1	<1	267	16	<20	234	<10	7	96	<1
109582	918374	<0.005	<1	>10.00	39	98	<2	<1	8.75	8	12	46	179	136	7.72	20	<1	<1	<1	<1	2.02	<1	4	2.71	2308	<1	23	110	305	12	16	0.25	5	30	8	<10	120	5	<1	<1	259	17	<20	231	<10	8	95	<1
109583	918375	<0.005	<1	9.45	13	90	<2	<1	9.08	8	11	43	158	126	7.63	19	<1	<1	<1	<1	2.00	<1	4	2.86	2368	<1	22	101	309	12	5	0.21	5	28	8	<10	120	4	<1	<1	263	12	<20	215	<10	7	93	<1
109584	918376	<0.005	<1	9.19	9	100	<2	1	8.45	8	19	46	175	128	7.56	20	1	1	<1	<1	1.96	<1	7	2.53	2327	<1	21	107	290	15	16	0.24	6	24	12	<10	127	6	<1	<1	309	29	<20	215	<10	6	90	<1
109585	918377	0.006	<1	9.01	19	96	<2	1	9.16	7	9	43	156	116	7.28	18	<1	<1	<1	<1	1.96	<1	7	2.59	2708	<1	21	97	291	11	15	0.22	5	25	10	<10	130	6	<1	<1	312	19	<20	205	<10	7	73	<1
109586	918378	<0.005	<1	9.53	11	97	<2	2	8.53	8	11	42	183	113	7.31	20	3	2	<1	<1	1.98	<1	8	2.58	2395	<1	21	103	287	13	<1	0.22	<5	23	12	<10	130	6	<1	<1	324	23	<20	207	<10	8	90	<1
109587	918379	<0.005	<1	9.03	12	91	<2	4	7.20	7	9	49	173	142	7.10	18	<1	<1	<1	<1	1.81	<1	5	1.95	1886	<1	23	109	310	13	2	0.25	5	27	6	<10	120	6	<1	<1	240	15	<20	236	<10	6	95	<1
109588	918380	<0.005	<1	7.86	4	875	<2	<1	1.42	<4	32	5	506	8	1.49	11	1	<1	<1	<1	1.96	15	4	0.45	304	<1	4	12	306	25	29	0.02	<5	2	13	<10	330	<1	<1	11	1108	12	<20	22	<10	8	31	<1
109589	918381	<0.005	<1	8.62	7	87	<2	<1	7.96	8	10	43	178	130	7.94	19	<1	<1	<1	<1	1.76	<1	7	2.27	2480	<1	22	94	302	16	17	0.17	5	25	9	<10	108	7	<1	<1	262	26	<20	223	<10	6	96	<1
109590D	918381	<0.005	<1	8.97	9	79	<2	4	7.95	8	9	42	172	126	7.93	19	<1	<1	<1	<1	1.96	<1	6	2.36	2476	<1	22	94	307	15	<1	0.18	<5	27	12	<10	104	4	<1	<1	225	28	<20	219	<10	6	92	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/25/2011
Date Completed: 05/09/2011
Job #: 201141584
Reference:
Sample #: 219

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
109591	918382	<0.005	<1	9.61	11	88	<2	<1	8.20	8	9	41	179	133	7.59	23	3	2	<1	4	1.96	<1	12	2.39	1996	<1	23	85	333	14	12	0.22	<5	25	14	<10	116	6	<1	<1	288	7	<20	227	<10	7	91	<1
109592	918383	<0.005	<1	9.18	12	91	<2	<1	7.79	7	9	44	197	128	7.37	20	<1	<1	<1	<1	1.93	<1	5	2.27	1897	<1	22	99	328	14	19	0.21	6	27	12	<10	116	6	<1	<1	242	19	<20	222	<10	6	88	<1
109593	918384	0.005	<1	>10.00	26	85	<2	2	7.52	10	13	49	177	139	9.73	24	<1	2	<1	<1	1.81	<1	10	2.54	3234	<1	23	101	327	15	<1	0.27	<5	29	9	<10	110	7	<1	<1	255	14	<20	230	<10	7	111	<1
109594	918385	<0.005	<1	9.52	20	74	<2	<1	7.55	10	8	49	181	141	9.70	21	<1	<1	1	<1	1.73	<1	6	2.61	3263	<1	21	101	319	13	11	0.29	7	32	<5	<10	96	7	<1	<1	203	8	<20	224	<10	6	110	<1
109595	918386	<0.005	<1	9.86	6	80	<2	5	8.03	8	24	42	175	137	7.88	20	6	1	1	<1	1.97	<1	11	2.91	1605	<1	22	95	328	12	17	0.21	6	28	12	<10	117	5	<1	<1	256	15	<20	215	<10	7	98	<1
109596	918387	<0.005	<1	>10.00	<2	77	<2	<1	7.75	8	12	42	189	121	8.05	21	5	2	<1	<1	2.00	<1	17	3.12	1370	<1	24	94	329	12	<1	0.24	6	29	5	<10	121	6	<1	<1	236	11	<20	227	<10	7	95	<1
109597	918388	<0.005	<1	9.13	<2	92	<2	<1	7.42	7	21	54	199	157	7.48	21	1	<1	<1	<1	1.76	<1	11	2.36	1768	<1	26	116	396	14	<1	0.30	7	31	15	<10	107	7	<1	<1	203	19	<20	259	<10	7	98	<1
109598	918389	<0.005	<1	9.78	4	93	<2	<1	7.24	6	12	45	217	142	6.58	22	2	<1	<1	<1	1.91	<1	15	2.27	1440	<1	25	89	354	13	<1	0.12	6	27	17	<10	125	6	<1	<1	248	12	<20	246	<10	7	84	<1
109599	918390	<0.005	<1	>10.00	7	74	<2	2	7.50	7	13	39	213	153	7.07	21	<1	<1	<1	3	1.94	<1	13	2.37	1694	<1	25	75	401	15	6	0.19	6	33	7	<10	110	5	<1	<1	200	18	<20	251	<10	7	91	<1
109600	918391	<0.005	<1	10.00	7	88	<2	2	8.32	7	11	47	187	147	6.99	21	3	1	<1	<1	1.90	<1	16	2.52	2159	<1	23	107	347	16	<1	0.24	5	25	<5	<10	124	5	<1	<1	241	17	<20	223	<10	8	84	<1
109601D	918391	<0.005	<1	8.48	3	77	<2	<1	8.34	7	22	48	187	128	6.99	19	<1	<1	<1	2	1.79	<1	12	2.45	2182	<1	22	108	335	13	<1	0.23	<5	23	12	<10	112	5	<1	<1	194	17	<20	216	<10	7	84	<1
109602	918392	<0.005	<1	9.56	4	86	<2	<1	7.65	7	9	48	196	158	7.12	21	<1	<1	<1	<1	1.85	<1	17	2.05	2137	<1	25	120	380	12	<1	0.27	<5	26	<5	<10	115	5	<1	<1	207	29	<20	251	<10	7	83	<1
109603	918393	<0.005	<1	>10.00	8	94	<2	2	7.92	7	9	53	211	153	6.70	21	3	1	<1	<1	1.87	<1	16	2.38	2145	<1	25	107	400	11	23	0.30	6	30	12	<10	119	5	<1	<1	214	20	<20	248	<10	8	83	<1
109604	918394	<0.005	<1	>10.00	11	76	<2	<1	7.18	9	23	52	190	143	9.16	24	1	2	<1	<1	1.82	<1	20	2.29	2604	<1	26	114	369	18	<1	0.32	5	31	5	<10	104	7	<1	<1	253	22	<20	264	<10	8	89	<1
109605	918395	<0.005	<1	>10.00	12	86	<2	1	7.70	9	20	51	210	148	9.09	26	6	4	<1	<1	1.95	<1	23	2.21	2734	<1	26	111	375	17	12	0.27	5	31	10	<10	114	8	<1	<1	281	21	<20	272	<10	8	88	9
109606	918396	<0.005	1	>10.00	11	98	<2	<1	6.85	7	10	45	193	142	6.48	24	6	3	<1	3	1.92	<1	22	1.92	1368	<1	25	97	388	15	<1	0.17	<5	25	<5	<10	133	6	<1	<1	265	17	<20	258	<10	7	100	31
109607	918397	<0.005	<1	>10.00	39	88	<2	<1	7.16	6	9	51	202	154	6.20	20	2	<1	<1	<1	1.86	<1	15	1.86	1766	<1	24	109	387	11	16	0.24	<5	31	7	<10	123	5	<1	<1	209	13	<20	251	<10	7	91	<1
109608	918398	<0.005	1	>10.00	39	64	<2	<1	7.00	9	24	49	175	130	8.98	21	<1	1	<1	<1	1.93	<1	15	2.21	2611	<1	23	104	348	16	2	0.21	6	33	<5	<10	94	7	<1	<1	253	17	<20	242	<10	7	121	<1
109609	918399	<0.005	<1	>10.00	67	82	<2	<1	6.56	7	19	46	202	149	7.01	19	<1	<1	<1	<1	1.81	<1	13	2.14	1938	<1	24	102	381	13	11	0.19	5	34	14	<10	124	6	<1	<1	219	14	<20	247	<10	7	101	<1
109610	918400	13.961	6	7.55	31	409	<2	<1	2.79	4	1	25	87	138	4.13	15	<1	<1	<1	<1	1.99	<1	<1	1.26	601	<1	12	45	603	36	356	0.89	6	10	11	<10	132	2	2	<1	3563	7	<20	105	<10	14	147	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
116800	918401	9	1	9.40	151	403	3	17	0.73	<4	<1	77	40	349	10.18	32	12	6	1	<1	2.32	<1	9	0.85	908	8	25	93	460	14	16	0.10	<5	9	<5	<10	209	10	14	<1	409	<2	20	291	<10	3	175	124
116801	918402	11	1	>10.00	146	191	2	22	0.87	7	<1	95	30	464	22.40	44	22	9	3	<1	2.40	<1	35	2.96	1118	25	26	110	841	14	13	0.15	7	22	8	<10	155	16	24	<1	371	<2	52	321	<10	9	201	58
116802	918403	11	1	8.72	75	81	<2	16	1.05	7	<1	61	384	116	20.93	25	11	10	1	<1	2.56	<1	<1	1.66	4037	26	3	168	391	17	13	0.59	5	6	<5	<10	91	13	25	<1	217	<2	51	66	<10	11	242	73
116803	918404	9	1	>10.00	62	70	<2	28	0.72	10	<1	64	40	439	31.16	49	7	10	2	<1	2.14	<1	41	3.74	2937	37	25	101	684	23	2	0.07	11	24	<5	<10	70	22	35	<1	320	<2	109	323	10	9	270	<1
116804	918405	7	1	>10.00	61	85	<2	26	0.82	9	<1	60	60	363	28.51	44	26	11	2	<1	2.21	<1	36	3.39	3101	37	23	106	601	21	<1	0.10	8	22	<5	<10	85	20	28	<1	325	13	76	299	<10	9	243	<1
116805	918406	<5	<1	6.94	20	60	<2	11	0.80	<4	<1	28	657	41	11.28	11	<1	2	1	<1	2.24	<1	<1	1.27	2359	3	<1	145	203	9	<1	0.13	<5	3	<5	<10	72	8	13	<1	162	<2	22	28	<10	7	214	<1
116806	918407	<5	1	6.77	39	62	<2	18	0.91	5	<1	25	727	195	16.28	16	<1	5	3	<1	2.43	<1	<1	1.69	3978	13	<1	80	297	18	16	0.34	7	5	5	<10	84	10	23	<1	158	<2	29	30	<10	8	108	<1
116807	918408	10	1	>10.00	101	213	2	22	0.86	7	<1	68	64	309	19.96	29	<1	5	2	<1	2.19	<1	4	1.73	4364	16	17	83	703	19	3	0.07	<5	15	<5	<10	113	14	18	<1	261	<2	75	211	<10	7	153	<1
116808	918409	9	1	>10.00	119	249	2	19	0.85	5	<1	66	68	301	17.26	26	4	4	<1	<1	1.93	<1	<1	1.22	4370	12	15	87	618	16	<1	0.21	<5	13	9	<10	120	11	16	<1	259	<2	63	194	<10	6	143	<1
116809	918410	909	2	>10.00	4	206	<2	17	6.77	<4	24	39	165	57	7.87	33	74	12	2	<1	2.41	5	<1	2.56	1329	16	27	36	904	22	38	0.12	<5	21	13	<10	325	10	16	<1	9075	4	<20	261	<10	26	83	293
116811	918411	16	2	>10.00	101	362	3	21	1.14	6	<1	64	65	297	18.31	36	59	16	<1	<1	2.10	<1	<1	1.06	3977	33	20	99	750	20	<1	0.31	7	10	<5	<10	182	17	21	<1	483	<2	39	239	<10	5	163	359
116812	918412	11	1	9.69	95	218	2	15	0.88	6	<1	59	48	304	18.73	30	19	6	1	<1	2.14	<1	<1	1.28	4312	17	15	84	731	20	<1	0.27	7	12	<5	<10	121	14	18	<1	279	<2	55	197	<10	6	140	<1
116813	918413	9	1	>10.00	112	203	2	21	0.88	7	<1	68	46	345	20.80	33	9	7	1	<1	2.46	<1	11	1.93	4310	19	19	111	740	23	<1	0.24	8	17	<5	<10	115	15	21	<1	301	<2	53	241	<10	8	161	<1
116814	918414	10	1	>10.00	111	151	<2	23	0.87	7	<1	68	52	326	21.16	33	1	7	2	<1	2.31	<1	14	2.18	4423	20	19	97	723	19	14	0.33	7	17	<5	<10	100	13	23	<1	291	3	53	241	<10	7	159	<1
116815	918415	38	1	>10.00	80	221	2	16	0.76	5	<1	52	65	150	16.93	32	12	5	1	<1	2.21	<1	13	2.12	1304	14	22	69	791	16	4	1.65	6	15	<5	<10	131	13	18	<1	336	<2	44	260	<10	7	133	<1
116816	918416	623	<1	6.40	624	65	<2	12	0.62	<4	<1	17	739	120	5.79	6	<1	1	1	<1	2.35	<1	<1	0.29	164	<1	3	48	268	9	5	4.30	<5	1	<5	<10	79	5	9	<1	146	<2	<20	48	10	4	19	<1
116817	918417	10	2	6.07	75	65	<2	14	0.81	<4	<1	7	921	39	8.10	8	6	4	2	<1	2.37	<1	<1	0.76	1877	2	<1	25	135	11	7	0.97	5	<1	<5	<10	84	6	10	<1	170	<2	<20	13	<10	4	25	30
116818	918418	23	1	7.07	145	72	<2	15	0.93	5	<1	12	564	43	15.67	15	<1	6	<1	<1	2.45	<1	<1	1.75	5302	12	<1	19	301	17	19	1.56	7	2	6	<10	81	8	20	<1	167	4	45	19	<10	7	42	4
116819	918419	14	1	6.81	268	71	<2	13	0.78	<4	<1	13	932	30	7.70	8	<1	3	<1	<1	2.21	<1	<1	0.84	2109	<1	<1	33	<100	8	<1	0.87	<5	1	<5	<10	75	5	11	<1	161	<2	<20	11	<10	6	84	<1
116820	918420	<5	<1	>10.00	6	903	<2	12	1.78	<4	118	7	566	13	2.83	17	<1	2	<1	<1	2.45	36	<1	0.66	299	<1	10	12	1313	31	39	0.06	<5	4	9	<10	268	4	8	32	2313	<2	<20	40	<10	13	65	74

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
116822	918421	17	<1	6.79	89	76	<2	16	0.81	<4	<1	6	475	23	8.29	9	4	4	1	<1	2.35	<1	<1	0.46	614	2	<1	18	154	10	7	0.80	<5	<1	<5	<10	81	5	11	<1	172	<2	<20	9	<10	6	34	30
116823	918422	9	<1	6.41	49	67	<2	9	0.71	<4	<1	2	373	18	4.58	5	<1	<1	<1	<1	2.32	<1	<1	0.34	287	<1	<1	14	<100	8	3	0.58	<5	<1	<5	<10	71	3	8	<1	151	<2	<20	6	<10	5	22	<1
116824	918423	25	<1	6.17	174	70	<2	13	0.75	4	<1	9	328	22	15.57	13	4	5	<1	<1	2.46	<1	<1	0.37	1136	14	<1	12	219	18	20	0.48	<5	2	5	<10	73	7	18	<1	157	<2	40	14	<10	6	44	4
116825	918424	38	1	6.51	49	64	<2	12	0.86	<4	<1	6	496	22	9.90	8	<1	3	2	<1	2.32	<1	<1	0.84	1778	2	<1	14	575	8	6	0.66	<5	<1	6	<10	74	6	11	<1	151	<2	24	10	<10	7	24	<1
116826	918425	58	1	6.14	49	60	<2	14	0.79	<4	<1	6	518	22	10.02	7	<1	2	1	<1	2.48	<1	<1	0.85	1896	<1	<1	15	463	13	10	0.83	<5	<1	6	<10	68	5	12	<1	141	<2	<20	10	<10	6	25	<1
116827	918426	18	1	5.79	139	64	<2	15	0.74	4	<1	6	455	20	12.13	11	<1	5	2	<1	2.38	<1	<1	0.33	516	8	<1	13	437	14	9	0.42	<5	<1	<5	<10	71	7	12	<1	156	<2	<20	10	<10	5	20	3
116828	918427	176	<1	6.46	609	63	<2	14	0.84	4	<1	9	396	31	11.28	10	6	4	<1	<1	2.36	<1	<1	0.89	2087	5	<1	23	263	13	<1	1.22	<5	<1	<5	<10	72	6	10	<1	152	<2	32	10	<10	6	28	<1
116829	918428	473	1	7.47	4325	68	<2	20	0.98	6	<1	15	399	104	18.32	17	12	10	<1	<1	2.40	<1	<1	1.86	4356	21	<1	36	168	18	14	7.68	8	<1	<5	<10	85	10	22	<1	178	4	31	11	<10	6	30	97
116830	918429	643	1	6.73	6641	61	<2	14	0.97	5	<1	11	455	158	16.94	15	<1	7	<1	<1	2.65	<1	<1	1.64	4693	16	<1	34	603	21	14	6.41	9	<1	<5	<10	77	12	19	<1	155	<2	39	11	<10	7	28	17
116831	918430	144	1	6.49	1240	58	<2	12	0.79	<4	<1	9	550	113	10.47	9	<1	3	<1	<1	2.59	<1	<1	0.87	1949	4	<1	31	165	15	3	4.96	<5	<1	<5	<10	71	6	13	<1	150	<2	<20	7	<10	5	23	<1
116832D	918430	150	<1	5.63	1204	50	<2	13	0.69	<4	<1	9	536	112	10.31	7	<1	<1	1	<1	2.40	<1	<1	0.83	1915	<1	<1	31	153	14	5	4.86	5	<1	9	<10	60	7	11	<1	128	<2	20	7	<10	5	22	<1
116833	918431	88	<1	5.93	189	52	<2	12	0.84	4	<1	4	766	40	11.36	9	<1	3	<1	<1	2.47	<1	<1	1.24	2162	3	<1	16	574	13	<1	1.86	5	<1	<5	<10	67	7	13	<1	135	<2	24	7	<10	6	19	<1
116834	918432	323	<1	6.07	225	53	<2	15	0.78	<4	<1	6	674	66	11.21	9	<1	3	<1	<1	2.35	<1	<1	1.22	2509	4	<1	18	221	11	<1	2.61	<5	<1	<5	<10	67	7	14	<1	142	<2	20	10	<10	5	22	<1
116835	918433	58	1	7.13	225	62	<2	17	0.91	5	<1	7	472	85	15.94	14	<1	7	2	<1	2.30	<1	<1	1.68	3756	15	<1	25	220	17	5	4.55	<5	<1	14	<10	75	10	15	<1	161	3	31	13	<10	6	43	14
116836	918434	46	<1	5.45	257	50	<2	16	0.75	5	<1	7	545	40	16.06	12	<1	4	<1	<1	2.22	<1	<1	1.76	4079	9	<1	13	231	15	<1	1.46	<5	<1	<5	<10	58	10	16	<1	123	<2	34	12	<10	5	41	<1
116837	918435	168	<1	6.22	364	55	<2	11	0.87	5	<1	5	450	38	15.09	13	4	4	1	<1	2.27	<1	<1	1.71	3834	9	<1	12	427	17	<1	1.55	<5	<1	<5	<10	66	9	16	<1	146	<2	21	12	<10	6	41	<1
116838	918436	1705	<1	5.15	8998	45	<2	17	0.69	5	<1	12	561	142	14.23	9	<1	1	1	<1	2.18	<1	<1	1.23	2742	4	<1	31	208	17	<1	5.37	8	<1	<5	<10	52	8	17	<1	118	<2	27	13	<10	5	55	<1
116839	918437	3013	1	5.87	12024	52	<2	18	0.85	6	<1	11	554	144	17.18	16	4	5	<1	<1	2.25	<1	<1	1.53	3229	12	<1	33	332	16	<1	6.33	7	<1	<5	<10	63	9	21	<1	136	<2	55	11	<10	6	43	<1
116840	918438	4432	1	6.11	25757	53	<2	24	0.92	8	<1	20	438	154	23.68	20	<1	7	<1	<1	2.54	<1	<1	1.98	4534	24	<1	36	184	27	<1	8.01	17	<1	<5	<10	63	14	29	<1	138	<2	51	14	<10	6	43	<1
116841	918439	4870	1	7.13	23219	62	<2	18	1.00	6	<1	12	544	69	18.51	17	5	7	<1	<1	2.61	<1	<1	1.54	2719	20	<1	19	252	18	<1	3.91	14	<1	7	<10	77	11	21	<1	163	<2	43	11	<10	7	44	35

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
116842	918440	5614	3	>10.00	312	240	<2	13	3.38	<4	21	119	180	2009	8.32	18	<1	<1	<1	<1	2.44	7	<1	1.56	798	<1	10	1673	578	674	103	2.02	5	13	<5	<10	191	6	9	<1	3028	<2	<20	112	46	15	395	<1
116844	918441	23807	2	6.78	31221	59	<2	24	1.35	7	<1	12	543	56	21.56	18	2	8	1	<1	2.56	<1	<1	2.12	2897	22	<1	19	455	21	<1	3.95	16	<1	6	<10	74	12	19	<1	154	<2	56	13	<10	7	49	<1
116845	918442	2235	1	6.85	12137	62	<2	19	1.10	4	<1	7	467	53	13.49	12	4	5	<1	<1	2.55	<1	<1	1.34	1747	9	<1	13	424	16	<1	2.65	10	<1	<5	<10	75	7	15	<1	156	<2	25	9	<10	6	30	5
116846	918443	1976	1	6.74	11274	69	<2	18	1.01	6	<1	12	419	87	20.92	18	3	7	<1	<1	2.42	<1	<1	2.09	2599	21	<1	20	775	20	<1	3.71	10	<1	11	<10	70	12	22	<1	151	4	71	12	<10	7	47	<1
116847	918444	293	<1	6.74	2104	59	<2	19	1.11	6	<1	9	315	84	20.39	18	<1	7	<1	<1	2.24	<1	<1	2.08	2615	21	<1	19	737	21	<1	2.79	6	<1	<5	<10	71	10	18	<1	151	<2	51	11	<10	7	36	<1
116848	918445	1551	1	6.37	6902	58	<2	20	2.04	7	<1	8	307	29	21.66	20	3	7	<1	<1	2.34	<1	<1	2.48	3061	20	<1	8	453	19	<1	1.53	6	1	<5	<10	73	13	23	<1	142	<2	65	12	<10	7	26	<1
116849	918446	323	1	6.54	1576	62	<2	16	2.40	6	<1	7	343	16	20.66	19	15	7	<1	<1	2.20	<1	<1	2.46	3285	21	<1	6	313	25	<1	0.42	<5	<1	8	<10	79	11	21	<1	153	<2	57	12	<10	7	21	<1
116850	918447	97	<1	6.05	406	55	<2	15	1.99	5	<1	5	384	18	16.61	14	9	4	<1	<1	2.48	<1	<1	2.01	2500	10	<1	4	705	11	<1	0.62	<5	<1	<5	<10	70	10	14	<1	138	<2	41	11	<10	7	24	<1
116851	918448	215	<1	5.84	568	54	<2	13	1.67	4	<1	4	395	17	13.68	12	2	2	<1	<1	2.53	<1	<1	1.60	2091	6	<1	6	927	12	<1	0.39	<5	<1	<5	<10	69	7	11	<1	132	<2	31	10	<10	7	14	<1
116852	918449	33	<1	5.97	115	55	<2	14	1.98	4	<1	5	434	13	13.83	11	3	3	<1	<1	2.51	<1	<1	1.78	2197	6	<1	6	498	10	<1	0.27	6	<1	<5	<10	71	8	14	<1	135	<2	38	10	<10	6	14	<1
116853	918450	136	1	7.47	243	103	<2	15	2.61	6	3	5	298	17	19.61	19	4	6	<1	<1	2.55	<1	<1	2.32	3215	18	<1	6	2132	22	<1	0.49	<5	1	<5	<10	87	12	20	<1	184	<2	70	14	<10	11	24	<1
116854D	918450	146	<1	7.12	239	99	<2	17	2.57	6	<1	6	308	18	19.54	18	6	6	<1	<1	2.35	<1	<1	2.31	3204	17	<1	6	2123	18	<1	0.48	<5	1	<5	<10	83	10	16	<1	177	<2	50	14	<10	10	22	<1
116855	918451	69	<1	5.65	521	55	<2	15	1.74	5	<1	6	381	18	16.63	13	2	3	<1	<1	2.44	<1	<1	2.00	2607	10	<1	7	790	17	<1	0.32	5	<1	<5	<10	67	10	17	<1	128	<2	37	10	<10	7	16	<1
116856	918452	48	1	6.13	270	58	<2	13	2.24	5	<1	6	368	24	16.53	14	3	5	1	<1	2.32	<1	<1	2.23	2878	11	<1	6	214	14	<1	0.24	<5	<1	<5	<10	72	9	18	<1	138	4	39	11	<10	6	20	<1
116857	918453	11	<1	6.43	61	62	<2	15	2.26	5	<1	6	447	23	13.97	12	3	3	1	<1	2.48	<1	<1	1.93	2591	9	<1	8	240	14	<1	0.31	5	<1	<5	<10	75	8	15	<1	146	<2	37	10	<10	6	15	<1
116858	918454	114	1	6.40	68	81	<2	21	2.30	7	<1	13	587	92	24.05	21	7	8	<1	<1	2.25	<1	<1	2.79	4821	25	<1	20	294	24	<1	1.21	5	1	<5	<10	73	15	24	<1	151	<2	72	19	<10	7	34	<1
116859	918455	213	<1	5.62	102	66	<2	15	2.12	7	<1	11	493	50	21.77	18	<1	6	<1	<1	2.28	<1	<1	2.56	4221	19	<1	13	237	21	<1	1.27	5	1	<5	<10	65	13	24	<1	131	<2	61	17	<10	6	29	<1
116860	918456	7	1	7.15	24	80	<2	16	2.06	6	<1	8	848	36	16.79	16	4	7	<1	<1	2.74	<1	<1	1.81	2421	16	<1	13	512	17	<1	0.29	6	<1	<5	<10	83	8	13	<1	169	<2	31	11	<10	8	25	16
116861	918457	5	<1	4.54	21	48	<2	16	1.87	6	<1	6	699	31	17.09	13	<1	1	<1	<1	2.19	<1	<1	1.94	2387	7	<1	12	370	17	<1	0.22	6	<1	<5	<10	54	10	14	<1	106	<2	46	11	<10	6	18	<1
116862	918458	18	<1	5.50	9	52	<2	14	1.77	6	<1	8	764	27	18.26	15	<1	4	<1	<1	2.34	<1	<1	2.08	3236	12	<1	12	458	18	<1	0.32	<5	<1	<5	<10	66	9	16	<1	127	<2	33	14	<10	7	22	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
116863	918459	123	1	6.77	412	53	<2	13	2.03	5	<1	20	747	112	13.62	14	<1	3	<1	<1	2.42	<1	<1	1.52	2036	6	1	52	324	22	<1	3.47	6	5	<5	<10	69	9	11	<1	147	<2	25	32	<10	7	115	<1
116864	918460	74	1	8.50	480	143	2	14	2.73	6	<1	37	639	145	14.43	21	<1	5	<1	<1	2.58	<1	<1	1.75	2363	9	3	58	348	24	<1	2.66	5	6	7	<10	89	9	12	<1	229	<2	24	57	11	7	400	<1
116865R	918460	72	1	8.50	413	135	2	17	2.71	6	<1	36	536	173	14.99	20	3	3	1	<1	2.37	<1	<1	1.85	2440	8	3	61	340	26	<1	2.81	5	6	6	<10	82	8	14	<1	213	<2	41	57	<10	7	459	<1
116866	918461	69	1	9.37	117	115	<2	17	2.27	7	4	43	547	260	17.55	24	7	6	1	<1	2.78	2	<1	2.20	3577	17	4	63	341	31	3	2.12	9	9	9	<10	86	10	19	<1	233	<2	53	68	16	8	589	<1
116867	918462	92	1	7.27	814	73	<2	16	2.12	8	<1	32	450	177	22.34	23	<1	6	<1	<1	2.37	<1	<1	2.53	5205	22	<1	38	571	40	<1	1.99	7	5	5	<10	71	14	23	<1	167	<2	64	44	14	8	321	<1
116868	918463	24	<1	5.58	39	50	<2	14	3.33	6	<1	9	586	40	18.18	14	4	4	<1	<1	2.48	<1	<1	2.34	2990	12	<1	16	831	18	<1	0.29	<5	1	<5	<10	68	11	20	<1	128	<2	39	16	<10	8	27	<1
116869	918464	152	1	7.20	130	122	<2	16	1.82	8	<1	52	618	190	20.16	22	<1	3	<1	<1	2.42	<1	<1	2.11	3614	15	2	69	389	37	<1	2.58	11	8	<5	<10	61	11	20	<1	188	<2	48	54	16	7	501	<1
116870	918465	115	1	8.39	90	129	<2	18	1.91	9	<1	53	537	197	21.24	25	10	6	<1	<1	2.27	<1	<1	2.30	3485	19	3	79	397	38	<1	2.79	12	9	7	<10	67	12	22	<1	207	<2	68	60	17	8	498	<1
116871	918466	77	1	7.22	451	77	<2	13	2.52	6	<1	32	737	95	15.84	17	<1	4	1	<1	2.47	<1	<1	1.97	2104	11	1	43	354	22	<1	1.00	10	4	6	<10	75	11	18	<1	169	<2	46	34	12	7	339	<1
116872	918467	95	<1	5.34	128	52	<2	17	2.62	6	<1	11	677	39	18.62	15	<1	2	<1	<1	2.45	<1	<1	2.27	2808	13	<1	26	504	16	2	0.37	7	2	<5	<10	68	10	18	<1	122	4	42	17	<10	6	54	<1
116873	918468	156	<1	5.62	262	50	<2	16	2.83	6	<1	17	727	65	19.66	17	<1	5	1	<1	2.34	<1	<1	2.36	2606	15	<1	32	374	21	<1	0.72	7	2	5	<10	70	11	21	<1	127	<2	53	18	<10	6	73	<1
116874	918469	48	<1	4.89	52	46	<2	13	5.00	6	<1	12	619	45	15.62	13	<1	<1	<1	2.39	<1	<1	2.49	2425	6	<1	27	503	20	<1	0.70	5	3	<5	<10	69	9	16	<1	110	<2	34	16	<10	6	137	<1	
116875	918470	13654	8	>10.00	30	435	<2	14	3.59	<4	8	25	106	198	5.60	16	<1	<1	2	<1	3.35	<1	<1	1.65	772	<1	14	58	776	37	450	0.78	<5	15	<5	<10	182	5	12	<1	4541	<2	<20	140	<10	18	154	<1
116877	918471	205	1	9.84	374	279	3	15	2.39	7	8	68	151	148	8.59	19	<1	1	3	<1	2.70	2	<1	1.10	978	<1	7	148	404	30	35	2.19	15	13	<5	<10	117	5	9	<1	332	<2	<20	92	36	9	1569	<1
116878	918472	106	1	6.51	268	60	<2	16	2.80	6	<1	20	335	71	17.80	16	<1	5	<1	<1	2.64	<1	<1	2.32	4250	13	<1	30	317	23	<1	1.28	5	3	<5	<10	74	10	21	<1	150	<2	46	24	<10	7	109	<1
116879	918473	77	1	7.16	750	52	<2	18	2.21	8	<1	40	475	178	22.39	24	<1	6	1	<1	2.30	<1	<1	2.63	5859	21	1	68	299	26	<1	2.91	7	6	7	<10	69	14	25	<1	162	<2	67	48	14	7	338	<1
116880	918474	158	2	7.08	736	71	<2	13	2.71	6	<1	30	354	89	16.35	17	<1	5	2	<1	2.73	<1	<1	2.01	2339	13	<1	33	559	21	<1	1.20	<5	2	<5	<10	81	8	16	<1	166	<2	53	18	<10	7	135	<1
116881	918475	361	2	8.47	1480	116	<2	17	3.16	6	<1	47	658	204	15.17	20	27	9	2	<1	2.52	<1	<1	1.61	1821	19	1	100	389	36	9	3.27	5	5	<5	<10	109	8	15	<1	253	<2	24	31	16	7	345	151
116882	918476	251	1	8.09	260	192	2	12	0.52	6	6	110	162	236	7.48	15	<1	<1	2	<1	2.30	1	<1	0.30	125	<1	5	217	362	39	17	3.58	11	11	<5	<10	81	4	12	<1	269	<2	<20	72	29	7	1685	<1
116883	918477	203	1	5.98	639	49	<2	20	2.41	9	<1	76	273	433	25.98	26	9	6	<1	<1	2.13	<1	<1	2.63	6503	25	<1	144	323	61	<1	5.64	14	6	8	<10	68	18	30	<1	139	<2	76	23	<10	6	144	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
116884	918478	120	1	5.98	376	51	<2	17	2.91	7	<1	36	590	148	20.97	18	3	5	<1	<1	2.50	<1	<1	2.70	5548	18	<1	71	185	42	<1	2.60	8	5	<5	<10	70	12	22	<1	134	<2	103	18	<10	6	182	<1
116885	918479	167	<1	5.18	45	46	<2	13	2.46	5	<1	15	402	151	15.35	10	4	2	<1	<1	2.44	<1	<1	2.01	3361	5	<1	33	135	28	<1	1.31	7	1	<5	<10	65	7	18	<1	115	<2	35	10	<10	5	89	<1
116886	918480	<5	<1	9.09	3	728	<2	10	1.31	<4	146	8	662	13	3.07	11	<1	<1	<1	<1	2.71	51	<1	0.75	299	<1	8	13	1411	22	59	0.04	<5	5	<5	<10	192	3	6	42	2097	<2	<20	43	<10	22	68	<1
116888	918481	34	1	6.81	52	65	<2	18	2.87	7	<1	11	229	36	21.66	19	<1	7	1	<1	2.73	<1	<1	2.75	3809	21	<1	10	1036	20	<1	0.34	7	1	<5	<10	82	13	21	<1	156	<2	52	13	<10	8	33	<1
116889	918482	50	1	6.44	34	63	<2	17	2.58	6	<1	8	550	26	20.59	18	<1	7	<1	<1	2.48	<1	<1	2.68	3835	18	<1	13	546	18	<1	0.29	7	1	<5	<10	75	11	19	<1	147	4	51	13	<10	7	36	<1
116890	918483	176	<1	4.64	114	43	<2	12	2.22	<4	<1	7	463	64	8.84	5	<1	<1	<1	<1	2.18	<1	<1	1.31	2253	<1	<1	15	<100	11	<1	0.63	<5	<1	<5	<10	57	4	9	<1	103	<2	26	7	<10	4	54	<1
116891	918484	425	<1	4.43	1215	49	<2	16	1.97	<4	<1	7	1067	35	10.43	6	<1	<1	<1	<1	2.29	<1	<1	1.37	1844	<1	<1	22	242	11	<1	0.55	<5	<1	<5	<10	54	6	10	<1	104	<2	<20	10	<10	4	30	<1
116892	918485	321	<1	5.23	887	52	<2	13	2.05	<4	<1	6	413	34	10.03	7	<1	<1	<1	<1	2.02	<1	<1	1.40	1791	<1	<1	12	316	11	<1	0.52	<5	<1	<5	<10	62	5	9	<1	118	<2	<20	9	<10	5	25	<1
116893	918486	298	<1	4.74	799	45	<2	15	2.81	6	<1	10	685	36	17.50	13	<1	<1	<1	<1	2.22	<1	<1	2.26	3243	9	<1	16	1177	19	<1	0.60	<5	1	<5	<10	59	9	19	<1	108	<2	54	14	<10	7	26	<1
116894	918487	148	1	6.00	334	46	<2	16	2.06	6	<1	35	314	168	19.82	17	<1	4	<1	<1	2.34	<1	<1	2.27	3548	15	<1	51	330	35	<1	2.84	12	8	<5	<10	59	11	22	<1	137	<2	72	34	11	6	203	<1
116895	918488	480	2	9.05	95	191	3	17	1.32	11	<1	54	295	198	18.26	26	<1	5	2	<1	2.54	<1	<1	1.50	2487	16	3	96	414	75	9	4.46	13	6	7	<10	104	10	18	<1	255	<2	53	66	40	6	1576	<1
116896	918489	76	<1	7.24	13	76	<2	12	3.02	4	<1	8	1292	47	13.17	14	<1	4	1	<1	2.97	<1	<1	1.92	2748	11	<1	25	721	21	5	0.29	6	3	<5	<10	87	8	16	<1	175	7	42	14	<10	7	211	36
116897	918490	69	<1	4.91	22	49	<2	11	2.33	5	<1	10	679	51	17.85	13	<1	2	<1	<1	2.31	<1	<1	2.21	3287	11	<1	23	936	22	<1	0.52	<5	1	<5	<10	58	8	17	<1	110	<2	47	12	<10	6	42	<1
116898D	918490	65	<1	5.32	18	53	<2	17	2.40	6	<1	12	679	43	18.10	14	<1	3	<1	<1	2.47	<1	<1	2.25	3396	12	<1	21	955	17	<1	0.54	6	1	<5	<10	62	10	19	<1	119	<2	52	12	<10	6	43	<1
116899	918491	53	<1	5.64	55	50	<2	13	2.55	4	<1	7	930	39	13.07	10	<1	2	<1	<1	2.45	<1	<1	1.78	2509	3	<1	17	493	13	<1	0.47	<5	2	<5	<10	67	7	13	<1	129	<2	36	10	<10	6	39	<1
116900	918492	379	<1	6.01	483	55	<2	15	2.44	6	<1	9	618	38	21.55	19	2	6	<1	<1	2.29	<1	<1	2.25	2124	20	<1	14	485	23	<1	0.69	6	<1	<5	<10	71	11	21	<1	136	<2	63	12	<10	6	32	<1
116901	918493	509	1	5.53	2110	51	<2	13	2.25	6	<1	8	840	26	20.44	17	<1	4	<1	<1	2.36	<1	<1	1.93	1720	17	<1	14	402	19	<1	0.64	7	<1	<5	<10	64	12	24	<1	125	4	64	10	<10	6	23	<1
116902	918494	393	<1	4.61	1135	45	<2	20	3.01	9	<1	11	483	46	27.15	22	<1	5	<1	<1	2.25	<1	<1	2.64	2178	25	<1	11	345	31	<1	0.90	6	<1	<5	<10	59	16	32	<1	101	<2	90	14	<10	6	42	<1
116903	918495	452	<1	3.84	1431	41	<2	19	2.97	9	<1	13	582	49	28.60	22	<1	4	<1	<1	1.94	<1	<1	2.77	2670	25	<1	15	375	33	<1	0.98	7	1	<5	<10	49	17	29	<1	<100	8	151	14	<10	5	45	<1
116904	918496	3506	<1	3.97	8819	34	<2	17	2.45	8	<1	22	500	150	24.57	19	<1	2	<1	<1	2.00	<1	<1	2.34	1874	18	<1	42	507	26	<1	3.28	9	<1	<5	<10	48	13	24	<1	<100	<2	86	13	<10	5	51	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
116905	918497	5462	<1	4.40	11998	36	<2	20	1.84	9	<1	34	719	296	23.76	20	<1	4	<1	<1	2.07	<1	<1	2.32	2521	18	<1	90	570	24	<1	6.25	9	<1	<5	<10	52	15	24	<1	<100	3	87	14	<10	5	64	<1
116906	918498	5154	1	4.46	18201	36	<2	21	1.75	9	<1	39	683	404	24.49	20	<1	4	<1	<1	2.01	<1	<1	2.19	2526	21	<1	106	767	25	<1	7.51	11	<1	<5	<10	53	14	22	<1	<100	<2	69	15	<10	5	59	<1
116907	918499	3309	<1	4.31	22043	33	<2	20	2.50	9	<1	50	808	450	23.53	19	<1	3	<1	<1	1.87	<1	<1	2.27	3520	18	<1	96	665	24	<1	7.18	13	2	<5	<10	56	15	24	<1	<100	<2	67	21	<10	5	71	<1
116908	918500	998	<1	6.48	7	72	<2	9	3.42	<4	22	24	89	49	5.15	9	<1	<1	<1	<1	2.17	7	<1	1.88	820	<1	16	22	752	8	11	0.07	<5	19	<5	<10	118	6	5	<1	5222	3	<20	166	<10	25	57	<1
116910	919501	3210	<1	4.86	24037	58	<2	17	3.34	5	<1	42	490	194	12.78	9	<1	<1	<1	<1	1.98	<1	<1	1.62	2134	<1	<1	69	226	17	<1	4.07	13	4	<5	<10	57	7	10	<1	108	<2	<20	28	<10	5	191	<1
116911	919502	4128	<1	4.38	16916	28	<2	13	1.37	<4	<1	15	635	71	5.24	1	<1	<1	<1	<1	1.97	<1	<1	0.58	902	<1	<1	33	<100	4	<1	1.62	11	<1	<5	<10	44	3	5	<1	<100	<2	<20	8	<10	4	36	<1
116912	919503	2247	<1	7.30	21763	134	<2	17	2.90	<4	<1	45	341	84	9.28	11	<1	<1	<1	<1	2.25	<1	<1	1.44	1746	<1	6	59	141	11	15	2.34	12	9	8	<10	78	5	6	<1	195	<2	<20	86	93	6	60	<1
116913	919504	110	1	>10.00	1319	105	<2	17	4.61	4	3	40	83	255	14.47	22	<1	2	2	<1	2.11	<1	<1	2.91	2996	3	13	54	704	16	<1	0.73	<5	16	<5	<10	110	10	14	<1	234	<2	51	167	75	8	97	<1
116914	919505	67	<1	9.94	777	102	<2	15	4.87	4	2	36	96	256	13.41	19	<1	<1	1	<1	2.04	<1	<1	2.82	2927	<1	12	52	642	12	<1	0.59	<5	16	8	<10	101	9	15	<1	216	<2	41	160	82	7	92	<1
116915	919506	21	<1	8.63	174	166	<2	12	7.80	4	7	41	68	265	10.90	16	<1	<1	1	<1	2.29	<1	<1	2.78	2118	<1	12	63	588	10	<1	0.27	5	14	<5	<10	136	8	12	<1	228	<2	24	150	22	7	81	<1
116916	919507	22	<1	7.82	140	159	<2	15	7.25	<4	3	40	55	224	9.85	12	<1	<1	<1	<1	2.20	<1	<1	2.49	1693	<1	9	61	570	11	5	0.73	<5	13	<5	<10	138	5	4	<1	215	<2	<20	123	217	6	76	<1
116917	919508	90	<1	8.03	661	164	<2	11	7.33	<4	3	38	95	151	9.88	14	<1	<1	<1	<1	2.21	<1	<1	2.63	2283	<1	11	62	397	11	7	0.83	<5	12	<5	<10	138	7	10	<1	225	<2	24	125	130	6	78	<1
116918	919509	777	<1	7.57	5665	113	<2	17	3.73	5	<1	26	247	103	14.52	15	4	<1	<1	<1	2.02	<1	<1	2.40	2986	2	6	51	<100	17	<1	2.60	7	8	5	<10	83	8	13	<1	187	<2	38	94	11	6	81	<1
116919	919510	996	<1	6.86	30	75	<2	6	3.53	<4	25	23	92	51	5.30	10	<1	<1	<1	<1	2.26	8	<1	1.93	850	<1	16	22	789	9	2	0.08	<5	19	<5	<10	125	6	5	<1	5411	<2	<20	170	<10	26	58	<1
116921	919511	259	<1	3.25	3468	28	<2	14	4.44	4	<1	6	561	53	12.18	5	<1	<1	<1	<1	1.76	<1	<1	2.34	3228	<1	<1	22	361	13	<1	1.38	<5	1	<5	<10	48	7	14	<1	<100	<2	28	13	<10	5	28	<1
116922	919512	372	<1	3.58	4647	28	<2	10	1.59	4	<1	6	619	36	9.01	3	<1	<1	<1	<1	1.95	<1	<1	1.26	2185	<1	<1	16	<100	7	<1	1.03	<5	<1	<5	<10	37	4	6	<1	<100	<2	<20	8	<10	4	315	<1
116923	919513	550	<1	4.52	5763	36	<2	15	5.60	4	<1	9	415	40	13.47	10	<1	1	<1	<1	2.25	<1	<1	2.69	3440	2	<1	20	292	15	<1	1.39	<5	1	<5	<10	66	6	14	<1	<100	<2	<20	13	<10	6	31	<1
116924	919514	429	<1	4.33	4944	32	<2	11	3.03	4	<1	7	530	48	11.71	7	<1	<1	<1	<1	2.18	<1	<1	1.84	3108	<1	<1	21	198	10	<1	1.42	5	<1	<5	<10	49	7	11	<1	<100	<2	25	10	<10	5	26	<1
116925	919515	1647	<1	7.01	7872	93	<2	17	4.77	4	<1	26	294	102	11.30	12	<1	<1	<1	<1	2.28	<1	<1	2.17	2406	<1	4	48	368	10	<1	2.45	<5	8	<5	<10	95	6	11	<1	172	<2	<20	73	37	6	59	<1
116926	919516	37	<1	>10.00	156	119	<2	15	5.01	4	3	48	58	243	12.49	20	<1	<1	<1	<1	2.22	<1	<1	2.90	2563	<1	13	70	682	13	<1	0.49	<5	16	9	<10	113	6	17	<1	241	2	44	168	65	7	113	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc, Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
116927	919517	22	<1	9.65	114	144	<2	13	6.32	<4	7	48	57	288	10.57	16	<1	<1	<1	<1	2.29	<1	<1	2.75	2358	<1	12	61	695	8	1	0.26	<5	15	<5	<10	118	7	10	<1	255	7	20	151	<10	8	87	<1
116928	919518	33	<1	8.37	104	124	<2	15	5.15	<4	<1	45	58	220	10.53	14	<1	<1	<1	<1	2.01	<1	<1	2.49	2141	<1	10	61	627	10	<1	0.71	<5	13	<5	<10	99	4	10	<1	209	<2	22	131	14	7	99	<1
116929	919519	249	<1	7.57	11419	119	<2	19	5.60	7	5	82	143	140	17.74	19	<1	2	<1	<1	1.96	1	<1	2.92	3931	10	5	99	365	27	<1	4.36	12	11	<5	<10	103	12	18	<1	183	<2	50	89	29	8	144	<1
116930	919520	<5	<1	8.78	23	648	<2	10	1.17	<4	87	3	269	8	1.57	7	<1	<1	<1	<1	2.57	37	<1	0.49	243	<1	3	5	395	20	41	0.04	<5	3	12	<10	199	1	6	29	1114	<2	<20	20	<10	6	35	<1
116932	919521	248	1	6.61	2421	47	<2	14	5.39	5	<1	18	416	97	14.91	14	13	6	<1	<1	2.71	<1	<1	2.92	4272	12	<1	37	266	15	<1	2.67	<5	1	<5	<10	81	10	17	<1	135	<2	51	13	<10	7	56	14
116933	919522	997	1	6.28	5284	45	<2	15	3.91	4	<1	16	524	82	13.97	13	3	5	<1	<1	2.76	<1	<1	2.30	3768	9	<1	37	224	12	<1	2.68	6	2	<5	<10	68	7	12	<1	130	<2	21	13	<10	6	40	<1
116934	919523	1550	1	5.91	12164	43	<2	16	4.23	5	<1	23	252	108	17.80	14	<1	5	<1	<1	2.51	<1	<1	2.62	5225	12	<1	43	313	19	<1	3.71	7	4	<5	<10	72	10	17	<1	123	<2	48	20	<10	6	61	<1
116935	919524	1078	1	6.37	6253	47	<2	15	5.48	6	<1	11	201	61	20.41	20	<1	9	<1	<1	2.57	<1	<1	3.31	7223	20	<1	21	593	23	<1	2.16	6	1	<5	<10	86	13	19	<1	133	<2	36	13	<10	8	47	13
116936	919525	1240	1	6.24	5815	46	<2	22	4.83	6	<1	8	199	48	18.22	17	2	7	<1	<1	2.51	<1	<1	3.00	6134	16	<1	17	558	18	<1	1.88	<5	1	<5	<10	80	12	16	<1	130	<2	62	14	<10	7	44	<1
116937	919526	2113	1	6.05	17138	46	<2	16	3.40	5	<1	7	357	38	15.20	11	<1	5	<1	<1	2.65	<1	<1	2.27	4335	10	<1	13	154	16	<1	2.07	<5	<1	<5	<10	65	10	16	<1	123	<2	42	11	<10	6	29	<1
116938	919527	2922	1	5.91	18070	43	<2	18	3.76	5	<1	8	397	40	14.66	13	<1	4	<1	<1	2.58	<1	<1	2.34	4352	8	<1	14	<100	13	<1	2.31	9	1	<5	<10	70	8	13	<1	122	<2	40	13	<10	6	35	<1
116939	919528	2653	1	6.80	14411	50	<2	15	3.70	<4	<1	4	480	28	7.90	9	2	4	2	<1	2.71	<1	<1	1.35	1858	<1	<1	12	177	9	<1	1.62	7	<1	<5	<10	86	5	8	<1	143	<2	<20	9	<10	6	22	56
116940	919529	3654	1	7.14	5288	50	<2	17	4.79	4	<1	6	420	129	11.91	11	6	7	<1	<1	2.77	<1	<1	2.00	2910	9	<1	23	149	14	<1	2.49	<5	1	<5	<10	92	6	13	<1	145	<2	<20	11	<10	6	36	67
116941	919530	706	1	6.85	3848	61	<2	15	2.92	6	<1	21	369	104	18.58	17	<1	8	<1	<1	2.50	<1	<1	2.38	4914	17	<1	40	131	22	<1	3.24	6	5	<5	<10	67	12	20	<1	153	<2	54	19	<10	7	143	11
116942D	919530	697	1	6.73	3820	61	<2	17	2.87	7	<1	22	357	101	18.60	17	<1	7	<1	<1	2.60	<1	<1	2.42	4986	17	<1	41	126	22	<1	3.25	8	5	<5	<10	66	12	20	<1	146	<2	62	19	<10	7	146	<1
116943	919531	70	1	6.98	348	50	<2	11	1.57	<4	<1	3	458	10	10.85	10	<1	7	<1	<1	2.73	<1	<1	1.26	1902	6	<1	8	170	9	<1	0.41	5	<1	<5	<10	60	8	9	<1	149	<2	<20	6	<10	6	12	72
116944	919532	892	1	7.42	6036	55	<2	16	1.73	4	<1	3	506	14	12.04	12	14	7	<1	<1	2.52	<1	<1	1.65	3739	10	<1	9	139	11	<1	0.77	6	<1	10	<10	63	7	9	<1	155	<2	38	8	<10	7	21	104
116945	919533	1204	1	8.03	8466	63	<2	19	1.98	5	<1	4	440	15	14.91	16	13	9	<1	<1	2.50	<1	<1	1.83	3980	17	<1	10	193	19	<1	1.11	<5	<1	<5	<10	71	8	14	<1	171	<2	26	10	<10	7	26	156
116946	919534	3277	1	7.44	13292	59	<2	18	2.41	6	<1	6	481	16	17.90	18	9	10	1	<1	2.58	<1	<1	2.18	5479	23	<1	12	184	17	<1	1.33	8	1	<5	<10	70	10	17	<1	163	3	50	12	<10	7	29	120
116947	919535	5436	1	5.60	13149	44	<2	19	2.13	6	<1	8	530	17	17.94	14	<1	5	<1	<1	2.40	<1	<1	2.23	5467	13	<1	10	167	16	<1	1.43	9	<1	<5	<10	52	11	22	<1	115	<2	48	12	<10	6	32	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc. Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
116948	919536	132	1	6.44	2428	53	<2	13	2.21	<4	<1	3	780	25	9.09	9	4	5	<1	<1	2.75	<1	<1	1.26	2287	4	<1	14	138	11	<1	0.72	<5	<1	<5	<10	67	6	8	<1	151	<2	<20	8	<10	5	17	76
116949	919537	1683	2	8.71	7223	130	<2	19	2.84	9	5	76	464	481	21.20	27	20	11	<1	<1	2.78	<1	<1	1.66	2798	33	3	99	343	33	<1	8.04	8	6	6	<10	98	12	23	<1	253	<2	71	53	20	8	670	132
116950	919538	63	1	5.88	340	42	<2	19	4.23	6	<1	10	320	101	21.16	17	<1	7	<1	<1	2.63	<1	<1	2.91	7094	21	<1	26	161	20	<1	2.66	5	1	<5	<10	66	15	20	<1	120	<2	52	11	<10	6	48	<1
116951	919539	53	<1	4.74	695	32	<2	10	2.78	<4	<1	6	536	79	12.54	8	<1	2	<1	<1	2.36	<1	<1	1.68	3096	<1	<1	26	157	10	<1	2.40	<5	<1	<5	<10	52	8	12	<1	<100	<2	31	9	<10	4	33	<1
116952	919540	5560	3	9.79	293	226	<2	13	3.29	4	20	120	178	2008	8.25	16	<1	<1	<1	<1	2.54	6	<1	1.52	787	1	10	1611	567	670	93	1.90	<5	13	<5	<10	171	6	10	<1	2946	<2	21	109	42	15	388	<1
116954	919541	300	1	7.13	2369	56	<2	11	1.30	<4	<1	5	850	48	9.22	9	<1	5	<1	<1	2.55	<1	<1	1.03	1686	2	<1	17	188	9	<1	1.43	5	<1	<5	<10	60	5	8	<1	156	<2	<20	9	<10	6	25	82
116955	919542	136	<1	5.35	1457	40	<2	10	0.99	<4	<1	4	740	37	11.05	8	<1	2	<1	<1	2.47	<1	<1	1.05	2113	1	<1	13	261	12	<1	1.30	<5	<1	<5	<10	45	6	10	<1	113	<2	25	8	<10	5	22	<1
116956	919543	37	<1	6.04	206	58	<2	12	0.94	4	<1	5	538	51	12.65	9	<1	3	<1	<1	2.57	<1	<1	1.33	2794	4	<1	16	269	13	<1	1.40	<5	<1	<5	<10	46	8	13	<1	130	<2	29	14	<10	5	44	<1
116957	919544	116	1	6.77	253	86	<2	18	1.19	5	<1	7	424	27	16.20	14	<1	5	<1	<1	2.41	<1	<1	1.84	4854	11	<1	10	221	15	<1	0.57	6	1	<5	<10	56	10	14	<1	159	<2	48	18	<10	6	52	<1
116958	919545	140	1	7.13	624	60	<2	16	1.27	<4	<1	4	698	40	9.53	10	8	5	2	<1	2.79	<1	<1	1.22	2653	4	<1	13	173	9	9	0.74	<5	<1	<5	<10	60	5	9	<1	154	<2	25	12	<10	6	32	66
116959	919546	297	<1	5.41	1602	61	<2	12	0.91	<4	<1	4	947	25	9.77	7	<1	<1	<1	<1	2.48	<1	<1	1.06	2348	<1	<1	15	217	10	<1	0.79	<5	<1	<5	<10	46	6	12	<1	123	<2	<20	12	<10	5	26	<1
116960	919547	211	1	6.37	2189	49	<2	12	1.30	<4	<1	4	952	28	11.64	10	<1	5	1	<1	2.81	<1	<1	1.23	2193	7	<1	13	218	10	<1	0.81	5	<1	<5	<10	56	8	11	<1	137	<2	25	10	<10	6	22	27
116961	919548	234	1	6.52	1341	57	<2	15	1.34	<4	<1	5	904	27	9.25	10	<1	5	1	<1	2.68	<1	<1	1.03	1570	5	<1	16	145	7	<1	0.48	<5	<1	<5	<10	60	6	7	<1	153	<2	25	10	<10	5	19	76
116962	919549	680	1	7.92	3874	68	<2	15	1.77	5	<1	6	747	32	15.27	15	8	9	<1	<1	2.77	<1	<1	1.70	2979	18	<1	12	323	17	1	0.94	5	<1	<5	<10	70	9	14	<1	179	<2	27	14	<10	7	30	163
116963	919550	<5	1	9.34	9	976	<2	11	1.51	<4	77	6	603	14	2.41	15	<1	3	<1	<1	2.56	24	<1	0.56	276	<1	7	10	963	31	38	0.04	<5	3	10	<10	257	2	<1	18	1975	<2	<20	32	<10	10	54	109
116965	919551	1768	1	6.33	12569	55	<2	23	2.39	8	<1	10	466	26	24.76	22	3	9	<1	<1	2.47	<1	<1	2.75	5376	29	<1	10	213	28	<1	1.55	9	1	<5	<10	63	15	23	<1	141	<2	73	17	<10	7	41	28
116966	919552	1379	<1	4.96	7107	39	<2	15	1.25	<4	<1	4	931	36	9.52	6	<1	<1	<1	<1	2.41	<1	<1	1.07	1948	<1	<1	17	158	9	<1	1.30	5	<1	<5	<10	43	6	12	<1	107	<2	<20	8	<10	4	20	<1
116967	919553	545	1	7.20	3078	55	<2	16	1.61	<4	<1	3	856	29	10.00	10	<1	6	<1	<1	2.57	<1	<1	1.24	1830	7	<1	14	192	8	5	0.72	<5	<1	<5	<10	64	7	6	<1	155	<2	<20	10	<10	6	18	84
116968	919554	275	1	6.26	1011	48	<2	14	2.02	5	<1	6	764	24	14.72	12	<1	5	<1	<1	2.60	<1	<1	1.80	3916	11	<1	14	241	14	<1	0.69	6	<1	<5	<10	58	8	13	<1	134	<2	27	10	<10	6	24	3
116969	919555	233	1	5.74	831	44	<2	10	1.67	4	<1	5	594	22	12.14	9	6	4	<1	<1	2.47	<1	<1	1.43	3059	4	<1	10	302	11	<1	0.69	<5	<1	<5	<10	53	7	7	<1	122	<2	<20	8	<10	5	20	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
116970	919556	798	<1	5.62	3257	47	<2	16	1.57	5	<1	32	881	59	14.40	10	3	3	<1	<1	2.52	<1	<1	1.63	3651	7	<1	30	268	20	<1	2.52	<5	2	<5	<10	50	9	13	<1	121	<2	24	14	<10	5	84	<1
116971	919557	2238	1	6.39	9682	57	<2	17	1.91	4	<1	12	923	59	13.10	11	<1	4	2	<1	2.67	<1	<1	1.48	3235	7	<1	25	187	15	3	2.20	8	1	6	<10	61	7	11	<1	140	<2	33	14	<10	6	34	<1
116972	919558	560	<1	4.67	2356	35	<2	12	1.93	4	<1	4	735	20	12.20	7	<1	<1	<1	<1	2.43	<1	<1	1.40	2745	<1	<1	12	226	11	<1	0.82	<5	<1	8	<10	45	7	10	<1	<100	<2	23	9	<10	5	17	<1
116973	919559	677	1	6.89	2566	53	<2	18	2.37	4	<1	5	917	32	11.54	11	5	6	<1	<1	2.72	<1	<1	1.50	3070	9	<1	15	273	11	<1	0.97	6	<1	<5	<10	68	7	8	<1	153	<2	<20	11	<10	6	18	74
116974	919560	45	<1	5.46	89	41	<2	13	1.89	5	<1	7	872	30	15.71	12	<1	4	<1	<1	2.47	<1	<1	2.02	4016	10	<1	16	<100	17	<1	0.52	6	<1	<5	<10	51	9	12	<1	113	<2	30	11	<10	5	21	<1
116975D	919560	43	1	6.17	63	47	<2	14	1.97	5	<1	7	864	31	15.66	13	6	5	<1	<1	2.52	<1	<1	2.04	3976	13	<1	16	<100	15	<1	0.52	6	<1	<5	<10	57	11	15	<1	130	<2	44	11	<10	6	22	6
116976	919561	202	<1	5.56	916	42	<2	14	1.79	4	<1	4	677	28	14.52	11	1	4	<1	<1	2.51	<1	<1	1.83	3731	8	<1	11	163	14	<1	0.61	<5	<1	<5	<10	52	8	12	<1	115	<2	40	11	<10	6	22	<1
116977	919562	205	2	6.66	25188	59	<2	15	2.40	4	<1	8	946	49	11.49	11	<1	5	<1	<1	2.78	<1	<1	1.39	2433	7	<1	22	<100	14	9	2.61	8	1	<5	<10	65	7	9	<1	145	<2	24	14	<10	6	20	31
116978	919563	3452	1	6.91	13586	58	<2	21	2.17	4	<1	4	708	24	12.81	12	16	6	1	<1	3.12	<1	<1	1.61	3462	11	<1	14	223	12	<1	1.64	7	<1	<5	<10	67	8	12	<1	149	<2	26	11	<10	6	21	69
116979	919564	4585	1	5.90	19736	48	<2	19	1.51	4	<1	5	618	33	12.20	9	<1	4	1	<1	2.74	<1	<1	1.37	2793	4	<1	15	298	13	<1	2.30	8	<1	<5	<10	52	7	10	<1	121	<2	32	11	<10	5	22	<1
116980	919565	7852	1	6.53	29034	49	<2	23	1.55	5	<1	7	992	40	16.35	15	5	6	<1	<1	2.84	<1	<1	1.78	3891	16	<1	20	326	18	<1	2.97	13	<1	<5	<10	57	10	13	<1	137	<2	33	14	<10	6	29	23
116981	919566	342	<1	4.86	2485	36	<2	13	1.24	<4	<1	4	806	20	10.38	6	<1	1	<1	<1	2.34	<1	<1	1.19	2269	<1	<1	13	<100	9	<1	0.57	<5	<1	<5	<10	43	6	7	<1	101	<2	<20	7	<10	4	16	<1
116982	919567	1125	1	6.03	7178	47	<2	17	1.73	5	<1	6	931	21	15.82	14	3	6	<1	<1	2.70	<1	<1	1.76	4814	13	<1	18	235	13	2	1.06	5	1	<5	<10	55	10	13	<1	130	<2	44	13	<10	6	25	2
116983	919568	905	1	6.94	5297	52	<2	13	1.76	4	<1	6	1050	35	12.46	11	13	6	1	<1	2.85	<1	<1	1.46	3449	10	<1	19	281	9	<1	1.10	7	<1	<5	<10	62	10	12	<1	147	<2	36	10	<10	6	21	63
116984	919569	557	<1	4.33	3609	32	<2	12	2.07	4	<1	6	914	38	11.38	7	<1	<1	<1	<1	2.21	<1	<1	1.37	2816	<1	<1	17	150	11	<1	1.21	<5	<1	<5	<10	46	7	10	<1	<100	<2	<20	10	<10	4	18	<1
116985	919570	13653	7	9.12	69	421	<2	10	3.49	<4	4	25	112	179	5.30	14	<1	<1	<1	<1	2.52	<1	<1	1.46	768	<1	14	54	719	32	289	0.93	<5	12	<5	<10	168	4	4	<1	4442	<2	<20	135	<10	14	140	<1
116987	919571	2269	1	6.07	14982	49	<2	17	2.81	6	<1	15	641	57	15.12	13	<1	4	<1	<1	2.38	<1	<1	1.89	4379	11	<1	24	330	13	<1	2.63	9	2	<5	<10	64	10	13	<1	132	<2	43	17	<10	6	107	<1
116988	919572	322	1	6.65	1274	47	<2	14	1.92	6	<1	10	752	66	19.34	16	<1	8	<1	<1	2.56	<1	<1	2.33	6480	20	<1	23	272	19	<1	1.71	<5	2	<5	<10	61	13	17	<1	138	<2	51	15	<10	7	57	29
116989	919573	1051	<1	5.99	12766	48	<2	15	2.20	6	<1	33	799	114	16.20	14	<1	4	1	<1	2.56	<1	<1	1.66	3330	11	<1	51	260	21	<1	4.52	10	3	<5	<10	62	9	16	<1	128	<2	43	22	<10	6	111	<1
116990	919574	78	1	7.13	765	54	<2	13	1.67	<4	<1	6	789	21	8.33	8	2	5	1	<1	2.72	<1	<1	1.19	1562	2	<1	13	170	8	<1	0.44	<5	<1	<5	<10	63	6	6	<1	151	<2	<20	9	<10	6	57	64

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc, Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
116991	919575	47	1	7.01	20	54	<2	19	1.93	6	<1	11	422	28	19.47	18	3	9	1	<1	2.68	<1	<1	2.27	3428	21	<1	12	368	19	<1	0.63	<5	2	<5	<10	62	11	18	<1	162	<2	47	20	<10	7	130	42
116992	919576	380	1	7.06	1184	63	<2	12	1.69	<4	<1	6	816	20	9.88	11	12	7	1	<1	2.67	<1	<1	1.19	1958	11	<1	14	326	7	<1	0.50	5	<1	<5	<10	71	6	10	<1	179	<2	23	11	<10	6	56	167
116993	919577	1100	1	7.76	1653	59	<2	16	2.03	5	<1	15	514	109	17.02	18	14	9	<1	<1	2.76	<1	<1	1.90	3387	19	<1	30	425	19	<1	3.01	<5	3	<5	<10	70	10	20	<1	178	<2	59	27	<10	7	136	103
116994	919578	2140	1	6.82	14884	64	<2	18	3.45	4	<1	18	578	83	12.73	13	12	5	<1	<1	2.59	<1	<1	1.61	3052	8	<1	33	270	13	<1	3.09	11	2	<5	<10	78	8	10	<1	159	<2	24	19	<10	6	68	53
116995	919579	158	1	6.61	1860	50	<2	14	2.76	4	<1	5	595	20	13.48	12	3	6	<1	<1	2.56	<1	<1	1.87	5085	10	<1	12	<100	11	<1	0.56	<5	<1	11	<10	67	8	11	<1	144	<2	25	10	<10	6	19	56
116996	919580	<5	<1	8.84	8	1017	<2	12	1.60	<4	40	5	755	10	1.78	12	<1	<1	<1	<1	2.55	14	<1	0.49	370	<1	6	15	356	22	9	0.04	<5	1	13	<10	445	1	<1	7	1537	<2	<20	21	<10	8	36	<1
116998	919581	79	1	7.52	534	60	<2	15	2.58	5	<1	8	638	135	15.87	16	20	10	<1	<1	2.65	<1	<1	2.01	4639	20	<1	12	136	15	<1	0.53	5	<1	<5	<10	74	9	13	<1	171	3	41	13	<10	7	51	147
116999	919582	69	1	7.15	238	56	<2	15	2.15	6	<1	9	625	39	19.23	19	4	9	2	<1	2.45	<1	<1	2.15	3423	22	<1	15	513	19	<1	0.42	5	1	<5	<10	64	12	18	<1	173	<2	48	19	<10	8	32	77
117000	919583	<5	1	8.11	3110	296	2	15	1.24	10	<1	49	438	114	14.20	24	<1	6	<1	<1	2.40	<1	<1	1.22	2582	13	5	66	407	23	4	4.69	8	5	<5	<10	87	7	10	<1	362	<2	<20	75	26	5	1197	36
117001	919584	146	1	7.30	610	72	<2	14	1.55	6	<1	13	484	100	16.54	17	3	7	<1	<1	2.49	<1	<1	1.95	4281	16	<1	25	278	13	<1	2.34	<5	3	<5	<10	63	9	16	<1	172	<2	52	25	<10	6	122	49
117002	919585	695	2	8.75	4808	79	<2	26	2.62	10	<1	31	272	246	29.70	33	22	14	<1	<1	2.43	<1	<1	3.06	6615	41	<1	44	355	29	<1	4.69	7	6	5	<10	77	16	30	<1	212	<2	177	50	<10	9	262	113
117003	919586	123	1	9.58	878	258	2	23	0.96	13	<1	24	177	155	28.29	36	2	11	1	<1	2.71	<1	<1	2.68	6872	35	4	36	422	30	<1	3.65	5	10	<5	<10	67	18	27	<1	340	<2	151	80	16	8	670	48
117004	919587	97	1	6.55	306	52	<2	14	2.00	6	<1	8	619	56	16.66	15	6	6	2	<1	2.56	<1	<1	1.94	3435	16	<1	16	257	14	<1	1.39	<5	3	<5	<10	63	9	16	<1	152	<2	42	18	<10	6	84	30
117005	919588	2182	1	7.18	15801	60	<2	17	3.16	6	<1	17	649	85	16.88	18	6	8	<1	<1	2.47	<1	<1	2.09	3594	18	<1	26	426	20	<1	3.13	10	2	<5	<10	81	9	17	<1	161	<2	63	20	<10	7	87	78
117006	919589	6659	2	6.83	23330	54	<2	18	2.42	5	<1	11	496	46	16.23	15	<1	7	<1	<1	2.60	<1	<1	1.87	3311	16	<1	18	605	13	<1	2.77	11	1	<5	<10	72	8	16	<1	149	2	32	16	<10	7	38	61
117007	919590	6274	2	7.04	24148	54	<2	20	1.66	5	<1	8	444	31	14.58	14	4	7	1	<1	2.57	<1	<1	1.62	3039	13	<1	15	221	16	<1	2.28	8	<1	<5	<10	64	8	15	<1	149	<2	27	12	<10	6	29	75
117008D	919590	6413	2	7.69	24603	59	<2	18	1.72	5	<1	8	434	31	14.35	14	<1	8	<1	<1	2.53	<1	<1	1.63	3027	17	<1	14	221	10	<1	2.23	12	<1	<5	<10	70	8	10	<1	164	<2	<20	12	<10	7	29	144
117009	919591	502	1	7.65	3207	60	<2	14	2.00	6	<1	9	411	23	18.79	18	<1	9	2	<1	2.48	<1	<1	2.24	3939	22	<1	12	345	15	<1	0.66	<5	1	<5	<10	71	11	18	<1	165	3	53	16	<10	7	32	124
117010	919592	507	1	6.38	2733	52	<2	13	1.54	<4	<1	7	517	29	10.64	9	8	5	<1	<1	2.38	<1	<1	1.33	2142	5	<1	13	210	9	<1	0.88	<5	<1	6	<10	61	5	6	<1	144	<2	<20	11	<10	6	24	44
117011	919593	740	1	6.87	3112	55	<2	13	1.83	4	<1	4	505	22	12.22	12	3	7	<1	<1	2.54	<1	<1	1.56	2612	12	<1	10	141	12	5	0.77	<5	<1	<5	<10	67	6	10	<1	159	<2	<20	9	<10	6	21	103

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/04/2011
Date Completed: 05/16/2011
Job #: 201141701
Reference:
Sample #: 210

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
117012	919594	915	1	7.48	5810	56	<2	15	2.04	5	<1	5	506	17	16.08	16	16	9	2	<1	2.55	<1	<1	2.13	3347	20	<1	7	128	13	<1	0.87	<5	<1	<5	<10	71	9	13	<1	161	<2	55	10	<10	7	27	137
117013	919595	1154	1	7.50	7047	55	<2	18	2.12	5	<1	5	455	18	16.12	15	13	9	2	<1	2.69	<1	<1	2.14	3179	18	<1	8	150	15	<1	1.07	<5	<1	<5	<10	73	8	13	<1	158	<2	50	10	<10	7	27	127
117014	919596	254	1	7.22	1662	56	<2	15	1.87	4	<1	5	512	14	13.78	15	<1	8	<1	<1	2.80	<1	<1	1.86	3055	15	<1	7	418	9	<1	0.46	<5	<1	7	<10	69	7	10	<1	160	<2	25	8	<10	7	19	124
117015	919597	303	1	7.49	1853	62	<2	18	2.34	6	<1	7	381	16	20.19	19	21	12	<1	<1	2.77	<1	<1	2.40	4596	28	<1	7	317	19	<1	0.55	<5	<1	<5	<10	74	12	19	<1	167	<2	58	11	<10	8	22	146
117016	919598	63	2	6.41	653	73	<2	11	1.55	<4	<1	3	530	24	10.33	14	30	12	<1	<1	2.63	<1	<1	1.05	1713	17	<1	8	338	11	<1	0.24	<5	<1	<5	<10	76	6	5	<1	216	<2	<20	9	<10	5	12	300
117017	919599	48	1	6.59	352	56	<2	14	1.62	5	<1	5	511	24	14.16	12	2	6	<1	<1	2.52	<1	<1	1.70	2322	12	<1	8	175	11	<1	0.26	<5	<1	<5	<10	60	8	10	<1	160	<2	44	10	<10	6	15	50
117018	919600	991	1	>10.00	4	153	<2	13	6.00	<4	18	35	153	54	7.37	24	14	5	1	<1	2.68	4	<1	2.38	1220	<1	24	32	834	18	22	0.11	<5	19	<5	<10	250	8	4	<1	7451	<2	<20	237	<10	23	76	65
117020	919601	22	1	6.90	27	55	<2	14	1.90	6	<1	7	317	24	21.33	19	1	8	<1	<1	2.59	<1	<1	2.55	3896	23	<1	8	297	16	<1	0.33	<5	<1	<5	<10	63	11	18	<1	262	<2	56	15	<10	8	23	68
117021	919602	18	1	7.91	41	67	<2	16	2.15	6	<1	8	478	24	20.18	20	<1	12	<1	<1	2.60	<1	<1	2.29	3514	28	<1	10	307	22	<1	0.35	5	<1	8	<10	71	12	21	<1	224	<2	59	13	<10	10	22	156
117022	919603	15	1	6.47	71	64	<2	16	2.22	6	<1	7	282	28	19.39	16	2	7	<1	<1	2.79	<1	<1	2.20	3811	19	<1	6	700	16	<1	0.41	<5	<1	<5	<10	60	11	17	<1	195	<2	58	13	<10	13	22	26
117023	919604	9	1	7.12	36	75	<2	14	1.96	6	<1	7	490	24	17.32	15	12	8	<1	<1	2.93	<1	<1	1.99	2689	20	<1	9	300	15	<1	0.57	<5	<1	5	<10	65	10	15	<1	192	<2	53	10	<10	10	17	95
117024	919605	60	<1	5.99	39	72	<2	16	1.88	5	<1	6	248	20	17.79	15	9	6	<1	<1	2.27	<1	<1	2.02	2730	15	<1	6	262	15	<1	0.40	<5	<1	<5	<10	56	7	17	<1	176	<2	43	11	<10	9	19	<1
117025	919606	46	1	6.81	40	77	<2	16	2.02	5	<1	6	295	23	18.30	17	9	9	<1	<1	2.52	<1	<1	2.13	2759	19	<1	6	272	14	<1	0.43	6	<1	<5	<10	62	10	18	<1	195	<2	60	11	<10	10	19	63
117026	919607	88	1	6.91	138	56	<2	13	1.74	4	<1	4	311	25	13.29	12	7	7	<1	<1	2.80	<1	<1	1.68	2197	11	<1	5	305	12	<1	0.60	<5	<1	<5	<10	62	7	13	<1	167	<2	42	9	<10	9	16	73
117027	919608	174	1	7.65	177	60	<2	15	2.31	5	<1	8	518	42	14.87	15	5	9	<1	<1	2.76	<1	<1	1.94	2649	17	<1	12	388	15	<1	0.48	<5	<1	<5	<10	73	8	13	<1	226	<2	22	13	<10	9	19	144
117028	919609	353	1	6.84	374	66	<2	12	2.48	6	<1	12	450	49	18.74	16	15	8	<1	<1	2.57	<1	<1	2.29	4277	19	<1	13	408	15	<1	0.89	<5	1	<5	<10	65	9	19	<1	224	<2	68	18	<10	9	26	34
117029	919610	5583	3	7.27	298	248	<2	13	3.24	4	6	120	190	2029	8.60	20	<1	3	<1	<1	2.30	<1	<1	1.07	845	8	11	1629	600	665	33	2.14	5	7	<5	<10	181	8	7	<1	3512	<2	<20	117	47	8	387	59

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119675	919611	142	<1	5.11	131	91	<2	2	1.60	4	<1	6	49	30	10.29	6	<1	<1	<1	<1	2.10	<1	<1	1.31	2061	<1	<1	<1	142	<1	<1	0.38	<5	<1	<5	<10	<3	5	7	<1	192	<2	30	<2	<10	<2	<1	<1
119676	919612	50	<1	5.44	219	105	<2	2	1.32	5	<1	6	44	15	12.00	8	<1	<1	<1	<1	1.99	<1	<1	1.45	2276	7	<1	<1	184	<1	<1	0.27	<5	<1	<5	<10	<3	4	5	<1	164	<2	55	<2	<10	<2	<1	<1
119677	919613	299	1	5.86	588	103	2	2	1.59	6	<1	15	78	73	12.28	9	<1	<1	<1	<1	2.02	<1	<1	1.66	2542	8	2	<1	382	<1	<1	1.58	<5	3	<5	<10	8	9	9	<1	255	<2	56	<2	<10	<2	98	<1
119678	919614	8	<1	8.92	87	844	2	<1	4.58	<4	30	31	501	39	6.18	12	<1	<1	<1	<1	2.08	12	<1	4.39	1053	<1	14	177	1533	<1	<1	0.17	<5	13	<5	<10	405	4	<1	2	520	<2	<20	62	<10	<2	71	<1
119679	919615	5	<1	8.46	48	659	2	<1	4.56	<4	43	36	537	21	4.82	7	<1	<1	<1	2	2.01	18	<1	4.74	1004	<1	19	201	1538	<1	59	0.06	<5	16	<5	<10	443	3	<1	6	2673	<2	<20	74	<10	<2	32	<1
119680	919616	74	1	8.97	102	198	2	<1	2.41	4	14	42	325	149	10.07	15	<1	<1	<1	<1	1.87	9	<1	3.45	1835	<1	14	128	913	<1	<1	1.88	<5	15	<5	<10	170	5	2	<1	1206	<2	<20	79	<10	<2	234	<1
119681	919617	102	2	8.72	94	409	2	<1	2.63	7	10	30	148	365	14.70	21	<1	<1	<1	<1	2.07	8	<1	2.25	2418	29	6	39	625	<1	<1	2.59	<5	5	<5	<10	150	10	7	<1	1117	<2	78	12	<10	<2	186	<1
119682	919618	7	1	>10.00	49	672	3	<1	4.38	<4	40	34	477	33	4.98	15	7	<1	<1	<1	1.99	19	2	3.75	1088	1	18	165	1557	<1	67	0.07	<5	13	<5	<10	496	4	<1	7	2911	<2	<20	78	<10	<2	101	<1
119683	919619	265	1	8.44	158	213	2	1	1.31	6	14	32	120	482	10.81	16	<1	<1	<1	<1	1.99	9	<1	2.21	1075	5	7	42	540	<1	<1	4.28	<5	7	<5	<10	92	4	3	<1	970	<2	48	16	<10	<2	406	<1
119684	919620	<5	<1	8.18	5	861	<2	<1	1.13	<4	52	3	28	10	1.28	6	<1	<1	<1	<1	1.80	27	<1	0.39	201	<1	3	<1	258	<1	36	0.05	<5	2	<5	<10	161	2	<1	13	1018	<2	<20	<2	<10	<2	10	<1
119686	919621	441	1	7.44	130	794	2	<1	2.37	5	5	33	64	209	11.92	17	<1	<1	<1	<1	1.88	3	<1	1.67	1733	19	7	22	434	<1	<1	2.96	<5	5	<5	<10	189	9	5	1	1217	<2	47	28	<10	<2	158	<1
119687	919622	11	1	8.92	34	1164	2	<1	4.10	<4	36	43	552	37	5.28	14	<1	<1	<1	<1	2.13	15	7	3.58	1021	<1	20	185	1436	<1	39	0.08	<5	12	<5	<10	515	5	<1	4	3405	<2	<20	94	<10	<2	51	<1
119688	919623	14	<1	>10.00	87	216	<2	<1	5.57	<4	21	28	243	187	4.80	14	<1	<1	<1	<1	2.20	7	2	3.20	1000	<1	28	53	819	<1	<1	0.08	<5	30	<5	<10	245	5	<1	1	405	<2	<20	220	<10	<2	71	<1
119689	919624	12	1	9.64	75	1324	<2	<1	4.33	<4	8	28	107	164	4.32	21	12	<1	<1	<1	2.12	<1	<1	1.86	857	3	36	<1	489	<1	<1	0.06	<5	23	<5	<10	125	6	<1	<1	756	<2	<20	329	<10	<2	74	<1
119690	919625	11	1	9.43	71	1424	2	<1	4.74	<4	7	29	107	145	4.33	20	<1	<1	<1	<1	2.12	<1	<1	1.96	925	<1	36	<1	495	<1	<1	0.06	<5	24	<5	<10	135	7	<1	<1	724	<2	<20	322	<10	<2	71	<1
119691	919626	12	1	8.86	66	978	<2	<1	5.15	<4	10	28	94	203	4.14	17	1	<1	<1	<1	2.20	<1	<1	2.09	1182	<1	34	<1	456	<1	10	0.08	<5	23	<5	<10	92	6	<1	<1	711	<2	<20	293	<10	<2	53	<1
119692	919627	26	1	8.44	78	515	<2	<1	5.14	<4	9	28	88	178	4.02	18	13	<1	<1	<1	1.87	<1	<1	1.80	1302	4	31	<1	411	<1	<1	0.11	<5	18	<5	<10	79	5	<1	<1	641	<2	<20	268	<10	<2	60	<1
119693	919628	22	1	8.40	54	293	<2	<1	6.01	<4	11	28	84	139	5.11	21	6	<1	<1	2	1.91	<1	<1	1.87	1636	6	32	<1	408	<1	3	0.13	<5	18	<5	<10	79	5	<1	<1	557	<2	<20	274	<10	<2	67	<1
119694	919629	10	1	9.68	57	269	<2	<1	6.17	<4	26	40	90	187	6.15	20	<1	<1	<1	<1	1.88	<1	<1	2.22	1912	<1	34	<1	455	<1	<1	0.19	<5	25	<5	<10	72	7	<1	<1	474	<2	<20	287	<10	<2	88	<1
119695	919630	7	1	9.61	36	176	<2	<1	5.93	<4	21	30	80	156	5.73	19	9	<1	<1	<1	1.94	<1	2	2.15	1608	<1	29	<1	376	<1	<1	0.13	<5	25	<5	<10	78	6	<1	<1	426	<2	<20	243	<10	<2	92	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119696D	919630	5	1	>10.00	38	160	<2	2	6.32	<4	13	29	81	162	5.96	18	<1	<1	<1	<1	1.88	<1	5	2.26	1685	<1	29	<1	410	<1	<1	0.13	<5	28	<5	<10	79	6	<1	<1	412	<2	<20	245	<10	<2	105	<1
119697	919631	6	<1	9.07	31	140	<2	<1	5.61	<4	11	25	75	167	4.24	16	<1	<1	<1	1	2.11	<1	<1	2.09	1395	<1	28	<1	423	<1	7	0.09	<5	21	<5	<10	82	5	<1	<1	334	<2	<20	226	<10	<2	49	<1
119698	919632	10	1	>10.00	27	124	<2	1	6.75	<4	26	34	72	158	5.82	20	11	<1	<1	1	2.21	<1	10	2.25	1540	4	29	<1	408	<1	<1	0.25	<5	29	<5	<10	89	7	<1	<1	400	<2	<20	248	<10	<2	75	<1
119699	919633	9	1	9.62	42	142	<2	<1	5.81	<4	9	38	76	182	4.53	19	8	<1	1	<1	2.32	<1	5	2.10	1481	4	31	3	437	<1	<1	0.11	<5	23	<5	<10	110	5	<1	<1	353	<2	<20	265	<10	<2	59	<1
119700	919634	8	1	9.57	91	114	<2	<1	5.48	<4	13	71	72	167	4.50	14	<1	<1	<1	<1	2.38	<1	5	2.43	1296	<1	29	19	466	<1	<1	0.15	<5	27	<5	<10	96	5	<1	<1	259	<2	<20	237	<10	<2	58	<1
119701	919635	7	1	8.79	82	145	<2	<1	4.69	<4	6	65	79	173	4.37	21	5	<1	1	2	2.13	<1	4	2.01	1253	3	35	22	472	<1	<1	0.14	<5	21	<5	<10	124	6	<1	<1	360	<2	<20	303	<10	<2	58	<1
119702	919636	9	1	9.28	44	136	<2	<1	5.56	<4	8	40	70	173	4.27	17	9	<1	<1	<1	2.18	<1	3	2.16	1416	2	31	3	448	<1	8	0.20	<5	23	<5	<10	124	6	<1	<1	328	<2	<20	260	<10	<2	52	<1
119703	919637	8	<1	9.23	44	128	<2	<1	4.15	<4	5	37	78	194	4.21	17	<1	<1	<1	<1	2.09	<1	7	2.13	968	<1	31	5	472	<1	<1	0.07	<5	26	<5	<10	105	6	<1	<1	292	<2	<20	266	<10	<2	74	<1
119704	919638	7	1	8.83	64	148	<2	<1	4.25	<4	6	49	81	181	4.02	19	4	<1	<1	4	1.99	<1	6	1.90	1061	<1	33	12	466	<1	<1	0.11	<5	22	<5	<10	126	5	<1	<1	331	<2	<20	290	<10	<2	68	<1
119705	919639	9	<1	8.57	54	131	<2	<1	4.79	<4	9	40	76	180	3.96	17	<1	<1	<1	<1	1.86	<1	3	1.90	1191	<1	33	10	460	<1	<1	0.08	<5	24	<5	<10	122	5	<1	<1	293	<2	<20	283	<10	<2	56	<1
119706	919640	13719	6	7.30	24	408	<2	<1	2.70	<4	1	24	81	129	4.04	14	5	<1	<1	<1	1.69	<1	<1	0.87	576	12	12	<1	573	<1	207	0.79	<5	5	<5	<10	87	5	3	2	4203	<2	<20	66	<10	<2	89	<1
119708	919641	19	1	8.30	54	131	<2	<1	4.60	<4	8	39	70	165	4.04	17	<1	<1	<1	<1	2.19	<1	3	1.96	1112	<1	31	8	433	<1	<1	0.07	<5	21	<5	<10	109	5	<1	<1	323	<2	<20	263	<10	<2	57	<1
119709	919642	11	1	8.84	63	139	<2	<1	4.35	<4	8	45	78	189	4.08	20	5	<1	<1	2	2.26	<1	8	2.04	916	<1	35	9	493	<1	<1	0.08	<5	24	<5	<10	120	6	<1	<1	331	<2	<20	306	<10	<2	68	<1
119710	919643	10	1	8.91	59	135	<2	<1	4.79	<4	9	42	57	184	3.92	20	<1	<1	<1	<1	2.31	<1	6	1.99	820	<1	35	6	545	<1	<1	0.08	<5	23	<5	<10	120	6	<1	<1	307	<2	<20	293	<10	<2	59	<1
119711	919644	12	1	9.15	63	134	<2	<1	5.54	<4	12	44	61	171	4.43	19	<1	<1	<1	<1	2.24	<1	5	2.09	1182	<1	32	11	469	<1	<1	0.20	<5	25	<5	<10	108	5	<1	<1	315	<2	23	272	<10	<2	57	<1
119712	919645	9	1	8.80	39	141	<2	<1	4.96	<4	9	33	67	177	4.45	20	<1	<1	<1	<1	2.27	<1	6	1.80	1517	4	33	<1	494	<1	<1	0.26	<5	21	<5	<10	105	6	<1	<1	342	<2	<20	297	<10	<2	53	<1
119713	919646	7	1	8.66	67	153	<2	<1	4.74	<4	8	42	67	182	4.13	23	1	<1	<1	4	2.20	<1	4	1.78	1234	2	35	10	537	<1	<1	0.12	<5	22	<5	<10	106	6	<1	<1	355	<2	<20	311	<10	<2	72	<1
119714	919647	7	1	8.37	73	157	<2	<1	4.48	<4	7	47	66	181	3.99	23	8	<1	<1	3	2.02	<1	1	1.52	1060	3	35	14	518	<1	<1	0.16	<5	18	<5	<10	100	5	<1	<1	387	<2	<20	307	<10	<2	97	<1
119715	919648	8	<1	8.88	71	138	<2	<1	4.56	<4	6	45	59	178	4.79	21	<1	<1	<1	<1	2.03	<1	4	1.81	1189	1	35	8	514	<1	<1	0.11	<5	22	<5	<10	81	6	<1	<1	322	<2	<20	310	<10	<2	85	<1
119716	919649	7	1	>10.00	75	151	<2	<1	6.32	<4	13	52	64	167	6.04	26	14	2	<1	<1	2.04	<1	4	2.22	1885	10	33	15	505	<1	<1	0.16	<5	26	<5	<10	93	7	<1	<1	385	<2	<20	319	<10	<2	76	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119717	919650	<5	1	7.99	9	794	2	<1	1.49	<4	77	5	19	5	1.52	11	<1	<1	<1	4	1.81	29	<1	0.43	232	2	8	<1	634	<1	24	0.02	<5	2	<5	<10	231	1	<1	16	1676	<2	<20	<2	<10	<2	11	<1
119719	919651	8	1	8.49	52	119	<2	<1	5.41	<4	9	37	58	156	5.57	19	<1	<1	<1	<1	2.09	<1	<1	2.03	1697	<1	30	6	416	<1	<1	0.19	<5	26	<5	<10	71	6	<1	<1	286	<2	<20	256	<10	<2	67	<1
119720	919652	15	<1	7.94	70	147	<2	<1	5.00	<4	9	39	69	172	4.57	19	<1	<1	<1	<1	2.06	<1	<1	1.74	1459	<1	34	9	468	<1	<1	0.10	<5	22	<5	<10	85	7	<1	<1	321	<2	<20	295	<10	<2	92	<1
119721	919653	23	<1	8.48	81	164	<2	<1	5.31	<4	7	44	71	175	4.37	18	<1	<1	<1	<1	2.20	<1	<1	1.64	1332	<1	32	14	438	<1	<1	0.22	<5	24	<5	<10	93	6	<1	<1	321	<2	<20	289	<10	<2	67	<1
119722	919654	8	1	8.09	101	139	<2	<1	6.45	<4	11	49	68	160	5.47	16	<1	<1	<1	<1	2.23	<1	<1	2.01	1733	<1	29	16	390	<1	<1	0.22	<5	24	<5	<10	83	7	<1	<1	284	<2	<20	249	<10	<2	60	<1
119723	919655	10	1	7.78	96	147	<2	<1	6.27	<4	11	46	66	150	5.16	16	<1	<1	<1	3	2.16	<1	<1	1.84	1733	<1	28	12	371	<1	<1	0.20	<5	20	<5	<10	81	5	<1	<1	312	<2	<20	239	<10	<2	50	<1
119724	919656	9	1	8.02	111	159	<2	<1	5.89	<4	24	41	77	160	5.14	18	<1	<1	<1	2	2.02	<1	<1	1.69	1633	<1	30	11	394	<1	<1	0.25	<5	19	<5	<10	78	5	<1	<1	333	<2	<20	252	<10	<2	58	<1
119725	919657	13	1	7.00	114	195	<2	<1	4.83	<4	7	38	100	169	2.92	19	4	<1	<1	<1	1.94	<1	<1	1.04	1082	1	33	3	417	<1	<1	0.11	<5	15	<5	<10	90	3	<1	<1	386	<2	<20	298	<10	<2	53	<1
119726	919658	8	1	7.03	91	170	<2	<1	5.46	<4	8	39	89	166	3.73	16	3	<1	<1	<1	1.86	<1	<1	1.21	1256	<1	29	4	386	<1	<1	0.22	<5	17	<5	<10	96	6	<1	<1	334	<2	<20	254	<10	<2	44	<1
119727	919659	7	1	8.74	156	206	<2	<1	5.95	<4	15	45	134	149	4.71	18	9	<1	<1	3	1.90	<1	<1	1.83	1241	6	25	51	463	<1	<1	0.27	<5	17	<5	<10	103	4	<1	<1	368	<2	<20	209	<10	<2	43	<1
119728	919660	22	<1	7.88	96	176	<2	<1	6.02	<4	11	39	107	163	4.47	16	3	<1	<1	1	1.96	<1	<1	1.47	1161	<1	27	11	358	<1	<1	0.28	<5	19	<5	<10	99	5	<1	<1	320	<2	<20	236	<10	<2	29	<1
119729D	919660	6	<1	8.10	100	170	<2	<1	6.35	<4	11	43	111	170	4.70	18	<1	<1	<1	<1	1.98	<1	<1	1.58	1226	<1	28	14	377	<1	<1	0.28	<5	21	<5	<10	102	5	<1	<1	301	<2	<20	247	<10	<2	37	<1
119730	919661	12	1	7.97	88	197	<2	<1	5.77	<4	10	34	132	167	4.25	19	8	<1	<1	<1	1.89	<1	<1	1.33	1178	7	29	9	362	<1	<1	0.21	<5	18	<5	<10	98	4	<1	<1	402	<2	<20	254	<10	<2	34	<1
119731	919662	10	1	8.60	90	189	<2	<1	8.13	<4	12	26	124	141	4.22	16	9	<1	<1	2	2.15	<1	<1	1.80	1462	<1	25	<1	305	<1	20	0.13	<5	18	<5	<10	92	5	<1	<1	368	<2	<20	206	<10	<2	54	<1
119732	919663	9	1	7.94	85	194	<2	<1	7.08	<4	11	29	143	161	4.18	16	4	<1	<1	<1	1.99	<1	<1	1.54	1554	2	26	<1	336	<1	<1	0.19	<5	16	<5	<10	89	6	<1	<1	398	<2	24	227	<10	<2	24	<1
119733	919664	9	1	8.04	87	189	<2	<1	7.56	<4	26	34	216	146	4.59	15	12	<1	<1	<1	2.03	<1	<1	1.72	1673	2	23	10	268	<1	<1	0.37	<5	19	<5	<10	77	5	<1	<1	380	<2	<20	191	<10	<2	28	<1
119734	919665	10	<1	7.95	81	197	<2	<1	7.60	<4	23	31	217	143	4.54	15	1	<1	<1	2	1.98	<1	<1	1.68	1676	<1	24	6	264	<1	<1	0.37	<5	19	<5	<10	80	5	<1	<1	372	<2	<20	200	<10	<2	30	<1
119735	919666	12	1	8.88	110	200	<2	<1	9.33	<4	12	28	162	121	4.38	15	17	<1	<1	<1	1.96	<1	<1	1.95	1963	<1	23	1	272	<1	7	0.14	<5	18	<5	<10	86	5	<1	<1	460	<2	<20	181	<10	<2	26	<1
119736	919667	14	1	8.15	134	218	<2	<1	7.12	<4	11	33	177	158	4.13	18	12	<1	<1	4	1.91	<1	<1	1.51	1579	5	25	10	322	<1	<1	0.10	<5	17	<5	<10	84	5	<1	<1	427	<2	<20	211	<10	<2	31	<1
119737	919668	23	1	7.23	130	212	2	<1	6.19	<4	12	29	240	161	3.83	16	7	<1	<1	3	1.93	<1	<1	1.28	1446	<1	25	8	267	<1	<1	0.09	<5	15	<5	<10	75	5	<1	<1	384	<2	<20	207	<10	<2	38	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
119738	919669	20	1	8.09	428	230	<2	<1	6.39	<4	11	32	197	158	4.32	18	<1	<1	<1	<1	1.94	<1	<1	1.33	1466	1	27	9	342	<1	<1	0.13	<5	18	<5	<10	82	5	<1	<1	407	<2	<20	223	<10	<2	47	<1
119739	919670	995	1	9.75	<2	198	<2	<1	4.84	<4	21	34	119	40	5.79	20	2	<1	<1	<1	2.34	7	<1	1.86	951	<1	21	<1	645	<1	43	0.08	<5	15	<5	<10	154	8	3	3	6752	<2	<20	142	<10	<2	42	<1
119741	919671	18	1	9.29	142	234	<2	<1	8.03	<4	26	32	181	148	5.33	20	9	<1	<1	1	2.29	<1	<1	1.76	2008	5	28	11	348	<1	<1	0.11	<5	20	<5	<10	88	6	<1	<1	599	<2	<20	219	<10	<2	35	<1
119742	919672	268	1	9.85	554	150	2	<1	9.04	5	28	43	339	102	11.15	21	<1	<1	<1	<1	2.23	<1	<1	2.36	3294	<1	20	33	318	<1	<1	1.62	<5	31	<5	<10	59	6	<1	<1	407	<2	<20	169	<10	<2	111	<1
119743	919673	1082	1	7.50	867	96	<2	<1	5.78	6	5	19	39	124	12.90	15	<1	<1	<1	<1	2.13	<1	<1	1.71	3365	12	3	<1	295	<1	<1	4.53	<5	3	<5	<10	19	6	3	<1	356	<2	<20	<2	<10	<2	47	<1
119744	919674	1745	2	8.88	2587	100	2	3	2.42	12	1	40	115	157	23.08	38	<1	<1	<1	<1	1.91	<1	<1	1.65	2131	40	5	29	341	2	<1	8.51	<5	5	<5	<10	4	11	11	<1	525	<2	211	36	<10	<2	215	<1
119745	919675	3129	2	6.88	3780	112	2	<1	2.75	7	<1	38	51	104	14.68	23	6	2	<1	<1	1.97	<1	<1	1.09	2124	32	2	11	257	<1	<1	6.09	<5	2	<5	<10	12	9	11	<1	533	<2	78	<2	<10	<2	118	20
119746	919676	2357	3	6.95	177	95	2	4	1.39	13	<1	29	156	268	20.95	32	<1	<1	<1	<1	1.73	<1	<1	1.09	1686	38	3	32	231	<1	<1	8.98	<5	3	<5	<10	<3	11	13	<1	629	<2	206	15	<10	<2	435	<1
119747	919677	689	1	6.09	131	127	<2	<1	2.63	<4	2	5	30	181	4.50	4	<1	<1	<1	<1	1.90	<1	<1	0.91	1552	15	1	<1	138	<1	<1	1.01	<5	<1	<5	<10	16	2	<1	<1	272	<2	<20	<2	<10	<2	61	<1
119748	919678	6153	2	7.01	3409	144	2	<1	3.27	5	4	27	27	152	11.09	17	12	3	<1	<1	1.80	<1	<1	1.00	1886	34	1	12	276	<1	<1	6.49	<5	1	<5	<10	24	8	8	<1	484	<2	40	<2	<10	<2	49	156
119749	919679	11253	2	5.81	21186	100	<2	<1	2.90	<4	4	17	23	80	6.91	5	<1	<1	<1	<1	1.84	<1	<1	0.92	1264	7	1	<1	<100	<1	<1	3.68	<5	1	<5	<10	11	4	4	<1	287	<2	<20	<2	<10	<2	16	<1
119750	919680	<5	1	7.37	161	873	<2	<1	1.23	<4	26	3	25	5	1.11	9	<1	<1	<1	<1	1.70	12	<1	0.31	208	4	3	<1	244	<1	22	0.06	<5	<1	<5	<10	192	<1	6	1014	<2	<20	<2	<10	<2	<1	<1	
119752	919681	9490	2	7.76	33807	131	2	1	3.77	5	10	16	31	99	11.71	14	<1	<1	<1	<1	2.17	<1	<1	1.50	1993	21	2	<1	238	<1	<1	5.47	<5	1	<5	<10	28	9	5	1	299	<2	20	<2	<10	<2	25	32
119753	919682	2030	2	6.89	5105	114	<2	1	5.03	4	17	8	19	90	9.14	10	<1	<1	<1	3	2.29	<1	<1	1.62	2092	8	3	<1	226	<1	<1	3.85	<5	2	<5	<10	28	4	4	<1	250	<2	<20	<2	<10	<2	3	<1
119754	919683	5420	2	8.31	6504	126	2	2	4.64	7	8	46	25	210	15.19	21	18	1	<1	<1	2.19	<1	<1	1.69	2602	30	3	17	213	<1	<1	7.86	<5	4	<5	<10	33	9	8	<1	498	<2	42	<2	<10	<2	96	31
119755	919684	5416	2	7.75	1942	110	2	<1	4.39	6	8	21	21	137	12.83	15	5	<1	<1	<1	2.08	<1	<1	1.81	2742	20	2	<1	105	<1	<1	5.08	<5	3	<5	<10	27	7	10	<1	410	<2	<20	<2	<10	<2	134	<1
119756	919685	5592	1	7.06	2015	94	<2	2	4.23	6	10	22	20	135	12.76	12	<1	<1	<1	<1	2.13	<1	<1	1.79	2677	12	3	1	103	<1	<1	5.23	<5	3	<5	<10	20	5	3	<1	323	<2	32	<2	<10	<2	131	<1
119757	919686	382	1	6.75	253	96	<2	<1	2.67	5	<1	6	23	23	10.89	11	<1	<1	<1	<1	2.03	<1	<1	1.69	2315	9	2	<1	107	<1	<1	1.17	<5	1	<5	<10	9	5	3	<1	205	<2	34	<2	<10	<2	33	<1
119758	919687	962	1	6.84	1345	91	2	<1	2.20	7	<1	7	25	17	15.98	17	<1	<1	<1	<1	1.97	<1	<1	2.05	3597	15	<1	<1	125	<1	<1	0.90	<5	3	<5	<10	4	9	12	<1	254	<2	112	<2	<10	<2	26	<1
119759	919688	285	1	6.69	189	130	<2	<1	2.14	<4	<1	5	44	34	7.67	11	<1	<1	<1	<1	1.75	<1	<1	1.13	1657	16	1	<1	<100	<1	<1	1.24	<5	2	<5	<10	14	4	5	<1	273	<2	<20	<2	<10	<2	20	8

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. Bico, Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119760	919689	395	1	8.32	67	193	2	<1	3.45	5	6	16	90	146	9.67	21	<1	1	<1	<1	1.93	<1	<1	1.23	1337	22	7	34	268	<1	<1	4.03	<5	7	<5	<10	41	5	5	<1	305	<2	<20	45	<10	<2	242	<1
119761	919690	138	1	6.94	71	183	<2	<1	2.62	<4	5	35	51	116	3.32	7	<1	<1	<1	1	1.91	<1	<1	0.91	611	3	6	28	188	<1	<1	1.33	<5	7	<5	<10	48	2	<1	<1	257	<2	<20	25	<10	<2	40	<1
119762D	919690	220	1	7.00	75	173	<2	<1	2.63	<4	5	36	51	116	3.29	7	<1	<1	<1	<1	2.14	<1	<1	0.93	607	<1	6	29	193	<1	<1	1.31	<5	7	<5	<10	47	1	<1	<1	241	<2	<20	25	<10	<2	38	<1
119763	919691	37	1	8.08	381	219	<2	<1	5.13	<4	3	39	198	151	4.04	13	<1	<1	<1	2	2.18	<1	<1	1.63	1135	<1	23	71	241	<1	<1	0.43	<5	15	<5	<10	105	5	<1	<1	323	<2	<20	183	<10	<2	42	<1
119764	919692	30	<1	7.76	238	206	<2	<1	6.03	<4	22	34	201	120	3.64	13	<1	<1	<1	2	2.21	<1	<1	1.75	1078	<1	18	58	443	<1	<1	0.40	<5	13	<5	<10	104	4	<1	<1	322	<2	28	139	<10	<2	41	<1
119765	919693	34	1	8.07	281	228	<2	<1	6.01	<4	6	46	175	136	4.27	15	14	<1	<1	<1	2.08	<1	<1	1.74	1132	5	20	80	198	<1	<1	0.40	<5	14	<5	<10	104	5	<1	<1	400	<2	<20	155	<10	<2	54	<1
119766	919694	75	1	7.84	581	227	<2	<1	5.66	<4	20	37	200	134	5.59	17	4	<1	<1	<1	2.03	<1	<1	1.66	1336	<1	23	55	276	<1	<1	0.91	<5	16	<5	<10	103	5	<1	<1	370	<2	<20	196	<10	<2	57	<1
119767	919695	186	<1	7.59	338	234	<2	<1	5.40	<4	4	35	203	135	5.38	16	<1	<1	<1	<1	1.97	<1	<1	1.59	1279	<1	23	49	259	<1	<1	0.89	<5	16	<5	<10	104	5	<1	<1	356	<2	<20	198	<10	<2	55	<1
119768	919696	38	1	7.94	234	196	<2	<1	3.66	<4	12	47	33	216	6.91	22	10	<1	<1	<1	1.84	<1	<1	1.32	1091	12	16	72	510	<1	<1	0.63	<5	7	<5	<10	78	5	<1	<1	385	<2	<20	128	<10	<2	60	<1
119769	919697	52	1	8.34	728	202	<2	<1	3.24	<4	5	54	15	241	7.21	19	<1	<1	<1	<1	1.82	<1	<1	1.26	1165	3	16	81	551	<1	<1	0.56	<5	8	<5	<10	69	6	<1	<1	334	<2	<20	123	<10	<2	52	<1
119770	919698	137	<1	7.88	531	255	<2	<1	3.46	<4	2	49	120	182	5.99	19	<1	<1	<1	2	1.76	<1	<1	1.23	1016	2	19	93	325	<1	<1	0.37	<5	10	<5	<10	80	5	<1	<1	368	<2	<20	148	<10	<2	39	<1
119771	919699	313	1	>10.00	878	197	2	<1	5.96	<4	11	38	31	174	7.65	17	2	<1	<1	4	2.04	<1	1	2.71	1305	3	14	40	389	<1	<1	0.58	<5	12	<5	<10	79	5	<1	<1	355	<2	<20	79	<10	<2	47	<1
119772	919700	13573	6	7.67	31	395	<2	<1	2.70	<4	10	24	79	130	4.02	15	8	<1	<1	<1	1.84	<1	<1	0.89	572	16	13	<1	577	<1	233	0.85	<5	5	<5	<10	87	5	<1	<1	4285	<2	<20	65	<10	<2	90	<1
119774	919701	68	1	>10.00	276	121	<2	<1	3.65	4	10	53	20	225	9.72	21	<1	<1	<1	<1	2.30	1	24	3.42	1190	<1	15	65	442	<1	<1	0.33	<5	15	<5	<10	43	5	<1	<1	298	<2	<20	101	<10	<2	69	<1
119775	919702	164	1	>10.00	247	139	2	<1	4.30	4	11	52	23	258	9.49	22	2	<1	<1	<1	2.23	2	23	3.57	1151	<1	17	64	443	<1	<1	0.28	<5	15	<5	<10	76	6	<1	<1	362	<2	<20	108	<10	<2	74	<1
119776	919703	418	1	8.66	1135	180	<2	<1	4.69	<4	8	22	33	94	4.64	8	<1	<1	<1	<1	2.13	<1	<1	2.29	1026	<1	10	17	139	<1	4	0.22	<5	8	<5	<10	69	3	<1	<1	275	<2	<20	34	<10	<2	23	<1
119777	919704	1337	<1	9.36	558	238	2	<1	6.36	<4	21	47	21	241	8.15	17	<1	<1	<1	<1	2.16	<1	<1	2.41	1701	<1	13	44	<100	<1	<1	2.33	<5	11	<5	<10	112	4	<1	<1	310	<2	<20	76	<10	<2	54	<1
119778	919705	1216	1	9.71	769	233	<2	<1	6.34	<4	18	43	20	227	8.33	21	2	<1	<1	<1	2.10	<1	<1	2.42	1682	2	12	39	<100	<1	<1	2.32	<5	11	<5	<10	116	5	<1	<1	330	<2	<20	76	<10	<2	63	<1
119779	919706	4700	1	7.36	20042	231	2	<1	4.59	<4	15	41	27	79	6.88	15	<1	<1	<1	<1	1.86	<1	<1	1.41	1264	10	8	24	<100	<1	<1	4.18	<5	6	<5	<10	83	4	<1	<1	325	<2	<20	33	<10	<2	96	<1
119780	919707	2583	1	6.36	13017	138	<2	1	1.76	<4	<1	15	42	68	6.64	7	<1	<1	<1	<1	1.71	<1	<1	0.79	1525	14	<1	4	<100	<1	<1	4.08	<5	2	<5	<10	17	2	5	<1	242	<2	<20	<2	<10	<2	31	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119781	919708	851	2	6.55	6792	139	<2	<1	1.56	<4	<1	11	46	61	5.71	9	7	2	<1	<1	1.78	<1	0.70	1453	24	<1	<1	<100	<1	<1	3.39	<5	<1	<5	<10	16	3	1	<1	279	<2	<20	<2	<10	<2	11	82	
119782	919709	1941	1	7.04	22268	136	<2	<1	1.85	<4	<1	19	46	57	7.05	8	<1	1	<1	2	1.83	<1	0.93	1905	23	<1	9	<100	<1	<1	4.04	<5	2	<5	<10	18	3	2	<1	273	<2	<20	<2	<10	<2	69	67	
119783	919710	5531	3	6.58	422	270	<2	<1	2.29	<4	4	108	136	1477	6.39	17	14	<1	<1	<1	1.94	1	<1	0.72	608	18	8	1141	429	585	17	2.00	<5	4	<5	<10	76	4	3	2	3170	<2	<20	46	<10	<2	330	<1
119785	919711	356	2	6.82	3237	107	<2	<1	1.40	4	<1	24	77	138	8.91	11	<1	<1	<1	1.77	<1	<1	1.06	2562	18	1	64	204	<1	<1	5.16	<5	3	<5	<10	41	4	3	<1	180	<2	43	<2	<10	<2	172	<1	
119786	919712	39	1	6.54	408	88	<2	<1	2.71	<4	1	10	43	84	7.09	7	2	<1	<1	<1	1.77	<1	<1	1.35	3453	12	<1	11	168	<1	<1	3.73	<5	1	<5	<10	59	4	<1	<1	156	<2	<20	<2	<10	<2	36	<1
119787	919713	90	2	6.18	132	253	3	2	0.86	12	<1	21	156	241	16.24	35	4	<1	<1	<1	1.64	<1	<1	0.54	709	39	5	134	193	11	<1	>10.00	<5	6	<5	<10	47	10	11	<1	362	<2	134	54	<10	<2	2309	<1
119788	919714	147	2	6.63	285	347	2	<1	0.95	11	<1	34	143	155	10.28	32	5	<1	<1	<1	1.69	<1	<1	0.63	827	24	8	77	310	8	<1	7.65	<5	6	<5	<10	52	7	5	<1	456	<2	78	69	<10	<2	3129	<1
119789	919715	124	2	6.65	691	196	2	3	1.47	8	<1	42	104	260	11.91	22	<1	<1	<1	1.67	<1	<1	0.99	1707	25	3	72	243	7	<1	8.65	<5	5	<5	<10	47	5	7	<1	279	<2	61	20	<10	<2	1003	<1	
119790	919716	128	2	7.51	103	306	2	1	0.72	9	<1	35	133	230	12.19	30	2	<1	<1	<1	1.69	<1	<1	0.66	504	27	6	83	200	16	<1	9.56	<5	8	<5	<10	42	6	5	<1	411	<2	75	58	<10	<2	1818	<1
119791	919717	19	1	6.90	137	88	<2	2	2.81	<4	3	14	64	72	7.20	7	<1	<1	<1	2.00	<1	<1	1.38	2248	11	1	34	133	<1	<1	4.26	<5	2	<5	<10	58	4	3	<1	143	<2	<20	<2	<10	<2	27	<1	
119792	919718	17	2	6.80	107	88	<2	<1	1.74	<4	<1	12	64	83	5.10	5	<1	<1	<1	2.19	<1	<1	1.01	1599	14	<1	4	<100	<1	<1	2.71	<5	<1	<5	<10	50	3	<1	<1	151	<2	<20	<2	<10	<2	<1	<1	
119793	919719	118	2	8.54	242	247	2	<1	0.97	9	<1	40	120	145	12.53	26	3	<1	<1	1.97	<1	<1	1.28	1009	25	6	67	273	28	<1	8.08	<5	8	<5	<10	43	7	6	<1	331	<2	88	42	<10	<2	1223	<1	
119794	919720	<5	1	8.18	7	831	<2	<1	1.32	<4	25	3	36	6	1.31	12	1	<1	<1	3.19	12	<1	0.36	225	14	3	<1	292	<1	34	0.07	<5	1	<5	<10	195	<1	<1	8	1198	<2	<20	<2	<10	<2	9	<1	
119796	919721	61	2	7.45	547	147	2	1	2.07	7	<1	45	80	190	13.79	22	3	<1	<1	<1	1.93	<1	<1	1.32	2770	29	1	74	446	1	<1	9.26	<5	2	<5	<10	60	6	10	<1	228	<2	66	<2	<10	<2	363	<1
119797	919722	170	2	9.01	187	404	3	<1	1.00	8	<1	83	140	171	9.71	31	<1	<1	<1	1.83	<1	<1	0.73	987	20	8	173	381	22	3	7.30	<5	9	<5	<10	52	4	2	<1	515	<2	82	71	<10	<2	1831	<1	
119798	919723	74	2	7.82	117	348	3	3	0.63	9	<1	59	177	251	13.16	34	3	<1	<1	<1	1.71	<1	<1	0.69	458	31	8	117	261	46	1	>10.00	<5	8	<5	<10	45	8	11	<1	495	<2	110	79	<10	<2	1620	<1
119799	919724	161	2	7.77	487	224	3	3	0.66	11	<1	106	116	274	16.89	34	<1	<1	<1	1.77	<1	<1	1.07	800	29	6	95	317	33	<1	>10.00	<5	9	<5	<10	33	9	8	<1	328	<2	153	57	<10	<2	1546	<1	
119800	919725	158	2	8.00	471	216	3	<1	0.75	12	<1	129	112	296	17.44	35	9	<1	<1	<1	1.74	<1	<1	1.12	847	36	6	92	319	31	<1	>10.00	<5	7	<5	<10	41	8	12	<1	340	<2	167	51	<10	<2	1509	<1
119801	919726	72	1	5.69	4206	69	<2	<1	1.55	4	<1	38	36	83	8.38	6	<1	<1	<1	1.89	<1	<1	1.00	2598	7	<1	22	110	<1	<1	4.90	<5	1	<5	<10	31	6	3	<1	140	<2	44	<2	<10	<2	343	<1	
119802	919727	61	1	6.47	257	93	<2	1	1.08	<4	<1	12	61	132	6.70	8	<1	<1	<1	2.00	<1	<1	0.78	1462	16	<1	28	142	<1	<1	3.26	<5	1	<5	<10	40	3	3	<1	160	<2	<20	<2	<10	<2	125	<1	

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119803	919728	448	1	6.35	2492	76	<2	<1	1.33	<4	<1	16	55	49	7.00	5	<1	<1	<1	<1	2.00	<1	<1	0.80	1537	13	<1	42	116	<1	<1	3.51	<5	1	<5	<10	36	3	3	<1	126	<2	<20	<2	<10	<2	58	<1
119804	919729	342	1	6.53	1044	99	2	2	1.62	6	<1	26	51	54	12.53	16	2	<1	<1	<1	1.96	<1	<1	0.74	1182	27	<1	63	<100	<1	<1	9.34	<5	1	<5	<10	46	7	6	<1	162	<2	90	<2	<10	<2	233	<1
119805	919730	68	1	6.14	211	80	<2	<1	1.68	<4	<1	5	52	43	5.36	4	<1	<1	2	<1	2.02	<1	<1	0.81	1588	10	<1	23	<100	<1	<1	1.63	<5	<1	<5	<10	43	3	1	<1	133	<2	<20	<2	<10	<2	<1	<1
119806R	919730	87	1	6.56	224	87	<2	<1	1.77	<4	<1	5	44	42	5.49	4	<1	<1	<1	<1	1.89	<1	<1	0.86	1749	13	<1	10	<100	<1	<1	1.61	<5	<1	<5	<10	49	3	<1	<1	153	<2	<20	<2	<10	<2	3	<1
119807	919731	34	1	5.47	147	90	<2	<1	1.21	<4	<1	6	54	54	4.43	3	<1	<1	<1	<1	1.88	<1	<1	0.56	1149	9	<1	17	137	<1	<1	2.29	<5	<1	<5	<10	36	2	1	<1	151	<2	<20	<2	<10	<2	110	<1
119808	919732	179	2	6.53	2269	105	2	1	1.09	7	<1	29	52	146	12.35	16	<1	<1	<1	<1	1.77	<1	<1	0.96	3688	25	1	29	177	<1	<1	6.57	<5	2	<5	<10	39	6	6	<1	187	<2	64	<2	<10	<2	468	<1
119809	919733	9	<1	5.79	36	80	<2	<1	1.74	<4	<1	2	55	17	1.85	<1	<1	<1	<1	<1	1.69	<1	<1	0.54	661	9	<1	19	<100	<1	<1	0.71	<5	<1	<5	<10	42	<1	<1	<1	128	<2	<20	<2	<10	<2	<1	<1
119810	919734	149	1	5.58	17	86	<2	<1	1.50	<4	<1	2	39	6	1.10	<1	4	<1	<1	<1	1.56	<1	<1	0.47	385	12	<1	<1	<100	<1	<1	0.34	<5	<1	<5	<10	41	<1	<1	<1	151	<2	<20	<2	<10	<2	<1	<1
119811	919735	65	<1	5.28	574	71	<2	<1	1.29	<4	4	1	55	12	1.35	<1	<1	<1	<1	<1	1.84	<1	<1	0.43	360	6	<1	10	<100	<1	<1	0.61	<5	<1	<5	<10	29	<1	<1	<1	113	<2	<20	<2	<10	<2	<1	<1
119812	919736	49	1	5.26	10	75	<2	<1	0.96	<4	2	1	38	21	0.98	<1	<1	<1	<1	1	1.94	<1	<1	0.33	201	6	<1	<1	<100	<1	<1	0.55	<5	<1	<5	<10	29	1	<1	<1	123	<2	<20	<2	<10	<2	<1	<1
119813	919737	47	1	6.55	6	87	<2	<1	1.60	<4	1	2	53	43	1.32	<1	5	<1	<1	<1	1.75	<1	<1	0.54	394	15	<1	19	<100	<1	<1	0.46	<5	<1	<5	<10	46	<1	<1	<1	147	<2	<20	<2	<10	<2	52	<1
119814	919738	<5	1	6.32	7	85	<2	<1	0.87	<4	<1	<1	48	2	0.38	<1	8	<1	<1	<1	1.68	<1	<1	0.32	<100	15	<1	<1	<100	<1	7	0.07	<5	<1	<5	<10	38	<1	<1	<1	149	<2	<20	<2	<10	<2	<1	<1
119815	919739	17	1	6.10	273	128	<2	<1	1.33	<4	<1	2	56	17	1.52	1	<1	<1	<1	<1	1.88	<1	<1	0.45	345	8	<1	14	<100	<1	<1	0.69	<5	2	<5	<10	37	<1	<1	<1	185	<2	<20	<2	<10	<2	159	<1
119816	919740	13536	7	7.49	30	395	<2	<1	2.79	<4	3	24	82	130	3.99	13	<1	<1	1	1	2.00	<1	<1	0.97	570	2	11	<1	598	<1	288	0.93	<5	6	<5	<10	112	4	<1	<1	4215	<2	<20	64	<10	<2	96	<1
119818	919741	278	2	7.48	4223	153	2	2	1.08	9	<1	47	84	204	13.96	23	<1	<1	<1	<1	1.89	<1	<1	0.98	2153	33	3	77	239	<1	<1	8.80	<5	5	<5	<10	43	9	8	<1	265	<2	119	15	<10	<2	1011	<1
119819	919742	113	2	7.19	2090	91	2	<1	1.12	5	<1	25	75	62	11.01	15	4	<1	<1	<1	1.83	<1	<1	0.95	2176	30	1	37	151	<1	<1	5.69	<5	2	<5	<10	42	6	1	<1	181	<2	62	<2	<10	<2	133	<1
119820	919743	51	1	6.24	1527	112	<2	<1	0.91	<4	<1	26	61	41	6.93	8	3	<1	<1	<1	1.82	<1	<1	0.57	891	15	<1	8	<100	<1	<1	4.09	<5	1	<5	<10	40	3	2	<1	177	<2	<20	<2	<10	<2	220	<1
119821	919744	186	1	6.65	82	78	<2	<1	1.89	<4	<1	6	40	18	7.64	7	<1	<1	<1	<1	1.79	<1	<1	1.05	2093	9	<1	<1	180	<1	<1	0.97	<5	<1	<5	<10	47	3	3	<1	145	<2	<20	<2	<10	<2	21	<1
119822	919745	281	2	7.32	2215	80	2	<1	1.69	6	<1	16	39	41	12.28	15	<1	<1	<1	<1	1.81	<1	<1	1.41	3335	15	<1	<1	310	<1	<1	2.13	<5	2	<5	<10	44	6	9	<1	189	<2	57	<2	<10	<2	201	<1
119823	919746	24	1	6.24	51	135	2	1	1.47	<4	<1	5	54	13	6.43	8	<1	<1	<1	<1	1.60	<1	<1	0.71	1471	12	<1	<1	152	<1	<1	1.51	<5	1	<5	<10	47	3	2	<1	275	<2	<20	<2	<10	<2	222	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119824	919747	94	2	7.77	246	112	2	2	2.17	8	<1	13	61	27	15.39	21	<1	<1	<1	<1	1.58	<1	<1	1.67	5015	25	1	<1	311	<1	<1	2.31	<5	2	<5	<10	60	9	9	<1	221	<2	88	<2	<10	<2	218	<1
119825	919748	38	2	7.71	39	87	2	1	2.58	5	2	6	45	9	10.28	12	<1	<1	<1	<1	1.79	<1	<1	1.43	3538	18	<1	<1	221	<1	<1	0.79	<5	<1	<5	<10	64	8	4	<1	160	<2	<20	<2	<10	<2	<1	<1
119826	919749	64	1	6.67	55	72	<2	1	1.25	6	<1	8	30	11	12.35	10	<1	<1	<1	<1	1.70	<1	<1	1.36	2733	13	<1	<1	421	<1	<1	1.29	<5	1	<5	<10	33	7	5	<1	144	<2	62	<2	<10	<2	93	<1
119827	919750	<5	<1	8.24	3	819	2	<1	1.56	<4	12	3	31	3	1.12	10	<1	<1	<1	<1	1.61	8	<1	0.37	251	<1	5	<1	231	<1	22	0.03	<5	<1	<5	<10	392	1	<1	6	1073	<2	<20	<2	<10	<2	<1	<1
119829	919751	<5	1	6.22	90	85	2	<1	1.12	4	<1	3	40	2	10.15	11	<1	<1	<1	<1	1.77	<1	<1	0.88	1222	21	<1	<1	191	<1	<1	0.19	<5	<1	<5	<10	40	5	3	<1	165	<2	30	<2	<10	<2	<1	<1
119830	919752	<5	1	6.71	22	78	<2	2	1.25	4	<1	4	41	3	10.75	12	<1	<1	<1	<1	1.79	<1	<1	1.02	851	16	<1	<1	226	<1	<1	0.19	<5	<1	<5	<10	37	5	8	<1	147	<2	44	<2	<10	<2	<1	<1
119831	919753	<5	1	6.68	32	76	2	2	1.61	7	<1	5	29	5	16.30	18	<1	<1	<1	<1	1.81	<1	<1	1.33	1038	23	<1	<1	596	<1	<1	0.37	<5	<1	<5	<10	44	7	8	<1	157	<2	126	<2	<10	<2	<1	<1
119832	919754	<5	1	7.23	19	82	2	<1	1.19	6	<1	5	41	4	12.26	12	<1	<1	<1	<1	1.70	<1	<1	1.07	751	24	<1	<1	267	<1	<1	0.39	<5	<1	<5	<10	41	6	5	<1	158	<2	84	<2	<10	<2	<1	<1
119833	919755	<5	1	6.88	21	84	2	<1	1.20	5	<1	4	40	6	12.72	13	<1	<1	<1	<1	1.63	<1	<1	1.02	766	27	<1	<1	306	<1	<1	0.47	<5	<1	<5	<10	42	5	8	<1	165	<2	74	<2	<10	<2	<1	<1
119834	919756	<5	1	6.95	18	76	2	<1	1.16	6	<1	5	48	12	12.76	12	<1	<1	<1	<1	1.58	<1	<1	1.07	736	20	<1	<1	248	<1	<1	0.87	<5	<1	<5	<10	37	8	6	<1	137	<2	80	<2	<10	<2	<1	<1
119835	919757	9	1	7.16	25	82	2	2	1.29	4	<1	5	39	2	11.47	12	<1	<1	<1	<1	1.75	<1	<1	1.01	597	21	<1	<1	286	<1	<1	0.16	<5	<1	<5	<10	42	5	4	<1	144	<2	40	<2	<10	<2	<1	<1
119836	919758	7	2	7.58	42	89	2	2	1.27	5	<1	5	36	10	11.63	13	<1	<1	<1	<1	1.72	<1	<1	1.06	721	24	<1	<1	309	<1	<1	0.56	<5	<1	<5	<10	47	7	5	<1	177	<2	70	<2	<10	<2	<1	<1
119837	919759	19	1	6.99	9	84	2	<1	0.93	6	<1	11	53	41	12.30	15	<1	<1	<1	<1	1.70	<1	<1	1.12	1099	18	1	<1	206	<1	<1	3.02	<5	1	<5	<10	31	7	4	<1	454	<2	81	<2	<10	<2	21	<1
119838	919760	<5	<1	6.75	31	81	<2	<1	1.05	4	<1	4	44	11	11.16	8	<1	<1	<1	<1	1.78	<1	<1	1.15	1144	10	<1	<1	368	<1	<1	0.21	<5	<1	<5	<10	31	7	6	<1	189	<2	56	<2	<10	<2	<1	<1
119839D	919760	<5	<1	6.37	30	78	2	<1	1.01	4	<1	3	42	10	10.63	9	<1	<1	<1	<1	1.84	<1	<1	1.09	1102	11	<1	<1	350	<1	<1	0.18	<5	<1	<5	<10	28	4	5	<1	181	<2	63	<2	<10	<2	<1	<1
119840	919761	<5	<1	5.99	22	77	<2	1	0.93	<4	<1	3	32	9	8.52	7	<1	<1	<1	<1	1.45	<1	<1	0.83	771	11	<1	<1	312	<1	<1	0.14	<5	<1	<5	<10	30	4	5	<1	146	<2	37	<2	<10	<2	<1	<1
119841	919762	<5	1	6.75	17	81	2	<1	1.08	4	<1	4	52	18	10.89	10	<1	<1	<1	<1	1.86	<1	<1	1.08	1318	16	<1	<1	234	<1	<1	0.17	<5	<1	<5	<10	34	4	6	<1	202	<2	34	<2	<10	<2	<1	<1
119842	919763	<5	1	6.19	19	78	<2	<1	0.87	<4	<1	2	44	4	6.79	4	<1	<1	<1	<1	1.66	<1	<1	0.66	792	12	<1	<1	124	<1	<1	0.39	<5	<1	<5	<10	32	3	3	<1	140	<2	<20	<2	<10	<2	<1	<1
119843	919764	27	1	7.27	49	78	2	2	1.49	10	<1	14	41	104	16.84	17	<1	<1	<1	<1	1.67	<1	<1	1.48	3168	26	<1	16	196	4	<1	8.36	<5	3	<5	<10	42	9	9	<1	146	<2	142	<2	<10	<2	494	<1
119844	919765	66	2	8.02	89	79	2	4	1.54	13	<1	28	52	107	18.76	24	<1	<1	<1	<1	1.67	<1	<1	1.67	3054	28	1	24	322	17	<1	9.94	<5	4	<5	<10	44	12	11	<1	165	<2	181	<2	<10	<2	830	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
119845	919766	94	2	6.66	46	134	2	3	0.87	8	<1	20	63	135	14.93	18	<1	<1	<1	<1	1.80	<1	<1	1.00	2054	25	<1	39	242	16	<1	>10.00	<5	2	<5	<10	34	7	9	<1	184	<2	118	<2	<10	<2	267	<1
119846	919767	85	2	7.47	215	81	2	4	1.47	11	<1	29	35	246	20.48	23	<1	<1	<1	3	1.78	<1	<1	2.11	5414	31	<1	10	254	3	<1	7.60	<5	2	<5	<10	44	11	13	<1	144	<2	181	<2	<10	<2	285	<1
119847	919768	9	1	6.82	24	77	2	<1	1.09	<4	<1	6	42	21	8.90	9	<1	<1	<1	<1	1.75	<1	<1	1.15	2233	13	1	<1	<100	<1	<1	1.14	<5	<1	<5	<10	35	5	5	<1	136	<2	39	<2	<10	<2	15	<1
119848	919769	10	1	6.69	14	96	2	1	1.07	<4	<1	5	45	29	7.33	7	<1	<1	<1	<1	1.70	<1	<1	0.89	1632	11	<1	<1	165	<1	<1	1.52	<5	<1	<5	<10	38	3	1	<1	178	<2	<20	<2	<10	<2	<1	<1
119849	919770	991	<1	8.73	2	162	<2	<1	4.57	<4	17	33	116	39	5.61	20	7	<1	<1	<1	1.84	5	<1	1.70	924	<1	20	<1	632	<1	24	0.12	<5	13	<5	<10	165	6	<1	3	6478	<2	<20	134	<10	<2	37	<1
119851	919771	<5	<1	6.37	12	73	<2	<1	1.06	<4	<1	3	39	6	7.88	6	<1	<1	<1	<1	1.67	<1	<1	0.90	1296	10	<1	<1	305	<1	<1	0.46	<5	<1	<5	<10	33	3	2	<1	163	<2	23	<2	<10	<2	<1	<1
119852	919772	5	1	7.28	34	81	2	1	1.16	5	<1	5	36	18	11.69	12	<1	<1	<1	<1	1.70	<1	<1	1.22	1654	18	<1	<1	237	<1	<1	1.00	<5	<1	<5	<10	38	7	5	<1	240	<2	69	<2	<10	<2	11	<1
119853	919773	<5	<1	0.50	<2	6	<2	<1	0.08	<4	<1	<1	2	<1	0.82	<1	<1	<1	<1	<1	0.11	<1	<1	0.09	117	<1	<1	<1	<100	<1	<1	0.06	<5	<1	<5	<10	<3	<1	1	<1	<100	<2	<20	<2	<10	<2	<1	<1
119854	919774	7	1	7.71	13	83	2	1	1.71	6	<1	8	42	27	14.27	17	<1	<1	<1	<1	1.72	<1	<1	1.41	971	25	<1	<1	401	<1	<1	2.32	<5	<1	<5	<10	51	9	9	<1	152	<2	99	<2	<10	<2	<1	<1
119855	919775	22	1	7.11	62	77	2	2	2.06	6	<1	6	30	15	13.40	15	<1	<1	<1	<1	1.91	<1	<1	1.42	995	19	<1	<1	332	<1	<1	1.35	<5	<1	<5	<10	46	7	5	<1	137	<2	43	<2	<10	<2	<1	<1
119856	919776	<5	1	8.11	1166	87	2	<1	1.70	6	<1	6	35	14	12.87	14	<1	<1	<1	<1	1.85	<1	<1	1.40	820	24	<1	<1	346	<1	<1	1.19	<5	<1	<5	<10	51	6	5	<1	161	<2	59	<2	<10	<2	<1	<1
119857	919777	105	1	6.76	2557	71	2	3	1.54	7	<1	15	28	130	16.17	17	<1	<1	<1	<1	1.87	<1	<1	1.50	678	21	<1	8	286	<1	<1	9.99	<5	<1	<5	<10	39	6	10	<1	110	<2	137	<2	<10	<2	<1	<1
119858	919778	7	1	7.05	62	71	3	2	1.82	8	<1	7	31	30	17.07	17	<1	<1	<1	<1	1.86	<1	<1	2.03	1344	19	<1	<1	318	<1	<1	1.49	<5	<1	<5	<10	43	7	11	<1	137	<2	120	<2	<10	<2	<1	<1
119859	919779	6	1	7.98	173	84	2	1	1.36	6	<1	7	31	31	12.07	14	<1	<1	<1	<1	1.77	<1	<1	1.35	1268	20	<1	<1	256	<1	<1	1.55	<5	<1	<5	<10	45	3	7	<1	165	<2	87	<2	<10	<2	<1	<1
119860	919780	<5	2	9.34	3	866	<2	19	1.59	<4	44	3	33	6	1.28	6	<1	<1	<1	2	2.17	22	14	0.37	188	<1	2	<1	262	<1	17	0.05	<5	<1	<5	<10	198	1	<1	11	750	<2	<20	<2	<10	<2	<1	<1
119862	919781	17	2	9.29	175	99	2	19	1.69	10	<1	4	41	53	13.90	13	1	<1	<1	<1	2.24	<1	<1	1.60	1683	26	<1	<1	240	<1	<1	3.29	<5	<1	<5	<10	45	6	4	<1	159	<2	77	<2	<10	<2	<1	<1
119863	919782	51	1	9.01	137	99	<2	21	2.08	12	<1	4	35	54	16.14	15	7	<1	<1	<1	2.30	<1	<1	1.80	1574	28	<1	<1	366	<1	<1	3.36	<5	<1	<5	<10	49	9	9	<1	144	<2	66	<2	<10	<2	<1	<1
119864	919783	15	3	9.26	15	101	2	26	2.56	18	<1	3	39	26	22.52	<1	<1	<1	<1	<1	2.26	<1	<1	2.33	2217	42	<1	<1	<100	<1	<1	0.22	<5	<1	<5	<10	<3	<1	2	<1	<100	<2	<20	<2	<10	<2	<1	<1
119865	919784	8	1	7.32	11	86	<2	20	1.23	7	<1	2	77	16	9.02	5	<1	<1	<1	<1	2.30	<1	<1	0.96	935	8	<1	<1	155	<1	<1	0.55	<5	<1	<5	<10	29	3	3	<1	144	<2	28	<2	<10	<2	<1	<1
119866	919785	<5	1	7.25	21	80	<2	23	1.20	7	<1	2	53	15	9.12	4	<1	<1	<1	<1	2.22	<1	<1	0.99	941	6	<1	<1	154	<1	<1	0.55	<5	<1	<5	<10	23	4	3	<1	164	<2	38	<2	<10	<2	<1	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. BSc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Friday, May 20, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/17/2011
Job #: 201141741
Reference:
Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119867	919786	7	1	7.50	31	93	<2	17	1.57	8	<1	3	49	32	10.00	9	<1	<1	<1	<1	2.21	<1	<1	1.11	1990	7	<1	<1	316	<1	<1	1.86	<5	<1	<5	<10	39	5	4	<1	173	<2	49	<2	<10	<2	9	<1
119868	919787	<5	2	7.77	8	79	<2	19	1.36	8	<1	4	58	27	11.12	9	<1	<1	1	<1	2.32	<1	<1	1.45	3755	9	<1	<1	105	<1	<1	1.63	<5	1	<5	<10	31	6	5	<1	135	<2	33	<2	<10	<2	19	<1
119869	919788	25	1	7.28	328	82	<2	20	1.66	7	<1	4	60	37	8.73	6	<1	<1	<1	<1	2.27	<1	<1	1.15	2097	3	<1	<1	<100	<1	<1	1.72	<5	<1	<5	<10	29	4	3	<1	128	<2	22	<2	<10	<2	26	<1
119870	919789	<5	1	6.76	139	78	<2	19	1.57	6	<1	7	59	36	7.10	4	<1	<1	<1	<1	2.11	<1	<1	1.02	1787	<1	<1	<1	101	<1	<1	2.51	<5	1	<5	<10	30	3	<1	<1	116	<2	<20	<2	<10	<2	27	<1
119871	919790	<5	2	6.81	13	78	<2	18	2.14	6	<1	3	53	19	7.88	4	<1	<1	<1	<1	2.02	<1	<1	1.18	2535	1	<1	<1	199	<1	<1	1.17	<5	<1	<5	<10	38	4	1	<1	120	<2	<20	<2	<10	<2	<1	<1
119872R	919790	<5	1	7.08	11	84	<2	21	2.19	6	<1	3	54	18	8.11	5	<1	<1	<1	<1	1.96	<1	<1	1.19	2630	4	<1	<1	206	<1	<1	1.09	<5	<1	<5	<10	43	4	<1	<1	134	<2	<20	<2	<10	<2	<1	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demariuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/16/2011
Job #: 201141742
Reference:
Sample #: 41

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119873	919791	0.007	1	5.96	12	124	2	<1	0.91	<4	<1	6	64	24	8.57	7	<1	<1	<1	<1	1.96	<1	<1	0.94	1925	10	<1	<1	<100	<1	<1	1.07	<5	<1	<5	<10	<3	5	2	<1	208	<2	37	<2	<10	<2	30	<1
119874	919792	0.006	1	5.75	15	85	<2	1	1.15	4	<1	5	49	12	10.71	7	<1	<1	<1	<1	1.97	<1	<1	1.28	2894	7	<1	<1	<100	<1	<1	0.40	<5	<1	<5	<10	<3	4	7	<1	170	<2	57	<2	<10	<2	<1	<1
119875	919793	0.007	2	6.65	86	102	<2	<1	1.44	5	<1	7	48	24	11.13	9	<1	<1	<1	<1	1.78	<1	<1	1.25	2670	15	<1	<1	324	<1	<1	1.59	<5	<1	<5	<10	10	5	6	<1	210	<2	63	<2	<10	<2	3	<1
119876	919794	0.007	1	6.33	17	91	<2	1	1.42	5	<1	5	46	9	12.34	9	<1	<1	<1	<1	2.04	<1	<1	1.51	3322	10	<1	<1	289	<1	<1	0.57	<5	<1	<5	<10	6	7	7	<1	209	<2	72	<2	<10	<2	<1	<1
119877	919795	0.007	1	6.51	25	92	2	<1	1.78	8	<1	7	42	11	16.55	16	<1	<1	<1	<1	2.02	<1	<1	1.99	4580	19	<1	<1	319	<1	<1	0.71	<5	<1	<5	<10	11	10	10	<1	213	<2	100	<2	<10	<2	2	<1
119878	919796	0.061	1	7.30	90	144	2	<1	1.46	5	<1	12	46	71	11.92	12	<1	<1	<1	<1	1.97	<1	<1	1.67	3852	9	4	4	124	<1	<1	2.88	<5	7	<5	<10	7	7	4	<1	228	<2	59	16	<10	<2	78	<1
119879	919797	0.008	1	7.29	118	145	<2	<1	1.56	7	<1	26	53	216	12.11	16	<1	<1	<1	<1	1.82	<1	<1	1.55	3163	12	2	33	105	<1	<1	5.84	<5	4	<5	<10	11	8	5	<1	231	<2	72	<2	<10	<2	405	<1
119880	919798	0.069	2	6.32	134	256	2	1	0.91	8	<1	46	103	203	12.44	24	<1	<1	<1	<1	1.77	<1	<1	0.88	1110	18	5	85	147	30	<1	9.91	<5	6	<5	<10	8	8	6	<1	344	<2	117	43	<10	<2	1061	<1
119881	919799	0.030	1	5.87	65	95	<2	<1	1.53	<4	<1	9	71	68	4.49	<1	<1	<1	<1	<1	1.73	<1	<1	0.96	1448	7	<1	18	332	<1	<1	2.43	<5	<1	<5	<10	5	2	<1	<1	174	<2	<20	<2	<10	<2	<1	<1
119882	919800	13.545	6	8.15	27	428	<2	<1	2.91	<4	5	25	84	135	4.28	13	<1	<1	<1	<1	1.78	<1	<1	1.09	602	3	12	1	613	<1	293	0.80	<5	8	<5	<10	92	4	<1	2	3957	<2	<20	67	<10	<2	100	<1
119884	919801	0.139	2	7.70	190	125	2	4	1.04	11	<1	88	107	256	20.14	29	<1	<1	<1	<1	1.79	1	<1	1.98	1411	20	6	98	355	47	<1	>10.00	<5	12	<5	<10	<3	10	11	<1	224	<2	198	38	<10	<2	508	<1
119885	919802	0.005	1	5.64	225	210	<2	<1	1.45	<4	<1	29	95	95	6.03	11	<1	<1	<1	<1	1.57	<1	<1	0.76	1145	6	4	34	139	<1	<1	3.89	<5	5	<5	<10	18	3	3	<1	304	<2	<20	17	<10	<2	516	<1
119886	919803	0.046	2	7.49	76	277	2	<1	0.61	8	<1	81	141	231	9.80	23	<1	<1	<1	<1	1.69	<1	<1	0.82	476	5	8	158	167	32	<1	6.41	<5	12	<5	<10	8	8	6	2	396	<2	64	67	<10	<2	1386	<1
119887	919804	0.067	1	7.85	64	286	2	<1	0.59	5	<1	69	135	136	6.60	14	<1	<1	<1	<1	1.84	2	<1	0.92	449	<1	8	149	148	6	17	3.69	<5	13	<5	<10	6	4	<1	<1	365	<2	31	58	<10	<2	1172	<1
119888	919805	0.051	1	7.74	64	284	2	<1	0.63	5	<1	71	131	168	6.95	14	<1	<1	<1	<1	1.89	1	<1	0.90	463	<1	7	159	152	9	10	4.11	<5	13	<5	<10	8	3	<1	<1	366	<2	35	56	<10	<2	1202	<1
119889	919806	0.040	1	7.53	50	360	2	<1	0.80	5	<1	60	163	151	6.96	19	<1	<1	<1	<1	1.84	<1	<1	0.80	501	3	10	124	148	3	16	4.57	<5	11	<5	<10	13	4	<1	<1	445	<2	<20	78	<10	<2	966	<1
119890	919807	<0.005	<1	9.49	21	223	2	<1	1.99	4	1	55	19	230	10.15	19	<1	<1	<1	<1	1.93	<1	1	2.40	1694	<1	14	36	614	<1	<1	4.51	<5	13	<5	<10	12	6	1	<1	296	<2	36	110	<10	<2	196	<1
119891	919808	0.014	1	7.95	71	384	2	<1	0.66	4	<1	73	175	135	5.69	20	<1	<1	1	<1	1.75	<1	<1	0.80	338	2	10	151	150	<1	19	3.15	<5	12	<5	<10	18	3	<1	1	478	<2	<20	86	<10	<2	972	<1
119892	919809	0.017	1	6.64	69	351	2	<1	0.82	5	<1	76	143	136	6.02	19	<1	<1	<1	<1	1.90	<1	<1	0.64	432	6	9	144	128	<1	8	3.80	<5	9	<5	<10	19	4	<1	<1	453	<2	<20	66	<10	<2	1197	<1
119893	919810	0.997	<1	9.16	5	181	<2	<1	4.60	<4	22	33	114	41	5.65	18	<1	<1	<1	<1	1.81	6	<1	1.90	920	<1	20	<1	646	<1	40	0.10	<5	15	<5	<10	140	5	<1	2	5740	<2	<20	135	<10	<2	45	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Monday, May 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/16/2011
Job #: 201141742
Reference:
Sample #: 41

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119895	919811	0.008	1	7.46	191	173	<2	<1	2.92	4	4	34	61	141	9.08	12	<1	<1	<1	<1	1.73	<1	<1	1.82	2490	<1	6	52	280	<1	<1	5.29	<5	9	<5	<10	31	6	5	<1	259	<2	<20	28	<10	<2	279	<1
119896	919812	0.005	<1	5.64	12	112	<2	<1	1.25	<4	<1	22	78	83	6.62	3	<1	<1	<1	<1	1.98	<1	<1	0.85	981	<1	1	35	<100	<1	<1	4.09	<5	3	<5	<10	<3	3	3	<1	164	<2	<20	<2	<10	<2	53	<1
119897	919813	0.013	<1	6.29	15	145	<2	<1	0.94	4	<1	21	85	106	8.21	8	<1	<1	<1	<1	2.30	1	<1	0.96	1420	<1	3	47	<100	<1	4	4.49	<5	5	<5	<10	<3	4	5	<1	188	<2	35	<2	<10	<2	219	<1
119898	919814	0.006	1	5.03	305	75	<2	1	2.64	4	2	43	48	131	9.54	5	<1	<1	<1	<1	2.05	<1	<1	1.56	2672	<1	2	36	170	<1	<1	5.89	<5	1	<5	<10	7	5	6	<1	123	<2	<20	<2	<10	<2	2	<1
119899	919815	0.029	1	7.16	80	158	<2	<1	2.36	6	2	57	117	180	9.80	13	<1	<1	<1	<1	1.95	<1	<1	0.95	1034	4	9	92	208	6	<1	7.13	<5	14	<5	<10	35	8	4	<1	236	<2	<20	64	<10	<2	1020	<1
119900	919816	<0.005	<1	7.53	41	115	<2	<1	6.64	<4	10	36	85	127	5.88	5	<1	<1	<1	<1	2.05	<1	<1	1.84	1873	<1	12	59	276	<1	<1	2.12	<5	16	<5	<10	41	4	<1	<1	231	<2	<20	74	<10	<2	110	<1
119901	919817	<0.005	<1	8.21	21	105	<2	<1	6.26	<4	12	43	116	186	8.36	12	<1	<1	<1	3	2.07	<1	<1	1.90	1386	<1	16	61	167	<1	<1	2.39	<5	20	<5	<10	45	6	<1	<1	289	<2	<20	119	<10	<2	112	<1
119902	919818	<0.005	<1	7.53	35	109	<2	<1	6.32	<4	14	40	100	136	5.77	8	<1	<1	<1	<1	1.97	<1	<1	1.54	1342	<1	13	51	191	<1	<1	1.44	<5	16	<5	<10	50	4	<1	<1	225	<2	<20	100	<10	<2	108	<1
119903	919819	0.046	<1	5.98	50	80	<2	<1	5.81	<4	12	47	78	129	5.41	2	<1	<1	<1	2	1.88	<1	<1	1.53	1383	<1	10	68	273	<1	<1	1.21	<5	16	<5	<10	26	3	<1	<1	126	<2	<20	64	<10	<2	73	<1
119904	919820	<0.005	<1	8.21	2	792	<2	<1	1.31	<4	41	3	27	4	1.00	4	<1	<1	<1	<1	1.69	22	<1	0.37	206	<1	2	<1	224	<1	30	0.03	<5	1	<5	<10	265	<1	<1	12	922	<2	<20	<2	<10	<2	<1	<1
119906	919821	<0.005	<1	8.46	60	117	<2	<1	6.67	<4	13	54	143	225	7.65	16	<1	<1	<1	<1	1.97	<1	<1	1.89	2080	<1	21	112	234	<1	<1	1.23	<5	22	<5	<10	62	7	<1	<1	261	<2	<20	179	<10	<2	176	<1
119907	919822	0.008	<1	8.63	84	140	<2	<1	5.67	<4	13	48	150	141	4.16	11	<1	<1	<1	<1	2.17	<1	<1	1.47	1840	<1	21	67	352	<1	12	0.42	<5	18	<5	<10	76	4	<1	<1	258	<2	<20	166	<10	<2	25	<1
119908	919823	0.012	<1	7.93	82	120	<2	<1	4.71	<4	9	48	139	157	4.02	8	<1	<1	<1	4	2.30	<1	<1	1.32	1503	<1	18	69	320	<1	<1	0.43	<5	18	<5	<10	61	3	<1	<1	229	<2	<20	146	<10	<2	25	<1
119909	919824	<0.005	<1	8.06	61	101	<2	<1	4.60	<4	16	50	164	200	6.90	13	<1	<1	<1	<1	2.16	<1	<1	1.51	1266	<1	22	95	249	<1	<1	0.88	<5	24	<5	<10	48	7	<1	<1	210	<2	<20	184	<10	<2	102	<1
119910	919825	<0.005	<1	8.24	58	106	<2	<1	4.56	<4	6	52	168	226	7.33	15	<1	<1	<1	<1	2.19	<1	<1	1.55	1248	<1	21	110	264	<1	<1	0.93	<5	24	<5	<10	48	6	<1	<1	218	<2	<20	183	<10	<2	115	<1
119911	919826	<0.005	<1	8.29	67	107	<2	<1	6.38	<4	12	47	149	155	5.42	10	<1	<1	<1	<1	2.17	<1	<1	1.62	1823	<1	19	66	361	<1	<1	0.31	<5	23	<5	<10	59	5	<1	<1	211	<2	<20	162	<10	<2	35	<1
119912	919827	<0.005	<1	7.92	83	111	<2	<1	5.78	<4	14	57	150	167	3.93	10	<1	<1	<1	<1	2.19	1	<1	1.15	1206	<1	20	77	376	<1	<1	0.41	<5	22	<5	<10	62	4	<1	<1	203	<2	<20	166	<10	<2	12	<1
119913	919828	<0.005	<1	7.68	78	99	<2	<1	4.60	<4	12	57	155	161	4.73	7	<1	<1	<1	<1	1.89	<1	<1	1.17	1124	<1	20	67	345	<1	<1	0.36	<5	22	<5	<10	51	5	<1	<1	190	<2	<20	166	<10	<2	38	<1
119914	919829	<0.005	<1	7.73	82	91	<2	<1	6.71	<4	18	67	134	134	5.86	9	<1	<1	<1	<1	1.87	<1	<1	1.55	2095	<1	17	46	315	<1	<1	0.68	<5	21	<5	<10	43	5	<1	<1	183	<2	<20	131	<10	<2	35	<1
119915	919830	<0.005	<1	7.39	33	101	<2	<1	5.71	<4	11	42	151	160	5.70	10	<1	<1	<1	<1	1.70	<1	<1	1.28	1889	<1	18	53	366	<1	<1	0.89	<5	19	<5	<10	50	4	<1	<1	199	<2	<20	156	<10	<2	34	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Monday, May 30, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/09/2011
Date Completed: 05/16/2011
Job #: 201141742
Reference:
Sample #: 41

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
119916D	919830	0.007	<1	7.61	28	90	<2	<1	5.70	<4	23	41	145	155	5.72	9	<1	<1	<1	<1	1.90	<1	<1	1.35	1877	<1	18	51	367	<1	<1	0.89	<5	21	<5	<10	45	4	<1	<1	182	<2	<20	148	<10	<2	35	<1
119917	919831	<0.005	<1	8.08	47	99	<2	<1	6.22	<4	15	41	155	138	6.02	11	<1	<1	<1	1	2.14	<1	<1	1.52	2053	<1	21	56	344	<1	<1	0.51	<5	22	<5	<10	53	5	<1	<1	208	<2	<20	166	<10	<2	37	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127330	919832	0.007	<1	6.68	68	80	<2	26	0.88	4	<1	13	232	21	6.34	9	<1	2	<1	<1	1.69	<1	3	0.45	393	<1	<1	41	176	19	14	<0.01	6	4	5	<10	53	3	5	<1	287	<2	<20	22	<10	9	117	70
127331	919833	0.011	1	6.76	115	166	<2	13	0.75	6	<1	14	231	53	9.78	11	5	3	<1	<1	1.59	<1	6	0.57	1830	2	2	43	268	20	<1	<0.01	5	3	<5	<10	60	4	4	<1	201	12	74	38	<10	7	179	107
127332	919834	0.016	1	6.84	51	118	<2	27	0.76	6	<1	16	317	124	10.58	11	<1	2	<1	<1	1.57	<1	2	1.00	4667	<1	<1	40	<100	26	<1	<0.01	10	3	<5	<10	47	5	5	<1	153	21	45	17	<10	8	112	45
127333	919835	0.012	1	6.83	54	120	<2	27	0.74	5	<1	13	343	98	8.82	9	<1	2	<1	<1	1.56	<1	2	0.89	3825	<1	<1	31	<100	24	<1	<0.01	5	2	<5	<10	48	5	5	<1	152	13	<20	16	<10	8	95	41
127334	919836	0.033	<1	6.71	57	157	<2	24	0.74	<4	<1	13	296	21	5.37	5	<1	1	<1	<1	1.65	<1	5	0.61	2218	<1	3	28	459	15	<1	<0.01	5	3	<5	<10	54	2	3	<1	181	4	<20	28	<10	8	142	19
127335	919837	0.039	1	6.35	454	92	<2	30	0.76	6	<1	10	405	47	8.23	6	<1	3	<1	<1	1.62	<1	4	0.76	2088	<1	<1	36	<100	18	<1	<0.01	10	2	<5	<10	50	6	2	<1	151	9	24	16	<10	6	240	84
127336	919838	0.026	<1	6.82	133	135	<2	32	0.74	5	<1	13	475	57	8.39	10	<1	2	<1	<1	1.64	<1	2	0.71	2043	<1	<1	38	110	19	<1	<0.01	10	4	<5	<10	52	3	4	<1	169	4	21	27	<10	7	126	35
127337	919839	<0.005	5	7.42	41	72	<2	30	0.89	6	<1	5	453	14	10.38	11	<1	4	<1	<1	1.67	<1	5	1.24	4265	<1	<1	20	185	17	<1	<0.01	5	1	<5	<10	54	6	7	<1	153	12	71	7	<10	9	146	133
127338	919840	5.423	2	7.25	301	243	<2	31	2.63	5	5	122	161	1569	7.05	16	3	1	<1	<1	1.63	<1	6	1.01	694	<1	11	1335	496	712	23	<0.01	6	6	<5	<10	142	4	6	4	3286	4	<20	93	34	11	426	10
127339	919841	<0.005	<1	3.91	42	41	<2	26	0.53	5	<1	4	532	20	9.63	5	<1	<1	<1	<1	1.69	<1	<1	1.01	3328	<1	<1	22	<100	18	<1	<0.01	8	<1	<5	<10	31	5	2	<1	101	5	50	6	<10	5	51	<1
127340D	919841	<0.005	<1	5.89	31	56	<2	27	0.71	5	<1	4	472	10	8.70	4	<1	<1	<1	<1	1.88	<1	<1	1.02	3021	<1	<1	14	100	12	<1	<0.01	<5	<1	<5	<10	41	5	<1	<1	119	7	32	5	<10	7	45	<1
127341	919842	0.073	1	5.36	156	79	<2	41	0.65	8	<1	28	281	120	14.79	13	2	3	<1	<1	1.66	<1	2	0.67	2852	7	<1	59	<100	45	<1	<0.01	23	<1	<5	<10	44	6	10	<1	144	10	125	13	<10	5	234	36
127342	919843	0.126	3	4.92	235	40	<2	40	0.59	13	<1	73	286	117	22.24	24	<1	3	<1	<1	1.23	<1	2	0.68	2107	15	<1	86	164	77	<1	<0.01	35	1	<5	<10	41	8	10	<1	151	7	192	29	<10	5	170	<1
127343	919844	<0.005	<1	>10.00	68	383	2	48	4.28	5	38	34	296	62	7.87	18	5	4	<1	<1	1.55	6	26	2.91	1914	<1	16	78	2196	18	<1	<0.01	6	17	7	<10	235	5	5	5	273	20	<20	119	<10	17	435	68
127344	919845	<0.005	1	7.52	96	189	<2	19	1.01	6	<1	27	334	94	6.39	11	5	3	<1	<1	1.41	<1	4	0.61	587	<1	3	59	156	32	<1	<0.01	14	4	<5	<10	67	2	2	<1	208	2	<20	37	<10	7	403	62
127345	919846	<0.005	<1	6.33	20	58	<2	22	1.15	7	<1	4	405	589	10.87	8	<1	3	<1	<1	1.36	<1	1	1.13	3278	<1	<1	93	144	26	<1	<0.01	7	<1	<5	<10	51	6	5	<1	128	10	<20	10	10	8	857	42
127346	919847	0.020	1	8.62	224	108	2	35	0.65	7	<1	77	303	173	9.74	27	3	4	<1	<1	1.34	<1	11	0.78	364	4	10	176	203	64	<1	<0.01	26	11	7	<10	77	5	4	<1	371	7	41	111	<10	8	672	69
127347	919848	0.012	1	7.67	124	168	<2	23	1.62	6	<1	44	418	198	7.94	16	<1	3	<1	<1	1.50	<1	7	1.02	1384	<1	6	101	222	47	<1	<0.01	19	8	<5	<10	82	4	<1	<1	259	4	<20	66	<10	7	529	45
127348	919849	0.010	<1	7.14	91	145	<2	28	2.04	5	<1	50	374	86	8.82	16	3	<1	<1	<1	1.54	<1	2	0.92	1607	<1	10	95	209	31	<1	<0.01	11	12	<5	<10	83	4	3	<1	287	2	<20	110	<10	7	290	<1
127349	919850	0.006	<1	7.65	4	795	<2	19	1.30	<4	28	5	281	9	1.33	14	6	5	<1	<1	1.61	12	18	0.37	236	<1	4	11	296	30	<1	<0.01	<5	1	10	<10	226	<1	<1	10	1127	6	<20	18	<10	5	41	136

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127350	919851	<0.005	<1	>10.00	48	142	<2	34	1.71	8	<1	124	301	76	13.35	20	<1	2	<1	<1	1.91	<1	23	1.81	5255	<1	18	148	257	22	<1	<0.01	7	29	<5	<10	92	10	2	<1	265	8	33	168	<10	11	674	<1
127351D	919851	<0.005	<1	>10.00	50	123	<2	30	1.65	8	<1	124	291	78	13.25	18	<1	<1	<1	<1	1.82	<1	21	1.82	5213	<1	16	148	255	24	<1	<0.01	8	30	<5	<10	79	8	4	<1	223	21	22	161	<10	11	660	<1
127352	919852	<0.005	<1	>10.00	71	107	<2	22	5.22	<4	8	45	320	66	6.03	12	5	2	<1	<1	2.10	<1	28	3.67	1162	<1	23	104	250	12	<1	<0.01	5	29	<5	<10	127	4	<1	<1	206	18	23	155	<10	9	141	<1
127353	919853	<0.005	<1	>10.00	20	95	<2	44	5.42	<4	25	39	410	61	5.45	12	9	2	<1	<1	2.13	<1	29	4.14	987	<1	23	129	216	8	<1	<0.01	<5	25	<5	<10	117	3	<1	<1	197	14	26	136	<10	8	79	<1
127354	919854	<0.005	<1	>10.00	20	84	<2	20	5.50	<4	26	38	426	60	6.05	15	13	4	<1	<1	1.99	<1	35	4.28	1100	<1	24	121	222	10	<1	<0.01	6	28	<5	<10	130	4	2	<1	244	27	56	146	<10	9	105	60
127355	919855	0.005	<1	>10.00	15	94	<2	19	5.84	<4	26	43	455	69	6.19	15	10	4	<1	<1	1.91	<1	36	4.18	1223	<1	24	129	231	12	<1	<0.01	<5	26	<5	<10	140	5	<1	<1	281	20	29	157	<10	9	94	64
127356	919856	<0.005	<1	>10.00	60	129	<2	26	5.67	<4	11	41	351	74	5.76	14	13	4	<1	4	1.72	<1	28	3.51	982	<1	23	96	252	10	<1	<0.01	7	29	<5	<10	132	4	1	<1	251	19	34	163	<10	9	89	52
127357	919857	<0.005	<1	>10.00	44	178	<2	19	5.44	<4	20	28	250	58	5.01	16	4	2	<1	<1	1.66	<1	15	2.43	671	<1	20	54	293	13	<1	<0.01	6	21	<5	<10	126	5	<1	<1	269	6	50	147	<10	8	69	<1
127358	919858	<0.005	<1	>10.00	91	315	<2	22	4.03	<4	<1	43	362	65	5.09	19	7	3	<1	<1	1.53	<1	13	1.70	709	<1	23	75	343	9	<1	<0.01	<5	19	<5	<10	115	3	<1	<1	386	10	26	199	<10	7	69	53
127359	919859	<0.005	<1	6.79	54	67	<2	24	3.38	<4	<1	9	242	49	5.10	5	3	3	<1	<1	1.67	<1	4	1.62	1358	<1	4	28	160	14	<1	<0.01	<5	4	<5	<10	72	1	<1	<1	149	18	<20	20	<10	7	66	51
127360	919860	<0.005	<1	8.80	60	206	2	21	2.24	5	<1	23	209	101	9.16	14	4	3	<1	<1	1.78	<1	7	1.59	2045	<1	9	41	366	16	<1	<0.01	6	8	<5	<10	67	5	5	<1	265	8	<20	81	<10	8	108	58
127361	919861	<0.005	<1	7.25	3	65	<2	35	2.11	5	<1	3	263	4	8.66	8	7	5	<1	<1	1.89	<1	4	1.53	1495	<1	3	16	185	15	<1	<0.01	5	6	<5	<10	59	3	<1	150	8	<20	17	<10	8	40	124	
127362D	919861	<0.005	<1	6.26	12	54	<2	15	2.00	5	<1	3	285	3	8.68	9	<1	2	<1	<1	1.79	<1	<1	1.50	1487	<1	2	13	176	14	<1	<0.01	7	6	<5	<10	50	4	<1	<1	126	10	<20	16	<10	7	37	24
127363	919862	<0.005	<1	5.49	23	49	2	26	2.20	6	<1	3	211	4	11.96	8	<1	<1	<1	<1	1.90	<1	<1	1.88	2428	<1	2	14	447	19	<1	<0.01	<5	3	<5	<10	47	5	4	<1	112	8	23	13	<10	9	45	<1
127364	919863	<0.005	<1	6.03	39	57	<2	29	1.96	5	<1	4	280	18	10.12	7	<1	1	<1	<1	1.73	<1	<1	1.58	2634	<1	2	20	267	15	<1	<0.01	6	1	<5	<10	49	6	2	<1	124	<2	<20	8	<10	8	40	<1
127365	919864	<0.005	<1	5.95	16	53	<2	21	1.79	4	<1	3	324	7	8.28	7	<1	1	<1	<1	1.79	<1	<1	1.41	2403	<1	<1	13	259	11	<1	<0.01	<5	<1	<5	<10	53	3	4	<1	120	6	20	6	<10	8	32	<1
127366	919865	<0.005	<1	6.69	19	59	<2	31	2.07	4	<1	3	409	7	8.07	7	<1	3	<1	<1	1.46	<1	<1	1.49	2313	<1	<1	14	289	17	<1	<0.01	<5	<1	<5	<10	59	6	2	<1	135	12	<20	7	<10	9	37	61
127367	919866	<0.005	1	7.56	41	74	<2	30	1.04	6	<1	30	345	88	10.54	9	<1	3	<1	<1	1.48	<1	4	1.34	3814	<1	<1	39	132	21	<1	<0.01	8	2	<5	<10	52	7	3	2	159	14	<20	15	<10	9	370	113
127368	919867	<0.005	<1	7.23	20	121	<2	24	0.90	5	<1	15	366	89	6.80	8	<1	4	<1	<1	1.42	<1	4	0.77	1620	2	1	43	170	24	<1	<0.01	6	2	5	<10	60	3	<1	<1	202	9	31	21	<10	7	478	112
127369	919868	<0.005	1	6.65	45	95	<2	25	0.74	<4	<1	12	430	70	5.17	8	<1	2	<1	<1	1.45	<1	2	0.50	911	<1	1	29	173	17	<1	<0.01	<5	2	<5	<10	53	2	2	<1	172	7	<20	14	<10	6	166	67

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127370	919869	0.006	<1	7.56	80	145	<2	22	0.74	6	<1	33	337	98	8.82	13	<1	2	<1	1.60	<1	2	0.80	1539	<1	3	70	227	29	<1	<0.01	8	5	<5	<10	56	5	5	1	226	<2	52	37	<10	8	597	43	
127371	919870	13.907	5	7.87	34	408	<2	20	2.92	<4	<1	27	90	128	4.33	15	<1	<1	<1	1.93	<1	2	1.22	631	<1	14	44	643	34	349	<0.01	6	9	<5	<10	136	3	1	<1	3905	15	<20	106	<10	14	151	<1	
127372	919871	0.019	1	6.64	48	129	<2	31	0.77	5	<1	21	407	83	7.00	11	<1	2	<1	1.70	<1	3	0.76	1321	<1	3	55	207	19	<1	<0.01	9	4	<5	<10	58	4	3	<1	276	9	<20	36	<10	6	484	51	
127373D	919871	0.007	<1	6.72	50	118	<2	22	0.70	4	<1	19	387	76	6.73	12	<1	1	<1	1.71	<1	1	0.75	1263	<1	3	54	184	19	7	<0.01	8	5	<5	<10	52	3	1	<1	200	8	43	33	<10	7	455	9	
127374	919872	<0.005	<1	6.41	61	79	<2	19	1.00	5	<1	13	362	52	7.68	8	<1	<1	<1	1.79	<1	<1	1.04	1836	<1	2	32	175	15	<1	<0.01	7	3	<5	<10	47	2	3	<1	153	2	<20	19	<10	7	283	<1	
127375	919873	0.007	<1	5.99	23	54	<2	28	0.90	4	<1	3	393	11	7.07	5	<1	<1	<1	1.69	<1	<1	0.90	1481	<1	<1	12	211	11	<1	<0.01	6	<1	<5	<10	44	3	3	<1	123	12	<20	6	<10	7	36	<1	
127376	919874	<0.005	<1	6.10	55	72	<2	16	0.77	4	<1	9	407	35	7.13	6	<1	<1	<1	1.65	<1	<1	0.90	1999	<1	<1	30	268	16	<1	<0.01	<5	1	5	<10	47	5	<1	<1	133	8	42	12	<10	7	207	<1	
127377	919875	<0.005	1	6.72	67	106	<2	29	0.93	9	<1	48	291	127	14.21	11	2	2	<1	1.80	<1	2	1.50	3416	2	<1	72	282	29	<1	<0.01	9	2	<5	<10	48	5	9	<1	147	9	49	17	<10	9	351	33	
127378	919876	<0.005	1	7.38	53	90	<2	27	1.84	6	<1	16	359	96	9.84	8	<1	4	<1	1.44	<1	5	1.54	2282	<1	1	61	283	20	<1	<0.01	9	2	<5	<10	86	2	2	<1	162	<2	22	15	<10	9	174	90	
127379	919877	0.014	<1	7.37	103	218	2	19	1.91	6	<1	51	393	99	5.58	13	<1	3	<1	1.49	<1	2	1.01	981	<1	4	97	202	24	<1	<0.01	12	6	<5	<10	74	2	<1	<1	261	11	<20	48	12	7	1182	61	
127380	919878	<0.005	1	8.04	61	158	2	28	1.13	7	<1	25	538	81	10.78	17	9	4	<1	1.54	<1	4	1.31	1426	2	3	40	470	24	<1	<0.01	7	5	<5	<10	65	7	8	<1	236	12	25	37	<10	9	323	111	
127381	919879	<0.005	1	7.63	18	98	<2	17	2.14	8	<1	5	272	22	14.71	14	8	6	<1	1.49	<1	5	2.08	1870	2	1	14	521	28	<1	<0.01	9	<1	<5	<10	66	8	4	1	190	7	32	11	<10	10	74	170	
127382	919880	<0.005	<1	8.68	4	842	<2	31	1.56	<4	93	9	572	7	2.59	17	3	3	<1	1.69	38	11	0.57	328	<1	12	13	1023	35	26	<0.01	5	2	<5	<10	231	2	6	32	2739	2	<20	34	<10	13	56	76	
127383	919881	<0.005	1	7.56	67	122	<2	22	1.95	8	<1	14	286	60	14.12	15	4	4	<1	1.59	<1	6	2.13	2017	<1	3	42	450	24	<1	<0.01	8	3	<5	<10	85	4	8	3	216	8	36	26	<10	10	131	67	
127384D	919881	0.006	<1	7.47	76	110	<2	18	1.95	8	<1	14	275	60	14.22	17	2	5	<1	1.72	<1	5	2.14	2027	<1	4	38	440	22	<1	<0.01	6	3	<5	<10	81	9	6	<1	172	5	22	25	<10	10	131	57	
127385	919882	<0.005	1	6.98	17	67	<2	41	1.65	9	<1	4	141	13	16.98	17	7	4	<1	1.83	<1	2	1.81	1003	4	<1	11	373	25	<1	<0.01	7	<1	<5	<10	54	7	8	<1	146	9	59	11	<10	10	99	84	
127386	919883	<0.005	1	7.07	70	70	<2	43	2.08	10	<1	5	219	34	19.08	22	5	5	<1	1.65	<1	3	2.11	1505	4	2	15	417	28	<1	<0.01	9	<1	<5	<10	56	7	6	3	144	7	97	12	<10	11	110	73	
127387	919884	<0.005	1	6.58	9	61	<2	33	2.14	10	<1	3	449	7	17.88	19	<1	4	<1	1.82	<1	1	1.84	844	5	2	13	409	27	<1	<0.01	11	<1	<5	<10	50	10	3	<1	134	12	60	11	<10	10	88	44	
127388	919885	<0.005	1	6.66	12	62	<2	23	2.28	10	<1	4	192	12	18.57	15	2	5	<1	1.52	<1	1	1.94	860	4	1	9	420	26	<1	<0.01	7	<1	<5	<10	53	7	10	<1	136	35	58	11	<10	10	91	53	
127389	919886	<0.005	<1	7.34	15	76	<2	29	2.17	12	<1	6	480	21	20.73	22	<1	6	<1	1.51	<1	3	2.08	1167	8	2	17	629	32	<1	<0.01	10	<1	<5	<10	58	8	9	<1	153	17	145	15	<10	11	91	95	

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127390	919887	<0.005	1	7.54	33	86	<2	30	2.49	11	<1	9	425	38	19.08	22	3	6	<1	<1	1.56	<1	4	2.19	1502	6	2	19	504	28	<1	<0.01	9	2	<5	<10	64	6	10	<1	164	12	72	16	<10	11	98	101
127391	919888	<0.005	<1	7.07	13	90	<2	38	1.59	7	<1	10	572	32	12.27	13	5	3	<1	<1	1.53	<1	2	1.59	2007	<1	2	23	372	21	<1	<0.01	7	2	<5	<10	53	4	6	2	160	8	44	17	<10	9	141	39
127392	919889	<0.005	1	2.35	24	95	<2	30	1.97	6	<1	14	553	44	11.63	13	11	<1	2	<1	0.37	<1	<1	1.73	1949	13	8	36	361	20	34	<0.01	14	11	6	<10	63	8	18	<1	222	<2	<20	68	<10	7	107	<1
127393	919890	<0.005	1	9.23	82	194	<2	30	3.47	9	<1	26	1289	63	16.38	24	6	4	<1	<1	1.77	<1	6	2.57	4020	<1	10	54	427	29	<1	<0.01	17	16	<5	<10	73	11	3	<1	259	<2	<20	85	<10	10	203	47
127394	919891	0.007	<1	6.97	27	123	<2	22	1.86	4	<1	14	762	57	6.30	9	<1	3	<1	<1	1.68	<1	2	1.03	1556	<1	3	39	166	22	<1	<0.01	11	4	<5	<10	56	4	1	<1	199	9	<20	30	<10	7	370	51
127395R	919891	<0.005	<1	7.36	14	120	<2	27	1.88	4	<1	14	756	54	6.27	5	<1	2	<1	<1	1.61	<1	1	1.06	1536	<1	2	36	165	21	<1	<0.01	10	4	<5	<10	56	3	5	<1	192	6	<20	28	<10	8	347	34
127396	919892	0.011	1	9.77	192	305	2	28	1.46	8	<1	68	181	483	12.09	28	<1	3	<1	<1	1.57	<1	12	1.47	1252	3	19	94	610	38	<1	<0.01	17	10	<5	<10	62	12	4	<1	455	9	23	172	<10	7	517	65
127397	919893	0.028	2	9.78	121	272	2	34	2.11	9	<1	68	270	205	11.17	24	<1	3	<1	<1	1.57	<1	5	1.49	1263	<1	12	140	389	58	<1	<0.01	31	13	9	<10	64	5	4	2	420	8	<20	118	11	9	1190	4
127398	919894	<0.005	<1	7.57	92	167	<2	20	2.46	4	<1	24	530	96	7.12	9	<1	<1	<1	<1	1.54	<1	<1	1.56	1660	<1	8	43	275	13	<1	<0.01	6	7	<5	<10	56	6	2	2	229	13	<20	66	<10	7	88	<1
127399	919895	<0.005	<1	7.45	91	124	<2	26	2.35	<4	<1	16	662	66	5.95	8	<1	1	<1	<1	1.65	<1	2	1.35	1428	<1	5	35	194	12	<1	<0.01	9	4	<5	<10	58	4	<1	<1	214	6	<20	41	<10	8	65	7
127400	919896	0.028	<1	8.01	389	155	<2	27	2.09	5	<1	28	625	200	7.78	15	3	3	<1	1	1.73	<1	4	1.49	1447	<1	7	68	326	24	<1	<0.01	18	7	<5	<10	61	4	<1	<1	277	11	<20	65	<10	8	585	33
127401	919897	0.029	<1	7.66	127	133	<2	22	1.77	4	<1	33	673	88	5.57	11	2	1	<1	<1	1.74	<1	<1	1.17	944	<1	6	72	201	20	<1	<0.01	14	7	<5	<10	56	2	3	2	256	10	<20	48	<10	8	569	<1
127402	919898	0.039	<1	8.34	186	151	2	30	1.98	7	4	51	457	203	10.16	19	<1	<1	<1	<1	1.56	1	<1	1.33	1472	<1	6	99	423	35	<1	<0.01	15	11	7	<10	57	6	<1	2	304	13	<20	65	11	10	993	<1
127403	919899	0.022	<1	7.87	845	106	<2	34	1.64	10	<1	38	613	312	16.34	23	<1	4	<1	<1	1.42	<1	3	1.65	2022	6	3	101	681	35	<1	<0.01	13	6	<5	<10	58	8	2	2	216	8	55	41	<10	11	408	30
127404	919900	1.083	<1	8.74	19	143	<2	27	4.66	<4	27	36	122	42	5.79	21	<1	<1	<1	<1	1.69	<1	<1	2.17	995	<1	24	30	700	17	<1	<0.01	<5	17	<5	<10	185	6	4	4	5630	6	46	177	<10	24	100	<1
127405	919901	0.033	1	7.34	180	80	<2	38	1.49	7	<1	16	602	120	12.32	15	<1	3	<1	<1	1.75	<1	3	1.63	1994	2	3	55	479	23	<1	<0.01	8	4	<5	<10	55	6	5	2	290	11	54	32	<10	9	100	63
127406D	919901	0.030	1	7.46	201	81	<2	29	1.46	7	<1	16	634	122	12.65	15	<1	4	<1	<1	1.61	<1	3	1.65	2043	3	3	56	482	24	<1	<0.01	7	3	<5	<10	54	5	10	2	176	8	<20	30	<10	9	104	77
127407	919902	0.040	<1	8.57	349	141	<2	39	2.10	7	<1	39	478	60	12.75	21	5	5	<1	<1	1.77	<1	3	1.40	1115	6	4	41	325	25	<1	<0.01	11	6	<5	<10	63	5	4	3	254	9	<20	44	<10	10	173	99
127408	919903	0.016	<1	7.23	49	80	<2	24	2.29	10	<1	9	262	22	18.07	20	<1	5	<1	<1	1.86	<1	<1	1.88	1430	6	3	15	683	29	<1	<0.01	11	3	<5	<10	54	8	8	2	186	16	61	29	<10	10	106	60
127409	919904	0.021	1	6.99	31	88	2	70	4.35	21	<1	13	501	68	37.99	41	5	8	<1	<1	1.53	<1	<1	2.71	1872	25	2	27	952	55	<1	<0.01	18	3	<5	<10	64	19	19	3	232	37	184	29	<10	14	146	8

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127410	919905	0.023	<1	7.10	19	81	<2	43	1.80	9	<1	9	345	48	17.22	19	<1	4	<1	<1	1.53	<1	2	1.72	1354	4	2	20	455	31	<1	<0.01	8	2	<5	<10	51	7	6	5	193	11	60	21	<10	9	93	38
127411	919906	<0.005	<1	6.62	2	68	<2	43	2.38	11	<1	6	258	8	20.68	20	6	4	<1	<1	1.49	<1	<1	1.77	1194	9	<1	10	616	29	<1	<0.01	10	<1	<5	<10	55	9	12	<1	170	12	56	12	<10	10	119	34
127412	919907	0.006	<1	7.16	26	113	<2	23	2.51	10	<1	11	332	40	17.61	19	<1	3	<1	<1	1.39	<1	<1	1.68	1350	3	2	20	522	26	<1	<0.01	10	3	<5	<10	53	6	8	1	449	12	52	33	<10	9	94	<1
127413	919908	0.022	1	6.25	54	59	<2	31	1.84	6	<1	12	685	67	11.88	11	<1	2	<1	<1	1.42	<1	<1	1.28	1795	2	<1	32	244	19	<1	<0.01	<5	1	<5	<10	50	3	6	<1	141	6	<20	12	<10	7	65	3
127414	919909	0.253	2	9.20	557	144	3	51	1.69	15	<1	40	268	184	25.16	36	<1	6	<1	<1	1.31	<1	<1	1.67	3899	15	4	107	233	55	<1	<0.01	16	7	<5	<10	57	13	10	<1	313	16	151	55	36	12	544	22
127415	919910	5.637	2	8.86	313	249	<2	28	2.74	5	16	122	160	1511	7.59	17	<1	1	<1	<1	1.68	3	4	1.24	728	<1	12	1322	511	708	<1	<0.01	7	8	<5	<10	142	6	4	<1	3032	4	<20	91	36	14	430	9
127416	919911	0.573	<1	7.17	1340	89	<2	34	2.97	9	<1	16	391	146	16.47	19	<1	4	<1	<1	1.81	<1	<1	1.31	1737	7	<1	55	285	40	<1	<0.01	11	2	<5	<10	62	8	7	<1	230	12	45	21	<10	9	203	23
127417D	919911	0.579	1	7.52	1389	92	<2	40	3.03	10	<1	15	386	119	16.38	19	3	5	<1	<1	2.05	<1	2	1.30	1733	7	<1	35	286	28	<1	<0.01	10	2	<5	<10	64	6	7	2	192	3	57	19	<10	9	203	81
127418	919912	0.009	1	7.49	50	73	2	38	3.29	13	<1	4	250	14	22.40	26	2	7	<1	<1	1.65	<1	3	1.26	1261	16	<1	12	321	34	<1	<0.01	9	<1	<5	<10	59	10	10	<1	190	19	69	11	<10	12	62	123
127419	919913	0.009	<1	7.41	16	69	<2	33	4.02	10	3	3	315	12	18.07	18	<1	6	<1	<1	1.85	<1	2	1.06	755	12	<1	12	564	26	<1	<0.01	6	<1	<5	<10	61	7	10	3	179	7	21	10	<10	13	47	125
127420	919914	<0.005	1	7.19	19	66	<2	24	3.96	10	<1	4	326	21	18.99	18	<1	5	<1	<1	1.82	<1	3	1.19	695	14	<1	11	671	27	<1	<0.01	7	<1	<5	<10	63	9	5	<1	186	18	<20	11	<10	12	44	102
127421	919915	<0.005	2	2.54	10	14	2	24	3.38	11	<1	4	208	27	22.00	21	14	8	4	<1	0.30	<1	<1	1.34	614	56	<1	12	503	28	<1	<0.01	13	<1	<5	<10	75	10	25	<1	226	23	29	13	<10	11	54	214
127422	919916	0.193	<1	6.67	1589	62	<2	32	3.74	10	<1	4	236	13	18.24	16	<1	5	<1	<1	1.63	<1	<1	1.08	595	10	<1	11	996	26	<1	<0.01	11	<1	<5	<10	60	7	8	<1	180	9	43	11	<10	12	49	53
127423	919917	0.061	<1	6.84	187	67	<2	30	2.06	10	<1	5	257	21	18.00	19	<1	5	<1	<1	1.65	<1	1	1.25	1082	9	<1	13	404	27	<1	<0.01	7	1	<5	<10	55	6	10	<1	199	23	52	13	<10	10	67	59
127424	919918	0.594	<1	6.22	3362	65	<2	30	2.19	9	<1	9	321	38	14.74	13	<1	3	<1	<1	1.50	<1	<1	1.14	1300	3	<1	17	559	25	52	<0.01	6	1	<5	<10	51	5	7	<1	150	4	45	12	<10	8	76	<1
127425	919919	0.093	1	6.45	117	66	<2	27	2.81	6	<1	5	375	19	10.43	9	<1	2	<1	<1	1.61	<1	1	1.23	2402	<1	<1	15	284	20	15	<0.01	6	2	<5	<10	58	4	6	<1	154	10	<20	10	<10	8	70	25
127426	919920	0.008	<1	9.48	8	898	<2	22	1.55	<4	128	7	220	7	1.96	13	<1	<1	<1	<1	1.62	57	13	0.53	290	<1	7	7	758	35	67	<0.01	<5	3	5	<10	278	<1	4	41	1714	7	<20	28	<10	13	41	<1
127427	919921	0.571	1	7.92	1347	129	<2	32	2.59	8	<1	13	593	83	11.85	15	<1	5	<1	<1	1.61	<1	5	1.15	2066	1	2	34	260	27	17	<0.01	10	3	<5	<10	68	6	9	<1	349	12	<20	25	12	9	391	112
127428D	919921	0.594	1	7.63	1372	112	<2	38	2.59	8	<1	14	608	86	12.09	15	5	3	<1	<1	1.69	<1	3	1.18	2124	2	2	35	252	22	23	<0.01	9	4	<5	<10	63	5	4	<1	310	9	<20	25	<10	9	400	59
127429	919922	1.020	1	7.59	3625	93	<2	34	2.38	9	<1	17	523	73	14.96	19	<1	5	<1	<1	1.75	<1	3	1.28	1577	5	1	33	623	25	10	<0.01	11	2	<5	<10	60	4	9	<1	202	9	71	19	<10	10	81	77

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127430	919923	0.468	1	7.76	636	108	<2	47	2.15	11	<1	10	359	51	17.53	22	<1	5	<1	<1	1.65	<1	2	1.39	1792	8	1	29	457	29	11	<0.01	10	3	<5	<10	56	9	12	<1	473	13	99	25	11	10	195	69
127431	919924	0.316	1	8.13	93	117	<2	30	1.69	10	<1	10	424	67	16.21	19	2	5	<1	<1	1.64	<1	4	1.37	2118	6	1	25	612	29	<1	<0.01	10	3	<5	<10	56	5	9	3	386	14	47	27	<10	10	242	81
127432	919925	0.444	2	8.22	80	137	<2	37	1.56	11	<1	11	435	79	16.53	23	2	4	<1	<1	1.67	<1	5	1.30	2313	11	3	30	584	31	13	<0.01	13	4	<5	<10	59	7	7	<1	454	3	92	33	<10	9	361	120
127433	919926	0.112	<1	6.41	52	63	<2	50	2.10	9	<1	9	406	50	14.88	14	<1	3	<1	<1	1.63	<1	<1	1.35	1636	<1	<1	22	445	26	<1	<0.01	9	<1	<5	<10	51	6	8	<1	153	6	61	9	<10	8	109	28
127434	919927	0.073	1	7.82	85	85	<2	41	1.98	10	<1	22	475	44	16.01	18	<1	6	<1	<1	1.39	<1	5	1.68	2354	5	1	28	424	28	19	<0.01	9	2	5	<10	59	6	11	1	183	9	71	14	<10	10	329	128
127435	919928	0.046	1	8.15	104	109	<2	33	2.03	7	<1	14	474	84	12.40	15	<1	5	<1	<1	1.44	<1	3	1.39	2285	2	2	30	332	29	<1	<0.01	12	3	<5	<10	61	7	6	<1	206	15	<20	21	<10	9	201	108
127436	919929	0.035	1	6.45	80	85	<2	27	1.91	7	<1	11	560	66	10.71	10	<1	1	<1	<1	1.49	<1	<1	1.15	2033	<1	2	25	333	22	<1	<0.01	8	2	<5	<10	49	5	7	<1	167	13	<20	17	<10	8	230	<1
127437	919930	0.035	<1	6.70	35	84	<2	29	1.72	9	<1	13	407	43	15.20	16	<1	2	<1	<1	1.55	<1	<1	1.42	1890	2	1	22	372	30	<1	<0.01	8	2	<5	<10	50	7	7	<1	219	6	40	18	<10	9	94	9
127438	919931	0.029	<1	7.06	57	83	<2	38	1.75	10	<1	9	413	27	16.41	18	<1	4	<1	<1	1.45	<1	2	1.49	1928	3	<1	19	414	28	21	<0.01	9	2	<5	<10	55	8	9	<1	217	<2	59	17	<10	9	158	60
127439D	919931	0.027	1	7.31	74	107	<2	26	1.83	10	<1	10	428	28	17.28	19	3	5	<1	<1	1.37	<1	2	1.56	2035	7	1	20	438	30	19	<0.01	8	2	<5	<10	59	7	12	<1	254	6	90	18	<10	9	165	122
127440	919932	0.179	1	9.11	147	187	3	41	1.32	13	<1	24	178	125	19.10	27	<1	3	<1	<1	1.62	<1	2	1.65	3490	8	5	50	701	42	22	<0.01	18	7	<5	<10	56	10	13	<1	431	24	107	56	<10	12	669	32
127441	919933	0.101	<1	7.26	46	80	<2	37	1.81	9	<1	10	391	60	14.16	14	<1	4	<1	<1	1.52	<1	3	1.55	2143	2	1	24	279	24	19	<0.01	6	2	<5	<10	55	5	5	<1	204	2	<20	13	<10	9	182	80
127442	919934	0.036	<1	6.58	35	68	<2	29	1.90	10	<1	7	393	18	16.76	14	<1	3	<1	<1	1.50	<1	<1	1.83	2218	3	1	15	449	28	18	<0.01	10	<1	<5	<10	52	5	10	<1	155	<2	59	10	<10	9	101	38
127443	919935	0.068	1	6.85	59	78	<2	31	2.67	17	<1	10	767	31	28.32	31	3	5	<1	<1	1.63	<1	2	2.52	3204	17	2	25	595	46	<1	<0.01	15	2	<5	<10	56	14	17	<1	202	23	197	21	<10	11	180	40
127444	919936	0.024	<1	6.88	77	69	<2	41	1.83	9	<1	6	359	20	15.36	13	<1	4	<1	<1	1.42	<1	2	1.64	1996	1	1	12	395	23	19	<0.01	7	<1	<5	<10	53	6	11	<1	166	3	71	9	<10	9	89	64
127445	919937	0.036	1	6.29	41	63	<2	33	2.05	15	<1	6	188	17	23.94	22	1	3	<1	<1	1.36	<1	<1	1.57	1320	12	<1	13	826	35	<1	<0.01	9	<1	<5	<10	50	9	14	<1	178	17	166	15	<10	10	152	6
127446	919938	0.056	1	7.11	30	79	<2	37	1.60	10	<1	16	449	47	16.68	19	<1	5	<1	<1	1.42	<1	2	1.12	1415	8	<1	40	458	37	<1	<0.01	12	2	<5	<10	55	5	10	<1	360	7	130	17	<10	9	72	77
127447	919939	0.055	<1	6.37	21	76	<2	36	1.41	8	<1	8	558	39	12.99	11	<1	2	<1	<1	1.46	<1	<1	0.92	1388	2	<1	25	331	27	12	<0.01	8	2	<5	<10	47	4	7	<1	420	6	70	18	<10	8	100	<1
127448	919940	1.104	<1	9.01	11	142	<2	20	4.74	<4	19	36	126	39	5.88	19	3	<1	<1	8	1.42	<1	<1	2.22	1001	<1	25	29	692	18	56	<0.01	<5	17	10	<10	190	6	5	<1	5680	4	<20	177	<10	25	86	<1
127449	919941	0.007	<1	6.19	79	61	2	47	2.61	12	<1	5	303	5	21.18	19	<1	3	<1	<1	1.47	<1	<1	1.20	934	10	<1	11	618	33	1	<0.01	6	<1	<5	<10	57	9	11	<1	279	8	40	13	<10	11	54	10

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127450D	919941	0.007	<1	5.79	90	58	2	16	2.66	14	<1	4	348	6	23.20	23	<1	3	<1	1.47	<1	<1	1.24	1040	12	<1	11	672	35	<1	<0.01	11	<1	<5	<10	56	9	9	<1	187	<2	119	11	<10	11	65	<1	
127451	919942	0.045	1	6.97	262	77	<2	34	2.26	13	<1	6	250	16	21.54	22	4	4	<1	<1	1.43	<1	2	1.41	965	11	<1	14	556	31	9	<0.01	10	<1	<5	<10	55	7	10	<1	250	7	140	12	<10	10	95	52
127452	919943	0.093	<1	6.95	83	88	<2	38	2.36	13	<1	12	228	43	22.14	22	<1	4	<1	<1	1.45	<1	<1	1.97	2339	7	1	24	485	36	4	<0.01	9	3	<5	<10	54	10	14	<1	320	13	127	25	<10	10	194	8
127453	919944	0.019	1	1.89	29	10	<2	21	1.61	7	<1	5	371	14	13.85	14	22	4	2	<1	0.25	<1	<1	1.17	1149	35	<1	17	273	18	<1	<0.01	11	<1	<5	<10	63	6	19	<1	196	2	<20	13	<10	8	97	147
127454	919945	0.131	<1	6.58	103	69	<2	37	1.92	11	<1	13	346	52	17.43	18	<1	2	<1	<1	1.53	<1	<1	1.42	1375	5	<1	35	286	33	<1	<0.01	8	2	<5	<10	50	6	12	<1	198	9	96	18	<10	8	237	25
127455	919946	0.021	1	6.82	32	71	<2	37	3.08	10	<1	6	272	76	16.60	19	<1	4	<1	<1	1.58	<1	2	1.89	1685	1	2	18	150	25	9	<0.01	8	2	<5	<10	60	8	9	<1	223	4	61	17	<10	8	95	50
127456	919947	0.059	<1	6.70	27	76	<2	36	2.03	10	<1	8	409	33	16.44	17	<1	3	<1	<1	1.48	<1	<1	1.65	1458	5	<1	21	225	31	20	<0.01	11	2	<5	<10	52	8	7	<1	298	6	67	20	<10	8	98	30
127457	919948	0.224	1	7.61	89	88	<2	27	2.25	10	<1	10	326	58	16.64	18	<1	5	<1	<1	1.42	<1	3	1.61	1467	8	1	22	481	33	7	<0.01	9	2	<5	<10	58	8	9	<1	360	6	93	24	<10	10	223	81
127458	919949	0.080	<1	6.86	29	70	<2	29	2.28	9	<1	7	334	23	15.23	15	<1	3	<1	<1	1.55	<1	1	1.51	1165	4	2	15	354	25	2	<0.01	10	2	<5	<10	55	6	3	<1	293	7	37	20	<10	9	112	48
127459	919950	0.006	<1	9.91	12	834	<2	24	1.45	<4	60	4	272	5	1.40	14	<1	1	<1	<1	1.55	32	15	0.44	215	<1	3	8	326	32	61	<0.01	<5	2	<5	<10	263	<1	6	19	1025	9	<20	16	<10	8	27	3
127460	919951	0.029	<1	5.78	158	63	<2	33	1.66	8	<1	3	451	9	14.07	13	<1	<1	<1	<1	1.49	<1	<1	1.19	1127	3	<1	11	550	25	25	<0.01	6	<1	<5	<10	46	6	4	<1	152	10	73	10	<10	8	79	<1
127461R	919951	0.019	<1	5.39	144	55	<2	37	1.50	8	<1	3	478	9	13.95	11	<1	<1	<1	<1	1.65	<1	<1	1.14	1111	3	<1	13	546	25	8	<0.01	10	<1	<5	<10	41	5	5	<1	141	4	46	9	<10	8	75	<1
127462	919952	0.090	1	8.39	133	94	<2	22	2.65	12	2	16	343	363	18.81	21	4	7	<1	<1	1.52	4	7	1.43	1099	18	1	26	592	42	<1	<0.01	10	1	<5	<10	69	10	10	<1	320	14	42	17	<10	11	175	182
127463	919953	0.018	<1	5.07	121	53	<2	27	1.38	11	<1	5	246	11	19.52	17	<1	<1	<1	<1	1.57	<1	<1	1.23	849	6	<1	13	793	27	<1	<0.01	7	<1	<5	<10	40	7	13	<1	203	14	141	11	<10	8	93	<1
127464	919954	0.229	<1	5.27	4118	56	<2	37	1.37	11	<1	7	376	27	19.10	17	<1	1	<1	<1	1.48	<1	<1	1.26	897	7	<1	16	718	29	<1	<0.01	10	<1	<5	<10	41	7	7	<1	156	13	117	13	<10	8	88	<1
127465	919955	0.279	<1	3.56	5051	43	<2	41	1.20	12	<1	9	332	32	20.47	16	<1	<1	<1	<1	1.52	<1	<1	1.25	949	2	<1	16	754	31	<1	<0.01	10	<1	<5	<10	28	9	12	1	110	11	144	13	<10	7	98	<1
127466	919956	0.708	<1	3.97	2161	57	<2	42	1.46	11	<1	19	266	66	18.98	15	<1	<1	<1	<1	1.57	<1	<1	1.47	1748	<1	<1	28	416	33	<1	<0.01	11	2	<5	<10	29	8	6	<1	153	13	122	19	<10	6	110	<1
127467	919957	0.382	<1	6.78	164	120	<2	32	1.76	6	<1	15	425	91	8.85	11	<1	<1	<1	<1	1.58	<1	<1	0.87	1423	<1	2	46	221	27	34	<0.01	10	4	<5	<10	48	3	4	<1	207	8	<20	30	20	7	499	<1
127468	919958	0.097	<1	5.33	226	53	<2	24	1.21	4	<1	4	470	23	7.75	7	<1	<1	<1	<1	1.77	<1	<1	0.93	1911	<1	<1	15	302	14	<1	<0.01	8	<1	<5	<10	42	3	<1	<1	127	9	20	10	<10	7	110	<1
127469	919959	0.060	<1	5.75	229	94	<2	26	1.72	5	<1	15	476	26	9.01	8	<1	<1	<1	<1	1.70	<1	<1	1.15	1966	<1	3	28	240	17	<1	<0.01	7	3	<5	<10	44	3	4	<1	641	10	21	34	10	6	178	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127470	919960	0.099	<1	5.81	247	55	<2	21	2.17	8	<1	12	262	32	12.92	10	<1	1	<1	<1	1.74	<1	<1	1.52	1349	<1	2	23	326	21	<1	<0.01	7	2	<5	<10	46	6	4	<1	362	8	31	21	<10	7	219	<1
127471	919961	0.059	<1	4.98	367	47	<2	29	1.71	10	<1	4	248	22	17.71	14	<1	<1	<1	<1	1.77	<1	<1	1.74	1428	<1	1	10	512	28	<1	<0.01	9	<1	<5	<10	39	8	7	<1	131	8	133	11	<10	8	78	<1
127472D	919961	0.068	<1	5.85	390	54	<2	35	1.81	10	<1	4	247	22	17.97	15	<1	3	<1	<1	1.71	<1	<1	1.80	1436	4	1	11	526	28	<1	<0.01	8	<1	<5	<10	46	6	7	<1	140	14	118	11	<10	8	67	<1
127473	919962	0.111	<1	7.09	38	58	<2	41	1.91	10	<1	11	301	53	17.36	17	<1	4	<1	<1	1.62	<1	3	1.92	2127	5	2	21	499	31	<1	<0.01	6	2	<5	<10	50	9	9	<1	302	9	97	18	<10	9	104	49
127474	919963	0.144	<1	8.06	110	60	<2	41	1.98	10	<1	27	241	160	15.41	20	6	5	<1	<1	1.70	<1	7	1.66	2099	6	4	54	330	28	13	<0.01	11	4	<5	<10	53	7	8	<1	575	9	67	39	<10	9	539	132
127475	919964	0.064	<1	6.07	493	72	<2	26	3.08	8	<1	19	269	55	13.50	13	<1	<1	<1	<1	1.94	<1	<1	1.86	2930	<1	7	41	596	21	16	<0.01	9	9	<5	<10	48	7	3	<1	161	11	23	63	<10	8	247	<1
127476	919965	0.079	<1	6.27	782	63	<2	39	2.46	8	<1	28	328	92	12.80	14	<1	<1	<1	<1	1.62	<1	2	1.63	2389	<1	6	53	540	24	<1	<0.01	8	9	<5	<10	45	5	7	<1	147	<2	44	62	<10	7	286	<1
127477	919966	0.006	<1	7.59	163	115	<2	22	6.45	<4	19	35	232	76	5.46	8	<1	<1	<1	<1	1.63	<1	<1	2.07	1875	<1	22	77	313	8	21	<0.01	<5	26	5	<10	87	4	<1	<1	185	10	53	176	<10	5	92	<1
127478	919967	0.007	<1	8.61	219	93	<2	25	6.82	<4	30	47	190	142	5.14	12	<1	<1	<1	<1	1.50	<1	3	2.28	1475	<1	27	108	347	9	<1	<0.01	9	32	<5	<10	108	4	<1	<1	167	14	<20	209	<10	6	101	<1
127479	919968	0.008	<1	>10.00	177	110	<2	38	7.80	<4	32	46	218	138	5.40	17	5	2	<1	<1	1.70	<1	16	2.39	1648	<1	31	95	364	12	30	<0.01	6	28	<5	<10	142	6	<1	2	242	10	74	240	<10	7	112	<1
127480	919969	<0.005	<1	9.60	172	91	<2	26	5.12	<4	22	41	185	120	4.63	12	<1	<1	<1	<1	1.54	<1	15	2.03	1141	<1	27	93	352	7	4	<0.01	<5	27	<5	<10	110	3	<1	<1	202	8	37	217	<10	6	101	<1
127481	919970	1.077	<1	8.30	5	138	<2	27	4.83	<4	21	37	122	39	5.77	16	<1	<1	<1	<1	1.52	<1	<1	2.26	999	<1	26	28	691	24	30	<0.01	5	19	<5	<10	192	6	3	<1	5829	8	26	181	<10	24	89	<1
127482	919971	<0.005	<1	>10.00	172	87	<2	30	6.14	<4	26	46	167	127	5.30	15	2	<1	<1	<1	1.71	<1	12	2.52	1321	<1	26	102	354	9	13	<0.01	7	32	<5	<10	110	3	<1	<1	313	24	<20	206	<10	7	123	<1
127483D	919971	<0.005	<1	>10.00	144	92	<2	22	5.98	<4	3	43	169	126	4.99	14	<1	<1	<1	<1	1.93	<1	14	2.39	1274	<1	27	100	341	9	<1	<0.01	6	29	6	<10	113	4	<1	<1	215	17	81	211	<10	7	121	<1
127484	919972	<0.005	<1	9.42	156	98	<2	28	6.91	<4	9	42	194	125	5.09	16	2	<1	<1	<1	2.06	<1	12	2.16	1654	<1	27	93	338	8	16	<0.01	5	26	<5	<10	120	4	<1	<1	214	15	77	218	<10	6	100	<1
127485	919973	<0.005	<1	9.66	134	105	<2	20	6.36	<4	6	43	183	118	5.06	16	4	<1	<1	<1	1.81	<1	15	1.94	1526	<1	27	89	350	8	22	<0.01	6	26	6	<10	124	7	<1	1	233	18	133	222	<10	6	104	<1
127486	919974	<0.005	<1	>10.00	121	119	<2	24	5.98	<4	8	37	190	100	4.50	18	11	5	<1	<1	1.75	<1	19	1.68	1255	<1	26	88	332	11	18	<0.01	7	20	8	<10	136	5	<1	<1	282	17	58	213	<10	7	88	106
127487	919975	<0.005	<1	9.01	153	92	<2	35	6.47	<4	31	46	179	103	5.51	13	<1	<1	<1	<1	1.65	<1	8	2.08	1556	<1	24	95	344	7	<1	<0.01	7	32	6	<10	109	4	<1	<1	153	16	67	201	<10	6	122	<1
127488	919976	0.006	<1	9.23	180	105	<2	26	7.11	<4	27	45	180	139	5.34	11	<1	<1	<1	<1	1.43	<1	9	1.99	1435	<1	26	98	356	12	13	<0.01	5	33	8	<10	116	4	<1	<1	152	13	43	207	<10	6	208	<1
127489	919977	0.006	<1	9.20	203	123	<2	26	6.79	<4	11	41	190	117	4.38	11	<1	<1	<1	4	1.63	<1	7	1.89	1296	<1	28	92	359	6	23	<0.01	6	34	6	<10	123	5	<1	<1	161	21	44	220	<10	6	106	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127490	919978	0.030	<1	8.01	150	148	<2	17	5.04	4	5	37	270	119	6.30	8	<1	<1	<1	<1	1.57	<1	5	1.30	1804	<1	17	89	367	16	34	<0.01	9	24	<5	<10	97	6	<1	<1	146	11	55	156	<10	6	222	<1
127491	919979	0.013	<1	9.40	125	190	<2	27	5.45	<4	22	39	224	93	5.21	14	<1	2	<1	<1	1.69	<1	14	1.60	1873	<1	23	89	376	9	25	<0.01	8	22	<5	<10	127	6	<1	<1	213	9	32	195	<10	7	163	<1
127492	919980	<0.005	<1	9.99	13	946	<2	20	1.67	<4	150	11	531	13	2.52	16	<1	1	<1	<1	1.70	73	10	0.62	328	<1	12	15	1093	38	90	<0.01	6	5	9	<10	229	3	4	53	2813	4	<20	40	<10	18	66	4
127493	919981	0.006	<1	9.64	89	145	<2	45	6.40	4	12	44	186	101	8.06	16	<1	<1	<1	<1	1.72	<1	14	2.35	3534	<1	25	91	407	14	<1	<0.01	7	29	<5	<10	109	10	<1	2	217	11	<20	195	<10	7	106	<1
127494D	919981	0.006	1	>10.00	102	179	<2	32	8.33	6	13	53	230	142	10.12	24	<1	5	<1	<1	1.98	<1	28	2.96	4415	<1	33	118	505	18	<1	<0.01	7	38	<5	<10	149	6	<1	3	273	<2	62	257	<10	9	138	124
127495	919982	0.005	<1	>10.00	34	120	<2	39	6.07	7	25	37	169	81	11.79	21	4	6	<1	<1	1.72	<1	29	2.77	4617	<1	24	80	367	17	16	<0.01	6	28	<5	<10	97	13	<1	<1	242	22	<20	207	<10	9	134	81
127496	919983	<0.005	<1	>10.00	44	170	<2	37	6.17	5	32	49	184	121	8.08	15	<1	2	<1	<1	1.67	<1	19	2.31	3166	<1	27	97	402	16	<1	<0.01	6	31	<5	<10	112	9	<1	<1	224	13	50	219	<10	7	111	<1
127497	919984	<0.005	<1	>10.00	59	184	<2	21	6.37	<4	27	41	191	115	5.37	17	<1	2	<1	<1	1.76	<1	22	2.12	2130	<1	30	98	393	6	<1	<0.01	7	32	<5	<10	129	6	<1	<1	238	27	74	238	<10	8	90	<1
127498	919985	<0.005	<1	>10.00	60	193	<2	31	6.12	<4	6	41	189	111	5.16	20	11	6	<1	<1	1.74	<1	27	1.91	1973	<1	29	99	381	11	11	<0.01	<5	25	6	<10	137	6	<1	<1	290	21	33	241	<10	7	87	131
127499	919986	<0.005	<1	9.86	18	69	<2	27	7.50	<4	12	45	188	122	6.26	15	<1	<1	<1	<1	1.66	<1	19	2.27	2119	<1	27	103	383	11	<1	<0.01	8	33	<5	<10	88	7	<1	<1	172	13	48	223	<10	9	108	<1
127500	919987	<0.005	<1	>10.00	6	56	<2	14	8.07	4	15	47	190	130	6.95	17	<1	<1	<1	<1	1.70	<1	22	2.29	2476	<1	31	105	381	10	35	<0.01	<5	34	<5	<10	90	6	<1	<1	1280	15	28	243	<10	18	114	<1
127501	919988	<0.005	<1	9.58	47	67	<2	23	8.51	4	42	50	181	115	7.44	14	<1	<1	<1	<1	1.76	<1	18	2.42	2409	<1	31	104	348	10	12	<0.01	7	33	<5	<10	88	9	<1	<1	3334	13	45	245	<10	18	120	<1
127502	919989	<0.005	<1	>10.00	24	62	<2	23	7.27	4	33	64	227	124	6.84	18	<1	<1	<1	<1	1.70	<1	19	2.27	1802	<1	38	120	403	9	<1	<0.01	<5	38	<5	<10	118	8	6	<1	6307	13	65	308	<10	25	121	<1
127503	919990	<0.005	<1	>10.00	19	81	<2	37	>10.00	4	58	72	245	152	7.58	28	8	2	<1	<1	2.37	<1	35	2.96	2016	<1	46	134	533	16	20	<0.01	9	45	<5	<10	159	9	2	<1	5961	8	87	355	<10	31	132	<1
127504	919991	<0.005	<1	8.20	10	87	<2	16	6.45	<4	30	45	173	118	4.59	16	2	<1	<1	<1	0.98	<1	19	1.78	1317	<1	28	95	358	7	9	<0.01	<5	30	<5	<10	84	6	<1	<1	2367	6	49	218	<10	15	95	<1
127505D	919991	<0.005	<1	>10.00	11	201	<2	28	6.34	<4	9	43	188	125	4.14	14	3	<1	<1	<1	2.01	<1	19	1.72	1283	<1	29	99	397	5	35	<0.01	6	30	<5	<10	116	4	<1	<1	401	18	71	241	<10	12	113	<1
127506	919992	<0.005	<1	>10.00	23	102	<2	21	6.47	<4	11	50	197	137	4.70	18	8	<1	<1	1	1.94	<1	23	1.80	1229	<1	31	106	398	8	4	<0.01	5	31	<5	<10	124	6	<1	<1	230	15	50	262	<10	8	106	<1
127507	919993	<0.005	<1	>10.00	46	137	<2	32	6.47	<4	32	45	193	146	4.95	16	2	<1	<1	<1	1.82	<1	23	1.80	1460	<1	30	96	423	9	19	<0.01	7	33	<5	<10	128	4	<1	<1	225	16	21	253	<10	8	124	<1
127508	919994	0.010	<1	>10.00	60	130	<2	38	7.68	5	44	46	139	187	7.58	19	<1	<1	<1	<1	2.01	<1	20	2.41	2403	<1	23	99	364	12	29	<0.01	6	27	5	<10	119	7	<1	<1	213	20	117	182	<10	9	323	<1
127509	919995	0.011	<1	10.00	40	117	<2	39	7.58	5	36	43	128	144	7.27	13	<1	<1	<1	<1	2.05	<1	16	2.39	2445	<1	22	95	354	11	<1	<0.01	7	25	<5	<10	110	4	<1	<1	190	19	49	167	<10	8	307	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127510	919996	0.007	<1	>10.00	45	167	<2	30	6.69	4	10	41	139	118	5.48	21	15	6	<1	<1	1.99	<1	22	1.93	2068	<1	23	103	363	12	28	<0.01	6	19	<5	<10	140	5	<1	<1	327	16	33	188	<10	8	185	194
127511	919997	0.005	<1	>10.00	80	144	<2	31	7.82	<4	40	37	138	96	5.83	16	6	7	<1	<1	2.05	<1	22	1.90	2024	<1	23	86	321	13	<1	<0.01	7	22	5	<10	139	6	<1	<1	279	18	59	191	<10	8	105	170
127512	919998	<0.005	<1	8.91	100	91	<2	31	8.34	5	38	43	135	123	8.54	15	<1	<1	<1	3	1.82	<1	12	2.73	3222	<1	24	91	300	13	16	<0.01	5	28	<5	<10	91	9	<1	<1	169	18	31	186	<10	7	115	<1
127513	919999	0.006	<1	9.14	114	114	<2	30	9.12	<4	41	35	141	102	5.65	11	<1	<1	<1	<1	1.94	<1	6	2.73	2656	<1	27	75	336	9	33	<0.01	5	31	<5	<10	102	5	<1	<1	198	14	110	203	<10	7	77	<1
127514	920000	14.801	4	7.91	30	375	<2	28	2.71	<4	<1	25	78	118	3.85	9	<1	<1	<1	<1	1.46	<1	<1	1.28	585	<1	13	41	600	31	434	<0.01	5	11	<5	<10	120	4	3	<1	3932	8	<20	96	<10	15	133	<1
127515	089851	0.019	<1	>10.00	101	173	<2	32	6.85	<4	30	43	167	74	5.04	15	<1	<1	<1	3	2.00	<1	8	2.10	1926	<1	29	89	441	11	16	<0.01	6	31	<5	<10	110	6	<1	<1	280	8	28	230	<10	8	89	<1
127516D	089851	0.010	<1	>10.00	96	174	<2	39	6.79	<4	28	44	168	76	4.99	14	2	1	<1	<1	1.90	<1	9	2.05	1944	<1	28	92	427	10	12	<0.01	8	28	5	<10	110	6	<1	<1	253	22	72	234	<10	8	108	<1
127517	089852	0.020	<1	5.67	30	48	<2	25	4.53	6	1	8	28	31	8.93	4	<1	1	<1	<1	1.94	<1	<1	1.83	3636	<1	2	23	<100	18	14	<0.01	8	2	5	<10	60	4	2	<1	118	15	<20	11	<10	7	240	<1
127518	089853	0.064	1	8.48	61	113	<2	36	2.03	10	<1	32	74	148	14.56	21	<1	4	<1	<1	1.84	<1	7	1.62	2629	3	3	93	242	37	<1	<0.01	13	7	<5	<10	53	4	7	<1	187	14	24	46	<10	9	884	31
127519	089854	0.023	<1	6.63	19	94	<2	24	1.32	4	<1	12	52	60	7.10	5	<1	2	<1	<1	1.73	<1	<1	0.88	1374	<1	<1	45	154	16	<1	<0.01	6	2	<5	<10	48	3	<1	<1	150	10	<20	16	<10	7	160	10
127520	089855	0.020	<1	6.22	9	88	<2	29	1.25	4	<1	10	89	52	6.80	7	<1	1	<1	<1	1.88	<1	<1	0.83	1312	<1	<1	41	145	15	18	<0.01	8	2	<5	<10	46	2	<1	<1	140	7	<20	14	<10	6	136	<1
127521	089856	0.024	<1	5.56	77	49	<2	26	1.35	8	<1	9	54	32	12.68	8	<1	<1	<1	<1	1.84	<1	<1	1.57	3063	<1	2	32	231	25	<1	<0.01	8	2	5	<10	39	5	6	<1	204	<2	34	17	<10	7	199	<1
127522	089857	0.011	1	8.60	22	74	<2	31	2.03	7	<1	5	52	23	11.77	15	8	8	<1	<1	1.89	<1	8	1.63	2566	6	1	28	359	18	<1	<0.01	<5	<1	<5	<10	65	11	3	1	191	5	22	10	<10	10	98	252
127523	089858	<0.005	1	8.04	14	91	<2	20	1.41	<4	<1	4	60	17	5.50	8	8	8	<1	<1	1.76	<1	8	0.95	1876	4	<1	30	108	10	29	<0.01	<5	<1	<5	<10	67	3	<1	3	192	10	<20	9	<10	8	89	272
127524	089859	0.011	<1	3.94	15	41	<2	21	1.05	5	<1	5	47	31	9.43	4	<1	<1	<1	<1	1.89	<1	<1	1.15	3495	<1	<1	31	118	14	<1	<0.01	7	<1	<5	<10	34	3	4	<1	<100	10	<20	7	<10	5	57	<1
127525	089860	1.251	<1	4.70	242	82	<2	31	1.28	11	<1	14	63	70	15.16	13	<1	<1	<1	<1	1.86	<1	<1	1.59	4594	<1	3	49	231	28	<1	<0.01	8	3	<5	<10	34	8	7	2	121	10	70	27	10	6	822	<1
127526	089861	0.037	<1	4.72	85	48	<2	31	2.01	6	<1	5	63	32	11.00	6	<1	<1	<1	<1	1.84	<1	<1	1.47	3909	<1	<1	30	127	18	<1	<0.01	6	<1	<5	<10	44	5	7	<1	<100	6	<20	9	<10	6	71	<1
127527R	089861	0.040	<1	5.70	62	55	<2	29	2.14	6	<1	6	54	35	11.20	9	<1	<1	<1	<1	1.85	<1	<1	1.53	4006	<1	<1	30	135	17	10	<0.01	7	1	<5	<10	51	6	7	1	116	22	<20	9	<10	7	69	<1
127528	089862	0.021	1	6.35	55	71	<2	25	1.38	6	<1	35	57	362	9.03	9	<1	2	<1	<1	1.47	3	<1	1.07	2207	1	<1	38	170	19	12	<0.01	6	<1	<5	<10	49	4	7	<1	140	11	62	12	<10	7	244	21
127529	089863	0.016	<1	6.16	36	64	<2	31	1.56	8	<1	7	55	58	14.41	14	<1	2	<1	<1	1.44	<1	<1	1.66	3418	2	<1	37	238	25	<1	<0.01	8	<1	<5	<10	49	9	9	3	133	20	51	11	<10	8	82	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127530	089864	0.059	<1	6.75	141	106	<2	33	1.54	7	<1	12	84	74	11.76	15	<1	<1	<1	<1	1.46	<1	<1	1.37	3005	<1	2	53	309	27	9	<0.01	5	4	<5	<10	47	4	3	3	175	<2	<20	30	<10	8	225	<1
127531	089865	0.056	<1	7.98	180	121	<2	27	1.62	7	<1	12	76	78	11.87	15	<1	3	<1	<1	1.46	<1	3	1.46	3153	2	3	63	335	32	<1	<0.01	11	4	7	<10	55	5	7	4	205	9	<20	33	<10	9	217	61
127532	089866	0.051	<1	5.34	82	113	2	25	1.07	8	<1	19	86	108	11.71	12	<1	<1	<1	<1	1.52	<1	<1	1.08	2637	<1	2	57	191	24	5	<0.01	9	4	<5	<10	36	6	5	3	161	12	26	32	<10	6	485	<1
127533	089867	0.006	<1	6.07	37	62	<2	37	1.26	5	<1	5	64	10	8.50	7	<1	2	<1	<1	1.54	<1	<1	1.10	2608	<1	<1	33	131	15	<1	<0.01	5	<1	<5	<10	48	9	5	1	130	10	<20	8	<10	7	47	<1
127534	089868	0.006	3	6.42	21	59	<2	28	1.32	6	<1	2	56	9	10.62	9	<1	2	<1	<1	1.43	<1	1	1.28	2674	<1	<1	29	198	18	14	<0.01	6	<1	<5	<10	49	5	<1	3	134	9	46	7	<10	8	37	42
127535	089869	0.007	<1	6.62	29	60	<2	25	1.45	6	<1	2	53	8	10.14	8	<1	2	<1	<1	1.54	<1	2	1.26	2233	<1	<1	26	235	17	<1	<0.01	7	<1	<5	<10	50	3	4	2	135	15	25	6	<10	8	34	73
127536	089870	13.595	5	8.68	29	422	<2	26	3.12	<4	<1	28	93	149	4.41	16	6	<1	<1	<1	1.31	<1	5	1.40	723	<1	15	51	680	38	343	<0.01	5	10	<5	<10	137	3	4	<1	4797	3	<20	109	<10	14	151	8
127537	089871	0.020	1	8.20	77	117	<2	32	2.13	8	<1	8	56	36	14.08	18	2	5	<1	<1	1.47	<1	4	1.90	4403	3	2	31	320	26	25	<0.01	9	3	<5	<10	63	7	10	3	308	2	109	23	<10	10	271	129
127538D	089871	0.014	1	7.12	101	100	<2	31	1.97	8	<1	7	46	33	14.20	18	<1	3	<1	<1	1.53	<1	<1	1.85	4432	<1	3	28	304	26	3	<0.01	8	3	<5	<10	53	5	6	<1	175	14	35	21	<10	9	266	24
127539	089872	0.009	1	7.91	14	83	<2	36	3.09	6	<1	11	40	81	11.16	13	5	6	<1	<1	1.51	<1	5	1.62	2831	1	2	46	183	21	<1	<0.01	10	2	<5	<10	62	5	9	1	169	15	<20	10	<10	9	119	159
127540	089873	0.010	<1	6.93	95	65	<2	21	5.55	5	1	14	40	65	9.52	9	2	4	<1	<1	1.50	<1	3	2.53	2970	<1	3	39	191	19	<1	<0.01	<5	2	<5	<10	73	6	3	<1	144	14	<20	9	<10	8	98	58
127541	089874	0.008	<1	8.06	30	81	<2	32	4.20	6	2	23	54	34	10.72	15	<1	6	<1	<1	1.45	<1	6	2.65	2713	<1	6	38	215	20	24	<0.01	8	6	<5	<10	69	5	3	2	172	14	<20	37	<10	9	186	88
127542	089875	0.007	<1	9.41	158	126	<2	35	4.83	4	4	36	208	76	6.87	15	3	3	<1	<1	1.55	<1	9	2.76	947	<1	16	79	259	15	34	<0.01	6	20	7	<10	83	5	<1	<1	237	14	65	110	<10	8	135	18
127543	089876	0.011	1	9.47	47	130	<2	32	7.14	5	32	39	192	103	7.92	14	3	5	<1	<1	1.44	<1	9	3.54	1349	<1	18	82	250	18	<1	<0.01	8	20	<5	<10	100	3	<1	1	241	22	82	116	<10	9	91	26
127544	089877	0.006	<1	>10.00	72	133	<2	34	6.39	<4	29	32	210	83	5.78	14	11	4	<1	<1	1.65	<1	13	3.50	1185	<1	19	80	247	14	12	<0.01	7	22	<5	<10	109	4	3	2	254	25	61	123	<10	9	73	85
127545	089878	0.006	<1	>10.00	133	139	<2	26	5.76	<4	8	38	265	84	4.59	14	5	3	<1	<1	1.72	<1	11	3.11	1124	<1	22	85	289	22	20	<0.01	5	28	<5	<10	110	5	<1	<1	255	25	61	151	<10	9	79	9
127546	089879	0.042	<1	8.65	91	99	<2	27	6.44	6	10	23	129	68	9.63	12	1	4	<1	<1	1.59	<1	4	3.17	3009	<1	12	49	433	25	<1	<0.01	7	15	<5	<10	100	6	4	<1	203	29	<20	78	<10	9	133	14
127547	089880	<0.005	<1	9.97	15	848	<2	24	1.72	<4	44	5	27	6	1.17	15	4	2	<1	<1	1.50	20	17	0.51	265	<1	4	22	318	40	37	<0.01	5	<1	11	<10	370	<1	<1	16	1124	12	<20	18	<10	8	36	49
127548	089881	0.043	1	9.31	151	107	<2	44	2.14	7	<1	23	80	69	11.64	16	12	7	<1	<1	1.57	<1	10	2.01	1954	<1	5	53	448	22	4	<0.01	11	7	<5	<10	71	5	7	2	212	11	23	43	<10	10	159	188
127549D	089881	0.063	1	9.14	166	98	<2	30	2.11	7	<1	22	80	71	11.50	16	6	7	<1	<1	1.57	<1	10	1.98	1922	<1	5	55	441	25	19	<0.01	9	7	<5	<10	67	3	4	<1	201	18	24	42	<10	10	154	182

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Tuesday, May 31, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/18/2011
Date Completed: 05/31/2011
Job #: 201141857
Reference:
Sample #: 206

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
127550	089882	0.019	<1	>10.00	133	147	<2	27	4.91	4	21	32	213	57	7.03	14	8	3	<1	<1	1.75	<1	12	3.04	1039	<1	19	69	284	10	16	<0.01	7	25	9	<10	118	3	3	<1	234	15	<20	136	<10	8	73	<1
127551	089883	0.145	1	9.49	164	174	3	32	1.12	12	<1	46	87	133	16.43	28	1	4	<1	<1	1.55	<1	12	1.38	1443	7	6	115	352	66	<1	<0.01	19	7	5	<10	89	7	9	<1	249	5	143	71	10	7	619	56
127552	089884	0.019	<1	7.07	118	62	<2	37	2.13	7	<1	11	42	33	12.65	11	<1	3	<1	<1	1.55	<1	2	1.94	4880	<1	1	30	163	18	3	<0.01	8	2	<5	<10	54	5	10	<1	143	<2	47	12	<10	8	114	72
127553	089885	0.019	<1	6.22	87	54	<2	36	2.10	7	<1	11	44	35	12.96	11	<1	2	<1	<1	1.53	<1	<1	1.96	5049	<1	2	34	160	22	<1	<0.01	5	2	<5	<10	50	6	7	3	125	12	57	12	<10	8	113	<1
127554	089886	0.038	1	7.83	102	87	<2	20	1.81	8	<1	7	57	28	12.94	15	<1	3	<1	<1	1.52	<1	4	1.71	2344	<1	3	29	365	27	<1	<0.01	6	3	<5	<10	62	6	6	2	159	5	29	23	<10	9	322	67
127555	089887	0.006	<1	6.03	114	54	<2	25	1.12	6	<1	2	46	5	11.36	8	<1	2	<1	<1	1.47	<1	<1	1.37	1846	<1	<1	21	226	14	19	<0.01	7	<1	<5	<10	47	4	2	1	121	10	<20	6	<10	7	42	9

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
134303	082903	46	4	6.06	92	152	2	<1	1.43	4	20	46	88	165	8.08	20	86	8	<1	<1	<0.01	10	6	0.89	141	23	3	105	250	24	21	9.47	5	12	22	<10	118	2	<1	5	329	<2	<20	53	10	21	167	334
134304	082904	<5	2	6.15	173	330	3	<1	1.15	<4	42	63	152	103	7.48	26	40	2	<1	<1	<0.01	22	5	1.14	738	10	9	163	375	19	27	4.45	5	26	24	<10	142	4	<1	8	433	<2	<20	113	<10	24	201	78
134305	082905	<5	2	5.23	141	341	2	<1	1.00	<4	42	55	168	78	6.06	24	8	<1	<1	<1	<0.01	23	5	1.07	617	7	10	173	315	11	22	3.08	<5	27	22	10	130	3	<1	8	424	<2	<20	115	<10	23	185	<1
134306	082906	<5	2	<0.01	42	23	2	<1	1.13	6	<1	18	43	230	13.65	15	<1	<1	<1	<1	<0.01	<1	<1	0.83	1288	14	<1	92	360	28	<1	7.99	7	2	<5	<10	68	6	<1	<1	180	<2	40	20	<10	12	246	<1
134307	082907	9	2	<0.01	44	<1	<2	<1	1.09	6	<1	26	34	150	11.85	12	<1	<1	<1	<1	0.10	<1	<1	0.85	1547	5	<1	63	437	22	<1	7.13	5	<1	<5	<10	62	5	3	<1	154	3	29	9	<10	10	177	<1
134308	082908	<5	2	1.76	83	57	2	<1	1.14	6	10	34	67	130	13.48	18	12	<1	<1	<1	<0.01	7	3	1.11	2342	14	1	89	346	26	<1	9.76	7	8	<5	<10	72	3	<1	3	228	<2	65	36	<10	17	303	<1
134309	082909	<5	2	<0.01	11	2	2	<1	1.18	5	<1	12	35	79	12.11	14	28	<1	<1	<1	0.14	2	<1	1.19	2593	10	<1	44	350	17	<1	4.78	<5	2	<5	<10	69	6	3	<1	183	<2	36	15	<10	13	217	20
134310	082910	5330	3	0.17	344	177	<2	<1	3.02	4	24	125	155	1695	7.75	16	<1	<1	<1	<1	<0.01	12	<1	1.40	658	<1	10	1389	533	706	79	2.47	6	12	6	<10	155	4	<1	6	2792	<2	<20	94	37	18	429	<1
134311	082911	<5	2	1.51	16	52	<2	<1	1.13	6	3	16	41	85	12.60	17	22	<1	1	<1	0.05	4	2	1.29	3441	10	<1	53	217	25	<1	7.23	6	3	<5	<10	81	5	1	1	219	<2	48	22	<10	14	176	16
134312	082912	6	2	<0.01	25	26	<2	<1	0.97	4	<1	12	44	46	9.24	9	<1	<1	<1	<1	<0.01	<1	<1	0.68	1737	<1	<1	47	145	17	<1	4.94	5	2	<5	<10	69	5	<1	<1	179	<2	<20	18	<10	9	214	<1
134313D	082912	<5	1	0.31	20	33	<2	<1	1.11	4	3	12	43	44	8.74	10	7	<1	<1	<1	0.09	3	<1	0.76	1613	6	<1	44	150	14	<1	4.53	<5	3	<5	<10	77	4	<1	<1	196	<2	<20	17	<10	13	193	9
134314	082913	<5	2	2.80	56	72	2	<1	1.14	6	7	37	71	89	12.26	20	11	<1	<1	<1	0.05	6	7	1.26	1980	14	2	82	255	26	<1	9.63	6	9	<5	<10	91	6	<1	3	250	<2	31	42	<10	16	239	64
134315	082914	68	2	1.48	20	79	2	<1	1.00	6	10	39	78	114	11.94	18	<1	<1	<1	<1	0.04	8	2	1.04	2020	6	3	99	335	23	<1	8.89	6	11	<5	<10	92	5	<1	3	256	<2	40	51	<10	15	294	<1
134316	082915	<5	2	0.74	33	72	2	<1	1.07	6	7	35	76	96	11.06	16	<1	<1	<1	<1	<0.01	5	2	0.99	1867	6	2	81	430	22	<1	7.62	7	7	<5	<10	78	5	1	1	220	<2	<20	39	<10	14	333	<1
134317	082916	49	2	3.13	37	103	2	<1	1.11	6	13	29	86	146	10.69	19	5	<1	<1	<1	0.03	9	4	1.23	1177	7	4	108	306	25	<1	6.63	6	13	<5	<10	81	4	<1	4	263	<2	31	57	<10	17	296	18
134318	082917	<5	2	6.99	94	161	2	1	1.60	7	10	50	52	158	13.17	27	37	2	<1	<1	<0.01	8	9	1.37	3158	19	9	131	447	27	16	8.79	8	19	15	<10	106	7	<1	2	374	<2	68	119	23	20	2009	137
134319	082918	78	2	4.78	211	124	2	<1	1.26	6	14	75	111	184	9.01	21	13	<1	<1	<1	<0.01	9	3	0.85	1197	7	9	169	311	31	6	9.14	15	23	33	<10	104	4	<1	4	373	6	<20	109	11	19	1017	<1
134320	082919	639	2	6.99	324	103	3	<1	1.20	6	23	117	206	315	10.52	29	67	3	<1	<1	<0.01	13	11	1.13	573	18	9	243	290	46	21	>10.00	34	30	27	11	120	5	<1	7	433	<2	<20	114	12	26	567	134
134321	082920	<5	2	5.98	10	873	2	<1	2.00	<4	98	3	26	6	1.17	13	46	1	<1	<1	0.21	55	12	0.64	196	3	3	26	360	26	55	0.05	<5	3	35	<10	352	<1	<1	29	1190	<2	<20	17	<10	16	38	40
134322	082921	14	2	2.38	290	<1	2	<1	0.96	7	10	68	137	308	13.48	23	10	<1	<1	<1	<0.01	7	3	0.77	1000	14	4	178	290	55	<1	>10.00	32	18	11	<10	81	4	3	5	307	<2	48	73	<10	17	647	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
134323	082922	11	2	5.87	286	174	3	<1	1.16	4	23	83	140	215	8.04	23	33	<1	2	<1	<0.01	14	9	1.16	301	10	9	192	292	39	16	8.99	30	29	26	10	114	5	<1	8	425	<2	<20	115	<10	22	249	36
134324D	082922	7	1	1.99	318	97	2	<1	0.74	5	10	94	153	231	8.76	21	<1	<1	<1	<1	<0.01	8	<1	0.96	323	<1	9	218	289	44	<1	>10.00	31	26	17	<10	89	4	<1	6	381	<2	<20	126	<10	15	280	<1
134325	082923	13	3	<0.01	307	<1	2	6	0.92	11	<1	47	88	176	25.80	31	32	<1	<1	<1	<0.01	<1	<1	0.67	687	32	<1	133	<100	135	<1	>10.00	74	7	<5	<10	59	12	13	<1	199	11	169	44	<10	11	819	<1
134326	082924	44	2	0.75	243	<1	2	<1	1.44	8	<1	46	82	178	19.12	26	38	<1	<1	<1	0.04	2	1	0.94	810	19	2	106	168	88	<1	>10.00	50	10	5	<10	76	8	5	2	241	6	105	55	<10	13	450	<1
134327	082925	<5	2	0.61	235	<1	2	3	1.41	8	1	43	81	162	19.37	26	<1	<1	<1	<1	<0.01	3	<1	0.92	774	20	1	112	168	91	<1	>10.00	50	9	22	<10	72	9	9	3	226	3	97	52	<10	13	415	<1
134328	082926	195	2	2.66	208	44	2	<1	1.58	7	8	53	107	176	11.37	21	<1	<1	<1	<1	<0.01	6	5	1.09	1006	8	5	133	258	41	<1	>10.00	24	16	10	<10	86	6	<1	3	294	<2	25	73	10	16	700	<1
134329	082927	31	2	1.44	198	7	2	<1	1.95	8	3	37	74	185	15.49	23	<1	<1	<1	<1	<0.01	4	5	1.25	1186	12	2	89	238	45	<1	>10.00	24	9	<5	<10	80	7	<1	<1	222	<2	39	43	<10	14	466	<1
134330	082928	9	2	0.71	212	<1	<2	2	1.79	8	1	35	54	107	16.96	21	14	<1	<1	<1	<0.01	2	2	1.02	953	17	<1	73	160	49	<1	>10.00	31	5	<5	<10	74	9	2	<1	192	8	61	30	<10	12	251	<1
134331	082929	13	2	0.40	317	<1	2	3	0.90	10	<1	34	60	54	24.89	30	5	<1	<1	<1	<0.01	1	<1	0.53	216	37	<1	69	125	62	<1	>10.00	59	5	<5	<10	61	9	5	<1	191	5	151	33	<10	12	120	<1
134332	082930	28	2	1.24	323	<1	2	6	0.98	13	<1	49	68	98	31.25	41	11	<1	<1	<1	<0.01	2	<1	0.58	358	50	<1	92	123	88	<1	>10.00	61	7	6	<10	65	14	13	2	210	10	219	43	<10	13	219	<1
134333	082931	32	1	<0.01	60	14	<2	<1	1.49	5	<1	12	47	101	7.70	8	5	<1	<1	<1	0.27	<1	<1	1.06	1489	<1	<1	52	300	17	<1	5.63	8	2	<5	<10	70	5	<1	<1	174	<2	<20	15	<10	11	242	<1
134334	082932	7	2	0.55	86	42	<2	<1	1.37	6	1	16	67	289	8.74	12	<1	<1	<1	<1	0.18	3	2	1.04	1356	2	2	87	209	17	<1	6.13	9	8	5	<10	70	3	<1	<1	201	<2	<20	35	<10	13	902	<1
134335D	082932	7	1	<0.01	81	33	<2	<1	1.23	5	<1	16	61	272	8.42	11	<1	<1	<1	<1	0.39	2	<1	0.96	1313	<1	2	85	191	16	<1	5.88	<5	7	<5	<10	65	4	<1	2	185	2	<20	34	11	12	882	<1
134336	082933	146	1	2.94	278	79	2	<1	1.73	5	8	54	110	148	10.81	19	<1	<1	<1	<1	0.10	6	3	0.97	524	9	4	135	278	30	<1	>10.00	14	15	7	<10	93	6	<1	2	285	<2	<20	69	<10	17	574	<1
134337	082934	<5	1	3.59	128	185	<2	<1	4.32	<4	13	40	128	99	7.82	18	<1	<1	<1	<1	0.26	2	24	3.33	1062	<1	16	100	488	11	3	1.96	<5	15	14	<10	150	4	<1	<1	316	<2	<20	143	<10	11	176	<1
134338	082935	17	1	5.61	109	239	2	<1	3.76	<4	19	43	85	112	8.09	21	37	<1	<1	<1	0.35	4	25	3.20	929	<1	18	83	600	9	25	2.21	<5	19	10	<10	147	5	<1	1	372	2	<20	164	<10	14	201	<1
134339	082936	5	1	6.38	544	35	<2	3	7.17	<4	23	62	792	31	8.14	20	26	2	<1	<1	0.07	4	62	6.86	1035	<1	17	407	287	14	<1	0.13	7	21	26	<10	246	4	<1	<1	239	13	<20	114	<10	13	89	34
134340	082937	17	1	5.30	299	106	<2	<1	6.94	<4	25	46	605	29	6.19	17	27	1	<1	<1	<0.01	4	38	5.48	1062	<1	15	277	355	8	<1	0.14	<5	19	30	<10	242	3	<1	<1	250	15	<20	99	<10	12	46	27
134341	082938	6	2	5.92	256	20	2	<1	5.90	<4	20	51	627	41	7.05	19	28	3	<1	<1	<0.01	4	48	5.65	1090	3	15	343	340	12	<1	0.11	6	17	18	<10	211	5	<1	<1	253	23	<20	107	<10	12	69	107
134342	082939	19	1	6.39	260	211	2	<1	7.82	<4	24	36	481	38	5.79	16	19	2	<1	<1	0.04	2	25	4.36	1002	<1	15	213	311	7	<1	0.22	<5	25	32	<10	295	3	<1	2	311	10	<20	112	<10	13	57	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134343	082940	12977	7	5.44	34	362	<2	<1	3.68	<4	25	26	86	129	4.42	17	8	<1	<1	<1	0.08	5	5	1.80	568	<1	13	43	683	26	433	0.96	<5	17	34	<10	173	4	<1	2	4254	<2	<20	107	<10	27	125	<1
134344	082941	8	1	7.36	154	171	<2	<1	7.09	<4	26	28	227	44	4.96	16	13	<1	<1	<1	0.16	3	20	3.65	794	<1	15	100	316	7	20	0.16	5	31	30	<10	319	3	<1	<1	321	4	<20	120	<10	13	36	<1
134345	082942	22	1	6.70	148	179	<2	<1	7.92	<4	29	28	386	39	5.16	14	19	<1	<1	<1	0.36	3	18	3.75	794	<1	18	94	311	4	11	0.16	<5	39	26	10	297	4	<1	<1	315	10	<20	141	<10	12	39	<1
134346D	082942	20	1	6.48	143	175	<2	<1	7.64	<4	24	27	371	38	4.94	15	28	<1	<1	<1	0.25	2	17	3.61	758	<1	16	90	304	6	15	0.16	5	38	30	<10	289	4	<1	<1	313	15	<20	136	<10	12	36	<1
134347	082943	6	1	5.61	139	221	<2	<1	8.41	<4	17	29	332	64	5.32	13	5	<1	1	<1	0.17	<1	13	3.75	902	<1	17	97	302	7	<1	0.35	<5	35	17	<10	266	4	<1	<1	333	3	<20	133	<10	11	41	<1
134348	082944	18	<1	4.58	111	276	<2	<1	7.16	<4	23	28	294	39	4.83	13	<1	<1	<1	<1	0.28	1	12	3.10	834	<1	16	88	352	6	<1	0.15	<5	34	24	<10	254	4	<1	<1	321	6	<20	131	<10	10	44	<1
134349	082945	<5	1	4.52	78	197	<2	<1	7.68	<4	19	29	296	40	5.15	12	<1	<1	<1	<1	0.23	1	17	2.88	976	<1	15	89	311	4	<1	0.20	5	33	27	<10	305	2	<1	<1	240	<2	<20	127	<10	9	42	<1
134350	082946	6	<1	3.60	45	21	<2	<1	6.84	<4	21	27	268	39	5.30	12	4	<1	<1	<1	0.09	4	26	3.48	879	<1	14	88	324	6	<1	0.09	<5	31	17	<10	259	3	<1	<1	192	7	<20	118	<10	10	42	<1
134351	082947	5	1	7.01	51	27	<2	<1	6.27	<4	26	34	256	41	6.03	16	10	<1	<1	<1	0.08	4	30	3.18	890	<1	17	88	425	7	<1	0.19	<5	41	33	<10	267	5	<1	<1	226	7	<20	146	<10	14	54	<1
134352	082948	517	1	6.96	24	45	<2	1	7.52	<4	28	31	241	47	5.75	18	8	<1	<1	<1	<0.01	3	31	3.43	949	<1	16	80	389	9	<1	0.11	5	39	33	<10	293	5	<1	<1	237	7	<20	144	<10	13	52	<1
134353	082949	<5	1	5.90	33	17	<2	1	6.59	<4	25	33	295	38	6.12	16	17	1	<1	<1	0.11	3	29	3.86	927	<1	17	110	378	9	<1	0.32	5	34	29	<10	236	5	<1	<1	234	13	<20	139	<10	13	49	25
134354	082950	<5	1	0.96	4	442	2	<1	0.25	<4	225	8	31	8	2.26	17	<1	1	<1	<1	<0.01	121	12	0.37	<100	4	11	22	<100	30	32	0.06	<5	7	36	<10	44	2	<1	78	333	<2	<20	36	<10	28	10	5
134355	082951	6	1	5.38	61	25	<2	1	6.25	<4	22	39	355	29	6.20	15	14	<1	<1	<1	0.14	3	31	4.54	1000	<1	16	178	333	6	<1	0.10	<5	28	21	<10	235	3	<1	<1	221	16	<20	123	<10	11	68	<1
134356	082952	82	2	5.09	100	5	2	<1	6.12	<4	21	56	542	38	7.72	21	37	2	1	<1	<0.01	3	43	5.77	1296	<1	16	330	309	13	<1	0.08	<5	19	23	<10	220	5	<1	<1	271	16	<20	114	<10	11	68	89
134357D	082952	82	1	3.99	89	<1	<2	<1	5.76	<4	22	52	518	32	7.31	17	28	<1	<1	2	0.14	2	38	5.53	1227	<1	16	317	294	12	<1	0.09	5	18	13	<10	204	4	<1	<1	243	10	<20	109	<10	10	64	<1
134358	082953	6	2	6.50	72	7	2	<1	5.04	<4	21	46	471	41	7.77	22	30	3	<1	<1	0.03	5	39	5.27	1200	3	19	259	427	7	<1	0.07	6	27	20	<10	177	5	<1	<1	257	7	<20	148	<10	13	68	86
134359	082954	72	2	6.97	8	435	<2	<1	1.20	<4	47	26	76	122	4.59	17	13	<1	<1	<1	0.28	26	11	2.15	433	<1	10	56	753	16	<1	1.68	6	19	30	<10	117	2	<1	8	298	<2	<20	102	<10	19	460	<1
134360	082955	91	2	8.45	15	498	<2	<1	1.36	<4	50	28	77	126	4.70	20	17	2	2	<1	0.05	27	13	2.19	473	1	11	57	783	20	11	1.72	9	20	33	10	133	4	<1	8	342	<2	<20	107	<10	20	520	86
134361	082956	<5	1	3.23	71	130	<2	1	5.20	<4	21	32	294	8	5.77	13	<1	<1	<1	<1	0.20	3	28	4.70	851	<1	18	186	482	7	<1	0.15	<5	23	29	<10	168	4	<1	<1	207	12	<20	142	<10	9	79	<1
134362	082957	108	1	6.95	89	14	<2	<1	6.55	<4	21	50	464	5	8.26	22	53	3	<1	<1	0.42	3	38	6.36	1054	<1	17	296	330	8	<1	0.12	5	25	29	<10	226	6	<1	<1	260	<2	<20	119	<10	12	44	71

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134363	082958	6	2	6.36	67	15	2	<1	5.91	<4	21	45	422	6	7.24	18	90	5	<1	<1	0.21	2	31	5.29	1141	4	15	286	332	13	<1	0.12	5	19	27	<10	252	4	<1	<1	292	15	<20	107	<10	12	56	153
134364	082959	23	2	6.04	153	12	2	<1	5.92	<4	22	71	580	12	8.77	21	53	5	<1	<1	<0.01	4	41	6.23	1533	1	18	398	401	14	<1	0.08	6	19	17	<10	211	6	<1	<1	321	<2	<20	120	<10	12	108	132
134365	082960	<5	2	6.27	150	42	2	<1	6.83	<4	28	49	424	17	7.07	19	35	5	<1	2	0.22	4	27	5.41	1421	5	15	284	370	12	<1	0.21	<5	20	19	<10	232	5	<1	<1	279	20	<20	101	<10	13	106	156
134366	082961	<5	2	4.81	339	37	2	<1	6.31	<4	23	63	544	36	7.60	18	53	4	<1	<1	0.01	4	32	6.03	1350	4	16	376	353	13	<1	0.12	<5	16	22	<10	246	3	<1	<1	275	12	<20	108	<10	11	97	107
134367	082962	<5	2	5.73	448	54	2	<1	5.81	<4	23	67	684	62	7.53	18	53	6	<1	<1	0.13	4	35	6.35	1211	12	13	437	263	14	<1	0.11	5	15	15	<10	222	4	<1	1	271	3	<20	85	<10	12	95	160
134368R	082962	5	1	3.44	457	25	<2	<1	5.63	<4	19	70	740	71	8.12	14	11	<1	<1	<1	0.39	2	32	6.95	1277	<1	14	466	254	13	<1	0.12	5	17	17	<10	201	5	<1	<1	200	9	<20	91	<10	9	104	<1
134369	082963	<5	2	3.44	306	5	<2	<1	6.47	<4	23	73	768	96	8.59	14	<1	<1	<1	<1	0.20	4	35	7.50	1539	<1	15	487	236	7	<1	0.12	6	17	10	<10	223	3	<1	<1	203	14	<20	94	<10	9	109	<1
134370	082964	<5	1	4.37	235	<1	<2	<1	4.91	<4	17	81	801	120	8.92	14	4	<1	1	<1	0.40	4	37	7.74	1431	<1	15	528	310	9	<1	0.10	7	20	9	<10	153	4	<1	<1	216	2	<20	102	<10	10	108	<1
134371	082965	<5	1	4.69	215	<1	<2	2	5.19	4	17	76	806	131	8.88	15	3	<1	<1	<1	0.40	4	39	7.73	1451	<1	16	521	307	14	<1	0.10	6	20	5	<10	160	5	<1	<1	222	25	<20	102	<10	10	107	<1
134372	082966	<5	1	3.77	213	<1	<2	<1	5.43	<4	21	82	596	113	8.93	14	<1	<1	<1	<1	0.43	6	34	7.63	1469	<1	15	465	575	12	<1	0.09	6	18	10	<10	167	4	<1	<1	202	15	<20	96	<10	10	105	<1
134373	082967	<5	1	4.68	202	<1	<2	<1	6.16	<4	18	75	338	90	8.72	15	10	<1	<1	<1	0.39	2	33	7.40	1473	<1	16	412	280	13	<1	0.10	<5	18	22	<10	180	4	<1	<1	213	22	<20	106	<10	9	106	<1
134374	082968	<5	1	5.29	144	<1	<2	<1	4.75	<4	12	80	368	73	8.51	16	5	<1	<1	<1	0.37	3	32	7.56	1307	<1	15	421	315	12	<1	0.08	5	20	19	<10	163	6	<1	<1	219	7	<20	95	<10	10	97	<1
134375	082969	10	<1	1.17	53	<1	<2	<1	4.80	<4	18	69	287	128	8.06	12	<1	<1	<1	<1	0.44	2	20	6.64	1334	<1	16	415	441	14	<1	0.10	5	15	12	<10	160	5	<1	<1	170	14	<20	101	<10	7	139	<1
134376	082970	977	<1	2.14	9	73	<2	<1	5.20	<4	31	34	118	43	6.08	17	<1	<1	<1	<1	0.16	10	<1	2.50	940	<1	22	28	730	16	22	0.11	<5	25	20	<10	203	5	<1	4	5841	14	<20	183	<10	35	76	<1
134377	082971	26	1	3.79	30	<1	<2	<1	5.10	<4	16	66	548	97	7.94	12	4	<1	<1	<1	0.55	2	25	6.91	1338	<1	14	427	287	9	<1	0.09	6	17	6	<10	176	4	<1	<1	208	25	<20	95	<10	9	119	<1
134378	082972	10	1	2.94	25	<1	<2	<1	4.74	<4	15	68	766	57	8.23	13	<1	<1	<1	<1	0.32	2	23	7.14	1374	<1	14	493	294	14	<1	0.08	5	17	10	<10	144	5	<1	<1	204	11	<20	95	<10	9	133	<1
134379D	082972	<5	1	3.67	25	<1	<2	<1	4.90	<4	19	72	788	57	8.53	14	<1	<1	<1	<1	0.41	2	26	7.35	1402	<1	15	505	301	13	<1	0.08	<5	18	10	<10	151	5	<1	<1	216	6	<20	98	<10	9	137	<1
134380	082973	<5	1	5.23	29	<1	<2	<1	4.93	<4	15	64	673	53	7.80	17	26	<1	<1	<1	0.23	3	27	7.11	1393	<1	13	442	284	12	<1	0.07	<5	15	16	<10	148	5	<1	<1	234	31	<20	83	<10	11	89	<1
134381	082974	<5	1	5.32	22	<1	<2	<1	5.01	<4	17	69	742	75	8.22	17	19	<1	<1	<1	0.30	3	29	7.44	1339	<1	14	485	286	11	<1	0.07	<5	17	24	<10	143	5	<1	<1	231	28	<20	92	<10	11	96	<1
134382	082975	5	1	4.45	21	<1	<2	<1	5.48	<4	21	63	728	57	7.69	16	24	<1	1	<1	0.20	4	23	6.88	1210	<1	16	446	300	12	<1	0.08	5	19	20	<10	152	3	<1	<1	216	9	<20	104	<10	11	70	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134383	082976	<5	2	5.37	9	4	<2	3	5.11	<4	21	62	832	53	8.07	18	29	1	<1	<1	0.19	5	27	6.95	1179	<1	17	459	356	11	<1	0.11	<5	22	19	<10	153	5	<1	<1	234	21	<20	115	<10	13	70	<1
134384	082977	<5	1	4.51	9	<1	<2	<1	5.04	<4	18	60	772	54	7.75	15	9	<1	1	<1	0.28	4	23	6.73	1184	<1	16	430	344	9	<1	0.11	5	21	15	<10	152	5	<1	<1	219	11	<20	112	<10	11	66	<1
134385	082978	5	1	5.40	35	<1	2	<1	4.87	<4	18	65	792	31	7.86	18	15	<1	<1	<1	0.18	5	24	6.62	1163	<1	17	425	361	11	<1	0.09	7	24	18	<10	156	6	<1	<1	224	12	<20	122	<10	12	74	<1
134386	082979	<5	1	3.17	44	<1	<2	<1	4.70	<4	18	62	764	45	7.70	18	36	<1	<1	<1	0.15	3	26	5.97	1191	<1	17	429	350	12	<1	0.28	6	19	16	<10	159	6	<1	<1	237	2	<20	126	<10	10	71	<1
134387	082980	5	<1	0.36	6	715	<2	<1	1.76	<4	48	4	34	3	1.12	8	<1	<1	<1	<1	0.17	27	8	0.53	236	<1	5	23	298	28	14	0.03	<5	2	21	<10	439	<1	<1	19	1108	<2	<20	18	<10	10	30	<1
134388	082981	5	1	4.75	121	<1	2	<1	4.49	<4	19	71	779	65	8.14	18	14	<1	<1	<1	0.34	5	26	6.53	1205	<1	17	438	377	10	<1	0.08	5	22	13	<10	152	6	<1	<1	231	8	<20	124	<10	11	73	<1
134389	082982	23	1	4.88	131	<1	<2	<1	4.51	<4	16	66	786	64	8.79	18	11	<1	<1	<1	0.44	5	33	7.21	1487	<1	18	434	371	10	<1	0.07	5	25	20	<10	156	5	<1	2	240	8	<20	129	<10	11	102	<1
134390D	082982	6	1	3.68	138	<1	<2	3	4.45	<4	13	69	818	68	9.02	16	<1	<1	<1	<1	0.36	3	30	7.27	1564	<1	18	457	373	13	<1	0.06	<5	26	6	<10	152	5	<1	<1	219	7	<20	134	<10	9	106	<1
134391	082983	11	1	1.77	107	<1	<2	<1	7.81	<4	21	49	589	80	7.34	12	<1	<1	1	<1	0.26	1	23	5.67	1407	<1	17	330	368	8	<1	0.16	<5	20	19	<10	201	5	<1	<1	195	21	<20	122	<10	9	88	<1
134392	082984	7	<1	4.53	112	759	<2	<1	7.61	<4	23	33	255	67	6.09	14	13	<1	<1	2	0.08	3	5	2.94	987	<1	15	137	443	7	<1	1.44	<5	22	14	<10	152	3	<1	<1	356	<2	<20	126	<10	12	53	<1
134393	082985	6	1	6.29	101	708	<2	<1	8.09	<4	33	31	247	67	6.10	17	39	2	2	1	0.14	5	8	3.01	991	<1	14	131	465	11	16	1.40	<5	23	23	<10	166	3	<1	1	393	4	<20	125	<10	14	49	26
134394	082986	7	1	6.22	18	888	<2	<1	5.90	<4	34	29	104	86	5.48	15	14	<1	<1	<1	0.17	7	1	2.02	888	<1	13	63	517	7	14	2.55	<5	24	20	<10	136	4	<1	3	480	13	<20	132	<10	15	51	<1
134395	082987	9	1	5.55	16	372	<2	<1	5.19	<4	19	36	127	95	7.08	17	<1	<1	<1	<1	0.07	3	<1	1.96	1131	<1	15	75	465	10	15	3.53	<5	30	23	<10	134	5	<1	1	401	4	<20	161	<10	12	62	<1
134396	082988	6	<1	1.45	46	221	<2	<1	5.24	<4	18	37	115	114	7.12	14	<1	<1	2	<1	0.17	1	4	1.90	1627	<1	15	80	440	11	<1	1.14	6	22	<5	<10	113	4	<1	<1	337	<2	<20	154	<10	9	79	<1
134397	082989	12	1	4.11	41	221	<2	<1	5.44	<4	25	39	127	100	7.70	19	<1	<1	<1	<1	0.13	3	6	1.88	1466	<1	15	81	455	9	18	3.48	7	27	23	<10	151	6	<1	<1	336	<2	<20	158	<10	11	74	<1
134398	082990	5	1	4.52	68	135	<2	<1	5.75	<4	19	40	117	108	6.95	17	3	<1	2	<1	0.25	4	18	1.86	1638	<1	16	81	412	7	<1	0.70	5	28	18	<10	194	6	<1	<1	292	3	<20	164	<10	12	82	<1
134399	082991	6	1	5.43	46	115	<2	<1	5.17	<4	22	39	144	124	7.29	17	<1	<1	2	<1	0.35	3	17	1.84	1816	<1	17	92	357	11	<1	1.29	5	32	13	<10	197	6	<1	<1	268	4	<20	178	<10	11	78	<1
134400	082992	6	2	8.38	57	130	<2	<1	6.23	<4	36	38	114	140	6.58	20	26	4	<1	<1	0.21	9	23	2.06	1567	3	16	80	480	9	20	0.60	<5	31	25	<10	229	5	<1	<1	332	<2	<20	164	<10	16	83	66
134401D	082992	8	<1	2.66	63	93	<2	<1	5.86	<4	28	43	117	150	6.95	16	<1	<1	<1	<1	0.16	5	15	1.82	1721	<1	16	89	481	11	<1	0.67	<5	24	<5	<10	185	4	<1	<1	233	<2	<20	163	<10	10	91	<1
134402	082993	7	1	3.19	63	100	<2	<1	5.47	<4	19	42	147	132	6.24	16	<1	<1	<1	<1	0.25	3	14	1.64	1562	<1	17	96	402	7	<1	0.78	<5	28	17	<10	198	5	<1	<1	237	7	<20	180	<10	10	74	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134403	082994	9	1	6.28	62	136	<2	<1	5.85	<4	17	42	170	123	6.09	18	5	<1	<1	<1	0.17	3	19	1.74	1589	<1	19	102	362	7	<1	0.72	<5	35	33	<10	234	5	<1	<1	278	2	<20	196	<10	13	64	<1
134404	082995	6	1	7.15	62	139	<2	<1	5.73	<4	31	38	162	121	5.85	17	34	<1	<1	<1	0.16	4	16	1.73	1482	<1	19	98	357	9	12	0.68	<5	37	23	<10	243	5	<1	<1	293	14	<20	192	<10	14	61	<1
134405	082996	7	1	4.22	54	138	<2	<1	4.60	<4	30	41	88	142	8.30	19	<1	<1	<1	0.03	7	19	2.07	1808	<1	15	80	488	10	<1	0.85	6	24	15	<10	201	7	<1	<1	260	4	<20	156	<10	12	102	<1	
134406	082997	10	1	5.88	53	187	<2	2	4.80	<4	34	43	81	147	8.28	21	<1	<1	<1	0.13	9	18	2.13	1760	<1	15	75	535	12	<1	0.90	<5	25	18	<10	246	5	<1	2	307	<2	<20	157	<10	14	97	<1	
134407	082998	11	1	5.99	61	247	<2	<1	5.21	<4	26	40	69	148	8.12	20	24	<1	<1	<1	0.14	8	14	2.12	1902	<1	15	67	529	8	<1	0.94	5	23	27	<10	221	7	<1	<1	340	<2	<20	150	<10	14	95	<1
134408	082999	8	1	3.52	57	209	<2	<1	4.50	<4	25	43	50	171	8.20	18	<1	<1	<1	0.30	8	10	1.94	1600	<1	13	68	563	9	<1	0.85	6	19	15	<10	220	5	<1	<1	274	<2	<20	140	<10	12	120	<1	
134409	083000	13055	7	5.54	30	376	2	<1	3.70	<4	15	26	85	133	4.52	17	25	<1	<1	<1	0.18	4	6	1.78	577	<1	13	40	695	27	464	0.98	<5	17	27	10	178	4	<1	3	4440	5	<20	109	<10	27	129	<1
134410	083101	5	2	6.55	48	268	2	<1	4.77	<4	30	38	54	137	8.43	22	30	<1	<1	<1	0.27	8	16	2.22	1643	<1	14	56	562	12	6	1.32	5	22	22	<10	240	7	<1	2	365	<2	<20	141	<10	15	109	<1
134411	083102	<5	1	7.07	71	339	2	<1	4.76	<4	29	39	54	128	8.44	21	26	<1	<1	<1	0.25	7	16	2.21	1560	<1	14	57	543	14	12	1.77	5	22	14	<10	238	3	<1	<1	406	13	<20	144	<10	16	100	9
134412D	083102	6	1	3.96	75	311	2	<1	4.41	<4	19	40	53	132	8.53	17	<1	<1	<1	0.26	4	11	2.02	1593	<1	13	60	527	12	<1	1.79	<5	20	19	<10	215	6	<1	<1	349	3	<20	145	<10	12	98	<1	
134413	083103	26	1	<0.01	166	<1	<2	2	2.17	5	1	14	57	80	12.49	13	<1	<1	<1	0.15	<1	<1	1.69	2292	<1	2	43	407	23	<1	3.15	7	3	<5	<10	78	6	<1	<1	159	<2	24	26	<10	9	120	<1	
134414	083104	103	1	2.54	56	125	2	1	1.60	8	8	54	77	203	15.27	27	<1	<1	<1	0.19	6	11	1.55	1302	<1	9	120	346	49	<1	9.49	17	18	<5	<10	104	8	<1	3	329	<2	63	117	14	12	1075	<1	
134415	083105	92	2	6.19	64	298	3	2	2.03	6	16	41	76	149	11.73	28	9	2	<1	<1	0.09	9	18	1.71	1398	7	10	81	392	40	6	6.12	13	21	13	11	133	4	<1	3	383	<2	32	116	11	17	778	46
134416	083106	73	1	<0.01	276	13	<2	1	2.24	<4	1	15	61	49	7.80	6	<1	<1	<1	0.09	<1	<1	1.19	1715	<1	<1	38	176	16	<1	2.74	5	1	<5	<10	81	5	<1	<1	170	<2	<20	11	<10	9	103	<1	
134417	083107	24	2	<0.01	96	2	2	1	1.71	6	<1	58	49	40	14.42	15	<1	<1	<1	<0.01	<1	<1	1.57	2295	10	<1	32	378	21	<1	3.06	7	<1	<5	<10	71	6	2	<1	172	<2	27	10	<10	10	150	<1	
134418	083108	68	2	<0.01	69	8	2	<1	1.99	5	<1	11	54	28	13.15	15	6	<1	<1	<1	0.06	<1	1	1.72	3186	7	<1	28	391	22	<1	1.29	<5	1	<5	<10	76	6	2	<1	180	<2	33	12	<10	11	67	<1
134419	083109	13	2	<0.01	27	4	2	<1	1.68	4	<1	6	48	11	10.76	12	2	<1	<1	<1	<0.01	<1	<1	1.43	2630	6	<1	25	131	19	<1	0.52	5	<1	<5	<10	71	7	<1	<1	175	<2	<20	7	<10	10	24	<1
134420	083110	5310	4	6.56	315	212	2	<1	3.56	4	47	110	147	1552	7.37	22	54	4	<1	<1	0.11	23	10	1.73	606	17	11	1220	556	621	124	2.27	7	14	18	<10	189	4	<1	8	3287	<2	<20	89	31	28	374	181
134421	083111	13	2	2.80	13	31	3	<1	2.33	5	2	9	41	23	13.84	22	74	7	<1	<1	0.01	2	7	1.98	3641	26	<1	25	489	18	<1	0.79	<5	2	<5	<10	99	8	<1	<1	248	2	34	16	<10	16	39	309
134422	083112	53	2	0.89	57	60	3	<1	2.06	7	<1	20	41	72	17.48	23	30	3	1	<1	0.10	1	5	1.99	4294	25	3	42	237	29	<1	2.63	6	4	<5	<10	86	9	2	<1	238	15	72	40	<10	13	140	125

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134423D	083112	66	2	0.78	94	60	3	3	2.02	7	<1	19	44	70	17.07	25	25	3	<1	<1	0.14	1	5	1.95	4198	23	3	40	225	31	<1	2.53	7	4	<5	<10	88	11	4	<1	241	10	53	40	<10	12	142	133
134424	083113	9	2	<0.01	39	<1	2	<1	1.68	6	<1	10	43	15	14.55	16	8	<1	<1	<1	0.23	<1	<1	1.79	3798	10	<1	33	289	23	<1	0.49	5	<1	8	<10	68	7	2	<1	170	<2	42	10	<10	10	53	<1
134425	083114	35	2	1.97	181	134	2	<1	2.29	6	<1	27	75	67	16.01	23	26	2	<1	<1	0.17	<1	4	2.03	4133	19	6	41	407	28	<1	3.14	7	9	<5	<10	91	8	3	<1	259	<2	54	70	<10	13	162	105
134426	083115	109	2	6.59	670	351	3	<1	2.19	5	10	26	122	82	13.64	28	32	3	<1	<1	0.10	7	11	2.11	3005	15	14	46	414	24	<1	3.21	10	26	8	<10	114	8	<1	2	394	<2	22	157	<10	17	180	125
134427	083116	352	2	2.64	1371	176	2	1	2.78	8	15	40	36	130	14.54	25	4	1	<1	<1	<0.01	8	13	2.03	3135	9	4	67	182	24	<1	5.39	8	8	<5	<10	100	6	<1	<1	297	<2	30	45	15	17	965	<1
134428	083117	169	2	0.21	296	77	2	2	2.35	5	4	16	57	69	13.09	18	12	1	2	<1	0.10	2	4	1.80	3385	10	3	40	241	21	<1	2.29	6	3	<5	<10	89	7	<1	<1	238	<2	<20	26	<10	11	258	37
134429	083118	39	2	<0.01	42	16	<2	<1	1.80	4	<1	13	55	21	11.57	15	3	1	<1	<1	<0.01	<1	1	1.53	2719	13	<1	33	332	19	<1	1.03	<5	<1	<5	<10	76	4	<1	<1	197	<2	25	10	<10	11	34	75
134430	083119	14	2	<0.01	10	12	<2	<1	1.72	4	<1	5	52	12	11.59	15	4	<1	<1	<1	<0.01	<1	1	1.62	2898	15	<1	38	249	17	<1	0.24	5	<1	<5	<10	75	6	<1	<1	194	<2	<20	8	<10	11	34	68
134431	083120	7	2	6.40	10	834	2	<1	2.08	<4	122	3	41	6	1.43	14	24	3	2	<1	<0.01	72	14	0.66	237	10	4	43	400	30	27	0.05	<5	4	46	<10	333	<1	<1	40	1361	<2	<20	18	<10	17	28	97
134432	083121	20	3	3.03	39	32	2	<1	2.11	<4	8	5	60	15	8.63	13	62	8	<1	<1	<0.01	2	5	1.53	1850	24	<1	41	176	11	<1	0.55	5	<1	11	<10	97	<1	<1	<1	236	<2	<20	6	<10	15	26	315
134433	083122	9	1	<0.01	22	<1	<2	<1	1.43	<4	<1	3	54	16	6.90	4	<1	<1	<1	<1	<0.01	<1	<1	1.05	1493	<1	<1	42	117	9	<1	0.26	<5	<1	<5	<10	55	3	<1	<1	146	<2	<20	5	<10	8	32	<1
134434R	083122	10	1	<0.01	25	<1	<2	<1	1.60	<4	<1	4	50	15	8.10	7	<1	<1	<1	<1	<0.01	<1	<1	1.20	1765	<1	<1	31	134	14	<1	0.30	<5	<1	<5	<10	62	4	<1	<1	160	<2	<20	5	<10	9	33	<1
134435	083123	20	2	<0.01	30	7	2	<1	2.18	6	<1	7	41	178	15.06	17	<1	<1	<1	<1	0.02	<1	2	2.07	3958	13	<1	23	492	27	<1	0.32	5	<1	<5	<10	74	9	3	<1	182	<2	35	7	<10	12	66	28
134436	083124	18	2	<0.01	22	9	2	<1	2.33	<4	2	4	60	18	9.31	12	<1	1	<1	<1	0.10	<1	4	1.57	2343	8	<1	32	171	14	<1	0.31	<5	<1	<5	<10	77	3	<1	<1	185	<2	<20	6	<10	10	39	48
134437	083125	33	2	<0.01	12	<1	<2	<1	2.15	<4	2	4	54	14	9.01	8	5	<1	<1	<1	0.28	<1	<1	1.48	2258	2	<1	29	161	14	<1	0.31	<5	<1	<5	<10	68	6	<1	<1	164	<2	<20	6	<10	9	35	<1
134438	083126	229	1	<0.01	279	<1	<2	<1	2.41	5	<1	23	30	165	13.59	12	<1	<1	<1	<1	<0.01	<1	<1	1.74	2911	<1	<1	63	182	24	<1	3.75	6	<1	<5	<10	61	6	3	<1	141	<2	34	10	<10	8	88	<1
134439	083127	51	1	<0.01	64	<1	<2	<1	2.93	6	<1	8	37	65	16.28	15	<1	<1	<1	<1	0.16	<1	<1	2.39	4673	<1	1	16	345	25	<1	0.39	5	<1	9	<10	65	9	1	<1	138	<2	50	9	<10	10	45	<1
134440	083128	122	1	<0.01	617	4	2	<1	4.21	4	6	11	37	43	12.18	11	7	<1	<1	<1	0.09	<1	1	2.25	3295	<1	2	21	179	20	<1	0.50	<5	2	<5	<10	82	5	<1	<1	168	5	<20	15	<10	11	46	<1
134441	083129	18	2	>10.00	145	541	3	<1	2.04	4	2	45	294	141	11.09	33	17	<1	<1	<1	0.27	3	12	2.05	1448	<1	37	55	558	17	23	0.50	8	79	27	11	106	9	<1	<1	582	<2	<20	403	<10	17	100	<1
134442	083130	56	1	<0.01	35	24	2	<1	4.42	4	11	13	41	58	11.21	12	<1	<1	<1	<1	<0.01	<1	<1	2.26	3728	<1	3	33	123	19	<1	1.50	6	2	<5	<10	83	7	<1	<1	182	2	<20	18	<10	10	119	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
134443	083131	26	2	1.48	18	26	2	<1	2.04	4	1	8	74	24	10.32	16	30	4	<1	<1	0.19	2	5	1.59	2683	16	1	38	348	14	<1	0.59	9	1	<5	<10	84	5	<1	<1	218	<2	<20	11	<10	14	39	169
134444	083132	16	2	1.17	13	25	2	<1	1.75	4	<1	6	64	28	9.41	13	37	3	<1	<1	0.08	3	5	1.43	2212	12	<1	35	337	17	<1	0.76	5	1	<5	<10	77	2	<1	<1	208	<2	<20	11	<10	14	45	113
134445D	083132	12	2	<0.01	19	6	<2	<1	1.50	<4	<1	7	68	26	9.69	10	<1	<1	<1	<1	<0.01	<1	<1	1.31	2330	<1	<1	34	326	14	<1	0.80	5	<1	<5	<10	59	5	2	<1	164	<2	<20	11	<10	10	44	<1
134446	083133	53	2	<0.01	149	59	2	<1	2.03	5	4	27	57	93	12.87	18	<1	<1	<1	<1	<0.01	3	2	1.80	3661	10	2	60	225	25	<1	4.42	8	3	<5	<10	71	5	3	<1	227	<2	25	25	<10	11	332	<1
134447	083134	41	2	1.99	52	165	2	<1	2.02	4	21	20	71	124	7.45	16	<1	<1	<1	2	0.02	11	3	1.11	1148	3	3	69	208	18	1	4.50	8	7	14	<10	85	3	<1	3	305	<2	<20	41	11	14	633	<1
134448	083135	39	1	2.09	60	161	2	<1	1.91	<4	23	17	61	84	6.79	14	<1	<1	1	<1	0.05	12	1	1.12	1200	<1	3	63	205	16	<1	3.83	6	8	8	<10	81	3	<1	4	293	<2	<20	41	<10	14	474	<1
134449	083136	11	1	<0.01	223	<1	<2	<1	2.92	<4	4	9	45	38	5.88	3	<1	<1	<1	<1	0.10	<1	<1	1.21	2368	<1	<1	37	142	8	<1	2.85	5	<1	6	<10	68	3	<1	<1	147	4	<20	7	<10	10	10	<1
134450	083137	6	1	<0.01	27	<1	<2	<1	1.62	<4	<1	5	46	22	6.82	4	<1	<1	<1	<1	0.05	<1	<1	1.03	2255	<1	<1	31	115	7	<1	1.75	<5	<1	<5	<10	61	4	<1	<1	153	<2	<20	5	<10	8	21	<1
134451	083138	10	1	<0.01	19	<1	<2	<1	1.61	<4	<1	4	48	10	6.71	4	<1	<1	<1	<1	0.13	<1	<1	1.03	1875	<1	<1	31	101	9	<1	0.39	<5	<1	<5	<10	58	2	<1	<1	150	<2	<20	5	<10	8	15	<1
134452	083139	7	1	<0.01	21	3	<2	<1	1.57	<4	<1	4	52	8	8.06	8	9	<1	<1	<1	0.08	<1	1	1.18	2613	3	<1	26	<100	9	<1	0.47	<5	<1	<5	<10	66	4	<1	<1	175	<2	<20	6	<10	10	15	6
134453	083140	14539	6	3.57	31	339	2	<1	3.48	<4	15	25	85	134	4.40	14	<1	<1	2	<1	0.21	3	4	1.67	572	<1	13	40	687	27	415	0.95	<5	16	26	<10	161	3	<1	2	4343	5	<20	108	<10	24	128	<1
134454	083141	460	2	<0.01	309	<1	2	7	1.03	13	<1	157	39	167	30.46	38	<1	<1	<1	<1	<0.01	<1	<1	0.89	2254	40	<1	86	115	65	<1	>10.00	54	2	<5	<10	56	12	14	<1	184	19	193	25	<10	10	114	<1
134455	083142	21	1	<0.01	33	8	<2	<1	2.14	4	<1	45	45	59	10.85	10	<1	<1	<1	<1	0.11	<1	<1	1.51	4365	<1	1	47	<100	22	<1	4.51	5	1	<5	<10	61	7	<1	<1	156	7	<20	19	<10	9	167	<1
134456D	083142	21	1	<0.01	44	6	<2	<1	2.16	5	<1	46	42	74	11.11	10	<1	<1	<1	<1	0.11	<1	<1	1.52	4496	<1	1	44	<100	20	<1	4.64	<5	2	<5	<10	60	7	2	<1	151	3	<20	18	<10	8	178	<1
134457	083143	8	2	0.36	8	13	2	<1	2.02	<4	1	6	48	36	7.44	9	<1	2	<1	<1	<0.01	1	1	1.18	1822	8	<1	45	121	10	<1	3.18	<5	<1	<5	<10	72	3	<1	<1	186	<2	<20	7	<10	12	59	52
134458	083144	13	2	<0.01	15	3	<2	<1	1.76	<4	<1	6	53	12	6.90	7	<1	<1	<1	<1	<0.01	<1	<1	1.12	2036	3	<1	32	<100	9	<1	1.20	<5	<1	<5	<10	66	2	<1	<1	174	<2	<20	6	<10	9	17	<1
134459	083145	7	1	<0.01	7	3	<2	<1	1.71	<4	<1	3	63	10	8.32	8	12	<1	<1	<1	0.05	<1	<1	1.30	2107	7	<1	35	337	11	<1	0.69	<5	<1	<5	<10	70	4	<1	<1	177	<2	<20	6	<10	12	21	25
134460	083146	10	1	<0.01	13	<1	<2	<1	1.54	<4	<1	4	63	10	7.83	7	<1	<1	1	<1	0.04	<1	<1	1.14	1900	3	<1	43	135	10	<1	0.41	<5	<1	<5	<10	61	3	<1	<1	161	<2	<20	6	<10	9	11	<1
134461	083147	5	1	<0.01	6	<1	<2	<1	1.29	<4	<1	3	53	9	7.82	6	<1	<1	<1	<1	0.05	<1	<1	1.22	1960	<1	<1	39	124	14	<1	0.16	<5	<1	<5	<10	62	5	<1	<1	163	<2	<20	5	<10	10	27	<1
134462	083148	7	2	<0.01	8	6	<2	<1	2.04	4	<1	4	39	12	10.59	10	8	<1	<1	<1	0.13	<1	1	1.58	3353	2	<1	27	210	13	<1	0.33	<5	<1	<5	<10	69	5	<1	<1	174	<2	<20	7	<10	10	20	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141988
Reference:
Sample #: 158

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134463	083149	7	1	<0.01	11	3	2	<1	1.96	4	<1	6	49	15	12.50	15	<1	<1	<1	<1	0.02	<1	<1	1.66	3846	8	<1	44	378	17	<1	0.40	5	<1	<5	<10	67	8	<1	<1	171	<2	21	8	<10	10	30	<1
134464	083150	7	1	6.48	13	872	2	<1	2.12	<4	111	3	49	9	1.45	13	17	<1	<1	<1	0.05	64	15	0.67	237	7	4	63	384	27	30	0.04	<5	4	38	<10	387	<1	<1	38	1214	<2	<20	19	<10	17	28	5
134465	083151	<5	2	<0.01	8	5	<2	<1	1.30	<4	<1	3	53	7	7.18	7	<1	<1	<1	<1	<0.01	<1	<1	1.17	1723	5	<1	39	<100	10	<1	0.14	<5	<1	11	<10	67	2	<1	<1	179	<2	<20	5	<10	11	13	25
134466	083152	<5	1	<0.01	7	<1	<2	<1	1.55	<4	1	2	59	7	5.25	2	<1	<1	<1	<1	0.10	<1	<1	0.98	1259	<1	<1	51	<100	8	<1	0.21	<5	<1	5	<10	55	2	<1	<1	138	<2	<20	5	<10	7	8	<1
134467D	083152	<5	<1	<0.01	8	<1	<2	<1	1.49	<4	<1	2	62	8	5.33	<1	<1	<1	<1	<1	0.12	<1	<1	0.96	1274	<1	<1	56	<100	8	<1	0.21	<5	<1	<5	<10	50	2	<1	<1	125	<2	<20	5	<10	7	7	<1
134468	083153	35	2	0.31	70	22	2	<1	2.67	5	6	33	77	216	11.05	14	6	2	<1	<1	0.16	2	4	1.61	2706	16	<1	126	147	18	<1	7.03	5	1	<5	<10	82	7	3	<1	195	<2	<20	15	<10	12	318	56
134469	083154	<5	2	0.03	11	6	<2	<1	2.78	<4	7	5	73	21	6.60	7	<1	<1	<1	<1	0.08	<1	2	1.42	1825	14	<1	95	153	9	<1	0.80	<5	<1	5	<10	79	3	<1	<1	180	<2	<20	8	<10	11	32	31
134470	083155	6	1	<0.01	13	<1	<2	<1	2.70	<4	11	5	83	20	6.26	6	<1	<1	<1	<1	<0.01	<1	<1	1.29	1704	2	<1	72	135	10	<1	0.88	<5	<1	<5	<10	70	2	<1	<1	158	<2	<20	7	<10	9	43	<1
134471	083156	745	2	<0.01	14	5	<2	<1	2.14	<4	4	2	84	7	5.55	6	<1	<1	<1	<1	0.12	<1	2	1.13	1398	11	<1	83	160	10	<1	0.22	<5	<1	9	<10	70	2	<1	<1	177	<2	<20	7	<10	10	16	14
134472	083157	5	1	<0.01	13	7	<2	<1	2.34	<4	5	5	68	12	9.77	10	<1	<1	<1	<1	0.02	<1	2	1.62	2736	10	<1	56	185	19	<1	0.22	<5	<1	<5	<10	72	5	1	<1	184	<2	<20	8	<10	10	25	45
134473	083158	11	2	<0.01	54	6	2	2	2.93	8	<1	12	34	28	19.44	24	<1	<1	<1	<1	0.03	<1	3	2.56	5505	21	1	31	348	28	<1	0.68	6	<1	<5	<10	77	12	3	<1	181	17	78	10	<10	11	143	20
134474	083159	42	2	0.45	41	33	2	3	3.28	8	<1	12	99	49	19.92	26	24	3	<1	<1	0.12	<1	6	2.63	7596	40	2	164	174	33	<1	0.71	8	<1	12	<10	87	13	5	<1	214	6	65	18	<10	13	148	109
134475	083160	29	2	0.65	35	26	2	3	2.76	9	<1	13	68	45	19.12	24	45	3	<1	<1	0.20	<1	5	2.49	7097	33	2	100	175	30	<1	0.91	6	<1	<5	<10	85	12	6	<1	216	9	78	14	<10	13	248	156

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk M.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
134476	089888	11	2	9.36	21	292	2	<1	1.89	13	1	79	204	208	17.04	37	50	3	<1	<1	0.12	4	14	1.89	6190	24	19	171	358	27	2	2.58	9	43	8	<10	213	10	<1	2	1027	8	91	216	13	20	1158	173
134477	089889	17	2	>10.00	104	272	2	<1	1.37	5	4	75	232	1094	11.08	32	34	1	<1	<1	0.16	4	17	1.71	3613	9	30	147	401	17	17	0.92	7	65	21	11	153	10	<1	1	485	<2	24	334	<10	18	265	63
134478	089890	28	2	6.82	299	187	2	2	1.30	6	9	66	217	1360	16.15	30	4	<1	<1	<1	0.11	7	14	1.67	5154	11	21	136	325	22	<1	1.22	7	51	<5	<10	109	9	<1	2	350	6	57	244	<10	18	253	<1
134479	089891	173	2	1.29	828	54	2	2	1.11	6	5	18	52	100	16.29	21	<1	<1	<1	<1	0.17	3	4	0.71	246	24	<1	63	341	26	<1	2.10	8	4	<5	<10	81	4	3	1	200	<2	73	27	<10	14	83	<1
134480	089892	32	2	<0.01	128	3	2	1	1.06	7	<1	15	41	33	16.31	18	<1	<1	<1	<1	0.16	<1	<1	1.83	4611	11	<1	34	159	21	<1	0.36	5	<1	6	<10	68	7	5	<1	168	<2	65	13	<10	10	118	<1
134481	089893	173	2	<0.01	362	15	2	1	1.25	5	<1	10	47	25	13.19	17	10	2	<1	<1	0.06	<1	2	1.74	3516	18	<1	34	176	22	<1	0.47	<5	<1	<5	<10	80	7	<1	<1	203	<2	29	10	<10	11	61	117
134482	089894	159	2	0.43	290	20	2	<1	1.29	5	<1	9	46	19	12.43	16	2	3	<1	<1	<0.01	<1	3	1.62	3130	21	<1	39	257	18	<1	0.60	6	<1	<5	<10	82	7	<1	<1	211	<2	30	9	<10	11	44	153
134483	089895	140	2	0.87	264	17	2	<1	1.25	4	<1	8	50	18	11.43	14	9	2	<1	<1	0.10	<1	2	1.59	2880	16	<1	38	208	19	<1	0.62	5	<1	<5	<10	82	7	4	<1	204	<2	<20	9	<10	13	32	126
134484	089896	434	2	<0.01	304	12	2	<1	1.17	5	<1	15	107	28	11.84	15	<1	<1	<1	<1	0.05	<1	1	1.52	3129	27	<1	169	192	15	<1	0.76	5	<1	<5	<10	77	5	<1	<1	192	<2	37	14	<10	11	88	57
134485	089897	1178	2	0.19	1057	23	2	3	1.30	8	<1	16	113	26	18.33	24	28	2	<1	<1	<0.01	4	2	1.82	5389	47	<1	197	288	28	<1	1.35	7	<1	15	<10	139	9	5	<1	210	10	90	20	<10	14	251	127
134486D	089897	993	2	0.04	1031	22	2	<1	1.28	7	2	15	111	26	18.05	22	33	2	<1	<1	0.14	3	2	1.79	5301	45	1	185	276	26	<1	1.35	7	<1	8	<10	136	11	5	<1	208	2	77	20	<10	13	245	119
134487	089898	497	2	<0.01	625	11	2	4	1.25	9	<1	15	68	25	20.74	25	14	<1	<1	<1	0.13	<1	1	2.15	7772	30	1	102	271	29	<1	0.84	6	1	7	<10	75	14	8	<1	184	9	84	18	<10	12	525	11
134488	089899	631	2	<0.01	923	31	2	<1	1.08	5	<1	16	106	52	12.49	15	<1	<1	<1	<1	0.06	<1	<1	1.21	4011	21	<1	156	121	18	<1	1.61	8	1	<5	<10	72	7	<1	<1	185	<2	31	18	<10	10	372	<1
134489	089900	983	1	5.05	<2	98	<2	<1	5.70	<4	38	36	122	44	6.31	22	<1	<1	<1	<1	0.22	12	<1	2.73	965	<1	23	28	747	20	35	0.12	<5	29	20	<10	233	5	<1	5	6832	<2	<20	189	<10	39	77	<1
134490	089901	1702	2	4.66	565	221	2	<1	1.25	5	16	33	171	123	11.49	22	16	2	<1	<1	0.09	11	4	0.82	2267	30	2	185	247	24	<1	3.95	10	10	<5	<10	155	6	<1	4	315	<2	31	53	<10	19	316	88
134491	089902	595	2	1.93	445	72	2	<1	1.26	8	<1	19	92	51	10.84	15	17	3	<1	<1	0.16	2	3	1.06	2532	23	<1	142	207	18	<1	1.81	<5	2	<5	<10	88	6	<1	<1	218	<2	<20	22	<10	15	582	107
134492	089903	292	2	0.19	197	14	<2	<1	1.08	<4	<1	10	110	27	3.06	3	9	1	<1	<1	0.15	<1	2	0.57	484	21	<1	185	133	6	<1	0.69	<5	<1	17	<10	76	1	<1	<1	184	<2	<20	10	<10	11	80	40
134493	089904	37	1	<0.01	198	3	<2	<1	1.02	<4	<1	5	106	9	4.07	4	<1	<1	1	<1	0.07	<1	<1	0.72	962	16	<1	158	114	6	<1	0.22	<5	<1	7	<10	68	<1	<1	<1	175	<2	<20	9	<10	10	147	<1
134494	089905	29	2	<0.01	154	4	<2	<1	1.03	<4	<1	5	85	15	4.16	5	<1	<1	<1	<1	<0.01	<1	<1	0.71	929	13	<1	107	121	4	<1	0.44	<5	<1	10	<10	70	2	<1	<1	179	<2	<20	7	<10	10	98	12
134495	089906	43	2	0.95	58	17	2	<1	1.18	4	<1	6	64	13	9.37	10	27	1	<1	<1	0.12	1	<1	1.45	2568	12	<1	81	141	15	<1	0.54	<5	<1	<5	<10	75	6	<1	<1	193	<2	<20	9	<10	13	105	85

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
134496	089907	50	2	<0.01	126	<1	<2	2	0.93	6	<1	9	46	30	12.59	12	<1	<1	<1	<1	0.26	<1	<1	1.49	3454	3	<1	46	116	17	<1	1.08	5	<1	<5	<10	57	5	4	<1	151	<2	37	10	<10	8	296	<1
134497D	089907	56	1	<0.01	115	8	<2	<1	1.04	6	<1	9	54	30	12.69	14	<1	<1	<1	<1	0.12	<1	<1	1.54	3480	10	<1	54	122	18	<1	1.06	<5	<1	<5	<10	65	7	<1	<1	172	<2	34	10	<10	9	296	<1
134498	089908	44	2	<0.01	180	55	2	<1	1.05	7	<1	16	129	38	12.82	13	<1	<1	<1	<1	0.09	2	<1	1.46	3276	17	1	164	354	17	<1	0.91	6	1	<5	<10	72	8	<1	<1	174	<2	37	19	<10	10	357	<1
134499	089909	235	1	<0.01	2015	7	<2	<1	0.79	<4	<1	10	76	17	7.60	5	<1	<1	<1	<1	0.12	<1	<1	0.78	1359	<1	<1	100	210	11	<1	1.14	<5	<1	<5	<10	54	1	<1	<1	135	<2	<20	10	<10	7	62	<1
134500	089910	5892	2	<0.01	333	160	<2	<1	2.77	4	27	119	147	1558	7.26	12	<1	<1	<1	<1	0.16	12	<1	1.30	619	<1	9	1344	504	681	90	2.51	5	11	<5	<10	138	4	<1	4	2636	<2	<20	89	36	17	436	<1
134501	089911	54	<1	<0.01	327	<1	<2	<1	0.68	4	<1	9	63	14	10.17	5	<1	<1	<1	<1	0.30	<1	<1	1.13	2546	<1	<1	69	169	17	<1	0.79	6	<1	<5	<10	43	5	1	<1	108	<2	20	8	<10	6	38	<1
134502	089912	1251	1	<0.01	232	36	<2	<1	0.66	4	<1	11	143	17	9.98	6	<1	<1	<1	<1	0.22	<1	<1	1.15	2493	<1	<1	161	184	18	<1	0.89	<5	<1	<5	<10	44	5	2	<1	119	<2	26	18	<10	6	49	<1
134503	089913	106	1	<0.01	908	72	<2	<1	0.76	<4	<1	11	124	15	6.00	2	<1	<1	<1	<1	<0.01	1	<1	0.96	1444	<1	<1	88	228	12	<1	0.69	<5	1	<5	<10	54	3	<1	<1	141	8	<20	13	<10	7	53	<1
134504	089914	306	<1	<0.01	2494	<1	<2	<1	0.70	4	<1	16	48	13	10.79	7	<1	<1	<1	<1	0.10	<1	<1	1.26	3186	<1	<1	78	265	19	<1	0.97	5	<1	<5	<10	37	6	1	<1	<100	<2	20	9	<10	6	80	<1
134505	089915	40	1	<0.01	125	<1	<2	<1	0.69	4	<1	12	47	17	9.50	5	<1	<1	<1	<1	0.08	<1	<1	1.10	2334	<1	<1	61	103	13	<1	0.89	<5	<1	<5	<10	41	8	<1	<1	109	<2	<20	6	<10	6	75	<1
134506	089916	416	1	<0.01	476	17	<2	<1	0.71	5	<1	31	95	135	9.65	7	<1	<1	<1	<1	0.04	<1	<1	0.94	3109	<1	1	203	111	17	<1	4.42	<5	3	<5	<10	45	4	2	<1	149	<2	<20	23	<10	7	309	<1
134507	089917	8166	23	<0.01	7425	<1	<2	2	0.60	6	<1	128	182	630	14.28	13	<1	<1	<1	<1	<0.01	3	<1	0.38	279	33	<1	439	358	42	<1	>10.00	13	2	13	<10	39	5	6	<1	130	<2	58	36	152	9	75	<1
134508D	089917	8588	20	<0.01	7957	<1	<2	<1	0.56	6	<1	118	154	559	13.03	11	<1	<1	<1	<1	<0.01	2	<1	0.35	244	24	<1	377	327	37	<1	>10.00	13	2	13	<10	36	5	6	<1	120	<2	49	32	130	8	73	<1
134509	089918	3942	10	<0.01	4570	3	<2	<1	0.60	4	<1	64	177	318	9.17	5	<1	<1	<1	<1	0.21	<1	<1	0.48	641	13	<1	299	272	26	<1	9.13	6	<1	<5	<10	38	4	2	<1	115	<2	<20	25	74	7	123	<1
134510	089919	216	2	<0.01	838	<1	<2	<1	0.76	4	<1	18	85	32	9.98	7	<1	<1	<1	<1	0.09	<1	<1	1.21	2742	2	<1	148	131	18	<1	1.87	6	<1	<5	<10	43	5	<1	<1	132	<2	<20	11	<10	7	79	<1
134511	089920	<5	<1	2.44	23	761	2	<1	1.84	<4	64	3	38	5	1.16	7	<1	<1	1	<1	0.14	35	5	0.50	215	<1	5	43	323	20	9	0.08	<5	3	26	<10	473	<1	<1	20	1101	<2	<20	17	<10	15	27	<1
134512	089921	294	<1	<0.01	464	<1	<2	<1	0.71	4	<1	10	63	30	11.37	6	<1	<1	<1	<1	0.28	<1	<1	1.32	3371	<1	<1	59	136	17	<1	1.79	6	<1	<5	<10	44	6	1	<1	142	<2	28	10	<10	6	63	<1
134513	089922	262	1	<0.01	222	85	2	<1	0.72	5	7	38	140	115	11.36	17	<1	<1	<1	<1	0.24	6	<1	1.25	3247	<1	3	142	208	26	<1	5.46	11	8	<5	<10	61	6	<1	<1	260	<2	<20	53	<10	10	412	<1
134514	089923	100	1	4.04	146	282	2	<1	1.05	4	31	37	93	86	5.29	17	<1	<1	<1	<1	0.09	17	<1	0.83	758	<1	3	133	344	17	4	3.63	7	10	22	<10	103	2	<1	5	425	<2	<20	52	<10	14	616	<1
134515	089924	150	1	0.44	286	216	2	<1	2.67	4	41	70	374	93	6.56	13	<1	<1	<1	<1	1.01	19	9	2.35	703	<1	10	227	976	22	14	3.00	13	16	<5	<10	194	3	<1	4	300	<2	<20	91	<10	15	657	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. Bsc. Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134516	089925	173	1	2.86	300	245	2	2	2.67	4	40	70	371	87	6.47	18	<1	<1	<1	<1	0.55	19	13	2.30	638	<1	10	233	887	22	2	3.13	13	17	20	<10	195	3	<1	4	340	<2	<20	91	11	17	698	<1
134517	089926	220	1	0.41	243	170	2	<1	0.68	4	15	53	202	150	7.12	14	<1	<1	<1	<1	0.56	10	<1	0.59	808	<1	7	193	319	19	16	5.35	9	13	<5	<10	74	3	<1	2	387	<2	<20	91	13	11	558	<1
134518	089927	350	1	<0.01	971	95	<2	<1	1.01	6	<1	30	251	155	12.93	14	<1	<1	<1	<1	0.17	2	<1	1.90	3948	18	4	353	357	22	<1	6.32	<5	6	<5	<10	67	7	2	<1	202	<2	52	45	12	9	608	<1
134519D	089927	331	1	<0.01	976	97	<2	<1	1.06	6	<1	31	234	158	12.83	14	<1	<1	<1	<1	0.26	3	<1	1.92	3915	16	4	317	363	19	<1	6.33	7	6	<5	<10	69	6	4	1	215	<2	45	44	10	10	606	<1
134520	089928	236	1	<0.01	492	147	2	<1	2.24	5	14	53	399	126	11.86	17	<1	<1	<1	<1	0.25	8	6	2.67	2034	<1	8	280	1006	17	<1	5.82	8	12	<5	<10	198	6	<1	2	374	<2	<20	87	<10	13	261	<1
134521	089929	890	<1	<0.01	749	86	<2	<1	0.65	<4	<1	13	152	72	3.94	<1	<1	<1	<1	0.24	<1	<1	0.45	407	<1	2	217	310	3	<1	3.18	<5	2	<5	<10	48	1	<1	<1	160	<2	<20	26	<10	6	99	<1	
134522	089930	37	<1	<0.01	409	461	2	<1	6.37	<4	51	43	888	39	6.13	12	<1	<1	1	<1	0.16	22	12	5.13	1375	<1	15	264	2168	14	<1	1.27	5	17	11	<10	635	4	<1	5	364	16	<20	106	<10	16	146	<1
134523	089931	22	<1	0.83	86	474	2	<1	4.83	<4	31	29	485	52	4.48	12	<1	<1	<1	<1	0.15	14	5	4.17	855	<1	14	213	1508	20	<1	1.50	6	14	14	<10	682	3	<1	7	321	12	<20	98	<10	14	68	<1
134524	089932	13	<1	1.13	54	960	2	<1	4.38	<4	38	35	515	50	4.82	13	<1	<1	<1	<1	0.31	17	5	4.24	922	<1	14	218	1575	16	2	1.47	5	16	14	<10	571	3	<1	6	665	6	<20	110	<10	14	90	<1
134525	089933	18	<1	1.50	53	1283	2	<1	4.51	<4	28	34	484	59	4.88	12	<1	<1	<1	<1	0.20	14	5	4.34	936	<1	15	221	1601	12	12	1.73	6	16	13	<10	561	3	<1	7	784	22	<20	114	<10	15	80	<1
134526	089934	11	<1	1.39	89	696	2	<1	4.71	<4	31	35	515	50	5.07	13	<1	<1	<1	<1	0.26	14	10	4.18	1109	<1	15	238	1446	13	<1	1.55	9	16	23	<10	577	3	<1	5	438	16	<20	104	<10	14	109	<1
134527	089935	14	<1	0.09	83	755	2	<1	4.57	<4	27	36	516	50	5.06	12	<1	<1	<1	<1	0.23	13	7	4.23	1137	<1	14	244	1462	15	<1	1.43	9	16	15	<10	553	3	<1	5	454	13	<20	105	<10	13	102	<1
134528	089936	9	<1	0.42	96	846	2	<1	4.21	<4	30	37	439	48	4.86	10	<1	<1	<1	<1	0.24	13	10	3.77	992	<1	15	212	1550	11	2	1.61	7	15	9	<10	404	2	<1	3	508	11	<20	109	<10	13	121	<1
134529	089937	65	<1	<0.01	188	462	<2	<1	6.01	<4	16	35	149	89	5.91	10	<1	<1	<1	<1	0.39	<1	8	3.87	1590	<1	19	127	<100	7	<1	2.82	7	23	<5	<10	227	4	<1	<1	441	3	<20	156	12	7	71	<1
134530D	089937	73	<1	0.22	183	441	<2	<1	6.10	<4	13	34	148	88	5.96	13	<1	<1	<1	<1	0.20	<1	9	3.88	1606	<1	18	123	<100	9	<1	2.89	5	23	<5	<10	230	4	<1	<1	444	5	<20	155	11	7	71	<1
134531	089938	101	1	4.68	317	576	<2	<1	4.68	<4	26	30	118	81	5.13	17	<1	<1	<1	<1	0.44	6	14	3.30	1091	<1	16	86	135	9	17	2.47	5	24	22	<10	169	3	<1	<1	516	7	<20	135	13	12	63	<1
134532	089939	46	<1	2.78	48	367	<2	<1	1.87	<4	21	6	55	17	1.30	8	<1	<1	<1	<1	0.32	11	<1	0.65	416	<1	3	68	1711	3	24	0.48	6	5	24	<10	86	<1	<1	1	432	<2	<20	42	40	12	41	<1
134533	089940	13515	6	2.76	33	336	<2	<1	3.34	<4	17	24	81	129	4.30	13	<1	<1	<1	<1	0.33	3	<1	1.60	558	<1	12	40	663	28	427	0.95	5	15	18	<10	154	4	<1	<1	4175	9	<20	105	<10	23	127	<1
134534	089941	614	1	5.27	488	246	<2	<1	3.14	<4	22	27	78	168	6.20	17	4	<1	<1	<1	0.14	7	<1	1.20	974	<1	7	77	1112	9	12	3.51	5	16	16	<10	109	3	<1	2	444	6	<20	88	<10	15	230	<1
134535	089942	113	1	5.81	205	100	<2	<1	6.84	<4	24	39	134	136	6.58	17	<1	<1	<1	<1	0.29	1	5	2.31	1705	<1	23	100	331	10	11	0.88	<5	40	25	<10	143	7	<1	<1	403	7	<20	227	<10	11	135	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134536	089943	103	1	6.57	624	69	<2	<1	8.14	<4	24	41	142	150	7.03	20	5	<1	<1	<1	0.24	1	6	2.40	2091	<1	25	104	300	8	12	0.72	5	42	27	<10	156	6	<1	<1	359	2	<20	241	<10	11	61	<1
134537	089944	168	1	5.69	704	71	<2	<1	8.01	<4	21	37	135	121	6.02	17	7	<1	<1	<1	0.24	<1	4	2.16	1682	<1	22	100	321	11	4	0.83	6	37	27	<10	155	5	<1	<1	349	<2	<20	224	<10	11	52	<1
134538	089945	137	1	4.22	776	50	<2	1	8.31	<4	23	39	135	143	6.50	15	<1	<1	<1	0.38	<1	2	2.20	1916	<1	23	105	318	10	<1	1.11	<5	38	20	<10	145	6	<1	<1	268	<2	<20	228	<10	9	54	<1	
134539	089946	489	1	1.98	1123	17	<2	<1	9.15	<4	25	34	113	132	7.10	13	<1	<1	<1	0.37	<1	5	2.60	2147	<1	19	98	286	10	<1	1.10	5	30	8	<10	131	4	<1	<1	187	10	<20	176	<10	9	58	<1	
134540	089947	110	1	5.89	379	23	<2	<1	>10.00	<4	27	39	135	148	7.77	21	<1	<1	<1	0.06	<1	13	2.53	2167	<1	23	101	309	11	<1	0.81	<5	39	25	<10	161	5	<1	<1	218	4	<20	220	<10	12	68	<1	
134541R	089947	108	1	6.44	434	30	<2	<1	>10.00	<4	25	38	129	141	7.87	21	5	1	<1	<1	0.16	<1	13	2.57	2159	<1	22	97	296	13	<1	0.90	5	39	30	<10	166	6	<1	<1	240	4	<20	212	<10	13	76	<1
134542	089948	12	<1	<0.01	174	<1	<2	<1	7.36	<4	17	42	120	133	7.08	11	<1	<1	<1	0.25	<1	4	2.35	1747	<1	19	104	281	11	<1	0.18	<5	28	5	<10	95	5	<1	<1	150	6	<20	181	<10	6	76	<1	
134543	089949	17	1	3.95	140	9	<2	<1	7.80	<4	20	41	133	147	6.56	15	<1	<1	<1	0.16	<1	12	2.25	1645	<1	21	103	312	8	<1	0.41	<5	37	29	<10	135	5	<1	<1	199	<2	<20	215	<10	9	62	<1	
134544	089950	<5	1	5.28	6	813	<2	<1	1.95	<4	111	3	42	6	1.31	12	<1	<1	<1	0.10	67	12	0.58	199	<1	2	54	338	30	16	0.04	<5	4	37	<10	281	<1	<1	42	1154	<2	<20	18	<10	13	26	<1	
134545	089951	9	1	4.44	151	15	<2	<1	8.15	<4	27	40	133	138	7.02	17	<1	<1	<1	0.35	<1	18	2.66	1806	<1	22	104	297	10	<1	0.28	6	37	15	<10	141	6	<1	<1	216	11	<20	216	<10	10	56	<1	
134546	089952	15	1	5.17	135	16	<2	<1	7.65	<4	24	37	127	129	6.36	16	1	<1	<1	0.26	1	16	2.36	1718	<1	22	95	278	8	<1	0.29	5	36	26	<10	137	5	<1	<1	221	6	<20	207	<10	11	60	<1	
134547	089953	7	1	5.45	135	19	<2	<1	8.37	<4	26	36	120	122	6.60	17	17	<1	<1	<1	0.25	1	13	2.53	1718	<1	21	88	272	10	<1	0.28	5	35	20	<10	141	5	<1	<1	232	4	<20	201	<10	12	59	<1
134548	089954	14	1	6.06	191	23	<2	<1	8.45	<4	24	39	133	133	6.69	19	7	<1	<1	<1	0.27	<1	13	2.59	1574	<1	22	100	297	8	<1	0.27	5	39	22	<10	149	5	<1	<1	231	4	<20	216	<10	12	59	<1
134549	089955	14	1	5.26	194	17	<2	<1	8.72	<4	27	42	137	140	7.05	19	<1	<1	<1	0.12	<1	12	2.65	1669	<1	23	105	300	9	<1	0.29	6	39	27	<10	146	5	<1	<1	216	11	<20	222	<10	11	64	<1	
134550	089956	14	1	5.06	207	22	<2	<1	8.56	<4	25	37	131	123	5.65	15	3	<1	<1	<1	0.47	<1	9	2.52	1361	<1	22	102	288	7	<1	0.34	<5	38	27	<10	147	5	<1	<1	206	<2	<20	205	<10	10	38	<1
134551	089957	20	1	6.05	195	31	<2	<1	7.99	<4	25	39	135	130	5.94	16	3	<1	<1	<1	0.33	<1	11	2.31	1482	<1	22	99	300	10	<1	0.56	7	41	29	<10	149	5	<1	<1	222	<2	<20	218	<10	12	47	<1
134552D	089957	14	1	6.38	184	31	<2	<1	8.02	<4	24	38	132	132	5.89	16	16	<1	<1	1	0.34	<1	11	2.34	1460	<1	22	97	298	7	<1	0.54	7	42	25	<10	150	5	<1	<1	227	<2	<20	214	<10	12	47	<1
134553	089958	235	1	3.05	969	21	<2	<1	>10.00	<4	26	30	111	86	5.82	12	<1	<1	<1	0.35	<1	11	2.99	1899	<1	18	95	274	8	<1	0.50	6	27	24	<10	133	5	<1	<1	191	6	<20	155	<10	12	32	<1	
134554	089959	720	1	5.76	2132	34	<2	<1	>10.00	<4	26	41	135	129	7.54	17	3	<1	<1	<1	0.26	<1	14	2.67	1989	<1	22	107	257	7	<1	0.88	7	41	22	<10	159	5	<1	<1	211	6	<20	208	11	11	65	<1
134555	089960	466	1	5.89	1534	30	<2	<1	9.01	<4	22	38	133	152	6.48	17	8	<1	<1	<1	0.33	<1	12	2.49	1646	<1	22	100	296	8	<1	0.92	<5	40	22	<10	159	6	<1	<1	216	3	<20	211	13	11	50	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. BSc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134556	089961	383	1	6.68	574	35	<2	<1	9.15	<4	24	41	138	162	6.94	20	14	<1	<1	<1	0.28	<1	13	2.50	1595	<1	21	107	298	8	<1	0.94	<5	42	29	<10	166	6	<1	<1	234	<2	<20	217	14	12	58	<1
134557	089962	36	1	4.97	270	22	<2	<1	8.81	<4	24	38	128	139	6.90	16	<1	<1	<1	<1	0.30	<1	13	2.32	1646	<1	21	97	257	5	<1	0.29	8	36	9	<10	151	6	<1	<1	217	3	<20	203	<10	11	66	<1
134558	089963	66	1	6.69	251	41	<2	<1	9.05	<4	27	41	141	148	6.76	20	31	1	<1	<1	<0.01	<1	14	2.32	1624	<1	22	106	287	9	<1	0.30	<5	41	32	<10	168	5	<1	<1	253	2	<20	225	<10	12	65	<1
134559	089964	12	1	5.95	156	18	<2	<1	8.93	<4	29	35	122	122	6.23	16	49	<1	<1	<1	0.26	<1	11	2.27	1639	<1	21	87	273	2	<1	0.27	6	37	23	<10	140	6	<1	<1	239	2	<20	199	<10	13	59	<1
134560	089965	18	1	6.32	154	18	<2	<1	8.89	<4	28	35	121	121	6.29	17	35	<1	<1	<1	0.28	<1	12	2.31	1614	<1	21	87	274	7	<1	0.31	<5	38	27	<10	142	5	<1	<1	232	2	<20	198	<10	13	56	<1
134561	089966	9	1	4.93	152	6	<2	<1	8.84	<4	22	35	120	116	6.50	14	5	<1	<1	<1	0.30	<1	11	2.36	1496	<1	20	90	262	10	<1	0.20	5	36	20	<10	130	4	<1	<1	202	4	<20	194	<10	11	62	<1
134562	089967	23	1	6.10	150	22	<2	<1	9.99	<4	29	34	125	121	6.56	18	30	<1	<1	<1	0.11	<1	12	2.56	1662	<1	21	88	321	11	<1	0.23	<5	36	25	12	156	5	<1	<1	241	2	<20	196	<10	13	57	<1
134563D	089967	23	1	3.76	153	9	<2	<1	9.24	<4	25	32	117	118	6.20	13	<1	<1	<1	<1	0.22	<1	11	2.35	1602	<1	20	88	296	9	<1	0.22	<5	32	21	<10	135	4	<1	<1	200	<2	<20	182	<10	11	99	<1
134564	089968	12	1	4.15	105	4	<2	<1	8.42	<4	24	38	127	126	6.74	16	<1	<1	2	<1	0.27	<1	13	2.25	1460	<1	21	97	261	8	<1	0.53	7	38	14	<10	130	4	<1	<1	202	<2	<20	204	<10	10	98	<1
134565	089969	9	<1	1.47	112	<1	<2	<1	8.51	<4	26	37	120	124	6.15	12	<1	<1	<1	<1	0.36	<1	9	2.14	1484	<1	20	93	258	6	<1	0.18	<5	32	9	<10	111	3	<1	<1	162	<2	<20	187	<10	8	83	<1
134566	089970	961	<1	4.10	6	90	<2	<1	5.51	<4	37	35	120	42	6.18	20	<1	<1	<1	<1	0.23	12	<1	2.72	941	<1	23	28	720	17	45	0.11	<5	28	22	<10	222	6	<1	3	6802	4	<20	187	<10	38	90	<1
134567	089971	9	1	3.78	93	5	<2	<1	8.42	<4	27	41	132	136	6.53	15	<1	<1	<1	2	0.25	<1	16	2.42	1403	<1	22	99	277	6	<1	0.23	5	36	18	<10	121	5	<1	<1	207	9	<20	211	<10	11	85	<1
134568	089972	368	1	3.66	134	13	<2	<1	9.05	<4	25	42	133	136	7.58	17	<1	<1	<1	<1	0.20	<1	15	2.68	1516	<1	21	107	268	10	<1	0.55	6	38	13	<10	144	5	<1	<1	197	4	<20	206	<10	10	77	<1
134569	089973	63	1	3.95	88	13	<2	<1	8.33	<4	23	38	128	119	6.87	15	<1	<1	<1	<1	0.15	<1	22	2.54	1395	<1	21	98	296	12	<1	0.30	6	35	19	<10	136	5	<1	<1	207	2	<20	200	<10	11	72	<1
134570	089974	16	1	3.21	45	<1	<2	<1	8.81	<4	25	38	134	133	7.01	15	<1	<1	<1	<1	0.18	<1	26	2.42	1561	<1	22	98	279	11	<1	0.28	<5	35	17	<10	119	6	<1	<1	191	6	<20	213	<10	10	70	<1
134571	089975	21	<1	3.25	52	4	<2	<1	9.67	<4	26	44	155	160	7.24	17	<1	<1	<1	<1	0.05	<1	28	2.21	1572	<1	24	115	314	9	<1	0.27	8	36	18	<10	117	5	<1	<1	211	<2	<20	246	<10	11	102	<1
134572	089976	6	<1	3.11	47	<1	<2	<1	9.63	<4	26	43	149	148	7.35	18	<1	<1	<1	<1	0.08	<1	27	2.22	1657	<1	24	108	308	10	<1	0.31	5	37	13	<10	119	5	<1	<1	228	<2	<20	236	<10	10	85	<1
134573	089977	7	<1	2.69	35	<1	<2	<1	8.46	<4	22	40	138	136	7.25	15	<1	<1	<1	<1	0.32	<1	27	2.37	1555	<1	23	102	285	9	<1	0.19	<5	34	17	<10	115	6	<1	<1	249	<2	<20	221	<10	10	72	<1
134574D	089977	10	<1	2.01	42	<1	<2	<1	8.29	<4	24	41	135	133	7.06	13	<1	<1	<1	<1	0.49	<1	25	2.29	1523	<1	22	100	275	9	<1	0.19	5	32	13	<10	109	5	<1	<1	241	2	<20	215	<10	9	69	<1
134575	089978	<5	<1	2.62	32	<1	<2	<1	8.38	<4	24	42	147	152	7.90	17	<1	<1	<1	<1	0.24	<1	30	2.50	1566	<1	24	109	293	12	<1	0.26	5	36	13	<10	115	6	<1	<1	262	<2	<20	238	<10	10	76	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134576	089979	8	<1	2.48	34	<1	<2	<1	8.28	<4	26	46	146	144	7.91	17	<1	<1	<1	<1	0.16	<1	34	2.67	1541	<1	24	110	296	13	<1	0.26	<5	35	13	<10	134	5	<1	<1	337	<2	<20	229	<10	11	73	<1
134577	089980	<5	<1	0.87	5	855	<2	<1	1.52	<4	66	3	22	7	1.08	9	<1	<1	<1	<1	0.12	38	8	0.42	172	<1	2	15	281	32	25	0.03	<5	3	23	<10	256	<1	<1	20	1002	<2	<20	16	<10	7	32	<1
134578	089981	<5	<1	2.06	38	<1	<2	<1	9.57	<4	25	40	145	143	6.86	16	<1	<1	<1	<1	0.32	<1	26	2.14	1620	<1	23	108	299	11	<1	0.26	6	33	18	<10	142	5	<1	<1	323	<2	<20	233	<10	10	68	<1
134579	089982	9	<1	2.58	34	<1	<2	<1	>10.00	<4	27	44	135	137	7.64	17	<1	<1	<1	<1	0.27	<1	27	2.36	1838	<1	23	99	256	11	<1	0.35	<5	34	10	<10	117	4	<1	<1	314	<2	<20	221	<10	11	73	<1
134580	089983	5	1	2.74	69	17	<2	<1	8.69	<4	22	51	151	146	7.81	18	<1	<1	<1	<1	0.21	<1	29	2.35	1497	<1	25	109	311	6	<1	0.27	5	34	12	<10	108	6	<1	<1	221	<2	<20	242	<10	9	77	<1
134581	089984	5	<1	2.59	68	8	<2	<1	9.40	<4	28	38	130	128	6.92	15	<1	<1	<1	<1	0.36	<1	22	2.34	1535	<1	21	97	279	10	<1	0.23	<5	33	21	<10	114	4	<1	<1	191	<2	<20	206	<10	9	65	<1
134582	089985	5	<1	1.19	68	<1	<2	<1	9.77	<4	23	38	130	133	6.93	13	<1	<1	<1	<1	0.30	<1	21	2.25	1574	<1	22	96	276	10	<1	0.19	<5	30	9	<10	108	4	<1	<1	177	<2	<20	206	<10	8	68	<1
134583	089986	8	<1	3.14	142	19	<2	<1	9.11	<4	23	37	122	127	6.81	13	<1	<1	<1	<1	0.33	<1	13	2.36	1488	<1	20	96	270	9	<1	0.30	7	34	21	<10	139	5	<1	<1	186	<2	<20	195	<10	9	61	<1
134584	089987	29	1	4.75	249	43	<2	<1	9.73	<4	26	39	129	117	7.04	15	<1	<1	1	<1	0.22	<1	17	2.66	1499	<1	21	100	297	9	<1	0.30	<5	38	20	<10	154	5	<1	<1	209	8	<20	202	<10	11	61	<1
134585D	089987	30	1	5.36	241	50	<2	<1	>10.00	<4	26	40	135	121	7.36	18	4	<1	<1	<1	0.16	<1	19	2.74	1566	<1	22	102	316	12	<1	0.30	8	38	13	<10	162	5	<1	<1	220	7	<20	211	<10	11	63	<1
134586	089988	654	1	1.40	1168	40	<2	<1	8.98	<4	21	37	115	116	6.89	13	<1	<1	<1	<1	0.16	<1	16	2.25	1854	<1	18	98	400	6	<1	0.70	5	26	7	<10	137	4	<1	<1	196	2	<20	178	<10	8	57	<1
134587	089989	168	<1	0.73	411	4	<2	<1	7.59	<4	16	42	137	123	8.44	14	<1	<1	<1	<1	0.18	<1	25	3.51	1245	<1	22	107	282	8	<1	0.30	6	31	<5	<10	106	6	<1	<1	168	3	<20	203	<10	8	90	<1
134588	089990	194	1	3.50	525	27	<2	<1	9.20	<4	21	40	140	147	7.01	15	<1	<1	<1	<1	0.17	<1	15	2.73	1808	<1	23	103	303	8	<1	0.36	5	36	20	<10	149	8	<1	<1	201	3	<20	220	<10	9	72	<1
134589	089991	8	<1	1.66	127	9	<2	<1	7.90	<4	22	44	142	146	7.32	16	<1	<1	<1	<1	0.11	<1	15	2.61	2113	<1	24	108	328	12	<1	0.23	<5	32	13	<10	117	5	<1	<1	194	2	<20	222	<10	7	78	<1
134590	089992	7	<1	1.25	74	11	<2	<1	8.71	<4	21	39	135	139	6.70	12	18	<1	<1	<1	1.42	<1	16	2.27	1776	<1	24	101	296	6	<1	0.23	<5	37	7	<10	118	4	<1	<1	186	<2	<20	234	<10	8	68	<1
134591	089993	6	<1	2.00	67	23	<2	<1	9.37	<4	21	42	150	156	7.85	17	<1	<1	<1	<1	0.20	<1	30	2.55	1738	<1	24	110	295	8	<1	0.25	6	33	7	<10	109	5	<1	<1	208	6	<20	236	<10	9	76	<1
134592	089994	11	<1	1.51	68	95	<2	<1	9.83	<4	22	46	141	151	7.29	15	<1	<1	<1	<1	0.32	<1	23	2.37	1955	<1	23	109	297	7	<1	0.74	<5	34	7	<10	125	5	<1	<1	212	2	<20	227	<10	9	74	<1
134593	089995	6	<1	1.99	69	85	<2	<1	>10.00	<4	20	41	142	144	6.99	14	<1	<1	<1	<1	0.28	<1	24	2.35	1969	<1	24	104	300	10	<1	0.39	5	33	8	<10	129	6	<1	<1	218	<2	<20	225	<10	9	72	<1
134594	089996	<5	<1	<0.01	71	6	<2	<1	>10.00	<4	27	44	142	139	6.86	12	<1	<1	<1	<1	0.53	<1	21	2.36	1957	<1	23	103	287	6	<1	0.28	<5	30	<5	<10	125	4	<1	<1	199	<2	<20	218	<10	8	70	<1
134595	089997	5	<1	2.68	67	5	<2	<1	>10.00	<4	29	41	148	143	7.35	16	<1	<1	<1	<1	0.17	<1	29	2.59	1902	<1	25	107	309	10	<1	0.26	<5	34	12	<10	142	5	<1	<1	276	7	<20	236	<10	11	77	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134596D	089997	5	<1	2.57	65	4	<2	<1	>10.00	<4	23	41	144	137	7.18	16	<1	<1	<1	<1	0.24	<1	28	2.54	1851	<1	24	104	299	8	<1	0.26	5	33	15	<10	140	6	<1	<1	275	2	<20	231	<10	11	74	<1
134597	089998	7	<1	3.25	68	<1	<2	<1	8.02	<4	14	45	153	151	8.66	19	<1	<1	<1	<1	0.19	<1	33	2.91	1699	<1	26	111	306	9	<1	0.17	5	37	6	<10	127	7	<1	<1	244	2	<20	247	<10	11	76	<1
134598	089999	5	<1	2.81	61	<1	<2	<1	9.74	<4	23	38	130	124	7.21	15	<1	<1	<1	<1	0.26	<1	28	2.70	1677	<1	22	92	273	6	<1	0.21	5	32	18	<10	138	5	<1	<1	239	4	<20	211	<10	11	61	<1
134599	090000	12855	7	<0.01	36	369	<2	<1	3.17	<4	14	27	89	155	4.75	8	<1	<1	<1	<1	0.09	<1	<1	1.42	626	<1	13	47	632	33	349	1.10	<5	14	12	<10	130	3	<1	<1	3750	18	<20	115	<10	18	151	<1
134600	082851	9	<1	0.96	76	<1	<2	<1	8.77	<4	21	47	147	153	8.29	16	<1	<1	<1	<1	0.24	<1	29	3.01	1577	<1	26	109	283	10	<1	0.24	<5	35	5	<10	113	7	<1	<1	226	<2	<20	240	<10	9	79	<1
134601	082852	6	<1	0.18	83	12	<2	<1	9.76	<4	27	49	159	147	7.96	15	<1	<1	<1	<1	0.08	<1	19	2.45	1639	<1	26	116	316	7	<1	0.23	<5	37	<5	<10	125	6	<1	<1	264	<2	<20	255	<10	9	79	<1
134602	082853	6	<1	1.36	68	<1	<2	<1	7.78	<4	19	44	162	145	8.09	16	<1	<1	<1	<1	0.26	<1	22	2.68	1459	<1	26	118	313	12	<1	0.21	<5	39	12	<10	112	6	<1	<1	241	<2	<20	259	<10	10	82	<1
134603	082854	23	<1	<0.01	52	<1	<2	<1	8.33	<4	21	44	136	131	7.54	11	<1	<1	<1	<1	0.34	<1	27	3.16	1240	<1	24	101	267	11	<1	0.53	<5	30	9	<10	89	4	<1	<1	238	2	<20	216	<10	8	66	<1
134604	082855	6	<1	<0.01	52	4	<2	<1	8.56	<4	19	44	136	131	7.55	11	<1	<1	<1	<1	0.40	<1	26	3.13	1246	<1	24	101	265	9	<1	0.62	<5	30	8	<10	92	6	<1	<1	243	7	<20	216	<10	8	67	<1
134605	082856	<5	<1	<0.01	62	<1	<2	<1	8.69	<4	27	47	183	168	7.56	13	<1	<1	<1	<1	0.22	<1	23	2.82	1343	<1	26	123	378	9	<1	0.35	<5	36	9	<10	111	6	<1	<1	460	10	<20	242	<10	11	76	<1
134606	082857	<5	<1	<0.01	50	<1	<2	<1	>10.00	<4	34	42	302	138	6.58	13	<1	<1	<1	<1	0.17	8	15	2.81	1561	<1	22	117	730	6	<1	0.37	5	29	8	<10	113	6	<1	<1	747	16	<20	207	<10	12	71	<1
134607R	082857	<5	<1	<0.01	50	<1	<2	<1	>10.00	<4	39	39	267	137	6.61	11	<1	<1	<1	<1	0.20	6	17	2.75	1528	<1	24	113	641	9	<1	0.36	6	30	8	<10	117	6	<1	<1	720	2	<20	215	<10	12	70	<1
134608	082858	<5	<1	0.03	46	<1	<2	<1	9.29	<4	26	46	148	154	7.20	12	<1	<1	<1	<1	0.29	<1	17	2.32	1774	<1	26	106	290	6	<1	0.21	<5	33	6	<10	99	6	<1	<1	2226	2	<20	240	<10	18	68	<1
134609	082859	<5	<1	<0.01	34	<1	<2	<1	>10.00	<4	20	48	146	139	7.23	10	<1	<1	<1	<1	0.21	<1	15	2.31	1801	<1	26	108	265	5	<1	0.35	5	31	<5	<10	87	6	<1	<1	4482	2	<20	239	<10	18	73	<1
134610	082860	<5	<1	<0.01	44	<1	<2	<1	8.65	<4	19	49	147	127	6.73	11	<1	<1	<1	<1	0.19	<1	15	2.25	1556	<1	26	105	288	5	<1	0.16	7	30	8	<10	105	5	<1	<1	4628	<2	<20	235	<10	18	67	<1
134611	082861	<5	<1	2.59	36	<1	<2	<1	8.56	<4	22	54	167	162	8.58	18	<1	<1	<1	<1	0.13	<1	20	2.52	1821	<1	30	125	335	8	<1	0.21	<5	37	10	<10	125	8	<1	<1	5453	6	<20	279	<10	23	84	<1
134612	082862	<5	<1	0.51	32	<1	<2	<1	>10.00	<4	32	48	141	147	6.62	12	<1	<1	<1	2	0.20	<1	7	2.01	1653	<1	25	107	276	6	<1	0.49	5	30	14	<10	118	6	<1	<1	4570	7	<20	233	<10	19	67	<1
134613	082863	24	<1	1.28	15	<1	<2	<1	8.87	<4	23	53	156	163	8.10	14	<1	<1	<1	<1	0.11	<1	9	2.87	1862	<1	28	116	305	8	<1	0.21	<5	32	8	<10	114	9	<1	<1	5034	2	<20	259	<10	20	83	<1
134614	082864	<5	<1	1.28	14	<1	<2	<1	8.15	<4	22	47	150	137	7.22	16	<1	<1	<1	<1	0.27	<1	14	2.99	1541	<1	27	105	297	7	<1	0.24	<5	34	6	<10	119	6	<1	<1	4276	10	<20	254	<10	21	75	<1
134615	082865	<5	<1	1.84	9	<1	<2	<1	8.39	<4	22	49	156	152	7.59	16	<1	<1	<1	<1	0.15	<1	16	3.12	1600	<1	29	111	311	8	<1	0.23	<5	35	12	<10	123	7	<1	<1	4443	5	<20	262	<10	22	81	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134616	082866	<5	<1	1.65	13	<1	<2	<1	8.23	<4	25	52	156	145	6.99	14	<1	<1	<1	<1	0.13	<1	4	3.04	1403	<1	28	113	317	7	<1	0.25	<5	33	15	<10	134	6	<1	<1	5036	<2	<20	255	<10	20	77	<1
134617	082867	<5	<1	1.19	11	<1	<2	<1	9.80	<4	23	51	152	148	7.27	13	<1	<1	<1	<1	0.08	<1	<1	2.85	1785	<1	27	112	305	6	<1	0.24	<5	30	14	<10	125	6	<1	<1	4841	4	<20	247	<10	19	78	<1
134618D	082867	5	<1	1.31	13	<1	<2	<1	9.52	<4	27	49	149	149	7.08	14	<1	<1	<1	<1	0.21	<1	<1	2.82	1734	<1	27	110	300	9	<1	0.26	5	30	13	<10	126	7	<1	<1	4770	9	<20	245	<10	19	77	<1
134619	082868	5	<1	1.27	13	<1	<2	<1	9.84	<4	25	49	155	155	7.38	14	<1	<1	<1	<1	0.03	<1	<1	2.35	1951	<1	26	116	310	5	<1	0.28	6	29	9	<10	127	8	<1	<1	5153	<2	<20	244	<10	18	82	<1
134620	082869	<5	<1	0.44	8	<1	<2	<1	>10.00	<4	27	50	148	145	7.38	12	<1	<1	<1	<1	0.08	<1	<1	2.39	2023	<1	25	115	293	8	<1	0.24	<5	28	<5	<10	133	7	<1	<1	5019	8	<20	230	<10	18	83	<1
134621	082870	14493	6	<0.01	35	361	<2	<1	3.26	<4	16	27	89	150	4.69	12	<1	<1	<1	<1	0.12	2	<1	1.46	622	<1	13	47	683	32	398	1.10	<5	14	<5	<10	140	4	<1	<1	3851	11	<20	115	<10	19	147	<1
134622	082871	12	<1	0.77	8	<1	<2	<1	8.17	<4	23	53	156	149	7.03	12	<1	<1	<1	2	0.29	<1	<1	2.36	1632	<1	27	118	301	6	<1	0.24	<5	32	7	<10	142	7	<1	<1	5206	<2	<20	251	<10	19	76	<1
134623	082872	5	<1	0.67	9	<1	<2	<1	8.88	<4	18	53	151	151	7.78	12	<1	<1	<1	<1	0.19	<1	<1	2.57	1846	<1	26	117	302	4	<1	0.34	<5	30	8	<10	135	8	<1	<1	5172	<2	<20	245	<10	18	82	<1
134624	082873	<5	<1	0.21	6	<1	<2	<1	>10.00	<4	23	50	144	152	6.50	11	<1	<1	<1	<1	0.28	<1	<1	2.29	2013	<1	25	111	297	8	<1	0.26	<5	29	7	<10	116	6	<1	<1	4830	6	<20	232	<10	18	71	<1
134625	082874	6	<1	<0.01	10	<1	<2	<1	>10.00	<4	29	49	140	139	5.84	9	<1	<1	<1	<1	0.17	<1	<1	1.96	1966	<1	25	103	287	8	<1	0.33	<5	29	13	<10	125	6	<1	<1	4628	12	<20	228	<10	18	65	<1
134626	082875	<5	<1	0.94	6	<1	<2	<1	8.26	<4	22	53	164	151	7.68	13	<1	<1	<1	<1	0.15	<1	<1	2.62	1804	<1	29	120	329	6	<1	0.21	<5	36	9	<10	113	9	<1	<1	5398	13	<20	269	<10	20	87	<1
134627	082876	<5	<1	0.10	8	<1	<2	<1	>10.00	<4	26	48	139	141	6.27	11	<1	<1	<1	<1	0.11	<1	<1	2.21	1642	<1	25	106	290	4	<1	0.31	<5	29	15	<10	97	6	<1	<1	4644	<2	<20	223	<10	18	67	<1
134628	082877	<5	2	7.44	7	5	<2	<1	>10.00	<4	36	45	152	144	7.13	24	33	2	<1	<1	0.14	2	8	2.73	1508	3	28	99	326	7	<1	0.32	7	42	20	11	159	6	<1	<1	4727	<2	<20	248	<10	30	89	85
134629D	082877	<5	1	6.54	11	<1	<2	<1	>10.00	<4	30	45	147	141	7.20	21	21	1	<1	<1	<0.01	<1	7	2.66	1537	<1	28	101	325	13	<1	0.30	<5	40	22	<10	157	8	<1	<1	4809	2	<20	252	<10	29	75	42
134630	082878	<5	1	7.32	10	3	<2	<1	>10.00	<4	27	51	161	154	7.62	22	29	1	1	<1	0.04	2	7	2.71	1590	2	31	113	361	7	<1	0.27	<5	46	24	<10	189	7	<1	<1	5377	<2	<20	285	<10	31	83	45
134631	082879	<5	1	5.66	9	<1	<2	<1	>10.00	<4	20	50	161	152	7.95	22	10	<1	<1	<1	0.02	<1	4	2.71	1628	<1	30	112	337	7	<1	0.28	<5	41	26	<10	157	7	<1	1	5276	13	<20	276	<10	27	79	<1
134632	082880	<5	1	6.03	6	904	2	<1	2.22	<4	146	6	26	7	1.66	15	8	<1	<1	<1	<0.01	80	16	0.77	243	<1	8	19	667	29	35	0.04	<5	5	38	<10	386	<1	<1	49	1900	<2	<20	27	<10	22	60	5
134633	082881	<5	1	6.12	9	<1	<2	<1	>10.00	<4	28	49	153	146	7.71	21	15	<1	<1	<1	0.03	<1	6	2.56	1804	<1	30	110	325	8	<1	0.34	7	41	19	<10	183	7	<1	<1	5069	<2	<20	270	<10	28	79	<1
134634	082882	<5	1	6.58	7	<1	<2	<1	>10.00	<4	28	48	154	162	7.40	23	27	<1	<1	<1	0.13	1	8	2.85	1821	<1	29	106	329	9	<1	0.31	<5	43	33	12	174	6	<1	<1	4979	15	<20	262	<10	30	83	13
134635	082883	<5	1	6.11	8	<1	<2	<1	>10.00	<4	26	51	164	163	7.22	20	16	<1	<1	<1	0.06	1	4	2.29	1766	<1	30	117	356	13	<1	0.30	<5	45	16	<10	137	9	<1	1	5402	5	<20	277	<10	29	83	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134636	082884	5	1	7.59	10	4	<2	<1	9.57	<4	26	51	164	145	8.16	23	35	1	<1	<1	0.13	2	9	2.75	1815	4	29	114	348	10	<1	0.30	5	47	25	<10	159	7	<1	<1	5409	7	<20	274	<10	33	121	55
134637	082885	<5	2	6.09	16	<1	<2	<1	>10.00	<4	27	52	161	155	7.82	21	15	<1	<1	<1	0.07	<1	5	2.61	1794	<1	29	116	338	8	<1	0.30	<5	43	19	<10	153	7	<1	1	5281	4	<20	268	<10	28	170	<1
134638	082886	<5	2	6.89	12	6	<2	<1	>10.00	<4	31	44	143	139	7.39	20	35	2	<1	<1	0.11	1	12	3.02	1724	2	27	97	321	10	<1	0.24	<5	40	35	<10	192	8	<1	<1	4708	5	<20	247	<10	28	78	54
134639	082887	<5	1	6.78	11	<1	<2	<1	>10.00	<4	33	43	135	127	6.84	20	31	1	<1	<1	0.14	1	10	2.57	1616	2	25	93	300	7	4	0.33	<5	40	26	<10	187	5	<1	<1	4490	<2	<20	237	<10	28	100	35
134640D	082887	<5	1	5.94	6	<1	<2	<1	>10.00	<4	22	42	133	127	6.65	18	18	<1	<1	<1	0.15	<1	7	2.36	1560	<1	25	93	284	9	<1	0.32	5	35	23	<10	181	7	<1	<1	4335	5	<20	234	<10	25	134	<1
134641	082888	<5	2	6.97	10	3	<2	<1	>10.00	<4	28	47	149	146	7.50	22	24	2	<1	<1	0.05	1	7	2.42	1787	2	28	105	328	10	<1	0.33	<5	41	28	<10	198	8	<1	<1	4890	<2	<20	256	<10	29	81	75
134642	082889	38	1	7.05	9	6	<2	<1	>10.00	<4	31	47	149	141	7.23	21	24	2	<1	<1	<0.01	1	8	2.32	1626	3	27	106	342	11	<1	0.26	5	40	24	<10	186	6	<1	<1	4867	17	<20	259	<10	29	73	73
134643	082890	<5	2	8.99	10	13	2	<1	>10.00	<4	30	50	164	156	7.90	26	49	5	1	<1	0.02	1	10	2.51	1812	12	30	113	356	6	<1	0.27	5	45	32	<10	208	8	<1	<1	5284	<2	<20	284	<10	32	78	182
134644	082891	<5	2	8.93	17	18	<2	<1	>10.00	<4	35	44	146	142	7.33	24	66	6	<1	<1	0.18	2	11	2.36	1735	19	27	98	330	7	<1	0.33	<5	40	31	<10	200	7	<1	<1	4736	10	<20	251	<10	31	67	241
134645	082892	<5	1	6.32	13	<1	<2	<1	>10.00	<4	30	51	161	157	8.30	23	13	<1	<1	<1	0.09	1	6	2.68	1752	<1	30	115	345	7	<1	0.25	8	43	21	<10	197	8	<1	<1	5324	<2	<20	286	<10	29	71	<1
134646	082893	<5	2	7.83	11	7	<2	<1	>10.00	<4	37	40	132	132	6.34	21	46	7	<1	<1	0.22	<1	10	2.12	2270	13	26	90	303	7	<1	0.39	5	39	34	<10	168	6	<1	<1	4343	19	<20	227	<10	30	64	207
134647	082894	<5	2	6.67	8	<1	<2	<1	>10.00	<4	29	46	143	138	6.98	21	20	1	<1	<1	0.18	<1	10	2.22	1894	<1	27	98	305	7	<1	0.33	8	40	21	<10	172	6	<1	<1	4700	4	<20	247	<10	28	64	46
134648	082895	<5	1	6.64	7	<1	<2	<1	>10.00	<4	35	38	128	126	6.24	19	45	1	1	<1	0.27	<1	9	2.02	1701	5	24	88	281	6	<1	0.31	8	38	25	<10	176	6	<1	3	4174	13	<20	227	<10	28	56	55
134649	082896	<5	1	6.32	11	<1	<2	<1	>10.00	<4	25	43	136	125	6.99	20	44	1	<1	<1	0.22	<1	12	2.33	1540	2	26	95	297	8	<1	0.23	<5	38	29	<10	150	7	<1	<1	4501	5	<20	241	<10	27	63	47
134650	082897	<5	2	6.64	9	1	<2	<1	8.65	<4	31	44	139	132	7.02	20	34	<1	<1	<1	0.20	2	12	2.40	1439	<1	26	94	308	8	<1	0.25	<5	40	17	<10	133	6	<1	<1	4612	<2	<20	244	<10	29	65	34
134651D	082897	<5	1	4.18	10	<1	<2	<1	8.51	<4	30	51	153	149	7.67	19	2	<1	<1	<1	0.16	<1	8	2.41	1590	<1	28	108	318	8	<1	0.29	<5	37	19	<10	116	6	<1	<1	5013	<2	<20	264	<10	24	73	<1
134652	082898	<5	1	6.03	10	<1	<2	<1	>10.00	<4	33	48	144	138	7.16	21	19	<1	<1	<1	0.05	<1	10	2.30	1702	<1	27	103	310	10	<1	0.37	5	38	20	<10	129	6	<1	<1	4840	<2	<20	252	<10	26	71	<1
134653	082899	<5	1	5.81	14	<1	<2	<1	7.53	<4	26	48	154	144	8.17	22	28	<1	<1	<1	0.07	1	18	3.08	1382	<1	30	108	344	9	<1	0.24	<5	38	16	<10	118	8	<1	<1	5221	<2	<20	273	<10	27	73	<1
134654	082900	987	1	7.92	7	116	2	<1	5.98	<4	42	37	120	52	6.39	24	32	<1	1	<1	0.08	14	6	2.92	943	<1	24	27	743	16	68	0.11	<5	32	27	<10	249	6	<1	4	7672	3	<20	190	<10	44	73	21
134655	082901	8	2	8.14	45	12	<2	<1	8.68	<4	30	50	159	162	8.54	28	34	3	<1	<1	<0.01	2	27	2.99	1520	10	30	110	364	7	<1	0.30	8	42	41	<10	127	8	<1	2	4393	4	<20	279	<10	30	75	146

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/31/2011
Date Completed: 06/14/2011
Job #: 201141989
Reference:
Sample #: 165

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
134656	082902	<5	1	5.86	73	<1	<2	<1	>10.00	<4	30	38	134	128	6.63	18	19	<1	<1	<1	0.19	2	19	2.21	1566	<1	22	96	307	8	<1	0.25	6	38	25	<10	98	5	<1	<1	270	<2	<20	223	<10	18	67	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142112
Reference:
Sample #: 73

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143236	083331	0.204	<1	0.15	501	14	2	19	1.45	5	<1	7	37	29	10.77	10	<1	3	<1	<1	<0.01	<1	<1	1.42	2907	8	2	33	233	26	<1	1.00	9	<1	<5	<10	49	7	8	15	261	<2	68	13	<10	6	94	28
143237	083332	0.229	<1	1.47	378	27	2	28	1.85	6	<1	10	25	49	14.07	14	<1	4	<1	<1	0.05	<1	<1	1.99	3744	8	3	32	561	29	<1	1.54	8	2	8	<10	57	7	10	16	277	6	72	23	<10	9	123	25
143238	083333	0.088	<1	1.28	136	407	3	29	0.57	5	<1	63	20	235	11.95	33	<1	2	<1	<1	<0.01	<1	<1	1.25	1658	6	23	73	751	22	<1	0.86	<5	7	<5	<10	86	8	4	16	516	<2	91	242	97	4	141	<1
143239	083334	0.212	<1	0.69	1277	30	2	21	0.59	5	<1	5	26	23	12.43	13	<1	3	<1	<1	<0.01	<1	<1	1.40	3356	10	1	32	273	27	<1	0.87	6	<1	<5	<10	45	5	11	16	264	<2	78	20	<10	6	60	54
143240	083335	0.331	<1	0.12	1562	14	2	24	0.64	4	<1	3	37	13	10.49	9	<1	2	<1	<1	<0.01	<1	<1	1.17	2632	9	<1	34	203	19	<1	0.91	<5	<1	<5	<10	43	5	10	15	241	<2	53	12	<10	5	55	21
143241	083336	0.598	<1	<0.01	1898	126	2	19	0.47	5	<1	18	83	101	9.88	14	<1	3	<1	<1	<0.01	<1	<1	0.85	1873	11	3	57	354	43	<1	3.13	16	1	<5	<10	53	7	11	18	344	11	59	39	<10	5	348	40
143242	083337	0.683	<1	0.33	1040	23	2	18	0.73	5	<1	11	41	54	11.34	10	<1	2	<1	<1	<0.01	<1	<1	1.29	2887	9	1	45	333	26	<1	2.30	10	<1	<5	<10	44	8	10	16	251	<2	75	14	<10	6	144	20
143243	083338	0.737	<1	0.05	2257	38	<2	18	0.80	5	<1	17	46	46	11.58	13	<1	3	<1	<1	<0.01	<1	<1	1.27	2780	9	2	45	154	23	<1	2.25	9	2	<5	<10	46	8	9	18	267	<2	74	27	<10	5	105	28
143244	083339	1.207	<1	0.04	3723	95	2	22	0.55	5	<1	50	60	89	11.81	16	<1	3	<1	<1	<0.01	<1	<1	1.03	2483	12	3	59	151	26	<1	3.73	11	3	<5	<10	51	6	10	16	309	5	75	44	<10	5	209	51
143245	083340	13.292	4	0.08	31	345	<2	18	2.18	<4	9	27	82	134	4.05	13	<1	<1	<1	<1	<0.01	<1	<1	0.92	597	3	13	42	618	33	167	0.87	<5	5	8	<10	129	5	7	18	4432	<2	<20	112	<10	9	151	<1
143247	083341	0.187	<1	0.20	959	7	<2	26	0.52	4	<1	3	39	11	10.22	7	<1	2	<1	<1	<0.01	<1	<1	1.24	2061	8	<1	37	224	22	<1	0.60	5	<1	<5	<10	39	6	8	17	230	<2	79	8	<10	5	44	<1
143248	083342	0.558	<1	0.44	999	41	2	33	0.43	6	<1	21	76	60	13.60	16	<1	3	<1	<1	<0.01	<1	<1	1.39	2714	17	2	99	281	35	<1	2.91	10	2	5	<10	46	5	14	17	274	<2	121	31	<10	6	254	33
143249	083343	1.198	<1	0.31	1539	23	<2	25	0.43	5	<1	10	43	48	11.62	10	<1	3	<1	<1	<0.01	<1	<1	1.30	2587	11	1	45	236	20	<1	2.00	6	<1	5	<10	42	7	9	16	259	<2	73	15	<10	5	88	47
143250	083344	0.286	<1	0.02	612	11	2	24	0.32	4	<1	4	41	15	10.72	10	<1	3	<1	<1	0.08	<1	<1	1.15	2344	11	<1	41	236	23	<1	1.14	6	<1	<5	<10	41	6	10	15	253	<2	78	10	<10	5	50	62
143251	083345	0.593	<1	1.32	391	15	2	28	0.69	6	<1	8	34	46	13.61	12	<1	3	<1	<1	0.08	<1	<1	1.74	3160	9	1	38	473	25	<1	2.24	9	1	<5	<10	44	9	11	15	245	<2	112	12	<10	7	87	33
143252	083346	0.071	<1	<0.01	109	20	<2	9	0.54	<4	<1	4	39	23	7.47	7	<1	3	<1	<1	<0.01	<1	<1	0.89	1670	8	<1	37	230	18	<1	1.24	<5	<1	<5	<10	43	6	8	16	260	5	40	10	<10	4	50	69
143253	083347	0.150	<1	0.60	633	14	<2	34	0.95	5	<1	5	42	24	12.35	12	<1	3	<1	<1	0.21	<1	<1	1.55	2655	10	1	31	664	25	<1	1.49	6	<1	<5	<10	47	6	11	16	249	<2	75	12	<10	6	84	43
143254	083348	0.426	<1	0.35	4581	16	2	26	0.81	4	<1	14	36	59	10.86	12	<1	4	<1	<1	<0.01	<1	<1	1.32	2440	10	<1	37	325	19	<1	2.04	<5	<1	<5	<10	47	7	10	19	265	<2	68	13	<10	5	80	78
143255	083349	1.159	<1	1.04	10779	87	2	27	0.98	7	<1	32	46	89	14.61	19	<1	6	<1	<1	<0.01	<1	<1	1.48	3502	15	3	54	629	34	<1	4.23	10	2	<5	<10	54	12	13	18	325	<2	113	28	<10	6	268	154
143256	083350	0.006	<1	<0.01	127	1017	2	6	0.74	<4	39	9	34	6	1.88	15	<1	3	<1	<1	<0.01	12	<1	0.36	323	4	11	40	648	37	15	0.11	<5	<1	17	<10	287	3	2	26	2475	<2	<20	33	<10	6	64	44

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142112
Reference:
Sample #: 73

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143258	083351	1.715	<1	<0.01	14799	40	<2	25	0.64	5	<1	15	47	45	10.92	13	<1	4	<1	<1	<0.01	<1	<1	1.11	2028	12	2	47	193	24	<1	3.06	12	<1	5	<10	45	5	11	16	285	3	70	23	<10	4	237	81
143259	083352	1.856	<1	2.32	13559	19	2	28	0.99	7	<1	20	33	101	15.72	17	<1	5	<1	<1	<0.01	<1	<1	2.02	3755	12	2	41	987	26	<1	3.64	14	3	<5	<10	51	9	13	16	277	<2	135	17	<10	10	154	124
143260	083353	4.163	<1	0.62	16095	74	2	38	1.41	5	<1	30	55	128	10.60	14	<1	3	<1	<1	<0.01	<1	<1	1.15	1829	13	4	62	360	28	<1	4.83	18	3	<5	<10	60	3	6	18	289	<2	48	41	10	6	371	26
143261	083354	0.216	<1	2.27	1591	242	2	15	4.27	4	15	52	92	195	8.93	25	<1	4	<1	<1	<0.01	<1	<1	2.01	1695	1	23	103	467	17	<1	0.63	10	11	<5	<10	124	8	4	15	481	<2	<20	221	18	5	158	26
143262	083355	0.063	<1	2.17	575	208	2	19	4.17	<4	15	51	73	175	7.77	20	<1	1	<1	1	<0.01	<1	<1	1.95	1590	<1	19	104	480	13	<1	0.44	7	11	6	<10	118	5	<1	14	401	<2	<20	187	17	5	136	<1
143263	083356	0.248	<1	2.03	1079	153	2	24	3.87	4	15	46	28	215	8.71	20	<1	1	<1	<1	<0.01	<1	<1	1.89	1631	<1	15	83	508	14	<1	1.11	<5	9	<5	<10	125	7	2	17	345	<2	<20	146	15	5	141	<1
143264	083357	0.240	<1	0.86	585	178	2	16	4.33	<4	19	45	175	158	4.46	17	<1	<1	<1	<1	<0.01	<1	<1	1.37	1068	<1	25	108	428	12	<1	0.87	7	11	12	<10	174	5	1	15	368	13	<20	247	<10	4	111	<1
143265	083358	0.009	<1	0.67	260	157	<2	8	4.51	<4	20	52	216	157	3.16	17	<1	<1	<1	7	<0.01	<1	<1	1.25	829	<1	31	118	373	8	<1	0.17	5	12	12	<10	183	5	<1	14	340	<2	<20	291	<10	4	94	<1
143266	083359	0.011	<1	<0.01	261	121	<2	19	5.29	<4	21	50	182	141	3.54	16	<1	<1	<1	<1	0.11	<1	<1	1.40	1106	<1	27	108	342	8	<1	0.11	8	11	<5	<10	175	5	<1	13	326	12	<20	260	<10	4	81	<1
143267	083360	0.009	<1	0.76	168	73	<2	24	5.38	<4	20	45	163	126	5.46	15	<1	<1	<1	<1	0.06	<1	<1	1.48	1556	<1	26	98	301	11	<1	0.27	6	13	8	<10	132	5	<1	15	335	<2	<20	248	<10	4	108	<1
143268D	083360	0.017	<1	0.29	167	74	<2	15	5.50	<4	23	45	167	129	5.58	17	<1	<1	<1	<1	0.22	<1	<1	1.49	1593	<1	26	98	306	12	<1	0.28	5	12	<5	<10	134	7	<1	15	335	4	<20	251	<10	4	110	<1
143269	083361	0.007	<1	0.39	151	79	<2	17	4.72	<4	19	44	166	131	4.11	14	<1	<1	<1	<1	0.26	<1	<1	1.33	1102	<1	26	99	303	10	<1	0.33	9	11	<5	<10	141	5	<1	15	321	10	<20	246	<10	4	86	<1
143270	083362	0.014	<1	0.65	346	98	<2	10	5.89	<4	22	45	162	138	4.40	15	<1	<1	<1	<1	0.15	<1	<1	1.59	1145	<1	26	102	312	12	<1	0.40	5	11	8	<10	154	4	<1	15	306	<2	<20	242	<10	4	103	<1
143271	083363	0.010	<1	0.26	209	92	<2	9	5.09	<4	24	36	151	108	3.08	13	<1	1	<1	2	0.04	<1	<1	1.39	885	<1	23	91	293	6	<1	0.13	<5	10	9	<10	137	6	<1	17	324	17	<20	213	<10	4	73	<1
143272	083364	0.006	<1	2.28	185	120	2	30	5.90	<4	25	42	172	145	4.26	16	<1	2	<1	<1	0.05	<1	<1	1.63	1249	<1	27	96	353	11	<1	0.18	9	14	6	<10	160	6	<1	15	411	4	<20	246	<10	5	85	21
143273	083365	0.035	<1	2.10	183	106	<2	7	6.42	<4	27	43	163	135	4.46	15	<1	<1	<1	<1	0.01	<1	<1	1.81	1291	<1	26	98	346	12	<1	0.22	9	15	12	<10	155	6	<1	16	350	12	<20	235	<10	5	91	<1
143274	083366	0.007	<1	1.76	210	109	<2	19	5.82	<4	23	44	175	133	4.50	15	<1	<1	<1	<1	<0.01	<1	<1	1.73	1407	<1	26	102	325	10	<1	0.22	6	15	8	<10	150	5	<1	15	371	9	<20	258	<10	4	95	<1
143275	083367	<0.005	<1	2.05	189	88	<2	24	5.83	<4	24	45	168	131	5.11	17	<1	1	<1	<1	<0.01	<1	<1	1.83	1590	<1	26	99	316	11	<1	0.21	8	14	5	<10	145	6	<1	17	408	13	<20	247	<10	4	83	<1
143276	083368	0.006	<1	1.26	143	76	<2	31	4.97	<4	19	44	166	150	5.44	19	<1	2	<1	<1	<0.01	<1	<1	1.69	1433	<1	26	100	311	10	<1	0.35	<5	13	<5	<10	135	6	4	15	431	7	<20	246	<10	4	107	<1
143277	083369	0.006	<1	0.84	129	80	<2	21	5.91	<4	23	44	163	136	5.45	18	<1	2	<1	<1	0.20	<1	<1	1.69	1631	<1	26	95	302	11	<1	0.31	9	11	<5	<10	145	4	4	16	444	5	<20	244	<10	4	89	7

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142112
Reference:
Sample #: 73

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143278	083370	0.964	<1	2.83	8	108	<2	15	4.52	<4	27	39	125	43	5.99	24	<1	1	<1	<1	0.10	2	<1	2.07	1008	<1	25	30	697	24	3	0.13	<5	13	6	<10	199	8	7	23	6879	4	<20	198	<10	21	96	<1
143280	083371	<0.005	<1	1.32	91	66	<2	23	5.89	<4	24	44	162	140	6.32	17	<1	1	<1	<1	0.21	<1	<1	1.87	1620	<1	25	93	286	10	<1	0.33	8	14	7	<10	137	7	<1	16	395	6	<20	242	<10	4	115	<1
143281	083372	<0.005	<1	1.27	68	50	<2	24	5.44	<4	21	49	166	143	5.62	14	<1	<1	<1	<1	0.05	<1	<1	1.63	1547	<1	25	102	310	12	<1	0.31	7	17	7	<10	119	6	<1	16	296	2	<20	244	<10	4	99	<1
143282	083373	<0.005	<1	1.14	51	46	<2	13	5.68	<4	21	42	168	135	5.63	16	<1	<1	<1	<1	0.12	<1	<1	1.62	1908	<1	25	98	309	9	<1	0.15	6	15	6	<10	113	6	<1	13	304	<2	<20	248	<10	4	106	<1
143283	083374	<0.005	<1	1.79	56	50	<2	14	4.16	<4	16	50	181	149	5.36	16	<1	<1	<1	<1	0.04	<1	<1	1.66	1580	<1	27	107	344	10	<1	0.23	7	17	<5	<10	112	4	<1	18	293	6	<20	264	<10	4	110	<1
143284	083375	<0.005	<1	2.41	59	43	<2	18	5.00	<4	22	46	167	145	4.77	14	<1	<1	<1	<1	<0.01	<1	<1	1.57	1671	<1	24	98	326	11	<1	0.22	<5	19	10	<10	108	5	1	16	278	7	<20	237	<10	5	81	<1
143285	083376	0.006	<1	3.27	58	16	<2	29	6.38	<4	24	49	168	141	7.31	18	<1	<1	<1	<1	<0.01	<1	<1	2.21	2167	<1	26	105	305	13	<1	0.29	7	24	9	<10	90	6	<1	16	285	<2	<20	250	<10	6	121	<1
143286	083377	<0.005	<1	3.92	56	20	<2	12	6.09	<4	23	46	165	138	7.09	16	<1	<1	<1	<1	0.05	<1	<1	2.08	1903	<1	26	103	310	10	<1	0.28	12	26	13	<10	98	5	2	17	291	<2	<20	246	<10	6	121	<1
143287	083378	0.020	<1	2.64	77	41	<2	21	6.10	<4	20	44	158	138	5.65	16	<1	<1	<1	4	<0.01	<1	<1	2.01	1773	<1	23	92	297	10	<1	0.27	<5	18	7	<10	120	6	<1	15	331	3	<20	225	<10	5	93	<1
143288	083379	0.006	<1	2.83	147	34	<2	6	7.59	<4	30	40	162	125	4.78	13	<1	1	<1	<1	0.07	<1	<1	2.67	1543	<1	22	91	231	9	<1	0.18	6	17	12	<10	116	5	<1	16	300	17	<20	183	<10	6	77	<1
143289	083380	<0.005	<1	1.98	6	810	2	17	0.91	<4	30	5	27	4	1.10	10	<1	<1	<1	<1	0.07	11	<1	0.37	233	<1	5	37	253	29	<1	<0.01	<5	<1	16	<10	388	<1	1	25	1120	<2	<20	20	<10	6	36	<1
143291	083381	0.021	<1	3.24	154	28	<2	23	7.81	<4	29	41	159	123	4.94	13	<1	<1	<1	<1	<0.01	<1	<1	3.11	1510	<1	22	103	221	8	<1	0.12	6	18	12	<10	115	4	<1	14	306	20	<20	182	<10	6	85	<1
143292	083382	<0.005	<1	3.24	78	21	<2	9	7.89	<4	29	43	169	128	5.24	13	<1	1	<1	5	0.03	<1	<1	2.83	1545	<1	23	118	228	9	<1	0.21	7	18	14	<10	110	5	<1	14	306	13	<20	192	<10	6	93	<1
143293	083383	<0.005	<1	4.10	69	14	<2	13	8.14	<4	32	44	161	119	5.33	12	<1	<1	<1	<1	0.09	<1	<1	3.39	1664	<1	22	141	217	6	<1	0.18	6	21	14	<10	106	5	3	15	312	9	<20	180	<10	7	94	<1
143294	083384	<0.005	<1	3.85	72	12	<2	17	7.22	<4	31	51	162	123	5.25	11	<1	<1	<1	<1	0.07	<1	<1	3.17	1533	<1	20	162	220	7	<1	0.18	<5	20	9	<10	96	4	<1	16	301	3	<20	171	<10	7	90	<1
143295	083385	<0.005	<1	3.82	60	17	<2	18	7.52	<4	30	45	165	127	5.30	14	<1	<1	<1	<1	<0.01	<1	<1	3.11	1592	<1	21	165	227	9	<1	0.15	<5	20	9	<10	100	5	<1	14	304	<2	<20	178	<10	7	88	<1
143296	083386	0.008	<1	4.55	41	14	<2	27	7.80	<4	21	40	160	120	5.48	12	<1	1	<1	<1	0.03	<1	<1	3.40	1598	<1	21	148	221	12	<1	0.15	<5	21	13	<10	85	5	2	15	326	13	<20	169	<10	8	81	<1
143297	083387	0.010	<1	3.81	75	21	<2	28	7.75	<4	27	47	167	131	5.15	12	<1	1	<1	2	<0.01	<1	<1	3.09	1499	<1	21	169	227	9	<1	0.19	<5	19	16	<10	111	4	<1	18	301	8	<20	179	<10	7	79	<1
143298	083388	0.010	<1	3.30	151	32	<2	20	7.87	<4	33	41	153	116	4.88	11	<1	<1	<1	<1	0.06	<1	<1	3.09	1570	<1	20	152	214	10	<1	0.17	8	17	12	<10	120	4	<1	15	290	7	<20	174	<10	6	81	<1
143299	083389	0.012	<1	3.45	138	36	<2	16	8.11	<4	31	42	165	129	4.94	13	<1	<1	<1	<1	0.18	<1	<1	2.98	1568	<1	23	110	227	8	<1	0.21	6	18	8	<10	123	4	<1	15	307	8	<20	191	<10	6	82	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142112
Reference:
Sample #: 73

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143300	083390	0.013	<1	2.89	117	37	<2	19	7.51	<4	30	40	159	134	4.83	12	<1	<1	<1	<1	0.17	<1	<1	2.38	1667	<1	22	84	236	11	<1	0.30	5	18	13	<10	126	4	2	18	289	3	<20	189	<10	6	68	<1
143301R	083390	0.012	<1	3.16	114	24	<2	15	7.68	<4	31	40	140	139	4.94	9	<1	<1	<1	1	0.21	<1	<1	2.60	1659	<1	19	84	245	8	<1	0.22	<5	21	8	<10	115	4	2	15	264	8	<20	167	<10	6	81	<1
143302	083391	0.015	<1	2.74	144	24	<2	24	8.50	<4	30	33	124	103	4.93	9	<1	<1	<1	1	0.14	<1	<1	2.88	1516	<1	19	86	190	9	<1	0.18	<5	17	10	<10	115	5	<1	14	278	14	<20	150	<10	6	88	<1
143303	083392	0.013	<1	3.59	155	35	<2	16	8.50	<4	30	38	136	115	5.02	11	<1	<1	<1	<1	<0.01	<1	<1	2.86	1457	<1	20	101	208	11	<1	0.19	<5	19	10	<10	124	4	<1	14	294	2	20	164	<10	7	75	<1
143304	083393	0.035	<1	2.27	108	36	<2	20	8.01	<4	32	38	115	130	5.84	11	<1	<1	<1	<1	0.02	<1	<1	2.11	2090	<1	17	78	235	14	<1	0.57	7	14	7	<10	125	3	4	13	285	18	<20	149	<10	6	182	<1
143305	083394	0.073	<1	3.46	51	21	<2	33	8.11	5	26	33	94	151	11.24	18	<1	2	<1	<1	0.13	<1	<1	2.74	4866	<1	14	86	202	25	<1	1.71	14	16	11	<10	103	7	6	15	337	6	<20	121	<10	7	245	<1
143306	083395	0.059	<1	3.34	48	16	<2	28	7.98	5	22	36	95	162	10.88	17	<1	<1	<1	<1	0.07	<1	<1	2.66	3975	<1	14	88	203	20	<1	1.88	6	16	8	<10	100	10	8	15	314	<2	21	121	<10	7	263	<1
143307	083396	0.016	<1	3.01	201	47	<2	19	7.77	<4	28	42	152	135	6.69	13	<1	<1	<1	<1	0.07	<1	<1	2.50	3550	<1	21	114	223	13	<1	0.22	6	20	7	<10	126	6	3	15	308	<2	<20	181	<10	5	67	<1
143308	083397	0.012	<1	2.58	138	38	<2	17	8.27	<4	26	41	147	121	6.74	12	<1	<1	<1	<1	<0.01	<1	<1	2.96	2583	<1	21	113	206	11	<1	0.20	7	19	5	<10	107	6	<1	13	318	12	<20	177	<10	5	91	<1
143309	083398	0.014	<1	2.09	146	49	<2	19	6.66	<4	26	42	172	126	6.17	13	<1	<1	<1	<1	0.13	<1	<1	2.21	2171	<1	23	114	220	10	<1	0.30	<5	18	<5	<10	124	5	<1	15	323	4	<20	209	<10	4	84	<1
143310	083399	0.013	<1	2.69	148	48	<2	13	8.96	<4	31	40	147	127	6.09	12	<1	<1	<1	8	0.05	<1	<1	2.66	3119	<1	20	112	215	12	<1	0.36	7	17	7	<10	127	6	<1	15	316	15	<20	171	<10	6	91	<1
143311	083400	13.392	4	1.41	33	330	<2	14	2.44	<4	11	28	85	136	4.23	13	<1	<1	<1	<1	0.04	<1	<1	1.18	633	<1	14	46	639	33	305	0.80	<5	8	<5	<10	134	5	4	18	4224	10	<20	115	<10	12	146	<1
143313	083401	0.024	<1	1.87	8	<1	<2	11	8.04	6	26	16	16	127	13.38	14	<1	<1	<1	<1	0.21	<1	<1	3.24	7836	<1	6	32	198	25	<1	2.36	14	6	<5	<10	48	11	8	14	211	5	25	33	<10	8	237	<1
143314	083402	0.017	<1	2.65	118	52	<2	17	7.07	<4	26	40	152	125	6.25	11	<1	<1	<1	<1	<0.01	<1	<1	2.47	3279	<1	20	100	201	8	<1	0.23	5	18	7	<10	116	5	<1	13	305	26	<20	177	<10	5	88	<1
143315	083403	0.014	<1	3.48	110	47	<2	17	8.93	<4	18	38	140	125	6.27	10	<1	<1	<1	<1	0.03	<1	<1	3.19	2815	<1	21	106	207	12	<1	0.30	5	20	15	<10	110	6	2	16	324	12	<20	170	<10	6	77	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, June 21, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142113
Reference:
Sample #: 63

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143338	083181	36	<1	<0.01	89	<1	2	5	1.81	17	<1	6	21	15	14.06	14	<1	<1	<1	<1	0.09	2	<1	1.97	4179	11	<1	17	191	25	<1	1.07	6	<1	<5	<10	77	6	8	<1	143	<2	52	9	<10	9	55	<1
143339	083182	36	<1	0.61	152	31	2	1	1.81	14	2	9	25	39	11.31	11	<1	<1	<1	<1	<0.01	2	<1	1.84	3188	<1	2	24	361	25	9	1.65	7	2	<5	<10	92	4	5	<1	143	<2	<20	14	<10	10	127	<1
143340	083183	27	<1	<0.01	40	<1	2	5	1.18	13	<1	4	33	11	10.65	8	<1	<1	<1	1	<0.01	<1	<1	1.58	3286	2	<1	26	486	17	13	1.14	8	<1	<5	<10	72	4	7	<1	118	9	<20	6	<10	9	57	<1
143341	083184	19	<1	0.34	48	<1	<2	4	1.72	12	6	5	32	10	9.86	8	5	<1	2	<1	<0.01	<1	<1	1.68	2572	<1	<1	29	331	20	<1	1.14	8	<1	<5	<10	84	4	7	<1	122	4	39	8	<10	9	127	<1
143342	083185	33	<1	<0.01	44	<1	2	6	1.50	11	7	4	27	11	8.78	5	<1	<1	1	<1	0.01	<1	<1	1.52	2296	<1	<1	22	322	14	<1	1.12	<5	<1	<5	<10	82	2	3	<1	118	<2	<20	7	<10	9	136	<1
143343	083186	9	<1	3.73	343	285	2	2	6.04	6	71	35	436	15	5.22	14	34	<1	1	<1	0.27	28	23	4.65	1219	<1	17	267	1370	31	<1	0.87	25	15	6	<10	580	2	<1	<1	224	5	<20	124	<10	13	148	<1
143344	083187	134	<1	0.42	69	494	3	2	0.55	15	<1	32	72	121	9.98	19	8	<1	<1	<1	<0.01	<1	<1	1.00	1321	8	3	98	382	24	<1	5.79	13	4	6	<10	156	2	5	<1	329	<2	22	57	11	6	608	<1
143345	083188	14	<1	0.55	53	<1	2	3	2.35	9	12	6	25	13	7.69	7	13	<1	<1	3	0.09	<1	<1	1.61	2174	<1	<1	33	396	16	<1	1.31	5	<1	<5	<10	89	2	7	<1	134	<2	<20	6	<10	9	67	<1
143346	083189	15	<1	<0.01	51	<1	2	3	1.47	13	<1	5	27	12	10.71	5	<1	<1	2	<1	0.06	<1	<1	1.61	2874	<1	<1	21	203	16	<1	1.05	5	<1	<5	<10	70	4	10	<1	115	<2	<20	6	<10	9	57	<1
143347	083190	24	<1	<0.01	52	<1	2	5	2.54	14	9	6	20	13	11.50	7	<1	<1	2	<1	0.23	<1	<1	1.90	3132	<1	1	27	425	22	<1	0.98	7	<1	<5	<10	74	5	14	<1	113	<2	<20	6	<10	9	68	<1
143348D	083190	19	<1	<0.01	74	<1	2	3	2.63	15	9	6	51	13	11.71	9	<1	<1	<1	<1	0.08	<1	<1	2.02	2984	<1	1	28	434	18	<1	1.06	9	<1	<5	<10	78	5	8	<1	120	<2	22	6	<10	10	69	<1
143349	083191	191	<1	0.88	150	5	2	2	1.56	12	6	9	33	21	9.74	6	<1	<1	<1	<1	<0.01	<1	<1	1.65	2648	<1	<1	30	275	19	<1	1.60	5	1	<5	<10	90	3	6	<1	136	<2	<20	9	<10	9	116	<1
143350	083192	969	<1	0.60	542	<1	2	3	1.13	15	<1	7	27	14	12.07	10	<1	<1	<1	<1	0.05	<1	<1	1.72	4208	6	<1	27	277	20	<1	1.31	6	<1	<5	<10	75	7	14	<1	131	<2	42	8	<10	10	59	<1
143351	083193	205	<1	0.87	103	16	2	5	2.99	14	10	16	22	60	11.31	9	<1	<1	<1	<1	0.03	<1	<1	1.81	2503	3	<1	62	336	23	2	3.43	10	1	7	<10	104	5	7	<1	147	<2	<20	11	67	10	176	<1
143352	083194	12	<1	<0.01	43	<1	2	<1	1.30	14	<1	6	23	10	10.68	7	<1	<1	<1	<1	0.04	<1	<1	1.60	2663	<1	<1	31	193	20	<1	0.98	7	<1	<5	<10	67	3	9	<1	108	<2	<20	6	<10	8	62	<1
143353	083195	11	<1	0.43	26	<1	<2	4	1.34	11	5	4	23	10	8.94	6	20	<1	<1	<1	<0.01	<1	<1	1.49	2239	<1	<1	27	181	15	5	1.00	7	<1	<5	<10	76	2	7	<1	122	<2	<20	6	<10	9	48	<1
143354	083196	14	<1	0.31	116	<1	<2	4	1.24	7	10	6	82	9	5.71	1	<1	<1	<1	<1	<0.01	2	<1	1.56	1352	<1	<1	68	275	10	<1	1.01	6	2	5	<10	102	2	6	<1	126	<2	<20	14	<10	9	36	<1
143355	083197	27	<1	0.73	124	<1	<2	2	1.51	5	11	3	33	10	4.48	5	2	<1	2	<1	0.03	<1	<1	1.09	1006	<1	<1	21	173	8	<1	1.18	6	<1	<5	<10	82	1	3	<1	130	<2	<20	3	<10	8	28	<1
143356	083198	686	<1	0.13	1544	39	2	<1	1.63	9	9	11	26	41	7.12	5	<1	<1	<1	<1	<0.01	<1	<1	1.23	2242	<1	<1	37	304	14	<1	2.54	6	2	<5	<10	97	3	3	<1	148	<2	<20	14	<10	8	199	<1
143357	083199	732	<1	0.30	3005	<1	2	5	2.09	13	9	4	30	9	10.52	9	<1	<1	<1	<1	0.03	<1	<1	1.86	3589	<1	<1	21	277	17	<1	1.41	7	<1	5	<10	81	4	12	<1	127	<2	31	11	<10	9	50	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, June 21, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142113
Reference:
Sample #: 63

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
143358	083200	13527	<1	1.16	63	294	2	<1	1.94	5	8	23	77	125	4.02	12	11	<1	<1	<1	0.13	<1	<1	1.13	637	<1	11	41	757	31	165	1.36	<5	6	<5	<10	150	2	1	<1	4312	5	<20	102	<10	12	145	<1
143360	083201	4325	<1	0.05	2487	2	2	3	2.39	18	<1	28	20	109	13.64	11	<1	<1	1	<1	0.09	<1	<1	1.84	3880	7	<1	57	243	28	<1	5.09	7	1	<5	<10	89	7	12	<1	196	<2	43	13	<10	9	156	<1
143361	083202	44	<1	<0.01	118	<1	<2	2	1.72	9	7	3	20	7	7.55	4	<1	<1	<1	<1	<0.01	<1	<1	1.62	1924	<1	<1	15	276	11	<1	0.94	6	<1	<5	<10	69	2	4	<1	110	4	<20	4	<10	8	115	<1
143362	083203	79	<1	<0.01	39	<1	2	1	1.43	13	<1	5	24	9	10.02	6	<1	<1	<1	<1	<0.01	<1	<1	1.72	2873	<1	<1	17	466	12	<1	1.08	<5	<1	5	<10	68	4	4	<1	107	3	26	6	<10	9	138	<1
143363	083204	144	<1	0.57	908	<1	<2	3	2.00	9	11	4	24	21	7.86	6	<1	<1	<1	<1	<0.01	<1	<1	1.70	2529	<1	<1	18	273	17	<1	1.81	6	<1	6	<10	80	1	3	<1	121	<2	<20	5	<10	9	76	<1
143364	083205	82	<1	<0.01	783	<1	<2	4	2.02	10	9	4	24	21	8.23	4	<1	<1	<1	3	<0.01	<1	<1	1.70	2620	<1	<1	17	360	15	<1	1.80	10	<1	<5	<10	74	3	9	<1	112	2	20	5	<10	9	46	<1
143365	083206	702	<1	<0.01	785	<1	2	5	2.23	12	7	5	25	21	10.19	7	<1	<1	<1	<1	<0.01	<1	<1	1.93	3539	<1	<1	17	188	19	<1	1.70	8	<1	<5	<10	71	5	7	<1	106	<2	<20	6	<10	9	49	<1
143366	083207	3164	<1	<0.01	5239	<1	2	4	1.92	16	3	9	15	50	12.49	7	<1	<1	<1	<1	<0.01	<1	<1	1.83	2948	<1	<1	28	369	24	<1	2.93	9	<1	<5	<10	75	7	12	<1	110	<2	26	9	<10	9	66	<1
143367	083208	211	<1	<0.01	1643	<1	<2	<1	1.63	13	<1	4	14	22	10.28	5	<1	<1	<1	<1	<0.01	<1	<1	1.59	2259	<1	<1	16	371	17	<1	1.18	8	<1	<5	<10	69	5	6	<1	107	<2	<20	7	<10	8	44	<1
143368	083209	82	<1	0.38	97	3	2	4	1.31	17	<1	6	16	32	13.34	12	<1	<1	<1	<1	<0.01	2	<1	1.88	2918	4	<1	15	258	26	<1	1.07	8	<1	<5	<10	71	9	11	<1	128	<2	54	10	<10	10	55	<1
143369	083210	936	13	1.20	4	69	<2	<1	3.78	7	24	35	114	39	5.65	16	<1	<1	<1	<1	0.11	5	<1	2.03	1012	<1	19	26	797	22	<1	0.60	<5	13	<5	<10	194	5	5	<1	6974	<2	<20	177	<10	23	95	<1
143371	083211	44	<1	0.95	296	<1	2	<1	1.90	13	9	5	23	21	10.01	9	1	<1	<1	<1	0.02	<1	<1	1.68	2613	<1	<1	14	263	21	<1	1.22	6	<1	<5	<10	85	4	5	<1	244	<2	<20	11	<10	10	55	<1
143372	083212	30	<1	0.46	101	14	2	3	1.81	13	5	11	33	30	9.94	9	<1	<1	<1	<1	0.03	2	<1	1.76	3729	<1	1	26	238	23	<1	1.87	7	2	<5	<10	78	3	9	<1	150	<2	<20	17	<10	9	172	<1
143373	083213	8	<1	<0.01	10	<1	<2	5	2.08	15	<1	5	23	6	11.69	8	<1	<1	<1	6	0.19	<1	<1	2.03	5010	<1	<1	15	265	20	<1	0.86	6	<1	6	<10	71	4	12	<1	110	2	23	6	<10	9	57	<1
143374	083214	8	<1	0.10	22	<1	2	2	1.25	10	4	5	23	7	8.50	5	<1	<1	<1	<1	0.10	<1	<1	1.39	2103	<1	<1	21	486	12	<1	1.10	6	<1	<5	<10	73	2	7	<1	119	<2	<20	6	<10	9	44	<1
143375	083215	15	<1	0.10	57	<1	2	2	1.47	12	5	9	29	24	9.34	4	<1	<1	<1	<1	<0.01	<1	<1	1.58	2613	<1	<1	43	265	19	<1	1.36	8	<1	<5	<10	72	2	7	<1	114	<2	<20	6	<10	9	57	<1
143376	083216	7	<1	1.30	32	<1	2	3	1.68	16	1	7	23	14	12.97	13	19	<1	<1	<1	<0.01	<1	<1	2.02	4332	7	<1	23	335	23	<1	1.13	8	<1	<5	<10	84	7	12	<1	137	<2	47	7	<10	11	72	<1
143377	083217	30	<1	1.25	79	3	2	6	1.15	13	<1	17	50	42	10.48	10	12	<1	<1	2	<0.01	2	<1	1.53	2877	2	<1	43	528	21	<1	2.37	10	2	<5	<10	78	3	7	<1	142	<2	<20	11	<10	11	149	<1
143378	083218	21	<1	0.15	18	<1	2	4	1.01	12	<1	5	20	13	9.70	5	<1	<1	<1	<1	<0.01	<1	<1	1.45	2864	<1	<1	26	246	18	<1	0.99	7	<1	<5	<10	70	4	8	<1	123	<2	<20	6	<10	9	50	<1
143379	083219	8	<1	1.02	23	<1	2	4	1.37	11	9	4	25	11	8.96	7	7	<1	<1	<1	<0.01	1	<1	1.55	2398	<1	<1	19	275	15	<1	0.98	7	<1	<5	<10	78	3	5	<1	129	<2	<20	5	<10	10	48	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, June 21, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142113
Reference:
Sample #: 63

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143380	083220	<5	<1	1.49	2	745	2	<1	0.46	<4	39	3	16	5	1.27	9	9	<1	<1	<1	<0.01	18	7	0.46	255	<1	3	14	400	30	29	0.73	<5	1	5	<10	221	<1	<1	5	1252	<2	<20	17	<10	6	37	<1
143382	083221	55	<1	0.92	98	1	2	2	2.18	14	5	8	19	35	10.73	10	<1	<1	<1	<1	<0.01	2	<1	1.96	3378	<1	1	30	205	23	<1	1.56	5	<1	<5	<10	81	4	7	<1	142	<2	28	6	<10	10	96	<1
143383	083222	20	<1	1.36	60	<1	2	5	2.97	11	16	6	15	14	8.77	8	17	<1	<1	<1	0.05	1	<1	1.91	2352	<1	1	32	176	16	<1	1.24	6	<1	<5	<10	89	3	4	<1	144	<2	<20	6	<10	10	54	<1
143384	083223	34	<1	1.46	155	19	2	3	2.31	13	13	12	24	52	10.48	11	<1	<1	<1	<1	0.01	2	<1	1.93	2727	<1	2	35	258	21	<1	2.00	7	4	<5	<10	88	3	7	<1	167	<2	<20	26	<10	10	82	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142114
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143385	083224	0.013	<1	0.98	125	166	2	2	<0.01	6	1	12	62	84	4.23	6	<1	<1	<1	<1	<0.01	<1	<1	0.41	112	<1	1	52	279	19	<1	4.65	8	3	6	<10	118	<1	2	<1	214	<2	<20	40	<10	7	55	<1
143386	083225	0.012	<1	0.77	130	152	2	3	<0.01	5	3	14	62	83	4.34	6	<1	<1	<1	<1	<0.01	<1	<1	0.37	<100	<1	2	59	278	17	14	4.63	7	4	6	<10	115	<1	1	<1	190	<2	<20	39	<10	7	45	<1
143387	083226	0.024	<1	1.20	129	346	2	2	<0.01	<4	9	23	97	95	2.03	6	<1	<1	<1	4	0.09	5	<1	0.46	<100	<1	4	61	227	14	<1	2.26	9	7	6	<10	119	<1	<1	<1	242	<2	<20	62	<10	8	75	<1
143388	083227	0.037	<1	0.52	141	96	<2	3	<0.01	4	2	11	67	61	3.33	2	<1	<1	<1	<1	0.26	1	<1	0.40	<100	<1	1	71	179	15	<1	3.40	12	3	<5	<10	88	<1	<1	<1	172	<2	<20	28	<10	8	85	<1
143389	083228	0.298	<1	1.08	337	7	2	3	<0.01	15	<1	31	95	65	11.48	16	<1	<1	<1	<1	<0.01	<1	<1	0.39	120	17	3	89	283	68	<1	>10.00	49	7	<5	<10	113	4	7	<1	215	<2	48	74	<10	8	178	<1
143390	083229	0.065	<1	0.21	123	44	<2	1	<0.01	6	<1	13	60	46	4.26	2	<1	<1	<1	<1	<0.01	<1	<1	0.36	105	<1	1	58	170	22	<1	4.73	12	3	<5	<10	90	2	3	<1	152	<2	<20	32	<10	7	124	<1
143391	083230	0.122	<1	1.43	227	193	2	3	<0.01	14	<1	40	104	154	10.86	18	<1	<1	1	<1	<0.01	<1	<1	0.48	1417	19	6	112	323	36	<1	7.95	22	9	<5	<10	103	4	7	<1	284	<2	55	99	<10	8	378	<1
143392	083231	0.124	<1	2.22	278	233	2	3	<0.01	13	<1	47	107	159	10.25	17	<1	<1	<1	<1	<0.01	<1	4	0.70	256	16	4	142	386	44	49	8.86	32	9	<5	<10	127	5	7	2	267	<2	41	76	<10	8	243	<1
143393	083232	0.363	<1	<0.01	308	31	2	6	<0.01	23	<1	32	47	105	17.34	24	60	3	1	<1	<0.01	<1	3	0.58	226	36	<1	81	231	81	<1	>10.00	42	2	11	<10	88	7	14	<1	194	<2	150	24	<10	5	241	15
143394	083233	0.115	<1	0.80	335	95	2	2	0.01	16	4	41	228	107	12.27	19	17	<1	<1	<1	<0.01	<1	8	1.24	699	14	5	145	720	41	12	8.92	19	7	<5	<10	85	4	6	<1	214	<2	94	77	<10	8	414	<1
143395D	083233	0.103	<1	0.69	321	101	2	5	0.05	16	<1	40	237	109	12.31	19	22	2	<1	<1	<0.01	<1	8	1.20	715	16	5	150	734	38	23	8.89	20	7	<5	<10	89	6	7	<1	231	<2	76	79	10	7	423	<1
143396	083234	0.046	<1	1.01	317	141	2	2	1.26	12	8	41	283	145	9.30	15	15	<1	<1	<1	0.05	3	7	1.49	595	11	5	199	654	31	32	5.79	15	8	<5	<10	132	2	9	<1	241	3	<20	65	<10	9	563	<1
143397	083235	0.027	<1	3.58	157	169	2	2	5.62	9	28	33	174	82	6.87	18	22	<1	<1	<1	0.32	2	4	2.16	2017	<1	15	104	505	21	21	2.43	8	17	10	<10	187	3	<1	<1	274	12	<20	160	<10	10	156	<1
143398	083236	0.062	<1	2.18	148	279	2	1	1.66	12	7	61	208	206	9.42	22	<1	<1	<1	2	<0.01	<1	4	0.94	1228	9	14	146	477	34	13	6.15	11	15	10	<10	174	4	3	<1	336	<2	<20	188	<10	8	563	<1
143399	083237	0.043	<1	1.88	388	132	2	2	1.95	11	24	42	368	189	8.53	15	<1	<1	2	<1	0.07	8	8	1.95	762	<1	6	237	776	31	34	5.50	13	10	<5	<10	148	4	7	<1	221	<2	<20	68	<10	11	450	<1
143400	083238	0.007	<1	3.04	119	167	<2	4	7.15	10	28	33	155	125	7.61	17	<1	<1	<1	2	0.23	<1	2	1.69	2723	<1	19	83	406	15	17	1.39	8	21	5	<10	194	4	<1	<1	285	<2	<20	213	<10	8	105	<1
143401	083239	0.007	<1	2.37	177	179	<2	3	6.20	9	26	48	185	135	7.00	19	<1	<1	<1	<1	0.20	<1	6	1.20	3867	<1	23	99	490	11	36	1.08	8	18	<5	<10	210	5	<1	<1	306	11	<20	255	<10	8	300	<1
143402	083240	13.493	<1	1.86	26	339	2	<1	2.39	6	18	27	90	139	4.41	17	<1	<1	<1	<1	0.10	<1	2	1.24	725	<1	13	44	832	39	236	1.50	6	7	<5	<10	164	3	3	<1	4790	7	<20	117	<10	13	174	<1
143403	083241	0.008	<1	2.85	143	186	2	2	7.49	10	31	45	166	122	8.00	22	14	<1	<1	<1	0.18	<1	4	1.42	3569	<1	21	87	505	15	14	1.34	8	20	6	<10	202	7	<1	<1	391	<2	<20	244	<10	9	145	<1
143404	083242	0.005	<1	0.92	42	16	2	3	0.43	10	<1	11	40	38	8.01	7	<1	<1	<1	<1	<0.01	<1	<1	0.67	2244	7	<1	57	262	17	6	2.94	6	2	<5	<10	84	3	6	<1	159	<2	<20	18	<10	9	297	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142114
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143405	083243	<0.005	<1	<0.01	33	<1	<2	2	<0.01	<4	<1	3	40	20	2.44	<1	<1	<1	<1	<1	<0.01	<1	<1	0.44	555	<1	<1	36	<100	7	<1	1.48	<5	<1	<5	<10	59	1	<1	<1	109	<2	<20	5	<10	7	145	<1
143406D	083243	0.005	<1	0.09	37	<1	<2	<1	0.17	<4	1	3	29	21	2.46	<1	<1	<1	<1	<1	<0.01	<1	<1	0.50	552	<1	<1	38	113	10	<1	1.67	<5	<1	5	<10	72	<1	2	<1	135	<2	<20	5	<10	7	151	<1
143407	083244	0.016	<1	4.14	85	285	2	1	4.66	11	25	44	27	166	8.65	19	14	<1	1	5	0.10	2	3	2.41	2303	<1	14	75	587	16	18	4.24	12	13	5	<10	177	5	<1	<1	291	4	<20	140	10	11	744	<1
143408	083245	0.077	<1	2.26	278	292	2	3	0.15	10	<1	70	145	218	8.10	24	25	3	<1	<1	<0.01	<1	7	0.81	398	14	9	170	371	43	42	6.47	27	10	6	<10	113	2	7	<1	354	<2	23	116	<10	8	381	5
143409	083246	0.069	<1	1.01	340	58	2	6	0.42	16	<1	63	107	414	11.85	21	<1	<1	1	<1	<0.01	2	7	1.15	543	12	4	174	316	44	53	>10.00	24	8	9	<10	92	6	10	<1	235	<2	29	67	<10	9	485	<1
143410	083247	0.188	<1	3.47	344	115	2	3	2.59	12	30	47	365	113	9.46	17	9	3	2	<1	0.10	12	21	3.07	1131	<1	8	194	1055	37	15	7.52	18	12	<5	<10	165	4	1	<1	229	<2	<20	75	12	14	470	<1
143411	083248	0.363	<1	0.84	225	51	2	4	0.24	16	<1	31	72	192	11.20	17	1	1	<1	<1	<0.01	<1	4	1.24	1356	14	2	94	352	51	36	>10.00	23	4	5	<10	89	4	6	2	192	<2	58	35	11	8	536	<1
143412	083249	0.408	<1	1.73	311	116	2	5	0.21	15	<1	57	120	166	11.03	21	<1	2	<1	<1	<0.01	<1	6	0.88	1092	20	5	150	346	54	33	>10.00	31	8	7	<10	102	5	4	<1	302	<2	52	79	18	9	1576	<1
143413	083250	<0.005	<1	3.12	7	866	2	<1	0.58	<4	44	4	27	8	1.33	12	<1	2	<1	1	<0.01	21	10	0.48	227	2	2	27	413	31	61	1.00	<5	1	5	<10	248	<1	<1	7	1119	<2	<20	17	<10	8	62	27
143414	083251	0.155	<1	1.68	334	38	2	4	0.17	15	<1	59	131	196	11.43	25	3	1	<1	<1	<0.01	2	5	0.84	848	18	5	163	317	76	76	>10.00	46	10	<5	<10	103	5	3	<1	334	<2	78	92	10	9	685	<1
143415	083252	0.706	<1	0.78	566	40	2	5	0.48	19	<1	48	91	195	13.89	21	29	3	1	<1	<0.01	<1	2	0.72	1199	24	2	124	272	72	27	>10.00	39	6	11	<10	94	8	5	<1	251	3	76	59	14	8	1133	<1
143416	083253	0.186	<1	0.54	2612	39	<2	1	0.63	9	<1	14	61	234	6.54	8	1	<1	<1	<1	<0.01	<1	<1	0.88	1506	3	<1	76	235	22	15	5.59	9	3	5	<10	86	1	8	<1	165	<2	<20	27	<10	8	612	<1
143417D	083253	0.184	<1	0.45	2640	49	2	3	0.68	9	2	13	61	236	6.45	12	28	<1	<1	<1	<0.01	<1	<1	0.83	1520	6	1	74	246	23	22	5.64	11	3	5	<10	94	<1	5	<1	189	<2	<20	26	<10	7	609	<1
143418	083254	0.091	<1	1.57	386	88	3	1	0.55	13	<1	59	170	174	9.03	21	45	2	<1	<1	<0.01	<1	2	0.83	806	14	6	175	388	62	40	>10.00	44	9	<5	<10	120	4	2	<1	326	<2	<20	101	10	8	610	<1
143419	083255	0.091	<1	1.56	368	46	2	3	0.47	13	<1	63	166	185	9.05	20	31	2	<1	<1	<0.01	<1	2	0.77	746	14	6	190	367	62	49	>10.00	42	9	8	<10	119	4	6	<1	325	<2	<20	99	15	8	650	<1
143420	083256	0.137	<1	1.67	343	21	3	6	0.77	18	<1	65	127	214	13.34	25	43	3	<1	<1	<0.01	<1	3	0.79	910	27	5	162	348	99	47	>10.00	63	8	<5	<10	118	5	12	<1	309	<2	57	86	10	9	625	16
143421	083257	0.191	<1	0.11	357	<1	3	5	0.71	24	1	54	196	227	17.68	24	16	3	<1	<1	<0.01	<1	1	0.79	993	31	2	152	299	127	38	>10.00	73	6	8	<10	99	9	12	<1	236	<2	85	63	15	8	1092	<1
143422	083258	0.090	<1	1.30	733	95	2	2	0.04	18	<1	113	314	379	9.79	23	14	2	<1	<1	<0.01	<1	4	0.67	474	18	8	455	305	74	40	>10.00	72	10	16	<10	109	3	10	<1	313	<2	74	112	12	8	805	<1
143423	083259	0.065	<1	1.49	299	39	3	4	0.77	17	<1	53	111	208	11.70	23	26	3	<1	<1	<0.01	<1	6	0.96	1242	22	5	143	510	63	43	>10.00	40	7	8	<10	110	3	9	<1	257	<2	48	73	13	9	945	<1
143424	083260	0.098	<1	0.90	238	30	2	9	0.65	20	<1	36	70	139	14.36	23	7	3	3	<1	<0.01	<1	5	0.95	1089	24	2	89	397	87	39	>10.00	47	5	6	<10	91	6	10	<1	208	2	34	44	<10	8	983	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142114
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143425	083261	0.048	<1	2.38	346	91	2	6	0.78	15	<1	74	122	293	9.52	21	<1	2	2	<1	<0.01	1	5	0.96	1191	15	7	170	444	68	25	>10.00	46	11	<5	<10	123	4	6	<1	307	2	<20	104	15	10	1204	<1
143426	083262	0.024	<1	1.84	379	74	2	2	0.31	15	<1	74	122	192	10.20	23	<1	1	<1	<1	<0.01	1	6	0.91	913	17	6	171	321	61	<1	>10.00	44	10	8	<10	107	4	7	<1	279	2	41	88	<10	9	1013	<1
143427	083263	0.048	<1	1.39	309	71	2	3	0.35	18	<1	58	98	190	12.23	23	33	2	2	<1	<0.01	<1	4	0.79	949	22	3	133	300	74	<1	>10.00	44	7	6	<10	99	5	3	<1	255	2	51	68	13	8	1150	<1
143428D	083263	0.052	<1	1.02	300	40	2	3	0.28	17	<1	55	93	184	11.81	17	12	<1	<1	<1	<0.01	<1	3	0.88	936	16	4	127	280	70	26	>10.00	41	8	7	<10	91	3	7	<1	223	2	62	64	13	8	1114	<1
143429	083264	0.060	<1	<0.01	258	3	2	5	0.62	20	<1	40	67	147	14.83	22	52	2	<1	<1	<0.01	<1	2	0.79	1319	23	2	97	257	79	21	>10.00	46	4	7	<10	86	9	15	<1	200	<2	82	42	<10	7	741	<1
143430	083265	0.049	<1	<0.01	237	5	2	3	0.81	20	<1	38	68	142	14.14	21	37	<1	1	<1	<0.01	<1	2	0.90	1519	21	2	85	337	74	<1	>10.00	43	4	6	<10	87	6	10	<1	200	<2	51	43	11	7	778	<1
143431	083266	0.040	<1	0.16	227	31	2	4	0.76	18	<1	33	68	126	13.08	18	21	2	<1	<1	<0.01	<1	3	0.90	1878	20	2	81	306	61	<1	>10.00	41	4	<5	<10	92	7	11	<1	209	<2	75	42	<10	7	678	<1
143432	083267	0.058	<1	<0.01	365	<1	3	9	0.34	32	<1	39	69	84	24.51	31	4	3	<1	<1	<0.01	<1	<1	0.57	742	48	<1	87	147	137	2	>10.00	99	2	14	<10	79	12	22	<1	182	<2	188	36	<10	6	375	<1
143433	083268	0.072	<1	<0.01	260	<1	2	4	0.47	21	<1	39	71	140	15.46	21	6	2	1	<1	<0.01	<1	2	0.78	1317	25	1	88	309	72	16	>10.00	50	4	<5	<10	86	9	9	<1	204	<2	92	45	12	7	832	<1
143434	083269	0.091	<1	0.10	305	<1	3	3	0.71	19	<1	46	91	180	13.98	22	19	2	<1	<1	<0.01	<1	3	0.80	1317	23	3	116	365	71	17	>10.00	44	5	8	<10	95	6	10	<1	239	<2	63	59	10	8	804	<1
143435	083270	0.988	<1	3.44	6	85	2	<1	4.01	7	35	36	118	42	5.82	22	24	<1	<1	0.36	7	<1	2.12	1002	<1	20	29	828	23	31	1.04	9	15	7	<10	214	6	2	<1	7390	8	<20	183	<10	25	106	<1	
143436	083271	0.104	<1	0.40	264	32	2	5	0.59	19	<1	49	85	183	13.51	20	<1	2	<1	<1	<0.01	<1	1	0.87	1234	21	3	114	444	75	40	>10.00	39	6	6	<10	92	5	12	2	350	<2	58	61	14	8	829	<1
143437	083272	0.030	<1	1.51	117	53	2	2	1.25	14	<1	26	38	259	10.45	16	<1	2	<1	2	0.19	<1	4	1.43	1782	8	5	61	458	31	<1	7.11	15	6	7	<10	98	5	5	<1	219	<2	33	75	<10	8	475	<1
143438	083273	0.026	<1	2.20	164	128	2	4	2.23	12	11	42	53	120	8.80	20	13	2	<1	<1	0.13	<1	4	1.60	2048	5	7	81	507	34	56	7.78	18	8	<5	<10	126	3	5	<1	272	<2	<20	83	13	9	662	<1
143439D	083273	0.026	<1	1.01	163	118	2	2	2.01	12	10	42	51	113	8.43	15	18	<1	2	<1	0.10	<1	1	1.40	1976	3	5	78	476	38	13	7.58	19	7	<5	<10	118	3	2	<1	256	<2	<20	80	<10	8	645	<1
143440	083274	0.047	<1	0.10	153	22	2	5	0.14	17	<1	31	48	157	13.44	18	11	1	<1	<1	<0.01	<1	<1	0.78	1219	19	<1	64	316	44	18	>10.00	13	2	9	<10	75	10	13	<1	180	<2	65	28	<10	6	383	<1
143441	083275	0.047	<1	0.36	152	73	2	4	0.39	13	<1	29	62	94	10.57	18	41	2	1	<1	<0.01	<1	<1	0.87	1517	15	3	75	357	32	27	6.73	11	4	<5	<10	86	4	4	<1	231	<2	36	57	<10	6	432	<1
143442	083276	0.226	<1	1.04	233	60	3	1	0.66	17	<1	60	132	181	12.52	25	40	3	<1	<1	<0.01	<1	1	0.72	1116	26	6	131	313	65	51	>10.00	26	8	9	<10	104	5	10	<1	328	<2	33	94	13	8	1044	<1
143443	083277	0.040	<1	0.21	374	29	2	3	0.39	12	<1	16	41	86	9.36	13	48	2	<1	<1	<0.01	<1	<1	1.03	2785	13	1	53	254	26	4	4.41	7	2	<5	<10	90	2	9	<1	196	<2	<20	20	<10	7	195	21
143444	083278	0.088	<1	1.80	129	8	2	1	0.79	15	<1	6	28	13	12.05	16	51	3	<1	<1	0.08	<1	<1	1.49	2949	14	<1	26	356	16	2	1.77	7	<1	<5	<10	94	4	8	<1	175	6	25	9	<10	9	57	25

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142114
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143445	083279	0.636	<1	0.78	775	16	2	6	0.38	17	<1	7	35	31	13.58	16	31	3	<1	<1	0.07	<1	<1	1.29	3624	17	<1	26	341	22	<1	2.86	9	<1	<5	<10	84	7	9	<1	175	<2	68	11	<10	8	75	<1
143446	083280	0.008	<1	2.62	10	807	<2	<1	0.41	<4	100	3	17	15	1.32	5	<1	<1	<1	<1	<0.01	52	5	0.49	213	<1	4	18	547	33	14	0.48	<5	2	<5	<10	256	<1	<1	20	1240	<2	<20	19	<10	11	56	<1
143447	083281	0.044	<1	<0.01	330	<1	2	4	0.26	15	<1	5	20	4	12.53	7	<1	<1	<1	<1	<0.01	2	<1	1.59	3983	<1	<1	15	288	26	<1	0.81	6	<1	<5	<10	61	9	11	<1	111	<2	45	7	<10	9	49	<1
143448	083282	0.033	<1	<0.01	203	<1	2	2	<0.01	11	<1	3	23	4	8.96	2	<1	<1	1	<1	<0.01	<1	<1	0.89	1676	<1	<1	15	199	18	<1	1.84	<5	<1	<5	<10	49	5	7	<1	<100	<2	29	5	<10	7	31	<1
143449	083283	0.618	<1	<0.01	3339	<1	<2	2	0.12	14	<1	5	24	19	10.53	6	<1	<1	<1	<1	<0.01	<1	<1	1.31	2780	<1	<1	23	209	18	<1	1.67	8	<1	<5	<10	56	3	7	<1	105	<2	65	9	<10	8	45	<1
143450R	083283	0.597	<1	<0.01	5312	<1	2	1	0.07	13	<1	5	19	24	10.50	4	<1	<1	<1	<1	<0.01	<1	<1	1.25	2697	3	<1	19	202	15	<1	1.80	8	<1	<5	<10	53	4	6	<1	<100	<2	46	10	<10	8	45	<1
143451	083284	0.486	<1	<0.01	1456	<1	2	3	<0.01	15	<1	6	20	38	11.86	6	<1	<1	<1	<1	<0.01	<1	<1	1.20	2728	2	<1	27	258	29	<1	3.47	7	<1	<5	<10	48	4	12	<1	101	<2	72	11	<10	8	67	<1
143452	083285	0.377	<1	<0.01	1362	7	2	2	<0.01	15	<1	6	26	41	12.30	7	<1	<1	<1	<1	<0.01	2	<1	1.26	2722	5	<1	30	280	24	<1	3.86	7	<1	<5	<10	56	5	8	<1	118	<2	80	11	<10	9	73	<1
143453	083286	0.244	<1	<0.01	1702	<1	<2	5	0.18	15	<1	5	19	10	12.00	4	<1	<1	<1	<1	<0.01	<1	<1	1.60	3381	<1	<1	14	189	19	<1	1.03	6	<1	<5	<10	50	8	11	<1	<100	<2	49	8	<10	7	46	<1
143454	083287	0.816	<1	<0.01	4647	<1	<2	4	0.26	13	<1	5	17	12	10.04	4	<1	<1	<1	<1	<0.01	<1	<1	1.35	3144	<1	<1	15	226	17	<1	1.64	9	<1	<5	<10	60	3	11	<1	104	2	39	7	<10	8	39	<1
143455	083288	0.162	<1	<0.01	1502	<1	<2	1	0.03	10	<1	3	27	5	8.18	3	<1	<1	<1	<1	<0.01	<1	<1	1.06	2118	<1	<1	14	170	12	<1	1.20	5	<1	<5	<10	59	2	4	<1	103	<2	23	5	<10	7	27	<1
143456	083289	0.547	<1	<0.01	3521	18	<2	2	0.12	11	<1	3	21	5	9.18	5	<1	<1	<1	<1	<0.01	<1	<1	1.26	2357	<1	<1	15	157	18	<1	1.15	6	<1	<5	<10	66	4	7	<1	124	<2	20	8	<10	8	35	<1
143457	083290	0.471	<1	0.36	2407	8	2	4	0.05	16	<1	11	29	103	12.99	12	<1	<1	<1	<1	<0.01	2	<1	1.40	3406	8	<1	45	473	23	<1	4.57	7	2	<5	<10	65	4	12	<1	131	<2	65	17	<10	11	51	<1
143458	083291	0.091	<1	<0.01	865	<1	2	5	0.05	14	<1	4	21	5	11.27	6	<1	<1	<1	<1	0.09	<1	<1	1.53	3320	<1	<1	14	141	18	<1	0.96	<5	<1	<5	<10	56	5	12	<1	<100	<2	77	7	<10	8	36	<1
143459	083292	0.028	<1	<0.01	184	<1	<2	2	<0.01	10	<1	2	23	4	8.45	3	<1	<1	<1	<1	0.04	<1	<1	1.13	2564	<1	<1	15	137	11	<1	0.89	5	<1	<5	<10	52	3	8	<1	<100	<2	24	5	<10	7	26	<1
143460	083293	0.134	<1	<0.01	162	<1	<2	3	<0.01	12	<1	5	24	49	10.17	7	<1	<1	<1	<1	<0.01	<1	<1	1.15	2661	<1	<1	27	290	16	<1	2.29	7	<1	<5	<10	49	3	5	<1	<100	<2	41	10	<10	8	37	<1
143461D	083293	0.147	<1	<0.01	164	<1	<2	4	<0.01	12	<1	5	26	50	10.39	6	<1	<1	<1	<1	<0.01	2	<1	1.19	2707	<1	<1	26	310	14	<1	2.41	7	1	<5	<10	55	3	9	<1	107	6	45	10	<10	8	37	<1
143462	083294	0.100	<1	<0.01	79	<1	<2	2	0.10	11	<1	4	22	10	8.86	3	<1	<1	<1	<1	<0.01	<1	<1	1.19	2178	<1	<1	17	165	14	<1	0.94	<5	<1	<5	<10	54	3	9	<1	<100	<2	35	5	<10	7	28	<1
143463	083295	0.089	<1	<0.01	86	<1	<2	<1	0.11	10	<1	4	24	9	8.02	1	<1	<1	<1	<1	<0.01	<1	<1	1.10	1944	<1	<1	15	151	13	<1	0.89	8	<1	<5	<10	54	<1	7	<1	<100	<2	34	5	<10	7	24	<1
143464	083296	0.292	<1	<0.01	262	28	2	5	0.77	19	<1	23	39	100	14.03	12	<1	<1	<1	<1	0.03	<1	<1	1.38	2642	10	2	51	253	23	3	2.65	9	6	5	<10	72	4	13	<1	127	<2	61	40	<10	8	207	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142114
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143465	083297	0.044	<1	1.93	166	212	2	<1	2.17	11	10	40	76	130	8.49	14	<1	<1	1	<1	0.15	<1	2	1.34	1536	<1	13	77	577	17	<1	2.20	7	14	<5	<10	133	4	5	<1	281	<2	20	153	<10	7	123	<1
143466	083298	0.023	<1	2.30	111	220	2	2	3.62	6	24	28	64	80	5.05	11	<1	<1	<1	<1	0.27	2	<1	1.46	1254	<1	10	63	498	17	<1	1.76	5	11	<5	<10	174	3	2	<1	268	<2	<20	113	<10	8	102	<1
143467	083299	0.028	<1	2.56	107	189	2	2	4.07	6	20	27	70	79	5.27	9	<1	<1	<1	<1	0.12	<1	<1	1.64	1213	<1	11	60	481	11	3	2.03	6	12	<5	<10	181	<1	<1	<1	246	3	<20	111	<10	8	106	<1
143468	083300	14.081	<1	1.57	25	348	<2	<1	2.17	6	19	24	81	137	4.32	9	<1	<1	<1	<1	<0.01	1	<1	1.45	635	<1	11	43	806	35	331	1.16	<5	11	5	<10	150	3	5	<1	4032	3	<20	108	<10	17	169	<1
143469	083301	0.020	<1	2.47	86	168	<2	2	3.93	7	24	25	68	80	5.36	9	<1	<1	1	<1	0.12	<1	<1	1.79	1225	<1	10	59	543	13	5	2.24	7	13	<5	<10	170	2	2	<1	270	4	<20	106	<10	8	98	<1
143470	083302	0.017	<1	2.75	21	132	<2	3	2.86	6	33	19	32	65	4.79	9	<1	<1	<1	1	0.19	8	<1	1.70	1035	<1	6	39	427	14	<1	1.69	8	11	5	<10	145	2	<1	<1	215	2	<20	75	<10	11	93	<1
143471	083303	0.058	<1	2.84	65	154	2	3	1.63	11	7	35	71	107	8.91	19	<1	<1	<1	1	0.14	<1	6	1.23	1574	<1	10	67	585	18	<1	2.22	5	13	<5	<10	137	5	3	<1	266	3	<20	141	<10	7	110	<1
143472D	083303	0.048	<1	2.85	70	143	2	5	1.63	11	11	36	72	108	9.36	14	<1	<1	<1	<1	<0.01	3	1	1.41	1642	<1	11	70	586	17	<1	2.02	7	18	<5	<10	125	3	3	<1	220	<2	<20	142	<10	8	112	<1
143473	083304	0.465	<1	1.03	1316	68	2	2	1.45	13	<1	34	72	133	9.88	13	<1	<1	<1	<1	<0.01	<1	<1	1.16	2003	4	5	79	385	19	3	5.29	6	9	<5	<10	108	4	4	<1	192	3	<20	84	23	7	321	<1
143474	083305	1.033	<1	<0.01	1912	<1	2	2	<0.01	17	<1	54	37	161	12.76	13	<1	<1	<1	<1	<0.01	1	<1	0.84	2163	11	<1	82	254	25	4	7.89	9	5	<5	<10	78	4	12	<1	128	2	56	28	12	8	455	<1
143475	083306	1.663	<1	0.03	546	35	2	6	<0.01	22	<1	137	41	99	16.26	18	<1	<1	<1	<1	<0.01	4	<1	1.51	3649	14	1	53	991	38	<1	9.09	8	5	5	<10	76	8	11	<1	152	6	105	37	13	10	660	<1
143476	083307	0.141	<1	<0.01	301	<1	<2	3	<0.01	15	<1	11	19	21	12.24	6	<1	<1	<1	<1	<0.01	<1	<1	1.45	2894	<1	<1	21	316	23	<1	1.37	7	<1	<5	<10	46	3	10	<1	<100	2	43	7	<10	7	89	<1
143477	083308	0.358	<1	<0.01	770	<1	<2	4	<0.01	6	<1	3	28	14	4.86	<1	<1	<1	<1	<1	<0.01	<1	<1	0.64	908	<1	<1	18	127	6	1	0.98	<5	<1	<5	<10	44	<1	8	<1	<100	<2	<20	3	<10	6	31	<1
143478	083309	0.673	<1	<0.01	1336	<1	<2	1	<0.01	10	<1	7	24	20	8.49	<1	<1	<1	2	<1	<0.01	<1	<1	1.08	1944	<1	<1	23	195	18	<1	1.45	7	<1	<5	<10	45	2	5	<1	<100	<2	49	6	<10	7	60	<1
143479	083310	5.477	<1	1.72	305	156	<2	2	1.73	9	30	110	143	1523	6.96	10	<1	<1	1	<1	<0.01	13	<1	1.37	663	<1	9	1210	588	679	88	2.10	7	10	<5	<10	145	4	6	<1	2784	<2	<20	85	36	17	437	<1
143480	083311	0.948	<1	<0.01	514	<1	<2	1	<0.01	8	<1	7	24	51	6.89	<1	<1	<1	<1	<1	<0.01	<1	<1	0.94	1558	<1	<1	44	101	21	<1	1.44	5	<1	<5	<10	46	2	9	<1	130	<2	<20	8	<10	6	82	<1
143481	083312	0.148	<1	<0.01	608	<1	<2	3	<0.01	9	<1	4	22	20	7.38	<1	<1	<1	<1	<1	<0.01	<1	<1	0.98	1858	<1	<1	28	238	14	<1	1.22	5	<1	<5	<10	46	3	6	<1	<100	<2	<20	5	<10	6	49	<1
143482	083313	0.369	<1	1.09	1687	<1	2	4	0.17	12	<1	7	20	27	9.99	12	24	1	<1	<1	<0.01	<1	<1	1.22	2687	10	<1	25	486	18	<1	2.33	8	<1	5	<10	78	2	5	<1	183	<2	45	7	<10	9	50	<1
143483D	083313	0.359	<1	1.42	1793	<1	2	5	0.20	13	<1	6	19	28	10.34	13	24	2	<1	<1	<0.01	<1	<1	1.26	2823	10	<1	24	510	25	<1	2.40	9	<1	<5	<10	79	5	6	<1	187	4	40	7	<10	9	54	<1
143484	083314	1.356	<1	0.65	3556	57	2	4	0.08	12	<1	16	57	58	8.92	11	4	<1	<1	<1	<0.01	<1	<1	0.81	1970	11	1	41	315	33	<1	3.29	8	2	<5	<10	81	4	5	<1	193	<2	43	26	<10	7	329	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, June 24, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/08/2011
Date Completed: 06/21/2011
Job #: 201142114
Reference:
Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
143485	083315	6.498	<1	0.69	12761	39	2	1	0.07	13	<1	30	40	259	10.31	14	<1	2	<1	<0.01	<1	<1	0.88	3468	15	<1	71	237	30	5	7.29	13	2	<5	<10	85	4	8	<1	194	<2	38	23	<10	7	345	<1	
143486	083316	0.740	<1	<0.01	1315	11	<2	<1	<0.01	9	<1	12	35	88	6.75	6	1	<1	<1	<0.01	<1	<1	0.83	2990	3	<1	48	220	15	<1	4.16	7	<1	10	<10	74	2	4	<1	152	<2	<20	12	<10	6	88	<1	
143487	083317	0.368	<1	2.17	661	31	2	2	0.45	10	<1	10	26	38	7.82	18	205	8	<1	<0.01	<1	8	1.06	3016	22	<1	27	291	16	<1	2.68	9	<1	6	<10	108	2	<1	<1	255	2	20	10	<10	7	89	269	
143488	083318	1.092	<1	0.31	5209	<1	2	3	0.18	10	<1	20	29	44	8.29	11	54	2	<1	<0.01	<1	<1	0.99	2788	10	<1	36	483	20	<1	2.90	10	1	<5	<10	80	3	3	<1	172	2	<20	10	<10	7	148	13	
143489	083319	0.593	<1	1.47	600	75	2	4	0.32	12	<1	17	42	99	9.49	13	34	<1	<1	<0.01	<1	<1	1.30	3977	9	<1	46	254	32	<1	3.52	8	3	<5	<10	87	4	6	<1	193	<2	46	23	<10	8	412	<1	
143490	083320	<0.005	<1	2.21	29	688	2	2	0.50	<4	43	3	25	7	1.39	12	25	1	<1	<1	0.02	17	8	0.48	334	3	3	31	379	30	10	0.90	6	1	5	<10	231	<1	<1	4	1178	<2	<20	17	<10	6	45	20
143491	083321	0.379	<1	1.34	1940	23	2	2	0.35	9	<1	5	24	26	7.57	13	78	3	<1	<0.01	<1	<1	1.08	3317	13	<1	26	262	18	16	2.22	8	<1	<5	<10	96	2	5	<1	209	<2	<20	7	<10	7	42	93	
143492	083322	0.422	<1	0.24	1312	<1	2	2	0.38	9	<1	8	28	30	7.09	10	45	2	<1	<0.01	<1	<1	1.05	3067	7	<1	28	260	17	<1	2.03	7	<1	5	<10	83	3	7	<1	165	<2	<20	7	<10	6	60	<1	
143493	083323	1.177	<1	1.05	227	173	3	4	<0.01	20	<1	53	100	200	12.63	26	20	3	1	2	<0.01	<1	<1	0.73	1569	22	3	105	324	59	3	7.12	17	4	<5	<10	99	6	7	<1	274	3	62	69	30	6	1948	17
143494D	083323	1.180	<1	0.98	202	176	3	7	<0.01	21	<1	54	102	198	12.63	26	29	3	<1	<0.01	<1	<1	0.71	1541	24	3	107	335	62	<1	7.10	19	4	7	<10	98	6	10	<1	276	2	93	70	34	6	1987	8	
143495	083324	0.513	<1	2.02	479	10	2	6	0.46	12	<1	18	36	61	9.97	14	29	2	<1	<0.01	<1	1	1.30	2985	11	1	39	331	24	<1	3.06	8	2	<5	<10	90	3	5	<1	175	2	47	13	<10	9	132	16	
143496	083325	0.709	<1	1.65	481	13	2	2	0.46	11	<1	17	36	56	9.44	15	79	3	<1	<0.01	<1	2	1.22	2833	14	<1	37	329	23	<1	2.93	8	1	<5	<10	91	2	6	<1	190	<2	38	12	<10	8	103	64	
143497	083326	0.444	<1	2.70	935	18	2	4	0.59	13	<1	11	23	52	11.17	17	117	5	<1	<1	0.05	<1	5	1.37	3026	19	<1	30	298	30	<1	2.75	7	<1	7	<10	101	5	7	<1	206	2	44	11	<10	9	63	120
143498	083327	0.390	<1	1.85	149	<1	2	5	0.60	16	<1	10	25	45	12.82	15	27	1	<1	<0.01	<1	<1	1.62	3491	14	<1	28	266	25	<1	2.17	10	2	<5	<10	83	8	8	<1	157	<2	70	12	<10	10	73	<1	
143499	083328	0.215	<1	1.69	263	22	2	3	0.37	11	<1	10	30	40	8.97	13	32	2	<1	<0.01	<1	<1	1.18	2440	9	<1	32	224	24	<1	2.30	7	1	<5	<10	88	3	6	<1	177	<2	22	12	<10	8	72	3	
143500	083329	0.853	<1	2.46	1672	2	3	4	0.61	22	3	26	24	97	18.08	22	61	3	<1	<1	0.09	2	<1	2.05	4875	24	<1	40	451	41	<1	3.61	10	2	<5	<10	84	7	12	<1	163	<2	150	17	<10	12	113	<1
143501	083330	1.186	<1	2.94	2645	5	2	5	1.05	18	<1	22	19	74	14.33	19	53	3	1	<0.01	2	1	1.91	4359	15	1	33	396	33	<1	3.04	11	3	<5	<10	93	8	11	<1	169	4	57	15	<10	12	109	<1	

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149629	083404	6	<1	4.66	<2	45	<2	2	7.87	<4	<1	22	68	223	5.74	<1	<1	<1	<1	<1	0.47	<1	5	2.77	1931	<1	23	38	389	2	92	0.01	<5	36	<5	<10	109	10	<1	9	246	<2	118	258	<10	10	97	<1
149630	083405	<5	1	4.33	5	41	<2	9	8.77	<4	<1	22	67	203	6.10	<1	<1	<1	<1	<1	0.25	<1	6	2.99	2108	<1	25	37	370	3	74	0.07	<5	37	<5	<10	109	5	<1	<1	315	17	160	264	<10	10	100	<1
149631	083406	7	2	3.54	12	47	<2	7	6.48	<4	<1	27	73	165	5.04	3	<1	<1	2	<1	0.09	<1	3	2.33	1422	<1	28	43	435	<1	14	0.08	<5	35	<5	<10	101	14	1	<1	187	<2	88	280	<10	9	91	<1
149632	083407	6	<1	4.47	5	58	<2	5	3.52	<4	<1	23	95	241	4.10	<1	<1	<1	2	<1	0.11	<1	5	1.67	862	<1	32	45	526	3	111	<0.01	<5	37	<5	<10	108	13	<1	<1	266	<2	37	310	<10	9	98	<1
149633	083408	<5	2	4.56	12	59	<2	<1	6.55	<4	<1	28	42	166	5.66	<1	<1	<1	2	<1	0.06	<1	7	2.34	1626	<1	31	39	496	<1	74	0.16	<5	35	<5	<10	118	6	<1	<1	333	<2	109	315	<10	11	115	<1
149634	083409	5	<1	4.37	9	55	<2	4	7.15	<4	<1	31	44	156	6.01	<1	<1	<1	4	<1	0.03	<1	4	2.81	2009	<1	29	42	439	<1	20	0.08	<5	34	<5	<10	110	10	<1	<1	341	<2	135	272	<10	10	116	<1
149635	083410	984	2	3.97	2	74	<2	<1	3.71	<4	<1	34	86	42	5.58	<1	<1	<1	2	<1	<0.01	<1	1	2.43	936	<1	15	26	664	5	43	0.07	<5	21	<5	<10	152	3	4	<1	4954	11	<20	176	<10	28	82	<1
149636	083411	6	2	4.07	18	57	<2	9	0.66	<4	<1	34	99	236	4.60	5	<1	<1	2	<1	<0.01	<1	4	1.29	987	<1	27	62	544	5	72	0.02	<5	38	<5	<10	89	12	<1	<1	282	7	<20	293	<10	11	166	<1
149637	083412	<5	2	3.48	23	52	<2	10	6.68	<4	<1	28	68	204	5.08	2	<1	<1	<1	<1	<0.01	<1	3	2.56	1883	<1	21	38	429	<1	17	0.08	<5	34	<5	<10	99	9	<1	<1	161	<2	81	231	<10	10	92	<1
149638	083413	7	1	4.93	27	68	<2	5	0.91	<4	<1	49	82	222	5.33	6	<1	<1	3	<1	<0.01	<1	8	1.46	1339	2	32	67	553	<1	<1	0.16	<5	43	<5	<10	98	12	<1	<1	171	<2	<20	330	<10	12	186	<1
149639D	083413	7	2	5.31	25	76	<2	9	0.76	<4	<1	48	83	215	5.27	<1	<1	<1	2	<1	0.46	<1	8	1.42	1303	1	32	67	553	<1	2	0.22	<5	44	<5	<10	106	11	<1	<1	168	<2	<20	348	10	13	189	<1
149640	083414	<5	1	5.61	39	109	2	<1	1.50	<4	<1	49	83	257	4.52	6	<1	<1	2	<1	0.19	<1	16	1.33	1137	3	40	68	595	4	<1	0.15	<5	40	<5	<10	140	11	<1	<1	227	<2	<20	393	<10	10	154	<1
149641	083415	13	3	5.48	34	88	<2	11	0.88	<4	<1	50	95	240	5.25	2	<1	<1	3	<1	<0.01	<1	7	1.36	953	<1	34	83	608	6	<1	0.20	<5	43	11	<10	120	7	<1	<1	199	<2	<20	385	17	10	171	<1
149642	083416	<5	1	6.07	18	65	<2	10	<0.01	<4	<1	47	107	191	5.53	6	<1	<1	1	<1	<0.01	<1	11	1.50	179	1	37	93	595	3	31	0.06	<5	53	<5	<10	102	6	<1	<1	273	<2	<20	381	<10	9	172	<1
149643	083417	<5	1	5.06	15	39	<2	2	3.88	<4	<1	47	79	198	8.36	6	<1	<1	1	<1	0.03	<1	9	2.39	2410	1	32	72	507	4	<1	0.21	<5	45	<5	<10	91	6	<1	<1	222	<2	<20	320	<10	12	185	<1
149644	083418	<5	2	6.33	18	86	<2	<1	<0.01	<4	<1	38	77	253	4.36	5	<1	<1	2	<1	<0.01	<1	9	1.20	220	2	36	78	660	<1	<1	0.07	<5	50	<5	<10	116	9	<1	<1	294	<2	<20	386	<10	10	139	<1
149645	083419	<5	2	5.74	13	64	<2	7	<0.01	<4	<1	46	62	234	5.07	3	<1	<1	1	<1	<0.01	<1	9	1.21	458	<1	33	98	671	<1	<1	0.23	<5	50	<5	<10	97	11	<1	<1	239	<2	<20	374	<10	12	164	<1
149646	083420	7	1	3.82	5	785	<2	2	0.29	<4	39	5	2	14	1.32	<1	<1	<1	1	<1	<0.01	12	7	0.43	180	2	<1	25	343	24	103	0.08	<5	4	12	<10	203	6	<1	7	868	<2	<20	30	<10	7	39	<1
149647	083421	5	2	4.48	9	68	<2	6	<0.01	<4	<1	46	25	217	5.59	7	<1	<1	2	<1	<0.01	<1	6	1.33	177	<1	34	89	657	4	67	0.41	<5	44	<5	<10	79	11	<1	<1	157	<2	<20	367	<10	7	169	<1
149648	083422	<5	1	6.93	7	82	<2	11	<0.01	<4	<1	42	55	228	4.43	6	<1	<1	1	<1	<0.01	<1	9	1.14	135	3	39	84	665	<1	58	0.31	<5	49	<5	<10	118	12	<1	<1	295	<2	<20	413	<10	10	142	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
149649	083423	<5	2	6.55	13	58	<2	8	<0.01	<4	<1	44	52	221	6.17	11	<1	<1	2	<1	0.48	<1	11	1.51	200	2	37	90	673	2	<1	0.26	<5	53	<5	<10	98	9	<1	<1	210	<2	<20	388	<10	9	166	<1
149650D	083423	<5	2	6.95	7	64	<2	14	<0.01	<4	<1	43	53	228	6.22	6	<1	<1	1	<1	0.20	<1	14	1.55	202	<1	38	90	672	7	69	0.17	<5	54	<5	<10	105	15	<1	1	274	<2	<20	398	<10	9	163	<1
149651	083424	<5	<1	5.11	11	34	<2	16	0.02	<4	<1	34	65	227	6.71	3	<1	<1	1	<1	0.11	<1	7	1.67	296	<1	32	70	594	<1	27	0.27	<5	45	<5	<10	79	4	<1	<1	175	<2	<20	355	<10	8	173	<1
149652	083425	<5	2	6.42	4	52	<2	2	0.13	<4	<1	34	72	222	6.82	14	<1	<1	1	<1	0.05	<1	11	1.68	297	3	38	69	588	5	<1	0.25	<5	44	<5	<10	100	6	<1	<1	215	<2	<20	389	<10	8	166	<1
149653	083426	<5	<1	4.57	7	36	<2	4	3.86	<4	<1	29	69	134	5.94	<1	<1	<1	<1	<1	0.03	<1	7	1.94	1264	<1	24	48	507	3	54	0.19	<5	40	<5	<10	94	7	<1	2	220	<2	<20	270	<10	11	127	<1
149654	083427	<5	<1	4.84	12	52	<2	2	1.62	<4	<1	36	77	162	5.70	4	<1	<1	2	<1	<0.01	<1	7	1.35	1477	3	29	57	510	<1	181	0.08	<5	37	<5	<10	103	7	<1	<1	229	<2	<20	328	<10	10	163	<1
149655	083428	<5	1	4.21	6	36	<2	14	0.67	<4	<1	32	81	195	5.28	9	<1	<1	2	<1	<0.01	<1	5	1.22	1159	<1	21	59	561	6	49	0.09	<5	41	<5	<10	83	3	<1	<1	143	2	<20	281	<10	10	170	<1
149656	083429	<5	1	4.84	5	39	<2	10	3.02	<4	<1	36	86	215	5.75	11	<1	<1	2	<1	<0.01	<1	4	1.55	1595	<1	29	56	564	<1	45	0.05	<5	43	<5	<10	98	7	<1	<1	193	<2	27	311	<10	11	146	<1
149657	083430	<5	2	3.95	4	23	<2	<1	4.07	<4	<1	40	56	147	7.65	<1	<1	<1	1	<1	<0.01	<1	3	2.14	1962	<1	31	60	482	<1	47	0.11	<5	45	<5	<10	80	7	<1	<1	157	<2	<20	334	<10	11	175	<1
149658	083431	21	1	4.07	12	37	<2	12	1.98	<4	<1	41	78	225	5.98	<1	<1	<1	<1	<1	<0.01	<1	5	1.70	1279	<1	31	68	587	5	<1	0.28	<5	44	<5	<10	84	11	<1	<1	152	<2	<20	318	<10	11	145	<1
149659	083432	<5	2	4.98	32	43	<2	7	<0.01	<4	<1	64	69	226	6.24	10	<1	<1	1	<1	0.38	<1	9	1.50	367	2	38	100	650	1	128	0.20	<5	51	<5	<10	80	12	<1	<1	146	<2	<20	385	<10	8	188	<1
149660	083433	<5	2	5.43	22	44	<2	9	<0.01	<4	<1	56	70	182	6.44	<1	<1	<1	<1	<1	0.27	<1	10	1.51	441	<1	35	94	616	6	72	0.12	<5	50	<5	<10	83	10	<1	<1	171	<2	<20	394	<10	8	204	<1
149661D	083433	<5	2	5.15	26	41	<2	4	<0.01	<4	<1	56	69	178	6.36	5	<1	<1	<1	<1	0.08	<1	9	1.50	439	2	36	92	603	5	17	0.09	<5	49	<5	<10	80	9	<1	2	157	<2	<20	382	<10	8	197	<1
149662	083434	5	1	2.08	19	14	<2	11	3.23	<4	<1	43	47	165	6.48	<1	<1	<1	<1	<1	<0.01	<1	3	2.02	1402	<1	26	62	484	6	27	0.21	<5	38	<5	<10	64	8	<1	<1	<100	<2	<20	279	<10	7	142	<1
149663	083435	6	1	4.43	16	35	<2	<1	3.91	<4	<1	47	50	143	6.56	<1	<1	<1	1	<1	0.04	<1	6	2.12	1434	<1	29	59	461	6	22	0.36	<5	39	<5	<10	92	7	<1	<1	173	<2	<20	309	<10	9	136	<1
149664	083436	5	2	4.03	12	31	<2	4	5.92	<4	<1	43	33	154	6.51	2	<1	<1	2	<1	0.02	<1	5	2.61	1638	<1	29	51	457	9	87	0.15	<5	38	<5	<10	96	6	<1	<1	184	<2	66	285	<10	9	124	<1
149665	083437	6	1	3.50	24	34	<2	9	6.38	<4	<1	43	30	169	6.13	4	<1	<1	1	10	<0.01	<1	2	2.66	1536	<1	30	60	444	2	150	0.13	<5	35	<5	<10	96	10	<1	<1	202	<2	104	279	<10	8	112	<1
149666	083438	6	<1	2.49	33	28	<2	1	6.07	<4	<1	51	20	166	5.96	<1	<1	<1	1	<1	<0.01	<1	<1	2.40	1596	<1	26	58	508	<1	107	0.19	<5	37	<5	<10	84	8	<1	<1	133	<2	95	264	<10	8	105	<1
149667	083439	5	<1	4.11	21	41	<2	4	6.83	<4	<1	43	28	165	6.65	2	<1	<1	<1	<1	<0.01	<1	6	2.35	1808	<1	32	52	467	<1	12	0.11	<5	39	<5	<10	108	6	<1	<1	235	2	122	309	<10	10	116	<1
149668	083440	5441	2	3.02	289	177	<2	<1	2.06	<4	<1	121	125	1591	7.05	<1	<1	<1	<1	<1	<0.01	<1	<1	1.38	674	10	4	1368	487	737	143	1.78	<5	11	<5	<10	128	9	<1	<1	2247	<2	<20	93	37	15	441	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149669	083441	5	1	1.95	19	23	<2	4	6.31	<4	<1	37	25	200	6.84	<1	<1	<1	<1	<1	0.20	<1	<1	2.39	2024	<1	25	84	444	19	<1	0.28	<5	35	<5	<10	78	11	<1	<1	177	<2	72	264	<10	8	108	<1
149670	083442	6	2	3.94	8	35	<2	10	6.48	<4	<1	31	14	128	7.10	<1	<1	<1	<1	<1	0.36	<1	4	2.56	2116	<1	27	43	490	<1	101	0.21	<5	35	<5	<10	96	4	<1	<1	253	<2	109	266	<10	10	103	<1
149671	083443	<5	<1	2.94	15	18	<2	16	6.35	<4	<1	39	18	143	7.91	<1	<1	<1	<1	<1	0.08	<1	<1	2.50	2243	<1	26	47	465	1	<1	0.35	<5	38	<5	<10	78	11	<1	<1	136	10	72	279	<10	9	121	<1
149672D	083443	<5	2	3.68	17	25	<2	9	6.25	<4	<1	40	17	145	7.80	<1	<1	<1	1	<1	0.15	<1	4	2.48	2222	<1	27	47	460	<1	20	0.34	<5	37	<5	<10	86	11	<1	2	175	<2	102	284	<10	10	123	<1
149673	083444	<5	1	3.77	11	23	<2	<1	6.10	<4	<1	38	7	155	8.06	<1	<1	<1	<1	<1	<0.01	<1	4	2.46	2208	<1	25	45	557	7	<1	0.29	<5	40	<5	<10	84	15	<1	<1	154	21	53	285	<10	9	122	<1
149674	083445	<5	1	3.93	5	25	<2	11	6.59	<4	<1	35	12	156	8.26	<1	<1	<1	3	<1	<0.01	<1	4	2.64	2248	<1	29	46	501	2	125	0.15	<5	39	<5	<10	87	10	<1	<1	161	7	42	292	<10	9	121	<1
149675	083446	<5	2	3.04	13	30	<2	10	7.11	<4	<1	33	9	136	7.01	<1	<1	<1	1	<1	<0.01	<1	3	2.75	1885	<1	25	40	465	<1	<1	0.31	5	34	<5	<10	85	6	<1	<1	154	13	75	252	<10	9	104	<1
149676	083447	<5	1	2.97	11	38	<2	9	8.49	<4	<1	27	14	118	6.89	<1	<1	<1	<1	<1	<0.01	<1	2	2.98	2058	<1	22	39	394	4	<1	0.27	<5	29	<5	<10	94	6	<1	<1	148	33	130	220	<10	9	95	<1
149677	083448	<5	1	3.46	16	41	<2	9	7.27	<4	<1	31	15	134	6.41	<1	<1	<1	2	<1	<0.01	<1	3	2.54	1744	<1	21	46	424	<1	15	0.29	<5	32	<5	<10	98	7	<1	5	233	<2	142	244	<10	9	104	<1
149678	083449	<5	1	2.45	26	33	<2	7	8.21	<4	<1	33	4	125	5.99	<1	<1	<1	<1	<1	<0.01	<1	3	2.61	1639	<1	23	43	427	1	88	0.19	<5	30	<5	<10	91	9	<1	<1	180	29	161	236	<10	8	108	<1
149679	083450	<5	1	3.04	5	727	<2	5	0.54	<4	17	3	<1	11	1.27	<1	<1	<1	2	<1	0.05	11	5	0.50	226	<1	<1	25	317	19	<1	0.08	<5	3	16	<10	217	<1	<1	7	846	<2	<20	24	<10	7	38	<1
149680	083451	6	2	3.83	30	69	<2	4	6.69	<4	<1	41	10	141	6.75	<1	<1	<1	4	<1	0.11	<1	4	2.62	1801	<1	26	45	518	4	54	0.33	<5	34	<5	<10	105	8	<1	<1	244	11	129	266	<10	10	109	<1
149681	083452	<5	1	3.14	33	43	<2	5	5.91	<4	<1	40	6	131	6.07	1	<1	<1	3	<1	0.08	<1	2	2.33	1756	<1	26	46	498	<1	121	0.24	<5	33	<5	<10	91	6	<1	<1	183	<2	59	254	<10	9	101	<1
149682	083453	<5	2	3.25	24	42	<2	<1	6.13	<4	<1	40	8	165	6.28	<1	<1	<1	<1	<1	0.03	<1	2	2.19	1933	<1	26	43	514	<1	<1	0.60	<5	35	8	<10	89	7	<1	<1	152	<2	56	276	<10	9	103	<1
149683D	083453	22	1	3.62	27	43	<2	<1	6.06	<4	<1	39	7	150	6.20	8	<1	<1	2	<1	0.04	<1	<1	2.15	1895	<1	22	42	507	12	11	0.37	<5	35	<5	<10	92	10	<1	<1	160	<2	78	274	<10	9	98	<1
149684	083454	<5	2	4.06	29	32	<2	17	5.49	<4	<1	50	14	152	7.35	8	<1	<1	<1	<1	<0.01	<1	4	2.37	1969	<1	26	46	536	6	<1	0.73	<5	36	<5	<10	86	9	<1	<1	155	3	<20	274	<10	9	110	<1
149685	083455	<5	<1	2.72	23	17	<2	6	5.29	<4	<1	49	12	147	7.46	<1	<1	<1	1	<1	<0.01	<1	<1	2.37	1983	<1	26	47	511	7	<1	0.72	<5	35	<5	<10	70	13	<1	<1	118	<2	24	254	<10	8	110	<1
149686	083456	9	4	2.99	226	40	3	13	<0.01	9	<1	41	89	286	26.08	9	<1	<1	1	<1	<0.01	<1	<1	0.40	297	43	<1	107	243	71	48	>10.00	29	9	<5	<10	75	19	<1	7	137	8	84	98	34	10	1971	<1
149687	083457	<5	3	3.06	228	45	3	19	<0.01	9	<1	43	90	304	26.81	10	<1	<1	2	<1	<0.01	<1	<1	0.41	304	43	<1	110	240	69	<1	>10.00	32	9	<5	<10	76	13	5	<1	140	<2	111	100	34	10	1998	<1
149688	083458	<5	2	1.27	578	39	<2	21	0.67	7	<1	55	71	297	32.80	<1	<1	<1	2	<1	<0.01	<1	<1	2.41	10924	40	<1	119	331	70	9	>10.00	38	8	<5	<10	55	19	<1	<1	102	48	146	65	13	9	896	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149689	083459	<5	1	3.53	34	17	<2	11	5.67	<4	<1	39	25	150	7.58	14	<1	<1	3	<1	0.68	<1	5	2.62	1951	<1	26	43	459	5	<1	0.61	<5	32	<5	<10	76	8	<1	<1	128	<2	80	247	<10	8	137	<1
149690	083460	<5	<1	3.09	19	12	<2	6	6.16	<4	<1	40	32	163	7.15	6	<1	<1	3	<1	0.19	<1	5	2.73	1604	<1	26	44	455	5	8	0.41	<5	35	<5	<10	75	6	<1	<1	130	<2	83	273	<10	8	129	<1
149691	083461	5	1	3.20	15	22	<2	<1	5.28	<4	<1	42	34	160	6.40	<1	<1	<1	1	<1	0.12	<1	6	2.89	1580	<1	26	44	450	1	<1	0.20	<5	34	<5	<10	74	15	<1	2	121	19	72	263	<10	7	114	<1
149692	083462	93	1	1.39	17	15	<2	14	6.40	<4	<1	40	36	149	5.90	<1	<1	<1	2	<1	<0.01	<1	<1	2.65	1674	<1	26	46	423	<1	70	0.17	<5	33	<5	<10	73	9	<1	<1	<100	<2	79	245	<10	7	96	<1
149693	083463	5	<1	3.21	19	34	<2	7	5.95	<4	<1	43	40	165	6.15	<1	<1	<1	<1	<1	0.04	<1	1	2.63	1670	<1	25	48	468	<1	16	0.26	<5	37	<5	<10	88	3	<1	<1	144	<2	93	271	<10	8	101	<1
149694R	083463	<5	1	4.81	29	52	<2	11	5.76	<4	<1	45	43	163	6.10	<1	<1	<1	1	<1	0.13	<1	6	2.58	1610	<1	29	48	463	8	52	0.31	<5	36	<5	<10	107	5	<1	<1	206	<2	69	293	<10	9	102	<1
149695	083464	<5	1	2.33	12	24	<2	10	5.48	<4	<1	39	29	163	5.89	<1	<1	<1	2	<1	<0.01	<1	<1	2.69	1752	<1	22	43	390	<1	148	0.21	<5	30	<5	<10	78	10	<1	<1	114	<2	69	230	<10	7	104	<1
149696	083465	11	<1	2.46	13	29	<2	8	6.87	<4	<1	37	27	131	5.99	3	<1	<1	3	<1	0.03	<1	2	2.94	2026	<1	26	43	367	6	32	0.16	<5	30	<5	<10	86	6	<1	<1	156	8	102	229	10	8	95	<1
149697	083466	7	1	2.30	15	<1	<2	5	4.82	<4	<1	47	31	139	7.13	<1	<1	<1	<1	<1	<0.01	<1	2	2.64	1746	<1	25	49	416	<1	77	0.52	<5	34	<5	<10	57	3	<1	<1	113	<2	<20	271	<10	7	109	<1
149698	083467	<5	1	3.01	4	<1	<2	6	5.99	<4	<1	47	26	121	9.39	<1	<1	<1	<1	<1	<0.01	<1	5	3.03	2755	<1	27	51	365	<1	95	1.02	<5	32	<5	<10	65	5	<1	<1	149	23	40	273	<10	8	126	<1
149699	083468	<5	1	1.65	11	<1	<2	2	5.80	<4	<1	46	30	119	8.84	1	<1	<1	<1	<1	<0.01	<1	5	2.93	2497	<1	28	49	391	3	115	0.52	<5	33	<5	<10	46	12	<1	<1	103	<2	<20	273	<10	7	131	<1
149700	083469	<5	1	3.59	7	1	<2	11	6.39	<4	<1	38	35	152	7.58	<1	<1	<1	2	<1	<0.01	<1	9	2.87	2249	<1	30	45	417	<1	91	0.25	<5	36	<5	<10	71	7	<1	<1	169	<2	70	283	<10	8	118	<1
149701	083470	13460	6	<0.01	26	357	<2	8	1.31	<4	<1	23	43	137	3.78	<1	<1	<1	<1	<1	<0.01	<1	<1	1.08	527	2	4	42	446	26	299	0.88	<5	10	<5	<10	73	6	3	<1	2685	<2	<20	93	<10	13	151	<1
149702	083471	9	1	2.49	10	8	<2	12	6.22	<4	<1	39	39	153	7.04	<1	<1	<1	<1	<1	<0.01	<1	2	2.68	1990	<1	26	44	413	2	14	0.28	<5	33	<5	<10	66	2	<1	<1	179	12	106	269	<10	7	113	<1
149703	083472	11	1	2.74	9	<1	<2	8	7.75	<4	<1	40	45	148	7.89	<1	<1	<1	<1	<1	0.05	<1	8	2.93	2296	<1	28	48	406	<1	116	0.42	<5	35	<5	<10	60	9	<1	<1	169	<2	117	292	<10	8	109	<1
149704	083473	<5	1	3.03	4	<1	<2	5	6.76	<4	<1	41	47	140	7.95	6	<1	<1	<1	<1	0.11	<1	10	3.15	2146	<1	30	48	391	3	42	0.52	<5	34	<5	<10	57	9	<1	<1	133	27	93	285	<10	8	121	<1
149705D	083473	<5	<1	3.22	11	<1	<2	2	6.77	<4	<1	42	47	140	7.92	<1	<1	<1	2	<1	<0.01	<1	9	3.20	2150	<1	30	45	396	<1	100	0.48	<5	34	<5	<10	59	6	<1	<1	143	15	79	284	<10	8	119	<1
149706	083474	<5	1	4.03	7	25	<2	11	5.97	<4	<1	39	64	148	5.53	<1	<1	<1	<1	<1	0.02	<1	8	2.67	1642	<1	25	50	411	5	160	0.29	<5	33	<5	<10	77	10	<1	<1	158	<2	76	264	<10	8	96	<1
149707	083475	<5	<1	4.01	8	42	<2	9	5.62	<4	<1	41	96	162	5.28	<1	<1	<1	2	<1	<0.01	<1	8	2.62	1344	<1	28	52	421	6	136	0.29	<5	36	<5	<10	79	5	<1	<1	161	13	75	269	<10	8	96	<1
149708	083476	<5	2	2.97	6	6	<2	8	6.62	<4	<1	42	108	167	6.40	<1	<1	<1	2	<1	<0.01	<1	7	2.80	1794	<1	24	55	386	<1	159	0.44	<5	35	<5	<10	69	6	<1	<1	123	20	90	268	<10	7	118	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149709	083477	7	1	3.50	8	<1	<2	17	6.58	<4	<1	41	113	163	6.88	<1	<1	<1	<1	<1	<0.01	<1	12	3.08	1747	<1	32	59	334	4	165	0.33	<5	37	<5	<10	66	8	<1	<1	158	<2	70	283	<10	7	137	<1
149710	083478	<5	<1	3.68	9	10	<2	13	6.76	<4	<1	42	129	167	6.05	<1	<1	<1	1	<1	<0.01	<1	11	2.92	1688	<1	28	57	373	<1	96	0.46	<5	35	<5	<10	75	7	<1	<1	155	<2	141	270	<10	8	117	<1
149711	083479	<5	1	2.13	8	4	<2	6	6.06	<4	<1	43	137	171	5.68	<1	<1	<1	1	<1	<0.01	<1	8	2.93	1543	<1	27	60	332	<1	122	0.30	<5	34	<5	<10	60	9	<1	<1	104	2	80	268	<10	6	101	<1
149712	083480	<5	2	2.96	5	711	<2	<1	0.41	<4	23	4	<1	8	1.10	<1	<1	<1	2	<1	0.03	2	1	0.47	195	<1	<1	18	281	19	25	0.10	<5	3	<5	<10	216	6	<1	11	814	<2	<20	20	<10	7	35	<1
149713	083481	<5	2	3.10	14	29	<2	12	5.67	<4	<1	40	158	160	5.06	<1	<1	<1	2	<1	0.09	<1	10	3.04	1200	<1	26	61	327	<1	87	0.27	<5	33	<5	<10	75	7	<1	<1	151	24	93	251	<10	7	92	<1
149714	083482	<5	1	3.20	14	14	<2	<1	6.21	<4	<1	39	157	165	5.05	1	<1	<1	2	<1	<0.01	<1	13	3.13	1352	<1	24	57	343	<1	72	0.27	<5	32	<5	<10	74	6	1	<1	126	<2	104	249	<10	7	103	<1
149715	083483	<5	1	2.98	13	5	<2	<1	6.93	<4	<1	36	186	154	5.67	<1	<1	<1	3	<1	<0.01	<1	10	3.06	1403	<1	20	59	331	<1	12	0.23	<5	33	<5	<10	62	7	<1	<1	107	8	151	241	<10	8	104	<1
149716D	083483	<5	1	1.78	6	<1	<2	8	6.76	<4	<1	36	187	157	5.66	<1	<1	<1	<1	<1	<0.01	<1	9	2.99	1406	<1	22	57	324	<1	<1	0.21	<5	33	<5	<10	52	10	<1	<1	<100	21	115	237	<10	7	103	<1
149717	083484	<5	<1	3.50	22	22	<2	6	5.94	<4	<1	38	199	161	4.84	<1	<1	<1	2	<1	<0.01	<1	11	2.62	1264	<1	26	56	315	3	<1	0.35	<5	34	<5	<10	73	5	<1	<1	132	11	96	237	<10	7	89	<1
149718	083485	<5	<1	4.57	23	30	<2	12	6.61	<4	<1	40	216	174	5.15	<1	<1	<1	<1	<1	<0.01	<1	12	2.82	1373	<1	24	66	336	8	<1	0.50	<5	36	9	<10	82	9	<1	<1	170	30	112	255	<10	8	90	<1
149719	083486	<5	1	2.81	23	<1	<2	<1	6.52	<4	<1	36	261	169	5.11	3	<1	<1	2	<1	<0.01	<1	9	3.04	1334	<1	26	65	302	<1	43	0.08	<5	34	7	<10	57	8	<1	<1	121	<2	94	248	<10	7	98	<1
149720	083487	<5	2	4.02	36	12	<2	9	5.95	<4	<1	44	271	166	4.63	3	<1	<1	<1	<1	<0.01	<1	13	2.61	1104	<1	20	62	306	1	<1	0.18	<5	35	<5	<10	73	9	<1	<1	161	<2	55	236	<10	7	83	<1
149721	083488	<5	<1	<0.01	29	<1	<2	<1	<0.01	<4	<1	28	<1	145	4.64	<1	<1	<1	3	<1	<0.01	<1	<1	2.53	1276	<1	20	60	283	11	902	0.02	<5	27	5	<10	76	5	<1	<1	102	<2	35	186	<10	7	93	<1
149722	083489	<5	2	3.54	25	2	<2	9	6.79	<4	<1	31	307	147	5.32	<1	<1	<1	<1	<1	0.42	<1	10	2.85	1740	<1	18	62	296	10	<1	0.08	<5	32	<5	<10	73	5	<1	<1	152	30	114	205	<10	9	76	<1
149723	083490	<5	<1	3.08	25	12	<2	4	6.66	<4	<1	38	424	173	4.87	<1	<1	<1	1	<1	0.18	<1	10	3.01	1829	<1	18	76	262	6	<1	0.02	<5	33	6	<10	74	7	1	<1	138	3	128	215	<10	7	71	<1
149724	083491	37	2	2.70	13	<1	<2	7	7.28	<4	<1	33	256	230	9.56	<1	<1	<1	<1	<1	<0.01	<1	7	3.08	3859	<1	15	66	327	2	<1	1.23	<5	27	<5	<10	58	17	<1	9	173	14	57	174	<10	8	117	<1
149725	083492	21	2	3.68	9	<1	<2	16	5.42	<4	<1	36	336	83	11.28	<1	<1	<1	2	<1	<0.01	<1	5	3.75	3169	<1	18	80	249	10	<1	0.61	<5	30	<5	<10	47	8	2	<1	213	13	<20	197	<10	7	172	<1
149726	083493	<5	2	1.81	<2	<1	<2	11	5.74	<4	<1	36	443	140	5.46	6	<1	<1	3	<1	<0.01	<1	7	3.09	2254	<1	16	76	270	<1	<1	0.18	<5	31	5	<10	56	9	<1	25	<100	7	52	202	<10	6	90	<1
149727D	083493	<5	<1	3.34	2	<1	<2	1	5.79	<4	<1	35	434	138	5.21	<1	<1	<1	2	<1	<0.01	<1	9	3.04	2161	<1	16	76	273	2	<1	0.06	<5	32	6	<10	75	5	<1	<1	140	6	104	206	<10	8	91	<1
149728	083494	<5	2	3.04	4	<1	<2	12	5.93	<4	<1	39	459	175	5.09	<1	<1	<1	3	<1	<0.01	<1	16	3.28	1961	<1	20	80	274	<1	<1	<0.01	<5	32	<5	<10	71	8	1	5	126	<2	138	204	<10	7	76	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
149729	083495	<5	1	4.21	2	5	<2	9	6.21	<4	<1	35	431	171	4.82	<1	<1	<1	<1	<1	<0.01	<1	16	3.16	1945	<1	18	79	281	<1	<1	0.09	<5	32	<5	<10	90	6	<1	<1	175	<2	93	201	<10	8	73	<1
149730	083496	<5	1	3.90	5	<1	<2	13	6.39	<4	<1	40	512	184	4.87	<1	<1	<1	1	<1	<0.01	<1	20	3.39	1518	<1	18	92	274	<1	<1	0.11	<5	35	5	<10	85	4	<1	<1	168	7	94	202	<10	8	69	<1
149731	083497	10	<1	3.44	10	<1	<2	11	7.77	<4	<1	40	436	148	4.88	<1	<1	<1	2	<1	<0.01	<1	16	3.31	1742	<1	20	87	246	4	53	0.20	<5	32	<5	<10	77	5	<1	<1	183	12	138	192	<10	8	74	<1
149732	083498	8	1	2.67	7	<1	<2	6	5.73	<4	<1	45	496	165	5.49	<1	<1	<1	3	<1	<0.01	<1	9	3.27	1851	<1	22	101	263	<1	<1	0.23	<5	32	<5	<10	57	5	<1	<1	123	<2	43	211	<10	6	92	<1
149733	083499	13	2	3.24	13	<1	<2	14	6.64	<4	<1	45	428	137	7.10	<1	<1	<1	<1	<1	0.10	<1	10	3.18	2709	<1	20	102	247	<1	<1	0.16	<5	32	<5	<10	61	8	<1	13	142	4	80	203	<10	7	94	<1
149734	083500	1020	1	1.65	7	44	<2	9	2.76	<4	<1	29	79	42	4.86	<1	<1	<1	<1	<1	<0.01	<1	<1	1.94	830	<1	15	28	641	17	<1	0.05	<5	17	<5	<10	112	8	<1	<1	4132	<2	<20	150	<10	25	79	<1
149735	083501	<5	1	3.59	<2	<1	<2	17	4.21	<4	<1	46	416	105	12.16	<1	<1	<1	<1	<1	<0.01	<1	13	4.28	2632	<1	24	114	257	6	<1	0.06	<5	34	<5	<10	37	6	<1	10	297	11	<20	218	<10	7	137	<1
149736	083502	7	1	4.44	18	<1	<2	9	3.30	<4	<1	60	389	63	9.99	<1	<1	<1	2	<1	<0.01	<1	20	4.25	2149	<1	21	156	330	3	<1	0.03	<5	29	<5	<10	47	11	<1	6	175	<2	<20	215	<10	7	123	<1
149737	083503	<5	2	2.75	26	<1	<2	10	3.77	<4	<1	68	221	119	6.73	<1	<1	<1	1	<1	<0.01	<1	11	3.24	1737	<1	17	171	273	<1	<1	0.14	<5	29	5	<10	52	9	<1	<1	112	52	<20	209	<10	5	92	<1
149738D	083503	<5	<1	4.38	30	<1	<2	5	3.92	<4	<1	67	214	122	6.60	<1	<1	<1	<1	<1	<0.01	<1	18	3.26	1718	<1	20	174	280	6	<1	0.14	<5	29	14	<10	71	9	<1	1	161	<2	<20	210	<10	7	94	<1
149739	083504	<5	2	3.70	8	<1	<2	14	4.75	<4	<1	50	40	187	8.14	2	<1	<1	<1	<1	<0.01	<1	14	3.03	1553	<1	13	88	483	10	<1	0.10	<5	18	9	<10	77	7	<1	4	218	8	<20	165	<10	8	110	<1
149740	083505	<5	<1	4.28	2	<1	<2	4	4.67	<4	<1	48	28	194	8.42	<1	<1	<1	<1	<1	<0.01	<1	14	3.08	1538	<1	14	85	529	7	<1	0.13	<5	18	7	<10	82	5	<1	2	232	55	<20	165	<10	9	111	<1
149741	083506	<5	2	3.61	5	<1	<2	11	5.78	<4	<1	46	<1	202	8.30	<1	<1	<1	<1	<1	<0.01	<1	11	2.83	1607	<1	14	74	510	5	<1	0.32	<5	16	<5	<10	94	7	<1	11	245	<2	<20	148	<10	9	104	<1
149742	083507	<5	1	1.92	8	<1	<2	13	5.13	<4	<1	53	258	133	6.07	<1	<1	<1	<1	<1	<0.01	<1	13	3.04	1549	<1	11	140	303	4	<1	0.17	<5	22	10	<10	66	10	<1	8	108	<2	22	159	<10	6	85	<1
149743	083508	<5	1	2.93	14	2	<2	11	5.05	<4	<1	58	333	112	6.00	<1	<1	<1	<1	<1	0.10	<1	10	3.10	1467	<1	10	154	269	1	<1	0.15	<5	22	9	<10	83	3	<1	18	117	<2	<20	141	<10	7	67	<1
149744	083509	6	1	2.49	39	5	<2	11	4.98	<4	<1	60	252	108	6.24	<1	<1	<1	<1	<1	0.02	<1	6	3.00	1494	<1	14	166	265	<1	<1	0.09	<5	23	<5	<10	76	7	<1	7	115	<2	<20	141	<10	6	60	<1
149745	083510	5634	4	1.21	293	134	<2	<1	1.56	<4	<1	115	119	1508	6.45	<1	<1	<1	2	<1	<0.01	<1	<1	1.25	616	6	3	1303	451	719	<1	2.19	7	10	<5	<10	102	7	7	9	1821	<2	<20	79	28	13	429	<1
149746	083511	<5	2	1.89	65	16	<2	11	5.83	<4	<1	52	271	143	5.25	<1	<1	<1	<1	<1	<0.01	<1	7	2.74	1840	<1	10	173	258	22	<1	0.18	<5	21	6	<10	86	2	<1	2	173	2	70	129	<10	5	70	<1
149747	083512	<5	1	2.36	62	18	<2	12	5.20	<4	<1	49	168	118	5.01	4	<1	<1	<1	<1	<0.01	<1	6	2.77	1713	<1	12	132	346	2	<1	0.22	<5	22	<5	<10	86	6	<1	34	139	45	45	141	<10	6	64	<1
149748	083513	<5	1	1.64	74	10	<2	8	4.98	<4	<1	55	136	110	6.00	6	<1	<1	<1	<1	<0.01	<1	2	2.71	1781	<1	12	137	294	7	<1	0.31	<5	23	8	<10	73	4	<1	9	103	<2	78	140	<10	5	94	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
149749D	083513	<5	<1	2.03	65	13	<2	10	5.00	<4	<1	52	136	112	5.94	<1	<1	<1	<1	<1	<0.01	<1	1	2.73	1767	<1	13	139	290	6	<1	0.19	<5	22	<5	<10	77	5	<1	6	112	<2	50	142	<10	5	90	<1
149750	083514	6	1	2.74	96	21	<2	14	5.50	<4	<1	49	139	115	5.21	<1	<1	<1	2	<1	<0.01	<1	3	2.78	1836	<1	13	144	292	1	<1	0.10	<5	22	<5	<10	89	2	<1	<1	121	14	59	135	<10	6	72	<1
149751	083515	9	1	0.53	196	<1	<2	8	5.63	<4	<1	58	142	93	5.23	<1	<1	<1	<1	<1	<0.01	<1	<1	2.94	1922	<1	9	166	242	2	<1	0.21	<5	21	7	<10	64	7	<1	4	<100	<2	61	121	<10	4	73	<1
149752	083516	285	1	3.54	156	8	<2	10	5.44	<4	<1	54	137	132	9.80	4	<1	<1	<1	<1	0.30	<1	10	3.30	3218	<1	11	147	266	9	<1	1.23	<5	23	<5	<10	77	5	<1	23	123	3	<20	142	<10	6	151	<1
149753	083517	83	2	2.40	154	12	<2	<1	5.83	<4	<1	44	342	170	6.26	2	<1	<1	<1	<1	0.07	<1	8	3.06	2072	<1	10	105	255	3	<1	0.26	<5	28	9	<10	89	5	<1	<1	<100	18	87	152	<10	5	92	<1
149754	083518	685	2	2.17	713	14	<2	16	5.83	<4	<1	38	349	154	4.88	<1	<1	<1	<1	<1	<0.01	<1	<1	2.88	1688	<1	13	81	258	2	<1	0.46	<5	26	13	<10	92	8	<1	3	103	22	86	135	<10	5	65	<1
149755	083519	1077	2	2.93	1297	27	<2	14	6.07	<4	<1	34	256	141	4.55	<1	<1	<1	<1	<1	<0.01	<1	5	2.72	1531	<1	14	69	200	2	<1	0.58	<5	28	<5	<10	111	4	<1	<1	159	<2	119	150	<10	5	73	<1
149756	083520	<5	<1	1.91	48	665	<2	4	0.24	<4	22	4	13	9	1.16	<1	<1	<1	<1	3	<0.01	5	3	0.46	214	1	<1	38	287	24	<1	0.09	<5	3	12	<10	176	<1	<1	36	802	<2	<20	19	<10	8	34	<1
149757	083521	67	1	2.46	195	29	<2	6	5.35	<4	<1	36	17	136	6.10	<1	<1	<1	<1	<1	<0.01	<1	<1	2.79	1682	<1	21	48	438	<1	<1	0.53	<5	24	18	<10	110	7	2	21	185	11	47	175	<10	6	95	<1
149758	083522	28	3	2.14	90	4	<2	<1	5.07	<4	<1	37	28	143	6.29	4	<1	<1	<1	<1	<0.01	<1	2	2.84	1706	<1	20	46	388	5	<1	0.57	<5	30	<5	<10	98	8	<1	<1	121	19	49	211	<10	6	99	<1
149759	083523	13	1	0.36	79	<1	<2	12	4.85	<4	<1	42	28	154	6.56	<1	<1	<1	<1	<1	<0.01	<1	4	2.89	1779	<1	20	49	423	6	<1	0.20	<5	29	6	<10	78	7	<1	<1	<100	<2	<20	216	<10	5	128	<1
149760R	083523	12	1	2.01	78	<1	<2	3	4.82	<4	<1	41	29	151	6.41	8	<1	1	<1	<1	<0.01	<1	2	2.84	1723	<1	20	47	431	<1	<1	0.16	<5	31	6	<10	92	5	<1	<1	107	<2	<20	225	<10	6	128	<1
149761	083524	101	2	2.24	321	7	<2	12	5.19	<4	<1	38	22	160	7.99	<1	<1	<1	<1	<1	<0.01	<1	3	3.03	2335	<1	25	46	470	11	<1	0.86	<5	34	7	<10	101	12	<1	13	133	<2	35	243	<10	6	154	<1
149762	083525	106	2	1.58	298	2	<2	17	5.22	<4	<1	40	21	152	8.02	6	<1	<1	3	<1	<0.01	<1	5	2.98	2371	<1	21	45	479	10	<1	0.80	<5	34	21	<10	96	5	2	29	<100	<2	69	241	10	5	138	<1
149763	083526	15	<1	2.21	86	3	<2	9	4.56	<4	<1	39	22	150	7.29	3	<1	<1	4	<1	<0.01	<1	3	2.80	2079	<1	22	42	441	5	<1	0.31	<5	35	7	<10	98	12	<1	34	122	24	24	256	<10	6	157	<1
149764	083527	10	2	2.17	93	12	<2	4	5.85	<4	<1	43	16	150	6.28	9	<1	<1	<1	<1	<0.01	<1	4	2.72	2300	<1	20	51	447	7	<1	0.26	<5	33	5	<10	120	9	<1	40	140	29	60	219	<10	7	112	<1
149765	083528	194	1	0.39	842	4	<2	10	5.30	<4	<1	38	10	159	7.03	<1	<1	<1	2	<1	<0.01	<1	<1	2.65	2145	<1	23	43	447	8	<1	0.77	<5	32	16	<10	89	5	<1	6	<100	6	71	230	<10	4	125	<1
149766	083529	334	1	1.64	571	17	<2	11	5.15	<4	<1	35	3	125	6.91	<1	<1	<1	2	<1	0.01	<1	3	2.58	2314	<1	20	41	468	10	<1	1.03	<5	32	16	<10	96	10	<1	<1	108	<2	25	224	<10	5	137	<1
149767	083530	1421	<1	2.01	6456	35	<2	13	6.18	<4	<1	35	<1	123	7.85	<1	<1	<1	3	<1	<0.01	<1	2	2.62	2609	<1	23	40	474	11	<1	1.99	12	33	9	<10	108	9	5	34	160	30	45	231	<10	6	152	<1
149768	083531	13814	1	<0.01	17420	31	<2	10	6.42	<4	<1	39	<1	85	7.80	<1	<1	<1	<1	<1	<0.01	<1	<1	2.40	2469	<1	7	51	273	9	<1	3.61	<5	20	<5	<10	101	7	7	26	101	<2	99	127	146	4	223	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. BSc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149769	083532	14035	2	<0.01	21436	6	<2	18	0.70	<4	<1	26	17	69	10.19	<1	<1	<1	<1	<1	<0.01	<1	<1	0.67	1212	14	<1	66	<100	3	<1	8.31	16	4	<5	<10	44	11	2	24	<100	<2	<20	19	65	4	237	<1
149770	083533	4110	2	<0.01	21870	8	<2	12	0.17	<4	<1	25	10	78	9.27	<1	<1	<1	3	<1	<0.01	<1	<1	0.51	822	11	<1	50	<100	8	<1	7.82	<5	2	12	<10	36	5	<1	6	<100	<2	<20	15	<10	4	148	<1
149771D	083533	4091	2	<0.01	22176	3	<2	16	0.11	<4	<1	27	8	78	9.20	<1	<1	<1	<1	<1	<0.01	<1	<1	0.49	816	11	<1	52	<100	15	<1	7.90	<5	2	<5	<10	32	3	<1	2	<100	3	<20	14	<10	3	146	<1
149772	083534	8565	<1	<0.01	26398	<1	<2	7	0.48	<4	<1	6	17	66	7.59	<1	<1	<1	4	<1	<0.01	<1	<1	0.80	2166	7	<1	48	<100	5	<1	5.18	8	1	12	<10	36	7	<1	31	<100	10	<20	7	<10	3	26	<1
149773	083535	15251	2	<0.01	32494	<1	<2	14	0.41	<4	<1	8	19	39	7.68	<1	<1	<1	<1	<1	<0.01	<1	<1	0.74	1754	12	<1	72	<100	6	<1	5.58	<5	1	8	<10	41	3	1	9	<100	<2	<20	8	<10	4	19	<1
149774	083536	4345	2	<0.01	11884	40	<2	18	<0.01	<4	<1	30	29	84	7.57	<1	<1	<1	<1	<1	<0.01	<1	<1	0.46	1034	7	<1	41	<100	10	<1	6.11	<5	2	13	<10	41	4	<1	19	<100	<2	<20	18	<10	5	333	<1
149775	083537	162	1	<0.01	1001	<1	<2	3	<0.01	<4	<1	12	24	71	8.84	<1	<1	<1	<1	<1	0.01	<1	<1	0.75	3205	12	<1	81	124	16	<1	6.05	<5	2	5	<10	26	7	<1	<1	<100	<2	<20	11	<10	3	43	<1
149776	083538	373	1	<0.01	1506	<1	<2	7	0.15	<4	<1	17	28	61	18.77	<1	<1	<1	1	<1	<0.01	<1	<1	1.67	7302	21	<1	82	154	14	<1	>10.00	9	2	<5	<10	34	12	<1	20	<100	73	33	16	<10	5	34	<1
149777	083539	911	2	<0.01	1309	<1	<2	19	<0.01	<4	<1	13	5	99	13.71	<1	<1	<1	1	<1	<0.01	<1	<1	1.19	5346	13	<1	47	<100	12	<1	7.40	<5	2	10	<10	32	11	4	46	<100	29	<20	11	<10	5	25	<1
149778	083540	13667	7	<0.01	39	359	<2	5	0.94	<4	<1	21	41	137	3.59	<1	<1	<1	2	<1	<0.01	<1	<1	0.98	485	3	<1	42	412	34	<1	1.08	<5	10	13	<10	62	3	<1	60	2588	4	<20	83	<10	12	154	<1
149779	083541	442	2	<0.01	782	<1	<2	10	<0.01	<4	<1	12	15	70	13.69	<1	<1	<1	2	<1	<0.01	<1	<1	0.91	3922	17	<1	45	139	6	<1	9.16	7	2	<5	<10	32	5	<1	17	<100	8	<20	8	<10	5	21	<1
149780	083542	139	1	<0.01	216	<1	<2	6	<0.01	<4	<1	4	23	70	7.56	<1	<1	<1	2	<1	<0.01	<1	<1	0.72	2969	7	<1	46	<100	14	<1	4.61	<5	1	<5	<10	28	5	2	30	<100	<2	<20	6	<10	3	12	<1
149781	083543	132	3	<0.01	124	<1	<2	8	<0.01	<4	<1	3	23	53	10.17	<1	<1	<1	<1	<1	<0.01	<1	<1	1.02	4720	8	<1	40	<100	9	<1	6.09	<5	3	<5	<10	25	4	<1	34	<100	<2	<20	9	<10	4	16	<1
149782D	083543	125	<1	<0.01	125	<1	<2	17	<0.01	<4	<1	1	19	53	10.13	<1	<1	<1	<1	<1	<0.01	<1	<1	1.02	4680	10	<1	46	<100	13	<1	5.92	<5	2	<5	<10	26	8	<1	2	<100	2	48	9	<10	3	16	<1
149783	083544	123	2	<0.01	1506	30	<2	14	0.22	<4	<1	22	34	100	19.55	3	<1	1	<1	<1	<0.01	<1	<1	1.97	9381	19	<1	66	259	36	<1	>10.00	19	6	<5	<10	38	19	<1	44	<100	20	<20	31	<10	6	122	<1
149784	083545	416	5	0.17	1244	15	<2	24	0.89	6	<1	30	34	130	33.77	8	<1	<1	<1	<1	<0.01	<1	<1	3.55	17705	33	<1	90	386	56	<1	>10.00	32	9	<5	<10	45	23	4	26	<100	68	156	42	13	9	303	<1
149785	083546	1680	3	2.70	384	19	2	15	<0.01	14	<1	40	80	383	34.90	16	<1	2	<1	<1	<0.01	<1	6	0.97	1924	56	<1	136	348	63	<1	>10.00	26	9	<5	<10	69	31	9	29	114	<2	238	81	70	9	2979	<1
149786	083547	803	2	2.20	384	46	2	17	<0.01	4	<1	22	89	101	16.39	5	<1	<1	<1	<1	<0.01	<1	<1	0.61	708	28	<1	80	269	50	<1	>10.00	32	8	10	<10	68	20	<1	57	108	<2	40	63	10	8	882	<1
149787	083548	418	1	<0.01	268	<1	<2	20	<0.01	<4	<1	22	35	38	4.18	4	<1	<1	3	<1	<0.01	<1	<1	0.26	344	11	<1	86	<100	7	<1	3.31	7	1	16	<10	30	3	<1	30	<100	37	<20	5	12	3	15	<1
149788	083549	1355	2	<0.01	607	9	<2	8	<0.01	<4	<1	14	44	167	9.97	3	<1	<1	2	<1	<0.01	<1	<1	0.35	725	13	<1	74	<100	23	<1	6.89	<5	2	11	<10	25	5	5	24	<100	<2	<20	11	16	3	73	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
149789	083550	5	<1	2.09	11	659	<2	<1	0.10	<4	15	5	5	12	1.14	8	<1	<1	<1	<1	<0.01	7	8	0.39	185	4	<1	32	333	30	<1	0.09	<5	4	18	<10	190	13	<1	61	865	<2	<20	14	<10	8	40	<1
149790	083551	250	2	<0.01	203	<1	<2	8	<0.01	<4	<1	11	34	17	3.37	<1	<1	<1	2	<1	<0.01	<1	<1	0.18	343	3	<1	42	<100	4	<1	1.65	<5	2	19	<10	16	7	<1	46	<100	15	<20	3	<10	<2	2	<1
149791	083552	463	3	3.86	320	88	3	12	<0.01	6	<1	26	122	147	15.44	15	<1	<1	2	<1	<0.01	<1	2	0.58	400	33	<1	119	413	61	<1	>10.00	39	11	<5	10	86	15	<1	37	145	14	56	97	35	10	1647	<1
149792	083553	285	2	2.93	229	39	3	14	<0.01	9	<1	42	89	301	24.85	7	<1	<1	<1	<1	<0.01	<1	<1	0.39	290	41	<1	114	247	63	<1	>10.00	42	10	<5	<10	74	15	5	44	129	28	197	92	35	9	2050	<1
149793D	083553	306	2	2.64	224	42	3	11	<0.01	9	<1	40	83	295	24.05	16	<1	<1	4	<1	<0.01	<1	<1	0.38	281	38	<1	107	235	66	<1	>10.00	42	10	<5	<10	73	17	<1	34	119	32	98	88	30	9	2000	<1
149794	083554	465	4	0.99	590	36	<2	14	0.62	7	<1	56	66	291	31.65	7	<1	<1	<1	<1	<0.01	<1	<1	2.33	10718	38	<1	115	340	69	<1	>10.00	40	9	<5	<10	53	25	18	60	<100	57	216	60	20	9	901	<1
149795	083555	434	2	1.05	571	33	2	56	0.55	13	<1	52	59	283	29.65	<1	<1	<1	<1	<1	<0.01	<1	<1	2.15	9734	38	<1	102	318	63	111	8.41	35	6	<5	<10	47	29	4	<1	103	59	235	57	<10	9	860	<1
149796	083556	283	<1	<0.01	86	<1	<2	34	<0.01	<4	<1	4	14	62	3.86	<1	<1	<1	<1	<1	0.07	<1	<1	0.51	1848	2	<1	38	<100	12	22	0.92	7	<1	13	<10	43	<1	<1	<1	<100	16	<20	6	<10	4	48	<1
149797	083557	161	<1	<0.01	204	4	<2	18	<0.01	<4	<1	7	29	96	5.81	<1	<1	<1	<1	<1	<0.01	<1	<1	0.52	1806	5	<1	42	111	12	<1	1.59	8	<1	18	<10	45	<1	<1	<1	<100	<2	<20	4	<10	5	25	<1
149798	083558	99	<1	<0.01	254	48	<2	21	0.03	6	<1	17	37	73	15.31	<1	<1	<1	<1	<1	<0.01	<1	<1	1.22	4667	18	<1	62	417	34	39	4.15	21	2	<5	<10	43	3	<1	<1	<100	38	26	20	<10	7	168	<1
149799	083559	460	<1	<0.01	53	12	<2	10	0.16	5	<1	14	43	60	13.64	<1	<1	<1	<1	<1	<0.01	<1	<1	1.47	7422	14	<1	69	197	19	39	2.92	9	2	9	<10	37	9	<1	<1	<100	<2	<20	20	<10	6	49	<1
149800	083560	123	<1	<0.01	28	<1	<2	26	<0.01	<4	<1	7	9	67	6.63	<1	<1	<1	1	<1	<0.01	<1	<1	0.53	2268	3	<1	42	193	15	16	1.84	7	<1	<5	<10	33	<1	<1	<100	9	<20	6	<10	4	23	<1	
149801	083561	199	<1	<0.01	64	<1	<2	25	<0.01	<4	<1	1	34	53	4.51	<1	2	<1	2	<1	<0.01	<1	<1	0.60	2311	4	<1	46	<100	8	163	1.01	6	<1	5	<10	39	<1	<1	<100	24	<20	5	<10	4	18	<1	
149802	083562	460	<1	<0.01	137	<1	<2	31	<0.01	<4	<1	7	29	66	8.80	<1	<1	<1	<1	<1	<0.01	<1	<1	1.21	5716	7	<1	55	175	14	26	1.95	6	<1	<5	<10	34	<1	<1	<1	<100	21	<20	8	<10	4	42	<1
149803	083563	1623	<1	<0.01	4299	114	<2	36	<0.01	4	<1	27	51	81	11.76	<1	<1	<1	<1	<1	<0.01	<1	<1	0.95	3794	13	<1	74	<100	24	60	3.18	13	3	<5	<10	44	<1	<1	<1	<100	<2	<20	36	<10	5	168	<1
149804D	083563	1667	<1	<0.01	4435	102	<2	36	<0.01	5	<1	26	54	84	12.01	<1	<1	<1	1	<1	<0.01	<1	<1	0.92	3787	14	<1	71	<100	15	33	3.38	8	3	5	<10	38	3	<1	<1	<100	6	<20	36	<10	4	173	<1
149805	083564	2114	<1	<0.01	4355	<1	<2	26	<0.01	<4	<1	6	44	48	8.77	<1	<1	<1	3	<1	0.17	<1	<1	0.49	934	16	<1	77	<100	15	<1	1.74	<5	<1	<5	<10	39	<1	<1	<1	<100	6	<20	5	<10	4	42	<1
149806	083565	1757	<1	<0.01	6475	<1	<2	55	<0.01	<4	<1	6	54	30	8.39	<1	<1	<1	1	<1	<0.01	<1	<1	0.52	1018	16	<1	105	108	12	<1	1.54	9	<1	<5	<10	36	<1	<1	<1	<100	6	<20	6	<10	4	23	<1
149807	083566	112	<1	<0.01	475	<1	2	16	<0.01	<4	<1	3	116	30	6.96	<1	<1	<1	1	<1	<0.01	<1	<1	0.40	712	29	<1	216	<100	9	39	0.67	10	<1	<5	<10	38	<1	<1	<1	<100	7	<20	10	<10	4	25	<1
149808	083567	114	<1	<0.01	239	18	<2	20	<0.01	<4	<1	<1	42	29	3.30	<1	<1	<1	2	<1	<0.01	<1	<1	0.29	622	2	<1	51	<100	11	<1	0.49	<5	<1	18	<10	36	<1	<1	<1	<100	25	<20	9	<10	2	87	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149809	083568	5264	5	2.30	156	<1	3	4	<0.01	15	<1	37	60	194	25.56	<1	<1	<1	<1	<1	<0.01	<1	<1	0.47	623	43	<1	123	209	48	72	8.38	17	7	<5	<10	65	12	<1	<1	148	<2	180	76	38	9	1983	<1
149810	083569	2883	<1	1.04	411	42	<2	29	<0.01	11	<1	43	105	212	19.42	<1	<1	<1	1	<1	<0.01	<1	<1	0.94	1800	32	<1	153	267	44	49	5.52	28	6	<5	<10	51	9	4	<1	103	27	160	65	31	8	1470	<1
149811	083570	1051	<1	1.73	6	52	<2	11	2.57	<4	<1	26	75	43	5.25	<1	1	<1	1	<1	<0.01	<1	<1	1.94	846	<1	15	31	611	20	62	0.19	<5	17	18	<10	129	<1	1	<1	4345	6	<20	150	<10	25	121	<1
149812	083571	2274	<1	3.05	94	12	3	36	<0.01	14	<1	41	77	347	18.54	<1	<1	<1	<1	<1	<0.01	<1	<1	0.90	1154	30	<1	124	323	41	106	5.47	27	9	7	10	70	10	3	<1	278	<2	137	93	42	10	2617	<1
149813	083572	586	<1	<0.01	755	55	<2	9	<0.01	5	<1	24	38	103	13.90	<1	1	<1	<1	<1	<0.01	<1	<1	0.63	881	20	<1	89	234	37	18	3.86	23	2	<5	<10	41	11	<1	<1	<100	<2	<20	29	<10	5	225	<1
149814	083573	403	<1	2.73	1071	37	2	15	<0.01	11	9	46	85	195	18.11	<1	<1	<1	<1	<1	<0.01	<1	<1	1.08	3400	25	<1	82	317	55	127	4.85	34	10	<5	<10	77	8	<1	<1	157	44	109	92	22	10	1674	<1
149815D	083573	414	<1	2.36	1079	53	3	35	<0.01	12	<1	46	83	204	18.38	<1	<1	<1	<1	<1	<0.01	<1	<1	1.10	3475	27	<1	86	328	56	155	4.84	39	10	6	<10	68	3	2	<1	149	23	144	89	23	11	1743	<1
149816	083574	277	<1	<0.01	577	2	<2	28	<0.01	4	<1	18	13	87	10.30	<1	<1	<1	2	<1	<0.01	<1	<1	0.76	3409	11	<1	68	260	24	149	2.78	6	<1	<5	<10	35	<1	<1	<1	<100	20	<20	13	<10	5	93	<1
149817	083575	381	<1	1.43	1304	123	<2	20	<0.01	9	<1	38	76	78	13.05	<1	<1	<1	<1	<1	<0.01	<1	<1	0.77	1823	22	<1	88	<100	39	179	3.55	16	6	<5	<10	70	7	4	<1	111	<2	42	68	31	8	1857	<1
149818	083576	605	<1	<0.01	1166	1	<2	23	0.05	4	<1	20	14	95	11.63	<1	<1	<1	<1	<1	<0.01	<1	<1	0.78	2756	15	<1	88	155	21	49	3.33	12	<1	<5	<10	31	6	<1	<1	<100	5	<20	12	<10	4	77	<1
149819	083577	199	<1	<0.01	830	<1	<2	23	0.44	6	<1	25	2	96	16.04	<1	<1	<1	<1	<1	<0.01	<1	<1	1.77	5428	16	<1	79	545	30	72	4.14	11	<1	<5	<10	38	3	<1	<1	<100	42	37	13	<10	6	72	<1
149820	083578	498	<1	<0.01	131	<1	<2	19	<0.01	<4	<1	10	16	27	5.91	<1	<1	<1	<1	<1	<0.01	<1	<1	0.73	2169	7	<1	46	<100	9	15	1.02	6	<1	16	<10	42	<1	<1	<100	20	<20	8	<10	4	73	<1	
149821	083579	1379	<1	0.07	1597	8	<2	21	0.29	<4	<1	17	18	133	7.69	<1	<1	<1	2	<1	<0.01	<1	<1	0.89	2744	10	<1	67	104	11	13	1.89	9	1	8	<10	49	<1	<1	<1	<100	34	<20	12	<10	6	223	<1
149822	083580	<5	<1	2.49	39	672	<2	43	0.18	<4	35	2	1	11	1.29	<1	<1	<1	2	<1	<0.01	2	<1	0.40	237	<1	<1	29	343	31	135	0.05	6	2	15	<10	189	<1	2	3	876	<2	<20	16	<10	7	32	<1
149823	083581	1170	<1	<0.01	481	10	<2	23	0.17	<4	<1	28	62	76	7.91	<1	<1	<1	<1	<1	<0.01	<1	<1	1.28	5162	17	<1	150	<100	19	49	1.36	10	2	10	<10	45	4	<1	<1	<100	26	<20	15	<10	5	200	<1
149824	083582	996	<1	<0.01	7184	<1	<2	23	<0.01	<4	<1	2	5	29	7.31	<1	<1	<1	<1	<1	<0.01	<1	<1	0.74	2221	7	<1	33	235	15	<1	1.02	7	<1	5	<10	36	<1	<1	<1	<100	22	32	4	<10	4	34	<1
149825	083583	2500	<1	<0.01	8637	<1	<2	14	<0.01	<4	<1	8	3	40	7.93	<1	<1	<1	<1	<1	0.19	<1	<1	0.89	2910	5	<1	36	<100	19	4	1.29	12	<1	11	<10	37	2	<1	<1	<100	37	40	4	<10	4	32	<1
149826R	083583	2126	<1	<0.01	7359	<1	<2	22	<0.01	<4	<1	7	<1	42	7.56	<1	<1	<1	<1	<1	<0.01	<1	<1	0.85	2684	5	<1	31	<100	12	101	1.25	6	<1	<5	<10	33	<1	<1	<1	<100	<2	<20	5	<10	3	40	<1
149827	083584	2321	<1	<0.01	1365	<1	<2	34	0.04	4	<1	6	6	29	8.57	<1	<1	<1	1	<1	<0.01	<1	<1	1.16	3186	5	<1	28	121	19	<1	0.92	<5	<1	27	<10	44	<1	<1	<1	<100	<2	53	6	<10	5	100	<1
149828	083585	1673	<1	<0.01	1196	<1	<2	2	0.08	4	<1	5	7	34	9.60	<1	<1	<1	1	<1	0.10	<1	<1	1.32	3637	8	<1	41	214	18	<1	0.94	<5	<1	<5	<10	39	1	<1	<1	<100	8	<20	6	<10	5	107	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Binc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Thursday, June 30, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
Date Completed: 06/30/2011
Job #: 201142229
Reference:
Sample #: 187

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149829	083586	118	<1	<0.01	298	<1	<2	13	<0.01	<4	<1	1	13	11	5.08	<1	<1	<1	<1	<1	<0.01	<1	<1	0.57	1171	3	<1	26	<100	18	<1	0.27	<5	<1	13	<10	40	<1	<1	<1	<100	17	<20	2	<10	4	28	<1
149830	083587	361	<1	<0.01	215	<1	<2	27	<0.01	<4	<1	6	4	57	9.23	<1	<1	<1	2	<1	<0.01	<1	<1	1.00	3419	5	<1	44	271	18	9	1.07	7	<1	6	<10	34	<1	<1	<1	<100	3	<20	4	<10	4	36	<1
149831	083588	185	<1	<0.01	183	59	<2	45	<0.01	6	<1	36	16	101	11.87	2	<1	<1	<1	<1	<0.01	2	<1	1.20	2658	9	<1	56	578	40	<1	2.48	16	4	10	<10	48	<1	<1	<1	<100	43	24	28	<10	6	596	3
149832	083589	380	1	2.05	333	139	2	34	<0.01	12	13	67	74	176	12.84	3	<1	<1	<1	<1	<0.01	27	<1	1.09	3320	16	<1	132	292	69	4	2.95	22	1	15	<10	74	<1	<1	2	162	46	<20	70	39	8	3106	3
149833	083590	128	<1	<0.01	93	36	<2	24	<0.01	4	<1	10	27	66	10.07	2	<1	1	<1	<1	<0.01	1	<1	1.11	2903	8	<1	51	255	32	<1	1.49	15	<1	12	<10	50	<1	<1	1	<100	43	<20	21	<10	6	303	4

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Derek Demaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 07/05/2011
Job #: 201142319
Reference:
Sample #: 150

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
154043	083591	10	<1	0.81	36	5	<2	11	0.46	<4	<1	5	43	15	5.93	7	2	1	<1	<1	0.05	<1	3	0.95	2396	7	<1	38	277	14	<1	0.86	6	<1	<5	<10	45	3	<1	3	<100	<2	<20	8	<10	6	24	20
154044	083592	140	2	3.49	370	48	3	37	1.31	16	5	59	39	139	26.57	40	<1	6	<1	<1	0.20	4	14	3.11	10289	26	3	71	657	60	<1	9.51	26	7	<5	<10	57	16	15	<1	124	11	338	42	13	11	274	94
154045	083593	21	<1	1.20	61	10	<2	9	0.78	4	1	3	30	18	7.64	9	6	2	<1	<1	0.47	1	4	1.11	2497	8	<1	31	185	15	8	0.73	10	<1	<5	<10	47	4	2	<1	<100	6	52	6	<10	6	31	38
154046	083594	41	<1	1.28	39	12	2	25	1.29	10	2	3	17	6	17.52	23	7	4	<1	<1	0.75	1	5	2.10	5854	16	<1	23	573	33	<1	0.66	11	1	<5	<10	52	9	6	<1	<100	6	184	8	<10	8	44	53
154047	083595	33	<1	0.63	23	6	2	17	1.14	9	2	3	18	6	15.86	20	4	3	<1	<1	0.46	1	2	1.95	5160	13	<1	18	526	28	<1	0.59	9	1	<5	<10	45	10	11	<1	<100	2	170	8	<10	7	39	20
154048	083596	27	<1	2.19	25	17	2	14	1.22	8	7	4	24	6	15.11	21	10	4	<1	<1	0.34	<1	7	1.94	4837	14	<1	23	159	29	<1	0.72	6	1	<5	<10	57	8	5	<1	<100	3	203	8	<10	8	39	86
154049	083597	371	1	2.23	811	154	3	20	2.07	11	4	23	48	91	16.95	28	<1	4	<1	<1	0.31	1	5	2.10	5280	14	2	60	1304	34	<1	4.21	22	3	<5	<10	70	10	11	<1	133	4	197	34	22	9	498	34
154050	083598	298	1	2.68	747	115	3	14	1.72	10	3	33	46	143	17.39	28	3	5	<1	<1	0.28	2	8	2.02	5533	16	2	67	446	37	<1	5.89	14	4	<5	<10	69	10	8	<1	139	4	195	30	12	9	314	66
154051	083599	378	1	3.39	727	151	3	17	1.07	13	5	21	72	99	16.76	31	3	5	<1	<1	0.25	3	9	1.63	4537	20	3	81	386	39	4	6.37	16	4	<5	<10	95	10	10	3	155	5	213	45	46	9	1126	74
154052	083600	14020	6	3.70	25	361	<2	11	2.40	<4	20	25	79	137	4.07	15	2	1	<1	<1	0.24	2	6	1.32	593	5	11	43	697	34	465	0.98	5	11	<5	<10	133	1	2	<1	3436	8	<20	104	<10	16	145	1
154054	083601	144	<1	2.11	231	19	2	24	1.28	10	1	4	24	14	17.39	23	5	4	<1	<1	0.19	1	7	2.03	5037	17	1	27	376	34	<1	1.60	10	1	<5	<10	59	9	12	<1	<100	2	223	9	<10	8	62	80
154055	083602	27	<1	0.88	38	6	<2	5	1.34	8	4	4	24	8	14.82	17	2	3	<1	<1	<0.01	<1	3	1.83	4278	13	<1	26	946	27	<1	0.81	10	<1	<5	<10	50	6	8	<1	<100	2	162	7	<10	8	38	27
154056	083603	303	<1	3.02	67	90	2	19	1.37	9	13	19	75	73	15.74	27	2	4	<1	<1	0.01	5	8	1.94	4623	15	2	52	508	33	<1	3.38	13	4	<5	<10	76	9	7	2	118	6	179	35	101	10	369	49
154057	083604	144	1	1.82	56	29	2	12	1.04	11	4	12	35	22	17.47	24	<1	4	<1	<1	0.27	4	6	2.32	6676	15	2	36	464	31	<1	1.83	11	3	<5	<10	57	11	9	<1	<100	2	204	23	18	9	214	53
154058	083605	225	<1	1.04	541	6	2	18	1.02	10	4	23	26	43	17.51	21	<1	4	<1	<1	0.21	2	5	2.35	7497	14	<1	44	371	36	<1	2.29	11	3	<5	<10	51	8	11	<1	<100	4	186	17	<10	8	183	24
154059	083606	459	1	1.59	492	9	2	17	1.30	9	4	34	26	125	15.66	21	2	4	<1	<1	0.20	1	6	1.70	4076	15	<1	79	206	37	<1	5.80	14	2	<5	<10	57	6	6	<1	<100	<2	181	14	<10	7	182	48
154060	083607	63	<1	0.93	105	6	2	10	0.57	4	2	6	31	26	8.32	10	5	2	<1	<1	0.30	<1	3	1.07	2183	9	<1	39	212	16	<1	1.56	6	<1	<5	<10	45	6	<1	<1	<100	<2	71	6	<10	6	28	31
154061	083608	1814	2	3.83	5722	108	5	23	1.11	15	6	135	88	223	23.83	44	5	6	<1	<1	0.11	4	16	1.48	2800	27	4	227	500	103	<1	>10.00	49	7	<5	<10	91	10	16	1	152	7	328	78	22	10	525	77
154062	083609	461	<1	2.06	703	74	2	20	2.81	6	20	21	62	77	9.17	16	<1	3	<1	<1	0.29	2	9	1.58	3414	8	3	66	207	29	<1	3.61	15	5	<5	<10	76	5	2	<1	106	5	30	33	12	8	329	34
154063	083610	980	<1	3.32	<2	69	<2	14	3.53	<4	38	31	100	40	5.22	17	<1	2	<1	<1	0.35	8	1	2.12	877	<1	19	29	743	20	38	0.10	<5	19	<5	<10	148	5	<1	4	4738	5	<20	163	<10	27	78	7

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. Binc, Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 07/05/2011
Job #: 201142319
Reference:
Sample #: 150

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
154065	083611	476	<1	0.79	1900	<1	<2	16	0.70	4	<1	5	57	16	7.39	10	<1	<1	<1	<1	0.18	<1	1	0.84	2051	13	<1	87	170	20	<1	1.50	6	1	<5	<10	39	4	3	<1	<100	<2	<20	9	<10	5	34	<1
154066	083612	233	<1	1.55	1355	11	2	11	0.45	5	1	2	38	6	8.94	12	7	2	<1	<1	0.19	<1	6	0.76	1147	13	<1	41	237	17	<1	1.16	6	<1	<5	<10	51	6	3	<1	<100	4	60	6	<10	7	24	72
154067	083613	490	<1	1.02	3285	10	<2	10	0.36	4	1	2	29	5	7.45	9	6	3	<1	<1	0.19	<1	4	0.67	944	9	<1	36	209	16	<1	1.52	9	<1	<5	<10	45	3	1	1	<100	<2	69	5	<10	6	19	38
154068	083614	406	<1	1.19	1852	13	2	13	0.70	6	2	3	50	6	10.71	13	1	3	<1	<1	0.02	<1	4	1.22	2486	12	<1	42	139	23	4	1.58	7	<1	<5	<10	48	4	4	<1	<100	4	106	8	<10	7	30	37
154069	083615	219	<1	0.60	961	5	<2	8	0.27	<4	<1	1	33	3	5.59	7	4	2	<1	<1	0.28	<1	2	0.55	830	8	<1	34	168	13	<1	0.64	<5	<1	<5	<10	43	1	<1	<1	<100	<2	29	4	<10	6	15	23
154070	083616	350	<1	<0.01	1677	<1	<2	8	<0.01	<4	<1	2	33	5	6.47	1	<1	<1	<1	<1	<0.01	<1	<1	0.43	747	5	<1	33	126	11	<1	0.83	8	<1	<5	<10	17	2	3	<1	<100	<2	53	4	<10	4	16	<1
154071	083617	2308	<1	1.54	3556	25	3	19	1.05	9	2	5	27	8	15.81	20	4	4	<1	<1	0.29	2	6	1.86	3660	15	1	23	158	27	<1	1.56	13	1	<5	<10	53	9	10	1	<100	2	181	13	<10	8	50	47
154072	083618	745	<1	0.71	2269	25	2	17	0.80	9	2	4	26	8	15.49	18	1	3	<1	<1	0.09	1	3	1.82	3614	14	<1	23	128	27	<1	1.63	12	1	<5	<10	46	8	11	<1	<100	2	193	11	<10	7	48	14
154073	083619	441	<1	0.62	2259	13	2	13	0.40	4	<1	3	32	4	7.74	9	2	2	<1	<1	0.14	<1	2	0.87	1636	8	<1	30	126	15	<1	1.22	7	<1	<5	<10	41	3	<1	<1	<100	2	70	6	<10	6	25	18
154074	083620	<5	<1	3.73	50	797	<2	8	0.70	<4	99	6	21	4	1.71	13	<1	3	<1	<1	0.12	43	15	0.47	266	5	4	28	643	29	45	0.10	<5	3	<5	<10	219	<1	<1	25	1292	<2	<20	21	<10	10	38	99
154076	083621	1489	<1	0.13	5814	7	2	15	0.26	5	<1	2	28	5	9.16	10	<1	1	<1	<1	0.12	<1	<1	0.75	1184	9	<1	27	202	18	<1	1.59	5	<1	<5	<10	38	5	5	<1	<100	2	84	5	<10	6	23	<1
154077	083622	853	<1	0.01	7413	2	<2	11	0.29	4	<1	2	26	5	7.99	7	<1	1	<1	<1	0.32	<1	<1	0.72	1196	8	<1	25	183	14	<1	1.58	10	<1	<5	<10	36	4	1	<1	<100	5	59	5	<10	5	20	<1
154078	083623	2093	<1	2.40	6857	25	2	21	0.85	7	2	4	26	19	12.17	18	12	4	<1	<1	0.09	<1	8	1.34	3256	14	<1	33	182	24	<1	2.55	11	<1	<5	<10	59	6	5	<1	101	2	121	9	<10	7	37	112
154079	083624	841	<1	0.99	2851	10	<2	12	0.65	7	3	5	30	21	13.17	16	<1	3	<1	<1	0.21	<1	3	1.51	3606	12	<1	38	187	25	<1	1.66	9	<1	<5	<10	47	8	7	<1	<100	<2	140	9	<10	7	39	27
154080	083625	773	<1	0.18	2873	4	2	23	0.52	7	3	5	35	21	12.39	15	1	2	<1	<1	0.04	<1	<1	1.37	3302	12	<1	49	184	25	<1	1.53	5	<1	<5	<10	40	9	5	<1	<100	3	145	9	<10	6	35	<1
154081	083626	3038	<1	0.71	3997	6	2	13	0.74	7	2	5	24	23	12.42	15	<1	2	<1	<1	0.04	<1	2	1.28	2835	12	<1	38	247	25	<1	2.02	5	<1	<5	<10	44	5	8	<1	<100	<2	143	8	<10	7	36	16
154082	083627	354	<1	<0.01	1430	5	2	17	0.57	6	<1	3	29	10	11.33	11	<1	2	<1	<1	0.08	1	<1	1.30	3763	9	<1	32	154	20	<1	1.39	8	<1	<5	<10	38	5	3	<1	<100	4	138	9	<10	6	31	<1
154083	083628	637	<1	1.13	3324	14	<2	6	0.58	4	<1	2	36	6	7.99	9	<1	2	<1	<1	<0.01	<1	3	0.99	2463	10	<1	49	146	13	<1	1.03	7	<1	<5	<10	47	3	4	<1	<100	3	39	7	<10	6	30	40
154084	083629	97	<1	1.03	324	18	2	22	0.82	8	2	5	28	8	15.47	21	2	3	<1	<1	0.08	2	4	1.85	5340	14	<1	33	169	27	<1	0.60	12	1	<5	<10	45	10	10	<1	<100	<2	175	14	<10	8	49	23
154085	083630	163	1	1.82	669	21	2	17	1.22	9	2	4	22	7	16.51	20	7	4	<1	<1	0.11	2	6	1.99	5724	15	<1	26	240	28	<1	0.73	10	1	<5	<10	58	8	9	<1	<100	<2	185	11	<10	9	52	67

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 07/05/2011
Job #: 201142319
Reference:
Sample #: 150

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
154086D	083630	167	1	1.40	684	18	2	25	1.16	9	<1	4	19	7	16.36	19	2	4	<1	<1	0.21	<1	5	1.97	5682	14	<1	23	239	31	<1	0.72	12	1	<5	<10	54	10	8	<1	<100	4	197	10	<10	9	47	44
154087	083631	138	<1	0.99	599	10	<2	14	0.46	5	<1	2	32	5	9.98	12	3	2	<1	<1	0.05	<1	3	1.10	1957	12	<1	40	207	22	<1	0.46	12	<1	<5	<10	44	6	5	<1	<100	6	85	6	<10	7	30	30
154088	083632	841	<1	0.77	1074	6	2	19	0.66	6	1	2	25	3	11.87	15	2	2	<1	<1	0.39	<1	2	1.10	1709	13	<1	29	270	20	<1	0.78	9	<1	<5	<10	43	6	3	<1	<100	2	124	5	<10	8	27	24
154089	083633	391	<1	0.74	2576	6	2	14	0.61	5	3	4	28	11	9.81	12	3	2	<1	<1	<0.01	<1	3	1.10	1930	10	<1	35	207	20	<1	1.05	6	<1	<5	<10	44	3	4	<1	<100	<2	80	5	<10	6	33	18
154090	083634	254	<1	0.18	1821	2	2	15	0.40	5	<1	2	22	5	9.94	11	2	1	<1	<1	0.04	<1	<1	0.88	1431	11	<1	26	241	19	<1	0.76	5	<1	<5	<10	40	6	4	<1	<100	<2	110	5	<10	6	27	<1
154091	083635	258	<1	<0.01	1715	<1	<2	8	0.29	5	<1	2	27	5	9.54	8	<1	1	<1	<1	0.15	<1	<1	0.85	1464	8	<1	28	230	18	<1	0.67	9	<1	<5	<10	34	4	3	<1	<100	5	80	5	<10	6	26	<1
154092	083636	154	1	4.57	1622	35	3	16	1.05	7	1	11	51	40	13.69	23	<1	6	<1	<1	<0.01	2	15	1.39	2238	22	<1	70	452	26	<1	2.07	11	<1	<5	<10	74	9	8	<1	126	3	133	9	<10	11	47	178
154093	083637	66	<1	<0.01	215	2	<2	7	0.55	<4	2	2	32	4	3.85	3	<1	<1	<1	<1	0.09	<1	<1	0.64	890	5	<1	32	566	10	<1	0.24	<5	<1	<5	<10	40	<1	2	<1	<100	3	<20	4	<10	5	13	<1
154094	083638	75	<1	<0.01	75	<1	<2	9	0.76	<4	<1	5	43	12	5.08	4	<1	<1	<1	<1	0.12	<1	<1	0.82	1293	6	<1	54	665	13	3	0.61	7	<1	<5	<10	39	2	3	<1	<100	<2	<20	5	<10	5	16	<1
154095	083639	221	<1	1.49	1125	10	<2	9	0.90	4	<1	10	45	40	7.61	9	5	3	<1	<1	0.10	1	5	0.93	1610	14	<1	85	382	19	5	2.13	8	<1	<5	<10	52	3	<1	<1	<100	4	54	7	<10	7	28	52
154096	083640	5666	2	3.93	272	191	2	6	2.09	4	27	111	132	1503	6.31	19	9	2	<1	<1	0.23	8	7	1.17	600	9	9	1269	538	638	127	2.22	12	9	<5	<10	139	4	<1	3	2452	<2	<20	83	32	14	385	56
154098	083641	198	<1	0.64	1017	7	<2	12	0.47	5	2	2	26	7	9.17	10	4	2	<1	<1	0.10	<1	2	0.89	1671	8	<1	30	207	16	<1	0.82	6	<1	<5	<10	42	5	3	<1	<100	8	64	5	<10	6	22	11
154099	083642	272	<1	1.08	940	18	<2	10	0.59	5	2	2	27	6	9.97	12	<1	2	<1	<1	0.07	<1	4	1.25	3468	11	<1	31	200	18	3	0.77	10	<1	<5	<10	46	7	4	<1	<100	2	83	8	<10	7	30	36
154100	083643	225	<1	0.60	1463	8	2	15	0.63	6	<1	2	25	5	11.32	14	3	2	<1	<1	0.21	<1	2	1.29	3226	10	<1	29	215	20	<1	0.62	10	<1	<5	<10	43	6	4	<1	<100	<2	107	7	<10	7	33	10
154101	083644	261	<1	0.05	727	2	2	11	0.39	5	1	2	25	5	9.46	10	2	1	<1	<1	0.12	<1	<1	0.77	1212	8	<1	26	225	18	<1	0.78	8	<1	<5	<10	37	5	5	<1	<100	<2	81	4	10	7	22	<1
154102	083645	164	<1	<0.01	13	<1	<2	4	<0.01	<4	<1	<1	<1	<1	0.05	<1	<1	<1	<1	<1	<0.01	<1	<1	<0.01	<100	<1	<1	<1	<100	<1	<1	<0.01	<5	<1	<5	<10	<3	<1	<1	<1	<100	<2	<20	<2	<10	<2	<1	<1
154103	083646	1284	<1	<0.01	1597	2	<2	20	1.16	8	3	23	27	33	14.33	15	<1	3	<1	<1	0.09	<1	<1	1.85	5489	9	<1	40	318	30	<1	2.37	12	2	<5	<10	44	9	10	<1	<100	4	133	13	<10	7	52	<1
154104	083647	333	<1	0.05	230	3	2	16	0.91	11	3	13	18	34	18.87	22	<1	3	<1	<1	0.12	2	1	2.48	6816	12	1	31	441	35	<1	1.80	13	3	<5	<10	41	11	13	<1	<100	10	232	19	<10	8	77	<1
154105	083648	186	<1	0.05	932	4	<2	14	0.69	6	3	2	20	5	10.75	10	<1	2	<1	<1	0.17	<1	<1	1.49	4181	7	<1	22	497	20	<1	0.38	8	<1	<5	<10	41	8	6	<1	<100	3	105	8	<10	7	33	<1
154106	083649	43	<1	<0.01	203	<1	<2	14	0.18	4	<1	2	36	4	8.28	8	<1	<1	<1	<1	0.11	<1	<1	0.86	1981	7	<1	37	193	17	<1	0.39	7	<1	<5	<10	32	3	5	<1	<100	3	95	5	<10	5	18	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 07/05/2011
Job #: 201142319
Reference:
Sample #: 150

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
154107	083650	<5	<1	5.32	7	845	<2	2	0.94	<4	59	4	23	6	1.24	16	9	4	<1	<1	0.11	27	24	0.43	201	8	3	28	426	30	36	0.04	<5	2	<5	<10	247	<1	<1	14	1056	2	<20	18	<10	7	37	170
154109	083651	72	<1	1.82	454	24	<2	13	0.64	5	3	3	27	5	8.89	13	9	3	<1	<1	0.19	1	6	1.02	2318	11	<1	36	175	18	<1	1.01	5	<1	<5	<10	54	3	3	<1	<100	<2	83	7	<10	7	23	80
154110	083652	48	<1	1.98	305	20	2	11	0.55	4	2	2	28	3	8.08	11	7	3	<1	<1	0.16	<1	6	0.98	1745	10	<1	28	151	19	1	0.66	5	<1	<5	<10	53	3	<1	<1	<100	5	54	5	<10	7	23	82
154111	083653	251	<1	1.75	1587	20	<2	12	0.52	4	<1	2	30	5	7.21	11	9	3	<1	<1	0.22	<1	6	0.89	1688	9	<1	29	131	17	9	1.12	7	<1	<5	<10	55	3	<1	<1	<100	2	47	6	<10	6	22	73
154112	083654	448	<1	1.19	3016	14	2	10	0.42	5	<1	2	27	7	9.20	11	3	2	<1	<1	0.08	<1	4	0.93	1447	10	<1	35	210	17	<1	1.38	13	<1	<5	<10	46	3	5	<1	<100	<2	69	6	<10	6	25	42
154113	083655	455	<1	1.12	3267	13	<2	17	0.42	5	<1	3	30	7	9.49	10	6	2	<1	<1	0.09	1	3	0.94	1504	10	<1	37	216	17	3	1.45	11	<1	<5	<10	45	4	3	<1	<100	3	82	6	<10	6	27	34
154114	083656	354	5	0.96	2035	14	<2	9	0.60	5	<1	4	21	5	10.20	13	4	2	<1	<1	0.11	<1	3	1.24	2370	8	<1	25	125	20	<1	1.10	10	<1	<5	<10	47	2	2	<1	<100	<2	91	7	<10	6	30	30
154115	083657	191	<1	<0.01	483	3	2	13	0.51	7	2	3	25	5	12.12	14	<1	1	<1	<1	0.09	<1	<1	1.48	3653	9	<1	30	119	25	<1	0.99	6	<1	<5	<10	38	6	5	<1	<100	<2	125	8	<10	6	37	<1
154116	083658	36	<1	1.19	224	18	<2	14	1.49	4	13	11	109	10	7.21	10	4	1	<1	4	0.21	5	11	1.94	1221	<1	4	92	400	15	<1	0.31	7	4	<5	<10	123	2	<1	<1	<100	<2	38	31	<10	6	45	<1
154117	083659	32	<1	0.33	42	6	<2	<1	0.80	<4	7	3	33	8	2.59	1	<1	<1	<1	<1	0.09	<1	2	0.70	729	<1	<1	31	194	5	<1	0.19	<5	<1	<5	<10	57	<1	<1	<1	<100	2	<20	6	<10	5	17	<1
154118	083660	17	<1	<0.01	56	<1	<2	5	0.13	<4	<1	1	27	5	4.46	2	<1	<1	<1	<1	0.13	<1	<1	0.64	1200	2	<1	26	143	9	<1	0.14	8	<1	<5	<10	30	<1	<1	<1	<100	<2	<20	4	<10	4	13	<1
154119D	083660	16	<1	1.85	61	16	<2	4	0.48	<4	<1	2	25	5	4.65	8	6	3	<1	<1	0.11	<1	7	0.78	1247	7	<1	28	176	10	10	0.15	7	<1	<5	<10	55	2	<1	<1	<100	<2	<20	5	<10	6	18	84
154120	083661	90	<1	1.10	425	9	<2	10	0.51	4	1	2	25	6	8.36	9	5	2	<1	<1	0.10	<1	3	1.04	2099	8	<1	27	278	13	<1	0.44	8	<1	<5	<10	47	3	<1	<1	<100	<2	72	5	<10	7	26	33
154121	083662	126	<1	1.41	945	10	<2	14	0.38	4	1	2	28	4	9.01	11	5	3	<1	<1	0.17	<1	4	0.94	1534	9	<1	28	197	14	6	0.51	8	<1	<5	<10	46	6	<1	<1	<100	5	63	5	<10	7	22	57
154122	083663	63	<1	1.58	371	11	<2	13	0.43	4	3	1	25	5	8.04	9	5	3	<1	<1	0.13	<1	5	0.88	1391	9	<1	29	227	14	7	0.28	8	<1	<5	<10	49	3	4	<1	<100	3	59	4	<10	7	23	61
154123	083664	5	<1	1.42	13	15	<2	12	0.48	<4	<1	2	38	6	5.82	8	7	2	<1	<1	0.10	<1	5	0.84	1749	7	<1	43	342	11	<1	0.21	<5	<1	<5	<10	52	3	1	<1	<100	<2	35	6	<10	6	17	59
154124	083665	<5	<1	1.04	14	9	<2	3	0.27	<4	<1	2	41	5	3.94	7	5	1	<1	<1	0.12	<1	3	0.58	879	7	<1	48	173	10	9	0.13	<5	<1	<5	<10	45	2	<1	<1	<100	2	<20	5	<10	6	10	38
154125	083666	50	1	1.71	44	14	2	13	0.76	8	3	13	24	44	15.97	21	1	4	<1	<1	0.07	1	7	2.17	5915	12	2	43	206	29	<1	2.61	19	5	<5	<10	52	9	6	<1	<100	3	179	28	<10	8	82	47
154126	083667	185	1	4.47	463	128	3	17	0.12	15	2	112	168	384	20.34	39	2	5	<1	<1	<0.01	3	12	1.19	1544	22	4	230	467	85	2	>10.00	46	7	<5	<10	126	9	11	3	171	4	276	82	17	9	1500	68
154127	083668	26	<1	0.60	256	22	2	20	0.97	7	3	29	30	91	12.15	14	<1	2	<1	<1	0.13	1	2	1.57	3633	8	1	76	294	29	<1	4.11	10	3	<5	<10	50	9	5	<1	<100	3	119	14	<10	6	165	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 07/05/2011
Job #: 201142319
Reference:
Sample #: 150

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
154128	083669	12	<1	0.54	87	5	<2	13	0.75	5	<1	5	24	18	9.92	10	2	2	<1	<1	0.19	<1	2	1.16	2397	8	<1	31	619	17	<1	1.16	8	<1	<5	<10	43	4	3	<1	<100	2	96	6	<10	7	32	8
154129	083670	14848	6	3.96	24	305	<2	4	2.37	<4	21	24	70	134	3.93	15	5	1	<1	<1	0.18	2	5	1.28	566	5	11	44	713	34	427	0.98	8	12	<5	<10	132	3	<1	2	3238	6	<20	100	<10	17	138	<1
154131	083671	34	<1	1.25	116	10	<2	9	0.88	4	<1	7	26	30	8.16	10	4	2	<1	<1	0.13	<1	4	1.10	2111	7	<1	29	254	21	7	1.42	9	1	<5	<10	51	5	<1	<1	<100	4	38	7	<10	6	34	37
154132	083672	6	<1	0.80	9	10	2	12	0.94	7	<1	5	22	11	12.94	16	<1	3	<1	<1	0.06	1	3	1.66	4178	10	<1	26	470	25	<1	0.62	8	1	<5	<10	47	9	7	<1	<100	6	139	8	<10	7	35	18
154133	083673	30	<1	1.77	25	24	3	22	1.01	12	4	14	19	51	20.81	27	<1	4	<1	<1	0.17	2	7	2.63	6596	17	2	34	249	37	<1	2.37	21	2	<5	<10	53	13	10	<1	<100	12	258	18	<10	9	151	43
154134	083674	<5	<1	2.35	5	19	2	14	0.93	6	3	4	18	20	10.83	15	7	3	<1	<1	0.21	<1	7	1.51	3800	10	<1	28	481	16	<1	1.38	7	<1	<5	<10	57	8	2	1	<100	<2	141	7	<10	8	36	88
154135	083675	69	1	3.54	146	66	3	16	1.15	9	3	17	31	40	16.57	26	8	5	<1	<1	0.20	2	11	2.00	4726	15	1	32	614	35	<1	2.44	16	2	<5	<10	75	10	7	1	125	<2	177	16	<10	10	99	108
154136	083676	11	<1	1.20	52	11	2	27	0.99	9	4	3	14	4	16.54	21	5	3	<1	<1	0.11	<1	4	2.09	5121	13	<1	15	216	30	<1	0.39	9	<1	<5	<10	50	9	6	<1	<100	4	179	7	<10	7	42	42
154137	083677	15	<1	0.89	44	8	2	20	1.03	8	<1	3	19	12	14.42	19	2	3	<1	<1	0.13	<1	3	1.74	4350	11	<1	19	345	25	<1	1.03	11	<1	<5	<10	48	5	7	<1	<100	2	152	6	<10	7	35	24
154138	083678	18	<1	0.16	17	2	<2	13	0.62	<4	<1	4	22	7	6.36	6	<1	1	<1	<1	0.09	<1	<1	0.95	1751	4	<1	26	<100	14	<1	0.33	6	<1	<5	<10	41	2	<1	<1	<100	2	32	4	<10	5	26	<1
154139	083679	142	2	2.37	209	93	2	32	1.24	12	3	49	44	101	21.28	32	<1	5	<1	<1	0.08	2	5	2.34	8313	17	2	67	244	57	<1	5.99	21	6	<5	<10	60	11	11	1	134	17	265	39	26	9	244	35
154140	083680	<5	<1	3.57	2	717	<2	6	0.69	<4	123	6	16	6	1.53	11	<1	2	<1	<1	0.09	55	12	0.49	199	3	5	20	880	28	53	0.04	5	4	<5	<10	204	<1	<1	37	1301	<2	<20	23	<10	14	46	55
154142	083681	7	<1	<0.01	18	<1	<2	9	0.45	4	2	6	30	27	7.96	6	<1	<1	<1	<1	0.17	<1	<1	1.00	2985	5	<1	37	464	18	<1	1.39	6	2	<5	<10	31	4	3	<1	<100	5	59	7	<10	4	25	<1
154143	083682	122	2	5.83	77	246	2	13	0.53	10	3	56	95	166	14.33	36	10	6	<1	<1	0.12	2	9	1.20	4663	19	6	106	551	53	27	7.65	23	7	<5	<10	100	9	5	<1	364	11	192	95	15	9	888	163
154144	083683	37	1	1.60	108	38	3	29	1.75	11	3	21	19	70	19.95	25	<1	3	<1	<1	0.16	1	4	2.27	7727	16	2	39	298	43	<1	3.97	21	7	<5	<10	57	11	10	<1	108	2	211	29	<10	7	162	26
154145	083684	<5	<1	1.08	6	8	<2	2	0.59	<4	<1	2	56	3	4.77	6	2	2	<1	<1	0.09	<1	3	0.73	1823	13	<1	87	281	8	5	0.32	5	<1	<5	<10	47	1	<1	<1	<100	3	<20	7	<10	6	29	37
154146	083685	<5	<1	1.77	3	15	<2	7	0.59	<4	<1	2	167	6	4.94	6	7	3	<1	<1	0.27	<1	6	0.69	1697	41	<1	303	213	10	<1	0.26	6	<1	<5	<10	53	3	<1	<1	<100	2	<20	15	<10	6	26	81
154147	083686	22	1	2.34	287	15	<2	17	1.59	11	3	20	33	105	18.78	25	4	5	<1	<1	0.20	<1	8	2.37	9247	20	2	69	146	41	<1	4.41	19	6	<5	<10	65	15	11	<1	<100	8	225	21	<10	8	97	97
154148	083687	221	2	3.99	223	103	3	21	0.24	14	7	74	68	262	18.60	34	<1	4	<1	<1	<0.01	4	4	1.42	6157	20	4	124	306	55	2	>10.00	26	9	<5	<10	65	8	9	1	234	9	230	63	17	9	1595	76
154149	083688	59	<1	1.62	127	38	<2	13	0.82	8	2	22	40	87	14.60	19	<1	3	<1	<1	0.06	2	5	1.86	6707	13	2	69	275	33	<1	3.50	15	6	<5	<10	51	9	6	<1	107	10	154	25	<10	7	185	23

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 07/05/2011
Job #: 201142319
Reference:
Sample #: 150

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
154150	083689	<5	<1	<0.01	6	<1	<2	17	0.23	<4	1	3	37	10	4.83	4	<1	<1	<1	<1	0.17	<1	<1	0.71	1935	5	<1	41	142	11	<1	0.54	<5	<1	<5	<10	34	2	<1	<1	<100	<2	<20	5	<10	5	31	<1
154151	083690	34	<1	<0.01	62	2	<2	7	0.23	4	<1	10	61	53	7.80	6	<1	<1	<1	<1	0.06	<1	<1	0.98	3511	12	1	103	171	19	<1	1.89	11	3	<5	<10	30	5	4	<1	<100	6	42	15	<10	4	97	<1
154152D	083690	27	<1	<0.01	74	3	<2	14	0.24	4	<1	11	47	53	7.69	7	<1	<1	<1	<1	0.12	1	<1	0.98	3507	8	<1	69	169	17	<1	1.91	7	3	<5	<10	31	4	<1	<1	<100	4	41	13	<10	5	96	<1
154153	083691	138	1	0.83	125	73	2	12	0.11	6	4	25	76	131	9.19	13	<1	<1	1	<1	0.18	3	<1	0.80	1579	12	1	100	352	34	6	4.34	18	3	<5	<10	39	5	3	1	130	<2	78	32	<10	6	404	<1
154154	083692	145	<1	<0.01	273	7	<2	11	0.09	4	2	11	34	28	8.21	6	<1	<1	<1	<1	<0.01	1	<1	1.08	2636	3	1	29	216	17	<1	1.43	8	2	<5	<10	22	6	3	<1	<100	2	65	17	<10	4	94	<1
154155	083693	33	<1	<0.01	84	<1	<2	17	0.70	6	2	2	25	7	11.29	9	<1	<1	<1	<1	0.07	<1	<1	1.45	3536	7	<1	30	123	18	<1	0.59	6	<1	<5	<10	28	6	6	<1	<100	2	99	5	<10	4	39	<1
154156	083694	101	<1	<0.01	449	<1	2	14	0.75	9	2	4	17	13	17.47	18	<1	1	<1	<1	0.11	<1	<1	1.98	6210	11	<1	24	643	31	<1	1.05	14	<1	<5	<10	29	10	7	<1	<100	2	169	7	<10	6	55	<1
154157	083695	211	<1	<0.01	554	<1	2	22	1.12	9	4	3	14	7	16.40	15	<1	<1	<1	<1	0.16	<1	<1	1.95	5154	10	<1	20	555	28	<1	0.88	8	<1	<5	<10	33	8	10	<1	<100	5	187	7	<10	6	49	<1
154158	083696	132	<1	<0.01	1097	<1	2	12	0.43	7	<1	3	24	8	13.43	13	<1	<1	<1	<1	<0.01	<1	<1	1.53	3468	9	<1	30	213	22	<1	0.90	8	<1	<5	<10	25	7	6	<1	<100	<2	157	6	<10	4	40	<1
154159	083697	2303	<1	<0.01	5450	<1	<2	12	0.20	5	<1	2	28	8	8.62	7	<1	<1	<1	<1	0.01	<1	<1	0.89	1876	6	<1	40	<100	16	<1	1.02	9	<1	<5	<10	26	6	2	2	<100	4	74	5	<10	4	31	<1
154160	083698	511	<1	1.25	3080	13	2	17	1.50	6	3	8	25	18	11.42	14	4	2	<1	<1	0.09	1	4	1.59	3161	10	1	34	593	21	<1	1.26	8	<1	<5	<10	58	6	2	<1	<100	<2	98	9	<10	7	61	21
154161	083699	230	1	2.18	2073	49	2	15	0.93	8	1	5	27	15	14.63	19	1	4	<1	<1	0.15	2	6	2.04	5032	12	1	28	220	27	<1	0.94	11	2	<5	<10	57	8	6	<1	104	2	176	13	<10	8	79	59
154162	083700	1069	<1	4.76	2	88	<2	8	3.85	<4	38	32	100	40	5.35	20	5	2	<1	<1	0.20	9	3	2.18	886	<1	20	27	778	19	35	0.10	5	20	<5	<10	166	5	<1	3	4976	10	<20	165	<10	28	80	36
154164	083701	254	<1	0.26	2066	15	2	19	0.66	11	4	10	23	38	20.69	27	<1	3	<1	<1	0.08	2	1	2.47	7165	15	1	32	256	31	<1	2.20	15	3	<5	<10	39	12	12	<1	<100	6	278	19	<10	8	126	<1
154165	083702	614	1	<0.01	3928	28	3	27	1.16	14	6	15	26	54	25.43	31	<1	3	<1	<1	0.09	2	<1	2.96	8994	18	1	37	266	47	<1	2.92	16	3	<5	<10	40	14	14	<1	<100	6	346	24	<10	7	148	<1
154166	083703	1024	1	1.09	5538	103	3	24	0.58	13	4	30	35	75	21.47	30	<1	3	<1	<1	0.11	3	2	2.43	6442	17	2	48	456	50	<1	4.55	20	4	<5	<10	46	13	14	<1	127	16	290	35	16	8	490	<1
154167	083704	146	<1	<0.01	743	<1	<2	11	0.52	6	2	3	26	4	11.52	8	<1	<1	<1	<1	<0.01	<1	<1	1.48	3120	6	<1	34	111	21	<1	0.65	8	<1	<5	<10	21	4	4	<1	<100	3	127	7	<10	3	42	<1
154168	083705	104	<1	<0.01	410	<1	2	14	0.45	5	2	2	44	3	9.99	7	<1	<1	<1	<1	<0.01	<1	<1	1.32	2720	10	<1	69	162	13	<1	0.40	9	<1	<5	<10	24	4	4	<1	<100	<2	90	7	<10	4	33	<1
154169	083706	1672	1	<0.01	15171	28	3	32	0.72	14	4	28	23	59	24.28	28	<1	2	<1	<1	<0.01	1	<1	2.82	8043	18	1	37	427	48	<1	3.98	21	4	<5	<10	31	12	16	<1	<100	8	335	24	<10	7	191	<1
154170	083707	587	<1	<0.01	6008	16	2	23	0.94	11	4	18	23	68	19.18	22	<1	1	<1	<1	<0.01	<1	<1	2.34	5777	12	2	46	465	37	<1	4.08	14	2	<5	<10	32	8	10	<1	<100	8	269	17	<10	6	123	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 07/05/2011
Job #: 201142319
Reference:
Sample #: 150

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
154171	083708	588	<1	<0.01	8977	<1	2	11	0.46	5	2	10	32	52	10.30	8	<1	<1	<1	<1	<0.01	<1	<1	1.24	3267	7	<1	55	630	20	<1	2.60	16	<1	<5	<10	26	7	2	<1	<100	2	110	8	<10	5	64	<1
154172	083709	93	<1	1.71	392	19	2	16	0.92	7	2	5	22	20	13.96	19	3	3	<1	<1	0.11	2	5	1.96	4737	13	2	31	971	25	<1	1.13	12	2	<5	<10	56	9	7	<1	<100	5	184	12	<10	9	66	48
154173	083710	5973	2	3.96	269	186	2	7	1.99	4	25	108	133	1490	6.37	16	1	2	<1	<1	0.21	11	5	1.19	592	7	8	1218	522	633	107	2.22	8	10	<5	<10	132	4	1	3	2239	3	<20	80	31	15	383	23
154175	083711	1718	<1	2.43	7944	59	2	13	0.92	7	3	18	32	55	12.60	18	10	4	<1	<1	0.17	2	7	1.64	4002	13	<1	54	300	25	<1	3.46	17	2	<5	<10	60	6	7	<1	117	3	132	17	<10	8	187	79
154176	083712	600	<1	0.53	6955	17	2	22	0.64	8	1	28	27	69	13.18	16	<1	2	<1	<1	0.03	2	1	1.39	3207	11	<1	60	318	27	<1	5.41	14	3	<5	<10	51	5	7	<1	<100	<2	129	16	<10	7	198	<1
154177	083713	357	<1	<0.01	1796	<1	<2	11	0.54	<4	1	2	23	13	6.12	3	<1	<1	<1	<1	0.04	<1	<1	0.84	1764	2	<1	29	170	11	<1	0.87	<5	<1	<5	<10	29	3	3	<1	<100	5	<20	6	<10	4	25	<1
154178	083714	476	<1	<0.01	1426	<1	<2	21	0.72	5	2	3	22	13	9.89	10	<1	<1	<1	<1	0.12	<1	<1	1.27	3239	6	<1	26	156	18	<1	1.29	8	<1	<5	<10	34	4	2	<1	<100	<2	106	8	<10	5	41	<1
154179	083715	1355	<1	<0.01	1137	<1	<2	13	0.28	5	<1	4	24	15	9.99	6	<1	<1	<1	<1	<0.01	<1	<1	1.16	2997	3	<1	26	175	17	<1	1.19	7	<1	<5	<10	20	5	7	<1	<100	3	121	8	<10	3	40	<1
154180	083716	1025	<1	<0.01	1432	50	2	12	0.69	8	2	29	80	45	14.30	17	<1	<1	<1	<1	<0.01	2	<1	1.51	3492	11	2	84	305	34	<1	5.68	13	4	<5	<10	36	9	8	<1	<100	2	147	32	11	6	234	<1
154181	083717	321	<1	<0.01	323	<1	2	17	0.46	6	1	7	68	24	11.43	11	<1	<1	<1	<1	<0.01	<1	<1	1.27	2755	16	<1	112	394	22	<1	1.39	8	1	<5	<10	26	7	5	<1	<100	<2	100	12	<10	5	46	<1
154182	083718	223	<1	<0.01	676	<1	<2	7	0.32	4	<1	5	45	19	8.33	6	<1	<1	<1	<1	0.06	<1	<1	0.78	1544	9	<1	64	180	17	<1	1.98	7	<1	<5	<10	29	3	2	<1	<100	<2	70	6	<10	4	29	<1
154183	083719	279	<1	<0.01	57	<1	<2	21	0.92	10	5	7	27	18	18.17	17	<1	<1	<1	<1	<0.01	<1	<1	2.06	4906	12	<1	41	426	30	<1	0.88	12	1	<5	<10	28	11	8	<1	<100	4	205	13	<10	6	64	<1
154184	083720	8	<1	6.27	2	760	<2	5	1.09	<4	64	5	47	3	1.46	15	9	2	<1	<1	0.25	33	21	0.52	286	11	4	81	394	24	33	0.03	6	2	<5	<10	374	<1	<1	16	1175	6	<20	20	<10	12	31	79
154186	083721	205	<1	1.10	56	16	2	20	1.03	9	1	8	36	25	16.20	21	6	3	<1	<1	0.22	2	4	2.00	4307	15	1	46	529	32	<1	1.37	11	2	<5	<10	52	7	6	<1	<100	2	185	14	<10	8	73	26
154187	083722	378	<1	2.35	1090	22	<2	9	0.89	4	<1	7	36	23	8.98	14	15	3	<1	<1	0.16	1	7	1.17	2269	12	<1	52	333	20	<1	1.70	5	<1	<5	<10	58	5	<1	<1	<100	<2	52	8	<10	7	35	89
154188	083723	885	<1	1.02	397	72	3	18	0.61	12	4	24	53	69	19.92	27	<1	3	<1	<1	0.11	3	<1	1.89	4934	16	1	78	312	46	<1	6.47	16	4	<5	<10	44	8	12	<1	117	4	290	34	<10	7	368	<1
154189	083724	463	<1	<0.01	606	<1	<2	18	0.74	5	3	6	34	23	10.01	7	<1	<1	<1	<1	0.07	<1	<1	1.25	2869	6	<1	45	183	19	<1	1.41	8	<1	<5	<10	29	4	5	<1	<100	5	87	8	<10	4	38	<1
154190	083725	389	<1	<0.01	692	<1	2	9	0.78	5	2	5	31	16	9.34	8	<1	<1	<1	<1	0.11	<1	<1	1.18	2687	5	<1	40	250	20	<1	1.21	7	<1	<5	<10	32	4	4	<1	<100	5	58	8	<10	4	32	<1
154191	083726	1032	<1	<0.01	2251	<1	<2	12	0.69	6	1	5	29	21	10.71	10	<1	<1	<1	<1	0.01	<1	<1	1.45	3331	7	<1	39	383	20	<1	1.33	6	<1	<5	<10	31	7	5	<1	<100	<2	70	10	<10	5	55	<1
154192	083727	1642	<1	<0.01	2245	<1	2	20	0.67	9	3	8	20	28	16.54	18	<1	1	<1	<1	0.09	<1	<1	1.99	5289	10	<1	26	363	32	<1	1.86	11	1	<5	<10	30	9	7	<1	<100	3	164	12	<10	6	67	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 07/05/2011
Job #: 201142319
Reference:
Sample #: 150

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
154193	083728	632	<1	<0.01	2341	<1	<2	9	0.49	6	1	4	23	9	10.82	9	<1	<1	<1	<1	<0.01	<1	<1	1.36	3542	5	1	30	529	20	<1	0.97	9	<1	<5	<10	24	7	4	<1	<100	<2	94	7	<10	5	41	<1
154194	083729	592	<1	<0.01	4837	<1	<2	21	0.17	5	<1	5	24	16	9.67	6	<1	<1	<1	<1	<0.01	<1	<1	0.99	2082	4	<1	34	195	14	<1	1.74	9	<1	<5	<10	18	6	6	<1	<100	2	100	6	<10	3	34	<1
154195	083730	274	<1	<0.01	961	<1	<2	11	0.57	7	2	4	35	14	12.16	8	<1	<1	<1	<1	<0.01	<1	<1	1.48	3569	7	<1	49	717	19	<1	1.32	7	<1	<5	<10	21	6	8	<1	<100	<2	114	8	<10	4	46	<1
154196D	083730	273	<1	1.20	860	14	<2	17	0.90	6	1	4	31	13	11.20	15	10	3	<1	<1	0.29	<1	3	1.52	3284	12	<1	47	711	20	<1	1.20	9	<1	<5	<10	49	5	3	<1	<100	<2	85	8	<10	8	43	31
154197	083731	456	<1	0.74	3781	14	2	12	1.03	7	3	9	39	38	13.07	16	<1	3	<1	<1	0.06	<1	2	1.63	3673	13	<1	59	275	25	<1	2.60	10	<1	<5	<10	51	8	7	<1	<100	3	140	10	<10	6	55	15
154198	083732	947	<1	1.47	3997	49	2	9	1.11	8	2	31	44	95	15.31	21	<1	3	<1	<1	0.13	3	4	1.74	3961	15	2	71	588	29	<1	5.31	12	3	<5	<10	58	8	8	1	103	<2	150	24	<10	8	121	26
154199	083733	278	<1	0.53	1343	25	2	6	0.34	4	<1	4	51	21	7.86	8	<1	1	<1	<1	0.11	<1	<1	1.04	2434	11	<1	59	242	15	<1	1.34	7	<1	<5	<10	40	3	3	<1	<100	7	45	12	<10	6	67	<1
154200	083734	2845	<1	0.31	2305	18	2	12	1.33	7	5	8	28	45	13.53	16	<1	2	<1	<1	0.11	<1	<1	1.71	4526	9	<1	36	229	31	<1	2.88	9	1	<5	<10	48	6	9	<1	<100	4	153	13	<10	6	71	<1
154201	083735	2443	<1	<0.01	2005	5	<2	24	0.81	7	1	8	27	36	12.68	12	<1	<1	<1	<1	0.03	<1	<1	1.47	4046	8	<1	38	166	24	<1	3.03	12	1	<5	<10	30	6	4	<1	<100	4	113	11	<10	5	64	<1
154202	083736	253	<1	<0.01	733	<1	<2	14	0.81	9	3	4	23	10	15.69	15	<1	1	<1	<1	0.14	<1	<1	1.94	5802	9	1	24	222	26	<1	1.00	10	1	<5	<10	31	10	8	<1	<100	7	203	12	<10	6	57	<1
154203	083737	367	<1	<0.01	211	<1	<2	17	2.38	8	3	6	21	23	14.23	13	<1	1	<1	<1	0.07	<1	<1	1.91	5038	8	1	27	311	25	<1	1.50	11	2	<5	<10	46	7	7	<1	<100	3	122	12	<10	6	65	<1
154204	083738	37	<1	<0.01	24	<1	2	16	1.72	8	4	4	21	9	14.25	13	<1	<1	<1	<1	<0.01	<1	<1	1.80	4525	8	<1	23	309	24	<1	0.42	8	<1	<5	<10	35	5	7	<1	<100	<2	130	9	<10	5	47	<1
154205	083739	504	<1	<0.01	477	<1	<2	10	0.35	5	1	5	31	21	10.00	8	<1	<1	<1	<1	<0.01	<1	<1	1.18	3018	5	<1	30	<100	19	<1	1.16	7	<1	<5	<10	24	4	7	<1	<100	<2	85	9	<10	4	53	<1
154206	083740	13617	6	<0.01	27	326	<2	9	1.47	<4	13	21	56	132	3.45	6	<1	<1	<1	<1	0.04	1	<1	0.98	477	2	9	41	494	28	277	0.97	<5	10	<5	<10	73	2	<1	<1	2720	<2	<20	85	<10	14	131	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. BSc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 06/30/2011
Job #: 201142320
Reference:
Sample #: 142

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
154208	083741	126	<1	<0.01	187	<1	<2	11	0.25	4	<1	2	17	12	7.05	7	<1	<1	<1	<1	<0.01	<1	<1	0.93	2545	4	<1	24	108	18	<1	0.64	6	<1	<5	<10	37	4	2	<1	<100	<2	43	5	<10	5	31	<1
154209	083742	1360	<1	0.47	2745	92	2	27	1.63	11	2	23	85	86	17.91	22	<1	3	<1	<1	0.15	2	3	2.58	5107	11	3	101	524	37	3	5.20	19	4	<5	<10	130	10	11	3	107	3	220	35	<10	7	258	<1
154210	083743	612	1	0.85	4232	22	2	25	0.61	7	1	33	50	75	11.70	14	<1	2	<1	<1	0.04	1	2	1.34	2713	10	<1	62	421	31	<1	4.10	12	3	<5	<10	60	5	9	<1	<100	2	115	17	<10	7	157	3
154211	083744	336	<1	<0.01	3138	<1	2	9	0.56	4	2	5	23	32	7.68	6	<1	<1	<1	<1	0.02	<1	<1	1.00	2090	4	<1	30	268	17	<1	1.59	5	<1	<5	<10	36	3	3	<1	<100	3	68	6	<10	4	42	<1
154212	083745	2957	<1	0.28	8258	12	2	21	1.68	7	4	14	36	60	11.74	13	2	2	<1	<1	<0.01	1	<1	1.65	2750	8	2	36	179	24	<1	3.39	14	2	<5	<10	56	7	5	<1	<100	2	88	16	<10	6	221	<1
154213	083746	2399	<1	<0.01	5855	18	2	20	2.94	8	8	26	22	100	13.53	17	<1	2	<1	<1	0.15	1	<1	2.11	3224	8	2	47	188	26	6	4.02	9	4	<5	<10	71	8	6	1	<100	3	91	22	<10	6	364	<1
154214	083747	1411	<1	0.75	3129	33	2	17	1.63	8	3	13	17	78	12.53	17	<1	2	<1	<1	0.12	2	1	1.92	2820	8	2	36	493	31	<1	3.23	13	2	<5	<10	57	6	5	<1	107	<2	79	19	11	7	291	<1
154215	083748	862	1	0.96	1020	22	3	24	0.29	14	1	21	29	76	21.14	28	<1	4	<1	<1	0.17	2	<1	0.61	1307	24	<1	128	141	50	<1	>10.00	14	2	<5	<10	50	11	13	<1	137	7	270	19	13	6	630	12
154216	083749	373	<1	<0.01	137	5	<2	15	0.67	<4	<1	3	25	28	5.87	6	<1	<1	<1	<1	0.05	<1	<1	0.89	1773	4	<1	32	<100	16	3	1.10	5	<1	<5	<10	43	4	2	<1	<100	<2	<20	6	<10	4	35	<1
154217	083750	8	<1	4.11	6	772	<2	15	0.81	<4	74	5	19	5	1.22	13	<1	3	<1	1	0.13	35	20	0.41	203	5	3	28	366	28	41	0.04	<5	2	<5	<10	234	<1	<1	19	1085	2	<20	17	<10	7	32	115
154219	083751	1059	<1	<0.01	1304	<1	<2	8	0.80	<4	3	18	21	6.11	5	<1	<1	<1	<1	0.02	<1	<1	0.88	1542	4	<1	30	305	13	<1	1.20	6	<1	<5	<10	41	2	<1	<1	<100	<2	21	5	<10	5	38	<1	
154220	083752	505	<1	<0.01	3416	<1	<2	5	0.68	4	<1	8	27	70	7.67	8	<1	<1	<1	<1	0.05	<1	<1	0.90	1854	9	<1	36	473	17	<1	2.34	5	<1	<5	<10	39	2	2	<1	<100	4	66	9	<10	5	50	<1
154221	083753	539	<1	0.15	2740	3	<2	12	0.35	5	<1	3	22	26	9.95	11	<1	1	<1	<1	0.25	<1	<1	1.16	2601	7	<1	27	156	20	3	1.36	11	<1	<5	<10	39	5	5	<1	<100	4	102	7	<10	5	41	<1
154222	083754	1278	<1	<0.01	6084	<1	<2	15	0.67	4	3	7	37	43	7.89	7	<1	<1	<1	<1	<0.01	<1	<1	0.93	1811	4	<1	31	218	16	<1	2.42	11	<1	<5	<10	35	4	3	<1	<100	6	69	6	<10	4	38	<1
154223	083755	1139	<1	<0.01	5438	<1	<2	8	0.74	4	3	6	65	50	7.34	6	<1	<1	<1	<1	0.02	<1	<1	0.90	1697	5	<1	38	181	15	1	2.20	13	<1	<5	<10	35	3	<1	1	<100	2	45	6	<10	4	38	<1
154224	083756	1020	<1	<0.01	7637	2	2	17	1.02	6	4	16	20	122	10.49	11	<1	<1	<1	<1	0.07	<1	<1	1.23	2738	9	<1	45	237	22	<1	4.15	11	1	<5	<10	44	3	6	<1	<100	<2	70	10	<10	5	64	<1
154225	083757	4701	1	<0.01	10058	<1	<2	11	1.63	6	8	21	24	126	10.96	11	<1	1	<1	<1	0.02	<1	<1	1.34	3024	7	<1	39	286	25	<1	4.13	15	2	<5	<10	54	5	5	<1	<100	<2	80	10	<10	5	134	<1
154226	083758	4933	1	2.83	9676	148	3	16	2.05	11	7	57	38	140	14.33	25	<1	4	<1	<1	0.14	3	<1	1.36	2784	22	3	63	1268	44	12	8.42	24	4	<5	<10	75	7	4	2	329	<2	133	49	21	9	858	35
154227	083759	480	<1	<0.01	9073	24	<2	20	1.19	<4	8	31	26	29	6.00	6	<1	<1	<1	<1	<0.01	2	<1	0.81	1228	10	<1	34	174	17	<1	2.23	13	1	<5	<10	50	2	2	<1	<100	<2	37	16	<10	5	36	<1
154228	083760	2415	<1	1.30	2494	76	<2	5	1.45	4	9	4	42	32	6.32	10	<1	1	<1	<1	0.09	3	<1	1.04	1784	4	2	35	199	16	8	1.27	16	1	<5	<10	56	3	1	<1	170	<2	<20	21	<10	6	133	2

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. Binc, Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 06/30/2011
Job #: 201142320
Reference:
Sample #: 142

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
154229D	083760	2477	<1	1.42	2528	77	<2	15	1.46	4	11	5	36	32	6.28	11	<1	1	<1	<1	0.33	2	<1	1.04	1781	4	1	34	209	17	13	1.24	12	1	<5	<10	59	1	2	3	172	<2	<20	21	<10	6	141	7
154230	083761	2500	<1	0.44	9810	6	2	12	0.63	4	<1	16	24	64	8.66	9	<1	1	<1	<1	0.11	<1	1	1.01	1841	10	<1	34	160	20	8	2.39	15	<1	<5	<10	43	6	3	2	<100	2	55	8	<10	5	37	6
154231	083762	854	<1	<0.01	3195	<1	<2	9	1.13	<4	7	5	21	26	4.46	1	<1	<1	<1	0.09	<1	<1	0.71	1016	3	<1	28	267	9	3	1.35	9	<1	<5	<10	41	3	<1	<1	<100	<2	<20	5	<10	4	26	<1	
154232	083763	409	<1	<0.01	2657	<1	<2	13	0.63	5	3	2	21	11	9.13	9	<1	1	<1	<1	0.10	<1	<1	1.08	1704	6	<1	25	286	17	<1	1.01	7	<1	<5	<10	38	5	3	<1	<100	3	58	6	<10	5	44	<1
154233	083764	747	<1	<0.01	3500	6	2	11	0.76	11	3	13	17	149	19.55	22	<1	3	<1	<1	0.13	1	<1	2.07	5923	14	1	43	210	42	<1	6.47	17	3	<5	<10	38	12	11	1	110	9	273	20	<10	6	109	<1
154234	083765	3083	1	0.69	2472	10	3	21	1.03	11	4	13	16	130	20.17	25	<1	3	<1	<1	0.13	1	<1	2.18	6764	15	1	45	205	37	<1	6.47	17	3	<5	<10	46	13	11	<1	118	12	263	22	<10	7	119	<1
154235	083766	213	<1	<0.01	244	<1	<2	10	0.47	<4	<1	3	24	19	4.93	2	<1	<1	<1	0.03	<1	<1	0.75	1473	<1	<1	24	<100	9	<1	0.88	<5	<1	<5	<10	30	2	<1	<1	<100	3	<20	5	<10	3	27	<1	
154236	083767	221	<1	<0.01	322	5	<2	10	0.66	4	3	4	22	32	8.53	8	<1	<1	<1	0.05	<1	<1	1.12	2519	6	<1	29	216	19	<1	1.36	9	<1	<5	<10	39	3	7	<1	<100	6	74	6	<10	5	46	<1	
154237	083768	135	<1	<0.01	534	7	<2	15	0.21	4	<1	2	23	11	7.56	6	<1	<1	<1	0.03	<1	<1	0.87	1698	4	<1	27	177	12	3	0.54	11	<1	<5	<10	27	3	4	<1	<100	2	43	6	<10	4	39	<1	
154238	083769	733	<1	<0.01	2248	12	<2	14	0.62	6	2	3	31	40	10.76	10	1	<1	<1	<1	0.06	<1	<1	1.22	2381	7	<1	31	578	21	<1	1.88	16	<1	<5	<10	38	6	5	<1	<100	3	102	7	<10	5	64	<1
154239	083770	984	<1	0.47	5	34	<2	9	2.51	<4	34	27	83	38	4.61	10	<1	<1	<1	0.23	8	<1	1.80	772	<1	16	23	678	12	27	0.08	<5	17	<5	<10	90	4	<1	1	4222	2	<20	146	<10	25	72	<1	
154241	083771	714	<1	<0.01	1948	4	<2	21	0.36	<4	2	3	22	34	6.16	7	<1	<1	<1	0.19	<1	<1	0.84	1336	4	<1	30	105	14	<1	1.38	7	<1	<5	<10	36	2	3	1	<100	<2	50	5	<10	4	36	<1	
154242	083772	1447	<1	<0.01	7044	<1	<2	13	1.67	5	5	5	22	53	9.64	8	<1	<1	<1	0.15	<1	<1	1.30	2311	6	1	35	132	18	<1	2.84	14	<1	<5	<10	45	4	5	<1	<100	<2	69	9	<10	5	46	<1	
154243	083773	1257	<1	<0.01	5604	<1	<2	20	2.74	5	11	4	19	31	9.39	9	<1	2	<1	<1	0.20	<1	<1	1.68	2568	3	2	26	223	18	8	1.83	11	<1	<5	<10	51	3	3	<1	<100	7	27	7	<10	6	43	<1
154244	083774	736	<1	0.22	1920	6	2	24	1.85	7	7	4	21	26	13.43	16	<1	2	<1	<1	0.17	<1	<1	1.88	2803	9	1	27	507	28	<1	1.00	11	<1	<5	<10	49	9	7	<1	<100	2	122	10	<10	7	48	<1
154245	083775	968	<1	0.90	4713	244	<2	16	2.02	6	10	20	110	53	8.77	13	<1	1	<1	<1	0.18	4	<1	2.15	1728	2	5	65	338	23	7	2.54	16	6	<5	<10	102	5	4	<1	213	2	61	40	12	6	305	<1
154246	083776	1741	<1	3.07	5609	298	2	17	3.32	5	27	30	235	72	9.00	16	4	2	<1	<1	0.18	6	10	3.34	1740	<1	10	127	837	26	11	2.08	13	10	<5	<10	250	4	1	3	337	<2	57	78	27	9	169	14
154247	083777	199	<1	5.44	1586	502	2	10	1.71	5	4	67	7	257	9.60	24	<1	2	<1	<1	0.20	2	2	1.96	1739	3	19	70	723	18	29	0.70	9	15	<5	<10	93	7	<1	<1	722	3	38	180	131	9	139	12
154248	083778	114	<1	3.42	1422	424	2	15	1.37	4	4	48	7	239	8.25	20	<1	<1	<1	0.24	2	<1	1.70	1447	2	15	64	639	18	27	0.59	9	13	<5	<10	96	5	<1	<1	603	2	<20	146	42	7	122	<1	
154249	083779	102	<1	3.61	1110	404	2	5	2.38	4	24	53	235	134	7.37	19	4	2	<1	<1	0.34	8	6	3.08	1078	<1	15	151	1004	15	12	0.59	10	13	<5	<10	189	4	<1	4	452	4	<20	117	26	9	186	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 06/30/2011
Job #: 201142320
Reference:
Sample #: 142

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
154250	083780	<5	<1	3.08	9	682	<2	4	0.53	<4	86	4	16	5	1.04	10	<1	2	<1	<1	0.20	44	14	0.40	195	1	2	22	338	25	49	0.03	<5	2	<5	<10	220	<1	<1	27	887	<2	<20	16	<10	8	30	37
154252	083781	128	<1	0.30	1321	66	<2	7	1.97	<4	16	12	65	25	5.68	6	2	1	<1	<1	0.17	2	<1	1.58	1526	<1	3	47	201	12	3	0.97	9	3	<5	<10	80	2	<1	<1	128	5	<20	21	<10	5	112	<1
154253	083782	2385	<1	1.49	15057	223	2	17	1.32	5	3	19	55	53	9.31	16	<1	<1	<1	<1	0.24	<1	<1	1.62	1873	3	7	50	338	21	16	2.82	17	6	<5	<10	83	7	1	<1	334	3	81	71	52	6	90	<1
154254	083783	5327	<1	<0.01	20761	4	<2	27	1.08	5	<1	7	17	63	8.90	8	<1	<1	<1	<1	0.11	<1	<1	1.05	1764	4	<1	26	135	22	4	4.06	18	1	<5	<10	43	5	3	<1	<100	<2	60	9	<10	4	55	<1
154255	083784	4978	<1	1.86	12330	79	2	16	2.18	<4	15	16	60	55	5.03	11	<1	2	<1	<1	0.22	<1	<1	0.91	775	5	7	44	235	16	2	3.29	14	11	<5	<10	88	2	<1	<1	185	<2	<20	79	16	5	146	4
154256	083785	3766	<1	2.56	11735	80	<2	14	2.27	<4	16	17	57	56	4.97	12	6	2	<1	<1	0.23	<1	4	0.94	768	7	6	41	259	17	9	3.25	15	10	<5	<10	95	3	<1	<1	201	2	<20	76	13	6	127	50
154257	083786	2721	<1	1.34	6225	76	<2	11	1.80	<4	11	15	38	60	4.19	7	<1	<1	<1	<1	0.19	<1	<1	0.87	717	1	5	43	170	10	5	2.23	12	6	<5	<10	79	3	1	<1	150	<2	<20	52	18	5	67	<1
154258	083787	145	<1	4.15	2541	151	2	11	3.43	4	17	39	30	127	8.40	21	<1	2	<1	<1	0.21	<1	8	1.91	1683	2	12	70	490	15	6	2.23	7	13	<5	<10	126	5	<1	<1	231	3	<20	119	21	7	175	<1
154259	083788	34	<1	3.69	65	176	2	13	2.10	6	13	55	25	197	8.67	21	<1	2	<1	<1	0.08	1	3	1.19	1326	5	11	75	618	22	9	4.45	11	13	<5	<10	112	5	<1	<1	252	<2	40	137	22	7	487	2
154260	083789	132	<1	3.23	44	166	<2	7	1.76	6	7	59	29	248	9.12	23	<1	2	<1	<1	0.20	<1	3	1.08	1006	6	11	81	557	21	14	5.08	15	11	<5	<10	114	5	<1	<1	246	<2	54	136	14	6	506	6
154261	083790	511	<1	3.67	1319	185	<2	8	2.27	5	11	56	21	234	8.22	20	<1	2	<1	<1	0.11	1	1	1.15	1003	5	12	73	469	24	16	4.74	12	12	<5	<10	131	5	<1	<1	245	3	<20	133	15	6	349	<1
154262D	083790	570	<1	3.67	1326	189	<2	15	2.25	5	12	56	22	231	8.25	19	<1	1	<1	<1	0.10	<1	<1	1.15	997	4	11	72	477	21	29	4.77	6	12	<5	<10	129	4	2	<1	243	2	29	133	16	6	361	<1
154263	083791	107	<1	2.07	109	201	<2	20	3.61	<4	23	58	14	139	5.55	14	<1	<1	<1	<1	0.31	<1	<1	1.29	1211	<1	11	76	464	16	34	2.74	10	10	<5	<10	126	2	<1	<1	226	3	<20	121	10	6	99	<1
154264	083792	56	<1	3.79	114	139	<2	3	5.34	4	27	43	22	126	8.14	19	1	2	<1	<1	0.38	<1	10	2.55	1796	<1	14	76	471	18	2	1.14	8	13	<5	<10	158	5	<1	<1	219	6	<20	125	<10	7	145	<1
154265	083793	38	<1	4.21	144	155	2	11	6.72	4	38	43	20	167	7.92	18	7	2	<1	<1	0.37	3	11	2.87	2172	<1	15	76	505	17	17	0.26	13	13	<5	<10	181	5	<1	<1	248	4	<20	125	<10	8	120	<1
154266	083794	84	<1	4.58	654	134	2	4	4.74	5	23	42	31	175	8.28	21	5	2	<1	<1	0.32	2	11	2.51	1739	<1	14	76	514	14	24	0.45	7	15	<5	<10	149	4	<1	<1	234	2	<20	134	11	7	126	<1
154267	083795	91	<1	4.02	821	138	2	15	5.26	4	27	42	30	169	7.90	19	2	2	<1	<1	0.24	2	9	2.56	1873	<1	14	78	506	14	8	0.36	9	14	<5	<10	152	4	<1	1	232	6	<20	129	10	7	120	<1
154268	083796	111	<1	5.11	267	225	2	13	4.04	4	25	43	39	173	7.20	24	13	3	<1	2	0.31	1	15	1.90	1556	2	15	77	471	17	30	0.45	11	12	<5	<10	176	4	<1	2	350	2	<20	154	14	6	125	85
154269	083797	41	<1	3.43	106	195	<2	9	2.92	<4	20	40	45	150	6.32	14	3	<1	<1	<1	0.17	2	6	1.76	1148	<1	11	79	471	9	10	0.36	10	13	<5	<10	116	4	<1	<1	232	3	<20	117	19	6	112	<1
154270	083798	273	<1	2.66	1245	263	<2	2	4.34	<4	24	35	22	133	6.15	14	2	<1	<1	<1	0.10	1	2	1.89	1470	<1	10	70	397	11	20	0.63	10	11	<5	<10	136	4	<1	<1	238	6	<20	98	20	6	91	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 06/30/2011
Job #: 201142320
Reference:
Sample #: 142

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
154271	083799	2163	<1	1.81	6942	301	<2	15	4.64	<4	24	26	15	105	5.50	10	1	<1	<1	<1	0.25	<1	<1	1.71	1445	<1	9	49	359	8	24	0.84	9	9	<5	<10	146	3	<1	<1	210	5	<20	79	10	6	65	<1
154272	083800	13877	7	2.10	35	341	<2	11	1.98	<4	19	24	72	130	3.86	11	1	<1	<1	<1	0.24	2	1	1.25	554	2	11	43	574	33	412	0.92	<5	12	<5	<10	102	2	2	1	2995	5	<20	97	<10	16	139	<1
154274	083801	26	<1	5.19	142	532	2	6	6.40	4	32	42	16	172	7.80	24	5	3	<1	<1	0.34	3	9	2.31	2117	<1	14	72	555	18	21	0.33	12	13	<5	<10	222	5	<1	<1	373	4	<20	136	<10	8	120	47
154275	083802	13	<1	4.46	121	428	2	10	7.32	5	38	40	14	156	8.47	21	7	3	<1	<1	0.33	2	6	2.37	2419	<1	13	65	541	15	19	0.46	7	13	<5	<10	230	4	<1	<1	876	10	<20	126	<10	8	123	18
154276	083803	14	<1	4.31	125	303	<2	9	6.24	5	32	37	15	156	8.73	20	5	2	<1	<1	0.30	2	8	2.28	1948	<1	15	69	482	13	18	0.45	8	13	<5	<10	219	4	<1	1	1257	5	<20	137	<10	7	145	15
154277	083804	103	<1	4.69	109	657	2	6	6.57	5	34	43	18	178	8.78	21	5	3	<1	<1	0.32	2	8	2.30	2175	1	18	75	528	17	22	0.42	7	14	<5	<10	278	5	1	1	2161	4	<20	155	<10	7	136	24
154278	083805	68	<1	4.73	108	617	2	11	6.87	5	32	41	17	179	8.84	21	8	3	<1	<1	0.35	2	9	2.34	2314	<1	17	74	525	18	21	0.39	8	13	<5	<10	285	8	<1	2	2044	<2	<20	143	<10	8	132	38
154279	083806	<5	<1	5.98	21	112	2	12	4.35	<4	49	31	430	65	4.90	19	14	5	<1	<1	0.38	18	22	4.23	958	<1	15	186	1736	23	<1	0.22	10	15	<5	<10	573	3	<1	6	351	9	<20	107	<10	14	79	95
154280	083807	11	<1	4.55	34	37	<2	9	4.15	<4	48	32	456	55	4.66	17	13	3	<1	3	0.26	17	23	4.25	876	<1	15	199	1766	23	<1	0.16	8	14	<5	<10	571	4	<1	4	195	8	23	106	<10	13	81	56
154281	083808	18	<1	4.82	122	804	2	6	6.03	4	34	44	36	183	6.63	21	6	3	<1	<1	0.39	3	8	1.87	2071	<1	17	77	610	12	33	0.38	8	12	<5	<10	280	5	<1	3	2636	11	<20	157	<10	7	100	64
154282	083809	21	<1	4.51	129	684	2	7	5.92	<4	32	43	16	168	6.65	19	6	2	<1	<1	0.43	3	5	1.84	2101	<1	15	72	510	11	38	0.23	10	12	<5	<10	225	7	<1	<1	2135	7	<20	139	<10	7	103	35
154283	083810	994	<1	5.47	<2	102	<2	9	4.23	<4	40	35	108	41	5.54	25	6	3	<1	<1	0.39	8	6	2.25	926	<1	21	30	759	20	67	0.10	6	19	<5	<10	193	6	3	4	5649	10	<20	175	<10	27	90	76
154285	083811	47	<1	5.14	206	575	<2	6	6.33	4	40	48	17	185	7.91	23	<1	3	<1	<1	0.30	2	8	2.08	2139	<1	15	80	584	16	26	0.25	10	13	<5	<10	232	6	<1	<1	2005	4	<20	145	<10	8	128	41
154286	083812	153	<1	4.19	348	529	2	17	7.19	4	37	41	17	163	7.24	17	2	3	<1	<1	0.24	3	5	2.10	2204	<1	14	74	548	13	24	0.23	7	11	<5	<10	237	5	<1	<1	1105	4	<20	121	<10	8	96	30
154287	083813	222	<1	4.88	507	589	2	8	7.01	4	39	39	17	155	7.41	19	4	3	<1	<1	0.29	4	5	2.03	2234	<1	15	70	553	15	33	0.25	6	13	<5	<10	248	5	<1	<1	1914	8	<20	138	<10	8	94	35
154288	083814	1480	<1	4.86	2262	530	<2	11	6.34	4	37	37	17	146	6.69	19	10	3	<1	<1	0.29	3	7	1.83	1972	<1	15	61	526	11	27	0.38	7	11	<5	<10	242	4	<1	<1	1775	12	<20	130	<10	8	84	56
154289	083815	17	<1	4.77	117	547	<2	19	6.12	5	40	41	17	169	8.35	22	9	2	<1	<1	0.30	6	7	1.99	2066	2	16	71	549	17	29	0.23	5	13	<5	<10	222	5	<1	<1	2495	2	<20	149	<10	8	120	31
154290	083816	16	<1	4.44	118	571	<2	9	6.98	4	42	38	14	161	6.96	18	4	2	<1	<1	0.35	5	4	1.85	2182	<1	15	63	528	12	26	0.21	7	13	<5	<10	248	5	<1	<1	2013	6	<20	138	<10	8	88	27
154291	083817	6	<1	2.06	102	568	<2	8	6.37	4	35	37	25	150	6.88	13	<1	<1	<1	<1	0.30	3	<1	1.74	2145	<1	14	69	482	12	30	0.26	5	12	<5	<10	208	4	<1	<1	906	6	<20	119	<10	6	86	<1
154292	083818	<5	<1	4.32	88	709	<2	9	3.48	<4	24	39	80	123	5.82	18	5	2	<1	<1	0.28	2	7	1.31	1192	1	15	80	408	10	22	0.27	7	15	<5	<10	167	5	<1	<1	1705	9	<20	149	<10	6	88	23

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 06/30/2011
Job #: 201142320
Reference:
Sample #: 142

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
154293	083819	7	<1	4.44	88	688	<2	9	6.23	4	40	42	27	168	7.02	20	8	2	<1	<1	0.37	3	7	1.67	2041	1	18	73	514	11	14	0.32	<5	13	<5	<10	240	5	<1	<1	3046	3	<20	148	<10	8	95	50
154294	083820	<5	<1	4.26	2	782	<2	<1	0.81	<4	110	5	24	6	1.42	12	3	3	<1	<1	0.21	52	18	0.47	228	6	4	38	531	32	64	0.03	<5	3	<5	<10	255	<1	<1	31	1188	3	<20	24	<10	10	35	113
154296	083821	5	<1	3.31	50	523	<2	12	5.17	<4	33	33	17	129	5.60	13	4	1	<1	<1	0.29	3	3	1.41	1713	<1	11	59	489	12	9	0.50	7	10	<5	<10	217	4	<1	<1	1494	3	<20	99	<10	8	70	<1
154297	083822	8	<1	5.16	79	567	2	14	6.05	5	33	49	23	203	10.04	25	4	3	<1	3	0.32	4	14	2.64	1859	1	18	91	564	16	3	0.23	7	16	<5	<10	206	4	2	<1	1437	4	54	157	<10	10	157	33
154298	083823	7	<1	3.92	58	315	2	12	4.99	4	33	38	28	163	7.62	18	3	2	<1	<1	0.28	4	9	2.40	1649	<1	13	73	440	11	<1	0.22	6	15	<5	<10	214	5	<1	<1	689	2	<20	130	<10	7	100	<1
154299	083824	9	<1	5.84	30	7	<2	22	3.43	5	22	47	25	214	9.22	23	13	4	<1	<1	0.24	3	24	2.88	1412	<1	16	85	539	18	<1	1.08	11	17	<5	<10	231	6	<1	<1	190	3	27	162	<10	8	133	40
154300	083825	6	<1	5.95	35	8	2	16	4.00	5	27	48	24	202	9.37	25	9	3	<1	<1	0.32	3	22	3.00	1602	<1	17	82	516	17	<1	0.98	8	16	<5	<10	245	7	<1	<1	199	2	<20	159	<10	8	126	41
154301	083826	8	<1	4.50	45	33	2	22	4.39	<4	50	34	452	57	4.84	17	13	3	<1	6	0.27	15	28	4.36	952	<1	15	213	1549	22	<1	0.16	8	14	<5	<10	474	3	<1	6	187	15	<20	103	<10	13	82	67
154302	083827	<5	<1	5.31	29	230	2	7	3.38	5	20	47	23	207	9.59	23	5	3	<1	<1	0.29	2	31	3.43	1283	<1	17	80	574	16	<1	2.26	7	16	<5	<10	158	9	<1	<1	164	8	54	155	<10	8	132	2
154303	083828	<5	<1	4.71	10	78	3	12	1.55	8	4	42	26	259	13.34	29	6	3	<1	<1	<0.01	2	22	2.53	859	7	12	87	508	31	<1	>10.00	12	12	<5	<10	112	5	5	1	167	6	112	126	<10	7	484	39
154304	083829	25	<1	4.83	29	52	3	20	2.10	11	5	88	30	385	19.20	36	15	5	<1	<1	0.17	<1	25	2.64	1478	16	9	109	372	50	<1	>10.00	26	10	<5	<10	110	11	5	<1	173	<2	225	105	<10	8	374	89
154305	083830	63	1	0.09	35	<1	5	62	1.83	21	8	345	22	973	35.76	45	<1	5	<1	<1	0.05	<1	2	1.19	1893	37	<1	246	<100	110	<1	>10.00	36	3	<5	<10	66	19	27	<1	<100	6	519	26	<10	5	266	<1
154306D	083830	82	1	1.10	33	<1	4	30	1.83	20	9	331	21	929	33.06	44	21	7	<1	<1	0.02	<1	7	1.13	1799	37	<1	233	<100	98	<1	>10.00	44	2	<5	<10	75	14	24	1	<100	9	516	25	<10	6	241	50
154307	083831	46	<1	2.97	135	167	2	21	4.54	9	22	50	86	353	11.69	21	8	3	<1	<1	0.20	<1	6	2.31	1896	7	9	123	223	71	12	9.61	17	13	<5	<10	126	8	3	1	181	<2	96	89	<10	7	891	10
154308	083832	<5	<1	4.97	73	370	<2	11	9.50	<4	37	35	124	110	6.52	17	6	3	<1	<1	0.38	<1	7	2.93	2565	<1	18	114	206	19	24	1.91	8	21	<5	<10	182	5	<1	<1	260	7	<20	154	<10	7	67	28
154309	083833	7	<1	4.40	111	283	<2	3	8.39	<4	39	36	130	124	5.96	14	6	2	<1	<1	0.33	<1	7	2.82	1931	<1	18	114	232	11	10	0.56	6	22	<5	<10	150	2	<1	<1	241	6	21	158	<10	7	68	<1
154310	083834	6	<1	4.36	135	253	<2	10	>10.00	<4	36	32	118	88	5.38	13	9	2	<1	<1	0.26	<1	6	3.19	2079	<1	18	97	234	8	16	0.23	9	21	<5	<10	154	3	<1	<1	250	7	<20	143	<10	7	61	<1
154311	083835	<5	<1	4.99	138	268	<2	7	>10.00	<4	40	33	129	103	5.65	15	9	2	<1	<1	0.35	<1	8	3.31	2168	<1	20	99	238	13	8	0.25	5	22	<5	<10	167	5	<1	<1	260	8	<20	158	<10	7	57	10
154312	083836	7	<1	4.97	80	261	<2	10	8.64	<4	39	37	153	126	5.48	17	8	2	<1	2	0.38	1	9	2.64	1911	<1	21	111	286	12	18	0.28	9	23	<5	<10	152	4	<1	<1	255	12	32	184	<10	7	61	7
154313	083837	7	<1	1.16	81	112	<2	1	6.26	<4	30	42	113	139	5.10	6	<1	<1	<1	<1	0.10	<1	<1	2.14	1570	<1	14	108	271	9	3	0.27	6	21	<5	<10	94	3	<1	<1	131	2	<20	127	<10	5	67	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 06/30/2011
Job #: 201142320
Reference:
Sample #: 142

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
154314	083838	8	<1	4.98	67	150	<2	3	7.34	<4	34	41	159	130	6.24	18	7	2	<1	<1	0.44	<1	15	2.39	2118	<1	21	129	229	11	11	0.32	8	25	<5	<10	147	5	<1	<1	228	8	20	192	<10	6	82	<1
154315	083839	8	<1	5.02	76	151	<2	13	6.37	<4	30	42	173	137	5.74	19	10	2	<1	<1	0.35	<1	19	2.09	1711	<1	22	121	273	11	4	0.32	13	24	<5	<10	154	4	<1	<1	255	3	<20	208	<10	6	78	12
154316	083840	5444	2	3.68	286	192	2	2	2.07	5	29	115	142	1539	6.59	18	2	2	<1	<1	0.26	11	6	1.22	613	7	8	1273	520	673	126	2.26	10	10	<5	<10	135	4	<1	4	2265	<2	<20	83	29	15	397	29
154318	083841	16	<1	3.48	114	118	<2	7	8.49	<4	38	37	128	122	5.78	13	4	1	<1	<1	0.42	<1	9	2.61	2051	<1	18	107	203	18	5	0.31	9	22	<5	<10	136	3	<1	<1	179	10	<20	156	<10	6	70	<1
154319	083842	9	<1	4.58	149	132	<2	22	9.87	<4	37	39	136	118	6.31	18	7	2	<1	<1	0.37	<1	14	3.02	2247	<1	19	108	281	10	7	0.33	7	22	<5	<10	160	5	<1	<1	186	6	20	163	344	7	73	1
154320	083843	11	<1	1.06	122	46	<2	16	>10.00	<4	47	26	23	42	6.12	11	9	3	<1	<1	0.41	1	6	4.39	2351	<1	11	87	217	13	<1	0.29	8	5	<5	<10	111	2	<1	<1	107	18	<20	38	415	7	135	<1
154321	083844	8	<1	0.44	57	34	<2	3	>10.00	4	39	39	49	138	7.24	9	<1	<1	<1	<1	<0.01	<1	3	3.67	2357	<1	13	120	214	11	<1	0.95	7	13	<5	<10	85	3	<1	<1	<100	5	26	88	<10	5	156	<1
154322	083845	7	<1	4.59	78	83	<2	8	>10.00	<4	43	34	110	91	5.85	14	10	3	<1	<1	0.37	<1	16	3.18	2854	<1	16	97	218	10	8	0.29	5	19	<5	<10	134	4	<1	<1	196	12	31	130	<10	7	69	22
154323	083846	7	<1	6.11	44	89	<2	14	7.76	<4	35	37	160	121	6.42	19	14	3	<1	1	0.45	1	27	2.91	2518	<1	20	98	291	13	<1	0.25	6	23	<5	<10	138	5	<1	<1	236	10	<20	186	<10	7	66	41
154324	083847	9	<1	5.18	41	66	<2	6	>10.00	<4	35	35	123	102	6.49	17	16	3	<1	<1	0.42	<1	21	3.33	3042	<1	18	95	244	12	<1	0.20	<5	20	<5	<10	124	4	<1	<1	206	10	<20	146	<10	8	64	24
154325	083848	<5	<1	4.82	38	56	<2	6	>10.00	4	38	38	124	96	6.47	15	11	2	<1	<1	0.42	<1	21	3.46	3122	<1	18	103	215	13	<1	0.22	9	21	<5	<10	120	4	<1	<1	182	7	<20	146	<10	8	69	8
154326	083849	9	<1	6.23	41	85	<2	17	8.17	<4	40	40	172	131	5.36	19	14	3	<1	<1	0.30	<1	29	2.69	2072	<1	22	104	307	14	3	0.20	9	25	<5	<10	147	4	<1	<1	205	8	<20	199	<10	8	69	50
154327	083850	6	<1	4.08	2	725	<2	7	0.67	<4	90	4	14	5	1.08	11	<1	3	<1	<1	0.21	44	18	0.41	196	4	2	21	352	31	41	0.03	5	3	<5	<10	202	<1	<1	25	937	2	<20	16	<10	7	29	112
154329	083851	6	<1	5.14	25	58	<2	8	9.43	<4	36	36	142	111	5.89	17	7	2	<1	<1	0.40	<1	24	2.98	2491	<1	19	94	265	11	7	0.21	7	23	<5	<10	127	5	<1	<1	183	6	<20	165	<10	8	66	11
154330	083852	17	<1	5.22	22	50	<2	6	9.77	4	23	41	160	128	6.59	20	4	2	<1	<1	0.37	<1	29	2.89	2575	<1	20	114	272	13	<1	0.25	8	26	<5	<10	130	5	<1	<1	184	2	<20	186	<10	7	73	3
154331	083853	<5	<1	4.73	16	41	<2	9	7.71	<4	37	39	161	135	5.97	15	5	<1	<1	<1	0.43	<1	25	2.68	1948	<1	20	96	293	12	<1	0.22	10	27	<5	<10	111	5	<1	<1	138	10	<20	176	<10	7	66	<1
154332	083854	<5	<1	6.20	14	48	<2	10	7.81	<4	37	43	173	148	6.41	19	9	2	<1	<1	0.46	<1	33	2.76	1969	<1	20	104	298	13	<1	0.23	6	26	<5	<10	126	4	<1	<1	158	7	<20	185	<10	8	68	20
154333	083855	<5	<1	4.59	11	30	<2	9	7.62	<4	37	41	160	135	6.26	15	4	2	<1	<1	0.53	<1	27	2.70	1927	<1	18	102	286	10	<1	0.21	7	24	<5	<10	102	3	<1	<1	126	11	<20	166	<10	7	67	<1
154334	083856	<5	<1	6.46	<2	41	2	28	>10.00	<4	41	36	141	109	6.74	19	13	3	<1	2	0.41	<1	36	3.06	2842	<1	19	115	237	13	<1	0.24	<5	24	<5	<10	141	5	<1	<1	189	12	<20	169	<10	9	73	57
154335	083857	<5	<1	4.98	11	35	<2	12	7.85	<4	36	40	162	129	6.00	16	4	1	<1	<1	0.38	<1	29	2.70	2159	<1	20	103	263	11	<1	0.17	8	29	<5	<10	117	5	<1	<1	141	4	<20	189	<10	7	71	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 06/30/2011
Job #: 201142320
Reference:
Sample #: 142

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
154336	083858	6	<1	6.95	17	67	2	17	8.43	<4	39	36	150	108	5.14	22	27	4	<1	<1	0.27	<1	33	2.84	1881	<1	20	98	268	8	10	0.15	<5	23	<5	<10	152	4	<1	<1	211	3	<20	177	<10	8	71	105
154337	083859	<5	<1	4.46	18	46	<2	4	8.61	<4	40	34	150	122	4.46	13	4	1	<1	<1	0.35	<1	19	2.69	1898	<1	19	78	270	8	<1	0.17	<5	27	<5	<10	126	4	<1	<1	135	6	<20	168	<10	7	56	<1
154338	083860	6	<1	5.85	13	48	<2	9	8.52	<4	33	37	160	121	5.17	17	9	2	<1	<1	0.36	<1	29	2.67	1981	<1	20	89	269	12	<1	0.16	7	26	<5	<10	131	3	<1	<1	159	13	40	182	<10	7	68	17
154339R	083860	<5	<1	5.85	11	49	<2	7	8.52	<4	39	36	162	119	5.18	18	13	2	<1	<1	0.32	<1	29	2.66	1988	<1	21	90	270	12	<1	0.17	6	26	<5	<10	134	4	<1	<1	165	10	52	187	<10	7	78	11
154340	083861	<5	<1	4.72	5	34	<2	11	7.70	<4	34	29	125	95	4.47	14	9	2	<1	<1	0.27	<1	25	2.40	1808	<1	16	81	216	11	5	0.15	5	21	<5	<10	115	4	<1	<1	154	7	<20	148	<10	7	68	8
154341	083862	<5	<1	5.80	4	36	2	11	8.97	<4	40	37	157	113	5.79	17	10	2	<1	<1	0.32	<1	34	2.85	1981	<1	21	103	264	12	<1	0.21	10	26	<5	<10	128	5	<1	<1	166	6	<20	188	<10	7	82	13
154342	083863	<5	<1	5.06	4	28	<2	10	>10.00	<4	42	37	152	113	5.87	16	8	2	<1	<1	0.26	<1	31	3.28	2105	<1	21	118	269	11	<1	0.19	8	25	<5	<10	118	5	<1	<1	134	4	21	174	<10	8	83	<1
154343	083864	<5	<1	5.74	3	42	<2	9	7.62	<4	37	36	171	120	5.44	19	11	2	<1	<1	0.28	<1	35	2.96	1609	<1	21	112	285	7	9	0.12	<5	27	<5	<10	125	5	<1	<1	145	3	21	196	<10	8	85	3
154344	083865	6	<1	5.56	<2	36	<2	9	7.49	<4	25	35	161	125	5.32	17	9	2	<1	<1	0.42	<1	33	2.94	1582	<1	20	110	275	9	5	0.12	5	26	<5	<10	116	4	<1	<1	139	3	<20	183	<10	7	79	<1
154345	083866	6	<1	5.39	8	50	<2	8	>10.00	<4	45	34	144	109	4.45	17	8	3	<1	<1	0.45	<1	29	2.65	2080	<1	18	97	263	10	5	0.21	7	22	<5	<10	150	3	<1	<1	159	13	<20	167	<10	8	59	32
154346	083867	<5	<1	5.67	<2	27	<2	10	9.76	4	41	34	153	119	6.49	19	11	3	<1	<1	0.51	<1	37	3.09	2572	<1	20	110	254	12	<1	0.20	6	24	<5	<10	116	6	<1	<1	165	7	21	176	<10	8	76	11
154347	083868	<5	<1	5.56	5	37	<2	9	8.23	<4	37	41	169	124	6.00	18	10	2	<1	<1	0.45	<1	36	2.74	2313	<1	21	111	265	13	4	0.14	5	25	<5	<10	124	5	<1	<1	167	6	<20	194	<10	7	71	13
154348	083869	<5	<1	5.80	<2	23	<2	14	8.64	4	34	41	163	121	7.51	19	12	3	<1	<1	0.53	<1	40	3.04	2695	<1	20	125	260	13	12	0.29	5	27	<5	<10	109	5	<1	<1	178	7	<20	195	<10	7	87	18
154349	083870	14081	6	3.91	24	365	2	8	2.44	<4	23	26	80	137	4.13	17	1	<1	<1	<1	0.19	2	7	1.34	595	5	11	47	707	34	445	0.98	5	11	<5	<10	138	3	<1	3	3478	6	<20	105	<10	16	147	13
154351	083871	5	<1	6.93	<2	29	<2	4	8.37	4	38	45	180	135	7.83	22	13	3	<1	<1	0.33	<1	43	3.00	2814	<1	23	130	267	13	2	0.27	10	29	<5	<10	113	6	<1	<1	184	5	<20	214	<10	8	75	36
154352	083872	<5	2	6.25	4	37	<2	8	8.45	4	35	41	175	138	6.45	20	9	3	<1	<1	0.24	<1	36	2.65	2442	<1	21	115	280	10	<1	0.26	6	28	<5	<10	127	6	<1	<1	167	6	<20	202	<10	8	73	9
154353	083873	6	<1	6.02	<2	21	<2	15	8.33	4	22	39	167	124	7.34	20	8	2	<1	<1	0.27	<1	38	2.77	2610	<1	21	127	267	11	3	0.27	7	27	<5	<10	103	5	<1	<1	165	7	<20	195	<10	7	85	<1
154354	083874	6	<1	5.95	<2	30	<2	10	9.79	4	37	41	164	117	6.62	21	12	3	<1	3	0.41	<1	37	2.61	2703	<1	21	113	265	10	3	0.25	10	27	<5	<10	122	6	<1	<1	168	8	<20	195	<10	8	71	24
154355	083875	5	<1	1.31	9	<1	<2	10	>10.00	4	40	36	134	104	7.31	11	<1	<1	<1	<1	<0.01	<1	22	2.87	3343	<1	18	104	183	10	<1	0.24	<5	24	<5	<10	71	5	<1	<1	<100	6	<20	154	<10	6	78	<1
154356	083876	9	<1	5.85	<2	31	<2	14	8.43	4	32	42	178	135	7.44	20	7	2	<1	<1	0.39	<1	37	2.24	2645	<1	21	125	272	11	<1	0.18	9	29	<5	<10	115	5	<1	<1	165	12	<20	209	<10	7	75	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 8, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/22/2011
Date Completed: 06/30/2011
Job #: 201142320
Reference:
Sample #: 142

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
154357	083877	6	<1	5.71	4	57	<2	22	8.31	<4	34	36	169	125	5.97	22	28	4	<1	<1	0.44	<1	40	1.99	2426	<1	20	112	282	11	9	0.22	10	21	<5	<10	139	4	<1	<1	216	13	<20	197	<10	8	67	85
154358	083878	7	<1	5.20	<2	26	<2	19	8.69	4	33	35	161	118	7.08	20	5	2	<1	<1	0.49	<1	35	2.06	2836	<1	20	104	276	11	<1	0.19	5	24	<5	<10	107	6	<1	<1	162	5	<20	188	<10	7	69	5
154359	083879	8	<1	5.32	<2	32	<2	6	8.65	<4	38	37	159	114	6.67	19	8	2	<1	<1	0.46	<1	35	2.83	2445	<1	20	117	229	11	<1	0.18	7	26	<5	<10	108	5	<1	<1	155	8	<20	184	<10	7	78	<1
154360	083880	5	<1	3.63	<2	775	<2	4	0.86	<4	76	5	14	7	1.29	14	4	3	<1	<1	0.19	32	19	0.45	224	5	4	20	470	29	52	0.03	5	3	<5	<10	231	2	<1	19	1128	4	<20	21	<10	7	35	127
154362	083881	10	<1	5.53	23	59	<2	15	9.13	<4	39	42	170	127	4.60	15	7	2	<1	<1	0.39	<1	31	2.03	1858	<1	19	106	309	7	13	0.16	7	26	<5	<10	130	3	<1	<1	145	5	<20	185	<10	8	67	13
154363	083882	10	<1	5.98	28	65	<2	7	8.23	<4	34	43	187	140	4.87	19	14	2	<1	<1	0.31	<1	36	2.01	1515	<1	23	113	304	8	12	0.13	8	27	<5	<10	139	4	<1	<1	166	6	<20	220	<10	7	79	15

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Derek Demariuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
164087	083883	8	4	5.93	30	209	2	29	7.86	5	13	46	222	108	6.22	24	9	<1	31	<1	0.65	4	37	3.12	1163	<1	18	118	173	24	<1	0.17	<5	21	7	<10	118	5	6	<1	3360	8	30	219	<10	15	63	<1
164088	083884	5	8	7.61	48	14	<2	41	7.10	6	13	50	196	95	7.36	26	21	1	24	<1	0.69	4	47	3.56	1109	3	18	122	166	27	<1	0.14	7	23	13	<10	126	6	2	<1	3531	12	61	221	<10	17	80	45
164089	083885	7	8	>10.00	49	23	<2	36	7.58	6	17	50	207	105	8.00	33	50	2	36	<1	1.21	5	53	4.12	1161	4	19	128	184	28	<1	0.20	<5	28	17	<10	144	6	3	<1	3724	24	<20	233	<10	20	85	128
164090	083886	7	5	7.84	46	16	<2	37	7.64	5	15	47	191	103	6.26	27	45	1	38	<1	1.16	4	32	3.10	1135	6	18	117	197	27	<1	0.22	7	23	7	<10	172	5	4	<1	3386	8	35	217	<10	17	71	59
164091	083887	10	6	9.59	45	20	<2	38	7.47	6	15	55	206	109	7.02	30	42	2	32	<1	0.67	4	31	3.62	1261	4	19	130	211	32	<1	0.19	7	26	13	<10	205	4	3	<1	3661	14	32	234	<10	19	79	91
164092	083888	8	1	>10.00	34	35	2	34	7.53	6	13	55	222	124	7.35	34	42	4	28	<1	0.91	3	38	3.48	1249	9	20	134	230	27	<1	0.21	8	25	23	<10	215	6	5	<1	3973	10	<20	249	<10	20	81	189
164093	083889	7	3	7.41	24	12	2	36	7.64	6	14	50	223	119	7.09	28	13	1	30	<1	0.93	4	27	3.34	1280	4	21	130	209	21	<1	0.17	5	23	20	<10	209	6	7	<1	3940	32	35	252	<10	17	79	22
164094	083890	6	3	8.48	27	27	2	32	7.73	6	14	53	231	121	7.39	33	34	2	44	<1	0.78	3	33	3.34	1307	8	21	134	225	26	<1	0.19	6	23	11	<10	227	6	6	<1	4117	12	38	262	<10	18	83	117
164095	083891	6	7	8.05	33	14	2	30	7.23	6	14	50	205	104	7.05	26	39	2	22	<1	1.05	5	33	3.53	1290	2	20	126	204	25	<1	0.19	<5	24	18	<10	171	5	<1	<1	3684	11	29	235	<10	19	78	44
164096	083892	7	<1	5.94	29	20	<2	20	8.23	5	12	44	183	102	5.93	24	6	<1	18	<1	0.75	3	39	2.75	1136	4	17	114	182	25	<1	0.15	<5	19	18	<10	115	5	2	<1	3229	14	<20	209	<10	16	81	<1
164097D	083892	10	2	5.92	26	18	<2	18	8.18	5	13	44	182	103	5.95	24	6	<1	36	<1	0.73	3	39	2.75	1129	2	17	113	187	26	<1	0.16	5	19	<5	<10	116	6	5	<1	3185	12	51	208	<10	16	80	<1
164098	083893	<5	<1	6.49	21	7	2	30	7.76	6	13	44	181	88	6.93	26	7	<1	35	<1	0.73	4	42	3.03	1158	6	18	117	226	22	<1	0.14	5	20	<5	<10	112	5	5	<1	3340	19	40	216	<10	17	90	3
164099	083894	<5	5	7.79	25	4	<2	31	7.45	7	15	54	207	134	7.46	25	<1	<1	23	<1	0.85	5	30	3.66	1265	4	20	133	214	29	<1	0.15	8	29	9	<10	140	7	5	<1	4031	19	35	249	<10	18	88	<1
164100	083895	15	8	7.58	19	10	<2	30	8.12	6	15	53	210	127	7.55	27	<1	<1	30	<1	0.75	4	32	3.36	1313	6	21	134	211	28	<1	0.18	5	25	<5	<10	156	5	6	<1	4118	6	38	256	<10	18	86	5
164101	083896	6	7	7.80	14	9	<2	34	6.49	6	13	46	186	114	6.90	25	33	<1	34	<1	0.73	4	25	3.45	1233	2	19	120	203	28	<1	0.21	9	26	12	<10	142	5	4	<1	3649	7	<20	230	<10	18	83	5
164102	083897	30	7	8.91	26	11	2	28	6.40	7	15	59	205	121	7.80	29	29	<1	26	<1	0.71	4	29	3.91	1275	5	21	129	263	28	<1	0.25	14	30	<5	<10	164	5	5	<1	4053	3	51	254	<10	20	87	27
164103	083898	<5	5	7.50	20	22	2	23	6.50	5	11	44	166	102	6.12	28	56	1	29	<1	0.88	3	38	2.81	1084	9	17	106	223	26	<1	0.19	7	20	16	<10	157	3	2	<1	3324	4	<20	207	<10	16	73	115
164104	083899	7	5	8.09	30	98	<2	24	7.50	5	13	43	169	99	5.89	28	56	2	32	<1	0.52	3	47	2.96	1076	9	17	107	193	28	<1	0.20	<5	21	12	<10	124	4	2	<1	3275	17	<20	207	12	17	62	131
164105	083900	1030	2	4.16	7	133	2	25	4.67	5	18	42	119	40	5.64	34	27	2	38	<1	0.63	5	22	1.40	983	12	19	26	635	32	<1	0.06	<5	8	<5	<10	239	6	9	<1	7897	<2	<20	212	<10	19	94	164
164106	083901	7	10	7.99	56	29	<2	33	6.90	5	14	60	184	107	6.42	33	33	2	40	<1	0.70	3	49	2.91	1148	8	19	117	208	25	<1	0.19	<5	22	21	<10	153	5	2	<1	3637	15	43	229	<10	17	69	133

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
164107	083902	9	12	6.69	50	19	<2	28	6.79	5	14	48	182	112	6.45	27	9	<1	36	<1	0.78	3	47	2.92	1145	6	18	117	197	25	<1	0.10	<5	21	7	<10	149	5	8	<1	3664	10	<20	229	<10	16	71	53
164108D	083902	6	10	5.19	51	<1	2	24	6.93	6	12	52	192	122	7.14	17	<1	<1	27	<1	0.09	5	30	3.80	1215	<1	19	126	173	22	<1	0.14	9	32	<5	<10	98	5	<1	<1	3669	6	43	234	<10	17	74	<1
164109	083903	5	5	7.78	48	42	<2	29	6.08	7	12	51	187	106	8.16	31	2	<1	23	<1	1.26	4	60	4.14	858	<1	19	121	156	28	<1	0.11	<5	24	24	<10	99	6	8	<1	3712	5	<20	240	<10	18	89	36
164110	083904	<5	3	9.38	60	42	<2	30	5.53	6	14	48	188	116	6.98	32	15	2	31	<1	0.89	3	66	3.89	708	9	20	117	177	28	<1	0.07	<5	24	17	<10	122	4	6	<1	3783	10	<20	240	<10	20	75	168
164111	083905	<5	2	6.36	61	<1	<2	21	4.99	6	12	50	194	108	7.23	19	<1	<1	36	<1	0.51	5	45	4.58	712	<1	20	121	144	23	<1	0.05	8	32	<5	<10	63	5	7	<1	3705	11	31	243	<10	19	76	<1
164112	083906	34	<1	6.58	60	100	2	27	7.09	5	13	43	164	108	5.86	25	26	<1	33	<1	0.58	4	46	2.97	898	5	17	106	209	27	<1	0.18	<5	20	<5	<10	116	4	2	<1	3255	15	<20	207	<10	17	64	60
164113	083907	<5	5	6.67	41	<1	<2	25	7.14	6	13	46	178	116	6.42	22	20	<1	25	<1	0.75	4	34	3.33	1123	<1	19	108	185	24	<1	0.22	6	27	<5	<10	99	5	6	<1	3576	17	<20	231	<10	17	69	<1
164114	083908	11	6	7.41	37	11	2	31	7.26	6	13	50	190	124	6.84	27	41	<1	26	<1	0.77	3	38	3.37	1206	3	20	117	208	32	<1	0.21	<5	25	6	<10	170	6	<1	<1	3919	5	43	247	<10	17	75	34
164115	083909	27	3	7.81	38	4	<2	30	7.12	6	14	49	190	116	6.82	25	27	<1	25	<1	0.62	4	37	3.66	1188	<1	21	119	211	24	<1	0.14	<5	28	17	<10	144	5	5	<1	3971	16	<20	246	<10	19	74	5
164116	083910	5578	<1	3.86	308	218	3	28	2.47	7	18	122	149	1474	6.87	27	18	2	22	<1	0.43	6	22	0.90	634	19	8	1270	448	667	36	2.04	12	5	<5	<10	175	5	8	<1	3285	<2	37	99	35	11	418	126
164117	083911	6	5	7.73	43	2	2	26	7.05	6	14	53	199	124	7.06	25	6	<1	15	<1	0.70	4	26	3.72	1192	1	21	126	211	25	<1	0.19	5	29	18	<10	179	6	5	<1	4082	5	<20	258	<10	19	76	<1
164118	083912	14	3	5.65	40	<1	<2	23	6.94	6	12	51	182	114	6.76	18	<1	<1	40	<1	0.53	4	29	3.60	1194	<1	17	120	186	23	<1	0.13	<5	22	10	<10	89	5	3	<1	3575	10	36	217	<10	15	79	<1
164119D	083912	7	7	5.52	35	<1	<2	24	6.82	6	11	48	175	112	6.55	17	<1	<1	18	<1	0.74	4	27	3.42	1158	<1	18	115	179	24	<1	0.08	<5	25	13	<10	92	4	8	<1	3551	18	<20	220	<10	15	73	<1
164120	083913	7	4	6.55	25	<1	<2	24	5.57	7	11	50	181	110	7.67	20	<1	<1	38	<1	0.45	4	30	3.84	1063	2	18	108	164	26	<1	0.16	<5	24	<5	<10	87	4	6	<1	3507	12	23	219	<10	15	87	<1
164121	083914	8	12	6.95	22	<1	<2	21	6.95	6	12	52	192	114	7.26	21	10	<1	30	<1	0.21	3	15	3.66	1239	<1	19	105	194	25	<1	0.14	<5	31	13	<10	175	5	4	<1	3805	3	37	234	<10	17	83	<1
164122	083915	7	5	7.92	23	1	2	26	7.78	6	14	49	191	115	7.20	23	14	<1	24	<1	1.25	4	16	3.65	1275	<1	19	102	192	24	<1	0.25	<5	32	15	<10	173	6	8	<1	3747	9	24	245	<10	19	73	<1
164123	083916	7	5	8.90	24	<1	2	31	8.02	7	14	54	202	118	7.79	27	24	<1	32	<1	1.12	5	20	4.03	1353	2	21	107	204	28	<1	0.23	5	37	10	<10	199	6	2	<1	4001	9	95	267	<10	21	79	<1
164124	083917	<5	1	4.61	29	<1	<2	22	7.28	5	10	43	164	100	6.14	20	<1	<1	24	<1	0.55	3	25	2.97	1180	<1	16	89	156	27	<1	0.13	5	19	11	<10	125	4	2	<1	3121	13	<20	204	<10	13	66	<1
164125	083918	<5	7	7.25	21	<1	<2	32	7.58	6	15	52	194	119	7.16	23	10	<1	32	<1	0.74	4	21	3.74	1299	<1	20	102	202	29	<1	0.22	<5	32	6	<10	182	6	7	<1	3867	11	48	248	<10	18	79	<1
164126	083919	25	7	6.01	21	<1	2	24	7.72	5	13	44	164	94	6.15	22	13	<1	29	<1	0.72	3	26	2.77	1203	2	18	86	164	24	<1	0.11	<5	23	9	<10	142	5	5	<1	3251	21	<20	222	<10	15	67	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
164127	083920	<5	<1	4.95	9	933	2	20	1.34	<4	38	5	16	4	1.07	21	3	<1	20	<1	0.49	13	25	0.42	243	4	6	16	281	46	24	0.02	5	2	21	<10	447	<1	3	9	1252	<2	<20	21	<10	8	41	7
164128	083921	9	2	5.96	16	<1	<2	22	8.37	5	14	43	165	88	5.86	20	<1	<1	18	<1	0.83	4	10	2.98	1113	<1	16	87	165	19	<1	0.22	<5	27	8	<10	136	5	3	<1	3180	11	42	204	<10	15	59	<1
164129	083922	<5	8	6.32	23	<1	2	29	7.61	6	11	54	189	118	6.85	21	11	<1	33	<1	0.58	4	13	3.09	1142	3	19	111	190	25	<1	0.22	<5	27	8	<10	127	5	2	<1	3786	12	36	228	<10	15	76	<1
164130D	083922	10	3	5.56	33	<1	<2	21	7.03	6	12	54	179	120	6.63	18	<1	<1	28	<1	0.54	4	10	3.16	1096	<1	16	111	180	25	<1	0.22	6	27	<5	<10	109	4	4	<1	3591	19	25	207	<10	14	77	<1
164131	083923	<5	5	6.32	8	<1	2	20	6.02	6	12	53	190	124	7.00	18	3	<1	26	<1	0.33	4	12	3.47	1162	<1	18	107	188	20	<1	0.13	7	29	5	<10	110	4	5	<1	3751	9	<20	220	<10	14	80	<1
164132	083924	<5	<1	5.05	11	<1	<2	18	5.07	5	8	44	152	101	5.99	16	2	<1	23	<1	0.83	3	11	2.91	1028	<1	13	91	153	25	<1	0.16	<5	21	9	<10	97	3	5	<1	3089	7	<20	170	<10	12	70	<1
164133	083925	<5	8	5.53	9	<1	<2	17	5.44	5	11	48	168	117	6.29	17	<1	<1	9	<1	0.60	4	11	3.05	1066	<1	16	99	168	26	<1	0.21	5	24	16	<10	104	4	2	<1	3367	<2	43	190	<10	13	72	<1
164134	083926	<5	2	4.63	4	<1	<2	18	5.40	6	10	47	166	113	6.32	15	<1	<1	24	<1	0.54	3	11	3.17	1120	<1	14	95	164	24	<1	0.15	<5	23	8	<10	83	3	8	<1	3303	18	26	181	<10	12	73	<1
164135	083927	<5	9	4.40	13	<1	<2	19	5.05	6	10	49	169	113	6.58	15	<1	<1	33	<1	0.49	4	9	3.36	1161	<1	14	100	183	27	<1	0.12	8	24	<5	<10	77	4	9	<1	3379	14	21	184	<10	12	77	<1
164136	083928	<5	7	4.31	7	<1	<2	19	4.85	6	11	47	173	114	6.52	14	<1	<1	30	<1	0.56	3	13	3.38	1124	<1	15	96	174	23	<1	0.10	11	23	<5	<10	61	4	2	<1	3329	6	34	193	<10	13	75	<1
164137	083929	<5	11	4.46	7	<1	<2	19	5.96	6	10	46	166	112	6.25	13	<1	<1	36	<1	0.41	4	8	3.22	1128	<1	15	97	165	24	<1	0.20	<5	25	<5	<10	83	4	6	<1	3354	11	41	183	<10	12	68	<1
164138	083930	<5	8	4.15	7	<1	<2	16	4.39	5	7	47	164	110	6.16	13	<1	<1	30	<1	0.56	3	8	3.29	1070	<1	15	96	166	25	<1	0.18	7	23	<5	<10	74	5	5	<1	3307	3	24	175	<10	11	73	<1
164139	083931	<5	2	4.44	5	<1	<2	26	5.31	6	11	49	168	117	6.21	12	<1	<1	39	<1	0.50	4	7	3.42	1130	<1	14	101	177	28	36	0.10	14	24	<5	13	87	5	9	<1	3489	4	<20	177	<10	11	77	<1
164140	083932	12	1	4.27	9	<1	<2	20	5.22	5	9	48	169	113	6.19	13	<1	<1	44	<1	0.47	4	8	3.32	1121	<1	14	101	160	22	<1	0.15	<5	23	<5	<10	88	4	4	<1	3268	8	20	174	<10	11	74	<1
164141D	083932	<5	<1	4.48	14	<1	2	20	5.17	5	8	50	170	121	6.22	15	<1	<1	31	<1	0.32	3	9	3.33	1125	<1	14	100	166	26	<1	0.12	<5	22	9	<10	89	4	5	<1	3227	7	51	171	<10	11	74	<1
164142	083933	8	<1	6.85	14	<1	<2	27	7.09	7	16	54	183	131	7.62	22	<1	<1	48	3	0.12	5	17	4.04	1458	<1	16	110	198	29	52	0.18	14	28	8	10	120	7	8	2	3740	17	45	205	10	14	95	<1
164143	083934	<5	<1	6.17	42	<1	2	30	6.24	7	15	54	160	122	7.50	21	<1	<1	54	3	0.36	6	24	3.82	1252	2	13	106	238	29	59	0.30	16	17	15	<10	83	5	10	<1	3262	29	27	159	<10	13	110	<1
164144	083935	8	<1	6.09	59	<1	2	36	6.75	6	14	52	158	131	7.42	18	<1	<1	28	<1	0.59	6	24	3.67	1217	1	13	103	236	30	2	0.38	13	17	15	10	83	5	8	2	3173	7	69	160	<10	14	104	<1
164145	083936	<5	<1	6.02	20	<1	2	23	5.33	6	12	53	178	116	6.79	17	7	<1	36	<1	0.28	4	20	3.88	1192	<1	14	104	189	31	3	0.12	9	23	12	<10	97	5	5	<1	3447	7	27	182	<10	13	81	<1
164146	083937	<5	2	6.44	4	<1	3	34	6.75	6	15	53	192	117	7.15	21	11	<1	32	6	0.22	5	13	4.03	1303	<1	18	110	198	34	24	0.13	12	30	17	<10	127	6	7	2	3853	25	73	221	<10	15	87	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
164147	083938	<5	<1	6.17	2	<1	2	38	7.11	7	14	51	190	117	7.16	20	4	<1	33	5	0.43	5	28	3.97	1327	<1	17	109	190	33	53	0.12	10	26	19	<10	103	6	10	5	3487	25	49	216	<10	14	88	<1
164148	083939	6	<1	5.68	42	34	2	40	8.65	6	17	43	166	108	6.83	18	11	<1	40	<1	0.42	4	37	3.24	1326	3	17	94	168	31	12	0.09	15	27	20	<10	76	6	3	<1	2391	10	<20	208	<10	14	79	<1
164149	083940	13901	4	5.45	27	393	2	34	2.96	4	17	27	81	138	4.38	22	1	<1	47	2	0.41	6	9	1.41	607	12	11	44	658	51	501	0.42	13	13	31	<10	163	4	8	3	3763	5	<20	119	<10	19	158	<1
164150	083941	346	<1	3.19	100	54	2	25	4.34	7	10	18	49	63	7.74	15	<1	2	64	<1	0.34	4	10	1.20	2185	16	4	41	283	37	49	0.40	11	8	12	<10	75	6	6	3	623	3	62	64	13	7	112	4
164151	083942	32	<1	2.22	84	13	3	35	1.98	17	6	26	20	125	18.44	27	10	<1	48	<1	0.26	3	4	1.19	3213	26	<1	40	550	47	41	0.97	13	2	14	<10	79	12	13	<1	204	8	136	21	12	7	235	<1
164152R	083942	43	5	1.48	53	5	3	27	2.06	15	7	25	15	146	16.58	20	<1	<1	45	<1	0.50	3	2	1.07	2953	22	<1	38	507	46	10	0.93	10	2	<5	<10	70	8	13	<1	171	<2	117	18	11	7	207	<1
164153	083943	7	3	6.40	60	153	3	38	3.23	8	13	44	212	52	8.85	29	7	<1	52	<1	0.80	6	22	1.38	833	11	15	99	404	35	66	0.11	9	18	22	<10	66	7	3	4	1139	8	54	191	31	9	133	<1
164154	083944	<5	3	4.25	40	111	<2	33	8.01	5	23	39	163	65	6.37	17	6	<1	60	1	0.60	6	30	2.49	1031	2	10	102	380	29	57	0.13	14	14	26	<10	69	5	8	4	1112	6	22	134	<10	14	82	<1
164155	083945	<5	15	4.44	19	95	2	31	7.90	6	21	44	190	61	6.81	19	<1	<1	38	<1	0.20	8	30	2.73	1074	2	16	109	367	27	47	0.11	12	18	18	10	73	6	6	2	4553	16	56	175	10	31	91	<1
164156	083946	<5	20	4.69	7	<1	2	32	5.62	6	19	47	207	66	6.97	19	<1	<1	21	<1	0.21	7	28	3.47	1085	<1	17	113	354	27	38	0.10	13	18	7	<10	80	6	5	<1	4664	2	41	188	<10	25	101	<1
164157	083947	<5	13	4.92	4	<1	2	37	4.54	6	15	47	201	62	6.64	20	<1	<1	39	4	0.28	7	27	4.00	946	<1	17	109	353	36	46	0.09	7	18	14	<10	77	5	6	3	4603	18	28	180	<10	23	99	<1
164158	083948	<5	4	4.30	4	<1	2	24	3.67	6	14	45	187	66	6.72	15	<1	<1	38	<1	0.40	5	17	3.79	1024	<1	15	110	328	29	29	0.05	<5	15	20	11	86	4	7	1	4388	4	<20	154	<10	21	99	<1
164159	083949	<5	4	4.69	4	<1	2	17	3.99	5	16	46	187	66	6.01	15	<1	<1	37	<1	0.42	6	14	3.26	982	<1	14	111	362	28	33	0.07	8	15	17	<10	104	6	<1	2	4630	11	<20	149	<10	22	92	<1
164160	083950	<5	3	5.41	5	755	<2	27	0.92	<4	108	4	14	6	1.16	15	<1	2	48	4	0.36	50	21	0.47	185	4	4	16	415	56	118	0.04	18	3	33	<10	273	1	5	38	1025	<2	<20	19	<10	11	46	<1
164161	083951	<5	8	7.95	4	<1	2	32	6.03	6	26	55	237	65	7.67	26	29	<1	39	9	0.63	9	16	3.86	1074	1	23	125	441	30	62	0.14	14	29	30	10	165	8	1	5	5854	14	26	245	<10	40	102	<1
164162	083952	5	10	6.28	5	<1	2	38	6.95	5	22	41	187	57	6.04	23	3	<1	37	1	0.76	7	22	3.02	855	<1	16	92	387	25	27	0.22	<5	19	14	<10	157	5	4	<1	4693	5	23	178	<10	29	77	<1
164163D	083952	5	13	7.47	10	3	2	42	7.30	5	26	43	194	58	6.27	26	11	<1	53	5	0.82	9	26	3.12	886	3	18	99	396	33	50	0.06	14	20	<5	<10	175	7	4	4	4864	19	<20	190	14	31	83	<1
164164	083953	<5	6	7.11	4	8	3	35	5.72	6	23	49	217	72	7.14	24	<1	<1	38	<1	0.69	8	20	3.56	1131	<1	20	114	423	27	60	0.16	18	22	20	10	133	6	3	2	5220	7	47	202	<10	31	97	<1
164165	083954	<5	6	7.74	9	25	3	36	6.09	6	24	48	212	55	6.96	27	26	1	35	3	0.67	9	20	3.53	1071	3	19	115	409	24	65	0.09	14	23	44	11	145	6	2	4	5276	11	28	204	13	33	99	<1
164166	083955	<5	8	6.72	9	18	2	32	5.42	6	24	46	196	55	6.60	24	3	<1	51	<1	0.63	7	21	3.38	1004	<1	16	107	390	28	8	0.08	15	21	22	<10	121	6	5	<1	4861	10	<20	182	<10	29	89	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
164167	083956	24	7	2.81	8	<1	<2	25	3.35	6	11	48	187	58	6.78	17	<1	<1	44	<1	<0.01	5	13	3.35	830	<1	15	105	319	27	24	0.12	11	15	<5	12	57	6	7	<1	4612	7	22	161	<10	19	90	<1
164168	083957	<5	10	1.59	2	<1	<2	23	4.03	5	13	42	165	61	5.51	9	<1	<1	45	<1	<0.01	6	5	2.90	828	<1	13	97	364	31	29	0.08	11	15	<5	<10	63	4	10	<1	4435	9	<20	136	<10	18	81	<1
164169	083958	<5	12	2.40	4	<1	3	17	3.59	5	12	48	209	59	6.07	14	<1	<1	39	<1	0.06	7	8	3.08	928	<1	14	119	354	27	36	0.10	13	15	5	<10	79	5	4	3	4646	7	36	148	<10	19	92	<1
164170	083959	<5	11	2.33	3	<1	2	18	3.40	5	12	46	207	69	5.63	10	<1	<1	43	<1	0.03	5	8	2.94	875	<1	13	109	368	32	18	0.11	12	13	<5	10	84	5	5	<1	4545	19	<20	139	<10	18	87	<1
164171	083960	<5	10	2.78	3	<1	2	20	4.19	5	15	47	229	73	6.10	13	<1	<1	34	3	<0.01	6	8	3.17	948	<1	15	118	386	28	40	0.07	12	15	7	<10	88	5	4	<1	4870	8	24	158	<10	20	93	<1
164172	083961	<5	14	3.21	3	<1	2	35	4.80	6	15	51	227	77	6.93	15	<1	<1	27	<1	<0.01	7	12	3.60	1196	<1	15	117	388	27	26	0.11	11	16	11	<10	95	4	3	<1	5050	14	<20	165	<10	21	105	<1
164173	083962	<5	16	3.38	5	<1	<2	26	4.37	6	15	50	230	75	6.49	17	<1	<1	48	<1	0.21	6	16	3.63	1010	<1	16	115	418	31	28	0.10	12	17	9	<10	95	7	<1	<1	5113	13	<20	167	<10	22	102	<1
164174D	083962	<5	11	3.75	11	<1	2	33	4.76	6	20	48	231	70	6.60	16	<1	<1	32	8	0.16	6	15	3.74	1035	<1	17	114	398	30	50	0.17	15	19	25	<10	106	7	7	1	5056	12	<20	179	<10	24	108	<1
164175	083963	<5	10	2.53	15	<1	2	21	4.14	5	15	46	204	67	5.96	12	<1	<1	48	<1	<0.01	5	11	3.32	988	<1	14	110	349	29	<1	0.08	6	15	<5	<10	93	5	5	<1	4418	4	24	152	<10	19	89	<1
164176	083964	<5	4	3.53	4	<1	<2	17	5.99	6	21	46	231	60	6.69	17	<1	<1	48	<1	<0.01	7	21	3.41	1087	<1	18	111	339	29	28	0.09	17	24	13	<10	80	6	4	<1	4329	17	39	203	<10	29	93	<1
164177	083965	<5	13	3.16	5	<1	2	17	5.79	6	21	47	238	61	6.76	17	<1	<1	28	3	<0.01	7	20	3.46	1087	<1	17	112	357	28	18	0.15	<5	23	23	11	73	5	3	<1	4375	22	26	206	<10	28	95	<1
164178	083966	<5	1	4.19	57	35	2	33	6.21	6	23	43	231	61	7.13	21	<1	<1	33	<1	0.17	7	31	3.58	1081	<1	15	114	380	28	15	0.14	<5	23	8	11	86	5	3	<1	2208	5	23	191	<10	21	90	<1
164179	083967	8	4	3.07	81	95	2	27	>10.00	5	25	33	176	52	6.40	15	<1	<1	20	<1	0.12	7	23	3.34	1159	<1	10	82	383	36	24	0.16	16	18	17	11	131	5	2	<1	232	13	51	142	15	10	70	<1
164180	083968	104	5	2.37	100	164	<2	28	9.60	4	24	30	116	49	4.95	10	<1	<1	27	3	0.48	8	14	2.54	1113	<1	8	74	223	27	44	0.25	6	14	11	<10	84	3	2	<1	269	25	29	114	<10	9	58	<1
164181	083969	<5	2	3.31	33	<1	2	27	5.95	6	26	38	211	57	6.40	16	<1	<1	28	<1	<0.01	9	28	3.70	1017	<1	14	97	748	29	<1	0.10	8	21	8	<10	94	4	<1	<1	1820	14	49	177	<10	19	80	<1
164182	083970	1026	8	1.02	<2	22	2	19	2.60	<4	28	26	66	40	4.20	11	<1	<1	34	<1	0.31	11	<1	1.52	677	<1	12	18	620	31	20	0.05	5	15	6	<10	104	3	4	<1	4189	4	<20	142	<10	28	71	<1
164183	083971	12	2	5.20	26	50	2	31	8.27	5	13	40	293	79	5.27	20	19	<1	32	1	0.68	4	36	2.84	1069	<1	15	110	184	24	14	0.17	6	21	18	<10	88	4	<1	<1	2701	20	33	190	<10	14	58	<1
164184	083972	21	3	7.81	12	23	2	30	7.17	5	15	52	389	94	6.28	23	13	3	40	<1	0.37	5	39	3.95	1077	2	19	128	198	31	33	0.12	12	27	35	<10	106	5	6	<1	3723	10	49	224	<10	17	74	100
164185D	083972	<5	6	8.78	9	27	2	28	7.69	6	15	52	425	101	6.88	21	16	4	38	2	0.87	6	43	4.40	1169	2	21	137	208	32	41	0.09	15	30	31	<10	110	7	7	<1	4058	9	28	240	<10	18	77	123
164186	083973	<5	9	9.26	6	40	2	48	7.72	6	15	49	322	99	7.10	28	40	5	39	<1	0.83	5	35	4.67	1189	6	20	137	205	34	38	0.15	11	30	31	14	123	5	5	<1	3953	10	<20	238	<10	18	77	207

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
164187	083974	8	8	8.64	7	36	<2	38	6.58	6	14	49	287	100	7.07	25	28	5	50	<1	0.71	4	25	4.42	1115	4	20	130	219	29	13	0.18	12	31	26	11	125	5	8	<1	4135	15	<20	238	<10	19	81	187
164188	083975	<5	<1	6.34	11	33	2	32	7.59	4	14	34	211	81	4.82	22	26	4	39	<1	0.81	4	19	3.00	878	7	16	88	162	32	4	0.06	9	23	21	<10	109	4	<1	<1	3218	17	<20	193	<10	15	47	165
164189	083976	7	5	8.99	4	40	2	39	6.91	7	18	53	301	120	7.67	27	21	6	38	<1	0.70	5	23	4.57	1309	5	21	126	244	27	24	0.16	18	34	21	<10	142	8	7	<1	4604	18	27	262	<10	20	87	209
164190	083977	<5	4	7.75	7	43	2	30	9.56	6	16	43	253	50	6.08	23	47	5	64	<1	0.84	4	22	3.54	1154	7	19	96	186	30	18	0.08	9	27	27	<10	123	5	2	<1	3729	40	<20	220	<10	17	64	220
164191	083978	<5	7	9.87	4	41	2	31	7.09	6	17	54	315	112	7.73	29	29	5	35	<1	0.67	5	23	4.54	1270	4	24	116	247	31	31	0.07	16	38	29	<10	136	6	1	<1	4769	9	40	286	<10	22	88	210
164192	083979	9	4	8.30	6	40	2	43	7.84	6	14	49	280	215	7.00	27	37	5	48	<1	0.75	6	25	3.83	1221	6	20	99	227	28	27	0.15	<5	31	30	<10	117	6	1	<1	4453	6	24	252	10	20	75	205
164193	083980	<5	3	6.65	5	956	2	25	1.23	<4	79	6	17	8	1.33	19	7	5	34	<1	0.51	34	28	0.51	227	8	5	15	395	46	49	<0.01	6	3	25	<10	341	<1	<1	24	1398	2	<20	25	<10	10	45	206
164194	083981	<5	4	7.62	<2	77	3	42	5.86	14	22	36	133	31	15.07	35	16	7	54	<1	0.76	7	29	3.18	891	26	12	62	566	36	19	0.07	16	17	<5	<10	135	9	12	<1	2737	17	85	156	<10	22	92	305
164195	083982	<5	3	8.30	4	165	2	35	5.46	6	24	44	192	63	7.00	28	35	4	44	<1	0.77	8	39	3.86	892	4	20	78	428	29	<1	0.06	6	27	9	<10	126	5	3	<1	2516	3	<20	236	<10	27	76	167
164196D	083982	<5	2	7.63	7	152	2	31	5.33	5	24	39	188	63	6.82	26	25	4	28	<1	0.84	6	38	3.80	865	2	19	75	422	33	4	0.06	12	26	15	10	117	4	<1	2	2343	5	39	227	<10	26	74	119
164197	083983	62	1	6.16	13	417	4	33	4.60	14	16	32	134	36	15.32	30	18	4	47	<1	0.85	5	25	2.58	704	24	11	58	647	31	6	0.41	13	17	<5	<10	68	8	11	<1	1452	6	110	150	<10	17	76	180
164198	083984	<5	9	7.85	6	44	2	38	6.21	6	22	41	188	48	6.87	28	24	4	39	<1	0.81	5	38	3.68	855	4	20	75	407	23	<1	0.09	<5	25	14	<10	81	4	<1	<1	4609	13	47	225	<10	35	69	185
164199	083985	<5	7	7.63	7	34	<2	28	6.12	6	24	44	196	46	7.07	25	11	4	34	<1	0.67	7	39	3.85	863	3	21	78	420	29	<1	0.07	10	27	25	10	76	6	1	<1	4800	15	28	234	<10	37	74	139
164200	083986	<5	12	7.64	2	28	2	35	5.80	7	25	50	185	71	7.85	29	4	3	47	<1	0.74	7	31	3.93	905	2	23	69	412	29	<1	0.12	<5	27	8	<10	125	7	3	<1	6024	14	<20	246	<10	35	78	146
164201	083987	<5	8	6.24	<2	94	2	23	5.13	6	22	47	213	52	6.78	23	18	1	29	<1	0.54	7	32	3.77	915	<1	18	104	413	23	<1	0.04	<5	21	<5	<10	93	5	4	<1	4571	13	<20	203	<10	30	93	80
164202	083988	<5	3	5.67	58	209	3	22	8.72	8	19	47	129	69	8.86	23	<1	<1	36	<1	0.63	5	29	2.51	1204	10	18	91	418	30	<1	0.18	17	23	7	<10	76	6	4	<1	1201	7	44	235	11	13	132	12
164203	083989	<5	9	7.61	17	74	3	41	7.66	7	18	59	135	95	8.75	27	12	3	39	<1	0.64	4	28	3.01	1339	11	26	93	449	27	13	0.22	8	28	24	10	114	9	5	<1	6940	8	88	318	<10	27	107	159
164204	083990	<5	10	5.35	2	15	2	29	5.55	6	14	50	118	78	7.08	20	<1	1	48	<1	0.58	5	16	2.85	1156	4	21	83	404	26	9	0.11	13	22	10	<10	116	6	3	<1	6301	10	60	247	<10	21	91	37
164205	083991	<5	5	4.76	3	8	2	26	4.78	6	13	57	125	97	7.79	17	<1	<1	43	<1	0.53	4	13	3.20	1282	6	20	92	468	26	4	0.08	10	22	11	<10	102	7	8	<1	7261	8	42	243	<10	20	109	7
164206	083992	<5	11	6.98	4	22	2	38	5.22	8	17	65	138	110	8.77	25	7	2	42	<1	0.67	6	20	3.91	1229	5	25	98	497	31	<1	0.19	5	28	24	<10	120	6	11	<1	7857	25	45	297	<10	27	115	75

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Derek Demantuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
164207D	083992	<5	11	8.01	9	26	2	43	5.97	8	17	60	139	104	8.86	26	20	2	53	<1	0.66	6	20	3.92	1239	5	27	93	467	29	2	0.22	7	33	11	11	144	8	11	<1	7675	14	31	326	<10	29	110	93
164208	083993	<5	11	7.69	4	25	2	29	6.05	8	18	64	138	114	9.04	29	1	2	51	<1	0.51	6	20	4.00	1303	8	26	101	437	31	20	0.20	19	31	12	<10	135	9	5	<1	7311	7	42	306	11	27	115	85
164209	083994	<5	10	7.57	8	26	2	47	5.22	8	18	63	142	98	9.31	27	2	3	37	1	0.70	6	21	3.95	1352	6	25	99	476	35	42	0.14	11	29	<5	10	112	7	10	<1	7834	3	43	305	<10	27	117	105
164210	083995	<5	8	7.11	6	25	2	34	5.21	7	17	54	129	83	8.39	24	24	1	23	<1	0.62	5	19	3.56	1229	4	25	85	436	29	4	0.16	5	29	<5	<10	117	8	8	<1	7200	4	55	293	<10	27	101	106
164211	083996	<5	5	7.25	14	27	2	42	6.64	8	19	58	136	96	8.49	26	6	3	32	<1	0.75	5	18	3.36	1321	8	25	93	457	28	2	0.16	6	29	18	11	158	7	9	<1	7566	27	34	298	<10	27	112	111
164212	083997	7	13	7.06	9	28	3	42	7.00	12	22	65	101	177	12.60	32	<1	3	36	<1	0.83	6	17	3.00	1861	17	22	91	345	30	7	0.90	10	27	<5	<10	73	12	8	<1	6286	19	65	275	<10	26	268	142
164213	083998	<5	6	7.28	5	31	2	36	5.28	8	18	61	122	96	9.01	29	<1	3	33	<1	0.68	6	19	3.15	1364	10	29	91	486	31	4	0.14	5	33	17	<10	135	9	8	<1	8004	18	28	347	<10	30	116	112
164214	083999	<5	4	6.43	<2	22	2	31	6.01	7	19	54	111	96	8.60	28	<1	1	35	<1	0.66	5	20	3.18	1298	9	26	83	457	27	<1	0.15	<5	31	<5	10	97	9	7	<1	7097	6	<20	317	<10	29	105	72
164215	084000	13703	15	5.59	28	441	2	23	3.04	4	15	30	84	142	4.61	22	<1	<1	52	<1	0.83	5	10	1.46	633	14	11	43	668	54	591	0.66	9	13	19	10	159	4	3	<1	4123	4	<20	127	<10	19	164	26
164216	085351	<5	16	6.97	43	81	3	34	7.41	8	19	58	119	96	9.26	29	<1	2	42	<1	0.68	5	32	3.42	1333	10	28	93	491	36	<1	0.18	7	33	<5	10	98	9	2	<1	6838	5	37	340	10	31	105	73
164217	085352	449	4	5.11	1957	69	3	35	5.44	10	23	35	52	167	11.00	24	12	4	30	<1	0.88	7	11	2.47	1366	17	9	61	498	31	1	0.53	9	12	6	<10	72	7	12	<1	905	6	57	119	27	10	223	144
164218R	085352	454	4	4.65	1819	59	2	36	4.97	9	18	34	45	148	9.84	22	44	3	35	<1	1.28	6	10	2.26	1291	15	9	53	441	29	<1	0.46	9	11	<5	<10	68	5	6	<1	1189	15	54	114	30	10	200	149
164219	085353	14	2	7.24	19	55	3	36	5.80	9	22	43	82	63	10.28	30	26	5	42	<1	0.85	6	43	3.61	1119	13	21	63	623	23	<1	0.19	<5	26	<5	<10	99	5	4	<1	1288	5	100	272	<10	13	120	178
164220	085354	6	3	7.49	49	113	2	40	8.13	7	20	47	110	91	8.51	29	12	3	40	<1	0.50	5	38	2.99	1126	10	23	87	444	28	28	0.13	6	30	16	11	111	7	<1	<1	1369	19	59	303	<10	12	102	99
164221	085355	9	3	6.87	58	78	2	37	7.33	8	18	46	110	92	8.51	27	13	2	23	<1	0.68	5	36	3.06	1077	9	23	87	446	33	1	0.18	12	31	<5	<10	102	6	<1	<1	1077	11	54	300	<10	11	102	47
164222	085356	<5	12	6.62	10	53	2	36	7.34	6	17	46	193	97	7.32	24	15	1	20	<1	0.65	5	37	3.27	1245	3	22	90	282	24	<1	0.16	6	30	5	18	101	5	5	<1	4642	<2	46	268	<10	22	85	77
164223	085357	<5	10	7.26	12	25	<2	31	7.67	6	18	54	206	102	7.53	25	15	1	41	<1	0.62	6	26	3.13	1305	6	22	98	297	27	<1	0.25	5	32	5	<10	112	7	1	<1	5486	19	<20	282	<10	23	86	112
164224	085358	<5	10	7.48	12	32	2	27	7.09	7	15	55	211	104	7.64	23	12	1	33	<1	0.56	4	22	3.16	1436	7	24	107	310	23	<1	0.22	12	32	<5	<10	165	6	2	<1	5712	27	36	287	<10	23	91	127
164225	085359	<5	7	7.67	19	35	2	36	7.08	6	19	55	205	96	7.47	26	11	3	46	<1	0.82	5	27	3.42	1320	4	23	105	288	30	<1	0.17	15	31	18	11	135	7	2	<1	5345	19	49	277	<10	23	84	155
164226	085360	<5	1	8.17	80	138	2	33	7.58	7	19	48	203	95	7.58	28	22	5	31	<1	0.79	5	40	3.42	1217	6	21	102	369	24	5	0.13	6	31	30	<10	119	6	1	<1	2273	28	35	276	<10	17	84	198

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
164227	085361	<5	3	7.99	104	169	2	34	6.71	6	13	49	190	98	7.45	28	6	5	19	<1	0.89	5	41	3.61	1089	5	20	99	301	27	22	0.20	<5	30	10	<10	102	6	<1	2	516	20	22	260	<10	9	88	185
164228	085362	<5	2	7.25	32	29	2	34	6.41	7	15	43	200	113	7.77	27	10	2	39	<1	0.78	5	35	3.72	1159	4	22	99	288	33	<1	0.28	14	32	24	<10	119	6	<1	<1	411	9	35	282	<10	9	92	128
164229D	085362	<5	3	5.71	30	7	2	30	6.15	7	15	45	197	110	7.67	23	<1	<1	38	<1	0.50	5	29	3.70	1134	<1	21	99	284	34	<1	0.23	<5	33	8	<10	104	6	1	<1	315	5	72	276	<10	8	88	<1
164230	085363	<5	5	6.90	20	19	<2	33	6.03	6	14	46	182	85	7.33	24	5	2	31	<1	0.72	4	32	3.67	1174	<1	21	96	276	26	<1	0.23	6	31	5	<10	133	4	2	<1	812	24	59	267	<10	10	95	77
164231	085364	<5	6	6.52	3	14	2	26	5.65	7	12	51	205	99	7.79	25	25	1	44	<1	0.47	4	29	3.76	1120	1	24	101	303	29	<1	0.11	10	33	17	10	130	8	3	<1	4522	5	49	292	<10	23	90	40
164232	085365	<5	10	7.28	6	18	2	29	5.85	7	15	52	200	95	7.63	26	17	1	30	<1	0.57	3	30	3.67	1107	<1	24	99	286	26	<1	0.13	10	33	13	<10	144	6	6	<1	4437	9	30	290	<10	23	86	55
164233	085366	<5	14	7.34	17	59	2	25	5.44	7	15	50	198	86	7.85	25	25	2	44	<1	0.47	5	41	3.77	1123	1	23	95	297	29	<1	0.05	11	32	18	<10	92	6	<1	<1	4388	2	50	285	<10	22	91	83
164234	085367	83	3	4.51	120	37	2	37	3.55	12	19	38	30	230	12.19	22	16	5	45	<1	0.55	7	10	1.64	2632	22	3	57	489	40	<1	0.81	9	5	<5	12	51	5	15	<1	738	3	80	40	16	11	551	234
164235	085368	<5	4	3.82	61	43	5	50	3.09	23	8	31	43	119	24.26	34	20	5	38	<1	0.64	3	10	2.33	3729	39	<1	53	519	47	<1	1.19	13	3	<5	<10	52	9	20	<1	473	5	206	28	<10	9	306	242
164236	085369	25	3	7.28	36	167	2	31	7.85	6	15	36	229	72	6.80	24	15	5	36	<1	0.90	4	38	2.91	981	9	14	108	244	35	16	0.25	11	22	8	<10	65	4	1	<1	815	12	61	178	<10	13	59	216
164237	085370	1005	9	6.98	4	142	<2	21	4.99	5	29	39	115	43	5.88	27	17	4	44	<1	0.72	10	12	2.36	975	8	18	28	653	34	38	0.08	<5	19	7	<10	217	6	3	<1	6396	6	<20	203	<10	30	89	204
164238	085371	<5	11	7.46	7	31	2	37	5.84	6	24	49	203	56	6.86	27	15	3	27	<1	0.62	6	34	3.71	1071	5	20	95	401	25	<1	0.16	<5	25	14	<10	146	5	7	<1	5299	8	21	218	<10	33	77	149
164239	085372	<5	4	7.18	6	30	2	33	5.20	6	24	48	207	65	6.84	25	15	3	31	<1	0.67	7	31	3.85	1090	4	19	108	400	22	<1	0.10	<5	23	<5	<10	141	5	4	<1	5177	8	24	202	<10	32	81	144
164240D	085372	<5	10	8.18	8	39	<2	33	5.70	6	24	52	222	69	7.30	28	16	4	30	<1	0.55	6	33	4.03	1162	5	21	115	434	24	<1	0.13	6	24	5	<10	162	7	3	<1	5518	27	21	220	<10	33	86	192
164241	085373	<5	4	4.48	<2	128	3	48	4.32	18	14	23	40	98	18.74	32	25	6	37	<1	0.75	5	17	1.29	720	32	3	25	683	43	<1	0.34	14	5	<5	<10	76	11	11	<1	1274	3	104	55	34	17	140	297
164242	085374	<5	7	8.57	3	38	2	32	4.22	6	23	47	183	49	7.02	27	22	3	26	<1	0.74	7	35	4.13	851	4	21	79	405	24	<1	0.05	6	24	25	<10	110	5	3	<1	5391	6	25	224	<10	35	76	189
164243	085375	<5	8	9.24	11	40	2	38	5.27	5	29	47	187	50	7.03	28	52	4	42	<1	0.56	7	31	4.19	966	7	23	77	467	26	<1	0.10	10	28	11	<10	152	5	6	<1	5954	4	37	245	<10	39	71	225
164244	085376	<5	4	8.77	8	47	2	38	5.52	6	25	50	203	68	6.98	27	59	5	67	<1	0.53	7	31	3.95	1198	8	20	98	398	24	<1	0.07	<5	23	14	<10	177	5	3	<1	5347	16	46	209	<10	32	126	230
164245	085377	<5	7	9.31	9	48	2	27	5.93	6	24	48	206	62	7.54	28	51	5	45	<1	0.45	7	35	3.88	1219	9	21	95	421	28	<1	0.15	12	25	15	<10	128	5	4	<1	5538	5	<20	232	<10	35	169	259
164246	085378	<5	1	6.03	4	79	3	41	5.27	15	11	23	62	42	17.06	32	31	7	41	<1	0.62	4	20	1.94	1469	31	4	33	622	37	<1	0.47	12	8	25	<10	93	11	8	<1	914	8	117	70	<10	12	108	360

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, July 19, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/05/2011
Date Completed: 07/18/2011
Job #: 201142490
Reference:
Sample #: 164

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
164247	085379	<5	<1	8.67	7	185	2	28	5.22	6	21	37	196	45	7.72	28	31	6	49	<1	0.72	6	53	4.02	877	7	17	85	405	30	<1	0.06	8	24	27	<10	119	5	<1	<1	674	12	37	214	<10	13	79	238
164248	085380	<5	<1	6.78	5	946	<2	28	1.20	<4	73	4	13	5	1.20	21	26	6	39	<1	0.40	32	27	0.47	193	9	4	10	331	47	8	0.03	5	2	23	<10	307	<1	<1	17	1188	2	<20	22	<10	8	39	274
164249	085381	<5	12	8.76	7	43	2	36	7.65	6	15	51	283	309	7.27	26	34	5	32	<1	0.89	4	27	3.88	1277	8	21	106	236	32	<1	0.24	11	32	8	<10	109	7	<1	<1	4539	5	25	258	<10	20	73	223
164250	085382	<5	6	8.08	<2	38	<2	33	7.59	6	16	49	263	190	6.68	24	23	4	36	<1	0.73	4	158	3.67	1180	6	19	115	212	26	<1	0.27	7	30	23	<10	125	6	<1	<1	4005	10	28	228	<10	18	125	195
164251D	085382	34	6	8.98	4	43	2	36	7.51	6	14	50	276	194	7.31	26	35	5	38	<1	0.50	4	262	3.77	1204	9	20	119	209	40	<1	0.28	10	32	24	<10	137	6	2	<1	4083	8	<20	242	<10	19	218	225
164252	085383	<5	12	9.61	15	45	<2	32	7.71	6	15	49	289	94	6.68	26	57	5	38	<1	0.73	4	97	4.23	1201	8	19	138	199	27	<1	0.12	<5	30	23	<10	133	5	<1	<1	3960	16	60	232	<10	19	75	243
164253	085384	<5	6	>10.00	14	58	2	42	7.79	5	16	51	316	91	6.69	29	69	8	30	<1	0.67	4	26	4.13	1202	13	20	153	210	30	<1	0.10	10	30	39	10	153	6	1	<1	4081	18	45	238	<10	20	60	342
164254	085385	<5	10	9.70	10	42	<2	44	7.56	5	15	49	311	94	6.69	26	70	5	53	<1	1.14	5	21	4.06	1181	9	20	148	209	26	<1	0.10	5	31	27	<10	148	5	2	<1	4035	16	25	237	<10	19	63	216
164255	085386	<5	3	9.65	13	44	2	34	7.23	6	13	52	327	83	7.07	27	63	6	26	<1	0.84	5	27	4.17	1224	7	20	151	219	33	<1	0.12	8	31	16	<10	138	5	5	<1	4143	9	<20	240	<10	19	69	232
164256	085387	<5	10	7.56	13	39	<2	38	>10.00	5	14	42	269	111	5.80	21	71	4	38	<1	0.57	4	22	3.30	1192	7	18	112	226	27	<1	0.14	<5	24	16	<10	122	6	3	<1	3636	9	<20	214	<10	16	126	205
164257	085388	<5	5	>10.00	11	44	2	34	7.50	6	16	50	330	96	6.94	27	59	5	49	<1	0.46	4	22	4.30	1214	10	19	138	226	27	<1	0.12	5	30	26	10	140	4	5	<1	3844	9	35	230	<10	20	80	262
164258	085389	<5	5	8.72	14	37	<2	37	8.04	5	13	50	304	95	6.55	24	78	4	34	<1	1.03	4	22	3.87	1240	5	19	136	193	32	<1	0.11	8	29	19	<10	134	4	<1	<1	3702	5	<20	228	<10	18	67	193
164259	085390	<5	5	9.15	24	85	<2	40	8.79	5	15	46	269	90	6.12	26	73	6	29	<1	0.81	3	38	3.46	1198	11	18	113	190	27	<1	0.11	9	26	6	<10	102	5	2	<1	3640	26	34	220	<10	18	70	310
164260	085391	193	1	5.86	39	123	2	34	5.40	13	19	36	133	104	11.53	25	25	4	36	<1	0.69	6	21	2.57	2506	18	9	78	407	34	<1	0.64	<5	15	5	<10	49	7	7	<1	1861	7	61	120	13	15	681	188
164261	085392	86	4	7.46	81	94	3	42	4.30	10	21	45	208	161	10.82	28	12	5	40	<1	0.53	8	18	2.34	2162	19	13	109	910	47	9	0.99	10	20	<5	10	59	8	6	1	1760	6	71	172	15	15	308	220
164262D	085392	91	<1	7.26	84	93	2	28	4.19	10	21	46	202	154	10.55	26	25	5	51	<1	0.56	7	18	2.27	2100	20	12	106	888	49	3	0.87	7	19	11	<10	58	7	<1	<1	1672	9	46	165	13	15	298	224
164263	085393	6	1	7.86	106	136	<2	27	8.91	6	16	50	315	106	6.99	24	18	3	37	<1	0.38	4	43	2.81	1503	8	19	135	166	37	<1	0.12	10	30	16	<10	66	6	<1	<1	3391	12	32	241	<10	16	71	166
164264	085394	6	<1	6.16	62	81	<2	28	>10.00	5	10	40	259	90	5.90	18	2	1	31	<1	0.59	4	41	2.90	1397	<1	15	113	130	28	7	0.14	<5	24	17	<10	69	4	2	<1	2813	16	30	192	<10	15	62	76
164265	085395	<5	<1	6.40	73	79	<2	24	>10.00	5	13	47	266	84	6.15	18	8	2	37	<1	0.54	4	41	3.01	1425	2	16	119	140	25	<1	0.16	<5	24	23	<10	69	4	<1	<1	2920	9	30	196	<10	16	62	79
164266	085396	11	<1	7.44	57	87	<2	31	7.96	5	13	45	284	90	6.33	21	20	4	50	<1	0.65	4	52	3.87	1326	3	17	120	149	29	2	0.10	11	29	33	<10	66	5	<1	<1	3089	27	32	222	<10	16	64	139

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Derek Demantuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142561
Reference:
Sample #: 78

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168790	085711	<0.005	2	>10.00	3	81	2	4	>10.00	8	75	38	191	93	9.31	24	108	11	26	<1	0.64	8	52	5.36	3339	<1	25	89	244	20	37	0.34	5	57	44	<10	198	5	39	2	2377	201	46	165	<10	33	87	348
168791	085712	0.006	2	5.26	3	35	2	6	>10.00	12	24	36	132	94	15.69	27	92	8	21	<1	0.60	1	15	2.68	7178	9	20	98	245	28	182	0.84	7	31	<5	<10	121	12	17	8	808	152	26	186	<10	13	126	167
168792	085713	<0.005	1	3.17	<2	39	<2	2	3.86	5	23	40	147	140	6.37	18	36	<1	8	<1	<0.01	<1	22	1.41	1499	<1	21	98	315	12	45	0.11	<5	20	<5	<10	116	5	<1	<1	355	90	23	216	<10	7	83	<1
168793	085714	0.006	1	4.37	2	48	<2	3	5.85	6	30	39	134	130	7.00	19	73	3	9	<1	0.07	<1	23	1.61	1928	<1	21	95	328	12	22	0.16	<5	20	5	<10	131	4	<1	<1	374	117	<20	207	<10	9	89	30
168794	085715	<0.005	<1	3.63	7	45	<2	2	4.86	5	25	48	162	158	6.64	19	31	<1	17	<1	0.18	<1	24	1.75	1363	<1	25	114	367	14	114	0.12	<5	22	6	<10	106	2	2	1	338	136	<20	239	<10	7	94	<1
168795	085716	<0.005	1	4.25	5	170	<2	4	4.53	5	32	48	158	154	5.79	20	53	<1	13	<1	0.06	<1	20	1.84	1192	<1	24	109	350	12	<1	0.16	6	23	12	<10	104	3	2	<1	366	221	22	232	<10	8	81	<1
168796	085717	<0.005	<1	4.03	<2	35	<2	5	4.40	5	29	45	156	149	5.86	18	45	<1	14	<1	0.13	<1	20	2.10	1076	<1	25	110	338	9	21	0.12	5	25	9	<10	91	5	<1	2	322	60	36	231	<10	8	85	<1
168797	085718	<0.005	1	3.59	2	11	<2	4	5.84	4	34	43	143	140	5.46	14	32	<1	17	<1	0.19	<1	20	2.14	1050	<1	23	100	308	7	<1	0.14	5	25	<5	<10	110	2	<1	<1	313	71	33	215	<10	10	98	<1
168798	085719	<0.005	<1	3.68	<2	3	<2	1	4.71	5	27	46	148	142	6.21	18	31	<1	19	<1	0.29	<1	24	2.53	977	<1	25	108	323	11	<1	0.14	<5	24	<5	<10	121	4	2	1	1018	33	35	224	<10	15	119	<1
168799	085720	<0.005	<1	0.71	<2	585	2	1	1.08	<4	10	7	31	6	1.28	17	35	<1	8	<1	0.02	3	12	0.41	301	<1	5	24	312	23	94	0.04	<5	1	9	<10	447	<1	2	6	1361	<2	<20	25	<10	5	49	8
168801	085721	<0.005	1	5.99	2	46	<2	4	6.43	6	35	50	160	148	6.84	23	57	4	16	<1	0.34	1	25	2.40	1185	<1	27	108	360	9	178	0.17	7	24	<5	<10	143	2	13	10	2723	171	66	240	<10	17	127	100
168802	085722	0.008	1	>10.00	6	121	2	3	6.29	6	33	61	194	188	7.91	27	55	4	19	1	0.54	2	39	2.95	1293	<1	33	123	421	14	60	0.17	5	37	14	<10	148	5	18	11	4550	96	83	286	<10	22	120	126
168803	085723	<0.005	1	7.47	14	267	<2	3	6.13	6	80	55	174	167	6.48	27	63	4	4	<1	0.18	<1	27	2.24	1143	<1	30	112	400	13	43	0.14	<5	29	14	<10	126	5	13	3	4440	47	49	264	<10	19	120	103
168804	085724	<0.005	1	6.20	<2	108	2	3	4.88	8	29	33	119	65	10.39	24	52	4	9	<1	0.32	<1	22	2.79	1384	<1	20	60	435	21	152	0.13	5	21	<5	<10	103	5	21	5	3442	135	22	174	<10	18	131	119
168805	085725	<0.005	1	4.54	3	74	2	<1	4.70	8	26	26	94	50	10.55	19	48	3	36	<1	0.21	<1	17	2.41	1309	<1	14	50	448	20	153	0.13	7	17	<5	<10	91	7	17	9	2471	78	51	129	<10	17	111	38
168806	085726	<0.005	<1	4.60	20	531	<2	<1	6.13	7	31	49	213	136	8.48	24	17	<1	17	<1	0.35	<1	18	1.92	1470	<1	30	88	441	17	122	0.16	<5	29	7	<10	79	8	18	11	5435	28	27	283	<10	17	114	<1
168807	085727	0.017	<1	4.98	56	711	2	1	5.67	5	34	59	226	156	6.50	26	55	2	16	<1	0.26	<1	15	1.87	1133	<1	33	92	436	16	188	0.11	5	27	11	<10	99	6	10	7	5673	50	63	302	<10	14	99	38
168808	085728	<0.005	<1	4.22	19	16	<2	3	6.67	6	27	49	201	140	7.65	23	39	2	14	<1	0.29	<1	11	2.51	1324	<1	32	91	386	14	75	0.10	<5	26	5	<10	109	6	19	8	4684	<2	35	268	<10	16	116	13
168809	085729	0.270	<1	3.17	10	10	2	2	6.01	6	37	48	176	126	7.30	22	52	<1	17	<1	0.06	<1	7	2.17	1322	<1	29	78	383	15	40	0.15	5	22	11	<10	148	6	8	4	5393	37	36	251	<10	15	120	23
168810	085730	<0.005	<1	4.41	4	5	2	2	6.13	7	30	52	202	131	8.28	23	34	2	16	<1	0.24	<1	7	2.91	1476	<1	32	84	391	13	74	0.14	<5	25	7	<10	210	8	18	8	5560	126	24	255	<10	18	118	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142561
Reference:
Sample #: 78

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168811D	085730	<0.005	<1	4.24	3	9	<2	1	5.66	6	25	48	185	120	7.66	21	41	2	18	<1	0.12	<1	6	2.60	1348	<1	28	79	367	14	53	0.13	7	23	13	<10	206	5	17	6	5103	29	25	239	<10	17	112	7
168812	085731	0.057	1	>10.00	6	24	2	3	6.28	8	43	54	149	125	9.90	30	52	5	33	<1	0.50	5	17	3.90	1533	<1	31	65	731	14	149	0.15	7	39	20	<10	280	7	29	12	7828	45	<20	243	<10	40	151	132
168813	085732	<0.005	1	3.69	6	2	<2	3	5.91	6	32	46	129	114	7.29	20	35	<1	7	<1	<0.01	<1	4	2.11	1516	<1	26	58	476	10	53	0.16	<5	22	<5	<10	203	4	11	7	5928	3	23	225	<10	21	125	<1
168814	085733	0.077	1	7.37	6	18	2	2	5.29	7	32	58	137	180	8.93	25	46	3	26	<1	0.31	2	14	3.23	1566	<1	35	61	617	17	131	0.25	5	34	11	<10	213	7	23	9	7690	77	<20	285	<10	28	131	73
168815	085734	<0.005	<1	6.32	4	19	2	4	7.96	7	42	48	180	97	8.11	25	53	2	16	2	0.07	<1	17	3.25	1530	<1	31	77	360	19	112	0.10	<5	26	8	<10	171	6	15	11	4833	90	70	258	<10	20	104	53
168816	085735	<0.005	1	7.09	2	19	2	3	5.52	7	30	50	203	102	8.30	25	45	3	35	<1	0.24	1	16	3.62	1443	<1	34	82	371	13	27	0.10	5	32	<5	<10	143	9	19	12	5807	102	<20	272	<10	22	100	72
168817	085736	0.105	<1	5.77	8	10	2	2	5.81	7	29	54	188	90	8.43	24	46	2	13	1	<0.01	2	11	3.46	1127	<1	33	78	402	20	<1	0.15	<5	28	7	<10	234	5	17	4	5858	44	39	267	<10	21	94	26
168818	085737	<0.005	<1	4.79	10	<1	2	2	5.80	6	29	48	184	82	7.98	19	28	<1	13	<1	0.20	<1	9	3.50	973	<1	29	83	364	12	91	0.11	5	28	6	<10	232	5	16	2	5318	39	30	236	<10	22	91	<1
168819	085738	<0.005	<1	5.53	11	8	2	2	5.18	6	30	46	179	116	7.81	21	51	2	17	<1	0.10	<1	9	3.37	938	<1	30	77	382	12	51	0.14	7	27	<5	<10	211	5	10	5	5670	96	<20	241	<10	21	77	37
168820	085739	0.015	1	4.85	4	<1	<2	2	2.94	6	16	45	165	106	7.99	18	43	<1	20	<1	0.02	1	7	3.55	966	<1	29	67	356	11	62	0.11	<5	26	<5	<10	116	7	9	3	4993	93	<20	229	<10	20	99	<1
168821	085740	13.661	6	1.68	24	295	<2	3	2.16	4	11	25	76	120	3.93	14	26	<1	20	<1	<0.01	<1	2	1.00	557	<1	10	36	632	32	308	0.37	<5	7	<5	<10	151	2	11	4	3893	<2	<20	99	<10	11	140	<1
168823	085741	<0.005	1	5.98	4	<1	<2	2	3.20	7	17	46	175	121	8.15	20	56	1	13	<1	0.16	1	9	3.59	1097	<1	31	77	383	15	56	0.08	6	27	<5	<10	123	6	14	2	5736	24	<20	248	<10	21	94	20
168824	085742	0.012	1	5.20	3	<1	<2	<1	4.13	7	19	49	184	103	8.36	21	51	1	14	<1	0.20	2	8	3.21	1175	<1	30	83	386	15	24	0.10	5	25	<5	<10	151	4	15	4	5753	49	51	250	<10	20	99	<1
168825	085743	0.007	1	2.00	3	3	2	<1	4.07	9	22	16	45	36	11.00	16	20	<1	13	<1	<0.01	<1	3	1.64	1071	3	5	43	497	25	49	0.22	5	5	<5	<10	82	4	14	<1	1405	98	<20	53	<10	16	78	32
168826	085744	<0.005	<1	4.71	<2	22	<2	4	3.81	7	22	46	142	122	9.12	18	31	<1	8	<1	0.28	<1	16	3.53	1206	<1	28	80	335	13	<1	0.08	<5	25	<5	<10	91	6	13	5	5138	24	<20	226	<10	19	125	<1
168827	085745	0.046	<1	6.40	3	<1	2	1	4.16	7	25	52	170	127	9.01	22	10	<1	20	<1	0.21	1	16	4.22	1153	<1	32	87	395	14	56	0.07	7	32	<5	<10	136	5	15	5	6098	73	<20	261	<10	23	120	<1
168828	085746	0.020	1	6.47	7	<1	2	2	3.72	7	20	53	187	141	8.88	19	18	<1	8	<1	0.19	2	15	4.28	1115	<1	35	90	383	10	19	0.15	7	32	7	<10	136	8	18	8	5901	54	<20	269	<10	22	107	<1
168829	085747	<0.005	<1	5.34	<2	<1	<2	<1	3.51	7	24	50	186	125	8.64	19	20	<1	3	<1	0.10	2	13	4.22	1174	<1	33	84	344	9	<1	0.15	6	29	<5	<10	122	7	16	6	5444	89	<20	261	<10	21	103	<1
168830	085748	<0.005	<1	1.81	3	<1	<2	2	3.48	7	22	50	186	129	8.38	20	21	<1	10	<1	0.21	<1	13	3.24	1123	<1	34	83	355	11	23	0.12	<5	19	<5	<10	82	5	17	7	5793	77	20	266	<10	16	91	<1
168831	085749	<0.005	1	2.81	3	<1	<2	3	2.31	8	5	54	193	135	10.41	24	30	<1	18	<1	0.05	<1	16	3.60	1602	<1	34	82	383	17	60	0.07	<5	19	<5	<10	84	9	17	5	6157	41	24	282	<10	17	110	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142561
Reference:
Sample #: 78

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K ppm	La ppm	Li ppm	Mg ppm	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S ppm	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168832	085750	<0.005	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA
168834	085751	0.008	<1	0.03	<2	<1	3	8	2.48	15	<1	23	59	63	19.22	18	6	<1	15	<1	0.04	<1	3	2.55	1156	6	9	53	498	37	128	0.21	6	9	<5	<10	50	10	14	<1	1906	20	222	88	<10	11	90	<1
168835	085752	<0.005	<1	1.43	4	<1	2	1	2.03	8	4	52	195	115	10.25	19	5	<1	2	<1	0.19	<1	15	3.49	1606	<1	32	89	356	16	116	0.06	5	18	<5	<10	72	8	15	5	5866	18	<20	270	<10	14	119	<1
168836	085753	<0.005	1	1.74	<2	<1	3	5	3.58	13	18	32	69	187	16.70	22	7	<1	32	<1	0.31	2	8	2.42	1428	4	12	56	569	28	72	0.39	7	10	<5	<10	76	7	27	7	2395	90	135	108	<10	15	187	<1
168837	085754	<0.005	<1	6.29	2	<1	<2	1	4.19	7	26	53	176	109	8.97	19	16	<1	22	<1	0.23	1	11	4.36	1236	<1	33	91	424	15	<1	0.09	7	34	8	<10	130	4	17	3	6199	15	<20	256	<10	24	106	<1
168838	085755	<0.005	1	9.09	6	7	2	4	4.66	7	32	51	172	108	8.92	22	20	2	12	<1	0.05	3	16	4.46	1225	<1	34	84	426	11	<1	0.10	<5	37	17	<10	159	5	19	5	6000	161	36	258	<10	27	104	24
168839	085756	0.005	<1	4.63	9	<1	2	2	4.20	6	22	48	160	86	7.82	14	17	<1	8	<1	0.14	<1	7	3.58	1063	<1	30	81	338	14	<1	0.10	<5	28	6	<10	146	2	13	3	5203	84	<20	235	<10	19	96	<1
168840	085757	<0.005	<1	6.23	16	<1	<2	2	4.45	7	19	49	162	107	8.22	18	22	<1	7	<1	0.26	<1	10	3.85	1099	<1	31	83	393	13	63	0.12	5	34	7	<10	168	6	12	4	5826	107	<20	252	<10	24	105	<1
168841	085758	<0.005	<1	3.74	8	<1	<2	1	3.39	6	18	43	151	112	6.97	13	16	<1	16	<1	<0.01	<1	7	2.96	843	<1	25	78	319	10	<1	0.08	<5	23	12	<10	122	6	7	2	4226	<2	<20	209	<10	17	100	<1
168842	085759	<0.005	<1	3.92	5	<1	<2	2	3.54	6	23	40	134	91	6.98	13	29	<1	15	<1	<0.01	<1	6	3.03	770	<1	26	66	324	9	2	0.10	<5	24	5	<10	130	4	10	1	4641	38	22	210	<10	19	84	<1
168843	085760	<0.005	<1	3.94	9	<1	<2	2	3.46	6	17	43	146	119	7.13	12	29	<1	14	<1	0.09	<1	6	3.22	840	<1	26	74	308	12	<1	0.09	<5	23	<5	<10	147	6	4	1	4382	96	<20	210	<10	18	106	<1
168844D	085760	<0.005	<1	4.91	11	<1	<2	3	4.15	7	20	50	166	124	8.13	18	14	<1	18	<1	0.22	1	9	3.67	960	<1	30	80	358	15	<1	0.14	5	27	<5	<10	167	4	16	2	5403	65	<20	243	<10	20	114	<1
168845	085761	<0.005	1	5.52	8	<1	<2	2	3.92	7	25	51	168	129	8.54	20	21	<1	18	<1	0.20	<1	12	3.93	977	<1	32	82	374	14	52	0.14	5	27	13	<10	145	7	13	3	5833	40	<20	262	<10	22	107	<1
168846	085762	<0.005	<1	5.90	6	8	<2	3	3.23	7	22	53	166	141	9.05	21	26	<1	17	<1	0.21	2	13	4.24	1068	<1	33	87	375	11	74	0.09	7	28	6	<10	135	5	15	4	5745	41	<20	257	<10	20	118	<1
168847	085763	<0.005	1	4.45	5	<1	<2	2	4.55	7	21	47	147	112	8.14	19	23	<1	11	<1	0.26	<1	9	3.38	1154	<1	27	81	373	11	12	0.14	<5	24	10	<10	152	6	13	3	5459	71	<20	228	<10	19	102	<1
168848	085764	<0.005	<1	4.95	13	13	2	2	5.12	7	21	53	166	122	8.09	19	22	<1	15	<1	0.22	<1	7	3.22	1470	<1	31	95	378	14	64	0.10	<5	26	<5	<10	241	4	11	7	5708	85	31	248	<10	20	113	<1
168849	085765	<0.005	<1	4.32	16	<1	<2	<1	4.28	7	20	53	168	128	7.86	16	<1	<1	23	<1	0.22	1	8	3.48	1459	<1	28	98	373	12	<1	0.09	<5	27	<5	<10	188	6	14	3	5972	5	<20	230	<10	19	116	<1
168850	085766	<0.005	1	6.48	16	24	<2	<1	5.04	6	20	51	166	116	8.04	22	41	<1	1	<1	0.31	1	10	3.30	1450	<1	30	94	384	12	93	0.12	8	28	11	<10	250	6	13	2	6016	114	<20	254	<10	22	115	19
168851	085767	<0.005	<1	6.54	19	24	<2	<1	5.04	6	30	53	172	135	8.05	19	42	2	23	<1	0.10	1	11	3.48	1394	<1	30	98	366	16	22	0.10	<5	29	<5	<10	205	7	12	1	5835	46	<20	251	<10	22	118	6
168852	085768	0.005	<1	4.73	14	20	<2	1	5.53	6	28	47	133	127	7.43	19	41	1	17	<1	0.24	<1	10	3.07	1096	<1	28	79	402	14	91	0.17	<5	24	<5	<10	178	6	11	3	5795	<2	41	227	<10	21	98	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142561
Reference:
Sample #: 78

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168853	085769	<0.005	<1	4.38	5	<1	<2	3	4.77	6	28	48	152	111	7.34	15	14	<1	15	<1	0.24	1	14	3.42	1037	<1	29	89	370	9	<1	0.13	<5	23	5	<10	102	4	14	4	5401	90	<20	226	<10	18	95	<1
168854	085770	0.999	<1	4.79	<2	95	<2	<1	4.22	5	35	34	112	40	5.51	20	16	<1	23	<1	0.03	5	7	2.05	923	<1	20	25	686	25	66	0.09	<5	16	12	<10	219	3	9	9	5877	16	<20	167	<10	24	95	52
168856	085771	<0.005	<1	5.45	13	13	<2	2	4.85	6	28	49	157	129	7.53	18	31	<1	6	<1	0.35	1	9	3.28	1192	<1	29	91	380	15	<1	0.08	<5	26	10	<10	238	6	7	1	5621	96	<20	240	<10	20	132	<1
168857	085772	0.070	1	5.63	8	14	<2	2	4.09	6	19	51	151	115	8.27	21	44	1	8	<1	0.22	2	10	3.36	1302	<1	31	86	427	14	<1	0.15	<5	27	8	<10	200	5	12	3	6146	66	<20	253	<10	23	120	<1
168858	085773	<0.005	<1	5.52	13	27	<2	2	4.98	6	23	48	152	108	7.29	19	44	<1	5	<1	0.28	<1	8	3.12	1277	<1	28	90	370	12	<1	0.10	5	26	8	<10	223	6	11	5	5491	77	29	226	<10	20	112	5
168859	085774	<0.005	1	3.96	9	111	2	<1	4.68	6	42	43	131	96	7.02	18	26	<1	16	<1	0.25	9	6	3.11	1170	<1	28	56	1750	14	26	0.19	5	23	9	<10	208	4	16	8	5770	46	23	222	<10	21	116	<1
168860	085775	<0.005	<1	5.65	11	17	<2	3	4.33	7	21	49	149	126	7.66	19	45	1	6	<1	0.23	1	8	3.25	1234	<1	30	85	414	12	3	0.15	<5	27	18	<10	240	6	10	<1	5831	43	<20	234	<10	22	108	<1
168861	085776	0.007	1	5.56	13	15	<2	2	4.16	6	24	52	158	142	8.19	20	36	<1	7	<1	0.12	2	10	3.54	1246	<1	33	86	393	10	37	0.07	5	29	<5	<10	223	7	16	<1	6078	27	<20	260	<10	21	113	<1
168862	085777	<0.005	<1	5.24	5	10	<2	<1	3.44	6	17	47	155	123	7.34	19	37	<1	18	<1	0.16	1	11	3.36	1008	<1	30	86	365	15	36	0.09	<5	27	10	<10	155	4	9	3	5550	38	<20	243	<10	20	93	<1
168863	085778	0.006	<1	4.71	7	<1	<2	<1	3.45	6	22	48	155	104	7.95	19	33	<1	13	<1	0.30	2	17	3.78	934	<1	33	84	358	15	44	0.13	<5	27	<5	<10	82	4	11	<1	5492	71	<20	252	<10	21	90	<1
168864	085779	0.006	<1	4.36	14	6	<2	2	3.74	7	20	53	173	135	9.32	26	39	<1	12	<1	0.29	<1	24	3.79	1109	<1	33	103	391	14	68	0.09	6	23	<5	<10	93	5	12	2	5958	30	<20	267	10	18	117	2
168865	085780	<0.005	2	4.47	7	753	2	<1	1.29	<4	101	12	19	9	2.68	23	36	6	20	<1	0.21	37	16	0.65	308	4	15	14	1337	40	97	0.06	<5	4	13	<10	273	<1	9	29	3805	54	<20	46	<10	14	95	283
168867	085781	0.017	<1	3.67	14	<1	<2	2	4.35	7	18	49	170	104	8.77	22	31	<1	15	<1	0.41	<1	24	3.74	1142	<1	32	95	375	12	24	0.14	<5	22	5	<10	85	6	13	2	5760	35	<20	258	11	19	119	<1
168868	085782	0.009	<1	4.84	19	15	<2	2	6.41	6	34	47	149	94	7.25	18	19	<1	13	<1	0.40	1	16	3.36	950	<1	29	87	364	10	12	0.14	<5	24	<5	<10	111	5	5	1	5093	57	38	224	28	20	90	<1
168869	085783	0.023	<1	4.10	20	4	<2	1	>10.00	6	51	43	141	97	7.12	15	23	<1	17	<1	0.46	2	15	3.30	1148	<1	27	86	332	9	64	0.17	<5	24	9	<10	155	8	10	1	4769	88	79	213	12	21	73	<1
168870	085784	0.013	<1	4.58	11	18	<2	2	9.22	6	46	37	134	90	6.66	16	39	<1	11	<1	0.41	<1	15	3.05	1019	<1	25	76	318	15	45	0.18	<5	20	<5	<10	159	5	9	<1	4644	108	63	195	26	18	76	17
168871	085785	0.022	<1	4.07	6	11	<2	<1	8.15	5	43	38	132	89	6.62	21	48	2	11	1	0.55	1	15	3.01	968	<1	24	77	313	12	38	0.18	<5	20	9	<10	143	3	12	7	4607	97	70	193	21	17	85	<1
168872	085786	<0.005	1	6.29	7	<1	2	1	3.56	7	20	58	188	126	9.06	22	21	<1	13	2	0.44	1	21	4.28	986	<1	35	113	441	17	<1	0.12	8	33	<5	<10	106	7	13	7	6514	46	<20	284	<10	25	122	<1
168873	085787	0.006	<1	5.53	9	2	2	2	4.04	7	21	55	143	115	9.04	25	43	2	25	<1	0.52	3	18	3.40	975	<1	34	91	599	18	6	0.21	6	28	9	<10	134	5	23	7	7950	47	32	271	<10	28	135	10
168874	085788	0.017	2	6.72	16	46	2	2	5.06	7	32	52	144	105	8.84	27	81	5	12	10	0.45	2	19	3.46	986	<1	33	86	569	18	32	0.14	7	26	8	<10	131	6	24	7	7444	103	27	267	11	26	125	131

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168875	085397	0.009	1	6.05	14	64	<2	2	6.22	6	33	49	214	98	7.44	24	79	3	24	<1	0.54	<1	15	3.08	1411	<1	27	113	286	14	<1	0.09	5	26	10	<10	182	5	10	2	4143	41	32	219	<10	16	93	83
168876	085398	<0.005	<1	4.82	14	31	<2	1	6.82	6	32	47	237	103	7.33	19	35	<1	27	<1	0.40	<1	12	3.16	1432	<1	28	104	278	10	<1	0.08	8	26	<5	<10	198	6	7	6	4260	144	46	224	<10	16	95	<1
168877	085399	0.007	<1	5.23	19	32	<2	2	7.51	6	38	49	245	148	7.29	21	45	1	17	<1	0.45	<1	13	3.05	1318	<1	27	111	269	10	51	0.14	5	27	8	<10	245	4	14	5	4191	5	70	225	<10	15	96	<1
168878	085400	13.754	7	4.70	29	421	2	3	2.88	5	17	30	96	147	4.83	23	63	2	24	<1	0.34	<1	9	1.33	690	4	13	46	764	38	347	0.40	<5	10	13	<10	190	3	14	11	4889	28	<20	120	<10	16	176	80
168879	085401	0.014	<1	4.45	13	37	<2	3	8.90	5	43	47	220	132	6.63	18	46	<1	12	1	0.37	1	10	2.73	1425	<1	23	107	243	9	9	0.11	7	23	10	<10	188	3	8	7	3770	90	95	199	<10	15	91	<1
168880	085402	0.007	<1	6.24	15	28	2	2	6.87	6	32	56	265	142	7.73	18	31	<1	7	<1	0.43	<1	13	3.65	1561	<1	28	128	281	13	76	0.06	7	27	9	<10	274	5	21	8	4540	130	32	229	<10	16	105	<1
168881	085403	0.009	1	6.10	11	46	2	4	6.89	6	28	52	252	133	7.58	25	58	<1	4	<1	0.32	1	13	3.21	1474	<1	27	125	279	13	92	0.09	7	26	15	<10	283	4	12	2	4318	<2	40	228	<10	16	98	28
168882	085404	0.007	1	5.77	13	50	<2	3	5.69	6	25	49	234	110	7.25	21	49	1	15	<1	0.22	<1	16	3.10	1340	<1	27	111	268	13	<1	0.09	<5	25	<5	<10	185	4	7	3	3849	61	<20	218	<10	16	92	27
168883	085405	0.008	1	6.05	10	54	2	2	6.40	6	38	48	230	110	7.02	22	54	2	4	<1	0.52	<1	20	3.09	1374	<1	26	108	265	12	<1	0.13	6	26	9	<10	188	6	6	4	3791	120	<20	213	<10	17	91	32
168884	085406	0.653	2	5.42	54	109	2	4	1.67	10	1	47	152	103	12.25	26	43	4	12	<1	0.26	<1	21	1.93	4460	7	16	93	406	29	18	0.08	6	20	<5	<10	115	10	11	2	1331	34	76	164	<10	13	94	150
168885D	085406	0.621	2	4.86	56	93	2	2	1.62	10	4	49	160	103	12.63	26	28	3	16	<1	0.31	<1	19	1.93	4567	5	16	98	412	24	84	0.12	<5	21	<5	<10	105	8	14	3	1306	111	128	169	<10	13	100	82
168886	085407	<0.013	1	6.26	4	99	2	5	5.49	6	36	53	196	137	7.17	30	63	3	17	<1	0.39	<1	32	2.13	1252	<1	29	126	513	15	58	0.15	<5	25	7	<10	173	6	10	4	396	148	47	265	<10	11	98	86
168887	085408	0.009	<1	5.90	<2	52	<2	4	5.90	6	34	45	171	124	7.65	25	82	3	17	<1	0.46	<1	38	2.93	1214	<1	28	119	445	21	129	0.14	<5	25	13	<10	145	2	13	2	359	104	<20	240	<10	10	125	63
168888	085409	0.006	1	5.41	<2	111	2	6	6.02	8	29	45	177	131	9.92	23	34	2	18	<1	0.40	1	30	2.15	2488	<1	24	103	465	23	107	0.18	6	27	<5	<10	127	7	10	4	499	61	27	246	<10	10	121	4
168889	085410	0.999	1	4.36	<2	127	<2	<1	4.31	5	40	38	120	43	6.08	22	45	2	20	<1	0.22	6	5	2.19	1026	<1	24	28	766	23	133	0.10	<5	16	16	<10	219	3	22	11	6654	59	34	184	<10	25	105	55
168890	085411	0.008	<1	3.84	3	146	<2	<1	6.63	6	46	49	171	146	6.83	24	45	<1	23	<1	0.22	<1	27	1.56	1711	<1	23	113	443	14	83	0.18	9	16	<5	<10	146	5	6	4	387	64	42	229	<10	8	95	<1
168891	085412	<0.005	1	2.98	5	154	2	3	6.12	6	32	52	195	139	6.69	25	43	2	8	1	0.29	<1	29	1.43	1854	<1	27	133	499	11	73	0.19	<5	15	11	<10	150	4	4	6	404	122	67	260	<10	7	104	38
168892	085413	<0.005	<1	2.50	10	124	2	2	5.07	5	23	51	202	146	6.10	23	17	<1	18	<1	0.13	<1	30	1.21	1243	<1	27	125	480	12	38	0.13	6	14	11	<10	154	5	1	7	364	101	31	266	<10	6	106	<1
168893	085414	<0.005	1	3.91	15	134	2	2	4.70	5	26	47	201	120	6.46	28	36	2	26	<1	0.39	<1	30	1.32	1145	<1	27	104	539	13	187	0.14	7	15	17	<10	157	4	4	4	390	36	<20	261	<10	7	87	52
168894	085415	0.005	1	6.13	12	130	2	7	6.64	8	32	37	169	86	9.51	27	34	2	21	<1	0.66	<1	39	2.36	2488	<1	27	86	483	14	14	0.13	<5	25	<5	<10	153	5	11	<1	388	65	<20	248	<10	10	97	70

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168895	085416	0.005	1	5.85	16	112	2	2	5.49	9	26	37	176	74	11.42	29	35	1	16	<1	0.61	<1	36	1.96	2914	2	27	95	416	23	39	0.12	6	28	<5	<10	123	9	6	<1	357	77	44	256	<10	9	126	30
168896D	085416	0.005	2	7.38	19	137	<2	3	5.68	9	23	39	190	83	12.21	30	47	4	18	<1	0.40	<1	33	2.16	3123	3	28	101	457	28	50	0.11	5	31	<5	<10	139	12	18	4	424	108	41	274	<10	10	135	104
168897	085417	0.006	2	4.59	8	82	2	6	3.76	12	19	15	29	37	14.83	21	58	6	26	<1	0.32	<1	7	1.94	3985	11	5	49	468	29	49	0.17	7	16	<5	<10	114	11	17	6	489	112	74	66	<10	12	124	173
168898	085418	0.013	2	4.42	3	79	2	4	6.00	12	25	14	35	116	14.85	22	66	5	17	<1	0.39	1	8	2.06	5357	9	7	48	276	29	55	0.48	8	12	<5	<10	121	6	19	1	332	33	36	66	<10	11	116	154
168899	085419	0.005	1	4.10	62	138	2	5	3.98	7	19	52	192	122	8.96	27	58	2	10	<1	0.25	<1	22	1.43	2133	<1	26	130	505	20	<1	0.12	<5	19	<5	<10	136	6	2	<1	420	34	<20	268	<10	7	108	73
168900	085420	<0.005	2	2.31	2	401	2	2	0.95	<4	57	8	22	6	1.90	20	63	4	4	<1	0.10	19	13	0.45	252	4	9	21	871	39	85	0.04	<5	1	14	<10	246	<1	9	17	2373	31	<20	32	<10	9	66	222
168901	085421	0.008	1	5.17	51	125	2	4	5.51	7	30	43	168	108	8.74	25	53	3	14	<1	0.43	<1	23	1.84	1740	<1	24	104	436	22	86	0.17	5	21	8	<10	151	4	7	3	444	79	<20	232	<10	8	115	79
168902	085422	0.010	1	3.67	100	125	2	3	4.47	6	23	51	185	121	7.35	24	18	1	18	<1	0.22	<1	25	1.46	1505	<1	25	125	471	13	<1	0.07	6	16	6	<10	149	4	7	<1	393	76	<20	242	<10	6	103	13
168903	085423	0.034	1	4.10	54	113	<2	4	6.93	6	34	32	125	90	7.15	21	91	2	7	<1	0.62	<1	16	1.86	1935	<1	16	83	344	13	50	0.13	<5	16	5	<10	138	3	2	<1	397	72	47	156	<10	9	107	68
168904	085424	0.406	1	4.04	82	90	2	4	4.48	9	19	38	123	156	11.07	20	22	3	13	3	0.49	<1	16	1.67	2485	2	14	95	558	26	94	1.09	6	17	6	<10	123	5	8	1	335	26	<20	150	<10	9	125	38
168905	085425	0.383	1	4.15	77	92	2	4	4.64	10	22	36	120	152	11.51	22	40	2	11	<1	0.60	<1	15	1.72	2732	4	14	93	538	19	<1	1.00	5	16	<5	<10	124	6	12	<1	338	77	66	143	<10	9	133	57
168906	085426	0.192	<1	3.60	100	132	2	2	5.76	5	39	35	174	113	6.06	20	20	2	15	<1	0.56	<1	23	1.58	1428	1	21	95	450	9	80	0.19	5	15	5	<10	153	3	9	4	383	108	48	199	<10	7	83	26
168907D	085426	0.190	1	4.02	92	134	<2	3	5.52	5	31	31	161	104	5.69	22	38	<1	17	<1	0.44	<1	26	1.53	1353	<1	19	90	430	14	17	0.18	5	15	12	<10	156	3	4	<1	381	76	32	188	<10	7	75	53
168908	085427	0.081	<1	5.09	155	154	2	2	7.53	6	38	40	177	98	6.92	21	27	2	14	<1	0.34	<1	20	1.96	2029	<1	22	113	351	16	109	0.12	6	19	9	<10	170	5	3	<1	455	32	41	209	<10	8	78	49
168909	085428	0.119	1	4.20	107	126	2	4	7.13	6	37	39	181	133	7.14	22	54	2	12	<1	0.43	<1	18	1.75	1932	<1	20	108	355	10	<1	0.20	6	19	<5	<10	151	3	2	<1	411	69	27	192	<10	8	95	43
168910	085429	0.006	1	4.58	64	98	<2	5	6.87	5	76	28	125	81	6.13	16	55	2	26	<1	0.29	1	13	2.19	2372	<1	15	78	366	11	16	0.11	<5	16	12	<10	125	4	2	<1	365	147	49	131	<10	9	69	66
168911	085430	0.016	1	3.28	37	54	<2	4	5.93	7	26	24	73	88	7.15	12	36	2	22	<1	0.31	<1	11	1.77	2969	<1	8	76	300	15	92	0.20	<5	11	8	<10	99	4	13	<1	293	47	43	77	<10	9	139	38
168912	085431	<0.005	<1	4.44	64	51	<2	3	6.88	6	30	46	200	138	7.51	19	7	<1	9	<1	0.28	<1	29	2.46	1601	<1	23	125	314	14	76	0.13	<5	25	7	<10	129	5	9	6	321	53	53	208	<10	7	105	<1
168913	085432	0.007	<1	5.78	58	96	2	2	7.97	7	39	46	203	151	8.04	23	37	3	12	<1	0.37	<1	31	2.26	2240	<1	22	118	322	16	161	0.12	7	23	<5	<10	145	4	6	<1	426	43	34	203	<10	9	108	63
168914	085433	0.005	<1	5.01	57	67	<2	3	6.74	6	36	45	217	133	7.46	14	23	<1	12	<1	0.54	<1	32	3.09	1682	<1	20	133	281	15	54	0.15	<5	25	6	<10	114	4	5	<1	297	104	35	174	<10	8	98	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168915	085434	0.006	1	5.47	33	77	<2	4	7.37	5	45	42	208	135	6.56	17	32	2	28	<1	0.43	1	29	3.02	1209	<1	21	125	278	12	<1	0.17	<5	23	7	<10	131	3	9	<1	353	85	50	175	<10	9	97	<1
168916	085435	0.006	<1	4.74	28	54	<2	2	6.40	5	32	40	208	129	6.65	16	15	<1	7	<1	0.66	<1	31	3.15	1167	<1	21	123	268	14	66	0.15	<5	24	<5	<10	110	3	7	2	307	99	54	172	<10	8	96	<1
168917	085436	0.007	1	5.05	63	101	<2	4	6.87	5	36	43	219	133	6.23	18	9	<1	22	<1	0.56	<1	27	2.98	1119	<1	22	128	285	12	110	0.09	<5	24	9	<10	129	2	6	5	347	112	48	181	<10	8	90	<1
168918D	085436	<0.005	<1	4.32	58	94	<2	<1	6.55	5	39	41	211	131	5.96	16	16	<1	23	<1	0.63	<1	25	2.82	1072	<1	21	121	270	12	93	0.07	5	22	8	<10	122	1	3	2	331	72	40	174	<10	7	83	<1
168919	085437	0.008	<1	4.09	133	168	<2	3	6.93	5	51	50	248	111	5.59	14	9	<1	9	<1	0.46	<1	24	2.05	1209	<1	24	159	265	9	<1	0.13	6	23	<5	<10	142	3	3	<1	305	87	51	208	<10	7	77	<1
168920	085438	0.009	<1	3.70	64	155	<2	<1	6.12	5	70	46	234	137	6.15	16	14	<1	19	<1	0.54	<1	26	2.16	1226	<1	21	132	297	10	<1	0.15	<5	21	<5	<10	135	3	<1	<1	299	56	68	191	<10	6	78	<1
168921	085439	0.006	<1	3.90	45	140	<2	5	7.53	6	35	46	195	137	7.37	18	4	<1	6	<1	0.57	<1	31	2.05	1837	<1	20	123	320	14	77	0.19	<5	21	<5	<10	134	5	9	<1	327	44	68	200	<10	7	91	<1
168922	085440	5.481	3	2.98	315	189	<2	3	2.12	7	26	120	152	1592	7.06	11	<1	<1	16	<1	0.44	10	1	1.29	654	<1	9	1316	518	705	159	1.04	8	11	<5	<10	148	3	10	2	2620	<2	<20	86	32	16	429	<1
168923	085441	<0.005	<1	4.94	28	100	<2	2	7.51	6	39	43	174	124	7.71	17	11	<1	14	<1	0.54	<1	31	2.10	1760	<1	21	114	345	14	<1	0.11	<5	25	<5	<10	117	4	4	2	300	128	24	205	<10	8	99	<1
168924	085442	<0.005	1	4.67	28	90	<2	1	7.59	6	35	42	170	121	7.57	16	4	<1	25	<1	0.48	<1	28	2.04	1782	<1	21	109	341	15	86	0.14	5	25	6	<10	115	5	6	<1	273	133	<20	200	<10	8	99	<1
168925	085443	0.005	<1	4.81	41	139	<2	4	6.12	6	26	44	190	123	7.72	20	18	<1	18	<1	0.39	<1	29	1.91	1848	<1	24	111	353	15	119	0.11	6	23	<5	<10	124	5	7	<1	353	113	34	221	<10	8	98	<1
168926	085444	<0.005	<1	4.49	49	109	<2	1	6.18	6	67	47	186	138	7.41	14	<1	<1	20	<1	0.39	<1	25	1.80	1855	<1	22	124	341	12	22	0.15	<5	24	6	<10	112	4	5	<1	284	147	20	212	<10	7	90	<1
168927	085445	0.007	<1	4.73	36	82	<2	2	>10.00	7	43	40	169	116	9.27	20	9	<1	14	<1	0.50	<1	28	2.48	3171	<1	20	110	271	22	33	0.18	7	24	<5	<10	119	5	6	<1	336	46	55	195	<10	9	107	<1
168928	085446	<0.005	<1	4.98	43	125	<2	6	6.81	7	28	44	194	126	8.40	18	<1	<1	11	<1	0.44	<1	26	2.08	2498	<1	24	117	356	15	44	0.21	6	25	6	<10	120	6	8	2	327	23	56	223	<10	8	101	<1
168929D	085446	<0.005	1	4.85	39	133	2	2	6.77	7	33	44	194	130	8.40	19	4	<1	16	<1	0.44	<1	26	2.04	2498	<1	24	116	363	18	29	0.21	<5	24	5	<10	125	5	10	4	331	12	35	226	<10	8	102	<1
168930	085447	0.010	1	4.09	49	113	2	3	9.10	7	58	40	169	119	9.26	18	12	<1	13	<1	0.59	<1	27	2.41	3200	<1	22	111	269	20	129	0.19	10	22	12	<10	130	6	12	3	366	207	32	204	<10	9	105	<1
168931	085448	0.036	2	1.11	<2	28	2	7	4.91	15	18	9	24	41	17.87	17	<1	1	17	<1	0.46	<1	2	2.22	8099	7	3	35	250	29	14	0.32	6	5	<5	<10	81	8	19	2	224	63	83	30	<10	9	165	<1
168932	085449	<0.005	<1	3.66	77	76	2	3	7.13	7	38	37	166	113	9.08	17	16	<1	17	<1	0.51	<1	25	2.02	2901	<1	19	115	288	13	132	0.19	<5	25	7	<10	109	3	10	4	306	168	<20	183	<10	8	102	<1
168933	085450	<0.005	1	3.39	4	930	2	2	0.97	<4	44	5	18	4	1.21	15	9	2	16	<1	0.25	21	17	0.41	242	<1	2	17	345	35	147	0.05	<5	1	18	<10	370	<1	14	18	1258	29	<20	19	<10	7	46	42
168934	085451	<0.005	<1	4.07	79	102	2	4	7.33	6	34	47	203	140	8.18	19	9	<1	16	2	0.30	<1	29	1.82	2254	<1	21	118	312	13	52	0.12	6	22	<5	<10	119	4	6	<1	334	107	43	210	<10	8	96	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168935	085452	0.005	<1	4.71	86	93	<2	4	5.91	7	27	46	213	149	8.22	18	5	<1	16	<1	0.28	<1	32	1.87	1918	<1	23	124	316	13	<1	0.13	6	25	8	<10	106	3	3	2	326	96	46	215	<10	7	96	<1
168936	085453	0.127	1	4.06	99	115	<2	4	7.62	6	30	38	180	122	7.14	20	16	1	26	<1	0.70	<1	30	1.84	2119	2	21	100	315	13	<1	0.27	<5	21	8	<10	130	3	4	1	354	52	<20	193	<10	8	81	<1
168937	085454	0.013	2	7.75	89	144	2	6	6.10	6	26	41	203	137	8.24	26	77	4	21	<1	0.62	<1	33	2.33	2317	<1	21	115	355	18	80	0.15	5	24	9	<10	144	5	4	<1	468	120	<20	199	<10	10	94	153
168938	085455	0.009	<1	4.77	83	94	<2	2	5.39	6	29	39	190	115	7.21	17	25	<1	26	<1	0.54	<1	27	2.02	1974	<1	20	104	303	14	27	0.12	<5	22	7	<10	115	5	5	<1	354	2	<20	185	<10	8	84	<1
168939	085456	<0.005	<1	5.23	87	78	<2	1	5.61	5	30	39	202	127	6.25	17	14	<1	19	<1	0.52	<1	31	2.76	1264	<1	20	114	261	12	19	0.09	<5	21	8	<10	133	3	3	<1	339	104	43	171	<10	8	78	<1
168940R	085456	<0.005	<1	5.28	98	75	2	3	5.98	5	39	43	220	139	6.76	17	22	<1	21	2	0.57	<1	32	2.97	1348	<1	22	121	278	12	<1	0.10	5	23	<5	<10	133	2	3	<1	351	135	47	187	<10	8	84	<1
168941	085457	<0.005	<1	4.71	96	107	<2	3	5.80	5	29	47	231	142	6.19	19	18	<1	16	4	0.48	<1	27	2.42	1233	<1	22	116	314	12	87	0.09	5	20	8	<10	124	3	4	<1	384	55	40	199	<10	7	80	<1
168942	085458	0.007	<1	3.72	89	170	<2	3	4.85	4	21	43	266	150	5.28	18	25	<1	7	<1	0.43	<1	19	1.56	1121	<1	22	113	311	10	15	0.13	5	14	<5	<10	115	2	<1	<1	462	64	29	208	<10	6	72	<1
168943	085459	0.009	<1	3.54	85	137	<2	2	5.97	4	29	46	254	149	5.22	19	18	<1	7	<1	0.39	<1	18	1.56	1176	<1	21	118	303	7	<1	0.17	<5	16	8	<10	115	1	3	<1	445	89	44	204	<10	6	75	<1
168944	085460	0.015	<1	3.45	73	129	<2	<1	4.87	4	28	44	254	162	5.14	17	5	<1	12	<1	0.32	<1	16	1.56	1089	<1	22	110	319	10	170	0.12	<5	15	6	<10	105	4	<1	<1	452	66	34	203	<10	6	69	<1
168945	085461	0.024	<1	3.42	83	128	2	2	3.62	5	13	49	262	155	6.51	23	20	<1	11	<1	0.24	<1	20	1.71	1006	<1	23	134	320	14	<1	0.16	5	16	8	<10	99	4	2	<1	475	<2	<20	220	<10	6	89	<1
168946	085462	2.039	1	2.90	48	94	<2	6	4.08	<4	46	22	148	77	3.81	12	27	<1	25	<1	0.51	<1	10	1.72	870	<1	12	78	231	10	122	0.12	<5	10	<5	<10	100	<1	<1	<1	357	57	29	110	68	6	53	2
168947	085463	0.033	<1	4.66	32	85	<2	5	7.24	5	66	39	216	120	6.40	14	20	<1	14	<1	0.67	<1	24	3.29	1133	<1	20	126	238	11	9	0.16	<5	21	10	<10	112	3	5	<1	354	106	64	158	<10	8	76	<1
168948	085464	0.005	<1	5.41	3	95	<2	2	6.57	5	34	41	242	116	6.73	19	13	<1	16	<1	0.66	<1	47	3.50	1061	<1	23	131	252	14	42	0.13	6	23	6	<10	111	3	9	5	329	18	29	182	<10	8	84	<1
168949	085465	0.007	1	5.77	2	107	<2	4	6.77	5	39	40	236	116	6.57	18	29	2	22	6	0.59	<1	44	3.33	1061	<1	22	128	261	15	71	0.15	8	22	7	<10	124	3	9	4	385	120	42	181	<10	9	86	<1
168950	085466	0.005	<1	4.96	<2	24	<2	2	6.72	5	40	40	236	117	6.67	17	21	<1	12	<1	0.52	<1	36	3.23	1181	<1	22	126	261	15	<1	0.14	5	22	5	<10	128	4	6	<1	278	49	27	181	<10	8	78	<1
168951D	085466	0.005	1	5.19	<2	20	<2	3	6.74	5	35	40	234	117	6.72	17	24	<1	25	<1	0.45	1	37	3.30	1175	<1	22	126	261	16	<1	0.10	5	23	12	<10	126	2	<1	<1	273	164	44	180	<10	9	78	<1
168952	085467	<0.005	<1	5.77	<2	32	<2	6	5.93	6	34	42	249	137	7.20	20	37	1	7	<1	0.48	<1	30	3.57	1183	<1	23	137	268	16	17	0.17	5	23	7	<10	175	3	9	<1	348	182	<20	189	<10	10	87	<1
168953	085468	<0.005	1	5.97	7	33	<2	4	5.50	6	58	47	269	150	7.81	22	36	2	21	<1	0.50	<1	30	3.75	1173	<1	25	152	283	15	<1	0.20	<5	25	<5	<10	196	4	10	3	355	59	25	202	<10	10	89	<1
168954	085469	<0.005	<1	6.20	5	52	<2	3	4.77	6	27	44	260	124	7.51	21	51	2	14	<1	0.59	<1	31	3.47	1100	<1	23	146	291	17	51	0.08	9	24	13	<10	173	5	13	7	372	105	<20	191	<10	10	95	37

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168955	085470	13.683	7	3.85	28	405	2	<1	2.72	4	17	29	91	142	4.67	23	49	2	19	<1	0.32	<1	10	1.20	661	3	13	47	728	35	372	0.45	<5	8	18	<10	184	3	16	9	4959	69	<20	115	<10	14	169	81
168956	085471	0.007	1	5.12	3	48	<2	5	7.21	6	37	41	234	123	6.82	21	39	<1	9	<1	0.53	<1	30	2.73	1187	<1	22	126	270	9	<1	0.13	6	21	11	<10	154	5	2	<1	328	66	58	182	<10	9	87	17
168957	085472	0.007	1	5.61	9	108	<2	2	7.08	6	31	42	243	127	7.13	21	46	1	18	<1	0.57	<1	32	2.23	1360	<1	21	130	277	10	<1	0.13	8	22	<5	<10	128	4	2	<1	385	123	41	191	<10	8	90	29
168958	085473	<0.005	1	5.69	17	151	<2	4	5.14	7	25	44	256	124	8.65	22	28	<1	14	<1	0.63	<1	26	2.19	1857	<1	22	136	235	19	30	0.08	<5	29	8	<10	111	4	3	1	421	98	<20	214	<10	8	131	4
168959	085474	0.007	1	5.72	27	179	<2	4	6.26	6	26	46	259	131	8.23	23	38	3	16	2	0.60	<1	28	1.76	2221	<1	21	148	275	16	<1	0.11	<5	25	8	<10	133	5	5	<1	439	193	<20	215	<10	8	124	64
168960	085475	0.005	2	7.83	10	164	2	4	6.54	9	24	39	225	102	11.89	29	88	6	14	<1	0.68	<1	30	2.21	2832	5	23	122	228	25	40	0.10	7	38	<5	<10	138	10	10	2	466	159	<20	234	<10	11	173	200
168961	085476	<0.005	2	5.69	3	75	2	6	6.88	11	30	25	140	68	13.42	20	45	4	20	1	0.45	<1	15	2.31	5335	6	18	93	268	25	23	0.17	7	38	<5	<10	116	10	10	3	337	160	68	179	<10	12	148	112
168962D	085476	0.008	1	3.13	4	29	<2	8	6.43	10	26	23	134	64	12.92	15	4	<1	5	<1	0.44	<1	10	2.19	5178	<1	17	90	233	22	<1	0.14	<5	37	<5	<10	87	9	7	<1	245	88	35	172	<10	9	143	<1
168963	085477	<0.005	<1	4.97	37	88	<2	3	6.17	6	30	43	255	127	6.88	18	14	<1	11	<1	0.26	<1	26	2.25	1612	<1	21	129	263	13	<1	0.11	<5	24	9	<10	138	4	<1	<1	294	171	36	187	<10	8	88	<1
168964	085478	0.007	<1	2.77	65	34	<2	3	5.71	6	31	43	221	123	7.14	13	<1	<1	13	<1	0.25	<1	14	2.21	1588	<1	17	137	248	12	43	0.11	<5	22	<5	<10	98	4	2	<1	207	30	40	150	<10	6	84	<1
168965	085479	0.019	1	4.22	126	124	2	4	5.67	6	30	48	295	139	7.22	20	14	<1	11	<1	0.17	<1	19	1.74	1787	<1	22	158	307	14	<1	0.12	6	18	<5	<10	142	4	2	<1	378	67	36	213	<10	6	96	<1
168966	085480	<0.005	<1	3.68	3	844	2	<1	1.21	<4	58	6	21	8	1.51	15	5	1	19	<1	0.16	22	18	0.51	265	<1	5	19	525	30	143	0.06	<5	2	10	<10	382	<1	5	12	1580	55	<20	26	<10	9	52	48
168967	085481	0.008	<1	3.07	255	99	<2	4	4.80	4	24	49	278	144	5.17	18	9	<1	15	2	0.28	<1	15	1.36	1162	<1	21	147	311	9	<1	0.07	<5	13	<5	<10	149	2	<1	<1	326	93	36	202	<10	5	70	<1
168968	085482	0.006	<1	2.57	297	97	<2	<1	5.70	4	35	47	268	135	4.10	16	13	<1	12	<1	0.25	<1	13	1.11	1175	<1	18	146	522	7	2	0.10	<5	12	9	<10	160	3	<1	<1	319	79	35	184	<10	6	46	<1
168969	085483	0.007	<1	3.62	183	87	<2	3	5.24	5	21	47	260	144	6.12	20	6	<1	17	<1	0.18	<1	19	1.53	1383	<1	21	144	329	12	8	0.12	<5	15	6	<10	145	3	3	<1	312	29	<20	203	<10	6	86	<1
168970	085484	0.007	<1	3.73	165	87	<2	2	5.26	5	30	49	277	160	6.09	17	11	<1	14	<1	0.35	<1	21	1.65	1339	<1	21	152	308	10	<1	0.11	<5	16	13	<10	143	3	<1	<1	313	91	40	201	<10	6	78	<1
168971	085485	0.008	<1	3.95	165	81	<2	3	5.30	5	19	47	276	161	6.03	17	1	<1	10	<1	0.41	<1	21	1.65	1335	<1	21	158	304	13	80	0.11	6	18	<5	<10	143	6	<1	<1	297	106	32	199	<10	6	79	<1
168972	085486	0.037	<1	4.17	131	82	<2	3	5.61	5	20	44	274	128	6.61	15	<1	<1	12	<1	0.33	<1	19	1.80	1353	<1	19	145	274	11	<1	0.17	6	19	8	<10	122	3	2	<1	307	136	31	189	<10	6	82	<1
168973D	085486	0.040	<1	4.26	129	87	<2	1	5.41	5	26	44	271	125	6.48	18	16	<1	22	<1	0.21	<1	19	1.75	1316	<1	20	145	279	13	<1	0.13	<5	18	5	<10	125	4	1	<1	322	40	23	190	<10	6	79	<1
168974	085487	0.144	1	4.31	142	113	2	5	5.90	5	29	44	258	147	5.88	19	20	<1	8	<1	0.23	<1	14	1.84	1232	<1	20	139	292	14	<1	0.16	5	17	<5	<10	125	4	<1	<1	370	44	<20	191	<10	6	60	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag %	Al ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168975	085488	0.011	1	4.74	111	89	<2	<1	6.71	5	34	40	238	121	6.47	17	<1	<1	12	<1	0.22	<1	20	2.61	1245	<1	22	123	268	11	118	0.10	<5	21	5	<10	119	4	2	<1	344	28	23	182	<10	7	77	<1
168976	085489	0.028	1	4.87	165	115	<2	2	6.48	6	36	42	236	114	6.26	18	27	<1	27	<1	0.58	<1	16	2.23	1430	<1	19	126	255	9	73	0.13	5	20	7	<10	130	3	8	2	382	72	<20	180	<10	7	82	2
168977	085490	0.047	<1	3.46	117	127	<2	3	5.81	5	32	39	187	142	5.52	20	15	<1	17	<1	0.35	<1	14	1.43	1463	<1	19	96	278	13	26	0.17	5	15	12	<10	134	2	<1	<1	360	96	53	186	<10	6	61	<1
168978	085491	0.012	<1	3.10	132	111	<2	3	5.16	5	27	40	184	159	6.03	14	13	<1	13	<1	0.24	<1	11	1.45	1275	<1	19	99	281	16	<1	0.11	5	17	<5	<10	114	3	2	<1	325	33	<20	187	<10	5	97	<1
168979	085492	0.009	<1	3.71	111	109	<2	4	5.10	6	31	39	154	155	7.41	19	15	<1	18	<1	0.50	<1	12	1.63	1883	<1	21	98	311	14	36	0.11	<5	21	9	<10	106	4	1	<1	342	59	48	205	<10	6	115	<1
168980	085493	0.016	<1	3.17	149	118	<2	1	5.11	5	20	40	151	143	6.05	15	7	<1	11	<1	0.36	<1	9	1.54	1716	<1	19	91	291	14	119	0.10	<5	18	6	<10	105	1	<1	<1	348	47	24	190	<10	6	87	<1
168981	085494	0.021	<1	1.95	275	57	<2	3	4.79	4	30	48	130	170	4.41	5	<1	<1	19	<1	0.32	<1	<1	1.48	1173	<1	12	121	288	11	52	0.14	5	15	5	<10	73	<1	<1	<1	225	169	51	114	<10	5	48	<1
168982	085495	0.015	<1	3.03	296	159	<2	2	5.08	4	31	51	222	160	4.79	19	<1	<1	21	1	0.25	<1	7	1.36	1304	<1	21	127	306	12	164	0.10	<5	15	<5	<10	116	3	<1	<1	408	55	<20	208	<10	5	71	<1
168983	085496	0.007	1	2.51	109	99	<2	4	3.50	7	18	30	153	91	9.18	19	3	<1	8	<1	0.37	<1	10	1.35	2624	<1	17	90	414	19	<1	0.16	6	17	<5	<10	90	3	7	<1	354	41	<20	169	<10	6	121	<1
168984D	085496	0.006	<1	2.08	116	109	2	4	3.58	7	7	31	161	96	9.46	19	6	<1	24	<1	0.20	<1	10	1.32	2719	<1	17	96	426	19	29	0.21	<5	16	<5	<10	95	4	<1	<1	378	42	<20	178	<10	5	125	<1
168985	085497	0.006	1	1.82	79	85	2	4	1.29	7	2	25	91	74	9.47	21	<1	<1	5	<1	0.22	<1	15	1.18	2115	1	13	81	554	23	13	0.26	5	20	<5	<10	69	1	4	<1	335	27	39	148	<10	5	206	<1
168986	085498	0.008	1	2.15	14	30	2	4	1.76	8	10	12	30	37	9.40	12	5	<1	14	<1	<0.01	2	8	1.50	2728	<1	4	46	395	17	38	0.19	<5	12	<5	<10	68	2	3	2	259	121	80	54	<10	8	239	<1
168987	085499	0.092	1	2.15	31	107	2	5	2.46	8	10	20	66	98	9.97	22	9	2	17	<1	0.26	<1	10	1.34	3012	3	5	69	877	23	<1	0.32	6	6	<5	<10	90	7	<1	<1	356	41	48	73	<10	6	258	50
168988	085500	0.986	<1	3.57	3	123	<2	<1	4.59	5	36	38	126	41	6.15	21	5	<1	13	<1	0.32	6	2	2.07	1036	<1	24	27	749	22	52	0.07	<5	17	12	<10	228	5	11	6	6722	67	24	188	<10	24	97	<1
168989	085501	0.019	<1	2.49	51	104	<2	4	2.56	7	10	22	46	125	7.28	17	10	1	17	<1	0.35	<1	14	1.20	1850	<1	4	62	889	12	<1	0.35	<5	4	<5	<10	91	3	3	<1	352	75	<20	52	<10	7	392	56
168990	085502	0.012	<1	4.05	202	94	<2	4	7.51	5	37	39	190	135	6.76	15	9	<1	18	<1	0.32	<1	9	2.38	2176	<1	15	123	302	12	28	0.21	6	16	<5	<10	106	3	3	<1	304	83	55	129	<10	8	80	<1
168991	085503	0.018	<1	3.51	324	137	<2	6	5.57	4	31	49	295	139	4.89	17	16	<1	18	<1	0.33	<1	8	1.63	1258	<1	20	142	323	12	74	0.14	<5	15	7	<10	128	2	1	<1	374	102	54	203	<10	5	58	<1
168992	085504	0.221	1	3.37	268	79	<2	3	6.28	4	30	44	187	148	4.69	12	<1	<1	12	<1	0.33	<1	9	1.84	1199	<1	13	122	239	12	<1	0.08	<5	15	6	<10	126	3	4	<1	286	26	69	126	<10	7	54	<1
168993	085505	0.189	<1	2.80	192	73	<2	4	5.77	4	35	32	151	91	4.31	10	11	<1	6	<1	0.38	<1	7	1.71	1069	<1	11	93	207	8	23	0.10	<5	12	13	<10	113	3	2	<1	278	119	42	108	<10	6	58	<1
168994	085506	0.036	1	3.50	299	107	<2	<1	6.37	5	26	45	272	142	6.06	17	7	<1	16	<1	0.30	<1	13	1.79	1511	<1	19	143	266	15	<1	0.12	<5	16	10	<10	146	5	3	1	344	106	45	186	<10	6	74	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
168995D	085506	0.065	<1	2.56	282	99	2	4	5.93	5	30	43	265	137	5.76	17	3	<1	12	<1	0.37	<1	12	1.72	1435	<1	20	145	260	14	73	0.13	5	15	5	<10	138	2	3	3	330	103	34	180	<10	5	78	<1
168996	085507	0.016	<1	3.31	297	100	2	6	3.97	7	13	62	336	159	8.19	21	<1	<1	14	3	0.26	<1	25	1.61	1373	<1	25	192	321	16	82	0.09	7	21	<5	<10	123	4	4	<1	359	70	23	244	<10	5	117	<1
168997	085508	0.012	1	3.25	125	72	<2	5	5.04	7	19	35	142	118	8.95	18	5	<1	7	<1	0.42	<1	17	2.19	2049	<1	17	93	319	14	<1	0.16	<5	19	<5	<10	112	4	10	<1	306	37	<20	160	<10	6	107	<1
168998	085509	0.009	<1	3.91	181	95	<2	2	6.12	6	25	46	175	136	7.49	16	<1	<1	9	<1	0.29	<1	19	2.50	1271	<1	21	114	250	17	106	0.11	<5	22	9	<10	121	1	4	1	335	193	21	191	<10	6	105	<1
168999	085510	5.502	2	3.96	340	217	2	6	2.37	7	28	126	158	1670	7.39	17	9	<1	5	<1	0.41	10	5	1.35	690	<1	9	1387	555	744	270	1.11	7	11	11	<10	166	3	14	8	2899	111	<20	91	35	17	451	<1
169000	085511	0.012	<1	4.16	184	112	<2	3	5.96	6	30	44	171	120	7.61	18	3	<1	5	<1	0.51	<1	72	2.60	1471	<1	20	119	251	16	4	0.13	6	24	<5	<10	109	5	5	<1	339	139	37	189	<10	6	111	<1
169001	085512	0.065	1	1.98	15	12	2	8	2.21	14	<1	15	23	87	16.60	18	<1	<1	10	<1	0.58	2	9	2.54	3696	4	3	43	401	34	<1	1.16	7	4	<5	<10	62	6	20	2	204	54	220	29	<10	10	381	<1
169002	085513	0.151	1	1.91	<2	40	2	4	2.24	14	1	11	11	62	18.10	16	19	1	14	<1	0.29	<1	9	2.62	5112	7	<1	29	353	35	3	1.17	<5	<1	<5	<10	80	5	18	<1	217	58	190	9	<10	10	102	27
169003	085514	0.019	<1	1.77	26	25	2	4	3.81	11	8	16	38	78	13.51	12	2	<1	16	<1	0.40	<1	9	2.72	3776	<1	7	41	326	24	94	0.76	5	8	<5	<10	74	7	8	<1	211	81	57	60	<10	9	144	<1
169004	085515	0.026	<1	4.17	173	69	2	4	6.15	8	20	46	120	164	10.55	20	<1	<1	13	<1	0.15	<1	25	3.11	1801	<1	25	119	275	21	17	0.24	<5	27	<5	<10	99	8	7	<1	301	15	34	217	<10	7	138	<1
169005	085516	0.250	<1	1.94	14	<1	<2	5	3.01	9	14	15	25	68	11.04	11	<1	<1	15	<1	0.45	2	18	2.46	1529	<1	4	36	207	20	<1	0.87	<5	5	<5	<10	63	5	7	<1	199	57	47	49	<10	8	214	<1
169006R	085516	0.183	<1	2.64	19	3	<2	8	3.08	9	18	15	27	62	11.03	14	2	<1	17	<1	0.42	2	11	2.59	1485	<1	5	37	205	20	<1	0.79	<5	6	<5	<10	66	7	12	<1	212	100	29	52	<10	9	234	<1
169007	085517	0.494	<1	2.49	23	35	2	6	4.13	9	17	26	55	146	10.82	12	<1	<1	12	<1	0.45	1	9	2.20	2197	26	6	60	299	24	78	1.71	<5	10	<5	<10	76	5	10	<1	231	29	64	70	<10	8	263	<1
169008	085518	0.033	<1	3.00	177	110	<2	3	5.58	5	42	45	155	140	5.90	14	<1	<1	21	<1	0.12	<1	6	1.81	1305	<1	18	99	265	10	<1	0.18	5	18	<5	<10	96	1	<1	<1	334	87	<20	165	<10	6	75	<1
169009	085519	0.027	<1	3.27	182	121	<2	4	6.26	5	26	41	168	136	6.02	15	3	<1	13	<1	0.54	<1	6	1.89	1256	<1	19	102	239	12	101	0.11	<5	19	14	<10	111	2	<1	1	367	93	46	183	<10	6	84	<1
169010	085520	<0.005	<1	3.46	8	860	<2	1	1.47	<4	76	8	32	9	1.89	15	1	<1	16	<1	0.30	31	18	0.58	326	<1	5	36	536	29	61	0.07	5	3	17	<10	353	<1	7	22	1649	78	<20	33	<10	9	57	5
169011	085521	0.045	<1	3.27	153	123	<2	4	6.62	5	71	36	158	108	5.60	15	14	<1	19	<1	0.70	<1	8	1.88	1407	<1	18	78	224	12	110	0.13	5	16	8	<10	119	2	<1	1	371	64	36	166	<10	6	60	<1
169012	085522	0.011	<1	4.47	190	107	2	3	2.83	7	10	57	218	161	8.45	21	3	<1	19	<1	0.45	<1	25	1.55	1416	<1	22	152	321	18	<1	0.18	<5	17	<5	<10	96	3	4	<1	363	90	23	221	<10	5	94	<1
169013	085523	0.013	2	3.86	47	39	2	4	2.68	13	10	27	47	112	16.25	20	5	2	27	<1	0.53	2	17	2.34	4710	3	6	74	675	30	30	0.43	8	12	<5	<10	74	5	21	<1	269	105	125	67	<10	10	130	<1
169014	085524	0.006	<1	1.95	39	23	<2	4	4.92	8	19	18	40	46	10.97	13	<1	<1	11	<1	0.32	1	7	2.16	3636	<1	7	50	431	21	49	0.29	7	15	<5	<10	72	8	11	4	206	79	35	70	<10	8	91	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169015	085525	0.005	<1	2.13	38	26	<2	4	4.08	8	18	16	42	38	9.40	9	<1	<1	15	<1	0.40	<1	7	1.93	2978	<1	7	47	464	19	65	0.23	6	16	<5	<10	67	4	3	<1	212	55	39	74	<10	8	87	<1
169016	085526	<0.005	<1	1.02	118	33	<2	<1	2.22	<4	19	6	38	27	3.27	3	<1	<1	27	<1	0.33	3	<1	0.94	1011	<1	4	30	471	9	<1	0.16	<5	9	13	<10	64	<1	<1	2	205	44	<20	47	<10	7	53	<1
169017D	085526	<0.005	<1	1.13	126	36	<2	4	2.17	<4	18	5	37	26	3.18	2	<1	<1	17	<1	0.40	1	<1	0.93	992	<1	3	29	455	9	79	0.11	5	9	12	<10	67	<1	2	3	210	88	<20	46	<10	7	55	<1
169018	085527	0.224	<1	2.21	333	63	<2	4	1.81	<4	17	24	43	94	3.39	6	<1	<1	14	<1	0.25	3	<1	0.93	844	<1	2	64	759	13	<1	0.40	5	7	7	<10	62	<1	3	5	253	69	<20	45	<10	8	82	<1
169019	085528	0.049	1	2.43	195	101	<2	2	1.30	<4	13	36	48	203	2.50	8	<1	<1	15	<1	0.29	3	<1	0.69	710	<1	4	81	1059	13	61	0.33	6	7	16	<10	63	<1	<1	<1	323	20	<20	63	<10	7	161	<1
169020	085529	0.845	<1	1.83	212	51	<2	4	3.81	6	27	15	44	141	7.10	10	<1	<1	10	<1	0.31	<1	<1	1.59	1883	<1	3	53	639	20	34	1.40	5	5	<5	<10	69	1	<1	<1	258	100	<20	42	<10	7	227	<1
169021	085530	2.801	<1	<0.01	305	2	<2	4	3.30	5	22	4	22	75	5.80	<1	<1	<1	13	<1	0.57	<1	<1	1.49	1518	18	<1	32	348	12	<1	1.11	<5	2	<5	<10	60	<1	1	<1	156	93	33	16	<10	7	87	<1
169022	085531	0.062	1	3.30	195	91	2	3	1.37	7	6	21	54	131	7.92	17	<1	<1	30	<1	0.24	1	<1	1.40	1852	<1	4	68	762	22	31	0.64	6	7	<5	<10	57	<1	7	<1	329	<2	58	57	<10	7	355	<1
169023	085532	0.010	<1	<0.01	31	<1	2	3	2.10	9	13	7	22	58	11.06	5	<1	<1	16	<1	0.42	<1	<1	1.86	2469	<1	1	22	461	22	106	0.72	6	2	<5	<10	49	2	7	<1	139	44	34	13	<10	7	85	<1
169024	085533	0.031	<1	2.58	42	53	2	3	2.44	8	13	22	29	115	9.31	12	<1	<1	17	<1	0.20	3	2	1.82	2165	<1	4	55	496	26	27	0.86	5	6	<5	<10	64	2	12	<1	254	20	<20	40	<10	9	371	<1
169025	085534	0.006	<1	<0.01	16	<1	<2	4	4.11	6	22	7	15	28	7.21	2	<1	<1	16	<1	0.34	<1	<1	1.96	1584	<1	<1	25	121	16	4	0.64	<5	<1	<5	<10	58	3	7	<1	137	63	20	6	<10	7	35	<1
169026	085535	0.006	1	<0.01	23	<1	<2	4	3.84	9	15	6	15	44	10.97	7	<1	<1	12	<1	0.27	<1	<1	2.30	2612	<1	<1	23	213	24	<1	0.82	5	1	<5	<10	62	6	6	<1	150	106	25	11	<10	7	56	<1
169027	085536	0.015	<1	0.29	88	<1	3	9	2.25	13	6	14	28	84	15.97	14	<1	<1	9	<1	0.25	1	2	2.30	2928	<1	2	39	578	37	<1	0.59	5	4	<5	<10	51	6	13	<1	159	30	143	32	<10	8	170	<1
169028D	085536	0.013	<1	0.13	98	<1	2	9	2.25	12	6	15	28	82	15.91	14	<1	<1	23	<1	0.18	1	2	2.30	2950	<1	2	36	582	28	<1	0.57	8	4	<5	<10	49	11	15	<1	155	68	132	31	<10	8	170	<1
169029	085537	0.014	<1	0.66	139	2	2	8	0.56	14	<1	20	34	99	18.38	18	<1	<1	15	<1	0.49	2	3	2.25	3736	2	2	51	782	38	11	0.57	8	6	<5	<10	39	12	15	<1	174	69	234	42	<10	9	241	<1
169030	085538	0.005	<1	<0.01	15	<1	2	4	1.32	7	4	4	21	12	9.55	5	<1	<1	10	<1	0.43	<1	<1	1.49	1916	<1	<1	18	381	18	58	0.31	<5	2	<5	<10	46	2	3	<1	136	40	47	15	<10	6	56	<1
169031	085539	0.006	1	0.02	30	6	3	7	1.77	13	<1	6	20	26	16.41	12	<1	<1	19	<1	0.38	1	<1	2.22	3264	2	<1	23	460	32	<1	0.65	6	2	<5	<10	55	3	15	<1	158	74	152	18	<10	8	92	<1
169032	085540	14.066	7	2.06	30	360	<2	2	2.24	4	16	26	79	143	4.35	11	<1	<1	7	<1	<0.01	2	<1	1.30	610	<1	12	40	646	35	289	0.50	<5	11	8	<10	140	2	5	<1	3636	5	<20	103	<10	16	156	<1
169033	085541	0.013	1	1.98	26	47	2	5	1.39	11	5	10	32	19	13.38	13	<1	<1	23	<1	0.55	1	4	1.83	2616	<1	<1	38	519	26	14	0.50	6	3	<5	<10	68	1	8	<1	236	<2	75	25	<10	9	151	<1
169034	085542	0.009	<1	0.15	19	16	<2	5	0.89	9	<1	6	24	12	10.99	9	<1	<1	22	<1	0.42	<1	<1	1.43	2298	<1	<1	21	269	27	<1	0.48	5	1	<5	<10	57	4	6	<1	163	27	86	13	<10	7	116	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142562
Reference:
Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169035	085543	0.011	1	<0.01	122	<1	2	9	1.64	14	<1	10	26	31	18.10	13	<1	<1	11	<1	0.33	<1	9	2.18	4193	3	<1	32	501	32	<1	1.03	7	2	<5	<10	48	8	14	<1	129	58	177	19	<10	8	124	<1
169036	085544	0.007	1	<0.01	10	7	2	5	1.22	10	<1	4	19	20	12.61	8	<1	<1	13	<1	0.34	<1	2	1.73	2710	<1	<1	21	197	26	4	0.60	7	1	6	<10	55	4	7	<1	149	72	126	12	<10	7	99	<1
169037	085545	0.008	<1	0.55	80	11	2	7	2.28	12	1	8	18	51	15.60	10	<1	<1	21	<1	0.36	<1	4	2.09	3708	2	1	33	552	34	<1	1.49	7	2	<5	<10	66	7	17	3	162	137	136	15	<10	9	143	<1
169038	085546	0.013	2	1.68	56	27	3	5	1.32	16	1	14	21	85	19.29	19	3	1	17	<1	0.14	<1	9	2.31	5101	8	<1	45	310	43	34	2.48	10	3	<5	<10	67	9	23	4	193	116	272	19	<10	11	326	<1
169039D	085546	0.015	2	0.83	57	12	2	9	1.20	15	<1	15	22	84	19.11	17	<1	<1	14	<1	0.48	<1	5	2.28	5053	7	<1	45	303	40	47	2.51	7	3	<5	<10	59	7	22	2	167	121	201	19	<10	10	329	<1
169040	085547	0.019	2	2.93	219	65	3	10	0.62	17	<1	16	34	84	19.03	22	<1	1	10	<1	0.39	2	8	2.11	5244	10	2	46	481	42	<1	2.15	8	5	<5	<10	83	7	21	<1	246	22	259	39	<10	11	1049	<1
169041	085548	0.006	2	0.91	13	29	2	6	0.96	13	<1	8	19	83	15.63	13	<1	<1	21	<1	0.44	<1	3	1.75	3292	5	<1	44	296	31	<1	2.17	5	1	<5	<10	64	6	11	<1	185	99	208	12	<10	9	293	<1
169042	085549	0.006	1	0.41	13	21	2	4	1.09	13	<1	10	19	48	15.50	12	<1	<1	25	<1	0.43	<1	1	1.87	3526	4	<1	26	334	32	<1	1.26	5	<1	<5	<10	63	4	13	<1	173	25	160	8	<10	9	231	<1
169043	085550	0.011	2	3.36	<2	534	2	1	0.80	<4	36	5	15	3	1.22	15	45	3	19	<1	<0.01	15	8	0.43	206	<1	2	16	351	35	<1	0.05	<5	1	12	<10	273	<1	3	9	1126	61	<20	17	<10	6	42	160

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169044	085551	0.007	<1	<0.01	7	<1	3	13	0.52	20	1	4	12	68	17.16	14	<1	1	3	<1	0.35	4	<1	2.13	3553	43	<1	32	407	54	<1	1.94	<5	1	<5	<10	48	9	11	1	176	<2	65	12	<10	7	110	<1
169045	085552	<0.005	<1	<0.01	32	<1	2	5	0.60	11	<1	5	18	49	9.75	7	<1	<1	1	<1	0.29	3	<1	1.35	2445	22	<1	26	103	43	<1	1.43	<5	<1	<5	<10	45	6	6	<1	128	<2	32	6	<10	5	87	<1
169046	085553	0.013	1	2.65	107	29	3	19	1.48	15	10	23	70	144	12.12	18	<1	2	17	<1	<0.01	8	3	1.17	1935	34	2	106	328	56	20	5.89	8	7	<5	<10	82	9	5	3	263	<2	40	47	12	11	547	<1
169047	085554	0.010	<1	1.40	162	15	3	20	1.03	14	10	33	23	147	10.91	14	<1	2	5	<1	0.01	7	4	1.39	2862	30	1	85	535	56	14	4.01	<5	6	<5	<10	65	6	6	2	221	<2	34	33	11	10	508	<1
169048	085555	0.008	<1	1.23	112	12	3	11	1.20	13	8	27	21	130	10.76	14	<1	1	3	<1	0.04	7	3	1.45	3222	29	2	78	501	59	4	3.79	<5	5	<5	<10	66	7	5	<1	217	<2	42	31	10	9	395	<1
169049	085556	0.010	<1	0.55	73	<1	2	21	1.04	15	7	29	19	120	12.69	14	<1	1	4	<1	0.02	5	3	1.66	3928	32	2	65	316	56	17	3.44	8	5	<5	<10	54	6	9	2	196	<2	33	32	13	8	392	<1
169050	085557	0.009	<1	0.85	67	10	2	17	0.81	16	8	34	20	137	12.68	15	<1	2	<1	<1	<0.01	6	2	1.39	3429	33	<1	80	246	58	7	3.99	6	4	<5	<10	57	6	3	2	210	<2	38	27	<10	8	456	<1
169051	085558	0.006	<1	0.77	77	20	2	10	0.23	14	6	28	21	114	11.15	12	<1	<1	1	<1	0.13	6	<1	1.14	2917	29	1	74	266	52	3	3.42	<5	5	<5	<10	51	6	7	<1	217	<2	34	31	<10	9	438	<1
169052	085559	0.008	<1	0.59	32	5	2	21	0.99	16	6	19	18	70	13.37	14	<1	2	2	<1	<0.01	6	2	1.61	4318	33	1	44	212	47	2	2.02	<5	4	<5	<10	55	8	9	<1	196	<2	32	30	<10	8	238	<1
169053	085560	0.008	<1	1.01	16	6	3	19	1.45	19	7	12	17	71	16.25	18	<1	2	<1	<1	<0.01	6	4	2.02	4693	41	1	39	347	50	<1	1.63	<5	4	<5	<10	55	9	8	<1	206	<2	70	30	<10	9	249	<1
169054D	085560	0.007	1	2.03	14	18	3	15	1.49	18	8	13	17	66	15.57	20	<1	3	<1	<1	0.39	6	8	1.99	4475	44	1	41	335	54	<1	1.57	<5	4	<5	<10	65	9	12	<1	239	<2	81	30	<10	10	241	<1
169055	085561	0.008	<1	0.38	8	<1	3	23	2.13	21	9	13	10	60	18.23	18	<1	2	17	<1	0.59	5	4	2.52	5663	46	<1	27	306	58	<1	1.48	<5	3	<5	<10	55	10	10	<1	178	<2	75	21	<10	9	215	<1
169056	085562	0.011	1	<0.01	31	<1	2	27	2.05	24	8	15	12	83	20.42	20	<1	2	<1	<1	0.31	6	2	2.90	6865	54	<1	39	284	59	<1	2.02	5	4	<5	<10	49	13	14	<1	162	<2	110	23	<10	9	262	<1
169057	085563	0.032	<1	2.82	129	74	4	16	1.27	15	11	44	38	95	11.32	17	<1	2	11	<1	0.08	7	2	1.63	3429	31	3	140	247	56	2	2.09	10	8	<5	<10	73	6	3	<1	280	<2	<20	54	10	9	824	<1
169058	085564	0.010	<1	1.96	84	52	3	14	1.37	15	9	25	32	176	12.32	17	<1	2	<1	<1	0.02	6	<1	1.37	2344	33	2	83	221	57	5	4.73	<5	6	<5	<10	69	6	5	1	276	<2	43	39	<10	8	317	<1
169059	085565	0.025	<1	1.75	115	45	3	20	1.47	14	11	18	28	131	11.35	15	<1	2	6	<1	<0.01	7	<1	1.52	2493	32	1	69	199	51	<1	3.65	5	5	<5	<10	68	7	1	<1	252	<2	32	32	10	8	309	<1
169060	085566	0.016	<1	0.59	23	<1	2	12	2.86	17	9	17	18	70	13.65	15	<1	2	<1	<1	<0.01	8	3	2.73	4813	36	1	43	168	55	<1	1.90	<5	3	<5	<10	64	7	9	<1	194	<2	41	23	<10	9	341	<1
169061	085567	0.022	1	2.63	85	48	3	5	3.24	10	22	27	74	60	9.03	16	<1	2	<1	<1	0.02	11	15	2.42	2824	25	6	53	1712	46	6	1.51	<5	12	<5	<10	78	7	5	4	291	<2	29	83	<10	13	231	<1
169062	085568	0.014	<1	<0.01	24	<1	2	13	2.37	15	11	10	22	56	12.08	12	<1	<1	<1	<1	<0.01	6	1	2.22	4987	32	<1	36	230	49	<1	1.46	<5	3	<5	<10	56	7	9	<1	169	<2	55	22	<10	8	226	<1
169063	085569	0.017	<1	<0.01	16	<1	2	16	2.51	13	6	19	18	86	10.86	10	<1	<1	23	<1	<0.01	5	<1	1.69	3716	26	<1	51	175	51	<1	2.95	<5	2	<5	<10	60	6	6	<1	152	<2	32	15	<10	7	201	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169064	085570	0.995	<1	3.66	6	64	2	<1	3.95	7	28	34	110	43	6.01	18	<1	<1	13	<1	0.36	13	<1	2.59	1033	10	17	26	667	44	30	0.11	<5	23	<5	<10	196	5	<1	<1	6066	<2	<20	175	<10	28	82	<1
169066	085571	0.015	<1	0.62	<2	1	3	17	0.64	23	4	20	18	123	19.82	23	<1	2	3	<1	0.45	6	4	2.06	6827	49	<1	46	329	52	<1	2.74	<5	4	<5	<10	50	10	13	<1	243	<2	110	30	<10	9	257	<1
169067	085572	0.015	1	1.00	<2	<1	3	8	1.99	20	10	12	12	92	17.58	19	<1	3	<1	<1	0.30	5	5	2.28	5893	47	<1	31	327	48	<1	2.16	<5	3	<5	<10	63	7	12	<1	286	<2	104	22	<10	11	172	<1
169068	085573	0.008	<1	0.48	13	<1	2	13	2.58	13	11	10	12	29	11.17	12	<1	2	<1	<1	0.10	6	3	2.09	4441	31	<1	20	265	48	<1	0.62	<5	3	<5	<10	66	7	7	<1	187	<2	22	20	<10	9	141	<1
169069	085574	0.007	<1	<0.01	2	<1	2	13	3.92	13	15	9	7	23	11.78	10	<1	1	7	<1	0.12	6	<1	2.69	4529	30	<1	10	280	50	<1	0.50	<5	1	<5	<10	68	6	4	<1	163	<2	41	12	<10	9	164	<1
169070	085575	0.022	<1	0.73	89	<1	2	13	3.10	17	17	18	13	137	14.47	16	<1	2	5	<1	0.09	8	4	2.28	3625	37	1	46	309	52	<1	3.45	6	3	<5	<10	61	7	9	<1	200	<2	63	28	<10	10	211	<1
169071	085576	0.012	1	1.29	4	<1	3	22	1.88	27	10	23	20	98	21.73	26	<1	3	8	<1	0.08	8	5	2.84	7108	59	<1	30	489	58	<1	2.23	<5	4	<5	<10	57	13	13	<1	232	<2	110	33	<10	12	399	<1
169072	085577	0.006	<1	<0.01	4	<1	<2	15	2.79	11	9	6	17	27	9.85	9	<1	1	8	<1	<0.01	6	<1	1.99	4207	24	<1	18	207	43	<1	0.44	<5	1	<5	<10	65	6	8	<1	164	<2	42	12	<10	8	241	<1
169073	085578	0.007	<1	0.78	24	<1	2	13	4.57	16	18	17	24	83	12.77	14	<1	1	13	<1	<0.01	9	4	2.94	4401	31	2	36	221	53	<1	0.22	<5	6	<5	<10	69	7	11	<1	219	<2	37	41	10	10	517	<1
169074	085579	0.008	<1	2.47	111	9	2	10	5.33	10	11	43	84	162	8.75	15	<1	<1	<1	4	0.28	6	9	3.05	1514	15	12	115	317	35	<1	0.15	5	22	<5	<10	77	6	<1	<1	266	<2	<20	151	<10	8	111	<1
169075	085580	<0.005	<1	2.94	6	761	<2	2	0.58	<4	94	5	18	10	1.41	9	<1	<1	22	2	0.20	54	7	0.43	243	4	5	23	339	59	35	0.04	<5	3	8	<10	258	<1	<1	31	1120	<2	<20	21	<10	8	36	<1
169077	085581	0.007	<1	2.38	83	30	<2	14	5.65	7	10	34	77	114	6.76	11	<1	<1	<1	<1	0.19	6	15	4.25	1475	<1	13	88	245	44	<1	0.21	<5	21	<5	<10	100	5	<1	<1	288	<2	<20	145	<10	8	69	<1
169078	085582	0.008	<1	3.59	48	<1	2	20	3.06	10	8	40	110	125	8.15	17	<1	<1	6	<1	0.14	5	45	5.98	1135	<1	17	100	266	38	<1	0.11	<5	29	<5	<10	82	6	<1	<1	257	<2	<20	202	<10	7	77	<1
169079	085583	0.009	<1	5.39	54	<1	2	18	2.99	10	7	42	127	162	8.44	20	<1	1	<1	<1	0.36	5	49	6.15	1161	6	20	109	296	43	<1	0.11	<5	36	<5	<10	100	6	<1	2	407	<2	23	243	<10	8	90	<1
169080	085584	0.008	<1	4.54	52	3	<2	21	3.53	9	8	38	106	146	7.96	18	<1	2	4	<1	<0.01	6	43	5.80	1003	3	17	93	282	50	<1	0.18	<5	31	<5	<10	106	5	<1	<1	351	<2	28	205	<10	8	88	<1
169081	085585	0.008	<1	3.57	52	<1	<2	17	3.47	9	10	40	108	152	7.98	16	<1	<1	<1	<1	0.04	6	40	5.76	1008	2	17	97	272	42	<1	0.17	<5	31	<5	<10	97	6	<1	<1	273	<2	<20	207	<10	7	91	<1
169082	085586	0.008	<1	3.22	39	<1	2	22	5.04	9	9	36	103	149	7.57	16	<1	<1	<1	6	<0.01	6	38	5.41	1316	2	16	91	235	37	<1	0.17	<5	29	<5	<10	92	6	<1	<1	269	<2	<20	193	<10	8	88	<1
169083	085587	0.009	<1	2.79	53	<1	2	11	3.11	10	7	40	112	154	8.62	16	<1	<1	16	3	<0.01	5	44	6.08	1081	<1	17	100	257	41	<1	0.15	5	31	<5	<10	64	5	<1	1	221	<2	23	211	<10	7	91	<1
169084	085588	0.009	<1	3.11	57	<1	2	12	3.86	9	9	44	109	167	8.07	16	<1	<1	<1	2	0.37	5	39	5.70	1230	2	17	113	273	41	<1	0.12	<5	29	<5	<10	76	4	<1	<1	207	<2	<20	200	<10	7	94	<1
169085	085589	<0.005	<1	3.16	116	<1	2	8	4.26	9	9	41	102	132	7.75	13	<1	<1	<1	<1	0.42	6	38	5.24	1168	3	16	109	248	44	<1	0.10	<5	28	<5	<10	85	6	<1	<1	243	<2	<20	193	<10	7	80	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169086	085590	<0.005	<1	4.08	55	<1	2	11	3.31	9	10	44	120	162	8.16	17	<1	<1	<1	<1	0.32	6	43	5.35	1226	3	19	108	299	41	<1	0.14	<5	35	<5	<10	75	6	<1	<1	261	<2	<20	236	<10	9	118	<1
169087D	085590	0.011	<1	4.11	52	<1	2	13	3.27	9	9	43	119	160	8.09	17	<1	<1	12	<1	0.29	6	42	5.31	1217	4	19	106	290	44	<1	0.17	<5	35	<5	<10	76	6	<1	<1	272	<2	29	236	<10	9	107	<1
169088	085591	<0.005	<1	3.99	36	<1	2	16	3.53	10	13	41	121	162	8.71	18	<1	<1	<1	6	0.05	5	42	5.58	1407	2	19	106	282	36	<1	0.12	<5	35	<5	<10	77	8	<1	<1	224	<2	<20	235	<10	8	120	<1
169089	085592	<0.005	<1	3.70	36	<1	2	16	3.29	10	11	41	114	155	8.61	18	<1	<1	8	<1	0.11	6	39	5.66	1479	<1	19	102	273	34	<1	0.16	<5	34	<5	<10	76	6	<1	<1	231	<2	32	222	<10	8	95	<1
169090	085593	<0.005	<1	3.72	40	<1	2	16	2.67	10	8	43	116	150	8.76	17	<1	<1	11	1	<0.01	6	37	5.68	1462	3	19	102	270	46	<1	0.11	<5	35	<5	<10	75	5	<1	<1	235	<2	20	234	<10	8	96	<1
169091	085594	<0.005	<1	3.08	31	<1	2	15	3.64	9	10	40	111	121	8.13	17	<1	<1	<1	<1	0.05	6	32	5.30	1524	<1	18	96	266	44	<1	0.11	<5	33	<5	<10	78	5	<1	<1	217	<2	<20	224	<10	7	84	<1
169092	085595	<0.005	<1	4.03	39	<1	2	23	3.70	10	10	44	120	136	8.42	18	<1	<1	<1	4	<0.01	7	36	5.46	1561	3	19	104	277	38	<1	0.09	<5	35	<5	<10	86	6	<1	<1	247	<2	<20	233	<10	8	87	<1
169093	085596	<0.005	<1	4.42	28	<1	2	15	3.68	10	12	41	118	160	8.25	18	<1	1	14	<1	<0.01	6	42	5.31	1263	5	20	101	271	41	<1	0.08	<5	34	<5	<10	82	5	<1	<1	254	<2	32	226	<10	9	91	<1
169094	085597	<0.005	<1	4.60	32	<1	2	16	4.11	9	13	42	120	150	8.26	18	<1	1	<1	<1	0.22	6	47	5.26	1256	5	19	105	277	41	<1	0.13	<5	35	<5	<10	83	6	<1	<1	239	<2	<20	232	<10	9	86	<1
169095	085598	<0.005	<1	3.98	45	1	2	9	3.85	10	12	42	116	160	8.37	18	<1	1	5	<1	0.13	6	44	5.36	1225	7	18	101	272	36	<1	0.07	6	32	<5	<10	91	5	<1	<1	257	<2	43	215	<10	8	86	<1
169096	085599	<0.005	<1	3.30	50	<1	3	14	4.23	12	8	37	106	98	10.73	18	<1	<1	<1	2	0.07	6	44	5.24	1297	17	16	95	262	43	<1	0.16	<5	30	<5	<10	74	8	3	<1	270	<2	47	203	<10	8	126	<1
169097	085600	14.224	6	2.45	22	333	2	1	2.14	6	12	26	78	139	4.58	13	<1	<1	4	<1	<0.01	6	<1	1.54	633	13	10	43	633	58	389	0.61	<5	14	<5	<10	137	5	4	<1	3807	<2	<20	107	<10	17	141	<1
169099	085601	0.005	<1	<0.01	16	<1	<2	10	4.89	5	14	4	14	48	4.32	2	<1	<1	7	<1	<0.01	8	<1	1.24	1045	5	2	17	135	35	<1	0.56	<5	3	<5	<10	60	3	<1	<1	146	<2	<20	21	<10	9	51	<1
169100	085602	<0.005	<1	<0.01	55	<1	<2	12	6.45	9	17	5	7	115	6.17	5	<1	<1	<1	<1	<0.01	8	<1	2.29	2136	9	1	19	585	33	<1	1.50	<5	2	<5	<10	69	4	4	<1	133	<2	38	16	<10	11	731	<1
169101	085603	0.008	<1	<0.01	124	<1	3	15	2.33	16	12	36	33	479	12.76	15	<1	<1	2	<1	0.08	6	4	2.02	1593	32	2	83	291	54	<1	5.61	5	5	<5	<10	58	9	11	<1	135	<2	52	35	<10	7	567	<1
169102	085604	0.021	1	<0.01	8	<1	2	13	0.82	20	8	26	45	775	14.98	18	<1	<1	6	<1	<0.01	5	1	1.45	810	36	1	121	129	63	<1	6.74	5	5	<5	<10	48	8	6	<1	125	<2	52	35	13	7	980	<1
169103	085605	0.014	<1	<0.01	5	<1	2	8	0.91	15	8	22	36	401	11.19	12	<1	<1	15	<1	<0.01	5	<1	1.26	758	28	<1	92	103	57	<1	5.25	<5	4	<5	<10	48	5	7	<1	125	<2	50	28	10	6	1011	<1
169104	085606	0.006	<1	1.99	49	<1	3	31	2.12	13	6	20	75	182	9.66	16	<1	<1	<1	<1	0.26	5	21	2.91	952	22	10	61	123	44	<1	2.54	7	18	<5	13	64	6	1	<1	210	<2	30	128	13	7	819	<1
169105	085607	<0.005	<1	3.74	64	21	3	26	4.12	15	10	38	102	128	11.29	19	<1	1	13	<1	0.13	7	36	4.46	1485	26	15	97	253	50	<1	1.02	11	28	<5	<10	78	8	<1	<1	266	<2	43	193	14	8	912	<1
169106	085608	<0.005	<1	1.95	35	<1	2	10	5.02	13	15	22	64	153	10.06	15	<1	<1	<1	<1	0.23	6	20	3.52	1773	21	10	59	336	42	<1	0.95	<5	19	<5	<10	71	6	6	<1	225	<2	38	127	<10	9	515	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169107	085609	<0.005	<1	<0.01	25	<1	<2	8	4.79	7	14	6	24	40	6.18	3	<1	<1	<1	<1	0.11	7	<1	1.17	1424	10	2	19	315	40	<1	0.47	<5	3	<5	<10	53	3	4	<1	193	<2	<20	26	<10	9	251	<1
169108	085610	0.985	<1	1.16	4	22	<2	<1	2.92	6	24	29	86	40	5.09	11	<1	<1	<1	<1	0.08	13	<1	2.15	856	2	13	20	629	43	21	0.02	<5	20	<5	<10	139	5	<1	<1	4813	<2	<20	149	<10	27	72	<1
169110	085611	0.010	<1	<0.01	10	<1	2	8	3.79	10	10	11	14	178	7.06	6	<1	<1	<1	<1	0.04	6	<1	0.83	1560	15	<1	38	343	34	<1	2.23	<5	1	<5	<10	63	3	<1	<1	183	<2	<20	12	13	9	737	<1
169111	085612	0.060	1	0.64	172	<1	3	22	0.53	25	11	103	36	404	17.37	23	<1	2	<1	<1	<0.01	7	7	1.73	710	46	2	113	135	77	<1	9.29	9	7	<5	<10	48	9	10	<1	152	<2	63	40	20	8	1913	<1
169112	085613	0.008	1	1.68	32	<1	3	17	0.86	28	14	55	32	620	14.55	23	<1	4	12	<1	<0.01	8	10	1.57	1016	43	1	120	189	57	<1	7.49	6	5	<5	10	64	7	8	<1	200	<2	57	34	39	10	3683	<1
169113	085614	0.006	<1	0.22	45	<1	2	13	0.80	20	11	29	32	490	11.64	15	<1	1	7	<1	<0.01	7	4	1.64	1024	32	2	83	121	56	<1	5.57	<5	5	<5	<10	50	5	10	<1	153	<2	37	32	27	8	2733	<1
169114	085615	0.041	2	1.68	35	<1	3	13	0.52	28	10	39	43	727	19.21	29	<1	3	<1	<1	<0.01	7	13	1.99	821	54	2	153	153	83	<1	9.70	11	7	<5	<10	57	11	15	<1	183	<2	104	44	23	9	2036	<1
169115	085616	0.180	1	2.76	268	45	4	20	0.75	20	11	170	82	232	16.83	31	<1	3	9	<1	<0.01	8	14	1.96	694	51	4	110	158	113	<1	>10.00	24	13	<5	11	65	6	8	<1	270	<2	69	76	<10	9	303	<1
169116	085617	0.136	2	2.66	235	8	3	14	1.62	19	13	134	76	269	14.41	26	<1	3	8	<1	<0.01	7	8	1.40	825	44	4	107	198	104	<1	9.61	22	12	<5	10	77	7	4	<1	290	<2	45	67	16	10	1269	<1
169117	085618	0.178	2	2.65	227	33	3	18	2.38	17	14	129	75	204	13.64	23	<1	2	7	<1	0.02	9	2	1.28	1049	37	4	105	255	112	<1	9.23	22	13	<5	<10	74	8	6	<1	292	<2	58	72	<10	10	603	<1
169118	085619	0.006	<1	4.32	63	59	2	12	6.26	9	13	43	153	148	7.43	15	<1	<1	16	<1	0.24	6	22	3.22	1322	16	15	100	237	39	<1	0.97	<5	30	<5	<10	98	5	<1	<1	375	<2	<20	190	<10	9	144	<1
169119	085620	<0.005	<1	3.99	8	792	<2	8	0.76	<4	90	6	14	8	1.56	13	<1	2	6	3	<0.01	45	14	0.53	220	10	6	16	561	63	33	0.05	<5	3	7	<10	251	2	<1	26	1500	<2	<20	24	<10	11	45	10
169121	085621	0.005	<1	4.86	41	<1	<2	12	5.56	9	12	41	165	133	7.99	17	<1	<1	<1	1	<0.01	5	45	4.28	1409	12	16	120	206	41	<1	0.10	5	32	<5	<10	91	5	<1	<1	278	<2	<20	202	<10	8	75	<1
169122	085622	0.005	<1	4.86	25	<1	2	6	8.40	9	17	35	137	120	7.46	18	<1	2	9	<1	<0.01	6	42	4.12	1676	11	15	83	201	42	<1	0.10	<5	29	<5	<10	93	7	<1	<1	295	<2	<20	184	<10	10	67	<1
169123	085623	0.005	<1	5.18	29	<1	2	12	5.57	11	11	42	177	148	8.11	18	<1	1	6	16	<0.01	6	43	4.28	1439	15	18	105	222	41	<1	0.24	10	37	<5	<10	85	6	3	2	275	<2	24	227	<10	8	84	<1
169124	085624	0.007	<1	4.89	26	<1	2	12	6.57	10	14	43	169	144	8.18	17	<1	2	<1	<1	0.01	7	46	4.17	1536	13	17	122	230	42	<1	0.19	<5	34	<5	<10	86	5	11	<1	253	<2	25	211	10	9	103	<1
169125	085625	0.008	<1	6.04	33	<1	2	14	6.52	10	16	44	172	143	8.21	20	<1	2	2	11	0.09	7	51	4.19	1532	18	18	116	237	47	<1	0.12	<5	35	8	<10	100	7	3	<1	321	<2	53	221	<10	10	104	<1
169126	085626	0.017	<1	4.07	31	<1	2	16	9.76	8	17	36	137	133	6.24	14	<1	1	4	7	0.03	7	35	3.07	1870	9	13	105	218	46	<1	0.31	8	27	22	<10	108	7	<1	1	247	<2	<20	176	<10	9	94	<1
169127	085627	0.009	<1	5.61	42	12	2	18	6.23	11	12	41	154	136	8.65	20	<1	3	8	<1	<0.01	7	51	4.55	1643	23	15	112	230	43	<1	0.29	7	28	<5	<10	85	7	1	<1	270	<2	27	179	<10	9	112	<1
169128	085628	0.015	<1	5.11	39	128	2	16	7.44	10	13	41	147	158	8.45	18	<1	1	10	<1	0.33	6	34	3.11	1926	23	15	108	217	45	<1	0.74	<5	30	<5	<10	90	7	<1	<1	301	<2	<20	196	<10	9	152	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169129	085629	0.006	<1	4.83	36	23	2	8	>10.00	11	13	39	136	141	8.48	19	<1	2	2	<1	0.30	6	37	2.58	2441	22	15	101	221	40	<1	0.91	<5	28	8	<10	107	7	<1	<1	332	<2	40	182	<10	11	80	<1
169130	085630	<0.005	<1	4.63	43	19	2	13	9.20	9	14	40	154	137	7.68	19	<1	2	6	<1	0.20	7	38	2.52	2292	18	16	108	252	45	<1	0.18	<5	28	<5	<10	99	7	<1	<1	293	<2	23	194	<10	10	105	<1
169131D	085630	<0.005	<1	3.40	57	<1	2	11	9.08	9	14	45	152	133	7.78	18	<1	1	<1	3	0.14	6	34	2.53	2302	15	15	114	252	42	<1	0.15	<5	27	<5	<10	85	7	<1	<1	229	<2	67	186	<10	9	108	<1
169132	085631	0.013	1	4.90	42	112	2	19	>10.00	8	19	41	142	124	6.03	19	<1	2	<1	2	0.08	6	29	2.13	2981	16	14	100	262	45	<1	0.55	<5	25	<5	<10	123	5	<1	<1	324	<2	36	188	<10	10	153	<1
169133	085632	0.006	<1	3.80	32	<1	2	12	8.03	10	14	32	110	77	8.63	15	<1	<1	<1	<1	<0.01	6	6	2.58	2918	23	13	87	121	40	<1	0.16	<5	33	<5	<10	158	8	10	<1	2492	<2	45	169	<10	14	76	<1
169134	085633	<0.005	<1	5.23	43	17	2	19	6.24	11	12	42	236	127	8.91	18	<1	<1	<1	<1	<0.01	7	39	3.25	1766	21	17	118	200	41	<1	0.08	<5	36	<5	<10	93	7	3	<1	328	<2	30	213	<10	8	89	<1
169135	085634	0.006	<1	3.35	30	<1	<2	27	>10.00	8	16	26	146	96	6.12	13	<1	<1	17	1	<0.01	5	26	2.22	1917	14	11	76	165	35	<1	0.14	<5	23	<5	<10	111	6	<1	<1	227	<2	27	137	<10	8	42	<1
169136	085635	<0.005	<1	2.72	25	<1	<2	16	>10.00	8	16	27	147	91	6.54	10	<1	<1	3	3	<0.01	7	24	2.29	2197	12	10	74	171	37	<1	0.20	<5	24	<5	<10	113	5	<1	<1	206	<2	<20	139	<10	8	43	<1
169137	085636	0.005	<1	5.46	28	<1	2	20	8.03	10	16	37	212	112	7.56	19	<1	2	<1	10	0.23	7	43	3.37	1653	14	16	105	191	40	<1	0.08	<5	34	<5	<10	137	7	<1	<1	271	<2	28	195	<10	9	70	<1
169138	085637	0.007	<1	3.64	26	<1	2	8	6.52	8	11	33	164	91	5.68	12	<1	<1	<1	6	0.22	5	22	1.97	1003	11	11	79	162	40	<1	0.15	<5	25	<5	<10	118	5	<1	<1	221	<2	29	150	<10	7	49	<1
169139	085638	0.008	<1	4.77	16	<1	2	15	8.34	9	16	41	196	103	7.27	16	<1	<1	7	<1	0.15	6	42	3.58	1419	12	15	97	172	44	<1	0.21	<5	31	<5	<10	121	5	<1	<1	232	<2	23	183	<10	8	63	<1
169140	085639	<0.005	<1	5.20	7	4	2	13	7.14	9	14	41	205	115	7.31	17	<1	2	<1	4	0.08	7	47	4.04	1548	12	15	104	183	40	<1	0.15	<5	32	<5	<10	121	5	<1	<1	303	<2	<20	187	<10	8	67	<1
169141	085640	5.607	2	3.75	256	166	2	19	1.96	9	27	111	141	1509	7.14	15	<1	<1	12	<1	0.08	15	4	1.41	666	25	8	1215	439	667	95	1.08	7	12	<5	<10	155	5	<1	2	2727	<2	<20	86	37	17	382	<1
169143	085641	0.066	<1	3.49	31	35	2	7	8.22	7	38	26	150	70	5.35	13	<1	2	1	11	0.06	16	29	2.57	1327	12	10	93	818	36	<1	0.17	6	21	<5	<10	136	3	<1	<1	321	<2	<20	128	<10	10	38	<1
169144	085642	0.007	<1	5.48	6	6	2	16	6.45	8	13	38	209	112	6.93	19	<1	2	<1	<1	0.09	6	39	3.10	1379	15	16	103	200	36	<1	0.16	<5	31	10	<10	135	4	<1	<1	339	<2	<20	190	<10	8	64	<1
169145	085643	0.007	<1	5.91	5	<1	2	10	6.62	8	14	37	200	110	6.45	17	<1	2	<1	3	<0.01	7	31	3.17	1270	13	14	98	215	40	<1	0.16	5	31	<5	<10	158	5	<1	<1	297	<2	<20	184	<10	9	59	<1
169146	085644	0.037	<1	4.80	10	<1	<2	11	8.26	9	21	40	207	118	7.16	17	<1	1	<1	<1	<0.01	9	27	3.09	1466	13	15	106	272	40	<1	0.21	<5	33	5	<10	160	6	<1	<1	271	<2	<20	191	<10	10	64	<1
169147	085645	<0.005	<1	5.15	2	<1	2	9	5.99	9	16	40	222	126	7.40	17	<1	<1	2	<1	0.04	6	37	4.28	1413	4	16	113	182	34	<1	0.15	<5	35	<5	<10	153	5	<1	<1	304	<2	<20	200	<10	9	71	<1
169148	085646	<0.005	<1	4.89	6	<1	2	16	7.56	7	16	36	196	111	6.46	15	<1	<1	12	<1	<0.01	6	30	3.08	1392	3	14	98	179	38	<1	0.14	<5	32	10	<10	155	5	<1	<1	292	<2	<20	181	<10	9	59	<1
169149	085647	<0.005	<1	5.04	25	<1	2	6	9.37	8	15	39	205	116	6.62	16	<1	<1	16	<1	<0.01	6	34	2.69	1798	12	15	102	188	41	<1	0.07	<5	33	<5	<10	124	5	<1	<1	280	<2	<20	191	<10	8	59	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169150	085648	<0.005	<1	6.05	34	20	2	14	7.48	8	13	39	205	117	6.46	19	<1	2	<1	1	<0.01	6	34	2.70	1649	13	15	103	201	35	<1	0.11	<5	33	<5	<10	145	5	<1	<1	330	<2	26	192	<10	9	65	<1
169151	085649	0.006	<1	4.34	60	13	2	16	8.30	8	15	37	190	121	6.36	16	<1	1	12	4	<0.01	6	25	2.36	1550	12	14	104	181	41	<1	0.15	<5	28	<5	<10	140	5	<1	<1	250	<2	28	174	<10	8	63	<1
169152	085650	<0.005	<1	4.61	5	871	<2	<1	0.93	<4	102	5	22	8	1.59	16	<1	3	6	<1	<0.01	49	17	0.54	246	15	7	25	550	66	18	0.02	<5	3	7	<10	263	3	<1	27	1611	<2	<20	27	<10	12	37	56
169154	085651	0.236	<1	4.43	172	26	2	5	6.96	8	13	40	204	128	6.65	19	<1	2	11	<1	<0.01	5	24	2.82	1387	12	15	106	176	24	<1	0.34	5	28	<5	<10	146	6	<1	<1	275	<2	21	181	<10	7	65	<1
169155	085652	0.012	<1	4.57	116	16	<2	10	6.97	8	14	36	185	113	6.65	17	<1	2	<1	1	<0.01	6	28	3.37	1492	11	14	98	183	43	<1	0.16	<5	28	<5	<10	139	5	<1	<1	310	<2	47	169	<10	7	63	<1
169156	085653	0.019	<1	4.65	136	8	2	8	5.65	8	12	42	203	125	7.18	16	<1	<1	<1	<1	<0.01	6	32	3.25	1386	15	14	119	189	45	<1	0.11	<5	31	<5	<10	124	6	<1	<1	266	<2	<20	178	<10	6	79	<1
169157	085654	0.012	<1	4.13	130	7	2	14	7.33	8	13	33	172	101	6.52	15	<1	<1	7	<1	0.21	6	26	3.54	1332	9	12	90	197	38	<1	0.12	<5	28	<5	<10	130	3	<1	<1	233	<2	<20	156	<10	7	57	<1
169158	085655	0.014	<1	4.11	120	11	2	11	7.22	8	13	34	182	98	6.35	14	<1	2	6	<1	0.13	6	26	3.40	1310	8	14	87	190	49	<1	0.13	<5	27	8	<10	135	4	<1	<1	255	<2	<20	165	<10	7	56	<1
169159	085656	0.012	<1	5.15	114	31	2	8	7.32	8	12	37	195	110	6.18	18	3	2	<1	<1	<0.01	6	26	3.05	1473	14	15	92	206	32	<1	0.13	<5	28	6	<10	157	5	<1	<1	303	<2	40	180	<10	7	58	<1
169160	085657	<0.005	<1	5.17	55	4	2	9	5.75	9	11	39	202	112	7.08	18	<1	1	<1	3	<0.01	6	31	4.03	1384	11	15	100	198	42	<1	0.18	<5	32	<5	<10	141	6	<1	<1	395	<2	34	183	<10	7	72	<1
169161	085658	0.034	<1	4.93	39	6	2	10	5.72	8	14	37	196	106	6.94	16	<1	2	17	8	<0.01	6	30	3.96	1372	10	15	96	180	34	<1	0.41	<5	31	5	<10	140	5	<1	<1	425	<2	<20	176	<10	7	64	<1
169162	085659	0.012	<1	5.44	57	17	2	2	6.09	8	13	39	196	108	6.65	17	<1	2	<1	7	<0.01	6	30	3.76	1234	12	15	97	181	41	<1	0.11	<5	30	<5	<10	137	5	<1	<1	316	<2	29	177	<10	7	61	<1
169163	085660	0.015	<1	4.40	67	12	2	17	6.37	8	13	38	197	114	6.77	18	<1	2	<1	<1	<0.01	5	27	3.13	1454	17	14	100	183	41	<1	0.28	<5	27	<5	<10	135	5	<1	<1	260	<2	38	182	<10	6	64	<1
169164D	085660	0.015	<1	4.84	68	<1	2	7	6.45	8	12	36	201	109	6.84	19	<1	3	<1	<1	<0.01	5	29	3.14	1466	20	15	101	192	41	<1	0.26	<5	28	12	<10	139	6	<1	<1	281	<2	<20	184	<10	7	72	1
169165	085661	0.010	<1	3.35	105	<1	<2	18	7.08	8	12	37	182	111	6.57	13	<1	2	<1	6	<0.01	6	19	2.73	1545	14	12	102	196	42	<1	0.22	<5	28	<5	<10	118	6	<1	<1	281	<2	26	155	<10	6	68	<1
169166	085662	0.027	<1	3.18	156	<1	<2	15	7.24	8	12	39	179	121	6.88	15	<1	1	<1	3	<0.01	5	20	2.84	1608	15	12	100	177	41	<1	0.27	<5	26	<5	<10	117	5	<1	<1	255	<2	<20	159	<10	6	67	<1
169167	085663	4.316	<1	2.62	273	<1	2	13	5.71	7	11	19	120	91	5.10	10	2	4	11	5	<0.01	5	14	1.84	1640	18	8	60	531	43	<1	0.62	<5	16	<5	<10	108	3	4	<1	217	<2	<20	100	<10	7	49	8
169168	085664	0.075	<1	3.91	206	<1	<2	11	7.10	8	13	41	193	127	6.03	14	<1	2	<1	<1	0.09	6	23	2.15	1924	17	13	105	197	41	<1	0.19	<5	29	7	<10	133	5	<1	<1	230	<2	21	169	<10	6	57	<1
169169	085665	0.057	<1	3.73	211	<1	2	9	7.45	8	11	42	185	131	6.42	14	<1	2	7	6	<0.01	6	22	2.26	1981	18	13	111	209	38	<1	0.22	<5	29	5	<10	127	6	<1	<1	226	<2	34	164	<10	6	67	<1
169170	085666	0.071	<1	3.16	181	<1	<2	9	7.35	8	15	36	167	113	6.43	12	<1	2	<1	<1	<0.01	6	19	2.75	1534	15	12	106	206	33	<1	0.21	<5	26	<5	<10	119	6	<1	<1	251	<2	<20	147	<10	6	67	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169171	085667	0.228	<1	4.12	174	<1	2	14	7.90	8	13	33	171	104	6.21	15	<1	3	<1	6	<0.01	5	24	3.16	1276	15	13	94	149	37	<1	0.19	<5	25	<5	<10	134	4	<1	<1	245	<2	34	148	<10	7	57	<1
169172	085668	0.139	<1	4.02	207	<1	2	10	8.54	8	13	36	158	115	6.36	14	<1	2	10	<1	<0.01	5	22	3.54	1302	14	12	96	108	38	<1	0.17	<5	27	<5	<10	136	6	<1	<1	366	<2	<20	139	<10	8	55	<1
169173	085669	0.273	<1	3.74	284	<1	<2	11	7.11	7	13	42	182	131	5.83	13	<1	2	<1	1	<0.01	5	22	2.91	1225	11	13	116	193	40	<1	0.21	<5	28	<5	<10	129	4	<1	<1	235	<2	<20	160	<10	6	75	<1
169174	085670	13.864	6	4.07	34	352	2	8	2.27	6	17	28	76	257	4.75	16	<1	<1	10	<1	<0.01	12	5	1.54	623	19	10	41	647	67	324	0.53	<5	14	<5	<10	155	5	<1	<1	4013	<2	<20	105	<10	19	188	<1
169176	085671	0.024	<1	3.60	155	<1	<2	11	5.41	7	9	33	172	102	5.91	12	<1	<1	10	<1	<0.01	5	23	3.03	1100	9	13	94	190	32	<1	0.16	6	27	<5	<10	111	4	<1	<1	215	<2	27	153	<10	6	73	<1
169177	085672	0.071	<1	3.17	139	6	<2	12	6.99	7	12	28	132	83	5.56	10	<1	1	7	<1	<0.01	5	18	3.04	1153	6	10	78	150	32	<1	0.26	<5	22	7	<10	121	4	<1	<1	231	<2	<20	123	<10	7	44	<1
169178	085673	0.015	<1	4.01	132	<1	2	20	5.84	9	11	36	197	117	7.31	15	<1	<1	<1	<1	<0.01	5	34	3.70	1285	12	14	96	189	41	<1	0.14	<5	32	<5	<10	115	6	<1	<1	226	<2	<20	176	<10	6	75	<1
169179	085674	0.016	<1	5.61	136	8	2	20	5.65	9	14	35	209	123	7.37	20	<1	2	<1	<1	<0.01	5	39	3.72	1258	18	16	102	165	35	<1	0.14	<5	32	<5	<10	132	5	<1	<1	294	<2	<20	191	<10	7	78	<1
169180	085675	0.116	<1	4.58	145	4	<2	12	5.98	8	13	33	178	110	6.57	16	<1	1	4	<1	<0.01	5	28	3.43	1179	13	13	100	177	40	<1	0.18	<5	28	<5	<10	127	5	<1	<1	267	<2	<20	164	<10	7	64	<1
169181	085676	0.120	<1	3.80	116	7	2	9	6.74	8	10	28	164	98	6.62	15	<1	1	<1	<1	<0.01	6	26	3.44	1202	12	12	82	178	35	<1	0.12	<5	27	<5	<10	123	5	2	<1	271	<2	<20	152	<10	7	56	<1
169182	085677	0.038	<1	4.08	113	6	2	10	6.58	8	12	37	172	108	6.56	15	<1	2	<1	<1	<0.01	5	22	3.57	1313	9	13	95	176	32	<1	0.15	7	28	<5	<10	117	4	5	<1	263	<2	35	154	<10	7	55	<1
169183	085678	0.008	<1	3.84	78	3	<2	12	7.50	8	12	37	173	105	7.12	15	<1	<1	<1	<1	0.03	6	26	3.76	1402	13	12	93	167	34	<1	0.27	7	28	<5	<10	118	6	<1	<1	232	<2	23	156	<10	6	64	<1
169184	085679	0.005	<1	5.04	54	15	2	6	7.14	8	13	35	197	119	6.81	17	7	3	<1	<1	<0.01	6	27	3.42	1355	11	14	101	188	36	<1	0.19	6	31	<5	<10	140	5	<1	<1	331	<2	58	177	<10	7	60	<1
169185	085680	<0.005	<1	4.48	6	702	2	5	0.90	<4	101	6	20	12	1.65	12	<1	3	<1	<1	<0.01	50	14	0.58	236	14	6	20	582	60	15	0.08	<5	4	<5	<10	257	2	<1	30	1508	<2	<20	28	<10	12	42	35
169187	085681	<0.005	<1	6.28	77	33	<2	5	7.43	8	15	46	205	105	6.78	18	6	3	6	<1	<0.01	6	35	3.62	1467	14	16	111	175	38	<1	0.16	<5	32	<5	<10	138	6	1	<1	393	<2	<20	190	<10	10	59	<1
169188	085682	<0.005	<1	4.13	52	<1	2	11	6.67	8	13	36	201	113	6.81	14	<1	<1	<1	2	<0.01	7	34	3.56	1441	13	15	100	157	39	<1	0.10	6	32	<5	<10	116	5	<1	<1	300	<2	<20	186	<10	9	62	<1
169189	085683	<0.005	<1	5.26	48	<1	<2	3	6.34	9	14	43	209	115	7.22	16	<1	<1	11	<1	<0.01	6	33	3.85	1324	11	16	102	171	35	<1	0.11	<5	33	<5	<10	125	5	2	<1	438	<2	22	194	<10	11	65	<1
169190	085684	<0.005	<1	6.62	40	<1	2	13	8.18	9	15	48	234	122	7.70	21	<1	1	6	<1	0.05	8	37	4.01	1552	15	17	111	202	35	<1	0.11	5	37	<5	<10	145	6	<1	<1	1164	<2	25	215	<10	16	70	<1
169191	085685	<0.005	<1	5.88	38	<1	2	16	7.83	9	15	43	221	120	7.26	18	<1	<1	11	<1	<0.01	6	32	3.74	1488	17	16	104	188	35	<1	0.15	<5	34	<5	<10	140	5	<1	<1	1012	<2	21	202	<10	14	62	<1
169192	085686	<0.005	<1	5.92	33	<1	2	12	7.18	9	14	42	233	111	7.77	19	<1	<1	<1	<1	<0.01	7	37	3.84	1519	17	17	111	193	35	<1	0.08	<5	34	<5	<10	130	6	1	<1	1537	<2	24	210	<10	15	74	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169193	085687	<0.005	<1	5.48	31	<1	2	9	8.06	9	15	37	202	101	7.11	18	<1	1	<1	<1	<0.01	6	34	3.17	1781	17	15	102	171	37	<1	0.12	<5	30	<5	<10	124	5	<1	<1	567	<2	44	186	<10	14	66	<1
169194	085688	0.009	<1	0.93	22	<1	<2	9	2.03	6	6	3	24	9	5.13	5	<1	2	<1	<1	<0.01	4	3	0.63	1896	16	1	17	120	38	<1	0.09	<5	3	<5	<10	71	3	7	<1	207	<2	<20	17	<10	7	24	<1
169195	085689	0.010	<1	1.62	21	<1	<2	9	2.96	5	8	12	84	34	4.10	6	<1	1	9	<1	<0.01	5	7	1.11	956	10	6	42	162	33	<1	0.08	<5	15	<5	<10	73	3	<1	<1	236	<2	<20	76	<10	8	36	<1
169196	085690	0.014	<1	<0.01	551	<1	<2	4	1.67	<4	4	2	21	24	1.65	1	6	2	11	<1	<0.01	3	<1	0.35	294	10	1	15	141	36	<1	0.20	<5	2	<5	<10	67	2	<1	<1	200	<2	<20	12	<10	6	6	<1
169197D	085690	0.013	<1	<0.01	582	<1	<2	<1	1.67	<4	5	3	22	22	1.62	2	<1	2	8	<1	<0.01	4	<1	0.35	291	8	<1	16	124	36	<1	0.18	<5	2	<5	<10	65	<1	<1	<1	189	<2	<20	12	<10	6	7	<1
169198	085691	0.011	<1	<0.01	991	<1	<2	7	2.10	<4	5	3	29	57	1.22	<1	<1	<1	<1	<1	<0.01	3	<1	0.34	371	7	1	18	137	29	<1	0.31	<5	1	<5	<10	63	<1	<1	<1	174	<2	<20	10	<10	6	2	<1
169199	085692	0.011	<1	5.59	35	40	2	8	5.66	9	11	40	213	113	7.24	17	<1	2	<1	<1	<0.01	6	34	2.81	1640	17	15	102	193	38	<1	0.11	<5	35	<5	<10	90	5	<1	<1	351	<2	37	196	<10	9	67	<1
169200	085693	0.006	<1	6.46	10	51	2	13	6.27	10	14	38	220	125	8.00	19	4	2	<1	<1	<0.01	6	33	2.62	2022	22	16	108	206	46	<1	0.10	<5	32	<5	<10	101	6	<1	<1	356	<2	30	201	<10	9	72	<1
169201	085694	0.010	<1	7.24	13	43	2	19	5.54	9	13	44	241	125	7.82	22	<1	2	<1	<1	<0.01	7	39	2.87	1625	24	17	113	230	40	<1	0.10	<5	33	9	<10	114	5	<1	<1	385	<2	22	216	<10	9	71	<1
169202	085695	0.011	<1	7.27	3	45	2	8	5.79	9	14	47	236	132	7.67	22	<1	3	<1	<1	<0.01	6	39	2.95	1639	23	17	116	224	39	<1	0.13	<5	33	5	<10	114	6	<1	<1	406	<2	26	217	<10	9	71	<1
169203	085696	0.014	<1	6.07	6	<1	<2	12	6.01	9	11	42	228	136	7.27	18	<1	1	10	<1	<0.01	6	39	2.99	1496	16	17	107	194	46	<1	0.14	<5	35	<5	<10	104	6	<1	<1	313	<2	25	210	<10	8	71	<1
169204	085697	0.009	<1	5.81	<2	2	<2	11	6.94	8	15	40	205	125	6.68	17	<1	1	<1	8	<0.01	5	30	2.53	1575	13	16	102	174	37	<1	0.07	<5	33	<5	<10	115	5	1	<1	325	<2	<20	194	<10	8	60	<1
169205	085698	0.008	<1	5.96	2	<1	2	14	5.98	9	15	40	216	113	7.78	20	<1	4	<1	<1	<0.01	6	37	2.92	1525	25	16	112	156	41	<1	0.10	<5	31	<5	<10	113	7	<1	<1	411	<2	26	197	<10	9	74	21
169206	085699	0.006	<1	3.30	7	<1	2	8	3.03	5	8	28	162	76	4.27	10	<1	3	<1	<1	<0.01	5	18	1.71	902	17	11	80	131	39	<1	0.07	<5	21	<5	<10	93	3	<1	<1	300	<2	<20	129	<10	7	35	<1
169207	085700	1.021	<1	3.71	3	54	2	4	3.93	7	27	34	113	43	5.84	20	<1	<1	3	<1	<0.01	12	<1	2.37	989	17	16	25	664	38	7	0.11	<5	19	<5	<10	201	6	<1	<1	6206	<2	20	175	<10	26	80	<1
169209	085701	0.009	<1	5.35	6	3	<2	6	6.20	7	14	37	214	98	5.94	16	1	4	<1	<1	<0.01	4	32	2.25	1627	24	16	95	138	35	<1	0.13	<5	30	<5	<10	122	5	<1	<1	401	<2	<20	208	<10	9	53	60
169210	085702	0.007	<1	6.14	2	<1	2	6	5.43	8	12	41	219	118	6.77	18	<1	3	14	4	<0.01	5	34	2.63	1524	21	15	106	181	35	<1	0.09	<5	31	<5	<10	114	6	<1	<1	395	<2	45	194	<10	9	65	<1
169211	085703	0.017	<1	1.44	4	<1	<2	1	6.23	<4	11	13	102	61	2.56	5	2	2	2	6	<0.01	5	8	0.94	1296	10	7	41	102	33	<1	0.18	<5	14	5	<10	88	2	<1	<1	221	<2	<20	86	<10	8	15	<1
169212	085704	0.007	<1	2.29	3	<1	<2	6	4.75	4	11	14	108	60	3.18	6	<1	2	3	<1	<0.01	5	11	1.16	1100	14	7	52	139	33	<1	0.05	<5	15	<5	<10	94	3	<1	<1	281	<2	<20	87	<10	10	26	<1
169213	085705	0.007	1	2.71	<2	<1	<2	<1	4.60	4	12	15	107	67	3.38	9	<1	4	2	<1	<0.01	5	13	1.21	1071	17	7	54	125	38	<1	0.16	<5	15	<5	<10	98	3	<1	<1	274	<2	<20	89	<10	11	28	51

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, July 22, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/11/2011
Date Completed: 07/22/2011
Job #: 201142563
Reference:
Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
169214	085706	0.008	<1	6.50	<2	<1	2	18	5.93	11	14	40	225	119	9.65	21	2	4	<1	<1	<0.01	7	37	2.94	2445	36	16	120	179	40	<1	0.15	<5	32	<5	<10	116	8	<1	<1	416	<2	22	209	<10	10	87	35
169215	085707	0.008	<1	6.60	5	17	2	15	6.31	10	15	40	241	134	7.57	20	8	3	4	<1	<0.01	7	41	2.40	2131	24	16	123	212	41	<1	0.12	<5	30	<5	<10	134	7	<1	<1	433	<2	39	211	<10	9	66	<1
169216	085708	0.015	<1	5.51	<2	23	<2	24	7.72	9	11	43	230	147	7.04	18	9	3	<1	<1	<0.01	6	30	2.04	2369	24	16	116	226	39	<1	0.14	<5	29	<5	<10	140	4	<1	<1	363	<2	36	207	<10	9	62	9
169217	085709	0.008	<1	4.36	<2	<1	<2	11	9.08	8	15	40	207	130	7.15	17	2	2	13	4	<0.01	7	35	2.57	2427	18	14	103	156	37	<1	0.16	5	27	<5	<10	119	5	<1	<1	346	<2	<20	182	<10	9	57	<1
169218	085710	5.730	3	4.05	258	154	3	11	2.06	10	29	117	149	1593	7.44	17	<1	<1	8	<1	<0.01	16	4	1.44	700	30	8	1299	456	685	85	0.97	<5	12	<5	<10	160	4	<1	1	2914	<2	<20	89	40	18	396	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179545	085789	0.080	<1	1.73	286	175	<2	2	4.81	<4	68	63	313	168	4.52	21	5	1	<1	<1	0.39	<1	12	1.13	1538	<1	41	118	498	10	124	0.35	6	17	17	<10	171	6	<1	<1	468	<2	36	323	<10	5	106	<1
179546	085790	0.053	<1	1.22	219	132	<2	2	5.81	<4	83	50	264	150	4.19	18	<1	<1	<1	<1	0.05	1	16	1.03	1628	<1	35	94	438	9	<1	0.29	<5	16	13	<10	168	5	<1	<1	400	<2	50	274	12	6	113	<1
179547	085791	0.050	<1	1.79	225	148	<2	4	4.92	<4	71	61	284	165	4.63	18	<1	<1	<1	<1	0.13	<1	17	1.12	2077	<1	36	123	504	14	8	0.32	<5	18	10	<10	171	4	<1	<1	439	9	56	291	305	6	144	<1
179548	085792	6.180	<1	1.91	7731	128	<2	3	4.33	<4	30	48	317	158	8.87	18	<1	1	<1	<1	0.09	<1	9	1.27	2599	11	22	96	1514	21	115	4.16	10	14	<5	<10	157	8	<1	<1	425	<2	39	186	256	7	175	14
179549	085793	6.574	<1	1.40	13120	120	<2	5	2.24	<4	8	55	260	145	10.63	22	<1	2	<1	<1	0.03	<1	17	1.26	2439	14	27	109	163	23	45	4.47	8	15	<5	<10	127	7	3	<1	395	<2	67	219	14	4	144	<1
179550	085794	0.665	<1	3.19	1569	<1	<2	12	0.83	6	<1	34	95	153	23.49	19	<1	2	<1	<1	<0.01	5	14	2.88	12484	32	5	60	212	47	89	4.00	11	9	<5	<10	78	20	9	<1	297	21	390	47	17	11	360	<1
179551	085795	0.709	<1	5.89	1322	69	<2	11	0.92	6	1	32	123	148	19.72	21	<1	4	<1	<1	0.23	4	20	2.52	9876	41	7	65	215	37	<1	3.81	9	9	<5	<10	109	13	12	<1	417	23	255	63	18	12	429	101
179552	085796	0.211	<1	3.57	495	3	<2	11	1.62	6	<1	27	39	127	25.03	23	<1	2	<1	<1	0.09	4	8	2.95	13236	42	3	41	178	46	<1	2.76	10	4	<5	<10	98	16	15	<1	348	31	356	23	<10	12	278	43
179553	085797	0.126	<1	2.36	224	<1	<2	12	2.46	5	7	24	55	115	21.11	13	<1	2	<1	<1	<0.01	2	9	2.80	11158	26	3	36	162	38	<1	2.41	8	5	<5	<10	94	15	9	<1	286	45	211	22	<10	11	254	<1
179554	085798	0.744	<1	3.42	644	<1	<2	11	0.80	7	<1	46	66	302	22.47	19	<1	<1	<1	<1	<0.01	3	16	3.00	10169	21	8	81	215	51	87	5.03	8	16	<5	<10	72	13	14	<1	384	3	278	66	12	12	553	<1
179555D	085798	0.738	<1	6.85	551	31	<2	10	1.17	6	<1	44	64	291	21.48	26	<1	5	<1	<1	0.52	6	25	2.87	9776	43	8	78	236	48	<1	4.80	11	14	<5	<10	108	13	9	<1	487	24	258	64	<10	14	539	140
179556	085799	0.051	<1	2.43	264	223	2	5	2.62	<4	20	68	287	95	6.79	27	<1	2	<1	<1	0.20	<1	13	0.98	2862	10	44	131	513	20	<1	0.77	5	17	<5	<10	144	8	<1	<1	621	<2	<20	355	<10	5	300	59
179557	085800	13.673	4	3.26	30	367	<2	1	2.54	<4	19	30	100	155	4.79	17	<1	1	<1	<1	0.48	<1	4	1.16	695	4	17	50	781	39	194	0.79	<5	9	7	<10	187	4	6	<1	4948	<2	<20	123	<10	13	163	<1
179558	085801	0.120	<1	3.02	802	180	<2	3	4.55	<4	25	59	249	129	5.32	20	<1	<1	<1	<1	0.37	<1	7	1.43	2360	<1	38	99	468	14	87	0.48	8	19	7	<10	149	5	<1	<1	651	<2	74	297	<10	6	83	<1
179559	085802	0.025	<1	1.32	221	158	<2	<1	3.10	<4	22	55	253	189	5.62	20	<1	<1	<1	<1	0.26	<1	10	1.09	1940	<1	40	109	510	14	<1	0.55	7	16	<5	<10	138	6	<1	<1	575	6	42	315	<10	5	138	<1
179560	085803	0.027	<1	2.71	167	139	<2	<1	4.82	<4	66	52	230	179	5.94	18	<1	<1	<1	<1	0.20	<1	6	1.54	2015	<1	38	97	484	14	11	0.52	<5	21	5	<10	142	8	<1	<1	646	14	28	292	<10	6	98	<1
179561	085804	0.029	<1	1.55	204	145	<2	<1	5.01	<4	42	50	224	147	4.65	17	<1	<1	<1	<1	0.15	<1	2	1.31	1626	<1	36	97	422	9	9	0.24	7	18	13	<10	143	6	<1	<1	568	<2	53	287	<10	5	67	<1
179562	085805	0.020	<1	1.63	204	150	<2	<1	5.17	<4	70	49	232	149	4.59	17	<1	<1	<1	<1	0.05	<1	<1	1.31	1657	<1	36	97	432	10	100	0.27	8	17	<5	<10	145	7	<1	<1	559	6	41	283	<10	5	60	<1
179563	085806	0.016	<1	0.83	135	119	<2	2	4.13	<4	30	47	218	114	5.44	15	<1	<1	<1	<1	0.02	<1	2	1.17	1828	<1	34	93	343	8	<1	0.50	<5	18	<5	<10	129	5	<1	<1	550	<2	35	277	<10	5	89	<1
179564	085807	0.035	<1	2.36	145	117	<2	2	5.22	<4	41	48	193	202	8.45	19	<1	1	<1	<1	<0.01	<1	6	1.53	3297	2	33	94	381	15	<1	1.03	6	22	<5	<10	142	8	<1	<1	693	5	<20	262	<10	7	160	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179565	085808	0.191	<1	5.15	1541	133	<2	2	5.77	<4	41	43	183	135	11.00	21	<1	3	<1	<1	0.61	<1	9	2.08	4805	9	29	84	345	22	10	1.18	7	26	<5	<10	157	9	<1	<1	688	9	31	231	<10	10	164	25
179566D	085808	0.187	<1	5.20	1705	141	<2	5	5.99	<4	34	44	188	136	11.23	22	<1	4	<1	<1	0.37	<1	12	2.11	4965	8	30	86	349	21	<1	1.26	<5	25	<5	<10	161	9	1	<1	630	<2	<20	236	<10	9	174	36
179567	085809	0.449	<1	5.56	1833	64	<2	5	7.17	<4	37	32	161	173	15.26	20	<1	4	<1	<1	0.65	<1	14	2.78	6589	17	23	81	245	26	<1	1.80	5	26	<5	<10	148	13	4	<1	524	7	21	175	10	11	174	7
179568	085810	1.003	<1	4.83	5	98	<2	1	4.76	<4	54	41	143	48	6.64	22	<1	4	<1	<1	0.25	7	<1	2.29	1124	<1	30	31	840	23	161	0.13	<5	20	<5	<10	251	5	2	<1	6926	4	64	203	<10	27	108	<1
179569	085811	0.047	<1	4.73	132	56	<2	5	5.22	<4	36	41	172	103	13.31	22	<1	2	<1	<1	0.73	<1	17	2.22	5100	13	27	103	251	23	<1	0.64	7	27	<5	<10	133	9	<1	<1	471	10	<20	218	<10	9	154	<1
179570	085812	0.026	<1	4.82	111	36	<2	6	5.39	<4	25	40	176	122	15.74	19	<1	1	<1	<1	0.63	<1	21	2.58	6219	13	29	88	265	28	<1	0.55	5	31	<5	<10	125	12	3	<1	485	<2	41	231	<10	8	164	<1
179571	085813	0.020	<1	3.71	87	63	<2	3	5.18	<4	31	42	168	178	12.12	18	<1	1	<1	<1	0.77	<1	11	2.03	4819	9	29	96	282	22	8	0.76	5	24	<5	<10	130	10	4	<1	514	11	46	219	<10	7	121	<1
179572	085814	0.011	<1	2.36	177	134	<2	1	5.18	<4	69	46	191	114	6.86	15	<1	<1	<1	<1	0.23	<1	1	1.49	2886	<1	30	93	358	13	<1	0.22	5	17	10	<10	137	6	<1	<1	548	3	32	242	<10	5	86	<1
179573	085815	0.015	<1	3.98	33	36	<2	8	6.90	4	41	29	121	117	17.04	17	<1	2	<1	<1	0.22	<1	7	2.43	8425	21	19	58	206	31	<1	1.26	<5	20	<5	<10	135	15	4	<1	553	11	84	149	<10	11	162	<1
179574	085816	0.007	<1	1.50	116	110	<2	4	6.45	<4	80	42	183	127	8.33	17	<1	<1	<1	<1	0.04	<1	3	1.34	2896	5	31	90	344	16	<1	0.66	<5	16	<5	<10	152	7	<1	<1	614	<2	56	244	<10	6	122	<1
179575	085817	0.008	<1	2.02	246	120	<2	<1	6.15	<4	45	44	215	112	4.94	15	<1	<1	<1	<1	0.49	<1	3	1.38	1546	<1	33	102	502	11	34	0.17	<5	18	10	<10	156	4	1	<1	493	<2	56	252	<10	6	88	<1
179576	085818	0.009	<1	1.65	310	103	<2	<1	5.46	<4	43	58	232	158	4.54	18	<1	<1	<1	<1	0.30	<1	6	1.15	1482	<1	36	126	429	11	95	0.15	7	16	6	<10	162	8	<1	<1	434	8	56	294	<10	5	102	<1
179577D	085818	0.010	<1	1.85	318	99	<2	2	5.35	<4	44	58	218	154	4.41	16	<1	<1	<1	<1	0.33	<1	6	1.16	1425	<1	36	126	417	9	<1	0.13	<5	16	5	<10	160	6	<1	<1	401	<2	58	283	<10	5	95	<1
179578	085819	0.014	<1	1.64	230	95	<2	<1	5.98	<4	44	48	212	139	5.29	18	<1	<1	<1	<1	0.34	1	7	1.27	1951	<1	34	96	432	12	<1	0.21	7	16	9	<10	161	5	<1	<1	439	2	46	271	<10	5	70	<1
179579	085820	<0.005	<1	0.48	5	790	2	1	0.72	<4	28	6	361	10	1.38	13	<1	1	<1	<1	0.19	9	16	0.32	271	<1	5	9	346	35	202	0.04	<5	<1	10	<10	356	<1	<1	3	1290	5	<20	20	<10	4	50	11
179580	085821	0.021	<1	3.10	105	82	<2	5	6.50	<4	41	38	204	116	8.98	19	<1	2	<1	<1	0.16	<1	14	1.68	3969	2	30	81	358	17	<1	0.65	6	19	<5	<10	158	6	2	<1	630	19	47	235	<10	7	106	<1
179581	085822	0.032	<1	2.01	78	48	<2	2	5.56	<4	37	39	183	120	7.39	13	<1	<1	<1	<1	0.27	<1	5	1.51	3549	<1	28	76	349	11	<1	0.75	<5	22	<5	<10	125	6	<1	<1	444	11	50	229	<10	6	141	<1
179582	085823	0.072	<1	3.07	16	<1	<2	4	6.50	5	35	48	153	223	18.88	16	<1	<1	<1	<1	0.05	<1	11	2.66	8194	22	16	96	235	34	<1	3.77	8	20	<5	<10	98	13	5	<1	403	24	118	129	<10	9	300	<1
179583	085824	0.069	<1	3.44	66	20	<2	5	5.47	<4	40	47	176	176	12.61	14	<1	<1	<1	<1	0.17	1	13	2.03	5314	7	25	97	391	23	57	2.22	7	24	<5	<10	117	8	3	<1	377	8	60	204	<10	7	218	<1
179584	085825	0.144	<1	3.38	74	26	<2	5	5.54	<4	36	51	201	177	12.90	17	<1	<1	<1	<1	0.07	2	14	1.97	5429	7	27	101	401	24	<1	2.32	9	24	<5	<10	121	12	3	<1	465	6	35	217	<10	8	215	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179585	085826	0.010	4	1.62	236	67	<2	2	3.66	<4	27	47	289	160	3.45	15	<1	<1	<1	<1	0.35	<1	9	0.92	1418	<1	41	115	475	8	123	0.23	5	20	10	<10	143	6	<1	<1	356	<2	32	330	<10	5	119	<1
179586	085827	0.011	7	1.98	283	52	<2	2	4.83	<4	68	50	240	198	3.64	16	<1	<1	<1	<1	0.42	<1	9	1.14	1204	<1	37	114	443	7	82	0.13	6	21	<5	<10	147	5	<1	<1	339	5	53	294	<10	5	110	<1
179587	085828	0.010	14	0.90	255	44	<2	3	5.37	<4	73	51	254	180	4.11	12	<1	<1	<1	1	0.36	<1	7	1.02	1382	<1	37	114	443	6	<1	0.15	<5	18	8	<10	147	4	<1	<1	336	3	55	297	<10	5	111	<1
179588D	085828	0.012	31	0.25	256	45	<2	3	5.16	<4	74	51	256	181	3.97	16	<1	<1	<1	<1	0.17	<1	7	0.97	1362	<1	37	115	430	5	<1	0.15	7	17	<5	<10	146	7	<1	<1	343	3	57	300	<10	5	116	<1
179589	085829	0.009	57	0.60	234	33	<2	3	5.05	<4	36	47	195	174	3.86	10	<1	<1	<1	<1	0.08	<1	5	1.05	1229	<1	32	102	417	8	<1	0.16	5	16	<5	<10	134	5	<1	<1	302	14	51	254	<10	5	113	<1
179590	085830	0.008	40	1.61	266	38	<2	2	5.52	<4	40	46	193	161	3.78	12	<1	<1	<1	<1	<0.01	<1	6	1.30	1307	<1	32	113	423	7	38	0.15	<5	17	7	<10	138	4	<1	<1	296	4	55	246	<10	6	105	<1
179591	085831	0.008	<1	1.08	248	41	<2	3	5.57	<4	48	47	221	175	3.95	15	<1	<1	<1	<1	<0.01	<1	6	1.22	1484	<1	37	102	405	10	43	0.17	<5	18	<5	<10	143	3	<1	<1	394	<2	37	283	<10	5	107	<1
179592	085832	0.006	<1	2.72	146	51	<2	3	7.21	<4	94	45	201	145	5.58	13	<1	<1	<1	<1	<0.01	<1	10	1.70	2379	<1	30	98	381	11	65	0.45	5	19	5	<10	144	6	<1	<1	397	13	55	225	<10	7	118	<1
179593	085833	0.007	<1	1.91	198	24	<2	3	6.29	<4	47	43	195	158	4.97	10	<1	<1	<1	<1	<0.01	<1	3	1.63	2021	<1	31	105	377	8	7	0.55	5	22	<5	<10	131	4	<1	<1	451	4	50	241	<10	7	104	<1
179594	085834	0.013	<1	1.37	245	19	<2	1	5.39	<4	42	43	188	145	3.45	10	<1	<1	<1	<1	<0.01	<1	2	1.40	1187	<1	28	102	427	7	30	0.13	5	18	7	<10	127	3	<1	<1	313	16	64	215	<10	6	107	<1
179595	085835	0.010	<1	2.16	230	25	<2	<1	5.68	<4	41	42	251	143	3.73	12	<1	<1	<1	<1	0.12	<1	4	1.54	1244	<1	32	99	414	8	<1	0.15	7	23	12	<10	136	5	<1	<1	426	25	58	254	<10	6	90	<1
179596	085836	0.011	<1	1.13	198	20	<2	<1	5.85	<4	79	41	215	153	3.87	13	<1	<1	<1	<1	<0.01	<1	6	1.36	1359	<1	32	87	405	7	<1	0.16	5	18	5	<10	137	3	<1	<1	329	8	48	242	<10	6	101	<1
179597	085837	0.009	<1	0.46	146	26	<2	4	5.06	<4	70	45	230	149	3.99	11	<1	<1	<1	<1	<0.01	<1	5	1.05	1281	<1	34	94	407	7	10	0.32	<5	17	6	<10	140	3	<1	<1	358	<2	51	271	<10	5	116	<1
179598	085838	0.006	<1	1.25	175	25	<2	2	6.79	<4	52	40	191	167	4.04	12	<1	<1	<1	<1	<0.01	<1	3	1.58	1589	<1	29	91	379	10	50	0.30	<5	17	5	<10	138	6	<1	<1	399	5	68	225	<10	7	107	<1
179599D	085838	0.007	<1	0.87	170	17	<2	1	6.20	<4	51	38	181	152	3.75	9	<1	<1	<1	<1	0.07	<1	2	1.47	1457	<1	29	87	347	8	<1	0.30	<5	17	<5	<10	133	4	<1	<1	339	3	61	218	<10	6	102	<1
179600	085839	0.006	<1	1.48	225	27	<2	<1	5.88	<4	43	44	219	157	3.13	13	<1	<1	<1	<1	<0.01	<1	3	1.40	1165	<1	36	101	408	9	3	0.13	<5	21	11	<10	144	4	<1	<1	424	7	64	279	<10	6	106	<1
179601	085840	5.506	<1	0.11	287	159	<2	5	1.72	<4	14	118	155	1626	6.68	11	<1	<1	<1	<1	<0.01	3	<1	0.81	641	8	10	1257	509	737	<1	1.81	6	5	<5	<10	153	5	5	<1	3134	5	<20	89	37	8	407	<1
179602	085841	0.009	<1	1.51	208	36	<2	<1	4.81	<4	67	45	231	175	3.50	12	<1	<1	<1	<1	<0.01	<1	5	1.05	1116	<1	34	102	410	7	24	0.15	6	18	8	<10	148	5	<1	<1	312	<2	57	276	<10	5	94	<1
179603	085842	0.009	<1	0.76	215	35	<2	4	5.62	<4	73	45	219	152	3.65	13	<1	<1	<1	<1	<0.01	<1	4	1.16	1389	<1	35	100	398	7	<1	0.22	5	16	<5	<10	146	5	<1	<1	366	13	56	273	<10	5	96	<1
179604	085843	0.010	<1	1.57	134	32	<2	2	6.57	<4	44	48	188	138	5.49	13	<1	<1	<1	<1	<0.01	<1	6	1.38	2177	<1	31	96	368	7	<1	0.49	<5	18	6	<10	143	7	<1	<1	411	6	68	240	<10	6	98	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179605	085844	0.010	<1	0.77	188	53	<2	<1	5.01	<4	41	48	247	179	4.15	18	<1	<1	<1	<1	0.28	<1	6	0.90	1340	<1	38	108	446	9	<1	0.24	<5	17	<5	<10	159	4	<1	<1	392	4	46	306	<10	5	109	<1
179606	085845	0.007	<1	0.97	282	46	<2	3	6.26	<4	83	51	245	165	3.81	17	<1	<1	<1	<1	0.23	<1	7	1.02	1381	<1	39	117	447	8	<1	0.17	<5	19	<5	<10	161	5	<1	<1	391	7	48	309	<10	5	119	<1
179607	085846	0.010	<1	1.68	179	22	<2	5	7.55	<4	70	44	184	142	7.40	12	<1	<1	<1	<1	0.31	<1	5	1.50	3365	<1	29	97	365	9	62	0.66	7	21	<5	<10	141	7	<1	<1	370	2	45	226	<10	7	132	<1
179608	085847	0.011	<1	1.59	280	55	<2	2	5.46	<4	77	52	254	145	3.75	16	<1	<1	<1	<1	0.12	<1	9	0.84	1552	<1	40	129	503	5	26	0.20	<5	19	9	<10	166	7	<1	<1	359	11	60	333	<10	6	118	<1
179609	085848	0.014	<1	1.14	205	60	<2	<1	5.31	<4	37	46	230	176	4.01	14	<1	<1	<1	<1	0.18	<1	7	0.82	1812	<1	39	102	476	9	93	0.24	5	18	10	<10	164	6	<1	<1	358	<2	52	315	<10	5	104	<1
179610R	085848	0.014	<1	1.70	203	70	<2	1	5.62	<4	47	47	251	179	4.19	18	<1	<1	<1	<1	0.36	2	9	0.85	1878	<1	40	103	495	7	15	0.26	<5	19	10	<10	175	6	<1	<1	379	7	55	333	<10	6	116	<1
179611	085849	0.015	<1	0.94	183	66	<2	2	5.69	<4	42	45	233	167	4.33	15	<1	<1	<1	<1	0.19	<1	8	0.86	1988	<1	38	94	474	9	<1	0.25	<5	17	<5	<10	168	5	<1	<1	398	6	57	316	<10	5	117	<1
179612	085850	0.005	<1	0.73	2	862	<2	2	0.69	<4	45	8	240	9	1.77	14	<1	<1	<1	<1	0.08	17	10	0.37	265	<1	10	7	782	35	67	0.06	<5	1	13	<10	297	<1	<1	12	2079	<2	<20	30	<10	7	69	<1
179613	085851	0.053	<1	2.25	279	93	<2	3	9.07	<4	111	46	189	148	6.79	12	<1	1	<1	<1	0.22	1	5	1.83	3759	<1	31	103	525	12	<1	0.50	5	20	<5	<10	163	7	2	<1	425	10	83	238	<10	8	197	<1
179614	085852	0.013	<1	1.87	212	89	<2	2	6.91	<4	89	46	209	155	6.46	12	<1	<1	<1	<1	0.28	<1	3	1.52	3487	<1	33	108	385	10	<1	0.43	6	21	5	<10	142	8	<1	<1	447	17	85	261	<10	6	124	<1
179615	085853	0.017	<1	3.47	103	26	<2	3	6.84	<4	41	41	157	143	12.14	15	<1	<1	<1	<1	0.19	<1	24	2.29	5485	2	27	91	294	19	87	0.48	6	26	<5	<10	117	10	3	<1	426	6	38	213	<10	8	172	<1
179616	085854	0.008	<1	2.09	162	53	<2	6	6.31	<4	44	47	176	146	9.42	14	<1	<1	<1	<1	0.08	<1	13	1.77	4748	<1	28	93	339	16	94	0.61	<5	21	9	<10	124	6	<1	<1	445	10	45	216	<10	6	146	<1
179617	085855	0.012	<1	2.38	162	66	<2	5	6.41	<4	42	48	176	160	9.74	15	<1	<1	<1	<1	<0.01	1	14	1.79	4768	<1	29	96	362	15	49	0.63	6	21	<5	<10	131	7	<1	<1	463	4	64	228	<10	7	153	<1
179618	085856	0.075	<1	1.12	438	119	<2	2	4.52	<4	29	40	227	137	7.96	13	<1	<1	<1	<1	0.48	<1	2	1.39	3071	<1	26	78	442	15	56	1.02	5	17	<5	<10	124	5	<1	<1	621	18	25	223	<10	6	107	<1
179619	085857	0.056	<1	2.49	185	68	<2	4	6.64	<4	52	51	179	155	9.94	15	<1	<1	<1	<1	0.32	<1	16	1.86	4944	<1	29	100	360	16	<1	0.65	<5	21	<5	<10	134	9	<1	<1	489	9	41	227	<10	7	154	<1
179620	085858	0.546	<1	1.33	2370	228	2	<1	3.59	<4	22	24	277	110	7.84	6	<1	<1	<1	<1	0.39	1	<1	1.60	2015	<1	10	51	329	11	<1	1.01	7	9	<5	<10	176	5	2	<1	1288	3	<20	78	19	8	147	<1
179621D	085858	0.553	<1	2.16	2645	249	2	5	3.86	<4	29	25	287	117	8.06	11	<1	<1	<1	4	0.22	1	3	1.67	2095	<1	12	52	349	14	27	1.08	9	10	<5	<10	186	5	4	<1	1273	<2	<20	80	17	9	153	<1
179622	085859	0.172	<1	2.51	347	347	2	3	4.97	<4	53	51	177	142	6.50	17	<1	<1	<1	<1	0.31	2	11	1.52	1459	<1	31	86	472	12	<1	1.00	7	16	7	<10	252	5	1	<1	3041	<2	20	220	28	8	124	<1
179623	085860	0.015	<1	3.07	66	127	<2	2	3.64	<4	36	48	45	102	8.99	17	<1	3	<1	<1	0.11	6	14	1.88	1310	<1	26	38	731	12	<1	0.24	6	8	<5	<10	204	8	6	2	5992	2	<20	148	25	10	144	<1
179624	085861	0.020	<1	3.93	105	162	<2	2	5.63	<4	54	52	39	165	8.52	16	<1	2	<1	<1	0.25	7	18	2.27	1705	<1	28	67	589	16	53	0.33	5	13	<5	<10	223	4	2	<1	4966	<2	35	163	15	12	131	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179625	085862	0.014	<1	2.78	138	164	<2	2	5.61	<4	55	54	61	203	7.58	12	<1	<1	<1	<1	0.11	7	15	2.09	1778	<1	25	83	553	13	<1	0.20	<5	13	<5	<10	226	8	<1	<1	4098	7	46	172	<10	10	122	<1
179626	085863	0.010	<1	3.07	117	136	<2	3	4.40	<4	46	55	32	239	8.90	15	<1	<1	<1	<1	0.22	7	12	2.08	1608	<1	27	89	532	13	<1	0.23	5	12	<5	<10	190	7	3	<1	3945	4	28	179	<10	9	132	<1
179627	085864	0.009	<1	3.37	75	255	<2	4	3.99	<4	45	51	21	147	9.19	18	<1	1	<1	4	<0.01	8	12	1.95	1614	<1	28	51	703	12	62	0.23	7	10	<5	<10	178	8	3	1	4573	<2	35	173	<10	9	140	<1
179628	085865	0.009	<1	3.24	80	266	<2	1	4.40	<4	48	54	22	150	9.68	22	<1	3	<1	<1	0.52	6	13	2.00	1852	2	29	54	723	17	146	0.16	5	9	<5	<10	189	4	6	<1	5540	2	32	178	<10	9	141	<1
179629	085866	0.125	<1	4.29	72	249	<2	6	3.90	<4	52	48	25	129	9.26	19	<1	<1	<1	<1	0.20	11	10	2.13	1586	<1	24	44	787	14	98	0.37	5	10	<5	<10	168	6	6	<1	2756	<2	20	149	<10	10	147	<1
179630	085867	0.271	<1	2.19	56	215	<2	5	3.20	<4	29	50	43	122	9.26	20	<1	<1	<1	<1	0.35	4	6	1.77	1474	<1	28	40	776	15	<1	0.16	5	8	<5	<10	156	8	3	<1	5910	<2	21	171	<10	7	149	<1
179631	085868	0.015	<1	3.41	54	203	<2	1	4.57	<4	44	49	47	119	9.62	22	<1	<1	<1	<1	0.17	5	7	2.13	1937	<1	28	41	729	15	97	0.17	7	9	<5	<10	194	7	8	<1	5763	7	<20	170	<10	9	145	<1
179632D	085868	0.016	<1	3.53	52	199	<2	3	4.42	<4	40	48	43	114	9.46	20	<1	2	<1	<1	0.18	4	5	2.13	1901	<1	28	42	718	14	<1	0.14	<5	9	<5	<10	190	7	8	<1	6192	<2	22	166	<10	10	144	<1
179633	085869	0.159	<1	4.40	51	223	<2	2	4.57	<4	41	46	58	125	8.74	18	<1	2	<1	<1	0.10	3	7	2.16	1799	<1	26	43	635	13	<1	0.31	<5	11	10	<10	200	8	7	<1	4338	2	48	163	<10	10	130	<1
179634	085870	13.806	4	1.75	26	310	<2	1	2.20	<4	36	27	89	144	4.35	9	<1	<1	<1	<1	0.01	<1	<1	1.14	625	<1	14	42	712	35	368	0.79	<5	9	<5	<10	158	3	7	2	4079	9	<20	109	<10	12	149	<1
179635	085871	0.012	<1	4.80	68	156	<2	6	4.22	<4	29	62	42	256	12.49	21	<1	1	<1	<1	0.09	2	8	2.67	1984	1	31	84	563	18	81	0.32	6	18	<5	<10	183	6	1	<1	3989	<2	29	208	<10	10	178	<1
179636	085872	0.014	<1	1.87	72	260	<2	3	4.86	<4	40	52	50	213	7.96	14	<1	<1	<1	<1	0.11	3	<1	1.89	1962	<1	27	77	535	14	<1	0.32	<5	11	<5	<10	197	9	3	<1	4499	2	47	180	<10	7	105	<1
179637	085873	0.069	<1	2.76	73	250	<2	4	3.80	<4	30	57	92	239	9.23	15	<1	<1	<1	<1	0.11	2	2	2.19	1485	<1	26	96	530	14	19	0.40	<5	13	<5	<10	176	5	3	<1	2674	<2	24	185	<10	7	133	<1
179638	085874	0.526	<1	2.02	73	187	<2	5	4.80	<4	55	52	140	224	7.27	14	<1	<1	<1	<1	0.33	2	<1	1.92	1670	<1	21	84	572	10	46	0.30	<5	11	5	<10	230	9	<1	<1	2136	<2	41	157	<10	7	106	<1
179639	085875	0.013	<1	3.43	66	233	<2	2	4.30	<4	39	63	80	269	9.96	19	<1	<1	<1	<1	0.22	3	7	2.38	1581	<1	26	102	552	15	14	0.30	<5	14	<5	<10	207	10	2	<1	2559	8	45	193	<10	8	148	<1
179640	085876	0.014	<1	3.98	61	273	<2	<1	4.29	<4	43	60	37	264	9.41	18	<1	<1	<1	<1	0.37	2	6	2.43	1496	<1	25	103	575	15	4	0.26	9	16	6	<10	201	7	2	<1	1334	13	60	189	<10	9	136	<1
179641	085877	0.037	<1	3.20	56	312	<2	5	3.61	<4	31	62	89	262	9.57	18	<1	<1	<1	<1	0.14	3	8	2.13	1328	<1	25	108	588	13	57	0.27	5	14	<5	<10	185	5	4	<1	1583	2	<20	198	<10	7	147	<1
179642	085878	0.020	<1	3.32	36	213	<2	5	5.39	<4	43	51	72	231	8.61	15	<1	<1	<1	<1	0.25	3	4	2.26	1769	<1	23	87	593	15	<1	0.31	<5	14	<5	<10	232	4	2	<1	913	10	33	165	<10	9	113	<1
179643D	085878	0.021	<1	3.51	36	214	<2	3	5.52	<4	48	52	70	232	8.73	15	<1	<1	<1	<1	0.28	5	4	2.31	1794	<1	23	87	599	13	<1	0.31	7	14	<5	<10	236	7	<1	<1	904	<2	36	167	<10	9	114	<1
179644	085879	0.012	<1	3.87	15	259	<2	4	6.45	<4	56	45	23	207	9.91	16	<1	<1	<1	<1	0.27	6	9	2.93	1920	<1	24	77	525	16	<1	0.21	6	15	<5	<10	248	<1	<1	<1	969	2	42	163	<10	10	129	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179645	085880	<0.005	<1	1.76	<2	914	<2	4	0.84	<4	53	9	1151	17	2.44	15	<1	2	<1	<1	0.07	21	15	0.42	323	4	5	18	596	40	80	0.07	<5	2	14	<10	296	3	<1	10	1727	<2	<20	28	<10	7	63	39
179646	085881	0.016	<1	2.64	25	346	<2	4	5.16	<4	40	48	101	251	7.43	13	<1	<1	<1	<1	0.14	2	<1	1.94	1553	<1	23	80	612	14	<1	0.33	5	14	5	<10	225	2	<1	<1	762	4	35	176	<10	8	106	<1
179647	085882	0.040	<1	2.72	13	514	<2	<1	5.67	<4	48	48	114	234	8.73	17	<1	<1	<1	<1	0.10	2	2	2.34	1823	<1	24	83	576	16	<1	0.48	<5	15	<5	<10	220	8	<1	<1	766	<2	30	172	<10	8	119	<1
179648	085883	0.019	<1	3.56	10	583	<2	2	6.04	<4	48	49	31	233	9.44	15	<1	<1	<1	<1	0.49	2	2	2.72	1812	<1	25	82	557	13	<1	0.23	6	17	<5	<10	215	6	<1	<1	613	5	<20	166	<10	9	124	<1
179649	085884	0.065	<1	3.48	22	619	<2	2	5.68	<4	47	54	70	252	9.08	13	<1	<1	<1	<1	0.40	3	3	2.40	1707	<1	24	98	604	14	35	0.30	<5	17	<5	<10	207	3	<1	<1	671	5	24	181	<10	8	119	<1
179650	085885	0.053	<1	3.49	25	584	<2	6	5.71	<4	56	54	32	255	9.09	13	<1	<1	<1	<1	0.33	3	2	2.47	1700	<1	24	100	600	15	35	0.28	5	17	<5	<10	202	6	4	<1	692	17	79	172	<10	9	122	<1
179651	085886	0.025	<1	3.40	19	810	<2	5	7.70	<4	59	49	64	252	9.66	13	<1	<1	<1	<1	0.37	4	<1	2.72	2390	<1	24	87	519	13	31	0.29	5	17	<5	<10	237	9	3	<1	722	<2	84	169	<10	9	130	<1
179652	085887	0.020	<1	2.28	13	509	<2	2	8.05	<4	56	43	29	248	8.65	9	<1	<1	<1	<1	0.46	<1	<1	2.48	2337	<1	18	74	525	14	<1	0.30	<5	13	<5	<10	232	7	<1	<1	570	8	53	127	<10	9	102	<1
179653	085888	0.016	<1	2.40	12	401	<2	2	7.40	<4	46	46	34	224	9.48	10	<1	<1	<1	<1	0.22	1	<1	2.49	2128	<1	20	80	499	16	10	0.26	<5	13	<5	<10	218	8	7	<1	580	2	58	142	<10	8	126	<1
179654D	085888	0.017	<1	1.67	10	360	<2	4	7.27	<4	68	46	32	231	9.43	8	<1	<1	<1	<1	0.14	2	<1	2.46	2105	<1	19	79	488	14	15	0.31	5	13	<5	<10	210	5	<1	<1	514	6	73	134	<10	8	124	<1
179655	085889	0.120	<1	1.53	12	288	<2	4	7.26	<4	46	45	38	221	8.95	5	<1	<1	<1	<1	0.11	1	<1	2.34	2002	<1	17	78	537	12	<1	0.35	<5	12	<5	<10	203	3	<1	<1	484	3	57	124	<10	8	117	<1
179656	085890	0.019	<1	1.90	21	255	<2	5	4.94	<4	50	48	58	222	7.86	9	<1	<1	<1	<1	0.06	<1	<1	2.11	1572	<1	19	84	522	11	76	0.27	6	13	<5	<10	174	5	<1	<1	480	7	40	146	<10	7	103	<1
179657	085891	0.028	<1	3.65	11	305	<2	4	5.31	<4	50	51	58	250	8.52	14	<1	<1	<1	<1	<0.01	2	2	2.18	1488	<1	22	96	593	13	87	0.34	6	15	<5	<10	202	7	<1	<1	655	<2	30	161	<10	9	120	<1
179658	085892	0.061	<1	3.20	21	307	<2	3	5.27	<4	39	47	68	218	7.34	8	<1	<1	<1	<1	0.33	1	<1	2.03	1511	<1	19	83	525	11	<1	0.46	7	15	<5	<10	203	8	1	<1	525	<2	28	147	<10	8	96	<1
179659	085893	0.017	<1	3.84	24	315	<2	2	4.33	<4	34	56	65	244	8.85	15	<1	<1	<1	<1	0.26	2	3	2.23	1265	<1	23	101	569	14	<1	0.39	6	15	<5	<10	195	6	1	<1	490	2	<20	170	<10	7	140	<1
179660	085894	0.016	<1	3.64	23	306	<2	5	6.46	<4	56	47	50	222	9.31	10	<1	<1	<1	<1	0.45	3	3	2.81	1693	<1	23	80	530	16	<1	0.24	5	16	<5	<10	246	6	<1	<1	532	<2	51	156	<10	8	134	<1
179661	085895	0.021	<1	3.73	29	319	<2	5	6.84	<4	52	49	55	230	9.29	14	<1	<1	<1	<1	0.31	4	3	2.93	1818	<1	23	84	528	14	<1	0.21	5	16	<5	<10	253	6	3	<1	546	7	47	151	<10	9	124	<1
179662	085896	0.017	<1	2.95	28	424	<2	3	7.87	<4	59	43	74	217	7.93	11	<1	<1	<1	<1	0.19	5	<1	2.74	1949	<1	22	74	495	11	<1	0.23	6	15	<5	<10	279	7	2	<1	554	16	41	144	<10	8	93	<1
179663	085897	0.012	<1	3.24	28	596	<2	4	7.33	<4	51	49	62	235	9.25	17	<1	<1	<1	<1	0.18	2	<1	2.64	1854	<1	22	85	574	14	<1	0.54	<5	16	<5	<10	271	8	<1	<1	556	5	60	158	<10	8	116	<1
179664	085898	0.053	<1	2.88	37	514	<2	4	6.24	<4	51	51	61	223	9.35	13	<1	<1	<1	<1	0.19	4	<1	2.58	1592	<1	22	85	480	17	59	0.26	6	16	<5	<10	244	8	3	<1	479	<2	34	160	<10	7	139	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179665D	085898	0.070	<1	2.72	34	523	<2	4	6.03	<4	55	49	60	214	9.02	14	<1	<1	<1	<1	0.01	4	1	2.37	1532	<1	23	82	481	14	<1	0.24	6	14	<5	<10	248	6	1	<1	551	2	71	162	<10	8	136	<1
179666	085899	0.418	<1	1.54	35	601	<2	4	6.23	<4	36	41	83	182	7.22	10	<1	<1	<1	<1	0.07	<1	<1	2.09	1632	<1	19	67	433	12	<1	0.63	<5	11	<5	<10	267	4	3	<1	428	<2	76	130	<10	6	92	<1
179667	085900	0.988	<1	2.06	2	46	<2	2	3.89	<4	51	38	131	46	6.17	13	<1	<1	<1	<1	<0.01	7	<1	2.16	1031	<1	29	30	786	19	159	0.11	5	18	<5	<10	195	8	2	<1	6221	2	26	189	<10	25	99	<1
179668	085901	0.078	<1	3.17	35	698	<2	2	6.96	<4	54	40	64	191	7.38	10	<1	<1	<1	<1	0.47	3	<1	2.46	1928	<1	21	64	550	12	120	0.49	8	14	8	<10	302	5	1	<1	673	<2	73	145	<10	8	93	<1
179669	085902	0.082	<1	5.07	47	473	<2	7	6.09	<4	59	49	44	233	9.34	15	<1	<1	<1	<1	0.37	4	8	3.18	1892	<1	24	81	605	14	79	0.38	7	18	7	<10	296	4	<1	<1	641	<2	57	168	<10	9	128	<1
179670	085903	0.076	<1	4.28	62	458	<2	5	5.26	<4	50	48	48	216	8.91	15	<1	<1	<1	<1	0.44	7	9	3.07	1508	<1	23	77	570	14	<1	0.16	<5	16	5	<10	263	7	1	<1	578	2	<20	165	<10	9	128	<1
179671	085904	0.025	<1	4.84	56	344	<2	4	4.98	<4	48	52	47	246	10.01	17	<1	<1	<1	<1	0.25	6	15	3.37	1497	<1	25	85	614	11	<1	0.15	<5	18	<5	<10	256	6	<1	<1	576	2	<20	182	<10	9	141	<1
179672	085905	0.021	<1	3.85	55	343	<2	4	5.14	<4	47	47	44	228	9.06	12	<1	<1	<1	<1	0.41	7	10	3.30	1590	<1	24	77	524	11	<1	0.13	6	17	<5	<10	251	5	<1	<1	538	10	<20	162	<10	9	124	<1
179673	085906	0.215	<1	3.99	50	634	<2	5	7.12	<4	95	52	50	251	9.41	14	<1	<1	<1	<1	0.17	2	<1	2.31	1980	<1	23	93	660	15	34	0.82	6	17	11	<10	274	8	2	<1	682	8	83	173	<10	9	116	<1
179674	085907	0.102	<1	2.82	57	323	<2	3	5.75	<4	86	46	64	215	8.31	13	<1	<1	<1	<1	0.22	5	<1	2.13	1751	<1	22	82	516	14	<1	0.32	<5	14	<5	<10	229	8	<1	<1	609	4	34	154	<10	7	107	<1
179675	085908	0.016	<1	4.19	59	301	<2	5	5.56	<4	62	44	36	206	8.37	15	<1	1	<1	<1	0.40	2	1	2.29	1440	<1	19	81	547	12	56	0.28	6	14	<5	<10	231	10	1	<1	591	4	27	147	<10	8	129	<1
179676R	085908	0.025	<1	4.98	70	331	<2	5	5.91	<4	50	51	46	221	8.97	16	<1	2	<1	<1	0.17	3	2	2.34	1533	<1	21	91	590	17	<1	0.31	<5	14	10	<10	248	7	<1	<1	855	<2	27	160	<10	10	136	<1
179677	085909	0.022	<1	4.32	70	511	2	3	6.12	<4	54	45	62	218	6.74	20	4	3	<1	<1	0.27	2	<1	1.75	1518	<1	22	87	614	13	18	0.49	<5	11	<5	<10	275	9	<1	<1	940	3	61	168	<10	8	91	70
179678	085910	5.482	<1	1.88	325	209	<2	4	2.08	<4	21	133	176	1843	7.65	18	<1	2	<1	<1	<0.01	3	3	0.93	726	16	13	1420	585	821	11	2.14	7	6	<5	<10	181	6	4	<1	3590	6	<20	101	43	10	458	27
179679	085911	0.013	<1	3.02	67	301	<2	1	6.03	<4	81	44	33	218	7.56	10	<1	<1	<1	<1	<0.01	2	<1	2.18	1402	<1	19	85	515	13	2	0.51	<5	13	7	<10	222	8	3	<1	612	<2	66	133	<10	8	105	<1
179680	085912	0.036	<1	2.29	84	195	<2	9	6.15	<4	45	45	60	214	8.90	10	<1	<1	<1	<1	<0.01	1	<1	2.77	1623	<1	20	85	529	11	2	0.34	<5	15	<5	<10	194	8	2	<1	478	13	46	135	<10	7	118	<1
179681	085913	0.010	<1	1.90	88	181	<2	3	6.55	<4	32	44	39	229	8.69	9	<1	<1	<1	<1	0.16	<1	<1	2.67	1751	<1	18	82	524	13	7	0.68	<5	13	<5	<10	186	7	<1	<1	393	6	37	128	<10	7	114	<1
179682	085914	0.078	<1	3.68	118	214	<2	5	5.21	<4	36	55	70	258	9.33	14	<1	<1	<1	<1	0.12	1	5	2.83	1694	<1	23	99	627	13	<1	0.58	6	18	<5	<10	179	6	4	<1	528	10	45	161	<10	8	122	<1
179683	085915	0.039	<1	2.68	106	152	<2	6	5.40	<4	75	55	47	251	9.51	12	<1	<1	<1	<1	0.07	<1	4	2.78	1622	<1	20	96	475	17	17	0.58	6	15	<5	<10	174	4	2	<1	481	4	42	145	<10	7	139	<1
179684	085916	0.024	<1	3.45	114	194	<2	4	6.09	<4	42	48	35	231	8.86	14	<1	<1	<1	<1	<0.01	2	7	3.12	1760	<1	22	89	551	12	<1	0.46	7	16	<5	<10	187	5	3	<1	457	21	54	144	<10	8	117	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179685	085917	0.100	<1	1.88	84	181	<2	3	5.91	<4	43	42	81	211	7.87	8	<1	<1	<1	<1	0.08	<1	<1	2.50	1910	<1	17	72	546	12	<1	0.83	<5	14	7	<10	150	7	1	<1	347	<2	67	121	<10	7	101	<1
179686	085918	0.142	<1	4.25	282	40	<2	6	5.16	<4	44	49	88	227	9.46	16	<1	<1	<1	<1	0.15	1	18	3.45	1761	<1	22	82	324	10	<1	0.27	5	18	<5	<10	150	9	<1	<1	348	<2	52	143	20	9	153	<1
179687D	085918	0.142	<1	4.33	253	70	<2	2	4.83	<4	46	46	82	220	8.67	18	<1	1	<1	<1	0.26	2	16	2.94	1665	<1	20	78	324	13	16	0.29	7	15	7	<10	159	6	<1	<1	424	3	41	141	21	9	147	<1
179688	085919	0.393	<1	3.43	673	53	<2	3	4.39	<4	34	41	53	202	8.28	14	<1	<1	<1	<1	0.02	<1	10	2.33	1522	<1	16	76	226	11	<1	1.36	7	14	6	<10	149	4	<1	<1	343	12	39	116	25	8	304	<1
179689	085920	0.006	<1	1.40	11	736	<2	2	0.69	<4	30	7	1110	17	2.04	14	<1	<1	<1	<1	<0.01	13	9	0.35	325	<1	5	19	351	33	76	0.09	5	1	18	<10	296	4	2	8	1432	<2	<20	21	<10	5	52	<1
179690	085921	0.086	<1	2.40	262	74	<2	3	8.49	<4	67	46	265	112	5.93	12	<1	<1	<1	<1	<0.01	<1	5	1.92	2077	<1	26	129	276	9	28	0.47	9	20	8	<10	198	5	<1	<1	479	14	63	190	13	6	100	<1
179691	085922	0.013	<1	2.80	217	60	<2	2	7.66	<4	95	34	185	108	4.96	12	<1	<1	<1	<1	0.42	<1	9	2.00	1878	<1	24	83	262	9	111	0.19	<5	17	8	<10	186	3	<1	<1	383	11	66	169	<10	6	68	<1
179692	085923	0.006	<1	3.45	190	57	<2	3	>10.00	<4	65	37	204	114	6.41	12	<1	<1	<1	<1	0.45	1	9	2.50	2542	<1	26	109	262	11	<1	0.36	6	22	8	<10	202	4	<1	<1	585	9	110	178	<10	8	97	<1
179693	085924	0.010	<1	2.06	244	63	<2	5	7.15	<4	52	44	251	157	4.68	14	<1	<1	<1	<1	0.32	<1	11	1.77	1786	<1	29	100	297	7	9	0.21	5	17	9	<10	197	2	<1	<1	343	17	59	219	<10	5	82	<1
179694	085925	0.007	<1	2.92	231	65	<2	2	7.17	<4	47	44	224	148	4.69	14	<1	<1	<1	<1	0.19	<1	11	1.89	1762	<1	29	97	307	10	87	0.15	<5	19	11	<10	198	4	<1	<1	334	6	90	218	<10	6	87	<1
179695	085926	0.011	<1	1.79	194	83	<2	6	5.80	<4	39	48	260	174	4.32	18	<1	<1	<1	<1	0.08	<1	11	1.39	1485	<1	31	110	304	11	<1	0.26	5	13	<5	<10	201	5	<1	<1	463	2	66	233	<10	5	89	<1
179696	085927	0.012	<1	2.37	186	56	<2	<1	7.84	<4	95	44	270	155	5.51	15	<1	<1	<1	<1	0.06	1	11	1.94	2129	<1	28	117	287	9	85	0.32	6	17	<5	<10	190	5	<1	<1	445	10	59	206	<10	6	91	<1
179697	085928	0.011	<1	3.50	144	47	<2	1	8.04	<4	57	37	181	118	6.18	13	<1	<1	<1	<1	0.20	<1	10	2.20	2317	<1	27	106	273	9	60	0.33	<5	20	<5	<10	186	3	<1	<1	500	5	71	188	<10	7	89	<1
179698D	085928	0.009	<1	5.13	152	69	<2	<1	8.48	<4	70	40	190	120	6.49	15	8	2	<1	<1	0.20	1	16	2.38	2374	<1	27	111	287	12	<1	0.36	6	22	10	<10	203	6	<1	<1	516	13	91	194	<10	9	87	20
179699	085929	0.026	<1	3.66	178	79	<2	3	6.55	<4	41	45	257	162	6.00	18	3	3	<1	<1	0.14	<1	11	1.80	1950	<1	29	126	309	10	<1	0.34	<5	18	18	<10	197	6	<1	<1	507	8	56	226	<10	6	89	30
179700	085930	0.013	<1	2.91	168	64	<2	3	7.59	<4	56	36	218	120	5.86	15	8	1	<1	<1	<0.01	<1	7	1.85	2166	<1	28	101	286	9	63	0.23	<5	18	5	<10	195	6	<1	<1	535	5	75	205	<10	6	80	5
179701	085931	0.009	<1	4.10	191	75	<2	<1	8.37	<4	63	42	206	137	5.42	19	<1	3	<1	<1	0.48	<1	12	1.90	2129	<1	28	119	306	12	<1	0.28	<5	19	14	<10	202	4	<1	<1	545	4	88	204	<10	8	68	44
179702	085932	0.008	<1	3.95	127	47	<2	<1	9.98	<4	67	32	180	103	6.40	14	15	2	<1	<1	0.61	1	6	2.37	2531	<1	25	103	236	12	58	0.27	<5	20	<5	<10	184	8	<1	<1	865	14	65	167	<10	9	78	<1
179703	085933	0.008	<1	4.52	104	38	<2	2	9.10	<4	56	34	148	105	6.61	11	1	3	<1	<1	0.59	<1	9	2.83	2443	<1	23	106	204	12	19	0.21	<5	20	15	<10	161	7	<1	<1	776	6	89	148	<10	9	81	14
179704	085934	0.009	<1	5.05	99	34	<2	1	6.19	<4	55	32	194	115	5.80	14	10	1	<1	<1	0.28	<1	12	2.63	1587	<1	25	105	230	8	<1	0.15	<5	22	9	<10	149	6	<1	<1	704	8	68	175	<10	9	96	9

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179705	085935	0.009	<1	4.80	99	23	<2	3	6.38	<4	48	32	176	122	6.15	11	<1	1	<1	<1	0.17	<1	13	2.83	1669	<1	27	104	223	9	9	0.15	<5	24	10	<10	143	3	<1	<1	614	5	42	178	<10	8	100	<1
179706	085936	0.009	<1	3.92	148	33	<2	5	8.35	<4	53	35	158	123	4.91	11	<1	<1	<1	<1	0.13	<1	9	2.60	2021	<1	25	99	244	6	<1	0.17	<5	20	11	<10	161	3	<1	<1	690	5	59	162	<10	8	66	<1
179707	085937	0.011	<1	3.54	83	34	<2	<1	7.17	<4	48	38	190	131	5.59	14	<1	<1	<1	<1	0.10	<1	10	2.04	2066	<1	26	102	272	9	13	0.26	6	20	<5	<10	164	5	<1	<1	564	12	59	189	<10	7	80	<1
179708	085938	0.010	<1	2.36	78	41	<2	2	8.62	<4	49	42	188	120	4.65	14	<1	<1	<1	<1	<0.01	<1	10	1.60	2027	<1	26	108	279	11	34	0.30	<5	16	9	<10	177	4	<1	<1	374	8	87	194	<10	7	73	<1
179709D	085938	0.008	<1	2.31	79	35	<2	2	8.52	<4	55	41	183	126	4.59	14	<1	<1	<1	3	<0.01	<1	10	1.55	1989	<1	25	111	270	9	<1	0.30	<5	17	7	<10	172	4	<1	<1	373	13	68	186	<10	7	72	<1
179710	085939	0.010	<1	2.12	77	34	<2	2	6.89	<4	45	48	223	157	4.41	12	<1	<1	<1	<1	<0.01	<1	17	1.52	1776	<1	28	114	297	5	<1	0.26	<5	19	6	<10	181	4	<1	<1	359	12	67	219	<10	6	75	<1
179711	085940	13.533	4	2.08	27	319	<2	1	2.12	<4	14	27	87	137	4.12	16	3	3	<1	<1	0.24	<1	2	0.94	609	5	15	44	690	35	364	0.74	<5	6	6	<10	169	3	3	<1	4586	<2	<20	110	<10	10	144	11
179712	085941	0.008	<1	2.86	50	71	<2	<1	4.86	<4	35	35	205	134	4.14	16	12	2	<1	<1	0.21	<1	11	1.52	1519	<1	25	95	310	9	<1	0.17	<5	14	<5	<10	176	5	<1	<1	427	7	40	202	<10	5	72	39
179713	085942	0.010	<1	3.72	40	83	<2	2	4.28	<4	30	34	198	155	5.39	21	28	4	<1	<1	0.11	<1	17	1.61	1497	2	26	92	309	10	<1	0.14	5	13	6	<10	169	3	<1	<1	482	5	40	195	<10	6	95	155
179714	085943	0.006	<1	2.48	55	42	<2	3	6.42	<4	52	39	203	141	4.42	12	<1	<1	<1	<1	0.27	<1	14	1.66	1631	<1	26	96	289	7	<1	0.18	<5	19	<5	<10	168	3	<1	<1	330	15	76	200	<10	6	71	<1
179715	085944	0.005	<1	3.71	41	64	<2	2	8.56	<4	105	38	182	134	4.59	17	14	3	<1	<1	0.32	<1	15	1.55	1789	<1	24	106	283	11	51	0.28	<5	18	5	<10	180	6	<1	<1	427	<2	83	187	<10	8	80	47
179716	085945	<0.005	<1	5.60	35	54	<2	2	9.59	<4	60	36	166	115	5.55	15	7	4	<1	<1	0.32	<1	17	2.50	2385	<1	25	106	266	9	48	0.26	<5	22	17	<10	167	4	<1	<1	551	7	85	171	<10	10	79	56
179717	085946	<0.005	<1	3.93	18	20	<2	2	>10.00	<4	113	27	126	87	6.16	11	3	2	<1	<1	0.23	2	13	2.60	2928	<1	20	89	199	11	<1	0.24	<5	18	9	<10	136	4	<1	<1	810	7	139	131	<10	10	75	9
179718	085947	<0.005	<1	4.40	39	50	<2	3	8.65	<4	55	40	170	111	5.84	14	<1	2	<1	<1	<0.01	<1	18	2.44	2406	<1	25	113	257	13	<1	0.22	<5	22	11	<10	158	4	<1	<1	668	14	87	180	<10	8	72	14
179719	085948	<0.005	<1	4.99	36	62	<2	<1	8.19	<4	56	36	162	107	5.36	13	11	3	<1	<1	0.05	<1	16	2.24	2335	<1	24	104	252	7	<1	0.18	<5	20	<5	<10	170	6	<1	<1	792	11	63	168	<10	9	67	62
179720D	085948	<0.005	<1	4.95	37	54	<2	<1	8.30	<4	58	35	163	107	5.41	13	4	2	<1	<1	<0.01	2	18	2.34	2352	<1	25	109	250	9	36	0.17	<5	21	5	<10	166	4	<1	<1	747	19	67	167	<10	9	62	40
179721	085949	<0.005	<1	5.33	55	66	<2	<1	7.46	<4	56	37	174	128	4.86	12	<1	1	<1	<1	0.13	2	16	2.39	2211	<1	25	99	275	6	<1	0.20	6	22	16	<10	173	5	<1	<1	601	12	80	174	<10	9	54	<1
179722	085950	<0.005	<1	5.59	50	86	<2	2	7.08	<4	51	38	179	127	4.80	17	9	4	<1	<1	0.08	<1	15	2.23	2137	<1	26	103	288	12	<1	0.16	5	21	<5	<10	183	5	<1	<1	767	<2	89	178	<10	9	57	82
179723	085951	<0.005	<1	3.35	34	16	<2	2	9.47	<4	56	32	153	95	5.79	11	<1	<1	<1	<1	0.06	<1	9	2.23	2587	<1	22	89	216	6	<1	0.21	<5	20	6	<10	134	5	<1	<1	565	13	112	152	<10	8	70	<1
179724	085952	<0.005	<1	4.74	35	46	<2	1	9.46	<4	54	38	168	117	5.75	14	2	2	<1	1	0.07	<1	16	1.86	2280	<1	23	92	239	10	<1	0.22	5	22	9	<10	147	6	<1	<1	596	14	102	174	<10	9	77	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179725	085953	<0.005	<1	5.23	32	55	<2	<1	8.96	<4	57	40	199	137	6.66	18	8	2	<1	<1	0.43	<1	19	2.15	2238	<1	30	110	301	10	<1	0.19	<5	26	5	<10	154	5	<1	<1	598	4	86	212	<10	9	96	5
179726	085954	<0.005	<1	6.51	48	76	<2	3	9.69	<4	60	44	201	145	6.64	20	9	4	<1	<1	0.33	2	22	2.36	2390	<1	30	117	309	11	81	0.21	7	25	<5	<10	182	6	<1	<1	621	6	89	213	<10	10	98	77
179727	085955	<0.005	<1	5.28	43	66	<2	6	7.98	<4	57	44	222	142	6.65	20	5	3	<1	<1	0.52	1	21	2.20	2110	<1	30	123	313	11	99	0.19	6	23	11	<10	164	5	<1	<1	593	8	81	219	<10	9	104	34
179728	085956	<0.005	<1	5.12	47	74	<2	4	>10.00	<4	62	43	187	129	6.21	21	7	4	<1	1	0.37	2	21	2.06	2657	<1	28	117	301	10	<1	0.23	7	23	10	<10	188	5	<1	<1	582	10	69	208	<10	10	92	58
179729	085957	<0.005	<1	5.64	41	68	<2	<1	>10.00	<4	66	38	192	152	6.03	18	7	3	<1	<1	0.33	1	21	1.91	2692	<1	28	106	299	13	101	0.24	7	22	10	<10	185	5	<1	<1	564	6	103	199	<10	11	85	73
179730	085958	<0.005	<1	5.07	44	69	<2	2	9.68	<4	110	40	215	156	6.35	21	7	3	<1	<1	0.18	<1	24	1.89	2616	<1	29	107	330	14	<1	0.20	<5	23	10	<10	196	5	<1	<1	497	5	63	223	<10	10	88	32
179731D	085958	<0.005	<1	5.50	45	74	<2	3	8.64	<4	88	35	194	136	5.79	19	1	4	<1	<1	0.25	1	21	1.80	2341	<1	27	94	307	11	22	0.16	5	22	12	<10	188	6	<1	<1	479	8	44	202	<10	10	82	82
179732	085959	<0.005	<1	4.63	38	66	<2	<1	>10.00	<4	101	30	180	116	4.76	14	13	3	<1	<1	0.24	1	16	1.60	2633	<1	24	86	272	9	98	0.24	<5	20	9	<10	243	4	<1	<1	491	17	130	171	<10	11	79	58
179733	085960	<0.005	<1	4.72	58	54	<2	4	7.51	<4	61	40	192	137	5.06	15	<1	1	<1	<1	0.27	<1	18	1.99	1592	<1	28	102	283	9	<1	0.21	<5	24	10	<10	166	2	<1	<1	459	<2	51	203	<10	9	95	<1
179734	085961	<0.005	<1	4.60	47	45	<2	<1	7.54	<4	93	41	216	147	5.54	14	4	2	<1	<1	0.19	<1	17	2.06	1467	<1	30	113	294	10	69	0.19	<5	23	15	<10	173	4	5	<1	639	7	67	216	<10	9	111	<1
179735	085962	<0.005	<1	3.90	55	53	<2	<1	7.57	<4	63	39	185	130	4.62	14	9	2	<1	<1	0.21	2	10	1.88	1470	<1	26	100	275	7	94	0.15	<5	21	9	<10	169	4	<1	<1	543	16	72	194	<10	8	90	<1
179736	085963	<0.005	<1	4.62	60	63	<2	5	>10.00	<4	71	39	163	115	4.48	15	7	1	<1	<1	0.20	1	12	2.45	1977	<1	25	111	255	6	<1	0.17	7	21	15	<10	184	5	<1	<1	494	27	88	169	<10	10	107	5
179737	085964	<0.005	<1	3.85	61	47	<2	4	9.83	<4	90	42	188	115	4.99	15	9	2	<1	2	0.27	1	13	2.24	1871	<1	26	128	264	7	10	0.20	7	20	8	<10	175	6	<1	<1	526	10	105	186	<10	9	96	<1
179738	085965	<0.005	<1	4.60	60	57	<2	<1	9.82	<4	26	37	178	121	4.67	14	7	3	<1	<1	0.32	<1	13	2.14	1825	<1	24	121	259	6	222	0.21	<5	21	9	<10	186	5	<1	<1	547	29	116	174	<10	10	89	6
179739	085966	<0.005	<1	5.74	36	29	<2	2	6.98	<4	59	39	202	130	6.39	18	9	2	<1	<1	0.17	<1	24	2.55	1712	<1	30	110	295	11	82	0.15	6	25	14	<10	149	4	<1	<1	673	9	65	210	<10	10	96	30
179740	085967	<0.005	<1	3.56	21	<1	<2	2	8.43	<4	78	32	148	104	6.30	10	28	<1	<1	<1	0.09	1	14	2.31	2148	<1	23	95	236	8	15	0.50	6	22	7	<10	133	5	<1	<1	573	6	50	163	<10	10	80	<1
179741	085968	<0.005	<1	4.57	40	33	<2	<1	7.11	<4	46	39	201	129	5.70	13	<1	<1	<1	<1	0.11	<1	26	2.51	1762	<1	29	108	281	9	28	0.13	<5	25	9	<10	157	5	<1	<1	861	9	55	209	<10	8	93	<1
179742R	085968	<0.005	<1	4.92	39	46	<2	<1	7.36	<4	51	39	205	126	5.83	16	2	2	<1	<1	0.15	<1	30	2.47	1800	<1	30	108	289	9	<1	0.17	<5	23	11	<10	168	3	<1	<1	845	14	45	212	<10	9	95	<1
179743	085969	<0.005	<1	5.30	50	53	<2	4	6.40	<4	89	42	219	156	5.73	17	<1	2	<1	<1	0.04	<1	27	2.44	1895	<1	30	114	310	9	<1	0.17	5	25	18	<10	168	7	<1	<1	710	17	42	222	<10	9	97	<1
179744	085970	0.989	<1	3.98	2	78	<2	<1	4.20	<4	49	37	133	43	6.01	18	<1	1	<1	<1	0.19	7	<1	2.10	1004	<1	28	32	742	20	<1	0.11	<5	18	8	<10	228	5	7	<1	6257	2	41	185	<10	24	93	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, August 4, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/25/2011
Date Completed: 08/03/2011
Job #: 201142751
Reference:
Sample #: 185

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
179745	085971	<0.005	<1	4.68	30	59	<2	3	>10.00	<4	60	39	200	136	6.60	17	12	3	<1	<1	0.18	<1	26	2.10	2900	<1	30	113	310	13	<1	0.33	5	24	6	<10	178	6	<1	<1	609	12	114	215	<10	10	89	15
179746	085972	<0.005	<1	5.73	47	99	<2	4	8.39	<4	51	48	222	154	5.56	19	14	3	1	1	0.30	1	27	1.77	2063	<1	29	120	309	13	22	0.21	<5	24	10	<10	206	6	<1	<1	666	<2	90	226	<10	10	90	56
179747	085973	<0.005	<1	5.14	46	83	<2	2	7.78	<4	56	49	248	172	5.77	15	<1	<1	<1	<1	0.09	<1	26	1.86	1896	<1	33	122	326	13	19	0.23	5	29	11	<10	204	8	<1	<1	562	14	78	253	<10	9	94	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142800
Reference:
Sample #: 129

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
183914	085974	0.392	<1	<0.01	243	178	<2	21	<0.01	<4	<1	33	1033	240	7.30	15	1	<1	<1	<1	0.21	<1	<1	0.19	142	13	6	80	160	42	<1	8.94	33	5	<5	<10	120	3	1	3	317	<2	102	74	<10	5	85	<1
183915	085975	0.137	<1	<0.01	907	41	<2	15	<0.01	<4	<1	11	386	77	3.54	2	4	<1	<1	<1	0.20	<1	2	0.22	195	5	4	36	256	10	<1	3.04	8	2	9	<10	137	3	<1	<1	163	<2	<20	40	<10	4	58	3
183916	085976	0.272	<1	<0.01	597	27	<2	14	<0.01	<4	<1	14	461	17	2.75	2	3	<1	<1	<1	0.26	<1	2	0.20	<100	3	<1	38	124	14	<1	2.59	6	<1	<5	<10	85	<1	<1	<1	163	<2	<20	13	<10	4	107	<1
183917	085977	0.194	<1	<0.01	518	127	<2	12	<0.01	<4	<1	24	339	75	4.49	7	2	<1	<1	<1	0.31	<1	3	0.17	<100	8	3	54	201	19	<1	5.66	20	2	10	<10	105	5	<1	<1	211	<2	<20	44	<10	4	82	9
183918	085978	0.106	<1	<0.01	102	33	<2	<1	<0.01	<4	<1	22	342	22	2.99	1	<1	<1	<1	<1	0.11	<1	<1	0.20	<100	3	<1	62	105	11	<1	3.35	10	<1	5	<10	71	2	<1	<1	166	<2	<20	13	<10	4	146	<1
183919	085979	0.646	<1	<0.01	1683	21	<2	7	<0.01	<4	<1	38	142	57	3.99	1	2	<1	<1	<1	0.19	<1	<1	0.18	<100	5	<1	92	<100	14	<1	4.88	11	<1	<5	<10	56	<1	<1	<1	164	<2	<20	5	<10	3	93	6
183920	085980	<0.005	<1	0.38	24	895	2	11	1.15	<4	30	8	339	8	1.64	17	2	4	<1	<1	0.16	9	23	0.34	294	3	7	13	379	33	<1	0.14	<5	<1	8	<10	337	1	<1	6	1346	<2	<20	25	<10	5	61	105
183921	085981	1.972	<1	<0.01	1650	17	<2	4	<0.01	<4	<1	8	109	118	3.87	1	2	<1	<1	<1	<0.01	<1	1	0.18	<100	5	<1	13	<100	12	<1	4.94	<5	<1	5	<10	59	<1	<1	<1	165	<2	<20	3	<10	3	24	12
183922	085982	0.889	<1	<0.01	1313	19	<2	14	<0.01	<4	<1	11	522	162	3.00	2	5	<1	<1	<1	0.45	<1	2	0.19	<100	3	<1	23	<100	10	<1	3.32	6	<1	<5	<10	61	<1	<1	<1	167	<2	<20	3	<10	3	26	13
183923	085983	0.245	<1	<0.01	349	33	<2	23	<0.01	<4	<1	19	117	175	1.34	<1	4	<1	<1	<1	0.54	<1	<1	0.19	<100	<1	<1	32	128	8	<1	1.99	<5	<1	9	<10	89	<1	<1	<1	152	<2	<20	15	<10	4	24	<1
183924D	085983	0.243	<1	<0.01	409	45	<2	18	0.01	<4	4	20	113	186	1.21	<1	<1	<1	<1	<1	0.39	<1	3	0.20	<100	2	<1	33	140	8	<1	1.86	<5	<1	12	<10	102	<1	<1	1	173	<2	<20	17	<10	3	30	27
183925	085984	0.696	<1	<0.01	621	49	<2	19	0.05	<4	<1	11	399	600	1.44	2	2	<1	<1	<1	0.30	<1	5	0.20	<100	4	<1	29	149	7	<1	1.71	7	<1	9	<10	105	<1	<1	193	<2	<20	11	<10	3	29	57	
183926	085985	0.403	<1	<0.01	748	46	<2	11	<0.01	<4	<1	10	137	546	1.27	2	4	<1	<1	<1	0.12	<1	3	0.21	<100	<1	1	27	182	8	<1	1.90	<5	<1	10	<10	120	<1	<1	2	168	<2	<20	17	<10	4	26	17
183927	085986	0.457	<1	<0.01	1370	83	<2	13	<0.01	<4	4	20	1153	235	1.91	2	2	<1	<1	<1	0.19	<1	1	0.19	120	3	3	59	335	10	<1	2.33	10	1	9	<10	169	5	<1	<1	179	<2	<20	41	<10	4	34	13
183928	085987	0.076	<1	0.05	128	40	<2	19	<0.01	<4	<1	9	463	127	1.19	2	4	<1	<1	<1	0.13	<1	<1	0.22	133	<1	<1	18	<100	5	<1	0.37	<5	1	7	<10	68	<1	<1	2	168	<2	<20	10	<10	4	21	<1
183929	085988	0.799	<1	<0.01	609	19	<2	19	0.02	<4	2	15	400	1090	1.50	1	<1	<1	<1	<1	<0.01	<1	1	0.22	<100	1	<1	21	<100	7	<1	1.51	<5	<1	5	<10	73	1	<1	<1	171	<2	<20	3	<10	4	28	22
183930	085989	0.717	<1	<0.01	1188	20	<2	13	0.02	<4	<1	13	286	1474	4.96	5	2	2	<1	<1	0.03	<1	2	0.21	<100	8	<1	30	146	16	<1	6.06	<5	<1	<5	<10	82	2	2	<1	170	<2	<20	3	<10	4	26	24
183931	085990	0.477	<1	<0.01	298	11	<2	7	<0.01	<4	<1	15	482	371	5.23	3	2	<1	<1	<1	<0.01	<1	<1	0.22	<100	8	<1	38	<100	14	<1	6.25	6	<1	6	<10	64	<1	2	3	162	<2	42	3	<10	4	26	9
183932	085991	3.004	<1	<0.01	5659	14	<2	15	<0.01	<4	<1	36	157	538	7.20	6	<1	1	<1	<1	0.31	<1	<1	0.20	<100	12	<1	54	<100	24	<1	8.71	8	<1	<5	<10	67	2	2	2	159	<2	110	3	<10	4	26	4
183933	085992	0.455	<1	<0.01	357	30	<2	11	<0.01	<4	<1	18	312	347	2.67	2	3	1	<1	<1	0.32	<1	2	0.19	<100	4	<1	35	128	11	<1	3.23	5	<1	9	<10	77	<1	<1	<1	172	<2	<20	4	<10	4	21	24

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142800
Reference:
Sample #: 129

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
183934	085993	1.257	<1	<0.01	1979	35	<2	18	<0.01	<4	<1	30	226	203	4.09	3	5	<1	<1	<1	0.23	<1	2	0.18	<100	6	<1	63	176	13	<1	5.20	5	<1	5	<10	89	<1	<1	<1	171	<2	<20	14	<10	3	42	23
183935D	085993	1.276	<1	<0.01	2159	31	<2	21	<0.01	<4	<1	33	250	219	4.67	3	3	<1	<1	<1	0.16	<1	<1	0.21	<100	7	<1	71	192	12	<1	5.88	8	<1	<5	<10	91	2	<1	4	155	<2	27	16	<10	4	42	<1
183936	085994	0.807	<1	<0.01	491	21	<2	18	0.03	<4	<1	36	273	800	4.64	5	2	<1	<1	<1	0.19	<1	4	0.21	<100	8	<1	67	<100	15	<1	5.75	<5	<1	6	<10	68	1	<1	2	179	<2	<20	2	<10	4	27	40
183937	085995	1.865	<1	<0.01	421	17	<2	20	0.02	<4	<1	34	531	537	5.06	3	1	2	<1	<1	0.11	<1	1	0.22	118	8	<1	66	<100	13	<1	5.88	6	<1	<5	<10	62	<1	3	2	173	<2	34	3	<10	4	27	25
183938	085996	0.642	<1	<0.01	4423	18	<2	13	0.08	<4	<1	19	1151	1081	5.62	4	<1	2	<1	<1	0.18	<1	3	0.42	1263	9	<1	36	165	13	<1	2.93	11	<1	<5	<10	60	3	2	2	189	<2	51	5	<10	4	57	41
183939	085997	0.235	<1	0.20	233	11	<2	8	0.03	<4	3	6	302	98	1.21	<1	3	<1	<1	<1	<0.01	<1	2	0.24	<100	<1	<1	10	<100	6	<1	0.19	<5	<1	13	<10	61	<1	<1	<1	166	<2	<20	2	<10	5	24	17
183940	085998	0.135	1	<0.01	141	22	<2	<1	0.06	<4	<1	5	112	103	1.08	2	2	1	<1	<1	<0.01	<1	3	0.23	<100	2	<1	8	<100	8	<1	0.04	<5	<1	10	<10	67	<1	<1	<1	186	2	<20	2	<10	4	27	40
183941	085999	0.262	<1	<0.01	327	16	<2	10	0.04	<4	<1	10	365	404	2.62	3	2	1	<1	<1	<0.01	<1	2	0.23	<100	3	<1	13	<100	11	<1	0.17	<5	<1	11	<10	60	<1	<1	1	173	<2	<20	2	<10	4	27	27
183942	086000	13.122	4	0.54	27	368	<2	23	2.38	<4	24	28	90	140	4.48	15	<1	1	<1	<1	0.10	<1	9	0.82	639	11	16	47	644	35	20	0.77	<5	4	7	<10	156	3	3	5	4392	<2	<20	111	<10	9	162	28
183943	884951	0.080	1	<0.01	155	11	<2	14	<0.01	<4	<1	3	404	196	0.80	<1	<1	<1	<1	<1	0.14	<1	<1	0.23	<100	<1	<1	8	<100	7	<1	0.03	<5	<1	14	<10	64	<1	<1	<1	182	<2	<20	2	<10	4	20	<1
183944	884952	1.130	<1	<0.01	256	13	<2	13	0.02	<4	<1	5	315	142	1.40	<1	2	<1	<1	<1	0.15	<1	1	0.21	<100	1	<1	12	<100	7	<1	0.04	<5	<1	12	<10	63	1	<1	2	171	<2	<20	2	<10	4	24	21
183945	884953	0.369	<1	<0.01	253	12	<2	6	<0.01	<4	<1	7	765	63	2.70	<1	1	<1	<1	<1	0.16	<1	<1	0.21	<100	5	<1	24	<100	8	<1	1.28	6	<1	9	<10	64	2	<1	1	166	<2	<20	2	<10	4	20	7
183946D	884953	0.360	<1	<0.01	245	9	<2	7	<0.01	<4	<1	7	752	62	2.64	2	1	<1	<1	<1	0.17	<1	<1	0.21	<100	4	<1	23	<100	9	<1	1.25	6	<1	11	<10	61	2	<1	3	159	<2	<20	2	<10	4	20	<1
183947	884954	0.090	<1	<0.01	72	15	<2	14	<0.01	<4	<1	4	814	43	1.19	2	3	<1	<1	<1	0.03	<1	<1	0.20	<100	3	<1	14	<100	7	<1	0.05	5	<1	9	<10	63	2	<1	<1	163	<2	<20	2	<10	4	19	<1
183948	884955	0.146	<1	<0.01	93	14	<2	7	<0.01	<4	<1	5	786	60	1.41	2	2	<1	<1	<1	0.14	<1	<1	0.22	<100	3	<1	17	<100	7	<1	0.09	<5	<1	12	<10	62	3	<1	<1	159	<2	<20	3	<10	4	21	<1
183949	884956	0.072	<1	<0.01	55	11	<2	14	<0.01	<4	<1	3	681	39	0.79	<1	<1	<1	<1	<1	0.21	<1	<1	0.20	<100	<1	<1	10	<100	6	<1	0.02	<5	<1	13	<10	58	3	<1	<1	154	<2	<20	2	<10	4	17	<1
183950	884957	0.123	<1	<0.01	86	5	<2	21	<0.01	<4	<1	5	670	56	1.22	1	<1	<1	<1	<1	0.06	<1	<1	0.23	<100	<1	<1	16	<100	7	<1	0.02	6	1	13	<10	63	<1	<1	<1	144	<2	<20	2	<10	5	18	<1
183951	884958	0.099	<1	<0.01	133	2	<2	4	0.06	<4	<1	6	716	39	1.19	<1	<1	<1	<1	<1	<0.01	<1	3	0.26	167	<1	1	18	<100	7	<1	0.13	5	1	7	<10	56	2	<1	<1	294	<2	<20	15	<10	3	27	<1
183952	884959	0.046	2	<0.01	78	44	<2	5	0.01	<4	<1	4	730	63	0.94	3	<1	<1	<1	<1	0.09	<1	2	0.20	<100	2	2	18	332	7	<1	0.23	5	1	13	<10	184	2	<1	3	179	<2	<20	34	<10	4	24	15
183953	884960	0.115	<1	<0.01	270	111	<2	19	<0.01	<4	<1	20	622	43	3.60	7	<1	<1	<1	<1	0.16	<1	2	0.20	211	6	2	40	115	17	<1	0.89	6	2	6	<10	84	2	<1	<1	210	<2	<20	29	<10	4	85	16

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142800
Reference:
Sample #: 129

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
183954	884961	0.124	<1	<0.01	76	84	<2	12	<0.01	<4	<1	28	717	28	2.49	5	2	1	<1	<1	0.17	<1	5	0.26	104	5	2	37	128	10	<1	1.08	5	<1	11	<10	73	2	<1	2	218	<2	<20	22	<10	4	112	42
183955	884962	0.353	<1	<0.01	710	199	2	28	<0.01	5	<1	42	480	129	17.72	21	<1	4	<1	<1	0.17	<1	9	0.39	429	33	3	86	335	38	<1	3.01	13	2	<5	<10	84	7	2	<1	241	2	316	45	<10	5	241	53
183956	884963	0.052	<1	0.23	297	287	2	20	0.01	<4	<1	29	636	47	8.37	16	<1	3	<1	<1	0.30	<1	12	0.67	513	14	5	60	275	20	<1	0.87	9	3	<5	<10	80	5	2	<1	276	<2	73	49	<10	5	441	70
183957D	884963	0.065	<1	0.41	294	270	<2	21	<0.01	<4	<1	27	614	45	8.00	12	2	2	<1	<1	0.34	1	10	0.71	497	12	4	57	266	23	<1	0.81	9	4	<5	<10	76	3	5	4	257	<2	97	47	<10	5	432	40
183958	884964	0.286	<1	<0.01	292	126	<2	17	0.08	4	<1	40	787	97	8.96	10	<1	2	<1	<1	0.28	<1	9	0.76	1079	13	2	77	410	25	<1	3.05	10	2	<5	<10	83	8	<1	2	225	<2	147	32	<10	5	519	41
183959	884965	0.198	<1	<0.01	294	107	<2	21	0.07	<4	<1	38	699	100	8.18	10	<1	2	<1	<1	0.30	<1	8	0.74	1058	10	2	74	364	24	<1	2.98	11	2	<5	<10	76	5	2	3	215	<2	128	27	<10	5	386	35
183960	884966	0.297	<1	0.77	568	318	2	27	0.65	6	11	90	581	351	12.80	22	<1	4	<1	<1	0.08	4	12	1.07	2164	18	9	247	833	72	<1	6.03	15	6	<5	<10	110	5	2	<1	278	<2	178	87	14	7	1204	64
183961	884967	0.168	<1	<0.01	153	188	<2	19	0.05	<4	<1	43	615	90	7.70	11	<1	2	<1	<1	0.06	<1	3	0.66	2471	11	2	75	183	22	<1	3.23	7	2	<5	<10	76	5	2	2	234	5	109	29	<10	4	502	41
183962	884968	0.534	<1	0.77	1371	<1	2	26	0.15	<4	4	29	567	67	14.75	8	<1	1	<1	<1	0.13	1	<1	1.47	4683	15	1	39	339	28	<1	3.08	8	2	<5	<10	53	6	9	<1	158	27	209	9	<10	8	211	<1
183963	884969	0.761	<1	1.52	1314	10	2	29	0.26	<4	<1	28	492	68	14.52	10	<1	2	<1	<1	0.35	<1	4	1.46	4521	16	1	39	392	25	<1	3.24	8	2	<5	<10	62	7	6	<1	184	29	206	9	<10	8	220	32
183964	884970	0.972	<1	2.26	5	84	<2	17	3.91	<4	44	36	118	38	5.85	17	3	2	<1	<1	0.45	4	<1	1.85	986	<1	25	29	672	19	<1	0.11	<5	13	<5	<10	191	7	5	3	5999	<2	22	175	<10	21	98	<1
183965	884971	0.256	<1	0.78	1283	9	<2	25	0.16	<4	<1	8	591	35	8.90	5	<1	<1	<1	<1	0.13	<1	2	0.87	2091	10	<1	25	236	20	<1	1.39	<5	<1	<5	<10	57	4	2	3	191	5	135	8	<10	7	118	1
183966	884972	0.281	<1	0.26	1179	<1	<2	22	0.25	<4	<1	6	309	10	7.45	<1	<1	<1	<1	<1	0.20	<1	<1	0.79	1463	7	<1	15	161	14	<1	0.72	<5	<1	<5	<10	55	1	<1	<1	147	<2	96	5	<10	6	38	<1
183967	884973	0.136	<1	1.32	514	176	2	10	2.64	<4	25	41	101	190	8.71	16	<1	2	<1	<1	0.09	<1	17	1.38	1534	4	17	51	542	15	<1	0.37	<5	7	<5	<10	122	3	<1	1	275	<2	30	142	<10	6	116	<1
183968D	884973	0.170	<1	1.47	494	168	2	22	2.48	<4	20	37	105	177	8.17	14	4	2	<1	<1	0.17	<1	17	1.29	1440	5	16	47	511	15	<1	0.33	<5	7	<5	<10	120	4	<1	<1	275	<2	<20	130	<10	6	111	10
183969	884974	1.652	<1	1.28	3502	153	2	26	1.01	<4	3	36	217	144	10.18	18	2	3	<1	<1	0.23	<1	20	1.16	1806	11	13	49	520	20	<1	1.68	7	5	<5	<10	100	8	<1	4	290	<2	71	118	<10	5	166	41
183970	884975	3.673	<1	1.06	9235	19	<2	28	1.50	<4	7	4	338	29	9.69	6	<1	3	<1	<1	0.25	<1	5	1.27	2514	10	1	12	174	19	<1	1.72	5	<1	6	<10	74	4	1	1	195	<2	106	7	<10	7	49	66
183971	884976	2.119	<1	1.21	7380	29	<2	33	0.86	<4	2	9	334	71	10.56	9	<1	3	<1	<1	0.09	<1	5	1.22	2800	12	<1	22	135	22	<1	2.77	7	1	<5	<10	68	3	2	5	193	<2	140	9	<10	7	73	52
183972	884977	1.144	<1	<0.01	3885	18	<2	20	0.52	<4	2	8	519	67	9.36	9	<1	2	<1	<1	0.29	<1	6	0.84	2466	14	<1	21	115	23	<1	2.63	7	<1	<5	<10	66	4	<1	<1	194	5	101	7	<10	5	85	62
183973	884978	2.165	<1	<0.01	9921	140	2	31	0.13	6	<1	42	368	139	11.20	13	<1	3	<1	<1	0.30	<1	5	0.58	2199	19	2	54	253	35	<1	5.39	10	2	<5	<10	80	5	4	3	288	<2	149	37	18	4	833	73

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142800
Reference:
Sample #: 129

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
183974	884979	1.655	<1	0.98	7705	71	<2	30	1.23	<4	7	22	398	44	10.97	10	<1	2	<1	<1	0.35	<1	5	1.18	2472	12	5	24	354	26	<1	1.97	9	4	<5	<10	71	5	2	<1	239	<2	113	48	27	6	148	15
183975	884980	<0.005	<1	1.10	135	888	<2	7	0.71	<4	54	9	782	10	2.27	12	2	2	<1	<1	0.33	22	12	0.33	366	2	8	14	536	35	<1	0.09	<5	1	8	<10	291	3	2	12	1775	<2	<20	24	<10	7	60	50
183976	884981	0.226	<1	1.22	1441	158	2	8	1.08	4	4	49	287	89	10.72	18	<1	2	<1	<1	0.32	<1	6	1.12	1494	12	5	64	350	26	<1	2.34	7	5	<5	<10	77	4	4	2	315	<2	99	55	29	6	664	26
183977	884982	0.018	<1	1.05	75	29	<2	41	1.01	<4	3	14	479	33	9.76	8	1	2	<1	<1	0.39	<1	4	1.28	1452	9	1	26	252	21	<1	0.59	5	2	<5	<10	69	5	1	<1	193	<2	81	14	<10	7	125	37
183978	884983	0.007	<1	1.47	68	12	<2	30	1.23	<4	5	6	267	18	12.35	7	5	2	<1	<1	0.35	<1	4	1.59	1767	13	<1	14	348	23	<1	0.31	5	1	<5	<10	69	5	2	<1	180	<2	110	7	<10	8	68	42
183979R	884983	0.006	<1	1.67	34	16	2	27	1.32	<4	4	6	252	27	13.32	10	<1	2	<1	<1	0.36	<1	3	1.69	1880	14	<1	15	366	25	<1	0.33	<5	1	<5	<10	69	6	<1	<1	181	<2	91	7	<10	8	79	40
183980	884984	0.041	<1	1.20	133	14	2	32	0.73	4	<1	33	374	78	14.36	8	<1	1	<1	<1	0.24	<1	1	1.64	2457	15	1	34	291	27	<1	1.76	7	2	<5	<10	61	6	7	<1	169	18	185	10	<10	8	255	<1
183981	884985	0.037	<1	1.72	110	25	2	33	0.77	<4	1	39	293	66	13.75	12	1	2	<1	<1	0.46	<1	4	1.51	2295	16	1	33	295	29	<1	1.59	7	1	<5	<10	69	4	7	5	193	2	125	10	<10	8	245	45
183982	884986	0.053	<1	1.40	98	13	<2	27	1.34	<4	10	5	221	27	14.85	8	<1	3	<1	<1	0.24	1	2	1.88	2449	15	<1	10	406	27	<1	0.38	6	1	<5	<10	65	3	3	2	175	17	166	7	<10	9	60	29
183983	884987	6.560	<1	1.50	322	54	2	27	0.62	4	4	20	375	117	13.18	11	1	1	<1	<1	0.24	<1	2	1.35	2264	16	1	44	268	29	<1	2.69	6	3	<5	<10	64	4	4	<1	203	17	174	20	10	7	344	24
183984	884988	0.144	<1	1.50	111	19	<2	26	0.98	<4	4	9	410	41	13.48	8	<1	2	<1	<1	0.31	2	3	1.66	2409	14	1	21	453	28	<1	0.84	<5	2	<5	<10	64	6	4	2	185	6	194	8	<10	9	181	24
183985	884989	0.468	<1	1.01	1179	20	<2	22	1.34	<4	9	9	644	32	9.70	7	<1	1	<1	<1	0.31	<1	2	1.26	2119	9	3	26	342	21	<1	0.93	5	4	<5	<10	62	4	1	1	190	<2	46	28	<10	7	92	<1
183986	884990	0.025	<1	0.83	112	174	<2	14	5.09	<4	63	43	201	104	7.49	16	<1	1	<1	<1	0.27	<1	6	1.19	2589	3	28	103	285	20	<1	1.10	5	12	5	<10	122	7	<1	<1	419	<2	38	231	<10	5	133	<1
183987	884991	0.007	<1	<0.01	133	142	<2	16	5.27	<4	70	42	201	98	6.29	14	<1	<1	<1	<1	0.13	<1	4	1.07	2192	<1	29	97	309	16	<1	0.67	5	10	<5	<10	127	6	<1	<1	373	<2	41	235	<10	4	102	<1
183988	884992	0.016	<1	1.61	125	70	<2	20	6.42	<4	47	35	156	108	8.68	8	<1	<1	<1	<1	<0.01	<1	8	2.01	4206	<1	26	77	266	18	<1	0.75	<5	18	<5	<10	104	7	<1	<1	307	16	<20	190	<10	6	180	<1
183989	884993	0.030	<1	0.78	172	138	<2	19	3.89	<4	54	49	257	185	6.32	17	<1	<1	<1	<1	0.20	<1	16	1.09	2685	<1	37	108	330	14	<1	0.72	<5	14	<5	<10	128	6	<1	<1	337	<2	<20	291	<10	4	227	<1
183990D	884993	0.028	<1	1.68	171	126	<2	10	3.85	<4	59	48	225	182	6.20	16	<1	<1	<1	<1	0.25	<1	14	1.18	2615	<1	34	109	329	13	<1	0.67	<5	18	13	<10	120	6	<1	<1	307	8	<20	276	<10	4	218	<1
183991	884994	0.009	<1	0.65	208	109	<2	15	5.60	<4	75	51	213	159	5.41	16	<1	<1	<1	<1	0.23	<1	11	1.01	2356	<1	34	105	368	13	<1	0.52	<5	12	9	<10	140	5	<1	<1	315	<2	33	263	<10	4	111	<1
183992	884995	0.009	<1	0.17	215	105	<2	14	5.42	<4	74	53	217	161	5.08	14	<1	<1	<1	<1	0.16	<1	9	0.94	2238	<1	34	112	362	13	<1	0.40	<5	12	<5	<10	136	5	<1	<1	295	3	24	264	<10	4	113	<1
183993	884996	0.022	<1	1.76	126	63	<2	11	7.07	<4	86	33	164	105	8.45	13	<1	<1	<1	<1	0.27	<1	9	1.94	3620	<1	28	72	305	16	<1	0.52	7	17	<5	<10	115	7	<1	<1	289	5	24	205	<10	6	120	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142800
Reference:
Sample #: 129

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg ppm	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S ppm	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
183994	884997	0.029	<1	0.91	180	109	<2	12	5.38	<4	71	46	249	118	5.67	15	<1	<1	<1	<1	0.23	<1	13	1.38	2869	<1	33	97	358	13	<1	0.49	7	12	12	<10	122	7	<1	<1	345	6	71	256	<10	5	113	<1
183995	884998	0.008	<1	1.51	130	64	<2	14	4.58	<4	63	41	206	121	9.48	15	<1	1	<1	<1	0.20	<1	19	1.50	4057	5	25	93	318	15	<1	1.37	<5	15	<5	<10	99	6	<1	<1	298	2	24	202	<10	5	161	<1
183996	884999	0.007	<1	0.61	231	79	<2	8	6.11	<4	82	44	261	112	4.11	14	<1	<1	<1	<1	0.17	<1	10	1.48	2034	<1	33	102	337	8	<1	0.20	5	12	12	<10	121	5	<1	<1	303	7	45	251	<10	4	114	<1
183997	885000	14.102	4	0.50	31	340	<2	17	2.45	<4	39	29	92	129	4.29	17	<1	1	<1	<1	0.11	<1	6	0.90	663	7	17	47	615	34	109	0.73	<5	5	6	<10	148	3	2	2	4367	5	<20	117	<10	9	154	<1
183998	906301	0.015	<1	0.92	208	68	<2	16	5.71	<4	76	46	224	138	3.95	15	<1	<1	<1	<1	0.06	<1	15	1.37	1437	<1	34	105	361	9	<1	0.22	<5	12	14	<10	131	4	<1	<1	313	<2	45	266	<10	4	104	<1
183999	906302	0.009	<1	<0.01	229	57	<2	17	5.57	<4	76	47	240	153	3.61	14	<1	<1	<1	<1	0.20	<1	13	1.21	1174	<1	35	111	384	7	<1	0.19	<5	10	<5	<10	122	6	<1	<1	300	3	54	269	<10	4	111	<1
184000	906303	0.008	<1	1.66	208	53	<2	18	7.28	<4	104	39	203	117	4.04	12	<1	1	<1	5	0.50	<1	15	1.79	1837	<1	33	94	336	8	<1	0.19	5	15	10	<10	125	6	<1	<1	314	20	60	239	<10	6	112	<1
184001D	906303	0.007	<1	1.82	208	49	<2	17	7.60	<4	99	39	210	122	4.20	12	2	<1	<1	<1	0.36	<1	13	1.84	1902	<1	32	94	345	7	<1	0.20	<5	17	11	<10	123	4	<1	<1	293	16	66	244	<10	6	118	<1
184002	906304	<0.005	<1	3.07	203	28	<2	25	7.13	<4	98	43	261	157	4.17	11	<1	<1	<1	<1	0.16	<1	11	1.50	1571	<1	34	104	371	6	<1	0.17	<5	26	7	<10	124	6	<1	<1	238	<2	58	254	<10	6	119	<1
184003	906305	0.006	<1	1.24	187	34	<2	18	6.58	<4	66	40	211	130	3.78	13	4	<1	<1	<1	0.28	<1	12	1.20	1444	<1	31	94	337	6	<1	0.15	5	15	11	<10	126	5	<1	<1	239	<2	45	244	<10	5	110	<1
184004	906306	0.013	<1	2.03	149	48	<2	14	7.95	<4	99	43	218	144	4.88	14	<1	2	<1	<1	0.17	<1	14	1.28	1685	<1	31	97	368	8	<1	0.41	5	17	11	<10	143	7	<1	<1	263	5	58	244	<10	6	127	<1
184005	906307	0.018	<1	0.70	159	64	<2	19	8.06	<4	102	38	184	112	4.50	13	<1	1	<1	<1	0.20	<1	12	1.11	1569	<1	30	82	332	10	<1	0.30	<5	12	7	<10	141	5	<1	<1	292	14	62	233	<10	6	170	<1
184006	906308	0.012	<1	1.55	230	90	<2	18	7.25	<4	99	41	204	122	3.52	14	<1	1	<1	<1	0.14	<1	12	1.44	1410	<1	34	100	356	9	<1	0.17	<5	13	15	<10	137	4	<1	<1	326	3	63	257	<10	6	139	<1
184007	906309	0.471	<1	0.44	1884	14	<2	20	2.93	<4	22	14	409	29	12.29	8	<1	1	<1	<1	0.04	<1	3	1.42	2509	10	6	31	501	19	<1	1.04	6	5	<5	<10	73	4	4	<1	252	<2	64	48	<10	6	80	<1
184008	906310	5.488	<1	0.26	322	186	2	11	1.98	<4	23	118	161	1537	7.25	11	<1	1	<1	<1	<0.01	3	2	0.85	704	11	12	1378	488	711	<1	1.83	<5	5	<5	<10	144	4	3	6	3153	6	<20	91	34	9	438	<1
184009	906311	3.576	<1	0.02	9252	<1	<2	28	1.25	<4	2	13	293	74	13.38	5	<1	<1	<1	<1	0.09	<1	<1	1.48	2805	10	1	38	258	33	<1	2.72	8	2	<5	<10	48	6	5	<1	254	<2	156	14	<10	6	74	<1
184010	906312	3.234	<1	<0.01	5837	<1	<2	21	1.24	<4	2	7	526	28	15.91	4	<1	1	<1	<1	<0.01	<1	<1	1.81	2922	13	2	14	335	26	<1	1.53	11	<1	<5	<10	51	5	8	<1	162	14	205	9	<10	6	68	<1
184011	906313	0.536	<1	1.35	614	120	<2	21	3.00	<4	22	23	277	57	9.85	13	<1	1	<1	<1	0.35	<1	<1	1.45	2261	6	14	47	264	17	<1	1.28	5	11	<5	<10	69	5	3	<1	1170	10	26	120	<10	6	130	<1
184012D	906313	0.542	<1	0.93	514	119	<2	24	2.89	<4	23	23	271	57	9.31	11	2	<1	<1	<1	0.26	<1	1	1.32	2156	6	14	47	250	15	<1	1.19	5	10	<5	<10	68	4	<1	<1	1184	<2	34	117	<10	6	128	<1
184013	906314	0.037	<1	2.64	87	259	<2	4	4.59	<4	57	37	90	114	7.13	11	<1	<1	<1	<1	0.39	4	10	1.95	1371	<1	17	57	455	11	<1	0.26	<5	10	7	<10	117	5	<1	<1	1514	<2	<20	116	30	8	122	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142800
Reference:
Sample #: 129

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184014	906315	0.019	<1	2.69	18	309	2	8	5.34	<4	56	36	29	72	8.39	14	2	2	<1	<1	0.19	6	14	2.24	1638	<1	20	25	619	14	<1	0.21	5	7	7	<10	236	5	2	2	2968	7	46	114	17	10	131	<1
184015	906316	0.018	<1	5.02	54	301	<2	21	3.99	<4	51	44	65	189	7.57	14	<1	2	<1	<1	<0.01	9	13	2.88	1467	<1	24	73	506	15	<1	0.16	<5	15	12	<10	263	6	<1	3	1266	<2	29	151	<10	10	111	10
184016	906317	0.006	<1	3.81	58	458	<2	12	4.08	<4	43	48	36	198	7.85	12	<1	2	<1	<1	<0.01	7	9	2.67	1445	<1	23	87	474	10	<1	0.15	<5	16	14	<10	283	5	<1	<1	1792	<2	71	151	<10	9	113	<1
184017	906318	0.009	<1	5.75	60	590	<2	34	4.09	<4	56	50	56	207	8.13	15	<1	2	<1	<1	<0.01	8	14	2.88	1428	<1	25	88	532	12	<1	0.19	<5	16	14	<10	328	5	2	3	2297	21	25	163	<10	11	119	26
184018	906319	0.011	<1	4.32	68	247	<2	23	3.77	<4	57	44	45	194	6.93	13	<1	2	<1	<1	<0.01	5	12	2.45	1303	<1	23	86	479	12	<1	0.22	<5	14	8	<10	226	4	<1	2	1005	<2	<20	148	<10	9	106	23
184019	906320	<0.005	<1	3.30	7	731	<2	24	0.80	<4	110	8	574	12	1.93	12	<1	3	<1	<1	<0.01	50	16	0.47	272	<1	5	12	594	33	<1	0.07	<5	2	14	<10	230	3	2	28	1409	<2	<20	25	<10	11	60	70
184020	906321	0.006	<1	5.34	88	1276	<2	24	4.05	<4	49	45	62	208	7.03	16	<1	3	<1	<1	<0.01	5	15	2.66	1440	<1	24	87	532	11	<1	0.28	<5	13	10	<10	227	4	1	6	1840	2	<20	155	<10	9	110	44
184021	906322	<0.005	<1	3.87	54	521	<2	20	2.86	<4	38	38	63	174	5.80	13	<1	<1	<1	<1	<0.01	4	7	2.23	1102	<1	18	75	420	8	<1	0.15	<5	12	12	<10	183	5	<1	<1	1366	4	<20	131	<10	7	90	<1
184022	906323	0.006	<1	3.71	81	571	<2	12	3.76	<4	44	38	46	165	6.50	10	<1	<1	<1	<1	<0.01	4	6	2.61	1442	<1	19	75	427	9	<1	0.17	5	13	<5	<10	185	3	<1	<1	645	15	<20	128	<10	8	96	<1
184023D	906323	<0.005	<1	5.04	91	672	<2	29	4.49	<4	48	43	49	196	7.53	13	2	3	<1	<1	<0.01	6	12	2.98	1699	<1	22	87	494	13	<1	0.23	<5	14	7	<10	217	6	<1	4	715	4	67	146	<10	9	111	19
184024	906324	<0.005	<1	3.50	119	537	<2	13	3.69	<4	42	43	64	186	7.60	14	5	2	<1	<1	0.37	3	13	2.77	1393	<1	22	81	487	10	<1	0.22	<5	11	<5	<10	180	10	<1	<1	590	7	38	152	<10	8	111	16
184025	906325	<0.005	<1	5.92	122	529	2	39	4.04	<4	44	45	45	204	8.24	18	2	3	<1	<1	<0.01	4	18	3.26	1466	<1	24	86	498	15	<1	0.16	5	13	6	<10	192	5	<1	<1	550	4	25	154	<10	9	120	55
184026	906326	0.017	<1	3.79	115	366	<2	19	3.32	<4	37	42	54	167	7.52	16	3	2	<1	<1	0.32	3	13	2.79	1432	<1	22	78	468	13	<1	0.12	<5	11	<5	<10	138	5	<1	<1	579	2	<20	151	<10	7	118	6
184027	906327	5.390	<1	1.40	18097	145	<2	14	2.68	<4	21	26	361	63	4.61	11	2	2	<1	<1	<0.01	<1	3	0.94	1111	2	14	56	262	10	<1	1.83	7	9	10	<10	100	4	<1	<1	397	<2	<20	120	11	5	73	21
184028	906328	3.104	<1	3.17	11572	99	<2	14	4.58	<4	66	46	258	129	5.58	13	4	<1	<1	<1	<0.01	<1	<1	1.37	1824	<1	30	112	325	11	<1	1.81	5	20	13	<10	109	5	<1	<1	417	<2	20	233	17	5	108	<1
184029	906329	2.158	<1	3.07	5562	68	<2	19	4.82	<4	73	48	222	119	4.06	13	<1	1	<1	1	<0.01	<1	6	1.43	1045	<1	29	110	473	8	<1	0.77	<5	18	18	<10	127	4	<1	<1	334	3	29	226	23	6	72	<1
184030	906330	0.137	<1	3.67	1016	45	<2	19	6.08	<4	88	43	207	126	5.48	14	2	2	<1	<1	<0.01	<1	16	1.61	1337	<1	29	112	329	8	<1	0.61	<5	20	12	<10	135	4	<1	1	327	4	59	221	25	7	121	<1
184031	906331	0.036	<1	1.72	166	17	<2	17	8.27	<4	107	20	377	59	2.68	8	<1	1	<1	<1	<0.01	<1	10	0.85	1044	<1	14	53	307	8	<1	0.38	<5	9	10	<10	148	2	<1	<1	251	<2	67	109	<10	8	55	5
184032	906332	0.036	<1	1.64	217	22	<2	14	5.24	<4	70	32	197	97	3.25	10	1	<1	<1	<1	<0.01	<1	13	0.88	839	<1	23	84	257	5	<1	0.26	<5	12	10	<10	121	3	<1	<1	238	2	33	179	<10	5	68	<1
184033	906333	0.054	<1	1.28	87	12	<2	12	>10.00	<4	102	18	200	51	2.47	6	<1	2	<1	1	<0.01	1	9	0.85	1541	<1	14	42	158	6	<1	0.36	<5	9	11	<10	174	1	<1	<1	246	16	113	95	<10	9	58	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142800
Reference:
Sample #: 129

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184034D	906333	0.017	<1	0.78	83	14	<2	15	>10.00	<4	133	18	203	50	2.43	4	<1	2	<1	<1	<0.01	<1	9	0.78	1532	<1	13	42	156	7	<1	0.32	<5	8	14	<10	173	1	<1	<1	244	2	115	94	<10	9	60	<1
184035	906334	0.038	<1	3.20	174	28	<2	16	5.25	<4	73	42	197	125	4.49	14	<1	<1	<1	<1	<0.01	<1	17	1.37	1019	<1	29	103	334	9	<1	0.29	<5	18	15	<10	130	3	<1	<1	259	3	73	220	134	6	107	<1
184036	906335	0.051	<1	2.38	183	33	<2	11	5.01	<4	74	43	209	126	4.36	15	<1	2	<1	<1	<0.01	<1	19	1.29	991	<1	29	107	355	8	<1	0.27	<5	14	12	<10	134	4	<1	<1	269	7	31	224	194	5	105	<1
184037	906336	0.011	<1	3.08	130	16	<2	12	5.22	<4	76	41	175	124	5.21	10	3	<1	<1	<1	<0.01	<1	13	1.36	1357	<1	27	100	302	8	<1	0.38	<5	19	8	<10	116	4	<1	<1	234	<2	32	208	<10	6	115	<1
184038	906337	0.139	<1	2.91	654	49	<2	13	5.14	<4	46	43	230	141	4.23	16	<1	<1	<1	<1	<0.01	<1	14	1.13	1080	<1	31	109	348	9	<1	0.42	<5	17	12	<10	140	4	<1	<1	239	<2	44	244	<10	5	86	<1
184039	906338	0.612	<1	0.03	2314	43	<2	6	4.20	<4	60	38	291	109	3.29	15	2	<1	<1	<1	0.25	<1	15	0.77	764	<1	27	89	2765	5	<1	0.48	<5	10	12	<10	125	2	<1	<1	246	<2	33	218	377	5	71	<1
184040	906339	0.016	<1	<0.01	269	51	<2	4	4.23	<4	59	43	244	138	3.05	15	1	<1	<1	<1	0.15	<1	15	0.61	851	<1	32	109	375	6	<1	0.33	<5	8	<5	<10	135	4	<1	<1	246	<2	29	260	<10	4	66	<1
184041	906340	13.470	4	0.90	27	337	<2	12	2.23	<4	24	27	85	124	4.18	13	2	<1	<1	<1	0.14	<1	5	0.91	610	7	16	44	616	33	157	0.73	<5	6	<5	<10	145	3	5	2	4196	<2	<20	109	<10	10	149	<1
184042	906341	0.013	<1	<0.01	197	57	<2	9	4.04	<4	58	49	202	140	4.64	15	5	1	<1	<1	0.12	<1	21	0.87	1060	<1	33	107	341	12	<1	0.24	<5	8	<5	<10	135	5	<1	<1	318	<2	39	264	<10	3	78	<1
184043	906342	0.012	<1	0.78	129	<1	<2	8	3.45	<4	55	30	131	90	3.37	5	<1	<1	<1	<1	<0.01	<1	6	0.99	813	<1	18	68	270	5	<1	0.22	<5	12	5	<10	86	2	<1	<1	166	<2	<20	144	<10	4	52	<1
184044	906343	0.018	<1	1.03	211	52	<2	12	4.75	<4	66	48	199	144	3.91	16	2	<1	<1	<1	0.13	<1	17	0.93	755	<1	32	108	386	8	<1	0.24	<5	13	<5	<10	147	3	<1	<1	226	<2	24	261	<10	4	109	<1
184045R	906343	0.036	<1	0.98	198	51	<2	23	4.21	<4	60	47	222	145	3.70	19	3	<1	<1	<1	<0.01	<1	16	0.86	710	<1	33	105	386	8	<1	0.18	<5	13	7	<10	143	4	<1	<1	238	<2	27	262	<10	4	85	<1
184046	906344	0.011	<1	0.34	233	45	<2	16	4.41	<4	68	50	210	152	3.78	14	<1	<1	<1	<1	0.01	<1	16	0.78	938	<1	31	114	348	6	<1	0.24	<5	10	<5	<10	133	4	<1	<1	238	<2	<20	252	<10	4	78	<1
184047	906345	0.017	<1	0.08	204	38	<2	6	3.56	<4	56	42	200	123	3.77	13	2	<1	<1	<1	0.19	<1	13	0.80	1026	<1	29	91	320	6	<1	0.20	<5	11	5	<10	113	4	<1	<1	243	<2	<20	234	<10	4	70	<1
184048	906346	0.014	<1	0.32	166	32	<2	20	4.34	<4	64	44	196	124	5.23	14	4	<1	<1	<1	<0.01	<1	15	1.06	1338	<1	29	101	305	9	<1	0.24	<5	11	<5	<10	111	5	<1	<1	270	<2	33	230	<10	4	87	<1
184049	906347	<0.005	<1	<0.01	150	32	<2	10	4.67	<4	63	40	194	114	5.02	12	4	<1	<1	<1	<0.01	<1	15	1.16	1083	<1	28	100	286	8	<1	0.16	<5	10	<5	<10	112	5	<1	<1	272	4	<20	223	<10	4	93	<1
184050	906348	<0.005	<1	0.69	158	34	<2	13	3.80	<4	60	45	197	136	4.01	13	2	<1	<1	<1	<0.01	<1	16	1.02	738	<1	29	95	337	7	<1	0.16	<5	12	<5	<10	124	6	<1	<1	213	<2	<20	227	<10	4	85	<1
184051	906349	0.007	<1	<0.01	158	17	<2	9	4.10	<4	62	40	164	108	3.98	11	6	<1	<1	<1	<0.01	<1	11	1.15	1014	<1	27	87	283	7	<1	0.19	<5	11	<5	<10	107	3	<1	<1	226	<2	<20	206	<10	3	92	<1
184052	906350	<0.005	<1	0.69	4	802	<2	21	0.76	<4	52	7	291	7	1.52	12	4	1	<1	<1	0.08	20	12	0.32	230	<1	7	9	564	30	<1	0.02	<5	1	10	<10	294	1	<1	13	1477	<2	<20	23	<10	7	58	27
184053	906351	0.073	<1	0.45	184	28	<2	8	4.55	<4	68	40	182	115	4.35	11	<1	<1	<1	<1	0.08	<1	10	1.02	1079	<1	28	91	300	9	<1	0.28	<5	12	7	<10	112	3	<1	<1	240	10	58	223	<10	4	100	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142800
Reference:
Sample #: 129

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184054	906352	0.543	<1	1.56	1931	32	<2	9	5.40	<4	77	41	177	133	4.47	14	2	1	<1	<1	0.19	<1	15	1.40	1118	<1	24	99	552	8	<1	0.53	<5	14	5	<10	122	3	<1	<1	223	<2	24	185	<10	5	83	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142801
Reference:
Sample #: 143

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184055	0906353	<0.005	<1	1.26	69	240	<2	14	3.14	<4	50	38	160	104	6.31	15	3	<1	<1	<1	0.30	<1	13	1.10	1680	2	21	81	397	11	<1	0.47	<5	10	<5	<10	117	3	<1	<1	412	<2	<20	167	<10	5	106	<1
184056	0906354	<0.005	<1	0.35	49	149	<2	17	3.33	<4	47	35	221	108	5.16	10	<1	<1	<1	<1	<0.01	<1	9	0.90	1542	<1	20	87	291	11	<1	0.54	<5	8	<5	<10	142	3	<1	<1	321	<2	<20	160	<10	4	75	<1
184057	0906355	<0.005	<1	0.50	51	163	<2	15	3.54	<4	52	39	248	118	5.48	11	2	<1	<1	<1	<0.01	<1	12	0.94	1618	1	21	92	309	11	<1	0.57	<5	8	7	<10	152	5	<1	<1	350	<2	22	171	<10	4	78	<1
184058	0906356	<0.005	<1	0.09	48	147	<2	12	2.96	<4	46	43	257	113	5.74	11	<1	<1	<1	<1	<0.01	<1	13	0.81	1759	1	23	104	310	11	<1	0.56	<5	8	<5	<10	157	3	<1	<1	330	<2	<20	189	<10	4	96	<1
184059	0906357	0.013	<1	0.02	40	127	<2	17	2.63	<4	40	40	221	106	5.64	11	<1	<1	<1	<1	<0.01	<1	13	0.78	1567	<1	22	96	305	11	<1	0.66	<5	8	<5	<10	149	4	<1	<1	298	<2	<20	183	<10	4	93	<1
184060	0906358	<0.005	<1	<0.01	31	78	<2	12	1.92	<4	31	33	209	96	5.10	9	<1	<1	<1	<1	<0.01	<1	9	0.67	1365	<1	17	79	267	12	<1	0.67	<5	7	<5	<10	128	4	<1	<1	242	<2	<20	144	<10	3	96	<1
184061	0906359	<0.005	<1	0.93	49	103	<2	19	3.16	<4	47	42	187	110	6.09	10	<1	<1	<1	<1	<0.01	<1	13	0.99	1663	<1	20	92	352	9	<1	0.57	<5	11	5	<10	170	4	<1	<1	260	<2	<20	163	<10	4	119	<1
184062	0906360	<0.005	<1	<0.01	58	107	<2	8	2.36	<4	14	40	212	121	5.49	11	<1	<1	<1	<1	<0.01	<1	16	0.79	1396	<1	20	89	354	11	<1	0.39	<5	8	<5	<10	173	3	<1	<1	267	<2	<20	170	<10	3	124	<1
184063	0906361	<0.005	<1	0.18	60	137	<2	8	2.23	<4	20	47	264	129	5.13	13	<1	<1	<1	<1	0.15	<1	12	0.72	1704	<1	23	110	321	10	20	0.53	<5	9	<5	<10	194	2	<1	<1	270	3	<20	197	<10	3	114	<1
184064	0906362	<0.005	<1	0.28	57	146	<2	18	2.32	<4	16	43	226	114	6.59	17	4	<1	1	<1	0.09	<1	15	0.89	1813	4	18	92	382	12	27	0.55	<5	8	<5	<10	175	6	<1	<1	290	13	<20	164	<10	4	122	<1
184065D	0906362	<0.005	<1	0.78	58	150	<2	3	2.44	<4	20	45	229	118	6.82	16	4	<1	<1	<1	0.27	<1	15	0.97	1883	3	20	96	395	14	31	0.57	<5	9	<5	<10	180	5	<1	<1	294	7	<20	168	<10	4	125	<1
184066	0906363	0.007	<1	2.00	80	198	<2	13	3.12	<4	25	42	84	152	8.59	17	3	1	<1	<1	0.10	<1	16	1.47	1987	4	18	76	469	17	3	1.06	<5	11	<5	<10	172	7	<1	<1	297	2	40	153	<10	5	162	<1
184067	0906364	0.006	<1	1.65	67	178	<2	12	2.72	<4	19	40	114	136	7.82	16	5	1	<1	<1	0.36	<1	16	1.29	1812	3	16	72	438	13	44	0.90	<5	9	<5	<10	156	6	<1	<1	310	6	<20	142	<10	4	149	16
184068	0906365	0.010	<1	1.51	72	190	<2	12	2.88	<4	21	43	84	135	8.22	17	3	2	<1	<1	0.05	<1	17	1.26	1803	5	17	67	473	17	30	1.05	<5	8	<5	<10	160	4	3	<1	330	4	<20	142	<10	5	152	31
184069	0906366	<0.005	<1	1.02	50	251	<2	18	2.76	<4	20	41	75	158	7.25	17	2	<1	<1	<1	<0.01	<1	11	1.21	1581	2	16	51	568	13	47	0.76	<5	7	<5	<10	167	6	<1	<1	312	2	<20	136	<10	5	117	<1
184070	0906367	<0.005	<1	1.84	63	209	<2	1	3.11	<4	26	36	46	134	8.05	15	2	1	<1	<1	0.24	<1	13	1.48	1684	3	15	50	501	13	22	0.63	<5	8	<5	<10	172	4	<1	<1	340	6	<20	122	<10	5	174	12
184071	0906368	0.005	<1	2.06	45	280	2	16	1.89	<4	12	35	51	154	11.27	20	2	3	<1	<1	0.38	<1	20	1.27	2512	10	10	29	771	19	13	2.16	<5	5	<5	<10	133	6	5	<1	384	5	33	87	<10	6	305	55
184072	0906369	0.086	<1	0.16	323	64	<2	22	0.12	5	2	40	635	196	15.69	14	2	<1	<1	<1	0.17	<1	1	0.97	2220	20	1	103	211	37	29	8.64	12	3	<5	<10	58	5	9	<1	209	12	294	28	<10	6	310	3
184073	0906370	1.021	<1	2.42	2	99	<2	7	4.06	<4	43	38	125	39	5.93	19	8	4	<1	<1	0.53	3	<1	1.77	998	<1	26	31	678	20	78	0.18	<5	12	<5	<10	200	5	7	3	6845	2	<20	179	<10	20	88	32
184074	0906371	0.146	<1	2.17	4	97	<2	9	4.04	<4	39	37	121	38	5.80	17	6	4	<1	<1	0.49	5	<1	1.73	993	<1	26	29	668	21	72	0.13	<5	12	<5	<10	199	9	7	<1	6961	<2	21	179	<10	19	87	33

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142801
Reference:
Sample #: 143

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184075	0906372	0.044	<1	1.39	178	47	<2	18	0.38	5	5	21	357	75	16.41	18	10	4	<1	<1	0.69	<1	6	1.45	3169	21	<1	38	378	32	27	2.99	9	2	<5	<10	69	8	8	3	291	3	231	16	<10	7	294	91
184076D	0906372	0.038	<1	1.45	193	50	2	29	0.39	5	3	22	370	80	16.77	17	8	4	<1	<1	0.49	<1	7	1.43	3259	23	1	41	382	31	39	3.11	7	2	<5	<10	71	8	9	2	243	27	279	15	<10	7	302	116
184077	0906373	0.100	<1	2.08	54	125	2	23	0.95	5	3	16	486	61	15.65	16	1	3	<1	<1	0.47	2	5	1.62	3850	17	2	30	446	39	42	1.91	8	3	<5	<10	80	7	7	<1	265	9	248	28	<10	8	166	77
184078	0906374	0.195	<1	0.73	104	198	2	10	1.09	5	1	18	375	76	12.14	17	<1	3	<1	<1	0.34	<1	3	1.03	3207	15	2	35	815	38	34	2.44	11	2	<5	<10	87	6	10	3	320	12	186	33	<10	6	622	69
184079	0906375	0.036	<1	2.19	107	192	2	9	1.58	4	4	27	259	86	14.14	21	5	3	<1	<1	0.30	<1	11	1.63	3236	13	22	46	565	21	65	0.49	5	18	<5	<10	84	7	1	<1	387	8	149	196	<10	6	171	37
184080	0906376	0.052	<1	2.10	58	30	2	33	0.84	4	1	8	300	33	14.23	11	3	2	<1	<1	0.53	2	5	1.66	4420	15	<1	19	213	26	29	0.71	6	2	<5	<10	72	6	5	2	221	26	172	9	<10	8	77	90
184081	0906377	0.080	<1	1.73	61	34	<2	4	1.06	4	4	8	417	29	15.22	9	<1	3	<1	<1	0.55	<1	5	1.67	4615	17	<1	22	308	30	50	1.18	9	1	<5	<10	74	9	6	<1	222	45	180	9	<10	8	91	82
184082	0906378	0.022	<1	0.26	33	6	<2	8	1.52	<4	9	3	689	9	8.00	5	<1	1	<1	<1	0.45	<1	<1	1.14	2624	8	<1	17	171	14	47	0.44	<5	<1	<5	<10	65	5	3	2	172	4	<20	4	<10	6	37	20
184083	0906379	0.038	<1	0.13	53	17	<2	13	0.75	<4	2	8	987	36	6.52	8	2	1	<1	<1	0.37	<1	<1	0.77	1897	10	<1	27	121	13	59	1.42	8	<1	<5	<10	57	5	2	<1	184	15	<20	8	<10	5	107	26
184084	0906380	<0.005	<1	0.65	2	781	<2	6	0.66	<4	41	5	583	7	1.57	16	9	4	<1	<1	0.30	15	14	0.28	249	6	3	13	340	34	102	0.05	<5	<1	7	<10	242	1	5	8	1204	4	<20	18	<10	4	40	109
184085	0906381	<0.005	<1	0.45	15	34	<2	9	2.01	<4	13	3	647	9	7.41	5	4	2	<1	<1	0.52	<1	3	1.30	2187	7	1	17	139	14	24	0.20	<5	<1	<5	<10	74	4	4	<1	220	11	35	4	<10	6	42	68
184086	0906382	<0.005	<1	0.68	4	17	<2	14	1.29	<4	3	4	637	10	10.15	6	4	2	1	<1	0.31	<1	<1	1.42	3129	11	<1	18	301	17	37	0.15	6	<1	<5	<10	63	5	3	<1	181	9	97	3	<10	7	61	39
184087D	0906382	<0.005	<1	0.82	5	21	<2	6	1.28	<4	5	3	615	10	9.86	5	2	2	<1	<1	0.42	<1	3	1.35	3037	11	<1	17	300	18	51	0.14	<5	<1	<5	<10	68	4	5	<1	196	8	120	4	<10	7	58	66
184088	0906383	0.006	<1	0.73	9	10	<2	16	0.87	<4	<1	5	702	15	11.09	7	<1	1	<1	<1	0.20	1	<1	1.38	3373	12	<1	20	265	19	57	0.20	5	<1	<5	<10	61	7	9	<1	176	<2	104	5	<10	7	60	31
184089	0906384	0.033	<1	1.16	182	117	2	23	1.36	<4	4	31	371	120	10.30	14	<1	2	<1	<1	0.07	<1	7	1.43	2742	9	11	99	480	17	51	0.65	5	6	<5	<10	78	5	3	<1	301	8	98	93	<10	6	72	32
184090	0906385	0.054	<1	1.56	382	120	2	7	1.72	<4	11	33	281	132	11.50	15	3	2	<1	<1	0.42	<1	7	1.57	3189	11	11	104	534	20	26	0.86	6	7	<5	<10	84	6	2	2	306	7	36	90	<10	6	71	59
184091	0906386	0.088	<1	3.11	489	370	3	5	1.95	<4	10	90	91	281	11.97	24	<1	2	<1	<1	0.30	<1	12	1.79	3135	8	26	317	1050	21	39	1.86	5	11	<5	<10	100	11	1	<1	496	4	83	214	<10	6	128	19
184092	0906387	0.140	<1	0.62	257	175	2	11	1.34	4	8	43	416	97	6.05	12	1	2	<1	<1	0.31	<1	5	0.80	1409	8	7	103	277	15	63	2.57	7	5	<5	<10	76	4	3	<1	328	8	<20	72	<10	5	844	61
184093	0906388	0.005	<1	0.91	6	10	<2	13	1.95	<4	10	5	503	17	10.03	7	<1	2	<1	<1	0.48	<1	2	1.57	4155	9	<1	16	137	17	26	0.62	6	1	<5	<10	66	5	5	<1	187	12	<20	5	<10	7	67	41
184094	0906389	0.032	<1	1.02	20	18	<2	11	1.62	<4	13	5	607	23	9.72	5	5	2	<1	<1	0.37	<1	3	1.41	3472	11	<1	17	133	17	17	0.74	5	1	<5	<10	70	4	7	<1	200	4	29	5	<10	7	53	72

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142801
Reference:
Sample #: 143

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184095	0906390	0.032	<1	0.57	30	16	<2	15	1.07	<4	1	3	568	16	8.06	7	3	2	<1	<1	0.36	<1	3	1.07	2260	11	<1	15	254	16	46	0.68	<5	<1	<5	<10	66	3	<1	<1	198	<2	<20	4	<10	6	45	70
184096	0906391	0.017	<1	0.77	6	21	<2	<1	1.21	<4	3	3	547	11	8.47	6	5	3	<1	<1	0.30	<1	5	1.15	2521	11	<1	16	197	16	32	0.51	5	<1	<5	<10	70	3	8	<1	209	12	39	3	<10	6	51	92
184097	0906392	<0.005	<1	0.52	5	<1	<2	6	0.58	<4	<1	4	902	15	7.52	4	<1	<1	<1	<1	0.18	<1	<1	1.02	2656	8	<1	16	<100	11	75	0.59	6	<1	<5	<10	50	3	2	<1	157	8	32	4	<10	6	35	<1
184098D	0906392	<0.005	<1	0.30	6	7	<2	7	0.65	<4	4	4	959	17	7.89	6	<1	<1	<1	<1	0.09	<1	<1	1.00	2815	9	<1	18	103	14	26	0.61	6	<1	<5	<10	56	3	3	<1	172	6	56	4	<10	6	41	23
184099	0906393	0.011	<1	<0.01	13	10	<2	8	0.52	<4	<1	6	714	28	5.75	4	<1	<1	<1	<1	<0.01	<1	<1	0.66	1755	7	<1	22	<100	15	36	1.21	6	<1	<5	<10	52	6	2	<1	170	8	33	6	<10	4	60	2
184100	0906394	0.105	<1	<0.01	239	126	<2	<1	0.05	4	<1	39	470	125	7.22	10	5	2	<1	<1	0.18	<1	4	0.36	1045	14	3	73	150	34	59	6.17	13	2	<5	<10	71	3	4	<1	270	10	55	42	<10	4	721	76
184101	0906395	0.014	<1	1.07	19	21	<2	11	1.08	<4	4	9	841	59	9.00	6	<1	1	<1	<1	0.22	<1	<1	1.16	2864	11	1	37	127	17	51	2.73	6	1	<5	<10	59	7	9	<1	185	<2	43	8	<10	7	52	36
184102	0906396	0.016	<1	0.14	14	20	<2	17	0.83	<4	4	9	743	84	8.98	7	<1	<1	<1	<1	0.31	<1	<1	1.01	2750	11	<1	38	105	16	60	3.23	5	<1	<5	<10	59	5	7	<1	186	5	53	8	<10	5	54	35
184103	0906397	<0.005	<1	0.66	5	<1	<2	9	1.64	<4	12	3	604	12	8.50	3	<1	<1	<1	<1	0.20	<1	<1	1.41	2367	6	<1	17	128	16	33	0.39	<5	<1	<5	<10	57	5	6	<1	155	<2	25	2	<10	7	35	<1
184104	0906398	<0.005	<1	0.31	7	6	<2	12	0.88	<4	2	3	681	11	8.92	6	<1	<1	<1	<1	0.32	<1	<1	1.15	2199	9	<1	21	228	14	40	0.21	<5	<1	<5	<10	53	6	6	<1	160	7	44	3	<10	7	31	1
184105	0906399	0.023	<1	0.15	17	30	<2	10	0.91	<4	2	3	464	10	6.38	4	6	<1	2	<1	0.35	<1	<1	0.89	1859	7	<1	13	100	13	56	0.43	<5	1	<5	<10	63	3	<1	<1	192	3	<20	10	<10	5	57	38
184106	0906400	13.604	4	1.52	23	352	<2	<1	2.40	<4	25	28	90	134	4.41	16	7	1	<1	<1	0.16	<1	5	0.96	643	7	15	45	657	34	315	0.90	<5	6	<5	<10	158	3	6	<1	4523	2	<20	110	<10	10	149	15
184107	0906401	0.056	<1	<0.01	55	50	<2	16	0.80	<4	<1	14	671	90	7.54	6	1	<1	<1	<1	0.17	<1	<1	0.69	1630	10	<1	40	147	16	67	2.98	7	1	<5	<10	61	4	<1	<1	227	9	42	16	<10	4	217	20
184108	0906402	0.343	<1	0.09	46	25	<2	5	1.42	<4	8	8	933	79	9.08	7	<1	1	<1	<1	0.12	<1	<1	1.07	2158	10	<1	37	169	18	25	2.18	9	1	<5	<10	64	7	5	<1	184	5	25	8	<10	6	153	17
184109D	0906402	0.338	<1	1.63	49	34	<2	26	1.57	<4	11	8	849	81	9.31	8	1	2	<1	<1	0.18	<1	2	1.22	2224	11	1	36	175	19	63	2.26	6	1	<5	<10	72	5	4	<1	204	3	83	8	<10	7	160	59
184110	0906403	0.012	<1	0.66	17	<1	<2	11	1.04	<4	1	5	762	21	11.18	6	<1	1	<1	<1	0.15	<1	<1	1.49	3450	10	<1	17	117	19	56	0.36	6	<1	<5	<10	56	4	6	<1	159	10	62	4	<10	7	92	<1
184111	0906404	0.019	<1	2.13	74	38	<2	10	1.99	<4	16	7	663	22	10.63	9	<1	3	<1	<1	0.21	<1	3	1.66	2925	11	1	26	179	19	52	1.41	7	3	<5	<10	72	5	4	<1	210	7	51	14	<10	8	107	56
184112	0906405	0.126	<1	1.08	118	24	<2	8	1.91	<4	16	7	666	20	10.99	8	<1	2	<1	<1	0.20	2	<1	1.66	3083	10	1	21	160	21	50	1.05	5	2	<5	<10	64	7	8	<1	186	5	34	12	<10	8	137	13
184113	0906406	0.015	<1	1.05	83	7	<2	16	1.39	<4	10	6	723	24	9.79	5	<1	1	<1	<1	0.46	1	<1	1.44	4052	10	<1	24	115	18	26	1.39	<5	2	<5	<10	62	8	8	<1	170	10	94	8	<10	7	70	13
184114	0906407	0.325	<1	1.18	1301	7	<2	20	1.25	4	<1	25	598	24	14.53	8	<1	1	<1	<1	0.55	<1	<1	1.83	5504	13	<1	22	162	28	31	1.70	6	2	<5	<10	60	7	7	<1	169	37	167	6	<10	8	56	17

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142801
Reference:
Sample #: 143

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184115	0906408	0.094	<1	1.37	426	6	<2	14	1.31	4	2	4	547	6	14.43	9	<1	2	<1	<1	0.45	<1	<1	1.80	5001	14	<1	19	150	23	47	0.66	<5	<1	<5	<10	63	7	7	<1	175	7	119	3	<10	8	48	36
184116	0906409	0.123	<1	1.16	269	5	2	29	1.64	5	6	4	410	6	17.78	13	<1	3	<1	<1	0.25	<1	<1	2.09	6630	15	<1	16	285	28	20	0.72	7	<1	<5	<10	66	9	10	<1	172	22	197	3	<10	8	56	31
184117	0906410	1.017	<1	4.01	2	99	<2	17	4.37	<4	51	36	129	40	6.26	20	5	3	<1	<1	0.37	7	<1	2.12	1115	<1	26	28	714	22	89	0.14	<5	17	<5	<10	212	7	12	<1	6156	7	<20	181	<10	23	90	6
184118	0906411	0.833	<1	0.94	1549	6	<2	4	1.43	<4	3	9	396	18	12.43	9	<1	2	<1	<1	0.26	<1	<1	1.62	4254	10	<1	20	184	23	58	1.24	7	1	<5	<10	64	6	5	<1	271	9	111	6	<10	7	46	15
184119	0906412	0.633	<1	1.29	2901	4	2	29	2.23	6	9	16	260	147	23.84	15	<1	4	<1	<1	0.16	1	<1	2.86	9433	20	3	59	214	38	18	5.08	8	2	<5	<10	68	13	12	<1	171	18	323	8	<10	9	105	25
184120R	0906412	0.776	<1	1.51	3048	6	2	20	2.36	7	10	17	99	182	24.49	16	<1	3	<1	<1	0.12	<1	1	2.90	9704	24	2	67	215	41	1	5.70	10	2	<5	<10	70	15	11	<1	177	30	398	8	<10	9	105	40
184121	0906413	1.137	<1	1.87	2718	22	2	25	2.26	5	11	22	367	59	19.19	14	<1	4	<1	<1	0.36	1	4	2.17	7159	18	2	35	337	34	45	3.31	6	1	<5	<10	81	10	12	<1	201	15	212	8	<10	9	75	70
184122	0906414	0.080	<1	1.07	1145	10	<2	27	1.00	4	7	3	417	6	15.75	11	<1	2	<1	<1	0.22	<1	2	1.73	5804	16	<1	11	334	26	36	0.45	5	1	<5	<10	66	6	8	<1	182	12	259	3	<10	7	50	39
184123	0906415	0.860	<1	1.36	2298	14	<2	10	1.56	<4	3	6	688	20	12.86	10	<1	3	<1	<1	0.58	<1	2	1.59	4519	13	<1	21	193	22	60	1.44	6	<1	<5	<10	72	8	7	<1	185	5	126	5	<10	7	45	46
184124	0906416	0.369	<1	1.43	1175	11	<2	18	1.72	4	4	5	463	25	14.96	9	<1	3	<1	<1	0.69	<1	<1	1.87	4934	15	<1	19	167	26	70	1.11	6	<1	<5	<10	71	8	6	<1	181	49	86	4	<10	8	54	41
184125	0906417	0.546	<1	2.81	536	35	2	30	1.62	6	4	17	530	95	20.28	18	<1	4	<1	<1	0.60	3	7	2.39	7191	21	2	49	210	36	31	3.57	7	3	<5	<10	78	10	8	<1	222	17	319	12	<10	10	132	101
184126	0906418	0.120	<1	1.63	31	26	<2	14	1.36	<4	9	9	717	26	11.02	11	2	2	<1	<1	0.49	1	3	1.56	2966	11	1	23	315	18	52	1.01	6	2	<5	<10	70	6	5	<1	198	8	124	10	<10	7	133	55
184127	0906419	0.055	<1	1.56	55	16	<2	29	1.24	5	3	6	473	11	16.79	12	<1	3	<1	<1	0.48	1	2	2.01	5071	16	<1	13	410	27	36	0.39	7	<1	<5	<10	70	7	8	<1	194	8	244	6	<10	9	65	57
184128	0906420	<0.005	<1	0.18	5	789	<2	13	0.52	<4	23	6	701	5	1.80	13	5	3	<1	<1	0.34	8	13	0.28	350	3	5	12	358	30	96	0.08	<5	<1	<5	<10	228	2	<1	8	1536	12	<20	18	<10	4	43	86
184129	0906421	0.078	<1	2.10	431	39	<2	9	1.33	4	3	7	501	11	14.75	12	1	4	<1	<1	0.43	<1	4	1.86	4156	15	<1	18	416	24	68	0.44	6	1	<5	<10	80	5	7	<1	237	18	176	8	<10	9	74	91
184130	0906422	0.473	<1	2.69	2592	55	2	28	2.05	5	9	50	526	85	16.49	16	5	4	<1	<1	0.36	1	6	1.88	4066	20	2	62	450	31	54	4.33	6	3	<5	<10	87	7	8	<1	248	20	135	17	<10	10	177	126
184131D	0906422	0.523	<1	1.63	2606	38	2	28	1.94	5	8	51	522	85	16.49	13	4	2	<1	<1	0.30	2	2	1.89	4047	17	1	58	439	32	30	4.48	9	3	<5	<10	76	7	11	<1	207	28	121	16	<10	9	175	50
184132	0906423	0.206	<1	1.56	312	59	<2	18	3.91	<4	28	13	347	35	12.56	10	<1	2	<1	<1	0.28	<1	2	2.04	4232	9	4	65	459	23	54	0.82	14	3	<5	<10	99	6	4	<1	221	15	28	25	<10	9	47	27
184133	0906424	1.327	<1	3.02	4557	87	2	23	2.83	4	15	28	243	122	15.28	15	<1	3	<1	<1	0.46	1	8	2.19	4041	13	8	56	352	28	65	2.76	7	7	<5	<10	93	7	10	<1	264	14	78	59	<10	9	101	60
184134	0906425	1.019	<1	2.88	2855	85	2	27	3.12	4	23	20	239	101	14.79	13	<1	5	<1	<1	0.67	<1	8	2.18	4320	13	7	55	310	24	51	1.97	6	6	<5	<10	97	8	4	<1	269	<2	131	53	<10	9	88	72

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142801
Reference:
Sample #: 143

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184135	0906426	1.834	<1	1.62	9626	20	<2	35	2.53	4	13	12	552	122	13.99	9	<1	3	<1	<1	0.45	<1	2	1.87	3509	12	2	41	205	25	40	3.27	9	2	<5	<10	82	5	8	<1	189	15	120	10	<10	8	87	47
184136	0906427	0.230	<1	1.84	393	37	<2	11	2.74	<4	23	8	684	29	10.66	9	<1	3	<1	<1	0.42	<1	4	1.74	3612	10	2	27	132	22	23	1.68	6	2	<5	<10	84	7	2	<1	215	9	36	12	<10	8	160	77
184137	0906428	0.177	<1	1.32	794	17	<2	14	3.36	<4	23	6	560	25	10.84	8	1	3	<1	<1	0.40	<1	3	1.73	3309	9	2	25	201	21	57	1.50	5	2	<5	<10	88	6	5	<1	201	<2	29	8	<10	8	52	60
184138	0906429	0.976	<1	1.47	4241	15	<2	17	2.27	<4	12	5	684	24	9.70	8	2	2	<1	<1	0.36	<1	3	1.44	2738	9	<1	19	324	17	51	1.26	6	1	<5	<10	82	5	6	<1	193	7	31	5	<10	8	38	62
184139	0906430	3.078	<1	0.93	15914	18	<2	<1	2.61	<4	14	17	392	34	7.73	6	4	3	1	<1	0.36	<1	2	1.25	2365	8	<1	29	252	21	70	2.60	15	2	<5	<10	83	5	6	<1	200	8	<20	7	<10	7	86	63
184140	0906431	0.795	<1	0.64	2613	108	2	11	1.66	5	6	26	177	90	11.23	13	2	2	<1	<1	0.20	<1	2	1.04	2617	13	2	69	207	33	29	5.99	9	3	<5	<10	74	5	7	<1	253	6	69	36	<10	6	578	38
184141	0906432	0.125	<1	1.46	1801	80	2	25	1.61	6	6	28	325	176	16.07	13	<1	2	<1	<1	0.08	<1	<1	1.62	3782	17	2	88	371	45	29	7.09	10	4	<5	<10	65	6	8	<1	221	29	165	27	<10	7	683	13
184142D	0906432	0.179	<1	1.70	1700	86	2	22	1.66	6	5	28	318	181	16.45	14	<1	2	<1	<1	0.15	<1	1	1.67	3911	18	1	89	376	45	49	7.11	12	4	<5	<10	68	7	7	1	230	32	234	27	<10	8	708	29
184143	0906433	0.094	<1	1.67	916	22	<2	10	3.05	<4	19	13	221	31	10.38	9	1	3	<1	<1	0.28	<1	4	1.79	3330	8	2	28	238	21	54	1.49	<5	2	<5	<10	86	6	4	<1	200	20	<20	9	<10	8	93	66
184144	0906434	0.142	<1	1.35	346	15	2	12	2.78	<4	16	10	370	18	11.92	8	<1	2	<1	<1	0.33	<1	2	1.87	2812	8	2	74	230	24	66	2.30	6	2	<5	<10	72	6	5	<1	180	9	80	8	<10	8	62	33
184145	0906435	0.148	<1	1.47	781	21	<2	15	3.05	<4	20	8	327	18	11.33	7	<1	3	<1	<1	0.51	<1	3	1.85	2884	7	1	61	207	24	41	2.16	6	2	<5	<10	78	5	<1	191	10	55	7	<10	8	56	53	
184146	0906436	<0.005	<1	1.20	34	9	<2	25	2.52	<4	15	5	554	7	9.82	5	5	2	<1	<1	0.40	<1	<1	1.64	2589	7	<1	35	161	19	45	0.29	5	1	<5	<10	67	2	6	<1	181	4	<20	3	<10	8	39	39
184147	0906437	<0.005	<1	1.30	20	16	<2	11	1.99	<4	9	7	589	6	11.64	10	2	3	<1	<1	0.22	<1	3	1.49	3074	11	<1	47	152	17	34	0.34	5	<1	<5	<10	71	5	6	<1	213	7	62	4	<10	9	37	68
184148	0906438	0.009	<1	1.67	40	24	<2	17	2.25	<4	14	5	444	8	10.50	6	<1	3	<1	<1	0.31	<1	3	1.47	2662	10	<1	28	148	22	46	0.51	<5	1	<5	<10	71	3	2	<1	202	9	36	5	<10	8	40	74
184149	0906439	0.007	<1	1.93	17	28	2	23	2.54	5	10	4	166	4	17.31	14	<1	4	<1	<1	0.25	<1	3	2.10	6143	16	2	16	124	25	59	0.33	7	1	<5	<10	73	9	6	<1	199	47	166	5	<10	9	47	74
184150	0906440	5.458	<1	1.67	278	184	<2	16	2.01	<4	25	118	146	1537	6.98	14	3	2	<1	<1	0.10	4	2	0.98	695	10	11	1299	485	697	108	2.14	6	6	<5	<10	144	4	6	<1	2922	2	<20	87	33	10	416	11
184151	0906441	<0.005	<1	<0.01	11	27	2	30	1.44	6	5	4	223	8	23.92	17	<1	3	<1	<1	<0.01	<1	2	1.66	7734	28	<1	20	139	38	3	0.20	6	<1	<5	<10	67	11	11	<1	201	15	302	7	<10	8	64	19
184152	0906442	<0.005	<1	1.59	17	31	<2	30	1.26	<4	5	4	440	5	11.63	11	<1	4	<1	<1	0.27	<1	4	1.29	3445	15	<1	15	114	22	39	0.31	5	<1	<5	<10	76	4	9	<1	224	9	69	4	<10	7	36	119
184153D	0906442	0.013	<1	1.76	11	29	<2	17	1.26	<4	3	4	427	6	11.73	9	<1	3	1	<1	0.44	<1	4	1.38	3436	13	<1	16	113	24	52	0.32	8	<1	<5	<10	71	6	4	1	209	10	82	4	<10	7	34	94
184154	0906443	0.025	<1	1.62	90	24	<2	14	1.50	<4	6	4	194	7	9.22	8	6	3	<1	<1	0.33	<1	4	1.26	2202	10	<1	19	135	17	58	0.49	6	<1	<5	<10	71	2	4	<1	209	4	<20	4	<10	7	30	92

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142801
Reference:
Sample #: 143

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184155	0906444	0.124	<1	1.26	838	15	<2	12	1.49	<4	7	7	517	14	9.45	7	2	2	1	<1	0.46	<1	2	1.26	2438	9	1	24	146	16	52	0.83	5	1	<5	<10	67	4	3	<1	189	3	26	6	<10	7	42	49
184156	0906445	0.061	<1	1.75	90	20	2	15	1.25	4	7	5	377	58	11.62	7	<1	3	<1	<1	0.48	<1	2	1.58	3707	10	1	24	136	24	32	1.13	6	2	<5	<10	66	5	4	<1	185	13	32	13	<10	8	186	35
184157	0906446	0.039	<1	1.15	261	4	<2	6	1.81	<4	11	3	179	6	9.27	4	<1	2	<1	<1	0.31	<1	<1	1.61	2796	4	<1	11	125	15	52	0.20	<5	1	<5	<10	64	5	9	<1	165	9	25	2	<10	7	43	19
184158	0906447	0.175	<1	1.17	793	4	2	23	2.50	4	12	9	598	55	16.64	11	<1	2	<1	<1	0.24	<1	<1	2.37	5037	14	2	28	881	29	33	1.77	7	1	<5	<10	71	9	8	1	171	6	168	4	<10	9	71	21
184159	0906448	0.212	<1	1.79	1225	70	2	14	1.11	4	3	39	358	158	12.82	12	<1	2	<1	<1	0.36	<1	4	1.34	3608	15	1	74	189	31	57	5.53	8	4	<5	<10	68	6	10	<1	231	5	145	26	<10	7	353	45
184160	0906449	0.471	<1	0.68	595	64	2	4	1.21	4	6	26	245	78	7.81	9	1	3	<1	<1	0.19	<1	4	0.86	1923	11	<1	46	222	19	32	3.27	5	2	<5	<10	72	2	3	<1	236	7	<20	18	10	5	519	75
184161	0906450	<0.005	<1	1.54	5	861	<2	3	0.77	<4	38	6	348	6	1.50	16	<1	3	<1	<1	0.11	14	15	0.32	252	2	4	9	427	35	72	0.08	<5	<1	10	<10	287	1	4	9	1407	3	<20	19	<10	5	49	104
184162	0906451	0.033	<1	1.71	445	21	<2	13	1.39	<4	9	4	427	7	10.12	8	<1	2	<1	<1	0.28	<1	3	1.49	3353	10	<1	13	136	16	32	0.26	<5	<1	<5	<10	73	3	4	<1	204	7	64	3	<10	7	42	78
184163	0906452	0.024	<1	0.98	25	14	<2	11	3.17	4	19	6	447	33	12.76	8	<1	3	<1	<1	0.29	<1	1	2.15	4225	9	1	22	158	22	34	0.55	5	2	<5	<10	70	6	9	<1	177	7	54	6	<10	8	165	18
184164D	0906452	0.026	<1	1.20	29	18	<2	18	3.27	4	22	6	452	34	13.04	10	<1	2	<1	<1	0.29	<1	2	2.17	4288	11	2	22	164	24	41	0.59	6	2	<5	<10	75	7	7	<1	186	23	70	6	<10	8	173	33
184165	0906453	0.204	<1	2.17	1778	103	2	16	1.56	6	11	30	375	56	11.07	10	<1	3	<1	<1	0.52	2	3	1.53	3662	11	4	65	167	22	71	2.21	6	5	<5	<10	75	5	7	<1	259	11	75	32	10	7	872	55
184166	0906454	2.010	<1	0.82	16339	6	<2	16	0.67	<4	<1	10	584	47	9.39	7	<1	<1	<1	<1	0.34	<1	<1	1.07	2074	10	<1	37	157	21	60	2.78	11	1	<5	<10	58	6	6	<1	168	<2	93	7	<10	6	67	13
184167	0906455	1.819	<1	1.81	14918	14	<2	20	0.85	<4	<1	11	582	55	10.43	7	2	2	<1	<1	0.46	<1	4	1.20	2329	12	<1	37	175	20	53	3.10	11	1	<5	<10	68	3	6	2	194	3	111	8	<10	7	72	64
184168	0906456	0.774	<1	1.02	9842	14	<2	3	0.94	<4	3	17	552	76	8.78	6	2	1	<1	<1	0.38	<1	1	1.01	1860	10	<1	44	121	20	46	3.33	9	1	<5	<10	63	2	5	<1	191	4	46	8	<10	6	81	38
184169	0906457	0.386	<1	3.57	1591	49	<2	28	2.23	4	11	7	362	18	14.69	14	6	6	<1	<1	0.47	<1	7	1.92	5192	20	<1	27	368	27	61	1.18	6	1	<5	<10	98	8	4	<1	262	47	131	6	<10	10	66	191
184170	0906458	0.388	<1	1.74	160	40	<2	17	2.39	4	15	30	376	23	11.95	8	<1	3	<1	<1	0.40	<1	2	1.81	3518	9	2	22	340	28	57	2.13	8	3	<5	<10	74	5	6	1	200	13	55	14	<10	8	158	43
184171	0906459	0.120	<1	1.78	1403	17	<2	26	2.34	<4	16	4	413	8	11.43	9	<1	2	<1	<1	0.36	<1	3	1.68	2933	11	<1	21	161	20	59	0.57	5	1	<5	<10	70	4	8	<1	192	11	59	5	<10	8	41	64
184172	0906460	0.159	<1	0.87	292	11	2	6	1.81	4	8	6	437	17	13.18	9	<1	1	<1	<1	0.25	<1	<1	1.71	3133	10	2	18	209	22	34	0.85	6	2	<5	<10	62	6	3	<1	163	<2	103	9	<10	7	102	<1
184173	0906461	0.030	<1	0.99	45	5	2	11	2.12	<4	12	4	484	14	10.11	6	<1	<1	<1	<1	0.31	2	<1	1.56	2489	8	<1	20	121	20	29	0.37	6	1	<5	<10	65	4	4	<1	164	5	34	5	<10	7	44	12
184174	0906462	0.191	<1	0.47	1096	37	<2	<1	3.09	4	19	13	333	61	12.61	6	<1	1	<1	<1	0.15	1	<1	2.03	3187	6	3	34	133	30	43	2.76	7	3	<5	<10	65	6	9	<1	160	<2	75	13	<10	7	132	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142801
Reference:
Sample #: 143

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184175D	0906462	0.233	<1	0.83	1057	41	<2	19	3.14	4	16	14	343	60	12.63	9	<1	1	<1	<1	0.12	<1	<1	2.04	3208	7	3	33	136	31	64	2.77	6	3	<5	<10	69	4	7	<1	171	4	57	13	<10	7	133	<1
184176	0906463	0.314	<1	1.22	211	17	<2	20	2.10	<4	14	7	384	31	12.76	9	<1	2	<1	<1	0.26	1	<1	2.01	3902	8	1	23	156	20	25	1.91	6	1	<5	<10	66	3	6	<1	169	3	65	7	<10	7	71	11
184177	0906464	0.268	<1	0.57	2698	<1	2	27	2.49	4	12	9	504	20	14.42	7	<1	1	<1	<1	0.21	<1	<1	2.14	4366	10	1	26	250	23	16	1.33	6	1	<5	<10	62	6	8	<1	148	14	99	5	<10	7	62	<1
184178	0906465	0.425	<1	0.85	4161	3	<2	6	2.38	<4	13	11	429	14	11.77	9	<1	2	<1	<1	0.19	<1	<1	1.87	3486	8	<1	26	218	21	36	1.18	7	1	<5	<10	66	4	5	<1	157	17	31	6	<10	7	56	<1
184179	0906466	0.069	<1	0.51	461	14	<2	10	1.78	<4	10	11	523	57	9.85	6	<1	<1	<1	<1	0.21	<1	<1	1.55	2710	7	1	37	144	17	40	3.01	7	2	<5	<10	56	3	3	<1	152	7	76	11	<10	6	81	<1
184180	0906467	0.017	<1	0.47	41	<1	<2	<1	1.48	<4	8	6	524	11	10.58	5	<1	<1	<1	<1	0.19	<1	<1	1.57	2992	8	1	35	102	18	20	0.55	5	2	<5	<10	57	5	4	<1	149	<2	89	5	<10	6	49	<1
184181	0906468	0.034	<1	0.62	56	<1	<2	11	1.23	<4	7	3	614	7	8.01	3	<1	<1	<1	<1	0.14	<1	<1	1.20	1932	6	<1	17	148	18	46	0.35	<5	<1	<5	<10	57	3	3	<1	153	<2	61	4	<10	6	34	<1
184182	0906469	0.126	<1	0.06	615	<1	<2	4	1.32	<4	8	3	573	7	5.47	<1	2	<1	<1	<1	0.10	<1	<1	0.99	1385	1	<1	20	<100	10	54	0.65	<5	<1	<5	<10	53	2	<1	<1	137	5	<20	4	<10	5	25	<1
184183	0906470	13.886	4	3.52	27	289	<2	9	2.58	<4	26	27	86	141	4.55	14	4	<1	<1	<1	<0.01	<1	<1	1.33	646	4	15	44	707	32	567	1.01	<5	11	14	<10	151	4	7	<1	4031	6	<20	110	<10	15	155	<1
184184	0906471	0.058	<1	0.15	77	<1	<2	19	2.16	<4	15	5	612	9	8.36	4	<1	1	<1	<1	0.06	<1	<1	1.46	2382	5	1	29	<100	15	27	0.65	<5	2	<5	<10	61	4	7	<1	149	7	42	7	<10	6	39	<1
184185	0906472	0.023	<1	0.72	8	<1	<2	8	1.46	<4	7	3	515	5	9.13	4	<1	1	<1	<1	0.02	<1	<1	1.37	2273	7	<1	21	124	16	32	0.23	<5	1	<5	<10	59	4	2	<1	155	8	44	3	<10	6	36	<1
184186R	0906472	0.028	<1	<0.01	11	<1	<2	4	1.29	<4	7	3	476	4	9.12	2	<1	<1	<1	<1	0.28	<1	<1	1.31	2296	5	<1	19	130	13	33	0.23	<5	1	<5	<10	50	4	8	<1	130	9	41	3	<10	6	35	<1
184187	0906473	0.307	<1	<0.01	153	<1	<2	10	1.25	<4	4	5	525	8	11.38	2	<1	<1	<1	<1	0.12	<1	<1	1.60	3075	6	<1	28	159	20	36	0.56	<5	1	<5	<10	48	5	4	<1	120	4	74	4	<10	5	46	<1
184188	0906474	0.072	<1	2.55	74	111	2	10	2.88	<4	27	16	231	97	8.04	10	1	<1	<1	<1	0.26	2	3	1.61	2192	1	8	37	290	17	67	0.35	<5	7	<5	<10	92	4	3	<1	233	16	50	68	<10	7	67	<1
184189	0906475	0.271	<1	3.44	359	297	2	3	3.81	<4	41	31	48	232	6.56	15	2	<1	<1	<1	0.13	<1	7	1.33	1244	<1	17	54	552	13	40	0.39	<5	10	5	<10	129	3	<1	<1	323	5	<20	149	<10	7	84	<1
184190	0906476	0.011	<1	3.58	150	271	<2	22	4.41	<4	47	48	44	243	7.70	16	2	1	<1	<1	0.13	<1	9	1.70	1470	<1	19	98	564	14	28	0.30	<5	12	<5	<10	131	6	<1	<1	300	9	<20	151	<10	7	107	<1
184191	0906477	0.007	<1	0.64	23	16	<2	<1	1.65	<4	11	12	707	31	9.54	3	<1	<1	<1	<1	0.26	2	<1	1.46	2515	5	2	47	144	16	44	0.33	<5	3	<5	<10	59	5	5	3	161	2	69	20	<10	6	56	<1
184192	0906478	<0.005	<1	0.08	17	<1	<2	13	1.43	<4	7	8	563	10	10.56	3	<1	<1	<1	<1	0.14	<1	<1	1.51	2606	5	1	32	178	15	55	0.17	5	2	<5	<10	53	5	7	<1	135	4	70	10	<10	6	55	<1
184193	0906479	0.007	<1	0.01	19	<1	<2	7	1.97	<4	10	14	423	14	12.28	6	<1	<1	<1	<1	0.04	<1	<1	1.85	2906	6	3	59	226	21	23	0.94	<5	5	<5	<10	55	6	9	<1	134	4	95	16	<10	6	76	<1
184194	0906480	<0.005	<1	3.26	<2	852	<2	5	0.80	<4	78	7	616	7	2.14	13	<1	2	<1	<1	<0.01	37	12	0.44	318	<1	5	12	512	35	74	0.06	<5	2	8	<10	270	<1	4	17	1446	3	<20	21	<10	8	48	39

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, August 9, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 07/28/2011
Date Completed: 08/08/2011
Job #: 201142801
Reference:
Sample #: 143

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg ppm	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S ppm	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
184195	0906481	0.084	<1	2.07	52	142	<2	16	2.69	4	23	61	241	168	8.00	15	1	1	1	<1	<0.01	<1	7	1.20	1442	4	7	142	283	25	12	4.11	5	7	<5	<10	99	4	5	<1	248	2	23	58	<10	6	686	<1
184196	0906482	0.007	<1	3.14	101	123	<2	14	3.68	<4	55	40	225	177	3.93	14	4	<1	<1	<1	0.09	<1	10	1.06	604	<1	33	84	419	8	53	0.52	<5	23	14	<10	125	5	<1	<1	236	4	<20	265	<10	5	56	<1
184197D	0906482	0.007	<1	2.69	99	97	<2	6	3.60	<4	54	39	189	183	3.74	11	3	<1	1	<1	0.07	<1	6	1.07	572	<1	27	84	408	7	68	0.43	<5	22	7	<10	109	2	<1	<1	208	11	<20	222	<10	5	48	<1
184198	0906483	0.006	<1	2.29	74	54	<2	<1	4.07	<4	64	37	175	178	4.38	9	<1	<1	<1	<1	0.08	<1	6	1.16	686	<1	24	74	443	8	47	0.26	<5	26	5	<10	98	4	<1	<1	174	7	<20	199	<10	6	78	<1
184199	0906484	0.005	<1	2.37	64	78	<2	21	3.88	<4	59	42	256	186	4.36	18	5	<1	<1	<1	<0.01	<1	14	0.85	845	<1	33	78	440	9	39	0.33	<5	22	11	<10	130	5	<1	<1	231	10	<20	275	<10	5	81	<1
184200	0906485	0.006	<1	2.82	69	75	<2	12	4.00	<4	60	45	206	188	4.50	15	6	<1	<1	<1	0.14	<1	13	0.92	874	<1	30	80	443	10	58	0.38	<5	24	10	<10	125	5	<1	<1	224	6	<20	261	<10	5	83	<1
184201	0906486	<0.005	<1	2.83	41	35	<2	15	5.20	<4	37	47	155	147	10.55	15	<1	<1	<1	<1	0.21	<1	16	1.58	3615	3	23	106	342	16	44	2.07	5	23	<5	<10	100	6	1	<1	210	9	<20	192	<10	6	161	<1
184202	0906487	0.005	<1	2.89	104	60	<2	11	4.27	<4	64	54	201	182	4.38	10	<1	<1	<1	<1	0.05	<1	12	1.00	1043	<1	25	131	399	8	49	0.47	<5	22	7	<10	119	4	<1	<1	197	6	<20	205	<10	5	75	<1
184203	0906488	0.005	<1	2.59	109	59	<2	12	5.29	<4	43	50	179	141	5.76	12	<1	<1	<1	<1	0.02	<1	13	1.52	1785	<1	27	126	373	12	71	0.41	<5	23	6	<10	121	6	<1	<1	198	5	24	213	<10	5	114	<1
184204	0906489	0.008	<1	2.44	37	2	<2	20	6.81	4	50	34	117	129	14.72	11	<1	<1	<1	<1	0.11	<1	16	2.34	6600	5	18	86	235	20	30	1.86	<5	19	<5	<10	81	10	2	<1	197	18	29	140	<10	6	196	<1
184205	0906490	0.007	<1	2.22	57	<1	<2	12	5.30	<4	35	45	152	115	11.48	13	<1	<1	<1	<1	<0.01	<1	13	1.80	4465	1	22	95	290	19	30	0.85	<5	23	<5	<10	84	6	<1	<1	173	9	25	179	<10	5	149	<1
184206	0906491	0.040	<1	2.53	56	12	<2	11	4.22	<4	36	54	164	125	8.22	15	<1	<1	<1	<1	<0.01	<1	13	1.31	2609	<1	27	119	362	11	58	0.57	<5	25	<5	<10	97	5	<1	<1	189	5	23	224	<10	5	101	<1
184207	0906492	0.012	<1	2.04	49	3	<2	4	4.33	<4	52	48	159	142	5.60	8	<1	<1	<1	<1	0.05	<1	8	1.07	1482	<1	20	112	371	11	43	0.37	<5	19	<5	<10	88	2	<1	<1	150	<2	<20	170	<10	5	78	<1
184208D	0906492	0.009	<1	2.49	53	18	<2	12	4.57	<4	69	51	184	150	5.85	11	<1	<1	<1	<1	<0.01	<1	13	1.03	1540	<1	25	116	391	8	31	0.41	<5	19	<5	<10	110	5	<1	<1	183	2	33	204	<10	5	86	<1
184209	0906493	<0.005	<1	2.38	43	38	<2	16	4.10	<4	36	56	234	163	5.56	17	<1	<1	<1	<1	<0.01	<1	19	0.72	1714	<1	29	107	414	11	41	0.67	<5	15	6	<10	135	6	<1	<1	221	7	<20	255	<10	4	60	<1
184210	0906494	<0.005	<1	2.87	61	43	<2	4	4.46	<4	62	62	190	157	4.49	14	1	<1	<1	<1	0.03	<1	17	0.76	1246	<1	26	138	426	8	50	0.40	<5	16	8	<10	132	5	<1	<1	217	3	28	220	<10	5	56	<1
184211	0906495	0.005	<1	2.67	71	39	<2	12	4.27	<4	38	65	186	147	3.99	12	1	<1	<1	<1	0.02	<1	15	0.70	1116	<1	24	138	399	8	61	0.46	<5	16	<5	<10	128	4	<1	<1	201	10	29	204	<10	5	47	<1

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Thursday, April 28, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/12/2011
Date Completed: 04/18/2011
Job #: 201141435
Reference: Extra Sample
Sample #: 1

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
100891	825712	<0.005	<1	15.36	6	88	<2	6	8.78	4	31	37	182	129	6.05	22	29	4	<1	<1	1.76	<1	56	2.67	1903	41	27	69	346	10	<1	0.14	<5	32	<5	<10	174	5	<1	<1	1070	9	<20	232	<10	26	72	169
100892D	825712	<0.005	1	15.60	7	88	<2	11	8.40	4	26	34	174	118	5.76	21	28	4	<1	<1	1.84	<1	55	2.62	1814	45	27	66	337	13	<1	0.12	<5	30	<5	<10	172	4	<1	<1	1022	8	32	219	<10	26	70	189

PROCEDURE CODES: ALP2, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1045 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com
assay@accurassay.com

Wednesday, March 16, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875

Date Received: 03/09/2011
Date Completed: 03/11/2011
Job #: 201140956
Reference: 201140786
Sample #: 1

Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

ACC #	Client ID	Au Grav oz/t	Au Gr% g/t(ppr)
68725	088539	0.131	4.50

PROCEDURE CODES: ALFA7

Certified By:  Derek Demuthuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95313	081619	<0.005	1	7.32	7	42	<2	7	11.02	4	38	39	169	127	7.54	16	<1	<1	<1	<1	1.18	<1	38	2.32	1930	3	22	130	237	11	<1	0.23	<5	27	5	<10	64	7	<1	2	212	<2	36	181	<10	7	77	<1
95314	081620	<0.005	<1	4.75	3	390	<2	6	0.83	<4	58	5	330	13	1.36	4	<1	<1	<1	2	1.14	31	27	0.39	217	8	3	11	265	22	55	0.03	<5	3	<5	<10	89	<1	4	19	726	<2	<20	18	<10	5	34	<1
95315	081621	0.021	<1	6.28	19	49	<2	14	9.79	<4	21	39	180	127	5.54	10	<1	<1	1	3	1.26	<1	30	1.95	1488	2	18	122	220	8	6	0.22	<5	22	<5	<10	60	4	<1	<1	150	5	20	145	<10	6	66	<1
95316	081622	<0.005	<1	6.46	21	46	<2	12	10.24	<4	24	40	166	130	6.11	10	<1	<1	<1	<1	1.29	<1	31	2.48	1463	<1	21	130	216	8	21	0.21	<5	25	<5	<10	63	6	<1	<1	210	6	27	161	<10	6	68	<1
95317	081623	0.006	<1	6.33	29	41	<2	9	10.02	<4	39	44	171	134	6.76	10	<1	<1	<1	<1	1.13	<1	32	2.33	1521	1	20	154	227	10	20	0.27	<5	26	<5	<10	62	5	<1	<1	191	<2	22	167	<10	5	119	<1
95318	081624	<0.005	<1	6.28	31	45	<2	19	10.07	<4	31	46	165	142	6.23	10	<1	<1	<1	5	1.26	<1	31	1.87	1438	3	19	182	219	10	35	0.40	<5	24	5	<10	62	3	<1	<1	158	10	33	154	<10	5	97	<1
95319	081625	<0.005	<1	5.28	35	33	<2	16	9.56	<4	21	47	157	137	6.06	7	<1	<1	<1	2	0.88	<1	27	1.75	1374	3	18	181	220	10	<1	0.40	<5	24	<5	<10	54	5	<1	<1	117	2	40	148	<10	5	91	<1
95320	081626	<0.005	<1	6.92	35	56	<2	7	12.37	<4	32	40	165	125	6.02	12	<1	<1	<1	3	1.41	<1	34	1.99	1790	2	18	125	233	12	<1	0.25	<5	21	<5	<10	85	5	<1	<1	188	<2	38	143	<10	6	85	<1
95321	081627	0.006	<1	6.25	20	44	<2	5	9.36	<4	21	39	164	139	6.34	10	<1	<1	<1	2	1.23	<1	30	1.77	1414	4	17	120	237	9	5	0.38	<5	22	<5	<10	63	5	<1	<1	158	<2	35	145	<10	5	67	<1
95322	081628	0.005	<1	6.84	20	53	<2	13	10.83	<4	43	44	160	130	6.42	11	<1	<1	<1	3	1.46	<1	33	1.86	1553	4	19	132	228	10	17	0.33	<5	21	<5	<10	71	5	<1	<1	196	<2	32	149	<10	6	77	<1
95323D	081628	0.006	<1	6.70	15	47	<2	6	11.24	<4	33	43	162	137	6.60	8	<1	<1	<1	4	1.29	<1	33	1.93	1613	4	20	137	235	9	48	0.35	<5	22	<5	<10	68	5	<1	<1	176	2	42	150	<10	6	78	<1
95324	081629	<0.005	<1	7.32	22	52	<2	15	9.77	<4	25	43	168	129	6.14	12	<1	<1	<1	3	1.45	<1	35	2.02	1439	2	19	135	234	9	6	0.22	<5	22	<5	<10	66	4	1	<1	194	<2	52	154	<10	6	70	<1
95325	081630	<0.005	<1	6.69	7	47	<2	9	9.62	<4	20	41	172	130	6.85	12	<1	<1	<1	4	1.29	<1	31	1.79	1598	5	19	112	230	8	25	0.45	<5	21	5	<10	65	5	<1	<1	174	<2	<20	158	<10	6	84	<1
95326	081631	<0.005	<1	6.30	29	56	<2	4	11.12	<4	24	40	154	117	4.97	9	<1	<1	<1	<1	1.34	<1	27	1.51	1344	3	17	110	202	4	30	0.25	<5	20	<5	<10	77	5	<1	<1	173	4	46	132	<10	6	58	<1
95327	081632	<0.005	<1	6.18	28	68	<2	17	9.51	<4	37	41	191	118	4.50	7	<1	<1	<1	2	1.37	<1	25	1.26	1146	3	15	109	218	6	7	0.28	<5	18	<5	<10	78	4	<1	<1	176	8	31	133	<10	6	62	<1
95328	081633	<0.005	<1	5.48	31	55	<2	6	11.19	<4	30	43	179	124	4.96	8	<1	<1	<1	<1	1.01	<1	25	1.47	1374	1	16	118	206	6	33	0.23	<5	18	<5	<10	88	3	<1	<1	143	9	45	132	<10	5	68	<1
95329	081634	<0.005	<1	7.47	16	61	<2	6	10.80	<4	39	38	168	111	7.11	13	<1	<1	<1	1	1.56	<1	34	1.94	1805	5	20	111	181	9	<1	0.22	<5	22	<5	<10	84	6	<1	<1	267	<2	37	162	<10	6	92	<1
95330	081635	<0.005	<1	6.46	20	46	<2	10	12.40	<4	27	38	151	107	6.83	10	<1	<1	<1	<1	1.29	<1	30	1.84	1948	4	18	103	166	8	25	0.25	<5	21	<5	<10	89	6	<1	<1	213	4	41	147	<10	6	85	<1
95331	081636	<0.005	<1	7.77	<2	37	<2	10	11.99	5	18	37	157	109	10.68	15	<1	<1	<1	<1	1.25	<1	35	2.38	2588	8	24	103	168	10	23	0.26	6	28	<5	<10	70	7	1	<1	348	<2	<20	195	<10	8	132	<1
95332	081637	<0.005	<1	7.32	<2	40	<2	2	12.12	4	42	37	158	92	10.00	14	<1	<1	<1	<1	1.10	<1	32	2.28	2787	7	20	108	173	15	8	0.24	<5	24	<5	<10	72	8	3	<1	292	<2	<20	168	<10	7	117	<1

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95333	081638	0.018	<1	7.38	4	76	<2	4	11.56	<4	41	39	159	108	7.82	14	<1	<1	<1	2	1.40	<1	31	1.96	2277	5	20	114	177	12	35	0.27	5	22	<5	<10	86	6	2	<1	328	2	42	161	<10	7	104	<1
95334D	081638	0.011	<1	7.64	4	76	<2	15	12.18	<4	28	41	166	113	8.22	12	<1	<1	<1	<1	1.34	<1	32	2.06	2381	5	20	117	183	15	26	0.28	<5	24	<5	<10	90	7	<1	<1	312	<2	64	169	<10	7	105	<1
95335	081639	<0.005	<1	6.97	12	97	<2	6	9.58	<4	34	39	157	137	6.21	9	<1	<1	<1	<1	1.35	<1	28	1.82	1736	3	17	99	226	9	<1	0.23	<5	16	<5	<10	91	5	<1	<1	264	6	<20	135	<10	6	77	<1
95336	081640	5.805	3	6.32	301	169	<2	12	2.49	4	11	124	134	1609	6.41	11	<1	<1	<1	<1	1.10	3	15	1.23	628	13	9	1415	445	740	121	1.95	<5	10	<5	<10	104	3	6	5	2025	<2	<20	79	32	14	442	<1
95337	081641	<0.005	<1	6.74	8	84	<2	16	10.30	<4	22	38	155	140	7.94	11	<1	<1	<1	1	1.18	<1	28	2.06	2192	3	19	108	197	18	21	0.39	<5	21	<5	<10	99	7	1	<1	321	4	<20	156	<10	7	92	<1
95338	081642	<0.005	<1	6.82	10	23	<2	4	10.47	4	36	36	165	95	10.46	17	<1	<1	<1	<1	0.77	<1	31	2.97	2211	4	24	100	171	16	<1	0.81	<5	27	<5	<10	123	8	<1	<1	617	3	<20	183	<10	7	109	<1
95339	081643	<0.005	<1	6.82	9	26	<2	<1	5.55	<4	21	40	152	128	7.57	12	<1	<1	<1	<1	1.01	<1	34	3.15	1408	<1	23	100	235	11	<1	0.78	<5	24	<5	<10	70	5	1	<1	510	3	<20	185	<10	5	79	<1
95340	081644	<0.005	<1	7.37	16	33	<2	8	7.72	<4	31	39	203	125	5.96	14	<1	<1	<1	<1	1.20	<1	34	2.98	1558	<1	27	111	247	9	<1	0.31	<5	28	<5	<10	69	6	<1	<1	425	5	31	211	<10	7	85	<1
95341	081645	<0.005	<1	6.94	17	96	<2	11	8.56	<4	35	40	191	125	5.72	12	<1	<1	<1	<1	1.10	<1	31	2.66	1749	<1	23	112	216	8	<1	0.30	<5	24	<5	<10	97	5	<1	<1	349	<2	29	181	<10	6	68	<1
95342	081646	<0.005	<1	6.44	23	104	<2	9	11.37	<4	26	41	162	122	5.03	11	<1	<1	<1	<1	1.35	<1	26	1.87	1491	<1	18	111	203	6	15	0.29	<5	19	<5	<10	123	6	1	<1	288	8	46	143	<10	7	62	<1
95343	081647	<0.005	<1	7.38	19	99	<2	13	10.89	<4	40	39	156	119	6.32	11	<1	<1	<1	<1	1.35	<1	28	1.90	1745	4	17	109	204	10	12	0.24	<5	18	<5	<10	111	4	<1	<1	335	5	26	141	<10	7	89	<1
95344	081648	0.006	<1	7.51	13	100	<2	13	10.98	<4	38	39	157	119	6.36	11	<1	<1	<1	2	1.39	<1	28	1.90	1748	3	18	109	203	9	12	0.24	<5	19	<5	<10	111	4	<1	<1	344	7	26	141	<10	7	80	<1
95345D	081648	<0.005	<1	7.33	7	59	<2	10	9.50	<4	37	44	165	129	7.11	14	<1	<1	<1	<1	1.36	<1	32	2.21	1820	3	19	123	215	9	<1	0.21	<5	19	<5	<10	96	6	<1	<1	335	4	24	154	<10	7	100	<1
95346	081649	<0.005	<1	8.09	12	79	<2	9	9.85	<4	37	46	172	126	7.47	13	<1	<1	<1	2	1.45	<1	33	2.23	1907	5	20	125	206	12	3	0.30	<5	20	<5	<10	102	6	2	<1	362	3	28	163	<10	7	99	<1
95347	081650	<0.005	<1	5.46	<2	491	<2	4	0.97	<4	50	7	231	7	1.45	5	<1	<1	<1	<1	1.29	27	36	0.54	334	6	5	12	372	17	50	0.02	<5	2	<5	<10	176	<1	<1	18	1239	<2	<20	21	<10	10	47	<1
95348	081651	<0.005	<1	6.56	17	116	<2	5	10.96	<4	55	40	262	120	5.30	9	<1	<1	<1	<1	1.43	<1	26	2.33	1789	<1	16	116	605	8	23	0.29	<5	15	<5	<10	144	2	<1	<1	226	11	32	116	<10	9	77	<1
95349	081652	<0.005	<1	6.53	11	120	<2	<1	9.54	<4	42	42	277	124	5.45	12	<1	<1	<1	<1	1.48	<1	26	2.25	1699	<1	16	124	668	10	11	0.36	<5	17	<5	<10	209	5	<1	<1	228	2	27	131	<10	8	75	<1
95350	081653	<0.005	<1	7.12	13	120	<2	11	9.59	<4	24	48	171	145	6.62	12	<1	<1	<1	<1	1.49	<1	29	1.86	2050	4	18	122	255	11	<1	0.40	<5	18	<5	<10	112	5	4	<1	272	8	35	146	<10	7	90	<1
95351	081654	<0.005	<1	7.01	14	71	<2	8	11.94	<4	21	42	149	133	7.07	10	<1	<1	<1	3	1.46	<1	32	2.09	2393	4	19	111	210	12	<1	0.43	<5	19	<5	<10	115	5	<1	<1	241	<2	48	145	<10	7	89	<1
95352	081655	<0.005	<1	7.36	14	81	<2	13	11.55	<4	38	41	160	124	7.08	10	<1	<1	<1	3	1.48	<1	32	2.20	2347	5	20	112	213	10	8	0.34	<5	21	<5	<10	117	5	1	<1	269	<2	44	158	<10	7	92	<1

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95353	081656	<0.005	<1	7.40	4	63	<2	3	10.59	<4	38	40	158	116	7.00	12	<1	<1	<1	<1	1.40	<1	35	2.09	2094	5	20	108	209	11	10	0.26	<5	21	<5	<10	109	4	2	<1	308	3	<20	160	<10	7	88	<1
95354	081657	<0.005	<1	7.24	8	68	<2	5	9.39	<4	37	44	162	132	7.21	12	<1	<1	<1	4	1.32	<1	31	1.84	2049	5	20	100	259	11	<1	0.38	<5	23	<5	<10	105	6	2	<1	207	<2	32	166	<10	6	106	<1
95355	081658	<0.005	2	7.59	18	93	<2	10	8.18	<4	29	48	153	135	6.41	12	<1	<1	<1	1	1.44	<1	31	1.80	1877	5	21	97	321	11	8	0.22	<5	24	<5	<10	108	6	<1	<1	229	<2	38	185	<10	6	103	<1
95356D	081658	<0.005	<1	6.77	12	77	<2	16	8.20	<4	28	45	149	132	6.42	12	<1	<1	<1	1	1.34	<1	29	1.80	1879	4	20	98	321	7	31	0.22	<5	23	<5	<10	97	4	<1	<1	179	<2	25	177	<10	6	103	<1
95357	081659	<0.005	<1	6.62	8	56	<2	23	8.95	<4	34	46	145	125	7.98	14	<1	<1	<1	<1	1.25	<1	31	2.38	2198	4	22	97	285	13	<1	0.25	<5	24	<5	<10	84	5	<1	<1	179	4	22	174	<10	5	123	<1
95358	081660	<0.005	<1	7.18	12	85	<2	7	9.63	<4	34	39	150	103	7.53	12	<1	<1	<1	4	1.45	<1	32	2.48	2236	4	21	87	262	14	<1	0.21	<5	21	<5	<10	114	7	3	<1	237	4	<20	163	<10	6	109	<1
95359	081661	<0.005	<1	6.92	4	57	<2	14	13.01	<4	30	39	126	110	8.01	15	<1	<1	<1	2	1.37	<1	33	2.15	2625	5	21	91	217	12	13	0.35	<5	23	<5	<10	167	5	<1	<1	239	<2	36	168	<10	8	100	<1
95360	081662	<0.005	<1	6.67	2	65	<2	8	11.55	<4	34	35	124	116	7.66	12	<1	<1	<1	<1	1.40	<1	31	2.22	2478	4	19	75	279	15	<1	0.27	<5	20	<5	<10	120	7	<1	<1	192	<2	<20	148	<10	7	94	<1
95361	081663	<0.005	<1	7.14	9	88	<2	7	10.46	<4	22	36	135	111	6.61	13	<1	<1	<1	<1	1.45	<1	31	1.80	2150	5	18	79	306	10	<1	0.26	<5	20	<5	<10	108	5	<1	<1	207	<2	<20	161	<10	8	86	<1
95362	081664	<0.005	<1	6.52	13	97	<2	17	13.27	<4	45	37	134	104	5.87	9	<1	<1	<1	<1	1.35	<1	30	1.63	2014	4	19	100	274	10	32	0.31	<5	21	<5	<10	145	5	<1	<1	191	<2	23	150	<10	8	78	<1
95363	081665	<0.005	<1	6.26	14	88	<2	9	12.58	<4	41	38	131	104	5.77	11	<1	<1	<1	2	1.25	<1	29	1.61	1922	4	18	100	268	10	<1	0.30	<5	20	<5	<10	132	4	2	<1	187	4	64	144	<10	8	81	<1
95364	081666	0.005	<1	7.04	8	100	<2	3	8.32	<4	39	43	92	137	7.13	15	<1	<1	<1	<1	1.39	<1	35	2.06	1382	4	17	99	367	11	<1	0.40	5	16	<5	<10	100	7	<1	<1	295	<2	<20	144	<10	8	109	<1
95365	081667	<0.005	<1	7.05	<2	125	<2	18	9.38	<4	39	43	79	147	7.40	13	<1	<1	<1	1	1.29	<1	36	2.18	1719	4	17	83	366	12	<1	0.72	5	15	<5	<10	139	6	1	<1	367	<2	23	138	<10	9	101	<1
95366	081668	<0.005	<1	7.54	3	178	<2	12	10.76	<4	37	37	148	122	6.71	13	<1	<1	<1	<1	1.34	<1	33	1.74	2072	6	21	79	294	12	12	0.30	<5	21	<5	<10	152	7	<1	<1	363	<2	<20	176	<10	9	83	<1
95367D	081668	<0.005	<1	6.68	7	136	<2	10	10.61	<4	34	39	144	119	6.60	12	<1	<1	<1	<1	1.27	<1	30	1.70	2030	4	20	79	288	9	<1	0.29	<5	20	<5	<10	146	6	<1	<1	278	5	<20	168	<10	9	81	<1
95368	081669	<0.005	<1	5.99	3	54	<2	6	6.98	<4	71	42	731	65	5.35	12	<1	<1	<1	4	1.03	18	48	5.69	1110	<1	20	248	1982	13	<1	0.15	<5	12	<5	<10	135	3	2	6	360	8	<20	97	<10	11	75	<1
95369	081670	1.002	<1	7.19	<2	108	<2	20	3.65	<4	30	29	81	43	4.78	15	<1	<1	<1	<1	1.16	3	13	1.79	752	1	19	22	694	16	24	0.10	<5	16	<5	<10	139	3	1	6	4823	2	<20	146	<10	27	80	<1
95370	081671	0.006	<1	8.12	<2	52	<2	8	7.38	<4	37	36	263	121	7.03	15	<1	<1	<1	<1	1.34	<1	39	2.74	1691	2	26	78	721	13	<1	0.21	5	26	<5	<10	133	5	<1	<1	472	<2	38	219	<10	10	87	<1
95371	081672	<0.005	<1	8.20	<2	74	<2	15	8.22	<4	19	34	171	121	7.38	15	<1	<1	<1	1	1.32	<1	40	2.21	1794	6	25	65	320	12	5	0.23	<5	27	<5	<10	141	7	<1	<1	359	<2	39	218	<10	9	79	<1
95372	081673	<0.005	<1	7.20	5	138	<2	13	8.32	<4	31	43	162	138	6.64	14	<1	<1	<1	4	1.33	<1	37	2.11	1656	3	21	82	334	10	<1	0.21	<5	19	<5	<10	118	4	4	<1	235	3	<20	174	<10	8	90	<1

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag %	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95373	081674	<0.005	<1	5.61	<2	124	<2	6	8.48	<4	32	34	136	109	5.48	9	<1	<1	<1	<1	1.05	<1	30	1.65	1474	2	18	65	264	9	<1	0.35	<5	18	<5	<10	108	4	<1	<1	215	<2	31	152	<10	7	78	<1
95374	081675	<0.005	<1	8.77	9	196	<2	23	7.62	<4	31	44	190	142	6.49	17	<1	<1	<1	4	1.12	<1	39	1.94	1545	6	26	87	346	12	<1	0.20	<5	27	<5	<10	122	7	1	1	370	<2	<20	227	<10	8	85	<1
95375	081676	<0.005	<1	8.67	28	188	<2	14	6.72	<4	17	43	160	131	6.29	15	<1	<1	<1	<1	1.14	<1	31	1.94	1851	5	23	86	347	10	11	0.30	<5	24	<5	<10	159	6	<1	<1	411	4	<20	193	<10	7	91	<1
95376	081677	<0.005	1	6.21	18	110	<2	7	9.07	<4	31	36	102	104	6.69	10	<1	<1	<1	1	1.32	<1	25	2.72	2449	<1	15	77	271	12	<1	0.98	<5	18	<5	<10	174	5	1	<1	606	8	42	113	<10	6	76	<1
95377	081678	0.008	1	7.70	77	65	<2	8	6.09	<4	34	45	484	133	7.17	15	<1	<1	<1	<1	1.32	2	42	5.03	1420	<1	20	247	889	12	<1	1.89	<5	15	<5	<10	223	4	2	<1	672	11	<20	112	<10	9	85	<1
95378R	081678	0.007	<1	7.31	70	56	<2	8	5.94	<4	39	44	492	131	7.08	14	<1	<1	<1	3	1.35	3	42	5.09	1383	<1	19	248	903	13	<1	1.77	<5	14	<5	<10	216	3	1	1	707	5	<20	112	<10	9	86	<1
95379	081679	<0.005	1	6.89	30	203	<2	11	7.91	<4	27	41	102	132	6.53	14	<1	<1	<1	<1	1.27	<1	24	2.19	1680	4	16	90	343	11	<1	0.77	<5	17	<5	<10	149	4	2	<1	287	3	<20	117	<10	6	98	<1
95380	081680	<0.005	1	4.53	3	387	<2	<1	0.61	22	58	6	190	62	1.26	3	<1	<1	<1	2	1.10	31	27	0.39	190	8	3	7	378	34	56	0.36	<5	2	<5	<10	98	<1	<1	21	916	<2	<20	16	43	8	15	<1
95381	081681	0.005	<1	5.94	28	270	<2	7	8.02	<4	29	36	139	124	6.16	11	<1	<1	<1	<1	1.29	<1	18	1.13	2007	5	18	73	334	10	30	0.32	<5	22	<5	<10	116	5	<1	<1	216	<2	<20	166	<10	5	180	<1
95382	081682	<0.005	<1	5.71	58	125	<2	5	7.56	<4	79	40	557	58	4.83	8	<1	<1	<1	2	1.37	25	39	4.53	1165	<1	18	233	1399	9	<1	0.14	9	13	<5	<10	153	4	3	4	735	6	33	93	<10	9	91	<1
95383	081683	<0.005	<1	5.68	49	83	<2	4	7.41	<4	104	38	649	35	4.56	8	<1	<1	<1	<1	1.32	34	45	5.13	878	<1	18	249	1667	9	<1	0.12	7	11	<5	<10	141	2	<1	8	534	16	<20	80	<10	10	85	<1
95384	081684	<0.005	<1	5.00	84	111	<2	9	8.35	<4	114	34	549	24	4.43	8	<1	<1	<1	<1	1.30	38	33	4.68	987	<1	16	208	1757	8	<1	0.14	9	10	<5	<10	147	5	1	7	315	10	48	67	<10	11	72	<1
95385	081685	<0.005	1	4.92	126	109	<2	6	9.02	<4	110	35	560	27	4.64	5	<1	<1	<1	<1	1.26	36	32	4.80	1075	<1	15	244	1758	9	<1	0.15	10	10	<5	<10	154	3	4	7	263	10	60	68	<10	11	76	<1
95386	081686	<0.005	<1	6.41	200	242	<2	<1	8.19	<4	43	43	213	108	5.27	9	<1	<1	<1	<1	1.38	<1	18	2.63	1937	<1	19	180	537	9	<1	0.21	<5	19	<5	<10	138	4	<1	<1	257	2	<20	142	<10	6	78	<1
95387	081687	<0.005	<1	6.96	57	236	<2	13	7.04	<4	23	44	129	132	5.00	10	<1	<1	<1	<1	1.38	<1	19	1.75	1616	<1	19	103	332	6	10	0.28	<5	19	<5	<10	108	4	<1	<1	233	11	<20	151	<10	5	137	<1
95388	081688	<0.005	1	6.74	53	177	<2	8	10.06	<4	37	36	112	116	6.26	8	<1	<1	<1	<1	1.28	<1	20	1.66	2255	6	18	82	294	7	10	0.36	<5	21	<5	<10	114	5	<1	<1	248	4	26	143	<10	6	88	<1
95389D	081688	0.005	<1	6.28	56	169	<2	9	10.37	<4	37	35	108	126	6.26	10	<1	<1	<1	<1	1.24	<1	19	1.63	2409	5	17	82	288	12	<1	0.36	<5	21	<5	<10	109	4	1	<1	267	8	<20	138	<10	6	99	<1
95390	081689	<0.005	<1	6.96	55	168	<2	9	8.68	<4	27	41	111	122	5.72	12	<1	<1	<1	<1	1.16	<1	22	1.38	1896	7	17	89	325	10	7	0.34	<5	20	<5	<10	98	4	<1	<1	261	2	30	142	<10	6	91	<1
95391	081690	<0.005	<1	6.79	66	138	<2	9	9.99	<4	34	38	113	111	6.70	11	<1	<1	<1	<1	1.18	<1	22	1.80	2533	6	18	78	305	11	<1	0.34	5	22	<5	<10	100	6	1	<1	234	7	<20	142	<10	6	95	<1
95392	081691	<0.005	<1	6.39	100	135	<2	15	10.63	<4	31	35	110	113	6.30	9	<1	<1	<1	<1	1.39	<1	21	1.52	2506	4	17	76	265	9	16	0.40	<5	21	<5	<10	100	6	<1	<1	213	2	31	138	<10	7	89	<1

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95393	081692	0.005	<1	5.08	91	116	<2	10	10.74	<4	36	31	112	128	7.36	8	<1	<1	<1	<1	1.35	<1	19	1.76	3035	6	16	69	258	11	25	1.08	<5	20	<5	<10	106	6	<1	<1	163	<2	56	126	<10	7	107	<1
95394	081693	0.015	<1	5.23	105	113	<2	8	5.31	5	14	42	189	211	9.57	12	<1	<1	<1	<1	1.14	<1	20	1.45	1973	10	8	108	274	25	<1	6.84	9	11	5	<10	123	5	4	<1	167	<2	<20	78	<10	8	710	<1
95395	081694	0.077	1	4.93	229	89	2	22	1.84	8	<1	53	305	182	15.64	18	<1	<1	<1	<1	0.93	<1	18	0.82	998	25	2	125	135	66	6	>10.00	37	7	8	<10	49	6	11	<1	177	4	139	39	10	7	837	<1
95396	081695	0.062	1	4.34	210	102	2	13	1.68	8	<1	54	376	166	13.76	15	<1	<1	<1	<1	0.93	<1	15	0.72	883	23	3	123	139	58	9	>10.00	31	7	<5	<10	50	5	8	<1	157	<2	96	42	<10	8	1015	<1
95397	081696	0.059	1	4.21	269	93	2	20	1.91	8	<1	67	259	208	12.77	13	<1	<1	<1	<1	1.00	<1	17	0.81	1029	21	2	158	194	56	10	>10.00	27	8	<5	<10	52	7	8	2	137	<2	69	44	13	9	1248	<1
95398	081697	0.060	1	4.00	210	105	<2	20	2.60	7	<1	51	198	147	11.04	11	<1	<1	<1	<1	1.25	<1	12	1.12	1960	15	3	119	188	55	<1	>10.00	31	7	<5	<10	56	6	7	<1	136	<2	45	38	10	7	964	<1
95399	081698	0.101	2	4.27	298	94	2	28	1.16	9	<1	63	216	140	15.88	16	<1	<1	<1	<1	1.07	<1	17	0.71	822	26	2	143	152	73	15	>10.00	43	7	<5	<10	36	8	12	1	148	7	147	39	<10	7	918	<1
95400D	081698	0.103	1	4.57	302	92	2	18	1.17	9	<1	64	221	145	16.19	19	<1	<1	<1	<1	1.05	<1	17	0.72	819	26	2	146	153	73	22	>10.00	47	8	<5	<10	38	6	10	2	157	5	162	41	<10	7	921	<1
95401	081699	0.078	1	4.86	249	76	2	25	0.86	10	<1	56	284	123	19.55	21	<1	<1	<1	<1	0.97	<1	20	0.82	905	31	3	98	152	66	2	>10.00	36	7	<5	<10	30	7	17	<1	166	4	212	45	<10	6	513	<1
95402	081700	13.528	7	4.05	27	359	<2	13	1.69	<4	<1	21	54	135	3.44	5	<1	<1	<1	2	1.15	<1	10	0.85	418	12	8	38	435	29	228	0.90	<5	8	<5	<10	67	3	5	3	2704	<2	<20	74	<10	13	150	<1
95403	081701	0.041	<1	3.15	27	39	<2	8	0.79	6	<1	7	639	155	12.47	11	<1	<1	<1	<1	1.14	<1	12	0.86	2315	20	<1	63	299	24	<1	7.89	6	3	<5	<10	21	7	8	<1	129	7	110	21	<10	5	208	<1
95404	081702	0.022	<1	2.39	7	31	<2	16	1.59	6	<1	6	375	210	12.74	6	<1	<1	<1	<1	1.06	<1	9	0.96	3201	18	<1	53	498	23	<1	8.00	5	<1	<5	<10	28	5	8	<1	<100	<2	88	9	<10	5	119	<1
95405	081703	0.047	1	3.44	175	54	2	23	0.91	8	<1	43	565	71	17.34	17	<1	<1	<1	<1	1.16	<1	13	0.72	1284	28	1	67	139	54	4	>10.00	29	5	<5	<10	23	6	12	<1	117	9	180	29	<10	5	230	<1
95406	081704	0.059	1	3.44	452	64	2	19	0.30	8	<1	41	346	92	16.24	14	<1	<1	<1	<1	1.13	<1	13	0.52	832	28	1	63	243	47	16	>10.00	18	5	<5	<10	16	6	10	1	121	9	167	29	<10	5	284	<1
95407	081705	0.052	1	4.56	302	87	2	26	0.32	9	<1	47	509	81	18.28	20	<1	<1	<1	<1	0.97	<1	17	0.61	709	32	1	67	163	49	19	>10.00	24	7	<5	<10	21	7	11	<1	167	<2	186	43	<10	6	252	<1
95408	081706	0.022	1	3.44	55	54	2	11	0.36	7	<1	13	409	109	12.17	12	<1	<1	<1	<1	1.21	<1	13	0.84	2375	21	1	53	167	23	34	7.13	5	4	<5	<10	17	6	4	6	124	3	115	22	<10	5	538	<1
95409	081707	<0.005	<1	3.48	67	67	2	14	0.34	6	<1	12	653	104	12.84	11	<1	<1	<1	<1	1.13	<1	12	0.77	1854	22	2	60	199	25	30	7.66	6	4	<5	<10	16	6	8	<1	126	<2	96	28	<10	5	288	<1
95410	081708	<0.005	<1	2.94	129	42	<2	8	0.66	6	<1	11	367	40	13.06	11	<1	<1	<1	<1	1.20	<1	12	1.11	2869	20	<1	24	153	25	<1	4.02	<5	1	<5	<10	17	7	9	3	104	<2	125	13	<10	4	124	<1
95411D	081708	<0.005	<1	2.91	137	42	<2	11	0.65	6	<1	10	340	40	12.74	9	<1	<1	<1	<1	1.18	<1	11	1.09	2798	18	<1	22	151	23	<1	3.94	6	1	<5	<10	17	5	8	<1	104	<2	110	12	<10	4	121	<1
95412	081709	<0.005	<1	2.53	12	36	<2	8	1.41	5	<1	7	582	34	10.67	7	<1	<1	<1	<1	1.10	<1	9	1.18	2292	15	1	21	143	16	7	1.70	5	<1	<5	<10	23	7	7	<1	<100	<2	72	10	<10	4	74	<1

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95413	081710	1.007	<1	4.56	<2	72	<2	9	2.52	<4	19	24	68	39	3.96	7	<1	<1	<1	<1	1.27	3	10	1.36	619	1	14	20	633	12	28	0.09	<5	12	<5	<10	84	3	6	<1	3965	<2	<20	119	<10	23	65	<1
95414	081711	0.008	<1	2.97	5	51	<2	11	1.44	5	<1	7	371	37	11.55	6	<1	<1	<1	<1	1.31	<1	10	1.25	2518	19	1	18	345	19	24	2.40	5	<1	<5	<10	26	5	5	<1	151	<2	92	12	<10	5	169	<1
95415	081712	0.006	<1	2.49	34	39	<2	16	1.39	4	<1	4	596	19	10.31	5	<1	<1	<1	<1	1.17	<1	9	1.12	2034	16	1	14	129	20	5	1.72	<5	<1	<5	<10	23	6	3	<1	<100	<2	41	8	<10	4	54	<1
95416	081713	0.015	<1	3.39	34	52	<2	7	1.17	5	<1	6	443	20	11.18	10	<1	<1	<1	<1	1.27	<1	12	1.19	2244	19	<1	13	178	18	<1	2.28	<5	<1	<5	<10	26	5	7	<1	127	<2	77	10	<10	4	52	<1
95417	081714	0.010	1	4.02	117	66	2	15	1.33	7	<1	17	544	122	15.61	14	<1	<1	<1	<1	1.21	<1	14	1.27	3464	24	2	54	212	32	16	6.52	8	2	<5	<10	31	8	8	<1	146	<2	128	14	<10	5	102	<1
95418	081715	<0.005	1	4.25	112	98	<2	13	1.71	5	<1	12	429	96	9.68	10	<1	<1	<1	<1	1.23	<1	14	1.17	2676	17	3	42	207	20	8	4.73	<5	3	<5	<10	39	5	10	<1	162	<2	83	22	<10	5	498	<1
95419	081716	0.012	1	5.29	142	104	<2	10	0.59	6	<1	15	610	131	12.77	16	<1	<1	<1	<1	1.15	<1	18	0.85	1305	26	3	61	211	28	9	6.89	9	7	<5	<10	29	5	5	<1	186	<2	98	41	<10	6	503	<1
95420	081717	0.038	1	4.76	177	103	2	22	0.64	6	<1	37	405	123	13.10	15	<1	<1	<1	<1	1.17	<1	18	0.72	1068	25	3	69	192	35	9	>10.00	9	6	<5	<10	29	4	8	<1	194	<2	102	41	<10	5	425	<1
95421	081718	0.037	1	5.00	218	84	2	15	0.88	7	<1	39	613	122	15.11	18	<1	<1	<1	<1	1.13	<1	18	0.97	2166	28	1	71	219	37	6	>10.00	11	5	<5	<10	31	6	10	1	192	2	131	31	<10	6	366	<1
95422D	081718	0.044	1	5.15	227	85	2	25	0.92	8	<1	41	640	132	15.88	18	<1	<1	<1	<1	1.06	<1	18	1.02	2330	29	2	74	234	42	<1	>10.00	12	5	<5	<10	31	8	8	<1	190	4	171	32	<10	6	388	<1
95423	081719	0.024	1	5.11	146	91	2	11	0.54	7	<1	14	331	164	13.94	16	<1	<1	<1	<1	1.23	<1	19	1.00	2280	24	2	63	242	33	10	8.08	9	5	<5	<10	25	6	5	<1	185	<2	128	32	<10	6	438	<1
95424	081720	0.006	<1	6.69	3	631	<2	5	0.87	<4	39	5	491	10	1.37	9	<1	<1	<1	<1	1.21	22	27	0.39	234	10	2	13	280	23	58	0.09	<5	1	<5	<10	210	<1	2	21	900	<2	<20	14	<10	7	35	<1
95425	081721	0.047	<1	4.50	159	80	2	21	0.69	7	<1	27	363	127	13.62	15	<1	<1	<1	<1	1.16	<1	17	0.97	1705	23	2	60	202	38	2	>10.00	15	6	<5	<10	26	7	8	<1	159	<2	141	34	<10	6	494	<1
95426	081722	0.079	1	3.99	164	66	<2	23	0.95	7	<1	20	588	114	13.70	15	<1	<1	<1	<1	1.03	<1	15	0.85	1253	24	2	54	179	46	<1	>10.00	23	4	<5	<10	31	7	11	<1	142	<2	108	26	<10	5	316	<1
95427	081723	0.101	2	5.58	203	86	2	7	1.20	9	<1	45	336	134	16.80	19	<1	<1	1	<1	0.93	<1	20	0.96	1177	29	2	76	114	62	15	>10.00	36	6	<5	<10	42	8	11	<1	191	<2	124	37	<10	7	705	<1
95428	081724	0.072	1	5.75	314	105	2	12	0.88	7	<1	75	385	131	11.32	15	<1	<1	<1	<1	0.84	<1	17	0.62	641	25	3	184	196	57	34	>10.00	40	10	<5	<10	51	7	6	1	205	<2	82	59	12	9	1292	<1
95429	081725	0.072	1	6.68	349	115	2	18	0.94	8	<1	82	323	146	12.28	20	<1	<1	<1	<1	0.75	<1	19	0.68	654	27	5	198	213	63	36	>10.00	40	13	<5	<10	57	6	8	3	239	<2	117	72	14	10	1381	<1
95430	081726	0.078	1	7.33	236	282	2	<1	0.89	4	<1	69	403	113	4.70	15	<1	<1	<1	<1	0.94	<1	16	0.57	515	16	7	203	198	25	8	4.28	22	16	7	<10	78	3	3	2	272	<2	<20	84	11	11	1167	<1
95431	081727	0.057	1	4.14	140	66	<2	23	0.92	6	<1	24	404	172	12.42	13	<1	<1	<1	<1	1.14	<1	17	0.89	1029	21	2	58	101	40	30	>10.00	16	4	<5	<10	29	6	7	<1	143	<2	91	27	<10	5	401	<1
95432	081728	0.049	1	3.96	106	80	<2	18	0.90	5	<1	24	614	82	10.42	9	<1	<1	<1	<1	1.23	<1	14	0.91	1656	20	2	50	<100	32	<1	8.06	15	4	<5	<10	29	4	7	<1	143	<2	70	25	<10	5	295	<1

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95433D	081728	0.052	1	4.52	108	91	<2	18	0.96	5	<1	25	649	84	10.65	10	<1	<1	<1	<1	1.22	<1	16	0.95	1685	21	2	50	102	33	25	8.18	18	4	<5	<10	32	5	5	<1	165	<2	63	27	<10	5	304	<1
95434	081729	0.022	1	3.95	39	49	<2	12	1.44	5	<1	8	647	157	10.52	11	<1	<1	<1	<1	1.35	<1	16	1.34	2437	19	2	38	127	21	<1	5.23	5	2	<5	<10	32	5	8	<1	143	<2	20	17	<10	5	166	<1
95435	081730	0.082	1	5.31	202	98	<2	7	1.19	6	<1	38	571	89	12.07	15	<1	<1	<1	<1	0.83	<1	18	0.90	1094	24	3	83	165	56	<1	>10.00	31	8	7	<10	52	6	6	<1	189	<2	88	43	<10	6	463	<1
95436	081731	0.069	1	5.80	371	115	2	15	2.15	8	<1	93	389	305	10.10	15	<1	<1	<1	2	0.82	<1	17	1.13	1248	19	5	211	185	67	3	>10.00	47	11	6	<10	102	5	7	2	201	<2	44	58	19	9	2068	<1
95437	081732	0.041	1	5.26	274	122	<2	6	2.97	6	1	53	454	246	8.52	11	<1	<1	<1	<1	0.85	<1	15	1.47	1619	14	5	144	208	54	<1	9.42	26	10	7	<10	133	5	5	1	189	<2	<20	49	<10	8	1130	<1
95438	081733	0.033	1	5.80	280	138	<2	13	1.97	7	<1	69	376	302	7.52	12	<1	<1	<1	4	0.93	<1	19	1.14	1250	14	7	159	266	38	<1	8.36	20	12	5	<10	94	4	6	2	202	<2	<20	68	19	10	1772	<1
95439	081734	0.039	1	5.63	255	140	<2	1	1.26	6	<1	61	295	238	7.84	14	<1	<1	<1	0.97	<1	21	1.06	1030	15	5	165	270	47	27	8.45	27	11	6	<10	60	4	4	<1	190	<2	43	58	11	9	1182	<1	
95440	081735	0.036	1	6.79	227	146	<2	18	1.47	5	<1	56	236	195	7.47	16	<1	<1	<1	0.83	<1	24	1.19	1137	15	7	148	274	44	30	7.88	24	13	<5	<10	74	4	6	2	235	<2	34	69	11	10	1090	<1	
95441	081736	0.059	2	6.27	221	115	2	20	2.02	7	<1	48	293	261	10.81	16	<1	<1	<1	0.85	<1	26	1.51	1738	17	6	139	224	76	<1	>10.00	32	11	<5	<10	65	6	6	1	216	<2	46	57	<10	9	926	<1	
95442	081737	0.076	2	6.48	257	99	2	25	1.20	8	<1	52	299	218	15.32	24	<1	<1	<1	0.79	<1	25	1.04	1020	26	5	134	292	137	12	>10.00	54	11	<5	<10	58	7	8	2	246	<2	135	65	<10	8	836	<1	
95443	081738	0.054	1	5.91	271	114	2	11	2.82	9	7	75	311	364	9.74	15	<1	<1	<1	0.75	<1	20	1.58	1865	17	6	173	360	69	<1	>10.00	32	11	9	<10	82	6	6	2	209	<2	<20	58	23	10	2254	<1	
95444R	081738	0.046	1	5.89	260	106	2	21	2.81	8	<1	73	294	337	9.32	17	<1	<1	<1	2	0.79	<1	19	1.56	1854	16	6	163	359	64	<1	>10.00	30	11	13	<10	82	5	8	2	207	<2	32	60	20	9	2142	<1
95445	081739	0.054	2	6.62	231	135	2	20	1.60	8	<1	67	384	310	11.37	19	<1	<1	<1	0.99	<1	25	1.20	1087	23	6	156	301	94	45	>10.00	41	12	8	<10	71	6	5	5	246	<2	62	66	10	9	1341	<1	
95446	081740	5.043	3	6.98	288	210	<2	20	2.47	4	16	121	144	1552	6.53	12	<1	<1	<1	0.88	4	16	1.24	613	14	10	1351	462	731	77	1.90	6	10	<5	<10	115	4	7	5	2268	<2	<20	82	32	14	433	<1	
95447	081741	0.031	3	8.26	381	167	2	11	1.67	31	<1	106	194	561	8.31	26	<1	<1	<1	1	0.83	<1	30	1.20	1013	21	12	243	364	104	2	9.86	43	16	9	<10	111	6	6	4	343	<2	<20	117	75	9	4128	64
95448	081742	0.042	2	8.13	299	131	2	18	1.91	9	<1	73	322	312	10.56	20	<1	<1	<1	0.76	<1	29	1.43	1353	22	9	172	269	95	3	>10.00	35	15	11	<10	88	6	7	3	283	<2	48	84	18	11	2081	21	
95449	081743	0.030	3	8.18	277	274	2	10	1.13	8	<1	77	182	464	4.95	32	<1	<1	<1	1.13	<1	32	0.93	769	25	15	171	301	52	<1	4.82	22	9	<5	<10	103	4	<1	<1	499	<2	<20	145	24	6	2754	361	
95450	081744	0.027	2	8.53	241	290	2	7	1.24	5	<1	72	174	355	4.24	27	<1	<1	<1	1	1.15	<1	34	1.09	863	21	13	158	332	44	<1	3.71	19	11	7	<10	108	3	<1	<1	433	<2	<20	121	15	7	1786	238
95451	081745	0.042	2	4.84	260	110	<2	15	1.49	7	<1	76	139	283	8.16	11	<1	<1	<1	0.86	<1	21	1.34	1268	13	6	165	324	84	<1	8.89	22	11	7	<10	58	4	7	3	153	<2	<20	59	12	10	1550	<1	
95452	081746	0.043	2	7.13	301	112	<2	19	1.51	7	<1	71	269	307	8.68	19	<1	<1	<1	0.86	<1	24	1.14	1135	18	7	168	254	77	12	9.75	28	13	8	<10	76	5	6	<1	253	<2	40	77	15	10	1605	<1	

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95453	081747	0.057	2	6.57	301	126	<2	16	0.78	6	<1	68	242	283	7.79	16	<1	<1	<1	<1	0.95	<1	23	0.99	619	17	6	185	234	69	35	7.99	27	13	<5	<10	52	4	6	3	235	<2	42	71	14	9	1270	<1
95454	081748	0.046	1	5.66	264	118	<2	11	1.56	7	<1	60	269	217	8.89	13	<1	<1	<1	<1	0.90	<1	18	0.99	1333	18	4	146	223	51	<1	8.36	19	9	7	<10	58	5	3	2	209	<2	37	49	14	8	1460	<1
95455D	081748	0.070	2	7.14	275	139	2	20	1.62	7	<1	61	290	218	9.00	17	<1	<1	<1	<1	0.91	<1	20	1.03	1335	21	6	151	229	49	8	8.45	23	11	<5	<10	68	6	5	<1	267	<2	31	62	13	9	1482	<1
95456	081749	0.009	2	7.14	102	141	<2	12	1.32	5	<1	29	212	189	9.95	17	<1	<1	<1	<1	1.07	<1	24	0.94	1050	23	4	72	171	35	<1	7.76	7	6	<5	<10	51	4	2	<1	281	<2	53	43	<10	7	500	87
95457	081750	0.012	1	9.22	4	787	<2	<1	1.25	<4	61	6	185	9	1.48	14	<1	<1	<1	2	1.09	32	33	0.46	232	12	3	8	398	28	46	0.09	<5	2	<5	<10	261	<1	1	23	1127	<2	<20	18	<10	9	44	47
95458	081751	0.007	2	8.36	81	236	2	12	2.13	6	<1	37	300	172	10.80	24	<1	<1	<1	<1	0.90	<1	24	1.32	1517	24	8	82	192	61	<1	6.80	8	11	<5	<10	82	5	4	2	372	<2	37	85	<10	9	583	102
95459	081752	0.344	2	9.76	2915	325	2	17	5.42	<4	18	32	76	114	7.58	25	<1	<1	<1	<1	1.10	<1	27	1.95	1177	13	16	36	717	17	<1	2.17	<5	9	<5	<10	137	8	<1	<1	522	<2	21	140	<10	8	119	211
95460	081753	0.005	1	8.37	241	230	<2	12	6.32	<4	20	28	245	36	4.65	13	<1	<1	<1	<1	1.10	<1	36	3.47	633	<1	18	141	445	9	<1	0.20	<5	14	<5	<10	165	2	2	<1	433	10	<20	115	<10	7	42	5
95461	081754	0.009	2	8.89	283	172	<2	14	5.74	<4	22	36	446	13	5.75	19	<1	<1	<1	<1	1.18	<1	51	4.09	795	2	22	221	179	11	<1	0.11	5	14	<5	<10	219	5	<1	3	411	6	<20	143	<10	7	49	149
95462	081755	<0.005	2	8.73	278	163	<2	8	5.48	<4	20	35	431	23	5.76	18	<1	<1	1	<1	1.17	<1	54	4.20	771	<1	21	223	192	9	<1	0.11	<5	15	<5	<10	213	6	<1	1	413	<2	<20	143	<10	7	49	96
95463	081756	<0.005	1	7.28	351	81	<2	12	4.38	<4	23	49	552	24	6.51	17	<1	<1	<1	<1	1.11	<1	62	4.73	824	<1	22	298	671	13	<1	0.10	<5	14	<5	<10	198	5	<1	<1	249	9	<20	146	<10	6	68	<1
95464	081757	<0.005	2	11.32	290	131	<2	12	4.87	<4	18	53	593	15	7.37	23	<1	<1	<1	<1	1.27	<1	50	5.16	977	<1	22	332	533	14	<1	0.10	6	17	<5	<10	227	7	<1	<1	586	7	<20	140	<10	9	58	220
95465	081758	<0.005	2	12.05	264	196	<2	15	5.33	<4	15	55	553	10	7.22	27	<1	<1	<1	<1	1.27	<1	47	4.94	1121	7	23	348	356	13	<1	0.14	<5	15	<5	<10	251	6	2	<1	695	7	<20	151	<10	9	61	369
95466D	081758	<0.005	3	9.89	268	150	<2	11	5.28	<4	21	56	567	10	7.31	24	<1	<1	<1	<1	1.24	<1	47	4.57	1155	11	23	363	373	15	<1	0.16	7	13	<5	<10	259	6	<1	<1	355	13	<20	153	<10	8	67	413
95467	081759	<0.005	2	10.62	348	283	2	17	5.73	<4	19	47	520	28	6.51	21	<1	<1	<1	3	1.38	<1	41	4.71	1152	10	20	287	301	10	<1	0.12	<5	15	<5	<10	286	5	<1	<1	410	11	20	125	<10	9	71	330
95468	081760	<0.005	3	8.02	462	269	<2	17	5.52	<4	22	63	734	21	6.30	23	<1	<1	<1	<1	1.16	<1	39	4.10	1095	12	17	414	287	14	<1	0.12	<5	8	<5	<10	291	5	<1	<1	294	7	<20	106	<10	7	75	468
95469	081761	<0.005	2	7.97	328	283	<2	28	5.01	<4	18	59	796	5	6.24	22	<1	<1	<1	2	1.14	<1	39	4.05	1073	15	17	426	233	12	<1	0.10	6	7	<5	<10	266	4	<1	<1	301	9	<20	99	<10	7	73	491
95470	081762	<0.005	2	7.78	460	349	<2	6	4.50	<4	14	69	826	14	6.97	20	<1	<1	<1	<1	1.32	<1	45	5.15	1227	2	19	466	246	14	<1	0.10	6	9	<5	<10	250	5	<1	<1	228	<2	<20	108	<10	6	86	221
95471	081763	<0.005	1	8.43	395	262	<2	11	4.17	<4	8	67	847	26	7.71	17	<1	<1	<1	<1	1.24	<1	44	6.35	1380	<1	20	457	206	10	<1	0.09	7	13	<5	<10	260	7	<1	<1	191	5	<20	109	<10	6	107	56
95472	081764	<0.005	1	7.11	277	205	<2	10	4.05	<4	9	70	846	16	7.25	16	<1	<1	<1	2	1.17	<1	43	5.69	1374	<1	18	469	205	11	<1	0.08	6	9	<5	<10	258	5	<1	<1	172	5	<20	102	<10	5	98	94

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95473	081765	<0.005	2	6.65	241	186	<2	14	3.81	<4	4	64	844	14	6.82	18	<1	<1	<1	<1	1.12	<1	41	4.94	1309	1	18	448	205	9	<1	0.08	5	7	<5	<10	249	6	4	<1	199	10	<20	98	<10	5	100	171
95474	081766	<0.005	2	6.97	247	112	<2	13	4.50	<4	17	70	925	36	7.28	19	<1	<1	<1	<1	1.13	<1	43	5.62	1482	<1	19	498	418	10	<1	0.09	<5	8	<5	<10	243	7	5	<1	175	16	<20	103	<10	6	120	133
95475	081767	<0.005	1	7.27	274	48	<2	1	4.15	<4	10	68	965	10	7.26	16	<1	<1	<1	<1	1.24	<1	48	6.17	1458	<1	19	505	182	7	<1	0.08	5	9	<5	<10	239	4	<1	3	170	4	<20	97	<10	5	109	104
95476	081768	<0.005	2	7.46	296	57	<2	1	3.87	<4	6	64	915	14	6.85	19	<1	<1	<1	5	1.25	<1	51	5.44	1389	5	18	487	252	12	<1	0.08	<5	8	<5	<10	236	5	<1	<1	205	7	<20	97	<10	6	115	223
95477D	081768	<0.005	2	7.64	328	57	<2	22	3.95	<4	9	71	943	14	7.11	19	<1	<1	<1	<1	1.23	<1	55	5.69	1420	<1	19	505	258	12	<1	0.09	5	9	<5	<10	242	4	3	<1	200	10	<20	101	<10	6	122	201
95478	081769	<0.005	2	7.81	286	54	<2	8	3.95	<4	13	73	902	38	7.20	20	<1	<1	<1	<1	1.26	<1	53	5.74	1494	<1	18	496	285	12	<1	0.09	5	9	<5	<10	229	8	<1	<1	194	16	<20	102	<10	6	126	182
95479	081770	0.998	2	9.99	<2	140	<2	12	4.67	<4	29	35	116	42	5.58	23	<1	<1	<1	2	1.34	2	22	2.21	906	10	23	30	704	19	8	0.12	<5	18	<5	<10	189	5	5	4	5333	3	<20	170	<10	27	86	187
95480	081771	<0.005	2	7.87	321	58	<2	8	4.91	<4	14	64	885	12	6.72	17	<1	<1	<1	<1	1.36	<1	46	5.71	1240	4	18	483	168	9	<1	0.09	5	9	<5	<10	260	6	<1	<1	256	<2	<20	94	<10	6	86	208
95481	081772	<0.005	2	8.09	427	72	<2	5	4.49	<4	12	68	965	16	7.11	18	<1	<1	<1	3	1.37	<1	45	5.99	1273	2	18	497	219	14	<1	0.09	7	10	<5	<10	212	4	2	<1	182	11	<20	97	<10	7	99	192
95482	081773	<0.005	2	7.67	431	358	<2	12	4.57	<4	14	57	772	19	6.28	14	<1	<1	<1	<1	1.37	<1	42	5.44	1136	<1	17	407	199	10	<1	0.10	6	10	<5	<10	232	5	2	<1	183	13	<20	91	<10	6	82	157
95483	081774	<0.005	1	7.67	430	225	<2	15	4.25	<4	4	64	824	15	7.21	16	<1	<1	<1	<1	1.19	<1	41	6.23	1199	<1	19	450	248	12	<1	0.09	7	13	<5	<10	241	5	<1	<1	172	4	<20	102	<10	6	79	14
95484	081775	<0.005	1	7.58	205	39	<2	11	4.63	<4	20	67	879	11	7.71	16	<1	<1	<1	<1	1.17	<1	49	6.61	1379	<1	20	488	327	13	<1	0.08	6	13	<5	<10	312	3	<1	<1	161	8	23	116	<10	6	94	31
95485	081776	<0.005	1	7.64	174	38	<2	14	4.06	<4	7	73	961	59	8.10	18	<1	<1	<1	2	1.15	<1	50	6.61	1498	<1	20	510	293	10	<1	0.08	7	12	<5	<10	296	6	3	<1	158	15	<20	113	<10	5	143	37
95486	081777	<0.005	1	7.68	188	36	<2	25	4.49	<4	8	69	944	16	8.19	17	<1	<1	<1	2	1.11	<1	50	6.98	1529	<1	20	512	222	11	<1	0.08	7	13	<5	<10	310	6	2	<1	154	4	<20	112	<10	6	127	14
95487	081778	<0.005	1	7.95	220	39	<2	8	4.08	<4	10	65	860	20	7.72	16	<1	<1	<1	<1	1.23	<1	48	6.49	1373	<1	20	462	308	10	<1	0.08	6	13	<5	<10	261	4	3	<1	152	8	<20	113	<10	6	103	35
95488D	081778	<0.005	1	9.20	212	37	<2	13	4.05	<4	9	63	829	20	7.66	17	<1	<1	<1	<1	1.23	<1	48	6.82	1323	<1	19	446	300	13	<1	0.08	5	16	<5	<10	254	6	5	<1	215	12	<20	109	<10	7	98	62
95489	081779	<0.005	1	9.26	268	38	<2	12	4.32	<4	<1	64	858	18	7.77	16	<1	<1	<1	<1	1.27	<1	48	6.90	1276	<1	20	456	299	9	<1	0.08	5	17	<5	<10	253	5	3	<1	319	5	<20	117	<10	7	85	58
95490	081780	<0.005	1	9.03	5	742	<2	11	1.26	<4	54	7	547	9	1.53	13	<1	<1	<1	2	1.10	29	33	0.64	257	13	3	23	340	25	26	0.03	<5	2	<5	<10	261	2	1	22	997	<2	<20	18	<10	9	39	115
95491	081781	<0.005	1	9.28	322	52	<2	8	4.21	<4	11	63	793	52	8.17	18	<1	<1	<1	<1	1.32	<1	45	6.26	1293	<1	22	424	345	10	<1	0.10	6	17	<5	<10	221	5	1	<1	272	11	<20	131	<10	6	112	56
95492	081782	<0.005	1	8.85	228	46	<2	7	5.40	4	20	66	761	51	8.16	17	<1	<1	<1	5	1.29	<1	49	5.86	1340	<1	21	411	362	12	<1	0.12	5	16	<5	<10	232	5	1	<1	217	12	<20	130	<10	6	114	81

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95493	081783	<0.005	1	7.85	146	50	<2	14	5.28	<4	18	61	706	52	7.84	19	<1	<1	<1	<1	1.16	<1	49	5.11	1334	<1	22	372	354	9	<1	0.10	<5	13	<5	<10	238	6	5	<1	176	12	<20	136	<10	6	100	103
95494	081784	0.006	1	9.27	147	35	<2	13	5.08	<4	15	60	675	305	8.14	18	<1	<1	<1	<1	1.07	<1	46	5.86	1302	<1	22	356	421	12	<1	0.12	6	20	<5	<10	233	5	<1	<1	273	13	<20	144	<10	6	117	25
95495	081785	<0.005	1	9.50	156	34	<2	13	4.88	4	17	63	698	160	8.33	19	<1	<1	<1	<1	1.15	<1	47	6.03	1287	<1	23	368	406	11	<1	0.11	7	21	<5	<10	222	7	<1	<1	332	6	<20	145	<10	7	112	35
95496	081786	<0.005	1	9.17	132	36	<2	10	4.63	<4	18	58	661	47	8.28	16	<1	<1	<1	<1	1.20	<1	49	5.81	1288	<1	22	350	424	13	<1	0.09	5	20	<5	<10	212	6	<1	<1	246	11	<20	152	<10	6	85	47
95497	081787	0.015	2	8.18	351	119	<2	20	5.54	<4	21	60	706	537	7.41	17	<1	<1	<1	<1	1.19	<1	45	5.18	1185	<1	20	357	336	10	<1	0.17	8	14	<5	<10	259	6	<1	<1	161	3	29	125	<10	6	92	76
95498	081788	<0.005	1	8.28	269	36	<2	9	5.93	<4	21	62	765	101	7.57	16	<1	<1	<1	<1	1.22	<1	50	5.95	1120	<1	21	390	286	11	<1	0.11	5	16	<5	<10	286	5	<1	<1	164	5	<20	130	<10	7	93	21
95499D	081788	0.015	1	9.04	265	36	<2	8	6.08	<4	17	60	764	90	7.70	17	<1	<1	<1	3	1.21	<1	50	6.18	1142	<1	22	390	290	11	<1	0.13	5	18	<5	<10	292	6	1	<1	204	12	<20	130	<10	7	94	44
95500	081789	<0.005	1	8.89	168	32	<2	24	5.64	<4	15	60	728	40	7.49	14	<1	<1	1	4	1.31	<1	49	6.20	1105	<1	22	390	334	10	<1	0.11	<5	18	<5	<10	241	5	<1	<1	234	9	<20	127	<10	7	79	10
95501	081790	<0.005	2	9.07	136	30	<2	16	5.36	<4	16	58	709	58	7.64	17	<1	<1	<1	<1	1.27	<1	50	6.05	1114	<1	23	380	376	11	<1	0.10	6	20	<5	<10	208	5	<1	<1	308	7	<20	136	<10	7	86	<1
95502	081791	<0.005	1	9.51	151	36	<2	6	5.71	<4	22	58	694	44	7.46	17	<1	<1	<1	1	1.37	<1	55	5.97	1137	<1	22	368	367	11	<1	0.10	5	19	<5	<10	213	7	3	<1	350	10	<20	135	<10	8	80	72
95503	081792	0.006	2	7.38	349	74	<2	12	5.76	<4	25	57	722	68	6.93	18	<1	<1	<1	<1	1.09	<1	58	4.78	1153	<1	22	378	349	10	<1	0.12	5	13	<5	<10	186	5	<1	3	169	<2	<20	132	<10	7	89	88
95504	081793	0.026	1	9.78	128	439	<2	20	5.12	<4	22	28	215	94	4.72	18	<1	<1	1	<1	1.13	<1	29	2.61	882	7	13	94	603	10	<1	0.47	<5	10	<5	<10	159	3	<1	<1	337	<2	24	97	<10	8	145	156
95505	081794	0.035	2	9.32	49	447	<2	5	4.39	<4	18	36	141	113	4.94	18	<1	<1	<1	<1	1.07	<1	22	1.57	1029	12	14	69	516	15	14	1.22	<5	12	<5	<10	132	4	<1	<1	347	<2	<20	120	<10	7	254	162
95506	081795	0.024	1	8.76	47	403	<2	11	4.59	<4	17	33	156	107	4.85	15	<1	<1	1	<1	1.17	<1	18	1.61	1082	9	12	64	493	11	5	1.13	<5	12	<5	<10	124	3	<1	<1	316	12	<20	107	<10	7	236	98
95507	081796	0.018	2	9.39	68	337	<2	11	4.58	<4	15	41	190	136	6.80	23	<1	<1	<1	<1	1.14	<1	28	1.54	1620	17	17	79	425	13	14	1.07	<5	12	<5	<10	128	5	2	<1	392	<2	<20	154	<10	7	108	295
95508	081797	0.084	2	8.86	93	295	<2	14	5.17	<4	13	44	104	158	7.79	23	<1	<1	1	<1	1.16	<1	31	1.77	1665	17	17	64	514	15	<1	1.46	<5	10	<5	<10	145	7	2	<1	365	7	<20	154	<10	7	110	242
95509	081798	0.063	2	8.51	39	249	2	9	4.31	5	7	55	241	465	9.56	25	<1	<1	<1	<1	1.07	<1	28	1.38	1176	23	18	114	267	25	<1	4.91	7	15	<5	<10	147	6	<1	<1	341	<2	<20	180	<10	6	279	260
95510R	081798	0.066	2	8.07	32	228	<2	11	4.17	5	10	52	238	476	9.40	21	<1	<1	<1	<1	1.10	<1	27	1.36	1154	21	17	106	259	27	<1	4.92	8	15	<5	<10	137	7	<1	<1	294	<2	<20	166	<10	6	261	200
95511	081799	0.011	1	8.89	121	246	<2	8	7.38	<4	26	45	155	142	4.96	19	<1	<1	<1	3	1.09	<1	28	1.99	1342	9	27	88	435	9	<1	0.52	<5	24	<5	<10	178	5	<1	<1	379	8	<20	231	<10	7	76	132
95512	081800	14.360	8	9.77	27	430	2	8	3.26	<4	3	29	90	140	4.52	23	<1	<1	<1	<1	1.00	<1	27	1.29	628	26	14	46	707	34	285	0.82	<5	9	<5	<10	159	5	1	<1	4280	4	<20	114	<10	15	160	303

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95513	081811	0.012	2	10.43	35	118	<2	7	5.70	<4	21	45	194	130	5.54	24	<1	<1	<1	<1	1.16	<1	38	1.75	1319	22	26	94	338	10	<1	0.34	<5	21	<5	<10	125	6	<1	<1	413	<2	<20	227	<10	7	110	413
95514	081812	0.007	1	7.61	28	54	<2	9	6.32	22	29	46	164	190	5.85	14	<1	<1	<1	2	1.12	<1	33	1.93	1255	6	21	99	329	23	<1	0.55	<5	25	<5	<10	61	5	<1	<1	169	6	<20	186	39	6	85	<1
95515	081813	0.006	1	9.92	21	100	<2	9	7.11	<4	32	46	179	136	5.41	18	<1	<1	<1	<1	1.19	<1	37	1.69	1505	9	25	100	350	5	<1	0.29	5	28	<5	<10	98	5	<1	<1	400	6	<20	223	<10	8	142	113
95516	081814	0.006	1	9.19	32	83	<2	11	7.10	<4	33	53	172	135	5.38	16	<1	<1	<1	3	1.10	<1	37	1.75	1501	8	23	100	336	8	<1	0.30	<5	28	<5	<10	84	5	<1	<1	310	8	30	204	<10	7	106	63
95517	081815	0.009	1	10.48	22	85	<2	12	6.73	<4	30	47	180	141	6.17	20	<1	<1	<1	<1	1.13	<1	41	1.94	1824	10	26	102	343	10	<1	0.26	<5	29	<5	<10	91	7	<1	<1	455	<2	25	227	<10	8	115	143
95518	081816	0.005	1	12.53	36	95	2	14	14.42	6	39	80	321	255	12.99	38	<1	<1	<1	<1	1.11	<1	69	3.17	3945	16	45	180	598	18	<1	0.60	6	45	<5	<10	122	13	<1	<1	458	2	31	400	<10	11	205	104
95519	081817	0.007	1	9.39	26	67	<2	19	8.14	<4	37	46	164	131	6.70	17	<1	<1	<1	<1	1.10	<1	43	2.02	2008	7	23	99	346	11	<1	0.51	<5	27	<5	<10	79	6	<1	<1	283	<2	<20	202	<10	8	106	68
95520	081818	<0.005	2	10.76	70	147	<2	10	6.49	<4	21	52	205	156	4.55	20	<1	<1	<1	4	1.15	<1	50	1.64	1397	11	30	113	392	7	<1	0.16	<5	29	<5	<10	145	6	<1	<1	357	<2	<20	268	<10	8	102	160
95521D	081818	0.005	1	10.22	64	126	<2	17	6.36	<4	26	51	191	154	4.48	19	<1	<1	<1	2	1.28	<1	47	1.73	1368	9	27	110	383	8	<1	0.15	<5	29	<5	<10	125	4	<1	<1	314	4	<20	240	<10	8	99	116
95522	081819	<0.005	1	8.81	48	78	<2	11	7.48	<4	33	46	162	144	5.73	16	<1	<1	<1	6	1.11	<1	44	1.88	1531	8	22	102	362	11	<1	0.32	<5	24	<5	<10	95	6	<1	<1	217	<2	29	188	<10	8	110	103
95523	081820	<0.005	1	9.27	<2	832	<2	2	1.42	<4	40	6	215	11	1.25	15	<1	<1	<1	2	0.97	18	32	0.44	212	15	4	9	361	28	23	0.04	<5	2	<5	<10	265	3	4	11	995	<2	<20	19	<10	7	37	127
95524	081821	<0.005	1	9.57	36	90	<2	2	7.45	<4	29	42	164	126	6.84	19	<1	<1	<1	<1	1.17	<1	49	2.02	1872	10	24	93	299	9	<1	0.42	<5	25	<5	<10	94	5	<1	<1	305	<2	<20	210	<10	8	107	126
95525	081822	<0.005	2	9.23	37	66	<2	15	9.59	<4	28	38	139	115	5.64	16	<1	<1	<1	4	1.19	<1	45	2.09	1954	9	21	85	308	9	<1	0.28	5	23	<5	<10	85	5	<1	<1	264	9	<20	171	<10	9	87	152
95526	081823	<0.005	2	8.93	29	64	<2	4	10.15	<4	42	40	142	117	5.75	16	<1	<1	1	<1	1.16	<1	45	2.10	2037	8	21	92	313	8	<1	0.33	<5	23	<5	<10	84	5	<1	<1	219	3	48	172	<10	9	97	115
95527	081824	<0.005	1	10.23	36	105	<2	2	6.70	<4	22	47	185	137	6.16	22	<1	<1	<1	2	1.16	<1	49	2.13	1768	9	27	102	335	10	<1	0.29	<5	28	<5	<10	111	7	<1	<1	306	3	<20	239	<10	8	119	142
95528	081825	<0.005	1	8.46	34	74	<2	<1	6.41	<4	25	47	165	136	5.96	17	<1	<1	<1	1	1.07	<1	45	2.14	1715	6	23	102	325	7	<1	0.27	<5	23	<5	<10	78	6	<1	<1	228	<2	<20	201	<10	7	119	46
95529	081826	<0.005	<1	8.67	24	71	<2	13	7.81	<4	38	39	165	137	5.63	16	<1	<1	<1	3	1.09	<1	44	2.25	1801	5	23	85	349	11	<1	0.25	5	27	<5	<10	79	4	2	<1	210	<2	21	197	<10	8	108	29
95530	081827	<0.005	1	10.01	24	83	<2	14	7.67	<4	31	45	182	141	5.72	18	<1	<1	<1	2	1.06	<1	45	2.22	1741	6	27	93	372	8	<1	0.40	<5	33	<5	<10	96	5	<1	<1	237	<2	<20	231	<10	9	93	95
95531	081828	<0.005	1	8.72	27	67	<2	9	8.08	<4	33	43	155	128	5.07	14	<1	<1	<1	1	1.09	<1	42	2.05	1588	6	21	94	333	7	<1	0.24	<5	24	<5	<10	80	4	<1	<1	222	<2	<20	182	<10	9	89	81
95532D	081828	<0.005	1	8.62	30	63	<2	8	7.95	<4	28	42	152	131	5.00	13	<1	<1	<1	5	1.12	<1	40	2.06	1572	7	21	90	324	7	<1	0.24	<5	24	5	<10	76	4	<1	<1	204	<2	<20	176	<10	9	87	70

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By:  Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Tuesday, April 26, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/04/2011
Date Completed: 04/14/2011
Job #: 201141306
Reference: 201140885
Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
95533	081829	<0.005	1	8.39	19	63	<2	10	7.54	<4	28	43	150	127	5.63	16	<1	<1	<1	1	1.06	<1	39	1.84	1612	8	19	94	311	10	<1	0.28	<5	23	<5	<10	77	5	<1	<1	193	<2	27	172	<10	8	100	66
95534	081830	<0.005	1	9.04	13	56	<2	4	6.65	<4	25	52	173	151	7.81	18	<1	<1	<1	<1	1.04	<1	44	2.38	1606	7	25	122	335	11	<1	0.33	<5	28	<5	<10	63	7	<1	<1	219	4	<20	219	<10	8	128	5

PROCEDURE CODES: ALM1, ALFA2, ALMA2

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Monday, April 11, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/31/2011
 Date Completed: 04/11/2011
 Job #: 201141266
 Reference: 201141044
 Sample #: 2

Acc #	Client ID	Au Grav oz/t	Au Gr g/t(ppr)
92855	088932	0.202	6.91
92856	088939	0.124	4.24

PROCEDURE CODES: ALFA7

 Certified By: 
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, April 15, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/08/2011
Date Completed: 04/15/2011
Job #: 201141361
Reference: 201141181
Sample #: 1

Acc #	Client ID	Au Grav oz/t	Au Gra g/t(ppr)
98826	088991	0.203	6.95

PROCEDURE CODES: ALFA7

Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Monday, April 25, 2011

Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/18/2011
Date Completed: 04/25/2011
Job #: 201141530
Reference: 201141421
Sample #: 1

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
105918	916936	0.254	8.70

PROCEDURE CODES: ALFA7

Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Thursday, May 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/17/2011
 Date Completed: 05/19/2011
 Job #: 201141833
 Reference: 201141701
 Sample #: 5

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
126371	918497	0.169	5.79
126372	918498	0.207	7.09
126373	919535	0.164	5.61
126374	919565	0.210	7.19
126375	919590	0.152	5.19

PROCEDURE CODES: ALFA7

 Certified By: 
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, May 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/17/2011
 Date Completed: 05/19/2011
 Job #: 201141842
 Reference: 201141741
 Sample #: 5

Acc #	Client ID	Au Grav oz/t	Au Gra g/t(ppr
126539	919678	0.116	3.96
126540	919681	0.273	9.36
126541	919683	0.152	5.19
126542	919684	0.178	6.11
126543	919685	0.127	4.34

PROCEDURE CODES: ALFA7

 Certified By: 
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, July 8, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 07/06/2011
Date Completed: 07/08/2011
Job #: 201142501
Reference: 201142320
Sample #: 1

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
165075	083783	0.100	3.42

PROCEDURE CODES: ALFA7

Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Monday, August 8, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 08/03/2011
Date Completed: 08/08/2011
Job #: 201142877
Reference: 201142751
Sample #: 2

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
189029	085792	0.166	5.67
189030	085793	0.196	6.73

PROCEDURE CODES: ALFA7

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Thursday, February 24, 2011


Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 02/22/2011
 Date Completed: 02/24/2011
 Job #: 201140744
 Reference: 201140569
 Sample #: 1

.cc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
51046	080672	4.498	3.847	80.646	8.866	6.14%	21.97

PROCEDURE CODES: ALPM1

 Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, March 4, 2011


Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/01/2011
 Date Completed: 03/04/2011
 Job #: 201140863
 Reference: 201140627
 Sample #: 1

.cc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
61815	086230	8.755	8.746	7.916	8.744	0.74%	5.09

PROCEDURE CODES: ALPM1

 Certified By: 
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81472	086227	654	0.019	0.654
81473	086228	1143	0.033	1.143
81474	086229	4637	0.135	4.637
81475	086230	7912	0.231	7.912
81476	086231	26	<0.001	0.026
81477	086232	50	0.001	0.050
81478	086233	<5	<0.001	<0.005
81479	086234	<5	<0.001	<0.005
81480	086235	<5	<0.001	<0.005
81481	086236	19	<0.001	0.019
81482 Dup	086236	19	<0.001	0.019
81483	086237	305	0.009	0.305
81484	086238	110	0.003	0.110
81485	086239	169	0.005	0.169
81486	086240	5494	0.160	5.494
81487	086241	49	0.001	0.049
81488	086242	12	<0.001	0.012
81489	086243	12	<0.001	0.012
81490	086244	<5	<0.001	<0.005
81491	086245	54	0.002	0.054
81492	086246	22	<0.001	0.022
81493 Dup	086246	25	<0.001	0.025
81494	086247	7	<0.001	0.007
81495	086248	<5	<0.001	<0.005
81496	086249	64	0.002	0.064
81497	086250	<5	<0.001	<0.005
81498	086251	9	<0.001	0.009
81499	086252	16	<0.001	0.016
81500	086253	10	<0.001	0.010
81501	086254	71	0.002	0.071

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81502	086255	76	0.002	0.076
81503	086256	99	0.003	0.099
81504 Dup	086256	100	0.003	0.100
81505	086257	77	0.002	0.077
81506	086258	97	0.003	0.097
81507	086259	41	0.001	0.041
81508	086260	34	<0.001	0.034
81509	086261	83	0.002	0.083
81510	086262	106	0.003	0.106
81511	086263	216	0.006	0.216
81512	086264	115	0.003	0.115
81513	086265	174	0.005	0.174
81514	086266	82	0.002	0.082
81515 Dup	086266	86	0.003	0.086
81516	086267	80	0.002	0.080
81517	086268	745	0.022	0.745
81518	086269	4011	0.117	4.011
81519	086270	13042	0.380	13.042
81520	086271	975	0.028	0.975
81521	086272	522	0.015	0.522
81522	086273	87	0.003	0.087
81523	086274	44	0.001	0.044
81524	086275	34	<0.001	0.034
81525	086276	51	0.001	0.051
81526 Dup	086276	65	0.002	0.065
81527	086277	300	0.009	0.300
81528	086278	3989	0.116	3.989
81529	086279	3989	0.116	3.989
81530	086280	<5	<0.001	<0.005
81531	086281	1827	0.053	1.827

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81532	086282	6	<0.001	0.006
81533	086283	607	0.018	0.607
81534	086284	6	<0.001	0.006
81535	086285	6	<0.001	0.006
81536	086286	671	0.020	0.671
81537 Rep	086286	620	0.018	0.620
81538	086287	736	0.021	0.736
81539	086288	2411	0.070	2.411
81540	086289	520	0.015	0.520
81541	086290	6892	0.201	6.892
81542	086291	4907	0.143	4.907
81543	086292	1156	0.034	1.156
81544	086293	27	<0.001	0.027
81545	086294	9	<0.001	0.009
81546	086295	10	<0.001	0.010
81547	086296	7	<0.001	0.007
81548 Dup	086296	7	<0.001	0.007
81549	086297	7	<0.001	0.007
81550	086298	5	<0.001	0.005
81551	086299	10	<0.001	0.010
81552	086300	1023	0.030	1.023
81553	086301	12	<0.001	0.012
81554	086302	38	0.001	0.038
81555	086303	10	<0.001	0.010
81556	086304	508	0.015	0.508
81557	086305	618	0.018	0.618
81558	086306	43	0.001	0.043
81559 Dup	086306	45	0.001	0.045
81560	086307	<5	<0.001	<0.005
81561	086308	<5	<0.001	<0.005

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81562	086309	<5	<0.001	<0.005
81563	086310	5504	0.161	5.504
81564	086311	<5	<0.001	<0.005
81565	086312	<5	<0.001	<0.005
81566	086313	<5	<0.001	<0.005
81567	086314	<5	<0.001	<0.005
81568	086315	8	<0.001	0.008
81569	086316	9	<0.001	0.009
81570 Dup	086316	11	<0.001	0.011
81571	086317	<5	<0.001	<0.005
81572	086318	<5	<0.001	<0.005
81573	086319	<5	<0.001	<0.005
81574	086320	<5	<0.001	<0.005
81575	086321	<5	<0.001	<0.005
81576	086322	<5	<0.001	<0.005
81577	086323	<5	<0.001	<0.005
81578	086324	<5	<0.001	<0.005
81579	086325	<5	<0.001	<0.005
81580	086326	<5	<0.001	<0.005
81581 Dup	086326	<5	<0.001	<0.005
81582	086327	<5	<0.001	<0.005
81583	086328	<5	<0.001	<0.005
81584	086329	<5	<0.001	<0.005
81585	086330	<5	<0.001	<0.005
81586	086331	<5	<0.001	<0.005
81587	086332	<5	<0.001	<0.005
81588	086333	<5	<0.001	<0.005
81589	086334	<5	<0.001	<0.005
81590	086335	<5	<0.001	<0.005
81591	086336	<5	<0.001	<0.005

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81592 Dup	086336	<5	<0.001	<0.005
81593	086337	5	<0.001	0.005
81594	086338	<5	<0.001	<0.005
81595	086339	5	<0.001	0.005
81596	086340	13644	0.398	13.644
81597	086341	6	<0.001	0.006
81598	086342	<5	<0.001	<0.005
81599	086343	<5	<0.001	<0.005
81600	086344	<5	<0.001	<0.005
81601	086345	<5	<0.001	<0.005
81602	086346	<5	<0.001	<0.005
81603 Rep	086346	<5	<0.001	<0.005
81604	086347	<5	<0.001	<0.005
81605	086348	<5	<0.001	<0.005
81606	086349	<5	<0.001	<0.005
81607	086350	6	<0.001	0.006
81608	086351	<5	<0.001	<0.005
81609	086352	<5	<0.001	<0.005
81610	086353	119	0.003	0.119
81611	086354	<5	<0.001	<0.005
81612	086355	<5	<0.001	<0.005
81613	086356	<5	<0.001	<0.005
81614 Dup	086356	<5	<0.001	<0.005
81615	086357	19	<0.001	0.019
81616	086358	1580	0.046	1.580
81617	086359	<5	<0.001	<0.005
81618	086360	242	0.007	0.242
81619	086361	281	0.008	0.281
81620	086362	927	0.027	0.927
81621	086363	21	<0.001	0.021

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81622	086364	6	<0.001	0.006
81623	086365	6	<0.001	0.006
81624	086366	7	<0.001	0.007
81625 Dup	086366	5	<0.001	0.005
81626	086367	12	<0.001	0.012
81627	086368	15	<0.001	0.015
81628	086369	15	<0.001	0.015
81629	086370	1023	0.030	1.023
81630	086371	14	<0.001	0.014
81631	086372	9	<0.001	0.009
81632	086373	20	<0.001	0.020
81633	086374	30	<0.001	0.030
81634	086375	55	0.002	0.055
81635	086376	85	0.002	0.085
81636 Dup	086376	82	0.002	0.082
81637	086377	29	<0.001	0.029
81638	086378	1975	0.058	1.975
81639	086379	3283	0.096	3.283
81640	086380	6	<0.001	0.006
81641	086381	1395	0.041	1.395
81642	086382	529	0.015	0.529
81643	086383	100	0.003	0.100
81644	086384	628	0.018	0.628
81645	086385	697	0.020	0.697
81646	086386	26	<0.001	0.026
81647 Dup	086386	38	0.001	0.038
81648	086387	113	0.003	0.113
81649	086388	93	0.003	0.093
81650	086389	16	<0.001	0.016
81651	086390	14	<0.001	0.014

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81652	086391	<5	<0.001	<0.005
81653	086392	19	<0.001	0.019
81654	086393	<5	<0.001	<0.005
81655	086394	6	<0.001	0.006
81656	086395	6	<0.001	0.006
81657	086396	27	<0.001	0.027
81658 Dup	086396	23	<0.001	0.023
81659	086397	26	<0.001	0.026
81660	086398	9	<0.001	0.009
81661	086399	9	<0.001	0.009
81662	086400	12751	0.372	12.751
81663	086401	58	0.002	0.058
81664	086402	12	<0.001	0.012
81665	086403	41	0.001	0.041
81666	086404	16	<0.001	0.016
81667	086405	8	<0.001	0.008
81668	086406	11	<0.001	0.011
81669 Rep	086406	9	<0.001	0.009
81670	086407	9	<0.001	0.009
81671	086408	9	<0.001	0.009
81672	086409	11	<0.001	0.011
81673	086410	983	0.029	0.983
81674	086411	8	<0.001	0.008
81675	086412	7	<0.001	0.007
81676	086413	8	<0.001	0.008
81677	086414	18	<0.001	0.018
81678	086415	7	<0.001	0.007
81679	086416	11	<0.001	0.011
81680 Dup	086416	17	<0.001	0.017
81681	086417	8	<0.001	0.008

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81682	086418	10	<0.001	0.010
81683	086419	16	<0.001	0.016
81684	086420	<5	<0.001	<0.005
81685	086421	7	<0.001	0.007
81686	086422	9	<0.001	0.009
81687	086423	11	<0.001	0.011
81688	086424	7	<0.001	0.007
81689	086425	6	<0.001	0.006
81690	086426	7	<0.001	0.007
81691 Dup	086426	6	<0.001	0.006
81692	086427	5	<0.001	0.005
81693	086428	10	<0.001	0.010
81694	086429	5	<0.001	0.005
81695	086430	<5	<0.001	<0.005
81696	086431	8	<0.001	0.008
81697	086432	<5	<0.001	<0.005
81698	086433	<5	<0.001	<0.005
81699	086434	6	<0.001	0.006
81700	086435	5	<0.001	0.005
81701	086436	14	<0.001	0.014
81702 Dup	086436	10	<0.001	0.010
81703	086437	<5	<0.001	<0.005
81704	086438	<5	<0.001	<0.005
81705	086439	6	<0.001	0.006
81706	086440	5315	0.155	5.315
81707	086441	8	<0.001	0.008
81708	086442	9	<0.001	0.009
81709	086443	6	<0.001	0.006
81710	086444	6	<0.001	0.006
81711	086445	5	<0.001	0.005

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81712	086446	7	<0.001	0.007
81713 Dup	086446	6	<0.001	0.006
81714	086447	7	<0.001	0.007
81715	086448	6	<0.001	0.006
81716	086449	5	<0.001	0.005
81717	086450	<5	<0.001	<0.005
81718	086451	<5	<0.001	<0.005
81719	086452	<5	<0.001	<0.005
81720	086453	9	<0.001	0.009
81721	086454	11	<0.001	0.011
81722	086455	14	<0.001	0.014
81723	086456	11	<0.001	0.011
81724 Dup	086456	11	<0.001	0.011
81725	086457	9	<0.001	0.009
81726	086458	9	<0.001	0.009
81727	086459	9	<0.001	0.009
81728	086460	9	<0.001	0.009
81729	086461	7	<0.001	0.007
81730	086462	7	<0.001	0.007
81731	086463	6	<0.001	0.006
81732	086464	8	<0.001	0.008
81733	086465	10	<0.001	0.010
81734	086466	16	<0.001	0.016
81735 Rep	086466	7	<0.001	0.007
81736	086467	12	<0.001	0.012
81737	086468	17	<0.001	0.017
81738	086469	6	<0.001	0.006
81739	086470	12917	0.377	12.917
81740	086471	18	<0.001	0.018
81741	086472	13	<0.001	0.013

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, April 19, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/23/2011
 Date Completed: 04/12/2011
 Job #: 201141143
 Reference: 201140627
 Sample #: 249

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81742	086473	10	<0.001	0.010
81743	086474	10	<0.001	0.010
81744	086475	10	<0.001	0.010

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory



Friday, March 18, 2011


Certificate of Analysis

PCGold Inc.
195 Park Avenue
Thunder Bay, On, CAN
P7B1B9
Ph#: (807) 345-5380
Fax#: (807) 345-1875
Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 03/02/2011
Date Completed: 03/18/2011
Job #: 201140875
Reference: 201140789
Sample #: 25

cc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
62910	083009	19	16	14	17	6.37%	44.81
62911	083010	Insufficient Sample					
62912	083011	53	30	15	39	9.52%	41.62
62913	083012	27	27	40	28	5.50%	17
62914	083013	176	172	12	163	7.04%	37.59
62915	083014	16	15	30	16	3.25%	11.6
62916	083015	31	24	24	27	4.92%	20.24
62917	083016	13	28	12	20	5.68%	24.04
62918	083017	9	14	15	12	6.95%	29.25
62919	083018	140	35	44	84	7.44%	31.53
62920	083019	630	575	6146	751	2.69%	5.05
62921	083020	Insufficient Sample					
62922	083021	254	263	3578	333	2.24%	10.55
62923	083022	1849	1829	10103	2224	4.66%	26.63
62924	083023	Insufficient Sample					
62925	083024	212	180	698	210	2.73%	16.3
62926	083025	76	104	38	88	4.22%	21.79
62927	083026	26	22	9	23	6.08%	37.43
62928	083027	17	17	8	16	7.39%	42.76
62929	083028	17	38	6	26	6.71%	41.6
62930	083029	8	15	5	11	7.42%	48.82
62931	083030	9	9	22	10	4.32%	27.37
62932	083031	35	33	46	34	3.46%	14.59
62933	083032	17	15	16	16	3.96%	19.48
62934	083033	13	14	15	14	4.28%	17.3

PROCEDURE CODES: ALPM1

Certified By: 
Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full,
without the written approval of the laboratory

Wednesday, May 4, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/27/2011
 Date Completed: 05/04/2011
 Job #: 201141631
 Reference: 201141044
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112310	088801	80	0.002	0.080
112311	088802	24	<0.001	0.024
112312	088803	347	0.010	0.347
112313	088804	3044	0.089	3.044
112314	088805	2135	0.062	2.135
112315	088806	132	0.004	0.132
112316	088807	631	0.018	0.631
112317	088808	1497	0.044	1.497
112318	088809	874	0.025	0.874
112319	088810	973	0.028	0.973
112321	088811	572	0.017	0.572
112322	088812	4759	0.139	4.759
112323	088813	3671	0.107	3.671
112324	088814	428	0.012	0.428
112325	088815	763	0.022	0.763
112326	088816	1105	0.032	1.105
112327	088817	856	0.025	0.856
112328	088818	131	0.004	0.131
112329	088819	26	<0.001	0.026
112330	088820	<5	<0.001	<0.005
112332	088821	170	0.005	0.170
112333	088822	332	0.010	0.332
112334	088823	84	0.002	0.084
112335	088824	96	0.003	0.096
112336	088825	122	0.004	0.122
112337	088826	131	0.004	0.131
112338	088827	188	0.005	0.188
112339	088828	575	0.017	0.575
112340	088829	321	0.009	0.321
112341	088830	210	0.006	0.210

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Wednesday, May 4, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/27/2011
 Date Completed: 05/04/2011
 Job #: 201141631
 Reference: 201141044
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112342 Dup	088830	207	0.006	0.207
112343	088831	31	<0.001	0.031
112344	088832	29	<0.001	0.029
112345	088833	17	<0.001	0.017
112346	088834	9	<0.001	0.009
112347	088835	9	<0.001	0.009
112348	088836	26	<0.001	0.026
112349	088837	27	<0.001	0.027
112350	088838	81	0.002	0.081
112351	088839	42	0.001	0.042
112352	088840	5507	0.161	5.507
112354	088841	144	0.004	0.144
112355	088842	101	0.003	0.101
112356	088843	663	0.019	0.663
112357	088844	321	0.009	0.321
112358	088845	90	0.003	0.090
112359	088846	124	0.004	0.124
112360	088847	52	0.002	0.052
112361	088848	91	0.003	0.091
112362	088849	10	<0.001	0.010
112363	088850	<5	<0.001	<0.005
112365	088851	8	<0.001	0.008
112366	088852	24	<0.001	0.024
112367	088853	815	0.024	0.815
112368	088854	1529	0.045	1.529
112369	088855	1358	0.040	1.358
112370	088856	108	0.003	0.108
112371	088857	123	0.004	0.123
112372	088858	570	0.017	0.570
112373	088859	51	0.001	0.051

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Wednesday, May 4, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/27/2011
 Date Completed: 05/04/2011
 Job #: 201141631
 Reference: 201141044
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112374	088860	158	0.005	0.158
112375 Rep	088860	77	0.002	0.077
112376	088861	25	<0.001	0.025
112377	088862	326	0.010	0.326
112378	088863	187	0.005	0.187
112379	088864	308	0.009	0.308
112380	088865	604	0.018	0.604
112381	088866	939	0.027	0.939
112382	088867	193	0.006	0.193
112383	088868	275	0.008	0.275
112384	088869	192	0.006	0.192
112385	088870	13713	0.400	13.713
112387	088871	42	0.001	0.042
112388	088872	417	0.012	0.417
112389	088873	371	0.011	0.371
112390	088874	557	0.016	0.557
112391	088875	72	0.002	0.072
112392	088876	163	0.005	0.163
112393	088877	97	0.003	0.097
112394	088878	32	<0.001	0.032
112395	088879	31	<0.001	0.031
112396	088880	<5	<0.001	<0.005
112398	088881	152	0.004	0.152
112399	088882	142	0.004	0.142
112400	088883	37	0.001	0.037
112401	088884	46	0.001	0.046
112402	088885	40	0.001	0.040
112403	088886	37	0.001	0.037
112404	088887	43	0.001	0.043
112405	088888	102	0.003	0.102

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Wednesday, May 4, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/27/2011
 Date Completed: 05/04/2011
 Job #: 201141631
 Reference: 201141044
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112406	088889	30	<0.001	0.030
112407	088890	8	<0.001	0.008
112408 Dup	088890	9	<0.001	0.009
112409	088891	956	0.028	0.956
112410	088892	133	0.004	0.133
112411	088893	35	0.001	0.035
112412	088894	186	0.005	0.186
112413	088895	45	0.001	0.045
112414	088896	126	0.004	0.126
112415	088897	12	<0.001	0.012
112416	088898	10	<0.001	0.010
112417	088899	10	<0.001	0.010
112418	088900	1000	0.029	1.000
112420	088901	346	0.010	0.346
112421	088902	327	0.010	0.327
112422	088903	967	0.028	0.967
112423	088904	157	0.005	0.157
112424	088905	69	0.002	0.069
112425	088906	68	0.002	0.068
112426	088907	57	0.002	0.057
112427	088908	46	0.001	0.046
112428	088909	150	0.004	0.150
112429	088910	5734	0.167	5.734
112431	088911	297	0.009	0.297
112432	088912	165	0.005	0.165
112433	088913	106	0.003	0.106
112434	088914	113	0.003	0.113
112435	088915	126	0.004	0.126
112436	088916	212	0.006	0.212
112437	088917	254	0.007	0.254

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Wednesday, May 4, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/27/2011
 Date Completed: 05/04/2011
 Job #: 201141631
 Reference: 201141044
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112438	088918	676	0.020	0.676
112439	088919	397	0.012	0.397
112440	088920	<5	<0.001	<0.005
112442	088921	43	0.001	0.043
112443	088922	43	0.001	0.043
112444	088923	844	0.025	0.844
112445	088924	35	0.001	0.035
112446	088925	31	<0.001	0.031
112447	088926	114	0.003	0.114
112448	088927	78	0.002	0.078
112449	088928	234	0.007	0.234
112450	088929	1536	0.045	1.536
112451	088930	2741	0.080	2.741
112452 Dup	088930	2598	0.076	2.598
112453	088931	567	0.017	0.567
112454	088932	6182	0.180	6.182
112455	088933	1872	0.055	1.872
112456	088934	2999	0.088	2.999
112457	088935	1146	0.033	1.146
112458	088936	194	0.006	0.194
112459	088937	891	0.026	0.891
112460	088938	2813	0.082	2.813
112461	088939	5962	0.174	5.962
112462	088940	12475	0.364	12.475
112464	088941	1024	0.030	1.024
112465	088942	1379	0.040	1.379
112466	088943	595	0.017	0.595
112467	088944	477	0.014	0.477
112468	088945	134	0.004	0.134
112469	088946	281	0.008	0.281

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Wednesday, May 4, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 04/27/2011
 Date Completed: 05/04/2011
 Job #: 201141631
 Reference: 201141044
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112470	088947	150	0.004	0.150
112471	088948	74	0.002	0.074
112472	088949	353	0.010	0.353
112473	088950	<5	<0.001	<0.005
112475	088951	34	<0.001	0.034
112476	088952	71	0.002	0.071
112477	088953	2992	0.087	2.992
112478	088954	1226	0.036	1.226
112479	088955	1116	0.033	1.116
112480	088956	3003	0.088	3.003
112481	088957	1111	0.032	1.111
112482	088958	2481	0.072	2.481
112483	088959	2832	0.083	2.832
112484	088960	3195	0.093	3.195
112485 Dup	088960	3247	0.095	3.247

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, May 24, 2011


Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/06/2011
 Date Completed: 05/16/2011
 Job #: 201141732
 Reference: 201141631
 Sample #: 10

cc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
119398	088951	0.077	0.062	1.548	0.071	0.10%	0.31
119399	088952	0.097	0.070	0.083	0.083	4.85%	14.26
119400	088953	3.508	3.471	3.338	3.485	2.78%	5.98
119401	088954	1.312	1.242	1.462	1.285	4.46%	9.72
119402	088955	1.121	1.100	1.229	1.116	4.86%	11.79
119403	088956	3.217	3.216	2.475	3.176	5.45%	8.85
119404	088957	1.073	1.120	0.796	1.080	5.37%	12.96
119405	088958	2.776	2.800	3.667	2.820	3.60%	5.17
119406	088959	3.695	3.171	2.146	3.369	4.94%	8.13
119407	088960	2.298	2.652	5.464	2.526	1.69%	16.93

PROCEDURE CODES: ALPM1

 Certified By: 
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Monday, May 16, 2011


Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/06/2011
 Date Completed: 05/16/2011
 Job #: 201141733
 Reference: 201141631
 Sample #: 2

.cc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
119408	088932	6322	6324	250068	6667	0.14%	0.74
119409	088939	6631	6698	12185	7250	10.61%	49.89

PROCEDURE CODES: ALPM1


 Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, May 27, 2011


Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/17/2011
 Date Completed: 05/27/2011
 Job #: 201141836
 Reference: 201141701
 Sample #: 1

.cc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
126380	918441	12537	11960	490614	15859	0.75%	2.77

PROCEDURE CODES: ALPM1


 Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Friday, May 27, 2011


Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/17/2011
 Date Completed: 05/27/2011
 Job #: 201141843
 Reference: 201141741
 Sample #: 1

.cc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
126544	919679	10220	11309	17310	11288	7.99%	28.85

PROCEDURE CODES: ALPM1


 Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/24/2011
 Date Completed: 05/31/2011
 Job #: 201141895
 Reference: 201141741
 Sample #: 45

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
129302	919703	478	0.014	0.478
129303	919704	1456	0.042	1.456
129304	919705	1021	0.030	1.021
129305	919706	4585	0.134	4.585
129306	919707	2790	0.081	2.790
129307	919708	851	0.025	0.851
129308	919709	2477	0.072	2.477
129309	919710	5443	0.159	5.443
129310	919711	376	0.011	0.376
129311	919725	208	0.006	0.208
129312 Dup	919725	205	0.006	0.205
129313	919726	103	0.003	0.103
129314	919727	50	0.001	0.050
129315	919728	599	0.017	0.599
129316	919729	327	0.010	0.327
129317	919730	103	0.003	0.103
129318	919731	28	<0.001	0.028
129319	919732	207	0.006	0.207
129320	919733	13	<0.001	0.013
129321	919734	183	0.005	0.183
129322	919735	69	0.002	0.069
129323 Dup	919735	76	0.002	0.076
129324	919736	49	0.001	0.049
129325	919737	26	<0.001	0.026
129326	919738	6	<0.001	0.006
129327	919739	24	<0.001	0.024
129328	919740	13696	0.400	13.696
129329	919741	285	0.008	0.285
129330	919742	136	0.004	0.136
129331	919743	67	0.002	0.067

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, May 31, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 05/24/2011
 Date Completed: 05/31/2011
 Job #: 201141895
 Reference: 201141741
 Sample #: 45

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
129332	919744	203	0.006	0.203
129333	919745	282	0.008	0.282
129334 Dup	919745	272	0.008	0.272
129335	919746	54	0.002	0.054
129344	919774	12	<0.001	0.012
129346	919775	11	<0.001	0.011
129347	919776	<5	<0.001	<0.005
129348	919777	106	0.003	0.106
129349	919778	7	<0.001	0.007
129350	919779	11	<0.001	0.011

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Tuesday, June 21, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/16/2011
 Date Completed: 06/21/2011
 Job #: 201142219
 Reference: 201141857
 Sample #: 11

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
148666	919935	48	0.001	0.048
148667	919936	18	<0.001	0.018
148668	919937	28	<0.001	0.028
148669	919938	58	0.002	0.058
148670	919939	65	0.002	0.065
148671	919940	989	0.029	0.989
148672	919941	9	<0.001	0.009
148673	919942	36	0.001	0.036
148674	919943	73	0.002	0.073
148675	919944	17	<0.001	0.017
148676 Dup	919944	24	<0.001	0.024
148677	919945	132	0.004	0.132

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Thursday, June 23, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 T7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 06/20/2011
 Date Completed: 06/23/2011
 Job #: 201142266
 Reference: 201141857
 Sample #: 11

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
151497	919949	50	0.001	0.050
151498	919950	<5	<0.001	<0.005
151499	919951	20	<0.001	0.020
151500	919952	131	0.004	0.131
151501	919953	23	<0.001	0.023
151502	919954	246	0.007	0.246
151503	919955	267	0.008	0.267
151504	919956	694	0.020	0.694
151505	919957	320	0.009	0.320
151506	919958	126	0.004	0.126
151507 Dup	919958	123	0.004	0.123
151508	919959	50	0.001	0.050

PROCEDURE CODES: ALM1, ALFA2

 Certified By: 
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Monday, July 18, 2011

Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: neil.pettigrew@fladgateexploration.com, neil.pettigrew@fladgateexploration.com

Date Received: 07/04/2011
 Date Completed: 07/18/2011
 Job #: 201142464
 Reference: 201142229
 Sample #: 9

.cc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
162721	83529	0.438	0.436	1.665	0.519	6.70%	48.74
162722	83530	1.296	1.293	1.736	1.306	2.69%	18.12
162723	83531	13.336	13.166	14.760	13.293	2.79%	18.73
162724	83532	13.630	13.649	64.806	13.910	0.53%	2.06
162725	83533	3.082	3.154	6.564	3.159	1.18%	10.23
162726	83534	9.091	9.233	168.258	9.429	0.17%	0.66
162727	83535	16.432	16.904	53.145	16.925	0.71%	3.1
162728	83536	4.760	4.980	5.540	4.903	4.92%	46.38
162729	83537	0.359	0.340	0.112	0.336	5.75%	48.32

PROCEDURE CODES: ALPM1

 Certified By: 
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory

Monday, August 22, 2011


Certificate of Analysis

PCGold Inc.
 195 Park Avenue
 Thunder Bay, On, CAN
 P7B1B9
 Ph#: (807) 345-5380
 Fax#: (807) 345-1875
 Email: therese.pettigrew@fladgateexploration, neil.pettigrew@fladgateexploration.com

Date Received: 08/10/2011
 Date Completed: 08/22/2011
 Job #: 201142961
 Reference: 201142800
 Sample #: 2

.cc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
197611	884987	1656	1828	6012	1991	5.84%	38.53
197612	906327	6177	6204	14772	6331	1.63%	10.29

PROCEDURE CODES: ALPM1


 Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested
 The Certificate of Analysis should not be reproduced except in full,
 without the written approval of the laboratory