Certificate of Analysis

Work Order: TO119108

To: **Judith Harder**
Executive Secretary/Accounts Payable
Cascadero Copper Corp.
590 East Kings Road
NORTH VANCOUVER
BC V7N 1J3

Date: Apr 16, 2012

P.O. No.	:	-
Project No.	:	-
No. Of Samples	:	67
Date Submitted	:	Jan 26, 2012
Report Comprises	:	Pages 1 to 7 (Inclusive of Cover Sheet)

Distribution of unused material:
STORE:
Comments:

The present document voids and replaces / supersedes any previously issued report with same job order reference.

Certified By : _____
Bruce Robertson
Operations Manager

SGS Minerals Services (Toronto) is accredited by Standards Council of Canada (SCC) and conforms to the requirements of ISO/IEC 17025 for specific tests as indicated on the scope of accreditation to be found at http://www.scc.ca/en/programs/lab/mineral.shtml

Report Footer:

L.N.R.	= Listed not received	I.S.	= Insufficient Sample
n.a.	= Not applicable	--	= No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Methods marked with the @ symbol (e.g. @AAS21E) denote accredited tests

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : TO119108 Revision 2 Order:

Element	WtKg	Al@	B	Ba@	Ca@	Cr@	Cu@	Fe@	K@	Li@
Method	WGH79	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B
Det.Lim.	0.001	0.01	10	5	0.01	1	0.5	0.01	0.01	1
Units	kg	%	ppm	ppm	%	ppm	ppm	%	%	ppm
HK-19	0.206	1.21	<10	18	0.09	22	3.9	1.24	0.01	5
HK-18	0.173	1.14	<10	11	0.08	21	3.1	1.48	0.01	5
HK-17	0.221	1.34	<10	18	0.06	21	3.0	1.30	0.01	5
HK-16	0.266	1.24	<10	21	0.07	21	3.4	1.28	0.02	6
HK-15	0.341	0.78	<10	21	0.21	17	4.7	0.84	0.01	5
HK-14	0.291	0.43	<10	18	0.25	15	3.7	0.58	0.01	4
HK-13	0.249	0.97	<10	21	0.09	24	6.7	0.99	0.01	5
HK-12	0.388	0.63	<10	25	0.64	20	16.6	0.83	0.03	5
HK-11	0.205	1.14	<10	14	0.11	28	5.3	1.13	0.02	8
HK-10	0.149	1.89	<10	19	0.08	26	2.9	1.82	0.01	6
HK-9	0.238	1.23	<10	19	0.11	21	4.0	1.03	0.02	6
HK-8	0.216	1.28	<10	17	0.10	21	3.5	1.28	0.02	6
HK-7	0.235	1.23	<10	17	0.11	22	4.3	1.00	0.01	5
HK-6	0.298	1.12	<10	18	0.10	18	3.0	0.90	0.01	5
HK-5	0.233	0.71	<10	14	0.07	15	2.6	0.86	0.01	4
HK-4	0.161	2.55	<10	14	0.06	34	4.6	1.93	0.02	7
HK-3	0.327	0.61	<10	14	0.17	17	3.0	0.73	0.01	4
HK-2	0.216	1.64	<10	22	0.07	24	2.7	1.39	0.02	7
HK-1	0.362	0.57	<10	19	0.25	24	13.0	0.50	0.01	5
HK-24	0.052	1.77	30	193	8.80	39	85.7	2.85	0.13	6
HK-23	0.135	0.45	<10	30	0.86	18	28.6	0.77	0.03	4
HK-22	0.305	0.47	<10	16	0.29	18	2.7	0.58	<0.01	5
HK-21	0.202	0.54	<10	12	0.10	16	4.7	0.76	0.01	3
HK-20	0.302	1.12	<10	21	0.04	12	1.3	0.86	0.01	4
ED-16	0.243	0.75	<10	14	0.12	21	6.9	0.84	0.02	4
ED-17	0.195	1.71	<10	24	0.10	34	15.2	2.73	0.02	9
ED-18	0.177	1.65	<10	31	0.07	41	14.4	2.30	0.03	12
ED-19	0.043	1.40	70	287	>15	18	37.3	1.42	0.15	4
ED-20	0.059	2.84	90	369	>15	66	57.8	5.28	0.17	6
ED-21	0.265	1.08	<10	21	0.05	14	2.3	0.76	0.01	4
ED-22	0.255	1.45	<10	25	0.08	30	7.8	1.17	0.02	7
ED-23	0.198	1.88	<10	26	0.08	33	7.8	1.36	0.02	8
ED-24	0.245	2.19	<10	33	0.07	32	9.1	1.57	0.02	10
ED-1	0.227	2.57	<10	33	0.07	34	8.2	1.63	0.02	10
ED-2	0.249	1.95	<10	35	0.06	32	8.8	1.43	0.02	9
ED-3	0.213	1.23	<10	24	0.07	25	7.4	1.27	0.02	6
ED-4	0.250	1.47	<10	21	0.09	28	5.1	1.57	0.01	7
ED-5	0.250	1.91	<10	24	0.05	32	6.0	1.66	0.01	9
ED-6	0.326	1.07	<10	12	0.12	17	6.0	0.54	0.01	7
ED-7	0.251	0.45	<10	11	0.16	17	4.2	0.73	0.01	3
ED-8	0.231	1.41	<10	29	0.05	18	1.8	1.19	0.02	6
ED-9	0.320	1.49	<10	21	0.07	29	7.8	1.24	0.02	7
ED-10	0.280	1.27	<10	26	0.06	23	4.5	1.33	0.02	7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : TO119108 Revision 2 Order:

Element	WtKg	Al@	B	Ba@	Ca@	Cr@	Cu@	Fe@	K@	Li@
Method	WGH79	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B
Det.Lim.	0.001	0.01	10	5	0.01	1	0.5	0.01	0.01	1
Units	kg	%	ppm	ppm	%	ppm	ppm	%	%	ppm
ED-11	0.140	2.05	<10	16	0.04	30	15.2	1.82	0.01	10
ED-12	0.307	0.66	<10	11	0.13	19	4.2	0.86	0.01	4
ED-13	0.404	0.95	<10	16	0.13	21	5.2	0.96	0.01	5
ED-15	0.442	1.62	<10	24	0.11	31	21.0	1.32	0.02	9
L4E-250N	0.381	0.26	<10	14	0.08	9	0.6	0.12	<0.01	2
L4E-150N	0.424	1.21	<10	17	0.06	17	2.1	0.78	0.01	6
L4E-50N	0.339	0.93	<10	11	0.15	17	2.0	0.56	0.01	4
L4E-50S	0.297	1.01	<10	17	0.07	16	2.9	0.93	0.01	5
L4E-150S	0.260	0.65	<10	11	0.07	13	4.3	0.62	0.01	4
L3E-200S	0.216	0.93	<10	17	0.04	20	4.7	2.11	0.02	5
L3E-100S	0.231	1.30	<10	21	0.06	20	3.7	1.16	0.01	6
L3E-0	0.396	0.66	<10	16	0.12	20	3.7	1.15	0.02	5
L3E-100N	0.252	1.01	<10	9	0.11	16	2.2	0.47	0.01	3
L3E-200N	0.475	0.53	<10	12	0.10	13	3.9	0.62	0.02	4
L2E-250N	0.421	0.91	<10	14	0.09	18	3.2	0.81	0.01	5
L2E-150N	0.270	0.63	<10	15	0.11	16	4.8	0.70	0.01	4
L2E-50N	0.303	1.08	<10	37	0.07	23	4.7	1.04	0.03	6
L2E-50S	0.311	1.44	<10	15	0.11	20	3.5	0.59	0.02	5
L2E-150S	0.350	0.77	<10	16	0.09	14	2.9	0.73	0.01	5
L1E-200S	0.223	0.71	<10	30	0.02	10	10.7	1.12	0.02	2
L1E-100S	0.308	0.67	<10	10	0.09	17	3.1	1.02	0.02	4
L1E-0	0.343	0.76	<10	15	0.09	18	4.1	0.87	0.01	5
L1E-100N	0.265	1.24	<10	15	0.05	18	2.4	0.91	0.02	6
L1E-200N	0.281	0.80	<10	27	0.08	19	4.8	0.76	0.02	5
*Rep ED-9		1.50	<10	33	0.07	29	7.7	1.25	0.02	7
*Rep L1E-200N		0.82	<10	27	0.08	20	4.4	0.74	0.02	4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Mg@	Mn@	Na@	Ni@	P@	S@	Sr@	Ti@	V@	Zn@
Method	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B
Det.Lim.	0.01	2	0.01	0.5	50	0.01	0.5	0.01	1	1
Units	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
HK-19	0.14	62	0.01	9.5	330	0.01	4.8	0.05	22	9
HK-18	0.14	44	0.01	8.3	270	0.01	4.5	0.05	20	9
HK-17	0.11	41	0.01	8.4	230	0.03	3.8	0.05	25	8
HK-16	0.13	44	0.01	10.5	130	0.02	4.9	0.06	26	8
HK-15	0.19	58	0.02	9.9	220	<0.01	8.0	0.04	17	9
HK-14	0.16	77	0.02	7.2	450	<0.01	8.8	0.03	12	8
HK-13	0.21	68	0.01	13.5	180	0.01	5.0	0.05	18	12
HK-12	0.38	203	0.03	11.0	550	<0.01	12.2	0.04	17	13
HK-11	0.21	63	0.02	13.3	290	0.03	5.8	0.06	22	14
HK-10	0.15	50	0.01	10.2	310	0.04	4.9	0.06	31	8
HK-9	0.15	51	0.01	12.9	370	<0.01	6.0	0.04	18	9
HK-8	0.15	109	0.01	11.4	650	0.02	4.4	0.04	22	15
HK-7	0.17	113	0.02	13.7	420	0.01	5.0	0.04	16	10
HK-6	0.17	48	0.01	10.9	260	0.01	5.3	0.05	17	10
HK-5	0.11	58	0.01	6.8	200	<0.01	4.0	0.04	16	8
HK-4	0.13	40	0.02	11.0	260	0.05	3.8	0.06	30	10
HK-3	0.17	45	0.02	8.5	340	<0.01	7.5	0.04	17	8
HK-2	0.14	49	0.02	10.7	270	0.03	4.4	0.05	25	12
HK-1	0.18	46	0.02	11.4	360	0.04	9.5	0.03	13	10
HK-24	0.95	1090	0.09	29.4	2230	1.39	144	0.04	46	88
HK-23	0.25	76	0.02	11.8	450	0.38	15.0	0.03	16	15
HK-22	0.23	59	0.01	9.2	540	<0.01	9.4	0.03	12	11
HK-21	0.14	54	0.01	8.7	310	<0.01	4.3	0.03	16	10
HK-20	0.05	20	0.01	4.7	130	<0.01	3.7	0.04	21	5
ED-16	0.19	76	0.02	13.3	360	<0.01	5.6	0.04	17	11
ED-17	0.22	66	0.02	14.1	330	0.03	5.6	0.08	46	11
ED-18	0.15	41	0.01	14.9	590	0.03	4.7	0.05	40	17
ED-19	1.68	368	0.15	19.5	2980	2.78	441	0.03	35	71
ED-20	2.31	1680	0.15	25.4	6820	3.72	393	0.03	60	868
ED-21	0.05	18	0.01	4.8	160	0.02	4.1	0.03	16	6
ED-22	0.24	71	0.02	18.8	590	0.02	5.4	0.06	21	15
ED-23	0.23	72	0.02	20.2	510	0.03	5.0	0.05	23	22
ED-24	0.20	79	0.02	20.3	420	0.02	5.2	0.05	27	25
ED-1	0.20	79	0.02	21.7	450	0.02	5.2	0.06	26	25
ED-2	0.20	67	0.01	19.6	430	0.03	4.5	0.06	24	26
ED-3	0.16	79	0.02	12.1	350	0.02	4.6	0.04	26	15
ED-4	0.18	91	0.02	14.3	430	0.02	4.6	0.05	31	15
ED-5	0.13	42	0.01	10.5	280	0.05	4.1	0.07	33	11
ED-6	0.15	41	0.01	9.2	350	<0.01	5.9	0.05	13	10
ED-7	0.15	63	0.02	8.9	450	<0.01	6.2	0.03	16	8
ED-8	0.07	25	0.02	8.0	170	0.02	4.5	0.05	23	5
ED-9	0.20	63	0.02	17.1	530	0.02	4.9	0.06	22	17
ED-10	0.12	57	0.01	10.5	380	0.01	4.8	0.05	29	18

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : TO119108 Revision 2 Order:

Element	Mg@	Mn@	Na@	Ni@	P@	S@	Sr@	Ti@	V@	Zn@
Method	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B	ICM12B
Det.Lim.	0.01	2	0.01	0.5	50	0.01	0.5	0.01	1	1
Units	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
ED-11	0.07	22	0.01	7.8	220	0.03	3.1	0.05	32	6
ED-12	0.16	74	0.01	11.1	410	<0.01	5.7	0.03	19	8
ED-13	0.17	90	0.01	13.6	490	<0.01	5.6	0.04	19	10
ED-15	0.32	114	0.02	25.4	520	0.01	6.5	0.05	25	27
L4E-250N	0.05	16	0.01	2.4	170	0.01	5.5	0.04	5	4
L4E-150N	0.13	35	0.01	10.5	140	<0.01	3.8	0.04	15	8
L4E-50N	0.14	39	0.01	7.9	470	0.02	5.6	0.04	15	7
L4E-50S	0.11	42	0.01	8.6	260	0.01	3.7	0.04	16	9
L4E-150S	0.12	35	0.01	8.3	400	<0.01	3.4	0.02	12	9
L3E-200S	0.07	26	0.01	5.7	340	0.02	4.2	0.08	43	5
L3E-100S	0.12	47	0.01	11.0	310	0.01	3.7	0.04	22	13
L3E-0	0.18	54	0.01	11.6	430	<0.01	5.4	0.04	18	9
L3E-100N	0.14	36	0.01	7.8	450	0.02	3.9	0.03	11	9
L3E-200N	0.16	63	0.01	10.1	410	<0.01	3.9	0.03	13	9
L2E-250N	0.14	56	0.01	11.6	350	<0.01	4.2	0.03	15	9
L2E-150N	0.16	46	0.01	9.9	350	<0.01	4.9	0.03	13	9
L2E-50N	0.18	53	0.02	13.0	260	<0.01	5.5	0.05	21	12
L2E-50S	0.13	39	0.01	10.6	620	0.01	5.1	0.04	15	12
L2E-150S	0.11	74	0.01	9.8	790	<0.01	4.5	0.03	14	20
L1E-200S	0.11	56	0.01	4.4	360	0.01	2.7	<0.01	19	18
L1E-100S	0.11	43	0.01	7.3	450	<0.01	4.6	0.04	23	7
L1E-0	0.13	61	0.01	9.4	480	<0.01	3.9	0.03	19	10
L1E-100N	0.14	54	0.01	12.0	490	0.01	3.0	0.03	17	12
L1E-200N	0.18	55	0.01	10.9	240	<0.01	5.0	0.04	16	10
*Rep ED-9	0.20	63	0.01	17.3	530	0.02	5.0	0.06	22	17
*Rep L1E-200N	0.18	57	0.01	11.4	240	<0.01	4.9	0.04	16	11

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : TO119108 Revision 2 Order:

Element	Zr@	Pb@	Au@	Ash
Method	ICM12B	ICM12B	FAI313	CHAY50
Det.Lim.	0.5	0.2	1	0
Units	ppm	ppm	ppb	%
HK-19	2.6	3.7	<1	N.A.
HK-18	2.3	3.7	<1	N.A.
HK-17	2.7	3.8	<1	N.A.
HK-16	3.1	3.8	2	N.A.
HK-15	1.8	3.0	1	N.A.
HK-14	2.1	1.9	2	N.A.
HK-13	3.6	2.9	1	N.A.
HK-12	2.7	2.2	<1	N.A.
HK-11	3.3	3.4	1	N.A.
HK-10	3.9	3.5	3	N.A.
HK-9	2.4	3.0	<1	N.A.
HK-8	2.2	3.4	<1	N.A.
HK-7	2.7	2.5	1	N.A.
HK-6	2.0	3.5	<1	N.A.
HK-5	1.7	3.4	1	N.A.
HK-4	4.1	4.3	1	N.A.
HK-3	1.8	2.3	5	N.A.
HK-2	3.6	3.7	<1	N.A.
HK-1	1.7	2.5	1	N.A.
HK-24	21.4	9.2	1	27.1
HK-23	4.6	3.4	2	N.A.
HK-22	1.8	2.5	1	N.A.
HK-21	2.1	2.9	<1	N.A.
HK-20	2.4	3.8	13	N.A.
ED-16	3.5	2.3	<1	N.A.
ED-17	3.4	4.0	2	N.A.
ED-18	3.0	6.7	2	N.A.
ED-19	9.1	29.3	1	13.7
ED-20	24.0	22.6	1	12.5
ED-21	2.0	4.2	1	N.A.
ED-22	5.5	3.2	1	N.A.
ED-23	4.3	3.7	1	N.A.
ED-24	4.5	4.4	1	N.A.
ED-1	4.0	4.8	3	N.A.
ED-2	5.1	4.0	8	N.A.
ED-3	2.8	5.3	3	N.A.
ED-4	3.3	4.5	<1	N.A.
ED-5	4.9	5.4	2	N.A.
ED-6	2.1	3.7	<1	N.A.
ED-7	2.6	2.1	<1	N.A.
ED-8	2.5	5.4	<1	N.A.
ED-9	4.3	3.3	6	N.A.
ED-10	3.0	4.8	1	N.A.

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : TO119108 Revision 2 Order:

Element	Zr@	Pb@	Au@	Ash
Method	ICM12B	ICM12B	FAI313	CHAY50
Det.Lim.	0.5	0.2	1	0
Units	ppm	ppm	ppb	%
ED-11	3.8	5.4	1	N.A.
ED-12	2.7	2.0	<1	N.A.
ED-13	2.7	2.6	<1	N.A.
ED-15	4.4	3.6	1	N.A.
L4E-250N	1.4	2.2	1	N.A.
L4E-150N	2.3	2.3	<1	N.A.
L4E-50N	1.9	3.4	<1	N.A.
L4E-50S	2.5	2.9	<1	N.A.
L4E-150S	2.2	2.0	<1	N.A.
L3E-200S	2.3	4.9	<1	N.A.
L3E-100S	2.0	3.4	5	N.A.
L3E-0	2.8	2.4	<1	N.A.
L3E-100N	1.3	1.9	<1	N.A.
L3E-200N	2.4	1.6	1	N.A.
L2E-250N	2.6	2.6	<1	N.A.
L2E-150N	1.9	2.0	<1	N.A.
L2E-50N	4.3	2.9	<1	N.A.
L2E-50S	2.3	2.7	<1	N.A.
L2E-150S	1.4	1.9	<1	N.A.
L1E-200S	0.9	8.0	<1	N.A.
L1E-100S	2.1	2.7	17	N.A.
L1E-0	2.3	2.4	<1	N.A.
L1E-100N	2.6	2.8	<1	N.A.
L1E-200N	4.3	2.5	<1	N.A.
*Rep HK-4			<1	
*Rep L1E-200N			<1	
*Rep ED-9	4.6	3.5		
*Rep L1E-200N	4.5	2.4		
*Rep HK-12				N.A.
*Rep HK-6				N.A.
*Rep ED-2				N.A.
*Rep ED-7				N.A.
*Rep L3E				N.A.
*Rep L1E-200N				N.A.

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.