

**APPENDIX IV: Assay Certificates (Part 1 of 3)**

*Smiley 9am*

RECEIVED

APR 17 2007

GEOLOGICAL SURVEY CONTACT  
OFFICE

2.34454



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 2-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06005745

Project: DETOUR LAKE

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-JAN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 804 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
163001		2.69	0.941			<0.5	7.76	<5	100	<0.5	<2	6.35	<0.5	23	108	16
163002		2.77	0.413			<0.5	6.98	<5	100	<0.5	<2	7.68	<0.5	34	112	171
163003		2.62	0.072			<0.5	7.52	<5	70	<0.5	<2	7.71	<0.5	45	127	154
163004		2.60	0.041			0.8	7.99	<5	70	<0.5	<2	7.52	<0.5	29	126	117
163005		2.48	0.058			<0.5	7.22	<5	70	<0.5	<2	7.95	<0.5	70	122	255
163006		0.12	<0.005			<0.5	8.37	<5	500	0.9	<2	0.83	<0.5	3	9	7
163007		2.26	0.134			<0.5	6.84	<5	120	<0.5	<2	9.79	<0.5	87	112	373
163008		2.48	0.278	0.275		<0.5	6.69	<5	150	<0.5	<2	7.02	<0.5	86	118	581
163009 DUP		<0.02	0.137	0.335		<0.5	8.56	15	150	<0.5	<2	6.81	<0.5	88	112	668
163010		2.42	0.022			<0.5	7.59	<5	140	<0.5	<2	6.66	<0.5	24	105	23
163011		2.73	0.071			<0.5	7.76	<5	70	<0.5	<2	7.32	<0.5	28	114	24
163012		2.36	0.009			<0.5	7.66	<5	60	<0.5	<2	7.08	<0.5	28	111	12
163013		2.43	0.050			<0.5	7.71	<5	80	<0.5	<2	7.79	<0.5	34	112	63
163014		2.39	0.087			<0.5	7.49	<5	90	0.5	<2	7.40	1.0	35	120	246
163015		2.50	0.052			<0.5	7.90	<5	110	0.5	<2	7.06	<0.5	42	106	172
163016		2.62	0.114			<0.5	7.61	<5	90	<0.5	<2	6.41	<0.5	61	134	456
163017		0.04	1.015			10.8	7.86	5	40	3.1	<2	0.32	<0.5	<1	13	8
163018		2.31	0.049			<0.5	7.61	<5	90	<0.5	<2	6.43	<0.5	39	106	142
163019		2.21	0.022			<0.5	8.35	<5	70	<0.5	<2	7.78	<0.5	47	135	193
163020		3.19	0.106			<0.5	6.88	<5	60	<0.5	<2	6.06	<0.5	44	120	218
163021		2.44	0.070			<0.5	6.98	<5	80	<0.5	<2	6.00	<0.5	53	126	247
163022 DUP		<0.02	0.035			<0.5	6.98	<5	80	<0.5	<2	6.03	<0.5	54	126	263
163023		2.34	0.029			<0.5	7.77	6	160	0.6	<2	5.51	<0.5	32	89	120
163024		2.46	0.024			<0.5	8.01	<5	170	0.5	<2	5.64	<0.5	32	110	74
163025		2.51	0.447			<0.5	7.84	<5	100	<0.5	<2	7.24	<0.5	38	126	198
163026		2.44	0.018			<0.5	7.91	<5	120	0.5	<2	6.13	<0.5	35	111	114
163027		2.56	0.100			<0.5	7.75	5	140	<0.5	<2	5.87	<0.5	38	136	175
163028		2.42	0.029			<0.5	7.82	<5	120	0.5	<2	6.12	<0.5	30	111	110
163029		2.44	0.105			<0.5	7.73	<5	90	<0.5	<2	6.82	<0.5	39	136	184
163030		0.06	1.880			19.6	7.67	<5	50	3.1	<2	0.32	<0.5	1	5	6
163031		2.61	0.256			<0.5	6.99	<5	120	<0.5	<2	6.41	<0.5	37	124	174
163032		0.16	<0.005			<0.5	6.97	<5	530	0.9	2	0.88	<0.5	2	9	7
163033		2.54	0.027			<0.5	8.09	<5	130	0.5	<2	6.74	<0.5	45	134	149
163034		2.40	0.053			<0.5	7.57	5	120	<0.5	<2	6.37	<0.5	36	125	226
163035		1.92	0.932			<0.5	7.46	<5	120	<0.5	<2	8.62	<0.5	29	120	196
163036		1.63	0.062			0.6	7.43	<5	110	<0.5	<2	6.45	<0.5	33	126	112
163037		2.08	0.049			<0.5	7.39	<5	140	<0.5	<2	5.73	<0.5	33	224	45
163038		2.04	0.289			<0.5	7.69	6	140	<0.5	<2	5.93	<0.5	35	111	434
163039		2.28	0.755			0.6	7.67	7	170	<0.5	2	6.36	<0.5	42	132	795
163040		2.31	0.154			<0.5	8.40	<5	540	0.7	<2	5.51	<0.5	42	182	494



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	
163001		6.36	0.76	3.35	1130	<1	1.65	51	430	5	0.09	<5	152	0.44	186	<10
163002		6.80	1.10	3.45	1370	<1	0.90	98	400	<2	0.63	<5	107	0.39	188	<10
163003		6.68	0.95	3.32	1335	<1	1.02	64	400	5	0.58	<5	109	0.44	197	10
163004		6.56	0.82	3.37	1300	<1	1.36	53	380	<2	0.25	<5	124	0.45	207	<10
163005		7.18	0.99	3.02	1275	<1	1.25	94	350	4	1.18	<5	114	0.42	189	<10
163006		1.80	4.40	0.19	163	<1	1.95	4	130	72	0.02	<5	138	0.08	9	<10
163007		7.48	1.70	3.07	1545	<1	0.67	104	340	4	1.91	<5	89	0.37	176	10
163008		7.70	2.14	2.79	1215	<1	0.80	122	360	6	1.83	<5	84	0.38	172	10
163009 DUP		7.55	2.11	2.68	1170	<1	0.81	122	340	17	1.76	<5	82	0.38	170	10
163010		5.45	0.87	2.62	1180	1	1.47	63	420	2	0.16	<5	152	0.45	179	<10
163011		6.38	0.68	3.55	1315	<1	1.39	67	380	<2	0.17	<5	136	0.46	205	<10
163012		6.43	0.61	3.54	1240	<1	1.43	63	360	2	0.08	6	139	0.46	208	<10
163013		6.58	0.85	3.46	1390	<1	1.08	70	400	3	0.30	<5	119	0.47	207	<10
163014		6.07	1.33	2.95	1570	<1	0.81	79	390	4	0.72	<5	101	0.44	197	<10
163015		6.68	1.02	2.96	1305	1	1.30	69	500	4	0.60	<5	132	0.49	196	<10
163016		7.15	0.89	3.08	1235	<1	1.32	100	370	<2	0.92	<5	119	0.46	200	10
163017		2.66	0.18	0.06	35	<1	6.77	1	590	116	3.05	<5	20	0.01	2	<10
163018		6.66	0.89	2.94	1155	<1	1.35	84	470	<2	0.65	<5	131	0.46	183	<10
163019		7.46	0.74	3.46	1515	1	1.43	72	400	3	0.47	<5	140	0.50	224	10
163020		6.15	0.61	2.53	1100	1	1.28	67	330	2	0.69	<5	115	0.40	170	<10
163021		6.41	0.66	2.70	1135	<1	1.33	77	340	2	0.59	<5	118	0.42	179	<10
163022 DUP		6.49	0.66	2.71	1145	<1	1.31	76	360	2	0.63	<5	116	0.42	181	<10
163023		5.82	0.92	2.30	1055	<1	1.73	53	610	2	0.35	<5	151	0.50	167	<10
163024		6.49	1.10	3.00	1065	<1	1.65	60	480	3	0.29	<5	134	0.46	180	<10
163025		7.12	1.11	3.37	1270	<1	1.06	73	380	2	0.68	<5	116	0.45	205	<10
163026		6.79	0.93	2.97	1170	1	1.63	57	530	<2	0.44	<5	188	0.52	206	<10
163027		6.49	1.24	2.85	1215	1	1.39	70	340	66	0.77	<5	124	0.46	204	10
163028		6.31	1.05	2.79	1170	<1	1.37	60	450	3	0.53	<5	135	0.47	191	<10
163029		6.53	0.80	2.91	1180	1	1.26	79	360	3	0.54	<5	128	0.47	202	10
163030		2.76	0.18	0.06	111	<1	6.70	3	600	128	3.19	<5	21	0.01	1	<10
163031		7.30	0.88	3.15	1315	<1	1.10	82	440	<2	0.64	<5	162	0.52	186	10
163032		1.73	4.09	0.21	163	<1	2.16	4	160	39	0.02	<5	151	0.08	9	<10
163033		6.12	1.08	3.35	1345	<1	1.63	99	770	<2	0.55	<5	308	0.67	219	10
163034		6.31	1.19	2.79	1235	1	1.23	74	360	2	0.69	<5	112	0.43	191	10
163035		5.50	1.48	2.59	1240	1	1.02	73	350	<2	0.59	<5	106	0.45	190	30
163036		6.32	1.21	3.06	1210	1	1.17	67	360	4	0.44	<5	131	0.45	201	10
163037		6.59	0.95	4.82	1090	1	1.65	168	430	3	0.24	<5	225	0.44	187	<10
163038		6.70	1.16	3.03	1130	1	1.76	67	420	2	0.49	<5	151	0.44	167	<10
163039		6.63	1.74	2.94	1195	<1	1.41	65	360	4	0.63	<5	143	0.45	197	10
163040		6.71	1.92	3.59	1035	1	1.73	95	840	6	0.76	<5	399	0.45	162	10





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 2-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
163001		70
163002		68
163003		54
163004		57
163005		53
163006		32
163007		50
163008		67
163009 DUP		75
163010		116
163011		68
163012		63
163013		65
163014		302
163015		71
163016		60
163017		17
163018		61
163019		78
163020		53
163021		60
163022 DUP		62
163023		66
163024		61
163025		57
163026		71
163027		124
163028		68
163029		59
163030		20
163031		131
163032		28
163033		95
163034		50
163035		45
163036		62
163037		88
163038		71
163039		72
163040		82



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
163041		2.54	0.430			0.6	6.57	<5	140	<0.5	2	3.98	<0.5	92	122	939
163042		2.46	0.574			0.5	6.99	<5	220	0.5	<2	4.74	<0.5	50	224	442
163043		2.56	0.073			<0.5	7.59	<5	160	<0.5	<2	5.73	<0.5	36	133	131
163044		1.20	0.063			<0.5	8.21	<5	490	1.2	2	1.39	<0.5	6	7	62
163045		0.06	1.005			11.7	8.09	<5	40	3.2	<2	0.32	<0.5	<1	5	9
163046		2.77	0.063			<0.5	7.60	<5	150	<0.5	<2	5.71	<0.5	36	122	241
163047		1.29	0.039			<0.5	7.48	<5	130	0.8	<2	3.23	<0.5	14	10	80
163048		2.02	0.158			0.7	7.14	<5	100	<0.5	<2	5.78	<0.5	77	118	882
163049 DUP		<0.02	0.178			0.8	7.12	<5	100	<0.5	2	5.84	<0.5	82	124	948
163050		2.75	0.308			<0.5	7.18	<5	120	<0.5	<2	6.19	<0.5	44	122	562
163051		2.76	0.087			<0.5	7.51	<5	100	<0.5	<2	5.96	<0.5	43	124	426
163052		2.54	0.019			<0.5	7.75	<5	110	<0.5	<2	6.36	<0.5	34	115	47
163053		2.73	0.437			<0.5	7.57	<5	90	<0.5	2	6.17	<0.5	49	126	561
163054		2.60	0.088			<0.5	7.86	<5	200	<0.5	<2	5.03	<0.5	28	98	297
163055		0.12	<0.005			<0.5	6.88	<5	520	0.9	<2	0.94	<0.5	1	17	6
163056		2.67	0.073			<0.5	7.29	<5	140	<0.5	<2	6.16	<0.5	37	261	112
163057		2.86	0.016			<0.5	7.59	<5	90	<0.5	<2	5.81	<0.5	35	148	150
163058		2.77	0.030			<0.5	7.79	<5	100	<0.5	<2	6.57	<0.5	48	138	566
163059		1.95	0.110			<0.5	7.67	<5	100	<0.5	<2	6.23	<0.5	40	132	348
163060		1.52	0.426			<0.5	7.92	<5	200	0.9	<2	3.59	<0.5	15	22	80
163061		1.66	0.118			0.5	7.45	<5	110	<0.5	<2	5.59	<0.5	61	124	584
163062		2.42	0.354			<0.5	7.70	<5	80	<0.5	<2	6.68	<0.5	33	126	228
163063		2.60	0.560			<0.5	7.17	<5	290	<0.5	<2	5.68	<0.5	37	293	261
163064		2.56	0.246			<0.5	7.31	<5	280	<0.5	<2	5.59	<0.5	34	387	76
163065		1.77	4.20			<0.5	7.89	<5	290	0.5	<2	4.13	<0.5	30	322	59
163066		0.12	<0.005			<0.5	7.02	<5	540	0.8	<2	0.94	<0.5	2	14	6
163067		1.75	0.170			<0.5	4.77	<5	20	<0.5	<2	6.33	<0.5	56	1045	89
163068		2.17	0.349			<0.5	4.68	<5	10	<0.5	<2	5.35	<0.5	55	1175	84
163069		1.73	0.058			<0.5	5.88	<5	120	<0.5	<2	3.57	<0.5	45	1050	36
163070 DUP		<0.02	0.067			<0.5	6.04	<5	150	<0.5	<2	3.62	<0.5	45	1015	38
163071		2.56	0.152			<0.5	2.90	<5	<10	<0.5	<2	5.43	3.3	86	2240	72
163072		2.88	0.017			<0.5	4.82	<5	80	<0.5	<2	5.20	3.8	68	1370	46
163073		2.83	0.016			<0.5	3.24	<5	10	<0.5	<2	4.33	7.9	76	1810	132
163074		2.87	0.065			<0.5	3.98	<5	<10	<0.5	2	4.38	<0.5	77	1170	62
163075		0.06	1.810			19.5	7.39	<5	50	3.0	2	0.32	<0.5	2	8	5
163076		3.29	3.28			<0.5	4.04	<5	40	<0.5	<2	5.12	<0.5	58	1360	7
163077		2.65	0.034			<0.5	7.81	<5	310	0.9	<2	3.08	<0.5	14	35	14
163078		2.63	0.104			<0.5	6.94	<5	120	<0.5	<2	6.01	<0.5	47	341	11
163079		2.37	0.065			<0.5	7.70	<5	110	<0.5	<2	6.58	<0.5	41	187	18
163080		1.98	0.014			<0.5	7.88	<5	250	0.8	<2	3.88	<0.5	17	15	12



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
163041		8.67	1.45	2.74	945	1	1.04	79	290	3	2.37	<5	81	0.38	179	20
163042		6.88	2.05	3.47	1030	1	0.81	118	570	5	1.22	<5	161	0.39	169	20
163043		6.79	2.00	3.52	1285	1	1.03	79	360	3	0.58	<5	104	0.45	207	10
163044		1.55	1.02	0.16	157	1	2.97	1	70	4	0.32	<5	128	0.10	6	<10
163045		2.69	0.19	0.06	35	1	6.89	2	620	116	3.07	<5	21	0.01	1	<10
163046		6.55	1.16	3.15	1135	<1	1.24	69	360	4	0.61	<5	128	0.46	199	10
163047		4.34	0.70	1.06	632	1	2.81	7	860	4	0.54	<5	180	0.49	102	<10
183048		7.60	0.99	2.75	1195	1	1.54	84	340	3	1.83	<5	111	0.41	201	30
163049 DUP		7.56	1.01	2.76	1195	1	1.54	86	330	5	1.72	<5	110	0.42	205	30
163050		6.71	1.17	2.88	1170	2	1.34	75	340	7	1.12	<5	100	0.42	191	10
163051		6.60	1.16	2.93	1070	2	1.24	70	350	4	0.88	<5	114	0.45	201	10
163052		6.90	1.07	3.74	1150	<1	1.28	70	360	2	0.17	<5	120	0.45	204	<10
163053		6.80	0.77	3.00	1030	<1	1.46	67	350	3	0.76	<5	132	0.44	199	10
163054		5.28	1.15	2.28	884	<1	2.16	49	320	4	0.52	<5	155	0.34	150	10
163055		1.61	3.89	0.23	170	1	2.20	8	170	37	0.01	<5	162	0.09	10	<10
163056		6.26	0.89	3.93	1165	1	1.27	102	390	2	0.33	<5	163	0.41	190	<10
163057		5.75	0.70	3.04	984	1	1.68	67	370	3	0.30	<5	159	0.41	175	<10
163058		7.16	0.88	3.36	1155	1	1.49	72	370	3	0.62	<5	140	0.47	203	<10
163059		6.86	0.79	3.13	1135	1	1.49	68	370	3	0.62	<5	145	0.47	207	<10
163060		4.60	0.86	1.00	698	<1	2.68	12	1020	3	0.34	<5	181	0.50	80	<10
163061		7.53	0.74	2.67	1030	1	1.65	91	360	5	1.49	<5	151	0.44	186	<10
163062		6.84	0.74	3.22	1150	1	1.21	63	350	3	0.54	<5	145	0.45	202	<10
163063		6.91	1.44	3.92	1110	3	0.97	124	360	5	0.69	<5	119	0.40	186	10
163064		6.47	1.37	5.03	1225	2	1.28	182	410	6	0.56	<5	252	0.34	165	<10
163065		5.70	1.36	4.31	973	<1	2.05	168	500	6	0.50	<5	298	0.34	129	<10
163066		1.66	4.15	0.25	161	<1	2.14	5	180	36	0.01	<5	155	0.09	10	<10
163067		8.99	0.30	10.05	1535	2	0.37	605	210	24	0.51	<5	45	0.22	137	10
163068		8.47	0.19	9.90	1465	2	0.34	664	170	71	0.42	<5	32	0.24	149	<10
163069		5.40	0.76	7.65	930	<1	1.14	581	550	80	0.31	<5	375	0.35	109	<10
163070 DUP		5.42	0.77	7.47	942	1	1.22	562	560	73	0.32	<5	392	0.36	110	<10
163071		5.21	<0.01	14.00	937	1	0.01	1300	100	71	0.71	<5	49	0.15	98	<10
163072		6.01	0.33	11.45	1175	1	0.47	857	320	15	0.39	<5	153	0.27	123	<10
163073		5.37	0.06	13.05	987	1	0.09	1130	150	396	0.57	<5	56	0.17	103	<10
163074		6.82	0.01	12.80	1165	<1	0.07	799	150	8	0.35	<5	22	0.21	133	<10
163075		2.72	0.17	0.08	108	<1	6.75	7	580	114	3.23	<5	19	0.01	2	<10
163076		6.59	0.64	10.50	1635	<1	0.27	403	150	<2	0.02	<5	19	0.21	140	<10
163077		4.34	1.28	1.17	753	1	2.58	14	970	2	0.06	<5	230	0.52	94	<10
163078		7.52	1.21	6.71	1440	<1	1.11	144	230	3	<0.01	<5	80	0.36	217	<10
163079		7.04	1.15	5.10	1335	<1	1.21	94	270	2	0.01	<5	113	0.41	232	<10
163080		4.52	1.03	1.25	824	1	2.36	15	710	2	0.05	<5	198	0.47	120	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 2-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
163041		71
163042		77
163043		91
163044		13
163045		18
163046		91
163047		33
163048		64
163049 DUP		66
163050		66
163051		69
163052		67
163053		55
163054		58
163055		29
163056		64
163057		55
163058		60
163059		71
163060		44
163061		92
163062		62
163063		72
163064		76
163065		62
163066		30
163067		103
163068		180
163069		119
163070 DUP		116
163071		2100
163072		1880
163073		3740
163074		103
163075		26
163076		119
163077		51
163078		81
163079		63
163080		49



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
163081		2.44	0.025			<0.5	8.00	<5	90	<0.5	<2	6.99	<0.5	42	206	27
163082		2.71	0.039			<0.5	7.57	<5	110	<0.5	<2	6.81	<0.5	43	260	45
163083		2.42	0.059			<0.5	7.52	<5	120	<0.5	<2	6.72	<0.5	48	332	33
163084		1.80	0.110			<0.5	7.44	<5	250	0.8	<2	3.63	<0.5	16	54	29
163085		0.06	1.035			11.4	7.62	<5	40	3.2	<2	0.31	<0.5	1	11	8
163086		2.24	0.033			<0.5	7.18	<5	170	<0.5	<2	5.90	<0.5	46	372	9
183087		2.87	0.224			<0.5	5.89	<5	80	<0.5	<2	5.60	<0.5	57	969	4
163088		1.66	0.079			<0.5	5.73	<5	100	<0.5	<2	5.64	<0.5	67	1105	37
163089		2.70	0.100			<0.5	5.89	<5	40	<0.5	2	5.86	<0.5	65	1105	9
163090		3.10	0.860			<0.5	5.45	<5	50	<0.5	<2	5.33	<0.5	55	1105	56
163091		0.14	<0.005			<0.5	6.78	<5	530	0.8	<2	0.80	<0.5	2	26	9
183092		1.92	0.543			<0.5	8.53	<5	130	<0.5	<2	4.22	<0.5	46	916	7
163093		2.94	0.255			<0.5	5.35	<5	50	<0.5	<2	5.82	<0.5	63	1095	17
163094		1.15	>10.0		22.4	1.5	3.88	<5	50	<0.5	<2	3.85	<0.5	68	1135	1030
163095		1.20	0.049			<0.5	6.45	<5	260	<0.5	<2	6.06	<0.5	56	848	29
183096		2.77	0.438			<0.5	7.42	<5	320	0.7	<2	6.94	<0.5	53	434	36
163097		3.02	0.434			<0.5	7.00	<5	80	<0.5	<2	8.55	<0.5	42	310	25
163098		2.75	0.183			<0.5	7.32	<5	80	<0.5	<2	8.48	<0.5	39	312	32
163099		2.45	0.112			<0.5	7.25	<5	60	<0.5	<2	7.81	<0.5	31	199	33
163100		2.55	0.711			<0.5	8.76	<5	130	<0.5	<2	5.63	<0.5	40	448	32
163101		2.75	0.014			<0.5	7.75	<5	90	<0.5	<2	6.17	<0.5	29	125	6
163102		2.42	0.102			<0.5	7.80	<5	80	<0.5	<2	6.40	<0.5	29	118	51
163103		2.52	0.035			<0.5	7.72	<5	100	<0.5	<2	6.04	<0.5	30	123	4
163104		2.52	0.007			<0.5	7.99	<5	130	<0.5	2	6.09	<0.5	33	122	3
183105		2.46	0.010			<0.5	7.97	<5	150	<0.5	<2	6.06	<0.5	33	124	5
163106		0.08	1.900			21.0	6.86	<5	40	2.9	<2	0.30	<0.5	1	5	5
163107		2.46	0.813			<0.5	8.07	<5	140	<0.5	<2	5.84	<0.5	31	107	13
183108		2.22	0.510			<0.5	7.61	<5	100	<0.5	<2	6.14	<0.5	29	112	14
163109 DUP		<0.02	0.417			<0.5	7.63	<5	100	<0.5	<2	6.34	<0.5	30	118	13
163110		2.67	0.065			<0.5	7.68	<5	100	<0.5	<2	6.37	<0.5	30	118	1
163111		2.38	0.158			<0.5	7.80	<5	90	<0.5	<2	6.71	<0.5	30	124	19
163112		2.33	0.133	0.131		<0.5	6.64	<5	110	<0.5	<2	6.82	<0.5	87	124	222
163113		2.55	1.630			<0.5	7.75	<5	150	<0.5	<2	8.31	<0.5	64	118	203
163114		0.14	<0.005			<0.5	7.02	<5	540	0.9	<2	0.92	<0.5	2	27	9
163115		2.54	0.079			<0.5	8.29	<5	130	0.5	<2	7.77	<0.5	32	134	102
183116		2.38	0.033			<0.5	7.74	<5	110	0.5	<2	6.89	<0.5	33	98	71
163117		2.56	0.029			<0.5	8.00	<5	120	0.5	<2	6.74	<0.5	28	99	56
163118		2.50	4.54			0.9	7.77	<5	80	<0.5	<2	8.67	<0.5	35	118	178
163119		2.62	0.073			<0.5	7.38	<5	40	<0.5	<2	7.73	<0.5	34	114	83
163120		2.52	0.206			<0.5	8.12	<5	100	0.5	<2	8.27	<0.5	39	118	105



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units	%	%	%	ppm	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.01	0.01	0.01	5	1	0.01	0.01	1	10	2	0.01	5	1	0.01	1	10
163081	7.18	0.77	5.16	1355	<1	1.47	94	280	2	0.03	<5	118	0.42	241	<10	
163082	7.20	0.90	5.44	1305	<1	1.35	106	270	2	0.04	<5	130	0.40	229	<10	
163083	7.42	0.99	6.14	1335	<1	1.35	148	270	4	0.03	<5	137	0.38	219	<10	
163084	4.30	1.03	1.33	707	1	2.39	19	910	3	0.18	<5	175	0.50	89	<10	
163085	2.53	0.19	0.06	34	1	6.98	4	620	120	2.97	<5	21	0.01	1	<10	
163086	7.11	1.78	6.35	1285	1	0.91	175	250	2	<0.01	<5	113	0.37	217	<10	
163087	7.40	0.91	9.07	1335	<1	0.61	515	190	<2	0.01	<5	34	0.29	181	<10	
163088	7.37	0.97	9.84	1315	<1	0.52	594	200	<2	0.01	<5	26	0.29	179	<10	
163089	7.62	0.59	10.25	1320	<1	0.53	630	220	<2	0.01	<5	42	0.26	182	<10	
163090	7.83	0.96	9.66	1345	<1	0.43	598	200	5	0.17	<5	72	0.26	185	<10	
163091	2.24	4.17	0.22	231	2	2.09	16	150	34	0.01	<5	146	0.09	9	<10	
163092	5.35	0.65	7.41	903	<1	1.49	495	240	3	0.02	<5	203	0.18	117	<10	
163093	7.04	0.72	9.87	1245	<1	0.47	830	210	<2	0.04	<5	45	0.26	165	<10	
163094	6.69	0.54	7.01	972	<1	0.35	482	110	3	0.93	<5	62	0.19	118	<10	
163095	6.21	1.16	9.36	1075	<1	0.83	594	520	3	0.17	<5	219	0.26	142	<10	
163096	4.91	1.06	8.91	819	<1	1.19	626	640	8	0.23	<5	405	0.23	103	<10	
163097	7.38	0.47	4.73	1380	1	1.25	142	230	4	0.06	<5	179	0.37	215	10	
163098	7.45	0.62	4.71	1495	<1	1.29	138	230	3	0.24	<5	136	0.37	219	50	
163099	6.54	0.51	3.20	1195	<1	1.48	80	580	3	0.13	<5	192	0.46	180	<10	
163100	6.96	0.71	5.64	1165	<1	1.26	214	290	4	0.27	<5	117	0.33	167	<10	
163101	6.43	0.75	3.62	1180	<1	1.82	57	370	7	0.02	<5	158	0.46	210	<10	
163102	6.21	0.64	3.57	1150	<1	1.98	52	370	3	0.07	<5	152	0.46	210	<10	
163103	6.42	0.83	3.51	1065	<1	1.81	62	390	<2	0.01	<5	141	0.48	214	<10	
163104	6.89	1.08	3.93	1080	<1	1.48	62	370	4	0.01	<5	134	0.48	216	<10	
163105	6.93	1.25	4.06	1090	1	1.31	62	390	<2	0.01	<5	128	0.48	214	<10	
163106	2.59	0.17	0.05	109	1	6.75	4	570	107	3.22	<5	16	0.02	2	<10	
163107	6.71	1.14	3.81	1080	1	1.47	59	470	4	0.08	<5	141	0.50	202	<10	
163108	6.22	0.86	3.72	1060	1	1.41	64	360	<2	0.05	<5	125	0.45	201	<10	
163109 DUP	6.46	0.91	3.87	1105	1	1.47	64	380	<2	0.05	<5	129	0.47	209	<10	
163110	6.29	0.83	3.66	1035	<1	1.47	65	380	2	0.01	<5	135	0.46	205	10	
163111	6.39	0.82	3.53	1080	<1	1.37	79	390	2	0.09	<5	142	0.48	211	10	
163112	7.84	1.52	2.80	1265	<1	0.76	166	310	4	2.15	<5	95	0.38	176	20	
163113	7.44	2.52	3.67	1645	<1	0.62	120	430	3	1.89	<5	81	0.45	214	50	
163114	2.51	4.19	0.24	252	2	2.14	17	170	35	0.01	5	154	0.08	9	<10	
163115	5.42	1.66	2.74	1310	<1	1.22	76	360	5	0.60	<5	125	0.49	214	10	
163116	6.00	1.03	3.00	1240	1	1.57	62	500	3	0.38	<5	205	0.43	178	<10	
163117	5.73	1.11	2.70	1185	<1	1.57	58	550	2	0.23	<5	186	0.47	182	<10	
163118	6.32	0.73	3.34	1350	<1	1.23	70	350	<2	0.47	<5	127	0.45	207	10	
163119	6.10	0.49	3.25	1215	<1	1.34	81	370	4	0.20	<5	144	0.42	204	<10	
163120	6.54	1.24	3.36	1520	<1	1.09	78	400	8	0.51	<5	126	0.44	209	<10	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 2-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005745**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
163081		62
163082		59
163083		66
163084		44
163085		17
163086		73
163087		91
163088		78
163089		78
163090		111
163091		28
163092		61
163093		73
163094		176
163095		82
163096		68
163097		72
163098		74
163099		59
163100		81
163101		88
163102		70
163103		66
163104		62
163105		64
163106		18
163107		68
163108		60
163109 DUP		62
163110		58
163111		62
163112		47
163113		59
163114		28
163115		50
163116		63
163117		72
163118		70
163119		61
163120		102



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 7-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06005746

Project: DETOUR LAKE

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-JAN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005746**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163121		2.15	6.59		0.9	7.83	<5	90	0.5	<2	8.73	<0.5	54	166	198	6.18
163122		2.21	0.600		0.7	7.68	<5	200	0.6	<2	4.93	0.6	45	111	221	5.52
163123		2.07	0.092		<0.5	7.63	<5	130	<0.5	<2	6.86	<0.5	44	198	143	6.93
163124		2.46	0.140		<0.5	8.11	<5	70	<0.5	<2	6.76	<0.5	44	121	98	6.78
163125		2.58	0.022		0.8	7.16	<5	70	<0.5	<2	6.84	<0.5	56	123	125	6.60
163126		2.83	0.043		0.6	6.71	<5	70	<0.5	<2	7.16	<0.5	84	112	161	6.89
163127		0.10	<0.005		<0.5	6.53	<5	520	0.8	<2	0.83	<0.5	3	20	8	1.86
163128		2.24	0.078		<0.5	7.27	5	160	0.5	<2	6.67	<0.5	51	77	385	6.16
163129		2.73	0.008		<0.5	8.12	<5	160	0.5	<2	5.74	<0.5	49	118	119	6.83
163130		0.06	1.015		9.9	8.08	<5	40	3.1	<2	0.37	<0.5	2	6	10	2.87
163131		1.92	0.009		<0.5	7.59	8	260	0.7	<2	3.39	<0.5	18	11	61	4.63
163132		2.13	0.007		<0.5	7.20	<5	160	<0.5	<2	4.62	<0.5	43	132	77	6.61
163133 DUP		<0.02	0.007		<0.5	7.29	8	160	<0.5	<2	4.68	<0.5	45	134	83	6.66
163134		2.50	0.015		<0.5	7.82	<5	130	0.5	<2	5.37	<0.5	37	118	73	6.54
163135		2.56	0.013		<0.5	8.14	<5	80	<0.5	<2	6.51	<0.5	32	110	20	6.77
163136		2.56	0.028		<0.5	7.89	<5	70	<0.5	<2	6.63	<0.5	40	131	101	6.58
163137		2.69	0.063		<0.5	9.60	<5	320	0.7	<2	8.03	<0.5	58	168	197	8.00
163138		2.31	0.094		<0.5	7.54	<5	80	<0.5	<2	5.96	<0.5	67	126	215	6.63
163139		2.19	0.144		<0.5	7.91	5	110	<0.5	<2	6.66	<0.5	48	144	239	6.95
163140		2.36	0.863		0.7	7.87	5	130	<0.5	<2	5.49	<0.5	41	112	273	6.37
163141		2.31	0.041		<0.5	8.16	<5	60	<0.5	<2	7.15	<0.5	44	140	262	6.94
163142		2.31	0.048		0.9	8.21	<5	60	<0.5	<2	6.99	<0.5	42	134	174	7.10
163143 DUP		<0.02	0.035		<0.5	8.35	<5	60	<0.5	<2	7.09	<0.5	40	140	188	7.19
163144		2.37	1.755		<0.5	7.37	<5	130	<0.5	<2	5.88	<0.5	36	127	175	6.15
163145		2.40	0.015		<0.5	8.29	<5	310	0.8	<2	5.90	<0.5	33	196	61	5.93
163146		3.40	0.020		0.5	8.22	5	170	<0.5	<2	6.65	<0.5	35	148	81	7.00
163147		2.71	0.005		<0.5	6.31	<5	720	1.0	<2	2.54	<0.5	13	96	21	2.71
163148		0.05	1.810		19.2	8.37	<5	60	3.1	<2	0.34	<0.5	1	6	39	2.93
163149		1.89	<0.005		<0.5	8.29	<5	960	1.4	<2	3.38	<0.5	16	135	28	3.57
163150		1.74	0.083		0.5	8.47	7	230	0.6	<2	4.84	<0.5	38	61	149	6.19
163151		1.43	0.031		<0.5	8.29	<5	190	0.8	<2	3.91	<0.5	16	7	44	4.85
163152		1.80	0.079		<0.5	7.86	<5	190	<0.5	<2	6.14	<0.5	58	132	253	6.97
163153		2.50	0.059		<0.5	7.87	<5	130	<0.5	<2	5.79	<0.5	40	120	104	7.07
163154		2.21	0.079		<0.5	7.96	<5	190	0.8	<2	4.65	<0.5	53	67	204	5.88
163155		2.46	0.247		0.9	8.09	<5	150	<0.5	<2	6.03	<0.5	121	126	811	8.69
163156		0.14	<0.005		<0.5	7.15	<5	540	1.0	<2	1.00	<0.5	3	16	11	1.99
163157		2.98	0.085		<0.5	8.41	<5	240	<0.5	<2	5.81	<0.5	58	130	290	7.04
163158		1.71	0.018		<0.5	8.16	8	240	0.7	<2	4.07	<0.5	33	13	110	5.06
163159		3.05	0.286		<0.5	7.40	12	180	<0.5	2	5.79	<0.5	91	123	443	7.91
163160		1.57	0.007		<0.5	7.99	<5	240	0.5	<2	5.59	<0.5	31	110	60	7.45



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005746**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
163121		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163122		1.55	2.85	1340	<1	1.06	80	350	3	0.70	<5	115	0.50	224	10	176
163123		1.15	1.94	1165	1	1.70	58	420	20	1.06	<5	125	0.40	149	10	192
163124		1.11	4.00	1405	<1	1.09	66	560	5	0.28	<5	188	0.41	197	20	83
163125		0.60	3.20	1275	1	1.44	64	410	2	0.26	<5	152	0.45	191	10	76
		0.72	2.99	1315	<1	1.62	64	370	4	0.50	<5	110	0.39	184	10	71
163126		0.72	3.15	1355	<1	1.51	79	320	2	0.70	<5	105	0.37	172	<10	66
163127		3.89	0.23	198	1	1.96	11	170	35	0.02	<5	147	0.08	10	<10	26
163128		0.97	2.33	1155	<1	1.50	59	530	4	0.64	<5	113	0.38	145	<10	71
163129		0.94	2.90	1225	<1	2.00	54	500	7	0.33	<5	154	0.48	202	10	88
163130		0.19	0.08	45	<1	6.5	3	610	116	3.03	<5	22	0.01	2	<10	17
163131		1.00	1.15	722	1	2.27	12	910	3	0.27	<5	193	0.50	108	<10	50
163132		1.11	2.99	1020	1	1.45	63	330	<2	0.33	<5	121	0.40	169	<10	83
163133 DUP		1.11	3.02	1025	1	1.45	64	330	<2	0.35	<5	122	0.40	170	10	83
163134		0.85	2.91	1135	<1	1.56	56	430	3	0.23	<5	155	0.46	196	<10	73
163135		0.64	3.44	1195	<1	1.49	62	430	<2	0.11	<5	152	0.45	188	10	64
163136		0.80	3.09	1255	<1	1.18	61	360	3	0.35	<5	134	0.44	199	10	59
163137		1.43	3.50	1465	<1	1.85	79	740	5	0.82	<5	316	0.55	222	<10	78
163138		0.82	2.51	1055	<1	1.35	68	360	2	0.92	<5	136	0.42	182	<10	51
163139		1.37	3.02	1210	<1	1.11	75	370	7	0.84	<5	118	0.46	203	<10	58
163140		1.36	2.42	1075	<1	1.32	56	460	4	0.74	<5	137	0.44	181	10	76
163141		0.73	2.88	1250	<1	1.33	69	370	3	0.68	<5	142	0.47	205	10	54
163142		0.60	3.06	1260	<1	1.32	69	360	4	0.51	<5	134	0.45	202	10	52
163143 DUP		0.62	3.11	1280	<1	1.34	69	380	5	0.52	<5	136	0.45	203	10	54
163144		1.03	2.62	1110	1	1.07	76	330	4	0.62	<5	124	0.41	179	10	46
163145		1.20	3.85	1035	<1	2.10	123	980	7	0.22	<5	582	0.46	155	10	82
163146		1.18	3.50	1240	<1	1.47	76	440	4	0.38	<5	198	0.45	198	10	63
163147		1.41	1.40	411	<1	1.93	39	1060	9	0.09	<5	528	0.32	60	<10	57
163148		0.19	0.07	120	<1	6.8	7	650	169	3.16	<5	23	0.01	2	<10	72
163149		1.91	1.83	554	<1	2.57	51	1450	16	0.13	<5	727	0.42	79	<10	90
163150		1.34	2.00	1025	1	1.76	40	680	4	0.54	<5	200	0.46	152	10	65
163151		0.89	1.19	788	<1	2.42	16	800	8	0.16	<5	224	0.47	122	<10	47
163152		1.63	3.13	1325	<1	1.27	57	380	8	0.75	<5	142	0.45	204	10	75
163153		1.00	3.45	1345	<1	1.96	56	370	4	0.48	<5	128	0.41	191	<10	54
163154		1.23	1.85	1035	<1	2.34	46	570	3	0.78	<5	172	0.43	159	<10	77
163155		0.98	2.57	1160	<1	1.59	92	370	6	2.32	<5	170	0.44	193	20	78
163156		4.02	0.23	204	2	2.19	10	170	38	0.03	<5	158	0.09	10	<10	28
163157		1.84	2.77	1240	<1	1.52	65	360	4	1.10	<5	132	0.44	202	<10	80
163158		1.08	1.37	833	<1	2.47	19	750	6	0.36	<5	202	0.46	131	<10	47
163159		1.35	3.10	1340	<1	1.76	77	340	42	1.49	<5	125	0.42	211	10	321
163160		1.62	4.25	1565	<1	2.28	75	360	13	0.37	8	104	0.44	206	<10	126



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 7-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06005746

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
163161		3.02	0.040		0.7	8.41	<5	140	<0.5	<2	5.72	<0.5	35	88	132	7.62
163162		2.58	0.131		<0.5	6.57	7	140	1.2	<2	1.54	<0.5	4	7	63	1.51
163163		2.49	0.050		<0.5	7.52	<5	270	1.0	<2	2.61	<0.5	7	5	44	3.52
163164		0.05	0.967		10.2	8.02	6	50	3.0	<2	0.33	<0.5	<1	2	8	2.78
163165		2.32	0.013		<0.5	7.27	<5	220	0.7	<2	5.53	<0.5	22	172	42	5.46
163166		1.96	0.061		<0.5	7.79	<5	170	<0.5	<2	5.56	<0.5	57	130	506	6.63
163167		1.97	0.027		<0.5	8.25	<5	160	<0.5	<2	6.43	<0.5	37	106	177	6.60
163168		3.17	0.006		<0.5	8.26	<5	240	0.8	<2	3.94	<0.5	15	6	42	4.54
163169		2.79	0.078		0.6	7.97	<5	210	<0.5	<2	5.33	<0.5	62	130	864	7.18
163170 DUP		<0.02	0.073		<0.5	7.81	8	210	<0.5	<2	5.25	<0.5	60	127	878	7.11
163171		3.09	0.059		<0.5	8.03	<5	170	<0.5	<2	6.36	<0.5	43	220	257	7.27
163172		2.59	0.060		<0.5	7.71	9	190	<0.5	<2	6.45	<0.5	43	248	283	6.83
163173		1.54	0.037		<0.5	6.70	<5	120	<0.5	<2	6.30	<0.5	39	586	69	6.71
163174		2.17	0.076		<0.5	8.13	<5	270	0.6	<2	4.51	<0.5	17	29	86	4.90
163175		1.79	0.047		<0.5	8.24	<5	200	0.6	<2	5.30	<0.5	16	37	106	4.88
163176		2.36	0.019		<0.5	8.16	<5	150	<0.5	<2	8.59	<0.5	26	102	67	6.72
163177		2.48	0.015		<0.5	8.14	<5	90	<0.5	<2	7.13	<0.5	30	114	72	7.20
163178		2.54	0.082		<0.5	8.05	<5	100	<0.5	<2	7.55	<0.5	34	106	204	6.76
163179		2.40	0.088		<0.5	7.51	<5	140	0.5	<2	6.72	<0.5	60	162	442	8.00
163180		0.09	<0.005		<0.5	6.97	5	540	0.8	<2	0.87	<0.5	<1	9	6	1.69
163181		3.06	0.035		<0.5	7.65	<5	220	<0.5	<2	7.96	<0.5	39	108	136	8.19
163182		2.27	0.286		0.5	6.34	13	170	<0.5	<2	4.67	<0.5	59	106	605	7.89
163183		1.49	0.170		<0.5	7.51	<5	160	<0.5	<2	5.26	<0.5	31	131	342	7.06
163184		3.35	0.146		<0.5	7.92	<5	150	<0.5	<2	6.32	<0.5	34	259	104	6.87
163185		2.59	0.041		<0.5	7.88	<5	250	0.5	<2	4.70	<0.5	17	66	33	5.53
163186		2.47	0.023		<0.5	8.06	<5	280	0.5	<2	4.73	<0.5	21	84	84	5.99
163187		0.05	1.785		17.4	7.77	<5	60	3.0	<2	0.32	<0.5	<1	2	5	2.66
163188		2.48	0.068		<0.5	7.35	<5	260	<0.5	<2	6.16	<0.5	35	221	224	6.61
163189		2.63	0.106		<0.5	8.04	<5	200	<0.5	<2	6.55	<0.5	55	130	768	7.17
163190		0.13	<0.005		<0.5	7.01	<5	530	0.9	<2	0.95	<0.5	<1	11	6	1.63
163191		2.37	0.025		<0.5	7.78	<5	150	<0.5	<2	6.64	<0.5	31	115	140	7.14
163192		2.64	0.057		<0.5	7.86	<5	130	<0.5	<2	6.79	<0.5	43	204	403	7.03
163193 DUP		<0.02	0.076		<0.5	8.11	<5	150	<0.5	<2	7.09	<0.5	48	214	412	7.41
163194		2.40	0.082		<0.5	8.31	<5	100	<0.5	<2	6.69	<0.5	53	132	620	7.63
163195		2.40	1.770		<0.5	8.23	6	80	<0.5	<2	7.06	<0.5	37	126	299	7.09
163196		2.73	0.047		<0.5	8.09	<5	390	0.6	<2	4.46	<0.5	30	114	404	5.51
163197		2.62	0.178		<0.5	8.18	9	170	<0.5	<2	6.70	<0.5	38	124	332	7.14
163198		1.25	0.010		<0.5	8.23	8	330	0.8	<2	3.52	<0.5	9	13	29	4.47
163199		2.54	0.077		<0.5	7.43	<5	220	0.5	<2	5.71	<0.5	31	425	49	6.33
163200		2.25	0.104		<0.5	6.51	<5	280	<0.5	<2	6.15	<0.5	42	786	72	6.99



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005746**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
163161		0.83	3.54	1200	<1	2.30	96	710	28	0.48	<5	297	0.53	162	<10	159
163162		0.37	0.23	192	<1	3.67	4	80	6	0.28	<5	185	0.10	6	<10	18
163163		1.25	0.77	632	<1	2.95	7	480	4	0.24	<5	174	0.31	71	<10	49
163164		0.19	0.07	34	<1	7.4	4	650	120	3.05	<5	22	0.01	2	<10	17
163165		1.30	3.46	1110	<1	1.92	89	990	10	0.18	<5	251	0.37	134	<10	78
163166		1.40	2.50	1135	<1	1.57	83	320	10	1.08	<5	138	0.43	198	<10	89
163167		1.20	2.88	1230	<1	1.48	71	440	6	0.59	<5	158	0.44	187	<10	72
163168		1.04	1.36	824	<1	2.82	14	780	5	0.13	<5	248	0.47	120	<10	55
163169		1.47	2.47	996	<1	1.62	84	340	18	1.76	<5	151	0.44	199	10	73
163170 DUP		1.46	2.43	978	<1	1.59	84	340	14	1.84	<5	149	0.43	196	10	74
163171		1.24	4.19	1195	<1	1.34	120	420	5	0.95	<5	164	0.42	192	<10	69
163172		0.89	4.02	1320	<1	1.94	114	400	11	1.21	5	195	0.41	186	10	64
163173		1.03	7.26	1310	<1	1.60	252	500	3	0.19	<5	149	0.37	196	<10	78
163174		1.06	1.78	823	<1	2.55	24	730	10	0.56	<5	270	0.48	142	<10	52
163175		1.05	1.72	839	<1	2.25	29	750	9	0.52	<5	320	0.48	130	<10	49
163176		1.04	3.81	1200	<1	1.57	71	390	9	0.28	5	155	0.44	197	<10	81
163177		0.77	3.91	1260	<1	1.66	77	510	4	0.46	<5	176	0.46	210	<10	66
163178		0.78	3.35	1180	<1	1.44	88	350	6	1.10	<5	160	0.43	205	<10	52
163179		0.65	4.17	1265	<1	1.74	112	810	7	1.68	<5	411	0.47	194	<10	74
163180		4.11	0.23	156	<1	2.19	5	150	38	0.01	<5	152	0.08	9	<10	26
163181		0.81	4.68	1390	<1	1.65	116	1890	10	0.72	<5	906	0.64	196	20	97
163182		1.57	3.25	1210	<1	0.74	87	290	5	2.09	<5	88	0.35	174	10	67
163183		1.81	3.39	1325	<1	0.85	62	330	5	1.10	<5	89	0.42	186	20	75
163184		1.39	5.18	1315	<1	1.08	177	380	8	0.29	<5	128	0.40	188	10	91
163185		1.44	2.48	936	<1	1.78	43	590	8	0.25	<5	188	0.44	148	<10	64
163186		1.43	3.06	956	<1	2.04	54	400	7	0.76	<5	212	0.39	172	<10	62
163187		0.18	0.06	108	<1	7.0	6	620	123	2.92	<5	21	0.01	2	<10	18
163188		1.19	4.09	1125	<1	1.49	102	430	6	0.60	<5	289	0.40	176	<10	66
163189		0.72	3.07	1145	<1	2.06	84	360	13	1.42	<5	306	0.41	190	<10	62
163190		4.10	0.27	172	<1	2.27	8	160	43	0.01	<5	150	0.08	9	<10	27
163191		0.70	3.71	1155	<1	1.76	74	360	5	0.71	<5	231	0.43	204	<10	55
163192		0.80	3.86	1140	<1	1.61	96	380	3	0.70	<5	171	0.41	194	<10	54
163193 DUP		0.83	4.12	1200	<1	1.66	106	370	8	0.74	<5	182	0.42	205	<10	57
163194		0.86	3.43	1120	<1	1.64	75	380	3	0.87	<5	126	0.45	215	10	54
163195		0.86	3.57	1190	<1	1.56	68	390	4	0.60	<5	146	0.45	210	<10	52
163196		1.46	2.59	770	<1	2.10	64	710	8	0.69	<5	335	0.37	138	10	58
163197		1.14	3.50	1250	<1	1.38	92	440	7	0.65	<5	191	0.45	202	10	80
163198		1.44	1.00	891	<1	2.59	6	1100	9	0.17	<5	176	0.52	82	10	53
163199		0.95	5.42	1230	<1	1.62	232	470	12	0.21	5	259	0.32	161	<10	135
163200		1.00	8.05	1275	4	0.95	378	390	16	0.38	<5	264	0.23	140	<10	90



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005746**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163201		2.28	0.410	0.430	<0.5	5.33	<5	50	<0.5	<2	6.35	<0.5	44	1090	70	9.24
163202 DUP		<0.02	1.040	0.692	<0.5	5.30	<5	50	<0.5	<2	6.35	<0.5	45	1095	69	9.16
163203		2.99	3.75		<0.5	5.71	8	80	<0.5	<2	5.35	<0.5	49	1245	96	10.45
163204		2.13	0.745		<0.5	8.25	<5	350	0.7	<2	4.79	<0.5	29	511	79	6.03
163205		2.89	0.008		<0.5	7.85	5	480	0.6	<2	1.18	<0.5	1	8	2	0.69
163206		0.05	0.995		10.5	8.38	<5	50	3.1	<2	0.34	<0.5	<1	4	8	2.97
163207		2.81	0.067		<0.5	3.90	<5	<10	<0.5	<2	4.54	<0.5	72	1740	90	6.91
183208		1.81	0.115		<0.5	3.05	<5	<10	<0.5	<2	4.19	<0.5	86	2130	39	6.11
163209		2.44	0.053		<0.5	3.31	<5	<10	<0.5	<2	4.45	<0.5	85	2050	65	6.43
163210		3.08	0.029		<0.5	3.42	9	<10	<0.5	<2	3.36	<0.5	90	1900	141	6.84
163211		2.73	0.073		<0.5	3.43	<5	<10	<0.5	<2	3.61	<0.5	86	1880	164	7.43
163212		3.30	0.134		<0.5	5.85	<5	20	0.5	<2	5.36	<0.5	71	1075	101	7.91
163213		1.92	0.006		<0.5	7.33	<5	190	0.5	<2	2.79	<0.5	36	562	57	3.76
163214		2.15	0.047		<0.5	6.40	<5	60	<0.5	<2	4.83	<0.5	64	859	112	8.58
163215		0.11	<0.005		<0.5	7.06	<5	560	0.9	<2	0.88	<0.5	<1	15	5	1.77
163216		2.40	0.017		<0.5	7.90	<5	360	0.9	<2	3.32	<0.5	12	13	15	4.42
183217		2.60	0.058		<0.5	8.24	10	180	<0.5	<2	7.22	<0.5	37	327	3	7.44
183218		2.27	0.030		<0.5	8.08	<5	120	<0.5	<2	7.26	<0.5	41	375	14	7.53
163219		1.69	0.034		<0.5	7.51	17	140	<0.5	<2	6.51	<0.5	42	465	5	7.44
183220		2.90	0.108		<0.5	7.96	<5	350	0.7	<2	3.43	<0.5	17	36	25	4.68
163221		2.13	0.116		<0.5	5.95	<5	100	<0.5	<2	8.00	<0.5	53	1040	4	7.92
183222		2.05	7.22	5.67	<0.5	4.06	<5	50	<0.5	<2	4.55	<0.5	36	784	19	5.84
163223 DUP		<0.02	5.10	4.74	<0.5	3.83	<5	50	<0.5	6	4.25	<0.5	35	631	20	5.50
183224		2.68	0.550		<0.5	5.35	<5	20	<0.5	<2	6.09	<0.5	56	998	27	7.24
163225		2.73	0.257		<0.5	3.86	<5	20	<0.5	<2	4.56	<0.5	41	733	30	5.04
163226		0.11	<0.005		<0.5	6.77	<5	540	0.9	<2	0.94	<0.5	1	14	5	1.84
163227		2.89	0.063		<0.5	7.84	5	120	<0.5	<2	7.73	<0.5	40	333	40	7.64
163228		2.77	0.029		<0.5	7.53	<5	80	<0.5	<2	6.25	<0.5	35	312	19	7.57
163229		2.65	0.189		<0.5	7.26	11	80	<0.5	<2	8.42	<0.5	44	272	49	7.60
163230		2.60	0.352		<0.5	7.38	6	100	<0.5	<2	8.06	<0.5	41	316	83	7.28
183231		2.86	0.198		<0.5	7.27	<5	190	0.5	<2	6.55	<0.5	35	274	36	6.15
163232		2.35	0.280		<0.5	8.22	6	210	<0.5	<2	5.58	<0.5	30	230	31	5.36
163233		1.92	0.010		<0.5	8.34	<5	350	<0.5	<2	0.88	<0.5	<1	12	7	0.89
163234		2.75	0.146		0.6	7.35	6	90	<0.5	<2	7.60	<0.5	42	302	72	7.49
163235		2.46	0.293		<0.5	7.36	<5	90	<0.5	<2	6.37	<0.5	39	266	250	6.80
163236		2.52	0.206		0.7	7.93	<5	10	<0.5	<2	3.72	<0.5	31	324	70	5.41
183237		0.05	1.755		18.8	8.72	6	60	3.1	<2	0.35	<0.5	<1	3	5	2.97
163238		2.31	0.115		<0.5	7.06	<5	30	0.5	<2	6.17	<0.5	42	388	32	8.06
163239		2.67	0.104		<0.5	7.86	<5	90	<0.5	<2	7.40	<0.5	43	331	12	8.07
163240		2.81	0.011		0.5	7.52	<5	80	<0.5	<2	8.96	<0.5	46	335	39	7.80



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005746**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
163201		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163202 DUP		0.46	9.57	1465	3	0.48	578	180	11	0.85	<5	90	0.24	154	<10	111
163203		0.49	9.48	1450	6	0.47	569	200	9	0.82	6	92	0.24	154	<10	112
163204		1.50	10.30	1550	<1	0.44	636	190	9	0.65	9	64	0.28	174	<10	121
163205		1.67	5.78	948	<1	1.74	299	640	13	0.40	<5	335	0.33	132	<10	79
		0.73	0.34	82	<1	4.66	8	160	4	0.01	7	191	0.05	5	<10	18
163206		0.20	0.08	36	<1	7.5	6	630	138	3.27	<5	23	0.01	2	<10	18
163207		0.07	14.90	1305	<1	0.14	1180	120	18	0.53	8	25	0.18	120	<10	113
163208		0.01	15.65	1075	2	0.05	1390	70	37	0.40	5	56	0.14	94	<10	152
163209		0.01	15.50	1050	<1	0.03	1285	90	136	0.51	5	47	0.16	108	<10	992
163210		0.01	16.10	1190	<1	0.04	1195	130	222	0.60	<5	32	0.16	112	<10	930
163211		0.01	14.95	1160	<1	0.06	1140	130	23	0.38	6	22	0.17	114	<10	170
163212		0.18	13.20	1350	<1	0.30	758	400	12	0.23	<5	92	0.24	142	<10	158
163213		0.34	6.63	670	<1	3.03	367	180	6	0.17	<5	159	0.12	57	<10	91
163214		0.55	12.05	1520	<1	0.33	516	430	4	0.28	7	65	0.26	158	<10	91
163215		4.35	0.24	182	6	2.19	9	160	38	<0.01	<5	156	0.09	8	<10	29
163216		1.15	1.10	673	1	2.51	15	990	7	0.11	<5	196	0.52	87	<10	43
163217		1.46	5.84	1435	<1	1.15	112	260	4	0.01	6	134	0.40	239	<10	73
163218		1.24	6.03	1420	<1	1.02	122	260	8	<0.01	<5	137	0.39	241	<10	66
163219		1.50	8.22	1360	<1	1.03	160	240	11	<0.01	<5	124	0.38	234	<10	87
163220		1.32	1.56	738	<1	2.32	28	730	12	0.15	<5	264	0.46	126	<10	43
163221		1.00	10.10	1425	<1	0.67	570	250	8	0.01	<5	54	0.28	172	<10	101
163222		0.67	8.82	1085	<1	0.45	427	160	2	0.09	<5	70	0.20	123	<10	82
163223 DUP		0.68	8.40	1020	<1	0.43	446	150	9	0.09	<5	68	0.21	124	<10	83
163224		0.17	10.20	1350	<1	0.57	610	200	5	0.06	<5	112	0.21	159	<10	176
163225		0.11	7.28	871	<1	0.36	456	170	4	0.05	<5	57	0.15	112	<10	200
163226		4.18	0.21	184	4	2.14	11	130	72	<0.01	<5	150	0.08	8	<10	26
163227		0.67	5.67	1375	<1	1.36	188	370	9	0.12	<5	213	0.36	215	60	75
163228		0.61	5.05	1470	<1	1.46	138	250	5	0.07	<5	152	0.38	223	50	73
163229		0.46	5.10	1395	<1	1.38	159	540	<2	0.18	<5	257	0.41	216	<10	73
163230		0.57	4.90	1340	<1	1.36	132	220	4	0.09	<5	164	0.37	223	10	124
163231		0.74	3.97	1125	1	1.81	114	200	5	0.19	<5	156	0.32	178	10	62
163232		0.97	3.34	994	<1	2.63	100	270	<2	0.14	<5	177	0.28	159	10	58
163233		1.11	0.40	114	<1	5.06	3	180	2	0.02	<5	68	0.07	7	<10	15
163234		0.65	4.78	1430	<1	1.79	134	220	6	0.33	<5	132	0.37	222	10	136
163235		0.67	4.50	1315	<1	2.20	133	390	3	0.40	<5	130	0.38	182	10	82
163236		0.14	4.68	1000	<1	4.17	170	310	<2	0.22	<5	61	0.22	104	<10	46
163237		0.19	0.07	116	<1	6.5	2	650	126	3.34	<5	22	0.01	1	<10	19
163238		0.30	5.86	1585	4	2.13	210	350	<2	0.20	<5	200	0.37	213	<10	66
163239		0.62	5.25	1515	<1	1.94	131	280	<2	0.05	<5	148	0.40	244	<10	61
163240		0.56	5.37	1525	<1	1.58	138	380	<2	0.10	<5	217	0.39	235	<10	65



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 9-FEB-2006

Account: TRAVEN

## CERTIFICATE VO06005747

Project: DETOUR LAKE

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-JAN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 9-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06005747

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
165641		2.19	0.015			<0.5	8.17	<5	230	0.5	<2	5.36	<0.5	34	100	120
165642		2.56	0.043			<0.5	7.99	<5	130	0.5	<2	7.07	<0.5	43	129	184
165643		2.58	0.020			<0.5	8.01	<5	130	<0.5	<2	7.05	<0.5	46	130	212
165644		2.30	0.067			<0.5	8.39	<5	280	0.6	<2	5.29	<0.5	32	75	230
165645		2.50	0.030			<0.5	8.43	<5	110	<0.5	<2	7.10	<0.5	43	124	165
165646		2.54	0.012			<0.5	7.83	<5	130	<0.5	<2	7.48	<0.5	36	110	113
165647 DUP		<0.02	0.014			<0.5	8.45	<5	150	<0.5	<2	8.11	<0.5	39	122	119
165648		2.44	0.008			<0.5	7.88	<5	130	<0.5	<2	6.53	<0.5	40	114	108
165649		2.55	0.013			<0.5	8.32	<5	110	<0.5	<2	6.74	<0.5	34	119	104
165650		2.50	0.005			<0.5	8.13	<5	220	<0.5	<2	5.84	<0.5	30	138	83
165651		0.11	<0.005			<0.5	7.15	<5	550	0.9	<2	0.99	<0.5	1	11	6
165652		2.46	0.006			<0.5	8.15	11	150	<0.5	<2	6.05	<0.5	26	111	31
165653		1.99	0.428			<0.5	7.77	<5	270	0.8	<2	3.83	<0.5	16	45	54
165654		2.47	0.275			<0.5	7.88	<5	250	0.6	<2	5.45	<0.5	23	84	39
165655		2.84	0.075			<0.5	8.28	<5	220	0.6	<2	5.18	<0.5	23	90	67
185856		0.04	1.865			17.8	8.12	13	50	3.0	<2	0.32	<0.5	1	5	6
165657		2.02	0.012			<0.5	8.31	7	180	<0.5	<2	5.93	<0.5	37	137	118
185658		2.90	0.011			<0.5	8.16	<5	160	<0.5	<2	5.59	<0.5	31	128	80
165659		1.88	0.015			<0.5	7.35	<5	290	0.8	<2	3.30	<0.5	13	16	104
165660		2.54	0.008			<0.5	7.88	<5	170	0.5	<2	5.19	<0.5	24	67	46
165661		2.42	0.006			<0.5	7.81	7	100	<0.5	<2	6.57	<0.5	37	112	124
165662		2.36	0.010			<0.5	8.32	<5	120	<0.5	<2	5.93	<0.5	44	144	128
165663		2.37	0.024			<0.5	8.19	<5	120	<0.5	<2	6.21	<0.5	39	130	121
165864		2.42	0.428			<0.5	8.28	11	170	<0.5	<2	6.47	<0.5	39	140	205
165665		0.05	0.981			9.9	8.05	9	50	3.0	<2	0.32	<0.5	1	6	8
165666		2.48	0.011			<0.5	8.17	<5	160	<0.5	<2	6.15	<0.5	35	113	88
165667		2.54	0.007			<0.5	7.55	<5	400	0.9	<2	3.43	<0.5	12	39	61
165668		2.22	0.012			<0.5	8.23	8	140	<0.5	<2	6.39	<0.5	39	132	156
165669		2.40	0.039			<0.5	7.91	<5	150	<0.5	<2	6.42	<0.5	36	124	148
165670		2.47	0.017			<0.5	8.93	<5	290	0.6	<2	5.56	<0.5	34	130	122
165671		2.60	0.036			<0.5	7.99	6	230	0.5	<2	6.76	<0.5	38	185	125
165672		2.29	0.068			<0.5	7.50	<5	260	0.7	<2	5.73	<0.5	28	106	133
165673		2.45	0.020			<0.5	8.15	5	150	<0.5	<2	6.63	<0.5	33	119	146
165674		2.15	0.018			<0.5	8.41	<5	150	<0.5	<2	6.57	<0.5	35	140	146
165675		2.85	0.010			<0.5	8.03	<5	120	<0.5	<2	6.32	<0.5	30	132	76
165676		2.42	0.575			<0.5	8.06	<5	160	<0.5	<2	6.83	<0.5	47	125	272
165677 DUP		<0.02	1.010			<0.5	7.92	<5	160	<0.5	<2	6.78	<0.5	47	128	257
185678		0.14	<0.005			<0.5	7.13	<5	540	1.0	<2	0.94	<0.5	1	20	8
165679		2.82	0.027			<0.5	8.37	<5	210	<0.5	<2	7.23	<0.5	39	138	66
165680		2.58	0.016			<0.5	8.09	<5	170	0.5	<2	7.07	<0.5	36	182	94





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005747**

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
165641		5.15	1.13	2.31	824	1	2.06	84	310	2	0.49	<5	213	0.37	158	<10
165642		6.69	1.01	2.84	1125	1	1.66	83	370	<2	0.70	<5	172	0.47	212	10
165643		6.81	1.02	3.09	1120	<1	1.67	82	360	<2	0.85	<5	168	0.49	223	10
165644		4.76	1.28	1.96	811	<1	2.46	58	310	2	0.71	<5	254	0.30	128	<10
165645		6.94	0.77	3.20	1090	<1	1.76	80	380	7	0.62	<5	172	0.48	217	<10
165646		6.91	0.83	3.33	1115	1	1.51	71	490	<2	0.45	<5	180	0.47	198	<10
165647 DUP		7.58	0.90	3.64	1220	<1	1.69	74	530	<2	0.49	<5	190	0.50	217	<10
185648		6.95	0.98	3.38	1085	1	1.62	73	460	<2	0.33	<5	174	0.50	222	<10
185649		7.13	0.80	3.59	1060	1	1.84	79	400	<2	0.38	<5	168	0.48	216	<10
185650		6.47	1.42	3.31	1015	<1	1.84	81	480	9	0.20	<5	210	0.48	195	<10
185651		2.04	4.05	0.24	184	1	2.18	3	150	45	0.01	<5	150	0.09	10	<10
165652		6.08	0.91	3.02	1195	<1	1.96	66	500	18	0.04	<5	169	0.50	191	<10
165653		5.12	0.99	1.40	855	1	2.50	24	630	14	0.52	<5	188	0.46	93	<10
165654		5.90	1.12	2.43	1040	1	2.16	45	560	7	0.21	<5	176	0.48	155	<10
165655		5.80	1.02	2.34	933	1	2.15	53	570	4	0.26	<5	180	0.49	151	<10
185658		2.63	0.19	0.06	106	<1	6.2	6	620	128	3.04	<5	22	0.02	2	<10
165657		7.48	1.50	3.59	1120	<1	1.64	98	380	9	0.35	<5	139	0.48	211	<10
165658		6.14	1.10	3.02	857	2	1.92	79	390	9	0.23	<5	150	0.49	203	<10
185659		4.28	1.02	0.93	632	1	2.44	15	720	9	0.50	<5	189	0.45	71	<10
185660		5.58	0.80	2.31	949	1	1.94	40	660	9	0.22	<5	182	0.50	158	<10
165661		6.53	0.58	3.14	1060	<1	1.74	73	490	9	0.31	<5	225	0.50	202	<10
185662		6.29	0.80	2.81	1020	1	2.06	89	380	7	0.49	<5	152	0.51	211	<10
185663		6.45	0.91	2.98	1020	<1	1.64	75	380	4	0.57	<5	138	0.48	203	10
165664		6.37	1.40	2.82	1185	<1	1.44	75	380	4	1.04	<5	127	0.49	199	10
165665		2.69	0.19	0.07	34	<1	6.5	3	580	126	3.07	<5	21	0.01	2	<10
165666		6.67	0.86	2.79	1055	1	1.86	61	490	9	0.38	<5	164	0.48	182	<10
165667		3.55	1.17	0.98	536	1	2.77	23	490	7	0.33	<5	253	0.32	77	<10
165668		6.49	0.85	2.75	1045	1	1.88	77	360	<2	0.40	<5	174	0.49	206	10
165669		6.39	0.88	2.75	1045	<1	1.59	72	420	8	0.50	<5	150	0.49	200	<10
165670		6.06	1.24	2.59	903	2	2.22	91	320	14	0.40	<5	239	0.47	155	<10
165671		6.98	1.04	3.57	1095	1	1.64	91	550	7	0.49	<5	248	0.49	198	10
165672		5.62	1.08	2.24	1045	2	1.92	53	600	9	0.64	<5	209	0.42	142	10
185673		6.70	0.76	2.98	1140	<1	1.85	75	910	4	0.85	<5	324	0.54	190	10
165674		6.62	0.83	2.81	1075	<1	1.92	75	380	9	0.60	<5	163	0.49	200	<10
165675		6.38	0.85	2.92	1040	1	1.79	73	390	7	0.32	<5	149	0.49	202	<10
165676		6.93	0.98	2.49	1100	1	1.66	81	410	7	0.98	<5	140	0.46	187	10
165677 DUP		6.80	0.99	2.45	1095	1	1.62	84	410	13	0.93	<5	136	0.47	190	20
165678		1.98	4.09	0.23	201	1	2.22	9	180	57	0.02	<5	149	0.09	10	<10
165679		7.03	1.70	3.07	1280	1	1.66	82	390	11	0.23	<5	186	0.50	226	<10
165680		7.39	0.99	3.77	1360	<1	1.78	74	670	11	0.25	<5	338	0.50	225	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 9-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005747**

Sample Description	Method Analyte Units LOR	ME-ICP61	Ag-AA62
		Zn ppm 2	Ag ppm 1
165641		70	
165642		64	
165643		65	
165644		85	
165645		67	
165646		67	
165647 DUP		73	
165648		70	
165649		63	
165650		75	
165651		31	
165652		99	
165653		68	
165654		82	
165655		71	
165656		20	
165657		83	
165658		65	
165659		54	
165660		62	
165661		66	
165662		59	
165663		58	
165664		76	
165665		16	
165666		84	
165667		56	
165668		76	
165669		76	
165670		71	
165671		70	
165672		70	
165673		58	
165674		57	
165675		62	
165676		62	
165677 DUP		64	
165678		28	
165679		115	
165680		91	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO6005747**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
185681		2.31	0.017			<0.5	7.72	5	250	0.7	<2	4.86	<0.5	16	55	48
185682		2.17	0.012			<0.5	7.83	6	270	0.8	<2	3.73	<0.5	16	9	37
185683		2.78	1.405			<0.5	8.02	<5	190	<0.5	<2	5.96	<0.5	42	142	182
185684		2.37	0.064			<0.5	7.82	<5	100	<0.5	<2	6.76	<0.5	33	125	87
185685		2.41	<0.005			<0.5	8.60	5	60	<0.5	<2	7.11	<0.5	34	122	30
165686		2.54	0.039			<0.5	7.68	<5	130	<0.5	<2	6.04	<0.5	34	129	132
165687		2.43	5.74			<0.5	7.79	<5	150	<0.5	<2	6.70	<0.5	38	130	239
165688		2.56	0.037			<0.5	8.00	<5	120	<0.5	<2	6.96	<0.5	39	136	194
165689 DUP		<0.02	0.043			<0.5	7.62	9	120	<0.5	<2	6.59	<0.5	38	131	187
165690		0.13	<0.005			<0.5	7.09	<5	540	0.9	<2	0.88	<0.5	1	20	9
165691		2.82	0.114			<0.5	7.71	<5	110	<0.5	<2	6.30	<0.5	30	110	87
165692		2.50	0.017			<0.5	7.68	<5	80	<0.5	<2	6.52	<0.5	25	110	25
165693		1.70	0.056			<0.5	5.35	<5	250	0.8	<2	2.31	<0.5	5	16	71
165694		0.04	1.835			17.4	8.64	<5	70	3.1	<2	0.33	<0.5	<1	5	6
165695		3.71	0.024			<0.5	8.43	<5	100	<0.5	<2	7.05	<0.5	30	118	29
185696		2.14	0.421			<0.5	8.52	7	280	0.5	<2	5.75	<0.5	34	114	112
165697		3.44	0.010			<0.5	8.10	<5	340	0.8	<2	6.07	<0.5	31	132	52
165698		2.53	0.013			<0.5	9.00	<5	280	0.7	<2	6.14	<0.5	27	53	72
165699		2.63	0.060			<0.5	7.90	<5	120	<0.5	<2	6.45	<0.5	28	114	51
165700		1.46	0.182			<0.5	8.07	<5	150	<0.5	<2	5.06	<0.5	38	138	161
165701		2.87	0.057			<0.5	7.46	8	160	<0.5	<2	7.22	<0.5	36	121	131
165702		2.56	0.014			<0.5	7.86	<5	160	<0.5	<2	8.79	<0.5	34	121	108
165703		2.61	0.065			<0.5	8.09	<5	110	<0.5	<2	7.66	<0.5	39	110	73
165704		2.84	0.005			<0.5	9.25	7	150	0.5	<2	7.35	<0.5	45	60	128
165705		2.40	0.017			<0.5	8.65	<5	140	0.5	<2	6.56	<0.5	38	100	67
165706		0.04	0.969			11.1	8.71	5	50	3.1	<2	0.34	<0.5	1	3	8
165707		3.16	0.479	0.646		0.9	7.59	<5	90	<0.5	<2	6.24	<0.5	42	116	709
165708 DUP		<0.02	0.615	0.426		0.7	7.74	<5	100	<0.5	<2	6.32	<0.5	38	117	581
165709		2.65	0.200			0.7	8.21	<5	150	<0.5	<2	7.25	<0.5	45	132	479
165710		2.60	0.340			0.6	7.36	<5	230	0.7	<2	4.57	<0.5	23	91	340
165711		2.88	0.007			<0.5	7.95	9	140	<0.5	<2	6.27	<0.5	29	120	14
165712		2.40	<0.005			<0.5	8.02	<5	100	<0.5	<2	6.09	<0.5	34	104	1
165713		2.77	0.041			<0.5	7.72	<5	120	<0.5	<2	5.97	<0.5	34	122	39
165714		2.42	<0.005			<0.5	7.29	<5	80	<0.5	<2	5.82	<0.5	38	100	<1
165715		0.13	<0.005			<0.5	6.70	<5	520	0.9	<2	0.85	<0.5	<1	8	3
165716		2.59	0.005			<0.5	7.64	<5	190	0.6	<2	4.39	<0.5	28	73	92
165717		2.67	0.029			<0.5	7.46	<5	210	0.6	<2	4.48	<0.5	21	80	115
185718		2.33	0.009			<0.5	7.91	<5	190	0.5	<2	6.14	<0.5	36	162	121
185719		1.96	0.005			0.6	7.07	8	260	0.7	<2	6.14	<0.5	40	192	128
165720		2.58	0.008			<0.5	7.50	<5	120	<0.5	<2	5.82	<0.5	35	61	60



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005747**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
165681		5.24	1.16	1.84	936	1	2.09	34	670	7	0.29	<5	173	0.49	133	<10
165682		4.48	1.14	1.19	738	1	2.37	8	730	11	0.17	<5	189	0.49	121	<10
165683		7.01	1.22	2.88	1035	<1	1.48	85	370	7	0.84	<5	142	0.49	202	10
165684		6.66	0.73	3.36	1140	<1	1.50	75	360	5	0.36	<5	142	0.47	208	<10
165685		7.07	0.52	3.74	1225	1	1.96	72	370	4	0.25	<5	152	0.50	218	10
185686		6.35	1.06	2.78	977	<1	1.40	72	360	15	0.49	<5	135	0.47	197	<10
185687		6.73	1.40	2.99	1105	1	1.19	68	360	7	0.96	<5	134	0.45	200	10
185688		6.97	1.02	2.88	1065	1	1.43	78	370	7	0.88	<5	147	0.49	214	<10
185689 DUP		6.62	0.98	2.74	1010	<1	1.36	72	360	5	0.87	<5	139	0.47	202	<10
185690		2.04	4.27	0.20	197	2	2.19	11	160	44	0.01	<5	150	0.09	9	<10
185691		6.72	1.01	3.73	1130	<1	1.40	72	360	11	0.23	<5	125	0.47	200	<10
185692		6.20	0.68	3.53	1130	1	1.50	65	340	6	0.09	<5	142	0.46	199	<10
185693		2.89	0.62	0.50	326	1	1.94	7	370	7	0.42	<5	131	0.25	34	<10
185694		2.54	0.19	0.06	107	1	6.4	4	630	124	2.85	<5	23	0.01	2	<10
185695		6.78	0.77	3.96	1195	<1	1.62	73	360	11	0.13	<5	156	0.51	215	<10
185696		6.87	1.19	2.90	998	1	2.06	67	820	11	0.88	<5	379	0.55	181	<10
185697		6.05	1.13	3.27	1010	1	2.57	91	1630	11	0.25	<5	738	0.69	167	<10
185698		6.17	1.09	3.16	1070	1	2.06	34	730	9	0.15	<5	364	0.59	206	10
185699		6.35	1.00	3.42	1180	1	1.23	66	350	12	0.23	<5	134	0.48	210	<10
185700		7.56	1.97	3.37	1185	1	0.96	91	390	35	1.24	<5	84	0.50	197	30
185701		6.58	1.54	3.05	1385	2	1.02	70	340	<2	0.79	<5	101	0.46	190	10
185702		6.56	1.42	3.06	1325	<1	1.28	68	380	6	0.44	<5	141	0.48	205	10
185703		7.08	0.78	3.37	1155	1	1.48	99	380	<2	0.31	<5	204	0.45	206	<10
185704		8.62	0.87	4.00	1365	<1	1.92	110	2560	<2	0.53	<5	710	0.77	222	<10
185705		7.88	0.93	3.75	1265	1	1.62	67	1080	<2	0.25	<5	332	0.59	233	<10
185706		2.78	0.19	0.08	39	1	6.8	3	650	124	2.93	<5	22	0.01	2	<10
185707		7.35	0.94	3.38	1175	1	1.20	77	350	<2	0.78	<5	138	0.45	207	10
185708 DUP		7.31	0.90	3.49	1175	<1	1.25	74	370	<2	0.62	5	142	0.45	209	10
185709		6.94	1.35	3.01	1290	<1	1.18	64	380	8	0.80	<5	141	0.50	211	<10
185710		5.27	1.06	2.13	855	<1	1.90	39	790	10	0.45	<5	230	0.49	129	<10
185711		6.64	1.10	3.75	1080	<1	1.62	71	360	5	0.01	<5	144	0.48	211	<10
185712		7.06	0.82	4.85	1300	1	1.39	148	350	7	<0.01	<5	129	0.43	184	<10
185713		7.43	1.18	4.63	1380	1	0.97	138	340	7	0.34	9	110	0.41	196	10
185714		7.26	0.74	5.07	1260	1	1.33	180	350	<2	<0.01	<5	120	0.38	179	<10
185715		1.83	4.01	0.22	154	<1	2.12	4	140	32	<0.01	<5	146	0.08	8	<10
185716		5.67	0.87	1.99	858	1	2.33	28	680	<2	0.29	<5	173	0.47	150	<10
185717		5.71	0.97	2.08	886	1	2.15	26	650	2	0.40	<5	168	0.44	138	<10
185718		7.09	0.80	3.67	1110	<1	2.09	65	520	<2	0.28	6	285	0.44	206	<10
185719		6.54	0.79	4.00	1025	<1	1.87	114	840	7	0.34	5	524	0.46	188	10
185720		7.21	0.78	3.22	1130	<1	1.96	43	370	5	0.23	5	133	0.46	220	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com



To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005747**

Sample Description	Method Analyte Units LOR	ME-ICP61	Ag-AA62
		Zn ppm 2	Ag ppm 1
165681		75	
165682		66	
165683		112	
165684		77	
165685		71	
165686		55	
165687		56	
165688		57	
165689 DUP		54	
165690		26	
165691		63	
165692		60	
165693		26	
165694		18	
165695		68	
165696		80	
165697		79	
165698		82	
165699		70	
165700		148	
165701		69	
165702		63	
165703		58	
165704		80	
165705		73	
165706		18	
165707		80	
165708 DUP		78	
165709		92	
165710		66	
165711		83	
165712		86	
165713		85	
165714		67	
165715		26	
165716		58	
165717		61	
165718		73	
165719		72	
165720		67	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005747**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
165721		2.44	0.015			<0.5	7.74	<5	150	<0.5	<2	5.47	<0.5	38	22	105
165722		2.59	0.068			<0.5	7.43	<5	180	0.6	<2	5.54	<0.5	40	10	465
165723		2.60	0.670			<0.5	8.17	<5	110	<0.5	<2	6.18	<0.5	33	107	56
165724		2.60	0.112			0.5	7.70	<5	140	0.5	<2	4.92	<0.5	32	80	65
165725		2.56	0.078			<0.5	7.52	<5	90	<0.5	<2	6.05	<0.5	36	105	6
165726		0.05	1.855			19.1	7.73	<5	50	3.2	<2	0.33	<0.5	<1	4	4
165727		2.67	0.047			<0.5	7.71	<5	100	<0.5	<2	5.93	<0.5	72	119	305
165728		2.69	1.235			0.5	7.71	6	90	<0.5	<2	7.33	<0.5	59	129	318
165729 DUP		<0.02	0.995			<0.5	7.71	<5	100	<0.5	<2	7.45	<0.5	61	130	333
165730		0.14	<0.005			<0.5	6.50	<5	500	0.9	<2	0.83	<0.5	<1	14	7
165731		2.46	0.086			<0.5	7.44	<5	180	<0.5	<2	6.02	<0.5	41	131	267
165732		2.59	0.170			0.7	7.20	<5	190	<0.5	<2	6.15	<0.5	45	118	200
165733		2.60	0.119			<0.5	7.66	<5	120	<0.5	<2	6.13	<0.5	42	140	105
165734		2.44	0.044			<0.5	8.09	<5	130	<0.5	<2	6.46	<0.5	45	136	105
165735		1.55	0.120			0.5	7.91	<5	120	<0.5	<2	6.83	<0.5	39	131	222
165736		2.06	0.641			0.6	7.86	<5	170	<0.5	<2	5.88	<0.5	51	137	541
185737		2.38	0.321			<0.5	6.71	7	500	1.2	<2	1.28	<0.5	1	7	13
165738		2.67	0.005			<0.5	7.70	<5	140	0.6	<2	6.28	<0.5	45	134	103
165739		1.99	0.007			<0.5	6.80	<5	480	1.2	<2	1.31	<0.5	<1	4	17
185740		2.10	0.011			<0.5	7.84	<5	110	<0.5	<2	6.69	<0.5	37	116	82
165741		2.42	0.022			<0.5	7.80	<5	120	<0.5	<2	6.55	<0.5	38	117	62
165742		2.61	0.005			<0.5	7.38	<5	310	0.9	<2	2.96	<0.5	7	8	10
165743		2.21	0.017			<0.5	7.93	<5	130	<0.5	<2	6.38	<0.5	40	125	77
165744		2.50	0.032			<0.5	7.66	5	150	<0.5	<2	6.41	<0.5	41	126	99
165745		0.05	0.982			10.3	7.54	13	40	3.1	<2	0.31	<0.5	<1	4	7
165746		2.42	<0.005			<0.5	7.89	<5	130	<0.5	<2	6.08	<0.5	38	122	82
165747		2.54	0.096			<0.5	7.84	<5	130	<0.5	<2	5.89	<0.5	38	124	82
165748		2.51	0.193			<0.5	7.62	<5	140	<0.5	<2	6.31	<0.5	43	124	132
165749		2.79	0.372			1.1	7.99	<5	170	0.6	<2	5.34	<0.5	25	53	53
165750		1.00	>10.0		267	>100	6.24	18	150	<0.5	<2	4.70	54.4	26	98	190
165751 DUP		<0.02	>10.0		243	>100	6.72	18	170	<0.5	<2	4.99	37.8	29	107	176
165752		0.14	0.018			<0.5	6.67	<5	550	1.0	<2	0.82	<0.5	<1	8	5
165753		1.59	0.116			<0.5	7.88	5	290	0.9	<2	3.46	<0.5	9	2	9
165754		1.52	0.899			<0.5	7.81	7	310	0.7	<2	3.70	<0.5	20	58	51
165755		2.41	0.081			<0.5	7.50	8	290	0.9	<2	3.09	<0.5	12	16	11
165756		2.28	0.019			<0.5	6.47	<5	520	1.1	<2	1.69	<0.5	4	22	23
165757		1.85	0.027			<0.5	6.62	<5	590	1.3	<2	1.18	<0.5	<1	7	27
165758		2.86	0.420			<0.5	7.87	<5	170	<0.5	<2	6.00	<0.5	39	128	110
165759		2.48	0.061			<0.5	8.25	<5	190	0.5	<2	7.32	<0.5	39	127	63
165760		2.24	0.061			<0.5	8.81	<5	160	<0.5	<2	7.32	<0.5	41	132	147



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 9-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06005747

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
165721		8.14	0.99	3.05	1175	<1	2.07	31	450	5	0.45	6	138	0.57	259	10
165722		8.76	0.84	2.23	1065	4	1.98	16	640	3	1.34	8	146	0.71	276	<10
165723		7.69	0.62	3.94	1240	1	1.62	80	490	<2	0.19	5	188	0.47	194	<10
165724		6.12	0.84	2.85	984	1	1.75	50	560	<2	0.28	7	156	0.46	166	<10
165725		6.94	0.67	3.85	1230	1	1.53	82	370	2	0.02	5	143	0.44	206	10
165726		2.75	0.19	0.07	107	<1	6.9	5	630	114	2.86	10	19	0.01	1	<10
165727		7.71	0.72	3.16	1130	1	1.69	72	410	<2	0.78	5	146	0.44	200	10
165728		7.77	0.84	2.73	1170	<1	1.12	73	360	<2	1.03	5	136	0.43	200	<10
165729 DUP		7.88	0.82	2.75	1190	<1	1.10	76	380	3	1.05	<5	136	0.43	202	<10
165730		2.00	4.10	0.22	188	1	2.04	12	150	30	<0.01	<5	146	0.08	9	<10
185731		7.08	1.90	2.81	1180	<1	1.10	71	340	5	1.18	6	104	0.43	204	10
165732		8.36	2.51	3.42	1505	1	0.82	72	320	<2	1.72	8	86	0.40	205	20
165733		7.49	1.55	3.26	1375	1	0.86	83	350	2	0.88	<5	123	0.46	222	10
165734		7.84	1.25	3.15	1280	1	1.23	79	370	2	0.48	<5	125	0.47	225	10
165735		7.57	1.45	3.18	1495	<1	1.17	70	360	2	0.83	6	120	0.45	218	10
165736		8.14	1.74	3.15	1320	<1	0.98	79	370	3	1.32	5	104	0.45	211	10
165737		1.72	1.25	0.16	191	2	3.22	3	80	3	0.07	<5	131	0.10	3	<10
165738		9.57	0.84	3.72	1395	1	1.88	124	800	2	0.21	5	329	0.88	241	<10
165739		1.71	0.81	0.12	174	1	3.47	<1	60	8	0.08	7	142	0.10	<1	<10
165740		7.09	0.69	3.34	1320	1	1.38	69	370	9	0.22	<5	144	0.43	206	<10
165741		7.41	0.75	3.40	1325	<1	1.59	80	370	3	0.19	<5	136	0.44	213	<10
185742		3.90	1.11	0.68	564	1	2.65	6	610	<2	0.05	5	172	0.35	46	<10
165743		8.26	0.77	3.55	1360	1	1.70	76	330	2	0.34	7	134	0.44	226	<10
165744		7.62	1.06	3.29	1300	1	1.44	72	400	4	0.48	8	118	0.43	215	10
185745		2.79	0.18	0.06	34	<1	6.7	2	590	118	2.92	6	18	0.01	1	<10
165746		6.92	0.87	3.16	1095	<1	1.49	74	350	5	0.20	<5	137	0.45	213	<10
185747		7.07	1.23	3.33	1225	1	1.26	75	370	3	0.65	7	122	0.44	205	10
165748		7.03	1.14	3.21	1250	1	1.36	74	310	5	0.38	<5	127	0.44	205	<10
165749		7.79	1.08	2.29	1315	2	1.89	38	1110	5	0.44	<5	248	0.68	143	<10
165750		8.37	1.35	2.52	1025	1	1.12	69	330	8	3.82	5	77	0.36	161	<10
165751 DUP		8.89	1.48	2.73	1105	1	1.18	71	350	7	3.77	7	83	0.38	171	<10
165752		1.86	4.31	0.22	167	1	2.12	7	180	33	0.01	<5	163	0.08	9	<10
165753		4.62	1.46	0.92	687	1	2.55	2	1030	<2	0.08	8	196	0.50	90	<10
165754		5.59	1.80	1.52	789	1	2.07	32	700	<2	0.26	8	168	0.46	123	<10
165755		3.96	1.39	0.83	599	1	2.59	12	600	9	0.05	<5	175	0.38	70	10
165756		2.48	1.80	0.59	352	1	2.58	11	110	4	0.14	6	124	0.14	28	<10
165757		1.76	1.67	0.11	168	1	3.00	1	70	14	0.17	<5	130	0.10	<1	<10
165758		6.89	1.32	3.15	1240	2	1.43	77	350	5	0.56	<5	146	0.44	198	10
165759		7.87	1.32	3.54	1265	<1	1.45	77	1100	5	0.64	<5	356	0.51	216	10
165760		7.78	1.57	3.25	1470	1	1.29	82	530	6	0.55	8	172	0.50	226	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06005747**

Sample Description	Method Analyte Units LOR	ME-ICP61	Ag-AA62
		Zn ppm 2	Ag ppm 1
165721		69	
165722		59	
165723		68	
165724		71	
165725		73	
165726		18	
165727		63	
165728		54	
165729 DUP		56	
165730		26	
165731		61	
165732		60	
165733		69	
165734		65	
165735		63	
165736		75	
165737		19	
165738		128	
165739		21	
165740		69	
165741		70	
165742		48	
165743		73	
165744		59	
165745		16	
165746		59	
165747		65	
165748		74	
165749		122	
165750		5090	102
165751 DUP		3610	98
165752		30	
165753		60	
165754		95	
165755		59	
165756		49	
165757		55	
165758		77	
165759		70	
165760		79	





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

**CERTIFICATE VO06006748**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 140 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-JAN-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 5 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006748**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
165761		2.60	0.011		<0.5	6.23	<5	470	1.2	<2	1.18	<0.5	2	3	38	1.79
165762		2.73	4.60		0.5	8.38	<5	130	<0.5	5	6.14	<0.5	42	111	227	7.59
165763		2.67	0.037		<0.5	8.52	<5	90	<0.5	<2	6.66	<0.5	41	120	160	7.34
165764		2.50	0.517		1.0	7.96	<5	110	0.5	<2	5.57	2.2	37	140	561	7.10
165765		2.94	0.192		0.7	7.49	<5	140	<0.5	<2	5.25	<0.5	37	133	317	7.00
165766		0.06	1.895		19.1	7.66	<5	50	2.8	<2	0.32	<0.5	1	10	6	2.69
165767		2.12	0.159		<0.5	6.37	5	440	1.1	<2	1.06	<0.5	1	12	42	1.42
165768		3.03	0.046		<0.5	6.58	<5	470	1.0	2	1.13	<0.5	3	55	34	1.62
165769		2.40	0.482		1.9	5.67	<5	100	<0.5	<2	4.89	<0.5	69	1090	703	9.64
165770		2.85	0.188		0.6	5.57	<5	80	<0.5	<2	4.77	0.9	39	802	156	7.00
165771 DUP		<0.02	0.224		0.6	5.56	<5	80	<0.5	<2	4.77	0.7	37	865	150	7.06
165772		0.12	<0.005		<0.5	6.91	<5	490	0.8	<2	0.97	<0.5	2	17	6	2.20
165773		2.63	0.104		0.8	6.15	<5	150	0.5	<2	5.06	<0.5	42	850	81	7.96
165774		2.21	0.896		<0.5	7.72	<5	180	0.5	<2	5.32	<0.5	33	460	23	6.76
165775		1.69	0.013		<0.5	7.89	6	290	0.7	<2	6.01	<0.5	47	605	33	5.81
165776		1.48	0.048		<0.5	6.78	<5	20	<0.5	<2	6.51	<0.5	34	468	20	4.39
165777		1.95	0.351		<0.5	6.25	<5	20	0.5	<2	5.72	<0.5	53	868	27	7.05
165778		2.67	0.262		<0.5	5.46	<5	90	<0.5	<2	5.34	<0.5	52	748	18	5.97
165779		2.44	<0.005		<0.5	8.36	<5	550	0.6	<2	2.00	<0.5	5	36	5	1.23
165780		2.80	0.508		<0.5	6.70	<5	340	1.0	<2	0.81	<0.5	4	37	17	1.58
165781		1.92	0.174		<0.5	6.92	<5	300	0.8	<2	6.08	<0.5	44	549	25	5.14
165782		1.73	0.071		<0.5	7.03	<5	460	1.1	<2	2.00	<0.5	11	135	14	2.43
165783		1.39	0.131		<0.5	7.44	<5	460	1.0	<2	3.37	<0.5	20	194	3	3.64
165784		2.29	0.082		<0.5	7.40	<5	480	1.0	<2	2.20	<0.5	8	20	14	2.97
165785		1.91	0.634		<0.5	7.63	19	80	<0.5	<2	7.10	<0.5	57	342	6	6.58
165786		2.52	2.41		<0.5	7.44	<5	50	<0.5	<2	7.08	<0.5	46	351	12	6.78
165787		0.06	0.977		11.1	6.26	7	40	2.9	<2	0.33	<0.5	1	5	8	2.58
165788		2.62	0.190		<0.5	7.35	<5	70	<0.5	<2	7.16	<0.5	44	351	5	7.21
165789		2.44	0.040		<0.5	7.36	<5	50	<0.5	2	7.78	<0.5	46	321	11	7.53
165790		2.50	0.035		<0.5	7.21	<5	40	<0.5	<2	7.05	<0.5	46	347	16	7.66
165791		2.87	0.038		<0.5	7.44	<5	60	<0.5	2	7.47	<0.5	47	347	6	7.69
165792		2.29	0.058		<0.5	7.72	<5	120	<0.5	<2	6.74	<0.5	42	388	86	7.15
165793		2.66	0.033		<0.5	6.50	<5	140	<0.5	<2	6.43	<0.5	51	602	26	6.78
165794 DUP		<0.02	0.030		<0.5	6.40	<5	140	<0.5	<2	6.33	<0.5	50	608	25	6.68
165795		0.09	<0.005		<0.5	7.10	<5	540	0.8	<2	0.83	<0.5	2	12	5	2.19
165796		2.16	0.016		<0.5	8.12	6	290	0.7	<2	4.09	<0.5	17	44	29	4.78
165797		2.44	0.070		0.7	8.45	<5	200	<0.5	<2	6.14	<0.5	51	136	179	7.07
165798		2.46	0.212		0.5	5.72	<5	150	<0.5	<2	5.04	<0.5	34	102	245	5.66
165799		2.41	0.027		<0.5	8.15	5	150	<0.5	<2	6.14	<0.5	40	127	197	8.52
165800		2.39	0.016		<0.5	8.21	<5	190	0.6	3	4.92	<0.5	25	74	77	5.84



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 5 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006748**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
165761		1.28	0.12	184	1	2.79	<1	70	5	0.18	<5	116	0.10	3	<10	24
165762		1.14	3.59	1350	1	1.43	84	410	11	0.64	<5	123	0.45	218	10	91
165763		0.68	3.72	1345	<1	1.46	81	400	6	0.36	<5	144	0.44	215	<10	76
165764		1.24	3.38	1225	<1	1.11	99	380	2	1.06	<5	114	0.41	200	10	437
165765		1.58	3.51	1330	1	0.88	90	350	5	0.65	<5	106	0.40	192	10	122
165766		0.18	0.06	106	<1	6.4	7	600	116	2.93	<5	19	0.01	2	<10	18
165767		1.23	0.14	213	<1	3.16	4	90	2	0.27	<5	129	0.09	2	<10	23
165768		1.32	0.42	314	<1	3.04	19	110	6	0.24	<5	138	0.11	10	<10	33
165769		0.47	7.82	1615	<1	0.83	483	200	40	2.45	<5	108	0.22	158	<10	170
165770		0.36	7.25	1315	<1	0.86	334	260	75	0.77	<5	170	0.19	136	<10	450
165771 DUP		0.36	7.29	1325	<1	0.86	332	270	75	0.76	<5	166	0.19	134	<10	450
165772		4.08	0.22	203	1	2.12	7	160	36	0.01	<5	152	0.08	10	<10	28
165773		0.63	8.49	1390	2	0.72	501	550	58	0.62	<5	241	0.26	146	<10	275
165774		0.70	6.34	1200	<1	1.32	236	620	5	0.16	<5	269	0.34	160	<10	76
165775		1.17	8.17	1110	<1	0.94	439	790	4	0.28	<5	314	0.22	118	<10	66
165776		0.17	5.56	864	<1	2.92	293	460	3	0.31	<5	62	0.20	94	<10	37
165777		0.18	9.60	1365	<1	1.06	477	410	<2	0.34	<5	64	0.22	141	<10	69
165778		0.45	8.54	1165	<1	0.47	491	450	<2	0.13	<5	122	0.20	125	<10	67
165779		1.46	0.62	178	<1	3.62	20	200	<2	0.04	<5	257	0.09	19	<10	34
165780		1.17	0.43	306	3	3.47	17	130	4	0.33	<5	132	0.11	10	<10	16
165781		0.90	7.77	1010	1	0.87	464	620	12	0.19	<5	219	0.19	102	<10	69
165782		1.34	1.40	607	4	2.87	56	170	5	0.06	<5	168	0.12	25	<10	33
165783		1.98	2.72	874	2	2.20	75	160	4	0.02	<5	202	0.21	95	<10	44
165784		1.48	0.85	512	1	2.81	8	310	9	0.11	<5	226	0.23	58	<10	52
165785		0.60	5.67	1325	<1	1.44	160	240	<2	0.01	<5	154	0.37	229	<10	69
165786		0.47	5.42	1305	<1	1.32	170	240	<2	0.03	<5	138	0.36	224	30	73
165787		0.19	0.07	36	<1	6.5	4	610	116	2.76	<5	19	0.01	2	<10	17
165788		0.59	5.76	1385	<1	1.38	149	230	<2	0.02	<5	108	0.35	215	<10	68
165789		0.46	5.19	1465	<1	1.16	156	220	<2	0.05	<5	133	0.35	217	10	73
165790		0.40	5.10	1410	<1	1.15	154	220	<2	0.13	<5	131	0.35	219	40	75
165791		0.42	5.29	1400	<1	1.44	144	230	2	0.02	<5	134	0.36	224	<10	67
165792		1.02	5.95	1265	<1	1.33	146	500	<2	0.16	<5	260	0.39	198	10	81
165793		1.52	8.49	1320	5	0.87	250	430	<2	0.02	<5	144	0.29	162	<10	85
165794 DUP		1.52	8.38	1305	6	0.64	252	440	2	0.02	<5	139	0.29	160	<10	85
165795		4.20	0.23	198	1	2.10	6	170	34	<0.01	<5	156	0.08	9	<10	26
165796		1.14	1.48	792	1	2.07	25	720	<2	0.16	<5	155	0.41	97	<10	87
165797		1.64	3.02	1120	<1	1.49	81	360	<2	0.94	<5	136	0.44	213	<10	89
165798		1.32	2.42	992	1	0.87	59	240	<2	0.94	<5	76	0.32	156	10	75
165799		1.14	3.51	1350	<1	1.47	93	610	3	0.52	<5	237	0.62	206	<10	110
165800		1.08	2.12	991	1	1.91	50	770	<2	0.33	<5	191	0.48	136	<10	74



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 5 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006748**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
165801		2.46	0.374		0.6	7.78	<5	330	0.7	<2	6.02	<0.5	42	206	158	5.95
165802		2.56	0.018		<0.5	7.70	<5	280	0.7	<2	3.78	<0.5	19	55	81	4.57
165803		1.84	0.024		<0.5	8.29	<5	110	<0.5	<2	6.24	<0.5	39	129	150	6.55
165804 DUP		<0.02	0.020		<0.5	8.42	6	110	<0.5	<2	6.35	<0.5	40	132	150	6.60
165805		2.82	0.013		<0.5	7.76	<5	250	0.7	<2	3.88	<0.5	21	67	66	4.62
165806		2.90	0.026		<0.5	8.20	<5	220	0.7	<2	5.10	<0.5	24	71	58	5.75
165807		1.91	0.144		<0.5	8.24	<5	140	<0.5	<2	6.45	<0.5	40	128	154	6.96
165808		2.65	0.045		<0.5	7.51	<5	280	0.7	<2	3.80	<0.5	22	79	74	4.26
165809		2.08	0.008		<0.5	6.54	<5	330	1.1	<2	1.58	<0.5	3	17	22	1.74
165810		0.04	1.770		19.2	8.56	6	50	2.9	2	0.34	<0.5	2	27	6	2.74
165811		2.43	0.009		<0.5	8.46	<5	250	0.8	<2	6.93	<0.5	39	114	116	6.11
165812		2.38	0.126		<0.5	8.40	5	200	<0.5	<2	6.71	<0.5	46	120	174	7.07
165813		2.75	0.031		<0.5	8.24	5	110	<0.5	<2	6.58	<0.5	45	114	150	6.94
165814		2.73	0.023		<0.5	8.53	<5	170	<0.5	<2	5.92	<0.5	33	110	104	6.62
165815		0.14	<0.005		<0.5	6.87	<5	530	0.8	<2	1.00	<0.5	3	9	7	1.92
165816		2.45	0.047		<0.5	8.16	<5	130	<0.5	<2	6.19	<0.5	41	128	116	6.92
165817		2.52	0.024		<0.5	8.11	<5	110	<0.5	2	6.39	<0.5	40	118	87	6.69
165818		1.91	0.880		<0.5	7.09	7	140	<0.5	2	5.59	<0.5	65	503	249	8.31
165819		2.60	0.465		<0.5	5.19	<5	10	<0.5	<2	4.89	<0.5	52	1545	16	8.37
165820		1.17	0.106		<0.5	6.06	8	40	<0.5	<2	4.86	<0.5	51	1145	40	8.27
165821		1.75	0.901		<0.5	7.45	<5	250	0.5	2	5.19	<0.5	36	508	100	8.32
165822		1.92	0.032		<0.5	6.62	9	540	1.1	<2	1.09	<0.5	2	13	21	1.84
165823		2.19	0.020		<0.5	6.54	6	550	1.0	<2	1.06	<0.5	1	9	24	1.72
165824		2.35	0.023		<0.5	6.86	<5	500	0.9	<2	1.76	<0.5	5	38	12	2.32
165825		2.23	0.931	0.875	0.6	6.77	<5	430	0.9	<2	2.13	<0.5	11	124	90	3.17
165826 DUP		<0.02	0.812	1.100	0.6	6.83	7	450	0.9	<2	2.05	<0.5	9	114	110	3.12
165827		2.27	0.039		<0.5	6.73	<5	520	1.1	<2	1.33	<0.5	4	22	16	2.14
165828		2.39	0.044		<0.5	6.71	<5	520	1.0	<2	1.39	<0.5	3	25	19	1.98
165829		2.28	0.022		<0.5	7.22	5	550	1.0	<2	2.59	<0.5	13	34	35	3.39
165830		2.52	0.050		<0.5	6.39	5	410	0.8	<2	1.10	<0.5	8	126	22	2.32
165831		0.05	1.015		10.3	8.12	6	50	2.9	<2	0.30	<0.5	1	4	8	2.62
165832		2.44	0.031		<0.5	6.17	<5	350	0.8	<2	0.59	<0.5	3	8	14	1.38
165833		1.62	0.024		<0.5	6.87	<5	410	0.6	<2	0.80	<0.5	5	36	33	1.65
165834		2.37	0.106		<0.5	6.32	<5	340	0.7	2	0.49	<0.5	3	7	15	1.24
165835		2.73	0.042		<0.5	6.63	<5	530	1.1	2	0.81	<0.5	<1	17	12	1.78
165836		0.12	<0.005		<0.5	6.23	<5	510	0.8	<2	0.80	<0.5	1	30	8	2.50
165837		2.56	2.03		<0.5	5.15	<5	30	<0.5	<2	5.19	<0.5	38	1405	21	8.30
165838		2.89	0.947		<0.5	5.45	<5	30	<0.5	<2	5.52	<0.5	37	1105	71	8.53
165839		3.54	0.343		<0.5	5.55	10	10	<0.5	<2	5.42	<0.5	47	1190	13	8.18
165840		1.88	0.086		<0.5	6.14	<5	520	1.1	<2	0.92	<0.5	<1	14	6	1.38



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 5 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006748**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
165801	1.18	3.62	1050	<1	1.55	135	700	<2	0.50	<5	571	0.41	184	<10	81	
165802	1.14	1.38	717	<1	2.15	31	500	2	0.32	<5	162	0.37	104	<10	57	
165803	0.93	2.95	1195	<1	1.36	79	370	<2	0.39	<5	145	0.43	209	<10	97	
165804 DUP	0.94	3.07	1210	<1	1.38	81	360	2	0.38	<5	148	0.44	211	10	98	
165805	1.24	1.49	708	<1	2.08	38	630	<2	0.24	<5	212	0.39	100	<10	69	
165806	1.16	2.28	936	1	2.03	48	1210	2	0.23	<5	374	0.46	162	<10	74	
165807	0.95	3.01	1185	<1	1.58	78	370	<2	0.43	<5	160	0.43	212	<10	72	
165808	0.97	1.82	684	<1	2.29	41	230	4	0.24	<5	154	0.28	114	<10	46	
185809	0.78	0.23	190	1	2.98	7	200	<2	0.11	<5	188	0.12	9	<10	18	
165810	0.19	0.07	110	<1	6.5	6	630	116	2.93	<5	21	0.01	2	<10	18	
185811	1.47	2.96	1100	<1	1.62	73	590	2	0.43	<5	244	0.42	202	10	65	
165812	1.30	3.19	1220	<1	1.58	79	440	2	0.55	<5	172	0.44	215	<10	74	
165813	1.06	3.32	1175	<1	1.52	79	390	<2	0.39	<5	156	0.43	211	<10	65	
165814	1.42	3.17	1095	<1	1.56	85	1060	<2	0.37	<5	284	0.49	196	10	69	
165815	4.21	0.28	176	1	2.01	6	160	86	0.01	<5	152	0.08	11	<10	27	
165816	1.21	3.47	1180	1	1.38	81	390	2	0.61	<5	146	0.42	210	<10	62	
165817	0.79	3.43	1220	<1	1.46	86	420	2	0.25	<5	136	0.43	211	<10	62	
185818	1.10	4.66	1330	<1	1.10	255	330	<2	0.86	<5	143	0.37	192	10	83	
165819	0.10	11.75	1460	<1	0.25	762	190	3	0.06	<5	20	0.24	160	<10	112	
165820	0.81	11.30	1565	<1	0.39	622	310	<2	0.22	<5	66	0.24	151	<10	119	
165821	1.68	4.36	1680	3	1.12	224	870	5	0.72	<5	186	0.53	132	10	112	
165822	1.64	0.14	226	2	2.83	8	60	10	0.13	<5	108	0.08	2	<10	25	
165823	1.72	0.10	200	1	2.86	2	70	4	0.17	<5	120	0.09	<1	<10	25	
165824	1.86	0.70	336	1	2.64	11	170	3	0.08	<5	147	0.11	22	<10	26	
165825	1.52	1.42	472	<1	2.42	63	180	3	0.22	<5	148	0.13	34	<10	42	
165826 DUP	1.52	1.28	459	1	2.46	60	170	3	0.23	<5	144	0.12	31	<10	43	
165827	1.77	0.33	276	1	2.84	9	100	4	0.12	<5	129	0.10	7	<10	21	
165828	1.70	0.42	273	<1	2.82	9	110	3	0.13	<5	129	0.10	10	<10	29	
165829	1.45	1.48	562	<1	2.50	23	320	3	0.17	<5	204	0.27	76	<10	46	
165830	1.55	1.15	324	<1	3.02	50	200	2	0.20	<5	99	0.12	22	<10	20	
165831	0.19	0.06	33	<1	6.3	4	560	110	2.83	<5	19	0.01	2	<10	16	
165832	1.45	0.25	156	<1	3.42	3	70	6	0.21	<5	81	0.08	<1	<10	16	
165833	1.97	0.41	186	1	3.64	20	120	11	0.22	<5	75	0.10	12	<10	19	
165834	1.48	0.18	122	1	3.62	5	70	<2	0.14	<5	70	0.08	<1	<10	6	
165835	1.56	0.25	175	2	2.83	4	60	6	0.16	<5	136	0.09	1	<10	17	
185836	4.04	0.23	236	3	1.90	16	130	33	<0.01	<5	139	0.08	8	<10	24	
165837	0.20	10.70	1480	1	0.33	703	180	7	0.17	<5	27	0.23	149	<10	96	
185838	0.45	9.05	1565	1	0.39	556	170	4	0.46	<5	63	0.26	159	20	90	
165839	0.14	9.91	1460	1	0.39	609	180	4	0.11	<5	40	0.26	172	<10	86	
165840	1.70	0.14	449	3	2.45	2	70	5	0.05	<5	135	0.09	1	<10	16	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 5 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006748**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP81	ME-ICP61	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
165841		1.95	0.046		<0.5	8.29	7	440	1.0	<2	3.31	<0.5	13	53	14	3.40
165842		1.64	0.342		<0.5	5.92	8	10	<0.5	<2	5.95	<0.5	47	1130	1	7.55
165843		1.50	0.311		<0.5	5.32	<5	<10	<0.5	<2	5.67	<0.5	46	1260	1	7.56
165844		2.56	0.198		<0.5	5.70	<5	20	<0.5	<2	5.64	<0.5	50	1085	5	6.99
165845		1.55	0.009		<0.5	5.56	6	60	<0.5	<2	5.58	<0.5	61	1095	1	6.96
165846		0.05	1.790		19.4	8.68	10	60	3.0	<2	0.34	<0.5	1	12	5	2.89
165847		1.85	0.048		<0.5	6.73	11	440	1.2	<2	1.58	<0.5	6	122	14	2.33
165848		2.00	0.038		<0.5	6.27	<5	240	0.7	<2	3.75	<0.5	28	591	47	5.33
165849		2.72	0.319		<0.5	6.41	<5	80	<0.5	<2	5.09	<0.5	43	792	39	7.91
165850		1.90	0.593		<0.5	5.67	<5	80	<0.5	<2	5.91	<0.5	59	1145	37	7.49
165851		1.58	0.014		<0.5	6.27	<5	210	<0.5	<2	6.22	<0.5	48	941	17	6.31
165852 DUP		<0.02	0.014		<0.5	6.27	<5	200	<0.5	<2	6.22	<0.5	50	1000	18	6.34
165853		0.12	0.008		<0.5	6.70	<5	500	0.9	<2	1.22	<0.5	3	37	9	2.31
165854		2.18	0.061		<0.5	6.23	<5	170	<0.5	<2	6.53	<0.5	49	869	35	6.81
165855		2.62	0.180		<0.5	6.66	8	180	<0.5	<2	5.27	<0.5	43	794	32	7.83
165856		2.85	0.307		<0.5	5.25	<5	10	<0.5	<2	6.08	<0.5	59	1200	12	7.39
165857		2.50	0.085		<0.5	6.63	<5	90	<0.5	<2	4.81	<0.5	47	753	30	7.43
165858		2.93	0.240		<0.5	5.77	<5	90	<0.5	<2	6.16	<0.5	54	1060	13	6.95
165859		2.81	0.174		<0.5	5.50	<5	80	<0.5	<2	5.48	<0.5	51	1115	24	7.58
165860		2.65	0.331	0.265	<0.5	5.63	6	10	<0.5	<2	6.39	<0.5	64	1275	2	7.72
165861		2.72	0.172		<0.5	5.36	11	<10	<0.5	<2	6.13	<0.5	65	1335	<1	7.48
165862		2.86	0.158		<0.5	5.61	19	<10	<0.5	<2	5.75	<0.5	58	1235	21	7.73
165863		2.62	0.524		<0.5	5.73	<5	20	<0.5	<2	6.01	<0.5	63	1240	1	7.44
165864		2.50	0.150		<0.5	5.50	<5	50	<0.5	<2	5.72	<0.5	64	1285	3	7.64
165865		0.05	0.992		11.2	9.13	<5	50	3.1	<2	0.35	<0.5	<1	6	7	2.92
165866		2.56	0.109		<0.5	5.41	<5	30	<0.5	<2	5.97	<0.5	63	1280	7	7.40
165867		2.66	1.415	1.075	<0.5	5.46	<5	10	<0.5	<2	5.82	<0.5	65	1355	6	7.58
165868 DUP		<0.02	2.71	2.22	<0.5	5.42	9	10	<0.5	<2	5.69	<0.5	64	1365	7	7.50
165869		0.12	<0.005		<0.5	6.88	<5	550	0.8	<2	0.88	<0.5	1	33	7	2.66
165870		2.80	0.322		<0.5	5.26	6	60	<0.5	<2	5.29	<0.5	59	1245	10	7.14
165871		2.76	0.054		<0.5	5.76	7	150	<0.5	<2	5.99	<0.5	57	926	34	7.29
165872		2.51	0.048		<0.5	7.15	<5	290	<0.5	<2	3.80	2.0	33	619	17	4.12
165873		3.02	0.517		<0.5	6.29	<5	250	<0.5	<2	4.31	<0.5	45	827	10	5.71
165874		1.45	0.216		<0.5	5.06	<5	60	<0.5	<2	6.22	<0.5	50	941	2	7.00
165875		2.88	0.013		<0.5	7.48	5	470	0.5	<2	2.29	<0.5	11	207	8	2.18
165876		2.75	0.783		<0.5	5.22	5	30	<0.5	<2	6.66	<0.5	47	920	72	7.03
165877		1.69	0.110		<0.5	7.13	<5	150	<0.5	<2	6.98	<0.5	50	615	20	6.93
165878		1.67	0.055		<0.5	8.16	<5	330	0.7	<2	6.76	<0.5	39	258	25	5.18
165879		2.61	0.116		<0.5	7.25	<5	130	<0.5	<2	6.78	<0.5	46	380	6	6.94
165880		2.50	0.739	0.888	<0.5	6.94	<5	80	<0.5	<2	6.64	<0.5	39	325	12	6.45



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 5 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006748**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
165841		2.19	1.94	615	3	2.46	27	530	7	0.12	<5	255	0.32	75	<10	50
165842		0.25	9.69	1400	2	0.55	580	210	8	0.02	<5	75	0.27	166	<10	79
165843		0.08	9.70	1355	3	0.43	601	160	4	0.02	<5	31	0.26	164	<10	79
165844		0.14	9.22	1295	1	0.67	551	160	11	0.01	<5	55	0.21	154	<10	79
165845		1.20	9.63	1420	1	0.41	566	160	2	0.01	<5	17	0.28	166	<10	91
165846		0.19	0.09	114	1	6.8	5	630	124	3.03	<5	22	0.01	2	<10	19
165847		1.27	0.93	353	3	2.82	49	60	7	0.11	<5	137	0.11	16	<10	23
165848		0.94	4.47	943	1	1.72	273	190	4	0.32	<5	109	0.22	91	<10	60
165849		0.36	7.33	1450	2	1.12	402	600	4	0.25	<5	154	0.41	145	<10	131
165850		0.63	9.53	1565	2	0.54	597	240	<2	0.17	<5	82	0.27	162	<10	99
165851		0.86	8.37	1215	2	0.88	363	360	3	0.07	<5	257	0.24	160	<10	72
165852 DUP		0.86	8.46	1225	2	0.88	371	380	4	0.08	<5	252	0.25	166	<10	76
165853		3.92	0.50	236	2	2.08	16	170	31	0.03	<5	153	0.11	20	<10	29
165854		0.57	8.10	1330	2	0.93	358	460	4	0.10	<5	276	0.29	171	<10	75
165855		0.48	6.64	1450	2	1.16	388	800	5	0.22	<5	138	0.55	141	<10	119
165856		0.12	9.91	1490	1	0.44	642	150	<2	0.08	<5	56	0.24	157	10	80
165857		0.42	6.23	1260	1	1.32	365	790	5	0.20	<5	190	0.54	144	<10	98
165858		0.59	9.09	1225	1	0.39	584	320	2	0.05	<5	113	0.24	144	<10	73
165859		0.49	9.03	1310	<1	0.36	557	300	<2	0.12	<5	96	0.30	156	<10	86
165860		0.11	10.65	1375	1	0.34	672	140	3	0.02	<5	69	0.24	166	<10	77
165861		0.06	10.55	1380	1	0.29	668	150	5	0.02	<5	52	0.25	163	10	80
165862		0.05	10.15	1395	2	0.13	650	130	3	0.25	<5	98	0.28	161	<10	110
165863		0.32	10.35	1470	<1	0.31	617	210	2	0.01	<5	92	0.26	170	<10	86
165864		0.53	10.15	1380	1	0.27	628	160	<2	0.02	<5	161	0.24	167	<10	81
165865		0.19	0.09	38	2	7.1	1	640	130	3.05	<5	23	0.01	2	<10	16
165866		0.29	9.97	1350	1	0.29	636	170	<2	0.03	<5	130	0.23	166	<10	78
165867		0.12	10.70	1345	1	0.27	703	140	6	0.03	5	66	0.24	168	<10	80
165868 DUP		0.11	10.55	1320	2	0.27	690	130	3	0.03	<5	63	0.23	164	<10	78
165869		4.22	0.28	250	4	2.07	18	150	35	<0.01	<5	155	0.09	9	<10	27
165870		0.58	10.25	1180	3	0.25	648	170	<2	0.08	<5	63	0.25	161	<10	67
165871		1.12	8.90	1340	1	0.36	527	540	16	0.17	<5	162	0.33	170	<10	129
165872		1.04	5.21	683	1	1.91	352	180	357	0.18	<5	184	0.16	93	<10	1230
165873		0.86	7.49	970	1	1.10	457	170	8	0.07	<5	236	0.20	124	10	63
165874		0.52	9.73	1375	1	0.42	566	160	<2	0.01	<5	88	0.23	153	<10	65
165875		1.26	1.88	313	1	3.19	103	180	3	0.05	<5	259	0.12	40	<10	43
165876		0.39	8.64	1405	2	0.43	552	190	<2	0.35	<5	120	0.21	146	60	78
165877		0.98	7.77	1245	1	0.78	385	390	2	0.20	<5	212	0.36	201	<10	85
165878		1.10	6.19	939	1	1.52	261	730	4	0.30	<5	496	0.27	132	10	65
165879		0.82	6.02	1350	<1	1.49	154	230	<2	0.02	<5	115	0.37	227	10	59
165880		0.56	5.06	1250	<1	1.37	136	210	<2	0.03	<5	143	0.35	212	20	58



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - A  
 Total # Pages: 5 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006748**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
165881		2.62	1.040		<0.5	7.00	<5	80	<0.5	3	7.16	<0.5	40	338	14	7.12
165882		2.79	0.033		<0.5	6.46	<5	50	<0.5	<2	7.01	<0.5	37	300	18	6.83
165883		2.46	0.024		<0.5	7.39	<5	40	<0.5	<2	7.78	<0.5	43	347	19	7.58
165884		2.58	0.224		<0.5	7.67	<5	70	<0.5	2	8.03	<0.5	40	308	24	8.09
165885		2.75	0.164		<0.5	7.55	<5	70	<0.5	<2	8.25	<0.5	37	330	47	7.74
165886		0.05	1.825		19.9	8.49	<5	60	3.2	3	0.35	<0.5	2	6	14	3.17
165887		2.71	0.237		<0.5	7.20	<5	50	<0.5	3	7.83	<0.5	39	308	20	7.44
165888		3.00	0.236		<0.5	7.11	<5	110	<0.5	<2	7.44	<0.5	40	301	15	7.59
165889		2.53	0.132		<0.5	7.71	<5	190	0.5	2	7.23	<0.5	36	300	38	7.21
165890		2.64	0.109		<0.5	6.99	9	80	0.5	2	9.47	<0.5	42	283	54	7.68
165891		2.50	0.246		<0.5	7.21	<5	70	<0.5	<2	7.44	<0.5	42	330	13	7.75
165892 DUP		<0.02	0.196		<0.5	7.63	<5	70	<0.5	<2	8.05	<0.5	41	318	8	7.94
165893		2.69	0.139		<0.5	7.28	10	60	<0.5	2	7.74	<0.5	42	316	9	7.73
165894		2.59	0.520		<0.5	7.58	<5	110	<0.5	<2	7.68	<0.5	33	245	13	6.81
165895		2.33	0.171		<0.5	7.44	<5	80	<0.5	<2	7.97	<0.5	39	309	25	7.59
165896		0.12	<0.005		<0.5	6.77	<5	550	0.8	<2	1.04	<0.5	2	27	9	2.53
165897		2.42	0.029		<0.5	6.90	<5	150	0.5	<2	8.13	<0.5	45	227	84	7.89
165898		2.07	<0.005		<0.5	7.92	<5	320	0.8	<2	3.97	<0.5	14	25	13	4.57
165899		1.60	0.104	0.151	<0.5	8.78	<5	50	<0.5	<2	8.36	<0.5	40	263	24	7.52
165900		2.12	0.118	0.091	<0.5	7.07	5	30	<0.5	<2	7.44	<0.5	39	275	7	7.38





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - B  
 Total # Pages: 5 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006748**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
165881		0.60	4.83	1380	<1	1.59	156	220	2	0.05	<5	173	0.36	221	70	62
165882		0.34	4.86	1375	<1	1.33	142	200	<2	0.07	<5	124	0.33	208	70	61
165883		0.31	4.78	1410	1	1.45	155	210	<2	0.03	<5	155	0.38	234	20	67
165884		0.54	4.78	1515	<1	1.67	140	340	5	0.12	<5	170	0.42	227	10	87
165885		0.64	4.47	1470	<1	1.60	147	230	<2	0.23	<5	160	0.39	236	10	79
165886		0.20	0.07	118	<1	7.1	3	630	144	3.45	<5	23	0.01	2	<10	34
165887		0.52	4.80	1445	<1	1.31	138	230	<2	0.05	<5	140	0.37	222	10	71
165888		0.74	4.84	1430	<1	1.45	149	220	<2	0.04	<5	145	0.36	220	10	59
165889		0.70	5.05	1315	<1	1.87	161	540	<2	0.10	<5	308	0.41	207	<10	65
165890		0.52	5.19	1535	<1	1.44	154	330	4	0.22	<5	217	0.35	208	10	70
165891		0.48	4.88	1430	<1	1.53	147	240	6	0.04	<5	152	0.38	231	10	63
165892 DUP		0.40	5.34	1490	<1	1.50	141	220	6	0.02	<5	141	0.39	236	<10	65
165893		0.38	5.10	1435	1	1.41	133	220	2	0.02	<5	137	0.37	224	<10	63
165894		0.62	3.55	1255	1	1.61	97	340	2	0.08	<5	153	0.39	197	<10	58
165895		0.57	4.40	1400	<1	1.65	128	280	<2	0.14	<5	205	0.38	222	<10	75
165896		4.32	0.24	246	3	2.06	20	150	36	0.01	<5	154	0.08	11	<10	27
165897		0.81	6.27	1325	<1	1.56	260	1900	<2	0.54	<5	812	0.64	214	<10	102
165898		1.20	1.18	658	2	2.83	14	840	<2	0.10	<5	285	0.49	115	<10	48
165899		0.48	4.83	1445	<1	1.27	140	220	<2	0.07	<5	130	0.35	211	10	68
165900		0.32	4.71	1330	1	1.24	126	220	<2	0.01	<5	137	0.36	218	<10	60



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 10-FEB-2006  
This copy reported on 13-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06006749

Project: DETOUR LAKE  
P.O. No.:  
This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-JAN-2006.  
The following have access to data associated with this certificate:


IAN LAMBERT	MIKE ROBERTS
-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 10-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06006749

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
160621		2.61	0.029			<0.5	8.60	<5	90	0.5	<2	6.36	<0.5	32	128	225
160622		2.30	0.093			0.5	7.71	5	50	<0.5	<2	6.67	<0.5	45	120	205
160623		2.44	0.058			<0.5	8.00	<5	90	0.5	<2	5.90	<0.5	28	112	140
160624		1.75	0.148			<0.5	8.45	<5	130	<0.5	<2	7.09	<0.5	41	116	404
160625		3.06	0.031			0.5	7.98	10	190	0.5	<2	5.13	<0.5	21	80	141
160626		2.13	0.009			<0.5	7.47	<5	230	0.5	<2	4.65	<0.5	19	124	28
160627		0.04	1.840			19.0	7.93	<5	60	3.1	<2	0.33	<0.5	<1	3	5
160628		2.09	0.016			0.5	7.98	<5	190	0.7	<2	5.03	<0.5	24	73	107
160629		2.50	0.013			<0.5	7.86	<5	150	0.5	<2	6.92	<0.5	30	139	115
160830		2.38	0.009			<0.5	8.43	<5	470	0.9	<2	5.68	<0.5	24	86	70
160631		2.61	0.026			<0.5	7.96	7	80	<0.5	<2	7.13	<0.5	32	111	158
160632		0.12	<0.005			<0.5	6.90	<5	550	0.9	<2	0.84	<0.5	<1	14	5
160633		2.09	<0.005			<0.5	7.53	<5	290	<0.5	<2	6.16	<0.5	40	365	56
160634		2.61	0.200			<0.5	7.76	<5	170	<0.5	<2	5.59	<0.5	38	126	198
160635		1.37	0.049			<0.5	7.74	<5	250	0.7	<2	4.64	<0.5	22	15	99
160636		3.37	0.210			<0.5	8.06	11	180	0.5	<2	5.34	<0.5	45	118	357
160637 DUP		<0.02	0.194			<0.5	7.60	<5	170	<0.5	<2	5.00	<0.5	44	120	349
160638		2.37	0.013			<0.5	8.91	8	190	0.8	<2	6.71	<0.5	34	86	148
160639		2.23	0.075			<0.5	7.29	<5	270	0.8	<2	3.74	<0.5	41	49	289
160640		2.22	0.023			<0.5	7.73	<5	490	0.9	<2	3.92	<0.5	15	87	52
160641		2.49	0.111			<0.5	7.80	5	60	<0.5	<2	7.14	<0.5	26	124	71
160642		2.46	>10.0		29.6	1.5	7.71	5	110	0.5	<2	6.28	<0.5	39	109	553
160643		1.69	0.279			<0.5	8.49	<5	420	0.8	<2	4.79	<0.5	15	67	154
160644		2.01	2.30			0.6	7.59	6	180	<0.5	<2	5.69	<0.5	43	114	1475
160645		3.80	0.190			<0.5	7.67	<5	260	0.7	<2	4.27	<0.5	13	40	124
160646		0.05	0.987			10.7	7.20	<5	50	3.0	<2	0.32	<0.5	<1	4	8
160647		2.40	0.284			<0.5	7.31	<5	70	<0.5	<2	6.71	<0.5	39	130	648
160648		2.58	0.013			<0.5	7.98	<5	160	0.6	<2	6.55	<0.5	28	103	158
160649		2.67	0.106			<0.5	7.51	<5	50	<0.5	<2	6.77	<0.5	27	130	523
160650		2.73	0.020			<0.5	7.65	5	50	<0.5	<2	6.63	<0.5	25	109	191
160651		2.46	0.032			<0.5	7.90	<5	150	0.5	<2	6.47	<0.5	25	100	166
160652		2.48	0.036			<0.5	6.98	<5	250	0.6	<2	6.76	<0.5	28	133	134
160653		2.61	0.035			0.5	7.83	<5	160	0.5	<2	5.65	<0.5	19	71	124
160654		2.54	0.032			<0.5	7.70	<5	190	0.6	<2	4.93	<0.5	24	54	168
160655		2.52	0.401			1.1	7.14	<5	70	<0.5	<2	5.99	<0.5	39	128	1965
160656 DUP		<0.02	0.377			1.1	7.06	<5	70	<0.5	<2	5.87	<0.5	37	122	1830
160657		0.10	<0.005			<0.5	7.23	13	550	1.1	2	1.07	<0.5	2	23	12
160658		2.56	0.040			<0.5	7.52	<5	40	<0.5	<2	7.07	<0.5	28	120	266
160659		2.42	1.365			0.5	7.36	<5	180	0.6	<2	4.99	<0.5	25	63	628
160660		2.53	1.305			1.1	7.63	<5	80	<0.5	<2	6.54	<0.5	53	130	1920



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 10-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06006749

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
160621		8.17	0.74	3.86	1340	2	2.45	67	400	25	0.46	8	223	0.48	227	<10
160622		8.07	0.41	3.43	1165	1	1.86	96	370	7	0.90	7	180	0.43	203	<10
160623		7.29	0.59	3.30	1270	1	2.54	56	420	7	0.36	6	207	0.47	207	<10
160624		8.70	0.64	3.58	1290	1	2.13	89	460	10	1.18	5	227	0.47	215	<10
160625		5.05	0.69	2.32	842	<1	2.81	49	300	2	0.41	8	240	0.31	137	10
160626		4.54	0.80	2.74	801	1	2.69	67	370	3	0.09	<5	234	0.29	124	<10
160627		2.85	0.19	0.06	106	<1	6.8	4	600	112	2.92	6	19	0.01	1	<10
160628		6.19	0.88	2.24	1080	2	2.42	38	550	6	0.31	5	226	0.44	148	10
160629		7.10	0.78	3.75	1200	1	1.87	73	440	9	0.37	<5	228	0.43	198	<10
160630		5.83	1.13	2.83	964	<1	2.30	58	1140	9	0.35	7	603	0.44	150	<10
160631		7.45	0.56	3.64	1220	1	1.74	71	380	3	0.35	<5	176	0.46	214	10
160632		1.72	4.44	0.21	163	2	2.13	8	180	34	0.01	<5	150	0.08	8	<10
160633		5.76	0.82	7.23	997	<1	2.02	200	660	2	0.15	5	369	0.27	132	<10
160634		7.32	0.91	3.33	1005	<1	2.00	79	340	9	0.74	7	204	0.45	212	<10
160635		6.08	0.87	1.89	858	1	2.46	40	1080	<2	0.65	<5	377	0.53	112	<10
160636		8.71	0.96	3.36	1040	<1	1.75	73	500	<2	1.07	9	203	0.48	200	<10
160637 DUP		8.13	0.94	3.15	975	1	1.66	69	510	2	0.94	5	192	0.46	192	10
180638		8.65	0.97	3.65	1390	1	1.91	71	2170	<2	0.82	5	553	1.08	214	<10
160639		6.10	0.91	1.38	829	1	2.58	49	600	2	1.25	5	226	0.40	90	10
160640		3.53	1.48	1.77	546	<1	2.60	42	440	5	0.17	5	348	0.27	92	<10
160641		7.00	0.40	3.74	1200	<1	1.70	71	390	3	0.15	<5	216	0.45	219	10
160642		7.82	0.68	2.97	1115	1	1.67	78	530	2	1.00	6	162	0.48	189	<10
180643		4.21	1.23	1.87	676	<1	2.78	36	300	3	0.23	6	317	0.28	120	10
160644		8.89	0.81	2.75	948	<1	1.89	148	390	4	1.92	5	194	0.40	179	10
160645		5.86	1.14	1.72	881	1	2.35	23	800	5	0.49	<5	210	0.49	120	<10
160646		2.71	0.18	0.07	35	<1	7.2	3	630	124	2.99	<5	18	0.01	2	<10
160647		8.17	0.47	3.24	1115	<1	1.66	98	350	6	1.16	<5	188	0.44	203	<10
160648		7.90	0.83	3.53	1265	<1	1.89	70	1590	9	0.38	<5	375	0.69	206	<10
160649		7.28	0.40	3.30	1155	<1	1.41	60	360	6	0.59	<5	158	0.45	213	<10
160650		6.86	0.44	3.26	1135	<1	1.56	63	420	7	0.35	<5	151	0.47	208	<10
160651		7.19	0.82	3.02	1260	<1	1.60	56	480	5	0.55	<5	168	0.44	179	<10
160652		6.45	0.86	3.77	1170	1	1.88	97	1400	<2	0.50	<5	634	0.59	178	<10
160653		6.35	0.79	2.50	1085	<1	1.92	47	650	2	0.35	<5	203	0.48	166	10
160654		5.97	0.90	2.12	962	1	2.02	40	740	<2	0.40	<5	206	0.51	152	<10
160655		7.55	0.50	2.94	1080	<1	1.54	79	310	<2	1.34	<5	149	0.45	208	<10
160656 DUP		7.42	0.48	2.90	1060	<1	1.51	68	350	2	1.18	<5	147	0.43	198	<10
160657		2.30	4.19	0.22	234	2	2.25	16	160	1780	<0.01	15	156	0.09	10	<10
160658		7.11	0.36	3.56	1230	<1	1.48	64	370	<2	0.45	<5	144	0.46	217	<10
160659		6.41	0.79	2.07	960	<1	1.89	50	680	3	0.72	<5	190	0.48	156	<10
180660		8.29	0.57	3.16	1095	<1	1.61	88	360	3	1.41	<5	146	0.45	211	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 10-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006749**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
160621		146
160622		64
160623		91
160624		76
160625		58
160626		64
160627		18
160628		110
160629		79
160630		76
160631		67
160632		25
160633		66
160634		70
160635		52
160636		93
160637 DUP		90
160638		79
160639		54
160640		53
160641		65
160642		90
160643		59
160644		67
160645		69
160646		15
160647		76
160648		78
160649		69
160650		56
160651		75
160652		78
160653		72
160654		70
160655		89
160656 DUP		64
160657		33
160658		65
160659		66
160660		94



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 10-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006749**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
160661		2.01	0.554			0.9	8.12	8	150	<0.5	<2	4.84	<0.5	63	132	1380
160662		1.52	>10.0		28.2	2.0	7.32	<5	310	0.6	15	5.67	<0.5	112	152	3560
160663		1.21	>10.0		25.7	1.0	6.74	<5	150	0.5	<2	5.88	<0.5	56	102	1445
160664		0.12	0.013			<0.5	6.85	<5	560	1.0	<2	0.92	<0.5	1	7	13
160665		2.37	0.051			<0.5	8.71	<5	280	0.7	<2	6.44	<0.5	29	60	228
160666		2.16	0.151			0.6	7.55	<5	80	<0.5	<2	6.37	<0.5	38	127	600
160667		2.32	3.82			0.5	7.47	<5	60	<0.5	<2	6.94	<0.5	23	97	65
160668		2.31	0.011			<0.5	7.80	<5	100	<0.5	<2	6.82	<0.5	25	108	13
160669		1.76	0.148			0.5	7.09	<5	80	<0.5	<2	5.70	<0.5	27	120	551
160670		0.09	1.815			18.7	7.16	<5	50	3.1	<2	0.32	<0.5	<1	7	5
160671		1.75	0.053			<0.5	7.08	<5	240	0.9	<2	3.38	<0.5	14	17	265
160672		3.54	0.132			0.5	7.85	<5	90	0.5	<2	6.25	<0.5	30	115	491
160673		2.59	0.927			0.9	7.23	<5	140	0.6	<2	4.04	1.5	23	88	873
160674 DUP		<0.02	0.860			2.0	7.37	8	140	0.6	<2	4.20	1.5	23	88	832
160675		2.58	1.050			1.4	7.05	<5	80	<0.5	<2	5.20	1.5	47	97	817
160676		2.62	0.112			0.9	7.18	11	70	<0.5	<2	4.72	4.2	29	118	487
160677		2.48	0.132			1.3	7.21	16	120	0.5	<2	5.64	5.0	40	122	892
160678		2.78	0.077			<0.5	6.87	7	100	<0.5	<2	6.25	<0.5	36	386	106
160679		2.31	0.014			<0.5	8.61	6	140	0.5	<2	3.89	<0.5	23	106	83
160680		2.98	0.035			<0.5	6.49	<5	170	0.5	<2	6.74	<0.5	45	812	58
160681		1.27	0.031			<0.5	7.55	<5	170	<0.5	<2	5.40	<0.5	31	230	251
160682		2.29	0.492			<0.5	6.94	<5	70	0.5	<2	5.27	<0.5	33	307	321
160683		2.26	0.115			0.8	6.91	<5	40	<0.5	<2	4.29	1.8	37	234	724
160684		1.57	0.390	0.260		1.5	7.04	<5	90	<0.5	<2	3.84	8.5	61	127	1810
160685 DUP		<0.02	0.673	0.481		1.9	7.31	7	90	<0.5	<2	3.80	7.3	66	124	2180
160688		0.12	<0.005			<0.5	6.52	<5	520	0.8	<2	0.87	<0.5	2	7	20
160687		1.28	0.058			<0.5	6.96	<5	210	1.0	<2	2.37	<0.5	12	7	164
160688		1.98	4.98			4.5	6.64	<5	80	<0.5	<2	5.04	<0.5	58	117	1895
160689		2.56	2.01			1.0	7.18	<5	110	<0.5	<2	5.75	<0.5	23	94	80
160690		1.97	0.053			<0.5	7.63	<5	30	0.6	<2	7.13	<0.5	24	89	13
160691		3.00	0.042			<0.5	7.47	<5	90	<0.5	<2	5.34	<0.5	30	110	79
160692		2.75	0.014			<0.5	7.57	<5	100	<0.5	<2	5.78	<0.5	34	120	279
160693		2.36	0.028			<0.5	7.71	<5	170	0.5	<2	5.48	<0.5	33	87	205
160694		2.25	0.118			<0.5	7.63	<5	230	0.7	<2	4.58	<0.5	22	67	192
160695		2.61	0.213			<0.5	7.51	7	170	0.6	<2	5.19	<0.5	24	87	211
160696		0.05	0.922			10.3	7.14	6	40	3.1	<2	0.32	<0.5	<1	4	8
180697		2.45	0.186			<0.5	7.36	<5	170	0.5	<2	5.15	<0.5	20	77	124
160698		2.14	0.101			0.5	7.52	<5	100	<0.5	<2	6.08	<0.5	34	155	449
160699		2.99	0.477			0.6	7.50	<5	170	<0.5	<2	6.03	<0.5	40	113	460
160700		2.11	0.023			<0.5	7.58	<5	240	0.7	<2	4.59	<0.5	21	52	244



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 10-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006749**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
160661		7.74	0.71	2.62	796	<1	1.38	118	480	<2	1.92	<5	263	0.39	166	<10
160662		9.39	0.96	3.24	914	<1	1.74	148	880	<2	2.96	<5	701	0.39	165	10
160663		7.50	0.69	2.36	952	2	1.40	94	430	<2	2.21	<5	182	0.42	175	10
160664		1.96	4.46	0.23	177	1	2.30	2	170	37	0.01	<5	156	0.09	9	<10
160665		7.11	1.14	3.29	1150	<1	2.00	38	730	9	0.46	<5	360	0.55	204	<10
160666		7.63	0.66	3.17	1150	<1	1.54	81	440	8	1.28	<5	152	0.47	208	<10
160667		6.56	0.47	3.76	1155	<1	1.46	66	380	<2	0.39	<5	138	0.44	196	<10
160668		7.06	0.74	4.21	1135	<1	1.63	71	380	<2	0.05	<5	144	0.47	216	<10
160669		6.21	0.61	2.80	1005	<1	1.46	70	340	2	0.71	<5	138	0.43	194	<10
160670		2.82	0.19	0.07	109	<1	7.0	5	620	110	3.14	<5	19	0.01	2	<10
160671		4.57	0.84	1.04	637	<1	2.47	20	760	2	0.61	<5	194	0.45	84	<10
160672		7.08	0.60	3.30	1165	<1	1.90	65	450	3	0.48	<5	176	0.50	218	<10
160673		5.83	0.76	2.20	901	<1	2.54	42	420	114	0.90	<5	168	0.41	147	<10
160674 DUP		6.05	0.77	2.29	937	<1	2.55	43	430	107	0.90	<5	168	0.41	152	<10
160675		7.73	0.65	3.05	1130	<1	2.02	77	1020	230	1.51	<5	245	0.54	203	<10
160676		6.20	0.71	2.77	1015	1	2.17	50	340	232	0.85	<5	158	0.43	188	<10
160677		7.26	0.95	3.08	1280	<1	1.62	75	350	184	1.52	<5	154	0.43	207	<10
160678		6.85	0.78	5.40	1245	<1	2.17	187	420	25	0.24	<5	108	0.39	195	<10
160679		4.90	0.97	3.54	903	<1	3.88	37	470	2	0.20	<5	300	0.25	114	<10
160680		6.72	0.78	7.64	1280	<1	1.29	274	550	3	0.09	<5	187	0.29	163	<10
160681		6.81	0.96	4.30	1210	<1	2.31	100	400	13	0.31	<5	219	0.43	196	<10
160682		7.19	0.61	4.71	1310	<1	2.76	115	440	15	0.42	<5	120	0.40	195	<10
160683		6.97	0.45	3.87	1200	<1	3.36	81	400	68	0.86	<5	83	0.42	200	<10
160684		7.50	0.71	2.86	1125	<1	2.50	70	360	724	1.65	<5	156	0.44	198	<10
160685 DUP		7.82	0.73	2.98	1170	<1	2.62	74	360	872	1.79	<5	158	0.45	200	<10
180686		1.75	4.04	0.25	158	<1	2.19	5	180	43	0.02	<5	160	0.09	9	<10
160687		4.20	0.63	0.69	545	1	2.96	11	570	73	0.56	<5	204	0.36	49	<10
180688		8.43	0.64	2.61	1040	<1	1.91	106	340	40	2.34	<5	152	0.41	184	<10
180689		6.55	0.76	3.32	1255	<1	2.06	49	400	<2	0.22	<5	174	0.43	192	10
160690		6.77	0.33	3.61	1300	<1	2.53	64	460	7	0.02	<5	63	0.49	214	<10
160691		7.15	0.81	3.83	1300	<1	2.73	78	370	2	0.22	5	138	0.47	215	<10
160692		7.13	0.70	3.17	1160	<1	1.86	58	360	2	0.72	<5	148	0.46	211	<10
160693		6.94	0.89	2.70	1075	<1	1.98	58	550	2	0.76	<5	164	0.48	166	10
160694		6.03	1.06	1.96	880	1	2.24	45	540	<2	0.82	<5	186	0.44	144	10
160695		6.44	0.96	2.58	1000	<1	1.97	49	570	4	0.61	<5	172	0.46	165	<10
160696		2.70	0.19	0.07	34	<1	7.0	3	600	114	2.99	<5	18	0.01	2	<10
160697		5.86	0.91	2.55	920	1	1.92	40	510	<2	0.33	<5	180	0.44	157	10
180698		7.18	0.68	3.51	1030	<1	1.72	94	360	<2	0.94	<5	171	0.40	183	10
180699		7.64	1.04	3.11	1035	<1	1.55	98	800	4	1.18	<5	250	0.48	194	10
160700		5.61	1.06	1.84	780	1	2.32	34	780	<2	0.39	<5	218	0.52	142	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 10-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006749**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
160661		58
160662		82
160663		93
160664		26
160665		88
160666		149
160667		83
160668		64
160669		73
160670		17
160671		72
160672		100
160673		726
160674 DUP		742
160675		910
160676		1575
160677		1885
160678		188
160679		53
160680		81
160681		98
160682		263
160683		896
160684		2540
160685 DUP		2980
160686		62
160687		208
160688		168
160689		83
160690		58
160691		68
160692		56
160693		71
160694		61
160695		60
160696		16
160697		53
160698		58
160699		67
160700		58





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 10-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06006749**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
160701		1.62	0.005			<0.5	7.80	<5	260	0.8	<2	4.21	<0.5	15	11	36
160702		2.92	0.190			<0.5	7.48	<5	110	<0.5	<2	5.49	<0.5	27	124	312
160703		2.48	0.735			0.7	7.57	<5	70	<0.5	<2	6.09	<0.5	32	124	407
160704		1.26	>10.0		18.85	1.0	6.97	<5	140	0.5	<2	6.38	<0.5	33	338	318
160705		0.08	0.009			<0.5	6.39	<5	530	0.8	<2	0.77	<0.5	1	9	7
160706		2.17	0.011			<0.5	7.40	<5	220	0.7	<2	4.06	<0.5	18	55	89
160707		3.44	2.03			0.7	7.32	<5	110	<0.5	<2	5.58	<0.5	30	118	478
160708		2.37	0.753	0.643		0.5	7.14	<5	120	0.6	<2	3.53	5.8	23	69	205
160709 DUP		<0.02	0.901	0.582		0.5	7.64	<5	130	0.6	<2	3.90	6.5	22	70	206
160710		2.35	0.021			<0.5	7.15	<5	100	0.6	<2	4.35	<0.5	27	241	20
160711		3.03	0.059			0.6	7.62	<5	90	<0.5	<2	5.01	1.2	35	122	333
160712		3.10	0.258			0.9	7.22	<5	110	<0.5	<2	5.80	<0.5	35	150	455
160713		2.60	0.104			<0.5	7.58	<5	80	<0.5	<2	5.56	<0.5	29	108	247
160714		2.75	0.799			1.6	7.29	<5	130	<0.5	<2	5.31	<0.5	71	118	983
160715		1.54	2.99			2.5	7.64	<5	100	<0.5	<2	5.48	<0.5	67	124	971
160716		2.98	0.029			0.5	7.57	<5	140	0.8	<2	3.31	<0.5	15	9	70
160717		0.05	1.635			20.4	8.81	7	70	3.3	<2	0.36	<0.5	<1	3	6
160718		3.21	0.087			0.6	7.50	<5	110	<0.5	<2	5.42	<0.5	56	128	588
160719		2.46	0.059			0.9	8.60	<5	270	0.7	<2	6.12	<0.5	41	102	642
160720		2.32	0.089			<0.5	8.70	<5	100	<0.5	<2	7.15	<0.5	44	136	198
160721		3.22	0.226			<0.5	8.08	<5	110	0.6	<2	4.93	<0.5	35	73	213
160722		1.97	0.316			<0.5	8.31	<5	140	0.9	<2	3.81	<0.5	16	14	67
160723		3.04	0.610			0.7	7.73	<5	70	<0.5	<2	5.80	<0.5	70	124	576
160724		1.18	0.656			0.9	7.30	<5	110	<0.5	<2	6.03	<0.5	56	119	673
160725		0.07	<0.005			<0.5	7.42	8	590	0.9	<2	0.95	<0.5	1	7	7
160726		1.59	0.070			0.5	7.52	<5	170	<0.5	<2	5.98	<0.5	41	119	279
160727		1.72	0.056			<0.5	6.61	<5	450	1.2	<2	1.14	<0.5	2	7	42
160728		3.14	0.192			1.3	7.28	<5	140	0.5	<2	4.54	<0.5	100	136	1300
160729		2.42	0.964			2.4	7.53	<5	70	0.6	<2	7.26	1.4	84	170	1245
160730		2.96	0.154			1.0	8.06	<5	80	0.5	<2	5.02	<0.5	75	138	1010
160731 DUP		<0.02	0.164			1.1	7.97	<5	80	0.5	<2	4.93	<0.5	71	139	947
160732		2.92	0.075			<0.5	8.24	<5	140	0.8	<2	6.00	<0.5	35	144	228
160733		2.70	0.066			<0.5	8.19	<5	90	<0.5	<2	4.77	<0.5	39	86	155
160734		2.63	0.019			<0.5	7.53	6	10	0.6	<2	3.98	<0.5	35	319	141
160735		2.63	0.040			<0.5	7.19	<5	20	1.1	<2	8.08	<0.5	35	335	6
160736		0.06	1.010			10.8	8.01	<5	50	3.2	<2	0.33	<0.5	<1	5	7
160737		2.68	0.332			<0.5	6.77	<5	80	0.7	<2	6.25	<0.5	46	406	99
160738		2.81	0.083			<0.5	7.60	<5	110	0.7	<2	5.18	<0.5	32	213	73
160739		2.41	0.116			<0.5	8.03	<5	240	0.5	<2	5.37	<0.5	22	110	45
160740		2.63	0.172			<0.5	8.05	<5	130	<0.5	<2	5.77	<0.5	24	113	30



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 10-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06006749

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
160701		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
160702		4.88	1.06	1.38	791	<1	2.65	17	720	3	0.10	<5	214	0.46	122	<10
160703		6.84	0.92	3.15	1065	<1	1.69	63	370	18	0.93	<5	137	0.45	206	20
160704		7.14	0.56	3.29	1110	<1	1.84	77	360	6	1.12	<5	144	0.45	210	20
160705		7.00	0.65	5.23	1230	1	1.66	124	550	4	0.63	<5	362	0.41	198	10
		2.18	4.37	0.21	184	1	2.05	6	160	37	0.01	<5	142	0.08	9	<10
160706		4.93	0.88	1.70	766	<1	2.55	21	790	<2	0.30	<5	281	0.47	131	<10
160707		7.18	0.80	3.19	1135	<1	1.76	67	370	37	1.07	<5	138	0.43	198	10
160708		4.91	0.70	2.01	881	<1	3.30	41	510	206	0.77	<5	156	0.43	132	10
160709 DUP		5.33	0.73	2.19	964	1	3.52	47	560	227	0.83	<5	168	0.44	137	10
160710		5.31	0.67	3.92	898	<1	2.87	85	660	4	0.28	<5	173	0.39	132	<10
160711		6.84	0.67	3.30	1100	<1	2.71	68	320	192	0.65	<5	146	0.46	210	10
160712		7.10	0.82	3.95	1170	<1	2.26	98	390	44	0.88	<5	146	0.42	192	<10
160713		7.40	0.72	3.81	1200	<1	2.66	67	370	14	0.62	<5	124	0.46	212	<10
160714		8.10	0.99	3.13	1190	<1	2.19	85	330	10	1.97	<5	136	0.43	209	<10
160715		8.32	0.84	3.08	1090	<1	2.08	92	360	25	1.93	<5	160	0.45	223	40
160716		4.87	0.78	1.31	779	1	3.28	12	790	<2	0.17	<5	198	0.51	130	<10
160717		3.04	0.20	0.07	116	1	7.4	6	650	124	3.08	<5	21	0.01	1	<10
160718		7.56	0.80	2.88	1025	1	1.92	85	340	12	1.33	<5	154	0.45	198	10
160719		8.04	1.05	3.66	1255	1	2.44	67	920	16	0.87	7	283	0.45	207	<10
160720		8.56	0.64	3.86	1305	1	1.91	89	480	9	0.74	7	182	0.56	230	10
160721		7.36	0.53	2.49	1030	1	2.69	65	770	3	0.47	10	273	0.65	168	<10
160722		5.14	0.60	1.31	769	1	3.23	13	840	3	0.20	5	221	0.50	134	<10
160723		7.52	0.50	2.92	1015	<1	2.10	79	360	10	1.13	7	159	0.44	198	20
160724		7.44	0.73	2.90	1215	1	1.81	64	350	6	1.19	5	148	0.41	186	20
160725		2.11	4.41	0.22	177	<1	2.29	4	160	185	0.01	<5	164	0.08	8	<10
160726		6.97	1.07	3.20	1240	1	1.78	57	330	2	0.68	<5	154	0.42	200	<10
160727		1.86	1.20	0.16	197	1	3.39	<1	70	2	0.21	<5	121	0.10	2	<10
160728		7.38	1.18	2.35	891	1	2.22	80	350	16	2.07	<5	139	0.42	190	<10
160729		8.24	0.63	3.49	1195	2	2.61	87	400	227	1.52	5	155	0.42	211	20
160730		7.91	0.74	2.86	1075	<1	3.19	71	350	28	1.43	<5	152	0.46	211	10
160731 DUP		7.68	0.72	2.81	1055	1	3.17	88	380	29	1.31	<5	148	0.46	207	10
160732		7.22	0.83	3.75	1210	<1	2.70	55	610	17	0.36	8	308	0.44	178	<10
160733		7.27	0.54	3.10	1070	1	3.40	79	740	<2	0.49	<5	248	0.52	146	10
160734		7.57	0.24	5.01	1435	1	3.92	144	990	<2	0.11	5	20	0.50	147	<10
160735		8.17	0.38	6.40	1560	1	1.20	162	710	3	0.07	6	25	0.32	136	<10
160736		2.74	0.19	0.08	37	1	7.0	3	630	114	2.80	5	19	0.01	<1	<10
160737		7.29	1.16	5.98	1340	1	1.83	166	560	<2	0.09	7	29	0.36	152	<10
160738		7.12	0.77	4.55	1180	<1	2.66	80	540	6	0.11	<5	206	0.38	175	<10
160739		6.83	1.40	3.40	1085	2	1.99	67	420	<2	0.35	8	184	0.44	192	<10
160740		7.54	0.88	4.06	1065	1	1.95	70	380	6	0.15	9	145	0.46	204	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 10-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06006749

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
160701		51
160702		250
160703		54
160704		72
160705		25
160706		51
160707		92
160708		2010
160709 DUP		2200
160710		57
160711		452
160712		81
160713		118
160714		73
160715		74
160716		57
160717		21
160718		100
160719		99
160720		71
160721		94
160722		51
160723		75
160724		85
160725		26
160726		77
160727		19
160728		104
160729		643
160730		163
160731 DUP		166
160732		87
160733		67
160734		51
160735		56
160736		16
160737		64
160738		72
160739		96
160740		71



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 13-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06007190

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-JAN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06007190**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
160741		2.36	0.077		<0.5	7.96	<5	230	<0.5	<2	4.90	<0.5	24	100	78	6.92
160742		2.40	0.005		<0.5	7.97	<5	160	<0.5	<2	6.40	<0.5	26	120	27	7.08
160743		3.18	0.514		<0.5	8.25	9	130	0.5	2	4.82	<0.5	16	74	27	4.69
160744		2.56	1.355		<0.5	7.38	7	90	<0.5	<2	6.35	<0.5	25	104	70	6.73
160745		2.58	1.115		<0.5	8.08	8	150	<0.5	<2	6.94	<0.5	26	114	77	6.88
160746		2.69	0.815		<0.5	7.98	5	180	<0.5	<2	5.82	<0.5	30	116	134	7.49
160747		2.54	0.067		<0.5	8.54	<5	130	<0.5	<2	4.79	<0.5	40	130	203	7.25
160748		2.76	0.290		<0.5	8.80	<5	150	<0.5	<2	8.72	<0.5	26	108	51	7.40
160749		0.06	1.815		19.3	8.22	<5	60	3.0	<2	0.34	<0.5	2	7	6	2.92
160750		2.54	0.902		<0.5	7.86	<5	150	<0.5	<2	4.56	<0.5	32	124	61	6.91
160751		2.65	0.049		<0.5	8.41	<5	140	0.5	<2	7.05	<0.5	20	96	56	6.43
160752		2.57	0.021		<0.5	8.30	<5	90	0.5	<2	6.11	<0.5	23	116	78	6.42
160753		2.77	0.939		0.6	7.89	5	200	0.5	<2	6.05	<0.5	29	186	136	6.92
160754		2.73	0.297		<0.5	7.24	<5	300	<0.5	<2	6.07	<0.5	45	581	90	7.75
160755		3.01	0.323		<0.5	7.36	7	210	<0.5	<2	6.17	<0.5	85	960	361	11.00
160756		2.30	0.377		<0.5	5.62	11	20	<0.5	<2	6.46	<0.5	73	1500	240	9.45
160757		0.12	<0.005		<0.5	7.01	9	550	0.9	<2	0.96	<0.5	2	43	6	2.37
160758		3.59	0.242		<0.5	4.17	<5	10	<0.5	<2	5.12	<0.5	66	1540	114	7.44
160759 DUP		<0.02	0.323		<0.5	4.13	<5	10	<0.5	<2	5.23	<0.5	69	1645	144	7.38
160760		2.70	0.284		<0.5	3.61	<5	10	<0.5	<2	5.44	<0.5	81	2100	266	7.72
160761		2.65	1.075		<0.5	3.43	<5	<10	<0.5	<2	6.48	<0.5	89	2270	126	7.17
160762		2.83	0.344		<0.5	3.00	<5	<10	<0.5	<2	4.18	<0.5	86	2430	73	6.50
160763		3.01	0.071		<0.5	3.04	<5	<10	<0.5	<2	4.27	<0.5	84	2170	75	6.37
160764		2.19	0.078		<0.5	4.78	<5	80	<0.5	<2	3.75	<0.5	62	1385	58	6.17
160765		2.79	0.066		<0.5	3.01	<5	<10	<0.5	<2	4.57	<0.5	83	2140	70	5.98
160766		2.35	0.166		<0.5	3.52	<5	<10	<0.5	<2	3.75	<0.5	83	2010	181	6.96
160767		2.67	0.046		<0.5	4.23	5	10	<0.5	<2	4.41	<0.5	76	1590	162	6.59
160768		0.06	0.984		10.6	8.04	<5	40	3.1	<2	0.32	<0.5	1	14	8	2.47
160769		2.49	0.032		<0.5	3.60	<5	<10	<0.5	<2	4.17	<0.5	88	1915	126	6.73
160770		2.39	0.112		<0.5	3.71	<5	<10	<0.5	<2	4.21	0.5	84	1935	140	6.14
160771		2.61	0.031		<0.5	4.53	<5	60	<0.5	<2	4.50	<0.5	77	1545	112	8.14
160772		2.84	0.304		<0.5	5.81	<5	90	<0.5	<2	4.94	<0.5	53	906	23	7.70
160773		2.48	0.407		<0.5	5.75	<5	60	<0.5	<2	5.42	<0.5	56	1080	5	7.90
160774 DUP		<0.02	0.336		<0.5	5.55	<5	50	<0.5	<2	5.17	<0.5	53	1045	4	7.71
160775		0.20	<0.005		<0.5	6.83	<5	550	0.6	<2	0.95	<0.5	2	39	5	1.98
160776		2.71	0.335		<0.5	6.03	5	80	<0.5	<2	5.71	<0.5	58	1185	8	8.42
160777		2.70	0.465	0.494	<0.5	5.81	5	80	<0.5	<2	5.92	<0.5	53	998	3	7.42
160778		3.02	0.117		<0.5	6.53	<5	180	<0.5	<2	6.11	<0.5	56	949	33	8.62
160779		2.98	0.235		<0.5	5.26	<5	20	<0.5	<2	5.54	<0.5	58	966	18	8.45
160780		1.83	2.09		<0.5	4.96	<5	30	<0.5	<2	5.30	<0.5	52	1060	25	8.34



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06007190**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
160741		1.45	3.72	980	<1	1.69	59	560	4	0.28	<5	170	0.48	190	30	71
160742		1.01	4.20	1115	1	1.72	70	620	7	0.16	<5	209	0.46	208	<10	78
160743		0.63	2.54	819	<1	2.72	51	380	7	0.17	<5	181	0.33	135	<10	52
160744		0.75	3.98	1255	1	1.75	67	360	8	0.18	<5	134	0.42	203	10	70
160745		1.18	4.04	1380	1	1.54	86	380	10	0.29	<5	170	0.47	227	20	81
160746		1.71	4.30	1360	<1	2.26	96	410	14	0.44	<5	114	0.48	211	10	83
160747		1.08	4.04	1285	<1	3.43	80	420	36	0.66	<5	110	0.49	225	10	109
160748		1.06	4.40	1440	<1	1.94	78	460	21	0.23	<5	182	0.48	222	<10	84
160749		0.19	0.09	111	<1	6.9	6	630	129	3.08	<5	20	0.01	2	<10	19
160750		1.08	3.91	1315	<1	2.97	83	390	11	0.42	<5	109	0.45	211	<10	48
160751		2.76	4.14	1285	<1	1.02	59	340	13	0.04	<5	27	0.39	186	<10	122
160752		1.40	3.80	1295	<1	2.59	72	370	7	0.10	<5	81	0.40	194	<10	50
160753		1.34	4.45	1405	<1	2.07	94	430	35	0.66	<5	208	0.42	193	10	159
160754		1.56	7.07	1470	<1	0.97	250	430	7	0.63	<5	203	0.31	174	<10	89
160755		1.30	8.14	1540	3	0.58	377	490	7	1.60	<5	122	0.31	215	20	116
160756		0.19	12.00	1860	1	0.35	892	190	8	1.37	<5	58	0.24	174	60	101
160757		4.24	0.44	226	1	2.13	18	180	450	0.01	5	158	0.09	12	<10	29
160758		0.14	12.55	1670	<1	0.21	882	160	4	0.48	<5	34	0.19	127	10	102
160759 DUP		0.14	12.00	1665	<1	0.20	906	130	5	0.52	<5	42	0.19	130	10	102
160760		0.09	14.40	1580	<1	0.15	1170	110	4	0.67	<5	39	0.17	120	10	100
160761		0.01	15.45	2100	<1	0.05	1380	100	11	0.94	<5	91	0.16	111	20	90
160762		0.01	16.45	1290	<1	0.05	1410	90	9	0.49	<5	52	0.16	106	110	92
160763		0.01	15.65	1100	2	0.05	1310	230	5	0.49	<5	44	0.17	102	<10	110
160764		0.31	12.40	1010	<1	0.57	857	340	4	0.32	<5	90	0.25	102	<10	66
160765		0.01	15.35	1390	<1	0.07	1325	120	6	0.40	<5	42	0.15	104	10	105
160766		0.01	15.45	1445	<1	0.06	1215	130	11	0.33	<5	31	0.18	116	10	132
160767		0.07	14.00	1280	<1	0.21	1045	190	8	0.27	<5	46	0.22	128	<10	115
160768		0.19	0.09	36	1	6.7	4	620	107	2.57	<5	20	0.01	2	<10	17
160789		0.01	15.30	1130	<1	0.06	1225	140	5	0.46	<5	30	0.18	118	10	122
160770		0.02	14.80	1215	<1	0.06	1255	120	74	0.46	<5	22	0.18	119	10	334
160771		0.31	13.05	1130	<1	0.37	1035	240	80	0.51	<5	92	0.21	110	<10	265
160772		1.26	10.10	1335	<1	0.25	563	180	23	0.10	<5	116	0.28	182	<10	155
160773		0.95	10.70	1390	<1	0.28	618	200	4	0.04	<5	59	0.29	165	<10	91
160774 DUP		0.90	10.35	1350	<1	0.27	594	190	3	0.04	<5	56	0.28	174	<10	87
160775		4.16	0.31	196	1	2.13	14	160	39	<0.01	<5	159	0.09	10	<10	29
160776		1.02	11.35	1500	<1	0.29	885	210	7	0.11	<5	42	0.29	186	<10	97
160777		0.87	10.25	1310	<1	0.29	580	220	7	0.02	<5	127	0.27	173	<10	84
160778		0.94	10.10	1550	<1	0.39	566	680	7	0.19	<5	146	0.39	192	10	124
160779		0.23	10.95	1525	<1	0.34	616	160	6	0.16	<5	50	0.24	164	<10	122
160780		0.38	9.51	1540	<1	0.34	581	190	5	0.19	<5	55	0.24	155	10	100



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06007190**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
160781		3.65	0.172		<0.5	7.16	<5	490	0.7	2	2.24	<0.5	16	326	54	4.57
160782		2.60	0.528		<0.5	5.28	6	110	<0.5	<2	5.08	<0.5	48	1005	30	7.33
160783		2.88	2.12		<0.5	5.51	5	190	<0.5	2	4.77	<0.5	52	1010	29	6.80
160784		2.79	0.048		<0.5	5.63	<5	20	<0.5	<2	5.94	<0.5	71	1195	8	7.89
160785		2.59	0.049		<0.5	5.52	<5	10	<0.5	<2	5.97	<0.5	73	1330	29	7.58
160786		2.09	0.045		<0.5	5.83	<5	20	<0.5	<2	5.81	<0.5	67	1130	17	7.54
160787		3.42	0.067		<0.5	5.62	<5	10	<0.5	<2	5.87	<0.5	69	1185	27	7.54
160788		2.25	0.062		<0.5	5.66	8	10	<0.5	<2	5.71	<0.5	69	1090	57	7.74
160789		0.06	1.795		20.8	8.42	<5	60	3.2	<2	0.34	<0.5	1	6	6	2.97
160790		3.20	0.027		<0.5	6.12	6	60	<0.5	3	5.75	<0.5	61	1185	22	7.42
160791		2.37	0.162		<0.5	6.98	6	210	0.6	<2	5.32	<0.5	52	797	45	6.71
160792		2.46	2.72	2.28	<0.5	4.84	5	60	<0.5	<2	4.91	<0.5	48	848	350	6.44
160793 DUP		<0.02	3.56	1.285	0.7	4.52	<5	40	<0.5	3	4.55	<0.5	48	861	332	6.05
160794		0.13	<0.005		<0.5	6.97	<5	560	0.9	<2	0.82	<0.5	2	14	7	2.25
160795		2.65	0.110		<0.5	6.33	10	40	<0.5	<2	6.17	<0.5	61	855	28	7.72
160796		2.69	0.063		<0.5	6.70	<5	100	<0.5	<2	6.37	<0.5	56	572	29	7.79
160797		2.54	0.013		<0.5	6.20	<5	60	<0.5	<2	6.76	<0.5	60	671	21	7.64
160798		2.56	0.018		<0.5	7.55	<5	80	<0.5	<2	7.12	<0.5	45	355	10	7.64
160799		2.95	0.039		<0.5	7.25	<5	90	<0.5	<2	7.70	<0.5	46	361	26	7.51
160800		2.77	0.115		<0.5	8.34	6	150	<0.5	<2	8.11	<0.5	63	479	28	9.22
160801		2.65	0.248		<0.5	6.51	<5	70	<0.5	<2	5.97	<0.5	44	493	24	7.14
160802		2.38	0.335		<0.5	6.84	<5	70	<0.5	<2	5.90	<0.5	35	322	3	6.62
160803		2.27	0.186		<0.5	6.83	<5	40	<0.5	<2	4.97	<0.5	45	364	125	7.24
160804		2.34	0.061		<0.5	6.52	<5	90	<0.5	<2	6.10	<0.5	26	251	16	5.01
160805		2.33	0.025		<0.5	5.96	6	140	0.5	<2	1.26	<0.5	6	56	11	1.81
160806		1.82	0.152		<0.5	6.65	<5	30	<0.5	<2	3.74	<0.5	22	190	24	4.60
160807		2.22	0.174		<0.5	5.43	<5	70	0.5	<2	4.50	<0.5	38	280	645	6.53
160808		2.40	0.090		<0.5	7.73	<5	100	<0.5	<2	3.60	<0.5	22	200	16	4.15
160809 DUP		<0.02	0.084		<0.5	7.92	<5	100	<0.5	<2	3.53	<0.5	21	198	17	3.98
160810		2.54	0.225		<0.5	6.77	<5	140	<0.5	<2	7.47	<0.5	38	317	7	6.78
160811		2.35	0.124		<0.5	6.97	<5	40	<0.5	<2	5.84	<0.5	28	146	16	6.48
160812		2.73	0.172		<0.5	7.40	<5	140	<0.5	<2	6.23	<0.5	32	227	69	6.37
160813		2.71	0.077		<0.5	7.03	<5	110	<0.5	2	7.11	<0.5	40	314	16	6.98
160814		2.25	0.142		<0.5	7.70	<5	180	<0.5	<2	5.22	<0.5	26	214	10	4.95
160815		2.46	0.057		<0.5	6.36	<5	240	<0.5	<2	3.33	<0.5	13	122	8	2.87
160816		0.14	0.136	0.162	<0.5	6.51	5	490	0.8	<2	0.87	<0.5	2	10	6	2.07
160817		2.60	0.439		<0.5	6.02	<5	80	<0.5	<2	6.18	<0.5	49	461	32	8.34
160818		2.58	0.757		<0.5	6.27	<5	90	<0.5	2	6.05	<0.5	47	471	57	8.25
160819		0.06	1.000		10.6	7.92	<5	50	3.0	<2	0.31	<0.5	1	6	8	2.56
160820		2.62	5.76		<0.5	7.05	10	180	<0.5	<2	5.16	<0.5	29	263	62	5.56



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06007190**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
160781		2.37	2.38	611	1	2.05	138	580	5	0.70	<5	242	0.34	57	<10	40
160782		1.48	9.17	1430	<1	0.35	586	260	6	0.19	<5	91	0.25	148	<10	195
160783		1.72	8.86	1200	<1	0.45	544	250	5	0.09	<5	107	0.26	152	<10	104
160784		0.21	11.25	1365	<1	0.42	885	200	4	0.01	<5	37	0.25	177	<10	86
160785		0.14	11.45	1325	<1	0.44	750	190	4	0.02	<5	29	0.25	180	<10	90
160786		0.16	11.05	1320	<1	0.46	650	210	4	0.02	<5	47	0.27	176	<10	93
160787		0.09	11.25	1345	<1	0.40	688	180	7	0.02	<5	38	0.24	174	<10	87
160788		0.13	11.20	1345	<1	0.37	675	190	5	0.11	<5	46	0.24	174	<10	90
160789		0.19	0.08	113	<1	7.2	8	660	129	3.23	<5	22	0.01	3	<10	21
160790		0.55	10.45	1330	<1	0.41	591	350	4	0.06	<5	106	0.26	168	<10	75
160791		1.12	8.50	1290	1	0.77	478	630	8	0.17	<5	208	0.29	151	<10	111
160792		0.24	8.26	1230	<1	0.42	490	180	10	0.35	<5	64	0.21	127	<10	84
160793 DUP		0.21	7.93	1160	<1	0.35	488	160	8	0.27	<5	54	0.21	126	<10	83
160794		4.37	0.24	205	1	2.14	4	180	47	<0.01	<5	156	0.09	9	10	29
160795		0.35	9.66	1430	<1	0.79	504	220	8	0.07	<5	90	0.31	200	<10	80
160796		0.60	8.07	1430	<1	1.49	285	300	9	0.07	<5	182	0.35	219	40	80
160797		0.66	8.68	1325	<1	1.33	337	300	5	0.17	<5	90	0.32	196	<10	74
160798		0.81	5.36	1350	<1	2.09	134	240	6	0.02	<5	131	0.38	229	<10	58
160799		0.83	5.53	1365	<1	2.01	150	250	8	0.05	<5	152	0.36	220	<10	60
160800		1.16	7.99	1710	<1	2.11	247	530	6	0.12	<5	195	0.49	278	<10	94
160801		0.76	7.61	1270	<1	1.31	279	550	2	0.12	<5	109	0.37	202	<10	67
160802		1.30	5.45	1170	<1	1.60	126	210	5	0.04	<5	41	0.32	202	<10	47
160803		0.69	4.95	1290	<1	2.78	140	210	8	0.25	<5	48	0.34	214	<10	66
160804		1.53	3.52	875	<1	2.54	89	220	6	0.05	<5	50	0.26	157	<10	37
160805		0.63	0.70	339	2	3.72	20	100	4	0.07	<5	88	0.11	30	<10	16
160806		0.51	3.25	1020	<1	3.61	71	180	6	0.07	<5	51	0.21	126	<10	34
160807		1.54	4.90	1380	<1	1.83	116	180	6	0.20	<5	40	0.28	174	<10	46
160808		1.02	2.76	796	<1	3.86	78	200	4	0.04	<5	60	0.22	116	<10	32
160809 DUP		0.97	2.84	762	<1	4.08	78	160	4	0.05	<5	81	0.21	113	<10	30
160810		1.01	4.79	1250	<1	1.73	136	200	5	0.01	<5	138	0.33	197	<10	58
160811		0.48	2.87	1275	1	3.18	60	850	4	0.12	<5	90	0.54	142	<10	55
160812		0.87	3.57	1135	1	2.00	91	400	6	0.12	<5	179	0.38	178	<10	64
160813		0.74	4.55	1265	<1	1.85	130	240	6	0.03	<5	147	0.34	201	<10	60
160814		0.59	3.06	847	<1	2.61	78	280	9	0.03	<5	186	0.27	140	<10	50
160815		0.71	1.72	481	<1	2.49	38	200	6	0.02	<5	150	0.14	78	<10	42
160816		4.00	0.23	191	1	2.08	3	160	38	0.01	<5	141	0.08	10	<10	29
160817		0.78	7.37	1360	1	0.65	253	210	9	0.09	<5	84	0.29	177	<10	75
160818		0.70	7.67	1520	<1	0.72	252	200	21	0.22	<5	82	0.31	186	30	134
160819		0.18	0.08	35	<1	6.5	2	560	109	2.67	<5	20	0.01	2	<10	16
160820		1.22	3.43	1130	<1	1.61	97	210	6	0.56	<5	124	0.29	166	10	74





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06007190**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163241		2.02	0.081		<0.5	7.04	<5	120	0.5	<2	7.02	<0.5	55	758	299	7.41
163242		1.52	0.354		<0.5	7.27	<5	260	0.8	<2	3.33	<0.5	29	45	466	6.21
163243		2.42	0.083		<0.5	7.09	<5	340	0.9	<2	2.16	<0.5	20	17	134	3.66
163244		0.06	0.998		11.6	8.29	<5	70	3.2	<2	0.33	<0.5	<1	2	9	2.94
163245		1.91	0.089		<0.5	7.47	<5	90	<0.5	<2	5.98	<0.5	32	125	446	7.20
163246		1.80	0.138		<0.5	8.21	10	150	0.5	<2	6.30	<0.5	32	180	574	6.73
163247		2.00	0.013		<0.5	7.28	<5	200	0.5	<2	6.26	<0.5	43	487	123	6.83
163248		2.77	0.021		<0.5	6.06	<5	60	0.5	<2	7.03	<0.5	57	917	40	7.04
163249		2.29	0.066		<0.5	6.70	<5	80	0.5	<2	6.86	<0.5	47	745	208	7.17
163250		2.43	0.081		<0.5	7.43	<5	70	<0.5	<2	6.32	<0.5	43	323	829	7.53
163251 DUP		<0.02	0.059		<0.5	7.54	8	70	<0.5	<2	6.47	<0.5	43	318	779	7.61
163252		2.87	0.310		<0.5	7.57	<5	80	<0.5	<2	5.79	<0.5	36	128	558	7.42
163253		2.77	0.028		<0.5	8.16	<5	100	<0.5	<2	6.27	<0.5	27	102	101	6.76
163254		2.66	0.241		<0.5	7.71	6	130	<0.5	<2	5.35	<0.5	40	124	862	8.23
163255		0.10	<0.005		<0.5	6.63	8	510	0.9	<2	0.87	<0.5	2	6	9	2.09
163256		2.62	0.937		<0.5	7.44	<5	90	<0.5	<2	6.66	<0.5	30	106	426	6.94
163257		2.79	<0.005		<0.5	7.73	6	50	<0.5	<2	7.15	<0.5	29	106	49	6.75
163258		2.63	0.029		<0.5	7.91	<5	60	<0.5	<2	6.57	<0.5	30	123	337	7.05
163259		2.75	0.014		<0.5	7.47	<5	200	0.7	<2	4.59	<0.5	19	53	29	5.71
163260		2.15	0.011		<0.5	7.54	<5	280	0.8	<2	4.16	<0.5	23	35	82	5.42



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06007190**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163241		1.04	7.12	1275	<1	1.14	295	610	6	0.38	<5	254	0.37	186	<10	87
163242		0.77	1.14	789	1	2.48	29	640	5	1.00	<5	224	0.36	50	10	65
163243		0.66	0.51	428	<1	3.11	13	260	8	0.62	<5	251	0.19	24	<10	45
163244		0.20	0.08	38	<1	6.8	3	600	131	3.12	<5	21	0.01	2	<10	19
163245		0.61	2.99	1045	<1	1.79	56	390	8	0.68	<5	200	0.45	188	<10	63
163246		0.64	3.76	1085	<1	2.13	89	530	6	0.49	<5	353	0.43	182	<10	70
163247		0.69	5.87	1180	<1	1.71	223	550	5	0.25	<5	421	0.39	186	<10	77
163248		0.43	9.12	1285	<1	0.87	439	510	4	0.04	<5	135	0.30	176	<10	78
163249		0.48	7.47	1290	<1	1.33	295	590	3	0.11	<5	276	0.33	182	<10	80
163250		0.48	4.17	1095	<1	1.62	124	380	7	0.94	<5	195	0.41	190	10	59
163251 DUP		0.49	4.23	1120	<1	1.64	123	380	5	0.89	<5	197	0.42	194	<10	61
163252		0.58	3.48	1105	<1	1.64	59	360	7	0.88	<5	138	0.44	204	10	65
163253		0.58	3.32	1110	<1	1.78	55	400	4	0.33	<5	164	0.44	184	<10	63
163254		0.81	3.36	1125	<1	1.67	61	380	7	1.12	<5	140	0.44	192	10	81
163255		3.98	0.22	187	<1	2.11	3	160	38	0.01	<5	146	0.08	9	<10	27
163256		0.52	3.48	1175	<1	1.45	75	340	6	0.47	<5	132	0.42	188	<10	65
163257		0.24	3.61	1170	1	1.52	70	360	5	0.15	<5	141	0.44	201	<10	59
163258		0.40	3.40	1135	<1	1.68	66	370	5	0.45	<5	162	0.45	203	10	64
163259		0.76	2.01	1025	<1	2.29	30	980	6	0.18	<5	192	0.51	97	<10	75
163260		0.86	1.94	937	1	2.64	33	1290	11	0.45	<5	469	0.48	99	<10	77



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 15-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06008033

Project: DETOUR LAKE  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 31-JAN-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 15-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008033**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
163261		2.25	0.066			<0.5	7.36	<5	350	0.9	<2	3.07	<0.5	9	2	24
163262		1.87	0.026			<0.5	6.63	<5	340	0.9	<2	2.58	<0.5	7	11	41
163263		0.06	1.775			18.4	7.50	<5	50	3.1	<2	0.32	<0.5	1	3	4
163264		2.92	0.026			<0.5	7.19	<5	100	0.5	<2	6.27	<0.5	21	105	111
163265		2.67	>10.0		46.1	1.1	6.51	<5	80	<0.5	78	5.34	<0.5	45	128	777
163266 DUP		<0.02	>10.0		56.1	1.6	6.51	14	90	<0.5	72	5.28	<0.5	44	124	799
163267		2.73	1.655			<0.5	6.55	<5	40	<0.5	<2	6.00	<0.5	40	122	399
163268		2.35	0.892			<0.5	7.62	<5	70	<0.5	<2	6.56	<0.5	40	138	549
163269		1.51	0.584			<0.5	7.51	<5	70	<0.5	<2	6.40	<0.5	42	144	768
163270		2.56	0.015			<0.5	8.35	<5	250	0.8	<2	4.45	<0.5	19	15	37
163271		1.36	0.032			<0.5	8.02	<5	70	<0.5	<2	6.99	<0.5	27	136	306
163272		2.70	0.051			<0.5	7.72	<5	60	<0.5	<2	6.59	<0.5	31	146	490
163273		0.09	<0.005			<0.5	6.72	<5	550	0.9	<2	0.90	<0.5	2	9	7
163274		2.77	0.036			<0.5	7.37	<5	60	<0.5	<2	6.58	<0.5	29	124	264
163275		2.74	0.214			<0.5	7.80	<5	100	<0.5	<2	8.59	<0.5	29	134	266
163276		2.75	0.203			<0.5	8.00	<5	70	<0.5	<2	8.01	<0.5	32	128	236
163277		2.81	0.368			<0.5	7.79	<5	80	<0.5	<2	7.38	<0.5	26	133	118
163278		2.83	0.022			<0.5	7.75	<5	90	<0.5	<2	6.82	<0.5	25	136	65
163279		1.43	0.040			<0.5	8.79	5	140	<0.5	<2	7.11	<0.5	33	154	334
163280		2.42	0.052			<0.5	7.43	<5	130	<0.5	<2	6.17	<0.5	38	130	303
163281		1.72	0.010			<0.5	7.62	5	370	0.8	<2	8.03	<0.5	35	327	110
163282		2.63	0.319			<0.5	7.99	<5	200	0.7	<2	7.43	<0.5	31	186	60
163283		2.38	0.083			<0.5	7.91	5	160	<0.5	<2	6.05	<0.5	24	135	73
163284		2.60	0.031			<0.5	7.51	<5	150	<0.5	<2	6.06	<0.5	28	129	20
163285		0.04	1.040			9.7	8.93	<5	50	3.0	<2	0.34	<0.5	1	4	7
163286		1.93	0.273			<0.5	6.74	<5	170	<0.5	<2	5.86	<0.5	50	523	20
163287		1.62	0.064			<0.5	7.65	<5	110	<0.5	<2	6.76	<0.5	37	188	48
163288		2.48	0.204			<0.5	7.91	<5	150	<0.5	<2	6.52	<0.5	27	128	19
163289		1.41	0.013			<0.5	7.04	<5	300	0.6	<2	8.03	<0.5	39	268	52
163290		2.59	0.005			<0.5	8.01	<5	140	<0.5	<2	6.72	<0.5	38	249	13
163291		2.52	0.443			<0.5	8.10	<5	190	0.5	<2	6.50	<0.5	33	123	51
163292		0.12	<0.005			<0.5	7.13	<5	580	0.8	<2	0.89	<0.5	2	8	4
163293		2.58	0.022			<0.5	8.56	<5	140	<0.5	<2	6.77	<0.5	32	132	16
163294		1.51	0.009			<0.5	8.11	<5	150	<0.5	<2	6.11	<0.5	35	147	5
163295		2.63	0.053			<0.5	7.37	<5	350	0.9	<2	2.89	<0.5	9	15	49
163296		2.40	<0.005			<0.5	8.00	<5	150	0.5	<2	6.02	<0.5	27	130	3
163297		1.38	<0.005			<0.5	8.60	<5	240	0.8	<2	4.44	<0.5	20	16	30
163298		1.66	0.054	0.038		<0.5	8.26	<5	160	0.5	<2	7.02	<0.5	47	46	86
163299 DUP		<0.02	0.110	0.025		<0.5	8.12	5	150	0.5	<2	6.79	<0.5	44	46	86
163300		1.51	<0.005			<0.5	8.22	<5	170	0.5	<2	5.67	<0.5	27	106	19



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 15-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06008033

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
163261		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
163262		5.61	1.23	0.83	1060	2	2.88	4	1720	2	0.12	<5	243	0.62	22	<10
163263		4.34	0.98	0.69	738	2	2.76	11	670	<2	0.21	<5	201	0.36	41	<10
163264		2.57	0.18	0.06	105	2	6.8	6	650	108	2.81	<5	20	0.01	2	<10
163265		6.32	0.58	2.98	1160	1	1.87	61	450	<2	0.25	<5	164	0.44	173	<10
163266		8.19	0.61	2.38	883	1	1.41	92	320	<2	1.91	<5	136	0.41	181	<10
163266 DUP		8.22	0.60	2.35	883	<1	1.44	94	320	<2	2.01	<5	138	0.41	177	<10
163267		8.41	0.24	2.86	1020	1	1.60	91	310	<2	1.58	<5	144	0.41	185	<10
163268		8.57	0.48	3.29	1155	<1	1.68	84	370	<2	1.28	<5	155	0.43	196	<10
163269		8.74	0.52	3.08	1125	<1	1.51	82	360	<2	1.42	<5	158	0.42	196	<10
163270		5.21	0.81	1.53	836	<1	2.46	24	990	<2	0.08	<5	234	0.52	122	<10
163271		7.14	0.32	3.25	1140	<1	1.86	65	400	<2	0.49	<5	168	0.44	202	<10
163272		7.61	0.27	2.80	1060	<1	1.69	74	370	2	0.95	<5	160	0.43	198	<10
163273		2.25	4.20	0.22	201	<1	2.10	2	180	119	0.01	<5	161	0.09	10	<10
163274		6.78	0.31	2.76	1035	<1	1.63	69	400	<2	0.61	<5	160	0.43	182	<10
163275		7.60	0.66	3.43	1345	<1	1.27	73	370	3	0.68	<5	152	0.44	206	10
163276		7.54	0.50	3.45	1275	<1	1.48	78	380	<2	0.53	<5	154	0.44	213	10
163277		6.88	0.92	3.35	1280	<1	1.24	69	370	3	0.54	<5	134	0.44	207	20
163278		7.13	0.92	3.72	1230	<1	1.47	92	400	<2	0.31	<5	134	0.43	209	<10
163279		7.40	1.05	3.15	1145	<1	1.60	94	420	2	0.77	<5	198	0.47	211	<10
163280		7.50	0.90	3.38	1160	<1	1.58	102	540	2	0.81	<5	226	0.48	191	<10
163281		5.34	1.06	4.80	1030	<1	2.05	89	510	<2	0.25	<5	332	0.31	116	10
163282		6.98	1.13	4.45	1295	<1	1.69	86	500	2	0.32	<5	359	0.41	193	10
163283		7.52	1.18	3.96	1245	<1	1.44	68	410	<2	0.31	<5	177	0.41	187	<10
163284		6.91	1.32	4.07	1125	<1	1.12	89	360	<2	0.07	<5	143	0.41	193	<10
163285		3.31	0.19	0.07	36	<1	6.8	1	630	138	3.42	<5	22	0.01	2	<10
163286		7.46	2.68	8.11	1210	<1	0.69	359	390	<2	0.11	<5	106	0.38	198	<10
163287		7.35	0.81	4.41	1265	<1	1.40	138	260	4	0.22	<5	220	0.44	231	40
163288		6.57	0.83	3.83	1100	<1	1.75	68	370	<2	0.08	<5	193	0.41	188	<10
163289		6.89	1.08	5.51	1180	<1	1.40	166	1680	3	0.44	<5	800	0.60	181	60
163290		7.34	0.88	5.15	1230	<1	1.90	130	480	<2	0.05	<5	215	0.46	215	<10
163291		7.16	0.87	3.45	1290	1	1.92	69	480	2	0.36	<5	252	0.52	232	10
163292		2.24	4.03	0.21	196	<1	2.20	2	180	56	0.01	<5	161	0.08	8	<10
163293		7.53	0.91	3.85	1255	<1	1.99	60	430	<2	0.06	<5	202	0.48	221	<10
163294		7.09	1.10	3.62	1175	<1	1.88	51	400	3	0.02	<5	152	0.46	216	<10
163295		4.62	1.04	0.76	699	<1	2.63	8	720	2	0.35	<5	200	0.39	47	<10
163296		6.85	0.96	3.48	1240	<1	1.94	50	450	3	0.01	<5	168	0.45	206	<10
163297		5.31	0.92	1.61	848	<1	2.59	24	1050	3	0.07	<5	280	0.55	129	<10
163298		8.31	0.75	3.70	1325	<1	1.99	92	2670	4	0.50	<5	768	0.74	200	<10
163299 DUP		8.16	0.72	3.61	1295	<1	1.97	89	2620	2	0.51	<5	757	0.73	195	<10
163300		6.36	1.06	3.20	1140	<1	2.05	47	640	2	0.09	<5	225	0.49	185	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 15-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008033**

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
163261		99
163262		70
163263		20
163264		71
163265		61
163266 DUP		60
163267		52
163268		73
163269		72
163270		62
163271		64
163272		59
163273		28
163274		51
163275		60
163276		60
163277		76
163278		69
163279		68
163280		104
163281		73
163282		77
163283		97
163284		76
163285		19
163286		102
163287		81
163288		65
163289		96
163290		75
163291		78
163292		27
163293		79
163294		87
163295		57
163296		92
163297		73
163298		112
163299 DUP		109
163300		88



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 15-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008033**

Sample Description	Method	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ce	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR															
183301		2.52	0.005			<0.5	8.17	<5	120	<0.5	<2	6.41	<0.5	25	120	3
163302		2.33	0.010			<0.5	8.21	<5	140	<0.5	<2	6.47	<0.5	33	134	28
163303		1.69	1.030			<0.5	7.83	8	220	0.7	<2	4.09	<0.5	17	26	44
163304		0.06	1.845			18.5	8.34	<5	60	3.0	<2	0.33	<0.5	<1	3	6
163305		2.36	0.014			<0.5	7.91	<5	140	<0.5	<2	5.58	<0.5	27	120	14
163306		2.88	0.033			<0.5	7.41	5	180	<0.5	<2	5.40	<0.5	26	111	21
163307		2.13	0.022			<0.5	7.78	<5	210	0.5	<2	4.77	<0.5	23	88	69
163308		2.48	0.005			<0.5	7.21	<5	210	0.6	<2	6.14	<0.5	38	423	43
163309		2.54	<0.005			<0.5	8.03	<5	120	<0.5	<2	6.97	<0.5	31	138	17
163310		2.33	0.018			<0.5	6.87	<5	140	<0.5	<2	6.18	<0.5	21	106	64
163311		0.10	<0.005			<0.5	6.95	<5	530	0.8	<2	0.89	<0.5	2	14	6
163312		2.81	1.675			<0.5	7.34	5	360	0.6	<2	5.18	<0.5	30	325	88
163313		2.21	0.646			1.2	6.71	<5	90	<0.5	<2	6.60	<0.5	102	120	1250
163314		1.64	0.030			<0.5	7.58	<5	90	<0.5	<2	7.04	<0.5	41	128	472
163315		1.33	0.066			<0.5	7.38	5	280	0.8	<2	3.36	<0.5	13	26	86
163316		1.72	0.061			<0.5	7.91	<5	100	<0.5	<2	6.83	<0.5	49	135	204
163317		2.22	0.227			0.6	7.34	<5	90	<0.5	<2	6.22	<0.5	83	136	801
163318 DUP		<0.02	0.217			0.5	7.47	<5	90	<0.5	<2	6.49	<0.5	83	138	801
163319		2.70	<0.005			<0.5	7.99	<5	890	1.2	<2	3.69	<0.5	18	148	47
163320		2.56	0.106			<0.5	7.93	5	130	<0.5	<2	6.28	<0.5	58	141	489
163321		2.42	>10.0		17.00	1.7	7.74	<5	100	<0.5	<2	6.60	<0.5	73	138	706
163322 DUP		<0.02	>10.0		15.55	1.4	7.50	<5	90	<0.5	<2	6.26	<0.5	70	134	663
163323		2.52	0.305			<0.5	7.65	12	60	<0.5	<2	6.85	<0.5	63	130	382
163324		1.58	0.062			<0.5	7.99	<5	100	<0.5	<2	6.49	<0.5	62	144	394
163325		2.04	0.154	0.244		<0.5	6.94	6	80	<0.5	<2	5.74	<0.5	73	126	297
163326		1.15	0.050			<0.5	7.40	<5	270	0.9	<2	2.86	<0.5	16	9	104
163327		1.12	0.087			<0.5	7.50	8	240	0.8	<2	4.25	<0.5	18	54	127
163328		1.94	0.875			<0.5	7.54	<5	100	<0.5	<2	6.36	<0.5	51	128	329
163329		0.19	<0.005			<0.5	6.62	<5	520	0.8	<2	0.91	<0.5	<1	10	6
163330		1.46	0.062			<0.5	7.31	7	100	<0.5	<2	6.21	<0.5	54	134	374
163331		1.55	<0.005			<0.5	7.52	<5	300	0.9	<2	3.15	<0.5	10	7	48
163332		1.61	<0.005			<0.5	8.06	<5	270	0.8	<2	3.97	<0.5	16	8	37
163333		1.83	0.006			<0.5	7.92	5	120	<0.5	<2	6.56	<0.5	32	119	22
163334		2.56	0.063			<0.5	7.87	<5	130	<0.5	<2	6.66	<0.5	45	127	176
163335		1.72	0.071			<0.5	7.29	<5	90	0.5	<2	5.14	<0.5	66	108	319
183336		1.90	0.030			<0.5	8.14	<5	100	<0.5	<2	6.99	<0.5	54	140	248
163337		1.97	0.012			<0.5	7.54	5	270	0.8	<2	3.63	<0.5	14	17	82
163338		0.04	1.005			10.1	8.13	8	50	3.0	<2	0.33	<0.5	<1	5	8
163339		2.62	0.853			<0.5	7.48	<5	100	<0.5	<2	6.26	<0.5	53	130	448
163340		2.00	0.047			<0.5	8.23	9	110	<0.5	<2	6.57	<0.5	58	144	356



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 15-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06008033

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP61	ME-ICP81	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
163301		6.71	0.80	3.82	1175	<1	1.91	52	410	2	0.01	<5	185	0.41	192	<10
163302		7.47	1.26	4.05	1200	<1	1.70	69	390	4	0.11	<5	153	0.51	226	<10
163303		4.98	1.00	1.50	849	<1	2.24	23	890	14	0.27	<5	226	0.49	126	<10
163304		2.80	0.19	0.06	108	<1	6.7	3	630	122	3.03	<5	22	0.01	2	<10
163305		6.97	1.32	4.26	1120	<1	1.46	63	410	<2	0.10	<5	131	0.46	213	10
163306		6.63	1.42	3.76	1095	<1	1.37	59	440	6	0.09	<5	162	0.46	204	<10
163307		5.74	1.40	2.77	990	<1	1.85	42	600	3	0.33	<5	167	0.47	164	<10
163308		6.41	1.04	5.63	1125	<1	1.63	164	570	4	0.08	<5	325	0.41	172	<10
163309		7.15	0.63	4.37	1230	<1	1.52	72	410	3	0.05	<5	189	0.45	213	<10
163310		5.83	1.16	3.22	1055	<1	1.11	58	350	3	0.28	<5	128	0.40	199	10
163311		2.08	4.38	0.25	189	<1	2.15	4	180	36	0.01	<5	159	0.09	14	<10
163312		5.37	1.26	4.15	952	<1	1.75	118	710	5	0.15	<5	385	0.42	150	10
163313		7.95	0.69	3.02	1135	1	1.21	110	330	<2	1.75	<5	116	0.39	185	80
163314		7.00	0.77	3.30	1295	<1	1.24	64	390	3	0.50	<5	136	0.44	201	10
163315		4.44	1.10	1.12	737	1	2.41	15	690	<2	0.25	<5	166	0.41	62	<10
163316		7.13	0.81	3.34	1325	<1	1.56	70	400	5	0.39	<5	148	0.46	212	10
163317		7.45	0.79	2.99	1170	<1	1.41	75	340	3	1.11	<5	136	0.43	196	10
163318 DUP		7.71	0.80	3.12	1230	<1	1.40	75	360	6	1.16	<5	136	0.44	201	10
163319		3.73	2.00	2.17	569	<1	2.23	56	1400	14	0.12	<5	711	0.43	91	<10
163320		6.88	0.68	3.30	1095	<1	1.73	57	460	2	0.73	<5	178	0.46	212	10
163321		7.49	0.71	3.20	1140	<1	1.53	71	380	6	1.36	<5	146	0.44	206	<10
163322 DUP		7.15	0.68	3.11	1090	<1	1.53	66	380	2	1.26	<5	144	0.44	200	<10
163323		7.17	0.57	3.50	1135	<1	1.53	78	370	3	0.83	<5	148	0.44	210	<10
163324		6.93	0.75	3.14	1110	1	1.61	62	360	3	0.79	<5	142	0.47	210	30
163325		7.19	0.55	2.97	993	<1	1.50	90	340	4	1.12	<5	138	0.40	190	<10
163326		4.33	1.02	0.77	617	1	2.71	11	710	<2	0.58	<5	174	0.38	63	<10
163327		4.96	1.08	1.70	852	1	2.20	25	630	3	0.36	<5	188	0.41	106	<10
163328		6.55	0.67	3.11	1170	<1	1.62	71	400	<2	0.50	<5	156	0.44	200	10
163329		1.96	4.15	0.22	178	1	2.07	5	160	33	0.01	<5	150	0.08	9	<10
163330		6.43	0.72	2.84	1050	1	1.37	64	340	2	0.67	<5	134	0.42	192	<10
163331		3.94	1.02	0.85	597	<1	2.69	5	720	5	0.10	<5	211	0.40	76	<10
163332		5.07	1.16	1.22	867	1	2.57	6	1000	5	0.14	<5	232	0.54	127	<10
163333		6.95	0.85	3.87	1235	<1	1.53	69	380	2	0.05	<5	167	0.45	211	<10
163334		7.05	0.94	3.43	1145	<1	1.42	80	820	<2	0.64	<5	228	0.50	211	<10
163335		6.38	0.50	2.37	925	<1	1.81	72	460	5	0.94	<5	156	0.45	178	10
163336		7.11	0.65	3.36	1210	<1	1.66	71	380	<2	0.52	<5	158	0.47	219	10
163337		4.40	1.13	1.11	745	1	2.55	5	950	10	0.25	<5	211	0.48	80	<10
163338		2.76	0.19	0.07	35	<1	6.8	1	620	128	2.68	<5	21	0.01	2	<10
163339		6.35	0.70	2.82	1095	<1	1.52	64	380	2	0.68	<5	142	0.44	200	10
163340		7.05	0.66	3.18	1200	1	1.76	77	390	6	0.61	<5	164	0.48	204	<10





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 15-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06008033

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
163301		67
163302		87
163303		120
163304		18
163305		66
163306		84
163307		100
163308		83
163309		69
163310		63
163311		26
163312		67
163313		67
163314		72
163315		56
163316		83
163317		66
163318 DUP		67
163319		77
163320		65
163321		72
163322 DUP		70
163323		57
163324		56
163325		58
163326		36
163327		56
163328		86
163329		27
163330		62
163331		44
163332		55
163333		80
163334		78
163335		56
163336		89
163337		50
163338		18
163339		68
163340		85



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 15-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008033**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
163341		1.87	0.006			<0.5	7.91	<5	220	0.9	<2	3.65	<0.5	20	9	75
163342		2.10	0.126			<0.5	8.34	<5	90	<0.5	<2	7.27	<0.5	53	138	237
163343		2.44	0.019			<0.5	7.69	<5	90	<0.5	<2	6.31	<0.5	48	160	271
163344		2.47	0.195			<0.5	7.58	<5	90	<0.5	<2	6.31	<0.5	63	132	694
163345		0.12	<0.005			<0.5	6.60	5	510	0.9	<2	1.53	<0.5	3	11	17
163346		3.18	0.060			<0.5	7.98	<5	200	0.5	<2	5.99	<0.5	45	131	236
163347		1.88	0.054			<0.5	7.51	5	200	0.7	<2	4.29	<0.5	21	73	120
163348		1.62	0.031			0.6	8.24	9	280	0.8	<2	4.02	<0.5	16	13	49
163349		0.05	1.780			17.9	8.35	<5	60	3.1	<2	0.33	<0.5	1	9	6
163350		2.21	0.024			<0.5	8.31	5	110	0.5	<2	6.72	<0.5	45	140	120
163351		1.81	0.025			<0.5	8.04	7	110	0.5	<2	6.42	<0.5	46	118	126
163352		1.81	0.194			<0.5	7.25	<5	200	<0.5	<2	5.36	<0.5	51	126	662
163353		2.44	0.120			<0.5	7.81	<5	110	<0.5	2	6.11	<0.5	44	132	668
163354		2.31	0.066	0.033		<0.5	7.68	<5	400	0.8	<2	4.64	<0.5	31	216	196
163355		2.50	0.102			0.6	7.71	<5	170	0.5	<2	5.50	<0.5	77	111	851
163356		2.49	0.122			<0.5	7.99	<5	80	<0.5	<2	6.48	<0.5	91	138	829
163357		2.48	1.060	0.508		<0.5	7.20	7	80	<0.5	<2	6.07	<0.5	118	112	648
163356 DUP		<0.02	0.314	0.318		<0.5	7.25	<5	90	<0.5	<2	6.26	<0.5	118	112	574
163359		2.31	0.305			0.7	8.14	<5	90	<0.5	<2	6.71	<0.5	69	139	955
163360		2.24	1.625			0.6	6.99	8	80	<0.5	<2	6.16	<0.5	140	130	958



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

**CERTIFICATE VO06008034**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 31-JAN-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008034**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
163361		2.56	0.078		<0.5	8.24	<5	250	0.9	<2	4.08	<0.5	18	34	121	4.99
163362		2.00	0.050		<0.5	8.01	<5	270	0.9	<2	4.03	<0.5	14	40	53	4.84
163363		0.06	1.005		11.0	8.53	<5	50	3.2	<2	0.33	<0.5	<1	4	8	2.91
163364		2.81	0.221		<0.5	8.27	5	150	0.6	<2	6.41	<0.5	38	133	369	6.92
163365		2.53	1.835	1.295	0.8	7.86	17	110	<0.5	<2	6.38	<0.5	78	128	1470	8.43
163366 DUP		<0.02	0.715	0.900	0.8	8.27	<5	110	0.5	<2	6.71	<0.5	74	148	1295	8.59
163367		1.74	1.630		1.0	7.72	<5	90	<0.5	<2	6.18	<0.5	88	132	1855	10.25
163368		1.48	0.089		<0.5	8.37	<5	90	0.5	<2	6.40	<0.5	33	120	302	6.98
163369		1.52	0.194		<0.5	8.42	<5	260	0.8	2	4.19	<0.5	17	13	73	5.00
163370		1.45	0.032		<0.5	8.52	<5	110	<0.5	<2	7.26	<0.5	43	104	99	9.27
163371		1.15	1.300		0.5	7.94	<5	280	0.7	<2	4.78	<0.5	87	55	827	7.17
163372		2.31	0.122		<0.5	6.57	<5	540	1.2	<2	1.18	<0.5	1	8	42	1.70
163373		2.75	0.621		<0.5	8.00	<5	110	<0.5	<2	6.32	<0.5	52	126	591	7.70
163374		2.39	2.71		<0.5	7.78	<5	250	0.6	<2	5.69	<0.5	34	130	381	6.87
163375		0.11	0.006		<0.5	7.06	<5	520	0.9	<2	1.14	<0.5	3	39	25	2.81
163376		1.99	0.053		<0.5	8.08	<5	100	0.5	<2	7.11	<0.5	27	150	319	7.11
163377		1.75	0.124		0.5	7.73	<5	210	0.5	<2	5.39	<0.5	54	104	823	7.02
163378		2.44	0.007		<0.5	8.02	<5	680	1.2	<2	3.71	<0.5	17	102	55	3.98
163379		1.55	0.010		<0.5	7.93	<5	1030	1.2	<2	3.29	<0.5	15	137	41	3.50
163380		2.23	0.033		<0.5	7.92	<5	340	1.0	<2	3.28	<0.5	10	12	54	4.13
163381		2.17	0.078		<0.5	7.73	<5	120	0.5	<2	6.24	<0.5	46	129	571	7.11
163382		2.50	0.165		<0.5	7.86	<5	120	<0.5	<2	6.14	<0.5	22	108	74	6.43
163383		2.25	0.032		<0.5	7.89	<5	270	0.5	<2	5.97	<0.5	21	110	22	6.35
163384		2.89	0.054		<0.5	6.82	<5	500	1.1	<2	1.82	<0.5	5	9	19	2.44
163385		0.06	1.840		18.6	8.46	<5	60	3.1	<2	0.34	<0.5	<1	3	5	3.00
163386		2.42	0.314		<0.5	8.00	<5	130	<0.5	<2	6.65	<0.5	25	108	29	6.55
163387		2.39	0.037		<0.5	8.01	<5	160	<0.5	<2	5.78	<0.5	26	124	49	7.39
163388		2.23	0.038		<0.5	8.13	<5	170	<0.5	<2	6.04	<0.5	25	110	38	7.53
163389		2.27	0.964		<0.5	8.11	<5	110	<0.5	2	6.50	<0.5	24	117	15	6.79
163390		2.38	1.070		<0.5	7.80	<5	90	<0.5	<2	6.48	<0.5	19	108	19	6.01
163391		0.10	<0.005		<0.5	7.04	<5	560	0.8	<2	0.90	<0.5	1	24	9	2.59
163392		2.96	0.470		<0.5	7.80	<5	160	0.5	<2	6.20	<0.5	22	111	34	6.44
163393		2.71	0.453		<0.5	7.86	6	180	0.5	<2	6.12	<0.5	26	146	61	6.64
163394 DUP		<0.02	0.527		<0.5	7.87	<5	180	0.5	<2	6.03	<0.5	25	146	69	6.56
163395		2.44	0.035		<0.5	8.11	<5	240	0.9	<2	3.23	<0.5	10	4	44	4.25
163396		2.46	0.117		<0.5	7.88	<5	260	<0.5	<2	5.82	<0.5	32	142	231	6.62
163397		1.98	0.016		<0.5	8.01	<5	160	0.5	<2	4.37	<0.5	25	369	80	4.59
163398		2.00	0.027		<0.5	8.27	<5	260	0.8	<2	4.12	<0.5	16	74	31	4.90
163399		2.89	0.058		<0.5	7.46	<5	220	<0.5	<2	5.73	<0.5	33	124	269	6.31
163400		2.80	0.315		<0.5	7.70	<5	260	0.5	<2	4.91	2.2	27	88	120	5.36



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 3 (A - B)  
Finalized Date: 13-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06008034

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
183361		1.02	1.38	751	1	2.66	11	940	6	0.39	<5	225	0.52	126	<10	51
163362		0.98	1.42	750	<1	2.61	14	860	8	0.23	<5	215	0.46	113	<10	50
163363		0.19	0.07	38	<1	7.0	2	630	129	3.18	<5	22	0.01	1	<10	17
183364		0.86	2.94	1180	<1	1.62	59	470	6	0.85	<5	188	0.44	190	10	82
163365		1.11	2.74	1085	<1	1.22	76	340	7	1.99	<5	130	0.43	190	30	64
163366 DUP		1.21	2.93	1155	<1	1.35	77	380	11	1.85	<5	142	0.46	208	30	70
163367		0.80	2.46	1020	<1	1.44	102	350	12	2.77	<5	144	0.42	193	20	71
163368		0.58	2.95	1125	<1	1.80	54	450	9	0.72	<5	173	0.46	197	<10	73
163369		0.92	1.34	723	<1	2.55	15	810	7	0.36	<5	221	0.48	125	<10	42
163370		0.67	4.26	1465	<1	1.83	116	680	8	0.33	<5	330	0.56	200	<10	99
163371		1.11	1.77	832	4	2.15	65	580	17	1.63	<5	198	0.42	137	80	100
163372		1.40	0.12	234	1	3.03	2	80	7	0.14	<5	122	0.09	1	<10	23
163373		0.58	2.82	1125	2	1.79	62	360	16	1.13	<5	156	0.43	185	10	87
163374		0.85	2.91	962	<1	1.79	67	600	14	1.08	<5	283	0.43	176	10	80
163375		4.10	0.31	308	2	2.13	22	230	37	0.05	<5	169	0.10	16	10	32
163376		0.90	3.87	1205	<1	1.70	65	400	7	0.56	<5	177	0.44	205	<10	76
163377		0.81	2.07	871	<1	1.77	59	470	13	1.27	<5	198	0.42	168	<10	70
163378		1.56	1.82	627	<1	2.46	44	1240	12	0.15	<5	530	0.44	97	<10	68
163379		2.16	2.06	563	<1	2.66	54	1400	11	0.11	<5	427	0.41	83	<10	91
163380		1.31	1.03	555	<1	2.81	6	1140	8	0.25	<5	317	0.48	66	<10	42
163381		0.84	3.15	1110	<1	1.69	65	460	11	1.01	<5	219	0.39	179	<10	85
163382		0.96	3.40	1095	<1	1.46	58	400	7	0.26	<5	145	0.44	186	<10	76
163383		1.38	3.60	1055	<1	1.67	58	530	8	0.09	<5	244	0.44	182	<10	72
163384		1.25	0.39	372	<1	2.78	4	270	7	0.12	<5	144	0.20	32	<10	29
163385		0.18	0.06	111	<1	6.8	2	650	144	3.27	<5	22	0.01	2	<10	20
163386		1.07	3.72	1175	<1	1.56	70	390	5	0.15	<5	160	0.44	198	10	74
163387		1.47	4.21	1070	<1	1.45	67	410	7	0.17	<5	154	0.43	200	<10	88
163388		1.51	4.23	1095	<1	1.41	68	390	7	0.14	<5	126	0.46	203	<10	75
163389		1.10	3.93	1200	<1	1.61	70	380	9	0.05	<5	160	0.45	204	<10	63
163390		0.96	3.49	1220	<1	1.41	56	390	6	0.12	<5	149	0.44	196	10	56
163391		4.24	0.23	260	3	2.12	14	160	38	0.01	<5	156	0.08	9	<10	26
163392		1.08	3.67	1365	<1	1.84	92	400	6	0.19	<5	135	0.45	200	10	65
163393		1.08	3.98	1235	<1	1.66	88	530	9	0.25	<5	190	0.43	189	<10	71
163394 DUP		1.09	3.90	1215	<1	1.63	87	500	8	0.26	<5	186	0.43	189	10	72
163395		0.98	0.94	582	<1	3.12	3	970	7	0.31	<5	203	0.46	80	<10	41
163396		1.72	3.40	1175	<1	1.34	72	400	13	0.78	5	142	0.44	196	10	71
163397		0.84	3.47	850	<1	3.04	102	400	7	0.25	<5	176	0.26	121	<10	173
163398		1.04	1.75	837	<1	2.50	36	730	7	0.16	<5	239	0.44	122	<10	56
163399		1.57	3.11	1235	<1	1.35	71	360	12	0.66	<5	115	0.41	186	10	110
163400		1.64	2.52	1045	<1	1.49	71	440	159	0.64	<5	138	0.42	165	10	778



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 13-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008034**

Sample Description	Method	WEI-21	AU-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163401		2.43	0.094		<0.5	6.13	<5	170	<0.5	<2	4.52	<0.5	27	100	100	5.26
163402 DUP		<0.02	0.127		0.5	5.05	<5	150	<0.5	<2	3.87	<0.5	20	90	74	4.57
163403		2.33	0.052		<0.5	8.81	<5	170	<0.5	<2	6.59	<0.5	45	136	298	7.35
163404		2.04	0.032		<0.5	8.24	<5	210	0.5	<2	5.67	1.1	37	110	141	6.95
163405		2.37	0.025		<0.5	8.57	<5	200	0.6	<2	7.34	<0.5	42	62	89	7.97
163406		2.77	0.034		<0.5	8.21	<5	220	0.6	<2	6.59	<0.5	45	550	70	6.67
163407		2.73	0.257		<0.5	7.89	<5	230	0.5	<2	5.73	<0.5	55	768	57	6.50
163408		2.00	0.427		<0.5	7.84	8	330	0.6	<2	4.91	<0.5	33	568	41	6.17
163409		2.94	1.560		<0.5	5.50	6	70	<0.5	<2	6.12	<0.5	56	1065	19	8.03
163410		0.22	<0.005		<0.5	6.87	<5	540	0.9	<2	0.95	<0.5	2	16	6	1.82
163411		2.04	5.08		<0.5	6.96	<5	370	0.5	<2	3.25	<0.5	31	394	75	5.02
163412		2.36	0.133	0.106	<0.5	8.14	<5	480	0.8	<2	3.37	<0.5	17	53	48	4.70
163413		1.81	0.081		<0.5	8.20	8	430	0.9	<2	3.28	<0.5	13	6	21	4.75
163414		0.06	0.952		10.8	8.26	7	50	3.1	<2	0.34	<0.5	1	5	8	2.57
163415		1.59	0.142		<0.5	7.28	<5	150	<0.5	<2	5.07	<0.5	42	1050	7	6.43
163416		1.91	0.351		<0.5	5.41	<5	40	<0.5	<2	5.71	<0.5	65	1485	19	7.75
163417		2.31	0.116		<0.5	7.96	6	320	0.6	<2	4.21	<0.5	26	380	7	5.53
163418		2.18	0.073		<0.5	6.53	<5	160	<0.5	<2	4.68	<0.5	48	895	20	5.95
163419		3.25	0.158		<0.5	6.74	7	170	<0.5	<2	5.45	<0.5	52	1010	27	7.14
163420		2.67	0.041		<0.5	8.40	8	350	0.6	<2	3.13	<0.5	21	269	52	3.15
163421		2.07	0.056		<0.5	6.29	<5	70	<0.5	<2	6.36	<0.5	68	1195	15	7.46
163422		2.56	0.779	1.205	<0.5	6.71	<5	140	<0.5	<2	6.59	<0.5	53	798	32	6.74
163423 DUP		<0.02	1.915	0.589	<0.5	6.68	5	150	<0.5	<2	6.46	<0.5	51	734	32	6.64
163424		2.69	0.116		<0.5	8.03	7	150	<0.5	<2	7.57	<0.5	47	359	51	7.84
163425		2.50	0.080		<0.5	7.76	7	110	<0.5	<2	8.77	<0.5	44	326	32	7.75
163426		2.46	0.096		<0.5	8.30	<5	310	0.6	<2	5.13	<0.5	23	200	10	4.50
163427		2.36	0.130		<0.5	7.90	<5	100	<0.5	<2	9.07	<0.5	46	354	15	7.88
163428		3.11	0.788		<0.5	7.35	<5	70	<0.5	<2	10.10	<0.5	43	291	42	7.30
163429		0.12	0.005		<0.5	7.38	<5	580	0.9	<2	1.12	<0.5	3	14	5	1.78
163430		1.91	0.188		<0.5	8.39	8	250	<0.5	<2	5.64	<0.5	28	217	22	4.73
163431		2.52	0.023		<0.5	8.15	<5	110	<0.5	<2	7.58	<0.5	29	230	8	5.40
163432		1.62	0.152	0.204	<0.5	7.06	7	120	<0.5	<2	5.73	<0.5	51	402	16	7.51
163433		1.37	0.048		<0.5	8.06	<5	480	0.7	<2	3.66	<0.5	18	90	21	4.79
163434		0.04	1.785		20.2	8.43	11	60	3.0	<2	0.35	<0.5	1	6	5	2.79
163435		2.04	0.373		<0.5	7.21	<5	190	<0.5	<2	5.62	<0.5	43	476	29	5.83
183436		2.52	0.304		0.5	6.90	<5	240	0.5	<2	4.81	<0.5	41	384	323	7.08
163437		2.34	0.045		<0.5	8.49	8	90	<0.5	<2	8.05	<0.5	39	328	13	7.01
163438		2.27	0.012		<0.5	8.36	9	70	<0.5	<2	7.75	<0.5	36	184	11	7.44
163439		2.31	0.012		<0.5	8.42	<5	90	<0.5	<2	6.65	<0.5	39	170	15	7.72
163440		2.65	0.122		<0.5	7.77	10	110	<0.5	<2	6.94	<0.5	34	201	44	6.71



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - B)

Finalized Date: 14-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06008035

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP81	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
165901		2.90	0.028	<0.5	7.53	<5	110	<0.5	<2	6.63	<0.5	40	322	14	6.80	0.70
165902		2.55	0.125	<0.5	7.20	<5	270	0.7	<2	4.50	<0.5	22	203	39	4.71	1.03
165903		2.03	<0.005	<0.5	8.39	<5	540	0.7	<2	2.21	<0.5	6	23	37	1.68	1.28
165904		2.67	<0.005	<0.5	8.16	<5	140	<0.5	<2	6.44	<0.5	42	142	110	7.41	0.76
165905		2.67	0.009	<0.5	7.65	<5	150	<0.5	<2	5.89	<0.5	36	119	80	7.18	0.79
165906		0.05	0.972	9.8	8.44	10	50	3.2	2	0.33	<0.5	2	5	9	2.67	0.19
165907		2.56	<0.005	<0.5	7.89	<5	140	<0.5	<2	6.33	<0.5	32	126	5	6.50	0.81
165908		2.63	<0.005	<0.5	8.41	9	150	<0.5	<2	5.88	<0.5	28	152	30	4.92	0.61
165909		1.75	<0.005	<0.5	8.87	9	230	<0.5	<2	5.48	<0.5	25	198	38	3.96	0.71
165910		1.50	0.293	<0.5	7.39	<5	90	<0.5	<2	6.19	<0.5	29	120	134	5.87	0.33
165911		1.79	<0.005	<0.5	8.48	<5	70	<0.5	<2	7.00	<0.5	27	136	29	5.91	0.24
165912		2.60	0.007	<0.5	8.29	5	110	<0.5	<2	7.72	<0.5	37	166	40	7.78	0.73
165913		1.55	0.039	<0.5	7.98	<5	40	<0.5	<2	7.56	<0.5	36	128	71	7.46	0.27
165914		1.76	0.432	<0.5	7.82	<5	170	<0.5	<2	7.08	<0.5	128	136	519	10.85	0.93
165915 DUP		<0.02	0.411	<0.5	7.95	<5	180	<0.5	2	6.93	<0.5	120	134	505	10.45	0.93
165916		0.17	<0.005	<0.5	6.79	<5	570	0.9	<2	0.91	<0.5	1	8	4	1.52	4.48
165917		1.85	0.008	<0.5	8.05	<5	90	<0.5	<2	6.90	<0.5	33	105	120	7.12	0.56
165918		2.53	0.028	<0.5	8.23	<5	150	0.5	<2	6.16	<0.5	34	74	206	7.47	0.75
165919		2.53	0.248	<0.5	7.48	<5	70	<0.5	<2	6.99	<0.5	51	129	268	7.27	0.47
165920		2.57	0.044	<0.5	7.72	<5	130	0.6	<2	5.63	<0.5	31	97	116	6.57	0.50
165921		2.69	0.054	<0.5	7.46	13	60	<0.5	<2	6.69	<0.5	46	130	194	7.18	0.49
165922		2.25	2.70	<0.5	7.61	43	150	<0.5	<2	6.17	<0.5	44	147	265	6.92	1.03
165923		2.57	0.026	<0.5	7.66	32	290	0.7	<2	5.68	<0.5	26	126	76	5.18	0.81
165924		1.51	3.82	1.2	7.32	8	60	<0.5	4	6.13	<0.5	81	133	834	8.30	0.42
165925		1.84	0.090	<0.5	8.11	6	30	<0.5	<2	7.80	<0.5	51	137	232	7.53	0.28
165926		1.53	0.495	1.0	7.50	6	50	<0.5	<2	6.53	<0.5	110	135	352	11.05	0.44
165927 DUP		<0.02	0.439	1.0	7.45	<5	50	<0.5	<2	6.33	<0.5	108	139	344	10.80	0.44
165928		0.08	<0.005	<0.5	6.75	6	530	0.9	<2	0.97	<0.5	2	9	5	1.60	4.37
165929		3.15	0.030	<0.5	7.39	<5	50	<0.5	<2	9.16	<0.5	38	170	130	6.42	0.41
165930		2.63	0.052	<0.5	8.17	7	90	<0.5	<2	7.63	<0.5	40	138	69	7.51	0.74
165931		2.71	0.025	<0.5	7.73	6	130	<0.5	<2	8.88	<0.5	38	118	139	6.73	0.90
165932		2.32	0.025	<0.5	7.76	8	220	<0.5	<2	7.14	<0.5	35	134	144	6.65	1.54
165933		2.67	0.016	<0.5	7.75	<5	220	<0.5	<2	6.99	<0.5	37	130	138	6.56	1.57
165934		2.57	0.006	<0.5	7.93	5	90	<0.5	<2	6.86	<0.5	34	130	126	6.75	0.71
165935		2.45	<0.005	<0.5	7.94	<5	240	0.5	<2	4.61	<0.5	18	126	44	3.53	0.88
165936		0.06	1.800	18.7	8.12	6	60	3.0	<2	0.33	<0.5	<1	5	5	2.66	0.19
165937		2.65	0.026	<0.5	8.04	<5	170	<0.5	<2	5.56	<0.5	28	176	110	4.75	0.81
165938		2.61	0.007	<0.5	8.21	<5	170	<0.5	<2	5.34	<0.5	28	169	89	4.60	0.86
165939		2.36	0.021	<0.5	8.44	<5	110	<0.5	<2	5.91	<0.5	35	172	128	5.03	0.66
165940		2.48	0.022	<0.5	7.95	<5	110	<0.5	<2	6.62	<0.5	36	150	162	5.64	0.69



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 14-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008035**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
165901		4.82	1305	<1	1.63	124	250	2	0.06	<5	131	0.33	189	<10	71
165902		2.45	974	1	2.33	73	160	6	0.09	<5	121	0.24	112	10	51
165903		0.57	206	<1	3.62	11	230	11	0.11	<5	288	0.14	50	<10	54
165904		3.59	1240	<1	1.97	50	440	<2	0.31	<5	163	0.52	226	<10	97
165905		3.35	1190	1	1.75	45	400	7	0.27	<5	145	0.49	216	<10	94
165906		0.07	33	<1	6.7	4	640	115	2.93	<5	21	0.01	2	<10	16
165907		4.14	1110	<1	1.65	80	380	3	0.02	<5	147	0.45	201	<10	73
165908		3.88	881	<1	2.48	75	390	4	0.13	<5	264	0.29	132	<10	58
165909		3.98	746	<1	3.19	71	420	3	0.13	<5	359	0.17	81	<10	52
165910		3.54	1075	1	1.83	66	340	6	0.20	<5	180	0.37	164	<10	68
165911		3.69	1105	1	2.16	65	420	4	0.09	<5	220	0.39	170	<10	64
165912		4.28	1340	<1	1.50	106	1060	5	0.11	<5	238	0.55	209	10	87
165913		3.68	1285	<1	1.73	63	400	<2	0.25	<5	175	0.46	212	<10	76
165914		3.21	1285	3	1.15	196	390	3	3.90	<5	116	0.45	206	40	81
165915 DUP		3.20	1265	2	1.21	188	380	6	3.87	<5	121	0.45	205	40	78
165916		0.23	152	<1	2.10	3	170	36	0.01	<5	155	0.08	9	<10	28
165917		3.40	1260	1	1.61	72	830	<2	0.34	<5	261	0.58	211	10	74
165918		3.08	1220	1	1.76	69	1390	<2	0.53	<5	390	0.74	206	<10	71
165919		3.00	1155	1	1.49	74	370	<2	0.86	<5	146	0.42	204	<10	90
165920		2.44	1105	<1	2.11	46	570	<2	0.46	<5	165	0.43	145	<10	70
165921		3.34	1115	1	1.46	71	370	2	0.79	<5	136	0.42	199	<10	67
165922		3.02	1130	1	1.33	70	460	4	0.94	<5	155	0.42	196	10	85
165923		3.09	958	<1	2.22	85	690	2	0.33	<5	403	0.34	146	<10	74
165924		2.66	1055	1	1.39	95	380	<2	1.91	<5	138	0.42	187	<10	64
165925		2.91	1250	1	1.32	70	390	<2	1.06	<5	152	0.44	214	<10	68
165926		2.36	1095	1	1.46	156	380	<2	3.72	<5	130	0.42	198	10	56
165927 DUP		2.35	1080	1	1.46	158	350	<2	3.75	<5	128	0.42	198	10	56
165928		0.23	152	<1	2.13	3	160	31	0.06	<5	153	0.08	10	<10	27
165929		3.48	1280	1	1.34	73	390	<2	0.47	<5	175	0.38	200	10	58
165930		3.96	1255	1	1.43	78	390	2	0.30	<5	152	0.46	223	<10	77
165931		3.28	1275	<1	1.50	75	460	<2	0.46	<5	260	0.42	201	<10	63
165932		3.01	1140	1	1.43	73	360	18	0.81	<5	134	0.42	201	<10	61
165933		2.87	1145	1	1.16	75	350	2	0.46	<5	141	0.43	210	<10	60
165934		3.30	1125	<1	1.52	65	370	<2	0.38	<5	162	0.44	209	<10	67
165935		2.49	643	<1	2.81	53	450	<2	0.11	<5	332	0.23	89	<10	49
165936		0.06	108	<1	6.8	4	630	112	2.76	<5	21	0.01	2	<10	19
165937		3.46	867	<1	2.48	70	460	<2	0.30	<5	306	0.27	120	<10	56
165938		3.33	849	<1	2.59	63	390	<2	0.24	<5	259	0.26	124	10	60
165939		3.58	888	<1	2.48	86	380	<2	0.37	<5	240	0.29	142	<10	52
165940		3.08	955	<1	2.02	73	370	<2	0.57	<5	220	0.35	168	<10	49





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 14-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008035**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
165941		2.45	0.005	<0.5	8.36	10	150	<0.5	<2	4.98	<0.5	21	173	31	3.48	0.67
165942		2.46	0.024	<0.5	7.89	<5	250	0.5	<2	4.34	<0.5	18	133	29	3.95	1.00
165943		2.50	0.024	<0.5	7.67	5	160	<0.5	<2	6.40	<0.5	38	200	136	6.45	0.92
165944		2.80	0.014	<0.5	7.73	5	140	<0.5	<2	6.74	<0.5	34	131	114	6.70	0.98
165945		2.73	0.023	<0.5	7.60	<5	120	<0.5	<2	6.49	<0.5	39	130	157	6.83	1.02
165946		0.04	0.989	9.5	8.06	9	40	2.9	<2	0.31	<0.5	<1	5	7	2.42	0.19
165947		2.99	0.011	<0.5	7.95	6	100	<0.5	<2	8.54	<0.5	38	137	124	6.91	0.82
165948		2.67	0.033	<0.5	7.24	7	170	<0.5	<2	5.93	<0.5	41	124	186	6.88	1.16
165949		2.63	0.029	<0.5	7.65	8	180	<0.5	<2	6.00	<0.5	36	134	105	6.46	1.24
165950		2.65	0.006	<0.5	7.78	6	100	<0.5	<2	6.58	<0.5	38	132	93	6.71	0.74
165951		2.50	0.037	<0.5	7.68	<5	140	<0.5	<2	5.92	<0.5	40	134	134	6.84	0.96
165952		2.86	0.011	<0.5	8.11	<5	120	<0.5	<2	6.80	<0.5	40	124	89	6.77	0.82
165953 DUP		<0.02	0.005	<0.5	7.94	<5	120	<0.5	<2	6.77	<0.5	37	128	87	6.80	0.80
165954		2.67	0.013	<0.5	7.71	<5	120	<0.5	<2	5.60	<0.5	43	133	104	6.96	0.99
165955		2.74	0.008	<0.5	8.23	<5	110	<0.5	<2	6.38	<0.5	39	133	87	7.17	0.67
165956		2.42	0.015	<0.5	7.92	<5	130	<0.5	<2	6.32	<0.5	37	127	90	6.96	0.69
165957		2.70	0.011	<0.5	8.42	<5	110	<0.5	<2	7.28	<0.5	39	136	91	7.33	0.69
165958		0.07	<0.005	<0.5	6.78	<5	550	0.9	<2	1.46	<0.5	2	12	9	2.59	4.04
165959		2.56	0.013	<0.5	7.99	<5	120	0.5	<2	6.45	<0.5	36	112	84	6.71	0.73
165960		2.71	0.035	<0.5	7.17	12	330	1.0	<2	2.41	<0.5	6	3	99	4.01	0.81
165961		2.71	<0.005	<0.5	7.77	7	170	0.5	<2	5.80	<0.5	29	83	38	6.04	0.90
165962		2.40	0.023	<0.5	7.95	8	200	0.6	<2	5.07	<0.5	24	89	52	5.62	0.82
165963		3.10	<0.005	<0.5	8.07	<5	170	<0.5	<2	6.14	<0.5	36	141	59	5.90	0.98
165964		2.64	<0.005	<0.5	8.26	<5	150	<0.5	2	6.31	<0.5	33	118	27	6.96	0.93
165965		0.04	1.865	18.2	8.45	<5	60	3.0	<2	0.34	<0.5	1	5	6	2.95	0.18
165966		2.68	0.006	<0.5	7.70	8	230	0.7	<2	4.70	<0.5	22	74	75	5.12	0.97
165967		2.59	0.010	<0.5	7.73	<5	170	<0.5	<2	6.50	<0.5	37	150	68	6.60	1.00
165968		2.55	<0.005	<0.5	8.30	<5	180	0.6	<2	5.62	<0.5	31	96	81	6.26	0.87
165969		2.68	<0.005	<0.5	8.16	5	210	0.6	<2	4.70	<0.5	30	77	53	5.93	1.19
165970		2.73	0.006	<0.5	7.33	<5	130	<0.5	<2	6.94	<0.5	38	119	99	6.10	0.81
165971		3.16	0.009	<0.5	8.11	5	190	0.5	<2	5.40	<0.5	29	92	93	5.92	1.00
165972		0.11	<0.005	<0.5	6.60	<5	520	0.8	<2	0.81	<0.5	1	26	9	2.59	4.02
165973		2.42	0.022	<0.5	8.10	<5	170	0.6	<2	5.81	<0.5	31	76	65	6.93	0.73
165974		2.04	0.024	<0.5	8.41	<5	270	0.7	2	5.79	<0.5	33	70	92	6.49	1.08
165975		2.23	0.094	0.5	8.02	<5	110	<0.5	<2	7.06	1.5	49	130	206	6.77	0.85
165976 DUP		<0.02	0.048	<0.5	7.71	<5	100	<0.5	<2	6.77	0.9	48	130	198	6.50	0.82
165977		3.04	0.014	<0.5	7.85	<5	120	<0.5	<2	6.12	<0.5	44	136	155	6.60	0.86
165978		2.75	0.015	<0.5	7.81	<5	130	<0.5	<2	6.76	<0.5	43	138	132	6.88	0.76
165979		2.59	0.021	<0.5	7.53	<5	140	<0.5	<2	6.10	<0.5	42	128	136	6.64	0.87
165980		2.56	0.087	<0.5	7.41	6	140	<0.5	<2	5.87	<0.5	40	132	134	6.41	1.10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 14-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06008035

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
165941		3.55	893	<1	3.09	57	370	<2	0.08	<5	348	0.16	79	<10	48
165942		2.63	759	<1	2.89	42	570	<2	0.16	<5	295	0.27	74	<10	57
165943		3.73	1195	1	1.58	84	390	18	0.51	<5	198	0.40	207	10	81
165944		3.35	1195	<1	1.35	73	380	<2	0.36	<5	145	0.42	202	<10	71
165945		3.41	1305	1	1.34	118	370	<2	0.44	<5	126	0.43	203	10	85
165946		0.06	32	1	6.7	2	600	104	2.49	<5	21	0.01	2	<10	16
165947		3.52	1210	1	1.67	85	380	<2	0.36	<5	148	0.44	209	10	70
165948		3.26	1125	<1	1.50	79	340	<2	0.56	<5	136	0.40	191	10	69
165949		3.22	1085	1	1.52	73	340	<2	0.37	<5	142	0.42	206	<10	65
165950		3.47	1140	<1	1.68	73	370	<2	0.31	<5	156	0.43	214	<10	64
165951		3.36	1125	<1	1.66	73	370	<2	0.43	<5	144	0.42	201	<10	66
165952		3.63	1175	<1	1.61	77	400	7	0.31	<5	167	0.46	205	<10	85
165953 DUP		3.59	1175	1	1.57	81	390	3	0.31	<5	163	0.45	205	<10	64
165954		3.39	1095	1	1.70	79	380	4	0.38	<5	141	0.45	206	10	66
165955		3.55	1100	<1	1.94	69	400	2	0.32	<5	164	0.47	208	<10	64
165956		3.20	1065	1	1.84	79	620	<2	0.43	<5	236	0.50	204	<10	82
165957		3.74	1150	1	1.67	76	420	5	0.29	<5	151	0.49	217	<10	68
165958		0.24	221	1	2.22	8	180	35	0.02	<5	184	0.09	10	<10	27
165959		3.00	1115	1	1.66	65	560	7	0.29	<5	179	0.49	191	<10	69
165960		0.40	499	1	2.87	2	580	7	0.54	<5	180	0.33	16	<10	44
165961		2.63	1085	<1	1.98	51	660	2	0.13	<5	179	0.50	173	<10	78
165962		2.23	894	1	2.22	46	600	7	0.28	<5	196	0.43	135	<10	66
165963		3.25	999	1	2.05	69	390	3	0.17	<5	188	0.40	177	<10	71
165964		3.51	1095	1	1.90	73	470	5	0.08	<5	161	0.49	210	<10	82
165965		0.07	109	<1	6.5	5	630	132	3.26	<5	21	0.01	2	<10	20
165966		1.76	860	2	2.27	36	810	3	0.31	<5	209	0.48	112	<10	61
165967		3.35	1070	<1	1.77	78	390	4	0.15	<5	174	0.45	203	<10	80
165968		2.65	962	<1	2.18	50	710	4	0.25	<5	212	0.51	175	<10	75
165969		2.32	895	1	2.18	50	690	4	0.21	<5	200	0.51	163	<10	80
165970		2.90	1075	<1	1.61	70	350	6	0.36	<5	154	0.42	182	<10	70
165971		2.40	868	1	1.90	51	650	<2	0.37	<5	198	0.49	173	<10	69
165972		0.19	240	2	2.03	18	170	42	0.01	<5	149	0.06	9	<10	24
165973		2.80	1160	1	2.06	62	1250	11	0.27	<5	413	0.70	184	<10	90
165974		2.88	1075	<1	2.12	49	1160	70	0.37	<5	431	0.69	183	<10	267
165975		2.93	1155	<1	1.50	87	390	117	0.82	<5	157	0.47	213	10	515
165976 DUP		2.77	1100	<1	1.46	81	360	98	0.76	<5	147	0.46	211	10	433
165977		2.81	1030	<1	1.72	77	350	5	0.65	<5	150	0.46	198	<10	61
165978		2.99	1065	1	1.60	79	380	3	0.52	<5	149	0.46	209	<10	62
165979		2.87	1005	<1	1.63	69	370	2	0.52	<5	143	0.44	198	<10	60
165980		2.75	1035	<1	1.54	74	350	<2	0.51	<5	134	0.43	196	<10	57



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 14-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008035**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
165981		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
165982		2.59	0.010	<0.5	7.82	<5	400	0.8	<2	4.18	<0.5	21	70	49	4.15	1.35
165983		2.61	0.017	<0.5	7.39	<5	260	0.7	<2	4.06	<0.5	19	62	51	5.12	1.13
165984		2.73	0.008	<0.5	7.74	6	280	0.5	<2	6.57	<0.5	36	182	103	6.22	1.15
165985		2.53	0.009	<0.5	7.54	<5	110	<0.5	<2	7.67	<0.5	35	120	118	6.49	0.78
165986		2.29	<0.005	<0.5	7.93	<5	180	<0.5	<2	6.25	<0.5	42	182	97	7.85	0.86
165987		3.11	0.010	<0.5	7.80	<5	270	0.6	<2	4.12	<0.5	35	154	97	6.38	1.03
165988		2.36	<0.005	<0.5	7.59	9	130	<0.5	<2	6.36	<0.5	28	114	4	6.21	0.70
165989		0.06	0.957	9.4	6.98	9	40	3.1	<2	0.30	<0.5	1	5	9	2.38	0.19
165990		2.49	0.006	<0.5	7.71	<5	190	0.6	<2	5.53	<0.5	21	83	34	5.45	0.76
165991		2.54	0.112	<0.5	8.64	<5	340	0.6	<2	6.27	<0.5	21	109	109	5.85	1.74
165992		1.98	0.084	<0.5	8.13	<5	300	0.7	<2	6.97	<0.5	26	201	76	6.15	1.48
165993		1.35	0.012	<0.5	8.08	<5	290	0.8	<2	4.27	<0.5	17	21	71	4.84	1.36
165994		1.95	0.034	<0.5	8.24	<5	260	0.5	<2	6.38	<0.5	23	83	53	5.64	1.54
165995 DUP		2.74	0.006	<0.5	8.83	<5	160	0.5	<2	8.14	<0.5	31	118	39	7.30	1.09
165996		<0.02	0.008	<0.5	6.74	<5	160	0.5	<2	8.05	<0.5	32	110	37	7.19	1.11
165997		1.70	0.040	<0.5	8.23	<5	110	<0.5	<2	9.52	<0.5	30	114	48	6.54	1.05
165998		1.81	0.017	<0.5	7.94	<5	180	0.5	<2	7.03	<0.5	36	275	83	6.24	1.26
165999		0.10	<0.005	<0.5	6.82	<5	520	0.9	<2	0.85	<0.5	1	11	8	2.06	4.32
166000		1.81	0.034	<0.5	8.15	<5	130	<0.5	<2	8.68	<0.5	41	140	108	6.80	1.18
166000		2.75	0.073	<0.5	7.66	10	200	<0.5	<2	6.69	<0.5	31	129	135	6.24	2.33



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 14-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008035**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
165981		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
165982		1.65	655	2	2.45	37	420	10	0.20	<5	254	0.31	111	<10	57
165983		1.69	870	<1	2.22	32	550	<2	0.30	<5	178	0.40	113	<10	63
165984		3.35	983	<1	1.88	87	590	3	0.36	<5	300	0.43	186	<10	62
165985		3.03	1005	<1	1.68	74	360	4	0.40	<5	200	0.43	194	<10	57
165986		4.06	1250	1	1.67	126	500	9	0.27	<5	252	0.58	197	<10	85
165987		3.11	907	<1	2.45	104	310	11	0.33	<5	261	0.48	154	<10	75
165988		3.66	1100	<1	1.71	61	390	4	0.01	<5	168	0.43	196	<10	72
165989		0.06	31	1	5.7	4	540	101	2.42	<5	16	0.01	2	<10	17
165990		2.33	967	1	2.16	40	560	5	0.20	<5	190	0.43	144	<10	59
165991		2.50	1075	1	1.80	90	550	5	0.56	<5	211	0.50	164	10	75
165992		3.79	1275	1	1.88	72	620	9	0.42	<5	213	0.43	167	<10	75
165993		1.38	825	1	2.36	18	780	3	0.30	<5	236	0.48	132	<10	61
165994		2.37	1160	1	1.88	61	590	4	0.41	5	205	0.49	174	<10	71
165995 DUP		3.87	1385	<1	1.72	77	1020	4	0.26	<5	333	0.59	230	<10	72
165996		3.83	1360	<1	1.71	76	1030	3	0.25	<5	329	0.60	231	<10	72
165997		3.70	1530	<1	1.29	109	450	6	0.45	<5	153	0.48	211	<10	57
165998		4.46	1280	<1	1.53	96	620	2	0.26	<5	268	0.41	191	<10	72
165999		0.21	195	1	2.15	4	180	33	0.01	<5	152	0.09	10	<10	28
166000		2.98	1330	1	1.23	79	380	<2	0.61	<5	144	0.45	218	10	58
		2.66	1295	1	1.11	70	340	3	1.21	<5	138	0.43	206	20	44



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 14-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO6008036

Project: DETOUR LAKE

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 31-JAN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 14-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008036**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
166001		2.44	0.593		<0.5	7.34	<5	180	<0.5	<2	4.88	<0.5	26	134	67	6.83
166002		1.34	>10.0	19.50	2.9	7.01	<5	210	<0.5	<2	5.49	<0.5	70	127	695	11.10
166003 DUP		<0.02	>10.0	18.15	1.3	6.91	7	200	<0.5	4	5.37	<0.5	72	120	705	10.90
166004		0.11	0.015		<0.5	6.88	<5	500	0.9	<2	0.78	<0.5	2	11	8	2.34
166005		2.14	0.132		0.5	8.09	<5	160	<0.5	<2	6.37	<0.5	38	135	154	6.64
166006		2.00	0.005		<0.5	7.47	7	140	<0.5	<2	5.96	<0.5	31	121	14	6.73
166007		2.34	0.012		<0.5	7.73	<5	150	<0.5	<2	8.09	<0.5	40	130	128	6.33
166008		2.28	0.015		<0.5	7.51	<5	270	0.6	<2	4.39	<0.5	19	61	76	5.12
166009		2.46	0.265		<0.5	6.46	14	240	0.6	<2	5.52	<0.5	28	85	60	6.04
166010		2.58	0.011		<0.5	7.46	7	290	0.9	<2	3.18	<0.5	15	24	59	4.37
166011		2.62	0.009		<0.5	8.01	<5	200	0.5	<2	7.29	<0.5	45	116	127	6.73
166012		0.05	1.825		18.2	8.05	<5	50	3.1	<2	0.32	<0.5	1	5	6	2.45
166013		2.46	0.010		<0.5	7.67	<5	190	<0.5	<2	6.23	<0.5	38	123	95	6.68
166014		2.69	0.015		<0.5	7.71	<5	160	<0.5	<2	6.04	<0.5	40	124	126	6.53
166015		2.34	0.005		<0.5	8.04	<5	200	0.5	<2	5.14	<0.5	30	99	63	6.29
166016		2.91	0.011		<0.5	8.17	<5	300	0.7	<2	7.40	<0.5	39	157	102	7.13
166017		2.35	0.837		<0.5	7.69	<5	140	<0.5	<2	6.74	<0.5	39	138	208	6.56
166018		2.42	0.019		<0.5	8.10	<5	150	0.5	<2	6.48	<0.5	34	156	36	7.09
166019		2.99	4.37		<0.5	7.73	<5	120	<0.5	<2	6.22	<0.5	30	111	113	6.61
166020		2.61	0.010		<0.5	7.67	<5	110	<0.5	<2	5.90	<0.5	32	110	2	6.60
166021		2.33	0.901		<0.5	8.05	<5	220	0.6	<2	4.57	<0.5	21	63	32	5.53
166022		2.07	0.011		<0.5	8.20	<5	210	0.6	<2	4.54	<0.5	33	60	101	5.58
166023		2.52	2.46		0.7	7.57	<5	170	<0.5	2	7.14	<0.5	55	119	149	6.80
166024		2.45	0.008		<0.5	7.41	<5	110	<0.5	<2	5.99	<0.5	30	118	70	6.36
166025		2.07	0.061		<0.5	7.82	<5	100	<0.5	<2	6.20	<0.5	33	115	19	6.61
166026		2.62	<0.005		<0.5	7.75	<5	100	<0.5	<2	6.12	<0.5	37	118	12	7.08
166027		0.04	0.991		10.1	6.77	<5	40	2.9	<2	0.28	<0.5	1	5	8	2.50
166028		2.79	1.510		<0.5	7.92	<5	100	<0.5	<2	6.02	<0.5	45	139	247	7.49
166029		2.79	<0.005		<0.5	7.82	<5	120	<0.5	<2	5.91	<0.5	37	143	20	7.10
166030		2.63	0.470		<0.5	7.54	<5	150	<0.5	2	5.14	<0.5	35	91	95	6.77
166031		2.00	0.008		<0.5	7.85	<5	260	0.8	<2	3.94	<0.5	20	21	43	5.04
166032		2.50	0.101		0.6	7.95	<5	180	0.5	2	5.61	<0.5	39	19	112	8.20
166033		2.62	0.057		<0.5	7.69	<5	110	0.5	<2	5.65	<0.5	32	55	55	8.10
166034		2.50	<0.005		<0.5	8.41	<5	140	0.5	<2	6.64	<0.5	37	120	11	7.78
166035 DUP		<0.02	0.007		<0.5	8.18	<5	140	<0.5	<2	6.48	<0.5	38	110	10	7.45
166036		0.09	<0.005		<0.5	7.07	7	540	0.9	<2	0.88	<0.5	1	10	5	2.20
166037		2.52	<0.005		<0.5	8.60	<5	240	0.7	<2	5.05	<0.5	27	55	13	5.96
166038		2.26	0.029		<0.5	8.55	<5	240	0.7	<2	4.59	<0.5	26	54	29	5.93
166039		1.76	0.026		<0.5	8.24	<5	200	0.5	<2	5.68	<0.5	36	118	14	7.47
166040		2.97	0.009		<0.5	7.03	<5	580	1.2	<2	1.22	<0.5	2	13	18	2.07



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 3 (A - B)

Finalized Date: 14-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06008036

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
166001		2.44	3.04	1290	<1	0.78	65	330	3	1.08	<5	106	0.40	180	10	50
166002		2.15	2.23	1145	1	1.01	151	310	4	4.57	<5	85	0.37	168	20	60
166003 DUP		2.17	2.18	1110	1	0.99	150	310	6	4.54	<5	86	0.38	170	10	61
166004		3.98	0.19	194	2	2.04	6	160	35	0.02	<5	148	0.08	8	<10	26
166005		1.64	3.07	1150	1	1.33	77	390	<2	0.65	<5	132	0.45	206	10	68
166006		1.20	3.56	1010	1	1.29	69	370	5	0.06	<5	127	0.44	201	<10	70
166007		1.13	2.63	1090	<1	1.54	70	370	5	0.53	<5	165	0.43	197	<10	57
166008		1.05	1.49	786	2	2.12	31	540	4	0.37	<5	175	0.35	110	<10	50
166009		1.35	2.36	1045	1	1.95	53	580	5	0.31	<5	178	0.45	160	<10	86
166010		1.05	0.95	612	2	2.49	12	670	5	0.40	<5	197	0.39	82	<10	58
166011		1.09	2.82	1180	1	1.63	79	830	5	0.41	<5	267	0.51	187	<10	87
166012		0.19	0.07	108	<1	6.8	6	640	116	2.76	<5	24	0.01	3	<10	19
166013		1.38	3.12	1050	<1	1.48	76	360	<2	0.34	<5	134	0.42	204	<10	64
166014		1.14	2.79	1045	<1	1.50	75	390	<2	0.47	<5	145	0.42	193	<10	54
166015		1.30	2.66	975	1	1.63	60	550	3	0.24	<5	167	0.46	176	<10	61
166016		1.01	4.13	1180	<1	2.37	108	1690	3	0.37	<5	847	0.61	205	<10	85
166017		0.81	3.16	1095	1	1.67	78	530	2	0.50	<5	248	0.44	194	<10	62
166018		0.85	4.32	1170	1	1.58	111	550	4	0.18	<5	253	0.43	200	<10	72
166019		1.01	3.79	1195	1	1.29	81	400	5	0.30	<5	133	0.41	188	<10	68
166020		0.95	3.98	1115	1	1.57	85	360	6	<0.01	<5	139	0.41	195	<10	69
166021		1.09	2.40	928	1	2.15	38	770	4	0.21	<5	190	0.46	140	<10	61
166022		1.27	2.14	902	<1	1.81	32	610	<2	0.45	<5	199	0.45	153	<10	67
166023		1.28	3.34	1300	1	0.85	71	360	4	0.64	<5	114	0.40	185	<10	59
166024		0.87	3.28	1080	<1	1.41	62	370	<2	0.22	<5	139	0.41	195	30	61
166025		0.91	3.74	1020	<1	1.53	61	340	<2	0.05	<5	140	0.41	199	<10	65
166026		0.94	4.19	1140	<1	1.33	106	360	3	0.02	<5	121	0.42	194	<10	69
166027		0.17	0.04	30	1	6.8	2	570	105	3.00	<5	17	0.01	2	<10	16
166028		0.91	4.33	1260	1	1.11	108	400	4	0.38	<5	132	0.43	197	10	90
166029		0.99	4.69	1210	1	1.30	120	420	6	0.04	<5	172	0.39	182	<10	76
166030		1.03	3.96	1135	1	1.42	122	460	10	0.17	<5	143	0.41	165	<10	84
166031		1.00	1.44	871	2	2.18	24	910	3	0.20	<5	221	0.51	123	<10	63
166032		0.92	3.11	1225	2	1.57	30	470	6	0.46	<5	140	0.56	266	30	86
166033		0.51	2.86	1310	1	1.45	27	550	7	0.34	<5	150	0.56	235	<10	71
166034		0.73	3.61	1305	<1	1.69	52	450	<2	0.01	<5	146	0.51	224	10	86
166035 DUP		0.71	3.52	1265	<1	1.66	45	430	<2	0.01	<5	142	0.50	215	<10	84
166036		4.33	0.21	184	<1	2.30	5	140	32	0.01	<5	151	0.08	9	<10	25
166037		0.76	2.17	999	<1	2.50	25	630	2	0.02	<5	193	0.50	161	<10	70
166038		1.10	2.33	1015	<1	2.06	25	750	<2	0.15	<5	176	0.52	152	<10	76
166039		1.72	4.40	1430	<1	1.24	63	380	<2	0.07	<5	114	0.47	213	<10	108
166040		1.73	0.17	237	1	3.18	4	80	<2	0.11	<5	132	0.11	4	<10	26



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 3 (A - B)

Finalized Date: 14-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06008036

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
166041		2.42	0.019		<0.5	7.31	<5	380	1.0	<2	2.89	<0.5	17	46	82	3.67
166042		2.40	0.028		<0.5	7.42	<5	480	1.0	<2	2.68	<0.5	11	42	20	3.42
166043		2.37	0.297		<0.5	8.69	<5	270	0.7	<2	6.26	<0.5	33	87	79	7.09
166044		2.54	0.192		<0.5	8.51	<5	190	0.5	<2	6.82	<0.5	39	130	57	7.68
166045		0.05	1.735		20.9	7.96	<5	50	3.3	<2	0.34	<0.5	2	5	5	2.84
166046		2.37	0.043		<0.5	8.62	<5	200	0.7	<2	5.04	<0.5	23	64	34	6.02
166047		2.38	0.018		0.5	8.62	<5	120	<0.5	2	7.07	<0.5	37	112	58	7.53
166048		2.19	0.011		<0.5	6.52	<5	70	<0.5	<2	7.37	<0.5	36	112	27	7.45
166049		2.29	0.023		<0.5	8.68	<5	50	<0.5	<2	8.04	<0.5	55	126	120	7.77
166050		2.65	0.249		<0.5	8.52	<5	150	<0.5	<2	9.38	<0.5	48	123	146	7.24
166051		2.65	0.644		1.2	8.29	<5	160	<0.5	<2	9.36	<0.5	41	120	149	7.38
166052		2.65	0.110		<0.5	8.83	10	140	0.5	<2	8.36	<0.5	45	140	244	7.36
166053		2.53	0.170		<0.5	8.08	<5	130	0.5	<2	6.69	<0.5	49	150	208	7.44
166054		2.01	0.131		<0.5	7.89	<5	90	<0.5	<2	6.41	<0.5	45	144	110	6.99
166055		1.22	0.033		<0.5	6.38	<5	100	<0.5	<2	8.14	<0.5	39	94	114	6.34
166056 DUP		<0.02	0.048		<0.5	6.11	<5	90	<0.5	<2	8.05	<0.5	40	92	103	6.14
166057		0.07	<0.005		<0.5	7.49	<5	590	0.9	<2	0.91	<0.5	2	12	6	2.35
166058		1.71	0.068		<0.5	8.62	<5	140	0.5	<2	6.48	<0.5	46	126	102	7.80
166059		2.48	0.018		<0.5	8.00	<5	100	<0.5	<2	6.91	<0.5	39	116	95	6.94
166060		2.54	0.018		<0.5	8.65	<5	110	<0.5	<2	6.94	<0.5	43	138	121	7.76
166061		3.46	0.099		<0.5	6.89	<5	100	<0.5	2	6.42	<0.5	36	113	256	6.46
166062		1.84	0.008		<0.5	8.40	<5	120	0.5	<2	6.89	<0.5	47	126	92	9.15
166063		1.68	<0.005		0.5	8.61	<5	100	0.5	<2	7.35	<0.5	49	211	96	9.46
166064		0.04	1.020		11.1	8.34	<5	50	3.2	<2	0.34	<0.5	1	5	8	2.95
166065		3.05	0.012		<0.5	8.54	<5	130	<0.5	<2	7.03	<0.5	43	137	107	7.36
166066		2.31	0.191		<0.5	7.97	<5	250	0.9	<2	4.01	<0.5	18	52	50	4.88
166067		2.59	0.014		<0.5	9.11	<5	220	0.7	<2	5.88	<0.5	28	65	69	6.48
166068		1.88	0.009		<0.5	8.80	<5	100	<0.5	<2	7.75	<0.5	44	127	75	7.74
166069		1.27	>10.0	49.8	15.2	7.66	<5	130	<0.5	3	5.71	<0.5	44	124	235	8.36
166070 DUP		<0.02	>10.0	55.4	12.7	6.59	<5	120	<0.5	<2	5.04	<0.5	37	118	217	7.19
166071		0.09	0.014		<0.5	6.39	<5	510	0.8	<2	0.89	<0.5	2	9	6	1.91
166072		1.75	0.022		<0.5	8.17	<5	110	<0.5	<2	6.70	<0.5	43	132	79	7.35
166073		2.71	0.036		<0.5	7.66	7	220	0.7	<2	4.43	<0.5	20	48	58	5.24
166074		2.97	0.008		<0.5	7.35	<5	260	0.8	<2	3.60	<0.5	16	34	25	4.53
166075		2.77	0.007		<0.5	7.15	<5	250	0.6	<2	4.71	<0.5	27	195	26	5.28
166076		2.25	0.018		<0.5	6.64	<5	420	1.0	<2	2.28	<0.5	9	31	37	2.87
166077		2.92	0.006		<0.5	7.43	<5	280	0.9	<2	3.50	<0.5	20	70	61	3.62
166078		2.42	0.038		<0.5	7.60	7	170	0.6	<2	6.06	<0.5	34	118	55	6.79
166079		2.46	<0.005		<0.5	6.65	<5	240	0.6	<2	6.09	<0.5	45	634	58	6.60
166080		2.42	0.014		<0.5	7.63	<5	120	<0.5	<2	5.72	<0.5	42	200	100	7.21





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 14-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06008036**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
166041		0.96	1.24	500	<1	3.08	34	220	2	0.30	<5	179	0.23	54	<10	44
166042		1.36	1.21	571	2	2.80	21	150	<2	0.12	<5	128	0.20	59	<10	42
166043		1.33	3.44	1270	12	1.78	42	540	<2	0.37	<5	257	0.50	193	10	92
166044		1.16	4.15	1405	<1	1.50	68	390	<2	0.20	<5	153	0.48	218	10	96
166045		0.20	0.06	116	<1	7.4	3	610	108	3.14	<5	18	0.02	2	<10	28
166046		1.07	2.40	1025	<1	2.36	38	780	<2	0.23	<5	194	0.50	134	<10	75
166047		0.84	4.22	1320	<1	1.65	70	430	<2	0.04	<5	162	0.49	211	<10	93
166048		0.48	4.23	1290	<1	1.73	71	400	<2	0.09	<5	156	0.46	216	<10	67
166049		0.40	3.71	1260	<1	1.94	86	400	<2	0.43	<5	172	0.49	223	<10	80
166050		1.10	2.79	1220	1	1.16	79	410	<2	0.61	<5	147	0.47	215	10	54
166051		1.93	3.13	1405	<1	0.67	72	370	<2	0.83	<5	96	0.47	206	<10	86
166052		2.19	2.91	1435	<1	0.75	77	410	<2	0.91	<5	123	0.49	216	<10	64
166053		2.35	3.35	1350	<1	0.62	82	380	2	0.92	<5	106	0.46	208	<10	67
166054		1.22	3.32	1285	<1	1.16	82	370	<2	0.34	<5	112	0.51	228	<10	86
166055		0.84	3.10	1500	<1	0.85	55	320	<2	0.43	<5	97	0.35	163	<10	70
166056 DUP		0.80	3.02	1485	<1	0.78	55	330	<2	0.41	<5	92	0.35	157	<10	69
166057		4.73	0.23	204	<1	2.35	3	160	36	0.01	<5	162	0.09	9	<10	29
166058		1.25	3.68	1345	<1	1.59	79	450	<2	0.50	<5	156	0.52	218	<10	106
166059		0.96	3.47	1365	<1	1.40	80	390	<2	0.33	<5	120	0.47	205	10	106
166060		1.12	3.88	1420	1	1.42	80	430	<2	0.37	<5	141	0.49	218	<10	106
166061		1.04	3.27	1225	<1	0.74	64	280	<2	0.66	<5	93	0.39	181	10	74
166062		0.76	4.11	1415	<1	1.95	112	670	<2	0.23	<5	288	0.72	223	<10	106
166063		0.63	4.61	1465	<1	2.18	102	800	<2	0.22	<5	374	0.71	230	<10	112
166064		0.21	0.07	36	<1	7.3	2	620	130	3.20	<5	22	0.01	1	<10	18
166065		0.91	3.64	1280	<1	1.60	72	380	<2	0.34	<5	150	0.49	219	<10	83
166066		0.91	1.54	714	1	2.67	30	520	<2	0.29	<5	180	0.39	91	<10	58
166067		0.89	2.54	1085	<1	2.57	50	540	<2	0.24	<5	194	0.47	155	<10	83
166068		0.59	3.71	1310	<1	1.48	81	400	<2	0.16	<5	136	0.50	223	10	102
166069		1.04	3.27	1135	1	1.38	83	370	51	2.25	<5	114	0.44	195	<10	87
166070 DUP		0.91	2.96	998	1	1.16	79	340	47	1.90	<5	104	0.40	179	10	78
166071		4.03	0.27	176	2	2.00	3	170	41	0.01	<5	146	0.08	9	<10	27
166072		0.72	3.84	1270	1	1.49	80	410	3	0.16	<5	156	0.49	225	<10	106
166073		0.86	1.78	852	2	2.14	32	680	3	0.19	<5	181	0.48	141	<10	74
166074		1.00	1.41	683	1	2.28	13	820	8	0.10	<5	191	0.46	103	<10	61
166075		0.98	3.36	868	1	1.98	92	490	2	0.08	<5	213	0.38	128	<10	84
166076		0.89	0.72	398	1	2.71	9	310	5	0.14	<5	177	0.23	42	<10	40
166077		0.83	1.71	561	2	2.72	33	200	6	0.19	<5	248	0.26	92	<10	45
166078		0.86	3.62	1160	2	1.59	82	1350	4	0.17	<5	364	0.55	184	10	89
166079		0.82	6.69	1140	2	1.46	252	720	5	0.23	<5	335	0.42	138	<10	83
166080		0.62	4.36	1115	2	1.69	100	400	<2	0.37	<5	164	0.46	208	<10	65



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 14-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06009874

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 6-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 14-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06009874

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-GR21	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm	Au ppm
165750		0.66	193.0	2400	136.5	39.159	16.32	639.0	>100	136.5	>100

Comments: SAMPLE FROM VO06005747.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 14-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06009875

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 6-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 14-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06009875

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
163094		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		1.06	21.3	<0.05	22.3	<0.001	47.64	1021.0	21.9	22.6

Comments: SAMPLE FROM VO06005745. #162094: Au (+) fraction was lost in the Fire Assay process.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 18-FEB-2006

Account: TRAVEN

## CERTIFICATE VO06010300

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010300

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
160821		2.64	<0.005		0.05	<0.5	8.06	<5	50	<0.5	<2	7.78	<0.5	29	120	9
160822		3.14	0.010			<0.5	7.86	<5	60	<0.5	<2	7.20	<0.5	33	127	85
160823		2.73	0.106			<0.5	8.02	<5	150	0.5	<2	6.22	<0.5	27	116	112
160824		2.90	0.419			<0.5	8.45	<5	70	<0.5	<2	7.31	<0.5	32	143	340
160825		2.71	8.18			<0.5	8.02	<5	60	<0.5	<2	7.11	<0.5	33	151	446
160826		2.46	0.333			<0.5	8.10	<5	160	0.5	<2	7.62	<0.5	39	275	724
160827		2.63	0.042			<0.5	7.65	6	340	0.8	<2	3.34	<0.5	7	26	66
180828		0.06	1.810			20.9	8.55	<5	60	2.9	<2	0.35	<0.5	1	5	5
180829		2.56	0.042			<0.5	7.57	<5	200	0.7	<2	4.30	<0.5	15	59	64
160830		3.06	0.276	0.249		0.7	7.00	<5	90	<0.5	<2	5.83	0.7	27	115	389
160831 DUP		<0.02	0.329	0.319		<0.5	7.59	7	100	<0.5	<2	6.34	<0.5	27	118	348
160832		2.68	5.54			0.7	6.90	<5	70	<0.5	<2	6.49	<0.5	32	133	198
160833		2.54	1.440			2.3	8.13	<5	80	<0.5	<2	7.26	2.7	66	154	1465
180834		2.71	0.052			<0.5	8.16	<5	50	<0.5	<2	7.37	<0.5	34	141	288
160835		2.73	1.555			0.7	7.60	11	60	<0.5	<2	6.53	<0.5	87	143	1820
160836		2.90	1.945			0.5	7.86	<5	90	<0.5	<2	7.26	<0.5	53	151	1015
160837		2.65	0.031			<0.5	8.81	7	160	0.5	<2	7.35	<0.5	32	107	75
180838		2.65	<0.005			<0.5	8.61	8	40	<0.5	<2	8.31	<0.5	33	134	9
160839		1.26	>10.0		19.20	<0.5	8.14	<5	110	0.5	<2	7.24	0.5	34	170	378
180840		0.27	0.006			<0.5	6.79	<5	520	0.8	<2	0.99	<0.5	1	8	4
160841		2.48	1.525			<0.5	8.18	<5	130	<0.5	<2	6.38	<0.5	25	106	388
160842		3.00	0.147			<0.5	8.10	16	60	<0.5	<2	7.37	<0.5	46	145	292
160843		3.29	0.012			<0.5	8.74	<5	140	0.6	<2	7.23	<0.5	35	138	134
160844		2.26	0.059			<0.5	7.88	<5	130	0.6	<2	8.37	<0.5	46	252	415
160845		2.18	0.035			<0.5	8.42	<5	90	<0.5	<2	7.66	<0.5	29	135	227
160846		2.42	<0.005			<0.5	8.48	<5	120	<0.5	<2	7.09	<0.5	28	129	14
160847		2.58	0.186			<0.5	8.61	6	140	<0.5	<2	7.01	0.5	25	122	12
160848		2.54	0.033			<0.5	8.41	<5	40	<0.5	<2	8.01	<0.5	31	127	13
160849		2.46	0.293	0.390		<0.5	7.43	<5	70	<0.5	<2	6.00	<0.5	47	146	267
160850 DUP		<0.02	0.168	0.124		<0.5	7.79	5	80	<0.5	<2	6.26	<0.5	44	138	241
160851		0.11	<0.005			<0.5	6.76	6	520	0.9	<2	0.92	<0.5	2	25	9
160852		2.54	0.175			<0.5	7.78	<5	80	<0.5	<2	7.22	<0.5	36	132	157
160853		2.46	0.011			<0.5	7.82	<5	70	<0.5	<2	7.26	<0.5	33	160	105
160854		2.52	0.083			<0.5	7.73	<5	120	<0.5	<2	5.83	<0.5	46	132	922
160855		2.58	0.028			<0.5	7.27	11	110	<0.5	<2	6.68	<0.5	48	211	183
160856		2.99	0.012			<0.5	8.18	<5	180	0.5	<2	5.81	<0.5	29	123	161
160857		2.71	0.038			<0.5	7.88	<5	130	<0.5	<2	6.71	<0.5	40	130	324
160858		0.04	0.968			10.3	8.60	6	50	3.2	<2	0.35	<0.5	1	5	8
160859		2.65	0.023			<0.5	7.75	8	110	<0.5	<2	6.99	<0.5	32	120	135
160860		1.58	0.010			<0.5	7.41	<5	170	0.5	<2	7.16	<0.5	35	197	69



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010300**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180821		7.08	0.33	3.80	1355	<1	1.57	75	380	5	0.03	<5	158	0.47	206	<10
160822		6.99	0.42	3.40	1290	<1	1.61	75	380	6	0.21	<5	167	0.47	202	<10
160823		6.78	0.86	2.75	1245	1	1.80	70	440	6	0.36	<5	178	0.48	166	<10
160824		7.83	0.55	3.57	1355	1	1.63	86	370	5	0.47	<5	175	0.52	222	<10
160825		7.69	0.40	3.32	1300	1	1.55	88	380	2	0.70	<5	165	0.51	214	<10
180826		7.99	0.56	4.76	1415	1	1.67	150	680	7	0.83	<5	288	0.48	203	<10
160827		2.51	0.76	0.74	398	<1	3.14	10	310	6	0.16	<5	261	0.20	39	<10
160828		3.08	0.17	0.06	118	<1	8.70	3	610	129	3.47	<5	20	0.01	1	<10
160829		4.69	0.55	1.88	821	1	2.62	30	450	12	0.19	<5	188	0.38	95	<10
160830		6.16	0.59	3.04	1080	<1	1.80	85	330	43	0.49	<5	164	0.39	190	<10
160831 DUP		6.66	0.62	3.32	1175	<1	1.94	88	380	44	0.51	<5	178	0.41	202	<10
160832		6.57	0.46	3.56	1185	<1	1.74	89	380	11	0.32	<5	170	0.38	191	<10
160833		9.68	0.53	3.52	1385	<1	1.94	112	410	171	2.07	<5	181	0.48	208	<10
160834		7.78	0.36	3.51	1345	<1	1.75	75	370	13	0.60	<5	153	0.48	206	<10
160835		10.80	0.44	3.02	1215	1	1.65	142	350	47	3.21	8	146	0.45	192	<10
160836		10.55	0.61	3.40	1390	<1	1.47	142	370	10	2.81	<5	150	0.47	201	10
160837		7.59	0.51	3.46	1345	1	2.28	69	810	8	0.42	<5	356	0.52	182	10
160838		7.39	0.30	4.03	1380	<1	1.77	86	400	3	0.03	<5	167	0.53	224	10
160839		8.13	0.50	3.79	1290	1	1.84	100	500	8	1.08	<5	198	0.47	198	<10
160840		1.70	3.75	0.20	166	1	2.03	2	150	33	0.01	<5	140	0.08	7	<10
160841		7.54	0.49	2.94	1175	1	1.92	56	500	9	0.75	<5	206	0.44	163	10
160842		7.68	0.31	3.47	1255	1	1.70	86	380	3	0.77	<5	158	0.50	210	<10
160843		7.62	0.56	3.39	1320	1	2.00	66	680	9	0.37	<5	260	0.56	204	20
180844		8.82	0.66	5.24	1630	<1	1.48	80	780	6	0.40	<5	460	0.53	258	<10
160845		7.59	0.49	3.86	1350	<1	1.68	77	390	<2	0.22	5	187	0.49	212	10
160846		7.34	0.92	4.27	1215	1	1.62	85	380	7	0.04	7	155	0.50	220	<10
160847		7.32	0.99	4.15	1215	<1	1.55	75	580	4	0.11	<5	211	0.52	213	<10
160848		7.00	0.18	3.84	1365	<1	1.85	82	380	5	0.05	<5	168	0.50	215	<10
160849		7.09	0.43	2.90	1040	1	1.65	108	340	9	0.92	<5	141	0.48	194	10
160850 DUP		7.35	0.42	3.05	1085	1	1.73	98	380	3	0.92	5	148	0.46	183	10
160851		2.59	3.75	0.20	256	3	2.04	15	150	36	0.01	<5	146	0.08	8	<10
160852		7.52	0.55	3.71	1205	<1	1.77	85	420	4	0.46	<5	155	0.43	208	10
160853		7.09	0.45	3.97	1175	<1	1.65	90	410	5	0.34	<5	176	0.44	208	<10
160854		8.29	1.02	3.34	1210	<1	1.34	75	370	15	1.72	<5	152	0.44	208	10
160855		8.05	0.65	4.42	1240	<1	1.65	106	490	14	1.18	<5	216	0.42	207	590
160856		5.78	0.90	2.84	917	<1	1.88	78	920	4	0.62	<5	333	0.45	151	<10
160857		7.76	0.68	3.58	1145	<1	1.55	89	390	8	0.86	<5	202	0.44	210	<10
160858		2.78	0.19	0.07	36	<1	7.0	2	630	162	2.86	<5	22	0.01	1	<10
160859		7.24	0.57	3.53	1170	<1	1.56	73	390	5	0.44	<5	206	0.43	205	<10
160860		7.95	0.67	4.50	1360	<1	1.75	90	780	10	0.29	<5	372	0.47	222	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 18-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010300

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
160821		64
160822		63
160823		68
160824		73
160825		68
160826		92
160827		37
160828		17
160829		58
160830		455
160831 DUP		352
160832		109
160833		993
160834		77
160835		258
160836		69
160837		73
160838		72
160839		73
160840		25
160841		51
160842		78
160843		76
160844		103
160845		65
160846		68
160847		70
160848		65
160849		55
160850 DUP		52
160851		24
160852		61
160853		63
160854		76
160855		92
160856		60
160857		60
160858		14
160859		55
160860		71



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010300

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
160861		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
160862		3.65	0.006			<0.5	8.78	9	420	0.8	<2	5.33	<0.5	26	61	79
160863		2.49	0.014			<0.5	8.76	<5	330	0.6	<2	6.11	<0.5	32	177	114
160864		2.94	0.005			<0.5	9.64	<5	370	0.7	<2	6.78	<0.5	30	25	104
160865		2.70	0.069			<0.5	8.36	14	180	0.6	<2	6.94	<0.5	30	122	398
160865		2.50	0.041			<0.5	7.76	5	60	<0.5	<2	6.78	<0.5	32	128	243
160866 DUP		<0.02	0.073			<0.5	7.70	<5	60	<0.5	<2	6.67	<0.5	32	134	234
160867		2.37	0.039			<0.5	7.79	<5	50	<0.5	<2	7.37	<0.5	29	122	188
160868		2.83	0.044			<0.5	7.68	9	310	0.7	<2	6.24	<0.5	28	112	94
160869		2.65	0.044			<0.5	7.98	<5	230	0.7	<2	4.92	<0.5	17	43	69
160870		2.70	0.012			<0.5	8.28	<5	230	0.7	<2	4.83	<0.5	20	27	57
160871		1.49	2.08			0.6	7.90	5	110	<0.5	<2	6.37	<0.5	43	131	758
160872		0.12	<0.005			<0.5	6.56	<5	520	0.9	<2	0.88	<0.5	2	21	9
160873		2.98	0.177			<0.5	7.49	<5	60	<0.5	<2	6.57	<0.5	42	128	417
160874		2.81	0.066			<0.5	7.66	<5	350	0.7	<2	6.61	<0.5	31	198	292
160875		3.53	0.298			<0.5	8.12	<5	200	0.7	<2	5.39	<0.5	27	54	453
160876		1.55	0.054			<0.5	8.01	<5	100	<0.5	<2	6.05	<0.5	28	141	466
160877		2.60	0.021			<0.5	7.93	5	50	<0.5	<2	6.92	<0.5	29	136	305
160878		0.06	1.750			18.4	8.55	12	60	3.1	<2	0.35	<0.5	2	4	6
160879		2.79	0.086			<0.5	7.88	7	70	<0.5	<2	6.62	<0.5	26	128	224
160880		2.48	0.023			<0.5	7.37	<5	80	<0.5	<2	6.60	<0.5	29	118	304
160881		2.46	0.151			<0.5	7.72	<5	60	<0.5	<2	6.56	<0.5	39	145	500
160882		2.60	0.021			<0.5	7.64	<5	60	<0.5	<2	6.33	<0.5	25	131	196
160883		2.55	2.58			0.6	7.06	<5	70	<0.5	<2	7.03	<0.5	42	124	786
160884		2.31	0.143			<0.5	7.75	<5	110	0.5	<2	6.48	<0.5	23	99	93
160885		2.32	0.026			<0.5	7.28	<5	220	0.7	<2	4.53	<0.5	16	55	107
160886		2.65	0.037			<0.5	7.44	<5	170	0.7	<2	4.87	<0.5	20	82	208
160887		2.42	0.727			0.5	7.23	5	100	<0.5	<2	6.32	<0.5	28	130	933
160888		<0.02	0.954			10.6	8.71	<5	50	3.2	<2	0.35	<0.5	1	5	9
160889		2.33	0.571			1.0	8.03	5	160	0.5	<2	6.89	<0.5	36	93	1315
160890		2.65	0.798			0.6	8.01	<5	120	<0.5	<2	6.89	<0.5	38	101	837
160891		2.48	0.034			<0.5	8.26	<5	40	<0.5	<2	7.58	<0.5	31	118	287
160892		2.61	0.745			<0.5	7.51	<5	100	<0.5	<2	5.74	<0.5	43	140	486
160893		2.38	0.022			<0.5	7.77	<5	50	<0.5	<2	6.86	<0.5	26	116	209
160894		2.48	0.704			0.9	7.76	<5	50	<0.5	<2	6.91	<0.5	38	120	1975
160895		2.27	1.120			<0.5	7.36	8	110	<0.5	<2	5.98	<0.5	35	104	725
160898		2.44	0.039			<0.5	7.12	6	160	0.6	<2	5.71	<0.5	25	70	94
160897		2.67	0.719			<0.5	8.10	7	70	<0.5	<2	6.77	<0.5	30	119	340
160898		2.68	1.060	1.080		<0.5	7.63	11	70	<0.5	<2	6.60	<0.5	35	127	940
160899 DUP		<0.02	1.725	1.205		<0.5	7.72	<5	70	<0.5	<2	6.62	<0.5	33	124	860
160900		0.13	<0.005			1.1	7.08	<5	580	0.9	<2	1.07	<0.5	2	13	12



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 18-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010300

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
160861		5.46	1.19	2.72	887	<1	2.70	49	920	11	0.25	<5	491	0.46	144	20
160862		6.16	0.82	4.50	1015	<1	2.60	100	920	19	0.27	<5	546	0.46	168	<10
160863		6.67	0.82	3.10	1105	<1	2.59	26	1030	20	0.21	<5	564	0.59	199	<10
160864		7.63	0.90	3.50	1265	<1	1.66	77	1330	12	0.54	<5	363	0.82	210	<10
160865		7.21	0.47	3.17	1105	<1	1.52	83	390	4	0.75	<5	154	0.43	198	<10
160866 DUP		7.19	0.47	3.13	1095	<1	1.52	87	360	5	0.78	<5	153	0.43	197	<10
160867		7.01	0.40	3.35	1210	<1	1.36	87	370	2	0.43	<5	155	0.44	206	<10
160868		6.08	0.96	3.18	989	<1	2.27	86	1450	8	0.51	<5	650	0.58	161	<10
160869		5.63	0.90	1.92	951	<1	2.21	34	850	2	0.25	<5	213	0.50	138	<10
160870		5.48	0.88	1.77	888	<1	2.42	34	910	5	0.12	<5	243	0.51	134	<10
160871		7.23	0.68	3.06	1090	<1	1.63	75	390	35	1.10	<5	165	0.44	209	<10
160872		2.26	4.10	0.21	211	2	2.13	15	160	38	0.01	<5	145	0.09	9	<10
160873		7.10	0.52	3.05	1125	<1	1.45	72	340	8	0.77	<5	145	0.42	202	<10
160874		6.53	1.07	4.29	1065	<1	1.70	124	800	13	0.35	<5	670	0.42	182	<10
160875		6.18	0.83	1.91	928	<1	2.22	48	850	6	0.53	<5	211	0.51	153	<10
160876		6.65	0.74	2.73	1005	<1	1.78	66	350	6	0.74	<5	156	0.45	205	<10
160877		6.97	0.34	3.24	1125	<1	1.66	65	380	4	0.48	<5	148	0.44	213	<10
160878		2.80	0.18	0.07	108	<1	6.9	5	640	134	2.89	<5	23	0.01	2	<10
160879		6.81	0.49	3.23	1080	<1	1.68	63	360	6	0.40	<5	148	0.44	209	<10
160880		6.63	0.69	3.07	1135	<1	1.36	67	480	6	0.54	<5	149	0.43	193	<10
160881		7.12	0.57	3.12	1085	<1	1.67	90	350	8	0.75	<5	148	0.48	226	10
160882		6.28	0.39	2.99	1010	<1	1.76	60	380	3	0.43	<5	159	0.43	194	<10
160883		8.48	0.71	2.83	1100	<1	1.27	117	350	4	1.92	<5	132	0.40	193	10
160884		6.39	0.70	3.01	1150	<1	1.77	51	540	4	0.22	<5	168	0.46	165	10
160885		4.67	0.86	1.66	808	<1	2.16	27	570	6	0.39	<5	180	0.39	102	<10
160886		5.35	0.54	1.93	789	<1	2.24	35	430	5	0.49	<5	173	0.37	124	<10
160887		6.85	0.65	3.03	1065	<1	1.52	58	310	7	0.73	<5	135	0.41	198	<10
160888		2.82	0.20	0.07	35	<1	7.2	4	660	142	2.92	<5	22	0.01	2	<10
160889		7.72	1.10	3.19	1270	<1	1.53	84	1450	8	1.05	<5	436	0.57	202	10
160890		8.18	0.58	3.39	1185	<1	1.87	88	1180	3	0.98	<5	384	0.54	212	<10
160891		7.36	0.40	3.77	1285	<1	1.65	72	410	4	0.40	<5	160	0.46	216	<10
160892		7.39	0.84	2.76	988	<1	1.58	106	360	2	1.32	<5	136	0.43	194	10
160893		6.67	0.39	3.31	1095	<1	1.63	62	350	4	0.29	<5	152	0.45	212	<10
160894		7.48	0.33	3.31	1135	<1	1.71	85	390	10	1.02	5	141	0.43	207	<10
160895		7.22	0.50	2.77	1080	<1	1.76	89	440	3	0.94	<5	151	0.42	175	<10
160896		5.72	0.63	2.43	1085	<1	1.90	46	490	8	0.38	<5	167	0.39	137	<10
160897		7.22	0.53	3.40	1170	<1	1.90	60	460	<2	0.41	<5	172	0.47	214	10
160898		7.35	0.51	3.23	1110	<1	1.69	74	380	5	0.68	<5	150	0.43	209	10
160899 DUP		7.27	0.51	3.24	1110	<1	1.71	73	360	3	0.64	<5	152	0.43	208	10
160900		2.04	4.38	0.27	196	<1	2.25	8	170	42	0.01	<5	161	0.09	13	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 18-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010300

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
160861		79
160862		78
160863		83
160864		93
160865		54
160866 DUP		54
160867		58
160868		71
160869		70
160870		65
160871		104
160872		28
160873		67
160874		91
160875		82
160876		91
160877		64
160878		18
160879		65
160880		84
160881		66
160882		49
160883		71
160884		62
160885		46
160886		46
160887		79
160888		17
160889		124
160890		74
160891		57
160892		57
160893		56
160894		73
160895		67
160896		65
160897		71
160898		64
160899 DUP		64
160900		28



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010300**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
160901		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
160902		2.48	0.185			0.5	7.75	9	180	0.6	<2	5.01	<0.5	39	90	773
160903		2.50	3.64			<0.5	7.48	<5	90	<0.5	<2	6.80	<0.5	47	353	503
160904		2.83	0.070			<0.5	6.96	<5	130	<0.5	<2	7.23	<0.5	42	572	348
160905		2.57	0.029			<0.5	8.17	<5	140	<0.5	<2	7.26	<0.5	31	192	149
160906		2.56	0.072			<0.5	7.74	<5	90	<0.5	<2	6.64	<0.5	49	128	266
160907		2.48	0.009			<0.5	8.22	<5	190	0.5	<2	6.06	<0.5	25	110	69
160908		2.53	0.046			<0.5	8.08	<5	200	0.6	<2	6.15	<0.5	29	102	151
160909		0.06	1.850			19.2	8.81	<5	60	3.2	<2	0.37	<0.5	3	5	7
160910		2.49	0.025			<0.5	8.34	6	210	0.8	<2	5.68	<0.5	22	39	55
160911		2.44	0.854			0.6	7.88	8	250	0.6	<2	5.10	<0.5	29	79	336
160912		2.31	0.102			<0.5	7.86	<5	200	0.7	<2	4.76	<0.5	22	78	184
160913		2.41	0.017			<0.5	8.54	<5	190	0.6	<2	5.46	<0.5	22	65	102
160914		2.50	0.207			0.5	7.86	<5	140	0.5	<2	5.67	<0.5	27	114	374
160915		2.46	4.87			1.4	7.66	<5	140	0.6	<2	4.67	<0.5	45	77	413
160916		2.52	0.032			<0.5	7.89	<5	130	0.7	<2	3.98	<0.5	21	34	154
160917 DUP		2.80	0.086			<0.5	7.40	<5	80	<0.5	<2	5.80	<0.5	28	142	299
160918		<0.02	0.103			0.5	7.47	5	80	<0.5	<2	5.85	<0.5	30	142	318
160919		2.53	>10.0		15.50	3.1	7.64	12	110	<0.5	<2	5.85	<0.5	36	145	822
160920		0.20	0.005			<0.5	6.89	5	580	0.9	<2	0.94	<0.5	2	10	6
160920		2.52	0.073			<0.5	7.79	7	110	<0.5	<2	6.56	<0.5	31	161	385



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010300**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
160901		6.52	0.79	2.28	940	<1	2.13	57	560	13	1.02	<5	172	0.43	156	<10
160902		7.54	0.65	4.59	1190	<1	1.66	147	470	2	0.76	<5	180	0.41	198	<10
160903		6.98	0.63	6.21	1215	<1	1.54	232	510	5	0.47	<5	244	0.37	192	<10
160904		6.69	1.08	3.67	1300	<1	1.40	89	440	9	0.48	<5	169	0.46	210	10
160905		7.60	0.68	3.28	1235	<1	1.68	95	380	4	1.01	<5	142	0.43	216	10
180906		5.83	0.95	3.27	1090	<1	2.05	58	560	8	0.15	<5	246	0.40	165	<10
160907		6.46	1.12	2.80	1150	<1	1.76	57	550	4	0.55	<5	184	0.47	191	<10
160908		2.98	0.19	0.07	115	<1	7.2	5	670	127	3.10	<5	23	0.01	2	<10
160909		6.24	0.95	2.23	909	<1	2.19	47	1730	5	0.38	<5	338	0.59	157	<10
180910		6.72	1.43	2.35	972	<1	2.08	81	710	16	1.04	<5	224	0.47	161	10
180911		5.73	0.89	2.14	900	<1	2.40	43	640	29	0.33	<5	203	0.47	153	<10
160912		6.36	0.80	2.41	1040	<1	2.54	42	770	12	0.33	<5	217	0.52	174	<10
160913		6.39	0.91	3.09	1070	<1	2.02	62	460	6	0.39	<5	177	0.45	198	10
160914		6.22	0.70	2.28	939	<1	2.32	87	510	54	1.07	<5	178	0.42	163	70
160915		4.90	0.67	1.58	857	<1	2.94	31	710	7	0.34	<5	198	0.50	137	<10
180916		6.53	0.49	3.16	1130	<1	1.98	66	350	5	0.72	<5	148	0.45	206	10
160917 DUP		6.53	0.50	3.17	1130	<1	1.98	70	380	2	0.68	<5	150	0.46	206	10
160918		7.16	0.78	3.29	1130	<1	1.84	89	370	15	1.23	<5	156	0.46	207	10
160919		1.38	4.31	0.23	140	<1	2.19	4	180	38	0.01	<5	156	0.08	9	<10
180920		6.74	0.75	3.48	1175	<1	1.63	77	390	3	0.65	<5	151	0.44	209	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 18-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010300

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
160901		69
160902		80
160903		67
160904		57
160905		55
160906		66
160907		117
160908		19
160909		57
160910		157
160911		116
160912		72
160913		100
160914		88
160915		126
160916		83
160917 DUP		65
160918		62
160919		26
160920		80



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 16-FEB-2006  
 Account: TRAVEN

**CERTIFICATE VO06010301**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-FEB-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 16-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010301

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm
160921		0.02	0.153		0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
160922		1.86	0.023			<0.5	7.69	<5	130	0.5	<2	4.64	0.5	24	100	194
160923		1.12	2.28			0.9	8.25	<5	100	0.8	<2	3.64	1.1	18	18	110
160924		0.17	0.006			<0.5	6.54	<5	80	<0.5	2	4.42	1.2	42	89	587
160925		1.73	0.128			<0.5	6.59	<5	540	0.9	<2	1.08	<0.5	2	10	9
160926		2.69	0.249			1.2	7.46	5	100	0.5	<2	4.63	<0.5	26	87	175
160927		2.69	0.280			1.1	7.15	<5	140	0.6	<2	4.08	2.5	57	144	783
160928		2.23	0.055			<0.5	7.43	<5	120	<0.5	<2	5.53	1.2	58	252	858
160929		2.76	0.196			<0.5	7.47	<5	200	0.7	<2	4.44	<0.5	31	152	136
160930		2.55	0.863	0.991		<0.5	6.85	<5	120	0.5	<2	5.30	<0.5	43	411	208
160931 DUP		<0.02	0.656	0.868		0.8	6.72	<5	40	<0.5	<2	6.63	<0.5	45	266	731
160932		2.59	0.115			0.5	6.74	<5	40	0.5	<2	6.64	<0.5	47	304	712
160933		2.66	0.086			<0.5	7.21	5	40	<0.5	<2	5.58	<0.5	49	116	579
160934		2.64	0.059			<0.5	7.50	<5	30	<0.5	<2	4.94	<0.5	43	126	332
160935		2.62	0.075			<0.5	7.70	<5	70	<0.5	<2	4.86	<0.5	48	109	253
160936		2.46	0.122			<0.5	7.24	<5	80	<0.5	<2	3.94	<0.5	62	128	541
160937		0.04	1.000			9.9	6.75	7	80	0.5	<2	2.54	<0.5	46	53	336
160938		2.68	0.024			<0.5	8.49	6	50	3.2	<2	0.34	<0.5	<1	3	9
160939		2.49	<0.005			<0.5	6.75	<5	180	<0.5	<2	5.56	<0.5	36	234	44
160940		2.71	0.018			<0.5	6.50	<5	150	<0.5	<2	7.26	<0.5	50	636	47
160941		2.59	0.008			<0.5	6.22	<5	210	0.7	<2	4.68	<0.5	38	487	56
160942		2.59	0.008			<0.5	6.16	<5	120	<0.5	<2	6.33	<0.5	43	369	100
160943		2.62	0.063			<0.5	7.82	8	90	<0.5	<2	5.29	<0.5	37	196	311
160944		2.66	0.022			<0.5	7.26	<5	80	<0.5	<2	5.81	<0.5	42	110	175
160945		2.61	0.337			0.5	7.85	<5	90	<0.5	<2	5.97	<0.5	59	131	843
160946		2.95	0.074			<0.5	7.82	<5	190	0.8	<2	3.72	<0.5	20	25	174
160947		1.84	0.245			1.2	7.68	<5	180	0.5	<2	5.74	<0.5	50	110	796
160948		4.04	0.224			<0.5	7.14	5	170	0.8	<2	2.88	<0.5	15	48	51
160949		1.50	0.069			<0.5	7.66	5	210	<0.5	<2	5.26	<0.5	26	109	22
160950		0.07	1.725			17.7	7.99	<5	60	3.2	<2	0.32	<0.5	1	2	5
160951		2.54	0.070			<0.5	7.30	<5	150	0.5	<2	3.94	<0.5	24	72	34
160952		2.54	2.90			<0.5	7.05	<5	160	<0.5	<2	4.67	<0.5	38	123	402
160953 DUP		2.50	0.147	0.121		<0.5	6.90	<5	140	0.5	<2	4.57	<0.5	28	128	113
180954		<0.02	0.071	0.073		<0.5	7.50	<5	150	0.6	<2	4.90	<0.5	32	138	122
160955		2.71	0.160			<0.5	7.60	8	140	0.7	<2	4.85	<0.5	28	128	52
160956		2.48	0.119			<0.5	7.47	<5	60	<0.5	<2	4.44	<0.5	20	81	189
160957		2.73	0.024			<0.5	7.81	5	130	<0.5	<2	5.15	<0.5	31	112	149
160958		0.21	<0.005			<0.5	6.44	<5	530	0.9	<2	0.81	<0.5	2	8	6
160959		2.54	0.018			<0.5	6.90	<5	70	0.5	<2	4.77	<0.5	30	156	238
160960		2.73	0.056			<0.5	7.31	<5	100	<0.5	<2	5.44	<0.5	30	318	127
160960		2.60	0.103			<0.5	5.81	<5	40	<0.5	<2	5.27	<0.5	43	973	111



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 16-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010301

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
160921		5.14	0.69	2.56	931	<1	2.65	46	550	29	0.37	<5	211	0.39	146	10
160922		4.81	0.54	1.36	890	<1	3.40	20	740	35	0.32	<5	211	0.46	129	<10
160923		6.22	0.52	2.40	931	<1	1.91	68	400	80	1.11	<5	140	0.34	141	40
160924		2.13	4.02	0.25	201	1	2.08	6	190	35	0.01	<5	165	0.09	11	10
160925		5.75	0.65	2.38	1040	<1	2.38	37	550	12	0.40	<5	174	0.43	168	<10
160926		6.27	0.87	2.28	924	<1	2.30	69	500	108	1.62	<5	176	0.42	164	20
160927		7.53	0.83	3.90	1140	<1	1.99	104	430	49	1.38	<5	180	0.41	207	10
160928		5.89	0.73	2.96	1005	<1	2.64	60	800	8	0.49	<5	281	0.43	162	<10
160929		6.61	0.54	5.50	1180	<1	2.38	170	530	13	0.27	<5	200	0.38	174	<10
160930		7.02	0.80	4.10	1195	<1	1.10	100	420	14	0.61	<5	26	0.39	184	20
160931 DUP		7.03	0.85	4.25	1210	<1	1.09	111	420	14	0.58	<5	26	0.40	198	20
160932		6.91	0.66	3.17	1145	<1	2.46	59	350	10	0.75	<5	67	0.43	205	<10
160933		9.24	0.37	4.28	1570	<1	2.62	100	620	4	0.31	<5	65	0.65	213	<10
160934		8.47	0.63	3.58	1495	<1	2.88	84	650	15	0.64	<5	170	0.63	211	<10
160935		6.20	0.70	2.70	1050	<1	3.20	48	340	11	0.86	<5	138	0.44	211	<10
160936		5.71	0.69	1.78	811	1	3.17	38	650	21	0.77	<5	136	0.46	158	<10
160937		2.83	0.20	0.07	37	<1	6.8	2	640	120	3.05	<5	22	0.01	2	<10
180938		6.08	1.32	5.28	1070	<1	2.03	122	420	2	0.14	<5	97	0.36	166	<10
160939		6.84	0.77	9.63	1230	<1	0.68	265	640	<2	0.05	<5	72	0.28	154	<10
160940		5.19	0.98	5.96	944	<1	1.73	186	500	5	0.13	<5	168	0.26	122	<10
160941		5.86	0.71	6.75	1120	<1	1.48	166	430	14	0.22	<5	219	0.29	166	<10
160942		6.74	0.72	3.97	1220	<1	3.03	76	440	4	0.50	<5	179	0.45	213	<10
160943		7.27	0.73	3.63	1250	<1	1.85	102	470	4	0.33	<5	198	0.49	206	<10
160944		7.59	0.80	3.27	1170	<1	1.91	70	370	5	1.22	<5	207	0.45	221	<10
160945		5.13	0.76	1.45	832	1	2.77	16	840	3	0.29	<5	226	0.49	126	<10
160946		8.24	1.28	3.45	1320	<1	2.15	66	380	27	1.82	<5	184	0.42	209	<10
160947		4.05	0.59	1.56	673	<1	3.29	26	300	3	0.12	<5	133	0.29	96	<10
160948		6.85	1.42	3.92	1120	<1	1.95	62	350	2	0.12	<5	156	0.42	209	<10
180949		2.67	0.19	0.06	110	<1	6.4	5	620	122	2.88	<5	21	0.01	2	<10
160950		5.60	0.92	2.66	927	<1	3.08	49	640	2	0.14	<5	140	0.47	165	<10
160951		6.54	1.27	3.70	1105	<1	2.36	91	350	<2	0.21	<5	152	0.44	217	<10
160952		6.61	1.06	3.90	1035	<1	1.92	67	370	2	0.16	<5	133	0.40	197	<10
160953 DUP		7.14	1.14	4.20	1115	<1	2.11	74	410	<2	0.17	<5	148	0.42	212	<10
160954		6.79	0.82	4.04	1045	<1	2.48	67	440	5	0.30	<5	182	0.41	203	<10
160955		4.63	0.58	2.68	877	<1	3.81	56	650	3	0.10	<5	84	0.36	152	<10
160956		7.02	0.84	3.99	1345	<1	2.86	74	420	2	0.38	<5	194	0.44	220	<10
160957		1.80	4.04	0.25	181	<1	2.02	4	160	33	0.01	<5	141	0.09	12	<10
160958		6.39	1.17	3.55	1305	<1	2.57	80	370	2	0.11	<5	49	0.45	212	<10
160959		7.54	0.98	4.78	1445	<1	2.33	154	370	<2	0.14	<5	162	0.40	206	<10
160960		9.24	0.34	8.04	1545	1	1.20	478	240	<2	0.14	<5	55	0.32	189	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 16-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010301

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
160921		168
160922		371
160923		476
160924		30
160925		120
160926		786
160927		459
160928		74
160929		139
160930		158
160931 DUP		166
160932		65
160933		86
160934		190
160935		97
160936		134
160937		18
160938		53
160939		63
160940		62
160941		90
160942		57
160943		86
160944		75
160945		56
160946		73
160947		30
160948		65
160949		19
160950		61
160951		71
160952		65
160953 DUP		68
160954		58
160955		46
160956		55
160957		27
160958		49
160959		63
160960		91



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 16-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010301**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
160961		2.70	0.450			<0.5	5.06	<5	60	<0.5	<2	5.52	<0.5	69	1400	7
160962		2.64	0.086			<0.5	4.91	<5	20	<0.5	<2	5.01	<0.5	72	1570	46
160963		2.63	0.029			<0.5	4.32	<5	<10	<0.5	<2	4.55	<0.5	77	1775	67
160964		2.48	0.602			<0.5	3.40	<5	<10	<0.5	2	4.42	<0.5	82	2460	80
160965		2.56	0.187			<0.5	3.97	<5	<10	<0.5	<2	4.48	<0.5	70	1785	115
180966		3.23	0.511			<0.5	3.95	6	20	<0.5	<2	4.59	<0.5	77	2330	127
180967		2.72	0.240			<0.5	3.59	<5	<10	<0.5	2	3.83	<0.5	83	2270	142
160968		2.52	0.033			<0.5	4.12	6	50	<0.5	<2	4.52	<0.5	78	2210	39
160969		3.67	0.184			<0.5	3.65	<5	40	<0.5	<2	4.22	<0.5	84	2650	80
160970		0.06	1.005			10.2	8.01	<5	50	3.3	<2	0.34	<0.5	1	14	8
160971		4.59	0.165			<0.5	3.28	<5	<10	<0.5	<2	4.64	<0.5	97	2580	82
160972		2.79	0.216			<0.5	4.02	<5	10	<0.5	<2	4.54	<0.5	95	2260	37
160973		2.68	0.103			<0.5	3.90	<5	<10	<0.5	<2	4.77	<0.5	89	2310	53
160974		3.10	0.183			<0.5	4.38	<5	<10	<0.5	<2	4.50	<0.5	79	1965	94
160975		2.69	0.227			<0.5	6.26	8	90	<0.5	<2	5.75	<0.5	48	909	22
160976		2.50	0.062			<0.5	7.21	<5	280	<0.5	<2	5.19	<0.5	37	302	8
160977		3.07	0.442	0.379		<0.5	5.59	<5	70	<0.5	<2	5.52	<0.5	54	890	256
180978 DUP		<0.02	0.337	0.326		<0.5	5.91	<5	90	<0.5	<2	5.43	<0.5	56	1020	253
180979		0.26	<0.005			<0.5	6.32	<5	530	0.9	<2	0.88	<0.5	2	16	5
180980		2.63	0.007			<0.5	7.63	<5	360	0.5	<2	2.44	<0.5	32	735	27
160981		2.19	0.216			<0.5	4.29	<5	30	<0.5	<2	4.19	<0.5	80	1680	97
160982		2.80	0.291			<0.5	6.30	<5	100	<0.5	3	5.47	<0.5	46	867	31
160983		2.79	1.505			<0.5	5.70	<5	90	<0.5	<2	5.53	<0.5	51	1140	5
160984		2.77	0.280			<0.5	6.21	<5	230	<0.5	<2	5.88	<0.5	50	718	68
160985		1.17	9.63			0.5	5.05	<5	190	<0.5	4	3.95	<0.5	31	681	55
160986		0.23	0.007			<0.5	6.14	<5	540	0.9	<2	0.80	<0.5	2	17	5
160987		3.67	0.836			<0.5	6.31	<5	240	0.5	<2	3.82	<0.5	37	692	136
160988 DUP		<0.02	0.843			<0.5	5.97	<5	210	0.5	<2	3.74	<0.5	35	710	134
180989		2.68	1.095			<0.5	5.39	<5	120	<0.5	3	4.25	<0.5	36	753	63
160990		2.64	0.636			<0.5	6.79	<5	370	0.5	<2	5.47	<0.5	42	474	101
160991		2.37	1.295			<0.5	5.95	<5	140	<0.5	<2	5.68	<0.5	46	1010	19
160992		2.58	0.418			0.5	5.39	<5	50	<0.5	<2	5.70	<0.5	53	1245	17
160993		2.80	0.059			<0.5	6.04	6	260	<0.5	<2	5.45	<0.5	57	1080	8
160994		0.07	1.815			18.5	7.71	<5	60	3.1	<2	0.34	<0.5	1	9	5
160995		2.65	0.084			<0.5	5.45	<5	150	<0.5	<2	5.70	<0.5	67	1335	20
160996		3.01	0.054			<0.5	5.86	<5	70	<0.5	<2	5.93	<0.5	65	1295	11
160997		2.67	0.060			<0.5	6.03	<5	90	<0.5	<2	5.74	<0.5	62	1145	33
160998		2.27	0.146			<0.5	5.40	<5	10	<0.5	<2	5.65	<0.5	74	1410	33
160999		2.96	0.032			<0.5	5.89	<5	90	<0.5	<2	5.59	<0.5	61	1175	11
161000		2.21	0.124			<0.5	5.35	<5	70	<0.5	<2	5.60	<0.5	60	1255	40



Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010301**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
180961		7.64	0.25	11.65	1425	<1	0.23	792	230	<2	0.02	<5	32	0.24	160	<10
180962		7.50	0.10	12.20	1305	<1	0.21	887	220	<2	0.25	<5	33	0.24	154	<10
160963		7.07	0.02	13.05	1260	<1	0.14	1040	150	<2	0.28	<5	25	0.23	143	<10
180964		6.85	0.03	15.30	1380	<1	0.07	1330	130	<2	0.42	<5	53	0.17	113	<10
160965		7.15	0.04	12.95	1170	<1	0.15	1055	130	<2	0.43	<5	27	0.20	131	<10
160966		7.48	0.18	13.90	1710	<1	0.10	1160	170	<2	0.43	<5	35	0.18	123	10
160967		7.09	0.02	14.60	1125	<1	0.07	1310	130	2	0.82	<5	28	0.18	123	<10
160968		6.98	0.31	13.90	1305	<1	0.28	1125	220	3	0.27	5	98	0.19	131	10
160969		7.04	0.14	14.50	1370	<1	0.16	1240	170	<2	0.46	<5	67	0.18	121	10
160970		2.98	0.20	0.08	38	1	8.8	3	600	124	3.04	<5	19	0.01	2	<10
160971		7.16	0.02	15.70	1520	<1	0.08	1410	120	<2	0.67	<5	47	0.17	117	<10
160972		7.60	0.19	14.80	1415	<1	0.09	1275	440	3	0.59	6	37	0.25	133	<10
160973		7.61	0.01	15.40	1375	<1	0.08	1295	140	<2	0.25	<5	30	0.20	135	10
180974		7.96	0.02	14.40	1400	<1	0.12	1140	180	<2	0.44	7	12	0.23	148	<10
160975		8.25	0.95	9.13	1475	12	0.86	517	210	<2	0.22	5	118	0.33	209	10
160976		6.58	1.85	4.58	1195	<1	1.32	122	430	<2	0.05	<5	202	0.42	189	<10
160977		8.40	0.82	9.47	1555	<1	0.48	503	220	13	0.67	<5	62	0.30	179	10
180978 DUP		8.88	1.06	9.95	1605	<1	0.49	525	210	8	0.71	<5	71	0.32	190	10
160979		1.76	3.64	0.25	168	1	2.14	6	160	34	0.01	6	140	0.09	9	<10
180980		3.40	0.87	5.65	595	<1	2.66	398	220	5	0.05	<5	179	0.14	57	10
160981		7.52	0.41	13.20	1275	<1	0.13	992	170	12	0.70	<5	40	0.22	142	<10
180982		8.60	1.66	8.38	1465	<1	0.29	410	240	<2	0.14	<5	118	0.33	202	<10
160983		7.81	1.24	9.48	1285	<1	0.25	584	200	<2	0.11	<5	62	0.26	174	<10
160984		8.61	1.56	7.63	1395	<1	0.56	416	1030	<2	0.33	<5	243	0.47	190	<10
180985		6.43	1.02	5.14	1190	1	0.78	349	320	3	0.33	<5	131	0.27	114	10
180986		1.85	3.77	0.22	168	1	2.02	5	150	33	<0.01	<5	136	0.08	9	<10
160987		7.44	1.08	5.19	1205	2	1.46	322	390	5	0.93	<5	125	0.32	102	10
160988 DUP		7.33	1.02	5.30	1210	1	1.32	325	350	6	0.90	6	114	0.30	101	10
160989		7.81	0.94	6.13	1340	1	0.81	384	310	2	0.37	5	116	0.28	130	10
160990		6.67	1.48	6.48	1015	1	0.68	329	800	3	0.76	<5	472	0.23	111	<10
160991		8.57	0.96	8.48	1280	<1	0.67	521	310	<2	0.17	7	120	0.31	159	<10
160992		8.80	0.64	10.35	1400	<1	0.30	657	210	2	0.09	<5	44	0.28	175	10
160993		7.66	1.38	9.79	1330	<1	0.54	609	320	<2	0.04	<5	128	0.28	163	<10
160994		2.59	0.19	0.07	112	<1	6.8	5	620	112	2.62	<5	18	0.01	2	<10
180995		7.83	0.55	10.40	1350	<1	0.42	690	380	<2	0.06	<5	87	0.30	180	<10
160996		7.90	0.39	10.15	1500	<1	0.56	668	240	<2	0.05	<5	60	0.30	180	<10
160997		7.42	0.43	9.14	1285	<1	0.88	599	310	<2	0.07	6	78	0.31	163	<10
160998		7.81	0.13	10.75	1370	<1	0.36	725	200	<2	0.09	8	39	0.25	178	<10
160999		6.82	0.51	8.96	1275	<1	1.10	614	200	7	0.02	<5	89	0.23	153	<10
161000		6.59	0.46	9.28	1230	<1	0.65	672	200	2	0.05	<5	62	0.21	142	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 16-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010301**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
160961		102
160962		99
160963		98
160964		88
160965		99
160966		120
160967		123
160968		87
160969		101
160970		20
160971		97
160972		103
160973		99
160974		117
160975		127
180976		62
180977		101
180978 DUP		106
180979		28
180980		69
160981		170
160982		111
160983		84
160984		104
160985		70
180986		28
180987		102
160988 DUP		100
160989		108
160990		98
160991		93
160992		92
160993		84
160994		18
160995		106
180996		112
160997		82
160998		91
160999		83
161000		92



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 16-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010301**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
161001		0.02	0.485			0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
161002		2.65	0.485			<0.5	5.99	<5	70	<0.5	<2	4.69	<0.5	52	985	46
161003		3.83	0.072			<0.5	7.13	<5	370	0.5	<2	1.89	<0.5	11	114	21
161004		0.89	>10.0		23.0	3.4	3.66	<5	<10	<0.5	<2	5.07	<0.5	48	981	125
161005		0.21	<0.005			<0.5	6.77	<5	580	0.9	<2	0.89	<0.5	2	15	6
161006		2.59	1.265			0.5	5.84	<5	30	<0.5	<2	5.61	<0.5	71	1150	196
161007		2.60	0.061			<0.5	7.06	<5	140	<0.5	<2	6.07	<0.5	52	513	10
161008		2.61	0.502			<0.5	6.37	<5	90	<0.5	<2	6.59	<0.5	46	352	64
161009		2.79	0.011			<0.5	6.65	<5	80	0.5	<2	7.63	<0.5	39	334	7
161010		3.09	<0.005			<0.5	4.48	<5	10	0.6	<2	6.62	<0.5	92	1135	38
161011		2.14	0.350			0.5	7.19	<5	120	<0.5	3	6.60	<0.5	49	362	219
161012		2.81	0.792			<0.5	6.85	<5	100	<0.5	<2	7.16	<0.5	64	382	310
161013		2.61	0.005			<0.5	7.40	<5	120	<0.5	<2	8.55	<0.5	49	359	42
161014 DUP		2.31	0.184			<0.5	6.53	<5	170	<0.5	<2	7.70	<0.5	46	318	128
161015		<0.02	0.184			<0.5	6.53	<5	170	<0.5	<2	7.75	<0.5	51	380	152
161016		2.89	0.050			<0.5	6.83	<5	210	0.6	<2	2.97	<0.5	17	148	12
161017		2.42	0.185			<0.5	7.50	<5	130	<0.5	<2	7.10	<0.5	48	415	44
161018		2.73	0.117			<0.5	7.10	<5	100	<0.5	2	7.79	<0.5	48	334	49
161019		0.06	0.976			10.5	7.65	<5	40	3.4	<2	0.32	<0.5	1	10	8
161020		2.68	0.213			<0.5	7.42	<5	80	<0.5	<2	7.45	<0.5	52	363	57
161021		2.52	0.441			<0.5	7.58	<5	250	<0.5	<2	5.47	<0.5	31	236	39
161022		2.90	1.405			<0.5	7.20	<5	110	<0.5	<2	7.36	5.0	43	247	107
161023		2.33	0.065			<0.5	5.93	<5	100	<0.5	2	7.07	<0.5	40	278	10
161024		2.39	0.244			<0.5	7.06	<5	80	<0.5	<2	7.54	<0.5	45	326	2
161025		0.07	1.780			17.9	7.52	<5	50	3.2	<2	0.33	<0.5	2	9	5
161026		2.48	0.166			<0.5	6.21	<5	270	0.8	<2	2.70	<0.5	15	99	81
161027		2.82	0.108			<0.5	7.06	<5	130	<0.5	<2	6.40	<0.5	34	162	25
161028 DUP		2.77	0.320			<0.5	6.00	<5	130	<0.5	<2	4.80	<0.5	25	156	13
161029		<0.02	0.274			<0.5	5.98	<5	130	<0.5	<2	4.89	<0.5	26	154	14
161030		2.13	0.049			<0.5	6.01	<5	170	0.7	<2	2.36	<0.5	11	76	16
161031		2.50	0.084			<0.5	6.76	<5	50	<0.5	<2	7.49	<0.5	45	326	11
161032		3.83	0.263			<0.5	6.86	<5	40	<0.5	<2	7.87	<0.5	46	331	14
161033		1.24	>10.0		48.8	<0.5	7.51	<5	30	<0.5	<2	7.77	<0.5	40	315	9
161034		0.10	0.106			<0.5	6.65	<5	540	0.9	<2	0.85	<0.5	2	12	6
161035		2.50	0.175			<0.5	7.91	<5	50	<0.5	<2	8.05	<0.5	42	337	23
161036		2.54	0.007			<0.5	8.13	<5	40	<0.5	<2	7.86	<0.5	49	189	26
161037		2.59	0.008			<0.5	7.38	<5	40	<0.5	<2	7.49	<0.5	48	328	25
161038		2.50	0.028			<0.5	6.69	<5	40	<0.5	<2	5.63	<0.5	46	292	78
161039		2.73	0.008			<0.5	7.59	7	160	<0.5	<2	6.82	<0.5	55	264	1655
161040		2.61	0.036			1.8	6.71	5	70	<0.5	<2	6.29	<0.5	42	29	2500
161040		2.43	0.101			0.6	7.64	<5	40	<0.5	<2	5.08	<0.5	28	25	923



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 16-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010301**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
161001		7.33	0.52	7.49	1290	<1	1.24	508	360	3	0.25	<5	100	0.32	139	<10
161002		2.47	1.90	1.37	335	1	3.36	56	350	<2	0.11	<5	117	0.20	51	<10
161003		6.55	0.07	7.07	1280	<1	0.29	486	120	<2	0.12	<5	24	0.18	116	<10
161004		2.13	4.11	0.24	191	1	2.20	6	170	36	0.01	<5	149	0.09	9	<10
161005		7.84	0.54	9.64	1350	<1	0.54	634	270	3	0.14	<5	53	0.28	172	<10
161006		8.25	0.68	6.52	1380	<1	1.68	231	230	2	0.06	5	121	0.38	236	30
161007		7.78	1.16	5.16	1440	<1	2.25	156	230	<2	0.25	<5	70	0.37	220	30
161008		7.82	1.38	5.92	1450	<1	1.06	142	220	2	0.03	<5	26	0.35	209	<10
161009		7.39	0.22	12.00	1270	<1	0.21	554	310	<2	0.09	<5	36	0.20	135	<10
161010		8.46	0.79	5.66	1415	<1	1.96	160	240	<2	0.17	<5	167	0.39	235	<10
161011		8.58	0.64	6.04	1460	<1	1.88	202	430	3	0.48	5	207	0.41	232	<10
161012		8.86	0.75	6.35	1500	<1	1.60	220	790	<2	0.21	<5	315	0.47	229	<10
161013		6.06	1.06	5.00	1465	<1	1.08	142	220	<2	0.60	<5	164	0.35	214	10
161014 DUP		8.07	1.20	5.02	1480	<1	1.03	154	220	<2	0.65	<5	164	0.39	234	<10
161015		3.38	0.92	1.91	579	1	3.75	54	160	<2	0.08	<5	101	0.16	76	<10
161016		8.38	1.00	5.78	1440	<1	1.63	186	290	2	0.09	<5	190	0.40	240	<10
161017		8.12	0.81	5.25	1455	<1	1.32	146	230	<2	0.12	7	170	0.38	231	<10
161018		2.70	0.20	0.07	35	1	6.7	1	570	114	2.76	<5	18	0.01	2	<10
161019		8.63	0.57	5.55	1480	<1	1.44	164	240	<2	0.10	6	150	0.40	242	<10
181020		5.38	0.81	3.50	933	<1	2.56	104	210	<2	0.04	<5	181	0.26	147	<10
161021		7.95	0.57	4.05	1465	<1	1.71	114	580	<2	0.28	<5	180	0.51	194	<10
181022		6.92	0.67	4.29	1170	<1	1.24	126	190	<2	0.03	<5	124	0.30	192	<10
161023		7.85	0.57	5.36	1280	<1	1.44	144	230	<2	<0.01	<5	138	0.38	231	<10
161024		2.70	0.18	0.06	109	<1	6.6	4	600	123	2.77	<5	17	0.01	2	<10
161025		3.53	0.94	1.48	573	2	3.20	20	130	9	0.59	<5	97	0.18	85	<10
161026		7.06	1.09	4.19	1355	<1	1.37	55	250	4	0.26	<5	113	0.41	246	<10
161027		6.08	0.83	3.29	1100	2	1.48	43	180	4	0.04	<5	95	0.31	183	<10
161028 DUP		6.01	0.81	3.29	1090	1	1.40	43	180	2	0.05	<5	96	0.31	184	<10
161029		2.79	0.79	1.26	524	1	2.97	18	120	4	0.07	<5	78	0.16	65	<10
161030		7.61	0.39	5.09	1370	<1	1.48	145	220	<2	0.01	<5	112	0.36	221	<10
161031		7.94	0.32	5.09	1400	<1	1.43	147	220	<2	0.02	<5	118	0.37	226	<10
161032		7.39	0.28	5.09	1375	<1	1.58	123	240	6	0.01	<5	143	0.38	224	20
161033		2.17	4.22	0.21	197	1	2.06	5	170	35	<0.01	<5	150	0.08	9	<10
161034		7.78	0.48	5.21	1455	<1	1.64	138	240	<2	0.08	<5	127	0.37	231	10
161035		7.90	0.34	4.13	1565	<1	2.84	88	590	<2	0.33	<5	208	0.51	218	<10
161036		8.24	0.62	4.99	1520	<1	1.99	123	300	<2	0.33	<5	150	0.39	231	<10
161037		6.56	0.70	3.73	1305	<1	2.84	102	370	3	0.24	<5	135	0.43	213	<10
161038		9.08	2.20	4.56	1730	1	0.86	140	700	5	0.68	<5	436	0.64	263	<10
161039		6.21	1.22	3.80	1260	<1	2.44	67	430	4	0.36	<5	128	0.55	280	<10
161040		6.06	0.48	3.13	1200	<1	4.04	52	610	<2	0.30	<5	108	0.58	248	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A - B)  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06050741

Sample Description	Method Analyte Units LDR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
179410		1.66	0.016		<0.5	7.59	<5	130	<0.5	<2	6.05	<0.5	28	114	20	7.01
179411		3.67	0.267		<0.5	7.74	<5	170	0.5	<2	5.28	<0.5	20	81	25	6.03
179412		2.94	0.218		<0.5	7.68	5	170	<0.5	<2	5.28	<0.5	23	93	25	6.40
179413		2.98	4.19		0.5	7.90	<5	130	0.5	<2	7.08	<0.5	31	192	798	7.38
179414		2.77	0.018		<0.5	7.85	<5	80	0.5	<2	6.49	<0.5	24	93	21	6.26
179415		2.83	0.087		<0.5	7.52	8	160	0.5	<2	5.63	<0.5	19	87	20	5.72
179416		2.98	0.870		<0.5	8.20	<5	190	<0.5	<2	6.08	<0.5	25	144	449	6.78
179417		0.09	<0.005		<0.5	6.87	<5	540	0.9	<2	0.81	<0.5	3	11	13	2.93
179418		2.33	0.121		<0.5	7.16	<5	260	0.7	<2	3.41	<0.5	22	57	554	5.71
179419		2.68	0.050		0.9	7.68	<5	190	<0.5	<2	5.13	<0.5	50	116	726	8.17
179420		1.98	0.086		0.8	7.75	<5	260	0.6	<2	4.29	<0.5	28	73	726	6.29
179421		2.85	0.016		<0.5	8.22	<5	260	0.8	<2	4.22	<0.5	19	44	124	8.00
179422		2.51	<0.005		<0.5	8.38	<5	230	0.7	<2	5.57	<0.5	34	63	132	8.10
179423		2.56	0.063		<0.5	8.31	<5	250	0.7	<2	4.35	<0.5	22	51	194	5.73
179424		2.76	0.087	0.089	0.7	7.83	<5	130	<0.5	<2	5.05	0.6	62	136	1165	8.93
179425 DUP		<0.02	0.184	0.176	0.8	7.31	<5	120	<0.5	<2	4.79	0.6	64	134	1205	8.83
179426		2.56	4.00		0.6	7.21	<5	110	<0.5	<2	5.95	0.5	54	125	1170	8.51
179427		2.73	0.062		<0.5	7.94	<5	120	<0.5	<2	5.04	<0.5	30	136	576	7.51
179428		2.52	0.083		0.5	8.37	<5	240	0.6	<2	5.23	<0.5	56	136	618	7.93



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 2 (A - B)  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06050741

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
179410		1.00	4.17	1130	1	1.47	82	360	6	0.04	<5	134	0.42	197	<10	69
179411		1.04	2.99	1010	1	1.76	54	570	7	0.10	<5	162	0.44	185	<10	65
179412		1.15	3.21	978	1	1.64	57	540	5	0.09	<5	159	0.45	173	<10	64
179413		1.22	4.13	1445	1	1.27	73	520	3	0.39	<5	206	0.46	225	20	89
179414		0.55	3.49	1120	1	1.87	57	470	8	0.08	<5	160	0.44	186	<10	60
179415		0.84	2.80	1030	1	1.74	42	500	5	0.11	<5	163	0.43	153	<10	62
179416		1.88	3.23	1280	1	1.13	74	360	5	0.86	<5	99	0.45	205	20	62
179417		3.84	0.20	239	2	2.07	8	160	35	0.03	<5	143	0.08	9	<10	26
179418		1.35	1.85	796	1	1.88	59	500	5	0.67	<5	148	0.37	100	10	73
179419		1.35	2.95	1005	<1	1.35	74	470	14	1.56	<5	137	0.43	181	30	94
179420		1.44	2.09	951	1	1.73	43	600	3	0.56	<5	151	0.45	147	10	106
179421		1.15	1.78	853	2	2.20	31	870	4	0.36	<5	249	0.49	136	<10	69
179422		1.24	3.29	1100	1	1.88	95	3030	3	0.67	<5	642	0.71	179	<10	66
179423		1.08	1.84	880	2	2.38	34	800	6	0.47	<5	200	0.50	147	<10	73
179424		1.14	3.12	974	1	1.39	73	370	10	1.55	<5	127	0.43	194	40	106
179425 DUP		1.09	2.96	929	1	1.28	72	340	5	1.81	<5	118	0.41	186	40	97
179426		0.89	3.19	1060	1	1.17	72	340	7	1.41	<5	129	0.41	190	40	87
179427		1.12	3.43	1020	1	1.56	59	360	6	0.68	<5	119	0.44	207	10	80
179428		1.20	3.20	1165	<1	2.08	71	720	9	1.33	<5	182	0.44	186	110	72



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
 Finalized Date: 28-JUN-2006  
 Account: TRAVEN

**CERTIFICATE VO06056141**

Project: BLOCK A  
 P.O. No.:  
 This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 28-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06056141

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm	
179986		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	0.01
		0.61	17.00	164.5	15.70	0.630	5.05	580.7	16.10	15.30	

Comments: Sample from VO06047182.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 5-JUL-2006

Account: TRAVEN

## CERTIFICATE VO06057980

Project: BLOCK A

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 23-JUN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 5-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06057980

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-GRA21	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm	ppm
180365		1.69	8.15	122.5	6.72	2.565	20.90	1668.5	6.67		6.78
180406		1.26	706	7090	497	283.18	39.96	1221.5	>100	497	>100

Comments: Samples from VO06047185.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 13-JUL-2006

Account: TRAVEN

## CERTIFICATE VO06058532

Project: BLOCK A

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 13-JUN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 13-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06058532

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
179773		1.13	17.20	248	11.25	6.987	28.21	1092.5	12.15	10.35

Comments: Samples from VO06037053.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**

**302-1620 WEST 8TH AVE**

**VANCOUVER BC V6J 1V4**

Page: 1

Finalized Date: 13-JUL-2006

Account: TRAVEN

## CERTIFICATE VO06058536

Project: BLOCK A

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 19-JUN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: **TRADEWINDS VENTURES INC.**

**ATTN: MIKE ROBERTS**

**302-1620 WEST 8TH AVE**

**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 13-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06058536

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
180158		2.25	9.75	66.9	8.86	2.310	34.54	2203	9.28	8.43
180165		1.04	9.33	65.5	8.25	1.254	19.13	997.9	8.15	8.35

Comments: Samples from VO06047183.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 16-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010301

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
161001		78
161002		33
161003		310
161004		32
161005		102
161006		74
161007		65
161008		55
161009		73
161010		65
161011		80
161012		82
161013		100
161014 DUP		122
161015		34
161016		76
161017		72
161018		17
161019		76
161020		53
161021		1240
161022		122
161023		63
161024		19
161025		103
161026		84
161027		83
161028 DUP		81
161029		38
161030		57
161031		58
161032		58
161033		28
161034		61
161035		54
161036		54
161037		59
161038		84
161039		52
161040		50



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 13-JUL-2006  
Account: TRAVEN

**CERTIFICATE VO06062114**

Project: BLOCK A

P.O. No.:

This report is for 3 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 11-JUN-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 13-JUL-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06062114

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
179634		0.93	9.36	280	7.99	1.327	4.73	917.4	7.99	7.98
179676		2.58	10.80	182.0	9.87	2.470	13.56	2518	9.43	10.30
179679		2.64	10.50	339	8.67	4.933	14.54	2614	8.39	8.95

Comments: Reject from VO06043912.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 18-FEB-2006

Account: TRAVEN

## CERTIFICATE VO06010302

Project: DETOUR LAKE

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 18-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010302**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
163441		2.44	0.026		<0.5	7.22	6	140	<0.5	<2	5.27	<0.5	29	108	6	6.39
163442		2.47	0.809		<0.5	7.59	<5	130	<0.5	<2	5.75	<0.5	40	121	243	6.90
163443		0.26	<0.005		<0.5	7.13	<5	550	1.0	<2	0.91	<0.5	2	9	6	1.84
163444		2.87	1.275		0.9	7.99	<5	330	0.6	<2	5.16	<0.5	34	92	610	5.33
163445		1.72	0.196		0.5	7.72	<5	160	<0.5	<2	6.08	<0.5	50	118	841	6.87
163446		1.93	0.075		<0.5	7.81	<5	280	0.8	<2	3.94	<0.5	17	9	65	4.60
163447		2.17	0.032		<0.5	7.86	<5	300	0.8	<2	3.95	<0.5	18	7	45	4.61
163448		1.74	0.288		0.7	8.01	<5	150	<0.5	<2	5.63	<0.5	65	134	1025	8.12
163449		2.07	0.321		1.5	7.11	5	110	<0.5	<2	5.14	<0.5	75	209	1325	7.75
163450		1.75	0.075		<0.5	8.09	11	950	1.2	<2	3.73	<0.5	20	134	145	4.03
163451		0.05	0.980		10.6	8.04	<5	50	3.2	<2	0.33	<0.5	1	6	9	2.65
163452		3.31	0.363		<0.5	8.21	<5	110	<0.5	<2	7.13	<0.5	63	135	641	6.18
163453		2.66	0.763		<0.5	8.14	<5	120	<0.5	<2	7.20	<0.5	37	129	382	7.31
163454		2.57	0.548		<0.5	8.49	<5	120	<0.5	<2	7.31	<0.5	37	130	453	7.55
163455		2.42	0.360		<0.5	7.58	<5	110	<0.5	<2	6.13	<0.5	36	139	333	6.55
163456		1.77	0.062		0.7	7.52	<5	150	0.5	<2	5.46	<0.5	28	92	212	5.86
163457		2.46	1.795		1.2	6.97	<5	100	<0.5	<2	6.25	1.2	40	124	446	7.14
163458 DUP		<0.02	1.815		1.1	7.11	7	100	<0.5	<2	6.41	1.5	39	121	449	7.41
163459		1.24	0.232		<0.5	7.53	<5	240	0.7	<2	3.69	<0.5	17	14	73	4.61
163460		2.17	1.425		0.5	7.03	<5	120	<0.5	<2	7.53	<0.5	35	109	740	6.30
163461		2.48	0.099		<0.5	7.88	<5	140	<0.5	<2	7.02	<0.5	32	125	260	6.72
163462		2.50	0.140		<0.5	7.95	<5	190	<0.5	<2	7.69	<0.5	34	133	160	6.44
163463		2.50	0.038		<0.5	8.52	<5	220	<0.5	<2	6.24	<0.5	35	122	132	6.67
163464		2.38	1.220		<0.5	8.50	<5	170	<0.5	<2	6.83	<0.5	38	139	170	7.56
163465		2.66	0.037		0.6	8.45	<5	230	<0.5	<2	6.68	<0.5	39	254	65	7.66
163466		2.56	0.464		<0.5	6.35	<5	140	<0.5	<2	5.34	<0.5	45	889	176	9.61
163467 DUP		<0.02	0.542		<0.5	6.23	<5	140	<0.5	<2	5.25	<0.5	46	880	168	9.41
163468		2.81	0.731		<0.5	6.46	<5	150	<0.5	<2	5.06	<0.5	57	1155	116	9.23
163469		2.60	8.47		<0.5	6.18	<5	150	<0.5	<2	5.06	3.0	53	1035	134	8.44
163470		0.23	0.009		<0.5	7.46	<5	640	0.9	<2	0.97	<0.5	2	16	6	2.03
163471		2.54	0.325		<0.5	6.89	6	80	<0.5	<2	5.37	<0.5	61	1405	36	7.20
163472		2.22	0.036		<0.5	6.96	<5	240	0.5	<2	3.73	<0.5	47	1155	28	6.54
163473		2.52	0.026		<0.5	7.36	<5	210	<0.5	<2	6.15	<0.5	56	697	4	8.10
163474		2.29	0.030		<0.5	8.56	<5	310	0.7	<2	2.21	<0.5	23	49	77	4.34
163475		1.80	0.045		<0.5	8.00	<5	340	<0.5	<2	5.32	<0.5	45	482	14	8.31
163476		2.52	0.044		<0.5	8.51	<5	520	0.5	<2	3.87	<0.5	30	121	23	5.41
163477		2.92	0.071		<0.5	8.64	<5	380	0.8	<2	3.90	<0.5	20	40	21	4.99
163478		0.05	1.810		20.7	8.30	<5	60	3.1	<2	0.32	<0.5	1	9	6	2.89
163479		1.66	0.043		<0.5	7.96	<5	120	<0.5	<2	6.57	<0.5	48	411	65	7.55
163480		1.91	0.070		<0.5	8.43	<5	120	<0.5	<2	7.14	<0.5	54	539	75	8.25



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 18-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010302**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
163441		1.36	3.64	995	1	1.25	74	340	<2	0.03	<5	115	0.42	192	<10	64
163442		1.24	3.63	1075	1	1.28	85	380	<2	0.39	<5	129	0.42	189	<10	64
163443		4.27	0.22	176	3	2.21	2	180	35	0.01	6	154	0.09	8	<10	28
163444		1.60	2.02	869	2	1.87	50	290	5	0.62	<5	126	0.32	130	20	60
163445		1.39	3.00	1175	4	1.13	102	360	<2	1.02	<5	120	0.42	180	20	88
163446		1.14	1.04	730	2	2.45	11	920	4	0.15	<5	201	0.51	103	<10	52
163447		1.23	1.11	792	3	2.52	16	780	5	0.11	<5	200	0.46	115	<10	55
163448		1.67	3.12	1105	2	1.06	84	380	8	1.69	<5	110	0.44	198	10	99
163449		1.37	3.49	1045	2	0.96	112	370	10	1.51	<5	117	0.40	188	<10	80
163450		1.96	1.97	572	1	2.31	62	1430	13	0.31	<5	687	0.42	83	10	85
163451		0.19	0.07	34	2	6.9	5	600	115	2.85	<5	17	0.01	1	<10	18
163452		1.12	3.21	1135	2	1.34	67	390	<2	1.40	<5	133	0.44	204	60	64
163453		1.08	3.34	1125	2	1.30	82	390	<2	0.73	<5	133	0.44	206	10	54
163454		1.06	3.16	1120	2	1.41	81	390	7	0.94	<5	158	0.45	206	<10	47
163455		1.02	2.88	1020	2	1.38	81	340	<2	0.68	<5	138	0.46	212	<10	58
163456		1.03	2.42	933	2	1.60	56	510	<2	0.46	<5	150	0.44	153	10	73
163457		0.95	2.94	1045	2	1.12	90	320	<2	1.10	<5	122	0.42	194	10	223
163458 DUP		0.90	3.01	1085	1	1.13	93	320	<2	1.21	<5	124	0.40	192	<10	228
163459		1.38	1.14	714	1	2.18	20	740	<2	0.23	<5	142	0.48	128	<10	56
163460		0.94	2.94	1280	1	0.87	97	330	7	0.64	<5	119	0.42	194	10	76
163461		1.12	3.01	1195	<1	1.20	77	390	<2	0.45	<5	132	0.43	202	<10	58
163462		1.20	2.98	1190	<1	1.33	81	350	<2	0.44	<5	126	0.43	196	30	56
163463		1.32	3.17	1115	1	1.79	76	370	4	0.41	<5	150	0.39	182	<10	63
163464		1.59	3.62	1355	1	1.18	83	420	5	0.76	<5	126	0.45	217	10	70
163465		1.38	4.58	1240	1	1.32	122	430	5	0.14	<5	154	0.44	224	<10	72
163466		1.48	7.01	1500	3	0.48	422	360	6	1.02	<5	90	0.32	179	20	120
163467 DUP		1.43	6.83	1465	2	0.48	398	350	2	1.02	<5	90	0.31	177	20	116
163468		1.34	9.17	1445	1	0.45	539	310	37	0.77	<5	85	0.27	185	<10	299
163469		1.13	8.08	1290	2	0.60	535	290	168	1.04	<5	166	0.25	161	90	665
163470		4.43	0.27	188	1	2.18	4	180	34	0.01	<5	162	0.09	9	<10	31
163471		0.39	9.97	1200	<1	1.00	707	350	11	0.17	<5	150	0.28	150	<10	247
163472		0.77	7.03	1035	1	1.26	396	580	4	0.16	<5	122	0.36	132	<10	79
163473		0.91	7.96	1400	<1	1.20	314	270	8	0.03	<5	124	0.35	224	<10	77
163474		1.11	1.66	602	2	3.33	24	1040	<2	0.30	<5	312	0.56	106	<10	29
163475		1.68	6.45	1385	<1	1.61	234	390	2	0.09	<5	144	0.39	213	<10	82
163476		3.63	2.51	993	2	1.90	52	680	4	0.21	<5	207	0.46	155	<10	48
163477		1.81	1.52	877	3	1.99	21	730	<2	0.08	7	288	0.46	134	<10	46
163478		0.19	0.06	107	1	7.0	4	660	130	3.24	<5	22	0.01	3	<10	21
163479		1.13	5.56	1305	<1	1.35	133	290	5	0.05	<5	158	0.37	232	<10	73
163480		1.14	6.19	1485	1	1.61	164	290	11	0.02	<5	203	0.39	254	<10	83





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 3 (A - B)

Finalized Date: 18-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010302

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163481		2.36	0.094		0.6	8.27	<5	350	1.0	<2	3.27	<0.5	17	56	63	4.40
163482		1.25	0.052		<0.5	6.18	<5	40	<0.5	<2	6.02	<0.5	58	1035	14	8.30
163483		3.18	0.016		0.7	9.01	<5	500	0.8	<2	5.42	<0.5	36	225	65	6.05
163484		0.05	0.979		12.0	8.96	<5	50	3.4	<2	0.34	<0.5	1	11	9	2.92
163485		3.21	0.036		<0.5	6.00	7	50	<0.5	<2	5.33	<0.5	64	1250	6	7.88
163486		2.70	0.045		<0.5	6.72	<5	40	<0.5	<2	6.10	<0.5	68	1285	7	8.18
163487		2.64	0.134		<0.5	6.28	<5	30	<0.5	<2	6.49	<0.5	72	1190	16	7.85
163488		2.71	0.501		<0.5	6.24	<5	50	<0.5	<2	6.75	<0.5	68	1145	4	8.07
163489		2.67	0.369		<0.5	6.10	<5	50	<0.5	<2	8.37	<0.5	65	1120	34	7.84
163490		0.11	0.005		<0.5	7.05	<5	560	0.9	<2	1.12	<0.5	3	39	6	2.26
163491		2.69	1.260		<0.5	6.02	8	70	<0.5	<2	5.82	<0.5	59	1035	19	7.67
163492		2.73	0.203		<0.5	6.05	<5	40	<0.5	<2	5.74	<0.5	68	1170	5	8.10
163493		2.38	0.224		<0.5	5.39	<5	30	<0.5	<2	8.71	<0.5	63	1110	13	7.58
163494		2.53	0.200		<0.5	5.41	<5	30	<0.5	<2	6.31	<0.5	65	1215	22	7.52
163495 DUP		<0.02	0.233		<0.5	5.72	<5	30	<0.5	<2	6.54	<0.5	66	1310	20	7.90
163496		2.77	0.823		<0.5	6.20	5	70	<0.5	<2	5.90	<0.5	71	1180	36	7.77
163497		2.58	0.005		<0.5	6.92	<5	300	0.5	<2	5.84	<0.5	54	1015	43	6.53
163498		2.65	0.191		<0.5	5.89	<5	170	<0.5	<2	5.24	<0.5	61	1215	18	7.00
163499		2.62	0.359		<0.5	5.78	<5	50	<0.5	<2	5.50	<0.5	65	1440	13	7.53
163500		2.75	0.297		<0.5	6.59	<5	140	<0.5	<2	5.36	<0.5	54	1140	20	6.33
163501		2.50	0.431		0.6	7.45	<5	130	<0.5	<2	7.70	<0.5	50	573	65	7.82
163502		2.52	0.035		<0.5	8.20	<5	140	<0.5	<2	8.22	<0.5	40	309	25	6.60
163503		2.63	0.140		<0.5	7.53	6	130	<0.5	<2	7.92	<0.5	44	315	38	7.05
163504		2.67	0.023		<0.5	7.80	<5	160	<0.5	<2	8.69	<0.5	44	351	32	7.47
163505		2.92	0.017		<0.5	8.29	<5	190	<0.5	<2	6.50	<0.5	39	307	16	6.40
163506		0.22	0.015	<0.005	<0.5	7.11	<5	560	1.0	<2	0.74	<0.5	3	14	8	1.66
163507		2.70	0.173		<0.5	7.90	11	150	<0.5	<2	6.78	<0.5	48	367	16	7.44
163508		2.74	0.445		<0.5	7.45	<5	100	<0.5	<2	6.76	<0.5	54	416	184	7.90
163509		2.51	0.228		<0.5	8.08	<5	120	<0.5	<2	6.86	<0.5	40	247	17	7.33
163510		0.04	1.755		21.8	8.95	<5	60	3.3	<2	0.33	<0.5	1	8	6	2.90
163511		2.25	0.050		<0.5	8.81	<5	100	<0.5	<2	7.02	<0.5	44	176	34	8.00
163512		2.47	0.099		<0.5	7.48	<5	80	<0.5	<2	6.94	<0.5	39	208	22	6.93
163513		2.56	0.108		<0.5	7.32	5	30	<0.5	<2	7.13	<0.5	31	207	6	6.14
163514		2.58	0.451		1.6	7.24	<5	90	<0.5	2	6.20	<0.5	80	246	2700	7.31
163515		2.40	0.170		1.6	6.33	<5	80	<0.5	<2	7.49	<0.5	255	222	4420	11.55
163516 DUP		<0.02	0.144		1.6	6.35	<5	80	<0.5	<2	7.55	<0.5	256	217	4540	11.65
163517		2.40	0.130		0.5	7.31	<5	160	<0.5	<2	6.16	<0.5	46	32	1110	7.39
163518		2.44	0.092		2.0	7.83	<5	160	<0.5	<2	5.91	<0.5	153	36	3100	10.40
163519		2.38	0.169		<0.5	8.23	<5	160	<0.5	<2	5.85	<0.5	56	36	1225	8.22
163520		2.63	0.033		<0.5	8.18	7	110	<0.5	<2	6.06	<0.5	58	35	460	8.38



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 3 (A - B)

Finalized Date: 18-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010302

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP61	ME-ICP81	ME-ICP81	ME-ICP61	ME-ICP81	ME-ICP81	ME-ICP61	ME-ICP81	ME-ICP81	ME-ICP61	ME-ICP81	ME-ICP81	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
183481		1.24	1.09	641	<1	2.39	14	1240	3	0.37	<5	201	0.51	53	<10	33
163482		0.33	9.33	1455	1	0.54	583	240	4	0.05	<5	40	0.28	180	<10	113
163483		1.70	4.19	1055	<1	2.20	122	1000	8	0.26	<5	614	0.47	170	<10	88
183484		0.20	0.07	34	<1	7.4	<1	670	134	3.19	6	23	0.01	2	<10	17
163485		0.38	10.60	1285	<1	0.39	723	200	<2	0.03	<5	26	0.24	178	<10	96
183486		0.44	10.35	1380	<1	0.70	643	220	2	0.02	<5	69	0.29	205	<10	83
163487		0.24	9.68	1525	<1	0.56	624	230	2	0.04	<5	48	0.26	192	<10	96
163488		0.38	9.96	1485	2	0.52	687	210	<2	0.01	<5	59	0.26	190	<10	98
163489		0.58	9.53	1410	<1	0.39	654	200	<2	0.06	<5	46	0.27	183	<10	107
183490		4.03	0.40	215	1	2.11	12	170	59	0.01	<5	152	0.09	14	<10	29
163491		0.61	9.30	1315	1	0.40	825	240	2	0.05	<5	67	0.25	165	<10	89
183492		0.80	10.20	1385	<1	0.32	703	190	3	0.01	<5	35	0.27	186	<10	95
163493		0.46	9.82	1425	1	0.32	670	190	4	0.03	<5	68	0.24	166	10	83
163494		0.38	9.78	1425	<1	0.31	748	190	<2	0.09	<5	61	0.24	173	<10	112
163495 DUP		0.38	10.40	1475	2	0.33	762	170	6	0.08	<5	59	0.25	173	<10	112
183496		0.61	10.35	1395	1	0.50	703	230	<2	0.13	<5	89	0.27	179	<10	103
163497		0.76	8.36	1125	<1	1.22	525	700	2	0.26	<5	310	0.27	148	<10	80
163498		1.14	9.11	1250	<1	0.69	633	360	3	0.07	<5	134	0.26	155	<10	87
183499		0.51	10.15	1315	<1	0.48	709	210	7	0.06	<5	24	0.24	172	<10	95
183500		0.68	8.13	1145	1	1.19	548	240	6	0.05	<5	177	0.22	139	<10	92
163501		0.72	5.73	1480	<1	1.06	255	250	<2	0.12	<5	140	0.34	212	70	100
163502		0.63	3.83	1280	<1	2.10	124	220	3	0.09	<5	175	0.32	188	<10	63
163503		0.63	4.27	1405	<1	1.78	137	280	<2	0.08	<5	141	0.35	204	<10	88
163504		0.72	4.52	1445	<1	1.49	136	250	5	0.11	<5	144	0.36	221	<10	84
183505		0.75	4.39	1155	<1	2.18	118	240	3	0.06	5	156	0.32	190	<10	68
163506		4.33	0.20	146	2	2.25	2	150	38	<0.01	<5	155	0.08	9	<10	30
163507		0.74	5.79	1355	1	1.58	146	250	8	0.05	<5	113	0.36	222	<10	75
163508		0.91	6.38	1345	1	1.06	178	240	5	0.06	<5	80	0.35	220	<10	68
163509		0.75	4.49	1235	<1	1.48	89	470	8	0.05	<5	150	0.44	207	<10	68
183510		0.20	0.07	109	2	7.4	3	680	134	3.31	<5	24	0.01	3	<10	20
163511		0.74	4.71	1325	<1	1.60	66	460	<2	0.13	<5	197	0.48	251	<10	75
163512		0.84	4.71	1235	1	1.22	67	280	<2	0.07	<5	134	0.40	239	80	68
163513		0.39	4.34	1145	<1	1.28	64	240	3	0.01	<5	114	0.38	225	<10	50
163514		1.20	3.89	1490	<1	1.08	95	250	4	0.78	<5	130	0.37	217	10	106
163515		1.02	3.47	1515	1	1.00	152	300	7	3.26	8	123	0.35	195	10	110
163516 DUP		1.06	3.53	1515	<1	1.05	150	300	<2	3.37	<5	126	0.35	197	10	110
183517		1.53	2.67	1150	<1	1.31	44	540	4	0.93	<5	152	0.50	225	<10	81
163518		1.60	2.81	1175	<1	1.39	75	510	14	2.36	<5	148	0.52	241	<10	98
163519		1.45	3.55	1135	<1	1.40	35	410	6	0.44	<5	104	0.55	275	<10	62
183520		1.13	3.48	1265	<1	1.40	33	430	4	0.51	<5	118	0.54	269	<10	58



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 16-FEB-2006

Account: TRAVEN

## CERTIFICATE VO06010303

Project: DETOUR LAKE

P.O. No.:

This report is for 60 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 16-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010303**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
166081		2.79	0.009		<0.5	8.33	<5	110	<0.5	<2	6.14	<0.5	40	119	61	7.63
166082		2.59	<0.005		<0.5	8.07	<5	90	<0.5	<2	6.18	<0.5	39	108	52	7.47
166083		2.56	1.550		0.5	7.42	6	200	0.7	<2	4.40	<0.5	26	86	101	5.32
166084		2.48	0.051		<0.5	7.80	<5	120	<0.5	<2	7.39	<0.5	42	156	164	7.61
166085		2.46	0.704		<0.5	8.37	<5	120	<0.5	<2	6.63	<0.5	44	128	120	7.46
166086		2.69	0.093		<0.5	8.09	<5	190	0.5	<2	5.96	<0.5	46	167	272	7.16
166087		0.06	1.770		18.6	8.57	10	60	3.4	<2	0.36	<0.5	1	4	6	2.69
166088		1.92	0.203		0.6	6.20	<5	170	<0.5	<2	4.75	<0.5	49	192	370	6.60
166089		2.23	0.093		<0.5	7.51	<5	200	<0.5	<2	6.73	<0.5	57	431	384	7.85
166090		1.75	2.72		<0.5	6.10	<5	30	<0.5	<2	7.23	<0.5	66	1335	156	8.28
166091		2.23	1.825		<0.5	6.19	<5	170	<0.5	<2	5.62	<0.5	50	913	120	6.77
166092		1.68	0.046		<0.5	6.59	<5	240	<0.5	<2	6.64	<0.5	52	942	31	6.55
166093		1.96	0.601		<0.5	5.63	<5	100	<0.5	<2	6.02	<0.5	53	1080	260	7.57
166094		1.74	0.882	0.991	<0.5	4.22	<5	100	<0.5	<2	2.91	<0.5	54	1015	353	8.18
166095 DUP		<0.02	0.593	0.699	<0.5	4.05	<5	100	<0.5	<2	2.90	<0.5	54	1005	340	7.62
166096		0.21	0.008		<0.5	7.00	<5	570	1.0	<2	0.99	<0.5	3	23	10	1.95
166097		2.65	1.585		<0.5	7.52	<5	370	0.8	<2	3.87	<0.5	24	204	49	4.36
166098		2.86	0.281		<0.5	6.99	<5	210	0.5	<2	4.79	<0.5	39	747	137	6.91
166099		2.36	0.652		<0.5	6.79	<5	270	0.9	<2	1.38	<0.5	10	264	20	2.81
166100		3.02	0.056		<0.5	5.71	<5	60	0.5	<2	4.37	<0.5	44	1120	32	6.93
166101		2.91	0.121		<0.5	5.98	8	130	<0.5	<2	4.68	<0.5	39	1045	49	7.74
166102		2.58	0.086		<0.5	6.90	<5	330	0.6	<2	4.94	<0.5	40	598	45	7.19
166103		2.48	0.034		<0.5	6.61	<5	250	0.8	<2	3.60	<0.5	30	646	33	5.31
166104		2.92	0.031		<0.5	6.83	<5	70	<0.5	<2	4.62	<0.5	84	1150	22	7.59
166105		1.89	0.091		<0.5	6.30	<5	390	1.0	<2	1.25	<0.5	5	82	16	1.84
166106		2.50	0.025		<0.5	6.22	<5	220	0.7	<2	2.84	<0.5	31	737	11	4.31
166107		2.44	0.016		<0.5	6.23	<5	390	1.0	<2	1.46	<0.5	9	250	7	1.99
166106 DUP		<0.02	0.030		<0.5	6.14	<5	400	1.0	<2	1.35	<0.5	7	198	8	1.84
166109		2.25	0.033		<0.5	6.43	<5	500	1.1	<2	0.90	<0.5	1	6	10	1.44
166110		1.74	0.032		<0.5	5.69	<5	50	<0.5	<2	5.27	<0.5	66	1055	9	7.17
166111		1.73	0.049		<0.5	5.50	<5	50	<0.5	<2	5.30	<0.5	66	1150	<1	7.29
166112		0.06	0.990		10.1	7.82	7	50	3.1	<2	0.32	<0.5	<1	7	6	2.77
166113		2.75	0.057		<0.5	5.82	<5	20	<0.5	<2	5.96	<0.5	68	961	1	7.45
166114		2.90	0.007		<0.5	6.11	<5	40	<0.5	<2	5.44	<0.5	61	998	16	7.43
166115		2.56	0.266		<0.5	5.67	<5	90	<0.5	<2	4.33	<0.5	44	801	14	5.37
166116		2.92	0.049		<0.5	6.44	<5	100	<0.5	<2	6.00	<0.5	52	925	13	6.59
166117		2.24	0.020		<0.5	7.41	6	440	0.8	<2	3.77	<0.5	21	251	25	3.15
166118		0.13	<0.005		<0.5	6.77	<5	540	0.9	<2	0.89	<0.5	2	10	5	1.79
166119		1.89	0.036		<0.5	7.58	<5	490	0.8	<2	3.24	<0.5	20	164	16	2.58
166120		1.90	0.213		<0.5	5.48	<5	60	<0.5	<2	5.82	<0.5	51	887	44	6.67



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 3 (A - B)

Finalized Date: 16-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010303

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
166081		0.66	4.25	1215	<1	1.74	77	400	2	0.19	<5	145	0.47	227	<10	70
166082		0.65	4.10	1230	<1	1.77	71	410	3	0.16	<5	124	0.48	231	<10	83
166083		1.26	2.54	932	<1	1.83	47	300	4	0.31	<5	122	0.35	150	<10	104
166084		1.32	4.04	1475	<1	1.09	82	440	5	0.76	<5	128	0.44	220	<10	110
166085		1.52	4.00	1390	<1	1.13	80	400	3	0.43	<5	128	0.48	226	<10	110
166086		3.00	3.04	1320	<1	0.95	112	390	5	1.34	<5	124	0.45	210	10	93
166087		0.21	0.07	120	<1	7.0	5	680	120	2.96	<5	22	0.01	2	<10	20
166088		1.96	2.47	1165	1	1.10	142	310	4	1.86	<5	75	0.36	176	10	57
166089		2.00	4.34	1635	<1	0.56	323	350	4	1.30	<5	168	0.42	211	<10	84
166090		0.69	10.05	1980	<1	0.49	686	220	<2	0.34	<5	83	0.28	189	10	114
166091		0.68	8.32	1565	<1	1.06	463	250	18	0.24	<5	191	0.22	154	<10	144
166092		0.93	9.12	1290	4	0.88	331	470	3	0.04	<5	265	0.24	172	<10	82
168093		0.46	9.41	1855	<1	0.53	542	250	4	0.40	<5	112	0.20	158	20	126
168094		0.63	6.05	1365	1	0.36	445	130	12	1.57	<5	58	0.18	128	10	98
168095 DUP		0.61	5.84	1300	<1	0.34	424	120	11	1.48	<5	55	0.18	124	10	95
166096		4.41	0.33	191	2	2.14	10	170	37	0.02	<5	161	0.09	12	<10	31
166097		1.22	3.00	761	1	2.03	93	500	3	0.24	<5	233	0.29	90	<10	60
166098		0.73	6.54	1265	<1	1.45	373	540	3	0.52	<5	320	0.30	138	<10	88
166099		0.85	1.78	416	2	3.22	100	180	3	0.14	<5	150	0.14	39	<10	24
166100		0.23	7.88	1280	<1	1.30	552	160	<2	0.23	<5	51	0.24	146	<10	106
166101		0.57	8.15	1465	1	1.06	514	200	4	0.28	<5	106	0.23	132	<10	91
166102		1.38	5.88	1370	<1	1.12	259	630	<2	0.28	<5	205	0.42	159	<10	97
166103		1.22	5.39	1010	1	1.66	293	290	6	0.17	<5	206	0.21	96	<10	89
166104		0.42	9.64	1310	1	0.69	584	280	<2	0.17	<5	84	0.32	186	10	100
166105		1.18	0.74	310	<1	2.64	42	90	6	0.10	<5	127	0.10	14	<10	32
166106		1.02	5.45	822	<1	1.92	372	130	3	0.11	<5	196	0.17	73	<10	66
166107		1.20	1.38	476	1	2.66	116	80	4	0.09	<5	114	0.11	18	<10	24
166108 DUP		1.17	1.09	446	1	2.67	89	80	3	0.10	<5	116	0.10	14	<10	22
166109		1.36	0.11	340	2	2.68	1	80	7	0.10	<5	130	0.09	<1	<10	14
166110		0.58	10.20	1325	<1	0.43	632	180	<2	0.06	<5	58	0.27	174	<10	88
166111		0.81	10.35	1230	<1	0.37	646	190	2	<0.01	<5	49	0.26	176	<10	81
166112		0.19	0.07	35	<1	6.4	4	610	120	3.03	<5	20	0.01	2	<10	17
166113		0.28	10.35	1380	<1	0.45	603	190	<2	0.01	<5	57	0.27	184	<10	84
166114		0.32	10.95	1305	<1	0.33	616	310	<2	0.16	<5	106	0.25	161	<10	80
166115		0.31	6.79	1200	<1	1.29	438	160	4	0.10	<5	102	0.19	112	10	69
166116		0.68	8.36	1460	2	1.17	508	210	5	0.11	<5	279	0.23	138	10	95
166117		1.12	3.00	659	1	2.27	147	370	3	0.18	<5	314	0.15	60	10	46
166118		4.18	0.22	165	<1	2.14	4	170	37	<0.01	<5	150	0.08	8	<10	28
166119		1.49	2.93	484	1	2.54	190	450	4	0.11	<5	336	0.13	40	10	38
166120		0.35	8.93	1225	5	0.68	551	220	2	0.23	<5	95	0.23	152	<10	85



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 16-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06010303**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
166121		1.83	0.967		<0.5	7.53	<5	230	<0.5	<2	6.81	<0.5	42	410	3	7.07
166122		2.48	0.017		<0.5	7.36	<5	150	<0.5	<2	7.37	<0.5	47	264	50	6.05
166123		2.86	0.056		<0.5	7.51	<5	170	<0.5	<2	7.37	<0.5	47	270	52	7.75
166124		2.56	0.126		<0.5	7.16	<5	110	<0.5	<2	6.61	<0.5	47	297	5	6.27
166125		2.71	3.05		<0.5	7.47	<5	70	<0.5	<2	7.45	<0.5	45	288	12	7.05
166126		2.75	1.265		<0.5	7.07	<5	90	<0.5	<2	6.89	<0.5	45	350	11	6.84
166127		2.11	0.142		<0.5	6.89	<5	100	<0.5	<2	7.07	<0.5	44	302	10	6.70
166128		2.54	0.030		<0.5	6.38	<5	530	1.1	<2	1.22	<0.5	2	15	6	1.77
166129 DUP		<0.02	0.035		<0.5	6.44	8	540	1.2	<2	1.23	<0.5	3	13	6	1.72
166130		2.46	0.025		<0.5	7.20	<5	60	<0.5	<2	7.35	<0.5	47	336	5	7.48
166131		2.63	1.595		<0.5	6.67	5	50	<0.5	<2	7.00	<0.5	47	319	4	6.97
166132		2.49	1.025		<0.5	7.10	<5	40	<0.5	<2	7.86	<0.5	44	321	7	7.24
166133		2.52	0.176		<0.5	6.83	<5	50	<0.5	<2	8.45	<0.5	42	297	9	7.07
166134		0.05	1.840		17.5	7.60	11	60	3.1	<2	0.31	<0.5	1	2	5	2.42
166135		2.46	0.031		<0.5	7.29	<5	50	<0.5	<2	7.70	<0.5	46	351	10	7.34
166136		2.44	0.122		<0.5	6.55	10	30	<0.5	<2	9.22	<0.5	69	262	45	7.01
166137		2.00	0.024		<0.5	7.01	<5	60	<0.5	<2	7.37	<0.5	42	339	17	7.05
166138		0.09	0.027		<0.5	6.90	<5	540	0.9	<2	1.01	<0.5	4	31	10	2.51
166139		1.85	0.041		<0.5	6.77	<5	90	<0.5	<2	7.52	<0.5	42	313	19	7.27
166140		1.99	0.017		<0.5	7.81	<5	80	0.7	<2	4.66	<0.5	27	25	41	7.48



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 964 0221 Fax: 604 964 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 3 (A - B)

Finalized Date: 16-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010303

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	0.01	1	10	2	
166121		1.05	6.59	1320	<1	1.18	185	250	3	0.02	<5	152	0.36	231	<10	65
166122		0.65	6.49	1410	<1	1.53	201	1210	3	0.23	<5	458	0.51	210	<10	87
166123		0.76	6.20	1390	<1	1.54	173	1130	4	0.29	<5	549	0.50	217	<10	86
166124		0.78	5.44	1180	<1	1.02	120	220	<2	0.05	<5	114	0.37	236	10	55
166125		0.48	5.40	1285	<1	1.22	122	290	2	0.07	<5	184	0.38	234	<10	57
166126		0.65	5.21	1310	<1	1.33	150	230	2	0.06	<5	173	0.37	222	40	75
166127		0.60	5.13	1320	<1	1.28	153	270	3	0.08	<5	180	0.35	212	60	67
166128		1.52	0.20	210	<1	2.91	7	80	8	0.07	<5	126	0.10	6	<10	19
166129 DUP		1.57	0.20	201	<1	2.96	4	90	3	0.07	<5	127	0.10	5	<10	20
166130		0.42	4.73	1395	<1	1.24	145	230	<2	0.03	<5	181	0.37	238	80	70
166131		0.38	4.77	1325	<1	1.38	144	210	<2	0.01	<5	143	0.36	219	10	67
166132		0.26	4.72	1405	<1	1.48	130	230	<2	0.02	<5	149	0.36	220	30	65
166133		0.33	4.47	1415	<1	1.31	126	220	2	0.03	<5	157	0.34	211	10	63
166134		0.19	0.06	105	<1	6.2	5	600	104	2.68	<5	20	0.01	2	<10	18
166135		0.29	5.03	1455	<1	1.48	137	240	6	0.04	<5	136	0.38	234	10	75
166136		0.22	4.42	1495	<1	1.26	128	210	8	0.13	<5	143	0.34	208	40	101
166137		0.37	4.47	1350	<1	1.58	119	220	4	0.07	<5	148	0.36	217	10	62
166138		4.24	0.31	261	2	2.14	18	150	40	0.01	<5	151	0.09	14	<10	30
166139		0.45	4.56	1475	<1	1.46	122	230	5	0.08	<5	152	0.35	209	<10	80
166140		0.43	1.90	1335	<1	2.85	21	1360	2	0.28	<5	229	0.77	122	<10	109



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 14-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06010465


Project: DETOUR LAKE  
P.O. No.:  
This report is for 4 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 7-FEB-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 14-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06010465

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
160642		2.37	22.7	611	15.15	18.491	30.25	2345	15.40	14.85
160662		1.40	29.9	56.4	29.5	1.306	23.17	1384.0	29.7	29.2
160663		0.95	22.1	314	11.60	10.465	33.30	929.5	11.60	11.60
160704		1.10	18.30	87.0	16.45	2.547	29.28	1077.0	16.05	16.85

Comments: Reprise metallic sieve de VO06006749.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 3-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06011415


Project: DETOUR LAKE  
P.O. No.:  
This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 10-FEB-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 3-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06011415

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
163265		2.53	47.5	1485	32.0	38.952	26.19	2430	31.8	32.2
163321		2.23	16.35	256	12.85	7.941	31.02	2122	12.30	13.40

Comments: Sample from VO06008033.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 22-FEB-2006  
Account: TRAVEN

## CERTIFICATE VO06012293

Project: DETOUR LAKE

P.O. No.:

This report is for 160 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 13-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 22-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06012293**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
163521		1.84	0.040			<0.5	7.82	9	130	0.5	<2	5.80	<0.5	27	101	41
163522		2.50	0.532			<0.5	7.21	13	110	<0.5	<2	6.06	<0.5	35	128	162
163523		0.26	<0.005			<0.5	6.40	<5	520	0.9	<2	0.82	<0.5	1	19	14
163524		2.59	1.315			<0.5	8.07	<5	90	<0.5	<2	7.04	<0.5	30	134	146
163525		1.88	0.017			<0.5	7.96	<5	60	<0.5	<2	6.71	<0.5	32	122	86
163526		1.82	0.035			<0.5	7.77	<5	140	<0.5	<2	7.33	<0.5	33	120	200
163527		2.19	0.020			<0.5	7.99	<5	100	<0.5	<2	6.68	<0.5	35	134	82
163528		2.67	0.052			<0.5	7.49	7	120	<0.5	<2	6.03	<0.5	37	138	236
163529		0.06	0.967			10.7	7.34	<5	40	3.3	<2	0.32	<0.5	<1	5	9
163530		2.31	0.042			<0.5	8.20	<5	160	0.5	<2	6.24	<0.5	33	121	169
163531		2.33	0.026			<0.5	8.02	12	160	0.5	<2	6.13	<0.5	29	104	103
163532		3.03	0.012			<0.5	8.00	<5	260	0.8	<2	4.27	<0.5	15	45	56
163533		2.61	0.045			<0.5	8.41	7	150	0.5	<2	7.08	<0.5	33	110	82
163534		2.63	0.137			<0.5	8.23	<5	100	<0.5	<2	7.65	<0.5	48	132	295
163535 DUP		<0.02	0.120			<0.5	8.20	6	100	<0.5	<2	7.71	<0.5	49	131	304
163536		1.66	0.129			<0.5	7.50	<5	150	<0.5	<2	6.98	<0.5	49	128	333
163537		2.37	0.008			<0.5	8.00	<5	70	<0.5	<2	7.52	<0.5	28	116	42
163538		2.44	0.092			<0.5	7.85	10	90	<0.5	<2	6.80	<0.5	30	124	71
163539		2.12	2.87			<0.5	7.61	10	160	<0.5	<2	5.81	<0.5	36	130	282
163540		2.60	0.020			<0.5	8.09	<5	330	0.8	<2	3.67	<0.5	13	10	45
163541		2.48	0.242			<0.5	7.54	15	460	1.0	<2	2.71	<0.5	9	12	22
163542		2.40	0.158			<0.5	7.70	<5	130	<0.5	<2	6.22	<0.5	37	130	500
163543		2.34	0.035			<0.5	7.97	15	140	<0.5	<2	6.32	<0.5	31	128	55
163544		2.45	0.211			0.5	7.96	5	90	<0.5	<2	6.45	<0.5	74	144	701
163545		2.46	0.170			<0.5	7.89	<5	110	<0.5	<2	7.16	<0.5	27	125	114
163546		2.47	2.95			0.8	7.45	5	100	<0.5	<2	6.55	<0.5	39	134	262
163547		2.38	2.87			<0.5	6.77	<5	110	<0.5	<2	5.86	<0.5	38	120	503
163548		0.21	<0.005			<0.5	6.58	<5	530	0.9	<2	0.91	<0.5	1	7	6
163549		2.56	0.057			<0.5	7.78	<5	50	<0.5	<2	7.29	<0.5	52	130	478
163550		2.31	0.067			<0.5	7.92	<5	70	<0.5	<2	7.14	<0.5	63	136	636
163551		2.52	0.145			<0.5	7.84	<5	100	<0.5	<2	6.38	<0.5	64	138	678
163552		2.44	0.031			<0.5	8.00	<5	80	0.5	<2	6.38	<0.5	39	114	294
163553		2.49	0.158	0.238		0.5	7.77	11	110	<0.5	<2	6.36	<0.5	78	136	1120
163554 DUP		<0.02	0.156	0.167		0.5	7.71	12	100	<0.5	<2	6.28	<0.5	80	130	1100
163555		2.35	0.142			<0.5	8.13	17	90	<0.5	<2	7.08	<0.5	60	134	841
163556		3.12	0.097			<0.5	8.17	9	100	<0.5	<2	6.43	<0.5	42	140	350
163557		2.36	0.021			<0.5	7.62	<5	220	0.7	<2	4.26	<0.5	19	53	96
163558		0.06	1.755			18.7	7.63	5	50	2.9	<2	0.32	<0.5	1	12	6
163559		1.91	0.011			<0.5	7.77	5	350	0.8	<2	5.47	<0.5	30	433	41
163560		2.73	0.016			<0.5	7.62	6	320	0.8	<2	5.48	<0.5	30	275	67



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 22-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
163521	6.95	0.94	3.23	1215	2	1.66	57	530	4	0.33	<5	170	0.51	203	10	
163522	6.50	1.00	2.95	1220	1	1.04	74	330	2	0.77	<5	114	0.42	189	10	
163523	2.11	3.92	0.21	214	3	1.96	13	160	38	0.02	<5	144	0.08	9	<10	
163524	7.17	0.85	3.45	1335	1	1.38	79	390	<2	0.53	<5	143	0.47	214	10	
163525	7.12	0.46	3.32	1290	<1	1.71	72	430	2	0.33	<5	154	0.47	208	<10	
163526	7.07	0.82	3.10	1425	2	1.61	81	420	<2	0.64	<5	170	0.45	194	10	
163527	8.59	0.68	3.98	1380	2	1.80	95	670	<2	0.42	<5	224	0.63	222	10	
163528	6.61	1.00	2.94	1235	1	1.05	71	350	6	0.66	<5	126	0.44	201	10	
163529	2.48	0.19	0.07	35	1	6.5	4	590	111	2.82	<5	20	0.01	3	<10	
163530	6.90	1.18	3.04	1315	1	1.79	72	490	2	0.52	5	139	0.49	207	<10	
163531	6.23	1.18	2.81	1240	1	1.78	55	540	2	0.35	<5	167	0.49	196	10	
183532	5.17	1.31	1.62	853	2	2.39	22	870	<2	0.24	<5	208	0.51	122	<10	
163533	6.94	1.06	3.15	1320	1	1.48	69	560	2	0.35	5	178	0.51	200	10	
163534	7.50	1.11	3.26	1295	1	1.00	75	410	<2	1.04	<5	147	0.47	221	<10	
163535 DUP	7.48	1.07	3.25	1300	1	0.99	76	410	<2	1.04	<5	145	0.48	219	<10	
163536	6.84	1.21	2.61	1200	1	0.89	73	340	7	1.07	6	120	0.44	204	10	
163537	6.74	0.60	3.69	1250	2	1.19	85	370	<2	0.18	<5	163	0.46	211	<10	
163538	6.82	0.72	3.51	1180	1	1.29	80	370	4	0.24	<5	159	0.46	211	<10	
163539	7.04	1.29	3.26	1125	1	0.99	77	380	16	0.76	6	108	0.44	200	20	
163540	4.78	1.80	1.18	736	2	2.38	9	920	<2	0.18	<5	196	0.50	113	<10	
163541	3.45	1.64	0.76	552	1	2.56	8	450	4	0.09	5	168	0.31	69	<10	
163542	7.24	1.30	3.84	1270	1	1.02	67	360	6	0.67	5	117	0.43	202	10	
163543	7.65	1.44	4.50	1210	2	1.15	79	380	<2	0.16	<5	124	0.47	223	<10	
163544	8.66	1.04	3.60	1265	2	1.21	78	380	<2	1.36	<5	126	0.47	225	20	
163545	6.73	1.28	3.64	1320	<1	0.87	68	380	<2	0.55	<5	108	0.46	212	10	
163546	7.10	1.57	3.20	1220	1	0.77	77	360	2	1.02	<5	106	0.44	204	10	
163547	6.31	1.23	3.00	1110	2	0.77	78	310	<2	0.94	<5	104	0.40	184	10	
163548	1.59	3.98	0.22	156	1	2.05	3	150	36	0.01	<5	152	0.08	9	<10	
163549	7.20	0.60	3.17	1205	2	1.23	79	370	<2	0.80	<5	158	0.46	211	<10	
163550	8.15	0.69	3.48	1270	1	1.56	76	360	<2	1.14	<5	130	0.46	213	<10	
163551	7.63	0.99	3.13	1115	2	1.39	66	360	<2	1.12	<5	133	0.46	210	<10	
163552	6.98	0.67	3.03	1095	1	1.60	58	430	<2	0.63	<5	167	0.46	201	10	
163553	8.85	0.98	3.13	1080	2	1.39	92	400	<2	1.84	5	121	0.45	208	10	
163554 DUP	8.81	0.96	3.10	1060	1	1.37	92	400	<2	1.88	<5	120	0.44	204	10	
163555	8.36	0.76	3.47	1125	1	1.47	88	410	2	1.35	<5	151	0.46	213	10	
163556	7.50	0.68	3.46	1145	1	1.80	57	380	3	0.65	6	170	0.48	222	10	
163557	5.34	0.88	1.83	811	2	2.37	31	740	6	0.32	<5	212	0.48	136	<10	
163558	2.77	0.17	0.06	106	1	6.7	5	600	112	3.17	<5	20	0.01	2	<10	
163559	5.36	1.09	5.18	981	1	2.22	185	1240	7	0.22	<5	572	0.36	136	<10	
163560	5.27	0.97	4.40	999	<1	2.41	152	860	7	0.28	<5	481	0.38	134	<10	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 22-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
163521		95
163522		75
163523		36
163524		61
163525		71
163526		81
163527		104
163528		82
163529		18
163530		71
163531		111
163532		58
163533		74
163534		73
163535 DUP		73
163536		71
163537		61
163538		62
163539		104
163540		49
163541		44
163542		76
163543		67
163544		61
163545		57
163546		60
163547		58
163548		26
163549		52
163550		59
163551		57
163552		65
163553		63
163554 DUP		62
163555		58
163556		74
163557		62
163558		17
163559		99
163560		97



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 22-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
163561		2.40	0.015			<0.5	8.17	10	320	0.6	<2	5.25	<0.5	22	63	82
163562		2.42	0.094			<0.5	7.47	11	130	<0.5	<2	5.70	<0.5	31	138	395
163563		2.36	0.382			<0.5	6.80	<5	180	<0.5	<2	5.22	<0.5	40	358	426
163564		2.56	2.19			<0.5	5.54	6	90	<0.5	<2	5.08	<0.5	43	1125	74
163565		2.65	1.800	2.17		<0.5	5.93	5	120	<0.5	4	4.78	<0.5	40	996	152
163566 DUP		<0.02	1.325	1.430		<0.5	5.49	<5	110	<0.5	<2	4.49	<0.5	39	1005	146
163567		2.27	0.778			<0.5	7.16	<5	180	0.5	<2	5.73	<0.5	42	912	144
163568		2.55	0.421			<0.5	6.21	<5	130	<0.5	<2	5.08	<0.5	43	909	62
163569		2.04	0.028			<0.5	4.41	15	<10	<0.5	<2	5.04	<0.5	67	1260	13
163570		2.88	0.132			<0.5	4.08	<5	<10	<0.5	<2	5.43	<0.5	58	1035	75
163571		0.22	<0.005			<0.5	6.36	<5	530	0.8	<2	0.94	<0.5	3	33	8
163572		1.79	0.012			<0.5	4.37	<5	30	<0.5	<2	4.95	<0.5	59	1195	32
163573		1.93	0.394			<0.5	6.03	<5	100	<0.5	<2	6.11	<0.5	45	549	41
163574		2.47	0.015			<0.5	7.30	<5	240	0.7	<2	4.55	<0.5	24	104	25
163575		0.06	0.966			10.0	7.63	5	40	3.0	<2	0.33	<0.5	1	8	8
163576		1.79	0.054			<0.5	8.39	<5	220	0.8	<2	3.45	<0.5	16	18	13
163577		1.46	0.018			<0.5	7.51	<5	90	0.5	<2	3.06	<0.5	28	168	70
163578		2.40	0.123			<0.5	7.50	<5	90	<0.5	<2	5.94	<0.5	35	207	7
163579		2.43	0.035			<0.5	7.57	<5	160	<0.5	<2	6.57	<0.5	40	224	17
163580		2.52	0.053			<0.5	7.09	7	150	<0.5	<2	7.30	<0.5	39	274	25
163581		2.52	0.084			<0.5	6.23	5	150	<0.5	<2	8.63	<0.5	37	257	135
163582		0.14	<0.005			<0.5	6.21	<5	520	0.8	<2	0.90	<0.5	2	26	8
163583		2.56	0.083			0.8	6.26	5	150	<0.5	<2	12.35	<0.5	31	205	102
163584		2.79	0.118			<0.5	5.77	<5	140	<0.5	<2	13.65	<0.5	24	239	108
163585		2.64	0.302			<0.5	5.33	<5	140	<0.5	<2	8.31	<0.5	29	470	56
163586 DUP		<0.02	0.282			<0.5	5.45	<5	140	<0.5	<2	8.59	<0.5	31	462	54
163587		2.54	1.605			<0.5	5.85	5	120	<0.5	3	6.51	<0.5	41	1270	31
163588		2.52	0.911			<0.5	6.06	18	60	<0.5	<2	6.48	<0.5	50	1200	37
163589		2.72	0.261			<0.5	6.71	<5	100	<0.5	2	5.13	<0.5	54	1095	33
163590		3.08	0.656			<0.5	5.90	<5	40	<0.5	<2	5.88	<0.5	61	1215	27
163591		2.29	0.186			<0.5	5.66	8	40	<0.5	<2	5.99	<0.5	59	1235	8
163592		2.44	0.021			<0.5	6.87	9	180	<0.5	<2	6.34	<0.5	48	801	35
163593		2.64	0.011			<0.5	6.89	<5	210	0.5	<2	7.01	<0.5	49	641	28
163594		0.06	1.820			18.0	7.40	<5	50	3.0	<2	0.31	<0.5	2	5	5
163595		2.79	0.154			<0.5	6.41	<5	110	<0.5	<2	5.61	<0.5	50	858	36
163596		2.66	0.156			<0.5	6.51	<5	120	<0.5	<2	6.03	<0.5	47	612	92
163597		2.63	0.035			<0.5	7.41	<5	170	<0.5	<2	8.30	<0.5	43	366	99
163598		2.82	0.025			<0.5	7.63	<5	110	<0.5	2	9.07	<0.5	46	313	80
163599		3.09	0.083			<0.5	6.34	<5	150	0.5	<2	6.09	<0.5	28	238	26
163600		1.83	0.029			<0.5	7.72	<5	190	<0.5	<2	5.60	<0.5	26	187	58





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 22-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method	ME-ICP61	ME-ICP81	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
163561		5.27	0.98	2.63	923	1	2.70	37	660	9	0.22	<5	386	0.44	150	<10
163562		7.32	1.01	3.34	1160	1	1.68	65	360	3	0.70	<5	135	0.44	207	<10
163563		7.24	1.15	4.10	1050	2	1.18	160	310	2	0.92	<5	118	0.38	177	10
163564		9.00	1.30	9.25	1380	1	0.40	528	220	3	0.44	6	53	0.27	164	<10
163565		8.89	0.79	7.87	1340	6	0.77	441	270	8	1.01	<5	162	0.25	142	<10
163566 DUP		8.30	0.76	7.35	1250	5	0.72	423	250	5	0.93	<5	149	0.24	135	10
163567		7.87	0.93	7.57	1325	2	1.23	372	480	3	0.72	6	245	0.31	152	10
163568		8.26	0.98	8.49	1335	2	0.86	448	350	9	0.35	5	116	0.31	155	<10
163569		7.00	0.02	13.40	1315	1	0.10	869	160	7	0.03	<5	18	0.21	137	<10
163570		8.02	0.03	12.45	1535	<1	0.19	793	150	<2	0.29	<5	16	0.20	129	<10
163571		2.36	3.90	0.27	233	2	2.06	18	160	32	<0.01	<5	152	0.09	10	<10
163572		6.08	0.15	11.20	1225	<1	0.61	548	300	<2	0.03	<5	70	0.21	118	<10
163573		7.38	0.48	6.45	1540	1	1.10	166	220	2	0.06	<5	122	0.34	203	<10
163574		5.64	0.82	2.64	1030	<1	2.18	45	750	10	0.14	<5	210	0.47	129	<10
163575		2.61	0.18	0.07	33	<1	6.9	4	590	116	2.84	<5	21	0.01	1	<10
163576		4.87	0.95	1.50	930	1	3.09	16	770	5	0.10	<5	252	0.46	125	<10
163577		5.14	0.53	2.96	1000	1	3.70	82	1090	2	0.21	<5	174	0.49	100	<10
163578		6.82	0.84	5.15	1430	<1	2.90	99	340	3	<0.01	<5	106	0.40	219	<10
163579		7.06	1.00	5.23	1530	<1	1.86	92	300	5	0.01	<5	130	0.40	229	<10
163580		7.42	0.98	5.61	1615	<1	1.49	116	250	4	0.04	<5	131	0.37	218	70
163581		7.31	1.07	5.07	1740	<1	0.78	146	230	4	0.55	<5	106	0.32	189	90
163582		2.20	3.77	0.22	211	2	2.04	14	150	335	<0.01	5	148	0.08	8	<10
163583		7.08	1.10	4.86	2060	1	0.63	154	230	<2	0.48	<5	140	0.30	188	90
163584		6.29	0.99	4.38	1920	<1	0.52	135	200	5	0.41	7	161	0.28	176	70
163585		6.50	1.07	4.62	1525	<1	0.81	206	190	<2	0.43	<5	93	0.26	163	50
163586 DUP		6.67	1.10	4.75	1565	1	0.82	212	210	11	0.43	<5	96	0.27	166	50
163587		7.86	0.81	7.44	1510	1	0.58	557	200	3	0.32	6	69	0.28	182	220
163588		8.10	0.45	9.21	1485	1	0.53	554	200	<2	0.10	5	77	0.28	170	<10
163589		6.73	0.49	9.39	1225	<1	1.04	555	250	<2	0.12	<5	123	0.23	143	<10
163590		7.46	0.24	10.75	1325	1	0.59	619	240	5	0.06	<5	58	0.23	164	<10
163591		7.29	0.30	10.75	1325	1	0.55	660	200	<2	0.02	<5	57	0.26	162	<10
163592		6.86	0.67	7.86	1255	1	0.96	341	510	4	0.09	<5	322	0.37	158	20
163593		5.52	0.87	8.61	1025	<1	0.59	524	720	<2	0.09	<5	301	0.23	126	<10
163594		2.73	0.19	0.07	104	1	6.5	3	620	118	2.99	<5	21	0.01	2	<10
163595		6.10	0.58	8.60	1170	<1	1.03	474	440	<2	0.09	<5	244	0.25	150	<10
163596		7.59	0.83	6.48	1355	<1	0.59	286	350	<2	0.37	<5	110	0.35	205	10
163597		7.80	1.04	4.93	1520	<1	0.77	138	230	<2	0.25	<5	185	0.37	231	10
163598		7.58	0.89	4.69	1430	<1	0.95	123	260	2	0.21	<5	161	0.36	223	<10
163599		5.64	0.66	3.29	1090	1	1.55	92	180	<2	0.11	<5	132	0.26	150	10
163600		4.82	0.74	3.00	880	<1	2.47	79	220	2	0.09	<5	215	0.23	128	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 22-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
163561		76
163562		57
163563		61
163564		120
163565		144
163566 DUP		140
163567		112
163568		126
163569		83
163570		114
163571		28
163572		101
163573		100
163574		64
163575		17
163576		42
163577		54
163578		57
163579		68
163580		82
163581		127
163582		26
163583		88
163584		69
163585		71
163586 DUP		72
163587		91
163588		95
163589		93
163590		80
163591		74
163592		80
163593		80
163594		19
163595		88
163596		112
163597		99
163598		87
163599		57
163600		50



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 5 (A - C)

Finalized Date: 22-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
163601		2.53	0.008			<0.5	7.33	<5	50	<0.5	2	8.10	<0.5	40	325	34
163602		2.48	0.012			<0.5	7.33	<5	100	<0.5	2	8.83	<0.5	36	292	33
163603		2.65	0.887			<0.5	6.90	8	80	<0.5	<2	8.85	<0.5	37	276	72
163604		2.60	0.015			<0.5	7.78	6	130	<0.5	2	7.31	<0.5	37	281	48
163605		0.06	0.971			10.2	7.72	5	40	3.0	<2	0.32	<0.5	1	5	8
163606		2.71	0.017			<0.5	7.62	<5	110	<0.5	<2	5.98	<0.5	28	120	10
163607		2.27	0.076			<0.5	7.54	14	240	0.6	<2	4.28	<0.5	28	91	116
163608		1.72	0.097			<0.5	7.86	6	250	0.6	2	5.19	<0.5	35	151	424
163609		0.09	<0.005			<0.5	6.47	<5	530	0.8	<2	0.87	<0.5	1	21	16
163610		1.53	0.156			<0.5	7.58	<5	300	0.9	<2	2.98	<0.5	11	20	47
163611		1.55	0.297			<0.5	7.58	8	130	<0.5	2	5.30	<0.5	28	144	102
163612		1.99	0.027			<0.5	7.74	<5	150	<0.5	<2	5.34	<0.5	28	138	17
163613		2.48	0.041			<0.5	7.60	<5	250	<0.5	<2	5.08	<0.5	31	112	<1
163614		2.61	0.112			<0.5	7.66	<5	240	<0.5	<2	5.78	<0.5	28	100	9
163615		2.08	0.016			<0.5	7.39	<5	170	<0.5	3	5.94	<0.5	34	128	18
163616		2.06	0.008			<0.5	7.47	7	190	0.5	<2	4.85	<0.5	35	65	30
163617		2.34	0.050			<0.5	7.62	<5	270	0.7	<2	4.08	<0.5	20	18	49
163618 DUP		<0.02	0.047			<0.5	7.66	<5	260	0.7	<2	4.19	<0.5	21	21	50
163619		2.38	0.008			<0.5	7.86	<5	230	0.8	<2	4.05	<0.5	18	24	32
163620		2.01	0.041			<0.5	7.44	<5	140	<0.5	<2	6.65	<0.5	41	124	115
163621		1.41	0.099			<0.5	6.75	<5	130	<0.5	<2	5.33	<0.5	66	126	231
163622		1.77	0.126			<0.5	7.58	10	120	<0.5	<2	6.54	<0.5	72	127	217
163623		1.60	0.033			<0.5	7.17	<5	260	0.9	<2	2.53	<0.5	11	7	184
163624		0.06	1.770			16.8	5.35	<5	50	2.9	2	0.23	<0.5	2	3	6
163625		2.22	0.030			<0.5	7.70	<5	100	<0.5	<2	5.99	<0.5	43	122	98
163626		1.93	0.026			<0.5	7.66	7	90	0.5	<2	5.66	<0.5	45	116	110
163627		2.51	0.508			<0.5	7.74	6	300	0.5	<2	5.06	<0.5	45	108	190
163628		2.56	1.285			0.7	7.27	<5	210	0.5	<2	5.18	<0.5	58	91	520
163629		0.10	<0.005			<0.5	6.52	<5	510	0.9	<2	0.90	<0.5	2	9	7
163630		2.45	>10.0		11.30	2.4	7.13	<5	160	<0.5	<2	5.59	17.0	40	122	175
163631		2.36	0.113			<0.5	7.12	<5	240	<0.5	<2	5.61	<0.5	38	114	261
163632		2.43	0.058			<0.5	6.06	<5	150	<0.5	<2	4.01	<0.5	31	58	235
163633 DUP		<0.02	0.064			<0.5	6.14	<5	150	<0.5	<2	3.88	<0.5	30	55	229
163634		2.29	0.037			<0.5	7.02	<5	270	0.7	<2	3.93	<0.5	27	211	67
163635		2.54	0.078			<0.5	7.97	5	160	0.8	<2	7.02	<0.5	41	47	248
163636		2.29	0.080			<0.5	7.35	<5	130	0.5	<2	3.51	1.2	27	53	130
163637		2.61	0.195			<0.5	6.64	<5	180	0.5	<2	4.95	<0.5	58	99	474
163638		3.17	0.126			<0.5	7.10	<5	180	0.6	<2	4.61	<0.5	39	41	188
163639		1.97	0.202			<0.5	7.09	<5	130	<0.5	<2	6.07	<0.5	61	111	408
163640		1.50	0.020			<0.5	6.40	5	640	1.2	<2	1.22	<0.5	1	10	28



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 5 (A - C)

Finalized Date: 22-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
163601		7.38	0.51	4.42	1345	<1	1.26	128	240	<2	0.07	<5	173	0.35	235	10
163602		6.63	0.62	4.41	1300	<1	1.56	104	370	<2	0.09	<5	197	0.32	186	10
163603		6.82	0.56	4.52	1355	<1	1.44	117	260	<2	0.12	<5	148	0.33	194	20
163604		6.72	0.73	4.94	1245	<1	1.64	104	410	<2	0.09	<5	217	0.33	189	<10
163605		2.59	0.19	0.07	33	<1	6.8	4	600	107	2.77	<5	21	0.01	2	<10
163606		6.30	0.79	3.45	1095	1	1.64	59	380	<2	0.04	<5	154	0.43	204	<10
163607		6.60	2.14	2.63	893	<1	1.42	47	540	2	1.55	<5	121	0.44	176	10
163608		8.03	2.01	2.87	1060	<1	1.55	71	680	6	3.04	<5	277	0.50	231	10
163609		2.32	4.08	0.23	231	2	1.97	16	170	38	0.02	<5	146	0.08	10	<10
163610		4.64	1.15	0.92	863	1	2.37	14	730	4	0.49	<5	209	0.42	74	<10
163611		6.49	1.15	3.02	1135	<1	1.77	54	350	<2	1.22	<5	170	0.42	209	10
163612		6.51	1.18	3.54	1180	1	2.03	60	400	<2	0.12	<5	215	0.45	218	<10
163613		6.51	2.01	3.89	985	1	1.98	67	390	<2	0.01	<5	124	0.43	198	10
163614		6.49	1.82	3.79	1070	<1	1.32	63	430	<2	0.02	<5	161	0.43	197	<10
163615		6.78	1.28	4.20	1125	<1	1.41	65	420	<2	0.02	<5	184	0.41	207	<10
163616		6.56	1.14	3.35	1040	1	1.63	58	570	<2	0.12	<5	159	0.55	219	10
163617		4.99	1.12	1.59	811	1	2.21	26	1080	<2	0.28	<5	247	0.47	134	<10
163618 DUP		5.14	1.13	1.64	842	1	2.23	31	1140	<2	0.28	<5	256	0.48	136	<10
163619		4.64	0.92	1.63	787	1	2.49	17	740	<2	0.10	<5	245	0.42	122	<10
163620		6.31	1.26	3.31	1255	1	0.96	75	360	<2	0.40	<5	138	0.42	209	10
163621		5.73	1.25	2.53	1015	1	0.94	91	320	<2	0.80	<5	122	0.40	188	10
163622		6.25	1.18	2.95	1100	<1	1.03	68	360	<2	0.66	<5	155	0.43	206	<10
163623		3.73	0.78	0.62	414	1	2.80	4	580	<2	0.69	<5	204	0.34	48	<10
163624		2.41	0.18	0.05	90	<1	6.3	6	570	121	2.80	<5	14	0.01	2	<10
163625		8.97	0.62	3.91	1425	<1	1.80	117	740	<2	0.36	<5	275	0.74	207	<10
163626		8.00	0.61	3.34	1270	<1	2.01	95	650	2	0.27	<5	282	0.67	213	10
163627		6.87	1.73	3.48	1145	<1	1.73	61	610	14	0.54	<5	245	0.43	209	<10
163628		6.64	1.24	2.57	1075	<1	1.56	68	520	4	1.10	<5	202	0.40	182	10
163629		1.78	4.09	0.23	165	<1	2.12	5	160	29	0.01	<5	152	0.09	10	<10
163630		6.65	1.28	3.42	1135	<1	1.14	70	340	<2	0.65	<5	136	0.41	207	<10
163631		5.78	2.05	2.90	1165	<1	1.05	65	360	3	0.44	<5	167	0.41	197	10
163632		4.89	1.26	1.84	819	1	1.49	38	530	3	0.65	<5	106	0.39	132	10
163633 DUP		4.87	1.28	1.78	809	<1	1.54	37	560	4	0.62	<5	108	0.39	130	<10
163634		5.02	1.17	2.86	873	1	2.08	78	670	5	0.17	<5	250	0.42	136	<10
163635		4.98	1.41	1.86	879	1	0.97	35	510	48	0.71	<5	108	0.39	152	<10
163636		5.15	0.86	2.05	900	<1	2.81	26	510	136	0.24	<5	172	0.40	148	<10
163637		5.67	1.65	2.25	944	1	1.13	62	400	5	0.92	<5	145	0.42	188	20
163638		5.14	1.06	1.57	837	1	1.63	35	610	<2	0.60	<5	157	0.41	140	10
163639		6.74	1.20	2.62	1055	<1	1.03	77	360	<2	1.08	<5	120	0.41	192	<10
163640		1.80	1.65	0.12	254	1	2.87	4	80	3	0.14	<5	128	0.09	2	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 22-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
163601		56
163602		54
163603		62
163604		59
163605		16
163606		69
163607		85
163608		149
163609		35
163610		68
163611		93
163612		94
163613		76
163614		72
163615		74
163616		97
163617		54
163618 DUP		55
163619		51
163620		69
163621		52
163622		55
163623		29
163624		19
163625		114
163626		107
163627		153
163628		71
163629		30
163630		1040
163631		60
163632		52
163633 DUP		50
163634		83
163635		122
163636		624
163637		76
163638		54
163639		66
163640		17



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 22-FEB-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
163641		2.08	0.020			<0.5	6.21	6	510	1.1	<2	1.23	<0.5	1	7	26
163642		1.61	0.321			<0.5	7.65	5	110	<0.5	<2	6.51	<0.5	48	118	329
163643		2.60	0.462	0.509		<0.5	6.54	<5	100	<0.5	<2	5.82	<0.5	124	110	761
163644 DUP		<0.02	0.297	0.347		0.5	6.54	7	100	<0.5	<2	5.81	<0.5	132	110	755
163645		2.41	0.109			<0.5	7.43	<5	100	<0.5	<2	6.53	<0.5	74	120	558
163646		2.38	0.145			<0.5	7.33	<5	90	<0.5	<2	6.18	<0.5	64	114	543
163647		2.58	0.182			<0.5	7.25	<5	100	<0.5	<2	6.17	<0.5	61	112	886
163648		0.11	<0.005			<0.5	6.63	5	520	0.9	<2	0.92	<0.5	2	23	16
163649		2.48	0.087			<0.5	7.39	8	90	<0.5	2	6.50	<0.5	48	124	655
163650		2.59	0.153			0.5	7.43	5	70	<0.5	<2	6.25	<0.5	58	120	869
163651		1.30	0.055			<0.5	7.05	<5	90	<0.5	<2	5.90	<0.5	38	116	391
163652		1.85	0.020			<0.5	7.80	<5	140	0.6	<2	5.34	<0.5	23	68	126
163653		1.64	0.028			<0.5	6.23	11	630	1.1	<2	1.26	<0.5	3	10	36
163654		0.06	0.960			9.6	7.76	<5	50	3.0	<2	0.31	<0.5	1	4	8
163655		2.25	0.014			<0.5	6.13	<5	310	1.1	<2	1.42	<0.5	4	10	29
163656		2.44	0.007			<0.5	6.53	<5	250	1.1	<2	1.81	<0.5	7	26	53
163657		1.72	0.019			<0.5	6.63	6	260	0.9	<2	2.94	<0.5	11	41	69
163658		2.56	0.007			<0.5	7.72	<5	250	0.8	<2	3.81	<0.5	16	10	31
163659		2.74	0.013			<0.5	7.30	<5	130	<0.5	<2	5.68	<0.5	26	100	36
163660		2.44	0.096			<0.5	7.31	<5	120	<0.5	<2	6.38	<0.5	25	107	28
163661		2.65	0.393			<0.5	7.32	<5	150	<0.5	<2	5.62	<0.5	25	112	27
163662		1.27	0.039			<0.5	7.55	<5	260	0.8	<2	3.46	<0.5	15	7	40
163663		0.06	1.745			18.0	8.08	<5	60	3.0	<2	0.33	<0.5	1	3	6
163664		1.25	0.106			<0.5	7.65	<5	190	<0.5	<2	5.49	<0.5	25	104	10
163665		2.10	0.017			<0.5	8.11	<5	320	0.8	<2	3.70	<0.5	14	5	35
163666		2.77	0.018			<0.5	7.67	<5	300	0.8	<2	3.27	<0.5	13	6	35
163667		2.10	0.577			<0.5	7.64	9	150	<0.5	<2	5.98	<0.5	22	102	5
163668		2.56	1.245			<0.5	7.82	11	150	<0.5	<2	5.98	<0.5	26	104	27
163669		1.86	0.013			<0.5	7.87	<5	260	0.8	<2	3.86	<0.5	16	11	15
163670		2.85	0.019			<0.5	7.70	<5	150	<0.5	<2	5.96	<0.5	27	110	9
163671		2.70	6.38			1.1	6.47	<5	110	<0.5	13	5.50	<0.5	35	513	26
163672		0.11	0.009			<0.5	6.56	9	530	0.8	<2	0.91	<0.5	2	14	9
163673		2.56	0.090			<0.5	5.51	<5	80	<0.5	<2	5.65	<0.5	52	1020	28
163674		2.67	0.037			<0.5	6.68	<5	180	<0.5	<2	5.69	<0.5	38	419	43
163675		2.79	0.178			<0.5	7.09	<5	150	<0.5	<2	5.26	<0.5	21	91	48
163676 DUP		<0.02	0.189			<0.5	6.98	9	150	<0.5	<2	5.21	<0.5	19	89	54
163677		2.48	0.093			<0.5	7.73	<5	110	<0.5	<2	7.00	<0.5	39	114	543
163678		2.79	0.037			<0.5	7.75	<5	120	<0.5	<2	6.55	<0.5	39	114	306
163679		1.96	0.006			<0.5	7.99	6	970	1.3	<2	3.61	<0.5	16	126	30
163680		2.88	0.033			<0.5	7.60	<5	160	<0.5	<2	5.69	<0.5	29	112	119



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 22-FEB-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06012293**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
163641		1.64	1.38	0.10	227	1	2.88	1	70	<2	0.13	<5	121	0.09	3	<10
163642		6.98	1.46	2.94	1210	1	1.04	65	360	<2	0.82	<5	131	0.42	209	<10
163643		9.86	1.26	2.44	1080	1	0.96	148	310	<2	2.84	<5	105	0.38	190	10
163644 DUP		10.05	1.26	2.47	1070	<1	0.96	154	310	<2	2.87	<5	105	0.38	192	10
163645		8.62	0.83	3.48	1240	<1	1.29	104	450	6	1.16	<5	198	0.45	206	10
163646		7.27	0.72	2.44	1090	1	1.32	82	410	<2	1.21	<5	146	0.43	197	20
163647		7.88	0.76	2.40	1140	<1	1.44	72	390	<2	1.39	<5	142	0.41	192	20
163648		2.40	4.18	0.25	237	2	2.06	15	150	31	0.02	<5	149	0.08	11	<10
163649		7.14	0.99	2.49	1100	<1	1.24	62	340	<2	1.24	<5	124	0.42	204	10
163650		7.56	0.64	2.53	1090	<1	1.46	67	340	<2	1.36	<5	143	0.42	210	20
163651		6.79	0.88	2.64	1110	1	1.37	56	340	<2	0.89	<5	127	0.40	192	10
163652		5.84	1.02	2.35	1160	<1	1.91	42	550	<2	0.36	<5	173	0.43	170	<10
163653		1.62	1.04	0.16	199	1	3.06	2	80	<2	0.16	<5	125	0.10	4	<10
163654		2.66	0.18	0.06	32	1	6.5	3	580	111	2.80	<5	19	0.01	2	<10
163655		1.56	0.59	0.18	205	2	3.01	2	100	5	0.17	<5	165	0.10	6	<10
163656		2.11	0.69	0.53	247	1	3.12	9	300	11	0.29	<5	198	0.13	21	<10
163657		3.32	0.81	1.22	530	1	2.78	16	290	2	0.30	<5	226	0.16	59	<10
163658		4.65	1.16	1.27	629	<1	2.38	10	790	<2	0.13	<5	217	0.46	126	<10
163659		6.32	1.14	3.38	969	1	1.44	66	380	<2	0.18	<5	131	0.41	196	10
163660		6.31	1.12	3.43	1025	1	1.23	65	340	<2	0.14	<5	134	0.42	201	<10
163661		6.97	1.54	3.92	1040	1	1.16	70	350	<2	0.13	<5	113	0.41	208	10
163662		4.55	1.32	1.10	573	1	2.25	6	910	<2	0.23	<5	186	0.47	116	<10
163663		2.94	0.19	0.07	107	1	6.6	4	630	129	3.11	<5	21	0.01	2	<10
163664		7.07	1.51	3.88	1065	1	1.55	72	400	3	0.04	<5	124	0.41	194	<10
163665		4.85	1.30	1.13	677	1	2.49	5	970	3	0.18	<5	199	0.51	121	<10
163666		4.45	1.18	0.96	618	2	2.54	4	1030	<2	0.19	<5	189	0.50	87	<10
163667		6.54	1.14	3.55	1235	1	1.48	67	400	<2	0.01	<5	129	0.46	223	<10
163668		6.93	1.22	3.71	1120	<1	1.40	66	390	<2	0.13	<5	132	0.45	220	10
163669		4.64	1.18	1.32	772	1	2.36	15	710	2	0.09	<5	167	0.43	128	<10
163670		6.96	1.35	4.12	1070	<1	1.23	69	370	2	0.07	<5	131	0.43	218	<10
163671		7.54	1.12	6.42	1280	<1	0.89	292	280	<2	0.18	<5	82	0.35	192	10
163672		2.49	4.03	0.23	223	6	2.06	9	180	31	0.02	<5	150	0.08	10	<10
163673		7.21	0.66	8.36	1445	1	0.70	545	270	<2	0.16	<5	111	0.26	162	230
163674		6.92	1.02	5.75	1155	<1	1.37	236	740	<2	0.28	<5	317	0.37	167	<10
163675		6.03	1.28	3.34	1055	1	1.06	59	380	2	0.30	<5	132	0.39	180	10
163676 DUP		6.02	1.22	3.29	1045	<1	1.04	58	380	6	0.31	<5	131	0.38	176	<10
163677		6.80	1.18	3.42	1185	1	1.09	87	380	<2	0.64	<5	138	0.44	216	10
163678		6.73	0.88	3.44	1080	1	1.50	77	390	<2	0.40	<5	162	0.44	215	10
163679		3.72	2.04	2.14	590	<1	2.15	54	1460	9	0.12	5	671	0.41	89	<10
163680		6.59	1.29	3.33	1070	1	1.62	78	480	<2	0.43	<5	168	0.44	210	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 22-FEB-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012293

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
163641		14
163642		83
163643		62
163644 DUP		62
163645		86
163646		64
163647		68
163648		27
163649		58
163650		63
163651		67
163652		74
163653		23
163654		17
163655		39
163656		38
163657		35
163658		52
163659		76
163660		67
163661		72
163662		43
163663		20
163664		86
163665		49
163666		47
163667		94
163668		84
163669		56
163670		76
163671		100
163672		26
163673		143
163674		92
163675		55
163676 DUP		62
163677		73
163678		62
163679		80
163680		67





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 2-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06012295

Project: DETOUR LAKE  
P.O. No.:  
This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 13-FEB-2006.  
The following have access to data associated with this certificate:

IAN LAMBERT	MIKE ROBERTS
-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06012295**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
166241		2.61	0.015			<0.5	7.12	<5	120	<0.5	<2	8.24	<0.5	37	107	129
166242		2.42	0.298			<0.5	7.75	<5	170	<0.5	<2	6.00	<0.5	31	127	112
166243		2.63	0.545			<0.5	7.49	<5	140	<0.5	<2	7.12	<0.5	35	103	312
166244 DUP		<0.02	0.563			<0.5	7.47	<5	140	<0.5	<2	7.09	<0.5	36	102	305
166245		2.43	0.016			<0.5	7.56	<5	150	<0.5	<2	6.87	<0.5	39	119	104
166246		3.50	0.016			<0.5	7.35	<5	170	0.5	<2	5.87	<0.5	29	97	230
166247		2.36	<0.005			<0.5	7.40	<5	110	<0.5	<2	6.20	<0.5	31	100	14
166248		0.05	1.765			17.9	7.64	<5	50	3.0	<2	0.33	<0.5	1	5	5
166249		2.54	0.008			<0.5	7.39	<5	150	<0.5	<2	6.37	<0.5	33	109	22
166250		2.62	0.130			<0.5	7.11	<5	140	<0.5	<2	6.88	<0.5	39	120	112
166251		2.75	0.601			<0.5	7.52	<5	160	<0.5	<2	5.53	<0.5	41	118	114
166252		2.72	<0.005			<0.5	7.60	<5	150	<0.5	<2	5.91	<0.5	26	107	13
166253		2.68	0.007			<0.5	6.80	<5	270	0.7	<2	7.59	<0.5	41	224	54
166254		0.14	0.009			<0.5	6.28	<5	490	0.8	<2	1.14	<0.5	1	14	6
166255		2.75	<0.005			<0.5	7.82	<5	120	<0.5	<2	6.25	<0.5	34	110	16
166256		3.50	0.012			<0.5	7.14	<5	120	<0.5	<2	6.90	<0.5	44	112	150
166257		2.52	0.012			<0.5	6.91	<5	280	0.8	<2	3.26	<0.5	8	8	42
166258		2.58	<0.005			<0.5	7.55	<5	210	0.6	<2	4.23	<0.5	20	73	16
166259		2.75	0.021			<0.5	7.93	<5	170	<0.5	<2	5.27	<0.5	28	155	32
166260		2.69	<0.005			<0.5	8.53	<5	110	<0.5	<2	6.40	<0.5	33	134	22
166261		2.79	<0.005			<0.5	8.26	<5	110	<0.5	<2	6.23	<0.5	46	126	86
166262		3.18	0.007			<0.5	8.07	<5	240	0.8	<2	4.56	<0.5	19	54	31
166263		3.19	0.022			<0.5	7.70	<5	270	0.7	<2	4.63	<0.5	25	92	48
166264		2.42	0.015			<0.5	8.24	<5	160	0.5	<2	6.77	<0.5	28	114	9
166265		2.90	0.007			0.6	8.78	<5	120	<0.5	<2	7.11	<0.5	46	139	95
166266		2.62	0.043			<0.5	8.17	55	120	0.5	<2	7.17	<0.5	36	106	118
166267		0.06	0.983			10.5	8.32	<5	50	3.2	<2	0.36	<0.5	<1	5	8
166268		2.88	0.442			0.5	8.01	<5	210	0.5	<2	6.96	<0.5	38	130	214
166269		2.18	0.066			<0.5	7.89	<5	100	<0.5	<2	6.73	<0.5	40	143	142
166270		2.58	0.018			<0.5	8.11	<5	160	<0.5	<2	6.00	<0.5	38	109	110
166271		1.26	>10.0		28.7	6.4	5.26	<5	130	0.5	8	3.74	<0.5	66	82	948
166272 DUP		<0.02	>10.0		32.5	5.7	5.31	<5	130	0.5	10	3.78	<0.5	61	82	994
166273		0.12	0.057	0.074		<0.5	6.64	<5	520	0.9	<2	0.97	<0.5	2	8	15
166274		2.50	0.041			<0.5	8.51	<5	220	0.6	<2	5.90	<0.5	30	93	58
166275		3.00	0.047			<0.5	7.93	<5	160	<0.5	<2	6.27	<0.5	34	96	50
166276		3.03	0.012			<0.5	8.24	<5	130	0.5	<2	6.45	<0.5	37	100	76
166277		2.60	0.005			<0.5	8.20	<5	190	0.7	<2	4.65	<0.5	22	56	100
166278		2.90	0.008			<0.5	8.37	<5	140	0.5	<2	6.61	<0.5	48	130	110
166279		2.79	3.29			0.6	6.89	<5	110	<0.5	<2	6.70	<0.5	35	110	184
166280		2.82	0.012			<0.5	8.20	<5	130	<0.5	<2	6.62	<0.5	41	124	100



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 2-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012295

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
166241		6.86	0.95	3.01	1105	<1	1.28	64	370	2	0.53	<5	149	0.40	192	<10
166242		5.93	0.96	3.06	965	<1	1.88	65	440	<2	0.38	<5	186	0.34	152	<10
166243		7.20	0.95	3.03	1130	<1	1.51	61	460	2	0.57	<5	142	0.42	179	10
166244 DUP		7.20	0.97	3.05	1130	<1	1.49	65	460	4	0.57	<5	138	0.43	184	<10
166245		7.21	1.08	3.31	1090	<1	1.40	74	350	3	0.33	<5	128	0.43	203	<10
166246		6.43	1.05	3.03	976	<1	1.64	60	600	8	0.25	<5	180	0.44	173	<10
166247		6.84	0.77	4.22	1115	<1	1.61	94	370	4	0.08	<5	154	0.40	187	<10
166248		2.82	0.18	0.07	105	<1	6.7	3	640	120	2.94	<5	19	0.01	1	10
188249		6.97	1.13	3.73	1065	1	1.11	64	370	3	0.09	<5	112	0.43	203	<10
166250		7.68	1.54	3.61	1355	<1	0.78	72	330	6	0.87	<5	97	0.40	194	<10
166251		7.37	1.34	3.60	1005	<1	1.33	72	370	2	0.54	<5	118	0.42	198	<10
166252		6.98	1.14	4.05	1020	<1	1.51	75	350	5	0.04	<5	156	0.42	200	<10
166253		6.67	0.92	5.07	1145	<1	1.67	160	1550	7	0.33	<5	830	0.67	212	<10
166254		1.91	3.78	0.33	174	<1	2.05	6	180	29	0.01	<5	152	0.09	11	<10
166255		7.16	0.83	3.93	1035	<1	1.40	69	400	2	0.05	<5	130	0.44	210	<10
166256		7.31	0.84	3.57	1220	<1	1.31	72	340	6	0.39	<5	134	0.41	196	<10
188257		4.40	0.95	0.88	690	<1	2.33	4	1020	4	0.21	<5	180	0.45	54	<10
166258		4.92	0.79	2.20	784	<1	2.17	34	620	3	0.06	<5	186	0.39	124	<10
166259		5.04	0.80	3.69	836	<1	2.11	65	380	4	0.05	<5	204	0.25	120	<10
166260		6.82	0.61	4.24	1060	<1	1.92	75	400	9	0.04	<5	174	0.39	190	<10
166261		7.29	0.67	4.20	1080	<1	1.92	81	410	5	0.25	<5	176	0.41	201	10
166262		5.17	0.94	1.86	829	<1	2.46	26	890	3	0.15	<5	214	0.46	112	<10
166263		5.06	0.87	2.58	759	<1	2.51	53	250	5	0.18	<5	154	0.29	122	<10
166264		6.56	0.93	3.79	1220	<1	1.81	74	370	6	0.03	<5	175	0.39	187	<10
166265		7.41	0.67	4.06	1135	<1	2.03	84	440	7	0.29	<5	171	0.43	207	10
166266		7.23	0.95	2.96	1120	<1	1.37	63	460	4	0.48	<5	146	0.46	203	20
166267		2.93	0.20	0.07	38	<1	7.1	3	660	121	3.02	<5	20	0.01	1	<10
166268		7.65	2.58	2.89	1270	<1	0.69	79	380	7	1.77	<5	91	0.44	213	20
166269		7.66	1.67	3.60	1295	<1	0.81	89	390	6	0.79	<5	112	0.44	226	10
166270		7.25	1.39	3.30	1135	<1	1.24	62	460	9	0.41	<5	117	0.46	205	10
166271		13.65	1.22	1.62	751	<1	0.80	130	330	5	5.27	<5	57	0.29	130	10
166272 DUP		12.65	1.24	1.64	750	<1	0.82	122	320	6	4.73	<5	59	0.29	130	10
166273		1.83	4.24	0.25	154	<1	2.09	4	170	34	0.02	<5	150	0.09	9	<10
166274		6.73	1.50	2.92	1240	<1	1.51	61	550	5	0.26	<5	143	0.47	189	<10
166275		7.07	1.00	3.46	1285	<1	1.53	66	480	3	0.09	<5	138	0.46	207	<10
166276		7.65	0.79	3.41	1225	<1	1.68	80	530	6	0.21	<5	180	0.52	208	<10
166277		5.72	0.69	1.92	741	<1	2.43	32	740	5	0.34	<5	238	0.49	148	<10
166278		8.83	0.97	3.81	1295	<1	1.68	102	620	4	0.32	<5	227	0.67	243	<10
166279		6.35	0.97	3.25	1175	<1	0.84	71	350	7	0.48	<5	115	0.40	184	<10
166280		7.60	1.26	3.75	1285	<1	1.34	78	350	4	0.28	<5	107	0.46	222	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 2-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012295

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
166241		53
166242		55
166243		59
166244 DUP		61
166245		64
166246		63
166247		58
166248		17
166249		59
166250		59
166251		62
166252		71
166253		93
166254		26
166255		59
166256		61
166257		55
166258		59
166259		56
166260		71
166261		69
166262		57
166263		52
166264		75
166265		68
166266		65
166267		17
166268		52
166269		66
166270		71
166271		58
166272 DUP		59
166273		28
166274		98
166275		98
166276		95
166277		57
166278		96
166279		85
166280		82



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 2-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012295

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
166281		2.75	0.934			0.5	8.01	<5	120	<0.5	<2	6.00	<0.5	39	130	104
166282		2.63	0.006			0.6	8.45	<5	120	<0.5	<2	6.85	<0.5	40	147	71
166283		2.70	0.008			<0.5	7.91	<5	180	<0.5	<2	6.49	<0.5	38	105	63
166284		2.54	0.005			<0.5	8.15	<5	100	<0.5	<2	6.77	<0.5	39	110	30
166285		2.63	0.030			<0.5	7.85	<5	110	<0.5	<2	7.04	<0.5	42	123	139
166286		3.04	0.005			<0.5	8.00	<5	80	<0.5	<2	6.98	<0.5	40	107	39
166287		0.06	1.830			19.3	8.38	<5	80	3.2	<2	0.37	<0.5	1	5	6
166288		2.79	0.033			<0.5	7.46	<5	260	0.9	<2	3.88	<0.5	18	21	59
166289		2.42	0.006			<0.5	7.67	<5	220	0.6	<2	5.29	<0.5	29	69	27
166290		2.69	0.422	0.269		0.8	8.08	<5	180	0.5	<2	6.07	<0.5	35	105	528
166291 DUP		<0.02	0.281	0.379		1.1	7.94	<5	170	0.5	<2	6.06	<0.5	34	107	560
166292		0.12	<0.005			<0.5	7.04	<5	570	0.9	<2	0.97	<0.5	2	8	9
166293		2.55	0.020			<0.5	8.10	<5	80	<0.5	<2	6.56	<0.5	39	106	91
166294		2.77	<0.005			<0.5	7.69	6	240	0.5	<2	6.04	<0.5	29	116	21
166295		2.29	<0.005			<0.5	6.69	<5	360	1.2	<2	1.68	<0.5	3	13	12
166296		2.71	0.025			<0.5	6.49	<5	370	1.0	<2	3.09	<0.5	17	44	24
166297		2.03	0.012			<0.5	6.85	<5	270	0.7	<2	4.01	<0.5	24	70	40
166298		2.40	0.009			<0.5	7.28	<5	300	0.7	<2	4.21	<0.5	27	84	34
166299		2.58	0.007			<0.5	8.56	7	110	<0.5	<2	7.02	<0.5	40	129	71
166300		2.60	0.706			<0.5	7.80	6	110	<0.5	<2	6.02	<0.5	62	130	408
166301		2.73	0.023			<0.5	8.35	<5	90	<0.5	<2	6.77	<0.5	44	124	83
166302		2.75	0.265			0.5	7.69	<5	170	<0.5	<2	5.81	<0.5	37	102	349
166303		2.18	0.341			<0.5	7.18	<5	320	0.6	<2	4.73	<0.5	27	175	200
166304		3.21	0.085			<0.5	6.82	<5	210	<0.5	<2	5.84	<0.5	51	938	88
166305		2.57	0.008			<0.5	8.39	<5	530	0.9	<2	4.25	<0.5	21	40	28
166306		0.05	0.971			8.7	7.49	<5	40	3.1	<2	0.31	<0.5	1	7	8
166307		2.98	0.739			<0.5	5.66	<5	220	0.6	<2	2.24	<0.5	25	431	60
166308		2.11	0.023			<0.5	6.74	<5	310	0.7	<2	1.60	<0.5	14	556	19
166309		2.81	0.035			<0.5	5.97	<5	70	<0.5	<2	4.74	<0.5	63	568	30
166310 DUP		<0.02	0.039			<0.5	5.96	<5	80	<0.5	<2	4.59	<0.5	57	553	41
166311		0.16	<0.005			<0.5	6.76	<5	550	0.8	<2	0.83	<0.5	1	11	5
166312		2.86	0.032			<0.5	7.49	<5	360	0.5	<2	3.63	<0.5	35	422	18
166313		2.34	0.154			<0.5	7.85	<5	430	0.7	<2	3.94	<0.5	22	547	16
166314		2.65	0.101			<0.5	6.37	<5	210	0.7	<2	4.35	<0.5	33	925	34
166315		2.65	0.035			<0.5	7.26	<5	270	0.5	<2	4.59	<0.5	36	236	59
166316		2.62	0.111			<0.5	8.05	<5	170	<0.5	<2	6.87	<0.5	51	516	69
166317		3.00	0.019			<0.5	4.91	6	90	<0.5	<2	4.63	<0.5	73	1440	104
166318		2.52	0.134			<0.5	7.16	<5	190	0.5	<2	4.75	<0.5	40	551	8
166319		2.92	0.024			<0.5	6.56	<5	80	<0.5	<2	6.20	<0.5	64	883	17
166320		2.59	0.027			<0.5	5.79	7	20	<0.5	<2	6.05	<0.5	72	1100	74



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 2-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012295

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
166281		7.44	1.23	3.61	1215	<1	1.25	81	370	2	0.54	<5	124	0.45	220	<10
166282		7.78	0.78	4.23	1255	<1	1.71	90	450	9	0.13	<5	137	0.48	232	<10
166283		7.07	0.98	3.69	1145	<1	1.63	75	390	3	0.07	<5	112	0.45	210	<10
166284		7.48	0.56	4.08	1235	<1	1.73	82	410	5	0.04	<5	106	0.46	228	<10
166285		7.75	0.68	3.59	1345	<1	1.47	80	390	3	0.35	<5	115	0.45	233	<10
166286		7.64	0.62	3.98	1260	<1	1.43	80	360	6	0.12	<5	138	0.45	220	<10
166287		3.30	0.20	0.08	117	<1	7.1	4	690	134	3.40	<5	21	0.01	2	<10
166288		4.62	1.10	1.23	671	<1	2.27	15	860	3	0.13	<5	172	0.49	113	<10
166289		6.21	0.89	2.71	1020	<1	2.05	43	560	7	0.04	<5	168	0.45	176	<10
166290		7.12	0.97	3.48	1130	<1	1.65	67	450	3	0.39	<5	143	0.45	200	10
166291 DUP		7.20	0.89	3.41	1115	<1	1.60	60	460	10	0.46	<5	140	0.43	188	10
166292		1.82	4.37	0.24	164	<1	2.18	4	190	40	0.01	<5	158	0.09	9	10
166293		7.23	0.57	4.06	1060	<1	1.74	79	400	3	0.10	<5	150	0.45	219	<10
166294		7.08	1.48	4.02	1070	1	1.55	79	1250	6	0.04	<5	332	0.50	205	10
166295		2.02	0.62	0.25	202	1	3.35	2	80	5	0.08	<5	219	0.11	9	<10
166296		3.17	1.05	1.05	770	3	2.39	27	180	11	0.09	<5	139	0.21	65	<10
166297		4.29	1.34	1.73	880	1	1.99	48	230	4	0.09	<5	119	0.31	117	<10
166298		4.81	1.21	1.95	826	1	2.05	52	240	4	0.09	<5	126	0.32	123	<10
166299		7.14	0.73	3.38	1325	<1	1.57	82	410	4	0.23	<5	120	0.47	202	<10
166300		7.55	0.83	3.40	1260	1	1.41	84	380	3	0.66	<5	109	0.44	191	10
166301		7.49	0.78	3.68	1305	1	1.51	81	400	5	0.28	<5	137	0.47	213	<10
166302		7.12	1.23	2.90	1335	1	1.25	65	630	7	0.56	<5	141	0.50	170	<10
166303		5.19	1.15	2.96	943	1	1.53	94	300	2	0.41	<5	188	0.26	104	<10
166304		7.43	0.90	8.38	1230	<1	1.14	409	430	<2	0.50	<5	294	0.25	155	<10
166305		4.24	1.38	2.65	659	<1	2.77	39	960	7	0.33	<5	584	0.42	111	10
166306		2.34	0.19	0.06	32	1	6.0	4	570	103	2.41	<5	19	0.01	2	<10
166307		4.27	0.97	3.30	594	1	1.85	220	350	28	0.27	<5	132	0.25	75	<10
166308		2.00	1.02	2.56	331	<1	3.57	246	130	<2	0.07	<5	131	0.08	20	<10
166309		7.21	0.58	10.40	1360	<1	0.78	507	240	4	0.12	<5	63	0.20	140	<10
166310 DUP		6.75	0.60	9.53	1265	<1	0.95	468	250	4	0.11	<5	76	0.20	133	<10
166311		1.58	4.15	0.24	148	1	2.17	5	160	35	0.01	<5	149	0.08	8	<10
166312		5.72	0.83	6.71	914	<1	2.07	311	200	<2	0.10	<5	178	0.19	104	<10
166313		3.68	0.91	4.28	751	1	2.30	266	210	<2	0.08	<5	198	0.14	61	<10
166314		5.39	0.58	5.93	1025	3	1.68	405	330	<2	0.12	<5	102	0.26	95	<10
166315		5.71	0.69	4.42	994	1	2.02	137	190	<2	0.06	<5	116	0.27	141	<10
166316		8.08	1.07	6.48	1435	1	1.36	169	270	2	0.09	<5	180	0.41	242	<10
166317		6.59	0.37	11.60	1270	<1	0.56	878	170	42	0.35	<5	70	0.23	137	<10
166318		5.94	0.67	5.62	1130	1	1.85	257	180	<2	0.04	<5	134	0.26	137	<10
166319		7.79	0.36	9.46	1390	<1	0.89	505	320	3	0.04	<5	120	0.28	183	<10
166320		7.75	0.21	10.25	1380	1	0.52	617	240	<2	0.01	<5	61	0.24	187	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 2-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012295

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
166281		88
166282		85
166283		78
166284		91
166285		83
166286		80
166287		19
166288		63
166289		90
166290		106
166291 DUP		100
166292		26
166293		77
166294		94
166295		22
166296		63
166297		74
166298		62
166299		74
166300		79
166301		85
166302		127
166303		74
166304		85
166305		78
166306		16
166307		185
166308		45
166309		107
166310 DUP		100
166311		27
166312		76
166313		57
166314		78
166315		59
166316		85
166317		466
166318		77
166319		89
166320		105



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

F

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 2-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012295

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
166321		2.81	0.013			<0.5	5.84	<5	10	<0.5	<2	5.98	<0.5	72	1125	22
166322		2.73	0.024			<0.5	5.71	<5	10	<0.5	<2	6.11	<0.5	72	1190	2
166323		2.60	0.031			<0.5	7.54	<5	150	<0.5	<2	4.27	<0.5	35	659	29
166324		2.46	0.096			<0.5	4.87	8	10	<0.5	<2	5.09	<0.5	66	1230	15
166325		2.83	0.058			<0.5	5.40	<5	20	<0.5	<2	5.76	<0.5	68	1195	11
166326		0.06	1.815			17.1	7.56	<5	60	3.1	<2	0.33	<0.5	1	6	5
166327		2.85	0.059			<0.5	4.84	6	30	<0.5	<2	5.49	<0.5	70	1205	10
166328		2.63	0.049			<0.5	5.46	5	60	<0.5	<2	5.49	<0.5	70	1195	3
166329		2.76	0.048			<0.5	5.68	<5	20	<0.5	<2	5.79	<0.5	71	1165	3
166330		2.93	0.040			<0.5	5.62	6	70	<0.5	<2	5.05	<0.5	71	1230	17
166331 DUP		<0.02	0.040			<0.5	5.37	6	80	<0.5	<2	4.79	<0.5	75	1325	18
166332		2.73	0.023			<0.5	6.14	<5	280	<0.5	<2	6.13	<0.5	47	730	27
166333		2.79	0.009			<0.5	5.80	<5	110	<0.5	<2	5.75	<0.5	51	915	23
166334		2.73	0.023			<0.5	5.73	<5	130	<0.5	<2	6.00	<0.5	53	821	14
166335		2.96	0.065			<0.5	5.40	<5	40	<0.5	<2	5.88	<0.5	60	936	8
166336		0.15	<0.005			<0.5	6.34	<5	510	0.8	<2	0.85	<0.5	1	16	4
166337		2.56	0.051			<0.5	5.96	<5	150	<0.5	<2	5.45	<0.5	60	1065	14
166338		2.69	0.121			<0.5	5.62	<5	20	<0.5	<2	6.34	<0.5	61	1225	17
166339		2.77	0.016			<0.5	6.89	<5	120	<0.5	<2	5.89	<0.5	47	833	34
166340		2.71	0.012			<0.5	6.81	<5	170	<0.5	<2	6.30	<0.5	39	440	73
166341		2.63	0.047			<0.5	6.94	<5	90	<0.5	<2	7.66	<0.5	42	428	20
166342		3.05	0.013			<0.5	7.23	<5	60	<0.5	<2	7.90	<0.5	44	361	5
166343		2.90	0.131			<0.5	6.65	6	60	<0.5	<2	7.40	<0.5	44	344	9
166344		2.98	0.010			<0.5	6.72	<5	30	<0.5	<2	8.00	<0.5	44	343	7
166345		2.83	0.123			<0.5	7.40	5	140	<0.5	<2	7.24	<0.5	40	327	10
166346		2.32	0.057			<0.5	6.46	<5	570	1.1	<2	1.10	<0.5	<1	8	5
166347		0.05	1.020			10.4	8.05	9	50	3.2	<2	0.34	<0.5	<1	7	8
166348		2.46	0.014			<0.5	6.77	<5	230	0.6	<2	6.51	<0.5	37	174	57
166349		2.64	0.018			<0.5	7.32	<5	150	<0.5	<2	8.01	<0.5	43	209	56
166350		2.67	0.011			<0.5	7.15	<5	260	0.5	<2	5.39	<0.5	30	271	10
166351		2.46	0.032			<0.5	7.04	<5	110	<0.5	<2	7.28	<0.5	44	376	8
166352		2.79	1.230	0.876		<0.5	6.84	<5	90	<0.5	<2	6.94	<0.5	51	347	132
166353 DUP		<0.02	0.791	0.639		<0.5	7.23	<5	90	<0.5	<2	7.23	<0.5	50	369	99
166354		2.82	0.052			<0.5	7.10	5	50	<0.5	<2	7.74	<0.5	44	367	14
166355		2.72	0.052			<0.5	7.14	<5	50	<0.5	<2	7.85	<0.5	42	359	13
166356		2.83	0.172			<0.5	6.55	<5	60	<0.5	<2	11.05	<0.5	37	294	18
166357		0.11	0.071	0.032		<0.5	6.43	<5	540	0.9	<2	1.12	<0.5	1	18	5
166358		2.79	0.034			<0.5	6.89	<5	200	0.5	<2	6.14	<0.5	30	272	10
166359		2.54	0.019			<0.5	6.88	<5	140	<0.5	<2	8.26	<0.5	45	355	12
166360		2.70	0.019			<0.5	7.86	<5	90	0.6	<2	5.33	<0.5	30	94	29





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 6-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06012709**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
161041		2.48	0.636		0.05	2.4	7.55	<5	40	<0.5	<2	7.56	<0.5	60	26	3420
161042		2.63	0.021			<0.5	8.28	<5	70	<0.5	<2	6.65	<0.5	39	84	257
161043		2.69	0.623			0.7	7.80	<5	60	<0.5	<2	7.32	<0.5	39	53	1450
161044		2.46	0.703			1.0	7.76	<5	90	<0.5	<2	7.99	<0.5	41	36	2120
161045		2.67	0.933			1.0	7.77	<5	70	<0.5	<2	8.51	<0.5	35	37	2160
161046 DUP		<0.02	0.912			0.9	7.55	<5	70	<0.5	<2	8.01	<0.5	34	32	1875
161047		2.40	0.661			2.4	7.06	<5	50	<0.5	<2	6.84	<0.5	40	61	4730
161048		2.52	2.39			1.2	7.64	<5	100	<0.5	<2	7.76	<0.5	75	36	2600
161049		2.58	0.915			1.1	6.44	<5	90	<0.5	<2	10.50	<0.5	75	28	3100
161050		2.48	0.467			1.3	6.74	19	80	<0.5	<2	8.50	<0.5	322	32	3600
161051		2.46	0.082			0.6	6.90	<5	20	<0.5	<2	8.43	<0.5	392	34	1210
161052		2.65	0.069			<0.5	7.07	<5	110	<0.5	<2	5.91	<0.5	282	35	1365
161053		2.60	0.047			0.5	7.52	<5	120	<0.5	<2	6.24	<0.5	196	36	1455
161054		0.22	<0.005			<0.5	7.14	<5	540	0.9	<2	1.02	<0.5	4	22	14
161055		2.62	0.051			0.6	7.10	<5	150	<0.5	<2	5.45	<0.5	72	36	1100
161056		2.82	0.242			0.8	7.22	<5	210	<0.5	<2	5.35	<0.5	90	35	1685
161057		0.05	1.005			9.7	7.99	<5	40	3.0	<2	0.32	<0.5	1	10	10
161058		2.73	0.067			<0.5	7.38	<5	130	<0.5	<2	7.21	<0.5	57	59	807
161059		2.38	0.117			<0.5	7.55	<5	180	<0.5	<2	5.90	<0.5	32	74	310
161060		2.58	0.312			<0.5	7.62	<5	180	<0.5	<2	6.24	<0.5	36	75	432
161061		3.15	0.021			<0.5	7.84	<5	40	<0.5	<2	7.34	<0.5	29	122	132
161062		1.54	0.296			<0.5	8.05	<5	40	<0.5	<2	7.63	<0.5	29	115	106
161063		0.08	<0.005			<0.5	6.98	<5	540	0.9	<2	0.87	<0.5	2	17	10
161064		1.51	0.141			<0.5	8.06	<5	50	<0.5	<2	7.21	2.5	33	133	479
161065		2.48	0.061			<0.5	8.33	<5	840	1.2	<2	3.50	<0.5	14	84	186
161066		3.17	<0.005			<0.5	8.32	<5	310	0.6	<2	4.34	<0.5	20	100	75
161067		2.44	0.517	0.476		<0.5	7.26	<5	260	<0.5	<2	5.66	<0.5	68	129	484
161068 DUP		<0.02	0.730	0.601		<0.5	7.33	<5	260	<0.5	<2	5.60	<0.5	55	129	398
161069		2.60	0.126			<0.5	7.00	15	150	0.5	<2	6.13	<0.5	32	101	574
161070		2.79	0.040			<0.5	7.54	7	190	0.6	<2	5.39	<0.5	22	97	144
161071		3.13	0.294			<0.5	7.92	<5	60	<0.5	<2	7.06	<0.5	27	144	127
161072		2.91	0.007			<0.5	8.25	<5	60	<0.5	<2	7.56	<0.5	29	123	99
161073		2.88	0.036			<0.5	7.19	<5	50	<0.5	<2	7.04	<0.5	35	123	276
161074		2.42	0.015			<0.5	8.02	<5	180	0.6	<2	5.52	<0.5	30	86	233
161075		2.72	0.071			<0.5	7.33	<5	100	<0.5	<2	5.85	<0.5	30	125	281
161076		2.69	0.048			<0.5	7.19	<5	190	0.7	<2	4.35	<0.5	19	76	165
161077		3.02	0.130			0.8	7.30	<5	60	<0.5	<2	6.98	<0.5	42	127	384
161078		0.05	1.820			18.7	8.29	7	50	3.1	<2	0.33	<0.5	<1	5	6
161079		2.77	0.120			<0.5	7.61	<5	60	<0.5	<2	7.12	<0.5	28	127	220
161080		2.79	0.005			<0.5	8.03	<5	90	0.5	<2	6.30	<0.5	23	101	64



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 6-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012709

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
161041		6.34	0.50	3.23	1290	<1	3.02	51	400	<2	0.72	<5	160	0.54	271	<10
161042		8.42	0.48	4.07	1365	<1	2.21	87	1030	5	0.22	<5	394	0.62	203	<10
161043		7.55	0.46	3.51	1320	<1	1.83	56	750	7	0.33	<5	275	0.58	235	10
161044		6.60	0.62	3.10	1330	<1	1.69	48	430	8	0.55	<5	154	0.53	255	10
161045		7.03	0.56	3.30	1465	<1	1.55	51	430	4	0.58	<5	162	0.53	269	10
161046 DUP		6.62	0.53	3.19	1370	<1	1.54	47	430	2	0.50	<5	153	0.51	256	10
161047		6.44	0.46	3.41	1305	<1	2.50	61	510	9	0.66	<5	125	0.48	240	10
161048		6.76	0.87	3.31	1295	1	1.92	38	400	3	0.60	5	143	0.53	263	<10
161049		5.73	0.67	2.93	1320	<1	1.45	27	340	4	0.54	<5	137	0.44	235	<10
161050		7.65	0.66	3.09	1320	<1	1.72	41	370	10	1.24	<5	127	0.47	250	<10
161051		9.09	0.34	3.08	1300	1	2.42	48	360	3	1.49	<5	41	0.46	256	<10
161052		8.62	0.83	2.78	1075	<1	1.69	41	400	5	1.59	<5	137	0.49	246	<10
161053		9.84	0.88	3.25	1205	<1	1.81	45	380	10	1.88	6	140	0.52	254	10
161054		1.78	4.27	0.25	181	1	2.21	6	180	35	0.03	5	157	0.09	11	<10
161055		7.97	1.32	2.96	1115	<1	1.57	35	390	4	1.24	<5	117	0.51	246	10
161056		7.71	1.60	2.77	1065	<1	1.77	37	380	5	1.22	<5	105	0.51	241	10
161057		2.80	0.19	0.07	33	1	6.5	<1	600	110	3.00	<5	19	0.01	2	<10
161058		7.26	1.76	2.72	944	<1	1.19	41	360	5	0.98	<5	52	0.45	223	10
161059		7.69	1.29	3.03	1110	<1	1.23	55	360	6	0.83	5	114	0.46	228	<10
161060		8.15	1.30	3.06	1205	<1	1.26	55	370	2	0.97	<5	115	0.46	238	<10
161061		6.90	0.32	3.57	1245	<1	1.50	69	420	4	0.33	<5	139	0.44	209	<10
161062		6.85	0.30	3.78	1285	<1	1.72	75	400	2	0.20	<5	152	0.44	204	<10
161063		2.37	4.41	0.22	208	1	2.08	4	170	35	0.01	<5	153	0.09	11	<10
161064		7.65	0.39	3.60	1280	<1	1.98	83	400	352	0.77	<5	159	0.44	206	<10
161065		4.15	1.60	1.65	614	1	2.60	30	1200	18	0.33	<5	465	0.38	86	<10
161066		4.37	1.16	1.96	741	<1	2.42	61	560	4	0.24	<5	307	0.31	102	<10
161067		9.09	1.11	3.10	1280	1	1.52	158	360	8	1.70	<5	165	0.41	197	<10
161068 DUP		8.36	1.14	3.05	1255	1	1.55	134	360	7	1.35	<5	165	0.42	195	<10
161069		7.13	0.84	2.90	1295	<1	1.66	99	470	41	0.86	<5	169	0.41	172	<10
161070		5.93	0.81	2.39	1110	1	2.06	70	470	8	0.42	<5	186	0.40	146	10
161071		7.35	0.39	3.67	1320	<1	1.70	96	580	4	0.27	<5	207	0.47	213	<10
161072		7.56	0.33	3.69	1365	1	1.80	80	370	11	0.30	5	169	0.47	220	<10
161073		6.91	0.34	3.30	1215	1	1.60	80	320	20	0.56	<5	145	0.41	193	<10
161074		6.45	0.72	2.49	1005	1	2.14	73	600	13	0.80	<5	274	0.43	157	<10
161075		6.93	0.67	3.06	1135	<1	1.59	75	350	13	0.78	<5	149	0.42	194	<10
161076		5.29	0.85	1.85	901	1	2.15	42	560	6	0.48	<5	175	0.39	114	<10
161077		8.50	0.51	3.15	1260	<1	1.64	111	370	108	1.33	<5	161	0.41	191	<10
161078		2.76	0.18	0.06	106	<1	6.6	5	650	130	3.02	<5	21	0.01	2	<10
161079		7.28	0.42	3.39	1280	<1	1.57	76	380	7	0.42	<5	161	0.43	205	<10
161080		6.53	0.51	2.83	1145	<1	1.99	54	570	10	0.22	<5	179	0.48	183	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 6-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012709

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
161041		65
161042		89
161043		95
161044		83
161045		66
161046 DUP		61
161047		82
161048		67
161049		72
161050		73
161051		37
161052		45
161053		55
161054		28
161055		45
161056		60
161057		16
161058		78
161059		40
161060		47
161061		58
161062		60
161063		29
161064		1205
161065		78
161066		61
161067		79
161068 DUP		75
161069		367
161070		77
161071		68
161072		65
161073		58
161074		141
161075		99
161076		77
161077		337
161078		18
161079		78
161080		74



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 6-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06012709**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
161081		2.36	0.064			<0.5	7.66	<5	60	<0.5	<2	6.45	1.5	39	132	274
161082		2.64	0.040			<0.5	7.93	<5	40	<0.5	<2	7.50	<0.5	28	112	63
161083		2.77	0.024			<0.5	7.23	<5	130	<0.5	<2	5.72	<0.5	49	160	346
161084		2.75	0.049			<0.5	7.79	<5	50	<0.5	<2	6.83	<0.5	40	138	444
161085		2.72	0.032			<0.5	7.38	<5	60	<0.5	<2	6.75	<0.5	31	118	248
161086		2.92	0.026			<0.5	7.20	<5	120	<0.5	<2	5.82	<0.5	24	109	9
161087		0.06	0.993			10.0	7.99	8	40	3.0	<2	0.33	<0.5	1	5	8
161088		2.83	0.006			<0.5	7.71	5	130	<0.5	<2	5.76	<0.5	34	109	9
181089		2.65	0.009			<0.5	7.65	6	120	<0.5	<2	6.02	<0.5	32	111	16
161090		2.78	0.008			<0.5	7.62	<5	140	<0.5	<2	5.81	<0.5	25	111	10
161091		2.63	0.021			<0.5	7.60	<5	180	<0.5	<2	5.77	<0.5	26	118	5
161092		2.71	0.058			<0.5	7.48	<5	120	<0.5	<2	5.90	<0.5	21	103	7
161093		2.92	6.52			0.5	7.05	<5	200	0.5	<2	5.91	<0.5	37	373	384
161094		2.73	0.240			0.5	7.20	<5	50	<0.5	<2	6.32	<0.5	41	118	469
161095		2.66	0.382			<0.5	7.27	<5	50	<0.5	<2	6.38	<0.5	44	123	267
161096		3.46	0.020			<0.5	7.43	<5	150	0.6	<2	4.98	<0.5	22	62	190
161097		2.81	0.256	0.283		<0.5	7.24	<5	60	<0.5	<2	6.66	<0.5	28	127	932
161098 DUP		<0.02	0.358	0.362		<0.5	7.48	<5	60	<0.5	<2	6.84	<0.5	30	139	1035
161099		0.10	0.005			<0.5	6.61	<5	490	0.9	<2	0.89	<0.5	2	18	9
161100		2.88	0.067			<0.5	7.98	6	110	0.5	<2	6.33	<0.5	26	95	212
161101		2.85	0.684			<0.5	7.46	11	40	<0.5	<2	6.61	<0.5	31	129	1040
161102		2.76	0.390			<0.5	7.52	<5	80	<0.5	<2	6.27	<0.5	34	137	704
161103		2.96	0.166			<0.5	8.27	5	60	<0.5	<2	6.72	<0.5	32	142	430
161104		2.58	0.019			<0.5	7.85	<5	50	<0.5	2	6.81	<0.5	26	124	162
161105		2.46	1.310			0.5	7.36	5	130	0.5	<2	5.35	<0.5	26	88	928
161106		2.25	0.395			0.5	7.86	5	70	<0.5	<2	6.12	<0.5	47	124	1240
161107		2.87	0.237			<0.5	8.06	<5	50	<0.5	<2	6.79	<0.5	32	118	373
161108		2.52	0.096			<0.5	8.30	<5	80	<0.5	<2	6.81	<0.5	28	108	210
161109		2.77	>10.0		12.25	0.5	8.01	<5	60	<0.5	<2	6.86	<0.5	37	126	564
161110		2.63	3.08			<0.5	7.44	<5	70	<0.5	2	5.44	<0.5	34	118	526
161111		2.27	0.194			<0.5	8.08	<5	70	<0.5	<2	6.26	<0.5	26	126	426
161112 DUP		<0.02	0.151			<0.5	7.91	<5	70	<0.5	2	6.20	<0.5	26	125	485
161113		2.39	0.829			<0.5	7.86	6	50	<0.5	2	6.31	<0.5	36	128	328
161114		2.69	0.204			<0.5	8.12	9	70	<0.5	<2	6.46	<0.5	30	128	862
161115		3.47	0.051			<0.5	8.06	<5	170	0.5	<2	6.77	<0.5	26	114	327
161116		2.37	0.008			<0.5	8.62	<5	170	0.5	<2	4.66	<0.5	21	94	206
161117		0.09	<0.005			<0.5	7.18	<5	550	0.8	<2	0.95	<0.5	3	14	11
161118		2.10	3.55			0.9	6.91	5	140	<0.5	3	5.30	<0.5	43	120	2270
161119		0.05	1.855			19.0	9.15	6	60	3.0	<2	0.35	<0.5	2	3	7
161120		2.75	0.418			<0.5	7.86	<5	100	<0.5	<2	6.00	<0.5	30	115	423



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 6-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012709

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
161081		8.14	0.44	3.35	1220	2	1.93	85	380	195	1.09	<5	154	0.44	204	<10
161082		7.00	0.24	3.70	1220	<1	1.66	77	360	5	0.17	<5	149	0.45	215	10
161083		7.31	0.61	3.31	1105	<1	1.77	76	500	<2	0.94	<5	207	0.40	185	<10
161084		7.99	0.39	3.12	1185	<1	1.70	75	360	3	0.95	<5	169	0.45	212	40
161085		6.92	0.50	3.42	1155	2	1.56	77	360	2	0.45	<5	149	0.42	198	<10
161086		6.46	1.07	3.76	1085	<1	1.36	80	330	5	0.04	<5	132	0.41	194	<10
161087		2.77	0.18	0.07	35	<1	6.6	2	610	122	3.04	<5	21	0.01	2	<10
161088		6.77	1.19	4.09	1190	<1	1.49	93	350	6	0.05	<5	136	0.44	203	<10
161089		6.50	0.97	3.90	1185	<1	1.67	92	360	8	0.06	<5	141	0.44	204	<10
161090		6.70	1.07	3.92	1115	1	1.53	76	400	6	0.05	<5	139	0.46	205	<10
161091		6.86	1.16	4.42	1055	1	1.62	95	380	<2	0.02	<5	154	0.44	205	<10
161092		6.07	0.73	3.49	1060	1	1.74	67	430	5	0.06	<5	156	0.42	179	<10
161093		7.29	0.84	4.23	1140	1	1.67	138	630	6	0.81	<5	273	0.41	173	10
161094		6.97	0.35	3.11	1105	1	1.47	80	340	22	0.90	<5	156	0.41	193	<10
161095		7.62	0.39	3.18	1105	<1	1.55	91	330	5	0.96	<5	157	0.41	192	20
161096		5.83	0.55	2.01	932	<1	1.98	51	710	9	0.34	<5	186	0.48	156	<10
161097		6.96	0.35	2.88	1100	2	1.43	68	330	5	0.75	<5	158	0.42	188	210
161098 DUP		7.29	0.36	2.93	1130	1	1.48	71	290	5	0.89	<5	166	0.43	192	150
161099		1.78	3.93	0.20	179	1	2.16	9	140	36	0.02	<5	160	0.08	9	<10
161100		7.10	0.61	3.10	1150	<1	1.86	52	680	5	0.57	<5	215	0.49	190	<10
161101		7.26	0.30	3.07	1095	1	1.55	82	350	3	0.81	<5	155	0.42	191	<10
161102		7.95	0.53	3.03	1070	<1	1.38	88	360	5	1.09	<5	140	0.41	189	10
161103		7.37	0.38	3.14	1100	<1	1.74	73	370	2	0.72	<5	156	0.45	202	<10
161104		6.88	0.32	3.36	1120	<1	1.68	69	360	<2	0.32	<5	151	0.43	201	<10
161105		6.62	0.62	2.30	949	<1	1.72	59	530	<2	0.79	<5	159	0.43	145	<10
161106		8.32	0.46	2.84	993	<1	1.65	90	360	4	2.35	<5	148	0.44	196	10
161107		7.07	0.32	3.56	1145	<1	1.66	70	380	<2	0.55	<5	162	0.43	200	<10
161108		7.10	0.46	3.57	1170	<1	1.69	72	1060	<2	0.43	<5	254	0.50	198	<10
161109		7.97	0.38	3.62	1110	<1	1.69	90	390	<2	0.88	<5	155	0.44	201	90
161110		8.01	0.52	3.23	950	<1	1.54	94	340	<2	1.28	<5	140	0.40	182	10
161111		7.17	0.52	3.43	1080	<1	1.65	68	360	<2	0.59	<5	145	0.44	207	<10
161112 DUP		7.26	0.49	3.35	1060	<1	1.62	72	360	<2	0.72	<5	143	0.43	201	<10
161113		7.33	0.33	3.34	1050	<1	1.64	72	380	<2	0.71	<5	148	0.44	199	<10
161114		7.26	0.64	3.34	1095	<1	1.44	82	380	2	0.83	<5	148	0.44	203	10
161115		6.96	0.65	3.76	1130	<1	1.71	84	780	5	0.41	<5	456	0.45	196	<10
161116		5.23	1.13	2.35	810	<1	2.18	73	1110	5	0.57	<5	271	0.46	128	<10
161117		1.83	4.31	0.23	178	1	2.15	8	190	37	0.02	<5	158	0.09	10	<10
161118		8.42	1.27	3.14	999	<1	0.97	100	340	<2	1.71	<5	115	0.40	192	10
161119		2.87	0.19	0.07	110	<1	6.8	5	660	119	3.07	<5	21	0.01	2	<10
161120		7.03	0.74	3.45	1060	<1	1.54	64	360	<2	0.68	<5	147	0.43	206	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 6-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012709

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
161081		1185
161082		63
161083		61
161084		58
161085		58
161086		62
161087		17
161088		99
161089		83
181090		75
161091		70
161092		63
161093		74
161094		72
161095		64
161096		67
161097		95
161098 DUP		100
161099		29
161100		69
161101		58
161102		59
161103		57
161104		60
161105		71
161106		70
161107		62
161108		65
161109		59
161110		66
161111		77
161112 DUP		74
161113		63
161114		91
161115		74
161116		57
161117		27
161118		101
161119		19
161120		83



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 6-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012709

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
161121		1.46	0.988			<0.5	8.04	<5	80	<0.5	<2	6.11	<0.5	23	125	510
161122		3.71	0.352			<0.5	7.94	<5	190	0.7	<2	4.34	<0.5	18	63	343
161123		2.60	0.012			<0.5	8.82	<5	600	1.1	<2	2.45	<0.5	10	22	86
161124		2.15	4.82			<0.5	8.31	<5	100	<0.5	<2	6.21	<0.5	35	112	286
161125		2.58	2.91			<0.5	7.35	<5	70	<0.5	<2	6.17	<0.5	37	100	282
161126		2.47	0.452			<0.5	8.62	8	80	<0.5	<2	6.27	<0.5	34	131	568
161127		2.63	6.72			1.7	6.86	<5	140	<0.5	2	4.50	<0.5	58	112	1475
161128 DUP		<0.02	5.92			2.5	7.30	<5	150	<0.5	<2	4.64	<0.5	62	116	1450
161129		2.50	0.073			<0.5	6.23	8	160	0.5	<2	4.29	<0.5	26	104	150
161130		1.21	0.094			<0.5	7.63	<5	120	<0.5	<2	4.82	<0.5	40	120	595
161131		0.10	<0.005			<0.5	7.07	<5	520	0.8	<2	0.87	<0.5	3	10	8
161132		4.30	0.070			<0.5	8.32	<5	150	0.5	<2	4.68	<0.5	33	110	126
161133		2.02	0.009			<0.5	7.72	<5	90	<0.5	<2	5.61	<0.5	25	107	48
161134		2.71	0.378			<0.5	7.50	<5	100	1.0	2	3.70	<0.5	11	11	126
161135		2.65	0.074			<0.5	7.54	<5	160	0.7	<2	7.25	<0.5	36	154	88
161136		2.53	0.095			<0.5	7.83	<5	100	0.5	<2	5.62	<0.5	31	112	120
161137		0.05	0.961			10.8	8.93	<5	50	3.0	<2	0.33	<0.5	1	4	8
161138		2.57	0.022			<0.5	8.34	<5	70	<0.5	<2	5.21	<0.5	30	116	148
161139		2.63	0.030			<0.5	6.92	<5	40	0.6	<2	4.36	<0.5	15	46	68
161140		2.42	<0.005			<0.5	8.23	<5	150	0.6	<2	3.76	<0.5	19	42	39



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 6-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012709

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
161121		6.73	0.61	3.18	1015	<1	1.74	59	370	<2	0.51	<5	162	0.44	204	<10
161122		5.44	0.70	1.82	800	<1	2.48	35	680	3	0.70	<5	210	0.43	112	<10
161123		2.24	1.50	0.78	277	<1	3.50	17	350	4	0.22	<5	347	0.20	42	<10
161124		7.04	0.61	3.04	1130	<1	1.76	73	530	<2	0.48	<5	202	0.49	190	10
161125		6.64	0.43	2.72	1035	<1	1.51	72	460	3	0.62	<5	163	0.43	178	10
161126		7.66	0.69	3.63	1205	<1	1.83	61	410	<2	0.61	<5	151	0.47	217	10
161127		8.14	1.03	2.67	1020	<1	1.56	102	440	13	1.89	<5	134	0.38	160	10
161128 DUP		8.37	1.10	2.78	1050	1	1.67	106	470	13	1.91	<5	143	0.41	166	10
161129		5.98	1.10	2.71	1010	<1	2.64	58	760	3	0.62	<5	157	0.46	162	<10
161130		6.91	1.00	3.16	1100	<1	2.75	104	360	27	1.39	<5	91	0.44	196	10
161131		2.46	4.15	0.21	219	1	2.15	5	170	34	0.01	<5	156	0.08	9	<10
161132		7.34	1.19	3.45	1285	<1	3.02	65	1220	6	0.43	<5	162	0.75	205	<10
161133		6.75	0.65	3.47	1180	<1	2.02	55	370	3	0.14	<5	169	0.42	206	<10
161134		4.37	0.50	0.77	520	1	2.67	6	670	72	1.34	<5	112	0.39	46	<10
161135		6.54	1.05	4.12	1140	<1	1.94	118	1450	3	0.44	<5	316	0.57	186	<10
161136		6.63	0.66	3.32	1135	<1	2.92	73	630	16	0.50	<5	192	0.46	204	<10
161137		2.64	0.18	0.07	38	<1	6.9	2	620	113	2.83	<5	20	0.01	2	<10
161136		7.19	0.58	3.49	1305	<1	3.36	79	410	4	0.28	<5	152	0.46	210	<10
161139		5.22	0.21	2.03	1040	1	3.08	30	660	2	0.21	<5	81	0.42	89	<10
161140		5.43	0.86	1.99	1000	<1	3.00	35	850	<2	0.12	<5	237	0.50	138	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 6-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06012709

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
161121		84
161122		97
161123		40
161124		83
161125		61
161126		80
161127		143
161128 DUP		152
161129		67
161130		67
161131		26
161132		67
161133		121
161134		357
161135		71
161136		133
161137		20
161138		66
161139		40
161140		67



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 7-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06013030

Project: DETOUR LAKE

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 3 (A - B)  
Finalized Date: 7-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013030

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161141		2.40	0.704		<0.5	8.37	<5	180	0.6	<2	4.25	<0.5	17	27	40	5.13
161142		2.40	0.040		<0.5	8.05	<5	60	<0.5	<2	5.85	<0.5	31	108	161	6.66
161143		2.80	0.258		0.5	7.39	<5	80	<0.5	<2	5.42	<0.5	41	266	409	6.28
161144		2.42	0.032		<0.5	7.55	<5	70	<0.5	<2	5.53	<0.5	40	364	91	5.71
161145		2.56	0.046		<0.5	8.45	<5	190	<0.5	<2	5.38	<0.5	26	122	63	6.74
161146		2.71	0.024		<0.5	7.65	<5	150	<0.5	<2	5.59	<0.5	25	270	73	5.82
161147		0.05	1.765		20.4	9.67	<5	60	3.2	<2	0.39	<0.5	2	5	6	3.15
161148		2.55	0.048		<0.5	8.30	<5	160	0.5	<2	4.45	<0.5	20	98	44	5.51
161149		2.58	0.024		<0.5	7.82	<5	160	<0.5	<2	6.19	<0.5	39	367	56	6.97
161150		2.84	0.077		<0.5	7.47	5	190	<0.5	<2	7.18	1.6	40	111	229	6.39
161151 DUP		<0.02	0.144		<0.5	7.35	9	190	<0.5	<2	7.03	1.2	33	105	188	6.32
161152		3.10	0.156		0.5	7.39	<5	150	<0.5	<2	6.96	<0.5	48	278	288	6.32
161153		2.42	<0.005		<0.5	7.76	<5	110	0.6	<2	4.60	<0.5	30	218	75	5.68
161154		2.59	<0.005		<0.5	7.83	<5	80	<0.5	<2	6.35	<0.5	39	341	64	6.99
161155		2.63	0.009		<0.5	8.60	<5	110	0.5	<2	5.98	<0.5	38	95	69	7.27
161156		3.13	0.034		<0.5	7.82	<5	100	0.5	<2	4.93	<0.5	44	111	198	6.69
161157		2.61	0.013		<0.5	8.58	<5	90	<0.5	<2	4.47	0.6	32	162	114	5.85
161158		0.07	0.396		<0.5	7.29	<5	540	0.9	<2	0.97	<0.5	3	12	15	2.04
161159		2.50	0.028		0.5	8.06	<5	70	<0.5	<2	4.81	4.4	46	159	269	6.96
161160		1.90	0.034		<0.5	7.72	<5	80	<0.5	<2	3.88	<0.5	26	134	91	6.88
161161		3.02	0.219		<0.5	7.23	<5	70	0.6	<2	1.95	0.5	13	9	141	3.32
161162		2.23	0.025		<0.5	8.26	<5	120	<0.5	<2	6.76	<0.5	29	104	41	6.71
161163		2.56	0.784		0.7	7.51	<5	170	<0.5	<2	5.53	<0.5	31	121	374	6.26
161164		2.72	0.039		0.5	7.99	<5	170	0.6	2	4.50	<0.5	25	70	170	5.65
161165		2.59	0.033		<0.5	7.47	<5	220	<0.5	<2	5.01	<0.5	30	114	188	6.30
161166 DUP		<0.02	0.044		0.6	7.55	<5	220	<0.5	<2	4.98	<0.5	28	115	178	6.32
161167		2.20	0.594		0.7	8.23	<5	160	0.7	<2	2.89	<0.5	20	42	203	5.41
161168		3.02	0.014		<0.5	8.57	<5	210	0.5	<2	4.04	<0.5	21	81	65	6.03
161169		1.71	0.041		0.6	8.19	<5	230	<0.5	<2	5.31	<0.5	33	130	156	7.12
161170		1.66	0.128		0.5	8.92	<5	210	<0.5	<2	6.06	<0.5	34	123	198	6.97
161171		2.40	0.014		<0.5	8.64	<5	240	0.8	<2	3.78	<0.5	16	7	39	4.73
161172		3.06	0.095		0.5	7.51	5	270	0.5	<2	3.94	<0.5	29	91	144	5.46
161173		0.04	0.924		10.0	7.73	5	40	2.9	<2	0.29	<0.5	1	3	8	2.37
161174		2.38	0.136		0.5	7.54	5	200	<0.5	<2	5.09	<0.5	57	120	471	7.07
161175		2.53	0.106		0.6	6.83	<5	170	<0.5	<2	4.38	<0.5	81	105	448	6.93
161176		2.36	0.034		<0.5	7.43	<5	170	0.6	<2	4.84	<0.5	35	82	270	5.71
161177		2.79	0.049		<0.5	7.70	<5	260	0.6	<2	4.59	<0.5	43	116	221	6.37
161178		2.47	0.301		<0.5	6.92	<5	180	0.5	<2	3.54	<0.5	46	92	343	5.85
161179		0.07	<0.005		<0.5	6.47	<5	510	0.9	<2	0.82	<0.5	2	21	8	2.22
161180		2.46	0.019		<0.5	7.69	<5	100	<0.5	<2	6.75	<0.5	40	110	200	6.96

Comments: Sample 161158 has been analysed twice. The first result was 0.467ppm.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 3 (A - B)  
Finalized Date: 7-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013030

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
161141		0.72	1.70	920	1	2.60	29	920	<2	0.12	<5	238	0.49	126	<10	65
161142		0.54	3.36	1250	<1	2.44	71	400	8	0.28	<5	147	0.45	205	<10	119
161143		0.55	5.05	1100	<1	2.36	162	460	7	0.38	<5	175	0.35	171	<10	244
161144		0.40	6.69	1035	<1	2.25	182	640	<2	0.15	<5	252	0.29	150	<10	86
161145		1.25	3.79	1310	<1	2.50	63	430	6	1.02	<5	190	0.48	231	10	90
161146		1.05	3.86	1135	<1	2.12	68	490	23	0.58	<5	242	0.40	199	<10	176
161147		0.20	0.08	120	<1	7.3	4	720	133	3.40	<5	22	0.02	2	<10	20
161148		1.04	2.51	1080	<1	2.23	50	670	32	0.34	<5	196	0.49	173	10	231
161149		0.83	6.41	1395	<1	1.80	162	570	<2	0.19	<5	227	0.37	180	10	88
161150		1.60	3.28	1375	<1	2.17	88	340	93	0.86	<5	168	0.43	198	<10	696
161151 DUP		1.51	3.25	1370	<1	2.15	80	330	83	0.74	<5	168	0.43	194	<10	647
161152		1.47	5.23	1245	<1	1.25	148	400	35	0.45	<5	127	0.36	182	<10	521
161153		0.50	3.92	1055	<1	2.66	94	630	<2	0.16	<5	218	0.41	144	10	73
161154		0.49	6.23	1365	<1	1.82	151	560	6	0.13	<5	212	0.39	186	<10	100
161155		0.83	3.68	1335	<1	2.08	76	1250	13	0.39	<5	287	0.54	211	<10	143
161156		0.87	3.39	1280	<1	2.60	72	370	3	0.40	<5	153	0.45	210	<10	78
161157		0.74	3.52	1190	1	3.77	78	600	10	0.27	<5	132	0.46	175	<10	645
161158		4.29	0.26	191	1	2.22	4	180	35	0.03	<5	159	0.09	11	<10	29
161159		0.63	3.96	1430	<1	3.44	242	520	20	0.26	<5	133	0.42	207	<10	2090
161160		0.81	3.48	1235	<1	3.33	69	410	4	0.09	<5	94	0.48	221	<10	153
161161		0.43	0.74	372	1	3.60	8	480	152	0.68	<5	85	0.30	48	<10	463
161162		0.85	3.58	1270	<1	1.86	68	390	8	0.10	<5	172	0.44	214	<10	110
161163		1.22	2.93	1155	<1	1.27	83	350	23	0.57	<5	145	0.42	186	10	147
161164		0.86	2.17	968	<1	2.15	37	590	44	0.60	<5	193	0.44	160	<10	235
161165		1.46	3.11	1215	<1	1.50	69	360	53	0.50	<5	153	0.43	198	20	392
161166 DUP		1.49	3.07	1220	<1	1.48	64	370	49	0.48	<5	154	0.43	198	20	356
161167		0.92	1.45	806	1	3.23	49	840	18	0.87	<5	163	0.46	81	10	89
161168		1.33	2.67	1180	<1	2.72	48	660	14	0.27	<5	182	0.49	186	10	148
161169		1.34	3.54	1385	<1	2.21	67	390	35	0.62	<5	188	0.46	222	10	267
161170		1.39	3.49	1280	<1	2.47	85	450	57	0.57	<5	198	0.46	216	10	279
161171		1.13	1.41	783	<1	2.38	14	810	3	0.26	<5	237	0.46	123	<10	58
161172		1.53	2.04	887	1	1.65	47	510	18	1.15	<5	169	0.44	151	10	87
161173		0.18	0.06	32	<1	6.1	3	540	94	2.53	<5	18	0.01	1	<10	19
161174		1.82	2.76	1185	<1	1.39	81	350	11	1.47	<5	162	0.41	196	20	83
161175		1.19	2.28	976	<1	1.68	79	350	4	1.52	<5	154	0.41	182	10	94
161176		0.94	2.01	961	<1	1.98	48	480	<2	0.77	<5	197	0.43	168	10	93
161177		1.21	2.62	1080	<1	2.28	61	620	2	0.92	<5	245	0.44	198	<10	120
161178		1.17	1.81	870	<1	2.01	46	460	33	1.47	<5	180	0.41	146	10	224
161179		3.99	0.20	220	1	2.01	15	140	29	0.01	<5	142	0.08	9	<10	26
161180		0.89	3.22	1275	<1	1.83	69	350	<2	0.65	<5	212	0.45	209	<10	78

Comments: Sample 161158 has been analysed twice. The first result was 0.467ppm.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 3 (A - B)

Finalized Date: 7-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013030

Sample Description	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
	0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	
161181	2.54	0.033		<0.5	7.72	<5	120	<0.5	<2	4.20	<0.5	68	135	514	7.39	
161182	2.48	0.008		<0.5	7.65	<5	70	<0.5	<2	3.86	<0.5	42	124	228	6.77	
161183	2.06	0.412		0.6	8.40	<5	30	0.8	<2	5.83	<0.5	17	43	233	5.26	
161184	2.79	0.009		<0.5	7.82	<5	120	<0.5	<2	4.77	<0.5	26	102	74	6.37	
161185	2.75	0.146		<0.5	6.81	<5	120	0.6	<2	4.96	<0.5	29	80	70	6.17	
161186	2.98	0.068		<0.5	7.04	<5	110	<0.5	<2	4.87	<0.5	57	112	429	8.40	
161187	0.04	1.785		16.7	7.63	<5	50	3.0	<2	0.31	<0.5	1	4	5	2.72	
161188	3.21	0.178		0.7	6.99	<5	170	<0.5	<2	3.55	<0.5	75	154	701	8.01	
161189	1.93	0.052		<0.5	6.49	5	330	1.0	<2	1.36	<0.5	4	71	39	2.28	
161190	1.51	0.019		<0.5	7.66	<5	260	0.6	<2	4.38	<0.5	25	72	101	6.10	
161191	3.17	0.677		1.3	6.49	<5	210	<0.5	<2	3.88	2.7	152	154	1420	9.52	
161192 DUP	<0.02	0.575		1.4	6.48	<5	220	<0.5	<2	3.80	3.0	140	130	1135	9.16	
161193	2.94	0.153		0.7	7.11	<5	220	<0.5	<2	4.14	1.2	45	102	498	6.95	
161194	2.56	0.096		<0.5	7.29	<5	170	<0.5	<2	5.95	<0.5	44	283	444	6.82	
161195	0.10	<0.005		<0.5	6.33	<5	500	0.9	<2	0.86	<0.5	2	9	9	2.08	
161196	2.77	1.105		0.5	7.31	<5	220	0.6	<2	4.10	<0.5	39	153	370	5.81	
161197	2.39	0.489		<0.5	8.26	<5	170	0.7	<2	6.03	<0.5	44	104	398	5.91	
161198	2.90	0.731		2.0	6.64	<5	250	<0.5	<2	4.08	<0.5	101	112	2010	8.48	
161199	2.83	0.121		<0.5	7.79	<5	130	<0.5	<2	5.85	<0.5	63	102	299	7.23	
161200	2.71	0.356		1.6	7.64	<5	130	<0.5	<2	5.84	<0.5	107	120	1035	8.64	
161201	3.21	0.022		<0.5	8.64	<5	160	<0.5	<2	6.02	<0.5	24	95	72	6.05	
181202	2.71	0.008		<0.5	9.12	<5	220	<0.5	<2	5.65	<0.5	21	88	21	4.90	
161203	2.75	0.101		<0.5	8.44	5	190	<0.5	<2	5.88	<0.5	25	90	88	5.70	
161204	2.59	0.055		<0.5	8.05	<5	170	0.5	<2	5.33	<0.5	22	127	61	6.09	
161205	2.35	0.060		<0.5	7.82	<5	170	0.5	<2	5.48	<0.5	27	133	150	6.57	
161206	0.04	0.950		10.2	8.25	5	40	3.1	<2	0.33	<0.5	<1	5	7	2.68	
161207	2.87	0.036		<0.5	7.91	<5	210	<0.5	<2	5.09	<0.5	25	116	38	7.43	
181208	2.48	0.045		<0.5	8.03	<5	100	0.5	<2	3.49	<0.5	16	61	44	5.13	
161209	4.14	0.188		<0.5	7.83	<5	180	<0.5	<2	5.80	<0.5	21	101	41	6.57	
161210	2.70	0.047		<0.5	6.31	<5	420	1.0	<2	1.17	<0.5	2	14	19	1.88	
161211	2.13	0.132		<0.5	8.38	<5	210	0.6	<2	5.02	<0.5	21	161	26	6.00	
161212	2.71	0.336		<0.5	7.71	<5	70	<0.5	<2	6.77	<0.5	48	864	140	10.55	
161213	1.75	0.031		<0.5	8.49	<5	120	<0.5	<2	6.88	<0.5	23	117	134	8.06	
161214	4.01	0.018		<0.5	8.96	<5	130	<0.5	<2	6.54	<0.5	26	164	122	8.68	
161215	2.42	0.422		<0.5	7.23	<5	90	<0.5	<2	6.42	<0.5	34	385	164	8.23	
161216	2.88	0.100		<0.5	7.30	6	120	<0.5	<2	5.40	<0.5	36	450	138	8.20	
161217	2.77	0.334		<0.5	7.96	<5	120	<0.5	<2	6.36	<0.5	24	143	519	6.65	
161218 DUP	<0.02	0.332		0.6	7.83	<5	120	<0.5	<2	6.29	<0.5	27	143	498	6.62	
161219	0.11	0.055	0.044	<0.5	6.82	<5	530	0.9	<2	0.91	<0.5	1	11	7	1.61	
161220	2.79	0.174		<0.5	6.87	<5	170	<0.5	<2	4.42	<0.5	22	142	204	6.19	

Comments: Sample 161158 has been analysed twice. The first result was 0.467ppm.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 3 (A - B)

Finalized Date: 7-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013030

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP81	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161181		0.96	2.52	1035	<1	2.35	84	340	<2	1.60	<5	233	0.45	202	<10	89
161182		0.63	3.12	1170	<1	3.43	67	360	<2	0.39	<5	150	0.45	211	<10	60
161183		0.56	3.14	885	<1	2.04	38	400	7	0.40	<5	31	0.34	129	<10	55
161184		0.83	3.18	1120	<1	2.64	57	400	<2	0.27	<5	150	0.43	196	<10	59
161185		0.49	2.63	1065	<1	2.30	74	460	3	0.16	<5	216	0.47	142	<10	110
161186		0.65	2.83	1210	<1	1.88	83	560	16	1.08	<5	219	0.64	200	10	94
161187		0.18	0.06	102	<1	6.3	4	580	114	3.08	<5	18	0.01	2	<10	20
161188		1.01	2.53	853	<1	1.72	66	300	21	2.23	<5	140	0.40	194	40	183
161189		0.95	0.55	278	1	3.29	18	110	6	0.22	<5	106	0.12	18	<10	38
161190		0.73	2.45	909	<1	2.60	70	380	<2	0.37	<5	216	0.35	108	<10	59
161191		1.27	2.27	904	<1	1.55	146	290	104	4.62	<5	110	0.35	164	70	1205
161192 DUP		1.29	2.20	894	<1	1.60	138	280	114	4.33	<5	108	0.36	170	50	1295
161193		1.34	2.25	1040	<1	1.44	58	350	75	1.66	<5	123	0.34	152	10	452
161194		1.18	3.64	1230	<1	1.46	114	410	<2	0.92	<5	204	0.42	200	20	78
161195		4.03	0.19	176	<1	1.98	6	150	29	0.02	<5	137	0.08	9	<10	30
161196		1.18	2.24	917	<1	1.77	67	530	4	0.88	<5	196	0.42	158	10	71
161197		1.74	2.08	966	1	1.07	66	490	<2	0.25	<5	114	0.50	192	<10	72
161198		1.78	2.34	986	<1	1.04	104	300	12	3.08	<5	122	0.40	200	40	71
161199		0.89	2.92	1100	<1	1.65	65	440	8	1.27	<5	181	0.43	190	30	101
161200		1.11	2.84	1090	<1	1.49	84	340	4	2.76	<5	175	0.42	200	20	77
161201		0.92	3.42	1055	<1	2.18	47	420	<2	0.30	<5	266	0.36	163	<10	65
161202		0.80	3.56	954	<1	2.84	37	440	<2	0.02	<5	381	0.24	113	<10	65
161203		0.87	3.10	1010	<1	1.85	66	400	2	0.41	<5	261	0.35	158	10	81
161204		0.84	2.85	960	<1	1.91	58	640	<2	0.32	<5	211	0.46	162	<10	93
161205		0.94	3.22	1105	<1	1.81	74	480	<2	0.42	<5	174	0.42	176	10	117
161206		0.18	0.06	36	<1	6.6	2	610	106	2.94	<5	18	0.01	2	<10	16
161207		1.23	4.05	1150	<1	2.01	62	340	<2	0.11	<5	138	0.43	201	<10	87
161208		0.64	2.32	853	<1	3.50	34	480	22	0.20	<5	158	0.39	138	<10	260
161209		0.98	3.55	1300	<1	1.71	67	400	4	0.12	<5	171	0.41	186	10	102
161210		0.84	0.26	187	<1	3.16	5	90	8	0.13	<5	121	0.11	10	<10	40
161211		0.78	3.23	1020	<1	2.67	88	1020	2	0.29	<5	274	0.41	163	<10	89
161212		0.64	7.02	1785	<1	1.10	428	310	<2	0.85	<5	82	0.42	224	80	95
161213		0.98	4.64	1715	<1	1.67	97	410	5	0.41	<5	116	0.45	209	10	83
161214		1.11	4.80	1620	<1	1.58	125	420	<2	0.35	<5	118	0.46	220	10	78
161215		1.17	4.45	1600	<1	0.83	216	360	<2	0.77	<5	97	0.39	201	50	59
161216		1.06	4.49	1520	<1	1.22	204	350	<2	0.73	<5	97	0.42	201	30	116
161217		1.11	3.45	1385	<1	1.19	118	400	<2	0.48	<5	123	0.45	200	70	71
161218 DUP		1.06	3.39	1370	<1	1.17	116	400	<2	0.48	<5	121	0.44	192	70	68
161219		4.14	0.23	158	<1	2.08	7	160	32	0.02	<5	150	0.09	10	<10	29
161220		1.31	3.14	1155	<1	1.06	91	320	<2	0.62	<5	99	0.40	179	40	68

Comments: Sample 161158 has been analysed twice. The first result was 0.467ppm.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 6-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06013031

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 6-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013031**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
163681		2.60	0.128	<0.5	6.91	<5	130	<0.5	<2	6.13	<0.5	41	425	261	7.93	0.95
163682		2.15	0.174	<0.5	7.10	<5	230	0.5	<2	4.01	<0.5	23	426	34	5.04	0.78
163683		2.90	1.005	<0.5	6.14	<5	100	<0.5	<2	5.75	<0.5	56	1080	66	8.14	0.61
163684 DUP		<0.02	0.990	<0.5	6.39	<5	90	<0.5	<2	6.12	<0.5	56	1120	72	8.77	0.65
163685		2.54	0.114	<0.5	4.84	<5	4L	<0.5	<2	4.81	<0.5	63	1140	147	6.59	0.29
163686		2.93	0.056	<0.5	6.20	<5	170	<0.5	<2	4.63	<0.5	62	1105	98	6.59	1.16
163687		2.33	0.102	<0.5	8.03	<5	410	0.8	<2	3.19	<0.5	17	80	29	5.12	1.61
163688		2.02	0.055	<0.5	7.81	<5	460	0.8	<2	3.04	<0.5	15	49	52	4.52	1.39
163689		2.15	0.156	<0.5	7.20	<5	300	0.6	<2	3.68	<0.5	26	428	47	5.97	1.10
163690		0.06	0.983	10.5	8.37	<5	60	3.2	<2	0.33	<0.5	<1	10	12	2.90	0.19
163691		1.37	0.134	<0.5	7.75	<5	320	0.7	<2	3.20	<0.5	15	64	33	3.95	1.13
163692		1.85	0.174	<0.5	5.72	<5	100	<0.5	<2	4.50	<0.5	45	990	27	6.57	0.79
163693		1.69	0.289	<0.5	5.80	<5	30	<0.5	<2	6.40	<0.5	64	1220	19	7.96	0.23
163694		2.46	0.048	<0.5	5.74	<5	10	<0.5	<2	6.27	<0.5	65	1185	19	7.82	0.18
163695		2.50	0.087	<0.5	5.40	<5	20	<0.5	<2	5.95	<0.5	68	1200	8	7.46	0.24
163696 DUP		<0.02	0.092	<0.5	5.72	<5	10	<0.5	<2	6.26	<0.5	67	1285	8	7.87	0.25
163697		2.27	0.064	<0.5	5.41	<5	30	<0.5	<2	5.94	<0.5	66	1520	23	7.52	0.31
163698		2.98	<0.005	<0.5	8.15	<5	480	0.9	<2	3.59	<0.5	17	27	10	4.68	1.83
163699		2.25	0.147	<0.5	6.88	<5	100	<0.5	<2	5.55	<0.5	51	975	6	7.12	1.08
163700		2.75	0.070	<0.5	6.43	<5	190	<0.5	<2	4.87	<0.5	43	777	12	6.52	0.70
163701		2.51	0.114	<0.5	6.61	<5	160	<0.5	<2	5.51	<0.5	51	929	11	7.36	0.83
163702		3.10	0.426	<0.5	6.39	<5	40	<0.5	<2	6.29	<0.5	67	1100	27	8.54	0.58
163703		0.11	0.009	<0.5	6.96	<5	550	0.9	<2	1.04	<0.5	2	34	7	1.86	4.18
163704		2.98	0.319	<0.5	5.89	<5	160	<0.5	<2	4.34	<0.5	50	988	26	6.99	1.11
163705		2.83	1.515	<0.5	5.46	<5	20	<0.5	<2	6.88	<0.5	55	1035	14	7.75	0.17
163706 DUP		<0.02	1.270	<0.5	5.23	<5	30	<0.5	<2	6.33	<0.5	55	999	20	7.36	0.21
163707		2.50	0.397	<0.5	6.72	<5	180	<0.5	<2	6.42	<0.5	49	630	38	7.42	0.70
163708		2.82	0.242	<0.5	7.00	<5	90	<0.5	<2	7.36	<0.5	39	299	19	7.44	0.81
163709		2.62	0.152	<0.5	6.90	<5	60	<0.5	<2	7.93	<0.5	37	292	34	7.14	0.49
163710		1.78	0.076	<0.5	7.35	<5	440	0.8	<2	2.14	<0.5	6	49	12	1.82	1.48
163711		1.64	0.090	<0.5	6.39	7	50	<0.5	<2	10.20	<0.5	36	246	20	6.67	0.37
163712		2.02	0.243	<0.5	7.01	5	50	<0.5	<2	8.96	<0.5	40	272	8	7.30	0.40
163713		2.98	0.642	<0.5	7.56	<5	50	<0.5	<2	8.50	<0.5	43	307	12	7.92	0.49
163714		2.07	0.136	<0.5	6.68	6	70	<0.5	<2	10.30	<0.5	41	244	52	7.05	0.64
163715		2.83	3.56	<0.5	7.44	<5	270	<0.5	<2	3.37	<0.5	27	288	10	4.46	1.24
163716		1.80	0.709	<0.5	6.67	<5	290	0.5	<2	3.52	<0.5	34	352	33	6.18	1.74
163717		1.26	3.58	<0.5	7.23	<5	400	0.5	<2	2.05	<0.5	11	136	16	1.88	0.54
163718		1.91	0.967	<0.5	7.58	5	160	<0.5	<2	6.00	<0.5	36	307	28	6.79	1.22
163719		1.22	0.099	<0.5	8.05	<5	430	0.6	<2	2.01	<0.5	4	41	15	1.30	1.09
163720		0.06	1.835	20.7	8.16	<5	50	3.2	<2	0.32	<0.5	1	3	5	2.87	0.19





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 6-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013031

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163681		4.52	1165	<1	1.32	220	330	8	0.76	7	113	0.39	187	10	71
163682		3.52	782	<1	2.36	189	470	4	0.20	<5	205	0.30	103	<10	57
163683		9.22	1305	<1	0.62	507	250	<2	0.46	<5	112	0.28	168	<10	110
163684 DUP		9.85	1410	<1	0.68	543	290	<2	0.53	5	116	0.30	178	<10	116
163685		11.90	1015	<1	0.57	804	220	4	0.34	8	63	0.20	123	<10	92
163686		10.15	1095	<1	1.06	656	370	6	0.13	<5	127	0.27	119	<10	98
163687		1.74	675	<1	2.13	40	840	<2	0.26	<5	155	0.51	109	<10	44
163688		1.14	610	<1	2.23	21	870	3	0.38	<5	164	0.47	69	<10	35
163689		3.65	938	<1	1.78	193	770	6	0.30	<5	164	0.44	107	<10	62
163690		0.08	35	<1	7.0	3	600	122	2.91	<5	20	0.01	2	<10	18
163691		1.44	636	<1	2.28	31	950	6	0.20	<5	221	0.49	89	<10	35
163692		7.89	1225	<1	1.07	482	270	<2	0.09	<5	70	0.28	143	10	86
163693		10.75	1520	<1	0.57	683	190	<2	0.04	<5	69	0.25	180	<10	129
163694		10.90	1425	<1	0.44	671	210	2	0.03	6	43	0.24	175	<10	115
163695		10.55	1320	<1	0.39	652	170	2	0.01	9	39	0.24	171	<10	106
163696 DUP		11.10	1395	<1	0.41	674	200	5	<0.01	<5	41	0.25	178	<10	111
163697		11.05	1350	<1	0.45	769	190	5	0.03	5	43	0.21	160	10	101
163698		1.30	748	<1	1.74	20	700	<2	0.04	<5	161	0.46	118	10	37
163699		8.36	1360	<1	1.30	513	380	4	0.02	8	222	0.33	148	<10	97
163700		6.81	1135	<1	1.13	400	440	4	0.05	<5	110	0.35	149	<10	83
163701		8.24	1280	<1	0.92	481	390	<2	0.05	<5	87	0.34	157	<10	93
163702		10.90	1520	<1	0.60	632	260	6	0.15	<5	104	0.26	175	<10	105
163703		0.37	178	1	2.16	14	170	32	0.01	<5	157	0.08	11	<10	28
163704		8.75	1130	<1	0.72	545	210	<2	0.11	<5	133	0.24	145	<10	96
163705		10.25	1485	<1	0.46	604	170	2	0.03	<5	99	0.26	169	<10	93
163706 DUP		9.50	1400	<1	0.42	572	180	<2	0.04	8	103	0.26	167	<10	90
163707		7.78	1275	<1	0.75	400	500	<2	0.17	<5	216	0.34	180	<10	90
163708		5.15	1325	1	1.08	138	220	<2	0.09	<5	144	0.36	208	<10	66
163709		4.66	1270	<1	1.24	131	220	<2	0.08	<5	150	0.36	206	<10	61
163710		0.68	301	2	3.35	15	150	<2	0.19	<5	148	0.11	30	<10	28
163711		4.32	1280	<1	1.12	118	200	<2	0.07	<5	145	0.32	186	10	60
163712		4.76	1255	<1	1.34	123	230	<2	0.02	<5	140	0.36	211	<10	55
163713		5.17	1320	<1	1.36	142	230	2	0.05	<5	138	0.39	231	<10	62
163714		4.58	1345	<1	1.12	126	210	<2	0.05	<5	126	0.33	196	<10	57
163715		3.90	652	<1	2.72	156	170	<2	0.15	<5	144	0.17	83	<10	62
163716		4.58	918	1	1.19	182	500	<2	0.40	<5	115	0.39	127	<10	84
163717		1.66	308	4	4.03	73	170	5	0.08	<5	172	0.08	26	<10	40
163718		5.40	1155	1	1.24	126	210	<2	0.13	<5	124	0.32	190	10	102
163719		0.67	186	<1	4.04	11	170	<2	0.05	<5	205	0.08	23	<10	31
163720		0.06	108	1	6.7	4	610	120	3.10	<5	21	0.01	1	<10	20



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 6-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013031**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
163721		3.09	0.035	<0.5	7.37	<5	100	<0.5	<2	6.23	<0.5	33	111	355	6.53	0.53
163722		2.87	0.067	<0.5	7.66	<5	130	<0.5	<2	5.90	<0.5	28	104	364	7.46	0.65
163723		3.19	1.815	<0.5	7.03	<5	100	<0.5	<2	5.33	<0.5	50	112	734	8.04	0.58
163724		0.13	0.025	<0.5	6.84	<5	510	0.9	<2	0.77	<0.5	1	14	7	1.92	4.06
163725		1.71	5.44	<0.5	7.39	<5	90	<0.5	<2	6.52	<0.5	46	113	1415	9.06	0.62
163726		2.79	1.090	<0.5	7.68	<5	90	0.5	<2	5.58	<0.5	32	138	404	7.76	0.58
163727		2.84	0.052	<0.5	7.98	<5	200	0.6	<2	4.83	<0.5	25	75	241	6.42	0.72
163728		1.55	0.053	<0.5	7.91	<5	100	<0.5	<2	6.50	<0.5	31	118	744	7.41	0.56
163729		2.55	0.074	<0.5	7.80	<5	190	<0.5	<2	6.84	<0.5	30	109	203	6.99	1.24
163730		1.16	0.493	0.6	7.23	8	130	<0.5	<2	5.11	<0.5	60	114	1660	9.30	0.79
163731		1.16	0.046	<0.5	8.39	<5	180	0.6	<2	4.25	<0.5	20	86	409	6.51	0.76
163732		0.05	0.980	10.6	7.85	6	40	3.1	<2	0.30	<0.5	<1	3	8	2.46	0.19
163733		2.92	0.015	<0.5	7.53	6	180	<0.5	<2	5.80	<0.5	36	338	6	6.96	1.06
163734		2.55	0.035	<0.5	8.10	16	170	0.5	<2	5.88	<0.5	32	113	8	6.84	1.28
163735		2.40	0.036	<0.5	7.82	<5	260	0.9	<2	2.53	<0.5	9	12	19	4.91	0.90
163736		2.80	0.006	<0.5	7.89	<5	200	0.5	<2	4.47	<0.5	27	118	2	7.34	1.30
183737 DUP		<0.02	<0.005	<0.5	7.96	<5	210	0.5	<2	4.63	<0.5	29	122	4	7.45	1.30
163738		2.55	0.015	<0.5	8.68	<5	190	0.7	<2	4.12	<0.5	26	61	28	6.43	1.29
163739		2.56	0.078	<0.5	7.58	<5	210	<0.5	<2	5.13	<0.5	25	100	1	6.58	1.61
163740		2.50	0.283	<0.5	7.83	<5	240	0.6	<2	3.55	<0.5	24	79	48	6.40	1.48
163741		2.63	0.040	<0.5	7.94	9	160	0.5	<2	4.63	<0.5	31	104	75	7.08	1.12
163742		2.42	0.112	<0.5	7.95	<5	80	0.6	<2	4.65	<0.5	21	55	32	5.45	0.83
163743		2.81	0.031	<0.5	7.74	<5	180	0.5	<2	3.17	<0.5	19	71	52	5.55	1.13
163744		0.08	<0.005	<0.5	6.50	<5	510	0.8	<2	0.82	<0.5	1	7	4	1.76	3.95
163745		2.82	0.011	<0.5	4.93	12	140	<0.5	<2	6.76	<0.5	45	487	13	5.65	0.54
163746		3.00	0.012	<0.5	7.47	6	190	0.5	<2	6.20	<0.5	36	240	60	6.50	0.77
163747		2.57	0.020	<0.5	7.15	7	160	<0.5	<2	5.53	<0.5	33	415	95	5.02	0.58
163748		2.79	0.097	0.5	7.40	<5	150	<0.5	<2	6.42	<0.5	40	110	749	6.93	0.57
163749		0.05	1.840	19.1	7.87	<5	50	2.9	<2	0.32	<0.5	<1	3	5	2.79	0.17
163750		2.18	0.188	1.2	6.79	<5	250	<0.5	<2	6.64	<0.5	36	102	2000	6.65	1.00
163751		2.46	0.102	0.6	7.39	<5	230	<0.5	<2	5.91	<0.5	39	106	1000	6.61	0.97
163752		2.86	0.176	0.9	7.01	<5	160	0.5	<2	5.59	<0.5	24	178	936	5.38	1.34
163753		3.06	0.048	0.8	7.35	<5	130	<0.5	<2	6.24	2.9	47	118	719	7.24	1.10
163754		2.04	0.046	<0.5	7.46	<5	180	0.5	<2	5.91	<0.5	34	227	285	6.97	0.96
163755		2.90	0.186	<0.5	6.69	<5	170	<0.5	<2	4.84	<0.5	89	108	552	7.89	1.10
163756 DUP		<0.02	0.188	<0.5	7.02	<5	180	<0.5	<2	5.11	<0.5	95	114	562	8.40	1.14
163757		2.33	0.076	<0.5	7.17	<5	180	0.8	<2	2.55	<0.5	15	5	217	4.14	0.80
163758		2.71	1.175	<0.5	7.20	<5	110	<0.5	<2	5.94	<0.5	53	121	702	7.41	0.67
163759		2.79	0.735	<0.5	7.15	<5	100	<0.5	<2	5.96	<0.5	52	120	447	6.78	0.78
163760		2.24	0.079	<0.5	7.52	<5	230	<0.5	<2	5.39	<0.5	31	120	306	6.17	1.16



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 6-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013031

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163721		3.18	1055	<1	2.23	98	330	27	0.56	<5	142	0.42	186	<10	99
163722		3.24	1185	<1	2.16	69	830	2	0.65	<5	213	0.48	194	<10	75
163723		3.06	1045	1	1.84	99	330	5	1.96	<5	174	0.41	182	<10	54
163724		0.19	186	2	2.15	9	130	38	0.02	<5	146	0.08	7	<10	26
163725		3.51	1165	<1	1.54	99	350	7	1.93	<5	219	0.43	202	<10	73
163726		3.25	1100	<1	2.09	80	400	<2	0.94	<5	171	0.45	198	30	66
163727		2.36	1070	1	2.18	42	670	<2	0.44	<5	240	0.50	168	<10	67
163728		3.36	1155	1	1.97	78	370	2	0.60	<5	222	0.47	206	<10	64
163729		3.67	1240	<1	1.42	69	370	<2	0.58	<5	182	0.45	203	<10	67
163730		2.77	1015	1	1.59	112	350	2	3.69	<5	205	0.42	188	<10	59
163731		2.31	1050	1	2.16	46	650	8	0.63	<5	257	0.53	183	<10	75
163732		0.07	34	<1	6.4	2	590	105	2.58	<5	20	0.01	1	<10	20
163733		5.11	1120	1	1.32	165	500	2	0.04	<5	140	0.46	192	<10	76
163734		4.16	1115	1	1.61	68	450	<2	0.07	<5	156	0.51	219	<10	93
163735		0.98	786	1	3.01	9	670	<2	0.22	<5	241	0.42	54	<10	45
163736		4.18	1225	<1	2.01	72	380	<2	0.01	<5	167	0.47	210	<10	83
163737 DUP		4.19	1240	1	2.00	74	380	<2	0.01	<5	166	0.47	210	<10	86
163738		2.80	1120	1	2.79	46	830	2	0.20	<5	252	0.57	175	<10	65
163739		3.68	1160	<1	2.29	61	400	<2	0.01	<5	170	0.47	201	<10	66
163740		2.89	1030	1	2.42	49	550	<2	0.27	<5	202	0.47	153	<10	65
163741		3.59	1260	1	2.69	77	460	<2	0.23	<5	182	0.49	198	<10	78
163742		2.45	936	1	3.32	42	730	<2	0.06	<5	105	0.51	158	<10	44
163743		2.34	921	1	3.13	44	710	<2	0.18	<5	213	0.47	146	<10	49
163744		0.22	156	1	2.03	3	140	35	<0.01	<5	146	0.08	8	<10	26
163745		8.25	1090	<1	0.83	218	330	<2	0.04	<5	138	0.20	114	<10	62
163746		4.96	1170	1	1.89	156	1190	3	0.22	<5	383	0.46	157	<10	88
163747		5.68	934	<1	2.07	202	470	<2	0.18	<5	392	0.29	134	<10	73
163748		3.43	1280	1	1.76	102	360	<2	0.75	<5	289	0.44	194	10	103
163749		0.07	106	1	6.4	3	580	120	2.99	<5	21	0.01	1	<10	28
163750		3.06	1295	<1	1.52	78	330	7	0.77	<5	218	0.40	187	30	140
163751		3.22	1175	<1	1.72	54	340	7	0.38	<5	165	0.42	192	<10	102
163752		3.07	1090	1	1.62	81	620	30	0.26	<5	97	0.41	169	<10	110
163753		3.31	1345	1	1.58	65	380	398	1.01	<5	142	0.42	182	<10	1165
163754		4.26	1370	<1	1.74	108	650	7	0.44	<5	188	0.47	194	<10	201
163755		2.82	1195	<1	1.40	66	330	4	2.54	<5	184	0.40	172	<10	169
163756 DUP		3.00	1260	<1	1.48	71	340	7	2.77	<5	194	0.41	182	<10	171
163757		0.88	515	1	2.59	11	770	2	0.61	<5	209	0.44	65	<10	58
163758		2.97	1160	1	1.60	80	350	<2	1.32	<5	174	0.42	190	<10	86
163759		2.90	1060	1	1.50	75	340	<2	1.15	<5	175	0.42	186	<10	61
163760		3.14	1030	<1	2.08	57	440	2	0.34	<5	244	0.41	181	<10	60



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 6-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013031**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
163761		1.44	0.028	<0.5	7.68	9	780	1.1	<2	3.00	<0.5	15	125	93	3.64	1.74
163762		1.97	<0.005	<0.5	8.02	5	890	1.3	<2	3.33	<0.5	16	126	34	3.63	1.66
163763		2.38	0.005	<0.5	8.24	<5	940	1.3	<2	3.57	<0.5	14	124	32	3.63	1.72
163764		2.15	0.008	<0.5	7.58	<5	860	1.2	<2	3.46	<0.5	16	126	53	3.55	1.80
163765		0.05	0.984	10.4	7.96	<5	50	3.0	<2	0.31	<0.5	<1	3	7	2.76	0.18
163766		3.09	0.126	<0.5	7.21	<5	100	0.5	<2	5.78	<0.5	43	173	1040	6.80	0.73
163767		2.68	1.080	<0.5	6.85	10	80	<0.5	<2	5.70	<0.5	78	117	658	7.72	0.61
163768		0.10	<0.005	<0.5	6.78	<5	510	0.8	<2	0.87	<0.5	<1	9	5	2.00	4.04
163769		2.67	1.105	<0.5	7.21	<5	90	<0.5	<2	6.09	<0.5	56	116	667	7.08	0.55
163770		2.67	0.886	<0.5	7.54	5	160	<0.5	<2	6.01	<0.5	58	122	664	7.63	0.67
163771		2.31	0.162	<0.5	7.64	<5	180	<0.5	<2	6.07	<0.5	59	156	253	6.99	0.71
163772		2.62	2.55	<0.5	7.42	<5	130	<0.5	<2	6.44	<0.5	63	132	484	7.54	0.64
163773		1.97	0.134	<0.5	7.31	<5	110	<0.5	<2	6.72	<0.5	49	312	214	7.02	0.60
163774		1.69	0.038	<0.5	8.15	<5	80	<0.5	<2	6.92	<0.5	38	114	180	7.22	0.50
163775		2.36	0.031	<0.5	7.24	<5	180	0.7	<2	3.98	<0.5	23	50	103	4.77	0.72
163776		1.73	0.045	<0.5	7.68	<5	90	<0.5	<2	6.65	<0.5	42	119	227	6.71	0.58
163777		2.64	0.012	<0.5	7.48	<5	320	0.8	<2	5.80	<0.5	32	312	89	5.26	0.91
163778		2.42	0.027	<0.5	7.23	<5	200	0.7	<2	6.00	<0.5	41	298	174	5.95	0.63
163779		2.50	1.005	1.0	6.66	<5	170	<0.5	<2	4.93	<0.5	88	125	923	7.00	0.81
163780 DUP		<0.02	1.385	1.0	6.31	<5	170	<0.5	<2	4.79	<0.5	88	121	996	6.85	0.79



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 6-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013031**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163761		1.99	558	<1	2.71	51	1290	6	0.13	<5	429	0.41	79	<10	45
163762		2.06	572	1	3.08	54	1370	12	0.13	<5	546	0.42	80	<10	67
163763		2.09	565	<1	2.93	51	1410	12	0.12	<5	674	0.42	80	<10	73
163764		2.03	544	1	2.55	53	1240	12	0.12	<5	607	0.41	82	<10	72
163765		0.07	33	1	6.4	2	590	116	2.91	<5	21	0.01	<1	<10	19
163766		3.42	1095	1	1.80	89	400	<2	0.64	<5	190	0.40	173	<10	64
163767		2.84	1060	1	1.56	98	300	<2	1.45	<5	146	0.40	182	10	56
163768		0.20	170	1	2.10	5	150	35	0.01	<5	150	0.08	7	<10	27
163769		2.69	1055	1	1.63	67	330	<2	1.08	<5	150	0.41	191	10	58
163770		3.11	1055	1	1.78	82	360	4	1.07	<5	306	0.44	199	<10	57
163771		3.29	1085	<1	1.66	96	440	3	0.70	<5	330	0.44	194	<10	65
163772		3.14	1250	1	1.58	85	340	<2	1.36	<5	186	0.43	198	10	53
163773		5.08	1195	1	1.53	181	490	<2	0.51	<5	224	0.41	192	<10	63
163774		3.50	1230	1	1.73	62	390	14	0.51	<5	170	0.44	198	<10	68
163775		1.48	833	1	2.37	30	610	2	0.32	<5	198	0.42	110	<10	57
163776		3.36	1155	<1	1.59	67	360	2	0.44	<5	194	0.45	206	<10	65
163777		4.78	918	<1	2.07	181	1310	4	0.25	<5	565	0.35	125	<10	74
163778		4.76	1055	<1	2.11	160	860	10	0.38	<5	442	0.37	150	<10	79
163779		2.37	924	1	1.87	100	320	45	1.54	<5	222	0.38	164	10	76
163780 DUP		2.26	889	1	1.75	104	320	39	1.58	<5	209	0.37	162	10	82



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 13-MAR-2006  
 Account: TRAVEN

**CERTIFICATE VO06013032**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013032**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163781		2.92	0.724		0.5	8.15	14	340	0.6	<2	5.99	<0.5	58	202	540	7.44
163782		2.46	0.262		1.1	7.98	9	310	0.6	<2	5.07	<0.5	51	116	374	6.40
163783		2.44	0.598		0.5	8.18	13	140	<0.5	<2	5.95	<0.5	68	130	518	7.40
163784		1.67	0.154		<0.5	8.38	8	220	0.8	<2	4.13	<0.5	22	9	218	5.33
163785		1.98	0.965		1.2	7.37	6	190	<0.5	<2	4.85	<0.5	70	130	603	6.83
163786 DUP		<0.02	1.895		1.4	6.87	<5	130	<0.5	<2	4.54	<0.5	80	122	613	6.98
163787		2.29	0.185		<0.5	7.92	9	140	<0.5	<2	5.96	<0.5	56	130	315	7.06
163788		2.16	0.048		<0.5	7.88	<5	90	0.8	<2	3.08	<0.5	16	6	72	4.25
163789		2.08	1.300		<0.5	7.73	19	130	0.5	<2	5.96	<0.5	50	121	359	6.28
163790		2.45	1.150		<0.5	8.10	<5	140	<0.5	<2	6.29	<0.5	52	121	338	6.15
163791		1.71	0.012		<0.5	8.03	<5	240	0.9	<2	3.86	<0.5	20	1	45	4.90
163792		0.07	1.790		18.7	7.92	10	70	3.0	<2	0.34	<0.5	2	1	5	2.77
163793		1.73	0.567		<0.5	7.81	<5	230	0.9	<2	3.85	<0.5	16	5	78	4.73
163794		2.85	0.077		<0.5	7.17	<5	100	<0.5	<2	5.79	<0.5	62	130	602	6.25
163795		2.86	0.746		0.7	7.00	<5	140	<0.5	<2	5.72	<0.5	88	140	822	6.68
163796		2.12	0.496		0.5	7.43	<5	380	0.9	<2	4.38	<0.5	30	33	511	5.20
163797		1.72	0.056		<0.5	7.06	<5	240	1.0	<2	2.66	<0.5	14	24	234	3.96
163798		2.02	0.178		<0.5	7.56	<5	110	<0.5	<2	6.64	<0.5	45	126	350	6.51
163799		0.11	<0.005		<0.5	6.22	<5	520	0.8	<2	0.83	<0.5	1	10	7	1.40
163800		2.64	0.397		0.6	7.32	10	80	<0.5	<2	6.22	<0.5	59	127	1125	6.79
163801		2.42	0.313		0.5	8.12	<5	70	<0.5	<2	6.31	<0.5	86	139	1235	7.87
163802		0.13	<0.005		<0.5	6.61	<5	560	0.8	<2	1.72	<0.5	1	7	8	1.44
163803		2.50	0.302		<0.5	8.58	<5	120	<0.5	<2	7.09	<0.5	59	137	650	9.44
163804		1.78	0.011		<0.5	8.90	<5	120	0.5	<2	7.47	<0.5	41	116	96	10.80
163805		2.27	0.029		<0.5	8.52	<5	190	0.8	<2	4.24	<0.5	17	7	80	5.24
163806		1.48	0.019		<0.5	8.72	<5	130	<0.5	<2	7.60	<0.5	38	101	138	7.70
163807		2.08	0.106		<0.5	8.44	<5	110	<0.5	<2	7.17	<0.5	52	116	396	7.52
163808		2.36	0.152		0.7	8.01	<5	120	<0.5	<2	6.24	<0.5	69	124	962	7.88
163809		2.46	0.085		<0.5	9.10	<5	130	0.5	<2	6.65	<0.5	46	107	572	7.80
163810		2.63	0.590		1.7	7.87	<5	100	<0.5	<2	6.50	<0.5	132	129	1480	11.60
163811 DUP		<0.02	0.645		1.5	7.90	<5	100	<0.5	<2	6.29	<0.5	139	129	1495	11.15
163812		1.40	0.174		0.6	7.51	<5	110	<0.5	<2	6.18	<0.5	66	135	1055	7.63
163813		1.19	0.138		<0.5	9.09	<5	250	0.8	<2	4.46	<0.5	14	8	96	5.63
163814		2.19	0.041		<0.5	8.44	<5	130	<0.5	<2	7.43	<0.5	27	116	127	7.48
163815		0.06	0.938		9.5	8.52	<5	50	3.2	<2	0.36	<0.5	<1	6	8	2.80
163816		2.40	0.075		<0.5	8.64	<5	100	<0.5	<2	7.65	<0.5	24	102	71	7.21
163817		2.44	0.625		0.8	7.62	<5	110	0.5	<2	6.42	<0.5	60	170	852	8.80
163818		2.08	1.485		0.7	8.26	<5	130	<0.5	<2	7.16	<0.5	36	106	187	8.52
163819		1.14	0.036		<0.5	8.48	<5	390	0.8	<2	4.07	<0.5	14	10	76	5.02
163820		2.67	0.078		<0.5	8.58	<5	190	0.6	<2	7.25	<0.5	34	168	357	7.97



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 13-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013032

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
163781		1.28	4.11	1085	2	2.43	138	1910	47	0.88	<5	365	0.53	177	10	161
163782		1.38	2.87	1065	1	2.40	69	560	16	0.67	<5	240	0.47	184	<10	166
163783		0.83	3.36	1195	1	2.19	90	370	2	0.78	<5	177	0.47	220	10	92
163784		0.74	1.33	844	2	2.76	26	990	<2	0.36	<5	237	0.51	118	<10	47
163785		0.82	2.87	984	1	2.31	100	340	<2	0.83	<5	134	0.43	191	<10	75
163786 DUP		0.80	2.70	925	<1	2.13	122	290	<2	1.04	<5	126	0.40	179	10	73
163787		0.91	3.61	1180	<1	2.55	89	370	106	0.44	<5	171	0.46	219	<10	77
163788		0.46	1.03	765	2	3.64	10	1040	5	0.39	<5	181	0.50	68	<10	28
163789		0.84	2.99	1025	<1	1.52	76	380	<2	0.43	<5	154	0.45	200	<10	76
163790		0.88	2.90	1085	1	1.50	62	400	<2	0.38	<5	138	0.47	208	10	78
183791		1.04	1.16	805	<1	2.60	14	930	<2	0.16	<5	223	0.53	134	10	49
163792		0.19	0.07	108	1	6.9	5	630	120	2.89	<5	22	0.01	1	<10	18
163793		0.84	1.10	815	<1	2.66	5	1000	6	0.21	<5	219	0.56	128	<10	47
163794		0.68	2.93	1085	<1	1.66	68	340	4	0.53	<5	142	0.45	205	10	74
163795		0.92	2.74	1045	<1	1.37	104	310	6	0.96	<5	128	0.43	196	10	76
163796		1.12	1.74	825	<1	2.26	28	1110	7	0.44	<5	436	0.46	130	<10	70
163797		0.77	0.70	445	<1	2.85	12	490	6	0.58	<5	197	0.34	43	10	35
163798		0.75	3.39	1170	<1	1.46	75	330	5	0.34	<5	155	0.48	221	10	80
163799		4.14	0.22	135	<1	2.02	6	160	34	0.01	<5	148	0.08	9	<10	24
163800		0.62	2.93	1015	<1	1.51	66	330	6	0.86	<5	144	0.45	215	<10	72
163801		0.58	2.77	979	<1	1.62	63	360	9	1.24	<5	148	0.45	214	10	74
163802		4.53	0.18	140	<1	2.07	3	170	44	0.01	<5	147	0.08	9	<10	28
163803		0.82	3.62	1365	<1	1.53	93	600	<2	0.94	<5	227	0.62	211	10	96
163804		0.66	4.19	1660	<1	2.07	112	920	<2	0.28	<5	356	0.85	232	<10	124
163805		0.77	1.28	827	1	2.76	11	980	<2	0.24	<5	220	0.53	138	<10	48
163806		0.66	3.79	1480	1	1.79	77	440	<2	0.24	<5	157	0.47	221	<10	90
163807		0.65	3.37	1255	<1	1.65	76	410	<2	0.61	<5	158	0.45	209	10	80
163808		0.81	2.56	1075	<1	1.58	67	420	<2	1.30	<5	156	0.45	200	20	87
163809		0.84	2.84	1215	<1	1.96	52	500	2	0.90	<5	172	0.46	197	30	78
163810		1.00	2.75	1230	<1	1.44	106	350	<2	3.00	<5	120	0.42	203	40	65
163811 DUP		1.02	2.74	1190	<1	1.46	104	360	<2	2.81	<5	122	0.42	205	30	61
163812		1.02	2.74	1195	<1	1.28	71	340	<2	1.29	<5	124	0.44	197	10	77
163813		0.98	1.36	864	<1	2.82	10	980	<2	0.34	<5	224	0.51	132	<10	46
163814		0.87	3.74	1345	<1	1.48	62	420	<2	0.39	<5	149	0.46	214	<10	99
163815		0.20	0.07	39	<1	6.5	2	630	122	2.98	<5	20	0.01	2	<10	16
163816		0.74	3.88	1275	<1	1.36	68	390	<2	0.25	<5	148	0.45	210	<10	64
163817		0.83	3.30	1190	<1	1.47	78	420	<2	1.62	<5	149	0.39	186	10	79
163818		0.79	3.72	1315	<1	1.77	91	600	<2	0.58	<5	287	0.49	186	<10	78
163819		1.24	1.34	742	1	2.44	15	820	<2	0.33	<5	220	0.46	126	<10	40
163820		1.11	4.31	1330	<1	1.73	64	530	<2	0.62	<5	270	0.42	202	<10	95





**ALS Chemex**  
 EXCELLENCE IN ANALYTICAL CHEMISTRY  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013032**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
163821		2.07	0.053		<0.5	7.39	<5	420	1.2	<2	2.99	<0.5	10	108	41	3.08
163822		2.44	0.589	2.02	0.9	7.05	<5	130	<0.5	<2	6.56	<0.5	91	125	1205	9.38
163823 DUP		<0.02	0.894	0.373	1.0	7.68	<5	140	<0.5	<2	7.20	<0.5	78	119	1195	9.70
163824		2.56	0.132		<0.5	8.84	<5	310	0.8	<2	4.41	<0.5	17	21	151	5.72
163825		2.23	0.253		0.6	8.06	<5	130	<0.5	<2	6.90	<0.5	48	127	973	7.87
163826		2.91	0.028		<0.5	8.18	<5	70	0.5	<2	7.67	<0.5	29	126	106	7.26
163827		1.01	0.094		<0.5	8.21	<5	260	0.8	<2	3.94	<0.5	14	9	48	4.90
163828		2.29	0.169		0.7	8.73	5	100	<0.5	<2	8.08	<0.5	46	125	1170	8.48
163829		0.10	<0.005		<0.5	6.99	<5	560	0.9	<2	0.94	<0.5	1	12	8	2.25
163830		2.63	0.132		<0.5	8.05	<5	120	0.5	<2	7.15	<0.5	29	131	218	6.98
163831		2.32	0.008		<0.5	8.51	<5	250	0.8	<2	4.49	<0.5	15	33	36	5.40
163832		1.88	0.019		<0.5	8.27	<5	280	0.8	<2	4.15	<0.5	11	28	44	5.14
163833		2.63	0.068		<0.5	8.52	<5	250	0.6	<2	5.65	<0.5	19	78	47	6.38
163834		0.06	1.780		19.0	7.92	7	50	3.1	<2	0.34	<0.5	<1	31	10	2.79
163835		2.31	0.899		<0.5	7.69	<5	210	<0.5	<2	5.98	<0.5	22	119	31	7.36
163836		2.39	0.146		<0.5	8.38	<5	220	0.5	<2	6.30	<0.5	19	110	24	7.15
163837		2.15	0.327		<0.5	8.13	<5	200	<0.5	<2	6.46	<0.5	20	104	1	7.34
163838		2.23	0.029		<0.5	6.29	<5	610	1.1	<2	1.26	<0.5	1	10	7	1.76
163839		2.15	0.391		<0.5	8.61	<5	180	<0.5	<2	7.30	<0.5	17	108	13	7.74
163840		1.39	0.194		<0.5	7.64	5	310	0.8	<2	4.32	<0.5	17	66	54	4.93
163841		2.13	0.030		<0.5	8.41	<5	160	<0.5	<2	7.26	<0.5	19	109	14	7.22
163842		2.71	0.043		<0.5	8.88	<5	110	<0.5	<2	7.78	<0.5	22	116	41	7.46
163843		2.48	1.110		<0.5	8.78	<5	130	<0.5	<2	7.20	<0.5	20	149	61	7.63
163844		1.76	0.043		<0.5	8.55	<5	580	0.9	<2	4.48	<0.5	13	83	68	4.97
163845		0.07	0.970		10.0	8.04	<5	40	3.1	<2	0.36	<0.5	1	21	8	2.90
163846		3.06	0.084		<0.5	8.73	<5	180	<0.5	<2	6.64	<0.5	18	115	116	7.10
163847		2.50	0.015		<0.5	8.71	<5	220	0.5	<2	6.33	<0.5	19	76	65	6.25
163848		2.47	0.049		<0.5	7.98	<5	200	<0.5	<2	4.74	<0.5	18	87	137	5.35
163849		1.47	0.048		<0.5	7.42	<5	180	<0.5	<2	5.15	<0.5	26	309	189	6.90
163850		1.95	0.127		<0.5	8.09	<5	210	0.5	<2	5.77	<0.5	25	148	141	6.23
163851		2.68	0.029		<0.5	8.66	<5	180	<0.5	<2	6.62	<0.5	22	163	36	7.74
163852		2.79	0.331		<0.5	5.27	9	70	<0.5	<2	5.69	<0.5	38	945	107	8.93
163853 DUP		<0.02	0.287		<0.5	5.50	<5	70	<0.5	<2	5.84	<0.5	38	887	109	9.17
163854		2.99	0.461		<0.5	6.74	<5	150	<0.5	<2	5.26	<0.5	41	800	45	8.01
163855		2.66	0.306		<0.5	6.66	<5	170	<0.5	<2	4.72	<0.5	42	888	11	6.32
163856		2.60	0.118		<0.5	6.56	<5	90	<0.5	<2	6.43	<0.5	43	759	51	9.46
163857		2.58	1.275		<0.5	6.76	<5	130	<0.5	<2	4.63	<0.5	34	674	53	7.90
163858		0.10	<0.005		<0.5	7.66	<5	610	0.9	<2	1.04	<0.5	1	20	4	2.43
163859		2.59	0.012		<0.5	9.05	<5	410	0.6	<2	7.39	<0.5	35	329	26	6.44
163860		2.65	1.430		<0.5	6.24	<5	200	<0.5	<2	5.89	<0.5	36	819	40	8.82



**ALS Chemex**  
 EXCELLENCE IN ANALYTICAL CHEMISTRY  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013032**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
163821		1.18	1.57	488	1	2.91	30	240	3	0.22	<5	156	0.14	36	<10	29
163822		0.90	2.57	1075	<1	1.27	106	350	<2	2.12	<5	148	0.42	183	60	109
163823 DUP		0.88	2.80	1175	1	1.37	90	380	4	2.16	<5	162	0.41	182	70	106
163824		1.18	1.48	892	<1	2.49	20	840	<2	0.39	<5	232	0.46	126	10	52
163825		0.96	3.22	1160	1	1.72	67	380	2	1.35	<5	174	0.44	207	20	67
163826		0.49	3.71	1245	1	1.69	63	390	<2	0.36	<5	214	0.45	209	10	58
163827		1.01	1.24	767	<1	2.52	10	820	<2	0.20	<5	224	0.46	120	<10	45
163828		0.66	3.57	1265	1	1.56	69	400	37	1.27	<5	193	0.45	212	20	67
163829		4.22	0.23	201	1	2.07	5	160	61	0.01	<5	147	0.08	10	<10	28
163830		0.73	3.56	1175	<1	1.60	81	410	2	0.56	<5	191	0.45	204	<10	73
163831		1.09	1.55	873	1	2.45	15	970	<2	0.17	<5	211	0.52	130	<10	58
163832		1.19	1.44	751	<1	2.39	13	960	<2	0.27	<5	200	0.49	106	<10	50
163833		1.27	2.94	996	<1	2.06	47	1060	2	0.33	<5	335	0.48	162	<10	80
163834		0.18	0.11	109	1	6.9	19	610	125	3.05	<5	20	0.01	2	<10	18
163835		1.70	3.98	1130	<1	1.34	64	360	<2	0.06	<5	136	0.43	214	<10	107
163836		1.64	4.06	1220	<1	1.55	64	490	<2	0.07	<5	146	0.44	189	<10	87
163837		1.59	4.10	1495	<1	1.43	77	410	<2	0.01	<5	136	0.47	212	<10	104
163838		1.20	0.21	239	2	2.83	4	80	3	0.05	<5	124	0.10	7	<10	26
163839		1.22	4.31	1615	1	1.69	80	430	2	0.04	<5	143	0.46	219	<10	105
163840		1.31	1.86	931	<1	2.15	20	970	<2	0.15	<5	162	0.48	100	<10	55
163841		1.16	4.00	1570	<1	1.68	72	420	<2	0.05	<5	154	0.45	209	10	93
163842		0.83	3.95	1540	<1	1.84	72	500	2	0.11	<5	179	0.47	205	<10	84
163843		0.97	4.22	1420	<1	1.79	93	460	<2	0.27	<5	182	0.44	212	10	83
163844		1.47	2.16	843	<1	2.23	43	990	4	0.34	<5	377	0.42	122	<10	69
163845		0.19	0.12	42	<1	6.9	7	580	109	2.89	<5	19	0.01	3	<10	18
163846		1.26	3.86	1430	<1	1.60	73	460	<2	0.38	<5	136	0.44	203	10	125
163847		1.51	3.08	1260	<1	1.65	48	600	<2	0.25	<5	168	0.43	184	<10	84
163848		1.36	2.67	1000	<1	1.87	60	320	<2	0.52	<5	128	0.31	136	10	76
163849		1.38	4.28	1250	<1	1.13	135	400	<2	0.50	<5	146	0.37	184	10	86
163850		1.45	3.46	1240	<1	1.44	60	440	6	0.47	<5	136	0.37	165	10	66
163851		1.46	4.75	1480	1	1.15	104	430	<2	0.29	<5	118	0.45	212	10	70
163852		1.16	7.05	1500	2	0.42	407	200	<2	0.83	<5	39	0.27	156	10	82
163853 DUP		1.18	7.27	1535	1	0.44	415	210	<2	0.83	<5	41	0.28	160	<10	84
163854		1.27	8.16	1330	<1	0.80	421	390	<2	0.41	<5	115	0.33	172	<10	85
163855		0.59	8.15	1125	<1	1.39	528	480	<2	0.09	<5	100	0.31	146	<10	89
163856		1.38	10.05	1705	<1	0.47	463	310	<2	0.40	<5	89	0.32	188	<10	119
163857		1.78	7.29	1290	1	0.98	344	470	<2	0.43	<5	201	0.34	150	30	98
163858		4.25	0.31	215	<1	2.25	9	210	41	<0.01	<5	162	0.09	11	<10	28
163859		1.70	7.07	1075	<1	1.12	264	970	9	0.15	<5	566	0.26	128	<10	74
163860		1.31	8.46	1435	<1	0.86	379	280	<2	0.29	<5	109	0.29	182	<10	108



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 13-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013032

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163861		1.64	1.110		<0.5	5.81	<5	80	<0.5	<2	4.97	<0.5	36	1170	17	9.89
163862		2.39	0.558		<0.5	8.29	<5	400	0.6	<2	4.05	<0.5	22	538	23	6.38
163863		2.13	0.826		<0.5	5.90	<5	80	<0.5	<2	5.94	<0.5	41	904	13	8.38
163864		2.48	0.105		<0.5	8.66	<5	650	0.8	<2	2.98	<0.5	15	54	29	4.81
163865		0.06	1.680		18.7	8.28	6	70	3.2	2	0.35	<0.5	<1	11	5	2.77
163866		1.96	0.214		<0.5	5.45	<5	30	<0.5	<2	5.83	<0.5	57	1170	<1	7.65
163867		2.60	0.411		<0.5	5.55	<5	60	<0.5	<2	5.50	<0.5	53	1125	17	8.40
163868		2.69	0.150		<0.5	7.52	<5	300	0.7	2	3.70	<0.5	26	294	38	4.93
163869		0.14	<0.005		<0.5	7.12	<5	540	1.0	<2	0.94	<0.5	<1	16	2	1.64
163870		1.89	0.216		<0.5	6.46	<5	210	0.5	2	4.82	<0.5	59	927	45	5.77
163871		2.82	0.057		<0.5	8.12	<5	270	0.6	3	3.76	<0.5	26	475	21	5.32
163872		1.76	0.077		<0.5	8.01	<5	420	0.8	2	3.25	<0.5	14	211	22	4.72
163873		2.96	0.138		<0.5	5.22	<5	20	<0.5	<2	5.94	<0.5	59	1140	5	7.60
163874 DUP		<0.02	0.093		<0.5	5.40	<5	20	<0.5	<2	6.17	<0.5	60	1235	6	7.88
163875		3.98	0.060		<0.5	5.54	<5	50	<0.5	<2	5.92	<0.5	63	1105	8	7.54
163876		2.34	0.041		<0.5	8.46	5	500	0.8	<2	3.28	<0.5	16	20	56	4.91
163877		1.94	0.030		<0.5	6.73	5	210	<0.5	<2	5.22	<0.5	45	786	15	5.50
163878		1.44	0.025		<0.5	8.36	<5	550	0.7	<2	1.81	<0.5	4	14	11	1.14
163879		2.60	0.170		<0.5	5.91	5	40	<0.5	<2	6.18	<0.5	61	975	15	7.27
163880		2.55	0.648		<0.5	5.70	<5	60	<0.5	2	5.31	<0.5	57	993	41	6.76



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 13-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013032

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163861		1.60	10.85	1545	1	0.40	584	190	<2	0.21	<5	16	0.27	166	<10	121
163862		1.64	3.98	1020	1	1.69	145	690	2	0.26	<5	203	0.42	136	<10	77
163863		1.25	9.97	1635	<1	0.69	546	260	<2	0.12	<5	75	0.28	154	<10	108
163864		2.27	1.46	713	1	1.73	27	990	3	0.36	<5	224	0.49	108	<10	32
163865		0.19	0.07	110	<1	6.5	3	630	126	2.94	<5	21	0.01	1	<10	29
163866		0.66	9.96	1445	<1	0.41	685	200	<2	0.05	<5	32	0.28	168	<10	103
163867		0.74	9.90	1385	<1	0.44	622	220	<2	0.13	<5	61	0.27	167	<10	84
163868		1.26	3.99	809	1	2.77	146	720	<2	0.24	<5	200	0.36	126	<10	45
163869		4.27	0.23	163	<1	2.13	4	180	41	<0.01	<5	152	0.09	9	<10	28
163870		1.16	7.32	1155	<1	1.45	513	540	<2	0.21	<5	132	0.34	135	<10	65
163871		1.20	4.02	891	1	2.48	195	500	4	0.13	<5	192	0.33	108	<10	69
163872		1.62	1.94	709	1	2.14	74	860	<2	0.15	<5	212	0.42	74	<10	50
163873		0.29	10.50	1390	<1	0.47	726	190	<2	0.04	<5	23	0.25	168	<10	104
163874 DUP		0.30	10.90	1445	<1	0.48	743	200	<2	0.04	<5	23	0.25	170	<10	107
163875		0.42	10.55	1385	1	0.55	719	220	<2	0.02	<5	35	0.25	165	<10	107
163876		1.90	1.26	684	1	1.98	15	860	<2	0.27	<5	262	0.50	130	<10	43
163877		0.98	7.18	989	<1	1.44	489	230	<2	0.04	<5	112	0.23	123	<10	79
163878		1.79	0.56	126	<1	3.51	11	290	4	0.04	<5	210	0.10	20	<10	38
163879		0.31	10.10	1350	<1	0.69	668	200	<2	0.06	<5	72	0.25	162	<10	80
163880		0.26	9.11	1180	<1	0.65	598	190	<2	0.18	<5	110	0.24	148	<10	76



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
 Finalized Date: 15-MAR-2006  
 Account: TRAVEN

**CERTIFICATE VO06013033**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 15-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013033

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
166361		2.66	0.024			<0.5	6.63	6	80	<0.5	<2	6.34	<0.5	30	200	12
166362		2.75	0.038			<0.5	7.55	5	150	<0.5	<2	8.82	<0.5	35	279	13
166363		2.61	0.101			<0.5	6.96	<5	100	<0.5	<2	8.26	<0.5	39	301	15
166364		2.48	0.158			<0.5	7.74	<5	220	0.6	<2	6.19	<0.5	26	168	24
166365		2.44	0.096			<0.5	6.97	<5	350	0.9	2	2.25	<0.5	8	60	24
166366		0.04	1.785				17.0	7.58	60	2.9	<2	0.32	<0.5	1	5	5
166367		2.48	0.102			<0.5	6.25	<5	490	1.0	<2	1.22	<0.5	2	39	27
166368		2.46	0.065			<0.5	5.74	<5	500	0.9	<2	1.03	<0.5	<1	6	19
166369		2.61	0.148			<0.5	6.94	<5	220	0.6	<2	6.73	<0.5	35	185	142
166370		2.47	0.033			<0.5	7.05	<5	40	<0.5	<2	8.70	<0.5	59	312	53
166371		2.48	0.034			<0.5	7.05	<5	30	<0.5	<2	9.44	<0.5	60	323	75
166372 DUP		<0.02	0.049			<0.5	7.13	<5	30	<0.5	<2	9.40	<0.5	60	323	68
166373		0.10	<0.005			<0.5	6.90	<5	530	0.9	<2	1.03	<0.5	2	17	6
166374		2.42	0.032			<0.5	7.38	6	30	<0.5	<2	7.88	<0.5	47	334	9
166375		2.67	0.023			<0.5	7.60	13	60	<0.5	<2	7.83	<0.5	46	346	15
166376		2.65	0.019			<0.5	8.01	17	30	<0.5	<2	8.14	<0.5	45	335	13
166377		2.00	<0.005			<0.5	9.31	6	160	0.5	<2	6.08	<0.5	37	100	81
166378		2.63	<0.005			<0.5	8.32	<5	180	0.5	<2	5.52	<0.5	28	100	2
166379		2.67	0.022			<0.5	9.01	13	500	0.8	<2	4.30	<0.5	30	108	74
166380		2.62	0.065			<0.5	8.88	<5	150	<0.5	<2	6.87	<0.5	43	146	166
166381		2.41	0.108			<0.5	7.98	7	240	0.7	<2	5.08	<0.5	23	71	87
166382		2.86	0.075			<0.5	8.70	5	170	0.5	<2	6.41	<0.5	46	122	140
166383		2.61	0.032			<0.5	8.45	12	180	<0.5	<2	6.78	<0.5	39	138	148
166384		2.69	0.395			<0.5	8.43	8	170	0.5	<2	6.96	<0.5	35	144	113
166385		2.73	0.120			<0.5	7.77	5	110	<0.5	<2	6.46	<0.5	35	198	94
166386		2.63	0.054			<0.5	8.61	9	170	<0.5	<2	7.27	<0.5	36	129	142
166387		2.73	0.456			<0.5	8.04	<5	170	0.5	2	6.38	0.7	38	106	118
166388		2.23	0.035			<0.5	8.33	5	150	<0.5	<2	6.84	<0.5	40	130	138
166389		2.61	0.025			<0.5	7.89	16	130	<0.5	<2	8.56	<0.5	44	116	178
166390 DUP		<0.02	0.028			0.6	7.92	5	130	<0.5	2	8.24	<0.5	43	115	170
166391		0.09	<0.005			<0.5	6.70	<5	530	0.8	<2	0.94	<0.5	2	16	8
166392		2.46	0.044			<0.5	7.42	<5	150	<0.5	<2	5.96	<0.5	35	104	126
166393		2.77	0.052			<0.5	8.24	<5	160	0.5	2	5.85	<0.5	29	92	85
166394		2.66	4.46			0.5	7.44	<5	90	<0.5	<2	6.74	<0.5	37	119	126
166395		2.77	0.101			<0.5	8.10	<5	120	<0.5	<2	7.93	<0.5	35	114	67
166396		0.06	0.923			10.0	8.42	<5	50	3.2	<2	0.34	<0.5	1	4	9
166397		2.40	0.439			<0.5	7.28	5	290	0.6	<2	3.97	<0.5	20	69	109
166398		2.38	0.106			<0.5	7.47	<5	160	<0.5	2	6.95	<0.5	37	129	219
166399		2.13	0.185			<0.5	7.72	<5	250	0.6	<2	4.79	<0.5	20	81	42
166400		2.44	0.265			<0.5	7.58	<5	170	<0.5	2	6.10	<0.5	36	134	302



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 15-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013033

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	10	2	0.01	5	1	0.01	1	10	
166361		7.09	0.31	3.19	1225	<1	1.57	74	550	3	0.07	<5	140	0.44	153	<10
166362		7.27	0.74	4.25	1385	<1	1.54	106	310	<2	0.05	<5	170	0.37	201	<10
166363		7.14	0.74	4.34	1410	<1	1.56	118	210	<2	0.03	<5	115	0.34	201	<10
166364		6.13	0.98	2.80	1220	<1	2.08	62	580	<2	0.11	<5	168	0.43	156	<10
166365		2.87	1.28	0.88	523	1	2.90	18	120	2	0.22	<5	110	0.15	41	<10
166366		2.70	0.18	0.06	104	<1	6.6	4	580	136	2.94	<5	18	0.01	2	<10
166367		1.97	1.70	0.29	394	1	2.62	12	80	4	0.18	<5	97	0.09	5	<10
166368		1.54	1.74	0.09	327	<1	2.41	1	60	2	0.12	<5	99	0.08	1	<10
166369		5.46	1.09	2.83	1355	1	1.85	80	240	<2	0.12	<5	114	0.27	129	10
166370		7.54	0.37	4.67	1535	<1	1.33	141	210	2	0.15	<5	140	0.35	211	<10
188371		7.72	0.25	4.69	1535	<1	1.26	141	250	4	0.10	<5	136	0.34	210	30
166372 DUP		7.80	0.25	4.74	1540	<1	1.28	141	240	<2	0.09	<5	137	0.34	212	30
188373		1.92	4.20	0.25	196	1	2.03	12	160	36	<0.01	<5	144	0.08	10	<10
166374		7.48	0.26	4.92	1420	<1	1.34	143	230	4	0.01	<5	132	0.37	225	10
166375		7.69	0.46	5.45	1515	<1	1.34	150	230	2	0.03	<5	108	0.37	228	<10
166376		8.09	0.26	5.08	1495	<1	1.58	150	240	6	0.02	7	142	0.38	233	<10
166377		7.73	0.90	3.48	1185	<1	2.02	104	610	2	0.20	<5	210	0.59	193	10
166378		6.60	1.06	3.76	1075	<1	2.01	60	440	2	<0.01	<5	176	0.47	210	<10
166379		5.62	1.70	2.58	848	<1	2.48	95	320	2	0.28	<5	215	0.40	120	<10
166380		7.84	1.03	3.30	1135	<1	1.78	93	400	6	0.65	<5	166	0.50	223	<10
166381		5.29	0.98	1.71	832	<1	2.13	36	540	<2	0.43	<5	174	0.41	130	<10
166382		7.61	1.02	3.14	1130	<1	1.97	92	1000	<2	0.75	<5	319	0.56	205	<10
166383		6.77	0.86	3.11	1030	<1	1.86	77	510	<2	0.52	<5	220	0.45	196	80
166384		6.80	0.96	3.50	1045	<1	1.78	78	480	<2	0.38	<5	215	0.46	206	<10
166385		6.84	1.00	3.85	1190	<1	1.38	94	400	<2	0.40	<5	152	0.43	200	<10
166386		8.71	1.36	2.96	1205	<1	1.25	78	420	3	0.61	<5	134	0.47	211	10
166387		6.75	1.32	2.76	998	<1	1.56	69	450	2	0.52	<5	160	0.46	201	<10
166388		6.84	1.25	2.98	1060	<1	1.54	83	390	<2	0.43	<5	148	0.46	212	<10
166389		7.28	1.11	3.25	1275	<1	1.40	75	370	2	0.60	<5	131	0.42	208	<10
166390 DUP		7.08	1.12	3.18	1240	<1	1.44	79	350	3	0.54	<5	131	0.43	207	<10
166391		2.07	4.29	0.24	201	1	1.99	13	150	42	0.02	<5	144	0.08	9	<10
166392		6.48	1.24	2.86	977	1	1.56	62	440	2	0.38	<5	144	0.45	190	<10
166393		6.66	1.13	2.97	1025	1	1.81	55	510	<2	0.30	<5	168	0.47	190	<10
166394		6.85	0.74	3.38	1125	<1	1.35	63	350	<2	0.61	<5	128	0.42	197	<10
166395		7.10	1.15	3.57	1330	<1	0.99	62	400	<2	0.53	<5	125	0.46	204	10
166396		2.80	0.20	0.07	36	<1	7.1	4	610	126	3.02	<5	21	0.01	2	<10
166397		5.76	1.90	1.82	897	<1	1.62	33	560	<2	0.68	<5	126	0.42	124	<10
166398		7.19	2.10	3.07	1400	1	0.60	78	370	2	1.29	<5	81	0.41	186	10
166399		5.44	1.83	2.25	998	<1	1.43	45	510	<2	0.31	<5	134	0.43	150	<10
166400		6.83	1.95	3.13	1250	<1	1.13	83	360	<2	1.16	<5	115	0.43	202	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013033

Sample Description	Method Analyte Units LOR	ME-ICP61	Ag-AA62
		Zn ppm	Ag ppm
		2	1
166361		86	
166362		76	
166363		63	
166364		81	
166365		29	
166366		19	
166367		17	
166368		15	
166369		71	
166370		80	
166371		79	
166372 DUP		79	
166373		28	
166374		75	
166375		81	
166376		77	
166377		80	
166378		85	
166379		76	
166380		75	
166381		67	
166382		73	
166383		66	
166384		71	
166385		187	
166386		118	
166387		180	
166388		71	
166389		76	
166390 DUP		77	
166391		27	
166392		83	
166393		76	
166394		77	
166395		94	
166396		18	
166397		89	
166398		92	
166399		78	
166400		70	





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 15-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013033

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
166401		0.02	0.196		0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
166402		2.85	0.207			<0.5	7.18	<5	250	0.6	<2	7.56	<0.5	34	194	57
166403		2.44	0.164			<0.5	7.78	<5	240	0.6	<2	4.77	<0.5	20	72	72
166404		2.27	>10.0		44.9	0.5	7.23	<5	320	0.9	2	3.02	<0.5	10	12	64
166405 DUP		2.56	>10.0		49.4	2.3	6.81	<5	240	0.5	36	3.69	<0.5	46	77	396
		<0.02	>10.0			2.7	7.14	<5	240	0.5	43	3.90	<0.5	47	80	384
166406		0.14	0.035	0.024		<0.5	7.00	<5	500	0.9	<2	0.95	<0.5	2	11	9
166407		2.37	0.107			<0.5	7.63	<5	210	0.6	3	4.81	<0.5	38	94	157
186408		2.42	0.020			<0.5	8.15	<5	180	0.5	2	5.95	<0.5	38	122	174
166409		2.81	0.565			<0.5	7.58	<5	150	<0.5	<2	6.88	<0.5	47	129	244
166410		2.46	<0.005			<0.5	7.64	<5	120	<0.5	<2	6.43	<0.5	30	120	26
166411		2.39	0.010			<0.5	7.51	6	110	<0.5	<2	6.23	<0.5	26	118	16
166412		2.54	0.046			<0.5	7.88	<5	210	0.7	<2	5.31	<0.5	25	233	51
166413		0.06	1.830			17.2	8.03	<5	60	3.2	<2	0.34	<0.5	1	4	6
166414		2.50	0.148			<0.5	8.04	<5	170	0.6	<2	5.81	<0.5	21	79	34
166415		2.46	0.163			<0.5	7.68	<5	220	0.6	<2	5.19	<0.5	25	94	106
166416		2.48	0.729			<0.5	7.23	7	140	0.5	<2	5.44	<0.5	30	103	114
166417		2.54	0.008			<0.5	8.62	<5	160	0.5	2	7.02	<0.5	37	49	118
166418		2.87	0.013			<0.5	7.64	5	120	<0.5	<2	6.23	<0.5	26	108	2
166419		2.47	0.257			<0.5	7.82	<5	150	0.5	<2	5.74	<0.5	22	88	122
166420		2.59	0.036			<0.5	7.96	<5	110	<0.5	<2	6.65	<0.5	27	110	13
166421		2.51	3.58			0.9	7.46	<5	80	<0.5	5	5.57	<0.5	51	136	402
166422		3.04	0.314			<0.5	7.44	<5	70	<0.5	<2	5.88	<0.5	41	124	313
166423		1.94	0.048			<0.5	7.73	<5	130	0.5	2	5.18	<0.5	29	76	142
166424		2.87	0.019			0.5	7.76	<5	120	0.5	<2	6.17	<0.5	31	106	83
166425		2.52	0.732			<0.5	7.80	<5	100	<0.5	<2	6.19	<0.5	38	120	124
166426 DUP		<0.02	0.804			<0.5	7.61	<5	100	<0.5	5	6.24	<0.5	39	122	130
166427		0.12	<0.005			<0.5	6.63	<5	520	0.8	2	0.85	<0.5	2	9	8
166428		2.77	0.008			<0.5	8.92	<5	140	<0.5	<2	5.40	<0.5	28	118	12
166429		2.61	0.234			<0.5	7.22	<5	140	0.5	<2	5.99	<0.5	27	108	33
166430		2.81	0.044			<0.5	7.70	<5	130	<0.5	<2	6.01	<0.5	28	112	21
166431		2.61	0.005			<0.5	7.36	<5	170	<0.5	<2	5.55	<0.5	26	93	17
166432		2.87	0.647			<0.5	8.11	<5	100	<0.5	7	6.83	<0.5	28	114	18
166433		2.94	7.28			0.5	8.04	<5	140	<0.5	12	7.07	<0.5	37	129	225
166434		2.94	0.065			0.5	7.91	6	120	<0.5	<2	7.50	<0.5	66	131	823
166435		0.06	0.989			11.6	5.93	<5	40	3.2	<2	0.26	<0.5	<1	10	9
166436		2.75	0.047			<0.5	7.92	<5	90	<0.5	<2	6.83	<0.5	60	123	315
166437		2.28	0.355			<0.5	6.81	<5	270	0.9	<2	2.26	<0.5	16	38	102
166438		2.49	<0.005			<0.5	7.66	<5	150	0.5	<2	4.83	<0.5	27	79	122
166439		2.64	0.007			<0.5	7.51	<5	220	0.6	<2	4.83	<0.5	33	83	87
166440		2.50	0.059			<0.5	7.06	<5	110	<0.5	<2	8.16	<0.5	51	106	357



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 15-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013033**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
166401		6.68	1.03	4.82	1165	<1	1.84	128	1600	2	0.45	<5	878	0.60	192	<10
166402		5.70	1.62	2.24	1015	<1	1.59	39	640	<2	0.37	<5	152	0.47	154	<10
166403		4.10	1.32	0.86	616	1	2.27	10	730	2	0.40	<5	174	0.41	71	<10
166404		6.95	1.62	2.03	872	1	1.33	77	530	3	1.31	<5	120	0.42	158	10
166405 DUP		7.10	1.78	2.13	911	1	1.44	71	570	<2	1.24	<5	130	0.45	168	20
166406		1.98	4.22	0.25	182	<1	2.15	7	160	33	0.02	<5	146	0.08	10	<10
166407		6.52	1.38	2.30	970	1	1.75	57	520	<2	0.81	<5	151	0.44	148	50
166408		7.29	1.32	3.07	1140	<1	1.68	80	830	<2	0.52	<5	228	0.54	196	<10
166409		7.86	1.37	3.27	1185	<1	1.15	81	320	3	1.08	<5	129	0.42	222	<10
166410		6.97	0.98	4.16	1095	1	1.48	82	340	<2	0.10	<5	138	0.42	199	<10
166411		6.50	0.88	3.84	1125	<1	1.47	63	380	<2	0.03	<5	144	0.45	203	<10
166412		6.17	0.97	3.56	1005	1	2.10	77	720	3	0.22	<5	309	0.44	160	<10
166413		2.76	0.20	0.07	107	<1	6.9	5	610	122	3.00	<5	20	0.01	2	<10
166414		6.05	0.99	2.99	1085	1	1.90	47	510	<2	0.16	<5	188	0.46	170	<10
166415		6.17	1.31	2.62	1090	<1	1.69	46	550	<2	0.54	<5	177	0.46	172	<10
166416		6.84	1.08	3.18	1190	<1	1.25	70	540	4	0.48	<5	198	0.44	176	10
166417		8.00	0.85	3.87	1320	<1	1.81	88	2580	<2	0.46	<5	648	0.75	208	<10
166418		6.63	0.73	3.80	1090	<1	1.62	68	360	<2	0.01	<5	208	0.44	200	<10
166419		5.94	0.93	2.96	1020	1	1.87	49	540	<2	0.40	<5	191	0.47	172	<10
166420		6.75	0.78	3.73	1205	<1	1.67	62	410	<2	0.07	<5	166	0.46	205	<10
166421		7.73	0.71	3.19	1020	<1	1.39	90	340	<2	1.04	<5	125	0.42	189	10
166422		7.10	0.56	3.11	1035	1	1.54	72	340	3	0.77	<5	138	0.43	194	<10
166423		6.08	0.58	2.47	929	1	1.98	55	520	<2	0.37	<5	168	0.44	166	<10
166424		6.43	0.85	3.13	1055	<1	1.49	58	390	<2	0.35	<5	148	0.44	185	<10
166425		6.87	0.79	3.37	1075	<1	1.49	69	350	<2	0.52	<5	141	0.43	196	<10
166426 DUP		7.00	0.78	3.37	1080	<1	1.49	70	360	2	0.54	<5	140	0.43	198	<10
166427		2.03	4.06	0.22	161	14	2.14	6	150	32	0.02	<5	144	0.08	10	<10
166428		6.51	1.36	3.83	960	<1	1.29	80	310	2	0.06	<5	121	0.43	202	<10
166429		6.70	1.45	3.98	1275	<1	0.99	85	340	3	0.16	<5	116	0.42	194	<10
166430		7.19	1.35	4.38	1215	<1	1.17	96	330	<2	0.17	<5	116	0.41	194	<10
166431		6.70	1.48	3.92	1160	1	1.29	92	390	<2	0.10	<5	135	0.43	182	<10
166432		6.63	0.80	3.83	1265	<1	1.72	57	380	<2	0.09	<5	140	0.46	215	10
166433		6.26	1.02	2.88	1100	1	1.49	76	370	2	0.36	<5	148	0.43	204	10
166434		7.00	0.75	2.67	1035	1	1.29	84	380	2	0.84	<5	172	0.44	209	10
166435		2.74	0.18	0.06	33	1	7.0	1	590	127	3.11	<5	18	0.01	1	<10
166436		7.02	0.70	3.22	1135	<1	1.58	84	380	<2	0.49	<5	173	0.44	211	<10
166437		2.76	0.68	0.67	344	1	3.02	12	180	5	0.36	<5	171	0.15	40	20
166438		5.88	0.55	2.44	863	<1	2.44	69	400	<2	0.37	<5	274	0.35	113	<10
166439		4.92	0.79	2.05	826	<1	2.29	53	270	<2	0.30	<5	164	0.31	126	10
166440		7.21	1.04	3.14	1345	<1	0.90	70	350	4	0.72	<5	119	0.39	190	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 15-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013033

Sample Description	Method Analyte Units LOR	ME-ICP61	Ag-AA62
		Zn ppm	Ag ppm
		2	1
166401		83	
166402		81	
166403		55	
166404		104	
166405 DUP		108	
166406		27	
166407		66	
166408		80	
166409		69	
166410		73	
166411		76	
166412		72	
166413		20	
166414		80	
166415		99	
166416		75	
166417		72	
166418		64	
166419		73	
166420		76	
166421		74	
166422		70	
166423		64	
166424		65	
166425		70	
166426 DUP		69	
166427		26	
166428		78	
166429		89	
166430		79	
166431		83	
166432		71	
166433		60	
166434		65	
166435		17	
166436		70	
166437		22	
166438		61	
166439		50	
166440		78	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013033

Sample Description	Method Analyte Units LOI	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
166441		2.83	0.125			<0.5	7.54	8	140	<0.5	<2	5.28	<0.5	61	136	430
166442		3.06	0.080			<0.5	7.56	5	190	<0.5	<2	6.22	<0.5	38	128	161
166443		2.39	0.024			<0.5	8.33	<5	170	0.5	<2	5.33	<0.5	28	85	61
166444		2.69	0.044			<0.5	8.18	<5	120	<0.5	2	6.76	<0.5	35	120	78
166445		2.89	0.063			<0.5	7.69	<5	120	<0.5	<2	6.21	<0.5	42	130	107
166446		2.56	0.010			<0.5	7.99	<5	110	<0.5	<2	6.21	<0.5	41	120	99
166447		2.52	0.026			<0.5	8.26	12	90	<0.5	<2	6.67	<0.5	35	120	46
166448		2.54	0.055			<0.5	8.21	<5	120	<0.5	<2	5.87	<0.5	39	120	54
166449		2.11	1.590			<0.5	7.91	<5	120	<0.5	<2	6.23	<0.5	36	106	36
166450		1.09	>10.0		>1000	>100	7.87	8	210	<0.5	5	5.13	1.3	34	130	348
166451 DUP		<0.02	>10.0		996	>100	7.75	<5	210	<0.5	5	5.01	1.6	31	124	343
166452		0.19	0.082	0.086		<0.5	6.99	<5	540	0.9	<2	0.79	<0.5	3	10	7
166453		2.02	6.61			5.8	7.90	<5	170	0.5	<2	5.38	<0.5	37	147	98
166454		2.77	0.291			<0.5	7.49	<5	210	0.6	<2	5.60	<0.5	36	291	44
166455		2.61	0.058			<0.5	7.03	11	220	0.8	<2	4.29	<0.5	28	441	32
166456		2.79	1.985			0.7	7.36	6	170	0.6	<2	6.11	<0.5	42	462	84
166457		0.06	1.790			19.4	8.63	<5	60	3.1	<2	0.31	<0.5	<1	5	6
166458		2.38	0.098			<0.5	8.00	<5	220	<0.5	<2	5.27	<0.5	36	102	111
166459		2.38	0.118			<0.5	7.70	<5	260	0.8	<2	2.93	<0.5	17	15	81
166460		2.65	1.365			0.6	7.82	<5	170	<0.5	<2	5.15	<0.5	45	128	156
166461		2.75	0.067			<0.5	8.00	<5	230	0.6	<2	4.20	<0.5	30	157	59
166462		2.65	0.324			<0.5	7.15	<5	270	0.7	3	3.23	<0.5	19	62	182
166463		2.88	0.026			<0.5	7.87	<5	210	0.5	<2	6.47	<0.5	42	357	61
166464		2.33	0.024			<0.5	6.61	<5	430	1.0	<2	2.07	<0.5	9	33	32
166465		0.06	0.964			10.0	8.23	6	50	3.0	<2	0.29	<0.5	<1	5	8
166466		2.37	0.141			<0.5	6.44	<5	590	1.2	<2	1.14	<0.5	2	10	54
166467		2.25	0.124			<0.5	6.27	<5	570	1.1	<2	1.29	<0.5	2	16	47
166468		2.52	0.072			<0.5	8.06	<5	240	0.6	<2	5.23	<0.5	27	76	104
166469		2.51	0.037			<0.5	7.76	<5	170	<0.5	<2	5.60	<0.5	32	105	170
166470		2.60	0.031			<0.5	7.60	<5	110	<0.5	<2	5.88	<0.5	35	188	60
166471		2.37	0.682			0.6	7.11	<5	160	0.5	<2	5.63	<0.5	38	286	83
166472		2.63	0.028			<0.5	7.54	<5	230	0.6	<2	4.90	<0.5	29	99	63
166473		2.84	0.006			<0.5	7.96	<5	120	<0.5	<2	6.39	0.5	39	151	116
166474 DUP		<0.02	0.007			<0.5	8.21	<5	120	<0.5	<2	6.66	<0.5	40	154	122
166475		0.17	<0.005			<0.5	6.86	<5	570	0.9	<2	0.92	<0.5	2	10	10
166476		2.67	0.271			<0.5	5.90	<5	70	<0.5	<2	5.27	<0.5	54	1100	262
166477		2.92	0.673			<0.5	5.44	<5	190	0.6	<2	2.95	0.8	31	1010	106
166478		2.65	0.027			<0.5	6.66	<5	470	1.0	<2	1.49	<0.5	3	17	17
166479		2.61	0.143			<0.5	6.38	<5	450	1.0	<2	1.82	0.7	13	377	79
166480		2.77	0.112			<0.5	7.50	<5	250	0.5	<2	5.44	<0.5	42	754	57



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013033

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
166441		7.85	1.41	2.82	1125	<1	1.29	70	360	<2	1.19	<5	114	0.42	197	10
166442		8.22	1.87	3.44	1365	1	1.07	86	420	<2	1.06	<5	138	0.49	204	<10
166443		6.64	1.13	2.61	1145	1	1.50	59	610	9	0.25	<5	178	0.47	174	<10
166444		7.52	0.76	3.35	1475	<1	1.32	74	380	10	0.36	<5	164	0.41	196	10
166445		7.83	0.79	3.13	1275	<1	1.25	97	450	<2	0.48	<5	178	0.52	197	<10
166446		6.69	0.77	3.52	1365	<1	1.48	98	620	9	0.36	<5	248	0.61	199	<10
166447		7.36	0.71	3.37	1370	<1	1.24	81	400	8	0.24	<5	164	0.43	205	<10
166448		7.04	0.90	3.13	1245	<1	1.34	78	370	10	0.25	<5	132	0.43	202	<10
166449		6.91	1.28	3.29	1200	1	0.99	76	380	6	0.26	<5	99	0.41	188	10
166450		7.60	2.24	3.09	1235	1	0.97	78	340	12	1.42	<5	104	0.41	202	10
166451 DUP		7.43	2.23	3.02	1200	1	0.95	73	330	11	1.46	<5	102	0.41	196	<10
166452		1.88	4.36	0.24	178	1	2.06	5	160	35	0.02	<5	150	0.08	9	<10
166453		6.89	1.42	3.03	1150	<1	1.16	82	420	9	1.22	<5	319	0.40	186	<10
166454		6.57	1.54	4.30	1280	<1	1.16	110	570	13	0.35	<5	201	0.40	172	10
166455		5.38	1.02	4.34	1010	<1	1.82	124	680	5	0.16	<5	206	0.31	105	<10
166456		7.10	1.44	5.46	1380	<1	1.13	150	700	4	0.22	<5	256	0.39	189	<10
166457		2.96	0.19	0.07	114	<1	6.5	4	650	133	3.11	<5	21	0.01	2	<10
166458		6.80	1.53	2.92	1285	<1	1.28	64	450	10	0.43	<5	194	0.41	180	<10
166459		4.49	1.38	0.98	666	1	2.38	4	940	5	0.37	<5	225	0.44	79	<10
166460		6.86	1.25	2.80	1200	<1	1.46	72	350	<2	0.69	<5	160	0.41	192	<10
166461		6.27	1.36	2.45	1020	<1	1.76	73	530	7	0.31	<5	178	0.40	141	<10
166462		4.63	1.02	1.36	693	1	2.02	32	450	18	0.40	<5	208	0.32	86	<10
166463		7.45	1.42	5.09	1450	<1	1.08	138	540	8	0.27	<5	308	0.41	197	<10
166464		2.54	1.32	0.66	398	1	2.48	16	130	5	0.19	<5	134	0.16	40	<10
166465		2.81	0.18	0.06	36	1	6.3	1	590	127	2.94	<5	20	0.01	1	<10
166466		1.75	1.18	0.09	145	1	2.91	<1	80	<2	0.33	<5	158	0.09	1	<10
166467		2.04	1.39	0.28	196	1	2.71	5	270	4	0.29	<5	184	0.12	11	<10
166468		7.69	2.00	2.64	1315	<1	1.32	49	1780	8	0.47	<5	439	0.61	150	<10
166469		6.58	1.40	2.71	1170	<1	1.57	65	650	8	0.57	<5	256	0.48	201	<10
166470		6.64	0.88	3.77	1230	<1	1.76	94	500	4	0.18	<5	207	0.45	210	<10
166471		6.28	1.26	4.09	1290	1	1.50	114	380	4	0.21	<5	142	0.37	182	<10
166472		5.43	1.30	2.51	1050	<1	1.85	55	340	7	0.26	<5	133	0.36	155	<10
166473		7.11	1.02	3.76	1350	<1	1.49	93	380	7	0.37	<5	130	0.44	226	<10
166474 DUP		7.34	1.04	3.89	1390	<1	1.53	96	390	5	0.38	<5	134	0.45	231	<10
166475		1.75	4.39	0.21	172	<1	2.24	7	160	47	0.02	<5	147	0.08	9	<10
166476		9.18	0.73	7.30	1625	<1	0.59	520	250	7	1.02	<5	78	0.30	190	10
166477		6.89	1.19	6.03	1130	<1	1.10	435	130	26	0.69	<5	69	0.20	115	<10
166478		1.90	1.46	0.29	409	1	2.95	4	180	8	0.11	<5	163	0.14	21	<10
166479		3.59	1.25	2.13	550	4	2.38	149	90	58	0.46	<5	107	0.12	40	<10
166480		7.54	0.91	7.30	1365	<1	1.44	356	540	59	0.27	<5	303	0.32	174	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013033

Sample Description	Method Analyte Units LOR	ME-ICP61	Ag-AA82
		Zn ppm 2	Ag ppm 1
166441		72	
166442		86	
166443		76	
166444		75	
166445		88	
166446		98	
166447		69	
166448		71	
166449		66	
166450		282	170
166451 DUP		277	191
166452		30	
166453		92	
166454		95	
166455		74	
166456		100	
166457		21	
166458		86	
166459		54	
166460		79	
166461		134	
166462		138	
166463		91	
166464		30	
166465		18	
166466		14	
166467		20	
166468		92	
166469		79	
166470		75	
166471		86	
166472		63	
166473		67	
166474 DUP		69	
166475		36	
166476		194	
166477		344	
166478		31	
166479		279	
166480		246	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 8-MAR-2006  
 Account: TRAVEN

**CERTIFICATE VO06013034**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013034**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
166481		3.11	0.191		<0.5	6.04	<5	120	<0.5	<2	6.52	<0.5	54	1070	21	6.99
166482		3.18	0.031		<0.5	7.25	<5	310	0.5	<2	5.52	<0.5	41	625	15	6.46
166483		2.69	0.062		<0.5	6.05	<5	70	<0.5	<2	6.39	<0.5	58	1075	20	7.09
166484		2.85	0.030		<0.5	6.49	<5	330	0.5	<2	3.77	<0.5	30	576	15	4.01
166485		2.48	0.128		<0.5	6.44	<5	320	0.8	<2	2.70	<0.5	20	369	17	3.45
166486 DUP		<0.02	0.122		<0.5	6.69	<5	340	0.9	<2	2.70	<0.5	20	392	19	3.53
166487		0.23	<0.005		<0.5	6.71	<5	570	0.9	<2	0.79	<0.5	1	17	5	1.66
166488		2.79	0.148		<0.5	5.58	<5	80	<0.5	<2	6.16	<0.5	51	1105	3	7.32
166489		2.58	0.106		<0.5	5.55	<5	30	<0.5	<2	5.49	<0.5	57	1330	13	7.57
166490		2.68	0.231		<0.5	5.17	<5	10	<0.5	<2	5.03	<0.5	54	1045	36	6.71
166491		2.21	0.169		<0.5	6.51	<5	150	<0.5	<2	3.88	<0.5	36	838	9	4.90
166492		1.43	0.379		<0.5	5.86	<5	20	<0.5	<2	4.34	<0.5	57	975	6	6.64
166493		0.06	1.810		18.9	7.94	5	60	3.0	<2	0.33	<0.5	2	9	6	2.84
166494		2.52	0.453		<0.5	6.96	<5	50	<0.5	<2	6.74	<0.5	41	329	3	5.81
166495		2.60	0.630		<0.5	7.46	<5	90	<0.5	<2	7.51	<0.5	45	334	14	6.47
166496		2.50	0.556		<0.5	7.22	<5	60	<0.5	<2	7.44	<0.5	42	349	15	6.68
166497		2.52	0.224		<0.5	7.11	<5	60	<0.5	<2	7.17	0.6	42	360	9	6.92
166498		2.88	1.250		<0.5	7.31	<5	80	<0.5	<2	7.38	<0.5	43	323	22	7.25
166499		2.71	0.235		<0.5	7.11	<5	60	<0.5	<2	7.23	<0.5	43	308	13	7.07
166500		2.64	0.038		<0.5	6.69	<5	420	1.0	<2	2.31	0.5	11	103	7	2.80
166501		2.73	2.29		<0.5	6.94	<5	180	0.5	<2	6.30	<0.5	37	270	11	6.03
166502		2.86	0.053		<0.5	6.75	<5	380	0.8	2	3.73	<0.5	15	118	33	3.02
166503		2.73	0.239		<0.5	7.21	<5	90	<0.5	<2	8.17	<0.5	44	353	313	7.45
166504		2.83	0.095		<0.5	7.15	<5	60	<0.5	<2	8.84	<0.5	42	316	12	7.14
166505		3.64	4.23		0.6	5.32	<5	70	<0.5	33	4.36	<0.5	41	1045	304	9.70
166506		2.47	2.64	2.90	0.6	4.66	<5	10	<0.5	<2	4.69	<0.5	40	1100	214	8.91
166507 DUP		<0.02	3.38	3.46	<0.5	4.91	<5	10	<0.5	<2	4.97	<0.5	44	1235	231	9.22
166508		0.23	0.006		<0.5	6.86	<5	560	0.9	<2	1.02	<0.5	2	21	6	1.75
166509		2.92	8.98		1.1	5.02	<5	20	<0.5	10	4.94	<0.5	41	1165	142	8.89
166510		2.17	0.884		<0.5	5.74	<5	40	<0.5	2	6.07	<0.5	46	1095	184	9.57
166511		2.13	0.067		<0.5	7.65	<5	210	0.6	<2	4.81	<0.5	27	247	51	7.98
166512		1.73	0.025		<0.5	8.02	<5	270	0.6	<2	4.69	<0.5	28	99	33	7.93
166513		2.09	0.108		<0.5	8.00	<5	550	0.5	<2	4.24	0.5	25	41	45	7.48
166514		2.50	0.110		<0.5	7.48	<5	380	0.6	<2	4.56	<0.5	27	190	63	7.97
166515		3.17	1.485		<0.5	5.27	<5	100	<0.5	<2	5.45	<0.5	44	1225	110	9.57
166516		2.54	5.69		<0.5	5.46	<5	50	<0.5	<2	5.61	<0.5	44	1195	48	9.48
166517		0.05	0.966		10.3	7.74	<5	50	3.1	<2	0.34	<0.5	1	14	8	2.67
166518		2.73	0.079		<0.5	7.42	<5	250	<0.5	<2	5.12	<0.5	40	616	93	8.89
166519		2.48	0.327		<0.5	6.00	<5	20	<0.5	<2	6.93	<0.5	44	1110	94	9.19
166520		3.42	0.487		<0.5	6.07	<5	10	<0.5	<2	6.90	<0.5	50	1120	19	8.57





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013034**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
166481		0.67	9.99	1355	<1	0.65	470	380	10	0.09	<5	114	0.23	173	<10	101
166482		1.12	7.05	1210	<1	0.99	362	520	7	0.11	<5	236	0.25	148	<10	81
166483		0.41	10.00	1465	<1	0.51	655	290	<2	0.13	<5	97	0.25	172	<10	79
166484		0.89	4.89	838	7	1.80	290	180	6	0.08	<5	149	0.15	88	<10	55
166485		0.91	3.38	812	1	1.98	196	200	14	0.10	<5	225	0.15	69	<10	59
166486 DUP		0.93	3.30	837	6	2.17	184	200	12	0.12	<5	235	0.16	68	<10	60
166487		4.56	0.21	174	1	2.23	9	160	38	<0.01	<5	146	0.08	9	<10	29
166488		0.47	10.00	1585	<1	0.54	627	160	5	0.02	<5	90	0.24	173	<10	92
186489		0.19	11.00	1305	<1	0.34	712	180	2	0.06	<5	56	0.24	180	10	84
186490		0.09	9.96	1210	<1	0.55	599	130	<2	0.13	5	48	0.19	154	<10	75
166491		0.47	6.74	869	<1	2.07	386	190	4	0.08	<5	86	0.18	111	<10	57
166492		0.22	9.41	1040	<1	0.63	525	190	2	0.06	<5	94	0.23	180	<10	78
166493		0.19	0.07	114	1	6.8	8	610	126	3.02	<5	19	0.01	2	<10	20
166494		0.59	5.91	1215	<1	1.33	184	250	6	<0.01	<5	156	0.33	224	100	68
166495		0.64	6.02	1350	<1	1.56	164	240	<2	0.03	<5	145	0.37	246	10	65
166496		0.54	5.54	1395	<1	1.32	160	240	6	0.08	<5	165	0.36	233	40	66
166497		0.50	5.69	1450	<1	1.43	164	240	<2	0.02	<5	134	0.36	239	<10	69
166498		0.59	5.29	1445	<1	1.44	158	290	2	0.11	<5	149	0.36	241	20	72
166499		0.51	4.75	1365	<1	1.34	148	220	5	0.05	<5	161	0.34	233	20	68
166500		1.28	1.10	617	2	2.93	33	110	9	0.05	<5	132	0.14	49	10	48
166501		0.81	3.95	1270	<1	1.68	134	250	4	0.05	<5	158	0.30	182	50	68
166502		0.89	1.28	651	<1	2.79	51	120	7	0.16	<5	123	0.16	63	<10	32
166503		0.52	4.97	1490	<1	1.44	140	280	2	0.20	5	140	0.35	226	10	72
166504		0.46	4.29	1475	<1	1.39	133	230	5	0.03	<5	146	0.35	231	<10	65
166505		0.62	7.82	1740	1	0.48	476	290	3	1.26	<5	52	0.28	152	<10	102
166506		0.22	8.55	1880	<1	0.22	567	160	4	1.20	<5	34	0.20	152	10	85
166507 DUP		0.22	8.93	1930	<1	0.22	600	160	2	1.24	<5	36	0.21	159	10	89
166508		4.38	0.27	174	<1	2.30	10	160	44	0.01	<5	153	0.08	10	<10	29
166509		0.35	9.03	1975	1	0.27	583	180	5	0.52	<5	90	0.19	166	10	97
166510		0.46	8.10	2270	<1	0.59	559	380	4	0.95	<5	110	0.32	166	10	135
166511		0.92	3.04	1540	<1	1.78	126	1220	6	0.21	<5	170	0.70	132	<10	136
166512		1.34	2.31	1440	<1	1.92	68	1390	7	0.01	<5	178	0.73	130	<10	155
166513		3.90	2.29	1330	1	1.30	43	1380	8	0.44	<5	239	0.72	122	<10	117
166514		1.63	2.65	1435	1	1.50	86	1220	7	0.38	<5	201	0.69	128	<10	147
166515		1.66	9.78	1715	1	0.40	621	230	<2	0.63	<5	32	0.26	172	<10	115
166516		0.71	10.30	1825	<1	0.40	658	180	<2	0.20	<5	33	0.25	176	<10	115
166517		0.20	0.08	39	<1	6.9	4	620	116	2.79	<5	18	0.01	3	<10	18
166518		1.75	5.36	1485	<1	0.89	302	980	4	0.46	<5	239	0.60	150	<10	119
166519		0.34	9.97	2470	<1	0.49	619	240	<2	0.50	<5	74	0.28	184	<10	117
166520		0.21	10.15	2020	<1	0.52	620	180	3	0.12	<5	58	0.28	197	<10	114



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013034**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
166521		2.88	0.288		<0.5	6.56	<5	120	<0.5	<2	6.06	<0.5	45	877	28	7.83
166522		3.11	0.302		<0.5	7.89	<5	180	0.6	<2	6.23	<0.5	47	795	53	8.61
166523		2.69	0.543		<0.5	6.80	<5	20	0.5	<2	7.09	<0.5	47	1290	25	9.41
166524		2.96	0.104		<0.5	6.58	<5	10	<0.5	<2	7.36	<0.5	60	1415	6	9.11
166525		2.38	0.361		<0.5	5.75	<5	50	<0.5	<2	9.27	<0.5	43	594	13	6.07
166526 DUP		<0.02	0.398		<0.5	5.89	<5	50	<0.5	<2	9.74	<0.5	45	657	14	6.38
166527		2.87	0.031		<0.5	6.54	<5	240	0.5	<2	6.05	<0.5	52	848	15	7.00
166528		2.85	0.028		<0.5	6.26	<5	160	<0.5	<2	5.90	<0.5	57	1050	27	7.05
166529		2.79	0.088		<0.5	6.49	<5	130	<0.5	<2	6.09	<0.5	64	1025	25	7.63
166530		2.92	0.208		<0.5	5.77	<5	10	<0.5	<2	5.76	<0.5	66	1170	3	7.82
166531		0.13	<0.005		<0.5	7.00	<5	540	0.8	<2	0.84	<0.5	3	28	5	1.92
166532		2.62	0.105		<0.5	7.79	<5	340	0.5	<2	5.61	<0.5	42	498	27	6.07
166533		2.89	0.014		<0.5	6.61	<5	730	<0.5	<2	6.72	<0.5	48	637	63	6.25
166534		2.56	0.040		<0.5	5.88	<5	480	<0.5	<2	6.68	<0.5	51	772	35	6.37
166535		3.54	0.096		<0.5	5.63	<5	20	<0.5	<2	5.49	<0.5	66	1365	20	7.45
166536		2.34	0.152		<0.5	5.58	<5	10	<0.5	<2	5.85	<0.5	68	1290	14	7.61
166537		2.86	0.218		<0.5	5.81	<5	10	<0.5	<2	5.70	<0.5	67	1330	9	7.70
166538		0.05	1.740		16.8	8.06	<5	60	3.1	<2	0.33	<0.5	1	7	6	2.86
166539		2.84	0.283		<0.5	5.93	<5	30	<0.5	<2	5.44	<0.5	67	1195	3	7.83
166540		2.92	0.301		<0.5	5.70	<5	40	<0.5	<2	5.63	<0.5	63	1150	3	7.66
166541		3.14	0.087		<0.5	5.62	7	10	<0.5	<2	6.00	<0.5	70	1180	1	7.57
166542		2.18	0.126		<0.5	5.14	10	10	<0.5	<2	5.57	1.3	62	1305	19	7.12
166543		2.59	0.885		<0.5	5.58	8	20	<0.5	<2	5.31	1.4	67	1180	33	7.68
166544		2.46	0.419		<0.5	5.15	7	20	<0.5	<2	5.37	<0.5	64	1075	49	7.52
166545		2.75	0.247		<0.5	5.90	<5	10	<0.5	<2	5.58	<0.5	68	1245	5	7.78
166546		2.29	0.369		<0.5	6.19	<5	130	<0.5	<2	5.29	<0.5	53	960	6	6.25
166547 DUP		<0.02	0.434		<0.5	6.14	<5	120	<0.5	<2	5.20	<0.5	50	963	6	6.25
166548		2.46	0.035		<0.5	7.84	<5	340	<0.5	<2	3.62	<0.5	39	714	23	5.01
166549		2.79	0.104		<0.5	5.68	8	60	<0.5	<2	5.46	<0.5	62	1245	20	7.69
166550		2.00	0.024		<0.5	8.10	<5	550	0.5	<2	2.52	<0.5	17	306	11	2.46
166551		2.59	0.122		<0.5	7.35	11	300	<0.5	<2	3.73	<0.5	30	676	26	4.97
166552		2.42	0.146		<0.5	8.02	<5	370	0.5	<2	4.00	<0.5	28	534	19	4.17
166553		0.22	<0.005		<0.5	7.31	8	570	0.8	<2	0.84	<0.5	2	24	4	1.61
166554		2.50	0.593		<0.5	7.19	<5	180	<0.5	<2	6.91	<0.5	51	932	22	7.01
166555		2.73	0.023		<0.5	8.83	<5	430	0.8	<2	6.69	<0.5	39	393	28	4.78
166556		2.34	0.033		<0.5	7.37	<5	310	0.6	<2	1.87	<0.5	14	259	14	2.40
166557		2.44	0.104		<0.5	8.46	6	430	0.8	<2	1.50	<0.5	7	77	13	1.39
166558		0.06	0.965		10.7	7.79	<5	50	3.0	<2	0.31	<0.5	1	16	8	2.63
166559		3.15	0.150		<0.5	7.18	9	190	0.6	<2	4.94	<0.5	42	646	28	5.44
166560		2.38	0.029		<0.5	7.72	11	130	0.8	<2	7.18	<0.5	42	277	53	6.68



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 8-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013034

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
166521		0.81	8.28	1665	<1	0.65	457	380	7	0.13	<5	178	0.36	197	<10	110
166522		1.02	7.17	1595	<1	0.68	420	490	6	0.35	<5	254	0.40	188	<10	126
166523		0.23	9.47	1715	<1	0.51	703	190	2	0.36	<5	125	0.26	162	40	137
166524		0.09	9.85	1715	<1	0.21	750	180	6	0.10	<5	158	0.26	166	10	143
166525		0.52	6.65	1725	1	0.64	377	540	4	0.11	<5	355	0.27	112	10	87
166526 DUP		0.49	7.14	1810	<1	0.64	412	550	8	0.11	<5	353	0.28	118	<10	92
166527		0.52	8.95	1345	<1	0.78	517	650	4	0.08	<5	394	0.23	160	10	97
166528		0.50	9.54	1270	<1	0.96	557	460	9	0.10	6	251	0.25	178	<10	85
166529		0.47	10.25	1475	<1	0.76	581	340	5	0.08	<5	171	0.25	188	<10	80
166530		0.12	11.15	1450	<1	0.41	697	200	<2	0.01	<5	38	0.19	186	<10	79
166531		4.35	0.28	198	2	2.22	16	160	40	<0.01	5	139	0.08	9	<10	28
166532		1.54	6.42	1305	<1	1.20	270	610	6	0.05	<5	431	0.33	155	<10	89
166533		1.62	8.05	1235	<1	0.82	281	500	5	0.05	<5	283	0.27	167	<10	69
166534		1.24	8.54	1255	<1	0.65	366	450	3	0.04	<5	216	0.25	160	<10	77
166535		0.30	11.50	1395	<1	0.30	778	240	2	0.11	<5	62	0.24	172	<10	98
166536		0.07	11.65	1430	<1	0.28	772	190	6	0.05	<5	56	0.23	184	<10	97
166537		0.13	11.60	1415	<1	0.30	776	190	3	0.06	<5	71	0.21	187	<10	93
166538		0.19	0.08	115	<1	6.8	7	620	126	3.01	<5	19	0.01	3	<10	32
166539		0.46	11.15	1370	<1	0.32	685	210	6	0.02	<5	73	0.25	193	<10	83
166540		0.57	10.40	1375	<1	0.32	642	210	5	0.01	<5	94	0.25	186	10	78
166541		0.13	11.05	1335	1	0.32	706	190	3	0.01	<5	53	0.24	175	10	82
166542		0.13	11.05	1285	1	0.24	773	170	15	0.12	<5	49	0.22	161	<10	536
166543		0.18	11.10	1325	1	0.25	701	200	3	0.25	<5	55	0.24	174	<10	520
166544		0.24	10.30	1330	<1	0.27	625	300	9	0.27	<5	50	0.23	160	<10	127
166545		0.18	11.30	1375	1	0.31	722	210	<2	0.05	<5	60	0.25	181	10	89
166546		0.55	8.37	1165	<1	0.84	550	190	<2	0.03	<5	118	0.20	138	<10	79
166547 DUP		0.54	8.42	1170	1	0.85	555	190	2	0.03	<5	118	0.20	136	<10	78
166548		1.37	5.93	798	<1	2.01	379	280	<2	0.12	<5	169	0.19	105	<10	84
166549		1.04	10.05	1375	<1	0.49	680	180	<2	0.10	<5	131	0.24	170	<10	94
166550		1.61	2.22	358	1	2.78	143	220	2	0.05	<5	213	0.13	48	10	44
166551		1.17	5.60	909	<1	2.00	359	210	<2	0.12	<5	246	0.17	97	<10	71
166552		0.78	4.73	738	<1	2.33	291	200	2	0.09	<5	198	0.15	88	<10	58
166553		4.33	0.21	161	1	2.25	6	170	37	<0.01	<5	161	0.08	7	<10	30
166554		0.69	10.05	1295	<1	0.84	628	500	<2	0.20	<5	286	0.23	157	<10	90
166555		1.24	6.81	852	<1	1.66	397	930	6	0.19	<5	620	0.20	98	<10	65
166556		0.54	2.27	338	<1	3.67	128	240	6	0.12	<5	159	0.13	47	<10	50
166557		0.91	0.89	166	<1	4.75	38	230	<2	0.11	<5	155	0.10	31	<10	48
166558		0.17	0.06	32	<1	6.7	3	590	115	2.75	<5	23	0.01	2	<10	16
166559		0.56	6.44	956	4	1.82	361	320	5	0.10	<5	242	0.24	133	<10	76
166560		0.71	5.65	1275	<1	1.75	132	540	5	0.06	<5	359	0.33	192	<10	73



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013034**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
166561		3.04	0.021		0.7	7.84	<5	110	0.8	<2	8.68	<0.5	46	289	69	7.03
166562		2.88	0.065		<0.5	8.42	<5	160	<0.5	<2	7.92	<0.5	49	313	99	7.98
166563		3.04	0.011		<0.5	8.00	11	100	<0.5	<2	7.86	<0.5	49	332	25	7.93
166564		2.75	0.013		<0.5	7.83	<5	70	1.0	<2	8.40	<0.5	42	170	66	7.02
166565		0.06	1.825		21.0	8.08	<5	60	3.2	<2	0.33	<0.5	1	6	6	2.83
166566		2.87	0.046		<0.5	7.71	<5	80	0.5	<2	8.03	<0.5	45	300	51	7.52
166567		2.64	0.028		<0.5	8.14	9	60	0.6	<2	7.95	<0.5	42	248	116	7.54
166568		2.76	0.011		<0.5	7.57	<5	40	<0.5	<2	10.00	<0.5	41	311	32	7.66
166569		2.87	0.009		<0.5	7.24	7	70	<0.5	<2	8.77	<0.5	41	328	28	7.25
166570		2.88	0.066		<0.5	8.78	<5	120	<0.5	<2	7.71	<0.5	42	121	41	7.62
166571		2.31	0.015		<0.5	7.95	6	180	0.5	<2	5.68	<0.5	36	95	73	5.94
166572		2.63	0.023		<0.5	8.51	5	290	0.6	<2	5.90	<0.5	39	99	86	6.29
166573 DUP		<0.02	0.025		<0.5	8.41	<5	290	0.6	<2	5.76	<0.5	38	97	79	6.19
166574		2.17	0.043		<0.5	8.76	10	230	0.5	<2	5.90	<0.5	41	104	134	6.57
166575		2.31	0.025		0.5	8.48	<5	190	<0.5	<2	6.34	<0.5	46	109	112	6.57
166576		2.72	0.017		<0.5	8.06	9	240	0.6	<2	4.92	<0.5	28	75	45	5.72
166577		0.14	<0.005		<0.5	7.22	<5	550	1.0	<2	0.96	<0.5	1	12	7	2.11
166578		2.27	0.007		<0.5	8.01	<5	430	0.7	<2	4.15	<0.5	16	79	15	4.79
166579		1.43	0.010		<0.5	7.31	8	270	1.2	<2	2.33	<0.5	10	32	61	2.42
166580		2.71	0.065		<0.5	8.48	<5	230	0.6	<2	6.82	<0.5	36	107	184	7.03



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013034

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
166561		0.71	5.96	1370	<1	1.62	108	680	2	0.11	<5	258	0.31	175	<10	85
166562		0.94	6.14	1495	<1	1.67	139	420	<2	0.18	<5	216	0.39	225	10	81
166563		0.62	5.85	1480	<1	1.66	157	270	<2	0.08	<5	194	0.38	234	10	71
166564		0.38	5.11	1380	<1	1.81	79	740	<2	0.11	<5	432	0.31	165	<10	84
166565		0.19	0.07	112	<1	6.9	5	620	136	3.00	<5	25	0.01	2	<10	20
166566		0.50	5.04	1415	<1	1.72	134	370	<2	0.11	<5	250	0.35	213	<10	76
166567		0.39	4.85	1345	<1	1.88	108	590	<2	0.25	<5	338	0.35	197	<10	75
166568		0.27	4.59	1540	<1	1.47	148	240	<2	0.07	<5	182	0.37	229	10	72
166569		0.50	4.81	1440	<1	1.30	136	230	5	0.06	<5	144	0.36	221	10	84
166570		1.09	3.92	1415	<1	1.42	85	410	5	0.27	<5	147	0.48	227	<10	76
166571		1.01	2.45	1150	<1	1.86	49	680	<2	0.35	<5	200	0.46	164	10	74
166572		1.58	2.52	1065	<1	1.95	66	1120	<2	0.40	<5	342	0.48	179	<10	85
166573 DUP		1.62	2.50	1045	1	1.93	66	1180	<2	0.37	<5	349	0.48	172	10	86
166574		1.69	2.68	1110	1	1.85	64	540	<2	0.55	<5	186	0.45	186	<10	84
166575		1.22	2.87	1180	1	1.78	68	490	<2	0.36	<5	179	0.46	197	10	85
166576		1.36	2.36	964	<1	2.01	48	470	3	0.22	<5	173	0.40	139	<10	85
166577		4.11	0.22	194	1	2.30	3	180	39	0.01	<5	156	0.09	9	<10	32
166578		2.13	2.09	1225	1	2.04	45	250	8	0.06	<5	124	0.29	125	<10	105
166579		0.72	0.57	372	3	3.13	22	190	7	0.23	<5	154	0.15	32	<10	33
166580		1.26	3.58	1265	8	1.61	79	730	11	0.33	<5	245	0.45	210	<10	95



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 7-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06013035

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 7-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013035

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163881		3.31	1.365		<0.5	5.76	5	80	<0.5	<2	5.65	<0.5	47	601	26	6.58
163882		2.44	0.029		<0.5	7.64	<5	130	<0.5	<2	7.28	<0.5	45	325	54	8.06
163883		3.06	0.210		<0.5	7.92	<5	200	<0.5	<2	5.51	<0.5	33	263	15	5.80
163884		2.48	0.108		<0.5	7.15	6	140	<0.5	<2	4.91	3.4	30	233	34	4.68
163885		0.06	0.964		11.2	9.01	<5	50	3.1	<2	0.35	<0.5	<1	4	8	2.85
163886		2.80	0.650		<0.5	7.68	<5	190	<0.5	<2	8.43	<0.5	47	315	126	8.05
163887		2.91	0.156		<0.5	7.82	<5	110	<0.5	<2	7.62	<0.5	42	315	27	7.05
163888		3.08	0.251		<0.5	7.67	<5	170	<0.5	<2	7.31	<0.5	34	252	44	6.11
183889		2.53	1.720		<0.5	7.31	<5	90	<0.5	<2	6.35	<0.5	26	110	31	6.05
163890		2.44	0.282		<0.5	7.56	<5	110	<0.5	<2	7.38	<0.5	34	106	81	6.20
163891		2.73	0.260		0.7	7.69	<5	240	0.5	<2	5.65	<0.5	58	134	504	6.85
163892		2.65	0.022		<0.5	7.37	<5	230	0.7	<2	3.52	<0.5	15	5	20	4.48
163893		2.50	0.080		<0.5	7.24	<5	220	<0.5	<2	5.63	<0.5	71	128	366	6.10
163894 DUP		<0.02	0.056		<0.5	7.34	<5	230	<0.5	<2	5.65	<0.5	76	125	414	6.26
163895		2.95	0.047		0.5	7.57	<5	140	0.5	<2	5.45	<0.5	54	100	139	6.19
163896		3.17	0.081		<0.5	7.70	<5	170	<0.5	<2	5.72	<0.5	87	132	380	6.90
163897		0.09	<0.005		<0.5	6.34	<5	580	0.8	<2	0.93	<0.5	3	14	8	1.69
183898		2.61	0.060		<0.5	7.47	<5	180	0.5	<2	4.05	<0.5	58	80	194	5.63
163899		2.58	0.106		0.5	7.16	<5	190	0.7	<2	3.25	<0.5	25	62	104	4.46
163900		2.42	0.052		<0.5	8.04	<5	300	0.6	<2	5.44	<0.5	43	124	127	7.50
163901		2.52	0.055		0.6	7.68	<5	140	0.5	<2	5.78	<0.5	48	106	123	8.05
163902		0.11	0.005		<0.5	6.41	<5	530	0.8	<2	1.02	<0.5	1	7	5	1.65
163903		2.12	0.020		<0.5	7.75	<5	170	0.7	<2	4.06	<0.5	23	31	58	4.66
163904		1.29	0.066		<0.5	7.84	<5	190	<0.5	<2	5.48	<0.5	81	129	261	6.73
163905		3.10	0.124	0.102	<0.5	7.69	<5	200	0.8	<2	3.93	<0.5	17	10	34	4.45
163906		1.73	0.052		<0.5	7.54	<5	230	<0.5	<2	5.53	<0.5	37	86	78	6.13
163907		1.76	0.025		<0.5	7.13	5	290	0.9	<2	3.82	<0.5	17	17	32	4.40
163908		1.60	0.043		<0.5	7.28	<5	230	0.7	<2	4.05	<0.5	22	122	45	4.49
163909		0.06	1.780		17.4	8.07	5	50	3.0	<2	0.32	<0.5	<1	1	5	2.89
163910		1.76	0.112		<0.5	6.99	<5	170	<0.5	<2	5.60	<0.5	54	118	146	6.76
163911		1.72	0.110		0.9	7.84	<5	130	<0.5	<2	6.58	<0.5	44	112	128	6.67
163912		2.54	1.750		0.7	7.78	<5	110	<0.5	<2	6.07	<0.5	78	130	424	6.66
163913		2.42	0.190		0.8	7.36	<5	90	<0.5	<2	6.69	<0.5	59	120	248	6.64
163914		2.42	0.421		0.6	7.85	<5	100	<0.5	<2	6.58	<0.5	79	130	384	7.20
163915		2.44	0.220		0.5	7.22	<5	130	0.5	<2	5.43	0.5	54	107	424	6.19
163916		2.51	0.986		0.7	7.76	<5	80	<0.5	<2	6.11	<0.5	56	140	462	6.97
163917		2.48	0.074		<0.5	6.91	<5	130	<0.5	<2	5.47	<0.5	36	117	307	6.12
163918 DUP		<0.02	0.080		0.5	7.28	<5	130	<0.5	<2	5.65	<0.5	37	114	330	6.28
163919		2.50	0.152		0.5	7.60	<5	130	0.5	<2	4.98	<0.5	34	104	335	5.93
163920		2.70	5.52		0.6	6.84	<5	80	<0.5	<2	5.56	<0.5	38	143	438	6.26



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 7-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013035

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163881		0.50	7.36	1195	1	0.79	346	270	<2	0.10	<5	92	0.29	180	<10	75
163882		0.91	5.54	1385	1	1.15	154	470	8	0.19	<5	186	0.42	244	20	97
163883		0.93	4.34	1035	2	2.67	110	250	10	0.07	<5	150	0.31	175	10	71
163884		0.64	2.89	852	3	2.74	85	160	46	0.19	<5	119	0.27	135	<10	765
163885		0.19	0.08	36	2	7.2	3	660	135	2.97	<5	21	0.01	1	<10	19
163886		1.00	5.36	1420	2	1.53	148	260	10	0.34	<5	145	0.40	230	<10	96
163887		0.65	4.83	1210	2	1.87	133	280	7	0.09	<5	173	0.38	216	<10	98
163888		0.71	4.38	1095	2	1.94	108	200	6	0.04	<5	162	0.32	186	<10	58
163889		0.74	3.58	1070	2	1.44	63	370	6	0.11	<5	148	0.44	196	<10	64
163890		1.02	3.50	1270	2	1.40	85	400	5	0.35	<5	150	0.45	203	20	60
163891		1.72	3.09	1225	2	1.16	66	410	4	1.10	<5	150	0.46	198	10	90
163892		0.84	1.19	740	2	2.43	10	800	10	0.11	<5	211	0.48	118	<10	45
163893		1.84	2.65	1050	2	1.11	73	360	6	0.93	<5	112	0.44	182	10	70
163894 DUP		1.86	2.70	1075	2	1.16	77	350	9	0.96	<5	114	0.44	180	10	73
163895		1.08	2.80	1085	2	1.46	57	480	6	0.54	<5	164	0.45	182	<10	62
163896		1.42	3.15	1185	2	1.40	67	360	6	1.04	<5	162	0.46	211	10	58
163897		3.89	0.23	171	2	1.96	11	170	32	0.02	<5	144	0.09	9	<10	27
163898		1.02	2.19	891	2	2.13	49	510	3	0.75	<5	181	0.45	166	<10	51
163899		0.81	1.66	718	2	2.63	31	570	8	0.43	<5	201	0.38	99	<10	47
163900		1.23	3.80	1215	1	1.90	102	830	5	0.59	<5	298	0.62	184	<10	89
163901		0.82	3.51	1340	2	1.73	103	670	7	0.37	<5	260	0.68	207	<10	111
163902		4.17	0.21	154	2	1.94	6	160	38	0.01	<5	142	0.08	8	<10	32
163903		0.92	1.52	787	2	2.36	24	750	8	0.27	<5	241	0.48	124	<10	47
163904		1.02	2.97	1135	2	1.48	74	370	11	0.79	<5	191	0.47	207	<10	95
163905		0.84	1.29	774	2	2.35	15	760	6	0.18	<5	229	0.47	122	<10	52
163906		1.56	3.06	1185	2	1.34	54	470	4	0.40	<5	174	0.46	184	10	69
163907		1.28	1.66	721	2	2.15	19	1000	5	0.20	<5	234	0.45	125	<10	53
163908		0.99	2.35	760	2	1.97	81	790	5	0.20	<5	352	0.44	122	<10	51
163909		0.18	0.06	106	1	6.3	6	600	128	3.04	<5	18	0.01	1	<10	22
163910		1.49	3.29	1250	2	0.61	58	350	4	0.81	<5	121	0.42	192	20	67
163911		1.33	3.58	1230	1	0.91	64	370	4	0.52	<5	137	0.46	207	10	66
163912		1.32	2.75	1070	2	1.01	69	360	9	1.10	<5	126	0.47	207	10	73
163913		0.93	3.14	1180	2	1.14	63	360	5	0.76	<5	127	0.44	196	200	76
163914		1.20	3.04	1145	2	1.15	76	350	9	1.08	<5	138	0.46	201	10	61
163915		0.99	2.24	1095	2	1.57	54	290	5	0.82	<5	132	0.39	176	10	69
163916		0.85	2.75	1160	1	1.40	67	340	7	0.95	<5	142	0.47	205	10	68
163917		1.25	2.54	1105	1	1.01	54	360	7	0.76	<5	110	0.42	185	10	67
163918 DUP		1.26	2.62	1125	1	1.05	56	360	4	0.80	<5	114	0.43	190	10	67
163919		0.75	2.10	941	2	1.80	62	480	10	0.77	<5	164	0.46	176	<10	64
163920		0.52	2.90	1050	2	1.61	69	390	5	0.68	<5	164	0.37	166	20	68





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 7-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013035

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
163921		2.23	4.75		<0.5	7.27	<5	70	0.5	<2	6.81	<0.5	44	194	238	7.47
163922		2.71	0.039		<0.5	7.29	<5	70	<0.5	<2	6.27	<0.5	35	120	87	6.79
163923		2.60	0.411		<0.5	7.30	<5	80	<0.5	<2	6.27	<0.5	58	120	389	8.74
163924		1.98	1.740	1.110	0.7	6.33	<5	230	<0.5	<2	5.63	<0.5	72	243	1190	8.49
163925 DUP		<0.02	2.33	1.690	0.7	6.88	<5	240	<0.5	<2	5.89	<0.5	68	298	1140	8.61
163926		2.62	0.025		<0.5	7.68	<5	340	0.8	<2	3.39	<0.5	15	8	36	4.42
163927		1.50	0.039		<0.5	6.22	<5	380	0.9	<2	2.37	<0.5	7	40	36	2.79
163928		1.66	0.018		<0.5	6.71	<5	370	1.0	<2	2.03	<0.5	6	6	23	2.66
163929		1.71	0.082		<0.5	7.51	<5	170	<0.5	<2	5.50	<0.5	41	118	354	6.58
163930		2.60	0.038		<0.5	7.54	<5	170	<0.5	<2	5.84	<0.5	25	106	97	6.50
163931		2.84	0.186		<0.5	7.57	<5	120	0.8	<2	5.45	<0.5	16	13	36	4.13
163932		0.06	0.959		9.7	8.00	<5	40	3.0	2	0.31	<0.5	<1	3	7	2.49
163933		1.59	0.482		0.5	7.26	6	220	<0.5	<2	5.51	<0.5	42	124	425	7.42
163934		2.94	0.241		0.7	6.34	<5	110	<0.5	<2	4.83	<0.5	62	120	1040	7.96
163935		0.11	<0.005		<0.5	6.45	<5	510	0.8	<2	1.06	<0.5	<1	9	9	1.68
163936		2.09	0.036		<0.5	7.63	6	290	0.8	<2	3.40	<0.5	14	6	30	4.36
163937		2.34	0.033		<0.5	7.46	<5	210	0.7	<2	4.39	<0.5	23	51	140	5.28
163938		2.06	0.010		<0.5	7.72	<5	250	0.8	<2	3.73	<0.5	15	6	25	4.29
163939		1.96	0.314		0.5	7.31	<5	130	<0.5	<2	6.03	<0.5	48	114	148	7.81
163940		1.57	0.024		<0.5	7.64	<5	180	<0.5	<2	5.81	<0.5	28	112	68	7.30
163941		2.61	0.060		<0.5	7.56	<5	170	<0.5	<2	5.40	<0.5	26	104	22	7.18
163942		2.46	0.116		<0.5	7.76	<5	140	<0.5	<2	6.13	<0.5	27	106	13	6.95
163943		2.43	0.359		<0.5	7.55	<5	120	<0.5	<2	6.15	<0.5	25	98	12	6.71
163944		2.19	0.058		<0.5	7.40	<5	140	<0.5	<2	6.34	<0.5	26	98	17	6.37
163945		2.67	0.025		<0.5	8.36	<5	170	<0.5	<2	6.51	<0.5	29	116	41	7.85
163946		1.68	0.024		<0.5	7.44	<5	210	<0.5	<2	6.53	<0.5	31	138	61	7.23
163947		2.00	0.423	0.360	<0.5	5.67	<5	120	<0.5	<2	4.35	<0.5	22	88	118	4.83
163948 DUP		<0.02	0.255	0.350	<0.5	5.73	<5	130	<0.5	<2	4.40	<0.5	23	98	114	4.90
163949		1.34	0.108		0.9	7.59	6	210	0.5	<2	4.83	<0.5	44	80	501	4.82
163950		2.62	0.427		<0.5	6.49	<5	160	<0.5	<2	5.28	<0.5	37	344	201	5.95
163951		0.12	<0.005		<0.5	6.49	<5	510	0.8	<2	0.96	<0.5	2	14	5	1.67
163952		3.13	0.012		<0.5	6.94	<5	190	<0.5	<2	4.79	<0.5	33	337	132	5.21
163953		2.47	0.304		0.5	7.05	<5	220	<0.5	<2	5.24	<0.5	45	124	437	6.72
163954		2.45	0.118		<0.5	7.01	<5	230	<0.5	<2	5.22	<0.5	38	121	448	6.28
163955		2.44	0.036		<0.5	6.82	<5	210	<0.5	<2	5.30	<0.5	52	344	340	6.65
163956		2.75	0.046		<0.5	5.89	<5	60	<0.5	<2	5.49	<0.5	52	744	276	6.26
163957		2.89	0.020		<0.5	6.96	<5	190	<0.5	<2	5.42	<0.5	35	280	75	6.36
163958		2.34	0.029		<0.5	5.14	<5	220	<0.5	<2	3.35	<0.5	25	467	102	5.01
163959		0.06	1.790		17.1	7.69	<5	50	2.8	<2	0.30	<0.5	<1	2	5	2.54
163960		2.60	0.092		<0.5	6.61	<5	320	<0.5	<2	3.49	<0.5	21	551	7	3.94



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 7-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013035

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163921		0.54	4.35	1325	1	1.43	83	600	4	0.45	<5	273	0.43	204	150	84
163922		0.57	3.70	1195	2	1.34	79	470	4	0.23	<5	186	0.47	206	<10	76
163923		0.74	3.24	1190	2	1.21	106	360	5	1.55	<5	134	0.44	201	20	75
163924		1.21	3.19	979	2	1.14	150	410	7	2.01	<5	140	0.38	160	20	71
163925 DUP		1.26	3.32	1025	2	1.27	148	420	8	2.04	<5	152	0.40	170	10	77
163926		1.72	1.18	763	2	2.25	12	790	7	0.11	<5	204	0.49	120	<10	55
163927		1.22	0.85	490	2	2.85	17	130	7	0.20	<5	91	0.17	48	<10	38
163928		1.00	0.55	443	2	2.70	4	350	5	0.10	<5	142	0.25	49	<10	44
163929		1.35	2.60	1175	2	1.59	66	380	16	1.02	<5	160	0.45	196	10	75
163930		1.30	3.43	1200	2	1.47	59	400	2	0.35	<5	170	0.46	209	<10	88
163931		0.85	1.22	580	2	1.82	13	800	8	0.40	<5	87	0.45	118	<10	59
163932		0.18	0.06	32	1	6.4	3	600	106	2.63	<5	18	0.01	1	<10	16
163933		1.50	3.07	1165	2	1.71	55	390	7	0.98	<5	127	0.45	198	10	107
163934		0.89	2.48	1020	2	1.43	76	350	6	1.75	<5	122	0.40	172	30	113
163935		4.05	0.24	165	1	1.98	4	160	34	0.02	<5	144	0.09	11	<10	28
163936		1.12	0.98	634	2	2.44	3	990	7	0.13	<5	184	0.53	104	<10	51
163937		0.86	1.77	848	2	2.08	32	730	5	0.40	<5	170	0.47	118	<10	60
163938		0.94	1.15	724	2	2.39	13	690	5	0.04	<5	188	0.45	120	<10	54
163939		1.28	3.68	1085	2	1.03	99	360	7	0.76	<5	126	0.43	198	20	66
163940		1.64	4.01	1095	3	1.00	69	360	4	0.32	<5	117	0.44	204	<10	84
163941		1.62	4.25	1010	2	1.14	76	360	6	0.05	<5	112	0.43	200	<10	82
163942		1.36	4.16	1130	2	1.27	85	380	7	0.06	<5	129	0.46	209	<10	68
163943		1.19	3.92	1130	2	1.31	75	400	8	0.08	<5	140	0.48	218	<10	65
163944		1.40	3.77	1180	2	1.10	66	390	4	0.12	<5	122	0.47	211	10	64
163945		1.40	4.63	1255	2	1.41	88	750	8	0.33	<5	308	0.55	229	10	85
163946		1.14	3.97	1175	1	1.34	72	940	5	0.49	<5	385	0.56	220	<10	81
163947		1.46	2.53	857	1	0.44	59	270	6	0.39	<5	90	0.34	158	10	41
163948 DUP		1.48	2.55	869	2	0.44	64	280	5	0.38	<5	91	0.35	160	<10	42
163949		1.72	1.90	913	1	1.58	44	360	8	1.27	<5	174	0.35	144	10	42
163950		1.12	4.59	999	1	1.11	146	390	4	0.56	<5	194	0.36	178	<10	56
163951		3.98	0.23	168	2	2.00	10	180	37	0.01	<5	142	0.09	8	<10	28
163952		1.00	4.59	844	1	1.89	154	370	5	0.32	<5	211	0.32	149	<10	55
163953		0.95	3.13	972	1	1.64	80	330	13	1.23	<5	270	0.42	196	<10	56
163954		0.89	2.92	935	1	1.72	79	340	5	1.00	<5	278	0.42	201	<10	52
163955		0.74	4.55	995	1	1.96	139	400	7	0.83	<5	267	0.40	192	10	60
163956		0.64	7.95	1110	1	1.59	312	570	4	0.23	<5	112	0.30	165	<10	74
183957		0.83	4.62	1080	1	1.82	144	440	4	0.30	<5	257	0.41	189	<10	71
163958		0.98	3.97	754	1	1.41	198	510	5	0.32	<5	172	0.30	96	<10	60
163959		0.17	0.06	99	1	6.1	7	590	118	2.69	5	18	0.01	1	<10	18
163960		1.08	4.79	691	1	2.23	275	210	5	0.04	<5	168	0.16	83	<10	62



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013035**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
163961		2.50	0.130		<0.5	6.32	<5	260	0.5	<2	4.52	<0.5	26	551	23	5.15
163962		2.77	0.095		<0.5	6.79	<5	390	0.6	<2	2.76	<0.5	18	329	45	3.55
163963		0.06	1.010		9.7	5.53	<5	40	2.8	<2	0.24	<0.5	<1	5	8	2.57
163964		3.13	0.404		<0.5	5.14	<5	70	<0.5	<2	5.32	<0.5	47	1245	35	7.62
163965		2.86	0.113		<0.5	5.92	<5	230	<0.5	<2	3.90	<0.5	35	925	2	6.01
163966		3.14	0.367		<0.5	5.09	<5	50	<0.5	<2	4.92	<0.5	48	1235	16	7.63
163967		3.18	0.087		<0.5	4.34	<5	60	<0.5	<2	4.16	<0.5	49	1195	63	6.64
163968 DUP		<0.02	0.071		<0.5	4.44	<5	60	<0.5	<2	4.34	<0.5	50	1225	62	6.88
163969		1.45	0.242		<0.5	6.49	<5	310	0.5	<2	2.72	<0.5	26	627	74	3.96
183970		1.55	0.099		<0.5	7.27	<5	410	0.7	<2	2.97	<0.5	24	247	108	5.04
163971		2.59	0.095		<0.5	6.71	<5	260	0.7	<2	2.96	<0.5	32	492	58	5.04
163972		2.31	0.007		<0.5	7.59	<5	440	0.8	<2	3.32	<0.5	16	55	21	4.78
163973		2.42	<0.005		<0.5	7.50	<5	430	0.8	<2	3.59	<0.5	12	8	14	4.50
163974		3.10	0.008		<0.5	7.70	<5	410	0.8	<2	3.37	<0.5	13	18	9	4.48
163975		2.65	0.250		<0.5	4.83	<5	10	<0.5	<2	4.95	<0.5	63	1380	14	7.43
163976		0.19	<0.005		<0.5	6.48	<5	530	0.9	<2	1.03	<0.5	<1	23	5	1.68
163977		3.13	0.078		<0.5	4.84	<5	<10	<0.5	<2	5.22	<0.5	60	1350	2	7.31
163978		3.17	0.107		<0.5	5.67	<5	50	<0.5	<2	5.17	<0.5	52	1075	3	7.68
163979		2.84	0.762		<0.5	6.26	<5	150	<0.5	<2	4.47	<0.5	41	793	14	7.63
163980		3.02	0.207		<0.5	5.74	<5	100	<0.5	<2	4.82	<0.5	45	967	10	7.27



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 7-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013035

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
163961		1.38	5.66	837	2	1.36	277	360	15	0.08	<5	289	0.22	112	<10	83
163962		1.48	2.91	472	<1	2.50	148	340	10	0.28	<5	195	0.21	75	<10	59
163963		0.17	0.06	30	1	6.6	3	540	120	3.07	<5	15	0.01	1	<10	18
163964		1.41	9.61	1155	<1	0.38	613	180	5	0.24	<5	39	0.25	154	<10	95
163965		2.04	6.60	849	<1	1.46	437	200	3	0.01	<5	123	0.21	122	<10	75
163966		1.57	9.65	1285	1	0.36	628	150	4	0.13	<5	35	0.25	158	<10	104
163967		1.02	8.66	1165	1	0.53	623	210	5	0.24	<5	57	0.22	120	20	104
163968 DUP		1.03	8.92	1205	1	0.53	640	240	8	0.24	<5	58	0.22	124	30	109
163969		1.33	4.77	494	1	2.48	326	340	5	0.11	<5	138	0.19	72	<10	56
163970		1.24	3.59	776	1	2.03	141	870	9	0.36	<5	198	0.45	88	<10	63
163971		1.23	4.45	743	1	1.92	261	560	3	0.17	<5	170	0.39	117	<10	71
163972		1.41	1.72	788	1	2.38	34	670	8	0.11	<5	191	0.44	122	<10	35
163973		1.90	1.20	728	1	2.00	14	680	<2	0.08	<5	153	0.43	117	<10	42
163974		1.92	1.34	741	<1	2.13	20	710	3	0.06	<5	206	0.44	112	<10	41
163975		0.07	11.80	1295	<1	0.22	779	170	7	0.10	<5	11	0.24	154	<10	86
163976		4.20	0.32	161	8	2.18	9	170	36	<0.01	<5	150	0.08	10	<10	28
163977		0.06	11.40	1325	<1	0.30	738	140	7	0.01	<5	10	0.22	152	<10	86
163978		1.05	9.37	1280	<1	0.53	555	200	<2	0.01	<5	39	0.28	168	<10	95
163979		2.09	7.25	1195	1	0.76	394	300	7	0.07	<5	71	0.30	154	<10	108
163980		1.25	8.25	1185	1	0.70	517	290	3	0.09	<5	109	0.28	152	<10	96



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 8-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06013036

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - B)

Finalized Date: 8-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013036

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
163981		2.92	0.408		0.5	6.43	<5	100	<0.5	<2	3.71	<0.5	77	942	228	9.58
163982		2.68	0.169		<0.5	7.28	<5	130	<0.5	<2	4.52	<0.5	50	783	151	7.57
163983		2.96	4.61	3.93	<0.5	6.10	<5	60	<0.5	<2	4.97	<0.5	50	1030	39	7.22
163984 DUP		<0.02	3.46	3.51	<0.5	6.27	<5	60	<0.5	<2	5.06	<0.5	51	1035	40	7.37
163985		2.52	0.621		<0.5	5.46	5	10	<0.5	<2	6.34	<0.5	63	1145	61	8.08
163986		3.04	0.033		<0.5	8.34	5	360	0.8	<2	6.99	<0.5	49	260	74	4.77
163987		2.43	0.037		<0.5	8.01	<5	150	<0.5	<2	8.29	<0.5	51	371	112	8.72
163988		0.14	<0.005		<0.5	7.29	<5	550	1.0	<2	1.00	<0.5	3	14	6	2.11
163989		2.73	0.184		<0.5	8.32	<5	120	<0.5	<2	8.08	<0.5	44	330	58	8.29
163990		2.97	0.776		<0.5	7.54	<5	80	<0.5	<2	8.59	<0.5	44	344	34	7.82
183991		2.65	0.446		<0.5	7.35	<5	100	<0.5	<2	8.24	<0.5	42	342	28	7.78
163992		2.77	0.270		<0.5	7.74	6	140	<0.5	<2	6.81	<0.5	35	264	21	6.18
163993		0.06	1.785		19.7	9.29	<5	60	3.2	<2	0.39	<0.5	1	12	7	3.00
163994		3.09	0.394		<0.5	7.56	<5	180	<0.5	<2	5.14	<0.5	41	344	66	7.09
163995		3.08	0.866		<0.5	5.18	<5	70	<0.5	<2	4.98	<0.5	59	816	38	8.44
163996		2.96	0.052		<0.5	8.04	<5	440	0.5	<2	2.17	<0.5	8	67	33	1.84
183997		1.54	0.222		<0.5	7.57	10	100	<0.5	<2	7.49	<0.5	36	282	44	6.65
163998		2.06	0.063		<0.5	8.02	6	70	<0.5	<2	7.61	<0.5	34	222	13	7.13
183999		1.77	0.071		<0.5	8.06	5	70	<0.5	<2	7.55	<0.5	38	196	17	7.60
164000		2.73	0.825		<0.5	8.25	<5	70	<0.5	<2	8.24	<0.5	33	208	24	7.19
164001		2.27	1.640		<0.5	7.70	<5	100	<0.5	<2	6.40	<0.5	30	103	18	6.83
164002		2.65	0.007		<0.5	7.97	5	80	<0.5	<2	7.07	<0.5	30	108	5	6.75
164003		2.87	<0.005		<0.5	8.26	<5	120	<0.5	<2	7.44	<0.5	31	119	14	7.10
164004		2.74	0.052		<0.5	7.90	<5	160	0.6	<2	6.02	<0.5	66	89	118	5.88
164005		0.10	<0.005		<0.5	7.35	<5	550	0.9	<2	0.84	<0.5	3	16	5	1.85
164006		2.45	0.017		<0.5	8.44	<5	140	0.6	<2	5.41	<0.5	31	60	67	5.65
164007		2.69	1.400		<0.5	8.10	<5	190	0.6	<2	5.60	<0.5	34	81	110	5.91
164008		2.50	0.042		<0.5	8.47	<5	140	<0.5	<2	6.54	<0.5	62	130	148	7.69
164009		2.56	2.64	2.57	0.7	8.34	<5	140	<0.5	<2	6.92	<0.5	58	131	224	7.52
164010 DUP		<0.02	3.12	3.05	0.8	8.29	<5	140	<0.5	<2	6.85	<0.5	55	138	221	7.46
164011		2.48	0.036		<0.5	8.15	<5	140	<0.5	<2	6.67	<0.5	48	132	164	7.18
164012		2.42	0.024		<0.5	8.39	<5	100	<0.5	<2	7.02	<0.5	43	119	121	7.62
164013		2.41	1.265	1.810	0.6	8.48	5	150	<0.5	<2	6.41	<0.5	43	137	132	7.46
164014		2.50	0.056		<0.5	8.48	<5	120	<0.5	<2	6.99	<0.5	43	129	146	7.39
164015		1.66	7.98		1.8	8.81	<5	190	0.5	<2	6.56	<0.5	38	129	534	7.94
164016		0.06	1.005		10.9	9.23	<5	50	3.3	<2	0.39	<0.5	1	8	9	2.94
164017		1.49	0.065		<0.5	8.78	<5	140	<0.5	<2	7.62	<0.5	29	107	61	7.30
164018		2.38	0.110		0.6	8.20	<5	170	<0.5	<2	6.28	<0.5	40	129	354	5.98
164019		2.63	0.172		0.6	7.46	<5	260	<0.5	<2	5.51	<0.5	46	127	320	7.12
164020		1.41	0.115		0.7	8.26	<5	260	<0.5	<2	6.13	<0.5	50	142	416	6.94



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 8-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013036

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
163981		1.78	8.14	1355	1	0.59	493	310	11	0.84	<5	119	0.30	164	<10	142
163982		0.84	7.08	1175	1	1.18	422	410	5	0.53	<5	183	0.32	156	20	95
163983		0.22	9.30	1290	1	0.65	554	130	6	0.11	<5	235	0.21	146	<10	83
163984 DUP		0.24	9.48	1310	1	0.67	572	140	2	0.11	<5	244	0.22	150	<10	86
163985		0.12	10.90	1375	1	0.42	634	190	2	0.28	<5	77	0.26	166	<10	97
163986		1.14	8.27	745	<1	1.19	523	1120	7	0.47	<5	515	0.22	93	<10	68
163987		0.82	5.85	1470	2	1.40	170	310	6	0.44	<5	262	0.40	239	470	95
163988		4.33	0.27	190	<1	2.18	8	190	32	0.02	<5	160	0.09	11	<10	29
163989		0.71	5.29	1385	2	1.68	125	300	2	0.22	<5	179	0.39	227	<10	66
163990		0.58	5.09	1375	<1	1.26	144	260	4	0.07	<5	131	0.37	217	10	65
163991		1.00	5.50	1315	<1	1.29	138	220	<2	0.10	<5	128	0.37	222	<10	69
163992		0.79	4.18	1085	<1	2.11	117	230	9	0.04	<5	173	0.31	182	<10	93
163993		0.21	0.08	120	<1	7.6	5	650	139	3.01	<5	24	0.01	2	<10	22
163994		1.24	4.70	1135	1	1.74	164	440	<2	0.50	<5	266	0.39	153	10	90
163995		1.56	10.90	1450	2	0.32	483	150	<2	0.29	<5	27	0.26	165	<10	106
163996		0.97	1.17	264	<1	3.86	29	150	3	0.10	<5	178	0.09	31	<10	32
163997		1.04	5.06	1175	<1	1.18	90	220	<2	0.08	<5	120	0.36	216	<10	69
183998		0.75	4.73	1255	<1	1.51	68	240	<2	0.05	<5	117	0.42	248	<10	62
163999		0.73	4.77	1315	<1	1.63	68	260	<2	0.14	<5	113	0.44	260	<10	69
164000		0.71	5.01	1300	1	1.47	71	250	<2	0.03	<5	124	0.44	257	<10	64
164001		0.97	4.01	1195	<1	1.51	76	360	<2	0.10	<5	121	0.45	203	<10	78
164002		0.72	4.11	1190	<1	1.62	72	370	<2	0.02	<5	138	0.47	210	<10	67
164003		1.00	4.24	1340	<1	1.66	78	370	<2	0.09	<5	138	0.47	221	<10	73
164004		0.87	2.16	943	<1	1.95	62	580	6	0.63	<5	170	0.48	156	<10	66
164005		4.54	0.20	167	<1	2.18	4	170	34	0.01	<5	146	0.08	9	<10	26
164006		0.86	1.91	1015	<1	2.06	37	760	5	0.32	<5	184	0.50	156	<10	77
164007		1.01	2.16	1090	<1	1.79	52	530	3	0.46	<5	152	0.45	146	10	62
164008		1.14	3.73	1235	<1	1.36	82	390	2	0.41	<5	116	0.47	223	<10	67
164009		1.25	3.45	1220	<1	1.12	74	380	4	0.76	<5	116	0.47	212	<10	68
164010 DUP		1.28	3.41	1205	<1	1.11	72	380	<2	0.77	<5	116	0.47	214	10	69
164011		1.25	3.32	1225	<1	0.98	74	350	2	0.54	<5	112	0.45	215	10	62
164012		0.91	3.70	1240	<1	1.24	80	380	<2	0.31	<5	130	0.46	215	<10	60
164013		1.35	3.46	1225	<1	1.15	78	360	2	0.77	<5	115	0.47	214	10	93
164014		1.12	3.36	1315	<1	1.13	75	380	4	0.62	<5	122	0.44	210	10	55
164015		1.57	3.14	1315	<1	1.09	71	470	5	0.98	<5	137	0.47	207	10	98
164016		0.20	0.08	41	<1	7.30	4	660	129	2.99	<5	21	0.01	2	<10	16
164017		1.37	3.53	1450	<1	1.15	72	430	5	0.42	<5	156	0.46	209	10	77
164018		2.03	2.41	1175	<1	0.77	86	330	5	0.88	<5	132	0.43	196	10	51
164019		2.41	3.02	1370	<1	0.62	70	330	5	1.11	<5	106	0.42	198	20	50
164020		2.24	2.78	1270	<1	1.08	74	360	6	1.38	<5	156	0.45	207	20	71



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 8-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013036

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
164021		1.38	0.044		<0.5	6.86	<5	340	1.1	<2	1.40	<0.5	2	15	32	2.00
164022		1.85	0.047		<0.5	8.44	<5	200	<0.5	<2	6.90	<0.5	52	132	396	7.77
164023		0.11	<0.005		<0.5	7.10	<5	480	0.9	<2	1.75	<0.5	3	9	8	2.21
164024		2.58	0.049		<0.5	8.03	<5	130	0.7	<2	5.14	<0.5	28	52	194	5.59
164025		2.44	0.040		<0.5	7.64	<5	240	0.6	<2	4.54	<0.5	21	182	163	5.00
164026		2.25	0.102		0.8	8.36	<5	200	0.5	<2	5.58	<0.5	27	78	637	6.47
164027		2.40	0.033		0.5	7.43	5	200	<0.5	<2	4.92	<0.5	35	89	373	6.65
164028		3.13	0.182		0.6	8.24	<5	110	<0.5	<2	6.31	<0.5	47	133	674	8.31
164029		2.46	0.108		<0.5	8.53	7	140	<0.5	<2	7.14	0.5	39	125	363	8.18
164030		0.06	1.795		19.5	8.66	<5	60	3.2	<2	0.36	<0.5	1	5	7	2.99
164031		2.81	0.085		<0.5	7.51	6	310	0.7	<2	3.56	<0.5	15	78	29	4.98
164032		2.67	0.104		<0.5	8.54	<5	170	<0.5	<2	5.78	<0.5	29	131	8	7.96
164033		2.68	0.206		<0.5	8.20	<5	160	<0.5	<2	6.37	<0.5	28	110	54	7.74
164034 DUP		<0.02	0.166		<0.5	8.05	<5	150	<0.5	<2	6.30	<0.5	27	110	54	7.64
164035		2.67	0.382		<0.5	8.40	<5	130	<0.5	<2	6.28	<0.5	28	111	14	7.51
164036		2.71	0.083		<0.5	7.92	<5	310	0.5	<2	6.05	<0.5	31	249	20	6.54
164037		2.68	0.029		<0.5	8.37	5	420	0.8	<2	5.98	<0.5	33	116	60	6.04
164038		2.78	0.074		<0.5	8.06	<5	200	<0.5	<2	6.09	<0.5	37	319	24	7.55
164039		2.46	3.06		<0.5	6.61	<5	110	<0.5	<2	5.44	<0.5	58	1025	16	7.20
164040		2.48	0.673		<0.5	6.71	<5	90	<0.5	<2	5.68	<0.5	45	731	39	8.35
164041		2.79	0.293		0.7	7.62	6	140	<0.5	<2	6.81	<0.5	29	117	452	6.41
164042		2.56	0.588		0.5	7.57	<5	110	<0.5	<2	6.22	<0.5	76	129	922	7.98
164043		2.42	0.210		0.6	8.25	5	100	<0.5	<2	6.61	<0.5	74	132	833	8.61
164044 DUP		<0.02	0.246		0.6	7.82	<5	90	<0.5	<2	6.29	<0.5	78	126	843	8.51
164045		2.58	0.471		0.6	7.37	<5	130	<0.5	<2	6.92	<0.5	43	312	693	7.12
164046		0.27	<0.005		<0.5	6.45	<5	500	0.8	<2	0.83	<0.5	2	12	11	1.75
164047		2.38	0.182		0.5	7.51	7	100	<0.5	<2	5.93	<0.5	78	133	801	7.82
164048		2.50	0.146		<0.5	7.39	6	80	<0.5	<2	5.95	<0.5	74	127	683	8.33
164049		2.67	0.063		<0.5	7.55	<5	50	<0.5	<2	6.65	<0.5	45	116	255	7.53
164050		2.58	0.021		<0.5	8.11	<5	100	<0.5	<2	6.21	<0.5	38	115	176	6.62
164051		2.73	0.045		<0.5	7.78	<5	220	0.7	<2	3.86	<0.5	20	41	45	5.36
164052		2.54	0.084		<0.5	7.68	<5	210	<0.5	<2	5.01	<0.5	34	148	348	6.13
164053		2.54	0.046		<0.5	6.89	5	180	<0.5	<2	5.71	<0.5	36	704	58	8.26
164054		2.60	0.061		<0.5	5.61	<5	180	<0.5	<2	5.58	<0.5	45	1225	12	8.13
164055		0.06	1.830		19.1	8.48	<5	60	3.2	<2	0.35	<0.5	1	15	6	2.97
164056		2.75	5.48		<0.5	4.96	<5	90	<0.5	<2	5.68	<0.5	45	1280	147	9.69
164057		1.98	0.345		<0.5	6.83	<5	350	<0.5	<2	3.18	<0.5	32	610	36	6.54
164058		1.91	0.095		<0.5	6.39	<5	420	<0.5	<2	3.72	<0.5	46	622	30	6.05
164059		2.54	0.055		<0.5	5.81	<5	40	<0.5	<2	6.32	<0.5	63	929	13	8.05
164060		2.92	0.139		<0.5	5.20	<5	60	<0.5	<2	7.07	<0.5	51	1055	131	8.48





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 8-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013036

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
164021		1.09	0.25	260	1	3.45	3	90	5	0.29	<5	100	0.11	11	<10	15
164022		1.46	2.88	1430	<1	1.86	82	370	7	1.19	<5	224	0.45	209	10	84
164023		3.73	0.26	207	1	2.06	5	180	31	0.02	<5	246	0.09	18	<10	28
164024		0.96	1.81	960	1	2.69	34	700	5	0.64	<5	156	0.45	126	<10	66
164025		0.95	2.48	830	<1	2.06	80	720	5	0.36	<5	264	0.42	126	<10	50
164026		1.02	2.51	1100	<1	1.80	46	510	4	0.69	<5	237	0.42	174	<10	71
164027		1.25	2.82	1060	1	1.61	65	470	10	0.82	<5	177	0.42	173	<10	115
164028		0.97	3.58	1410	<1	1.55	88	380	5	1.14	<5	144	0.44	215	10	90
164029		1.18	4.00	1350	<1	1.16	75	370	5	0.52	<5	139	0.45	219	10	89
164030		0.19	0.07	118	<1	7.1	4	630	121	3.10	<5	21	0.01	2	<10	18
164031		1.16	2.30	648	<1	2.28	44	220	2	0.18	<5	119	0.27	110	<10	46
164032		1.62	4.48	1150	<1	1.26	86	360	5	0.05	<5	121	0.44	213	<10	66
164033		1.50	4.15	1290	<1	1.17	72	380	3	0.57	<5	105	0.45	215	<10	85
164034 DUP		1.46	4.06	1265	<1	1.17	71	370	2	0.61	<5	104	0.45	215	<10	83
164035		1.19	4.42	1235	<1	1.51	80	380	3	0.17	<5	117	0.45	226	10	65
164036		1.44	4.87	1155	<1	1.53	134	690	5	0.19	<5	244	0.39	178	10	69
164037		1.62	3.42	1030	<1	2.15	70	960	9	0.23	<5	596	0.49	173	<10	87
164038		1.07	5.56	1245	<1	1.41	185	430	5	0.21	<5	243	0.42	198	<10	70
164039		1.65	10.60	1215	1	0.45	606	340	4	0.10	<5	90	0.25	140	<10	78
164040		1.14	7.11	1385	<1	0.82	356	260	11	0.32	<5	95	0.36	196	<10	92
164041		1.29	3.25	1230	<1	0.67	78	350	6	0.70	<5	107	0.40	186	10	52
164042		1.17	3.21	1135	<1	1.12	83	360	3	1.21	<5	109	0.42	195	<10	71
164043		0.79	3.29	1075	<1	1.58	76	370	4	1.27	<5	136	0.43	201	<10	60
164044 DUP		0.77	3.13	1030	<1	1.49	82	340	<2	1.33	<5	129	0.43	196	10	58
164045		0.93	4.41	1280	1	1.06	124	390	5	0.71	<5	168	0.37	186	10	90
164046		3.98	0.20	162	1	1.96	5	160	31	0.02	<5	136	0.08	9	<10	26
164047		1.01	2.86	1085	<1	1.22	75	320	3	1.14	<5	105	0.41	190	20	55
164048		0.72	3.15	1100	<1	1.37	71	330	2	1.20	<5	112	0.41	196	10	58
164049		0.52	3.45	1125	<1	1.32	66	360	4	0.64	<5	129	0.41	194	<10	56
164050		0.65	3.19	1025	1	1.68	67	340	6	0.45	<5	143	0.38	176	<10	58
164051		1.14	1.76	923	<1	2.12	20	840	3	0.18	<5	153	0.47	115	<10	75
164052		0.96	2.86	1025	<1	1.67	76	290	6	0.43	<5	133	0.34	155	10	79
164053		1.30	7.17	1290	1	0.98	354	340	6	0.31	<5	247	0.31	161	<10	102
164054		1.79	10.10	1235	<1	0.40	577	240	6	0.07	<5	63	0.26	167	<10	136
164055		0.19	0.08	112	<1	7.1	8	630	125	3.03	<5	21	0.01	2	<10	22
164056		0.99	9.22	1460	10	0.37	571	250	184	1.04	<5	52	0.25	150	<10	539
164057		1.90	5.33	983	1	1.98	293	580	25	0.42	<5	125	0.40	131	<10	225
164058		1.66	7.22	947	<1	1.62	353	590	<2	0.27	<5	109	0.36	121	<10	56
164059		0.32	12.20	1505	<1	0.66	560	330	2	0.06	6	98	0.25	148	10	189
164060		0.43	9.14	1970	<1	0.72	329	200	9	0.38	8	58	0.25	156	<10	164



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013036**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
164061		3.26	1.185		<0.5	7.91	<5	120	<0.5	<2	6.56	<0.5	40	169	43	7.86
164062		1.49	0.044		<0.5	7.84	<5	230	0.7	<2	2.03	<0.5	13	22	35	4.64
164063		3.17	0.042		<0.5	7.81	7	70	<0.5	<2	7.40	<0.5	38	180	7	7.35
164064		2.86	0.036		<0.5	8.03	<5	70	0.5	<2	8.04	<0.5	39	227	22	7.44
164065		2.73	0.038		<0.5	7.53	<5	120	<0.5	<2	8.44	<0.5	36	203	6	7.19
164066		2.71	0.019		<0.5	7.78	<5	110	<0.5	<2	6.83	<0.5	47	279	23	7.69
164067		0.06	1.010		10.7	8.75	<5	50	3.3	<2	0.36	<0.5	<1	22	8	2.78
164068		2.83	0.196		<0.5	7.71	<5	180	<0.5	<2	6.74	<0.5	41	290	32	8.14
164069		2.60	0.917		<0.5	6.00	<5	70	<0.5	<2	7.13	<0.5	46	263	138	8.65
164070 DUP		<0.02	0.973		<0.5	6.17	<5	80	<0.5	<2	7.11	<0.5	45	260	138	8.71
164071		2.75	1.140		<0.5	6.43	<5	90	<0.5	<2	6.57	<0.5	35	227	38	7.06
164072		2.60	0.035		<0.5	7.93	<5	120	<0.5	<2	7.47	<0.5	44	343	6	8.04
164073		2.54	0.053		<0.5	7.46	5	150	<0.5	<2	7.04	<0.5	41	456	9	7.59
164074		2.75	2.82		<0.5	5.88	<5	70	<0.5	<2	6.33	<0.5	51	1065	48	8.08
164075		0.13	0.062	0.065	<0.5	7.16	<5	570	0.9	<2	0.93	<0.5	2	40	6	1.96
164076		2.60	1.140		<0.5	5.87	<5	100	<0.5	<2	6.58	<0.5	50	1110	11	8.25
164077		2.75	0.013		<0.5	8.11	<5	540	0.8	<2	2.87	<0.5	8	92	18	2.14
164078		2.23	0.041		<0.5	6.40	<5	140	<0.5	<2	6.04	<0.5	57	799	27	7.16
164079		1.32	0.044		<0.5	6.40	<5	90	<0.5	<2	5.83	<0.5	67	1165	33	7.71
164080		1.24	0.106		<0.5	5.80	<5	90	<0.5	<2	5.96	<0.5	50	899	18	7.01



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013036**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
164061		1.03	5.49	1535	<1	1.23	109	290	<2	0.29	<5	145	0.40	224	<10	83
164062		1.45	1.26	833	<1	2.96	5	1020	2	0.22	6	246	0.52	87	<10	40
164063		0.72	5.16	1485	<1	1.48	86	240	2	0.01	<5	136	0.40	234	<10	67
164064		0.61	5.28	1395	<1	1.73	89	340	<2	0.03	<5	183	0.38	220	10	67
164065		1.22	5.23	1435	<1	1.17	83	250	4	<0.01	<5	82	0.38	218	<10	62
164066		1.05	5.46	1465	<1	1.41	102	260	<2	0.03	<5	149	0.39	236	<10	67
164067		0.20	0.09	39	<1	7.2	4	600	114	2.75	<5	22	0.01	2	<10	18
164068		1.41	5.75	1570	<1	1.13	115	250	4	0.15	<5	116	0.39	230	50	88
164069		0.71	5.64	1675	<1	0.81	140	270	4	0.81	<5	70	0.30	200	550	90
164070 DUP		0.73	5.71	1685	<1	0.84	135	300	8	0.81	5	73	0.30	199	510	90
164071		1.01	5.03	1370	<1	1.00	121	240	6	0.22	8	99	0.33	195	210	70
164072		1.09	6.31	1460	<1	1.18	150	250	3	0.01	5	118	0.39	233	<10	70
164073		1.25	5.80	1385	<1	1.27	156	250	5	0.05	9	129	0.38	225	<10	76
164074		0.83	8.52	1325	<1	0.60	496	200	2	0.23	<5	105	0.28	174	430	81
164075		4.36	0.30	189	1	2.21	16	150	36	0.01	<5	154	0.08	10	<10	29
164076		1.22	9.92	1390	<1	0.48	583	200	<2	0.04	6	70	0.28	174	<10	83
164077		1.26	1.28	350	<1	3.08	39	530	5	0.08	<5	396	0.23	44	<10	39
164078		0.96	8.66	1235	<1	0.62	431	370	4	0.05	8	231	0.33	160	10	78
164079		1.02	10.00	1260	<1	0.74	607	290	<2	0.08	6	86	0.31	171	<10	78
164080		1.01	8.11	1185	<1	0.72	472	240	<2	0.10	5	171	0.24	135	<10	110



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 5-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06013162

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 14-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 5-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013162

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
160839		1.18	22.2	739	8.73	15.951	21.59	1150.5	8.82	8.64
160918		2.41	12.90	72.5	11.50	4.037	55.66	2349	11.25	11.70

Comments: Sample from VO06010300.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 3-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06013164

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 3-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013164

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
166002		1.10	17.85	886	15.05	3.096	3.48	1081.0	15.15	14.95
166069		1.02	52.4	687	44.9	8.022	11.68	993.2	47.5	42.3

Comments: Sample from VO06008036.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: **5-MAR-2006**  
Account: **TRAVEN**

## CERTIFICATE VO06013165

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 15-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 5-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013165

Sample Description	Method Analyte Units LOA	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
161003		0.79	19.60	192.5	13.35	5.361	27.85	765.3	13.10	13.55
161032		1.09	50.6	783	45.8	4.897	6.26	944.5	45.9	45.6

Comments: Sample from VO06010301.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 10-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06013489

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 17-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013489

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
161221		2.53	0.119			0.7	8.95	<5	130	<0.5	<2	6.64	<0.5	66	602	854
161222		3.21	0.149			0.6	7.36	<5	220	<0.5	<2	5.36	<0.5	47	492	396
161223		2.68	1.270			0.5	7.20	<5	120	<0.5	<2	7.24	<0.5	58	721	315
161224		2.79	0.285			<0.5	7.78	<5	150	0.5	<2	5.55	<0.5	38	579	120
161225		2.59	0.254			<0.5	6.22	<5	70	<0.5	<2	6.42	<0.5	57	1035	76
161226		2.94	0.981	1.185		0.5	7.52	<5	280	<0.5	2	5.23	<0.5	40	231	399
161227		2.57	0.910			0.5	7.31	<5	250	<0.5	<2	5.47	<0.5	39	321	160
161228		2.15	1.295			0.5	7.33	<5	350	<0.5	<2	4.88	<0.5	34	338	140
181229		2.33	0.355			<0.5	6.14	<5	170	<0.5	<2	4.94	<0.5	36	787	132
161230		2.06	1.760			0.6	4.60	<5	80	<0.5	<2	4.17	<0.5	42	582	145
161231 DUP		<0.02	1.735			<0.5	4.72	<5	80	<0.5	<2	4.38	0.5	42	565	148
161232		0.11	<0.005			<0.5	7.42	<5	560	0.9	<2	0.98	<0.5	1	17	8
161233		2.14	4.06			0.6	5.21	9	130	<0.5	2	5.62	2.1	48	896	108
161234		2.04	0.148			<0.5	5.59	5	50	<0.5	<2	5.68	<0.5	49	1160	7
161235		2.66	1.010			<0.5	4.97	<5	30	<0.5	<2	5.19	<0.5	51	1200	49
181236		1.04	>10.0		44.1	0.9	3.93	10	60	<0.5	<2	4.23	<0.5	41	863	18
161237		2.37	0.380			1.0	5.58	9	120	0.6	<2	6.69	<0.5	54	747	79
161238		0.05	1.800			18.9	7.73	8	70	3.0	2	0.30	<0.5	1	10	6
161239		1.60	0.123			<0.5	7.58	<5	450	0.9	<2	3.11	<0.5	18	182	55
161240		2.50	0.092			<0.5	8.59	9	340	0.9	<2	3.72	<0.5	20	300	32
161241		2.42	0.284			<0.5	8.13	<5	360	0.5	<2	4.02	<0.5	25	415	57
161242		2.84	0.068			<0.5	9.08	8	390	0.8	<2	4.87	<0.5	29	306	22
161243		2.86	0.739			<0.5	5.39	9	40	<0.5	<2	6.58	<0.5	55	1135	11
161244		4.00	0.221			<0.5	7.50	11	410	0.5	<2	3.99	<0.5	32	570	23
161245		1.32	0.016			<0.5	8.06	<5	370	0.6	<2	7.14	<0.5	50	660	31
161246		2.35	0.105			<0.5	7.53	12	330	0.6	<2	6.55	<0.5	50	649	26
161247		2.71	0.575			<0.5	5.87	10	110	<0.5	<2	6.35	<0.5	58	1045	16
161248		2.64	0.091			<0.5	5.45	<5	30	<0.5	<2	6.55	<0.5	64	1165	6
161249		2.56	0.328			<0.5	5.68	<5	40	<0.5	<2	5.65	<0.5	64	1325	11
161250		2.31	2.16	1.900		<0.5	5.00	<5	20	<0.5	<2	6.37	<0.5	47	1245	35
161251 DUP		<0.02	1.570	1.455		<0.5	4.83	<5	20	<0.5	<2	6.08	<0.5	46	1250	36
161252		0.06	<0.005			<0.5	7.38	8	600	0.9	<2	0.95	<0.5	2	36	15
161253		2.73	0.361			<0.5	7.05	<5	270	0.6	<2	3.83	<0.5	23	472	43
161254		3.10	0.176			<0.5	6.98	<5	280	0.5	<2	3.70	<0.5	32	622	49
161255		2.65	0.702			<0.5	7.10	<5	150	<0.5	<2	3.98	<0.5	35	802	11
161256		2.59	0.227			<0.5	6.81	<5	300	<0.5	<2	4.28	<0.5	37	686	29
161257		2.65	0.190			<0.5	6.55	<5	130	<0.5	<2	5.23	<0.5	50	814	13
161258		2.82	0.077			<0.5	6.66	<5	130	<0.5	<2	4.74	<0.5	52	834	34
161259		0.05	0.970			11.1	8.01	<5	90	3.1	<2	0.33	<0.5	1	9	9
161260		2.58	0.273			<0.5	6.79	<5	60	<0.5	<2	5.69	<0.5	62	1060	22



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 10-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013489

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
161221	9.18	1.44	4.17	1620	1	0.71	304	310	6	1.97	<5	86	0.35	193	40	
161222	8.33	1.64	4.30	1520	<1	0.82	242	370	3	1.44	<5	102	0.38	200	20	
161223	10.00	0.99	6.21	1895	2	0.70	399	340	6	1.50	<5	78	0.34	198	30	
161224	7.69	0.80	5.61	1475	1	2.01	253	540	12	0.59	<5	142	0.38	186	10	
161225	7.97	0.51	9.09	1460	1	0.98	581	230	13	0.20	<5	43	0.28	176	<10	
161226	7.13	1.95	3.88	1225	1	1.11	124	370	8	0.99	<5	160	0.40	203	50	
161227	8.19	1.67	4.49	1455	<1	0.98	176	340	8	0.99	<5	108	0.40	204	20	
161228	7.64	2.37	4.52	1370	1	1.25	169	350	5	0.87	<5	90	0.39	204	10	
161229	8.25	0.98	7.36	1435	1	0.81	407	310	12	0.57	5	71	0.21	133	<10	
161230	8.20	0.68	7.72	1335	2	0.24	371	230	44	0.91	<5	44	0.19	122	<10	
161231 DUP	8.31	0.67	7.86	1365	2	0.23	373	240	50	0.95	<5	46	0.19	122	<10	
161232	2.11	4.24	0.27	202	1	2.35	10	180	71	0.01	<5	158	0.09	11	<10	
161233	8.41	1.12	8.95	1425	<1	0.21	496	420	445	0.52	<5	42	0.26	148	10	
161234	8.62	0.35	10.45	1455	<1	0.23	594	300	10	0.07	<5	41	0.26	173	<10	
161235	8.96	0.24	10.15	1435	<1	0.19	686	180	29	0.38	<5	28	0.23	150	10	
161236	6.37	0.45	7.35	1210	<1	0.22	510	110	8	0.10	<5	40	0.19	120	10	
161237	7.31	1.16	7.38	1590	<1	0.40	414	320	4	0.32	<5	125	0.26	157	<10	
161238	2.75	0.19	0.07	103	<1	6.3	4	630	125	3.05	<5	20	0.01	2	<10	
161239	4.09	1.88	1.62	641	<1	1.92	77	650	<2	0.45	<5	162	0.38	75	<10	
161240	5.24	1.11	2.79	836	<1	2.65	144	730	<2	0.27	<5	167	0.42	96	<10	
161241	4.27	2.18	3.36	618	<1	2.87	188	600	3	0.48	<5	105	0.35	93	<10	
161242	5.40	1.60	4.36	864	<1	1.86	152	750	<2	0.10	<5	317	0.41	136	<10	
161243	8.03	0.51	9.98	1640	<1	0.43	665	210	<2	0.09	5	48	0.26	166	<10	
161244	5.86	2.00	5.01	1075	<1	1.38	285	570	5	0.24	<5	244	0.38	130	<10	
161245	6.14	1.43	8.23	1005	<1	0.84	457	830	13	0.15	<5	475	0.25	128	<10	
161246	6.14	1.26	8.76	950	<1	0.71	536	770	<2	0.20	<5	370	0.24	130	<10	
161247	8.27	0.79	9.51	1430	<1	0.58	601	470	2	0.11	<5	93	0.34	178	<10	
161248	7.44	0.28	10.15	1305	<1	0.43	677	210	2	<0.01	<5	64	0.24	168	<10	
161249	8.71	0.56	10.35	1540	<1	0.36	731	200	<2	0.10	<5	45	0.29	188	<10	
161250	8.58	0.49	9.81	1695	<1	0.35	668	160	<2	0.21	<5	40	0.23	153	<10	
161251 DUP	8.26	0.46	9.52	1625	<1	0.34	648	170	7	0.21	<5	37	0.23	148	<10	
161252	2.29	4.42	0.32	223	<1	2.11	18	170	46	<0.01	<5	154	0.09	11	<10	
161253	5.93	1.05	3.78	1070	1	1.86	245	620	10	0.33	<5	144	0.34	100	<10	
161254	6.38	1.07	5.35	977	<1	1.52	318	480	7	0.46	<5	134	0.31	107	<10	
161255	6.58	0.61	6.98	1060	<1	1.98	450	200	2	0.11	<5	90	0.21	124	10	
161256	6.31	1.40	6.63	1100	<1	1.18	384	450	4	0.28	<5	227	0.26	125	<10	
161257	6.91	0.70	8.29	1285	1	0.76	496	380	<2	0.10	<5	95	0.30	162	<10	
161258	6.82	0.57	7.84	1200	1	0.84	493	450	5	0.24	<5	113	0.33	150	10	
161259	2.71	0.18	0.08	38	1	7.0	4	640	115	2.92	<5	19	0.01	2	<10	
161260	7.36	0.40	10.00	1380	1	0.97	627	230	6	0.03	<5	100	0.26	171	<10	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 10-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013489

Sample Description	Method Analyte Units LOA	ME-ICP61 Zn ppm 2
161221		74
161222		74
161223		78
161224		96
161225		223
161226		79
161227		87
161228		61
161229		96
161230		209
161231 DUP		201
161232		30
161233		810
161234		115
161235		120
161236		84
161237		114
161238		21
161239		45
161240		64
161241		253
161242		82
161243		118
161244		83
161245		80
161246		76
161247		111
161248		86
161249		127
161250		125
161251 DUP		128
161252		37
161253		77
161254		68
161255		79
161256		72
161257		86
161258		76
161259		18
161260		105



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 10-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013489**

Sample Description	Method Analysis Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
161261		2.41	0.016		<0.5	8.73	<5	470	0.6	<2	2.52	<0.5	12	88	27	
161262		2.29	0.048		<0.5	7.03	<5	220	<0.5	<2	4.73	<0.5	46	657	27	
161263		2.49	0.030		<0.5	8.01	<5	320	0.6	<2	3.86	<0.5	32	475	17	
161264		2.56	0.071		<0.5	6.84	<5	240	<0.5	<2	4.61	<0.5	47	809	32	
161265		2.86	0.099		<0.5	7.19	<5	250	<0.5	<2	4.38	<0.5	46	691	122	
161266 DUP		<0.02	0.101		<0.5	7.26	<5	250	<0.5	<2	4.45	<0.5	48	685	114	
161267		2.55	1.035		<0.5	6.23	<5	20	<0.5	<2	5.77	<0.5	71	1170	16	
161268		2.88	0.030		<0.5	7.52	<5	120	<0.5	<2	7.00	<0.5	49	363	16	
161269		2.34	0.028		<0.5	7.81	<5	70	<0.5	<2	7.74	<0.5	45	341	24	
161270		2.67	0.044		<0.5	7.04	<5	50	<0.5	<2	7.34	<0.5	40	305	41	
161271		2.64	0.016		<0.5	8.15	<5	60	<0.5	<2	9.14	<0.5	47	331	17	
161272		2.42	0.023		<0.5	7.70	<5	80	<0.5	<2	7.93	<0.5	46	308	14	
161273		2.48	0.069		<0.5	7.86	<5	200	0.5	<2	7.59	<0.5	37	272	43	
161274		2.46	1.450		<0.5	7.61	6	160	<0.5	<2	6.85	<0.5	48	338	9	
161275		0.10	<0.005		<0.5	7.50	<5	550	0.9	<2	1.02	<0.5	1	13	5	
161276		2.47	0.067		<0.5	7.75	<5	80	<0.5	<2	7.76	<0.5	41	291	17	
161277		2.64	0.017		<0.5	7.91	<5	80	<0.5	<2	8.96	<0.5	42	294	23	
161278		2.77	0.016		<0.5	7.21	<5	70	<0.5	<2	8.63	<0.5	48	312	64	
161279		0.04	1.800		21.4	8.59	<5	60	3.2	<2	0.36	<0.5	1	8	6	
161280		3.46	0.010		<0.5	7.59	<5	70	<0.5	<2	8.78	<0.5	43	295	14	
161281		1.89	0.056		<0.5	7.62	<5	140	<0.5	<2	8.01	<0.5	41	280	51	
161282		2.35	0.015		<0.5	7.53	<5	350	0.8	<2	3.32	<0.5	15	132	6	
161283		3.05	0.114		<0.5	7.52	<5	90	<0.5	<2	7.58	<0.5	41	278	31	
161284		2.60	0.033		<0.5	8.10	<5	120	<0.5	<2	6.63	<0.5	38	207	36	
161285		2.92	0.054		<0.5	7.77	<5	110	<0.5	<2	8.02	<0.5	42	291	10	
161286		3.17	0.260		<0.5	8.22	<5	100	<0.5	<2	7.84	<0.5	45	302	5	
161287		0.11	0.006		<0.5	7.42	<5	530	0.9	<2	0.92	<0.5	2	14	4	
161288		2.88	0.273		<0.5	7.55	<5	80	<0.5	<2	7.98	<0.5	43	286	27	
161289		3.04	0.158		<0.5	7.79	<5	130	<0.5	<2	8.87	<0.5	43	322	22	
161290		2.62	0.054		<0.5	7.30	<5	180	<0.5	<2	7.03	<0.5	45	349	32	
161291		0.06	0.984		11.0	7.73	<5	160	3.0	<2	0.31	<0.5	1	12	8	
161292		2.67	0.894		<0.5	7.25	<5	110	<0.5	7	7.05	<0.5	43	306	16	
161293		2.54	0.014		<0.5	7.03	<5	140	<0.5	<2	7.68	<0.5	42	293	18	
161294		2.62	0.018		<0.5	7.15	<5	70	<0.5	<2	7.63	<0.5	41	286	3	
161295		2.71	0.033		<0.5	7.20	<5	90	<0.5	<2	8.23	<0.5	44	325	15	
161296		2.73	0.476		<0.5	5.94	<5	140	<0.5	<2	5.43	<0.5	43	242	111	
161297 DUP		<0.02	0.439		<0.5	6.43	<5	170	<0.5	<2	5.46	<0.5	44	225	132	
161298		2.46	0.035		0.6	7.19	<5	190	<0.5	<2	6.71	<0.5	36	232	124	
161299		2.52	0.085		<0.5	7.45	<5	150	<0.5	<2	5.50	<0.5	29	225	18	
161300		2.40	0.008		<0.5	8.91	<5	130	0.7	<2	5.31	<0.5	28	38	28	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013489

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
161261		2.57	1.41	1.48	363	1	3.48	56	420	7	0.09	<5	241	0.19	53	<10
161262		6.43	0.92	6.44	1160	1	1.29	379	570	5	0.06	<5	152	0.38	156	<10
161263		6.10	1.35	4.62	1010	1	1.79	243	710	3	0.06	<5	140	0.41	137	<10
161264		6.74	1.23	7.05	1140	<1	1.06	440	480	4	0.11	<5	172	0.35	161	<10
161265		6.20	0.92	6.60	1135	<1	1.48	384	570	6	0.13	<5	284	0.35	150	<10
161266 DUP		6.22	0.92	6.66	1145	<1	1.50	397	590	6	0.12	<5	290	0.36	152	<10
161267		7.84	0.18	11.20	1385	<1	0.53	724	230	2	0.03	<5	73	0.26	186	<10
161268		7.62	1.02	6.07	1350	<1	1.38	190	260	<2	0.04	<5	144	0.36	228	<10
161269		7.96	0.82	5.27	1445	<1	1.68	157	250	9	0.05	<5	145	0.37	236	20
161270		7.31	0.44	4.52	1400	<1	1.25	133	230	9	0.11	<5	138	0.33	214	40
161271		8.43	0.42	5.23	1605	<1	1.57	146	260	6	0.06	<5	156	0.39	247	<10
161272		8.04	0.54	5.25	1505	<1	1.57	147	240	6	0.05	<5	150	0.37	237	<10
161273		7.07	1.20	5.13	1320	<1	1.60	166	710	7	0.13	<5	230	0.37	189	10
161274		7.74	0.83	6.20	1395	<1	1.52	164	300	7	0.03	<5	122	0.37	231	<10
161275		1.84	4.28	0.26	182	1	2.34	5	190	44	<0.01	<5	160	0.08	10	<10
161276		7.64	0.56	5.08	1390	<1	1.46	132	250	3	0.07	<5	150	0.38	242	<10
161277		7.91	0.46	4.79	1455	<1	1.69	142	250	4	0.09	<5	168	0.36	229	<10
161278		8.01	0.42	5.91	1495	<1	1.34	253	770	7	0.25	<5	166	0.41	221	130
161279		2.97	0.19	0.07	116	1	7.2	6	680	138	3.22	<5	20	0.01	2	<10
161280		7.61	0.58	4.80	1460	<1	1.45	141	240	<2	0.06	<5	161	0.36	229	10
161281		7.89	0.75	4.91	1460	<1	1.52	135	260	3	0.14	6	174	0.35	221	<10
161282		3.34	0.98	1.66	561	1	2.97	52	140	7	0.04	<5	167	0.18	80	<10
161283		7.52	0.59	4.70	1340	1	1.51	142	280	4	0.08	<5	198	0.35	217	10
161284		7.79	0.74	3.75	1335	<1	2.42	90	830	5	0.21	<5	267	0.53	182	<10
161285		7.81	0.60	4.86	1465	<1	1.77	135	260	6	0.03	<5	180	0.37	238	<10
161286		6.02	0.62	5.25	1470	<1	1.74	136	250	2	0.02	<5	150	0.38	243	10
161287		1.96	4.17	0.24	182	<1	2.30	7	180	39	<0.01	<5	155	0.08	9	<10
161288		7.49	0.61	4.63	1415	<1	1.29	128	250	4	0.10	<5	150	0.35	220	<10
161289		7.63	0.54	4.61	1405	1	1.52	124	250	5	0.08	<5	168	0.36	228	30
161290		7.51	0.82	5.24	1365	<1	1.51	142	240	3	0.05	<5	130	0.36	230	10
161291		2.54	0.18	0.07	34	1	6.8	4	620	106	2.70	<5	18	0.01	2	<10
161292		7.19	0.72	5.16	1295	<1	1.56	162	240	2	0.05	<5	129	0.35	221	<10
161293		7.32	0.54	4.95	1360	<1	1.47	134	230	4	0.08	<5	156	0.34	211	<10
161294		7.20	0.39	5.00	1270	<1	1.38	128	240	3	0.01	<5	124	0.33	210	<10
161295		7.50	0.52	4.65	1360	<1	1.29	130	240	13	0.03	<5	183	0.35	222	10
161296		6.56	0.87	3.77	1150	<1	1.02	128	580	5	0.56	<5	193	0.38	149	<10
161297 DUP		7.03	0.87	3.89	1200	1	1.18	122	580	5	0.67	<5	203	0.38	148	<10
161298		6.73	1.03	3.34	1320	<1	1.53	110	510	7	0.53	<5	194	0.42	179	<10
161299		5.95	0.72	3.57	1025	1	2.07	96	350	5	0.10	<5	166	0.34	180	<10
161300		6.60	0.71	2.77	925	<1	2.72	58	1810	12	0.20	<5	389	0.71	170	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013489

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
161261		48
161262		82
161263		79
161264		86
161265		88
161266 DUP		87
161267		86
161268		69
161269		76
161270		70
161271		91
161272		87
161273		115
161274		97
161275		28
161276		90
161277		74
161278		88
161279		20
161280		64
161281		79
161282		45
161283		64
161284		82
161285		76
161286		61
161287		27
161288		61
161289		61
161290		68
161291		16
161292		61
161293		63
161294		56
161295		72
161296		69
161297 DUP		84
161298		100
161299		68
161300		108





**ALS Chemex**  
 EXCELLENCE IN ANALYTICAL CHEMISTRY  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 10-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06013489**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
161301		1.42	2.69			3.5	6.79	<5	120	<0.5	2	4.95	0.6	69	250	2760
161302		2.09	0.877			0.7	7.46	<5	220	0.6	<2	3.90	<0.5	27	270	423
161303		1.29	4.24			1.9	6.47	<5	130	<0.5	<2	5.12	<0.5	55	622	1050
161304		0.11	<0.005			<0.5	6.49	<5	500	0.9	<2	0.83	<0.5	1	19	14
161305		2.54	0.990			0.5	7.00	<5	130	<0.5	<2	6.05	<0.5	44	642	435
161306		2.92	0.138			<0.5	7.99	<5	230	0.5	<2	4.70	<0.5	24	162	65
161307		1.63	1.435			<0.5	6.05	<5	140	<0.5	<2	5.42	<0.5	44	712	151
161308		1.95	0.031			<0.5	7.92	<5	210	<0.5	<2	6.71	<0.5	40	225	95
161309		1.63	0.130			<0.5	5.17	<5	100	<0.5	<2	4.79	<0.5	62	1660	93
161310		2.42	0.536			<0.5	4.89	15	10	<0.5	<2	5.30	<0.5	70	1580	59
161311		2.50	0.071			<0.5	5.34	<5	30	<0.5	<2	5.20	<0.5	72	1490	122
161312		2.95	0.731	0.611		<0.5	3.58	6	10	<0.5	<2	4.22	<0.5	77	1880	243
161313 DUP		<0.02	0.433	0.529		<0.5	3.60	11	10	<0.5	<2	4.38	<0.5	82	2020	246
161314		2.50	0.150			<0.5	3.47	9	<10	<0.5	<2	4.11	<0.5	87	2040	192
161315		2.12	0.730			0.5	3.65	<5	<10	<0.5	<2	5.28	<0.5	89	2040	207
161316		2.74	0.476			<0.5	4.34	<5	20	<0.5	<2	4.50	<0.5	62	1825	72
161317		2.84	1.045			<0.5	5.64	6	80	<0.5	<2	5.18	<0.5	49	1330	141
161318		0.06	1.800			20.3	7.91	<5	70	3.2	<2	0.33	<0.5	1	9	6
181319		3.11	0.050			<0.5	6.01	<5	200	<0.5	<2	5.10	<0.5	48	1130	11
161320		2.61	0.202			<0.5	5.50	<5	90	<0.5	<2	5.69	<0.5	49	1330	8



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013489

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	
161301		7.94	1.37	3.50	1250	1	0.81	176	330	7	2.02	<5	77	0.36	198	10
161302		5.51	1.84	2.09	883	1	1.66	85	520	5	0.47	<5	127	0.43	152	10
161303		7.57	1.47	3.18	1300	1	0.64	273	320	6	1.50	<5	76	0.33	172	30
161304		1.60	3.99	0.20	152	1	2.12	4	150	32	0.02	<5	138	0.08	9	<10
161305		8.13	1.07	5.15	1525	1	0.88	242	360	4	0.74	<5	114	0.33	181	10
161306		6.48	1.11	2.89	1165	1	1.70	75	750	5	0.43	<5	165	0.47	146	20
161307		9.37	0.88	6.47	1575	<1	0.87	358	290	8	0.96	<5	124	0.30	177	<10
161308		7.40	0.70	4.64	1265	<1	2.11	164	1670	4	0.47	<5	804	0.56	182	<10
161309		7.38	0.22	10.40	1325	<1	0.41	807	240	2	0.37	<5	99	0.24	149	<10
161310		7.88	0.15	13.20	1430	<1	0.15	982	220	<2	0.19	<5	33	0.24	157	<10
161311		7.37	0.26	12.45	1330	<1	0.49	915	350	<2	0.42	<5	170	0.29	146	<10
161312		6.79	0.10	13.75	1285	<1	0.09	1180	130	<2	0.60	<5	49	0.17	112	<10
161313 DUP		7.03	0.08	14.35	1340	<1	0.09	1235	160	5	0.61	<5	41	0.17	114	<10
161314		6.94	0.01	14.95	1285	<1	0.05	1295	130	2	0.65	<5	27	0.17	115	<10
161315		6.87	0.03	13.60	1460	<1	0.08	1180	130	25	1.04	<5	37	0.17	116	<10
161316		7.38	0.34	12.25	1340	<1	0.14	859	160	3	0.31	<5	35	0.19	132	<10
161317		9.95	1.63	9.59	1535	5	0.36	614	190	9	0.87	<5	54	0.26	168	<10
161318		2.72	0.19	0.09	112	<1	6.9	8	650	121	2.93	5	19	0.02	2	<10
161319		7.55	1.86	8.69	1235	<1	0.47	539	320	5	0.06	<5	157	0.26	166	<10
161320		7.64	0.77	9.75	1340	<1	0.37	664	190	4	0.04	<5	59	0.25	168	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 [www.alschemex.com](http://www.alschemex.com)

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 10-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06013489

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
161301		100
161302		86
161303		90
161304		26
161305		118
161306		82
161307		115
161308		101
161309		115
161310		131
161311		114
161312		122
161313 DUP		127
161314		176
161315		272
161316		104
161317		112
161318		20
161319		116
161320		93



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 15-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06014120

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 17-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 15-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014120

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
161321		2.51	0.587		<0.5	5.55	<5	50	<0.5	2	5.51	<0.5	52	1185	31	8.08
161322		2.90	0.312		<0.5	5.92	<5	40	<0.5	2	5.35	<0.5	54	1290	17	8.79
161323		2.54	0.862		<0.5	4.30	<5	110	<0.5	2	4.10	<0.5	37	950	55	7.65
161324		3.15	0.875	1.015	<0.5	4.81	<5	40	<0.5	2	4.96	<0.5	52	1405	47	7.87
181325		2.37	4.55	5.13	0.5	3.30	<5	40	<0.5	13	3.66	<0.5	35	927	100	6.40
161326		0.11	0.099	NSS	<0.5	6.86	<5	510	0.9	2	1.02	<0.5	3	73	8	2.26
161327		3.17	0.971	1.020	<0.5	5.35	<5	50	<0.5	3	5.89	<0.5	44	1205	48	9.35
181328		2.69	0.960	0.485	<0.5	5.04	<5	40	<0.5	<2	5.06	<0.5	49	1185	37	8.03
161329		2.46	4.00		<0.5	4.19	<5	60	<0.5	3	4.43	<0.5	52	1335	128	8.51
161330		2.05	1.200		<0.5	3.69	<5	50	<0.5	<2	4.30	<0.5	38	1145	65	7.18
161331 DUP		<0.02	1.065		<0.5	3.70	<5	40	<0.5	2	4.31	<0.5	37	1085	64	7.22
161332		2.78	0.070		<0.5	6.10	<5	140	<0.5	2	5.41	<0.5	39	1045	25	6.98
161333		2.63	0.017		<0.5	9.48	<5	480	0.8	4	5.42	<0.5	27	52	60	6.33
161334		2.40	0.009		<0.5	8.78	<5	490	0.8	3	5.27	<0.5	30	114	54	5.66
161335		1.80	0.005		<0.5	7.31	<5	420	0.7	<2	5.21	<0.5	32	371	23	5.01
161336		0.05	0.981		9.8	7.98	7	50	3.0	2	0.31	<0.5	1	8	7	2.57
161337		3.35	1.185		<0.5	4.47	<5	10	<0.5	2	4.84	<0.5	46	1500	22	7.29
161338		2.91	0.469		<0.5	5.03	<5	60	<0.5	2	4.47	<0.5	43	1250	26	8.56
161339		2.81	0.450		<0.5	5.93	<5	50	<0.5	3	5.52	<0.5	48	1015	10	7.96
161340		2.84	0.564		<0.5	4.91	<5	60	<0.5	2	5.58	<0.5	48	1040	54	6.94
161341		2.81	0.423		<0.5	5.77	<5	40	<0.5	<2	5.38	<0.5	54	1130	56	7.25
161342		2.55	0.021		<0.5	7.94	5	400	0.7	3	7.01	<0.5	47	386	23	4.63
161343		2.80	0.072		<0.5	5.92	<5	20	<0.5	2	6.04	<0.5	68	1120	14	7.54
161344		2.72	0.209		<0.5	5.50	5	40	<0.5	<2	5.79	<0.5	63	1100	6	7.12
161345		2.92	1.425		<0.5	5.31	<5	30	<0.5	3	5.66	<0.5	54	949	19	6.54
161346 DUP		<0.02	1.800		<0.5	5.44	<5	30	<0.5	2	5.78	<0.5	54	1010	19	6.70
161347		3.63	0.218		<0.5	5.35	<5	30	<0.5	2	5.69	<0.5	58	1140	27	7.10
161348		1.79	0.015		<0.5	8.32	<5	580	0.6	2	2.03	<0.5	6	78	19	1.44
161349		2.46	0.068		<0.5	7.46	<5	160	<0.5	2	7.22	<0.5	41	361	21	7.66
161350		2.92	0.021		<0.5	7.68	<5	100	<0.5	<2	7.11	<0.5	41	313	20	7.65
161351		2.69	0.019		<0.5	7.87	<5	80	<0.5	2	6.88	<0.5	37	211	54	7.37
161352		2.61	0.037		<0.5	7.42	5	90	<0.5	2	10.05	<0.5	41	305	45	7.30
161353		0.12	<0.005		<0.5	7.35	<5	560	1.0	<2	0.78	<0.5	2	23	8	2.45
161354		2.73	0.016		<0.5	7.60	<5	100	<0.5	2	7.10	<0.5	43	351	11	7.58
161355		2.87	0.330		<0.5	6.36	<5	90	<0.5	<2	7.88	<0.5	39	305	46	7.10
161356		2.73	0.023		<0.5	6.66	<5	80	<0.5	2	7.52	<0.5	34	280	7	7.10
161357		2.92	0.104		<0.5	6.96	<5	90	<0.5	3	7.84	<0.5	46	369	46	7.96
161358		0.06	1.800		18.2	8.70	8	60	3.2	3	0.35	<0.5	1	3	5	2.82
161359		3.70	0.034		<0.5	7.46	<5	50	<0.5	<2	10.55	<0.5	39	216	52	7.29
161360		2.62	0.056		<0.5	6.69	5	460	1.2	<2	1.21	<0.5	1	12	14	1.72

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 15-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014120

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
161321		0.67	10.10	1395	3	0.33	818	220	2	0.18	<5	51	0.25	173	<10	107
161322		0.64	10.80	1505	<1	0.30	656	210	3	0.15	5	72	0.27	186	<10	120
161323		1.88	7.56	1340	<1	0.21	455	320	4	0.45	<5	59	0.23	136	<10	109
161324		0.86	10.90	1470	<1	0.21	749	270	8	0.40	<5	32	0.22	149	<10	201
161325		0.58	6.09	1090	1	0.16	413	110	2	0.63	<5	29	0.16	108	<10	86
161326		3.86	0.52	231	<1	2.11	28	150	34	0.03	<5	148	0.08	13	<10	39
161327		0.76	10.50	1685	<1	0.29	650	190	3	0.55	<5	41	0.25	168	<10	112
181328		0.52	9.93	1340	<1	0.22	607	170	<2	0.32	<5	30	0.23	158	<10	110
161329		1.24	8.65	1495	1	0.22	571	130	6	0.82	<5	31	0.20	130	<10	111
161330		0.95	8.61	1145	<1	0.22	535	130	5	0.42	<5	30	0.17	112	<10	92
161331 DUP		0.93	8.68	1150	<1	0.22	534	130	4	0.43	<5	30	0.17	110	<10	93
161332		1.13	8.94	1310	<1	0.82	568	250	5	0.21	<5	128	0.28	140	<10	108
161333		1.86	3.42	1040	<1	1.29	42	930	17	0.19	<5	624	0.55	188	<10	93
181334		1.64	3.44	970	<1	1.71	73	920	10	0.19	<5	661	0.48	162	<10	92
161335		1.59	5.21	918	<1	1.35	217	1190	6	0.11	<5	690	0.31	121	<10	89
161336		0.18	0.06	32	<1	6.4	2	590	111	2.68	<5	19	0.01	2	<10	16
161337		0.20	11.50	1250	<1	0.21	780	160	3	0.19	<5	31	0.20	140	<10	145
161338		0.63	10.45	1395	<1	0.22	644	160	5	0.19	<5	53	0.25	156	<10	119
161339		0.66	9.96	1335	<1	0.28	549	210	<2	0.12	<5	88	0.27	180	<10	102
161340		0.67	7.34	1325	<1	0.29	547	170	4	0.40	<5	73	0.23	152	110	87
161341		0.28	10.05	1265	<1	0.50	637	200	4	0.18	<5	119	0.22	156	<10	88
161342		1.32	8.12	783	<1	0.68	496	1090	15	0.10	<5	526	0.22	98	<10	66
161343		0.17	11.15	1280	<1	0.44	646	170	<2	0.04	<5	71	0.23	177	<10	76
161344		0.39	10.30	1240	<1	0.41	621	200	<2	0.02	<5	64	0.24	172	<10	73
161345		0.35	8.97	1190	<1	0.35	539	170	2	0.14	<5	83	0.23	140	10	84
161346 DUP		0.35	9.24	1220	<1	0.36	555	190	3	0.15	<5	82	0.23	146	10	86
161347		0.34	10.10	1235	2	0.36	594	180	<2	0.15	<5	42	0.24	164	<10	121
161348		1.16	0.87	170	<1	3.83	37	220	3	0.07	<5	211	0.10	25	<10	33
161349		1.07	5.29	1340	<1	1.50	166	230	<2	0.04	<5	151	0.36	220	10	74
161350		0.71	5.21	1325	<1	1.63	134	300	<2	0.07	<5	181	0.38	225	<10	64
161351		0.60	4.47	1295	<1	1.70	88	520	<2	0.15	<5	198	0.39	225	<10	74
161352		0.64	4.63	1485	<1	1.43	124	230	28	0.13	<5	183	0.37	217	<10	247
161353		4.63	0.23	212	1	2.09	6	180	35	0.01	<5	147	0.08	10	<10	56
161354		0.81	4.89	1300	<1	1.86	127	230	3	0.03	<5	194	0.38	228	<10	117
161355		0.83	4.65	1365	<1	1.61	114	250	4	0.20	<5	111	0.34	204	20	66
181356		0.58	4.85	1245	<1	1.91	109	210	2	0.04	<5	97	0.31	187	<10	49
161357		0.64	6.02	1475	<1	1.43	209	640	3	0.10	<5	159	0.43	224	<10	78
161358		0.20	0.07	114	<1	6.9	3	670	124	3.03	<5	20	0.01	2	<10	19
161359		0.51	5.06	1335	<1	0.92	124	690	2	0.17	<5	105	0.42	210	<10	80
161360		1.08	0.13	214	<1	3.23	2	70	7	0.10	<5	122	0.10	2	<10	21

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014120

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161361		1.79	0.160		<0.5	7.09	<5	130	<0.5	5	7.04	<0.5	38	308	60	7.33
161362		2.81	0.044		<0.5	7.68	6	120	<0.5	<2	7.15	<0.5	41	345	37	7.82
161363		2.50	0.109		<0.5	7.41	7	130	<0.5	5	6.91	<0.5	42	309	12	7.62
181364		2.82	0.150		<0.5	7.65	<5	140	<0.5	<2	6.86	<0.5	39	312	33	7.10
161365		2.91	0.136		<0.5	7.33	<5	90	<0.5	<2	7.70	<0.5	39	315	31	7.58
181366		2.70	1.815		<0.5	6.86	<5	80	<0.5	<2	9.16	<0.5	39	297	35	7.33
161367		0.12	<0.005		<0.5	6.74	<5	540	0.9	<2	0.95	<0.5	2	20	7	2.02
161368		2.75	0.059		<0.5	7.34	<5	70	<0.5	<2	7.24	<0.5	37	258	11	7.30
161369		2.90	0.034		<0.5	7.27	<5	110	<0.5	<2	8.38	<0.5	37	254	23	7.34
161370		2.13	0.077		<0.5	7.12	<5	80	<0.5	<2	9.93	<0.5	40	271	14	7.35
181371		3.17	0.146		<0.5	8.04	<5	270	0.6	<2	5.27	<0.5	22	155	25	5.77
161372		3.25	0.330		<0.5	5.51	<5	40	<0.5	<2	5.49	<0.5	62	770	17	8.39
161373		3.71	0.198		<0.5	7.10	<5	240	<0.5	<2	6.41	<0.5	42	364	35	7.37
161374		0.06	0.971		9.8	7.85	<5	40	3.0	<2	0.31	<0.5	1	7	8	2.67
161375		1.78	0.211		<0.5	7.82	<5	360	0.6	<2	4.84	<0.5	14	126	33	3.23
181376		3.06	0.097		<0.5	7.32	<5	250	0.5	<2	4.61	<0.5	23	170	30	4.83
161377		2.38	0.115		<0.5	7.20	<5	80	<0.5	<2	7.47	<0.5	42	311	9	7.47
161378		2.81	0.050		<0.5	7.25	<5	60	<0.5	<2	9.57	<0.5	37	297	19	7.29
161379 DUP		<0.02	0.066		<0.5	7.25	7	60	<0.5	<2	9.56	<0.5	40	284	19	7.30
161380		2.91	0.049		<0.5	7.40	<5	60	<0.5	<2	8.26	<0.5	41	299	20	7.44
161381		2.82	0.477		<0.5	7.30	5	100	<0.5	<2	7.41	<0.5	42	342	12	7.52
161382		2.79	0.051		<0.5	7.71	<5	140	<0.5	<2	6.51	<0.5	36	273	28	6.55
161383		2.87	0.008		<0.5	7.36	7	90	<0.5	<2	8.08	<0.5	44	396	36	7.56
161384		2.77	0.019		<0.5	7.56	5	80	<0.5	<2	8.09	<0.5	43	323	35	7.83
161385		2.60	0.189		<0.5	7.73	<5	100	<0.5	<2	8.00	<0.5	38	238	69	7.41
161386		2.75	0.011		<0.5	7.45	<5	160	<0.5	<2	7.47	<0.5	45	337	42	7.43
181387		2.93	0.006		<0.5	6.32	<5	80	<0.5	<2	6.40	<0.5	48	842	24	6.35
161388		3.04	0.009		<0.5	7.00	<5	50	<0.5	<2	7.77	<0.5	52	624	40	7.94
161389		2.63	0.021		<0.5	7.63	<5	260	<0.5	<2	5.49	<0.5	29	202	66	5.06
161390 DUP		<0.02	0.028		<0.5	7.45	5	250	<0.5	<2	5.51	<0.5	27	221	62	4.93
161391		2.85	0.012		<0.5	7.70	<5	110	<0.5	<2	7.70	<0.5	41	335	55	7.72
161392		2.42	0.006		<0.5	8.14	<5	90	0.5	<2	7.55	<0.5	36	184	74	7.63
161393		3.19	0.006		<0.5	8.46	<5	390	0.7	<2	3.02	<0.5	7	10	13	3.04
161394		2.11	0.013		<0.5	7.39	5	80	<0.5	<2	8.79	<0.5	40	294	18	7.41
161395		0.20	<0.005		<0.5	6.70	<5	520	0.8	<2	0.94	<0.5	2	12	5	1.80
161396		2.81	0.016		<0.5	7.53	<5	70	<0.5	<2	8.08	<0.5	41	314	20	7.38
161397		2.88	0.006		<0.5	7.50	<5	40	<0.5	<2	8.47	<0.5	44	317	9	7.69
161398		2.99	0.043		<0.5	7.06	<5	170	<0.5	<2	4.93	<0.5	25	191	9	4.12
161399		0.05	1.790		19.3	8.16	7	50	3.0	<2	0.32	<0.5	1	5	5	2.86
161400		2.62	0.015		<0.5	7.26	5	120	<0.5	<2	7.40	<0.5	42	301	11	7.18

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014120

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161361		0.88	4.68	1400	<1	1.26	130	240	2	0.15	<5	120	0.36	213	10	97
161362		0.85	5.10	1470	<1	1.80	134	240	7	0.25	<5	127	0.39	232	<10	137
161363		0.86	5.21	1440	<1	1.95	135	240	7	0.03	<5	143	0.37	224	10	136
161364		0.87	4.97	1340	<1	1.73	130	240	21	0.13	<5	134	0.35	204	10	102
161365		0.78	4.80	1350	<1	1.54	138	250	9	0.20	<5	133	0.36	217	10	84
161366		0.57	4.73	1335	<1	1.30	125	220	4	0.10	<5	127	0.34	205	<10	60
161367		4.12	0.27	195	<1	2.06	8	160	36	<0.01	<5	148	0.09	12	<10	28
161368		0.58	4.34	1260	<1	1.89	108	450	3	0.03	5	142	0.43	195	<10	61
161369		0.66	4.40	1320	<1	1.51	112	350	3	0.05	<5	174	0.38	194	<10	63
161370		0.53	4.86	1405	<1	1.23	115	240	6	0.02	<5	166	0.35	212	<10	65
161371		1.14	2.74	971	<1	1.97	65	630	5	0.09	<5	164	0.44	158	<10	77
161372		0.66	10.35	1330	1	0.35	418	190	7	0.11	<5	40	0.26	172	<10	87
161373		1.97	5.38	1350	<1	1.01	156	300	3	0.15	<5	159	0.39	234	20	87
161374		0.19	0.07	33	1	6.3	4	580	112	2.84	<5	18	0.01	2	<10	18
181375		0.91	1.57	671	<1	3.12	59	270	<2	0.09	<5	229	0.16	79	<10	48
161376		0.92	2.42	897	1	2.74	76	270	2	0.14	<5	161	0.27	122	<10	59
161377		0.56	5.04	1360	1	1.63	131	230	<2	0.04	<5	136	0.36	218	<10	66
161378		0.46	4.51	1365	<1	1.43	121	240	4	0.05	<5	145	0.36	217	40	54
161379 DUP		0.45	4.53	1365	<1	1.43	123	210	<2	0.05	6	143	0.36	219	30	54
161380		0.49	4.72	1325	1	1.40	128	230	2	0.08	5	135	0.37	223	<10	61
161381		0.61	5.22	1310	1	1.45	134	230	<2	0.03	<5	137	0.36	221	10	72
161382		0.83	4.59	1150	<1	1.99	114	230	3	0.09	7	121	0.32	191	<10	59
161383		0.62	5.53	1345	1	1.44	145	380	7	0.08	<5	179	0.37	215	<10	75
161384		0.66	4.91	1415	<1	1.12	131	250	4	0.24	<5	140	0.38	229	<10	69
161385		0.50	4.58	1310	<1	1.41	117	820	7	0.29	<5	465	0.52	205	<10	89
161386		0.80	4.80	1295	<1	1.43	131	350	3	0.24	6	226	0.43	237	10	76
181387		0.40	8.17	1160	<1	1.47	354	570	2	0.03	5	122	0.28	162	10	72
161388		0.38	7.41	1350	<1	1.08	247	540	2	0.15	<5	100	0.36	216	<10	96
161389		0.88	3.23	807	1	2.67	80	280	6	0.38	<5	174	0.24	135	<10	50
161390 DUP		0.87	3.19	798	<1	2.65	79	290	3	0.35	<5	173	0.24	135	<10	52
161391		0.66	5.05	1320	<1	1.46	138	280	5	0.32	<5	167	0.39	231	10	79
161392		0.52	4.16	1275	2	1.95	94	1360	7	0.27	<5	353	0.63	214	<10	108
161393		1.40	0.78	432	1	3.18	6	520	2	0.06	<5	225	0.25	69	<10	51
161394		0.58	5.00	1550	<1	1.35	114	240	5	0.04	<5	149	0.37	220	<10	81
161395		4.08	0.26	173	1	2.05	7	180	35	<0.01	<5	143	0.08	10	<10	27
161396		0.59	5.23	1335	<1	1.25	130	230	3	0.10	<5	119	0.38	230	<10	83
161397		0.34	5.13	1340	<1	1.23	136	270	5	0.02	6	130	0.37	225	10	61
161398		0.51	2.53	749	<1	2.35	78	210	5	0.03	<5	159	0.23	124	10	56
161399		0.18	0.06	105	1	6.7	7	620	126	3.11	5	19	0.01	2	<10	19
161400		0.69	5.00	1320	<1	1.42	128	240	<2	0.01	<5	142	0.36	219	<10	56

Comments: NSS is non-sufficient sample.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 15-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014120

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	AU-AA23 Au ppm	AU-AA23 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
161401		2.60	0.021		<0.5	7.63	<5	170	<0.5	<2	7.21	<0.5	33	187	23	6.48
161402		2.74	0.037		<0.5	7.59	<5	120	<0.5	<2	6.21	<0.5	33	191	28	6.91
161403		2.73	0.007		<0.5	7.36	9	100	<0.5	<2	7.27	<0.5	39	256	21	6.60
161404		2.71	0.017		<0.5	7.31	<5	140	<0.5	<2	7.54	<0.5	40	278	27	7.18
161405		2.96	0.258		<0.5	6.40	<5	360	1.0	<2	1.03	<0.5	2	13	43	1.50
161406		0.05	0.976		10.3	8.18	5	40	3.0	<2	0.32	<0.5	<1	8	8	2.55
161407		3.00	0.041		<0.5	7.44	<5	40	<0.5	<2	8.28	<0.5	39	287	7	7.41
181408		2.80	0.599		<0.5	7.40	<5	120	<0.5	<2	6.64	<0.5	34	261	18	6.05
161409		2.49	0.232		<0.5	7.55	<5	90	<0.5	<2	6.46	<0.5	32	183	54	6.81
161410		2.22	0.092		<0.5	6.78	<5	390	0.9	<2	2.06	<0.5	9	99	27	2.36
161411 DUP		<0.02	0.103		<0.5	6.81	<5	390	0.9	<2	2.04	<0.5	9	97	31	2.39
161412		3.29	3.63		<0.5	7.13	7	80	<0.5	<2	8.48	<0.5	42	300	46	7.44
181413		3.02	0.137		<0.5	7.59	<5	60	<0.5	<2	8.31	<0.5	49	330	59	8.28
161414		2.78	0.026		<0.5	7.61	<5	80	<0.5	<2	7.80	<0.5	45	292	23	7.98
161415		2.84	0.625		<0.5	7.46	<5	90	<0.5	<2	7.92	<0.5	46	321	43	7.76
161416		2.84	0.406		<0.5	7.55	<5	80	<0.5	<2	8.70	<0.5	46	301	43	7.81
161417		3.12	0.271		<0.5	7.04	<5	60	<0.5	<2	9.41	<0.5	43	279	39	7.36
161418		2.87	0.096		<0.5	7.02	<5	80	<0.5	<2	6.34	<0.5	44	268	22	6.66
161419		0.09	<0.005		<0.5	6.94	<5	510	0.9	<2	1.07	<0.5	2	11	6	1.92
161420		2.77	0.581		<0.5	7.29	6	110	<0.5	<2	7.50	<0.5	42	290	24	7.42

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014120

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	0.01	1	10	2	
161401		0.84	3.83	1210	<1	1.71	80	510	6	0.10	<5	200	0.40	172	<10	79
161402		0.62	3.50	1300	1	1.81	87	470	4	0.11	<5	155	0.44	186	<10	96
161403		0.64	4.93	1260	<1	1.59	100	470	3	0.09	<5	183	0.34	188	<10	63
181404		0.87	4.95	1425	<1	1.35	124	290	3	0.05	<5	131	0.36	213	<10	69
161405		0.88	0.12	165	1	3.52	3	80	10	0.44	<5	84	0.09	1	<10	15
161406		0.19	0.07	34	1	6.7	5	620	112	2.69	<5	19	0.01	2	<10	16
161407		0.34	4.96	1385	<1	1.31	133	230	6	0.01	<5	134	0.37	220	10	65
161408		0.56	3.93	1100	<1	1.84	111	220	4	0.09	<5	120	0.31	176	<10	56
161409		0.75	3.40	1315	1	1.56	88	480	10	0.17	6	158	0.46	188	<10	103
161410		2.35	1.42	565	1	1.32	24	180	14	0.12	5	58	0.12	46	10	59
181411 DUP		2.35	1.36	567	1	1.34	23	180	16	0.13	<5	60	0.13	47	<10	55
161412		0.66	4.86	1520	<1	1.22	131	220	3	0.20	5	115	0.35	212	<10	75
161413		0.49	5.01	1420	1	1.48	145	250	2	0.31	<5	130	0.38	234	<10	64
161414		0.53	5.25	1455	<1	1.63	138	240	<2	0.04	5	132	0.38	232	10	68
161415		0.58	4.89	1430	<1	1.47	144	240	2	0.11	<5	133	0.37	230	10	64
161416		0.51	4.72	1420	<1	1.46	150	230	<2	0.05	<5	126	0.37	231	10	61
161417		0.47	4.61	1450	<1	1.32	140	230	7	0.06	5	138	0.35	211	<10	62
161418		0.53	3.64	1185	1	1.62	110	410	4	0.04	<5	145	0.47	222	10	84
161419		4.03	0.25	175	2	2.16	6	150	34	<0.01	<5	146	0.09	11	<10	28
161420		0.55	4.89	1350	<1	1.47	124	280	5	0.03	<5	137	0.38	218	10	62

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 14-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06014121

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 17-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 14-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014121

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
161421		2.77	0.147		<0.5	7.87	8	140	<0.5	<2	5.99	<0.5	34	124	270	
161422		3.06	0.029		<0.5	8.24	<5	190	0.6	<2	4.93	<0.5	27	67	132	
161423		2.21	0.625		<0.5	7.90	<5	200	0.6	<2	4.86	<0.5	25	74	386	
161424		2.40	0.167		0.9	7.71	<5	170	0.5	<2	5.23	<0.5	29	97	565	
161425		2.22	0.654		0.5	7.37	<5	120	0.5	<2	5.87	<0.5	51	183	383	
161426		2.52	0.505			7.42	<5	90	<0.5	<2	6.41	<0.5	53	128	461	
161427 DUP		<0.02	0.474		<0.5	7.35	<5	90	<0.5	<2	6.32	<0.5	56	127	441	
161428		2.54	0.018		<0.5	7.02	8	80	<0.5	<2	6.61	<0.5	39	188	218	
161429		1.80	0.042		<0.5	7.64	<5	190	0.6	<2	4.38	<0.5	28	68	164	
161430		2.40	0.045		<0.5	7.90	<5	140	<0.5	<2	6.25	<0.5	34	131	156	
161431		2.48	0.208		<0.5	8.03	5	100	<0.5	<2	6.51	<0.5	42	124	360	
161432		2.44	0.114		<0.5	8.02	<5	60	<0.5	<2	6.40	<0.5	39	136	215	
161433		0.08	<0.005		<0.5	7.17	<5	510	0.9	<2	1.18	<0.5	5	26	6	
161434		2.51	0.061		<0.5	8.13	<5	140	<0.5	<2	5.66	<0.5	37	113	216	
161435		3.21	1.250		<0.5	8.06	<5	180	0.5	<2	5.66	<0.5	30	91	126	
161436		0.04	0.996			10.5	8.11	<5	50	3.1	<2	0.32	<0.5	1	9	8
161437		1.90	0.067		<0.5	8.04	<5	220	<0.5	<2	6.02	<0.5	28	116	174	
161438		2.50	0.060		<0.5	8.03	<5	90	<0.5	<2	6.40	<0.5	35	115	254	
161439		2.42	0.065		<0.5	8.39	<5	140	0.5	<2	6.22	<0.5	28	91	278	
161440		2.81	4.56		1.3	6.94	<5	60	<0.5	<2	7.49	<0.5	71	118	1535	
161441		2.42	0.027		<0.5	8.05	<5	90	<0.5	<2	6.86	<0.5	30	122	132	
161442		2.85	0.149		<0.5	8.30	<5	80	<0.5	<2	6.86	<0.5	31	120	123	
161443		1.73	0.073		<0.5	7.88	<5	90	<0.5	<2	7.40	<0.5	38	120	269	
161444		3.11	0.043		<0.5	7.27	<5	110	<0.5	<2	6.10	<0.5	29	104	138	
161445		2.84	0.331		<0.5	7.88	<5	140	0.5	<2	5.67	<0.5	38	96	141	
161446		2.69	0.042		<0.5	7.71	<5	60	<0.5	<2	6.80	<0.5	42	120	150	
161447		2.73	0.148		<0.5	8.23	<5	80	<0.5	<2	7.57	<0.5	40	122	247	
161448 DUP		<0.02	0.146		<0.5	8.23	<5	100	<0.5	<2	7.51	<0.5	40	118	244	
161449		2.69	0.120		<0.5	7.32	<5	120	<0.5	<2	6.29	<0.5	42	128	486	
161450		3.19	0.102		<0.5	7.03	<5	340	0.8	<2	3.41	<0.5	16	63	70	
161451		2.95	0.139		<0.5	8.05	<5	110	<0.5	<2	6.90	<0.5	42	107	148	
161452		2.32	0.032		<0.5	7.89	<5	210	0.6	<2	4.77	<0.5	25	54	136	
161453		0.20	<0.005		<0.5	6.70	<5	520	0.8	<2	0.93	<0.5	3	13	7	
161454		2.23	0.123		<0.5	7.47	9	130	<0.5	<2	6.38	<0.5	34	105	142	
161455		2.67	0.133		<0.5	7.52	<5	310	0.8	4	3.88	<0.5	21	46	89	
161456		3.18	0.050		<0.5	8.27	<5	360	0.8	2	5.57	<0.5	29	69	88	
161457		0.04	1.865		17.7	7.62	6	60	3.2	<2	0.32	<0.5	1	8	6	
161458		2.86	0.029		<0.5	7.54	9	80	<0.5	<2	7.55	<0.5	33	110	84	
161459		2.50	0.034		<0.5	7.55	5	90	<0.5	4	6.82	<0.5	33	113	77	
161460		2.52	0.036		<0.5	7.90	<5	110	<0.5	4	7.06	<0.5	30	106	11	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 14-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014121

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe % 0.01	K % 0.01	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1	W ppm 10
161421		7.08	1.02	3.42	1115	<1	1.34	86	380	<2	0.53	<5	132	0.43	206	<10
161422		5.91	1.00	2.11	935	<1	2.08	31	700	9	0.45	<5	186	0.46	160	<10
161423		5.87	1.15	2.14	1005	<1	1.80	36	560	3	0.48	<5	157	0.44	171	<10
181424		6.02	1.30	2.56	1035	<1	1.44	48	470	4	0.54	<5	138	0.42	183	10
161425		7.26	1.02	3.67	1125	<1	1.50	108	420	5	1.11	<5	152	0.40	198	<10
161426		7.70	0.80	3.19	1165	<1	1.19	106	370	9	1.31	<5	124	0.40	206	10
161427 DUP		7.69	0.80	3.17	1150	<1	1.20	106	350	8	1.34	<5	122	0.40	200	10
161428		6.58	0.62	4.39	1155	<1	1.38	84	400	3	0.43	<5	162	0.38	198	<10
161429		5.33	1.06	1.96	825	<1	1.88	42	520	4	0.46	<5	160	0.42	157	<10
161430		6.79	1.24	3.32	1115	<1	1.16	65	350	6	0.47	<5	116	0.43	213	10
161431		7.20	0.95	3.22	1185	<1	1.28	73	390	4	0.78	<5	126	0.44	212	10
161432		7.19	0.51	3.20	1200	<1	1.59	66	360	5	0.59	<5	139	0.44	216	10
161433		2.19	4.23	0.35	241	<1	2.29	10	170	36	0.01	<5	161	0.11	22	<10
161434		6.65	1.14	2.75	1210	<1	1.64	63	460	<2	0.67	<5	140	0.45	197	10
161435		6.20	1.42	2.58	1225	<1	1.60	54	520	3	0.27	<5	148	0.46	178	<10
161436		2.68	0.20	0.07	35	1	6.7	2	600	119	2.81	<5	20	0.01	1	10
161437		6.17	1.58	2.58	1240	<1	1.24	53	460	2	0.71	<5	118	0.45	192	10
161438		7.26	1.00	3.25	1275	<1	1.34	66	420	8	0.67	<5	137	0.44	204	10
161439		6.55	0.90	2.54	1185	<1	1.73	36	590	14	0.45	<5	166	0.45	182	10
161440		9.38	0.65	2.68	1275	<1	0.96	138	330	10	2.07	<5	118	0.38	185	120
161441		7.29	0.96	3.55	1335	<1	1.10	57	380	7	0.37	<5	122	0.44	212	10
161442		7.48	0.85	3.71	1315	<1	1.21	61	390	3	0.39	<5	130	0.42	207	<10
161443		7.55	0.94	3.48	1375	<1	1.06	72	380	2	0.62	<5	118	0.42	204	20
161444		6.33	0.92	2.90	1130	<1	1.24	52	460	<2	0.48	<5	140	0.41	178	<10
161445		7.95	0.86	2.95	1185	<1	1.90	82	790	6	0.37	<5	263	0.67	186	10
161446		7.90	0.48	3.42	1265	<1	1.46	83	480	2	0.42	<5	203	0.54	215	10
161447		7.39	0.81	3.05	1295	<1	1.28	70	370	2	0.76	<5	146	0.43	210	10
161448 DUP		7.35	0.79	3.06	1285	<1	1.28	67	380	5	0.80	<5	146	0.43	205	10
161449		6.82	0.94	2.68	1140	<1	1.23	72	350	6	0.78	<5	132	0.41	197	<10
161450		3.92	1.28	1.37	756	1	2.37	27	210	7	0.23	<5	125	0.23	88	<10
161451		7.75	0.91	3.71	1600	1	1.54	77	380	64	0.52	<5	144	0.43	210	<10
161452		5.73	1.10	2.24	1060	<1	2.06	27	680	17	0.38	<5	164	0.46	151	<10
161453		1.83	4.16	0.24	176	<1	2.11	4	160	37	0.01	<5	146	0.09	12	<10
161454		6.47	0.90	2.81	1210	1	1.24	66	400	2	0.62	<5	123	0.42	180	<10
161455		4.59	1.07	1.50	672	1	2.52	30	480	18	0.47	<5	198	0.37	104	<10
161456		6.44	1.18	2.70	1075	2	2.26	54	930	10	0.37	5	362	0.48	158	10
161457		2.70	0.19	0.06	105	<1	6.6	4	610	118	3.03	<5	18	0.01	2	<10
161458		6.62	0.60	3.31	1290	<1	1.39	70	350	2	0.43	<5	150	0.44	187	<10
161459		6.69	0.74	3.48	1215	<1	1.50	69	370	<2	0.30	<5	136	0.45	194	<10
161460		7.09	0.95	4.08	1195	<1	1.48	70	370	<2	0.03	<5	138	0.47	208	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 14-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014121

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
161421		82
161422		66
161423		79
161424		71
161425		74
161426		61
161427 DUP		60
161428		62
161429		61
161430		76
161431		61
161432		58
161433		36
161434		79
161435		82
161436		17
161437		70
161438		78
161439		78
161440		62
161441		69
161442		62
161443		63
161444		63
161445		96
161446		79
161447		58
161448 DUP		60
161449		68
161450		50
161451		137
161452		88
161453		27
161454		77
161455		64
161456		70
161457		19
161458		77
161459		75
161460		72



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 14-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014121

Sample Description	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	
	0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	
161461	2.56	3.18			0.5	7.76	<5	70	<0.5	2	7.51	<0.5	31	108	69	
161462	2.61	0.387			<0.5	8.41	<5	100	0.5	2	7.50	<0.5	33	106	154	
161463	2.50	0.395			<0.5	7.95	<5	60	<0.5	4	7.67	<0.5	33	105	28	
161464	2.34	4.16			1.0	7.73	<5	180	0.5	4	6.97	<0.5	46	125	709	
161465	2.44	0.123			0.5	7.94	<5	180	<0.5	2	5.97	<0.5	44	140	536	
161466	2.88	0.097			0.5	7.37	<5	110	<0.5	<2	6.02	<0.5	46	128	429	
161467	2.50	0.779			<0.5	7.08	<5	130	<0.5	3	5.14	<0.5	41	133	392	
181468	2.65	0.296			<0.5	7.59	<5	90	<0.5	2	7.20	<0.5	35	124	268	
161469 DUP	<0.02	0.325			<0.5	7.51	<5	90	<0.5	<2	7.21	<0.5	37	122	272	
181470	2.37	0.300			<0.5	7.81	6	70	<0.5	2	7.14	<0.5	26	104	23	
161471	2.25	0.122			<0.5	7.30	<5	110	<0.5	3	5.77	<0.5	35	224	385	
161472	2.62	0.154			0.6	6.50	<5	150	<0.5	3	5.46	<0.5	50	279	650	
161473	2.61	0.638			0.5	6.99	<5	150	<0.5	6	5.40	<0.5	27	131	157	
161474	0.19	<0.005			<0.5	6.75	<5	550	0.9	<2	0.84	<0.5	2	15	5	
161475	2.52	0.275			<0.5	7.30	5	180	<0.5	2	6.11	0.6	47	287	287	
161476	1.26	0.322			0.5	7.76	5	200	0.5	6	7.75	<0.5	55	543	314	
161477	3.38	0.468			<0.5	5.51	<5	40	<0.5	2	5.83	<0.5	65	1440	65	
161478	0.05	0.990			10.6	7.98	<5	50	3.1	<2	0.32	<0.5	1	13	9	
161479	2.23	0.011			<0.5	7.69	<5	360	0.9	4	5.30	<0.5	34	280	22	
161480	2.86	0.029			<0.5	7.75	<5	420	0.9	<2	4.31	0.5	35	248	50	
161481	3.09	0.010			<0.5	7.29	5	370	0.8	2	5.37	<0.5	39	485	45	
161482	1.78	0.025			<0.5	7.50	<5	430	0.9	3	3.23	<0.5	15	18	48	
161483	3.38	0.118			<0.5	7.08	<5	290	0.9	2	4.08	<0.5	33	674	62	
161484	2.97	0.076			0.5	3.54	5	10	<0.5	<2	5.13	1.7	87	2120	83	
161485	2.56	1.785			<0.5	3.87	<5	<10	<0.5	<2	4.68	0.8	79	2000	109	
161486	3.32	0.196			<0.5	4.30	6	10	<0.5	<2	4.82	0.8	74	1685	113	
161487	2.75	4.45			<0.5	4.34	<5	20	<0.5	2	4.04	0.5	63	1575	49	
161488	2.46	0.296			<0.5	3.59	<5	<10	<0.5	5	4.00	<0.5	61	2010	45	
161489 DUP	<0.02	0.244			<0.5	3.54	<5	<10	<0.5	<2	3.93	<0.5	61	1880	37	
161490	0.17	<0.005			<0.5	6.73	<5	550	0.9	<2	0.85	<0.5	2	20	6	
161491	2.63	3.05			<0.5	4.00	<5	10	<0.5	2	4.57	<0.5	70	1760	56	
161492	2.79	0.091			<0.5	4.87	<5	10	<0.5	2	4.82	<0.5	81	1650	56	
161493	2.43	0.037			<0.5	5.15	<5	140	<0.5	3	5.47	<0.5	70	1415	140	
161494	2.52	0.062			<0.5	7.25	<5	190	<0.5	2	5.71	<0.5	49	643	52	
161495	2.75	0.186			<0.5	5.92	<5	50	<0.5	3	5.72	<0.5	68	1330	13	
161496	3.27	0.042			<0.5	5.09	<5	<10	<0.5	<2	5.77	<0.5	77	1605	12	
161497	0.05	1.765			20.4	8.25	9	90	3.3	<2	0.36	<0.5	2	12	6	
161498	1.48	0.453			<0.5	4.72	<5	50	<0.5	4	4.51	<0.5	68	1670	96	
161499	3.44	0.005			<0.5	7.95	5	680	0.6	<2	1.24	<0.5	1	15	2	
161500	2.48	0.265			<0.5	6.25	<5	260	<0.5	5	5.68	0.6	58	1120	17	



**ALS Chemex**  
 EXCELLENCE IN ANALYTICAL CHEMISTRY  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 14-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06014121**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
181461		6.72	0.60	3.44	1270	<1	1.31	74	400	<2	0.31	<5	124	0.46	197	<10
161462		6.86	0.61	3.18	1320	1	1.64	77	510	3	0.41	<5	156	0.50	192	<10
161463		6.88	0.46	3.68	1325	2	1.46	66	390	3	0.11	<5	162	0.47	207	<10
161464		6.80	1.70	2.93	1360	<1	1.16	76	850	6	1.36	<5	237	0.50	194	10
181465		7.30	1.96	3.18	1280	<1	1.12	74	430	9	1.18	<5	120	0.49	211	10
181466		7.35	1.27	3.15	1275	<1	1.15	65	340	4	1.02	<5	98	0.46	212	60
161467		7.49	1.34	3.28	1195	<1	1.28	74	310	5	0.98	<5	81	0.45	200	20
161468		6.81	1.22	3.36	1315	<1	1.09	76	390	25	0.63	<5	112	0.46	213	<10
161469 DUP		6.81	1.19	3.29	1315	<1	1.07	77	370	25	0.67	<5	112	0.45	210	10
161470		6.61	0.64	3.83	1245	<1	1.35	63	380	3	0.07	5	142	0.46	212	10
161471		6.46	1.52	2.87	1200	<1	0.91	112	350	5	0.78	<5	90	0.43	191	10
161472		6.72	1.61	2.70	1265	<1	0.65	137	300	5	1.31	<5	76	0.38	179	20
161473		6.06	2.03	2.84	1265	<1	0.49	104	340	15	1.12	<5	79	0.42	182	30
161474		1.46	4.08	0.22	142	1	2.13	5	160	33	0.01	<5	146	0.09	8	<10
161475		6.68	2.48	3.00	1355	<1	0.49	148	350	3	1.19	<5	77	0.43	193	20
161476		8.38	1.40	4.34	1680	<1	1.00	263	630	5	1.75	<5	275	0.42	180	<10
161477		7.65	0.29	11.05	1605	<1	0.37	778	230	3	0.38	<5	57	0.28	163	<10
161478		2.72	0.19	0.08	37	<1	6.7	4	570	114	2.95	<5	18	0.01	2	<10
161479		4.96	1.11	4.76	899	<1	1.89	188	900	7	0.04	<5	807	0.35	120	<10
161480		5.28	1.04	4.64	905	<1	1.83	138	890	7	0.14	<5	677	0.40	124	<10
161481		4.97	0.87	5.69	945	<1	2.12	288	940	30	0.16	<5	715	0.35	123	<10
181482		4.29	1.10	1.29	602	<1	2.71	10	990	3	0.20	<5	229	0.49	84	<10
181483		4.37	1.04	4.90	854	1	2.03	299	470	26	0.16	<5	316	0.29	70	<10
161484		6.08	0.05	14.20	1185	<1	0.08	1220	140	286	0.48	<5	60	0.18	113	<10
161485		6.60	0.01	14.00	1235	<1	0.08	1085	140	190	0.31	5	27	0.20	122	<10
161486		6.70	0.11	13.05	1155	<1	0.11	1000	240	122	0.24	5	25	0.24	139	<10
161487		6.96	0.42	11.50	1390	3	0.21	844	170	96	0.25	<5	65	0.23	133	<10
161488		7.14	0.04	12.60	1555	<1	0.12	997	130	15	0.22	<5	17	0.18	111	<10
161489 DUP		7.04	0.04	12.30	1515	<1	0.12	979	120	15	0.22	<5	16	0.18	115	<10
161490		1.74	3.76	0.27	165	<1	2.07	11	160	31	0.01	<5	142	0.09	8	<10
161491		6.93	0.05	13.00	1390	<1	0.13	1025	130	11	0.32	<5	21	0.21	130	<10
161492		7.46	0.09	13.20	1400	<1	0.18	959	190	<2	0.25	<5	43	0.25	155	20
161493		6.39	0.46	11.60	1285	<1	0.51	793	260	8	0.33	6	158	0.24	147	<10
161494		8.13	1.68	8.10	1270	1	0.79	295	390	13	0.42	<5	209	0.33	183	<10
161495		8.58	0.84	12.05	1525	<1	0.28	747	210	19	0.16	<5	45	0.29	183	<10
161496		7.37	0.05	12.60	1395	<1	0.19	907	190	<2	0.06	<5	24	0.26	162	<10
161497		2.92	0.20	0.09	116	<1	7.1	7	660	132	3.19	<5	20	0.01	2	<10
161498		6.72	0.43	12.15	1355	<1	0.37	929	150	<2	0.21	<5	150	0.19	118	<10
181499		0.64	1.02	0.32	86	<1	4.17	9	180	4	0.01	<5	182	0.06	5	<10
161500		8.16	1.62	10.05	1470	<1	0.26	572	240	17	0.11	<5	133	0.30	188	<10





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 14-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014121

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
161461		65
161462		74
161463		71
161464		74
161465		69
161466		64
161467		66
161468		56
161469 DUP		54
161470		59
161471		52
161472		81
161473		115
161474		28
161475		60
161476		93
161477		170
161478		19
161479		88
161480		82
161481		404
161482		38
161483		227
161484		1160
161485		615
161486		568
161487		493
161488		241
161489 DUP		239
161490		29
161491		118
161492		102
161493		118
161494		103
161495		158
161496		87
161497		20
161498		113
161499		24
161500		205



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 14-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014121

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
161501		2.61	0.059			<0.5	6.28	<5	70	<0.5	2	6.04	<0.5	64	1120	2
161502		2.38	0.098			<0.5	5.97	<5	90	<0.5	<2	6.26	<0.5	63	1170	15
161503		2.38	0.368			<0.5	6.03	<5	40	<0.5	4	5.99	<0.5	68	1180	9
161504		2.62	0.223			<0.5	6.14	<5	60	<0.5	4	6.35	<0.5	64	1175	8
161505		2.87	0.216			<0.5	6.55	<5	130	<0.5	3	5.16	<0.5	52	1110	53
161506		2.50	0.714	0.719		<0.5	5.19	<5	80	<0.5	3	4.90	<0.5	48	1105	61
161507 DUP		<0.02	0.574	0.567		<0.5	5.06	<5	80	<0.5	<2	4.71	<0.5	48	1125	63
161508		3.23	0.815			<0.5	6.02	<5	130	<0.5	<2	5.60	<0.5	43	957	32
161509		1.28	1.320			<0.5	5.25	<5	<10	<0.5	6	5.58	0.6	57	1275	47
161510		1.26	>10.0		8.90	0.5	3.61	<5	40	<0.5	8	3.93	1.9	48	1240	155
161511		0.11	0.011			<0.5	7.03	<5	550	0.9	<2	0.98	<0.5	1	27	5
161512		2.65	1.015			<0.5	6.90	<5	130	<0.5	<2	5.01	<0.5	52	710	79
161513		2.48	3.10			<0.5	6.44	<5	120	<0.5	<2	4.97	<0.5	48	1165	58
161514		2.77	0.382			<0.5	4.63	<5	<10	<0.5	<2	4.85	<0.5	73	1780	86
161515		2.46	0.773			<0.5	6.39	<5	50	<0.5	4	6.32	<0.5	62	1000	28
161516		2.74	1.605			<0.5	6.13	<5	80	<0.5	4	6.65	<0.5	54	1125	77
161517		0.06	0.969			11.4	5.14	6	30	2.8	2	0.27	<0.5	1	13	9
161518		2.23	0.041			<0.5	7.09	<5	250	0.5	<2	3.83	<0.5	35	650	18
161519		2.77	0.077			<0.5	8.21	<5	1610	0.6	<2	1.60	<0.5	8	71	10
161520		2.62	0.034			<0.5	7.95	<5	530	0.9	<2	7.15	<0.5	48	351	67



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 14-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014121

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
161501		8.05	1.39	10.20	1375	<1	0.32	581	210	4	0.01	<5	68	0.31	193	<10
161502		8.15	1.16	10.50	1460	<1	0.30	621	200	<2	0.05	<5	41	0.30	183	<10
161503		7.86	0.83	10.70	1400	<1	0.27	637	210	<2	0.02	<5	47	0.28	183	<10
161504		7.79	1.11	10.15	1450	<1	0.29	597	250	<2	0.04	7	156	0.30	189	<10
161505		9.53	2.06	9.61	1495	1	0.30	518	260	58	0.41	<5	106	0.34	206	<10
161506		8.06	0.82	9.94	1455	<1	0.34	684	180	38	0.45	5	48	0.20	133	<10
161507 DUP		7.93	0.82	9.57	1400	1	0.31	670	150	36	0.47	<5	45	0.20	131	<10
161508		6.99	0.31	9.35	1510	<1	1.20	658	150	65	0.26	<5	104	0.17	113	<10
181509		9.04	0.09	12.05	1760	<1	0.24	799	190	109	0.38	<5	30	0.26	161	<10
161510		7.59	0.83	7.48	1245	<1	0.19	549	140	278	0.86	<5	39	0.19	126	<10
161511		1.62	3.99	0.28	153	<1	2.23	8	160	34	0.01	<5	152	0.09	9	<10
161512		9.86	1.60	7.73	1570	<1	0.30	313	250	14	0.57	6	170	0.36	217	<10
161513		8.74	1.61	7.99	1385	1	0.36	383	260	30	0.45	<5	173	0.32	193	<10
161514		7.60	0.03	13.15	1240	1	0.12	1035	200	8	0.37	8	45	0.24	149	<10
161515		7.88	0.68	10.50	1550	<1	0.34	537	390	9	0.09	<5	222	0.27	166	<10
161516		8.27	0.94	8.51	1525	<1	0.43	532	210	7	0.30	<5	142	0.30	184	<10
161517		2.28	0.17	0.04	38	<1	7.1	3	460	77	3.09	<5	7	0.01	2	<10
161518		4.63	1.17	5.34	826	1	1.40	331	250	2	0.09	<5	189	0.20	99	<10
161519		1.30	1.49	0.89	156	<1	4.30	37	210	4	0.12	<5	190	0.11	26	<10
161520		4.57	1.67	7.19	812	<1	0.70	439	1100	9	0.15	<5	404	0.22	101	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 14-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014121

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
161501		77
161502		74
161503		71
161504		80
161505		284
161506		297
161507 DUP		287
161508		324
161509		320
161510		1150
161511		33
161512		158
161513		198
161514		142
161515		103
161516		105
161517		16
161518		80
161519		24
161520		76



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 15-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06014122

Project: DETOUR LAKE

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 17-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 3 (A - B)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014122

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161521		2.89	0.299		<0.5	7.13	5	150	<0.5	3	7.01	<0.5	47	453	19	7.02
161522		2.46	5.76		<0.5	7.47	5	110	<0.5	<2	7.04	<0.5	44	340	18	6.92
161523		2.92	2.23		<0.5	7.42	6	80	<0.5	2	7.19	<0.5	44	340	5	7.24
161524		3.10	0.069		<0.5	7.15	<5	120	<0.5	<2	6.60	0.5	47	343	8	7.43
161525		2.68	0.696		0.5	7.40	7	70	<0.5	2	7.40	<0.5	47	334	721	7.94
161526		2.90	0.051		<0.5	7.71	<5	80	<0.5	<2	8.00	<0.5	50	367	16	8.12
161527		2.82	0.791	0.677	<0.5	7.27	<5	100	<0.5	3	9.31	<0.5	49	312	267	7.57
161528 DUP		<0.02	0.414	0.374	<0.5	7.31	<5	90	<0.5	<2	9.71	<0.5	49	328	225	7.74
161529		2.92	0.037		<0.5	7.54	<5	100	<0.5	2	7.77	<0.5	50	329	7	7.89
161530		2.73	0.528		<0.5	6.96	<5	130	<0.5	2	8.19	<0.5	93	332	751	8.44
161531		2.42	0.132		<0.5	7.32	<5	70	<0.5	2	9.61	<0.5	47	306	39	7.74
161532		2.66	0.082		<0.5	7.29	<5	60	<0.5	2	8.12	<0.5	49	332	22	7.67
161533		2.71	0.261	0.214	<0.5	7.31	5	110	<0.5	<2	8.16	<0.5	43	315	30	7.18
161534 DUP		<0.02	0.131	0.120	<0.5	7.53	<5	120	<0.5	3	8.35	<0.5	43	312	30	7.28
161535		2.61	0.090		<0.5	7.68	<5	110	<0.5	2	10.40	<0.5	45	313	21	7.69
161536		2.46	1.375		<0.5	7.34	<5	120	<0.5	<2	7.88	0.5	45	312	16	7.45
181537		2.29	0.377		<0.5	6.81	<5	270	1.1	<2	1.05	<0.5	3	16	21	1.76
161538		3.02	0.035		<0.5	7.53	<5	150	<0.5	3	8.01	<0.5	47	343	19	7.85
161539		0.05	1.700		20.1	8.34	<5	140	3.4	<2	0.36	<0.5	2	9	6	2.74
161540		2.83	0.080		<0.5	7.69	<5	140	<0.5	<2	8.17	<0.5	49	324	16	7.96
161541		2.17	0.011		<0.5	7.66	<5	120	<0.5	<2	8.77	<0.5	50	314	10	7.96
161542		3.09	0.021		<0.5	8.22	<5	270	<0.5	2	6.80	<0.5	37	252	13	6.02
161543		2.94	0.062		<0.5	7.04	<5	80	<0.5	2	8.90	<0.5	42	292	24	7.13
161544		2.75	0.147		<0.5	7.08	<5	90	<0.5	4	11.20	<0.5	44	253	14	7.23
161545		2.74	0.414		<0.5	7.41	<5	140	<0.5	<2	8.73	<0.5	46	339	73	7.74
161546 DUP		<0.02	0.343		<0.5	7.59	<5	140	<0.5	<2	8.09	<0.5	47	346	81	7.87
161547		2.86	0.240		<0.5	7.85	<5	240	0.5	<2	6.56	<0.5	45	305	35	8.36
161548		1.79	0.400		<0.5	7.09	<5	50	<0.5	3	6.47	0.7	58	538	28	8.86
161549		3.48	0.037		<0.5	7.59	<5	390	0.6	<2	2.00	<0.5	16	236	7	2.57
161550		1.64	0.142		<0.5	6.48	<5	90	<0.5	2	6.74	<0.5	73	667	62	8.50
161551		3.92	2.56		<0.5	6.20	<5	360	0.5	<2	2.94	<0.5	19	129	196	2.93
161552		0.04	0.976		10.8	8.19	<5	60	3.3	2	0.36	<0.5	1	7	9	2.79
161553		2.54	0.024		<0.5	8.00	<5	90	<0.5	<2	7.34	<0.5	45	238	26	7.23
161554		2.81	0.032		<0.5	8.12	<5	90	<0.5	4	7.70	<0.5	42	184	30	7.59
161555		2.83	0.037		<0.5	8.34	6	80	<0.5	2	7.89	<0.5	41	190	12	7.52
161556		2.07	0.012		<0.5	7.45	<5	90	<0.5	<2	8.25	<0.5	48	303	77	7.73
161557		2.33	0.005		<0.5	7.09	6	290	<0.5	3	1.48	<0.5	4	23	17	1.04
161558		0.10	<0.005		<0.5	6.95	6	570	0.9	<2	1.00	<0.5	3	14	9	2.29
181559		3.71	0.011		<0.5	7.69	5	110	<0.5	3	8.04	<0.5	49	324	35	7.88
161560		2.67	0.024		<0.5	7.83	6	100	<0.5	3	7.72	<0.5	43	243	65	7.57



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 3 (A - B)

Finalized Date: 15-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06014122

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161521		1.12	6.60	1325	<1	0.91	230	250	3	0.07	<5	162	0.36	214	20	78
161522		0.79	5.53	1305	<1	1.51	152	250	5	0.06	<5	124	0.40	226	20	77
161523		0.67	5.13	1365	<1	1.93	150	230	<2	0.02	<5	146	0.39	226	20	62
161524		1.05	5.80	1385	<1	1.59	163	240	2	0.05	<5	94	0.38	226	30	63
161525		0.69	5.28	1500	<1	2.20	132	240	3	0.42	7	108	0.37	219	20	90
161526		0.67	5.54	1420	<1	1.68	142	270	4	0.04	<5	150	0.41	240	<10	76
161527		0.73	4.79	1500	<1	1.23	131	240	3	0.27	<5	146	0.39	222	10	89
161528 DUP		0.72	4.90	1540	<1	1.24	124	250	6	0.26	<5	152	0.39	223	10	88
161529		0.82	5.35	1415	<1	1.65	141	240	<2	0.04	<5	153	0.40	228	<10	65
161530		0.58	6.24	1420	<1	1.41	261	990	10	0.75	<5	403	0.50	211	<10	123
161531		0.44	5.21	1510	<1	1.44	128	240	<2	0.12	<5	170	0.38	217	10	86
161532		0.45	5.14	1345	<1	1.16	139	240	2	0.07	<5	140	0.39	228	<10	65
161533		0.76	5.20	1440	<1	1.22	134	260	4	0.12	<5	136	0.38	218	<10	72
161534 DUP		0.78	5.30	1470	<1	1.30	132	270	7	0.11	<5	141	0.38	223	<10	73
161535		0.83	5.00	1550	<1	1.51	152	260	<2	0.07	<5	192	0.41	235	30	72
161536		0.78	4.83	1410	<1	1.75	139	240	<2	0.08	<5	156	0.38	220	<10	65
161537		0.67	0.20	230	1	3.65	5	80	6	0.24	<5	96	0.11	5	<10	13
161538		0.86	4.94	1455	<1	1.75	146	260	4	0.03	<5	168	0.41	235	10	67
161539		0.20	0.07	117	<1	7.1	4	660	124	2.93	<5	20	0.01	3	<10	20
161540		0.61	5.35	1450	<1	1.70	146	250	<2	0.05	<5	138	0.42	238	<10	64
161541		0.51	5.48	1450	<1	1.59	148	260	6	0.03	<5	170	0.41	234	<10	64
161542		0.72	3.68	1045	<1	2.42	111	240	5	0.03	<5	196	0.33	183	<10	53
161543		0.65	4.55	1345	<1	1.40	120	230	4	0.07	<5	125	0.36	209	20	59
161544		0.70	4.94	1530	<1	1.38	122	230	<2	0.07	7	142	0.36	208	<10	58
161545		1.13	4.93	1705	<1	1.36	139	240	3	0.74	5	160	0.39	225	<10	75
161546 DUP		1.06	4.72	1620	<1	1.39	146	240	<2	0.80	<5	155	0.39	227	<10	72
161547		1.35	4.75	1425	<1	1.56	138	500	5	0.59	<5	144	0.48	195	10	98
161548		0.42	9.02	1500	<1	1.19	338	280	6	0.18	5	40	0.34	194	<10	290
161549		0.80	2.55	342	<1	3.29	112	190	7	0.04	<5	180	0.12	45	<10	47
161550		0.40	11.65	1525	<1	0.81	486	220	<2	0.14	6	60	0.28	171	<10	112
161551		1.13	2.08	520	1	2.15	72	190	5	0.40	<5	152	0.14	59	<10	41
161552		0.20	0.08	38	<1	6.8	4	630	116	3.00	<5	19	0.01	2	<10	21
161553		0.86	4.51	1315	<1	1.47	63	270	2	0.09	<5	133	0.44	254	<10	73
161554		0.90	4.74	1425	<1	1.68	63	280	<2	0.10	<5	122	0.46	264	<10	76
161555		0.74	4.80	1345	1	1.58	60	270	<2	0.05	<5	113	0.46	264	10	69
161556		0.51	5.05	1495	<1	1.33	136	250	2	0.15	<5	208	0.40	226	10	68
161557		0.63	0.46	148	<1	4.57	8	170	7	0.06	<5	110	0.07	23	<10	17
161558		4.09	0.23	208	1	2.27	9	170	37	<0.01	<5	165	0.09	9	<10	29
161559		0.56	5.03	1430	<1	1.73	129	260	10	0.14	<5	212	0.42	235	<10	95
161560		0.47	4.31	1395	<1	1.83	106	450	4	0.19	<5	189	0.48	213	10	86



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 15-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06014122**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161561		2.60	0.023		<0.5	7.43	<5	70	<0.5	2	8.29	<0.5	45	279	58	7.44
161562		2.67	0.066		0.5	7.73	<5	90	<0.5	<2	8.17	<0.5	47	297	81	7.92
161563		3.31	0.005		<0.5	8.28	<5	70	<0.5	<2	8.24	<0.5	43	217	27	8.14
161564		0.04	1.720		20.5	8.86	7	80	3.1	<2	0.38	<0.5	2	4	6	2.89
161565		2.69	0.210		<0.5	7.57	<5	50	<0.5	<2	9.36	<0.5	47	273	31	7.80
161566		2.37	0.050		<0.5	7.99	<5	110	<0.5	<2	7.81	<0.5	46	264	25	7.31
161567		2.64	0.083		<0.5	8.73	<5	200	<0.5	<2	5.67	<0.5	27	192	13	4.99
161568		2.38	0.023		<0.5	7.63	<5	100	<0.5	<2	8.12	<0.5	44	285	6	7.79
161569		2.75	0.015		<0.5	8.27	8	390	0.8	<2	4.01	<0.5	11	4	24	3.67
161570		2.69	0.011		<0.5	7.74	<5	80	<0.5	<2	10.00	<0.5	42	253	11	7.60
161571		2.35	0.061		<0.5	7.26	<5	390	0.8	<2	2.92	<0.5	9	80	13	2.39
161572		2.47	0.053		<0.5	7.73	5	210	<0.5	3	6.31	<0.5	30	217	7	6.06
161573		2.49	0.040		<0.5	7.27	<5	570	1.0	2	3.08	<0.5	15	226	34	3.46
161574		2.25	0.208		<0.5	7.05	<5	520	1.3	2	1.22	<0.5	2	10	25	1.88
161575		2.63	0.049		<0.5	7.63	<5	120	<0.5	3	7.97	<0.5	38	251	24	7.42
161576 DUP		<0.02	0.055		<0.5	7.59	<5	110	<0.5	<2	7.74	<0.5	39	260	22	7.43
161577		2.69	0.051		<0.5	7.84	<5	110	<0.5	4	8.65	<0.5	40	283	11	8.01
161578		2.47	0.010		<0.5	8.16	<5	250	0.8	4	4.18	<0.5	19	100	27	5.01
161579		0.13	<0.005		<0.5	7.21	<5	580	0.9	<2	1.58	<0.5	2	12	8	1.99
161580		2.65	0.010		<0.5	6.51	<5	250	0.7	2	3.89	<0.5	14	94	14	4.03
161581		1.91	0.076		0.5	8.58	<5	160	<0.5	5	6.36	<0.5	29	99	170	7.31
161582		2.63	0.511		1.0	8.14	<5	150	0.5	2	6.29	<0.5	36	119	418	7.22
161583		2.00	0.304		1.1	7.56	<5	130	<0.5	<2	6.35	<0.5	27	109	499	6.95
161584		2.63	0.516		<0.5	7.63	<5	140	<0.5	<2	6.06	<0.5	27	145	25	6.90
161585		2.76	0.056		<0.5	7.96	<5	130	<0.5	2	5.98	<0.5	25	99	26	6.70
161586		2.38	0.012		<0.5	8.32	<5	150	<0.5	2	6.42	<0.5	30	114	7	7.27
161587		0.04	0.994		11.2	8.53	5	50	3.1	<2	0.37	<0.5	<1	9	8	2.69
161588		2.92	<0.005		<0.5	7.92	<5	150	0.5	<2	6.47	<0.5	34	94	39	7.10
161589		2.04	0.011		<0.5	8.24	<5	150	0.6	2	5.90	<0.5	21	74	41	6.01
161590		2.82	0.060		<0.5	8.48	6	160	0.5	2	6.20	<0.5	29	149	190	7.04
161591		2.33	0.350		<0.5	7.71	<5	230	0.6	<2	6.59	<0.5	30	214	43	6.17
161592		2.36	0.041		<0.5	8.39	<5	110	<0.5	3	6.44	<0.5	32	136	231	7.78
161593		1.68	0.062		<0.5	7.52	5	260	0.6	3	6.76	<0.5	28	177	213	6.73
161594		2.91	0.456		0.5	7.17	<5	160	0.5	<2	6.77	<0.5	32	129	439	7.46
161595		2.48	0.019		<0.5	7.75	<5	150	0.6	<2	5.93	<0.5	20	82	31	5.80
161596		2.50	0.078		<0.5	7.45	<5	190	<0.5	3	5.33	<0.5	27	104	178	6.99
161597 DUP		<0.02	0.079		<0.5	7.87	<5	200	<0.5	2	5.55	<0.5	26	101	178	7.32
161598		0.19	<0.005		<0.5	6.71	5	540	0.9	2	1.04	<0.5	1	11	8	1.72
161599		1.72	0.020		<0.5	7.97	<5	150	<0.5	<2	7.18	<0.5	32	105	316	7.63
161600		3.65	0.026		<0.5	8.39	<5	470	1.0	<2	3.84	<0.5	13	17	73	4.90





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 15-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06014122**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161561		0.43	4.14	1435	3	1.28	116	330	8	0.22	<5	149	0.41	210	<10	72
161562		0.73	4.19	1410	<1	1.42	118	710	4	0.91	<5	194	0.52	225	<10	79
161563		0.46	4.66	1355	<1	1.78	109	1100	4	0.10	<5	333	0.59	225	<10	86
161564		0.20	0.09	116	<1	6.7	5	680	130	3.02	<5	24	0.01	3	<10	16
161565		0.42	4.99	1470	<1	1.28	128	260	5	0.06	<5	164	0.37	227	<10	65
161566		0.55	4.98	1360	<1	1.65	123	270	4	0.10	<5	160	0.35	208	10	62
161567		0.68	3.35	854	<1	2.89	83	350	<2	0.05	<5	259	0.28	141	<10	49
161568		0.63	5.57	1410	<1	1.72	130	250	5	0.01	<5	156	0.37	223	<10	63
161569		1.44	0.89	566	<1	2.75	5	720	5	0.05	<5	202	0.34	85	<10	66
161570		0.51	5.19	1400	<1	1.38	123	250	6	0.01	<5	168	0.36	218	<10	60
161571		0.98	1.10	453	1	3.16	26	130	4	0.06	<5	164	0.14	47	10	30
161572		0.73	3.67	1095	1	2.03	95	210	4	0.04	<5	168	0.28	156	<10	52
161573		1.21	2.22	632	1	2.83	79	250	7	0.22	<5	198	0.18	45	<10	38
161574		1.14	0.10	317	1	3.45	<1	80	8	0.25	<5	119	0.09	2	<10	17
161575		0.75	4.34	1335	1	1.58	127	260	4	0.05	<5	137	0.36	194	10	57
161576 DUP		0.71	4.35	1325	1	1.62	126	260	3	0.05	<5	136	0.35	192	<10	57
161577		0.74	5.43	1520	<1	1.38	135	260	4	0.03	<5	114	0.38	220	10	64
161578		0.78	1.97	918	2	2.85	46	430	6	0.13	<5	192	0.34	107	<10	67
161579		4.08	0.26	194	<1	2.25	5	180	37	0.01	<5	158	0.09	13	<10	27
161580		0.74	1.56	776	1	2.24	39	300	5	0.07	<5	131	0.26	82	<10	54
161581		0.90	3.10	1290	<1	1.70	70	510	6	0.66	<5	159	0.47	200	<10	121
161582		1.13	3.14	1190	1	1.36	78	580	9	1.00	<5	152	0.48	192	30	100
161583		1.14	3.92	1230	<1	1.23	89	340	17	0.37	5	115	0.42	192	<10	95
161584		1.12	4.13	1180	1	1.42	101	360	<2	0.11	<5	131	0.44	198	<10	77
161585		0.99	3.61	1105	1	1.54	67	440	4	0.18	<5	137	0.46	198	<10	58
161586		0.95	4.32	1185	1	1.56	71	390	5	0.04	<5	150	0.47	213	<10	67
161587		0.18	0.08	39	1	6.9	2	640	118	2.76	<5	19	0.01	2	<10	16
161588		0.72	3.67	1185	<1	1.84	88	1520	4	0.24	<5	447	0.58	191	<10	82
161589		0.54	2.71	1095	2	2.09	47	580	4	0.17	<5	204	0.45	153	<10	64
161590		1.08	3.41	1115	1	1.64	95	420	2	0.76	<5	185	0.44	185	<10	82
161591		1.41	4.53	1455	1	1.34	169	660	9	0.25	<5	237	0.39	152	<10	160
161592		0.83	3.61	1230	<1	1.80	89	410	19	0.82	<5	167	0.46	208	10	71
161593		0.90	3.40	1070	1	1.52	113	700	14	0.66	<5	367	0.38	176	<10	91
161594		0.59	3.41	1135	1	1.34	117	500	65	1.51	<5	283	0.38	172	<10	101
161595		0.66	2.82	1065	1	1.76	50	450	6	0.16	<5	163	0.43	160	10	65
161596		1.18	2.95	1080	1	1.60	90	430	42	0.93	<5	137	0.44	181	30	76
161597 DUP		1.19	3.10	1130	2	1.68	85	450	40	0.93	<5	145	0.43	180	20	76
161598		3.87	0.26	166	1	2.09	5	160	70	0.01	<5	147	0.09	10	<10	27
161599		1.20	3.97	1325	1	1.70	86	400	12	0.44	<5	145	0.46	209	<10	79
161600		1.28	1.21	730	2	2.55	16	880	14	0.42	<5	380	0.52	100	<10	59



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 16-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06015184

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 21-FEB-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 16-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06015184

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
161601		1.53	0.298				0.5	7.40	<5	180	0.5	3	5.73	<0.5	29	210
161602		2.48	0.397				<0.5	7.57	<5	160	<0.5	2	5.90	<0.5	34	152
161603		2.27	0.034				<0.5	7.95	<5	170	0.5	2	5.17	<0.5	26	74
161604		2.75	0.006				<0.5	7.69	5	130	<0.5	2	5.89	<0.5	26	87
161605		2.40	0.096				<0.5	7.76	8	120	<0.5	3	5.96	<0.5	28	126
161606		0.10	<0.005				<0.5	6.75	<5	560	0.8	<2	1.01	<0.5	<1	13
161607		2.51	0.114				<0.5	7.91	<5	250	0.8	4	3.91	<0.5	13	18
161608		2.41	0.029				<0.5	7.68	<5	200	0.6	2	4.80	<0.5	20	70
161609		3.32	0.016				<0.5	6.72	<5	200	0.6	3	5.15	<0.5	29	277
161610		1.25	0.169				0.6	7.24	6	160	<0.5	<2	6.40	<0.5	44	138
161611		2.40	0.110				<0.5	7.07	<5	120	<0.5	<2	6.31	<0.5	29	134
161612 DUP		<0.02	0.097				<0.5	7.34	<5	120	<0.5	2	6.53	<0.5	29	139
161613		2.54	0.103				<0.5	7.79	<5	80	<0.5	2	6.03	<0.5	26	132
161614		2.56	0.092				<0.5	7.87	11	120	<0.5	4	6.50	<0.5	23	150
161615		2.33	8.08				0.9	6.93	<5	140	<0.5	4	5.55	<0.5	35	334
161616		2.39	0.305				<0.5	7.38	<5	170	0.5	3	4.44	<0.5	28	224
161617		2.42	0.088				0.6	7.43	<5	100	<0.5	3	6.18	<0.5	32	116
161618		0.05	1.825				18.2	8.50	<5	60	3.0	2	0.34	<0.5	<1	3
161619		1.88	0.052				<0.5	7.98	<5	100	<0.5	3	6.34	<0.5	28	122
161620		2.86	0.034				<0.5	7.53	<5	260	0.8	2	3.66	<0.5	13	25
161621		2.39	0.084				<0.5	7.60	<5	200	0.6	2	5.09	<0.5	22	57
161622		2.64	0.213				<0.5	7.68	<5	90	<0.5	<2	6.51	<0.5	29	135
161623		2.83	0.421				<0.5	7.78	<5	90	<0.5	<2	6.56	<0.5	42	125
161624		2.48	0.998	2.29	0.976		<0.5	7.74	<5	90	<0.5	<2	6.47	<0.5	46	129
161625		2.74	0.083				<0.5	7.59	<5	200	0.6	<2	4.86	<0.5	23	69
161626		2.86	0.058				<0.5	7.86	<5	130	<0.5	4	5.96	<0.5	26	162
161627		1.31	2.12				<0.5	7.20	<5	80	<0.5	2	6.13	<0.5	69	121
161628		1.30	>10.0			18.60	1.3	6.85	<5	110	<0.5	3	6.76	<0.5	196	109
161629		0.08	0.024	0.014			<0.5	6.59	<5	510	0.8	2	0.87	<0.5	2	10
161630		3.42	0.248				0.6	7.05	<5	120	<0.5	<2	6.86	<0.5	35	199
161631		1.98	0.185				<0.5	8.17	<5	120	<0.5	2	6.88	<0.5	31	125
161632		2.50	1.560				<0.5	8.46	<5	80	<0.5	<2	7.22	<0.5	35	122
161633		2.72	0.116				<0.5	8.34	<5	80	<0.5	<2	7.16	<0.5	38	125
161634		2.71	0.091				<0.5	7.96	<5	100	<0.5	3	7.62	<0.5	32	114
161635		2.56	0.358	0.197			<0.5	8.37	<5	90	<0.5	3	6.95	<0.5	43	128
161636 DUP		<0.02	0.492	0.305			<0.5	8.42	<5	90	<0.5	<2	7.01	<0.5	44	132
181637		0.04	0.996				9.8	8.21	<5	40	3.1	4	0.33	<0.5	1	5
161638		2.61	0.084				<0.5	8.07	<5	90	<0.5	<2	7.57	<0.5	43	133
161639		2.58	0.122				0.8	7.99	<5	200	0.5	4	6.63	<0.5	43	183
161640		2.31	0.055				0.7	7.77	<5	340	0.9	3	4.39	<0.5	19	140



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 16-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06015184**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
		ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
161601		154	6.03	0.95	4.47	1120	<1	1.58	158	490	25	0.10	<5	244	0.40	167
161602		140	6.84	0.87	3.73	1055	<1	1.56	126	410	40	0.63	<5	230	0.43	182
161603		139	5.93	0.82	2.38	971	<1	1.84	55	520	5	0.39	<5	163	0.45	164
161604		49	6.23	0.69	3.10	1080	<1	1.71	61	440	10	0.16	<5	154	0.45	182
161605		189	6.74	0.71	3.17	1090	<1	1.51	69	370	7	0.51	<5	142	0.44	196
161606		8	2.12	3.81	0.23	193	<1	2.03	6	170	41	0.02	<5	158	0.08	10
161607		45	4.97	0.92	1.32	828	<1	2.46	11	910	4	0.21	<5	204	0.50	117
161608		139	5.50	0.82	2.09	943	<1	1.92	36	630	7	0.46	<5	168	0.46	141
161609		68	5.16	1.00	4.65	896	<1	1.61	132	710	7	0.23	<5	205	0.37	100
161610		415	6.94	0.70	3.29	1070	<1	1.53	104	400	112	1.54	<5	238	0.40	184
161611		362	6.68	0.88	3.21	1125	<1	1.22	66	360	23	0.95	<5	149	0.40	164
161612 DUP		379	6.85	0.90	3.35	1160	<1	1.28	70	380	25	1.00	<5	156	0.41	190
161613		430	6.89	0.68	3.13	1140	<1	1.60	62	370	21	0.86	<5	148	0.45	196
161614		334	6.90	0.84	3.51	1180	<1	1.34	65	390	13	0.74	<5	164	0.44	200
161615		455	7.10	0.83	4.97	1015	<1	1.35	253	380	122	1.72	<5	159	0.37	168
161616		283	5.58	0.86	3.33	911	<1	1.71	135	620	44	0.63	<5	178	0.41	136
161617		838	6.70	0.80	2.68	1035	<1	1.36	71	340	4	1.30	<5	126	0.42	180
161618		6	2.77	0.18	0.07	110	<1	6.7	5	650	124	2.96	<5	19	0.01	2
161619		223	6.87	0.75	3.17	1130	<1	1.52	64	360	5	0.76	<5	144	0.46	195
161620		93	4.52	0.86	1.19	687	<1	2.46	18	630	3	0.32	<5	194	0.42	100
161621		156	5.47	0.86	1.96	883	<1	1.88	40	580	6	0.38	<5	174	0.44	148
161622		186	6.86	0.60	3.34	1130	<1	1.56	77	370	11	0.54	<5	148	0.44	196
161623		394	7.73	0.80	3.18	1135	<1	1.39	79	390	10	1.18	<5	140	0.44	201
161624		430	7.21	0.73	2.99	1040	<1	1.38	79	350	3	0.91	<5	134	0.45	196
161625		222	5.35	1.18	1.88	885	<1	1.80	42	570	8	0.46	<5	158	0.48	156
161626		203	6.65	0.81	3.30	1050	<1	1.49	87	490	7	0.67	<5	148	0.46	192
161627		506	8.87	0.59	2.77	1030	<1	1.57	139	340	9	1.90	<5	127	0.41	184
181628		3960	9.75	0.74	2.30	1055	<1	1.48	136	360	7	3.05	<5	117	0.40	148
161629		15	2.15	3.93	0.18	188	<1	2.01	5	160	36	0.03	<5	142	0.08	7
161630		209	6.43	0.86	4.09	1175	<1	1.30	83	440	6	0.46	<5	145	0.40	179
161631		283	7.00	1.06	3.10	1240	<1	1.15	68	370	6	0.97	<5	148	0.44	204
161632		298	7.43	0.76	3.62	1265	<1	1.36	75	400	3	0.48	5	138	0.46	213
161633		293	7.16	0.55	2.98	1160	<1	1.37	81	350	7	0.70	<5	140	0.46	208
161634		251	6.80	0.74	3.04	1270	<1	1.14	67	370	7	0.53	<5	145	0.43	201
161635		104	8.70	0.60	3.76	1455	<1	1.76	113	760	3	0.40	<5	245	0.71	204
161636 DUP		106	8.68	0.60	3.77	1460	<1	1.77	115	770	4	0.40	<5	249	0.71	210
161637		9	2.59	0.19	0.06	36	<1	6.5	4	610	115	2.84	<5	18	0.01	2
161638		277	8.01	0.72	3.23	1355	<1	1.40	92	530	3	0.87	<5	200	0.57	204
161639		549	6.68	1.00	3.54	1070	1	1.54	118	510	32	1.09	<5	292	0.42	196
161640		124	4.36	1.02	2.26	764	2	2.22	70	460	11	0.36	<5	238	0.27	102



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 3 (A - C)

Finalized Date: 16-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06015184

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
161601		<10	98
161602		<10	82
161603		<10	77
161604		<10	74
161605		<10	68
161606		<10	27
161607		<10	52
161608		<10	71
161609		<10	68
161610		<10	63
161611		10	58
161612 DUP		10	67
161613		10	75
161614		10	76
161615		<10	106
161616		<10	117
161617		10	74
161618		<10	19
161619		10	88
161620		<10	48
161621		10	57
161622		10	65
161623		<10	63
161624		10	59
161625		10	63
161626		<10	64
161627		<10	51
161628		30	59
161629		<10	27
161630		10	72
161631		<10	94
161632		<10	72
161633		<10	63
161634		<10	76
161635		10	114
161636 DUP		10	116
161637		<10	17
161638		10	83
161639		<10	101
161640		<10	54



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - C)  
 Finalized Date: 16-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06015184

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
161641		2.29	0.030				<0.5	7.35	<5	390	0.9	<2	3.51	<0.5	19	65
161642		2.36	0.076				<0.5	7.15	<5	610	1.1	4	1.71	<0.5	4	21
161643		2.38	0.019				<0.5	9.06	<5	360	0.9	2	5.44	<0.5	24	70
161644		2.54	0.041				<0.5	8.42	<5	140	0.5	3	6.17	<0.5	35	98
161645		2.58	0.111				3.4	7.81	<5	110	<0.5	<2	5.92	<0.5	49	121
161646		2.69	0.324				<0.5	8.06	<5	110	<0.5	<2	6.95	<0.5	57	120
161647		2.60	0.091				<0.5	8.30	<5	110	<0.5	2	6.69	<0.5	51	127
161648		2.54	0.032				<0.5	8.15	<5	160	0.6	<2	5.42	<0.5	24	70
161649		2.54	0.402				<0.5	8.17	5	110	<0.5	4	6.14	<0.5	53	119
161650 DUP		<0.02	0.464				<0.5	8.24	<5	110	0.5	3	6.16	<0.5	57	110
161651		2.52	0.811				0.5	8.33	<5	90	<0.5	2	6.98	<0.5	43	124
161652		2.62	0.059				<0.5	8.42	<5	120	<0.5	<2	7.02	<0.5	29	111
161653		2.62	5.58				<0.5	8.67	<5	210	0.6	<2	6.85	<0.5	45	123
161654		2.67	4.23				0.6	8.23	<5	120	<0.5	2	6.36	<0.5	38	117
161655		0.04	1.780				23.8	8.75	7	60	3.2	<2	0.35	<0.5	1	7
161656		2.20	0.353				<0.5	8.34	<5	120	<0.5	<2	6.66	<0.5	30	115
161657		2.87	0.034				<0.5	8.53	<5	170	<0.5	3	5.46	<0.5	22	89
161658		2.39	0.136				<0.5	7.82	<5	130	<0.5	<2	6.38	<0.5	26	112
161659		0.07	<0.005				<0.5	7.35	<5	560	0.9	2	0.93	<0.5	1	15
161660		2.74	4.51				<0.5	8.61	<5	150	<0.5	3	7.85	<0.5	23	121
164061		2.82	0.007				<0.5	6.56	<5	200	0.5	<2	6.47	<0.5	56	642
164082 DUP		<0.02	0.006				<0.5	6.28	<5	190	0.5	<2	6.32	<0.5	55	617
164083		2.63	0.106				<0.5	6.49	<5	200	0.5	<2	6.51	<0.5	55	453
164084		2.72	0.292				<0.5	7.76	<5	90	<0.5	<2	8.05	<0.5	48	348
164085		2.69	0.098				<0.5	7.41	<5	80	<0.5	3	9.62	<0.5	46	337
164086		2.56	0.042				<0.5	7.50	<5	60	<0.5	<2	9.25	<0.5	42	331
164087		2.79	0.081				<0.5	7.24	<5	120	<0.5	2	7.62	<0.5	42	306
164088		2.69	0.138				<0.5	7.33	<5	60	<0.5	5	8.61	<0.5	40	314
164089		2.59	0.040				<0.5	6.92	<5	190	0.5	4	6.48	<0.5	28	250
164090		0.05	1.760				19.3	7.85	<5	60	3.3	<2	0.32	<0.5	1	9
164091		2.42	0.185				<0.5	7.46	<5	70	<0.5	3	8.40	<0.5	43	313
164092		2.75	0.355				<0.5	7.35	<5	60	<0.5	4	8.77	<0.5	41	327
164093		2.92	0.229				<0.5	7.07	<5	110	<0.5	3	7.03	<0.5	30	235
164094		2.41	0.102				<0.5	7.17	<5	100	<0.5	<2	8.63	<0.5	41	311
164095		2.60	0.136				<0.5	7.71	<5	80	<0.5	<2	6.78	<0.5	39	265
164096		2.74	0.166				<0.5	7.47	<5	80	<0.5	2	7.87	<0.5	44	321
164097		2.54	0.419				<0.5	6.46	<5	120	<0.5	<2	4.75	0.5	33	311
164096		2.63	0.020				<0.5	5.97	<5	110	<0.5	<2	8.14	<0.5	42	424
164099		0.20	<0.005				<0.5	6.71	<5	520	0.8	2	0.83	<0.5	3	11
164100		2.58	0.030				<0.5	7.50	5	190	<0.5	<2	6.08	<0.5	35	251



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 16-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06015184**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm 1	Fe % 0.01	K % 0.01	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1
161641		120	4.12	1.42	1.13	718	1	2.25	37	200	5	0.37	5	128	0.24	85
161642		56	2.73	1.28	0.29	313	1	2.92	6	170	3	0.28	8	147	0.14	18
161643		63	5.74	1.28	2.58	1035	<1	2.20	41	1120	10	0.18	<5	427	0.53	148
161644		190	7.01	1.10	2.93	1345	1	1.53	61	470	46	0.53	<5	152	0.46	192
161645		442	7.79	1.10	2.78	1120	1	1.26	81	360	137	2.03	<5	124	0.43	198
161646		337	8.11	0.85	3.31	1265	<1	1.36	112	500	6	1.07	<5	205	0.47	192
161647		1030	7.87	0.78	2.98	1195	<1	1.38	81	390	7	1.08	<5	166	0.47	208
161648		107	5.84	0.79	2.29	976	<1	1.78	42	550	10	0.27	<5	165	0.44	162
161649		592	6.99	0.88	2.91	1085	1	1.47	64	430	8	1.18	<5	139	0.45	184
161650 DUP		586	7.02	0.89	2.92	1090	<1	1.48	63	410	11	1.23	<5	140	0.45	185
161651		573	7.72	1.12	3.37	1300	1	1.09	69	370	11	1.22	<5	127	0.46	211
161652		64	7.27	1.12	3.88	1260	<1	1.27	66	390	5	0.28	<5	140	0.47	215
161653		495	7.26	1.58	2.97	1310	<1	1.25	80	870	21	1.05	<5	256	0.50	203
161654		503	7.77	1.19	3.34	1340	<1	1.28	69	420	13	0.73	<5	122	0.46	206
161655		6	2.94	0.20	0.07	124	1	6.9	6	670	135	3.20	<5	19	0.02	3
161656		96	7.61	0.97	3.90	1210	1	1.20	75	380	6	0.28	<5	122	0.46	205
161657		46	5.74	1.29	3.05	921	<1	1.85	54	330	5	0.19	<5	136	0.36	163
161658		52	6.66	1.32	3.50	1210	<1	1.11	80	380	3	0.20	<5	112	0.45	206
161659		13	2.83	4.27	0.24	251	1	2.03	8	170	363	0.02	8	146	0.09	12
161660		106	6.97	1.80	3.54	1555	<1	0.68	99	420	3	0.50	<5	107	0.47	220
164081		24	5.27	1.10	8.27	915	<1	0.60	595	720	<2	0.09	<5	261	0.23	111
164082 DUP		24	5.15	1.08	8.05	900	<1	0.57	583	700	5	0.09	<5	252	0.22	110
164083		23	5.68	0.91	6.86	1005	<1	0.92	470	630	2	0.09	<5	172	0.29	143
164084		42	8.15	0.83	4.96	1455	<1	1.40	168	250	<2	0.09	<5	190	0.38	226
164085		163	7.81	0.69	4.67	1480	<1	1.20	144	240	7	0.31	<5	189	0.37	218
164086		34	7.42	0.52	4.39	1380	<1	1.16	134	250	5	0.07	<5	166	0.37	210
164087		47	7.51	0.73	4.69	1320	<1	1.31	133	640	7	0.19	<5	265	0.43	219
164088		34	7.35	0.57	4.55	1390	<1	1.06	126	230	4	0.08	<5	117	0.36	199
164089		12	5.45	0.79	2.93	1035	1	1.66	88	180	7	0.04	5	124	0.26	142
164090		6	2.69	0.20	0.07	107	<1	7.0	2	640	118	3.05	<5	21	0.02	2
164091		15	7.30	0.55	4.74	1390	<1	1.26	136	210	5	0.03	5	126	0.36	208
164092		22	7.57	0.56	4.66	1435	<1	1.23	139	250	6	0.07	<5	137	0.36	213
164093		36	5.51	0.67	3.35	1095	<1	1.60	92	190	5	0.23	<5	134	0.27	154
164094		51	7.20	0.82	4.38	1500	<1	1.43	118	240	2	0.34	<5	102	0.34	203
164095		14	7.68	0.59	4.15	1410	<1	1.74	105	510	3	0.11	<5	158	0.47	194
164096		25	7.70	0.59	4.60	1360	<1	1.54	134	230	5	0.08	5	155	0.37	215
164097		197	5.99	0.68	3.71	934	1	1.39	130	470	6	0.65	<5	118	0.31	136
164098		10	7.02	0.68	5.46	1425	<1	0.97	152	490	5	0.04	<5	139	0.32	188
164099		9	1.83	4.11	0.21	176	1	1.91	3	170	34	<0.01	<5	138	0.08	8
164100		19	6.63	1.14	3.68	1210	<1	1.86	102	300	4	0.12	<5	144	0.36	179



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 16-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06015184**

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP81
		W ppm	Zn ppm
161641		<10	60
161642		<10	26
161643		<10	89
161644		10	129
161645		10	125
161646		10	83
161647		<10	78
161648		<10	73
161649		10	80
161650 DUP		10	81
161651		<10	89
161652		<10	76
161653		10	122
161654		10	98
161655		<10	23
161656		<10	74
161657		10	69
161658		<10	64
161659		<10	35
161660		20	57
164081		<10	96
164082 DUP		<10	96
164083		<10	79
164084		40	76
164085		10	74
164086		10	72
164087		<10	74
164088		<10	63
164089		<10	51
164090		<10	20
164091		10	73
164092		10	74
164093		10	76
164094		20	118
164095		10	74
164096		10	63
164097		<10	198
164098		<10	74
164099		<10	32
164100		<10	68





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 19-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06016722

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 24-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 19-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06016722

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
166271		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		1.25	30.8	248	27.9	3.754	15.14	1099.0	28.4	27.3

Comments: Sample from VO06012295.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 19-MAR-2006  
Account: TRAVEN

**CERTIFICATE VO06016725**

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 21-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 19-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06016725

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd WL	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
163630		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		2.36	10.20	24.1	9.99	0.777	32.30	2244	9.99	9.99

Comments: Sample from VO06012293.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 19-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06017731

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 28-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 19-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06017731

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
161109		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		2.74	19.30	374	16.85	6.893	18.41	2642	16.60	17.10

Comments: Sample from VO06012709.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 30-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06018380

Project: DETOUR LAKE  
P.O. No.:  
This report is for 44 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 21-FEB-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
OA-GRA08	Specific Gravity - Bulk Sample	WST-SEQ
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 3 (A - D)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018380

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
58903		0.23	0.016		<0.5	7.42	<5	40	<0.5	<2	6.04	<0.5	35	53	124	10.05
58904		0.22	0.058		<0.5	7.36	26	40	<0.5	2	6.58	<0.5	47	69	335	11.40
58905		0.33	0.070		<0.5	7.22	<5	50	<0.5	<2	5.97	<0.5	48	69	370	10.70
58906		0.27	0.031		<0.5	7.39	<5	60	<0.5	<2	6.26	<0.5	42	68	101	11.25
58907		0.28	2.99		<0.5	7.46	6	100	<0.5	2	7.39	<0.5	44	71	592	9.66
58908		0.34	0.253		<0.5	5.68	7	70	<0.5	<2	7.72	<0.5	50	566	6	9.16
58909		0.20	5.15		3.6	6.75	<5	180	<0.5	28	0.43	<0.5	45	9	1475	4.14
58910		0.19	0.990		1.3	6.82	5	840	<0.5	10	1.35	<0.5	17	11	1655	2.72
58911		0.23	1.585		0.5	6.60	11	480	0.9	<2	1.78	<0.5	21	13	872	2.86
58912		0.81	0.005		<0.5	7.79	6	120	<0.5	<2	6.15	<0.5	34	198	17	7.14
58913		0.76	<0.005		<0.5	7.68	9	240	0.5	<2	0.89	<0.5	2	6	8	0.86
58914		0.70	0.236		<0.5	6.42	<5	810	0.9	<2	0.88	<0.5	<1	16	54	1.44
58915		0.81	0.005		<0.5	7.75	<5	110	<0.5	<2	6.22	<0.5	42	120	47	7.06
58916		1.04	0.214		<0.5	6.90	<5	240	1.1	<2	1.80	<0.5	4	11	158	4.25
58917		0.79	0.627		0.5	6.95	12	170	<0.5	<2	4.30	<0.5	170	114	499	10.45
58918		0.47	0.018		<0.5	6.54	<5	510	0.9	<2	1.00	<0.5	2	20	11	1.78
58919		1.01	0.005		<0.5	7.95	5	40	<0.5	<2	7.03	<0.5	35	111	114	7.29
58920		0.18	0.017		<0.5	7.48	<5	140	<0.5	<2	5.14	<0.5	33	123	13	6.85
58921		0.70	0.006		<0.5	7.47	12	140	<0.5	<2	5.30	<0.5	34	109	1	6.29
58922		0.64	0.073		<0.5	7.41	<5	70	0.5	<2	4.70	<0.5	47	92	59	6.45
58923		0.62	0.037		<0.5	7.61	11	240	0.8	<2	3.93	<0.5	15	15	13	4.63
58924		0.27	0.078		<0.5	3.83	15	<10	<0.5	<2	4.30	<0.5	78	2540	222	6.75
58925		0.20	2.04	1.960	1.3	0.95	20	<10	<0.5	<2	14.30	<0.5	25	78	478	10.55
58926		0.28	0.071		<0.5	5.80	<5	140	<0.5	<2	5.88	<0.5	54	1205	21	8.16
58927		0.32	0.091		<0.5	5.38	10	10	<0.5	<2	4.13	<0.5	57	1315	36	7.15
58928		0.19	0.118		<0.5	5.74	<5	<10	<0.5	<2	5.46	<0.5	65	1070	19	7.54
58929		0.20	0.013		<0.5	7.99	<5	110	<0.5	<2	5.86	<0.5	31	70	192	5.92
58930		1.13	<0.005		<0.5	7.22	10	100	<0.5	<2	5.27	<0.5	33	107	2	6.13
58931		0.56	<0.005		<0.5	7.79	9	600	1.5	<2	2.30	<0.5	3	13	12	1.30
58932		0.56	<0.005		<0.5	7.86	10	220	0.5	<2	0.93	<0.5	3	7	12	0.66
58933		0.84	0.030		<0.5	8.02	12	90	<0.5	<2	6.56	<0.5	25	117	53	6.85
58934		0.21	2.48		0.5	6.78	<5	200	<0.5	4	2.75	<0.5	83	137	1705	10.80
58935		0.61	0.015		<0.5	7.66	10	80	<0.5	<2	5.03	<0.5	24	108	5	6.48
58936		0.39	0.831		<0.5	6.26	20	420	1.1	<2	1.14	<0.5	1	7	55	1.85
58937		0.41	2.32		1.0	6.55	<5	150	<0.5	<2	4.51	<0.5	55	118	1060	7.22
58938		0.63	0.016		<0.5	6.28	<5	470	1.1	<2	1.10	<0.5	1	6	25	1.67
58939		0.56	0.028		<0.5	7.80	18	150	0.5	<2	6.39	<0.5	29	114	24	6.98
58940		0.57	0.893		<0.5	4.72	<5	60	<0.5	<2	5.22	<0.5	37	1180	110	9.03
58941		0.32	1.350		<0.5	5.64	<5	110	<0.5	<2	3.79	<0.5	45	1475	126	9.83
58942		0.33	0.079		<0.5	7.69	9	360	0.8	<2	2.89	<0.5	9	22	44	4.18





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Finalized Date: 30-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06018380**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
58903		0.30	3.09	2020	1	1.72	43	430	13	0.51	<5	161	0.74	333	10	96
58904		0.28	2.99	1970	<1	1.47	55	480	11	1.13	<5	185	0.68	282	<10	95
58905		0.38	2.62	1815	<1	1.66	38	450	10	1.12	<5	152	0.77	319	<10	97
58906		0.36	2.76	1820	<1	1.87	32	480	11	0.59	<5	209	0.79	363	10	102
58907		0.65	2.63	1585	<1	1.32	42	530	9	1.56	<5	117	0.77	328	10	88
58908		0.44	6.27	1710	<1	0.87	283	300	7	0.02	<5	90	0.58	237	<10	116
58909		3.15	0.14	148	<1	0.36	36	60	11	2.53	<5	19	0.02	3	10	32
58910		2.75	0.11	232	<1	0.40	9	50	6	0.83	<5	32	0.01	2	50	54
58911		2.17	0.22	255	1	1.55	26	90	29	1.16	<5	132	0.03	3	<10	31
58912		0.75	4.52	1365	1	1.77	109	330	17	0.05	<5	155	0.43	218	<10	94
58913		0.81	0.22	98	<1	4.93	1	170	9	0.04	<5	172	0.06	7	<10	16
58914		0.69	0.12	129	<1	3.53	<1	60	19	0.32	5	143	0.07	1	<10	66
58915		0.65	3.88	1300	<1	1.62	93	370	9	0.09	5	134	0.43	212	<10	70
58916		0.64	0.27	924	1	3.04	1	460	8	0.66	<5	165	0.28	1	10	32
58917		1.30	3.07	1330	<1	1.76	186	320	19	5.78	<5	202	0.37	190	<10	73
58918		1.72	0.29	321	<1	2.92	2	130	13	0.04	<5	145	0.10	5	<10	27
58919		0.41	3.21	1350	<1	1.49	74	360	11	0.29	<5	166	0.44	212	<10	82
58920		1.08	3.52	1060	<1	1.49	84	380	10	0.04	6	142	0.43	218	<10	95
58921		1.20	3.65	1120	<1	1.94	79	360	8	0.01	<5	145	0.43	215	<10	67
58922		0.64	3.87	1260	<1	2.47	79	340	21	0.80	<5	102	0.40	199	<10	65
58923		1.00	1.21	650	1	2.28	18	680	11	0.08	<5	190	0.40	114	10	44
58924		0.02	12.45	1400	<1	0.11	1305	110	188	1.20	6	18	0.18	125	<10	615
58925		0.06	7.10	2920	11	0.10	116	80	11	2.75	<5	69	0.05	49	450	671
58926		1.08	8.93	1700	2	0.40	655	160	9	0.16	<5	22	0.26	165	10	130
58927		0.06	8.69	1200	<1	0.22	632	150	12	0.18	7	37	0.25	148	<10	95
58928		0.06	9.82	1390	1	0.37	638	190	8	0.03	<5	57	0.24	180	10	96
58929		0.87	2.29	1235	<1	1.60	59	400	8	0.35	7	108	0.48	227	10	49
58930		0.67	3.64	1210	<1	1.70	64	360	12	<0.01	<5	148	0.40	200	<10	96
58931		1.43	0.37	172	<1	3.53	4	240	17	0.08	<5	425	0.10	21	<10	82
58932		0.59	0.25	80	<1	5.18	5	220	11	0.03	<5	194	0.08	10	<10	20
58933		0.74	3.38	1415	<1	1.63	69	370	10	0.13	<5	185	0.45	217	<10	64
58934		1.27	1.81	622	1	1.10	183	360	22	5.63	<5	135	0.41	194	10	90
58935		0.73	3.57	1285	<1	2.71	68	380	8	0.02	<5	218	0.43	207	<10	59
58936		0.60	0.11	180	1	3.39	2	60	8	0.33	<5	116	0.09	3	<10	16
58937		1.90	1.91	878	<1	0.65	75	300	12	1.90	<5	66	0.36	151	20	71
58938		1.10	0.11	164	<1	2.90	3	80	10	0.14	<5	125	0.09	1	<10	19
58939		1.14	3.65	1355	<1	1.47	70	390	12	0.10	<5	134	0.47	227	<10	118
58940		1.14	8.01	1555	1	0.34	562	130	12	0.64	<5	29	0.21	137	<10	106
58941		2.11	8.43	1410	<1	0.16	575	180	16	1.02	<5	80	0.27	175	<10	128
58942		1.16	0.85	610	<1	2.33	11	890	11	0.48	<5	117	0.42	66	<10	33





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - D  
Total # Pages: 3 (A - D)  
Finalized Date: 30-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018380

Sample Description	Method Analyte Units LOR	DA-GRA08 S.G. Unity 0.01
58903 58904 58905 58906 58907		
58908 58909 58910 58911 58912		2.96
58913 58914 58915 58916 58917		2.62 2.65 2.96 2.74 3.03
58918 58919 58920 58921 58922		2.66 2.98 2.93 2.92 2.90
58923 58924 58925 58926 58927		2.79 2.94 3.10 3.05 2.94
58928 58929 58930 58931 58932		3.05 2.86 2.93 2.67 2.63
58933 58934 58935 58936 58937		2.98 2.98 2.93 2.67 2.88
58938 58939 58940 58941 58942		2.68 2.97 3.07 3.06 2.75



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 3 (A - D)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018380

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
58943		0.44	0.037		<0.5	5.25	<5	<10	<0.5	<2	5.09	<0.5	65	1610	2	6.91
58944		0.41	0.211		<0.5	6.01	<5	70	<0.5	<2	6.77	<0.5	54	965	19	7.45
58945		0.37	0.011		<0.5	4.50	<5	10	<0.5	<2	5.69	<0.5	57	970	7	6.71
58946		0.86	0.007		<0.5	7.92	<5	50	<0.5	<2	7.24	<0.5	42	349	9	7.70



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 3 (A - D)  
Finalized Date: 30-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018380

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	0.01	1	10	2	
58943		0.04	11.25	1350	<1	0.19	861	160	10	0.01	<5	25	0.23	160	<10	83
58944		0.48	9.18	1685	<1	0.47	619	330	5	0.10	6	102	0.24	165	<10	114
58945		0.16	9.20	1255	<1	0.33	534	220	7	0.01	<5	44	0.20	143	<10	74
58946		0.36	4.54	1360	<1	1.79	140	240	12	0.02	<5	167	0.37	238	<10	59





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - D

Total # Pages: 3 (A - D)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06018380**

Sample Description	Method Analyte Units LOR	OA-GRA08 S.G. Unity 0.01
58943 58944 58945 58946		2.99 3.05 3.01 3.01



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 18-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06018385

Project: DETOUR LAKE

P.O. No.:

This report is for 60 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 22-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 3 (A - C)  
 Finalized Date: 18-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018385

Sample Description	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	
161661	2.69	0.800			0.5	7.24	<5	120	<0.5	<2	5.43	<0.5	24	122	795	
161662	2.87	1.355	1.195		0.6	6.83	<5	100	<0.5	<2	5.57	0.7	36	114	850	
161663 DUP	<0.02	0.978	1.705		0.5	6.90	8	100	<0.5	<2	5.63	<0.5	37	116	831	
161664	2.71	0.346			<0.5	7.87	8	100	<0.5	<2	6.60	<0.5	29	128	356	
161665	2.63	0.110			<0.5	7.87	15	130	<0.5	<2	6.12	<0.5	26	131	149	
161666	2.71	0.102			<0.5	7.15	<5	160	<0.5	<2	4.61	<0.5	27	330	115	
161667	1.48	9.31			<0.5	6.07	5	140	<0.5	<2	5.50	<0.5	48	734	291	
161668	0.16	0.014			<0.5	6.91	<5	550	0.8	<2	0.88	<0.5	3	35	10	
161669	3.98	0.423			<0.5	4.63	<5	20	<0.5	<2	4.60	<0.5	62	1875	21	
161670	2.42	0.158			<0.5	4.17	5	10	<0.5	<2	4.57	<0.5	73	1965	87	
161671	2.67	0.035			<0.5	3.86	<5	<10	<0.5	<2	4.34	<0.5	76	2010	95	
161672	2.79	0.016			<0.5	4.44	<5	20	<0.5	<2	4.85	<0.5	77	1545	58	
161873	2.75	0.080			<0.5	3.57	<5	<10	<0.5	<2	4.03	<0.5	83	2050	95	
161674	2.83	0.055			<0.5	3.54	<5	<10	<0.5	<2	3.96	0.7	89	2160	77	
161675	2.17	0.206			<0.5	4.43	<5	20	<0.5	<2	4.38	1.5	71	1420	102	
161676	3.15	0.077			<0.5	6.99	<5	70	<0.5	<2	6.65	<0.5	52	561	40	
161677	0.05	1.025			10.6	8.14	<5	50	3.1	<2	0.33	<0.5	<1	12	8	
161678	3.04	0.519			<0.5	7.54	<5	230	0.5	<2	5.09	<0.5	34	246	63	
161679	1.51	0.142			<0.5	7.29	<5	350	0.9	<2	3.20	<0.5	12	32	63	
161680	2.08	0.573			<0.5	5.36	<5	40	<0.5	<2	6.25	<0.5	51	835	87	
161681	2.13	0.081			<0.5	7.48	<5	360	0.6	<2	3.65	<0.5	34	327	52	
161682	2.96	0.282			<0.5	5.40	<5	20	<0.5	<2	5.53	<0.5	59	944	17	
161683	2.09	0.031			<0.5	4.20	<5	10	<0.5	<2	3.29	<0.5	77	1840	132	
161684	3.40	<0.005			<0.5	8.74	<5	600	0.6	<2	1.36	<0.5	2	13	7	
161685	2.02	0.290			<0.5	3.33	<5	<10	<0.5	<2	3.78	<0.5	72	1670	92	
161686	2.72	0.115			<0.5	5.32	<5	40	<0.5	<2	4.63	<0.5	61	1120	42	
161687	2.72	0.035			<0.5	5.89	<5	110	<0.5	<2	4.85	<0.5	53	783	42	
161688	2.89	0.100			<0.5	4.86	<5	70	<0.5	<2	5.36	<0.5	61	1195	52	
161689	0.05	1.890			19.3	8.48	<5	60	3.2	<2	0.35	<0.5	1	15	6	
161690	2.96	0.230			<0.5	6.93	<5	140	<0.5	<2	5.58	<0.5	46	497	49	
161691	2.77	1.150			<0.5	8.05	<5	150	<0.5	<2	5.85	<0.5	36	248	20	
161692	2.98	0.199			<0.5	7.65	<5	320	0.7	<2	4.32	<0.5	19	131	27	
161693	2.35	0.332			<0.5	6.18	<5	100	<0.5	<2	5.80	<0.5	45	850	9	
161694	2.54	0.163			<0.5	5.52	<5	90	<0.5	<2	5.46	<0.5	48	1040	13	
161695	2.44	0.480			<0.5	5.57	<5	70	<0.5	<2	5.19	<0.5	52	1090	32	
161696	2.64	0.134			<0.5	6.85	<5	260	<0.5	<2	6.38	<0.5	46	598	76	
161697 DUP	<0.02	0.140			<0.5	6.57	<5	260	<0.5	<2	6.08	<0.5	44	563	75	
161698	0.17	<0.005			<0.5	7.28	<5	580	0.9	2	0.86	<0.5	1	23	6	
161699	2.91	>10.0		10.10	1.4	6.01	<5	180	<0.5	<2	4.56	<0.5	45	890	56	
161700	2.77	0.303			<0.5	5.79	<5	10	<0.5	<2	5.63	<0.5	58	1390	22	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 18-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018385

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
161661		5.99	1.18	2.94	1145	<1	1.11	81	330	<2	0.43	<5	100	0.40	190	20
161662		6.65	1.04	3.25	1155	1	1.09	95	300	2	0.78	<5	100	0.38	188	10
161663 DUP		6.72	1.03	3.32	1175	<1	1.08	90	320	7	0.72	<5	98	0.38	186	10
161664		7.43	1.04	3.77	1405	<1	1.03	85	340	<2	0.46	<5	111	0.42	209	10
161665		6.97	1.26	3.78	1285	2	1.10	74	380	<2	0.22	<5	106	0.44	211	10
161666		6.87	1.84	3.48	1270	1	0.75	134	310	<2	0.83	<5	90	0.39	192	20
161667		8.63	1.26	5.37	1445	1	0.51	337	280	24	1.57	<5	86	0.30	180	30
161668		2.33	4.13	0.28	221	2	2.01	12	150	32	0.03	<5	148	0.09	11	10
161669		7.11	0.33	11.60	1305	1	0.17	872	140	2	0.09	<5	26	0.22	146	10
161670		6.86	0.08	13.70	1305	<1	0.14	1070	180	<2	0.18	<5	26	0.20	140	<10
161671		6.73	0.02	14.05	1325	<1	0.07	1110	160	<2	0.17	<5	37	0.19	133	<10
161672		6.90	0.15	14.25	1295	<1	0.15	971	230	5	0.18	<5	39	0.20	141	<10
161673		6.79	0.01	15.60	1245	<1	0.04	1240	170	55	0.37	5	34	0.18	126	<10
161674		6.89	0.01	16.55	1105	<1	0.02	1310	150	134	0.34	<5	38	0.17	122	<10
161675		7.04	0.28	13.30	1335	<1	0.16	900	250	221	0.28	<5	26	0.22	146	<10
161676		7.85	1.03	7.68	1420	1	0.82	285	300	2	0.08	<5	127	0.33	224	10
161677		2.58	0.20	0.08	35	1	6.7	5	630	109	2.68	<5	18	0.01	2	<10
161678		6.29	1.00	4.06	1065	<1	1.42	89	570	4	0.24	<5	149	0.41	188	10
161679		3.64	0.96	1.04	535	1	2.12	15	1080	9	0.38	6	229	0.47	67	<10
161680		8.42	0.40	9.13	1775	<1	0.43	479	210	<2	0.42	<5	23	0.27	178	20
161681		5.59	1.45	3.99	1015	<1	1.52	162	630	<2	0.29	<5	230	0.41	152	<10
161682		7.76	0.31	10.55	1430	<1	0.38	583	210	7	0.11	<5	44	0.26	178	<10
161683		7.03	0.09	14.00	1230	<1	0.13	1060	140	3	0.42	<5	27	0.19	132	<10
161684		0.81	1.08	0.49	100	<1	4.30	6	220	<2	0.02	8	207	0.06	5	<10
161685		6.86	0.02	13.75	1275	<1	0.09	1010	120	4	0.39	<5	20	0.16	113	<10
161686		7.96	0.37	11.05	1475	<1	0.32	665	190	80	0.17	<5	68	0.28	183	<10
161687		7.49	1.04	9.35	1300	<1	0.36	444	200	42	0.23	<5	114	0.30	194	20
161688		7.22	0.53	10.95	1480	<1	0.34	659	190	6	0.18	<5	69	0.23	156	<10
161689		2.99	0.20	0.09	115	1	7.0	7	640	132	3.11	<5	20	0.01	3	<10
161690		8.86	1.75	7.87	1495	<1	0.62	249	270	<2	0.22	<5	132	0.34	216	10
161691		7.61	1.62	5.71	1340	<1	1.15	129	330	<2	0.12	<5	165	0.37	226	<10
161692		5.17	1.54	2.66	868	1	1.81	37	500	7	0.22	<5	164	0.37	128	<10
161693		7.99	1.12	8.42	1300	1	0.60	417	210	<2	0.06	<5	71	0.31	201	<10
161694		7.61	1.24	9.30	1255	<1	0.32	524	230	2	0.06	<5	79	0.27	176	<10
161695		8.91	1.04	10.20	1420	<1	0.33	625	240	2	0.19	<5	68	0.27	179	<10
161696		8.70	1.01	7.58	1830	<1	0.76	382	1150	5	0.47	<5	330	0.48	203	<10
161697 DUP		8.29	0.99	7.09	1550	<1	0.74	353	1120	8	0.43	<5	325	0.47	192	<10
161698		2.28	4.61	0.25	197	1	2.15	8	190	35	0.01	<5	157	0.08	10	<10
161699		8.05	0.96	8.34	1350	<1	0.93	509	300	5	0.54	<5	102	0.27	147	<10
161700		8.76	0.12	12.05	1425	<1	0.31	832	280	5	0.34	6	31	0.26	183	10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 3 (A - C)

Finalized Date: 18-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018385

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
161661		60
161662		66
161663 DUP		74
161664		68
161665		67
161666		55
161667		74
161668		28
161669		124
161670		104
161671		113
161672		107
161673		286
161674		602
161675		952
161676		124
161677		17
161678		98
161679		41
161680		156
161681		70
161682		153
161683		135
161684		22
161685		108
161686		346
161687		188
161688		167
161689		21
161690		108
161691		105
161692		73
161693		92
161694		86
161695		114
161696		116
161697 DUP		112
161698		30
161699		126
161700		140



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 18-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018385

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
161701		2.77	0.259		0.05	<0.5	6.20	<5	80	<0.5	<2	6.09	<0.5	56	940	14
161702		3.29	0.071			<0.5	5.84	<5	80	<0.5	<2	6.23	<0.5	62	1055	10
161703		2.73	0.291			<0.5	5.66	<5	50	<0.5	<2	5.79	<0.5	61	1055	5
161704		2.71	5.37			<0.5	7.08	<5	430	<0.5	<2	4.79	<0.5	43	753	14
161705		2.43	0.016			<0.5	8.12	<5	480	0.8	<2	7.11	<0.5	46	238	28
161706		2.15	0.055			<0.5	7.42	<5	290	0.5	<2	5.42	<0.5	43	700	26
161707		0.17	0.009			<0.5	6.62	<5	510	0.9	<2	1.02	<0.5	2	40	6
161708		3.15	2.47	1.815		<0.5	7.35	<5	240	<0.5	<2	4.33	<0.5	34	711	10
161709		2.72	0.630			<0.5	5.54	<5	40	<0.5	<2	5.44	<0.5	56	1115	7
161710		2.73	0.466			<0.5	5.91	<5	50	<0.5	<2	6.46	<0.5	56	1070	4
161711		2.74	0.133			<0.5	6.79	<5	140	<0.5	<2	5.41	<0.5	47	832	35
161712		2.82	0.145			<0.5	6.82	<5	190	<0.5	<2	4.88	<0.5	38	874	15
161713		2.88	0.472			<0.5	6.06	<5	70	<0.5	<2	4.79	<0.5	56	1030	45
161714 DUP		<0.02	0.426			<0.5	8.04	<5	70	<0.5	<2	4.92	<0.5	58	1075	51
161715		2.79	0.187			<0.5	6.95	<5	100	<0.5	<2	6.05	<0.5	45	548	21
161716		2.74	0.971			<0.5	7.17	<5	70	<0.5	<2	6.87	<0.5	42	315	7
161717		2.86	0.166			<0.5	7.30	<5	120	<0.5	<2	7.34	<0.5	38	298	14
161718		2.56	0.033			<0.5	7.41	<5	40	<0.5	<2	7.61	<0.5	43	320	6
161719		0.06	1.040			10.4	8.23	<5	40	3.1	<2	0.33	<0.5	1	6	8
161720		2.75	0.014			<0.5	7.28	<5	50	<0.5	<2	7.46	<0.5	43	324	11



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 3 (A - C)

Finalized Date: 18-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018385

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
161701		8.48	0.63	10.45	1465	<1	0.40	577	660	2	0.11	<5	119	0.34	190	10
161702		7.69	0.65	10.90	1395	<1	0.31	605	290	<2	0.04	<5	73	0.28	189	<10
161703		7.71	0.49	10.80	1290	<1	0.33	637	200	<2	0.04	<5	47	0.26	184	<10
161704		6.69	1.37	7.90	1105	<1	1.24	410	420	3	0.13	<5	153	0.32	162	10
161705		4.35	2.07	7.40	718	<1	0.81	422	1150	3	0.28	<5	542	0.22	93	<10
161706		6.27	1.28	7.59	1085	<1	1.15	425	530	6	0.16	<5	434	0.27	146	<10
161707		2.03	4.15	0.41	197	1	2.02	17	150	27	0.01	<5	145	0.08	13	<10
161708		5.69	1.14	6.75	1010	<1	1.45	407	280	3	0.06	<5	172	0.25	124	<10
161709		7.92	0.61	10.55	1300	<1	0.30	668	190	<2	0.02	<5	40	0.28	182	<10
161710		8.22	0.93	10.15	1395	<1	0.36	596	210	<2	0.02	6	84	0.29	194	<10
161711		6.64	0.83	8.05	1170	<1	1.27	482	230	4	0.13	<5	171	0.23	147	<10
161712		4.98	0.47	7.30	954	<1	1.83	482	230	2	0.03	5	122	0.19	110	<10
161713		6.53	0.24	9.50	1185	1	1.00	626	170	<2	0.13	<5	66	0.22	150	<10
161714 DUP		6.73	0.27	9.77	1225	<1	0.92	647	210	6	0.14	<5	66	0.23	154	<10
161715		6.68	0.81	7.02	1255	<1	1.11	309	230	5	0.07	<5	111	0.31	201	<10
161716		7.02	0.69	5.44	1245	<1	1.32	138	250	<2	0.02	<5	130	0.36	229	20
161717		7.16	1.06	5.43	1345	<1	1.36	132	250	<2	0.13	<5	117	0.35	227	30
161718		7.44	0.37	5.30	1285	<1	1.29	147	260	2	0.04	<5	146	0.37	234	10
161719		2.73	0.20	0.08	35	1	6.9	2	640	114	2.83	8	19	0.01	2	<10
161720		7.58	0.47	5.53	1310	<1	1.32	147	250	3	0.04	<5	119	0.36	229	10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 18-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018385

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
161701		92
161702		75
161703		77
161704		71
161705		55
161706		88
161707		30
161708		79
161709		98
161710		91
161711		87
161712		71
161713		89
161714 DUP		94
161715		65
161716		57
161717		73
161718		61
161719		17
161720		71



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06018386

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 22-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 23-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06018386**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161721		2.56	0.020		<0.5	8.27	<5	130	<0.5	<2	9.18	<0.5	47	413	35	8.49
161722		2.72	0.105		<0.5	6.03	<5	50	<0.5	<2	12.80	<0.5	36	304	116	6.54
161723		2.86	7.51		1.3	7.66	<5	50	<0.5	<2	9.12	<0.5	47	371	481	8.24
161724		2.92	0.372		<0.5	7.40	<5	150	<0.5	<2	8.11	<0.5	51	392	36	8.00
161725		2.96	0.140		<0.5	7.55	<5	110	<0.5	<2	8.08	<0.5	46	339	72	7.74
161726 DUP		<0.02	0.196		<0.5	7.19	<5	110	<0.5	<2	7.72	<0.5	44	330	72	7.38
161727		2.58	0.074		<0.5	7.58	<5	90	<0.5	2	9.25	<0.5	42	368	49	7.80
161728		2.81	0.134		<0.5	7.91	<5	150	<0.5	<2	8.45	<0.5	44	354	45	7.67
161729		2.52	0.026		<0.5	7.62	<5	300	0.8	<2	3.99	<0.5	25	232	15	5.12
161730		2.81	0.787		<0.5	6.32	<5	80	<0.5	4	7.53	<0.5	44	289	39	6.77
161731		2.64	0.908		<0.5	8.29	<5	190	<0.5	5	5.84	<0.5	30	226	28	5.64
161732		2.56	0.774		<0.5	7.82	<5	120	<0.5	5	7.85	<0.5	42	288	11	7.51
161733		3.00	0.806		<0.5	7.76	<5	50	<0.5	6	8.89	<0.5	45	304	30	7.97
161734		2.65	0.150		<0.5	7.36	<5	60	<0.5	6	9.32	<0.5	43	289	41	7.57
161735		2.54	0.702		<0.5	7.27	<5	70	<0.5	4	7.27	<0.5	47	306	193	7.69
161736		0.05	1.830		20.4	7.90	<5	50	3.1	3	0.32	<0.5	1	6	6	2.84
161737		3.21	0.148		<0.5	7.59	<5	80	<0.5	3	8.56	<0.5	46	313	10	7.73
161738		2.74	0.025		<0.5	7.98	<5	110	0.7	8	4.27	<0.5	23	18	29	6.60
161739		0.20	<0.005		<0.5	6.80	<5	530	0.9	3	0.80	<0.5	2	10	6	1.96
161740		1.85	0.234		<0.5	7.66	<5	250	<0.5	4	7.65	<0.5	44	321	39	7.74
161741		1.51	0.031		<0.5	8.18	<5	230	0.7	6	4.69	<0.5	27	76	122	6.31
161742		3.23	0.096		<0.5	8.12	<5	380	0.8	6	4.66	<0.5	16	63	45	4.52
161743		2.35	0.018		0.6	8.29	<5	180	<0.5	6	6.17	<0.5	34	125	176	7.55
161744		2.47	0.149		0.5	7.34	<5	310	0.9	3	3.07	<0.5	14	24	132	5.00
161745		2.31	2.25		<0.5	6.76	<5	100	<0.5	8	4.97	<0.5	54	105	868	9.47
161746		1.21	0.021		<0.5	7.78	<5	60	<0.5	4	6.11	<0.5	27	125	146	7.30
161747		1.49	6.74		0.7	6.82	<5	120	<0.5	8	4.29	<0.5	92	108	647	10.45
161748		0.11	0.016	0.006	<0.5	7.37	<5	570	1.0	<2	0.90	<0.5	2	11	13	2.64
161749		2.50	0.065		<0.5	7.58	<5	50	<0.5	4	6.34	<0.5	32	120	783	7.42
161750		2.43	0.028		0.5	8.08	<5	100	<0.5	4	6.46	<0.5	31	139	448	7.47
161751		2.54	0.185		<0.5	7.86	<5	80	<0.5	8	7.12	<0.5	39	119	558	8.03
161752 DUP		<0.02	0.139		<0.5	8.10	<5	90	<0.5	8	7.19	<0.5	41	128	530	7.97
161753		2.65	0.134		<0.5	7.73	<5	120	<0.5	3	7.16	<0.5	31	112	288	7.99
161754		1.57	0.016		<0.5	7.91	<5	330	0.8	4	5.33	<0.5	28	249	84	5.59
161755		2.50	0.117		<0.5	8.31	<5	140	0.5	7	6.08	<0.5	32	110	244	7.34
161756		2.23	0.029		<0.5	7.67	<5	210	0.6	6	6.55	<0.5	27	147	83	6.58
161757		2.42	0.068		0.9	8.17	<5	290	0.6	<2	6.93	<0.5	33	135	162	7.00
161758		0.05	0.998		10.3	8.77	<5	50	3.3	3	0.37	<0.5	1	6	9	2.94
161759		2.38	0.011		<0.5	8.35	<5	210	0.7	2	5.17	<0.5	24	48	53	5.69
161760		2.79	0.011		<0.5	8.86	<5	230	0.7	<2	5.48	<0.5	24	67	85	6.35





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 23-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06018386**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
161721		0.78	5.66	1585	1	1.56	144	280	2	0.11	<5	180	0.40	225	10	89
161722		0.44	4.33	1340	<1	0.99	107	210	5	0.31	<5	166	0.30	179	10	66
161723		0.45	5.44	1455	<1	1.23	144	250	8	0.21	<5	147	0.39	226	10	115
161724		0.74	6.92	1395	1	1.44	236	680	12	0.15	<5	273	0.46	221	<10	105
161725		0.71	5.22	1310	<1	1.49	149	620	6	0.23	<5	388	0.45	231	<10	79
161726 DUP		0.69	4.96	1250	1	1.42	146	620	3	0.24	<5	381	0.44	220	<10	76
161727		0.57	4.93	1475	<1	1.18	141	270	3	0.17	<5	159	0.39	227	<10	70
161728		0.89	5.51	1430	1	1.42	150	490	<2	0.13	<5	243	0.40	215	<10	78
161729		1.05	2.75	894	<1	2.49	80	190	5	0.08	<5	122	0.26	122	<10	52
161730		0.56	4.40	1320	1	1.42	136	200	<2	0.07	<5	109	0.33	214	<10	67
161731		0.71	3.37	1035	<1	2.61	98	230	<2	0.05	<5	216	0.27	160	10	54
161732		0.60	4.69	1370	<1	1.59	135	240	<2	0.02	<5	146	0.35	221	120	66
161733		0.46	5.01	1405	<1	1.39	146	250	2	0.05	<5	145	0.38	245	<10	66
161734		0.52	4.76	1435	<1	1.28	126	240	<2	0.06	8	130	0.35	227	<10	64
161735		0.59	4.99	1285	<1	1.30	142	240	<2	0.22	<5	124	0.36	232	<10	66
161736		0.18	0.06	113	1	6.8	3	640	126	3.06	<5	19	0.02	2	<10	21
161737		0.48	4.83	1390	<1	1.37	140	290	<2	0.03	<5	158	0.39	238	<10	69
161738		0.49	1.59	1125	1	2.88	15	1260	3	0.23	<5	233	0.71	124	<10	89
161739		4.02	0.20	175	3	2.03	3	170	33	<0.01	<5	143	0.08	8	<10	28
161740		1.22	4.56	1375	1	1.56	150	270	<2	0.01	<5	185	0.39	247	<10	73
161741		0.85	2.02	957	1	2.38	64	760	<2	0.43	<5	240	0.52	113	<10	72
161742		1.12	1.86	817	1	2.41	40	460	<2	0.17	<5	243	0.33	122	10	81
161743		1.00	3.22	1200	<1	1.73	86	700	2	0.71	<5	243	0.49	206	<10	99
161744		1.04	0.94	700	2	2.40	20	650	5	0.64	<5	191	0.40	69	<10	61
161745		0.72	2.82	968	1	1.24	148	360	<2	3.88	<5	112	0.37	186	10	61
161746		0.48	3.23	1150	<1	1.52	50	380	<2	0.46	<5	137	0.44	225	<10	67
161747		1.02	2.52	946	1	1.10	180	310	<2	5.19	<5	108	0.37	200	150	62
161748		4.39	0.22	234	1	2.15	8	170	35	0.04	<5	157	0.09	9	<10	29
161749		0.47	3.04	1150	1	1.38	77	360	<2	1.05	<5	144	0.43	208	<10	59
161750		0.53	3.25	1200	<1	1.63	79	490	4	1.02	<5	186	0.46	221	<10	62
161751		0.69	3.23	1345	1	1.24	95	360	<2	1.24	<5	129	0.44	224	<10	64
161752 DUP		0.69	3.23	1350	1	1.23	95	390	<2	1.20	<5	130	0.45	228	<10	64
161753		0.57	3.48	1430	1	1.52	82	380	<2	0.87	<5	180	0.44	229	10	70
161754		1.07	4.00	1000	1	2.02	132	1150	15	0.29	<5	492	0.39	156	10	106
161755		0.80	2.94	1245	1	1.76	66	570	32	1.00	<5	183	0.49	206	<10	105
161756		0.81	3.66	1200	1	1.62	90	830	<2	0.27	5	345	0.49	204	10	83
161757		0.99	3.32	1165	1	2.19	101	1170	3	0.65	<5	541	0.57	187	<10	80
161758		0.20	0.07	39	1	7.1	4	660	130	3.17	<5	22	0.01	2	<10	17
161759		0.89	1.99	934	1	2.31	42	870	5	0.23	<5	233	0.53	148	<10	64
161760		1.00	2.39	1050	2	2.32	47	800	6	0.27	<5	245	0.54	166	<10	70



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018386

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161761		2.42	0.037		<0.5	8.15	6	70	<0.5	<2	7.70	<0.5	40	138	141	7.98
161762		2.97	0.206		0.5	8.74	<5	90	<0.5	<2	7.51	<0.5	32	150	185	7.65
161763		2.52	0.007		<0.5	8.31	<5	60	<0.5	<2	7.80	<0.5	28	128	64	6.95
161764		3.02	0.009		<0.5	8.06	<5	100	<0.5	<2	7.00	<0.5	30	134	59	6.91
161765		2.52	0.058		<0.5	7.98	<5	70	<0.5	<2	7.36	<0.5	29	130	82	7.26
161766 DUP		<0.02	0.099		<0.5	8.40	<5	70	<0.5	<2	7.80	<0.5	33	136	98	7.60
161767		2.73	0.181		<0.5	8.13	<5	120	<0.5	<2	7.02	<0.5	29	132	36	7.32
161768		2.77	0.009		<0.5	8.61	<5	120	<0.5	<2	7.30	<0.5	26	126	6	7.27
161769		2.50	0.019		<0.5	8.13	<5	190	0.7	<2	5.07	<0.5	22	64	80	5.43
161770		2.60	0.034		<0.5	8.61	<5	180	0.5	<2	6.76	<0.5	27	137	53	7.17
161771		2.75	0.054		<0.5	8.41	6	170	<0.5	<2	6.57	1.2	29	131	21	7.42
161772		0.07	<0.005		<0.5	7.43	<5	600	0.9	<2	0.98	<0.5	2	13	10	2.81
161773		2.77	<0.005		<0.5	8.66	<5	130	<0.5	<2	6.81	<0.5	30	136	1	7.11
161774		2.69	0.041		0.5	9.04	<5	160	0.5	<2	7.27	<0.5	27	120	73	7.00
161775		2.66	0.010		<0.5	8.63	<5	200	0.7	2	6.03	<0.5	30	34	125	7.23
161776		2.90	0.054		<0.5	8.12	<5	290	0.7	<2	6.93	<0.5	34	199	230	6.85
161777		0.04	0.995		10.2	8.55	<5	50	3.3	<2	0.36	<0.5	2	5	8	2.67
161778		2.52	0.021		<0.5	8.16	<5	150	<0.5	<2	6.58	<0.5	36	267	437	7.65
161779		2.94	0.011		<0.5	7.42	<5	120	<0.5	<2	6.76	<0.5	45	542	170	7.43
161780		2.42	0.219		<0.5	8.21	<5	110	<0.5	<2	6.72	<0.5	50	161	432	8.15
161781		2.63	0.019		<0.5	8.19	<5	80	<0.5	<2	7.48	<0.5	34	188	126	6.99
161782		2.60	0.006		<0.5	8.18	<5	90	<0.5	<2	7.24	<0.5	30	120	20	6.65
161783		2.73	0.021		<0.5	8.86	<5	180	0.5	<2	5.98	<0.5	25	124	99	6.61
161784		2.48	0.280		<0.5	8.63	<5	190	0.5	<2	5.80	<0.5	23	88	77	5.33
161785		2.88	0.061		<0.5	8.13	<5	130	0.5	<2	6.50	<0.5	32	128	168	7.24
161786 DUP		<0.02	0.035		<0.5	8.05	6	130	<0.5	<2	6.44	<0.5	30	122	150	7.13
161787		2.48	0.016		<0.5	8.08	<5	210	0.7	2	5.09	<0.5	22	59	33	5.65
161788		2.51	0.010		<0.5	7.60	<5	190	0.5	<2	6.27	<0.5	35	388	93	6.71
161789		2.88	0.026		0.6	7.56	<5	100	<0.5	<2	7.44	<0.5	37	371	76	7.25
161790		2.40	0.041		<0.5	7.96	<5	190	0.6	2	5.27	<0.5	26	75	196	6.09
161791		2.42	0.072		0.6	7.38	<5	170	0.5	<2	5.22	<0.5	31	107	294	6.22
161792		2.54	0.090		0.5	7.55	<5	100	<0.5	<2	6.10	<0.5	36	130	281	7.63
161793		0.11	<0.005		<0.5	7.08	<5	570	0.9	<2	0.99	<0.5	1	9	7	2.17
161794		2.83	0.398		<0.5	7.78	<5	120	<0.5	<2	5.91	<0.5	34	136	353	7.43
161795		2.54	0.060		<0.5	7.73	<5	220	0.6	<2	4.46	<0.5	24	65	145	5.67
161796		2.39	0.067		<0.5	7.16	<5	220	0.7	<2	4.29	<0.5	15	51	72	5.18
161797		2.38	0.209		<0.5	7.92	<5	250	0.7	<2	4.53	<0.5	23	55	198	5.39
161798		2.84	0.147		<0.5	7.82	<5	120	<0.5	<2	6.45	<0.5	31	202	272	6.50
161799		2.51	0.025		<0.5	8.16	<5	90	<0.5	<2	6.89	<0.5	27	121	156	6.96
161800		0.04	0.992		10.1	7.56	<5	60	3.1	<2	0.33	<0.5	<1	5	8	2.66



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018386

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
161761		0.51	3.59	1330	1	1.70	121	390	14	1.41	<5	163	0.47	208	<10	73
161762		0.86	3.55	1360	<1	1.43	84	410	2	0.65	<5	150	0.49	221	<10	89
181763		0.47	3.80	1330	1	1.65	74	400	5	0.07	<5	158	0.48	215	<10	78
161764		0.81	3.67	1185	1	1.46	78	380	2	0.17	<5	140	0.48	214	<10	73
161765		0.57	3.77	1230	<1	1.42	75	410	3	0.25	<5	141	0.45	209	<10	67
161766 DUP		0.60	3.95	1300	<1	1.50	79	410	6	0.28	<5	148	0.49	224	<10	71
161767		0.96	4.33	1240	1	1.58	94	370	3	0.14	<5	138	0.47	215	<10	82
161768		0.92	4.30	1245	<1	1.75	85	420	3	0.03	<5	153	0.48	215	<10	76
161769		1.05	2.10	895	1	2.16	32	760	5	0.37	<5	190	0.49	136	<10	68
181770		1.49	3.89	1325	<1	1.40	77	540	3	0.29	<5	154	0.52	222	<10	130
161771		1.48	4.27	1275	<1	1.34	77	410	2	0.18	<5	123	0.49	224	10	184
161772		4.59	0.23	239	2	2.23	7	190	42	0.01	<5	167	0.09	10	<10	29
161773		1.17	4.36	1140	1	1.68	76	410	6	0.01	<5	148	0.50	227	<10	68
161774		0.99	3.59	1260	1	1.58	64	580	2	0.22	<5	187	0.52	217	<10	84
181775		0.70	2.80	1065	1	2.52	64	2180	6	0.60	<5	627	0.64	154	<10	67
161776		1.01	3.84	1125	<1	1.67	125	760	8	0.69	<5	534	0.46	199	<10	88
161777		0.19	0.07	36	1	7.1	3	670	118	2.93	<5	22	0.01	2	<10	20
161778		1.07	3.95	1150	<1	1.62	114	420	31	0.93	<5	176	0.45	208	<10	93
161779		0.99	5.48	1180	<1	1.47	216	460	4	0.57	<5	193	0.42	201	10	71
161780		0.76	3.43	1170	1	1.74	128	390	4	1.47	<5	159	0.47	226	10	59
161781		0.48	3.84	1230	1	1.63	97	440	6	0.50	<5	192	0.45	207	<10	63
161782		0.58	3.68	1215	<1	1.62	71	440	5	0.07	<5	173	0.49	211	<10	70
161783		1.04	3.15	1075	1	2.15	67	510	9	0.31	<5	197	0.46	194	10	74
161784		0.75	2.83	952	1	2.50	37	550	11	0.34	<5	312	0.34	122	<10	74
161785		0.73	3.15	1390	1	1.75	81	510	3	0.51	<5	160	0.48	192	<10	89
161786 DUP		0.72	3.15	1380	<1	1.74	75	510	4	0.48	<5	158	0.47	186	<10	87
161787		0.95	2.07	997	1	2.16	33	740	5	0.13	<5	201	0.50	156	10	72
161788		0.85	4.37	1170	1	1.85	160	600	3	0.29	<5	201	0.43	171	<10	84
161789		0.79	5.35	1285	<1	1.31	185	430	5	0.23	<5	176	0.42	196	<10	74
161790		0.99	2.08	948	1	1.90	52	590	<2	0.65	<5	175	0.45	156	<10	66
161791		1.00	2.36	1035	1	1.64	59	500	5	0.54	<5	140	0.46	167	<10	81
161792		0.76	3.09	1100	1	1.48	85	380	<2	1.17	<5	126	0.43	203	10	64
161793		4.16	0.24	210	2	2.17	6	170	38	0.01	<5	154	0.08	9	<10	28
161794		0.95	3.12	1055	<1	1.51	79	370	5	1.04	<5	129	0.45	201	3280	64
161795		1.01	1.87	879	2	2.07	38	730	12	0.53	<5	169	0.47	137	<10	62
161796		0.98	1.66	852	1	2.27	23	740	<2	0.27	<5	179	0.45	115	<10	55
181797		1.19	1.65	873	2	2.07	39	800	4	0.63	<5	171	0.48	119	10	59
161798		0.79	3.99	1030	2	1.61	97	410	2	0.70	<5	185	0.37	174	<10	61
161799		0.64	3.41	1130	1	1.55	72	390	2	0.48	<5	142	0.46	205	<10	58
161800		0.19	0.06	37	1	6.7	3	610	121	2.97	<5	19	0.01	2	<10	16



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018386

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
161801		3.08	0.037		<0.5	7.41	<5	90	<0.5	<2	6.54	<0.5	30	238	176	6.64
161802		2.50	0.042		0.6	7.80	5	140	<0.5	<2	6.50	<0.5	26	155	255	6.45
161803		2.02	0.022		<0.5	9.14	<5	160	<0.5	<2	7.45	<0.5	27	164	95	7.64
161804		2.65	0.052		0.7	7.85	<5	120	<0.5	<2	6.35	0.9	23	120	367	6.52
161805		2.63	0.016		<0.5	8.47	<5	250	0.7	<2	5.02	<0.5	22	118	96	5.64
161806		2.46	0.724		<0.5	7.53	<5	170	0.5	<2	5.15	0.5	38	79	521	5.80
161807		2.08	0.629		<0.5	7.54	<5	270	0.7	<2	4.84	<0.5	28	142	206	5.28
161808		0.04	1.830		20.1	8.63	<5	60	3.1	<2	0.36	<0.5	<1	3	5	2.88
161809		2.59	0.724		<0.5	7.67	<5	350	0.8	<2	4.05	<0.5	17	80	83	4.68
161810		3.06	0.071		<0.5	6.76	5	150	0.5	<2	7.26	<0.5	41	334	208	6.34
161811		2.99	0.119		<0.5	7.82	<5	120	<0.5	<2	6.34	<0.5	39	135	486	7.27
161812		2.71	0.031		<0.5	8.08	<5	150	0.7	<2	5.67	<0.5	25	103	102	5.76
161813		2.73	0.068		<0.5	7.15	<5	100	0.7	<2	7.60	<0.5	33	205	186	6.75
161814		3.13	0.058		<0.5	7.61	<5	150	0.8	<2	6.78	<0.5	30	185	164	6.53
161815		2.76	0.855	0.718	<0.5	6.97	8	130	<0.5	<2	7.46	<0.5	36	116	356	6.64
161816 DUP		<0.02	0.413	0.723	<0.5	6.92	<5	130	<0.5	<2	7.34	<0.5	35	110	342	6.48
161817		0.14	<0.005		<0.5	6.92	<5	570	0.9	<2	0.86	<0.5	1	12	7	1.98
161818		1.94	0.056		<0.5	7.92	<5	180	0.7	<2	5.87	<0.5	26	98	186	6.13
161819		2.11	0.011		<0.5	7.90	<5	280	0.8	<2	3.83	<0.5	19	12	65	4.51
161820		3.52	0.193		<0.5	7.34	<5	100	<0.5	<2	6.43	<0.5	36	113	209	6.81



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 23-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06018386**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161801		0.76	4.00	1070	<1	1.34	135	370	7	0.43	<5	141	0.43	196	<10	56
161802		1.24	3.70	1115	1	1.06	90	420	42	0.45	<5	182	0.45	200	<10	79
161803		0.86	4.69	1280	2	1.83	83	500	26	0.28	<5	303	0.45	206	<10	66
161804		0.82	3.28	1080	1	1.43	72	380	51	0.83	<5	143	0.45	201	<10	265
161805		1.12	2.58	933	1	2.18	66	730	9	0.20	<5	242	0.47	149	<10	77
161806		1.03	2.30	906	1	1.64	52	500	18	0.96	<5	153	0.44	157	10	118
161807		1.10	2.46	807	2	2.00	83	780	27	0.86	<5	269	0.40	116	<10	88
161808		0.19	0.07	118	1	7.1	6	660	128	3.20	<5	22	0.01	2	<10	18
161809		1.32	1.85	676	2	2.44	52	1190	6	0.22	<5	346	0.44	99	<10	63
161810		0.89	5.63	1205	1	1.23	152	500	6	0.44	<5	225	0.34	160	10	90
161811		0.84	3.10	1100	1	1.63	77	390	20	1.49	<5	173	0.45	202	20	76
161812		0.89	2.40	947	1	2.07	48	550	6	0.34	<5	204	0.51	184	<10	72
161813		0.59	4.12	1135	1	1.60	85	490	5	0.51	<5	242	0.37	176	<10	69
161814		0.93	3.84	1070	1	1.82	82	450	5	0.39	<5	280	0.42	186	10	59
161815		0.67	2.89	1065	1	1.64	82	330	13	1.22	<5	201	0.41	186	20	55
161816 DUP		0.66	2.84	1055	1	1.63	76	320	15	1.21	<5	198	0.40	178	10	58
161817		4.24	0.21	174	1	2.09	5	170	36	0.01	<5	148	0.08	8	<10	29
161818		0.89	2.77	959	2	2.13	47	520	4	0.61	<5	248	0.44	171	<10	154
161819		1.22	1.14	710	1	2.51	14	820	7	0.23	<5	208	0.47	109	<10	51
161820		0.65	3.13	996	1	1.37	94	350	16	0.87	<5	145	0.42	182	<10	64



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 21-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06018387

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 22-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 21-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06018387**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161821		2.94	0.014		<0.5	8.68	<5	240	0.6	<2	6.93	<0.5	30	87	89	6.71
161822		2.06	0.090		<0.5	8.35	6	200	0.6	<2	5.33	<0.5	23	67	86	6.02
161823		2.57	0.092		0.5	7.94	<5	160	0.5	<2	5.93	1.0	28	105	334	6.62
161824		2.62	0.027		<0.5	8.51	<5	90	<0.5	<2	6.66	<0.5	46	114	141	9.48
161825		2.67	0.039		0.5	7.64	<5	180	0.7	<2	6.10	<0.5	38	193	203	7.33
161826		2.90	0.342		<0.5	7.63	<5	170	0.6	<2	6.53	0.6	57	252	441	7.39
161827		2.38	0.021		0.6	7.30	5	650	1.3	<2	3.38	<0.5	16	67	96	3.94
161828		2.63	0.024		<0.5	5.69	6	330	0.9	<2	5.84	<0.5	31	291	42	4.39
161829		1.49	0.015		<0.5	8.32	9	290	0.9	<2	4.06	<0.5	16	58	34	4.85
161830		1.62	0.122		0.7	7.93	5	150	<0.5	<2	5.88	0.6	103	130	793	8.97
161831 DUP		<0.02	0.118		0.9	8.17	<5	150	<0.5	<2	5.97	<0.5	104	137	824	9.25
161832		1.80	0.022		<0.5	8.15	<5	240	0.8	<2	3.69	<0.5	15	49	32	4.71
161833		2.24	0.267		<0.5	7.59	<5	130	<0.5	<2	5.85	0.5	47	256	360	6.95
161834		1.72	0.053		<0.5	8.20	6	150	<0.5	<2	6.68	<0.5	38	118	169	7.06
161835		2.40	0.089		<0.5	6.66	<5	620	1.2	<2	1.27	<0.5	2	9	60	1.88
161836		3.85	0.106		<0.5	8.56	<5	220	0.5	<2	7.19	<0.5	50	153	349	7.55
161837		0.20	<0.005		<0.5	6.99	<5	530	0.9	<2	0.95	<0.5	3	11	8	2.31
161838		2.94	0.082		<0.5	8.58	6	190	0.5	<2	6.28	<0.5	45	118	267	6.69
161839		0.05	0.983		10.1	8.58	8	40	3.2	<2	0.33	<0.5	3	6	9	2.52
161840		1.24	0.014		<0.5	7.61	<5	250	0.9	<2	3.38	<0.5	21	38	127	3.79
161841		2.37	0.178	0.160	0.6	7.49	7	140	<0.5	<2	6.38	<0.5	61	122	429	8.94
161842 DUP		<0.02	0.106	0.178	0.6	7.65	10	140	<0.5	<2	6.39	<0.5	58	118	412	8.79
161843		1.86	0.174		<0.5	8.46	<5	210	0.8	<2	4.82	<0.5	26	139	73	5.56
161844		2.79	0.084		<0.5	7.71	<5	80	<0.5	<2	5.63	<0.5	59	134	312	6.95
161845		2.90	0.019		<0.5	7.81	5	110	<0.5	<2	6.49	<0.5	27	106	32	6.62
161846		2.79	0.060		<0.5	8.22	6	170	<0.5	<2	6.73	<0.5	30	124	70	7.18
161847		3.06	0.239		<0.5	8.07	<5	150	<0.5	<2	6.53	<0.5	28	111	54	6.93
161848		2.78	0.570		<0.5	7.76	5	150	<0.5	<2	6.42	<0.5	28	121	76	6.86
161849		2.90	0.012		<0.5	7.95	<5	220	0.5	<2	5.50	<0.5	23	93	30	5.53
161850		3.07	0.022		<0.5	7.65	<5	180	<0.5	<2	5.18	<0.5	26	100	51	7.01
161851		2.94	0.117		<0.5	7.99	<5	120	<0.5	<2	6.41	<0.5	23	110	11	6.51
161852		0.18	<0.005		<0.5	6.94	<5	540	0.9	<2	0.92	<0.5	3	9	6	2.06
161853		2.72	0.110		0.5	7.96	<5	120	<0.5	<2	6.37	<0.5	26	110	91	6.43
161854		2.79	0.120		<0.5	7.76	6	170	<0.5	<2	6.16	<0.5	25	116	66	6.87
161855		0.04	1.800		19.2	8.68	8	60	3.2	<2	0.35	<0.5	2	4	6	3.01
161856		3.16	0.016		<0.5	8.39	<5	130	<0.5	<2	7.18	<0.5	26	111	71	7.09
161857		2.79	0.039		<0.5	8.42	<5	120	<0.5	<2	7.16	<0.5	31	110	43	7.05
161858		2.61	0.009		<0.5	8.66	<5	120	<0.5	<2	7.20	<0.5	28	113	27	7.13
161859		2.73	0.015		<0.5	8.48	<5	270	<0.5	<2	6.41	<0.5	29	133	50	7.29
161860		2.04	0.020		<0.5	7.86	<5	160	<0.5	<2	5.94	<0.5	30	142	47	6.59

Comments: 161888: First result was 0.020 ppm



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018387

Sample Description	Method Analyte Units LOI	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161821		0.75	3.39	1165	<1	1.81	54	640	8	0.24	<5	335	0.50	195	<10	86
161822		0.93	2.33	974	1	1.91	44	630	7	0.33	<5	188	0.49	161	10	103
161823		1.09	2.75	1070	<1	1.32	70	430	12	0.73	<5	173	0.44	183	<10	170
161824		0.51	4.03	1475	<1	1.87	116	740	10	0.36	<5	321	0.71	214	10	122
161825		0.77	3.89	1140	<1	1.97	106	700	6	0.50	<5	371	0.53	170	10	87
161826		0.92	4.05	1190	<1	1.71	107	390	5	0.73	<5	238	0.41	190	10	87
161827		1.42	1.88	596	<1	2.82	23	880	5	0.23	<5	325	0.23	75	<10	43
161828		0.78	4.95	835	<1	1.90	102	240	3	0.12	<5	174	0.17	89	<10	46
161829		1.22	1.58	830	<1	2.64	23	960	6	0.13	<5	268	0.49	96	<10	61
161830		1.17	2.68	1060	<1	1.51	95	370	3	1.82	<5	175	0.44	193	30	101
161831 DUP		1.23	2.76	1095	<1	1.57	100	400	<2	1.95	<5	182	0.46	201	50	104
161832		0.97	1.41	766	1	2.42	26	980	6	0.15	<5	221	0.51	97	<10	60
161833		1.12	4.09	1080	<1	1.43	143	430	15	0.72	<5	163	0.41	183	<10	87
161834		0.73	3.63	1165	<1	1.59	70	350	3	0.45	<5	197	0.43	197	<10	72
161835		1.01	0.11	159	1	3.30	5	80	3	0.29	<5	140	0.10	2	<10	49
161836		1.02	3.57	1165	<1	1.61	95	550	7	0.85	<5	343	0.47	191	10	77
161837		4.10	0.25	208	<1	2.11	7	170	34	0.01	<5	157	0.09	10	<10	29
161838		1.07	2.49	1175	<1	1.86	63	450	5	0.78	<5	205	0.47	190	10	91
161839		0.19	0.07	34	<1	6.8	7	600	115	2.58	<5	21	0.01	2	<10	16
161840		0.87	1.09	655	1	2.74	26	380	5	0.34	<5	177	0.29	91	10	49
161841		1.00	2.90	1085	<1	1.42	101	350	2	1.62	<5	141	0.42	184	40	103
161842 DUP		0.99	2.94	1090	<1	1.43	95	350	<2	1.61	<5	143	0.41	183	30	102
161843		1.14	2.89	901	<1	2.38	75	800	5	0.21	<5	282	0.43	140	10	82
161844		0.60	2.70	1010	<1	1.70	67	310	4	0.98	<5	172	0.43	190	10	74
161845		0.92	3.65	1080	<1	1.34	62	350	3	0.11	<5	143	0.43	198	<10	68
161846		1.23	3.90	1235	<1	1.18	75	460	5	0.34	<5	150	0.45	205	10	82
161847		1.24	3.66	1135	1	1.29	76	420	4	0.28	<5	160	0.43	192	<10	83
161848		1.49	3.59	1120	<1	1.00	81	340	2	0.52	<5	121	0.42	194	10	59
161849		1.42	3.05	849	<1	1.84	60	1120	4	0.21	<5	406	0.41	153	10	59
161850		1.43	3.70	988	<1	1.28	72	370	<2	0.19	<5	147	0.46	202	<10	66
161851		1.12	3.71	1115	<1	1.23	71	390	2	0.06	<5	124	0.44	199	<10	59
161852		4.13	0.22	184	<1	2.12	5	170	36	<0.01	<5	155	0.08	9	<10	28
161853		1.49	3.52	1260	<1	0.93	76	390	14	0.25	<5	101	0.44	205	10	55
161854		1.69	3.78	1450	<1	0.75	81	350	52	0.72	<5	86	0.42	200	30	146
161855		0.19	0.07	113	<1	6.9	6	650	132	3.10	6	20	0.01	2	<10	27
161856		0.98	3.88	1330	<1	1.35	70	370	4	0.23	<5	150	0.46	210	10	70
161857		0.92	3.95	1230	<1	1.40	73	410	3	0.13	5	151	0.47	209	<10	68
161858		0.90	3.99	1240	<1	1.55	71	410	2	0.08	<5	166	0.48	220	10	69
161859		1.44	4.11	1190	<1	1.54	82	480	6	0.19	5	256	0.48	217	<10	83
161860		0.95	3.95	1075	<1	1.45	92	520	5	0.15	<5	214	0.41	189	10	71

Comments: 161888: First result was 0.020 ppm





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 21-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06018387**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161861		2.97	0.161		<0.5	8.78	<5	100	<0.5	<2	6.94	<0.5	28	112	67	7.56
161862		2.91	0.085		<0.5	8.70	<5	110	<0.5	<2	7.06	<0.5	27	114	47	7.25
161863		3.39	0.114		<0.5	8.40	<5	100	<0.5	<2	6.98	<0.5	29	109	68	7.13
161864		2.66	2.15		<0.5	7.86	<5	130	<0.5	<2	6.20	<0.5	29	124	99	7.28
161865		1.50	0.864		<0.5	6.86	<5	140	<0.5	<2	5.28	<0.5	35	317	173	7.23
161866		0.13	<0.005		<0.5	6.87	<5	500	0.9	<2	0.79	<0.5	2	10	7	2.28
161867		4.20	0.525		<0.5	5.22	<5	10	<0.5	<2	5.33	0.5	60	1565	93	8.64
161868		2.72	0.572		<0.5	4.69	<5	10	<0.5	<2	4.84	<0.5	82	2190	194	7.34
161869		2.68	0.085		<0.5	5.23	<5	40	<0.5	<2	4.53	<0.5	63	1465	65	7.31
161870		2.86	1.005		<0.5	3.40	<5	<10	<0.5	<2	3.70	1.5	77	2220	147	6.62
161871		3.00	0.053		<0.5	6.90	6	110	<0.5	<2	5.62	<0.5	39	455	46	7.10
161872		0.06	0.992		10.4	8.02	7	40	3.0	<2	0.31	<0.5	1	8	9	2.67
161873		2.65	0.056		<0.5	7.36	<5	70	<0.5	<2	5.84	<0.5	43	356	73	7.22
161874		2.68	0.432		<0.5	7.14	<5	120	<0.5	<2	5.68	<0.5	47	423	27	7.13
161875		1.72	0.081		<0.5	6.14	<5	150	<0.5	<2	5.23	<0.5	45	778	4	6.79
161876		3.52	0.019		<0.5	8.14	<5	440	0.6	<2	1.89	<0.5	10	63	20	2.71
161877		2.59	0.010		<0.5	8.20	<5	400	0.6	<2	1.57	<0.5	9	254	4	1.88
161878		1.69	0.033		<0.5	7.70	<5	440	0.5	<2	1.17	<0.5	7	162	6	1.60
161879		3.89	0.096		<0.5	4.17	<5	10	<0.5	<2	3.89	<0.5	70	1520	86	6.62
161880 DUP		<0.02	0.147		0.6	4.06	8	10	<0.5	<2	3.99	<0.5	71	1520	93	6.61
161881		2.34	0.296		<0.5	3.64	7	<10	<0.5	<2	3.52	<0.5	85	1205	93	6.35
161882		3.08	6.65		0.6	6.91	<5	170	<0.5	<2	3.84	<0.5	42	434	205	8.88
161883		2.67	0.311		<0.5	6.63	<5	100	<0.5	<2	5.14	<0.5	40	796	70	8.73
161884		2.46	1.095		<0.5	6.01	<5	150	<0.5	<2	4.44	<0.5	38	884	48	8.06
161885		3.39	0.563		<0.5	5.34	6	70	<0.5	<2	4.98	<0.5	46	1065	70	9.11
161886		2.94	0.300		<0.5	5.90	<5	120	<0.5	<2	4.74	<0.5	45	1070	106	8.52
161887		2.79	0.735		<0.5	5.46	<5	30	<0.5	<2	5.28	<0.5	46	1145	76	8.61
161888		0.07	0.022		<0.5	6.96	5	520	0.8	<2	0.94	<0.5	3	50	9	3.00
161889		2.98	0.056		<0.5	6.51	<5	220	<0.5	<2	5.59	<0.5	50	999	35	7.04
161890		3.33	0.194		<0.5	5.95	5	180	<0.5	<2	5.61	<0.5	54	971	30	7.64
161891 DUP		<0.02	0.204		<0.5	6.06	<5	180	<0.5	<2	5.71	<0.5	51	927	35	7.78
161892		2.67	0.113		<0.5	5.83	<5	70	<0.5	<2	5.59	<0.5	61	1215	2	7.09
161893		2.38	0.158		<0.5	5.70	<5	40	<0.5	<2	5.48	<0.5	63	1365	2	7.61
161894		2.52	0.353		<0.5	5.08	<5	20	<0.5	<2	5.31	<0.5	51	1520	5	7.81
161895		0.04	1.735		19.9	8.70	5	60	3.1	<2	0.35	<0.5	1	7	6	2.76
161896		2.77	0.144		<0.5	5.48	<5	70	<0.5	<2	5.14	<0.5	45	1230	14	7.83
161897		2.44	0.314		<0.5	5.75	<5	110	<0.5	<2	4.76	<0.5	44	978	32	7.27
161898		2.63	1.680		<0.5	4.92	<5	20	<0.5	<2	5.53	<0.5	52	1280	23	7.42
161899		3.11	1.635		<0.5	5.19	<5	80	<0.5	<2	5.18	<0.5	51	1215	10	8.01
161900		2.62	0.140		<0.5	5.24	<5	70	<0.5	<2	4.89	<0.5	52	1015	7	7.32

Comments: 161888: First result was 0.020 ppm



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018387

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161861		0.82	4.06	1340	<1	1.48	78	410	3	0.23	<5	138	0.46	209	20	68
161862		0.94	3.93	1315	<1	1.47	73	400	6	0.29	<5	137	0.46	207	<10	65
161863		1.00	3.96	1240	<1	1.25	72	400	5	0.21	<5	133	0.46	211	10	66
161864		1.05	3.76	1215	<1	1.21	85	390	2	0.37	<5	103	0.43	198	10	64
161865		1.17	3.70	1240	<1	0.77	128	310	<2	0.73	<5	112	0.36	176	10	60
161866		4.07	0.20	200	1	2.13	8	150	30	0.01	<5	140	0.08	9	<10	28
161867		0.14	11.80	1545	<1	0.30	809	180	4	0.46	<5	34	0.24	155	10	101
161868		0.07	14.05	1475	<1	0.16	1100	200	2	0.48	<5	45	0.22	141	10	134
161869		0.23	11.55	1420	<1	0.25	699	300	39	0.24	<5	80	0.22	141	<10	178
161870		0.02	13.25	1300	1	0.08	1115	120	218	0.59	<5	17	0.16	113	<10	1165
161871		0.80	6.30	1510	<1	0.93	201	220	6	0.17	<5	111	0.36	210	10	82
161872		0.18	0.07	36	<1	6.1	3	590	118	2.87	<5	19	0.01	2	<10	17
161873		0.77	5.38	1260	<1	1.08	128	570	2	0.13	<5	142	0.42	217	<10	65
161874		1.06	6.03	1225	<1	0.95	166	250	4	0.01	<5	100	0.37	222	<10	65
161875		0.97	7.83	1305	<1	0.72	370	200	6	0.02	<5	65	0.32	188	<10	73
161876		1.14	1.16	421	<1	3.16	31	450	3	0.11	<5	204	0.26	63	<10	22
161877		1.08	2.08	340	<1	3.42	136	140	2	0.01	<5	292	0.07	17	<10	22
161878		0.71	1.72	217	<1	3.55	88	170	<2	0.02	<5	175	0.07	13	<10	20
161879		0.14	12.35	1240	8	0.15	872	200	62	0.34	<5	24	0.21	124	<10	254
161880 DUP		0.07	12.55	1235	1	0.13	879	200	58	0.34	<5	21	0.20	122	<10	232
161881		0.06	11.20	1230	1	0.14	722	130	63	0.29	<5	14	0.19	118	<10	287
161882		1.76	5.91	1565	<1	0.54	229	300	17	1.19	<5	128	0.38	202	<10	92
161883		1.11	7.28	1540	<1	0.62	328	240	71	0.32	<5	68	0.35	198	<10	319
161884		0.92	6.96	1420	<1	0.80	420	330	7	0.34	<5	90	0.32	150	<10	111
161885		0.87	8.77	1535	<1	0.36	542	190	5	0.40	<5	35	0.27	160	<10	118
161886		1.10	8.75	1410	<1	0.41	522	250	23	0.78	<5	103	0.28	156	<10	186
161887		0.38	9.73	1750	<1	0.38	612	200	19	0.52	<5	62	0.26	166	10	138
161888		4.04	0.37	284	2	2.00	18	150	35	0.01	<5	147	0.08	12	<10	30
161889		0.92	8.49	1320	<1	0.71	482	410	6	0.25	<5	263	0.29	162	<10	88
161890		0.73	8.50	1385	<1	0.62	503	630	<2	0.22	<5	164	0.36	184	<10	95
161891 DUP		0.74	8.63	1410	<1	0.63	505	630	9	0.22	<5	166	0.36	182	<10	102
161892		0.49	10.40	1325	<1	0.41	643	230	<2	0.01	<5	86	0.24	172	<10	72
161893		0.39	10.95	1395	<1	0.26	692	200	4	0.02	<5	41	0.25	182	<10	83
161894		0.35	11.00	1435	1	0.22	774	180	3	0.05	<5	32	0.23	167	<10	101
161895		0.19	0.08	117	<1	6.6	5	650	126	2.98	<5	19	0.01	3	<10	19
161896		1.24	9.79	1395	<1	0.24	588	270	6	0.10	<5	74	0.27	168	<10	106
161897		1.55	9.16	1340	1	0.30	540	290	4	0.18	7	120	0.26	147	<10	102
161898		0.25	10.90	1365	1	0.27	695	200	5	0.14	7	44	0.23	157	<10	94
181899		1.11	10.40	1385	<1	0.31	680	190	5	0.08	<5	45	0.26	163	10	106
161900		0.78	9.39	1260	<1	0.38	597	220	6	0.08	5	73	0.27	158	<10	99

Comments: 161888: First result was 0.020 ppm



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018387

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
161901		3.02	0.333		<0.5	6.27	<5	30	<0.5	<2	5.56	<0.5	55	945	34	7.60
161902		2.69	0.202		<0.5	5.52	<5	10	<0.5	<2	5.87	<0.5	53	1005	21	7.66
161903		2.73	0.479		0.5	5.02	<5	10	<0.5	<2	5.21	<0.5	54	953	207	6.65
161904		3.11	0.090		<0.5	4.92	<5	40	<0.5	<2	4.95	<0.5	50	846	37	6.11
161905		3.15	0.553		<0.5	5.58	<5	20	<0.5	<2	6.54	<0.5	58	1015	17	7.34
161906		0.08	<0.005		<0.5	6.61	<5	520	0.8	<2	0.86	<0.5	<1	30	7	2.52
161907		2.75	0.112		<0.5	7.21	<5	130	<0.5	<2	6.54	<0.5	42	354	6	7.01
161908		2.61	0.228		<0.5	7.36	6	120	<0.5	<2	7.21	<0.5	43	333	16	7.29
161909		2.46	0.034		<0.5	7.16	<5	60	<0.5	<2	7.23	0.5	43	336	12	7.41
161910		2.80	0.023		<0.5	7.34	5	80	<0.5	<2	7.30	<0.5	45	335	9	7.50
161911		3.46	0.042		<0.5	6.88	<5	320	0.7	<2	4.38	<0.5	18	152	11	4.03
161912		2.60	0.057		<0.5	7.40	<5	50	<0.5	<2	7.92	<0.5	41	336	39	7.40
161913		3.45	0.566	0.805	<0.5	6.49	<5	50	<0.5	<2	7.44	<0.5	39	287	83	6.62
161914 DUP		<0.02	0.742	0.596	<0.5	6.64	<5	60	<0.5	<2	7.59	<0.5	38	298	84	6.78
161915		1.64	0.110		<0.5	7.88	<5	210	<0.5	<2	4.66	<0.5	22	182	22	4.11
161916		2.54	0.250		<0.5	7.44	5	80	<0.5	<2	7.04	<0.5	45	304	59	7.08
161917		2.46	0.342		<0.5	7.14	<5	120	<0.5	<2	7.22	<0.5	40	305	48	7.20
161918		0.04	0.982		10.9	8.08	<5	50	3.2	<2	0.33	<0.5	<1	4	7	2.56
161919		2.73	0.141		<0.5	7.06	<5	140	<0.5	<2	6.81	<0.5	39	309	39	7.13
161920		2.77	0.172		<0.5	7.34	<5	180	<0.5	<2	6.95	<0.5	39	320	16	7.06

Comments: 161888: First result was 0.020 ppm



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018387

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	10	2	
161901		0.29	9.61	1385	1	0.78	564	280	7	0.18	<5	132	0.32	165	<10	100
161902		0.15	9.92	1385	<1	0.33	607	180	5	0.15	<5	86	0.26	164	<10	91
161903		0.20	8.97	1290	1	0.33	565	210	4	0.14	<5	81	0.24	144	10	86
161904		0.45	8.77	1185	<1	0.33	527	290	5	0.13	<5	69	0.22	143	<10	130
161905		0.27	9.72	1425	1	0.64	548	210	3	0.05	<5	85	0.26	174	<10	75
161906		4.06	0.29	218	1	2.09	10	160	35	<0.01	<5	144	0.08	8	<10	27
161907		0.90	5.75	1325	<1	1.44	146	240	6	0.02	<5	110	0.37	224	<10	68
161908		0.85	5.16	1390	1	1.50	146	230	4	0.10	<5	140	0.38	228	10	82
161909		0.49	4.89	1345	1	1.38	158	240	7	0.06	<5	147	0.36	218	10	66
161910		0.61	5.53	1415	<1	1.39	142	240	2	0.05	<5	130	0.37	222	<10	67
161911		1.16	2.18	797	<1	2.28	52	150	5	0.06	7	118	0.21	94	<10	48
161912		0.50	4.66	1320	1	1.36	129	240	5	0.15	<5	144	0.37	226	10	67
161913		0.44	4.24	1240	1	1.14	124	210	6	0.14	<5	140	0.33	195	40	63
161914 DUP		0.45	4.32	1265	1	1.16	128	210	4	0.14	<5	144	0.34	201	40	64
161915		0.68	2.69	751	<1	2.95	70	220	3	0.04	<5	220	0.22	115	10	51
161916		0.49	4.64	1280	1	1.77	128	240	5	0.28	<5	173	0.35	209	<10	67
161917		0.80	5.06	1395	1	1.40	128	220	16	0.25	<5	108	0.36	219	50	150
161918		0.20	0.07	37	1	7.1	2	640	116	2.75	<5	19	0.01	1	<10	19
161919		1.02	4.76	1350	<1	1.38	134	240	5	0.30	<5	116	0.36	217	10	76
161920		1.15	4.46	1490	<1	1.64	125	230	8	0.15	<5	136	0.37	226	10	93

Comments: 161888: First result was 0.020 ppm



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 23-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06018388

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 22-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018388

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
166581		2.57	0.028		<0.5	8.13	<5	110	<0.5	<2	6.51	<0.5	37	114	97	6.95
166582		1.85	0.015		<0.5	7.53	<5	140	<0.5	<2	6.31	<0.5	38	172	146	6.30
166583		2.25	0.031		<0.5	7.67	<5	130	<0.5	<2	6.34	<0.5	34	116	161	6.56
166584		2.66	0.666		<0.5	7.27	<5	120	<0.5	<2	5.60	<0.5	31	162	196	6.48
166585		2.59	1.345		<0.5	5.93	<5	130	<0.5	<2	5.26	<0.5	34	336	315	6.97
166586		0.04	0.974		9.6	7.42	7	40	3.0	<2	0.30	<0.5	1	5	8	2.63
166587		2.33	0.261		<0.5	6.80	<5	280	0.5	<2	4.59	<0.5	29	308	112	7.07
166588		2.23	0.335		<0.5	5.50	<5	80	<0.5	<2	5.14	<0.5	45	947	248	8.78
166589		2.27	0.738		0.6	4.93	<5	60	<0.5	6	6.14	<0.5	47	876	633	9.82
168590		2.69	2.43		0.5	5.47	<5	150	<0.5	10	4.23	<0.5	48	570	414	7.93
166591 DUP		<0.02	2.13		0.5	5.47	<5	150	<0.5	10	4.16	<0.5	47	606	467	8.05
166592		0.19	0.006		<0.5	6.70	<5	520	0.9	2	0.88	<0.5	2	32	11	1.99
166593		2.65	1.425		1.1	6.26	<5	160	<0.5	4	5.24	<0.5	45	650	780	6.95
166594		2.56	0.298		0.8	5.94	<5	70	<0.5	6	5.83	<0.5	48	1130	229	9.06
166595		2.37	0.053		<0.5	7.42	<5	190	<0.5	4	5.80	<0.5	44	639	12	6.98
166596		2.60	0.501		<0.5	6.17	<5	70	<0.5	4	5.81	<0.5	52	1155	59	9.46
166597		2.56	0.441		<0.5	5.46	<5	10	<0.5	4	5.60	<0.5	50	1430	105	10.15
166598		2.33	0.482		<0.5	5.69	<5	<10	<0.5	5	5.41	<0.5	45	1420	58	9.96
166599		2.83	0.807		0.7	5.80	5	10	<0.5	4	6.12	<0.5	48	1270	95	10.00
166600		2.81	0.789		<0.5	5.59	<5	<10	<0.5	2	5.82	<0.5	45	1305	79	9.72
166601		2.58	0.386		<0.5	5.63	<5	10	<0.5	6	6.04	<0.5	47	1215	81	9.51
166602		2.79	1.065		<0.5	5.57	<5	10	<0.5	3	7.17	<0.5	46	1340	139	9.36
166603		2.73	1.200		<0.5	5.49	<5	10	<0.5	4	5.43	<0.5	44	1250	80	9.33
166604		2.31	0.157		<0.5	6.33	8	240	0.5	5	4.40	<0.5	33	936	43	6.80
166605		2.27	0.309		<0.5	6.73	<5	210	0.7	4	4.67	<0.5	30	706	109	6.25
166606		2.88	0.949		<0.5	5.67	<5	10	<0.5	4	5.82	<0.5	45	1295	61	9.33
166607		2.75	0.613		<0.5	4.87	<5	30	<0.5	5	5.26	<0.5	45	1165	113	8.28
166608		3.06	0.583		0.5	4.93	<5	10	<0.5	3	5.69	<0.5	70	1355	138	8.57
166609 DUP		<0.02	0.559		0.5	4.79	6	10	<0.5	6	5.62	<0.5	57	1285	184	8.16
166610		0.17	0.006		<0.5	6.98	<5	550	0.9	4	0.93	<0.5	2	31	8	1.96
166611		2.69	0.265		<0.5	5.75	<5	60	<0.5	4	5.83	<0.5	43	1110	37	8.56
166612		2.76	0.792		<0.5	5.51	<5	90	<0.5	5	5.31	<0.5	45	1300	116	9.70
166613		2.69	3.09	2.76	0.9	5.64	<5	70	<0.5	11	5.05	<0.5	38	999	95	8.64
166614		2.45	0.135		<0.5	7.00	<5	530	1.1	4	2.52	<0.5	9	27	26	3.88
166615		0.04	1.720		19.8	7.93	<5	60	3.2	3	0.32	<0.5	1	8	5	2.60
166616		2.40	0.160		<0.5	7.58	5	410	1.2	3	2.67	<0.5	10	149	20	2.41
166617		2.41	0.360		<0.5	6.85	5	510	1.2	<2	1.36	<0.5	2	19	21	1.80
166618		2.25	0.073		<0.5	6.69	<5	410	1.0	5	2.18	<0.5	19	404	11	3.34
166619		2.44	0.140		<0.5	6.84	<5	260	0.7	4	3.20	<0.5	25	342	31	4.70
166620		2.81	0.019		<0.5	5.95	5	130	<0.5	4	6.24	<0.5	59	1030	86	7.03



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 23-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018388

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
166581		1.12	3.83	1200	<1	1.44	77	380	4	0.29	<5	145	0.45	205	10	63
166582		1.23	3.87	1130	1	1.19	81	390	3	0.41	<5	160	0.41	191	<10	58
166583		1.09	3.48	1110	1	1.29	77	690	4	0.31	<5	209	0.48	198	<10	66
166584		1.35	3.44	1155	1	0.96	84	360	4	0.43	<5	118	0.42	184	10	68
166585		1.37	3.98	1315	1	0.59	143	280	<2	0.87	<5	102	0.36	165	410	90
166586		0.18	0.06	32	1	6.3	4	550	117	2.95	<5	18	0.01	1	<10	30
166587		1.37	3.74	1155	1	1.18	142	910	5	0.46	<5	176	0.52	115	<10	83
166588		1.23	7.82	1455	2	0.41	436	270	2	1.18	<5	68	0.25	141	<10	91
166589		0.78	7.28	1780	<1	0.34	428	250	<2	1.77	<5	64	0.21	130	20	95
166590		1.38	5.05	1135	<1	0.29	399	380	<2	1.67	<5	89	0.21	117	<10	75
166591 DUP		1.39	5.10	1145	<1	0.30	401	380	<2	1.76	<5	84	0.21	119	<10	78
166592		3.72	0.25	189	<1	2.09	8	160	32	0.03	<5	144	0.08	8	<10	29
166593		1.59	6.21	1305	<1	0.31	259	410	<2	0.90	<5	83	0.24	130	<10	91
166594		0.88	9.13	1540	<1	0.31	534	270	<2	0.94	<5	36	0.27	162	<10	103
166595		1.87	7.55	1430	<1	0.28	276	500	<2	0.07	<5	146	0.28	150	<10	102
166596		0.65	10.20	1735	<1	0.28	583	300	<2	0.39	<5	73	0.27	176	<10	112
166597		0.13	9.92	1595	<1	0.26	667	180	<2	0.79	<5	24	0.25	170	<10	109
166598		0.06	10.55	1785	<1	0.21	682	180	<2	0.55	<5	16	0.26	176	<10	113
166599		0.22	10.25	2030	<1	0.28	673	210	<2	0.69	<5	63	0.27	174	<10	118
166600		0.09	10.45	2160	<1	0.25	665	190	<2	0.52	<5	22	0.26	174	<10	148
166601		0.16	10.20	2160	<1	0.29	646	190	<2	0.57	<5	45	0.25	168	100	194
166602		0.23	8.90	2430	<1	0.37	659	170	<2	1.07	<5	144	0.26	174	10	339
166603		0.25	9.89	1930	<1	0.36	646	190	<2	0.57	<5	43	0.23	166	<10	162
166604		1.08	6.63	1530	<1	1.03	455	210	<2	0.23	<5	107	0.23	122	<10	104
166605		1.02	5.81	1430	<1	1.11	344	130	3	0.63	<5	216	0.19	103	<10	79
166606		0.13	10.30	1855	<1	0.35	637	190	<2	0.55	<5	37	0.26	178	10	108
166607		0.33	8.93	1575	<1	0.28	611	170	<2	0.42	<5	51	0.23	154	<10	106
166608		0.16	9.24	1635	<1	0.25	689	170	<2	0.86	<5	61	0.24	153	<10	93
166609 DUP		0.18	8.94	1625	<1	0.25	644	170	<2	0.74	<5	66	0.23	148	<10	94
166610		3.71	0.32	190	<1	2.14	12	160	36	0.01	<5	152	0.08	9	<10	30
166611		0.74	9.66	1570	<1	0.30	554	330	<2	0.24	<5	126	0.28	176	<10	104
166612		1.28	9.23	1620	<1	0.31	628	230	<2	0.71	<5	89	0.26	170	<10	111
166613		1.00	8.18	1560	<1	0.64	515	160	3	0.58	<5	76	0.23	142	<10	107
166614		1.56	0.78	888	1	2.38	10	560	<2	0.23	<5	134	0.34	45	10	52
166615		0.19	0.06	108	<1	7.0	3	620	117	2.83	<5	19	0.01	1	<10	18
166616		0.99	1.42	494	4	3.29	37	210	<2	0.11	<5	174	0.14	32	<10	27
166617		1.22	0.33	194	<1	3.04	5	120	4	0.18	<5	165	0.11	9	<10	18
166618		1.57	2.81	530	<1	2.47	178	110	2	0.11	<5	102	0.14	48	<10	39
166619		0.75	3.34	642	<1	2.20	173	470	3	0.23	<5	177	0.31	88	<10	63
166620		0.33	9.32	1240	<1	0.68	431	290	<2	0.12	<5	148	0.24	198	<10	78



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018388

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
166621		2.58	0.067		<0.5	5.65	<5	90	<0.5	3	5.90	<0.5	58	1045	19	6.96
166622		2.56	1.270		<0.5	5.44	<5	20	<0.5	4	5.02	<0.5	54	1075	23	7.92
166623		2.57	0.217		<0.5	5.34	<5	10	<0.5	3	4.99	<0.5	59	1305	34	8.24
166624		2.59	1.055		<0.5	5.23	<5	<10	<0.5	7	5.63	<0.5	61	1250	16	7.74
166625		2.98	0.198		<0.5	6.07	<5	70	<0.5	<2	5.40	<0.5	48	940	13	7.23
166626		0.05	0.976		10.6	8.20	<5	50	3.1	<2	0.34	<0.5	1	9	8	2.83
166627		2.81	0.099		<0.5	7.08	<5	110	<0.5	<2	4.51	<0.5	44	734	23	7.14
166628		2.61	4.25		<0.5	5.45	6	20	<0.5	<2	4.89	<0.5	55	1305	52	7.73
166629		2.45	0.180		<0.5	6.25	6	80	<0.5	<2	5.05	<0.5	50	827	32	6.73
166630		2.50	0.286		<0.5	5.24	<5	10	<0.5	<2	6.47	<0.5	65	1210	17	7.09
166631		2.71	0.179		<0.5	5.45	<5	60	<0.5	<2	6.38	<0.5	59	1050	4	6.78
166632		2.98	0.225		<0.5	5.45	<5	50	<0.5	<2	5.71	<0.5	63	1225	3	7.22
166633		2.48	0.222		<0.5	5.35	<5	40	<0.5	<2	6.02	<0.5	65	1185	6	7.00
166634		2.12	0.166		<0.5	5.46	<5	50	<0.5	<2	6.46	<0.5	56	1000	21	7.27
166635		2.54	0.085		<0.5	5.37	<5	40	<0.5	<2	5.84	<0.5	59	1205	36	7.35
166636		1.53	5.64	5.18	<0.5	3.10	<5	10	<0.5	<2	5.25	1.2	38	1005	109	5.70
166637 DUP		<0.02	3.38	3.07	0.6	3.14	<5	10	<0.5	<2	5.50	0.9	39	949	87	5.81
166838		0.11	<0.005		<0.5	6.97	<5	540	0.9	<2	0.90	<0.5	2	27	5	2.11
166639		2.04	0.262		<0.5	6.29	<5	60	<0.5	<2	6.28	1.4	57	891	82	7.77
166640		2.51	0.471		<0.5	7.49	<5	500	0.6	<2	2.34	<0.5	7	94	11	1.65
166641		2.65	0.039		<0.5	8.00	<5	410	0.5	<2	4.09	<0.5	22	450	6	3.37
166642		2.54	0.786		<0.5	7.24	<5	150	<0.5	<2	4.50	<0.5	47	1010	27	5.96
166643		2.77	0.602		<0.5	6.18	<5	90	<0.5	<2	6.42	<0.5	52	923	21	7.28
166644		2.48	0.007		<0.5	7.63	<5	270	0.7	<2	6.90	<0.5	45	441	46	5.42
166645		1.77	0.174		<0.5	6.47	<5	120	0.5	<2	6.84	<0.5	42	704	18	6.85
166646		0.04	1.750		18.5	8.06	<5	60	3.2	<2	0.34	<0.5	1	5	6	2.70
166647		2.73	0.866		<0.5	8.32	<5	80	<0.5	<2	6.45	<0.5	42	720	12	6.99
166648		3.00	1.185		<0.5	7.41	<5	80	<0.5	<2	7.15	<0.5	37	335	3	6.49
166649		2.44	0.044		<0.5	7.37	5	40	<0.5	<2	7.88	<0.5	42	322	10	6.89
166650		3.13	0.029		<0.5	7.48	<5	30	<0.5	<2	7.95	<0.5	47	345	15	7.53
166651		2.98	0.118		<0.5	7.69	<5	60	<0.5	<2	8.79	<0.5	59	341	46	7.66
166652		2.86	0.213		<0.5	7.42	<5	30	<0.5	<2	8.29	<0.5	45	351	43	7.68
166653		3.10	0.249	0.200	<0.5	6.72	<5	80	<0.5	<2	7.24	<0.5	41	326	99	7.09
166654 DUP		<0.02	0.323	0.310	<0.5	6.63	<5	90	<0.5	<2	7.23	<0.5	43	319	168	7.04
166655		2.71	0.029		<0.5	7.19	<5	60	<0.5	<2	7.84	<0.5	42	316	15	7.10
166656		3.01	0.006		<0.5	7.12	<5	40	<0.5	<2	7.79	<0.5	43	343	10	7.20
166657		2.90	0.022		<0.5	7.40	<5	50	<0.5	<2	8.85	<0.5	41	331	21	7.21
166658		0.07	<0.005		<0.5	6.87	<5	550	0.8	<2	1.14	<0.5	2	14	6	2.61
166659		2.57	0.013		<0.5	7.32	<5	80	<0.5	<2	7.99	<0.5	43	327	24	7.16
166660		2.46	0.029		<0.5	6.66	<5	160	0.8	<2	4.43	<0.5	27	208	8	4.66





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 23-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018388

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
166621		0.37	8.86	1285	<1	0.62	473	280	<2	0.05	<5	135	0.23	177	<10	87
166622		0.17	9.74	1470	<1	0.32	579	190	<2	0.20	<5	88	0.21	164	<10	130
166623		0.16	10.20	1500	<1	0.33	667	190	<2	0.25	<5	42	0.20	164	<10	102
166624		0.04	10.90	1655	<1	0.33	692	180	<2	0.13	<5	23	0.23	159	<10	90
166625		0.27	7.96	1385	1	1.02	483	500	<2	0.07	<5	103	0.39	148	<10	99
166626		0.19	0.07	36	2	7.0	4	630	123	3.14	<5	20	0.01	1	<10	33
166627		0.44	6.31	1175	1	1.49	371	670	3	0.14	<5	153	0.47	142	<10	99
166628		0.11	9.32	1330	1	0.60	633	350	2	0.49	<5	63	0.34	148	<10	106
166629		0.74	7.13	1155	1	1.02	450	540	6	0.20	<5	194	0.43	150	<10	99
166630		0.16	10.75	1345	1	0.31	673	110	3	0.10	<5	62	0.23	162	<10	87
166631		0.74	9.74	1300	1	0.32	589	250	3	0.02	<5	178	0.25	161	<10	78
166632		0.82	10.50	1260	1	0.28	647	190	4	0.02	<5	60	0.26	169	<10	82
166633		0.59	10.30	1275	<1	0.28	653	190	<2	0.03	<5	67	0.25	167	<10	82
166634		0.57	9.74	1390	1	0.34	554	220	5	0.09	<5	101	0.27	168	<10	88
166635		0.63	10.70	1295	1	0.29	658	230	2	0.17	<5	60	0.26	166	<10	98
166636		0.17	7.23	1245	2	0.21	523	120	7	0.27	<5	59	0.14	95	70	424
166637 DUP		0.17	7.53	1285	2	0.21	530	160	8	0.25	<5	62	0.14	93	20	366
166638		3.95	0.28	191	1	2.18	11	180	54	0.01	<5	152	0.08	8	<10	35
166639		0.96	8.66	1465	1	0.37	516	790	158	0.57	<5	205	0.43	180	<10	929
166640		1.64	1.09	286	<1	2.95	52	190	9	0.08	<5	175	0.10	27	30	45
166641		1.35	3.91	700	1	2.63	246	170	6	0.05	<5	314	0.16	71	<10	62
166642		0.65	7.93	950	<1	1.42	525	210	6	0.25	<5	412	0.22	129	<10	82
166643		0.42	9.52	1305	1	0.49	505	420	8	0.10	<5	138	0.28	169	<10	87
166644		0.93	7.38	906	1	1.05	433	880	4	0.38	<5	440	0.24	117	10	72
166645		0.66	7.97	1260	2	1.05	383	430	<2	0.08	<5	238	0.28	151	<10	80
166646		0.19	0.07	107	1	6.7	5	630	121	3.03	<5	20	0.01	2	<10	28
166647		0.46	7.90	1225	1	1.09	409	210	5	0.04	<5	97	0.31	191	<10	72
166648		0.56	5.08	1215	1	1.54	154	240	3	0.01	<5	146	0.38	222	10	64
166649		0.29	5.06	1340	1	1.37	150	230	4	0.03	<5	150	0.38	220	10	66
166650		0.28	5.04	1420	1	1.50	156	250	<2	0.04	<5	151	0.39	229	<10	70
166651		0.44	4.75	1445	1	1.40	164	250	<2	0.10	<5	157	0.39	223	10	76
166652		0.26	4.67	1410	<1	1.41	143	250	5	0.08	<5	157	0.38	226	<10	72
166653		0.62	4.89	1340	1	1.30	142	230	8	0.12	<5	116	0.35	207	10	78
166654 DUP		0.65	4.97	1330	<1	1.26	144	210	2	0.12	<5	110	0.35	207	10	79
166655		0.51	4.75	1360	1	1.39	139	240	4	0.04	<5	154	0.37	216	20	66
166656		0.31	4.97	1335	1	1.48	146	220	6	0.03	<5	132	0.37	219	<10	66
166657		0.34	4.39	1360	<1	1.50	135	250	6	0.05	<5	167	0.38	222	10	65
166658		4.00	0.23	233	2	2.12	9	170	35	<0.01	<5	154	0.08	11	<10	27
166659		0.59	4.95	1345	<1	1.62	148	350	<2	0.06	<5	204	0.35	200	<10	75
166660		0.89	3.35	978	2	2.35	73	370	3	0.15	<5	113	0.20	104	<10	79



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018388

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
166661		2.61	0.058		<0.5	7.45	<5	70	<0.5	7	8.43	<0.5	43	319	15	7.38
166662		3.04	0.013		<0.5	7.23	<5	60	<0.5	5	8.31	<0.5	42	354	5	7.39
166663		2.59	0.078		<0.5	7.62	<5	60	<0.5	4	9.54	<0.5	41	320	23	7.66
166664		2.81	0.065		<0.5	7.35	<5	90	<0.5	4	8.21	<0.5	43	333	54	7.41
166665		0.05	0.969		11.3	7.90	<5	50	3.1	3	0.33	<0.5	1	11	8	2.74
166666		2.44	0.059		<0.5	7.50	<5	100	<0.5	7	7.56	<0.5	43	327	30	7.57
166667		2.39	0.013		<0.5	7.53	<5	220	0.9	2	3.10	<0.5	18	66	93	3.93
166668		2.73	0.012		<0.5	7.93	<5	150	<0.5	6	5.68	<0.5	35	118	46	7.42
166669		2.67	0.011		<0.5	7.45	<5	140	<0.5	9	5.67	<0.5	36	275	44	7.02
166670		2.48	0.011		<0.5	7.68	<5	170	<0.5	4	4.99	<0.5	45	174	81	7.60
166671		2.64	<0.005		<0.5	7.51	<5	230	<0.5	5	5.11	<0.5	36	108	20	7.97
166672		2.16	0.072		<0.5	7.97	<5	230	0.5	7	4.43	13.7	31	130	68	7.95
166673 DUP		<0.02	0.055		<0.5	8.07	<5	230	<0.5	7	4.34	12.8	33	130	64	7.83
166674		0.13	<0.005		<0.5	7.19	<5	580	0.8	3	0.89	<0.5	1	14	6	2.27
166675		3.21	0.010		<0.5	7.91	7	210	<0.5	6	5.18	<0.5	30	122	2	7.26
166676		2.54	<0.005		<0.5	8.26	5	250	0.6	6	5.74	<0.5	32	184	9	6.75
166677		2.40	0.035		<0.5	7.85	<5	120	<0.5	4	5.50	<0.5	33	112	24	6.88
166678		2.73	0.010		<0.5	8.30	<5	110	<0.5	4	7.18	<0.5	33	114	3	6.54
166679		1.75	2.49		<0.5	8.11	<5	220	0.5	6	6.86	<0.5	29	149	167	5.48
166680		2.94	0.227		0.8	7.86	6	330	0.7	6	7.56	<0.5	37	138	491	5.17



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 23-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018388

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
166661		0.48	5.07	1475	<1	1.43	140	280	<2	0.05	<5	178	0.36	218	<10	71
166662		0.48	4.97	1395	<1	1.34	145	230	<2	0.01	<5	140	0.39	235	<10	69
166663		0.49	4.41	1520	<1	1.37	137	230	<2	0.11	<5	161	0.37	228	<10	66
166664		0.65	4.89	1455	<1	1.49	140	230	<2	0.09	<5	174	0.37	233	<10	67
166665		0.19	0.08	36	<1	7.0	3	600	117	3.02	<5	20	0.01	2	<10	17
166666		0.67	5.18	1435	<1	1.54	142	280	<2	0.09	<5	176	0.36	217	<10	70
166667		0.78	1.50	627	<1	3.16	21	200	<2	0.32	<5	172	0.24	91	<10	43
166668		1.29	3.68	1230	<1	2.08	60	410	<2	0.18	<5	130	0.48	224	<10	77
166669		1.33	5.18	1180	<1	1.63	112	450	<2	0.13	<5	148	0.41	200	<10	75
166670		1.48	4.34	1035	<1	1.63	67	530	11	0.38	<5	124	0.56	241	<10	74
166671		1.90	4.21	1070	<1	1.20	57	430	3	0.12	<5	116	0.51	231	<10	90
166672		2.08	4.64	1240	<1	1.09	86	380	<2	0.53	<5	105	0.44	214	<10	2020
166673 DUP		2.11	4.60	1220	<1	1.07	82	370	<2	0.50	<5	102	0.45	215	<10	1920
166674		3.74	0.23	196	<1	2.23	3	170	40	0.01	<5	162	0.08	8	<10	40
166675		1.69	4.81	1080	<1	1.31	74	400	<2	0.01	<5	142	0.46	218	<10	78
166676		1.63	4.94	1060	<1	1.36	91	600	<2	0.04	<5	225	0.45	212	<10	76
166677		1.19	4.43	1155	<1	1.37	74	400	<2	0.19	<5	127	0.45	211	10	76
166678		0.86	4.29	1220	<1	1.47	76	400	<2	0.01	<5	142	0.47	224	<10	65
166679		1.34	3.97	1115	<1	1.45	104	580	2	0.14	<5	348	0.40	184	10	62
166680		1.90	3.18	1230	<1	1.07	104	610	5	0.50	<5	390	0.40	187	30	139



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06018389

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 22-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018389

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ce	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
166681		2.65	0.016			<0.5	7.62	<5	190	0.5	<2	5.15	<0.5	33	87	134
166682		1.72	0.016			<0.5	7.77	<5	220	0.6	<2	4.90	<0.5	31	118	124
166683		2.03	0.019			<0.5	6.20	<5	370	1.1	<2	1.22	<0.5	2	8	72
166684		2.69	0.337			1.1	7.84	<5	190	<0.5	<2	5.79	0.9	67	123	1105
166685		2.60	0.228			1.0	7.96	<5	110	<0.5	<2	6.18	2.4	54	128	1060
166686		2.63	0.920	0.779		2.9	7.97	<5	110	<0.5	<2	5.95	1.0	83	129	3480
166687 DUP		<0.02	0.802	0.768		2.4	7.61	<5	100	<0.5	<2	5.69	1.2	82	124	3340
166688		0.09	<0.005			<0.5	6.80	<5	520	1.0	<2	0.98	<0.5	1	9	19
166689		2.45	0.433			1.8	7.84	<5	120	<0.5	<2	6.55	0.5	65	128	1510
166690		2.64	1.035			2.4	7.91	<5	180	<0.5	<2	5.38	0.9	100	146	1775
166691		2.46	2.94			1.2	7.32	<5	190	<0.5	<2	4.81	<0.5	128	136	1095
166692		2.60	0.043			<0.5	8.46	<5	130	<0.5	<2	6.12	<0.5	40	118	108
166693		2.94	0.054			<0.5	8.02	<5	130	<0.5	<2	5.83	<0.5	45	108	124
166694		2.51	2.06			0.7	7.65	<5	130	<0.5	<2	5.65	<0.5	100	118	662
166695		0.06	1.865			19.7	8.38	<5	60	3.3	<2	0.34	<0.5	<1	4	5
166696		2.29	0.057			<0.5	7.79	<5	190	0.7	<2	4.15	0.5	27	49	186
166697		2.50	0.073			<0.5	8.34	<5	200	0.6	<2	6.07	<0.5	48	109	430
166698		2.44	0.076			<0.5	7.97	5	140	<0.5	<2	7.27	<0.5	90	124	689
166699		2.38	0.026			<0.5	8.46	<5	270	0.6	<2	6.07	<0.5	62	124	289
166700		2.96	0.025			<0.5	7.79	<5	280	0.6	<2	5.58	<0.5	30	75	49
166701		2.51	0.016			<0.5	8.34	<5	240	0.6	<2	5.76	<0.5	40	132	160
166702		2.67	0.014			<0.5	8.18	<5	150	<0.5	<2	6.75	<0.5	37	120	118
166703		2.65	0.015			<0.5	7.79	<5	260	0.7	<2	4.35	<0.5	16	39	53
166704		2.40	0.014			<0.5	7.86	<5	270	0.7	<2	4.14	<0.5	22	57	79
166705		2.29	0.105			<0.5	8.16	<5	270	0.8	<2	4.26	<0.5	20	59	62
166706		2.63	0.035			<0.5	8.22	<5	200	<0.5	<2	6.62	<0.5	34	120	182
166707		2.52	<0.005			<0.5	6.63	<5	650	1.1	<2	1.16	<0.5	<1	8	35
166708		0.06	0.997			9.9	7.95	<5	40	3.0	<2	0.32	<0.5	<1	4	7
166709		2.61	0.041			<0.5	6.45	<5	670	1.1	<2	1.08	<0.5	<1	9	27
166710		2.63	0.020			<0.5	7.40	<5	390	0.8	<2	3.65	<0.5	14	63	84
166711		2.83	0.065			<0.5	8.16	<5	110	<0.5	<2	6.92	<0.5	30	114	368
166712		2.86	0.035			<0.5	7.33	<5	130	<0.5	<2	5.19	<0.5	30	110	273
166713		2.98	8.78			0.7	7.82	<5	120	<0.5	3	5.90	<0.5	44	128	412
166714		2.54	1.085			<0.5	6.76	<5	140	<0.5	<2	5.47	<0.5	34	110	361
166715		2.23	0.186			<0.5	8.21	<5	230	<0.5	<2	6.15	<0.5	33	124	323
166716		1.13	0.514			<0.5	5.02	5	120	<0.5	<2	4.09	<0.5	18	42	192
166717 DUP		<0.02	0.568			<0.5	4.87	<5	120	<0.5	<2	4.05	<0.5	18	36	194
166718		0.20	<0.005			<0.5	6.77	<5	520	0.9	<2	0.82	<0.5	<1	10	5
166719		2.15	0.028			<0.5	7.56	5	130	0.6	<2	4.56	<0.5	24	23	49
166720		3.16	0.906			0.5	7.43	<5	150	<0.5	<2	5.25	<0.5	31	135	250



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018389

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units LOR	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
166681		6.45	0.99	2.96	952	1	2.14	83	440	7	0.42	<5	268	0.40	135	<10
166682		6.53	0.87	3.29	984	<1	2.31	88	490	6	0.28	<5	268	0.49	136	<10
166683		1.61	0.50	0.11	133	2	3.37	<1	70	7	0.28	<5	144	0.09	<1	<10
166684		7.79	1.38	3.36	1170	1	1.36	86	470	3	0.76	<5	184	0.51	191	10
166685		8.10	1.08	3.77	1280	1	1.35	79	490	4	0.62	<5	195	0.55	207	<10
166686		7.05	1.09	3.10	1140	<1	1.41	68	360	6	0.85	<5	145	0.45	211	20
166687 DUP		6.73	1.04	2.96	1110	1	1.34	69	340	5	0.84	<5	140	0.44	205	10
166688		1.96	4.10	0.20	176	1	2.22	3	150	38	0.02	<5	151	0.07	8	<10
166689		6.71	1.10	3.11	1175	1	1.38	63	370	8	0.81	<5	138	0.44	204	10
166690		6.43	1.41	2.56	947	1	1.52	68	350	4	1.10	7	162	0.44	194	<10
166691		8.14	1.50	2.73	953	1	1.32	83	330	4	1.67	<5	128	0.42	197	10
166692		7.22	0.82	4.03	1195	1	1.78	68	470	4	0.22	<5	173	0.46	209	<10
166693		7.10	1.01	3.85	1200	1	1.60	68	390	8	0.35	<5	129	0.46	208	10
166694		7.78	1.12	2.73	1080	1	1.50	85	400	3	1.42	<5	150	0.45	196	160
166695		2.71	0.20	0.07	111	1	7.2	2	660	123	2.88	5	21	0.01	1	<10
166696		5.18	1.08	1.72	757	1	2.06	22	830	7	0.43	<5	188	0.48	118	<10
166697		6.93	1.22	3.12	1060	1	1.89	69	1400	8	0.68	<5	452	0.53	186	20
166698		7.58	1.13	2.85	1270	1	1.50	92	380	6	1.30	<5	163	0.45	189	180
166699		7.73	1.50	3.89	1235	1	1.81	72	720	6	0.65	8	225	0.46	212	<10
166700		6.35	1.12	3.61	1010	1	1.70	40	590	5	0.14	<5	270	0.48	192	10
166701		6.25	1.05	3.46	1035	1	1.82	76	740	11	0.50	<5	396	0.49	186	10
166702		7.03	1.10	3.98	1195	1	1.36	76	410	5	0.26	<5	166	0.46	213	<10
166703		4.88	1.15	1.74	781	1	2.23	21	760	10	0.23	<5	198	0.44	102	<10
166704		4.86	1.28	1.92	798	1	2.23	37	670	11	0.35	<5	186	0.40	104	10
166705		4.88	1.30	1.88	792	1	2.27	31	530	7	0.23	<5	178	0.41	116	<10
166706		6.41	1.91	3.25	1235	1	1.20	74	400	7	0.41	6	122	0.46	206	20
166707		1.78	1.78	0.12	156	1	3.02	1	90	7	0.19	<5	131	0.10	2	10
166708		2.82	0.19	0.07	33	1	6.8	1	610	122	3.03	<5	20	0.01	<1	<10
166709		1.81	1.72	0.10	148	1	2.98	1	70	8	0.18	<5	130	0.10	<1	<10
166710		4.23	1.50	1.86	712	2	2.26	33	220	5	0.15	<5	130	0.26	98	20
166711		6.90	1.12	3.80	1290	1	1.36	78	610	5	0.32	<5	172	0.49	213	10
166712		6.03	1.12	3.04	1000	1	1.56	68	540	<2	0.38	<5	174	0.44	183	<10
166713		7.24	1.26	3.71	1135	1	1.46	95	400	7	0.57	<5	142	0.45	212	10
166714		6.21	1.38	3.19	1085	1	1.00	75	340	4	0.67	<5	124	0.39	179	10
166715		7.04	2.29	3.72	1295	1	0.85	70	550	9	0.54	<5	156	0.48	211	10
166716		5.46	0.89	1.64	1025	1	1.08	22	750	5	0.52	<5	127	0.45	93	10
166717 DUP		5.39	0.88	1.62	1000	1	1.04	21	740	3	0.54	<5	122	0.44	91	<10
166718		1.87	4.22	0.21	165	1	2.12	4	150	36	0.01	<5	145	0.08	7	<10
166719		7.07	1.06	1.80	1205	1	1.87	17	1280	10	0.23	<5	273	0.72	111	<10
166720		6.53	1.13	3.47	1105	1	1.22	78	380	6	0.45	<5	122	0.42	189	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018389

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
166681		71
166682		95
166683		22
166684		121
166685		246
166686		130
166687 DUP		129
166688		25
166689		101
166690		97
166691		64
166692		69
166693		68
166694		65
166695		20
166696		55
166697		77
166698		60
166699		74
166700		73
166701		75
166702		76
166703		109
166704		87
166705		76
166706		75
166707		17
166708		17
166709		18
166710		46
166711		74
166712		68
166713		72
166714		64
166715		86
166716		67
166717 DUP		66
166718		26
166719		111
166720		68



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 21-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018389

Sample Description	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	
	0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	
166721	2.68	>10.0		9.94	0.8	6.26	<5	140	<0.5	<2	5.02	<0.5	45	727	362	
166722	2.90	>10.0		40.9	2.3	4.90	<5	30	<0.5	6	5.00	<0.5	47	1190	947	
166723	2.71	5.19			0.7	5.79	<5	130	<0.5	<2	5.05	<0.5	41	723	209	
166724	2.38	0.035			<0.5	6.78	6	490	0.9	<2	1.70	0.5	4	17	23	
166725	2.85	0.645			<0.5	5.44	<5	220	0.5	<2	3.15	<0.5	39	775	196	
166726	2.34	0.197			<0.5	7.08	<5	330	0.7	<2	3.60	<0.5	19	246	28	
166727	2.47	0.039			<0.5	6.39	<5	490	1.2	<2	1.10	<0.5	<1	10	26	
166728	0.06	1.790			17.7	7.89	<5	50	3.0	<2	0.31	<0.5	<1	4	5	
166729	2.15	2.37			<0.5	6.18	<5	200	0.5	<2	4.06	<0.5	39	715	15	
166730	2.62	1.970			<0.5	6.18	<5	60	<0.5	<2	5.62	<0.5	48	874	76	
166731	2.83	0.139			<0.5	7.47	<5	170	<0.5	<2	6.13	<0.5	34	358	3	
166732	2.97	0.019			<0.5	7.66	<5	120	0.5	<2	5.12	<0.5	26	122	36	
166733	2.74	0.025			<0.5	7.26	<5	70	<0.5	<2	6.47	<0.5	48	502	49	
166734	2.83	0.038			<0.5	6.65	5	30	<0.5	<2	6.32	<0.5	46	628	2	
166735 DUP	<0.02	0.039			<0.5	7.14	<5	30	<0.5	<2	6.66	<0.5	51	642	3	
166736	2.79	0.308			<0.5	7.00	<5	100	<0.5	<2	6.07	<0.5	46	553	1	
166737	2.71	0.200			<0.5	7.29	<5	230	0.5	<2	4.53	<0.5	25	322	12	
166738	2.31	0.416			<0.5	6.10	5	410	1.0	<2	1.11	<0.5	1	9	48	
166739	0.19	<0.005			<0.5	6.35	<5	510	0.8	<2	0.82	<0.5	<1	12	5	
166740	2.24	0.189			<0.5	6.16	<5	220	0.5	<2	3.68	<0.5	34	635	29	
166741	2.51	0.195			<0.5	6.11	<5	90	<0.5	<2	5.52	<0.5	59	1105	22	
166742	2.98	1.670			<0.5	7.01	<5	280	<0.5	<2	5.35	<0.5	40	583	78	
166743	2.88	0.058			<0.5	6.03	<5	170	<0.5	<2	6.01	<0.5	59	1025	43	
166744	2.94	0.145			<0.5	5.23	<5	30	<0.5	<2	5.90	<0.5	65	1130	26	
166745	2.81	0.025			<0.5	7.38	<5	340	0.6	<2	6.31	<0.5	50	546	35	
166746	2.48	0.018			<0.5	6.07	5	150	<0.5	<2	5.90	<0.5	60	927	29	
166747	2.73	0.103			<0.5	5.30	<5	70	<0.5	<2	5.54	<0.5	65	1220	12	
166748	0.06	1.000			10.4	8.15	<5	40	3.1	<2	0.32	<0.5	<1	5	7	
166749	2.61	0.093			<0.5	6.01	<5	130	<0.5	<2	6.55	<0.5	50	790	33	
166750	2.56	0.601			<0.5	5.34	<5	50	<0.5	<2	5.27	<0.5	68	1255	10	
166751	2.81	0.454			<0.5	5.37	<5	<10	<0.5	<2	5.11	<0.5	61	1290	7	
166752	2.67	1.850			<0.5	3.54	<5	20	<0.5	<2	4.16	<0.5	56	833	182	
166753 DUP	<0.02	1.870			<0.5	3.51	<5	20	<0.5	<2	4.14	<0.5	53	923	166	
166754	0.21	0.008			<0.5	6.69	<5	530	0.9	<2	0.78	<0.5	<1	18	6	
166755	2.89	0.231			<0.5	3.55	<5	20	<0.5	<2	4.43	<0.5	38	1115	42	
166756	2.70	0.953			<0.5	4.34	<5	<10	<0.5	<2	4.52	<0.5	49	1050	14	
166757	3.13	0.517			<0.5	4.63	6	60	<0.5	<2	5.21	<0.5	52	1060	21	
166758	3.06	1.280			<0.5	5.32	<5	50	<0.5	<2	5.63	<0.5	58	1205	14	
166759	2.88	0.223			<0.5	4.87	5	20	<0.5	<2	6.64	<0.5	56	1160	1	
166760	2.83	0.353			<0.5	5.14	<5	40	<0.5	<2	4.81	<0.5	57	1315	12	





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 21-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06018389**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
166721		9.09	1.29	4.77	1280	2	0.62	338	260	10	1.54	<5	78	0.34	186	30
166722		10.65	0.88	8.65	1695	3	0.37	514	170	5	1.68	7	39	0.24	152	<10
166723		9.40	1.14	5.72	1550	2	0.99	345	610	4	1.23	5	134	0.43	128	10
166724		2.65	1.46	0.52	524	2	2.74	9	370	6	0.15	<5	152	0.24	24	<10
166725		7.37	1.37	5.55	1175	1	1.47	318	140	6	1.10	<5	110	0.19	85	<10
166726		5.13	1.41	3.06	919	1	2.00	118	640	5	0.16	<5	192	0.39	90	<10
166727		1.58	1.32	0.10	152	2	3.06	<1	70	5	0.21	<5	116	0.09	<1	<10
166728		2.54	0.19	0.06	103	1	6.8	3	620	117	2.79	<5	19	0.01	1	<10
166729		5.22	0.81	6.48	915	1	1.50	377	160	5	0.09	<5	75	0.20	112	<10
166730		7.63	0.74	8.46	1435	<1	0.50	407	200	7	0.18	<5	72	0.27	190	<10
166731		6.55	1.02	5.58	1260	1	1.36	128	260	8	0.01	<5	126	0.38	219	<10
166732		7.19	0.71	2.68	1290	1	1.86	36	1040	7	0.16	<5	245	0.65	140	<10
166733		7.22	0.55	6.14	1345	1	1.25	181	250	5	0.03	<5	114	0.36	217	<10
166734		7.02	0.29	6.80	1355	1	1.26	231	230	3	<0.01	<5	69	0.33	204	<10
166735 DUP		7.38	0.30	7.21	1415	1	1.30	243	240	5	<0.01	<5	71	0.35	214	<10
166736		7.10	0.64	6.83	1375	<1	1.32	214	280	2	<0.01	<5	65	0.34	210	<10
166737		5.76	1.10	4.34	1040	1	1.93	91	320	7	0.08	<5	142	0.34	153	<10
166738		1.58	0.96	0.17	182	1	3.19	<1	90	10	0.37	<5	111	0.09	6	<10
166739		1.88	4.11	0.21	168	1	2.01	5	160	34	0.01	<5	141	0.08	7	<10
166740		4.68	1.04	5.27	833	2	1.81	309	190	7	0.15	<5	110	0.20	93	10
166741		7.70	0.74	10.05	1390	<1	0.59	607	360	8	0.10	<5	79	0.30	168	<10
166742		7.19	0.59	5.82	1290	1	1.40	265	770	5	0.25	6	230	0.46	138	<10
166743		6.99	0.71	9.62	1345	<1	0.61	519	320	8	0.13	6	172	0.23	166	10
166744		7.36	0.18	10.25	1405	<1	0.41	626	200	<2	0.15	<5	74	0.21	155	20
166745		5.25	1.23	7.65	902	1	0.92	428	810	8	0.34	<5	559	0.22	114	<10
166746		6.31	0.98	9.42	1140	1	0.50	562	440	7	0.14	<5	172	0.24	148	10
166747		7.16	0.70	10.25	1290	1	0.31	633	210	3	0.05	<5	95	0.23	162	10
166748		2.75	0.19	0.07	35	1	6.8	2	610	113	2.97	<5	20	0.01	1	<10
166749		6.41	1.18	8.32	1220	<1	0.26	345	420	4	0.10	7	324	0.25	148	<10
166750		7.53	0.45	10.80	1340	1	0.22	661	220	6	0.06	<5	68	0.24	169	<10
166751		7.60	0.09	10.95	1400	1	0.20	664	180	5	0.04	<5	39	0.24	167	10
166752		6.61	0.28	6.93	1105	<1	0.16	532	140	24	1.43	<5	68	0.14	110	20
166753 DUP		6.50	0.28	6.92	1100	<1	0.15	519	130	24	1.29	<5	68	0.14	112	10
166754		2.15	4.30	0.23	186	1	2.13	9	160	32	0.01	<5	149	0.08	7	<10
166755		5.97	0.17	8.54	1220	1	0.15	591	150	8	0.18	<5	57	0.17	108	10
166756		6.59	0.05	9.44	1150	<1	0.16	578	140	4	0.18	<5	45	0.21	129	<10
166757		6.95	1.17	9.87	1245	<1	0.27	606	160	3	0.11	<5	47	0.24	148	<10
166758		7.56	0.97	10.60	1325	<1	0.33	652	180	<2	0.09	<5	63	0.26	160	<10
166759		7.09	0.41	10.70	1390	<1	0.34	666	150	4	0.01	<5	88	0.21	149	<10
166760		7.46	0.91	10.65	1230	1	0.26	691	150	<2	0.09	<5	63	0.23	160	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 21-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018389

Sample Description	Method Analyte Units LOR	ME4CP61 Zn ppm 2
166721		76
166722		110
166723		121
166724		38
166725		106
166726		88
166727		11
166728		19
166729		53
166730		78
166731		62
166732		120
166733		79
166734		79
166735 DUP		83
166736		86
166737		75
166738		14
166739		27
166740		54
166741		101
166742		101
166743		82
166744		90
166745		69
166746		77
166747		83
166748		17
166749		73
166750		88
166751		89
166752		67
166753 DUP		69
166754		27
166755		84
166756		85
166757		87
166758		89
166759		80
166760		82



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018389

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
166761		3.23	0.551		0.05	0.5	5.10	<5	20	<0.5	<2	5.21	3.8	61	1260	91
166762		2.77	0.404			<0.5	3.50	5	30	<0.5	<2	4.41	<0.5	39	963	43
166763		2.98	1.520			<0.5	6.23	<5	130	<0.5	<2	4.90	0.5	42	755	45
166764		2.73	1.035			<0.5	6.15	11	90	<0.5	<2	4.79	<0.5	37	393	46
166765		2.75	0.312			<0.5	7.28	<5	120	<0.5	<2	6.63	<0.5	42	325	7
166766		0.06	0.943			10.5	8.27	<5	50	3.0	<2	0.33	<0.5	1	10	7
166767		2.96	0.134			<0.5	7.35	<5	80	<0.5	<2	7.33	<0.5	43	323	9
166768		2.86	4.10	3.63		<0.5	6.71	<5	70	<0.5	<2	7.02	<0.5	41	307	16
166769		2.75	0.062			<0.5	7.04	8	90	<0.5	<2	6.93	<0.5	45	330	9
166770		2.77	0.040			<0.5	7.46	<5	70	<0.5	<2	7.51	<0.5	44	344	7
166771		2.91	1.005			<0.5	7.14	<5	60	<0.5	<2	8.14	<0.5	44	338	23
166772		2.66	0.057			<0.5	7.49	5	60	<0.5	<2	7.99	<0.5	48	375	26
166773		2.85	0.074			<0.5	7.06	<5	90	<0.5	<2	7.07	<0.5	44	348	12
166774		2.74	0.076			<0.5	7.22	<5	90	<0.5	<2	7.54	<0.5	47	342	19
166775		2.65	0.020			<0.5	7.08	<5	40	<0.5	<2	7.49	<0.5	45	332	15
166776		2.75	0.012			<0.5	7.29	<5	30	<0.5	<2	8.13	<0.5	50	340	21
166777		3.02	0.045			<0.5	6.87	7	40	<0.5	<2	7.63	<0.5	51	320	52
166778 DUP		<0.02	0.051			<0.5	7.20	<5	40	<0.5	<2	7.89	<0.5	55	334	54
166779		0.26	<0.005			<0.5	6.84	<5	560	0.9	<2	0.88	<0.5	3	15	4
166780		2.90	0.012			<0.5	6.89	6	60	<0.5	<2	8.29	<0.5	46	321	23



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018389

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	
166761		7.92	0.48	10.45	1380	1	0.32	683	180	29	0.43	<5	55	0.24	158	<10
166762		6.18	0.40	7.57	1110	<1	0.25	475	130	6	0.24	<5	45	0.17	111	<10
166763		6.25	0.76	7.82	1110	<1	1.30	416	310	71	0.17	<5	140	0.24	141	10
166764		5.74	0.55	6.23	1000	1	1.21	221	410	7	0.31	<5	140	0.27	153	10
166765		6.70	0.68	5.73	1280	<1	1.59	141	230	6	0.05	<5	102	0.36	215	10
166766		2.90	0.18	0.07	35	1	7.0	2	590	122	3.10	<5	20	0.01	2	<10
166767		6.84	0.62	5.63	1250	1	1.32	143	230	<2	0.06	<5	124	0.37	220	10
166768		6.62	0.56	5.07	1210	1	1.21	140	220	<2	0.08	<5	116	0.34	204	10
166769		6.99	0.68	5.74	1355	1	1.36	139	230	<2	0.04	<5	104	0.36	215	<10
166770		7.30	0.40	5.24	1385	1	1.52	152	230	<2	0.03	<5	136	0.38	218	40
166771		7.66	0.35	5.09	1515	<1	1.39	167	240	2	0.14	<5	136	0.36	212	150
166772		8.00	0.36	5.35	1495	<1	1.54	151	240	4	0.07	<5	144	0.38	228	10
166773		7.22	0.64	4.99	1435	<1	1.63	138	230	<2	0.04	<5	108	0.36	213	30
166774		7.49	0.62	5.24	1420	<1	1.45	147	220	<2	0.03	<5	118	0.36	216	10
166775		7.36	0.33	5.19	1385	<1	1.38	135	220	<2	0.02	<5	120	0.36	211	<10
166776		7.84	0.23	4.86	1420	<1	1.34	145	230	2	0.05	<5	148	0.37	218	10
166777		7.18	0.25	4.27	1290	1	1.34	128	220	5	0.07	<5	135	0.35	201	10
166778 DUP		7.42	0.27	4.49	1345	<1	1.41	134	230	5	0.07	<5	142	0.37	215	10
166779		2.00	4.16	0.23	180	1	2.13	4	160	34	<0.01	<5	146	0.08	9	<10
166780		7.55	0.41	5.03	1515	<1	1.49	132	210	<2	0.04	<5	131	0.35	209	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 21-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06018389

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
166761		1265
166762		134
166763		362
166764		87
166765		62
166766		16
166767		59
166768		58
166769		63
166770		65
166771		82
166772		77
166773		95
166774		73
166775		64
166776		88
166777		61
166778 DUP		65
166779		26
166780		66



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06019230

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 22-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 964 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 28-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019230

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
166781		2.71	0.072			<0.5	7.10	<5	60	<0.5	<2	7.93	<0.5	50	334	30
166782		2.62	0.010			<0.5	7.20	<5	30	<0.5	<2	8.06	<0.5	41	326	10
166783		2.65	0.017			<0.5	7.61	<5	50	<0.5	<2	7.99	<0.5	44	351	21
166784		2.25	0.021			<0.5	6.52	<5	340	0.9	<2	1.66	<0.5	6	67	17
166785 DUP		<0.02	0.019			<0.5	6.49	<5	340	0.9	<2	1.55	<0.5	5	61	18
166786		3.00	0.019			<0.5	7.29	<5	50	<0.5	<2	7.80	<0.5	43	327	15
166787		2.56	0.085			<0.5	7.50	<5	40	<0.5	2	9.37	<0.5	40	365	30
166788		2.59	0.022			<0.5	7.65	<5	40	<0.5	<2	10.15	<0.5	35	339	29
166789		2.54	0.022			<0.5	7.55	<5	70	<0.5	<2	10.95	<0.5	37	308	22
166790		2.69	0.009			<0.5	7.23	<5	40	<0.5	<2	8.21	<0.5	40	378	17
166791		2.62	0.064			<0.5	8.12	<5	50	<0.5	<2	9.19	<0.5	40	352	43
166792		2.81	0.090			<0.5	7.60	<5	40	<0.5	<2	10.95	<0.5	39	312	44
166793		0.04	0.995				10.4	<5	40	3.1	<2	0.33	<0.5	<1	6	8
166794		2.79	0.094			<0.5	6.89	<5	40	<0.5	<2	11.80	<0.5	33	265	62
166795		2.71	0.164			<0.5	7.94	<5	40	<0.5	<2	9.08	<0.5	43	338	15
166796		2.41	0.093			<0.5	7.51	<5	40	<0.5	<2	10.00	<0.5	37	313	29
166797		2.69	0.068			<0.5	7.19	<5	50	<0.5	<2	8.67	<0.5	36	292	84
166798		0.12	<0.005			<0.5	7.13	<5	520	0.9	<2	0.95	<0.5	2	17	7
166799		2.56	0.276			<0.5	6.82	<5	270	0.6	<2	6.68	<0.5	19	170	36
166800		2.73	0.042			<0.5	6.51	<5	460	1.1	<2	1.52	<0.5	3	37	14
166801		2.67	0.018			<0.5	7.02	<5	420	1.1	<2	3.05	<0.5	16	172	17
166802		3.07	0.033			<0.5	7.13	<5	80	<0.5	<2	8.91	<0.5	44	320	14
166803		2.55	0.148			<0.5	7.41	<5	160	0.5	<2	4.99	<0.5	27	73	109
166804		2.56	1.190			<0.5	8.42	<5	150	<0.5	<2	6.37	<0.5	50	138	300
166805		2.81	0.018			<0.5	8.41	<5	110	<0.5	<2	6.48	<0.5	41	131	163
166806		2.47	0.135			<0.5	7.74	26	230	0.6	<2	4.58	<0.5	24	85	126
166807		0.04	1.790				20.1	8.59	60	3.1	<2	0.35	<0.5	<1	6	8
166808		2.67	0.260			<0.5	7.22	16	230	0.6	<2	6.98	2.2	41	176	140
166809		2.40	1.530	1.510		<0.5	6.84	<5	200	0.6	<2	3.81	<0.5	53	82	315
166810 DUP		<0.02	1.955			<0.5	7.52	<5	210	0.7	2	4.09	<0.5	62	82	355
166811		2.35	0.053			<0.5	8.12	<5	250	0.6	<2	5.30	<0.5	21	69	63
166812		2.48	0.012			<0.5	8.29	<5	180	0.6	<2	5.89	<0.5	30	69	82
166813		2.69	0.029			<0.5	8.01	<5	200	0.5	<2	5.54	<0.5	25	93	58
166814		2.94	<0.005			<0.5	8.21	<5	230	0.8	<2	5.36	<0.5	23	104	45
166815		2.67	0.079			<0.5	8.99	<5	200	<0.5	<2	6.99	<0.5	37	148	257
166816		2.84	0.044			<0.5	7.91	<5	190	0.5	<2	5.99	<0.5	28	108	129
166817		0.14	<0.005			<0.5	7.53	6	610	0.8	<2	0.80	<0.5	2	15	7
166818		2.10	0.009			<0.5	7.79	<5	150	0.6	<2	7.18	<0.5	44	368	108
166819		2.28	0.011			<0.5	8.19	10	200	0.6	<2	6.81	<0.5	40	462	140
166820		2.14	0.005			<0.5	8.64	<5	440	<0.5	<2	6.28	<0.5	41	317	93



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 28-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06019230**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
166781		7.32	0.34	5.05	1365	<1	1.41	142	240	3	0.05	<5	140	0.34	212	<10
166782		7.38	0.20	5.10	1355	<1	1.40	131	220	<2	0.02	<5	144	0.34	218	<10
166783		7.70	0.44	5.09	1475	<1	1.45	139	250	4	0.05	<5	147	0.37	229	10
166784		1.80	1.26	0.72	500	2	2.43	19	50	2	0.13	<5	58	0.07	29	<10
166785 DUP		1.79	1.30	0.65	484	2	2.45	19	60	4	0.14	<5	57	0.07	27	<10
166786		7.75	0.37	5.52	1435	<1	1.41	138	230	<2	0.02	<5	133	0.35	224	<10
166787		7.63	0.24	4.53	1440	<1	1.32	136	250	2	0.06	<5	164	0.36	227	<10
166788		7.73	0.28	4.99	1565	<1	1.45	124	260	2	0.09	<5	145	0.35	220	10
166789		7.16	0.40	4.58	1515	<1	1.30	120	260	3	0.03	<5	149	0.36	216	<10
166790		7.43	0.23	4.97	1380	<1	1.41	134	240	2	0.02	<5	134	0.35	224	<10
166791		8.07	0.34	4.82	1495	<1	1.45	148	260	4	0.06	<5	151	0.38	241	<10
166792		7.51	0.27	4.86	1545	<1	1.46	133	260	<2	0.06	<5	150	0.37	231	<10
166793		2.72	0.19	0.07	35	1	6.7	4	610	110	2.83	<5	21	0.01	2	<10
166794		6.84	0.31	4.21	1510	<1	1.30	118	230	<2	0.12	<5	151	0.33	206	<10
166795		7.89	0.32	4.94	1435	<1	1.54	147	250	2	0.03	<5	149	0.39	246	<10
166796		7.47	0.30	4.46	1410	<1	1.51	134	260	<2	0.05	<5	149	0.37	229	<10
166797		7.06	0.35	4.25	1305	<1	1.41	114	310	<2	0.08	<5	154	0.38	210	<10
166798		2.43	4.08	0.27	216	7	2.08	9	190	34	0.01	<5	157	0.09	12	<10
166799		4.44	0.85	2.38	913	<1	2.06	65	170	3	0.07	<5	137	0.22	110	<10
166800		1.98	1.45	0.47	300	1	2.83	9	120	8	0.05	<5	126	0.10	11	<10
166801		3.20	1.32	2.64	510	1	2.72	136	540	27	0.05	<5	281	0.21	52	<10
166802		7.93	0.60	5.18	1565	<1	1.24	136	230	<2	0.05	<5	143	0.38	241	<10
166803		5.54	0.93	2.29	896	<1	1.50	41	540	3	0.40	<5	154	0.41	160	<10
166804		7.74	1.16	3.16	1135	<1	1.37	81	390	<2	1.30	<5	138	0.45	216	<10
166805		7.55	0.89	3.64	1160	<1	1.51	80	420	4	0.52	<5	148	0.46	217	<10
166806		5.47	1.19	2.03	968	<1	1.70	46	490	10	0.46	<5	154	0.40	136	<10
166807		2.96	0.19	0.07	116	<1	7.0	5	660	128	3.17	<5	22	0.01	3	<10
166808		6.57	0.81	4.21	1095	<1	1.86	122	1360	4	0.59	<5	754	0.57	191	<10
166809		5.66	0.93	1.67	755	1	1.76	64	470	5	1.25	<5	139	0.36	118	<10
166810 DUP		6.12	1.00	1.78	810	<1	1.94	74	500	3	1.44	<5	153	0.39	122	<10
166811		5.88	1.12	2.45	1015	<1	1.84	42	590	3	0.30	<5	176	0.41	141	<10
166812		6.65	1.08	3.42	1165	<1	1.95	37	820	<2	0.20	<5	342	0.43	202	<10
166813		5.99	0.98	2.72	1055	1	1.76	50	550	3	0.15	<5	189	0.45	174	<10
166814		5.91	1.05	2.67	1030	<1	2.05	43	760	4	0.13	<5	260	0.48	162	<10
166815		7.41	1.24	3.32	1160	<1	1.55	73	470	3	0.67	<5	240	0.48	228	<10
166816		6.54	1.17	3.26	1135	1	1.56	69	830	2	0.41	<5	271	0.51	190	<10
166817		2.32	4.50	0.21	200	1	2.16	6	170	36	0.02	<5	154	0.09	8	<10
166818		8.03	0.64	5.68	1520	<1	1.98	98	840	3	0.33	<5	548	0.44	224	<10
166819		6.93	0.67	7.04	1305	<1	2.04	219	940	<2	0.55	<5	383	0.37	182	<10
166820		6.26	1.45	6.98	1090	<1	1.76	201	590	<2	0.26	<5	423	0.31	160	<10





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 28-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019230

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
166781		63
166782		63
166783		77
166784		53
166785 DUP		55
166786		75
166787		65
166788		63
166789		63
166790		74
166791		68
166792		66
166793		16
166794		61
166795		88
166796		63
166797		65
166798		29
166799		42
166800		25
166801		44
166802		84
166803		85
166804		111
166805		72
166806		98
166807		23
166808		389
166809		62
166810 DUP		65
166811		71
166812		81
166813		81
166814		73
166815		71
166816		70
166817		28
166818		101
166819		81
166820		66



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 28-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06019230**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
166821		2.66	0.085			<0.5	8.86	<5	230	<0.5	<2	6.06	<0.5	27	107	30
166822		2.47	0.038			<0.5	8.74	<5	180	<0.5	<2	6.07	<0.5	28	84	14
166823		2.61	0.018			<0.5	8.87	<5	270	0.7	<2	4.84	<0.5	21	50	39
166824		2.48	0.038			<0.5	8.46	<5	210	<0.5	<2	6.07	<0.5	28	92	51
166825		2.74	0.027			<0.5	8.24	<5	210	<0.5	<2	6.08	<0.5	29	90	57
166826		0.05	0.970			11.4	9.58	<5	50	3.1	<2	0.36	<0.5	<1	7	9
166827		2.48	0.021			<0.5	8.75	<5	130	<0.5	<2	6.31	<0.5	28	113	15
166828		2.72	0.020			<0.5	9.02	<5	260	0.7	<2	4.93	<0.5	23	92	32
166829		2.25	0.013			<0.5	7.74	<5	800	1.1	<2	1.36	<0.5	1	14	37
166830		1.84	0.007			<0.5	8.99	<5	210	0.5	<2	5.50	<0.5	34	117	54
166831		0.09	<0.005			<0.5	7.97	<5	590	0.9	<2	1.08	<0.5	1	17	6
166832		2.62	<0.005			<0.5	8.73	5	130	<0.5	<2	6.04	<0.5	32	118	16
166833		2.36	0.017			<0.5	8.75	<5	180	<0.5	<2	5.76	<0.5	29	113	29
166834		2.66	0.020			<0.5	8.76	<5	200	<0.5	<2	5.94	<0.5	33	115	30
166835		2.56	0.408			<0.5	8.27	<5	210	<0.5	<2	4.72	<0.5	35	104	56
166836		2.40	0.007			<0.5	8.56	<5	140	<0.5	<2	6.42	<0.5	28	110	4
166837 DUP		<0.02	0.005			<0.5	8.79	<5	140	<0.5	<2	6.66	<0.5	28	112	5
166838		2.57	0.048			<0.5	8.89	<5	120	<0.5	<2	7.11	<0.5	30	130	3
166839		2.63	0.015			<0.5	9.03	<5	110	<0.5	<2	7.11	<0.5	31	111	4
166840		2.40	0.024			<0.5	8.89	7	100	<0.5	<2	7.62	<0.5	29	109	24
166841		2.69	0.045			<0.5	8.37	<5	400	0.8	<2	6.91	<0.5	30	169	53
166842		2.52	0.108			<0.5	8.38	<5	130	<0.5	<2	6.54	<0.5	55	112	523
166843		2.86	0.023			<0.5	8.90	5	120	<0.5	<2	7.27	<0.5	49	131	260
166844		2.50	0.258			0.8	8.12	<5	160	<0.5	<2	5.93	<0.5	60	106	1405
166845		2.73	0.196			0.6	9.09	<5	290	0.5	<2	6.10	<0.5	60	82	962
166846		0.05	1.830			19.9	8.97	<5	60	2.9	<2	0.36	<0.5	1	5	7
166847		2.67	2.33			1.6	8.41	6	190	<0.5	<2	5.42	<0.5	85	129	1215
166848		2.53	0.296			<0.5	7.50	<5	410	0.9	<2	2.81	<0.5	14	51	80
166849		2.63	0.009			<0.5	8.86	<5	140	<0.5	<2	6.37	<0.5	39	101	32
166850		2.46	0.063			<0.5	8.46	7	170	<0.5	<2	5.61	<0.5	46	99	124
166851		2.56	0.075			0.5	8.14	<5	200	0.7	<2	4.56	<0.5	33	80	150
166852		2.89	1.945			2.6	7.62	8	230	<0.5	<2	4.66	0.9	79	130	856
166853 DUP		<0.02	1.615			2.1	7.25	6	220	<0.5	<2	4.45	0.8	71	137	725
166854		0.22	<0.005			<0.5	7.00	<5	550	0.9	<2	0.85	<0.5	2	11	7
166855		2.54	1.045			1.8	7.31	5	190	<0.5	<2	6.08	<0.5	50	135	467
166856		2.62	0.027			<0.5	8.38	<5	180	0.5	<2	5.83	<0.5	35	100	87
166857		2.52	0.038			<0.5	8.14	<5	150	0.5	<2	5.51	<0.5	32	80	101
166858		2.39	0.056			<0.5	8.29	<5	120	<0.5	<2	6.61	<0.5	39	132	134
166859		2.48	0.075			0.6	8.15	9	360	0.7	<2	5.44	<0.5	36	118	167
166860		2.79	0.070			<0.5	7.97	<5	110	<0.5	<2	6.49	<0.5	33	130	140



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019230

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
166821		7.02	1.36	4.23	1165	1	1.93	93	600	<2	0.17	<5	298	0.48	196	<10
166822		6.87	1.30	4.33	1185	1	1.80	112	490	<2	0.09	<5	162	0.50	197	<10
166823		5.59	1.21	2.36	869	1	2.42	50	1020	<2	0.20	<5	270	0.54	144	<10
166824		6.97	1.49	4.82	1205	1	1.62	119	450	<2	0.11	<5	202	0.45	193	<10
166825		6.95	1.50	4.83	1240	1	1.25	125	420	<2	0.26	<5	166	0.43	198	<10
166826		2.79	0.20	0.08	38	1	7.3	3	630	116	2.98	<5	22	0.01	2	<10
166827		7.35	0.96	3.92	1210	1	2.01	67	380	<2	0.05	<5	144	0.48	216	<10
166828		5.98	1.23	2.63	1025	1	2.57	42	720	<2	0.12	<5	186	0.50	150	<10
166829		2.13	1.36	0.20	236	1	3.51	1	170	3	0.21	<5	156	0.14	8	<10
166830		6.87	1.01	3.84	1195	<1	2.74	53	420	<2	0.15	<5	201	0.47	200	<10
166831		2.46	4.31	0.28	224	1	2.43	5	220	30	0.01	<5	177	0.10	12	<10
166832		7.06	1.04	4.01	1085	1	2.39	61	390	<2	0.06	<5	146	0.49	220	<10
166833		7.30	1.53	4.17	1135	<1	1.69	58	400	3	0.12	<5	126	0.49	217	<10
166834		7.36	1.82	4.46	1315	1	1.25	68	380	2	0.24	<5	118	0.49	216	10
166835		7.29	1.90	4.35	1115	1	1.23	81	370	<2	0.29	<5	95	0.47	207	<10
166836		6.78	1.18	4.34	1165	1	1.45	68	380	<2	0.01	<5	139	0.47	213	<10
166837 DUP		6.96	1.19	4.49	1195	<1	1.49	65	390	<2	0.01	<5	144	0.49	218	<10
166838		7.02	1.03	4.42	1180	1	1.71	71	380	<2	0.01	<5	156	0.48	215	<10
166839		7.30	0.92	4.65	1195	1	1.77	78	370	<2	0.01	<5	154	0.50	226	<10
166840		6.81	0.84	4.13	1255	2	1.52	68	390	<2	0.20	<5	162	0.49	218	10
166841		6.37	1.15	4.84	1080	<1	1.81	131	910	<2	0.24	<5	762	0.46	184	<10
166842		7.44	1.01	3.84	1150	1	1.14	88	380	<2	0.48	<5	172	0.48	204	10
166843		9.44	0.75	4.40	1420	1	1.64	119	630	<2	0.43	<5	314	0.67	211	20
166844		8.57	0.94	3.80	1225	1	1.63	88	610	4	0.54	<5	252	0.66	205	10
166845		7.42	1.54	3.67	1175	<1	1.35	50	570	5	0.55	<5	268	0.52	206	10
166846		2.95	0.19	0.06	111	<1	7.3	4	610	120	3.15	<5	19	0.01	2	<10
166847		7.73	2.22	3.43	1230	1	1.05	60	350	2	1.41	<5	105	0.47	210	10
166848		3.90	1.57	1.44	714	9	2.46	30	200	<2	0.29	<5	134	0.25	69	<10
166849		6.92	2.07	4.18	1795	<1	1.23	65	370	<2	0.06	<5	101	0.48	210	10
166850		6.74	1.69	3.64	1565	3	1.35	60	350	<2	0.20	<5	112	0.45	201	<10
166851		4.67	1.02	1.67	732	1	2.65	36	240	4	0.58	<5	136	0.31	114	<10
166852		7.33	2.59	2.17	943	1	1.20	83	300	2	2.03	<5	102	0.43	190	10
166853 DUP		6.91	2.51	2.12	909	<1	1.07	77	300	4	1.81	<5	98	0.40	190	10
166854		2.00	4.22	0.22	175	<1	2.08	3	180	31	0.01	<5	152	0.08	9	<10
166855		6.68	2.23	2.48	1100	<1	0.84	69	350	<2	1.20	<5	126	0.41	200	10
166856		6.76	1.32	3.13	1110	<1	1.48	57	490	4	0.36	<5	152	0.45	198	10
166857		6.12	0.97	2.51	1020	<1	1.74	51	610	2	0.44	<5	174	0.46	170	<10
166858		6.66	1.10	3.17	1170	<1	1.46	70	410	8	0.53	<5	149	0.45	207	<10
166859		6.42	2.07	2.98	1170	<1	1.76	63	860	10	0.81	<5	298	0.44	200	10
166860		6.56	1.29	3.16	1175	<1	1.10	68	380	<2	0.61	<5	121	0.44	208	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 28-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019230

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
166821		77
166822		69
166823		59
166824		86
166825		81
166826		16
166827		74
166828		68
166829		64
166830		86
166831		31
166832		58
166833		71
166834		122
166835		138
166836		68
166837 DUP		70
166838		108
166839		68
166840		96
166841		70
166842		66
166843		102
166844		108
166845		91
166846		20
166847		114
166848		61
166849		136
166850		122
166851		40
166852		304
166853 DUP		277
166854		27
166855		172
166856		77
166857		68
166858		62
166859		73
166860		60



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 28-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06019230**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
166861		2.68	0.069			<0.5	7.88	<5	100	<0.5	<2	5.95	<0.5	31	139	112
166862		2.57	0.051			<0.5	8.17	<5	110	<0.5	<2	5.99	<0.5	29	117	100
166863		2.73	0.053			0.5	7.81	<5	250	0.6	<2	4.95	<0.5	23	84	154
166864		2.44	0.014			<0.5	7.80	<5	330	0.9	<2	4.15	<0.5	8	49	23
166865		2.48	0.082			<0.5	7.92	<5	240	<0.5	<2	5.47	<0.5	29	138	222
166866		2.56	0.090			1.0	8.52	5	280	0.6	<2	4.94	<0.5	22	90	133
166867		0.06	0.990			10.3	8.74	<5	50	3.3	<2	0.34	<0.5	<1	6	9
166868		2.81	0.090			0.6	8.20	<5	270	0.6	<2	4.99	<0.5	20	94	240
166869		2.54	0.842			<0.5	7.91	<5	270	0.6	<2	4.80	<0.5	22	84	278
166870		2.56	0.057			<0.5	7.65	<5	280	0.8	<2	3.77	<0.5	14	52	126
166871		2.78	0.248			<0.5	7.62	<5	160	<0.5	<2	5.94	<0.5	31	120	259
166872		2.37	0.110			<0.5	6.84	<5	560	1.1	<2	1.26	<0.5	2	8	46
166873		2.46	0.008			<0.5	6.36	<5	640	1.1	<2	1.04	<0.5	1	7	40
166874		2.59	0.140			0.5	8.02	<5	180	<0.5	<2	5.84	<0.5	28	126	424
166875		2.80	8.20	8.10		2.0	7.60	<5	140	<0.5	12	5.24	<0.5	33	126	891
166876 DUP		<0.02	5.14	4.77		0.9	7.66	<5	120	<0.5	7	5.41	<0.5	32	124	597
166877		0.23	0.008			<0.5	6.80	<5	520	0.8	<2	0.89	<0.5	1	10	8
166878		2.67	0.036			<0.5	8.25	<5	130	<0.5	<2	6.38	<0.5	30	116	231
166879		2.78	0.058			<0.5	7.96	<5	120	<0.5	<2	6.05	<0.5	30	128	272
166880		2.68	>10.0		10.85	2.2	6.96	<5	120	<0.5	<2	5.05	<0.5	36	128	1840



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 28-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06019230**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	0.01	1	10	
166861		6.84	1.06	3.48	1220	<1	1.27	72	390	2	0.50	<5	135	0.45	211	10
166862		6.78	0.92	3.05	1115	<1	1.65	59	480	3	0.41	<5	160	0.47	206	10
166863		5.29	1.22	2.00	889	1	1.68	47	520	2	0.45	<5	191	0.42	155	10
166864		4.23	1.23	1.64	591	1	2.27	26	1400	5	0.13	<5	423	0.42	83	<10
166865		6.44	2.01	3.02	1080	<1	1.18	78	410	<2	0.85	<5	116	0.44	207	10
166866		5.93	1.74	2.32	1035	1	1.77	50	680	3	0.53	<5	158	0.47	157	<10
166867		2.87	0.21	0.07	36	<1	6.8	4	660	129	2.97	<5	20	0.01	2	<10
166868		5.95	1.45	2.31	920	1	1.71	48	540	5	0.58	<5	155	0.43	156	<10
166869		5.37	1.32	2.11	878	1	1.71	48	520	7	0.45	<5	156	0.42	152	<10
166870		4.22	0.99	1.38	658	1	2.30	22	490	3	0.26	<5	172	0.33	83	<10
166871		6.30	1.19	3.31	1105	<1	1.32	68	370	<2	0.28	<5	142	0.44	211	10
166872		1.75	1.48	0.15	155	1	2.95	3	100	6	0.22	<5	138	0.09	2	<10
166873		1.62	1.68	0.10	137	1	2.68	2	90	5	0.22	<5	133	0.09	1	<10
166874		6.21	1.64	3.14	1150	<1	1.25	69	360	3	0.61	<5	122	0.43	196	10
166875		7.00	1.16	3.48	1025	<1	1.46	78	370	<2	0.68	<5	131	0.41	190	10
166876 DUP		6.74	1.13	3.42	1035	<1	1.46	79	370	4	0.58	<5	134	0.42	194	10
166877		1.91	4.10	0.24	177	1	2.00	6	180	34	0.01	<5	150	0.08	9	<10
166878		7.15	1.20	3.92	1175	<1	1.61	75	860	3	0.34	<5	251	0.50	223	10
166879		6.80	1.30	3.64	1140	<1	1.41	74	400	<2	0.45	<5	137	0.44	206	<10
166880		6.66	1.28	2.91	1005	<1	1.17	70	340	2	1.10	<5	112	0.39	178	30



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 28-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019230

Sample Description	Method Analyte Units LOI	ME-ICP61 Zn ppm 2
166861		73
166862		69
166863		69
166864		51
166865		88
166866		69
166867		22
166868		72
166869		71
166870		63
166871		84
166872		19
166873		14
166874		88
166875		68
166876 DUP		65
166877		28
166878		75
166879		72
166880		168



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 25-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06019231

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 22-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 25-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019231

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
LOR		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
166881		2.89	0.064	<0.5	7.70	6	110	<0.5	<2	5.72	<0.5	23	117	228	6.67	1.18
166882		2.54	0.328	<0.5	6.39	7	140	<0.5	<2	5.75	<0.5	22	112	290	5.61	1.24
166883		2.44	0.306	<0.5	7.40	9	200	<0.5	<2	5.59	<0.5	26	132	507	5.85	1.78
166884		2.69	0.134	<0.5	8.07	12	140	0.6	<2	6.02	<0.5	24	67	108	7.41	1.18
166885		2.47	0.116	0.5	8.17	<5	160	<0.5	<2	6.26	<0.5	30	140	395	7.70	1.48
166886		0.05	1.815	19.4	8.55	6	60	3.2	<2	0.36	<0.5	<1	14	6	2.89	0.20
166887		2.94	1.840	0.7	5.64	<5	110	<0.5	2	4.98	<0.5	64	710	573	9.47	1.07
166888		3.02	0.750	0.6	5.29	<5	20	<0.5	<2	6.95	<0.5	64	1145	585	11.00	0.56
166889		2.96	2.66	<0.5	4.93	<5	20	<0.5	<2	4.56	<0.5	43	1080	317	9.83	0.55
166890		2.98	4.18	<0.5	3.93	<5	20	<0.5	<2	4.39	<0.5	37	1000	227	8.71	0.44
166891		2.88	3.26	<0.5	5.86	14	230	0.6	<2	4.19	<0.5	25	722	144	6.19	1.08
166892 DUP		<0.02	3.43	0.6	6.07	11	250	0.6	<2	4.17	<0.5	25	682	148	6.35	1.14
166893		2.37	0.254	<0.5	4.80	<5	110	<0.5	<2	3.56	<0.5	67	1470	176	6.48	0.37
166894		2.62	0.045	<0.5	6.16	<5	150	<0.5	<2	5.01	<0.5	52	1025	144	6.06	0.72
166895		2.73	0.397	<0.5	5.09	<5	70	<0.5	<2	5.35	<0.5	65	1545	169	7.05	0.33
166896		2.38	0.024	<0.5	8.13	<5	300	0.9	<2	3.64	<0.5	12	28	31	4.68	1.30
166897		0.09	<0.005	<0.5	6.98	<5	550	0.9	<2	0.95	<0.5	1	22	7	2.62	4.27
166898		2.57	0.109	<0.5	7.16	8	160	0.6	<2	4.20	<0.5	31	402	67	6.67	0.60
166899		2.87	0.219	<0.5	7.91	<5	130	<0.5	<2	6.76	<0.5	29	178	54	7.27	1.24
166900		3.23	0.027	<0.5	7.64	<5	70	<0.5	<2	6.93	<0.5	39	269	2	7.54	0.82
166901		2.81	0.013	<0.5	7.39	<5	140	<0.5	<2	6.72	<0.5	40	372	<1	7.86	1.11
166902		2.79	0.006	<0.5	7.82	<5	120	0.5	<2	5.61	<0.5	28	166	19	7.83	0.84
166903		2.48	0.009	<0.5	6.37	8	460	1.1	<2	1.46	<0.5	2	15	10	2.10	1.40
166904		2.19	0.044	<0.5	6.04	7	530	1.1	<2	0.99	<0.5	1	37	7	2.02	1.79
166905		0.05	0.978	10.1	8.13	<5	50	3.1	<2	0.33	<0.5	<1	7	8	2.84	0.19
166906		2.64	0.106	<0.5	6.78	<5	200	0.5	<2	4.75	<0.5	35	477	34	5.68	0.64
166907		2.26	0.012	<0.5	6.38	16	110	<0.5	<2	6.16	<0.5	54	984	22	7.33	0.51
166908		2.49	0.027	<0.5	5.63	10	140	<0.5	<2	6.27	<0.5	56	947	14	6.74	0.97
166909		2.77	0.024	<0.5	6.71	5	240	<0.5	<2	6.40	<0.5	53	786	28	5.96	0.99
166910		3.02	0.062	<0.5	5.98	<5	100	<0.5	<2	6.65	<0.5	56	1085	20	6.84	0.60
166911		2.92	0.231	<0.5	5.72	<5	40	<0.5	<2	6.17	<0.5	64	1310	5	7.28	0.28
166912		2.48	0.480	<0.5	5.09	<5	10	<0.5	<2	5.95	<0.5	59	1430	11	7.24	0.14
166913		2.65	0.150	<0.5	5.76	5	550	<0.5	<2	5.13	<0.5	64	1535	51	8.27	0.36
166914		2.67	0.331	<0.5	2.47	5	20	<0.5	<2	4.61	<0.5	29	647	24	4.67	0.17
166915 DUP		<0.02	0.266	<0.5	2.48	<5	20	<0.5	<2	4.72	<0.5	30	644	25	4.82	0.18
166916		0.11	<0.005	<0.5	7.05	5	570	0.9	<2	0.96	<0.5	2	31	6	2.57	4.34
166917		2.80	0.666	<0.5	5.50	8	50	<0.5	<2	5.84	<0.5	59	1245	4	7.49	0.23
166918		2.38	0.187	<0.5	5.81	<5	100	<0.5	<2	5.84	<0.5	62	1210	7	7.32	0.36
166919		2.65	0.066	<0.5	6.17	<5	10	<0.5	<2	5.64	<0.5	64	1415	22	7.94	0.11
166920		2.70	0.631	<0.5	6.20	<5	170	<0.5	<2	5.19	<0.5	58	1080	55	7.97	0.80



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 25-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019231

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	0.01	ppm	ppm	ppm
166881		3.62	1125	<1	1.53	72	360	<2	0.42	<5	122	0.43	204	10	63
166882		2.64	1025	<1	0.99	70	380	<2	0.56	<5	103	0.36	183	20	51
166883		2.73	994	<1	1.10	79	370	<2	0.69	<5	126	0.42	186	20	67
166884		2.66	1430	<1	1.69	43	970	2	0.35	<5	218	0.64	164	<10	102
166885		3.77	1310	<1	1.24	80	380	<2	0.77	<5	137	0.46	227	10	76
166886		0.08	116	<1	7.0	6	640	118	3.09	<5	21	0.01	3	10	19
166887		4.48	1630	1	0.50	436	290	<2	2.25	<5	78	0.30	158	20	69
166888		8.14	2150	2	0.36	548	160	<2	2.00	<5	61	0.25	170	50	80
166889		8.87	1730	1	0.30	507	170	<2	1.08	<5	49	0.17	150	10	93
166890		7.00	1475	2	0.30	465	110	<2	1.34	<5	36	0.17	118	10	90
166891		4.43	1350	1	1.10	266	100	<2	0.84	<5	149	0.16	83	<10	65
166892 DUP		4.45	1355	3	1.17	269	110	2	0.92	<5	147	0.17	84	<10	66
166893		11.20	1320	1	0.83	996	180	2	0.83	<5	57	0.23	118	<10	115
166894		9.51	1125	<1	1.10	660	400	<2	0.38	<5	177	0.25	116	<10	101
166895		11.50	1335	1	0.51	874	260	<2	0.53	<5	60	0.23	133	<10	119
166896		1.08	625	1	2.35	15	880	<2	0.14	<5	202	0.49	111	<10	44
166897		0.31	230	1	2.12	9	210	29	<0.01	<5	169	0.11	12	<10	28
166898		5.62	1135	<1	1.60	220	630	<2	0.43	<5	117	0.39	126	10	88
166899		5.48	1375	<1	0.95	88	260	<2	0.19	<5	105	0.39	247	<10	86
166900		6.45	1355	<1	0.97	153	250	4	<0.01	<5	114	0.38	242	<10	79
166901		7.13	1560	<1	1.14	201	270	<2	<0.01	<5	88	0.36	235	<10	115
166902		3.61	1440	<1	1.62	90	1050	3	0.11	<5	230	0.65	156	<10	105
166903		0.25	284	1	2.76	4	140	2	0.06	<5	130	0.13	10	<10	22
166904		0.34	263	2	2.72	9	70	<2	0.04	<5	115	0.10	11	<10	22
166905		0.07	34	<1	6.9	5	620	124	3.09	<5	19	0.01	1	<10	15
166906		5.66	1030	<1	1.73	262	360	<2	0.15	<5	167	0.25	138	<10	60
166907		10.10	1360	<1	0.63	526	350	3	0.07	<5	158	0.22	176	<10	80
166908		9.34	1305	<1	0.40	544	240	<2	0.06	<5	115	0.25	180	<10	72
166909		8.66	1200	<1	0.63	478	630	<2	0.23	<5	301	0.21	126	<10	70
166910		9.56	1360	<1	0.53	555	380	5	0.16	<5	177	0.23	147	10	77
166911		10.55	1485	<1	0.39	622	200	<2	0.02	<5	93	0.23	172	10	95
166912		10.85	1430	1	0.29	693	180	4	0.10	<5	66	0.21	151	10	90
166913		11.10	1530	<1	0.24	697	170	8	0.36	<5	52	0.27	170	<10	110
166914		5.46	1490	<1	0.12	314	100	4	0.19	<5	54	0.11	74	10	51
166915 DUP		5.49	1510	<1	0.12	324	120	<2	0.19	<5	55	0.11	75	<10	52
166916		0.34	245	1	2.28	12	190	36	0.01	<5	158	0.09	11	<10	30
166917		10.50	1435	1	0.31	603	200	3	0.03	<5	58	0.24	163	<10	86
166918		10.70	1305	<1	0.29	622	300	3	0.04	<5	112	0.23	164	<10	78
166919		11.45	1465	<1	0.28	699	180	6	0.24	<5	64	0.26	179	<10	150
166920		9.69	1460	<1	0.30	575	640	33	0.54	<5	117	0.36	174	<10	423



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 25-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019231

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Units
	LOR	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	
166921		2.65	0.182	<0.5	5.25	<5	620	<0.5	<2	5.81	<0.5	60	1240	16	7.22	0.33	
166922		2.63	0.061	<0.5	6.76	<5	270	<0.5	<2	3.50	<0.5	36	794	16	4.52	0.99	
166923		2.64	0.018	<0.5	8.08	6	520	0.5	<2	2.29	<0.5	16	327	6	2.40	1.68	
166924		3.02	0.182	<0.5	5.99	5	420	<0.5	<2	5.41	<0.5	55	1250	9	7.27	0.40	
166925		2.49	0.132	<0.5	6.59	<5	640	<0.5	<2	4.36	<0.5	44	1020	17	6.07	0.42	
166926		0.06	1.755	20.1	8.48	5	60	3.0	<2	0.34	<0.5	1	7	6	2.86	0.19	
166927		3.16	0.276	<0.5	7.38	<5	160	<0.5	<2	6.00	<0.5	31	325	12	6.17	0.74	
166928		3.19	0.331	<0.5	7.34	<5	80	<0.5	<2	6.80	<0.5	42	335	9	6.74	0.73	
166929		2.82	0.266	<0.5	7.34	<5	540	<0.5	<2	7.33	<0.5	38	327	5	6.46	0.44	
166930		3.29	1.125	<0.5	7.21	<5	50	<0.5	<2	6.66	<0.5	44	349	15	6.63	0.48	
166931		2.76	1.425	<0.5	7.58	<5	40	<0.5	<2	7.96	<0.5	46	351	13	7.53	0.33	
166932		2.67	1.590	<0.5	7.47	9	50	<0.5	<2	7.56	<0.5	40	313	18	7.02	0.34	
166933		0.09	0.006	<0.5	6.85	7	540	0.9	<2	0.93	<0.5	2	15	6	2.38	4.27	
166934		2.69	1.050	<0.5	7.26	<5	100	<0.5	<2	7.51	<0.5	39	302	20	6.79	0.61	
166935		2.90	6.15	<0.5	7.59	6	60	<0.5	<2	7.86	<0.5	44	355	16	7.64	0.43	
166936		3.06	0.298	<0.5	7.23	<5	70	<0.5	<2	7.23	<0.5	41	334	27	7.31	0.49	
166937 DUP		<0.02	0.295	<0.5	7.04	<5	70	<0.5	<2	7.08	<0.5	41	329	27	7.19	0.48	
166938		2.72	0.114	<0.5	7.19	7	50	<0.5	<2	7.38	<0.5	44	356	21	7.38	0.36	
166939		2.87	0.086	<0.5	7.01	7	50	<0.5	<2	7.38	<0.5	42	344	32	7.27	0.39	
166940		2.87	0.048	<0.5	7.27	7	40	<0.5	<2	7.76	<0.5	43	367	42	7.44	0.28	
166941		2.54	0.093	<0.5	7.00	7	40	<0.5	<2	7.28	<0.5	42	329	70	7.04	0.27	
166942		2.58	0.016	<0.5	6.99	<5	40	<0.5	<2	7.55	<0.5	49	358	277	7.09	0.23	
166943		2.75	0.120	<0.5	7.48	<5	90	<0.5	<2	7.84	<0.5	52	370	221	7.70	0.56	
166944		2.52	0.025	<0.5	6.72	<5	390	0.9	<2	2.86	<0.5	15	126	48	3.48	1.21	
166945		0.04	0.964	10.8	7.69	8	50	3.1	<2	0.32	<0.5	1	6	8	2.48	0.19	
166946		2.46	0.090	<0.5	7.28	<5	250	0.5	<2	5.21	<0.5	30	262	70	5.14	0.71	
166947		2.74	0.048	<0.5	6.94	<5	210	0.6	<2	6.41	<0.5	56	351	375	6.29	0.89	
166948		2.67	0.158	<0.5	7.27	<5	40	<0.5	<2	8.54	<0.5	45	323	122	7.62	0.27	
166949		2.60	0.012	<0.5	7.41	<5	30	<0.5	<2	9.28	<0.5	45	336	24	7.58	0.19	
166950		2.79	0.019	<0.5	7.02	5	50	<0.5	<2	8.93	<0.5	43	303	23	7.05	0.36	
166951		2.55	0.030	<0.5	7.09	7	50	<0.5	<2	8.24	<0.5	46	333	56	7.21	0.34	
166952		3.19	0.541	<0.5	7.20	15	40	<0.5	<2	8.73	<0.5	77	329	223	7.73	0.32	
166953 DUP		<0.02	0.618	<0.5	6.65	7	40	<0.5	<2	8.28	<0.5	78	332	214	7.25	0.29	
166954		0.13	<0.005	<0.5	6.75	6	540	0.8	<2	0.86	<0.5	3	13	8	2.12	4.12	
168955		2.86	0.051	<0.5	7.32	<5	50	<0.5	<2	8.10	<0.5	46	338	18	7.60	0.56	
166956		2.87	0.064	<0.5	7.53	<5	40	<0.5	<2	8.29	<0.5	44	330	22	7.58	0.29	
168957		2.77	0.023	<0.5	7.48	<5	30	<0.5	<2	8.45	<0.5	48	329	20	7.74	0.29	
168958		2.75	0.023	<0.5	7.39	<5	60	<0.5	<2	10.00	<0.5	43	300	16	7.37	0.44	
168959		2.79	0.041	<0.5	7.17	9	110	<0.5	<2	9.25	<0.5	44	299	31	7.63	0.77	
166960		2.56	0.079	<0.5	7.60	22	60	<0.5	<2	6.62	<0.5	32	269	23	5.36	0.63	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 25-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019231

Sample Description	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1	W ppm 10	Zn ppm 2
166921	10.85	1405	<1	0.29	662	200	11	0.18	<5	60	0.25	158	<10	149
166922	5.87	758	<1	1.68	378	190	4	0.13	<5	227	0.19	103	<10	87
166923	2.50	349	<1	3.20	139	200	2	0.08	<5	146	0.13	48	<10	46
166924	10.50	1280	1	0.61	619	190	3	0.08	<5	103	0.24	163	<10	72
166925	8.19	984	1	1.57	495	200	3	0.16	6	99	0.20	127	<10	67
166926	0.08	116	<1	7.4	5	690	130	3.34	<5	21	0.01	2	<10	20
166927	5.61	1245	1	1.71	137	290	4	0.09	<5	142	0.31	180	<10	58
166928	5.70	1310	<1	1.30	122	240	2	0.05	<5	103	0.37	221	<10	56
166929	5.59	1225	<1	1.42	146	240	3	0.03	<5	142	0.36	212	<10	57
166930	5.01	1220	<1	1.36	143	250	4	0.05	<5	148	0.36	207	100	64
166931	5.33	1450	<1	1.41	158	240	4	0.06	<5	158	0.38	226	10	72
166932	5.09	1325	<1	1.58	128	320	4	0.07	<5	226	0.34	198	20	65
166933	0.26	219	1	2.16	7	190	35	<0.01	6	152	0.09	11	<10	28
166934	5.03	1350	<1	1.38	123	340	3	0.04	<5	195	0.33	195	10	65
166935	5.48	1465	<1	1.46	155	250	4	0.06	<5	144	0.38	222	20	83
166936	4.93	1410	<1	1.58	128	280	<2	0.10	<5	159	0.34	203	40	66
166937 DUP	4.83	1375	<1	1.53	131	270	5	0.10	<5	154	0.34	202	30	66
166938	5.24	1430	<1	1.44	134	240	<2	0.06	<5	133	0.36	214	<10	65
166939	4.95	1440	<1	1.34	133	240	5	0.11	<5	124	0.36	209	50	86
166940	5.04	1390	<1	1.44	139	260	2	0.05	<5	144	0.37	215	30	68
166941	4.58	1295	<1	1.40	133	250	<2	0.11	<5	139	0.35	204	50	68
166942	4.54	1300	<1	1.44	133	230	2	0.06	<5	139	0.37	214	10	68
166943	4.77	1470	<1	1.54	129	240	4	0.14	<5	132	0.38	218	<10	99
166944	1.38	609	1	2.73	36	130	4	0.12	<5	120	0.17	60	10	49
166945	0.07	37	1	7.2	4	660	107	2.92	<5	20	0.01	2	<10	17
166946	3.37	962	<1	2.40	75	230	4	0.08	<5	175	0.25	137	<10	50
166947	4.59	1155	<1	1.75	173	700	4	0.23	<5	434	0.40	182	30	80
166948	4.77	1480	<1	1.56	124	260	<2	0.13	<5	146	0.36	211	50	69
166949	4.57	1440	<1	1.46	125	260	2	0.06	5	158	0.36	213	10	64
166950	4.60	1445	<1	1.41	129	240	3	0.07	<5	131	0.35	211	<10	65
166951	4.47	1415	<1	1.48	124	220	6	0.13	<5	137	0.35	208	10	92
166952	4.59	1440	<1	1.55	155	240	6	0.31	<5	139	0.35	214	<10	70
166953 DUP	4.28	1360	<1	1.42	142	230	6	0.32	<5	129	0.32	196	10	67
166954	0.24	194	<1	2.15	7	160	37	0.01	<5	147	0.08	10	<10	28
166955	5.02	1425	<1	1.50	128	240	2	0.09	<5	112	0.36	210	10	74
166956	4.78	1440	<1	1.52	136	260	4	0.08	<5	138	0.37	220	10	66
166957	4.74	1455	<1	1.47	132	260	6	0.06	<5	137	0.37	223	<10	68
166958	4.71	1540	<1	1.44	129	250	8	0.05	<5	147	0.36	214	10	77
166959	4.88	1700	<1	1.46	135	250	19	0.17	<5	135	0.36	217	<10	90
166960	3.28	1225	<1	3.31	96	210	29	0.24	<5	103	0.28	160	<10	150



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 25-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019231

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
166961		2.72	0.190	<0.5	5.97	134	200	0.8	<2	0.20	<0.5	1	6	12	0.83	1.94
166962		2.44	0.020	<0.5	5.74	14	280	1.3	<2	0.58	0.5	1	5	9	0.95	2.25
166963 DUP		<0.02	0.011	<0.5	5.88	11	290	1.3	<2	0.59	0.6	<1	5	9	1.11	2.25
166964		2.35	0.035	<0.5	6.63	14	370	1.3	<2	1.44	<0.5	4	49	7	1.75	2.95
166965		2.75	1.250	<0.5	7.46	5	70	<0.5	<2	7.60	<0.5	44	316	23	7.08	0.81
166966		2.42	0.069	<0.5	6.50	<5	310	0.9	<2	1.74	<0.5	6	53	20	2.28	1.00
166967		2.88	0.061	<0.5	7.35	<5	140	<0.5	<2	7.85	<0.5	42	290	45	6.90	0.93
166968		2.92	0.471	<0.5	7.17	6	70	<0.5	<2	9.01	<0.5	43	303	30	7.31	0.55
166969		3.02	0.234	<0.5	7.60	9	110	<0.5	<2	7.75	<0.5	42	352	95	7.58	0.84
166970		0.04	1.740	19.4	7.78	6	60	2.9	<2	0.32	<0.5	<1	6	5	2.74	0.18
166971		2.83	0.088	<0.5	7.53	<5	130	<0.5	<2	6.43	<0.5	31	231	18	5.53	0.61
166972		2.52	0.157	<0.5	7.31	<5	50	<0.5	<2	8.23	<0.5	43	335	33	7.15	0.34
166973		2.81	0.035	<0.5	7.72	5	110	0.5	<2	6.53	<0.5	40	220	40	6.53	0.63
166974		2.82	0.007	<0.5	7.88	6	80	0.6	<2	4.86	<0.5	25	21	27	7.43	0.27
166975		2.69	0.320	<0.5	6.98	7	90	<0.5	<2	9.67	<0.5	37	265	30	7.25	0.50
166976		0.20	<0.005	<0.5	6.47	6	520	0.8	<2	0.73	<0.5	1	10	5	1.99	4.24
166977		2.71	0.294	<0.5	7.48	<5	50	<0.5	<2	9.22	<0.5	41	297	19	7.57	0.40
166978		2.88	0.055	<0.5	7.45	<5	60	<0.5	<2	7.70	<0.5	42	338	38	7.44	0.50
166979		2.86	0.056	<0.5	7.49	<5	50	<0.5	<2	8.21	<0.5	42	311	30	7.80	0.34
166980		2.94	0.156	<0.5	7.00	<5	60	<0.5	<2	7.23	<0.5	37	323	28	6.95	0.43



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 25-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019231

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
166961		0.15	77	1	1.80	6	30	10	0.23	<5	15	0.03	1	<10	69
166962		0.20	329	2	1.32	1	10	37	0.21	<5	48	0.03	1	<10	136
166963 DUP		0.21	355	2	1.39	2	20	40	0.22	<5	48	0.03	1	<10	141
166964		0.65	429	2	1.17	13	50	23	0.12	<5	51	0.07	27	<10	95
166965		4.62	1420	<1	1.19	136	260	5	0.10	<5	145	0.37	205	350	87
166966		0.84	337	<1	3.18	17	110	3	0.22	<5	81	0.12	36	<10	27
166967		4.52	1320	<1	1.34	151	330	5	0.14	<5	181	0.32	186	10	62
166968		4.49	1470	<1	1.65	136	240	<2	0.08	<5	145	0.36	208	<10	66
166969		5.27	1490	<1	1.55	129	290	3	0.49	<5	135	0.38	219	10	124
166970		0.07	109	<1	6.8	4	640	122	3.23	<5	19	0.01	2	<10	20
166971		3.88	1105	<1	2.11	108	250	3	0.08	<5	194	0.27	153	<10	60
166972		4.40	1385	<1	1.44	142	260	2	0.09	6	154	0.36	209	20	61
166973		4.22	1205	<1	1.75	102	760	2	0.18	<5	279	0.45	161	<10	79
166974		1.84	1295	<1	2.56	18	1410	8	0.15	<5	290	0.75	111	<10	117
166975		4.40	1660	<1	1.26	123	310	4	0.16	<5	163	0.36	195	<10	71
166976		0.20	182	<1	2.04	3	150	33	<0.01	<5	137	0.08	8	<10	27
166977		4.68	1540	<1	1.44	130	240	<2	0.04	<5	138	0.36	215	<10	63
166978		4.63	1425	<1	1.62	130	260	3	0.21	<5	128	0.36	212	10	69
166979		4.84	1495	<1	1.46	132	250	6	0.13	<5	167	0.37	214	<10	90
166980		4.42	1390	<1	1.40	120	230	2	0.18	<5	128	0.35	200	10	66



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 23-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06019232

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 22-FEB-2006.  
 The following have access to data associated with this certificate:


IAN LAMBERT	MIKE ROBERTS
-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 23-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06019232**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	
166981		3.05	2.89			<0.5	7.35	<5	70	<0.5	9	8.59	<0.5	38	307	54
166982		2.77	0.016			0.7	7.69	<5	260	0.6	6	7.86	<0.5	43	357	108
166983		2.98	0.049			0.9	7.22	<5	150	<0.5	<2	9.69	<0.5	45	216	156
166984		2.85	1.465	0.849		1.4	5.64	<5	150	<0.5	<2	5.88	2.7	51	242	1320
166985 DUP		<0.02	0.540	1.595		1.2	6.22	<5	140	<0.5	<2	6.15	1.7	44	277	867
166986		0.14	0.006			<0.5	6.82	<5	560	0.8	<2	0.98	<0.5	3	16	23
166987		2.95	0.175			0.6	7.43	<5	50	<0.5	3	10.00	<0.5	41	283	105
166988		3.06	0.194			<0.5	7.40	<5	30	<0.5	6	9.30	<0.5	44	290	18
166989		2.75	0.265			<0.5	7.58	<5	40	<0.5	7	9.14	<0.5	43	303	38
166990		2.83	0.124			<0.5	7.52	<5	40	<0.5	8	8.62	<0.5	42	298	42
166991		2.87	0.028			<0.5	7.62	<5	100	<0.5	5	7.51	<0.5	39	259	22
166992		0.04	0.957			10.6	8.04	<5	50	3.2	4	0.32	<0.5	<1	7	8
166993		2.76	0.010			<0.5	7.67	<5	330	0.7	3	3.25	<0.5	13	48	19
166994		2.90	0.164			<0.5	7.20	<5	100	<0.5	4	7.46	<0.5	40	283	23
166995		2.58	<0.005			<0.5	7.84	<5	290	0.7	4	3.32	<0.5	12	33	26
166996		3.00	0.047			<0.5	7.17	<5	60	<0.5	6	9.57	<0.5	43	289	35
166997		2.49	<0.005			<0.5	8.08	<5	140	<0.5	5	5.40	<0.5	29	113	4
166998		2.69	<0.005			<0.5	7.79	<5	140	<0.5	5	5.85	<0.5	27	109	11
166999		2.54	<0.005			<0.5	7.54	<5	150	0.5	6	7.12	<0.5	26	124	8
167000		2.46	0.104			<0.5	7.41	<5	160	0.6	5	4.48	<0.5	25	92	20
167001		2.59	<0.005			<0.5	7.19	<5	190	0.7	4	3.50	<0.5	22	81	30
167002		2.85	0.647			<0.5	8.40	<5	150	<0.5	7	5.54	<0.5	42	106	3
167003		2.58	4.24			<0.5	7.68	<5	200	0.5	4	5.28	<0.5	29	88	30
167004		2.62	0.073			<0.5	7.96	<5	400	0.8	5	6.50	<0.5	34	204	32
167005		0.06	1.790			20.1	8.30	<5	60	3.1	6	0.33	<0.5	1	3	5
167006		2.46	0.474			<0.5	7.81	9	120	<0.5	2	6.61	<0.5	30	100	26
167007		2.11	0.142			<0.5	8.15	<5	80	<0.5	3	7.07	<0.5	30	106	17
167008		2.42	3.26			2.4	7.58	<5	70	<0.5	7	6.55	<0.5	47	120	816
167009		2.58	2.72			2.2	7.94	<5	150	<0.5	5	6.60	<0.5	75	134	1005
167010		2.55	0.015			<0.5	8.22	<5	110	<0.5	8	6.77	<0.5	46	106	103
167011		2.60	0.258			1.0	7.49	<5	190	0.5	6	4.91	38.2	60	106	633
167012		2.57	0.011			<0.5	7.84	<5	200	0.6	4	4.84	<0.5	28	80	139
167013		2.33	0.032			<0.5	6.89	<5	350	0.9	6	2.92	<0.5	14	69	52
167014		2.77	0.234			1.0	7.83	<5	190	<0.5	5	5.92	<0.5	53	128	446
167015 DUP		<0.02	0.269			1.1	7.86	<5	200	<0.5	8	6.04	<0.5	54	126	502
167016		0.16	<0.005			<0.5	6.65	<5	520	0.9	3	0.97	<0.5	2	8	7
167017		2.56	0.028			<0.5	7.82	<5	140	<0.5	5	7.06	<0.5	36	201	40
167018		2.69	0.011			<0.5	6.77	<5	60	<0.5	7	8.31	<0.5	51	369	17
167019		2.50	0.021			<0.5	8.14	<5	150	<0.5	4	6.73	<0.5	32	118	30
167020		2.69	0.008			<0.5	8.03	<5	120	<0.5	7	6.75	<0.5	29	108	18





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 23-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06019232**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	
166981		6.96	0.34	4.14	1370	<1	1.71	121	260	<2	0.10	<5	221	0.36	202	<10
166982		7.18	0.51	5.76	1280	<1	2.12	168	1140	<2	0.39	<5	733	0.50	190	<10
166983		7.95	0.54	4.56	1515	<1	1.51	139	1490	4	0.86	<5	644	0.56	214	10
166984		8.41	0.62	2.52	1120	1	1.37	99	160	4	2.76	<5	105	0.25	136	30
166985 DUP		7.35	0.67	2.76	1205	<1	1.41	85	180	6	1.72	<5	114	0.28	151	20
166986		2.82	4.20	0.24	230	1	1.98	11	170	37	0.16	<5	149	0.08	8	<10
166987		7.92	0.46	4.62	1615	<1	1.28	114	250	<2	0.22	<5	140	0.35	219	<10
166988		7.82	0.23	4.99	1550	<1	1.38	137	240	2	0.02	<5	134	0.36	224	<10
166989		7.87	0.25	4.62	1530	<1	1.45	150	250	<2	0.08	<5	143	0.36	226	<10
166990		7.74	0.29	4.89	1495	<1	1.50	130	230	<2	0.07	<5	134	0.35	219	10
166991		7.31	0.58	4.47	1445	<1	1.55	120	310	<2	0.08	<5	143	0.37	206	<10
166992		2.70	0.19	0.06	36	<1	6.9	1	600	124	2.96	<5	19	0.01	1	<10
166993		3.46	1.04	1.14	801	<1	2.98	18	480	<2	0.12	<5	220	0.29	87	<10
166994		7.08	0.59	4.73	1410	<1	1.52	134	280	<2	0.08	<5	148	0.34	197	<10
166995		3.17	0.84	0.95	539	<1	3.33	11	510	9	0.11	<5	256	0.28	74	<10
166996		7.47	0.38	4.59	1495	<1	1.30	136	230	<2	0.07	<5	142	0.34	213	<10
166997		6.84	1.27	3.95	1015	<1	1.92	61	400	<2	0.01	<5	132	0.46	212	<10
166998		6.52	1.21	3.84	1095	<1	1.53	58	370	<2	0.04	<5	130	0.43	207	<10
166999		6.27	0.98	3.84	1185	<1	1.59	62	500	<2	0.04	<5	224	0.40	197	10
167000		5.54	0.81	3.17	965	<1	2.11	56	290	<2	0.05	<5	142	0.35	155	<10
167001		4.84	0.90	2.34	723	<1	2.42	34	240	3	0.06	<5	142	0.30	126	<10
167002		7.84	1.41	4.84	1205	<1	1.61	71	400	<2	0.01	<5	124	0.48	229	<10
167003		5.99	1.25	3.51	982	<1	1.70	61	510	3	0.14	<5	197	0.42	171	<10
167004		6.30	1.23	4.95	1055	<1	1.87	136	1020	<2	0.18	<5	858	0.42	182	<10
167005		2.72	0.19	0.07	113	<1	7.1	5	640	123	2.99	<5	22	0.01	1	<10
167006		6.29	0.92	3.82	1140	<1	1.45	68	370	<2	0.15	<5	142	0.43	204	<10
167007		6.69	0.62	4.05	1195	<1	1.59	78	380	<2	0.01	<5	152	0.45	217	<10
167008		6.88	0.64	3.40	1110	<1	1.12	68	350	<2	0.70	<5	134	0.42	203	<10
167009		8.45	1.35	3.20	1130	<1	1.05	88	450	<2	1.44	<5	162	0.50	217	<10
167010		9.67	0.71	3.92	1475	<1	2.01	116	890	<2	0.27	<5	337	0.82	219	<10
167011		7.46	1.18	2.67	893	<1	1.52	73	350	<2	1.50	<5	146	0.41	170	<10
167012		6.03	0.71	2.53	858	<1	2.54	74	410	3	0.44	<5	263	0.36	118	<10
167013		3.55	1.36	1.50	567	<1	2.28	22	190	11	0.18	<5	122	0.21	75	<10
167014		7.22	1.77	3.22	1130	<1	0.93	71	370	17	1.00	<5	118	0.43	203	10
167015 DUP		7.26	1.75	3.22	1135	<1	0.94	72	370	18	1.04	<5	118	0.43	201	10
167016		2.03	4.05	0.22	188	<1	2.03	3	160	32	0.01	<5	145	0.08	8	<10
167017		7.35	1.32	5.11	1265	<1	1.01	80	380	<2	0.16	<5	149	0.39	223	<10
167018		7.19	0.82	7.20	1480	<1	0.79	122	400	<2	0.01	<5	191	0.30	222	<10
167019		7.02	1.30	4.22	1205	<1	1.21	81	390	<2	0.10	<5	140	0.44	208	<10
167020		7.00	1.01	4.10	1245	<1	1.31	70	390	<2	0.06	<5	139	0.44	209	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 23-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019232

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
166981		65
166982		123
166983		130
166984		412
166985 DUP		350
166986		33
166987		76
166988		70
166989		66
166990		68
166991		75
166992		16
166993		55
166994		73
166995		54
166996		72
166997		59
166998		58
166999		65
167000		72
167001		80
167002		80
167003		99
167004		68
167005		17
167006		80
167007		64
167008		90
167009		190
167010		138
167011		3140
167012		75
167013		84
167014		132
167015 DUP		129
167016		25
167017		69
167018		75
167019		70
167020		63



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookabank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 23-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019232

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
167021		2.63	0.016			<0.5	8.24	<5	160	<0.5	7	5.61	<0.5	27	148	39
167022		2.94	0.009			<0.5	8.04	<5	160	<0.5	4	6.13	<0.5	28	93	31
167023		2.81	0.011			<0.5	7.63	<5	140	<0.5	6	7.19	<0.5	37	207	57
167024		2.74	0.055			<0.5	7.87	<5	120	<0.5	3	6.97	<0.5	34	114	148
167025		0.05	1.020			11.0	8.15	5	50	3.2	3	0.33	<0.5	<1	3	8
167026		2.42	0.203			0.5	7.66	<5	340	0.7	5	6.07	<0.5	40	106	288
167027		2.86	0.073			<0.5	7.95	<5	180	0.6	6	5.02	<0.5	29	76	145
167028		2.33	0.011			<0.5	8.15	<5	260	0.5	7	5.65	<0.5	30	85	75
167029		2.17	0.016			<0.5	9.03	<5	330	0.8	7	6.00	<0.5	30	82	67
167030		2.44	0.017			0.7	7.84	<5	220	0.5	5	5.95	<0.5	32	146	112
167031		2.71	0.442	0.426		0.7	7.82	<5	100	<0.5	5	5.82	<0.5	30	112	176
167032 DUP		<0.02	0.303	0.355		<0.5	7.55	<5	110	<0.5	5	5.64	<0.5	30	111	166
167033		0.13	<0.005			<0.5	7.05	<5	500	0.9	<2	0.86	<0.5	4	12	9
167034		2.86	0.261			<0.5	7.78	<5	130	<0.5	<2	5.40	<0.5	37	116	157
167035		2.52	0.010			<0.5	7.73	<5	250	0.7	<2	3.87	<0.5	17	47	24
167036		2.47	0.031			<0.5	7.76	<5	300	0.9	<2	2.97	<0.5	9	12	31
167037		2.61	0.038			<0.5	8.40	<5	240	0.6	<2	4.67	<0.5	19	65	62
167038		2.50	0.032			<0.5	7.69	5	290	0.8	<2	3.56	<0.5	16	104	61
167039		2.46	0.064			<0.5	6.26	<5	500	1.0	<2	1.17	<0.5	2	11	43
167040		2.09	0.014			<0.5	6.77	<5	590	1.1	<2	1.06	<0.5	2	11	36
167041		2.29	0.395			<0.5	7.33	<5	270	0.7	<2	3.85	<0.5	27	188	132
167042		2.82	2.11			0.7	7.36	<5	150	<0.5	<2	4.81	<0.5	44	218	598
167043		2.92	0.347		41.4	0.5	7.90	<5	160	<0.5	<2	5.96	<0.5	39	173	511
167044		3.41	3.17		25.0	0.6	6.84	<5	200	<0.5	<2	5.53	<0.5	54	549	458
167045		1.50	1.115		25.2	<0.5	7.13	<5	220	0.5	<2	6.81	<0.5	27	135	395
167046		3.92	>10.0			2.7	5.82	<5	130	<0.5	<2	5.76	<0.5	69	836	868
167047		2.12	1.910			0.6	4.64	<5	30	<0.5	<2	5.16	<0.5	50	991	700
167048		1.33	>10.0			2.1	4.60	8	110	<0.5	5	6.99	<0.5	45	752	596
167049 DUP		<0.02	>10.0			1.8	4.08	<5	60	<0.5	3	6.69	<0.5	43	717	589
167050		0.12	0.026	0.022		<0.5	7.04	<5	510	0.9	3	0.75	<0.5	3	20	12
167051		1.87	0.120			<0.5	6.54	8	480	1.1	<2	0.85	<0.5	1	11	18
167052		2.49	0.321			<0.5	7.37	<5	440	0.9	2	2.47	<0.5	10	73	46
167053		1.96	1.680			<0.5	5.41	<5	130	0.5	<2	4.21	<0.5	39	917	224
167054		2.52	0.266			<0.5	7.29	<5	470	1.2	<2	1.12	<0.5	2	10	19
167055		2.61	0.281			<0.5	6.26	<5	220	0.6	<2	3.54	<0.5	33	791	29
167056		0.06	1.805			18.8	8.95	<5	60	3.0	<2	0.34	<0.5	1	11	10
167057		2.77	0.043			<0.5	5.62	<5	10	<0.5	<2	5.43	<0.5	57	1010	2
167058		2.35	0.156			<0.5	6.42	<5	30	<0.5	<2	5.65	<0.5	52	941	11
167059		2.61	0.231			<0.5	6.19	<5	40	<0.5	<2	5.57	<0.5	44	821	6
167060		3.06	0.104			<0.5	6.73	5	40	<0.5	<2	5.82	<0.5	48	957	5



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 23-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019232

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
167021		7.41	1.43	3.99	1300	<1	1.32	88	390	<2	0.26	<5	118	0.46	218	10
167022		6.93	1.04	3.54	1225	<1	1.60	77	840	<2	0.17	<5	287	0.51	205	<10
167023		6.89	0.98	5.05	1235	<1	1.27	94	960	<2	0.18	<5	367	0.42	208	<10
167024		6.66	1.12	3.21	1380	<1	0.92	69	380	<2	0.43	<5	123	0.44	203	10
167025		2.67	0.19	0.07	36	<1	7.2	2	630	116	2.96	<5	20	0.01	1	<10
167026		6.80	2.26	3.22	1300	<1	1.13	67	750	4	1.02	<5	318	0.42	192	10
167027		5.90	1.37	2.34	952	<1	1.51	53	630	<2	0.50	<5	178	0.48	166	10
167028		6.61	1.64	3.31	1175	<1	1.67	61	480	<2	0.22	<5	198	0.44	196	10
167029		6.20	1.30	3.47	1020	<1	2.08	51	1040	4	0.23	<5	509	0.54	186	<10
167030		6.50	1.14	3.91	1140	<1	1.42	93	570	3	0.31	<5	223	0.42	193	<10
167031		6.57	1.00	3.39	1155	<1	1.20	72	390	3	0.37	<5	114	0.42	196	<10
167032 DUP		6.40	1.02	3.33	1120	<1	1.22	68	390	<2	0.36	<5	115	0.42	193	<10
167033		2.21	4.13	0.22	194	1	2.01	6	160	33	0.02	<5	144	0.08	10	<10
167034		7.44	1.38	3.76	1240	<1	1.07	87	340	7	0.40	<5	93	0.43	214	10
167035		4.87	1.33	1.70	902	1	1.90	27	700	5	0.12	<5	158	0.42	110	<10
167036		3.89	1.24	0.81	520	1	2.39	9	900	6	0.18	<5	200	0.39	49	<10
167037		6.02	1.55	2.42	1125	1	1.61	34	590	4	0.10	<5	156	0.45	142	10
167038		4.26	1.26	1.80	653	1	2.28	27	500	9	0.26	<5	189	0.30	73	<10
167039		1.66	0.97	0.12	156	1	2.96	1	70	30	0.23	<5	131	0.09	2	<10
167040		1.70	1.32	0.12	156	1	3.11	<1	90	24	0.19	<5	112	0.09	1	<10
167041		5.79	1.64	2.43	1180	4	1.20	108	300	12	0.32	<5	126	0.32	136	10
167042		7.67	2.04	3.25	1215	<1	0.72	143	650	7	1.13	<5	136	0.43	186	20
167043		7.24	1.84	3.48	1380	<1	0.60	86	350	8	0.79	<5	124	0.42	206	10
167044		8.73	1.45	5.17	1460	1	0.57	264	330	6	1.18	<5	97	0.33	182	10
167045		6.51	2.59	3.45	1270	<1	0.19	62	320	4	0.48	<5	57	0.37	181	30
167046		11.15	1.18	6.13	1670	1	0.31	479	230	9	2.19	<5	73	0.29	166	10
167047		10.75	0.46	8.24	1825	1	0.30	502	150	9	1.61	<5	44	0.22	144	<10
167048		9.37	0.70	6.07	1935	5	0.51	405	120	5	1.59	<5	143	0.17	110	<10
167049 DUP		8.99	0.64	5.84	1885	5	0.37	391	110	11	1.57	<5	120	0.16	108	<10
167050		2.21	4.16	0.21	198	1	2.02	9	160	35	0.03	<5	138	0.08	8	<10
167051		1.43	1.56	0.14	338	1	2.81	3	80	7	0.13	<5	131	0.09	1	<10
167052		2.97	1.64	1.30	537	1	2.39	33	370	9	0.23	<5	180	0.21	50	<10
167053		9.22	0.88	6.94	1405	1	0.79	462	130	6	1.03	<5	107	0.21	126	<10
167054		1.48	1.26	0.22	198	<1	3.38	1	70	15	0.20	<5	143	0.10	3	<10
167055		6.35	0.94	6.14	1055	1	1.28	407	160	5	0.22	<5	83	0.21	118	<10
167056		3.04	0.19	0.07	116	<1	6.7	7	640	133	2.99	<5	20	0.01	2	<10
167057		7.90	0.34	10.65	1425	<1	0.26	632	190	<2	0.01	<5	37	0.24	178	<10
167058		6.06	0.73	9.49	1535	<1	0.27	472	220	6	0.06	<5	111	0.26	192	<10
167059		7.85	0.77	8.98	1495	<1	0.27	450	200	8	0.06	<5	105	0.28	190	<10
167060		8.65	0.58	9.80	1530	<1	0.63	520	380	3	0.04	<5	70	0.34	172	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019232

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
167021		78
167022		76
167023		69
167024		54
167025		16
167026		61
167027		63
167028		73
167029		87
167030		67
167031		64
167032 DUP		59
167033		28
167034		84
167035		82
167036		44
167037		118
167038		49
167039		110
167040		65
167041		89
167042		78
167043		91
167044		82
167045		67
167046		92
167047		102
167048		162
167049 DUP		160
167050		26
167051		16
167052		41
167053		90
167054		13
167055		77
167056		27
167057		80
167058		76
167059		86
167060		90



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 23-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06019232**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
167061		2.92	0.069		0.05	<0.5	6.86	<5	110	<0.5	<2	4.96	<0.5	45	677	11
167062		2.60	0.130			<0.5	5.85	<5	20	<0.5	<2	5.43	<0.5	54	1080	4
167063		3.33	0.282			<0.5	6.40	7	50	<0.5	<2	5.05	<0.5	50	885	7
167064		2.63	0.119			<0.5	5.95	5	30	<0.5	<2	4.71	<0.5	57	975	13
167065		0.06	0.975			9.9	8.29	<5	40	2.9	<2	0.32	<0.5	1	5	8
167066		2.46	0.072			<0.5	5.72	<5	40	<0.5	<2	5.98	<0.5	63	1055	26
167067		2.94	0.025			<0.5	6.09	<5	60	<0.5	<2	5.88	<0.5	64	994	11
167068		2.61	0.083			<0.5	6.10	<5	150	<0.5	<2	5.75	<0.5	52	922	41
167069		2.83	0.091			<0.5	6.06	<5	100	<0.5	<2	5.22	<0.5	57	1060	29
167070		2.86	0.176			<0.5	5.76	<5	50	<0.5	<2	5.26	<0.5	63	1150	11
167071		3.06	0.281			<0.5	6.32	<5	80	<0.5	<2	4.85	<0.5	55	1010	6
167072		2.94	0.416			<0.5	5.80	<5	40	<0.5	<2	5.66	<0.5	59	1065	21
167073		2.65	1.265			0.5	6.16	<5	200	<0.5	3	4.47	<0.5	47	815	66
167074 DUP		<0.02	1.220			<0.5	6.30	<5	210	<0.5	<2	4.47	<0.5	46	736	67
167075		2.94	0.021			<0.5	8.39	<5	430	0.7	<2	5.53	<0.5	45	436	36
167076		2.80	0.080			<0.5	5.77	5	60	<0.5	<2	5.30	<0.5	64	1120	30
167077		2.41	0.294			<0.5	5.80	<5	20	<0.5	<2	5.31	<0.5	59	1210	29
167078		0.09	<0.005			<0.5	7.10	<5	500	0.9	<2	0.96	<0.5	1	18	7
167079		2.79	0.225			<0.5	6.13	<5	10	<0.5	<2	6.02	<0.5	60	1225	24
167080		2.68	0.445			<0.5	5.50	<5	10	<0.5	<2	6.19	<0.5	60	1110	19



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 23-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06019232

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	
167061		7.91	0.84	7.04	1450	<1	0.74	344	600	3	0.09	<5	143	0.42	160	<10
167062		8.31	0.31	10.05	1440	<1	0.34	603	180	3	0.02	<5	34	0.26	182	<10
167063		8.16	0.61	8.52	1490	<1	0.33	481	230	7	0.06	<5	89	0.29	187	<10
167064		7.82	0.31	9.58	1370	<1	0.33	579	260	5	0.07	<5	59	0.25	170	30
167065		2.76	0.18	0.08	36	<1	6.4	2	570	120	2.77	<5	18	0.01	2	<10
167066		6.88	0.24	10.55	1235	<1	0.38	561	260	4	0.05	<5	46	0.20	174	<10
167067		7.78	0.32	10.80	1425	<1	0.48	585	220	<2	0.03	<5	50	0.24	184	<10
167068		7.59	0.80	9.05	1450	<1	0.39	444	380	7	0.21	<5	110	0.26	176	<10
167069		7.58	0.70	9.66	1345	<1	0.30	531	430	4	0.12	<5	165	0.27	166	<10
167070		7.73	0.45	10.40	1430	2	0.28	633	280	3	0.05	<5	118	0.22	165	<10
167071		7.28	0.83	9.53	1265	<1	0.32	558	380	2	0.03	<5	93	0.24	162	<10
167072		7.99	0.33	10.30	1500	<1	0.30	599	200	7	0.07	<5	70	0.22	174	<10
167073		7.02	1.02	8.00	1320	2	0.46	486	480	8	0.33	<5	206	0.14	133	<10
167074 DUP		6.86	1.08	7.89	1280	2	0.48	490	490	9	0.34	<5	219	0.15	130	<10
167075		5.38	1.66	8.15	886	<1	0.78	441	970	6	0.32	<5	393	0.21	102	<10
167076		7.59	0.48	10.80	1265	<1	0.27	664	240	6	0.18	<5	79	0.25	172	<10
167077		8.61	0.39	11.45	1440	<1	0.22	716	180	7	0.15	<5	47	0.26	177	<10
167078		2.87	4.01	0.26	247	1	2.11	11	170	43	<0.01	<5	147	0.08	11	<10
167079		8.64	0.21	11.95	1525	<1	0.24	698	170	10	0.20	5	73	0.27	176	<10
167080		7.51	0.16	10.90	1455	<1	0.26	667	200	9	0.09	<5	79	0.25	164	10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 23-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06019232**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
167061		93
167062		85
167063		110
167064		97
167065		16
167066		77
167067		78
167068		81
167069		90
167070		87
167071		80
167072		87
167073		108
167074 DUP		108
167075		68
167076		103
167077		93
167078		27
167079		100
167080		104





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 30-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06020726

Project: DETOUR LAKE

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP81	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 5 (A - B)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020726

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOI		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
161921		2.46	0.014		<0.5	7.57	<5	80	<0.5	<2	7.52	<0.5	28	126	226	7.07
161922		2.50	0.028		<0.5	6.88	<5	180	0.5	<2	5.82	<0.5	19	84	167	5.42
161923		2.44	0.174		<0.5	7.30	26	100	<0.5	<2	6.24	<0.5	25	117	103	6.57
161924		3.01	0.241		<0.5	7.14	9	100	<0.5	<2	6.14	<0.5	30	125	147	6.55
161925 DUP		<0.02	0.171		<0.5	7.22	<5	100	<0.5	<2	6.21	<0.5	28	124	155	6.55
161926		2.67	0.040		<0.5	7.54	<5	250	0.9	<2	3.76	<0.5	15	34	133	4.87
181927		1.78	0.046		<0.5	7.52	5	220	0.7	<2	4.47	<0.5	17	56	61	5.26
181928		2.56	0.149		<0.5	7.57	<5	110	<0.5	<2	6.29	<0.5	28	102	164	6.39
181929		1.79	0.039		<0.5	7.80	<5	80	<0.5	<2	6.49	<0.5	26	124	57	6.87
161930		3.06	0.031		<0.5	7.82	10	210	0.7	<2	4.90	<0.5	20	57	51	5.37
161931		1.50	2.14		<0.5	7.54	21	130	<0.5	<2	6.30	<0.5	29	124	170	6.73
161932		0.08	<0.005		<0.5	6.72	<5	540	0.8	<2	0.98	<0.5	2	16	8	2.69
161933		3.60	0.005		<0.5	7.93	<5	240	0.7	<2	4.48	<0.5	17	30	39	5.09
161934		2.29	0.055		<0.5	7.59	<5	120	<0.5	<2	6.41	<0.5	34	309	203	7.23
161935		2.43	0.869		<0.5	8.01	<5	140	<0.5	<2	5.85	<0.5	25	135	154	7.21
161936		2.46	2.53		0.6	6.84	6	120	<0.5	<2	7.30	<0.5	43	336	124	6.50
161937		2.53	0.025		<0.5	7.87	<5	200	<0.5	<2	6.00	<0.5	29	143	216	6.66
161938		0.06	1.785		18.8	7.64	<5	50	3.0	<2	0.33	<0.5	1	4	6	2.94
161939		2.61	0.155		<0.5	7.46	5	140	<0.5	<2	6.11	<0.5	27	128	285	6.95
161940		2.66	0.035		<0.5	7.13	<5	140	0.6	<2	6.43	<0.5	39	282	323	6.90
161941		2.34	0.035		<0.5	6.59	6	70	0.6	<2	7.02	<0.5	50	502	167	6.78
161942		2.41	0.222		<0.5	7.10	<5	190	0.6	<2	4.82	<0.5	29	324	203	5.16
161943		1.83	0.706		<0.5	7.63	<5	90	<0.5	<2	6.23	<0.5	29	130	230	7.08
161944		1.85	0.489		<0.5	7.88	12	240	0.8	<2	4.04	<0.5	15	8	56	4.84
161945		3.06	0.098		<0.5	7.60	<5	100	<0.5	<2	6.26	<0.5	31	124	315	6.83
161946		0.06	0.982		10.5	7.87	9	40	3.1	<2	0.32	<0.5	1	5	8	2.57
161947		2.15	0.024		<0.5	7.20	7	240	1.0	<2	2.49	<0.5	9	6	106	3.86
161948		2.88	0.225		<0.5	7.50	<5	100	<0.5	<2	5.97	<0.5	28	130	240	6.71
161949		2.31	0.488	0.575	<0.5	7.37	<5	130	<0.5	<2	6.28	<0.5	40	128	372	6.71
161950 DUP		<0.02	0.765	0.716	<0.5	7.34	<5	120	<0.5	<2	6.28	<0.5	40	126	368	6.74
161951		2.77	1.370		<0.5	7.44	5	120	0.5	<2	6.10	<0.5	42	171	369	6.77
161952		2.30	0.109		<0.5	7.62	5	140	0.5	<2	6.13	<0.5	27	99	155	6.30
161953		2.36	0.072		<0.5	7.53	12	110	<0.5	<2	5.67	<0.5	32	128	281	6.40
161954		2.52	0.070		<0.5	7.82	<5	70	<0.5	<2	7.08	<0.5	38	124	281	6.86
161955		2.36	0.061		<0.5	7.62	<5	120	<0.5	<2	6.36	<0.5	34	125	288	6.95
161956		0.13	<0.005		<0.5	6.87	<5	520	0.8	<2	0.90	<0.5	3	15	8	2.56
161957		2.27	0.213		<0.5	7.83	<5	190	0.6	<2	5.41	<0.5	31	73	402	6.33
161958		2.52	0.510		<0.5	7.57	<5	80	<0.5	<2	6.95	0.6	39	122	351	6.99
161959		2.42	0.039		<0.5	7.62	5	80	<0.5	<2	6.92	<0.5	32	120	156	6.79
161960		2.23	0.516		<0.5	7.25	<5	170	0.6	<2	6.04	<0.5	41	78	305	6.34



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 5 (A - B)  
 Finalized Date: 30-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06020726**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161921		0.76	3.62	1255	<1	1.42	66	360	7	0.47	<5	150	0.42	193	10	69
161922		0.96	2.27	975	<1	1.75	48	430	<2	0.43	<5	152	0.36	130	<10	55
161923		0.90	3.41	1070	<1	1.27	59	350	6	0.49	<5	131	0.41	186	10	51
161924		0.81	3.25	1100	<1	1.36	72	340	6	0.62	<5	140	0.41	182	<10	66
161925 DUP		0.83	3.22	1100	<1	1.37	69	350	6	0.56	<5	140	0.41	186	<10	65
161926		1.08	1.46	689	<1	2.59	18	870	2	0.54	<5	341	0.44	90	<10	49
161927		0.97	1.84	871	<1	2.02	30	650	<2	0.27	<5	174	0.42	122	<10	55
161928		0.67	3.42	1095	<1	1.50	64	390	4	0.27	<5	165	0.43	167	10	66
161929		0.53	3.85	1175	<1	1.74	82	350	2	0.14	<5	225	0.45	204	<10	84
161930		0.96	2.15	902	<1	2.14	33	720	<2	0.24	<5	195	0.48	137	<10	58
161931		0.78	3.27	1070	<1	1.48	78	370	7	0.45	<5	154	0.43	189	<10	75
161932		4.20	0.29	235	<1	2.01	6	180	31	0.01	<5	155	0.09	11	<10	28
161933		0.94	1.62	842	<1	2.45	21	840	9	0.18	<5	212	0.49	119	10	56
161934		0.85	4.38	1170	<1	1.54	114	470	3	0.49	<5	199	0.43	191	<10	71
161935		1.15	3.69	1060	<1	1.48	66	400	3	0.51	<5	145	0.45	203	10	59
161936		0.83	7.18	1120	<1	1.25	169	420	3	0.35	<5	210	0.30	155	10	72
161937		0.87	3.65	1010	<1	1.91	69	440	5	0.53	<5	274	0.41	186	10	56
161938		0.19	0.07	108	<1	6.8	6	640	131	3.24	<5	21	0.01	2	<10	17
161939		1.06	3.37	1040	<1	1.09	69	370	5	0.73	<5	144	0.42	192	<10	85
161940		0.60	4.63	1140	<1	1.83	137	440	4	0.58	<5	283	0.39	178	<10	77
161941		0.51	8.25	1250	<1	0.96	326	640	9	0.29	<5	235	0.27	149	<10	77
161942		1.06	4.51	864	<1	1.85	185	660	2	0.25	<5	259	0.37	125	<10	58
161943		0.81	3.32	1095	<1	1.36	72	390	6	0.81	<5	138	0.43	198	10	64
161944		0.93	1.28	750	<1	2.57	13	800	5	0.21	<5	216	0.48	126	<10	44
161945		0.89	3.05	1120	<1	1.48	70	380	6	0.95	<5	136	0.44	193	10	79
161946		0.19	0.07	34	<1	7.0	3	630	111	2.80	<5	20	0.01	1	<10	15
161947		0.96	0.67	449	1	2.79	7	580	7	0.44	<5	174	0.34	47	<10	38
161948		0.78	3.21	1095	<1	1.57	64	360	3	0.52	<5	142	0.44	203	10	60
161949		1.17	3.07	1105	<1	1.20	75	350	5	1.01	<5	117	0.42	186	10	51
161950 DUP		1.12	3.06	1100	<1	1.19	75	360	8	1.11	<5	118	0.42	185	10	51
161951		0.93	3.39	1035	<1	1.66	83	420	<2	0.73	<5	161	0.41	177	10	61
161952		0.86	2.83	1030	<1	1.59	49	460	3	0.42	<5	153	0.43	171	10	58
161953		0.99	2.98	1045	<1	1.53	56	540	7	0.61	<5	147	0.46	187	10	78
161954		0.45	3.17	1120	<1	1.79	69	370	4	0.66	<5	161	0.43	196	10	51
161955		0.92	3.36	1090	<1	1.44	67	400	4	0.56	<5	137	0.43	192	<10	57
161956		4.01	0.25	222	<1	2.14	8	160	33	0.01	<5	164	0.09	11	10	27
161957		0.99	2.07	944	<1	1.80	53	630	3	0.94	<5	175	0.45	150	<10	60
161958		0.73	3.15	1130	<1	1.18	69	370	3	0.75	<5	142	0.42	194	10	137
161959		0.68	3.17	1130	<1	1.34	61	380	4	0.48	<5	146	0.43	198	10	70
161960		0.81	2.36	1025	<1	1.70	70	590	7	0.77	<5	176	0.42	150	10	77



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 6 (A - B)  
Finalized Date: 30-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020726

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
161961		2.50	0.466		<0.5	7.36	21	120	<0.5	<2	6.28	<0.5	40	132	291	6.76
161962		2.44	0.209		<0.5	7.66	19	100	<0.5	<2	6.65	<0.5	49	130	292	8.33
161963		3.30	0.013		<0.5	7.86	<5	160	0.6	<2	5.34	<0.5	29	74	82	7.20
161964		2.23	0.074		<0.5	7.57	<5	110	<0.5	<2	8.17	<0.5	35	120	381	7.17
161965		0.08	<0.005		<0.5	6.85	10	530	0.8	<2	0.85	<0.5	2	14	11	2.77
161966		1.16	0.075		<0.5	6.53	25	660	1.1	<2	1.32	<0.5	3	10	62	1.97
161967		2.31	0.024		<0.5	6.39	<5	630	1.1	<2	1.21	<0.5	2	10	41	1.89
161968		1.88	0.054		<0.5	7.64	15	180	<0.5	<2	6.83	<0.5	40	172	276	6.95
161969		2.93	0.146		<0.5	7.69	<5	120	<0.5	<2	7.03	<0.5	38	163	179	7.80
161970 DUP		<0.02	0.074		<0.5	7.79	<5	120	<0.5	<2	7.07	<0.5	36	170	176	7.76
161971		2.61	0.861		<0.5	7.53	<5	60	<0.5	<2	6.71	<0.5	34	124	226	7.14
161972		2.78	0.116		<0.5	7.77	<5	90	<0.5	<2	6.64	<0.5	36	133	283	6.82
161973		3.43	0.102		<0.5	8.08	<5	170	0.7	<2	6.04	<0.5	29	76	186	6.21
161974		2.53	0.128		<0.5	8.12	<5	190	0.6	<2	5.36	<0.5	30	66	186	6.66
161975		2.70	0.033		<0.5	8.32	<5	250	0.6	<2	6.30	<0.5	34	64	197	6.96
161976		0.06	1.770		18.4	7.56	<5	50	3.0	<2	0.32	<0.5	2	5	6	2.63
161977		1.29	0.070		<0.5	7.81	<5	160	<0.5	<2	6.41	<0.5	42	167	210	6.58
161978		1.85	0.064		<0.5	7.95	6	120	<0.5	<2	6.10	<0.5	40	124	243	7.47
161979		2.19	0.047		<0.5	7.68	<5	110	<0.5	<2	6.33	<0.5	29	108	55	7.03
161980		2.53	0.383		<0.5	7.67	6	90	<0.5	<2	6.34	<0.5	40	130	372	7.21
161981		2.74	0.136		<0.5	7.85	9	50	<0.5	<2	6.93	<0.5	56	132	477	7.81
161982		2.11	0.069		<0.5	8.02	13	70	<0.5	<2	6.63	<0.5	34	120	142	7.42
161983		2.68	4.47		0.9	7.06	5	210	0.5	<2	5.54	<0.5	52	119	1320	6.65
161984		2.81	0.486		<0.5	7.18	<5	140	<0.5	<2	5.52	<0.5	44	91	646	7.02
161985		2.65	0.009		<0.5	8.06	<5	110	<0.5	<2	6.48	<0.5	27	110	62	7.06
161986		2.96	0.535		<0.5	7.29	<5	100	<0.5	<2	6.68	<0.5	31	140	265	6.96
161987		2.79	0.113		<0.5	7.78	<5	150	<0.5	<2	5.81	<0.5	20	104	116	5.11
161988		2.81	0.090		<0.5	7.56	9	160	<0.5	<2	5.83	<0.5	30	141	412	6.16
161989 DUP		<0.02	0.089		<0.5	7.63	5	160	<0.5	<2	5.95	<0.5	29	140	399	6.23
161990		2.26	1.020		1.0	6.98	<5	160	<0.5	<2	6.09	<0.5	62	128	1345	7.69
161991		2.55	0.743		0.8	6.47	<5	110	<0.5	<2	4.06	<0.5	67	181	1475	6.97
161992		2.88	0.539		0.6	6.82	<5	90	<0.5	<2	5.56	<0.5	48	162	960	7.34
161993		2.42	0.906		0.6	7.55	6	160	<0.5	<2	5.12	0.6	38	136	719	7.72
161994		0.06	0.979		10.9	8.19	<5	60	3.1	<2	0.32	<0.5	1	13	9	2.88
161995		2.42	0.041		<0.5	7.83	<5	130	<0.5	<2	5.55	<0.5	41	160	496	7.28
161996		2.56	1.490		0.5	8.21	<5	90	<0.5	<2	6.45	<0.5	22	160	174	7.34
161997		3.31	0.551		0.5	8.03	<5	110	<0.5	<2	6.37	<0.5	35	255	130	7.50
161998		0.10	<0.005		<0.5	7.04	<5	570	0.9	<2	0.87	<0.5	3	16	11	2.33
161999		1.82	0.150		<0.5	5.40	<5	50	<0.5	<2	5.44	<0.5	61	1215	23	8.56
162000		2.69	1.100	1.525	<0.5	4.46	<5	<10	<0.5	<2	4.99	<0.5	71	1655	46	7.14



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 5 (A - B)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020726

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
161961		0.86	3.33	1090	<1	1.33	66	360	<2	0.66	<5	154	0.41	192	10	78
161962		0.76	3.54	1300	<1	1.49	102	490	8	0.79	<5	187	0.53	208	10	97
161963		0.80	2.65	1095	<1	2.09	61	820	9	0.30	<5	258	0.62	167	<10	90
161964		0.77	3.14	1370	<1	1.32	67	360	5	0.80	<5	155	0.43	208	<10	84
161965		4.31	0.22	228	<1	2.04	9	170	38	0.01	<5	151	0.08	9	<10	26
161966		1.57	0.20	186	<1	2.91	5	100	9	0.30	<5	125	0.11	6	<10	18
161967		1.42	0.16	180	<1	3.00	<1	90	9	0.24	<5	129	0.10	4	<10	19
161968		1.13	3.62	1375	<1	1.56	102	530	5	0.63	<5	227	0.43	201	<10	86
181969		0.94	4.38	1390	<1	1.45	127	430	13	0.53	<5	182	0.44	223	<10	81
161970 DUP		0.97	4.38	1390	<1	1.45	128	430	10	0.52	<5	182	0.45	226	10	81
161971		0.66	3.27	1180	<1	1.47	78	370	5	0.79	106	142	0.42	196	10	70
161972		0.87	3.01	1105	<1	1.66	73	400	3	0.72	<5	177	0.44	203	10	62
161973		1.00	2.72	928	<1	2.00	49	730	27	0.65	<5	193	0.45	172	<10	85
161974		0.97	2.84	910	<1	1.98	61	720	6	0.63	<5	253	0.50	154	<10	73
181975		0.99	3.15	1090	<1	1.79	53	720	9	0.63	<5	331	0.50	186	10	92
161976		0.19	0.07	104	<1	6.7	6	610	113	2.89	<5	20	0.01	2	<10	17
161977		0.81	3.53	1075	<1	1.54	92	480	32	0.88	<5	225	0.43	185	<10	100
181978		1.04	3.82	1065	<1	1.46	77	370	8	0.79	<5	147	0.43	199	<10	68
181979		1.08	4.12	1095	<1	1.34	77	360	9	0.27	<5	138	0.45	204	<10	87
161980		1.00	3.17	1105	<1	1.14	87	370	2	1.08	<5	134	0.44	196	<10	56
161981		0.65	3.41	1180	<1	1.47	72	390	10	1.24	<5	146	0.45	204	10	58
161982		0.73	3.81	1145	<1	1.36	71	400	6	0.42	<5	145	0.46	209	10	59
181983		1.62	2.37	999	<1	1.28	75	750	4	1.89	<5	242	0.43	155	40	70
181984		1.14	2.76	1080	<1	1.39	60	480	6	1.32	<5	142	0.41	159	60	66
161985		1.04	3.96	1140	<1	1.32	55	410	5	0.20	<5	147	0.45	203	<10	66
161986		1.06	3.38	1285	<1	1.06	93	380	4	0.79	<5	124	0.44	196	<10	62
181987		1.36	2.55	1025	<1	1.64	62	340	<2	0.39	<5	123	0.35	150	30	42
161988		2.28	2.91	1185	<1	0.81	70	410	5	0.90	<5	84	0.43	183	20	48
161989 DUP		2.25	2.97	1200	<1	0.81	67	410	2	0.86	<5	84	0.43	182	10	47
161990		2.35	3.02	1340	<1	0.70	116	360	16	2.18	<5	90	0.39	192	20	67
161991		1.14	2.23	858	1	1.24	100	340	69	2.11	<5	78	0.36	159	20	57
161992		1.26	2.84	1085	<1	0.82	99	370	66	2.03	<5	84	0.40	177	30	91
161993		1.96	3.52	1315	1	0.83	81	360	28	1.51	<5	79	0.42	191	30	70
161994		0.18	0.07	34	1	7.0	4	610	120	3.12	<5	20	0.01	2	<10	17
161995		1.68	3.36	1315	1	0.99	89	370	15	1.19	5	92	0.45	194	20	66
161996		1.24	3.72	1415	<1	0.76	79	390	<2	0.74	6	91	0.39	170	10	52
161997		1.26	4.15	1370	1	0.97	156	360	<2	0.60	<5	94	0.44	209	10	64
161998		4.20	0.22	209	1	2.22	6	150	36	0.02	<5	155	0.08	9	<10	28
161999		1.00	10.70	1360	<1	0.37	677	230	<2	0.15	<5	54	0.25	166	<10	105
162000		0.03	13.55	1340	<1	0.15	1050	150	<2	0.23	<5	22	0.21	143	<10	132



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 5 (A - B)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020726

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
162001		2.43	0.081		<0.5	4.70	<5	60	<0.5	<2	4.87	<0.5	73	1575	94	6.74
162002		2.58	0.072		<0.5	3.92	<5	10	<0.5	<2	4.73	<0.5	77	1785	120	6.70
162003		2.56	1.715		<0.5	3.55	<5	<10	<0.5	<2	5.99	<0.5	84	1975	125	6.34
162004		2.83	0.084		<0.5	8.27	<5	320	0.7	<2	1.84	<0.5	25	192	57	6.67
162005		2.60	0.219		<0.5	6.00	<5	180	<0.5	<2	3.24	1.3	46	969	59	4.68
162006		0.06	1.820		19.5	8.47	<5	60	3.3	<2	0.34	0.5	1	10	8	2.74
162007		2.68	1.375		<0.5	5.16	<5	<10	<0.5	<2	5.06	<0.5	73	1700	78	8.09
162008		2.65	1.475		<0.5	4.35	<5	<10	<0.5	<2	4.33	<0.5	70	1485	43	7.09
162009		2.72	0.088		<0.5	5.57	<5	50	<0.5	<2	5.04	<0.5	69	1250	32	8.18
162010		2.81	0.138		<0.5	4.34	<5	<10	<0.5	<2	5.09	<0.5	77	1410	94	7.08
162011		2.79	0.033		<0.5	3.87	<5	<10	<0.5	<2	4.58	<0.5	80	1605	111	6.55
162012		1.89	0.279		<0.5	4.54	<5	<10	<0.5	<2	5.16	1.7	72	1370	58	7.07
162013		0.13	<0.005		<0.5	7.22	<5	590	0.9	<2	0.92	<0.5	3	32	7	2.41
162014		2.54	0.164		<0.5	6.44	<5	200	<0.5	<2	5.39	<0.5	51	703	68	7.19
162015		2.96	0.559		<0.5	6.03	<5	100	<0.5	<2	5.52	<0.5	51	717	38	8.37
162016		2.81	0.588		<0.5	6.89	<5	120	<0.5	<2	5.89	<0.5	51	604	5	8.72
162017		2.63	0.754		<0.5	7.84	<5	150	<0.5	<2	5.90	<0.5	35	255	4	7.32
162018		2.71	0.148	0.265	<0.5	7.59	<5	110	<0.5	<2	6.43	<0.5	35	198	4	6.85
162019 DUP		<0.02	0.245	0.115	<0.5	7.73	<5	120	<0.5	<2	8.52	<0.5	35	192	3	7.01
162020		2.46	0.150		<0.5	7.96	<5	270	0.7	<2	4.41	<0.5	18	89	21	5.09
162021		3.28	0.069		<0.5	7.92	<5	180	<0.5	<2	5.83	<0.5	35	248	4	7.08
162022		2.73	0.074		<0.5	7.24	<5	80	<0.5	<2	6.43	<0.5	45	565	1	7.86
162023		2.88	1.965		<0.5	5.78	<5	90	<0.5	<2	4.97	<0.5	48	1050	48	8.83
162024		2.73	0.256		<0.5	5.39	<5	100	<0.5	<2	4.52	<0.5	51	1070	45	9.20
162025 DUP		<0.02	0.300		<0.5	5.65	<5	110	<0.5	<2	4.76	<0.5	55	1150	48	9.55
162026		2.67	0.318		<0.5	5.67	<5	110	<0.5	<2	5.46	<0.5	53	1155	9	8.31
162027		2.79	0.263		<0.5	5.90	<5	10	<0.5	<2	6.06	<0.5	57	1110	7	8.34
162028		2.54	0.204		<0.5	5.68	<5	60	<0.5	<2	4.63	<0.5	50	1060	10	8.27
162029		2.38	0.676		<0.5	6.79	<5	210	<0.5	<2	3.25	<0.5	27	565	41	5.34
162030		0.26	<0.005		<0.5	6.83	<5	500	0.8	<2	0.78	<0.5	2	19	4	2.06
162031		2.27	0.160		<0.5	8.63	<5	310	0.7	<2	4.53	<0.5	40	636	23	6.43
162032		2.75	0.009		<0.5	9.00	<5	490	0.8	2	6.71	<0.5	43	313	31	4.83
162033		2.69	0.401		<0.5	8.74	<5	470	0.8	<2	6.54	<0.5	43	453	41	5.43
162034		2.96	0.174		<0.5	6.19	<5	50	<0.5	<2	6.31	0.5	54	1190	7	8.03
162035		2.96	1.455		<0.5	6.10	<5	50	<0.5	<2	5.82	<0.5	55	1220	6	8.60
162036		2.79	0.126		<0.5	7.29	<5	250	<0.5	<2	4.17	<0.5	39	907	10	6.66
162037		2.66	0.455		<0.5	6.28	<5	30	<0.5	<2	6.38	<0.5	54	1310	11	8.39
162038		2.31	0.154		<0.5	5.72	<5	30	<0.5	<2	6.30	<0.5	61	1075	15	7.85
162039		0.06	0.965		10.9	8.21	<5	60	3.2	<2	0.33	<0.5	1	8	6	2.72
162040		4.03	0.084		<0.5	6.94	5	230	<0.5	<2	5.37	<0.5	34	553	37	4.78



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 5 (A - B)  
 Finalized Date: 30-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020726

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
162001		0.43	13.20	1325	<1	0.26	935	220	4	0.32	5	76	0.20	130	<10	110
162002		0.08	14.35	1300	<1	0.12	1140	150	<2	0.52	<5	42	0.18	122	<10	93
162003		0.01	15.20	1490	<1	0.05	1295	120	15	0.70	5	30	0.17	115	<10	184
162004		1.18	4.61	1210	1	1.66	100	1230	6	0.33	<5	155	0.53	105	<10	38
162005		0.24	8.73	722	<1	1.69	622	180	244	0.29	<5	83	0.14	87	<10	737
162006		0.19	0.08	116	<1	7.3	6	650	118	2.92	<5	21	0.02	2	<10	19
162007		0.04	13.80	2030	1	0.19	1065	180	51	0.62	<5	30	0.23	154	10	269
162008		0.06	12.00	1575	2	0.13	852	210	34	0.36	<5	20	0.22	140	10	198
162009		0.47	11.85	1625	<1	0.28	723	190	27	0.17	<5	115	0.27	177	<10	164
162010		0.05	13.55	1440	<1	0.10	993	240	21	0.38	<5	31	0.22	136	<10	206
162011		0.01	13.75	1195	1	0.07	1035	130	73	0.37	<5	25	0.19	125	<10	370
162012		0.02	13.65	1415	<1	0.13	896	160	235	0.22	<5	22	0.22	144	<10	1070
162013		4.30	0.33	211	1	2.17	14	160	34	0.01	<5	158	0.09	9	<10	39
162014		1.26	9.17	1400	1	0.48	374	430	58	0.42	<5	178	0.28	153	20	165
162015		1.33	9.29	1700	<1	0.42	348	290	3	0.27	<5	100	0.28	174	<10	106
162016		1.87	8.18	1410	<1	0.38	280	250	<2	0.04	<5	88	0.33	204	<10	110
162017		1.47	5.70	1145	<1	1.18	114	260	<2	0.02	5	95	0.37	228	<10	75
162018		1.25	5.19	1160	<1	1.10	70	250	2	0.03	<5	110	0.39	234	<10	73
162019 DUP		1.26	5.32	1180	<1	1.16	69	270	3	0.03	<5	109	0.40	242	<10	76
162020		1.31	2.46	809	1	2.02	29	500	2	0.21	<5	154	0.38	121	<10	61
162021		1.24	5.34	1165	<1	1.38	87	260	2	0.05	<5	87	0.40	242	10	74
162022		1.28	7.31	1305	<1	0.93	254	230	<2	0.01	<5	90	0.36	217	<10	82
162023		1.68	9.52	1580	<1	0.31	531	220	<2	0.48	<5	64	0.27	165	<10	116
162024		1.68	9.51	1665	1	0.30	592	190	4	0.65	<5	57	0.26	163	<10	118
162025 DUP		1.74	9.91	1735	<1	0.31	625	200	<2	0.66	<5	61	0.27	171	<10	124
162026		1.05	10.45	1355	<1	0.36	624	220	<2	0.08	7	54	0.27	170	<10	93
162027		0.17	10.95	1540	<1	0.42	663	190	<2	0.05	5	48	0.28	180	<10	104
162028		0.36	9.08	1325	<1	0.37	508	310	<2	0.16	<5	44	0.27	164	<10	93
162029		0.92	4.91	1040	2	1.76	210	420	<2	0.28	<5	217	0.33	102	<10	69
162030		4.12	0.21	189	1	2.10	7	140	33	<0.01	<5	138	0.08	9	<10	26
162031		1.44	6.68	1055	1	1.77	308	580	<2	0.19	5	239	0.36	150	10	84
162032		1.60	7.46	818	<1	1.44	418	1080	3	0.12	<5	558	0.25	101	<10	64
162033		1.32	7.27	917	<1	1.26	368	990	5	0.39	<5	558	0.25	118	10	72
162034		0.42	10.10	1415	1	0.62	605	220	6	0.03	<5	102	0.26	186	<10	89
162035		0.52	10.95	1460	<1	0.41	696	190	<2	0.03	<5	73	0.27	190	<10	104
162036		0.80	7.78	1080	<1	0.91	487	190	5	0.09	<5	151	0.22	138	<10	91
162037		0.49	10.70	1485	1	0.41	652	260	5	0.05	<5	71	0.29	196	<10	96
162038		0.17	10.65	1415	<1	0.30	657	200	<2	0.05	<5	64	0.27	173	<10	101
162039		0.19	0.08	36	1	7.1	5	620	114	2.88	<5	18	0.01	2	<10	17
162040		1.11	5.63	959	<1	1.83	317	370	4	0.12	<5	180	0.21	101	<10	67



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 5 - A

Total # Pages: 5 (A - B)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020726

Sample Description	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
	0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
162041	1.72	0.021		<0.5	7.49	<5	630	0.6	<2	1.66	<0.5	6	19	16	1.22
162042	2.00	0.010		<0.5	7.86	<5	550	0.6	<2	1.84	<0.5	5	50	9	1.30
162043	2.79	0.174		<0.5	5.83	<5	30	<0.5	<2	5.64	<0.5	62	982	17	7.03
162044	0.23	<0.005		<0.5	6.67	<5	530	0.9	<2	0.82	<0.5	2	18	5	2.11
162045	2.54	0.403		<0.5	6.99	<5	130	<0.5	<2	8.08	<0.5	42	339	15	6.52
182046	2.84	0.013		<0.5	7.66	<5	60	<0.5	<2	7.53	<0.5	48	369	5	7.60
182047	2.85	0.017		<0.5	7.50	<5	40	<0.5	<2	7.65	<0.5	44	343	8	7.71
182048	3.13	0.012		<0.5	7.71	<5	70	<0.5	<2	7.93	<0.5	48	364	18	8.04
182049	3.08	0.019		<0.5	7.64	<5	40	<0.5	<2	7.77	<0.5	47	344	14	7.64
182050	2.83	0.034		<0.5	7.91	<5	50	<0.5	<2	8.07	<0.5	49	358	36	8.09
162051	2.91	0.110	0.104	<0.5	6.79	<5	60	<0.5	<2	7.52	<0.5	43	312	66	6.70
162052 DUP	<0.02	0.184	0.199	<0.5	7.33	<5	60	<0.5	<2	6.21	<0.5	45	318	72	7.27
182053	2.83	0.219		<0.5	7.23	<5	80	<0.5	<2	9.05	<0.5	44	304	30	7.29
162054	2.86	0.056		<0.5	6.41	<5	60	<0.5	<2	9.56	<0.5	44	254	47	7.22
162055	0.06	1.810		18.1	8.07	<5	60	3.1	<2	0.34	<0.5	1	9	5	2.81
162056	3.00	0.058		<0.5	7.35	<5	60	<0.5	<2	8.99	<0.5	44	313	40	7.40
162057	2.56	0.258		<0.5	8.09	<5	30	0.6	<2	8.49	<0.5	30	184	18	5.87
162058	2.71	0.091		<0.5	8.21	<5	80	0.5	<2	7.04	0.5	35	187	11	6.22
162059	2.87	0.146		<0.5	7.65	<5	130	<0.5	<2	8.74	<0.5	42	320	17	7.58
182060	2.71	0.069		<0.5	7.21	<5	80	<0.5	<2	7.68	<0.5	43	329	20	7.46





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 5 - B

Total # Pages: 5 (A - B)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020726

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
162041		1.79	0.83	169	<1	3.66	14	230	<2	0.08	<5	134	0.10	24	<10	25
162042		1.54	0.72	164	<1	3.72	28	200	3	0.05	<5	150	0.10	21	<10	30
162043		0.20	9.57	1380	<1	0.41	613	230	2	0.10	5	67	0.27	161	<10	100
162044		4.00	0.24	186	1	2.10	8	150	31	<0.01	<5	144	0.08	8	<10	25
162045		0.82	5.53	1270	<1	1.37	170	250	<2	0.08	<5	120	0.34	208	<10	65
162046		0.35	5.31	1320	<1	1.54	150	240	2	0.02	6	165	0.38	230	<10	60
162047		0.37	5.11	1340	<1	1.29	148	230	2	0.03	<5	151	0.37	224	10	62
162048		0.53	5.53	1465	<1	1.37	145	230	<2	0.06	<5	138	0.38	235	<10	73
162049		0.43	4.90	1315	<1	1.30	140	240	2	0.03	<5	162	0.37	227	<10	64
162050		0.54	5.10	1460	<1	1.39	148	250	<2	0.14	<5	138	0.39	236	<10	106
162051		0.52	4.21	1240	<1	1.20	114	220	<2	0.11	5	149	0.35	214	10	91
162052 DUP		0.52	4.49	1330	<1	1.29	117	250	<2	0.14	<5	160	0.36	221	<10	92
162053		0.54	4.65	1345	<1	1.38	132	240	3	0.08	15	209	0.35	215	10	65
162054		0.39	5.64	1365	<1	1.05	188	820	<2	0.26	<5	279	0.41	192	30	77
162055		0.18	0.07	111	1	6.9	5	630	118	2.99	<5	20	0.01	2	<10	20
162056		0.45	4.81	1410	<1	1.22	130	250	<2	0.12	8	147	0.36	223	10	65
162057		0.71	3.24	968	<1	1.25	83	460	4	0.17	6	98	0.38	169	<10	43
162058		1.49	3.16	976	1	1.95	82	510	2	0.69	<5	82	0.43	187	<10	55
162059		1.16	4.94	1340	<1	1.37	141	220	4	0.03	<5	136	0.36	218	10	56
162060		0.60	4.88	1305	<1	1.36	142	210	13	0.07	<5	138	0.37	226	<10	63



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06020727

Project: DETOUR LAKE

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 28-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020727

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
167081		2.71	0.338		<0.5	5.30	<5	10	<0.5	<2	5.57	<0.5	60	1140	25	7.00
167082		2.87	0.477		<0.5	6.17	7	70	<0.5	<2	5.08	<0.5	48	910	55	7.16
167083		2.87	0.278		<0.5	5.31	<5	20	<0.5	<2	5.74	<0.5	58	1260	2	6.94
167084		2.73	0.115		<0.5	5.22	<5	40	<0.5	<2	5.86	<0.5	55	1045	9	6.67
167085		0.05	0.955		10.2	7.88	<5	40	3.0	<2	0.32	<0.5	1	11	8	2.68
167086		2.87	0.058		<0.5	5.83	8	30	<0.5	<2	5.88	<0.5	61	1135	14	7.43
167087		2.75	0.298		<0.5	5.55	6	40	<0.5	<2	5.56	<0.5	56	1100	8	7.10
167088		2.87	1.640		<0.5	5.34	8	40	<0.5	<2	5.81	<0.5	58	1065	31	7.18
167089		3.00	0.397	0.430	<0.5	5.57	12	20	<0.5	<2	5.61	<0.5	59	1120	5	7.30
187090 DUP		<0.02	0.296	0.328	<0.5	5.84	<5	20	<0.5	<2	5.75	<0.5	62	1065	5	7.43
167091		2.90	0.921		<0.5	5.22	<5	10	<0.5	<2	5.44	<0.5	50	1200	23	7.31
167092		2.48	0.209		<0.5	5.11	7	10	<0.5	<2	5.23	<0.5	57	1270	2	6.86
167093		1.85	0.228		<0.5	6.20	15	100	<0.5	<2	5.20	<0.5	48	864	20	6.73
167094		2.40	0.180		<0.5	6.98	<5	100	<0.5	<2	6.69	<0.5	35	293	11	5.94
167095		2.65	0.194		<0.5	7.03	6	120	<0.5	<2	6.12	<0.5	40	320	10	6.40
167096		0.11	<0.005		<0.5	6.70	14	490	0.9	<2	0.84	<0.5	1	20	5	2.00
187097		2.58	0.140		<0.5	7.09	18	70	<0.5	<2	6.37	<0.5	50	355	4	7.02
187098		2.44	0.198		<0.5	7.29	<5	180	<0.5	<2	6.67	<0.5	44	305	4	6.71
187099		2.94	0.067		<0.5	7.37	<5	60	<0.5	<2	6.81	<0.5	39	204	8	6.48
187100		2.54	0.047		<0.5	7.54	<5	70	<0.5	<2	6.88	<0.5	42	260	12	6.81
167101		2.61	0.205		<0.5	6.84	<5	50	<0.5	<2	6.86	<0.5	41	319	9	6.75
187102		2.79	0.044		<0.5	7.15	<5	60	<0.5	<2	6.86	<0.5	44	306	10	6.86
167103		2.93	0.049		<0.5	7.08	<5	60	<0.5	<2	6.46	<0.5	49	349	56	7.21
167104		2.77	5.78		0.5	7.24	8	80	<0.5	<2	6.34	<0.5	43	237	716	7.12
167105 DUP		<0.02	5.17		0.8	7.00	<5	70	<0.5	<2	6.19	<0.5	45	245	679	6.94
167106		2.61	0.021		<0.5	7.43	13	70	<0.5	<2	7.01	<0.5	46	300	16	7.43
187107		2.82	0.010		<0.5	7.10	<5	30	<0.5	<2	7.82	<0.5	44	298	39	7.35
187108		2.79	0.158		<0.5	6.95	7	40	<0.5	<2	7.91	<0.5	79	334	625	7.17
187109		2.67	0.110		<0.5	7.72	5	40	<0.5	<2	9.68	<0.5	49	359	158	7.83
187110		2.54	0.012		<0.5	7.14	<5	340	0.9	<2	2.77	<0.5	14	120	22	2.95
187111		0.14	<0.005		<0.5	7.00	<5	520	0.9	<2	0.93	0.5	2	16	8	2.19
167112		2.98	0.019		<0.5	7.56	<5	40	<0.5	<2	7.77	<0.5	44	354	41	7.74
167113		2.90	0.007		<0.5	7.41	<5	40	<0.5	<2	8.88	<0.5	43	321	16	7.67
167114		2.50	0.018		<0.5	7.60	<5	50	<0.5	<2	8.41	<0.5	44	339	39	7.80
187115		2.63	0.008		<0.5	6.96	<5	30	<0.5	<2	9.03	<0.5	38	314	16	7.05
187116		2.81	0.021		<0.5	7.63	<5	40	<0.5	<2	8.90	<0.5	43	329	24	7.68
187117		0.06	1.800		20.3	8.55	<5	60	3.1	<2	0.34	<0.5	3	5	6	2.91
187118		2.50	0.033		0.5	7.08	<5	50	<0.5	<2	8.91	<0.5	38	303	37	6.94
187119		3.03	0.226		<0.5	7.30	<5	50	<0.5	<2	8.44	<0.5	42	333	27	7.20
167120		3.00	0.118		0.6	7.41	<5	30	<0.5	<2	8.98	<0.5	43	326	18	7.53



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 28-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06020727**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
167081	0.12	9.63	1440	1	0.23	660	160	51	0.16	<5	64	0.24	163	<10	170	
167082	0.60	7.61	1320	<1	0.36	478	520	19	0.34	<5	160	0.30	161	<10	108	
167083	0.54	9.55	1355	<1	0.30	646	170	10	0.01	<5	73	0.23	164	<10	74	
167084	0.81	9.03	1315	1	0.31	580	180	5	0.06	<5	82	0.23	160	<10	78	
167085	0.18	0.07	36	2	6.4	2	610	124	2.87	<5	20	0.01	2	<10	16	
167086	0.63	9.89	1395	1	0.27	657	240	7	0.08	<5	75	0.25	175	<10	80	
167087	0.68	9.57	1320	<1	0.24	629	200	6	0.05	<5	108	0.22	162	10	74	
167088	0.63	8.90	1605	1	0.26	636	180	8	0.12	6	143	0.22	160	20	77	
167089	0.29	9.26	1350	<1	0.25	590	200	5	0.02	6	143	0.25	175	10	69	
167090 DUP	0.28	9.56	1365	<1	0.26	625	200	8	0.02	<5	136	0.26	179	<10	70	
167091	0.21	9.21	1365	<1	0.29	612	140	9	0.11	<5	82	0.23	160	<10	86	
167092	0.11	9.39	1265	<1	0.27	647	170	12	0.02	<5	72	0.22	160	<10	74	
167093	0.54	7.97	1250	<1	0.46	463	200	12	0.08	<5	129	0.25	173	10	74	
167094	0.67	5.12	1235	<1	1.28	143	240	4	0.02	<5	94	0.34	213	<10	63	
167095	0.99	5.41	1320	1	1.03	146	220	10	0.02	<5	92	0.33	214	<10	67	
167096	3.93	0.23	186	1	1.93	9	160	37	<0.01	<5	140	0.08	9	<10	26	
167097	0.83	5.86	1360	<1	1.09	186	240	8	0.01	<5	84	0.34	218	<10	55	
167098	0.68	5.57	1320	<1	1.13	146	240	11	0.01	<5	86	0.35	220	10	55	
167099	0.66	4.59	1235	<1	1.23	92	240	11	0.01	<5	115	0.34	219	<10	47	
167100	0.55	5.05	1250	<1	1.40	117	330	15	0.02	<5	161	0.34	217	<10	56	
167101	0.42	4.85	1260	<1	1.21	136	210	14	0.01	<5	117	0.33	211	<10	62	
167102	0.57	4.87	1280	<1	1.27	132	270	6	0.02	5	130	0.33	210	<10	61	
167103	0.64	5.93	1355	<1	1.00	162	190	8	0.01	<5	73	0.34	219	10	63	
167104	0.85	5.09	1340	<1	1.00	104	250	8	0.14	<5	77	0.36	226	<10	74	
167105 DUP	0.83	4.94	1305	<1	0.97	104	230	10	0.13	8	75	0.36	227	10	75	
167106	0.69	5.31	1405	1	1.22	142	230	10	0.05	5	106	0.36	231	10	62	
167107	0.23	4.59	1425	1	1.32	136	210	6	0.04	5	136	0.34	221	10	65	
167108	0.30	4.13	1360	<1	1.26	169	190	9	0.34	<5	137	0.33	211	30	63	
167109	0.31	4.41	1535	<1	1.34	147	260	4	0.14	<5	168	0.37	215	<10	73	
167110	1.45	1.45	712	1	1.94	39	80	6	0.10	<5	70	0.12	61	<10	57	
167111	3.86	0.22	202	1	2.21	7	150	34	0.01	<5	152	0.08	9	<10	28	
167112	0.26	4.77	1400	<1	1.66	133	240	<2	0.03	<5	149	0.37	221	<10	68	
167113	0.22	4.79	1510	<1	1.48	133	230	2	0.02	<5	148	0.36	214	<10	68	
167114	0.23	4.65	1500	<1	1.56	128	250	<2	0.08	5	146	0.37	222	<10	67	
167115	0.17	4.21	1400	<1	1.39	112	220	3	0.02	<5	140	0.34	202	<10	61	
167116	0.22	4.74	1480	<1	1.56	132	250	3	0.03	<5	146	0.36	219	<10	65	
167117	0.18	0.07	115	<1	7.0	3	660	133	2.94	<5	22	0.01	2	<10	19	
167118	0.27	4.13	1405	1	1.28	131	230	<2	0.09	<5	140	0.34	202	<10	59	
167119	0.34	4.35	1435	<1	1.40	137	240	<2	0.11	<5	136	0.36	214	<10	63	
167120	0.25	4.64	1465	<1	1.44	134	230	<2	0.03	<5	143	0.36	216	<10	65	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 28-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020727

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOI		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
167121		2.84	0.147		<0.5	6.94	<5	50	<0.5	<2	10.20	<0.5	38	274	18	7.03
167122		2.85	0.098		<0.5	7.61	<5	50	<0.5	<2	10.60	<0.5	42	308	130	7.77
167123		2.54	0.417		<0.5	7.29	<5	50	<0.5	<2	10.25	<0.5	41	286	119	7.24
167124		3.06	1.730		<0.5	7.38	<5	60	<0.5	<2	7.13	<0.5	43	328	7	7.50
167125		2.44	0.186		<0.5	7.15	<5	120	<0.5	<2	6.84	0.5	37	237	83	6.77
167126		0.06	0.994		11.0	8.53	<5	50	3.1	<2	0.33	<0.5	1	7	8	2.71
167127		2.70	0.108		<0.5	7.56	<5	120	0.5	<2	5.09	<0.5	28	72	35	7.38
167128		2.59	0.047		<0.5	7.13	<5	120	<0.5	<2	5.88	<0.5	32	171	10	6.63
167129		2.67	0.123		<0.5	7.05	<5	110	<0.5	<2	6.88	<0.5	38	253	1	6.38
167130		2.54	0.026		<0.5	6.94	<5	580	1.2	<2	1.12	<0.5	2	8	5	1.69
167131		2.58	0.041		<0.5	7.22	<5	560	1.2	<2	1.74	<0.5	5	39	5	2.31
167132		2.46	0.059		0.5	7.26	<5	100	<0.5	<2	8.53	<0.5	43	291	38	7.45
167133		2.19	0.012		0.5	7.86	<5	320	0.7	<2	5.27	<0.5	33	256	18	5.31
167134		2.68	0.143	0.112	<0.5	7.62	<5	70	<0.5	<2	7.70	<0.5	43	302	10	7.72
167135 DUP		<0.02	0.069	0.100	<0.5	6.90	<5	60	<0.5	<2	6.97	<0.5	41	313	9	7.02
167136		2.78	0.092		<0.5	6.94	<5	50	<0.5	<2	8.37	<0.5	44	289	39	7.98
167137		2.86	0.098		0.5	7.14	<5	40	<0.5	<2	8.91	<0.5	40	285	23	7.31
167138		2.67	0.148		<0.5	7.01	<5	60	<0.5	<2	7.39	<0.5	41	303	14	7.12
167139		0.12	<0.005		<0.5	6.99	<5	510	0.8	<2	0.74	<0.5	2	11	6	2.31
167140		2.77	0.023		<0.5	7.51	<5	50	<0.5	<2	7.65	<0.5	45	317	8	7.67
167141		2.04	0.043		<0.5	7.65	<5	50	<0.5	<2	9.43	<0.5	46	321	27	7.90
167142		1.60	0.024		0.5	7.38	<5	80	<0.5	<2	9.12	<0.5	49	313	45	7.83
167143		2.00	0.246		<0.5	7.95	<5	60	<0.5	<2	8.87	<0.5	43	326	29	8.13
167144		2.79	0.023		0.6	6.17	<5	100	<0.5	<2	9.99	0.5	39	235	47	6.77
167145		2.01	0.022		<0.5	7.97	<5	140	<0.5	<2	9.78	0.5	40	269	65	8.43
167146		0.06	1.820		20.5	8.39	8	60	3.1	2	0.35	0.5	2	10	6	2.89
167147		1.81	0.201		<0.5	6.90	<5	180	<0.5	<2	7.84	<0.5	63	343	176	7.80
167148		2.06	0.081		<0.5	7.40	<5	160	<0.5	<2	7.79	<0.5	42	340	47	7.76
167149		2.60	0.028		<0.5	6.99	<5	250	0.6	<2	4.51	<0.5	32	273	8	5.64
167150		1.75	0.017		<0.5	6.69	<5	510	1.2	<2	0.96	<0.5	1	8	9	1.43
167151		1.81	0.012		<0.5	6.86	<5	470	1.2	<2	0.96	<0.5	1	7	5	1.33
167152		1.91	0.010		<0.5	8.02	<5	310	0.7	<2	4.51	<0.5	25	146	10	5.87
167153		0.11	<0.005		<0.5	7.09	<5	550	0.9	<2	0.78	<0.5	1	13	4	2.17
167154		2.79	0.024		<0.5	7.84	<5	150	0.5	<2	5.95	<0.5	45	314	5	7.18
167155		2.97	0.105		<0.5	7.35	<5	70	<0.5	<2	6.93	0.6	54	430	2	8.15
167156		2.08	0.021		<0.5	8.39	<5	90	<0.5	<2	7.32	<0.5	41	208	4	7.20
167157		2.06	1.045		0.9	8.50	<5	100	<0.5	<2	7.66	0.9	44	191	673	7.50
167158 DUP		<0.02	1.005		0.7	8.35	<5	100	<0.5	<2	7.60	0.7	42	204	631	7.46
167159		1.72	0.022		<0.5	8.29	<5	80	<0.5	2	7.08	0.5	42	198	13	7.56
167160		2.51	0.018		<0.5	8.04	<5	60	<0.5	<2	6.66	<0.5	44	221	42	7.62



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 28-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06020727

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	
		K % 0.01	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1	W ppm 10	Zn ppm 2
167121		0.37	4.52	1565	<1	1.31	127	220	5	0.03	<5	127	0.34	202	<10	64
167122		0.28	4.38	1550	<1	1.42	137	250	7	0.08	5	159	0.39	226	<10	65
167123		0.41	4.19	1485	<1	1.19	122	230	6	0.15	<5	144	0.36	208	<10	65
167124		0.49	5.07	1320	<1	1.38	138	230	5	0.01	<5	126	0.36	215	<10	64
167125		0.59	4.61	1235	<1	1.44	103	350	3	0.07	<5	130	0.39	196	<10	66
167126		0.18	0.07	35	1	7.0	2	620	115	2.73	<5	21	0.01	2	<10	16
167127		0.48	2.27	1255	<1	2.23	35	1170	6	0.16	<5	257	0.71	130	<10	104
167128		0.61	3.39	1170	1	1.66	74	680	3	0.05	<5	174	0.49	157	<10	72
167129		0.85	4.22	1280	<1	1.41	108	210	4	<0.01	<5	114	0.35	206	<10	79
167130		1.59	0.10	246	1	3.20	2	80	5	0.03	<5	136	0.10	1	<10	21
167131		1.70	0.47	376	2	3.11	12	100	3	0.03	<5	136	0.12	19	<10	29
167132		0.72	4.87	1480	<1	1.42	133	230	5	0.15	<5	175	0.35	209	<10	78
167133		1.08	4.30	944	<1	2.37	177	800	4	0.07	<5	459	0.34	140	<10	66
167134		0.46	4.89	1440	<1	1.48	136	240	2	0.04	<5	140	0.35	214	<10	67
167135 DUP		0.43	4.45	1310	<1	1.32	125	220	2	0.03	<5	127	0.33	199	<10	63
167136		0.50	5.30	1640	<1	1.24	156	220	2	0.15	<5	95	0.33	211	<10	67
167137		0.31	4.28	1525	<1	1.22	130	230	2	0.08	<5	129	0.35	210	<10	60
167138		0.42	4.62	1425	<1	1.30	129	220	6	0.06	<5	120	0.34	204	10	61
167139		4.09	0.18	197	1	2.13	8	140	34	<0.01	<5	140	0.07	8	<10	24
167140		0.32	4.75	1410	<1	1.46	140	240	2	0.02	<5	142	0.36	212	<10	61
167141		0.29	4.51	1490	<1	1.30	143	240	10	0.06	<5	163	0.37	219	<10	72
167142		0.46	4.58	1520	<1	1.13	146	240	5	0.16	<5	191	0.37	217	10	67
167143		0.32	4.91	1505	<1	1.52	139	290	5	0.11	<5	233	0.35	203	20	65
167144		0.50	4.57	1400	1	1.28	156	880	7	0.35	<5	427	0.40	181	10	74
167145		0.79	4.79	1490	<1	1.80	128	1110	2	0.38	<5	732	0.50	230	<10	94
167146		0.18	0.07	115	<1	7.0	6	630	128	2.94	<5	20	0.01	1	<10	20
167147		0.70	4.01	1545	<1	1.23	130	240	<2	1.01	<5	176	0.34	197	<10	79
167148		1.00	5.03	1515	<1	1.07	152	230	2	0.22	<5	132	0.35	220	<10	81
167149		1.24	4.13	989	<1	1.95	126	160	4	0.05	<5	103	0.25	129	10	60
167150		1.65	0.12	320	1	3.11	3	80	12	0.04	<5	133	0.09	<1	<10	26
167151		1.43	0.13	267	<1	3.30	<1	80	10	0.04	<5	129	0.09	1	<10	21
167152		1.54	2.78	1010	<1	1.92	69	640	6	0.03	<5	148	0.43	141	<10	78
167153		4.29	0.19	185	1	2.13	5	180	37	<0.01	<5	148	0.08	8	<10	29
167154		0.86	5.60	1255	<1	1.48	170	430	2	0.02	<5	122	0.38	184	<10	86
167155		0.72	7.22	1465	<1	0.89	220	230	2	<0.01	5	83	0.34	218	<10	79
167156		0.87	4.97	1285	<1	1.16	77	260	2	0.01	<5	126	0.41	249	<10	60
167157		0.89	5.09	1370	<1	1.22	75	270	<2	0.21	<5	117	0.42	253	<10	79
167158 DUP		0.88	5.09	1370	<1	1.22	74	260	3	0.19	<5	118	0.41	250	<10	77
167159		0.70	4.82	1270	<1	1.21	65	250	3	0.02	<5	110	0.40	250	<10	58
167160		0.60	4.77	1215	<1	1.28	72	250	<2	0.04	<5	104	0.41	249	<10	60



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 13-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06021505

Project: DETOUR LAKE

P.O. No.:

This report is for 93 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - B)

Finalized Date: 13-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021505

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
167161		1.76	<0.005	<0.5	8.52	<5	350	0.8	<2	7.04	<0.5	31	176	23	6.21	0.87
167162		2.81	0.472	<0.5	8.39	<5	150	0.6	<2	7.30	<0.5	38	140	209	7.18	0.73
167163		2.48	0.100	<0.5	8.38	<5	120	<0.5	<2	7.34	<0.5	42	136	432	7.10	0.96
167164		2.65	0.373	1.0	8.18	<5	160	<0.5	<2	7.10	<0.5	65	153	826	7.68	1.20
167165		2.77	<0.005	<0.5	8.14	<5	250	0.5	<2	6.28	<0.5	44	361	58	5.66	1.48
167166		2.50	0.054	0.5	8.44	<5	290	0.5	<2	5.70	<0.5	41	290	257	6.10	1.26
167167		0.06	0.955	11.8	8.85	<5	50	3.4	<2	0.35	<0.5	<1	2	10	2.90	0.19
167168		2.87	0.078	0.6	9.03	7	220	0.5	<2	6.69	<0.5	46	259	190	6.26	0.98
167169		2.52	0.025	<0.5	7.70	<5	180	<0.5	<2	6.71	<0.5	50	377	113	6.27	1.34
167170		2.68	0.075	<0.5	8.81	5	150	0.5	<2	6.48	<0.5	45	139	183	8.47	0.62
167171		2.75	0.005	<0.5	8.09	10	240	0.8	<2	4.46	<0.5	27	70	180	5.25	0.69
167172		2.46	<0.005	<0.5	7.33	<5	330	1.0	<2	2.77	<0.5	14	39	69	3.57	0.72
167173		2.74	0.861	0.5	8.21	5	170	0.5	<2	5.99	<0.5	43	125	379	7.37	1.45
167174		2.85	0.550	0.9	8.29	7	170	<0.5	<2	5.54	<0.5	45	140	686	7.96	1.69
167175 DUP		<0.02	0.485	0.8	8.18	11	160	<0.5	<2	5.47	<0.5	41	133	619	7.84	1.61
167176		0.13	<0.005	<0.5	7.57	8	570	0.9	<2	1.12	<0.5	2	11	11	2.85	4.11
167177		2.92	0.016	<0.5	8.03	<5	130	<0.5	<2	5.45	<0.5	31	114	30	7.40	1.37
167178		2.61	0.088	<0.5	8.32	<5	140	<0.5	<2	6.27	<0.5	30	110	24	7.50	1.34
167179		2.82	0.390	<0.5	8.35	<5	100	<0.5	<2	6.84	<0.5	28	86	24	7.12	0.80
167180		2.74	0.231	<0.5	8.22	7	180	0.5	<2	6.62	<0.5	28	104	34	7.04	1.14
167181		2.87	0.062	<0.5	8.38	7	130	<0.5	<2	6.39	<0.5	28	131	21	7.25	1.05
167182		2.68	<0.005	<0.5	8.64	6	120	<0.5	<2	7.01	<0.5	29	110	102	7.31	0.91
167183		2.61	1.620	<0.5	8.93	5	120	<0.5	5	7.56	<0.5	33	107	94	8.05	1.11
167184		2.73	0.035	<0.5	8.22	<5	120	<0.5	<2	7.28	<0.5	33	100	134	7.08	1.27
167185		2.24	0.014	<0.5	8.23	<5	120	<0.5	<2	6.45	<0.5	30	107	75	7.03	1.10
167186		2.56	0.021	<0.5	8.31	<5	190	0.7	<2	4.81	<0.5	19	54	37	5.38	1.20
167187		0.07	1.825	20.3	8.59	7	60	3.2	<2	0.35	<0.5	1	<1	6	2.77	0.18
167188		2.25	0.008	<0.5	8.00	<5	200	0.5	<2	6.36	<0.5	30	91	51	7.16	1.14
167189		2.66	0.017	<0.5	8.42	<5	80	<0.5	<2	6.95	<0.5	29	110	136	6.53	0.84
167190		2.84	0.028	<0.5	8.23	8	100	<0.5	<2	6.69	<0.5	32	108	164	7.08	1.31
167191		2.77	0.812	0.7	6.05	<5	150	<0.5	<2	4.14	<0.5	41	130	561	6.07	1.47
167192 DUP		<0.02	1.015	0.7	8.18	7	160	<0.5	<2	4.22	<0.5	44	133	563	6.50	1.52
167193		0.14	<0.005	<0.5	7.23	6	620	0.9	<2	0.91	<0.5	1	6	8	2.30	3.80
167194		2.54	0.008	<0.5	7.65	5	330	0.8	<2	3.87	<0.5	19	142	42	4.51	1.30
167195		2.61	0.061	<0.5	7.90	<5	340	0.8	<2	3.81	<0.5	20	74	138	4.86	1.33
167196		2.36	0.037	<0.5	7.77	<5	300	0.9	<2	3.41	<0.5	15	53	109	4.23	1.17
167197		2.56	0.029	<0.5	7.61	<5	280	1.1	<2	3.22	<0.5	20	146	166	3.89	0.93
167198		2.29	0.017	<0.5	6.67	8	370	1.1	<2	1.73	<0.5	3	18	18	1.98	0.90
167199		1.73	0.164	<0.5	5.42	<5	80	0.5	<2	3.87	<0.5	41	1270	15	5.59	0.23
167200		2.33	0.685	<0.5	5.11	7	<10	<0.5	<2	5.82	<0.5	67	1780	21	7.59	0.06

Comments: Due to a QC failure samples 167211 to 167217 were removed from this w/o and the client will re-submit samples to be analysed in another w/o





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookabank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021505**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
167161		4.15	1110	<1	1.85	109	970	5	0.09	<5	746	0.43	187	<10	72
167162		3.98	1185	1	1.69	101	590	5	0.23	<5	412	0.45	220	10	67
167163		3.01	1135	<1	1.23	70	410	2	0.65	6	159	0.46	222	10	59
167164		2.90	1070	<1	1.28	90	430	2	1.56	<5	184	0.43	205	10	67
167165		6.84	1055	<1	1.59	178	680	4	0.11	<5	351	0.28	137	<10	78
167166		5.14	979	<1	1.84	128	640	11	0.64	<5	307	0.33	155	<10	95
167167		0.07	38	<1	7.5	3	670	125	3.07	<5	23	0.01	2	<10	18
167168		5.19	1020	<1	2.12	119	630	5	0.46	<5	451	0.37	178	<10	71
167169		7.35	1100	1	1.31	248	560	<2	0.29	<5	250	0.32	157	<10	75
167170		3.70	1305	<1	2.11	98	580	5	0.52	<5	286	0.56	202	10	88
167171		2.07	752	1	2.65	60	370	3	0.61	5	222	0.32	98	<10	49
167172		1.07	490	<1	2.94	32	210	5	0.27	<5	197	0.22	54	<10	36
167173		3.49	1160	<1	1.28	83	400	<2	0.58	<5	117	0.42	205	<10	77
167174		3.73	1210	<1	1.20	69	380	<2	0.88	<5	117	0.44	216	10	83
167175 DUP		3.69	1200	<1	1.17	65	380	3	0.87	<5	115	0.42	210	10	79
167176		0.28	254	1	2.28	8	190	38	0.01	<5	172	0.09	13	<10	28
167177		4.12	1100	1	1.22	72	360	<2	0.10	<5	123	0.42	210	<10	62
167178		4.30	1270	<1	1.25	81	390	2	0.07	<5	142	0.43	215	<10	64
167179		3.56	1320	<1	1.42	62	470	<2	0.08	<5	172	0.48	213	<10	61
167180		3.74	1180	1	1.56	79	1330	<2	0.20	<5	421	0.51	212	10	68
167181		3.91	1225	<1	1.28	87	440	3	0.05	<5	141	0.46	230	10	62
167182		3.82	1240	<1	1.40	89	400	2	0.15	<5	149	0.45	227	<10	60
167183		4.47	1465	<1	1.30	79	450	<2	0.15	<5	128	0.48	243	30	65
167184		4.00	1360	1	1.11	76	440	<2	0.19	<5	108	0.46	223	10	63
167185		3.97	1315	<1	1.29	84	410	3	0.17	<5	120	0.45	214	<10	63
167186		2.18	927	1	1.92	30	830	3	0.19	<5	192	0.47	132	10	69
167187		0.07	116	<1	7.0	6	690	125	2.93	<5	23	0.01	2	<10	18
167188		3.95	1310	<1	1.37	64	640	2	0.18	<5	252	0.43	209	<10	68
167189		3.37	1245	<1	1.38	88	390	<2	0.30	6	151	0.44	214	<10	49
167190		3.60	1350	1	0.94	71	400	3	0.41	<5	122	0.43	212	<10	54
167191		2.24	1015	1	0.83	64	360	3	1.02	<5	93	0.32	142	20	53
167192 DUP		2.36	1060	1	0.84	66	360	<2	1.18	<5	91	0.33	151	20	55
167193		0.22	206	1	2.15	4	160	39	0.01	<5	170	0.08	9	<10	27
167194		2.52	718	1	2.29	48	750	2	0.18	<5	240	0.35	81	10	51
167195		1.81	724	1	2.22	36	950	4	0.35	<5	261	0.40	94	<10	65
167196		1.07	881	1	2.28	25	730	4	0.29	<5	205	0.37	74	10	57
167197		1.43	604	1	2.72	48	410	108	0.45	<5	263	0.24	75	<10	65
167198		0.37	247	1	2.75	8	310	5	0.12	<5	204	0.13	16	<10	24
167199		8.52	1045	<1	1.11	632	140	6	0.07	<5	56	0.18	103	<10	82
167200		12.70	1580	<1	0.20	936	170	7	0.29	<5	25	0.23	154	10	101

Comments: Due to a QC failure samples 167211 to 167217 were removed from this w/o and the client will re-submit samples to be analysed in another w/o



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 13-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021505**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
167201		2.79	1.070	<0.5	5.14	<5	20	<0.5	<2	5.97	<0.5	62	1495	44	7.78	0.34
167202		2.50	1.525	0.9	6.06	<5	200	<0.5	<2	5.17	<0.5	60	860	421	8.93	1.67
167203		2.56	1.895	0.6	5.15	8	90	<0.5	<2	5.83	<0.5	65	897	505	10.85	0.98
167204		3.00	2.30	0.5	4.57	<5	30	<0.5	<2	4.82	<0.5	50	1145	312	10.05	0.65
167205		2.50	2.76	0.6	5.40	<5	40	<0.5	<2	5.36	<0.5	50	1325	378	10.75	0.93
167206		0.07	0.958	10.0	8.18	8	60	3.1	<2	0.32	<0.5	<1	18	8	2.43	0.18
167207		2.00	0.862	0.5	5.60	<5	220	0.7	<2	4.23	<0.5	25	707	121	6.08	0.93
167208		2.17	1.070	<0.5	5.69	9	180	0.7	<2	5.23	<0.5	34	662	54	8.57	1.55
167209		2.64	0.070	<0.5	6.36	<5	190	0.7	<2	6.17	<0.5	47	631	49	6.76	1.12
167210		2.89	0.153	<0.5	7.17	7	310	0.8	<2	4.15	<0.5	21	351	45	4.55	1.03
167218		0.12	0.007	<0.5	7.41	<5	550	1.0	<2	0.87	<0.5	1	27	6	2.49	3.76
167219		2.63	0.051	<0.5	6.82	<5	250	0.6	<2	4.68	<0.5	32	584	43	5.74	1.06
167220		2.38	0.014	<0.5	7.43	<5	400	0.7	<2	4.48	<0.5	29	403	16	5.43	1.46
167221		2.46	0.018	<0.5	6.28	<5	140	<0.5	<2	5.80	<0.5	60	1015	22	7.25	0.54
167222		2.44	0.074	<0.5	8.18	<5	300	0.6	<2	4.26	<0.5	38	564	15	5.50	1.10
167223		2.33	0.546	<0.5	4.99	<5	20	<0.5	<2	4.93	<0.5	58	1170	7	6.82	0.13
167224		0.06	1.820	18.2	8.05	11	50	3.1	<2	0.33	<0.5	1	3	5	2.86	0.17
167225		2.52	0.156	<0.5	5.92	<5	80	<0.5	<2	5.78	<0.5	53	1020	17	6.81	0.61
167226		2.64	0.213	<0.5	5.10	<5	30	<0.5	2	5.64	<0.5	57	1090	3	6.79	0.25
167227		2.56	0.180	<0.5	5.37	<5	40	<0.5	<2	5.83	<0.5	63	1200	1	6.89	0.40
167228		2.51	0.284	<0.5	5.43	<5	30	<0.5	<2	4.35	<0.5	62	1270	24	7.15	0.25
167229 DUP		<0.02	0.232	<0.5	5.40	<5	40	<0.5	<2	4.51	<0.5	60	1250	24	7.25	0.25
167230		2.50	0.867	<0.5	5.33	7	80	<0.5	<2	5.44	<0.5	51	1005	26	6.55	0.76
167231		2.67	0.161	<0.5	5.87	8	70	<0.5	<2	5.96	<0.5	65	1150	15	7.23	0.56
167232		2.71	0.272	<0.5	5.77	6	50	<0.5	<2	6.03	<0.5	65	1175	10	7.29	0.47
167233		2.87	0.147	<0.5	5.65	<5	70	<0.5	<2	5.60	<0.5	67	1535	16	7.46	0.87
167234		2.74	0.102	<0.5	5.83	9	80	<0.5	<2	5.36	<0.5	70	1445	33	7.50	0.80
167235		0.10	<0.005	<0.5	7.01	<5	530	0.9	<2	0.81	<0.5	2	32	7	2.68	3.90
167236		2.72	0.156	<0.5	5.52	<5	80	<0.5	<2	6.24	<0.5	65	1330	12	7.09	0.87
167237		2.90	0.249	<0.5	6.14	<5	40	<0.5	<2	6.00	<0.5	58	1330	25	7.74	0.45
167238		2.72	0.280	<0.5	6.61	8	190	<0.5	<2	5.30	<0.5	43	934	16	5.69	0.89
167239		1.94	0.553	<0.5	5.78	<5	10	<0.5	<2	5.81	<0.5	67	1470	3	7.49	0.23
167240		2.97	0.966	<0.5	5.45	5	30	<0.5	<2	5.02	<0.5	59	1600	3	7.61	0.57
167241		2.68	0.071	<0.5	5.65	<5	50	<0.5	<2	5.62	<0.5	64	1245	6	7.05	1.03
167242		2.61	0.621	<0.5	5.96	5	50	<0.5	<2	6.02	<0.5	60	1155	12	7.11	0.73
167243		2.69	0.205	<0.5	5.86	<5	50	<0.5	<2	5.62	<0.5	60	1335	1	7.35	0.68
167244		2.56	0.452	<0.5	5.86	<5	10	<0.5	<2	5.72	<0.5	72	1270	1	7.62	0.17
167245		2.19	6.08	<0.5	6.07	<5	20	<0.5	<2	6.61	<0.5	63	1065	5	7.47	0.27
167246		2.79	0.422	<0.5	5.23	7	20	<0.5	<2	5.57	<0.5	55	971	27	6.82	0.21
167247 DUP		<0.02	0.477	<0.5	5.04	<5	20	<0.5	<2	5.42	<0.5	52	1015	28	6.61	0.21

Comments: Due to a QC failure samples 167211 to 167217 were removed from this w/o and the client will re-submit samples to be analysed in another w/o



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 13-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021505

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
167201		10.45	1565	1	0.31	723	200	<2	0.31	<5	40	0.23	154	30	90
167202		5.36	1540	1	0.28	385	280	4	1.36	<5	87	0.30	168	30	79
167203		6.12	1750	1	0.26	449	210	2	2.32	<5	52	0.24	153	80	86
167204		7.41	1490	<1	0.24	478	160	<2	1.77	<5	30	0.21	136	10	86
167205		9.79	1955	2	0.33	549	190	<2	1.49	<5	35	0.24	160	20	110
167206		0.07	38	<1	6.6	3	620	110	2.53	<5	21	0.01	2	<10	15
167207		4.81	1515	1	1.43	297	110	2	0.52	<5	125	0.16	85	<10	89
167208		6.64	1390	2	0.98	242	480	6	0.29	7	79	0.25	132	<10	71
167209		7.22	1400	<1	0.88	233	750	<2	0.15	<5	180	0.35	163	<10	85
167210		2.79	809	<1	2.00	92	670	3	0.20	<5	233	0.32	93	<10	45
167218		0.22	217	1	2.19	8	160	37	0.01	<5	159	0.08	9	<10	27
167219		4.93	1195	<1	1.36	284	610	4	0.22	<5	203	0.35	113	<10	136
167220		4.12	998	1	1.45	152	730	3	0.11	<5	237	0.36	133	<10	61
167221		9.34	1310	3	0.64	539	280	<2	0.10	<5	120	0.24	169	<10	75
167222		5.62	944	<1	1.57	281	610	<2	0.08	<5	244	0.33	137	<10	73
167223		9.26	1240	<1	0.25	595	170	<2	0.03	<5	36	0.17	151	10	77
167224		0.07	108	<1	6.5	5	630	125	3.03	<5	22	0.01	2	<10	18
187225		8.89	1280	<1	0.27	493	370	2	0.06	<5	258	0.22	152	<10	77
187226		9.42	1295	1	0.26	597	210	<2	0.01	<5	94	0.19	143	<10	77
187227		10.00	1370	<1	0.27	612	200	<2	0.01	<5	52	0.22	158	<10	77
167228		9.85	1270	<1	0.18	657	170	3	0.17	<5	42	0.23	164	<10	83
167229 DUP		9.92	1295	<1	0.18	637	170	<2	0.17	<5	43	0.22	162	<10	82
187230		8.60	1205	8	0.25	527	260	3	0.16	<5	167	0.22	144	160	72
167231		9.89	1360	<1	0.27	611	280	<2	0.05	<5	178	0.24	167	<10	92
187232		10.15	1375	<1	0.30	654	260	4	0.04	<5	87	0.25	167	<10	72
167233		10.70	1330	1	0.25	706	190	<2	0.11	<5	49	0.26	174	<10	72
167234		10.90	1265	<1	0.24	702	180	<2	0.16	5	50	0.25	173	<10	81
167235		0.24	226	2	1.99	8	160	34	0.01	<5	152	0.08	9	<10	26
167236		10.35	1335	<1	0.30	669	220	<2	0.06	<5	130	0.24	161	<10	77
167237		10.25	1465	<1	0.33	638	200	12	0.17	<5	76	0.25	166	<10	200
167238		7.32	1140	<1	1.16	463	180	3	0.06	<5	189	0.20	125	<10	72
167239		10.80	1385	<1	0.37	710	190	3	0.01	<5	39	0.21	174	<10	83
167240		10.55	1400	<1	0.33	721	190	<2	0.02	<5	40	0.22	168	<10	89
167241		10.05	1275	<1	0.36	634	190	5	0.02	<5	52	0.25	174	<10	74
167242		10.10	1345	<1	0.35	618	250	2	0.06	<5	178	0.26	179	<10	73
167243		10.30	1305	<1	0.30	668	190	<2	0.01	<5	206	0.23	175	<10	78
167244		11.00	1345	<1	0.29	701	190	2	<0.01	<5	75	0.19	177	<10	75
167245		9.93	1535	<1	0.35	565	310	<2	0.03	<5	261	0.25	182	<10	73
167246		8.90	1305	3	0.25	574	120	11	0.12	<5	143	0.21	152	<10	114
167247 DUP		8.58	1265	4	0.24	552	120	12	0.13	<5	148	0.20	147	<10	112

Comments: Due to a QC failure samples 167211 to 167217 were removed from this w/o and the client will re-submit samples to be analysed in another w/o



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 13-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021505

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
167248		0.11	0.005	<0.5	7.07	6	530	1.0	<2	0.90	<0.5	2	20	6	2.59	3.78
167249		2.58	0.686	<0.5	5.65	6	20	<0.5	<2	6.50	<0.5	56	964	9	7.22	0.30
167250		2.62	0.332	<0.5	5.88	8	60	<0.5	<2	5.33	<0.5	53	1235	4	7.27	0.42
167251		2.31	0.032	<0.5	8.38	7	250	0.6	<2	2.69	<0.5	16	150	18	2.85	0.81
167252		2.70	0.053	<0.5	7.60	<5	150	<0.5	<2	6.88	<0.5	46	389	10	6.88	0.88
167253		2.40	0.217	<0.5	7.32	<5	100	<0.5	<2	6.66	<0.5	54	419	3	7.31	1.00
167254		2.58	0.715	<0.5	7.79	5	80	<0.5	<2	6.94	<0.5	48	286	23	7.29	0.76
167255		0.06	0.970	10.5	8.36	7	40	3.2	<2	0.33	<0.5	1	8	8	2.87	0.18
167256		2.69	0.160	<0.5	7.76	<5	60	<0.5	<2	7.28	<0.5	48	347	7	7.45	0.55
167257		2.46	0.013	<0.5	7.61	<5	50	<0.5	<2	7.84	<0.5	44	342	8	7.66	0.41
167258		2.50	0.047	<0.5	7.41	6	60	<0.5	<2	7.38	<0.5	42	345	48	7.32	0.42
167259		2.92	0.013	<0.5	7.51	<5	30	<0.5	<2	7.75	<0.5	42	354	52	7.39	0.22
167260		2.46	0.029	<0.5	7.25	10	40	<0.5	<2	7.69	<0.5	43	345	51	7.52	0.30

Comments: Due to a QC failure samples 167211 to 167217 were removed from this w/o and the client will re-submit samples to be analysed in another w/o



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 13-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021505

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
167248		0.24	227	1	2.08	9	170	61	0.01	<5	155	0.08	10	<10	27
167249		9.66	1420	<1	0.30	519	320	3	0.05	<5	187	0.24	168	<10	83
167250		9.60	1195	2	0.63	593	240	<2	0.02	<5	76	0.23	161	<10	71
167251		2.21	471	1	4.24	59	310	3	0.15	<5	179	0.16	73	10	29
167252		6.35	1340	1	1.54	183	290	3	0.05	<5	168	0.36	227	<10	71
167253		6.48	1390	<1	1.00	184	240	<2	0.01	<5	92	0.35	222	<10	60
167254		5.57	1325	<1	1.17	120	250	<2	0.03	<5	117	0.36	231	10	56
167255		0.07	39	1	6.7	4	630	126	3.03	<5	21	0.01	2	<10	17
167256		5.36	1305	<1	1.36	135	250	4	0.03	<5	124	0.36	230	<10	55
167257		5.27	1330	<1	1.42	142	250	3	0.02	<5	150	0.36	230	<10	60
167258		4.70	1305	<1	1.51	158	270	4	0.06	<5	168	0.34	212	10	69
167259		4.41	1335	<1	1.38	122	250	<2	0.04	<5	172	0.36	224	<10	62
167260		4.55	1345	<1	1.36	136	240	3	0.05	<5	154	0.35	224	10	64

Comments: Due to a QC failure samples 167211 to 167217 were removed from this w/o and the client will re-submit samples to be analysed in another w/o



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 30-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06021506

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-FEB-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021506

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
167261		2.61	0.007			<0.5	7.54	<5	30	<0.5	<2	8.22	<0.5	46	347	38
167262		1.79	0.011			<0.5	6.99	<5	60	<0.5	<2	7.54	0.7	40	323	16
167263		1.85	0.014			<0.5	6.05	<5	280	1.0	<2	1.67	<0.5	5	48	12
167264 DUP		<0.02	0.013			<0.5	6.22	<5	270	1.0	<2	1.74	<0.5	5	49	11
167265		1.67	0.011			<0.5	7.37	7	70	<0.5	<2	7.54	<0.5	46	389	12
167266		2.94	0.007			<0.5	7.32	7	40	<0.5	<2	7.87	<0.5	44	366	13
167267		2.89	0.035			<0.5	7.62	<5	40	<0.5	<2	8.65	<0.5	43	361	46
167268		2.73	0.020			<0.5	7.32	<5	40	<0.5	<2	8.60	<0.5	43	361	61
167269		0.15	<0.005			<0.5	7.17	<5	590	0.9	<2	0.81	<0.5	2	28	6
167270		2.77	0.012			<0.5	7.21	<5	50	<0.5	<2	7.68	<0.5	45	354	16
167271		2.77	0.011			<0.5	7.22	<5	40	<0.5	<2	8.93	0.6	41	338	34
167272		2.77	0.166			<0.5	7.23	<5	40	<0.5	<2	9.16	<0.5	41	332	25
167273		2.59	0.036			<0.5	7.08	<5	60	<0.5	<2	7.94	<0.5	41	344	29
167274		2.73	0.056			<0.5	7.41	<5	30	<0.5	<2	9.54	<0.5	36	323	13
167275		2.67	0.047			<0.5	7.44	<5	30	<0.5	<2	10.30	<0.5	39	322	19
167276		2.73	0.023			<0.5	7.46	<5	40	<0.5	<2	9.85	<0.5	41	319	21
167277		3.17	0.066			<0.5	7.96	<5	60	<0.5	<2	8.18	<0.5	43	361	17
167278		0.06	1.825			20.5	8.44	6	60	3.1	<2	0.34	<0.5	1	10	6
167279		2.77	0.116			<0.5	7.44	<5	40	<0.5	<2	9.87	<0.5	41	324	16
167280		2.44	0.093			<0.5	7.93	<5	50	<0.5	<2	8.04	<0.5	43	358	34
167281		1.48	0.097			<0.5	7.81	<5	120	<0.5	<2	6.00	<0.5	31	93	26
167282		2.75	1.035			<0.5	7.65	<5	180	<0.5	<2	5.19	<0.5	27	95	70
167283		2.04	0.078			<0.5	7.89	7	170	<0.5	<2	5.68	<0.5	33	112	426
167284		1.97	0.018			<0.5	7.83	<5	180	0.6	<2	5.07	<0.5	29	91	215
167285		1.78	0.528			<0.5	7.89	<5	200	0.5	<2	5.81	<0.5	28	109	236
167286		2.83	0.080			<0.5	7.83	<5	110	<0.5	<2	6.07	<0.5	36	126	118
167287 DUP		<0.02	0.072			<0.5	7.96	<5	110	<0.5	<2	6.40	<0.5	36	128	111
167288		2.87	0.112			<0.5	7.91	<5	140	<0.5	<2	6.03	<0.5	36	132	279
167289		2.44	0.025			<0.5	8.05	5	340	0.9	<2	3.37	<0.5	13	35	101
167290		2.14	6.49			1.9	7.59	6	130	<0.5	8	5.54	<0.5	62	138	1075
167291		2.48	0.251			0.7	7.43	<5	170	<0.5	<2	4.91	<0.5	52	199	820
167292		0.06	0.975			12.3	9.15	<5	50	3.3	<2	0.35	<0.5	1	9	11
167293		1.47	0.853			0.7	6.70	<5	70	<0.5	<2	6.12	<0.5	59	1040	489
167294		1.55	0.056			<0.5	6.48	<5	290	0.5	<2	3.63	<0.5	37	895	26
167295		2.37	0.162			<0.5	5.16	<5	80	<0.5	<2	4.39	<0.5	56	1415	32
167296		2.46	0.006			<0.5	6.99	7	360	1.2	<2	1.56	<0.5	4	26	24
167297		2.52	0.013			<0.5	7.31	<5	430	1.0	<2	2.84	<0.5	12	164	24
167298		0.16	<0.005			<0.5	7.41	<5	600	0.9	<2	0.79	<0.5	1	26	6
167299		2.10	0.023			<0.5	8.13	<5	420	0.8	<2	4.60	<0.5	25	148	62
167300		2.75	0.771			<0.5	5.56	<5	110	<0.5	<2	5.71	<0.5	40	1060	210



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021506

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
167261		7.71	0.25	5.01	1410	<1	1.39	146	230	3	0.04	<5	159	0.37	225	10
167262		7.38	0.46	4.85	1365	<1	1.19	126	220	2	0.02	<5	144	0.35	213	<10
167263		1.60	1.39	0.54	454	2	2.09	15	30	3	0.14	<5	55	0.06	21	<10
167264 DUP		1.71	1.36	0.57	455	2	2.06	16	30	5	0.13	<5	56	0.06	23	<10
167265		7.89	0.59	5.43	1485	<1	1.32	144	240	8	0.02	<5	129	0.37	224	<10
167266		7.84	0.26	5.10	1420	<1	1.54	129	230	3	0.01	<5	141	0.36	220	<10
167267		7.99	0.30	4.75	1485	<1	1.62	130	240	<2	0.06	<5	162	0.38	223	10
167268		7.83	0.24	4.80	1455	<1	1.64	130	240	5	0.04	<5	156	0.36	217	<10
167269		2.33	4.32	0.20	196	<1	2.34	7	160	39	0.01	<5	157	0.08	6	<10
167270		7.73	0.34	5.27	1430	<1	1.45	135	230	8	0.02	<5	126	0.35	214	<10
167271		7.63	0.25	4.85	1445	<1	1.34	135	230	5	0.05	<5	150	0.35	213	<10
167272		7.60	0.23	4.52	1395	<1	1.50	129	220	3	0.05	<5	151	0.35	211	10
167273		7.49	0.35	4.51	1395	<1	1.40	117	230	7	0.11	<5	131	0.35	208	<10
167274		6.66	0.19	4.17	1405	<1	1.35	122	220	3	0.02	<5	158	0.36	212	<10
167275		6.69	0.20	4.32	1425	<1	1.41	130	230	3	0.05	<5	150	0.36	216	<10
167276		7.17	0.31	4.66	1480	<1	1.37	132	230	3	0.08	<5	134	0.36	217	10
167277		7.63	0.40	4.91	1450	<1	1.44	145	250	<2	0.07	<5	132	0.39	234	<10
167278		2.77	0.19	0.07	110	<1	6.8	5	610	124	3.19	<5	20	0.01	3	<10
167279		7.27	0.32	4.42	1440	<1	1.44	127	230	2	0.04	<5	141	0.37	220	<10
167280		7.57	0.34	4.75	1410	<1	1.47	138	230	3	0.07	<5	137	0.39	236	<10
167281		7.08	0.92	3.57	1260	<1	1.41	67	410	5	0.06	<5	124	0.53	236	<10
167282		6.96	1.53	3.68	1030	<1	1.21	59	420	<2	0.10	<5	132	0.47	213	<10
167283		6.44	1.45	3.27	1030	<1	1.25	61	410	2	0.27	<5	136	0.52	225	<10
167284		5.98	1.21	2.64	1020	<1	1.57	44	610	4	0.27	<5	150	0.48	165	<10
167285		6.35	1.30	2.85	1225	<1	1.28	48	560	11	0.34	<5	134	0.46	180	20
167286		6.89	1.14	3.74	1270	<1	1.14	69	390	9	0.33	<5	93	0.44	201	10
167287 DUP		7.14	1.16	3.88	1335	<1	1.15	72	380	4	0.32	<5	93	0.45	207	10
167288		6.68	1.10	3.54	1275	<1	1.36	71	400	6	0.32	<5	123	0.45	207	<10
167289		4.22	1.31	1.08	643	<1	2.36	16	580	5	0.34	<5	176	0.38	75	<10
167290		7.19	1.13	2.93	1130	<1	1.29	122	370	4	1.24	<5	129	0.43	196	50
167291		7.38	1.28	2.93	1135	<1	1.30	122	340	4	1.17	<5	98	0.42	189	10
167292		2.85	0.20	0.07	38	<1	7.4	4	640	126	3.23	<5	20	0.01	2	<10
167293		8.83	0.79	7.79	1615	<1	0.62	501	260	<2	0.69	<5	63	0.32	184	10
167294		5.31	1.61	6.19	921	<1	1.41	443	370	4	0.12	<5	144	0.28	90	<10
167295		5.82	0.18	9.60	1270	<1	0.91	793	140	3	0.09	<5	45	0.19	112	<10
187296		1.81	0.82	0.25	210	1	3.37	9	170	11	0.15	<5	183	0.12	7	<10
167297		3.48	1.39	1.82	535	1	2.78	58	690	4	0.08	<5	231	0.25	58	<10
167298		2.11	4.29	0.20	184	1	2.30	8	150	37	<0.01	<5	153	0.08	7	<10
167299		5.01	1.25	2.56	835	1	2.36	51	630	7	0.20	<5	382	0.44	131	<10
167300		10.05	1.29	8.05	1630	3	0.54	488	280	<2	1.27	<5	105	0.29	157	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021506

Sample Description	Method Analyte Units LOA	ME-ICP61 Zn ppm 2
167261		69
167262		72
167263		51
167264 DUP		50
167265		78
167266		62
167267		66
167268		65
167269		28
167270		64
167271		63
167272		61
167273		62
167274		58
167275		61
167276		61
167277		67
167278		20
167279		62
167280		67
167281		66
167282		58
167283		61
167284		73
167285		114
167286		69
167287 DUP		69
167288		81
167289		51
167290		69
167291		72
167292		18
167293		123
167294		72
167295		100
167296		20
167297		41
167298		28
167299		66
167300		106



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 30-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021506**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
167301		2.75	>10.0		23.5	0.9	4.20	<5	70	<0.5	<2	4.55	<0.5	45	1065	246
167302		2.25	0.468			0.5	4.93	<5	80	<0.5	<2	5.07	0.6	44	1285	142
167303		1.99	7.80			0.7	5.28	<5	70	<0.5	<2	5.30	<0.5	46	1295	203
167304		2.12	2.91			<0.5	4.85	<5	60	<0.5	<2	5.55	<0.5	38	1205	128
167305		1.21	>10.0		22.1	0.9	5.18	<5	60	<0.5	<2	5.79	<0.5	43	1185	70
167306 DUP		<0.02	>10.0		30.5	0.7	5.00	<5	50	<0.5	<2	5.59	<0.5	43	1165	67
167307		0.14	0.038	0.050		<0.5	6.88	<5	550	0.9	<2	0.84	0.5	3	33	6
167308		2.23	0.669			<0.5	5.70	17	230	0.5	<2	4.04	<0.5	29	820	59
167309		2.04	0.097			<0.5	6.09	12	550	1.0	<2	0.93	<0.5	1	17	18
167310		2.56	0.073			<0.5	6.33	7	630	1.1	<2	1.17	<0.5	2	25	25
167311		2.00	0.078			<0.5	6.24	<5	260	0.8	<2	3.13	<0.5	24	536	41
167312		1.92	0.045			<0.5	6.85	<5	440	1.0	<2	1.86	<0.5	10	300	23
167313		2.43	0.108			<0.5	6.74	<5	420	1.1	<2	1.47	<0.5	6	92	27
167314		2.18	0.097			<0.5	7.03	<5	520	1.3	<2	0.97	<0.5	<1	22	16
167315		2.31	0.091			<0.5	6.36	<5	540	1.0	<2	0.80	<0.5	2	22	23
167316		2.29	0.126			<0.5	6.40	9	550	1.0	<2	0.85	<0.5	1	15	16
167317		0.06	1.785			19.3	6.24	<5	60	3.1	<2	0.33	<0.5	1	12	5
167318		2.42	0.080			<0.5	6.49	<5	470	1.1	<2	0.97	<0.5	2	23	30
167319		2.15	0.055			<0.5	7.05	<5	550	1.0	<2	1.75	<0.5	8	118	21
167320		2.67	0.027			<0.5	7.09	<5	370	0.6	<2	4.68	<0.5	34	663	41
167321		2.74	0.213			<0.5	6.17	<5	20	<0.5	<2	6.37	<0.5	69	1155	5
167322		2.19	0.278			<0.5	6.17	<5	10	<0.5	<2	5.94	<0.5	74	1225	4
167323		2.74	0.075			<0.5	6.34	<5	70	<0.5	<2	6.22	<0.5	60	959	24
167324		2.40	0.085			<0.5	5.87	<5	80	<0.5	<2	6.48	<0.5	66	1115	17
167325		1.91	0.013			<0.5	6.94	6	400	0.7	<2	4.71	<0.5	36	385	36
167326		3.10	0.035			<0.5	8.00	<5	430	0.6	<2	4.34	<0.5	35	438	18
167327		2.35	0.919			<0.5	5.85	<5	10	<0.5	<2	5.93	<0.5	73	1285	6
167328		1.36	1.525			0.6	5.48	<5	10	<0.5	<2	5.46	<0.5	67	1205	152
167329 DUP		<0.02	1.440			<0.5	5.30	<5	10	<0.5	<2	5.37	<0.5	65	1150	142
167330		2.70	0.114			<0.5	5.80	<5	40	<0.5	<2	5.69	<0.5	69	1240	9
167331		2.98	0.285			<0.5	5.68	<5	40	<0.5	<2	6.10	<0.5	69	1170	7
167332		1.93	0.246			<0.5	5.77	<5	20	<0.5	<2	5.44	<0.5	66	1275	10
167333		0.11	<0.005			<0.5	7.29	<5	550	0.9	<2	0.83	<0.5	3	37	6
167334		2.71	0.170			<0.5	5.77	<5	30	<0.5	<2	5.92	<0.5	69	1310	3
167335		2.63	0.213			<0.5	6.33	<5	70	<0.5	<2	4.88	<0.5	59	1225	29
167336		2.72	0.197			<0.5	5.82	<5	10	<0.5	<2	6.03	<0.5	64	1300	17
167337		3.02	0.192			<0.5	6.80	13	90	<0.5	<2	4.80	<0.5	61	1290	23
167338		0.04	0.973			11.5	6.58	<5	50	3.2	<2	0.35	<0.5	1	9	9
167339		2.62	0.206			<0.5	6.02	<5	30	<0.5	<2	5.91	<0.5	64	1120	15
167340		2.92	0.252			<0.5	6.11	7	50	<0.5	<2	5.91	<0.5	57	1145	21



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 30-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021506**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
167301		9.48	1.11	6.86	1645	3	0.28	436	140	2	1.48	<5	41	0.20	130	230
167302		10.65	1.53	9.87	1675	1	0.29	572	170	6	1.15	<5	36	0.24	152	10
167303		11.15	1.29	9.32	1660	1	0.31	594	170	3	1.62	<5	38	0.26	161	<10
167304		10.20	1.01	9.09	1615	<1	0.34	579	160	<2	1.04	<5	41	0.23	150	<10
167305		9.77	0.72	9.57	1635	1	0.39	597	180	4	0.53	<5	45	0.25	160	<10
167306 DUP		9.45	0.68	9.30	1580	<1	0.38	599	160	6	0.52	5	43	0.24	156	<10
167307		2.14	4.10	0.30	186	<1	2.27	17	160	41	0.02	7	150	0.08	9	<10
167308		7.05	1.27	6.30	1195	<1	1.16	386	130	2	0.41	6	83	0.20	106	<10
167309		1.61	1.67	0.11	142	<1	2.84	2	80	10	0.16	<5	117	0.09	1	<10
167310		1.81	1.44	0.24	192	<1	3.06	4	100	14	0.22	<5	140	0.10	5	<10
167311		4.66	0.65	4.20	920	1	2.17	251	110	6	0.19	<5	126	0.16	70	<10
167312		3.19	1.14	1.90	557	<1	3.23	102	110	8	0.17	<5	114	0.13	32	10
167313		2.04	1.04	1.04	304	<1	3.61	40	300	9	0.22	<5	206	0.13	20	<10
167314		1.49	1.22	0.15	216	1	3.68	2	80	11	0.15	<5	171	0.09	1	<10
167315		1.28	1.30	0.11	200	1	3.71	1	80	7	0.16	<5	125	0.09	<1	<10
167316		1.39	1.60	0.11	225	<1	3.40	<1	70	9	0.22	<5	123	0.09	<1	<10
167317		3.03	0.18	0.06	112	<1	6.9	4	640	132	3.11	<5	20	0.02	2	10
167318		1.37	1.16	0.13	201	<1	3.62	<1	80	13	0.35	<5	124	0.09	2	<10
167319		2.31	1.43	0.97	417	<1	3.18	31	180	13	0.18	<5	179	0.14	26	<10
167320		5.29	1.09	5.82	978	3	1.90	243	360	8	0.20	<5	282	0.20	118	<10
167321		6.26	0.13	10.75	1565	2	0.41	633	190	4	0.04	<5	61	0.27	181	<10
167322		8.11	0.08	10.90	1455	<1	0.35	661	200	6	0.02	<5	49	0.26	183	<10
167323		7.56	0.48	9.54	1405	1	0.43	484	350	2	0.09	<5	131	0.26	171	<10
167324		7.53	0.38	10.20	1570	<1	0.44	619	240	4	0.08	<5	96	0.24	165	<10
167325		5.52	1.28	4.90	979	<1	2.12	199	710	14	0.21	<5	378	0.39	134	<10
167326		5.62	1.71	5.19	960	<1	1.66	233	660	6	0.13	<5	323	0.36	127	10
167327		7.86	0.15	11.20	1405	<1	0.31	677	190	6	0.08	<5	65	0.21	175	<10
167328		6.18	0.13	10.75	1455	<1	0.22	663	190	8	0.75	<5	53	0.23	171	<10
167329 DUP		7.99	0.13	10.40	1425	<1	0.21	638	200	7	0.72	<5	52	0.23	166	10
167330		7.76	0.33	10.50	1365	<1	0.30	623	220	4	0.05	<5	106	0.24	177	10
167331		7.50	0.36	10.45	1415	<1	0.33	664	210	4	0.05	<5	108	0.24	172	10
167332		8.03	0.21	10.45	1400	<1	0.29	665	190	3	0.13	<5	71	0.21	174	<10
167333		2.66	4.29	0.32	227	5	2.32	14	160	44	<0.01	<5	145	0.08	10	<10
167334		7.70	0.14	10.65	1395	1	0.32	702	190	5	0.03	5	66	0.22	171	<10
167335		8.11	0.67	9.65	1365	4	0.33	621	200	8	0.13	<5	102	0.25	170	<10
167336		8.18	0.14	10.80	1525	<1	0.34	705	210	13	0.09	5	62	0.24	174	<10
167337		6.06	0.98	10.00	1265	1	0.53	660	330	14	0.17	<5	97	0.31	183	<10
167338		2.79	0.20	0.08	37	<1	7.3	1	670	124	3.11	<5	23	0.01	2	<10
167339		7.57	0.38	10.50	1320	1	0.38	644	220	<2	0.08	<5	69	0.23	171	<10
167340		7.65	0.43	10.35	1520	1	0.52	657	210	3	0.12	<5	143	0.22	159	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 30-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021506

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
167301		94
167302		120
167303		126
167304		116
167305		118
167306 DUP		114
167307		26
167308		83
167309		13
167310		24
167311		51
167312		28
167313		21
167314		13
167315		13
167316		12
167317		21
167318		16
167319		31
167320		68
167321		94
167322		88
167323		78
167324		88
167325		83
167326		83
167327		73
167328		80
167328 DUP		78
167330		72
167331		74
167332		93
167333		27
167334		75
167335		114
167336		146
167337		124
167338		26
167339		82
167340		88



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 30-MAR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021506**

Sample Description	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
	0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
167341	2.60	0.091			<0.5	7.36	5	310	0.5	<2	3.89	<0.5	31	589	17
167342	2.42	0.068			<0.5	6.40	<5	190	<0.5	2	5.97	<0.5	44	563	48
167343	1.76	0.300			<0.5	6.66	<5	170	<0.5	2	6.78	<0.5	55	945	31
167344	2.61	0.551			<0.5	5.71	<5	20	<0.5	2	6.42	<0.5	62	1225	7
167345	2.42	0.326			<0.5	5.91	<5	50	<0.5	<2	5.38	<0.5	68	1265	10
167346	1.60	0.676			<0.5	5.93	15	10	<0.5	<2	6.07	<0.5	72	1190	15
167347	0.05	1.785			19.9	8.17	<5	60	3.2	<2	0.34	<0.5	<1	15	6
167348	1.28	0.084			<0.5	6.22	<5	50	<0.5	2	6.07	<0.5	66	990	22
167349	1.65	0.102			<0.5	5.78	5	40	<0.5	3	5.51	0.5	66	1005	34
167350	2.83	0.158			<0.5	5.94	<5	<10	<0.5	3	5.74	<0.5	68	1130	30
167351	2.67	0.162			<0.5	7.40	7	150	0.5	<2	5.66	<0.5	50	680	48
167352	2.87	0.781	0.916		<0.5	6.61	<5	50	<0.5	<2	5.82	<0.5	63	942	53
167353 DUP	<0.02	0.662	0.511		<0.5	6.58	<5	60	<0.5	3	5.59	<0.5	59	904	50
167354	0.14	<0.005			<0.5	7.92	<5	600	0.9	<2	0.92	<0.5	1	19	6
167355	2.94	0.134			<0.5	7.60	5	30	<0.5	<2	7.42	<0.5	50	322	27
167356	2.81	0.077			<0.5	7.86	<5	70	<0.5	<2	7.54	<0.5	49	322	56
167357	2.58	0.040			<0.5	7.83	11	90	<0.5	<2	7.49	<0.5	50	340	18
167358	2.42	0.032			<0.5	7.95	<5	60	<0.5	<2	7.99	<0.5	46	304	11
167359	2.88	0.009			<0.5	7.75	<5	40	<0.5	<2	8.21	<0.5	43	312	7
167360	2.50	0.011			<0.5	7.41	<5	60	<0.5	<2	7.61	<0.5	40	283	19



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 30-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021506

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
167341		3.94	0.70	4.99	758	1	2.48	317	190	3	0.10	<5	163	0.14	80	<10
167342		5.78	0.89	7.94	1100	<1	1.01	427	620	4	0.42	<5	363	0.19	108	<10
167343		6.75	0.62	9.88	1310	1	0.69	619	440	<2	0.26	<5	250	0.24	149	<10
167344		7.39	0.29	11.25	1450	<1	0.42	713	190	2	0.03	<5	78	0.22	173	<10
167345		7.97	0.68	11.55	1380	<1	0.30	716	180	<2	0.08	<5	55	0.23	181	<10
167346		7.60	0.16	11.60	1350	1	0.34	744	190	2	0.05	<5	55	0.21	180	<10
167347		2.80	0.19	0.07	115	<1	7.1	5	630	125	2.94	<5	19	0.02	2	<10
167348		7.80	0.60	10.90	1390	<1	0.34	613	280	<2	0.08	<5	172	0.25	176	<10
167349		7.38	0.54	10.20	1270	<1	0.29	626	170	89	0.20	<5	89	0.26	177	10
167350		7.66	0.07	11.15	1340	1	0.28	710	180	25	0.25	<5	54	0.26	176	<10
167351		5.93	0.69	7.91	1035	2	1.20	459	480	7	0.11	<5	372	0.21	138	<10
167352		7.25	0.24	9.72	1270	<1	0.74	583	300	<2	0.08	<5	184	0.23	160	10
167353 DUP		6.97	0.25	9.36	1225	<1	0.76	558	310	3	0.09	5	199	0.22	155	10
167354		2.80	4.40	0.28	238	1	2.63	12	170	37	0.01	<5	172	0.08	9	<10
167355		7.43	0.19	6.10	1360	<1	1.89	155	240	3	0.03	<5	122	0.38	227	<10
167356		7.88	0.39	6.11	1325	1	1.81	153	280	8	0.03	<5	130	0.39	227	10
167357		7.55	0.73	6.19	1330	<1	1.42	166	260	<2	0.02	<5	114	0.38	229	<10
167358		7.50	0.53	5.75	1320	1	1.42	144	250	2	0.03	<5	126	0.39	234	<10
167359		7.62	0.44	5.28	1325	<1	1.42	144	260	4	0.03	<5	158	0.38	225	<10
167360		7.18	0.53	5.25	1250	<1	1.40	126	250	<2	0.06	<5	143	0.36	214	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 30-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021506**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
167341		62
167342		87
167343		78
167344		81
167345		88
167346		82
167347		20
167348		84
167349		295
167350		114
167351		86
167352		108
167353 DUP		102
167354		26
167355		65
167356		61
167357		64
167358		58
167359		61
167360		61



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 3-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06021507

Project: DETOUR LAKE  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-FEB-2006.  
The following have access to data associated with this certificate:


IAN LAMBERT	MIKE ROBERTS
-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 3-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021507**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
167361		2.55	0.018		<0.5	6.75	<5	310	0.8	<2	3.35	<0.5	18	174	5	3.52
167362		2.19	0.005		<0.5	7.55	<5	70	<0.5	<2	7.11	<0.5	44	345	9	7.63
167363		2.92	0.017		<0.5	7.56	<5	40	<0.5	<2	7.68	<0.5	41	357	13	7.52
167364		2.11	0.010		<0.5	7.07	<5	200	<0.5	<2	6.73	<0.5	47	435	49	7.32
167365		2.73	0.011		<0.5	7.96	7	110	<0.5	<2	7.60	<0.5	39	345	12	7.86
167366		2.65	0.012		<0.5	7.56	8	70	<0.5	<2	8.02	<0.5	43	335	26	7.63
167367		2.62	0.009		<0.5	7.46	7	50	<0.5	<2	9.69	<0.5	41	321	34	7.54
167368		0.06	0.943		10.6	8.55	9	50	3.0	<2	0.32	<0.5	1	8	8	2.79
167369		2.84	0.007		<0.5	7.67	<5	40	<0.5	<2	8.13	<0.5	42	339	11	7.70
167370		2.21	0.007		<0.5	7.55	<5	40	<0.5	<2	9.24	<0.5	40	321	20	7.39
167371		2.34	0.006		<0.5	7.49	<5	60	<0.5	<2	8.28	<0.5	39	334	18	7.35
167372		2.84	0.058		<0.5	7.52	8	40	<0.5	<2	8.37	<0.5	39	336	22	6.87
167373		2.73	0.015		<0.5	7.44	6	30	<0.5	<2	7.89	<0.5	41	335	14	7.00
167374		2.50	0.065		<0.5	7.56	7	50	<0.5	<2	8.34	<0.5	44	335	48	7.37
167375 DUP		<0.02	0.080		<0.5	7.68	<5	50	<0.5	<2	8.47	<0.5	44	342	48	7.46
167376		0.08	<0.005		<0.5	6.76	7	520	0.9	<2	0.89	<0.5	1	16	7	2.48
167377		2.67	0.083		<0.5	7.42	<5	60	<0.5	<2	7.52	<0.5	38	291	54	6.82
167378		2.54	0.043		<0.5	7.37	5	70	<0.5	<2	8.07	<0.5	44	313	25	7.74
167379		2.65	0.300		<0.5	7.10	5	50	<0.5	<2	8.57	<0.5	40	312	24	7.18
167380		2.67	0.048		<0.5	7.63	7	40	<0.5	<2	8.92	<0.5	42	321	21	7.34
167381		2.65	0.035		<0.5	7.18	7	50	<0.5	<2	7.26	<0.5	41	321	12	7.21
167382		2.65	0.015		<0.5	7.12	<5	50	<0.5	<2	7.27	<0.5	43	310	5	7.16
167383		2.67	0.186		<0.5	6.74	6	110	<0.5	<2	5.84	<0.5	33	283	8	6.14
167384		2.40	0.099		<0.5	6.80	<5	540	1.1	<2	1.49	<0.5	5	41	15	2.13
167385		2.85	0.062		<0.5	7.06	<5	140	<0.5	<2	8.13	<0.5	35	249	13	6.44
167386		0.06	1.760		19.0	8.47	13	60	3.1	<2	0.32	<0.5	1	2	5	2.68
167387		2.42	0.010		<0.5	6.73	7	430	0.9	<2	1.89	<0.5	8	7	9	3.00
167388		2.39	0.020		<0.5	7.14	8	230	0.6	<2	4.27	<0.5	20	51	21	5.80
167389		2.69	0.025		<0.5	7.46	7	70	<0.5	<2	9.29	<0.5	40	299	34	7.37
167390		2.83	0.113		<0.5	7.14	<5	60	<0.5	<2	7.87	<0.5	42	302	19	7.27
167391		2.88	0.033		<0.5	7.19	<5	60	<0.5	<2	7.32	<0.5	44	290	32	7.35
167392		2.55	0.018		<0.5	7.33	7	40	<0.5	<2	8.32	<0.5	46	338	13	7.67
167393		2.81	1.195		<0.5	6.96	8	50	<0.5	<2	7.84	<0.5	46	360	29	7.69
167394 DUP		<0.02	1.505		<0.5	6.82	<5	50	<0.5	<2	7.65	<0.5	46	367	29	7.61
167395		0.12	<0.005		<0.5	6.62	<5	500	1.1	<2	0.97	<0.5	<1	10	4	2.12
167396		2.85	0.067		<0.5	6.13	<5	60	<0.5	<2	7.95	<0.5	48	338	69	7.22
167397		2.56	0.234		<0.5	6.73	11	190	<0.5	<2	6.26	<0.5	46	263	85	7.71
167398		2.50	0.030		<0.5	6.92	10	40	<0.5	<2	9.75	<0.5	44	315	17	7.56
167399		2.51	0.936		<0.5	6.58	7	40	<0.5	<2	9.22	<0.5	44	299	45	7.35
167400		2.79	0.155		<0.5	6.93	<5	70	<0.5	<2	7.75	<0.5	45	354	63	7.45



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 3-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021507

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
167361		1.80	2.27	865	<1	1.06	54	110	7	0.06	<5	80	0.17	93	<10	76
167362		0.63	5.66	1390	<1	1.26	148	240	6	0.05	<5	154	0.36	217	<10	66
167363		0.26	5.11	1380	<1	1.44	142	250	5	0.05	<5	217	0.37	218	10	66
167364		0.80	6.93	1390	<1	1.14	206	500	4	0.28	<5	192	0.33	202	<10	69
167365		0.59	5.70	1435	<1	1.60	134	280	4	0.06	<5	195	0.36	217	<10	61
167366		0.44	5.28	1425	<1	1.43	138	270	4	0.12	<5	197	0.36	219	<10	65
167367		0.32	5.02	1545	<1	1.32	170	250	4	0.10	<5	178	0.35	208	<10	63
167368		0.19	0.07	37	<1	6.5	4	640	126	3.00	<5	19	0.01	2	<10	17
167369		0.22	5.18	1450	<1	1.48	132	240	2	0.03	<5	171	0.37	223	<10	67
167370		0.24	4.87	1455	<1	1.46	136	240	6	0.05	<5	180	0.36	217	<10	62
167371		0.25	4.96	1440	<1	1.56	116	270	10	0.05	<5	217	0.36	212	<10	67
167372		0.25	4.48	1370	<1	1.27	127	230	5	0.07	<5	163	0.37	220	10	62
167373		0.22	4.47	1350	<1	1.30	136	240	2	0.05	<5	160	0.37	220	<10	63
167374		0.26	4.46	1400	<1	1.44	148	240	6	0.20	<5	196	0.37	220	20	64
167375 DUP		0.26	4.50	1420	<1	1.44	144	250	7	0.19	5	198	0.38	222	10	64
167376		4.22	0.24	224	<1	2.01	6	150	34	0.01	<5	149	0.08	11	<10	26
167377		0.31	4.59	1340	<1	1.58	88	460	<2	0.15	<5	292	0.35	199	<10	66
167378		0.47	5.83	1495	<1	1.28	123	370	9	0.08	<5	188	0.34	200	<10	68
167379		0.36	4.74	1410	<1	1.30	130	220	4	0.07	<5	138	0.35	211	10	64
167380		0.30	4.50	1465	<1	1.29	124	240	6	0.05	7	162	0.38	229	<10	63
167381		0.42	4.95	1380	<1	1.30	133	220	5	0.03	<5	118	0.36	213	<10	63
167382		0.41	5.16	1320	<1	1.30	131	230	5	0.01	<5	123	0.35	212	<10	61
167383		0.79	4.02	1155	<1	1.50	106	200	5	0.05	5	119	0.31	171	10	71
167384		1.52	0.49	344	<1	2.91	15	90	9	0.13	<5	145	0.12	17	<10	40
167385		0.93	4.52	1415	<1	0.99	108	240	6	0.07	<5	155	0.33	194	<10	72
167386		0.19	0.07	109	<1	6.3	3	620	125	2.94	<5	20	0.01	2	<10	20
167387		1.44	0.58	654	<1	2.72	2	440	7	0.06	<5	176	0.28	32	<10	51
167388		1.06	1.84	1095	<1	2.07	24	910	6	0.19	<5	253	0.55	107	<10	95
167389		0.51	4.90	1590	<1	1.10	144	250	6	0.11	<5	127	0.35	215	<10	67
167390		0.48	4.72	1415	<1	0.94	145	220	4	0.12	<5	141	0.38	217	10	69
167391		0.48	5.05	1455	<1	1.19	126	230	3	0.12	<5	130	0.35	212	10	64
167392		0.29	5.15	1425	<1	1.20	138	240	<2	0.04	<5	130	0.38	226	10	63
167393		0.34	4.94	1400	<1	1.09	136	230	3	0.14	<5	128	0.36	219	10	63
167394 DUP		0.36	4.87	1385	<1	1.07	138	220	5	0.14	<5	124	0.36	216	10	63
167395		3.98	0.18	178	3	2.11	3	150	35	<0.01	<5	140	0.07	7	<10	24
167396		0.34	5.05	1345	<1	1.24	170	420	<2	0.16	<5	237	0.36	197	<10	74
167397		0.57	5.40	1330	<1	1.48	181	1500	2	0.35	<5	671	0.56	213	10	99
167398		0.26	5.01	1415	<1	1.16	140	240	6	0.04	<5	160	0.35	213	20	62
167399		0.32	4.56	1420	<1	1.07	146	220	<2	0.11	<5	133	0.34	208	10	59
167400		0.64	5.18	1410	<1	1.30	138	230	6	0.12	<5	96	0.36	215	10	67



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 3-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021507**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd WL	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
167401		2.69	0.007		<0.5	8.05	7	120	<0.5	<2	7.08	<0.5	32	112	4	6.81
167402		2.87	5.00		<0.5	8.06	9	110	<0.5	<2	6.77	<0.5	24	120	39	6.10
167403		2.82	0.053		<0.5	7.37	<5	150	<0.5	<2	7.12	<0.5	24	112	104	6.19
167404		2.63	0.007		<0.5	7.72	<5	100	<0.5	<2	6.70	<0.5	28	112	28	6.64
167405		2.69	0.039		<0.5	7.73	<5	150	<0.5	<2	6.01	<0.5	23	98	14	6.17
167406		0.06	0.943		10.6	8.29	5	50	3.2	<2	0.34	<0.5	<1	3	8	2.77
167407		2.21	2.21		<0.5	7.55	<5	270	0.8	<2	4.17	<0.5	10	53	81	3.33
167408		2.53	0.090		<0.5	7.50	<5	150	0.6	<2	5.56	<0.5	29	105	261	5.77
167409		2.56	0.478		<0.5	7.36	<5	120	<0.5	<2	7.19	<0.5	53	126	521	7.45
167410		2.85	0.039		<0.5	7.46	<5	80	<0.5	<2	6.52	<0.5	45	123	204	7.87
167411		3.38	0.009		<0.5	7.88	7	90	<0.5	<2	6.71	<0.5	46	116	101	9.68
167412		2.59	0.499	0.485	0.6	7.71	<5	90	<0.5	<2	7.64	<0.5	50	133	1005	7.64
167413 DUP		<0.02	0.399	0.458	0.5	7.76	<5	90	<0.5	<2	7.59	<0.5	50	134	893	7.74
167414		0.10	<0.005		<0.5	6.93	<5	550	0.9	<2	0.94	<0.5	1	9	9	2.15
167415		2.82	0.518		<0.5	7.85	10	90	<0.5	<2	6.76	<0.5	49	139	379	7.35
167416		2.48	1.970		<0.5	7.56	<5	140	0.5	<2	5.82	<0.5	28	91	136	6.29
167417		2.81	0.278		<0.5	7.80	13	150	<0.5	<2	6.39	<0.5	45	138	430	7.38
167418		2.67	0.094		<0.5	7.43	<5	110	<0.5	<2	6.35	<0.5	29	106	34	6.93
167419		2.96	0.545		<0.5	7.36	<5	160	<0.5	<2	6.01	<0.5	29	103	251	6.67
167420		2.65	0.140		<0.5	7.47	<5	120	<0.5	<2	5.67	<0.5	31	102	28	7.07
167421		2.82	0.244		<0.5	8.01	<5	130	<0.5	<2	6.20	<0.5	31	122	14	7.46
167422		2.40	0.040		<0.5	7.82	10	170	<0.5	<2	6.37	<0.5	35	103	89	7.84
167423		2.06	0.065		<0.5	6.25	<5	440	1.1	<2	1.32	<0.5	2	9	53	1.70
167424		2.46	0.205		<0.5	7.37	15	240	0.6	<2	5.02	<0.5	18	84	6	5.46
167425		1.21	1.310	1.815	<0.5	7.45	<5	150	<0.5	<2	5.84	<0.5	18	125	51	5.95
167426 DUP		<0.02	1.845	2.04	0.5	7.52	<5	150	<0.5	<2	5.89	<0.5	19	120	50	5.88
167427		0.14	<0.005		<0.5	6.62	<5	550	0.8	<2	0.96	<0.5	1	7	6	2.06
167428		1.27	0.032		<0.5	7.68	<5	160	<0.5	<2	6.88	<0.5	30	110	44	6.79
167429		2.65	0.020		<0.5	7.96	14	100	<0.5	<2	7.01	<0.5	28	105	16	6.91
167430		2.49	5.02		<0.5	8.44	<5	200	0.5	<2	6.51	<0.5	29	122	36	7.55
167431		2.88	<0.005		<0.5	8.07	<5	200	0.5	<2	6.70	<0.5	30	112	49	7.69
167432		2.48	1.205		<0.5	8.86	<5	140	<0.5	<2	7.70	<0.5	28	106	12	7.95
167433		2.83	0.026		<0.5	8.41	<5	140	<0.5	<2	6.38	<0.5	26	116	30	7.66
167434		2.73	0.169		<0.5	8.04	<5	100	<0.5	<2	7.21	<0.5	25	88	101	6.97
167435		0.06	1.765		19.6	8.44	<5	60	3.5	<2	0.36	<0.5	1	3	6	2.68
167436		2.60	0.302		0.5	7.68	6	80	<0.5	<2	6.61	<0.5	36	106	558	7.19
167437		2.46	0.047		0.5	8.20	9	420	0.7	<2	5.62	<0.5	44	103	477	8.25
167438		2.35	0.240		<0.5	8.34	8	90	<0.5	<2	7.20	<0.5	41	128	229	7.73
167439		2.09	0.020		<0.5	7.71	<5	130	<0.5	<2	5.90	<0.5	51	146	670	8.30
167440		1.75	0.457		<0.5	8.44	<5	130	<0.5	<2	6.32	<0.5	38	115	209	7.66



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 3-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06021507

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
167401		0.89	4.25	1210	<1	1.72	71	370	3	0.01	<5	162	0.46	209	10	83
167402		0.81	3.19	1125	<1	1.80	80	400	3	0.08	<5	162	0.45	207	<10	65
167403		1.06	3.36	1165	<1	1.21	79	340	4	0.18	<5	136	0.43	212	<10	71
167404		0.88	4.08	1165	<1	1.61	71	370	2	0.01	<5	150	0.45	203	<10	67
167405		0.81	3.62	1060	<1	1.89	63	350	<2	0.02	<5	136	0.42	187	<10	64
167406		0.19	0.07	36	<1	6.8	2	630	121	3.02	<5	20	0.01	1	<10	16
167407		0.73	1.30	690	<1	3.19	44	200	3	0.12	<5	156	0.22	82	10	41
167408		0.77	2.23	850	<1	1.99	50	300	<2	0.59	<5	154	0.37	162	<10	47
167409		0.93	2.67	1075	<1	1.29	80	330	<2	1.21	<5	131	0.42	204	10	53
167410		0.58	3.41	1205	<1	1.65	87	460	<2	0.53	<5	188	0.54	196	<10	76
167411		0.45	3.89	1440	<1	1.98	103	840	<2	0.31	<5	324	0.81	216	<10	114
167412		0.56	2.78	1110	<1	1.58	87	410	<2	1.00	<5	191	0.48	196	<10	62
167413 DUP		0.56	2.90	1135	<1	1.64	87	410	23	0.96	<5	193	0.49	197	<10	92
167414		4.06	0.23	184	<1	2.23	3	170	44	0.01	<5	156	0.08	9	<10	29
167415		0.85	2.80	1080	<1	1.37	73	370	<2	1.11	<5	147	0.46	204	10	55
167416		0.96	2.84	1035	<1	1.59	55	520	3	0.40	<5	152	0.44	163	10	67
167417		1.29	3.32	1090	<1	1.27	70	350	<2	0.92	<5	131	0.44	205	10	84
167418		1.08	4.05	1180	<1	1.26	69	340	<2	0.13	<5	132	0.41	192	<10	100
167419		1.41	3.78	1175	<1	1.74	65	370	3	0.18	<5	134	0.44	196	<10	66
167420		1.02	3.93	1060	<1	1.52	73	390	<2	0.16	<5	128	0.47	204	<10	62
167421		1.22	4.41	1085	<1	1.70	77	380	2	0.06	<5	138	0.44	208	30	70
167422		0.98	3.79	1190	<1	1.72	90	510	2	0.31	<5	270	0.46	170	<10	78
167423		0.81	0.18	164	<1	3.16	1	70	7	0.27	<5	144	0.10	4	<10	15
167424		1.16	2.73	900	<1	1.91	48	280	2	0.04	<5	123	0.34	141	<10	53
167425		1.51	2.86	1040	<1	0.96	65	350	<2	0.37	<5	124	0.43	193	10	68
167426 DUP		1.49	2.85	1030	<1	0.97	66	340	2	0.36	<5	126	0.43	192	10	67
167427		4.09	0.22	180	<1	2.06	3	160	33	0.01	<5	152	0.08	8	<10	25
167428		0.84	3.37	1115	<1	1.41	83	380	5	0.20	<5	162	0.45	214	<10	63
167429		0.91	3.87	1155	<1	1.23	74	360	7	0.09	<5	149	0.45	210	<10	66
167430		1.79	4.16	1215	<1	1.34	93	860	8	0.25	<5	213	0.51	217	20	103
167431		1.61	4.44	1155	<1	1.08	75	1060	2	0.06	<5	304	0.49	206	<10	84
167432		1.25	4.77	1295	<1	1.43	74	440	<2	0.03	<5	180	0.48	220	<10	66
167433		0.97	4.20	1260	<1	1.59	86	400	2	0.10	<5	146	0.46	213	<10	66
167434		0.85	3.59	1330	<1	1.37	73	480	<2	0.17	<5	158	0.48	210	20	66
167435		0.20	0.07	115	<1	7.0	3	660	119	2.89	<5	20	0.02	2	<10	20
187436		1.38	3.83	1335	<1	0.84	64	390	10	0.59	<5	144	0.44	207	10	71
167437		2.18	4.08	1360	<1	1.55	54	1080	19	1.10	<5	377	0.43	196	10	102
167438		1.15	3.76	1325	<1	1.08	70	390	<2	0.66	<5	122	0.48	221	10	66
167439		1.11	4.01	1185	<1	1.28	84	380	<2	0.82	<5	122	0.44	213	10	72
187440		1.10	4.16	1160	<1	1.43	85	420	<2	0.41	<5	138	0.48	216	<10	68



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 3-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021507**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
167441		2.62	0.558		<0.5	7.22	8	130	<0.5	<2	5.87	<0.5	39	118	253	7.03
167442		2.60	0.019		<0.5	8.34	<5	130	<0.5	<2	6.44	<0.5	37	126	352	7.72
167443		2.46	0.013		<0.5	7.93	<5	120	<0.5	<2	5.94	<0.5	43	127	346	7.82
167444		2.44	0.013		<0.5	8.37	6	120	<0.5	<2	6.60	<0.5	37	118	230	8.06
167445		2.79	0.011		<0.5	8.08	<5	130	<0.5	<2	6.50	<0.5	36	152	157	7.30
167446		2.61	0.016		<0.5	7.10	<5	160	0.6	<2	6.17	<0.5	39	561	66	6.07
167447		0.06	1.020		11.2	8.94	7	50	3.3	<2	0.36	<0.5	1	8	9	2.94
167448		2.54	0.015		<0.5	7.91	<5	240	0.8	<2	5.51	<0.5	27	333	31	5.01
167449		2.23	0.051		<0.5	8.10	8	180	<0.5	<2	7.17	<0.5	37	258	146	7.47
167450		2.53	0.012		<0.5	7.86	6	180	0.6	<2	6.18	<0.5	34	402	83	6.42
167451		2.40	0.310		<0.5	7.71	<5	160	<0.5	<2	6.44	<0.5	40	284	141	7.26
167452		2.64	0.298		0.6	7.81	<5	140	<0.5	<2	6.85	<0.5	33	137	380	6.99
167453		2.48	0.164		0.5	7.67	9	140	<0.5	<2	6.96	<0.5	37	277	336	7.77
167454		2.31	0.189	0.226	<0.5	8.70	<5	290	0.6	<2	5.63	<0.5	28	128	195	6.61
167455 DUP		<0.02	0.254	0.277	<0.5	8.19	<5	270	0.6	<2	5.26	<0.5	26	126	179	6.33
167456		0.10	<0.005		<0.5	6.77	8	510	0.9	<2	1.16	<0.5	1	7	6	1.88
167457		2.90	0.517		<0.5	6.04	<5	100	<0.5	<2	7.12	<0.5	50	955	218	8.68
167458		2.83	2.60		<0.5	6.67	7	40	<0.5	<2	8.35	<0.5	63	1260	202	10.80
167459		3.19	0.067		<0.5	8.38	<5	400	0.7	<2	5.40	<0.5	38	429	48	6.43
167460		2.81	1.975		<0.5	5.63	<5	20	<0.5	<2	6.67	<0.5	72	1440	169	8.96



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 3-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06021507**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
167441		1.27	3.48	1115	<1	1.00	79	350	<2	0.74	<5	110	0.41	189	10	70
167442		1.11	4.17	1255	<1	1.45	83	400	<2	0.39	<5	127	0.47	218	10	78
167443		0.94	3.91	1170	<1	1.50	82	370	<2	0.57	<5	125	0.46	207	30	69
167444		0.98	4.36	1270	<1	1.52	80	410	<2	0.39	<5	132	0.48	227	10	72
167445		0.89	4.31	1175	<1	1.53	82	420	<2	0.27	<5	164	0.45	215	<10	64
167446		1.11	5.48	1055	<1	1.48	178	720	3	0.11	<5	211	0.39	164	10	87
167447		0.20	0.08	36	<1	7.7	2	670	132	3.22	<5	21	0.01	2	<10	17
167448		1.26	4.20	904	<1	2.18	150	1000	5	0.09	<5	222	0.46	109	<10	59
167449		1.08	5.12	1455	<1	1.61	123	440	2	0.13	<5	267	0.45	217	10	98
167450		1.00	4.56	1090	<1	1.89	128	590	<2	0.17	<5	251	0.39	160	<10	72
167451		1.18	5.31	1335	<1	1.37	122	540	<2	0.26	<5	230	0.44	205	10	72
167452		1.76	3.65	1385	<1	0.73	80	380	<2	0.67	<5	100	0.44	200	20	67
167453		1.77	4.10	1555	<1	0.80	139	380	<2	1.01	<5	95	0.43	200	30	61
167454		1.86	3.06	1185	<1	1.54	102	550	3	0.74	<5	115	0.46	188	80	57
167455 DUP		1.77	2.88	1125	<1	1.44	96	510	<2	0.75	<5	109	0.46	179	80	54
167456		4.13	0.19	172	<1	2.31	3	160	30	0.02	5	149	0.08	8	<10	25
187457		0.77	6.43	1785	<1	0.63	480	250	<2	1.01	<5	82	0.31	183	50	69
187458		0.45	9.11	2360	1	0.53	667	210	<2	1.35	<5	129	0.27	188	50	110
187459		2.10	5.70	1085	<1	1.18	236	1010	4	0.23	<5	500	0.44	168	<10	93
167460		0.29	9.71	1770	4	0.45	773	190	<2	0.81	<5	83	0.23	152	150	104



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 28-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06022061

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 14-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022061

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
161510		1.18	7.70	47.0	6.21	2.025	43.11	1131.0	5.92	6.49

Comments: Sample from VO06014121.





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

**CERTIFICATE VO06022062**

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 14-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 28-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022062**

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
161236		0.97	43.3	608	34.0	9.546	15.70	958.4	35.6	32.4

Comments: Sample from VO06013489.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page. 1  
Finalized Date: 7-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06022286

Project: DETOUR LAKE

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 10-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 7-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022286**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.05	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
162361		2.79	0.049				<0.5	8.26	<5	160	0.5	<2	6.53	<0.5	28	119
162362		2.77	0.012				<0.5	8.13	5	170	<0.5	<2	6.24	<0.5	29	114
162363		2.81	0.008				<0.5	8.18	<5	160	<0.5	<2	6.63	<0.5	29	116
162364		2.73	0.036				<0.5	7.82	<5	130	<0.5	<2	6.15	<0.5	28	114
162365		2.52	0.174				<0.5	8.06	<5	150	<0.5	<2	5.92	<0.5	27	116
162366		0.05	1.760				19.9	8.56	<5	60	3.2	<2	0.35	<0.5	<1	4
162367		2.79	0.039				<0.5	8.21	8	130	<0.5	<2	6.30	<0.5	26	114
162368		2.73	0.291				<0.5	7.86	<5	150	<0.5	<2	5.64	<0.5	27	118
162369		2.84	0.860				<0.5	7.85	<5	100	<0.5	<2	6.99	<0.5	27	128
162370		1.71	0.448				<0.5	7.39	7	150	<0.5	<2	6.05	<0.5	21	116
162371		3.40	0.462				<0.5	7.60	<5	230	0.6	<2	5.91	<0.5	21	94
162372		2.96	0.040				<0.5	7.67	5	70	<0.5	<2	6.69	<0.5	32	115
162373		2.83	0.022				<0.5	7.79	6	70	<0.5	<2	6.86	<0.5	33	118
162374		2.76	0.133				<0.5	7.33	<5	80	<0.5	<2	7.01	<0.5	28	108
162375		2.52	0.087				<0.5	7.61	<5	120	<0.5	<2	5.93	<0.5	26	106
162376		2.38	0.059				<0.5	7.86	<5	160	<0.5	<2	5.52	<0.5	25	124
162377		0.10	<0.005				<0.5	6.95	<5	530	0.9	<2	0.93	<0.5	1	10
162378		2.91	0.084				<0.5	7.60	7	80	<0.5	<2	7.45	<0.5	25	84
162379		2.63	6.86	6.41			<0.5	6.73	<5	100	<0.5	<2	5.82	<0.5	22	126
162380 DUP		<0.02	>10.0		7.22	7.37	<0.5	6.86	<5	100	<0.5	<2	5.84	<0.5	22	124
162381		2.73	0.192				<0.5	7.63	9	160	<0.5	<2	6.05	<0.5	35	159
162382		2.71	0.229				0.5	7.18	<5	180	<0.5	<2	5.49	<0.5	40	166
162383		2.27	0.030				<0.5	7.82	<5	220	0.8	<2	3.89	<0.5	13	65
162384		3.34	0.095				<0.5	7.01	7	190	<0.5	<2	6.16	<0.5	25	208
162385		1.58	0.058				<0.5	7.16	<5	270	1.0	<2	2.61	<0.5	8	9
162386		2.81	0.162	0.143			<0.5	6.11	<5	210	<0.5	<2	4.45	<0.5	20	104
162387 DUP		<0.02	0.077	0.067			<0.5	6.13	<5	220	<0.5	<2	4.40	<0.5	19	96
162388		2.62	3.48				<0.5	7.68	<5	220	<0.5	<2	5.80	<0.5	32	404
162389		2.65	0.084				<0.5	6.78	<5	190	0.5	<2	5.54	<0.5	39	662
162390		2.25	0.097				<0.5	5.56	<5	70	<0.5	<2	4.47	<0.5	66	1385
162391		0.11	0.005				<0.5	6.74	<5	540	0.8	<2	0.79	<0.5	1	20
162392		2.73	0.091				<0.5	5.00	<5	60	<0.5	<2	5.34	<0.5	66	1465
162393		2.78	0.188				<0.5	4.88	<5	10	<0.5	<2	5.05	0.9	74	1620
162394		3.00	0.070				<0.5	7.58	<5	150	<0.5	<2	6.60	<0.5	40	367
162395		2.75	0.245				<0.5	7.60	5	220	0.7	<2	3.96	<0.5	20	224
162396		0.05	0.956				9.8	8.73	8	50	3.2	<2	0.36	<0.5	<1	6
162397		2.77	3.40				<0.5	7.26	<5	150	<0.5	<2	6.60	<0.5	37	432
162398		3.15	5.94				<0.5	7.35	<5	100	<0.5	<2	6.48	<0.5	44	480
162399		2.94	0.166				<0.5	7.30	5	110	<0.5	<2	6.69	<0.5	47	450
162400		3.04	0.094				<0.5	7.07	<5	80	<0.5	<2	7.04	<0.5	49	653



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 7-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022286

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units LOR	ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
162361		46	7.63	1.09	4.23	1185	<1	1.48	63	610	6	0.21	5	205	0.45	215
162362		12	7.29	1.18	4.32	1175	<1	1.84	81	460	5	0.06	<5	168	0.44	213
162363		4	7.40	1.42	4.27	1235	<1	1.43	73	370	2	0.02	<5	145	0.45	217
162364		11	7.18	1.31	4.16	1110	<1	1.39	68	370	2	0.06	<5	130	0.44	209
162365		2	7.28	1.41	4.21	1045	<1	1.50	70	370	3	0.01	5	142	0.44	218
162366		5	2.97	0.19	0.07	112	<1	6.6	4	640	126	3.14	<5	23	0.01	2
162367		22	7.04	1.14	4.01	1140	<1	1.66	69	400	4	0.13	5	126	0.46	219
162368		5	7.33	1.38	4.17	1095	<1	1.48	73	380	5	0.03	<5	120	0.43	207
162369		10	6.76	1.02	3.78	1215	1	1.36	73	390	3	0.16	<5	131	0.44	213
162370		37	6.74	1.56	3.54	1295	<1	0.73	84	360	3	0.45	<5	104	0.42	196
162371		67	5.76	1.36	2.71	1005	<1	1.57	54	1390	5	0.44	<5	385	0.48	158
162372		276	6.82	0.74	3.39	1145	1	1.42	63	370	5	0.34	<5	156	0.43	201
162373		114	7.27	0.68	3.69	1245	1	1.35	67	380	3	0.31	<5	128	0.42	212
162374		114	6.72	0.84	3.55	1220	2	1.06	72	370	3	0.29	<5	128	0.41	190
162375		21	6.99	1.20	4.14	1135	<1	1.20	69	370	9	0.11	<5	118	0.43	207
162376		15	7.18	1.36	4.28	1115	<1	1.33	75	360	6	0.08	<5	112	0.43	205
162377		6	2.04	4.09	0.26	189	<1	2.09	6	170	38	0.01	<5	154	0.09	12
162378		52	7.10	0.96	3.83	1415	<1	0.91	64	440	8	0.23	<5	116	0.50	228
162379		39	5.96	1.29	3.35	1185	<1	0.80	77	340	4	0.27	<5	107	0.39	181
162380 DUP		37	5.98	1.30	3.31	1195	<1	0.78	75	340	4	0.26	<5	108	0.39	182
162381		237	7.00	1.94	3.48	1285	1	0.90	100	370	3	1.03	5	117	0.43	202
162382		329	6.72	2.35	3.17	1225	<1	0.79	96	350	4	1.35	<5	94	0.39	180
162383		39	4.18	1.26	1.70	672	1	2.36	27	770	2	0.19	<5	205	0.41	89
162384		26	6.00	1.47	4.31	1320	<1	0.99	95	350	7	0.15	<5	150	0.38	162
162385		18	2.89	1.08	0.56	387	1	2.61	4	520	6	0.15	<5	189	0.31	36
162386		37	6.23	1.51	3.47	1165	1	0.74	71	310	2	0.72	<5	104	0.34	156
162387 DUP		38	6.19	1.55	3.41	1155	1	0.73	72	310	<2	0.74	6	104	0.35	158
162388		64	8.12	1.52	5.21	1335	1	1.08	167	500	7	0.79	<5	180	0.44	209
162389		76	7.52	0.77	6.87	1275	1	1.16	322	670	3	0.58	<5	328	0.35	158
162390		86	6.56	0.28	10.65	1150	1	0.61	771	430	16	0.35	<5	127	0.25	134
162391		4	2.13	4.25	0.23	182	<1	2.03	8	150	34	0.01	<5	148	0.08	9
162392		98	6.79	0.38	12.05	1295	<1	0.33	764	400	16	0.52	<5	102	0.22	136
162393		92	7.01	0.18	12.50	1260	1	0.20	880	270	218	0.52	<5	35	0.23	148
162394		1	7.37	1.40	6.08	1285	<1	1.04	152	250	4	0.01	<5	108	0.38	228
162395		26	5.10	0.94	2.91	773	1	2.28	76	450	7	0.23	<5	172	0.34	110
162396		7	2.80	0.20	0.08	38	1	7.0	3	660	119	2.89	<5	22	0.01	2
162397		1	7.56	1.54	6.37	1310	<1	1.20	171	240	4	0.01	<5	93	0.35	213
162398		9	8.02	0.84	6.75	1335	<1	1.30	201	260	3	0.07	<5	120	0.35	221
162399		33	7.54	0.98	6.59	1325	<1	0.91	184	230	<2	0.08	<5	130	0.35	224
162400		8	7.44	0.66	6.87	1320	<1	0.99	224	230	5	0.02	5	148	0.33	217



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 7-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022286

Sample Description	Method Analyte Units LOR	ME-JCP81	ME-JCP81
		W ppm	Zn ppm
162361		<10	72
162362		<10	65
162363		<10	63
162364		<10	65
162365		<10	63
162366		<10	17
162367		<10	74
162368		<10	66
162369		<10	60
162370		20	76
162371		<10	69
162372		<10	61
162373		10	61
162374		<10	52
162375		10	71
162376		<10	65
162377		<10	28
162378		10	61
162379		10	69
162380 DUP		10	70
162381		10	55
162382		10	65
162383		<10	59
162384		10	95
162385		<10	28
162386		10	60
162387 DUP		10	59
162388		10	101
162389		<10	96
162390		<10	126
162391		<10	26
162392		<10	108
162393		<10	1055
162394		<10	65
162395		<10	58
162396		<10	14
162397		<10	83
162398		<10	67
162399		<10	57
162400		<10	60



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 7-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022286

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
162401		2.79	0.079				<0.5	7.06	5	70	<0.5	<2	6.64	<0.5	50	802
162402		3.52	0.305				<0.5	7.43	<5	220	0.6	<2	3.70	<0.5	31	530
162403		1.87	0.157				<0.5	6.18	<5	50	<0.5	<2	6.16	<0.5	61	1115
162404		3.21	0.302				<0.5	6.07	<5	50	<0.5	<2	6.08	<0.5	59	1245
162405		2.16	1.170				<0.5	5.77	<5	100	<0.5	<2	5.37	<0.5	51	1110
182406		2.54	0.441				<0.5	5.88	<5	100	<0.5	<2	5.13	<0.5	49	1130
182407		2.79	0.209				<0.5	5.45	<5	80	<0.5	2	4.78	<0.5	47	1205
162408 DUP		<0.02	0.185				<0.5	5.44	8	80	<0.5	3	4.76	<0.5	47	1180
182409		0.07	0.006				<0.5	7.10	<5	550	0.8	<2	1.01	<0.5	2	38
182410		2.91	0.272				<0.5	7.61	<5	200	0.5	<2	5.12	<0.5	41	815
162411		2.73	0.247				<0.5	7.23	<5	370	<0.5	<2	6.07	<0.5	49	717
162412		2.39	0.033				<0.5	8.31	<5	510	0.6	3	4.17	<0.5	26	365
182413		2.42	0.343				<0.5	5.58	10	20	<0.5	<2	6.41	<0.5	65	1075
182414		2.92	0.890				<0.5	6.22	<5	50	<0.5	<2	5.74	<0.5	61	1075
162415		0.05	1.815				19.6	8.47	8	60	3.1	2	0.36	<0.5	1	15
182416		2.48	0.363				<0.5	7.39	<5	100	<0.5	2	6.99	<0.5	44	320
162417		2.73	0.036				<0.5	7.60	12	70	<0.5	2	7.55	<0.5	44	326
162418		2.44	0.068				<0.5	7.42	<5	40	<0.5	<2	7.27	<0.5	43	335
162419		2.64	0.298				<0.5	7.34	<5	50	<0.5	<2	8.03	<0.5	44	320
162420		2.60	0.047				<0.5	7.68	6	50	<0.5	<2	7.81	<0.5	49	330
162421		2.50	0.301				<0.5	6.91	<5	70	<0.5	2	7.16	<0.5	41	302
162422		2.62	1.135				<0.5	7.60	<5	50	<0.5	4	7.82	<0.5	47	344
162423		2.60	2.11	1.545			<0.5	7.25	<5	40	<0.5	4	9.52	<0.5	52	314
162424 DUP		<0.02	1.390	2.27			<0.5	6.63	<5	40	<0.5	<2	9.37	<0.5	51	289
162425		2.71	0.086				<0.5	7.45	<5	60	<0.5	3	8.12	<0.5	44	321
162426		2.69	0.029				<0.5	7.37	<5	50	<0.5	2	8.02	<0.5	46	323
162427		2.45	0.024				<0.5	7.16	5	40	<0.5	2	8.37	<0.5	44	298
162428		2.18	0.074				<0.5	7.12	8	70	<0.5	2	7.60	<0.5	47	297
162429		2.46	0.048				<0.5	7.41	6	100	<0.5	<2	7.37	<0.5	42	313
162430		2.23	0.103				<0.5	7.36	<5	60	<0.5	2	7.70	<0.5	44	336
182431		0.09	0.005				<0.5	6.78	<5	530	0.8	2	0.90	<0.5	3	19
162432		2.44	0.263				<0.5	7.24	<5	60	<0.5	<2	7.49	<0.5	44	310
162433		2.46	0.180				<0.5	7.44	5	50	<0.5	2	9.08	<0.5	41	304
162434		2.46	0.028				<0.5	7.34	<5	50	<0.5	<2	8.30	<0.5	44	294
162435		2.46	0.232				<0.5	7.89	<5	60	<0.5	2	8.53	<0.5	45	313
162436		0.05	0.977				10.6	8.27	6	50	3.0	2	0.35	<0.5	2	13
162437		2.04	0.112				<0.5	6.84	6	60	<0.5	<2	7.91	<0.5	44	292
162438		2.44	0.029				<0.5	6.95	<5	520	1.1	3	1.28	<0.5	1	16
162439		3.19	0.090				<0.5	6.79	<5	90	<0.5	<2	9.74	<0.5	38	267
162440		2.69	0.161				<0.5	7.38	<5	50	<0.5	<2	8.90	<0.5	40	295



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 7-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022286

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
162401		9	7.77	0.47	7.51	1290	<1	1.22	316	490	4	0.07	<5	148	0.37	210
162402		19	5.02	0.76	4.48	867	1	2.27	240	580	10	0.28	5	159	0.34	98
162403		8	8.14	0.59	10.05	1495	1	0.37	585	390	<2	0.07	<5	74	0.32	188
162404		1	8.28	0.87	10.80	1330	<1	0.34	614	220	<2	0.01	<5	46	0.30	190
162405		12	8.87	0.93	10.10	1350	<1	0.26	537	210	<2	0.12	<5	49	0.29	180
162406		21	8.67	1.16	10.20	1425	<1	0.25	569	230	<2	0.19	<5	72	0.29	178
162407		41	9.03	1.58	9.19	1280	1	0.28	508	180	52	0.37	<5	70	0.27	168
162408 DUP		40	9.00	1.58	9.18	1275	1	0.28	501	200	60	0.36	<5	73	0.27	167
162409		6	2.37	4.14	0.40	222	1	2.07	14	160	32	0.01	<5	148	0.09	15
162410		21	7.60	1.14	7.33	1155	<1	1.09	372	450	<2	0.21	<5	212	0.34	166
162411		34	6.38	1.40	8.27	1045	<1	0.77	435	630	<2	0.31	<5	310	0.23	138
162412		15	3.30	1.24	4.11	584	1	2.86	236	430	<2	0.12	<5	259	0.16	63
162413		54	7.90	0.24	10.35	1455	15	0.35	639	140	<2	0.18	<5	74	0.25	175
162414		154	7.63	0.33	10.15	1395	<1	0.45	621	170	<2	0.26	<5	78	0.26	174
162415		6	2.94	0.19	0.08	117	<1	6.9	5	640	124	3.08	<5	23	0.01	3
162416		8	7.28	0.91	5.43	1305	<1	1.15	136	240	2	0.03	<5	127	0.38	227
162417		12	7.75	0.56	5.44	1365	<1	1.29	146	250	<2	0.08	<5	137	0.39	235
162418		8	7.59	0.42	4.89	1280	<1	1.34	138	240	<2	0.03	<5	146	0.38	229
162419		33	8.08	0.54	5.21	1485	<1	1.16	141	240	<2	0.11	<5	132	0.36	220
162420		98	8.03	0.47	5.10	1400	<1	1.32	137	250	<2	0.23	<5	141	0.38	225
162421		34	7.10	0.50	4.99	1230	<1	1.31	133	220	<2	0.16	<5	108	0.35	211
162422		46	8.07	0.43	4.85	1355	<1	1.37	164	230	<2	0.12	<5	144	0.38	233
162423		293	7.88	0.34	4.94	1385	<1	1.32	131	220	<2	0.28	<5	133	0.36	218
162424 DUP		302	7.38	0.32	4.58	1305	<1	1.24	125	210	<2	0.32	<5	124	0.34	201
162425		12	7.88	0.52	5.32	1470	<1	1.27	141	240	<2	0.06	<5	122	0.38	229
162426		10	7.66	0.41	4.67	1340	<1	1.26	131	230	<2	0.07	<5	139	0.37	223
162427		5	7.52	0.33	5.01	1330	<1	1.33	132	230	<2	0.01	<5	134	0.37	220
162428		126	7.91	0.52	5.30	1390	<1	1.47	158	590	<2	0.24	<5	204	0.43	222
162429		18	7.69	0.67	4.96	1360	<1	1.15	130	230	<2	0.06	<5	168	0.37	224
162430		55	7.84	0.50	4.84	1340	<1	1.13	131	230	<2	0.16	<5	132	0.37	224
162431		6	1.95	3.88	0.26	180	2	2.09	6	170	33	0.01	<5	161	0.09	12
162432		8	7.39	0.76	5.51	1285	<1	1.23	145	220	<2	0.06	<5	92	0.37	220
162433		148	7.84	0.44	4.88	1445	<1	1.27	127	240	<2	0.16	<5	115	0.37	221
162434		11	7.77	0.44	4.84	1360	<1	1.35	136	230	<2	0.03	<5	132	0.37	223
162435		8	8.15	0.44	5.18	1345	<1	1.44	136	240	<2	0.02	<5	135	0.38	225
162436		8	2.78	0.19	0.07	37	<1	7.0	3	630	121	2.89	<5	23	0.01	2
162437		10	7.32	0.48	4.74	1270	<1	1.25	131	210	2	0.02	<5	122	0.35	208
162438		15	1.58	1.26	0.11	291	<1	3.19	<1	80	2	0.13	<5	128	0.09	3
162439		14	7.08	0.48	4.68	1220	<1	1.36	126	230	<2	0.04	<5	172	0.35	202
162440		11	7.39	0.38	5.01	1270	<1	1.30	134	230	<2	0.05	<5	154	0.37	217





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 7-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022286

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
162401		<10	72
162402		<10	53
162403		<10	95
162404		<10	72
162405		<10	84
162406		<10	87
162407		<10	372
162408 DUP		<10	341
162409		<10	29
162410		<10	112
162411		<10	73
162412		<10	50
162413		10	140
162414		10	164
162415		<10	19
162416		10	59
162417		<10	73
162418		20	63
162419		70	77
162420		10	73
162421		20	116
162422		<10	95
162423		<10	59
162424 DUP		<10	55
162425		140	69
162426		<10	60
162427		<10	57
162428		<10	79
162429		<10	77
162430		10	64
162431		<10	26
162432		<10	60
162433		10	66
162434		40	61
162435		<10	57
162436		<10	16
162437		<10	84
162438		<10	19
162439		10	57
162440		10	54



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 7-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022286

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Recvd Wt.	Au	Au Check	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr
Units		kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR							0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
162441		1.64	0.016				<0.5	8.14	<5	410	0.9	2	5.59	<0.5	33	290
162442		3.34	2.02				0.6	7.50	<5	260	0.7	2	4.51	<0.5	18	60
162443		1.98	0.085				<0.5	7.10	<5	120	<0.5	2	7.55	<0.5	33	112
162444 DUP		<0.02	0.089				<0.5	7.25	5	110	<0.5	4	7.68	<0.5	32	112
162445		2.29	0.609				<0.5	7.81	<5	80	<0.5	2	6.83	<0.5	35	113
162446		2.64	0.054				<0.5	7.92	9	80	<0.5	<2	6.62	<0.5	31	123
162447		2.52	0.023				<0.5	7.82	6	80	<0.5	<2	6.57	<0.5	37	128
162448		2.43	0.240				<0.5	7.36	8	120	<0.5	<2	6.68	<0.5	46	118
162449		0.12	0.017				<0.5	6.97	5	550	0.9	4	0.87	<0.5	<1	11
162450		2.36	0.079				<0.5	8.06	6	150	0.5	4	6.52	<0.5	27	87
162451		2.50	3.76				<0.5	7.70	<5	130	0.5	3	6.18	<0.5	63	180
162452		2.39	0.181				<0.5	7.58	<5	90	<0.5	<2	6.60	<0.5	46	123
162453		2.77	0.020				<0.5	7.68	<5	220	0.7	5	4.46	<0.5	23	49
162454		2.79	0.288				<0.5	7.08	<5	170	<0.5	<2	5.49	<0.5	45	120
162455		2.58	0.306				0.5	7.60	<5	70	<0.5	<2	8.54	<0.5	44	118
162456		0.06	1.875				18.5	8.13	5	60	3.1	<2	0.34	<0.5	<1	4
162457		2.62	0.083				<0.5	7.79	<5	120	<0.5	<2	6.33	<0.5	41	124
162458		2.34	0.075				<0.5	6.83	<5	110	<0.5	3	7.30	<0.5	48	230
162459		2.28	0.009				<0.5	7.51	<5	310	0.8	4	3.64	<0.5	12	7
162460		3.04	0.047				<0.5	6.41	5	270	1.0	2	1.38	<0.5	2	12
162461		1.93	0.038				<0.5	6.67	10	90	<0.5	4	4.90	<0.5	36	106
162462		2.42	0.048				<0.5	7.98	<5	110	0.5	<2	7.31	<0.5	35	110
162463		1.76	0.084				<0.5	8.16	7	120	<0.5	<2	6.82	<0.5	30	133
162464		2.50	0.018				<0.5	6.85	6	680	1.2	<2	1.24	<0.5	1	6
162465		2.58	0.040				<0.5	8.08	<5	250	0.6	<2	8.44	<0.5	36	235
162466		2.49	0.106				<0.5	7.72	<5	140	<0.5	<2	7.21	<0.5	36	166
162467		1.92	0.025				<0.5	8.44	9	300	0.9	<2	4.04	<0.5	16	15
162468		0.04	1.020				10.0	7.77	7	50	3.1	<2	0.32	<0.5	<1	4
162469		3.17	0.050				<0.5	7.75	7	350	0.7	<2	4.65	<0.5	25	105
162470		1.87	0.243				<0.5	7.68	<5	230	<0.5	<2	7.21	<0.5	35	98
162471 DUP		<0.02	0.249				<0.5	7.57	<5	220	<0.5	<2	7.18	<0.5	33	106
162472		2.48	0.609				<0.5	7.87	<5	190	<0.5	<2	5.73	<0.5	43	120
162473		2.54	0.075				<0.5	7.22	<5	190	<0.5	<2	4.69	<0.5	42	128
162474		2.35	0.091				<0.5	6.32	<5	80	<0.5	<2	4.77	<0.5	44	120
162475		2.34	0.043				<0.5	7.28	7	100	<0.5	<2	4.66	<0.5	38	128
162476		0.11	<0.005				<0.5	7.32	<5	570	0.9	<2	0.87	<0.5	1	10
162477		2.48	0.013				<0.5	8.03	<5	170	0.5	<2	5.64	<0.5	30	113
162478		2.51	0.303				<0.5	7.42	5	150	<0.5	<2	6.22	<0.5	28	114
162479		2.38	1.300				<0.5	8.00	6	120	<0.5	<2	7.03	<0.5	31	114
162480		2.34	0.174				<0.5	7.46	<5	110	<0.5	<2	6.19	<0.5	28	102



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 7-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022286

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
162441		68	5.38	1.37	4.66	952	<1	2.06	190	910	6	0.19	6	671	0.39	130
162442		266	5.25	1.05	1.68	879	<1	1.97	35	510	<2	0.66	<5	166	0.41	115
162443		306	6.81	0.67	3.07	1285	<1	1.25	58	320	2	0.72	6	120	0.41	194
162444 DUP		300	6.79	0.67	3.12	1295	<1	1.29	59	320	5	0.67	6	123	0.41	191
162445		383	6.98	0.62	3.55	1160	<1	1.33	72	370	<2	0.49	<5	131	0.45	205
162446		146	6.95	0.59	3.49	1095	<1	1.46	66	360	4	0.34	<5	133	0.45	204
162447		172	6.95	0.65	3.28	1075	<1	1.43	59	360	<2	0.51	<5	135	0.46	207
162448		348	7.11	0.97	3.09	1160	1	1.20	70	350	<2	0.92	<5	113	0.43	195
162449		6	1.95	4.30	0.21	177	1	2.13	4	150	29	0.01	<5	148	0.08	9
182450		122	6.38	0.88	2.82	1060	<1	1.62	47	520	4	0.33	5	154	0.46	183
162451		364	7.83	0.89	3.65	1020	1	1.55	121	390	<2	1.34	<5	152	0.43	195
162452		296	7.32	0.77	3.25	1080	<1	1.40	88	360	<2	0.80	<5	125	0.46	209
162453		134	5.50	1.19	1.97	838	<1	1.89	32	680	<2	0.34	<5	173	0.47	141
162454		368	6.32	1.60	2.55	1030	<1	0.80	74	330	12	1.16	<5	89	0.42	172
162455		555	7.20	0.60	2.69	1345	<1	1.11	65	360	<2	1.01	<5	149	0.42	216
162456		6	2.82	0.18	0.07	108	<1	6.7	5	610	118	2.97	<5	20	0.01	2
182457		389	6.92	0.85	2.73	1030	1	1.52	70	500	3	1.01	5	172	0.46	196
162458		271	7.03	0.64	4.70	1170	<1	1.50	104	390	<2	0.67	<5	203	0.36	183
182459		56	4.19	1.17	0.94	611	1	2.52	5	790	4	0.24	<5	190	0.44	90
162460		45	1.60	0.53	0.18	168	1	3.40	5	90	<2	0.22	<5	171	0.11	7
162461		80	8.31	0.61	3.36	1175	<1	1.27	100	660	<2	0.37	<5	149	0.69	173
162462		151	7.83	0.62	2.96	1260	<1	1.61	82	650	8	0.48	<5	280	0.61	197
182463		259	7.23	0.88	3.16	1230	1	1.35	65	360	4	0.72	<5	149	0.46	213
162464		30	1.77	1.48	0.12	168	<1	3.06	2	80	4	0.17	<5	142	0.10	2
162465		179	6.52	0.91	4.09	1090	<1	2.04	144	620	12	0.51	5	470	0.42	176
162466		312	7.23	0.84	3.55	1220	<1	1.53	88	390	8	0.65	<5	176	0.43	196
162467		54	4.94	1.19	1.34	816	<1	2.55	17	740	5	0.22	<5	241	0.47	130
162468		7	2.55	0.19	0.07	34	1	6.7	3	620	114	2.76	<5	21	0.01	2
162469		156	5.18	1.32	2.18	830	<1	2.36	50	270	7	0.50	<5	162	0.31	134
162470		260	6.35	1.16	2.73	1220	<1	1.25	64	370	7	0.87	<5	174	0.42	186
162471 DUP		247	6.13	1.12	2.66	1195	<1	1.21	62	350	10	0.84	<5	173	0.41	182
162472		165	8.10	1.06	3.73	1285	<1	1.88	105	520	15	0.47	<5	220	0.49	198
162473		318	7.19	1.08	3.11	1250	<1	2.52	75	360	2	0.50	<5	114	0.43	207
162474		444	7.68	0.62	3.21	1275	<1	1.91	79	340	5	0.29	<5	43	0.42	194
162475		144	7.44	0.79	3.60	1215	<1	2.66	70	370	6	0.21	<5	130	0.46	218
162476		7	2.20	4.44	0.23	205	<1	2.12	5	170	35	0.01	<5	154	0.10	16
162477		89	7.36	0.92	3.99	1130	<1	1.85	61	690	10	0.22	5	209	0.43	207
162478		39	6.70	1.01	3.83	1135	<1	1.34	66	350	4	0.23	<5	134	0.41	197
182479		28	7.09	0.92	4.02	1270	<1	1.47	92	400	5	0.26	<5	145	0.45	220
162480		12	6.62	0.93	3.92	1075	<1	1.44	70	360	5	0.05	<5	132	0.42	203



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 7-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022286

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP81
		W ppm 10	Zn ppm 2
162441		<10	79
162442		<10	59
162443		10	70
162444 DUP		10	69
162445		10	60
162446		<10	56
162447		<10	54
162448		10	56
162449		<10	26
162450		<10	59
162451		20	58
162452		<10	53
162453		<10	57
162454		10	62
162455		<10	54
162456		<10	19
162457		10	60
162458		<10	70
162459		<10	48
162460		<10	24
162461		10	103
162462		<10	84
162463		<10	82
162464		<10	16
162465		<10	89
162466		10	91
162467		10	60
162468		<10	14
162469		<10	75
162470		10	76
162471 DUP		10	76
162472		<10	82
162473		<10	60
162474		<10	54
162475		<10	52
162476		<10	26
162477		<10	99
162478		<10	64
162479		<10	63
162480		<10	58



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06022457

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 8-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022457

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-GRA21	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm	Au ppm
166404		2.35	46.7	206	44.5	6.706	32.56	2318	45.9		43.0
166450		0.85	972	20200	541	376.64	18.67	830.9	>100	541	>100

Comments: Sample from VO06013033.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

## CERTIFICATE VO06022458

Project: DETOUR LAKE  
P.O. No.:  
This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 14-MAR-2006.  
The following have access to data associated with this certificate:

IAN LAMBERT	MIKE ROBERTS
-------------	--------------

## SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 28-MAR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022458

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
161628		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		1.20	19.90	43.1	19.00	1.917	44.47	1155.5	18.85	19.15

Comments: Sample from VO06015184.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 18-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06022737

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 20-MAR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06022737

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
162681		2.93	0.061			<0.5	8.99	<5	190	<0.5	<2	6.33	<0.5	48	478	62
162682		2.82	0.528			<0.5	6.71	<5	180	<0.5	<2	5.97	<0.5	43	450	33
162683		3.67	0.086			<0.5	7.23	<5	190	<0.5	<2	6.68	<0.5	42	483	13
162684		3.92	0.016			<0.5	7.39	<5	160	0.5	<2	7.34	<0.5	52	178	82
162685		3.96	0.024			<0.5	7.68	<5	130	<0.5	2	6.86	<0.5	45	306	50
162686		3.89	0.009			<0.5	7.91	<5	50	<0.5	<2	7.10	<0.5	44	269	73
162687		4.50	0.080			<0.5	7.47	5	40	<0.5	<2	7.06	<0.5	49	382	48
162688		4.01	0.040			<0.5	7.01	<5	40	<0.5	2	6.67	<0.5	52	439	6
162689		0.09	1.785			19.7	8.36	<5	60	3.2	<2	0.36	<0.5	1	6	6
162690		2.73	0.011			<0.5	7.16	<5	80	<0.5	<2	6.47	<0.5	49	368	19
162691		2.71	0.049			<0.5	7.71	5	120	<0.5	<2	6.86	<0.5	43	368	5
162692		2.73	0.245			<0.5	6.24	<5	50	<0.5	<2	6.60	<0.5	50	929	16
162693		1.52	0.295			<0.5	5.20	<5	40	<0.5	<2	4.94	<0.5	52	1130	23
162694		1.25	0.809			<0.5	5.85	<5	20	<0.5	<2	5.47	<0.5	60	1150	25
162695		2.69	0.054			<0.5	6.90	<5	100	<0.5	<2	5.75	<0.5	40	856	15
162696		2.46	0.103			<0.5	8.05	10	360	0.7	<2	6.65	<0.5	42	452	22
162697		2.56	0.668			<0.5	6.27	<5	80	<0.5	<2	4.64	<0.5	36	829	111
162698 DUP		<0.02	0.622			<0.5	6.51	6	90	<0.5	<2	4.69	<0.5	39	878	120
182699		0.13	<0.005			<0.5	6.62	<5	500	1.0	<2	1.11	<0.5	2	23	8
162700		2.89	0.258			<0.5	5.98	<5	20	<0.5	<2	5.82	<0.5	63	1265	59
162701		2.31	0.783			<0.5	5.88	<5	30	<0.5	<2	6.46	<0.5	64	1210	110
162702		3.02	0.157			<0.5	5.60	<5	10	<0.5	<2	6.15	<0.5	63	1115	37
162703		2.38	0.160	0.219		<0.5	5.39	<5	<10	<0.5	<2	5.67	<0.5	59	1140	15
162704		2.48	0.240	0.286		<0.5	5.40	<5	30	<0.5	<2	5.45	<0.5	56	1045	7
162705 DUP		<0.02	0.481	0.358		<0.5	5.36	<5	30	<0.5	<2	5.38	<0.5	56	1020	8
162706		3.23	0.165	0.205		<0.5	7.55	<5	260	<0.5	<2	4.68	<0.5	33	400	23
162707		2.73	0.281			<0.5	7.67	<5	160	<0.5	<2	6.61	<0.5	42	367	4
162708		2.82	0.060			<0.5	6.75	<5	60	<0.5	<2	7.42	<0.5	38	292	15
162709		2.63	0.035			<0.5	6.81	5	30	<0.5	<2	7.19	<0.5	43	308	19
162710		2.85	0.023			<0.5	6.91	7	50	<0.5	<2	7.15	<0.5	44	319	36
162711		0.09	0.960			9.8	7.95	7	40	2.6	<2	0.33	<0.5	1	7	8
162712		2.79	0.031			<0.5	7.08	<5	40	<0.5	<2	8.45	<0.5	42	291	41
162713		2.76	0.016			<0.5	7.17	<5	50	<0.5	<2	8.87	<0.5	42	309	30
162714		2.88	0.088			<0.5	7.39	<5	90	<0.5	<2	8.95	<0.5	44	312	24
162715		2.72	2.39			<0.5	7.82	<5	80	<0.5	<2	8.75	0.6	45	338	347
162716		0.14	<0.005			<0.5	7.60	<5	540	0.7	<2	1.08	<0.5	2	28	7
162717		2.68	0.419			<0.5	7.58	<5	60	<0.5	<2	9.43	<0.5	54	316	25
162718		3.00	0.096			<0.5	7.48	<5	60	<0.5	<2	8.01	<0.5	44	324	9
162719		2.99	0.186			<0.5	7.64	<5	50	<0.5	<2	8.79	<0.5	46	343	36
162720		2.88	5.83			<0.5	7.10	<5	90	<0.5	<2	7.46	<0.5	47	320	502



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-APR-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06022737

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
162681		8.58	1.40	7.10	1445	<1	0.94	307	1430	3	0.45	<5	379	0.53	194	<10
162682		8.31	1.76	6.95	1470	<1	0.82	231	540	<2	0.21	<5	200	0.41	210	20
162683		7.54	1.12	6.99	1400	<1	1.27	204	240	<2	0.01	<5	169	0.36	224	<10
162684		8.36	0.83	6.01	1375	<1	1.39	190	1720	9	0.46	<5	630	0.61	206	<10
162685		7.62	0.76	5.87	1340	<1	1.49	154	650	2	0.14	<5	297	0.44	227	<10
162686		7.58	0.35	5.39	1300	<1	1.02	99	290	<2	0.10	<5	140	0.37	234	<10
162687		7.93	0.28	6.54	1360	<1	0.99	176	250	<2	0.02	<5	91	0.37	227	<10
162688		7.54	0.33	6.55	1310	<1	1.10	200	230	<2	0.02	<5	104	0.36	224	<10
162689		2.84	0.20	0.08	115	<1	6.9	5	640	132	2.99	5	21	0.01	3	<10
162690		7.53	0.47	6.41	1305	<1	1.15	171	300	<2	0.06	<5	163	0.33	205	<10
162691		7.72	0.66	6.46	1345	<1	1.46	160	360	<2	0.04	<5	157	0.39	233	<10
162692		7.84	0.49	9.24	1395	<1	0.54	470	240	<2	0.09	<5	108	0.29	192	10
162693		7.50	0.32	9.68	1305	<1	0.31	572	180	8	0.07	<5	51	0.23	160	<10
162694		7.76	0.17	10.50	1335	<1	0.37	551	230	<2	0.11	<5	60	0.22	176	20
162695		6.91	0.46	8.04	1195	<1	1.10	428	440	<2	0.14	<5	148	0.31	158	<10
162696		5.28	1.26	7.83	829	<1	0.91	440	950	<2	0.28	<5	522	0.22	110	<10
162697		7.18	0.48	6.80	1165	<1	1.20	388	340	<2	0.22	<5	119	0.30	141	<10
162698 DUP		7.18	0.55	6.69	1180	<1	1.31	411	370	<2	0.23	<5	124	0.34	155	<10
162699		2.24	3.93	0.29	207	<1	2.15	8	160	31	0.01	<5	147	0.09	12	<10
162700		7.65	0.26	10.25	1445	<1	0.36	648	210	<2	0.19	<5	74	0.26	177	<10
162701		7.95	0.36	10.80	1560	<1	0.32	643	220	<2	0.19	<5	80	0.25	179	<10
162702		7.46	0.23	10.15	1455	<1	0.33	629	210	2	0.10	<5	92	0.25	172	<10
162703		6.90	0.11	10.30	1260	<1	0.28	649	170	<2	0.08	<5	78	0.23	167	<10
162704		6.72	0.28	9.65	1195	<1	0.37	591	210	<2	0.03	<5	100	0.24	162	<10
162705 DUP		6.62	0.29	9.51	1185	<1	0.36	579	210	<2	0.03	<5	104	0.23	160	10
162706		5.05	1.06	4.91	927	<1	1.79	202	210	6	0.09	<5	140	0.24	144	20
162707		7.30	1.42	6.61	1330	<1	1.12	160	230	<2	0.03	<5	96	0.38	238	<10
162708		6.89	0.59	4.65	1330	<1	1.05	134	220	3	0.09	<5	110	0.34	206	10
162709		7.43	0.34	4.69	1290	<1	1.28	157	240	4	0.08	<5	126	0.33	208	170
162710		7.56	0.46	5.01	1290	<1	1.27	144	230	3	0.15	<5	116	0.34	219	10
162711		2.70	0.18	0.07	34	<1	6.7	2	610	112	2.80	<5	21	0.01	2	<10
162712		7.45	0.42	4.70	1330	<1	1.32	135	220	4	0.09	<5	140	0.34	217	10
162713		7.34	0.44	4.72	1380	<1	1.37	140	230	<2	0.09	<5	140	0.35	220	<10
162714		7.76	0.62	4.90	1420	<1	1.53	140	250	4	0.04	<5	144	0.37	228	10
162715		8.14	0.67	5.03	1470	<1	1.49	143	260	<2	0.22	<5	158	0.38	242	<10
162716		2.32	4.29	0.28	220	<1	2.35	5	170	35	0.01	<5	169	0.09	15	<10
162717		7.87	0.51	5.09	1405	<1	1.50	154	250	14	0.07	<5	152	0.38	235	10
162718		7.72	0.47	5.05	1295	<1	1.47	138	240	<2	0.05	<5	143	0.37	230	<10
162719		7.89	0.51	4.84	1405	<1	1.33	144	250	<2	0.10	<5	158	0.37	236	10
162720		7.62	0.69	4.78	1250	<1	1.20	134	240	5	0.40	<5	150	0.35	222	10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06022737**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
162681		144
162682		140
162683		98
162684		117
162685		88
162686		73
162687		63
162688		66
162689		19
162690		65
162691		72
162692		83
162693		96
162694		69
162695		91
162696		66
162697		84
162698 DUP		92
162699		30
162700		108
162701		112
162702		96
162703		100
162704		76
162705 DUP		74
162706		77
162707		87
162708		102
162709		83
162710		74
162711		16
162712		63
162713		63
162714		70
162715		271
162716		32
162717		160
162718		66
162719		72
162720		64



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06022737

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
162721		1.97	0.106			<0.5	7.82	<5	100	<0.5	<2	6.61	<0.5	39	131	238
162722		2.44	0.055			<0.5	7.99	<5	100	<0.5	<2	7.63	<0.5	41	122	269
162723		2.28	0.054			<0.5	8.12	<5	190	<0.5	<2	7.19	<0.5	40	175	271
162724		2.56	0.079			<0.5	7.11	<5	100	<0.5	<2	8.06	<0.5	38	110	260
162725		2.09	0.351			<0.5	7.75	<5	110	<0.5	<2	6.37	<0.5	29	104	62
162726		0.09	0.950			10.8	9.61	11	50	3.2	<2	0.37	<0.5	<1	14	8
162727		2.35	0.092			<0.5	6.78	12	170	1.0	<2	6.83	<0.5	41	263	116
162728		2.86	0.418			<0.5	6.62	7	170	0.5	<2	5.79	<0.5	37	154	390
162729		2.69	0.495			<0.5	6.59	<5	160	<0.5	<2	5.48	<0.5	42	466	338
162730		2.56	0.563			0.8	5.85	<5	170	<0.5	<2	5.49	<0.5	44	176	702
162731		2.63	0.627			0.5	7.18	<5	170	<0.5	<2	5.81	<0.5	39	135	579
162732		2.23	0.082			<0.5	5.93	9	160	<0.5	<2	4.79	<0.5	27	118	241
162733 DUP		<0.02	0.070			<0.5	5.82	<5	160	<0.5	<2	4.78	<0.5	27	111	241
162734		2.60	0.132			<0.5	7.59	<5	180	<0.5	<2	6.00	<0.5	30	160	140
162735		2.67	0.035			<0.5	7.46	5	260	<0.5	<2	3.91	<0.5	16	84	66
162736		2.86	0.027			<0.5	6.45	7	140	0.5	<2	7.39	<0.5	37	314	66
162737		2.52	0.068			<0.5	7.48	<5	160	<0.5	<2	6.76	<0.5	37	336	116
162738		2.56	0.103			<0.5	6.22	7	70	<0.5	<2	6.22	<0.5	54	1025	81
162739		0.13	<0.005			<0.5	7.37	<5	590	0.5	<2	0.98	<0.5	1	20	5
162740		2.50	0.404			<0.5	4.19	<5	<10	<0.5	<2	4.96	<0.5	72	1830	100
162741		2.21	0.079			<0.5	4.14	<5	<10	<0.5	<2	4.63	<0.5	80	2150	136
162742		1.85	0.090			<0.5	4.21	<5	<10	<0.5	2	4.79	<0.5	73	1940	96
162743		2.94	0.138			<0.5	6.17	<5	90	<0.5	<2	5.35	<0.5	57	1140	46
162744		4.52	0.440			<0.5	5.54	<5	50	<0.5	<2	6.02	<0.5	47	1165	171
162745		1.40	>10.0		57.8	1.6	2.43	<5	20	<0.5	8	2.88	<0.5	31	707	112
162746		0.11	0.028			<0.5	7.70	<5	610	0.5	2	0.89	<0.5	2	22	5
162747		2.67	0.899			<0.5	5.31	<5	80	<0.5	<2	5.49	<0.5	47	1205	161
162748		2.54	0.615			<0.5	5.41	<5	50	<0.5	<2	5.79	<0.5	50	1165	142
162749		2.98	3.39			<0.5	5.55	<5	60	<0.5	<2	5.29	<0.5	55	1075	137
162750		2.68	1.585			<0.5	4.86	<5	10	<0.5	<2	4.96	<0.5	70	1125	65
162751		2.56	0.733			<0.5	4.30	<5	<10	<0.5	<2	5.21	<0.5	59	907	56
162752		1.88	0.251	0.305		<0.5	6.61	<5	150	<0.5	<2	5.19	<0.5	52	784	293
162753		2.79	0.191	0.184		<0.5	3.96	<5	60	<0.5	<2	3.66	<0.5	30	729	77
162754 DUP		<0.02	0.425	0.421		<0.5	4.20	<5	70	<0.5	<2	3.67	<0.5	33	734	80
162755		3.71	0.366	0.387		<0.5	5.69	<5	50	<0.5	<2	5.79	<0.5	46	1155	4
162756		3.08	0.357			<0.5	5.24	7	50	<0.5	<2	5.13	<0.5	46	1245	17
162757		2.48	0.203			<0.5	6.67	<5	170	<0.5	<2	5.87	<0.5	40	638	16
162758		0.06	1.725			19.0	8.42	9	60	3.2	<2	0.37	<0.5	2	9	6
162759		2.85	0.069			<0.5	8.13	<5	380	<0.5	<2	5.37	<0.5	34	289	29
162760		2.60	0.010			<0.5	8.07	<5	190	<0.5	<2	7.15	<0.5	38	297	9



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06022737

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
162721		6.86	0.77	2.88	1095	<1	1.48	75	330	3	0.71	<5	136	0.44	211	10
162722		7.18	0.83	3.08	1215	<1	1.66	72	350	2	0.67	<5	146	0.45	212	<10
162723		6.67	1.07	3.32	1200	<1	1.78	100	540	4	0.50	<5	244	0.45	200	10
162724		7.40	0.89	3.65	1430	<1	1.17	68	350	<2	0.62	<5	133	0.39	202	60
162725		6.98	0.79	3.77	1120	1	1.24	67	380	3	0.02	<5	138	0.44	212	<10
162726		3.10	0.19	0.07	36	<1	7.0	1	670	137	3.09	<5	22	0.01	2	<10
162727		6.81	1.24	5.45	1250	<1	1.27	91	580	12	0.42	<5	289	0.31	169	<10
162728		6.42	1.52	3.69	1245	<1	0.89	100	390	12	0.85	<5	171	0.34	164	10
162729		6.64	1.86	4.95	1210	<1	0.88	194	380	24	1.06	<5	142	0.32	173	<10
162730		6.03	2.24	2.65	1130	<1	0.44	86	310	9	1.32	<5	71	0.32	144	10
162731		6.09	2.42	2.67	1155	<1	0.70	91	410	4	1.18	<5	99	0.40	179	10
162732		4.69	1.88	2.10	978	<1	0.58	69	300	3	0.72	<5	82	0.33	152	30
162733 DUP		4.63	1.86	2.09	970	<1	0.56	69	300	<2	0.71	<5	79	0.32	150	30
162734		6.69	2.35	3.39	1325	<1	0.67	82	370	<2	0.81	<5	102	0.42	216	20
162735		4.29	1.32	1.56	655	1	2.27	32	710	3	0.38	<5	202	0.39	88	10
162736		6.02	0.94	5.96	1070	<1	1.30	140	490	2	0.16	<5	205	0.35	148	<10
162737		6.63	1.58	4.72	1310	<1	1.24	140	430	7	0.67	<5	178	0.38	186	<10
162738		7.80	0.83	10.10	1560	<1	0.49	602	280	40	0.33	<5	106	0.29	175	10
162739		1.92	4.59	0.26	172	1	2.31	7	170	35	0.01	<5	167	0.09	10	<10
162740		6.89	0.14	13.65	1435	1	0.18	999	150	7	0.31	<5	28	0.20	133	<10
162741		7.05	0.01	15.40	1375	<1	0.07	1185	150	2	0.38	<5	49	0.20	134	<10
162742		6.94	0.02	14.15	1355	1	0.09	1050	150	<2	0.40	<5	33	0.20	136	<10
162743		8.03	1.25	10.60	1465	2	0.49	647	710	<2	0.36	<5	123	0.33	184	<10
162744		9.16	0.86	9.08	1620	2	0.43	545	190	<2	0.64	<5	69	0.26	171	10
162745		4.90	0.41	4.49	999	1	0.16	368	90	<2	0.48	<5	24	0.12	87	10
162746		1.84	4.77	0.25	156	1	2.38	10	180	41	0.01	<5	164	0.09	9	<10
162747		8.83	1.26	9.41	1495	<1	0.35	549	170	<2	0.69	<5	30	0.27	161	<10
162748		8.80	0.95	9.56	1625	1	0.39	529	180	2	0.69	<5	36	0.27	167	10
162749		8.70	0.96	10.25	1645	<1	0.32	545	210	3	0.61	<5	59	0.28	177	30
162750		7.60	0.13	12.65	1485	<1	0.18	756	170	2	0.45	<5	19	0.24	145	10
162751		7.66	0.04	12.20	1720	<1	0.20	659	140	<2	0.37	<5	16	0.22	141	<10
162752		8.48	1.26	7.58	1720	<1	0.53	393	480	24	1.40	<5	144	0.34	173	10
162753		6.37	0.68	5.92	1170	<1	0.26	320	190	8	0.54	<5	39	0.19	117	<10
162754 DUP		6.64	0.73	6.19	1205	<1	0.27	334	220	6	0.57	<5	41	0.20	122	<10
162755		7.96	0.65	10.05	1400	<1	0.39	524	190	7	0.03	<5	31	0.28	178	<10
162756		8.24	0.68	9.51	1390	<1	0.30	527	170	6	0.16	<5	32	0.27	168	<10
162757		7.69	1.54	7.45	1295	<1	0.97	260	280	6	0.11	<5	107	0.33	196	<10
162758		2.93	0.19	0.09	111	<1	7.2	6	650	134	3.31	5	23	0.01	3	<10
162759		6.78	2.05	5.58	1220	<1	1.77	128	560	12	0.14	<5	263	0.43	205	<10
162760		6.97	1.31	5.66	1235	<1	1.36	115	410	6	0.04	<5	223	0.44	231	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06022737

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
162721		60
162722		58
162723		64
162724		82
162725		61
162726		18
162727		70
162728		58
162729		70
162730		52
162731		48
162732		32
162733 DUP		33
162734		50
162735		41
162736		69
162737		148
162738		413
162739		30
162740		166
162741		121
162742		123
162743		133
162744		108
162745		64
162746		30
162747		129
162748		124
162749		205
162750		124
162751		174
162752		168
162753		98
162754 DUP		97
162755		145
162756		149
162757		106
162758		22
162759		104
162760		75



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06022737**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
162761		2.69	0.009		0.05	<0.5	7.32	<5	80	<0.5	<2	6.81	<0.5	37	341	5
162762		2.63	0.022			<0.5	7.36	<5	70	<0.5	<2	6.92	<0.5	45	427	5
162763		2.42	0.052			<0.5	6.99	<5	80	<0.5	<2	5.73	<0.5	37	423	10
162764		2.58	0.059			<0.5	6.45	<5	80	<0.5	<2	6.00	<0.5	39	424	3
162765		2.40	0.059			<0.5	6.08	<5	90	<0.5	<2	6.52	<0.5	36	350	8
162766		2.39	0.019			<0.5	6.97	<5	100	<0.5	<2	6.64	<0.5	41	425	1
162767		2.44	0.006			<0.5	6.93	<5	70	<0.5	<2	6.16	<0.5	42	466	19
162768		2.56	0.020			<0.5	6.45	<5	70	<0.5	<2	5.97	<0.5	35	359	17
162769		2.34	0.022			<0.5	7.41	<5	150	<0.5	<2	6.66	<0.5	37	361	4
162770		2.69	1.365			<0.5	6.78	<5	80	<0.5	<2	6.49	<0.5	36	344	35
162771 DUP		<0.02	1.015			<0.5	6.77	<5	80	<0.5	<2	6.52	<0.5	35	352	34
162772		2.81	0.063			<0.5	7.42	<5	210	<0.5	<2	6.37	<0.5	39	287	11
162773		2.69	0.042			<0.5	6.64	<5	100	<0.5	<2	5.93	<0.5	44	352	20
162774		2.87	0.162			<0.5	6.81	<5	220	<0.5	<2	5.88	<0.5	43	804	13
162775		0.06	0.959			10.2	8.12	<5	40	3.2	2	0.31	<0.5	<1	7	8
162776		2.82	0.102			<0.5	5.89	<5	50	<0.5	<2	6.16	<0.5	57	1110	19
162777		2.71	0.082			<0.5	6.48	<5	30	<0.5	<2	6.27	<0.5	55	942	29
162778		2.26	0.064			<0.5	7.10	<5	90	<0.5	<2	6.48	<0.5	49	627	102
162779		0.09	0.009			<0.5	6.87	<5	550	0.9	<2	0.99	<0.5	1	24	6
162780		3.15	0.080			<0.5	7.43	15	160	0.5	<2	6.25	<0.5	47	854	27





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06022737

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	
162761		6.79	1.03	5.90	1205	<1	1.11	134	240	3	0.06	<5	122	0.37	220	<10
162762		7.21	0.88	6.63	1290	<1	1.22	174	250	5	0.04	<5	108	0.37	229	<10
162763		7.43	1.19	8.31	1285	<1	0.81	164	240	3	0.09	<5	72	0.35	219	10
162764		6.85	0.96	6.26	1225	<1	0.83	170	210	5	0.03	<5	79	0.33	200	<10
162765		6.21	0.97	5.42	1180	<1	0.87	126	220	3	0.12	<5	99	0.31	187	<10
162766		6.53	1.00	5.79	1140	<1	1.09	138	240	6	0.01	<5	115	0.36	214	<10
162767		7.02	0.72	8.99	1160	<1	1.26	184	280	2	0.11	<5	124	0.33	205	<10
162768		6.92	0.79	5.76	1185	<1	0.95	144	210	11	0.18	<5	101	0.33	200	<10
162789		7.25	1.41	6.19	1255	<1	1.04	151	250	6	0.03	<5	95	0.39	226	<10
162770		7.02	0.84	5.83	1285	<1	1.13	156	240	5	0.20	<5	116	0.35	202	<10
162771 DUP		7.02	0.82	5.79	1290	<1	1.15	155	260	9	0.21	<5	117	0.35	201	<10
162772		6.82	1.22	5.66	1250	<1	1.36	109	290	6	0.11	<5	151	0.40	231	<10
162773		6.82	0.52	6.00	1145	<1	1.60	138	230	5	0.02	<5	129	0.34	217	<10
162774		7.04	1.36	7.86	1235	<1	0.83	308	280	12	0.07	<5	124	0.29	191	<10
162775		2.67	0.19	0.07	34	<1	7.0	6	630	119	2.84	<5	22	0.01	2	<10
162776		7.50	0.34	10.30	1370	<1	0.45	568	200	8	0.07	<5	57	0.25	173	<10
162777		7.77	0.36	9.41	1465	<1	0.51	457	240	5	0.17	<5	63	0.30	196	<10
162778		7.97	0.99	7.65	1455	<1	0.53	325	830	9	0.53	<5	209	0.42	192	<10
162779		2.12	4.29	0.28	196	<1	2.13	8	160	48	0.01	5	151	0.08	10	<10
162780		8.44	0.85	6.07	1230	<1	0.99	439	450	10	0.15	<5	270	0.30	155	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06022737**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
182761		63
182762		72
182763		83
182764		73
182765		70
182766		62
182767		71
182768		97
182769		82
182770		149
182771 DUP		152
182772		84
182773		64
182774		78
182775		16
182776		76
182777		100
182778		134
182779		27
182780		71



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page. 1

Finalized Date: 10-APR-2006

Account: TRAVEN

## CERTIFICATE VO06022738

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 20-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - B)

Finalized Date: 10-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06022738

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
171381		2.54	0.137	<0.5	7.88	<5	40	<0.5	<2	8.50	<0.5	50	370	542	8.10	0.23
171382		2.38	0.093	<0.5	7.67	<5	50	<0.5	<2	8.90	<0.5	44	365	162	7.99	0.31
171383		2.42	0.033	<0.5	7.75	<5	40	<0.5	<2	8.16	<0.5	45	375	26	8.17	0.25
171384		2.54	0.010	<0.5	7.74	<5	50	<0.5	<2	8.35	<0.5	46	365	23	8.10	0.34
171385		2.41	0.084	<0.5	7.34	<5	100	<0.5	<2	7.44	<0.5	43	391	33	7.36	0.53
171386		2.15	0.170	<0.5	7.34	<5	200	0.6	<2	5.81	<0.5	29	332	20	5.41	1.12
171387		2.09	0.015	<0.5	6.92	<5	300	0.8	<2	2.95	<0.5	17	271	19	3.34	1.32
171386 DUP		<0.02	0.016	<0.5	6.74	<5	290	0.9	<2	3.16	<0.5	20	292	20	3.58	1.40
171389		0.09	<0.005	<0.5	7.11	<5	560	0.9	<2	0.98	<0.5	2	12	5	1.96	4.45
171390		2.67	0.013	<0.5	8.39	<5	40	<0.5	<2	5.75	<0.5	52	878	108	6.84	0.27
171391		2.36	0.117	<0.5	6.59	<5	40	<0.5	<2	5.62	<0.5	45	369	46	7.60	0.44
171392		2.84	0.140	<0.5	7.62	<5	70	<0.5	<2	8.66	<0.5	39	326	81	7.05	0.57
171393		2.85	0.166	<0.5	7.21	<5	40	<0.5	<2	8.40	<0.5	44	342	69	7.48	0.39
171394		0.05	0.948	11.8	8.40	<5	50	3.2	<2	0.33	<0.5	1	7	8	2.80	0.19
171395		2.73	0.084	<0.5	7.68	<5	50	<0.5	<2	9.52	<0.5	45	345	17	7.85	0.45
171396		2.75	0.417	<0.5	7.56	<5	60	<0.5	<2	9.75	<0.5	42	333	11	7.76	0.53
171397		2.63	0.397	<0.5	7.62	<5	70	<0.5	<2	8.40	<0.5	44	346	37	7.89	0.65
171398		2.83	0.159	<0.5	7.52	<5	50	<0.5	<2	7.88	0.9	48	307	51	8.03	0.46
171399		2.40	0.033	<0.5	7.92	<5	190	0.6	<2	7.14	<0.5	41	341	16	7.03	0.94
171400		2.67	0.086	<0.5	8.71	<5	90	<0.5	<2	12.80	<0.5	37	373	38	7.36	0.47
171401		2.38	0.009	<0.5	7.97	<5	120	<0.5	<2	6.61	<0.5	41	126	138	7.99	0.88
171402		2.67	0.016	<0.5	7.75	<5	320	0.8	<2	4.17	<0.5	20	40	68	4.33	1.04
171403		2.92	<0.005	<0.5	8.39	<5	160	<0.5	<2	6.72	<0.5	27	111	51	6.17	0.91
171404		2.67	0.021	<0.5	7.98	<5	130	<0.5	<2	7.08	<0.5	49	148	387	7.42	0.94
171405		2.90	0.010	<0.5	8.05	<5	120	<0.5	<2	7.46	<0.5	37	144	116	7.30	0.89
171406		2.71	0.009	<0.5	8.28	<5	150	<0.5	<2	7.47	<0.5	35	126	162	7.27	0.81
171407		0.06	1.780	21.3	8.32	<5	60	3.3	<2	0.33	<0.5	1	7	7	2.79	0.20
171408		2.47	0.007	<0.5	8.23	<5	100	<0.5	<2	7.16	<0.5	37	140	124	7.15	0.69
171409		2.79	<0.005	<0.5	8.34	<5	180	0.5	3	5.44	<0.5	28	122	192	5.84	0.96
171410		2.78	0.008	<0.5	8.36	<5	110	0.5	<2	6.58	<0.5	32	116	159	6.42	0.62
171411		2.58	0.017	<0.5	8.41	<5	130	<0.5	<2	8.47	<0.5	41	128	178	6.87	0.73
171412		2.67	0.014	<0.5	6.91	<5	120	0.5	<2	7.66	<0.5	43	404	96	7.03	1.15
171413 DUP		<0.02	0.017	<0.5	6.78	<5	120	0.5	<2	7.58	<0.5	44	397	94	6.94	1.12
171414		2.70	0.018	<0.5	8.51	<5	120	0.5	<2	7.06	<0.5	33	112	124	6.32	0.66
171415		2.47	0.006	<0.5	8.62	<5	140	0.5	2	6.63	<0.5	30	102	50	6.74	0.78
171416		2.88	<0.005	<0.5	8.11	<5	80	<0.5	<2	7.28	<0.5	31	110	15	6.68	0.58
171417		1.93	0.048	<0.5	7.95	<5	170	0.6	2	5.21	<0.5	35	58	398	5.94	1.01
171418		0.13	<0.005	<0.5	7.36	5	530	1.0	<2	0.85	<0.5	2	8	4	1.92	4.44
171419		2.46	0.023	<0.5	8.51	<5	200	0.7	<2	5.30	<0.5	26	68	97	6.01	1.05
171420		2.59	0.007	0.6	8.26	<5	100	<0.5	<2	7.45	<0.5	37	124	105	7.40	0.78



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 10-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06022738

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
171381		4.98	1425	<1	1.54	150	240	5	0.13	<5	156	0.40	243	20	74
171382		5.00	1460	<1	1.45	142	250	6	0.14	<5	168	0.38	230	<10	75
171383		5.02	1410	<1	1.66	146	240	6	0.11	<5	178	0.40	249	<10	69
171384		5.33	1470	1	1.68	146	240	6	0.12	<5	171	0.39	247	<10	70
171385		5.28	1375	<1	1.82	154	270	5	0.16	<5	176	0.36	221	<10	75
171386		3.90	1105	1	1.62	115	220	7	0.13	<5	153	0.25	146	<10	63
171387		2.73	704	2	1.82	89	170	5	0.13	<5	91	0.13	66	10	48
171388 DUP		2.90	743	1	1.81	102	180	6	0.12	<5	95	0.15	76	10	53
171389		0.24	177	1	2.36	3	170	38	<0.01	<5	160	0.08	9	<10	29
171390		9.05	1315	<1	1.64	355	610	3	0.23	<5	97	0.30	162	<10	75
171391		5.50	1335	<1	2.54	146	230	3	0.11	<5	100	0.39	236	<10	59
171392		4.65	1280	1	1.35	130	220	3	0.08	<5	83	0.35	215	30	62
171393		4.62	1380	<1	1.38	134	230	3	0.16	<5	162	0.38	228	<10	67
171394		0.07	36	1	6.9	3	600	128	2.94	<5	22	0.01	1	<10	22
171395		4.97	1470	<1	1.46	140	250	5	0.09	<5	174	0.40	242	10	67
171396		4.98	1440	<1	1.54	134	250	5	0.08	<5	164	0.39	235	<10	66
171397		5.18	1480	<1	1.50	136	240	6	0.12	<5	132	0.40	245	10	79
171398		5.45	1445	<1	1.55	140	240	4	0.15	<5	159	0.39	237	<10	213
171399		5.60	1220	<1	1.98	209	820	5	0.04	<5	396	0.43	194	<10	76
171400		4.48	1620	<1	1.79	134	270	6	0.17	<5	235	0.43	246	10	70
171401		3.39	1290	<1	1.68	70	430	7	0.42	<5	158	0.55	255	<10	86
171402		1.26	719	1	2.91	26	620	7	0.32	<5	263	0.38	83	<10	71
171403		3.48	1140	<1	2.08	72	360	3	0.09	<5	209	0.44	194	<10	75
171404		2.89	1055	<1	1.87	91	380	6	1.03	<5	173	0.46	215	<10	58
171405		3.54	1160	1	1.70	75	380	6	0.47	<5	158	0.47	223	<10	63
171406		3.37	1150	<1	1.96	77	650	8	0.48	<5	283	0.52	223	<10	70
171407		0.06	111	<1	7.0	4	630	129	2.97	<5	22	0.01	1	<10	23
171408		3.45	1125	1	1.77	83	380	4	0.42	<5	164	0.47	226	10	61
171409		2.71	906	<1	2.01	78	850	3	0.50	<5	284	0.47	153	<10	61
171410		3.07	1060	<1	1.69	78	620	<2	0.45	<5	225	0.47	183	<10	59
171411		3.16	1130	<1	1.85	84	390	<2	0.48	<5	205	0.48	212	<10	56
171412		5.29	1260	3	1.20	146	540	6	0.37	<5	239	0.40	195	10	74
171413 DUP		5.14	1245	2	1.19	144	510	<2	0.36	<5	228	0.39	190	<10	72
171414		2.54	1150	<1	1.97	71	480	3	0.49	<5	190	0.49	197	<10	70
171415		3.17	1200	<1	2.06	61	570	<2	0.20	<5	192	0.51	199	<10	79
171416		3.90	1170	<1	1.54	67	360	2	0.04	<5	145	0.46	210	<10	75
171417		2.18	886	<1	1.97	69	770	3	0.66	<5	198	0.50	156	<10	62
171418		0.17	167	<1	2.34	2	160	35	<0.01	<5	148	0.08	7	<10	27
171419		2.40	980	<1	2.27	44	750	7	0.38	<5	204	0.53	162	<10	72
171420		3.68	1200	<1	1.78	75	380	2	0.37	<5	174	0.46	217	<10	73



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06022738**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
171421		2.75	0.007	<0.5	8.40	<5	150	0.5	4	7.81	<0.5	40	130	90	7.22	0.85
171422		2.61	0.006	<0.5	8.64	<5	170	0.6	<2	6.47	<0.5	36	118	63	7.42	0.98
171423		2.69	0.036	<0.5	8.84	<5	290	0.5	2	6.45	<0.5	36	135	76	6.80	1.50
171424		2.72	0.064	<0.5	8.58	<5	340	0.9	3	4.37	<0.5	21	60	41	5.23	1.23
171425		2.55	<0.005	<0.5	8.49	<5	240	0.6	<2	5.24	<0.5	25	58	9	5.98	1.11
171426		2.53	<0.005	<0.5	8.17	<5	120	<0.5	3	6.04	<0.5	35	104	8	6.75	0.75
171427		0.04	0.954	11.5	8.76	<5	50	3.2	<2	0.34	<0.5	1	4	8	2.85	0.19
171428		2.30	0.006	<0.5	8.20	5	120	0.5	<2	5.73	<0.5	33	97	15	6.39	0.71
171429		2.77	0.005	<0.5	8.84	<5	140	<0.5	4	7.04	<0.5	37	106	6	7.16	0.81
171430		2.65	0.011	<0.5	8.35	<5	110	<0.5	2	6.58	<0.5	30	120	10	6.58	0.87
171431		2.40	<0.005	<0.5	8.35	<5	140	<0.5	<2	6.55	<0.5	29	118	1	6.96	0.97
171432		2.54	0.005	<0.5	8.81	<5	180	0.6	2	5.78	<0.5	25	71	16	6.23	0.85
171433		2.50	0.010	<0.5	8.84	<5	290	0.7	2	5.05	<0.5	28	87	72	5.98	1.08
171434		2.81	0.012	<0.5	8.78	<5	280	0.7	2	6.01	<0.5	30	82	101	5.54	0.95
171435 DUP		<0.02	0.022	<0.5	8.37	<5	270	0.7	<2	5.67	<0.5	32	86	101	5.30	1.01
171436		0.17	<0.005	<0.5	7.33	<5	530	1.0	<2	0.76	<0.5	1	6	3	1.54	4.46
171437		2.59	0.008	<0.5	8.83	<5	270	0.7	<2	5.96	<0.5	30	83	116	5.86	1.07
171438		2.67	0.025	<0.5	8.54	<5	120	<0.5	3	7.33	<0.5	49	140	231	7.46	1.04
171439		2.79	0.020	<0.5	7.95	<5	100	<0.5	<2	7.19	<0.5	45	128	136	7.04	0.77
171440		2.57	0.031	<0.5	8.34	<5	110	<0.5	<2	6.21	<0.5	46	153	118	6.90	1.04
171441		2.60	0.009	<0.5	7.66	<5	140	<0.5	<2	7.02	<0.5	40	438	72	7.13	1.20
171442		2.67	0.053	<0.5	8.07	<5	240	0.7	4	4.40	<0.5	28	56	103	5.46	1.01
171443		2.50	0.012	0.6	8.21	<5	100	<0.5	<2	7.10	<0.5	36	129	103	6.94	0.72
171444		2.57	0.020	<0.5	8.21	<5	160	0.5	<2	6.35	<0.5	41	151	136	6.81	0.93
171445		0.06	1.775	21.0	8.15	<5	70	3.2	<2	0.33	<0.5	2	5	5	2.66	0.19
171446		2.88	0.034	<0.5	8.05	<5	220	0.7	<2	6.19	<0.5	26	62	95	5.78	1.13
171447		2.64	0.072	<0.5	7.88	<5	240	0.8	<2	4.48	<0.5	20	47	150	5.32	1.00
171448		2.61	0.032	<0.5	7.62	<5	130	0.5	<2	6.40	<0.5	31	104	110	6.63	0.78
171449		2.38	0.081	<0.5	8.20	<5	110	<0.5	<2	7.15	<0.5	32	147	197	7.14	0.87
171450		2.75	0.095	<0.5	7.92	<5	180	0.5	<2	7.40	<0.5	34	150	115	6.95	1.00
171451		3.04	0.040	0.6	7.71	<5	250	0.7	<2	7.67	<0.5	38	181	140	6.81	1.03
171452		2.34	0.127	0.5	7.71	<5	170	<0.5	4	6.49	<0.5	39	136	373	6.72	1.50
171453		2.65	0.106	0.5	6.46	<5	150	<0.5	<2	5.96	<0.5	43	120	418	6.82	1.25
171454 DUP		<0.02	0.071	0.5	6.20	<5	140	<0.5	<2	5.80	<0.5	45	122	408	6.64	1.22
171455		0.11	<0.005	<0.5	7.28	<5	570	1.0	<2	0.85	<0.5	2	13	7	1.94	4.74
171456		2.71	0.141	<0.5	8.12	<5	140	0.7	<2	5.20	<0.5	21	83	53	5.67	0.79
171457		2.50	<0.005	<0.5	8.16	<5	210	0.7	<2	4.71	<0.5	24	58	19	5.65	1.00
171458		2.59	0.131	<0.5	7.74	<5	160	0.5	2	5.64	<0.5	29	114	34	6.64	1.27
171459		2.65	0.006	<0.5	8.45	<5	120	0.7	<2	6.89	<0.5	35	156	86	7.17	0.83
171460		2.54	0.012	<0.5	7.97	<5	140	0.6	<2	6.51	<0.5	35	180	22	7.28	1.02



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06022738**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171421		3.66	1285	<1	1.71	93	680	4	0.30	<5	257	0.56	215	<10	75
171422		3.48	1260	<1	1.98	73	1200	2	0.29	<5	364	0.77	214	<10	80
171423		3.45	1215	<1	1.91	80	630	<2	0.27	<5	228	0.50	201	<10	92
171424		1.88	1020	<1	2.66	35	840	4	0.24	<5	264	0.46	104	<10	77
171425		2.77	1230	1	2.14	49	750	3	0.07	<5	205	0.52	161	<10	89
171426		4.07	1210	<1	1.82	78	480	4	0.07	<5	154	0.48	205	<10	86
171427		0.07	37	<1	7.2	2	610	121	3.00	<5	19	0.01	1	<10	17
171428		3.61	1115	<1	1.91	66	520	4	0.10	<5	162	0.47	184	<10	80
171429		4.39	1275	<1	2.06	79	610	<2	0.11	<5	295	0.52	223	<10	75
171430		4.10	1145	<1	1.74	78	380	4	0.05	<5	154	0.47	213	<10	71
171431		4.26	1160	<1	1.68	73	390	3	<0.01	<5	150	0.47	210	<10	73
171432		2.99	1045	<1	2.22	49	740	4	0.12	<5	204	0.50	169	<10	71
171433		2.64	943	<1	2.51	77	550	4	0.23	<5	272	0.46	132	<10	68
171434		2.48	910	<1	2.43	50	470	4	0.33	<5	303	0.40	163	<10	63
171435 DUP		2.34	865	1	2.33	53	470	3	0.31	<5	290	0.43	170	<10	66
171436		0.18	141	<1	2.33	2	150	32	<0.01	<5	148	0.08	6	<10	27
171437		2.63	941	<1	2.41	57	630	5	0.33	<5	359	0.47	157	<10	69
171438		3.27	1190	1	1.57	73	380	5	0.71	<5	156	0.47	206	<10	65
171439		3.27	1190	<1	1.61	83	370	<2	0.52	<5	146	0.44	210	<10	60
171440		3.41	1065	<1	1.88	82	370	<2	0.35	<5	153	0.53	234	<10	68
171441		5.59	1345	1	1.38	144	520	2	0.28	<5	192	0.43	198	<10	77
171442		1.69	875	<1	2.24	44	750	4	0.49	<5	186	0.48	121	<10	69
171443		3.62	1220	<1	1.72	68	410	<2	0.33	<5	170	0.47	206	<10	79
171444		3.29	1195	<1	1.80	77	570	4	0.44	<5	239	0.47	191	<10	85
171445		0.06	111	<1	7.2	3	640	114	2.88	<5	19	0.01	1	<10	19
171446		2.10	1065	<1	2.00	38	720	<2	0.42	<5	184	0.50	151	10	84
171447		1.57	908	1	2.22	24	640	3	0.53	<5	176	0.43	117	<10	76
171448		2.85	1240	<1	1.61	55	500	<2	0.43	<5	156	0.45	175	<10	90
171449		3.91	1275	<1	1.50	73	430	4	0.42	<5	182	0.46	207	<10	93
171450		3.88	1260	<1	1.75	85	850	2	0.54	<5	447	0.50	207	<10	81
171451		4.47	1230	<1	1.96	119	1420	5	0.56	<5	707	0.59	191	<10	80
171452		3.34	1255	<1	1.06	72	350	6	1.04	<5	124	0.46	197	10	78
171453		2.91	1165	<1	0.83	66	320	5	1.28	<5	100	0.36	161	<10	77
171454 DUP		2.79	1135	<1	0.79	66	290	5	1.27	<5	98	0.36	161	<10	78
171455		0.22	176	<1	2.33	3	170	34	0.01	<5	157	0.09	9	<10	30
171456		2.63	979	<1	2.28	44	590	3	0.31	<5	188	0.45	144	<10	58
171457		2.40	922	<1	2.25	42	620	<2	0.07	<5	200	0.47	154	<10	71
171458		3.88	1230	<1	1.46	80	390	<2	0.16	<5	132	0.45	197	<10	104
171459		4.16	1345	<1	1.91	58	940	7	0.18	<5	455	0.45	207	<10	80
171460		4.66	1260	<1	1.58	89	740	5	0.07	<5	208	0.52	214	<10	82



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06022738**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
171461		2.71	0.009	<0.5	7.97	<5	100	<0.5	2	6.35	<0.5	31	118	21	6.62	0.90
171462		2.63	0.290	<0.5	7.64	<5	170	0.6	<2	5.29	<0.5	23	87	165	5.70	0.91
171463		2.65	0.029	<0.5	7.91	<5	160	0.6	2	6.66	<0.5	34	184	116	7.06	0.74
171464		2.95	0.007	<0.5	6.99	<5	170	0.7	<2	7.68	<0.5	47	475	40	8.37	0.63
171465		2.07	0.007	<0.5	6.15	<5	90	<0.5	<2	6.45	<0.5	57	720	71	6.77	0.34
171466		2.30	0.011	<0.5	9.32	<5	410	0.5	<2	6.14	<0.5	41	331	105	5.49	1.60
171467		0.05	0.970	11.3	8.77	<5	40	3.3	2	0.33	<0.5	1	5	8	2.82	0.19
171468		2.89	<0.005	<0.5	8.13	<5	260	0.5	<2	6.73	<0.5	40	384	85	6.50	0.78
171469		2.65	0.008	<0.5	7.15	<5	130	0.7	<2	8.06	<0.5	53	364	86	8.85	0.46
171470		2.53	0.011	<0.5	7.66	<5	170	0.6	<2	6.91	<0.5	41	236	103	7.85	0.84
171471 DUP		<0.02	0.013	<0.5	7.44	<5	170	0.6	<2	6.77	<0.5	47	256	118	7.71	0.86
171472		0.12	<0.005	<0.5	7.15	<5	530	0.9	<2	0.74	<0.5	2	9	5	2.10	4.16
171473		2.79	0.011	<0.5	7.74	<5	140	<0.5	2	6.38	<0.5	32	116	33	7.24	1.29
171474		2.67	<0.005	<0.5	8.44	<5	140	<0.5	2	6.52	<0.5	36	130	8	7.71	1.40
171475		2.81	<0.005	<0.5	7.56	<5	140	<0.5	<2	5.54	<0.5	32	119	10	6.93	1.39
171476		2.46	0.026	<0.5	7.91	<5	200	0.6	2	5.00	<0.5	24	69	27	6.02	1.19
171477		2.40	0.006	<0.5	7.92	<5	450	0.8	<2	6.47	<0.5	37	187	38	6.29	1.57
171478		2.85	0.938	<0.5	7.98	<5	110	<0.5	<2	6.61	<0.5	35	120	15	6.55	1.18
171479		2.27	0.006	<0.5	8.25	<5	140	<0.5	2	6.45	<0.5	38	129	8	6.87	0.98
171480		2.67	0.016	<0.5	7.49	<5	150	<0.5	<2	6.37	<0.5	47	379	54	7.30	1.38





**ALS Chemex**  
 EXCELLENCE IN ANALYTICAL CHEMISTRY  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06022738**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	10	2	
171461		4.06	1175	<1	1.57	69	370	2	0.13	<5	135	0.45	207	<10	62
171462		2.72	1025	<1	1.72	42	450	<2	0.27	<5	150	0.41	150	<10	66
171463		4.07	1345	<1	1.94	65	720	4	0.20	<5	417	0.47	207	<10	84
171464		6.38	1640	<1	1.71	122	730	2	0.12	<5	387	0.44	236	<10	106
171465		10.10	1285	<1	1.05	512	670	4	0.20	<5	170	0.34	170	<10	84
171466		8.17	950	<1	2.34	154	610	<2	0.07	<5	527	0.33	145	<10	67
171467		0.07	36	<1	7.0	<1	600	115	3.06	<5	21	0.01	1	<10	16
171468		6.52	1185	<1	2.19	162	660	4	0.17	<5	506	0.35	181	<10	73
171469		6.85	1670	<1	1.67	108	770	7	0.17	<5	486	0.53	308	<10	98
171470		5.01	1415	<1	1.85	92	610	3	0.44	<5	441	0.46	229	<10	79
171471 DUP		4.87	1395	<1	1.80	99	610	8	0.44	<5	439	0.49	247	<10	88
171472		0.21	186	<1	2.27	3	160	34	<0.01	<5	142	0.09	6	<10	29
171473		4.68	1260	1	1.48	128	380	<2	0.33	<5	170	0.42	206	<10	72
171474		5.25	1310	1	1.38	143	350	2	0.14	<5	141	0.41	195	<10	66
171475		4.50	1135	<1	1.26	116	370	<2	0.13	<5	124	0.43	189	<10	69
171476		3.09	1045	<1	1.80	77	610	3	0.24	<5	170	0.47	158	<10	75
171477		5.19	1100	<1	1.70	175	1060	5	0.17	<5	888	0.41	166	<10	79
171478		4.58	1190	<1	1.46	114	340	<2	0.14	<5	138	0.42	200	<10	63
171479		4.12	1185	<1	1.90	78	380	4	0.04	<5	178	0.45	209	<10	65
171480		5.94	1245	<1	1.49	164	500	3	0.18	<5	152	0.41	193	<10	66



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 7-APR-2006

Account: TRAVEN

## CERTIFICATE VO06022871

Project: DETOUR LAKE

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 2-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022871**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
162061		2.11	0.079		<0.5	8.47	14	160	0.5	<2	5.67	<0.5	25	107	148	6.28
162062		2.68	0.069		<0.5	8.14	<5	100	<0.5	<2	6.19	<0.5	40	135	457	7.05
162063		1.49	0.124		0.5	8.64	8	100	<0.5	<2	6.24	<0.5	39	135	457	6.61
162064		2.45	0.368		0.9	8.50	<5	120	<0.5	<2	6.61	<0.5	47	132	747	7.22
162065		2.53	0.044		0.5	8.44	<5	230	0.6	<2	5.00	<0.5	23	66	236	5.86
162066		2.76	0.040		0.5	8.82	<5	140	<0.5	<2	7.92	<0.5	27	115	61	7.07
162067		2.90	0.033		<0.5	8.08	<5	90	<0.5	3	7.04	<0.5	41	126	102	9.08
162068 DUP		<0.02	0.028		<0.5	8.08	<5	90	<0.5	<2	7.06	<0.5	41	122	100	8.97
162069		2.75	0.012		<0.5	8.25	<5	110	<0.5	<2	6.20	<0.5	42	124	133	9.04
162070		2.40	0.086		<0.5	7.52	<5	360	0.9	<2	2.97	<0.5	10	51	61	3.57
162071		2.85	0.026		<0.5	8.52	<5	80	<0.5	<2	6.89	<0.5	32	127	118	7.25
162072		0.06	1.745		21.0	9.85	5	60	3.2	<2	0.33	<0.5	<1	5	6	2.89
162073		1.75	0.068		<0.5	8.45	<5	100	<0.5	<2	6.80	<0.5	39	124	265	7.27
162074		3.25	0.018		<0.5	7.96	8	230	0.7	<2	4.32	<0.5	20	55	89	5.15
162075		3.56	0.017		<0.5	7.35	<5	430	0.9	<2	3.37	<0.5	13	61	107	3.81
162076		3.19	0.477		<0.5	7.80	<5	110	<0.5	<2	6.34	<0.5	32	114	154	6.66
162077		0.10	<0.005		<0.5	7.04	<5	520	0.8	<2	0.73	<0.5	<1	9	7	2.25
162078		3.31	0.143		<0.5	7.77	<5	450	0.9	<2	2.70	<0.5	7	19	42	3.41
162079		1.61	0.020		<0.5	7.53	14	380	0.9	2	2.97	<0.5	11	12	34	3.83
162080		3.53	0.412	0.405	<0.5	8.04	<5	160	<0.5	3	7.02	<0.5	44	119	192	8.29
162081		2.59	0.110		<0.5	7.46	<5	70	<0.5	<2	6.80	<0.5	31	115	104	6.88
162082		2.45	0.027		<0.5	7.73	7	160	0.5	<2	6.16	<0.5	36	112	114	6.94
162083		2.65	0.201		<0.5	7.51	<5	100	<0.5	<2	6.84	<0.5	30	110	49	7.01
162084		2.43	0.062		<0.5	7.68	<5	160	<0.5	3	5.60	<0.5	30	111	24	7.50
162085		2.84	0.339		<0.5	7.68	<5	150	<0.5	3	6.20	<0.5	28	120	16	7.11
162086		0.05	0.958		10.8	8.25	8	50	3.1	3	0.32	<0.5	1	5	8	2.93
162087		2.54	0.033		<0.5	8.32	<5	160	<0.5	5	6.21	<0.5	31	124	9	7.81
162088		2.75	0.014		<0.5	7.85	<5	120	<0.5	2	6.48	<0.5	28	118	7	6.91
162089		0.06	<0.005		<0.5	7.14	<5	550	0.9	<2	0.87	<0.5	3	13	5	2.45
162090		2.56	0.076		<0.5	8.24	<5	190	0.5	3	5.59	<0.5	26	98	36	6.98
162091		2.65	0.071		<0.5	7.94	<5	160	0.5	<2	6.56	<0.5	25	112	16	6.48
162092		2.44	0.312		<0.5	8.10	6	180	0.5	<2	6.82	<0.5	34	133	151	6.80
162093		2.48	0.112		<0.5	7.92	<5	80	<0.5	<2	7.59	<0.5	52	135	631	7.70
162094		2.84	0.023		<0.5	8.22	<5	50	<0.5	<2	7.78	<0.5	30	121	105	7.40
162095		2.67	0.206		<0.5	7.70	11	110	<0.5	<2	6.37	<0.5	33	128	208	6.93
162096		2.46	0.239		<0.5	7.94	<5	100	<0.5	<2	6.79	<0.5	23	110	12	7.03
162097		2.40	0.091		<0.5	7.94	<5	170	<0.5	<2	5.97	<0.5	33	136	735	7.32
162098		2.82	0.646		<0.5	7.01	<5	150	<0.5	<2	6.04	<0.5	26	121	164	6.52
162099 DUP		<0.02	0.564		<0.5	7.19	<5	150	<0.5	2	6.11	<0.5	27	125	180	6.55
162100		2.57	0.123		<0.5	7.83	<5	140	<0.5	3	6.22	<0.5	47	173	300	7.41



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 7-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022871

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
162061		1.18	2.81	1120	1	1.49	54	490	8	0.44	<5	142	0.46	183	10	76
162062		1.20	2.90	1220	<1	1.09	81	380	11	1.16	<5	127	0.44	185	<10	63
162063		1.03	2.77	1130	<1	1.43	75	390	12	1.14	<5	152	0.46	195	10	89
162064		0.85	2.81	1190	<1	1.54	82	430	15	1.35	<5	165	0.46	188	<10	85
162065		1.26	2.04	926	<1	2.00	48	720	26	0.75	<5	183	0.49	144	<10	96
162066		1.07	3.77	1415	1	1.22	81	430	27	0.47	<5	194	0.48	217	10	142
162067		0.87	3.80	1445	<1	1.57	120	850	5	0.55	<5	232	0.76	197	<10	128
162068 DUP		0.86	3.77	1450	<1	1.56	122	830	5	0.50	<5	235	0.77	191	<10	124
162069		0.65	3.68	1380	<1	1.94	108	800	3	0.35	<5	325	0.75	209	<10	120
162070		1.28	1.22	649	1	2.80	25	200	22	0.24	<5	128	0.21	65	<10	83
162071		0.86	3.69	1390	1	1.66	77	390	30	0.33	<5	147	0.46	208	<10	155
162072		0.19	0.07	111	<1	7.1	5	710	128	3.21	<5	25	0.01	2	<10	21
162073		0.72	3.40	1370	<1	1.66	82	390	50	0.80	<5	159	0.46	205	<10	166
162074		1.08	1.81	968	<1	2.17	35	720	9	0.28	<5	173	0.47	134	10	81
162075		0.85	1.46	665	1	2.78	33	200	9	0.34	<5	137	0.23	80	<10	60
162076		0.84	3.24	1205	1	1.45	73	360	12	0.62	<5	128	0.42	182	10	87
162077		4.10	0.21	197	2	2.18	6	170	38	0.01	<5	149	0.09	8	<10	30
162078		1.57	0.64	562	1	2.71	15	420	9	0.21	<5	164	0.28	67	<10	70
162079		1.38	0.85	563	1	2.69	9	490	7	0.17	<5	171	0.33	81	<10	60
162080		1.06	3.85	1315	<1	1.35	102	500	22	0.63	<5	203	0.50	204	<10	93
162081		0.66	3.30	1215	<1	1.44	64	340	<2	0.40	<5	153	0.42	195	<10	76
162082		0.79	3.40	1120	<1	1.92	64	590	<2	0.43	<5	269	0.43	194	<10	67
162083		0.94	3.71	1190	1	1.33	62	350	<2	0.17	<5	139	0.43	203	10	64
162084		1.60	4.03	1075	<1	1.15	74	360	<2	0.10	<5	113	0.42	201	<10	63
162085		1.41	3.93	1205	<1	1.14	70	350	<2	0.14	<5	120	0.43	201	10	70
162086		0.19	0.06	34	<1	6.7	2	600	126	3.13	<5	21	0.01	2	<10	16
162087		1.63	4.34	1165	<1	1.35	74	390	<2	0.06	<5	130	0.48	226	10	66
162088		1.06	3.83	1190	<1	1.42	65	400	<2	0.04	<5	140	0.45	211	<10	58
162089		4.41	0.21	210	<1	2.15	5	170	32	<0.01	<5	152	0.09	10	<10	28
162090		1.33	3.43	1110	1	1.80	58	590	<2	0.16	<5	154	0.49	184	<10	87
162091		1.23	3.28	1265	<1	1.47	62	460	<2	0.11	<5	141	0.46	196	<10	81
162092		1.64	3.34	1265	<1	1.21	70	920	<2	0.44	<5	193	0.49	220	10	100
162093		1.02	3.11	1250	<1	1.17	84	380	<2	1.02	<5	118	0.46	215	10	60
162094		0.55	3.68	1260	1	1.20	63	400	<2	0.29	<5	154	0.46	214	3140	56
162095		1.26	3.26	1195	<1	0.97	70	370	<2	0.53	<5	104	0.44	205	10	55
162096		0.88	3.78	1200	<1	1.31	63	380	3	0.07	<5	110	0.46	211	10	58
162097		2.03	3.42	1205	<1	1.01	72	350	26	0.68	<5	107	0.45	215	10	277
162098		1.89	3.01	1320	<1	0.60	62	330	<2	0.87	<5	106	0.39	184	20	94
162099 DUP		2.00	3.07	1330	<1	0.63	62	340	<2	0.83	<5	110	0.41	190	10	98
162100		1.64	3.32	1295	<1	1.12	107	370	<2	1.11	<5	93	0.44	210	20	63



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022871**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
162101		2.34	0.262		<0.5	7.75	8	140	<0.5	<2	6.56	<0.5	33	130	130	6.65
162102		1.65	1.480		<0.5	7.51	<5	190	<0.5	2	5.78	<0.5	29	134	110	6.69
162103		0.13	<0.005		<0.5	7.02	<5	530	0.8	<2	0.80	<0.5	1	14	6	1.90
162104		2.42	1.980		1.1	6.42	12	150	<0.5	2	5.14	<0.5	34	160	727	6.73
162105 DUP		<0.02	2.19		1.0	5.99	<5	140	<0.5	<2	4.89	<0.5	31	148	610	6.22
162106		2.79	0.393		<0.5	8.11	<5	240	0.7	<2	4.42	<0.5	28	351	110	5.33
162107		1.83	0.051		<0.5	7.82	<5	270	1.1	<2	3.77	<0.5	12	78	27	3.78
162108		3.97	0.261		<0.5	7.39	<5	180	<0.5	<2	6.37	<0.5	27	169	62	7.51
162109		2.54	2.90		<0.5	5.53	7	60	<0.5	<2	5.48	<0.5	50	1255	37	9.35
162110		0.06	1.755		18.3	8.39	5	60	3.1	<2	0.34	<0.5	1	5	5	2.79
162111		2.17	0.192		<0.5	5.18	<5	20	<0.5	<2	5.11	<0.5	70	1445	27	7.74
162112		1.97	0.165		<0.5	4.48	9	10	<0.5	<2	5.56	<0.5	78	1705	104	6.93
162113		2.49	0.019		<0.5	7.76	6	340	0.8	3	5.34	<0.5	35	260	76	5.50
162114		2.53	0.157		<0.5	7.01	<5	270	0.5	3	5.26	0.5	56	757	78	7.24
162115		2.90	0.206		<0.5	4.93	8	90	<0.5	3	4.77	2.1	71	1250	161	7.32
162116		2.27	0.066		<0.5	4.71	<5	70	<0.5	<2	4.69	<0.5	52	1030	37	5.91
162117		2.75	0.097		<0.5	4.67	<5	60	<0.5	<2	5.24	<0.5	61	1255	50	6.86
162118		2.88	0.073		<0.5	7.69	<5	350	0.5	<2	5.09	<0.5	38	308	30	6.81
162119		2.97	0.250		<0.5	6.41	<5	150	<0.5	<2	5.54	<0.5	39	556	7	6.24
162120		2.13	1.275		<0.5	6.15	6	140	<0.5	<2	4.54	<0.5	42	522	66	9.49
162121		3.32	0.140		<0.5	6.88	<5	250	0.5	<2	5.20	<0.5	30	284	16	5.94
162122		2.50	0.058		<0.5	6.63	7	90	<0.5	<2	6.33	<0.5	50	682	31	7.55
162123		2.95	0.234		<0.5	6.79	7	30	<0.5	<2	6.66	<0.5	53	849	8	8.17
162124		2.31	0.068		<0.5	7.19	11	410	0.9	<2	2.86	<0.5	17	182	21	4.38
162125		2.38	0.152		<0.5	6.85	<5	360	0.9	<2	2.67	<0.5	16	219	39	3.91
162126		3.31	0.026		<0.5	5.51	<5	30	<0.5	<2	5.97	<0.5	68	1145	30	7.49
162127		2.85	0.360		<0.5	5.76	<5	80	<0.5	<2	5.43	<0.5	47	994	18	8.02
162128		2.61	3.88		<0.5	6.35	<5	100	<0.5	<2	5.49	<0.5	45	756	51	8.41
162129		2.77	0.458		<0.5	6.19	<5	90	<0.5	<2	4.74	<0.5	45	840	130	6.69
162130		0.12	<0.005		<0.5	6.86	<5	550	0.8	<2	0.72	<0.5	1	12	5	2.15
162131		2.79	0.312		<0.5	5.80	<5	100	<0.5	<2	4.09	0.8	45	1000	83	9.23
162132		2.02	0.427		<0.5	5.27	<5	70	<0.5	<2	4.45	<0.5	45	1050	69	9.42
162133		2.68	2.49		<0.5	5.74	<5	110	<0.5	<2	4.25	<0.5	55	1225	128	10.25
162134		2.81	0.372		<0.5	6.64	<5	150	<0.5	<2	5.05	<0.5	49	947	62	8.33
162135 DUP		<0.02	0.425		<0.5	6.32	<5	150	<0.5	<2	4.84	<0.5	46	928	59	7.99
162136		2.92	0.163		<0.5	6.49	7	140	<0.5	<2	5.93	<0.5	48	831	35	7.16
162137		1.48	0.028		<0.5	6.92	<5	270	0.5	<2	7.30	<0.5	51	531	175	5.52
162138		3.90	0.102		<0.5	7.63	<5	280	0.5	<2	4.23	<0.5	28	293	63	4.60
162139		0.05	0.991		9.7	7.45	<5	40	3.2	<2	0.33	<0.5	<1	4	8	2.64
162140		2.96	0.688		<0.5	7.11	<5	80	<0.5	<2	7.16	<0.5	44	323	14	7.45



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 7-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022871

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
162101		1.96	3.39	1330	<1	0.92	74	370	2	0.66	<5	95	0.45	207	10	60
162102		2.65	3.34	1270	<1	0.69	82	380	<2	1.02	<5	90	0.43	201	50	62
162103		4.05	0.20	165	1	2.14	5	160	36	0.01	<5	149	0.07	8	<10	23
162104		1.80	3.08	1145	<1	0.71	119	290	<2	1.19	<5	86	0.37	176	40	78
162105 DUP		1.67	2.90	1080	1	0.66	102	280	<2	1.01	<5	81	0.36	166	50	75
162106		1.34	2.91	851	<1	2.46	124	650	<2	0.39	<5	209	0.35	96	<10	82
162107		1.06	1.36	554	<1	2.71	19	710	3	0.09	<5	262	0.35	60	<10	36
162108		1.49	4.27	1425	1	0.79	86	370	2	0.57	<5	120	0.42	194	20	81
162109		1.00	9.70	1515	<1	0.53	610	240	<2	0.30	<5	75	0.28	168	10	111
162110		0.19	0.06	114	1	7.0	5	640	117	2.94	<5	22	0.01	2	<10	18
162111		0.31	11.50	1610	<1	0.25	806	250	5	0.25	<5	62	0.25	155	<10	135
162112		0.05	13.05	1285	<1	0.15	1080	200	3	0.43	<5	52	0.23	143	<10	268
162113		1.14	4.50	936	<1	2.05	167	1110	11	0.30	<5	643	0.43	138	<10	88
162114		0.77	7.60	1160	<1	1.11	442	1060	6	0.41	<5	279	0.46	168	<10	537
162115		0.39	11.75	1270	<1	0.40	789	710	193	0.83	<5	123	0.36	149	<10	1850
162116		0.39	9.98	1090	<1	0.72	656	300	5	0.17	<5	205	0.22	113	10	122
162117		0.46	11.35	1345	<1	0.41	738	300	16	0.18	<5	103	0.22	133	<10	214
162118		1.75	5.29	1195	<1	1.46	152	540	<2	0.12	<5	367	0.40	174	<10	98
162119		1.92	7.31	1285	<1	0.46	239	250	<2	0.05	<5	97	0.31	190	<10	93
162120		2.44	7.20	1310	<1	0.49	265	200	<2	0.52	<5	62	0.32	193	20	112
162121		1.20	4.25	978	<1	1.57	130	380	2	0.10	<5	141	0.33	140	<10	58
162122		0.69	7.48	1275	<1	1.21	291	370	<2	0.04	<5	90	0.35	203	10	86
162123		0.34	8.57	1360	<1	1.33	412	700	<2	0.18	<5	110	0.38	198	<10	92
162124		0.92	1.88	638	<1	2.78	82	620	2	0.26	<5	132	0.36	71	<10	53
162125		0.92	1.82	533	<1	2.69	89	440	2	0.34	<5	131	0.29	40	<10	68
162126		0.44	10.40	1280	<1	0.42	605	220	<2	0.06	<5	51	0.25	173	<10	80
162127		1.32	8.82	1255	<1	0.35	462	190	7	0.13	<5	71	0.29	181	<10	173
162128		1.88	7.17	1350	<1	0.36	270	200	14	0.34	<5	106	0.32	196	<10	173
162129		1.88	8.07	1425	<1	0.34	356	210	105	0.77	<5	87	0.31	196	<10	493
162130		4.49	0.20	182	<1	2.24	6	170	29	0.01	<5	153	0.09	9	<10	29
162131		1.93	8.36	1320	<1	0.28	403	200	128	0.58	<5	87	0.29	182	<10	683
162132		1.41	8.72	1295	<1	0.31	472	160	146	0.74	<5	64	0.26	161	<10	568
162133		1.78	8.95	1490	<1	0.33	473	190	9	1.04	<5	85	0.30	185	<10	169
162134		1.03	8.48	1155	<1	0.84	441	290	<2	0.55	<5	196	0.30	161	<10	123
162135 DUP		1.00	8.14	1105	<1	0.83	428	290	<2	0.52	<5	191	0.29	159	<10	120
162136		0.82	8.44	1170	<1	0.90	472	390	<2	0.22	<5	207	0.27	149	<10	86
162137		1.02	8.83	931	<1	0.65	540	650	<2	0.46	<5	329	0.23	110	<10	87
162138		1.08	3.66	767	<1	2.61	144	300	<2	0.26	<5	180	0.27	126	<10	99
162139		0.19	0.07	35	<1	7.1	4	580	109	2.92	<5	22	0.01	2	<10	17
162140		0.72	5.65	1265	<1	1.42	153	220	<2	0.07	<5	114	0.36	223	<10	75



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022871**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
162141		2.79	0.322		<0.5	7.03	<5	120	<0.5	<2	7.06	<0.5	45	360	6	7.43
162142		2.96	0.039		<0.5	6.53	<5	60	<0.5	<2	6.99	<0.5	39	303	60	7.15
162143		3.06	0.019		<0.5	7.05	<5	60	<0.5	<2	7.45	<0.5	44	332	3	7.35
162144		2.70	0.089		<0.5	6.91	<5	50	<0.5	<2	7.35	<0.5	41	329	9	7.35
162145		2.96	0.018		<0.5	6.94	<5	50	<0.5	<2	8.12	<0.5	44	312	6	7.62
162146		2.79	0.267		1.0	7.11	<5	60	<0.5	<2	7.90	<0.5	45	333	562	7.88
162147 DUP		<0.02	0.310		0.9	7.04	<5	70	<0.5	<2	7.78	<0.5	46	307	465	7.72
162148		0.11	<0.005		<0.5	6.72	<5	540	0.8	<2	0.89	<0.5	1	8	6	2.37
162149		2.40	0.363		<0.5	7.16	<5	40	<0.5	<2	8.82	<0.5	45	305	75	7.69
162150		2.65	0.031		<0.5	7.27	<5	50	<0.5	<2	8.53	<0.5	45	323	14	7.75
162151		2.66	0.069		<0.5	7.36	6	50	<0.5	<2	8.13	<0.5	44	343	7	7.58
162152		3.09	0.305		<0.5	7.12	<5	70	<0.5	<2	8.41	<0.5	42	324	46	7.40
162153		2.64	0.047		<0.5	6.90	8	80	<0.5	<2	9.16	<0.5	41	294	46	7.20
162154		3.02	0.218		<0.5	7.19	<5	60	<0.5	<2	8.66	<0.5	42	305	42	7.53
162155		2.84	1.355		<0.5	7.10	5	80	<0.5	<2	7.18	<0.5	45	344	33	7.58
162156		2.93	0.263		<0.5	7.05	<5	80	<0.5	<2	7.62	<0.5	38	306	64	7.07
162157		0.06	1.830		19.7	8.22	<5	60	3.1	<2	0.35	<0.5	1	8	5	2.79
162158		2.67	0.120		<0.5	7.33	<5	50	<0.5	<2	8.21	<0.5	40	317	5	7.44
162159		2.46	0.681		<0.5	6.86	6	50	<0.5	<2	9.99	<0.5	39	278	17	6.99
162160		2.48	0.056		<0.5	6.68	<5	380	1.0	<2	2.69	<0.5	9	91	32	2.75
162161		2.70	0.041		<0.5	6.71	<5	60	<0.5	<2	10.30	<0.5	39	281	10	6.91
162162		2.84	0.052		<0.5	7.13	6	50	<0.5	<2	9.05	<0.5	40	294	14	7.29
162163		2.79	0.026		<0.5	6.91	<5	50	<0.5	<2	10.10	<0.5	40	277	24	7.00
162164		2.43	0.025		<0.5	7.77	<5	160	<0.5	<2	6.14	<0.5	30	254	20	5.38
162165		2.41	0.059		<0.5	7.24	<5	80	<0.5	<2	7.99	<0.5	42	317	21	7.28
162166		2.75	0.050		<0.5	7.44	<5	60	<0.5	<2	8.22	<0.5	40	305	8	7.46
162167		2.56	0.152		<0.5	7.46	<5	90	<0.5	<2	7.86	<0.5	42	341	37	7.45
162168 DUP		<0.02	0.154		<0.5	7.61	<5	90	<0.5	<2	8.14	<0.5	44	356	40	7.81
162169		2.58	0.080		<0.5	7.54	<5	120	<0.5	<2	6.67	<0.5	44	288	47	7.48
182170		2.74	0.316		<0.5	7.60	6	120	<0.5	<2	6.51	<0.5	38	276	11	7.17
162171		3.04	1.435		<0.5	6.00	<5	90	<0.5	<2	5.70	<0.5	57	546	12	8.74
182172		2.90	0.195		<0.5	5.18	<5	10	<0.5	<2	5.47	<0.5	63	750	8	8.02
162173		1.35	0.994		<0.5	5.82	<5	50	<0.5	<2	5.92	<0.5	58	360	293	8.29
162174		0.14	0.017		<0.5	6.90	<5	520	0.9	<2	0.82	<0.5	2	14	4	1.77
162175		3.75	0.111		<0.5	8.46	8	250	<0.5	<2	5.58	<0.5	30	255	5	5.32
162176		2.42	0.080		<0.5	8.14	8	230	<0.5	<2	5.01	<0.5	22	255	10	4.70
182177		2.36	0.050		<0.5	8.16	7	190	<0.5	<2	6.36	<0.5	31	290	5	6.20
162178		0.06	0.960		10.3	8.57	<5	50	3.2	<2	0.34	<0.5	<1	6	10	2.99
182179		2.86	0.054		<0.5	8.04	6	130	<0.5	<2	6.83	<0.5	40	249	12	7.50
162180		2.43	0.027		<0.5	8.32	<5	90	<0.5	<2	7.07	<0.5	41	180	13	7.64



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 7-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022871**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP81	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
162141		1.05	5.81	1270	<1	1.23	156	230	<2	0.02	<5	101	0.36	220	<10	71
162142		0.58	4.72	1260	<1	1.06	128	200	<2	0.11	<5	123	0.33	200	40	70
162143		0.49	5.45	1215	<1	1.43	138	220	<2	0.01	<5	127	0.36	221	<10	66
162144		0.45	4.83	1220	<1	1.41	128	210	<2	0.04	<5	131	0.35	213	<10	67
162145		0.45	5.21	1270	<1	1.42	135	220	<2	0.02	<5	132	0.36	219	<10	60
162146		0.63	5.13	1290	<1	1.38	133	230	<2	0.22	<5	135	0.36	217	10	73
162147 DUP		0.63	5.08	1265	<1	1.38	136	220	<2	0.19	<5	133	0.36	219	<10	72
162148		4.40	0.20	196	<1	2.12	4	150	32	<0.01	<5	147	0.08	8	<10	27
162149		0.32	5.09	1350	<1	1.33	129	220	<2	0.07	<5	133	0.36	219	10	64
162150		0.42	4.84	1330	<1	1.33	132	230	<2	0.12	<5	135	0.36	222	10	66
162151		0.39	4.87	1295	<1	1.27	129	240	4	0.02	<5	148	0.36	219	<10	58
162152		0.37	4.91	1260	<1	1.34	123	240	2	0.06	<5	197	0.36	216	<10	61
162153		0.45	4.90	1315	<1	1.14	143	580	4	0.18	<5	359	0.40	203	10	70
162154		0.41	4.98	1310	<1	1.29	144	580	4	0.19	<5	304	0.41	218	<10	65
162155		0.79	5.53	1250	<1	1.02	146	230	4	0.10	<5	102	0.35	217	<10	61
162156		0.80	5.01	1290	<1	1.06	122	230	4	0.12	5	100	0.35	214	<10	65
162157		0.19	0.07	113	<1	6.7	6	620	118	2.95	<5	23	0.01	3	<10	16
162158		0.52	5.17	1305	<1	1.34	130	230	4	0.02	<5	142	0.36	217	110	58
162159		0.47	4.73	1295	<1	1.20	126	220	5	0.04	<5	134	0.33	205	<10	62
162160		1.18	1.00	499	1	2.70	30	110	5	0.22	<5	126	0.15	47	<10	22
162161		0.50	4.61	1225	<1	1.10	130	210	3	0.03	5	154	0.33	204	<10	54
162162		0.41	4.69	1245	<1	1.17	130	210	5	0.09	<5	168	0.35	212	<10	54
162163		0.34	4.60	1220	<1	1.26	124	230	2	0.08	<5	186	0.34	207	<10	50
162164		0.70	4.05	927	<1	2.30	98	250	3	0.06	<5	209	0.26	156	<10	51
162165		0.56	5.34	1260	<1	1.46	130	270	3	0.08	<5	158	0.35	213	10	58
162166		0.48	4.86	1270	<1	1.40	128	230	5	0.03	<5	140	0.36	222	<10	55
162167		1.11	4.73	1390	<1	1.24	144	240	7	0.68	<5	106	0.37	227	10	62
162168 DUP		1.15	5.02	1455	<1	1.31	144	240	7	0.66	5	111	0.38	235	10	67
162169		1.16	3.60	1320	<1	1.54	112	500	7	0.94	<5	156	0.44	201	10	73
162170		1.04	4.50	1200	<1	1.46	121	360	4	0.06	<5	142	0.39	201	<10	75
162171		1.69	8.54	1310	7	0.31	317	190	6	0.09	<5	72	0.30	188	<10	102
162172		0.29	11.45	1390	1	0.25	459	180	4	0.07	5	49	0.23	163	<10	88
162173		0.41	9.41	1710	<1	0.65	332	180	14	0.63	<5	76	0.27	169	10	110
162174		4.50	0.26	163	1	2.03	7	150	34	0.01	<5	140	0.09	10	<10	28
162175		1.44	4.19	964	<1	2.25	75	250	7	0.03	5	146	0.29	172	<10	50
162176		1.18	3.21	889	<1	2.39	50	200	5	0.07	<5	159	0.25	140	<10	50
162177		1.16	4.23	1175	1	1.55	61	220	6	0.05	<5	152	0.33	196	<10	64
162178		0.20	0.07	38	1	7.0	3	640	133	3.18	<5	22	0.01	2	<10	21
162179		1.18	4.70	1335	<1	1.76	60	270	3	0.03	<5	152	0.43	264	10	64
162180		0.79	4.76	1315	<1	1.93	60	280	4	0.04	<5	166	0.44	272	<10	56





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 5-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06022872

Project: DETOUR LAKE  
P.O. No.:  
This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 2-MAR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 5-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022872**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
162181		2.59	0.025		<0.5	8.15	<5	90	<0.5	<2	7.12	<0.5	34	104	57	7.22
162182		2.44	0.007		<0.5	8.14	5	200	0.6	<2	6.56	<0.5	32	94	23	6.80
162183		2.15	0.035		<0.5	7.47	<5	110	<0.5	<2	6.23	<0.5	38	99	91	7.04
162184		0.06	0.935		10.1	8.00	10	50	3.2	<2	0.32	<0.5	1	6	8	2.64
162185		2.60	0.034	0.018	<0.5	8.01	7	200	0.5	<2	4.97	<0.5	28	91	48	6.87
162186		2.50	0.082	0.341	<0.5	8.00	<5	180	<0.5	<2	5.58	<0.5	33	128	35	8.05
162187		2.65	0.100	0.113	<0.5	8.13	11	160	<0.5	<2	6.11	<0.5	29	104	11	7.25
162188		1.35	0.357		<0.5	8.00	<5	130	<0.5	<2	5.81	<0.5	23	104	32	7.90
162189		2.25	0.008		<0.5	7.59	<5	140	<0.5	<2	5.71	<0.5	30	116	20	7.24
162190		2.45	0.319		<0.5	7.86	<5	160	<0.5	<2	5.57	<0.5	28	100	6	6.99
162191		1.99	0.064		<0.5	8.25	<5	100	<0.5	<2	6.89	<0.5	33	120	19	7.42
162192		2.42	0.527		<0.5	7.91	<5	90	<0.5	<2	7.22	<0.5	26	117	34	6.65
162193		2.72	0.215		<0.5	6.92	<5	150	0.5	<2	5.42	<0.5	24	94	31	5.97
162194 DUP		<0.02	0.202		<0.5	6.87	6	150	0.5	<2	5.38	<0.5	23	100	30	6.06
162195		2.70	0.093		<0.5	8.18	<5	140	<0.5	<2	6.83	<0.5	30	100	14	7.24
162196		2.69	0.017		<0.5	7.51	<5	140	0.5	<2	6.52	<0.5	29	138	22	6.96
162197		2.56	0.082		<0.5	7.39	<5	130	<0.5	<2	6.59	<0.5	24	92	20	6.51
162198		2.58	1.975		0.5	6.20	7	90	<0.5	<2	6.45	<0.5	31	385	37	7.34
162199		0.10	<0.005		<0.5	6.66	<5	520	0.9	<2	0.86	<0.5	1	13	4	2.20
162200		2.58	0.759		<0.5	6.37	9	100	<0.5	<2	5.75	<0.5	38	639	29	8.11
162201		2.56	0.020		<0.5	8.01	<5	110	<0.5	<2	6.86	<0.5	29	114	14	7.11
162202		2.61	0.042		<0.5	7.50	<5	180	0.6	<2	5.90	<0.5	25	120	26	6.00
162203		2.25	1.895		0.6	7.34	<5	230	0.7	<2	4.94	<0.5	24	143	484	5.36
162204		0.11	<0.005		<0.5	7.18	6	570	1.0	<2	0.92	<0.5	1	15	6	2.46
162205		2.04	0.214		1.3	7.98	<5	120	<0.5	<2	6.43	0.6	34	126	1170	6.82
162206		2.87	0.049		<0.5	8.03	<5	240	0.6	<2	4.84	<0.5	24	196	135	5.12
162207		2.50	3.84		0.5	7.60	10	140	<0.5	<2	6.70	<0.5	31	133	524	6.40
162208		2.65	0.198		<0.5	7.08	<5	100	<0.5	<2	7.35	<0.5	35	167	630	7.21
162209		1.20	1.730		<0.5	7.36	<5	160	<0.5	<2	6.20	<0.5	25	144	33	6.74
162210 DUP		<0.02	1.950		<0.5	7.53	13	160	<0.5	<2	6.39	<0.5	28	152	30	7.00
162211		4.20	0.352		<0.5	6.05	<5	120	<0.5	<2	5.37	<0.5	48	829	32	6.82
162212		1.75	0.338		<0.5	5.28	<5	60	<0.5	<2	4.93	<0.5	72	1490	128	7.11
162213		2.56	0.030		<0.5	6.59	<5	100	<0.5	<2	5.89	<0.5	62	1105	62	7.74
162214		2.17	0.798		<0.5	5.98	<5	180	<0.5	<2	4.30	0.8	47	1225	74	8.10
162215		2.96	0.958		<0.5	4.68	<5	50	<0.5	<2	2.90	<0.5	79	1770	361	6.35
162216		1.95	0.070		<0.5	3.55	<5	<10	<0.5	<2	2.55	<0.5	85	2330	262	6.83
162217		0.06	1.815		19.2	8.28	7	60	3.2	<2	0.34	<0.5	<1	7	6	2.92
162218		2.96	0.011		<0.5	8.43	<5	490	0.8	<2	1.92	<0.5	4	89	14	0.98
162219		2.93	0.383		<0.5	4.00	<5	30	<0.5	<2	4.45	<0.5	61	1580	74	6.43
162220		2.87	0.188		<0.5	5.19	<5	100	<0.5	<2	4.42	<0.5	56	1415	98	5.96



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 5-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022872**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
162181		0.75	3.95	1255	<1	1.81	72	410	<2	0.24	<5	192	0.47	214	<10	71
162182		1.05	4.03	1135	<1	2.18	59	730	6	0.08	<5	247	0.46	207	<10	79
162183		1.06	3.72	1110	<1	1.29	67	340	<2	0.47	<5	130	0.42	196	10	76
162184		0.19	0.07	32	<1	6.8	3	630	107	2.95	<5	19	0.01	1	<10	16
162185		1.61	3.48	987	<1	1.59	59	520	<2	0.27	<5	147	0.45	177	<10	85
162186		1.73	4.55	1115	<1	1.21	86	360	4	0.16	<5	116	0.45	215	<10	94
162187		1.51	4.21	1155	<1	1.29	75	430	<2	0.03	<5	136	0.47	203	<10	71
162188		1.32	4.32	1340	<1	1.44	61	470	10	0.03	<5	110	0.52	224	<10	120
162189		1.40	4.09	1140	<1	1.29	75	380	21	0.40	<5	122	0.46	213	10	111
162190		1.41	3.93	1100	<1	1.69	62	450	4	0.03	<5	153	0.47	203	10	85
162191		0.90	4.78	1260	<1	1.51	75	410	<2	0.09	<5	173	0.48	220	10	73
162192		1.03	3.49	1230	<1	1.16	62	410	7	0.32	<5	136	0.46	212	10	95
162193		1.38	3.43	1200	<1	1.04	61	310	5	0.21	<5	122	0.37	169	10	152
162194 DUP		1.35	3.43	1210	<1	1.04	64	310	9	0.21	<5	120	0.37	172	10	150
162195		1.16	4.14	1205	<1	1.47	70	410	<2	0.09	<5	133	0.49	221	<10	76
162196		1.12	4.34	1165	<1	1.42	66	480	<2	0.12	<5	161	0.48	213	10	65
162197		1.24	3.81	1245	<1	1.36	54	460	13	0.30	<5	104	0.51	216	20	59
162198		1.50	5.01	1365	<1	0.49	178	290	10	0.84	<5	79	0.35	173	30	92
162199		4.00	0.24	203	<1	2.17	7	140	35	0.01	<5	143	0.09	9	<10	27
162200		1.40	6.92	1360	<1	0.68	309	280	57	0.44	<5	71	0.34	183	10	223
162201		1.15	4.38	1195	<1	1.33	69	380	7	0.12	<5	119	0.45	216	<10	73
162202		1.23	3.45	1025	<1	1.51	55	490	<2	0.17	<5	162	0.41	172	<10	58
162203		1.51	2.58	944	<1	1.63	85	470	<2	0.44	<5	150	0.35	122	20	65
162204		4.31	0.22	215	<1	2.30	4	160	33	0.01	<5	158	0.09	9	<10	28
162205		1.38	3.38	1185	<1	1.03	62	360	13	0.53	<5	126	0.45	200	10	92
162206		1.38	2.79	797	<1	2.28	75	790	6	0.28	<5	220	0.41	124	<10	70
162207		1.42	3.31	1205	<1	0.92	87	390	<2	0.62	<5	126	0.43	189	20	69
162208		0.99	3.89	1300	<1	1.13	96	350	2	0.51	<5	128	0.41	190	10	83
162209		1.10	4.04	1155	<1	1.03	82	380	<2	0.18	<5	112	0.40	185	<10	83
162210 DUP		1.13	4.16	1200	<1	1.06	88	380	2	0.17	<5	114	0.43	196	<10	87
162211		0.86	8.06	1195	<1	0.88	443	560	<2	0.25	<5	294	0.33	160	10	86
162212		0.30	12.30	1335	<1	0.48	809	670	29	0.85	<5	146	0.31	152	30	201
162213		1.12	10.95	1345	<1	0.50	674	640	78	0.32	<5	259	0.32	154	<10	468
162214		1.77	9.75	1145	<1	0.50	576	260	211	0.41	<5	136	0.26	159	<10	778
162215		0.26	13.05	865	<1	0.79	1020	170	80	0.51	<5	99	0.17	107	10	504
162216		0.01	15.65	1005	<1	0.06	1280	130	23	0.53	<5	9	0.18	118	<10	322
162217		0.19	0.09	108	<1	6.9	5	650	134	3.26	<5	20	0.01	1	<10	20
162218		0.68	0.93	108	<1	4.64	53	160	4	0.03	<5	617	0.05	10	<10	18
162219		0.34	11.95	1165	<1	0.23	923	190	17	0.24	<5	62	0.20	118	<10	162
162220		0.68	10.85	1080	3	0.70	769	310	11	0.23	<5	203	0.24	108	<10	123



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 5-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022872

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
162221		2.98	0.040		<0.5	7.02	<5	320	0.6	<2	3.89	<0.5	28	696	54	4.97
162222		1.42	0.243		<0.5	5.47	<5	110	<0.5	<2	4.56	<0.5	43	1300	11	6.05
162223		2.58	0.375		<0.5	6.76	<5	320	0.6	<2	3.67	<0.5	25	613	23	5.83
162224		2.90	0.141		<0.5	5.26	<5	120	<0.5	<2	5.26	<0.5	45	1090	49	6.37
162225		3.01	0.302		<0.5	5.42	<5	40	<0.5	<2	5.01	<0.5	55	1310	70	7.61
162226		2.85	0.074		<0.5	8.57	<5	300	0.8	<2	4.77	<0.5	29	306	24	5.21
162227		0.06	0.954		10.9	6.95	7	60	2.8	<2	0.29	<0.5	1	9	8	2.55
162228		2.78	0.671		<0.5	6.25	<5	110	<0.5	<2	6.28	<0.5	48	1045	31	7.78
162229		2.68	0.827		<0.5	6.00	<5	40	<0.5	<2	6.12	<0.5	60	1045	37	8.23
162230		2.77	0.267		<0.5	6.76	<5	260	0.6	<2	5.46	<0.5	42	723	48	6.06
162231		2.99	0.108		<0.5	7.47	<5	320	0.6	<2	7.42	<0.5	50	539	15	5.47
162232		1.54	0.273		<0.5	6.07	<5	10	<0.5	<2	6.63	<0.5	66	1150	19	7.71
162233		2.51	0.014		<0.5	8.18	<5	610	0.7	<2	1.85	<0.5	5	30	7	1.10
162234		4.04	0.152		<0.5	7.09	11	100	<0.5	<2	6.84	<0.5	47	596	24	7.28
162235		0.11	<0.005		<0.5	6.94	<5	540	0.9	<2	0.88	<0.5	1	23	5	2.04
162236		2.73	0.478		<0.5	7.08	5	80	<0.5	<2	6.97	<0.5	37	325	62	7.02
162237 DUP		<0.02	0.526		<0.5	7.11	<5	70	<0.5	<2	7.02	<0.5	37	315	55	6.93
162238		2.96	2.17		<0.5	7.16	<5	60	<0.5	<2	7.38	<0.5	38	335	37	7.03
162239		2.65	0.730		<0.5	6.43	<5	40	<0.5	<2	6.96	<0.5	39	293	37	6.85
162240		2.99	0.073		<0.5	7.42	<5	80	<0.5	<2	7.33	<0.5	40	337	7	7.20
162241		2.79	0.060		<0.5	7.75	<5	190	<0.5	<2	7.91	<0.5	46	308	24	8.00
162242		2.64	0.022		<0.5	7.30	<5	50	<0.5	<2	7.45	<0.5	41	321	46	7.41
162243		2.78	0.015		<0.5	7.31	<5	280	<0.5	<2	7.76	<0.5	41	325	27	7.40
162244		2.77	0.014		<0.5	7.79	<5	450	<0.5	<2	9.15	<0.5	41	308	10	7.70
162245		2.56	0.055		<0.5	7.36	<5	50	<0.5	<2	8.65	<0.5	40	337	10	7.44
162246		2.95	0.065		<0.5	7.95	9	80	<0.5	<2	6.78	<0.5	45	361	17	7.90
162247		2.71	0.077		<0.5	7.64	<5	50	<0.5	<2	7.74	<0.5	41	323	32	7.55
162248		2.88	1.035		0.5	7.04	5	40	<0.5	<2	9.17	<0.5	45	325	218	7.52
162249 DUP		<0.02	1.625		<0.5	7.08	<5	40	<0.5	<2	9.49	<0.5	51	329	306	7.77
162250		0.13	<0.005		<0.5	6.84	<5	540	0.9	<2	0.83	<0.5	<1	11	4	2.22
162251		2.63	0.084		<0.5	6.93	<5	60	<0.5	<2	9.46	<0.5	56	386	110	8.20
162252		2.82	0.130		<0.5	7.29	13	70	<0.5	<2	9.50	<0.5	41	278	38	7.76
162253		2.50	0.037		<0.5	7.57	14	250	<0.5	<2	7.49	<0.5	39	314	23	7.28
162254		1.80	0.017		<0.5	7.50	<5	200	<0.5	<2	8.41	<0.5	41	320	23	7.61
162255		2.27	0.041		<0.5	6.48	14	540	1.2	<2	1.20	<0.5	1	8	9	1.59
162256		3.49	0.026		<0.5	7.15	<5	80	<0.5	<2	8.07	<0.5	41	341	17	7.19
162257		0.06	1.815		18.9	8.35	8	60	3.2	<2	0.35	<0.5	1	3	6	3.06
182258		2.82	0.021		<0.5	7.16	9	60	<0.5	<2	8.35	<0.5	42	320	17	7.48
162259		2.73	0.046		<0.5	7.49	<5	40	<0.5	<2	10.05	<0.5	45	330	25	7.88
162260		2.96	0.106		<0.5	7.30	<5	50	<0.5	<2	8.20	<0.5	44	339	14	7.69



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 5-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022872**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
162221		1.35	5.75	932	3	1.79	347	600	33	0.36	<5	345	0.35	97	<10	143
162222		0.69	10.00	1120	2	0.74	739	290	8	0.07	<5	104	0.25	117	10	116
162223		1.14	5.58	980	1	1.56	290	480	5	0.20	<5	159	0.34	109	10	73
162224		0.84	9.35	1295	<1	0.69	632	250	17	0.19	<5	104	0.23	117	<10	141
162225		0.53	11.75	1405	3	0.33	740	200	11	0.26	<5	67	0.24	158	10	112
162226		1.47	5.13	661	1	2.03	167	670	16	0.15	<5	385	0.39	140	10	60
162227		0.18	0.06	31	1	7.3	3	540	94	2.91	<5	13	0.01	2	<10	24
162228		1.12	9.22	1390	1	0.47	472	210	20	0.11	<5	176	0.30	194	<10	136
162229		0.17	10.65	1445	2	0.39	813	90	24	0.15	<5	94	0.26	180	10	173
162230		1.17	7.74	1075	2	0.88	417	500	25	0.18	<5	278	0.25	130	10	129
162231		1.26	8.53	1040	1	0.56	466	730	10	0.03	<5	377	0.22	121	10	80
162232		0.20	11.55	1440	1	0.50	662	160	8	0.07	<5	55	0.27	182	10	87
162233		1.47	0.65	140	1	4.10	19	210	5	0.06	<5	196	0.10	21	<10	33
162234		0.98	7.87	1300	2	1.13	305	250	9	0.10	<5	122	0.35	219	<10	75
162235		4.21	0.28	176	1	2.32	10	180	37	<0.01	<5	151	0.08	9	<10	26
162236		0.66	5.46	1240	1	1.35	134	220	8	0.16	<5	142	0.36	215	60	66
162237 DUP		0.63	5.41	1235	1	1.34	132	240	2	0.16	<5	144	0.36	214	70	66
162238		0.53	5.32	1245	1	1.41	132	230	6	0.13	5	139	0.36	219	10	81
162239		0.41	4.76	1195	1	1.14	126	220	3	0.17	7	123	0.33	203	120	68
162240		0.77	5.66	1230	1	1.41	146	210	7	0.02	<5	126	0.37	224	100	60
162241		0.64	5.75	1380	<1	1.42	141	270	13	0.08	<5	149	0.38	231	10	81
162242		0.54	5.07	1295	1	1.34	138	220	6	0.16	<5	134	0.37	216	20	68
162243		0.51	5.25	1275	1	1.43	128	210	6	0.05	<5	128	0.37	223	50	67
162244		0.57	6.04	1415	<1	1.47	138	250	8	0.05	<5	137	0.37	225	10	66
162245		0.40	5.31	1300	1	1.42	135	220	2	0.03	<5	143	0.37	227	<10	61
162246		0.63	5.58	1385	2	1.61	138	220	2	0.06	<5	146	0.40	244	10	70
162247		0.42	5.11	1265	<1	1.55	122	290	<2	0.10	<5	152	0.40	221	<10	67
162248		0.37	4.84	1275	<1	1.21	120	210	<2	0.21	<5	139	0.36	218	10	59
162249 DUP		0.37	4.87	1285	<1	1.22	118	210	2	0.38	<5	141	0.36	213	<10	59
162250		4.45	0.21	188	1	2.36	4	170	32	0.01	<5	151	0.08	9	<10	24
162251		0.38	6.33	1465	1	1.36	232	620	10	0.45	5	279	0.41	217	10	83
162252		0.43	5.42	1360	1	1.24	148	820	8	0.17	<5	497	0.48	234	10	75
162253		0.72	5.92	1290	1	1.50	137	300	11	0.06	<5	135	0.34	210	10	69
162254		0.59	4.85	1375	1	1.39	124	240	7	0.15	<5	160	0.38	231	10	79
162255		1.44	0.13	268	1	3.17	1	60	7	0.06	<5	128	0.10	3	<10	23
162256		0.59	4.67	1395	<1	1.36	132	210	<2	0.03	<5	120	0.38	216	<10	65
162257		0.20	0.07	118	<1	6.8	4	620	128	3.12	<5	22	0.01	2	<10	20
162258		0.47	5.18	1440	<1	1.22	142	240	4	0.04	<5	128	0.38	208	<10	65
162259		0.41	4.79	1530	<1	1.22	144	220	3	0.07	<5	148	0.38	222	10	62
162260		0.45	5.04	1395	<1	1.25	142	220	4	0.05	<5	126	0.37	214	10	62



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 5-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022872**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
162261		1.99	0.015		<0.5	7.91	<5	170	<0.5	<2	5.94	<0.5	27	127	25	7.54
162262		1.80	0.007		<0.5	7.75	<5	150	<0.5	<2	5.93	<0.5	27	116	5	6.82
162263		1.88	1.435		<0.5	7.62	<5	160	0.5	<2	6.44	<0.5	27	122	50	6.50
162264		2.54	0.208		<0.5	7.52	7	130	<0.5	<2	5.77	<0.5	30	118	52	6.99
162265		2.02	0.094		<0.5	7.69	5	100	<0.5	<2	6.47	<0.5	23	124	11	6.60
162266		2.52	0.079		<0.5	8.10	<5	140	<0.5	<2	7.84	<0.5	26	128	72	6.63
162267		0.06	1.800		20.2	8.45	<5	60	3.0	<2	0.34	<0.5	1	5	6	2.91
162268		2.25	0.438		0.8	8.42	<5	180	<0.5	<2	6.73	<0.5	32	136	1105	6.20
162269		2.84	0.266		<0.5	8.08	<5	140	<0.5	<2	6.71	<0.5	35	127	552	6.29
162270		2.17	2.38		0.6	6.84	<5	200	<0.5	<2	5.12	<0.5	24	120	574	5.08
162271		2.81	0.487		1.0	7.50	<5	120	0.5	<2	6.51	<0.5	34	142	968	6.59
162272		2.10	0.227		<0.5	7.32	7	280	0.9	<2	3.33	<0.5	9	13	55	3.60
162273		2.02	0.614		2.4	7.27	<5	190	<0.5	<2	5.26	<0.5	28	99	1365	5.86
162274 DUP		<0.02	0.573		2.7	7.20	<5	190	<0.5	<2	5.33	<0.5	31	100	1425	6.00
162275		2.38	0.961		2.6	7.15	<5	130	0.5	<2	5.82	<0.5	52	133	1260	6.30
162276		2.10	0.111		<0.5	7.97	<5	130	0.5	<2	6.03	<0.5	32	116	522	6.40
162277		2.50	0.407		<0.5	7.60	<5	160	<0.5	<2	6.27	<0.5	41	198	974	7.00
162278		0.12	<0.005		<0.5	7.07	9	540	0.8	<2	0.79	<0.5	3	14	13	1.96
162279		2.52	0.247		<0.5	7.23	<5	90	<0.5	<2	5.98	<0.5	48	169	915	7.22
162280		2.63	0.139		<0.5	7.92	<5	120	<0.5	<2	6.53	<0.5	41	130	659	7.31
162281		2.48	0.597		0.5	7.58	6	150	<0.5	<2	5.77	<0.5	35	126	951	7.03
162282		2.33	0.346		<0.5	7.24	<5	120	<0.5	<2	5.78	<0.5	37	222	265	7.13
162283		2.58	1.485		<0.5	6.67	<5	150	<0.5	<2	5.30	<0.5	43	678	168	8.82
162284		2.53	0.059		<0.5	5.37	<5	130	<0.5	<2	4.97	<0.5	50	1380	103	7.44
162285		1.53	0.427		<0.5	5.68	<5	100	<0.5	<2	4.88	<0.5	41	1150	47	8.77
162286		2.84	0.193		<0.5	7.44	<5	440	0.8	<2	2.70	<0.5	13	380	27	3.48
162287		2.04	1.385		<0.5	7.10	<5	320	0.6	<2	4.23	<0.5	24	572	25	4.82
162288		2.88	0.337		<0.5	4.40	12	20	<0.5	<2	4.87	<0.5	58	1470	13	6.66
162289		0.17	<0.005		<0.5	6.78	<5	520	0.9	<2	0.93	<0.5	1	17	6	1.81
162290		1.96	0.101		<0.5	7.27	<5	470	0.9	<2	2.62	<0.5	11	246	32	3.86
162291		2.27	0.286		<0.5	5.54	<5	90	<0.5	<2	4.64	<0.5	43	1300	16	7.01
162292		1.94	0.034		<0.5	6.98	7	480	0.9	<2	3.16	<0.5	14	175	37	3.70
162293		2.27	0.020		<0.5	7.84	<5	380	0.7	<2	5.39	<0.5	34	248	72	6.18
162294		2.54	0.192		<0.5	6.52	<5	190	<0.5	<2	4.90	<0.5	38	838	36	7.07
162295		0.06	0.976		10.8	7.10	<5	40	3.0	<2	0.30	<0.5	<1	13	8	2.66
162296		2.57	0.477		<0.5	5.38	<5	60	<0.5	<2	5.77	<0.5	49	1070	27	7.63
162297		2.61	0.283		<0.5	6.54	<5	230	0.5	<2	6.70	<0.5	51	686	25	5.88
162298		2.10	0.070		<0.5	6.00	<5	180	0.5	<2	6.28	<0.5	50	758	19	6.15
162299 DUP		<0.02	0.061		<0.5	6.17	<5	170	<0.5	<2	6.28	<0.5	48	794	20	6.16
162300		2.44	0.377		<0.5	6.20	<5	100	<0.5	<2	5.78	<0.5	55	1175	48	7.12



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 5-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022872**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
162261		1.44	4.38	1260	1	1.38	74	370	7	0.17	<5	124	0.46	213	10	91
162262		1.29	4.11	1145	2	1.56	66	360	5	0.04	<5	136	0.45	206	<10	79
162263		1.63	3.72	1310	1	1.18	71	370	6	0.49	<5	144	0.43	203	20	188
182264		1.15	4.00	1115	2	1.33	72	350	8	0.29	<5	136	0.43	202	10	80
162265		0.84	3.98	1135	2	1.57	64	360	5	0.05	<5	134	0.43	203	10	61
162266		1.34	3.73	1390	1	1.05	77	360	4	0.31	6	120	0.46	213	20	53
162267		0.19	0.07	109	2	7.3	3	650	133	3.11	<5	21	0.01	2	<10	19
162268		1.88	3.29	1265	2	1.58	71	330	3	0.48	<5	130	0.48	230	20	73
162269		1.46	3.32	1185	2	1.60	71	360	7	0.52	<5	128	0.45	211	10	69
162270		2.38	2.66	1015	1	0.86	60	310	3	0.86	<5	90	0.38	174	10	71
162271		1.20	3.81	1185	1	1.30	72	400	5	0.70	<5	138	0.41	195	10	84
162272		1.12	0.95	535	1	2.68	5	540	8	0.13	<5	174	0.35	65	<10	41
182273		1.72	2.92	1055	1	1.16	53	430	8	0.58	<5	124	0.42	176	10	89
182274 DUP		1.72	2.98	1070	2	1.13	60	390	8	0.60	<5	120	0.43	180	10	93
162275		0.94	3.11	1035	1	1.44	68	450	7	0.76	<5	188	0.41	178	10	83
162276		0.84	3.06	1060	2	1.84	53	440	5	0.53	<5	185	0.44	177	10	77
162277		1.36	3.75	1130	1	1.31	80	330	9	1.10	<5	123	0.40	192	10	76
162278		4.41	0.21	171	1	2.33	2	200	35	0.02	5	154	0.08	8	<10	27
182279		0.76	3.56	1025	2	1.43	102	350	2	1.21	<5	146	0.40	193	10	57
162280		0.94	3.44	1105	1	1.45	72	350	4	0.98	<5	154	0.45	215	10	60
162281		1.30	3.34	1045	1	1.39	64	490	6	0.97	6	144	0.44	200	<10	67
162282		1.14	3.86	1110	1	1.13	119	350	8	0.88	<5	128	0.41	190	10	60
162283		1.30	6.01	1305	2	0.93	286	850	7	0.98	<5	206	0.41	177	10	107
182284		1.02	10.05	1255	2	0.55	649	590	11	0.47	<5	152	0.30	159	10	169
162285		1.82	9.65	1280	3	0.50	560	300	7	0.28	<5	59	0.30	171	10	123
182286		1.07	2.75	535	2	3.13	163	490	10	0.16	<5	227	0.26	51	10	48
182287		1.17	4.88	875	2	1.98	251	590	15	0.23	<5	275	0.30	92	10	72
182288		0.27	12.45	1335	2	0.21	800	120	7	0.14	<5	19	0.20	133	<10	127
182289		4.16	0.31	167	1	2.28	8	160	38	0.01	<5	152	0.09	9	<10	28
162290		0.97	2.04	583	2	2.65	110	520	12	0.20	<5	146	0.31	36	<10	58
162291		0.93	9.93	1330	1	0.60	609	250	6	0.09	<5	72	0.26	145	<10	104
162292		1.03	2.06	582	2	2.36	80	750	10	0.20	<5	262	0.32	51	10	65
162293		1.67	4.45	1055	1	1.39	134	910	97	0.29	<5	561	0.49	176	<10	367
162294		1.44	7.47	1085	2	0.91	385	410	57	0.22	<5	163	0.31	155	<10	260
162295		0.18	0.06	33	1	6.8	2	620	111	2.94	<5	18	0.01	1	<10	22
162296		0.58	9.24	1360	3	0.49	563	190	6	0.13	<5	83	0.25	168	<10	131
182297		0.94	8.74	992	1	0.67	539	660	<2	0.25	<5	276	0.23	122	<10	70
162298		0.91	8.61	1110	2	0.60	510	500	<2	0.07	<5	228	0.23	130	10	82
162299 DUP		0.85	8.57	1115	2	0.59	503	470	<2	0.07	<5	228	0.23	130	<10	81
182300		0.46	8.89	1295	1	0.91	586	290	<2	0.17	<5	106	0.31	159	10	99



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 5-APR-2006

Account: TRAVEN

## CERTIFICATE VO06022873

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 2-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 5-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022873

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
162301		2.83	0.172				<0.5	6.19	6	140	<0.5	<2	5.64	<0.5	57	1250
162302		2.67	0.350				<0.5	6.57	<5	70	<0.5	<2	6.87	<0.5	55	729
162303		2.52	0.387				<0.5	7.30	<5	100	<0.5	<2	7.22	<0.5	39	361
162304		2.21	0.601				<0.5	7.32	<5	70	<0.5	<2	7.36	<0.5	44	334
162305		2.58	0.049				<0.5	6.61	<5	60	<0.5	<2	6.89	<0.5	42	375
162306		2.71	0.878				<0.5	6.74	<5	50	<0.5	<2	7.24	<0.5	40	336
162307		0.07	1.800				19.2	6.49	5	40	2.7	<2	0.29	<0.5	<1	11
162308		2.77	0.042				<0.5	6.86	6	40	<0.5	<2	7.30	<0.5	44	354
162309		3.12	0.123				<0.5	7.00	<5	70	<0.5	<2	7.25	<0.5	45	381
162310		2.75	0.171				<0.5	6.86	<5	50	<0.5	<2	7.47	<0.5	44	366
162311		3.19	0.302				<0.5	6.88	5	50	<0.5	<2	9.18	<0.5	45	353
162312		3.02	0.058				<0.5	6.94	<5	50	<0.5	<2	7.81	<0.5	41	359
162313		2.89	0.005				<0.5	7.35	14	40	<0.5	<2	8.46	<0.5	44	337
162314		2.81	2.16				<0.5	7.04	<5	70	<0.5	<2	7.88	<0.5	39	291
162315 DUP		<0.02	1.735				<0.5	7.17	<5	70	<0.5	<2	7.96	<0.5	38	287
162316		1.20	0.145				<0.5	7.47	<5	80	<0.5	<2	7.11	<0.5	38	313
162317		1.27	>10.0			22.8	1.0	6.83	<5	90	<0.5	<2	9.66	<0.5	42	262
162318		0.14	0.008				<0.5	6.61	14	540	0.8	<2	0.92	<0.5	2	17
162319		2.75	0.996				0.6	6.92	<5	80	<0.5	<2	8.12	<0.5	44	351
162320		2.59	0.764				<0.5	7.18	<5	70	<0.5	<2	8.21	<0.5	46	388
162321		2.85	0.084				<0.5	6.56	<5	150	<0.5	<2	9.03	<0.5	45	327
162322		2.91	0.121				<0.5	6.56	<5	80	<0.5	<2	8.54	<0.5	42	312
162323		2.94	0.097				<0.5	6.79	<5	50	<0.5	<2	8.01	<0.5	42	317
162324		2.98	0.647				<0.5	7.25	10	80	<0.5	<2	9.34	<0.5	41	331
162325		2.34	0.005				<0.5	6.94	<5	50	<0.5	<2	8.33	<0.5	43	323
162326		2.73	0.012				<0.5	6.37	<5	520	1.2	<2	1.28	<0.5	1	8
162327		3.02	0.105				<0.5	7.05	7	60	<0.5	<2	9.22	<0.5	47	304
162328		2.85	0.010				<0.5	6.82	<5	80	<0.5	<2	7.38	<0.5	45	334
162329		2.35	0.279				<0.5	6.97	6	50	<0.5	<2	7.44	<0.5	43	337
162330		3.82	0.009				<0.5	7.91	11	170	<0.5	<2	5.48	<0.5	24	196
162331		1.51	0.037				<0.5	7.13	<5	80	<0.5	<2	7.58	<0.5	43	328
162332		2.95	0.118				0.6	6.88	<5	170	0.5	<2	6.57	<0.5	41	265
162333 DUP		<0.02	0.129				0.5	7.43	<5	140	0.5	<2	7.16	<0.5	40	273
162334		0.23	<0.005				<0.5	6.57	7	540	0.9	<2	0.94	<0.5	1	11
162335		2.33	0.278				<0.5	6.47	<5	110	<0.5	<2	6.93	<0.5	32	214
162336		2.81	0.012				<0.5	7.25	<5	230	0.6	<2	4.86	<0.5	21	123
162337		2.30	0.206				<0.5	7.12	<5	130	<0.5	<2	7.07	<0.5	38	298
162338		0.06	1.075				10.7	8.08	<5	60	3.2	<2	0.33	<0.5	<1	3
162339		2.80	1.600				<0.5	5.46	<5	150	<0.5	<2	5.49	<0.5	44	379
162340		2.68	0.728				<0.5	5.62	<5	70	<0.5	<2	5.65	<0.5	54	609



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 5-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022873

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
182301		11	6.67	0.84	9.74	1165	3	0.49	650	210	<2	0.05	<5	220	0.24	149
182302		24	7.33	0.72	8.13	1310	2	0.83	382	200	<2	0.09	5	130	0.32	201
182303		11	7.13	0.85	5.97	1255	1	1.30	148	220	3	0.02	<5	114	0.38	228
162304		40	7.58	0.68	5.73	1335	1	1.30	152	230	<2	0.24	<5	114	0.38	224
162305		40	7.10	0.59	4.98	1250	2	1.16	146	220	<2	0.14	<5	124	0.36	210
162306		40	7.02	0.51	4.72	1225	1	1.09	147	210	3	0.20	<5	124	0.36	214
182307		6	2.63	0.17	0.05	105	1	6.7	3	550	102	3.05	<5	12	0.01	1
162308		6	7.40	0.39	5.01	1230	<1	1.32	156	210	<2	0.03	<5	133	0.37	216
162309		4	7.16	0.75	5.73	1245	1	1.25	148	220	2	0.02	<5	112	0.38	227
162310		24	7.29	0.45	5.03	1240	<1	1.26	145	220	<2	0.09	<5	135	0.37	219
162311		55	7.52	0.48	4.67	1320	1	1.12	138	220	5	0.44	<5	138	0.37	216
182312		9	7.29	0.47	5.22	1240	2	1.33	144	250	2	0.06	<5	124	0.36	217
162313		4	7.62	0.31	5.13	1285	1	1.31	138	240	<2	0.01	<5	142	0.38	226
162314		287	6.87	0.49	4.10	1145	1	1.37	113	310	2	0.24	<5	140	0.37	190
162315 DUP		263	6.84	0.47	4.20	1160	<1	1.39	110	320	<2	0.19	<5	146	0.37	192
162316		47	7.00	0.55	4.20	1135	1	1.63	126	330	<2	0.11	<5	156	0.39	201
182317		295	7.87	0.67	4.41	1645	<1	1.24	108	400	5	0.74	<5	162	0.35	200
162318		10	2.28	4.18	0.26	196	1	2.01	15	140	28	0.01	<5	145	0.08	9
162319		198	7.29	0.62	5.27	1245	2	1.26	134	230	<2	0.12	<5	135	0.36	211
162320		57	7.69	0.58	5.06	1320	1	1.23	146	250	2	0.09	<5	147	0.38	227
162321		35	7.41	0.63	5.55	1350	2	1.02	194	580	<2	0.17	<5	210	0.40	206
162322		32	7.35	0.45	5.47	1320	1	1.16	165	680	<2	0.12	<5	332	0.42	211
162323		24	6.97	0.48	4.88	1240	1	1.07	132	250	<2	0.10	<5	139	0.36	215
162324		23	7.74	0.62	5.22	1445	1	1.11	144	240	2	0.10	<5	119	0.37	223
162325		17	7.44	0.54	4.96	1380	1	1.17	137	230	6	0.03	<5	140	0.36	221
162326		19	1.70	1.42	0.12	286	2	2.99	<1	70	<2	0.07	<5	132	0.10	1
162327		49	7.74	0.50	5.34	1445	2	1.29	152	220	4	0.09	<5	128	0.36	216
162328		18	7.25	0.55	5.53	1290	1	1.32	149	230	<2	0.05	<5	138	0.37	218
162329		19	7.53	0.44	5.14	1270	2	1.29	156	220	<2	0.06	<5	124	0.37	215
162330		9	4.46	0.62	2.71	749	1	2.67	84	210	<2	0.03	<5	218	0.23	124
162331		53	7.43	0.93	4.99	1265	1	1.35	144	210	3	0.11	<5	122	0.37	214
162332		70	6.98	1.12	3.14	1485	1	1.43	100	540	4	1.36	<5	142	0.47	186
162333 DUP		88	7.51	1.21	3.37	1590	2	1.53	106	570	<2	1.42	<5	146	0.49	192
162334		5	1.88	4.18	0.25	170	2	2.06	6	170	31	0.01	<5	150	0.09	9
162335		19	6.11	0.71	3.56	1105	1	1.44	97	390	2	0.06	<5	159	0.38	169
162336		18	5.07	1.12	2.21	820	2	2.14	49	640	6	0.06	<5	165	0.43	135
162337		16	6.98	0.78	4.44	1200	1	1.58	114	300	2	0.07	<5	145	0.39	211
162338		8	2.68	0.19	0.07	32	1	6.8	4	620	114	2.85	<5	20	0.01	1
162339		3	6.86	1.50	5.82	1120	1	0.73	194	160	<2	0.02	<5	66	0.28	168
162340		9	7.55	1.12	8.48	1265	1	0.32	341	210	<2	0.04	<5	73	0.30	180



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 5-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022873

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP81
		W ppm 10	Zn ppm 2
162301		<10	91
162302		10	78
162303		<10	69
162304		<10	70
162305		10	72
162306		40	93
162307		<10	17
162308		50	67
162309		10	70
162310		<10	67
162311		<10	66
162312		30	62
162313		<10	59
162314		10	66
162315 DUP		<10	65
162316		<10	64
162317		10	86
162318		<10	27
162319		10	60
162320		<10	66
162321		200	77
162322		20	77
162323		<10	58
162324		10	77
162325		<10	74
162326		10	23
162327		<10	65
162328		10	65
162329		<10	62
162330		<10	45
162331		80	72
162332		<10	101
162333 DUP		<10	105
162334		<10	28
162335		10	65
162336		<10	64
162337		10	77
162338		<10	16
162339		<10	58
162340		<10	72



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 5-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022873

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
162341		1.99	0.097				<0.5	7.83	15	200	0.6	<2	5.29	<0.5	31	81
162342		2.47	0.324				0.5	7.51	<5	80	<0.5	<2	6.99	<0.5	56	106
162343		1.18	1.655				0.5	7.36	<5	80	<0.5	<2	7.02	<0.5	66	111
162344		1.20	>10.0			11.80	0.8	7.78	<5	170	0.5	<2	5.82	<0.5	62	91
162345 DUP		<0.02	>10.0			13.75	1.0	7.66	<5	170	<0.5	<2	5.73	<0.5	59	89
162346		3.13	0.030				0.6	7.42	<5	110	<0.5	<2	6.02	<0.5	41	118
162347		2.52	0.031				<0.5	7.04	<5	360	1.1	<2	2.15	<0.5	6	2
162348		3.88	0.342				<0.5	7.56	<5	190	<0.5	<2	6.68	<0.5	34	119
162349		3.40	0.143				<0.5	8.04	<5	220	<0.5	<2	6.95	<0.5	35	122
162350		2.48	0.172				0.7	6.49	<5	210	0.8	2	3.83	<0.5	20	75
162351		1.99	0.011				<0.5	7.34	9	220	<0.5	<2	4.86	<0.5	32	106
162352		2.94	0.021				<0.5	7.56	11	200	0.8	<2	3.67	<0.5	16	10
162353		2.21	0.100				<0.5	7.30	<5	190	<0.5	<2	5.65	<0.5	50	119
162354		3.13	0.047				<0.5	6.95	<5	340	0.9	<2	3.48	<0.5	13	56
162355		0.06	0.978				10.4	7.97	10	40	3.1	<2	0.32	<0.5	<1	5
162356		3.48	0.049				<0.5	8.18	7	130	<0.5	<2	7.34	<0.5	43	126
162357		1.67	>10.0			504	11.0	6.92	<5	110	<0.5	7	6.92	<0.5	35	114
162358		0.11	0.020				<0.5	6.53	<5	510	0.8	<2	0.84	<0.5	1	6
162359		2.90	0.341				<0.5	7.80	<5	110	<0.5	<2	7.16	<0.5	40	122
162360		1.99	0.694				<0.5	7.49	<5	80	<0.5	<2	6.60	<0.5	32	114
167461		2.27	0.359				0.8	5.37	<5	<10	<0.5	<2	6.18	<0.5	65	1510
167462		2.69	0.271				<0.5	5.16	9	100	<0.5	<2	5.38	<0.5	45	1205
167463		2.72	0.509				<0.5	5.44	<5	50	<0.5	<2	5.43	<0.5	58	1320
167464		2.65	0.311				<0.5	7.01	<5	190	<0.5	<2	5.21	<0.5	39	626
167465		2.40	0.066				<0.5	6.08	<5	440	0.9	<2	2.35	<0.5	12	240
167466		0.06	1.770				19.3	6.16	<5	40	2.9	2	0.28	<0.5	1	9
167467		2.60	0.041				<0.5	6.21	<5	580	1.2	<2	1.06	<0.5	<1	14
167468		2.63	0.097				<0.5	6.20	<5	750	1.2	2	1.18	<0.5	1	11
167469		2.25	0.312				<0.5	6.26	<5	710	1.2	<2	1.10	<0.5	2	8
167470		2.29	0.079				<0.5	6.18	<5	580	1.1	<2	1.04	<0.5	1	10
167471		1.97	0.033				<0.5	6.80	<5	420	1.0	<2	1.74	<0.5	3	10
167472		2.40	0.129				<0.5	6.16	<5	480	1.0	<2	0.90	<0.5	1	11
167473		2.56	0.114				<0.5	5.87	8	390	0.7	<2	2.49	<0.5	16	438
167474		2.26	0.036				<0.5	6.97	<5	320	0.6	<2	4.84	<0.5	35	702
167475		2.40	0.038				<0.5	5.97	7	50	<0.5	<2	5.53	<0.5	52	1095
167476		2.44	0.730	2.59	1.975		<0.5	6.61	<5	140	<0.5	<2	5.33	<0.5	46	844
167477 DUP		<0.02	0.525	1.025	0.356		<0.5	5.99	<5	120	<0.5	<2	4.83	<0.5	44	819
167478		0.12	<0.005				<0.5	6.55	<5	500	0.9	<2	0.80	<0.5	1	19
167479		2.76	0.089				<0.5	5.69	<5	40	<0.5	<2	4.43	<0.5	45	1080
167480		2.66	0.085				<0.5	6.39	<5	90	<0.5	<2	5.68	<0.5	42	569



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 5-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022873**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
		ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
162341		300	6.08	1.30	2.11	927	1	1.74	47	640	4	0.73	<5	156	0.49	162
162342		407	6.91	0.83	2.89	1210	2	1.35	74	400	<2	1.38	<5	150	0.44	200
162343		515	7.83	1.01	2.99	1370	2	1.11	83	370	<2	1.87	<5	137	0.43	215
162344		335	6.89	1.12	2.24	936	1	1.51	70	590	4	1.43	<5	151	0.46	182
162345 DUP		331	6.61	1.10	2.20	926	1	1.48	70	550	<2	1.41	<5	146	0.45	178
162346		110	8.72	0.68	3.57	1300	3	1.70	106	800	<2	0.29	<5	279	0.79	196
162347		21	2.97	1.24	0.52	510	2	2.95	3	490	<2	0.08	<5	166	0.30	44
162348		283	6.88	1.42	3.04	1315	2	1.22	78	360	18	0.88	<5	142	0.46	200
162349		288	7.00	1.28	3.37	1445	1	1.66	77	350	8	0.53	<5	167	0.48	211
162350		191	4.56	0.68	1.94	802	2	2.69	41	220	5	0.26	<5	96	0.28	100
162351		124	6.91	1.05	3.31	1190	<1	2.45	70	390	4	0.21	<5	171	0.46	195
162352		31	4.57	0.89	1.26	814	2	2.74	17	700	<2	0.06	<5	236	0.46	120
162353		410	7.16	1.00	2.89	1215	2	1.70	87	330	<2	0.83	<5	190	0.44	192
162354		84	3.71	1.08	1.36	598	2	2.85	32	160	2	0.23	<5	147	0.24	80
162355		8	2.54	0.19	0.06	33	1	6.7	3	600	108	2.69	<5	19	0.01	<1
162356		157	8.18	0.86	4.01	1350	<1	1.71	114	500	3	0.44	<5	257	0.52	201
162357		145	6.48	1.06	3.01	1150	1	1.01	76	340	2	0.67	<5	128	0.41	188
162358		6	1.88	4.37	0.17	160	4	2.09	5	150	27	0.01	<5	136	0.07	6
162359		251	7.10	1.11	3.13	1240	2	1.33	90	350	3	0.85	5	158	0.46	200
162360		182	6.35	0.74	2.98	1080	2	1.56	69	340	3	0.46	<5	158	0.43	190
167461		130	9.00	0.11	10.60	1935	1	0.39	815	170	6	0.81	<5	48	0.26	163
167462		81	7.66	0.74	9.03	1470	2	0.59	631	400	<2	0.47	<5	192	0.24	134
167463		90	7.93	0.47	10.75	1710	1	0.44	777	220	<2	0.60	<5	59	0.26	148
167464		56	7.76	1.66	6.37	1325	2	1.33	314	860	6	0.46	<5	236	0.44	173
167465		22	3.30	1.46	1.98	466	2	2.42	106	410	8	0.10	<5	205	0.19	48
167466		6	2.27	0.17	0.04	102	1	6.7	6	540	75	2.68	<5	12	0.01	1
167467		12	1.62	1.56	0.12	177	1	2.91	3	60	3	0.08	<5	126	0.09	<1
167468		22	1.72	1.53	0.11	182	1	2.81	<1	60	2	0.16	<5	131	0.09	<1
167469		24	1.66	1.46	0.10	166	1	3.03	1	60	<2	0.19	<5	127	0.10	<1
167470		19	1.68	1.55	0.11	215	1	2.96	1	80	3	0.16	<5	115	0.09	<1
167471		25	2.64	1.38	0.37	416	2	2.81	1	410	7	0.16	<5	130	0.24	15
167472		26	1.90	1.48	0.18	180	2	3.20	4	150	7	0.19	<5	104	0.12	4
167473		23	3.46	1.58	3.01	562	2	2.10	152	170	5	0.13	<5	124	0.14	53
167474		21	5.99	1.47	6.55	1095	3	1.41	305	350	4	0.16	<5	280	0.26	133
167475		27	8.06	0.60	9.94	1340	1	0.50	542	240	2	0.21	<5	45	0.27	178
167476		58	8.40	1.58	9.03	1355	1	0.64	376	410	33	0.39	<5	118	0.30	179
167477 DUP		57	7.66	1.51	8.28	1235	1	0.57	372	360	36	0.35	<5	104	0.29	171
167478		6	2.18	4.09	0.24	184	1	2.04	8	170	29	<0.01	<5	142	0.08	7
167479		71	8.77	0.60	9.30	1325	1	0.33	521	190	23	0.67	<5	37	0.27	175
167480		30	7.47	1.22	7.40	1355	2	0.40	276	200	<2	0.14	<5	108	0.32	197



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 5-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022873

Sample Description	Method Analyte Units LOA	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
162341		<10	57
162342		10	100
162343		10	106
162344		10	67
162345 DUP		10	65
162346		<10	107
162347		<10	43
162348		10	213
162349		10	125
162350		<10	62
162351		<10	76
162352		10	59
162353		10	118
162354		<10	37
162355		<10	16
162356		<10	90
162357		10	61
162358		<10	24
162359		<10	64
162360		10	55
167461		<10	111
167462		10	106
167463		10	112
167464		<10	106
167465		<10	49
167466		<10	16
167467		<10	19
167468		<10	15
167469		<10	15
167470		10	24
167471		<10	43
167472		<10	18
167473		<10	38
167474		<10	68
167475		<10	102
167476		<10	176
167477 DUP		<10	171
167478		<10	26
167479		10	300
167480		10	80



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 5-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022873

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
167481		3.08	0.071				<0.5	5.76	<5	20	<0.5	<2	5.94	<0.5	58	860
167482		2.80	0.024				<0.5	6.74	<5	80	<0.5	<2	6.39	<0.5	40	479
167483		2.66	0.028				<0.5	7.34	8	150	<0.5	<2	6.19	<0.5	37	272
167484		2.81	0.104				<0.5	7.41	<5	90	<0.5	<2	5.31	<0.5	32	218
167485		3.10	0.049				<0.5	7.65	<5	80	<0.5	<2	5.24	<0.5	33	251
167486		0.06	0.958				11.0	8.45	15	50	3.2	<2	0.34	<0.5	<1	11
167487		2.61	0.048				<0.5	7.80	9	170	<0.5	<2	6.20	<0.5	35	280
167488		2.41	0.758				<0.5	6.85	<5	80	<0.5	<2	5.36	<0.5	32	337
167489		2.77	0.141				<0.5	6.65	<5	110	<0.5	<2	5.40	<0.5	35	524
167490		2.86	0.048				<0.5	7.55	<5	300	0.6	<2	5.50	<0.5	36	521
167491		2.77	0.032				<0.5	8.08	7	370	0.6	<2	6.05	<0.5	35	385
167492		2.56	>10.0			75.4	1.7	5.98	<5	140	<0.5	14	5.68	<0.5	48	820
167493		2.62	0.158				<0.5	5.40	<5	70	<0.5	<2	6.00	<0.5	63	1085
167494		2.82	0.069				<0.5	6.39	<5	100	<0.5	<2	6.53	<0.5	57	923
167495		2.98	0.096				<0.5	5.85	<5	40	<0.5	<2	5.00	<0.5	60	1090
167496 DUP		<0.02	0.079				<0.5	5.94	<5	40	<0.5	<2	4.94	<0.5	58	1095
167497		0.11	<0.005				<0.5	6.68	<5	500	0.8	<2	0.98	<0.5	2	21
167498		2.34	0.028				<0.5	6.94	<5	260	<0.5	<2	3.60	<0.5	30	553
167499		2.75	0.215				<0.5	5.58	<5	70	<0.5	<2	4.66	<0.5	44	950
167500		2.94	0.261				<0.5	5.37	5	30	<0.5	<2	5.48	<0.5	60	1410



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 5-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06022873**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
167481		6	7.58	0.58	9.50	1400	1	0.43	500	210	2	0.04	<5	35	0.29	182
167482		6	7.42	1.12	6.77	1320	2	0.85	202	230	<2	0.05	<5	79	0.35	214
167483		32	7.08	1.09	5.03	1265	2	1.00	87	240	<2	0.08	<5	99	0.39	230
167484		38	8.23	1.11	5.89	1385	1	1.02	108	270	7	0.54	<5	78	0.39	233
167485		27	8.34	1.02	5.90	1370	2	1.12	107	250	<2	0.37	<5	74	0.40	238
167486		8	2.62	0.19	0.07	34	2	7.0	4	640	108	2.77	<5	20	0.01	1
167487		9	7.55	1.55	5.83	1180	1	1.06	99	260	3	0.05	<5	100	0.41	244
167488		12	7.37	1.04	6.07	1140	2	1.18	136	210	5	0.08	<5	74	0.36	218
167489		16	7.74	1.42	6.73	1185	2	0.84	196	230	<2	0.08	<5	96	0.35	212
167490		25	5.65	1.46	5.79	1025	2	1.51	196	550	4	0.18	<5	326	0.32	152
167491		48	5.51	1.70	6.03	876	1	1.34	235	800	4	0.37	<5	601	0.30	140
167492		29	6.84	0.88	8.07	1125	2	0.44	427	380	<2	0.24	<5	247	0.25	148
167493		13	7.12	0.25	10.00	1320	<1	0.38	614	200	<2	0.07	<5	60	0.24	166
167494		23	7.79	1.28	9.84	1410	2	0.40	521	590	<2	0.13	<5	228	0.34	177
167495		32	7.23	0.58	10.05	1255	2	0.40	605	220	<2	0.21	<5	94	0.23	166
167496 DUP		31	7.20	0.58	10.00	1245	2	0.40	600	170	<2	0.20	<5	92	0.23	166
167497		6	2.25	4.02	0.29	195	2	2.12	9	160	29	0.01	<5	158	0.09	10
167498		23	4.16	0.94	5.03	701	2	1.85	289	190	<2	0.11	<5	225	0.14	83
167499		19	5.99	0.53	7.97	1075	2	0.87	496	180	3	0.08	<5	165	0.19	120
167500		16	8.08	0.59	10.90	1445	1	0.36	643	180	8	0.07	<5	44	0.26	164





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 5-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06022873

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
167481		<10	77
167482		<10	67
167483		<10	62
167484		40	99
167485		10	91
167486		<10	15
167487		<10	85
167488		<10	89
167489		<10	88
167490		<10	83
167491		<10	67
167492		50	73
167493		<10	74
167494		<10	80
167495		10	85
167496 DUP		20	86
167497		<10	27
167498		60	53
167499		<10	76
167500		<10	97



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
 Finalized Date: 12-APR-2006  
 Account: TRAVEN

**CERTIFICATE VO06023370**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 10-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023370**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.05	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
162481		2.41	0.578				<0.5	7.38	5	180	<0.5	<2	5.36	<0.5	31	118
162482		2.60	2.80				<0.5	8.17	14	110	<0.5	<2	6.57	<0.5	29	111
162483		2.27	>10.0		45.2		<0.5	7.96	17	150	<0.5	<2	6.52	<0.5	21	115
162484		2.42	0.033				<0.5	8.11	<5	130	0.5	<2	7.11	<0.5	29	124
162485		2.60	0.172				0.5	7.95	<5	150	0.5	<2	5.35	<0.5	31	101
162486		2.63	0.062				<0.5	7.82	<5	170	<0.5	<2	5.63	<0.5	25	128
162487		0.04	1.810				20.8	9.09	<5	60	3.2	<2	0.34	<0.5	<1	9
162488		2.50	8.68				<0.5	7.92	5	150	<0.5	<2	5.91	<0.5	23	112
162489		2.54	0.346				<0.5	7.71	<5	160	<0.5	<2	5.53	<0.5	20	100
162490		2.33	0.019				<0.5	8.08	<5	150	<0.5	<2	4.91	<0.5	14	70
162491		2.25	0.058				<0.5	7.85	<5	130	<0.5	<2	5.74	<0.5	20	118
162492		2.75	0.008				<0.5	8.17	<5	90	<0.5	<2	7.05	<0.5	21	101
162493		2.79	0.170	0.191			<0.5	7.98	<5	110	<0.5	<2	6.89	<0.5	21	118
162494		2.06	0.172	0.210			0.8	6.98	<5	160	<0.5	<2	5.17	<0.5	57	126
162495 DUP		<0.02	0.336	0.269			0.7	6.63	<5	170	<0.5	<2	5.56	<0.5	51	118
162496		0.11	<0.005				<0.5	6.85	<5	490	0.9	<2	0.90	<0.5	1	31
162497		2.34	0.219				<0.5	7.64	<5	140	<0.5	<2	6.14	<0.5	19	144
162498		2.31	0.520				0.8	7.16	20	110	<0.5	<2	5.54	<0.5	35	161
162499		1.62	0.056				<0.5	7.83	<5	290	0.5	<2	6.36	<0.5	30	281
162500		2.67	0.070				<0.5	8.94	<5	350	0.7	<2	5.99	<0.5	34	106
162501		2.33	3.32				<0.5	8.18	<5	190	<0.5	<2	5.90	<0.5	30	158
162502		2.36	0.398				0.6	6.75	<5	170	0.6	<2	5.71	0.8	44	915
162503		1.56	0.073				<0.5	6.43	<5	270	0.6	<2	2.99	1.5	37	904
162504		2.96	1.085				<0.5	3.97	<5	70	<0.5	<2	4.81	<0.5	42	1120
162505		2.46	0.031				<0.5	7.40	10	340	0.8	<2	2.20	<0.5	9	101
162506		2.44	0.033				<0.5	5.73	<5	180	<0.5	<2	3.55	2.7	50	1185
162507		1.50	0.050				<0.5	6.19	<5	160	0.5	<2	4.18	<0.5	31	651
162508		2.23	0.210				0.6	4.17	<5	30	<0.5	<2	4.50	<0.5	58	1560
162509 DUP		<0.02	0.160				<0.5	3.94	<5	30	<0.5	<2	4.44	<0.5	57	1545
162510		0.14	<0.005				<0.5	6.65	5	500	0.8	<2	0.92	<0.5	1	20
162511		2.77	>10.0		6.31	5.57	<0.5	5.85	<5	100	<0.5	<2	4.90	<0.5	40	670
162512		1.91	0.326				0.5	6.17	<5	150	<0.5	<2	5.47	<0.5	36	494
162513		2.75	0.116				<0.5	7.68	<5	390	1.0	<2	2.48	<0.5	4	23
162514		2.52	0.173				<0.5	6.95	<5	250	0.5	<2	4.51	<0.5	27	271
162515		2.88	0.128				<0.5	7.75	<5	110	<0.5	<2	6.88	<0.5	40	303
162516		2.67	<0.005				<0.5	7.88	<5	110	<0.5	<2	7.35	<0.5	41	227
162517		2.33	0.025				<0.5	7.44	<5	140	<0.5	<2	6.66	<0.5	40	252
162518		0.04	0.935				9.7	7.53	<5	50	3.0	<2	0.31	<0.5	<1	6
162519		3.16	0.010				<0.5	7.19	<5	170	<0.5	<2	5.54	<0.5	33	239
162520		4.34	0.008				<0.5	7.62	<5	190	<0.5	<2	6.94	<0.5	40	117



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023370**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	
	Units LOR	ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
162481		12	6.76	1.23	4.00	974	<1	1.37	72	360	10	0.04	<5	112	0.44	216
162482		23	7.25	0.96	4.15	1130	1	1.48	83	360	11	0.13	<5	127	0.44	215
162483		48	5.78	1.21	2.87	1125	1	1.21	67	390	5	0.30	<5	150	0.42	207
162484		116	6.97	0.94	3.64	1165	2	1.72	70	1670	8	0.35	5	445	0.52	205
162485		382	6.37	0.99	2.78	1040	1	1.90	56	530	6	0.43	7	161	0.45	172
162486		79	7.46	1.68	3.91	1110	1	1.04	71	370	4	0.30	8	111	0.43	201
162487		7	2.90	0.21	0.07	115	2	7.0	3	680	126	3.16	<5	25	0.01	3
162488		35	7.04	1.58	3.87	1100	1	1.10	72	390	8	0.15	<5	127	0.45	204
162489		32	6.89	1.54	3.71	1060	1	1.40	70	390	5	0.12	<5	119	0.45	210
162490		60	4.92	1.12	2.61	793	<1	2.26	46	380	4	0.19	<5	162	0.39	153
162491		60	6.51	1.22	3.46	1175	<1	1.24	66	410	7	0.32	<5	115	0.48	212
162492		14	7.00	0.96	3.88	1245	<1	1.36	63	400	<2	0.03	<5	132	0.46	212
162493		96	6.58	1.43	3.49	1325	1	0.94	109	400	2	0.43	<5	113	0.45	206
162494		1235	7.48	2.24	2.97	1260	<1	0.91	104	370	4	1.94	<5	83	0.40	188
162495 DUP		1270	7.75	2.21	2.94	1295	1	0.83	97	380	5	1.91	5	79	0.39	179
162496		13	2.76	4.20	0.27	239	1	2.26	7	170	33	0.03	<5	153	0.08	13
162497		335	6.07	2.26	2.86	1205	1	0.78	62	440	5	0.68	<5	87	0.43	199
162498		749	7.37	1.88	3.43	1365	1	0.82	76	350	9	0.98	<5	88	0.40	202
162499		100	6.84	1.36	4.87	1310	1	1.34	151	880	12	0.18	<5	223	0.41	181
162500		204	6.65	1.65	3.35	1120	<1	1.80	64	950	14	0.54	<5	456	0.50	175
162501		140	7.35	1.62	3.54	1315	1	1.18	90	430	7	0.47	<5	106	0.45	204
162502		190	6.81	0.96	5.70	1305	1	1.12	451	630	33	0.57	<5	144	0.37	129
162503		106	4.51	0.89	5.60	817	1	1.82	469	460	217	0.43	<5	115	0.28	69
162504		69	5.78	0.74	8.23	1240	2	0.36	618	250	10	0.22	<5	72	0.15	99
162505		16	3.80	1.02	1.98	480	1	2.88	53	690	9	0.16	<5	213	0.28	41
162506		112	3.71	0.24	8.05	809	1	2.01	704	160	192	0.43	5	115	0.13	69
162507		21	4.55	0.74	5.96	936	<1	1.74	352	600	12	0.06	<5	269	0.18	88
162508		92	6.22	0.32	10.15	1390	<1	0.27	865	210	64	0.33	<5	65	0.18	103
162509 DUP		91	6.14	0.28	8.96	1365	1	0.24	871	190	57	0.33	<5	53	0.18	102
162510		6	2.15	4.18	0.29	198	1	2.20	8	170	30	0.01	<5	151	0.08	10
162511		97	8.40	1.12	6.83	1595	1	0.53	313	210	14	0.60	5	78	0.29	180
162512		107	7.87	1.10	5.15	1690	<1	0.96	221	370	34	0.58	<5	107	0.34	151
162513		69	3.68	1.40	0.73	471	1	2.69	14	720	13	0.31	<5	194	0.36	32
162514		24	6.20	1.34	3.89	1065	1	1.86	118	350	6	0.20	<5	195	0.31	128
162515		9	7.33	1.12	5.44	1410	<1	1.08	123	270	12	0.02	<5	155	0.39	228
162516		77	7.83	1.00	4.78	1380	1	1.11	81	440	2	0.18	<5	187	0.42	237
162517		81	7.13	0.88	5.00	1465	1	1.23	91	270	<2	0.40	<5	167	0.38	221
162518		7	2.53	0.18	0.06	32	<1	6.6	1	600	101	2.82	<5	23	0.01	1
162519		69	7.43	0.95	4.85	1240	<1	1.49	99	640	6	0.46	<5	383	0.42	205
162520		93	8.12	0.76	4.41	1295	<1	1.55	107	1910	<2	0.54	6	838	0.66	204



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023370**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm	Zn ppm
		10	2
162481		<10	71
162482		<10	70
162483		10	62
162484		<10	89
162485		10	91
162486		<10	76
162487		<10	21
162488		<10	63
162489		<10	63
162490		10	52
162491		10	61
162492		<10	64
162493		20	56
162494		20	49
162495 DUP		20	47
162496		<10	29
162497		20	50
162498		20	75
162499		<10	89
162500		10	84
162501		20	77
162502		110	1245
162503		<10	1800
162504		10	162
162505		<10	34
162506		<10	2230
162507		<10	83
162508		<10	574
162509 DUP		<10	608
162510		<10	29
162511		10	200
162512		<10	238
162513		<10	39
162514		<10	78
162515		10	78
162516		<10	84
162517		10	106
162518		<10	15
162519		<10	101
162520		<10	102



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023370**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.05	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
162521		4.34	0.063				<0.5	7.07	<5	110	<0.5	<2	6.34	<0.5	44	369
162522		3.67	0.030				<0.5	6.87	<5	120	<0.5	<2	6.24	<0.5	43	460
162523		1.54	0.178				<0.5	6.28	<5	40	<0.5	<2	6.08	<0.5	54	936
162524		3.37	0.091				<0.5	5.39	<5	40	<0.5	<2	5.14	<0.5	55	1080
162525		0.10	<0.005				<0.5	6.89	<5	510	0.9	<2	0.79	<0.5	2	18
162526		1.51	0.945				<0.5	6.98	<5	500	0.9	<2	2.28	<0.5	10	120
162527		3.25	0.212				<0.5	5.72	<5	30	<0.5	<2	5.36	<0.5	55	1125
162528		2.62	0.448				<0.5	5.97	<5	50	<0.5	<2	6.11	<0.5	48	1045
162529		2.75	0.317				<0.5	7.25	<5	200	<0.5	<2	5.70	<0.5	40	808
162530 DUP		<0.02	0.285				<0.5	7.06	<5	210	<0.5	<2	5.41	<0.5	39	745
162531		2.79	0.374				<0.5	7.18	<5	170	0.5	<2	6.55	<0.5	51	758
162532		1.73	0.128				<0.5	5.67	<5	60	<0.5	<2	5.97	<0.5	49	1020
162533		3.16	0.020				<0.5	7.90	<5	520	0.6	<2	2.04	<0.5	5	33
162534		1.68	0.008				<0.5	8.09	<5	630	0.7	<2	1.99	<0.5	5	44
162535		2.79	0.147				<0.5	5.17	<5	30	<0.5	<2	6.48	<0.5	57	1055
162536		2.45	0.017				<0.5	7.29	<5	360	0.5	<2	3.45	<0.5	24	444
162537		0.06	1.805				18.3	7.88	6	60	3.1	<2	0.35	<0.5	<1	6
162538		2.87	0.173				<0.5	7.01	5	60	<0.5	<2	5.84	<0.5	61	924
162539		2.69	0.250				<0.5	7.26	<5	120	<0.5	<2	6.85	<0.5	39	322
162540		2.84	0.076				<0.5	7.47	<5	120	<0.5	<2	8.29	<0.5	40	298
162541		2.75	0.041				2.1	7.79	<5	140	<0.5	<2	6.26	<0.5	29	100
162542		2.41	0.247				<0.5	7.66	5	220	0.5	<2	5.24	<0.5	22	83
162543		2.42	0.657				<0.5	7.81	<5	170	<0.5	<2	5.52	<0.5	24	104
162544		2.33	0.369				<0.5	7.32	6	130	<0.5	<2	5.24	<0.5	23	84
162545		2.73	0.030				<0.5	7.14	<5	120	<0.5	<2	5.46	<0.5	24	100
162546		2.44	0.296				<0.5	7.54	<5	90	<0.5	<2	6.81	<0.5	24	92
162547		2.37	2.10				<0.5	7.86	5	150	0.6	<2	5.41	<0.5	27	78
162548		1.93	0.251				<0.5	7.71	<5	200	0.5	<2	6.83	<0.5	41	116
162549		2.56	0.022				<0.5	7.79	<5	100	<0.5	<2	6.27	<0.5	35	113
162550		0.06	0.975				10.5	8.01	<5	40	3.0	<2	0.32	<0.5	<1	3
162551		2.40	0.005				<0.5	7.58	<5	100	<0.5	<2	6.50	<0.5	35	106
162552		2.59	<0.005				<0.5	7.60	6	90	<0.5	<2	6.83	<0.5	25	89
162553		2.67	0.303	0.326			0.7	7.22	8	140	<0.5	<2	5.86	<0.5	32	117
162554 DUP		<0.02	0.410	0.415			0.9	6.87	<5	130	<0.5	<2	5.59	<0.5	32	109
162555		0.11	<0.005				<0.5	7.09	<5	560	0.8	<2	0.90	<0.5	2	13
162556		2.47	0.207				1.0	7.43	6	170	<0.5	<2	5.28	<0.5	44	124
162557		2.57	0.166				<0.5	7.18	<5	120	<0.5	<2	5.73	<0.5	37	121
162558		2.90	0.088				<0.5	7.84	<5	80	<0.5	<2	6.78	<0.5	30	105
162559		2.18	0.070				<0.5	7.55	7	250	0.9	<2	3.43	<0.5	12	20
162560		1.67	4.86				0.9	8.07	<5	210	0.5	<2	6.14	<0.5	47	112



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023370**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
Units		ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
LOR		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
162521		10	7.22	0.67	6.09	1270	<1	1.21	156	300	4	0.04	5	181	0.36	211
162522		13	7.00	0.86	5.91	1265	<1	1.03	146	240	<2	0.05	<5	119	0.35	211
162523		10	7.56	0.42	8.82	1345	<1	0.68	483	360	<2	0.08	<5	95	0.32	189
162524		5	7.04	0.32	9.87	1230	<1	0.32	576	220	<2	0.05	<5	49	0.24	163
162525		5	1.96	4.13	0.25	183	<1	2.17	6	150	28	<0.01	<5	142	0.08	8
182526		44	3.74	0.86	0.99	456	1	2.43	47	490	3	0.48	<5	134	0.28	26
162527		10	8.18	0.30	10.40	1460	<1	0.36	612	200	<2	0.07	<5	39	0.25	173
162528		8	8.11	0.49	9.96	1365	<1	0.58	562	210	4	0.04	<5	68	0.25	172
162529		16	7.27	0.77	8.34	1140	<1	1.18	451	410	6	0.22	<5	234	0.25	143
162530 DUP		15	6.94	0.78	7.95	1085	<1	1.16	426	430	3	0.23	<5	234	0.24	136
162531		8	6.83	0.95	9.80	1150	<1	0.66	596	570	2	0.13	<5	220	0.26	150
162532		10	7.17	0.56	9.05	1270	<1	0.77	541	190	<2	0.05	<5	77	0.24	156
162533		11	1.46	1.38	0.63	192	1	3.49	16	260	4	0.11	<5	211	0.12	24
162534		19	1.37	1.42	0.73	165	1	3.78	21	210	3	0.06	<5	245	0.10	24
162535		25	7.42	0.26	9.90	1475	<1	0.43	588	240	2	0.08	<5	85	0.25	164
162536		32	3.58	1.16	3.88	617	<1	2.29	227	200	3	0.09	<5	219	0.15	72
162537		6	2.91	0.19	0.09	119	<1	6.5	5	630	122	2.98	<5	23	0.02	3
162538		137	8.30	0.54	9.58	1420	<1	0.56	513	320	4	0.53	<5	87	0.31	206
162539		7	7.00	0.78	5.66	1365	<1	1.36	142	220	3	0.04	<5	130	0.35	214
162540		13	7.66	0.85	5.18	1535	<1	1.19	148	250	2	0.08	<5	134	0.36	223
162541		20	7.27	1.34	4.08	1210	<1	1.19	79	350	5	0.09	<5	132	0.42	200
162542		17	7.06	1.30	3.68	1085	<1	1.50	65	620	7	0.13	<5	221	0.48	209
162543		5	7.68	1.58	4.15	1100	<1	1.29	64	380	4	0.03	<5	122	0.44	208
162544		20	7.07	1.21	3.81	1045	1	1.22	61	360	4	0.15	<5	101	0.41	186
162545		1	6.86	1.17	4.05	1030	1	1.28	70	350	3	<0.01	<5	119	0.40	193
162546		7	6.54	0.68	3.61	1210	1	1.28	62	360	3	0.05	<5	147	0.41	194
162547		208	5.77	1.01	2.20	940	1	1.79	50	570	14	0.53	<5	163	0.43	147
162548		330	7.09	1.26	3.49	1215	<1	1.38	75	1410	27	0.83	<5	531	0.49	193
162549		161	7.32	0.93	3.78	1130	1	1.34	71	380	5	0.29	<5	136	0.43	200
162550		8	2.62	0.18	0.07	36	1	6.6	2	590	108	2.64	<5	22	0.01	2
162551		64	7.22	0.90	3.79	1200	1	1.23	79	340	4	0.22	<5	115	0.42	196
162552		11	6.89	0.80	3.91	1280	1	1.19	62	350	3	0.08	<5	118	0.41	196
162553		1090	7.07	2.09	3.35	1310	1	0.68	70	370	6	0.81	<5	122	0.42	191
162554 DUP		1135	6.84	2.09	3.18	1270	<1	0.63	68	330	2	0.88	<5	117	0.41	186
162555		8	1.96	4.19	0.25	184	1	2.10	5	170	37	0.01	<5	161	0.08	10
162556		909	6.49	2.27	2.71	1165	1	0.73	79	360	4	1.22	<5	77	0.41	183
162557		487	6.51	1.70	2.93	1220	1	1.02	64	320	9	0.83	<5	87	0.41	190
162558		122	7.04	0.91	3.65	1260	<1	1.22	72	390	4	0.39	<5	126	0.42	201
162559		72	3.97	1.39	1.00	561	1	2.18	15	600	7	0.29	<5	174	0.38	81
162560		570	7.35	1.98	2.85	1160	1	1.13	90	400	5	1.38	<5	122	0.45	191



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 12-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06023370

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W	Zn
		ppm	ppm
162521		<10	63
162522		<10	64
162523		<10	92
162524		<10	74
162525		<10	26
162526		<10	26
162527		<10	94
162528		<10	95
162529		<10	84
162530 DUP		<10	80
162531		<10	85
162532		10	81
162533		<10	30
162534		<10	35
162535		<10	102
162536		<10	50
162537		<10	19
162538		<10	124
162539		<10	86
162540		10	91
162541		10	67
162542		<10	74
162543		<10	73
162544		<10	66
162545		<10	61
162546		<10	67
162547		10	58
162548		10	118
162549		<10	67
162550		<10	17
162551		<10	61
162552		<10	58
162553		10	77
162554 DUP		10	75
162555		<10	28
162556		20	64
162557		10	62
162558		<10	57
162559		<10	62
162560		10	91





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 12-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06023370

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.05	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
162561		2.23	2.33				<0.5	7.41	<5	220	0.7	<2	3.62	<0.5	12	42
162562		1.25	3.61				1.5	6.23	<5	180	<0.5	<2	5.60	<0.5	28	94
162563		0.11	0.008				<0.5	6.69	10	530	0.8	<2	0.94	<0.5	1	16
162564		2.13	0.652				1.1	7.02	<5	170	0.5	<2	6.12	<0.5	28	232
162565		2.39	0.174				0.5	7.96	<5	130	0.5	<2	6.56	<0.5	48	178
162566		2.63	0.073				<0.5	7.48	8	110	<0.5	<2	6.09	<0.5	41	120
162567		2.38	0.100				<0.5	8.03	<5	110	<0.5	<2	6.83	<0.5	32	190
162568		2.71	0.372				<0.5	7.51	<5	220	<0.5	<2	5.92	<0.5	29	170
162569 DUP		<0.02	0.337				<0.5	7.77	<5	230	<0.5	<2	6.26	<0.5	30	175
162570		1.49	0.061				<0.5	6.76	<5	290	0.7	<2	4.62	<0.5	30	380
162571		3.75	1.280				<0.5	4.48	<5	40	<0.5	<2	4.72	<0.5	59	1535
162572		2.84	0.284				<0.5	4.76	5	20	<0.5	<2	5.01	<0.5	67	1275
162573		2.42	0.076				<0.5	6.59	<5	140	<0.5	<2	4.42	<0.5	41	686
162574		2.85	0.051				<0.5	7.16	<5	140	<0.5	<2	6.01	<0.5	43	353
162575		2.22	0.931				<0.5	6.88	8	220	0.5	<2	4.46	<0.5	20	186
162576		2.65	0.327				<0.5	7.56	<5	210	<0.5	<2	6.51	<0.5	39	365
162577		2.38	0.008				<0.5	8.49	7	340	0.7	<2	6.07	<0.5	34	156
162578		0.07	1.775				19.6	8.27	<5	60	3.2	<2	0.35	<0.5	1	6
162579		2.85	0.055				<0.5	7.28	<5	80	<0.5	<2	6.60	<0.5	44	415
162580		2.56	0.006				<0.5	7.43	12	70	<0.5	<2	6.47	<0.5	49	351



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023370**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
		ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
162561		132	4.11	1.44	1.41	663	1	2.14	24	610	2	0.24	<5	172	0.38	100
162562		830	6.26	1.98	2.93	1205	1	0.71	116	720	5	1.16	<5	174	0.39	169
162563		10	1.88	4.07	0.20	168	2	2.00	4	140	30	0.02	<5	148	0.07	8
162564		1260	6.67	1.44	4.16	1255	<1	0.84	106	360	5	0.50	<5	126	0.37	184
162565		946	7.98	1.60	3.76	1250	1	1.06	86	420	6	1.16	<5	146	0.44	208
162566		492	7.41	1.04	3.35	1215	1	1.03	77	340	2	1.00	<5	124	0.42	195
162567		183	7.32	0.89	3.81	1355	<1	1.17	94	400	6	0.40	<5	156	0.43	198
162568		75	7.63	1.68	4.28	1315	1	1.18	130	990	7	0.73	<5	224	0.47	184
162569 DUP		76	7.98	1.76	4.55	1395	1	1.21	136	1030	7	0.73	<5	232	0.48	196
162570		68	5.83	1.17	4.65	897	<1	1.30	211	690	36	0.52	<5	612	0.32	125
162571		93	7.83	0.54	11.70	1320	1	0.26	818	140	102	0.47	<5	62	0.22	140
162572		55	6.89	0.16	12.55	1245	1	0.14	786	200	92	0.32	<5	51	0.20	125
162573		6	5.53	0.81	6.61	1040	<1	1.41	337	200	<2	0.02	<5	178	0.25	140
162574		11	6.84	1.18	5.75	1205	<1	1.25	141	360	<2	0.04	<5	147	0.36	205
162575		13	5.02	1.11	3.13	956	<1	1.90	70	390	<2	0.09	<5	150	0.34	126
162576		11	7.23	1.40	5.99	1290	<1	1.27	153	310	<2	0.04	9	139	0.40	217
162577		63	6.42	1.18	4.04	1065	<1	1.98	77	960	4	0.17	<5	480	0.49	182
162578		6	2.85	0.20	0.07	115	<1	7.2	4	670	118	3.13	<5	24	0.01	2
162579		34	6.99	0.61	6.24	1270	<1	1.25	170	240	2	0.08	<5	142	0.35	212
162580		76	7.39	0.60	6.17	1290	<1	1.26	150	360	<2	0.09	<5	147	0.36	217



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 12-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023370**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm	Zn ppm
162561		10	62
162562		20	62
162563		<10	25
162564		20	91
162565		<10	166
162566		10	64
162567		<10	82
162568		10	97
162569 DUP		10	103
162570		<10	124
162571		<10	354
162572		<10	480
162573		<10	67
162574		<10	64
162575		<10	62
162576		<10	77
162577		<10	82
162578		<10	19
162579		<10	58
162580		10	68



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 11-APR-2006

Account: TRAVEN

## CERTIFICATE VO06023371

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 10-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 11-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023371**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GR421	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
162581		2.96	0.028			<0.5	7.42	<5	70	<0.5	<2	6.33	<0.5	45	502	33
162582		2.64	1.465			<0.5	5.87	<5	20	<0.5	<2	6.48	<0.5	51	971	4
162583		2.50	0.383			<0.5	6.15	<5	70	<0.5	<2	6.11	<0.5	54	1085	6
162584		2.70	0.991			<0.5	5.73	<5	30	<0.5	<2	6.23	<0.5	56	1185	5
162585		1.15	>10.0		47.2	1.6	5.70	<5	40	<0.5	<2	4.55	0.5	46	1040	42
162586		0.13	0.029			<0.5	7.09	<5	540	1.0	<2	0.88	<0.5	1	16	3
162587		1.32	>10.0		62.6	0.5	4.84	<5	40	<0.5	<2	4.48	<0.5	50	947	61
162588		2.15	0.944			<0.5	6.41	<5	90	<0.5	<2	4.76	0.5	46	1070	31
162589		3.02	0.240			<0.5	6.76	13	210	<0.5	<2	4.91	<0.5	37	891	16
162590		2.50	0.017			<0.5	7.08	5	470	0.8	<2	6.13	<0.5	42	299	28
162591		2.67	0.457			<0.5	5.57	9	40	<0.5	<2	5.42	<0.5	49	1150	35
162592		0.06	0.988			10.0	8.04	15	50	3.1	<2	0.33	<0.5	<1	12	7
162593		2.59	0.080			<0.5	7.50	12	480	0.6	<2	2.94	<0.5	18	362	47
162594		4.15	1.850			<0.5	5.48	<5	70	<0.5	<2	5.40	<0.5	52	1215	54
162595		1.51	6.32	7.19		0.7	3.46	13	70	<0.5	<2	3.26	<0.5	40	824	162
162596 DUP		<0.02	7.60	7.23		0.5	3.82	<5	80	<0.5	<2	3.57	<0.5	45	800	170
162597		2.80	0.401			<0.5	5.82	<5	50	<0.5	<2	6.12	<0.5	60	1215	24
162598		2.56	0.008			<0.5	7.76	16	350	0.5	<2	3.24	<0.5	23	497	23
162599		3.81	0.272			<0.5	5.41	<5	<10	<0.5	<2	5.58	<0.5	58	1355	14
162600		4.18	0.064			<0.5	7.57	8	120	<0.5	2	6.46	<0.5	42	370	1
162601		4.11	0.167			<0.5	7.19	<5	70	<0.5	<2	6.88	<0.5	37	353	35
162602		4.00	0.192			<0.5	7.03	<5	70	<0.5	<2	8.69	<0.5	41	340	41
162603		3.80	0.046			<0.5	7.28	5	50	<0.5	<2	7.77	<0.5	41	347	7
162604		3.85	0.031			<0.5	7.37	7	60	<0.5	<2	8.08	<0.5	42	352	17
162605		3.02	0.042			0.7	7.23	<5	90	<0.5	<2	9.03	<0.5	45	329	60
162606 DUP		<0.02	0.072			<0.5	6.76	<5	80	<0.5	<2	8.76	<0.5	39	321	58
162607		3.27	0.313			<0.5	7.53	12	90	<0.5	<2	7.88	<0.5	42	368	100
162608		4.33	0.036			<0.5	7.07	6	130	<0.5	<2	7.44	<0.5	41	302	57
162609		4.46	0.016			<0.5	6.32	6	50	<0.5	<2	8.81	<0.5	37	300	38
162610		3.19	0.023			<0.5	6.72	<5	40	<0.5	<2	8.73	<0.5	42	354	21
162611		2.87	2.63			<0.5	7.24	<5	50	<0.5	<2	7.52	<0.5	37	352	57
162612		4.08	0.095			<0.5	7.10	<5	60	<0.5	<2	8.28	<0.5	39	324	17
162613		0.09	1.755			19.0	8.24	6	60	3.1	<2	0.34	<0.5	<1	3	5
162614		3.87	0.034			<0.5	6.33	<5	410	0.9	<2	2.59	<0.5	9	100	15
162615		2.66	0.041			<0.5	7.00	<5	80	<0.5	<2	8.15	<0.5	40	310	9
162616		2.84	<0.005			<0.5	7.00	11	60	<0.5	<2	7.07	<0.5	40	334	7
162617		2.54	0.604			0.6	6.81	<5	50	<0.5	<2	7.21	<0.5	41	337	287
162618		0.14	<0.005			<0.5	6.57	15	530	0.8	<2	0.93	<0.5	2	8	4
162619		2.98	0.037			<0.5	7.19	14	170	<0.5	<2	4.94	<0.5	25	222	27
182620		2.70	<0.005			<0.5	7.31	<5	50	<0.5	<2	7.38	<0.5	41	352	6



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 11-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023371**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
162581		7.74	0.40	6.55	1395	<1	1.35	171	240	4	0.06	<5	112	0.35	218	10
162582		8.47	0.31	9.12	1370	<1	0.67	484	190	<2	0.01	<5	35	0.27	178	<10
162583		7.90	0.63	9.93	1315	<1	0.38	518	280	<2	0.07	<5	79	0.27	173	<10
162584		8.00	0.47	10.35	1335	<1	0.39	607	200	7	0.03	<5	51	0.27	178	<10
162585		7.87	0.68	8.84	1310	<1	0.30	473	180	48	0.29	<5	57	0.26	168	<10
162586		1.48	3.94	0.24	136	<1	2.17	6	160	36	0.01	<5	148	0.08	7	<10
162587		7.20	0.48	8.36	1210	<1	0.28	504	160	71	0.40	<5	46	0.23	150	<10
162588		7.89	1.20	9.39	1345	<1	0.67	525	230	96	0.22	<5	48	0.28	164	<10
162589		6.69	0.83	7.96	1100	<1	1.06	407	350	<2	0.17	<5	186	0.31	144	<10
162590		3.90	1.60	6.72	673	<1	0.81	447	1020	<2	0.18	<5	427	0.20	78	<10
162591		7.85	0.41	9.49	1340	<1	0.68	511	240	<2	0.24	<5	154	0.26	157	<10
162592		2.61	0.19	0.09	40	<1	6.6	4	600	107	2.78	<5	20	0.01	1	10
162593		3.36	1.40	2.75	522	<1	2.31	155	350	<2	0.20	<5	175	0.23	65	<10
162594		7.01	0.51	9.55	1310	<1	0.59	592	190	<2	0.10	<5	93	0.24	150	<10
162595		4.94	0.48	5.60	888	<1	0.27	386	110	<2	0.81	<5	69	0.13	88	<10
162596 DUP		5.37	0.51	6.11	980	<1	0.30	396	80	<2	0.69	<5	75	0.14	92	<10
162597		7.46	0.73	10.60	1425	<1	0.41	620	220	<2	0.06	<5	65	0.27	166	<10
162598		3.30	1.09	3.89	531	<1	2.68	235	180	<2	0.06	<5	180	0.15	68	10
162599		7.44	0.07	11.05	1390	<1	0.37	689	170	<2	0.02	<5	34	0.27	168	<10
162600		7.41	0.77	6.03	1365	<1	1.51	140	220	<2	<0.01	<5	121	0.38	219	10
162601		6.60	0.46	5.07	1270	<1	1.84	144	320	2	0.07	6	174	0.35	195	<10
162602		7.60	0.50	4.95	1605	<1	1.28	146	240	<2	0.10	<5	150	0.37	212	10
162603		7.40	0.38	5.08	1330	<1	1.34	137	260	<2	0.02	<5	142	0.37	214	<10
162604		7.65	0.47	5.04	1410	<1	1.20	146	240	<2	0.08	<5	142	0.39	225	<10
162605		7.65	0.52	4.95	1440	<1	1.28	146	240	<2	0.08	<5	156	0.37	214	10
162606 DUP		7.33	0.48	4.73	1395	<1	1.18	142	200	<2	0.08	<5	146	0.35	203	10
162607		7.74	0.55	4.91	1460	<1	1.44	134	270	<2	0.20	<5	200	0.38	221	10
162608		7.44	0.64	5.49	1345	<1	1.59	172	1040	<2	0.31	<5	508	0.50	218	<10
162609		7.03	0.44	5.02	1565	<1	0.86	140	240	<2	0.15	<5	140	0.35	196	10
162610		8.68	0.37	4.23	1325	<1	1.24	150	210	<2	0.06	<5	124	0.40	234	<10
162611		7.23	0.48	4.70	1295	<1	1.34	136	240	<2	0.16	<5	120	0.38	214	<10
162612		7.35	0.49	4.81	1320	<1	1.32	137	250	<2	0.03	<5	135	0.37	209	10
162613		2.69	0.19	0.08	116	<1	6.6	8	610	116	2.85	<5	21	0.01	1	<10
162614		2.87	1.22	1.14	525	<1	2.85	39	110	17	0.08	<5	120	0.15	49	<10
162615		7.06	0.59	5.26	1315	<1	1.36	130	220	<2	0.02	<5	148	0.35	205	<10
162616		7.09	0.46	5.15	1210	<1	1.31	138	210	<2	0.02	<5	113	0.35	205	<10
162617		7.10	0.38	4.69	1210	<1	1.28	135	210	<2	0.10	<5	132	0.37	208	10
162618		1.76	3.64	0.27	168	<1	2.10	6	120	30	0.01	<5	150	0.08	8	<10
152619		4.43	0.57	2.82	749	<1	2.33	74	210	<2	0.08	<5	206	0.24	128	<10
162620		7.56	0.34	5.07	1270	<1	1.46	142	220	<2	0.01	<5	128	0.38	217	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 11-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06023371

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
162581		67
162582		76
162583		76
162584		78
162585		336
162586		31
162587		177
162588		333
162589		78
162590		63
162591		114
162592		18
162593		52
162594		91
162595		68
162596 DUP		90
162597		102
162598		49
162599		81
162600		68
162601		73
162602		80
162603		62
162604		77
162605		63
162606 DUP		61
162607		73
162608		88
162609		74
162610		68
162611		85
162612		64
162613		20
162614		76
162615		99
162616		55
162617		67
162618		26
162619		45
162620		55



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 11-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023371**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
162621		2.88	0.016			<0.5	7.41	<5	150	0.7	<2	3.94	<0.5	22	45	108
162622		2.77	0.866			<0.5	7.08	8	190	<0.5	<2	5.46	<0.5	44	126	415
162623		3.08	0.097			<0.5	7.13	<5	170	<0.5	<2	5.83	<0.5	41	120	252
162624		3.09	0.072			<0.5	7.60	<5	120	<0.5	<2	5.85	<0.5	41	130	330
162625		2.79	0.084			<0.5	8.34	<5	140	0.6	<2	5.19	<0.5	31	77	185
162626		3.29	0.052			<0.5	8.14	<5	270	0.7	<2	4.95	<0.5	30	75	261
182627		2.09	0.037			<0.5	7.33	<5	260	1.0	<2	2.13	<0.5	14	22	96
182628		1.87	0.036			<0.5	6.27	6	320	0.9	<2	1.23	<0.5	6	7	63
162629		3.54	0.020			<0.5	7.87	<5	100	<0.5	<2	6.10	<0.5	33	116	105
182830		0.06	0.963			10.4	8.12	6	50	3.1	<2	0.33	<0.5	1	6	7
162631		3.52	0.023			<0.5	7.16	<5	210	0.7	<2	3.87	<0.5	23	74	80
162632		1.81	0.033			<0.5	7.24	<5	220	0.6	<2	5.60	<0.5	32	91	198
162633		2.73	7.93			0.6	7.58	7	120	<0.5	<2	6.43	<0.5	54	114	484
182634 DUP		<0.02	7.39			0.8	7.53	<5	120	<0.5	<2	6.39	<0.5	53	112	485
162635		0.14	<0.005			<0.5	6.72	<5	530	0.9	<2	0.93	<0.5	1	10	5
162636		3.42	0.063			<0.5	7.62	5	200	0.6	<2	4.55	<0.5	22	43	84
162637		2.65	0.073			<0.5	7.83	5	110	<0.5	<2	6.52	<0.5	41	118	334
162638		2.52	0.144			<0.5	7.37	<5	100	<0.5	<2	6.52	<0.5	35	123	295
162639		2.67	0.144			<0.5	7.65	<5	110	<0.5	<2	6.78	<0.5	48	122	218
162640		3.00	0.115			<0.5	7.82	<5	340	0.8	<2	4.24	<0.5	18	71	91
162641		2.67	0.888			0.5	7.17	<5	120	<0.5	<2	7.35	<0.5	39	118	421
182642		2.46	0.101			<0.5	7.57	10	220	0.6	<2	6.12	<0.5	37	224	181
162643		2.90	0.474			<0.5	7.46	<5	150	<0.5	<2	7.59	<0.5	33	161	234
162644		0.07	1.790			17.4	7.87	<5	60	2.9	<2	0.33	<0.5	1	5	5
162645		2.92	0.948			0.6	7.35	<5	110	<0.5	<2	6.71	<0.5	29	106	140
162646		2.49	0.107	0.088		<0.5	7.38	<5	160	<0.5	<2	5.68	<0.5	28	100	69
162647		2.81	0.094			<0.5	7.81	12	150	<0.5	<2	6.42	<0.5	27	93	38
162648		2.52	0.015			<0.5	7.61	19	120	0.5	<2	6.11	<0.5	26	86	9
162649		3.09	0.015			<0.5	8.00	12	260	0.7	<2	5.28	<0.5	22	73	24
162650		2.70	0.007			<0.5	7.91	7	100	<0.5	<2	6.41	<0.5	28	104	4
162651		3.00	0.787			<0.5	7.64	6	90	<0.5	<2	6.29	<0.5	25	111	38
162652		3.06	0.818			<0.5	7.77	18	160	0.6	<2	5.99	<0.5	27	123	54
162653		2.67	0.441	0.437		<0.5	6.62	<5	100	<0.5	<2	4.59	<0.5	19	86	32
162654 DUP		<0.02	0.255	0.418		<0.5	7.08	9	100	<0.5	<2	4.91	<0.5	18	102	34
162655		0.10	<0.005			<0.5	6.11	<5	540	0.7	<2	0.78	<0.5	1	6	4
162656		2.77	0.083			<0.5	7.56	<5	140	<0.5	<2	5.37	<0.5	24	106	10
162657		2.54	0.008			<0.5	7.82	13	170	<0.5	<2	5.34	<0.5	23	109	8
182658		2.71	0.016			<0.5	7.51	18	150	<0.5	<2	5.29	<0.5	25	110	5
162659		2.63	<0.005			<0.5	8.02	9	180	<0.5	<2	5.03	<0.5	25	104	8
162660		3.06	0.369			<0.5	7.94	6	160	<0.5	<2	4.45	<0.5	18	85	11





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 11-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023371**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
162621		4.90	0.82	1.73	805	<1	2.41	27	650	<2	0.28	<5	181	0.47	143	<10
162622		6.40	1.30	2.46	997	<1	1.54	75	300	6	1.26	<5	95	0.42	186	10
162623		6.42	1.30	2.85	1130	<1	1.48	67	300	<2	0.86	<5	118	0.42	188	10
162624		8.84	1.02	2.68	1165	<1	1.22	69	350	2	1.06	<5	134	0.44	196	20
162625		6.08	0.66	2.01	1045	<1	2.15	41	620	<2	0.51	<5	193	0.49	173	<10
162626		8.19	1.03	2.03	1105	1	2.14	44	630	<2	0.48	<5	177	0.48	160	<10
162627		2.38	0.64	0.51	336	1	3.57	7	210	<2	0.31	<5	191	0.14	25	<10
162628		1.84	0.59	0.26	200	<1	3.25	<1	60	<2	0.28	<5	140	0.09	7	<10
162629		7.37	0.89	3.32	1245	<1	1.34	74	400	<2	0.30	<5	235	0.54	212	<10
162630		2.78	0.20	0.08	40	<1	6.5	3	580	104	2.97	<5	22	0.01	1	<10
162631		5.76	0.82	2.24	828	<1	2.40	52	430	<2	0.33	<5	250	0.46	116	10
162632		5.99	1.08	3.06	1225	<1	1.68	63	430	<2	0.44	<5	202	0.37	169	<10
162633		8.02	0.85	3.48	1290	<1	1.42	122	520	<2	1.28	<5	195	0.43	194	30
162634 DUP		7.98	0.85	3.44	1280	<1	1.42	122	530	10	1.32	<5	192	0.42	190	40
162635		1.48	4.12	0.22	141	2	2.08	2	160	28	0.01	<5	154	0.08	8	<10
162636		5.21	0.97	1.85	868	<1	2.16	26	580	<2	0.29	9	189	0.44	142	<10
162637		6.90	0.83	3.01	1115	<1	1.50	79	360	<2	0.78	<5	153	0.44	193	<10
162638		6.67	0.95	2.96	1100	<1	1.22	66	340	<2	0.84	<5	128	0.41	188	10
162639		7.04	0.95	3.07	1180	2	1.32	77	350	<2	0.91	<5	139	0.43	192	<10
162640		4.28	1.14	1.58	724	1	2.63	32	220	4	0.40	<5	145	0.27	94	<10
162641		6.64	1.07	2.70	1210	<1	1.03	59	340	6	1.19	<5	128	0.40	185	10
162642		6.20	0.85	4.10	1030	<1	1.88	124	590	<2	0.47	<5	478	0.40	159	<10
162643		6.29	0.71	3.49	1150	<1	1.56	81	440	16	0.63	<5	290	0.42	178	10
162644		2.99	0.17	0.06	106	<1	6.6	4	600	126	3.27	<5	23	0.01	2	<10
162645		8.90	0.89	3.71	1145	<1	1.32	71	350	<2	0.38	<5	136	0.43	201	10
162646		7.22	1.12	3.98	1090	<1	1.26	77	350	3	0.27	<5	157	0.43	192	<10
162647		6.59	0.88	3.72	1275	<1	1.37	67	360	<2	0.22	<5	225	0.45	203	<10
162648		6.00	0.88	3.39	1215	<1	1.72	58	450	<2	0.06	<5	160	0.47	196	<10
162649		6.39	1.04	3.40	1030	<1	1.86	53	900	<2	0.14	<5	306	0.47	173	10
162650		6.61	0.77	4.10	1095	<1	1.61	77	370	<2	0.02	<5	153	0.46	208	10
162651		6.22	0.92	3.27	1130	<1	1.27	77	350	<2	0.34	<5	139	0.45	200	10
162652		6.20	1.16	3.53	1090	<1	1.40	87	1250	<2	0.46	<5	333	0.48	188	10
162653		5.99	0.98	3.18	1075	<1	1.24	68	340	<2	0.44	<5	93	0.40	170	10
162654 DUP		6.49	1.01	3.41	1160	<1	1.32	68	350	<2	0.45	<5	99	0.41	178	10
162655		1.38	3.73	0.23	140	<1	1.94	4	130	22	0.01	<5	142	0.08	8	<10
162656		7.00	1.30	4.03	1100	<1	1.22	76	360	<2	0.07	<5	115	0.45	206	<10
162657		7.05	1.55	4.03	1080	<1	1.10	91	360	<2	0.13	<5	118	0.45	201	10
162658		6.90	1.36	4.03	1070	<1	1.14	80	360	<2	0.05	<5	111	0.46	205	<10
162659		7.33	1.46	4.20	1050	<1	1.36	76	370	<2	0.07	<5	111	0.45	204	10
162660		5.78	1.24	3.18	942	<1	1.78	59	280	<2	0.22	<5	122	0.36	157	10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 11-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06023371

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
162621		57
162622		72
162623		56
162624		70
162625		75
162626		83
162627		30
162628		23
162629		89
162630		18
162631		68
162632		82
162633		92
162634 DUP		104
162635		26
162636		62
162637		75
162638		80
162639		75
162640		58
162641		82
162642		70
162643		82
162644		17
162645		66
162646		63
162647		71
162648		72
162649		70
162650		60
162651		54
162652		85
162653		53
162654 DUP		56
162655		26
162656		71
162657		63
162658		61
162659		62
162660		53



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 11-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023371**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
162661		2.80	0.892		<0.5	8.52	<5	120	<0.5	<2	7.14	<0.5	24	119	33	
162662		2.98	0.150		<0.5	7.34	10	80	<0.5	<2	7.03	<0.5	25	106	35	
162663		2.80	0.056		<0.5	7.89	<5	140	<0.5	<2	6.92	<0.5	27	120	80	
162664		0.05	0.959		10.8	8.46	9	50	3.2	<2	0.34	<0.5	<1	5	8	
162665		2.88	0.724		<0.5	7.84	14	120	<0.5	<2	6.23	<0.5	25	131	189	
162666		2.21	0.194		<0.5	7.57	<5	90	<0.5	<2	5.34	<0.5	22	188	113	
162667		2.34	0.197		0.5	7.09	13	90	<0.5	<2	5.43	<0.5	27	393	214	
162668		2.37	0.077		<0.5	7.94	<5	90	<0.5	<2	5.35	<0.5	25	174	230	
162669		2.71	0.228		0.8	6.23	6	100	<0.5	<2	4.38	<0.5	60	217	1160	
162670 DUP		<0.02	0.177		0.8	6.10	<5	90	<0.5	<2	4.38	<0.5	60	213	1155	
162671		1.74	0.074		0.5	7.53	<5	100	0.5	<2	4.62	<0.5	42	162	431	
162672		1.33	4.36		<0.5	5.85	8	130	<0.5	<2	4.66	<0.5	34	108	266	
162673		0.14	<0.005		<0.5	6.68	<5	550	0.8	<2	0.75	<0.5	1	5	11	
162674		2.84	0.168		0.5	7.12	<5	250	0.7	<2	4.13	<0.5	20	325	91	
162675		1.37	0.058		<0.5	7.94	<5	350	0.7	<2	4.80	<0.5	33	289	77	
162676		2.88	0.166		<0.5	4.15	5	40	<0.5	<2	4.15	<0.5	72	1780	136	
162677		2.21	0.137		<0.5	3.94	<5	<10	<0.5	<2	3.97	<0.5	82	1850	190	
162678		2.50	0.037		<0.5	4.47	8	80	<0.5	<2	4.14	<0.5	61	1620	86	
162679		2.35	0.185		<0.5	3.81	6	<10	<0.5	<2	3.99	<0.5	67	1450	142	
162680		2.89	0.812		0.7	4.91	<5	90	<0.5	<2	3.52	0.6	59	1190	128	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 11-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06023371**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
162661		7.43	1.24	4.24	1500	<1	0.99	79	350	<2	0.29	<5	112	0.48	217	10
162662		6.88	0.94	3.80	1405	<1	1.08	102	370	<2	0.24	<5	100	0.42	196	30
162663		6.80	1.47	3.66	1510	<1	0.73	75	340	<2	0.48	<5	98	0.46	208	20
162664		2.72	0.20	0.09	41	<1	7.0	3	670	110	2.95	<5	22	0.01	1	<10
162665		6.94	1.38	3.82	1430	<1	0.96	75	370	<2	0.52	<5	100	0.46	206	10
162666		6.25	1.10	3.29	1230	<1	1.14	100	400	<2	0.33	<5	104	0.44	192	10
162667		6.19	1.10	3.13	1255	<1	1.16	144	340	<2	0.46	<5	92	0.42	186	10
162668		6.52	1.22	3.26	1275	<1	1.36	88	350	<2	0.35	<5	103	0.46	190	20
162669		7.08	1.16	2.90	1115	<1	1.02	104	280	<2	1.35	<5	77	0.37	177	30
162670 DUP		7.00	1.16	2.87	1115	<1	0.99	99	270	<2	1.28	<5	76	0.37	181	30
162671		5.59	1.24	2.31	969	<1	1.36	79	320	<2	0.63	<5	130	0.46	173	20
162672		5.59	1.17	2.42	1080	<1	0.60	93	340	<2	0.70	<5	126	0.36	157	40
162673		1.29	4.14	0.21	132	<1	2.17	2	170	31	0.02	<5	149	0.09	8	10
162674		5.34	1.39	3.38	984	<1	1.49	154	680	2	0.32	<5	169	0.42	124	<10
162675		5.87	0.95	4.14	964	<1	1.84	154	720	<2	0.21	<5	403	0.54	172	<10
162678		6.68	0.11	12.95	1480	<1	0.28	1030	200	<2	0.43	<5	99	0.23	128	<10
162677		7.05	0.03	14.95	1365	<1	0.10	1165	110	<2	0.54	<5	31	0.20	126	<10
162678		7.14	0.39	12.05	1315	<1	0.32	887	540	<2	0.28	<5	89	0.25	123	20
162679		6.90	0.04	14.00	1300	<1	0.14	905	140	2	0.42	<5	15	0.19	120	<10
162680		5.23	0.13	10.30	974	<1	1.22	734	160	132	0.43	<5	63	0.16	96	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 964 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 11-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06023371

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
162661		65
162662		60
162663		55
162664		20
162665		60
162666		53
162667		55
162668		59
162669		62
162670 DUP		67
162671		51
162672		60
162673		32
162674		100
162675		78
162676		112
162677		113
162678		125
162679		114
162680		706



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 18-APR-2006

Account: TRAVEN

## CERTIFICATE VO06024022

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 22-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 2 (A)  
 Finalized Date: 18-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06024022**

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
166721		2.61	10.80	141.0	9.65	3.304	23.45	2593	9.62	9.67
166722		2.84	34.9	<0.05	35.5	<0.001	46.26	2797	35.0	36.0

Comments: Sample from VO06018389. sample 166722:The Fire Assay fusion was not acceptable on the +150 mesh fraction sample consequently gold was not recovery. No sample left (+150 mesh fraction) to re-assay.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 20-APR-2006

Account: TRAVEN

## CERTIFICATE VO06024529

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 20-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024529**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
171821		2.65	0.015		<0.5	7.52	<5	230	0.6	<2	6.27	<0.5	40	277	114	6.71
171822		2.85	<0.005		<0.5	7.85	<5	140	<0.5	<2	6.73	<0.5	31	122	11	6.80
171823		2.55	<0.005		<0.5	8.03	<5	100	<0.5	<2	7.33	<0.5	40	120	51	7.20
171824		2.44	<0.005		<0.5	7.49	<5	250	0.7	<2	3.51	<0.5	15	27	28	5.97
171825		2.48	0.025		<0.5	7.36	<5	340	0.8	<2	3.26	<0.5	9	2	4	5.55
171826		2.47	0.068		<0.5	7.18	<5	290	0.8	<2	3.48	<0.5	15	42	81	5.56
171827		2.76	0.128		<0.5	7.77	5	60	<0.5	<2	7.07	<0.5	58	147	799	8.63
171828 DUP		<0.02	0.160		<0.5	7.51	7	60	<0.5	<2	6.92	<0.5	62	148	849	8.50
171829		0.14	<0.005		<0.5	6.71	<5	580	0.9	<2	0.65	<0.5	2	8	5	1.82
171830		2.70	0.082		<0.5	7.52	6	110	<0.5	<2	6.86	<0.5	48	135	521	7.97
171831		2.83	0.093		<0.5	7.43	<5	130	<0.5	<2	6.68	<0.5	102	154	826	8.84
171832		2.43	0.013		<0.5	7.73	<5	210	0.5	<2	6.59	<0.5	44	257	256	7.19
171833		2.46	0.024		<0.5	8.09	<5	80	<0.5	<2	7.28	<0.5	37	128	182	7.42
171834		2.42	<0.005		<0.5	7.73	<5	120	<0.5	<2	6.43	<0.5	38	140	135	7.45
171835		2.63	0.007		<0.5	8.25	<5	150	0.5	<2	6.77	<0.5	34	158	85	7.27
171836		0.07	0.969		11.6	8.13	<5	50	3.1	<2	0.33	<0.5	<1	3	8	2.74
171837		2.88	0.025		0.6	7.57	7	120	<0.5	<2	7.36	<0.5	85	174	939	9.22
171838		2.65	0.009		<0.5	7.80	<5	130	0.6	<2	6.94	<0.5	27	63	105	6.57
171839		2.17	0.014		<0.5	6.54	<5	20	0.6	<2	9.74	<0.5	27	176	136	6.36
171840		2.69	0.006		<0.5	6.50	<5	70	0.5	<2	7.61	<0.5	46	661	72	7.06
171841		2.67	0.087		<0.5	7.07	<5	130	0.5	<2	6.58	<0.5	66	622	214	8.23
171842		2.76	0.011		<0.5	7.78	8	300	0.7	<2	4.82	<0.5	31	239	64	5.26
171843		2.44	0.012		<0.5	7.86	<5	340	0.7	<2	4.39	<0.5	24	167	73	4.92
171844		2.88	0.194		<0.5	7.82	<5	90	<0.5	<2	7.28	<0.5	52	263	212	8.05
171845		2.38	0.056		<0.5	7.93	<5	80	<0.5	<2	6.53	<0.5	64	152	129	8.40
171846 DUP		<0.02	0.088		<0.5	7.99	<5	90	<0.5	<2	6.52	<0.5	65	156	138	8.61
171847		0.09	<0.005		<0.5	7.02	<5	580	0.9	<2	0.83	<0.5	2	7	5	2.05
171848		2.48	0.050		0.5	8.18	<5	50	<0.5	<2	7.08	<0.5	47	132	146	7.98
171849		2.71	<0.005		<0.5	8.09	6	80	<0.5	<2	7.25	<0.5	37	181	18	7.02
171850		2.42	<0.005		<0.5	8.14	6	70	<0.5	<2	7.34	<0.5	34	128	72	7.37
171851		2.54	0.185		<0.5	7.81	6	70	<0.5	<2	6.66	<0.5	34	117	46	6.92
171852		2.67	0.313		<0.5	7.70	<5	90	<0.5	<2	7.12	<0.5	39	132	154	7.34
171853		2.52	0.040		<0.5	7.82	6	90	<0.5	<2	6.65	<0.5	33	118	96	7.19
171854		2.29	<0.005		<0.5	7.66	<5	40	<0.5	<2	6.74	<0.5	35	130	83	7.36
171855		2.56	0.068		<0.5	8.17	12	60	<0.5	<2	7.08	<0.5	49	138	403	7.86
171856		2.91	<0.005		<0.5	8.09	<5	40	<0.5	<2	7.27	<0.5	37	122	86	7.46
171857		0.07	1.815		24.6	7.80	9	60	3.0	<2	0.32	<0.5	2	2	5	2.66
171858		2.39	0.030		<0.5	7.85	5	100	<0.5	<2	6.92	<0.5	39	136	175	7.08
171859		2.68	0.025		<0.5	8.36	<5	110	0.5	<2	6.34	<0.5	25	80	92	6.97
171860		2.56	<0.005		<0.5	7.82	<5	120	<0.5	<2	6.21	<0.5	35	107	77	7.01



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 20-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024529**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
171821		0.79	4.57	1250	<1	2.06	101	640	<2	0.10	<5	303	0.38	186	<10	74
171822		0.76	4.01	1265	1	1.91	81	390	2	0.02	<5	181	0.44	208	<10	68
171823		0.59	3.93	1385	<1	1.86	94	410	3	0.15	<5	180	0.46	221	<10	72
171824		0.76	1.26	1095	1	2.62	10	1760	2	0.14	<5	271	0.64	55	<10	82
171825		0.86	0.79	1080	1	2.73	2	1770	2	0.09	<5	244	0.61	20	<10	82
171826		0.69	1.09	898	2	2.74	17	920	3	0.42	6	213	0.44	56	<10	62
171827		0.37	3.43	1380	1	1.58	94	380	4	1.15	<5	152	0.44	219	20	71
171828 DUP		0.38	3.37	1335	1	1.56	101	390	4	1.12	<5	148	0.44	222	10	72
171829		4.19	0.18	164	<1	2.10	5	170	35	0.01	<5	136	0.08	6	<10	29
171830		0.50	3.39	1310	1	1.68	71	430	5	0.58	<5	228	0.43	208	10	77
171831		0.52	3.50	1230	1	1.74	103	630	2	1.40	<5	287	0.41	192	10	73
171832		0.78	4.36	1245	<1	1.92	113	700	3	0.34	<5	314	0.45	213	10	73
171833		0.44	3.68	1335	1	1.70	81	400	<2	0.28	<5	207	0.47	228	<10	84
171834		0.79	3.92	1360	1	1.72	81	420	2	0.14	<5	211	0.47	228	<10	66
171835		0.82	4.25	1355	1	2.01	93	520	<2	0.10	<5	249	0.45	210	<10	72
171836		0.18	0.07	38	1	7.1	4	640	116	2.99	<5	21	0.01	1	<10	17
171837		0.67	4.01	1535	1	1.79	97	510	4	1.16	<5	234	0.46	237	<10	116
171838		0.87	3.15	1195	1	1.42	60	2520	5	0.08	<5	134	0.60	174	<10	54
171839		0.20	3.73	1310	1	1.48	85	810	2	0.04	<5	37	0.38	159	10	63
171840		0.39	6.70	1355	1	1.28	290	530	<2	0.10	<5	120	0.34	184	<10	73
171841		0.63	5.85	1350	<1	1.70	248	530	8	0.78	<5	235	0.38	200	<10	322
171842		0.85	3.93	911	<1	2.56	98	530	10	0.17	<5	322	0.33	143	<10	79
171843		1.05	3.10	881	1	2.85	72	370	3	0.20	<5	260	0.29	123	10	70
171844		0.48	4.34	1405	<1	1.87	130	480	2	0.61	<5	191	0.44	214	20	74
171845		0.39	3.40	1285	<1	2.14	103	480	4	1.06	5	174	0.47	211	10	67
171846 DUP		0.40	3.41	1290	1	2.17	107	490	<2	1.22	<5	175	0.48	214	<10	70
171847		4.09	0.20	190	1	2.16	6	190	31	0.01	<5	154	0.09	8	<10	29
171848		0.28	3.54	1300	<1	1.84	77	400	3	0.68	<5	150	0.42	200	10	56
171849		0.49	4.89	1335	1	1.88	101	400	8	0.06	<5	178	0.42	207	<10	69
171850		0.47	3.83	1275	1	2.06	89	410	6	0.23	<5	184	0.46	223	<10	64
171851		0.43	3.33	1255	1	1.83	71	650	2	0.18	<5	174	0.54	223	<10	80
171852		0.59	3.49	1335	1	1.58	88	390	6	0.62	5	148	0.43	210	<10	69
171853		0.67	3.66	1340	1	1.80	81	540	<2	0.46	<5	174	0.48	212	10	116
171854		0.39	3.68	1305	1	1.82	82	410	4	0.08	<5	108	0.47	222	<10	56
171855		0.45	3.51	1295	1	1.90	83	400	2	0.59	<5	166	0.46	222	10	65
171856		0.35	3.76	1350	<1	1.84	79	400	2	0.23	<5	172	0.45	218	10	73
171857		0.18	0.08	110	1	6.7	4	630	114	2.95	<5	21	0.02	<1	<10	18
171858		0.67	3.24	1320	1	1.42	77	390	2	0.52	<5	150	0.45	216	10	93
171859		0.60	3.01	1275	<1	1.84	52	560	5	0.16	11	188	0.51	198	10	110
171860		0.86	3.64	1410	<1	1.95	82	370	<2	0.25	12	156	0.44	210	<10	78



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 20-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024529**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
171861		2.56	0.019		<0.5	7.61	<5	350	0.7	<2	5.95	<0.5	31	145	167	6.44
171862		2.50	<0.005		<0.5	8.16	<5	120	0.6	<2	3.01	<0.5	11	102	19	3.31
171863		2.69	<0.005		<0.5	7.47	<5	160	0.7	<2	5.84	<0.5	27	269	4	5.08
171864		2.60	<0.005		<0.5	7.06	<5	180	0.5	<2	6.28	<0.5	34	313	17	5.95
171865		2.51	0.018		<0.5	7.69	<5	230	0.6	<2	5.02	<0.5	25	230	47	5.35
171866		2.52	0.006		<0.5	6.32	<5	190	<0.5	<2	4.62	<0.5	39	440	10	6.24
171867		0.08	1.010		9.4	7.77	<5	60	2.9	<2	0.31	<0.5	<1	4	7	2.53
171868		2.52	0.006		<0.5	5.68	<5	270	<0.5	<2	1.83	<0.5	13	146	35	2.63
171869		2.38	0.005		<0.5	7.35	<5	130	<0.5	<2	6.03	<0.5	37	352	27	5.91
171870		2.52	0.005		<0.5	7.92	<5	90	<0.5	<2	6.21	<0.5	29	112	43	6.94
171871		2.50	<0.005		<0.5	8.31	<5	140	0.5	<2	5.72	<0.5	26	74	35	6.55
171872		2.48	0.015		<0.5	7.88	<5	80	<0.5	<2	6.68	<0.5	26	104	46	6.80
171873 DUP		<0.02	0.006		<0.5	8.00	<5	80	<0.5	<2	6.73	<0.5	29	104	47	6.88
171874		2.58	0.095		<0.5	6.98	<5	290	0.9	<2	2.22	<0.5	6	55	45	3.84
171875		2.62	<0.005		<0.5	7.93	<5	400	0.9	<2	6.04	<0.5	28	92	55	6.84
171876		2.59	<0.005		<0.5	8.82	<5	740	2.3	<2	5.46	<0.5	28	97	54	6.15
171877		2.54	0.008		<0.5	7.97	<5	160	<0.5	<2	6.33	<0.5	29	166	61	5.85
171878		0.12	<0.005		<0.5	6.45	<5	550	0.7	<2	0.69	<0.5	2	6	4	1.87
171879		2.42	<0.005		<0.5	8.19	<5	250	<0.5	<2	5.75	<0.5	29	238	70	5.41
171880		2.50	0.005		<0.5	7.75	<5	180	0.5	<2	5.22	<0.5	25	164	87	5.70
171881		2.57	0.024		<0.5	7.68	<5	130	<0.5	<2	6.53	<0.5	33	193	104	6.10
171882		2.27	<0.005		<0.5	7.73	<5	170	<0.5	<2	6.27	<0.5	36	258	74	5.73
171883		2.71	0.034		0.5	7.30	<5	100	<0.5	<2	6.97	<0.5	58	263	297	7.72
171884		2.57	0.088		<0.5	7.47	<5	50	<0.5	<2	6.34	<0.5	69	120	799	8.64
171885		2.42	0.074		<0.5	7.34	<5	110	<0.5	<2	6.25	<0.5	87	108	545	9.22
171886		2.54	0.030		<0.5	7.37	<5	90	<0.5	<2	10.25	<0.5	37	106	238	6.88
171887		0.07	1.795		17.6	7.96	<5	50	3.0	<2	0.32	<0.5	1	2	6	2.58
171888		2.73	0.094		<0.5	6.99	<5	70	<0.5	<2	8.15	<0.5	57	110	283	8.09
171889		2.44	0.034		<0.5	7.55	<5	60	<0.5	<2	8.10	<0.5	40	114	200	7.40
171890		2.83	0.023		<0.5	7.90	<5	60	<0.5	<2	7.36	<0.5	65	128	357	8.08
171891		2.60	0.013		<0.5	8.52	<5	330	0.7	<2	5.89	<0.5	28	86	128	5.61
171892		2.15	0.020		<0.5	7.96	<5	350	0.6	<2	5.30	<0.5	45	92	304	6.07
171893		2.37	0.093		<0.5	7.33	<5	250	0.8	<2	3.93	<0.5	12	53	75	4.72
171894		2.31	0.167		<0.5	6.59	<5	310	0.9	<2	3.02	<0.5	27	30	221	4.38
171895		2.49	0.036		<0.5	8.04	<5	270	0.7	<2	5.70	<0.5	26	75	143	6.55
171896		2.25	0.010		<0.5	8.32	<5	250	0.6	<2	5.72	<0.5	42	77	134	7.14
171897		2.47	0.200		<0.5	6.94	<5	170	0.5	<2	5.20	<0.5	52	116	305	7.06
171898 DUP		<0.02	0.276		<0.5	7.03	<5	170	0.5	<2	5.34	<0.5	56	110	334	7.27
171899		0.16	<0.005		<0.5	6.65	<5	520	0.8	<2	0.93	<0.5	3	13	9	2.00
171900		2.51	0.060		<0.5	7.97	<5	290	0.6	<2	5.79	<0.5	40	198	354	6.50



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 20-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024529**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
171861		0.83	3.71	1225	<1	1.94	85	620	4	0.24	6	346	0.39	182	10	66
171862		0.45	2.11	568	<1	5.08	38	370	<2	0.01	6	156	0.21	84	<10	26
171863		1.48	5.42	948	<1	2.03	114	490	2	0.01	<5	51	0.23	105	10	49
171864		1.47	6.38	1075	<1	1.54	180	530	<2	0.01	<5	140	0.28	140	10	55
171865		1.06	4.60	950	<1	2.48	110	490	2	0.01	7	164	0.29	132	<10	46
171866		1.20	7.17	1125	<1	1.62	202	510	<2	0.04	7	53	0.25	131	<10	61
171867		0.18	0.07	34	<1	6.5	4	600	114	2.63	9	19	0.01	1	<10	14
171868		1.08	2.15	450	<1	3.10	54	320	3	0.08	<5	84	0.15	48	<10	22
171889		0.63	6.98	1135	<1	1.79	170	560	<2	0.03	<5	204	0.29	146	<10	67
171870		0.67	4.17	1335	<1	2.22	85	410	<2	0.14	9	199	0.42	207	10	65
171871		0.59	2.84	1175	<1	2.21	55	690	4	0.15	9	225	0.50	178	<10	97
171872		0.46	3.57	1200	<1	2.01	74	370	5	0.15	9	222	0.43	209	<10	64
171873 DUP		0.47	3.63	1210	<1	2.05	74	370	4	0.15	8	226	0.43	209	<10	65
171874		0.63	0.88	902	<1	3.16	21	410	6	0.42	7	196	0.26	19	<10	46
171875		1.47	3.56	1220	<1	2.21	72	960	4	0.10	6	412	0.44	196	<10	67
171876		2.08	3.16	1165	<1	2.42	56	1840	12	0.26	12	957	0.41	152	20	86
171877		0.63	4.30	1060	<1	2.15	80	520	4	0.17	<5	311	0.34	160	10	59
171878		4.15	0.20	166	<1	1.89	2	150	33	<0.01	<5	141	0.07	8	<10	23
171879		1.02	4.95	949	<1	2.23	97	690	<2	0.24	7	380	0.30	120	<10	61
171880		0.67	3.46	993	<1	2.24	72	500	5	0.21	7	267	0.33	120	<10	61
171881		0.67	4.84	1075	<1	1.81	88	490	<2	0.21	<5	259	0.33	158	<10	53
171882		0.66	5.65	981	<1	2.02	121	600	4	0.17	5	346	0.30	148	<10	58
171883		0.49	4.56	1170	<1	1.65	110	420	6	0.90	15	214	0.36	176	20	59
171884		0.37	3.00	1140	<1	1.56	85	340	<2	1.42	10	152	0.41	196	20	53
171885		0.80	2.63	1230	<1	1.58	83	410	7	1.82	12	148	0.40	174	10	61
171886		0.57	3.05	1530	<1	1.28	65	330	<2	0.61	8	163	0.40	188	10	55
171887		0.18	0.06	107	<1	6.6	3	620	108	2.73	5	20	0.02	2	<10	16
171888		0.42	3.08	1335	<1	1.38	80	330	3	1.24	5	140	0.38	187	10	52
171889		0.39	3.00	1320	<1	1.52	77	360	7	0.70	13	170	0.41	196	<10	58
171890		0.42	3.00	1225	<1	1.56	78	340	6	0.99	12	176	0.43	204	10	56
171891		1.04	2.29	919	<1	2.19	55	340	6	0.44	6	287	0.32	147	<10	58
171892		1.13	2.18	990	<1	2.10	62	360	<2	0.71	8	256	0.34	148	10	71
171893		0.92	1.35	884	<1	2.49	27	340	2	0.29	7	171	0.28	76	10	56
171894		0.90	0.76	683	<1	2.47	27	310	<2	0.80	<5	170	0.23	44	<10	49
171895		1.08	2.41	1310	2	2.07	52	960	5	0.33	9	359	0.49	150	<10	100
171896		0.99	2.71	1245	<1	1.97	59	940	<2	0.42	6	381	0.53	179	<10	87
171897		0.74	2.38	1090	<1	1.54	67	320	<2	0.85	8	183	0.36	156	10	71
171898 DUP		0.73	2.48	1115	<1	1.55	71	340	5	0.93	7	185	0.36	158	20	72
171899		4.23	0.24	177	<1	2.00	7	180	33	0.07	<5	151	0.09	11	<10	31
171900		1.22	3.77	1095	<1	1.67	92	440	2	0.50	<5	236	0.34	157	<10	72



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 20-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024529**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
171901		2.27	0.023		<0.5	6.31	<5	460	1.0	<2	1.48	<0.5	4	51	66	2.52
171902		2.42	0.225	0.279	<0.5	8.20	<5	240	0.9	<2	3.43	<0.5	31	53	456	4.55
171903		2.63	2.47		<0.5	7.73	<5	60	<0.5	<2	6.64	<0.5	59	132	828	8.61
171904 DUP		<0.02	2.60		<0.5	7.40	<5	50	<0.5	<2	6.41	<0.5	58	135	865	8.51
171905		0.11	<0.005		<0.5	7.00	<5	530	0.9	<2	0.89	<0.5	1	11	11	1.96
171906		2.54	5.23		0.9	7.53	<5	40	<0.5	<2	7.37	<0.5	76	126	1375	9.73
171907		2.58	0.260		<0.5	8.24	<5	70	<0.5	<2	7.17	<0.5	39	132	841	7.80
171908		2.30	0.050		<0.5	8.61	<5	190	0.5	<2	5.68	<0.5	24	102	261	5.75
171909		2.46	0.039		<0.5	8.70	<5	220	0.8	<2	5.16	<0.5	26	118	96	6.18
171910		2.73	0.619		<0.5	8.11	<5	80	<0.5	<2	7.04	<0.5	29	121	327	7.37
171911		2.32	0.005		<0.5	8.58	<5	310	0.7	<2	4.76	<0.5	18	41	15	6.58
171912		2.38	0.010		<0.5	8.75	<5	230	0.7	<2	5.09	<0.5	20	12	72	6.61
171913		2.45	0.014		<0.5	8.56	<5	290	0.6	<2	4.81	<0.5	18	12	66	6.08
171914		2.31	0.024		<0.5	7.96	<5	240	0.8	<2	3.84	<0.5	13	11	99	5.45
171915		0.06	0.998		10.1	8.06	<5	40	3.1	<2	0.31	<0.5	<1	9	9	2.57
171916		2.03	0.042		<0.5	8.14	<5	500	0.9	<2	2.34	<0.5	3	11	50	2.34
171917		2.23	0.259		<0.5	6.69	<5	390	1.1	<2	2.04	<0.5	3	8	103	4.58
171918		1.98	0.204		<0.5	7.06	<5	540	1.1	<2	2.09	<0.5	1	13	106	4.17
171919		2.28	0.312		<0.5	7.37	<5	470	1.0	<2	2.08	<0.5	4	12	128	3.35
171920		2.26	0.194		0.5	7.49	<5	200	0.7	<2	4.57	<0.5	25	84	209	6.50



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 20-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06024529

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
171901		1.24	0.70	420	<1	2.84	15	150	4	0.21	5	151	0.13	16	10	32
171902		0.85	0.95	702	<1	3.96	28	220	4	0.76	9	241	0.25	64	<10	39
171903		0.44	2.91	1215	<1	1.50	86	360	<2	1.41	8	146	0.42	198	20	57
171904 DUP		0.42	2.81	1175	<1	1.43	84	330	<2	1.48	11	141	0.41	190	30	55
171905		4.46	0.23	168	<1	2.26	5	180	35	0.03	6	148	0.08	8	<10	26
171906		0.28	3.41	1300	<1	1.28	95	370	<2	1.76	8	137	0.41	206	60	75
171907		0.62	3.31	1380	<1	1.30	79	380	4	0.82	7	139	0.45	213	90	102
171908		0.72	2.49	1005	<1	2.13	53	340	3	0.47	5	226	0.34	158	10	69
171909		0.87	3.20	1155	<1	2.59	45	1160	7	0.27	<5	342	0.46	100	<10	108
171910		0.47	3.67	1225	<1	1.59	73	380	<2	0.38	10	180	0.43	208	<10	80
171911		1.16	1.98	1275	<1	2.43	35	990	4	0.05	9	254	0.59	150	<10	105
171912		0.91	1.64	1150	<1	2.46	18	1450	5	0.37	10	417	0.66	142	<10	65
171913		1.05	1.62	986	<1	2.29	19	1430	2	0.28	6	412	0.60	153	<10	53
171914		0.85	1.01	836	<1	2.76	10	1050	<2	0.42	11	342	0.49	87	<10	46
171915		0.19	0.07	36	<1	6.9	3	620	112	2.71	5	21	0.01	2	<10	16
171916		1.14	0.35	333	<1	3.83	4	350	4	0.25	5	370	0.16	12	<10	39
171917		0.91	0.22	821	<1	2.99	2	520	3	0.51	5	176	0.28	3	<10	60
171918		1.22	0.23	773	1	3.17	3	370	5	0.46	<5	239	0.23	5	<10	66
171919		1.04	0.25	597	<1	3.36	6	360	6	0.57	6	262	0.20	8	10	49
171920		0.62	1.66	1070	<1	2.20	47	410	<2	0.94	5	161	0.36	105	10	64



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 31-MAR-2006

Account: TRAVEN

## CERTIFICATE VO06024713

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 24-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 31-MAR-2006

Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06024713**

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
166880		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		2.56	7.58	162.0	5.94	4.464	27.59	2581	6.20	5.67

Comments: Sample from VO06019230.





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 8-APR-2006  
 Account: TRAVEN

**CERTIFICATE VO06024714**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 24-MAR-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**   
 Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 3-APR-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06024714

Sample Description	Method Analyte Units LOR	WEI-21	AU-SCR21	AU-SCR21	AU-SCR21	AU-SCR21	AU-SCR21	AU-SCR21	AU-AA25	AU-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
167046		3.79	33.5	198.0	32.2	6.085	30.73	3754	33.2	31.1
167048		1.14	23.0	258	19.20	4.642	18.02	1122.5	18.75	19.65

Comments: Sample from VO06019232.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 8-APR-2006  
 Account: TRAVEN

**CERTIFICATE VO06024718**

Project: BLOCK A  
 P.O. No.:  
 This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 13-MAR-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**   
 Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024718**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
171001		1.68	0.090		<0.5	5.95	<5	70	<0.5	<2	5.96	<0.5	56	1015	16	6.91
171002		2.21	0.060		<0.5	5.32	<5	10	<0.5	<2	5.14	<0.5	65	1210	45	7.36
171003		1.75	0.120		<0.5	5.75	<5	10	<0.5	<2	4.54	<0.5	69	1185	45	7.44
171004		2.44	0.150		<0.5	5.52	<5	<10	<0.5	<2	5.34	<0.5	69	1105	3	7.22
171005		2.26	0.076		<0.5	7.11	6	530	0.6	<2	2.55	<0.5	23	368	13	2.80
171006		1.97	0.135		<0.5	7.33	<5	300	<0.5	<2	3.59	<0.5	39	707	9	4.49
171007		0.06	1.755		18.2	8.17	<5	60	3.0	<2	0.32	<0.5	1	10	3	2.73
171008		2.48	0.049		<0.5	7.52	<5	460	0.5	<2	3.11	<0.5	27	529	31	3.21
171009		2.73	0.043		<0.5	6.17	<5	50	<0.5	<2	5.45	<0.5	61	1055	18	7.03
171010		2.65	0.045		<0.5	7.33	<5	100	<0.5	<2	6.21	<0.5	45	334	22	6.95
171011		2.54	0.018		<0.5	7.22	5	70	<0.5	<2	7.54	<0.5	43	354	23	7.58
171012		2.78	0.006		<0.5	7.27	5	80	<0.5	<2	7.08	<0.5	44	348	10	7.67
171013		2.48	0.083		<0.5	7.12	7	190	0.8	<2	4.57	<0.5	25	213	3	4.95
171014 DUP		<0.02	0.081		<0.5	7.10	7	200	0.8	<2	4.85	<0.5	30	241	3	5.43
171015		0.10	<0.005		<0.5	6.90	<5	540	0.9	<2	0.79	<0.5	2	11	4	1.58
171016		2.50	0.016		<0.5	7.26	<5	70	<0.5	<2	6.71	<0.5	42	349	3	7.44
171017		2.58	0.012		<0.5	7.34	<5	50	<0.5	<2	7.39	<0.5	44	328	24	7.82
171018		2.59	0.014		<0.5	7.36	<5	40	<0.5	<2	7.43	<0.5	41	343	9	7.52
171019		2.34	0.008		<0.5	7.60	<5	40	<0.5	<2	7.65	<0.5	42	355	13	7.84
171020		2.48	0.025		<0.5	7.02	<5	50	<0.5	<2	7.03	<0.5	43	324	14	7.39
171021		2.90	0.010		<0.5	7.06	<5	40	<0.5	<2	7.34	<0.5	42	346	8	7.45
171022		2.72	0.013		<0.5	7.34	<5	50	<0.5	<2	7.67	<0.5	43	337	14	7.49
171023		2.27	0.082		<0.5	6.95	<5	30	<0.5	<2	8.22	<0.5	41	298	8	7.18
171024		2.89	0.045		<0.5	7.29	<5	60	<0.5	<2	7.41	<0.5	46	320	3	7.47
171025		2.79	0.045		<0.5	7.03	6	40	<0.5	<2	7.17	<0.5	39	321	12	7.35
171026		0.05	0.968		10.2	7.69	<5	40	2.9	<2	0.31	<0.5	1	3	5	2.63
171027		2.80	0.026		<0.5	7.50	<5	60	<0.5	<2	7.13	<0.5	44	317	7	7.45
171028		2.35	0.099		<0.5	7.43	<5	40	<0.5	<2	7.58	<0.5	42	325	8	7.49
171029		2.55	0.026		<0.5	7.60	9	50	<0.5	<2	8.33	<0.5	46	352	43	7.78
171030		2.46	0.140	0.173	<0.5	7.53	<5	50	<0.5	<2	7.70	<0.5	47	346	26	7.98
171031 DUP		<0.02	0.496	0.336	<0.5	7.69	<5	50	<0.5	<2	7.67	<0.5	48	358	27	7.98
171032		2.26	0.213		<0.5	7.46	<5	40	<0.5	<2	7.46	<0.5	46	343	9	7.79
171033		2.40	0.032		<0.5	7.22	<5	50	<0.5	<2	8.63	<0.5	45	300	16	7.61
171034		2.61	0.380		<0.5	7.77	<5	40	<0.5	<2	9.15	<0.5	44	340	18	7.53
171035		2.85	0.041		<0.5	7.27	<5	40	<0.5	<2	7.59	<0.5	44	326	20	7.58
171036		2.63	0.056		<0.5	7.61	<5	40	<0.5	<2	9.30	<0.5	46	321	12	8.07
171037		0.09	<0.005		<0.5	7.05	<5	550	0.9	<2	0.83	<0.5	3	13	13	1.73
171038		2.53	0.115		<0.5	7.27	6	60	<0.5	<2	9.05	<0.5	43	305	18	7.29
171039		2.75	0.043		<0.5	7.55	<5	30	<0.5	<2	8.36	<0.5	48	333	5	6.12
171040		2.27	0.167		<0.5	7.27	<5	280	<0.5	<2	3.33	<0.5	35	626	25	4.60



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06024718

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
171001		0.73	9.11	1400	<1	0.38	517	150	8	0.08	<5	317	0.23	148	<10	82
171002		0.12	10.05	1355	<1	0.30	562	170	<2	0.20	<5	55	0.22	162	<10	82
171003		0.10	10.25	1235	<1	0.25	610	210	<2	0.13	<5	50	0.25	171	<10	75
171004		0.11	10.25	1240	<1	0.34	627	170	<2	0.01	<5	66	0.24	172	<10	64
171005		1.24	2.86	444	4	2.43	182	200	<2	0.10	<5	201	0.13	57	<10	39
171006		0.89	5.88	793	<1	1.90	356	210	<2	0.06	<5	171	0.17	100	<10	58
171007		0.18	0.08	110	<1	6.5	4	620	120	2.94	<5	22	0.01	2	<10	17
171008		1.03	3.76	542	<1	2.64	247	210	<2	0.07	<5	192	0.14	65	<10	48
171009		0.31	9.38	1295	1	0.70	571	260	<2	0.04	<5	146	0.25	162	<10	79
171010		0.53	5.07	1280	<1	1.61	150	290	<2	0.07	<5	164	0.36	206	10	67
171011		0.52	5.04	1395	<1	1.16	135	230	<2	0.07	<5	136	0.37	219	<10	65
171012		0.65	5.42	1365	<1	1.36	136	240	<2	0.03	<5	136	0.37	221	<10	62
171013		1.36	3.24	1095	<1	1.26	81	140	4	0.14	<5	84	0.23	130	<10	76
171014 DUP		1.42	3.57	1170	1	1.24	89	150	<2	0.13	<5	67	0.25	143	<10	77
171015		4.08	0.21	146	1	2.16	3	160	34	0.01	<5	148	0.08	9	<10	25
171016		0.68	5.05	1320	<1	1.38	130	240	<2	0.02	<5	122	0.37	215	10	57
171017		0.42	5.37	1400	<1	1.32	155	230	<2	0.06	<5	140	0.37	221	<10	60
171018		0.34	5.00	1350	<1	1.33	135	220	<2	0.03	<5	138	0.38	221	<10	68
171019		0.36	5.17	1425	<1	1.44	148	250	<2	0.08	<5	140	0.39	230	20	62
171020		0.39	4.75	1300	<1	1.18	152	220	<2	0.07	<5	119	0.36	214	<10	58
171021		0.34	4.64	1280	<1	1.34	136	210	<2	0.03	<5	147	0.37	220	<10	57
171022		0.35	4.94	1325	<1	1.38	151	240	<2	0.05	<5	133	0.37	219	20	59
171023		0.26	4.44	1290	<1	1.22	125	220	<2	0.03	<5	140	0.35	207	20	56
171024		0.60	5.32	1330	<1	1.22	150	300	<2	0.02	<5	116	0.39	216	<10	57
171025		0.37	4.51	1270	<1	1.21	134	210	<2	0.05	<5	127	0.37	217	<10	56
171026		0.18	0.07	36	1	6.4	2	600	108	2.83	<5	20	0.01	1	<10	13
171027		0.55	5.50	1320	<1	1.30	134	230	<2	0.02	<5	105	0.38	222	<10	54
171028		0.30	4.75	1315	<1	1.29	140	230	<2	0.02	<5	142	0.37	217	<10	59
171029		0.40	4.96	1380	<1	1.27	140	240	<2	0.14	<5	156	0.38	227	<10	64
171030		0.30	5.06	1375	<1	1.53	140	240	<2	0.13	<5	151	0.40	233	<10	62
171031 DUP		0.31	5.05	1370	<1	1.54	140	250	<2	0.14	<5	150	0.39	231	<10	63
171032		0.40	4.98	1375	<1	1.51	161	240	<2	0.04	<5	130	0.38	229	<10	59
171033		0.40	5.05	1480	<1	1.22	125	230	<2	0.06	<5	134	0.37	216	<10	61
171034		0.34	4.36	1445	<1	1.28	150	260	<2	0.05	<5	164	0.40	227	<10	60
171035		0.29	4.55	1370	<1	1.30	124	240	<2	0.06	<5	134	0.37	210	10	61
171036		0.28	4.96	1475	<1	1.32	145	230	<2	0.04	<5	146	0.38	225	<10	60
171037		4.19	0.22	165	1	2.15	2	170	47	0.01	<5	152	0.09	9	<10	42
171038		0.52	4.40	1410	<1	1.23	138	230	2	0.15	<5	136	0.37	216	<10	61
171039		0.29	4.92	1450	<1	1.35	146	230	<2	0.02	<5	146	0.39	229	<10	64
171040		0.73	5.29	762	<1	1.84	319	200	2	0.15	<5	168	0.17	96	<10	59



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 8-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06024718

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
171041		2.13	0.030		<0.5	7.96	<5	90	<0.5	<2	7.65	<0.5	37	182	174	7.57
171042		1.92	0.096		<0.5	8.11	<5	160	<0.5	<2	7.06	<0.5	39	132	229	7.49
171043		1.28	4.82	5.85	<0.5	7.31	<5	160	<0.5	<2	5.40	<0.5	49	131	217	7.69
171044 DUP		<0.02	6.17	5.25	<0.5	7.16	6	160	<0.5	<2	5.30	<0.5	54	130	227	7.72
171045		0.10	0.009		<0.5	7.19	6	560	0.9	<2	0.74	<0.5	3	6	3	1.68
171046		3.11	0.018		<0.5	8.23	5	120	0.5	<2	5.99	<0.5	26	83	22	6.45
171047		2.77	0.012		<0.5	7.98	<5	180	0.6	<2	4.94	<0.5	22	72	17	5.68
171048		2.56	<0.005		<0.5	8.20	<5	90	<0.5	<2	6.84	<0.5	29	107	1	6.95
171049		2.98	0.019		<0.5	8.17	<5	100	<0.5	<2	8.54	<0.5	28	112	5	6.87
171050		2.66	0.371		<0.5	8.35	7	140	<0.5	<2	6.45	<0.5	30	112	28	7.27
171051		2.25	0.128		<0.5	8.17	<5	200	0.5	<2	4.88	<0.5	29	78	64	6.70
171052		2.87	0.364		<0.5	8.82	<5	200	0.5	<2	5.85	<0.5	28	83	194	6.82
171053		2.52	0.029		<0.5	8.21	<5	140	<0.5	<2	7.11	<0.5	35	116	192	7.39
171054		2.48	0.673		<0.5	7.74	<5	160	0.5	<2	6.40	<0.5	37	157	305	6.74
171055		2.59	0.619		<0.5	8.18	<5	90	<0.5	<2	7.18	<0.5	28	109	58	7.31
171056		0.06	1.765		18.7	8.09	<5	70	3.0	<2	0.33	<0.5	1	3	3	2.80
171057		2.63	0.244		<0.5	7.48	<5	120	<0.5	<2	5.26	<0.5	27	111	57	6.85
171058		2.48	0.048		<0.5	8.24	8	140	<0.5	<2	5.77	<0.5	30	110	24	7.73
171059		2.89	0.113		<0.5	8.21	<5	140	<0.5	<2	6.30	<0.5	32	100	14	7.45
171080		2.90	0.027		<0.5	8.00	<5	170	0.5	<2	5.49	<0.5	28	88	3	6.56
171061		2.52	0.056		<0.5	7.70	7	170	0.8	<2	4.23	<0.5	20	69	66	5.45
171062		2.77	0.099		<0.5	7.76	<5	160	<0.5	<2	5.90	<0.5	29	112	2	6.90
171063		2.58	0.049		<0.5	8.02	<5	130	<0.5	<2	6.20	<0.5	32	106	<1	6.81
171064		2.62	0.058		<0.5	7.72	<5	230	0.6	<2	4.22	<0.5	21	55	14	5.10
171065		2.95	0.005		<0.5	7.47	<5	550	1.1	<2	6.24	<0.5	31	258	44	5.68
171066		2.81	<0.005		<0.5	7.86	<5	110	<0.5	<2	6.33	<0.5	34	125	9	6.69
171067		0.04	0.960		9.6	7.70	<5	40	3.0	<2	0.33	<0.5	1	7	8	2.69
171068		3.00	<0.005		<0.5	7.82	<5	150	0.5	<2	5.93	<0.5	32	109	20	6.53
171069		2.62	0.008		<0.5	7.60	<5	170	0.5	<2	5.24	<0.5	40	79	110	6.08
171070		2.63	0.013		<0.5	7.74	<5	170	0.5	<2	5.41	<0.5	32	105	31	6.77
171071		2.63	0.012		<0.5	7.49	<5	120	<0.5	<2	5.75	<0.5	30	118	22	6.60
171072		2.57	0.033		<0.5	7.56	<5	190	0.5	<2	5.50	<0.5	42	105	184	6.71
171073		2.63	0.022		<0.5	8.18	<5	220	0.8	<2	4.80	<0.5	29	78	101	6.22
171074		2.63	<0.005		<0.5	7.41	<5	140	<0.5	<2	5.17	<0.5	33	122	24	7.10
171075		2.46	<0.005		<0.5	7.40	<5	110	<0.5	<2	5.88	<0.5	29	117	14	6.86
171076		2.75	0.100		<0.5	7.50	17	130	<0.5	<2	5.88	<0.5	32	116	15	6.98
171077 DUP		<0.02	0.091		<0.5	7.44	36	130	<0.5	<2	5.96	<0.5	33	114	14	6.99
171078		0.09	<0.005		<0.5	6.66	<5	500	0.9	<2	0.81	<0.5	2	7	4	1.27
171079		2.88	0.410		<0.5	7.47	<5	100	<0.5	<2	6.15	<0.5	26	111	2	6.49
171080		2.54	0.837		<0.5	7.65	<5	180	0.5	<2	5.64	<0.5	23	98	13	5.66



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024718**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
171041		0.89	4.06	1395	<1	1.19	80	400	<2	0.54	<5	156	0.45	215	<10	66
171042		1.26	3.16	1345	<1	1.15	76	390	4	0.97	<5	143	0.46	204	<10	128
171043		1.29	3.26	1160	<1	1.16	76	360	<2	1.24	<5	132	0.42	188	<10	69
171044 DUP		1.26	3.19	1140	<1	1.15	77	350	<2	1.36	<5	130	0.42	186	<10	67
171045		4.35	0.19	146	1	2.06	2	170	32	0.01	<5	148	0.08	7	<10	25
171046		0.66	3.13	1190	<1	2.01	52	540	<2	0.23	<5	179	0.48	188	<10	74
171047		0.76	2.33	1060	<1	2.15	39	710	<2	0.21	<5	178	0.49	148	<10	70
171048		0.60	3.93	1290	<1	1.70	71	390	<2	0.01	<5	150	0.47	218	<10	68
171049		0.73	3.88	1285	<1	1.82	70	390	<2	0.03	<5	146	0.47	215	<10	63
171050		1.03	3.98	1295	<1	1.52	68	420	<2	0.22	<5	141	0.48	216	<10	78
171051		1.22	2.71	1020	<1	1.84	52	550	<2	0.39	<5	168	0.47	176	<10	63
171052		1.22	2.75	1130	<1	1.78	38	580	<2	0.46	<5	181	0.49	188	<10	69
171053		0.93	3.55	1365	<1	1.44	59	390	<2	0.39	<5	158	0.47	215	<10	72
171054		0.80	3.13	1080	<1	1.42	88	560	<2	0.74	<5	254	0.45	181	<10	66
171055		0.79	4.04	1420	<1	1.47	64	510	<2	0.28	<5	169	0.47	214	<10	88
171056		0.18	0.07	114	<1	6.4	3	650	122	3.03	<5	22	0.01	2	<10	19
171057		1.24	3.85	1085	<1	1.20	78	320	<2	0.15	<5	115	0.42	191	<10	63
171058		1.43	4.47	1245	<1	1.31	110	390	<2	0.12	<5	135	0.46	209	20	67
171059		1.16	4.64	1325	<1	1.42	120	560	<2	0.07	<5	192	0.45	192	<10	67
171060		1.06	3.73	1160	1	1.84	90	500	<2	0.02	<5	187	0.45	180	<10	67
171061		0.96	2.60	943	<1	2.02	58	400	<2	0.13	<5	173	0.38	125	<10	69
171062		1.05	4.40	1205	<1	1.25	111	360	<2	0.03	<5	124	0.41	184	<10	61
171063		1.20	4.49	1205	<1	1.42	119	340	<2	<0.01	<5	143	0.42	196	<10	66
171064		1.16	2.07	885	1	2.13	33	700	<2	0.10	<5	195	0.47	140	<10	55
171065		1.48	4.71	930	<1	2.04	158	1340	12	0.25	<5	1225	0.40	154	<10	76
171066		0.97	3.56	1140	<1	1.75	54	340	5	0.01	<5	144	0.43	207	<10	69
171067		0.18	0.08	37	1	6.6	1	580	115	2.75	<5	20	0.01	3	<10	13
171068		1.00	3.20	1105	<1	1.80	46	410	2	0.05	<5	150	0.44	200	<10	65
171069		1.10	2.64	969	<1	1.84	35	520	5	0.20	<5	150	0.46	184	<10	70
171070		1.26	3.22	1030	<1	1.67	54	420	3	0.17	<5	136	0.45	198	<10	84
171071		1.18	3.60	1140	<1	1.57	56	340	5	0.03	<5	125	0.43	206	<10	99
171072		1.06	3.21	1105	1	1.93	42	450	7	0.23	<5	137	0.47	204	<10	71
171073		1.28	2.42	942	<1	2.36	30	710	8	0.15	<5	178	0.47	146	<10	59
171074		1.34	3.71	1045	<1	1.71	56	370	5	0.04	<5	118	0.44	206	<10	59
171075		1.18	3.95	1110	1	1.47	63	370	9	0.02	<5	142	0.43	201	<10	66
171076		1.25	4.24	1165	<1	1.29	80	340	6	0.06	<5	124	0.42	201	<10	112
171077 DUP		1.24	4.26	1190	<1	1.33	76	360	3	0.06	<5	126	0.43	204	10	118
171078		4.18	0.23	117	<1	2.15	1	140	36	<0.01	<5	139	0.08	10	<10	25
171079		0.99	3.99	1030	<1	1.50	65	370	5	<0.01	<5	141	0.43	201	<10	63
171080		0.98	3.30	915	1	1.87	55	320	8	0.07	<5	151	0.39	175	<10	52



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 8-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06024718

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
171081		2.51	0.013		<0.5	6.38	<5	740	1.2	<2	1.09	<0.5	<1	5	24	1.81
171082		2.75	0.005		<0.5	7.88	<5	410	<0.5	<2	5.91	<0.5	25	126	12	7.15
171083		2.09	0.128		<0.5	7.75	<5	160	<0.5	<2	6.71	<0.5	42	128	432	7.22
171084		2.52	1.095		<0.5	7.72	<5	110	<0.5	<2	6.53	<0.5	50	136	601	8.49
171085		2.49	0.068		<0.5	7.69	<5	80	<0.5	<2	6.85	<0.5	43	118	244	8.40
171086		1.76	0.057		<0.5	7.97	<5	110	<0.5	<2	6.80	<0.5	41	112	286	7.39
171087		2.92	1.190		1.0	7.45	<5	100	<0.5	<2	6.83	0.6	52	121	552	6.79
171088		0.08	1.770		18.7	8.21	<5	110	3.1	<2	0.34	<0.5	<1	5	7	3.14
171089		2.49	0.177		<0.5	7.72	<5	80	<0.5	<2	6.33	<0.5	53	129	581	7.17
171090		2.67	0.257	0.252	<0.5	7.79	<5	80	<0.5	<2	6.84	<0.5	41	124	564	7.18
171091 DUP		<0.02	0.374	0.367	<0.5	7.65	<5	80	<0.5	<2	6.84	<0.5	38	121	512	7.16
171092		0.10	<0.005		<0.5	6.38	<5	510	0.9	<2	0.85	<0.5	1	7	9	1.29
171093		2.57	0.359		<0.5	7.97	<5	90	<0.5	<2	7.00	<0.5	45	128	392	8.58
171094		2.51	0.124		0.6	7.66	<5	70	<0.5	<2	6.97	<0.5	45	127	600	7.96
171095		2.67	0.429		1.0	7.11	<5	130	<0.5	<2	5.68	<0.5	52	122	689	7.04
171096		1.68	0.020		<0.5	8.25	<5	350	0.7	<2	6.35	<0.5	30	48	112	6.73
171097		1.74	0.017		<0.5	7.89	<5	240	0.5	<2	6.63	<0.5	34	111	120	7.51
171098		1.99	0.019		<0.5	6.78	15	410	0.9	<2	3.18	<0.5	15	170	62	3.02
171099		2.13	0.039		<0.5	6.41	<5	410	1.0	<2	1.92	<0.5	6	30	97	2.45
171100		2.53	0.093		<0.5	7.37	<5	130	<0.5	<2	6.13	<0.5	37	185	184	6.81
171101		2.50	<0.005		<0.5	7.36	<5	150	<0.5	<2	5.85	<0.5	31	223	26	6.33
171102		2.48	0.006		<0.5	8.06	<5	260	0.5	<2	6.24	<0.5	30	142	37	6.91
171103		2.52	0.009		<0.5	7.88	14	260	<0.5	<2	5.70	<0.5	29	162	25	7.13
171104		2.48	0.005		<0.5	7.75	<5	160	0.5	<2	6.68	<0.5	32	215	22	6.95
171105		2.40	0.446		<0.5	7.44	<5	130	<0.5	<2	5.85	<0.5	26	134	130	6.19
171106		2.62	0.470		<0.5	7.11	<5	120	<0.5	<2	7.17	<0.5	50	120	625	7.08
171107 DUP		<0.02	0.452		<0.5	7.29	<5	140	<0.5	<2	7.31	<0.5	52	122	639	7.26
171108		0.12	<0.005		<0.5	6.67	<5	530	0.9	<2	0.94	<0.5	2	11	7	1.26
171109		2.57	1.400		<0.5	7.27	<5	100	<0.5	<2	6.14	<0.5	76	93	475	8.00
171110		2.75	3.98		0.8	7.97	12	100	<0.5	<2	7.39	<0.5	60	164	805	8.54
171111		2.36	1.640		0.5	6.88	<5	170	<0.5	<2	4.80	<0.5	60	251	634	6.53
171112		2.47	0.362		<0.5	7.78	<5	160	<0.5	<2	7.04	<0.5	41	256	427	7.38
171113		2.48	0.026		<0.5	7.62	<5	150	<0.5	2	6.10	<0.5	30	190	126	6.25
171114		2.54	0.046		<0.5	8.07	<5	140	<0.5	<2	8.62	<0.5	34	150	229	7.74
171115		2.55	0.046		<0.5	7.82	11	180	0.5	<2	5.48	<0.5	29	176	176	6.16
171116		2.02	0.019		<0.5	7.96	<5	210	0.7	<2	4.71	<0.5	21	108	75	5.26
171117		2.36	0.182		<0.5	7.96	5	170	<0.5	<2	6.73	<0.5	29	118	116	7.13
171118		0.06	0.932		10.0	7.90	<5	50	3.0	<2	0.34	<0.5	1	6	8	2.92
171119		2.58	0.409		<0.5	7.72	16	120	<0.5	<2	6.15	<0.5	30	142	154	7.14
171120		2.48	0.014		<0.5	7.63	<5	130	<0.5	<2	6.61	<0.5	27	142	53	6.57





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024718**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171081		1.48	0.11	203	1	2.96	<1	80	9	0.14	<5	121	0.09	1	<10	21
171082		1.61	3.93	1100	1	1.42	74	370	12	0.05	<5	150	0.44	208	<10	77
171083		1.26	2.88	1090	<1	1.54	72	380	2	0.88	<5	152	0.43	197	10	62
171084		1.07	3.20	1180	<1	1.35	89	510	9	0.89	<5	204	0.57	206	<10	85
171085		0.57	3.15	1220	1	1.58	86	610	4	0.60	<5	271	0.63	202	<10	90
171086		0.90	3.14	1075	1	1.14	71	430	15	0.74	<5	158	0.45	192	<10	77
171087		1.06	3.06	1080	<1	1.09	81	360	58	1.09	<5	119	0.42	195	<10	268
171088		0.19	0.07	107	1	6.8	2	630	139	3.23	<5	22	0.01	2	<10	20
171089		0.95	3.01	1035	<1	1.31	70	390	23	0.91	<5	124	0.43	203	10	78
171090		1.16	3.47	1160	<1	1.01	67	410	5	0.79	<5	113	0.44	203	10	73
171091 DUP		1.14	3.46	1160	<1	0.98	68	400	7	0.75	<5	111	0.43	203	10	73
171092		4.07	0.21	123	1	2.07	4	150	35	0.01	<5	142	0.08	9	<10	23
171093		0.93	3.95	1275	<1	1.28	104	500	4	0.67	<5	223	0.49	199	10	77
171094		0.66	3.69	1195	1	1.34	80	450	5	0.80	<5	207	0.46	195	<10	68
171095		1.24	2.69	964	<1	1.07	68	350	5	1.28	<5	134	0.39	186	<10	99
171096		1.45	3.09	1080	1	1.73	30	780	13	0.37	<5	395	0.53	193	<10	86
171097		1.19	3.77	1130	1	1.45	59	480	9	0.46	<5	219	0.47	201	<10	74
171098		1.32	2.39	450	<1	2.58	55	220	6	0.12	<5	200	0.16	47	<10	33
171099		1.40	0.62	314	1	2.67	11	120	5	0.16	<5	130	0.13	24	<10	25
171100		1.26	4.39	1050	1	1.32	83	390	6	0.33	<5	165	0.38	182	<10	64
171101		1.20	4.84	995	<1	1.37	92	430	2	0.10	<5	180	0.37	172	<10	64
171102		1.32	4.31	1155	<1	1.66	74	630	5	0.16	<5	327	0.44	203	<10	75
171103		1.62	4.55	1110	1	1.51	98	550	<2	0.09	<5	258	0.42	199	<10	70
171104		1.08	5.22	1170	<1	1.47	126	1180	2	0.08	<5	362	0.46	189	<10	70
171105		1.22	3.48	1180	1	1.09	95	380	<2	0.28	<5	128	0.41	191	20	54
171106		1.26	2.98	1240	1	0.97	60	380	3	0.87	<5	91	0.41	185	20	60
171107 DUP		1.28	3.06	1265	1	1.00	63	370	2	0.83	<5	93	0.42	188	20	61
171108		4.19	0.26	134	1	2.17	5	170	30	0.01	<5	150	0.09	10	<10	29
171109		0.83	2.65	1140	1	1.50	84	470	3	1.27	<5	140	0.44	176	40	50
171110		1.01	3.63	1460	1	1.02	90	410	<2	1.07	<5	134	0.44	213	30	63
171111		1.42	3.38	926	2	1.14	136	410	3	1.16	<5	148	0.36	150	60	53
171112		1.42	5.10	1320	1	0.94	140	480	<2	0.79	<5	179	0.35	166	10	70
171113		0.92	4.30	1035	2	1.50	96	440	4	0.26	<5	247	0.38	174	<10	56
171114		0.84	4.10	1230	1	1.49	86	420	<2	0.47	<5	202	0.44	214	<10	67
171115		1.20	3.68	1015	1	1.70	81	550	2	0.38	<5	236	0.39	167	<10	71
171116		1.12	2.57	855	1	2.18	57	780	<2	0.18	<5	238	0.46	140	<10	59
171117		1.18	3.63	1280	1	1.28	81	600	<2	0.49	<5	167	0.47	200	10	68
171118		0.19	0.07	40	1	6.6	4	580	116	2.98	<5	21	0.01	2	<10	16
171119		0.84	3.53	1145	1	1.38	87	350	2	0.37	<5	141	0.44	205	<10	57
171120		0.74	4.02	1180	1	1.28	90	410	<2	0.16	<5	158	0.41	195	<10	58



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 10-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06024719

Project: BLOCK A

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 13-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 10-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06024719

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
171121		2.38	0.013		<0.5	6.63	11	130	<0.5	<2	5.70	<0.5	42	428	48	5.59
171122		2.31	1.300		<0.5	6.43	11	90	<0.5	<2	5.40	<0.5	41	517	294	7.56
171123		2.66	1.550		<0.5	7.38	8	120	<0.5	3	5.98	<0.5	42	404	379	8.78
171124		2.54	0.206		<0.5	7.28	15	110	<0.5	<2	6.96	<0.5	29	116	111	6.81
171125		2.92	0.032		<0.5	7.25	<5	210	<0.5	<2	4.78	<0.5	30	438	127	6.89
171126		2.63	0.023		<0.5	7.69	<5	300	1.0	<2	2.59	<0.5	6	10	33	3.18
171127		2.92	0.185		<0.5	7.51	12	190	0.5	<2	5.18	<0.5	22	160	72	6.01
171128		2.18	0.189		<0.5	7.24	<5	260	0.5	<2	4.43	<0.5	25	419	97	6.70
171129		0.07	1.785		20.3	8.75	<5	60	3.2	<2	0.34	<0.5	<1	10	6	2.93
171130		2.74	0.057		<0.5	6.95	<5	200	<0.5	<2	5.11	<0.5	34	776	15	7.90
171131		2.31	0.195		<0.5	6.79	<5	260	0.6	<2	3.59	<0.5	21	588	51	5.59
171132		2.46	0.449		<0.5	7.23	5	500	1.0	<2	2.05	<0.5	9	49	273	3.12
171133		2.71	3.67		1.8	6.98	<5	140	<0.5	<2	5.09	<0.5	37	131	1280	6.74
171134		2.44	0.464		<0.5	7.89	5	160	<0.5	<2	5.36	<0.5	47	144	570	7.11
171135		2.80	5.01		<0.5	5.98	<5	160	<0.5	<2	5.24	<0.5	45	808	703	9.11
171136		2.53	3.91		<0.5	5.71	<5	90	<0.5	<2	5.43	<0.5	43	831	1015	10.15
171137 DUP		<0.02	4.40		0.6	5.78	<5	90	<0.5	<2	5.60	<0.5	46	917	1060	10.35
171138		0.09	0.019		<0.5	7.02	<5	590	0.8	<2	1.27	<0.5	<1	21	13	2.09
171139		2.59	3.46		<0.5	5.79	<5	230	0.5	<2	3.49	<0.5	31	850	243	8.24
171140		2.60	0.700		<0.5	5.73	<5	70	<0.5	<2	4.59	<0.5	28	1040	50	7.27
171141		2.35	0.219		<0.5	6.76	<5	270	0.5	<2	4.19	<0.5	27	606	44	6.16
171142		2.65	0.684		<0.5	6.10	<5	30	<0.5	<2	6.60	<0.5	44	1035	22	7.99
171143		2.44	0.665		<0.5	5.78	<5	<10	<0.5	<2	5.78	<0.5	47	1330	42	9.05
171144		2.60	0.655		<0.5	5.53	<5	70	<0.5	<2	4.43	<0.5	43	1285	86	9.35
171145		2.58	0.348		<0.5	5.68	<5	100	<0.5	<2	3.76	<0.5	41	1285	120	9.15
171146		0.06	0.933		11.3	8.95	<5	50	3.2	<2	0.34	<0.5	<1	11	9	2.84
171147		2.90	0.715		<0.5	5.70	<5	70	<0.5	<2	5.18	<0.5	44	1150	62	8.36
171148		2.69	0.427		<0.5	6.57	<5	130	<0.5	<2	6.16	<0.5	55	1150	62	8.50
171149		2.73	0.080		<0.5	6.30	<5	90	<0.5	<2	5.36	<0.5	50	1120	45	7.56
171150		2.66	0.212		<0.5	5.86	<5	10	<0.5	<2	5.99	<0.5	61	1255	11	7.90
171151		2.83	0.058		<0.5	7.43	<5	200	<0.5	<2	4.88	<0.5	48	864	32	6.25
171152		2.70	0.079		<0.5	6.24	<5	100	<0.5	<2	5.96	<0.5	60	1275	42	7.29
171153		2.75	0.208		<0.5	5.93	<5	20	<0.5	<2	5.81	<0.5	61	1275	16	7.45
171154		2.66	0.058		<0.5	6.56	<5	150	<0.5	<2	5.44	<0.5	57	1050	19	6.47
171155		2.42	0.350		<0.5	5.51	<5	30	<0.5	<2	5.31	<0.5	61	1265	14	7.13
171156 DUP		<0.02	0.283		<0.5	5.59	11	30	<0.5	<2	5.52	<0.5	61	1275	16	7.40
171157		0.11	0.008		<0.5	7.03	<5	530	0.9	<2	0.87	<0.5	1	38	5	1.83
171158		3.25	0.144		<0.5	5.63	5	30	<0.5	<2	5.91	<0.5	67	1425	3	7.79
171159		2.65	0.076		<0.5	6.06	<5	40	<0.5	<2	5.09	<0.5	61	1355	19	7.92
171160		2.71	0.100		<0.5	5.71	<5	40	<0.5	<2	5.87	<0.5	60	1290	62	8.00



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024719**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171121		1.34	6.26	1050	1	1.20	223	510	<2	0.10	<5	151	0.30	148	<10	71
171122		0.80	4.28	1160	1	1.11	272	310	<2	0.62	<5	107	0.35	174	<10	64
171123		0.87	3.88	1270	1	1.20	254	350	<2	1.28	<5	121	0.35	168	10	57
171124		1.06	3.75	1340	<1	0.87	78	380	<2	0.39	<5	106	0.41	194	<10	58
171125		1.27	3.51	1255	<1	1.46	171	510	6	0.57	<5	112	0.39	152	10	73
171126		1.18	0.92	444	<1	2.90	2	720	3	0.16	<5	205	0.37	38	<10	36
171127		1.22	2.98	1330	<1	1.56	89	430	4	0.27	<5	140	0.41	165	10	135
171128		1.60	3.44	1110	<1	1.56	137	1130	3	0.28	<5	190	0.45	156	<10	104
171129		0.20	0.07	118	<1	7.0	2	690	136	3.11	<5	24	0.01	2	<10	21
171130		1.87	6.54	1445	1	1.24	372	460	7	0.07	<5	102	0.35	155	<10	136
171131		1.71	4.70	997	<1	1.88	264	310	7	0.16	<5	118	0.24	96	<10	75
171132		1.72	0.92	597	<1	2.70	130	160	6	0.34	<5	130	0.18	51	10	111
171133		1.71	3.19	1415	<1	0.71	88	350	28	1.00	<5	95	0.39	182	20	118
171134		1.75	3.32	1215	<1	1.02	81	380	11	0.81	<5	110	0.44	208	20	85
171135		1.25	5.09	1425	<1	0.54	301	270	3	1.58	<5	75	0.33	180	10	85
171136		0.75	6.22	1405	<1	0.86	435	330	6	2.21	<5	114	0.25	133	10	90
171137 DUP		0.74	6.40	1415	1	0.86	454	340	9	2.20	<5	112	0.25	140	10	96
171138		3.72	0.34	203	<1	2.22	12	190	32	0.04	<5	165	0.08	10	<10	25
171139		1.18	5.35	1380	1	1.24	329	170	7	1.32	<5	72	0.21	107	10	98
171140		0.81	7.50	1455	<1	0.68	510	160	4	0.33	<5	38	0.23	128	10	114
171141		1.33	5.16	1145	<1	1.05	284	450	7	0.24	<5	112	0.35	150	<10	76
171142		0.49	8.69	1705	1	0.53	545	220	2	0.14	<5	85	0.29	192	<10	99
171143		0.07	10.20	1690	<1	0.36	648	210	9	0.33	<5	28	0.27	180	<10	104
171144		0.63	9.13	1545	<1	0.33	620	200	10	0.59	<5	46	0.23	171	<10	149
171145		0.84	8.78	1560	<1	0.33	582	210	8	0.78	<5	61	0.18	171	<10	99
171146		0.19	0.08	37	<1	7.3	<1	690	130	3.04	<5	24	0.01	2	<10	16
171147		0.42	9.04	1560	<1	0.47	569	250	11	0.36	<5	62	0.22	170	<10	104
171148		0.38	9.66	1620	<1	0.71	573	370	17	0.52	<5	163	0.25	179	10	128
171149		0.44	9.01	1480	<1	0.59	548	330	15	0.33	<5	103	0.27	176	<10	117
171150		0.10	10.20	1485	<1	0.41	654	270	6	0.07	<5	61	0.24	184	<10	91
171151		0.85	8.17	1215	<1	1.24	474	570	10	0.30	<5	223	0.28	148	<10	158
171152		0.42	9.52	1400	<1	0.69	644	410	6	0.40	<5	150	0.25	165	10	106
171153		0.17	10.10	1470	<1	0.46	643	230	7	0.10	<5	48	0.24	172	10	96
171154		0.83	9.32	1230	<1	0.47	546	460	9	0.18	<5	133	0.24	154	<10	69
171155		0.47	9.95	1390	<1	0.24	661	200	6	0.07	<5	76	0.24	166	10	79
171156 DUP		0.45	10.25	1465	<1	0.25	679	190	6	0.08	<5	86	0.25	169	10	81
171157		4.28	0.37	181	1	2.26	13	180	30	0.01	<5	156	0.08	10	<10	26
171158		0.55	10.70	1450	<1	0.26	726	210	11	0.02	<5	45	0.26	182	<10	92
171159		0.70	10.55	1545	<1	0.24	896	220	7	0.10	<5	69	0.26	182	10	102
171160		0.68	10.35	1520	<1	0.27	726	210	3	0.11	<5	52	0.25	178	<10	152



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 10-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06024719

Sample Description	Method Analyte Units LOL	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
171161		2.75	0.132		<0.5	6.05	<5	40	<0.5	<2	5.26	<0.5	66	1360	31	7.98
171162		2.94	0.228		<0.5	5.48	<5	70	<0.5	<2	5.67	<0.5	62	1415	4	7.25
171163		2.79	0.175		<0.5	5.69	<5	40	<0.5	<2	5.76	<0.5	64	1120	5	7.45
171164		3.37	0.092		<0.5	5.61	<5	50	<0.5	<2	5.48	<0.5	64	1225	10	7.29
171165		3.30	1.205		<0.5	5.40	<5	60	<0.5	<2	5.38	<0.5	56	1250	18	7.38
171166		2.76	0.220		<0.5	5.61	<5	70	<0.5	<2	5.40	<0.5	61	1165	7	7.65
171167		2.52	0.055		<0.5	7.86	<5	480	0.5	<2	3.30	<0.5	23	454	7	3.55
171168		2.10	0.005		<0.5	8.49	6	780	0.6	<2	1.52	<0.5	2	11	3	0.98
171169 DUP		<0.02	0.019		<0.5	8.48	<5	760	0.8	<2	1.53	<0.5	4	10	4	1.08
171170		0.20	<0.005		<0.5	7.32	<5	640	0.9	<2	0.87	<0.5	<1	14	4	1.69
171171		2.53	0.659		<0.5	6.31	<5	250	<0.5	<2	5.36	<0.5	42	1050	31	7.50
171172		2.63	1.410		<0.5	5.62	<5	80	<0.5	<2	5.31	<0.5	57	1140	39	7.60
171173		2.34	0.059		<0.5	5.48	<5	40	<0.5	<2	5.44	<0.5	60	1135	14	6.91
171174		3.32	0.084		<0.5	6.16	<5	100	<0.5	<2	5.82	<0.5	64	1190	24	8.05
171175		2.56	0.015		<0.5	8.35	<5	510	0.6	<2	2.73	<0.5	12	203	61	2.31
171176		0.06	1.740		20.6	8.58	<5	60	3.1	<2	0.30	<0.5	<1	7	6	2.73
171177		2.26	0.019		<0.5	7.61	<5	370	<0.5	<2	3.41	<0.5	28	535	78	3.64
171178		2.43	0.091		<0.5	7.13	<5	80	<0.5	<2	6.14	<0.5	48	427	27	7.39
171179		2.73	0.088		<0.5	8.04	<5	170	<0.5	<2	6.33	<0.5	41	416	17	6.82
171180		2.89	0.241		<0.5	5.71	<5	10	<0.5	<2	6.04	<0.5	63	1160	65	7.19
171181		2.71	1.190		<0.5	6.75	<5	10	<0.5	<2	6.65	<0.5	50	829	55	7.71
171182		2.73	1.140		<0.5	5.89	<5	20	<0.5	<2	6.69	<0.5	57	1085	201	7.62
171183		2.94	0.165		<0.5	6.22	<5	<10	<0.5	<2	6.88	<0.5	57	1130	32	7.35
171184		2.92	0.257		<0.5	6.84	<5	10	<0.5	<2	7.17	<0.5	59	1340	65	7.64
171185		3.23	0.211		<0.5	6.48	<5	20	<0.5	<2	6.50	<0.5	53	983	4	7.21
171186		2.42	0.376		<0.5	7.69	<5	40	<0.5	<2	7.27	<0.5	41	333	27	7.02
171187		2.59	0.081		<0.5	7.74	<5	60	<0.5	<2	7.66	<0.5	41	309	19	7.22
171188		0.06	0.943		11.1	8.73	<5	50	3.2	<2	0.29	<0.5	<1	4	9	2.47
171189		2.69	0.017		<0.5	7.65	<5	80	<0.5	<2	7.44	<0.5	42	370	67	7.62
171190		2.59	0.040		<0.5	7.45	<5	70	<0.5	<2	7.12	<0.5	41	429	46	7.41
171191		3.10	0.087		<0.5	7.47	<5	100	<0.5	<2	7.39	<0.5	41	403	381	7.37
171192		2.23	0.034		<0.5	6.93	<5	90	<0.5	<2	8.85	<0.5	42	335	321	7.32
171193		2.74	0.028		<0.5	7.87	<5	130	<0.5	<2	5.79	<0.5	36	303	30	6.90
171194		2.68	0.012		<0.5	7.21	<5	290	0.9	<2	3.26	<0.5	24	444	23	4.05
171195 DUP		<0.02	0.011		<0.5	7.28	<5	260	0.9	<2	3.35	<0.5	26	489	22	4.27
171196		0.11	<0.005		<0.5	7.14	<5	550	0.9	<2	0.82	<0.5	<1	9	6	2.02
171197		2.59	0.051		<0.5	7.39	<5	130	0.5	<2	6.58	4.7	40	491	83	7.13
171198		2.63	0.040		<0.5	7.72	<5	60	<0.5	<2	8.37	<0.5	40	320	16	8.21
171199		2.98	0.056		<0.5	7.47	<5	120	<0.5	<2	7.44	<0.5	36	309	29	7.56
171200		3.06	0.070		<0.5	7.67	<5	60	<0.5	<2	7.16	<0.5	39	297	13	7.53



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 10-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06024719

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
171161		0.36	10.40	1390	<1	0.20	711	350	9	0.24	<5	170	0.31	191	<10	182
171162		0.87	10.05	1425	<1	0.29	692	210	5	0.03	<5	55	0.24	169	<10	88
171163		0.91	10.25	1410	<1	0.30	873	210	6	0.03	<5	60	0.25	177	<10	84
171164		0.98	10.30	1340	<1	0.28	730	170	10	0.06	<5	49	0.25	178	<10	101
171165		1.28	10.00	1400	<1	0.31	734	180	10	0.12	<5	60	0.26	172	<10	102
171166		0.99	10.10	1360	<1	0.34	664	210	7	0.03	<5	47	0.26	173	<10	90
171167		1.64	3.95	614	<1	2.53	247	220	3	0.05	<5	142	0.16	75	<10	54
171168		2.10	0.48	112	<1	3.73	4	240	<2	0.05	<5	130	0.09	17	<10	30
171169 DUP		2.27	0.47	120	<1	3.84	5	250	2	0.05	<5	132	0.09	18	<10	31
171170		4.43	0.24	166	<1	2.29	1	180	35	0.01	<5	161	0.09	9	<10	31
171171		1.85	8.92	1390	<1	0.79	569	210	5	0.19	<5	106	0.25	154	<10	93
171172		0.45	10.25	1330	<1	0.28	648	180	54	0.26	<5	70	0.24	174	<10	248
171173		0.61	9.87	1320	12	0.34	671	170	9	0.08	<5	89	0.24	187	<10	83
171174		0.80	10.80	1425	<1	0.37	681	290	6	0.18	<5	101	0.28	186	<10	81
171175		1.44	2.21	386	1	3.69	87	310	3	0.15	<5	296	0.13	50	<10	44
171176		0.19	0.07	108	<1	6.9	2	630	116	3.01	<5	24	0.01	2	<10	20
171177		1.88	4.36	674	<1	2.59	277	200	4	0.22	<5	114	0.17	84	<10	99
171178		0.69	6.46	1340	1	1.20	201	270	8	0.07	<5	166	0.34	211	10	76
171179		0.88	8.59	1305	<1	1.48	210	370	7	0.04	<5	270	0.35	208	<10	81
171180		0.25	9.58	1430	<1	0.49	871	190	4	0.10	<5	82	0.22	173	10	164
171181		0.30	8.49	1460	<1	0.79	478	240	4	0.11	<5	142	0.31	209	<10	171
171182		0.36	9.36	1505	<1	0.54	620	200	9	0.32	<5	53	0.23	179	10	158
171183		0.07	10.10	1425	1	0.46	653	200	3	0.06	<5	38	0.22	186	<10	127
171184		0.22	9.24	1580	<1	0.53	720	190	2	0.11	<5	53	0.25	203	<10	177
171185		0.36	9.64	1535	<1	0.69	576	260	6	0.01	<5	57	0.20	168	<10	156
171186		0.45	5.65	1325	<1	1.81	163	250	3	0.11	<5	88	0.37	244	10	112
171187		0.39	4.61	1325	<1	1.56	131	250	8	0.08	<5	170	0.39	240	410	65
171188		0.20	0.07	31	<1	7.2	<1	650	109	2.75	<5	25	0.01	2	<10	16
171189		0.39	5.36	1385	<1	1.47	152	270	9	0.11	<5	164	0.37	226	<10	70
171190		0.60	5.76	1415	<1	1.48	184	350	3	0.12	<5	130	0.36	225	10	79
171191		0.38	5.38	1415	<1	1.81	168	350	8	0.18	<5	207	0.37	223	10	77
171192		0.71	5.09	1480	<1	1.49	167	300	7	0.28	<5	119	0.34	207	<10	82
171193		0.94	4.91	1435	<1	1.52	126	230	10	0.17	<5	140	0.34	206	<10	165
171194		0.80	4.72	825	<1	2.26	179	440	8	0.08	<5	115	0.19	95	<10	81
171195 DUP		0.80	5.00	850	<1	2.18	194	460	3	0.08	<5	116	0.20	103	<10	83
171196		4.34	0.22	185	<1	2.32	1	170	33	<0.01	<5	160	0.09	8	<10	30
171197		0.77	5.39	1410	<1	1.78	204	370	6	0.36	<5	198	0.34	204	<10	1035
171198		0.64	5.24	1520	<1	1.69	137	260	5	0.07	<5	138	0.38	231	10	72
171199		0.96	5.06	1525	<1	1.57	132	240	14	0.26	<5	142	0.37	229	10	63
171200		0.55	5.30	1485	<1	1.74	149	250	11	0.06	<5	139	0.38	229	<10	73



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024719**

Sample Description	Method	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd WL	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Cs	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
171201		2.64	0.013		<0.5	7.42	<5	50	<0.5	<2	8.20	<0.5	40	300	8	7.86
171202		2.59	0.082		<0.5	8.28	<5	40	<0.5	<2	8.55	<0.5	38	321	20	7.67
171203		2.75	0.252		<0.5	7.69	6	50	<0.5	<2	9.64	<0.5	38	298	28	7.64
171204		2.55	0.085		<0.5	7.42	<5	50	<0.5	<2	9.02	<0.5	36	304	10	7.16
171205		2.42	0.120		<0.5	7.39	<5	130	<0.5	<2	7.13	<0.5	37	314	87	7.70
171206		0.06	1.795		22.8	8.59	<5	60	3.2	<2	0.34	<0.5	<1	7	6	3.24
171207		2.31	0.614		<0.5	7.64	<5	80	<0.5	<2	8.38	<0.5	39	310	54	7.59
171208		2.61	0.340		<0.5	7.57	<5	60	<0.5	<2	8.21	<0.5	36	304	8	7.46
171209		3.12	0.242		<0.5	7.75	<5	30	<0.5	<2	9.80	<0.5	37	308	12	7.68
171210		2.46	0.327		<0.5	7.52	<5	70	<0.5	<2	9.99	<0.5	37	288	43	7.59
171211		2.59	0.386		<0.5	7.93	6	50	<0.5	<2	8.23	<0.5	39	283	19	7.82
171212		2.40	0.022		<0.5	8.15	<5	100	<0.5	<2	7.81	<0.5	37	219	25	6.77
171213		2.53	0.054		<0.5	7.75	<5	90	<0.5	<2	7.95	<0.5	43	286	35	7.78
171214		2.40	0.019		<0.5	8.95	<5	240	<0.5	<2	4.99	<0.5	21	170	13	4.44
171215		2.57	0.877		<0.5	7.44	<5	60	<0.5	<2	7.49	<0.5	37	277	33	7.45
171216		2.75	0.187		<0.5	7.38	<5	60	<0.5	<2	11.10	<0.5	38	264	21	7.80
171217		2.42	0.250	0.305	<0.5	8.83	7	230	0.8	<2	5.37	5.6	26	180	110	6.26
171218 DUP		<0.02	0.389	0.230	<0.5	8.47	<5	210	0.5	<2	5.23	4.9	22	170	102	6.02
171219		0.09	0.005		<0.5	7.63	<5	620	0.9	<2	0.88	<0.5	<1	14	5	1.87
171220		2.65	0.330		<0.5	7.67	<5	280	0.5	<2	5.52	<0.5	29	231	53	5.72
171221		1.56	<0.005		<0.5	8.54	5	250	0.5	<2	5.76	<0.5	25	141	8	6.57
171222		2.63	<0.005		<0.5	8.94	<5	180	<0.5	<2	6.50	<0.5	32	129	3	7.10
171223		2.71	<0.005		<0.5	8.50	<5	130	<0.5	<2	5.91	<0.5	25	106	1	6.81
171224		2.27	0.012		<0.5	8.50	<5	270	0.5	<2	5.33	<0.5	20	67	24	6.33
171225		2.34	0.259		<0.5	8.25	<5	240	0.7	<2	4.44	<0.5	16	36	151	6.16
171226		2.44	0.009		<0.5	9.10	<5	230	0.5	<2	6.12	<0.5	28	110	66	7.69
171227		0.06	0.944		11.6	8.88	<5	50	3.2	<2	0.32	<0.5	<1	8	10	2.63
171228		2.63	<0.005		<0.5	9.07	9	510	0.9	<2	5.53	<0.5	11	39	28	3.65
171229		2.13	0.008		<0.5	9.36	<5	490	0.9	<2	4.60	<0.5	17	71	51	4.52
171230		2.71	0.094		<0.5	8.64	<5	150	<0.5	<2	7.44	<0.5	33	121	224	7.40
171231		2.44	0.086		<0.5	7.95	<5	120	<0.5	<2	7.59	<0.5	40	122	295	7.01
171232 DUP		<0.02	0.054		<0.5	8.01	7	120	<0.5	<2	7.74	<0.5	43	120	300	7.22
171233		0.09	<0.005		<0.5	7.09	<5	570	0.9	<2	0.90	<0.5	1	10	4	1.82
171234		2.58	0.018		<0.5	7.23	<5	170	0.8	<2	7.80	<0.5	27	60	107	5.53
171235		2.90	0.015		<0.5	7.66	6	180	0.6	<2	5.89	<0.5	28	70	79	6.31
171236		2.77	0.012		<0.5	7.60	<5	110	0.8	<2	8.02	<0.5	37	204	110	7.56
171237		2.30	0.011		<0.5	7.76	<5	140	0.5	<2	6.79	<0.5	31	142	110	6.90
171238		2.65	0.018		<0.5	8.09	<5	100	<0.5	<2	7.14	<0.5	36	136	154	7.44
171239		2.67	0.026		<0.5	7.97	6	130	<0.5	<2	6.85	<0.5	37	140	231	7.19
171240		2.60	0.027		<0.5	8.20	<5	100	0.5	<2	7.06	<0.5	33	141	132	7.38



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 804 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06024719**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171201		0.33	5.11	1520	<1	1.57	142	270	4	0.07	<5	140	0.38	233	<10	79
171202		0.29	4.79	1505	<1	1.60	139	270	6	0.09	<5	170	0.41	245	10	74
171203		0.34	4.63	1520	<1	1.56	128	260	7	0.14	<5	162	0.38	234	20	70
171204		0.38	4.65	1400	<1	1.55	137	250	7	0.06	<5	156	0.37	225	20	64
171205		0.88	5.25	1485	<1	1.59	138	240	7	0.14	<5	125	0.36	228	<10	74
171206		0.20	0.06	121	<1	7.5	3	680	142	3.60	<5	22	0.01	2	<10	20
171207		0.63	4.95	1405	<1	1.59	139	250	6	0.10	<5	132	0.37	229	10	69
171208		0.57	4.75	1380	<1	1.53	124	230	6	0.07	<5	104	0.38	234	10	69
171209		0.39	4.88	1435	<1	1.41	130	250	2	0.07	<5	57	0.37	235	10	72
171210		0.56	4.75	1825	<1	1.34	137	250	4	0.22	<5	133	0.37	227	30	68
171211		0.44	4.94	1530	<1	1.55	132	260	9	0.07	<5	158	0.39	232	40	67
171212		0.63	5.03	1355	<1	1.44	112	470	8	0.03	<5	306	0.33	189	<10	68
171213		0.59	5.17	1500	<1	1.41	150	310	3	0.08	<5	172	0.37	228	<10	73
171214		0.77	2.70	805	<1	3.15	72	230	8	0.03	<5	268	0.24	128	10	47
171215		0.41	4.50	1400	<1	1.42	141	240	6	0.15	<5	159	0.37	223	10	101
171216		0.47	4.72	1670	<1	1.32	133	260	3	0.07	<5	182	0.37	228	140	100
171217		1.06	2.79	1040	<1	2.46	87	610	11	0.42	<5	182	0.45	184	<10	945
171218 DUP		0.98	2.75	1010	<1	2.33	62	570	7	0.40	<5	176	0.42	168	<10	850
171219		4.69	0.23	174	<1	2.40	2	180	43	0.01	<5	176	0.09	9	<10	34
171220		1.11	3.54	1155	<1	2.18	102	210	8	0.14	<5	166	0.30	161	10	102
171221		1.06	4.12	1115	<1	2.09	92	760	5	0.04	<5	307	0.47	191	<10	84
171222		1.30	4.49	1270	<1	2.00	87	540	5	0.01	6	218	0.48	225	<10	90
171223		1.24	4.16	1150	<1	1.90	75	380	6	<0.01	<5	152	0.45	216	<10	89
171224		1.28	2.98	1115	<1	2.19	51	810	5	0.06	<5	221	0.52	176	<10	93
171225		0.89	1.90	793	1	2.52	32	830	11	0.77	<5	339	0.44	121	<10	86
171226		1.19	4.02	1295	<1	1.95	91	530	9	0.17	<5	289	0.50	210	<10	95
171227		0.20	0.07	35	<1	7.4	2	680	116	3.13	<5	25	0.01	2	<10	17
171228		1.14	1.82	791	<1	3.34	22	480	8	0.08	<5	409	0.24	86	<10	55
171229		1.54	2.25	776	<1	3.23	75	730	6	0.21	<5	413	0.34	109	<10	76
171230		1.20	3.28	1315	<1	1.44	74	410	<2	0.78	<5	180	0.47	234	<10	94
171231		0.91	2.85	1195	<1	1.65	92	380	4	0.83	<5	180	0.45	207	<10	89
171232 DUP		0.91	2.85	1195	<1	1.65	92	360	4	0.92	<5	180	0.44	207	<10	90
171233		4.39	0.23	161	<1	2.35	3	160	36	0.01	<5	160	0.09	8	<10	30
171234		0.93	1.98	892	<1	1.89	42	650	<2	0.44	<5	258	0.46	150	10	61
171235		0.88	2.54	1005	<1	2.10	41	690	5	0.36	<5	207	0.50	175	<10	73
171236		0.70	4.39	1380	<1	1.70	72	670	4	0.32	<5	364	0.47	220	<10	93
171237		0.85	3.21	1140	<1	1.80	85	450	3	0.37	<5	222	0.46	205	<10	76
171238		0.68	3.47	1170	<1	1.88	75	380	<2	0.45	<5	180	0.47	220	<10	69
171239		0.76	3.17	1060	<1	1.82	80	370	<2	0.62	<5	178	0.47	215	<10	78
171240		0.53	3.59	1215	<1	1.98	71	460	<2	0.37	<5	182	0.47	209	<10	75





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 10-APR-2006

Account: TRAVEN

## CERTIFICATE VO06025000

Project: BLOCK A

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 13-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025000**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
171241		2.73	0.097			<0.5	7.48	<5	60	<0.5	<2	6.35	<0.5	32	126	141
171242		2.84	0.023			<0.5	7.15	<5	100	<0.5	<2	6.63	<0.5	40	213	172
171243		2.73	0.007			<0.5	5.49	<5	90	0.5	<2	7.02	<0.5	45	504	79
171244		0.83	0.028			<0.5	8.04	<5	90	<0.5	<2	5.52	<0.5	42	514	88
171245		1.83	0.009			<0.5	8.41	<5	140	<0.5	<2	5.99	<0.5	38	471	65
171246		2.45	0.015			<0.5	7.00	<5	120	<0.5	<2	5.83	<0.5	22	100	24
171247		0.06	1.735			18.8	7.85	<5	50	3.0	<2	0.33	<0.5	<1	7	5
171248		2.53	0.625			<0.5	7.08	<5	190	0.6	<2	4.44	<0.5	21	57	215
171249		1.75	0.253			<0.5	6.54	<5	150	<0.5	<2	4.86	<0.5	32	121	331
171250		2.28	0.021			<0.5	7.06	<5	80	0.5	<2	6.75	<0.5	28	96	21
171251		2.38	0.088			<0.5	7.03	5	190	0.7	<2	4.29	<0.5	16	44	42
171252		2.59	0.030			<0.5	7.22	<5	90	<0.5	<2	6.43	<0.5	27	106	25
171253		1.91	0.017			<0.5	7.45	<5	130	0.5	<2	5.98	<0.5	24	83	24
171254		2.43	0.018			<0.5	6.80	6	90	<0.5	<2	6.15	<0.5	24	99	12
171255 DUP		<0.02	0.024			<0.5	6.75	<5	80	<0.5	<2	6.17	<0.5	24	98	12
171256		0.13	<0.005			<0.5	6.23	<5	490	0.9	<2	1.37	<0.5	<1	9	4
171257		2.65	0.134			<0.5	7.51	6	90	<0.5	<2	6.56	<0.5	24	106	12
171258		2.21	0.022			<0.5	7.03	<5	180	<0.5	<2	5.58	<0.5	26	135	44
171259		2.59	0.024			<0.5	6.10	<5	150	<0.5	<2	6.12	<0.5	40	422	34
171260		2.48	0.009			<0.5	7.13	<5	160	0.9	<2	4.24	<0.5	20	112	81
171261		2.82	0.324			<0.5	7.23	<5	100	<0.5	<2	6.18	<0.5	33	123	171
171262		1.95	0.017			<0.5	7.22	<5	100	<0.5	<2	6.80	<0.5	32	113	82
171263		2.86	0.136			<0.5	6.71	<5	120	<0.5	<2	5.56	<0.5	23	102	39
171264		2.77	0.019			<0.5	7.32	<5	130	<0.5	<2	5.85	<0.5	27	108	56
171265		2.94	0.006			<0.5	7.20	<5	130	<0.5	<2	5.89	<0.5	28	103	12
171266		0.07	0.956			10.0	7.64	<5	40	3.0	<2	0.32	<0.5	1	5	8
171267		2.28	0.021			<0.5	7.15	<5	120	<0.5	<2	5.06	<0.5	45	113	230
171268		1.93	0.020			<0.5	7.87	9	140	0.5	<2	5.84	<0.5	31	98	89
171269		1.14	0.050			<0.5	7.24	<5	210	0.7	<2	3.92	<0.5	21	54	90
171270		2.81	0.011			<0.5	7.53	<5	170	<0.5	<2	4.96	<0.5	36	120	41
171271		2.41	0.036			<0.5	7.16	<5	310	0.7	<2	4.07	<0.5	19	58	56
171272		3.31	0.218			<0.5	7.02	<5	280	0.7	<2	4.34	<0.5	18	90	17
171273		3.54	0.436			<0.5	7.35	<5	90	<0.5	<2	6.44	<0.5	23	118	74
171274		2.71	0.100			0.5	7.52	<5	180	<0.5	<2	7.37	<0.5	41	131	736
171275		2.85	0.124			0.5	6.87	<5	100	<0.5	<2	5.32	<0.5	53	130	832
171276 DUP		<0.02	0.102			0.5	6.76	<5	90	<0.5	<2	5.22	<0.5	58	145	853
171277		0.10	<0.005			<0.5	8.67	<5	510	0.9	<2	0.94	<0.5	1	14	10
171278		2.77	0.008			<0.5	7.79	<5	90	<0.5	<2	6.52	<0.5	41	116	118
171279		2.14	0.023			<0.5	7.52	<5	70	<0.5	<2	6.34	<0.5	35	118	255
171280		2.51	0.032			<0.5	7.74	<5	80	<0.5	<2	7.37	<0.5	23	107	68



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025000**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
171241		6.90	0.43	3.22	1060	1	1.56	60	350	<2	0.46	<5	152	0.43	196	<10
171242		7.19	0.58	3.75	1165	<1	1.48	85	380	4	0.47	<5	175	0.44	210	<10
171243		7.45	0.38	7.40	1420	1	1.22	276	620	<2	0.27	<5	286	0.33	193	<10
171244		5.66	0.47	8.11	1020	1	1.45	371	650	<2	0.38	<5	244	0.24	128	<10
171245		6.31	0.95	7.23	1130	<1	1.48	280	550	4	0.13	<5	256	0.32	177	<10
171246		5.98	0.76	3.48	1060	1	1.61	54	360	<2	0.18	<5	155	0.40	178	10
171247		2.72	0.18	0.07	108	1	6.5	5	620	114	2.89	<5	22	0.01	1	<10
171248		5.23	0.97	2.07	872	1	1.68	33	510	<2	0.42	<5	157	0.41	136	<10
171249		6.53	1.36	2.99	976	1	0.81	58	320	<2	0.73	<5	84	0.40	178	<10
171250		5.91	0.66	3.43	1230	<1	1.37	77	340	<2	0.08	<5	119	0.43	192	<10
171251		4.84	0.88	1.75	864	2	1.95	31	770	<2	0.31	<5	164	0.47	115	10
171252		6.20	0.75	3.60	1175	1	1.47	72	320	<2	0.11	<5	135	0.44	198	<10
171253		5.85	0.72	3.00	1070	1	1.79	59	470	<2	0.15	<5	153	0.45	178	<10
171254		5.87	0.78	3.33	1065	1	1.43	63	320	<2	0.10	<5	122	0.42	184	<10
171255 DUP		5.74	0.76	3.35	1070	1	1.43	61	310	3	0.10	<5	121	0.41	184	<10
171256		1.66	3.95	0.22	160	1	2.03	3	140	30	0.01	<5	138	0.08	9	<10
171257		6.48	0.88	3.78	1175	<1	1.44	60	370	<2	0.10	<5	119	0.43	198	10
171258		6.36	1.03	3.90	1075	<1	1.52	84	450	<2	0.18	<5	163	0.42	186	<10
171259		6.06	0.97	6.30	1120	1	1.04	186	520	<2	0.12	<5	177	0.32	158	<10
171260		3.74	0.55	2.51	589	1	2.72	38	440	<2	0.24	<5	265	0.26	95	<10
171261		6.30	0.78	3.40	1050	1	1.41	56	380	<2	0.37	<5	159	0.40	180	<10
171262		6.53	0.76	3.45	1135	<1	1.55	72	330	<2	0.27	<5	150	0.42	168	10
171263		6.28	1.03	3.62	968	<1	1.24	76	390	4	0.09	<5	135	0.40	182	<10
171264		7.13	1.24	4.17	1170	1	1.24	94	320	<2	0.18	<5	117	0.42	197	10
171265		6.82	1.22	4.17	1150	1	1.15	104	320	<2	0.05	<5	121	0.42	191	<10
171266		2.68	0.18	0.07	34	1	6.4	4	590	109	2.80	<5	21	0.01	1	<10
171267		6.88	1.02	3.39	1035	1	1.66	54	380	3	0.30	<5	116	0.44	196	<10
171268		6.51	0.93	3.06	1175	1	1.98	45	490	<2	0.28	<5	162	0.48	192	<10
171269		5.10	1.02	1.82	809	1	2.12	20	680	4	0.31	<5	164	0.45	114	<10
171270		7.34	1.43	3.95	1070	1	1.60	62	370	<2	0.05	<5	123	0.47	207	20
171271		5.03	1.24	2.40	773	1	1.95	32	370	7	0.07	<5	183	0.34	126	<10
171272		5.11	1.46	2.88	888	1	1.70	48	260	<2	0.11	<5	124	0.32	133	<10
171273		6.38	0.75	3.69	1100	1	1.28	62	360	<2	0.15	<5	139	0.43	190	<10
171274		6.84	1.68	2.86	1240	1	1.06	64	340	<2	1.03	<5	118	0.45	198	<10
171275		7.46	0.95	2.47	973	<1	1.49	95	380	5	1.31	<5	139	0.45	178	10
171276 DUP		7.27	1.00	2.48	968	1	1.48	104	370	<2	1.23	<5	142	0.50	201	10
171277		2.22	4.15	0.23	193	<1	2.06	4	150	30	0.02	<5	140	0.08	8	<10
171278		9.12	0.40	3.67	1350	<1	1.97	110	740	<2	0.29	<5	322	0.73	205	<10
171279		6.78	0.53	3.21	1020	2	1.44	57	370	2	0.53	<5	147	0.44	190	10
171280		6.83	0.54	3.81	1190	2	1.26	58	360	<2	0.13	<5	141	0.44	198	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 10-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06025000

Sample Description	Method Analyte Units LOI	ME-ICP61 Zn ppm 2
171241		58
171242		69
171243		93
171244		60
171245		66
171246		64
171247		18
171248		64
171249		63
171250		81
171251		78
171252		78
171253		67
171254		65
171255 DUP		65
171256		27
171257		72
171258		62
171259		74
171260		40
171261		70
171262		65
171263		87
171264		71
171265		69
171266		15
171267		74
171268		69
171269		57
171270		72
171271		53
171272		100
171273		72
171274		88
171275		74
171276 DUP		82
171277		24
171278		104
171279		68
171280		70



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025000**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
171281		2.36	0.124			<0.5	7.11	<5	60	<0.5	<2	6.80	<0.5	37	109	298
171282		2.45	0.049			<0.5	7.62	<5	50	<0.5	<2	6.60	<0.5	41	118	339
171283		2.71	0.024			<0.5	8.02	<5	100	<0.5	<2	7.23	<0.5	40	127	169
171284		2.71	1.850			<0.5	6.84	<5	80	<0.5	<2	6.22	<0.5	32	154	271
171285		0.07	1.735			18.9	7.81	<5	60	3.1	<2	0.33	<0.5	<1	4	6
171286		2.37	0.067			<0.5	7.16	7	60	<0.5	<2	6.52	<0.5	46	118	645
171287		3.12	0.088			0.5	7.37	<5	80	<0.5	<2	6.55	<0.5	41	120	451
171288		2.20	1.380			0.7	7.35	<5	70	<0.5	<2	6.75	0.9	36	120	231
171289		1.52	>10.0		14.90	5.3	7.15	<5	100	<0.5	<2	5.84	4.2	39	118	428
171290 DUP		<0.02	>10.0		14.50	4.5	6.75	<5	100	<0.5	<2	5.68	1.8	37	116	487
171291		0.11	0.020	0.016		<0.5	6.45	<5	500	0.9	<2	0.81	<0.5	1	12	9
171292		1.76	0.474			1.2	6.71	<5	160	<0.5	<2	4.99	<0.5	51	112	612
171293		2.42	0.047			<0.5	6.36	<5	410	1.0	<2	2.08	<0.5	5	33	27
171294		2.63	0.011			<0.5	7.07	5	290	0.8	<2	5.87	<0.5	27	97	42
171295		2.60	0.104			<0.5	7.32	<5	210	<0.5	<2	5.07	<0.5	26	112	36
171296		2.87	0.018			<0.5	7.51	<5	130	<0.5	<2	6.58	<0.5	28	154	51
171297		2.21	0.266			<0.5	7.32	<5	130	<0.5	<2	5.73	<0.5	25	102	166
171298		1.30	2.82			<0.5	7.06	<5	230	0.6	<2	5.72	<0.5	30	127	446
171299		1.66	0.256			0.6	7.52	<5	170	<0.5	<2	5.55	<0.5	39	170	897
171300		2.86	2.77			1.8	6.07	<5	150	<0.5	<2	4.67	<0.5	53	108	1190
171301		2.73	1.190			0.9	7.65	<5	140	<0.5	<2	6.02	<0.5	50	123	1010
171302		2.81	1.005			0.5	7.29	<5	140	<0.5	<2	4.69	<0.5	54	129	911
171303		2.83	0.696			<0.5	7.93	8	170	<0.5	<2	5.60	<0.5	43	144	484
171304		2.27	0.177			<0.5	8.17	<5	190	0.7	<2	4.90	<0.5	27	63	157
171305		2.71	0.747			<0.5	7.17	10	140	<0.5	<2	5.10	<0.5	44	124	289
171306		3.87	0.768			<0.5	7.42	<5	120	<0.5	<2	6.03	<0.5	34	259	158
171307		0.07	1.015			11.2	7.98	<5	40	3.2	<2	0.32	<0.5	1	4	8
171308		2.41	0.540			<0.5	6.48	<5	140	<0.5	<2	4.23	<0.5	45	120	386
171309		2.75	0.021			<0.5	7.62	<5	110	<0.5	<2	6.39	<0.5	21	92	118
171310		2.48	0.527			<0.5	7.79	<5	100	<0.5	<2	6.22	<0.5	30	113	208
171311		2.98	0.422			<0.5	7.34	6	110	<0.5	<2	6.48	<0.5	32	114	593
171312		3.11	0.080			<0.5	7.55	<5	100	<0.5	<2	6.82	<0.5	28	104	192
171313		2.77	0.144			<0.5	7.18	<5	110	<0.5	<2	5.73	<0.5	30	186	217
171314		2.81	0.624			<0.5	7.65	<5	230	0.7	<2	4.21	<0.5	18	102	91
171315		2.76	0.078			<0.5	7.49	<5	350	1.0	<2	2.79	<0.5	8	16	85
171316		1.49	1.640	1.670		1.2	5.76	<5	160	<0.5	<2	3.21	<0.5	78	1265	1840
171317 DUP		<0.02	1.570	1.835		1.3	5.76	5	170	<0.5	<2	3.09	<0.5	74	1260	1725
171318		0.13	0.011			<0.5	6.65	<5	550	0.8	<2	0.79	<0.5	1	21	16
171319		1.32	0.187			<0.5	7.40	<5	210	0.5	<2	5.48	<0.5	29	150	230
171320		2.67	0.258			<0.5	7.12	<5	240	0.8	<2	3.78	<0.5	21	103	282



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025000**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
171281		6.48	0.58	3.19	1055	1	1.09	77	350	<2	0.53	<5	124	0.43	192	20
171282		7.20	0.52	3.37	1110	<1	1.43	77	390	<2	0.74	<5	158	0.44	200	110
171283		8.10	0.75	4.28	1295	1	1.60	97	540	<2	0.44	<5	232	0.49	202	10
171284		6.52	0.66	3.65	1065	1	1.27	80	360	<2	0.48	<5	158	0.37	190	<10
171285		2.88	0.18	0.06	106	1	6.6	4	610	122	3.08	<5	21	0.01	1	<10
171286		6.85	0.63	2.95	1080	1	1.37	65	330	<2	0.73	<5	135	0.43	198	60
171287		6.80	1.09	2.95	1120	1	1.10	63	350	<2	0.80	<5	128	0.44	201	10
171288		6.75	1.09	3.43	1095	1	0.96	74	360	<2	0.63	<5	119	0.44	201	<10
171289		7.18	1.46	3.20	1075	1	1.01	79	320	<2	1.06	<5	97	0.40	186	10
171290 DUP		6.67	1.49	2.99	1045	<1	0.91	76	310	3	0.98	<5	89	0.39	182	30
171291		2.71	3.96	0.19	216	2	2.07	7	150	36	0.01	<5	138	0.08	7	<10
171292		6.71	2.36	2.89	1285	1	0.88	62	300	<2	0.93	<5	94	0.38	174	10
171293		2.61	1.36	0.74	354	2	2.63	9	130	<2	0.11	<5	128	0.15	36	<10
171294		8.72	2.74	3.85	1055	<1	1.09	56	580	4	0.13	<5	118	0.39	183	<10
171295		7.14	2.05	4.03	1055	1	1.34	64	370	<2	0.14	<5	131	0.44	207	<10
171296		7.29	1.13	4.83	1185	<1	1.05	73	390	<2	0.13	<5	155	0.39	202	<10
171297		6.83	1.35	3.82	1150	1	1.15	80	350	<2	0.23	<5	121	0.43	212	10
171298		6.75	1.82	3.80	1010	1	1.26	77	2240	17	0.50	<5	639	0.53	184	10
171299		8.48	2.19	4.64	1385	<1	0.68	69	370	<2	0.89	<5	149	0.42	234	10
171300		6.78	2.07	2.69	1050	1	0.51	78	450	<2	1.28	<5	75	0.39	153	20
171301		7.97	1.83	3.26	1345	1	0.73	79	420	<2	1.22	<5	87	0.43	183	30
171302		8.20	1.78	3.29	1170	1	0.85	81	350	<2	1.38	5	81	0.42	188	40
171303		8.20	1.55	3.49	1285	2	1.19	79	450	<2	1.04	<5	108	0.47	196	20
171304		6.24	1.16	2.42	1015	2	2.01	37	580	4	0.45	<5	168	0.48	167	10
171305		8.29	1.27	3.60	1070	1	1.18	130	360	<2	1.14	<5	102	0.41	193	<10
171306		7.22	1.15	3.71	1110	2	1.12	109	370	2	0.60	<5	114	0.42	195	10
171307		2.58	0.19	0.07	34	1	6.8	<1	600	106	2.73	<5	22	0.01	1	<10
171308		7.29	1.39	3.30	933	1	1.08	91	300	<2	0.76	<5	96	0.39	187	50
171309		6.87	0.80	3.64	1160	1	1.20	56	370	<2	0.37	<5	125	0.35	166	10
171310		7.07	0.88	3.53	1090	1	1.31	78	390	<2	0.44	<5	124	0.46	207	<10
171311		7.06	1.33	3.49	1155	1	0.93	84	360	<2	0.69	<5	111	0.41	193	40
171312		7.55	1.09	4.04	1350	<1	1.06	66	370	<2	0.53	<5	108	0.43	200	10
171313		6.96	0.99	3.57	1090	1	1.17	91	350	<2	0.42	<5	111	0.43	191	<10
171314		5.24	1.26	1.87	841	1	2.05	38	780	<2	0.22	<5	167	0.47	112	<10
171315		3.62	1.05	0.62	418	2	2.79	5	610	4	0.41	<5	189	0.36	38	<10
171316		9.33	1.83	3.01	871	2	0.96	398	220	7	2.03	<5	69	0.34	178	20
171317 DUP		9.23	1.84	3.09	859	2	0.94	381	220	4	1.80	<5	67	0.33	169	30
171318		2.15	4.46	0.19	176	1	2.03	6	150	33	0.03	<5	144	0.08	7	<10
171319		6.94	1.45	3.52	1055	2	1.41	89	1240	7	0.40	<5	245	0.48	167	10
171320		4.62	1.23	2.16	661	1	2.04	51	490	3	0.40	<5	178	0.34	85	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 5 (A - C)

Finalized Date: 10-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06025000

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
171281		57
171282		54
171283		73
171284		58
171285		19
171286		58
171287		60
171288		141
171289		452
171290 DUP		337
171291		27
171292		134
171293		32
171294		128
171295		65
171296		62
171297		66
171298		86
171299		96
171300		64
171301		74
171302		75
171303		84
171304		89
171305		71
171306		62
171307		15
171308		60
171309		42
171310		50
171311		57
171312		65
171313		66
171314		66
171315		35
171316		147
171317 DUP		132
171318		29
171319		99
171320		63



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 10-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06025000

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm
171321		2.57	0.443		0.05	<0.5	7.15	<5	230	<0.5	<2	5.01	<0.5	31	174	517
171322		2.14	0.044			<0.5	6.32	<5	550	1.1	<2	1.28	<0.5	2	19	38
171323		2.40	0.142			<0.5	6.34	<5	490	1.0	<2	1.90	<0.5	4	44	89
171324		2.83	1.495			<0.5	7.45	<5	150	<0.5	<2	5.68	<0.5	36	149	750
171325		2.67	0.525			0.5	7.34	<5	120	<0.5	<2	5.92	<0.5	40	124	1035
171326		2.90	1.175			<0.5	7.94	<5	210	0.5	<2	4.94	<0.5	33	90	398
171327		2.61	3.28			0.5	5.54	<5	180	<0.5	<2	4.51	<0.5	42	259	590
171328		0.08	1.845			17.8	7.85	<5	60	3.0	<2	0.33	<0.5	<1	8	7
171329		3.05	2.17			<0.5	4.56	<5	40	<0.5	<2	4.78	<0.5	54	938	527
171330		2.42	0.960			<0.5	6.66	<5	460	1.0	<2	2.38	<0.5	15	437	109
171331		2.87	0.158			<0.5	6.74	<5	270	0.6	<2	4.02	<0.5	26	456	33
171332		2.93	0.341			<0.5	7.27	<5	130	<0.5	<2	5.02	<0.5	33	530	63
171333		2.74	0.543			<0.5	5.91	<5	80	<0.5	<2	5.21	<0.5	39	461	71
171334		2.40	0.201			<0.5	6.70	<5	110	<0.5	<2	5.76	<0.5	37	298	12
171335		2.86	0.133			<0.5	6.84	<5	110	<0.5	<2	6.22	<0.5	44	354	18
171336 DUP		<0.02	0.128			<0.5	7.20	<5	110	<0.5	<2	6.54	<0.5	45	362	13
171337		0.14	<0.005			<0.5	6.41	<5	510	0.9	<2	0.87	<0.5	1	19	5
171338		2.37	0.073			<0.5	8.27	6	330	0.9	<2	3.98	<0.5	17	43	33
171339		3.10	0.085			<0.5	7.05	<5	150	0.5	<2	5.31	<0.5	33	444	16
171340		2.93	0.438			<0.5	6.26	<5	110	<0.5	<2	5.96	<0.5	49	960	32
171341		2.80	0.062			<0.5	5.51	<5	70	<0.5	<2	5.93	<0.5	54	995	33
171342		3.04	0.221			<0.5	5.61	<5	40	<0.5	<2	5.40	<0.5	52	873	24
171343		2.50	0.504			<0.5	5.78	<5	110	<0.5	<2	4.37	<0.5	45	912	22
171344		3.18	0.027			<0.5	8.18	<5	250	0.5	<2	5.83	<0.5	47	758	32
171345		2.56	0.096			<0.5	5.97	<5	120	<0.5	<2	6.07	<0.5	56	864	17
171346		2.76	0.210			<0.5	5.36	5	30	<0.5	<2	5.46	<0.5	59	1115	56
171347		0.07	0.999			9.8	7.70	<5	40	3.0	<2	0.32	<0.5	<1	9	8
171348		2.56	0.063			<0.5	5.74	<5	30	<0.5	<2	5.54	<0.5	60	1190	68
171349		2.42	0.107			<0.5	5.88	<5	30	<0.5	<2	5.57	<0.5	59	1115	38
171350		2.36	0.067			<0.5	5.75	<5	50	<0.5	<2	5.12	<0.5	59	1055	49
171351		2.56	0.233			<0.5	5.43	<5	40	<0.5	<2	6.06	<0.5	67	1105	14
171352		2.73	0.073			<0.5	5.69	<5	50	<0.5	<2	6.27	<0.5	67	1175	4
171353		2.44	0.130			<0.5	5.22	<5	40	<0.5	<2	5.32	<0.5	65	1150	1
171354		2.33	0.078			<0.5	5.59	<5	30	<0.5	<2	5.64	<0.5	65	1050	7
171355		2.40	0.089			<0.5	5.71	<5	20	<0.5	<2	5.77	<0.5	65	1145	11
171356 DUP		<0.02	0.126			<0.5	5.85	<5	20	<0.5	<2	6.01	<0.5	68	1205	19
171357		0.09	<0.005			<0.5	6.94	<5	530	0.9	<2	0.87	<0.5	3	39	4
171358		2.34	0.127			<0.5	5.34	<5	70	<0.5	<2	5.90	<0.5	56	1100	7
171359		2.19	0.124			<0.5	5.67	<5	50	<0.5	<2	5.33	<0.5	59	1125	8
171360		2.75	1.695			<0.5	4.95	<5	60	<0.5	<2	5.62	<0.5	50	1035	13





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025000**

Sample Description	Method Analyte Units LOR	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
171321		6.36	1.51	3.85	958	1	1.51	81	360	37	0.66	<5	172	0.36	160	10
171322		1.74	1.21	0.20	148	1	3.05	2	70	15	0.22	<5	123	0.09	1	<10
171323		2.26	1.15	0.64	271	1	2.85	7	120	2	0.28	<5	160	0.13	26	<10
171324		6.74	1.32	3.71	1095	<1	1.34	82	400	<2	0.67	<5	169	0.43	196	10
171325		7.15	1.18	3.46	1145	<1	1.19	76	360	<2	0.80	<5	107	0.43	189	20
171326		6.44	1.87	3.13	1065	1	1.44	60	490	<2	0.68	<5	175	0.43	170	10
171327		6.83	1.33	2.97	1100	2	0.58	160	260	2	1.03	<5	85	0.33	153	40
171328		3.01	0.19	0.07	103	1	6.3	4	600	126	3.20	<5	22	0.01	1	<10
171329		10.20	0.93	6.55	1780	1	0.49	419	160	<2	1.89	<5	77	0.24	144	20
171330		4.75	1.56	2.77	681	1	2.39	165	90	3	0.50	<5	96	0.15	50	10
171331		5.62	1.07	4.64	990	1	1.66	237	440	207	0.22	<5	129	0.33	118	<10
171332		8.14	1.11	5.67	1350	<1	0.92	186	380	21	0.50	<5	160	0.43	209	10
171333		8.09	0.86	7.43	1495	1	0.54	267	220	<2	0.51	<5	78	0.29	184	<10
171334		6.94	1.01	6.03	1255	1	0.87	170	280	<2	0.08	<5	77	0.36	197	<10
171335		7.15	0.93	8.29	1335	<1	0.93	184	230	5	0.06	<5	96	0.34	212	10
171336 DUP		7.57	0.96	8.67	1390	<1	0.97	188	240	<2	0.07	<5	102	0.36	222	10
171337		2.05	3.98	0.24	175	1	2.03	5	160	28	0.01	<5	146	0.08	8	<10
171338		5.03	1.11	1.48	759	1	2.11	20	880	<2	0.22	<5	244	0.51	123	<10
171339		8.14	0.52	5.06	1135	1	1.83	188	490	4	0.11	<5	189	0.37	159	<10
171340		7.45	0.56	8.95	1285	<1	0.88	437	320	<2	0.05	<5	183	0.26	179	<10
171341		7.17	0.36	9.71	1305	1	0.37	554	230	4	0.18	6	57	0.23	160	<10
171342		6.95	0.50	8.48	1275	<1	0.49	490	330	<2	0.09	<5	130	0.24	160	<10
171343		6.57	0.91	8.79	1105	<1	0.45	528	330	<2	0.12	<5	97	0.24	138	<10
171344		5.84	1.05	7.82	1035	1	0.70	461	670	2	0.30	<5	378	0.21	126	<10
171345		6.86	0.54	9.73	1295	1	0.41	582	370	4	0.13	<5	157	0.23	146	<10
171346		8.06	0.34	10.50	1550	1	0.26	664	190	23	0.35	<5	41	0.24	167	<10
171347		2.84	0.18	0.08	34	1	6.4	1	560	127	2.99	<5	21	0.01	1	<10
171348		8.07	0.38	11.10	1355	<1	0.23	659	230	5	0.44	<5	45	0.28	173	<10
171349		8.68	0.47	11.45	1520	<1	0.24	661	170	<2	0.25	5	38	0.28	176	<10
171350		8.33	0.91	9.84	1395	<1	0.22	612	490	<2	0.36	<5	154	0.34	176	<10
171351		7.43	0.79	10.60	1305	4	0.26	666	180	20	0.11	5	58	0.27	166	<10
171352		7.63	1.05	11.15	1415	<1	0.28	653	200	<2	0.03	<5	78	0.27	174	<10
171353		7.11	0.96	10.20	1225	<1	0.23	675	180	<2	0.01	<5	53	0.26	172	<10
171354		7.72	0.79	10.65	1400	<1	0.26	631	190	<2	0.04	5	71	0.25	172	<10
171355		8.21	0.58	11.20	1440	<1	0.26	671	170	<2	0.07	8	53	0.25	172	<10
171356 DUP		8.35	0.57	11.40	1475	<1	0.27	700	190	<2	0.07	<5	57	0.26	182	<10
171357		1.96	4.49	0.38	181	<1	2.17	15	140	31	<0.01	<5	142	0.09	10	<10
171358		7.63	1.12	10.45	1355	<1	0.28	654	180	<2	0.05	<5	57	0.26	166	<10
171359		7.86	1.06	10.90	1430	1	0.25	688	200	<2	0.05	<5	40	0.28	186	<10
171360		7.71	1.60	9.87	1360	<1	0.27	626	180	<2	0.08	<5	72	0.25	158	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 10-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06025000

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
171321		79
171322		15
171323		25
171324		84
171325		73
171326		73
171327		63
171328		20
171329		84
171330		51
171331		68
171332		84
171333		90
171334		80
171335		81
171336 DUP		77
171337		27
171338		47
171339		72
171340		75
171341		77
171342		81
171343		79
171344		84
171345		78
171346		241
171347		17
171348		122
171349		97
171350		141
171351		156
171352		96
171353		82
171354		82
171355		90
171356 DUP		102
171357		27
171358		84
171359		88
171360		106



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025000**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm
171361		2.81	0.092		0.05	<0.5	5.16	<5	80	<0.5	<2	5.22	<0.5	52	1070	30
171362		2.62	0.493			<0.5	5.65	<5	50	<0.5	<2	5.51	<0.5	52	1105	2
171363		2.73	0.180			<0.5	6.47	<5	220	<0.5	<2	4.73	<0.5	46	791	21
171364		2.62	0.101			<0.5	5.98	<5	80	<0.5	<2	4.53	<0.5	54	981	30
171365		2.92	0.124			<0.5	5.58	<5	30	<0.5	<2	5.67	<0.5	60	1040	9
171366		2.17	0.015			<0.5	7.52	<5	620	0.5	<2	2.83	<0.5	22	389	35
171367		0.07	1.740			18.7	8.33	7	60	3.2	<2	0.34	<0.5	1	8	7
171368		2.02	0.007			<0.5	7.78	6	470	0.5	<2	2.67	<0.5	20	296	21
171369		2.48	0.007			<0.5	8.56	<5	550	0.7	<2	2.03	<0.5	5	18	9
171370		2.43	0.067			<0.5	7.83	<5	170	0.5	<2	5.74	<0.5	43	292	38
171371		2.42	0.071			<0.5	7.03	<5	60	<0.5	<2	6.67	<0.5	59	479	12
171372		2.78	0.064			<0.5	7.08	<5	110	<0.5	<2	6.43	<0.5	59	456	3
171373		2.46	0.316			<0.5	7.42	<5	80	<0.5	<2	6.92	<0.5	49	323	7
171374		2.46	0.048			<0.5	7.95	<5	80	<0.5	2	7.29	<0.5	45	261	6
171375		2.33	0.080			<0.5	7.17	6	50	<0.5	<2	7.83	<0.5	44	289	32
171376		2.55	0.006			<0.5	8.04	<5	40	<0.5	<2	8.68	<0.5	48	339	36
171377		2.35	0.010			<0.5	6.81	<5	50	<0.5	<2	8.74	<0.5	45	300	37
171378 DUP		<0.02	0.011			<0.5	6.80	<5	80	<0.5	<2	8.61	<0.5	43	272	35
171379		0.11	<0.005			<0.5	6.85	<5	540	0.8	<2	0.91	<0.5	1	10	5
171380		2.44	0.159			<0.5	7.12	<5	30	<0.5	<2	8.43	<0.5	70	305	1500



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 10-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025000**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
171361		7.51	1.89	10.05	1200	11	0.24	661	170	3	0.23	5	51	0.27	166	<10
171362		8.10	1.35	10.90	1310	<1	0.31	675	190	<2	0.02	<5	53	0.27	176	<10
171363		5.80	1.12	7.49	998	<1	1.08	484	190	<2	0.08	<5	156	0.21	128	<10
171364		7.23	0.67	9.39	1135	<1	0.50	589	180	<2	0.20	5	154	0.23	154	<10
171365		7.69	0.60	10.70	1310	<1	0.32	651	180	<2	0.05	5	54	0.24	172	<10
171366		3.22	2.87	3.72	478	<1	2.21	180	290	4	0.08	<5	280	0.16	67	<10
171367		2.80	0.20	0.07	112	<1	6.6	4	640	116	2.95	6	23	0.01	2	<10
171368		2.81	1.38	2.90	402	<1	3.17	141	230	<2	0.11	<5	199	0.15	65	<10
171369		1.18	2.01	0.54	136	<1	4.05	9	190	<2	0.06	<5	233	0.11	23	<10
171370		6.11	0.94	5.35	1080	2	1.64	154	280	<2	0.13	<5	176	0.30	175	10
171371		8.18	0.59	7.87	1410	1	0.85	245	220	<2	0.03	<5	60	0.36	216	<10
171372		7.93	1.06	7.57	1315	<1	0.96	223	220	<2	0.01	<5	76	0.35	220	<10
171373		7.33	0.82	6.22	1270	<1	1.18	162	230	<2	0.02	<5	91	0.39	232	<10
171374		7.16	0.77	5.88	1210	<1	1.40	118	240	<2	0.02	<5	106	0.41	249	<10
171375		7.39	0.56	5.03	1315	<1	1.26	165	230	<2	0.12	<5	109	0.39	233	20
171376		8.51	0.25	5.10	1395	<1	1.44	142	260	<2	0.04	<5	165	0.40	239	<10
171377		7.61	0.41	5.22	1390	<1	1.14	135	210	<2	0.07	<5	113	0.35	214	<10
171378 DUP		7.55	0.41	5.20	1375	<1	1.14	137	210	<2	0.06	<5	112	0.36	212	<10
171379		1.98	4.46	0.22	175	1	2.13	5	180	28	<0.01	<5	147	0.09	10	<10
171380		8.18	0.23	4.99	1345	<1	1.30	176	240	<2	0.36	<5	138	0.36	213	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - C  
Total # Pages: 6 (A - C)  
Finalized Date: 10-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06025000

Sample Description	Method Analyte Units LOA	ME-ICP61 Zn ppm 2
171361		108
171362		81
171363		74
171364		131
171365		84
171366		54
171367		24
171368		48
171369		39
171370		61
171371		63
171372		62
171373		64
171374		56
171375		61
171376		66
171377		65
171378 DUP		65
171379		27
171380		74



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 1-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06025195

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-MAR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 1-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025195**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172021		2.79	0.148		<0.5	7.34	<5	70	<0.5	<2	7.30	<0.5	42	277	126	7.30
172022		2.21	0.061		<0.5	7.32	9	360	0.9	<2	3.47	<0.5	12	39	72	5.32
172023		2.50	0.007		<0.5	7.54	<5	190	0.6	<2	6.44	<0.5	23	84	19	6.02
172024		2.21	0.027		<0.5	6.27	<5	490	1.1	<2	1.55	<0.5	4	75	16	2.96
172025		0.06	0.994		10.3	7.92	<5	40	3.1	<2	0.33	<0.5	<1	7	8	2.87
172026		2.21	0.052		<0.5	6.58	7	470	1.0	<2	1.99	<0.5	5	63	29	3.67
172027		2.48	0.054		<0.5	7.37	9	350	0.9	<2	3.43	<0.5	13	65	48	4.62
172028		2.81	0.083		<0.5	7.48	<5	160	0.8	<2	6.36	<0.5	30	197	17	6.63
172029		2.44	0.007		<0.5	7.77	8	190	<0.5	<2	5.79	<0.5	28	125	19	5.61
172030		2.55	0.013		<0.5	7.98	<5	130	0.5	<2	6.44	<0.5	27	90	44	6.53
172031		2.59	0.019		<0.5	7.65	<5	110	<0.5	<2	6.70	<0.5	29	108	30	6.60
172032		2.50	0.028		<0.5	7.96	12	130	<0.5	<2	6.55	<0.5	32	121	27	7.16
172033 DUP		<0.02	0.020		<0.5	7.80	11	130	<0.5	<2	6.49	<0.5	31	129	24	7.23
172034		0.13	<0.005		<0.5	6.71	<5	560	0.8	3	0.73	<0.5	1	6	3	1.60
172035		2.56	0.027		<0.5	8.00	<5	110	<0.5	<2	6.54	<0.5	31	134	7	6.59
172036		2.36	0.024		<0.5	7.66	<5	190	0.5	<2	5.48	<0.5	27	168	21	5.68
172037		2.33	0.017		<0.5	7.71	<5	190	0.8	4	4.90	<0.5	24	142	46	5.36
172038		2.40	0.040		<0.5	7.73	<5	170	0.5	<2	5.93	<0.5	28	136	22	6.06
172039		2.73	0.014		<0.5	7.86	<5	160	<0.5	<2	6.28	<0.5	32	220	37	5.75
172040		2.56	0.025		<0.5	7.55	<5	180	<0.5	<2	5.04	<0.5	33	255	68	5.73
172041		2.33	0.032		<0.5	7.51	<5	180	0.6	3	4.58	<0.5	20	98	21	5.67
172042		2.61	0.026		<0.5	7.11	<5	90	<0.5	<2	6.21	<0.5	23	105	17	5.91
172043		2.56	0.089		<0.5	7.53	<5	90	<0.5	2	6.13	<0.5	24	126	33	6.19
172044		2.87	0.014		<0.5	8.15	<5	130	0.5	3	6.64	<0.5	38	58	57	7.50
172045		0.05	1.860		19.1	7.99	<5	60	3.0	<2	0.34	<0.5	2	6	5	3.04
172046		2.50	0.867		<0.5	7.88	8	130	0.5	<2	7.11	1.2	37	83	83	7.66
172047		2.46	0.032		<0.5	7.79	8	160	0.6	<2	6.83	<0.5	34	127	81	6.39
172048		2.33	0.019		<0.5	7.51	11	280	0.8	<2	3.81	<0.5	15	11	41	5.19
172049		2.40	0.695	0.688	<0.5	7.40	8	220	0.7	<2	5.17	<0.5	28	64	133	5.75
172050 DUP		<0.02	0.459	0.464	<0.5	6.81	8	210	0.8	<2	4.83	<0.5	27	62	117	5.64
172051		0.21	<0.005		<0.5	6.57	<5	530	0.9	<2	0.88	<0.5	3	12	4	1.58
172052		2.63	0.052		<0.5	7.78	<5	90	<0.5	<2	7.36	<0.5	37	117	197	6.70
172053		2.63	0.214		<0.5	7.80	16	120	0.6	<2	7.42	<0.5	50	114	241	7.80
172054		2.69	0.007		<0.5	8.47	10	150	0.7	<2	7.15	<0.5	34	100	55	8.12
172055		2.35	0.051		<0.5	8.56	<5	170	0.7	<2	6.05	<0.5	24	60	39	5.95
172056		2.31	0.142		<0.5	8.36	<5	190	0.8	<2	5.16	<0.5	21	27	85	5.38
172057		2.41	0.019		<0.5	7.75	<5	120	0.5	<2	6.56	<0.5	26	94	59	6.21
172058		2.42	0.180		<0.5	7.97	12	100	<0.5	<2	6.98	<0.5	29	120	63	6.60
172059		2.31	0.096		<0.5	7.88	5	120	<0.5	<2	6.62	<0.5	25	121	46	6.77
172060		2.22	0.584		<0.5	7.38	<5	160	<0.5	<2	5.12	<0.5	24	121	63	6.05



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 1-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025195**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
172021	0.64	4.52	1310	1	1.49	141	460	<2	0.33	<5	174	0.41	203	10	67	
172022	1.04	0.89	1130	1	2.64	23	610	<2	0.25	<5	216	0.34	37	<10	81	
172023	0.66	2.99	1185	<1	2.24	54	370	<2	0.08	<5	196	0.35	135	<10	69	
172024	1.38	0.56	668	1	2.84	29	140	<2	0.10	<5	138	0.13	7	<10	39	
172025	0.18	0.07	36	<1	6.9	3	610	119	3.14	<5	21	0.01	2	<10	16	
172026	1.38	0.66	734	2	2.90	17	300	3	0.23	<5	152	0.20	10	<10	50	
172027	1.22	1.39	835	1	2.83	31	630	5	0.28	<5	208	0.36	65	10	57	
172028	0.90	4.13	1315	1	2.09	133	540	<2	0.07	<5	184	0.41	162	10	79	
172029	0.94	3.58	962	<1	2.28	101	360	<2	0.04	<5	231	0.32	148	<10	74	
172030	0.79	3.50	1165	<1	1.96	83	530	<2	0.15	<5	192	0.47	188	<10	74	
172031	0.79	3.73	1145	1	1.71	67	370	<2	0.14	<5	176	0.45	212	<10	56	
172032	1.04	3.93	1160	1	1.64	72	410	<2	0.17	<5	145	0.46	221	<10	66	
172033 DUP	1.00	3.81	1160	2	1.60	67	370	<2	0.16	<5	144	0.45	215	<10	66	
172034	4.29	0.18	138	1	2.11	2	150	35	<0.01	<5	147	0.08	8	<10	26	
172035	0.86	4.18	1130	1	1.73	69	410	5	0.03	<5	161	0.47	215	30	61	
172036	1.26	3.77	1055	1	1.51	83	640	9	0.12	<5	221	0.42	166	<10	87	
172037	1.05	2.72	1065	1	2.16	67	960	7	0.26	<5	296	0.45	130	<10	89	
172038	1.08	3.66	1375	1	1.57	73	450	4	0.13	<5	150	0.45	194	<10	108	
172039	1.28	4.49	1065	2	1.59	99	460	8	0.17	<5	200	0.41	178	10	64	
172040	1.37	4.45	957	<1	1.80	131	580	5	0.41	<5	234	0.40	174	20	66	
172041	0.90	2.49	1005	1	2.20	52	640	7	0.13	<5	196	0.45	142	10	65	
172042	0.63	3.13	1170	1	1.46	64	410	5	0.11	<5	133	0.44	188	10	60	
172043	0.80	3.26	1240	2	1.29	86	350	9	0.26	<5	122	0.45	197	10	63	
172044	0.68	3.68	1245	1	2.03	90	2220	12	0.34	<5	690	0.67	196	<10	98	
172045	0.18	0.06	113	1	6.9	6	630	132	3.29	<5	21	0.01	2	<10	21	
172046	0.79	3.34	1340	<1	1.68	77	1520	2	0.52	<5	439	0.58	216	<10	277	
172047	0.87	3.44	1195	<1	1.63	85	590	<2	0.28	<5	357	0.47	204	10	81	
172048	1.06	1.11	839	2	2.53	16	970	<2	0.26	<5	209	0.52	106	<10	65	
172049	1.02	1.92	1115	<1	1.97	35	700	2	0.36	<5	161	0.45	142	10	132	
172050 DUP	0.97	1.85	1080	<1	1.61	31	670	<2	0.33	<5	150	0.43	137	10	129	
172051	4.28	0.22	150	1	2.07	4	160	34	0.01	<5	147	0.08	9	<10	27	
172052	0.66	3.30	1400	1	1.45	57	400	<2	0.21	<5	154	0.44	216	<10	98	
172053	0.67	3.54	1360	<1	1.67	80	1140	5	0.50	<5	318	0.72	216	<10	111	
172054	0.76	3.65	1385	<1	2.19	67	2040	<2	0.23	<5	535	1.04	217	<10	118	
172055	0.79	2.38	1090	<1	2.21	41	830	<2	0.15	<5	231	0.52	160	10	90	
172056	0.89	1.74	943	1	2.54	30	1000	<2	0.28	<5	233	0.55	140	<10	83	
172057	0.75	2.92	1150	2	1.70	46	520	<2	0.24	<5	169	0.45	191	10	75	
172058	0.90	3.40	1240	<1	1.64	56	410	<2	0.27	<5	148	0.45	215	80	63	
172059	1.40	3.48	1355	1	1.25	54	350	<2	0.42	<5	97	0.44	221	20	66	
172060	1.35	2.86	1165	1	1.59	53	360	<2	0.56	<5	92	0.41	188	30	50	





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 1-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06025195

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
172061		2.25	0.061		<0.5	7.63	9	100	<0.5	<2	6.41	<0.5	28	110	38	6.58
172062		2.45	0.014		<0.5	7.86	<5	110	<0.5	<2	7.38	<0.5	40	141	84	7.66
172063		2.23	0.106		<0.5	7.39	<5	130	0.5	<2	6.79	<0.5	53	158	173	6.92
172064		2.51	0.058		<0.5	7.48	<5	80	<0.5	<2	7.25	<0.5	35	121	107	6.44
172065 DUP		<0.02	0.067		<0.5	7.39	10	80	<0.5	<2	7.05	<0.5	37	116	117	6.29
172066		0.12	<0.005		<0.5	6.98	5	510	1.0	<2	0.86	<0.5	2	12	6	1.92
172067		2.09	0.042		<0.5	6.86	<5	80	<0.5	<2	6.20	<0.5	30	117	65	6.19
172068		2.35	0.021		<0.5	7.64	<5	50	<0.5	<2	7.18	<0.5	33	110	34	6.71
172069		2.27	0.007		<0.5	8.02	6	80	<0.5	<2	7.09	<0.5	33	117	27	6.75
172070		2.55	<0.005		<0.5	7.82	<5	140	<0.5	<2	6.52	<0.5	31	115	119	6.38
172071		2.22	<0.005		<0.5	7.69	12	110	<0.5	<2	6.96	<0.5	32	109	29	6.49
172072		2.46	0.017		<0.5	7.83	<5	110	<0.5	<2	6.51	<0.5	54	141	154	8.58
172073		0.06	0.990		10.6	8.35	9	50	3.2	<2	0.34	<0.5	1	6	9	2.97
172074		2.17	<0.005		<0.5	8.48	<5	80	0.5	<2	7.02	<0.5	42	114	90	9.42
172075		2.84	0.025		<0.5	7.80	<5	40	<0.5	<2	7.10	<0.5	23	113	21	6.34
172076		2.40	0.018		<0.5	7.97	<5	40	<0.5	<2	7.80	<0.5	25	106	18	6.57
172077		2.61	0.170		<0.5	7.00	12	80	0.5	<2	5.88	<0.5	24	81	53	5.57
172078		2.73	0.063		<0.5	7.71	<5	40	<0.5	<2	7.01	<0.5	24	108	14	6.43
172079		2.63	0.088		<0.5	7.68	19	20	<0.5	<2	7.06	<0.5	21	103	27	6.03
172080		2.10	0.023		<0.5	7.40	<5	60	0.5	<2	6.17	<0.5	22	88	37	5.53
172081		2.35	0.007		<0.5	8.17	<5	230	0.8	<2	4.78	<0.5	21	26	31	5.34
172082		2.04	0.296		<0.5	6.87	<5	80	<0.5	<2	6.42	<0.5	34	101	148	5.77
172083		2.37	0.265		<0.5	7.28	<5	40	<0.5	<2	6.73	<0.5	27	119	56	6.13
172084		2.68	1.445		<0.5	7.96	<5	80	0.5	<2	6.82	<0.5	27	115	49	6.46
172085		2.23	0.063		<0.5	7.99	7	210	0.7	<2	5.22	<0.5	20	44	32	5.53
172086		2.25	0.234		<0.5	7.92	5	40	<0.5	<2	7.55	<0.5	29	131	37	6.74
172087 DUP		<0.02	0.180		<0.5	7.40	15	40	<0.5	<2	7.04	<0.5	27	129	34	6.30
172088		0.14	<0.005		<0.5	6.93	5	560	0.9	<2	0.87	<0.5	2	9	4	1.72
172089		2.73	0.786		<0.5	7.25	8	70	<0.5	<2	7.35	<0.5	39	111	131	6.66
172090		2.30	0.158		<0.5	7.88	5	40	<0.5	<2	7.42	<0.5	26	96	17	6.30
172091		2.42	0.205		<0.5	7.49	10	70	<0.5	<2	7.01	<0.5	32	115	131	6.43
172092		2.13	0.026		<0.5	7.37	<5	220	0.8	<2	6.12	<0.5	35	188	125	6.04
172093		0.05	1.725		19.2	8.36	10	60	3.2	<2	0.35	<0.5	1	8	6	3.05
172094		2.36	0.104		<0.5	7.60	<5	160	0.5	<2	6.09	<0.5	36	88	267	5.98
172095		2.33	<0.005		<0.5	7.28	<5	210	0.7	<2	3.74	<0.5	14	49	25	3.80
172096		2.29	0.224		<0.5	7.80	5	100	<0.5	<2	7.10	<0.5	30	108	40	7.00
172097		2.24	0.038		<0.5	7.69	<5	390	0.6	<2	3.34	<0.5	12	50	17	2.70
172098		2.63	0.498		<0.5	7.37	14	340	0.5	<2	3.92	<0.5	13	54	13	3.01
172099		2.59	0.963		<0.5	7.42	12	150	<0.5	<2	5.92	<0.5	32	117	59	6.90
172100		2.36	0.212		<0.5	7.51	<5	190	<0.5	<2	5.99	<0.5	51	127	183	8.43



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 1-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025195**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172061		0.76	3.39	1210	1	1.67	61	400	<2	0.20	<5	130	0.43	209	10	61
172062		0.70	3.94	1290	<1	1.66	98	590	<2	0.26	<5	334	0.49	207	<10	81
172063		0.94	3.59	1135	1	1.44	110	480	<2	0.70	<5	216	0.41	192	<10	55
172064		0.88	3.13	1180	1	1.28	72	390	<2	0.50	<5	130	0.41	197	10	58
172065 DUP		0.88	3.08	1140	1	1.28	74	360	<2	0.53	<5	132	0.41	198	<10	60
172066		4.17	0.19	181	1	2.33	9	150	30	0.01	<5	149	0.08	9	<10	25
172067		0.91	3.06	1130	1	1.23	59	340	<2	0.54	<5	114	0.39	192	<10	49
172068		0.45	3.51	1245	1	1.63	71	360	2	0.15	<5	147	0.44	221	10	57
172069		0.58	3.55	1185	<1	1.85	70	410	<2	0.13	<5	153	0.45	226	10	60
172070		1.16	3.36	1090	2	1.68	63	370	<2	0.20	<5	141	0.45	215	<10	58
172071		0.64	3.42	1120	1	1.52	63	370	<2	0.14	<5	152	0.44	219	<10	58
172072		0.64	3.77	1305	2	1.90	115	600	<2	0.46	<5	241	0.67	224	<10	99
172073		0.20	0.07	37	1	7.1	3	610	118	3.20	<5	22	0.01	2	<10	18
172074		0.40	3.80	1460	1	2.20	104	840	<2	0.25	<5	350	0.79	228	10	109
172075		0.25	3.35	1145	1	1.81	54	350	<2	0.20	<5	168	0.43	211	10	55
172076		0.37	3.49	1230	<1	1.68	58	370	<2	0.11	<5	174	0.44	218	50	57
172077		0.31	2.43	980	1	1.86	106	500	<2	0.23	<5	177	0.41	166	20	53
172078		0.31	3.39	1115	1	1.86	62	340	<2	0.05	<5	160	0.43	216	<10	55
172079		0.27	3.26	1125	1	1.75	56	350	<2	0.11	<5	175	0.44	223	10	61
172080		0.34	2.75	997	<1	1.90	64	470	2	0.11	<5	177	0.43	190	10	61
172081		0.85	1.63	823	2	2.56	28	980	<2	0.13	<5	231	0.55	136	<10	65
172082		0.36	2.63	988	1	1.68	98	390	<2	0.38	<5	154	0.39	172	<10	64
172083		0.24	3.05	1050	1	1.70	109	340	<2	0.26	<5	156	0.41	205	110	53
172084		0.52	3.21	1110	2	1.87	88	430	<2	0.28	<5	176	0.45	200	80	67
172085		0.85	1.89	941	<1	2.43	37	880	<2	0.17	<5	223	0.51	148	<10	65
172086		0.30	3.53	1230	<1	1.83	72	390	2	0.18	<5	167	0.44	217	<10	72
172087 DUP		0.30	3.29	1150	1	1.72	72	360	<2	0.16	<5	157	0.43	209	<10	70
172088		4.39	0.21	162	<1	2.19	3	180	31	0.01	<5	156	0.08	9	<10	28
172089		0.49	3.03	1140	1	1.60	118	390	3	0.44	<5	124	0.42	200	10	64
172090		0.41	3.35	1130	1	1.78	55	430	<2	0.08	<5	181	0.46	198	10	67
172091		0.73	3.05	1050	<1	1.46	78	370	<2	0.51	5	127	0.42	210	10	67
172092		0.96	4.14	990	<1	1.90	153	800	<2	0.40	<5	413	0.43	175	10	65
172093		0.19	0.07	114	1	7.1	4	620	135	3.27	<5	22	0.01	2	<10	20
172094		0.83	2.39	1020	1	1.97	52	540	<2	0.51	<5	215	0.45	180	20	69
172095		0.84	1.47	562	1	2.75	27	420	<2	0.16	<5	175	0.29	86	<10	50
172096		0.65	3.94	1210	1	1.57	68	340	4	0.33	<5	159	0.43	212	<10	135
172097		0.88	1.33	422	<1	3.48	26	250	6	0.11	<5	248	0.17	67	<10	42
172098		0.83	1.67	572	<1	3.06	30	240	8	0.05	<5	215	0.20	84	<10	52
172099		1.24	3.57	1265	2	1.45	78	380	<2	0.53	<5	109	0.43	206	10	72
172100		1.44	4.03	1500	1	1.43	74	360	<2	1.02	<5	81	0.43	226	10	71



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 1-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06025195**

Sample Description	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
	0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	
172101	2.51	0.064		<0.5	7.54	<5	110	<0.5	<2	6.63	<0.5	38	119	130	7.16	
172102	2.60	0.323		<0.5	8.21	8	60	<0.5	<2	7.33	<0.5	32	119	47	7.01	
172103	2.37	0.178		<0.5	7.88	12	60	<0.5	<2	6.52	0.5	32	125	43	6.61	
172104	2.33	3.83		0.7	7.87	<5	190	0.7	<2	5.24	<0.5	20	77	145	5.62	
172105	2.45	0.020		<0.5	7.72	9	120	0.5	<2	6.58	<0.5	28	104	13	6.64	
172106	0.06	0.963		10.4	8.19	<5	50	3.2	<2	0.34	<0.5	1	7	9	2.82	
172107	2.28	0.046		<0.5	7.52	<5	160	0.5	<2	6.20	<0.5	26	79	19	6.00	
172108	2.28	0.081		<0.5	7.69	<5	210	0.6	<2	5.88	<0.5	25	70	111	5.72	
172109	2.41	0.010		<0.5	8.02	5	170	0.5	<2	6.94	<0.5	31	124	27	6.12	
172110	2.22	<0.005		<0.5	8.04	<5	300	0.7	<2	3.18	<0.5	13	74	23	2.66	
172111	2.30	0.027		<0.5	7.66	15	120	<0.5	<2	6.91	<0.5	32	105	20	6.31	
172112	2.35	0.028		<0.5	8.02	17	120	<0.5	<2	7.22	<0.5	29	113	23	6.69	
172113	2.46	0.025		<0.5	7.48	<5	210	<0.5	<2	6.46	<0.5	27	123	29	6.16	
172114	2.41	0.215		<0.5	7.93	7	230	0.6	<2	6.81	<0.5	32	135	31	6.20	
172115	2.42	0.055		<0.5	7.50	8	70	<0.5	<2	7.08	<0.5	25	105	12	6.29	
172116	2.65	0.227		<0.5	7.59	<5	40	<0.5	<2	7.33	<0.5	28	103	11	6.64	
172117	2.53	0.208		<0.5	7.52	<5	70	<0.5	2	6.47	<0.5	29	117	57	5.89	
172118 DUP	<0.02	0.233		<0.5	7.44	8	70	<0.5	2	6.44	<0.5	27	115	54	5.89	
172119	0.14	<0.005		<0.5	7.27	9	550	0.9	<2	0.80	<0.5	2	9	4	1.59	
172120	2.78	0.125		<0.5	7.84	6	60	<0.5	<2	6.92	<0.5	30	109	11	6.84	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 1-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06025195

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	10	2
172101	1.00	3.58	1360	1	1.44	74	350	2	0.65	<5	110	0.42	212	10	68	
172102	0.60	3.77	1320	1	1.88	72	380	3	0.31	<5	160	0.46	222	10	64	
172103	0.59	3.39	1135	1	1.64	76	360	4	0.33	5	133	0.42	195	10	59	
172104	0.89	2.23	867	1	2.04	40	510	<2	0.57	<5	162	0.41	142	<10	68	
172105	0.85	3.45	1210	2	1.93	62	440	2	0.06	<5	121	0.44	208	<10	84	
172106	0.19	0.07	34	1	7.1	5	630	120	3.06	<5	21	0.01	2	<10	17	
172107	0.90	2.88	1180	2	1.86	60	500	<2	0.10	<5	144	0.43	182	<10	77	
172108	1.16	2.38	996	1	1.38	57	630	<2	0.49	<5	154	0.48	164	<10	55	
172109	1.10	4.05	1130	1	1.58	93	610	<2	0.17	<5	243	0.40	173	<10	80	
172110	1.09	1.52	411	<1	3.45	23	420	<2	0.15	<5	273	0.20	57	<10	38	
172111	0.66	3.64	1150	1	1.73	67	410	<2	0.14	<5	205	0.42	194	10	73	
172112	0.79	3.69	1245	1	1.73	67	410	<2	0.22	<5	180	0.45	220	<10	65	
172113	1.04	3.57	1110	1	1.55	72	410	3	0.25	<5	214	0.41	196	10	59	
172114	0.96	4.26	1080	1	1.66	125	640	16	0.18	<5	240	0.40	184	<10	126	
172115	0.48	3.53	1130	1	1.66	62	400	<2	0.07	<5	150	0.42	201	10	54	
172116	0.38	3.74	1155	2	1.64	63	370	<2	0.05	<5	158	0.43	207	<10	56	
172117	0.52	3.19	1055	<1	1.40	71	380	4	0.25	<5	133	0.41	183	10	51	
172118 DUP	0.52	3.12	1055	<1	1.42	68	390	2	0.25	<5	131	0.41	182	10	51	
172119	4.21	0.20	153	<1	2.27	5	140	37	0.01	<5	159	0.08	9	<10	25	
172120	0.51	3.85	1190	<1	1.78	63	390	4	0.05	<5	156	0.43	198	<10	64	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 17-APR-2006

Account: TRAVEN

## CERTIFICATE VO06026249

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 20-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 17-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026249**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	
171481		2.46	0.039		<0.5	8.54	<5	220	0.7	<2	4.93	<0.5	25	75	25	5.97
171482		2.48	0.010		<0.5	8.39	<5	190	0.5	<2	5.47	<0.5	36	105	51	6.66
171483		2.82	0.005		<0.5	8.12	9	170	<0.5	<2	6.13	<0.5	41	118	61	7.26
171484		2.86	0.077		<0.5	8.13	5	130	<0.5	<2	6.13	<0.5	42	119	73	7.42
171485		0.06	1.770		20.6	8.11	8	60	3.2	<2	0.34	<0.5	1	6	6	2.79
171486		2.84	0.013		<0.5	8.22	<5	150	<0.5	<2	6.15	<0.5	44	117	93	7.30
171487		2.73	0.007		<0.5	8.01	11	200	0.6	<2	4.61	<0.5	28	65	40	5.56
171488		2.78	0.006		<0.5	8.31	<5	180	0.5	<2	5.47	<0.5	31	100	31	6.44
171489		2.73	0.025		<0.5	8.20	9	170	<0.5	<2	5.68	<0.5	37	114	10	7.42
171490		2.85	0.047		<0.5	8.38	12	260	0.7	<2	4.99	<0.5	23	57	40	5.48
171491		2.73	0.187		<0.5	8.33	<5	130	<0.5	<2	7.11	<0.5	32	115	2	6.97
171492		2.83	0.032		<0.5	8.74	<5	270	0.8	<2	4.76	<0.5	18	61	24	5.67
171493		2.68	0.036		0.5	7.48	<5	290	1.0	<2	2.28	<0.5	6	32	120	2.48
171494		2.88	0.063		<0.5	8.60	9	170	0.5	<2	6.49	<0.5	38	130	275	6.94
171495		1.15	0.085		0.6	7.69	<5	120	<0.5	<2	4.14	<0.5	53	135	431	7.42
171496		1.26	3.33		0.9	6.04	12	150	<0.5	<2	3.78	<0.5	69	122	833	8.14
171497 DUP		<0.02	2.72		0.6	6.51	<5	170	<0.5	<2	4.01	<0.5	66	123	834	8.75
171498		0.12	<0.005		<0.5	6.90	<5	620	0.9	<2	0.84	<0.5	3	12	11	2.06
171499		2.17	0.092		<0.5	8.04	<5	280	0.8	<2	3.91	<0.5	23	33	180	5.19
171500		2.42	0.028		0.6	8.59	9	140	0.5	<2	6.36	<0.5	46	109	149	8.89
171501		2.73	0.055		<0.5	8.31	<5	130	0.5	<2	6.55	<0.5	49	154	352	7.78
171502		2.48	0.048		<0.5	8.37	8	170	<0.5	<2	6.19	<0.5	50	137	349	6.62
171503		2.43	0.070		<0.5	8.47	<5	150	<0.5	<2	7.09	<0.5	44	125	197	8.16
171504		2.46	0.051		<0.5	8.42	<5	60	<0.5	<2	7.08	<0.5	46	127	258	7.43
171505		2.58	0.053		<0.5	7.95	7	90	<0.5	<2	6.79	<0.5	64	135	470	7.17
171506		0.06	0.965		11.3	8.17	21	50	3.2	<2	0.33	<0.5	1	11	9	2.61
171507		2.55	0.062		<0.5	7.67	<5	110	<0.5	<2	6.19	<0.5	45	120	356	7.08
171508		2.40	0.042		<0.5	8.37	<5	110	<0.5	<2	6.72	<0.5	41	122	219	7.38
171509		2.47	0.540		<0.5	8.03	<5	160	<0.5	<2	5.96	<0.5	31	115	29	7.11
171510		2.85	0.216		<0.5	8.16	9	360	0.7	<2	5.55	<0.5	32	100	23	6.99
171511		2.56	0.589		<0.5	7.73	7	130	<0.5	<2	5.98	<0.5	31	126	67	7.03
171512		2.61	0.125	0.158	<0.5	8.07	<5	160	0.6	<2	6.05	<0.5	31	254	73	7.36
171513 DUP		<0.02	0.233	0.163	<0.5	7.55	<5	150	0.6	<2	5.71	<0.5	31	237	75	6.93
171514		0.13	<0.005		<0.5	7.40	<5	570	1.0	<2	0.84	<0.5	2	10	10	2.05
171515		2.61	0.277		<0.5	8.30	7	270	0.7	<2	4.81	<0.5	22	97	16	6.04
171516		2.58	0.074		<0.5	6.35	<5	560	1.2	<2	1.21	<0.5	1	12	37	1.57
171517		2.29	0.075		<0.5	7.00	5	420	1.0	<2	2.49	<0.5	7	43	28	2.87
171518		2.25	2.36		0.9	7.17	<5	140	<0.5	<2	4.97	<0.5	23	107	23	6.34
171519		2.77	0.054		<0.5	8.02	<5	130	<0.5	<2	5.55	<0.5	24	120	16	6.85
171520		2.44	0.245		<0.5	7.86	13	280	0.7	<2	5.21	<0.5	26	71	94	6.37



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 17-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026249

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		% 0.01	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2
171481		0.96	2.41	1025	2	2.50	32	690	9	0.11	<5	222	0.47	142	<10	60
171482		1.00	3.15	1165	1	2.20	49	470	4	0.12	<5	194	0.46	189	10	75
171483		0.98	3.52	1205	<1	1.81	46	390	9	0.20	<5	142	0.48	222	<10	68
171484		1.01	3.69	1260	2	1.74	64	370	4	0.19	<5	131	0.45	209	<10	67
171485		0.19	0.07	115	<1	7.0	3	640	122	3.05	<5	21	0.01	2	<10	20
171488		1.15	3.64	1295	<1	1.89	54	400	4	0.15	<5	142	0.50	225	<10	86
171487		1.20	2.39	932	1	2.23	35	540	10	0.09	<5	166	0.45	158	<10	61
171488		1.18	3.17	1080	1	1.91	50	470	4	0.14	<5	158	0.46	186	<10	78
171489		1.45	4.38	1190	1	1.51	69	370	3	0.02	<5	123	0.45	207	<10	84
171490		1.25	2.35	1040	1	1.96	32	660	8	0.18	<5	173	0.48	153	<10	71
171491		0.90	4.05	1310	<1	1.67	76	390	8	0.01	<5	158	0.46	208	<10	77
171492		1.06	2.19	858	2	2.39	30	780	8	0.16	<5	205	0.48	120	<10	97
171493		0.62	0.76	405	1	3.84	9	130	7	0.13	<5	162	0.15	45	<10	48
171494		0.91	3.10	1145	2	1.78	60	380	8	0.43	<5	181	0.45	198	<10	70
171495		1.36	2.85	1015	<1	1.66	56	330	9	1.10	<5	108	0.43	179	30	60
171496		1.47	2.83	991	1	0.93	74	260	8	1.73	<5	67	0.35	187	30	80
171497 DUP		1.50	2.99	1060	1	1.01	67	280	9	1.98	<5	73	0.36	188	30	79
171498		4.14	0.20	186	5	2.14	5	140	39	0.02	<5	154	0.08	9	<10	32
171499		1.35	1.23	750	2	2.13	17	920	7	0.54	<5	190	0.49	103	<10	57
171500		0.79	3.44	1355	1	2.01	104	780	7	0.43	<5	304	0.70	190	<10	103
171501		1.07	3.26	1325	<1	1.75	87	570	2	0.74	<5	228	0.60	210	10	88
171502		1.57	2.82	1150	1	1.54	70	380	6	0.83	<5	150	0.47	214	10	60
171503		1.14	3.88	1305	<1	1.38	86	520	4	0.60	<5	212	0.51	207	<10	71
171504		0.66	3.52	1215	2	1.53	71	390	13	0.58	<5	148	0.47	217	<10	61
171505		0.72	2.89	1090	2	1.53	79	350	5	1.04	<5	150	0.44	204	10	50
171506		0.19	0.07	35	1	7.2	4	630	119	2.89	<5	21	0.01	2	10	16
171507		0.97	3.31	1130	1	1.42	74	380	8	0.63	<5	126	0.43	194	10	54
171508		1.16	3.79	1175	1	1.41	65	370	3	0.44	<5	144	0.44	208	<10	62
171509		1.43	4.18	1170	2	1.47	72	360	4	0.14	<5	154	0.42	195	<10	66
171510		1.85	4.09	1125	1	1.81	69	900	8	0.16	<5	304	0.41	190	<10	78
171511		1.23	3.66	1185	2	1.42	74	320	5	0.48	<5	134	0.41	192	10	118
171512		1.65	4.61	1395	<1	1.27	114	480	6	0.73	<5	130	0.47	212	<10	209
171513 DUP		1.55	4.32	1310	1	1.20	113	430	7	0.72	<5	122	0.45	204	<10	210
171514		4.15	0.20	182	2	2.31	6	170	35	0.01	<5	163	0.08	9	<10	49
171515		1.64	3.37	1000	1	2.07	55	310	4	0.09	<5	144	0.36	162	10	97
171516		1.21	0.11	164	1	2.98	2	70	4	0.20	<5	125	0.09	2	<10	19
171517		1.34	1.06	455	3	2.63	22	160	10	0.14	<5	134	0.19	53	<10	46
171518		1.34	3.54	958	1	1.18	65	340	5	0.21	<5	115	0.41	179	<10	80
171519		1.31	4.05	1130	1	1.41	72	370	2	0.06	<5	136	0.43	197	<10	71
171520		2.12	2.37	908	1	1.64	51	1810	2	0.58	<5	425	0.51	142	<10	85



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 17-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026249

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
171521		2.71	0.255		1.1	7.36	10	200	<0.5	<2	4.84	<0.5	51	117	650	6.53
171522		2.60	0.936		0.8	7.89	14	170	<0.5	<2	6.25	<0.5	35	130	642	6.92
171523		2.61	0.065		<0.5	7.46	<5	80	<0.5	<2	6.04	<0.5	34	116	286	6.54
171524		2.42	0.106		0.6	8.02	<5	150	<0.5	<2	5.68	<0.5	35	134	697	6.99
171525		2.52	0.057		<0.5	8.13	7	90	<0.5	<2	6.40	<0.5	37	132	381	6.98
171526		2.54	0.123		0.5	7.73	<5	120	<0.5	<2	5.54	<0.5	32	105	263	6.34
171527		0.06	1.790		17.2	8.33	7	60	3.0	<2	0.33	<0.5	2	5	6	2.66
171528		2.78	0.137		1.0	8.14	<5	150	<0.5	<2	5.86	<0.5	33	131	493	6.57
171529		2.47	0.732		<0.5	7.83	5	220	0.6	<2	4.37	<0.5	23	80	243	5.43
171530		2.34	0.025		<0.5	7.95	6	230	0.6	<2	4.44	<0.5	23	74	156	5.29
171531		2.44	0.080		0.5	7.61	6	150	<0.5	<2	4.93	<0.5	38	120	432	6.13
171532		2.61	1.040		<0.5	8.25	<5	100	<0.5	<2	6.64	<0.5	33	131	243	7.24
171533		2.51	0.916		0.5	8.07	<5	120	<0.5	<2	5.27	<0.5	46	135	816	7.50
171534 DUP		<0.02	1.085		0.6	7.71	<5	120	<0.5	<2	5.06	<0.5	46	134	793	7.17
171535		0.13	<0.005		<0.5	7.23	<5	570	0.9	<2	0.79	<0.5	1	9	7	1.92
171536		2.42	0.019		<0.5	8.06	<5	240	0.8	<2	3.98	<0.5	19	40	94	4.99
171537		2.45	0.012		<0.5	7.92	<5	240	0.7	<2	4.28	<0.5	21	68	69	5.35
171538		2.37	0.041		<0.5	7.74	5	310	1.0	<2	2.45	<0.5	6	7	54	3.19
171539		2.57	2.41		0.5	7.86	<5	170	<0.5	<2	5.83	<0.5	28	103	344	6.44
171540		2.52	0.527		1.0	7.76	<5	110	<0.5	<2	5.76	<0.5	44	124	860	6.59
171541		2.37	0.080		<0.5	6.57	<5	530	1.1	<2	1.16	<0.5	2	9	43	1.83
171542		2.42	0.026		<0.5	6.82	<5	540	1.2	<2	1.11	<0.5	1	12	30	1.75
171543		2.59	0.142		<0.5	7.88	<5	170	<0.5	<2	5.46	<0.5	36	126	439	6.21
171544		2.38	0.531		<0.5	7.92	<5	120	<0.5	<2	5.81	<0.5	34	120	67	7.26
171545		2.61	0.500		<0.5	7.80	<5	130	<0.5	<2	5.76	<0.5	45	140	549	7.05
171546		2.77	2.27		0.5	5.96	<5	110	<0.5	<2	4.75	<0.5	56	582	746	7.80
171547 DUP		<0.02	2.25		0.5	5.68	<5	100	<0.5	<2	4.77	<0.5	57	606	777	7.99
171548		0.11	<0.005		<0.5	6.98	<5	550	0.8	<2	0.77	<0.5	3	11	9	1.90
171549		2.71	4.85		1.0	4.87	<5	30	<0.5	<2	5.39	<0.5	74	1030	1630	11.00
171550		2.63	0.082		<0.5	6.64	5	430	1.0	<2	1.99	<0.5	14	385	91	3.81
171551		2.29	0.080		<0.5	8.53	<5	330	0.8	<2	3.87	<0.5	18	172	23	5.13
171552		2.67	0.210		<0.5	6.06	<5	90	<0.5	<2	4.75	<0.5	42	1035	151	7.60
171553		2.96	0.231		<0.5	7.14	6	120	<0.5	<2	6.02	<0.5	44	575	103	7.45
171554		2.98	0.145		<0.5	8.39	5	80	<0.5	<2	6.85	<0.5	39	202	27	7.24
171555		2.74	0.189		<0.5	7.97	<5	90	<0.5	<2	6.56	<0.5	43	248	4	7.67
171556		2.69	0.292		<0.5	7.91	<5	120	<0.5	<2	5.91	<0.5	36	268	18	7.05
171557		0.06	0.962		9.9	8.73	<5	50	3.1	<2	0.34	<0.5	2	18	9	2.80
171558		2.63	0.033		<0.5	8.34	<5	170	0.7	<2	4.66	<0.5	25	23	34	7.61
171559		2.56	0.149		<0.5	6.22	<5	30	<0.5	<2	5.99	<0.5	49	877	18	6.11
171560		2.50	0.064		<0.5	7.28	<5	310	0.7	<2	3.52	<0.5	21	342	23	4.80





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 17-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026249**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units LOA	% 0.01	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2
171521		2.24	2.42	1125	1	0.88	78	380	3	1.26	<5	86	0.41	166	30	57
171522		2.54	3.11	1420	<1	0.58	74	370	<2	1.09	<5	80	0.44	197	10	70
171523		1.16	2.96	1165	<1	0.84	69	350	<2	0.68	<5	103	0.41	185	<10	54
171524		1.88	3.00	1245	1	0.95	79	350	3	1.04	<5	92	0.44	202	20	74
171525		1.26	3.09	1220	1	1.34	71	370	3	0.78	<5	125	0.45	205	10	62
171526		1.35	2.63	1050	1	1.22	65	460	5	0.66	<5	138	0.46	181	10	64
171527		0.18	0.06	107	1	6.4	4	610	128	2.84	<5	20	0.01	2	<10	18
171528		2.03	2.99	1210	1	1.08	70	370	3	0.84	<5	110	0.43	199	20	71
171529		1.44	2.01	877	1	1.86	47	510	3	0.57	<5	134	0.40	127	20	72
171530		1.35	1.95	840	<1	1.98	43	490	2	0.40	<5	153	0.39	118	<10	62
171531		1.35	2.39	933	<1	1.41	65	390	4	0.83	<5	133	0.41	167	10	55
171532		0.83	3.55	1220	1	1.50	73	400	<2	0.44	<5	133	0.45	203	<10	65
171533		1.00	3.42	1055	1	1.68	81	410	2	0.71	<5	121	0.43	199	<10	76
171534 DUP		0.99	3.28	1010	3	1.62	81	390	<2	0.65	<5	115	0.45	193	<10	76
171535		4.30	0.18	164	1	2.24	4	310	34	0.01	<5	149	0.08	7	<10	27
171536		1.08	1.51	750	1	2.33	23	880	2	0.20	<5	193	0.46	111	<10	59
171537		1.16	2.09	891	1	2.11	39	630	3	0.22	<5	189	0.43	120	<10	74
171538		1.13	0.44	387	1	2.88	1	540	3	0.26	<5	198	0.30	22	<10	32
171539		1.38	3.00	1165	2	1.32	65	630	3	0.54	<5	155	0.44	177	10	81
171540		1.17	3.05	1120	1	1.20	76	360	<2	0.62	<5	112	0.43	188	10	92
171541		1.53	0.13	166	1	2.95	2	90	5	0.22	<5	122	0.10	3	<10	16
171542		1.39	0.09	161	1	3.27	1	80	6	0.35	<5	125	0.09	1	<10	19
171543		1.30	2.79	1115	1	1.04	61	380	<2	0.57	<5	123	0.41	183	10	66
171544		1.15	3.82	1115	1	1.16	85	370	4	0.25	<5	107	0.43	194	10	57
171545		1.15	3.06	1155	1	1.18	83	360	<2	0.72	<5	128	0.42	185	10	63
171546		0.90	3.24	1245	<1	0.96	193	330	2	1.38	<5	96	0.35	147	10	88
171547 DUP		0.90	3.38	1280	<1	0.96	205	330	2	1.52	<5	92	0.35	147	10	90
171548		4.15	0.19	166	1	2.13	5	150	32	0.01	<5	157	0.08	7	<10	28
171549		0.82	5.59	1630	<1	0.67	452	300	5	2.66	<5	63	0.28	128	10	121
171550		1.65	2.06	756	2	2.42	124	110	2	0.46	<5	111	0.13	39	<10	52
171551		1.31	2.81	908	2	2.32	86	700	5	0.14	<5	260	0.41	95	<10	89
171552		1.16	8.90	1395	<1	0.74	569	320	3	0.57	<5	160	0.27	141	60	94
171553		0.81	7.12	1420	<1	0.94	301	320	3	0.46	<5	84	0.35	184	40	78
171554		0.75	5.17	1285	1	1.37	88	280	4	0.10	<5	128	0.40	238	<10	62
171555		0.79	6.38	1255	1	1.12	134	280	<2	0.01	<5	105	0.37	229	<10	66
171556		0.78	4.66	1180	<1	1.23	87	550	6	0.11	<5	189	0.46	196	<10	80
171557		0.18	0.07	35	1	6.5	5	610	124	2.92	5	20	0.01	2	<10	16
171558		0.66	1.84	1305	1	2.18	23	1440	5	0.27	<5	244	0.79	115	<10	129
171559		0.30	8.97	1430	1	0.68	500	320	<2	0.12	<5	102	0.31	172	<10	87
171560		1.12	3.24	923	1	2.32	171	420	3	0.15	<5	147	0.30	79	<10	62



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 17-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026249

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	
171561		2.13	0.031		<0.5	7.32	<5	490	1.0	<2	1.96	<0.5	7	136	16	2.43
171562		2.32	0.092		<0.5	6.79	<5	60	<0.5	<2	5.63	<0.5	49	812	14	7.87
171563		3.00	0.011		<0.5	6.81	<5	220	<0.5	<2	6.30	<0.5	53	920	38	6.90
171564		2.69	0.289		<0.5	5.88	<5	110	<0.5	<2	5.64	<0.5	63	972	12	7.30
171565		0.06	1.770		18.8	8.59	<5	60	3.1	<2	0.34	<0.5	1	15	5	2.72
171566		2.86	0.249		<0.5	6.26	<5	70	<0.5	<2	6.03	<0.5	63	1130	18	7.70
171567		2.65	0.328		<0.5	5.60	<5	20	<0.5	<2	5.88	<0.5	64	1135	17	7.42
171568		2.85	0.315		<0.5	6.53	<5	150	<0.5	<2	6.42	<0.5	59	913	31	6.69
171569		2.90	0.018		<0.5	7.42	<5	320	0.6	<2	6.63	<0.5	53	559	34	5.32
171570		2.73	0.292		<0.5	5.86	<5	40	<0.5	<2	6.14	<0.5	65	1080	17	7.46
171571		2.79	2.72	3.23	0.5	4.84	<5	30	<0.5	<2	5.89	<0.5	47	1010	46	7.46
171572 DUP		<0.02	1.900	2.08	<0.5	4.99	<5	30	<0.5	<2	6.14	<0.5	47	1050	49	7.72
171573		0.12	<0.005		<0.5	7.55	<5	560	1.0	<2	0.93	<0.5	2	30	5	2.48
171574		2.60	0.171		<0.5	6.03	<5	10	<0.5	<2	5.38	<0.5	72	1390	6	7.78
171575		2.80	0.144		<0.5	6.62	<5	180	<0.5	<2	6.46	<0.5	54	837	87	8.59
171576		2.80	0.580		<0.5	5.49	5	10	<0.5	<2	6.13	<0.5	59	1140	17	8.06
171577		2.65	0.148		<0.5	6.20	<5	430	<0.5	<2	5.87	<0.5	52	924	34	8.41
171578		2.48	0.261		<0.5	5.93	<5	700	<0.5	<2	5.45	<0.5	47	736	74	7.76
171579		2.50	0.097		<0.5	5.93	5	70	<0.5	<2	5.75	<0.5	64	1265	8	7.89
171580		2.44	0.249		<0.5	5.75	<5	60	<0.5	<2	5.90	<0.5	53	1185	8	7.80



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 17-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026249**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
171561		1.30	1.09	528	2	3.02	55	130	2	0.10	<5	144	0.12	23	<10
171562		0.52	7.62	1435	<1	0.94	489	560	3	0.09	<5	118	0.41	154	<10
171563		1.01	8.84	1270	<1	0.84	419	430	3	0.06	<5	214	0.25	166	<10
171564		0.51	9.67	1410	1	0.37	578	260	<2	0.04	<5	73	0.23	165	<10
171565		0.19	0.07	110	1	6.8	5	650	117	2.91	<5	21	0.01	2	<10
171566		0.49	10.35	1475	<1	0.33	827	280	<2	0.07	<5	110	0.23	170	<10
171567		0.21	10.40	1400	1	0.33	676	210	<2	0.06	<5	55	0.19	168	<10
171568		0.61	9.38	1245	6	0.56	564	420	2	0.15	<5	211	0.23	153	<10
171569		1.16	8.46	894	<1	0.79	547	870	2	0.29	<5	460	0.23	114	<10
171570		0.30	10.40	1325	<1	0.40	637	240	<2	0.06	<5	79	0.24	166	<10
171571		0.30	9.15	1595	<1	0.29	613	180	3	0.17	<5	82	0.22	143	<10
171572 DUP		0.31	9.44	1660	<1	0.30	616	190	5	0.18	<5	86	0.22	145	<10
171573		4.34	0.25	212	1	2.29	10	160	38	<0.01	<5	150	0.08	8	<10
171574		0.10	11.45	1310	<1	0.26	797	210	3	0.13	<5	50	0.22	179	<10
171575		0.87	8.91	1555	<1	0.38	502	800	3	0.40	<5	248	0.41	183	<10
171576		0.12	10.65	1440	<1	0.35	695	180	2	0.15	<5	65	0.24	164	<10
171577		1.27	8.77	1445	<1	0.37	536	680	6	0.20	<5	140	0.38	178	<10
171578		1.46	7.15	1260	<1	0.33	423	900	6	0.42	<5	187	0.42	171	<10
171579		0.36	11.00	1320	<1	0.31	699	220	<2	0.06	<5	65	0.25	176	<10
171580		0.56	10.85	1310	<1	0.31	663	200	<2	0.05	<5	72	0.24	162	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 18-APR-2006

Account: TRAVEN

## CERTIFICATE VO06026720

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 20-MAR-2006.  
The following have access to data associated with this certificate:

IAN LAMBERT	MIKE ROBERTS
-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026720

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
171581		2.55	0.097				<0.5	5.94	<5	70	<0.5	<2	5.73	<0.5	61	1165
171582		2.50	0.142				<0.5	5.66	<5	40	<0.5	<2	5.40	<0.5	61	1140
171583		2.03	0.046				<0.5	5.57	<5	40	<0.5	<2	5.77	<0.5	61	1145
171584		2.66	0.292				<0.5	5.76	<5	40	<0.5	<2	5.78	<0.5	59	1250
171585 DUP		<0.02	0.308				<0.5	5.66	<5	40	<0.5	<2	5.74	<0.5	58	1290
171586		0.13	<0.005				<0.5	7.42	<5	580	1.0	<2	1.00	<0.5	2	27
171587		2.62	0.321				<0.5	5.75	<5	50	<0.5	<2	5.76	<0.5	65	1125
171588		2.65	0.661				<0.5	5.33	<5	50	<0.5	<2	5.55	<0.5	59	1270
171589		2.88	0.286				<0.5	5.86	<5	60	<0.5	<2	5.91	<0.5	58	1140
171590		2.56	1.365				<0.5	6.54	<5	100	<0.5	<2	5.34	<0.5	49	1050
171591		2.53	0.034				<0.5	7.36	9	150	<0.5	<2	6.43	<0.5	50	582
171592		2.29	0.116				<0.5	6.82	<5	120	<0.5	<2	6.43	<0.5	47	421
171593		0.07	0.948				10.9	8.31	<5	50	3.3	<2	0.34	<0.5	1	6
171594		2.60	0.299				<0.5	7.14	<5	100	<0.5	<2	6.75	<0.5	47	417
171595		2.47	0.069				<0.5	7.82	<5	80	<0.5	<2	7.34	<0.5	45	294
171596		2.29	0.031				<0.5	8.13	<5	70	<0.5	<2	7.50	<0.5	43	286
171597		2.65	0.215				<0.5	7.92	7	80	<0.5	<2	7.32	<0.5	45	353
171598		2.67	3.19				<0.5	7.81	<5	40	<0.5	<2	7.89	<0.5	45	339
171599		2.54	0.066				<0.5	7.64	<5	120	<0.5	<2	7.91	<0.5	48	337
171600		2.52	0.110				<0.5	7.84	<5	240	0.6	<2	7.17	<0.5	49	358
171601		3.13	0.021				<0.5	7.40	6	40	<0.5	<2	7.66	<0.5	50	343
171602		2.65	1.565				0.6	7.92	<5	60	<0.5	<2	8.24	<0.5	54	347
171603		2.84	1.425				<0.5	7.52	<5	40	<0.5	<2	8.21	<0.5	52	344
171604		2.79	0.090	0.062			<0.5	7.55	<5	60	<0.5	<2	7.85	<0.5	45	327
171605		0.06	1.815				19.1	8.24	6	60	3.2	<2	0.34	<0.5	1	4
171606		3.27	0.318				<0.5	7.70	<5	70	<0.5	<2	8.72	<0.5	42	280
171607		2.79	0.563				<0.5	7.94	<5	90	<0.5	<2	8.39	<0.5	49	304
171608		2.67	>10.0		19.40	19.55	12.6	7.23	<5	90	<0.5	<2	7.48	1.0	53	329
171609 DUP		<0.02	>10.0		15.00	14.65	12.6	6.96	<5	80	<0.5	<2	7.20	<0.5	51	324
171610		0.12	0.011				<0.5	7.06	<5	570	0.9	<2	0.63	<0.5	2	11
171611		2.79	0.110				<0.5	7.06	<5	60	<0.5	<2	6.92	<0.5	46	328
171612		2.65	0.215				<0.5	7.67	<5	30	<0.5	<2	7.07	<0.5	35	264
171613		2.62	0.444				<0.5	7.66	<5	90	<0.5	<2	8.57	<0.5	49	337
171614		2.92	0.249				<0.5	7.45	5	50	<0.5	<2	9.02	<0.5	44	316
171815		2.69	0.888				<0.5	7.24	<5	80	<0.5	<2	8.05	<0.5	41	291
171616		2.60	0.617				<0.5	7.37	<5	440	0.8	<2	4.14	<0.5	21	161
171617		2.50	0.048				<0.5	7.51	<5	280	0.9	<2	4.47	<0.5	23	152
171618		2.46	0.046				<0.5	7.48	5	170	0.5	<2	6.68	<0.5	36	262
171619		2.46	0.023				<0.5	6.85	<5	140	<0.5	<2	7.99	<0.5	54	368
171620		2.85	0.018				<0.5	7.74	<5	220	<0.5	<2	9.55	<0.5	44	198



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026720

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Cu ppm 1	Fe % 0.01	K % 0.01	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1
171581		7	7.69	0.77	10.75	1325	<1	0.32	655	200	16	0.04	<5	77	0.26	168
171582		4	7.65	0.39	10.70	1260	<1	0.29	655	210	3	0.05	<5	60	0.25	168
171583		6	7.46	0.45	10.45	1270	<1	0.33	661	210	2	0.04	5	70	0.25	166
171584		24	7.95	0.69	10.80	1520	<1	0.30	725	190	3	0.13	<5	66	0.27	173
171585 DUP		24	7.82	0.67	10.75	1505	<1	0.30	713	190	<2	0.13	<5	66	0.26	171
171586		7	2.25	4.65	0.34	210	2	2.29	14	190	34	0.01	<5	160	0.09	11
171587		5	7.71	1.10	10.80	1395	<1	0.29	625	230	<2	0.02	<5	172	0.26	178
171588		4	7.50	0.98	10.95	1265	1	0.32	684	200	<2	0.03	<5	77	0.24	166
171589		24	7.89	0.91	10.60	1370	1	0.33	614	240	5	0.14	<5	213	0.28	182
171590		36	7.23	0.58	9.79	1245	1	0.81	588	290	6	0.13	<5	182	0.26	167
171591		21	7.17	0.98	7.47	1325	1	1.39	253	340	<2	0.06	<5	129	0.36	218
171592		4	6.88	1.20	6.60	1270	<1	0.92	180	220	<2	0.01	<5	77	0.34	211
171593		8	2.94	0.20	0.08	37	1	7.1	4	630	124	3.22	<5	22	0.01	2
171594		11	7.14	1.20	6.66	1380	1	0.91	177	220	8	0.03	<5	77	0.35	223
171595		5	6.82	0.86	5.96	1290	1	1.40	132	250	2	0.01	5	97	0.39	238
171596		1	7.03	0.66	5.84	1325	1	1.48	123	250	<2	<0.01	<5	109	0.40	244
171597		16	7.53	0.51	5.68	1330	1	1.45	137	300	3	0.08	<5	158	0.39	236
171598		9	8.07	0.32	5.15	1410	<1	1.51	150	250	2	0.04	<5	149	0.39	242
171599		24	7.61	0.57	5.14	1425	1	1.48	183	470	7	0.14	<5	257	0.39	219
171600		21	7.33	1.06	5.99	1305	<1	1.72	244	760	4	0.08	7	392	0.42	199
171601		8	6.02	0.30	5.28	1440	1	1.38	141	240	2	0.05	<5	140	0.36	229
171602		667	8.54	0.51	5.97	1600	<1	1.36	162	260	<2	0.14	<5	109	0.39	242
171603		51	7.97	0.24	5.13	1455	1	1.33	160	240	<2	0.06	<5	140	0.38	239
171604		9	7.70	0.32	5.19	1375	1	1.52	135	270	6	0.02	<5	160	0.36	220
171605		6	2.68	0.20	0.07	113	1	6.9	4	640	116	2.84	<5	24	0.01	3
171606		21	7.57	0.63	5.13	1420	1	1.34	137	250	<2	0.09	<5	114	0.38	238
171607		18	8.43	0.71	5.56	1545	1	1.26	142	250	<2	0.06	<5	134	0.39	235
171808		5490	8.81	0.58	5.35	1520	2	1.36	128	220	4	1.03	<5	122	0.36	222
171609 DUP		4970	8.38	0.55	5.13	1450	1	1.32	123	220	<2	0.89	<5	118	0.35	215
171610		15	2.25	4.62	0.25	204	2	2.20	4	160	31	0.01	<5	150	0.09	12
171611		14	7.80	0.46	5.03	1480	1	1.70	140	230	<2	0.03	<5	132	0.36	222
171612		19	6.46	0.39	4.09	1210	1	2.84	110	220	6	0.02	5	44	0.31	188
171613		51	8.38	0.60	4.74	1560	1	1.80	166	250	<2	0.10	<5	179	0.39	241
171614		15	7.81	0.36	4.84	1545	1	1.66	137	250	2	0.03	<5	156	0.37	227
171615		52	7.36	0.42	4.29	1365	1	1.52	123	220	<2	0.14	<5	131	0.34	205
171616		45	4.23	1.02	1.78	724	2	2.76	48	150	<2	0.34	<5	133	0.21	91
171617		45	4.31	0.91	1.86	791	2	2.82	50	140	5	0.33	6	145	0.20	89
171618		34	6.48	0.55	3.77	1265	1	2.00	102	190	<2	0.18	<5	156	0.30	167
171619		72	8.29	0.60	6.72	1410	<1	1.34	290	830	4	0.33	<5	295	0.43	206
171620		91	8.56	0.52	5.41	1480	1	1.73	168	1840	8	0.49	<5	988	0.61	233



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026720

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm	Zn ppm
		10	2
171581		<10	77
171582		<10	75
171583		<10	76
171584		<10	89
171585 DUP		<10	88
171586		<10	33
171587		<10	77
171588		<10	75
171589		10	75
171590		<10	114
171591		10	66
171592		<10	58
171593		<10	19
171594		<10	69
171595		10	60
171596		<10	55
171597		<10	70
171598		20	74
171599		20	83
171600		10	80
171601		10	71
171602		10	81
171603		30	68
171604		10	63
171605		<10	19
171606		80	68
171607		10	69
171608		10	159
171609 DUP		10	146
171610		<10	30
171611		<10	63
171612		10	43
171613		10	68
171614		20	64
171615		<10	63
171616		<10	36
171617		<10	40
171618		90	54
171619		10	85
171620		20	105



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026720

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
171621		2.79	0.026				<0.5	7.99	<5	240	<0.5	<2	6.81	<0.5	24	146
171622		2.54	0.051				<0.5	8.40	<5	190	0.6	<2	6.15	<0.5	31	179
171623		2.52	0.009				<0.5	8.25	<5	250	0.9	<2	4.27	<0.5	21	23
171624		2.36	0.060				<0.5	6.82	9	440	1.4	<2	0.89	<0.5	1	6
171625		2.65	0.902				<0.5	7.42	13	170	0.5	<2	6.25	<0.5	34	267
171626		2.99	0.043				<0.5	7.18	<5	250	0.6	<2	6.16	<0.5	26	202
171627		0.05	0.929				11.1	8.54	9	50	3.2	<2	0.34	<0.5	1	5
171628		2.86	0.105				<0.5	7.85	23	50	<0.5	<2	10.15	<0.5	44	311
171629		3.42	0.279				<0.5	7.68	<5	70	<0.5	<2	8.01	<0.5	44	299
171630		1.33	>10.0		65.0	52.4	0.9	6.54	11	40	<0.5	<2	7.39	<0.5	39	262
171631 DUP		<0.02	>10.0		29.3	31.5	0.5	6.73	<5	40	<0.5	<2	7.58	<0.5	40	270
171632		0.12	0.013				<0.5	6.92	5	540	0.9	<2	1.04	<0.5	2	11
171633		3.34	0.543				0.5	7.80	<5	50	<0.5	<2	8.13	<0.5	45	290
171634		2.73	0.517				<0.5	8.05	10	200	<0.5	<2	6.84	<0.5	36	235
171635		2.38	0.373				<0.5	8.79	<5	430	0.6	<2	3.81	<0.5	16	119
171636		2.40	0.185				<0.5	8.48	<5	340	0.7	<2	4.07	<0.5	15	81
171637		2.38	1.265				<0.5	8.07	10	210	0.6	<2	5.76	<0.5	28	164
171638		2.47	0.241				<0.5	7.56	12	60	<0.5	<2	8.16	<0.5	47	291
171639		2.53	2.84				<0.5	7.63	<5	90	<0.5	<2	7.47	<0.5	43	264
171640		2.65	0.018				<0.5	8.02	<5	100	<0.5	<2	7.94	<0.5	45	286
171641		2.05	0.067				<0.5	7.95	<5	90	0.5	<2	7.12	<0.5	49	232
171642		2.48	0.115				<0.5	8.10	5	90	0.5	<2	7.22	<0.5	49	229
171643		2.55	0.056				<0.5	8.16	<5	130	0.5	<2	7.06	<0.5	49	240
171644		2.33	0.118				<0.5	7.84	<5	100	<0.5	<2	7.19	<0.5	49	237
171645		2.42	0.070				<0.5	7.71	8	100	0.5	<2	7.20	<0.5	55	247
171646		3.11	0.075				<0.5	7.71	<5	90	<0.5	<2	7.40	<0.5	70	257
171647		0.07	1.700				19.7	8.42	<5	60	3.1	<2	0.35	<0.5	2	5
171648		2.42	0.060				<0.5	7.41	14	80	<0.5	<2	7.11	<0.5	43	223
171649		2.52	0.010				<0.5	7.68	<5	130	<0.5	<2	6.63	<0.5	47	262
171650		2.39	0.096				<0.5	8.08	<5	100	<0.5	<2	7.27	<0.5	36	200
171651		2.31	0.018				<0.5	8.21	8	150	0.6	<2	6.66	<0.5	45	207
171652		2.35	0.019				<0.5	8.01	9	230	0.8	<2	5.13	<0.5	27	143
171653		2.71	<0.005				<0.5	8.31	9	90	0.5	<2	8.04	<0.5	45	240
171654 DUP		<0.02	<0.005				<0.5	8.47	<5	90	0.5	<2	8.15	<0.5	45	255
171655		0.12	<0.005				<0.5	7.20	16	560	0.9	<2	0.84	<0.5	2	11
171656		2.49	0.006				<0.5	8.69	5	100	<0.5	<2	7.72	<0.5	47	242
171657		2.71	0.008				<0.5	7.91	9	100	0.5	<2	7.48	<0.5	49	237
171658		2.73	0.011				<0.5	7.30	<5	90	<0.5	<2	7.22	<0.5	53	241
171659		2.57	0.005				<0.5	8.13	15	170	0.6	<2	6.77	<0.5	39	201
171660		1.93	0.006				<0.5	7.91	6	160	0.5	<2	6.75	<0.5	51	206





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026720

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Cu ppm 1	Fe % 0.01	K % 0.01	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1
171621		18	4.01	0.69	2.29	835	<1	3.07	58	220	4	0.06	<5	288	0.20	104
171622		103	7.49	0.68	2.95	1350	<1	2.04	63	780	4	0.33	<5	245	0.50	149
171623		26	6.66	1.27	1.53	1180	<1	1.97	17	1200	6	0.18	<5	263	0.65	96
171624		7	1.12	2.78	0.14	462	1	0.85	<1	20	9	0.09	<5	43	0.03	1
171825		13	6.55	0.86	3.93	1275	<1	1.48	103	220	2	0.21	<5	119	0.30	171
171626		22	5.67	0.85	2.98	1050	<1	1.94	76	180	<2	0.07	6	125	0.24	128
171627		8	3.00	0.18	0.07	37	<1	7.0	<1	640	123	3.24	<5	22	0.01	2
171628		58	7.99	0.37	4.73	1550	<1	1.39	122	240	4	0.19	<5	141	0.37	222
171629		52	8.01	0.46	5.16	1505	<1	1.47	131	250	<2	0.07	<5	128	0.37	224
171630		14	6.91	0.32	4.12	1275	<1	1.55	117	230	2	0.03	<5	110	0.32	191
171631 DUP		14	7.17	0.32	4.29	1320	<1	1.58	114	230	4	0.02	<5	111	0.32	194
171632		4	1.70	4.01	0.26	164	1	2.08	3	170	34	<0.01	<5	155	0.08	10
171633		19	7.94	0.27	4.88	1455	<1	1.47	134	240	<2	0.04	<5	137	0.38	228
171634		17	6.20	0.62	3.73	1180	<1	2.18	105	220	5	0.09	<5	166	0.31	180
171835		25	3.21	1.04	1.76	572	<1	3.79	40	260	4	0.12	<5	234	0.17	77
171636		18	3.82	1.07	1.43	714	<1	3.09	31	510	7	0.12	<5	229	0.31	98
171837		29	6.06	0.89	2.69	1215	<1	1.97	70	640	<2	0.17	5	146	0.42	154
171638		8	7.96	0.33	5.30	1440	<1	1.53	134	240	<2	0.03	5	138	0.37	223
171639		15	7.45	0.63	5.63	1370	<1	1.39	131	250	<2	0.09	<5	119	0.37	226
171640		3	8.05	0.45	5.56	1415	<1	1.81	134	280	<2	0.01	6	145	0.38	233
171641		65	8.19	0.46	4.67	1225	<1	1.97	171	520	4	0.17	<5	190	0.60	221
171642		87	7.86	0.34	4.38	1165	<1	1.91	163	510	<2	0.21	<5	223	0.60	231
171643		89	8.26	0.49	4.83	1185	<1	1.92	180	530	<2	0.16	8	194	0.62	229
171644		103	8.25	0.47	4.74	1190	<1	1.86	176	560	<2	0.19	<5	197	0.60	233
171645		124	8.28	0.40	4.67	1210	<1	1.88	178	580	<2	0.24	<5	188	0.64	234
171646		293	9.07	0.34	4.49	1210	<1	1.77	203	520	<2	0.89	<5	199	0.59	219
171647		6	2.89	0.18	0.07	109	<1	7.0	2	650	130	3.11	<5	22	0.01	3
171648		86	7.81	0.33	4.41	1170	<1	1.79	160	500	<2	0.17	<5	189	0.58	212
171649		62	7.91	0.39	5.24	1210	<1	1.85	235	510	5	0.11	5	237	0.52	195
171650		57	6.04	0.26	4.69	1215	<1	1.91	149	520	2	0.14	5	222	0.47	182
171651		62	8.00	0.53	3.98	1295	<1	2.22	148	710	4	0.12	<5	215	0.60	193
171652		78	6.58	0.68	2.51	1190	<1	2.36	96	670	5	0.22	<5	226	0.49	119
171653		14	8.26	0.34	4.81	1320	<1	1.95	190	590	3	0.02	<5	214	0.63	233
171654 DUP		15	8.35	0.35	4.89	1335	<1	1.99	197	570	<2	0.02	<5	218	0.66	242
171655		4	1.81	4.15	0.24	169	<1	2.17	2	160	38	<0.01	<5	152	0.09	10
171656		35	9.17	0.38	5.31	1405	<1	2.15	174	580	<2	0.05	<5	212	0.61	227
171657		49	8.09	0.41	4.51	1225	<1	1.90	170	540	5	0.09	<5	207	0.81	227
171658		45	7.53	0.35	4.45	1185	<1	1.68	186	480	<2	0.09	<5	192	0.60	221
171659		33	7.75	0.57	3.77	1340	<1	2.04	132	920	<2	0.08	<5	239	0.65	164
171660		132	8.12	0.63	4.24	1310	<1	1.87	152	780	<2	0.27	<5	218	0.62	185



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 13-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026720

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
171621		10	47
171622		10	157
171623		<10	124
171624		<10	54
171625		30	140
171626		20	52
171627		<10	17
171628		<10	74
171629		<10	76
171630		20	58
171631 DUP		30	58
171632		<10	28
171633		<10	70
171634		30	71
171635		<10	50
171636		<10	57
171637		<10	66
171638		<10	70
171639		10	75
171640		10	67
171641		<10	81
171642		<10	74
171643		<10	82
171644		<10	83
171645		<10	88
171646		<10	86
171647		<10	20
171648		<10	82
171649		<10	93
171650		<10	67
171651		<10	96
171652		<10	94
171653		<10	86
171654 DUP		10	89
171655		<10	30
171656		<10	87
171657		<10	83
171658		<10	80
171659		<10	100
171660		<10	96



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026720

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.05	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
171661		2.82	<0.005				<0.5	8.21	6	160	<0.5	<2	7.35	<0.5	50	281
171662		2.41	0.012				<0.5	7.66	5	150	0.6	<2	5.92	<0.5	38	196
171663		2.57	0.009				<0.5	8.22	<5	160	0.5	<2	7.45	<0.5	50	225
171664		2.56	<0.005				<0.5	7.81	15	100	<0.5	<2	7.70	<0.5	49	260
171665		2.52	<0.005				<0.5	8.16	<5	90	0.5	<2	7.93	<0.5	49	240
171666		2.56	0.024				<0.5	7.70	<5	90	0.5	<2	7.86	<0.5	47	248
171667		0.07	0.948				11.1	8.34	11	50	3.2	<2	0.34	<0.5	2	13
171668		2.38	0.009				<0.5	8.43	11	100	0.5	<2	8.15	<0.5	48	244
171669		2.38	0.025				<0.5	8.27	<5	120	0.5	<2	8.08	<0.5	50	269
171670		2.46	0.018				<0.5	8.12	14	90	<0.5	<2	7.85	<0.5	52	235
171671		2.55	0.029				<0.5	8.18	<5	100	<0.5	3	7.65	<0.5	41	213
171672		2.44	0.024				<0.5	8.10	11	100	<0.5	<2	8.84	<0.5	55	225
171673 DUP		<0.02	0.014				0.5	7.76	<5	90	<0.5	<2	8.64	<0.5	53	230
171674		0.07	<0.005				<0.5	7.43	<5	800	0.9	<2	0.96	<0.5	2	22
171675		2.43	0.016				0.5	8.44	<5	260	0.8	<2	5.17	<0.5	28	106
171676		2.38	0.051				<0.5	8.07	15	200	0.7	<2	5.32	<0.5	30	129
171677		2.48	0.011				<0.5	7.90	<5	320	1.0	<2	3.38	<0.5	13	14
171678		2.67	0.008				<0.5	8.10	<5	160	0.5	<2	7.33	<0.5	50	438
171679		2.40	0.006				<0.5	8.75	5	110	<0.5	<2	7.96	<0.5	50	182
171880		2.31	0.012				<0.5	8.48	<5	90	<0.5	<2	7.81	<0.5	51	225



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026720**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
171661		57	7.76	0.64	5.66	1210	<1	1.91	177	540	<2	0.12	<5	236	0.49	195
171662		34	7.15	0.47	3.68	1275	<1	2.16	114	900	<2	0.13	<5	244	0.56	149
171663		66	8.34	0.62	4.77	1275	<1	1.79	179	610	2	0.15	<5	246	0.61	227
171664		58	7.95	0.47	4.47	1260	<1	1.70	174	520	<2	0.12	<5	186	0.59	220
171665		45	8.35	0.37	4.78	1320	<1	1.88	177	550	9	0.09	<5	210	0.61	227
171666		64	8.05	0.29	4.62	1325	<1	2.05	173	530	<2	0.18	<5	247	0.60	223
171667		9	2.63	0.18	0.07	36	<1	7.2	2	650	123	2.93	<5	22	0.01	2
171668		46	8.54	0.37	4.95	1385	<1	2.13	182	560	2	0.09	<5	228	0.64	235
171669		63	8.39	0.40	5.10	1360	<1	2.04	194	560	7	0.13	<5	243	0.61	232
171670		166	8.32	0.34	4.86	1295	<1	1.95	179	550	<2	0.19	<5	206	0.61	227
171671		77	8.28	0.34	4.64	1325	<1	1.97	146	550	<2	0.10	<5	221	0.52	195
171672		136	8.60	0.45	4.89	1505	<1	1.78	188	560	<2	0.17	<5	206	0.61	232
171673 DUP		128	8.35	0.44	4.71	1465	<1	1.69	186	510	<2	0.16	<5	198	0.60	226
171674		14	2.05	4.26	0.27	190	<1	2.17	5	170	46	0.01	<5	159	0.09	11
171675		72	6.07	0.73	2.36	1040	<1	2.52	71	980	2	0.12	<5	224	0.58	129
171676		71	6.23	0.60	2.68	1060	<1	2.36	92	870	<2	0.13	<5	215	0.55	137
171677		29	4.46	0.88	0.84	740	<1	2.69	<1	1260	4	0.11	<5	225	0.55	58
171678		82	7.71	0.59	5.69	1310	<1	1.96	206	710	<2	0.12	<5	254	0.53	200
171679		99	8.91	0.41	4.89	1425	<1	1.91	184	530	3	0.15	<5	254	0.56	233
171680		89	8.50	0.36	4.64	1330	<1	1.87	178	540	<2	0.15	<5	236	0.60	237



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026720

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
171661		<10	75
171662		<10	100
171663		<10	81
171664		10	75
171665		<10	77
171666		<10	74
171667		<10	17
171668		<10	83
171669		<10	83
171670		<10	81
171671		<10	73
171672		<10	92
171673 DUP		<10	89
171674		<10	44
171675		<10	87
171676		<10	80
171677		<10	87
171678		<10	90
171679		<10	91
171680		<10	89



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 17-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06026721

Project: DETOUR LAKE  
P.O. No.:  
This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 20-MAR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 17-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06026721**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd	Au	Ag	Al	As	Ba	Be	Bi	Ce	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
171681		2.39	0.020	<0.5	7.91	12	170	0.5	4	7.01	<0.5	48	228	110	7.65	0.66
171682		2.17	0.039	<0.5	7.49	12	120	<0.5	<2	7.21	<0.5	51	287	115	7.86	0.45
171683		2.61	0.017	<0.5	8.50	<5	170	0.5	<2	7.29	<0.5	49	208	98	7.98	0.60
171684		2.73	0.031	<0.5	7.28	<5	190	<0.5	<2	6.82	<0.5	50	392	61	8.04	0.76
171685		2.60	0.037	<0.5	3.13	12	<10	<0.5	<2	5.43	<0.5	93	1600	40	7.83	0.02
171686 DUP		<0.02	0.029	<0.5	3.09	24	<10	<0.5	<2	5.39	<0.5	94	1480	40	7.68	0.02
171687		2.72	0.021	0.7	3.58	11	70	<0.5	<2	6.02	<0.5	80	1235	78	6.95	0.43
171688		2.85	0.030	<0.5	8.06	<5	140	0.5	<2	7.66	<0.5	49	351	68	8.28	0.57
171689		2.56	0.013	<0.5	8.11	<5	120	0.5	<2	7.07	<0.5	43	153	106	8.18	0.80
171690		2.69	<0.005	<0.5	7.91	<5	140	<0.5	<2	7.00	<0.5	45	395	29	7.80	0.73
171691		2.17	0.007	<0.5	6.72	<5	310	0.6	<2	6.03	<0.5	51	560	42	6.90	1.61
171692		2.99	0.026	<0.5	7.80	<5	110	<0.5	<2	7.24	<0.5	46	231	84	8.11	0.47
171693		3.03	0.037	<0.5	7.74	<5	90	<0.5	<2	7.36	<0.5	52	241	75	8.20	0.37
171694		0.06	1.780	20.0	9.38	5	60	3.4	<2	0.38	<0.5	2	7	6	3.31	0.20
171695		2.98	0.005	<0.5	8.07	<5	100	<0.5	<2	7.51	<0.5	47	238	64	8.31	0.42
171696		2.34	0.006	<0.5	7.74	<5	120	0.5	<2	7.33	<0.5	45	222	47	7.97	0.53
171697		2.32	0.006	<0.5	8.08	<5	150	<0.5	<2	7.14	<0.5	47	220	101	8.38	0.77
171698		0.11	<0.005	<0.5	7.51	5	570	0.9	<2	0.83	<0.5	2	8	4	1.84	4.53
171699		2.44	0.008	<0.5	7.97	<5	250	0.7	<2	5.65	<0.5	36	190	83	6.08	0.99
171700		2.17	0.005	<0.5	7.89	<5	420	0.9	<2	3.39	<0.5	17	93	33	4.24	1.52
171701		2.38	0.005	<0.5	8.00	<5	80	<0.5	<2	7.44	<0.5	46	216	49	7.99	0.37
171702		2.73	<0.005	<0.5	7.82	<5	70	0.5	<2	7.36	<0.5	43	299	27	7.93	0.44
171703		2.58	0.007	<0.5	7.94	<5	70	<0.5	<2	7.41	<0.5	50	231	54	8.21	0.33
171704		2.90	0.007	<0.5	7.96	<5	160	0.5	<2	7.52	<0.5	50	233	56	8.09	0.53
171705		2.81	0.005	<0.5	8.21	<5	170	0.6	<2	7.53	<0.5	45	298	35	7.98	0.50
171706		2.52	0.007	<0.5	8.38	5	140	<0.5	<2	7.74	<0.5	46	236	22	6.55	0.56
171707		0.06	0.967	11.0	9.01	<5	50	3.3	<2	0.37	<0.5	1	6	9	2.99	0.20
171708		2.74	0.013	<0.5	7.96	<5	70	<0.5	<2	7.63	<0.5	48	217	57	8.17	0.35
171709		2.43	0.010	<0.5	8.19	<5	110	<0.5	<2	7.89	<0.5	45	231	64	8.35	0.32
171710		2.50	0.006	<0.5	7.46	<5	120	<0.5	<2	7.09	<0.5	49	425	40	7.73	0.53
171711		2.31	0.027	<0.5	8.00	<5	120	0.5	<2	6.38	<0.5	47	182	344	7.75	0.50
171712		2.73	0.012	<0.5	8.15	<5	70	<0.5	<2	7.27	<0.5	45	236	80	8.38	0.30
171713		2.50	0.005	<0.5	8.63	<5	100	0.5	<2	6.80	<0.5	36	144	74	6.69	0.40
171714		2.50	0.096	<0.5	8.13	<5	100	<0.5	<2	7.67	<0.5	51	227	102	8.57	0.40
171715 DUP		<0.02	0.122	<0.5	7.96	<5	90	<0.5	<2	7.42	<0.5	49	216	97	8.27	0.39
171716		0.13	<0.005	<0.5	7.91	<5	620	1.0	<2	0.92	<0.5	2	10	6	2.47	4.83
171717		2.91	0.005	<0.5	7.25	<5	80	0.5	<2	7.13	<0.5	46	217	26	7.83	0.33
171718		2.83	0.007	<0.5	7.35	<5	90	0.5	<2	7.06	<0.5	45	225	100	7.68	0.35
171719		2.88	0.005	<0.5	7.18	7	90	<0.5	<2	6.96	<0.5	48	213	85	7.69	0.38
171720		2.74	0.039	<0.5	7.26	<5	80	<0.5	<2	6.94	<0.5	44	210	97	7.58	0.32



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 17-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06026721**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171681		4.44	1175	<1	1.69	168	530	7	0.31	<5	257	0.52	211	<10	75
171682		4.90	1215	<1	1.67	176	530	9	0.24	<5	218	0.55	218	<10	78
171683		4.70	1245	<1	1.92	160	520	27	0.22	<5	255	0.56	229	<10	99
171684		8.06	1310	<1	1.68	239	540	15	0.19	<5	221	0.55	221	10	129
171685		15.60	1360	<1	0.10	763	340	8	0.23	<5	147	0.19	124	<10	74
171686 DUP		15.45	1350	<1	0.10	757	330	9	0.24	<5	140	0.19	123	<10	72
171687		13.85	1305	<1	0.18	872	370	14	0.36	<5	74	0.18	119	10	82
171688		5.44	1295	1	2.00	206	570	9	0.12	<5	319	0.60	241	<10	82
171689		4.07	1285	<1	1.83	104	540	5	0.09	<5	207	0.65	244	<10	90
171690		4.89	1245	<1	1.70	180	530	10	0.04	<5	226	0.60	232	<10	87
171691		8.01	1140	<1	1.21	386	880	16	0.11	<5	303	0.46	172	<10	97
171692		4.64	1235	<1	1.83	176	500	3	0.11	<5	200	0.60	231	<10	84
171693		4.59	1250	<1	1.85	182	560	5	0.22	<5	192	0.59	228	<10	82
171694		0.07	120	<1	7.4	4	710	140	3.54	<5	21	0.01	2	<10	22
171695		4.76	1310	<1	1.88	184	520	6	0.09	<5	200	0.62	237	<10	96
171696		4.60	1300	<1	1.70	176	560	6	0.06	<5	203	0.60	229	<10	93
171697		4.76	1285	<1	1.93	167	520	2	0.12	<5	225	0.58	231	<10	90
171698		0.22	163	<1	2.23	5	160	46	<0.01	<5	154	0.08	9	<10	28
171699		3.67	1040	<1	2.27	122	480	11	0.14	<5	222	0.44	157	<10	94
171700		1.92	867	1	2.87	60	340	35	0.12	<5	213	0.32	95	<10	105
171701		4.47	1245	<1	1.79	162	520	7	0.08	<5	216	0.60	230	<10	82
171702		5.38	1270	<1	1.89	204	540	9	0.07	<5	220	0.57	225	<10	93
171703		4.55	1250	<1	1.81	172	520	2	0.14	<5	214	0.62	238	<10	76
171704		5.00	1250	<1	1.92	184	730	4	0.14	<5	304	0.59	222	<10	80
171705		5.31	1260	<1	1.96	225	810	5	0.09	<5	353	0.62	232	<10	89
171706		5.06	1315	<1	1.80	182	570	5	0.05	<5	221	0.63	244	<10	82
171707		0.08	38	1	7.4	3	880	133	3.19	<5	21	0.01	2	<10	18
171708		4.57	1270	<1	1.74	178	520	8	0.11	<5	203	0.60	234	<10	74
171709		4.98	1350	<1	1.94	168	590	4	0.12	<5	264	0.59	235	<10	77
171710		6.40	1300	<1	1.60	253	540	4	0.04	<5	184	0.51	214	<10	81
171711		3.99	1185	<1	1.90	136	630	2	0.23	<5	201	0.60	211	<10	93
171712		4.59	1335	<1	1.95	162	560	2	0.09	<5	194	0.62	237	<10	92
171713		3.53	1210	1	1.96	124	730	2	0.07	<5	263	0.53	188	<10	71
171714		4.61	1370	<1	1.81	179	550	4	0.08	<5	211	0.63	242	<10	87
171715 DUP		4.47	1330	<1	1.77	174	540	4	0.08	<5	207	0.61	232	<10	84
171716		0.25	207	2	2.30	5	180	42	0.01	<5	164	0.09	10	<10	30
171717		4.20	1260	<1	1.75	159	490	<2	0.05	<5	196	0.55	219	<10	82
171718		4.10	1205	<1	1.75	158	500	<2	0.17	<5	195	0.56	215	<10	82
171719		4.07	1195	<1	1.61	166	480	<2	0.12	<5	182	0.56	222	<10	80
171720		4.12	1205	<1	1.62	158	510	<2	0.16	<5	195	0.56	219	<10	66





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 17-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06026721**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
171721		2.48	0.006	<0.5	7.18	6	80	<0.5	<2	6.90	<0.5	45	230	81	7.63	0.34
171722		2.59	0.040	<0.5	7.47	5	60	<0.5	<2	7.41	<0.5	52	249	318	8.30	0.22
171723		2.31	<0.005	<0.5	7.69	<5	90	0.5	3	7.41	<0.5	44	222	62	7.79	0.29
171724		2.45	<0.005	<0.5	7.93	<5	230	0.6	2	7.10	<0.5	45	218	75	7.63	0.67
171725		2.16	0.703	<0.5	6.73	8	100	<0.5	<2	6.09	<0.5	51	215	592	7.57	0.43
171726 DUP		<0.02	0.621	<0.5	7.37	<5	100	<0.5	<2	6.67	<0.5	58	221	691	7.98	0.47
171727		0.11	<0.005	<0.5	6.70	<5	520	0.9	<2	6.90	<0.5	2	9	8	1.81	4.14
171728		2.17	0.255	<0.5	7.86	<5	120	0.5	<2	7.24	<0.5	50	239	440	6.37	0.54
171729		2.31	0.011	<0.5	7.79	<5	80	<0.5	<2	7.29	<0.5	44	210	105	7.96	0.42
171730		2.71	0.015	<0.5	7.88	6	120	<0.5	<2	7.01	<0.5	44	210	116	8.17	0.52
171731		2.46	0.015	<0.5	7.24	<5	120	<0.5	<2	6.57	<0.5	53	236	184	8.05	0.52
171732		2.75	0.015	<0.5	8.18	<5	110	<0.5	<2	7.69	<0.5	43	224	142	8.31	0.47
171733		0.06	1.855	20.5	9.10	<5	60	3.4	<2	0.36	<0.5	2	5	6	2.75	0.21
171734		2.86	0.027	<0.5	7.77	<5	110	<0.5	<2	7.04	<0.5	47	456	117	7.36	0.57
171735		2.86	0.244	<0.5	8.33	<5	110	<0.5	<2	7.55	<0.5	40	232	197	7.85	0.56
171736		2.66	0.127	<0.5	8.33	<5	100	<0.5	<2	7.47	<0.5	51	226	242	7.93	0.56
171737		2.36	6.62	<0.5	7.80	<5	170	0.5	6	5.63	<0.5	31	139	481	6.13	0.80
171738		2.69	1.030	<0.5	8.56	<5	150	<0.5	<2	7.32	<0.5	46	166	134	7.82	0.83
171739		2.48	2.58	<0.5	8.37	<5	180	0.6	<2	6.69	<0.5	40	192	145	7.08	0.86
171740		2.59	0.254	0.5	8.50	<5	190	<0.5	<2	7.07	<0.5	45	251	75	7.96	1.14
171741		2.27	2.76	<0.5	8.54	7	140	<0.5	<2	7.00	<0.5	41	155	215	7.49	0.83
171742		2.71	0.100	<0.5	8.20	<5	110	0.5	<2	7.27	<0.5	40	160	115	7.46	0.52
171743		2.65	3.46	<0.5	8.58	11	120	<0.5	<2	7.07	0.7	51	122	268	8.12	0.84
171744		2.35	0.017	<0.5	8.71	<5	300	0.7	<2	5.70	<0.5	31	93	75	5.80	0.96
171745		2.63	0.028	<0.5	8.15	<5	150	<0.5	2	6.66	<0.5	41	132	105	7.64	0.72
171746		0.06	0.972	10.8	8.76	<5	50	3.4	<2	0.34	<0.5	1	6	9	2.89	0.20
171747		2.62	0.022	<0.5	8.09	5	150	<0.5	<2	6.96	<0.5	45	349	87	7.49	0.68
171748		2.52	0.022	<0.5	7.52	<5	220	0.5	<2	6.59	<0.5	42	370	86	6.62	0.71
171749		2.84	0.061	<0.5	7.84	<5	110	<0.5	<2	7.10	<0.5	41	229	88	7.29	0.55
171750		2.55	2.28	1.9	7.12	<5	160	0.6	4	6.24	<0.5	49	217	2810	7.14	0.80
171751 DUP		<0.02	2.57	1.1	7.18	<5	160	0.7	<2	6.21	<0.5	52	224	2250	7.05	0.79
171752		0.13	<0.005	<0.5	7.38	<5	590	1.0	<2	0.87	<0.5	2	14	11	1.98	4.73
171753		2.52	0.006	<0.5	7.80	<5	180	0.5	<2	5.99	<0.5	36	212	79	6.69	0.82
171754		2.60	<0.005	<0.5	7.65	<5	130	<0.5	<2	6.23	<0.5	37	202	21	7.04	0.70
171755		2.53	0.016	<0.5	7.43	<5	210	<0.5	<2	5.33	<0.5	39	188	30	6.11	1.04
171756		2.30	0.022	<0.5	8.95	<5	400	1.0	2	4.49	<0.5	27	124	22	4.86	1.22
171757		2.75	0.054	<0.5	8.15	<5	200	0.5	<2	5.96	<0.5	45	146	133	6.53	1.02
171758		2.71	0.010	<0.5	8.06	<5	130	<0.5	<2	6.46	<0.5	38	124	73	7.12	0.66
171759		2.77	0.020	<0.5	8.10	<5	110	<0.5	<2	6.77	<0.5	39	138	84	7.07	0.56
171760		2.56	0.042	<0.5	8.10	<5	60	<0.5	<2	6.95	<0.5	39	138	79	7.26	0.45



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 17-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06026721**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171721		4.18	1200	<1	1.66	161	480	<2	0.16	<5	190	0.56	218	<10	84
171722		4.17	1275	<1	1.73	173	510	<2	0.46	<5	200	0.56	221	<10	79
171723		4.24	1260	<1	1.75	162	530	<2	0.14	<5	220	0.58	226	<10	80
171724		4.44	1235	<1	1.83	159	650	88	0.25	<5	323	0.55	213	<10	256
171725		3.87	1130	<1	1.47	145	470	27	0.58	<5	176	0.52	203	<10	129
171726 DUP		4.24	1180	<1	1.70	151	510	33	0.60	<5	194	0.60	221	<10	146
171727		0.22	166	<1	2.13	6	150	29	0.01	<5	144	0.08	10	<10	29
171728		4.59	1295	<1	1.58	167	550	89	0.40	<5	200	0.60	236	<10	310
171729		4.45	1295	<1	1.51	163	480	<2	0.20	<5	194	0.57	225	<10	88
171730		4.51	1300	<1	1.58	161	490	9	0.25	<5	196	0.58	229	<10	131
171731		4.39	1240	<1	1.54	179	510	6	0.42	<5	171	0.56	218	<10	92
171732		4.62	1295	<1	1.95	160	560	15	0.24	<5	217	0.65	239	<10	197
171733		0.07	115	<1	7.5	3	670	119	2.87	<5	25	0.01	2	<10	22
171734		6.76	1280	<1	1.92	190	480	2	0.09	<5	210	0.41	207	<10	100
171735		4.66	1280	1	1.68	84	360	3	0.13	6	163	0.48	233	10	77
171736		4.65	1250	<1	1.70	84	360	<2	0.32	<5	150	0.48	234	<10	80
171737		2.80	946	1	1.81	51	490	<2	0.37	<5	166	0.44	175	20	75
171738		4.65	1300	<1	1.79	78	420	<2	0.30	5	184	0.50	242	<10	84
171739		4.49	1180	1	2.02	80	560	<2	0.26	8	234	0.45	210	<10	77
171740		5.47	1460	<1	1.58	110	400	<2	0.13	<5	169	0.49	225	10	104
171741		4.22	1245	<1	1.91	62	380	11	0.29	<5	160	0.49	233	<10	105
171742		4.47	1270	<1	2.52	66	520	7	0.31	<5	293	0.49	237	<10	99
171743		4.11	1240	<1	1.92	57	410	57	0.65	<5	160	0.54	251	<10	146
171744		2.87	938	<1	2.38	36	360	8	0.21	<5	255	0.40	181	<10	91
171745		3.84	1265	<1	2.11	46	500	<2	0.30	<5	241	0.49	225	<10	84
171746		0.07	36	1	7.3	2	620	122	3.12	<5	24	0.01	2	<10	20
171747		5.74	1285	1	1.94	153	510	5	0.21	<5	238	0.46	222	<10	99
171748		4.96	1230	2	2.02	142	670	8	0.26	<5	274	0.36	171	<10	104
171749		4.51	1210	2	1.74	83	340	4	0.12	<5	169	0.46	224	10	88
171750		4.29	1115	2	1.87	74	400	10	0.76	<5	240	0.37	180	10	80
171751 DUP		4.27	1105	1	1.90	77	420	11	0.75	5	246	0.37	180	10	82
171752		0.24	174	10	2.30	4	180	33	0.01	<5	153	0.09	10	<10	31
171753		4.02	1085	1	2.08	73	470	11	0.18	<5	220	0.45	203	<10	83
171754		4.25	1170	1	1.77	72	370	6	0.03	<5	172	0.45	219	<10	66
171755		4.15	1105	1	1.88	95	300	6	0.06	<5	142	0.37	178	<10	73
171756		2.77	852	<1	3.01	48	300	4	0.06	<5	288	0.32	142	<10	81
171757		3.45	1115	<1	1.88	55	360	14	0.46	<5	201	0.46	205	<10	88
171758		3.77	1200	1	1.86	52	390	9	0.21	<5	166	0.49	235	<10	83
171759		3.94	1270	2	1.79	53	370	5	0.16	<5	157	0.49	238	<10	70
171760		4.05	1295	2	2.06	54	390	6	0.17	<5	162	0.47	234	<10	78



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 28-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06026856

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 31-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 28-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026856**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172401		2.90	0.014		<0.5	7.97	11	170	<0.5	<2	6.03	<0.5	37	122	14	7.23
172402		2.50	0.006		<0.5	7.69	<5	150	<0.5	<2	5.89	<0.5	38	124	49	7.00
172403		2.83	0.010		<0.5	7.76	<5	110	<0.5	<2	6.07	<0.5	39	120	75	7.14
172404		2.68	0.030		<0.5	7.92	10	160	<0.5	<2	5.55	<0.5	37	115	64	6.40
172405		2.69	0.013		<0.5	8.00	7	640	0.5	<2	6.89	<0.5	36	92	104	6.97
172406		0.06	1.745		20.4	8.49	11	80	3.3	<2	0.36	<0.5	1	4	5	2.94
172407		2.46	0.029		<0.5	6.96	5	410	0.8	<2	2.85	<0.5	11	57	29	3.22
172408		2.62	<0.005		<0.5	7.03	<5	150	<0.5	<2	6.23	<0.5	46	490	181	6.43
172409		2.85	<0.005		<0.5	7.08	5	160	<0.5	<2	6.27	<0.5	39	289	49	8.29
172410		2.62	<0.005		<0.5	7.47	<5	70	<0.5	<2	6.82	<0.5	41	127	151	7.71
172411		2.81	0.014		<0.5	7.29	7	100	<0.5	<2	6.65	<0.5	51	140	326	7.98
172412		2.40	0.023		<0.5	7.43	6	210	0.7	<2	4.82	<0.5	20	42	91	6.17
172413		2.11	0.163		<0.5	7.59	7	230	0.9	<2	3.41	<0.5	11	4	57	5.77
172414		2.74	0.041		<0.5	7.16	<5	140	0.7	<2	4.49	<0.5	24	169	92	5.00
172415		2.75	0.024		<0.5	6.93	<5	120	<0.5	<2	7.43	<0.5	42	341	55	5.91
172416		3.12	0.054		<0.5	7.29	<5	50	<0.5	<2	6.44	<0.5	150	132	903	11.50
172417 DUP		<0.02	0.059		<0.5	6.65	<5	40	<0.5	<2	5.79	<0.5	145	131	850	10.05
172418		0.12	<0.005		<0.5	6.73	<5	540	0.9	<2	0.78	<0.5	2	12	9	1.42
172419		2.74	0.005		<0.5	7.52	8	80	<0.5	<2	6.21	<0.5	38	108	162	7.30
172420		3.15	<0.005		<0.5	7.65	6	40	0.6	<2	7.79	<0.5	33	122	291	7.33
172421		2.81	0.008		0.9	7.22	<5	10	0.7	<2	9.44	<0.5	59	120	3350	8.54
172422		2.83	<0.005		<0.5	8.85	<5	<10	0.9	<2	11.20	<0.5	30	99	134	6.66
172423		2.67	0.005		<0.5	6.84	7	10	0.6	<2	8.96	<0.5	27	124	228	7.12
172424		2.87	<0.005		<0.5	7.24	6	60	0.5	<2	6.27	<0.5	30	115	54	6.94
172425		2.94	<0.005		<0.5	7.47	5	150	0.6	<2	5.33	<0.5	27	55	69	6.68
172426		0.06	0.950		11.0	7.73	11	50	3.1	<2	0.32	<0.5	1	3	7	2.67
172427		2.75	0.028		<0.5	7.74	<5	100	0.5	<2	6.24	<0.5	30	84	82	6.80
172428		2.79	0.402		<0.5	7.34	<5	210	0.7	<2	5.75	<0.5	26	184	88	5.53
172429		2.80	0.017		<0.5	6.91	<5	320	0.8	<2	3.65	<0.5	17	87	36	3.85
172430		2.44	0.023		<0.5	4.03	8	250	0.5	<2	1.42	<0.5	3	13	15	1.76
172431		2.50	0.005		<0.5	7.64	8	70	<0.5	<2	6.74	<0.5	27	129	46	6.71
172432 DUP		<0.02	<0.005		<0.5	7.45	7	70	<0.5	<2	6.53	<0.5	27	122	45	6.53
172433		2.35	0.035		<0.5	7.42	<5	80	<0.5	<2	6.03	<0.5	23	87	61	6.40
172434		3.13	<0.005		<0.5	7.32	10	90	<0.5	<2	6.39	<0.5	29	126	22	6.62
172435		2.92	<0.005		<0.5	7.44	<5	130	<0.5	<2	6.35	<0.5	34	180	8	6.76
172436		2.58	0.009		<0.5	7.65	6	130	<0.5	<2	6.82	<0.5	37	130	16	6.74
172437		0.07	<0.005		<0.5	6.79	<5	540	0.9	<2	1.02	<0.5	2	11	7	1.73
172438		2.68	0.022		<0.5	7.39	6	90	<0.5	<2	6.06	<0.5	29	132	9	6.38
172439		2.56	0.044		<0.5	7.91	<5	50	<0.5	<2	6.96	<0.5	39	138	160	7.07
172440		2.31	0.018		<0.5	7.41	7	70	<0.5	<2	6.88	<0.5	33	112	113	6.74



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 28-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026856

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172401		0.99	4.25	1325	<1	2.19	86	380	2	0.02	<5	174	0.45	215	<10	64
172402		0.78	4.13	1255	<1	1.92	84	410	<2	0.09	<5	174	0.44	208	<10	64
172403		0.52	4.17	1195	<1	1.69	77	380	<2	0.07	<5	136	0.44	215	<10	64
172404		0.60	3.73	1055	<1	2.18	70	360	2	0.09	<5	173	0.42	197	<10	60
172405		0.84	3.37	1200	<1	1.89	65	880	9	0.43	<5	396	0.46	198	<10	68
172406		0.21	0.07	117	<1	7.1	5	660	126	3.26	<5	22	0.01	1	<10	18
172407		1.41	1.30	550	<1	2.92	26	160	5	0.12	<5	159	0.20	67	<10	38
172408		0.89	7.05	1190	<1	1.40	322	440	8	0.22	<5	194	0.34	156	<10	78
172409		0.84	6.14	1170	<1	1.73	172	610	2	0.15	<5	244	0.36	171	<10	69
172410		0.56	3.87	1375	<1	1.72	74	370	<2	0.38	<5	164	0.43	214	<10	66
172411		0.82	3.62	1350	<1	1.45	76	330	4	0.81	<5	144	0.43	193	<10	58
172412		0.84	1.72	1220	<1	2.32	23	1330	3	0.24	<5	222	0.57	81	<10	74
172413		0.69	0.92	1100	<1	3.06	<1	1920	2	0.38	<5	240	0.66	24	<10	69
172414		0.45	3.07	981	<1	3.05	66	1140	<2	0.27	<5	279	0.44	55	<10	67
172415		0.44	7.59	1140	<1	1.47	166	480	2	0.01	<5	206	0.24	132	<10	59
172416		0.30	3.52	1245	<1	1.81	111	370	4	3.07	<5	170	0.40	188	20	57
172417 DUP		0.30	3.16	1120	<1	1.48	106	330	2	2.66	<5	152	0.40	187	20	58
172418		4.45	0.24	135	2	2.14	4	130	42	0.01	<5	137	0.07	7	<10	31
172419		0.61	3.65	1315	<1	2.10	77	600	3	0.21	<5	240	0.48	214	<10	75
172420		0.35	3.82	1330	<1	1.67	77	400	<2	0.12	<5	109	0.46	216	<10	59
172421		0.12	3.71	1305	<1	0.23	97	360	2	0.70	<5	19	0.39	198	<10	73
172422		0.14	3.03	1115	<1	0.18	65	340	<2	0.14	<5	47	0.41	187	10	44
172423		0.16	3.43	1220	<1	0.52	72	360	2	0.07	<5	69	0.43	205	<10	49
172424		0.44	3.48	1230	<1	2.09	77	350	<2	0.12	<5	167	0.44	205	<10	57
172425		0.70	2.43	1215	<1	1.78	42	680	<2	0.06	<5	204	0.54	177	<10	106
172426		0.19	0.07	36	<1	7.0	2	610	119	2.96	<5	19	0.01	1	<10	16
172427		0.49	3.11	1285	<1	2.09	58	530	3	0.22	<5	190	0.49	196	<10	93
172428		0.72	3.61	1010	<1	2.22	67	460	12	0.22	<5	230	0.32	140	<10	70
172429		0.85	1.82	689	<1	2.63	31	640	5	0.14	<5	231	0.35	91	<10	66
172430		0.34	0.47	297	<1	1.69	4	260	<2	0.11	<5	102	0.11	22	<10	20
172431		0.38	3.49	1250	<1	1.81	72	400	2	0.11	<5	159	0.43	201	<10	67
172432 DUP		0.37	3.35	1210	<1	1.76	70	400	4	0.11	<5	154	0.43	192	10	71
172433		0.31	2.87	1115	<1	1.98	57	630	7	0.16	<5	181	0.42	158	<10	61
172434		0.61	3.84	1240	<1	1.60	85	360	6	0.08	<5	152	0.43	198	<10	61
172435		0.93	4.49	1260	<1	1.74	108	410	4	0.02	<5	143	0.42	205	<10	64
172436		1.06	4.03	1240	<1	1.40	76	370	3	0.09	<5	126	0.43	205	10	58
172437		4.20	0.28	170	<1	2.21	5	180	37	0.01	<5	152	0.08	9	<10	30
172438		0.78	3.76	1150	<1	1.48	75	350	2	0.05	<5	149	0.43	199	10	58
172439		0.49	3.41	1250	<1	1.54	80	370	<2	0.52	<5	159	0.44	201	<10	55
172440		0.61	3.62	1315	<1	1.40	75	360	4	0.39	<5	144	0.43	201	10	57



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 28-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026856**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172441		2.56	0.882		<0.5	7.80	5	180	0.6	<2	6.17	<0.5	34	184	377	6.33
172442		2.61	0.021		<0.5	7.94	7	250	0.6	<2	6.00	<0.5	27	75	54	6.33
172443		2.62	0.020		<0.5	7.52	6	70	0.6	<2	8.41	<0.5	30	128	20	6.68
172444		2.30	0.007		<0.5	7.34	<5	70	0.6	<2	6.53	<0.5	22	95	2	5.28
172445		0.06	1.720		16.9	7.96	6	60	3.0	<2	0.35	<0.5	1	4	4	2.89
172446		2.50	0.208		<0.5	7.29	<5	180	0.5	<2	5.11	<0.5	25	192	11	5.33
172447		2.54	0.010		<0.5	7.43	11	210	0.5	<2	5.97	<0.5	28	156	114	6.39
172448 DUP		<0.02	0.013		<0.5	7.47	11	200	0.5	<2	6.02	<0.5	28	126	96	6.34
172449		2.59	0.068		<0.5	6.95	5	320	0.7	<2	4.30	<0.5	26	116	105	4.82
172450		2.42	0.054		<0.5	6.78	<5	340	0.8	<2	2.43	<0.5	10	95	51	2.40
172451		2.17	<0.005		<0.5	6.60	<5	60	0.6	<2	5.83	<0.5	37	265	16	7.82
172452		2.80	0.005		<0.5	7.16	<5	50	0.7	<2	4.71	<0.5	23	99	340	6.39
172453		2.71	0.007		<0.5	6.96	9	100	0.5	<2	4.16	<0.5	27	106	19	6.30
172454		0.13	<0.005		<0.5	6.52	6	500	0.8	<2	0.94	<0.5	2	10	5	1.58
172455		2.08	0.010		<0.5	7.16	9	240	0.7	<2	3.94	<0.5	19	144	35	5.08
172456		3.24	0.009		<0.5	7.38	11	80	<0.5	<2	6.86	<0.5	30	106	39	6.59
172457		2.66	0.013		<0.5	6.74	5	50	<0.5	<2	7.06	<0.5	34	204	82	6.60
172458		2.58	0.151		<0.5	6.98	<5	70	<0.5	<2	7.98	<0.5	40	107	110	6.71
172459		2.38	0.018		<0.5	7.29	<5	60	<0.5	<2	7.08	<0.5	31	110	87	6.71
172460		2.67	0.014		<0.5	7.28	8	60	<0.5	<2	6.75	<0.5	31	112	95	6.51
172461		3.07	0.007		<0.5	7.45	9	210	0.6	<2	7.05	<0.5	32	144	58	6.44
172462		2.23	<0.005		<0.5	7.58	<5	370	0.8	<2	6.09	<0.5	32	165	54	6.26
172463		1.94	0.030		<0.5	6.92	<5	480	1.0	<2	1.08	<0.5	1	12	33	1.36
172464		3.12	0.152		0.5	7.79	14	50	<0.5	<2	7.44	<0.5	33	109	110	6.80
172465		2.65	0.030		<0.5	7.51	16	80	<0.5	<2	7.36	<0.5	29	119	102	6.69
172466		0.06	0.971		9.7	8.49	11	60	3.1	<2	0.34	<0.5	1	11	9	2.94
172467		2.75	0.036		<0.5	7.74	9	180	0.5	<2	6.00	<0.5	29	86	95	6.84
172468		2.39	0.015		<0.5	8.30	17	250	0.6	<2	4.60	<0.5	21	56	74	6.56
172469		2.17	<0.005		<0.5	8.10	11	270	0.8	<2	4.50	<0.5	18	56	76	4.90
172470		2.38	0.008		<0.5	8.89	17	300	0.6	<2	4.47	<0.5	14	24	31	4.76
172471		2.46	0.102		<0.5	8.08	<5	220	0.6	<2	5.90	<0.5	25	81	118	6.81
172472		2.82	0.063		<0.5	7.85	12	60	<0.5	<2	7.93	<0.5	33	110	118	6.97
172473		2.56	0.030		<0.5	7.86	9	40	<0.5	<2	7.31	<0.5	31	102	52	6.76
172474		2.54	0.036		<0.5	7.91	<5	100	<0.5	<2	7.41	<0.5	32	100	132	6.57
172475		2.52	0.021		<0.5	7.94	<5	180	0.6	<2	6.41	<0.5	23	54	58	5.85
172476		2.53	0.036		<0.5	7.42	7	80	<0.5	<2	9.52	<0.5	37	120	178	6.58
172477 DUP		<0.02	0.037		<0.5	7.72	17	90	<0.5	<2	9.78	<0.5	37	120	182	6.81
172478		0.11	<0.005		<0.5	7.52	5	610	0.9	<2	0.84	<0.5	1	17	5	1.83
172479		2.75	0.183		<0.5	7.23	21	120	<0.5	<2	7.62	<0.5	36	112	154	6.64
172480		2.28	0.130		<0.5	7.61	<5	180	0.7	<2	4.44	<0.5	22	14	56	7.40



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 28-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026856**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
172441		0.76	4.44	1155	<1	2.08	121	620	5	0.21	<5	279	0.42	170	<10	73
172442		1.04	3.57	1190	<1	1.94	48	630	3	0.15	<5	329	0.49	198	<10	65
172443		0.61	4.50	1280	<1	1.33	90	380	3	0.05	<5	87	0.44	209	<10	57
172444		0.66	3.50	980	<1	2.52	61	370	<2	0.02	<5	77	0.37	166	<10	42
172445		0.19	0.07	114	<1	6.9	3	640	125	3.14	<5	20	0.01	1	<10	17
172446		0.81	3.82	1035	<1	2.49	124	340	<2	0.05	<5	215	0.35	154	<10	69
172447		1.10	3.66	1255	<1	2.26	74	450	<2	0.31	<5	201	0.41	187	<10	90
172448 DUP		1.08	3.63	1255	<1	2.20	70	410	<2	0.27	<5	198	0.42	188	<10	87
172449		1.28	2.48	856	1	2.43	62	340	4	0.47	<5	185	0.29	119	<10	67
172450		0.70	1.33	359	<1	3.38	36	280	8	0.26	<5	273	0.17	47	<10	54
172451		0.48	5.41	1530	<1	2.19	105	610	3	0.03	<5	73	0.43	231	<10	67
172452		0.53	4.00	1320	<1	3.39	68	300	2	0.05	<5	60	0.38	194	<10	45
172453		0.80	3.48	1255	<1	2.95	72	370	<2	0.04	<5	128	0.41	190	10	57
172454		3.98	0.26	157	<1	2.18	4	150	28	<0.01	<5	148	0.08	9	<10	26
172455		1.01	2.15	980	<1	2.37	51	760	2	0.10	<5	230	0.43	112	10	77
172456		0.41	3.53	1205	<1	1.69	75	350	<2	0.12	<5	171	0.43	198	<10	60
172457		0.33	4.24	1245	<1	1.36	123	390	2	0.20	<5	176	0.39	187	<10	57
172458		0.46	3.17	1270	<1	1.43	136	350	3	0.52	<5	160	0.40	177	<10	59
172459		0.39	3.43	1260	<1	1.47	69	360	<2	0.41	<5	142	0.42	202	10	56
172460		0.43	3.41	1160	<1	1.45	68	350	<2	0.20	<5	156	0.42	199	<10	58
172461		0.57	4.07	1155	<1	1.74	104	690	2	0.12	<5	531	0.42	188	<10	65
172462		1.10	3.88	1135	<1	2.19	75	620	<2	0.09	<5	261	0.41	186	10	57
172463		0.97	0.13	276	1	3.70	2	80	7	0.13	<5	173	0.09	4	10	20
172464		0.38	3.40	1190	<1	1.56	74	340	2	0.28	<5	166	0.43	201	10	59
172465		0.40	3.51	1230	<1	1.54	73	410	7	0.23	<5	203	0.43	196	10	73
172466		0.19	0.07	37	<1	7.1	4	630	121	3.14	<5	23	0.01	2	<10	16
172467		0.66	2.70	1265	<1	2.06	51	1100	5	0.29	<5	340	0.58	156	10	78
172468		0.80	1.74	1165	<1	2.44	26	1700	7	0.37	<5	378	0.68	101	10	72
172469		0.80	1.61	785	<1	2.58	27	1110	4	0.35	<5	413	0.50	127	<10	48
172470		0.88	1.44	800	<1	2.77	18	1230	<2	0.16	<5	429	0.51	118	<10	54
172471		0.71	2.29	1245	<1	2.35	37	1480	5	0.42	<5	239	0.58	108	10	70
172472		0.41	3.47	1265	<1	1.63	71	350	5	0.33	<5	171	0.44	199	10	62
172473		0.28	3.53	1195	<1	1.68	65	360	4	0.14	<5	155	0.43	200	10	58
172474		0.48	2.90	1295	<1	1.79	61	440	3	0.35	<5	174	0.47	189	10	72
172475		0.79	2.18	1120	1	2.03	41	780	6	0.21	<5	203	0.51	153	10	75
172476		0.53	2.76	1285	<1	1.35	72	330	3	0.53	<5	150	0.41	185	10	50
172477 DUP		0.56	2.92	1320	<1	1.45	74	370	8	0.47	<5	161	0.43	196	10	50
172478		4.35	0.18	171	<1	2.25	3	150	39	0.01	<5	160	0.07	8	<10	24
172479		0.64	2.71	1325	<1	1.47	69	470	5	0.45	<5	146	0.46	173	10	64
172480		0.72	1.38	1400	<1	2.44	9	1860	5	0.35	<5	281	0.78	66	<10	121



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 28-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026856

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR															
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172481		2.44	0.060		<0.5	7.84	13	180	0.7	<2	4.62	<0.5	21	17	30	7.52
172482		2.68	0.044		<0.5	7.79	12	100	<0.5	<2	7.35	<0.5	34	119	112	7.05
172483		2.61	0.032		<0.5	7.38	8	110	<0.5	<2	11.15	<0.5	34	118	174	6.71
172484		2.85	0.053		<0.5	7.31	9	80	<0.5	<2	7.42	<0.5	37	270	118	6.74
172485		0.06	1.850		20.5	9.34	13	60	3.2	<2	0.39	<0.5	1	12	7	3.34
172486		2.65	0.041		<0.5	8.12	6	60	<0.5	<2	8.17	<0.5	31	130	162	7.10
172487		2.85	0.031		<0.5	7.99	15	90	<0.5	<2	8.26	<0.5	35	165	168	6.56
172488		2.77	0.018		<0.5	7.58	<5	120	<0.5	<2	7.46	<0.5	32	228	58	5.84
172489		2.58	0.021		0.6	8.46	9	100	<0.5	<2	7.22	<0.5	31	75	118	6.75
172490		2.50	0.067		0.6	7.70	14	90	<0.5	<2	7.49	<0.5	30	151	117	6.80
172491		2.63	0.380		<0.5	7.16	<5	90	<0.5	<2	7.05	<0.5	38	123	255	6.80
172492		2.63	0.008		<0.5	8.36	10	250	0.6	<2	5.91	<0.5	20	85	54	5.13
172493		2.57	1.585	1.355	<0.5	7.58	7	80	<0.5	<2	6.89	<0.5	39	132	164	7.12
172494 DUP		<0.02	0.558	1.310	<0.5	7.91	6	80	<0.5	<2	7.15	<0.5	37	128	142	7.27
172495		0.11	<0.005		<0.5	7.47	17	570	0.9	<2	0.99	<0.5	2	16	8	2.07
172496		2.46	0.028		<0.5	8.07	10	220	0.5	<2	6.32	<0.5	28	107	166	6.17
172497		2.60	0.141		<0.5	8.21	12	270	0.6	<2	5.72	<0.5	20	86	59	5.04
172498		2.56	0.152		<0.5	7.43	8	180	0.8	<2	5.61	<0.5	22	84	58	6.06
172499		2.48	0.012		<0.5	6.80	6	290	0.8	<2	3.14	<0.5	11	100	62	4.86
172500		2.56	0.011		<0.5	8.48	<5	200	0.6	<2	5.50	<0.5	22	54	30	6.21





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 28-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026856

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172481		0.73	1.49	1410	<1	2.39	12	1720	4	0.18	6	274	0.75	76	10	118
172482		0.45	3.10	1230	<1	1.68	73	380	7	0.40	<5	175	0.45	202	10	62
172483		0.50	3.10	1485	<1	1.43	69	320	2	0.53	<5	156	0.41	183	10	51
172484		0.55	4.38	1230	<1	1.37	175	390	7	0.42	<5	147	0.40	186	<10	53
172485		0.19	0.08	126	<1	7.6	5	680	143	3.51	<5	25	0.01	2	<10	21
172486		0.29	3.22	1295	<1	1.62	78	370	12	0.48	<5	175	0.45	206	10	65
172487		0.35	3.72	1230	<1	1.69	83	410	6	0.54	<5	247	0.37	172	10	55
172488		0.66	4.87	1165	<1	1.65	102	390	5	0.19	<5	219	0.31	150	10	63
172489		0.53	2.41	1230	<1	2.19	55	950	5	0.47	<5	348	0.52	182	10	60
172490		0.53	3.28	1315	<1	1.76	81	370	5	0.42	<5	172	0.43	192	10	65
172491		0.58	2.62	1185	<1	1.24	82	310	<2	0.76	<5	143	0.40	178	20	61
172492		0.77	2.43	939	<1	2.32	48	320	8	0.16	<5	241	0.33	138	10	59
172493		0.44	3.10	1245	<1	1.53	75	330	4	0.62	<5	163	0.42	201	<10	69
172494 DUP		0.45	3.19	1275	<1	1.57	71	350	4	0.52	<5	167	0.44	200	10	70
172495		3.90	0.22	193	<1	2.37	3	150	31	0.01	<5	186	0.09	9	<10	29
172496		0.79	2.71	1100	<1	1.84	70	330	2	0.49	<5	208	0.38	164	<10	66
172497		0.71	2.31	906	<1	2.14	44	300	4	0.17	<5	258	0.33	138	10	53
172498		0.62	2.54	1150	<1	1.99	48	480	8	0.23	<5	180	0.42	134	10	64
172499		0.80	1.45	879	<1	2.69	33	560	4	0.31	<5	221	0.30	32	<10	62
172500		0.76	1.96	891	<1	2.63	37	1390	4	0.13	<5	504	0.56	150	<10	58



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 19-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06026907

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 21-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 19-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026907**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
162781		2.73	0.180	<0.5	5.55	5	10	<0.5	<2	5.94	<0.5	69	1210	9	7.54	0.13
162782		3.10	0.136	<0.5	5.63	13	20	<0.5	<2	5.57	<0.5	73	1315	5	7.98	0.19
162783		3.25	0.073	<0.5	6.37	<5	100	<0.5	<2	6.05	<0.5	65	1055	32	7.12	0.46
162784		2.93	0.048	<0.5	6.83	<5	120	<0.5	<2	5.87	<0.5	59	828	16	6.13	0.55
162785		2.98	0.081	<0.5	7.14	<5	70	<0.5	<2	6.96	<0.5	49	498	22	7.68	0.51
162786 DUP		<0.02	0.081	<0.5	7.01	<5	70	<0.5	<2	6.85	<0.5	48	483	24	7.52	0.51
162787		2.96	0.028	<0.5	7.55	<5	100	<0.5	<2	6.89	<0.5	47	338	13	7.85	0.83
162788		2.81	0.022	<0.5	7.59	<5	140	<0.5	<2	6.32	<0.5	44	349	6	7.97	1.12
162789		2.36	0.065	<0.5	7.30	<5	110	<0.5	<2	6.43	<0.5	47	343	14	7.98	0.95
162790		2.19	0.142	<0.5	6.84	<5	80	<0.5	<2	6.25	<0.5	44	335	13	7.50	0.82
162791		0.11	<0.005	<0.5	6.99	<5	580	0.9	<2	0.86	<0.5	3	14	4	1.98	4.48
162792		2.33	0.028	<0.5	7.28	<5	90	<0.5	<2	6.90	<0.5	45	370	34	7.89	0.88
162793		2.71	0.011	<0.5	7.04	<5	90	<0.5	<2	7.05	<0.5	49	338	10	7.55	0.90
162794		2.41	0.007	<0.5	7.46	<5	70	<0.5	<2	6.39	<0.5	49	380	7	8.30	0.77
162795		2.42	0.029	<0.5	6.62	<5	20	<0.5	<2	8.48	<0.5	47	332	19	7.28	0.39
162796		3.07	0.135	<0.5	7.42	10	50	<0.5	<2	7.62	<0.5	47	351	11	8.31	0.60
162797		2.17	0.083	<0.5	7.17	<5	40	<0.5	<2	10.50	<0.5	44	303	76	8.06	0.46
162798		0.06	1.810	18.8	7.73	<5	50	3.2	<2	0.32	<0.5	2	2	6	2.66	0.20
162799		2.97	0.024	<0.5	7.51	<5	80	<0.5	<2	8.14	<0.5	48	329	13	8.03	0.75
162800		2.78	0.168	<0.5	7.84	<5	50	<0.5	<2	8.62	<0.5	47	345	29	8.02	0.50
162801		1.91	0.117	<0.5	8.01	<5	270	0.8	<2	4.00	<0.5	16	12	80	5.00	1.24
162802		3.28	0.614	<0.5	7.84	<5	140	0.5	<2	5.87	6.5	39	134	434	7.55	1.26
162803		2.42	0.354	<0.5	7.91	<5	130	<0.5	<2	7.03	<0.5	35	112	209	7.29	1.04
162804		2.65	0.060	<0.5	8.10	<5	150	<0.5	<2	6.63	<0.5	33	124	136	7.36	1.17
162805		2.59	0.256	<0.5	8.09	<5	180	<0.5	<2	7.39	<0.5	39	106	211	7.68	1.32
162806		2.11	1.305	<0.5	7.95	<5	170	<0.5	<2	6.65	<0.5	56	128	273	8.13	1.30
162807		3.06	0.267	0.7	7.49	<5	190	0.6	<2	6.30	<0.5	26	62	186	5.50	1.20
162808		2.82	0.059	<0.5	7.96	6	180	<0.5	<2	7.28	<0.5	42	123	345	7.41	1.36
162809 DUP		<0.02	0.070	<0.5	7.69	<5	160	<0.5	<2	7.16	<0.5	40	116	334	7.28	1.33
162810		2.52	0.137	<0.5	7.73	7	180	<0.5	<2	6.28	<0.5	40	149	299	7.03	1.23
162811		2.45	0.212	<0.5	7.74	<5	180	0.5	<2	6.90	<0.5	42	80	245	6.94	1.04
162812		2.56	2.67	<0.5	7.49	<5	100	<0.5	<2	6.49	<0.5	34	142	242	6.92	0.83
162813		0.14	<0.005	<0.5	7.05	<5	520	0.9	<2	0.76	<0.5	1	9	10	2.00	3.98
162814		2.73	0.368	<0.5	7.96	<5	170	<0.5	<2	6.95	<0.5	40	235	313	6.66	0.99
162815		2.36	0.379	0.6	7.91	<5	200	0.6	<2	5.20	<0.5	31	69	377	5.75	1.22
162816		2.50	0.304	<0.5	8.11	<5	120	<0.5	<2	6.60	<0.5	37	124	253	7.12	1.00
162817		2.48	0.046	<0.5	7.84	<5	120	<0.5	<2	7.13	<0.5	26	109	37	7.21	1.04
162818		2.38	0.023	<0.5	7.18	6	120	<0.5	<2	6.08	<0.5	30	98	24	6.64	1.13
162819		0.06	1.745	20.1	9.67	6	60	3.1	<2	0.36	<0.5	<1	4	6	2.86	0.18
162820		2.46	0.033	<0.5	8.00	<5	160	<0.5	<2	6.38	<0.5	29	106	31	7.28	1.24



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 19-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026907**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
162781		10.95	1340	1	0.34	653	200	3	0.04	<5	76	0.24	183	<10	75
162782		11.05	1290	1	0.32	667	190	2	0.03	<5	63	0.24	188	<10	83
162783		10.70	1215	1	0.52	646	440	<2	0.18	<5	139	0.24	162	<10	77
162784		9.24	1100	1	1.06	570	490	7	0.13	<5	218	0.22	138	<10	76
162785		6.62	1390	1	1.00	253	210	<2	0.06	<5	153	0.35	222	30	70
162786 DUP		6.34	1360	<1	1.02	233	210	7	0.06	<5	155	0.35	219	30	74
162787		5.47	1400	1	1.84	149	240	<2	0.02	<5	215	0.38	237	20	67
162788		5.93	1430	1	1.72	150	240	6	0.01	<5	188	0.38	238	10	63
162789		5.34	1430	1	1.88	156	250	7	0.03	<5	164	0.36	229	20	64
162790		5.25	1330	1	1.80	151	210	<2	0.03	<5	165	0.35	223	<10	59
162791		0.27	189	1	2.19	6	180	34	<0.01	5	161	0.09	12	<10	28
162792		5.22	1450	1	1.78	145	230	<2	0.04	<5	157	0.37	230	20	62
162793		5.28	1390	1	1.75	145	240	<2	0.01	<5	180	0.37	230	<10	63
162794		5.63	1500	1	2.05	148	250	<2	0.01	<5	160	0.39	243	<10	64
162795		4.82	1325	<1	1.92	135	220	2	0.04	<5	88	0.36	225	<10	57
162796		5.56	1485	<1	2.00	139	240	7	0.07	<5	98	0.38	239	<10	69
162797		5.20	1615	<1	0.97	130	230	5	0.52	<5	80	0.35	224	<10	152
162798		0.07	109	1	6.7	4	610	115	2.85	<5	21	0.02	2	<10	20
162799		5.16	1440	<1	1.53	138	250	6	0.03	10	182	0.37	229	<10	67
162800		4.84	1455	<1	1.59	128	240	<2	0.08	<5	169	0.37	235	10	86
162801		1.34	875	1	2.39	13	780	4	0.40	<5	207	0.46	130	<10	89
162802		3.19	1225	1	1.23	73	370	<2	1.01	<5	128	0.45	218	10	682
162803		3.16	1240	1	1.52	74	420	4	0.65	<5	144	0.44	210	<10	61
162804		3.39	1205	1	1.62	69	390	<2	0.47	<5	150	0.45	220	10	60
162805		3.37	1260	1	1.60	66	450	<2	0.69	<5	149	0.45	211	10	73
162806		3.32	1280	2	1.46	91	390	4	1.01	<5	140	0.45	210	<10	97
162807		1.96	943	1	1.84	37	690	2	0.60	<5	191	0.46	141	<10	59
162808		3.23	1210	1	1.41	80	390	5	0.86	<5	138	0.45	210	10	59
162809 DUP		3.14	1190	1	1.36	75	390	2	0.88	<5	133	0.43	203	10	59
162810		3.18	1105	1	1.42	79	470	2	0.79	<5	176	0.44	203	20	71
162811		2.29	1085	1	1.74	62	550	5	1.06	<5	175	0.45	178	10	65
162812		3.48	1185	1	1.44	68	390	6	0.60	<5	156	0.43	211	20	68
162813		0.15	176	1	2.20	5	150	40	0.01	<5	138	0.11	6	<10	30
162814		4.16	1180	1	1.82	113	580	8	0.69	<5	256	0.53	196	10	74
162815		1.73	871	<1	1.89	44	640	4	0.73	<5	194	0.54	166	<10	63
162816		3.43	1150	<1	1.38	70	390	8	0.60	<5	136	0.54	211	<10	71
162817		4.23	1340	<1	1.38	82	380	2	0.27	<5	134	0.43	205	<10	66
162818		3.84	1200	<1	1.14	93	350	6	0.18	<5	119	0.45	210	10	70
162819		0.07	116	<1	7.0	5	640	118	2.94	<5	23	0.01	1	<10	19
162820		4.28	1175	<1	1.56	100	390	3	0.10	<5	168	0.47	210	<10	68



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 19-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026907**

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
162821		2.71	0.021	<0.5	8.42	<5	230	<0.5	<2	6.53	<0.5	28	104	34	7.43	1.38
162822		2.23	0.185	<0.5	8.03	<5	210	0.7	<2	4.56	<0.5	19	58	42	5.09	1.04
162823		2.24	0.063	<0.5	8.35	<5	180	<0.5	<2	6.40	<0.5	31	109	2	7.23	1.50
162824		2.40	0.045	<0.5	7.69	<5	110	<0.5	<2	6.67	<0.5	25	91	4	6.61	0.88
162825		2.44	0.343	<0.5	7.29	6	110	<0.5	<2	6.10	<0.5	30	108	1	6.17	1.07
162826		4.01	0.026	<0.5	8.20	<5	280	<0.5	<2	5.69	<0.5	34	110	13	7.02	2.12
162827		0.12	<0.005	<0.5	7.33	<5	570	0.9	<2	1.02	<0.5	2	10	5	2.10	4.00
162828		2.23	0.021	<0.5	8.05	<5	340	0.7	<2	3.63	<0.5	17	37	30	5.26	2.41
162829		3.48	0.061	<0.5	8.27	<5	200	<0.5	<2	5.12	<0.5	30	112	34	7.34	1.62
162830		1.69	<0.005	<0.5	7.81	<5	270	0.8	<2	5.36	<0.5	28	252	10	5.76	1.37
162831		0.06	0.947	10.9	9.73	<5	50	3.0	<2	0.35	<0.5	<1	4	8	2.88	0.16
162832		2.55	<0.005	<0.5	8.15	<5	310	0.8	<2	3.74	<0.5	12	9	18	4.50	1.02
162833		2.70	0.257	<0.5	8.27	5	180	<0.5	<2	6.23	<0.5	28	108	12	6.78	1.22
162834		2.72	0.028	<0.5	7.95	<5	180	<0.5	<2	6.25	<0.5	28	164	22	6.78	1.22
162835		2.51	0.006	<0.5	8.21	6	130	<0.5	<2	6.65	<0.5	27	110	33	7.21	1.04
162836		2.45	1.255	<0.5	7.45	<5	70	<0.5	<2	6.76	<0.5	23	99	52	6.85	0.68
162837		3.37	0.070	<0.5	7.83	<5	150	<0.5	<2	7.63	<0.5	39	118	425	7.07	0.98
162838 DUP		<0.02	0.063	<0.5	8.05	<5	150	<0.5	<2	7.83	<0.5	43	134	480	7.32	1.08
162839		2.79	0.007	<0.5	6.85	8	450	1.2	<2	1.44	<0.5	3	11	72	1.80	0.81
162840		3.48	0.092	<0.5	7.44	6	150	<0.5	<2	7.54	<0.5	36	119	271	7.45	0.78
162841		2.64	0.090	<0.5	8.07	9	70	<0.5	<2	7.50	<0.5	44	126	153	8.16	0.43
162842		2.44	0.072	<0.5	8.37	7	80	<0.5	<2	8.72	<0.5	55	124	490	8.86	0.52
162843 DUP		<0.02	0.103	<0.5	8.09	<5	80	<0.5	<2	8.18	<0.5	53	122	454	8.49	0.53
162844		2.56	0.471	<0.5	7.93	9	80	<0.5	<2	8.15	<0.5	46	120	335	7.46	0.70
162845		2.46	0.068	<0.5	8.21	<5	110	<0.5	<2	7.29	<0.5	44	137	366	7.51	1.08
162846		2.37	0.127	<0.5	8.14	<5	140	<0.5	<2	6.14	<0.5	29	118	39	7.80	1.27
162847		2.62	0.005	<0.5	8.36	<5	130	<0.5	<2	6.20	<0.5	30	115	12	7.51	1.17
162848		2.50	0.074	<0.5	8.25	<5	160	0.5	<2	5.77	<0.5	26	97	62	6.84	1.08
162849		2.54	0.024	0.6	8.44	<5	130	<0.5	<2	6.81	<0.5	36	120	92	8.31	1.03
162850		2.36	0.040	<0.5	8.32	<5	130	<0.5	<2	6.41	<0.5	33	116	66	7.65	1.00
162851		2.39	0.036	<0.5	8.11	<5	140	<0.5	<2	6.27	<0.5	27	136	12	6.75	0.89
162852		2.60	0.275	<0.5	7.83	<5	150	<0.5	<2	6.00	<0.5	21	118	29	6.07	1.38
162853		2.20	0.186	<0.5	7.67	<5	420	0.8	<2	3.69	<0.5	15	66	37	4.43	1.41
162854		1.94	0.104	<0.5	8.33	<5	160	<0.5	<2	5.82	<0.5	26	126	230	7.27	1.44
162855		0.10	<0.005	<0.5	7.26	<5	580	0.9	<2	0.71	<0.5	1	13	6	2.26	4.27
162856		0.07	1.775	19.8	8.48	7	60	3.2	2	0.32	<0.5	<1	8	6	2.69	0.18
162857		2.31	0.020	<0.5	7.83	<5	160	0.7	<2	6.38	<0.5	31	114	182	7.76	1.36
162858		2.70	0.046	0.6	8.16	<5	200	0.5	<2	6.02	<0.5	40	130	164	7.70	1.32
162859		2.33	0.017	<0.5	7.92	<5	170	<0.5	<2	6.11	<0.5	28	106	30	7.01	1.32
162860		2.38	0.055	<0.5	8.18	<5	130	<0.5	<2	5.97	<0.5	22	112	30	6.93	1.12



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 19-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026907**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
162821		4.38	1270	<1	1.80	99	610	2	0.09	9	298	0.45	205	<10	86
162822		2.28	896	2	2.39	46	480	6	0.08	<5	197	0.37	110	<10	63
162823		4.45	1250	1	1.56	105	430	<2	0.01	<5	151	0.45	218	<10	78
162824		4.06	1180	<1	1.48	81	490	<2	0.03	<5	130	0.41	188	10	64
162825		3.81	1105	<1	1.38	90	340	3	<0.01	<5	122	0.43	208	10	75
162826		4.03	1215	<1	1.71	78	410	7	0.03	<5	160	0.46	220	<10	92
162827		0.24	196	1	2.31	7	170	35	<0.01	<5	158	0.13	11	<10	27
162828		1.80	825	1	2.53	19	880	6	0.24	<5	162	0.51	134	10	72
162829		3.87	1170	<1	1.78	57	450	7	0.08	<5	146	0.54	227	<10	142
162830		4.48	1035	1	1.84	142	1060	8	0.04	<5	308	0.44	164	<10	92
162831		0.07	37	<1	6.8	2	630	126	2.91	<5	23	0.01	1	<10	16
162832		1.12	647	1	2.53	12	920	5	0.10	5	242	0.46	101	<10	47
162833		4.34	1100	1	1.78	73	410	4	0.01	<5	163	0.46	216	<10	74
162834		4.50	1115	1	1.52	102	580	7	0.04	<5	186	0.44	204	<10	75
162835		4.04	1170	1	1.39	69	390	5	0.07	<5	144	0.49	211	<10	72
162836		3.65	1135	1	1.35	60	360	4	0.18	<5	141	0.51	205	<10	73
162837		2.63	1115	1	1.44	75	350	6	1.02	<5	154	0.50	210	10	63
162836 DUP		2.70	1150	1	1.48	79	370	6	1.12	<5	160	0.47	230	10	70
162839		0.16	185	1	3.31	2	80	6	0.33	<5	168	0.12	3	<10	16
162840		3.02	1175	1	1.22	75	370	<2	0.80	8	155	0.43	210	10	68
162841		3.51	1305	1	1.83	96	480	<2	0.49	<5	249	0.55	218	<10	91
162842		3.28	1320	<1	1.82	101	620	5	0.87	<5	267	0.63	221	10	89
162843 DUP		3.16	1260	<1	1.76	102	610	4	0.78	<5	254	0.62	217	10	86
162844		3.15	1165	1	1.60	75	380	<2	0.72	<5	178	0.45	217	10	64
162845		3.25	1255	1	1.40	83	380	3	0.81	<5	144	0.47	227	10	63
162846		4.24	1275	<1	1.32	82	390	<2	0.24	<5	131	0.44	209	10	77
162847		4.37	1325	<1	1.59	84	390	<2	0.05	<5	138	0.46	213	<10	70
162848		3.35	1180	1	1.64	58	530	4	0.23	<5	153	0.50	200	10	82
162849		4.33	1410	<1	1.56	96	510	6	0.29	<5	208	0.51	218	<10	89
162850		4.20	1290	1	1.58	89	440	2	0.20	<5	191	0.46	213	<10	76
162851		4.06	1205	1	1.62	79	470	2	0.12	<5	202	0.44	202	<10	63
162852		3.21	1170	2	0.95	62	390	6	0.29	<5	127	0.44	204	10	88
162853		2.06	763	1	2.17	41	480	6	0.17	<5	264	0.31	106	<10	63
162854		3.58	1195	2	1.18	64	360	36	0.64	<5	136	0.45	208	<10	176
162855		0.19	196	1	2.16	4	160	33	0.01	<5	152	0.08	8	<10	29
162856		0.06	114	<1	6.8	3	660	120	2.93	7	21	0.01	2	<10	20
162857		4.23	1190	<1	1.35	68	750	22	0.54	<5	141	0.47	213	<10	79
162858		4.21	1160	1	1.44	67	1190	6	0.56	<5	319	0.49	205	10	87
162859		4.04	1135	<1	1.34	69	660	2	0.15	<5	258	0.46	189	<10	73
162860		3.75	1255	<1	1.40	72	400	<2	0.16	<5	139	0.44	205	<10	63



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 19-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026907

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
162861		2.60	0.799	<0.5	8.14	<5	90	<0.5	<2	7.05	<0.5	23	111	97	6.66	1.16
162862		0.07	0.953	10.9	8.43	<5	50	3.2	<2	0.31	<0.5	<1	6	9	2.68	0.19
162863		2.33	0.462	0.7	8.06	6	180	<0.5	<2	6.20	<0.5	33	137	698	7.26	2.18
162864		2.38	0.422	0.5	8.48	<5	160	<0.5	<2	5.89	<0.5	38	132	350	7.64	1.71
162865		2.37	0.023	<0.5	8.37	<5	100	<0.5	<2	6.53	<0.5	36	118	75	7.49	0.96
162866		2.45	0.127	0.5	8.13	<5	90	<0.5	<2	6.63	<0.5	34	124	301	7.22	0.86
162867		2.31	0.835	0.8	8.81	<5	130	<0.5	<2	7.03	<0.5	40	140	230	8.06	1.16
162868		2.59	0.308	0.6	8.13	<5	100	<0.5	<2	5.35	<0.5	45	217	287	7.73	0.99
162869		2.54	0.265	0.8	8.82	<5	110	<0.5	<2	6.83	<0.5	34	170	140	7.98	0.90
162870		1.61	0.013	<0.5	6.56	<5	120	<0.5	<2	5.26	<0.5	25	99	51	5.72	0.85
162871 DUP		<0.02	0.014	<0.5	6.66	<5	130	<0.5	<2	5.15	<0.5	25	97	53	5.80	0.86
162872		1.90	0.007	<0.5	8.77	<5	330	1.0	<2	3.66	<0.5	16	5	32	4.88	1.31
162873		1.54	0.256	<0.5	8.05	<5	190	<0.5	<2	5.73	<0.5	32	208	94	7.23	1.06
162874		2.35	0.093	<0.5	7.93	<5	100	<0.5	<2	6.28	<0.5	32	230	75	6.96	0.65
162875		2.56	0.087	<0.5	8.50	<5	150	<0.5	<2	6.97	<0.5	42	334	97	7.91	0.88
162876		2.42	0.166	<0.5	7.63	<5	140	<0.5	<2	6.63	<0.5	43	542	104	7.50	1.26
162877		0.14	<0.005	<0.5	6.93	<5	530	0.9	<2	0.72	<0.5	<1	8	5	1.82	3.84
162878		2.65	0.239	0.8	7.89	<5	160	<0.5	<2	6.57	<0.5	46	323	403	7.72	1.16
162879		2.50	0.082	0.5	6.89	<5	120	0.5	<2	6.56	<0.5	52	564	230	7.33	0.84
162880		2.29	2.61	0.7	7.33	<5	130	<0.5	<2	5.80	<0.5	37	125	719	7.24	1.37



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 19-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026907

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
162861		3.65	1365	<1	1.03	95	430	<2	0.29	<5	125	0.46	213	10	55
162862		0.07	37	<1	6.8	1	630	119	2.92	<5	21	0.01	2	<10	17
162863		3.50	1540	<1	0.87	61	370	3	1.07	<5	108	0.44	220	10	61
162864		3.52	1460	<1	0.97	74	440	3	0.89	<5	114	0.47	212	10	62
162865		4.02	1370	<1	1.24	79	500	<2	0.31	<5	132	0.47	215	<10	64
162866		3.73	1375	1	1.14	71	390	2	0.34	<5	129	0.46	212	10	63
162867		4.24	1535	1	1.46	91	440	44	0.64	<5	116	0.49	237	10	79
162868		3.59	1215	1	1.95	106	400	10	0.74	<5	98	0.47	213	10	80
162869		4.10	1480	1	1.32	104	450	<2	0.40	<5	129	0.49	224	10	70
162870		2.94	1060	2	0.98	67	330	<2	0.22	<5	108	0.36	166	10	64
162871 DUP		2.99	1070	1	1.00	68	340	2	0.23	<5	109	0.37	169	10	64
162872		1.08	650	1	2.77	3	1050	2	0.11	<5	225	0.55	115	<10	45
162873		4.11	1335	<1	1.36	118	420	3	0.31	<5	131	0.44	207	<10	81
162874		4.42	1280	<1	1.37	120	420	<2	0.15	7	137	0.43	202	10	62
162875		5.50	1455	<1	1.54	176	510	4	0.21	<5	189	0.47	226	10	73
162876		6.59	1435	1	1.06	250	540	3	0.28	<5	200	0.39	203	<10	78
162877		0.19	163	<1	2.14	4	150	33	0.01	<5	143	0.08	7	<10	26
162878		5.15	1425	<1	1.24	172	470	5	0.65	<5	199	0.42	205	20	96
162879		6.50	1395	<1	1.18	215	850	3	0.41	<5	297	0.35	183	<10	80
162880		3.76	1455	<1	0.77	80	340	<2	0.60	<5	97	0.41	204	30	73





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 18-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06026908

Project: BLOCK A

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 21-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026908**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
162881		2.37	0.039			<0.5	7.99	5	100	<0.5	<2	6.62	<0.5	34	112	195
162882		3.31	0.144			<0.5	8.05	<5	120	<0.5	<2	6.22	<0.5	46	124	476
162883		1.96	0.118			<0.5	7.75	<5	250	1.0	<2	2.77	<0.5	10	12	75
162884		2.11	0.358				1.1	7.65	9	130	<0.5	6.27	<0.5	34	108	702
162885 DUP		<0.02	0.356			0.9	7.33	<5	130	<0.5	<2	6.08	<0.5	35	113	730
162886		2.41	0.620			<0.5	7.03	<5	80	<0.5	<2	5.93	<0.5	55	152	917
162887		2.56	0.083			<0.5	7.46	<5	140	<0.5	<2	5.87	<0.5	37	218	421
162888		2.89	1.945			<0.5	7.92	6	270	<0.5	<2	6.81	<0.5	34	158	189
162889		2.91	0.452			<0.5	7.14	<5	180	<0.5	<2	6.97	<0.5	43	565	166
162890		2.77	0.361			<0.5	5.82	<5	20	<0.5	<2	6.20	<0.5	50	1290	5
162891		1.73	0.328			<0.5	6.38	6	120	<0.5	<2	5.78	<0.5	38	929	10
162892		0.05	1.730			17.1	7.52	<5	50	3.1	<2	0.29	0.6	<1	7	6
162893		3.21	0.067			<0.5	7.44	<5	320	1.0	<2	3.41	<0.5	20	242	41
162894		2.42	0.029			<0.5	6.94	<5	630	1.2	<2	1.70	<0.5	7	94	24
162895		2.32	0.884			<0.5	6.13	<5	520	1.2	2	1.26	<0.5	3	27	22
162896		2.11	0.835			<0.5	6.67	<5	400	0.9	<2	2.13	<0.5	10	357	15
162897		2.41	0.051			<0.5	6.53	<5	620	1.2	<2	0.98	<0.5	1	10	30
162898		2.21	0.119			<0.5	7.16	<5	720	1.2	<2	1.16	<0.5	1	10	34
162899		0.12	<0.005			<0.5	7.04	<5	540	0.9	<2	0.97	<0.5	1	15	5
162900		1.22	0.026			<0.5	6.52	<5	610	1.1	<2	1.06	<0.5	<1	12	28
162901		2.85	1.395			<0.5	4.99	<5	100	<0.5	<2	4.74	<0.5	41	1320	95
162902		2.42	0.032			<0.5	6.98	<5	550	1.1	<2	1.20	<0.5	<1	25	19
162903		2.19	0.234			<0.5	6.69	<5	160	<0.5	<2	5.49	<0.5	38	915	18
162904		2.42	5.72			<0.5	7.30	<5	210	<0.5	<2	5.38	<0.5	33	235	21
162905		2.44	0.046			<0.5	7.78	<5	160	<0.5	<2	6.50	<0.5	30	190	9
162906		2.26	0.029			<0.5	8.00	8	120	<0.5	<2	7.05	<0.5	37	262	23
162907		3.10	0.013			<0.5	7.22	<5	190	<0.5	<2	7.35	<0.5	42	432	44
162908		2.78	0.049			<0.5	7.34	<5	130	<0.5	<2	6.78	<0.5	39	313	45
162909 DUP		<0.02	0.049			<0.5	7.43	<5	120	<0.5	<2	6.92	<0.5	41	305	45
162910		2.80	1.230			<0.5	7.94	10	120	<0.5	<2	6.05	<0.5	37	258	25
162911		2.71	0.070			<0.5	7.81	5	200	<0.5	<2	6.67	<0.5	34	272	4
162912		2.68	0.111			<0.5	7.62	<5	80	<0.5	2	6.80	<0.5	37	364	10
162913		2.42	0.128			<0.5	6.41	<5	50	<0.5	<2	6.17	<0.5	51	817	25
162914		0.10	<0.005			<0.5	7.05	8	530	0.9	<2	0.99	<0.5	2	39	9
162915		3.08	0.071			<0.5	6.12	<5	80	<0.5	<2	5.95	<0.5	63	979	4
162916		1.46	0.081			<0.5	7.99	<5	240	0.6	<2	5.52	<0.5	44	542	24
162917		2.28	0.016			<0.5	9.00	<5	560	0.9	<2	6.18	<0.5	32	167	42
162918		2.55	0.277			<0.5	6.04	<5	40	<0.5	<2	6.12	<0.5	56	1000	6
162919		0.06	0.977				10.4	8.85	11	50	3.3	0.35	<0.5	<1	14	9
162920		2.67	0.322			<0.5	6.09	<5	40	<0.5	<2	6.42	<0.5	61	1045	4



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026908

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
162881		7.04	0.88	3.95	1245	<1	1.17	64	370	12	0.17	<5	124	0.45	212	10
162882		7.05	1.17	3.56	1225	<1	1.17	84	370	16	0.65	<5	116	0.44	198	20
162883		3.65	0.95	0.71	454	<1	2.79	8	550	7	0.29	<5	191	0.33	53	10
162884		6.52	1.18	3.35	1185	<1	1.01	64	360	5	0.48	<5	109	0.41	185	10
162885 DUP		6.29	1.15	3.19	1135	<1	0.99	64	340	8	0.49	<5	103	0.40	182	20
162886		7.31	1.03	3.36	1180	<1	1.00	123	310	10	0.87	<5	96	0.39	195	50
162887		6.92	1.55	3.49	1245	<1	0.73	105	350	3	0.67	<5	87	0.40	182	10
162888		7.16	1.85	3.94	1375	<1	0.79	90	380	7	0.46	<5	104	0.43	204	10
162889		8.18	1.55	6.20	1565	<1	0.68	279	310	9	0.59	<5	145	0.36	190	20
162890		8.35	0.70	11.35	1505	<1	0.44	690	220	7	0.03	<5	34	0.24	170	10
162891		8.88	1.85	8.85	1475	<1	0.80	493	940	12	0.13	<5	120	0.38	176	<10
162892		2.43	0.19	0.07	95	<1	6.3	11	540	110	2.55	<5	20	0.01	2	<10
162893		4.55	1.64	2.65	700	<1	2.23	78	680	7	0.23	<5	210	0.34	75	<10
162894		2.17	1.42	0.83	300	<1	3.18	26	130	11	0.15	<5	152	0.12	15	<10
162895		1.90	1.44	0.33	254	<1	2.73	11	180	6	0.13	<5	122	0.15	7	10
162896		3.69	1.89	2.46	634	<1	2.48	146	140	12	0.09	<5	113	0.15	43	<10
162897		1.71	1.49	0.10	166	2	3.17	1	70	11	0.24	<5	119	0.09	1	<10
162898		1.74	1.53	0.10	164	1	3.44	4	80	6	0.27	<5	135	0.10	1	10
162899		2.03	4.10	0.26	186	<1	2.22	6	160	36	0.01	<5	156	0.08	9	<10
162900		1.69	1.48	0.14	163	<1	3.05	4	90	2	0.21	<5	120	0.09	1	<10
162901		9.28	2.33	9.48	1560	<1	0.25	572	160	11	0.83	<5	18	0.25	155	<10
162902		1.88	1.86	0.28	188	1	2.95	10	100	7	0.13	<5	133	0.10	3	<10
162903		8.03	1.11	8.25	1460	<1	1.31	399	390	7	0.13	<5	92	0.29	163	10
162904		8.84	1.53	5.35	1170	<1	1.07	117	260	3	0.19	<5	113	0.36	220	10
162905		6.44	1.27	4.98	1195	<1	1.06	74	270	8	0.06	<5	132	0.39	232	<10
162906		6.91	0.85	5.62	1240	<1	1.23	91	350	5	0.05	<5	183	0.38	224	<10
162907		6.19	0.90	6.97	1150	<1	1.22	169	450	13	0.06	<5	224	0.29	171	<10
162908		6.94	1.00	5.17	1205	<1	1.10	96	290	10	0.23	<5	158	0.36	211	20
162909 DUP		6.96	0.96	5.16	1210	<1	1.13	97	310	8	0.24	<5	163	0.37	219	20
162910		7.42	0.76	5.63	1255	<1	1.67	116	250	12	0.16	<5	89	0.38	231	<10
162911		6.92	0.94	5.50	1180	<1	1.17	87	250	11	0.03	<5	82	0.38	237	<10
162912		7.12	0.72	6.11	1260	<1	1.29	149	270	12	0.06	<5	94	0.37	228	<10
162913		7.61	0.95	9.14	1360	<1	0.47	428	250	7	0.13	<5	118	0.28	198	<10
162914		2.76	4.28	0.34	246	1	2.17	15	160	36	0.01	<5	153	0.08	11	<10
162915		7.28	0.76	9.90	1315	<1	0.46	492	270	14	0.02	<5	155	0.22	176	<10
162916		6.10	1.23	6.94	1060	1	1.42	316	610	12	0.16	<5	281	0.32	156	<10
162917		4.22	1.98	5.15	720	<1	1.96	189	1150	8	0.27	<5	637	0.28	101	<10
162918		7.14	0.48	10.30	1360	<1	0.37	578	290	13	0.04	<5	212	0.24	160	10
162919		2.84	0.20	0.08	38	<1	7.5	5	640	128	2.90	<5	22	0.01	2	<10
162920		7.77	0.73	10.45	1455	<1	0.36	568	360	6	0.02	<5	164	0.31	190	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026908

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
162881		65
162882		75
162883		37
162884		91
162885 DUP		90
162886		65
162887		59
162888		64
162889		74
162890		102
162891		116
162892		19
162893		52
162894		24
162895		28
162896		57
162897		37
162898		16
162899		27
162900		15
162901		124
162902		30
162903		82
162904		78
162905		55
162906		53
162907		59
162908		52
162909 DUP		53
162910		71
162911		64
162912		72
162913		92
162914		28
162915		82
162916		80
162917		62
162918		70
162919		17
162920		85



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026908

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61		
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	
162921		2.52	0.147			<0.5	6.47	<5	70	<0.5	<2	6.11	<0.5	67	882	91	
162922		2.65	2.05			<0.5	5.79	<5	40	<0.5	<2	6.25	<0.5	62	1075	35	
162923		3.73	0.055			<0.5	5.49	<5	50	<0.5	<2	5.96	<0.5	64	1130	29	
162924		2.10	0.009			<0.5	9.40	<5	660	0.7	<2	2.01	<0.5	4	23	8	
162925		3.97	0.691			<0.5	6.33	<5	20	<0.5	<2	6.12	<0.5	65	1220	16	
162926		3.04	0.364			<0.5	5.79	<5	50	<0.5	<2	6.19	<0.5	50	916	33	
162927		2.93	0.495			<0.5	5.03	<5	40	<0.5	<2	4.66	<0.5	55	1160	56	
162928 DUP		<0.02	0.540			<0.5	4.97	<5	40	<0.5	<2	4.71	<0.5	54	1155	55	
162929		0.13	<0.005			<0.5	7.30	<5	560	1.1	<2	0.83	<0.5	4	42	17	
162930		2.04	0.161			<0.5	6.08	9	10	<0.5	<2	5.45	<0.5	67	1240	30	
162931		1.77	0.040			<0.5	9.12	<5	580	0.8	<2	1.75	<0.5	5	37	22	
162932		2.33	0.171			<0.5	5.58	<5	10	<0.5	<2	5.92	<0.5	69	1230	25	
162933		1.86	0.157			<0.5	5.96	<5	<10	<0.5	<2	6.16	<0.5	68	1180	11	
162934		2.35	0.024			<0.5	6.36	<5	70	<0.5	<2	5.80	<0.5	62	1115	15	
162935		0.06	1.735			<0.5	18.3	8.56	8	60	3.2	<2	0.34	<0.5	<1	12	5
162936		2.04	0.188			<0.5	7.57	16	220	<0.5	<2	5.75	<0.5	50	360	26	
162937		2.84	0.882			<0.5	7.72	10	180	<0.5	<2	6.83	<0.5	39	309	15	
162938		1.46	0.139			<0.5	6.82	<5	390	1.1	<2	0.76	<0.5	3	29	14	
162939		3.48	0.011			<0.5	8.01	<5	70	<0.5	<2	7.13	<0.5	47	316	35	
162940		2.72	0.014			<0.5	7.82	<5	50	<0.5	<2	7.90	<0.5	47	344	25	
162941		2.82	0.005			<0.5	7.28	<5	50	<0.5	<2	7.77	<0.5	44	341	21	
162942		2.58	0.107			<0.5	7.24	10	60	<0.5	<2	7.74	<0.5	48	340	179	
162943		2.48	0.018			<0.5	7.75	<5	50	<0.5	<2	7.33	<0.5	48	359	123	
162944		2.87	0.297			<0.5	7.52	<5	50	<0.5	<2	7.95	<0.5	61	370	493	
162945		2.51	0.012			<0.5	7.81	<5	50	<0.5	<2	7.40	<0.5	48	351	24	
162946		2.81	0.045			<0.5	7.45	<5	50	<0.5	<2	7.95	<0.5	45	347	15	
162947 DUP		<0.02	0.070			<0.5	6.95	<5	50	<0.5	<2	7.42	<0.5	40	357	15	
162948		2.48	0.050			<0.5	7.52	<5	40	<0.5	<2	6.85	<0.5	43	369	15	
162949		2.69	1.905			<0.5	7.62	<5	40	<0.5	<2	7.66	<0.5	46	347	40	
162950		2.46	0.188			<0.5	7.55	<5	40	<0.5	<2	8.27	<0.5	45	348	13	
162951		2.57	0.176			<0.5	7.98	<5	50	<0.5	<2	8.03	<0.5	48	362	8	
162952		2.31	0.308			0.6	7.55	<5	60	<0.5	<2	7.26	<0.5	49	343	102	
162953		2.81	0.328			<0.5	7.80	5	40	<0.5	<2	8.16	<0.5	42	352	13	
162954		0.05	0.952			10.7	8.75	<5	50	3.3	<2	0.33	<0.5	<1	8	9	
182955		2.29	0.176			<0.5	8.10	<5	40	<0.5	<2	8.43	<0.5	50	383	8	
182956		2.99	>10.0		12.90	0.7	7.97	<5	50	<0.5	<2	8.06	<0.5	48	366	108	
182957		2.75	0.276			<0.5	8.44	<5	50	<0.5	<2	8.34	<0.5	48	386	22	
182958		2.83	0.069			<0.5	8.23	<5	40	<0.5	<2	9.24	<0.5	46	363	20	
182959		0.09	0.047	0.039		<0.5	6.81	<5	520	0.8	<2	0.87	<0.5	2	19	13	
182960		2.41	1.040			<0.5	8.46	<5	50	<0.5	<2	8.93	<0.5	49	388	13	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026908

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
162921		8.24	1.16	9.36	1505	<1	0.32	526	820	10	0.46	<5	336	0.42	189	10
162922		8.27	1.04	11.55	1525	<1	0.34	654	210	28	0.20	<5	64	0.27	178	<10
162923		7.36	1.11	10.80	1330	2	0.32	659	190	58	0.17	<5	74	0.25	168	10
162924		1.24	1.81	0.56	148	<1	3.25	13	210	5	0.06	<5	270	0.09	19	<10
162925		8.23	0.56	11.60	1435	<1	0.37	708	190	19	0.07	<5	102	0.26	184	<10
162926		7.86	0.72	10.05	1610	<1	0.35	545	230	28	0.18	5	159	0.23	143	10
162927		7.57	0.37	9.56	1325	<1	0.22	612	170	69	0.27	<5	53	0.24	158	<10
162928 DUP		7.59	0.37	9.59	1335	<1	0.22	617	170	76	0.23	<5	52	0.24	158	10
162929		2.66	4.92	0.27	241	1	2.24	18	160	37	0.01	<5	149	0.10	12	<10
162930		7.69	0.14	11.35	1355	<1	0.27	668	200	4	0.09	<5	77	0.27	188	<10
162931		1.24	1.32	0.70	160	<1	3.85	18	220	14	0.08	<5	253	0.09	23	<10
162932		7.39	0.22	11.20	1340	<1	0.31	676	180	9	0.09	<5	61	0.25	172	<10
162933		7.60	0.08	11.80	1330	<1	0.36	680	180	7	0.02	<5	52	0.24	177	10
162934		7.06	0.58	10.85	1240	<1	0.47	644	290	5	0.03	<5	128	0.23	165	<10
162935		2.73	0.19	0.09	109	<1	7.0	6	630	121	2.83	<5	23	0.01	2	<10
162936		7.07	2.04	6.28	1290	<1	1.06	163	240	11	0.12	<5	226	0.36	232	10
162937		6.58	1.50	5.46	1260	<1	1.46	145	300	6	0.06	<5	216	0.37	223	20
162938		1.62	2.03	0.42	350	1	1.85	10	20	6	0.21	<5	70	0.05	13	10
162939		7.65	0.69	5.70	1405	<1	1.29	126	240	<2	0.02	<5	111	0.38	237	<10
162940		7.93	0.44	5.51	1435	1	1.53	137	250	2	0.03	<5	157	0.36	237	<10
162941		7.71	0.42	5.22	1415	<1	1.42	141	220	<2	0.03	<5	146	0.35	223	10
162942		7.65	0.53	5.03	1475	1	1.47	236	250	<2	0.26	<5	142	0.35	229	320
162943		7.76	0.57	5.05	1415	<1	1.84	138	220	<2	0.05	<5	177	0.37	237	10
162944		7.63	0.52	4.46	1355	1	1.87	196	260	<2	0.22	<5	157	0.36	226	50
162945		7.83	0.44	5.23	1450	<1	1.76	142	260	<2	0.06	<5	156	0.38	241	<10
162946		7.84	0.51	4.85	1445	<1	1.51	144	250	<2	0.05	<5	90	0.39	232	70
162947 DUP		7.39	0.49	4.53	1355	<1	1.40	134	230	<2	0.05	<5	86	0.36	218	80
162948		7.76	0.41	5.12	1455	<1	1.40	144	240	<2	0.05	<5	135	0.38	227	<10
162949		7.88	0.25	4.98	1490	<1	1.36	145	240	<2	0.06	<5	134	0.38	228	<10
162950		7.79	0.26	4.80	1475	<1	1.39	142	250	<2	0.03	<5	143	0.38	224	<10
162951		8.37	0.30	5.62	1570	1	1.54	153	270	<2	0.01	<5	142	0.41	247	<10
162952		8.09	0.45	5.32	1490	<1	1.30	150	240	<2	0.07	<5	110	0.39	237	<10
162953		7.69	0.26	4.69	1450	<1	1.42	143	260	<2	0.03	<5	149	0.40	241	<10
162954		3.04	0.18	0.07	38	1	6.8	3	640	129	3.32	<5	19	0.01	2	<10
162955		8.69	0.31	5.58	1610	<1	1.54	165	280	<2	0.02	<5	154	0.42	254	<10
162956		8.17	0.38	4.99	1530	<1	1.47	148	260	<2	0.11	<5	142	0.41	243	<10
162957		8.53	0.36	4.87	1580	<1	1.59	150	280	7	0.05	<5	164	0.43	259	<10
162958		8.16	0.34	4.65	1585	<1	1.38	147	270	<2	0.06	<5	169	0.42	255	<10
162959		3.08	3.76	0.24	280	1	1.98	7	170	30	<0.01	<5	148	0.09	11	<10
162960		8.48	0.46	5.09	1670	<1	1.50	158	280	<2	0.06	<5	169	0.43	262	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026908

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
162921		96
162922		165
162923		190
162924		37
162925		96
162926		112
162927		390
162928 DUP		414
162929		50
162930		63
162931		40
162932		85
162933		78
162934		74
162935		21
162936		65
162937		65
162938		34
162939		65
162940		64
162941		65
162942		69
162943		66
162944		62
162945		67
162946		90
162947 DUP		76
162948		63
162949		68
162950		67
162951		71
162952		70
162953		65
162954		18
162955		71
162956		74
162957		95
162958		84
162959		30
162960		76



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 18-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026908

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
162961		2.05	0.632			<0.5	8.24	<5	50	<0.5	<2	10.35	<0.5	48	329	13
162962		2.42	0.032			<0.5	8.45	<5	60	<0.5	<2	8.28	<0.5	50	378	11
162963		1.80	0.191			<0.5	7.91	<5	170	<0.5	<2	7.58	<0.5	45	327	119
162964		3.19	0.017			<0.5	7.43	<5	530	1.4	<2	1.22	<0.5	1	10	13
162965		0.10	<0.005			<0.5	7.22	<5	590	0.9	<2	0.72	<0.5	2	19	14
162966		2.02	0.307			<0.5	7.85	<5	150	<0.5	<2	8.58	<0.5	43	347	104
162967		2.44	0.020			<0.5	7.84	<5	180	0.5	<2	6.85	<0.5	42	287	33
162968		2.82	0.071			<0.5	8.15	<5	90	<0.5	<2	8.73	<0.5	46	325	32
162969		2.78	0.088			<0.5	8.48	<5	140	<0.5	<2	7.82	<0.5	46	289	26
162970		2.25	0.034			<0.5	8.47	<5	200	0.5	<2	5.93	<0.5	37	165	29
162971		2.48	0.427	0.311		<0.5	7.26	<5	60	<0.5	<2	7.45	<0.5	43	311	29
162972		2.52	1.705	1.005		<0.5	6.92	<5	50	<0.5	<2	6.65	<0.5	42	331	98
162973 DUP		<0.02	0.885	1.255		0.5	7.07	<5	60	<0.5	<2	6.73	<0.5	43	318	104
162974		2.81	0.238	0.163		<0.5	7.07	<5	30	<0.5	<2	9.43	<0.5	42	289	55
162975		2.70	0.821			<0.5	7.57	<5	60	<0.5	<2	8.25	<0.5	50	314	102
162976		2.46	0.963			0.6	7.73	<5	70	<0.5	<2	8.09	0.8	43	354	134
162977		2.43	0.143			<0.5	7.57	<5	40	<0.5	<2	10.15	<0.5	44	310	13
182978		0.06	1.810			20.1	8.85	<5	60	3.3	<2	0.33	0.5	<1	4	6
162979		2.48	0.085			<0.5	8.24	<5	170	<0.5	<2	8.13	<0.5	50	459	37
162980		2.94	0.240			<0.5	8.38	<5	100	<0.5	<2	8.66	<0.5	51	388	63
162981		2.29	0.246			<0.5	8.52	<5	70	<0.5	<2	8.91	<0.5	54	391	108
162982		2.47	0.035			<0.5	6.74	<5	130	<0.5	<2	12.70	<0.5	40	290	63
162983		2.61	0.046			<0.5	6.15	<5	50	0.5	<2	6.06	<0.5	57	853	36
162984		2.59	0.456			<0.5	9.11	<5	80	<0.5	<2	7.57	<0.5	50	152	178
162985		2.23	0.196			<0.5	7.80	<5	70	<0.5	<2	8.34	<0.5	48	114	209
162986		2.81	0.034			<0.5	8.70	8	100	0.5	<2	7.49	<0.5	45	136	146
162987		2.32	0.016			<0.5	8.79	<5	60	<0.5	<2	7.48	<0.5	40	120	60
162988		2.65	0.133			<0.5	8.30	<5	100	<0.5	<2	7.87	<0.5	51	124	201
162989 DUP		<0.02	0.082			<0.5	8.27	<5	100	<0.5	<2	8.17	<0.5	52	125	209
162990		2.35	0.112			<0.5	8.97	<5	140	<0.5	<2	9.60	<0.5	51	134	279
162991		2.29	0.062			<0.5	8.59	<5	60	<0.5	<2	7.45	<0.5	39	117	105
162992		2.71	0.024			<0.5	7.57	<5	140	0.5	<2	6.92	<0.5	42	457	93
182993		0.14	0.009			<0.5	7.47	<5	590	1.0	<2	0.82	<0.5	1	9	9
162994		2.55	0.014			<0.5	9.04	<5	120	<0.5	<2	7.31	<0.5	40	128	85
162995		1.54	0.044			<0.5	8.46	<5	330	0.7	<2	5.67	<0.5	40	86	172
182996		3.19	0.110			<0.5	9.15	<5	390	0.7	<2	5.45	<0.5	26	71	223
162997		2.71	0.023			<0.5	9.05	7	170	<0.5	<2	7.35	<0.5	51	149	295
182998		0.06	0.956			11.5	9.06	<5	50	3.5	<2	0.33	<0.5	<1	7	9
162999		2.24	0.021			<0.5	8.31	<5	260	0.6	<2	6.01	<0.5	32	75	182
183000		2.65	0.017			0.5	8.82	<5	160	<0.5	<2	10.35	<0.5	45	110	189





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026908**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
162961		8.41	0.44	5.50	1605	<1	1.53	147	260	<2	0.02	<5	150	0.41	250	<10
162962		8.61	0.54	5.50	1540	<1	1.49	158	270	<2	0.02	<5	160	0.42	257	<10
162963		8.05	1.29	5.28	1595	<1	1.17	144	240	<2	0.29	7	153	0.39	231	<10
162964		1.82	1.28	0.14	275	1	3.48	3	90	2	0.12	<5	146	0.10	3	<10
162965		2.76	4.30	0.19	237	1	2.07	5	190	33	<0.01	<5	152	0.25	11	<10
162966		8.15	1.40	4.96	1825	<1	0.98	130	250	<2	0.31	<5	130	0.40	235	<10
162967		7.12	0.84	5.22	1395	<1	1.71	190	640	<2	0.22	<5	244	0.41	191	<10
162968		7.97	0.49	4.63	1570	<1	1.41	148	350	<2	0.14	<5	303	0.42	245	<10
162969		8.56	0.70	4.36	1595	<1	1.72	128	800	<2	0.14	<5	218	0.54	225	<10
162970		8.41	1.02	3.48	1580	1	2.22	78	1100	<2	0.13	<5	200	0.72	175	<10
162971		7.38	0.54	5.24	1390	<1	1.07	155	230	6	0.04	<5	120	0.37	219	<10
162972		7.18	0.51	4.66	1305	<1	1.17	131	220	2	0.22	<5	115	0.36	208	<10
162973 DUP		7.35	0.52	4.78	1330	<1	1.19	134	230	5	0.21	<5	117	0.37	210	<10
162974		7.12	0.26	4.34	1335	<1	0.96	190	230	2	0.12	<5	143	0.36	208	10
162975		8.07	0.43	4.87	1620	<1	1.19	153	260	<2	0.22	6	135	0.59	211	<10
162976		8.00	0.59	4.58	1625	<1	1.23	138	240	<2	0.53	<5	140	0.40	232	<10
162977		7.64	0.31	4.54	1510	<1	1.22	148	240	<2	0.04	<5	164	0.39	226	<10
162978		2.78	0.19	0.07	125	<1	6.9	4	650	119	3.04	<5	21	0.08	3	<10
162979		8.06	0.55	5.64	1510	<1	1.55	196	470	2	0.14	<5	289	0.44	218	<10
162980		6.51	0.51	5.03	1615	<1	1.33	164	330	<2	0.18	<5	194	0.42	242	<10
162981		8.82	0.46	5.06	1665	<1	1.53	160	290	<2	0.30	5	154	0.43	260	<10
162982		7.00	0.63	4.75	1665	<1	1.03	152	280	<2	0.32	<5	232	0.32	195	10
162983		6.54	0.37	10.70	1285	<1	0.80	643	720	<2	0.18	5	152	0.23	152	<10
162984		8.44	0.43	3.61	1360	<1	1.90	91	430	4	0.64	<5	194	0.53	250	<10
162985		7.78	0.45	3.37	1370	1	1.39	78	360	<2	0.71	<5	168	0.45	214	<10
162986		7.75	0.58	3.48	1350	1	1.63	91	420	<2	0.54	<5	180	0.50	233	<10
162987		7.77	0.40	3.75	1385	1	1.72	80	410	<2	0.21	<5	178	0.49	231	<10
162988		8.65	0.63	3.81	1450	1	1.47	102	390	<2	0.87	<5	142	0.47	221	10
162989 DUP		8.65	0.65	3.92	1495	<1	1.53	98	410	<2	0.69	<5	147	0.48	226	<10
162990		8.52	0.77	3.53	1580	1	1.66	80	460	<2	0.81	<5	184	0.52	243	<10
162991		7.72	0.40	3.54	1335	1	1.65	81	430	<2	0.33	7	177	0.49	234	<10
162992		7.22	0.64	5.43	1350	<1	1.40	148	650	<2	0.22	<5	363	0.43	207	<10
162993		1.38	4.26	0.24	142	<1	2.20	2	170	32	<0.01	<5	188	0.09	10	<10
162994		8.03	0.64	3.86	1365	1	1.95	89	450	<2	0.26	<5	210	0.53	243	<10
162995		6.76	1.49	2.36	1180	1	1.93	58	700	<2	0.48	<5	180	0.52	166	<10
162996		4.93	1.25	1.73	807	<1	2.74	47	460	3	0.64	<5	289	0.34	118	<10
162997		7.98	0.97	3.21	1320	<1	1.67	90	440	<2	0.75	<5	186	0.52	242	<10
162998		2.89	0.20	0.07	38	<1	7.2	1	690	124	3.19	<5	21	0.01	2	<10
162999		6.29	1.10	2.19	1245	1	1.89	54	670	<2	0.38	<5	198	0.49	164	<10
163000		6.29	0.82	3.49	1655	<1	1.84	78	810	<2	0.58	<5	309	0.58	235	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026908

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
162961		66
162962		69
162963		124
162964		23
162965		32
162966		130
162967		94
162968		73
162969		89
162970		114
162971		67
162972		65
162973 DUP		67
162974		56
162975		88
162976		255
162977		70
162978		22
162979		97
162980		87
162981		75
162982		74
162983		74
162984		79
162985		68
162986		70
162987		71
162988		75
162989 DUP		77
162990		70
162991		67
162992		72
162993		31
162994		74
162995		122
162996		100
162997		88
162998		18
162999		100
163000		89



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 20-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06026909

Project: BLOCK A

P.O. No.:

This report is for 60 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 21-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 3 (A - B)

Finalized Date: 20-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026909

Sample Description	Method Analyte Units LOA	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
171761		2.25	0.208		<0.5	7.43	<5	50	<0.5	<2	6.93	<0.5	38	121	89	6.77
171762		2.53	7.43		<0.5	6.77	<5	50	<0.5	2	6.14	<0.5	33	111	178	6.16
171763		2.62	0.109		<0.5	7.84	<5	50	<0.5	<2	6.35	<0.5	37	108	149	7.04
171764		2.58	0.015		<0.5	7.68	<5	40	<0.5	<2	7.00	<0.5	32	107	18	6.68
171765		2.35	0.197		<0.5	7.59	<5	50	<0.5	3	6.83	<0.5	30	120	54	6.36
171768		0.06	1.860		18.1	7.57	<5	50	3.1	2	0.32	<0.5	1	5	4	2.75
171767		2.42	0.017		<0.5	8.04	<5	230	0.6	<2	5.75	<0.5	26	127	79	5.58
171768		2.58	0.017		<0.5	7.42	<5	50	<0.5	<2	6.96	<0.5	38	173	99	7.32
171769		2.20	0.030		<0.5	7.36	<5	70	<0.5	<2	7.01	<0.5	40	170	160	7.17
171770		2.25	0.030		<0.5	8.20	<5	120	<0.5	<2	7.02	<0.5	47	146	128	7.46
171771		2.63	0.014		<0.5	8.20	<5	160	<0.5	<2	6.17	<0.5	37	150	47	6.27
171772		2.56	0.073		<0.5	7.78	<5	80	<0.5	<2	7.02	<0.5	39	174	72	7.23
171773 DUP		<0.02	0.099		<0.5	7.89	9	90	<0.5	<2	6.89	<0.5	37	179	73	7.17
171774		0.07	<0.005		<0.5	6.28	<5	540	0.8	<2	2.01	<0.5	1	10	4	1.91
171775		2.42	0.169		<0.5	7.52	<5	100	<0.5	<2	6.68	<0.5	44	168	132	7.42
171776		2.59	0.200		<0.5	7.65	<5	100	0.5	<2	6.79	<0.5	48	202	110	7.36
171777		2.39	0.225		<0.5	8.05	<5	100	<0.5	<2	6.83	<0.5	51	180	174	7.73
171778		2.38	0.023		<0.5	7.94	<5	80	<0.5	<2	6.89	<0.5	41	162	67	7.30
171779		2.38	0.281		<0.5	7.62	<5	100	<0.5	<2	6.46	<0.5	43	172	164	7.59
171780		2.74	0.236		<0.5	7.95	<5	660	<0.5	<2	7.00	<0.5	42	174	118	7.47
171781		2.48	0.023		<0.5	7.84	<5	100	<0.5	<2	7.03	<0.5	38	191	41	7.08
171782		2.70	0.694		<0.5	7.59	<5	100	<0.5	<2	6.71	<0.5	37	160	66	7.03
171783		2.41	0.252		<0.5	7.56	<5	80	<0.5	<2	6.78	<0.5	35	158	62	6.96
171784		2.46	0.088	0.086	<0.5	6.77	<5	440	1.0	<2	1.48	<0.5	4	17	41	1.99
171785		2.54	0.045		<0.5	7.42	<5	330	0.7	<2	5.50	<0.5	31	95	120	5.62
171786		0.06	0.981		10.1	7.84	<5	40	3.1	<2	0.31	<0.5	<1	5	7	2.67
171787		2.69	0.005		<0.5	8.30	<5	210	0.6	<2	6.72	<0.5	42	159	119	6.99
171788		2.71	0.048		<0.5	7.79	<5	70	<0.5	<2	7.02	<0.5	71	135	369	8.91
171789		2.69	0.020		<0.5	8.00	<5	90	<0.5	<2	6.59	<0.5	34	174	120	6.84
171790		2.11	0.030		<0.5	8.24	<5	60	<0.5	<2	6.79	<0.5	37	148	100	7.04
171791		2.42	0.014		<0.5	8.53	<5	490	1.5	<2	6.95	<0.5	47	129	141	8.06
171792		2.44	<0.005		<0.5	8.98	<5	1260	3.8	<2	4.79	<0.5	19	10	30	5.76
171793		2.84	<0.005		<0.5	8.24	17	80	<0.5	<2	7.14	<0.5	33	139	44	6.78
171794		2.69	0.006		<0.5	7.78	<5	60	<0.5	<2	6.39	<0.5	30	131	31	6.31
171795		2.73	<0.005		<0.5	6.80	<5	70	<0.5	<2	5.21	<0.5	33	124	23	5.82
171796		2.61	0.026		<0.5	7.92	<5	60	<0.5	<2	6.42	<0.5	64	146	601	7.62
171797 DUP		<0.02	0.021		<0.5	7.91	<5	60	<0.5	<2	6.38	<0.5	64	141	643	7.69
171798		0.09	<0.005		<0.5	7.06	<5	540	0.9	<2	0.64	<0.5	2	10	6	2.10
171799		2.44	<0.005		<0.5	8.23	<5	40	<0.5	<2	6.55	<0.5	38	130	166	7.12
171800		2.46	0.009		<0.5	8.22	8	150	0.5	<2	5.46	<0.5	30	110	151	5.78



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 3 (A - B)  
Finalized Date: 20-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06026909

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOI	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171761		0.29	3.74	1220	3	1.51	52	440	6	0.30	5	134	0.43	207	<10	73
171762		0.27	3.35	1130	1	1.46	52	330	3	0.37	<5	122	0.40	188	<10	65
171763		0.40	3.55	1310	<1	2.09	47	530	3	0.51	<5	154	0.51	200	<10	77
171764		0.29	3.91	1275	1	1.74	51	380	5	0.04	<5	150	0.45	217	10	78
171765		0.36	3.57	1155	2	1.50	66	380	3	0.18	<5	152	0.44	209	<10	69
171766		0.19	0.06	107	<1	6.7	5	660	120	3.12	<5	18	0.02	1	<10	21
171767		0.87	2.99	969	1	1.99	59	360	7	0.19	<5	248	0.36	162	10	65
171768		0.39	3.92	1235	3	1.48	96	350	4	0.26	5	152	0.43	207	10	74
171789		0.45	3.89	1235	3	1.48	99	370	<2	0.37	<5	154	0.43	203	<10	65
171770		0.59	4.30	1260	<1	1.91	84	510	10	0.34	<5	287	0.49	219	<10	96
171771		0.59	3.48	1055	<1	2.18	76	370	4	0.17	<5	194	0.40	182	<10	66
171772		0.45	4.16	1250	<1	1.74	94	380	6	0.21	<5	178	0.45	213	<10	75
171773 DUP		0.46	4.13	1235	<1	1.75	90	390	4	0.22	<5	178	0.44	210	<10	76
171774		4.41	0.23	180	<1	2.02	3	160	36	0.01	<5	156	0.08	9	<10	26
171775		0.51	4.30	1280	<1	1.72	102	380	4	0.30	<5	161	0.43	214	10	69
171776		0.49	4.40	1240	<1	1.85	101	490	7	0.34	<5	226	0.42	204	<10	74
171777		0.53	4.17	1230	<1	1.81	101	400	11	0.57	<5	162	0.46	223	<10	81
171778		0.38	4.12	1235	<1	1.83	98	370	4	0.16	<5	157	0.45	217	<10	66
171779		0.54	4.25	1285	<1	1.89	97	390	3	0.39	6	136	0.44	214	10	68
171780		0.42	4.23	1265	<1	2.00	100	370	7	0.22	<5	151	0.47	226	<10	69
171781		0.44	4.53	1235	<1	1.75	123	520	4	0.12	<5	254	0.44	206	<10	75
171782		0.43	4.25	1205	<1	1.69	94	370	4	0.26	<5	156	0.44	210	20	61
171783		0.45	4.28	1210	1	1.60	91	380	3	0.14	7	148	0.43	208	<10	64
171784		1.32	0.47	354	<1	3.37	6	230	19	0.31	<5	184	0.14	15	<10	56
171785		0.89	3.20	971	<1	2.28	75	1140	59	0.47	<5	436	0.48	136	<10	176
171786		0.19	0.07	36	<1	6.7	<1	680	114	3.03	<5	18	0.01	1	<10	16
171787		0.86	3.99	1240	1	2.34	106	620	37	0.27	<5	371	0.44	198	<10	137
171788		0.69	4.28	1495	1	2.40	88	360	65	0.97	<5	181	0.42	207	10	204
171789		0.62	3.91	1275	1	2.34	92	420	34	0.25	<5	246	0.44	197	<10	114
171790		0.43	3.41	1220	<1	2.23	73	510	5	0.39	<5	210	0.45	206	10	70
171791		1.48	3.99	1370	<1	2.31	100	1900	12	0.53	<5	718	0.52	193	<10	128
171792		3.56	2.22	1115	<1	2.84	13	2960	20	0.21	<5	1475	0.45	136	<10	100
171793		0.55	3.41	1285	1	2.11	83	390	2	0.08	<5	227	0.45	221	<10	57
171794		0.47	3.25	1200	1	2.09	70	350	<2	0.06	<5	173	0.42	200	<10	56
171795		0.56	3.23	1190	<1	1.58	79	330	<2	0.05	<5	147	0.44	215	10	71
171796		0.54	3.30	1330	<1	1.28	79	380	<2	0.78	<5	162	0.45	220	<10	69
171797 DUP		0.53	3.26	1325	<1	1.24	81	370	<2	0.91	<5	162	0.44	213	<10	69
171798		4.04	0.22	190	2	2.10	5	170	37	0.01	<5	147	0.09	10	<10	30
171799		0.33	3.44	1350	<1	1.54	80	370	<2	0.30	<5	167	0.46	214	10	67
171800		0.57	2.74	1055	<1	2.00	54	350	<2	0.21	<5	206	0.37	172	<10	61



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 20-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026909**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
171801		2.29	<0.005		<0.5	7.53	<5	240	0.6	<2	4.20	<0.5	23	154	60	4.74
171802		2.68	<0.005		<0.5	8.11	<5	240	0.6	<2	6.19	<0.5	32	169	85	6.46
171803		2.71	0.007		<0.5	8.07	<5	160	<0.5	<2	5.92	<0.5	38	192	108	7.15
171804		2.60	0.015		<0.5	7.97	<5	260	0.6	<2	5.14	<0.5	29	128	74	6.24
171805		2.63	0.047		<0.5	7.86	<5	210	0.6	<2	3.79	<0.5	37	85	368	6.02
171806		0.05	1.765		20.6	7.92	<5	80	3.1	<2	0.30	<0.5	<1	4	5	2.74
171807		2.69	0.037		<0.5	7.87	<5	60	<0.5	<2	5.56	<0.5	210	157	1280	11.55
171808		2.50	0.064		<0.5	7.18	<5	60	<0.5	<2	6.97	<0.5	41	142	464	7.71
171809		2.72	0.048		<0.5	7.98	<5	130	<0.5	<2	5.56	<0.5	43	136	372	7.25
171810		2.75	0.020		<0.5	7.08	<5	100	<0.5	<2	5.82	<0.5	53	146	537	7.08
171811 DUP		<0.02	0.047		<0.5	7.18	<5	120	<0.5	<2	5.88	<0.5	51	150	526	6.98
171812		0.14	<0.005		<0.5	7.05	<5	570	0.9	<2	0.73	<0.5	1	7	7	1.92
171813		2.70	0.038		<0.5	7.94	<5	60	<0.5	<2	6.42	<0.5	39	140	168	6.88
171814		2.75	<0.005		<0.5	7.82	<5	100	<0.5	<2	6.31	<0.5	37	184	21	6.98
171815		2.62	0.015		<0.5	8.36	<5	200	0.5	<2	6.15	<0.5	35	140	75	6.32
171816		2.73	0.024		<0.5	7.92	<5	180	<0.5	<2	5.64	<0.5	31	118	102	6.67
171817		2.52	0.005		<0.5	8.17	5	120	<0.5	<2	5.72	<0.5	36	122	14	6.84
171818		2.62	0.028		<0.5	8.05	<5	80	<0.5	<2	6.30	<0.5	55	138	222	7.63
171819		2.66	0.007		<0.5	7.94	<5	100	<0.5	<2	5.97	<0.5	46	128	268	7.09
171820		2.69	<0.005		<0.5	6.96	<5	100	0.5	<2	6.15	<0.5	50	186	340	6.95



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 20-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06026909**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171801		0.95	2.28	909	<1	2.11	66	450	5	0.11	<5	210	0.34	130	<10	62
171802		0.75	3.36	1165	<1	2.01	82	1070	<2	0.24	<5	538	0.50	181	10	76
171803		0.88	4.06	1365	<1	2.03	119	820	<2	0.36	<5	298	0.50	214	<10	85
171804		1.02	3.14	1085	<1	1.98	79	1280	3	0.14	<5	384	0.53	158	<10	77
171805		0.89	1.82	930	<1	2.01	46	540	<2	0.90	<5	206	0.41	122	<10	49
171806		0.18	0.06	110	<1	6.2	5	650	124	3.07	<5	21	0.02	2	<10	18
171807		0.39	2.98	1210	<1	1.46	122	370	<2	2.32	<5	191	0.44	212	20	78
171808		0.79	3.08	1255	<1	0.57	58	370	3	0.46	<5	177	0.43	208	<10	81
171809		0.95	3.41	1285	<1	1.79	78	370	<2	0.36	<5	181	0.48	222	<10	84
171810		0.77	2.75	1130	<1	1.14	62	340	3	0.74	<5	185	0.38	190	<10	95
171811 DUP		0.78	2.77	1130	<1	1.16	62	340	<2	0.62	<5	185	0.39	193	<10	94
171812		4.41	0.19	177	2	2.13	4	150	33	0.01	<5	152	0.08	9	<10	28
171813		0.52	3.75	1285	<1	1.36	82	380	4	0.15	<5	164	0.45	207	10	78
171814		0.57	4.37	1310	<1	1.57	108	440	<2	0.03	<5	140	0.44	215	<10	64
171815		0.76	3.89	1195	<1	1.88	100	650	3	0.10	<5	305	0.45	191	<10	73
171816		1.02	3.84	1255	<1	1.60	78	420	<2	0.10	<5	178	0.45	214	10	66
171817		0.83	3.97	1280	<1	1.98	86	380	<2	0.03	<5	139	0.45	219	<10	57
171818		0.59	3.33	1275	<1	1.75	96	400	<2	0.70	<5	190	0.45	218	10	83
171819		0.67	3.56	1240	<1	1.66	83	370	3	0.41	<5	175	0.45	209	10	65
171820		0.60	3.90	1270	<1	1.54	112	480	<2	0.30	<5	217	0.40	210	10	65



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 24-APR-2006

Account: TRAVEN

## CERTIFICATE VO06028822

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 24-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06028822**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
171921		2.77	0.031		<0.5	8.04	18	40	<0.5	<2	7.60	<0.5	28	112	68	7.37
171922		2.48	0.034		<0.5	7.91	13	40	<0.5	<2	7.33	<0.5	32	124	120	7.41
171923		2.31	2.08		<0.5	6.46	17	50	<0.5	<2	6.31	<0.5	80	115	830	9.10
171924		2.42	0.132		<0.5	7.97	12	40	<0.5	<2	7.85	<0.5	34	119	91	7.44
171925		2.21	0.015		<0.5	7.62	6	200	0.6	<2	5.29	<0.5	14	68	24	6.00
171926		2.73	0.039		<0.5	7.69	8	190	0.6	<2	5.43	<0.5	15	80	22	6.16
171927		2.50	0.041		<0.5	7.51	15	70	<0.5	<2	6.85	<0.5	26	122	25	6.53
171928		2.20	0.005		<0.5	8.02	6	100	<0.5	<2	6.60	<0.5	30	106	12	6.81
171929		2.60	0.020		<0.5	7.00	<5	140	<0.5	<2	6.09	<0.5	21	96	11	5.55
171930 DUP		<0.02	0.040		<0.5	6.69	10	130	<0.5	<2	6.05	<0.5	22	89	11	5.62
171931		0.11	<0.005		<0.5	6.76	<5	500	0.8	<2	0.94	<0.5	2	10	4	1.48
171932		2.33	0.031		<0.5	7.61	<5	50	<0.5	<2	7.30	<0.5	32	140	47	7.38
171933		2.23	0.044		<0.5	7.67	12	70	<0.5	<2	7.09	<0.5	24	110	50	6.48
171934		2.13	0.053		<0.5	7.58	14	70	<0.5	<2	7.10	<0.5	26	94	32	6.53
171935		2.71	0.012		<0.5	7.95	15	60	<0.5	<2	7.31	<0.5	28	110	34	6.98
171936		0.06	1.810		18.7	6.02	<5	50	3.0	<2	0.34	<0.5	1	7	6	2.85
171937		2.46	0.006		<0.5	7.66	7	50	<0.5	<2	7.14	<0.5	28	107	22	6.85
171938		2.19	0.008		<0.5	8.20	17	50	<0.5	<2	7.58	<0.5	28	104	6	6.92
171939		2.59	0.044		<0.5	7.62	10	100	<0.5	<2	6.77	<0.5	27	104	69	6.49
171940		2.50	0.005		<0.5	8.20	13	370	0.9	<2	3.80	<0.5	11	49	16	3.14
171941		2.54	0.039		<0.5	8.25	<5	100	<0.5	<2	7.36	<0.5	30	118	67	7.17
171942		2.40	1.325		0.5	7.52	<5	100	<0.5	<2	6.90	<0.5	39	112	186	7.46
171943		2.42	0.019		<0.5	7.92	9	70	<0.5	<2	7.17	<0.5	28	105	48	7.06
171944		2.54	0.029		<0.5	8.16	<5	70	<0.5	<2	7.33	<0.5	35	127	219	7.28
171945		2.53	0.082		<0.5	8.30	<5	80	<0.5	<2	7.02	<0.5	34	127	212	7.32
171946		2.82	0.323		0.9	7.61	7	100	<0.5	<2	7.06	<0.5	41	122	515	7.47
171947		2.33	0.041		<0.5	7.80	<5	60	<0.5	<2	6.99	<0.5	30	104	60	6.94
171948 DUP		<0.02	0.027		<0.5	7.75	<5	60	<0.5	<2	6.89	<0.5	29	105	60	6.82
171949		0.12	<0.005		<0.5	6.95	<5	540	0.8	<2	0.76	<0.5	2	9	7	2.08
171950		2.59	0.161		<0.5	8.86	<5	160	0.5	<2	6.40	<0.5	34	72	263	7.15
171951		2.70	<0.005		<0.5	9.25	20	180	0.5	<2	5.91	<0.5	27	8	13	6.84
171952		2.39	0.017		<0.5	9.10	<5	140	0.5	<2	6.35	<0.5	34	58	95	6.93
171953		2.54	0.127		<0.5	7.97	5	50	<0.5	<2	7.59	<0.5	35	117	163	7.60
171954		2.82	0.074		<0.5	7.51	8	40	<0.5	<2	7.15	<0.5	39	118	138	7.37
171955		0.06	0.987		10.5	8.52	7	50	3.1	<2	0.35	<0.5	1	5	8	2.91
171956		2.71	0.217		<0.5	7.94	25	40	<0.5	<2	7.03	<0.5	32	104	118	6.89
171957		2.54	0.059		<0.5	7.88	<5	50	<0.5	<2	7.49	<0.5	35	108	92	7.15
171958		2.27	0.243		<0.5	8.17	8	80	<0.5	<2	7.24	<0.5	32	106	57	7.09
171959		2.48	0.019		<0.5	8.30	<5	220	0.5	<2	6.08	<0.5	30	65	73	7.08
171960		2.10	0.039		<0.5	8.44	<5	210	0.5	<2	6.10	<0.5	31	60	38	7.40



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 24-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028822

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171921		0.30	3.59	1235	<1	1.68	74	380	<2	0.18	<5	155	0.44	217	<10	63
171922		0.31	3.28	1240	1	1.52	69	370	<2	0.39	<5	146	0.42	200	<10	61
171923		0.35	2.67	1120	1	1.24	85	310	<2	1.90	<5	112	0.35	174	60	61
171924		0.26	3.78	1300	1	1.66	101	380	<2	0.30	<5	143	0.44	217	40	64
171925		0.75	2.44	1225	<1	2.28	44	570	4	0.11	<5	167	0.40	122	<10	83
171926		0.78	2.47	1215	1	1.99	41	500	9	0.08	<5	174	0.41	129	<10	84
171927		0.41	3.73	1205	1	1.59	83	630	2	0.09	<5	211	0.44	198	10	69
171928		0.58	3.74	1240	1	1.68	71	420	<2	0.04	<5	201	0.43	200	<10	62
171929		0.57	3.01	1050	2	1.13	60	450	<2	0.04	<5	164	0.38	172	10	65
171930 DUP		0.57	3.00	1050	2	1.07	58	430	5	0.03	<5	161	0.37	174	10	63
171931		3.98	0.24	146	1	2.02	4	160	32	0.01	<5	151	0.08	9	<10	28
171932		0.37	4.01	1315	1	1.42	113	1010	4	0.18	<5	249	0.48	200	<10	103
171933		0.32	3.23	1220	2	1.37	62	350	3	0.16	<5	150	0.41	192	<10	57
171934		0.49	3.58	1225	1	1.37	70	410	<2	0.12	<5	154	0.42	196	10	67
171935		0.37	3.65	1315	1	1.49	76	340	2	0.14	8	156	0.44	209	10	72
171936		0.19	0.07	112	1	6.6	6	610	130	3.07	<5	23	0.01	2	<10	20
171937		0.35	3.68	1205	1	1.65	75	350	3	0.07	<5	146	0.41	198	10	59
171938		0.31	4.05	1285	1	1.65	78	390	3	0.02	<5	164	0.43	208	<10	59
171939		0.65	3.12	1180	1	1.44	72	340	<2	0.28	<5	165	0.40	196	<10	55
171940		1.34	1.44	523	<1	3.13	27	280	7	0.06	<5	273	0.21	83	<10	39
171941		0.57	3.59	1270	2	1.73	78	350	4	0.30	<5	173	0.45	219	<10	62
171942		0.59	3.12	1270	1	1.51	86	410	4	0.91	<5	160	0.41	178	<10	70
171943		0.47	3.57	1250	1	1.60	69	360	2	0.14	<5	156	0.42	209	<10	65
171944		0.41	3.41	1235	1	1.49	71	370	<2	0.38	<5	155	0.44	215	<10	65
171945		0.66	3.50	1250	1	1.49	73	370	<2	0.41	<5	149	0.45	216	<10	63
171946		0.67	3.19	1285	1	1.22	72	350	2	0.76	<5	134	0.42	204	10	57
171947		0.51	3.57	1245	1	1.42	74	380	<2	0.17	<5	152	0.42	203	<10	60
171948 DUP		0.49	3.50	1225	1	1.42	70	340	5	0.17	<5	151	0.42	198	<10	59
171949		4.35	0.19	187	1	2.04	5	160	34	0.01	<5	148	0.08	8	<10	28
171950		0.86	2.53	1050	3	1.93	45	990	6	0.56	<5	368	0.52	188	<10	71
171951		0.73	1.94	823	<1	2.46	27	1460	2	0.08	<5	579	0.60	182	<10	51
171952		0.56	2.36	991	1	2.17	40	1100	3	0.28	<5	435	0.53	188	<10	57
171953		0.34	3.58	1315	1	1.37	70	350	3	0.40	<5	172	0.44	212	<10	65
171954		0.30	3.57	1255	1	1.36	79	360	2	0.49	<5	141	0.41	198	10	57
171955		0.20	0.07	37	<1	7.1	4	640	127	3.13	<5	24	0.01	2	<10	19
171956		0.25	3.45	1180	1	1.52	73	370	2	0.28	<5	157	0.42	198	<10	54
171957		0.43	3.71	1255	1	1.35	78	340	2	0.25	<5	159	0.42	207	<10	58
171958		0.59	3.67	1265	1	1.40	81	370	3	0.21	<5	156	0.44	211	10	57
171959		0.80	3.21	1210	1	1.81	55	720	3	0.26	<5	347	0.54	210	<10	85
171960		0.90	3.12	1295	1	1.95	63	1160	2	0.19	<5	361	0.66	189	<10	83



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 24-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028822

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
171961		2.23	0.158		<0.5	7.73	16	190	0.5	<2	6.06	<0.5	26	78	106	6.45
171962		2.35	0.017		<0.5	7.59	7	360	0.8	<2	4.28	<0.5	16	52	37	5.38
171963		2.40	0.018		<0.5	7.25	5	170	0.7	<2	4.51	<0.5	17	61	35	5.21
171964		2.33	0.141		<0.5	7.70	8	80	<0.5	<2	7.17	<0.5	40	122	179	7.12
171965		2.48	0.061		<0.5	7.91	8	200	0.6	<2	5.17	<0.5	34	219	128	5.73
171966		2.40	0.070		<0.5	7.39	7	120	<0.5	<2	5.94	<0.5	46	137	259	6.17
171967		2.54	0.500	0.308	0.5	7.05	9	120	<0.5	<2	5.87	<0.5	27	133	392	6.04
171968 DUP		<0.02	0.371	0.411	<0.5	7.24	<5	130	<0.5	<2	8.15	0.5	28	131	388	6.24
171969		0.11	<0.005		<0.5	8.70	10	520	0.8	<2	0.94	<0.5	2	11	7	1.80
171970		2.65	0.009		<0.5	7.32	7	60	<0.5	<2	6.61	<0.5	25	92	42	6.27
171971		2.23	0.035		<0.5	7.10	18	410	0.8	<2	3.54	<0.5	15	101	57	4.01
171972		2.38	0.097		<0.5	7.44	16	180	0.6	<2	4.76	<0.5	20	101	53	5.36
171973		2.15	0.138		<0.5	6.23	12	260	0.8	<2	2.47	<0.5	5	14	39	4.09
171974		2.38	0.006		<0.5	7.38	22	100	<0.5	<2	6.07	<0.5	26	98	79	5.93
171975		2.15	<0.005		<0.5	7.19	<5	150	<0.5	<2	4.74	<0.5	27	178	29	5.21
171976		0.05	1.765		19.0	7.46	<5	50	3.0	<2	0.31	<0.5	1	6	5	2.52
171977		2.46	0.008		<0.5	6.98	<5	160	<0.5	<2	5.02	<0.5	22	132	34	5.20
171978		2.60	0.010		<0.5	7.82	<5	50	<0.5	<2	7.31	<0.5	30	119	146	7.01
171979		3.21	0.018		<0.5	8.11	<5	40	<0.5	<2	7.44	<0.5	29	123	213	7.12
171980		2.40	0.043		<0.5	8.32	<5	60	<0.5	<2	7.25	<0.5	33	128	394	7.55
171981		2.35	0.016		<0.5	7.44	<5	250	0.8	<2	3.59	<0.5	11	39	31	3.86
171982		2.34	0.094		<0.5	6.55	6	550	1.1	<2	1.52	<0.5	2	11	52	2.82
171983		2.21	0.017		<0.5	7.86	5	130	0.5	<2	7.05	<0.5	28	101	60	7.08
171984		2.17	0.228		<0.5	7.69	<5	90	<0.5	4	8.67	<0.5	38	133	328	7.28
171985		2.46	0.038		<0.5	7.69	<5	110	<0.5	<2	6.12	<0.5	34	108	162	6.88
171986 DUP		<0.02	0.009		<0.5	8.13	<5	120	<0.5	<2	6.43	<0.5	34	112	156	7.24
171987		2.72	0.007		<0.5	7.59	6	80	<0.5	<2	6.75	<0.5	39	116	304	7.31
171988		2.40	0.043		<0.5	7.85	14	340	0.8	<2	4.10	<0.5	14	55	55	6.04
171989		2.50	0.040		<0.5	7.64	<5	290	0.9	<2	3.67	<0.5	13	36	93	5.01
171990		2.52	0.014		<0.5	8.48	6	50	<0.5	<2	7.81	<0.5	24	110	25	7.15
171991		2.60	<0.005		<0.5	8.22	10	100	<0.5	<2	7.14	<0.5	27	110	7	7.03
171992		2.29	0.009		<0.5	7.96	<5	100	<0.5	<2	6.66	<0.5	23	100	4	6.44
171993		0.05	0.988		11.0	8.50	<5	50	3.1	<2	0.34	<0.5	1	5	9	2.60
171994		2.64	0.023		<0.5	8.02	<5	110	<0.5	<2	6.63	<0.5	28	100	22	6.43
171995		2.40	0.011		<0.5	7.47	6	160	0.5	<2	6.11	<0.5	25	91	41	6.67
171996		2.48	0.024		<0.5	7.98	<5	140	<0.5	<2	6.28	<0.5	25	92	35	6.47
171997		2.42	0.010		<0.5	7.81	7	140	<0.5	<2	6.14	<0.5	25	106	3	6.77
171998		1.99	0.018		<0.5	7.89	<5	150	<0.5	<2	8.86	<0.5	29	170	29	7.03
171999		0.14	<0.005		<0.5	6.93	<5	510	0.9	<2	0.76	<0.5	1	7	4	1.75
172000		2.37	0.006		<0.5	8.21	<5	150	<0.5	<2	6.01	<0.5	29	101	6	6.57



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 24-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028822

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
171961		1.16	2.68	1335	2	1.60	56	570	<2	0.45	<5	162	0.43	158	10	101
171962		1.28	1.61	1120	1	2.40	28	500	<2	0.15	<5	158	0.37	96	<10	105
171963		0.64	1.74	1030	1	2.18	34	510	7	0.19	6	164	0.36	107	10	68
171964		0.59	3.27	1350	<1	1.34	81	360	6	0.34	<5	155	0.43	199	10	86
171965		0.97	3.69	1065	1	1.85	101	760	4	0.34	<5	223	0.42	134	<10	90
171966		0.68	3.42	1075	1	1.70	78	510	5	0.49	<5	234	0.38	157	<10	65
171967		0.83	2.75	1150	<1	1.18	59	350	4	0.78	<5	121	0.38	171	10	94
171968 DUP		0.85	2.87	1195	<1	1.22	62	370	5	0.77	5	126	0.39	181	10	99
171969		3.78	0.24	190	<1	2.03	5	190	31	0.01	<5	155	0.09	12	<10	27
171970		0.45	3.04	1270	1	1.46	62	390	4	0.11	<5	151	0.42	186	10	67
171971		1.09	1.90	757	<1	2.24	36	370	3	0.23	<5	201	0.23	64	<10	53
171972		0.68	2.31	1050	<1	2.11	44	710	<2	0.26	<5	215	0.39	89	<10	62
171973		0.73	0.55	810	1	2.13	4	660	6	0.39	<5	172	0.32	14	<10	51
171974		0.54	3.17	1190	1	1.58	65	460	7	0.12	<5	188	0.41	174	20	71
171975		0.65	3.11	1040	<1	1.62	113	690	2	0.05	<5	213	0.37	116	<10	81
171976		0.17	0.06	109	1	6.3	5	620	114	2.75	<5	21	0.01	2	<10	16
171977		0.56	2.83	1055	<1	1.76	80	670	2	0.09	<5	227	0.36	122	<10	76
171978		0.33	3.46	1280	<1	1.49	73	370	2	0.24	<5	158	0.43	204	<10	68
171979		0.26	3.52	1250	<1	1.64	72	380	<2	0.26	<5	153	0.44	206	<10	88
171980		0.33	3.35	1245	<1	1.79	75	360	6	0.42	<5	182	0.43	200	<10	70
171981		0.70	1.26	767	<1	2.90	19	440	3	0.10	<5	192	0.32	57	10	51
171982		1.10	0.20	504	<1	2.95	2	140	3	0.33	<5	132	0.14	3	<10	33
171983		0.67	3.46	1320	<1	2.18	59	410	3	0.16	<5	167	0.44	180	<10	72
171984		0.62	3.72	1235	<1	1.87	79	400	4	0.58	<5	160	0.40	175	<10	65
171985		0.63	2.88	1150	1	1.97	98	370	4	0.53	<5	168	0.40	174	<10	58
171986 DUP		0.66	3.04	1190	1	2.10	107	410	6	0.56	<5	178	0.41	180	<10	59
171987		0.56	3.50	1235	1	1.55	90	350	<2	0.42	<5	166	0.41	199	<10	87
171988		1.16	1.60	1265	1	2.45	32	570	3	0.25	<5	190	0.39	82	<10	104
171989		1.07	1.04	1000	1	2.71	20	600	6	0.27	<5	241	0.39	52	<10	77
171990		0.45	3.84	1290	1	1.70	69	390	<2	0.05	<5	173	0.45	211	<10	71
171991		0.90	4.35	1205	<1	1.45	89	370	<2	0.01	<5	141	0.43	205	<10	69
171992		0.95	3.94	1150	1	1.37	75	370	4	0.01	<5	138	0.43	202	<10	64
171993		0.19	0.07	36	1	7.1	1	640	113	2.71	<5	22	0.01	1	<10	16
171994		0.90	4.10	1170	<1	1.64	74	400	3	0.10	<5	140	0.44	203	10	64
171995		0.78	3.43	1140	<1	1.94	80	890	<2	0.17	<5	335	0.48	182	<10	73
171996		0.82	3.50	1160	1	1.92	68	590	6	0.35	<5	236	0.43	175	<10	64
171997		1.08	3.86	1155	<1	1.62	77	400	<2	0.02	<5	148	0.43	196	<10	59
171998		1.16	4.32	1215	1	1.26	101	730	7	0.10	<5	195	0.46	200	<10	69
171999		4.09	0.18	154	1	2.21	2	150	33	<0.01	<5	140	0.07	7	<10	25
172000		0.95	3.56	1095	<1	1.95	57	490	7	0.05	<5	177	0.45	185	<10	74



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 24-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028822

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172001		2.55	0.007		<0.5	7.86	<5	100	<0.5	<2	6.90	<0.5	29	99	8	6.58
172002		2.46	0.096		<0.5	7.67	9	230	0.8	<2	4.32	<0.5	12	66	28	5.28
172003		2.44	0.247		<0.5	7.33	<5	130	<0.5	<2	5.95	<0.5	21	99	52	5.85
172004		2.46	0.301		0.5	7.60	14	70	<0.5	<2	7.02	<0.5	29	122	70	6.20
172005		0.06	1.790		17.2	5.56	8	40	2.7	<2	0.26	<0.5	1	4	5	2.36
172006		2.61	0.028		<0.5	7.32	<5	120	0.5	<2	6.28	<0.5	42	162	169	6.61
172007		2.52	0.035		<0.5	7.93	<5	180	<0.5	<2	5.63	<0.5	32	93	194	6.08
172008		2.60	0.006		<0.5	7.59	<5	60	<0.5	<2	6.79	<0.5	39	110	116	6.86
172009		2.38	0.008		<0.5	7.76	<5	80	<0.5	<2	6.71	<0.5	40	114	120	6.96
172010		2.53	0.016		<0.5	7.73	11	120	0.5	<2	5.38	<0.5	27	65	46	7.01
172011		2.42	0.019		<0.5	7.42	<5	110	<0.5	<2	6.38	<0.5	33	108	67	6.47
172012 DUP		<0.02	0.021		<0.5	7.42	6	110	<0.5	<2	6.41	<0.5	35	110	62	6.50
172013		0.11	<0.005		<0.5	6.85	7	520	0.8	<2	1.08	<0.5	3	8	19	1.72
172014		2.32	0.054		<0.5	6.76	<5	550	1.0	<2	1.78	<0.5	3	11	44	3.37
172015		2.31	0.015		<0.5	7.33	6	270	0.7	<2	4.34	<0.5	17	82	59	5.11
172016		2.44	0.005		<0.5	6.93	<5	330	0.7	<2	3.62	<0.5	15	143	17	4.99
172017		2.53	<0.005		<0.5	7.47	19	270	0.8	<2	4.87	<0.5	25	219	28	5.54
172018		2.36	0.011		<0.5	7.60	12	210	0.5	<2	4.86	<0.5	18	116	40	5.47
172019		2.21	0.139		<0.5	7.46	<5	240	0.6	<2	4.29	<0.5	21	58	48	5.09
172020		2.29	1.030		<0.5	7.28	<5	190	0.5	<2	5.21	<0.5	25	84	99	6.07



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 24-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028822

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172001		0.72	3.87	1145	<1	1.54	65	360	3	0.05	<5	144	0.42	200	<10	71
172002		1.18	1.73	847	1	1.98	33	570	<2	0.21	<5	153	0.40	106	10	67
172003		0.95	2.55	1105	1	1.30	72	420	<2	0.42	<5	124	0.38	163	10	54
172004		0.69	3.10	1125	1	1.32	92	410	2	0.18	<5	167	0.43	198	20	59
172005		0.16	0.04	97	<1	6.5	7	530	73	2.86	<5	11	0.01	2	<10	15
172006		0.81	3.06	1080	<1	1.58	93	530	2	0.43	<5	216	0.52	200	<10	86
172007		0.83	2.67	969	<1	2.16	51	720	<2	0.30	5	286	0.46	186	<10	65
172008		0.40	3.37	1145	<1	1.78	88	750	<2	0.29	5	268	0.48	191	<10	86
172009		0.48	3.25	1160	<1	1.75	65	470	<2	0.28	7	182	0.48	186	<10	60
172010		0.65	2.70	1220	<1	2.18	35	1200	3	0.24	<5	310	0.68	124	<10	91
172011		0.68	3.21	1095	1	1.75	59	380	<2	0.19	5	164	0.43	182	<10	56
172012 DUP		0.68	3.20	1100	<1	1.73	61	370	<2	0.19	<5	164	0.44	184	<10	57
172013		4.08	0.33	168	<1	2.22	4	150	36	0.01	<5	160	0.09	11	<10	33
172014		1.20	0.21	602	<1	3.17	4	260	8	0.21	<5	173	0.20	3	<10	41
172015		1.19	1.89	943	<1	2.54	29	510	2	0.22	<5	233	0.37	92	<10	68
172016		1.41	2.38	1010	<1	2.89	52	660	3	0.07	<5	223	0.35	52	<10	80
172017		1.64	4.02	1115	<1	2.60	82	1270	3	0.12	<5	393	0.43	87	<10	90
172018		0.83	2.79	961	<1	2.58	39	820	<2	0.22	<5	281	0.37	86	<10	61
172019		1.14	1.91	964	<1	2.44	38	820	2	0.12	7	227	0.48	118	<10	94
172020		0.94	2.19	1100	<1	1.71	42	560	5	0.45	<5	171	0.44	131	10	72



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 26-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06028824

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-MAR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 26-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06028824**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd WL	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178001		2.53	0.035			<0.5	7.98	<5	110	<0.5	<2	6.77	<0.5	41	131	186
178002		2.27	0.017			<0.5	7.90	<5	90	<0.5	<2	6.98	<0.5	35	121	196
178003		1.28	0.009			<0.5	8.31	<5	80	<0.5	<2	7.14	<0.5	39	124	144
178004		0.06	1.795			17.6	7.70	5	50	2.8	<2	0.32	<0.5	<1	3	4
178005		3.39	<0.005			<0.5	8.18	<5	180	0.5	<2	4.89	<0.5	22	95	203
178006		2.11	0.010			<0.5	7.73	<5	80	<0.5	<2	6.78	<0.5	30	117	77
178007		1.79	<0.005			<0.5	8.09	<5	40	<0.5	<2	7.24	<0.5	28	111	1
178008		2.07	0.009			<0.5	7.68	<5	70	<0.5	<2	7.03	<0.5	27	109	45
178009		2.45	0.386			<0.5	8.46	<5	80	<0.5	<2	7.50	<0.5	35	128	95
178010		1.11	0.005			<0.5	7.91	<5	90	<0.5	<2	7.08	<0.5	28	116	51
178011		2.06	<0.005			<0.5	8.44	<5	140	<0.5	<2	6.76	<0.5	29	128	57
178012		2.59	0.006			<0.5	8.31	<5	230	0.6	<2	5.41	<0.5	27	117	101
178013		2.29	<0.005			<0.5	8.84	<5	180	0.7	<2	6.54	<0.5	42	118	167
178014		2.51	0.083			<0.5	8.19	<5	110	<0.5	<2	6.72	<0.5	63	138	170
178015 DUP		<0.02	0.042			<0.5	8.26	<5	110	<0.5	<2	6.82	<0.5	64	136	168
178016		0.13	<0.005			<0.5	7.00	<5	550	0.9	<2	0.92	<0.5	2	11	6
178017		2.39	0.009			<0.5	8.63	<5	130	<0.5	<2	6.91	<0.5	38	130	124
178018		2.21	0.137			<0.5	8.32	<5	230	0.6	<2	5.08	<0.5	23	80	41
178019		2.42	0.025			<0.5	8.27	<5	170	<0.5	<2	6.01	<0.5	32	108	4
178020		2.27	0.015			<0.5	8.46	7	220	0.6	<2	5.36	<0.5	26	65	21
178021		2.42	0.069			<0.5	8.21	<5	180	<0.5	<2	6.20	<0.5	35	129	28
178022		2.40	0.005			<0.5	8.60	<5	130	<0.5	<2	6.96	<0.5	32	97	14
178023		2.25	0.030			<0.5	8.31	<5	200	0.5	<2	5.25	<0.5	26	87	20
178024		2.71	0.019			<0.5	8.21	<5	150	<0.5	<2	5.66	<0.5	29	102	7
178025		2.60	0.032			<0.5	8.28	<5	110	<0.5	<2	6.27	<0.5	30	104	58
178026 DUP		<0.02	0.026			<0.5	6.61	<5	120	<0.5	<2	6.70	<0.5	31	110	62
178027		2.10	0.017			<0.5	7.71	<5	440	0.8	<2	5.04	<0.5	17	49	50
178028		2.88	0.040			<0.5	8.81	<5	420	1.0	<2	3.70	<0.5	14	29	31
178029		2.67	0.031			<0.5	8.32	<5	170	0.5	<2	6.83	<0.5	33	100	82
178030		3.20	0.005			<0.5	8.00	<5	100	<0.5	<2	6.46	<0.5	28	104	38
178031		2.44	0.017			<0.5	8.48	<5	120	0.5	<2	6.28	<0.5	32	109	77
178032		2.56	0.078			<0.5	7.95	<5	120	<0.5	<2	7.25	<0.5	31	130	255
178033		0.06	1.000			10.4	8.67	6	40	3.2	<2	0.34	<0.5	2	4	8
178034		2.51	0.010			<0.5	8.29	<5	60	<0.5	<2	7.18	<0.5	29	132	57
178035		2.48	0.020			<0.5	8.44	<5	90	<0.5	<2	7.25	<0.5	35	142	144
178036		1.91	0.013			<0.5	7.43	<5	80	<0.5	<2	7.57	<0.5	30	126	93
178037		2.29	0.032			<0.5	8.20	<5	120	<0.5	<2	7.75	<0.5	30	131	160
178038		2.24	0.027			<0.5	7.67	5	320	0.8	<2	7.60	<0.5	32	239	98
178039		1.94	0.184			0.7	7.89	<5	110	<0.5	<2	7.18	<0.5	29	122	114
178040		0.09	<0.005			<0.5	6.72	<5	540	0.9	<2	0.81	<0.5	2	12	4





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 28-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028824

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units LOR	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178001		6.94	0.72	3.09	1000	1	1.57	76	390	10	0.55	<5	160	0.44	200	10
178002		6.92	0.57	3.33	1095	1	1.55	77	410	6	0.46	<5	154	0.44	202	<10
178003		6.87	0.54	3.19	1135	1	1.59	98	420	6	0.52	<5	194	0.46	204	<10
178004		2.56	0.19	0.07	107	1	6.6	8	710	112	2.80	<5	20	0.02	1	<10
178005		5.28	0.97	2.34	745	1	1.90	73	1210	11	0.49	<5	293	0.45	126	<10
178006		6.73	0.55	3.26	1165	<1	1.47	83	440	11	0.30	<5	148	0.43	203	<10
178007		6.54	0.44	4.00	1200	<1	1.85	70	440	10	0.01	<5	164	0.45	206	<10
178008		6.41	0.51	3.26	1115	<1	1.69	78	430	6	0.18	<5	168	0.42	194	<10
178009		7.46	0.67	3.71	1205	1	1.71	83	460	<2	0.58	<5	195	0.50	213	<10
178010		6.52	0.68	3.48	1110	<1	1.64	78	340	<2	0.21	<5	163	0.45	202	<10
178011		7.13	0.95	3.64	1170	<1	1.82	78	390	<2	0.18	<5	176	0.50	214	10
178012		5.92	1.01	2.74	922	1	2.22	62	570	<2	0.39	<5	249	0.48	164	<10
178013		8.06	0.98	3.79	1350	<1	1.96	84	1810	<2	0.58	<5	476	1.07	206	<10
178014		8.04	0.83	3.74	1135	<1	1.65	82	370	2	0.76	<5	177	0.48	210	<10
178015 DUP		7.97	0.81	3.79	1140	<1	1.67	81	360	<2	0.69	<5	180	0.49	210	<10
178016		2.01	4.23	0.24	180	1	2.15	5	160	32	0.01	<5	154	0.09	9	<10
178017		7.24	0.91	3.69	1095	<1	1.87	75	400	<2	0.33	<5	166	0.51	227	<10
178018		6.14	1.07	2.81	1005	1	2.20	45	560	5	0.23	<5	178	0.49	153	<10
178019		6.98	1.10	4.22	1135	<1	1.91	76	440	2	<0.01	<5	156	0.49	202	<10
178020		6.12	1.16	2.91	1030	1	2.03	59	710	<2	0.06	5	203	0.54	161	<10
178021		7.07	1.33	4.37	1200	<1	1.57	90	360	<2	0.33	<5	160	0.47	204	10
178022		7.18	0.78	4.31	1210	<1	1.86	79	570	2	0.12	6	267	0.53	218	<10
178023		6.05	0.98	3.07	952	<1	2.14	49	550	<2	0.12	<5	201	0.51	172	<10
178024		6.55	1.16	3.96	1090	<1	1.92	62	470	<2	0.03	<5	175	0.50	199	<10
178025		6.28	0.68	3.18	1100	1	1.16	65	400	<2	0.22	<5	239	0.42	163	<10
178026 DUP		6.71	0.72	3.35	1175	1	1.20	73	440	<2	0.24	5	255	0.44	176	<10
178027		3.73	1.44	1.66	597	<1	2.38	46	350	<2	0.23	11	272	0.27	94	10
178028		3.97	1.56	1.41	585	1	2.91	26	700	<2	0.14	<5	337	0.41	100	<10
178029		6.51	1.14	2.88	1225	1	1.53	67	500	4	0.47	<5	172	0.49	188	20
178030		6.48	0.73	3.12	1200	<1	1.74	58	440	<2	0.16	<5	163	0.48	193	<10
178031		6.58	0.75	2.93	1185	<1	2.02	62	520	<2	0.34	<5	183	0.51	187	<10
178032		7.07	1.20	3.19	1440	<1	1.19	61	340	<2	1.00	7	126	0.46	201	20
178033		2.58	0.19	0.07	36	1	7.2	1	600	106	2.76	<5	21	0.01	2	<10
178034		7.18	0.50	3.65	1255	<1	1.79	63	370	4	0.24	<5	157	0.46	213	10
178035		7.61	0.77	3.64	1270	1	1.69	77	420	<2	0.54	<5	167	0.49	213	<10
178036		6.80	0.61	3.35	1260	<1	1.65	72	360	2	0.35	<5	157	0.44	212	10
178037		7.26	0.89	3.39	1290	<1	1.93	77	370	<2	0.60	<5	178	0.47	219	10
178038		6.85	1.17	4.64	1285	<1	1.84	121	890	3	0.42	<5	428	0.45	186	<10
178039		7.02	0.85	3.72	1320	<1	1.63	68	410	4	0.47	<5	168	0.45	218	10
176040		1.90	4.44	0.20	171	<1	2.17	7	140	32	0.01	<5	147	0.08	8	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 26-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028824

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
178001		56
178002		57
178003		59
178004		17
178005		52
178006		61
178007		61
178008		55
178009		65
178010		60
178011		79
178012		68
178013		84
178014		75
178015 DUP		76
178016		27
178017		80
178018		85
178019		91
178020		85
178021		79
178022		69
178023		68
178024		67
178025		67
178026 DUP		72
178027		57
178028		60
178029		85
178030		72
178031		68
178032		82
178033		16
178034		62
178035		68
178036		64
178037		71
178038		95
178039		69
178040		27



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 26-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028824

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178041		2.38	0.024			<0.5	7.73	<5	80	<0.5	<2	7.37	<0.5	28	122	112
178042		2.33	4.73			<0.5	8.08	9	140	0.5	<2	7.38	<0.5	32	128	188
178043		2.06	0.344			<0.5	7.66	<5	200	0.6	<2	6.05	<0.5	37	136	229
178044		2.69	0.031			<0.5	7.95	<5	130	0.5	<2	6.74	<0.5	31	140	138
178045		2.96	0.089			<0.5	7.05	<5	240	0.5	<2	7.70	<0.5	38	357	407
178046 DUP		<0.02	0.042			<0.5	7.30	<5	250	0.5	<2	7.88	<0.5	39	375	390
178047		1.99	0.022			<0.5	7.70	<5	270	0.5	<2	5.65	<0.5	39	373	132
178048		2.58	0.037			<0.5	8.36	9	110	0.5	<2	7.11	<0.5	29	108	60
178049		2.31	0.080			0.6	8.05	14	100	0.6	<2	7.05	0.9	27	117	67
178050		0.06	1.825			17.9	8.10	<5	50	2.9	<2	0.34	<0.5	<1	3	8
178051		2.07	0.006			<0.5	8.07	<5	190	0.7	<2	5.41	<0.5	19	67	25
178052		2.27	<0.005			<0.5	7.49	<5	160	<0.5	<2	6.65	<0.5	29	197	22
178053		0.89	0.006			<0.5	7.87	<5	140	<0.5	<2	6.74	<0.5	26	172	64
178054		2.36	0.078			<0.5	7.92	<5	140	<0.5	<2	7.17	<0.5	39	142	264
178055		2.50	0.043			<0.5	7.41	<5	130	<0.5	<2	8.57	<0.5	34	101	170
178056		2.37	0.028			<0.5	8.12	<5	120	0.5	<2	7.28	<0.5	33	127	130
178057		2.27	0.086			<0.5	8.51	<5	250	0.7	<2	6.25	<0.5	27	77	108
178058		0.14	0.015	0.011		<0.5	6.31	<5	540	0.8	<2	0.75	<0.5	2	11	4
178059		2.03	<0.005			<0.5	7.81	<5	120	0.5	<2	6.27	<0.5	28	112	9
178060		2.29	0.016			<0.5	7.58	<5	400	0.8	<2	6.39	<0.5	32	191	63
178061		2.52	0.006			<0.5	7.67	<5	180	0.5	<2	6.44	<0.5	30	118	32
178062		2.04	0.008			<0.5	7.19	<5	190	<0.5	<2	6.59	<0.5	48	488	18
178063		2.41	0.008			<0.5	7.27	9	200	<0.5	<2	6.71	<0.5	46	475	43
178064		2.72	2.65			<0.5	7.65	<5	210	0.5	<2	6.19	<0.5	38	364	102
178065		0.06	0.948			11.9	7.90	12	70	3.2	<2	0.35	<0.5	1	11	7
178066		2.18	0.025			<0.5	7.18	<5	260	0.7	<2	4.33	<0.5	24	237	45
178067		2.31	0.028			<0.5	7.19	<5	170	<0.5	2	6.86	<0.5	45	482	48
178068		2.72	0.086			<0.5	6.41	<5	350	0.9	<2	3.27	<0.5	13	132	68
178069		2.65	0.139			0.7	7.42	<5	160	0.5	<2	7.08	<0.5	57	123	631
178070		0.11	0.010			<0.5	6.69	<5	550	0.9	<2	0.84	<0.5	2	12	4
178071		1.87	0.087			<0.5	7.17	<5	310	0.9	<2	3.31	<0.5	12	10	35
178072		2.01	<0.005			<0.5	8.05	8	110	0.5	<2	6.60	<0.5	45	116	90
178073		2.31	0.039			<0.5	7.24	<5	180	0.6	<2	5.56	<0.5	25	95	60
178074		2.44	3.85			<0.5	7.71	<5	130	<0.5	<2	6.37	3.4	28	127	226
178075		2.36	0.251			<0.5	7.68	<5	160	<0.5	<2	6.01	<0.5	27	116	41
178076		2.37	0.025			<0.5	7.83	6	120	<0.5	<2	6.80	<0.5	37	114	87
178077		2.63	0.058			<0.5	7.64	<5	130	<0.5	<2	6.29	<0.5	29	122	24
178078		2.12	0.935	0.787		<0.5	7.40	<5	200	0.6	<2	6.25	<0.5	25	124	191
178079 DUP		<0.02	0.806	0.710		<0.5	7.86	<5	200	0.6	<2	6.60	<0.5	27	130	194
178080		2.65	1.090			<0.5	8.11	<5	190	<0.5	<2	6.80	<0.5	27	138	154



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 26-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06028824**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178041		8.86	0.75	3.46	1205	<1	1.64	75	370	2	0.35	<5	163	0.45	211	<10
178042		7.37	0.78	3.75	1265	<1	1.87	86	580	5	0.81	<5	287	0.47	211	<10
178043		7.04	0.99	3.18	1265	<1	1.93	70	820	3	0.89	<5	376	0.47	188	<10
178044		7.16	0.92	3.74	1305	<1	1.50	69	560	2	0.49	<5	205	0.48	202	<10
178045		7.72	1.33	5.77	1430	<1	1.37	184	710	4	1.01	<5	320	0.39	202	<10
178046 DUP		7.77	1.37	5.97	1470	<1	1.43	188	730	2	0.88	<5	329	0.40	206	<10
178047		8.27	1.04	6.03	1045	<1	2.06	233	630	3	0.39	<5	272	0.36	158	<10
178048		6.99	0.82	3.83	1320	<1	1.91	61	440	7	0.25	<5	182	0.46	214	<10
178049		6.88	0.75	3.60	1335	<1	1.57	67	400	3	0.47	<5	151	0.47	217	<10
178050		2.83	0.19	0.07	108	1	6.7	5	700	124	3.10	<5	21	0.02	1	<10
178051		5.81	0.81	2.59	999	<1	2.35	33	790	4	0.30	<5	190	0.49	142	<10
178052		6.23	0.87	4.70	1195	<1	1.98	95	540	2	0.12	<5	235	0.40	179	<10
178053		6.71	0.92	3.96	1180	<1	1.65	86	380	<2	0.16	<5	175	0.44	208	<10
178054		7.08	1.27	2.91	1275	<1	1.31	69	380	<2	0.93	<5	131	0.45	217	10
178055		6.54	1.01	2.78	1320	<1	1.52	62	430	8	0.65	<5	157	0.43	184	10
178056		6.64	0.79	2.88	1145	<1	1.61	70	450	6	0.44	<5	173	0.47	211	<10
178057		6.39	1.12	3.21	1110	<1	1.92	39	680	12	0.31	<5	305	0.50	191	<10
178058		1.78	4.30	0.19	182	<1	2.08	3	160	33	0.01	<5	142	0.08	8	<10
178059		6.74	0.87	3.91	1095	<1	1.82	68	400	<2	0.07	<5	158	0.44	203	<10
178060		6.45	1.40	4.77	1055	<1	1.62	128	1080	5	0.23	<5	731	0.44	185	<10
178061		7.08	1.16	4.17	1165	<1	1.73	91	1300	<2	0.27	<5	434	0.51	198	10
178062		7.19	1.53	7.80	1355	4	1.19	196	470	<2	0.04	<5	164	0.34	184	<10
178063		6.94	1.45	7.06	1290	<1	1.37	154	560	<2	0.05	<5	266	0.38	194	<10
178064		6.96	1.36	6.05	1250	<1	1.65	136	570	<2	0.11	<5	236	0.38	181	10
178065		2.63	0.20	0.08	37	<1	7.4	3	630	108	2.85	<5	21	0.01	1	<10
178066		5.05	1.13	3.34	853	<1	2.23	76	890	4	0.14	<5	228	0.41	94	<10
178067		6.93	1.37	7.45	1325	16	1.37	166	540	5	0.05	<5	266	0.36	184	<10
178068		3.30	0.89	1.86	589	<1	2.69	48	180	2	0.17	<5	162	0.20	73	<10
178069		7.72	1.06	2.79	1280	<1	1.59	83	400	3	1.18	<5	171	0.45	210	10
178070		1.87	4.40	0.24	169	<1	2.24	6	160	34	0.01	<5	148	0.08	7	<10
178071		4.28	1.34	0.90	702	<1	2.58	5	1040	3	0.12	<5	206	0.49	79	<10
178072		9.35	0.60	3.87	1455	<1	2.12	110	860	3	0.21	<5	349	0.81	220	<10
178073		6.33	1.14	3.09	1050	<1	1.71	53	580	2	0.18	<5	189	0.45	166	<10
178074		7.70	1.34	4.33	1215	<1	1.51	80	370	<2	0.45	<5	132	0.44	212	<10
178075		7.39	1.40	4.17	1170	<1	1.58	74	410	2	0.16	<5	144	0.47	218	<10
178076		8.07	1.05	4.30	1270	<1	1.55	98	510	<2	0.25	<5	232	0.50	211	<10
178077		7.13	1.24	4.24	1095	<1	1.53	73	370	<2	0.09	<5	130	0.45	215	<10
178078		6.62	1.22	3.40	1140	<1	1.40	68	510	3	0.79	<5	207	0.44	202	<10
178079 DUP		6.96	1.29	3.58	1200	<1	1.49	68	540	6	0.85	<5	217	0.45	212	<10
178080		6.81	2.40	3.56	1330	<1	0.90	97	400	10	0.87	<5	110	0.47	225	30



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 26-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028824

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
178041		57
178042		206
178043		189
178044		127
178045		96
178046 DUP		101
178047		70
178048		76
178049		224
178050		23
178051		56
178052		72
178053		70
178054		58
178055		60
178056		57
178057		73
178058		25
178059		73
178060		80
178061		70
178062		90
178063		82
178064		82
178065		16
178066		54
178067		81
178068		38
178069		85
178070		27
178071		48
178072		113
178073		91
178074		473
178075		65
178076		79
178077		67
178078		178
178079 DUP		184
178080		112



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 26-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06028824**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
178081		2.38	1.285			<0.5	7.29	<5	130	<0.5	<2	5.91	<0.5	28	120	94
178082		2.42	0.023			<0.5	7.66	<5	120	<0.5	2	6.37	<0.5	22	126	52
178083 DUP		<0.02	0.049			<0.5	7.44	<5	110	<0.5	<2	6.19	<0.5	29	138	65
178084		2.53	0.096			<0.5	7.38	5	200	0.8	<2	4.02	<0.5	12	75	36
178085		2.56	0.040			<0.5	6.67	8	300	1.2	<2	1.54	<0.5	1	13	24
178086		2.42	0.957	0.912		0.6	7.48	<5	170	<0.5	<2	6.05	<0.5	28	128	198
178087		2.36	0.305			0.6	7.85	5	190	0.6	<2	6.81	<0.5	52	138	476
178088		2.44	7.75			0.9	6.96	<5	150	<0.5	<2	4.49	<0.5	55	146	573
178089		2.90	0.063			<0.5	7.58	<5	120	<0.5	<2	6.13	<0.5	32	136	199
178090		0.06	1.905			18.6	7.95	13	50	3.0	<2	0.33	<0.5	3	10	5
178091		2.87	0.106			<0.5	7.55	<5	100	<0.5	<2	6.33	<0.5	30	136	176
178092		2.65	0.126			0.5	7.58	7	110	<0.5	<2	6.70	<0.5	38	136	330
178093		2.43	>10.0		13.05	1.0	6.54	7	160	<0.5	<2	5.49	<0.5	39	123	840
178094		1.86	0.208			<0.5	6.91	<5	180	<0.5	<2	5.33	<0.5	35	131	144
178095		0.26	<0.005			<0.5	6.75	11	530	0.9	<2	0.90	<0.5	2	11	5
178096		2.54	0.205			<0.5	7.02	17	190	<0.5	<2	5.28	<0.5	36	126	206
178097		2.98	0.098			<0.5	7.71	<5	230	0.6	<2	5.11	<0.5	25	72	111
178098		2.60	0.360			<0.5	7.92	5	160	<0.5	<2	6.34	<0.5	36	143	232
178099		2.71	0.049			<0.5	7.82	14	120	<0.5	<2	6.97	<0.5	33	124	84
178100		2.76	1.895			<0.5	7.24	15	210	<0.5	<2	5.39	<0.5	43	132	368



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 26-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06028824**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178081		7.10	1.85	3.54	1395	<1	0.89	81	390	3	0.83	<5	93	0.42	194	20
178082		7.15	1.12	4.06	1220	<1	1.20	68	360	3	0.21	<5	118	0.43	210	<10
178083 DUP		8.97	1.25	3.95	1190	<1	1.17	75	340	<2	0.22	<5	116	0.48	238	10
178084		4.31	0.95	2.11	693	<1	2.34	33	240	<2	0.13	<5	154	0.27	106	<10
178085		1.68	0.64	0.14	180	<1	3.38	3	70	4	0.14	<5	158	0.09	1	<10
178086		6.83	2.32	3.34	1315	<1	0.81	71	390	<2	0.71	<5	94	0.43	202	10
178087		8.10	1.78	3.87	1265	<1	1.21	93	1350	<2	0.89	<5	394	0.52	209	10
178088		6.56	1.80	2.77	952	<1	1.01	67	320	4	1.16	<5	100	0.40	162	10
178089		7.40	1.48	3.73	1130	2	1.07	66	400	<2	0.85	<5	119	0.41	203	<10
178090		2.96	0.18	0.06	109	1	6.7	6	620	130	3.22	<5	20	0.01	2	<10
178091		6.03	1.10	3.02	1040	1	1.13	71	380	<2	0.44	<5	126	0.43	199	<10
178092		7.49	1.60	3.39	1230	1	0.75	67	360	<2	0.94	<5	108	0.42	203	10
178093		7.14	2.33	3.05	1135	1	0.52	85	330	<2	1.68	<5	75	0.37	188	30
178094		7.03	2.09	3.45	1150	1	0.47	64	350	36	1.14	<5	91	0.40	193	30
178095		1.60	4.19	0.23	157	1	2.23	5	170	33	0.01	<5	155	0.09	10	<10
178096		7.58	1.66	3.49	1205	<1	0.90	77	350	7	1.54	<5	104	0.39	200	20
178097		6.47	1.44	2.58	1075	1	1.90	45	600	<2	0.55	<5	177	0.47	174	<10
178098		7.84	1.50	3.87	1350	1	1.04	72	420	<2	0.96	<5	122	0.45	222	20
178099		7.32	1.24	3.88	1240	1	1.05	76	370	<2	0.38	<5	111	0.45	214	10
178100		7.74	2.11	3.55	1180	1	0.86	62	320	<2	1.18	<5	100	0.42	202	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2G1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 26-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028824

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
178081		83
178082		75
178083 DUP		86
178084		65
178085		14
178086		82
178087		90
178088		57
178089		60
178090		18
178091		50
178092		61
178093		89
178094		117
178095		27
178096		89
178097		70
178098		74
178099		58
178100		65





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 20-APR-2006  
 Account: TRAVEN

**CERTIFICATE VO06028825**

Project: BLOCK A  
 P.O. No.:  
 This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 24-MAR-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
 Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 3 (A - B)  
Finalized Date: 20-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028825

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
178101		2.91	0.219	<0.5	7.65	<5	140	<0.5	<2	5.51	<0.5	36	120	207	6.82	1.24
178102		2.43	0.589	<0.5	7.79	<5	120	<0.5	<2	5.86	<0.5	36	119	238	7.02	1.10
178103		3.36	0.102	<0.5	7.80	<5	120	<0.5	<2	5.51	<0.5	33	122	244	6.78	1.18
178104		1.22	3.41	3.6	6.38	<5	140	<0.5	<2	3.52	<0.5	53	106	4070	7.19	1.36
178105		0.09	0.006	<0.5	7.04	<5	550	0.9	<2	0.95	<0.5	2	9	14	1.77	4.29
178106		1.68	0.041	<0.5	7.22	<5	120	<0.5	<2	5.78	<0.5	28	97	106	6.68	1.23
178107		1.46	0.014	<0.5	7.38	5	310	0.9	<2	2.59	<0.5	12	7	78	3.49	1.08
178108		2.13	0.212	<0.5	7.96	<5	130	<0.5	<2	6.06	<0.5	34	110	123	6.80	1.20
178109		2.21	0.063	<0.5	7.58	<5	170	<0.5	<2	6.19	<0.5	41	290	83	7.06	1.28
178110		3.58	0.843	<0.5	7.69	<5	190	<0.5	<2	5.20	<0.5	38	127	378	7.21	1.59
178111		1.33	0.030	<0.5	7.56	<5	300	0.9	<2	3.50	<0.5	15	9	53	4.37	1.46
178112		2.27	0.935	<0.5	7.34	<5	320	0.6	<2	3.62	<0.5	15	25	122	4.43	1.53
178113		2.25	0.029	<0.5	7.37	<5	310	0.9	<2	3.08	<0.5	15	61	67	3.69	1.34
178114		0.06	0.986	9.2	7.55	<5	50	3.2	<2	0.32	<0.5	2	10	7	2.64	0.19
178115		2.94	0.740	1.1	7.43	<5	200	<0.5	<2	5.26	<0.5	38	135	669	7.19	1.80
178116		1.39	0.011	<0.5	6.31	<5	570	1.1	<2	1.18	<0.5	1	11	29	1.63	1.50
178117		2.66	0.012	<0.5	6.44	<5	590	1.1	<2	1.05	<0.5	1	11	22	1.79	1.64
178118		2.96	0.099	<0.5	6.87	<5	480	1.1	<2	1.89	<0.5	6	13	20	2.19	1.56
178119		2.66	1.985	1.1	6.60	<5	270	<0.5	<2	4.31	<0.5	41	188	974	7.15	1.95
178120 DUP		<0.02	2.18	1.2	6.67	<5	270	<0.5	<2	4.36	<0.5	42	186	960	7.16	1.92
178121		1.97	0.158	<0.5	6.66	<5	470	1.1	<2	1.51	<0.5	5	47	55	2.27	1.48
178122		3.44	1.985	<0.5	6.09	<5	90	<0.5	<2	5.66	<0.5	48	760	71	7.57	1.06
178123		2.74	0.295	<0.5	5.53	<5	20	<0.5	<2	5.31	<0.5	51	956	161	9.29	0.35
178124		2.44	0.231	<0.5	5.41	<5	10	<0.5	<2	5.48	<0.5	56	648	119	6.91	0.12
178125		2.40	0.528	<0.5	5.60	<5	50	<0.5	<2	5.44	<0.5	51	557	78	8.54	0.28
178126		2.48	0.049	<0.5	6.98	<5	200	<0.5	<2	6.15	<0.5	51	594	49	7.05	0.77
178127		2.63	0.024	<0.5	7.13	<5	150	<0.5	<2	6.39	<0.5	51	398	47	7.50	0.85
178128		2.53	0.080	<0.5	6.22	<5	60	<0.5	<2	5.38	<0.5	49	772	19	7.63	0.54
178129 DUP		<0.02	0.074	<0.5	6.15	<5	60	<0.5	<2	5.34	<0.5	49	819	20	7.63	0.55
178130		2.46	0.127	<0.5	5.44	<5	50	<0.5	<2	6.04	<0.5	61	1120	9	7.76	0.32
178131		2.29	0.417	<0.5	5.39	<5	20	<0.5	<2	5.28	<0.5	56	1195	52	8.33	0.19
178132		2.02	0.478	<0.5	5.57	<5	20	<0.5	<2	5.78	<0.5	68	1180	<1	7.74	0.16
178133		2.52	0.157	<0.5	5.69	7	60	<0.5	<2	5.53	<0.5	60	1025	11	7.66	0.31
178134		0.06	1.835	19.0	8.06	5	60	3.2	<2	0.34	<0.5	1	10	5	2.93	0.20
178135		2.72	0.096	<0.5	6.84	<5	280	<0.5	<2	5.87	<0.5	51	725	23	6.56	0.94
178136		2.63	0.049	<0.5	7.36	<5	320	0.6	<2	6.15	<0.5	49	624	72	6.06	0.99
178137		2.77	0.107	<0.5	5.62	<5	20	<0.5	<2	5.54	<0.5	64	1155	24	8.19	0.21
178138		2.47	0.095	<0.5	5.62	<5	50	<0.5	<2	5.42	<0.5	69	1145	21	7.65	0.55
178139		0.11	<0.005	<0.5	6.52	<5	540	0.9	<2	0.90	<0.5	2	24	4	1.63	4.16
178140		2.70	0.114	<0.5	5.33	<5	30	<0.5	<2	5.96	<0.5	71	1190	20	7.33	0.46



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 3 (A - B)  
Finalized Date: 20-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028825

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
178101		3.36	1135	<1	1.14	79	390	<2	0.53	<5	111	0.43	211	<10	64
178102		3.55	1240	<1	1.14	87	380	2	0.46	<5	117	0.43	210	10	68
178103		3.43	1255	<1	1.22	83	390	2	0.54	<5	107	0.43	211	10	64
178104		2.45	896	<1	1.02	72	340	2	1.82	<5	80	0.35	164	20	130
178105		0.25	168	<1	2.03	3	170	38	0.01	<5	154	0.08	10	<10	26
178106		3.60	1325	<1	0.86	68	360	<2	0.27	<5	95	0.40	194	20	86
178107		0.63	454	<1	2.53	5	590	2	0.33	<5	186	0.34	44	<10	37
178108		3.57	1300	<1	1.22	83	400	<2	0.28	<5	128	0.46	217	10	98
178109		5.57	1310	1	1.10	157	450	<2	0.14	<5	152	0.40	205	<10	90
178110		3.37	1125	<1	1.28	92	850	2	0.72	<5	188	0.48	205	10	97
178111		0.97	672	<1	2.38	5	1040	5	0.24	<5	215	0.52	92	<10	50
178112		1.14	756	<1	2.26	14	750	6	0.31	<5	182	0.45	104	<10	61
178113		1.26	531	<1	2.44	21	630	5	0.27	<5	187	0.36	58	<10	45
178114		0.07	38	<1	6.8	2	640	123	2.86	<5	20	0.01	2	<10	18
178115		3.34	1210	<1	0.99	84	370	3	0.77	<5	102	0.46	200	20	135
178116		0.12	150	<1	2.97	1	80	6	0.18	<5	126	0.10	1	<10	17
178117		0.10	136	<1	3.02	1	70	8	0.25	<5	128	0.10	1	<10	19
178118		0.62	272	<1	2.89	3	230	4	0.20	<5	160	0.17	25	<10	30
178119		2.99	1170	<1	0.77	158	330	8	1.28	<5	108	0.40	176	60	99
178120 DUP		3.02	1180	<1	0.76	160	340	9	1.20	<5	107	0.39	176	70	97
178121		0.54	246	<1	3.10	23	110	7	0.27	<5	125	0.12	15	<10	20
178122		8.53	1435	<1	0.68	385	330	6	0.32	<5	107	0.29	162	<10	94
178123		10.85	1885	<1	0.33	612	200	5	1.02	<5	26	0.26	170	<10	95
178124		11.05	1855	<1	0.30	564	200	<2	0.83	<5	24	0.26	172	30	80
178125		10.15	1910	<1	0.38	475	230	2	0.61	<5	59	0.27	167	10	84
178126		7.34	1310	<1	1.15	238	400	7	0.14	<5	275	0.32	199	60	71
178127		6.83	1430	<1	0.94	192	280	8	0.13	<5	156	0.37	221	20	69
178128		8.20	1395	<1	0.54	391	230	2	0.10	<5	107	0.31	190	<10	76
178129 DUP		8.10	1390	<1	0.55	388	240	3	0.11	<5	108	0.31	192	<10	75
178130		10.30	1450	<1	0.29	617	230	3	0.07	<5	66	0.26	175	<10	79
178131		10.75	1605	<1	0.24	675	190	5	0.21	<5	52	0.24	168	<10	112
178132		10.85	1430	<1	0.29	670	230	4	0.01	<5	50	0.24	178	<10	80
178133		10.05	1435	2	0.45	610	240	4	0.10	<5	89	0.26	166	<10	79
178134		0.08	120	<1	7.2	4	670	133	3.19	<5	22	0.02	2	<10	19
178135		9.02	1205	<1	0.66	535	580	7	0.19	<5	243	0.26	139	<10	73
178136		8.23	1130	<1	0.86	483	840	8	0.56	<5	474	0.25	124	<10	69
178137		10.90	1670	<1	0.29	865	220	2	0.18	<5	78	0.28	177	<10	91
178138		10.85	1480	<1	0.22	675	210	4	0.11	<5	74	0.27	176	<10	95
178139		0.32	160	<1	2.05	11	170	38	0.01	<5	152	0.09	10	<10	27
178140		10.95	1470	<1	0.23	694	190	2	0.09	5	57	0.25	170	<10	93



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 3 (A - B)  
Finalized Date: 20-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028825

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
178141		2.76	0.054	<0.5	5.35	<5	80	<0.5	<2	5.73	<0.5	67	1165	15	7.47	0.97
178142		2.52	0.128	<0.5	5.19	<5	60	<0.5	<2	6.08	<0.5	64	1155	5	7.26	1.02
178143		2.76	0.252	<0.5	5.10	<5	40	<0.5	<2	5.55	<0.5	64	1270	9	7.03	0.68
178144		2.46	0.051	<0.5	5.52	<5	60	<0.5	<2	5.07	<0.5	68	1355	7	7.91	1.07
178145		2.84	0.168	<0.5	5.26	<5	30	<0.5	<2	5.56	<0.5	69	1290	13	7.30	0.27
178146		2.84	0.089	<0.5	6.38	<5	260	<0.5	<2	5.41	<0.5	59	779	47	8.19	1.54
178147		2.69	0.194	<0.5	5.98	<5	80	<0.5	<2	5.40	<0.5	51	1005	45	8.28	0.69
178148		2.53	0.218	<0.5	5.92	<5	40	<0.5	<2	5.17	<0.5	82	1185	30	7.78	0.52
178149		2.73	0.815	<0.5	5.30	<5	10	<0.5	<2	6.12	<0.5	62	1180	11	7.25	0.13
178150		2.71	0.112	<0.5	5.00	5	<10	<0.5	<2	4.09	<0.5	63	1155	77	8.97	0.05
178151 DUP		<0.02	0.117	0.6	5.20	<5	<10	<0.5	<2	4.21	<0.5	65	1105	88	7.11	0.05
178152		0.13	<0.005	<0.5	6.63	<5	560	0.8	<2	0.92	<0.5	1	21	5	1.78	4.12
178153		2.73	0.877	<0.5	5.82	7	10	<0.5	<2	5.28	<0.5	67	1230	27	7.61	0.15
178154		3.18	0.165	<0.5	5.93	<5	120	<0.5	<2	5.22	<0.5	54	988	19	6.88	0.70
178155		1.74	0.006	<0.5	7.41	<5	540	0.6	<2	1.15	<0.5	4	14	8	1.16	1.54
178156		2.51	0.005	<0.5	7.57	7	550	0.5	<2	1.70	<0.5	5	32	28	1.21	1.34
178157		0.06	0.946	11.1	7.83	<5	50	3.1	<2	0.32	<0.5	<1	6	8	2.65	0.19
178158		2.43	0.057	<0.5	7.06	<5	170	<0.5	<2	5.51	<0.5	38	334	52	5.52	0.79
178159		2.45	0.381	<0.5	7.36	<5	130	<0.5	<2	7.21	<0.5	39	339	18	6.08	0.54
178160		2.42	0.065	<0.5	6.78	<5	70	<0.5	<2	7.06	<0.5	42	314	13	6.42	0.49
178161		2.81	0.064	<0.5	7.34	<5	120	<0.5	<2	6.79	<0.5	48	405	28	7.01	0.73
178162		2.43	0.013	<0.5	7.53	<5	120	<0.5	<2	7.29	<0.5	48	334	8	7.26	0.55
178163		2.63	0.151	<0.5	7.26	5	120	<0.5	<2	7.45	<0.5	47	337	69	7.28	0.50
178164		2.72	0.094	<0.5	6.98	<5	80	<0.5	<2	7.09	<0.5	43	464	178	6.82	0.50
178165		2.70	0.016	<0.5	6.89	<5	70	<0.5	<2	7.15	<0.5	46	315	108	7.68	0.35
178166		2.87	0.009	<0.5	6.07	<5	110	<0.5	<2	5.82	<0.5	48	647	58	6.16	0.94
178167		2.52	0.068	<0.5	7.60	5	60	<0.5	<2	9.12	<0.5	43	330	201	7.74	0.28
178168		2.47	0.060	<0.5	7.35	<5	30	<0.5	<2	9.13	<0.5	47	332	158	7.59	0.17
178169		2.56	0.021	<0.5	7.03	<5	30	<0.5	<2	8.12	<0.5	47	324	176	7.38	0.17
178170 DUP		<0.02	0.037	<0.5	8.17	10	40	<0.5	<2	9.57	<0.5	42	316	184	8.71	0.17
178171		2.86	0.013	<0.5	7.19	8	60	<0.5	<2	7.86	<0.5	42	321	11	7.17	0.31
178172		2.69	0.057	<0.5	7.50	<5	70	<0.5	<2	8.73	<0.5	44	334	21	7.41	0.38
178173		2.50	0.401	<0.5	7.15	<5	50	<0.5	<2	8.19	<0.5	38	309	9	7.11	0.27
178174		2.61	0.111	<0.5	7.06	<5	120	<0.5	<2	6.36	<0.5	33	278	19	6.03	0.45
178175		0.10	<0.005	<0.5	6.63	7	540	0.9	<2	0.88	<0.5	2	13	5	2.09	4.08
178176		2.73	0.097	<0.5	7.03	<5	50	<0.5	<2	8.51	<0.5	42	318	18	7.46	0.32
178177		2.63	0.091	<0.5	6.87	<5	40	<0.5	<2	10.40	<0.5	38	311	16	7.01	0.32
178178		0.05	1.865	20.1	7.86	<5	60	3.2	<2	0.32	<0.5	1	5	5	2.62	0.18
178179		2.48	0.063	<0.5	7.27	<5	40	<0.5	<2	9.46	<0.5	42	328	14	7.51	0.26
178180		2.77	0.452	<0.5	7.18	<5	40	<0.5	<2	8.94	<0.5	41	350	15	7.27	0.28



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 3 (A - B)

Finalized Date: 20-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028825

Sample Description	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1	W ppm 10	Zn ppm 2
178141	10.90	1340	<1	0.22	673	190	2	0.09	<5	54	0.26	172	<10	88
178142	10.55	1390	<1	0.25	662	180	4	0.04	<5	71	0.26	168	<10	78
178143	10.70	1275	6	0.23	686	180	2	0.06	<5	50	0.24	165	<10	71
178144	11.30	1335	1	0.22	731	190	3	0.06	<5	54	0.27	179	<10	85
178145	11.30	1350	3	0.22	728	190	11	0.08	5	49	0.25	170	<10	84
178146	8.64	1335	<1	0.25	421	920	7	0.45	<5	222	0.44	190	<10	77
178147	9.23	1480	1	0.29	531	480	6	0.36	<5	130	0.33	172	<10	92
178148	9.73	1375	<1	0.29	639	250	2	0.21	<5	102	0.29	173	<10	82
178149	10.00	1430	<1	0.32	666	160	3	0.06	<5	92	0.25	169	<10	81
178150	9.24	1170	<1	0.16	695	190	3	0.27	<5	49	0.25	156	<10	88
178151 DUP	9.52	1200	1	0.17	722	190	9	0.29	<5	51	0.26	160	10	91
178152	0.25	166	<1	2.09	9	160	29	<0.01	<5	151	0.08	8	<10	26
178153	10.50	1345	5	0.28	700	170	4	0.14	<5	68	0.27	178	10	194
178154	9.57	1195	3	0.59	499	460	3	0.03	<5	110	0.26	157	10	83
178155	0.46	121	<1	4.46	9	210	3	0.08	<5	200	0.10	19	<10	34
178156	0.55	135	<1	4.08	16	220	5	0.11	<5	259	0.10	24	10	26
178157	0.07	35	<1	6.9	4	620	115	2.94	<5	21	0.01	<1	<10	17
178158	4.83	1075	3	1.81	182	470	5	0.19	<5	221	0.33	168	<10	72
178159	5.21	1155	<1	1.37	149	340	3	0.06	<5	211	0.38	208	<10	65
178160	5.44	1170	1	1.26	144	240	<2	0.05	<5	144	0.34	214	10	62
178161	6.04	1215	<1	1.60	177	310	<2	0.12	8	176	0.37	228	50	65
178162	5.59	1255	<1	1.68	146	250	5	0.04	<5	191	0.39	238	<10	60
178163	4.82	1290	<1	1.49	146	250	3	0.21	<5	233	0.37	227	<10	70
178164	5.50	1320	<1	1.72	214	420	21	0.21	<5	223	0.33	188	10	89
178165	4.63	1335	<1	1.51	131	280	4	0.43	<5	272	0.41	227	10	72
178166	8.26	1210	1	1.32	363	640	3	0.01	<5	116	0.30	160	<10	79
178167	4.86	1505	1	1.60	157	260	<2	0.15	<5	159	0.38	217	10	67
178168	4.38	1450	<1	1.43	152	240	5	0.13	9	164	0.36	213	10	68
178169	4.74	1360	1	1.45	154	230	3	0.09	<5	139	0.37	220	10	67
178170 DUP	5.86	1815	<1	1.72	154	280	4	0.10	<5	165	0.37	221	10	66
178171	4.89	1345	<1	1.50	135	250	3	0.04	5	156	0.36	220	10	67
178172	4.50	1430	1	1.39	143	240	3	0.09	<5	139	0.38	232	10	72
178173	4.31	1370	<1	1.52	125	230	3	0.03	<5	138	0.34	207	<10	66
178174	3.46	1135	1	1.84	105	190	10	0.07	<5	140	0.30	170	<10	63
178175	0.21	191	1	2.04	6	150	31	<0.01	<5	144	0.08	7	<10	26
178176	4.54	1460	1	1.30	130	220	4	0.11	<5	130	0.36	218	<10	69
178177	4.08	1530	<1	1.28	114	240	5	0.09	<5	136	0.36	218	<10	66
178178	0.06	109	1	6.7	6	640	118	2.90	<5	22	0.01	<1	<10	19
178179	4.39	1420	<1	1.47	124	250	7	0.04	<5	139	0.37	220	10	68
178180	4.33	1380	<1	1.53	133	230	4	0.05	<5	147	0.38	232	<10	65



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 4-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06028842

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 5-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028842

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178181		2.48	0.065			<0.5	7.61	<5	50	<0.5	<2	8.36	<0.5	40	324	8
178182		2.73	0.153			<0.5	7.29	<5	200	0.6	<2	6.80	<0.5	38	329	25
178183		4.01	0.199			<0.5	6.99	<5	50	<0.5	<2	8.41	<0.5	40	296	24
178184		2.77	0.083			<0.5	7.01	144	370	1.3	<2	2.16	<0.5	6	69	34
178185		3.93	0.151			<0.5	6.52	<5	40	<0.5	2	10.65	<0.5	39	281	116
178186		0.05	0.978			10.5	7.60	10	40	3.1	<2	0.32	<0.5	1	7	8
178187		2.38	0.185			<0.5	6.90	8	50	<0.5	2	9.96	<0.5	38	286	18
178188		2.71	0.427			<0.5	7.14	14	40	<0.5	<2	7.58	<0.5	35	280	7
178189		2.86	<0.005			<0.5	7.66	<5	280	0.8	<2	4.35	<0.5	19	65	67
178190		1.98	<0.005			<0.5	7.48	7	160	0.5	<2	6.89	<0.5	29	155	19
178191		2.40	<0.005			<0.5	8.14	<5	70	<0.5	<2	7.48	<0.5	26	107	5
178192		2.44	0.005			<0.5	8.22	7	100	<0.5	<2	7.97	<0.5	23	112	6
178193		2.23	<0.005			<0.5	8.35	7	210	0.5	<2	6.03	<0.5	23	83	53
178194		2.46	0.008			<0.5	8.16	<5	70	<0.5	2	7.95	<0.5	28	113	106
178195 DUP		<0.02	0.008			<0.5	7.95	<5	70	<0.5	<2	7.92	<0.5	27	114	102
178196		0.09	0.005			<0.5	6.88	<5	530	0.9	<2	1.15	<0.5	2	13	5
178197		2.47	<0.005			<0.5	7.74	<5	30	<0.5	<2	7.53	<0.5	29	115	19
178198		2.42	0.006			<0.5	7.73	5	70	<0.5	<2	7.14	<0.5	27	104	57
178199		3.03	0.007			<0.5	7.98	<5	140	0.6	<2	6.13	<0.5	24	75	52
178200		1.58	<0.005			<0.5	8.29	7	280	0.7	<2	4.35	<0.5	16	37	16
178201		3.19	0.019			<0.5	8.41	7	110	<0.5	<2	7.62	<0.5	28	124	75
178202		3.15	0.016			<0.5	8.65	17	100	<0.5	<2	7.98	<0.5	29	123	51
178203		1.90	<0.005			<0.5	8.34	6	380	0.7	<2	3.65	<0.5	13	61	38
178204		2.40	0.009			<0.5	7.83	<5	60	<0.5	<2	7.06	<0.5	27	110	69
178205		2.36	<0.005			<0.5	8.19	<5	40	<0.5	<2	7.83	<0.5	27	104	16
178206		2.82	0.012			<0.5	7.97	<5	130	0.5	<2	6.12	<0.5	22	83	30
178207		2.38	0.149			<0.5	7.66	11	70	<0.5	<2	7.14	<0.5	25	108	77
178208		2.44	0.016			<0.5	7.88	<5	130	0.5	<2	7.26	<0.5	31	158	151
178209		2.26	0.060			<0.5	7.54	7	80	<0.5	<2	6.53	<0.5	28	121	324
178210 DUP		<0.02	0.080			<0.5	7.40	<5	70	<0.5	<2	6.43	<0.5	30	123	321
178211		2.36	0.017			<0.5	12.10	22	150	0.7	<2	12.15	<0.5	49	215	163
178212		2.50	0.117			<0.5	7.93	12	70	<0.5	<2	6.79	<0.5	37	127	1180
178213		2.50	0.035			<0.5	7.98	<5	60	<0.5	<2	6.64	<0.5	33	128	538
178214		2.61	0.201			<0.5	8.13	5	60	<0.5	<2	7.17	<0.5	34	127	392
178215		2.46	>10.0		11.20	<0.5	7.99	11	60	<0.5	28	7.06	<0.5	38	130	504
178216		2.66	0.093			<0.5	7.82	<5	60	<0.5	<2	6.97	<0.5	35	127	454
178217		0.12	<0.005			<0.5	6.67	<5	530	0.9	<2	0.93	<0.5	<1	8	16
178218		2.52	0.042			<0.5	7.62	<5	50	<0.5	<2	7.13	<0.5	37	128	343
178219		2.56	0.013			<0.5	7.77	<5	70	<0.5	<2	7.37	<0.5	25	108	77
178220		0.06	1.810			19.8	7.85	<5	60	3.1	<2	0.34	<0.5	1	6	6



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028842

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178181		7.70	0.35	4.94	1400	<1	1.53	136	260	3	0.03	<5	170	0.37	238	10
178182		6.80	0.77	5.24	1160	<1	1.81	188	690	3	0.12	<5	406	0.39	194	<10
178183		7.64	0.48	4.91	1470	<1	1.13	142	200	<2	0.07	<5	138	0.35	228	<10
178184		2.02	2.72	0.65	568	2	1.01	20	40	5	0.18	<5	61	0.08	36	<10
178185		6.94	0.41	4.03	1510	<1	0.99	123	220	<2	0.32	<5	141	0.32	195	<10
178186		2.61	0.18	0.07	35	1	6.8	3	630	109	2.77	<5	20	0.01	2	<10
178187		7.30	0.42	4.60	1515	<1	1.24	132	210	<2	0.08	<5	143	0.35	221	<10
178188		6.85	0.47	4.82	1285	1	1.34	128	220	4	0.08	<5	131	0.35	217	10
178189		5.33	0.87	2.08	917	2	2.46	38	900	5	0.23	<5	284	0.47	124	<10
178190		7.12	1.01	4.60	1380	<1	1.50	79	540	3	0.03	<5	200	0.43	228	<10
178191		6.78	0.49	4.26	1245	1	1.82	71	410	3	0.01	<5	215	0.45	224	<10
178192		6.86	0.57	3.93	1220	<1	1.61	60	380	<2	0.02	<5	178	0.44	223	10
178193		5.78	0.96	2.96	969	<1	2.16	68	580	4	0.15	<5	263	0.45	172	<10
178194		6.61	0.44	3.31	1215	<1	1.86	67	360	<2	0.27	<5	208	0.44	218	<10
178195 DUP		6.50	0.44	3.28	1200	<1	1.79	72	340	<2	0.25	<5	200	0.44	219	<10
178196		1.87	4.03	0.34	191	2	2.22	6	190	28	0.01	<5	165	0.09	14	<10
178197		6.57	0.23	3.72	1205	1	1.57	71	350	<2	0.06	<5	161	0.43	210	<10
178198		6.67	0.38	3.53	1225	<1	1.71	78	370	<2	0.15	<5	172	0.43	209	<10
178199		6.22	0.58	2.82	1120	<1	2.01	57	570	3	0.16	<5	200	0.46	178	<10
178200		4.74	1.10	1.76	723	1	2.72	40	680	5	0.05	<5	366	0.43	120	<10
178201		7.27	0.78	3.91	1385	<1	1.60	73	420	<2	0.25	<5	173	0.46	230	10
178202		7.51	0.69	4.32	1370	<1	1.70	92	630	2	0.18	<5	252	0.46	226	20
178203		2.71	1.14	1.44	412	<1	3.54	40	680	3	0.12	<5	438	0.22	60	<10
178204		6.84	0.39	3.60	1220	<1	1.65	74	380	2	0.15	<5	204	0.44	216	<10
178205		6.81	0.26	4.07	1280	<1	1.63	77	380	<2	0.04	<5	162	0.45	224	<10
178206		6.06	0.70	3.08	1085	2	1.72	62	570	<2	0.10	<5	179	0.47	187	<10
178207		6.73	0.51	3.83	1220	<1	1.52	65	360	<2	0.17	<5	169	0.43	216	<10
178208		7.22	0.51	4.06	1215	1	1.77	100	580	2	0.27	<5	290	0.43	211	<10
178209		7.13	0.57	3.39	1140	<1	1.64	80	360	<2	0.36	<5	160	0.42	211	<10
178210 DUP		6.92	0.54	3.33	1120	1	1.61	75	360	3	0.33	<5	159	0.42	209	<10
178211		11.60	1.04	5.88	2170	<1	2.80	133	730	5	0.30	5	307	0.79	391	<10
178212		7.97	0.50	3.35	1145	1	1.69	81	380	2	0.90	<5	168	0.44	219	<10
178213		7.77	0.47	3.39	1170	<1	1.69	68	370	<2	0.58	<5	171	0.44	219	<10
178214		7.66	0.38	3.49	1205	1	1.64	72	390	<2	0.55	<5	173	0.45	222	10
178215		8.02	0.42	3.36	1150	1	1.56	83	390	2	0.82	<5	163	0.44	216	<10
178216		7.84	0.53	3.26	1205	<1	1.43	72	390	<2	0.77	<5	154	0.43	216	<10
178217		1.59	3.95	0.21	148	<1	2.13	4	170	31	0.02	<5	160	0.08	9	<10
178218		7.69	0.35	3.20	1185	<1	1.52	80	350	<2	0.71	<5	166	0.42	197	<10
178219		6.67	0.43	3.46	1195	<1	1.55	65	360	<2	0.15	<5	169	0.42	196	<10
178220		2.66	0.18	0.06	109	<1	6.8	2	630	109	2.89	<5	21	0.01	2	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 4-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028842

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
178181		63
178182		67
178183		71
178184		71
178185		74
178186		17
178187		69
178188		68
178189		67
178190		85
178191		69
178192		89
178193		60
178194		53
178195 DUP		55
178196		30
178197		59
178198		62
178199		74
178200		56
178201		70
178202		67
178203		50
178204		60
178205		63
178206		80
178207		63
178208		65
178209		63
178210 DUP		63
178211		117
178212		64
178213		64
178214		71
178215		61
178216		92
178217		27
178218		58
178219		69
178220		18



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 4-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06028842**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
178221		2.52	0.062			<0.5	8.04	<5	170	0.6	<2	5.80	<0.5	19	83	62
178222		2.64	0.476			<0.5	7.56	<5	70	<0.5	<2	6.63	<0.5	37	122	690
178223		2.18	0.123			<0.5	6.52	<5	160	0.6	<2	6.42	<0.5	44	573	229
178224		2.36	0.013			<0.5	9.10	6	330	0.6	2	6.62	<0.5	28	49	76
178225		1.35	0.024			<0.5	7.82	<5	180	0.5	<2	6.31	<0.5	31	106	208
178226		2.36	0.005			<0.5	7.75	<5	100	<0.5	<2	7.51	<0.5	26	101	60
178227		2.73	<0.005			<0.5	7.88	<5	150	0.5	<2	7.33	<0.5	26	134	24
178228		0.05	0.964			11.2	8.14	<5	50	3.2	<2	0.34	<0.5	<1	8	8
178229		2.75	0.024			<0.5	8.27	<5	190	0.7	<2	5.38	<0.5	23	49	42
178230		2.64	<0.005			<0.5	8.33	<5	70	<0.5	<2	8.03	<0.5	26	102	22
178231		2.73	0.018			<0.5	8.15	<5	60	<0.5	<2	7.53	<0.5	26	107	41
178232		2.84	<0.005			<0.5	7.71	<5	50	<0.5	<2	7.49	<0.5	22	104	39
178233		2.71	0.019			<0.5	8.29	<5	30	<0.5	<2	7.96	<0.5	23	109	129
178234		2.67	9.98	>10.0	7.48	0.8	8.91	<5	90	<0.5	<2	6.05	<0.5	39	120	1580
178235 DUP		<0.02	6.26	4.94		0.5	6.62	<5	90	<0.5	<2	5.81	<0.5	37	114	1435
178236		2.73	0.174			<0.5	7.63	<5	120	0.5	<2	6.37	<0.5	47	175	649
178237		2.94	0.010			<0.5	8.02	<5	50	0.5	<2	7.76	<0.5	34	126	59
178238		2.70	0.095			<0.5	8.04	<5	60	<0.5	<2	8.32	<0.5	32	123	995
178239		0.09	<0.005			<0.5	6.51	<5	530	0.8	<2	0.96	<0.5	1	11	27
178240		2.56	0.987			<0.5	7.51	<5	40	<0.5	<2	6.73	<0.5	29	123	471
178241		2.81	3.30	3.47		<0.5	7.27	<5	80	<0.5	<2	5.64	<0.5	35	118	1045
178242		2.67	0.558			<0.5	7.95	<5	60	<0.5	<2	6.88	<0.5	33	132	497
178243		2.46	0.113			<0.5	7.82	<5	200	0.6	<2	4.92	<0.5	16	77	246
178244		2.65	0.022			<0.5	7.60	<5	70	<0.5	<2	6.22	<0.5	25	122	462
178245		2.67	0.184	0.212		<0.5	7.77	<5	80	<0.5	<2	6.77	<0.5	28	125	674
178246		2.67	0.051			<0.5	7.52	<5	100	<0.5	<2	7.31	<0.5	25	103	57
178247		2.82	0.048			<0.5	7.38	<5	40	<0.5	<2	7.09	<0.5	21	97	26
178248		2.77	0.131			<0.5	7.68	<5	60	<0.5	<2	6.73	<0.5	32	114	528
178249		0.05	1.975			18.9	7.70	<5	50	3.0	<2	0.33	<0.5	<1	6	6
178250		2.61	1.020	0.935		<0.5	7.05	<5	70	<0.5	4	5.94	<0.5	30	118	568
178251		2.54	0.018			<0.5	8.03	<5	80	<0.5	<2	6.52	<0.5	21	117	148
178252		2.56	2.61	2.16		<0.5	7.24	<5	120	<0.5	<2	5.38	<0.5	33	128	1060
178253 DUP		<0.02	4.16	5.33		0.8	7.31	9	110	<0.5	<2	5.43	<0.5	32	127	1085
178254		2.69	0.051			<0.5	7.51	5	110	0.5	<2	6.59	<0.5	28	188	218
178255		2.98	0.254			<0.5	7.46	<5	150	<0.5	<2	5.95	<0.5	37	242	535
178256		2.94	<0.005			<0.5	7.95	<5	180	0.6	<2	4.91	<0.5	19	95	189
178257		2.22	0.451			<0.5	7.00	9	260	0.6	<2	3.78	<0.5	23	60	323
178258		0.13	<0.005			<0.5	6.80	<5	530	0.9	<2	1.01	<0.5	2	7	7
178259		2.97	0.218			<0.5	7.66	<5	130	0.5	<2	5.47	<0.5	28	114	383
178260		3.00	0.142			<0.5	7.23	<5	230	0.7	<2	4.36	<0.5	12	59	134



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028842

Sample Description	Method Analyte Units LOR	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178221		8.47	0.85	2.38	1190	<1	2.20	42	600	2	0.38	<5	183	0.44	129	<10
178222		7.89	0.37	3.11	1140	<1	1.68	83	400	<2	0.99	7	277	0.40	200	10
178223		7.36	0.92	6.46	1300	<1	1.20	207	710	20	0.61	<5	452	0.36	173	10
178224		6.78	0.97	3.19	1150	1	2.31	37	790	4	0.17	<5	487	0.53	196	<10
178225		6.77	0.62	3.27	1080	1	1.53	87	380	14	0.49	<5	209	0.42	192	<10
178226		8.70	0.56	3.59	1175	<1	1.54	72	490	<2	0.18	<5	233	0.42	192	<10
178227		6.46	0.55	3.95	1200	<1	1.82	83	540	<2	0.09	<5	262	0.41	187	<10
178228		2.77	0.19	0.07	34	1	7.2	2	620	123	3.00	<5	23	0.01	2	<10
178229		5.61	0.70	2.27	961	<1	2.33	41	780	<2	0.07	<5	237	0.55	182	<10
178230		7.15	0.40	4.02	1330	<1	1.66	73	400	<2	0.09	<5	176	0.44	205	10
178231		8.84	0.37	3.88	1245	<1	1.78	72	370	<2	0.09	<5	164	0.44	212	10
178232		6.59	0.31	3.62	1195	<1	1.40	70	360	<2	0.08	5	152	0.43	201	<10
178233		7.12	0.25	3.87	1270	<1	1.50	62	400	<2	0.15	<5	163	0.45	215	<10
178234		7.98	0.65	2.89	998	<1	1.25	80	340	<2	1.35	<5	147	0.39	180	10
178235 DUP		7.35	0.61	2.57	948	<1	1.20	74	330	<2	1.10	6	139	0.38	175	<10
178236		7.57	0.65	3.35	1070	<1	1.73	108	430	<2	0.80	<5	204	0.51	230	<10
178237		6.94	0.32	3.68	1225	<1	1.72	88	520	3	0.14	<5	239	0.58	257	10
178238		8.18	0.48	3.19	1255	<1	1.37	85	400	2	1.32	<5	186	0.42	191	20
178239		1.66	4.01	0.22	152	<1	2.07	5	160	69	0.05	<5	155	0.08	9	<10
178240		6.75	0.28	2.98	1060	<1	1.87	72	340	2	0.70	<5	175	0.42	183	10
178241		7.46	0.47	2.44	880	1	1.61	76	350	18	1.48	<5	160	0.38	159	<10
178242		8.01	0.42	3.26	1125	<1	1.69	75	340	2	0.85	<5	170	0.44	210	<10
178243		6.00	0.77	2.07	918	1	2.10	37	530	2	0.49	<5	181	0.39	128	<10
178244		7.07	0.53	2.93	1035	<1	1.61	62	350	2	0.83	<5	160	0.43	206	<10
178245		7.48	0.58	3.18	1135	<1	1.80	70	340	<2	0.80	<5	153	0.43	203	560
178246		6.44	0.70	3.77	1295	<1	1.51	66	340	<2	0.20	<5	147	0.42	196	<10
178247		6.00	0.27	3.40	1130	<1	1.49	61	420	<2	0.08	<5	179	0.43	192	<10
178248		6.99	0.36	3.31	1085	<1	1.60	78	530	<2	0.98	<5	188	0.43	194	<10
178249		2.74	0.18	0.06	105	<1	6.7	2	600	114	2.97	<5	21	0.01	2	<10
178250		7.09	0.48	3.08	993	<1	1.50	81	330	<2	0.75	<5	149	0.38	179	<10
178251		6.92	0.54	3.39	1110	1	1.68	61	370	3	0.28	<5	172	0.44	203	<10
178252		8.14	1.00	2.91	886	<1	1.35	91	330	2	1.39	<5	134	0.40	183	10
178253 DUP		6.25	1.00	3.17	897	<1	1.42	81	360	3	1.36	<5	132	0.42	190	40
178254		6.71	0.54	3.91	1065	<1	1.58	81	430	4	0.31	<5	223	0.44	191	<10
178255		8.20	1.06	4.00	1020	<1	1.16	104	400	2	1.01	<5	177	0.43	198	10
178256		5.24	1.16	2.34	789	<1	1.79	67	1030	3	0.44	<5	315	0.46	129	<10
178257		7.03	1.37	1.88	735	<1	1.75	47	700	<2	1.18	<5	235	0.46	125	<10
178258		1.54	4.29	0.25	140	<1	2.26	3	170	34	0.01	<5	159	0.08	9	<10
178259		7.38	1.10	2.99	972	1	1.59	59	540	4	0.78	<5	154	0.47	190	<10
178260		5.27	0.76	1.69	782	<1	2.28	28	500	4	0.35	<5	173	0.39	97	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028842

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
178221		110
178222		84
178223		88
178224		95
178225		161
178226		69
178227		84
178228		17
178229		71
178230		65
178231		78
178232		66
178233		62
178234		70
178235 DUP		68
178236		77
178237		79
178238		50
178239		42
178240		54
178241		50
178242		62
178243		61
178244		60
178245		59
178246		63
178247		57
178248		55
178249		26
178250		52
178251		58
178252		68
178253 DUP		69
178254		73
178255		73
178256		52
178257		62
178258		26
178259		82
178260		66



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 4-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06028842**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178261		2.50	2.30			0.6	6.80	<5	70	<0.5	<2	5.66	<0.5	41	117	1070
178262 DUP		<0.02	1.720			0.7	7.20	<5	80	<0.5	<2	5.90	<0.5	43	126	966
178263		2.54	0.691			<0.5	7.66	<5	80	<0.5	<2	6.07	<0.5	24	128	602
178264		2.40	0.997			<0.5	7.93	<5	90	<0.5	<2	6.41	<0.5	20	124	260
178265		2.56	0.715			0.6	7.66	<5	100	<0.5	<2	6.36	<0.5	27	127	772
178266		2.41	0.047			<0.5	8.75	<5	140	0.5	<2	8.43	<0.5	24	107	63
178267		2.17	0.044			<0.5	8.62	<5	170	0.7	<2	6.58	<0.5	35	102	118
178268		0.05	0.929			10.8	7.97	19	40	3.2	<2	0.33	<0.5	1	5	8
178269		2.80	0.039			<0.5	7.86	<5	620	1.2	<2	3.59	<0.5	13	85	53
178270		3.04	0.043			<0.5	7.54	<5	50	<0.5	<2	6.15	<0.5	38	134	266
178271		2.48	0.068			<0.5	7.79	<5	80	<0.5	<2	6.17	<0.5	41	130	694
178272		2.02	0.052			<0.5	7.92	9	170	0.5	<2	5.32	<0.5	34	114	452
178273		1.28	0.197			<0.5	7.62	<5	230	0.7	<2	3.93	<0.5	21	62	239
178274		1.64	0.460			<0.5	7.24	<5	240	0.9	<2	3.29	<0.5	17	41	295
178275		2.47	0.143			0.5	7.45	<5	190	0.6	<2	4.87	<0.5	22	83	761
178276		4.08	0.133			0.5	7.73	75	140	0.6	<2	5.97	<0.5	39	117	587
178277		1.28	>10.0		59.1	3.1	8.57	<5	80	<0.5	<2	6.77	<0.5	57	107	2910
178278		0.11	0.014	0.010		<0.5	8.92	5	550	0.8	<2	0.89	<0.5	1	7	8
178279		2.40	0.013			<0.5	7.56	<5	80	<0.5	<2	6.81	<0.5	24	102	29
178280		2.67	0.184			0.5	7.75	<5	190	0.6	<2	5.54	<0.5	25	76	591



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 4-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06028842**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178261		8.82	0.58	3.10	994	<1	1.53	100	350	6	1.54	<5	134	0.40	184	<10
178262 DUP		8.79	0.62	3.22	1030	<1	1.63	104	370	6	1.42	<5	143	0.43	195	<10
178263		7.10	0.66	3.24	1015	<1	1.55	65	360	19	0.72	<5	138	0.45	200	<10
178264		6.80	0.70	3.29	1055	<1	1.55	55	380	3	0.40	<5	149	0.46	198	<10
178265		7.56	0.84	3.49	1080	<1	1.56	74	380	2	0.77	<5	158	0.45	206	10
178266		7.84	1.04	4.12	1350	<1	1.41	64	650	4	0.17	<5	272	0.57	231	10
178267		8.47	1.02	4.07	1305	<1	2.02	90	2040	5	0.44	<5	433	1.06	204	<10
178268		3.01	0.20	0.07	34	1	7.0	3	610	120	3.12	<5	21	0.01	1	<10
178269		2.66	1.74	1.63	380	<1	3.01	54	460	4	0.16	<5	480	0.20	54	<10
178270		8.08	0.43	3.89	1200	<1	1.51	131	320	4	0.31	<5	199	0.54	188	<10
178271		7.32	0.65	3.00	899	<1	1.59	80	360	7	0.93	<5	149	0.46	202	<10
178272		6.69	1.26	2.76	904	<1	1.33	83	780	8	0.85	<5	247	0.46	168	<10
178273		5.17	1.18	1.68	647	<1	2.10	50	880	32	0.79	<5	269	0.44	100	<10
178274		5.07	1.17	1.08	566	<1	2.40	18	550	6	0.72	<5	186	0.39	65	<10
178275		6.10	1.07	2.19	920	<1	1.80	44	510	7	0.70	<5	167	0.43	145	<10
178276		7.86	1.09	3.18	1065	<1	1.50	84	1210	6	1.05	6	314	0.79	205	10
178277		9.15	0.57	3.48	1205	<1	1.23	92	340	5	1.88	<5	136	0.36	198	450
178278		1.71	4.60	0.22	153	<1	2.16	6	190	34	0.01	<5	157	0.08	8	<10
178279		6.61	0.65	3.75	1125	<1	1.53	66	350	3	0.07	<5	152	0.44	203	<10
178280		6.26	0.91	3.12	929	1	2.16	58	970	7	0.18	<5	379	0.52	172	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 4-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06028842

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
178261		106
178262 DUP		111
178263		110
178264		83
178265		83
178266		91
178267		92
178268		18
178269		50
178270		86
178271		70
178272		118
178273		107
178274		63
178275		80
178276		119
178277		139
178278		29
178279		69
178280		76



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 8-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06030576

Project: DETOUR LAKE  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 7-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06030576**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
178561		2.76	0.058		<0.5	7.84	10	90	<0.5	<2	6.68	<0.5	36	144	111	7.00
178562		2.42	0.036		<0.5	8.17	5	70	<0.5	<2	6.95	<0.5	40	140	106	7.12
178563		1.56	0.798	0.883	<0.5	7.70	<5	60	<0.5	<2	6.78	<0.5	59	138	253	8.18
178564 DUP		<0.02	0.619	0.668	<0.5	7.91	<5	60	<0.5	<2	6.84	<0.5	52	139	216	7.96
178565		2.77	0.048		<0.5	7.90	<5	110	<0.5	<2	6.38	<0.5	31	116	117	6.92
178566		2.60	0.026		<0.5	8.25	5	120	<0.5	<2	6.72	<0.5	32	123	70	6.64
178567		2.52	0.043		<0.5	8.43	<5	230	0.5	<2	5.68	<0.5	31	104	86	6.58
178568		2.79	0.052		<0.5	8.46	5	120	0.8	<2	6.81	<0.5	32	146	56	6.66
178569		2.42	0.734		<0.5	7.75	<5	200	0.6	<2	5.47	<0.5	27	102	133	6.40
178570		2.51	0.062		<0.5	7.83	<5	140	0.5	<2	7.12	<0.5	34	165	164	7.22
178571		0.12	0.006		<0.5	6.88	<5	530	0.9	<2	1.01	<0.5	4	16	12	2.86
178572		2.48	0.013		<0.5	7.44	<5	310	0.7	<2	5.82	<0.5	31	264	95	5.71
178573		2.31	0.007		<0.5	6.44	5	350	1.0	<2	1.19	<0.5	3	13	65	1.56
178574		2.23	0.010		<0.5	7.20	<5	310	0.8	<2	4.18	<0.5	21	22	89	6.50
178575		2.42	0.057		<0.5	7.40	5	410	1.0	<2	2.57	<0.5	10	17	30	3.84
178576		2.16	0.024		<0.5	7.41	<5	220	0.7	<2	5.46	<0.5	28	83	63	7.86
178577		2.38	0.013		<0.5	7.67	<5	110	<0.5	2	7.53	<0.5	34	142	178	7.06
178578		3.07	0.022		<0.5	7.58	<5	100	<0.5	<2	7.55	<0.5	33	156	114	6.81
178579		0.06	0.989		11.4	5.95	<5	30	3.0	<2	0.29	<0.5	<1	7	10	2.35
178580		1.42	0.016		<0.5	7.56	<5	240	0.7	<2	4.54	<0.5	16	65	25	6.20
178581		1.63	<0.005		<0.5	7.54	7	100	<0.5	<2	6.73	<0.5	23	117	12	6.65
178582		2.56	0.036		<0.5	7.32	<5	310	0.9	<2	3.45	<0.5	13	28	36	5.39
178583		2.08	0.325		<0.5	6.70	6	210	0.8	<2	5.03	<0.5	26	80	38	5.68
178584		2.06	0.025		<0.5	6.95	<5	430	0.8	<2	3.36	<0.5	18	61	26	4.84
178585		3.09	<0.005		<0.5	8.74	5	200	0.6	<2	5.83	<0.5	27	14	10	6.84
178586		2.40	0.019		<0.5	7.79	<5	140	0.5	<2	5.66	<0.5	41	151	47	6.94
178587		2.31	<0.005		<0.5	8.24	<5	160	<0.5	<2	5.95	<0.5	37	122	40	6.84
178588		2.83	0.005		<0.5	7.76	5	200	0.5	<2	5.25	<0.5	33	189	37	6.52
178589		0.06	1.790		21.2	8.57	6	50	3.2	<2	0.37	<0.5	1	5	7	2.77
178590		3.13	0.005		<0.5	7.87	<5	100	<0.5	<2	6.78	<0.5	38	84	62	7.09
178591		2.52	<0.005		<0.5	7.68	9	170	0.5	<2	6.46	<0.5	32	67	31	6.58
178592		2.58	0.005		<0.5	7.74	<5	330	0.8	<2	4.22	<0.5	18	40	27	5.68
178593		2.77	<0.005		<0.5	7.84	<5	100	0.5	<2	6.79	<0.5	33	88	154	7.17
178594		2.80	0.018		<0.5	7.01	5	50	<0.5	<2	10.65	<0.5	46	123	278	7.06
178595 DUP		<0.02	0.028		<0.5	7.33	<5	60	<0.5	<2	11.60	<0.5	46	116	269	7.56
178596		2.44	0.016		<0.5	7.79	<5	50	<0.5	<2	7.61	<0.5	35	133	159	6.72
178597		2.13	0.009		<0.5	7.98	<5	120	0.5	<2	7.76	<0.5	40	181	153	7.92
178598		2.50	0.030		<0.5	7.83	<5	120	<0.5	2	6.41	<0.5	33	142	215	7.20
178599		0.12	<0.005		<0.5	7.00	<5	550	0.8	<2	0.80	<0.5	1	10	7	1.76
178600		2.66	0.015		<0.5	7.54	<5	70	<0.5	<2	7.68	<0.5	28	134	166	7.07



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06030576**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
178561	0.72	3.11	1255	<1	1.26	80	390	7	0.48	<5	142	0.44	194	<10	80	
178562	0.55	3.23	1255	<1	1.32	78	370	<2	0.39	<5	141	0.44	206	<10	71	
178563	0.44	3.28	1300	<1	1.41	124	360	3	1.18	<5	150	0.43	202	10	71	
178564 DUP	0.43	3.37	1305	<1	1.47	107	370	6	0.94	<5	154	0.41	200	10	71	
178565	0.51	3.25	1185	<1	1.60	74	890	11	0.36	<5	337	0.45	173	<10	84	
178566	0.63	3.22	1170	<1	1.55	75	370	2	0.24	<5	140	0.41	196	<10	70	
178567	0.93	3.06	1075	<1	1.73	52	610	5	0.31	<5	252	0.44	185	<10	79	
178568	0.81	3.22	1180	<1	1.59	73	540	<2	0.28	<5	167	0.46	182	<10	75	
178569	0.88	2.21	1030	1	1.84	52	600	4	0.58	<5	184	0.46	145	<10	105	
178570	0.97	3.32	1310	1	1.56	85	370	2	0.60	<5	137	0.48	206	10	81	
178571	4.08	0.24	249	1	2.12	8	160	35	0.01	<5	151	0.08	10	<10	27	
178572	1.09	3.93	968	<1	1.87	142	880	5	0.23	<5	429	0.39	152	<10	92	
178573	0.62	0.12	163	1	3.50	1	90	4	0.23	<5	242	0.09	2	<10	14	
178574	1.27	1.60	1055	1	2.13	17	1400	4	0.34	<5	350	0.68	92	<10	78	
178575	1.11	0.70	586	1	3.02	8	560	8	0.14	<5	240	0.34	39	<10	60	
178576	1.07	2.53	1410	7	1.68	45	1420	3	0.28	<5	243	0.65	132	<10	112	
178577	0.75	3.48	1235	<1	1.46	89	380	<2	0.36	<5	155	0.44	193	<10	59	
178578	0.60	3.67	1265	<1	1.79	87	390	3	0.25	<5	176	0.45	198	10	62	
178579	0.17	0.04	34	1	6.9	3	530	70	2.70	<5	13	0.01	2	<10	15	
178580	0.92	2.07	1210	1	2.35	41	750	<2	0.04	<5	217	0.47	104	<10	84	
178581	0.63	3.79	1275	<1	1.64	84	400	14	<0.01	<5	176	0.44	191	<10	86	
178582	1.24	1.16	969	1	2.56	20	940	8	0.22	<5	213	0.46	43	<10	90	
178583	1.03	2.78	1105	1	1.81	68	330	5	0.27	<5	121	0.32	114	140	73	
178584	1.67	1.81	899	1	2.20	45	290	4	0.17	<5	139	0.27	76	<10	69	
178585	0.57	1.85	967	<1	2.69	24	1620	4	0.04	<5	582	0.64	172	<10	58	
178586	0.75	3.55	1265	1	1.81	70	760	3	0.14	<5	258	0.49	177	60	175	
178587	0.61	3.26	1120	<1	2.05	64	910	<2	0.12	<5	326	0.51	174	<10	82	
178588	0.87	3.58	1095	<1	2.18	77	500	<2	0.04	<5	165	0.42	134	<10	92	
178589	0.20	0.07	113	<1	7.1	4	640	110	2.83	<5	24	0.01	2	<10	20	
178590	0.51	3.50	1125	<1	1.80	61	370	<2	0.06	<5	134	0.46	214	<10	74	
178591	0.81	2.94	1255	1	1.88	50	420	5	0.06	<5	139	0.44	191	<10	102	
178592	0.93	1.70	981	1	2.43	26	460	<2	0.12	<5	155	0.37	107	<10	76	
178593	0.53	3.45	1205	<1	1.81	71	1120	4	0.43	<5	339	0.68	199	<10	65	
178594	0.45	3.18	1420	<1	1.30	83	370	5	0.71	<5	149	0.41	185	<10	53	
178595 DUP	0.45	3.37	1535	<1	1.35	85	370	3	0.80	<5	154	0.40	183	10	52	
178596	0.35	3.27	1160	<1	1.65	67	440	2	0.47	<5	169	0.46	196	<10	55	
178597	0.63	4.28	1285	<1	1.63	120	1310	<2	0.44	<5	406	0.56	201	<10	79	
178598	0.87	3.10	1045	<1	1.79	81	370	4	0.64	<5	172	0.46	205	<10	57	
178599	4.43	0.19	152	<1	2.10	3	170	33	0.01	<5	147	0.08	9	<10	27	
178600	0.51	3.27	1155	<1	1.61	67	360	3	0.46	<5	153	0.45	205	<10	55	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06030576**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
178601		2.74	0.023		<0.5	7.39	<5	50	<0.5	2	8.14	<0.5	28	127	157	6.89
178602		2.88	0.044		<0.5	7.66	14	60	<0.5	<2	9.39	<0.5	32	125	277	7.17
178603		1.91	0.430		<0.5	7.20	10	70	<0.5	<2	6.33	<0.5	36	135	1390	7.46
178604		2.56	1.095		<0.5	6.93	<5	40	<0.5	<2	6.32	<0.5	51	123	746	8.30
178605		2.42	0.178		<0.5	7.40	<5	40	<0.5	<2	6.44	<0.5	37	134	915	7.40
178606 DUP		<0.02	0.165		<0.5	7.35	18	40	<0.5	<2	6.55	<0.5	37	136	868	7.43
178607		2.66	0.867		<0.5	7.62	15	40	<0.5	<2	6.88	<0.5	34	128	301	7.17
178608		1.80	<0.005		<0.5	7.54	11	50	<0.5	<2	6.93	<0.5	23	110	55	6.28
178609		2.41	<0.005		<0.5	7.94	<5	80	<0.5	<2	7.05	<0.5	25	120	17	6.66
178610		2.15	0.005		<0.5	7.95	5	100	<0.5	<2	8.60	<0.5	25	119	18	6.73
178611		2.27	0.013		<0.5	7.95	12	120	<0.5	<2	6.06	<0.5	24	103	13	6.22
178612		0.06	0.962		11.2	6.89	<5	30	3.0	<2	0.30	<0.5	1	7	8	2.44
178613		2.44	0.050		<0.5	7.89	9	140	<0.5	<2	5.83	<0.5	27	119	16	6.63
178614		2.48	0.017		<0.5	7.82	14	70	<0.5	<2	6.73	<0.5	27	116	4	6.06
178615		2.36	0.059		<0.5	7.93	<5	110	<0.5	<2	6.04	<0.5	27	126	6	7.19
178616		2.66	0.006		<0.5	7.60	9	100	<0.5	<2	6.43	<0.5	26	114	30	6.48
178617		2.52	<0.005		<0.5	7.45	<5	70	<0.5	<2	8.77	<0.5	28	116	11	6.29
178618		2.47	0.019		<0.5	7.97	5	120	0.5	<2	5.83	<0.5	23	82	49	6.27
178619		0.09	<0.005		<0.5	7.28	9	570	0.9	<2	0.91	<0.5	2	7	4	1.54
178620		2.64	0.878		<0.5	7.73	23	160	0.5	<2	5.99	<0.5	29	131	739	6.69
178621		2.64	4.57		1.7	7.47	<5	80	<0.5	<2	5.92	1.4	32	132	2470	6.45
178622		2.60	2.22		1.9	7.58	11	170	0.5	<2	5.71	1.0	30	102	1995	6.68
178623 DUP		<0.02	2.40		1.0	7.74	<5	170	0.5	<2	5.71	1.1	28	103	1995	6.64
178624		2.48	0.106		<0.5	7.50	<5	220	0.8	<2	4.59	<0.5	37	78	696	6.21
178625		2.58	0.286		0.7	7.24	7	70	<0.5	<2	5.99	<0.5	63	128	1605	8.02
178626		2.48	0.080		<0.5	8.07	11	70	<0.5	<2	7.06	<0.5	44	130	425	7.48
178627		2.63	0.016		<0.5	7.69	<5	110	<0.5	<2	7.31	<0.5	35	108	224	7.00
178628		2.27	0.106		<0.5	8.07	11	110	<0.5	<2	7.23	<0.5	34	155	703	7.11
178629		2.54	0.194		<0.5	7.68	7	60	<0.5	<2	6.63	<0.5	63	136	402	7.78
178630		2.75	0.051		<0.5	7.77	15	140	0.6	<2	5.87	<0.5	27	88	240	6.00
178631		2.48	0.090		0.5	7.76	8	90	<0.5	<2	7.09	<0.5	54	122	604	7.33
178632		3.15	0.174		<0.5	7.54	5	60	<0.5	<2	6.53	<0.5	38	133	310	6.63
178633		2.52	0.007		<0.5	7.62	20	60	<0.5	<2	7.00	<0.5	31	118	67	6.64
178634		2.69	1.160		<0.5	7.43	<5	80	<0.5	<2	6.22	<0.5	38	126	198	6.72
178635		0.13	<0.005		<0.5	6.89	<5	570	0.8	<2	1.00	<0.5	3	9	9	1.63
178636		2.61	0.007		<0.5	7.56	16	60	<0.5	<2	7.10	<0.5	33	108	100	6.67
178637		2.40	0.040		<0.5	7.67	<5	70	<0.5	<2	6.50	<0.5	32	132	492	7.10
178638		2.48	0.186		<0.5	7.30	18	110	<0.5	<2	6.09	<0.5	25	125	280	6.76
178639		2.12	<0.005		<0.5	7.66	12	130	<0.5	<2	6.06	<0.5	24	133	15	6.87
178640		0.06	1.810		18.1	7.24	14	50	3.0	<2	0.38	<0.5	1	5	7	2.74



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06030576**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn
	Units LOA	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
178601		0.38	3.16	1210	<1	1.46	80	360	3	0.54	<5	150	0.45	199	<10	51
178602		0.50	3.39	1485	1	1.47	80	390	3	0.67	5	164	0.44	204	<10	61
178603		0.57	3.21	1170	<1	1.25	66	350	7	0.99	<5	136	0.42	189	10	67
178604		0.26	2.89	1070	<1	1.49	89	350	2	1.68	<5	144	0.40	180	<10	52
178605		0.28	3.14	1085	1	1.50	73	360	3	0.95	<5	142	0.43	185	<10	57
178606 DUP		0.28	3.18	1110	1	1.50	74	360	<2	0.93	<5	144	0.41	189	10	58
178607		0.30	3.46	1190	1	1.58	68	360	<2	0.59	<5	160	0.43	205	<10	57
178608		0.36	3.59	1105	<1	1.56	60	360	<2	0.11	6	168	0.41	199	<10	53
178609		0.58	4.10	1190	1	1.67	71	380	3	0.04	<5	154	0.44	202	<10	58
178610		0.79	4.14	1150	1	1.62	80	370	4	0.04	<5	140	0.44	204	<10	62
178611		0.81	3.57	1080	1	1.79	71	490	6	0.04	<5	150	0.46	188	<10	58
178612		0.17	0.05	38	1	7.3	3	580	82	2.98	<5	15	0.01	2	<10	15
178613		1.18	4.20	1060	1	1.62	84	380	16	0.01	<5	132	0.45	201	<10	74
178614		0.52	3.98	1125	1	1.87	73	360	4	<0.01	<5	154	0.45	201	<10	54
178615		1.02	4.32	1145	<1	1.73	90	370	<2	0.01	<5	126	0.46	210	10	62
178616		0.77	3.93	1105	1	1.59	78	370	2	0.07	6	144	0.44	202	<10	61
178617		0.53	3.84	1125	<1	1.58	69	360	7	0.03	<5	144	0.42	199	<10	57
178618		0.60	2.74	1060	<1	2.06	49	630	9	0.17	<5	178	0.47	168	10	70
178619		4.36	0.21	155	1	2.29	3	170	39	0.01	<5	156	0.08	9	<10	23
178620		0.78	3.07	1065	<1	1.89	80	550	5	0.52	5	218	0.45	182	10	83
178621		0.72	2.90	1040	1	1.69	83	340	3	0.71	<5	152	0.43	201	10	112
178622		0.93	2.80	1185	<1	1.90	58	490	6	0.42	<5	153	0.45	168	<10	126
178623 DUP		0.92	2.76	1185	1	1.87	53	510	<2	0.41	<5	152	0.44	161	<10	126
178624		0.78	1.84	978	1	2.26	52	560	2	0.73	<5	180	0.42	108	<10	75
178625		0.71	3.15	1210	1	1.41	98	330	<2	1.46	5	128	0.41	193	40	77
178626		0.44	3.52	1300	<1	1.71	66	390	3	0.67	8	158	0.44	202	10	61
178627		0.65	3.84	1290	<1	1.81	75	660	4	0.45	<5	379	0.43	204	<10	68
178628		0.48	3.82	1245	1	1.66	81	520	<2	0.41	<5	229	0.43	192	<10	67
178629		0.39	3.50	1210	<1	1.61	99	370	6	1.16	6	144	0.44	199	<10	63
178630		0.70	2.61	1055	1	1.91	46	600	<2	0.29	<5	158	0.46	149	<10	88
178631		0.58	3.69	1270	1	1.60	93	360	<2	0.86	<5	142	0.45	204	10	83
178632		0.37	3.06	1090	1	1.61	68	360	<2	0.52	<5	152	0.44	191	<10	67
178633		0.35	3.56	1180	1	1.68	72	400	<2	0.17	<5	150	0.44	197	10	62
178634		0.52	3.19	1080	<1	1.67	81	360	<2	0.53	<5	150	0.43	188	10	53
178635		4.16	0.26	161	<1	2.09	6	180	32	0.01	<5	150	0.09	10	<10	26
178636		0.45	3.76	1180	<1	1.55	79	460	5	0.18	<5	177	0.46	198	<10	60
178637		0.56	3.46	1160	1	1.55	73	360	3	0.54	<5	149	0.44	199	<10	61
178638		1.07	3.97	1090	<1	1.39	65	350	<2	0.25	<5	132	0.41	185	<10	61
178639		1.22	4.18	1115	1	1.41	85	370	10	0.04	<5	122	0.43	197	10	63
178640		0.19	0.09	120	<1	7.1	7	620	119	3.13	<5	22	0.02	4	<10	19



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06030576**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
178641		2.34	0.037		<0.5	7.99	12	100	<0.5	<2	6.47	<0.5	24	118	9	6.34
178642		2.31	0.011		<0.5	8.00	11	110	<0.5	<2	6.35	<0.5	25	134	25	6.98
178643		2.90	0.116		<0.5	8.09	15	100	<0.5	<2	7.73	<0.5	26	126	50	6.86
178644		2.46	0.078		<0.5	8.11	6	120	<0.5	<2	7.50	<0.5	27	130	254	6.97
178645		2.54	0.581	0.308	0.6	8.05	22	70	<0.5	<2	7.17	<0.5	36	130	677	7.36
178646 DUP		<0.02	0.317	0.285	0.5	8.20	26	70	<0.5	<2	7.18	<0.5	35	134	625	7.57
178647		0.14	<0.005		<0.5	7.32	7	590	0.9	<2	0.93	<0.5	2	7	9	1.65
178648		2.63	<0.005		<0.5	7.96	17	70	<0.5	<2	7.08	<0.5	28	120	27	6.43
178649		2.28	0.018		<0.5	8.48	12	80	<0.5	<2	7.08	<0.5	36	136	213	7.42
178650		2.69	<0.005		<0.5	8.13	<5	190	<0.5	<2	6.51	<0.5	34	126	114	7.02
178651		2.25	0.243		<0.5	8.10	7	260	0.6	<2	5.04	<0.5	26	74	122	6.03
178652		2.48	0.197		<0.5	7.73	9	130	0.6	<2	7.21	<0.5	43	200	295	7.84
178653		2.28	<0.005		<0.5	7.87	24	70	<0.5	<2	7.18	<0.5	32	140	63	6.91
178654		2.58	0.184		<0.5	7.98	<5	120	<0.5	<2	6.82	<0.5	30	109	168	6.93
178655		2.58	0.023		<0.5	7.97	12	410	0.8	<2	5.22	<0.5	35	184	588	5.69
178656		0.06	0.960		11.5	9.30	8	60	3.4	<2	0.38	<0.5	1	5	9	3.00
178657		1.98	0.020		<0.5	7.46	13	120	0.6	<2	7.30	<0.5	43	160	154	8.19
178658		2.68	0.007		<0.5	7.46	17	150	0.6	<2	7.30	<0.5	45	262	136	8.19
178659		2.11	0.005		<0.5	7.67	9	170	0.7	<2	7.20	<0.5	39	198	75	7.66
178660		2.47	0.019		<0.5	7.89	11	230	0.8	<2	5.58	<0.5	29	150	73	6.68



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06030576**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
178641		0.86	3.98	1135	<1	1.73	78	390	3	0.03	<5	146	0.46	207	<10	57
178642		1.03	4.29	1270	<1	1.67	76	380	<2	0.03	<5	123	0.46	212	10	67
178643		0.86	4.12	1400	<1	1.54	62	420	12	0.15	<5	136	0.47	217	10	77
178644		1.22	3.95	1485	<1	1.23	69	420	8	0.37	<5	126	0.46	216	20	74
178645		0.62	3.71	1470	1	1.41	78	660	2	0.62	6	206	0.49	215	<10	91
178646 DUP		0.62	3.76	1480	<1	1.44	76	640	2	0.59	<5	199	0.49	215	<10	90
178647		4.49	0.25	186	<1	2.27	5	180	36	0.01	<5	156	0.08	10	<10	26
178648		0.47	3.88	1210	1	1.58	78	390	4	0.04	<5	146	0.46	203	10	60
178649		0.55	3.97	1240	<1	1.87	92	390	3	0.36	<5	156	0.49	223	<10	63
178650		0.73	3.68	1265	<1	1.90	72	390	3	0.20	<5	229	0.47	217	<10	64
178651		0.67	2.26	1055	1	2.34	43	770	<2	0.39	8	241	0.49	140	10	63
178652		0.61	4.45	1500	1	1.95	78	780	5	0.41	<5	474	0.48	232	<10	83
178653		0.36	4.00	1290	1	1.79	70	420	<2	0.09	<5	203	0.45	208	<10	59
178654		0.69	3.87	1230	1	1.48	65	480	6	0.16	<5	208	0.47	215	<10	59
178655		1.50	3.54	838	1	2.00	130	1280	7	0.79	<5	782	0.44	136	10	63
178656		0.21	0.08	44	1	7.9	4	710	131	3.30	5	27	0.01	2	<10	17
178657		0.75	4.56	1485	<1	1.37	54	820	6	0.35	<5	571	0.51	276	10	98
178658		0.87	5.14	1535	<1	1.47	81	780	<2	0.29	<5	406	0.48	252	<10	96
178659		0.77	4.67	1540	<1	1.90	71	790	4	0.13	<5	477	0.48	239	<10	91
178660		0.92	3.18	1225	<1	2.16	45	870	<2	0.17	<5	348	0.49	174	<10	82



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 28-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06030578

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-MAR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rod w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 28-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06030578**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172121		2.35	0.025		<0.5	7.56	<5	80	<0.5	<2	6.94	<0.5	28	109	8	6.50
172122		2.38	0.042		<0.5	8.24	<5	210	0.6	2	5.90	<0.5	25	97	48	5.94
172123		2.42	0.016		<0.5	7.91	<5	210	0.6	2	6.08	<0.5	27	126	37	5.75
172124		2.52	0.074		<0.5	7.36	6	80	<0.5	<2	6.43	<0.5	27	111	19	6.06
172125		2.64	0.091		<0.5	7.72	<5	50	<0.5	<2	7.81	<0.5	29	106	10	6.53
172126		0.04	0.990		11.8	8.49	<5	40	3.0	<2	0.32	<0.5	1	2	7	2.79
172127		2.43	0.045		<0.5	8.74	<5	220	0.8	<2	5.08	<0.5	20	41	33	5.48
172128		2.65	0.086		<0.5	7.24	<5	60	<0.5	<2	6.86	<0.5	27	100	22	6.09
172129		2.52	0.153		<0.5	7.15	<5	70	<0.5	<2	6.34	<0.5	25	112	60	6.10
172130		2.48	0.203		<0.5	7.50	<5	170	0.5	<2	6.07	<0.5	31	337	68	6.81
172131		2.25	0.271		<0.5	7.41	<5	260	0.6	<2	5.02	<0.5	35	528	212	8.14
172132		2.69	0.293		<0.5	6.18	<5	90	<0.5	<2	5.70	<0.5	49	891	108	8.10
172133		2.58	1.455		<0.5	5.90	<5	90	<0.5	<2	5.68	<0.5	47	760	148	8.01
172134		2.67	0.609		<0.5	4.30	<5	90	<0.5	<2	4.65	<0.5	31	572	95	5.42
172135 DUP		<0.02	0.672		<0.5	4.69	<5	90	<0.5	<2	4.96	<0.5	32	575	106	5.78
172136		0.12	<0.005		<0.5	7.18	<5	550	0.9	<2	0.81	<0.5	2	18	6	2.14
172137		2.44	0.065		<0.5	7.87	<5	440	0.5	<2	3.19	<0.5	16	360	14	2.94
172138		1.98	0.005		<0.5	8.53	<5	490	0.6	<2	2.18	<0.5	5	38	6	1.37
172139		1.44	0.029		<0.5	8.35	<5	530	0.6	<2	1.42	<0.5	9	25	12	2.27
172140		2.10	0.103		<0.5	8.30	<5	510	0.7	<2	3.07	<0.5	12	13	16	2.89
172141		2.06	0.011		<0.5	9.35	<5	470	0.7	<2	2.40	<0.5	4	20	8	1.16
172142		2.48	0.859		<0.5	5.52	<5	50	<0.5	<2	5.83	<0.5	49	1115	44	7.82
172143		2.56	0.092		<0.5	6.87	<5	140	<0.5	<2	4.55	<0.5	42	876	14	6.60
172144		2.51	0.157		<0.5	6.84	<5	130	<0.5	<2	4.35	<0.5	38	664	18	5.66
172145		1.41	0.009		<0.5	8.02	<5	450	0.7	<2	1.58	<0.5	4	11	22	1.28
172146		0.06	1.000		11.4	8.03	<5	40	3.0	<2	0.31	<0.5	1	3	7	2.68
172147		1.29	0.012		<0.5	7.58	10	570	0.7	<2	1.35	<0.5	4	13	9	1.22
172148		2.14	0.012		<0.5	8.43	<5	580	0.8	<2	1.76	<0.5	3	9	6	1.09
172149		2.57	0.014		<0.5	7.08	<5	270	0.5	<2	5.48	<0.5	44	675	23	5.52
172150		2.39	0.146		<0.5	6.29	<5	160	<0.5	<2	5.82	<0.5	57	1170	1	8.04
172151		2.85	0.483		<0.5	6.15	<5	140	<0.5	<2	4.32	<0.5	52	1045	18	7.35
172152		2.83	0.180		<0.5	5.88	<5	70	<0.5	<2	5.76	<0.5	59	1205	24	8.04
172153		2.67	0.168		<0.5	7.33	<5	200	<0.5	<2	6.60	<0.5	48	437	95	8.33
172154		2.73	0.025		<0.5	6.05	<5	50	<0.5	<2	5.64	<0.5	66	1180	39	7.87
172155		2.63	0.012		<0.5	5.80	<5	20	<0.5	<2	5.55	<0.5	68	1265	25	7.63
172156		2.63	0.085		<0.5	5.66	5	50	<0.5	2	4.38	<0.5	70	1385	56	7.61
172157 DUP		<0.02	0.083		<0.5	5.82	7	60	<0.5	4	4.54	<0.5	72	1435	50	7.94
172158		0.13	<0.005		<0.5	6.97	<5	550	0.9	2	0.83	<0.5	3	22	4	1.69
172159		2.99	0.156		<0.5	5.65	<5	70	<0.5	<2	5.24	<0.5	64	1260	16	7.30
172160		2.66	0.430		<0.5	5.25	<5	60	<0.5	<2	5.26	<0.5	57	1430	23	7.55





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 28-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030578

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOI	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
172121	0.69	3.61	1255	1	1.50	60	370	<2	0.05	<5	150	0.43	192	10	75	
172122	1.13	3.04	1120	<1	1.91	65	660	8	0.39	<5	187	0.42	156	<10	67	
172123	0.88	3.60	968	<1	1.81	109	660	8	0.25	<5	281	0.40	149	<10	66	
172124	0.50	3.27	1090	<1	1.63	63	400	5	0.11	<5	143	0.41	185	<10	71	
172125	0.36	3.42	1235	<1	1.57	58	370	4	0.05	<5	161	0.43	192	10	68	
172126	0.19	0.07	33	<1	6.9	2	590	114	2.94	<5	21	0.01	2	<10	24	
172127	1.06	1.96	882	<1	2.65	26	690	4	0.17	<5	214	0.49	155	<10	65	
172128	0.58	3.32	1125	<1	1.38	55	370	4	0.15	<5	156	0.43	196	70	65	
172129	0.86	2.97	1075	<1	1.17	56	340	<2	0.40	<5	140	0.40	186	<10	58	
172130	1.14	3.86	1165	<1	1.40	172	550	4	0.52	<5	161	0.45	168	<10	78	
172131	1.85	4.05	1415	<1	1.14	205	680	2	1.06	<5	184	0.43	154	<10	95	
172132	0.72	7.46	1375	<1	0.87	419	350	3	0.60	<5	108	0.33	165	10	101	
172133	0.91	6.75	1685	1	0.82	368	390	3	0.91	<5	128	0.31	144	90	96	
172134	0.65	4.07	1215	1	0.59	257	270	2	0.53	<5	107	0.23	106	180	74	
172135 DUP	0.67	4.40	1295	1	0.63	267	300	2	0.58	<5	116	0.24	110	150	76	
172136	4.43	0.26	193	<1	2.21	9	160	32	0.03	<5	155	0.09	9	<10	30	
172137	1.72	2.59	630	<1	2.98	157	200	5	0.10	<5	243	0.13	51	<10	72	
172138	1.63	0.64	187	<1	3.66	18	200	5	0.04	<5	354	0.11	21	<10	37	
172139	3.37	1.35	238	<1	2.91	19	340	<2	0.14	<5	325	0.18	40	<10	20	
172140	2.58	1.57	421	<1	2.56	11	560	11	0.12	<5	287	0.26	71	<10	89	
172141	1.54	0.54	140	<1	3.97	10	220	7	0.06	<5	456	0.10	17	<10	45	
172142	0.94	9.76	1465	<1	0.59	588	230	3	0.20	<5	128	0.24	153	<10	135	
172143	1.26	7.51	1010	<1	1.31	423	430	14	0.14	<5	138	0.34	149	<10	101	
172144	1.27	6.23	879	<1	1.69	335	430	9	0.13	<5	270	0.31	128	<10	85	
172145	1.27	0.52	101	<1	3.75	13	200	15	0.09	<5	324	0.09	17	<10	70	
172146	0.19	0.06	32	<1	6.8	3	610	115	2.88	<5	20	0.01	2	<10	18	
172147	1.64	0.55	122	<1	3.68	10	190	6	0.05	<5	262	0.09	20	<10	38	
172148	1.60	0.42	127	<1	3.94	5	210	7	0.04	<5	251	0.09	19	<10	41	
172149	1.06	7.89	943	<1	1.39	411	610	<2	0.25	<5	452	0.21	118	<10	62	
172150	1.83	10.40	1335	<1	0.54	558	230	<2	0.01	<5	91	0.29	180	<10	73	
172151	2.34	8.82	1060	<1	0.52	496	270	2	0.13	<5	204	0.29	158	<10	94	
172152	1.06	11.10	1525	<1	0.50	642	260	<2	0.15	<5	101	0.27	167	20	97	
172153	0.97	6.26	1405	<1	1.36	259	1450	4	0.49	<5	563	0.56	197	10	103	
172154	0.75	11.10	1370	<1	0.58	611	240	<2	0.01	<5	54	0.26	176	<10	85	
172155	0.53	11.30	1330	<1	0.42	650	190	<2	<0.01	<5	46	0.25	172	<10	83	
172156	1.16	11.15	1315	1	0.26	694	190	<2	0.09	<5	37	0.28	172	<10	103	
172157 DUP	1.22	11.60	1365	2	0.28	724	200	<2	0.08	<5	38	0.28	176	<10	106	
172158	4.23	0.26	154	<1	2.21	8	160	34	<0.01	<5	156	0.08	8	<10	27	
172159	1.88	10.65	1250	<1	0.30	622	190	<2	0.08	<5	57	0.27	169	<10	79	
172160	1.54	10.80	1190	1	0.25	680	200	<2	0.13	<5	60	0.25	157	<10	86	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 28-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030578

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
172161		2.99	0.726		<0.5	5.90	<5	70	<0.5	<2	6.38	<0.5	64	1165	8	7.82
172162		2.71	0.267		<0.5	5.93	<5	50	<0.5	<2	5.29	<0.5	66	1330	19	7.95
172163		3.11	0.214		<0.5	5.59	<5	50	<0.5	<2	5.82	<0.5	59	1220	9	7.57
172164		2.58	0.172		<0.5	5.01	<5	70	<0.5	<2	5.65	<0.5	53	1060	14	7.01
172165		2.65	0.040		<0.5	6.08	5	40	<0.5	<2	5.18	<0.5	57	1185	18	7.18
172166		2.53	1.690		<0.5	5.57	5	60	<0.5	<2	5.96	<0.5	63	1355	7	7.78
172167		2.60	0.025		<0.5	5.91	<5	100	<0.5	<2	5.07	<0.5	59	1475	23	8.13
172168		2.85	0.198		<0.5	6.16	<5	110	<0.5	<2	5.92	<0.5	63	1260	21	7.78
172169		2.73	0.047		<0.5	6.81	<5	180	<0.5	<2	5.85	<0.5	48	957	44	6.41
172170 DUP		<0.02	0.016		<0.5	7.02	7	190	<0.5	<2	5.98	<0.5	47	879	45	6.50
172171		0.12	<0.005		<0.5	7.44	<5	550	0.9	<2	0.89	<0.5	2	23	5	2.26
172172		2.52	0.150		<0.5	7.46	<5	150	<0.5	<2	5.58	<0.5	37	795	8	5.85
172173		2.56	0.073		<0.5	7.55	9	130	<0.5	<2	7.49	<0.5	39	354	11	7.09
172174		0.06	1.795		20.9	8.17	<5	50	3.0	<2	0.32	<0.5	1	3	4	2.64
172175		2.53	0.084		<0.5	7.34	<5	90	<0.5	<2	7.64	<0.5	44	365	6	7.28
172178		2.53	0.047		<0.5	6.79	<5	70	<0.5	<2	6.95	<0.5	48	350	13	7.24
172177		3.13	0.026		<0.5	6.59	<5	70	<0.5	<2	6.76	<0.5	42	331	10	6.66
172178		3.02	0.020		<0.5	7.13	<5	50	<0.5	<2	9.02	<0.5	40	303	13	7.46
172179		2.52	0.035		<0.5	6.91	9	70	<0.5	<2	9.36	<0.5	41	339	64	7.55
172180		2.55	0.105		<0.5	8.08	<5	140	<0.5	<2	6.81	<0.5	35	277	7	6.19
172181		2.53	<0.005		<0.5	7.49	<5	140	<0.5	2	8.36	<0.5	29	222	45	5.35
172182		2.65	<0.005		<0.5	7.83	<5	180	<0.5	<2	6.33	<0.5	27	213	13	4.90
172183		2.81	0.021		<0.5	7.11	<5	390	0.8	<2	3.35	<0.5	9	88	21	2.83
172184		2.85	0.109		<0.5	7.05	7	160	<0.5	<2	7.11	<0.5	44	308	1060	6.71
172185		2.71	0.095		0.9	6.71	<5	150	<0.5	<2	8.11	<0.5	53	318	862	7.66
172186		0.06	0.998		11.4	7.63	<5	40	3.1	<2	0.30	<0.5	1	3	7	2.70
172187		2.64	0.126		<0.5	7.12	<5	80	<0.5	<2	6.36	<0.5	29	243	117	6.22
172188		2.79	0.055		<0.5	7.02	<5	160	<0.5	<2	8.27	<0.5	36	331	33	7.29
172189		2.54	0.096		<0.5	6.32	5	180	<0.5	<2	6.07	<0.5	42	339	65	7.23
172190		2.34	0.961		<0.5	7.72	<5	230	0.5	<2	4.44	<0.5	21	104	144	4.31
172191		2.83	0.379		<0.5	7.39	9	320	0.5	<2	4.66	<0.5	28	90	132	6.01
172192		1.82	0.639		<0.5	6.76	<5	410	0.8	<2	0.78	<0.5	8	73	77	2.27
172193 DUP		<0.02	0.697		<0.5	6.53	<5	390	0.8	<2	0.68	<0.5	8	61	75	2.01
172194		0.10	<0.005		<0.5	7.06	5	560	0.9	<2	0.94	<0.5	3	14	5	2.41
172195		2.51	0.238		<0.5	7.46	<5	340	0.7	<2	2.13	<0.5	5	49	58	2.00
172196		2.24	0.204		<0.5	7.84	5	160	0.7	<2	5.15	<0.5	28	151	37	5.95
172197		2.31	0.028		<0.5	7.42	<5	210	0.6	<2	4.10	<0.5	20	127	60	3.91
172198		2.35	0.038		<0.5	7.98	5	160	0.8	<2	3.93	<0.5	18	43	43	5.17
172199		2.52	0.027		<0.5	8.74	<5	140	0.8	<2	3.11	<0.5	15	12	33	4.78
172200		2.41	0.112		0.5	7.71	<5	130	0.7	3	4.35	<0.5	38	128	132	6.45



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 28-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030578

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172161		1.67	10.75	1455	<1	0.34	599	210	<2	0.03	<5	90	0.29	179	<10	85
172162		1.40	11.20	1415	<1	0.24	672	200	<2	0.12	<5	51	0.28	181	<10	83
172163		1.44	10.80	1365	<1	0.26	624	180	2	0.05	<5	68	0.25	163	<10	75
172164		1.55	9.41	1395	<1	0.32	553	210	<2	0.07	<5	101	0.23	144	<10	79
172165		0.96	10.35	1220	<1	0.54	616	200	<2	0.12	<5	102	0.24	153	<10	80
172166		1.56	11.65	1325	<1	0.29	700	200	<2	0.04	<5	66	0.26	166	<10	87
172167		2.52	11.35	1290	<1	0.26	687	200	<2	0.18	<5	71	0.28	178	<10	175
172168		1.41	11.35	1350	<1	0.35	622	240	<2	0.09	<5	100	0.26	174	<10	212
172169		0.78	8.35	1115	<1	1.26	396	310	4	0.13	<5	214	0.23	150	30	90
172170 DUP		0.83	8.52	1130	<1	1.31	396	340	2	0.14	<5	221	0.24	152	20	93
172171		4.15	0.33	208	<1	2.27	9	180	37	<0.01	<5	162	0.08	12	<10	29
172172		0.63	6.77	993	<1	1.96	373	220	<2	0.05	<5	126	0.24	146	<10	73
172173		0.78	5.44	1190	<1	1.53	140	250	3	0.08	<5	143	0.37	220	<10	66
172174		0.19	0.07	104	<1	6.9	6	610	120	2.80	<5	20	0.01	2	<10	20
172175		0.68	5.39	1200	1	1.49	148	230	3	0.09	<5	148	0.39	236	10	69
172176		0.62	4.96	1165	<1	1.33	138	210	<2	0.10	<5	143	0.38	230	30	69
172177		0.53	4.55	1070	<1	1.26	130	230	<2	0.07	<5	134	0.36	206	<10	62
172178		0.33	4.83	1290	<1	1.35	125	220	2	0.07	<5	156	0.35	209	<10	65
172179		0.57	4.73	1455	1	1.26	126	220	3	0.23	<5	130	0.36	215	<10	163
172180		0.65	4.13	1010	<1	2.31	102	240	4	0.05	<5	180	0.30	170	<10	58
172181		0.77	3.09	949	1	2.16	79	260	3	0.12	<5	222	0.25	146	<10	55
172182		0.79	3.15	836	3	2.65	71	210	<2	0.05	<5	211	0.24	132	<10	54
172183		1.06	1.18	522	1	3.13	25	150	2	0.13	<5	161	0.14	47	<10	32
172184		0.66	4.28	1145	2	1.78	98	370	4	0.27	<5	243	0.32	186	<10	80
172185		0.81	5.61	1390	<1	1.36	108	460	5	0.24	<5	206	0.34	215	230	101
172186		0.19	0.06	36	<1	7.0	2	590	116	2.93	<5	19	0.01	1	<10	20
172187		0.90	3.88	1085	<1	3.30	85	470	3	0.12	<5	76	0.40	172	<10	49
172188		1.58	5.00	1195	3	1.82	162	480	<2	0.06	<5	134	0.37	194	150	66
172189		1.97	4.55	1215	2	1.77	128	230	2	0.03	<5	106	0.38	220	80	73
172190		1.41	1.97	670	7	3.03	39	460	2	0.33	<5	123	0.31	113	60	46
172191		2.01	2.80	919	3	1.78	64	1250	4	0.68	<5	292	0.52	162	<10	92
172192		1.18	0.79	220	5	3.48	20	220	11	0.46	<5	94	0.11	37	<10	35
172193 DUP		1.20	0.66	192	3	3.38	17	210	10	0.43	<5	90	0.11	36	<10	33
172194		4.27	0.23	211	<1	2.25	4	180	32	0.01	<5	165	0.08	9	<10	28
172195		0.98	0.67	291	3	4.25	12	160	4	0.30	<5	159	0.10	31	<10	37
172196		0.73	2.69	987	<1	2.33	58	660	4	0.18	<5	246	0.45	160	<10	87
172197		0.60	2.02	673	<1	3.01	43	300	3	0.21	<5	208	0.25	104	<10	75
172198		0.65	1.54	814	1	2.84	19	850	3	0.29	<5	237	0.48	118	<10	73
172199		0.83	1.27	756	1	3.48	12	920	3	0.23	<5	240	0.49	103	<10	81
172200		0.66	2.40	1040	<1	2.67	81	610	3	0.49	<5	204	0.42	145	20	104



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 28-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06030578**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172201		2.38	0.084		<0.5	8.08	8	130	0.8	<2	3.94	<0.5	26	143	74	5.67
172202		2.21	0.112		<0.5	7.78	<5	180	0.9	<2	2.48	<0.5	11	19	24	4.13
172203		2.88	0.019		<0.5	7.79	8	180	<0.5	4	4.35	<0.5	21	116	55	5.39
172204		2.43	0.024		<0.5	7.84	<5	160	<0.5	3	5.68	<0.5	21	156	48	5.48
172205		2.50	0.705	0.887	<0.5	6.96	7	60	0.5	3	6.23	<0.5	46	275	154	6.34
172206		2.44	1.855		0.6	5.81	<5	40	<0.5	<2	8.37	<0.5	99	303	797	7.44
172207 DUP		<0.02	1.645		0.6	5.95	12	40	<0.5	3	8.48	<0.5	104	314	776	7.55
172208		0.14	<0.005		<0.5	6.95	7	560	0.9	<2	1.06	<0.5	2	18	8	2.18
172209		2.69	0.401		<0.5	6.96	<5	70	<0.5	2	7.54	<0.5	38	330	38	6.79
172210		2.80	1.380		<0.5	6.72	8	230	<0.5	4	5.89	<0.5	35	327	19	6.92
172211		2.72	0.529		<0.5	7.08	10	80	<0.5	<2	6.70	<0.5	37	314	16	7.45
172212		2.41	0.062		<0.5	7.24	<5	130	<0.5	2	8.46	<0.5	37	353	31	7.59
172213		2.41	0.106		<0.5	6.86	<5	360	0.9	2	2.03	<0.5	9	87	15	2.52
172214		0.04	1.805		21.3	8.01	9	60	3.2	2	0.33	<0.5	1	6	6	2.85
172215		2.50	0.111		<0.5	6.94	6	120	<0.5	4	6.85	<0.5	40	320	25	7.41
172216		2.44	1.055		<0.5	7.29	7	70	<0.5	<2	7.16	<0.5	42	328	20	7.66
172217		2.52	0.289		<0.5	7.16	<5	80	<0.5	3	7.67	<0.5	40	306	57	7.32
172218		2.65	0.020		<0.5	6.67	7	40	0.8	2	6.80	<0.5	47	537	64	7.19
172219		2.27	0.097		<0.5	7.23	<5	100	0.5	<2	5.50	<0.5	36	441	112	6.27
172220		2.59	0.723		<0.5	7.67	<5	100	<0.5	<2	7.75	<0.5	39	336	79	8.01



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 28-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030578

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Tl %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172201		0.73	2.07	940	1	2.93	50	660	5	0.34	<5	224	0.45	146	<10	92
172202		0.70	0.82	616	<1	3.15	6	790	5	0.18	<5	202	0.40	51	<10	59
172203		1.09	2.22	870	<1	2.87	41	640	3	0.13	<5	188	0.43	133	<10	65
172204		1.34	2.55	917	<1	2.36	54	530	2	0.09	<5	181	0.39	148	<10	55
172205		0.51	3.36	1070	<1	2.15	164	200	3	0.28	<5	140	0.30	154	<10	55
172206		0.88	3.39	1000	<1	0.45	301	210	4	1.25	<5	37	0.29	171	680	47
172207 DUP		0.92	3.46	1020	<1	0.47	309	210	4	1.17	<5	37	0.30	177	590	50
172208		4.32	0.27	193	<1	2.18	8	180	33	0.01	<5	166	0.08	10	<10	27
172209		1.08	3.94	1150	<1	1.22	120	220	4	0.14	<5	120	0.35	205	50	74
172210		2.17	4.18	1240	<1	1.22	117	200	3	0.28	<5	132	0.33	201	30	78
172211		0.78	4.91	1305	<1	1.41	120	230	3	0.19	<5	146	0.35	212	<10	64
172212		1.12	4.38	1340	<1	1.36	125	220	3	0.41	<5	171	0.36	213	10	66
172213		1.05	1.13	462	1	3.65	27	110	4	0.18	<5	133	0.15	42	<10	23
172214		0.19	0.06	108	<1	7.0	6	840	122	3.02	<5	24	0.01	2	<10	19
172215		0.83	5.08	1375	<1	1.36	124	240	3	0.16	<5	147	0.36	207	40	76
172216		0.49	4.78	1340	<1	1.56	132	230	5	0.13	<5	171	0.36	215	70	69
172217		0.40	5.02	1285	<1	1.67	115	410	2	0.18	<5	222	0.37	210	<10	69
172218		0.26	7.68	1330	<1	1.44	219	790	4	0.09	<5	190	0.37	192	<10	82
172219		0.30	5.62	1090	<1	2.39	175	590	4	0.25	<5	196	0.30	157	<10	67
172220		0.36	5.69	1360	<1	2.08	154	310	<2	0.22	<5	175	0.37	218	<10	71



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 26-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06030579

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-MAR-2006.  
The following have access to data associated with this certificate:

IAN LAMBERT	MIKE ROBERTS
-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 26-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06030579**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172221		2.37	0.448		<0.5	7.11	<5	130	<0.5	<2	7.48	<0.5	39	269	6	7.65
172222		2.52	0.512		<0.5	7.08	<5	60	<0.5	<2	7.40	<0.5	47	532	53	7.26
172223		2.42	0.039		0.5	6.83	5	90	0.6	<2	6.20	<0.5	40	447	62	6.40
172224		2.40	0.080		<0.5	7.50	<5	130	<0.5	<2	7.24	<0.5	38	263	3	7.24
172225		2.34	0.084		<0.5	7.65	5	70	<0.5	<2	7.61	<0.5	39	296	2	7.29
172226		0.06	1.005		10.4	8.28	10	70	3.2	<2	0.33	<0.5	1	7	8	2.97
172227		2.62	0.134		<0.5	7.34	<5	130	<0.5	<2	6.64	<0.5	38	280	4	6.90
172228		2.87	1.825		<0.5	7.43	<5	50	<0.5	<2	7.35	<0.5	40	274	6	7.49
172229		2.48	0.102		<0.5	7.37	<5	60	<0.5	<2	6.93	<0.5	42	295	4	7.55
172230		2.60	0.048		<0.5	7.41	<5	100	<0.5	<2	6.89	<0.5	41	290	3	7.27
172231		2.52	0.230		<0.5	7.24	5	60	<0.5	<2	7.28	<0.5	37	278	2	6.82
172232		2.71	0.370		<0.5	7.15	7	70	<0.5	<2	6.93	<0.5	38	279	5	7.14
172233		0.13	<0.005		<0.5	6.92	<5	540	0.9	<2	0.94	<0.5	2	14	4	1.89
172234		2.68	0.825		<0.5	7.10	<5	70	<0.5	<2	8.18	<0.5	38	292	12	7.36
172235		2.52	0.734		<0.5	7.15	<5	60	<0.5	<2	6.94	<0.5	44	295	30	7.84
172236		2.78	0.232	0.236	<0.5	7.37	<5	50	<0.5	<2	7.95	<0.5	44	285	23	7.97
172237 DUP		<0.02	0.341	0.300	<0.5	7.35	<5	50	<0.5	<2	7.81	<0.5	45	283	22	7.84
172238		2.84	0.672		<0.5	7.33	7	60	<0.5	<2	7.72	<0.5	39	285	13	7.74
172239		2.89	0.166		<0.5	7.26	<5	60	<0.5	<2	7.68	<0.5	37	266	3	7.14
172240		2.66	0.436		<0.5	6.91	6	40	<0.5	<2	7.78	<0.5	37	263	6	7.00
172241		2.56	0.471		<0.5	7.13	<5	40	<0.5	<2	7.27	<0.5	39	268	3	7.03
172242		2.90	0.795		<0.5	7.48	10	70	<0.5	<2	7.70	<0.5	40	330	8	8.11
172243		2.54	0.461		<0.5	7.11	<5	90	<0.5	<2	6.59	<0.5	39	306	3	6.97
172244		2.57	0.196		<0.5	7.55	5	50	<0.5	<2	7.64	<0.5	39	287	2	7.43
172245		0.07	1.805		18.6	8.30	8	50	3.1	<2	0.33	<0.5	1	5	6	2.93
172246		2.78	1.890		0.6	7.45	8	110	<0.5	<2	7.21	<0.5	41	333	468	8.18
172247		2.63	5.26		0.7	6.94	<5	50	<0.5	<2	6.86	<0.5	47	358	20	8.57
172248		2.85	0.959		<0.5	6.96	8	30	<0.5	<2	7.30	<0.5	42	325	9	7.96
172249		2.48	1.595		<0.5	7.57	<5	130	<0.5	<2	6.37	<0.5	29	219	12	6.44
172250		2.64	0.092		<0.5	7.20	<5	60	<0.5	<2	6.79	<0.5	39	296	10	7.46
172251		0.11	<0.005		<0.5	6.99	<5	530	0.9	<2	1.08	<0.5	2	12	5	2.04
172252		2.86	0.545		<0.5	6.08	5	70	<0.5	<2	11.60	<0.5	38	283	67	7.35
172253		2.76	0.231		<0.5	7.55	6	50	<0.5	<2	7.65	<0.5	40	295	6	7.43
172254		2.85	0.026		<0.5	7.52	<5	40	<0.5	<2	7.54	<0.5	43	303	4	7.71
172255		2.81	0.035		<0.5	7.52	<5	60	<0.5	<2	9.33	<0.5	41	284	20	8.02
172256 DUP		<0.02	0.053		<0.5	7.48	<5	50	<0.5	<2	9.05	<0.5	41	284	22	7.88
172257		2.67	0.158		<0.5	7.67	<5	50	<0.5	<2	7.81	<0.5	40	289	45	7.76
172258		2.63	0.066		<0.5	7.13	7	60	<0.5	<2	7.42	<0.5	39	280	14	7.29
172259		3.06	<0.005		<0.5	7.58	<5	140	0.5	<2	6.61	<0.5	44	286	59	7.29
172260		2.60	0.005		0.6	7.27	6	90	<0.5	<2	6.44	<0.5	44	209	102	7.57



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 26-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06030579**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
172221		0.48	5.17	1310	<1	1.84	122	230	<2	0.04	<5	192	0.37	222	<10	67
172222		0.28	7.56	1275	<1	1.82	245	590	3	0.18	<5	219	0.36	192	<10	78
172223		0.43	6.05	1105	<1	1.92	184	720	<2	0.20	<5	189	0.39	174	<10	76
172224		0.74	5.00	1265	<1	1.75	110	280	<2	0.03	<5	152	0.39	218	<10	70
172225		0.64	5.64	1310	<1	1.39	132	230	3	0.01	<5	142	0.38	221	<10	61
172226		0.18	0.07	36	1	6.9	2	620	138	3.23	<5	19	0.01	1	<10	17
172227		0.80	5.52	1260	<1	1.45	124	220	<2	0.03	<5	130	0.37	215	<10	61
172228		0.42	4.84	1345	<1	1.46	127	220	5	0.02	<5	146	0.37	217	<10	59
172229		0.69	5.04	1325	<1	1.72	124	220	4	<0.01	<5	145	0.38	222	<10	61
172230		0.99	5.88	1260	<1	1.26	147	240	4	0.01	<5	110	0.37	212	<10	65
172231		0.48	5.13	1210	<1	1.34	118	220	3	0.01	<5	116	0.36	207	<10	57
172232		0.79	5.40	1260	<1	1.19	138	250	2	0.05	<5	99	0.36	204	10	67
172233		4.07	0.28	177	<1	2.13	5	170	36	<0.01	<5	150	0.09	10	<10	28
172234		0.75	4.77	1375	<1	1.19	123	260	5	0.10	<5	120	0.36	211	10	61
172235		0.56	4.49	1315	<1	1.53	162	240	6	0.10	<5	116	0.37	207	<10	65
172236		0.40	4.82	1360	<1	1.45	160	230	<2	0.09	<5	128	0.37	216	<10	61
172237 DUP		0.41	4.76	1335	<1	1.46	159	220	<2	0.09	<5	128	0.37	212	<10	60
172238		0.51	5.04	1370	<1	1.41	138	220	3	0.09	<5	121	0.37	211	<10	62
172239		0.40	5.19	1265	<1	1.50	128	220	3	0.01	<5	127	0.37	212	<10	59
172240		0.35	4.81	1280	<1	1.36	123	200	4	0.03	<5	128	0.35	203	<10	59
172241		0.39	5.13	1245	<1	1.42	126	230	3	0.01	<5	126	0.36	212	<10	57
172242		0.69	6.05	1390	<1	1.27	152	240	<2	0.03	<5	116	0.36	209	<10	64
172243		0.99	5.54	1175	<1	1.10	130	210	3	0.01	<5	89	0.36	210	<10	59
172244		0.34	5.17	1295	<1	1.57	116	230	<2	0.01	<5	146	0.38	223	<10	60
172245		0.18	0.06	109	<1	7.2	3	620	122	3.26	<5	17	0.01	1	<10	19
172246		0.81	4.97	1345	<1	1.50	130	220	2	0.36	<5	106	0.37	221	<10	76
172247		0.76	6.44	1340	<1	1.23	194	210	5	0.06	<5	107	0.35	204	<10	79
172248		0.47	5.96	1340	<1	1.21	168	210	<2	0.04	<5	114	0.35	204	<10	83
172249		0.85	4.17	1130	<1	1.62	87	330	2	0.06	<5	110	0.38	194	<10	64
172250		0.45	4.52	1320	<1	1.52	114	220	<2	0.10	<5	126	0.37	209	<10	63
172251		4.08	0.28	190	<1	2.14	4	160	33	0.01	<5	152	0.09	10	<10	28
172252		0.72	5.30	2160	<1	0.99	116	200	5	0.85	<5	92	0.30	175	10	63
172253		0.41	5.12	1350	<1	1.41	122	230	3	0.04	<5	138	0.37	216	<10	60
172254		0.31	5.07	1325	<1	1.51	132	220	3	0.02	<5	142	0.38	221	<10	63
172255		0.44	4.95	1450	<1	1.36	123	230	3	0.10	<5	129	0.37	215	<10	70
172256 DUP		0.43	4.90	1420	<1	1.37	122	230	4	0.11	<5	130	0.37	215	<10	71
172257		0.39	5.17	1340	<1	1.45	124	240	3	0.05	<5	132	0.38	218	<10	60
172258		0.40	4.85	1300	<1	1.28	118	320	4	0.02	<5	173	0.37	207	<10	60
172259		0.47	4.66	1190	<1	1.88	174	560	6	0.08	<5	261	0.53	203	<10	82
172260		0.35	3.96	1180	<1	1.75	160	460	<2	0.09	<5	188	0.56	208	<10	84





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 28-APR-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030579

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
172261		2.50	<0.005		<0.5	7.68	<5	160	0.5	<2	6.55	<0.5	44	212	75	7.86
172262		2.23	0.060		<0.5	7.72	<5	440	1.0	<2	2.87	<0.5	9	21	38	5.09
172263		2.73	<0.005		<0.5	7.51	<5	110	0.5	<2	6.79	<0.5	41	200	75	7.39
172264		2.46	0.007		<0.5	7.70	<5	90	<0.5	<2	6.96	<0.5	44	185	101	7.95
172265		0.07	0.985		10.9	6.85	<5	30	3.0	<2	0.28	<0.5	1	10	8	2.43
172266		2.48	<0.005		<0.5	7.94	7	160	0.5	<2	6.86	<0.5	43	216	42	7.73
172267		2.63	0.010		<0.5	8.19	<5	100	<0.5	<2	6.94	<0.5	44	164	148	8.16
172268		2.62	2.67		<0.5	7.91	<5	70	<0.5	<2	7.03	<0.5	51	285	484	8.35
172269		2.89	0.137	0.140	<0.5	8.25	6	90	0.5	<2	7.58	<0.5	46	227	466	8.25
172270 DUP		<0.02	0.232	0.259	<0.5	7.95	<5	80	0.5	<2	7.24	<0.5	46	223	458	7.85
172271		2.76	0.025		<0.5	7.40	<5	80	<0.5	<2	7.12	<0.5	58	227	191	8.32
172272		2.64	<0.005		<0.5	8.32	<5	100	<0.5	<2	7.39	<0.5	44	182	85	8.41
172273		2.77	0.006		<0.5	7.60	7	110	0.5	<2	7.22	<0.5	43	252	71	7.67
172274		2.66	0.160		<0.5	7.70	8	90	<0.5	<2	7.32	<0.5	40	228	50	7.92
172275		2.62	0.013		<0.5	7.56	<5	130	<0.5	<2	6.92	<0.5	46	226	78	7.97
172276		2.48	0.014		<0.5	8.10	<5	110	0.5	<2	7.49	<0.5	42	228	61	8.26
172277		0.13	<0.005		<0.5	6.96	<5	530	0.9	<2	0.97	<0.5	2	12	5	1.98
172278		2.53	0.064		<0.5	7.65	<5	100	0.5	<2	7.02	<0.5	40	238	64	7.91
172279		2.60	0.228		<0.5	7.32	<5	140	0.5	<2	5.80	<0.5	38	176	79	6.95
172280		2.69	0.682		<0.5	7.54	<5	100	0.5	<2	6.75	<0.5	41	214	286	7.44
172281		2.63	0.008		<0.5	7.07	<5	210	0.5	<2	6.32	<0.5	43	239	61	7.17
172282		2.59	0.063		<0.5	7.83	<5	110	0.5	<2	7.11	<0.5	44	217	122	8.10
172283		2.75	0.021		<0.5	7.77	6	90	0.5	<2	7.01	<0.5	43	207	66	7.74
172284		2.60	0.005		<0.5	9.21	<5	190	0.6	<2	5.99	<0.5	27	106	52	5.83
172285		2.63	<0.005		<0.5	7.73	<5	120	0.5	<2	6.78	<0.5	39	221	23	7.84
172286		0.07	1.760		18.9	9.29	<5	60	3.2	<2	0.36	<0.5	1	10	7	2.80
172287		2.52	0.041		<0.5	7.57	<5	180	<0.5	<2	6.73	<0.5	39	224	8	7.56
172288		2.73	0.006		<0.5	7.48	<5	240	0.6	<2	5.94	<0.5	50	262	24	7.71
172289		2.87	<0.005		<0.5	7.77	<5	100	0.5	<2	7.19	<0.5	43	245	10	7.97
172290		2.46	<0.005		<0.5	8.05	<5	190	0.5	<2	6.75	<0.5	51	167	77	7.85
172291		2.62	0.054		<0.5	8.08	<5	140	<0.5	<2	7.30	<0.5	46	285	105	8.40
172292		0.13	<0.005		<0.5	7.00	<5	570	0.9	<2	1.06	<0.5	2	15	6	2.18
172293		3.02	<0.005		<0.5	7.39	<5	100	<0.5	<2	6.63	<0.5	40	210	9	7.82
172294		2.33	0.152	0.022	<0.5	7.54	<5	120	<0.5	<2	6.77	<0.5	44	219	6	7.68
172295 DUP		<0.02	0.052	0.030	<0.5	7.69	6	130	<0.5	<2	6.91	<0.5	45	212	7	7.87
172296		2.77	<0.005		<0.5	7.65	<5	70	0.5	<2	7.22	<0.5	45	225	17	7.94
172297		3.08	<0.005		<0.5	7.32	10	100	<0.5	<2	7.10	<0.5	43	213	47	7.50
172298		3.02	0.008		<0.5	7.30	8	100	0.5	<2	6.89	<0.5	44	230	74	7.49
172299		2.77	<0.005		<0.5	7.85	8	90	<0.5	<2	7.12	<0.5	45	239	107	8.08
172300		2.55	0.017		<0.5	7.50	<5	100	0.5	<2	7.05	<0.5	46	236	134	7.56



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 26-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030579

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172261		0.60	4.21	1245	<1	1.99	160	500	5	0.07	<5	172	0.59	212	<10	96
172262		1.16	0.71	938	<1	2.90	9	830	4	0.17	<5	204	0.43	30	<10	82
172263		0.46	3.72	1225	<1	1.82	146	530	2	0.06	<5	188	0.58	204	<10	81
172264		0.43	4.25	1225	<1	1.49	144	380	4	0.12	<5	146	0.54	237	<10	72
172265		0.17	0.05	34	<1	7.0	3	550	80	2.78	<5	10	0.01	2	<10	14
172266		0.52	4.52	1240	<1	1.72	151	590	4	0.07	<5	229	0.60	218	<10	77
172267		0.49	4.05	1230	<1	1.90	105	520	5	0.18	<5	186	0.64	235	<10	89
172268		0.32	4.57	1230	<1	1.90	168	510	8	0.36	<5	183	0.60	224	<10	86
172269		0.33	4.54	1265	<1	1.94	167	560	7	0.22	<5	208	0.58	215	<10	79
172270 DUP		0.33	4.35	1205	<1	1.88	167	530	3	0.20	<5	201	0.59	216	<10	81
172271		0.32	4.45	1210	<1	1.74	184	470	8	0.40	<5	184	0.57	215	<10	79
172272		0.42	4.58	1295	<1	1.91	158	470	6	0.15	<5	216	0.57	227	10	85
172273		0.48	5.04	1235	<1	1.87	140	580	3	0.12	<5	305	0.50	212	<10	80
172274		0.40	4.54	1190	<1	1.81	165	500	6	0.10	<5	190	0.60	221	<10	73
172275		0.47	4.43	1160	<1	1.77	173	490	6	0.18	<5	194	0.59	220	<10	72
172276		0.43	4.63	1285	<1	1.92	172	520	5	0.15	<5	199	0.62	226	<10	78
172277		4.06	0.28	176	<1	2.17	5	170	32	<0.01	<5	146	0.09	10	<10	26
172278		0.46	4.35	1235	<1	1.79	165	480	3	0.13	<5	186	0.59	218	<10	73
172279		0.58	3.44	1080	<1	1.80	133	620	7	0.24	<5	182	0.54	177	<10	71
172280		0.46	4.19	1115	<1	1.71	155	480	16	0.17	<5	188	0.57	213	<10	92
172281		0.74	4.39	1095	<1	1.85	178	560	3	0.10	<5	209	0.60	217	<10	87
172282		0.59	4.63	1270	<1	1.98	167	530	4	0.11	<5	206	0.60	221	<10	84
172283		0.44	4.18	1275	<1	1.86	155	520	4	0.15	<5	199	0.60	214	<10	78
172284		0.61	2.93	1035	<1	2.20	88	820	5	0.10	<5	298	0.47	147	<10	62
172285		0.57	4.41	1305	<1	1.98	166	500	5	0.03	<5	201	0.59	221	<10	76
172286		0.19	0.07	111	<1	7.1	7	640	118	2.84	<5	20	0.01	2	<10	18
172287		0.57	4.27	1165	<1	1.81	160	490	3	0.02	<5	203	0.58	213	<10	68
172288		0.72	4.87	1090	<1	1.88	219	760	10	0.11	<5	325	0.56	201	<10	101
172289		0.40	4.56	1245	<1	1.89	168	510	<2	0.03	<5	244	0.60	225	<10	75
172290		0.57	4.46	1320	<1	1.92	133	1250	14	0.35	<5	441	0.57	202	<10	98
172291		0.49	5.52	1420	<1	1.62	171	770	2	0.28	<5	322	0.50	204	10	82
172292		4.05	0.26	198	1	2.13	5	180	34	<0.01	<5	155	0.09	11	<10	26
172293		0.49	4.30	1215	<1	1.78	155	470	3	0.03	<5	214	0.59	218	<10	73
172294		0.45	4.06	1180	<1	1.64	161	510	4	0.02	<5	227	0.60	218	<10	68
172295 DUP		0.47	4.16	1185	<1	1.67	166	520	2	0.02	<5	230	0.61	220	<10	70
172296		0.31	4.09	1200	<1	1.67	160	500	3	0.05	<5	200	0.61	223	<10	70
172297		0.41	4.24	1250	1	1.62	158	520	<2	0.06	<5	189	0.60	217	<10	78
172298		0.39	4.41	1220	<1	1.73	158	560	2	0.09	<5	219	0.59	213	10	88
172299		0.40	4.58	1350	<1	1.97	163	550	<2	0.12	<5	207	0.64	232	<10	124
172300		0.35	4.30	1250	<1	1.82	159	540	3	0.12	<5	215	0.58	215	<10	81



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 26-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030579

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172301		2.76	<0.005		<0.5	7.65	<5	80	<0.5	<2	7.20	<0.5	43	222	44	7.67
172302		2.79	<0.005		<0.5	7.71	6	100	0.5	<2	7.26	<0.5	43	226	30	7.74
172303		2.33	0.005		<0.5	8.52	<5	250	0.8	<2	4.97	<0.5	25	71	31	5.78
172304		0.06	1.005		11.3	8.76	<5	50	3.4	<2	0.36	<0.5	<1	5	8	2.70
172305		2.50	0.101		<0.5	8.16	<5	90	<0.5	<2	7.01	<0.5	35	144	34	6.72
172306		3.09	1.315	1.195	<0.5	7.56	<5	90	<0.5	<2	6.58	<0.5	35	100	95	6.67
172307 DUP		<0.02	2.62	2.16	<0.5	7.55	<5	90	<0.5	<2	6.54	<0.5	34	99	105	6.77
172308		2.67	2.34	2.61	<0.5	7.94	<5	130	<0.5	<2	6.67	<0.5	36	118	232	7.36
172309		2.43	0.142		<0.5	7.87	<5	130	<0.5	2	6.28	<0.5	40	106	153	7.53
172310		2.75	0.031		<0.5	7.98	<5	150	<0.5	<2	6.62	<0.5	34	167	58	6.93
172311		2.68	0.028		<0.5	7.74	<5	90	<0.5	<2	6.79	<0.5	40	276	177	7.09
172312		1.85	0.010		<0.5	8.92	7	60	<0.5	<2	5.96	<0.5	45	696	74	6.64
172313		2.33	1.845		<0.5	7.79	<5	80	<0.5	4	6.72	<0.5	39	238	81	6.87
172314		2.86	0.846		<0.5	7.68	<5	60	<0.5	<2	6.94	<0.5	44	200	204	7.11
172315		2.90	0.247		<0.5	7.95	5	70	<0.5	<2	7.09	<0.5	46	203	195	7.34
172316		0.12	<0.005		<0.5	7.20	<5	530	0.9	<2	0.98	<0.5	1	12	6	1.67
172317		3.17	0.445		<0.5	7.15	5	80	<0.5	<2	7.43	<0.5	41	168	330	6.99
172318		2.17	0.075		<0.5	7.36	<5	140	0.8	<2	7.37	<0.5	50	312	223	7.29
172319		2.59	0.017		<0.5	7.28	5	160	0.5	2	7.28	<0.5	47	384	122	7.41
172320		2.58	0.865		<0.5	7.86	<5	90	<0.5	<2	7.47	<0.5	49	217	199	7.71



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 26-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030579

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172301		0.34	4.46	1320	1	1.85	159	520	<2	0.06	<5	195	0.61	225	<10	83
172302		0.41	4.41	1390	<1	1.93	159	530	<2	0.05	<5	209	0.61	224	10	83
172303		0.97	1.94	1015	1	2.48	51	910	<2	0.07	<5	231	0.58	142	<10	89
172304		0.20	0.07	36	1	7.5	5	630	122	2.99	<5	22	0.01	2	<10	18
172305		0.48	3.89	1210	1	1.69	55	380	<2	0.11	<5	147	0.48	225	10	64
172306		0.51	3.55	1170	1	1.46	45	370	<2	0.21	<5	130	0.46	218	10	65
172307 DUP		0.51	3.53	1175	1	1.47	42	370	<2	0.24	<5	131	0.46	220	<10	64
172308		0.65	3.53	1215	2	1.55	44	370	<2	0.52	<5	137	0.49	225	<10	71
172309		0.73	3.55	1235	1	1.72	43	410	15	0.51	<5	138	0.50	231	180	95
172310		0.76	4.34	1250	1	1.62	65	370	2	0.15	<5	159	0.47	227	10	76
172311		0.48	4.63	1305	3	1.77	111	520	2	0.42	<5	202	0.49	204	10	81
172312		0.43	7.54	1220	3	1.95	262	660	19	0.18	<5	183	0.32	175	<10	141
172313		0.46	4.44	1210	2	2.04	110	410	20	0.19	<5	211	0.44	206	<10	145
172314		0.36	3.90	1225	2	1.66	99	360	<2	0.31	<5	157	0.47	222	10	75
172315		0.42	4.09	1245	1	1.83	102	370	<2	0.34	<5	164	0.47	216	10	72
172316		4.36	0.26	166	2	2.25	5	170	36	0.01	<5	158	0.09	10	<10	27
172317		0.52	3.94	1240	1	1.55	88	330	2	0.23	<5	151	0.42	196	10	71
172318		0.55	5.15	1305	1	1.82	118	470	13	0.69	<5	320	0.37	178	<10	81
172319		0.84	5.74	1375	1	1.47	137	610	<2	0.28	<5	235	0.43	197	10	81
172320		0.44	4.31	1315	1	1.57	102	390	<2	0.49	<5	157	0.46	218	<10	69



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 29-APR-2006  
Account: TRAVEN

**CERTIFICATE VO06030862**

Project: BLOCK A

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 8-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 29-APR-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06030862

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
171289		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		1.31	12.90	102.5	12.20	1.061	10.36	1299.5	12.45	11.90

Comments: Sample from VO06025000.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 19-APR-2006

Account: TRAVEN

## CERTIFICATE VO06030865

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 12-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 19-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06030865

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
161699		1.88	6.85	29.6	6.83	0.536	18.11	1811.5	7.01	6.24

Comments: Sample 161699, Metallic seive done on reject only. The original pulp was lost by wrong manipulation.





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 29-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06030866

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 8-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 29-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06030866

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
162483		2.16	54.7	1235	40.7	29.735	24.12	2027	40.3	41.1
162511		2.62	3.94	107.0	2.27	4.470	41.76	2577	2.42	2.11

Comments: Samples from VO06023370.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 29-APR-2006

Account: TRAVEN

## CERTIFICATE VO06030867

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 8-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 29-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06030867

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
182585		1.04	53.4	698	27.4	28.329	40.60	1004.5	27.4	27.3
182587		1.19	51.5	681	31.1	25.437	37.34	1150.0	29.8	32.3

Comments: Samples from VO06023371.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 29-APR-2006

Account: TRAVEN

## CERTIFICATE VO06030868

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 8-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 29-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06030868

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
167301		2.62	22.0	53.3	21.6	1.922	36.06	2581	21.0	22.2
167305		0.97	23.3	633	18.15	5.249	8.29	971.6	18.75	17.50

Comments: Samples from VO06021506.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 1  
 Finalized Date: 29-APR-2006  
 Account: TRAVEN

**CERTIFICATE VO06030869**

Project: DETOUR LAKE  
 P.O. No.:  
 This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 8-APR-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
 ATTN: MIKE ROBERTS  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
 Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 2 (A)  
 Finalized Date: 29-APR-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06030869**

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
162379		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		2.38	5.62	69.9	5.06	1.441	20.81	2347	5.25	4.87

Comments: Sample from VO06022286.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 24-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06031050

Project: BLOCK A

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 24-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06031050**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172321		2.59	0.038		<0.5	8.03	<5	80	<0.5	<2	7.14	<0.5	33	190	9	6.74
172322		2.27	0.095		<0.5	8.68	6	350	0.7	<2	5.79	<0.5	25	134	77	4.92
172323		2.85	0.037		<0.5	8.70	<5	440	0.9	<2	5.05	<0.5	50	116	203	5.14
172324		2.83	0.852		<0.5	7.60	5	110	<0.5	<2	6.40	<0.5	42	182	190	7.02
172325		0.07	1.795		18.9	8.53	<5	70	3.3	2	0.35	<0.5	<1	5	6	2.88
172326		2.15	0.140		<0.5	7.85	<5	250	0.5	<2	4.13	<0.5	32	146	188	4.66
172327		2.38	0.302		<0.5	7.90	<5	130	<0.5	<2	6.71	<0.5	31	182	28	6.29
172328		2.68	0.186		<0.5	7.89	<5	60	<0.5	<2	7.28	<0.5	35	203	30	7.05
172329		2.34	0.030		<0.5	7.74	<5	60	<0.5	<2	7.14	<0.5	36	206	21	7.02
172330		2.60	0.976		<0.5	7.45	<5	60	<0.5	2	6.99	<0.5	37	218	47	6.98
172331		2.88	0.674	0.690	<0.5	7.88	<5	70	<0.5	<2	7.00	<0.5	45	229	156	7.33
172332 DUP		<0.02	0.530	0.542	<0.5	7.76	<5	70	<0.5	<2	6.91	<0.5	42	227	157	7.21
172333		0.12	<0.005		<0.5	7.26	<5	570	0.9	<2	0.96	<0.5	1	14	7	1.77
172334		2.52	0.366		<0.5	7.97	9	70	<0.5	<2	6.47	<0.5	41	250	108	7.40
172335		2.59	0.164		<0.5	7.57	<5	70	<0.5	<2	6.55	<0.5	36	232	28	7.03
172336		2.37	0.077		<0.5	7.22	<5	340	0.7	<2	3.89	<0.5	20	155	24	4.75
172337		2.21	0.006		<0.5	8.11	<5	240	0.5	<2	6.34	<0.5	30	146	39	6.50
172338		1.95	0.025		<0.5	8.35	<5	200	0.6	<2	5.96	<0.5	30	116	52	6.31
172339		3.16	0.015		<0.5	7.14	<5	320	0.6	<2	8.88	<0.5	37	211	92	7.25
172340		2.34	0.012		<0.5	8.18	<5	300	0.8	<2	4.76	<0.5	21	79	40	5.06
172341		2.53	0.010		<0.5	8.12	<5	320	0.8	<2	3.71	<0.5	15	186	33	3.57
172342		2.13	0.223		<0.5	7.94	<5	130	<0.5	<2	5.56	<0.5	49	136	213	7.14
172343		2.67	0.532		<0.5	7.99	<5	60	<0.5	<2	6.71	<0.5	73	165	473	7.57
172344		2.46	0.529		<0.5	8.04	<5	90	0.5	<2	7.56	<0.5	78	219	612	8.10
172345		0.06	1.010		10.4	8.54	<5	60	3.2	<2	0.34	<0.5	1	11	10	2.82
172346		2.50	0.376		<0.5	8.06	<5	90	0.5	<2	7.24	<0.5	41	161	231	7.15
172347		2.58	0.502		<0.5	8.39	<5	70	<0.5	<2	6.55	<0.5	44	150	307	7.43
172348		2.54	0.070		<0.5	8.59	<5	120	0.5	<2	6.78	<0.5	38	174	184	7.19
172349		2.37	0.087		0.5	8.33	<5	150	0.6	<2	6.74	<0.5	48	187	184	7.68
172350		2.90	0.040		<0.5	7.83	<5	120	0.5	<2	6.47	<0.5	26	112	65	6.57
172351		2.53	0.142		<0.5	8.79	<5	130	<0.5	<2	6.87	<0.5	36	136	34	7.49
172352		2.81	<0.005		<0.5	8.00	<5	280	0.6	<2	6.12	<0.5	38	268	36	6.32
172353		2.35	0.006		<0.5	6.94	<5	220	0.9	<2	6.56	<0.5	47	511	67	6.62
172354		2.57	<0.005		<0.5	7.00	<5	130	0.5	<2	6.79	<0.5	48	634	65	6.89
172355		2.52	0.007		<0.5	7.41	<5	80	0.7	<2	6.88	<0.5	43	470	69	6.70
172356		2.42	0.036		<0.5	7.73	<5	100	0.6	<2	7.43	<0.5	45	254	180	7.67
172357 DUP		<0.02	0.037		<0.5	7.45	<5	90	0.5	<2	7.03	<0.5	45	220	196	7.30
172358		0.13	<0.005		<0.5	6.96	<5	530	0.9	<2	1.01	<0.5	2	15	7	1.76
172359		2.59	0.035		<0.5	8.34	<5	90	<0.5	<2	6.87	<0.5	47	163	162	7.10
172360		2.41	0.229		<0.5	8.22	<5	70	<0.5	<2	6.73	<0.5	43	147	278	7.23



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 3 (A - B)

Finalized Date: 24-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031050

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
172321	0.53	4.26	1260	1	1.76	77	370	<2	0.02	<5	153	0.47	222	<10	65	
172322	1.08	2.74	912	<1	2.48	59	340	11	0.25	<5	297	0.34	147	<10	68	
172323	1.40	2.32	756	<1	2.67	56	330	9	0.70	<5	345	0.30	127	<10	62	
172324	0.58	3.65	1130	<1	1.86	79	340	<2	0.60	<5	170	0.42	199	<10	70	
172325	0.19	0.07	115	1	7.1	6	660	131	3.23	<5	22	0.01	2	<10	19	
172326	0.92	2.22	675	1	2.83	58	260	8	0.51	<5	239	0.28	115	10	73	
172327	0.54	3.97	1185	<1	1.90	82	370	3	0.08	<5	216	0.43	194	<10	76	
172328	0.36	4.43	1325	1	1.78	95	370	5	0.08	<5	152	0.46	220	<10	76	
172329	0.40	4.37	1305	1	1.77	97	360	2	0.04	<5	148	0.45	216	<10	72	
172330	0.36	4.24	1240	2	1.71	110	350	<2	0.11	<5	144	0.44	211	<10	71	
172331	0.42	4.02	1210	1	1.88	130	330	4	0.27	<5	165	0.46	220	10	72	
172332 DUP	0.42	3.95	1200	1	1.86	119	350	3	0.24	<5	163	0.46	217	<10	71	
172333	4.17	0.26	172	<1	2.27	6	190	35	0.01	<5	160	0.09	11	<10	30	
172334	0.65	4.18	1185	<1	1.92	112	340	2	0.18	<5	161	0.46	221	10	81	
172335	0.49	4.19	1160	<1	1.74	101	350	<2	0.04	<5	153	0.44	209	<10	71	
172336	1.43	2.48	778	<1	2.20	60	220	15	0.19	<5	157	0.27	114	<10	85	
172337	1.01	3.88	1245	<1	1.88	99	830	2	0.16	<5	317	0.47	183	<10	90	
172338	0.85	3.35	1155	<1	2.19	85	970	3	0.21	<5	347	0.51	172	10	82	
172339	0.81	5.22	1355	<1	1.69	113	1790	3	0.42	<5	1005	0.55	200	<10	95	
172340	1.06	2.15	875	<1	2.19	39	670	3	0.18	<5	296	0.46	148	<10	73	
172341	1.14	1.54	625	<1	2.79	47	740	3	0.20	<5	317	0.35	80	<10	88	
172342	0.82	3.36	986	<1	1.88	76	410	4	0.70	<5	192	0.44	191	<10	89	
172343	0.54	3.38	1085	<1	1.69	83	360	2	0.99	<5	160	0.45	208	10	65	
172344	0.46	4.04	1185	1	1.96	103	430	2	1.32	<5	231	0.43	202	10	71	
172345	0.19	0.07	36	<1	6.9	4	610	118	3.15	<5	21	0.01	2	<10	17	
172346	0.47	4.01	1220	<1	2.27	76	470	<2	0.49	<5	229	0.44	200	<10	70	
172347	0.41	3.16	1075	1	2.24	70	380	<2	1.06	<5	197	0.45	206	<10	64	
172348	0.64	3.85	1155	1	2.70	90	490	38	0.72	<5	277	0.45	205	10	223	
172349	0.68	4.59	1240	<1	2.45	101	630	48	0.94	<5	341	0.43	211	<10	127	
172350	0.73	3.68	1260	<1	2.11	65	530	<2	0.20	<5	269	0.42	201	<10	74	
172351	0.85	4.25	1370	<1	1.70	91	420	2	0.13	<5	166	0.48	224	10	73	
172352	1.00	5.06	1135	<1	2.15	199	780	5	0.14	<5	441	0.42	171	<10	78	
172353	0.64	7.89	1285	<1	1.64	338	860	<2	0.15	<5	346	0.34	152	<10	85	
172354	0.55	7.79	1335	<1	1.80	257	580	3	0.15	<5	304	0.32	175	<10	84	
172355	0.51	7.07	1230	<1	2.12	215	660	<2	0.14	<5	315	0.31	163	<10	78	
172356	0.54	4.89	1350	<1	2.24	95	900	<2	0.44	<5	366	0.50	220	<10	84	
172357 DUP	0.51	4.56	1270	<1	2.19	91	880	5	0.46	<5	352	0.48	209	<10	85	
172358	3.93	0.28	172	1	2.24	6	180	32	0.01	<5	164	0.08	10	<10	29	
172359	0.47	3.72	1160	<1	1.98	98	790	3	0.45	<5	314	0.52	208	<10	73	
172360	0.43	3.54	1155	<1	2.08	71	360	28	0.72	<5	189	0.45	206	10	109	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 24-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06031050**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
172361		2.65	0.044		<0.5	8.42	<5	90	<0.5	<2	7.15	<0.5	45	162	285	7.98
172362		2.75	<0.005		<0.5	8.49	<5	150	0.7	<2	5.18	<0.5	22	225	37	5.64
172363		2.68	0.019		<0.5	8.10	<5	120	0.5	<2	6.12	<0.5	31	201	45	6.42
172364		2.19	0.106		<0.5	8.25	<5	110	0.6	<2	5.86	<0.5	25	108	180	6.48
172365		2.38	1.065		<0.5	8.21	<5	70	<0.5	6	6.99	<0.5	34	144	246	7.46
172366		0.07	1.820		18.8	8.66	<5	60	3.2	2	0.34	<0.5	<1	5	6	2.85
172367		2.73	0.008		<0.5	8.39	<5	130	0.5	<2	6.72	<0.5	32	134	33	6.95
172368		2.60	0.428		<0.5	8.31	7	110	<0.5	<2	6.91	<0.5	35	134	38	7.05
172369		2.95	0.010		<0.5	7.75	<5	90	<0.5	<2	6.22	<0.5	32	156	25	6.43
172370		2.10	<0.005		<0.5	7.84	8	80	<0.5	<2	5.96	<0.5	29	142	19	6.51
172371		2.73	0.023		<0.5	8.15	<5	90	0.5	<2	6.79	<0.5	47	134	338	7.62
172372 DUP		<0.02	0.013		<0.5	7.92	<5	90	0.5	<2	6.72	<0.5	46	140	342	7.56
172373		0.11	<0.005		<0.5	6.53	<5	510	1.0	<2	1.03	<0.5	2	13	5	1.53
172374		2.65	0.027		0.6	7.90	<5	70	<0.5	<2	6.74	<0.5	43	127	305	7.51
172375		2.06	0.295		<0.5	6.97	5	420	1.1	<2	1.61	<0.5	8	31	202	2.23
172376		2.12	0.060		<0.5	7.45	<5	280	0.7	<2	4.14	<0.5	21	69	83	4.48
172377		2.69	0.006		<0.5	7.09	<5	40	<0.5	<2	6.01	<0.5	33	289	4	6.16
172378		2.50	0.033		<0.5	7.48	<5	80	0.5	<2	4.61	<0.5	20	171	14	4.96
172379		2.71	<0.005		<0.5	7.69	5	70	<0.5	<2	6.13	<0.5	30	178	11	6.39
172380		2.53	0.035		<0.5	7.60	<5	110	0.5	<2	5.33	<0.5	26	165	52	5.31
172381		2.73	<0.005		<0.5	7.72	<5	110	<0.5	<2	6.09	<0.5	26	198	10	5.99
172382		2.72	0.020		<0.5	7.27	6	140	0.6	<2	5.43	<0.5	27	166	66	5.45
172383		2.94	0.012		<0.5	7.37	<5	60	<0.5	<2	6.51	<0.5	54	163	213	6.46
172384		2.47	0.039		<0.5	7.92	<5	130	<0.5	<2	6.47	<0.5	35	159	8	6.74
172385		2.76	0.007		<0.5	8.16	<5	140	0.6	<2	7.05	<0.5	54	162	168	7.51
172386		0.05	0.955		10.8	8.30	8	50	3.3	2	0.33	<0.5	<1	6	8	2.49
172387		2.84	0.012		<0.5	8.14	<5	80	<0.5	<2	7.38	<0.5	57	150	322	7.92
172388		2.75	0.006		<0.5	7.20	<5	120	0.5	<2	8.95	<0.5	44	253	160	7.17
172389		2.63	0.033		<0.5	7.54	<5	170	0.5	<2	7.00	<0.5	68	185	485	8.12
172390		2.76	0.062		<0.5	6.96	6	90	<0.5	3	6.27	<0.5	68	136	742	8.59
172391 DUP		<0.02	0.070		<0.5	7.02	<5	90	<0.5	2	6.18	<0.5	58	115	636	8.47
172392		0.09	<0.005		<0.5	6.90	<5	530	0.9	<2	0.84	<0.5	<1	17	10	1.68
172393		2.44	0.019		<0.5	7.57	6	60	<0.5	<2	6.37	<0.5	37	138	223	7.11
172394		2.38	0.007		<0.5	7.54	<5	30	<0.5	<2	6.55	<0.5	27	126	47	6.75
172395		2.52	0.012		<0.5	7.35	<5	90	<0.5	<2	5.86	<0.5	30	124	116	6.36
172396		2.68	0.112		<0.5	8.21	5	120	0.5	<2	6.90	<0.5	36	200	149	6.51
172397		2.96	0.014		<0.5	8.20	<5	70	<0.5	<2	7.09	<0.5	40	152	278	7.32
172398		2.61	0.007		<0.5	8.02	6	130	0.6	<2	5.81	<0.5	26	99	75	6.04
172399		2.85	0.012		<0.5	8.01	<5	110	<0.5	<2	6.66	<0.5	30	132	51	6.64
172400		2.56	0.021		<0.5	7.93	<5	100	0.5	<2	6.59	<0.5	35	228	41	6.58



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 24-APR-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06031050**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172361		0.50	4.08	1335	<1	2.00	93	630	3	0.72	<5	251	0.50	213	10	121
172362		0.55	2.78	1040	<1	2.59	77	1010	4	0.16	<5	328	0.51	141	<10	86
172363		0.53	3.77	1220	<1	2.29	91	510	2	0.16	<5	216	0.45	183	<10	73
172364		0.43	2.54	1080	<1	2.27	54	550	<2	0.47	<5	196	0.46	157	10	68
172365		0.40	3.75	1275	<1	1.90	80	380	<2	0.64	<5	163	0.46	211	<10	68
172366		0.19	0.07	112	<1	7.0	5	640	119	3.22	<5	21	0.01	2	<10	20
172367		0.68	4.14	1300	<1	1.78	95	500	5	0.11	<5	201	0.47	208	<10	73
172368		0.66	4.05	1310	<1	1.76	91	370	5	0.09	<5	167	0.49	225	<10	87
172369		0.56	4.13	1275	<1	1.99	92	370	4	0.06	<5	165	0.44	194	<10	69
172370		0.61	3.98	1315	<1	2.52	77	390	<2	0.08	<5	168	0.45	207	<10	69
172371		0.59	3.60	1320	1	1.93	89	1060	34	1.03	<5	326	0.52	209	<10	166
172372 DUP		0.58	3.54	1310	<1	1.92	86	1070	35	1.04	<5	325	0.51	208	<10	164
172373		3.99	0.25	155	1	2.06	5	160	33	0.01	<5	153	0.08	10	<10	25
172374		0.51	3.62	1360	1	1.94	86	570	26	0.70	<5	249	0.46	202	10	112
172375		1.28	0.48	411	2	3.24	20	110	23	0.51	<5	154	0.13	23	<10	103
172376		1.16	2.28	903	<1	2.50	55	240	18	0.20	<5	174	0.30	118	<10	88
172377		0.35	5.57	1300	<1	2.85	191	580	<2	0.02	<5	122	0.39	175	<10	73
172378		0.45	3.45	1060	<1	3.21	71	330	<2	0.03	<5	146	0.34	149	<10	54
172379		0.57	4.36	1360	<1	2.28	67	340	<2	0.02	<5	189	0.45	212	<10	63
172380		0.66	3.42	1085	<1	2.89	58	300	2	0.08	<5	215	0.37	168	<10	58
172381		0.78	3.78	1200	<1	2.05	92	350	<2	0.04	<5	221	0.46	206	<10	65
172382		0.67	2.97	1070	1	2.19	71	250	<2	0.10	<5	168	0.34	151	10	53
172383		0.56	3.55	1160	<1	1.70	83	350	2	0.32	<5	187	0.45	206	<10	66
172384		0.77	4.30	1290	1	1.84	90	400	<2	0.02	<5	193	0.46	202	10	62
172385		0.76	4.40	1320	1	1.89	112	1080	3	0.41	<5	461	0.59	206	<10	77
172386		0.19	0.07	34	1	7.2	2	630	116	2.80	<5	22	0.01	1	<10	18
172387		0.61	3.97	1350	1	1.91	89	390	3	0.60	<5	250	0.47	212	<10	67
172388		0.51	5.35	1350	<1	1.70	108	1340	6	0.17	<5	523	0.52	201	<10	80
172389		0.76	4.02	1320	1	1.55	120	1060	4	0.61	<5	288	0.49	187	10	80
172390		0.53	3.72	1310	1	1.45	72	340	5	1.08	<5	217	0.40	191	<10	77
172391 DUP		0.49	3.68	1295	1	1.49	65	340	5	1.10	<5	221	0.36	169	<10	68
172392		4.18	0.22	161	1	2.16	7	170	34	0.01	<5	154	0.09	9	<10	27
172393		0.41	3.29	1170	1	1.90	58	390	2	0.43	<5	187	0.45	201	10	49
172394		0.26	3.66	1295	1	2.36	73	380	<2	0.03	<5	129	0.46	207	<10	50
172395		0.52	3.26	1235	1	1.75	70	380	<2	0.34	<5	179	0.43	190	10	56
172396		0.56	4.19	1200	1	1.96	120	520	3	0.26	<5	349	0.45	190	<10	65
172397		0.42	3.57	1325	1	1.78	81	380	<2	0.37	<5	202	0.46	211	<10	69
172398		0.52	2.77	1140	<1	2.13	63	560	<2	0.23	<5	193	0.46	155	10	63
172399		0.57	3.64	1325	<1	1.69	73	410	2	0.15	<5	175	0.45	205	<10	62
172400		0.57	4.09	1285	<1	1.73	112	460	<2	0.09	<5	162	0.45	198	<10	67



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 29-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06031520

Project: DETOUR LAKE

P.O. No.:

This report is for 4 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 8-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 29-APR-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06031520

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-GRA21	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm	Au ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.05	0.01
162317		1.18	23.6	211	20.3	4.310	20.39	1152.5	19.30		21.2
162344		0.94	12.25	668	10.35	1.854	2.78	938.4	10.15		10.50
162357		1.58	410	61700	233	281.71	4.56	1577.0	>100	233	>100
167492		2.44	68.7	1090	53.2	39.712	36.38	2399	53.4		52.9

Comments: Samples from VO06022873.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 5-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06031788

Project: BLOCK A

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 13-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 5-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031788

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
171608		2.42	17.30	254	16.00	3.337	13.13	2405	16.10	15.90
171630		1.05	41.1	6450	32.2	9.416	1.46	1049.0	33.1	31.2

Comments: Sample from VO06026720.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 1-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06031789

Project: BLOCK A

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 13-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 1-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031789

Sample Description	Method	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
	Analyte	Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
Units		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
LOR		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
162745		1.30	54.1	838	45.8	11.532	13.77	1291.0	46.8	44.9

Comments: Sample from VO06022737.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
 Finalized Date: 16-MAY-2006  
 Account: TRAVEN

**CERTIFICATE VO06031828**

Project: BLOCK A  
 P.O. No.:  
 This report is for 60 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 14-APR-2006.  
 The following have access to data associated with this certificate:  
 IAN LAMBERT                      MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**   
 Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 3 (A - B)

Finalized Date: 16-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031828

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
178941		2.58	0.047		<0.5	8.47	14	150	0.5	<2	5.88	<0.5	45	149	133	7.67
178942		3.02	0.008		<0.5	8.65	<5	210	0.6	<2	5.66	<0.5	30	55	127	8.24
178943		2.02	<0.005		<0.5	8.53	<5	170	0.6	<2	6.57	<0.5	34	22	125	8.26
178944		2.56	0.010		<0.5	8.04	<5	120	<0.5	<2	6.87	<0.5	31	117	112	6.79
178945		2.48	0.005		<0.5	9.42	6	170	0.6	<2	6.75	<0.5	29	81	43	7.16
178946		2.67	0.032		<0.5	8.37	5	90	0.5	<2	7.39	<0.5	39	119	216	7.99
178947		2.75	2.61	2.16	<0.5	7.94	<5	90	<0.5	<2	6.69	<0.5	41	134	1010	8.41
178948 DUP		<0.02	2.11	1.930	<0.5	7.92	9	90	<0.5	<2	6.89	<0.5	45	138	1030	8.96
178949		2.38	0.054		<0.5	7.33	<5	420	1.0	<2	2.46	<0.5	6	9	91	4.98
178950		2.13	0.005		<0.5	7.16	<5	450	1.1	2	2.18	<0.5	4	3	17	4.85
178951		3.04	0.021		<0.5	7.29	<5	490	1.2	<2	2.08	<0.5	2	7	33	4.66
178952		1.95	0.008		<0.5	8.29	<5	80	<0.5	<2	7.52	<0.5	34	140	83	7.15
178953		3.38	0.043		<0.5	8.05	<5	180	<0.5	<2	7.49	<0.5	45	132	149	7.90
178954		0.13	<0.005		<0.5	7.12	<5	570	0.9	<2	1.07	<0.5	2	9	7	1.70
178955		3.15	0.074		<0.5	7.17	<5	530	1.0	<2	1.72	<0.5	5	13	63	2.62
178956		2.61	<0.005		<0.5	7.52	14	500	1.0	<2	3.25	<0.5	12	67	25	3.52
178957		0.06	1.005		10.5	8.65	<5	50	3.3	<2	0.36	<0.5	1	6	8	2.77
178958		3.70	0.303		<0.5	8.01	<5	100	<0.5	<2	7.18	<0.5	57	152	477	8.21
178959		2.67	0.012		<0.5	8.62	<5	370	0.6	<2	4.19	<0.5	24	72	121	3.95
178960		2.37	0.133		<0.5	7.77	<5	80	<0.5	<2	6.96	<0.5	77	172	412	9.00
178961		2.50	0.019		<0.5	8.36	<5	90	0.5	<2	7.28	<0.5	40	176	179	7.45
178962		2.58	0.104		<0.5	7.85	<5	100	<0.5	<2	6.93	<0.5	49	155	294	7.74
178963 DUP		<0.02	0.102		<0.5	8.37	<5	100	<0.5	<2	7.35	<0.5	51	172	309	8.16
178964		2.30	0.698		<0.5	8.07	<5	200	0.6	<2	6.26	<0.5	34	111	351	6.85
178965		3.48	0.019		<0.5	8.09	<5	100	0.5	<2	7.96	<0.5	49	138	212	8.70
178966		1.44	0.035		<0.5	6.92	<5	520	1.1	<2	1.58	<0.5	2	18	14	1.92
178967		2.11	<0.005		<0.5	6.82	<5	610	1.0	<2	1.07	<0.5	<1	8	14	1.43
178968		2.46	0.010		<0.5	8.50	<5	110	<0.5	<2	7.38	<0.5	28	110	4	6.54
178969		2.63	0.040		<0.5	8.81	7	260	0.7	<2	5.35	<0.5	24	53	43	6.64
178970		0.07	1.975		19.1	8.45	<5	40	3.1	<2	0.34	<0.5	2	3	6	2.44
178971		2.86	0.050		<0.5	8.35	5	220	0.7	<2	4.95	<0.5	25	44	45	6.71
178972		2.81	0.010	0.011	0.5	8.45	7	190	<0.5	<2	6.18	<0.5	43	124	38	7.31
178973 DUP		<0.02	0.033	0.011	0.5	8.25	<5	190	<0.5	<2	6.03	<0.5	40	124	44	7.32
178974		2.31	0.005		<0.5	8.58	8	150	0.6	<2	6.79	<0.5	34	77	64	7.27
178975		2.13	0.027		<0.5	8.57	<5	190	0.7	<2	5.18	<0.5	29	46	132	6.80
178976		0.13	<0.005		<0.5	7.48	<5	560	0.9	<2	1.11	<0.5	2	7	6	1.66
178977		2.96	0.013		<0.5	8.40	<5	170	<0.5	<2	6.26	<0.5	43	95	26	7.08
178978		2.28	0.016		<0.5	8.50	<5	230	0.5	<2	6.40	<0.5	37	98	10	6.92
178979		2.15	0.006		<0.5	8.57	<5	400	1.1	<2	4.71	<0.5	27	35	188	5.29
178980		2.35	<0.005		<0.5	7.33	<5	350	0.9	<2	3.42	<0.5	14	35	12	5.32



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 3 (A - B)

Finalized Date: 16-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031828

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOH	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
178941		1.33	3.25	1170	1	1.62	79	410	<2	1.17	<5	161	0.47	219	10	111
178942		0.88	2.51	1480	1	2.05	34	1420	2	0.52	<5	362	0.76	158	<10	83
178943		0.60	2.93	1380	1	2.14	42	1690	3	0.38	<5	770	0.73	182	<10	74
178944		0.80	3.19	1255	1	1.60	77	480	<2	0.35	<5	192	0.48	188	<10	61
178945		1.02	3.75	1245	<1	2.08	59	660	5	0.18	6	279	0.51	218	10	75
178946		0.53	4.02	1305	1	1.79	75	430	<2	0.61	<5	203	0.45	216	<10	65
178947		0.61	3.42	1225	1	1.73	90	410	13	1.34	<5	174	0.43	174	<10	76
178948 DUP		0.61	3.41	1270	<1	1.72	96	420	5	1.48	<5	170	0.43	182	10	72
178949		1.28	0.34	1125	<1	3.25	1	820	7	0.17	<5	220	0.37	1	<10	125
178950		1.45	0.26	1180	1	3.25	3	630	9	0.09	<5	212	0.33	<1	<10	140
178951		1.41	0.20	1120	1	3.24	<1	500	7	0.21	<5	192	0.29	1	<10	114
178952		0.53	3.72	1320	<1	1.87	85	420	4	0.26	<5	168	0.47	211	<10	79
178953		1.17	3.87	1445	<1	1.60	90	760	10	0.59	<5	278	0.48	203	<10	107
178954		4.33	0.25	164	<1	2.27	2	200	39	<0.01	<5	157	0.09	8	<10	30
178955		1.53	0.36	331	<1	3.33	17	260	7	0.49	<5	220	0.15	19	90	36
178956		1.61	1.57	678	1	2.97	33	540	11	0.22	<5	354	0.24	65	<10	52
178957		0.21	0.07	37	<1	7.4	3	640	128	3.09	<5	24	0.01	2	<10	16
178958		0.82	3.64	1345	<1	1.42	95	390	3	1.05	<5	160	0.45	207	<10	70
178959		1.10	1.69	639	1	3.16	34	300	7	0.34	<5	255	0.26	115	<10	56
178960		0.53	3.42	1280	<1	1.60	84	400	6	1.41	<5	158	0.44	214	10	62
178961		0.54	3.77	1265	1	1.87	80	450	3	0.43	<5	207	0.47	216	<10	62
178962		0.69	3.27	1240	<1	1.54	84	400	5	0.80	<5	151	0.45	207	<10	64
178963 DUP		0.74	3.47	1320	1	1.64	82	410	7	0.77	<5	161	0.47	217	10	70
178964		0.91	2.68	1145	<1	1.92	54	560	5	0.74	<5	164	0.44	157	<10	78
178965		0.57	4.02	1440	1	1.72	102	840	7	0.83	<5	312	0.52	213	10	91
178966		1.46	0.37	405	<1	3.38	8	200	9	0.08	<5	161	0.13	11	<10	51
178967		1.55	0.12	258	<1	3.34	<1	110	11	0.06	<5	158	0.10	1	<10	30
178968		0.89	4.20	1245	<1	1.59	83	390	5	0.01	<5	155	0.45	209	<10	85
178969		1.22	2.49	1170	<1	2.22	40	990	4	0.21	<5	286	0.59	133	<10	83
178970		0.19	0.06	108	<1	6.8	5	630	110	2.60	<5	20	0.01	2	<10	17
178971		1.10	2.19	1170	1	2.07	35	1120	6	0.21	<5	250	0.64	138	<10	84
178972		1.44	4.20	1265	<1	1.38	117	390	4	0.54	<5	138	0.45	206	10	74
178973 DUP		1.41	4.07	1245	<1	1.34	116	370	8	0.67	<5	133	0.45	201	<10	73
178974		0.72	3.44	1245	<1	2.19	73	1540	7	0.36	<5	615	0.62	191	<10	81
178975		0.94	2.33	1225	<1	2.01	44	950	6	0.52	<5	243	0.59	157	<10	79
178976		4.31	0.27	165	<1	2.27	4	180	35	0.02	<5	166	0.09	10	<10	29
178977		1.12	4.05	1230	<1	1.45	107	440	6	0.16	<5	169	0.47	196	<10	68
178978		1.30	4.08	1335	<1	1.60	107	430	6	0.04	<5	184	0.43	181	<10	79
178979		1.08	2.15	943	<1	2.78	52	1860	11	0.66	<5	693	0.52	88	<10	78
178980		1.32	1.43	1140	1	2.30	36	620	3	0.06	<5	181	0.38	56	<10	89



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 3 (A - B)

Finalized Date: 16-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031828

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
178981		2.54	0.006		<0.5	8.12	<5	210	0.6	<2	5.36	<0.5	26	76	56	6.30
178982		2.38	0.026		<0.5	6.43	<5	480	1.1	<2	1.42	<0.5	1	6	36	2.81
178983		2.44	0.025		<0.5	7.78	<5	190	0.6	<2	6.07	2.6	27	161	89	6.48
178984		2.83	0.005		<0.5	9.25	<5	190	0.6	<2	5.79	<0.5	19	8	50	6.50
178985		2.75	<0.005		<0.5	8.17	5	150	0.5	<2	5.59	<0.5	26	104	15	6.16
178986		0.06	0.971		10.4	8.21	<5	50	3.2	<2	0.31	<0.5	<1	6	19	2.69
178987		2.75	<0.005		<0.5	8.08	<5	260	0.6	<2	5.01	<0.5	23	88	47	5.85
178988		2.49	0.009		<0.5	7.49	<5	280	0.8	<2	4.10	<0.5	18	140	58	4.85
178989 DUP		<0.02	0.011		<0.5	7.72	<5	280	0.8	<2	4.12	<0.5	17	148	58	5.01
178990		2.66	<0.005		<0.5	7.48	<5	210	0.5	<2	5.36	<0.5	29	226	18	6.27
178991		2.38	<0.005		<0.5	7.96	<5	190	0.6	<2	5.21	<0.5	24	76	129	5.34
178992		2.35	0.013		<0.5	8.45	<5	120	<0.5	<2	6.57	<0.5	29	95	90	6.75
178993		2.20	0.208		<0.5	7.48	<5	250	0.7	<2	4.24	<0.5	18	59	74	5.21
178994		2.44	0.039		<0.5	7.70	<5	140	0.5	<2	5.61	<0.5	32	59	89	6.92
178995		2.53	0.025		<0.5	7.51	<5	150	0.5	<2	5.30	<0.5	37	5	128	8.48
178996		0.09	<0.005		<0.5	6.99	<5	540	0.9	<2	0.85	<0.5	<1	8	7	1.91
178997		2.36	0.023		<0.5	7.10	7	350	1.0	<2	2.75	<0.5	12	6	79	4.93
178998		2.34	0.128		<0.5	7.58	<5	170	0.6	<2	5.14	<0.5	40	4	291	9.85
178999		2.37	0.108		<0.5	7.34	<5	330	0.9	<2	3.84	<0.5	21	7	223	6.53
179000		2.50	0.452		<0.5	7.11	<5	160	0.7	<2	4.91	<0.5	32	7	585	9.68



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 3 (A - B)

Finalized Date: 16-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031828

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
178981		1.11	3.04	1330	1	2.05	77	730	4	0.20	<5	204	0.47	150	<10	77
178982		1.12	0.19	625	2	2.64	2	170	4	0.20	<5	152	0.17	12	<10	84
178983		0.81	3.75	1255	1	1.89	67	1150	3	0.28	<5	417	0.48	170	<10	356
178984		0.55	1.97	1025	<1	2.60	27	1570	<2	0.26	<5	592	0.62	180	10	61
178985		0.71	2.92	1080	<1	1.89	50	920	3	0.03	<5	356	0.49	175	<10	77
178986		0.19	0.07	33	1	6.6	4	610	124	3.10	<5	21	0.01	2	<10	31
178987		0.99	2.62	1010	1	2.08	43	490	7	0.14	<5	191	0.40	133	<10	74
178988		1.13	2.49	816	<1	2.18	75	800	<2	0.18	<5	291	0.38	96	<10	66
178989 DUP		1.12	2.53	824	1	2.16	82	830	7	0.18	<5	284	0.39	98	10	66
178990		1.32	4.29	1150	<1	1.34	164	670	2	0.02	<5	205	0.38	136	<10	83
178991		0.75	2.36	939	1	1.93	41	530	<2	0.34	<5	200	0.39	142	<10	58
178992		0.62	3.49	1235	1	1.62	59	390	5	0.22	6	154	0.43	201	<10	77
178993		0.78	1.77	941	1	2.11	31	420	2	0.29	<5	164	0.34	102	10	113
178994		0.58	2.97	1190	1	1.97	31	430	2	0.41	<5	237	0.46	212	<10	68
178995		0.65	2.52	1375	1	1.80	15	540	<2	0.48	<5	148	0.63	285	10	76
178996		4.21	0.23	186	1	2.14	2	160	37	0.01	<5	158	0.09	10	<10	29
178997		0.97	0.68	907	2	2.57	5	380	3	0.42	<5	154	0.36	105	<10	77
178998		0.74	2.27	1480	1	1.74	10	620	3	1.05	<5	162	0.79	405	<10	128
178999		1.18	1.26	1015	1	2.04	7	590	<2	0.99	<5	147	0.57	225	<10	110
179000		0.77	1.73	1215	1	1.63	9	740	<2	2.01	<5	120	0.82	320	10	147





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 2-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06031829

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 31-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 2-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031829

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
172501		2.33	0.029	<0.5	7.67	<5	350	0.8	<2	3.90	<0.5	18	134	49	5.32	1.02
172502		2.29	0.214	<0.5	7.24	8	390	0.9	<2	3.28	<0.5	10	69	140	4.82	0.78
172503		2.54	0.005	<0.5	8.73	<5	200	<0.5	<2	7.03	<0.5	36	259	50	6.32	0.75
172504		2.36	0.017	<0.5	8.84	<5	130	<0.5	<2	7.36	<0.5	34	249	111	6.74	0.50
172505		3.07	0.012	<0.5	7.65	<5	150	<0.5	<2	7.65	<0.5	47	656	44	6.94	0.74
172506		0.06	0.985	10.4	7.47	6	50	3.0	<2	0.30	<0.5	<1	8	13	2.62	0.18
172507		2.68	0.020	<0.5	6.45	12	140	0.5	<2	6.98	<0.5	52	744	45	6.51	0.80
172508		2.58	2.21	<0.5	7.52	<5	130	<0.5	<2	6.81	<0.5	41	244	351	6.87	0.42
172509		2.75	0.138	<0.5	8.79	6	190	0.7	<2	6.02	<0.5	34	479	151	6.21	1.03
172510		2.54	0.158	<0.5	7.11	15	90	0.5	<2	7.14	<0.5	47	422	351	7.12	0.70
172511		2.65	0.499	<0.5	8.69	<5	70	<0.5	<2	6.76	<0.5	56	152	454	7.21	0.51
172512		2.96	0.030	<0.5	7.44	<5	60	<0.5	<2	6.77	<0.5	33	168	118	6.66	0.35
172513		2.62	0.132	<0.5	7.31	10	60	<0.5	<2	6.86	<0.5	38	120	255	6.86	0.40
172514		2.58	0.057	<0.5	7.86	<5	120	0.5	<2	6.37	<0.5	44	90	197	7.50	0.50
172515 DUP		<0.02	0.084	<0.5	7.60	6	110	0.5	<2	6.18	<0.5	46	92	195	7.38	0.48
172516		0.14	<0.005	<0.5	6.71	13	580	0.9	<2	0.72	<0.5	2	9	5	1.51	4.51
172517		2.40	0.082	<0.5	7.25	<5	200	0.6	<2	5.38	<0.5	25	93	336	6.10	0.78
172518		2.51	0.007	<0.5	7.48	<5	110	0.5	<2	6.10	<0.5	24	93	12	5.94	0.45
172519		2.68	0.021	<0.5	7.74	<5	80	<0.5	<2	7.07	<0.5	28	116	11	6.79	0.46
172520		2.88	0.322	<0.5	7.15	5	250	0.6	<2	4.96	<0.5	18	74	12	5.20	0.78
172521		2.63	0.187	<0.5	7.30	11	100	<0.5	<2	6.17	<0.5	28	110	8	6.46	0.71
172522		2.33	<0.005	<0.5	7.41	<5	190	0.7	<2	4.63	<0.5	22	42	44	5.07	0.78
172523		2.37	0.021	<0.5	7.66	10	520	0.9	<2	3.80	<0.5	12	58	10	3.14	1.31
172524		2.46	0.421	<0.5	7.48	15	110	<0.5	<2	6.50	<0.5	30	116	11	6.49	0.65
172525		0.06	1.810	17.7	7.30	<5	50	2.9	<2	0.30	<0.5	1	6	5	2.55	0.17
172526		1.91	3.04	<0.5	6.98	<5	310	0.7	<2	4.21	<0.5	14	58	46	4.92	1.16
172527		2.81	0.017	<0.5	7.58	<5	210	0.6	<2	5.55	<0.5	22	142	11	5.70	1.13
172528		2.52	0.006	<0.5	7.55	<5	120	0.5	<2	6.11	<0.5	25	106	50	6.28	0.73
172529		2.62	0.031	<0.5	7.54	<5	140	0.5	<2	6.50	<0.5	25	122	20	6.08	0.83
172530		2.27	0.027	<0.5	7.33	10	170	0.5	<2	5.64	<0.5	26	110	51	5.92	1.08
172531 DUP		<0.02	0.028	<0.5	7.29	<5	380	0.5	<2	5.73	<0.5	27	110	47	5.87	1.06
172532		2.46	0.008	<0.5	7.69	16	400	0.7	<2	6.40	<0.5	29	160	42	5.77	0.85
172533		2.60	0.012	<0.5	7.59	10	390	0.8	<2	6.04	<0.5	33	351	58	5.56	0.97
172534		2.50	0.011	<0.5	7.49	6	360	1.0	<2	4.98	<0.5	27	181	305	5.13	0.76
172535		2.60	<0.005	<0.5	7.63	<5	170	0.5	<2	6.82	<0.5	29	113	77	6.36	0.63
172536		2.29	0.121	<0.5	6.57	<5	400	0.9	<2	3.22	<0.5	10	57	99	3.84	0.48
172537		2.52	<0.005	<0.5	7.82	<5	1360	0.5	<2	6.02	<0.5	27	126	55	6.04	0.63
172538		0.11	<0.005	<0.5	6.78	<5	610	0.9	<2	0.97	<0.5	2	12	5	1.84	4.25
172539		2.62	<0.005	<0.5	7.23	14	190	0.5	<2	5.55	<0.5	34	243	57	5.85	0.85
172540		2.38	0.080	<0.5	7.63	6	250	0.6	<2	4.94	<0.5	21	102	63	5.05	0.90



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 2-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031829

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172501		2.04	1085	1	2.60	38	700	5	0.22	<5	288	0.36	71	10	81
172502		1.12	878	2	2.48	27	430	4	0.59	5	201	0.31	47	<10	62
172503		5.61	1260	1	1.98	118	470	3	0.12	<5	261	0.32	160	<10	71
172504		5.30	1280	1	2.07	111	440	<2	0.20	<5	288	0.36	178	10	67
172505		7.95	1405	1	1.56	263	600	<2	0.04	<5	308	0.28	162	20	81
172506		0.07	32	<1	6.9	17	610	110	3.01	<5	17	0.01	2	10	17
172507		7.64	1250	<1	1.19	296	630	<2	0.04	<5	229	0.32	180	<10	73
172508		4.74	1185	<1	2.02	122	1080	<2	0.49	<5	478	0.45	182	<10	76
172509		4.84	1185	<1	1.61	164	630	6	0.33	<5	247	0.34	136	<10	71
172510		5.32	1265	<1	1.42	156	530	<2	0.63	<5	261	0.38	195	10	70
172511		3.19	1115	1	1.38	106	320	3	1.11	<5	173	0.41	200	10	54
172512		3.71	1170	<1	1.76	86	450	<2	0.25	<5	196	0.45	209	<10	60
172513		3.53	1235	<1	1.55	70	360	4	0.38	<5	151	0.43	208	10	64
172514		3.26	1230	1	1.99	81	1040	<2	0.55	<5	361	0.68	211	10	89
172515 DUP		3.17	1195	<1	1.93	85	1020	<2	0.61	<5	345	0.66	203	<10	87
172516		0.20	142	<1	2.17	<1	160	36	0.02	<5	144	0.08	8	<10	26
172517		2.45	1205	<1	1.95	53	520	6	0.36	<5	177	0.40	134	<10	74
172518		3.24	1225	<1	1.97	85	410	4	0.05	<5	162	0.42	172	<10	62
172519		4.03	1310	<1	1.79	76	370	<2	0.04	<5	146	0.44	208	<10	60
172520		2.48	971	<1	2.22	46	460	9	0.12	<5	150	0.37	126	<10	63
172521		3.91	1095	<1	1.74	80	340	<2	0.02	5	136	0.43	206	<10	62
172522		1.98	861	1	2.34	40	780	<2	0.12	<5	202	0.50	144	<10	69
172523		1.62	519	<1	2.93	32	270	3	0.03	6	312	0.23	89	<10	46
172524		3.83	1105	1	1.70	77	350	<2	0.03	<5	166	0.44	207	<10	58
172525		0.06	99	<1	6.4	5	580	116	2.89	<5	18	0.01	2	<10	18
172526		1.62	897	2	2.00	35	340	7	0.25	6	136	0.30	101	<10	62
172527		2.92	1230	1	1.92	86	480	7	0.03	<5	174	0.40	146	10	82
172528		2.83	1175	1	1.89	66	520	10	0.19	<5	194	0.44	179	<10	75
172529		3.47	1200	<1	1.60	64	440	3	0.09	<5	203	0.42	184	<10	70
172530		2.75	1095	<1	1.66	79	450	5	0.30	<5	170	0.45	182	10	69
172531 DUP		2.80	1095	<1	1.64	60	450	<2	0.28	<5	171	0.45	182	<10	69
172532		3.54	1055	<1	1.90	75	650	6	0.12	<5	403	0.39	174	<10	69
172533		4.45	1055	1	2.20	116	840	3	0.10	<5	524	0.34	140	10	79
172534		2.78	833	<1	2.66	59	900	7	0.57	<5	508	0.38	106	<10	59
172535		3.23	1240	<1	1.79	66	370	3	0.15	<5	192	0.43	192	<10	69
172536		1.13	709	1	2.89	24	210	3	0.42	<5	158	0.22	63	10	45
172537		3.11	1220	<1	1.98	88	600	<2	0.13	<5	234	0.44	162	<10	94
172538		0.28	183	<1	2.20	6	190	32	0.01	5	154	0.09	11	<10	28
172539		4.06	1040	<1	1.92	156	670	6	0.09	6	236	0.38	132	<10	94
172540		2.19	1025	<1	2.00	74	690	2	0.13	<5	229	0.42	124	<10	87



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 2-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031829

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
172541		2.48	0.057	<0.5	7.04	15	210	0.5	<2	6.14	<0.5	34	114	357	6.24	0.55
172542		2.43	0.096	<0.5	7.44	<5	140	<0.5	<2	6.20	<0.5	39	138	661	7.02	0.68
172543		2.63	0.300	<0.5	7.37	5	90	<0.5	<2	6.46	<0.5	51	151	703	7.06	0.45
172544		2.54	0.025	<0.5	7.11	<5	100	0.5	<2	6.94	<0.5	41	237	185	7.28	0.52
172545		0.06	0.974	10.3	7.66	10	50	3.1	<2	0.31	<0.5	<1	6	8	2.45	0.18
172546		2.89	0.021	<0.5	7.83	7	170	0.5	<2	6.48	<0.5	36	135	148	6.58	0.74
172547		2.54	0.109	<0.5	7.22	13	70	<0.5	<2	7.04	<0.5	32	130	114	6.68	0.34
172548		2.30	0.012	<0.5	7.17	<5	100	<0.5	<2	6.30	<0.5	34	204	76	6.32	0.71
172549 DUP		<0.02	0.016	<0.5	7.11	<5	90	<0.5	<2	6.32	<0.5	35	180	82	6.32	0.66
172550		2.40	0.147	<0.5	7.11	<5	100	<0.5	<2	6.38	<0.5	47	211	278	6.54	0.54
172551		2.47	<0.005	<0.5	6.21	5	180	<0.5	<2	5.75	<0.5	46	614	66	5.58	0.83
172552		2.85	<0.005	<0.5	6.08	7	230	<0.5	<2	6.07	<0.5	50	914	41	6.13	0.89
172553		2.27	0.007	<0.5	4.30	<5	10	<0.5	<2	5.75	<0.5	70	1055	104	6.23	0.07
172554		2.65	<0.005	<0.5	6.16	<5	90	<0.5	<2	5.14	<0.5	46	577	118	6.53	0.67
172555		2.40	0.007	<0.5	6.68	11	150	<0.5	<2	5.90	<0.5	32	205	64	5.91	0.84
172556		0.13	<0.005	<0.5	6.33	<5	560	0.9	<2	0.88	<0.5	2	15	4	1.39	4.18
172557		2.54	0.033	<0.5	7.22	<5	390	0.8	<2	3.91	<0.5	13	92	35	5.49	1.16
172558		2.39	0.015	<0.5	7.58	8	250	0.7	<2	5.31	<0.5	21	79	21	5.56	0.94
172559		2.19	0.008	<0.5	7.22	<5	220	0.7	<2	5.52	<0.5	23	82	22	6.07	0.96
172560		2.43	0.404	<0.5	7.22	<5	160	0.5	<2	6.34	<0.5	28	128	21	5.94	0.63
172561		2.63	0.014	<0.5	6.98	<5	100	<0.5	<2	6.90	<0.5	35	276	30	6.53	0.62
172562		2.27	0.009	<0.5	6.90	8	360	0.9	<2	3.89	<0.5	17	108	36	5.26	1.15
172563		2.36	0.078	<0.5	7.37	7	200	0.5	<2	6.73	<0.5	31	198	67	6.63	0.98
172564		2.52	0.030	<0.5	6.88	<5	150	0.7	<2	7.58	<0.5	43	305	46	7.83	0.92
172565		2.19	<0.005	<0.5	6.92	<5	290	0.9	<2	4.77	<0.5	21	152	37	5.70	1.17
172566		0.06	1.795	18.0	7.82	<5	50	3.0	<2	0.33	<0.5	1	6	5	2.65	0.18
172567		2.65	0.023	<0.5	7.81	<5	160	0.5	<2	6.44	<0.5	19	109	18	6.00	1.11
172568		2.55	0.010	<0.5	7.39	<5	140	0.6	<2	7.46	<0.5	35	236	38	7.52	0.89
172569		2.50	0.530	<0.5	7.69	5	90	<0.5	<2	6.79	<0.5	23	121	38	5.72	0.62
172570		2.23	0.029	<0.5	8.19	<5	50	<0.5	<2	7.68	<0.5	25	107	19	6.38	0.34
172571		2.42	0.055	<0.5	7.71	<5	130	0.6	2	5.88	<0.5	22	90	34	6.70	0.64
172572		2.29	0.043	<0.5	7.65	<5	320	0.9	<2	3.64	<0.5	16	43	116	5.70	1.25
172573 DUP		<0.02	0.062	<0.5	7.39	<5	310	0.8	<2	3.51	<0.5	14	39	130	5.61	1.21
172574		0.13	<0.005	<0.5	6.61	7	500	0.9	<2	0.93	<0.5	2	14	9	3.16	3.80
172575		2.36	0.005	<0.5	7.54	<5	310	0.8	2	3.78	<0.5	14	12	13	5.21	1.13
172576		2.46	0.077	<0.5	7.88	18	180	0.6	2	5.70	<0.5	20	83	28	6.19	0.82
172577		2.17	0.025	<0.5	7.64	<5	80	<0.5	<2	7.58	<0.5	34	111	151	6.45	0.67
172578		2.41	0.046	<0.5	7.60	<5	70	<0.5	<2	7.33	<0.5	30	105	191	6.46	0.54
172579		2.71	<0.005	<0.5	8.35	<5	40	<0.5	<2	7.87	<0.5	29	102	5	7.00	0.30
172580		2.48	0.034	<0.5	7.92	16	240	0.7	<2	5.07	<0.5	16	54	24	6.12	0.94



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 2-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031829

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172541		2.68	1190	<1	1.62	67	470	2	0.50	<5	184	0.44	168	<10	84
172542		2.85	1175	<1	1.55	68	440	5	0.75	5	161	0.45	192	<10	80
172543		2.86	1110	<1	1.71	71	320	2	0.96	<5	166	0.44	200	<10	57
172544		4.17	1315	<1	1.61	82	440	3	0.26	<5	266	0.44	218	<10	67
172545		0.07	35	<1	6.9	5	600	103	2.73	<5	19	0.01	2	<10	16
172546		3.17	1205	<1	1.78	68	500	<2	0.32	<5	294	0.42	193	<10	65
172547		3.62	1220	<1	1.49	70	340	2	0.31	<5	167	0.43	204	<10	57
172548		4.22	1125	3	1.49	116	390	2	0.21	<5	172	0.41	185	<10	69
172549 DUP		4.07	1120	1	1.48	119	390	4	0.24	<5	172	0.41	186	<10	76
172550		4.12	1140	<1	1.72	112	410	7	0.45	<5	222	0.41	194	<10	72
172551		7.36	1040	<1	1.48	312	570	<2	0.09	<5	290	0.27	138	<10	63
172552		8.09	1155	1	1.12	363	590	6	0.01	<5	278	0.28	152	<10	68
172553		12.45	1115	<1	0.23	803	460	12	0.21	<5	35	0.24	134	<10	182
172554		7.30	1145	<1	1.83	334	640	3	0.25	<5	88	0.39	150	<10	76
172555		3.72	1115	<1	1.58	91	410	5	0.14	5	213	0.40	196	<10	54
172556		0.27	139	<1	2.06	6	160	32	0.01	<5	148	0.08	9	<10	25
172557		1.41	1155	1	2.44	55	510	5	0.19	<5	196	0.35	68	10	72
172558		2.33	1080	<1	2.33	50	620	<2	0.10	<5	243	0.44	136	<10	69
172559		2.55	1215	1	2.21	46	920	4	0.14	<5	256	0.55	169	<10	89
172560		3.27	1065	1	1.84	72	840	6	0.17	<5	351	0.48	164	<10	57
172561		4.62	1200	<1	1.45	140	660	3	0.11	7	223	0.45	196	10	94
172562		1.80	1065	<1	2.52	43	710	<2	0.13	<5	282	0.37	81	10	85
172563		3.91	1385	1	1.53	77	510	3	0.22	<5	237	0.45	227	<10	66
172564		5.52	1560	<1	1.27	95	660	5	0.07	<5	434	0.47	269	<10	90
172565		2.77	1085	1	2.19	55	900	8	0.16	<5	358	0.37	128	<10	73
172566		0.06	102	<1	6.8	3	610	119	2.89	<5	21	0.01	2	<10	17
172567		2.97	1150	<1	1.73	52	370	6	0.12	<5	153	0.41	190	<10	51
172568		4.90	1475	<1	1.45	91	690	8	0.08	<5	372	0.41	224	<10	74
172569		2.93	1120	<1	1.67	70	340	7	0.21	<5	160	0.42	203	10	44
172570		3.36	1180	<1	1.69	70	360	7	0.05	<5	182	0.44	208	<10	54
172571		2.41	1220	<1	1.98	47	920	5	0.12	<5	264	0.62	142	<10	84
172572		0.92	1035	<1	2.54	19	1040	7	0.47	<5	208	0.49	55	<10	82
172573 DUP		0.88	1015	<1	2.50	16	1030	3	0.51	<5	206	0.48	51	<10	81
172574		0.21	260	1	2.17	6	180	34	0.01	<5	150	0.08	9	<10	28
172575		1.12	915	1	2.71	14	1030	7	0.03	<5	241	0.50	84	<10	82
172578		2.43	1125	1	2.10	43	650	7	0.10	<5	186	0.47	142	10	72
172577		2.96	1175	<1	1.63	109	370	4	0.39	<5	154	0.43	202	20	58
172578		3.53	1210	<1	1.63	69	330	8	0.20	<5	148	0.44	198	10	58
172579		4.30	1285	<1	2.00	70	380	5	0.01	<5	170	0.45	207	<10	57
172580		1.95	1180	<1	2.46	27	820	5	0.16	5	218	0.47	92	<10	70



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 2-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06031829**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
172581		2.31	0.103	<0.5	7.43	6	350	1.3	2	2.81	<0.5	6	16	44	4.95	1.08
172582		2.48	0.156	<0.5	6.73	<5	420	1.1	<2	1.48	<0.5	3	13	107	2.86	0.65
172583		2.02	0.053	<0.5	6.31	<5	410	1.1	<2	1.37	<0.5	3	11	101	2.56	0.66
172584		2.42	0.015	<0.5	7.28	5	370	1.0	3	2.81	<0.5	9	15	38	4.37	1.17
172585		2.37	0.158	<0.5	7.49	10	280	0.7	<2	4.41	<0.5	17	47	309	5.05	0.97
172586		2.87	0.563	0.9	7.70	<5	100	0.5	<2	6.88	<0.5	34	114	1725	6.51	0.53
172587 DUP		<0.02	0.575	1.1	7.53	<5	100	0.5	<2	6.78	<0.5	32	130	1525	6.48	0.51
172588		0.10	0.008	<0.5	6.70	<5	510	0.9	<2	0.94	<0.5	3	18	22	3.36	3.75
172589		2.87	0.058	<0.5	6.93	11	230	0.8	<2	6.60	<0.5	37	349	90	6.64	1.03
172590		2.55	0.030	<0.5	6.84	20	140	<0.5	<2	6.42	<0.5	40	403	26	6.71	1.28
172591		2.36	0.030	<0.5	7.59	<5	190	0.5	<2	5.78	<0.5	27	92	31	6.16	0.80
172592		2.44	0.155	<0.5	7.65	9	340	0.6	<2	3.99	<0.5	12	34	23	3.90	0.99
172593		2.65	0.019	<0.5	7.29	<5	130	<0.5	<2	6.51	<0.5	27	104	52	6.28	0.82
172594		2.46	0.061	<0.5	7.42	<5	170	0.5	<2	5.29	<0.5	22	79	42	5.90	0.71
172595		2.44	0.014	<0.5	7.79	14	280	0.7	2	4.32	<0.5	15	57	23	5.18	0.95
172596		0.06	0.964	10.2	6.79	8	30	2.9	<2	0.31	<0.5	1	6	8	2.64	0.16
172597		2.71	0.079	<0.5	7.22	<5	300	0.8	<2	3.49	<0.5	10	11	36	5.38	0.95
172598		2.44	0.443	0.6	7.92	<5	150	<0.5	<2	7.26	<0.5	39	53	640	8.01	0.72
172599		2.75	0.025	<0.5	6.73	13	100	<0.5	<2	6.07	<0.5	47	297	139	6.59	0.91
172600		2.37	0.007	<0.5	7.22	7	100	<0.5	<2	6.59	<0.5	36	235	25	6.51	0.52



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 2-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031829

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172581		0.54	853	3	3.19	5	670	3	0.35	<5	206	0.36	16	<10	55
172582		0.08	306	1	3.50	1	90	5	0.68	<5	171	0.13	1	<10	14
172583		0.07	287	1	3.25	3	80	6	0.58	<5	155	0.12	1	<10	14
172584		0.69	765	1	2.93	11	550	5	0.23	<5	182	0.34	53	<10	60
172585		1.49	906	1	2.49	32	510	2	0.20	<5	186	0.37	96	20	67
172586		3.26	1135	1	2.10	70	430	8	0.37	5	225	0.44	187	10	76
172587 DUP		3.35	1140	<1	2.10	70	450	9	0.33	6	231	0.44	184	<10	74
172588		0.22	279	2	2.15	8	170	41	0.01	<5	154	0.08	9	<10	33
172589		5.79	1235	<1	1.81	232	760	9	0.15	<5	328	0.38	163	<10	79
172590		6.42	1200	<1	1.45	223	520	6	0.09	<5	193	0.38	182	<10	70
172591		3.22	1050	<1	2.28	64	520	5	0.10	6	217	0.44	161	<10	66
172592		1.33	664	1	2.80	22	530	8	0.09	6	253	0.33	85	<10	66
172593		3.64	1095	<1	1.68	62	340	<2	0.08	7	153	0.42	195	<10	79
172594		2.50	1085	<1	2.13	45	680	7	0.28	<5	215	0.43	123	<10	73
172595		1.61	855	<1	2.53	40	1120	4	0.11	<5	288	0.48	86	<10	77
172596		0.05	32	<1	6.6	2	530	99	3.05	<5	16	0.01	1	<10	14
172597		0.99	860	1	2.59	11	1310	8	0.29	10	273	0.51	50	<10	57
172598		3.51	1285	<1	1.98	80	2250	11	0.52	<5	640	0.67	195	<10	102
172599		5.94	1055	<1	1.47	212	430	2	0.24	<5	190	0.39	182	10	82
172600		4.88	1070	<1	1.57	163	830	8	0.19	<5	260	0.45	186	<10	67



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 24-APR-2006  
Account: TRAVEN

## CERTIFICATE VO06031880

Project: BLOCK A  
P.O. No.:  
This report is for 20 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 14-APR-2006.  
The following have access to data associated with this certificate:

IAN LAMBERT	MIKE ROBERTS
-------------	--------------

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A - B)

Finalized Date: 24-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031880

Sample Description	Method Analyte Units LOL	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
174061		1.21	1.705		<0.5	4.81	<5	20	<0.5	<2	6.04	<0.5	63	1335	47	7.64
174062		1.34	0.225		0.5	5.95	<5	220	<0.5	<2	5.00	<0.5	46	672	345	7.93
174063		1.25	2.61		<0.5	5.33	<5	90	<0.5	<2	5.64	<0.5	53	948	443	10.50
174064		1.00	3.19		<0.5	4.32	7	40	<0.5	<2	5.25	<0.5	46	1115	335	9.78
174065		0.81	1.505		0.6	4.66	10	30	<0.5	<2	5.54	<0.5	41	1125	329	9.82
174066		0.04	0.979		10.0	7.89	<5	40	3.1	<2	0.32	<0.5	<1	13	8	2.48
174067		0.88	2.12		<0.5	5.17	7	170	0.6	<2	5.02	<0.5	27	700	124	6.56
174068		1.05	1.855		<0.5	5.95	5	190	0.7	<2	5.91	<0.5	36	578	36	6.00
174069		0.94	0.063		<0.5	6.60	<5	240	0.7	<2	5.82	<0.5	45	599	58	6.47
174070		1.28	0.107		<0.5	6.88	<5	270	0.8	<2	4.78	<0.5	25	403	36	4.77
174071		1.28	0.020		<0.5	6.57	<5	390	0.9	4	3.32	<0.5	19	298	16	3.39
174072		1.07	0.057		<0.5	6.35	<5	540	1.2	<2	0.96	<0.5	<1	10	16	1.18
174073		1.16	0.740	0.644	<0.5	5.76	10	140	0.6	<2	4.50	<0.5	33	851	88	6.80
174074 DUP		<0.02	0.605	0.640	<0.5	5.73	5	160	0.6	<2	4.27	<0.5	29	759	82	6.30
174075		1.01	0.352		<0.5	5.78	<5	10	<0.5	<2	5.58	<0.5	47	1290	108	9.46
174076		1.25	0.196		<0.5	6.76	<5	130	<0.5	<2	5.71	<0.5	38	709	36	7.40
174077		0.87	0.041		<0.5	5.77	6	80	<0.5	<2	6.50	<0.5	51	980	44	7.15
174078		0.17	<0.005		<0.5	6.89	<5	550	0.9	<2	1.11	<0.5	2	22	6	1.80
174079		1.29	0.033		<0.5	6.85	<5	280	0.7	<2	4.60	<0.5	30	538	44	5.42
174080		1.18	0.022		<0.5	7.59	5	400	0.7	<2	4.62	<0.5	27	401	21	5.22



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 2 (A - B)

Finalized Date: 24-APR-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031880

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
174061		0.36	10.65	1565	3	0.32	737	210	<2	0.37	<5	42	0.24	162	20	93
174062		1.86	4.65	1475	<1	0.27	294	310	<2	1.22	<5	96	0.34	168	30	73
174063		1.12	6.32	1750	2	0.29	446	220	<2	2.22	<5	52	0.27	161	60	87
174064		0.75	7.35	1500	1	0.26	460	130	<2	1.80	<5	28	0.21	137	10	86
174065		0.78	9.34	1805	1	0.35	508	180	<2	1.46	<5	35	0.23	146	80	100
174066		0.18	0.07	33	1	6.9	4	610	110	2.81	<5	19	0.01	2	<10	16
174067		1.06	5.70	1685	2	1.14	306	130	<2	0.60	<5	121	0.17	91	10	87
174068		1.88	6.57	1305	<1	1.11	233	510	<2	0.29	<5	90	0.27	132	<10	74
174069		1.33	6.79	1310	<1	1.12	195	770	<2	0.23	<5	218	0.38	153	<10	81
174070		1.07	3.83	898	1	1.95	133	690	3	0.16	<5	242	0.34	106	10	53
174071		1.28	2.97	820	<1	2.48	84	300	2	0.07	<5	213	0.18	65	<10	41
174072		1.44	0.12	334	1	3.05	2	80	3	0.10	<5	142	0.09	<1	<10	15
174073		0.59	6.71	1610	1	1.38	426	160	2	0.63	<5	106	0.20	113	10	84
174074 DUP		0.63	6.18	1540	1	1.50	394	140	4	0.55	<5	115	0.19	103	10	79
174075		0.20	10.90	2050	1	0.40	691	220	<2	0.79	<5	33	0.27	182	20	109
174076		0.96	7.55	1560	<1	1.12	319	630	<2	0.18	<5	253	0.36	168	<10	82
174077		0.80	9.06	1420	<1	0.69	399	550	4	0.14	<5	139	0.31	182	<10	96
174078		4.17	0.35	190	1	2.18	7	220	32	0.01	<5	174	0.10	14	<10	31
174079		1.14	4.54	1120	1	1.52	231	680	4	0.24	<5	209	0.38	105	<10	95
174080		1.48	4.22	990	<1	1.58	156	690	<2	0.13	<5	252	0.38	134	<10	65



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 3-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06031940

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 31-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 3-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
172601		2.29	0.035			<0.5	8.22	<5	140	0.6	<2	6.94	<0.5	37	112	85
172802		2.40	0.072			<0.5	7.41	5	130	0.6	<2	6.62	<0.5	45	269	93
172603		2.79	0.046			<0.5	7.61	<5	60	<0.5	<2	6.85	<0.5	56	115	281
172804		2.38	0.097			<0.5	7.52	17	80	<0.5	<2	7.52	<0.5	41	100	351
172605		2.65	2.34	2.35		<0.5	7.11	<5	90	<0.5	<2	6.53	<0.5	65	292	492
172606		2.69	0.202			0.9	7.27	14	70	<0.5	2	7.25	<0.5	70	119	1635
172607 DUP		<0.02	0.207			0.7	8.05	<5	70	<0.5	<2	7.98	<0.5	68	119	1630
172608		0.12	0.010			<0.5	6.77	<5	510	0.9	<2	0.88	<0.5	2	7	16
172609		2.56	0.147			<0.5	7.20	<5	80	<0.5	<2	7.34	<0.5	60	116	781
172610		2.65	0.055			<0.5	7.62	<5	60	<0.5	<2	7.22	<0.5	62	125	299
172611		2.53	0.084			<0.5	8.00	15	220	0.7	<2	5.09	<0.5	42	34	429
172612		2.60	0.006			<0.5	8.18	<5	70	<0.5	<2	7.13	<0.5	33	97	87
172613		2.35	0.039			<0.5	8.39	<5	130	0.6	<2	6.29	<0.5	31	96	162
172614		2.27	0.109			<0.5	8.16	<5	110	<0.5	<2	7.72	<0.5	63	125	403
172615		2.54	0.014			<0.5	8.17	15	80	<0.5	<2	7.29	<0.5	33	120	136
172616		0.06	1.705			19.6	8.13	<5	50	3.1	2	0.34	<0.5	1	5	7
172617		2.46	0.008			<0.5	7.94	13	90	<0.5	2	6.68	<0.5	28	119	62
172618		2.48	0.112			<0.5	7.69	<5	100	<0.5	<2	6.89	<0.5	30	115	85
172619		2.48	<0.005			<0.5	8.49	<5	350	0.7	<2	5.79	<0.5	25	41	31
172620		2.57	0.017			0.6	8.31	<5	150	0.5	<2	7.38	<0.5	33	106	65
172621		2.42	0.030			<0.5	8.20	6	80	0.5	<2	7.11	<0.5	31	113	64
172622		2.96	0.220			<0.5	7.76	<5	100	<0.5	<2	7.22	<0.5	53	116	209
172623		2.34	0.517			<0.5	7.92	<5	190	0.7	<2	4.72	<0.5	23	25	86
172624		2.65	0.011			<0.5	8.47	<5	200	0.6	<2	5.17	<0.5	28	52	71
172625		2.82	<0.005			<0.5	8.18	<5	80	<0.5	<2	6.89	<0.5	42	132	87
172626		2.42	0.009			<0.5	8.32	<5	70	<0.5	<2	7.45	<0.5	29	108	36
172627		0.06	1.005			10.3	7.93	8	40	3.2	<2	0.33	<0.5	1	5	8
172628		2.61	0.546	0.509		<0.5	7.61	<5	90	<0.5	<2	7.13	<0.5	26	117	65
172629		2.90	0.046			<0.5	8.09	<5	110	0.5	<2	6.87	<0.5	24	98	49
172630		2.25	0.026			<0.5	8.28	<5	200	0.7	2	5.08	<0.5	19	36	28
172631		2.94	0.188			<0.5	6.88	<5	110	0.5	<2	6.02	<0.5	20	70	98
172632		2.00	0.029			<0.5	7.83	11	100	<0.5	<2	6.52	<0.5	24	109	131
172633		2.65	0.040			<0.5	8.09	6	80	<0.5	<2	6.57	<0.5	23	91	20
172634		2.30	0.029			<0.5	8.01	<5	140	0.6	<2	6.17	<0.5	21	65	36
172635		2.30	0.025			<0.5	6.27	<5	160	0.6	2	5.94	<0.5	26	67	122
172636		2.38	0.503			1.6	7.79	<5	100	<0.5	<2	6.59	<0.5	67	121	1705
172637 DUP		<0.02	0.600			1.7	7.56	<5	110	<0.5	<2	6.18	<0.5	62	118	1690
172638		0.14	<0.005			<0.5	6.95	<5	560	0.8	<2	0.77	<0.5	1	4	6
172639		2.34	0.717			0.7	7.65	<5	90	<0.5	<2	5.86	<0.5	76	128	1235
172640		2.02	0.061			0.5	7.53	8	80	<0.5	<2	5.99	<0.5	98	122	631

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 3-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
172601		7.31	0.60	3.64	1270	<1	2.06	88	1320	6	0.31	<5	477	0.79	207	10
172602		7.20	1.05	4.90	1270	<1	1.48	176	1180	5	0.35	<5	346	0.69	190	<10
172603		6.60	0.43	3.18	1130	<1	1.68	77	350	<2	0.47	<5	152	0.41	192	20
172604		6.66	0.56	3.33	1265	<1	1.56	60	440	4	0.39	<5	154	0.42	201	10
172605		7.30	0.80	4.81	1190	<1	1.50	210	400	4	0.69	<5	161	0.39	186	<10
172606		7.04	0.51	3.17	1225	<1	1.51	85	350	<2	0.83	<5	143	0.40	187	10
172607 DUP		7.57	0.53	3.52	1340	<1	1.68	66	370	3	0.75	<5	158	0.43	204	10
172608		1.28	4.17	0.20	120	<1	2.23	2	160	34	0.02	<5	150	0.08	9	<10
172609		6.59	0.87	3.09	1275	<1	1.31	83	330	6	0.77	<5	111	0.40	193	10
172610		6.80	0.58	3.10	1150	<1	1.43	77	350	5	0.58	<5	154	0.41	196	20
172611		5.69	0.89	1.54	985	<1	2.33	43	880	6	0.51	<5	213	0.52	131	<10
172612		6.38	0.49	3.10	1185	<1	1.84	51	470	2	0.15	<5	179	0.46	202	<10
172613		5.82	0.77	2.77	1085	<1	2.14	42	570	5	0.14	<5	183	0.48	188	<10
172614		6.65	0.97	3.10	1205	<1	1.46	86	360	9	0.74	<5	144	0.44	201	10
172615		6.30	0.71	3.32	1185	<1	1.69	60	390	3	0.19	<5	136	0.44	211	30
172616		2.79	0.19	0.06	108	<1	7.1	7	640	132	2.99	<5	21	0.01	2	<10
172617		6.25	0.86	3.36	1165	<1	1.74	50	370	8	0.15	<5	146	0.43	198	10
172618		6.14	1.01	3.25	1205	<1	1.39	47	370	4	0.36	<5	139	0.42	201	10
172619		8.64	1.25	2.90	1140	<1	2.29	19	860	10	0.18	<5	454	0.60	219	<10
172620		6.68	0.61	3.40	1230	<1	1.87	59	470	3	0.23	<5	226	0.47	212	<10
172621		6.59	0.63	3.53	1210	<1	1.77	55	400	6	0.15	<5	158	0.44	213	10
172622		6.78	0.82	3.35	1220	<1	1.33	62	350	4	0.54	<5	138	0.42	204	20
172623		5.55	0.83	1.63	822	<1	2.35	31	920	6	0.42	<5	259	0.52	137	<10
172624		6.36	0.88	2.46	1010	<1	2.50	60	870	6	0.23	<5	286	0.56	154	<10
172625		9.38	0.39	4.03	1455	<1	2.11	130	760	3	0.22	<5	389	0.78	220	<10
172626		7.27	0.58	3.62	1325	<1	1.75	65	480	4	0.12	<5	214	0.55	223	<10
172627		2.56	0.19	0.06	31	<1	7.0	2	590	111	2.74	<5	21	0.01	1	<10
172628		6.19	1.40	3.30	1220	<1	1.11	69	350	8	0.48	<5	115	0.43	213	10
172629		5.81	0.94	2.92	1160	<1	1.57	68	460	6	0.26	<5	165	0.46	189	<10
172630		5.19	0.96	1.93	907	<1	2.44	35	870	5	0.13	<5	239	0.52	145	<10
172631		4.96	0.75	2.40	1030	<1	1.53	45	500	3	0.18	<5	141	0.40	160	10
172632		5.77	0.73	3.01	1115	<1	1.75	58	420	7	0.21	<5	139	0.43	191	10
172633		6.06	0.55	3.06	1140	<1	1.88	48	490	6	0.10	<5	170	0.46	196	<10
172634		5.70	0.77	2.57	1065	<1	1.98	48	620	7	0.11	<5	187	0.46	169	<10
172635		5.64	0.92	2.45	1065	<1	2.07	50	640	7	0.20	<5	183	0.47	173	<10
172636		6.73	1.10	2.75	1170	<1	1.41	91	330	12	1.15	<5	134	0.42	206	10
172637 DUP		8.35	1.06	2.65	1120	<1	1.29	91	310	11	1.03	<5	127	0.42	191	10
172638		1.04	4.37	0.18	101	<1	2.11	3	170	35	0.01	<5	149	0.08	7	<10
172639		8.32	1.15	2.52	1050	<1	1.43	76	320	11	1.09	<5	120	0.42	186	10
172640		6.92	0.89	2.75	1025	<1	1.57	78	340	12	1.36	7	132	0.42	199	10

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 3-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
172601		98
172602		92
172603		58
172604		62
172605		66
172606		71
172607 DUP		75
172608		33
172609		63
172610		55
172611		68
172612		65
172613		67
172614		52
172615		53
172616		21
172617		55
172618		53
172619		88
172620		63
172621		57
172622		61
172623		51
172624		68
172625		111
172626		71
172627		16
172628		54
172629		61
172630		54
172631		61
172632		60
172633		56
172634		59
172635		67
172636		72
172637 DUP		75
172638		26
172639		59
172640		51

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 3-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
172641		2.46	>10.0		47.0	2.4	7.64	11	120	<0.5	<2	6.04	<0.5	81	126	1300
172642		2.57	0.132			<0.5	7.61	9	120	<0.5	<2	6.40	<0.5	50	119	386
172643		2.67	0.276			<0.5	7.81	9	90	<0.5	<2	6.70	<0.5	28	117	45
172644		2.38	0.030			0.7	7.38	14	70	<0.5	<2	6.49	<0.5	29	97	88
172645		2.26	0.051			<0.5	7.85	11	80	<0.5	<2	6.23	<0.5	38	112	253
172646		1.65	0.074			<0.5	7.80	<5	80	<0.5	<2	6.80	<0.5	34	106	370
172647		0.06	1.860			20.1	8.57	8	80	3.1	<2	0.35	<0.5	<1	4	6
172648		2.11	0.046			<0.5	7.99	10	150	0.5	<2	5.73	<0.5	32	86	152
172649		2.48	0.047			<0.5	7.97	<5	170	<0.5	<2	5.91	<0.5	27	76	36
172850		2.83	0.031			<0.5	8.01	<5	90	<0.5	<2	6.68	<0.5	32	97	26
172651		2.09	<0.005			<0.5	7.85	<5	450	0.7	<2	2.95	<0.5	7	32	18
172652		1.99	0.007			<0.5	7.93	11	490	0.6	<2	2.03	<0.5	5	15	32
172653		2.48	0.057			<0.5	7.50	5	100	<0.5	<2	6.64	<0.5	27	80	14
172654		2.62	0.039			<0.5	7.73	7	150	0.5	<2	5.33	<0.5	25	77	25
172655		2.59	0.046			<0.5	7.82	8	100	<0.5	<2	5.94	<0.5	33	108	60
172656 DUP		<0.02	0.057			<0.5	7.71	<5	100	<0.5	<2	6.01	<0.5	30	104	55
172657		0.10	<0.005			<0.5	6.96	<5	560	0.8	<2	0.73	<0.5	1	5	4
172658		2.34	0.013			<0.5	6.96	<5	100	0.5	<2	5.06	<0.5	23	68	16
172659		2.29	0.020			<0.5	7.71	<5	180	0.5	<2	5.18	<0.5	22	66	15
172660		2.77	0.008			<0.5	7.51	<5	110	<0.5	<2	6.52	<0.5	32	100	16
172661		1.95	0.036			<0.5	7.87	8	130	<0.5	<2	6.60	<0.5	31	210	52
172662		2.52	1.210			<0.5	6.72	14	130	<0.5	<2	5.52	<0.5	23	74	78
172663		2.42	0.022			<0.5	7.70	<5	100	<0.5	<2	6.30	<0.5	25	104	29
172664		2.19	0.028			<0.5	7.78	16	180	0.5	<2	5.40	<0.5	22	66	36
172665		2.38	0.098			<0.5	7.16	19	100	<0.5	<2	6.07	<0.5	29	182	29
172666		1.89	0.136			<0.5	7.82	<5	250	<0.5	<2	4.12	<0.5	14	148	23
172667		0.06	0.989			9.6	7.45	24	40	2.9	<2	0.31	<0.5	<1	4	8
172668		2.32	0.043			<0.5	7.55	<5	70	<0.5	<2	6.50	<0.5	28	110	32
172669		2.81	0.123			<0.5	7.20	15	100	<0.5	<2	6.71	<0.5	30	98	44
172670		2.10	0.815			<0.5	7.21	<5	180	0.5	<2	5.33	<0.5	19	69	54
172671		2.37	0.037			<0.5	7.43	6	130	<0.5	<2	6.10	<0.5	25	110	38
172672		2.48	0.095			<0.5	7.17	10	130	<0.5	<2	5.76	<0.5	25	67	52
172673		2.71	0.052			<0.5	7.40	<5	140	<0.5	<2	6.19	<0.5	28	102	78
172674		2.46	0.178			<0.5	7.22	17	80	<0.5	<2	6.95	<0.5	29	106	69
172675		2.17	3.62			0.7	6.43	9	140	<0.5	<2	5.77	<0.5	27	226	92
172676		3.10	0.589			<0.5	4.59	<5	70	<0.5	<2	6.08	<0.5	59	1000	469
172677 DUP		<0.02	0.555			<0.5	4.66	8	80	<0.5	<2	5.95	<0.5	56	1030	459
172678		0.09	0.102	0.133		<0.5	6.70	<5	540	0.9	<2	0.87	<0.5	1	7	6
172679		2.75	0.871			<0.5	5.82	21	140	<0.5	<2	5.58	<0.5	41	636	351
172680		2.77	0.053			<0.5	8.27	8	470	0.7	<2	4.49	<0.5	24	143	43

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 3-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
172641		7.05	1.50	2.85	1095	<1	1.23	80	360	10	1.31	<5	108	0.44	203	10
172642		6.18	1.10	3.01	1105	<1	1.30	65	360	9	0.79	<5	124	0.43	195	10
172643		8.21	0.74	4.03	1130	<1	1.47	83	440	10	0.07	<5	192	0.44	196	<10
172644		6.23	0.56	3.46	1105	<1	1.27	64	340	12	0.37	6	132	0.41	186	10
172645		6.44	0.82	3.16	1135	<1	1.52	94	360	8	0.52	<5	128	0.43	204	10
172646		5.77	0.97	2.94	1060	<1	1.50	67	340	9	0.34	5	137	0.43	196	10
172647		2.79	0.19	0.07	114	<1	7.1	4	660	125	3.05	<5	23	0.01	2	<10
172648		6.04	0.93	2.99	1020	<1	1.76	54	540	8	0.27	<5	161	0.46	176	<10
172649		6.15	0.96	3.19	1005	<1	1.73	53	570	6	0.15	<5	153	0.46	165	<10
172650		6.75	0.70	3.94	1195	<1	1.54	70	400	8	0.11	<5	140	0.44	203	<10
172651		2.57	1.08	1.01	442	<1	3.15	14	340	16	0.08	6	214	0.21	53	<10
172652		1.40	1.14	0.54	196	<1	3.66	8	280	12	0.13	<5	241	0.12	19	<10
172653		5.82	0.68	3.26	1240	<1	1.43	62	360	11	0.06	<5	146	0.41	177	<10
172654		5.51	0.86	2.82	1050	<1	1.89	49	500	6	0.21	5	141	0.42	161	10
172655		6.13	0.92	3.37	1135	<1	1.45	79	380	9	0.29	9	126	0.43	193	10
172656 DUP		6.08	0.91	3.38	1140	<1	1.45	72	390	8	0.26	<5	125	0.43	191	10
172657		1.09	4.36	0.18	105	<1	2.05	3	160	36	0.01	<5	150	0.08	7	<10
172658		4.93	0.64	2.37	878	<1	1.68	40	490	4	0.15	5	160	0.44	161	<10
172659		5.20	0.99	2.43	932	<1	1.87	40	560	10	0.11	<5	155	0.44	159	<10
172660		6.11	0.73	3.42	1105	<1	1.48	74	380	7	0.12	<5	143	0.42	193	<10
172661		6.04	0.76	3.95	1075	<1	1.74	90	480	17	0.22	<5	208	0.42	185	<10
172662		5.31	0.80	2.47	1005	<1	1.34	41	400	11	0.33	<5	119	0.37	148	10
172663		5.75	0.89	3.16	1100	<1	1.51	60	380	12	0.17	5	147	0.43	187	10
172664		5.31	0.94	2.53	1015	<1	1.90	43	510	7	0.19	8	178	0.43	163	10
172665		5.49	0.76	3.57	994	<1	1.63	85	380	9	0.16	<5	193	0.41	183	<10
172666		2.88	1.08	2.01	572	<1	2.45	61	290	10	0.20	<5	230	0.20	76	10
172667		2.43	0.18	0.06	32	<1	6.4	3	580	109	2.70	7	21	0.01	1	<10
172668		6.22	0.65	3.51	1130	<1	1.41	63	340	7	0.19	<5	140	0.42	195	<10
172669		5.86	0.81	3.32	1115	<1	1.26	72	490	8	0.36	10	187	0.40	180	<10
172670		5.26	1.28	2.38	1005	<1	1.51	36	640	10	0.47	<5	132	0.43	131	<10
172671		5.96	1.10	3.45	1130	<1	1.28	56	380	8	0.24	<5	118	0.42	193	<10
172672		5.41	0.90	2.65	1080	<1	1.39	52	530	7	0.24	<5	150	0.43	159	10
172673		5.79	0.86	3.02	1145	<1	1.44	61	410	10	0.41	<5	146	0.43	183	10
172674		5.87	0.74	3.27	1210	<1	1.13	82	380	9	0.37	5	133	0.41	186	10
172675		5.66	0.99	3.10	1255	<1	0.82	96	300	10	0.55	<5	106	0.35	164	510
172676		8.94	0.73	5.49	1935	3	0.74	392	140	16	2.09	<5	83	0.19	123	250
172677 DUP		8.55	0.75	5.29	1850	4	0.82	383	140	16	2.16	<5	84	0.19	122	160
172678		1.28	4.36	0.21	122	<1	2.14	4	180	42	0.02	<5	152	0.08	8	<10
172679		7.33	1.08	4.64	1545	2	1.20	259	410	31	1.31	<5	145	0.28	117	50
172680		4.81	1.94	2.88	815	2	2.15	94	910	25	0.33	7	294	0.43	117	<10

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 3-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
172641		63
172642		65
172643		55
172644		63
172645		53
172646		52
172647		21
172648		58
172649		61
172650		60
172651		49
172652		36
172653		70
172654		65
172655		73
172656 DUP		73
172657		27
172658		64
172659		78
172660		71
172661		65
172662		65
172663		68
172664		74
172665		58
172666		37
172667		15
172668		54
172669		56
172670		54
172671		59
172672		62
172673		71
172674		58
172675		65
172676		84
172677 DUP		84
172678		37
172679		229
172680		153

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 3-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
172681		2.48	1.200			<0.5	5.96	9	170	0.6	<2	6.44	<0.5	48	1265	126
172682		2.92	0.087			<0.5	7.37	<5	460	0.6	<2	6.28	<0.5	48	602	23
172683		2.86	0.951			<0.5	5.02	7	90	<0.5	<2	5.79	<0.5	53	1325	122
172684		2.69	0.135			<0.5	5.30	8	80	<0.5	<2	4.86	<0.5	47	1250	10
172685		2.25	0.081			<0.5	7.63	<5	350	0.8	<2	2.95	<0.5	14	17	38
172686		1.77	8.73	>10.0	6.06	<0.5	4.89	<5	120	<0.5	<2	4.47	<0.5	42	982	25
172687 DUP		<0.02	>10.0		10.75	<0.5	4.88	17	120	<0.5	<2	4.50	<0.5	41	1005	23
172688		0.12	0.013			<0.5	7.03	5	540	0.9	<2	0.93	<0.5	1	13	7
172689		1.47	0.006			<0.5	8.11	7	450	0.7	<2	1.93	<0.5	3	22	11
172690		2.02	0.007			<0.5	8.49	8	600	0.7	<2	2.02	<0.5	4	92	12
172691		2.21	0.326			<0.5	5.21	18	70	<0.5	<2	5.09	<0.5	48	1305	13
172692		2.58	0.084			<0.5	5.66	8	80	<0.5	<2	5.53	<0.5	56	1210	23
172693		2.57	0.061			<0.5	6.13	<5	140	<0.5	<2	5.88	<0.5	57	1110	16
172694		2.58	<0.005			<0.5	8.05	20	590	0.5	<2	1.87	<0.5	3	17	20
172695		2.41	<0.005			<0.5	8.37	<5	520	0.6	<2	2.27	<0.5	6	64	12
172696		0.06	1.785			20.0	8.05	14	50	3.0	<2	0.34	<0.5	1	4	6
172697		2.04	<0.005			<0.5	8.18	6	550	0.6	<2	2.24	<0.5	5	29	13
172698		2.17	0.008			<0.5	8.67	<5	680	0.6	<2	1.94	<0.5	4	19	15
172699		2.22	<0.005			<0.5	7.97	<5	570	0.6	<2	1.84	<0.5	2	12	13
172700		2.21	0.014			<0.5	7.07	9	250	<0.5	<2	4.39	<0.5	41	785	18

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 3-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
172681		8.51	0.74	9.52	1715	<1	0.78	671	820	33	0.57	<5	450	0.28	118	<10
172682		5.12	1.60	8.76	1110	<1	0.90	533	1160	19	0.27	<5	656	0.25	101	<10
172683		7.85	1.49	9.65	1940	1	0.43	615	150	9	0.64	<5	62	0.24	148	10
172684		7.16	2.28	9.88	1275	<1	0.42	614	230	10	0.06	<5	71	0.27	155	<10
172685		4.43	0.94	0.84	768	2	2.58	11	950	17	0.35	<5	230	0.52	48	<10
172686		7.24	2.21	8.24	1205	4	0.41	504	230	11	0.21	<5	60	0.26	135	<10
172687 DUP		7.28	2.16	8.21	1205	3	0.40	504	230	14	0.19	<5	59	0.26	138	<10
172688		2.11	4.04	0.23	189	<1	2.12	7	160	34	0.01	10	158	0.08	6	<10
172689		1.31	0.90	0.53	145	<1	4.01	12	210	20	0.05	<5	301	0.09	19	<10
172690		1.58	1.56	0.87	208	<1	3.29	38	200	13	0.05	<5	302	0.10	23	<10
172691		6.66	1.82	10.00	1250	<1	0.34	639	240	6	0.06	<5	37	0.26	158	<10
172692		6.55	1.00	9.76	1250	<1	0.57	587	250	9	0.04	5	131	0.22	152	<10
172693		6.88	1.28	9.86	1270	<1	0.68	565	210	12	0.03	5	98	0.25	182	10
172694		1.12	1.10	0.51	126	<1	3.95	11	200	19	0.04	<5	337	0.09	17	<10
172695		1.34	1.51	0.90	195	<1	3.67	24	240	20	0.06	5	337	0.11	25	10
172696		2.54	0.19	0.07	110	<1	6.7	5	660	119	2.78	<5	23	0.01	2	<10
172697		1.28	1.70	0.76	182	<1	3.54	25	230	8	0.06	5	313	0.10	20	<10
172698		1.12	1.84	0.55	142	<1	3.75	13	190	9	0.05	<5	234	0.10	18	<10
172699		1.05	1.39	0.44	122	<1	3.70	7	200	8	0.04	<5	219	0.09	18	<10
172700		4.63	0.74	6.54	812	<1	1.87	379	170	9	0.03	5	280	0.18	103	<10

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1820 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 3-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031940

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
172681		268
172682		83
172683		101
172684		100
172685		49
172686		129
172687 DUP		125
172688		27
172689		45
172690		41
172691		93
172692		82
172693		76
172694		27
172695		44
172696		22
172697		33
172698		35
172699		36
172700		60

Comments: Please note an error was issued in reporting standard OXE20. The reporting result of 0.857ppm on OXE20 standard should be read standard OXF41.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

**CERTIFICATE VO06031941**

Project: BLOCK A

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 31-MAR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 3 (A - C)

Finalized Date: 4-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031941

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
172701		2.58	0.038			<0.5	5.33	21	30	<0.5	<2	5.53	<0.5	64	1165	18
172702		2.77	0.008			<0.5	6.11	16	240	0.5	<2	6.47	<0.5	52	801	46
172703		2.71	0.005			<0.5	8.65	<5	170	<0.5	<2	6.44	<0.5	44	386	41
172704		2.46	0.235	0.235		<0.5	6.41	<5	90	<0.5	<2	6.03	<0.5	50	647	60
172705 DUP		<0.02	0.404	0.485		<0.5	6.72	8	100	<0.5	<2	6.22	<0.5	51	612	65
172706		0.14	<0.005			<0.5	8.83	<5	530	0.9	<2	1.00	<0.5	3	19	4
172707		2.30	0.031			<0.5	5.52	6	30	<0.5	<2	5.68	<0.5	63	1175	12
172708		2.50	0.087			<0.5	5.27	23	80	<0.5	<2	5.27	<0.5	65	1270	4
172709		2.65	0.095			<0.5	5.68	16	120	<0.5	<2	5.29	<0.5	62	1155	8
172710		3.02	0.188			<0.5	5.29	5	80	<0.5	<2	5.05	<0.5	58	1170	28
172711		2.23	0.259			<0.5	6.26	<5	130	<0.5	<2	4.72	<0.5	50	887	19
172712		2.67	0.577			<0.5	5.31	8	70	<0.5	<2	5.23	<0.5	50	1130	7
172713		2.71	2.78			<0.5	5.21	10	70	<0.5	<2	6.32	<0.5	49	1085	3
172714		1.95	0.904			<0.5	4.54	<5	80	<0.5	<2	6.01	<0.5	42	943	10
172715		0.06	0.980			9.1	8.07	<5	40	3.1	<2	0.34	<0.5	1	7	8
172716		1.61	6.30			1.6	3.80	<5	60	<0.5	27	3.05	1.3	49	1020	108
172717		1.15	0.178			<0.5	2.00	7	40	<0.5	<2	2.48	<0.5	19	510	67
172718		2.49	1.730			<0.5	5.30	8	60	<0.5	<2	5.39	<0.5	49	1070	57
172719		2.79	0.118			<0.5	5.46	<5	90	<0.5	<2	5.37	<0.5	53	1175	2
172720		2.63	0.339			<0.5	5.42	<5	70	<0.5	<2	5.17	<0.5	58	1160	8
172721		2.73	0.118			<0.5	5.24	15	70	<0.5	<2	5.29	<0.5	53	1135	16
172722		2.65	0.064			<0.5	5.88	15	100	<0.5	<2	5.61	<0.5	52	891	17
172723		2.54	0.736			<0.5	5.59	17	30	<0.5	<2	4.50	<0.5	61	1250	42
172724		2.62	0.242			<0.5	5.44	11	50	<0.5	<2	5.20	<0.5	60	1150	18
172725		2.44	<0.005			<0.5	6.66	8	190	<0.5	<2	3.67	<0.5	36	713	13
172726 DUP		<0.02	0.008			<0.5	8.43	9	180	<0.5	<2	3.71	<0.5	37	734	15
172727		0.14	<0.005			<0.5	6.67	<5	500	0.9	<2	0.73	<0.5	2	19	4
172728		2.63	0.525			<0.5	5.47	18	100	<0.5	<2	5.27	<0.5	51	1120	6
172729		2.44	0.102			<0.5	5.80	10	80	<0.5	<2	6.03	<0.5	47	680	12
172730		2.65	0.140			<0.5	7.19	<5	480	0.7	<2	3.57	<0.5	18	41	36
172731		2.42	0.092			<0.5	5.11	6	20	<0.5	<2	6.05	<0.5	53	1150	2
172732		2.75	0.020			<0.5	5.97	<5	60	<0.5	<2	4.99	<0.5	50	943	5
172733		2.35	0.019			<0.5	6.92	<5	390	0.5	<2	2.27	<0.5	20	415	7
172734		2.34	4.43			<0.5	6.36	<5	190	<0.5	<2	4.67	<0.5	38	796	8
172735		2.31	0.207			<0.5	6.40	<5	250	0.5	<2	3.63	<0.5	26	523	28
172736		2.42	0.014			<0.5	7.01	<5	440	0.6	<2	1.64	<0.5	7	49	28
172737		2.61	0.008			<0.5	7.69	8	520	0.5	<2	3.02	<0.5	16	306	48
172738		0.06	1.805			17.1	7.63	<5	50	2.9	<2	0.32	<0.5	1	7	8
172739		2.32	0.039			<0.5	6.72	<5	430	0.6	<2	1.96	<0.5	9	178	25
172740		2.45	0.036			<0.5	7.03	12	450	0.5	<2	2.19	<0.5	11	254	8



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031941

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
172701		8.77	0.51	10.10	1235	<1	0.41	614	200	<2	0.04	<5	55	0.24	162	10
172702		5.82	1.04	7.62	1120	<1	0.96	240	650	3	0.10	<5	440	0.28	154	10
172703		7.28	1.04	6.38	1305	<1	1.07	211	1290	8	0.22	<5	571	0.47	171	<10
172704		7.32	0.55	6.93	1355	<1	1.01	356	1060	4	0.32	<5	453	0.46	175	<10
172705 DUP		7.45	0.58	7.06	1380	<1	1.09	357	1120	4	0.36	<5	486	0.49	188	<10
172706		1.47	3.97	0.30	156	<1	2.05	7	190	32	0.01	<5	156	0.09	11	<10
172707		7.15	0.46	10.75	1310	<1	0.39	642	200	<2	<0.01	<5	44	0.24	159	<10
172708		8.90	0.93	10.35	1240	<1	0.31	649	170	2	0.01	<5	33	0.25	160	<10
172709		7.13	1.39	9.97	1255	<1	0.33	587	300	<2	0.04	<5	83	0.28	173	<10
172710		7.05	1.20	9.05	1255	1	0.34	541	190	<2	0.18	<5	73	0.26	159	10
172711		6.26	1.16	7.95	1085	1	0.54	432	320	4	0.13	<5	220	0.27	146	10
172712		7.05	1.32	8.75	1290	<1	0.30	502	180	<2	0.03	<5	104	0.27	165	<10
172713		7.05	0.71	8.35	1385	<1	0.32	480	150	<2	0.02	<5	137	0.25	160	<10
172714		6.65	0.79	6.79	1295	<1	0.32	402	190	6	0.06	<5	129	0.22	142	20
172715		2.75	0.19	0.08	38	1	6.6	4	600	114	2.97	<5	22	0.01	1	<10
172716		5.87	0.81	3.68	933	1	0.27	423	150	551	0.88	<5	59	0.19	122	1650
172717		3.41	0.27	2.57	596	1	0.13	186	280	43	0.35	<5	70	0.09	60	20
172718		7.70	0.88	7.49	1565	7	0.36	456	170	5	0.30	5	143	0.26	158	80
172719		7.22	1.69	9.34	1210	<1	0.30	536	180	3	0.02	<5	72	0.27	168	<10
172720		7.02	1.75	9.24	1205	<1	0.33	534	180	<2	0.05	<5	66	0.26	160	<10
172721		6.77	1.58	9.48	1200	<1	0.29	569	200	4	0.09	<5	64	0.26	159	<10
172722		7.05	2.00	8.80	1255	1	0.32	442	300	<2	0.07	<5	145	0.26	157	<10
172723		7.56	0.92	10.20	1330	<1	0.25	602	190	3	0.22	<5	43	0.27	172	<10
172724		6.96	1.31	9.30	1240	<1	0.31	546	220	<2	0.08	<5	72	0.26	159	<10
172725		4.35	1.38	5.73	720	<1	2.01	344	170	2	0.05	<5	124	0.17	93	<10
172726 DUP		4.50	1.41	5.95	754	<1	1.82	356	170	4	0.05	<5	104	0.17	97	<10
172727		1.68	4.03	0.21	150	1	2.02	7	140	33	<0.01	<5	141	0.08	8	<10
172728		6.63	1.76	9.52	1115	1	0.42	568	230	4	0.04	<5	73	0.25	150	<10
172729		6.05	1.20	7.99	1200	<1	0.49	373	400	3	0.09	<5	179	0.24	130	<10
172730		4.40	1.24	1.39	768	<1	1.55	24	830	4	0.34	<5	145	0.46	115	10
172731		6.69	0.63	9.55	1340	<1	0.50	578	250	3	0.02	<5	88	0.24	149	<10
172732		5.96	0.59	8.21	1090	1	0.98	491	230	<2	0.02	<5	219	0.20	134	10
172733		2.68	1.21	3.07	431	<1	2.77	187	180	7	0.02	<5	182	0.11	52	<10
172734		4.67	0.83	6.58	881	<1	1.84	405	170	4	0.02	<5	133	0.16	101	<10
172735		4.26	1.15	4.26	734	1	1.74	252	330	5	0.10	<5	185	0.21	89	<10
172736		1.80	1.27	0.75	278	1	3.44	22	360	12	0.10	<5	182	0.18	38	<10
172737		2.10	1.47	1.98	389	<1	3.24	133	180	6	0.12	<5	197	0.10	39	<10
172738		2.57	0.18	0.06	103	<1	6.3	4	590	118	2.79	<5	21	0.01	2	<10
172739		1.39	1.38	1.32	264	1	3.26	79	180	2	0.11	<5	177	0.08	23	<10
172740		1.83	1.38	1.90	312	1	2.97	106	180	9	0.03	<5	168	0.09	33	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031941

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
172701		65
172702		91
172703		93
172704		86
172705 DUP		90
172706		27
172707		75
172708		71
172709		72
172710		84
172711		79
172712		84
172713		86
172714		102
172715		16
172716		722
172717		190
172718		99
172719		77
172720		75
172721		79
172722		79
172723		90
172724		120
172725		52
172726 DUP		52
172727		26
172728		69
172729		84
172730		53
172731		107
172732		92
172733		50
172734		74
172735		67
172736		47
172737		57
172738		21
172739		50
172740		51





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031941

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
172741		2.78	0.080			<0.5	5.89	13	170	<0.5	<2	5.11	<0.5	47	954	14
172742		2.77	1.535			<0.5	6.70	<5	170	<0.5	<2	4.68	<0.5	27	446	14
172743		2.23	0.686			<0.5	6.45	<5	50	<0.5	<2	6.71	<0.5	39	332	9
172744		2.54	0.010			<0.5	7.03	<5	120	<0.5	<2	6.62	<0.5	37	489	12
172745		2.48	0.013			<0.5	7.29	<5	300	0.5	<2	5.00	<0.5	35	533	63
172746		2.51	0.033			<0.5	6.82	<5	120	<0.5	<2	5.73	<0.5	31	308	14
172747		2.54	0.027			<0.5	6.65	<5	120	<0.5	<2	7.20	<0.5	41	437	24
172748		2.63	0.007			<0.5	7.10	<5	50	<0.5	<2	7.48	<0.5	39	351	7
172749		0.06	0.949			10.5	7.86	<5	50	3.1	<2	0.31	<0.5	<1	8	8
172750		2.20	0.022			<0.5	7.89	<5	320	<0.5	<2	4.62	<0.5	26	321	49
172751		2.67	0.034			<0.5	7.43	<5	370	0.6	<2	4.57	<0.5	27	248	84
172752		2.60	>10.0		9.45	<0.5	7.40	<5	230	0.5	<2	5.55	<0.5	28	226	135
172753		2.46	0.127			<0.5	7.36	<5	310	0.6	<2	4.52	<0.5	20	167	25
172754		2.14	0.132			<0.5	5.98	<5	510	0.9	<2	1.15	<0.5	1	36	29
172755		2.71	0.680	0.713		2.2	6.10	<5	180	<0.5	<2	6.88	<0.5	38	239	1715
172756 DUP		<0.02	0.556	0.703		1.8	6.55	10	220	<0.5	<2	6.75	0.7	36	226	1595
172757		0.11	0.082	0.134		<0.5	7.03	<5	560	0.9	<2	0.78	<0.5	1	13	6
172758		2.58	2.52			1.7	7.80	<5	210	0.5	<2	6.81	<0.5	41	163	1220
172759		2.52	1.260			<0.5	7.29	<5	70	<0.5	<2	7.90	<0.5	36	342	24
172760		2.67	0.575			<0.5	7.50	<5	80	<0.5	<2	8.58	<0.5	38	325	182
172761		2.36	0.380			<0.5	7.53	<5	130	<0.5	<2	6.97	<0.5	31	236	17
172762		2.46	0.036			<0.5	7.79	<5	380	0.8	<2	3.68	<0.5	16	39	28
172763		2.50	0.049			<0.5	8.20	<5	270	0.6	<2	4.76	<0.5	19	104	29
172764		2.28	0.036			<0.5	7.34	<5	390	0.8	<2	3.03	<0.5	13	11	37
172765		2.25	0.178			<0.5	7.27	<5	220	0.6	<2	4.90	<0.5	25	177	139
172766		2.46	0.784			<0.5	7.00	<5	270	0.8	<2	3.63	<0.5	18	46	105
172767		0.06	1.785			17.4	7.81	<5	60	3.0	<2	0.31	<0.5	<1	7	5
172768		2.54	0.794			<0.5	7.64	<5	100	<0.5	<2	6.93	<0.5	33	269	18
172769		2.40	0.545			<0.5	6.17	<5	100	<0.5	<2	8.29	<0.5	32	236	133
172770		2.30	0.276			<0.5	6.85	<5	260	0.7	<2	3.65	<0.5	17	36	101
172771		2.42	0.334			<0.5	6.87	<5	230	0.6	<2	3.69	<0.5	17	57	108
172772		2.46	0.132			<0.5	7.10	<5	140	<0.5	<2	5.83	<0.5	33	237	33
172773		2.57	1.005			<0.5	6.48	7	90	<0.5	<2	7.39	<0.5	41	314	146
172774		2.64	0.369			<0.5	6.96	<5	70	<0.5	<2	6.70	<0.5	40	341	210
172775		2.56	0.314			<0.5	6.71	<5	200	<0.5	<2	5.83	<0.5	35	310	49
172776		2.65	0.168	0.155		<0.5	6.74	<5	70	<0.5	<2	6.35	<0.5	34	320	134
172777 DUP		<0.02	0.249	0.262		<0.5	7.28	<5	80	<0.5	<2	6.86	<0.5	36	319	111
172778		0.11	<0.005			<0.5	6.69	<5	540	0.8	<2	1.03	<0.5	3	17	7
172779		2.54	0.089			<0.5	8.50	<5	360	0.6	<2	6.13	<0.5	27	205	25
172780		2.94	0.057			<0.5	7.27	<5	80	<0.5	<2	7.40	<0.5	38	317	43



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 4-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06031941**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units LOR	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
172741		5.82	1.13	8.34	1065	1	0.91	473	200	4	0.07	<5	126	0.21	134	<10
172742		3.74	0.69	4.52	722	1	2.44	243	190	6	0.07	7	160	0.15	88	10
172743		6.42	0.30	4.68	1155	1	1.31	128	220	2	0.05	<5	183	0.33	205	130
172744		6.08	0.52	5.18	1125	<1	1.60	143	280	<2	0.07	<5	213	0.30	196	10
172745		4.52	1.23	6.13	829	<1	1.92	250	470	7	0.24	<5	206	0.20	122	10
172746		5.37	0.40	3.65	983	<1	2.03	96	210	<2	0.13	<5	221	0.27	163	40
172747		6.71	0.51	5.46	1200	3	1.32	202	240	<2	0.33	<5	209	0.31	200	80
172748		7.09	0.28	5.10	1250	<1	1.33	136	250	3	0.09	<5	274	0.35	226	20
172749		2.58	0.19	0.07	34	<1	6.3	<1	590	120	2.97	<5	18	0.01	1	10
172750		4.20	1.34	4.11	774	<1	2.40	171	330	3	0.28	<5	250	0.20	106	90
172751		5.34	1.47	3.78	866	<1	1.79	140	960	<2	0.51	<5	312	0.37	131	10
172752		6.73	0.97	3.13	1180	1	1.66	91	760	3	0.83	<5	276	0.42	170	70
172753		4.80	1.00	2.50	979	2	2.31	57	320	<2	0.24	<5	170	0.29	122	<10
172754		1.58	1.38	0.24	289	4	2.87	13	80	4	0.43	<5	99	0.09	7	<10
172755		5.52	0.78	3.04	1200	2	1.50	112	190	3	0.44	<5	127	0.25	148	50
172756 DUP		5.42	0.80	2.88	1125	3	1.75	102	180	5	0.41	<5	131	0.24	128	50
172757		2.03	4.14	0.19	188	<1	2.22	3	160	37	0.01	<5	145	0.08	7	<10
172758		6.48	0.97	2.70	1150	5	1.93	83	630	4	0.74	<5	159	0.42	160	10
172759		7.41	0.49	4.72	1360	<1	1.42	114	280	3	0.06	<5	159	0.36	217	10
172760		7.91	0.53	5.05	1440	<1	1.39	123	250	5	0.19	<5	169	0.34	216	70
172761		6.89	0.67	3.91	1300	<1	1.78	88	400	<2	0.07	<5	179	0.37	169	10
172762		4.59	1.54	1.40	827	1	2.34	18	820	2	0.11	<5	139	0.44	108	<10
172763		5.36	1.07	2.11	994	<1	2.34	38	680	<2	0.07	<5	201	0.42	147	<10
172764		3.82	1.28	0.93	612	1	2.48	6	720	<2	0.14	<5	157	0.40	86	10
172765		4.85	0.83	2.32	941	<1	2.10	57	570	2	0.11	<5	158	0.38	122	10
172766		3.00	1.06	0.96	652	<1	2.25	16	740	<2	0.13	<5	141	0.38	55	<10
172767		2.57	0.18	0.06	105	<1	5.7	3	620	121	2.95	<5	18	0.01	2	<10
172768		7.02	0.75	4.07	1425	<1	1.16	105	340	5	0.04	<5	153	0.35	192	10
172769		6.09	0.78	3.62	1300	<1	1.14	103	190	2	0.11	<5	127	0.27	165	180
172770		3.15	1.19	1.04	699	<1	2.15	14	820	6	0.09	<5	120	0.40	70	10
172771		3.26	1.14	1.30	646	<1	2.12	23	690	6	0.11	<5	126	0.38	80	<10
172772		6.04	0.91	4.00	1170	<1	1.60	90	410	3	0.07	<5	125	0.38	183	<10
172773		7.10	0.77	4.64	1465	<1	1.02	160	210	<2	0.24	<5	109	0.32	208	20
172774		7.32	0.66	4.34	1270	<1	1.39	125	260	<2	0.13	<5	120	0.34	215	10
172775		5.98	0.80	4.55	1060	<1	1.62	154	550	2	0.10	<5	339	0.36	182	120
172776		6.57	0.57	3.92	1135	<1	1.52	109	260	2	0.10	<5	132	0.34	205	<10
172777 DUP		7.02	0.60	4.28	1215	<1	1.62	117	270	<2	0.08	<5	143	0.36	214	10
172778		2.23	4.17	0.33	221	<1	2.07	7	170	28	0.01	<5	152	0.09	16	10
172779		5.79	1.13	3.02	1010	<1	2.12	80	640	11	0.06	<5	410	0.36	155	<10
172780		7.55	0.83	4.87	1290	1	1.42	134	240	9	0.05	<5	117	0.35	212	30



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 4-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06031941

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
172741		84
172742		45
172743		61
172744		64
172745		82
172746		58
172747		67
172748		71
172749		18
172750		54
172751		68
172752		91
172753		61
172754		16
172755		97
172756 DUP		83
172757		28
172758		88
172759		81
172760		78
172761		80
172762		66
172763		76
172764		60
172765		70
172766		52
172767		19
172768		94
172769		85
172770		53
172771		63
172772		94
172773		86
172774		75
172775		69
172776		62
172777 DUP		66
172778		73
172779		64
172780		65



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 2-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06033981

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 5-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Spltt -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 100g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 2-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033981

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178281		2.46	0.008			<0.5	8.30	<5	220	0.7	<2	4.82	<0.5	20	32	46
178282		2.90	0.021			<0.5	8.01	<5	140	<0.5	<2	5.94	<0.5	32	116	11
178283		2.42	0.598			<0.5	8.07	10	130	<0.5	<2	6.18	<0.5	27	118	5
178284		2.48	0.028			<0.5	8.16	<5	190	0.6	<2	5.00	<0.5	21	66	25
178285		2.44	0.009			<0.5	8.33	6	130	0.5	<2	6.45	<0.5	24	80	26
178286		2.44	0.049			<0.5	8.15	9	50	<0.5	<2	7.10	<0.5	33	133	691
178287		2.48	1.445			0.6	7.59	20	70	<0.5	<2	5.50	<0.5	39	143	1330
178288		0.06	1.770			18.9	8.40	11	60	3.2	<2	0.35	<0.5	2	1	8
178289		1.95	0.035			<0.5	7.62	20	60	<0.5	<2	6.50	<0.5	25	115	280
178290		2.33	1.060	1.245		1.4	7.67	7	70	<0.5	<2	5.96	<0.5	43	144	1315
178291 DUP		<0.02	0.937	1.180		0.6	7.96	5	80	<0.5	<2	6.14	<0.5	46	144	1380
178292		2.44	0.213			<0.5	8.14	<5	50	<0.5	<2	6.92	<0.5	30	125	285
178293		2.14	0.050			<0.5	7.80	20	50	<0.5	<2	6.46	<0.5	33	130	461
178294		2.28	2.68			0.8	7.57	6	90	<0.5	<2	6.47	<0.5	44	120	1515
178295		0.12	0.008			<0.5	7.60	<5	580	0.9	<2	1.13	<0.5	3	6	11
178296		2.38	0.079			<0.5	7.87	<5	80	<0.5	<2	6.11	<0.5	38	137	561
178297		1.92	0.019			<0.5	7.87	<5	170	0.5	<2	6.00	<0.5	26	86	31
178298		1.76	0.020			<0.5	8.08	<5	280	1.0	<2	3.28	<0.5	19	6	501
178299		3.00	0.007			<0.5	6.21	<5	80	0.6	<2	7.61	<0.5	49	445	50
178300		4.40	0.062			<0.5	6.98	6	140	0.5	<2	7.36	<0.5	49	386	134
178301		3.38	0.006			<0.5	6.68	8	140	<0.5	<2	6.16	<0.5	53	619	64
178302		1.51	0.047			<0.5	7.75	<5	170	<0.5	<2	5.54	<0.5	25	206	259
178303		2.48	0.055			<0.5	7.33	<5	130	<0.5	<2	5.75	<0.5	27	148	221
178304		2.38	0.435			<0.5	7.56	7	220	0.7	<2	4.61	<0.5	22	188	65
178305		2.52	0.012			<0.5	7.83	17	200	0.6	<2	5.33	<0.5	20	68	45
178306		2.22	0.601			<0.5	7.89	17	190	0.5	<2	5.59	<0.5	25	110	102
178307		3.10	1.535	1.385		<0.5	7.53	14	180	0.5	<2	5.44	<0.5	24	93	78
178308		1.76	0.015			<0.5	7.67	9	230	0.8	<2	3.89	<0.5	17	12	43
178309		2.28	0.017			<0.5	7.49	14	230	0.8	<2	3.75	<0.5	16	10	52
178310		0.06	1.000			10.2	7.81	10	50	3.1	<2	0.31	<0.5	1	5	8
178311		2.61	0.087			<0.5	6.95	<5	80	<0.5	<2	5.90	<0.5	32	122	317
178312		2.56	0.072			0.5	6.99	11	150	<0.5	<2	4.90	0.6	33	128	420
178313 DUP		<0.02	0.054			<0.5	7.06	11	150	<0.5	<2	4.93	<0.5	35	131	442
178314		2.38	>10.0		13.80	1.0	6.57	7	180	<0.5	<2	4.55	<0.5	58	163	487
178315		2.54	0.187			<0.5	7.69	<5	240	0.5	<2	5.02	<0.5	27	108	176
178316		2.67	0.624			<0.5	7.78	<5	130	<0.5	<2	7.11	<0.5	36	133	294
178317		2.48	0.030			<0.5	7.36	<5	110	<0.5	<2	5.53	<0.5	37	201	251
178318		2.67	0.044			<0.5	7.51	15	110	<0.5	2	5.59	<0.5	65	137	636
178319		0.14	<0.005			<0.5	6.59	<5	530	0.9	<2	0.90	<0.5	3	8	11
178320		1.80	0.018			<0.5	7.56	14	150	<0.5	<2	5.97	<0.5	51	192	597



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 2-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033981

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178281		5.40	1.06	1.88	838	†	2.45	35	930	8	0.17	7	239	0.53	141	<10
178282		6.80	1.25	3.95	1095	1	1.64	76	380	7	0.03	8	147	0.46	209	10
178283		6.93	1.15	3.83	1100	1	1.42	66	360	10	0.02	<5	141	0.46	218	<10
178284		6.20	1.12	2.74	913	2	2.09	45	690	8	0.08	<5	185	0.50	174	<10
178285		6.29	0.72	3.17	1120	2	2.03	54	580	8	0.10	<5	187	0.50	195	<10
178286		7.40	0.42	3.54	1230	1	1.59	68	370	3	0.53	<5	152	0.45	218	<10
178287		7.12	0.60	2.72	958	1	1.83	68	340	13	1.11	<5	158	0.45	204	10
178288		2.79	0.20	0.07	111	1	7.2	6	640	127	3.00	<5	24	0.01	2	<10
178289		8.62	0.48	3.26	1120	1	1.48	60	380	27	0.29	<5	159	0.43	202	<10
178290		7.77	0.54	2.65	970	1	1.59	91	350	16	1.36	<5	151	0.45	198	<10
178291 DUP		7.95	0.57	2.76	1010	1	1.66	96	380	18	1.54	<5	156	0.45	204	10
178292		7.05	0.36	3.34	1150	2	1.68	69	530	6	0.30	<5	174	0.49	211	10
178293		7.15	0.48	3.10	1070	<1	1.71	64	370	8	0.60	<5	147	0.45	206	<10
178294		7.68	0.70	3.09	1130	1	1.34	75	370	53	1.62	<5	137	0.42	207	10
178295		1.96	4.30	0.25	182	1	2.32	4	180	41	0.01	<5	170	0.09	10	<10
178296		7.14	0.67	3.11	1050	1	1.65	64	340	8	0.66	<5	152	0.44	209	<10
178297		6.55	1.18	3.33	1155	2	1.81	68	580	18	0.10	<5	184	0.48	181	10
178298		4.52	1.08	0.77	491	2	3.06	9	640	13	1.01	<5	326	0.45	60	<10
178299		8.22	0.43	6.65	1565	2	1.30	144	720	9	0.07	<5	367	0.41	235	<10
178300		8.12	0.64	6.72	1350	1	1.34	173	630	8	0.22	<5	463	0.47	244	<10
178301		6.32	0.56	10.35	1130	<1	1.03	532	580	7	0.19	<5	185	0.24	138	10
178302		5.60	0.77	3.51	898	<1	2.18	87	480	9	0.52	<5	320	0.38	170	<10
178303		6.09	1.36	3.04	1110	1	1.17	77	360	4	0.49	<5	141	0.41	200	40
178304		5.37	1.00	2.52	816	2	2.14	85	730	9	0.56	<5	195	0.44	115	<10
178305		5.35	1.12	2.12	993	1	1.90	47	590	7	0.23	<5	172	0.46	164	10
178306		5.93	1.41	2.57	1065	2	1.56	78	500	11	0.47	<5	143	0.45	181	10
178307		5.72	1.28	2.53	996	1	1.81	55	510	8	0.38	<5	156	0.45	180	10
178308		4.58	0.94	1.26	745	1	2.51	15	740	<2	0.18	<5	208	0.45	124	<10
178309		4.40	0.94	1.16	700	1	2.37	12	730	3	0.24	<5	197	0.43	120	<10
178310		2.70	0.18	0.06	32	1	6.6	3	570	108	2.79	<5	20	0.01	2	<10
178311		6.04	0.68	2.98	1030	<1	1.45	104	330	2	0.43	<5	135	0.39	181	20
178312		6.58	1.43	2.93	1080	<1	1.11	64	340	3	0.63	<5	95	0.39	189	10
178313 DUP		6.81	1.48	2.96	1085	<1	1.14	69	320	<2	0.63	<5	97	0.40	188	20
178314		7.27	1.72	2.66	968	<1	0.82	88	280	7	1.84	<5	85	0.37	164	110
178315		6.16	1.85	2.77	1100	1	1.21	43	510	4	0.57	<5	134	0.43	180	10
178316		7.32	1.22	3.29	1330	<1	1.18	69	400	8	0.92	<5	132	0.41	211	30
178317		6.32	1.04	3.67	985	1	1.54	81	390	5	0.59	<5	153	0.37	182	10
178318		7.37	0.91	2.57	963	<1	1.47	85	360	3	1.28	<5	143	0.41	199	430
178319		1.51	4.25	0.25	148	1	2.12	2	180	210	0.05	<5	151	0.08	9	10
178320		8.89	0.88	3.63	1030	<1	1.84	87	430	5	0.75	<5	195	0.39	192	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 2-MAY-2006  
Account: TRAVEN

Project: BLOCK A

<b>CERTIFICATE OF ANALYSIS VO06033981</b>
---

Sample Description	Method Analyte Units LOR	ME-JCP81 Zn ppm 2
178281		80
178282		82
178283		100
178284		68
178285		69
178286		81
178287		74
178288		20
178289		91
178290		79
178291 DUP		80
178292		87
178293		57
178294		61
178295		30
178296		58
178297		75
178298		49
178299		100
178300		92
178301		79
178302		57
178303		63
178304		53
178305		68
178306		98
178307		102
178308		58
178309		57
178310		16
178311		72
178312		87
178313 DUP		94
178314		67
178315		93
178316		80
178317		72
178318		54
178319		70
178320		59



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06033981**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	Aa ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
178321		3.38	0.018			<0.5	8.09	7	220	0.9	<2	3.82	<0.5	20	16	185
178322		1.97	0.117			<0.5	7.76	10	110	<0.5	<2	6.40	<0.5	51	132	400
178323		2.54	0.070			<0.5	7.66	<5	70	<0.5	<2	6.40	<0.5	47	132	303
178324		2.54	0.339			<0.5	7.45	10	80	<0.5	<2	6.20	<0.5	45	133	284
178325		2.42	0.038			<0.5	7.52	10	240	0.6	<2	6.04	<0.5	50	120	418
178326		2.56	0.040			0.7	7.49	7	100	<0.5	2	6.00	<0.5	50	135	1465
178327		2.25	0.035			0.7	7.73	<5	140	<0.5	<2	6.07	<0.5	66	152	829
178328		2.49	0.107			0.7	7.61	7	90	<0.5	<2	6.74	<0.5	121	147	772
178329		0.12	0.005			<0.5	6.89	<5	540	0.9	<2	0.88	<0.5	2	10	11
178330		2.40	0.020			<0.5	7.29	14	430	0.9	<2	3.60	<0.5	22	170	108
178331		2.43	0.029			<0.5	7.83	9	90	<0.5	2	6.70	<0.5	44	129	257
178332		2.58	0.026			<0.5	7.74	<5	50	<0.5	2	6.90	<0.5	46	127	293
178333		2.52	0.050			<0.5	7.54	10	110	<0.5	<2	6.27	<0.5	51	165	419
178334		0.06	1.795			18.8	8.05	7	50	3.0	<2	0.32	<0.5	1	5	6
178335		2.75	0.007			<0.5	8.01	16	100	0.5	<2	6.25	<0.5	43	130	120
178336		2.62	0.009			<0.5	7.83	<5	110	<0.5	<2	6.57	<0.5	44	175	168
178337		2.36	0.026			<0.5	7.55	<5	160	<0.5	<2	5.71	<0.5	37	181	221
178338		2.46	0.024			<0.5	7.52	<5	70	<0.5	<2	5.65	<0.5	32	141	242
178339		2.54	0.067			0.6	7.14	<5	150	<0.5	<2	5.21	<0.5	53	167	1456
178340 DUP		<0.02	0.076			0.7	7.28	5	150	<0.5	<2	5.26	<0.5	52	162	1515
178341		2.85	0.036			<0.5	7.41	20	100	<0.5	<2	5.41	<0.5	36	133	464
178342		3.07	0.178			<0.5	7.51	<5	120	<0.5	3	5.59	<0.5	53	134	577
178343		1.81	0.006			<0.5	7.70	10	230	0.8	<2	3.66	<0.5	15	6	67
178344		1.86	0.039			<0.5	7.66	6	260	0.8	<2	3.49	<0.5	13	12	77
178345		3.80	0.067			0.7	8.05	<5	200	0.7	<2	4.96	<0.5	27	98	150
178346		1.75	0.230			0.8	7.90	15	210	<0.5	<2	5.70	<0.5	81	141	613
178347		2.33	0.051			<0.5	7.77	6	180	0.6	<2	5.56	<0.5	32	104	277
178348		0.05	0.996			10.7	8.11	9	40	3.2	<2	0.33	<0.5	1	7	9
178349		2.46	0.114			0.7	7.50	10	130	<0.5	<2	5.74	<0.5	50	135	711
178350		1.39	0.050			<0.5	7.91	7	170	<0.5	<2	5.91	<0.5	42	134	317
178351		2.81	0.047			<0.5	7.69	<5	180	0.7	<2	4.09	<0.5	21	37	84
178352		3.35	1.365	1.135		1.3	6.48	13	110	<0.5	<2	4.68	<0.5	51	124	375
178353 DUP		<0.02	1.175	1.210		1.1	6.57	9	110	<0.5	4	4.73	<0.5	49	124	363
178354		2.80	0.112			0.9	7.61	8	130	<0.5	<2	5.91	<0.5	38	136	213
178355		2.43	0.186			0.5	8.11	<5	140	<0.5	2	5.78	<0.5	43	143	308
178356		2.88	1.000			<0.5	7.99	7	160	<0.5	<2	6.17	<0.5	28	123	40
178357		1.83	0.007			<0.5	8.27	<5	180	<0.5	<2	6.39	<0.5	27	126	30
178358		0.04	<0.005			<0.5	8.56	<5	510	0.9	<2	1.19	<0.5	3	16	9
178359		1.99	0.038			<0.5	8.39	6	500	1.1	<2	1.18	<0.5	1	10	19
178360		2.12	0.021			<0.5	8.72	<5	480	1.1	<2	1.17	<0.5	1	10	18





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 2-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033981

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOI	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178321		4.82	0.85	1.18	829	1	2.69	11	850	3	0.58	<5	230	0.48	110	<10
178322		7.07	0.78	2.77	1120	1	1.32	61	360	<2	0.89	<5	153	0.43	207	10
178323		7.30	0.68	3.11	1135	<1	1.48	88	320	<2	0.70	<5	150	0.43	213	20
178324		7.00	0.60	2.99	1150	1	1.55	62	340	<2	0.74	<5	161	0.42	205	10
178325		7.06	1.13	2.93	1075	<1	1.39	61	740	7	0.87	<5	314	0.41	195	10
178326		7.37	0.93	2.94	1085	1	1.60	82	350	2	0.97	<5	156	0.41	208	10
178327		7.63	0.90	2.92	1025	<1	1.57	77	380	<2	1.22	<5	170	0.43	211	40
178328		8.55	0.66	2.54	1040	1	1.70	96	330	<2	1.98	<5	174	0.46	222	60
178329		1.91	4.24	0.22	171	1	2.22	5	160	35	0.03	<5	155	0.08	10	<10
178330		3.92	1.36	2.27	817	1	2.54	77	240	2	0.29	<5	164	0.19	66	<10
178331		6.47	0.72	2.68	1060	<1	1.54	81	350	<2	0.68	<5	173	0.43	213	10
178332		7.55	0.46	3.26	1160	<1	1.46	63	350	3	0.65	<5	161	0.42	220	<10
178333		7.10	0.91	3.11	1040	<1	1.27	69	380	<2	0.87	<5	163	0.42	209	<10
178334		2.72	0.18	0.08	105	1	6.6	3	590	115	2.78	<5	22	0.01	2	<10
178335		9.02	0.55	3.82	1335	<1	1.99	112	840	3	0.28	<5	340	0.73	213	<10
178336		8.25	0.58	4.38	1285	<1	1.82	128	680	<2	0.31	<5	328	0.59	202	<10
178337		8.82	1.21	3.66	1020	1	1.42	91	390	2	0.82	<5	189	0.40	203	<10
178338		8.38	0.84	2.82	904	<1	1.56	64	340	4	0.77	<5	168	0.42	202	10
178339		7.35	1.21	3.00	910	<1	1.44	110	320	<2	1.54	<5	144	0.40	199	40
178340 DUP		7.38	1.23	2.97	914	<1	1.46	106	360	4	1.80	<5	145	0.40	200	40
178341		6.43	1.00	2.63	957	1	1.43	65	340	2	0.98	<5	147	0.42	196	10
178342		7.61	0.93	2.71	964	<1	1.55	96	360	3	1.44	<5	135	0.43	218	30
178343		4.63	1.03	1.08	692	1	2.54	7	880	3	0.23	<5	195	0.48	122	<10
178344		4.44	1.20	0.94	604	1	2.53	6	970	5	0.28	<5	203	0.47	81	<10
178345		5.46	1.26	2.10	1015	<1	1.79	43	570	2	0.48	<5	166	0.44	164	<10
178346		7.31	2.07	2.76	1095	1	1.15	75	350	5	1.64	<5	108	0.43	215	20
178347		6.27	1.34	2.43	1025	2	1.46	44	500	<2	0.70	<5	131	0.44	194	10
178348		2.66	0.20	0.07	34	<1	6.9	2	620	111	2.75	<5	21	0.01	1	<10
178349		7.35	1.42	2.97	999	1	1.12	83	320	<2	1.24	<5	127	0.42	199	30
178350		6.81	1.70	2.98	1115	<1	1.21	70	390	<2	0.75	<5	128	0.44	197	20
178351		4.98	0.91	1.38	756	1	2.42	21	920	2	0.38	<5	187	0.47	118	<10
178352		7.42	1.18	2.91	977	<1	1.14	56	300	<2	1.14	<5	96	0.36	188	10
178353 DUP		7.46	1.18	2.93	985	<1	1.17	61	310	<2	1.18	<5	98	0.37	188	20
178354		8.86	1.64	3.41	1145	<1	1.01	60	350	10	0.76	<5	119	0.42	205	10
178355		7.22	1.55	3.15	1150	2	1.34	68	370	<2	1.10	<5	133	0.44	215	10
178356		7.77	1.51	4.47	1130	1	1.39	69	340	<2	0.19	<5	123	0.44	223	10
178357		7.78	1.65	4.43	1180	1	1.34	79	390	<2	0.14	<5	139	0.45	224	<10
178358		2.16	4.08	0.39	213	1	2.03	7	170	28	0.02	<5	143	0.09	18	<10
178359		1.73	1.38	0.16	174	1	3.11	1	70	2	0.12	<5	119	0.10	3	<10
178360		1.47	1.19	0.14	146	1	3.35	<1	90	3	0.11	<5	141	0.09	2	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 2-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033981

Sample Description	Method Analyte Units LOA	ME-ICP61
		Zn ppm 2
178321		73
178322		62
178323		84
178324		91
178325		82
178326		70
178327		58
178328		59
178329		33
178330		41
178331		66
178332		77
178333		76
178334		19
178335		107
178336		86
178337		60
178338		48
178339		51
178340 DUP		51
178341		55
178342		67
178343		41
178344		39
178345		83
178346		92
178347		99
178348		17
178349		104
178350		98
178351		51
178352		111
178353 DUP		109
178354		91
178355		134
178356		93
178357		84
178358		28
178359		21
178360		18



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 2-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06033981**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178361		1.51	0.106			0.8	7.07	<5	130	<0.5	<2	5.20	<0.5	94	123	1030
178362		2.63	0.112			0.5	7.33	8	120	<0.5	<2	5.75	<0.5	57	179	556
178363		2.54	0.080			0.5	7.84	<5	90	<0.5	<2	6.48	<0.5	51	136	499
178364		2.62	0.058			<0.5	8.07	<5	80	<0.5	2	6.78	<0.5	47	138	410
178365		2.59	0.024			<0.5	7.92	<5	150	0.5	2	6.88	<0.5	37	129	205
178366		2.60	0.174	0.192		0.5	7.54	7	110	<0.5	<2	6.44	<0.5	47	128	388
178367 DUP		<0.02	0.126	0.260		<0.5	7.33	<5	110	<0.5	<2	6.19	<0.5	51	128	413
178368		2.67	0.209			0.5	7.88	<5	100	<0.5	<2	6.88	<0.5	58	133	514
178369		2.67	0.142			<0.5	8.09	8	50	<0.5	<2	6.62	<0.5	34	127	194
178370		2.78	0.139			<0.5	8.28	<5	60	<0.5	<2	6.90	<0.5	43	140	442
178371		2.60	0.048			<0.5	7.69	8	70	<0.5	<2	6.16	<0.5	34	125	372
178372		2.63	0.390			0.5	7.87	<5	120	<0.5	<2	5.68	<0.5	38	191	589
178373		2.50	0.153			<0.5	7.88	<5	120	<0.5	4	5.98	<0.5	30	138	300
178374		1.80	0.024			<0.5	8.01	<5	200	0.8	<2	3.80	<0.5	16	12	50
178375		0.05	1.780			19.3	8.19	12	60	3.1	<2	0.33	<0.5	1	6	5
178376		3.44	0.558			0.8	7.69	10	130	<0.5	<2	5.60	<0.5	31	125	604
178377		1.28	0.070			0.5	7.67	10	110	<0.5	<2	5.62	<0.5	33	134	547
178378		1.33	0.276			<0.5	7.73	<5	70	<0.5	<2	6.64	<0.5	22	123	91
178379		2.55	0.927			0.8	6.78	<5	140	<0.5	<2	6.21	<0.5	26	106	468
178380 DUP		<0.02	0.880			0.7	8.94	<5	140	<0.5	<2	6.35	<0.5	27	107	471



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 2-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033981

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178361		8.89	1.30	2.45	978	1	1.33	112	340	<2	2.47	<5	122	0.39	189	20
178362		7.46	1.20	3.16	1070	1	1.41	95	320	<2	1.14	<5	137	0.41	204	10
178363		7.15	1.12	2.96	1180	<1	1.32	75	380	<2	1.12	<5	147	0.45	215	<10
178364		7.74	0.66	3.36	1205	1	1.86	73	390	<2	0.84	<5	165	0.44	221	10
178365		7.09	0.66	3.47	1170	<1	1.83	74	1180	<2	0.55	<5	475	0.49	212	10
178366		7.62	1.06	3.30	1230	1	1.31	77	360	<2	1.06	<5	127	0.42	215	20
178367 DUP		7.39	1.08	3.16	1180	<1	1.27	78	350	<2	1.04	<5	123	0.41	210	10
178368		8.16	0.91	3.32	1210	1	1.48	102	380	<2	1.22	<5	126	0.44	221	10
178369		6.82	0.53	3.54	1140	<1	1.69	73	370	<2	0.46	<5	161	0.44	219	10
178370		7.28	0.76	3.34	1155	<1	1.77	74	400	2	0.82	<5	163	0.47	227	10
178371		6.80	0.82	3.11	1045	<1	1.77	64	380	2	0.68	<5	157	0.43	216	10
178372		6.71	1.18	3.19	996	<1	1.73	91	360	<2	0.89	<5	120	0.44	213	10
178373		6.85	1.05	3.22	1050	<1	1.63	78	370	<2	0.70	<5	141	0.44	210	<10
178374		4.77	0.99	1.20	657	1	2.71	6	620	2	0.19	<5	216	0.48	138	<10
178375		3.08	0.19	0.06	107	1	6.8	5	680	133	3.22	<5	21	0.01	2	<10
178376		6.73	1.04	2.90	1020	1	1.70	71	370	<2	0.75	<5	140	0.43	207	<10
178377		6.98	1.11	2.99	998	1	1.62	89	350	<2	0.92	<5	137	0.43	215	10
178378		6.62	0.98	3.73	1155	1	1.25	59	410	2	0.31	<5	136	0.43	211	<10
178379		6.66	1.41	3.47	1240	<1	1.00	64	380	<2	0.88	<5	113	0.38	182	10
178380 DUP		6.62	1.44	3.54	1250	<1	1.04	65	400	<2	0.79	<5	115	0.40	186	20



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 2-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033981

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
178361		70
178362		62
178363		66
178364		78
178365		65
178366		57
178367 DUP		57
178368		57
178369		55
178370		58
178371		112
178372		74
178373		67
178374		47
178375		57
178376		83
178377		58
178378		57
178379		72
178380 DUP		72



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 3-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06033982

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 5-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 3-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06033982**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
178381		1.89	0.808		<0.5	7.81	<5	190	<0.5	<2	5.65	<0.5	30	153	291	6.45
178382		3.56	2.20		<0.5	6.44	13	120	<0.5	<2	6.90	<0.5	73	896	309	8.90
178383		0.09	<0.005		<0.5	6.66	<5	530	0.9	<2	0.80	<0.5	2	21	7	2.17
178384		2.64	0.088		<0.5	6.92	<5	200	<0.5	<2	6.65	<0.5	51	881	33	7.65
178385		2.91	0.154		<0.5	6.88	<5	170	<0.5	<2	6.66	<0.5	49	904	194	7.50
178386		2.79	0.050		<0.5	6.66	6	220	<0.5	<2	5.99	<0.5	39	427	162	6.78
178387		3.09	0.044		<0.5	6.62	<5	120	<0.5	<2	7.45	<0.5	57	738	110	7.98
178388		2.75	0.406		<0.5	4.58	<5	80	<0.5	<2	5.80	<0.5	38	1025	104	7.02
178389 DUP		<0.02	0.451		<0.5	4.50	9	80	<0.5	<2	5.60	<0.5	38	1035	104	8.95
178390		3.00	0.993		<0.5	3.95	<5	10	<0.5	<2	3.70	<0.5	45	1635	44	7.60
178391		2.67	3.00		<0.5	4.35	5	30	<0.5	<2	4.39	<0.5	42	1230	192	8.68
178392		2.48	1.045		<0.5	5.56	<5	50	<0.5	<2	4.30	<0.5	51	1155	108	9.51
178393		2.60	0.649		<0.5	5.87	6	30	<0.5	<2	4.59	<0.5	51	1160	98	9.86
178394		2.59	0.758		<0.5	6.42	<5	40	<0.5	<2	5.07	<0.5	52	783	144	9.21
178395		3.08	0.344		<0.5	8.22	<5	120	<0.5	<2	4.54	<0.5	36	456	42	9.69
178396		0.05	0.996		11.1	8.06	<5	50	3.1	<2	0.31	<0.5	1	4	8	2.54
178397		2.71	1.855		<0.5	7.66	12	70	<0.5	<2	6.14	<0.5	35	409	18	7.91
178398		2.94	0.340		<0.5	6.84	<5	80	<0.5	<2	6.17	<0.5	41	616	6	7.64
178399		2.66	0.478		<0.5	6.75	7	60	<0.5	<2	6.09	<0.5	49	593	29	7.56
178400		2.54	0.109		<0.5	7.31	7	110	0.5	<2	3.35	<0.5	34	557	38	5.47
178401		3.50	0.109		<0.5	6.35	<5	30	<0.5	<2	5.33	<0.5	61	944	12	7.49
178402		3.11	0.068		<0.5	8.15	<5	310	0.6	<2	3.95	<0.5	24	206	22	4.93
178403		1.21	0.579		<0.5	5.04	11	10	<0.5	<2	5.32	<0.5	50	1070	32	7.96
178404		2.56	0.111		<0.5	6.59	<5	130	<0.5	<2	4.77	<0.5	51	894	28	7.17
178405		0.04	1.830		18.8	8.08	10	60	3.1	<2	0.32	<0.5	1	7	6	2.50
178406		2.94	0.239		<0.5	6.13	<5	50	<0.5	<2	6.07	<0.5	63	1155	8	8.34
178407		2.69	0.266		<0.5	5.82	<5	60	<0.5	<2	6.17	<0.5	61	1120	3	7.57
178408		2.54	0.092		<0.5	5.78	5	50	<0.5	<2	5.65	<0.5	66	1040	18	7.44
178409		2.48	0.133		<0.5	5.26	<5	30	<0.5	<2	5.34	<0.5	62	1085	29	7.02
178410		2.76	0.015		<0.5	5.79	<5	110	<0.5	<2	5.85	<0.5	56	889	31	6.52
178411		2.85	0.006		<0.5	7.91	5	530	0.7	<2	6.62	<0.5	45	226	32	4.02
178412		3.00	1.550		<0.5	5.11	<5	20	<0.5	<2	5.10	<0.5	60	1350	96	8.12
178413		0.12	<0.005		<0.5	8.66	<5	530	0.8	<2	0.83	<0.5	1	14	4	1.72
178414		2.64	3.22		<0.5	5.55	<5	40	<0.5	<2	6.22	<0.5	52	1040	3	7.78
178415		2.74	0.882		<0.5	5.98	<5	60	<0.5	<2	6.43	<0.5	56	1080	8	7.92
178416		2.69	1.300		<0.5	5.51	<5	40	<0.5	<2	5.70	<0.5	53	1255	24	7.80
178417		2.57	0.376		<0.5	5.69	9	40	<0.5	<2	6.29	<0.5	57	1120	6	7.81
178418		2.56	0.089		<0.5	5.94	6	30	<0.5	<2	6.18	<0.5	67	1285	7	8.10
178419		2.75	0.081		<0.5	5.38	<5	10	<0.5	<2	6.01	<0.5	64	1245	18	7.53
178420 DUP		<0.02	0.069		<0.5	5.56	<5	10	<0.5	<2	6.17	<0.5	66	1245	16	7.73



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 3-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06033982**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
178381		1.30	3.35	1140	<1	1.30	87	450	5	0.51	<5	166	0.42	194	10	59
178382		0.99	7.11	1500	<1	0.61	413	430	4	1.18	<5	121	0.31	170	10	78
178383		4.15	0.20	194	1	2.04	5	170	35	0.01	<5	144	0.08	7	<10	26
178384		0.98	8.71	1425	<1	1.01	409	500	7	0.05	<5	197	0.28	177	<10	91
178385		0.83	7.57	1370	<1	1.20	318	540	11	0.69	<5	257	0.25	164	<10	77
178386		1.15	5.61	1295	<1	0.96	219	430	6	0.36	<5	211	0.38	191	<10	89
178387		1.07	8.90	1440	<1	0.61	387	640	2	0.19	<5	302	0.34	192	<10	80
178388		1.06	7.78	1650	<1	0.27	489	270	6	0.57	<5	104	0.19	126	10	75
178389 DUP		1.11	7.58	1810	<1	0.27	510	260	7	0.58	<5	106	0.20	129	20	79
178390		0.24	10.95	1425	<1	0.13	883	130	27	0.34	<5	21	0.17	126	<10	345
178391		0.40	9.17	1480	1	0.21	850	160	102	1.10	<5	38	0.21	144	<10	413
178392		0.80	10.10	1490	<1	0.26	660	190	13	0.61	<5	35	0.26	169	<10	112
178393		0.54	10.50	1580	<1	0.29	629	210	5	0.64	<5	26	0.27	175	<10	106
178394		0.66	8.41	1795	<1	0.34	451	240	19	1.07	<5	66	0.32	199	30	152
178395		1.58	6.46	1750	<1	0.47	142	290	7	0.54	<5	144	0.37	230	10	86
178396		0.19	0.07	37	1	8.4	3	630	124	2.83	<5	19	0.01	2	<10	14
178397		1.08	6.16	1625	<1	0.61	161	300	5	0.15	<5	121	0.36	223	<10	95
178398		0.80	7.00	1555	<1	0.63	260	270	8	0.04	<5	98	0.31	193	<10	98
178399		0.65	7.38	1440	1	0.83	306	280	9	0.08	<5	114	0.29	182	<10	93
178400		0.38	4.72	865	<1	2.19	268	510	7	0.30	<5	118	0.32	107	<10	61
178401		0.37	9.55	1355	1	0.53	587	280	7	0.13	<5	78	0.25	174	<10	88
178402		1.33	3.22	857	<1	1.95	104	700	5	0.14	<5	255	0.40	124	<10	63
178403		0.23	9.07	1410	<1	0.34	606	180	8	0.23	<5	26	0.24	154	<10	108
178404		1.14	8.65	1325	1	0.33	512	340	5	0.23	<5	177	0.29	155	<10	79
178405		0.18	0.07	110	<1	6.1	5	660	116	2.80	<5	20	0.01	2	<10	23
178406		0.61	11.30	1460	<1	0.34	673	230	8	0.05	<5	45	0.28	176	<10	87
178407		0.52	10.40	1385	<1	0.32	623	220	8	0.01	<5	59	0.26	166	<10	76
178408		0.49	9.86	1355	<1	0.27	645	370	2	0.09	<5	154	0.30	180	<10	91
178409		0.30	9.93	1285	<1	0.49	663	190	7	0.04	<5	53	0.25	164	<10	79
178410		0.46	9.44	1170	<1	0.53	561	410	<2	0.10	<5	184	0.23	144	<10	66
178411		1.72	7.00	715	<1	0.57	468	1150	8	0.25	<5	730	0.19	81	<10	55
178412		0.23	10.25	1295	<1	0.36	741	190	6	0.68	<5	41	0.23	159	<10	256
178413		3.87	0.25	160	<1	2.01	9	170	34	<0.01	<5	141	0.08	8	<10	26
178414		0.38	9.93	1620	9	0.44	597	210	2	0.03	<5	72	0.24	164	<10	86
178415		0.56	10.25	1580	1	0.39	597	250	10	0.05	8	173	0.26	163	<10	80
178416		0.34	11.05	1445	<1	0.31	721	210	9	0.15	<5	43	0.24	161	30	79
178417		0.44	10.50	1405	<1	0.39	843	220	7	0.03	<5	46	0.26	161	<10	76
178418		0.37	11.20	1455	<1	0.31	697	220	4	0.04	<5	53	0.27	171	<10	83
178419		0.16	11.20	1475	<1	0.24	714	200	6	0.04	<5	42	0.22	156	<10	97
178420 DUP		0.17	11.50	1515	<1	0.25	732	210	5	0.04	<5	45	0.23	162	<10	99





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 3-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06033982**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd WL	Au	Au Check	Ag	Al	As	Sa	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
178421		2.77	0.072		<0.5	5.58	<5	30	<0.5	<2	5.73	<0.5	63	1310	10	7.49
178422		2.52	0.105		<0.5	6.22	5	100	<0.5	<2	5.15	<0.5	62	1375	24	7.72
178423		2.83	3.97		<0.5	7.12	<5	340	0.6	<2	3.54	<0.5	26	357	48	5.83
178424		2.50	0.191		<0.5	6.18	<5	30	<0.5	<2	5.18	<0.5	62	1230	22	6.20
178425		2.56	0.108		<0.5	5.97	<5	40	<0.5	<2	6.29	<0.5	65	1035	11	7.65
178426		2.90	0.064		<0.5	5.83	<5	10	<0.5	<2	5.74	<0.5	65	1065	4	7.87
178427		2.61	0.010		<0.5	4.28	<5	30	<0.5	<2	3.11	<0.5	39	742	16	4.95
178428 DUP		<0.02	0.010		<0.5	4.06	5	40	<0.5	<2	3.00	<0.5	38	641	14	4.47
178429		0.13	<0.005		<0.5	6.86	<5	520	0.9	<2	0.83	<0.5	1	10	4	1.78
178430		2.69	0.014		<0.5	7.19	<5	80	<0.5	<2	5.90	<0.5	55	887	21	7.16
178431		3.90	0.037		<0.5	6.79	<5	50	<0.5	<2	5.78	<0.5	56	879	19	7.62
178432		2.58	0.229		<0.5	7.71	<5	130	0.6	<2	3.08	<0.5	23	108	53	4.56
178433		1.73	0.144		<0.5	7.17	<5	110	<0.5	<2	5.94	<0.5	37	353	3	6.74
178434		2.63	0.005		<0.5	6.63	8	80	<0.5	<2	5.56	<0.5	41	323	2	6.26
178435		3.07	0.015		<0.5	7.13	<5	90	<0.5	<2	5.67	<0.5	46	357	5	7.58
178436		0.05	0.969		10.7	7.93	8	40	3.1	<2	0.31	<0.5	<1	6	8	2.55
178437		3.06	0.020		<0.5	7.38	<5	80	<0.5	<2	5.83	<0.5	45	352	4	7.54
178438		2.38	0.041		<0.5	7.26	<5	80	<0.5	<2	5.65	<0.5	44	343	9	7.36
178439		3.73	0.010		<0.5	7.42	<5	50	<0.5	<2	6.20	<0.5	42	363	2	8.00
178440		3.94	0.088		<0.5	7.61	5	80	<0.5	<2	6.24	<0.5	45	358	22	7.88
178441		2.82	0.021		<0.5	7.82	6	60	<0.5	<2	6.81	<0.5	40	352	13	7.57
178442		2.44	0.011		<0.5	7.25	<5	80	<0.5	<2	6.23	<0.5	45	369	18	7.76
178443		2.35	0.005		<0.5	7.39	11	90	<0.5	<2	6.84	<0.5	44	352	2	7.75
178444		3.70	0.063		<0.5	6.56	7	60	<0.5	<2	5.62	<0.5	44	338	16	7.72
178445		2.43	0.005		<0.5	7.07	<5	10	<0.5	<2	2.79	<0.5	13	41	3	2.37
178446		3.38	0.010		<0.5	8.46	<5	60	0.5	<2	5.48	<0.5	35	315	11	8.87
178447		0.05	1.805		18.8	8.25	<5	60	3.1	<2	0.32	<0.5	1	4	5	2.73
178448		2.37	0.041		<0.5	7.33	<5	60	0.5	<2	6.13	<0.5	45	288	10	6.13
178449		2.29	0.072		<0.5	7.38	<5	70	0.7	<2	6.42	<0.5	47	318	17	6.97
178450		2.74	0.017		<0.5	6.91	6	110	<0.5	<2	4.09	<0.5	47	450	167	8.65
178451		2.15	0.006		<0.5	6.62	<5	40	<0.5	<2	6.56	<0.5	32	253	40	5.34
178452		1.38	<0.005		<0.5	6.86	<5	70	<0.5	<2	8.05	<0.5	39	305	20	6.83
178453		2.91	0.084		<0.5	6.00	<5	240	<0.5	<2	2.03	<0.5	15	156	19	3.19
178454		2.50	0.038	0.047	<0.5	6.22	<5	140	<0.5	<2	5.35	<0.5	37	346	19	6.48
178455 DUP		<0.02	0.093	0.068	<0.5	6.60	7	150	<0.5	<2	5.68	<0.5	37	325	19	6.93
178456		2.81	0.042		<0.5	6.42	<5	130	<0.5	<2	6.03	<0.5	37	291	13	6.51
178457		3.29	0.007		<0.5	6.55	6	90	<0.5	<2	2.54	<0.5	17	104	13	4.13
178458		2.09	0.011		<0.5	6.84	6	80	<0.5	<2	3.99	<0.5	24	212	20	4.65
178459		0.10	<0.005		<0.5	6.23	<5	520	0.8	<2	0.75	<0.5	2	7	5	1.97
178460		2.28	0.035		<0.5	8.28	14	60	<0.5	<2	6.53	<0.5	30	218	22	5.85



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 3-MAY-2008

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033982

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
178421		0.40	10.40	1335	<1	0.31	681	210	6	0.03	<5	46	0.26	169	<10	76
178422		0.43	11.35	1395	<1	0.47	798	500	6	0.26	<5	201	0.28	163	<10	96
178423		1.01	3.62	969	<1	1.74	182	790	7	0.39	<5	196	0.39	121	<10	67
178424		0.32	10.65	1370	<1	0.49	661	290	7	0.18	<5	80	0.28	184	<10	95
178425		0.29	10.95	1435	<1	0.44	653	280	5	0.03	<5	100	0.25	167	<10	82
178426		0.12	11.15	1440	<1	0.36	674	240	8	0.01	<5	48	0.24	167	<10	92
178427		0.21	6.20	843	1	0.28	389	290	5	0.09	<5	71	0.17	104	<10	60
178428 DUP		0.24	5.68	784	1	0.30	346	320	4	0.08	<5	79	0.16	95	<10	54
178429		4.04	0.20	160	<1	2.05	3	210	34	<0.01	5	142	0.08	8	<10	25
178430		0.36	9.29	1290	<1	0.73	548	390	6	0.12	<5	156	0.24	155	30	85
178431		0.34	10.00	1415	<1	0.56	537	450	7	0.14	<5	90	0.34	181	<10	80
178432		0.67	2.27	774	1	2.92	51	790	10	0.33	<5	213	0.43	122	<10	38
178433		1.25	6.08	1370	<1	1.40	158	250	5	0.02	<5	64	0.34	212	<10	72
178434		0.81	5.23	1245	<1	1.93	141	250	8	0.01	<5	126	0.37	222	<10	60
178435		0.78	5.82	1400	<1	1.91	154	250	6	0.01	<5	158	0.36	224	<10	67
178436		0.18	0.06	34	1	6.2	2	600	111	2.83	<5	19	0.01	1	<10	16
178437		0.94	6.10	1365	<1	1.66	154	250	4	0.02	<5	102	0.34	211	<10	62
178438		0.74	5.32	1400	<1	2.20	154	260	5	0.06	<5	140	0.36	217	<10	62
178439		0.75	5.35	1405	<1	2.08	156	250	8	0.05	<5	205	0.37	226	<10	57
178440		0.64	5.01	1395	<1	2.18	154	250	7	0.14	<5	168	0.35	217	<10	58
178441		0.57	5.03	1390	<1	2.24	133	260	5	0.06	<5	179	0.36	211	<10	56
178442		0.72	4.81	1365	<1	1.90	176	250	8	0.10	<5	213	0.36	223	<10	64
178443		0.71	5.46	1360	<1	1.74	146	250	7	<0.01	<5	180	0.36	223	<10	60
178444		0.63	5.12	1395	<1	1.92	190	230	7	0.12	<5	137	0.35	217	<10	64
178445		0.05	0.43	239	1	4.22	18	100	4	0.37	<5	393	0.10	54	<10	3
178446		0.90	4.78	1455	<1	2.02	160	220	5	0.12	<5	41	0.33	184	<10	51
178447		0.19	0.07	107	1	6.0	4	650	121	3.06	<5	21	0.01	2	<10	18
178448		0.87	3.99	1215	<1	2.29	134	470	6	0.60	<5	421	0.31	153	<10	33
178449		1.04	6.25	1190	<1	0.50	133	450	3	0.32	<5	143	0.35	190	<10	39
178450		1.02	7.34	1390	1	1.12	204	420	3	0.21	<5	67	0.37	215	<10	61
178451		0.45	3.74	949	<1	1.63	130	440	4	0.08	<5	83	0.30	152	<10	46
178452		0.56	4.62	1220	<1	0.66	118	210	5	0.10	<5	55	0.31	189	<10	48
178453		1.27	1.77	638	1	2.34	49	120	7	0.13	<5	96	0.16	76	<10	31
178454		0.85	4.03	1180	<1	1.38	120	200	<2	0.14	<5	196	0.32	196	<10	55
178455 DUP		0.86	4.32	1245	<1	1.47	124	210	7	0.14	<5	209	0.33	198	<10	56
178456		0.76	3.86	1190	<1	1.75	111	250	5	0.05	<5	222	0.32	180	<10	55
178457		0.42	1.70	757	<1	3.35	37	510	4	0.05	<5	173	0.32	67	<10	43
178458		0.60	2.87	859	<1	2.45	76	210	3	0.03	<5	103	0.23	130	<10	36
178459		3.98	0.17	169	1	1.92	5	150	32	<0.01	<5	133	0.07	7	<10	24
178460		0.52	3.65	1095	<1	2.34	91	320	5	0.09	<5	133	0.30	164	<10	41



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 3-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033982

Sample Description	Method Analyte Units LOI	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
178461		2.44	2.74		<0.5	7.75	8	60	0.5	<2	6.88	<0.5	42	294	29	7.48
178462		2.52	0.050		<0.5	6.89	9	50	0.8	<2	6.50	<0.5	32	244	9	6.77
178463		2.49	0.039		<0.5	7.94	<5	40	<0.5	<2	4.80	<0.5	32	267	29	6.34
178464		2.69	0.043		<0.5	6.48	<5	90	<0.5	<2	4.28	<0.5	55	391	18	6.11
178465		2.61	0.048		<0.5	6.52	5	20	<0.5	<2	3.66	<0.5	37	226	24	5.72
178466		2.52	0.108		<0.5	6.60	6	60	<0.5	<2	6.04	<0.5	40	291	5	6.65
178467		2.68	0.265		<0.5	7.09	<5	50	0.5	<2	6.31	<0.5	43	299	128	6.71
178468		2.80	0.064		<0.5	6.66	<5	80	<0.5	<2	5.11	<0.5	48	355	240	7.88
178469		2.40	0.064		<0.5	6.60	<5	80	0.5	<2	6.65	<0.5	48	354	75	7.91
178470 DUP		<0.02	0.040		<0.5	6.91	5	80	0.5	<2	6.66	<0.5	49	346	59	7.90
178471		2.59	0.097		<0.5	6.81	<5	160	<0.5	<2	3.67	<0.5	21	188	55	4.11
178472		3.22	0.063		<0.5	6.93	8	80	0.5	<2	5.34	<0.5	46	299	30	7.54
178473		2.05	0.069		<0.5	5.52	<5	10	<0.5	<2	0.57	<0.5	11	16	41	1.02
178474		2.37	0.052		<0.5	5.79	5	10	<0.5	<2	0.73	<0.5	8	15	27	0.70
178475		2.32	0.081		<0.5	5.73	<5	40	<0.5	<2	0.73	<0.5	7	14	16	1.04
178478		2.48	0.250		<0.5	5.87	<5	90	0.8	<2	0.89	<0.5	4	15	90	1.20
178477		0.13	<0.005		<0.5	6.28	<5	520	0.8	<2	0.85	<0.5	1	4	5	1.93
178478		2.44	0.050		<0.5	7.73	<5	100	<0.5	<2	7.48	<0.5	41	246	61	8.03
178479		0.05	0.963		11.3	8.22	7	50	3.0	<2	0.32	<0.5	<1	1	8	2.83
178480		2.49	0.271		<0.5	7.27	<5	100	<0.5	<2	6.49	<0.5	41	318	28	7.62



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 3-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033982

Sample Description	Method Analyte Units LOA	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
178461		0.75	4.62	1515	<1	1.95	129	280	9	0.16	<5	56	0.33	205	<10	50
178462		0.69	4.89	1400	<1	1.70	109	190	4	0.02	<5	37	0.28	184	<10	46
178463		0.48	4.02	1180	<1	3.09	111	260	7	0.04	<5	45	0.29	167	<10	43
178464		0.88	4.89	1435	<1	2.02	149	280	6	0.40	<5	94	0.42	227	<10	68
178465		0.25	3.50	1135	<1	3.52	98	400	6	0.18	<5	56	0.38	172	<10	43
178466		0.63	4.57	1335	<1	1.80	124	230	5	0.03	<5	41	0.33	203	<10	55
178467		0.71	4.04	1235	<1	1.78	112	220	6	0.37	<5	50	0.33	197	<10	55
178468		0.78	5.20	1405	<1	1.70	148	250	3	0.13	<5	60	0.38	221	<10	73
178469		0.77	5.43	1480	<1	0.63	149	240	3	0.13	<5	37	0.37	221	<10	67
178470 DUP		0.81	5.41	1465	1	0.69	152	250	6	0.14	<5	40	0.37	223	<10	66
178471		0.60	2.31	716	1	2.74	68	200	<2	0.07	<5	128	0.20	113	<10	37
178472		0.94	4.94	1255	2	1.16	130	260	7	0.62	<5	179	0.33	195	<10	50
178473		0.13	0.03	63	1	4.32	7	80	7	0.59	<5	51	0.09	3	<10	<2
178474		0.03	0.02	43	4	4.66	5	80	5	0.43	5	35	0.09	2	<10	<2
178475		0.09	0.05	81	1	4.34	5	80	5	0.57	<5	61	0.08	1	<10	<2
178476		0.20	0.19	162	1	3.91	3	80	6	0.28	<5	108	0.09	3	<10	13
178477		3.94	0.21	173	1	2.02	4	160	32	0.01	<5	141	0.08	8	<10	24
178478		0.57	5.43	1475	3	1.81	145	1000	7	0.39	<5	418	0.52	190	<10	95
178479		0.18	0.07	35	1	6.3	3	660	122	3.16	<5	20	0.01	1	<10	14
178480		0.65	5.13	1540	<1	2.00	136	260	5	0.09	<5	116	0.34	204	<10	61



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 7-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06033983

Project: BLOCK A  
P.O. No.:  
This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 5-APR-2006.  
The following have access to data associated with this certificate:

IAN LAMBERT	MIKE ROBERTS
-------------	--------------

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Spltt -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 3 (A - B)

Finalized Date: 7-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033983

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
178481		2.54	0.147		<0.5	6.68	<5	130	0.5	<2	4.55	<0.5	27	207	18	5.18
178482		2.50	0.314		0.7	6.64	<5	210	0.6	<2	5.54	<0.5	45	318	146	8.00
178483		2.93	0.222	0.249	<0.5	7.14	<5	90	<0.5	2	7.17	<0.5	41	319	23	7.36
178484		2.92	1.805		0.5	7.20	<5	80	<0.5	<2	6.51	<0.5	42	346	18	7.79
178485		2.51	6.59		1.9	6.74	<5	70	<0.5	<2	6.81	<0.5	39	310	721	7.65
178488		2.84	0.142		<0.5	7.26	<5	60	<0.5	<2	7.52	<0.5	43	323	21	7.56
178487		0.06	1.835		17.7	8.09	<5	50	3.2	<2	0.33	<0.5	2	9	11	2.58
178488		2.96	0.693		<0.5	6.81	<5	60	<0.5	<2	4.57	<0.5	29	218	27	5.03
178489		2.66	0.465		<0.5	6.67	<5	100	<0.5	<2	7.56	<0.5	40	287	9	7.15
178490		3.03	0.371		<0.5	6.83	5	50	<0.5	<2	7.98	<0.5	35	273	46	6.69
178491		2.71	1.240		0.8	6.61	<5	40	<0.5	<2	8.32	<0.5	35	236	1200	7.39
178492 DUP		<0.02	1.120		0.5	6.77	<5	40	<0.5	<2	6.45	<0.5	37	238	982	7.52
178493		0.14	<0.005		<0.5	0.64	<5	10	<0.5	<2	0.07	<0.5	1	12	9	0.69
178494		3.17	0.237		<0.5	7.70	<5	110	<0.5	<2	5.36	<0.5	34	241	21	6.31
178495		3.41	0.027		<0.5	7.54	<5	100	0.6	<2	1.81	<0.5	14	12	36	3.81
178496		1.88	0.692		<0.5	7.22	<5	130	<0.5	<2	7.14	<0.5	38	317	13	7.24
178497		2.86	0.132		<0.5	7.20	<5	60	<0.5	<2	6.89	<0.5	40	328	14	7.38
178498		2.98	0.111		<0.5	7.45	<5	70	<0.5	<2	7.18	<0.5	41	330	12	7.50
178499		2.56	0.254		<0.5	6.81	<5	60	<0.5	<2	7.13	<0.5	40	287	3	7.06
178500		2.48	0.435		<0.5	6.68	<5	70	<0.5	<2	6.84	<0.5	38	318	7	7.13
178501		3.33	1.515		0.8	6.73	<5	80	<0.5	<2	8.35	<0.5	38	288	866	6.70
178502		0.08	0.010		<0.5	6.92	<5	600	0.9	<2	0.61	<0.5	3	14	13	1.93
178503		2.64	0.038		<0.5	7.78	<5	410	0.6	<2	3.05	<0.5	13	105	16	2.75
178504		3.27	0.139		<0.5	7.97	<5	180	<0.5	<2	5.08	<0.5	22	147	18	4.32
178505		1.95	0.161		<0.5	7.74	<5	70	<0.5	<2	6.95	<0.5	34	213	15	6.68
178506		2.52	0.507		<0.5	7.78	5	120	<0.5	<2	6.19	<0.5	28	191	57	5.82
178507		2.84	0.347		<0.5	7.63	<5	70	<0.5	<2	7.11	<0.5	34	213	170	6.78
178508		2.50	0.041		<0.5	7.42	<5	80	<0.5	<2	6.86	<0.5	35	217	30	6.55
178509		2.56	0.193		<0.5	7.28	<5	190	<0.5	<2	5.93	<0.5	34	216	56	6.49
178510 DUP		<0.02	0.174		<0.5	7.37	<5	200	<0.5	<2	6.04	<0.5	35	221	61	6.65
178511		2.81	0.051		<0.5	7.51	<5	100	<0.5	<2	6.89	<0.5	32	207	6	6.52
178512		2.37	0.030		<0.5	7.85	<5	100	0.5	<2	6.26	<0.5	31	109	57	6.93
178513		2.59	0.007		<0.5	7.56	<5	110	<0.5	<2	5.93	<0.5	32	96	54	6.87
178514		2.41	0.074		<0.5	7.25	<5	200	0.6	<2	4.62	<0.5	22	166	20	5.07
178515		2.22	0.142		<0.5	7.00	<5	120	<0.5	<2	6.66	<0.5	33	245	12	6.53
178516		2.71	0.072		<0.5	6.62	<5	110	<0.5	<2	6.79	<0.5	32	266	8	6.34
178517		0.05	1.685		17.3	7.65	<5	50	3.0	<2	0.31	<0.5	2	12	5	2.56
178518		2.73	0.023		<0.5	7.29	<5	70	<0.5	<2	7.44	<0.5	41	291	2	7.15
178519		2.50	0.017		<0.5	7.28	8	120	<0.5	<2	7.25	<0.5	42	285	33	7.52
178520		2.19	0.005		<0.5	7.83	10	120	0.5	<2	6.46	<0.5	34	285	33	7.40



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 3 (A - B)

Finalized Date: 7-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033983

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
178481		0.59	3.42	1010	1	2.48	80	180	4	0.09	<5	128	0.27	140	<10	88
178482		1.28	3.61	1490	1	1.50	140	260	92	2.48	<5	138	0.34	208	10	153
178483		0.68	4.80	1455	1	1.54	129	220	2	0.15	<5	170	0.37	208	10	93
178484		0.59	4.70	1500	<1	1.89	127	230	5	0.22	<5	120	0.38	214	<10	72
178485		0.55	4.88	1460	1	1.88	128	210	52	0.55	<5	128	0.35	199	10	206
178486		0.37	4.88	1390	1	1.57	134	230	<2	0.03	<5	145	0.37	216	<10	68
178487		0.18	0.06	112	<1	6.8	5	650	123	2.83	<5	19	0.01	2	<10	28
178488		0.34	3.22	960	1	3.06	84	160	<2	0.22	<5	101	0.26	130	<10	64
178489		0.67	4.52	1470	<1	1.84	127	210	3	0.01	<5	146	0.34	199	<10	69
178490		0.59	4.42	1310	1	1.47	114	180	4	0.06	<5	53	0.30	176	<10	97
178491		0.51	4.94	1465	1	1.04	107	380	4	0.21	<5	51	0.39	186	<10	206
178492 DUP		0.52	5.07	1490	<1	1.06	109	390	<2	0.19	<5	53	0.40	190	<10	188
178493		0.25	0.04	69	1	0.01	3	30	3	<0.01	<5	23	0.01	3	<10	6
178494		0.56	3.71	1155	1	2.50	96	360	3	0.08	<5	189	0.38	177	<10	78
178495		0.66	1.02	619	1	3.81	6	670	6	0.11	<5	171	0.35	93	<10	81
178496		0.54	4.40	1390	1	1.94	124	220	2	0.01	<5	118	0.35	204	<10	57
178497		0.41	4.44	1375	1	2.07	130	230	2	0.04	<5	129	0.36	209	460	59
178498		0.41	4.50	1370	<1	1.77	121	230	2	0.03	<5	142	0.37	217	<10	62
178499		0.40	4.92	1265	<1	1.60	129	210	<2	0.01	<5	135	0.35	203	<10	62
178500		0.54	4.66	1300	<1	1.64	124	220	3	0.03	<5	133	0.36	208	<10	66
178501		0.50	4.17	1425	1	1.44	118	220	<2	0.22	<5	140	0.35	197	<10	73
178502		4.16	0.19	171	1	2.18	5	170	33	0.02	<5	166	0.09	9	<10	37
178503		1.31	1.47	548	2	3.38	24	190	6	0.45	<5	178	0.17	87	<10	47
178504		0.58	2.72	734	1	2.50	38	200	4	0.04	<5	184	0.26	140	10	41
178505		0.45	4.48	1165	1	1.57	65	250	<2	0.04	<5	139	0.39	231	<10	58
178506		0.72	3.72	1020	<1	1.83	56	240	4	0.07	<5	142	0.34	184	<10	59
178507		0.61	4.49	1190	1	1.35	65	230	2	0.05	<5	116	0.38	226	<10	61
178508		0.68	4.28	1250	1	1.66	62	240	<2	0.07	<5	124	0.39	225	<10	65
178509		1.28	3.97	1305	1	1.51	58	230	3	0.61	<5	117	0.37	218	<10	124
178510 DUP		1.30	4.04	1335	1	1.53	63	240	4	0.63	<5	120	0.37	222	<10	130
178511		0.75	4.23	1230	1	1.36	58	240	2	0.03	<5	131	0.38	222	<10	67
178512		0.67	3.69	1315	<1	1.74	38	680	<2	0.08	<5	262	0.39	213	<10	79
178513		0.70	3.67	1290	1	1.85	49	750	<2	0.15	<5	225	0.41	200	<10	82
178514		0.79	2.78	1000	1	2.19	51	280	7	0.11	<5	149	0.32	140	<10	97
178515		0.80	4.66	1315	<1	1.56	92	300	<2	0.05	<5	153	0.36	203	<10	80
178516		0.79	4.58	1395	1	1.32	102	210	3	0.03	<5	116	0.33	190	<10	98
178517		0.17	0.06	104	1	8.5	4	580	109	2.85	<5	18	0.01	2	<10	18
178518		0.54	5.07	1370	2	1.51	111	240	3	0.01	<5	149	0.38	230	<10	74
178519		0.67	5.57	1400	1	1.56	184	750	6	0.15	<5	250	0.48	207	<10	64
178520		0.88	4.71	1480	4	2.62	102	620	3	0.17	<5	224	0.46	208	<10	75



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 7-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06033983**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
178521		2.61	0.316		<0.5	7.06	<5	280	0.7	<2	1.72	<0.5	6	42	61	1.91
178522		2.50	<0.005		<0.5	8.62	<5	1030	1.3	<2	3.45	<0.5	17	148	31	3.81
178523		2.49	0.032		<0.5	7.40	<5	100	<0.5	<2	7.62	<0.5	44	315	13	7.65
178524		2.53	0.051		<0.5	7.67	<5	110	<0.5	<2	7.57	<0.5	42	312	13	7.84
178525		2.90	0.048		<0.5	6.93	<5	150	<0.5	<2	6.89	<0.5	36	286	28	7.02
178528		2.44	0.022		<0.5	7.85	<5	90	<0.5	<2	7.41	<0.5	44	341	17	7.96
178527		2.73	0.035		<0.5	7.21	5	90	<0.5	<2	7.02	<0.5	40	305	20	7.53
178528		3.11	0.019		<0.5	7.37	<5	70	<0.5	<2	7.57	<0.5	45	317	12	7.81
178529 DUP		<0.02	0.019		<0.5	7.31	<5	70	<0.5	<2	7.49	<0.5	46	317	11	7.77
178530		1.91	0.010		<0.5	7.66	11	250	0.6	<2	4.12	<0.5	18	35	32	5.30
178531		2.60	0.039		<0.5	7.53	8	290	0.8	2	2.74	<0.5	11	20	40	3.51
178532		2.92	0.053		<0.5	7.84	10	180	<0.5	<2	7.03	<0.5	34	225	57	6.54
178533		0.11	<0.005		<0.5	6.74	6	530	0.9	<2	0.86	<0.5	1	15	8	1.51
178534		2.71	<0.005		<0.5	8.70	<5	200	0.7	<2	3.95	<0.5	18	25	25	3.97
178535		2.21	0.238		<0.5	7.31	<5	80	<0.5	<2	6.95	<0.5	38	254	31	6.84
178536		2.38	0.233		<0.5	6.04	6	70	<0.5	<2	9.02	<0.5	40	263	351	6.65
178537		2.54	0.118		<0.5	6.99	<5	50	<0.5	<2	8.53	<0.5	40	307	229	7.04
178538		0.06	0.993		10.4	9.26	6	50	3.1	2	0.34	<0.5	1	7	9	2.99
178539		2.50	0.141		<0.5	6.65	5	40	<0.5	<2	7.75	<0.5	40	301	74	6.82
178540		2.35	0.014		<0.5	7.29	13	190	0.5	<2	6.13	<0.5	27	166	50	5.41
178541		3.03	0.041		<0.5	7.70	<5	310	0.7	<2	4.17	<0.5	19	122	41	4.49
178542		1.83	0.019		<0.5	7.49	<5	80	<0.5	<2	7.61	<0.5	43	309	30	7.90
178543		2.63	0.071		<0.5	7.42	6	80	<0.5	<2	8.95	<0.5	36	291	58	7.13
178544		3.09	0.555		<0.5	7.67	<5	110	<0.5	<2	6.40	<0.5	30	215	27	6.82
178545		0.04	1.810		20.2	9.13	11	60	3.1	<2	0.35	<0.5	2	4	5	2.98
178546		2.09	0.373		<0.5	7.15	<5	70	<0.5	<2	7.54	<0.5	38	305	11	7.14
178547		3.64	0.726		<0.5	7.16	<5	60	<0.5	<2	7.58	<0.5	41	331	39	7.38
178548		1.83	0.114		<0.5	8.32	<5	190	0.6	<2	4.86	<0.5	18	23	93	5.75
178549		2.48	0.171	0.247	<0.5	7.38	<5	100	<0.5	<2	7.36	<0.5	41	319	8	7.41
178550 DUP		<0.02	0.241	0.186	<0.5	7.46	<5	170	<0.5	<2	7.56	<0.5	42	325	8	7.65
178551		2.77	0.046		<0.5	7.30	<5	60	<0.5	<2	7.63	<0.5	41	309	7	7.39
178552		2.60	0.791		<0.5	7.45	<5	70	<0.5	<2	7.38	<0.5	42	339	8	7.47
178553		2.98	0.065		<0.5	7.52	<5	90	<0.5	<2	7.52	<0.5	42	325	16	7.13
178554		2.58	0.142		<0.5	7.35	5	70	<0.5	<2	7.28	<0.5	40	309	2	7.25
178555		0.10	<0.005		<0.5	6.68	<5	520	0.9	<2	0.96	<0.5	3	13	4	1.50
178556		3.00	0.437		<0.5	7.52	<5	60	<0.5	<2	7.37	<0.5	42	302	9	7.38
178567		2.54	0.020		<0.5	7.31	<5	50	<0.5	<2	7.32	<0.5	44	308	9	7.71
178558		2.62	0.037		<0.5	7.41	6	80	<0.5	<2	7.14	<0.5	45	327	29	7.78
178559		2.37	0.151		<0.5	7.40	9	80	<0.5	<2	7.09	<0.5	45	305	11	7.78
178560		2.56	0.288		<0.5	7.08	7	110	<0.5	<2	6.12	<0.5	48	406	49	7.34





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 3 (A - B)  
Finalized Date: 7-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06033983

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
178521		0.67	0.67	289	1	3.64	14	420	5	0.14	<5	142	0.17	25	<10	16
178522		1.72	2.33	630	1	2.92	59	1520	13	0.11	<5	592	0.44	90	<10	77
178523		0.64	5.33	1425	2	1.36	136	270	3	0.09	<5	154	0.38	229	<10	69
178524		0.62	5.34	1460	1	1.44	128	290	4	0.07	<5	179	0.38	226	<10	72
178525		0.62	4.98	1360	1	1.48	159	530	3	0.15	<5	168	0.35	183	<10	84
178528		0.67	4.96	1415	1	1.59	138	260	5	0.11	<5	147	0.38	235	10	68
178527		0.62	4.69	1345	1	1.39	150	240	4	0.06	<5	134	0.35	210	<10	57
178528		0.49	5.11	1430	1	1.32	142	230	<2	0.05	<5	136	0.38	226	50	69
178529 DUP		0.50	5.09	1420	1	1.28	136	240	3	0.04	<5	136	0.37	225	40	69
178530		0.77	1.59	952	1	2.40	37	710	<2	0.17	<5	243	0.46	122	<10	112
178531		0.70	0.87	608	1	3.33	20	440	4	0.20	<5	188	0.30	64	<10	78
178532		0.98	4.15	1150	<1	1.76	100	790	3	0.14	<5	296	0.44	179	10	81
178533		3.97	0.23	154	<1	2.06	5	180	38	0.01	<5	152	0.08	10	<10	33
178534		0.74	1.78	561	<1	3.54	38	1280	<2	0.15	<5	422	0.47	101	<10	78
178535		0.53	4.01	1230	<1	1.62	115	920	4	0.12	<5	272	0.51	204	10	83
178536		0.51	4.12	1415	<1	1.04	168	220	<2	0.22	<5	117	0.31	186	<10	67
178537		0.40	4.36	1345	<1	1.25	135	240	<2	0.09	<5	130	0.35	208	<10	65
178538		0.18	0.07	33	<1	6.7	3	620	132	3.25	<5	24	0.01	2	<10	17
178539		0.28	4.58	1275	<1	1.30	149	230	<2	0.04	<5	130	0.34	201	10	61
178540		0.82	2.85	1000	<1	1.82	81	420	<2	0.06	<5	170	0.33	150	<10	65
178541		1.10	2.20	744	2	2.37	45	480	2	0.10	<5	181	0.30	107	10	54
178542		0.63	4.97	1420	1	1.49	124	260	<2	0.08	<5	154	0.39	234	<10	67
178543		0.75	4.65	1615	1	1.12	130	230	4	0.12	<5	128	0.37	219	20	68
178544		0.65	3.67	1200	1	1.96	93	500	7	0.10	<5	184	0.46	192	<10	85
178545		0.19	0.07	117	1	6.9	5	670	133	3.17	<5	23	0.01	2	<10	28
178546		0.48	4.86	1310	1	1.33	121	240	3	0.01	<5	134	0.35	206	30	65
178547		0.53	5.28	1365	1	1.34	140	230	2	0.06	<5	127	0.36	213	10	70
178548		0.86	1.54	1135	1	2.44	11	1660	6	0.28	<5	367	0.65	105	<10	135
178549		0.71	5.45	1360	1	1.39	132	230	3	0.01	<5	132	0.37	219	<10	79
178550 DUP		0.71	5.59	1405	1	1.41	138	240	2	0.01	<5	135	0.36	228	<10	81
178551		0.50	5.44	1305	1	1.30	138	230	<2	0.01	<5	113	0.36	218	<10	62
178552		0.57	5.28	1315	1	1.68	136	240	2	0.03	<5	130	0.38	225	<10	61
178553		0.76	5.56	1420	1	1.34	136	250	7	0.13	<5	123	0.37	209	<10	82
178554		0.60	5.77	1325	1	1.30	130	230	4	<0.01	<5	97	0.36	219	<10	60
178555		3.73	0.27	155	1	2.03	4	180	33	<0.01	<5	150	0.08	11	<10	28
178556		0.45	5.25	1390	<1	1.41	130	230	<2	0.02	<5	117	0.37	227	10	68
176557		0.41	5.69	1485	1	1.47	144	240	<2	0.04	<5	102	0.37	229	10	69
178558		0.56	4.88	1455	1	1.61	145	250	<2	0.06	<5	142	0.38	234	10	67
178559		0.61	5.17	1470	1	1.63	144	250	3	0.02	<5	135	0.36	226	<10	63
178560		0.47	5.75	1415	1	1.71	201	390	<2	0.14	<5	168	0.32	194	10	65



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 16-MAY-2006  
Account: TRAVEN

**CERTIFICATE VO06035940**

Project: BLOCK A

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 26-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 16-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035940

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180521		2.44	0.098			<0.5	7.58	<5	160	<0.5	<2	6.01	<0.5	41	120	61
180522		2.63	0.045			<0.5	7.78	6	160	0.5	<2	5.33	<0.5	33	79	45
180523		2.61	0.017			<0.5	7.94	<5	120	<0.5	<2	6.18	<0.5	41	124	51
180524		2.54	0.013			<0.5	7.71	5	150	<0.5	<2	5.43	<0.5	38	123	64
180525		2.53	0.031			<0.5	7.46	<5	210	0.6	<2	4.36	<0.5	25	60	31
180526 DUP		<0.02	0.079			<0.5	7.57	<5	210	0.6	<2	4.46	<0.5	23	61	30
180527		0.12	<0.005			<0.5	6.39	7	510	0.8	<2	1.11	<0.5	3	7	5
180528		2.35	0.026			<0.5	7.69	<5	420	0.8	<2	4.59	<0.5	23	53	55
180529		2.62	0.051			<0.5	8.96	<5	370	0.8	<2	3.38	<0.5	19	65	9
180530		2.04	0.015			<0.5	7.48	7	220	0.6	<2	4.69	<0.5	25	72	21
180531		2.39	0.021			<0.5	7.51	<5	180	0.5	<2	4.90	<0.5	29	86	28
180532		2.53	0.007			<0.5	7.75	6	180	0.6	<2	4.99	<0.5	31	79	18
180533		2.47	0.461			<0.5	7.86	8	190	0.6	<2	4.50	<0.5	30	58	97
180534		2.50	1.055			0.5	7.38	<5	160	0.5	<2	4.97	<0.5	35	77	178
180535		2.39	0.059			<0.5	7.73	<5	120	<0.5	<2	5.89	<0.5	42	121	116
180536		0.06	0.967			10.3	8.26	8	50	3.2	<2	0.35	<0.5	1	2	7
180537		2.40	0.161			<0.5	8.31	5	120	0.5	<2	6.02	<0.5	45	135	279
180538		2.50	0.040			0.5	8.29	<5	160	<0.5	<2	6.30	<0.5	44	138	245
180539		2.71	0.446			2.7	7.13	<5	220	0.5	<2	4.75	<0.5	76	192	1245
180540		2.31	0.234			0.8	7.61	<5	210	0.6	<2	5.62	<0.5	39	263	360
180541		2.79	0.167			<0.5	6.93	<5	140	<0.5	<2	6.62	<0.5	48	471	293
180542		2.00	0.018			<0.5	6.42	<5	60	<0.5	<2	6.55	<0.5	46	657	83
180543		3.11	0.015			<0.5	5.86	10	50	<0.5	<2	6.28	<0.5	49	768	46
180544		2.73	0.055			<0.5	8.00	<5	180	<0.5	<2	6.59	<0.5	40	217	245
180545		2.30	0.078			0.5	6.57	<5	120	<0.5	<2	6.73	<0.5	54	470	156
180546 DUP		<0.02	0.074			<0.5	6.21	<5	120	<0.5	<2	6.43	<0.5	52	476	154
180547		0.12	<0.005			<0.5	7.05	<5	570	0.9	<2	1.12	<0.5	2	11	6
180548		2.75	0.134			<0.5	5.80	5	110	<0.5	<2	6.47	<0.5	67	716	69
180549		2.92	2.48			<0.5	5.62	<5	90	<0.5	<2	6.22	<0.5	50	836	140
180550		2.88	0.433			<0.5	6.99	9	180	<0.5	<2	4.12	<0.5	41	674	91
180551		2.25	0.082			<0.5	6.32	<5	200	0.5	<2	4.11	<0.5	36	651	98
180552		2.05	0.186			<0.5	7.24	<5	110	<0.5	<2	4.62	<0.5	25	143	31
180553		0.90	0.109			<0.5	6.92	<5	130	0.5	<2	3.60	<0.5	67	297	128
180554		2.07	0.027			<0.5	7.91	<5	130	<0.5	<2	3.54	<0.5	40	56	89
180555		1.49	<0.005			<0.5	8.51	10	180	0.8	<2	3.68	0.5	22	35	83
180556		0.06	1.805			21.0	8.53	<5	60	3.2	<2	0.37	<0.5	1	2	6
180557		2.62	<0.005			0.5	7.83	<5	210	0.8	<2	3.48	<0.5	19	6	94
180558		1.50	<0.005			<0.5	8.12	6	190	0.5	<2	6.37	<0.5	36	118	3
180559		1.34	<0.005			<0.5	8.14	8	200	0.8	<2	4.14	0.8	27	26	91
180560		1.85	<0.005			<0.5	7.66	7	140	<0.5	<2	6.15	<0.5	35	116	17



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 16-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035940

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180521		6.79	1.06	4.07	1135	<1	1.18	88	340	4	0.04	<5	124	0.44	197	10
180522		6.03	0.84	2.90	962	<1	1.94	51	500	5	0.12	<5	160	0.44	170	<10
180523		7.27	0.79	3.78	1200	<1	1.94	60	400	2	0.16	<5	146	0.47	213	<10
180524		7.11	0.87	3.62	1025	<1	2.15	59	380	<2	0.14	<5	122	0.45	210	<10
180525		5.43	0.93	2.14	823	<1	2.32	30	680	3	0.14	<5	174	0.47	144	<10
180526 DUP		5.57	0.91	2.19	861	<1	2.33	29	680	<2	0.15	<5	174	0.46	142	<10
180527		1.70	3.77	0.32	168	1	2.09	2	170	28	0.01	<5	154	0.08	9	<10
180528		5.54	1.20	2.31	913	<1	2.24	28	920	<2	0.15	<5	337	0.43	136	<10
180529		4.09	1.14	1.69	690	<1	2.56	23	250	2	0.04	<5	144	0.27	99	<10
180530		5.66	1.03	2.46	1000	<1	2.06	34	700	2	0.17	<5	192	0.47	140	<10
180531		5.95	0.87	2.84	952	<1	2.00	42	450	<2	0.13	<5	148	0.43	159	<10
180532		6.15	0.78	3.05	1055	<1	2.09	42	570	<2	0.03	<5	163	0.46	182	<10
180533		5.85	0.83	2.48	974	1	2.15	40	640	<2	0.13	<5	186	0.46	162	<10
180534		6.33	0.76	3.08	1010	<1	1.63	49	540	4	0.29	<5	140	0.44	168	<10
180535		7.16	0.98	4.36	1130	<1	1.46	69	390	2	0.08	<5	128	0.44	208	10
180536		2.77	0.18	0.07	35	<1	6.7	<1	640	116	2.86	<5	19	0.01	<1	<10
180537		7.52	0.96	4.02	1120	<1	1.70	76	450	13	0.35	5	191	0.47	213	<10
180538		8.05	1.26	3.67	1195	<1	1.70	78	390	17	0.63	<5	167	0.48	216	10
180539		7.33	1.42	3.14	957	1	1.14	86	380	20	1.83	<5	171	0.39	163	10
180540		5.72	0.97	3.95	971	<1	1.79	99	430	16	0.36	<5	277	0.32	150	<10
180541		6.90	0.69	6.05	1250	<1	1.27	277	450	14	0.40	<5	158	0.37	172	<10
180542		6.81	0.42	7.78	1295	<1	1.19	404	550	10	0.18	<5	241	0.33	170	<10
180543		6.71	0.29	9.40	1255	<1	0.99	499	520	9	0.09	<5	153	0.26	162	<10
180544		7.25	1.25	3.85	1225	1	1.62	120	410	10	0.61	<5	173	0.47	210	<10
180545		7.15	0.84	7.43	1335	<1	0.98	273	420	12	0.53	<5	108	0.41	188	10
180546 DUP		6.86	0.82	7.06	1275	<1	0.93	269	390	8	0.52	<5	102	0.40	186	<10
180547		1.97	4.07	0.30	189	1	2.19	4	180	122	0.01	<5	162	0.09	11	<10
180548		7.54	0.74	9.35	1185	1	0.77	410	400	32	0.42	<5	127	0.35	172	<10
180549		9.58	0.69	7.90	1590	3	0.58	438	230	20	0.63	<5	57	0.31	167	10
180550		8.05	1.04	6.81	1260	2	1.40	361	610	3	0.42	<5	126	0.41	145	<10
180551		7.44	0.91	5.44	1180	2	1.52	305	580	8	0.50	<5	104	0.37	124	<10
180552		6.82	1.12	4.70	1280	<1	3.10	112	370	2	0.07	<5	41	0.39	203	<10
180553		7.17	1.28	5.51	1160	1	2.05	150	460	2	0.66	<5	41	0.42	189	<10
180554		5.92	1.14	2.45	747	1	2.69	36	750	28	1.31	<5	121	0.46	138	<10
180555		5.37	0.74	1.88	643	<1	2.93	20	730	138	0.81	<5	236	0.45	139	<10
180556		2.97	0.18	0.07	117	<1	7.2	2	680	126	3.10	<5	19	0.01	1	<10
180557		4.47	0.87	1.34	528	<1	3.03	13	740	141	0.78	<5	242	0.45	120	10
180558		7.61	0.78	4.12	1290	<1	1.96	58	420	<2	0.03	<5	162	0.49	228	<10
180559		4.81	0.80	1.58	587	<1	2.79	17	730	186	0.61	<5	215	0.45	126	<10
180560		7.12	0.64	3.64	1215	<1	1.77	54	380	9	0.16	<5	141	0.43	199	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 16-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035940

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
180521		80
180522		61
180523		80
180524		79
180525		59
180526 DUP		59
180527		26
180528		65
180529		49
180530		62
180531		63
180532		78
180533		73
180534		73
180535		78
180536		30
180537		74
180538		78
180539		77
180540		70
180541		71
180542		70
180543		75
180544		64
180545		99
180546 DUP		95
180547		27
180548		158
180549		149
180550		74
180551		73
180552		58
180553		32
180554		79
180555		264
180556		19
180557		240
180558		75
180559		288
180560		118



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 16-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035940

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180561		2.00	<0.005			<0.5	8.06	<5	150	0.5	<2	5.66	<0.5	35	97	30
180562		2.58	<0.005			<0.5	7.48	6	290	0.7	<2	3.29	0.5	23	28	108
180563		1.72	0.010			<0.5	8.01	7	160	0.7	<2	5.32	<0.5	41	295	86
180564		2.41	0.008			<0.5	7.74	<5	130	0.5	<2	6.51	<0.5	40	338	31
180565		2.79	0.009			<0.5	8.44	8	170	<0.5	<2	7.17	<0.5	39	125	15
180566 DUP		<0.02	0.010			<0.5	8.28	<5	170	<0.5	<2	6.93	<0.5	38	132	16
180567		0.14	<0.005			<0.5	7.01	<5	570	0.9	<2	1.10	<0.5	2	5	3
180568		2.33	0.062			<0.5	8.00	5	270	0.6	<2	5.49	<0.5	34	77	66
180569		2.73	0.042			<0.5	7.99	7	150	<0.5	<2	7.27	<0.5	44	136	129
180570		2.59	0.019			<0.5	8.13	<5	110	<0.5	<2	7.11	<0.5	36	122	64
180571		2.65	0.105			<0.5	7.88	<5	140	<0.5	<2	6.50	<0.5	39	136	138
180572		2.67	0.227			1.0	7.36	<5	120	<0.5	<2	6.97	<0.5	70	159	1525
180573		2.81	0.013			<0.5	8.43	<5	160	<0.5	<2	7.39	<0.5	40	140	137
180574		3.25	0.092			<0.5	7.67	<5	240	0.6	<2	5.37	<0.5	37	190	227
180575		2.40	0.160			<0.5	7.30	5	240	0.6	<2	5.08	<0.5	41	284	107
180576		0.06	0.966			10.8	8.14	5	100	3.2	<2	0.35	<0.5	1	2	7
180577		3.15	0.023			<0.5	7.92	<5	230	<0.5	<2	7.11	<0.5	42	118	54
180578		2.64	0.009			<0.5	7.95	<5	440	<0.5	<2	6.34	<0.5	43	114	7
180579		2.35	<0.005			<0.5	7.75	<5	230	<0.5	<2	5.79	<0.5	42	119	12
180580		2.23	0.031			<0.5	7.90	5	230	<0.5	<2	5.70	<0.5	41	115	42
180581		2.62	0.012			<0.5	7.58	<5	240	<0.5	<2	5.55	<0.5	43	106	36
180582		2.35	0.015			<0.5	7.63	5	160	<0.5	<2	6.78	<0.5	45	116	4
180583		2.33	<0.005			<0.5	7.81	<5	130	<0.5	<2	6.28	<0.5	43	133	15
180584		2.33	0.064			<0.5	7.31	<5	380	0.8	<2	3.92	<0.5	24	74	25
180585		2.67	0.111			<0.5	7.59	<5	290	0.7	<2	4.49	<0.5	26	79	67
180586 DUP		<0.02	0.118			<0.5	7.67	<5	330	0.7	<2	4.25	<0.5	23	74	66
180587		0.12	<0.005			<0.5	8.92	5	560	0.9	<2	1.16	<0.5	3	8	9
180588		3.02	<0.005			<0.5	7.71	9	210	0.6	<2	6.68	<0.5	43	408	25
180589		2.73	<0.005			<0.5	7.89	<5	130	<0.5	<2	6.68	<0.5	43	122	19
180590		3.08	0.059			<0.5	7.62	<5	150	0.5	<2	5.77	<0.5	35	91	20
180591		2.51	0.006			<0.5	7.98	<5	140	<0.5	<2	6.65	<0.5	43	113	27
180592		2.65	<0.005			<0.5	8.15	<5	110	<0.5	<2	6.76	<0.5	47	110	59
180593		2.79	<0.005			<0.5	8.25	5	190	<0.5	<2	6.68	<0.5	39	118	21
180594		2.65	0.008			<0.5	8.05	<5	190	<0.5	<2	6.32	<0.5	49	119	44
180595		2.81	0.006			<0.5	7.99	<5	200	<0.5	<2	5.83	<0.5	44	130	29
180596		0.06	1.780			18.3	7.87	<5	60	3.2	<2	0.36	<0.5	1	2	5
180597		2.60	0.038			<0.5	7.68	5	280	0.6	<2	4.50	<0.5	28	77	45
180598		2.61	0.042			<0.5	7.82	<5	300	0.6	<2	4.93	<0.5	29	77	16
180599		1.50	<0.005			<0.5	7.59	<5	190	<0.5	<2	5.81	<0.5	40	126	<1
180600		2.31	<0.005			<0.5	7.44	<5	190	<0.5	<2	5.52	<0.5	39	116	4



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 16-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06035940**

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
180561		6.79	0.72	3.28	1055	<1	2.32	48	580	21	0.18	<5	179	0.48	186	<10
180562		4.83	0.79	1.44	548	1	2.80	20	960	83	0.73	<5	203	0.48	100	<10
180563		6.85	0.93	5.29	1135	<1	2.50	124	690	8	0.30	<5	228	0.44	186	<10
180564		6.79	0.74	5.87	1285	<1	2.03	153	610	2	0.08	<5	201	0.35	168	<10
180565		7.72	0.89	4.24	1250	1	1.80	84	440	2	0.06	<5	188	0.48	224	<10
180566 DUP		7.49	0.87	4.12	1210	<1	1.76	83	420	<2	0.06	<5	184	0.47	215	<10
180567		1.64	4.15	0.27	181	<1	2.24	1	180	33	0.01	<5	160	0.09	11	<10
180568		8.14	1.24	2.44	989	1	1.81	53	580	23	0.50	<5	162	0.44	150	10
180569		7.33	1.08	3.44	1295	<1	1.30	83	410	37	0.49	<5	137	0.46	209	10
180570		7.21	0.84	3.51	1235	<1	1.60	80	410	33	0.25	<5	146	0.47	217	<10
180571		7.26	1.00	3.81	1215	<1	1.49	85	400	26	0.31	<5	132	0.44	207	<10
180572		8.12	0.72	3.99	1290	<1	1.28	99	380	70	1.38	<5	123	0.42	195	10
180573		7.78	0.93	3.74	1370	1	1.42	79	400	4	0.34	<5	128	0.48	220	10
180574		6.39	1.28	3.34	1045	<1	1.69	81	520	16	0.36	<5	142	0.41	153	10
180575		6.61	1.27	4.39	1175	<1	1.64	116	590	<2	0.16	<5	132	0.41	146	<10
180576		2.34	0.19	0.07	35	<1	6.8	2	630	101	2.36	<5	19	0.01	<1	<10
180577		7.37	1.14	4.30	1225	<1	1.14	90	370	<2	0.03	<5	128	0.43	208	<10
180578		7.35	1.12	4.59	1225	<1	1.25	100	370	<2	0.02	<5	125	0.43	200	<10
180579		7.24	1.26	4.58	1260	1	1.50	99	390	<2	0.03	<5	138	0.43	201	<10
180580		7.37	1.40	4.74	1245	<1	1.33	97	390	<2	0.19	<5	110	0.45	203	<10
180581		7.38	1.28	4.64	1210	2	1.24	110	360	<2	0.15	<5	108	0.42	197	<10
180582		7.74	1.30	5.22	1325	<1	1.26	158	370	<2	0.02	<5	125	0.42	203	<10
180583		7.18	1.06	4.74	1200	<1	1.37	122	370	<2	0.04	<5	128	0.42	200	<10
180584		4.52	1.12	2.30	727	1	2.31	54	220	29	0.17	<5	142	0.27	104	<10
180585		5.60	0.73	2.39	827	<1	2.47	73	350	10	0.25	<5	231	0.33	108	<10
180586 DUP		5.31	0.76	2.22	774	<1	2.59	71	330	10	0.25	<5	226	0.31	102	<10
180587		1.97	4.04	0.29	195	1	2.18	4	190	32	0.02	<5	161	0.10	14	<10
180588		8.97	0.74	5.69	1285	<1	1.85	154	620	<2	0.07	<5	302	0.46	182	<10
180589		7.47	0.85	4.37	1270	<1	1.64	107	400	<2	0.08	<5	164	0.44	200	<10
180590		6.33	1.00	3.31	1110	<1	1.76	67	500	<2	0.12	<5	146	0.45	182	<10
180591		7.26	0.89	3.96	1260	<1	1.82	76	410	<2	0.09	<5	139	0.46	213	<10
180592		7.44	0.78	3.81	1305	<1	1.84	59	460	<2	0.21	<5	150	0.50	222	<10
180593		7.54	0.99	3.91	1280	<1	1.92	64	440	<2	0.11	<5	138	0.49	225	<10
180594		7.62	1.16	3.80	1185	<1	1.86	62	440	<2	0.23	<5	130	0.50	227	<10
180595		7.60	1.42	3.85	1120	<1	1.90	58	400	3	0.12	<5	120	0.46	219	<10
180596		2.96	0.18	0.07	110	<1	6.5	<1	630	126	3.12	<5	19	0.01	1	<10
180597		6.11	1.74	2.81	913	1	1.84	39	660	10	0.28	<5	149	0.47	158	<10
180598		6.18	1.68	2.83	1070	1	1.71	41	640	9	0.10	<5	158	0.46	152	<10
180599		7.07	1.46	4.48	1085	<1	1.34	85	390	<2	0.01	<5	118	0.44	205	<10
180600		6.92	1.63	4.19	1080	<1	1.30	75	390	2	0.02	<5	111	0.45	212	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 16-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035940

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180561		113
180562		180
180563		82
180564		101
180565		84
180566 DUP		88
180567		28
180568		99
180569		159
180570		178
180571		190
180572		81
180573		84
180574		98
180575		91
180576		15
180577		93
180578		67
180579		61
180580		55
180581		59
180582		73
180583		65
180584		106
180585		86
180586 DUP		62
180587		29
180588		78
180589		81
180590		66
180591		81
180592		69
180593		67
180594		66
180595		65
180596		18
180597		75
180598		107
180599		69
180600		79





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 16-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035940

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180601		1.68	0.068			<0.5	7.98	<5	290	0.8	<2	4.00	<0.5	20	15	36
180602		2.19	<0.005			<0.5	7.87	<5	310	0.8	<2	3.57	<0.5	17	4	12
180603		2.28	<0.005			<0.5	7.69	7	250	0.8	<2	4.04	<0.5	18	15	20
180604		2.34	<0.005			<0.5	8.61	6	170	0.5	<2	7.55	<0.5	37	112	18
180605		2.29	0.015			<0.5	8.30	<5	190	0.5	<2	7.35	<0.5	38	93	50
180606 DUP		<0.02	0.008			<0.5	8.07	<5	190	0.5	<2	7.28	<0.5	38	91	49
180607		0.18	<0.005			<0.5	6.60	<5	560	0.9	<2	1.20	<0.5	3	5	4
180608		2.14	0.047			<0.5	7.63	<5	290	0.8	<2	4.26	<0.5	20	54	144
180609		2.81	0.138			<0.5	6.84	7	420	1.0	<2	2.66	<0.5	10	10	27
180610		2.65	0.027			<0.5	7.19	5	280	0.8	<2	3.17	<0.5	14	11	16
180611		2.81	0.272			<0.5	7.70	<5	160	<0.5	<2	7.25	<0.5	38	131	72
180612		2.71	0.975			<0.5	8.79	6	140	<0.5	<2	6.35	<0.5	38	124	104
180613		2.11	1.625			<0.5	6.92	10	140	<0.5	<2	5.45	<0.5	43	137	164
180614		2.58	0.021			<0.5	7.79	6	360	0.7	<2	3.26	<0.5	13	20	41
180615		2.21	0.198			<0.5	7.41	<5	220	0.6	<2	4.27	<0.5	21	53	110
180616		0.06	0.985			10.0	7.97	5	40	3.1	<2	0.37	<0.5	2	8	9
180617		2.65	0.064			<0.5	6.91	<5	170	<0.5	<2	5.93	<0.5	33	110	86
180618		2.25	7.34			<0.5	7.88	<5	140	<0.5	<2	6.48	<0.5	55	134	303
180619		1.77	0.027			<0.5	7.25	<5	180	<0.5	<2	6.21	<0.5	41	128	217
180620		1.98	0.032			<0.5	7.87	<5	170	<0.5	<2	7.30	<0.5	40	135	201
180621		1.34	>10.0		27.4	0.6	6.97	<5	160	<0.5	3	7.19	<0.5	38	123	321
180622 DUP		<0.02	>10.0		15.85	<0.5	7.09	8	160	<0.5	2	7.34	<0.5	39	125	330
180623		0.13	0.016	0.006		<0.5	6.89	<5	560	0.9	<2	1.05	<0.5	3	11	6
180624		1.71	0.039			<0.5	7.87	6	260	0.8	2	4.41	<0.5	20	24	86
180625		1.60	0.055			<0.5	8.15	9	290	0.7	3	6.19	<0.5	37	44	664
180626		2.56	0.055			<0.5	6.94	9	180	<0.5	3	6.42	<0.5	38	250	110
180627		2.79	0.025			<0.5	7.84	11	110	<0.5	2	6.77	<0.5	39	133	262
180628		2.64	0.021			<0.5	7.89	8	110	<0.5	<2	6.66	<0.5	32	128	196
180629		2.47	0.064			<0.5	7.99	5	170	<0.5	<2	6.20	<0.5	35	127	201
180630		2.72	1.060			<0.5	7.10	<5	180	<0.5	<2	5.66	<0.5	33	127	258
180631		2.75	0.706			<0.5	7.76	<5	170	<0.5	<2	6.59	<0.5	42	124	315
180632		2.71	0.249			0.9	7.16	6	160	<0.5	<2	4.59	1.5	40	119	472
180633		2.63	0.062			<0.5	7.43	7	120	0.5	<2	5.31	<0.5	33	116	93
180634		3.00	0.087			<0.5	7.16	<5	210	0.5	<2	4.79	<0.5	26	76	190
180635		0.05	1.795			18.0	7.86	5	50	3.0	<2	0.34	<0.5	1	5	6
180636		2.90	0.041			<0.5	7.20	6	200	<0.5	2	6.14	<0.5	37	123	249
180637		2.60	0.055			<0.5	7.84	5	140	<0.5	<2	6.70	<0.5	40	137	338
180638		2.88	0.166			0.8	6.63	5	130	<0.5	3	5.45	<0.5	72	105	530
180639		2.58	0.139			0.6	6.43	6	120	<0.5	<2	6.46	<0.5	60	120	386
180640		3.06	0.273			<0.5	6.81	<5	150	<0.5	<2	6.42	<0.5	31	130	89



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 16-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035940

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
180601		5.11	1.40	1.48	812	1	2.28	12	1040	15	0.16	<5	205	0.54	114	<10
180602		4.81	1.42	1.38	766	<1	2.46	12	760	4	0.07	<5	198	0.45	122	<10
180603		4.81	1.10	1.45	794	<1	2.38	16	710	<2	0.08	<5	182	0.44	126	<10
180604		7.37	1.11	4.10	1275	<1	2.01	79	460	<2	0.07	<5	176	0.49	220	<10
180605		7.32	1.20	3.94	1260	<1	1.72	61	650	4	0.05	<5	275	0.46	226	<10
180606 DUP		7.24	1.20	3.84	1245	<1	1.66	63	630	2	0.05	<5	267	0.45	222	<10
180607		1.66	4.09	0.30	169	1	2.08	3	180	29	0.01	<5	154	0.09	10	<10
180608		4.84	1.12	1.37	758	1	2.46	23	470	38	0.60	<5	148	0.37	92	<10
180609		3.55	1.54	0.67	510	1	2.54	6	500	7	0.14	<5	163	0.31	60	<10
180610		4.29	1.64	1.12	704	1	2.26	12	630	5	0.09	<5	163	0.40	101	<10
180611		6.73	1.51	3.03	1350	<1	1.15	73	380	<2	0.28	<5	122	0.43	198	10
180612		6.66	1.72	2.95	1225	<1	0.73	64	330	5	0.45	<5	89	0.38	174	270
180613		6.99	1.55	3.06	1140	1	0.98	62	350	<2	0.55	<5	93	0.40	184	290
180614		3.52	1.26	1.06	533	<1	2.92	14	500	10	0.23	<5	209	0.30	78	<10
180615		5.40	1.48	1.91	855	1	1.74	27	590	24	0.48	<5	155	0.42	137	<10
180616		2.54	0.19	0.08	38	<1	7.0	2	610	106	2.57	<5	22	0.01	2	<10
180617		6.40	1.71	3.07	1075	<1	0.70	59	340	18	0.35	<5	91	0.40	176	10
180618		6.96	1.30	3.04	1065	1	1.50	69	370	36	0.68	<5	134	0.43	199	10
180619		6.35	1.34	2.80	1100	<1	1.39	66	340	3	0.41	<5	128	0.41	197	10
180620		6.88	1.40	3.24	1180	1	1.28	73	380	2	0.38	<5	139	0.44	200	10
180621		6.86	1.41	3.23	1230	<1	0.88	64	330	5	0.64	<5	107	0.40	181	10
180622 DUP		6.91	1.42	3.28	1245	<1	0.90	65	330	7	0.61	<5	109	0.41	183	10
180623		1.81	4.03	0.26	167	<1	2.16	4	180	32	0.01	<5	163	0.08	10	<10
180624		5.02	1.11	1.38	801	1	2.26	15	780	11	0.29	<5	199	0.48	123	<10
180625		6.65	1.02	2.98	1030	<1	1.97	38	840	10	0.50	<5	387	0.52	174	<10
180626		6.83	1.03	4.18	1180	<1	1.17	101	440	3	0.25	<5	155	0.39	167	<10
180627		7.12	0.80	3.09	1130	<1	1.59	72	370	4	0.44	<5	153	0.44	202	10
180628		7.04	0.80	3.21	1145	1	1.68	71	380	2	0.29	<5	147	0.44	200	10
180629		7.48	1.59	3.78	1185	<1	1.91	74	380	5	0.29	<5	133	0.44	200	10
180630		6.98	1.32	3.40	1035	<1	1.56	73	350	19	0.50	<5	121	0.41	180	<10
180631		7.40	1.21	3.54	1280	1	1.52	80	360	8	0.70	<5	135	0.43	196	10
180632		6.61	1.13	3.44	1065	<1	2.37	66	350	195	0.76	<5	108	0.41	183	10
180633		7.15	1.06	4.34	1115	<1	1.82	64	470	4	0.12	<5	159	0.42	193	<10
180634		6.00	1.30	2.46	880	<1	1.55	41	560	4	0.47	<5	156	0.42	148	10
180635		2.84	0.18	0.07	105	<1	6.6	5	630	116	2.70	<5	21	0.01	2	<10
180636		6.92	1.45	3.29	1210	<1	1.42	69	350	2	0.51	<5	111	0.41	188	<10
180637		7.14	1.25	3.10	1115	<1	1.57	70	360	4	0.56	<5	135	0.44	199	<10
180638		7.86	1.12	2.32	945	<1	1.28	83	360	5	2.45	<5	111	0.37	156	10
180639		7.39	1.05	2.98	1145	<1	0.96	70	320	7	1.06	<5	98	0.36	172	<10
180640		6.79	1.11	3.47	1090	<1	1.39	70	390	3	0.21	<5	147	0.40	186	10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 16-MAY-2006  
Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06035940**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180601		74
180602		61
180603		54
180604		113
180605		110
180606 DUP		106
180607		27
180608		285
180609		50
180610		61
180611		90
180612		80
180613		99
180614		75
180615		122
180616		45
180617		109
180618		181
180619		66
180620		70
180621		74
180622 DUP		74
180623		28
180624		61
180625		88
180626		66
180627		75
180628		67
180629		73
180630		75
180631		92
180632		420
180633		60
180634		57
180635		26
180636		84
180637		63
180638		54
180639		68
180640		57



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 8-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06035941

Project: BLOCK A

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 26-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - B)

Finalized Date: 8-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035941

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
180641		2.61	0.081		<0.5	7.32	15	140	<0.5	<2	5.80	<0.5	41	158	110	6.47
180642		2.44	0.278		<0.5	7.24	14	150	<0.5	<2	6.20	<0.5	37	274	50	6.63
180643		2.64	0.014		<0.5	7.45	5	180	<0.5	<2	6.75	<0.5	39	130	114	6.14
180644		0.06	0.939		9.1	8.01	8	50	3.1	<2	0.32	0.5	1	4	7	2.76
180645		2.52	0.015		<0.5	7.60	<5	290	0.5	<2	5.97	<0.5	37	130	71	5.68
180646		2.13	0.007		<0.5	7.58	7	530	0.8	<2	5.87	<0.5	36	365	35	4.78
180647		2.22	1.255		<0.5	5.71	10	250	<0.5	<2	4.78	<0.5	36	844	102	6.46
180648		1.53	3.79		0.5	5.00	11	430	0.9	6	0.90	<0.5	5	89	23	1.50
180649		1.88	0.240		<0.5	7.37	<5	580	1.1	<2	2.05	<0.5	9	6	59	2.95
180650		1.42	6.02		<0.5	6.29	<5	340	0.7	2	2.95	<0.5	13	17	59	3.64
180851 DUP		<0.02	6.11		1.1	6.17	6	330	0.7	7	2.91	<0.5	14	16	62	3.72
180652		0.13	0.044	0.067	<0.5	6.49	<5	520	0.9	<2	1.02	<0.5	2	10	6	1.44
180653		3.04	0.162		<0.5	7.54	<5	370	0.8	<2	3.33	<0.5	16	42	51	4.69
180654		2.23	<0.005		<0.5	7.71	<5	360	0.5	<2	1.57	<0.5	4	10	3	0.97
180655		2.31	0.011		<0.5	8.11	<5	380	0.6	3	2.09	<0.5	4	16	6	1.13
180656		2.31	0.138		<0.5	7.87	5	350	0.7	<2	4.47	<0.5	27	406	33	5.75
180657		2.54	0.054		<0.5	6.99	6	270	<0.5	3	4.93	<0.5	33	636	12	6.38
180658		2.25	0.055		<0.5	7.37	<5	230	0.5	2	5.05	<0.5	46	750	28	6.28
180659		2.69	0.771		<0.5	6.04	<5	140	<0.5	<2	5.24	<0.5	48	944	101	7.05
180660		2.58	0.106		<0.5	5.72	<5	40	<0.5	4	6.08	<0.5	62	1180	4	7.48
180661		2.44	3.32		<0.5	5.84	<5	70	<0.5	<2	6.33	<0.5	55	1080	20	7.61
180662		2.67	0.291		<0.5	7.70	<5	370	0.7	<2	4.50	<0.5	32	446	62	5.78
180663		2.53	0.169		<0.5	6.77	<5	260	0.6	<2	5.16	<0.5	34	232	79	6.00
180664		2.08	0.121		<0.5	7.78	<5	400	0.7	<2	3.60	<0.5	16	203	22	3.49
180665		1.66	0.671	0.648	<0.5	6.96	<5	200	0.5	3	5.02	<0.5	35	634	12	6.63
180666 DUP		<0.02	0.436	0.358	<0.5	6.59	5	210	0.5	<2	4.64	<0.5	31	548	13	6.12
180667		0.11	<0.005		<0.5	7.13	<5	570	0.9	<2	0.97	<0.5	2	11	5	1.73
180668		1.74	0.449		<0.5	7.57	<5	200	0.5	2	4.86	<0.5	32	533	13	6.24
180669		1.55	0.090		<0.5	7.70	9	100	<0.5	2	7.11	<0.5	39	417	17	7.95
180670		2.65	0.112		<0.5	7.45	<5	80	<0.5	2	7.62	<0.5	39	328	8	7.58
180671		2.80	0.023		<0.5	8.29	<5	180	<0.5	<2	6.71	<0.5	31	229	10	6.98
180672		2.88	0.062		<0.5	8.29	<5	270	0.7	<2	5.78	<0.5	27	216	53	5.70
180673		2.92	0.012		<0.5	7.97	<5	140	<0.5	2	8.56	<0.5	36	296	23	7.05
180674		2.73	0.029		<0.5	7.03	<5	60	<0.5	<2	12.70	<0.5	37	277	22	7.10
180675		2.76	0.023		<0.5	7.57	6	90	<0.5	2	9.54	<0.5	41	311	21	7.54
180676		0.06	1.785		20.4	8.68	<5	60	3.2	3	0.36	<0.5	<1	3	6	2.86
180677		2.71	0.095	0.123	<0.5	7.06	<5	80	<0.5	2	8.63	<0.5	36	279	30	6.92
180678		2.75	0.026		<0.5	7.35	<5	130	<0.5	2	7.69	<0.5	40	347	18	7.03
180679		2.46	0.099		<0.5	7.74	5	250	0.5	<2	5.86	<0.5	31	284	26	5.74
180680		2.45	0.393		<0.5	7.62	<5	260	0.5	2	5.28	<0.5	22	160	34	4.78



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035941

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
180641		1.10	3.61	1080	1	1.53	104	350	2	0.43	<5	125	0.42	191	10	65
180642		1.02	4.85	1065	1	1.40	158	430	2	0.14	<5	162	0.42	198	10	59
180643		1.34	3.12	1110	<1	1.51	79	370	<2	0.25	<5	136	0.43	202	<10	68
180644		0.18	0.07	34	<1	6.8	3	630	123	3.07	8	23	0.01	2	<10	15
180645		1.36	3.10	1030	1	1.63	90	410	7	0.29	<5	198	0.42	182	10	64
180646		1.09	5.18	916	<1	1.80	214	890	9	0.20	<5	573	0.28	128	<10	61
180647		1.17	5.69	1280	2	0.86	387	430	<2	0.59	<5	128	0.30	120	<10	84
180648		1.41	0.63	217	2	1.29	36	140	5	0.19	<5	92	0.06	16	<10	12
180649		2.93	0.78	485	2	1.14	9	600	<2	0.38	<5	128	0.32	72	<10	24
180650		1.87	0.96	591	1	0.91	12	690	3	0.45	<5	108	0.38	86	<10	29
180651 DUP		1.87	0.90	559	1	0.86	10	670	<2	0.42	<5	104	0.37	81	<10	29
180652		3.94	0.26	145	<1	2.02	4	170	29	0.01	<5	152	0.08	10	<10	28
180653		1.61	1.11	710	1	2.18	20	820	<2	0.45	<5	202	0.48	114	<10	43
180654		1.12	0.43	106	<1	4.24	7	200	<2	0.05	<5	275	0.09	16	<10	31
180655		0.99	0.49	134	<1	4.24	10	210	<2	0.05	<5	311	0.09	18	<10	29
180656		1.49	3.58	1030	<1	1.94	174	660	<2	0.21	<5	223	0.42	130	<10	70
180657		1.59	6.35	1080	1	1.04	312	450	<2	0.13	<5	238	0.30	125	<10	63
180658		1.37	6.88	1085	1	1.37	389	490	<2	0.14	<5	229	0.35	147	10	88
180659		0.98	7.82	1325	<1	0.92	470	310	<2	0.28	<5	139	0.28	149	<10	119
180660		0.50	9.97	1295	<1	0.49	614	220	<2	0.01	<5	76	0.28	176	<10	103
180661		0.69	9.32	1345	<1	0.66	586	180	<2	0.11	<5	156	0.28	170	<10	145
180662		1.18	3.94	924	1	1.62	211	550	2	0.35	<5	202	0.37	128	<10	72
180663		1.31	4.36	1030	<1	1.55	213	1220	<2	0.36	<5	270	0.49	148	<10	85
180664		1.39	2.21	601	<1	2.57	112	550	<2	0.08	<5	297	0.27	78	<10	53
180665		1.24	5.11	1070	<1	1.37	284	480	<2	0.05	<5	127	0.36	139	<10	74
180666 DUP		1.23	4.53	986	<1	1.32	256	480	2	0.06	<5	128	0.35	132	<10	70
180667		4.17	0.25	165	<1	2.14	5	190	30	<0.01	<5	163	0.09	9	<10	27
180668		1.09	4.62	1025	<1	1.62	256	510	<2	0.03	<5	163	0.38	141	<10	71
180669		0.85	5.28	1475	<1	1.33	185	260	<2	0.05	<5	182	0.37	220	<10	99
180670		0.79	5.21	1435	<1	1.26	141	260	<2	0.02	<5	142	0.36	214	20	99
180671		0.83	4.07	1255	1	1.96	93	490	<2	0.04	<5	172	0.43	188	<10	68
180672		0.86	3.31	942	<1	2.41	93	750	4	0.19	<5	452	0.41	144	<10	63
180673		0.56	4.38	1250	<1	1.73	123	270	<2	0.05	<5	215	0.34	190	<10	71
180674		0.47	4.55	1375	<1	1.17	121	240	<2	0.03	<5	161	0.32	192	10	58
180675		0.60	4.99	1360	<1	1.36	134	270	<2	0.06	<5	177	0.37	211	<10	59
180676		0.19	0.07	114	<1	7.0	5	680	125	3.00	<5	23	0.01	2	<10	18
180677		0.49	4.65	1250	<1	1.48	118	230	<2	0.06	<5	142	0.34	201	<10	57
180678		0.71	4.92	1185	<1	1.47	136	400	<2	0.06	<5	233	0.38	207	80	62
180679		0.90	4.18	977	<1	2.14	124	740	2	0.12	<5	329	0.37	152	<10	64
180680		0.89	2.62	854	1	2.31	64	380	<2	0.11	<5	172	0.30	124	10	49



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 8-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035941

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
180681		2.69	0.709		0.7	7.19	<5	70	<0.5	<2	7.72	<0.5	49	328	910	7.43
180682		2.61	0.413		<0.5	7.34	<5	60	<0.5	3	8.22	<0.5	37	287	46	7.09
180683		2.51	0.059		<0.5	7.33	6	220	0.5	<2	6.68	<0.5	28	274	84	5.88
180684		2.52	0.038		<0.5	8.01	<5	370	<0.5	<2	4.79	<0.5	14	136	9	3.11
180685		2.59	0.056		<0.5	7.81	8	100	<0.5	<2	6.74	<0.5	31	209	31	7.14
180686		0.06	0.961		11.8	8.12	<5	50	3.2	<2	0.34	<0.5	1	3	8	2.60
180687		2.73	0.026		<0.5	6.94	<5	60	<0.5	<2	8.19	<0.5	36	263	10	7.13
180688		3.08	0.091		<0.5	7.46	<5	70	<0.5	<2	8.19	<0.5	41	288	12	7.65
180689		2.74	0.011		<0.5	7.42	<5	60	<0.5	<2	8.25	<0.5	42	269	6	7.49
180690		2.75	0.512		<0.5	6.79	<5	70	<0.5	<2	6.61	<0.5	52	349	19	7.74
180691		2.85	0.012		<0.5	7.99	<5	80	<0.5	<2	7.41	<0.5	41	203	56	7.43
180692		2.67	0.028		<0.5	7.65	<5	50	<0.5	<2	8.86	<0.5	41	265	157	7.69
180693		2.61	0.012		<0.5	7.59	<5	70	<0.5	<2	8.63	<0.5	43	290	10	7.60
180694		2.63	<0.005		<0.5	7.30	<5	70	<0.5	<2	7.90	<0.5	41	271	11	7.42
180695		2.73	0.042	0.039	<0.5	7.75	<5	50	<0.5	<2	8.98	<0.5	44	279	39	7.83
180696 DUP		<0.02	0.116	0.050	<0.5	7.38	<5	50	<0.5	<2	8.69	<0.5	44	275	42	7.56
180697		0.11	<0.005		<0.5	6.39	<5	500	1.3	<2	0.99	<0.5	3	11	5	1.53
180698		2.73	0.112		<0.5	7.48	<5	80	<0.5	<2	8.77	<0.5	43	274	13	7.62
180699		2.48	0.038		<0.5	7.61	<5	60	<0.5	<2	8.29	<0.5	44	273	12	7.60
180700		2.56	0.037		<0.5	7.53	<5	110	0.8	<2	6.09	<0.5	50	220	36	6.90
180701		2.75	1.105		<0.5	8.01	<5	150	<0.5	<2	6.63	<0.5	50	198	57	6.94
180702		2.60	0.014		<0.5	8.51	<5	240	0.5	<2	3.77	<0.5	14	35	30	4.10
180703		2.42	0.007		<0.5	7.71	<5	100	<0.5	<2	7.53	<0.5	38	253	23	7.32
180704		2.55	0.009		<0.5	7.31	<5	50	<0.5	<2	8.69	<0.5	41	262	19	7.35
180705		2.62	<0.005		<0.5	7.62	<5	50	<0.5	<2	7.94	<0.5	45	283	14	7.54
180706 DUP		<0.02	<0.005		<0.5	7.75	<5	50	<0.5	<2	8.02	<0.5	45	271	12	7.64
180707		0.12	0.008		<0.5	6.73	<5	550	0.9	<2	1.04	<0.5	2	14	4	1.62
180708		2.69	0.165		<0.5	8.01	<5	50	<0.5	<2	8.58	<0.5	49	302	153	8.14
180709		2.52	0.039		<0.5	7.63	5	50	<0.5	<2	7.95	<0.5	41	280	5	7.50
180710		2.65	0.010		<0.5	7.16	<5	40	<0.5	<2	8.57	<0.5	46	306	3	7.18
180711		2.62	0.033		<0.5	7.41	<5	70	<0.5	<2	8.97	<0.5	34	236	9	7.12
180712		2.65	0.021		<0.5	6.60	<5	70	<0.5	<2	10.85	<0.5	37	238	19	6.67
180713		3.25	0.020		<0.5	7.96	<5	200	0.5	<2	5.97	<0.5	26	175	16	5.75
180714		1.97	0.041		<0.5	7.67	<5	50	<0.5	<2	9.28	<0.5	44	271	8	7.68
180715		2.62	0.091		<0.5	7.90	<5	120	<0.5	<2	6.98	<0.5	38	226	321	5.82
180716		0.06	1.800		18.0	7.83	<5	50	3.2	<2	0.33	<0.5	1	4	5	2.69
180717		2.67	0.011		<0.5	7.70	<5	40	<0.5	<2	8.82	<0.5	44	293	18	7.46
180718		2.75	0.065		<0.5	7.37	<5	110	<0.5	<2	6.67	<0.5	41	281	12	6.81
180719		2.83	0.059		<0.5	6.87	<5	30	<0.5	<2	6.35	<0.5	59	531	23	8.62
180720		2.86	0.016		<0.5	6.18	<5	20	<0.5	<2	5.97	<0.5	78	720	38	9.03



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 8-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035941

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
180681		0.49	4.58	1285	<1	1.41	143	230	<2	0.17	<5	141	0.35	212	<10	61
180682		0.50	4.18	1280	<1	1.55	115	320	<2	0.10	<5	140	0.38	201	<10	59
180683		0.99	3.20	1140	1	1.66	107	200	<2	0.37	<5	130	0.29	154	<10	55
180684		1.15	1.79	552	<1	3.06	54	190	<2	0.04	<5	203	0.16	77	<10	42
180685		0.63	3.87	1260	<1	1.80	95	520	<2	0.10	<5	188	0.46	191	<10	94
180686		0.19	0.07	34	1	7.3	2	640	110	2.75	<5	22	0.01	2	<10	17
180687		0.60	5.06	1280	<1	1.25	127	230	<2	0.04	<5	109	0.35	220	10	57
180688		0.71	5.35	1345	<1	1.61	132	250	<2	0.04	<5	100	0.37	233	<10	59
180689		0.63	5.32	1325	<1	1.30	138	240	<2	0.03	<5	123	0.38	236	10	58
180690		0.68	7.28	1315	<1	1.03	224	240	11	0.02	<5	73	0.34	218	10	73
180691		0.55	5.06	1185	<1	1.69	89	580	5	0.14	<5	250	0.47	239	<10	67
180692		0.44	5.21	1345	<1	1.49	125	270	3	0.05	<5	132	0.37	237	<10	54
180693		0.60	5.33	1295	<1	1.68	132	250	<2	0.01	<5	140	0.37	236	<10	54
180694		0.59	5.03	1245	<1	1.53	125	240	<2	0.02	<5	140	0.36	227	<10	54
180695		0.57	5.22	1340	<1	1.42	133	250	2	0.07	<5	137	0.39	242	<10	61
180696 DUP		0.56	4.99	1295	<1	1.32	129	240	3	0.08	<5	129	0.38	235	<10	60
180697		4.48	0.26	148	<1	2.01	5	160	28	<0.01	<5	143	0.09	13	<10	32
180698		0.73	5.08	1300	<1	1.56	126	240	<2	0.02	<5	137	0.36	231	<10	53
180699		0.56	5.54	1305	<1	1.34	136	250	<2	0.02	<5	142	0.38	235	130	62
180700		0.70	4.29	1055	<1	2.03	142	1520	2	0.17	<5	386	0.77	232	<10	123
180701		0.85	3.90	1110	<1	2.05	96	470	<2	0.41	<5	214	0.41	195	<10	80
180702		0.70	1.28	606	<1	3.58	25	590	3	0.14	<5	286	0.34	93	<10	71
180703		0.62	4.67	1245	<1	1.65	116	360	2	0.07	<5	174	0.42	227	<10	78
180704		0.53	5.26	1235	<1	1.33	126	260	<2	0.07	<5	114	0.36	225	<10	56
180705		0.45	5.47	1245	<1	1.53	144	320	<2	0.05	<5	149	0.40	234	<10	57
180706 DUP		0.45	5.60	1260	<1	1.59	143	320	<2	0.04	<5	148	0.39	234	<10	56
180707		4.61	0.28	155	<1	2.12	6	160	31	0.01	<5	154	0.09	12	<10	29
180708		0.46	5.51	1330	<1	1.46	142	260	<2	0.20	<5	126	0.39	245	<10	58
180709		0.49	5.53	1250	<1	1.48	136	240	<2	0.01	<5	114	0.37	233	<10	54
180710		0.40	4.94	1240	<1	1.43	139	240	3	0.01	<5	130	0.39	245	<10	59
180711		0.56	5.01	1330	<1	1.35	118	260	<2	0.02	<5	134	0.34	206	10	55
180712		0.71	4.62	1270	<1	1.11	118	220	<2	0.03	<5	116	0.33	210	<10	54
180713		1.03	3.13	936	<1	2.27	69	430	2	0.03	<5	162	0.35	168	<10	62
180714		0.41	5.37	1260	<1	1.54	139	240	<2	0.01	<5	162	0.37	231	<10	54
180715		0.55	3.75	972	<1	2.20	109	240	<2	0.09	<5	158	0.30	178	<10	50
180716		0.19	0.06	102	<1	6.6	4	610	110	2.88	<5	18	0.01	3	<10	23
180717		0.46	4.77	1270	<1	1.38	127	240	<2	0.02	<5	128	0.38	235	<10	52
180718		1.00	5.09	1180	<1	1.48	145	210	<2	0.03	<5	90	0.32	204	20	55
180719		0.51	8.87	1455	<1	0.84	288	230	<2	0.08	<5	74	0.32	208	<10	76
180720		0.43	11.60	1495	<1	0.43	428	240	<2	0.01	<5	62	0.28	187	<10	71





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 8-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035941

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
180721		2.49	0.030		<0.5	5.24	<5	<10	<0.5	<2	5.54	<0.5	85	700	47	8.52
180722		2.54	0.856		<0.5	6.31	<5	70	<0.5	<2	5.93	<0.5	72	565	105	9.28
180723		2.83	0.017		<0.5	8.33	<5	110	<0.5	<2	6.41	<0.5	41	223	66	6.78
180724		2.83	0.007		<0.5	8.62	<5	50	<0.5	<2	7.80	<0.5	42	258	108	6.98
180725		2.46	0.110		0.7	7.62	8	180	0.5	<2	5.73	<0.5	36	109	166	5.87
180726 DUP		<0.02	0.119		<0.5	8.06	<5	200	0.5	<2	5.95	<0.5	36	103	160	6.21
180727		0.14	<0.005		<0.5	7.53	<5	620	0.9	<2	1.08	<0.5	1	8	5	1.58
180728		2.50	0.144		<0.5	8.58	<5	140	<0.5	<2	6.63	<0.5	42	142	144	6.97
180729		2.39	0.018		<0.5	7.28	<5	90	<0.5	<2	5.81	<0.5	40	123	95	7.85
180730		2.61	0.923		0.5	8.13	<5	180	0.6	<2	5.66	<0.5	38	127	87	7.02
180731		2.67	0.047		<0.5	8.43	<5	240	<0.5	<2	6.41	<0.5	35	112	69	7.04
180732		2.94	0.048		<0.5	8.00	<5	300	<0.5	<2	5.52	<0.5	37	140	101	6.94
180733		1.74	0.074		<0.5	7.89	<5	260	0.5	<2	4.72	<0.5	29	104	128	6.40
180734		2.25	0.178		<0.5	7.84	8	300	0.5	<2	4.74	<0.5	34	91	207	6.38
180735		2.38	0.086		<0.5	7.66	<5	200	<0.5	<2	6.18	<0.5	38	132	180	7.91
180736		0.06	0.968		10.7	7.88	<5	50	3.2	<2	0.32	<0.5	1	4	7	2.80
180737		2.53	0.062		<0.5	8.28	<5	180	<0.5	<2	6.86	<0.5	38	132	153	7.26
180738		2.66	0.221		<0.5	7.40	<5	130	<0.5	<2	6.77	<0.5	44	126	223	7.49
180739		2.47	0.071		<0.5	7.82	<5	120	<0.5	<2	6.37	<0.5	38	121	63	7.03
180740		2.24	0.046		<0.5	7.76	<5	260	0.6	<2	4.00	<0.5	24	84	20	5.41
180741		2.12	0.054		<0.5	8.09	<5	170	<0.5	<2	5.53	<0.5	34	120	36	7.47
180742		2.02	0.034		<0.5	7.64	<5	210	<0.5	<2	6.61	<0.5	36	118	64	6.50
180743		2.75	0.468		<0.5	7.23	<5	310	0.5	<2	3.64	<0.5	69	79	335	6.84
180744		2.87	0.116		<0.5	8.02	<5	150	<0.5	<2	6.88	<0.5	63	131	267	7.78
180745		0.06	1.830		20.9	8.55	<5	60	3.3	<2	0.36	<0.5	1	3	5	2.78
180746		2.58	0.049		<0.5	8.10	<5	170	<0.5	<2	6.39	<0.5	49	192	240	7.03
180747		2.44	0.240		<0.5	8.16	<5	250	0.7	<2	4.70	<0.5	19	42	144	5.36
180748		2.71	1.120		1.8	7.46	<5	160	<0.5	<2	6.13	<0.5	58	99	1050	7.29
180749		2.60	0.048		<0.5	8.48	5	210	0.5	<2	6.64	<0.5	32	104	120	6.98
180750		2.71	0.024		<0.5	7.77	<5	190	<0.5	<2	7.01	<0.5	41	120	252	7.15
180751		2.39	0.067		<0.5	8.26	<5	290	<0.5	<2	5.68	<0.5	25	97	62	6.00
180752		1.24	2.19		1.0	7.07	<5	200	<0.5	<2	5.73	<0.5	33	130	1085	6.93
180753 DUP		<0.02	2.85		1.1	7.31	<5	200	<0.5	<2	5.94	<0.5	29	116	1045	7.19
180754		0.12	<0.005		<0.5	7.24	<5	590	1.0	<2	1.10	<0.5	2	8	7	1.74
180755		1.25	0.024		<0.5	8.45	<5	170	<0.5	<2	6.49	<0.5	31	120	77	7.21
180756		2.71	0.130		<0.5	8.01	<5	190	<0.5	<2	6.42	<0.5	34	136	117	6.85
180757		2.44	0.712		<0.5	7.78	<5	200	<0.5	<2	6.03	<0.5	33	170	82	6.44
180758		2.54	0.921		<0.5	8.37	<5	190	0.5	<2	6.10	<0.5	42	133	197	7.32
180759		2.50	0.363		<0.5	7.57	<5	200	<0.5	<2	6.32	<0.5	41	155	217	6.40
180760		2.28	0.643		<0.5	7.63	<5	230	<0.5	<2	5.90	2.5	39	136	341	6.67



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 8-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035941

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
180721		0.11	11.70	1375	<1	0.32	466	180	<2	0.11	<5	25	0.23	174	<10	72
180722		0.60	10.90	1545	<1	0.45	376	190	<2	0.16	<5	70	0.27	184	<10	71
180723		0.80	4.86	1155	<1	1.52	108	520	4	0.05	<5	148	0.39	179	<10	74
180724		0.32	4.87	1240	<1	1.13	95	240	2	0.18	<5	94	0.35	216	<10	108
180725		1.23	2.34	1055	<1	1.28	64	500	2	0.53	<5	133	0.45	186	10	66
180726 DUP		1.26	2.43	1105	<1	1.40	62	550	2	0.56	<5	143	0.45	180	10	64
180727		4.61	0.30	157	<1	2.36	4	180	36	0.01	<5	164	0.09	11	<10	28
180728		1.10	2.98	1245	<1	1.29	81	400	<2	0.62	<5	130	0.47	219	<10	58
180729		0.74	3.30	1190	<1	1.38	94	630	<2	0.40	<5	183	0.60	198	<10	106
180730		1.06	2.94	1175	<1	1.74	79	590	<2	0.38	<5	181	0.56	202	<10	93
180731		1.72	3.18	1265	<1	0.94	73	460	<2	0.35	<5	134	0.45	210	<10	89
180732		2.11	3.34	1180	<1	0.91	77	360	<2	0.38	<5	123	0.45	210	10	87
180733		1.42	2.75	1145	<1	1.59	62	460	18	0.48	<5	152	0.43	182	<10	115
180734		1.48	2.45	1080	<1	1.47	56	570	7	0.92	<5	160	0.44	159	<10	62
180735		1.56	3.65	1405	<1	0.86	80	370	<2	0.74	<5	99	0.43	216	10	69
180736		0.19	0.06	32	<1	6.7	3	610	117	2.94	<5	18	0.01	2	<10	17
180737		1.84	3.42	1360	<1	1.00	78	390	2	0.69	<5	110	0.44	216	<10	60
180738		1.20	3.35	1305	<1	1.04	73	360	3	0.68	<5	90	0.42	203	10	65
180739		0.98	3.59	1135	<1	1.27	81	380	<2	0.21	<5	116	0.44	212	<10	54
180740		0.98	2.71	1010	<1	2.42	46	270	<2	0.14	<5	122	0.33	141	<10	60
180741		1.29	4.30	1155	<1	1.47	78	380	<2	0.19	<5	129	0.44	215	10	97
180742		1.25	3.38	1085	<1	1.56	69	350	2	0.38	<5	188	0.41	209	<10	67
180743		1.83	2.34	875	<1	1.64	52	520	4	1.42	<5	172	0.42	162	<10	67
180744		1.26	3.39	1210	<1	1.31	90	390	<2	0.89	<5	128	0.44	213	10	62
180745		0.20	0.07	112	<1	7.1	5	660	112	2.87	<5	19	0.02	3	<10	18
180746		1.34	3.95	1060	<1	1.71	100	390	<2	0.49	<5	149	0.43	212	10	61
180747		1.52	1.81	912	<1	2.05	26	750	<2	0.25	<5	174	0.48	147	10	55
180748		1.22	2.94	1125	<1	1.36	68	440	2	0.97	<5	127	0.41	178	<10	74
180749		1.49	3.20	1270	<1	1.67	65	480	3	0.29	<5	150	0.45	200	10	78
180750		1.52	3.49	1140	<1	1.29	75	370	<2	0.42	<5	131	0.42	204	<10	67
180751		1.60	3.07	926	<1	2.00	60	350	<2	0.14	<5	141	0.38	174	<10	58
180752		1.76	3.44	1150	<1	1.04	76	320	<2	0.55	<5	97	0.42	219	10	77
180753 DUP		1.71	3.56	1190	<1	1.07	71	320	3	0.58	<5	99	0.39	210	10	74
180754		4.41	0.29	168	<1	2.27	4	180	32	0.01	<5	164	0.09	11	<10	29
180755		1.26	3.82	1220	<1	1.51	76	400	<2	0.15	<5	124	0.47	224	30	70
180756		1.34	3.80	1220	<1	1.62	81	380	<2	0.24	<5	143	0.41	201	10	60
180757		1.26	3.81	1095	<1	1.58	93	380	8	0.27	<5	162	0.41	191	10	64
180758		2.18	3.53	1305	<1	1.20	79	400	12	1.28	<5	112	0.44	217	10	92
180759		1.58	3.33	1050	<1	1.30	75	370	11	0.42	<5	129	0.41	194	<10	161
180760		1.94	3.07	1090	<1	1.42	75	360	14	0.73	<5	134	0.41	196	10	426



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 10-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06035942

Project: BLOCK A

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 26-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 10-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06035942**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180761		2.31	0.074			<0.5	7.16	8	270	<0.5	<2	5.90	<0.5	30	131	17
180762		2.19	0.281			<0.5	6.94	9	370	<0.5	3	5.18	<0.5	27	150	34
180763		2.35	0.082			<0.5	6.91	8	480	0.8	<2	2.48	<0.5	13	62	51
180764		2.25	1.600			<0.5	5.02	5	50	<0.5	3	5.21	<0.5	49	1070	53
180765		2.56	0.108			<0.5	7.33	9	270	0.6	<2	4.67	<0.5	31	458	51
180766 DUP		<0.02	0.097			<0.5	7.44	<5	280	0.6	<2	4.72	<0.5	31	458	52
180767		0.19	0.005			<0.5	6.69	<5	550	0.9	<2	1.00	<0.5	2	17	5
180768		2.27	0.121			0.6	8.10	6	190	<0.5	2	5.53	<0.5	56	772	68
180769		2.79	0.022			<0.5	6.32	8	280	0.6	<2	5.68	0.5	41	725	18
180770		1.88	0.031			<0.5	6.66	8	200	<0.5	<2	6.72	<0.5	44	499	24
180771		1.91	0.301			<0.5	7.53	<5	70	<0.5	3	7.55	<0.5	36	203	4
180772		2.19	0.964			<0.5	7.96	10	80	<0.5	2	7.90	<0.5	37	245	3
180773		1.71	3.09			<0.5	3.40	<5	50	<0.5	<2	2.54	<0.5	20	166	37
180774		2.11	0.681			<0.5	7.16	<5	150	<0.5	<2	5.47	<0.5	31	204	21
180775		2.79	0.031			<0.5	8.33	6	320	0.7	<2	5.39	<0.5	25	75	28
180776		0.05	1.000			9.3	8.55	7	50	3.1	<2	0.34	<0.5	1	6	8
180777		2.61	0.203			<0.5	7.91	9	300	0.8	<2	4.29	<0.5	18	73	17
180778		1.93	0.021			<0.5	8.30	5	380	0.7	<2	2.77	<0.5	7	24	25
180779		3.40	0.457			<0.5	8.93	<5	130	<0.5	<2	6.89	<0.5	39	314	74
180780		2.69	2.72			<0.5	8.37	<5	100	<0.5	4	7.08	<0.5	44	682	10
180781		3.09	3.46			<0.5	5.40	7	100	<0.5	<2	5.55	<0.5	49	926	29
180782		1.33	>10.0		22.4	2.3	4.88	7	140	<0.5	6	2.39	0.8	43	791	256
180783 DUP		<0.02	>10.0		27.4	1.7	4.86	<5	140	<0.5	8	2.34	0.7	41	761	259
180784		0.11	0.347	0.353		<0.5	6.92	<5	530	0.9	<2	1.17	<0.5	4	38	14
180785		1.81	0.098			<0.5	7.17	8	360	0.7	<2	4.10	<0.5	26	401	30
180786		2.78	0.152			<0.5	6.22	<5	160	<0.5	2	5.01	<0.5	44	771	15
180787		2.29	0.406			<0.5	5.86	13	200	<0.5	2	5.05	<0.5	50	940	37
180788		2.58	3.17			<0.5	5.37	<5	90	<0.5	4	5.52	<0.5	51	967	24
180789		2.21	0.565			<0.5	6.17	<5	180	<0.5	<2	5.07	<0.5	45	779	58
180790		2.95	0.323			<0.5	6.55	7	370	<0.5	<2	4.95	<0.5	34	449	51
180791		2.65	0.055			<0.5	7.08	15	200	<0.5	<2	7.33	<0.5	39	395	26
180792		2.98	0.052			<0.5	6.50	6	160	<0.5	2	8.39	<0.5	42	312	32
180793		2.82	0.018			<0.5	6.69	6	80	<0.5	<2	7.89	<0.5	41	285	19
180794		2.98	0.586			<0.5	7.01	<5	130	<0.5	<2	6.59	<0.5	40	313	10
180795		3.02	0.134			<0.5	7.16	<5	160	0.5	<2	5.51	<0.5	35	292	26
180796		0.05	1.835			18.2	8.32	9	50	3.1	<2	0.35	<0.5	1	5	5
180797		2.44	0.034			<0.5	7.31	9	200	<0.5	<2	6.24	<0.5	36	287	86
180798		2.85	0.044			<0.5	6.97	12	60	<0.5	<2	8.02	<0.5	40	322	32
180799		3.12	0.088			<0.5	7.44	<5	200	<0.5	2	6.37	<0.5	30	244	13
180800		2.03	0.026			<0.5	7.81	8	280	<0.5	<2	4.94	<0.5	19	160	19



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035942

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
180761		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180762		6.55	1.48	3.70	1035	1	1.62	74	370	2	0.07	<5	142	0.42	193	<10
180763		6.65	1.79	4.16	1095	1	2.05	90	360	21	0.21	<5	127	0.40	188	<10
180764		3.45	1.52	1.38	562	<1	2.84	34	360	36	0.23	<5	139	0.25	75	<10
180765		8.58	0.62	9.09	1305	3	0.52	502	220	10	0.45	<5	30	0.25	146	<10
180765		6.34	1.06	4.67	985	<1	1.86	207	600	16	0.26	<5	192	0.36	125	<10
180766 DUP		6.46	1.06	4.66	987	1	1.89	206	600	18	0.27	<5	199	0.37	128	<10
180767		1.84	4.03	0.26	163	11	2.10	5	170	33	0.01	<5	156	0.08	9	<10
180768		7.57	1.00	8.87	1275	1	0.80	394	420	20	0.33	<5	154	0.28	152	<10
180769		6.28	1.32	7.27	1145	3	1.06	258	480	32	0.18	<5	229	0.25	158	<10
180770		7.09	1.15	6.63	1310	<1	1.07	190	430	2	0.07	<5	191	0.32	192	20
180771		7.36	0.56	5.04	1400	<1	1.38	79	260	<2	0.01	<5	127	0.39	226	<10
180772		7.65	0.72	5.29	1425	<1	1.37	85	260	<2	0.01	<5	137	0.40	233	10
180773		4.43	0.48	2.43	617	<1	0.72	94	150	2	0.16	<5	33	0.17	94	100
180774		7.15	1.22	4.29	1145	<1	1.44	132	390	4	0.10	<5	121	0.37	171	420
180775		5.88	1.09	2.69	978	<1	2.05	33	740	5	0.10	<5	305	0.46	159	10
180776		2.81	0.18	0.07	34	<1	6.8	3	610	116	2.80	<5	22	0.01	2	<10
180777		5.21	1.32	1.73	822	1	2.34	22	920	8	0.15	<5	159	0.49	114	<10
180778		2.13	1.21	0.67	301	<1	3.37	7	470	20	0.11	<5	274	0.22	36	<10
180779		7.62	1.10	5.08	1450	<1	1.04	124	240	19	0.51	<5	127	0.36	211	<10
180780		7.77	1.08	6.28	1505	<1	0.80	230	220	<2	0.07	<5	114	0.32	193	10
180781		6.33	1.47	8.38	1410	1	0.43	455	220	10	0.16	<5	51	0.27	157	10
180782		7.53	1.83	6.14	908	3	0.44	324	220	36	0.62	<5	59	0.21	118	50
180783 DUP		7.25	1.80	5.96	879	3	0.47	316	210	32	0.60	<5	65	0.21	114	40
180784		2.18	3.87	0.42	205	1	2.15	11	190	33	0.01	<5	157	0.09	16	<10
180785		5.93	1.69	3.49	934	<1	1.17	173	680	2	0.17	<5	178	0.42	134	<10
180786		7.02	0.73	7.69	1225	<1	0.84	427	420	2	0.12	<5	87	0.31	143	<10
180787		6.89	0.92	8.35	1180	1	0.73	501	360	<2	0.17	<5	121	0.29	142	<10
180788		7.61	0.50	9.14	1230	<1	0.67	555	280	2	0.12	<5	79	0.28	154	<10
180789		6.86	0.67	7.40	1100	<1	1.16	439	520	3	0.37	<5	290	0.32	131	<10
180790		5.54	1.90	5.09	960	<1	1.93	217	510	<2	0.15	<5	156	0.31	133	<10
180791		7.41	1.39	4.68	1355	<1	1.72	155	230	<2	0.04	<5	155	0.35	203	10
180792		7.17	1.08	4.27	1260	<1	1.41	122	220	<2	0.05	<5	154	0.34	199	<10
180793		6.93	0.54	4.08	1165	<1	1.50	114	270	18	0.05	<5	148	0.37	202	<10
180794		6.99	0.76	5.32	1205	<1	1.63	128	280	4	0.04	<5	129	0.35	193	<10
180795		5.88	0.84	4.36	984	<1	2.13	121	650	10	0.12	<5	254	0.35	156	<10
180796		2.81	0.18	0.06	108	<1	6.8	4	620	120	2.84	<5	22	0.01	2	<10
180797		6.53	0.87	3.93	1115	<1	1.96	125	220	3	0.12	<5	150	0.30	178	10
180798		7.57	0.51	4.89	1335	<1	1.32	129	230	3	0.08	<5	121	0.35	209	10
180799		5.81	0.78	3.76	998	<1	2.04	92	220	<2	0.03	<5	162	0.27	155	<10
180800		4.39	0.78	2.47	766	<1	2.73	57	290	2	0.09	<5	242	0.26	112	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS V006035942

Sample Description	Method Analyte Units LOR	ME-CP61 Zn ppm 2
180761		101
180762		92
180763		157
180764		154
180765		114
180766 DUP		115
180767		28
180768		140
180769		226
180770		77
180771		62
180772		75
180773		58
180774		69
180775		77
180776		16
180777		69
180778		98
180779		113
180780		108
180781		192
180782		363
180783 DUP		348
180784		36
180785		72
180786		87
180787		95
180788		93
180789		81
180790		64
180791		74
180792		57
180793		96
180794		74
180795		192
180796		18
180797		75
180798		62
180799		58
180800		67



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 10-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035942

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
180801		2.98	0.028			<0.5	7.88	<5	100	<0.5	<2	7.84	<0.5	40	291	13
180802		2.74	0.036			<0.5	7.59	<5	100	<0.5	<2	7.78	<0.5	43	314	22
180803		2.48	0.023			<0.5	7.91	7	110	<0.5	<2	7.10	<0.5	40	257	37
180804		2.41	<0.005			<0.5	7.26	<5	80	<0.5	<2	8.15	<0.5	45	308	9
180805		2.77	0.005			<0.5	7.89	<5	100	<0.5	<2	6.62	<0.5	34	246	15
180806 DUP		<0.02	0.005			<0.5	8.22	<5	100	<0.5	<2	6.78	<0.5	38	278	15
180807		0.09	<0.005			<0.5	6.98	<5	540	0.9	<2	1.02	<0.5	<1	17	6
180808		2.59	0.015			<0.5	6.94	<5	50	<0.5	<2	7.68	<0.5	38	298	15
180809		2.88	0.009			<0.5	7.69	<5	90	<0.5	<2	8.76	<0.5	44	301	7
180810		3.77	0.209			<0.5	6.98	<5	70	<0.5	<2	7.62	<0.5	38	293	17
180811		2.38	0.064			<0.5	7.52	<5	130	0.5	<2	4.67	<0.5	25	157	23
180812		3.06	0.406			0.6	7.35	<5	100	<0.5	<2	6.39	<0.5	36	283	454
180813		3.02	0.221			<0.5	6.78	<5	100	<0.5	2	8.79	<0.5	33	252	55
180814		2.59	0.148			<0.5	7.10	6	120	<0.5	2	7.74	<0.5	42	294	234
180815		2.52	0.172			<0.5	5.55	<5	10	<0.5	<2	5.96	<0.5	75	729	22
180816		0.05	0.996			10.2	8.43	<5	60	3.1	<2	0.35	<0.5	2	6	8
180817		2.46	0.032			<0.5	7.98	9	130	<0.5	<2	6.44	<0.5	42	270	37
180818		2.53	0.009			<0.5	8.48	<5	70	<0.5	2	7.61	<0.5	39	294	87
180819		2.59	0.009			<0.5	8.26	<5	80	<0.5	<2	6.35	<0.5	36	227	96
180820		2.72	0.013			<0.5	7.08	<5	120	<0.5	2	5.49	<0.5	30	167	116
180821		2.75	0.015			<0.5	7.87	<5	90	<0.5	<2	6.33	<0.5	37	73	176
180822		2.87	0.055			<0.5	7.68	<5	60	<0.5	<2	7.17	<0.5	41	45	464
180823		2.40	0.056			<0.5	7.86	10	90	<0.5	<2	7.06	<0.5	42	163	69
180824		2.65	0.530			<0.5	7.96	12	60	<0.5	<2	7.48	<0.5	36	186	31
180825		2.73	0.141			<0.5	8.02	<5	60	<0.5	<2	7.57	<0.5	38	189	22
180826 DUP		<0.02	0.060			<0.5	7.58	<5	60	<0.5	2	7.24	<0.5	37	195	26
180827		0.13	<0.005			<0.5	6.59	<5	550	0.8	<2	1.06	<0.5	2	13	9
180828		3.18	0.229			<0.5	7.45	8	110	<0.5	<2	7.59	<0.5	42	207	471
180829		1.78	0.686			<0.5	5.95	<5	420	1.0	<2	1.19	<0.5	3	8	92
180830		2.38	0.308			<0.5	6.16	8	500	1.1	<2	1.25	<0.5	3	7	156
180831		2.48	0.461			<0.5	6.70	6	360	0.7	<2	3.55	<0.5	20	32	355
180832		2.71	0.133			0.7	7.17	9	180	0.5	<2	5.67	<0.5	66	31	1420
180833		2.38	0.204			<0.5	7.49	<5	110	<0.5	<2	6.40	<0.5	51	29	388
180834		2.69	0.128			<0.5	7.57	<5	160	<0.5	2	5.86	<0.5	39	28	223
180835		2.44	0.078			<0.5	7.35	<5	130	<0.5	<2	5.93	0.8	43	24	156
180836		0.05	1.810			17.8	7.64	6	60	2.9	<2	0.32	<0.5	2	4	6
180837		2.54	0.036			0.7	7.32	<5	70	<0.5	2	5.26	1.1	39	52	162
180838		3.02	0.011			<0.5	7.38	5	70	<0.5	<2	4.95	<0.5	36	27	72
180839		2.64	0.160			0.9	7.21	<5	80	<0.5	2	5.71	<0.5	48	27	222
180840		2.70	0.204			<0.5	7.44	<5	40	<0.5	<2	5.95	1.2	32	28	131



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035942

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
180801		7.36	0.60	4.95	1280	<1	1.64	122	230	12	0.05	<5	155	0.37	216	<10
180802		7.84	0.66	5.21	1330	<1	1.61	125	240	5	0.09	<5	169	0.38	224	10
180803		7.78	0.58	4.72	1295	<1	1.91	106	430	9	0.23	5	234	0.45	208	<10
180804		7.63	0.50	5.18	1310	<1	1.45	127	230	10	0.02	<5	161	0.38	224	<10
180805		6.22	0.43	4.21	1065	<1	2.15	99	330	12	0.07	<5	217	0.34	177	<10
180808 DUP		6.37	0.47	4.25	1085	<1	2.28	106	320	14	0.07	<5	222	0.36	192	<10
180807		1.60	4.01	0.26	154	<1	2.16	5	180	39	0.01	<5	156	0.09	11	<10
180808		6.94	0.36	4.74	1200	<1	1.20	116	230	12	0.02	<5	127	0.35	204	<10
180809		7.67	0.54	5.28	1340	<1	1.34	131	270	12	0.01	5	141	0.39	224	<10
180810		6.88	0.51	4.77	1195	<1	1.70	116	230	<2	0.02	<5	137	0.33	195	<10
180811		5.52	0.77	2.83	928	<1	2.67	62	470	<2	0.07	<5	188	0.35	146	<10
180812		6.49	0.59	3.93	1120	<1	2.48	102	240	14	0.11	<5	151	0.32	185	<10
180813		6.66	0.87	4.34	1255	<1	1.31	110	200	<2	0.07	<5	57	0.31	179	<10
180814		7.71	0.96	4.55	1285	<1	1.73	128	400	15	1.18	<5	81	0.42	199	10
180815		8.80	0.15	11.10	1495	<1	0.34	407	190	2	0.09	<5	33	0.25	171	<10
180816		2.82	0.18	0.07	33	<1	6.9	2	610	114	2.80	<5	23	0.01	1	<10
180817		6.85	1.13	5.46	1175	<1	1.16	128	190	<2	0.16	<5	89	0.30	186	<10
180818		7.45	0.71	4.77	1310	<1	1.61	66	220	4	0.08	<5	119	0.34	220	<10
180819		7.32	0.70	3.99	1290	<1	1.86	53	530	2	0.14	<5	170	0.44	206	<10
180820		6.20	0.99	3.54	1075	<1	1.59	41	220	4	0.08	<5	105	0.32	189	10
180821		7.80	0.72	3.76	1195	<1	2.12	58	620	5	0.18	<5	228	0.51	215	<10
180822		8.17	0.53	3.70	1290	<1	1.44	35	360	3	0.19	<5	113	0.50	273	50
180823		7.96	0.91	4.54	1250	<1	1.59	47	260	<2	0.04	<5	109	0.42	254	<10
180824		7.47	0.83	4.55	1230	<1	1.38	54	280	<2	0.02	<5	105	0.42	250	<10
180825		7.46	0.79	4.78	1200	<1	1.32	60	260	<2	0.01	<5	104	0.41	243	<10
180828 DUP		7.24	0.77	4.60	1160	<1	1.26	58	260	<2	0.01	<5	100	0.40	237	<10
180827		2.08	4.02	0.27	184	1	2.09	5	170	36	0.01	<5	160	0.08	11	<10
180828		7.50	1.02	4.40	1325	<1	0.96	58	250	5	0.29	<5	98	0.39	229	10
180829		1.78	1.24	0.10	408	1	2.80	1	70	4	0.45	<5	87	0.08	1	<10
180830		1.74	1.56	0.10	367	1	2.81	1	70	12	0.61	<5	90	0.08	1	<10
180831		4.40	1.37	1.28	851	1	1.68	23	190	12	0.80	<5	108	0.24	97	10
180832		8.72	1.12	2.52	1270	1	1.40	64	450	4	1.64	<5	140	0.48	218	10
180833		8.79	0.77	3.32	1290	<1	1.42	37	410	<2	0.56	<5	113	0.54	268	10
180834		9.03	0.95	3.49	1295	<1	1.70	33	410	2	0.81	<5	122	0.52	258	<10
180835		8.70	0.97	3.33	1385	<1	1.79	35	410	165	0.56	<5	133	0.55	272	<10
180836		2.84	0.17	0.06	100	<1	8.4	3	570	120	2.88	<5	20	0.01	2	<10
180837		8.05	0.61	3.64	1435	<1	2.69	47	420	158	0.31	<5	112	0.53	264	<10
180838		8.04	0.53	3.49	1465	<1	2.82	39	390	25	0.09	<5	106	0.53	269	<10
180839		9.98	0.50	3.51	1845	<1	2.29	36	390	38	1.17	<5	118	0.52	269	10
180840		8.57	0.35	3.32	1860	<1	3.30	40	460	251	0.25	<5	82	0.54	268	10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035942

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180801		63
180802		59
180803		62
180804		57
180805		63
180806 DUP		73
180807		28
180808		55
180809		58
180810		52
180811		60
180812		57
180813		70
180814		75
180815		128
180816		17
180817		97
180818		69
180819		92
180820		70
180821		92
180822		86
180823		63
180824		59
180825		54
180826 DUP		55
180827		30
180828		79
180829		30
180830		12
180831		44
180832		100
180833		72
180834		56
180835		379
180836		19
180837		412
180838		120
180839		138
180840		350



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 10-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035942

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
180841		2.70	0.022			<0.5	7.52	<5	40	<0.5	<2	6.00	2.2	34	59	124
180842		2.96	0.030			0.5	7.26	<5	110	<0.5	<2	6.19	0.9	43	65	213
180843		2.65	0.014			<0.5	7.62	<5	130	<0.5	<2	6.66	<0.5	43	67	122
180844		2.81	0.044			<0.5	7.60	<5	130	<0.5	<2	6.30	<0.5	39	65	106
180845		2.50	0.029			<0.5	7.54	<5	90	<0.5	<2	6.92	<0.5	40	67	65
180846 DUP		<0.02	0.059			<0.5	7.71	<5	90	<0.5	<2	7.04	<0.5	41	67	69
180847		0.09	<0.005			<0.5	6.97	<5	530	0.9	<2	1.02	<0.5	1	9	4
180848		2.76	0.009			<0.5	7.56	<5	120	<0.5	<2	6.95	<0.5	42	88	92
180849		2.56	0.014			<0.5	7.63	<5	210	<0.5	2	6.48	0.6	41	75	106
180850		2.90	0.013			<0.5	7.68	<5	80	<0.5	<2	6.13	0.5	41	80	101
180851		2.35	0.012			<0.5	7.73	<5	160	<0.5	<2	6.45	<0.5	44	122	99
180852		2.61	0.029			<0.5	7.27	<5	140	<0.5	3	6.73	<0.5	41	75	420
180853		2.25	0.020			<0.5	8.11	<5	150	<0.5	<2	6.93	0.8	42	180	90
180854		1.84	0.010			<0.5	7.51	<5	160	<0.5	3	6.08	<0.5	41	63	97
180855		2.46	0.026			<0.5	6.82	<5	290	0.7	<2	3.85	<0.5	16	25	58
180856		0.05	0.991			10.6	8.48	<5	40	3.1	<2	0.32	<0.5	<1	3	7
180857		2.69	0.027			<0.5	7.52	<5	90	<0.5	<2	6.63	<0.5	41	314	98
180858		2.61	0.021			<0.5	7.57	<5	130	<0.5	3	6.61	<0.5	37	72	156
180859		2.54	0.015			0.8	8.01	<5	120	<0.5	<2	6.79	<0.5	38	96	96
180860		2.69	0.010			<0.5	7.17	<5	110	<0.5	<2	6.95	0.7	42	190	104
180861		2.67	0.007			<0.5	7.83	<5	130	<0.5	<2	6.32	0.5	37	50	91
180862		2.87	0.008			0.6	7.33	<5	150	<0.5	<2	6.47	<0.5	39	111	89
180863		2.69	0.005			<0.5	8.12	<5	130	0.5	<2	6.34	<0.5	39	97	69
180864		2.54	0.016			<0.5	7.48	<5	160	<0.5	<2	6.05	0.5	37	76	92
180865		2.81	0.015			<0.5	7.28	<5	110	<0.5	<2	5.97	<0.5	36	97	93
180866 DUP		<0.02	0.014			<0.5	7.21	<5	110	<0.5	2	5.77	<0.5	33	89	87
180867		0.20	<0.005			<0.5	6.96	<5	530	0.9	<2	0.95	<0.5	<1	9	5
180868		2.90	0.010			0.8	7.71	<5	170	<0.5	4	5.92	0.6	36	66	100
180869		2.62	<0.005			<0.5	7.52	<5	80	<0.5	<2	6.83	<0.5	40	87	107
180870		2.88	0.005			<0.5	7.25	<5	110	<0.5	<2	7.51	<0.5	46	292	104
180871		2.49	<0.005			<0.5	7.84	<5	150	<0.5	<2	6.64	0.8	41	89	82
180872		2.63	<0.005			0.5	7.79	<5	130	0.5	<2	5.85	<0.5	34	64	132
180873		2.59	0.009			<0.5	7.44	12	120	<0.5	<2	7.39	<0.5	37	73	75
180874		2.62	0.005			<0.5	7.77	6	70	<0.5	<2	7.84	<0.5	51	256	77
180875		1.71	<0.005			<0.5	8.01	11	130	<0.5	<2	9.07	<0.5	49	90	96
180876		0.07	1.795			19.3	8.39	<5	60	3.2	<2	0.33	<0.5	1	4	6
180877		3.63	0.005			<0.5	4.06	<5	60	<0.5	<2	10.90	<0.5	50	469	29
180878		2.74	<0.005			<0.5	0.79	10	<10	<0.5	<2	5.10	<0.5	79	2130	23
180879		2.71	<0.005			<0.5	2.69	<5	10	<0.5	<2	5.15	<0.5	79	5750	34
180880		2.93	0.148			<0.5	4.84	<5	<10	<0.5	<2	5.41	<0.5	54	1425	14



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 10-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035942

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180841		7.16	0.42	3.31	1515	<1	3.55	49	330	84	0.15	<5	76	0.43	227	<10
180842		8.00	0.63	3.42	1570	<1	1.87	58	330	98	0.65	<5	118	0.45	241	<10
180843		8.14	0.59	3.59	1645	<1	1.58	60	370	<2	0.34	<5	118	0.47	250	<10
180844		7.48	0.51	3.43	1540	<1	1.64	56	420	5	0.22	<5	126	0.47	241	<10
180845		7.57	0.33	3.54	1545	<1	1.46	59	350	<2	0.11	<5	104	0.47	249	<10
180846 DUP		7.72	0.34	3.63	1550	<1	1.50	57	350	3	0.11	<5	108	0.49	257	<10
180847		1.64	4.17	0.29	168	<1	2.23	4	170	34	0.01	<5	156	0.09	10	<10
180848		8.00	0.55	3.78	1740	<1	1.41	59	410	<2	0.31	<5	118	0.48	256	<10
180849		7.64	1.11	3.53	1580	<1	1.46	59	370	2	0.37	<5	128	0.48	249	<10
180850		7.79	0.27	4.31	1300	<1	1.80	66	360	<2	0.09	<5	135	0.45	245	<10
180851		7.84	0.61	3.89	1435	1	1.78	68	390	3	0.18	<5	130	0.46	244	<10
180852		8.98	0.56	3.55	1965	<1	1.32	58	360	3	0.56	<5	120	0.44	234	<10
180853		7.81	0.53	4.88	1590	<1	1.76	89	440	6	0.18	<5	210	0.40	214	<10
180854		7.80	0.80	3.85	1530	<1	1.87	63	340	4	0.22	<5	126	0.46	244	<10
180855		4.36	0.81	1.58	921	<1	2.55	18	320	13	0.24	<5	133	0.27	95	<10
180856		2.63	0.18	0.07	34	1	7.0	2	600	106	2.77	<5	18	0.01	<1	<10
180857		7.67	0.45	5.24	1630	<1	1.78	146	420	<2	0.29	<5	162	0.41	220	<10
180858		8.34	0.53	3.68	1835	<1	1.81	58	350	2	0.40	<5	99	0.45	242	<10
180859		8.44	0.44	3.89	1735	<1	1.72	79	580	7	0.36	<5	144	0.53	240	<10
180860		8.27	0.47	4.49	1710	<1	1.42	94	440	<2	0.31	<5	144	0.46	240	<10
180861		7.84	0.48	3.12	1470	<1	1.76	49	600	4	0.32	<5	227	0.56	241	<10
180862		7.33	0.61	3.95	1520	<1	1.52	102	520	7	0.18	<5	211	0.44	219	<10
180863		7.92	0.56	3.73	1590	<1	2.08	69	1040	6	0.22	<5	366	0.51	215	<10
180864		7.92	0.71	3.63	1645	<1	1.94	65	360	3	0.16	<5	124	0.45	239	<10
180865		7.64	0.54	3.56	1540	1	2.41	69	610	2	0.19	<5	174	0.46	218	<10
180866 DUP		7.39	0.53	3.49	1495	1	2.35	67	590	4	0.16	<5	168	0.44	207	<10
180867		2.24	4.10	0.21	194	<1	2.16	3	160	37	0.01	<5	148	0.08	8	<10
180868		6.71	0.69	2.98	1310	<1	1.86	54	480	6	0.20	<5	141	0.45	201	<10
180869		7.41	0.32	3.48	1495	<1	1.94	70	370	<2	0.20	<5	134	0.44	235	<10
180870		7.66	0.48	5.08	1625	<1	1.36	162	460	<2	0.11	<5	106	0.41	224	<10
180871		7.53	0.59	3.46	1525	<1	1.88	66	410	<2	0.12	<5	159	0.46	239	<10
180872		6.78	0.41	2.94	1310	1	2.57	55	760	<2	0.22	<5	222	0.49	201	<10
180873		7.86	0.73	3.71	1545	<1	1.94	60	350	14	0.11	<5	148	0.45	228	<10
180874		8.71	0.35	5.16	1775	<1	1.92	136	390	14	0.07	<5	184	0.49	267	<10
180875		9.25	0.49	4.25	1890	<1	1.80	80	280	15	0.12	<5	176	0.51	294	<10
180876		2.95	0.19	0.07	108	1	6.7	4	630	128	3.16	<5	20	0.01	2	<10
180877		6.32	0.28	9.25	1295	<1	0.75	249	1200	9	0.09	<5	194	0.31	255	<10
180878		5.82	0.01	16.25	950	<1	0.03	869	60	9	0.11	5	137	0.05	47	<10
180879		7.64	0.06	15.55	1300	<1	0.18	935	320	8	0.11	5	156	0.22	143	<10
180880		8.16	0.04	11.45	1310	<1	0.20	788	170	35	0.23	<5	18	0.23	151	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 10-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035942

Sample Description	Method Analyte Units LOR	ME-JCP61
		Zn ppm 2
180841		879
180842		235
180843		75
180844		90
180845		89
180846 DUP		93
180847		27
180848		100
180849		210
180850		89
180851		89
180852		91
180853		92
180854		117
180855		89
180856		14
180857		126
180858		139
180859		117
180860		128
180861		117
180862		118
180863		97
180864		97
180865		106
180866 DUP		103
180867		24
180868		122
180869		89
180870		98
180871		81
180872		80
180873		72
180874		103
180875		87
180876		20
180877		51
180878		45
180879		89
180880		240



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 18-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06035943

Project: BLOCK A  
P.O. No.:  
This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 26-APR-2006.  
The following have access to data associated with this certificate:

IAN LAMBERT	MIKE ROBERTS
-------------	--------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06035943**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
180881		3.54	0.791			<0.5	4.48	<5	<10	<0.5	<2	5.20	<0.5	44	1260	20
180882		2.00	0.052			<0.5	6.94	<5	270	<0.5	<2	5.01	<0.5	36	368	378
180883		2.38	0.029			<0.5	7.18	<5	150	<0.5	<2	6.08	<0.5	33	137	96
180884		2.24	0.054			<0.5	7.17	<5	140	<0.5	<2	5.89	<0.5	31	116	48
180885		2.81	0.053			<0.5	7.21	<5	160	<0.5	<2	6.15	<0.5	33	127	188
180886 DUP		<0.02	0.066			<0.5	7.61	<5	170	<0.5	<2	6.46	<0.5	34	124	202
180887		0.09	0.007			<0.5	6.46	<5	500	0.9	<2	1.02	<0.5	1	10	5
180888		2.48	0.064			<0.5	7.59	<5	170	<0.5	<2	6.83	<0.5	34	120	190
180889		2.48	0.032			<0.5	7.90	<5	260	<0.5	<2	6.71	<0.5	39	160	205
180890		1.78	0.038			<0.5	7.06	<5	340	<0.5	<2	5.69	<0.5	37	279	182
180891		1.71	0.184			<0.5	4.96	<5	70	<0.5	<2	5.06	<0.5	41	862	84
180892		1.90	0.078			<0.5	4.93	<5	50	<0.5	<2	5.07	<0.5	54	1320	<1
180893		2.65	0.121			<0.5	5.13	<5	50	<0.5	<2	5.55	<0.5	51	1200	5
180894		2.66	0.589			<0.5	5.29	5	50	<0.5	<2	5.52	<0.5	51	1175	49
180895		2.33	0.047			<0.5	5.29	<5	170	<0.5	<2	3.41	<0.5	55	865	72
180896		0.06	1.815			19.9	8.29	<5	60	3.2	<2	0.35	<0.5	1	8	5
180897		2.13	0.021			<0.5	7.09	<5	340	0.6	<2	3.36	<0.5	31	353	28
180898		2.60	0.020			<0.5	6.04	<5	120	<0.5	<2	4.05	<0.5	49	854	19
180899		2.59	0.017			<0.5	6.62	<5	160	<0.5	<2	5.07	<0.5	46	848	19
180900		2.71	0.049			<0.5	5.39	<5	60	<0.5	<2	5.11	<0.5	52	1160	1
180901		2.53	0.063			<0.5	5.99	<5	80	<0.5	<2	5.74	<0.5	51	879	6
180902		2.80	0.119			<0.5	5.74	<5	20	<0.5	<2	5.51	<0.5	55	1255	16
180903		2.69	0.737			<0.5	6.34	<5	100	<0.5	<2	4.73	<0.5	53	974	13
180904		1.39	5.83	6.24		<0.5	4.91	<5	80	<0.5	<2	4.40	<0.5	50	1050	37
180905 DUP		<0.02	4.46	4.99		<0.5	4.90	<5	80	<0.5	<2	4.33	<0.5	46	1010	38
180906		0.10	<0.005			<0.5	6.83	<5	540	0.9	<2	1.22	<0.5	2	24	4
180907		3.43	2.34			<0.5	6.08	<5	110	<0.5	<2	5.30	<0.5	50	650	21
180908		2.46	2.66			<0.5	6.27	<5	110	<0.5	<2	3.38	<0.5	52	565	118
180909		3.08	0.176			<0.5	6.19	<5	90	<0.5	<2	5.53	<0.5	41	846	4
180910		2.55	2.45			<0.5	5.54	<5	30	<0.5	<2	5.60	<0.5	52	995	12
180911		2.54	0.061			<0.5	6.80	<5	190	<0.5	<2	4.81	<0.5	38	631	9
180912		2.82	0.346			<0.5	5.68	<5	110	<0.5	<2	4.00	<0.5	44	994	28
180913		2.63	0.124			<0.5	5.55	<5	40	<0.5	<2	5.82	<0.5	59	1150	2
180914		2.40	0.010			<0.5	7.60	<5	330	<0.5	<2	3.18	<0.5	22	442	13
180915		2.63	0.185			<0.5	6.18	<5	130	<0.5	<2	6.40	<0.5	52	1005	13
180916		0.06	0.986			10.1	8.22	<5	50	3.3	<2	0.34	<0.5	1	5	9
180917		2.87	0.128			<0.5	5.77	<5	80	<0.5	<2	6.06	<0.5	55	1125	<1
180918		2.68	0.616			<0.5	5.00	6	70	<0.5	<2	5.48	<0.5	54	1010	262
180919		2.92	0.197			<0.5	5.17	<5	80	<0.5	<2	6.43	<0.5	50	1020	3
180920		2.69	1.195			<0.5	5.56	<5	80	<0.5	<2	5.82	<0.5	49	1035	7



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035943

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180881		7.92	0.10	10.00	1250	<1	0.28	658	180	6	0.11	<5	20	0.20	145	<10
180882		7.24	2.21	4.06	1230	<1	0.43	174	340	16	0.97	<5	150	0.39	183	<10
180883		6.38	1.84	3.52	1135	<1	0.64	70	340	<2	0.36	<5	97	0.40	192	10
180884		6.33	1.78	3.61	1220	<1	0.78	69	370	4	0.33	<5	87	0.40	194	10
180885		6.37	1.63	3.36	1155	<1	0.89	68	350	5	0.51	<5	105	0.41	190	10
180886 DUP		6.72	1.74	3.53	1220	<1	0.93	73	380	7	0.56	<5	112	0.42	203	10
180887		1.68	3.81	0.27	161	<1	2.11	5	160	30	0.01	<5	144	0.08	11	<10
180888		6.93	1.45	3.66	1220	<1	0.94	74	380	18	0.57	<5	114	0.42	202	10
180889		7.03	1.95	3.69	1180	<1	0.89	86	400	4	0.47	<5	110	0.42	206	10
180890		6.48	2.06	3.28	1180	<1	0.52	134	330	2	0.64	<5	104	0.39	184	<10
180891		7.44	1.23	7.05	1170	1	0.32	448	240	<2	0.39	<5	75	0.24	134	10
180892		7.20	1.27	11.05	1175	<1	0.27	724	170	<2	0.01	<5	16	0.24	155	<10
180893		7.94	1.26	10.75	1295	<1	0.30	674	190	<2	0.03	<5	24	0.25	165	<10
180894		8.29	1.12	9.78	1435	<1	0.35	609	190	8	0.20	<5	35	0.25	170	<10
180895		5.83	1.22	8.33	932	<1	0.84	518	350	71	0.15	<5	124	0.30	134	<10
180896		2.69	0.20	0.11	113	<1	7.0	7	650	115	2.77	<5	19	0.02	3	<10
180897		5.24	1.24	4.64	823	<1	1.57	207	580	19	0.15	<5	166	0.37	120	<10
180898		7.23	1.84	8.98	1180	<1	0.80	492	370	<2	0.09	<5	79	0.29	152	<10
180899		7.47	2.28	8.38	1230	<1	0.46	400	390	2	0.07	<5	152	0.33	178	<10
180900		7.98	1.41	10.40	1210	<1	0.27	642	180	<2	0.01	<5	22	0.26	172	<10
180901		7.62	1.13	9.19	1345	<1	0.41	452	210	<2	0.04	<5	97	0.29	183	<10
180902		8.30	0.52	10.85	1345	<1	0.34	670	210	<2	0.09	<5	30	0.26	176	10
180903		8.78	1.93	9.08	1230	<1	0.39	440	230	<2	0.10	<5	73	0.30	198	<10
180904		8.37	1.95	9.11	1225	<1	0.26	530	180	<2	0.26	<5	18	0.25	159	<10
180905 DUP		8.28	1.90	9.00	1205	<1	0.26	521	180	<2	0.27	<5	18	0.24	156	<10
180906		1.78	4.11	0.45	175	<1	2.14	9	180	27	0.01	<5	154	0.09	13	<10
180907		8.73	1.82	8.36	1450	<1	0.58	358	270	<2	0.15	<5	68	0.30	186	<10
180908		9.81	1.94	7.23	1320	<1	0.60	250	240	<2	0.94	<5	77	0.32	194	130
180909		7.68	1.46	7.55	1290	<1	0.77	317	240	<2	0.02	<5	116	0.30	192	<10
180910		7.66	0.83	9.79	1280	<1	0.44	553	210	<2	0.07	<5	47	0.25	167	<10
180911		6.42	1.51	6.37	1145	<1	0.97	270	350	2	0.07	<5	161	0.33	174	<10
180912		7.79	1.70	8.45	1375	<1	0.35	426	210	<2	0.16	<5	62	0.28	184	10
180913		7.91	0.79	10.20	1300	<1	0.41	597	190	<2	0.04	<5	22	0.27	174	<10
180914		3.83	1.11	3.57	524	<1	2.80	205	200	<2	0.07	<5	205	0.15	70	<10
180915		8.65	1.56	8.85	1510	1	0.55	457	220	4	0.04	<5	79	0.32	198	10
180916		2.75	0.19	0.07	41	<1	6.8	5	620	124	2.89	<5	19	0.01	1	<10
180917		7.93	1.17	8.66	1360	<1	0.53	533	210	5	<0.01	<5	57	0.29	184	<10
180918		7.62	1.11	7.81	1245	<1	0.43	507	170	<2	0.35	<5	43	0.24	150	<10
180919		7.60	0.97	8.45	1310	<1	0.48	545	160	<2	0.01	<5	50	0.26	164	<10
180920		7.72	1.31	7.72	1220	<1	0.52	551	190	<2	0.02	<5	70	0.27	164	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035943

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180881		98
180882		76
180883		54
180884		46
180885		62
180886 DUP		65
180887		25
180888		78
180889		71
180890		49
180891		78
180892		86
180893		90
180894		123
180895		331
180896		20
180897		114
180898		102
180899		90
180900		82
180901		71
180902		91
180903		92
180904		114
180905 DUP		109
180906		27
180907		114
180908		136
180909		107
180910		89
180911		78
180912		133
180913		94
180914		61
180915		124
180916		20
180917		89
180918		88
180919		88
180920		92





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 18-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035943

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Recvd WL	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units LOR	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
180921		3.03	0.545			<0.5	5.45	<5	60	<0.5	<2	6.57	<0.5	51	1040	1
180922		3.00	5.11			<0.5	5.67	5	120	<0.5	2	7.01	<0.5	48	985	36
180923		2.83	0.773			1.3	5.92	<5	160	<0.5	<2	6.49	<0.5	49	968	433
180924		2.85	0.160			<0.5	6.27	5	150	<0.5	<2	5.73	<0.5	40	787	37
180925		2.37	0.146			<0.5	7.41	<5	220	0.7	<2	4.52	<0.5	32	489	66
180926		0.06	1.705			20.3	8.39	7	60	3.1	2	0.36	<0.5	1	9	6
180927		3.09	0.160			<0.5	5.98	<5	30	<0.5	<2	6.49	<0.5	59	1125	30
180928		2.88	0.224			<0.5	5.87	8	40	<0.5	2	6.09	<0.5	60	1070	4
180929		2.91	1.430			<0.5	6.87	<5	120	<0.5	<2	5.64	<0.5	48	908	81
180930		1.13	>10.0		15.15	0.7	6.01	<5	300	0.7	3	2.37	<0.5	14	137	286
180931		1.58	>10.0		17.05	4.3	3.55	<5	40	<0.5	6	3.08	0.7	48	876	2140
180932 DUP		<0.02	>10.0		22.2	4.3	3.72	<5	50	<0.5	5	3.00	1.0	56	947	2310
180933		0.13	0.031	0.046		<0.5	6.60	<5	550	1.0	<2	1.56	<0.5	3	14	14
180934		0.83	>10.0		49.3	8.1	2.81	<5	160	<0.5	38	1.65	0.7	21	305	2870
180935		3.71	0.827			<0.5	7.16	9	290	0.5	<2	5.87	<0.5	40	737	114
180936		2.82	1.880			<0.5	6.24	12	100	<0.5	3	5.81	<0.5	53	1095	61
180937		2.38	0.235			<0.5	8.03	<5	330	0.6	<2	6.86	<0.5	46	611	112
180938		2.97	0.412			<0.5	5.54	<5	40	<0.5	<2	6.00	<0.5	58	1230	95
180939		2.21	0.198			0.5	6.45	10	140	<0.5	<2	6.06	<0.5	51	873	142
180940		2.87	0.042			<0.5	7.57	<5	160	<0.5	2	6.78	<0.5	34	280	61
180941		2.63	0.023			<0.5	7.49	<5	150	<0.5	<2	7.54	<0.5	40	353	36
180942		3.52	0.015			<0.5	7.21	<5	130	<0.5	2	8.46	<0.5	37	267	50
180943		1.96	0.019			<0.5	7.91	<5	230	0.7	<2	4.23	<0.5	26	93	113
180944		2.83	0.054			<0.5	7.26	<5	90	<0.5	<2	7.26	<0.5	37	261	56
180945		2.27	0.019			<0.5	8.18	<5	350	0.9	<2	3.78	<0.5	21	3	118
180946		0.06	0.986			11.3	8.50	<5	50	3.1	2	0.36	<0.5	<1	9	9
180947		3.44	0.133			<0.5	7.15	<5	80	<0.5	<2	7.28	<0.5	38	324	15
180948		2.85	0.260			<0.5	7.31	<5	180	0.5	<2	5.28	<0.5	33	241	34
180949		3.06	0.053			<0.5	6.44	<5	90	<0.5	<2	5.83	<0.5	54	475	3
180950		3.10	0.086			<0.5	7.36	<5	120	<0.5	<2	5.39	<0.5	45	412	43
180951		2.71	0.062			<0.5	6.23	<5	70	<0.5	<2	5.87	<0.5	46	532	5
180952		2.48	0.255			<0.5	7.19	<5	210	<0.5	<2	4.58	<0.5	45	474	19
180953		1.88	0.233			<0.5	7.96	<5	440	0.9	<2	2.38	<0.5	9	56	32
180954		2.93	0.738	0.567		<0.5	7.89	<5	230	0.5	<2	5.18	<0.5	28	215	7
180955		2.98	0.246			<0.5	7.78	<5	90	<0.5	<2	7.50	<0.5	39	331	99
180956 DUP		<0.02	0.227			<0.5	7.86	<5	90	<0.5	<2	7.61	<0.5	41	333	95
180957		0.13	<0.005			<0.5	7.06	<5	490	0.9	<2	1.66	<0.5	3	14	7
180958		2.66	0.090			<0.5	8.59	<5	270	0.5	<2	6.98	<0.5	36	202	153
180959		2.38	0.598			<0.5	7.70	5	110	<0.5	<2	7.05	<0.5	35	299	222
180960		2.59	2.41			<0.5	7.92	<5	60	<0.5	<2	8.25	<0.5	45	351	72



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06035943**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
180921		7.85	0.87	8.77	1305	<1	0.46	530	170	<2	<0.01	<5	50	0.27	166	<10
180922		7.72	1.20	7.79	1355	<1	0.48	478	220	<2	0.03	<5	116	0.27	166	10
180923		7.84	0.94	7.94	1485	<1	0.77	474	340	<2	0.41	<5	138	0.29	156	10
180924		6.67	0.83	6.81	1185	<1	1.01	390	460	<2	0.16	<5	127	0.32	136	<10
180925		5.35	1.08	3.99	848	1	1.66	218	800	<2	0.32	<5	169	0.42	90	<10
180926		2.86	0.19	0.08	115	1	7.0	6	660	120	3.01	<5	22	0.01	2	<10
180927		7.73	0.30	10.25	1420	<1	0.60	614	210	<2	0.01	<5	43	0.25	179	<10
180928		7.59	0.36	10.20	1420	<1	0.54	600	200	<2	0.01	<5	43	0.25	176	<10
180929		7.75	0.76	7.84	1350	1	0.94	451	420	<2	0.46	<5	93	0.33	150	<10
180930		3.81	1.12	1.24	541	1	1.53	47	750	6	0.51	<5	112	0.36	40	<10
180931		8.00	0.37	5.60	1290	<1	0.37	305	120	<2	1.73	<5	31	0.17	113	20
180932 DUP		8.26	0.45	5.67	1295	1	0.39	305	110	<2	1.90	<5	34	0.18	121	20
180933		2.16	3.91	0.29	213	1	2.15	7	180	32	0.01	<5	156	0.09	10	<10
180934		4.22	0.45	1.79	487	2	0.66	111	200	2	0.95	<5	67	0.15	61	10
180935		6.44	0.75	6.65	1105	<1	1.60	244	510	15	0.12	<5	298	0.31	166	<10
180936		7.76	0.63	8.72	1300	<1	1.03	484	330	9	0.24	<5	164	0.27	167	<10
180937		8.06	1.15	8.42	1015	<1	1.06	508	890	13	0.43	<5	458	0.24	120	<10
180938		8.06	0.50	10.35	1440	<1	0.53	622	240	6	0.24	<5	32	0.26	169	<10
180939		8.81	0.86	8.21	1445	<1	0.80	444	400	11	0.58	<5	123	0.30	174	10
180940		8.95	0.99	4.01	1225	<1	1.32	118	400	5	0.07	<5	175	0.40	194	50
180941		7.74	0.74	5.34	1415	<1	1.46	141	280	4	0.05	<5	185	0.37	217	<10
180942		6.92	0.55	4.60	1295	<1	1.72	166	1040	<2	0.19	<5	534	0.43	186	20
180943		5.13	0.90	1.87	759	<1	2.82	53	930	<2	0.51	<5	325	0.50	122	<10
180944		6.27	0.57	3.26	1180	1	1.99	98	430	<2	0.10	<5	171	0.40	182	10
180945		4.82	1.28	0.99	651	1	2.64	4	1000	<2	0.38	<5	166	0.53	106	<10
180946		2.85	0.18	0.08	37	<1	7.2	3	630	118	2.95	<5	22	0.01	3	<10
180947		7.28	0.56	4.56	1330	<1	1.43	127	280	<2	0.02	<5	170	0.37	206	10
180948		6.47	1.03	3.90	1050	<1	1.56	99	560	<2	0.10	<5	130	0.41	162	<10
180949		7.52	0.79	7.03	1385	<1	1.04	228	230	<2	0.01	<5	89	0.33	203	<10
180950		7.13	0.86	5.65	1205	<1	1.42	176	490	<2	0.10	<5	133	0.38	166	<10
180951		8.25	0.64	8.65	1450	1	0.57	236	210	4	0.02	<5	54	0.23	147	<10
180952		6.89	1.35	6.15	1100	<1	1.14	198	400	2	0.12	<5	188	0.32	160	<10
180953		3.22	1.35	1.13	535	1	2.84	20	280	4	0.29	<5	209	0.20	53	<10
180954		5.73	1.28	3.61	982	<1	1.96	65	200	3	0.06	<5	118	0.31	164	<10
180955		7.48	0.83	4.90	1260	1	1.40	119	260	<2	0.09	<5	120	0.37	217	<10
180956 DUP		7.52	0.85	4.93	1295	1	1.42	127	260	<2	0.08	<5	123	0.38	225	<10
180957		2.13	3.65	0.54	213	1	2.21	6	190	29	0.01	<5	175	0.09	13	<10
180958		6.98	0.97	3.88	1205	<1	1.68	92	670	6	0.21	<5	296	0.45	190	<10
180959		6.58	0.82	4.00	1105	<1	1.70	118	280	<2	0.13	<5	170	0.33	181	<10
180960		6.19	0.61	5.31	1350	<1	1.29	148	250	3	0.14	<5	130	0.38	223	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbark Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 18-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035943

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180921		93
180922		106
180923		108
180924		83
180925		60
180926		19
180927		114
180928		97
180929		108
180930		48
180931		159
180932 DUP		162
180933		32
180934		85
180935		87
180936		86
180937		79
180938		196
180939		124
180940		71
180941		83
180942		87
180943		53
180944		67
180945		38
180946		42
180947		78
180948		62
180949		90
180950		75
180951		67
180952		78
180953		32
180954		51
180955		66
180956 DUP		67
180957		33
180958		72
180959		56
180960		64



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06035943**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
180961		2.63	0.160		<0.5	8.50	5	110	<0.5	<2	7.49	<0.5	42	367	28
180962		2.56	0.442		<0.5	8.29	<5	110	<0.5	<2	6.56	<0.5	34	302	18
180963		2.49	0.576		<0.5	7.36	<5	50	<0.5	<2	8.76	<0.5	43	338	59
180964		2.98	0.105		<0.5	7.58	<5	130	<0.5	<2	7.24	<0.5	45	438	23
180965		<0.02	0.020		<0.5	7.75	<5	190	<0.5	<2	5.96	<0.5	32	268	23
180966		0.06	1.725		19.4	9.06	<5	60	3.0	<2	0.36	<0.5	1	5	6
180967		2.55	0.040		<0.5	7.46	<5	50	<0.5	<2	8.33	<0.5	42	342	23
180968		2.46	0.037		<0.5	7.33	<5	100	<0.5	<2	7.77	<0.5	36	278	33
180969		2.56	2.55		<0.5	6.68	7	60	<0.5	<2	6.04	<0.5	49	442	21
180970		2.45	0.350		<0.5	7.84	8	160	0.5	<2	6.28	<0.5	27	151	69
180971		2.56	0.021		<0.5	7.54	<5	250	0.5	<2	5.27	<0.5	28	221	62
180972		2.75	0.012		<0.5	8.00	6	250	<0.5	<2	7.12	<0.5	26	175	50
180973		1.61	0.009		<0.5	8.33	<5	300	<0.5	<2	4.37	<0.5	20	161	8
180974		2.75	0.096		<0.5	7.91	5	60	<0.5	<2	7.95	<0.5	45	351	17
180975 DUP		<0.02	0.104		<0.5	7.95	<5	60	<0.5	<2	7.88	<0.5	44	339	16
180976		0.10	0.006		<0.5	7.43	<5	550	0.9	<2	1.16	<0.5	2	13	6
180977		2.44	0.692		<0.5	8.00	<5	70	<0.5	<2	7.51	<0.5	46	358	59
180978		2.57	0.106		<0.5	7.79	7	40	<0.5	<2	8.49	<0.5	42	320	29
180979		2.90	2.12		<0.5	7.88	6	50	<0.5	<2	8.43	<0.5	44	326	32
180980		2.56	0.079		<0.5	7.36	6	40	<0.5	<2	9.52	<0.5	42	297	28
180981		2.59	0.032		<0.5	7.43	5	70	<0.5	<2	7.82	<0.5	39	306	25
180982		2.60	0.032		<0.5	8.15	6	70	<0.5	<2	7.54	<0.5	46	374	9
180983		2.69	0.014		<0.5	7.61	<5	40	<0.5	<2	7.95	<0.5	43	327	7
180984		2.48	0.037		<0.5	7.20	9	50	<0.5	<2	10.05	<0.5	40	272	37
180985		2.34	0.013		<0.5	8.56	8	100	0.5	<2	6.30	<0.5	33	160	27
180986		0.06	0.936		10.8	8.86	<5	50	3.1	<2	0.38	<0.5	1	7	8
180987		2.48	0.181		<0.5	7.02	<5	50	<0.5	<2	7.82	<0.5	43	323	11
180988		3.10	2.40		<0.5	6.98	<5	70	<0.5	2	8.64	<0.5	47	285	51
180989		1.92	0.078		<0.5	8.31	<5	130	0.6	<2	5.13	<0.5	28	31	68
180990		1.46	0.026		<0.5	7.98	<5	230	0.6	<2	4.56	<0.5	24	28	84
180991		1.74	0.038		<0.5	6.86	<5	60	<0.5	4	10.05	<0.5	43	269	30
180992		1.70	0.028		<0.5	7.19	<5	70	<0.5	<2	7.60	<0.5	45	324	32
180993		2.82	0.026		<0.5	7.09	<5	80	<0.5	<2	8.16	<0.5	44	303	60
180994		2.36	0.033		<0.5	6.38	<5	360	1.0	<2	1.25	1.5	7	67	116
180995		2.40	0.956		<0.5	7.07	<5	50	<0.5	2	9.78	0.6	44	284	231
180996 DUP		<0.02	0.842		0.5	6.99	<5	60	<0.5	<2	9.91	<0.5	42	286	242
180997		0.10	<0.005		<0.5	6.77	<5	540	0.9	<2	1.01	<0.5	1	10	6
180998		2.30	0.239		<0.5	6.96	<5	40	<0.5	<2	9.62	<0.5	45	277	24
180999		2.88	0.178		<0.5	7.32	<5	50	<0.5	<2	10.10	<0.5	47	295	43
181000		2.88	0.295		<0.5	7.29	<5	60	<0.5	<2	7.63	<0.5	46	312	12



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 18-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06035943**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units LOR	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180961		8.11	0.88	5.25	1315	1	1.59	139	310	20	0.02	<5	133	0.41	226	<10
180962		6.40	0.66	3.93	1050	<1	2.14	110	240	5	0.02	<5	157	0.32	181	10
180963		7.41	0.60	4.46	1325	<1	1.11	139	240	<2	0.06	<5	122	0.35	210	<10
180964		7.30	0.80	5.13	1230	<1	1.32	163	360	5	0.04	<5	209	0.39	203	<10
180965		5.77	0.83	3.31	960	<1	2.11	100	310	3	0.03	<5	169	0.33	172	<10
180966		3.02	0.18	0.08	110	<1	6.8	4	660	126	3.12	<5	22	0.01	2	<10
180967		7.41	0.54	4.32	1290	1	1.27	130	230	<2	0.04	<5	125	0.37	214	<10
180968		6.75	0.78	4.00	1220	<1	1.38	121	300	<2	0.07	<5	128	0.33	178	<10
180969		7.68	0.61	6.84	1305	<1	0.98	213	220	<2	0.07	<5	93	0.31	192	<10
180970		6.23	0.79	2.70	1105	1	1.77	66	640	4	0.18	<5	179	0.44	156	<10
180971		4.43	0.63	2.48	815	<1	2.35	83	180	<2	0.12	<5	170	0.25	130	<10
180972		4.81	0.68	2.87	884	<1	2.35	76	500	<2	0.15	<5	348	0.31	125	<10
180973		3.52	0.74	2.25	587	<1	3.12	60	210	2	0.02	<5	222	0.19	94	<10
180974		7.53	0.50	4.97	1290	<1	1.20	135	260	<2	0.04	<5	125	0.36	227	<10
180975 DUP		7.51	0.52	5.03	1290	<1	1.22	132	250	2	0.04	<5	124	0.38	225	<10
180976		2.12	3.96	0.29	197	<1	2.24	6	200	32	0.01	<5	183	0.09	12	<10
180977		7.74	0.76	5.27	1300	<1	1.16	138	250	4	0.07	<5	110	0.38	230	<10
180978		7.66	0.51	5.07	1315	1	1.19	124	240	<2	0.05	<5	122	0.37	221	<10
180979		7.79	0.51	5.23	1295	<1	1.28	140	260	<2	0.03	<5	132	0.37	223	<10
180980		7.23	0.43	4.73	1230	1	1.19	118	280	2	0.03	<5	145	0.36	207	<10
180981		8.89	0.71	4.77	1205	<1	1.23	119	240	2	0.04	<5	121	0.33	196	<10
180982		7.96	0.81	5.83	1360	<1	1.21	147	270	<2	0.02	<5	102	0.40	233	<10
180983		7.40	0.43	5.31	1265	<1	1.17	140	250	<2	0.01	<5	120	0.37	216	<10
180984		6.93	0.46	4.57	1255	<1	1.22	114	460	2	0.04	<5	204	0.39	195	<10
180985		6.76	0.62	3.67	1005	<1	2.18	94	1430	<2	0.15	<5	437	0.61	178	<10
180986		2.84	0.19	0.09	42	<1	6.9	4	660	127	2.96	<5	24	0.01	3	<10
180987		7.26	0.53	4.94	1230	<1	1.23	134	240	7	0.01	<5	119	0.37	216	<10
180988		7.14	0.60	5.13	1315	<1	1.20	130	240	2	0.04	<5	130	0.36	217	<10
180989		6.72	0.55	2.10	1030	<1	2.73	47	900	3	0.28	<5	287	0.61	168	<10
180990		6.12	0.89	1.84	1050	<1	2.53	40	810	3	0.29	<5	187	0.55	146	<10
180991		6.78	0.50	4.72	1310	<1	1.18	118	230	2	0.01	<5	170	0.34	208	<10
180992		7.04	0.66	4.85	1205	<1	1.10	120	230	4	0.02	<5	133	0.36	222	<10
180993		7.16	1.06	4.93	1440	<1	0.94	140	240	<2	0.21	<5	103	0.35	217	10
180994		2.06	2.26	0.57	217	1	1.64	23	30	5	0.56	<5	33	0.08	34	<10
180995		7.04	0.56	4.92	1320	<1	1.02	122	220	<2	0.26	<5	124	0.35	216	<10
180996 DUP		6.84	0.59	4.71	1290	<1	1.02	116	220	7	0.31	7	122	0.34	213	<10
180997		1.86	4.03	0.25	178	1	2.21	4	160	36	0.01	<5	154	0.08	9	<10
180998		6.97	0.42	5.21	1325	<1	1.24	131	210	4	0.02	<5	116	0.34	211	<10
180999		7.42	0.51	5.10	1360	<1	1.32	140	240	5	0.05	<5	118	0.36	218	<10
181000		7.29	0.64	5.39	1285	<1	1.37	138	230	<2	0.01	<5	106	0.36	225	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 18-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06035943

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180961		82
180962		54
180963		53
180964		62
180965		55
180966		19
180967		49
180968		54
180969		69
180970		83
180971		55
180972		54
180973		36
180974		55
180975 DUP		55
180976		32
180977		64
180978		56
180979		55
180980		55
180981		55
180982		68
180983		56
180984		61
180985		87
180986		17
180987		56
180988		74
180989		103
180990		94
180991		66
180992		63
180993		132
180994		118
180995		77
180996 DUP		74
180997		30
180998		80
180999		58
181000		55



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 6-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06036357

Project: BLOCK A  
P.O. No.:  
This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 6-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06036357

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
178093		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		2.31	17.90	191.5	13.80	8.714	45.50	1903.5	14.25	13.30

Comments: Sample from VO06028824.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 17-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06036606

Project: CHINA GENERATIVE

P.O. No.:

This report is for 5 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 26-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 2 (A - B)  
 Finalized Date: 17-MAY-2006  
 Account: TRAVEN

Project: CHINA GENERATIVE

**CERTIFICATE OF ANALYSIS VO06036606**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
22701		1.01	1.305	<0.5	1.79	246	150	0.7	<2	6.04	<0.5	14	11	28	1.93	0.57
22702		2.21	0.854	<0.5	1.99	1125	200	0.6	<2	6.67	<0.5	2	10	17	1.39	1.08
22703		0.96	0.257	<0.5	3.44	3790	240	1.8	9	3.16	<0.5	3	16	32	2.42	1.61
22704		1.20	0.029	<0.5	0.29	305	60	<0.5	<2	1.39	<0.5	<1	18	7	0.95	0.13
22705		1.07	0.143	<0.5	7.48	559	720	2.5	<2	1.59	<0.5	6	12	54	3.96	3.25



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 2 (A - B)  
 Finalized Date: 17-MAY-2006  
 Account: TRAVEN

Project: CHINA GENERATIVE

**CERTIFICATE OF ANALYSIS VO06036606**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
22701		0.17	1510	6	0.09	13	210	6	0.87	5	149	0.06	19	10	34
22702		0.15	861	2	0.10	7	220	8	0.01	6	367	0.07	22	10	20
22703		0.27	464	3	0.06	5	440	24	0.33	7	101	0.13	85	20	29
22704		0.02	177	1	0.02	3	40	4	0.01	<5	11	0.01	9	<10	4
22705		0.44	311	6	0.85	8	870	20	0.28	5	181	0.25	114	20	70



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 9-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06037018

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 7-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - P.cd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06037018**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178661		2.48	0.186			0.6	7.88	5	110	<0.5	<2	5.80	<0.5	64	140	989
178662		2.40	0.016			<0.5	8.14	5	560	1.0	<2	3.47	<0.5	22	39	106
178663		2.03	0.032			<0.5	8.95	6	550	1.0	2	3.42	<0.5	24	81	96
178664		3.04	0.014			<0.5	7.58	<5	110	<0.5	<2	5.99	<0.5	38	131	52
178665 DUP		<0.02	0.011			<0.5	7.94	<5	110	<0.5	<2	6.17	<0.5	37	123	49
178666		2.48	0.019			<0.5	8.15	<5	160	<0.5	<2	6.27	<0.5	27	110	42
178667		2.47	0.012			<0.5	8.18	<5	190	0.5	<2	5.43	<0.5	25	130	54
178668		2.87	0.017			<0.5	7.97	<5	150	<0.5	<2	6.25	<0.5	25	127	4
178669		2.10	0.219			<0.5	7.84	6	130	<0.5	<2	5.52	<0.5	30	136	87
178670		3.56	0.221			<0.5	7.76	9	280	0.9	<2	2.94	<0.5	13	25	204
178671		3.14	0.193			<0.5	7.95	5	170	<0.5	<2	5.71	<0.5	31	129	60
178672		3.72	0.025			<0.5	8.19	5	260	0.7	<2	4.47	<0.5	13	52	39
178673		0.04	1.840			18.5	8.60	<5	60	3.2	<2	0.35	<0.5	<1	6	5
178674		2.84	0.015			<0.5	7.81	<5	320	0.7	<2	7.03	<0.5	27	157	53
178675		0.09	<0.005			<0.5	7.39	<5	550	1.0	<2	0.89	<0.5	1	8	5
178676		2.57	0.006			<0.5	8.36	<5	250	0.8	2	4.54	<0.5	19	26	49
178677		2.56	<0.005			<0.5	8.08	<5	150	<0.5	<2	6.28	<0.5	24	121	2
178678		2.38	0.006			<0.5	7.85	<5	200	0.5	<2	5.18	<0.5	18	69	22
178679		2.33	0.018			<0.5	8.18	<5	170	0.5	<2	7.57	<0.5	28	99	46
178680		2.34	0.011			<0.5	8.30	7	200	0.5	2	5.56	<0.5	24	99	10
178681		2.44	0.033			<0.5	8.10	<5	200	0.5	3	5.34	<0.5	18	76	21
178682		2.38	0.011			<0.5	7.91	<5	170	0.5	<2	5.71	<0.5	25	145	15
178683		2.58	0.010			<0.5	8.01	<5	70	<0.5	<2	7.32	<0.5	23	113	8
178684		2.73	0.053			<0.5	8.06	<5	100	<0.5	<2	6.20	<0.5	18	116	7
178685		2.52	0.166			<0.5	7.98	5	120	<0.5	<2	6.00	<0.5	18	128	61
178686		2.42	0.040			<0.5	7.73	<5	110	<0.5	2	6.02	<0.5	29	136	381
178687		2.77	0.233			0.5	8.08	8	160	0.5	<2	5.58	<0.5	27	119	938
178688		1.50	0.197			0.7	7.82	<5	130	<0.5	<2	6.10	<0.5	30	135	996
178689		0.06	0.977			10.5	8.51	<5	50	3.3	<2	0.35	<0.5	<1	5	9
178690		2.44	<0.005			<0.5	7.91	5	70	<0.5	<2	7.13	<0.5	27	118	50
178691		2.48	<0.005			<0.5	7.16	13	70	<0.5	<2	6.56	<0.5	24	104	15
178692		3.41	0.072			0.5	7.07	<5	160	0.6	<2	4.85	<0.5	16	79	106
178693		3.04	1.550			0.8	6.95	<5	200	0.6	<2	4.12	<0.5	23	84	916
178694		1.72	1.330			0.7	7.00	<5	110	<0.5	<2	5.80	<0.5	38	120	1165
178695 DUP		<0.02	1.020			0.6	6.73	7	110	<0.5	<2	5.59	<0.5	38	136	1140
178696		2.35	0.203			<0.5	7.24	<5	70	<0.5	<2	5.94	<0.5	29	126	869
178697		1.34	0.089	0.093		0.5	6.07	<5	130	<0.5	<2	4.47	<0.5	34	123	743
178698		0.10	<0.005			<0.5	6.31	<5	530	0.9	<2	0.76	<0.5	2	8	14
178699		1.53	0.104			<0.5	6.87	9	280	1.0	<2	2.56	<0.5	10	12	120
178700		2.57	0.036			<0.5	6.86	<5	80	<0.5	<2	5.42	<0.5	39	136	551



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06037018**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178661		7.43	0.69	2.96	990	1	1.62	73	370	3	1.04	<5	152	0.45	197	<10
178662		3.43	1.79	1.16	496	<1	2.98	24	440	2	0.32	<5	298	0.28	79	<10
178663		4.25	1.67	1.72	562	<1	3.14	64	320	3	0.44	<5	333	0.32	84	<10
178664		7.19	0.86	3.95	1105	1	1.52	123	360	3	0.50	<5	172	0.45	185	<10
178665 DUP		7.27	0.88	4.13	1140	1	1.64	115	390	2	0.43	<5	183	0.44	189	<10
178666		6.92	1.22	4.05	1170	1	1.51	94	640	<2	0.17	<5	221	0.47	190	10
178667		5.98	1.40	3.24	1010	1	1.65	98	850	<2	0.22	<5	260	0.46	149	<10
178668		6.79	1.23	4.22	1165	1	1.65	88	380	2	0.02	<5	169	0.43	193	<10
178669		7.44	1.30	3.65	1010	<1	1.47	91	350	2	1.06	<5	137	0.44	190	<10
178670		4.48	1.15	0.78	526	1	2.57	15	780	3	0.97	<5	205	0.43	71	<10
178671		7.09	1.57	3.89	1070	<1	1.36	89	380	13	0.90	<5	122	0.43	196	<10
178672		5.22	1.06	1.80	883	<1	2.55	30	830	41	0.27	<5	260	0.50	115	<10
178673		2.80	0.19	0.07	111	1	7.2	5	660	120	3.12	<5	21	0.01	2	<10
178674		6.30	0.91	4.21	1090	<1	2.17	114	1710	4	0.36	<5	823	0.63	170	<10
178675		2.00	4.37	0.22	179	1	2.36	5	180	32	0.01	<5	152	0.09	8	<10
178676		5.37	1.08	1.81	903	1	2.42	33	1140	<2	0.14	<5	274	0.59	128	<10
178677		6.77	1.20	3.92	1200	<1	1.63	71	380	2	0.01	<5	158	0.46	206	<10
178678		5.38	1.27	2.62	905	1	2.08	42	600	4	0.13	<5	147	0.46	159	<10
178679		7.47	1.14	3.66	1355	1	1.73	74	1680	4	0.24	<5	232	0.92	189	<10
178680		6.33	1.21	3.15	1085	1	1.86	58	860	3	0.05	<5	229	0.57	182	<10
178681		6.04	1.15	2.96	1005	<1	1.85	48	620	<2	0.12	<5	171	0.47	165	<10
178682		6.18	1.05	3.72	1090	1	1.82	82	520	<2	0.09	<5	171	0.43	174	<10
178683		6.51	0.55	3.77	1280	1	1.56	65	370	<2	0.06	<5	151	0.46	201	10
178684		6.13	0.90	3.30	1095	<1	1.53	53	410	<2	0.04	<5	140	0.45	184	<10
178685		6.26	1.24	3.24	1100	<1	1.29	67	400	5	0.25	<5	123	0.46	200	<10
178686		6.53	0.89	2.93	1025	<1	1.43	82	340	3	0.59	<5	139	0.45	193	<10
178687		6.95	1.00	3.15	1055	1	1.75	66	530	2	0.51	<5	178	0.47	195	<10
178688		6.74	0.95	3.31	1125	<1	1.56	71	370	3	0.52	<5	128	0.46	205	10
178689		2.78	0.20	0.07	37	1	7.3	4	640	118	3.13	<5	18	0.01	2	<10
178690		6.86	0.63	4.09	1210	1	1.59	82	380	2	0.11	<5	144	0.44	200	<10
178691		5.93	0.57	3.63	1115	<1	1.56	61	350	4	0.06	<5	144	0.41	191	<10
178692		4.83	0.78	2.06	857	<1	1.90	32	540	4	0.21	<5	166	0.42	138	<10
178693		5.50	1.14	1.87	774	<1	1.88	59	490	6	0.66	<5	150	0.40	127	<10
178694		7.22	0.87	2.87	1180	<1	1.40	81	410	5	0.92	<5	146	0.39	176	10
178695 DUP		6.95	0.89	2.80	1135	<1	1.35	83	360	2	0.84	<5	140	0.40	177	<10
178696		6.77	0.60	3.03	1055	1	1.59	51	350	5	0.57	<5	141	0.43	200	<10
178697		5.92	1.12	2.36	832	<1	1.04	54	310	3	0.81	<5	118	0.37	172	<10
178698		1.70	4.18	0.19	166	1	2.10	2	170	34	0.02	<5	140	0.08	10	<10
178699		4.00	1.02	0.64	434	1	2.49	7	600	3	0.47	<5	170	0.35	55	<10
178700		7.24	0.63	2.85	994	<1	1.38	72	340	3	0.96	<5	140	0.42	194	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 9-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037018

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
178661		83
178662		57
178663		65
178664		72
178665 DUP		72
178666		83
178667		80
178668		83
178669		63
178670		45
178671		81
178672		68
178673		23
178674		86
178675		29
178676		69
178677		89
178678		73
178679		101
178680		98
178681		75
178682		74
178683		63
178684		58
178685		54
178686		50
178687		84
178688		85
178689		17
178690		66
178691		54
178692		55
178693		70
178694		76
178695 DUP		79
178696		64
178697		59
178698		26
178699		37
178700		59



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 9-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037018

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
178701		2.75	0.085		0.05	0.5	7.11	<5	90	<0.5	<2	5.71	<0.5	27	132	2820
178702 DUP		<0.02	0.055				7.30	<0.5	90	<0.5	<2	5.86	<0.5	25	128	3280
178703		2.52	0.171				7.43	<0.5	120	<0.5	<2	4.82	<0.5	37	138	1130
178704		2.33	3.03				7.27	5	130	<0.5	<2	5.70	<0.5	38	131	2280
178705		2.74	<0.005				7.32	<0.5	180	0.7	<2	5.15	<0.5	27	55	94
178706		1.91	0.080				7.49	<0.5	7	130	<0.5	5.51	<0.5	34	120	257
178707		2.85	0.080				7.56	<0.5	14	270	0.8	3.07	<0.5	14	9	59
178708		2.44	0.087				7.36	<0.5	8	210	0.6	4.47	<0.5	42	88	256
178709		0.06	1.810				7.83	19.0	<5	50	3.0	0.32	<0.5	1	4	5
178710		2.13	2.90				7.43	<0.5	6	90	<0.5	5.96	<0.5	30	128	522
178711		3.13	0.028				7.84	<0.5	<5	240	0.8	6.34	<0.5	37	41	180
178712		1.98	0.072				8.21	<0.5	<5	150	0.6	6.76	<0.5	37	38	185
178713		2.84	0.401				7.24	<0.5	<5	160	<0.5	4.63	<0.5	57	124	758
178714		0.12	<0.005				6.44	<0.5	<5	520	0.9	0.76	<0.5	2	5	8
178715		2.65	0.160				7.21	<0.5	9	110	<0.5	4.63	<0.5	34	131	535
178716		2.48	0.100				7.85	0.5	7	150	<0.5	4.69	<0.5	30	139	663
178717		1.13	>10.0	74.5			7.06	6.8	10	100	<0.5	5.29	<0.5	64	128	1940
178718		2.12	0.148				7.27	<0.5	6	100	<0.5	5.50	<0.5	32	138	659
178719		2.81	0.022				7.69	<0.5	<5	260	0.8	2.56	<0.5	16	7	92
178720		2.76	0.094				7.18	<0.5	<5	290	0.8	3.15	<0.5	16	41	357
178721		1.51	0.459				5.65	1.9	9	140	<0.5	3.94	<0.5	70	118	2880
178722		2.75	0.187				6.68	1.1	<5	170	<0.5	4.95	<0.5	66	129	1585
178723		1.80	1.170				6.11	0.8	7	210	<0.5	5.36	<0.5	29	116	872
178724		2.75	0.021				6.86	<0.5	<5	270	0.8	2.98	<0.5	12	6	99
178725		2.04	0.096				7.22	<0.5	<5	280	0.6	3.77	<0.5	21	41	156
178726		0.06	1.000				7.75	10.6	<5	50	3.1	0.32	<0.5	1	4	7
178727		3.70	0.050				7.08	<0.5	13	270	<0.5	5.37	<0.5	41	319	267
178728		2.79	0.164				7.78	<0.5	<5	310	<0.5	4.34	<0.5	55	138	414
178729 DUP		<0.02	0.113				7.41	0.5	<5	310	<0.5	4.24	<0.5	54	138	409
178730		2.12	0.053				8.48	<0.5	<5	310	0.7	4.87	<0.5	28	67	181
178731		2.44	0.028				8.23	<0.5	<5	190	<0.5	6.14	<0.5	36	136	150
178732		2.53	0.014				7.97	<0.5	<5	110	<0.5	6.78	<0.5	29	114	17
178733		2.57	0.009				7.85	<0.5	<5	180	0.5	5.39	<0.5	24	82	9
178734		2.56	0.023				7.97	<0.5	<5	140	<0.5	6.48	<0.5	28	110	<1
178735		2.88	0.270				7.70	<0.5	<5	180	0.5	5.41	<0.5	24	87	14
178736		2.67	0.464				8.08	<0.5	<5	190	0.5	5.43	<0.5	23	83	26
178737		2.79	0.156				7.81	<0.5	<5	130	<0.5	6.15	<0.5	25	110	11
178738		0.14	0.006				7.33	<0.5	<5	610	0.9	0.91	<0.5	2	7	3
178739		2.49	0.068				7.86	<0.5	7	170	<0.5	5.98	<0.5	25	118	5
178740		2.48	0.034				7.93	<0.5	<5	130	0.5	6.52	<0.5	32	194	38





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 9-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037018

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178701		6.72	0.71	3.04	1030	<1	1.48	54	330	2	0.69	<5	135	0.43	204	<10
178702 DUP		6.87	0.70	3.11	1055	<1	1.52	51	340	9	0.74	<5	139	0.42	201	10
178703		7.32	0.85	3.08	954	<1	1.58	72	380	20	1.05	<5	144	0.44	202	10
178704		7.24	0.96	3.06	1075	<1	1.45	70	420	7	0.82	<5	184	0.45	207	10
178705		6.31	0.88	2.68	951	<1	1.81	54	2040	21	0.38	<5	318	0.56	160	<10
178706		7.14	0.87	3.26	1170	<1	1.74	82	750	3	0.43	<5	251	0.50	209	<10
178707		4.60	1.12	1.17	718	<1	2.95	12	870	8	0.36	<5	233	0.48	109	<10
178708		6.30	1.25	2.49	1045	<1	2.04	55	600	3	0.53	<5	206	0.47	178	10
178709		2.80	0.19	0.06	108	<1	6.6	5	630	125	3.11	<5	21	0.01	2	<10
178710		6.62	0.62	3.20	1065	<1	1.69	62	440	8	0.52	<5	160	0.45	210	10
178711		7.62	0.91	3.64	1265	<1	2.16	83	2580	7	0.34	<5	704	0.69	201	<10
178712		8.27	0.93	3.64	1345	<1	2.11	84	2800	7	0.44	<5	584	0.76	208	<10
178713		8.39	1.15	3.13	1035	1	1.64	84	540	12	2.00	<5	182	0.44	194	20
178714		1.60	4.18	0.19	145	<1	2.12	5	170	35	0.01	<5	138	0.08	8	<10
178715		6.74	0.85	3.02	986	<1	1.82	50	350	5	0.95	<5	170	0.43	194	10
178716		7.22	1.18	3.14	1060	<1	2.05	58	440	5	1.14	<5	180	0.46	206	<10
178717		9.98	0.91	3.07	1125	<1	1.49	113	410	4	2.86	<5	138	0.42	205	310
178718		6.96	0.77	3.04	1075	<1	1.49	47	380	4	1.01	<5	150	0.44	206	50
178719		4.93	1.31	1.28	788	<1	2.86	11	830	4	0.44	<5	228	0.50	129	<10
178720		4.98	1.53	1.13	640	<1	2.40	26	840	4	0.92	<5	160	0.44	82	10
178721		9.94	0.89	2.40	1025	<1	1.11	77	290	4	2.62	<5	97	0.32	158	40
178722		8.74	1.28	2.80	1065	1	1.28	85	370	6	2.24	<5	136	0.40	186	80
178723		6.38	1.47	2.90	1185	1	0.97	73	310	4	0.83	<5	128	0.37	188	20
178724		4.11	1.02	0.88	596	<1	2.26	5	830	8	0.47	<5	185	0.44	79	<10
178725		5.47	1.60	1.95	824	<1	2.16	34	730	6	0.75	<5	208	0.43	140	<10
178726		2.50	0.19	0.07	34	<1	7.0	3	660	112	2.74	<5	20	0.01	2	<10
178727		7.30	2.23	4.53	1210	<1	1.12	105	490	11	0.71	<5	120	0.41	197	30
178728		7.75	2.46	3.12	1110	1	0.80	69	390	10	1.49	<5	122	0.45	199	30
178729 DUP		7.60	2.41	3.02	1095	1	0.74	73	360	7	1.51	<5	113	0.44	194	30
178730		5.96	1.78	2.03	923	<1	1.91	30	660	7	0.68	<5	200	0.49	162	<10
178731		7.61	1.76	3.62	1205	<1	1.31	73	390	11	0.57	<5	164	0.48	221	<10
178732		7.17	0.98	4.36	1215	<1	1.48	85	380	11	0.05	<5	167	0.44	210	<10
178733		6.31	1.32	3.45	1070	<1	1.80	58	500	5	0.04	<5	174	0.44	181	10
178734		7.22	1.28	4.85	1250	<1	1.51	97	380	8	<0.01	<5	142	0.44	210	<10
178735		6.39	1.29	3.78	1050	<1	1.68	82	480	5	0.07	<5	157	0.45	182	<10
178736		6.18	1.26	3.31	1025	1	1.82	63	600	8	0.12	<5	165	0.47	177	10
178737		6.53	1.22	3.91	1185	<1	1.44	65	450	4	0.05	<5	152	0.48	218	<10
178738		1.67	4.42	0.22	155	<1	2.36	4	170	38	<0.01	<5	168	0.09	9	<10
178739		6.55	1.48	3.91	1175	<1	1.56	62	380	<2	0.02	<5	158	0.47	222	<10
178740		6.48	0.77	5.18	1200	<1	2.19	109	500	6	0.24	<5	270	0.44	198	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 9-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037018

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
178701		66
178702 DUP		65
178703		91
178704		103
178705		71
178706		88
178707		62
178708		74
178709		37
178710		84
178711		110
178712		97
178713		99
178714		29
178715		60
178716		66
178717		94
178718		84
178719		57
178720		57
178721		126
178722		85
178723		84
178724		43
178725		54
178726		17
178727		98
178728		88
178729 DUP		87
178730		75
178731		104
178732		76
178733		80
178734		89
178735		75
178736		71
178737		70
178738		29
178739		73
178740		90



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 9-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06037018**

Sample Description	Method Analyte Units LOA	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178741		2.92	<0.005			0.5	8.07	<5	140	<0.5	<2	6.82	<0.5	36	112	70
178742		2.60	0.303			<0.5	7.58	11	140	<0.5	<2	6.01	<0.5	21	111	54
178743		2.59	0.120			0.5	7.27	<5	180	<0.5	<2	5.10	<0.5	21	110	95
178744		3.08	0.204			<0.5	7.30	<5	190	1.1	<2	1.27	<0.5	4	9	126
178745		3.77	0.074			<0.5	7.95	<5	150	0.5	<2	6.11	<0.5	48	124	198
178746		0.06	1.845			19.7	8.19	5	60	3.1	<2	0.34	<0.5	1	4	5
178747		2.66	0.069			<0.5	8.28	<5	200	<0.5	<2	7.10	<0.5	35	122	320
178748		2.65	0.101			0.7	8.02	<5	170	<0.5	<2	7.16	<0.5	52	129	682
178749		2.44	0.114			0.7	7.92	<5	130	0.5	<2	5.73	<0.5	41	106	456
178750		0.16	<0.005			<0.5	7.51	11	580	1.0	<2	1.20	<0.5	3	12	8
178751		2.44	0.013			<0.5	7.29	<5	140	0.7	<2	6.05	<0.5	38	373	192
178752		2.83	0.009			<0.5	6.14	<5	160	0.6	<2	7.53	<0.5	49	376	94
178753		2.55	0.011			<0.5	6.59	<5	360	0.6	<2	6.71	<0.5	43	419	158
178754		3.81	0.014			<0.5	5.70	10	60	0.5	<2	6.77	<0.5	66	945	133
178755		2.26	0.057			<0.5	7.95	<5	260	1.0	<2	1.46	2.0	9	18	78
178756		1.90	0.012			<0.5	8.00	<5	100	0.6	<2	7.13	<0.5	50	829	70
178757		2.21	0.558	0.480		<0.5	7.31	<5	270	<0.5	<2	4.53	0.7	39	106	292
178758 DUP		<0.02	0.398	0.473		<0.5	6.77	<5	250	0.5	<2	4.35	<0.5	38	106	290
178759		2.48	0.161			0.8	7.45	8	220	0.5	<2	4.76	<0.5	54	128	620
178760		2.97	0.053			<0.5	7.37	<5	100	0.7	<2	2.22	<0.5	8	13	44



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 9-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037018

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178741		7.69	1.08	4.18	1365	<1	1.85	104	600	8	0.25	<5	274	0.52	213	<10
178742		5.94	1.52	3.42	1090	<1	1.40	99	380	6	0.12	<5	163	0.43	203	20
178743		6.39	1.26	3.35	1245	<1	1.20	130	330	7	0.18	<5	138	0.43	206	10
178744		1.71	0.34	0.28	194	<1	4.65	7	90	13	0.35	<5	155	0.11	18	<10
178745		9.47	0.84	3.98	1470	<1	2.10	110	820	4	0.63	<5	334	0.85	224	<10
178746		2.75	0.19	0.07	113	<1	7.1	3	660	118	2.98	<5	22	0.01	2	<10
178747		6.85	1.78	3.55	1415	<1	1.37	87	410	4	0.29	<5	203	0.49	228	10
178748		7.50	0.94	3.82	1390	<1	1.80	89	430	8	0.60	<5	291	0.48	221	<10
178749		6.84	0.88	3.23	1110	<1	2.45	58	480	23	0.83	<5	262	0.48	194	<10
178750		1.90	4.54	0.35	199	<1	2.44	5	240	35	0.01	<5	190	0.10	15	<10
178751		8.76	0.59	4.66	1190	<1	2.44	96	830	53	0.66	<5	398	0.46	181	<10
178752		7.68	0.76	6.56	1465	<1	1.24	119	640	8	0.17	<5	318	0.44	252	<10
178753		7.18	1.17	6.32	1350	<1	1.36	172	700	9	0.44	<5	332	0.37	214	<10
178754		7.08	0.26	10.65	1385	<1	0.98	501	600	<2	0.46	<5	154	0.28	158	<10
178755		3.50	1.34	0.78	475	2	4.10	7	870	18	0.32	<5	215	0.48	43	<10
178756		7.55	0.67	9.09	1530	<1	1.02	355	650	6	0.19	<5	79	0.34	174	<10
178757		5.63	3.41	2.82	1090	<1	1.73	49	410	12	0.49	<5	60	0.42	188	<10
178758 DUP		5.32	3.31	2.66	1030	<1	1.64	46	380	11	0.43	<5	57	0.41	186	<10
178759		6.71	1.87	3.20	1210	<1	2.29	81	370	49	1.09	<5	124	0.44	201	<10
178760		3.24	0.59	0.84	496	<1	3.63	6	730	21	0.15	<5	186	0.34	58	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 9-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037018

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
178741		78
178742		76
178743		95
178744		35
178745		113
178746		19
178747		94
178748		77
178749		121
178750		33
178751		156
178752		98
178753		103
178754		102
178755		1095
178756		110
178757		478
178758 DUP		459
178759		249
178760		177



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 15-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06037019

Project: DETOUR LAKE

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 7-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 15-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
LOI	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
178761		1.58	>10.0		15.20	14.5	7.18	<5	110	0.6	<2	6.56	3.3	40	119	781
178762		2.82	0.066			0.5	7.56	13	120	<0.5	<2	6.16	<0.5	34	119	225
178763		2.68	0.061			0.5	7.63	<5	170	<0.5	<2	6.18	<0.5	33	131	315
178764		1.84	0.031			<0.5	6.78	<5	450	1.2	<2	1.16	<0.5	1	12	21
178765		2.07	0.034			<0.5	6.63	<5	470	1.1	<2	1.38	<0.5	4	71	20
178766		2.80	0.059			<0.5	7.76	<5	160	<0.5	<2	5.80	<0.5	29	119	96
178767		2.52	0.079			0.6	7.17	<5	170	0.5	<2	5.50	0.9	35	125	239
178768 DUP		<0.02	0.117			0.5	7.18	<5	170	0.5	<2	5.44	1.0	35	122	248
178769		2.37	0.019			<0.5	7.77	13	90	0.7	<2	4.11	1.4	28	88	212
178770		2.62	0.042			<0.5	8.09	5	80	0.5	<2	5.03	<0.5	31	123	319
178771		2.54	0.067			<0.5	7.40	<5	100	0.6	<2	3.82	<0.5	27	96	232
178772		2.52	0.088			<0.5	7.37	8	140	0.5	<2	4.91	<0.5	32	90	290
178773		2.59	0.024			<0.5	7.94	<5	130	<0.5	<2	5.98	<0.5	32	138	232
178774		2.40	0.079			<0.5	8.05	<5	130	<0.5	<2	5.30	<0.5	32	143	321
178775		2.55	1.320			0.7	8.03	5	180	<0.5	<2	4.89	<0.5	32	142	299
178776		0.04	0.969			10.2	7.81	<5	40	3.1	<2	0.31	<0.5	1	4	6
178777		2.58	0.835			0.6	7.62	<5	130	<0.5	2	5.57	<0.5	39	136	280
178778		2.52	0.223			0.7	7.63	<5	150	<0.5	<2	5.48	<0.5	31	131	459
178779		0.10	0.009			<0.5	8.89	<5	520	0.9	<2	0.99	<0.5	2	9	7
178780		2.49	9.25			2.1	7.82	<5	120	<0.5	<2	5.72	<0.5	49	136	1160
178781		2.50	0.334			1.5	7.62	<5	110	<0.5	<2	6.70	<0.5	40	132	594
178782		2.76	0.065			0.7	8.00	<5	180	0.6	<2	4.80	<0.5	34	89	437
178783		1.65	0.135			1.5	6.88	<5	270	0.6	<2	3.80	<0.5	62	651	1375
178784		3.31	0.262			0.5	5.97	<5	80	<0.5	<2	5.91	<0.5	54	1065	323
178785		2.88	2.24			<0.5	4.44	<5	10	<0.5	<2	4.77	<0.5	53	1525	123
178786		2.78	0.097			<0.5	5.23	<5	60	<0.5	<2	5.23	<0.5	64	1445	46
178787		2.71	0.029			<0.5	4.82	<5	40	<0.5	<2	5.24	<0.5	68	1800	88
178788		2.64	0.160			<0.5	4.71	<5	10	<0.5	<2	4.70	<0.5	59	1425	51
178789		2.44	0.039			<0.5	8.15	<5	910	0.6	<2	2.02	<0.5	25	203	34
178790		0.05	1.830			20.8	8.48	<5	50	3.3	<2	0.34	<0.5	1	6	6
178791		2.81	0.245			<0.5	5.75	<5	20	<0.5	<2	4.78	<0.5	45	1280	113
178792		2.68	1.185			0.9	4.89	<5	20	<0.5	<2	5.44	<0.5	69	1055	489
178793 DUP		<0.02	0.068			1.2	4.56	<5	20	<0.5	<2	5.26	<0.5	68	1005	466
178794		0.14	0.005			<0.5	7.00	<5	560	0.9	<2	0.81	<0.5	2	21	7
178795		2.76	0.107			<0.5	6.93	<5	320	<0.5	<2	3.17	<0.5	41	852	26
178796		2.92	0.017			0.5	7.18	<5	210	<0.5	<2	3.64	<0.5	57	953	59
178797		3.23	0.019			<0.5	5.18	5	20	<0.5	<2	5.40	<0.5	67	1240	14
178798		1.85	0.005			<0.5	6.03	6	20	<0.5	<2	5.42	<0.5	61	1140	3
178799		2.98	0.005			<0.5	6.18	<5	20	<0.5	<2	5.92	<0.5	76	1315	3
178800		3.06	0.007			<0.5	5.94	<5	20	<0.5	<2	5.92	<0.5	71	1250	11



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 15-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178761		5.76	1.16	3.03	1180	<1	2.02	62	310	243	0.50	<5	88	0.43	200	<10
178762		6.60	1.13	3.40	1255	<1	1.75	70	380	18	0.51	<5	152	0.43	204	10
178763		6.85	1.45	3.49	1325	1	1.29	67	370	8	0.61	<5	144	0.44	207	20
178764		1.72	0.97	0.13	184	1	3.84	2	90	7	0.13	<5	118	0.10	2	10
178765		2.11	1.09	0.80	284	2	3.11	17	110	12	0.10	<5	116	0.11	13	<10
178766		8.51	1.30	3.68	1415	1	1.48	75	360	74	0.20	5	160	0.45	207	10
178767		8.00	1.04	3.20	1140	<1	1.86	70	850	43	0.42	<5	294	0.46	191	<10
178768 DUP		6.04	1.03	3.22	1135	<1	1.85	71	840	45	0.43	<5	289	0.46	189	10
178769		5.85	0.82	2.94	1225	1	3.06	47	480	95	0.34	7	140	0.46	180	<10
178770		8.94	0.73	3.83	1410	1	3.55	73	430	35	0.20	<5	124	0.48	226	10
178771		6.53	0.87	3.27	1310	<1	2.95	50	470	15	0.37	<5	143	0.44	198	10
178772		6.68	1.01	3.22	1190	1	2.02	53	460	25	0.84	<5	169	0.43	180	<10
178773		7.08	1.04	3.68	1220	<1	1.67	74	390	6	0.55	<5	147	0.46	211	10
178774		6.95	0.96	3.42	1135	<1	1.88	68	390	9	0.78	<5	146	0.46	206	20
178775		7.14	1.44	3.52	1280	<1	1.75	71	380	12	0.91	<5	146	0.44	213	10
178776		2.67	0.19	0.07	38	<1	6.8	2	560	114	2.86	<5	17	0.01	1	<10
178777		7.34	1.20	3.42	1180	<1	1.17	74	370	5	1.25	<5	130	0.43	207	10
178778		6.70	1.43	3.49	1220	<1	1.04	76	350	5	0.71	<5	118	0.44	211	10
178779		1.86	4.04	0.20	188	3	2.17	2	160	33	0.01	<5	142	0.08	8	<10
178780		6.26	0.94	2.89	1015	<1	1.89	80	350	18	1.03	<5	140	0.45	201	10
178781		8.86	1.04	3.49	1275	<1	1.44	63	380	3	0.71	<5	128	0.44	210	10
178782		5.82	0.99	2.33	922	1	2.16	63	570	13	0.80	<5	170	0.45	151	10
178783		7.65	1.09	2.50	982	<1	1.58	175	510	4	1.71	<5	95	0.37	131	10
178784		9.49	0.54	7.75	1660	1	0.80	433	260	10	1.34	<5	64	0.29	171	20
178785		8.78	0.08	11.20	1445	1	0.31	787	160	6	0.88	<5	20	0.21	141	10
178786		8.59	0.25	12.10	1140	<1	0.50	773	280	4	0.08	<5	84	0.21	142	<10
178787		8.66	0.17	13.00	1225	<1	0.27	968	220	5	0.07	<5	32	0.20	137	10
178788		7.61	0.10	11.40	1285	<1	0.25	775	180	3	0.11	<5	17	0.23	144	<10
178789		4.84	3.88	3.59	701	<1	0.82	91	800	6	0.12	6	315	0.38	124	<10
178790		2.58	0.19	0.07	108	<1	7.3	4	640	112	2.75	5	21	0.01	2	<10
178791		9.30	0.27	10.70	1605	<1	0.31	837	190	2	0.17	<5	15	0.25	171	<10
178792		9.07	0.16	9.46	1780	1	0.28	687	170	2	0.59	<5	28	0.22	147	10
178793 DUP		8.62	0.17	9.02	1725	1	0.26	675	160	4	0.55	<5	28	0.21	137	<10
178794		1.80	4.32	0.28	164	1	2.23	8	160	36	0.01	<5	144	0.08	9	<10
178795		6.74	2.25	7.29	1110	<1	0.57	404	330	4	0.21	5	109	0.29	141	<10
178796		7.69	1.43	8.89	1205	<1	0.37	464	530	<2	0.28	<5	97	0.43	169	<10
178797		7.20	0.20	11.05	1355	<1	0.27	694	170	2	0.02	<5	31	0.24	160	<10
178798		7.52	0.22	11.10	1320	6	0.25	626	190	2	0.01	<5	37	0.26	166	<10
178799		8.34	0.25	11.70	1550	1	0.24	710	220	<2	<0.01	<5	38	0.31	190	<10
178800		7.96	0.18	11.35	1445	<1	0.32	667	210	<2	0.01	6	44	0.30	188	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 6TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 15-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
178761		1640
178762		122
178763		89
178764		82
178765		178
178766		318
178767		420
178768 DUP		465
178769		594
178770		57
178771		70
178772		116
178773		82
178774		89
178775		108
178776		18
178777		140
178778		179
178779		27
178780		105
178781		121
178782		137
178783		102
178784		136
178785		188
178786		170
178787		100
178788		117
178789		73
178790		18
178791		98
178792		91
178793 DUP		86
178794		27
178795		61
178796		87
178797		80
178798		83
178799		95
178800		91



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 15-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
178801		1.71	0.023			<0.5	5.59	<5	10	<0.5	<2	5.98	<0.5	69	1215	36
178802		2.56	0.759			0.6	4.73	<5	10	<0.5	16	5.13	<0.5	54	907	31
178803		1.36	>10.0		72.9	16.4	5.49	<5	120	<0.5	<2	4.87	<0.5	40	633	20
178804		0.09	0.037			<0.5	7.51	5	590	0.9	<2	0.90	<0.5	<1	15	2
178805		1.14	1.825			0.6	5.27	<5	10	<0.5	<2	6.48	<0.5	54	936	52
178806		2.12	0.110			<0.5	5.79	<5	10	<0.5	<2	5.61	<0.5	54	1110	23
178807		3.16	0.016			<0.5	7.97	<5	710	0.5	<2	6.06	<0.5	47	180	92
178808		1.74	0.051			<0.5	7.39	7	290	0.6	<2	5.77	<0.5	44	494	34
178809		2.30	0.012			<0.5	8.24	12	410	0.6	<2	1.25	<0.5	4	55	11
178810		2.50	0.013			<0.5	6.43	<5	100	<0.5	<2	3.44	<0.5	37	725	21
178811 DUP		<0.02	0.009			<0.5	6.36	<5	160	<0.5	<2	3.05	<0.5	30	605	21
178812		1.85	<0.005			<0.5	7.11	<5	140	<0.5	<2	0.38	<0.5	<1	17	5
178813		1.69	0.009			<0.5	7.76	<5	410	0.5	<2	1.08	<0.5	8	114	14
178814		3.33	0.020			<0.5	7.95	<5	730	0.8	<2	5.62	<0.5	36	390	17
178815		2.81	0.008			<0.5	5.51	<5	30	<0.5	<2	5.08	<0.5	57	1125	33
178816		2.61	<0.005			<0.5	6.16	<5	30	<0.5	<2	5.93	<0.5	67	1235	19
178817		2.52	0.014			<0.5	6.25	<5	160	<0.5	<2	5.38	<0.5	61	1145	57
178818		3.33	0.015			<0.5	5.27	<5	30	<0.5	<2	4.56	<0.5	53	1010	13
178819		0.06	0.982			11.2	8.68	<5	70	3.3	<2	0.33	<0.5	<1	13	9
178820		2.94	0.040			<0.5	6.62	<5	280	<0.5	<2	4.58	<0.5	42	742	32
178821		3.19	0.139			<0.5	6.08	<5	30	<0.5	<2	6.09	<0.5	59	1100	6
178822		2.69	0.019			<0.5	6.02	<5	20	<0.5	<2	5.59	<0.5	58	1210	10
178823		2.50	0.029			<0.5	6.37	<5	430	0.7	<2	5.65	<0.5	43	742	27
178824		3.15	0.011			<0.5	6.63	<5	330	0.5	<2	6.07	<0.5	46	966	25
178825		3.09	0.207			<0.5	7.26	<5	170	<0.5	<2	2.67	<0.5	27	737	13
178826		1.98	0.235			<0.5	6.35	<5	40	<0.5	<2	6.48	<0.5	58	1210	2
178827		2.43	0.099			<0.5	6.32	<5	130	<0.5	<2	6.10	<0.5	58	1100	13
178828		2.61	0.128			<0.5	6.03	<5	30	<0.5	<2	6.18	<0.5	61	1130	8
178829		2.29	0.339			<0.5	5.34	<5	20	<0.5	<2	5.94	<0.5	61	1005	13
178830		2.48	0.059			<0.5	5.87	<5	20	<0.5	<2	5.81	<0.5	69	1140	8
178831		0.06	1.835			20.0	8.87	5	60	3.3	<2	0.33	<0.5	<1	6	7
178832		2.18	0.020			<0.5	6.30	<5	30	<0.5	<2	6.09	<0.5	60	1205	1
178833		2.36	0.263			<0.5	6.52	9	10	<0.5	<2	4.74	<0.5	109	1215	24
178834		2.40	0.040			<0.5	5.89	<5	60	<0.5	<2	5.64	<0.5	59	1125	14
178835		2.31	0.015			<0.5	5.81	8	140	<0.5	<2	5.63	<0.5	54	1010	13
178836		2.61	0.008			<0.5	6.16	13	140	<0.5	<2	4.52	<0.5	58	929	14
178837		2.25	0.086			<0.5	6.55	8	40	<0.5	<2	3.89	<0.5	82	1130	34
178838		2.50	0.056			<0.5	5.26	8	120	<0.5	<2	4.50	<0.5	43	737	14
178839 DUP		<0.02	0.060			<0.5	5.10	6	120	<0.5	<2	4.54	<0.5	42	711	16
178840		0.11	<0.005			<0.5	6.74	<5	520	0.8	<2	0.85	<0.5	3	49	7



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 15-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method Analyte Units LOL	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178801		7.99	0.21	11.05	1405	<1	0.26	654	210	3	0.03	5	45	0.26	175	<10
178802		7.11	0.15	9.11	1310	1	0.36	509	180	<2	0.13	<5	42	0.22	140	<10
178803		6.16	1.04	7.95	1270	<1	0.79	333	520	<2	0.12	6	59	0.25	140	<10
178804		1.98	4.69	0.27	182	1	2.30	6	190	35	0.01	<5	159	0.09	8	<10
178805		7.32	0.16	9.18	1685	<1	1.52	507	170	<2	0.15	<5	52	0.22	148	<10
178806		8.02	0.14	10.35	1445	<1	0.81	610	250	<2	0.22	<5	64	0.29	170	<10
178807		9.10	1.74	6.10	1495	1	1.28	182	2050	<2	0.55	8	282	0.71	219	<10
178808		8.44	1.74	7.32	1540	<1	0.88	324	1480	<2	0.36	6	140	0.56	191	<10
178809		1.35	1.11	0.77	176	1	4.57	29	200	3	0.11	<5	172	0.11	24	<10
178810		4.99	0.47	6.46	906	<1	1.89	398	140	<2	0.19	<5	72	0.17	98	<10
178811 DUP		4.39	0.54	5.51	801	1	2.21	330	140	<2	0.18	<5	79	0.15	83	<10
178812		0.72	0.43	0.27	74	1	5.40	1	160	<2	0.02	<5	93	0.06	5	<10
178813		1.56	0.89	1.66	233	<1	4.68	84	340	<2	0.07	<5	140	0.09	23	<10
178814		4.92	2.79	7.27	905	<1	0.61	332	1080	<2	0.15	<5	280	0.22	102	<10
178815		6.85	0.17	10.20	1235	1	0.32	655	170	3	0.30	<5	54	0.20	150	10
178816		7.65	0.19	11.20	1455	1	0.38	730	200	<2	0.10	<5	61	0.25	188	10
178817		7.43	0.55	10.20	1375	<1	0.43	687	170	4	0.29	<5	124	0.26	170	<10
178818		6.21	0.25	8.91	1145	<1	0.32	586	180	<2	0.12	<5	54	0.21	143	<10
178819		2.77	0.20	0.08	36	2	7.0	2	650	121	3.17	8	21	0.01	2	<10
178820		6.24	2.00	7.88	1190	<1	0.36	420	540	6	0.18	<5	260	0.29	152	<10
178821		7.87	0.45	11.05	1515	<1	0.39	694	200	4	0.03	<5	65	0.28	184	<10
178822		7.71	0.39	11.45	1380	<1	0.31	731	160	3	0.04	<5	54	0.27	180	<10
178823		7.29	1.46	8.71	1355	<1	0.82	455	1100	2	0.12	<5	219	0.43	185	<10
178824		7.26	1.36	8.93	1465	<1	0.76	549	570	4	0.14	<5	162	0.33	183	<10
178825		4.22	0.58	5.59	695	<1	2.86	373	170	<2	0.12	<5	112	0.17	92	<10
178826		8.00	0.38	11.75	1560	<1	0.41	732	230	<2	0.02	<5	45	0.28	182	10
178827		7.13	0.58	10.50	1455	1	0.46	662	310	<2	0.03	<5	95	0.27	166	10
178828		7.71	0.28	11.55	1565	1	0.41	730	190	13	0.01	<5	56	0.28	183	<10
178829		8.93	0.23	10.25	1515	1	0.38	646	160	<2	0.07	<5	61	0.24	164	<10
178830		7.56	0.20	11.05	1545	1	0.35	703	200	<2	0.11	<5	53	0.25	176	<10
178831		2.91	0.20	0.09	117	<1	7.0	1	640	127	3.33	<5	22	0.02	2	<10
178832		8.25	0.27	11.35	1580	<1	0.44	717	200	<2	0.01	<5	57	0.29	186	10
178833		7.82	0.17	11.45	1195	1	0.30	688	170	<2	0.27	<5	38	0.24	186	<10
178834		7.54	0.73	10.10	1340	1	0.26	621	190	<2	0.14	<5	45	0.25	169	10
178835		6.71	1.08	8.64	1245	<1	0.38	525	300	8	0.09	<5	69	0.21	150	<10
178836		7.07	1.11	8.36	1160	<1	0.37	505	360	6	0.08	<5	59	0.29	154	<10
178837		7.76	0.48	9.76	1120	<1	0.23	569	210	8	0.27	<5	33	0.23	177	<10
178838		6.15	0.62	6.79	1055	<1	0.54	408	300	6	0.08	<5	81	0.25	135	<10
178839 DUP		5.91	0.63	6.49	1035	1	0.55	387	320	6	0.08	<5	83	0.24	132	10
178840		1.89	4.22	0.29	177	<1	2.01	13	160	38	0.01	<5	150	0.06	9	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 15-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
178801		93
178802		68
178803		68
178804		27
178805		77
178806		81
178807		112
178808		116
178809		26
178810		69
178811 DUP		59
178812		8
178813		23
178814		61
178815		86
178816		88
178817		86
178818		85
178819		17
178820		88
178821		82
178822		83
178823		88
178824		79
178825		49
178826		87
178827		81
178828		92
178829		79
178830		81
178831		27
178832		82
178833		80
178834		72
178835		68
178836		75
178837		85
178838		70
178839 DUP		68
178840		30



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 15-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method Analyte Units LOI	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
178841		2.10	0.487			<0.5	5.42	6	40	<0.5	<2	5.22	<0.5	57	1080	5
178842		2.48	0.087	0.095		<0.5	6.82	11	360	<0.5	<2	3.56	<0.5	29	270	32
178843		2.11	0.009			<0.5	7.65	5	420	0.6	<2	2.77	<0.5	14	184	19
178844		2.11	0.038			<0.5	6.76	<5	250	<0.5	<2	6.00	<0.5	38	547	14
178845		2.40	0.411			<0.5	7.04	<5	80	<0.5	<2	7.41	<0.5	42	329	263
178846		2.40	0.202			<0.5	7.49	<5	80	<0.5	<2	7.16	<0.5	46	339	241
178847		2.68	0.574			0.7	6.35	<5	60	<0.5	<2	10.40	<0.5	52	261	974
178848 DUP		<0.02	0.672			1.6	6.36	<5	60	<0.5	<2	10.50	<0.5	53	261	1070
178849		2.52	0.026			<0.5	6.90	<5	150	<0.5	<2	6.87	<0.5	35	296	42
178850		1.36	0.005			<0.5	7.99	<5	330	0.6	<2	4.06	<0.5	16	108	28
178851		3.63	0.015			<0.5	7.25	<5	70	<0.5	<2	8.27	<0.5	40	322	11
178852		2.67	0.037			<0.5	7.03	<5	110	<0.5	<2	7.69	<0.5	47	382	15
178853		0.17	<0.005			<0.5	7.38	<5	600	0.8	<2	0.88	<0.5	2	10	4
178854		1.80	0.032			<0.5	6.47	<5	<10	<0.5	<2	5.00	<0.5	82	868	8
178855		2.65	0.029			<0.5	8.38	<5	420	0.8	<2	2.83	<0.5	15	108	43
178856		2.34	0.095			<0.5	8.80	<5	80	<0.5	<2	6.38	<0.5	50	392	6
178857		2.40	0.057			<0.5	8.01	<5	90	<0.5	<2	7.45	<0.5	37	252	9
178858		2.13	0.028			<0.5	7.75	<5	90	<0.5	<2	7.46	<0.5	37	212	5
178859		0.06	0.992			10.3	8.11	<5	50	3.0	<2	0.34	<0.5	1	9	8
178860		2.50	0.046			<0.5	7.72	<5	80	<0.5	<2	7.23	<0.5	37	216	4



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 15-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
178841		7.06	0.22	9.37	1245	<1	0.37	618	190	5	0.02	<5	40	0.22	164	<10
178842		4.69	1.30	3.42	796	<1	1.61	127	580	9	0.12	<5	180	0.29	120	<10
178843		2.14	1.14	1.86	366	<1	3.32	59	250	14	0.06	<5	254	0.13	53	<10
178844		5.91	0.91	6.17	1185	1	1.28	207	390	4	0.07	<5	139	0.30	169	<10
178845		7.19	0.43	4.99	1315	<1	1.41	138	220	3	0.13	<5	156	0.33	209	10
178846		7.91	0.37	5.34	1445	<1	1.84	138	210	<2	0.10	<5	132	0.34	218	<10
178847		6.99	0.41	4.62	1445	1	0.76	129	410	6	0.48	<5	136	0.29	175	<10
178848 DUP		7.15	0.41	4.66	1465	<1	0.75	131	450	4	0.54	<5	143	0.29	181	<10
178849		6.26	0.76	3.89	1190	2	1.65	106	200	5	0.11	<5	153	0.30	174	<10
178850		3.20	0.97	2.03	534	<1	3.40	64	580	5	0.15	<5	246	0.21	78	<10
178851		7.24	0.43	5.32	1380	<1	1.40	136	280	7	0.06	<5	172	0.36	218	<10
178852		7.39	0.62	6.05	1390	<1	1.26	163	300	3	0.05	<5	156	0.33	209	10
178853		1.64	4.23	0.24	162	1	2.26	5	190	33	<0.01	<5	150	0.08	9	<10
178854		8.27	0.06	10.80	1380	1	0.31	490	150	5	0.02	<5	31	0.23	197	<10
178855		3.70	1.45	2.19	690	1	2.68	51	560	<2	0.27	<5	256	0.28	71	<10
178856		6.97	0.65	6.92	1370	<1	1.05	204	210	2	0.02	<5	74	0.31	197	10
178857		6.81	0.78	4.65	1340	1	1.39	68	250	7	0.05	<5	115	0.41	237	10
178858		6.76	0.73	4.44	1255	<1	1.56	66	260	3	0.02	<5	114	0.36	228	70
178859		2.74	0.18	0.07	38	1	6.8	3	600	116	3.17	<5	19	0.01	2	<10
178860		6.54	0.72	4.50	1220	<1	1.45	66	250	2	0.03	<5	114	0.38	232	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 15-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037019

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
178841		94
178842		50
178843		35
178844		86
178845		73
178846		69
178847		82
178848 DUP		85
178849		64
178850		73
178851		63
178852		65
178853		28
178854		86
178855		76
178856		85
178857		82
178858		58
178859		16
178860		56



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 10-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06037051

Project: BLOCK A

P.O. No.:

This report is for 40 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 2 (A - B)  
 Finalized Date: 10-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037051**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
180481		2.29	0.079		<0.5	6.20	<5	360	1.1	<2	1.63	<0.5	2	20	38	1.22
180482		1.42	0.072		<0.5	6.98	5	380	0.8	<2	3.87	<0.5	17	144	41	3.45
180483		2.42	0.020		<0.5	7.89	<5	220	0.6	<2	3.69	<0.5	19	208	13	3.20
180484		2.76	0.273		<0.5	7.67	10	220	<0.5	<2	4.83	<0.5	23	184	47	4.26
180485		2.57	0.579		<0.5	6.89	<5	70	<0.5	<2	7.41	<0.5	39	292	54	7.08
180486 DUP		<0.02	0.549		<0.5	6.81	6	70	<0.5	<2	7.38	<0.5	38	303	57	7.12
180487		0.17	<0.005		<0.5	6.38	<5	520	0.8	<2	0.96	<0.5	2	10	6	2.08
180488		2.75	0.519		<0.5	6.79	<5	100	<0.5	<2	8.21	<0.5	37	298	46	7.10
180489		2.13	0.018		<0.5	7.77	<5	280	0.8	<2	4.12	<0.5	18	40	36	5.10
180490		2.75	2.99		0.7	7.65	7	140	<0.5	<2	6.50	<0.5	34	104	47	6.67
180491		2.46	1.350		0.6	7.44	<5	160	<0.5	<2	6.87	<0.5	35	116	146	6.53
180492		2.52	0.510		0.7	7.10	<5	80	<0.5	<2	7.85	<0.5	44	118	753	7.15
180493		2.50	0.023		<0.5	7.77	8	110	<0.5	<2	7.05	<0.5	40	148	249	7.28
180494		2.84	0.038		<0.5	7.72	<5	100	<0.5	<2	6.71	<0.5	37	142	38	6.76
180495		2.57	0.244		<0.5	7.35	<5	100	<0.5	<2	7.66	<0.5	49	129	354	8.05
180496		0.04	0.956		11.7	8.53	7	50	3.3	2	0.34	<0.5	1	6	9	2.74
180497		2.44	1.395		1.0	7.80	5	130	0.5	2	6.30	<0.5	35	117	106	7.27
180498		2.74	0.021		<0.5	8.10	6	170	0.5	<2	5.91	<0.5	38	120	55	7.69
180499		2.77	0.041		<0.5	8.22	<5	90	<0.5	<2	6.48	<0.5	46	149	132	8.77
180500		2.56	0.033		<0.5	8.22	10	140	<0.5	3	6.77	<0.5	41	146	79	7.60
180501		2.57	0.042		<0.5	8.38	7	150	0.5	<2	5.68	<0.5	33	106	84	6.90
180502		2.84	0.011		<0.5	7.72	<5	130	<0.5	<2	5.98	<0.5	31	109	79	7.11
180503		2.23	0.035		<0.5	7.54	<5	150	<0.5	<2	6.54	<0.5	48	144	188	7.39
180504		2.63	0.084		<0.5	7.61	13	120	<0.5	2	6.16	<0.5	46	142	186	7.39
180505		3.08	0.094		<0.5	7.90	8	160	0.6	4	5.61	<0.5	33	101	165	6.24
180506 DUP		<0.02	0.058		<0.5	7.98	7	150	0.5	<2	5.68	<0.5	32	111	145	6.33
180507		0.14	0.030	0.020	<0.5	7.14	6	590	0.9	2	1.06	<0.5	2	13	8	1.87
180508		1.96	0.306		<0.5	8.18	11	140	<0.5	2	6.75	<0.5	45	142	160	7.53
180509		2.67	0.119		<0.5	7.97	<5	150	<0.5	<2	6.91	<0.5	41	194	130	7.27
180510		2.19	0.082		<0.5	8.08	6	250	0.8	<2	3.86	<0.5	16	32	47	5.00
180511		2.57	0.335		<0.5	7.62	<5	170	0.5	3	5.60	<0.5	37	122	190	6.54
180512		2.50	0.086		<0.5	8.00	<5	130	0.5	<2	6.05	<0.5	34	114	59	6.64
180513		2.42	0.207		<0.5	7.29	<5	170	<0.5	<2	5.93	<0.5	48	137	159	7.21
180514		2.52	0.030		0.5	7.06	9	130	<0.5	<2	6.41	<0.5	37	114	101	6.49
180515		2.40	0.029		<0.5	6.80	5	430	0.9	<2	2.83	<0.5	14	65	53	3.36
180516		0.06	1.745		20.3	8.16	11	60	3.2	4	0.34	<0.5	1	6	6	2.90
180517		2.88	0.022		<0.5	7.78	5	130	0.5	<2	6.79	<0.5	42	132	201	7.04
180518		2.56	0.017		<0.5	8.21	<5	170	<0.5	<2	7.04	<0.5	44	128	85	7.80
180519		2.73	0.008		<0.5	7.95	<5	180	<0.5	<2	6.55	<0.5	44	122	14	7.64
180520		2.65	0.005		<0.5	7.96	<5	190	<0.5	<2	6.17	<0.5	43	124	13	7.64



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 2 (A - B)  
 Finalized Date: 10-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037051**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
180481		0.86	0.24	344	3	3.28	6	80	6	0.15	9	126	0.09	4	<10	28
180482		0.92	2.20	832	4	2.83	48	210	6	0.24	5	201	0.16	72	<10	56
180483		0.76	3.34	706	<1	3.44	79	380	7	0.02	<5	308	0.15	66	<10	52
180484		0.73	2.83	750	<1	3.19	66	220	7	0.32	<5	235	0.21	115	<10	55
180485		0.60	5.05	1315	<1	1.39	127	220	6	0.12	<5	126	0.36	212	<10	70
180486 DUP		0.59	5.06	1320	<1	1.37	126	220	4	0.13	<5	127	0.35	211	<10	70
180487		4.03	0.22	185	<1	2.08	5	170	32	0.01	<5	152	0.08	9	<10	26
180488		0.70	4.80	1515	<1	1.49	127	250	3	0.29	<5	135	0.34	197	20	77
180489		1.04	1.54	894	<1	2.53	25	970	8	0.24	<5	239	0.51	102	<10	56
180490		0.84	2.98	1175	<1	1.53	62	430	2	0.20	<5	148	0.46	190	<10	71
180491		1.20	2.94	1230	<1	1.41	63	390	5	0.57	<5	136	0.44	188	<10	61
180492		0.65	3.25	1325	<1	1.32	68	360	9	0.47	<5	129	0.41	190	10	69
180493		0.71	3.62	1330	<1	1.55	88	410	2	0.26	<5	158	0.44	199	<10	68
180494		0.73	3.49	1215	<1	1.77	95	410	<2	0.11	<5	185	0.44	195	<10	61
180495		0.62	3.18	1410	<1	1.41	72	360	<2	0.85	<5	113	0.41	207	<10	69
180496		0.20	0.07	35	<1	7.1	1	630	111	2.94	<5	23	0.01	1	<10	21
180497		0.73	3.11	1250	<1	1.59	65	480	<2	0.49	<5	144	0.47	194	10	74
180498		0.99	3.49	1235	<1	1.76	80	590	<2	0.23	<5	198	0.56	196	<10	90
180499		0.57	3.53	1380	<1	1.80	107	790	<2	0.61	<5	247	0.71	222	<10	101
180500		0.83	3.85	1355	<1	1.52	79	450	<2	0.31	<5	166	0.47	214	10	80
180501		0.76	2.81	1145	<1	2.22	60	630	<2	0.26	<5	223	0.50	182	10	67
180502		0.89	3.37	1160	<1	1.87	68	1020	<2	0.23	<5	230	0.55	186	<10	68
180503		0.89	3.14	1270	<1	1.78	80	410	<2	0.52	<5	210	0.46	218	<10	79
180504		0.67	3.22	1175	<1	2.06	93	600	<2	0.64	<5	273	0.48	201	<10	68
180505		0.76	2.25	1070	<1	1.87	55	660	5	0.44	<5	198	0.50	171	<10	74
180506 DUP		0.76	2.33	1090	<1	1.81	54	620	<2	0.42	<5	188	0.49	179	<10	66
180507		4.16	0.29	190	<1	2.16	6	190	32	0.01	<5	168	0.09	11	<10	31
180508		0.81	3.08	1300	<1	1.30	81	390	<2	0.49	<5	142	0.47	217	20	101
180509		0.77	3.59	1270	<1	1.58	92	390	<2	0.43	<5	171	0.43	203	10	84
180510		0.83	1.27	826	<1	2.73	18	840	<2	0.28	<5	198	0.49	108	<10	54
180511		0.91	2.53	1185	<1	1.38	64	470	<2	0.54	<5	141	0.47	183	10	83
180512		0.81	2.77	1235	<1	1.59	62	530	<2	0.30	<5	148	0.48	189	10	70
180513		1.01	3.04	1245	<1	1.20	79	380	<2	0.61	<5	136	0.46	215	10	74
180514		0.91	2.76	1200	<1	1.25	66	400	<2	0.38	<5	130	0.44	188	10	74
180515		1.34	0.97	588	<1	2.52	28	170	<2	0.17	<5	128	0.23	71	<10	40
180516		0.19	0.07	110	<1	8.8	3	640	117	3.11	<5	21	0.01	2	<10	20
180517		0.84	2.82	1295	<1	1.55	69	500	<2	0.43	<5	156	0.47	194	10	72
180518		0.96	4.05	1300	<1	1.24	87	400	<2	0.17	<5	135	0.47	218	10	85
180519		1.01	4.59	1345	<1	1.17	109	370	<2	0.03	<5	120	0.45	210	<10	82
180520		1.24	4.63	1240	<1	1.14	121	400	<2	0.03	<5	136	0.46	204	<10	86



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 15-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06037050

Project: DETOUR LAKE

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 7-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 3 (A - B)

Finalized Date: 15-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06037050

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
178861		2.39	0.152	<0.5	7.25	<5	110	<0.5	<2	6.49	<0.5	35	217	2	6.42	0.91
178862		2.54	0.190	<0.5	7.20	<5	90	<0.5	<2	6.88	<0.5	37	256	16	6.74	0.72
178863		2.52	0.568	<0.5	7.21	<5	50	<0.5	<2	7.38	<0.5	38	280	10	7.09	0.44
178864		2.38	0.107	<0.5	7.21	<5	20	<0.5	<2	7.64	<0.5	40	286	19	7.35	0.26
178865 DUP		<0.02	0.073	<0.5	7.14	<5	20	<0.5	<2	7.65	<0.5	40	293	20	7.33	0.26
178866		2.81	0.225	<0.5	7.53	<5	60	<0.5	<2	7.75	<0.5	38	277	42	7.47	0.50
178867		1.89	0.062	<0.5	7.85	<5	350	1.1	<2	3.15	<0.5	12	7	26	3.91	1.18
178868		1.90	0.085	<0.5	6.33	<5	440	1.1	<2	1.02	<0.5	<1	6	18	1.63	1.28
178869		2.89	0.010	<0.5	7.89	<5	130	<0.5	<2	6.15	<0.5	35	189	36	8.25	0.59
178870		2.22	0.010	<0.5	7.73	7	180	<0.5	<2	6.13	<0.5	44	215	114	6.06	0.69
178871		2.50	<0.005	<0.5	8.40	14	250	0.5	<2	6.01	<0.5	33	228	33	5.17	0.77
178872		2.44	0.009	<0.5	7.86	18	180	<0.5	<2	6.25	<0.5	39	198	85	6.18	0.83
178873		2.85	0.236	<0.5	7.53	<5	150	<0.5	<2	6.18	<0.5	53	240	261	7.26	0.88
178874		0.05	0.994	11.0	8.58	9	50	3.2	<2	0.34	<0.5	1	4	10	2.76	0.19
178875		2.69	0.120	<0.5	7.28	<5	150	0.5	<2	6.06	<0.5	71	174	307	7.50	0.76
178876		2.86	0.051	<0.5	8.12	<5	110	<0.5	<2	6.57	<0.5	88	182	268	7.85	0.77
178877 DUP		<0.02	0.045	<0.5	7.48	<5	100	<0.5	<2	6.27	<0.5	86	178	259	7.38	0.73
178878		2.78	0.011	<0.5	8.28	6	230	0.6	<2	6.91	<0.5	47	104	317	8.02	0.86
178879		2.25	0.029	<0.5	6.36	10	440	1.0	<2	1.83	<0.5	9	51	89	1.82	1.29
178880		3.11	0.142	<0.5	7.13	9	300	0.7	<2	3.38	<0.5	77	105	249	4.91	1.21
178881		1.19	0.037	<0.5	8.34	<5	110	<0.5	<2	7.26	<0.5	56	156	534	7.22	1.09
178882		2.59	0.208	<0.5	7.52	<5	110	<0.5	<2	6.31	<0.5	69	168	337	7.07	0.93
178883		2.43	0.150	<0.5	6.94	<5	110	<0.5	<2	5.80	<0.5	79	136	253	6.69	0.56
178884		2.38	<0.005	<0.5	8.35	5	130	0.5	<2	5.83	<0.5	29	116	81	5.24	0.48
178885		2.98	0.070	<0.5	7.26	<5	50	<0.5	<2	6.90	<0.5	75	154	360	7.98	0.41
178886 DUP		<0.02	0.093	<0.5	7.51	5	50	<0.5	<2	7.07	<0.5	79	158	321	8.11	0.43
178887		2.21	0.048	<0.5	7.69	5	140	<0.5	<2	6.26	<0.5	36	147	312	6.70	0.94
178888		3.22	0.081	<0.5	7.11	<5	180	0.6	<2	5.54	<0.5	78	142	445	7.62	0.82
178889		0.14	<0.005	<0.5	6.48	18	520	0.9	<2	0.87	<0.5	<1	5	7	1.50	4.05
178890		2.98	0.012	<0.5	7.54	<5	140	0.5	<2	6.71	<0.5	31	144	83	6.14	0.77
178891		2.73	0.097	<0.5	6.81	<5	130	<0.5	<2	5.59	<0.5	134	143	554	12.65	1.03
178892		2.57	0.076	0.6	7.62	<5	140	<0.5	<2	5.76	<0.5	48	181	1325	8.22	1.40
178893		2.27	0.074	<0.5	7.28	5	210	0.9	<2	4.08	<0.5	54	41	96	5.00	1.16
178894		2.46	<0.005	<0.5	7.80	<5	250	0.8	<2	3.89	<0.5	16	12	29	5.11	1.44
178895		2.15	0.023	<0.5	7.57	6	330	0.8	<2	3.14	<0.5	10	44	78	3.75	0.96
178896		3.04	0.022	<0.5	6.54	<5	490	1.0	2	1.23	<0.5	3	13	107	2.59	1.20
178897		2.58	0.005	<0.5	7.75	<5	340	0.7	<2	3.60	<0.5	15	79	28	3.34	1.18
178898		0.06	1.845	20.3	8.43	7	60	3.1	3	0.35	<0.5	2	4	6	2.85	0.19
178899		1.36	0.007	<0.5	8.02	<5	120	<0.5	2	6.90	<0.5	34	146	56	7.00	0.68
178900		3.04	0.079	0.7	7.47	<5	120	<0.5	2	6.96	<0.5	87	168	235	8.63	0.80



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 15-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06037050**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	10	2
178861		4.51	1110	<1	1.16	75	240	4	<0.01	<5	110	0.37	228	<10	60
178862		5.16	1230	<1	1.24	110	230	4	0.03	<5	104	0.37	221	<10	73
178863		4.99	1280	<1	1.33	122	240	4	0.02	<5	119	0.36	213	<10	61
178864		4.26	1290	1	1.33	117	230	5	0.13	<5	133	0.35	214	<10	70
178865 DUP		4.26	1290	1	1.33	116	230	4	0.12	<5	131	0.35	213	<10	67
178866		4.17	1370	<1	1.49	118	240	2	0.15	<5	153	0.37	224	10	67
178867		0.89	738	2	2.37	6	700	5	0.15	<5	155	0.40	88	<10	67
178868		0.11	349	1	3.12	2	70	25	0.14	<5	80	0.08	2	<10	40
178869		3.89	1050	<1	1.87	84	370	6	0.13	<5	186	0.41	192	<10	67
178870		4.06	1015	<1	2.06	95	400	2	0.35	<5	256	0.39	175	<10	64
178871		4.39	944	<1	2.53	105	590	<2	0.12	<5	371	0.32	140	<10	64
178872		4.51	1055	<1	2.08	108	590	2	0.24	<5	278	0.40	165	<10	70
178873		4.15	1135	<1	1.76	96	360	5	0.54	<5	181	0.44	206	<10	67
178874		0.07	36	<1	7.0	4	610	130	3.21	<5	22	0.01	2	<10	17
178875		3.64	1245	<1	1.59	104	510	<2	1.12	<5	157	0.45	176	10	115
178876		3.84	1135	<1	1.60	95	410	<2	1.39	<5	168	0.48	209	<10	66
178877 DUP		3.59	1060	<1	1.47	90	360	<2	1.27	<5	157	0.45	199	10	62
178878		3.96	1405	<1	1.78	80	1760	4	1.15	<5	663	0.60	203	10	84
178879		0.63	233	<1	2.80	26	140	2	0.28	<5	153	0.11	18	<10	18
178880		1.70	577	<1	2.60	78	240	4	1.36	<5	178	0.21	73	10	48
178881		3.54	1255	<1	1.55	77	380	4	0.58	<5	176	0.45	208	<10	72
178882		3.21	1110	<1	1.59	82	340	<2	0.89	<5	152	0.45	204	10	69
178883		2.80	979	<1	1.60	80	410	<2	1.13	<5	167	0.39	170	10	55
178884		2.76	943	<1	2.67	61	330	<2	0.25	<5	221	0.37	156	<10	54
178885		3.48	1235	<1	1.70	102	360	<2	1.30	<5	144	0.42	191	<10	60
178886 DUP		3.57	1270	<1	1.76	104	360	<2	1.37	<5	150	0.43	193	<10	62
178887		3.68	1260	<1	2.03	77	380	<2	0.38	<5	153	0.45	201	20	68
178888		2.88	1090	<1	1.79	100	510	2	1.71	<5	184	0.39	145	10	63
178889		0.21	144	<1	2.07	2	160	34	0.01	<5	150	0.08	8	<10	26
178890		3.64	1205	1	1.91	87	480	3	0.27	<5	208	0.43	183	10	72
178891		3.49	1245	<1	1.20	166	340	<2	3.92	<5	143	0.38	184	30	65
178892		3.60	1380	1	1.11	100	410	<2	1.11	<5	158	0.43	201	10	84
178893		1.54	995	2	2.21	40	640	<2	0.81	<5	192	0.40	110	<10	67
178894		1.48	1370	1	2.19	23	1020	2	0.21	<5	238	0.55	128	<10	98
178895		0.94	754	1	2.90	18	350	22	0.38	<5	183	0.27	56	<10	65
178896		0.14	294	1	3.18	<1	150	7	0.68	<5	151	0.14	3	<10	35
178897		1.54	627	<1	2.58	35	210	<2	0.10	<5	220	0.22	83	<10	45
178898		0.07	108	1	6.9	4	600	122	3.07	<5	22	0.01	3	<10	19
178899		3.84	1315	<1	1.89	72	370	<2	0.20	<5	165	0.45	202	<10	67
178900		3.41	1280	1	1.29	106	330	<2	1.17	<5	138	0.43	188	10	70



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 3 (A - B)  
 Finalized Date: 15-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06037050**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
178901		2.96	0.013	<0.5	7.95	<5	30	<0.5	<2	7.00	<0.5	47	156	193	7.29	0.33
178902		2.84	0.049	<0.5	7.65	<5	60	<0.5	<2	7.26	<0.5	59	156	270	7.54	0.57
178903 UP		<0.02	0.033	<0.5	8.33	<5	70	<0.5	<2	7.75	<0.5	63	159	292	8.26	0.62
178904		1.89	<0.005	<0.5	8.32	<5	80	<0.5	<2	6.94	<0.5	37	154	76	7.14	0.75
178905		2.41	0.044	<0.5	7.59	5	310	0.7	2	4.05	<0.5	15	273	13	4.96	1.35
178906		2.94	0.049	0.6	8.52	6	90	<0.5	2	7.11	<0.5	42	157	131	7.26	0.68
178907		2.87	0.028	0.6	8.00	6	40	<0.5	<2	7.05	<0.5	75	160	94	8.34	0.34
178908		3.21	0.076	<0.5	9.33	<5	40	<0.5	<2	8.10	<0.5	37	148	200	7.94	0.28
178909		2.52	0.071	<0.5	8.35	<5	50	<0.5	2	6.91	<0.5	85	152	448	8.08	0.35
178910		0.14	<0.005	<0.5	7.42	<5	590	0.9	<2	0.76	<0.5	2	16	7	2.21	4.56
178911		2.44	0.015	<0.5	8.81	<5	100	<0.5	<2	6.69	<0.5	45	169	408	6.50	0.33
178912		2.40	0.005	0.5	7.85	<5	90	<0.5	<2	7.27	<0.5	40	161	217	7.82	0.38
178913		1.85	<0.005	<0.5	8.61	<5	90	<0.5	<2	7.34	<0.5	31	137	84	7.42	0.31
178914		3.43	0.007	<0.5	8.70	<5	200	0.5	<2	6.06	<0.5	32	210	52	5.73	0.69
178915		2.84	0.015	<0.5	7.99	<5	50	<0.5	<2	7.43	<0.5	37	146	180	7.98	0.37
178916		2.90	0.030	<0.5	7.36	<5	80	<0.5	<2	7.15	<0.5	34	144	200	7.91	0.51
178917		0.12	0.967	11.5	9.12	<5	50	3.2	<2	0.44	<0.5	2	5	10	2.87	0.20
178918		2.37	0.020	<0.5	8.38	<5	50	<0.5	<2	7.85	<0.5	31	152	161	7.77	0.35
178919		2.75	0.032	<0.5	8.01	<5	70	<0.5	2	7.16	<0.5	27	136	170	6.96	0.48
178920		2.61	<0.005	<0.5	8.75	<5	170	0.5	<2	5.72	<0.5	21	116	98	5.42	0.57
178921		2.04	0.010	<0.5	8.00	<5	190	0.5	<2	7.35	<0.5	41	380	88	7.44	0.73
178922		2.75	0.009	<0.5	8.58	<5	70	<0.5	<2	7.65	<0.5	30	138	191	7.61	0.49
178923		1.62	0.011	<0.5	8.47	<5	280	0.9	<2	3.75	<0.5	16	4	19	4.70	1.06
178924		3.27	0.064	<0.5	8.46	<5	130	<0.5	<2	6.98	<0.5	42	148	200	7.41	1.14
178925		2.57	0.011	<0.5	6.80	<5	240	0.5	<2	8.41	<0.5	37	222	47	6.98	0.81
178926		2.68	0.014	<0.5	8.02	<5	260	0.6	<2	6.96	<0.5	36	188	142	6.97	0.85
178927		0.06	1.815	21.3	8.97	<5	60	3.2	<2	0.36	<0.5	2	3	6	3.03	0.19
178928		2.45	0.016	<0.5	7.62	<5	120	<0.5	4	6.74	<0.5	37	142	278	7.88	1.05
178929		2.37	0.049	<0.5	6.17	<5	280	0.8	<2	4.50	<0.5	17	80	81	6.02	0.96
178930		2.52	0.132	<0.5	7.71	6	50	<0.5	<2	6.32	<0.5	41	158	519	8.47	0.48
178931		2.76	0.060	<0.5	7.88	<5	80	<0.5	<2	6.54	<0.5	55	160	851	8.67	0.65
178932 DUP		<0.02	0.050	<0.5	7.80	5	80	<0.5	<2	6.40	<0.5	50	156	837	8.43	0.62
178933		1.91	0.014	<0.5	8.30	<5	110	<0.5	<2	6.94	<0.5	23	150	150	6.84	0.76
178934		3.74	0.020	<0.5	8.22	<5	250	0.7	<2	4.83	<0.5	17	96	66	4.34	1.04
178935		2.38	0.017	<0.5	8.28	<5	80	<0.5	<2	6.91	<0.5	26	146	59	6.60	0.85
178936		2.50	0.086	<0.5	7.88	<5	130	<0.5	<2	5.97	<0.5	22	150	82	6.16	1.52
178937		2.62	0.025	<0.5	8.08	6	90	<0.5	<2	6.64	<0.5	27	143	85	6.25	0.98
178938		0.14	<0.005	<0.5	6.28	5	500	0.8	<2	0.91	<0.5	1	10	6	1.69	4.12
178939		2.17	0.011	<0.5	8.33	<5	110	0.5	<2	6.57	<0.5	25	160	80	6.36	0.58
178940		2.34	0.015	<0.5	7.06	<5	430	1.1	<2	2.28	<0.5	2	9	21	4.66	1.24



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 3 (A - B)  
 Finalized Date: 15-MAY-2006  
 Account: TRAVEN

Project: DETOUR LAKE

**CERTIFICATE OF ANALYSIS VO06037050**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
178901		3.60	1265	<1	1.60	74	360	<2	0.50	<5	136	0.45	203	<10	65
178902		3.53	1330	<1	1.49	87	360	<2	0.69	<5	132	0.44	194	<10	67
178903 UP		3.81	1420	<1	1.64	93	370	<2	0.89	<5	144	0.45	208	<10	71
178904		3.73	1425	<1	1.85	74	380	<2	0.17	<5	174	0.45	206	<10	81
178905		1.99	1215	<1	2.12	69	760	<2	0.15	<5	213	0.41	75	<10	112
178906		3.59	1280	<1	1.84	79	400	<2	0.43	<5	170	0.46	210	<10	70
178907		3.57	1325	<1	1.64	101	350	<2	1.07	<5	146	0.45	201	<10	64
178908		3.88	1410	1	2.11	72	400	<2	0.31	<5	164	0.48	215	<10	63
178909		3.09	1130	<1	1.79	84	360	5	1.45	<5	134	0.45	198	20	65
178910		0.19	188	1	2.20	5	170	35	0.01	<5	148	0.09	9	<10	28
178911		3.63	1145	1	2.21	79	380	<2	0.46	<5	200	0.38	169	<10	58
178912		3.91	1320	<1	1.51	102	880	<2	0.54	<5	308	0.50	204	<10	77
178913		3.76	1325	<1	1.87	72	530	2	0.42	<5	281	0.44	189	<10	62
178914		4.30	1060	<1	2.45	102	770	<2	0.21	<5	342	0.36	143	<10	67
178915		3.86	1360	1	1.52	87	380	3	0.61	<5	192	0.46	209	10	70
178916		3.75	1335	<1	1.23	81	350	<2	0.67	<5	140	0.42	193	10	69
178917		0.11	53	<1	7.3	2	630	121	3.02	<5	22	0.02	4	<10	18
178918		3.86	1365	<1	1.55	80	380	3	0.52	<5	171	0.46	217	<10	68
178919		3.28	1220	<1	1.50	82	330	<2	0.59	<5	143	0.45	199	10	60
178920		2.61	946	<1	2.48	50	310	4	0.33	<5	224	0.35	145	<10	54
178921		5.37	1280	<1	1.65	166	520	3	0.41	<5	295	0.44	185	10	72
178922		3.71	1355	<1	1.56	82	370	<2	0.49	<5	160	0.47	217	<10	74
178923		1.09	919	1	2.52	9	680	4	0.08	<5	196	0.47	126	<10	76
178924		3.33	1315	<1	1.31	77	360	<2	0.83	<5	160	0.46	210	<10	78
178925		4.83	1250	1	1.38	99	1380	7	0.25	<5	827	0.49	202	<10	85
178926		3.93	1160	1	1.92	116	790	<2	0.56	<5	441	0.45	195	<10	70
178927		0.07	112	<1	7.3	4	630	124	3.32	<5	23	0.01	3	<10	18
178928		3.55	1325	<1	1.33	88	340	2	0.89	<5	163	0.43	219	<10	69
178929		1.81	1160	1	2.53	34	390	<2	0.45	<5	168	0.38	109	<10	72
178930		3.02	1095	<1	1.65	78	380	17	1.46	<5	152	0.43	209	10	64
178931		2.92	1075	<1	1.54	105	380	7	1.71	<5	149	0.44	214	20	56
178932 DUP		2.85	1050	<1	1.54	102	350	8	1.70	<5	149	0.44	210	30	55
178933		3.39	1145	<1	1.68	73	380	6	0.48	<5	188	0.46	203	<10	63
178934		2.13	725	<1	2.32	42	310	11	0.36	<5	238	0.31	138	10	62
178935		3.53	1170	<1	1.39	79	410	9	0.39	<5	135	0.47	217	10	72
178936		3.23	1120	<1	1.06	66	330	5	0.48	6	123	0.45	198	10	67
178937		3.17	1180	<1	1.47	82	400	7	0.52	<5	141	0.45	206	10	81
178938		0.24	159	<1	1.99	3	170	35	0.01	<5	140	0.08	10	<10	26
178939		3.49	1215	<1	2.14	83	520	9	0.27	<5	212	0.41	154	<10	83
178940		0.30	1065	<1	2.79	<1	590	7	0.21	<5	201	0.31	3	<10	114



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 5-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06037052

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 5-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037052**

Sample Description	Method Analyte Units LOA	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
173581		2.67	<0.005			0.05	<0.5	8.18	7	150	<0.5	<2	6.57	<0.5	36	153
173582		2.61	<0.005			0.05	<0.5	7.86	8	140	<0.5	<2	6.26	<0.5	30	119
173583		3.21	0.032			0.05	<0.5	7.87	18	40	<0.5	<2	7.17	<0.5	38	126
173584		2.54	0.206			0.05	<0.5	7.81	15	30	<0.5	<2	7.59	<0.5	39	113
173585		2.82	0.126			0.05	<0.5	8.20	12	60	<0.5	<2	7.05	<0.5	48	132
173586		0.06	1.005			0.05	10.6	8.45	16	50	3.3	<2	0.33	<0.5	1	5
173587		2.79	0.028			0.05	<0.5	8.01	10	50	<0.5	<2	7.10	<0.5	45	128
173588		2.92	0.093			0.05	<0.5	8.05	10	70	<0.5	<2	7.26	<0.5	44	126
173589		2.92	0.032			0.05	<0.5	7.98	6	70	<0.5	<2	6.97	<0.5	39	127
173590		2.71	0.030			0.05	<0.5	7.86	<5	60	<0.5	<2	6.99	<0.5	35	122
173591		2.60	0.013			0.05	<0.5	7.60	<5	160	0.6	<2	5.86	<0.5	43	159
173592		2.31	2.44	1.440	1.965	0.05	<0.5	7.77	<5	100	<0.5	<2	6.81	<0.5	52	152
173593 DUP		<0.02	4.84	4.93		0.05	0.9	7.59	13	100	<0.5	<2	6.64	<0.5	52	150
173594		0.15	0.005			0.05	<0.5	6.76	11	580	1.0	<2	0.82	<0.5	4	9
173595		2.78	4.66			0.05	0.6	7.11	10	50	<0.5	<2	7.20	<0.5	61	123
173596		2.59	0.293			0.05	<0.5	7.00	7	80	<0.5	<2	7.37	<0.5	39	122
173597		2.62	0.064			0.05	<0.5	7.55	6	370	0.6	<2	4.46	<0.5	21	81
173598		2.09	0.047			0.05	<0.5	7.71	21	350	0.6	<2	3.81	<0.5	15	61
173599		2.79	0.078			0.05	<0.5	7.62	10	140	<0.5	<2	6.22	<0.5	28	115
173600		2.65	0.014			0.05	<0.5	7.88	6	180	0.5	<2	5.44	<0.5	25	82
173601		2.65	0.119			0.05	<0.5	7.82	13	220	0.7	<2	4.01	<0.5	20	26
173602		2.63	0.036			0.05	<0.5	7.51	<5	130	<0.5	<2	6.59	<0.5	27	94
173603		2.38	0.017			0.05	<0.5	7.59	<5	140	<0.5	<2	6.17	<0.5	26	111
173604		2.78	1.420			0.05	<0.5	7.99	17	70	<0.5	<2	6.67	<0.5	31	113
173605		0.06	1.820			0.05	19.0	8.18	13	60	3.2	<2	0.33	<0.5	2	4
173606		2.88	>10.0			12.65	<0.5	6.93	13	40	<0.5	8	6.26	<0.5	55	132
173607		2.75	0.091			0.05	<0.5	7.58	7	50	<0.5	<2	5.97	<0.5	47	141
173608		2.83	0.163			0.05	<0.5	7.89	<5	50	<0.5	<2	7.01	<0.5	38	131
173609		2.68	6.25			0.05	0.8	7.51	10	70	<0.5	10	6.21	<0.5	55	136
173610		2.87	>10.0			14.85	0.7	7.03	7	120	<0.5	29	5.46	<0.5	65	135
173611 DUP		<0.02	>10.0			13.55	1.2	6.91	8	120	<0.5	21	5.36	<0.5	61	135
173612		0.14	0.038	0.027		0.05	<0.5	6.20	11	550	0.8	<2	0.74	<0.5	3	11
173613		2.78	0.421			0.05	<0.5	6.71	11	90	<0.5	<2	5.50	<0.5	54	130
173614		2.42	0.014			0.05	<0.5	7.68	11	40	<0.5	<2	7.30	<0.5	30	109
173615		2.66	>10.0			10.45	0.6	7.53	7	40	<0.5	10	6.63	<0.5	41	127
173616		2.54	0.102			0.05	0.9	7.61	8	80	<0.5	<2	6.18	<0.5	41	143
173617		2.59	7.50			0.05	1.7	7.45	7	70	<0.5	17	6.77	<0.5	41	114
173618		2.58	0.111			0.05	<0.5	7.47	19	210	0.6	<2	4.56	<0.5	21	69
173619		2.56	0.329			0.05	<0.5	7.54	9	60	<0.5	<2	6.68	<0.5	48	137
173620		2.46	0.012			0.05	<0.5	7.53	8	60	<0.5	<2	6.73	<0.5	37	130



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 5-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037052**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
173581		28	7.07	0.99	4.79	1190	1	1.49	107	1000	<2	0.10	<5	320	0.55	217
173582		3	6.37	0.98	4.12	1040	<1	1.46	82	380	<2	0.01	<5	147	0.46	215
173583		274	6.62	0.23	3.47	1125	1	1.56	59	380	<2	0.46	<5	162	0.44	204
173584		283	7.03	0.20	3.57	1190	1	1.47	68	380	<2	0.46	<5	156	0.44	209
173585		417	7.40	0.33	3.45	1195	1	1.67	74	410	<2	0.81	<5	181	0.45	212
173586		9	2.63	0.19	0.08	38	1	6.4	<1	630	114	2.99	5	20	0.01	2
173587		237	7.31	0.35	3.28	1205	1	1.57	66	380	<2	0.72	<5	182	0.44	204
173588		283	7.45	0.36	3.48	1255	1	1.83	67	400	<2	0.64	<5	178	0.44	205
173589		321	7.16	0.40	3.43	1260	1	1.64	63	390	<2	0.53	<5	184	0.45	213
173590		346	6.78	0.39	3.42	1210	1	1.53	61	380	<2	0.48	<5	185	0.44	203
173591		317	6.13	0.72	2.92	1085	1	1.67	81	430	<2	0.49	<5	226	0.50	222
173592		874	8.14	0.61	3.40	1250	<1	1.88	85	450	<2	1.21	5	172	0.44	212
173593 DUP		841	7.96	0.62	3.36	1235	1	1.60	83	440	<2	1.28	<5	167	0.43	213
173594		9	1.86	4.32	0.20	172	1	2.07	6	160	34	0.02	<5	153	0.08	8
173595		1085	7.81	0.39	2.92	1230	1	1.25	90	360	<2	1.46	<5	167	0.42	194
173596		445	6.18	0.57	2.63	1160	1	1.17	61	340	<2	0.68	<5	166	0.41	186
173597		147	4.63	1.12	1.95	889	1	2.20	40	390	<2	0.42	<5	272	0.32	119
173598		4	3.19	1.16	1.78	577	1	2.89	35	270	<2	0.01	<5	265	0.24	98
173599		6	6.34	1.08	3.92	1095	1	1.53	78	370	<2	0.02	<5	159	0.43	200
173600		18	5.91	1.12	3.22	1060	1	1.80	61	560	<2	0.05	<5	185	0.47	182
173601		34	4.85	0.78	1.60	853	2	2.35	24	930	<2	0.15	<5	240	0.53	140
173602		19	6.10	0.72	3.84	1215	1	1.65	73	570	2	0.15	5	321	0.42	200
173603		6	6.31	0.91	3.98	1145	1	1.43	72	370	<2	0.01	<5	150	0.42	198
173604		134	6.49	0.45	3.78	1230	1	1.81	69	390	<2	0.08	<5	160	0.47	219
173605		6	2.50	0.19	0.06	115	1	6.1	3	620	112	2.85	<5	20	0.01	2
173606		554	7.38	0.25	2.69	1065	1	1.42	83	330	<2	1.29	<5	165	0.42	190
173607		586	7.26	0.31	2.88	1115	1	1.75	64	350	<2	1.04	<5	169	0.45	215
173608		292	7.13	0.36	3.59	1280	1	1.45	63	370	<2	0.59	<5	158	0.46	212
173609		1275	7.76	0.52	2.84	1075	1	1.59	80	360	<2	1.37	<5	151	0.44	202
173610		767	8.10	0.84	2.76	1015	1	1.58	84	350	<2	1.66	<5	133	0.41	193
173611 DUP		734	7.81	0.82	2.73	998	1	1.55	83	350	<2	1.45	<5	132	0.41	194
173612		12	2.00	4.06	0.18	193	1	1.86	4	150	30	0.02	<5	144	0.08	8
173613		744	7.20	0.81	2.73	1035	1	1.07	68	340	<2	1.44	<5	125	0.40	182
173614		45	6.34	0.22	3.60	1260	<1	1.46	70	370	<2	0.15	<5	154	0.45	212
173615		761	7.19	0.25	3.11	1135	1	1.61	66	360	<2	0.90	<5	161	0.43	204
173616		931	7.90	0.37	2.92	1090	1	1.76	69	370	5	1.28	<5	168	0.45	206
173617		766	7.32	0.36	3.23	1200	1	1.53	75	570	2	1.08	<5	249	0.47	201
173618		685	5.59	0.69	1.83	875	2	2.22	35	600	<2	0.72	<5	184	0.44	128
173619		230	8.55	0.40	3.22	1150	1	1.41	101	360	<2	1.44	<5	156	0.44	209
173620		369	6.93	0.40	3.00	1095	1	1.44	72	350	<2	0.75	<5	153	0.45	211



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 5-JUN-2008  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037052

Sample Description	Method Analyte Units LOR	ME-ICP81	ME-ICP81
		W ppm 10	Zn ppm 2
173581		<10	76
173582		<10	62
173583		<10	54
173584		10	60
173585		<10	58
173586		<10	15
173587		<10	57
173588		<10	61
173589		<10	64
173590		<10	61
173591		<10	78
173592		<10	65
173593 DUP		<10	65
173594		<10	42
173595		<10	60
173596		<10	59
173597		<10	69
173598		<10	50
173599		<10	72
173600		<10	71
173601		<10	67
173602		<10	88
173603		<10	86
173604		<10	81
173605		<10	17
173606		<10	63
173607		<10	59
173608		<10	71
173609		<10	65
173610		<10	63
173611 DUP		<10	63
173612		<10	24
173613		<10	60
173614		<10	64
173615		<10	66
173616		<10	70
173617		<10	78
173618		<10	64
173619		<10	67
173620		10	57



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 5-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037052

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
173621		2.38	0.033				<0.5	7.32	5	150	0.5	<2	6.11	<0.5	33	143
173622		2.29	<0.005				<0.5	7.50	17	230	0.5	<2	5.11	<0.5	27	163
173623		2.44	0.046				<0.5	7.87	13	220	<0.5	<2	5.05	<0.5	27	132
173624		2.48	0.097				<0.5	7.61	9	300	0.7	<2	4.40	<0.5	18	87
173625		2.51	<0.005				<0.5	7.79	8	110	<0.5	<2	6.45	<0.5	25	103
173626		2.52	0.046				<0.5	8.74	13	190	0.6	<2	6.89	<0.5	29	74
173627		0.06	1.025				11.2	8.69	23	50	3.3	<2	0.35	<0.5	1	5
173628		2.40	0.827				<0.5	8.22	<5	180	0.5	<2	6.46	<0.5	28	85
173629		1.51	0.023				<0.5	7.65	10	200	0.8	<2	4.98	<0.5	28	84
173630		1.66	1.280				1.1	6.87	8	110	<0.5	3	5.94	1.5	40	117
173631		2.94	0.772	0.533			<0.5	7.10	8	230	0.6	<2	4.30	<0.5	21	76
173632 DUP		<0.02	0.559	0.476			<0.5	7.48	<5	250	0.7	<2	4.50	<0.5	20	72
173633		0.17	<0.005				<0.5	6.63	9	570	0.9	<2	1.12	<0.5	3	9
173634		2.46	0.104				<0.5	7.60	11	90	<0.5	<2	6.38	<0.5	34	126
173635		2.63	0.015				<0.5	7.87	<5	90	<0.5	<2	6.17	<0.5	29	130
173636		2.79	0.042				<0.5	7.84	13	110	<0.5	<2	6.25	<0.5	37	131
173637		2.56	0.026				0.5	8.05	12	160	0.6	<2	6.31	<0.5	35	103
173638		2.42	0.494				<0.5	7.67	8	230	0.8	<2	4.89	<0.5	24	56
173639		2.62	0.037				<0.5	7.90	13	130	<0.5	<2	6.33	<0.5	29	123
173640		2.46	0.023				<0.5	8.30	12	240	0.8	<2	4.70	<0.5	20	35
173641		2.85	0.108				<0.5	7.14	10	230	0.5	<2	4.30	<0.5	35	107
173642		2.25	0.009				<0.5	8.35	9	210	0.5	<2	5.73	<0.5	29	123
173643		2.48	0.015				<0.5	8.31	<5	230	0.7	<2	5.29	<0.5	24	68
173644		2.38	0.301				<0.5	8.06	<5	410	0.8	<2	3.50	<0.5	32	62
173645 DUP		<0.02	0.310				<0.5	8.12	11	410	0.8	<2	3.55	<0.5	31	63
173646		0.16	<0.005				<0.5	6.98	8	600	0.9	<2	0.98	<0.5	4	10
173647		2.57	0.022				<0.5	7.88	<5	160	0.6	<2	5.23	<0.5	30	74
173648		2.54	0.168				<0.5	8.11	<5	180	0.6	<2	6.00	<0.5	33	88
173649		2.42	0.466				0.8	7.36	8	140	0.5	<2	5.30	<0.5	43	96
173650		2.48	>10.0			10.50	1.1	7.79	9	90	<0.5	<2	6.46	<0.5	36	127
173651		2.45	4.78				0.6	7.90	<5	110	<0.5	<2	6.15	<0.5	57	140
173652		2.44	4.47				0.8	7.41	<5	120	<0.5	<2	5.64	<0.5	43	109
173653		2.53	0.057				<0.5	7.89	11	110	<0.5	<2	6.26	<0.5	34	125
173654		2.63	0.020				<0.5	7.56	5	260	0.6	<2	6.08	<0.5	31	179
173655		2.54	0.069				<0.5	7.98	<5	110	<0.5	<2	6.75	<0.5	30	113
173656		2.63	3.87				<0.5	7.19	<5	80	<0.5	<2	6.03	<0.5	38	130
173657		0.06	1.840				18.8	8.04	15	60	3.1	<2	0.32	<0.5	2	5
173658		2.72	0.141				<0.5	7.50	12	170	0.5	<2	6.79	<0.5	40	168
173659		2.49	0.178				1.0	7.25	11	190	0.5	<2	4.24	<0.5	57	111
173660		2.55	0.057				<0.5	7.61	<5	240	0.7	<2	4.36	<0.5	38	77



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 5-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037052**

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
	Analyte	Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units LOR	ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
173621		462	6.12	0.70	2.70	985	1	1.54	80	440	<2	0.76	<5	239	0.42	182
173622		183	5.41	1.29	3.05	959	1	1.41	95	890	<2	0.41	<5	341	0.44	148
173623		174	6.49	1.62	3.06	959	1	1.13	83	560	<2	0.88	<5	183	0.45	189
173624		133	5.78	1.48	2.32	956	1	1.55	46	650	<2	0.61	<5	186	0.44	127
173625		15	6.18	0.77	3.83	1220	1	1.69	68	530	<2	0.04	<5	196	0.46	207
173626		41	6.27	0.56	3.51	1200	1	2.01	50	650	<2	0.10	<5	314	0.52	208
173627		9	2.74	0.20	0.07	37	2	8.6	2	660	119	3.10	<5	22	0.01	2
173628		173	6.30	0.64	3.41	1160	2	1.81	50	560	2	0.24	<5	286	0.49	203
173629		119	5.73	0.86	3.01	1035	1	1.87	41	790	<2	0.27	<5	354	0.46	178
173630		1150	6.73	0.81	2.99	994	1	1.47	79	340	9	1.39	<5	143	0.40	183
173631		698	5.54	0.90	1.87	925	1	1.76	37	490	<2	0.59	<5	162	0.40	128
173632 DUP		607	5.83	0.95	1.89	980	1	1.90	34	520	<2	0.62	<5	172	0.42	129
173633		18	1.64	4.07	0.21	166	1	2.05	3	170	33	0.02	<5	157	0.08	9
173634		318	6.90	0.56	3.13	1120	1	1.45	67	350	<2	0.66	6	155	0.43	201
173635		293	6.75	0.60	3.24	1125	1	1.63	58	370	<2	0.42	<5	148	0.45	216
173636		251	6.97	0.79	3.16	1095	1	1.67	85	450	<2	0.69	<5	185	0.47	211
173637		90	6.96	0.78	3.26	1240	1	1.75	75	1240	<2	0.41	<5	413	0.73	205
173638		109	5.95	0.98	2.13	1010	1	1.98	43	1400	<2	0.57	<5	384	0.74	138
173639		71	6.12	0.92	3.12	1195	1	1.60	65	410	<2	0.29	<5	162	0.47	207
173640		76	5.20	0.98	1.77	912	2	2.38	29	910	<2	0.36	<5	259	0.53	138
173641		133	5.59	0.95	2.40	906	2	1.66	97	460	<2	0.45	<5	215	0.46	141
173642		72	6.26	0.77	3.06	1135	1	2.14	85	350	<2	0.15	<5	292	0.46	172
173643		131	5.52	0.91	2.25	966	1	2.20	45	870	<2	0.39	<5	316	0.53	163
173644		394	4.27	1.24	1.43	574	1	2.51	40	420	<2	0.78	<5	258	0.32	104
173645 DUP		414	4.31	1.23	1.44	575	1	2.50	42	420	<2	0.75	<5	260	0.32	105
173646		10	1.68	4.15	0.21	160	1	2.16	5	170	32	0.02	<5	167	0.08	9
173647		153	6.04	0.73	2.55	1060	1	1.96	57	1100	<2	0.37	<5	300	0.64	172
173648		255	6.64	1.01	2.96	1245	1	1.66	60	1320	<2	0.42	<5	366	0.76	204
173649		1035	6.28	1.04	2.37	1070	2	1.50	53	540	<2	0.93	<5	170	0.46	175
173650		1425	7.19	0.94	3.47	1375	1	1.35	59	380	<2	0.76	<5	133	0.44	208
173651		1370	7.77	0.85	3.31	1205	1	1.47	61	380	<2	1.19	<5	154	0.46	223
173652		1265	6.79	0.74	2.84	1055	1	1.54	54	460	<2	0.89	<5	166	0.45	193
173653		370	6.51	0.71	3.31	1190	1	1.65	52	390	<2	0.38	<5	178	0.46	217
173654		28	6.21	1.27	4.39	1125	1	1.59	112	630	<2	0.05	<5	170	0.44	201
173655		130	6.81	0.70	4.02	1200	1	1.58	69	470	<2	0.15	<5	197	0.47	220
173656		988	6.40	0.54	3.00	1090	2	1.47	60	360	<2	0.75	<5	176	0.43	207
173657		6	2.62	0.18	0.06	110	<1	8.2	5	610	114	3.00	<5	20	0.01	2
173658		621	6.74	0.58	3.80	1165	1	1.88	92	990	<2	0.53	<5	524	0.54	206
173659		1620	6.79	1.03	1.99	805	1	1.63	92	510	<2	1.72	<5	177	0.47	168
173660		283	5.56	0.85	1.81	944	2	2.07	43	620	<2	0.72	5	189	0.44	128



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 5-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037052**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
173621		<10	54
173622		<10	85
173623		<10	75
173624		<10	84
173625		<10	88
173626		<10	73
173627		<10	15
173628		<10	81
173629		<10	88
173630		<10	408
173631		<10	92
173632 DUP		<10	93
173633		<10	25
173634		<10	76
173635		<10	63
173636		<10	58
173637		<10	73
173638		<10	62
173639		<10	78
173640		<10	69
173641		<10	66
173642		<10	79
173643		<10	63
173644		<10	58
173645 DUP		<10	58
173646		<10	25
173647		<10	72
173648		<10	82
173649		10	95
173650		10	91
173651		<10	95
173652		<10	90
173653		<10	87
173654		<10	63
173655		<10	75
173656		10	60
173657		<10	17
173658		<10	74
173659		<10	73
173660		<10	68



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 5-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037052**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
173861		2.40	0.005				<0.5	7.94	<5	100	0.5	<2	6.24	<0.5	28	100
173862		2.35	0.023				<0.5	7.41	7	130	0.5	<2	5.81	<0.5	55	109
173863		2.50	0.110				<0.5	7.30	6	90	<0.5	<2	5.17	<0.5	52	135
173864		2.47	0.029				<0.5	7.62	8	100	<0.5	<2	6.24	<0.5	38	132
173865		2.81	0.009				<0.5	7.81	15	90	<0.5	<2	7.04	<0.5	29	103
173866		0.05	1.006				10.9	9.07	10	50	3.4	<2	0.35	<0.5	1	18
173867		2.57	0.007				<0.5	7.77	<5	90	<0.5	<2	6.42	<0.5	26	109
173868		2.81	0.005				<0.5	6.65	<5	160	0.5	<2	6.82	<0.5	40	293
173869		2.71	0.026				<0.5	6.14	12	170	<0.5	<2	6.78	<0.5	60	593
173870		2.48	0.014				<0.5	6.78	14	110	<0.5	<2	5.74	<0.5	46	585
173871		2.17	0.358				<0.5	7.31	11	240	<0.5	<2	6.71	<0.5	29	121
173872 DUP		<0.02	0.436				<0.5	7.23	11	230	<0.5	<2	6.81	<0.5	30	128
173873		0.17	<0.005				<0.5	6.75	6	580	0.9	<2	0.88	<0.5	4	10
173874		2.02	0.017				<0.5	8.20	9	200	<0.5	<2	6.57	<0.5	29	127
173875		2.46	0.016				<0.5	8.26	21	240	0.7	<2	5.00	<0.5	21	58
173876		2.83	0.022				<0.5	7.55	<5	110	<0.5	<2	6.27	<0.5	29	105
173877		2.12	0.006				<0.5	7.84	9	120	<0.5	<2	6.21	<0.5	28	108
173878		2.46	0.017				<0.5	7.72	6	190	0.5	<2	5.79	<0.5	24	93
173879		2.54	0.015				<0.5	7.75	<5	190	0.5	<2	5.47	<0.5	23	72
173880		2.71	0.015				<0.5	7.43	<5	120	<0.5	<2	5.87	<0.5	27	108



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 5-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037052

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	
173661		56	5.90	0.58	2.98	1130	1	1.88	51	640	<2	0.15	5	220	0.50	191
173662		218	6.71	0.65	2.78	1185	1	1.63	70	520	<2	0.84	<5	172	0.44	172
173663		573	6.81	0.56	2.38	899	1	1.72	83	350	<2	1.24	<5	153	0.43	185
173664		241	6.77	0.65	3.14	1115	1	1.64	71	360	<2	0.64	<5	162	0.45	210
173665		17	6.37	0.64	3.87	1300	1	1.57	68	390	<2	0.09	<5	169	0.45	209
173666		9	2.71	0.20	0.07	36	1	6.6	3	630	116	3.04	<5	22	0.01	2
173667		30	6.14	0.71	3.87	1215	1	1.67	62	390	<2	0.12	<5	182	0.46	211
173668		57	7.23	0.80	5.12	1415	1	1.45	108	570	14	0.10	<5	288	0.43	224
173669		347	7.09	0.65	8.42	1385	<1	0.90	363	700	<2	0.63	<5	279	0.32	187
173670		61	6.06	0.46	7.29	1190	1	1.42	331	600	<2	0.33	<5	183	0.33	170
173671		276	6.58	1.56	3.20	1480	1	1.26	69	450	<2	0.73	<5	192	0.42	208
173672 DUP		264	6.66	1.57	3.24	1505	1	1.24	69	450	3	0.80	<5	191	0.42	212
173673		8	1.67	4.09	0.24	271	1	2.05	5	170	31	0.02	<5	155	0.08	10
173674		130	6.60	1.21	3.47	1255	2	1.62	72	420	<2	0.26	6	221	0.46	217
173675		46	5.43	0.98	2.22	1035	3	2.21	31	740	<2	0.42	<5	218	0.50	161
173676		19	6.28	0.94	3.83	1250	1	1.37	77	380	<2	0.09	<5	152	0.44	205
173677		9	8.49	1.19	4.13	1215	1	1.49	86	360	<2	0.06	<5	148	0.43	205
173678		23	6.65	1.30	3.53	1145	<1	1.59	71	470	10	0.16	<5	160	0.44	182
173679		22	6.06	1.14	2.91	875	<1	1.86	53	550	3	0.14	<5	165	0.43	163
173680		11	6.78	1.26	4.08	1085	<1	1.43	86	340	8	0.04	<5	129	0.41	194





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 5-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037052

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
173661		<10	72
173662		10	67
173663		<10	49
173664		<10	54
173665		<10	89
173666		<10	15
173667		<10	62
173668		10	86
173669		<10	80
173670		<10	71
173671		10	86
173672 DUP		10	89
173673		<10	26
173674		<10	85
173675		<10	63
173676		<10	74
173677		<10	68
173678		<10	71
173679		<10	57
173680		<10	61



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06037053

Project: BLOCK A

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 16-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037053**

Sample Description	Method Analyte Units LOR	WEI-Z1	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179681		2.71	0.188			<0.5	8.12	<5	170	0.5	<2	5.42	<0.5	37	89	632
179682		2.67	0.880			0.9	7.08	121	90	<0.5	<2	5.48	<0.5	48	128	1500
179683		3.12	0.032			<0.5	7.75	7	120	0.5	<2	6.99	<0.5	33	289	214
179684		3.83	0.258			0.6	7.66	<5	190	0.6	<2	4.96	<0.5	37	91	689
179685		2.35	0.109			<0.5	7.82	<6	250	0.9	<2	2.99	<0.5	11	19	108
179686		1.87	0.030			<0.5	7.90	8	330	1.0	<2	2.73	<0.5	7	10	87
179687		3.11	0.023			<0.5	8.26	<5	210	0.7	<2	4.87	<0.5	22	56	176
179688		2.47	0.059			0.5	7.71	5	140	<0.5	<2	5.27	<0.5	38	134	570
179689		2.88	0.031			0.6	7.79	<5	160	<0.5	<2	5.01	<0.5	44	128	604
179690 DUP		<0.02	0.029			0.6	7.53	6	160	<0.5	<2	4.82	<0.5	44	122	560
179691		2.26	0.010			<0.5	8.22	<5	150	0.5	<2	5.63	<0.5	28	103	275
179692		2.63	0.008			<0.5	8.09	<5	250	0.8	<2	4.56	<0.5	24	33	229
179693		3.06	0.015			0.7	8.64	<5	190	0.6	<2	6.41	<0.5	30	62	124
179694		2.69	0.005			<0.5	8.10	<5	150	0.5	<2	5.88	<0.5	24	98	88
179695		2.76	0.053			<0.5	8.81	<5	150	0.5	<2	7.42	<0.5	24	91	118
179696		0.06	1.000			11.4	8.72	<5	50	3.4	<2	0.35	<0.5	<1	5	9
179697		2.77	0.115			0.5	8.35	<5	140	0.5	<2	7.07	<0.5	23	118	146
179698		0.12	<0.005			<0.5	8.71	5	470	0.9	<2	0.81	<0.5	3	9	6
179699		2.70	0.021			0.8	8.26	5	90	<0.5	<2	6.84	<0.5	27	119	136
179700		2.27	0.014			<0.5	7.85	5	80	<0.5	<2	6.29	<0.5	32	120	130
179701		1.98	1.185			0.5	8.25	9	90	<0.5	<2	6.86	<0.5	31	120	247
179702		2.50	0.049			<0.5	8.25	<5	60	<0.5	<2	7.14	<0.5	32	117	202
179703		2.79	0.052			<0.5	7.73	<5	250	0.7	<2	6.35	<0.5	29	98	63
179704		2.41	0.108			<0.5	7.99	<5	260	0.9	<2	4.19	<0.5	20	39	70
179705		2.79	0.019			<0.5	7.60	<5	300	1.0	<2	3.08	<0.5	15	21	114
179706		2.48	0.409			<0.5	8.15	<5	280	0.9	<2	3.85	<0.5	15	16	80
179707		0.08	1.845			20.9	8.50	10	60	3.2	<2	0.35	<0.5	<1	22	6
179708		1.91	0.063			<0.5	8.59	5	150	0.5	<2	6.73	<0.5	23	120	21
179709		3.93	0.455			<0.5	8.15	5	200	0.6	<2	5.13	<0.5	24	81	78
179710		2.73	0.152			<0.5	7.39	8	130	0.5	<2	7.20	<0.5	45	338	142
179711		2.71	0.041			0.8	7.24	5	140	0.5	<2	5.23	<0.5	58	143	715
179712		2.79	0.030			<0.5	7.51	<5	130	0.5	<2	6.55	<0.5	70	228	364
179713 DUP		<0.02	0.009			<0.5	7.76	<5	130	0.6	2	6.88	<0.5	89	239	360
179714		2.89	0.011			<0.5	6.97	<5	120	0.6	<2	7.39	<0.5	44	287	112
179715		2.88	0.010			<0.5	7.53	<5	180	0.6	<2	7.15	<0.5	38	224	78
179716		2.71	<0.005			<0.5	6.50	<5	110	0.8	<2	7.32	<0.5	48	485	57
179717		0.17	<0.005			<0.5	6.93	<5	520	0.9	<2	0.93	<0.5	3	15	7
179718		2.24	0.006			<0.5	6.85	<5	160	0.5	<2	6.88	<0.5	44	427	58
179719		2.63	0.018			0.7	7.93	<5	180	0.5	<2	6.54	<0.5	39	385	114
179720		2.64	0.030			<0.5	8.50	<5	210	0.7	<2	5.37	<0.5	27	322	75



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 16-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037053**

Sample Description	Method Analyte Units Lot	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Tl %	V ppm	W ppm
179681		6.51	0.83	2.32	900	2	1.85	35	580	14	0.67	<5	184	0.46	162	<10
179682		7.83	0.81	2.83	1000	<1	1.34	83	340	13	1.60	<5	122	0.42	190	10
179683		7.04	0.86	4.93	1260	<1	1.51	112	520	6	0.14	<5	318	0.45	211	<10
179684		6.59	1.06	2.29	994	<1	1.83	58	500	6	0.82	<5	156	0.42	150	10
179685		3.91	0.97	0.87	595	<1	2.74	12	530	4	0.42	<5	174	0.35	69	<10
179686		4.23	1.03	0.70	573	<1	2.72	7	600	5	0.45	<5	186	0.37	57	<10
179687		5.84	1.12	2.09	1000	<1	2.01	34	770	6	0.24	<5	184	0.51	155	<10
179688		6.90	1.38	3.22	968	<1	1.37	57	370	10	0.77	<5	128	0.45	198	10
179689		7.13	1.24	3.02	919	<1	1.48	75	390	17	0.91	<5	143	0.44	189	<10
179690 DUP		7.14	1.21	2.99	905	<1	1.44	76	370	20	1.02	<5	138	0.42	186	<10
179691		6.56	1.00	3.01	1090	<1	1.79	51	520	11	0.32	<5	171	0.48	195	<10
179692		5.43	1.12	1.85	958	<1	2.21	27	830	4	0.48	<5	205	0.49	130	<10
179693		7.35	0.92	3.16	1255	<1	1.97	74	1930	2	0.45	<5	504	0.65	188	10
179694		6.52	1.12	3.12	1245	<1	1.58	57	770	7	0.34	<5	215	0.50	192	10
179695		7.69	1.23	3.74	1406	<1	1.61	83	1900	3	0.51	<5	343	0.58	195	40
179696		2.85	0.20	0.08	45	<1	7.1	3	660	129	3.14	<5	19	0.01	2	<10
179697		6.86	1.47	3.47	1400	<1	1.35	62	710	2	0.84	<5	194	0.50	212	<10
179698		2.19	4.00	0.20	188	<1	2.20	4	170	30	0.01	<5	128	0.09	8	<10
179699		6.78	0.92	3.42	1300	<1	1.53	65	390	3	0.27	<5	131	0.47	213	<10
179700		6.99	0.70	3.54	1245	<1	1.69	81	390	5	0.33	<5	120	0.44	215	<10
179701		7.09	0.84	3.41	1305	<1	1.53	79	410	5	0.52	<5	130	0.45	208	<10
179702		6.71	0.81	3.44	1235	<1	1.55	66	410	<2	0.23	<5	141	0.46	207	10
179703		6.34	1.03	3.20	1230	<1	1.58	59	730	4	0.26	<5	276	0.43	191	90
179704		4.82	1.07	1.44	794	<1	2.42	18	840	4	0.45	<5	193	0.51	128	10
179705		4.47	1.07	0.77	555	<1	2.52	7	910	3	0.73	<5	189	0.47	54	<10
179706		4.73	1.22	1.17	781	<1	2.36	16	900	9	0.45	<5	184	0.49	114	<10
179707		2.81	0.19	0.06	115	<1	7.0	4	660	127	3.13	<5	19	0.01	1	<10
179708		6.28	1.53	3.28	1520	<1	1.32	78	420	2	0.08	<5	140	0.49	206	<10
179709		5.71	1.58	2.41	1120	<1	1.58	51	570	6	0.29	<5	149	0.48	178	10
179710		7.14	0.85	5.68	1375	<1	1.49	141	590	5	0.39	<5	254	0.39	197	<10
179711		7.73	0.95	2.97	1005	<1	1.64	97	450	<2	1.55	<5	179	0.41	169	50
179712		6.32	0.96	4.27	1305	<1	1.51	82	590	<2	1.35	<5	321	0.45	223	10
179713 DUP		6.44	1.00	4.48	1330	<1	1.56	94	620	<2	1.20	<5	323	0.46	228	10
179714		7.89	0.48	5.75	1530	<1	1.59	86	800	5	0.25	<5	482	0.41	219	<10
179715		6.96	0.76	5.24	1355	<1	1.89	102	650	5	0.19	<5	492	0.41	195	<10
179716		6.86	0.59	7.92	1375	<1	1.20	248	820	3	0.14	<5	291	0.34	170	<10
179717		2.06	4.36	0.28	185	<1	2.11	4	180	38	0.01	<5	149	0.09	10	<10
179718		6.13	0.70	7.55	1220	<1	1.50	227	610	5	0.12	<5	334	0.30	159	<10
179719		5.75	0.83	6.57	1055	<1	1.99	197	590	5	0.17	<5	513	0.31	150	<10
179720		6.09	0.98	4.14	1055	<1	2.67	143	990	7	0.34	<5	411	0.47	142	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 16-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037053

Sample Description	Method Analyte Units LOA	ME-ICP61 Zn ppm 2
179681		72
179682		69
179683		76
179684		97
179685		59
179686		76
179687		83
179688		97
179689		148
179690 DUP		147
179691		82
179692		84
179693		89
179694		76
179695		61
179696		19
179697		75
179698		28
179699		80
179700		84
179701		60
179702		64
179703		78
179704		70
179705		48
179706		85
179707		19
179708		162
179709		128
179710		90
179711		78
179712		79
179713 DUP		82
179714		87
179715		92
179716		87
179717		28
179718		82
179719		68
179720		72



**ALS Chemex**  
*EXCELLENCE IN ANALYTICAL CHEMISTRY*  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 16-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037053**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
179721		3.00	2.10			<0.5	8.30	<5	140	<0.5	<2	6.00	<0.5	39	125	250
179722		2.80	0.344			<0.5	6.15	5	130	0.5	<2	5.70	<0.5	37	111	104
179723		2.38	8.40			0.8	6.95	<5	160	<0.5	<2	2.93	<0.5	23	116	126
179724		2.11	0.041			<0.5	7.72	<5	120	0.5	<2	4.12	<0.5	20	112	12
179725		2.60	0.010			<0.5	7.79	<5	250	0.9	<2	3.31	<0.5	14	5	54
179726		2.36	0.074			0.5	8.19	<5	150	<0.5	<2	5.45	<0.5	60	131	527
179727		0.06	1.005			11.3	8.50	13	40	3.3	<2	0.33	<0.5	1	4	9
179728		1.40	0.087			<0.5	8.08	<5	120	<0.5	<2	5.56	<0.5	44	123	424
179729		2.01	<0.005			<0.5	7.94	<5	220	0.8	<2	3.67	<0.5	14	8	13
179730		1.55	0.074			<0.5	8.31	<5	140	<0.5	<2	6.34	<0.5	38	124	314
179731		2.48	0.061			0.5	8.20	<5	150	<0.5	<2	4.84	<0.5	39	137	298
179732		2.29	0.105			<0.5	8.00	<5	120	<0.5	<2	4.99	<0.5	40	131	334
179733 DUP		<0.02	0.149			0.5	7.77	<5	120	0.5	2	4.89	<0.5	45	136	358
179734		2.63	0.086			0.7	8.07	<5	130	<0.5	<2	5.78	<0.5	54	121	436
179735		2.64	0.046			<0.5	7.96	<5	120	<0.5	<2	5.27	<0.5	27	122	167
179736		2.77	0.105			0.6	7.05	<5	80	0.5	<2	6.51	<0.5	30	113	246
179737		0.20	<0.005			<0.5	7.05	<5	530	0.9	<2	0.81	<0.5	2	11	10
179738		2.56	0.158			0.5	8.01	<5	80	0.6	<2	6.61	<0.5	24	77	231
179739		2.42	0.218			<0.5	7.59	<5	160	<0.5	<2	5.46	<0.5	25	111	124
179740		2.35	0.073			<0.5	8.03	11	50	<0.5	2	7.64	<0.5	33	128	419
179741		2.47	0.155			1.1	7.43	12	120	<0.5	2	5.42	<0.5	71	126	837
179742		1.71	3.84			1.7	7.35	10	150	<0.5	2	5.56	<0.5	42	128	654
179743		2.93	0.131			<0.5	7.74	6	250	0.9	<2	3.53	<0.5	12	8	43
179744		2.92	0.232			0.5	7.57	9	150	<0.5	2	5.73	<0.5	39	131	501
179745		2.46	0.129			0.6	8.04	<5	110	<0.5	<2	6.40	<0.5	53	138	591
179746		0.12	<0.005			<0.5	7.01	5	680	0.8	<2	0.74	<0.5	2	10	10
179747		2.56	0.268			0.9	7.57	11	100	<0.5	3	6.81	<0.5	45	125	601
179748		1.56	0.152			0.6	7.97	<5	100	0.5	3	5.55	<0.5	45	145	515
179749		2.92	0.012			<0.5	7.27	<5	550	1.0	<2	1.27	<0.5	2	13	31
179750		2.13	0.025			<0.5	6.41	10	520	1.1	<2	1.00	<0.5	2	8	37
179751		3.40	0.390			0.6	7.52	6	220	<0.5	4	5.63	<0.5	38	120	578
179752		0.06	1.795			20.7	8.39	<5	60	3.2	2	0.36	<0.5	1	5	6
179753		2.64	0.243			0.5	7.93	9	160	<0.5	<2	6.63	<0.5	51	127	555
179754		2.59	0.124			<0.5	7.70	<5	90	<0.5	<2	5.72	<0.5	44	136	450
179755 DUP		<0.02	0.128			<0.5	7.96	<5	100	<0.5	<2	5.99	<0.5	47	136	500
179756		2.60	0.247			<0.5	7.38	<5	140	<0.5	<2	5.47	<0.5	40	127	534
179757		2.66	0.336			0.5	7.71	8	180	0.5	3	5.53	<0.5	54	140	706
179758		2.90	0.092			<0.5	7.65	5	140	0.6	2	5.39	<0.5	28	87	354
179759		2.02	0.180			0.6	7.66	<5	130	<0.5	3	5.26	<0.5	45	132	699
179760		2.48	0.127			0.5	7.69	<5	170	0.5	<2	5.06	<0.5	35	104	452



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037053

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179721		8.85	0.94	3.78	1340	<1	1.93	108	660	<2	0.63	<5	265	0.65	208	<10
179722		8.58	0.98	3.57	1325	<1	1.86	95	730	<2	0.33	<5	299	0.74	209	<10
179723		6.07	2.00	2.87	992	<1	0.82	80	330	4	0.96	<5	75	0.41	181	10
179724		5.86	1.45	2.71	1155	<1	1.40	63	410	<2	0.25	<5	102	0.47	184	20
179725		4.22	1.42	0.92	623	<1	2.40	4	1000	3	0.35	<5	182	0.52	88	<10
179726		7.35	1.51	2.54	1060	<1	1.40	77	370	7	1.63	<5	100	0.47	200	<10
179727		2.79	0.20	0.07	35	<1	7.1	2	620	124	3.06	<5	19	0.01	1	<10
179728		6.87	1.43	2.92	1015	<1	1.22	75	390	7	1.04	<5	109	0.45	196	<10
179729		4.41	1.16	1.12	766	<1	2.40	14	710	8	0.08	<5	182	0.45	114	<10
179730		7.40	1.50	3.30	1185	<1	1.28	74	400	3	0.95	<5	128	0.46	204	<10
179731		6.76	1.43	2.59	1035	<1	1.63	68	360	6	1.15	<5	121	0.47	196	20
179732		6.81	1.26	2.53	1055	<1	1.48	68	330	<2	1.22	<5	119	0.44	183	20
179733 DUP		6.76	1.34	2.51	1045	<1	1.43	70	320	8	1.35	<5	116	0.47	197	20
179734		7.31	1.48	2.75	1160	<1	1.57	72	360	6	1.37	<5	118	0.45	201	<10
179735		6.65	1.42	3.29	1185	<1	1.88	62	360	7	0.61	<5	156	0.45	203	<10
179736		6.57	1.24	3.42	1235	<1	1.32	66	340	2	0.75	<5	48	0.44	192	<10
179737		2.28	4.57	0.20	201	<1	2.14	3	160	35	0.01	<5	144	0.09	8	<10
179738		5.53	1.23	2.47	990	<1	1.74	40	450	5	0.64	<5	58	0.42	167	<10
179739		6.61	1.39	3.46	1180	<1	2.24	58	370	5	0.32	<5	130	0.42	192	<10
179740		7.12	0.52	3.19	1190	<1	1.64	59	380	6	0.83	<5	152	0.44	211	10
179741		6.33	1.00	2.90	854	<1	1.47	93	320	5	2.12	<5	136	0.40	195	20
179742		6.90	1.50	2.60	1005	<1	1.23	59	350	6	1.12	<5	112	0.40	196	10
179743		4.49	1.29	0.92	664	1	2.59	5	1020	3	0.20	<5	200	0.46	77	<10
179744		7.14	1.92	2.77	1135	<1	1.39	65	350	3	1.18	<5	128	0.42	198	20
179745		7.66	1.26	3.04	1185	<1	1.59	73	370	3	1.26	<5	120	0.44	206	20
179746		2.44	3.70	0.18	196	1	2.17	5	160	34	0.01	<5	140	0.08	8	<10
179747		7.60	1.15	3.09	1295	<1	1.42	63	350	5	1.25	<5	111	0.40	196	10
179748		6.89	1.21	2.51	1140	1	1.70	63	380	4	1.06	<5	136	0.45	203	20
179749		1.56	1.35	0.16	139	4	3.71	3	110	8	0.15	<5	142	0.08	3	<10
179750		1.66	1.48	0.12	134	1	3.26	3	80	11	0.23	<5	98	0.09	2	<10
179751		6.93	2.11	2.91	1145	<1	1.17	69	330	5	1.14	<5	114	0.39	189	10
179752		2.81	0.19	0.07	111	<1	7.2	6	650	122	2.97	<5	22	0.01	2	<10
179753		7.85	1.89	2.98	1020	<1	1.94	74	380	2	1.39	<5	88	0.42	199	10
179754		7.39	1.13	3.05	1020	<1	2.07	70	380	4	1.13	<5	132	0.42	202	10
179755 DUP		7.62	1.20	3.11	1040	<1	2.08	74	380	4	1.05	<5	137	0.43	206	10
179756		6.86	1.71	2.91	1005	<1	1.55	67	340	4	1.12	<5	110	0.40	191	20
179757		7.38	1.09	2.73	892	<1	1.83	76	810	9	1.25	<5	295	0.45	192	10
179758		6.13	1.10	2.36	887	<1	1.79	50	490	5	0.66	<5	178	0.43	173	<10
179759		6.82	0.99	2.52	883	<1	1.82	77	340	7	1.06	<5	136	0.42	182	20
179760		6.32	1.46	2.34	884	<1	1.63	59	410	5	1.07	<5	119	0.42	179	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037053

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179721		111
179722		107
179723		74
179724		84
179725		48
179726		74
179727		25
179728		55
179729		49
179730		74
179731		83
179732		63
179733 DUP		88
179734		54
179735		59
179736		83
179737		27
179738		50
179739		67
179740		55
179741		52
179742		110
179743		41
179744		69
179745		60
179746		26
179747		76
179748		87
179749		19
179750		38
179751		130
179752		19
179753		58
179754		53
179755 DUP		54
179756		54
179757		68
179758		68
179759		75
179760		63





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037053

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
179761		2.48	1.195			<0.5	7.61	<5	100	<0.5	2	6.51	<0.5	37	126	411
179762 DUP		<0.02	0.788			<0.5	7.45	6	100	<0.5	<2	6.39	<0.5	39	123	447
179763		2.56	0.346			<0.5	7.99	8	110	<0.5	<2	5.88	<0.5	35	129	442
179764		2.50	0.034			<0.5	7.86	<5	180	<0.5	<2	6.45	<0.5	46	362	254
179765		2.74	1.025			0.6	7.87	<5	200	<0.5	2	5.38	<0.5	43	153	877
179766		2.58	1.320			0.7	7.44	<5	190	<0.5	2	5.48	<0.5	40	126	862
179767		2.52	2.50			0.6	7.81	11	130	<0.5	4	6.24	<0.5	27	141	624
179768		2.42	1.295			0.5	7.81	<5	190	<0.5	<2	5.98	<0.5	34	155	580
179769		2.84	0.044			<0.5	6.74	<5	210	<0.5	<2	6.21	<0.5	43	442	26
179770		2.97	0.294			<0.5	7.24	8	250	<0.5	2	6.55	<0.5	45	806	79
179771		2.93	0.142			<0.5	5.44	<5	150	<0.5	<2	5.79	<0.5	48	1150	54
179772		2.61	0.259			<0.5	4.56	7	20	<0.5	3	5.30	<0.5	59	1885	53
179773		1.26	>10.0		22.5	1.0	3.64	<5	<10	<0.5	8	6.75	<0.5	59	1975	513
179774		0.20	0.035	0.017		<0.5	6.99	5	540	0.9	<2	1.37	<0.5	3	24	9
179775		4.41	1.320			<0.5	4.87	5	20	<0.5	4	6.67	<0.5	55	2080	141
179776		2.90	0.348			<0.5	4.10	<5	10	<0.5	2	5.06	<0.5	53	1890	41
179777		3.25	0.102			<0.5	3.28	5	<10	<0.5	<2	4.18	<0.5	75	2150	226
179778		0.06	0.998			11.5	7.90	12	50	3.3	4	0.35	<0.5	2	8	9
179779		2.71	1.305			<0.5	3.15	7	10	<0.5	3	4.05	<0.5	62	1760	124
179780		2.83	0.082			<0.5	7.17	7	270	<0.5	2	4.13	<0.5	39	796	33
179781		2.48	0.462			<0.5	5.82	5	10	<0.5	4	5.94	<0.5	62	1015	162
179782		2.88	0.686			<0.5	7.79	<5	90	<0.5	3	4.96	<0.5	45	253	86
179783		2.65	0.238			<0.5	7.70	5	160	<0.5	4	6.46	<0.5	32	199	48
179784		0.05	1.835			19.1	8.10	12	60	3.1	2	0.36	<0.5	1	6	5
179785		2.83	0.175			<0.5	7.96	<5	170	<0.5	4	6.99	<0.5	43	304	6
179786		2.58	0.290			<0.5	7.89	<5	80	<0.5	2	6.45	<0.5	35	351	70
179787		2.71	0.201			<0.5	7.39	<5	50	<0.5	<2	5.99	<0.5	31	347	43
179788		2.67	0.071			<0.5	7.31	11	70	<0.5	3	8.53	<0.5	48	573	43
179789		2.35	0.288			<0.5	5.83	<5	20	<0.5	4	5.53	<0.5	59	1065	27
179790		2.52	0.121			<0.5	5.44	<5	20	<0.5	2	5.47	<0.5	54	1010	21
179791 DUP		<0.02	0.123			<0.5	5.49	<5	20	<0.5	<2	5.45	<0.5	55	1035	21
179792		2.08	0.157			<0.5	5.12	<5	40	<0.5	2	5.80	<0.5	52	1030	22
179793		1.35	0.230			<0.5	6.75	<5	230	<0.5	6	3.64	<0.5	39	675	35
179794		2.80	0.910			0.6	5.12	<5	20	<0.5	4	4.96	<0.5	55	1210	32
179795		0.15	<0.005			<0.5	6.67	<5	580	0.9	<2	0.88	<0.5	4	13	8
179796		2.79	1.085			<0.5	5.85	<5	40	<0.5	<2	5.28	<0.5	61	1085	42
179797		2.56	0.105			<0.5	6.58	<5	80	<0.5	<2	5.15	<0.5	48	753	51
179798		3.44	0.278			<0.5	7.19	<5	190	<0.5	<2	4.41	<0.5	30	476	50
179799		2.25	8.88			<0.5	4.88	<5	40	<0.5	20	4.96	<0.5	39	711	54
179800		2.96	0.073			<0.5	6.13	<5	30	<0.5	<2	6.62	<0.5	59	1000	22



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 16-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037053**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179761		7.12	0.95	3.37	1110	<1	1.60	70	380	3	0.80	<5	126	0.42	202	10
179762 DUP		7.10	0.93	3.30	1095	<1	1.54	69	370	5	0.88	<5	122	0.41	197	10
179763		6.80	0.93	3.21	1020	<1	1.79	74	360	<2	0.64	<5	124	0.43	197	10
179764		6.82	1.14	5.61	1145	<1	1.71	152	600	8	0.36	<5	322	0.39	187	<10
179765		7.07	0.99	3.29	931	<1	1.93	84	430	3	0.84	<5	205	0.43	188	20
179766		7.23	0.97	3.32	1025	<1	1.64	83	390	7	0.93	<5	179	0.40	186	10
179767		6.75	0.80	3.73	1100	<1	1.80	70	440	7	0.38	<5	168	0.42	187	10
179768		6.82	1.34	3.57	1155	<1	1.42	81	400	5	0.80	<5	110	0.46	209	10
179769		6.41	1.41	7.35	1175	<1	1.15	193	480	<2	0.06	<5	130	0.31	146	<10
179770		6.62	0.95	7.14	1200	<1	1.30	222	510	7	0.23	<5	330	0.28	169	<10
179771		8.27	1.23	10.35	1495	<1	0.53	567	280	3	0.28	<5	94	0.23	146	10
179772		8.25	0.24	13.10	1605	<1	0.23	915	160	3	0.45	<5	24	0.22	141	<10
179773		6.37	0.07	6.22	1530	3	0.09	726	60	<2	1.17	<5	80	0.15	103	10
179774		2.44	3.68	0.35	227	1	2.24	9	180	37	0.01	<5	148	0.08	10	<10
179775		7.79	0.21	11.70	1675	<1	0.28	968	120	6	0.55	<5	96	0.19	128	10
179776		7.27	0.19	13.00	1365	<1	0.22	940	160	5	0.12	<5	40	0.18	122	<10
179777		6.66	0.02	14.20	1220	<1	0.10	1100	190	39	0.68	<5	23	0.16	107	<10
179778		2.58	0.20	0.08	34	1	7.1	6	640	114	2.73	<5	21	0.01	2	<10
179779		6.68	0.21	13.75	1265	2	0.09	1005	110	12	0.45	<5	20	0.15	89	10
179780		6.15	1.55	8.34	1165	<1	0.74	453	490	17	0.28	<5	192	0.30	117	<10
179781		9.17	0.14	11.40	1680	<1	0.30	488	200	28	1.09	<5	34	0.25	169	10
179782		10.30	1.25	8.18	1695	<1	0.46	159	270	3	0.74	<5	95	0.38	230	10
179783		7.08	1.24	5.85	1305	<1	0.94	95	250	5	0.21	<5	114	0.37	225	20
179784		2.65	0.18	0.07	107	<1	7.0	5	650	123	2.75	<5	21	0.01	2	<10
179785		7.63	0.81	6.78	1275	<1	1.25	165	260	5	0.03	<5	67	0.38	228	<10
179786		7.28	0.62	6.19	1350	<1	1.52	102	250	14	0.24	<5	105	0.37	230	460
179787		6.86	0.47	5.91	1325	<1	1.50	113	240	14	0.21	<5	150	0.34	212	60
179788		7.38	0.99	7.18	1265	<1	0.94	205	330	3	0.15	<5	172	0.34	212	<10
179789		7.47	0.26	10.25	1240	<1	0.37	558	250	2	0.09	<5	35	0.26	171	10
179790		7.36	0.30	9.61	1300	<1	0.31	530	240	<2	0.08	<5	75	0.22	159	<10
179791 DUP		7.36	0.30	9.68	1295	<1	0.31	535	250	3	0.09	<5	75	0.21	158	<10
179792		7.64	0.26	9.59	1520	<1	0.44	511	220	3	0.14	<5	44	0.22	148	<10
179793		5.89	2.16	6.12	971	<1	1.28	319	560	2	0.32	<5	93	0.31	121	<10
179794		7.65	0.16	10.00	1420	<1	0.27	625	170	4	0.15	<5	21	0.23	159	20
179795		2.49	4.10	0.23	207	1	2.17	8	160	37	<0.01	<5	155	0.07	8	<10
179796		7.91	0.52	10.20	1390	<1	0.31	604	230	<2	0.33	<5	77	0.27	160	<10
179797		6.74	0.59	7.46	1170	1	1.09	431	390	<2	0.27	<5	181	0.33	152	<10
179798		6.03	1.03	4.71	983	1	1.85	243	550	4	0.31	<5	269	0.38	129	<10
179799		6.47	0.46	6.83	1175	1	0.46	397	300	<2	0.35	<5	83	0.26	123	<10
179800		6.49	0.33	11.25	1410	<1	0.41	630	250	3	0.18	<5	79	0.27	179	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 16-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037053

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179761		63
179762 DUP		62
179763		56
179764		82
179765		63
179766		74
179767		88
179768		72
179769		78
179770		72
179771		96
179772		115
179773		82
179774		26
179775		112
179776		113
179777		340
179778		20
179779		138
179780		232
179781		176
179782		105
179783		114
179784		17
179785		69
179786		124
179787		100
179788		63
179789		77
179790		84
179791 DUP		85
179792		89
179793		58
179794		152
179795		27
179796		99
179797		78
179798		67
179799		77
179800		89



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 16-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037053**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179801		2.15	0.077			<0.5	6.09	<5	90	<0.5	<2	6.48	<0.5	65	1215	10
179802 DUP		<0.02	0.092			<0.5	6.06	5	90	<0.5	<2	6.57	<0.5	65	1085	10
179803		2.46	0.060			<0.5	7.35	<5	450	0.6	<2	6.79	<0.5	45	423	46
179804		2.69	0.200			<0.5	5.18	<5	80	<0.5	<2	5.85	<0.5	54	1100	3
179805		2.99	0.864			<0.5	6.25	<5	150	<0.5	<2	5.48	<0.5	51	911	39
179806		2.73	0.143			<0.5	5.88	<5	200	<0.5	<2	5.47	<0.5	54	993	16
179807		2.68	2.42			<0.5	5.48	<5	120	<0.5	<2	5.70	<0.5	47	826	41
179808		0.06	0.979			10.6	8.44	<5	50	3.2	<2	0.36	<0.5	2	14	8
179809		2.75	0.253			<0.5	5.12	7	50	<0.5	<2	5.94	<0.5	54	1335	5
179810		2.61	0.133			<0.5	5.37	<5	50	<0.5	<2	5.20	<0.5	63	1140	8
179811		0.14	<0.005			<0.5	6.86	<5	540	0.9	<2	0.90	<0.5	5	24	9
179812		2.65	0.051			<0.5	5.48	<5	20	<0.5	<2	5.48	<0.5	70	1100	7
179813		3.04	0.067			<0.5	5.61	<5	20	<0.5	<2	5.92	<0.5	68	1235	7
179814		2.44	0.242			<0.5	7.52	<5	150	<0.5	<2	3.59	<0.5	42	599	72
179815		2.38	0.092			<0.5	5.80	5	30	<0.5	<2	6.38	<0.5	67	1165	6
179816		2.94	0.114			<0.5	5.70	<5	20	<0.5	<2	6.85	<0.5	74	1140	2
179817		2.65	0.022			0.9	5.95	<5	40	<0.5	<2	6.58	<0.5	70	1085	23
179818		3.08	0.157			<0.5	7.98	<5	440	0.8	<2	3.64	<0.5	25	202	40
179819		3.69	0.053			<0.5	7.36	<5	210	0.5	<2	5.59	<0.5	47	646	20
179820		4.09	0.026			<0.5	7.00	<5	170	<0.5	<2	6.29	<0.5	46	477	7



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 5 - B

Total # Pages: 5 (A - C)

Finalized Date: 16-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037053

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	
179801		7.94	0.46	11.20	1285	1	0.49	667	250	<2	0.12	<5	90	0.26	170	<10
179802 DUP		7.96	0.50	11.30	1295	<1	0.49	682	250	<2	0.11	<5	86	0.27	173	<10
179803		6.14	1.49	6.92	977	1	1.06	357	1090	2	0.43	<5	682	0.29	130	<10
179804		7.69	0.85	10.25	1315	<1	0.44	621	190	<2	0.02	<5	57	0.25	158	<10
179805		7.98	1.57	9.39	1330	1	0.37	541	300	4	0.31	<5	140	0.30	163	<10
179806		7.84	1.89	10.05	1280	1	0.39	600	420	<2	0.09	<5	128	0.30	164	<10
179807		7.56	1.30	8.93	1250	3	0.33	522	410	<2	0.25	<5	148	0.28	144	<10
179808		2.84	0.19	0.07	36	1	7.3	5	630	114	2.94	<5	22	0.01	1	<10
179809		7.74	1.08	11.40	1315	1	0.30	754	180	<2	0.04	<5	66	0.25	161	<10
179810		7.70	0.99	10.95	1235	<1	0.24	684	180	<2	0.06	<5	51	0.27	168	<10
179811		2.98	4.13	0.25	247	2	2.19	10	160	37	<0.01	<5	149	0.08	9	<10
179812		7.38	0.41	11.05	1285	1	0.21	714	190	<2	0.07	<5	58	0.27	171	<10
179813		7.69	0.27	11.35	1300	1	0.28	700	180	<2	0.03	<5	57	0.27	175	<10
179814		6.02	0.98	5.44	869	1	1.85	311	560	2	0.45	<5	197	0.40	138	<10
179815		7.70	0.38	11.30	1355	1	0.35	687	200	2	0.02	<5	105	0.27	180	<10
179816		7.96	0.41	11.80	1325	<1	0.40	697	190	<2	0.01	<5	67	0.27	178	<10
179817		7.65	0.52	11.15	1300	<1	0.42	620	240	<2	0.14	<5	59	0.27	174	<10
179818		4.94	1.73	3.46	785	1	2.57	128	850	3	0.26	<5	377	0.41	109	<10
179819		6.75	0.95	6.92	1085	1	1.20	360	510	2	0.07	<5	189	0.34	155	<10
179820		6.70	1.09	6.60	1225	1	1.40	237	310	<2	0.02	<5	147	0.34	195	<10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06037053**

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179801		87
179802 DUP		90
179803		80
179804		86
179805		96
179806		105
179807		91
179808		18
179809		91
179810		87
179811		30
179812		80
179813		85
179814		75
179815		88
179816		75
179817		86
179818		54
179819		82
179820		82



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 6-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06037152

Project: BLOCK A

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 27-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 6-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037152

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
172752		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		2.46	16.45	651	8.63	19.912	30.80	2482	8.25	9.00

Comments: Sample from VO06031841.





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 9-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06037158

Project: BLOCK A

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 9-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06037158

Sample Description	Method Analyte Units LDR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
172641		2.37	44.3	618	38.2	14.393	23.29	2188	39.3	37.1
172686		1.50	8.74	126.5	5.95	4.416	34.91	1474.0	5.56	6.34

Comments: Sample from VO06031940.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06038269

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 14-APR-2006.  
The following have access to data associated with this certificate:

IAN LAMBERT	MIKE ROBERTS
-------------	--------------

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample Login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 20-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038269

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179001		2.48	0.140			<0.5	7.08	<5	120	0.6	<2	5.28	<0.5	30	5	233
179002		2.83	0.031			<0.5	8.13	<5	190	<0.5	<2	5.79	<0.5	36	142	61
179003		2.13	0.009			<0.5	7.79	<5	180	0.5	<2	5.25	<0.5	28	100	31
179004		2.79	0.018			<0.5	8.21	<5	250	0.6	<2	6.07	<0.5	23	120	35
179005		2.50	0.040			<0.5	8.30	<5	180	0.6	<2	5.22	<0.5	19	71	74
179006		2.28	0.173			<0.5	7.83	<5	50	<0.5	<2	6.56	<0.5	30	116	149
179007		0.05	1.785			19.4	8.10	7	60	3.2	<2	0.33	<0.5	<1	4	8
179008		2.96	0.141			<0.5	7.39	9	70	<0.5	<2	6.34	<0.5	47	134	353
179009		2.29	0.188			<0.5	7.90	<5	80	<0.5	<2	7.56	<0.5	28	114	121
179010		2.40	<0.005			<0.5	8.57	<5	130	0.5	<2	6.24	<0.5	34	79	152
179011		1.52	0.089			<0.5	7.99	<5	180	0.5	<2	5.54	<0.5	66	108	481
179012		2.37	0.062			<0.5	7.01	<5	310	0.9	<2	2.58	<0.5	5	18	28
179013		3.46	0.302			<0.5	7.39	<5	180	<0.5	<2	5.14	<0.5	54	152	718
179014 DUP		<0.02	0.225			<0.5	7.50	<5	190	<0.5	<2	5.20	<0.5	57	154	682
179015		2.35	1.835			<0.5	7.26	<5	80	<0.5	<2	6.30	<0.5	67	143	605
179016		2.69	2.03			<0.5	8.85	<5	50	<0.5	<2	6.15	<0.5	95	134	737
179017		0.50	<0.005			<0.5	6.54	<5	520	0.9	<2	0.93	<0.5	2	11	7
179018		2.50	0.262			<0.5	7.50	<5	80	<0.5	<2	6.80	<0.5	49	144	429
179019		2.89	0.315			<0.5	7.07	8	50	<0.5	<2	6.67	<0.5	44	156	291
179020		2.42	0.092			<0.5	7.53	<5	60	<0.5	<2	7.34	<0.5	32	140	151
179021		2.54	0.531			<0.5	7.67	<5	40	<0.5	<2	7.33	<0.5	33	125	135
179022		2.52	0.023			<0.5	7.83	<5	70	<0.5	<2	7.57	<0.5	27	123	24
179023		2.36	0.005			<0.5	7.83	<5	90	<0.5	<2	7.09	<0.5	27	124	8
179024		2.36	0.078			<0.5	7.79	<5	100	<0.5	<2	6.99	<0.5	28	129	14
179025		4.48	0.050			<0.5	7.87	<5	160	<0.5	<2	6.92	<0.5	33	139	4
179026		1.06	0.042			<0.5	7.56	<5	290	0.9	<2	3.81	<0.5	12	29	31
179027		1.59	0.224			<0.5	7.39	<5	130	<0.5	<2	6.22	<0.5	30	128	24
179028		2.48	0.344			<0.5	7.93	<5	80	<0.5	<2	7.26	<0.5	29	127	41
179029		0.08	1.810			18.2	8.27	<5	50	3.0	<2	0.33	<0.5	1	7	5
179030		2.54	2.19			0.6	7.52	<5	70	<0.5	<2	5.80	<0.5	71	152	1100
179031		2.48	0.354			0.5	7.50	<5	70	<0.5	<2	6.06	<0.5	55	150	1055
179032		2.55	7.30	6.70		1.2	7.49	<5	90	<0.5	<2	6.64	<0.5	52	142	890
179033 DUP		<0.02	5.80	4.91		1.1	7.72	<5	100	<0.5	<2	6.96	<0.5	54	148	987
179034		2.48	0.089			0.8	7.64	<5	170	<0.5	<2	6.73	<0.5	40	147	1385
179035		2.06	0.202			<0.5	7.34	<5	120	<0.5	<2	6.58	<0.5	30	127	160
179036		0.16	0.006			<0.5	6.94	<5	540	0.9	<2	0.88	<0.5	2	18	8
179037		3.06	0.018			<0.5	8.10	<5	330	0.7	<2	5.04	<0.5	22	91	33
179038		2.44	0.017			<0.5	7.69	<5	160	0.5	<2	5.88	<0.5	24	100	10
179039		2.61	0.036			<0.5	7.56	<5	280	0.7	<2	4.75	<0.5	20	77	35
179040		2.60	0.142			<0.5	7.42	8	110	<0.5	<2	6.44	<0.5	29	120	1



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 20-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06038269**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179001		8.94	0.66	2.26	1395	<1	1.56	13	600	<2	0.67	<5	123	0.68	275	10
179002		7.87	1.24	3.97	1360	<1	1.93	57	400	2	0.26	<5	144	0.48	237	<10
179003		6.58	1.12	3.37	1095	1	1.80	52	460	<2	0.10	<5	158	0.47	200	<10
179004		6.33	1.27	3.30	1180	<1	1.77	52	700	<2	0.20	<5	211	0.48	176	<10
179005		6.02	0.98	2.80	1065	<1	1.97	42	770	3	0.34	<5	184	0.51	162	10
179006		6.91	0.54	3.51	1215	1	1.59	74	360	9	0.36	<5	134	0.41	192	<10
179007		2.74	0.19	0.07	112	<1	6.6	1	610	119	3.17	<5	20	0.01	2	<10
179008		7.39	0.87	3.40	1145	<1	1.30	74	340	4	0.81	<5	126	0.42	198	<10
179009		7.18	0.56	3.77	1190	<1	1.22	71	370	2	0.22	5	144	0.44	204	10
179010		7.61	0.64	3.34	1310	1	1.89	70	1370	<2	0.56	<5	404	0.76	214	10
179011		8.77	0.93	2.98	1075	1	1.83	95	970	<2	1.42	<5	291	0.60	190	<10
179012		4.60	1.26	0.56	863	1	2.52	<1	670	5	0.17	<5	167	0.35	25	<10
179013		7.73	1.36	2.86	910	<1	1.44	93	380	8	1.36	<5	134	0.43	191	10
179014 DUP		7.82	1.36	2.93	925	<1	1.46	90	370	8	1.36	<5	136	0.43	196	<10
179015		6.88	0.81	3.04	1100	<1	1.30	92	360	5	1.71	<5	131	0.42	194	<10
179016		10.05	0.54	2.97	1025	1	1.28	128	330	7	2.39	<5	123	0.39	174	10
179017		1.66	4.03	0.23	155	1	2.09	4	180	35	0.01	<5	148	0.08	9	<10
179018		7.85	0.73	3.24	1200	<1	1.33	73	360	7	0.85	<5	133	0.43	197	<10
179019		7.37	0.44	3.07	1180	<1	1.50	62	330	2	0.74	<5	145	0.41	189	10
179020		6.81	0.34	3.56	1180	<1	1.36	87	390	8	0.28	<5	153	0.42	197	<10
179021		6.78	0.28	3.51	1175	<1	1.65	67	350	6	0.22	<5	153	0.43	194	<10
179022		6.69	0.54	3.64	1230	1	1.44	69	380	7	0.11	<5	141	0.44	202	<10
179023		6.91	0.78	4.01	1170	<1	1.61	76	400	4	0.03	<5	144	0.44	204	<10
179024		6.79	0.84	3.96	1150	<1	1.46	73	370	3	0.07	<5	148	0.44	203	<10
179025		6.96	1.00	4.16	1190	<1	1.79	81	520	5	0.01	<5	237	0.45	205	<10
179026		4.54	1.13	1.15	757	<1	2.51	15	810	8	0.20	<5	192	0.45	76	<10
179027		6.74	1.06	3.72	1115	<1	1.40	67	390	3	0.05	<5	133	0.43	199	<10
179028		7.44	0.88	4.07	1340	<1	1.15	66	380	8	0.08	<5	126	0.46	214	<10
179029		2.92	0.18	0.06	106	<1	6.9	2	660	123	3.28	<5	22	0.01	2	<10
179030		7.93	0.50	2.84	1045	1	1.64	98	330	10	1.39	<5	144	0.42	190	20
179031		7.16	0.62	2.95	1085	<1	1.46	74	380	8	0.89	<5	138	0.43	198	<10
179032		7.26	1.27	3.40	1290	<1	1.10	81	360	3	0.74	<5	117	0.42	198	10
179033 DUP		7.60	1.34	3.51	1350	<1	1.13	65	390	6	0.62	<5	119	0.44	208	10
179034		7.33	1.49	3.51	1365	<1	0.99	64	350	8	0.89	<5	100	0.44	198	<10
179035		6.69	1.00	3.60	1230	<1	1.19	57	350	4	0.26	<5	153	0.40	190	<10
179036		1.96	4.14	0.20	171	1	2.26	4	190	36	0.01	<5	149	0.09	8	<10
179037		4.62	1.05	2.55	742	<1	2.67	43	340	6	0.12	<5	311	0.30	127	<10
179038		6.20	1.03	3.30	1180	<1	1.84	58	490	5	0.04	<5	171	0.44	178	10
179039		4.89	0.95	2.24	863	1	2.32	47	420	7	0.22	<5	170	0.35	119	<10
179040		8.54	0.79	3.66	1130	1	1.63	80	370	6	0.01	<5	138	0.43	197	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038269

Sample Description	Method Analyte Units LOR	ME-JCP81 Zn ppm 2
179001		70
179002		78
179003		90
179004		85
179005		104
179006		72
179007		21
179008		92
179009		109
179010		70
179011		68
179012		77
179013		154
179014 DUP		155
179015		195
179016		66
179017		26
179018		83
179019		58
179020		56
179021		56
179022		60
179023		61
179024		64
179025		72
179026		65
179027		88
179028		67
179029		19
179030		69
179031		78
179032		101
179033 DUP		108
179034		163
179035		138
179036		29
179037		58
179038		87
179039		69
179040		65



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 20-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038269

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179041		2.42	0.015			<0.5	7.77	<5	80	<0.5	<2	6.56	<0.5	27	118	4
179042		2.34	0.503			<0.5	7.90	<5	80	<0.5	<2	6.55	<0.5	30	121	116
179043		1.71	0.007			<0.5	7.92	<5	110	<0.5	<2	6.78	<0.5	27	121	7
179044		2.51	<0.005			<0.5	7.73	<5	180	0.5	<2	5.04	<0.5	22	116	80
179045		0.06	0.969			10.2	8.12	<5	40	3.1	<2	0.31	<0.5	1	12	8
179046		2.98	0.020			<0.5	7.52	7	220	0.5	<2	6.27	<0.5	26	140	28
179047		2.44	0.022			<0.5	7.38	<5	180	0.5	<2	6.61	<0.5	28	142	16
179048		2.65	0.358			<0.5	7.32	<5	140	<0.5	<2	5.47	<0.5	30	132	10
179049		2.52	0.025			<0.5	8.02	11	170	<0.5	<2	6.63	<0.5	32	100	20
179050		2.24	0.017			<0.5	7.55	<5	110	<0.5	<2	6.12	<0.5	30	122	3
179051		2.58	0.305			<0.5	7.39	<5	80	<0.5	<2	6.72	<0.5	34	136	274
179052		2.29	0.021			<0.5	7.47	<5	80	<0.5	<2	6.47	<0.5	37	133	198
179053		3.52	0.376			<0.5	7.10	<5	290	0.6	<2	3.81	<0.5	58	66	458
179054		2.04	0.074			<0.5	7.01	<5	140	<0.5	<2	5.48	<0.5	67	136	705
179055 DUP		<0.02	0.083			<0.5	7.07	<5	140	<0.5	<2	5.54	<0.5	70	140	725
179056		2.15	0.007			<0.5	7.59	<5	240	0.6	<2	5.07	<0.5	22	92	27
179057		2.35	0.005			<0.5	7.21	<5	110	<0.5	<2	6.11	<0.5	28	121	8
179058		2.48	0.078			<0.5	7.06	<5	120	<0.5	<2	6.07	<0.5	25	110	38
179059		0.12	<0.005			<0.5	6.41	<5	510	0.9	<2	0.93	<0.5	1	9	6
179060		2.41	1.525			<0.5	7.41	<5	150	0.5	<2	5.32	<0.5	21	89	26
179061		2.44	0.009			<0.5	7.52	<5	120	0.5	<2	6.22	<0.5	24	103	8
179062		2.81	0.013			<0.5	7.55	<5	100	<0.5	<2	6.30	<0.5	25	113	4
179063		2.73	0.149			<0.5	7.83	<5	120	<0.5	<2	6.05	<0.5	34	151	170
179064		2.56	0.612			<0.5	7.28	<5	40	<0.5	<2	6.16	<0.5	52	150	897
179065		2.75	1.855	0.539		<0.5	7.28	<5	50	<0.5	<2	6.40	<0.5	46	152	606
179066 DUP		<0.02	0.755	0.745		<0.5	7.33	<5	50	<0.5	<2	6.32	<0.5	48	154	656
179067		2.39	0.180			0.6	6.98	<5	120	<0.5	<2	5.02	<0.5	54	132	1545
179068		2.38	0.097			<0.5	7.27	<5	130	<0.5	<2	6.27	<0.5	44	138	296
179069		2.74	0.270			<0.5	7.46	5	150	<0.5	<2	6.11	<0.5	27	126	24
179070		2.60	0.049			<0.5	8.00	<5	150	0.5	<2	6.19	<0.5	26	90	33
179071		0.06	1.775			19.2	9.05	<5	50	3.0	<2	0.43	<0.5	1	4	8
179072		2.50	0.066			<0.5	7.76	6	90	<0.5	<2	6.37	<0.5	25	108	15
179073		2.46	0.112			<0.5	7.67	5	100	<0.5	<2	6.21	<0.5	25	108	16
179074		2.69	0.087			<0.5	7.56	5	160	0.6	<2	7.87	<0.5	34	172	53
179075		2.85	5.15			<0.5	8.48	<5	120	<0.5	<2	7.71	<0.5	26	116	156
179076		2.28	0.336			1.3	7.59	<5	130	<0.5	<2	5.33	<0.5	44	127	1605
179077		2.14	1.525			1.6	7.25	7	160	<0.5	<2	5.23	<0.5	41	130	1450
179078		1.85	0.611			2.6	8.71	5	190	<0.5	<2	3.79	<0.5	80	122	2600
179079		0.12	0.007			<0.5	6.01	<5	460	0.7	<2	0.79	<0.5	2	7	16
179080		3.52	0.047			<0.5	8.17	<5	200	0.8	<2	5.41	<0.5	28	77	140



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038269

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179041		6.33	0.64	3.89	1150	<1	1.67	77	360	6	0.01	<5	145	0.43	196	<10
179042		6.48	0.70	3.93	1150	1	1.74	77	380	4	0.13	<5	152	0.44	199	<10
179043		6.44	0.77	3.82	1180	<1	1.78	68	400	4	0.03	<5	168	0.44	198	<10
179044		4.89	1.07	2.39	621	<1	1.79	73	970	<2	0.27	<5	292	0.43	123	<10
179045		2.64	0.19	0.06	31	<1	7.0	2	630	116	2.95	<5	21	0.01	1	<10
179046		6.11	1.05	3.79	1110	<1	1.63	82	640	6	0.13	<5	347	0.44	179	<10
179047		6.00	1.00	3.85	1065	<1	1.61	81	540	4	0.08	<5	328	0.42	179	<10
179048		6.77	1.22	3.89	1020	<1	1.48	76	370	8	0.03	<5	128	0.42	196	<10
179049		7.29	1.09	4.08	1180	<1	1.69	75	670	<2	0.09	<5	327	0.50	209	<10
179050		6.56	0.94	3.97	1045	<1	1.58	69	400	2	0.01	<5	130	0.43	196	<10
179051		6.34	0.56	3.13	1145	<1	1.37	73	350	6	0.29	<5	135	0.42	187	10
179052		6.88	0.52	3.30	1135	<1	1.51	65	360	6	0.33	<5	142	0.43	194	<10
179053		5.71	1.01	1.68	681	<1	2.37	50	350	4	1.17	<5	209	0.27	90	<10
179054		8.63	0.94	3.23	1095	1	1.51	72	340	7	1.58	<5	130	0.40	180	<10
179055 DUP		8.66	0.93	3.25	1105	<1	1.50	69	360	5	1.64	<5	129	0.39	180	<10
179056		4.89	1.02	2.80	822	<1	2.12	54	330	3	0.11	<5	236	0.31	134	<10
179057		6.57	1.00	4.04	1120	<1	1.57	92	320	6	0.03	<5	143	0.40	186	<10
179058		6.49	1.06	3.92	1220	<1	1.13	86	340	4	0.21	<5	116	0.39	175	10
179059		1.66	3.98	0.27	169	1	2.03	3	160	34	0.01	<5	148	0.08	9	<10
179060		5.96	1.15	3.26	1010	<1	1.53	68	540	7	0.10	<5	166	0.43	167	<10
179061		6.08	0.91	3.55	1100	1	1.58	63	480	3	0.04	<5	187	0.44	183	<10
179062		6.26	0.77	3.71	1085	<1	1.58	59	390	3	0.01	<5	150	0.45	199	<10
179063		7.48	0.87	3.62	1195	<1	1.60	98	360	9	0.25	<5	149	0.51	194	<10
179064		8.27	0.36	3.21	1125	<1	1.44	111	350	5	0.98	<5	145	0.47	185	<10
179065		8.34	0.45	3.25	1130	<1	1.28	92	360	2	1.05	<5	151	0.46	188	<10
179066 DUP		8.40	0.47	3.23	1120	<1	1.31	95	320	3	1.10	<5	154	0.46	185	<10
179067		8.15	0.99	2.85	885	<1	1.45	66	440	5	1.66	<5	143	0.41	170	300
179068		7.85	0.98	3.72	1120	<1	1.41	87	340	7	0.87	<5	137	0.41	192	<10
179069		6.91	1.13	4.06	1120	<1	1.60	82	420	3	0.10	<5	165	0.43	193	<10
179070		6.29	0.99	3.20	1135	<1	1.67	63	740	3	0.25	<5	218	0.51	181	<10
179071		2.77	0.21	0.10	122	<1	6.4	5	630	117	2.85	<5	24	0.02	4	<10
179072		6.49	0.90	3.74	1095	<1	1.62	67	370	2	0.05	<5	136	0.44	203	<10
179073		6.55	0.84	3.84	1055	<1	1.53	68	370	4	0.09	<5	134	0.44	198	<10
179074		6.65	0.65	4.46	1180	<1	1.91	122	1710	12	0.43	<5	666	0.62	186	<10
179075		6.98	0.75	3.63	1275	<1	1.53	57	530	9	0.24	<5	257	0.48	208	10
179076		7.92	1.42	2.82	1090	<1	1.23	78	420	6	1.74	<5	128	0.44	190	40
179077		7.96	1.76	2.58	962	<1	0.65	86	320	11	1.96	<5	99	0.41	184	20
179078		11.90	1.94	2.09	761	<1	0.72	152	300	9	4.42	<5	97	0.39	178	10
179079		1.40	3.90	0.24	136	1	1.98	3	160	30	0.02	<5	147	0.08	9	<10
179080		6.81	0.96	2.73	1045	1	2.29	58	1770	6	0.47	<5	468	0.89	154	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038269

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179041		59
179042		62
179043		65
179044		54
179045		15
179046		66
179047		56
179048		60
179049		58
179050		59
179051		58
179052		60
179053		60
179054		120
179055 DUP		120
179056		56
179057		60
179058		138
179059		27
179060		154
179061		66
179062		57
179063		82
179064		76
179065		72
179066 DUP		71
179067		62
179068		70
179069		71
179070		76
179071		20
179072		61
179073		58
179074		91
179075		71
179076		102
179077		71
179078		102
179079		24
179080		68



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 20-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038269

Sample Description	Method Analyte Units LOL	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
179081		2.25	0.449			0.6	7.18	<5	120	<0.5	<2	5.23	<0.5	35	128	820
179082		3.00	0.093			0.5	7.47	<5	150	0.5	<2	4.78	<0.5	30	72	622
179083		1.87	2.21			1.2	6.90	<5	70	<0.5	<2	5.86	<0.5	37	118	2010
179084		1.82	2.22			<0.5	7.57	<5	100	<0.5	<2	5.87	<0.5	38	129	501
179085		1.83	0.252			<0.5	7.86	6	190	0.7	<2	4.21	<0.5	18	26	307
179086		3.02	0.308			<0.5	7.95	14	150	0.6	<2	5.27	<0.5	24	73	336
179087		2.28	0.228			<0.5	7.55	<5	170	0.6	<2	5.28	<0.5	20	67	196
179088		2.50	0.028			<0.5	7.74	<5	280	0.8	<2	4.03	<0.5	17	53	247
179089		0.14	<0.005			<0.5	6.88	<5	520	0.9	<2	0.72	<0.5	1	4	6
179090		2.61	0.014			<0.5	7.84	<5	190	0.5	<2	5.40	<0.5	21	96	27
179091		2.79	0.502	0.822	0.582	0.6	7.78	<5	120	<0.5	<2	6.32	<0.5	21	106	166
179092 DUP		<0.02	1.645	1.620		<0.5	7.74	9	120	<0.5	<2	6.21	<0.5	22	109	182
179093		2.23	0.038			<0.5	7.26	<5	170	<0.5	<2	4.88	<0.5	35	126	365
179094		2.55	0.213			<0.5	7.47	8	130	<0.5	<2	5.56	<0.5	26	120	423
179095		0.06	0.984			10.8	9.11	<6	50	3.3	<2	0.38	<0.5	1	4	14
179096		2.48	0.180			<0.5	7.39	<5	120	0.6	<2	6.60	<0.5	29	188	191
179097		2.66	1.020			<0.5	8.14	<5	180	0.5	<2	5.67	<0.5	24	87	57
179098		2.69	0.008			<0.5	8.02	<5	130	<0.5	<2	5.96	<0.5	29	112	13
179099		3.25	0.020			<0.5	8.31	10	130	<0.5	<2	6.37	<0.5	35	108	104
179100		1.89	0.008			<0.5	8.15	<5	180	0.8	<2	5.31	<0.5	22	67	64



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038269

Sample Description	Method Analyte Units LOL	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179081		6.87	1.01	2.98	947	<1	1.25	60	340	6	1.08	<5	154	0.40	181	<10
179082		6.37	0.80	2.28	855	1	1.91	60	600	9	0.89	<5	194	0.44	144	<10
179083		7.19	0.71	3.02	1005	<1	1.21	69	320	6	1.28	<5	136	0.37	172	10
179084		7.71	0.73	3.14	1055	1	1.56	69	350	5	0.93	<5	155	0.43	193	<10
179085		5.37	0.93	1.54	812	1	2.28	27	1010	5	0.59	<5	207	0.56	126	10
179086		6.38	0.73	2.49	1015	1	1.98	49	680	6	0.36	<5	193	0.48	162	<10
179087		5.86	0.87	2.49	1025	1	1.98	38	610	12	0.27	<5	186	0.47	156	<10
179088		5.09	1.16	1.91	784	1	2.53	41	580	12	0.29	<5	206	0.41	104	<10
179089		1.59	4.37	0.17	137	<1	2.20	5	170	35	<0.01	<5	145	0.09	8	<10
179090		6.18	1.48	3.34	1030	<1	1.72	64	530	8	0.08	<5	158	0.48	193	<10
179091		8.23	0.94	3.18	1065	<1	1.40	64	400	<2	0.15	<5	150	0.43	191	<10
179092 DUP		8.19	1.00	3.17	1045	1	1.41	60	370	5	0.18	5	151	0.44	195	<10
179093		7.55	1.51	3.20	935	<1	1.22	62	340	<2	0.69	<5	109	0.41	187	10
179094		7.11	1.10	3.51	1005	1	1.46	63	370	12	0.51	5	132	0.42	195	<10
179095		2.67	0.21	0.10	45	2	7.5	<1	650	117	2.85	<5	24	0.01	3	<10
179096		7.07	0.76	4.27	1290	<1	1.91	69	640	6	0.17	<5	340	0.45	205	<10
179097		6.89	1.23	3.63	1050	<1	1.86	74	460	10	0.11	<5	165	0.46	182	10
179098		6.96	1.08	3.74	1205	<1	2.05	61	380	6	0.03	<5	157	0.46	215	<10
179099		6.35	0.99	3.88	1265	1	1.94	99	630	11	0.29	<5	281	0.55	195	<10
179100		6.13	0.95	2.60	1005	1	2.21	36	620	2	0.23	<5	190	0.46	168	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038269

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179081		81
179082		76
179083		81
179084		71
179085		60
179086		74
179087		78
179088		57
179089		28
179090		88
179091		66
179092 DUP		67
179093		68
179094		76
179095		19
179096		80
179097		79
179098		61
179099		93
179100		55



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06038619

Project: BLOCK A  
P.O. No.:  
This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 2-MAY-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06038619

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
178314		2.29	11.55	45.8	11.05	1.455	31.74	2264	11.25	10.85

Comments: Sample from VO06033981.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 19-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06039270

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 14-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 19-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039270

Sample Description	Method Analysis Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179101		1.89	0.022			<0.5	8.61	<5	270	0.8	<2	4.47	<0.5	20	31	55
179102		3.17	0.128			<0.5	7.96	11	150	<0.5	<2	5.91	<0.5	33	114	15
179103		3.21	0.010			<0.5	7.41	<5	150	<0.5	<2	5.15	<0.5	31	104	10
179104 DUP		<0.02	0.010			<0.5	7.66	<5	150	<0.5	<2	5.27	<0.5	31	109	9
179105		3.11	0.089			<0.5	8.14	<5	160	<0.5	<2	5.79	<0.5	31	109	2
179106		1.71	0.475			<0.5	7.95	<5	180	<0.5	<2	5.88	<0.5	32	104	1
179107		2.01	0.017			<0.5	8.05	<5	260	0.9	<2	3.50	<0.5	12	4	58
179108		3.83	0.474			<0.5	8.07	7	200	<0.5	<2	5.55	<0.5	31	107	3
179109		2.81	0.070			<0.5	7.78	<5	130	<0.5	<2	6.23	<0.5	28	100	7
179110		0.06	1.735			18.3	8.13	<5	50	3.2	<2	0.33	<0.5	<1	1	6
179111		2.74	0.014			<0.5	8.10	<5	110	<0.5	<2	7.00	<0.5	34	112	147
179112		2.77	0.052			<0.5	7.80	<5	150	<0.5	<2	7.35	<0.5	35	108	222
179113		2.81	0.010			<0.5	7.68	<5	90	<0.5	<2	7.77	<0.5	41	104	118
179114		2.50	0.119			0.5	7.95	<5	120	0.5	<2	6.44	<0.5	56	120	491
179115		2.73	0.326			1.9	7.46	12	160	<0.5	<2	6.36	<0.5	67	118	1520
179116		0.12	<0.005			<0.5	6.76	<5	560	0.8	<2	0.81	<0.5	1	4	20
179117		2.65	0.142			1.2	6.60	7	140	<0.5	<2	4.56	<0.5	50	113	1020
179118		2.52	0.045			0.5	7.71	<5	170	<0.5	<2	4.80	<0.5	27	130	264
179119		2.77	0.039			0.5	7.46	<5	190	<0.5	<2	5.40	<0.5	38	125	363
179120		2.64	0.085			<0.5	7.28	<5	140	<0.5	<2	5.95	<0.5	35	120	232
179121		2.59	0.308			<0.5	6.91	<5	150	<0.5	<2	5.08	<0.5	31	119	180
179122		2.63	0.233			0.5	6.77	<5	90	<0.5	<2	5.70	<0.5	44	109	330
179123		2.56	0.084			<0.5	7.60	17	110	<0.5	<2	6.04	<0.5	34	122	144
179124		2.44	0.127			1.0	7.83	<5	130	0.5	<2	6.65	<0.5	58	114	884
179125		2.48	0.106			0.9	7.48	<5	140	0.5	<2	5.89	<0.5	83	74	803
179126		0.06	0.979			9.6	7.75	<5	40	3.1	<2	0.32	<0.5	<1	3	13
179127		2.38	0.210			0.8	7.56	<5	100	<0.5	<2	6.57	0.6	46	118	682
179128		3.42	0.065			0.6	7.97	<5	100	<0.5	<2	6.58	<0.5	51	120	709
179129		1.51	0.006			<0.5	7.73	<5	190	0.6	<2	4.14	<0.5	20	22	121
179130		2.31	1.535			0.7	7.27	<5	120	<0.5	<2	5.68	<0.5	126	130	771
179131		2.53	0.091			<0.5	7.80	<5	140	0.5	<2	5.37	<0.5	73	97	352
179132 DUP		<0.02	0.086	0.092		<0.5	7.88	<5	140	0.5	<2	5.50	<0.5	76	99	361
179133		2.02	0.030			<0.5	7.31	<5	110	<0.5	<2	5.55	<0.5	77	124	258
179134		2.34	0.088			<0.5	7.14	<5	270	0.7	<2	4.71	<0.5	25	72	80
179135		1.65	0.034			<0.5	7.53	5	270	0.8	<2	3.81	<0.5	15	23	34
179136		0.12	<0.005			<0.5	6.65	16	520	0.9	<2	0.75	<0.5	<1	5	5
179137		1.68	0.194			<0.5	7.51	13	290	0.9	<2	3.23	<0.5	11	3	36
179138		1.30	0.082			0.5	6.98	7	200	<0.5	<2	4.94	<0.5	78	114	516
179139		2.35	0.073			<0.5	7.57	5	140	<0.5	<2	5.71	<0.5	67	124	291
179140		2.50	0.039			<0.5	7.50	<5	70	<0.5	<2	6.56	<0.5	36	108	140





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 19-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06039270**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01									
179101		5.73	1.28	1.73	893	1	2.70	17	890	9	0.29	<5	219	0.56	155	<10
179102		7.29	1.44	3.88	1230	1	1.83	61	390	6	0.14	<5	131	0.47	217	<10
179103		6.78	1.31	3.70	1165	<1	1.66	59	380	9	0.04	<5	121	0.44	203	<10
179104 DUP		6.91	1.34	3.77	1175	<1	1.67	59	410	5	0.04	<5	122	0.45	203	<10
179105		7.18	1.47	4.30	1140	1	1.45	72	400	6	0.01	<5	141	0.47	214	<10
179106		7.15	1.38	4.53	1100	<1	1.66	85	400	4	<0.01	<5	133	0.46	211	<10
179107		4.59	0.99	0.98	671	1	2.71	8	1020	6	0.38	<5	224	0.52	89	<10
179108		7.25	1.66	4.66	1365	1	1.44	81	420	8	0.02	<5	114	0.47	212	<10
179109		6.82	1.40	3.96	1130	1	1.38	71	370	8	0.03	<5	132	0.43	199	10
179110		2.48	0.19	0.08	109	1	6.9	4	650	108	2.52	<5	21	0.01	2	<10
179111		6.58	1.01	3.29	1155	<1	1.18	74	400	6	0.14	<5	149	0.46	212	10
179112		6.80	1.17	3.42	1310	1	0.91	85	430	12	0.24	<5	170	0.47	206	<10
179113		9.30	0.59	3.78	1510	<1	1.92	112	860	5	0.31	<5	345	0.78	195	<10
179114		8.38	1.14	3.49	1280	<1	1.42	86	590	7	0.40	<5	227	0.63	213	<10
179115		7.12	1.90	3.10	1380	<1	0.68	106	330	6	1.08	<5	98	0.43	189	50
179116		1.42	4.40	0.22	137	<1	2.12	6	160	32	0.02	<5	149	0.08	9	<10
179117		7.34	1.68	3.31	1215	<1	0.78	73	340	<2	1.14	<5	81	0.38	193	30
179118		7.21	1.89	3.34	1265	<1	0.86	71	370	11	0.87	<5	79	0.44	201	10
179119		7.11	1.79	3.36	1320	1	0.91	84	370	19	0.69	<5	84	0.43	192	20
179120		7.20	1.83	3.45	1450	<1	0.81	68	330	5	0.62	<5	87	0.41	196	20
179121		7.04	1.95	3.48	1310	<1	0.71	57	340	5	0.94	<5	70	0.39	188	20
179122		8.42	1.13	3.11	1220	1	0.89	80	340	7	0.60	<5	82	0.38	178	20
179123		6.03	1.29	3.00	1195	<1	1.20	78	350	<2	0.33	<5	116	0.44	194	10
179124		6.42	0.85	2.86	1265	1	1.52	82	340	14	0.80	<5	135	0.41	185	10
179125		7.04	0.93	2.55	1120	1	1.66	89	510	9	0.98	<5	147	0.42	166	10
179126		2.61	0.18	0.07	38	1	6.5	2	590	112	2.67	<5	19	0.01	2	<10
179127		6.14	0.89	2.99	1165	<1	1.33	69	360	8	0.27	<5	137	0.45	202	10
179128		6.68	0.68	3.19	1205	<1	1.45	64	400	4	0.43	<5	148	0.46	210	10
179129		4.71	0.87	1.35	809	<1	2.40	20	690	6	0.28	<5	185	0.45	127	<10
179130		7.90	0.80	2.80	1090	1	1.50	99	400	7	1.34	<5	121	0.42	192	40
179131		6.59	0.96	2.67	1155	1	1.78	55	450	9	0.63	<5	145	0.45	183	20
179132 DUP		6.78	0.98	2.70	1160	<1	1.82	55	520	6	0.70	<5	147	0.46	184	10
179133		7.04	0.82	3.26	1170	<1	1.54	78	360	4	0.61	<5	122	0.42	194	30
179134		4.98	1.04	2.19	1030	2	2.09	37	330	5	0.25	<5	129	0.30	121	<10
179135		4.86	1.41	1.33	997	2	2.05	20	750	3	0.12	<5	166	0.45	122	<10
179136		1.52	3.98	0.18	140	1	2.06	1	150	35	0.01	<5	136	0.08	8	<10
179137		4.37	1.37	0.88	779	2	2.37	3	970	6	0.15	<5	154	0.46	80	10
179138		6.57	1.24	2.51	1180	1	1.09	78	350	6	0.84	<5	101	0.38	169	20
179139		6.87	0.95	3.21	1170	1	1.58	64	410	6	0.54	<5	137	0.44	198	20
179140		6.75	0.78	3.46	1205	1	1.32	62	360	4	0.28	<5	130	0.44	201	10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 19-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039270

Sample Description	Method Analyte Units LOA	ME-ICP61
		Zn ppm 2
179101		77
179102		112
179103		92
179104 DUP		92
179105		84
179106		83
179107		47
179108		127
179109		73
179110		18
179111		70
179112		71
179113		105
179114		96
179115		88
179116		31
179117		85
179118		80
179119		86
179120		62
179121		59
179122		55
179123		50
179124		82
179125		81
179126		17
179127		68
179128		77
179129		59
179130		78
179131		70
179132 DUP		70
179133		69
179134		61
179135		77
179138		25
179137		58
179138		100
179139		71
179140		67



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - C)

Finalized Date: 19-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039270

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
179141		1.32	>10.0		236	78.3	6.21	<5	140	<0.5	2	3.33	4.2	114	122	1580
179142		0.19	0.147	0.119		0.6	6.61	15	540	0.9	<2	0.90	<0.5	1	7	12
179143		1.12	0.208			1.8	7.12	<5	160	<0.5	<2	5.20	0.5	49	129	541
179144		2.54	0.403			1.2	7.07	6	120	<0.5	<2	5.42	<0.5	57	126	676
179145		2.43	0.126			<0.5	6.28	13	460	1.2	<2	1.38	<0.5	1	10	27
179146		2.66	0.014			<0.5	8.48	<5	420	0.8	<2	5.32	<0.5	24	16	40
179147		2.60	0.024			<0.5	8.13	<5	410	0.9	<2	5.00	<0.5	19	44	46
179148		2.37	0.093			<0.5	7.41	12	120	<0.5	<2	5.72	<0.5	38	115	93
179149		2.43	0.261			<0.5	7.76	<5	120	<0.5	<2	5.95	<0.5	63	130	448
179150		2.51	0.454			<0.5	7.12	<5	120	<0.5	<2	5.00	<0.5	53	127	330
179151 DUP		<0.02	0.378			<0.5	7.25	<5	130	<0.5	<2	5.15	<0.5	52	128	330
179152		2.40	0.099			0.5	7.25	5	90	<0.5	<2	5.57	<0.5	55	127	581
179153		2.33	0.158			<0.5	7.34	5	120	<0.5	<2	5.63	<0.5	37	174	308
179154		2.41	0.037			<0.5	7.57	<5	90	<0.5	<2	6.67	<0.5	39	116	267
179155		2.46	0.077			<0.5	5.83	16	100	<0.5	<2	5.13	<0.5	38	99	338
179156		2.21	0.064			<0.5	7.47	<5	210	0.7	<2	4.47	<0.5	30	95	272
179157		0.05	1.780			17.7	8.02	<5	80	3.0	<2	0.34	<0.5	<1	10	8
179158		2.48	0.057			<0.5	7.09	<5	150	<0.5	<2	5.66	<0.5	40	324	284
179159		1.72	0.101			<0.5	6.45	<5	170	<0.5	<2	4.88	<0.5	35	236	304
179160		3.00	0.464			<0.5	5.43	<5	30	<0.5	<2	5.09	<0.5	51	1065	220
179161		2.69	0.388			<0.5	5.29	<5	<10	<0.5	<2	5.48	<0.5	59	1235	18
179162		2.54	0.084			<0.5	7.84	<5	200	0.7	<2	4.31	<0.5	35	450	25
179163		1.89	0.028			<0.5	8.22	<5	380	0.8	<2	3.60	<0.5	24	108	29
179164		3.15	1.015			<0.5	5.80	5	180	0.6	<2	4.53	<0.5	41	618	10
179165 DUP		<0.02	1.110			<0.5	5.78	<5	180	0.6	<2	4.50	<0.5	40	602	9
179166		2.63	0.684			<0.5	5.09	9	10	<0.5	<2	5.50	<0.5	61	1225	10
179167		2.71	0.316			<0.5	5.27	15	30	<0.5	<2	5.61	<0.5	62	1180	14
179168		2.90	0.720			<0.5	5.16	5	50	<0.5	<2	5.67	<0.5	52	901	19
179169		2.75	0.073			<0.5	5.73	<5	70	<0.5	<2	5.59	<0.5	56	1065	15
179170		2.65	0.130			<0.5	6.21	<5	60	<0.5	<2	5.89	<0.5	65	1020	31
179171		2.54	0.061			<0.5	5.59	12	40	<0.5	<2	5.67	<0.5	61	1065	10
179172		0.06	0.996			10.2	8.54	5	50	3.1	<2	0.36	<0.5	<1	18	8
179173		2.58	0.064			<0.5	5.56	6	50	<0.5	<2	5.80	<0.5	58	1085	12
179174		2.37	1.245			<0.5	5.04	<5	20	<0.5	<2	5.70	<0.5	54	1095	23
179175		2.86	2.71			<0.5	5.34	9	30	<0.5	<2	5.27	<0.5	51	1095	39
179176		2.69	0.237			<0.5	5.21	5	40	<0.5	<2	5.97	<0.5	55	1045	13
179177		0.14	0.009			<0.5	6.79	<5	540	0.9	<2	0.93	<0.5	<1	16	3
179178		2.52	0.182			<0.5	5.94	<5	250	<0.5	<2	6.16	<0.5	47	737	50
179179		2.51	0.032			<0.5	6.90	<5	360	<0.5	<2	6.17	<0.5	53	828	41
179180		2.63	0.139			<0.5	5.77	11	80	<0.5	<2	5.65	<0.5	56	1235	25



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 19-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039270

Sample Description	Method Analyte Units LDR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179141		7.30	1.59	2.19	863	<1	0.99	68	300	10	2.58	<5	75	0.37	158	20
179142		1.45	4.11	0.23	141	<1	2.10	3	190	33	0.02	<5	148	0.08	9	<10
179143		6.90	1.51	2.87	1125	<1	1.01	61	340	5	1.40	<5	90	0.40	181	30
179144		8.85	1.09	2.78	1180	1	1.24	78	350	7	0.80	<5	95	0.41	184	30
179145		1.69	1.07	0.19	183	1	3.03	1	90	5	0.12	<5	134	0.10	7	<10
179146		8.81	1.36	2.68	1105	1	2.51	9	1030	11	0.28	<5	514	0.64	207	10
179147		5.90	1.51	2.71	956	1	2.25	40	1360	9	0.32	<5	578	0.55	159	<10
179148		6.70	1.13	3.46	1235	<1	1.32	68	430	7	0.33	<5	158	0.43	188	10
179149		6.89	1.22	3.03	1180	<1	1.18	67	390	8	0.59	<5	127	0.44	201	10
179150		6.78	1.23	3.07	1070	<1	1.30	70	340	5	0.77	<5	118	0.41	189	10
179151 DUP		6.95	1.24	3.17	1095	1	1.32	68	370	5	0.81	<5	120	0.41	184	10
179152		6.70	0.82	3.09	1110	<1	1.48	69	360	7	0.53	<5	125	0.41	189	10
179153		8.89	1.01	3.75	1185	1	1.35	75	360	5	0.50	<5	135	0.40	196	<10
179154		7.05	0.90	3.58	1275	1	1.21	79	440	7	0.47	<5	119	0.45	196	10
179155		5.91	0.85	2.69	1035	<1	0.92	71	310	4	0.78	<5	98	0.35	149	20
179156		5.32	1.31	1.85	774	3	1.84	44	580	11	0.61	<5	169	0.41	129	10
179157		2.78	0.18	0.08	111	<1	6.6	2	600	116	2.83	<5	21	0.01	2	<10
179158		8.44	1.03	3.94	1120	1	1.32	117	370	9	0.65	<5	157	0.38	180	400
179159		6.14	0.91	3.13	1035	1	1.07	102	350	4	0.83	<5	150	0.36	168	30
179160		8.18	0.29	7.68	1390	1	0.89	533	300	6	0.98	<5	85	0.24	143	10
179161		7.54	0.06	10.30	1350	<1	0.34	673	160	6	0.11	<5	56	0.21	159	<10
179162		5.84	0.89	5.82	989	1	2.23	244	580	5	0.14	<5	276	0.37	138	10
179163		4.69	1.51	3.54	742	<1	2.47	85	840	8	0.17	<5	473	0.41	116	<10
179164		5.91	0.77	7.56	1075	<1	1.02	485	940	7	0.09	<5	129	0.31	117	10
179165 DUP		5.77	0.79	7.39	1060	1	1.00	457	960	2	0.08	<5	132	0.31	117	10
179166		7.49	0.10	10.90	1305	1	0.29	787	170	4	0.06	<5	47	0.21	152	<10
179167		7.39	0.19	10.20	1295	<1	0.29	748	190	6	0.06	<5	54	0.22	164	10
179168		6.89	0.33	9.02	1255	1	0.26	564	230	<2	0.09	<5	121	0.21	144	<10
179169		8.09	0.37	10.20	1420	<1	0.31	644	190	7	0.08	<5	59	0.26	175	10
179170		7.84	0.41	10.10	1340	1	0.65	647	250	4	0.23	<5	80	0.26	183	10
179171		7.25	0.28	9.66	1285	<1	0.59	604	190	4	0.04	<5	58	0.24	164	<10
179172		3.00	0.16	0.12	42	<1	6.9	9	610	127	3.02	<5	21	0.01	2	<10
179173		7.68	0.33	9.98	1360	<1	0.36	644	190	6	0.10	<5	72	0.24	169	10
179174		7.35	0.17	9.05	1425	<1	0.25	586	150	4	0.15	<5	71	0.21	151	<10
179175		7.87	0.29	9.54	1385	2	0.26	630	210	7	0.19	<5	66	0.25	164	120
179176		7.29	0.32	9.86	1555	<1	0.36	590	180	6	0.08	<5	81	0.25	165	<10
179177		1.78	3.98	0.25	167	1	2.21	7	160	30	0.01	<5	164	0.08	6	<10
179178		7.22	1.18	8.51	1510	<1	0.45	448	670	2	0.32	<5	220	0.36	168	<10
179179		8.81	1.85	9.38	1315	<1	0.67	557	630	5	0.39	<5	336	0.28	146	<10
179180		8.03	0.73	11.25	1485	<1	0.37	709	190	6	0.25	6	55	0.28	185	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 19-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039270

Sample Description	Method Analyte Units LOE	ME-ICPE1 Zn ppm 2
179141		404
179142		27
179143		71
179144		71
179145		23
179146		98
179147		87
179148		67
179149		76
179150		87
179151 DUP		65
179152		60
179153		65
179154		65
179155		52
179156		56
179157		17
179158		59
179159		60
179160		276
179161		83
179162		67
179163		62
179164		61
179165 DUP		62
179166		80
179167		85
179168		80
179169		84
179170		82
179171		76
179172		17
179173		95
179174		131
179175		89
179176		90
179177		25
179178		84
179179		89
179180		95



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 19-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06039270**

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179181		3.00	0.158		<0.5	5.56	6	80	<0.5	<2	5.22	<0.5	58	1310	14	
179182		3.20	0.191		<0.5	4.95	5	30	<0.5	<2	6.03	<0.5	48	1040	7	
179183		2.62	0.063		<0.5	5.01	<5	30	<0.5	<2	6.21	<0.5	55	1145	2	
179184		3.17	0.116		<0.5	6.73	<5	210	<0.5	<2	5.94	<0.5	55	824	27	
179185		2.15	0.072		0.5	7.57	5	300	<0.5	<2	5.99	<0.5	56	79	399	
179186		2.42	0.091		<0.5	7.80	5	510	0.5	<2	6.11	<0.5	41	83	389	
179187		0.06	1.775		18.4	8.22	6	60	3.4	<2	0.37	<0.5	<1	13	6	
179188		2.76	0.063		<0.5	5.87	7	50	<0.5	<2	5.47	<0.5	60	1130	29	
179189		3.01	0.022		<0.5	5.83	6	140	<0.5	<2	5.81	<0.5	63	1050	5	
179190		2.26	0.007		<0.5	7.69	21	300	<0.5	<2	2.46	<0.5	23	464	1	
179191		2.66	0.034		<0.5	5.60	<5	20	<0.5	<2	5.91	<0.5	68	1200	18	
179192		2.96	0.035		<0.5	6.17	6	10	<0.5	2	4.56	<0.5	69	1360	11	
179193		2.83	0.076		<0.5	3.12	<5	10	<0.5	<2	3.32	<0.5	34	802	5	
179194 DUP		<0.02	0.067		<0.5	3.09	<5	10	<0.5	<2	3.27	<0.5	33	800	5	
179195		2.00	0.066		<0.5	3.89	7	120	<0.5	<2	2.54	<0.5	14	98	35	
179196		2.52	0.023		<0.5	4.21	<5	170	<0.5	<2	2.81	<0.5	19	90	20	
179197		2.45	0.047		<0.5	4.90	5	250	<0.5	<2	1.95	<0.5	14	31	36	
179198		2.16	0.020		<0.5	6.90	5	70	<0.5	<2	2.83	<0.5	25	175	262	
179199		0.14	<0.005		<0.5	6.97	<5	580	0.9	<2	0.79	<0.5	1	20	4	
179200		2.44	0.028		<0.5	6.21	10	200	<0.5	<2	5.36	<0.5	31	834	25	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
 212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 19-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039270

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179181		7.57	1.05	11.10	1395	<1	0.30	719	190	5	0.11	5	49	0.27	174	<10
179182		6.95	0.29	10.10	1395	<1	0.36	585	180	5	0.05	<5	81	0.21	148	<10
179183		7.11	0.32	10.55	1375	<1	0.35	646	190	4	0.02	5	87	0.24	161	<10
179184		7.99	1.11	6.66	1500	2	0.44	473	1040	6	0.12	5	427	0.48	202	<10
179185		8.29	1.75	3.95	1355	1	0.94	75	2010	23	1.38	5	502	0.69	203	<10
179186		8.72	1.89	4.28	1550	<1	0.55	93	2130	8	1.37	<5	647	0.72	224	<10
179187		2.80	0.21	0.09	122	<1	7.3	5	650	122	2.96	5	22	0.02	3	<10
179188		7.76	0.34	10.65	1325	<1	0.40	658	300	7	0.15	<5	68	0.30	180	<10
179189		6.96	0.84	10.45	1300	<1	0.58	644	260	2	0.03	<5	142	0.27	168	<10
179190		3.22	1.22	4.06	590	<1	3.87	260	170	<2	0.02	<5	143	0.13	64	<10
179191		7.28	0.23	10.60	1455	2	0.36	633	200	2	0.05	<5	48	0.25	172	<10
179192		7.42	0.08	11.05	1205	1	0.25	712	190	<2	0.06	<5	33	0.23	183	<10
179193		4.41	0.16	5.86	762	2	0.16	373	230	<2	0.02	<5	42	0.20	102	<10
179194 DUP		4.52	0.16	5.82	763	2	0.16	366	230	<2	0.02	<5	38	0.20	99	<10
179195		3.52	1.02	2.06	640	2	0.57	42	660	<2	0.22	<5	114	0.36	71	<10
179196		3.83	1.11	2.94	700	2	0.92	77	770	<2	0.15	<5	138	0.30	78	<10
179197		3.27	1.18	1.53	525	2	1.41	9	620	<2	0.18	<5	114	0.36	81	<10
179198		4.89	0.39	2.81	660	2	2.84	76	920	2	0.32	<5	85	0.50	108	<10
179199		1.58	4.39	0.19	144	1	2.21	2	160	38	<0.01	<5	144	0.08	7	<10
179200		4.42	1.36	4.85	879	1	1.59	168	360	3	0.06	<5	75	0.21	119	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 19-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039270

Sample Description	Method Analyte Units LOL	ME-ICP61 Zn ppm 2
179181		94
179182		77
179183		86
179184		100
179185		135
179186		98
179187		20
179188		84
179189		71
179190		37
179191		81
179192		79
179193		51
179194 DUP		49
179195		36
179196		46
179197		31
179198		47
179199		27
179200		71





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 17-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06039271

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 14-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 6TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - B)

Finalized Date: 17-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039271

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ce	Cd	Co	Cr	Cu	Fe
Units	LOR	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
179201		2.48	0.028		<0.5	7.80	8	170	0.5	<2	6.02	<0.5	28	197	47	5.65
179202		2.32	0.174		<0.5	7.57	<5	140	<0.5	<2	7.22	<0.5	50	342	177	8.46
179203		2.25	0.019		<0.5	7.27	<5	90	<0.5	<2	7.53	<0.5	50	324	48	8.10
179204		2.23	0.029		<0.5	7.12	<5	180	<0.5	<2	5.68	<0.5	38	276	91	6.50
179205		2.76	0.005		<0.5	7.94	5	100	<0.5	<2	7.48	<0.5	33	214	41	6.08
179206		2.17	0.007		<0.5	7.30	<5	110	<0.5	<2	7.21	<0.5	43	313	8	7.47
179207		2.42	0.023		<0.5	6.88	<5	120	<0.5	<2	6.88	<0.5	42	292	3	7.63
179208 DUP		<0.02	0.019		<0.5	7.11	<5	130	<0.5	<2	6.97	<0.5	45	307	4	7.89
179209		1.99	0.005		<0.5	6.69	<5	100	<0.5	<2	6.49	<0.5	53	439	7	8.35
179210		2.59	0.012		<0.5	8.39	8	60	<0.5	<2	7.28	<0.5	43	330	4	7.87
179211		2.46	0.085		<0.5	7.54	6	100	<0.5	<2	5.07	<0.5	44	232	1	7.71
179212		2.88	0.332		<0.5	8.08	<5	80	<0.5	<2	4.23	<0.5	30	188	8	5.14
179213		2.48	0.118		<0.5	7.30	8	80	0.5	<2	6.01	<0.5	42	310	3	8.19
179214		2.60	0.054		<0.5	7.49	<5	100	<0.5	<2	6.08	<0.5	45	331	9	8.18
179215		0.14	<0.005		<0.5	7.14	<5	570	0.9	<2	0.85	<0.5	1	12	3	2.01
179216		1.72	0.009		<0.5	8.92	<5	110	<0.5	<2	6.49	<0.5	40	286	3	7.21
179217		3.19	0.048		<0.5	6.48	<5	240	1.0	<2	0.81	<0.5	1	18	13	1.64
179218		0.05	0.873		10.1	8.27	9	50	3.3	<2	0.35	<0.5	<1	6	8	2.79
179219		2.59	0.058		<0.5	6.89	<5	390	1.1	<2	0.99	<0.5	1	6	21	1.84
179220		2.33	0.103		<0.5	6.54	<5	380	1.2	<2	1.01	<0.5	<1	7	19	1.61
179221		3.30	0.020		<0.5	6.90	<5	330	0.8	<2	2.57	<0.5	9	82	20	2.64
179222		2.99	0.012		<0.5	7.21	<5	220	0.7	<2	4.85	<0.5	23	182	13	4.85
179223		3.48	2.31		<0.5	7.51	<5	130	<0.5	<2	8.04	<0.5	41	294	24	7.62
179224 DUP		<0.02	2.50		<0.5	7.46	<5	120	<0.5	<2	8.03	<0.5	40	291	28	7.72
179225		1.87	0.115		<0.5	7.16	<5	110	<0.5	<2	7.13	<0.5	38	322	19	7.46
179226		3.26	0.043		<0.5	6.63	<5	80	<0.5	<2	5.27	<0.5	30	239	22	5.62
179227		2.67	2.53		<0.5	6.85	<5	70	<0.5	<2	7.24	<0.5	40	288	8	7.64
179228		2.42	0.261		<0.5	7.49	<5	80	<0.5	<2	7.90	<0.5	44	304	3	7.97
179229		0.05	1.805		17.3	7.90	11	50	3.2	<2	0.34	<0.5	<1	5	5	2.58
179230		2.88	0.672		<0.5	7.09	<5	70	<0.5	<2	7.37	<0.5	45	331	150	7.72
179231		2.35	0.210		<0.5	6.97	<5	160	<0.5	<2	6.57	<0.5	49	372	9	7.79
179232		2.38	0.055		<0.5	7.48	<5	230	<0.5	<2	5.20	<0.5	33	247	22	6.24
179233		2.56	0.040		<0.5	7.08	5	290	<0.5	<2	3.83	<0.5	25	218	23	4.16
179234		2.53	0.017		<0.5	7.70	<5	370	<0.5	<2	3.63	<0.5	19	141	8	3.36
179235		3.42	0.048		<0.5	7.38	<5	290	<0.5	<2	4.02	<0.5	28	255	21	4.70
179236		0.13	<0.005		<0.5	6.69	<5	510	0.9	<2	0.72	<0.5	<1	4	4	1.43
179237		1.89	0.478		<0.5	7.62	<5	100	<0.5	<2	6.80	<0.5	34	278	35	7.14
179238		2.25	0.643		<0.5	7.92	<5	80	<0.5	<2	7.15	<0.5	31	224	20	7.03
179239		2.36	1.090		<0.5	7.48	<5	80	<0.5	<2	7.18	<0.5	31	230	10	6.88
179240		2.82	1.325		<0.5	7.11	<5	70	<0.5	<2	6.71	<0.5	35	263	6	7.01



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 17-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039271

Sample Description	Method Analyte Units LOA	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
179201		1.00	3.52	965	1	2.68	76	510	<2	0.22	<5	163	0.39	148	<10	54
179202		0.98	5.98	1490	<1	1.62	173	270	<2	0.15	<5	129	0.37	251	<10	75
179203		0.87	6.16	1475	<1	1.36	152	250	<2	0.07	<5	92	0.37	237	<10	67
179204		1.04	3.96	1170	1	2.38	108	210	3	0.10	<5	178	0.32	184	<10	55
179205		0.60	4.29	1105	<1	1.96	130	710	<2	0.10	<5	221	0.35	168	<10	57
179206		0.92	5.60	1365	<1	1.18	138	240	<2	0.08	<5	81	0.36	232	10	66
179207		1.06	5.53	1355	<1	1.38	139	240	<2	0.07	<5	121	0.36	228	<10	62
179208 DUP		1.06	5.74	1406	1	1.44	142	250	<2	0.08	<5	124	0.37	235	10	64
179209		0.75	7.53	1435	<1	1.10	243	220	<2	0.02	<5	44	0.35	222	<10	70
179210		0.74	5.56	1440	<1	1.54	110	300	<2	0.07	<5	57	0.50	279	<10	64
179211		0.79	5.34	1510	<1	2.80	82	270	<2	0.09	<5	107	0.44	266	<10	70
179212		0.46	3.51	990	1	4.24	61	530	3	0.07	<5	88	0.46	202	<10	47
179213		0.65	5.12	1705	1	2.68	124	250	<2	0.07	<5	113	0.41	250	<10	82
179214		0.71	4.54	1815	<1	2.49	128	260	<2	0.15	<5	120	0.40	257	<10	83
179215		4.58	0.20	179	1	2.34	5	170	30	<0.01	<5	154	0.08	10	<10	27
179216		0.75	4.31	1405	<1	1.70	114	250	<2	0.02	5	148	0.36	229	<10	70
179217		0.83	0.21	210	1	3.88	5	80	4	0.09	<5	95	0.10	4	<10	7
179218		0.21	0.07	39	<1	7.0	3	630	114	2.97	<5	24	0.01	2	<10	19
179219		1.32	0.12	367	<1	3.53	<1	70	5	0.14	<5	104	0.09	<1	<10	25
179220		1.32	0.10	210	1	3.48	<1	70	4	0.15	<5	98	0.09	1	10	12
179221		1.10	1.02	493	2	3.41	28	120	6	0.09	<5	128	0.14	51	<10	35
179222		0.94	2.41	1080	1	2.43	74	160	4	0.07	<5	143	0.25	128	<10	71
179223		0.92	4.77	1620	<1	1.79	122	250	<2	0.08	<5	147	0.40	249	20	108
179224 DUP		0.87	4.85	1630	<1	1.82	124	240	2	0.09	<5	143	0.39	244	10	106
179225		0.88	5.30	1490	2	2.01	138	240	<2	0.04	<5	133	0.37	235	<10	67
179226		0.48	3.47	1070	2	2.67	98	180	2	0.14	<5	115	0.30	170	10	62
179227		0.51	4.87	1515	1	1.95	133	220	<2	0.04	<5	125	0.35	227	10	76
179228		0.37	5.16	1430	1	1.73	144	230	<2	0.03	<5	145	0.38	240	<10	77
179229		0.20	0.07	112	1	6.8	5	620	116	2.79	<5	22	0.01	2	<10	27
179230		0.85	4.75	1355	7	1.34	144	230	<2	0.46	<5	122	0.38	233	10	81
179231		1.28	6.77	1405	1	1.17	203	210	<2	0.06	<5	101	0.35	225	<10	82
179232		1.10	4.36	1135	1	2.02	125	690	<2	0.16	<5	222	0.42	146	10	102
179233		1.01	3.52	734	1	2.91	112	180	3	0.08	<5	174	0.19	110	<10	52
179234		1.08	2.51	597	1	3.44	57	190	2	0.07	<5	211	0.18	97	<10	37
179235		0.98	4.20	770	<1	2.86	142	200	5	0.10	<5	165	0.20	108	<10	60
179236		4.16	0.19	136	2	2.17	<1	160	32	0.01	<5	146	0.08	8	<10	27
179237		0.80	5.49	1295	2	1.41	119	220	4	0.14	<5	148	0.37	230	10	72
179238		0.74	5.02	1340	<1	1.58	79	260	<2	0.06	<5	138	0.40	241	<10	63
179239		0.66	5.14	1350	<1	1.54	94	230	<2	0.06	<5	121	0.37	227	<10	60
179240		0.58	5.06	1380	<1	1.86	112	200	<2	0.04	<5	136	0.35	216	<10	67



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 17-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039271

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Be	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOE		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
179241		2.89	0.005		<0.5	8.28	<5	70	<0.5	<2	6.82	<0.5	23	125	67	6.75
179242		2.67	0.012		<0.5	8.29	<5	50	<0.5	<2	6.91	<0.5	30	148	133	7.04
179243		2.60	0.021		<0.5	7.82	<5	50	<0.5	<2	6.37	<0.5	51	150	452	7.56
179244		2.81	0.098		<0.5	7.55	<5	70	<0.5	<2	6.17	<0.5	71	143	791	8.62
179245		2.63	0.095		<0.5	6.71	<5	70	<0.5	<2	6.23	<0.5	180	132	583	13.30
179246		0.14	<0.005		<0.5	6.53	<5	500	0.9	<2	0.88	<0.5	<1	8	6	1.85
179247		2.60	<0.005		<0.5	8.01	<5	40	<0.5	<2	6.94	<0.5	26	119	75	7.13
179248		2.75	0.008		<0.5	8.02	10	60	<0.5	<2	6.62	<0.5	28	148	327	7.34
179249		2.71	<0.005		<0.5	8.08	5	40	<0.5	<2	7.04	<0.5	21	134	75	6.67
179250		3.14	0.025		<0.5	7.78	<5	80	<0.5	<2	6.52	<0.5	21	140	291	6.80
179251		1.77	0.034		<0.5	7.67	<5	60	<0.5	<2	6.28	<0.5	34	147	646	7.26
179252		2.99	0.036		<0.5	7.41	<5	320	0.7	<2	7.22	<0.5	27	163	107	6.35
179253		0.06	1.790		19.3	8.28	<5	60	3.1	<2	0.32	<0.5	<1	1	6	2.64
179254		2.81	0.269	0.145	<0.5	7.67	<5	50	<0.5	<2	6.69	<0.5	28	144	288	7.58
179255 DUP		<0.02	0.124	0.225	<0.5	7.80	<5	50	<0.5	<2	6.78	<0.5	29	144	277	7.55
179256		2.56	0.012		0.6	8.12	<5	50	<0.5	<2	7.19	<0.5	23	138	147	6.91
179257		2.69	0.022		<0.5	7.97	<5	110	<0.5	<2	6.68	<0.5	23	145	189	7.09
179258		2.62	0.924		<0.5	7.32	<5	80	<0.5	<2	6.45	<0.5	21	131	115	6.86
179259		2.74	0.539		<0.5	7.75	<5	90	<0.5	<2	6.23	<0.5	26	138	125	6.79
179260		2.57	0.847		<0.5	7.69	<5	210	0.7	<2	5.52	<0.5	19	85	90	6.25
179261		2.25	0.097		<0.5	7.03	<5	440	1.1	<2	1.85	<0.5	1	4	30	3.95
179262		3.54	0.008		<0.5	8.01	<5	60	<0.5	<2	7.21	<0.5	28	148	219	7.17
179263		2.64	0.103		<0.5	7.55	<5	40	<0.5	<2	7.06	<0.5	30	139	204	6.76
179264		2.52	0.071		<0.5	7.39	<5	210	0.7	<2	5.24	<0.5	18	74	88	6.14
179265		2.21	0.009		<0.5	6.94	<5	400	1.0	<2	2.32	<0.5	2	2	21	5.20
179266		0.06	0.973		10.7	8.33	<5	50	3.2	<2	0.32	<0.5	<1	2	8	2.53
179267		2.46	0.009		1.0	8.06	<5	330	1.0	<2	4.23	<0.5	17	29	192	5.87
179268		2.52	0.080		<0.5	7.10	<5	480	1.1	<2	2.05	<0.5	2	11	25	4.73
179269		2.21	<0.005		<0.5	7.44	<5	400	0.9	<2	3.70	<0.5	11	61	12	4.17
179270		2.20	<0.005		<0.5	8.49	<5	190	0.6	<2	6.41	<0.5	27	86	34	7.54
179271		2.78	0.009		<0.5	8.01	<5	190	0.6	<2	6.34	<0.5	30	176	43	6.54
179272		0.24	<0.005		<0.5	6.68	<5	500	0.9	<2	0.89	<0.5	1	8	4	1.53
179273		2.01	0.062		<0.5	7.33	<5	320	0.9	<2	3.33	<0.5	14	131	29	5.04
179274		1.60	0.107		<0.5	7.18	8	410	1.0	<2	2.30	<0.5	9	60	64	4.14
179275		2.75	0.397	0.508	<0.5	7.90	38	210	0.5	<2	4.25	0.6	22	151	265	7.04
179276 DUP		<0.02	0.549	0.483	<0.5	7.80	36	210	0.5	<2	4.31	0.7	22	151	242	6.70
179277		2.59	0.027		<0.5	7.84	6	70	<0.5	<2	7.19	<0.5	33	132	48	7.06
179278		2.98	0.021		<0.5	8.16	13	130	0.5	<2	6.71	<0.5	33	99	48	7.67
179279		2.46	0.145		<0.5	8.44	7	140	<0.5	<2	7.71	<0.5	27	120	56	7.40
179280		3.17	0.015		<0.5	8.01	<5	110	<0.5	<2	7.39	<0.5	30	130	86	7.75



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 17-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039271

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
179241		0.45	3.56	1285	1	1.72	72	370	<2	0.25	<5	156	0.44	209	<10	66
179242		0.35	3.50	1300	2	1.72	66	390	<2	0.41	<5	154	0.46	215	<10	66
179243		0.47	3.17	1200	<1	1.58	72	330	9	1.10	<5	146	0.43	196	30	66
179244		0.66	3.11	1305	<1	1.43	77	350	<2	2.12	<5	129	0.42	197	500	64
179245		0.61	2.67	1190	<1	1.20	130	280	3	4.78	<5	118	0.36	186	40	55
179246		3.94	0.25	170	1	2.03	2	160	32	0.02	<5	148	0.09	11	<10	28
179247		0.27	3.74	1395	<1	1.60	65	360	2	0.24	<5	150	0.44	210	10	66
179248		0.42	3.22	1210	2	1.65	95	350	<2	0.91	<5	176	0.44	198	10	60
179249		0.29	3.64	1250	<1	1.61	73	330	2	0.27	<5	160	0.44	202	<10	61
179250		0.63	3.33	1260	<1	1.46	70	370	3	0.46	<5	148	0.43	210	10	63
179251		0.49	3.10	1220	<1	1.82	89	330	<2	1.07	<5	198	0.43	200	10	60
179252		0.81	3.97	1235	<1	1.93	78	1240	<2	0.25	<5	665	0.47	172	<10	84
179253		0.19	0.07	112	<1	6.6	1	630	115	2.99	<5	20	0.01	2	<10	18
179254		0.36	3.14	1270	<1	1.53	94	330	<2	1.07	<5	154	0.42	194	10	61
179255 DUP		0.36	3.17	1285	1	1.51	96	340	<2	0.93	<5	152	0.43	198	10	60
179256		0.40	3.54	1345	<1	1.56	61	380	<2	0.52	6	151	0.45	209	20	63
179257		0.90	3.49	1310	<1	1.48	84	370	4	0.45	<5	142	0.45	212	10	70
179258		0.70	3.48	1360	1	1.30	79	360	<2	0.45	<5	132	0.41	194	<10	66
179259		0.64	3.21	1270	<1	1.50	73	380	<2	0.48	<5	138	0.43	200	10	62
179260		1.02	2.14	1250	1	2.14	47	710	<2	0.43	<5	180	0.45	116	<10	89
179261		1.24	0.21	912	2	2.93	1	320	2	0.34	<5	166	0.25	3	<10	63
179262		0.39	3.54	1325	1	1.67	71	340	<2	0.35	<5	160	0.45	214	<10	68
179263		0.25	3.13	1255	2	1.60	73	340	<2	0.49	<5	156	0.42	201	<10	60
179264		0.70	1.76	1265	<1	2.03	38	610	3	0.34	<5	192	0.41	109	10	99
179265		1.24	0.42	1285	2	2.73	<1	800	3	0.11	<5	237	0.38	7	<10	126
179266		0.19	0.07	36	1	6.6	<1	650	111	2.90	<5	20	0.01	2	<10	16
179267		1.12	1.49	1195	1	2.82	27	1840	10	0.58	<5	482	0.47	84	<10	85
179268		1.43	0.26	1115	2	3.00	<1	460	8	0.22	<5	196	0.27	10	<10	96
179269		1.18	1.50	854	<1	2.73	31	330	6	0.08	<5	230	0.26	83	<10	75
179270		0.87	3.18	1480	1	1.93	57	1420	<2	0.18	<5	305	0.65	203	<10	91
179271		0.76	3.93	1200	1	2.19	90	900	<2	0.17	<5	472	0.44	184	10	84
179272		4.11	0.21	141	<1	2.09	2	170	30	0.01	<5	149	0.08	8	<10	25
179273		1.24	1.75	1070	1	2.59	40	770	3	0.21	<5	275	0.34	44	<10	108
179274		1.33	0.72	631	2	2.70	16	530	5	0.53	<5	222	0.28	23	<10	67
179275		2.46	1.90	1005	1	1.36	93	410	18	3.03	6	73	0.42	201	10	237
179276 DUP		2.43	1.85	985	1	1.33	90	410	6	2.81	<5	72	0.41	198	20	277
179277		0.54	3.64	1340	<1	1.50	96	380	<2	0.31	<5	149	0.44	214	10	70
179278		0.57	3.42	1415	<1	1.94	70	940	<2	0.29	<5	324	0.55	188	<10	89
179279		0.96	3.88	1605	1	1.61	74	670	<2	0.55	<5	252	0.50	219	10	91
179280		0.61	3.81	1515	<1	1.61	74	560	2	0.38	<5	238	0.45	209	10	74



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 17-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039271

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
179281		2.07	0.005		<0.5	6.06	<5	550	1.0	<2	1.13	<0.5	<1	13	26	1.48
179282		1.89	0.006		<0.5	6.01	<5	550	1.0	<2	0.99	<0.5	1	11	39	1.26
179283		3.06	0.019		<0.5	7.57	<5	110	<0.5	<2	7.07	<0.5	29	146	84	7.18
179284		2.50	0.034		<0.5	8.14	<5	180	0.5	<2	7.49	<0.5	37	186	99	7.16
179285		2.56	0.086		<0.5	8.07	<5	170	<0.5	<2	6.66	<0.5	36	117	187	7.04
179286		2.71	0.083		<0.5	8.58	<5	130	0.5	<2	7.00	<0.5	41	125	162	7.71
179287		3.58	0.013		<0.5	7.82	5	110	<0.5	<2	7.39	<0.5	33	156	122	7.34
179288 DUP		<0.02	0.011		<0.5	7.79	<5	110	<0.5	<2	7.29	<0.5	39	150	134	7.37
179289		1.84	0.065		<0.5	6.84	12	310	0.9	<2	2.93	<0.5	9	16	66	4.26
179290		2.21	3.45		<0.5	7.94	8	100	<0.5	<2	6.96	<0.5	45	160	260	7.65
179291		0.12	<0.005		<0.5	6.26	<5	520	0.9	<2	0.76	<0.5	1	7	4	1.39
179292		2.40	0.190		<0.5	8.10	<5	80	<0.5	<2	7.61	<0.5	43	145	242	7.77
179293		2.55	0.289		<0.5	7.93	6	60	<0.5	<2	7.48	<0.5	47	146	190	7.77
179294		2.39	0.314		<0.5	7.94	6	50	<0.5	<2	7.28	<0.5	43	154	199	7.33
179295		2.79	0.239		<0.5	7.93	<5	110	<0.5	<2	7.32	<0.5	47	162	228	7.34
179296		2.62	0.123		<0.5	8.01	7	250	0.5	<2	6.02	<0.5	29	86	151	7.57
179297		0.06	1.845		19.3	8.32	6	80	3.1	<2	0.36	<0.5	1	10	6	2.70
179298		3.44	0.016		<0.5	7.32	<5	400	0.8	<2	2.96	<0.5	9	29	30	4.52
179299		1.54	0.016		0.5	7.84	5	230	0.6	<2	4.65	<0.5	26	59	211	7.95
179300		2.56	0.007		<0.5	8.04	<5	190	0.8	<2	7.60	<0.5	34	110	72	7.60



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 17-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06039271

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
179281		1.66	0.20	275	1	2.99	1	70	4	0.11	<5	147	0.09	7	<10	22
179282		1.51	0.09	162	1	3.09	1	60	7	0.14	<5	152	0.08	<1	<10	28
179283		0.63	4.03	1355	<1	1.58	103	490	<2	0.34	<5	232	0.45	200	10	65
179284		0.81	4.45	1320	<1	2.08	104	680	4	0.47	<5	430	0.41	206	<10	70
179285		0.86	3.57	1265	<1	1.64	77	590	<2	0.44	<5	300	0.46	211	10	71
179286		0.70	3.77	1325	<1	1.74	77	520	<2	0.53	<5	222	0.48	215	10	69
179287		0.52	3.83	1390	<1	1.59	89	510	<2	0.37	<5	228	0.44	215	10	68
179288 DUP		0.52	3.84	1380	<1	1.56	83	540	<2	0.41	<5	232	0.43	213	10	69
179289		1.11	0.81	803	1	2.39	15	640	<2	0.37	<5	179	0.38	63	<10	71
179290		0.93	3.28	1425	1	1.41	83	380	<2	0.83	<5	128	0.44	215	10	116
179291		4.32	0.20	138	<1	2.07	2	160	31	0.01	<5	138	0.08	8	<10	27
179292		0.72	3.42	1400	<1	1.44	78	390	<2	0.73	<5	150	0.43	203	10	68
179293		0.64	3.44	1380	<1	1.54	89	380	7	0.67	<5	139	0.46	220	<10	63
179294		0.50	3.38	1360	<1	1.48	83	380	8	0.58	<5	136	0.47	216	<10	64
179295		0.91	2.93	1310	<1	1.42	88	370	7	0.83	<5	145	0.47	212	<10	64
179296		1.36	2.55	1420	<1	1.90	47	950	9	0.52	<5	233	0.62	158	<10	114
179297		0.18	0.07	121	<1	6.8	4	630	120	2.99	<5	23	0.02	2	<10	18
179298		1.45	0.98	933	<1	2.68	10	750	5	0.20	<5	211	0.45	58	<10	89
179299		1.10	1.86	1275	<1	2.17	40	1220	23	1.40	<5	263	0.77	138	<10	97
179300		0.77	4.10	1310	<1	2.21	88	2350	7	0.35	<5	897	0.74	198	<10	94



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 20-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06039626

Project: DETOUR LAKE

P.O. No.:

This report is for 2 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 9-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06039626

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
178761		1.48	14.70	44.6	13.80	1.935	43.34	1436.0	14.10	13.50
178803		1.26	84.5	468	49.7	21.028	44.93	1221.0	50.3	49.1

Comments: Sample from VO06037019.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 20-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06039627

Project: DETOUR LAKE

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 9-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 20-MAY-2006

Account: TRAVEN

Project: DETOUR LAKE

## CERTIFICATE OF ANALYSIS VO06039627

Sample Description	Method Analyte Units LOR	WEJ-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd WL kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
178717		1.03	73.1	208	67.4	8.771	42.17	990.5	67.4	67.4

Comments: Sample from VO06037018.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 20-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06040541

Project: BLOCK A

P.O. No.:

This report is for 3 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 8-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06040541

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd WL kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
180930		1.01	15.00	105.0	12.85	2.845	27.06	1125.5	13.50	12.20
180931		1.41	19.80	101.0	18.35	2.506	24.81	1380.0	18.85	17.80
180934		0.70	46.8	333	39.1	6.176	18.55	686.0	37.8	40.5

Comments: Sample from VO06035943.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06040542

Project: BLOCK A

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 8-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06040542

Sample Description	Method Analyte Units LO#	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
180621		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		1.18	21.2	227	18.00	4.117	16.16	1156.0	17.35	18.85

Comments: Sample from VO06035940.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Data: 20-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06040543

Project: BLOCK A

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 8-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 20-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06040543

Sample Description	Method Analyte Units LDR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd WL kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
180782		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
		1.16	22.9	68.0	21.8	1.900	27.96	1124.5	22.1	21.5

Comments: Sample from VO06035942.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 20-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06040544

Project: BLOCK A

P.O. No.:

This report is for 3 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 8-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 20-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06040544

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
178215		2.34	10.50	328	8.89	9.130	27.97	2313	8.68	8.70
178234		2.38	8.28	137.5	8.69	3.978	28.96	2346	8.55	8.83
178277		1.18	56.0	531	39.4	21.118	39.78	1133.0	39.1	39.6

Comments: Sample from VO06028842.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 23-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06040764

Project: SOUTH DETOUR-AURORA

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 25-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - B)

Finalized Date: 23-MAY-2006

Account: TRAVEN

Project: SOUTH DETOUR-AURORA

## CERTIFICATE OF ANALYSIS VO06040764

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
175601		2.40	<0.005	<0.5	7.70	21	20	<0.5	<2	7.88	<0.5	46	105	119	9.62	0.15
175602		3.15	<0.005	<0.5	7.64	16	30	<0.5	<2	7.19	<0.5	43	94	110	8.76	0.15
175603		2.46	<0.005	<0.5	7.64	5	20	<0.5	<2	6.82	<0.5	61	109	283	9.57	0.12
175604		2.65	<0.005	<0.5	7.42	<5	10	<0.5	<2	6.99	<0.5	34	98	67	7.59	0.07
175605		0.06	0.997	10.7	8.72	<5	50	3.3	<2	0.36	<0.5	<1	5	10	2.70	0.19
175606		2.80	<0.005	<0.5	7.58	<5	30	<0.5	<2	6.50	<0.5	37	109	77	9.13	0.12
175607		2.65	<0.005	<0.5	7.96	33	50	<0.5	<2	6.46	<0.5	55	119	119	9.42	0.23
175608		2.90	<0.005	<0.5	7.21	<5	70	<0.5	<2	6.72	<0.5	47	100	212	9.20	0.40
175609		2.47	<0.005	<0.5	7.48	14	40	<0.5	<2	7.46	<0.5	46	109	193	9.45	0.26
175610		2.53	<0.005	<0.5	7.64	24	30	<0.5	<2	6.80	<0.5	42	108	42	9.30	0.16
175611		2.56	0.010	<0.5	8.05	<5	30	<0.5	<2	7.64	<0.5	41	100	118	9.79	0.15
175612		2.48	<0.005	<0.5	7.97	23	30	<0.5	<2	7.21	<0.5	40	110	40	9.21	0.13
175613		1.94	<0.005	<0.5	8.08	12	50	<0.5	<2	7.04	<0.5	36	109	23	9.89	0.23
175614		1.59	<0.005	<0.5	1.86	<5	10	<0.5	<2	9.59	<0.5	11	24	7	3.05	0.04
175615 DUP		<0.02	<0.005	<0.5	1.70	<5	10	<0.5	<2	9.08	<0.5	10	25	6	2.58	0.04
175616		0.13	<0.005	<0.5	6.98	<5	520	1.0	<2	0.98	<0.5	<1	16	6	2.23	4.13
175617		2.54	<0.005	<0.5	7.43	6	30	<0.5	<2	6.07	<0.5	38	114	78	9.71	0.18
175618		2.54	<0.005	<0.5	7.50	<5	40	<0.5	<2	6.57	<0.5	39	104	66	10.05	0.21
175619		2.21	<0.005	<0.5	6.76	<5	50	<0.5	<2	7.41	<0.5	30	92	54	8.51	0.25
175620		2.59	<0.005	<0.5	6.75	<5	20	<0.5	<2	6.75	<0.5	36	106	29	10.15	0.14
175621		2.85	<0.005	<0.5	7.57	<5	20	<0.5	<2	6.59	<0.5	38	105	99	10.15	0.13
175622		1.84	<0.005	<0.5	7.26	7	60	<0.5	<2	7.01	<0.5	35	118	22	9.71	0.58
175623		2.25	<0.005	<0.5	7.14	19	50	<0.5	<2	5.68	<0.5	42	104	53	10.00	0.42
175624		2.51	<0.005	<0.5	7.00	<5	30	<0.5	<2	6.89	<0.5	41	86	82	10.00	0.23
175625		2.21	<0.005	<0.5	6.60	<5	40	0.5	<2	7.72	<0.5	46	52	87	11.60	0.30
175626		0.04	1.775	19.1	8.49	<5	50	3.3	<2	0.35	<0.5	<1	4	6	2.77	0.19
175627		2.77	<0.005	<0.5	5.79	9	130	<0.5	<2	10.75	<0.5	36	8	77	9.51	0.56
175628		1.71	<0.005	<0.5	7.07	<5	100	<0.5	<2	6.96	<0.5	39	6	108	11.20	0.34
175629		2.15	0.006	<0.5	7.11	14	70	<0.5	<2	6.61	<0.5	53	5	1265	13.10	0.35
175630		2.44	0.006	<0.5	6.96	<5	60	0.7	<2	6.28	<0.5	54	7	397	12.10	0.36
175631		2.50	0.010	<0.5	6.88	7	80	<0.5	<2	6.08	<0.5	44	17	418	10.85	0.35
175632		2.61	<0.005	<0.5	6.80	<5	70	0.5	<2	5.82	<0.5	52	9	231	12.55	0.42
175633 DUP		<0.02	<0.005	<0.5	6.65	<5	60	0.5	<2	5.68	<0.5	50	9	220	12.45	0.41
175634		2.77	<0.005	<0.5	6.65	5	40	<0.5	<2	5.44	<0.5	45	8	149	11.80	0.31
175635		2.50	<0.005	<0.5	6.80	<5	50	0.5	<2	5.37	<0.5	43	19	145	11.55	0.31
175636		2.72	<0.005	<0.5	6.70	25	30	<0.5	<2	6.15	<0.5	48	21	135	11.45	0.22
175637		0.13	<0.005	<0.5	7.22	<5	580	0.9	<2	0.97	<0.5	2	8	6	1.69	4.43
175638		2.48	<0.005	<0.5	6.75	6	40	<0.5	<2	4.96	<0.5	46	45	148	11.85	0.26
175639		2.77	<0.005	<0.5	6.60	<5	40	0.5	<2	4.80	<0.5	44	6	158	12.10	0.30
175640		2.54	<0.005	<0.5	6.78	<5	60	0.5	2	5.56	<0.5	45	3	89	13.25	0.37



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 23-MAY-2006

Account: TRAVEN

Project: SOUTH DETOUR-AURORA

## CERTIFICATE OF ANALYSIS VO06040764

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Tl %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
175601		4.09	1135	2	1.28	69	380	7	0.28	<5	98	0.72	344	<10	77
175602		3.94	1035	1	1.81	66	370	7	0.22	<5	95	0.71	335	<10	72
175603		4.17	1030	1	1.84	96	370	7	0.48	<5	95	0.71	348	<10	79
175604		3.62	924	2	2.36	54	370	9	0.14	<5	89	0.70	321	<10	58
175605		0.07	35	1	7.4	7	670	124	2.91	<5	22	0.01	2	<10	18
175606		4.34	1035	2	2.19	59	340	2	0.15	<5	90	0.72	347	<10	66
175607		4.14	974	<1	1.78	88	430	4	0.18	<5	99	0.78	340	10	61
175608		3.70	850	1	1.72	89	370	6	0.40	<5	133	0.70	333	<10	54
175609		3.77	868	1	1.84	71	370	9	0.37	<5	135	0.71	335	<10	44
175610		4.01	885	<1	1.99	63	360	7	0.08	<5	129	0.72	340	<10	46
175611		3.97	887	1	1.88	67	410	6	0.21	<5	144	0.75	350	<10	43
175612		3.90	859	1	2.06	66	380	4	0.01	<5	151	0.78	362	<10	48
175613		3.96	917	1	2.00	55	370	8	0.01	6	132	0.76	370	<10	53
175614		0.83	560	<1	0.49	15	70	<2	0.04	<5	55	0.15	65	<10	15
175615 DUP		0.74	510	1	0.46	12	60	6	0.03	<5	53	0.15	63	<10	18
175616		0.26	199	2	2.26	6	170	33	0.01	<5	144	0.09	13	<10	26
175617		3.53	848	1	2.29	53	460	7	0.11	<5	110	0.80	341	<10	57
175618		3.63	899	1	1.96	50	400	9	0.06	<5	131	0.73	350	10	62
175619		3.13	828	1	1.86	41	400	7	0.08	7	128	0.62	286	<10	52
175620		3.73	935	1	1.68	50	610	7	0.03	<5	106	0.74	344	10	68
175621		3.56	866	<1	2.18	51	490	6	0.20	5	133	0.81	381	<10	62
175622		3.55	916	2	2.08	47	550	7	0.17	<5	114	0.78	360	<10	67
175623		3.65	970	2	2.29	51	400	8	0.08	5	100	0.84	400	<10	78
175624		3.53	1020	2	2.30	50	420	5	0.10	<5	147	0.82	409	<10	153
175625		3.77	1220	2	1.80	39	370	<2	0.16	<5	127	0.76	352	<10	160
175626		0.07	108	1	7.2	4	650	119	3.04	<5	22	0.01	2	<10	18
175627		2.67	1265	2	0.73	25	420	5	0.09	<5	120	0.76	323	<10	109
175628		3.15	1260	1	1.17	26	570	8	0.02	<5	87	1.00	432	<10	131
175629		3.68	1340	2	1.45	28	240	6	0.21	<5	84	0.99	410	10	181
175630		3.09	1105	<1	2.17	25	590	7	0.48	<5	110	1.00	431	<10	130
175631		3.25	1205	<1	1.86	31	570	9	0.17	<5	98	0.99	419	<10	137
175632		2.82	1290	<1	1.75	34	610	3	0.53	<5	105	0.95	428	<10	103
175633 DUP		2.77	1275	<1	1.70	29	600	<2	0.53	<5	102	0.82	423	<10	102
175634		2.69	1300	<1	1.85	29	520	<2	0.21	<5	98	0.93	439	<10	94
175635		2.80	1305	<1	2.10	33	590	3	0.26	<5	105	0.94	430	<10	87
175636		3.18	1410	<1	1.78	29	640	10	0.09	<5	108	0.94	417	<10	90
175637		0.24	176	1	2.12	5	170	39	0.01	<5	158	0.09	14	<10	30
175638		3.15	1315	<1	1.78	42	650	2	0.04	<5	85	0.95	435	<10	94
175639		2.68	1180	<1	1.86	27	580	<2	0.33	<5	87	0.96	450	<10	84
175640		2.85	1280	<1	1.41	24	680	3	0.19	<5	69	1.02	464	10	100



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 23-MAY-2006

Account: TRAVEN

Project: SOUTH DETOUR-AURORA

## CERTIFICATE OF ANALYSIS VO06040764

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
175641		2.77	<0.005	<0.5	6.72	22	50	0.5	<2	4.54	<0.5	52	2	12	12.55	0.32
175642		2.64	<0.005	<0.5	6.50	<5	80	0.5	<2	4.56	<0.5	36	<1	170	10.60	0.45
175643		2.04	<0.005	<0.5	6.62	<5	80	<0.5	<2	6.06	<0.5	46	<1	192	13.35	0.45
175644 DUP		<0.02	<0.005	<0.5	6.69	<5	80	<0.5	<2	6.19	<0.5	47	<1	186	13.55	0.46
175645		0.16	<0.005	<0.5	6.96	<5	540	1.0	<2	0.96	<0.5	1	6	5	1.69	4.34
175646		2.60	<0.005	<0.5	7.10	7	50	<0.5	<2	5.81	<0.5	47	<1	68	12.95	0.32
175647		2.67	<0.005	<0.5	7.09	7	90	0.5	<2	5.42	<0.5	47	3	68	12.90	0.53
175648		2.50	<0.005	<0.5	6.73	<5	100	0.5	<2	6.51	<0.5	43	2	143	12.15	0.51
175649		2.38	<0.005	<0.5	7.29	15	60	<0.5	<2	6.71	<0.5	47	6	49	11.25	0.31
175650		2.40	<0.005	<0.5	7.73	<5	130	0.5	<2	5.24	<0.5	41	12	84	12.15	0.53
175651		2.36	<0.005	<0.5	7.53	5	120	<0.5	<2	6.56	<0.5	44	9	111	10.75	0.51
175652		2.48	<0.005	<0.5	7.52	5	40	0.5	2	4.69	<0.5	49	21	150	10.40	0.20
175653		2.65	<0.005	<0.5	7.46	<5	40	<0.5	<2	4.98	<0.5	42	20	114	10.50	0.19
175654		0.07	0.941	10.6	8.33	6	50	3.2	<2	0.34	<0.5	<1	10	7	2.82	0.19
175655		1.94	<0.005	<0.5	7.41	<5	40	<0.5	<2	5.45	<0.5	43	22	186	9.57	0.23
175656		2.52	<0.005	<0.5	7.56	37	70	1.3	<2	6.37	<0.5	28	120	24	6.27	0.20
175657		2.12	<0.005	<0.5	7.72	<5	60	0.5	<2	5.40	<0.5	46	26	268	10.50	0.27
175658		2.09	<0.005	<0.5	7.31	<5	50	<0.5	<2	4.80	<0.5	42	22	144	10.50	0.24
175659		2.26	<0.005	<0.5	7.92	25	40	<0.5	<2	4.86	<0.5	52	26	67	11.45	0.21
175660		2.30	<0.005	<0.5	7.64	16	40	<0.5	2	5.13	<0.5	43	20	41	11.55	0.21
175661		2.19	<0.005	<0.5	7.12	8	160	0.6	<2	5.36	<0.5	42	6	87	12.35	0.72
175662		2.33	<0.005	<0.5	6.51	19	100	0.5	<2	5.26	<0.5	63	<1	394	12.25	0.53
175663		2.08	<0.005	<0.5	8.32	13	50	<0.5	2	3.45	<0.5	50	26	184	12.56	0.27
175664		2.04	<0.005	<0.5	7.69	34	20	<0.5	<2	4.06	<0.5	52	28	198	11.30	0.17
175665		1.93	<0.005	<0.5	7.94	14	40	<0.5	<2	4.94	<0.5	41	22	69	10.90	0.24
175666		0.06	1.760	19.1	8.44	9	60	3.3	<2	0.34	<0.5	<1	13	6	2.86	0.19
175667		2.17	<0.005	<0.5	7.49	14	40	<0.5	<2	7.27	<0.5	39	24	118	10.05	0.19
175668		2.08	<0.005	<0.5	7.53	16	40	<0.5	<2	5.14	<0.5	44	27	110	11.05	0.22
175669		2.04	<0.005	<0.5	7.60	15	50	<0.5	<2	5.74	<0.5	42	23	220	10.25	0.22
175670		1.99	<0.005	<0.5	7.19	21	50	<0.5	<2	7.73	<0.5	39	17	100	9.50	0.23
175671		2.00	<0.005	<0.5	6.05	19	40	<0.5	<2	8.15	<0.5	44	20	207	9.37	0.23
175672		2.04	<0.005	<0.5	7.28	16	80	<0.5	<2	6.03	<0.5	40	21	136	10.80	0.37
175673 DUP		<0.02	0.008	<0.5	7.43	16	80	<0.5	<2	6.04	<0.5	42	21	140	11.05	0.37
175674		0.17	<0.005	<0.5	7.05	<5	520	0.9	<2	1.03	<0.5	2	8	5	1.66	4.18
175675		2.06	<0.005	<0.5	7.53	18	60	<0.5	<2	6.31	<0.5	43	20	96	10.75	0.27
175678		1.99	<0.005	<0.5	7.22	17	80	<0.5	<2	5.80	<0.5	43	15	92	11.35	0.40
175677		2.13	<0.005	<0.5	7.33	14	110	<0.5	<2	5.95	<0.5	46	14	178	11.05	0.55
175678		2.73	<0.005	<0.5	6.67	13	80	<0.5	<2	6.33	<0.5	33	10	130	9.41	0.39
175679		2.13	<0.005	<0.5	6.74	14	50	<0.5	<2	7.09	<0.5	39	18	104	8.72	0.24
175680		2.38	<0.005	<0.5	6.90	23	40	<0.5	<2	7.74	<0.5	36	23	48	8.45	0.18



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 23-MAY-2006

Account: TRAVEN

Project: SOUTH DETOUR-AURORA

## CERTIFICATE OF ANALYSIS VO06040764

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
175641		2.99	1200	<1	1.69	23	680	<2	0.01	<5	65	1.11	491	<10	102
175642		1.56	990	1	1.95	<1	1130	6	0.42	<5	82	0.97	74	<10	61
175643		2.71	1315	<1	1.36	6	630	11	0.50	<5	71	1.24	483	<10	83
175644 DUP		2.76	1340	<1	1.36	8	830	8	0.47	<5	70	1.26	501	<10	86
175645		0.22	159	1	2.13	2	170	35	0.01	<5	154	0.09	10	<10	27
175646		3.39	1405	<1	1.87	30	450	10	0.11	<5	74	1.30	797	<10	94
175647		3.16	1425	<1	1.89	28	570	9	0.16	<5	76	1.18	567	<10	102
175648		2.80	1440	1	1.71	22	550	8	0.33	<5	99	1.06	502	<10	103
175649		3.28	1520	1	2.38	30	540	7	0.10	<5	139	0.94	461	<10	116
175650		3.45	1505	<1	1.99	33	510	5	0.15	<5	90	0.96	447	<10	121
175651		3.33	1525	<1	2.18	23	570	9	0.27	<5	146	0.98	405	<10	99
175652		3.68	1410	<1	2.68	41	440	8	0.46	<5	148	0.86	415	<10	98
175653		3.71	1460	<1	2.51	35	410	8	0.28	<5	152	0.78	390	<10	101
175654		0.07	36	1	6.8	<1	640	118	3.05	<5	19	0.01	1	<10	16
175655		3.69	1410	<1	2.76	40	440	4	0.35	<5	176	0.82	388	<10	91
175656		3.91	1210	1	3.59	161	1850	9	0.02	<5	548	0.52	180	<10	70
175657		4.04	1510	<1	2.68	42	460	8	0.38	<5	180	0.83	390	<10	96
175658		3.75	1460	1	2.33	33	420	7	0.31	<5	140	0.81	380	<10	88
175659		4.20	1630	1	2.26	41	470	7	0.08	<5	138	0.84	401	<10	93
175660		3.79	1650	<1	1.94	37	460	8	0.01	<5	124	0.84	393	<10	89
175661		3.08	1560	1	1.20	17	650	7	0.16	<5	128	1.13	454	<10	84
175662		2.98	1510	1	1.00	17	780	8	0.80	<5	106	1.10	421	<10	84
175663		4.12	1660	<1	1.31	41	520	6	0.18	<5	69	1.10	490	<10	112
175664		4.45	1695	<1	1.39	41	400	9	0.03	<5	62	0.85	392	<10	112
175665		4.27	1620	<1	1.94	36	420	8	0.03	<5	110	0.82	408	<10	99
175666		0.07	114	<1	7.0	3	670	136	3.15	<5	19	0.02	1	<10	25
175667		3.56	1610	<1	1.98	39	440	6	0.17	<5	160	0.75	358	<10	79
175668		3.93	1555	<1	1.99	38	400	11	0.17	<5	125	0.81	383	<10	83
175669		3.58	1475	1	2.21	39	380	4	0.26	<5	132	0.82	376	<10	79
175670		3.46	1605	1	2.21	37	390	7	0.14	<5	126	0.74	350	<10	72
175671		3.30	1560	<1	1.28	37	350	8	0.27	<5	116	0.71	378	<10	67
175672		3.90	1450	1	1.83	43	380	9	0.13	<5	140	0.80	440	<10	74
175673 DUP		4.01	1480	<1	1.86	40	400	<2	0.14	<5	141	0.82	458	<10	77
175674		0.25	175	<1	2.16	1	180	33	0.02	<5	148	0.10	13	<10	28
175675		3.82	1435	1	2.02	42	420	10	0.14	<5	150	0.89	491	<10	72
175676		3.98	1465	<1	1.64	40	420	8	0.12	<5	130	0.87	461	<10	75
175677		3.51	1365	1	1.52	39	440	10	0.30	<5	154	0.81	429	<10	73
175678		3.22	1305	<1	1.53	28	420	7	0.22	<5	146	0.66	337	<10	63
175679		3.26	1360	1	1.51	35	350	5	0.14	<5	146	0.70	335	<10	63
175680		3.46	1425	1	2.07	33	320	6	0.07	<5	152	0.67	322	<10	61





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 23-MAY-2006

Account: TRAVEN

Project: SOUTH DETOUR-AURORA

## CERTIFICATE OF ANALYSIS VO06040764

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
175681		2.21	<0.005	<0.5	6.57	23	40	<0.5	<2	7.04	<0.5	37	25	40	8.19	0.16
175682		2.10	<0.006	<0.5	7.42	28	40	<0.5	<2	7.22	<0.5	39	24	69	9.29	0.18
175683		2.17	<0.005	<0.5	7.58	25	50	<0.5	<2	5.54	<0.5	39	23	92	9.22	0.25
175684		2.22	<0.005	<0.5	7.79	16	60	<0.5	<2	5.98	<0.5	39	27	98	9.85	0.29
175685 DUP		<0.02	<0.005	<0.5	7.52	25	60	<0.5	<2	5.69	<0.5	37	27	96	9.49	0.28
175686		0.17	<0.005	<0.5	7.41	<5	570	0.9	<2	0.91	<0.5	1	9	3	1.68	4.49
175687		2.13	<0.005	<0.5	7.99	21	90	<0.5	<2	5.13	<0.5	41	29	114	10.60	0.44
175688		2.17	<0.005	<0.5	6.95	20	70	<0.5	<2	6.63	<0.5	38	26	120	9.04	0.34
175689		2.44	<0.005	<0.5	7.10	22	50	<0.5	<2	7.21	<0.5	38	28	71	9.63	0.26
175690		2.19	<0.005	<0.5	7.61	14	90	<0.5	<2	5.65	<0.5	42	34	140	9.86	0.38
175691		2.35	<0.005	<0.5	7.21	21	70	<0.5	<2	6.26	<0.5	50	41	215	9.71	0.29
175692		2.07	<0.005	<0.5	7.66	26	30	<0.5	<2	5.87	<0.5	38	40	4	9.43	0.16
175693		2.19	<0.005	<0.5	6.63	28	50	<0.5	<2	7.53	<0.5	40	54	119	8.54	0.22
175694		0.07	0.964	10.2	8.60	5	50	3.3	<2	0.34	<0.5	<1	4	7	2.73	0.20
175695		1.44	<0.005	<0.5	7.06	14	110	<0.5	2	7.74	<0.5	38	63	130	9.38	0.60
175696		1.07	<0.005	<0.5	7.34	<5	100	<0.5	2	6.09	<0.5	36	80	117	9.31	0.57
175697		1.20	<0.005	<0.5	6.32	15	50	<0.5	<2	7.81	<0.5	33	87	79	8.11	0.27
175698		1.34	<0.005	<0.5	6.89	27	40	<0.5	<2	6.64	<0.5	34	108	25	8.31	0.19
175699		0.89	<0.005	<0.5	7.41	29	70	<0.5	<2	6.91	<0.5	31	133	64	7.75	0.30
175700		1.91	<0.005	<0.5	6.68	25	50	<0.5	<2	6.85	<0.5	37	142	154	7.47	0.29



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 23-MAY-2006

Account: TRAVEN

Project: SOUTH DETOUR-AURORA

## CERTIFICATE OF ANALYSIS VO06040764

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
175681		3.40	1385	1	1.87	39	300	4	0.03	<5	122	0.63	314	<10	82
175682		3.86	1425	<1	2.18	41	370	8	0.15	<5	150	0.72	348	<10	65
175683		3.50	1245	1	1.91	37	390	8	0.16	<5	142	0.73	332	<10	67
175684		3.78	1345	<1	1.93	42	390	7	0.20	<5	136	0.73	360	<10	79
175685 DUP		3.64	1290	<1	1.86	36	390	8	0.20	<5	131	0.70	343	<10	76
175686		0.25	182	1	2.24	1	180	36	0.01	<5	158	0.10	11	<10	30
175687		4.15	1350	<1	1.99	42	400	8	0.22	<5	128	0.78	371	<10	89
175688		3.33	1250	1	1.58	40	340	4	0.28	<5	132	0.85	320	<10	74
175689		3.60	1490	<1	1.38	44	370	5	0.20	<5	95	0.69	323	<10	90
175690		3.80	1315	<1	2.05	48	380	6	0.35	<5	104	0.73	351	<10	92
175691		3.73	1300	<1	1.88	54	360	7	0.59	<5	108	0.64	317	<10	88
175692		4.30	1405	<1	1.51	53	340	6	0.01	<5	73	0.62	323	<10	93
175693		3.84	1300	1	1.88	52	300	7	0.32	<5	87	0.56	295	<10	69
175694		0.07	37	1	7.0	2	830	128	2.96	<5	19	0.01	1	<10	17
175695		3.68	1330	<1	1.47	49	320	3	0.42	<5	73	0.62	303	<10	72
175696		3.78	1205	<1	1.68	47	320	4	0.38	<5	59	0.65	319	<10	72
175697		3.78	1270	<1	1.10	54	290	4	0.19	<5	68	0.53	280	<10	65
175698		4.10	1270	<1	1.22	59	280	4	0.04	<5	63	0.55	296	<10	61
175699		3.84	1245	<1	1.92	63	260	4	0.03	<5	81	0.55	301	<10	54
175700		3.78	1175	<1	2.07	66	240	2	0.25	<5	86	0.51	264	<10	49



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 25-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06041491

Project: BLOCK A  
P.O. No.:  
This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 12-MAY-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rod w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rod w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 25-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041491

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
172781		2.83	1.175			<0.5	6.78	<5	80	<0.5	<2	7.43	<0.5	39	345	215
172782		2.89	0.061			<0.5	7.23	<5	140	<0.5	<2	6.70	<0.5	34	322	48
172783		2.48	<0.005			<0.5	8.31	<5	630	1.1	<2	3.52	<0.5	13	28	19
172784		2.89	<0.005			<0.5	8.27	<5	630	1.2	<2	3.36	<0.5	13	19	19
172785		2.58	0.019			<0.5	7.68	<5	320	0.6	<2	5.73	<0.5	28	205	12
172786		2.71	0.361			<0.5	7.14	<5	50	<0.5	<2	7.40	<0.5	40	339	8
172787		0.06	0.956			9.9	8.26	<5	40	3.1	<2	0.34	<0.5	1	7	7
172788		2.48	0.279			<0.5	7.39	<5	90	<0.5	<2	7.41	<0.5	37	289	11
172789		2.40	0.197			<0.5	5.77	<5	50	<0.5	<2	11.20	<0.5	32	263	7
172790		2.53	0.197			<0.5	7.18	<5	60	<0.5	<2	7.70	<0.5	37	341	13
172791		2.52	0.944			<0.5	6.22	<5	70	<0.5	<2	10.45	<0.5	32	280	60
172792		2.54	0.506			<0.5	6.92	<5	50	<0.5	<2	7.88	<0.5	35	307	10
172793		2.71	3.28			<0.5	6.71	<5	50	<0.5	<2	8.37	<0.5	38	296	19
172794		2.71	0.454	0.099		<0.5	6.97	<5	40	<0.5	<2	8.49	<0.5	41	309	18
172795 DUP		<0.02	0.128	0.099		<0.5	6.98	<5	40	<0.5	<2	8.47	<0.5	41	305	18
172796		0.12	0.010	0.008		<0.5	6.18	<5	500	0.8	<2	0.98	<0.5	2	15	4
172797		2.54	0.665			<0.5	6.93	<5	80	<0.5	<2	7.37	<0.5	38	315	6
172798		2.75	1.255			<0.5	7.05	<5	50	<0.5	<2	7.63	<0.5	40	313	<1
172799		2.60	0.545			<0.5	6.77	<5	50	<0.5	<2	7.46	<0.5	36	287	<1
172800		2.71	9.02			<0.5	5.79	<5	40	<0.5	<2	6.37	<0.5	34	305	66
172801		2.42	0.175			<0.5	6.98	<5	70	<0.5	<2	7.41	<0.5	42	328	95
172802		2.98	1.495			0.8	6.78	<5	50	<0.5	<2	8.87	<0.5	49	323	1460
172803 DUP		<0.02	1.310			1.0	6.77	<5	50	<0.5	<2	8.95	<0.5	49	297	1530
172804		0.13	0.019	0.020		<0.5	6.59	<5	540	0.8	<2	0.98	<0.5	2	16	14
172805		2.71	0.257			<0.5	8.83	<5	50	<0.5	<2	7.52	<0.5	37	301	124
172806		2.57	0.467			<0.5	7.29	<5	50	<0.5	<2	8.15	<0.5	42	317	221
172807		2.42	>10.0		11.95	0.5	6.72	<5	120	<0.5	<2	6.74	<0.5	47	401	202
172808		2.64	0.059			<0.5	5.90	<5	20	<0.5	<2	5.93	<0.5	68	739	1
172809		2.83	0.136			<0.5	6.54	<5	80	<0.5	<2	6.33	<0.5	57	586	15
172810		2.60	0.034			<0.5	7.60	<5	70	<0.5	<2	7.07	<0.5	38	232	18
172811		2.79	0.710			<0.5	7.44	<5	50	<0.5	<2	7.20	<0.5	39	187	84
172812		2.65	0.055			<0.5	7.29	<5	70	<0.5	<2	6.66	<0.5	39	223	3
172813		2.52	0.234			<0.5	7.22	<5	50	<0.5	<2	7.52	<0.5	40	281	22
172814		2.81	0.132			<0.5	7.15	<5	30	<0.5	<2	8.10	<0.5	41	303	109
172815		2.42	4.31			<0.5	6.60	<5	70	<0.5	<2	7.58	<0.5	34	310	25
172816		0.05	1.725			18.4	8.13	<5	50	3.0	<2	0.33	<0.5	1	7	4
172817		2.34	0.438			<0.5	7.22	<5	90	<0.5	<2	7.41	<0.5	34	291	19
172818		2.50	0.328			<0.5	7.14	<5	190	0.5	<2	6.66	<0.5	33	254	218
172819		2.77	0.895			<0.5	7.42	<5	90	<0.5	<2	7.81	<0.5	38	278	37
172820		2.71	0.035			<0.5	7.29	<5	60	<0.5	<2	8.76	<0.5	42	297	10



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 25-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041491**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
172781		7.48	0.70	4.59	1370	<1	1.41	159	220	<2	0.26	<5	99	0.36	207	10
172782		6.95	0.78	4.27	1215	1	1.77	105	300	<2	0.07	<5	210	0.38	203	<10
172783		3.54	1.89	1.39	577	<1	2.58	19	920	10	0.09	<5	638	0.37	81	<10
172784		3.50	1.79	1.33	562	<1	2.67	17	910	9	0.09	<5	640	0.37	77	<10
172785		5.69	1.11	3.24	994	<1	2.12	74	550	6	0.07	<5	383	0.38	157	10
172786		7.60	0.45	4.66	1330	1	1.66	120	230	<2	0.07	5	134	0.39	225	10
172787		2.66	0.19	0.07	37	1	6.9	1	590	105	2.98	<5	20	0.01	2	<10
172788		7.18	0.83	4.17	1300	<1	1.72	115	310	<2	0.09	<5	144	0.40	203	10
172789		8.27	0.41	4.40	1345	<1	1.14	103	190	<2	0.04	<5	118	0.30	173	10
172790		7.24	0.59	5.37	1340	<1	1.43	119	220	<2	0.04	<5	124	0.39	224	10
172791		6.60	0.63	4.26	1580	<1	0.94	137	210	<2	0.17	<5	109	0.32	185	90
172792		7.30	0.48	5.03	1360	<1	1.48	124	230	<2	0.05	<5	126	0.37	212	20
172793		7.23	0.48	4.70	1355	<1	1.32	123	210	<2	0.06	<5	142	0.37	211	10
172794		7.34	0.32	4.60	1345	<1	1.54	119	220	<2	0.05	<5	131	0.38	221	10
172795 DUP		7.41	0.32	4.62	1350	<1	1.55	116	230	<2	0.05	<5	132	0.38	222	10
172796		1.54	4.10	0.23	153	1	1.98	5	150	28	0.01	<5	143	0.08	9	<10
172797		7.42	0.52	4.99	1320	<1	1.50	123	220	<2	0.04	<5	129	0.37	212	10
172798		7.51	0.42	5.44	1375	<1	1.55	133	230	3	0.02	<5	121	0.37	216	10
172799		6.71	0.42	5.31	1245	<1	1.45	118	210	<2	0.01	<5	108	0.36	208	10
172800		6.64	0.40	3.93	1225	<1	1.16	115	210	<2	0.14	<5	94	0.32	190	20
172801		7.75	0.52	4.78	1365	<1	1.55	131	220	<2	0.27	<5	128	0.38	220	<10
172802		7.73	0.37	4.60	1370	<1	1.42	151	210	<2	0.31	<5	145	0.36	211	10
172803 DUP		7.72	0.38	4.60	1365	<1	1.42	150	220	3	0.31	<5	146	0.36	211	10
172804		2.00	4.27	0.23	183	1	2.10	5	160	32	0.01	<5	154	0.08	9	<10
172805		7.36	0.42	4.95	1300	<1	1.55	118	210	<2	0.17	<5	131	0.36	210	10
172806		7.84	0.46	4.95	1400	<1	1.50	129	240	<2	0.12	<5	141	0.39	226	10
172807		7.61	1.25	6.04	1325	<1	1.08	161	230	<2	0.28	<5	75	0.36	207	10
172808		8.00	0.49	9.57	1385	<1	0.68	345	180	<2	0.02	<5	57	0.30	188	<10
172809		7.54	0.56	7.93	1275	<1	0.84	258	190	2	0.07	<5	80	0.33	196	<10
172810		6.80	0.81	4.53	1160	<1	1.48	60	250	<2	0.07	<5	106	0.41	227	10
172811		7.23	0.57	4.49	1240	<1	1.49	55	240	2	0.20	<5	101	0.42	244	10
172812		6.88	0.77	4.68	1150	<1	1.53	84	240	<2	0.05	<5	90	0.39	231	<10
172813		6.95	0.45	5.16	1225	<1	1.45	96	230	<2	0.04	<5	115	0.38	223	<10
172814		7.36	0.19	4.74	1320	<1	1.35	109	230	<2	0.06	<5	138	0.38	220	<10
172815		6.81	0.58	4.67	1340	<1	1.22	103	220	<2	0.04	<5	100	0.35	202	<10
172816		2.81	0.18	0.06	112	<1	6.7	4	590	117	3.19	<5	20	0.01	2	<10
172817		7.09	0.67	4.99	1360	1	1.50	119	230	2	0.07	<5	117	0.37	206	10
172818		6.83	1.18	3.62	1340	<1	1.36	95	350	21	0.96	<5	161	0.38	179	<10
172819		7.55	0.60	5.00	1540	<1	1.56	122	370	3	0.21	<5	185	0.41	215	10
172820		7.51	0.52	5.38	1405	<1	1.24	130	250	<2	0.05	<5	149	0.39	220	10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 25-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041491

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
172781		87
172782		68
172783		70
172784		68
172785		62
172786		61
172787		15
172788		65
172789		53
172790		63
172791		73
172792		65
172793		62
172794		60
172795 DUP		60
172796		81
172797		59
172798		62
172799		57
172800		55
172801		72
172802		66
172803 DUP		72
172804		27
172805		64
172806		66
172807		79
172808		68
172809		69
172810		56
172811		65
172812		55
172813		59
172814		63
172815		66
172816		23
172817		70
172818		163
172819		97
172820		63



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 25-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041491**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
172821		2.89	0.032			<0.5	7.47	<5	40	<0.5	<2	8.94	<0.5	44	298	3
172822		2.52	0.211			<0.5	7.38	<5	250	0.6	<2	5.11	<0.5	27	205	15
172823		2.33	0.271			<0.5	6.58	<5	600	1.1	<2	1.30	<0.5	1	8	50
172824		2.56	0.053			<0.5	6.97	<5	410	1.0	<2	2.37	<0.5	9	13	28
172825		2.63	0.200			<0.5	6.23	<5	170	<0.5	<2	4.68	<0.5	48	570	8
172826		2.64	0.062			<0.5	6.18	8	90	<0.5	<2	5.98	<0.5	67	808	2
172827		2.65	0.032	0.029		<0.5	6.96	<5	80	<0.5	<2	8.14	<0.5	63	702	8
172828		2.35	1.865	1.085		<0.5	6.63	<5	120	<0.5	<2	6.49	<0.5	54	541	3
172829 DUP		<0.02	1.135	0.925		<0.5	6.57	<5	110	<0.5	<2	6.44	<0.5	55	550	3
172830		0.11	<0.005			<0.5	6.81	<5	540	0.9	<2	1.10	<0.5	2	14	3
172831		2.31	0.442			<0.5	7.38	<5	170	<0.5	<2	6.02	<0.5	34	276	27
172832		2.45	0.040			<0.5	7.96	<5	170	0.5	<2	5.76	<0.5	24	142	17
172833		2.32	0.031			<0.5	8.11	<5	140	0.5	<2	6.05	<0.5	28	93	64
172834		2.55	0.040			<0.5	8.40	<5	210	0.7	<2	4.84	<0.5	21	23	29
172835		2.37	0.191			<0.5	7.90	<5	120	<0.5	<2	6.76	<0.5	35	232	37
172836		2.69	0.024			<0.5	8.04	<5	210	0.6	<2	5.13	<0.5	23	119	34
172837		0.04	0.983			11.0	8.83	8	50	3.3	<2	0.35	<0.5	1	9	7
172838		2.65	0.087			<0.5	7.22	6	90	<0.5	<2	7.81	<0.5	39	301	20
172839		2.79	0.065			<0.5	7.21	<5	40	<0.5	<2	7.98	<0.5	40	291	34
172840		2.44	0.068			<0.5	7.42	<5	40	<0.5	<2	8.20	<0.5	37	283	6
172841		2.60	9.82			0.6	6.97	<5	40	<0.5	2	7.60	<0.5	42	332	236
172842		2.69	2.66			<0.5	7.05	<5	40	<0.5	<2	7.63	<0.5	46	333	153
172843		2.58	0.068			<0.5	7.25	<5	40	<0.5	<2	8.03	<0.5	43	317	25
172844		2.75	0.407			<0.5	7.11	<5	40	<0.5	<2	7.63	<0.5	48	309	242
172845		2.87	0.409	0.644		<0.5	6.95	<5	60	<0.5	<2	7.75	<0.5	41	286	325
172846 DUP		<0.02	0.548	0.645		<0.5	7.18	<5	90	<0.5	<2	7.92	<0.5	43	293	327
172847		0.10	<0.005			<0.5	6.90	<5	550	0.9	<2	0.92	<0.5	2	14	6
172848		2.21	0.076			<0.5	8.52	<5	280	0.7	<2	4.54	<0.5	16	8	126
172849		2.54	0.414			0.6	8.40	<5	240	0.7	<2	4.62	<0.5	16	7	59
172850		2.29	0.022			<0.5	8.19	<5	210	0.7	<2	4.60	<0.5	16	35	72
172851		2.63	1.655			0.8	6.71	13	250	0.6	<2	5.29	<0.5	28	208	516
172852		2.43	0.075			<0.5	7.60	9	50	<0.5	<2	7.64	<0.5	43	334	78
172853		2.50	0.893			<0.5	7.21	<5	50	<0.5	<2	7.69	<0.5	45	315	146
172854		0.04	1.745			18.8	8.29	<5	60	3.1	<2	0.34	<0.5	2	15	4
172855		2.32	0.993			<0.5	6.57	<5	80	<0.5	<2	7.58	<0.5	43	308	394
172856		2.77	0.074			<0.5	7.01	<5	100	<0.5	<2	6.98	<0.5	40	311	30
172857		2.86	0.543			<0.5	7.10	<5	70	<0.5	<2	7.30	<0.5	49	349	370
172858		2.62	0.057			<0.5	7.07	<5	30	<0.5	<2	7.86	<0.5	46	311	25
172859		2.51	0.292			<0.5	7.06	<5	40	<0.5	<2	7.41	<0.5	43	321	64
172860		3.03	0.682			<0.5	7.47	<5	60	<0.5	<2	7.64	<0.5	46	329	99



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 25-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041491

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
172821		7.75	0.39	6.36	1365	<1	1.42	132	250	<2	0.02	<5	165	0.39	223	<10
172822		5.26	1.00	3.04	993	1	2.36	78	210	<2	0.16	<5	134	0.29	137	<10
172823		1.74	1.80	0.08	450	2	3.10	1	70	3	0.50	<5	119	0.10	1	<10
172824		3.04	1.45	0.64	684	1	2.82	12	310	<2	0.29	<5	140	0.25	48	10
172825		6.47	1.50	7.27	1180	<1	1.36	260	160	<2	0.08	<5	86	0.25	140	<10
172826		8.25	1.02	10.15	1480	<1	0.70	380	340	<2	0.03	<5	123	0.34	179	<10
172827		9.01	1.45	9.74	1590	<1	1.04	370	410	<2	0.07	<5	185	0.41	195	<10
172828		8.48	1.50	8.47	1410	<1	1.04	276	240	<2	0.03	<5	81	0.35	199	<10
172829 DUP		8.37	1.49	8.40	1400	1	1.04	275	230	<2	0.04	<5	81	0.34	200	10
172830		1.42	4.34	0.36	148	1	2.16	5	170	31	<0.01	<5	155	0.09	10	<10
172831		6.42	1.32	4.92	1130	1	1.47	121	340	<2	0.08	<5	136	0.38	194	10
172832		5.71	0.95	3.18	1045	1	2.26	55	640	<2	0.07	<5	191	0.45	167	<10
172833		6.73	0.84	2.86	1130	<1	2.29	50	760	<2	0.26	<5	229	0.58	178	<10
172834		6.20	0.84	1.86	1080	1	2.88	36	790	3	0.14	<5	241	0.58	142	10
172835		7.50	0.81	4.31	1365	<1	2.00	98	460	<2	0.14	<5	202	0.48	209	10
172836		5.78	0.89	2.62	1115	1	2.59	52	510	<2	0.15	<5	186	0.42	133	<10
172837		2.83	0.19	0.07	38	1	7.3	2	630	117	3.16	<5	21	0.01	2	<10
172838		7.35	0.92	5.56	1400	<1	1.17	125	250	<2	0.05	<5	124	0.38	219	10
172839		7.54	0.50	5.14	1365	<1	1.36	131	240	<2	0.08	<5	135	0.39	223	10
172840		7.20	0.41	5.44	1375	1	1.42	113	240	3	0.03	<5	122	0.39	228	<10
172841		7.74	0.34	4.74	1325	<1	1.37	119	230	<2	0.41	<5	128	0.37	212	20
172842		7.72	0.45	5.05	1435	<1	1.34	152	230	<2	0.16	<5	121	0.38	221	10
172843		7.79	0.29	6.33	1455	<1	1.30	126	230	<2	0.06	<5	128	0.39	225	<10
172844		7.97	0.33	5.09	1410	1	1.37	136	240	<2	0.27	<5	137	0.38	221	<10
172845		7.38	0.43	4.80	1390	<1	1.33	113	280	8	0.21	<5	155	0.38	200	<10
172846 DUP		7.62	0.46	4.85	1430	1	1.39	116	310	<2	0.24	<5	161	0.39	207	<10
172847		1.48	4.37	0.26	151	<1	2.22	4	180	34	0.01	<5	157	0.09	11	10
172848		5.73	1.30	1.35	1175	1	2.53	3	1660	2	0.57	<5	348	0.69	95	<10
172849		5.66	1.14	1.38	1195	1	2.53	3	1640	<2	0.45	<5	369	0.69	98	<10
172850		5.57	1.10	1.50	1155	<1	2.43	9	1540	<2	0.40	<5	360	0.85	100	<10
172851		5.16	0.87	2.27	951	1	2.06	77	160	<2	0.65	<5	134	0.23	111	10
172852		7.90	0.42	4.68	1415	<1	1.59	121	240	<2	0.08	5	134	0.41	238	<10
172853		7.70	0.39	5.36	1480	<1	1.37	134	230	<2	0.09	<5	109	0.38	216	<10
172854		2.95	0.18	0.06	115	1	6.8	7	590	128	3.35	<5	21	0.01	2	<10
172855		7.40	0.68	5.22	1495	<1	1.06	130	210	<2	0.38	<5	81	0.35	205	10
172856		7.42	0.94	5.80	1555	<1	1.14	137	220	<2	0.11	<5	79	0.38	218	<10
172857		7.93	0.67	5.04	1405	<1	1.50	154	230	<2	0.40	5	143	0.38	225	10
172858		7.52	0.35	4.98	1360	<1	1.35	134	230	<2	0.05	<5	130	0.40	228	10
172859		7.12	0.40	4.31	1235	1	1.34	142	230	<2	0.10	<5	121	0.38	216	<10
172860		7.70	0.82	4.73	1315	<1	1.48	131	230	<2	0.21	<5	123	0.39	224	10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 26-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041491

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
172821		62
172822		48
172823		11
172824		51
172825		68
172826		80
172827		96
172828		87
172829 DUP		87
172830		28
172831		74
172832		88
172833		103
172834		120
172835		127
172836		87
172837		18
172838		77
172839		62
172840		63
172841		72
172842		66
172843		68
172844		81
172845		70
172846 DUP		73
172847		27
172848		134
172849		148
172850		138
172851		64
172852		68
172853		70
172854		18
172855		74
172856		83
172857		73
172858		63
172859		56
172860		59



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 25-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041491**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
172861		2.65	0.165		<0.5	7.27	<5	60	<0.5	<2	7.88	<0.5	47	301	122	
172862		2.68	0.047		<0.5	7.25	<5	40	<0.5	<2	9.20	<0.5	46	303	60	
172863		2.86	0.040		<0.5	7.15	<5	40	<0.5	<2	8.84	<0.5	46	298	33	
172864		2.63	0.079		<0.5	7.10	<5	40	<0.5	<2	7.69	<0.5	44	291	28	
172865		0.06	0.966		10.7	8.35	<5	50	3.2	<2	0.34	<0.5	1	6	7	
172866		2.75	1.700		<0.5	7.10	<5	30	<0.5	<2	7.91	<0.5	45	301	157	
172867		2.61	0.249		<0.5	7.48	<5	110	<0.5	<2	7.71	<0.5	42	298	228	
172868		2.83	1.215		2.8	7.40	<5	220	<0.5	<2	6.95	<0.5	42	152	1160	
172869		2.44	1.805	1.430	8.9	7.03	<5	160	<0.5	<2	7.78	18.1	93	41	3390	
172870 DUP		<0.02	1.365	1.295	6.7	7.12	<5	170	<0.5	<2	7.82	17.9	92	36	3430	
172871		0.11	0.008		<0.5	6.59	<5	520	0.8	<2	0.96	<0.5	3	9	17	
172872		2.64	0.208		<0.5	7.35	<5	50	<0.5	<2	7.56	<0.5	33	29	801	
172873		2.28	0.204		0.5	7.46	5	30	<0.5	<2	7.87	<0.5	32	28	1110	
172874		2.47	0.336		1.1	7.48	<5	80	<0.5	<2	8.14	<0.5	48	32	3030	
172875		2.43	0.273		0.9	7.30	<5	80	<0.5	<2	7.59	<0.5	43	33	1635	
172876		2.67	0.363		1.2	7.32	<5	200	0.5	<2	5.96	<0.5	35	27	2170	
172877		2.61	0.090		<0.5	7.65	<5	130	0.5	<2	6.60	<0.5	46	195	139	
172878		3.17	0.023		<0.5	7.52	5	90	<0.5	<2	7.26	<0.5	55	224	125	
172879		3.00	0.045		<0.5	7.70	<5	70	<0.5	<2	7.33	<0.5	44	239	1520	
172880		2.56	0.006		<0.5	7.74	7	50	<0.5	<2	7.62	<0.5	40	208	32	
172881		2.73	0.007		<0.5	7.38	<5	190	0.6	<2	6.72	<0.5	44	253	140	
172882		2.98	0.014		<0.5	7.50	6	100	<0.5	<2	6.92	<0.5	55	233	133	
172883		2.84	0.010		<0.5	7.69	<5	110	<0.5	<2	7.03	<0.5	47	213	180	
172884		2.91	0.008		<0.5	7.39	<5	110	<0.5	<2	6.78	<0.5	46	230	77	
172885		3.09	0.009		<0.5	7.77	<5	150	0.6	<2	5.93	<0.5	38	168	110	
172886		2.96	0.005		<0.5	7.76	<5	140	<0.5	<2	6.75	<0.5	44	192	88	
172887		2.88	0.014		<0.5	7.10	<5	120	<0.5	<2	6.75	<0.5	68	228	210	
172888		2.77	0.046		<0.5	7.42	<5	110	<0.5	<2	6.64	<0.5	132	279	860	
172889 DUP		<0.02	0.029		<0.5	6.76	<5	110	<0.5	<2	5.79	<0.5	110	276	696	
172890		0.21	<0.005		<0.5	6.65	<5	560	0.8	<2	0.87	<0.5	2	9	7	
172891		2.71	0.012		<0.5	6.89	<5	130	<0.5	<2	5.22	<0.5	41	317	35	
172892		2.46	0.035		<0.5	6.90	<5	90	<0.5	<2	6.56	<0.5	42	319	112	
172893		2.47	0.126		<0.5	7.48	<5	410	1.1	<2	3.34	<0.5	13	73	83	
172894		2.63	0.009		<0.5	6.06	<5	130	<0.5	<2	6.32	<0.5	41	165	89	
172895		2.50	<0.005		<0.5	6.03	<5	180	<0.5	<2	5.67	<0.5	37	168	79	
172896		2.67	0.293		<0.5	7.92	<5	200	<0.5	<2	5.58	<0.5	38	206	198	
172897		0.06	1.785		18.6	8.63	<5	60	3.1	<2	0.33	<0.5	1	4	6	
172898		2.10	0.576		<0.5	7.11	5	120	<0.5	<2	5.50	<0.5	42	258	657	
172899		2.62	0.017		<0.5	7.69	<5	120	<0.5	<2	6.01	<0.5	40	207	145	
172900		2.84	0.016		<0.5	7.66	<5	140	<0.5	<2	5.78	<0.5	40	173	110	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 25-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041491

Sample Description	Method Analyte Units LOI	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
172861		7.59	0.55	4.84	1320	<1	1.46	146	240	<2	0.10	<5	126	0.38	222	<10
172862		7.61	0.37	4.31	1325	<1	1.50	119	240	<2	0.08	<5	143	0.39	227	<10
172863		7.57	0.41	4.74	1375	<1	1.39	119	240	<2	0.05	<5	126	0.38	219	<10
172864		7.28	0.34	5.33	1300	<1	1.45	126	220	<2	0.04	<5	121	0.37	215	10
172865		2.72	0.19	0.07	37	1	7.1	1	600	107	3.04	<5	20	0.01	2	<10
172866		7.36	0.26	5.08	1300	1	1.36	138	230	<2	0.08	<5	126	0.37	212	10
172867		7.31	0.81	4.78	1340	<1	1.52	128	330	<2	0.29	<5	195	0.40	215	<10
172868		6.62	0.81	4.33	1270	<1	1.66	87	680	19	0.43	<5	337	0.46	206	<10
172869		7.16	1.56	2.94	1590	<1	0.88	68	450	6	1.57	<5	140	0.53	254	<10
172870 DUP		7.19	1.81	2.95	1605	<1	0.88	70	470	3	1.64	<5	142	0.55	259	<10
172871		1.50	4.08	0.26	157	1	2.14	3	180	30	0.02	<5	161	0.09	11	<10
172872		6.88	0.49	3.45	1255	<1	1.29	42	380	<2	0.22	<5	120	0.53	251	10
172873		6.68	0.32	3.31	1255	<1	1.28	43	400	<2	0.31	<5	133	0.55	257	20
172874		7.27	0.60	3.34	1310	<1	1.22	39	400	<2	0.61	<5	124	0.56	262	10
172875		6.90	0.56	3.11	1310	1	1.18	38	380	<2	0.42	<5	119	0.55	255	<10
172876		5.51	1.07	2.30	1135	1	1.74	27	320	2	0.54	<5	108	0.43	188	10
172877		7.54	0.80	4.41	1245	<1	2.04	164	560	2	0.12	<5	241	0.63	221	<10
172878		8.54	0.42	4.64	1405	<1	1.89	172	520	<2	0.14	<5	203	0.62	225	<10
172879		8.69	0.44	4.60	1370	1	1.96	161	560	<2	0.45	<5	200	0.63	221	10
172880		6.17	0.27	4.63	1340	<1	1.99	161	500	4	0.07	<5	212	0.63	225	<10
172881		7.31	0.54	4.93	1175	<1	1.95	218	770	8	0.24	<5	332	0.56	193	<10
172882		7.88	0.52	4.74	1265	<1	2.00	172	500	<2	0.32	<5	200	0.60	221	<10
172883		7.82	0.53	4.58	1305	<1	1.99	158	530	<2	0.10	<5	214	0.63	229	<10
172884		7.83	0.50	4.70	1325	<1	1.84	170	480	<2	0.12	<5	189	0.61	220	<10
172885		6.74	0.51	3.54	1120	<1	2.27	110	670	<2	0.15	<5	232	0.59	182	<10
172886		7.55	0.59	4.44	1255	<1	2.01	138	560	<2	0.11	<5	251	0.61	215	10
172887		8.03	0.47	4.57	1280	1	1.75	154	630	<2	0.53	<5	252	0.59	202	<10
172888		10.05	0.57	5.20	1375	1	1.64	183	540	<2	1.63	5	157	0.55	214	<10
172889 DUP		8.85	0.53	4.62	1180	<1	1.41	163	470	9	1.24	<5	136	0.49	203	<10
172890		1.55	4.02	0.25	146	3	2.05	4	170	34	0.01	<5	150	0.09	10	<10
172891		6.56	0.71	4.95	1045	<1	1.81	136	280	6	0.03	<5	124	0.36	180	<10
172892		7.67	0.54	4.96	1345	<1	1.15	140	340	3	0.22	<5	131	0.41	204	<10
172893		4.86	1.17	1.57	873	<1	2.46	46	1400	32	0.22	<5	340	0.49	60	<10
172894		7.24	0.66	4.25	1210	<1	1.51	73	370	4	0.18	<5	146	0.47	226	<10
172895		6.40	0.71	3.95	1085	<1	1.79	73	320	5	0.10	5	179	0.41	199	<10
172896		6.41	0.76	4.26	1070	<1	1.77	81	450	4	0.22	<5	256	0.41	190	<10
172897		3.16	0.18	0.06	110	<1	6.6	4	630	142	3.56	<5	21	0.01	2	<10
172898		6.61	0.50	4.85	1135	<1	1.56	114	370	17	0.25	<5	187	0.39	193	<10
172899		6.93	0.62	4.28	1170	<1	1.61	81	350	8	0.17	<5	141	0.43	215	<10
172900		6.93	0.76	3.95	1155	<1	1.66	65	330	7	0.17	<5	132	0.45	219	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 25-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041491

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
172861		58
172862		52
172863		53
172864		55
172865		15
172866		54
172867		94
172868		288
172869		3190
172870 DUP		3240
172871		36
172872		63
172873		60
172874		87
172875		87
172876		90
172877		83
172878		81
172879		86
172880		79
172881		92
172882		84
172883		83
172884		88
172885		87
172886		90
172887		85
172888		116
172889 DUP		108
172890		27
172891		84
172892		82
172893		201
172894		83
172895		77
172896		75
172897		20
172898		124
172899		88
172900		88



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 25-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06041493

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 25-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041493

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	AJ %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
172901		2.90	0.010		<0.5	7.77	<5	140	<0.5	<2	6.21	<0.5	36	178	83	7.02
172902		2.11	0.056		<0.5	7.76	5	120	<0.5	<2	6.51	<0.5	37	253	75	7.10
172903		3.00	2.46		<0.5	8.03	<5	120	<0.5	<2	6.38	<0.5	43	197	405	7.45
172904		2.59	0.121		<0.5	8.20	<5	180	0.5	<2	6.11	<0.5	41	176	181	6.69
172905		2.30	0.016		<0.5	8.19	<5	170	<0.5	3	5.78	<0.5	31	94	63	6.41
172906		2.81	2.15		<0.5	7.88	<5	120	<0.5	2	6.12	<0.5	39	126	226	7.57
172907		2.80	0.635		0.7	7.33	<5	120	<0.5	2	5.75	<0.5	39	116	158	7.10
172908 DUP		<0.02	0.652		<0.5	7.62	5	130	<0.5	2	5.91	<0.5	39	121	187	7.39
172909		0.14	0.005		<0.5	7.24	5	550	1.0	<2	0.88	0.5	<1	12	75	2.27
172910		2.75	0.094		<0.5	7.73	<5	140	<0.5	<2	5.96	<0.5	30	142	140	7.29
172911		2.89	0.998		<0.5	8.00	<5	160	<0.5	2	5.92	<0.5	36	114	143	7.66
172912		2.84	0.175		<0.5	7.91	<5	160	<0.5	<2	6.15	<0.5	32	151	50	7.15
172913		2.76	0.115		<0.5	8.13	9	70	<0.5	<2	7.11	<0.5	40	144	93	6.87
172914		3.14	0.111		<0.5	7.81	<5	80	<0.5	<2	6.76	<0.5	49	165	244	7.05
172915		2.63	0.521		<0.5	7.30	<5	90	<0.5	<2	6.35	<0.5	32	186	117	6.41
172916		0.06	0.986		9.7	8.81	9	60	3.1	<2	0.33	<0.5	<1	5	9	2.71
172917		2.86	0.031		<0.5	7.73	<5	90	<0.5	<2	8.83	<0.5	38	206	68	7.24
172918		2.94	0.023		<0.5	7.71	<5	70	<0.5	<2	6.91	<0.5	34	198	42	6.74
172919		2.77	0.005		<0.5	7.67	<5	80	<0.5	<2	6.57	<0.5	38	226	93	6.92
172920		2.63	0.050		<0.5	7.71	<5	80	<0.5	<2	7.08	<0.5	42	214	82	7.33
172921		2.56	0.168		<0.5	7.42	<5	100	<0.5	<2	6.68	<0.5	41	176	200	6.88
172922		2.84	<0.005		<0.5	7.89	<5	60	<0.5	2	6.69	<0.5	37	191	42	7.01
172923		2.73	0.682	0.576	<0.5	7.63	9	90	<0.5	<2	6.48	<0.5	39	206	166	7.26
172924		3.09	0.366		<0.5	7.73	<5	80	<0.5	3	6.73	<0.5	37	199	156	7.25
172925		2.80	0.024		<0.5	7.77	<5	70	<0.5	<2	6.75	<0.5	39	194	139	7.32
172926		2.55	0.005		<0.5	8.15	<5	170	<0.5	<2	6.18	<0.5	29	161	26	5.97
172927		2.46	<0.005		<0.5	8.14	<5	660	1.1	<2	3.22	<0.5	11	54	10	2.44
172928		3.09	0.011		<0.5	8.31	<5	300	0.6	<2	5.56	<0.5	32	147	158	6.06
172929 DUP		<0.02	0.907		<0.5	8.31	<5	300	0.6	<2	5.81	<0.5	32	153	156	6.16
172930		0.11	<0.005		<0.5	8.79	<5	550	0.8	<2	0.72	<0.5	1	9	12	1.68
172931		2.89	0.008		<0.5	8.23	6	210	0.5	<2	4.60	<0.5	26	113	128	4.76
172932		2.55	0.021		<0.5	7.74	<5	120	<0.5	<2	6.29	<0.5	39	203	156	7.40
172933		2.29	0.083		<0.5	7.28	<5	390	0.7	<2	3.55	<0.5	25	373	103	4.34
172934		2.42	0.008		<0.5	6.84	<5	150	<0.5	<2	5.62	<0.5	43	536	51	6.53
172935		2.13	0.039		<0.5	7.28	<5	130	<0.5	<2	6.28	<0.5	36	235	72	6.80
172936		2.52	0.014		<0.5	7.18	<5	140	1.0	<2	6.86	<0.5	39	352	65	6.43
172937		0.06	1.805		20.1	8.87	8	150	3.2	<2	0.35	<0.5	1	5	6	3.02
172938		2.77	0.359		<0.5	8.25	5	150	0.5	<2	5.79	<0.5	36	142	195	6.92
172939		2.60	0.410		<0.5	8.55	7	170	0.5	<2	5.73	<0.5	48	103	356	7.80
172940		2.73	0.279		<0.5	8.65	<5	130	0.5	<2	6.67	<0.5	44	122	219	7.85



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 25-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041493**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
172901		0.66	3.93	1225	<1	1.77	67	390	<2	0.15	<5	172	0.42	213	<10	76
172902		0.65	4.42	1205	1	1.66	97	350	2	0.13	<5	145	0.41	208	<10	78
172903		0.56	3.78	1205	1	1.60	63	340	<2	0.39	<5	128	0.45	219	<10	77
172904		0.60	3.48	1080	1	2.07	59	340	4	0.35	<5	172	0.42	200	<10	70
172905		0.67	3.04	1040	1	2.19	43	350	<2	0.15	<5	173	0.42	201	<10	67
172906		0.71	3.45	1185	1	1.73	51	370	3	0.44	<5	130	0.45	226	<10	79
172907		0.67	3.25	1130	1	1.65	47	330	<2	0.36	<5	117	0.44	214	<10	70
172908 DUP		0.71	3.36	1185	<1	1.71	50	370	<2	0.40	<5	121	0.44	221	<10	73
172909		4.37	0.19	168	2	2.21	8	160	40	0.07	<5	151	0.08	9	<10	243
172910		0.68	3.41	1230	1	1.76	53	480	<2	0.20	<5	150	0.47	209	<10	85
172911		0.96	3.33	1270	1	1.67	44	580	<2	0.31	<5	167	0.52	204	<10	91
172912		0.91	3.93	1190	<1	1.43	59	360	<2	0.09	<5	129	0.44	224	10	72
172913		0.37	3.67	1215	1	1.72	65	400	<2	0.24	<5	145	0.46	222	<10	72
172914		0.48	3.63	1135	6	1.61	70	410	9	0.48	<5	154	0.45	220	10	77
172915		0.46	3.53	1115	3	1.48	91	330	<2	0.22	<5	140	0.43	210	10	66
172916		0.19	0.07	36	1	6.7	3	590	111	2.80	<5	20	0.01	2	<10	17
172917		0.54	4.23	1285	2	1.56	106	340	<2	0.13	<5	139	0.44	217	<10	73
172918		0.45	4.12	1225	2	1.61	102	340	2	0.10	<5	146	0.41	211	<10	72
172919		0.51	3.94	1185	3	1.66	106	340	<2	0.13	<5	154	0.42	216	<10	78
172920		0.49	3.98	1230	3	1.60	99	340	<2	0.12	<5	149	0.44	212	10	82
172921		0.57	3.73	1170	1	1.86	88	330	<2	0.15	<5	158	0.39	198	<10	76
172922		0.44	3.65	1150	1	1.62	96	330	<2	0.10	<5	155	0.44	215	<10	71
172923		0.57	3.94	1190	1	1.62	98	340	<2	0.32	<5	135	0.43	211	<10	72
172924		0.53	3.96	1210	<1	1.61	105	340	<2	0.28	<5	144	0.42	212	20	75
172925		0.46	3.90	1195	<1	1.68	95	330	<2	0.25	<5	152	0.43	216	<10	79
172926		0.63	3.73	1015	<1	2.15	80	320	8	0.07	<5	205	0.40	191	<10	70
172927		1.71	1.33	376	<1	3.05	28	270	7	0.05	<5	406	0.18	66	<10	51
172928		1.01	3.48	989	<1	2.02	63	350	8	0.35	<5	251	0.39	186	<10	76
172929 DUP		1.03	3.54	1010	<1	1.99	66	340	10	0.35	<5	244	0.40	188	<10	78
172930		4.01	0.17	142	<1	2.09	3	150	39	0.01	<5	145	0.08	8	<10	53
172931		0.74	2.35	730	<1	2.80	41	280	12	0.42	<5	247	0.30	138	<10	67
172932		0.69	4.21	1125	<1	1.60	92	340	9	0.49	<5	159	0.45	225	<10	81
172933		0.96	3.96	756	<1	2.73	139	400	30	0.47	<5	215	0.21	93	<10	120
172934		0.49	7.16	1145	<1	1.93	233	580	7	0.10	<5	224	0.35	180	<10	84
172935		0.44	4.35	1135	<1	1.95	115	460	8	0.24	<5	245	0.43	203	<10	78
172936		0.45	5.99	1170	<1	2.05	142	890	7	0.20	<5	503	0.36	168	<10	90
172937		0.19	0.07	112	<1	7.2	4	640	138	3.35	<5	22	0.01	2	<10	19
172938		0.58	3.60	1090	<1	2.44	76	990	2	0.60	<5	283	0.50	206	<10	74
172939		0.60	3.73	1165	1	2.13	72	2240	11	1.22	<5	417	0.61	214	10	196
172940		0.59	4.02	1240	1	1.82	74	1480	12	0.67	<5	368	0.59	213	<10	85



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 25-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041493

Sample Description	Method Analyte Units LOK	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
172841		2.70	3.19		<0.5	8.40	<5	120	0.5	3	6.48	<0.5	30	115	119	6.62
172842		2.84	0.112		<0.5	8.18	9	100	<0.5	<2	6.96	<0.5	33	114	136	7.20
172843		2.66	0.377		<0.5	8.43	<5	70	<0.5	<2	6.87	<0.5	42	154	496	7.83
172844 DUP		<0.02	0.420		<0.5	8.46	<5	70	<0.5	<2	6.67	<0.5	44	164	513	7.92
172845		0.15	<0.005		<0.5	6.51	7	540	0.8	<2	0.88	<0.5	2	8	5	1.38
172846		2.98	0.515		<0.5	8.10	<5	120	<0.5	<2	6.74	<0.5	44	124	393	7.77
172847		2.79	0.039		<0.5	8.42	6	60	<0.5	<2	7.35	<0.5	34	122	71	7.07
172848		2.60	0.119		<0.5	8.58	<5	110	<0.5	<2	6.49	<0.5	31	106	87	6.64
172849		2.65	0.023		<0.5	8.39	<5	100	<0.5	<2	6.70	<0.5	41	138	153	7.11
172850		2.27	0.005		<0.5	8.02	<5	220	<0.5	<2	5.62	<0.5	37	189	23	6.70
172851		2.09	0.008		<0.5	6.63	<5	340	0.6	<2	1.44	<0.5	4	25	52	1.74
172852		2.31	0.013		<0.5	6.75	<5	520	0.9	<2	0.90	<0.5	3	33	55	1.93
172853		0.06	0.999		10.5	8.44	10	50	3.1	<2	0.32	<0.5	<1	6	8	2.62
172854		1.98	0.033		<0.5	7.55	<5	160	0.8	<2	2.59	<0.5	10	14	21	5.19
172855		2.52	0.065		<0.5	8.13	<5	110	0.8	<2	3.00	<0.5	12	6	27	5.82
172856		2.67	0.108		<0.5	7.67	<5	70	0.5	<2	5.15	<0.5	27	107	59	6.60
172857		2.84	0.731		<0.5	8.22	7	60	<0.5	<2	5.14	<0.5	29	131	66	6.79
172858		2.40	0.020		<0.5	7.62	<5	120	<0.5	<2	5.28	<0.5	37	343	66	6.57
172859		2.15	0.013		<0.5	7.63	<5	20	<0.5	<2	4.25	<0.5	35	232	236	6.53
172860		1.83	0.018		<0.5	6.79	<5	60	0.6	<2	5.95	<0.5	42	385	80	7.40
172861		2.39	0.014		<0.5	8.47	6	230	0.8	<2	2.87	<0.5	23	112	105	4.22
172862		0.78	0.045		<0.5	4.73	<5	50	<0.5	<2	2.82	<0.5	41	134	124	5.30
172863		2.27	0.036		<0.5	7.12	<5	60	<0.5	<2	5.62	<0.5	40	211	91	7.45
172864		1.92	0.087		<0.5	8.00	12	70	<0.5	<2	7.05	<0.5	37	142	146	6.80
172865		2.48	0.079		<0.5	7.41	7	150	<0.5	<2	6.60	<0.5	30	150	40	7.06
172866 DUP		<0.02	0.090		<0.5	7.36	<5	150	<0.5	<2	6.53	<0.5	31	139	38	6.87
172867		2.71	0.011		<0.5	7.40	5	120	<0.5	<2	6.37	<0.5	38	110	138	7.14
172868		2.38	0.063		<0.5	7.81	<5	110	<0.5	<2	6.92	<0.5	37	123	52	7.18
172869		2.42	0.015		<0.5	7.24	<5	280	0.7	<2	5.22	<0.5	33	169	130	6.04
172870		0.06	1.795		18.2	7.81	<5	60	3.2	<2	0.35	<0.5	2	4	6	2.97
172871		2.36	0.050		<0.5	5.94	<5	580	1.0	<2	0.81	<0.5	1	11	39	1.40
172872		2.38	0.013		<0.5	7.80	<5	390	0.9	<2	2.70	<0.5	10	22	53	4.33
172873		2.87	0.028		<0.5	7.08	13	280	0.9	<2	3.69	<0.5	19	93	64	5.90
172874		2.58	0.005		<0.5	7.15	<5	300	0.5	<2	3.98	<0.5	9	11	21	4.65
172875		2.42	0.082		<0.5	6.76	9	270	0.6	<2	2.57	<0.5	6	10	80	4.67
172876		2.37	0.204		<0.5	8.56	<5	250	0.9	<2	3.30	<0.5	18	254	100	4.97
172877		2.92	0.011		<0.5	7.11	7	220	0.7	<2	6.86	<0.5	41	354	97	6.74
172878		0.12	<0.005		<0.5	6.49	<5	550	0.9	<2	0.97	<0.5	2	10	5	2.00
172879		2.38	0.009		<0.5	7.12	<5	250	0.7	<2	6.75	<0.5	44	447	79	6.46
172880		3.03	0.013		<0.5	7.25	<5	210	<0.5	<2	5.38	<0.5	38	134	47	7.08





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 25-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041493

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOI	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
172941		0.50	3.65	1220	<1	2.08	68	990	7	0.32	<5	321	0.50	205	10	75
172942		0.47	3.80	1230	<1	1.89	64	800	9	0.43	<5	350	0.49	219	<10	83
172943		0.48	3.57	1190	<1	1.95	70	390	27	1.03	<5	174	0.47	225	10	76
172944 DUP		0.50	3.56	1190	<1	1.96	68	390	30	1.09	<5	175	0.47	227	10	90
172945		4.01	0.22	140	<1	1.96	3	170	35	0.01	<5	145	0.08	9	<10	27
172946		0.57	4.30	1180	<1	1.81	72	480	8	0.96	5	215	0.45	208	60	77
172947		0.38	4.01	1240	<1	1.82	81	390	5	0.27	<5	169	0.47	221	<10	73
172948		0.53	3.46	1135	<1	2.00	72	580	6	0.44	<5	207	0.49	194	<10	71
172949		0.62	3.97	1150	<1	1.85	80	390	8	0.39	<5	168	0.47	220	<10	75
172950		1.02	4.89	1220	<1	2.20	126	460	7	0.09	<5	189	0.43	201	<10	71
172951		0.66	0.49	230	<1	3.77	11	90	16	0.13	<5	144	0.11	24	<10	81
172952		1.00	0.44	207	<1	3.68	9	110	9	0.24	<5	138	0.10	18	<10	36
172953		0.18	0.06	33	<1	6.7	2	600	114	2.88	<5	20	0.01	2	<10	16
172954		0.53	1.01	1000	1	3.00	1	1640	5	0.20	<5	226	0.58	32	<10	51
172955		0.36	1.03	1165	<1	3.24	2	1370	7	0.25	<5	280	0.58	53	<10	77
172956		0.48	3.39	1205	<1	2.82	83	440	4	0.31	<5	172	0.43	177	<10	70
172957		0.50	3.91	1270	<1	3.32	83	420	3	0.29	<5	168	0.46	213	<10	65
172958		0.73	5.69	1185	<1	2.71	143	480	<2	0.04	<5	242	0.41	207	<10	61
172959		0.20	4.38	1135	<1	3.98	102	370	5	0.07	<5	100	0.41	210	10	51
172960		0.46	6.07	1180	<1	2.00	121	550	4	0.13	<5	165	0.38	204	<10	74
172961		0.69	2.11	622	<1	3.97	39	290	6	0.20	<5	259	0.27	112	<10	34
172962		0.35	2.76	721	7	1.38	61	280	4	0.54	<5	110	0.28	134	<10	56
172963		0.47	4.09	1225	1	2.87	85	340	4	0.25	<5	187	0.45	218	<10	63
172964		0.33	3.30	1065	<1	1.95	72	440	4	0.35	<5	291	0.45	194	<10	52
172965		0.86	4.10	1300	<1	1.64	83	410	5	0.09	<5	178	0.45	210	<10	70
172966 DUP		0.89	4.08	1270	<1	1.64	87	400	3	0.09	<5	177	0.45	210	<10	70
172967		0.89	3.53	1180	<1	1.82	78	890	6	0.32	<5	297	0.46	206	<10	59
172968		0.74	4.02	1260	<1	1.61	79	380	5	0.09	<5	168	0.46	219	<10	70
172969		0.95	3.36	1010	<1	1.98	103	520	4	0.37	<5	311	0.36	158	<10	64
172970		0.19	0.07	111	<1	6.7	5	630	131	3.25	<5	20	0.01	2	<10	25
172971		1.54	0.10	154	1	3.24	1	60	10	0.18	<5	140	0.08	1	<10	22
172972		1.37	0.87	798	1	3.21	14	910	4	0.28	<5	256	0.41	43	<10	43
172973		0.87	1.73	1220	<1	2.51	28	1610	10	0.41	<5	284	0.59	44	<10	68
172974		1.38	0.77	850	<1	2.16	<1	1470	5	0.15	<5	206	0.52	32	<10	41
172975		0.95	0.50	782	<1	2.85	1	930	<2	0.49	<5	218	0.42	10	<10	40
172976		0.59	1.96	833	<1	2.97	70	730	6	0.71	<5	261	0.35	37	<10	51
172977		0.74	5.95	1255	<1	1.98	132	720	6	0.27	<5	450	0.31	156	<10	80
172978		4.22	0.25	175	1	2.08	6	160	35	0.01	<5	147	0.08	9	<10	28
172979		0.76	6.88	1145	<1	1.88	246	670	7	0.18	<5	363	0.32	142	<10	77
172980		1.12	3.92	1060	<1	1.91	84	450	2	0.16	<5	239	0.44	203	<10	71



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 25-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041493**

Sample Description	Method Analyte Units LOR	WEH21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recud Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
172981		2.71	<0.005		<0.5	7.57	<5	140	<0.5	<2	6.64	<0.5	37	119	32	7.20
172982		2.88	0.010		<0.5	7.52	<5	80	<0.5	<2	7.13	<0.5	35	151	140	7.24
172983		2.27	0.094		<0.5	6.73	<5	430	1.1	<2	2.68	<0.5	9	57	20	2.99
172984		2.20	0.007		<0.5	7.43	<5	280	0.6	<2	5.19	<0.5	24	106	85	5.62
172985		0.06	0.993		9.8	8.10	5	50	3.1	<2	0.34	<0.5	1	6	8	2.74
172986		2.22	0.158		<0.5	6.22	<5	560	1.0	<2	1.00	<0.5	<1	19	25	1.42
172987		2.23	0.067		<0.5	6.08	11	690	1.0	<2	0.89	<0.5	1	17	19	1.38
172988		2.21	0.017		<0.5	6.81	<5	440	0.9	<2	2.49	<0.5	7	14	20	3.84
172989		2.62	0.058		<0.5	7.13	<5	320	0.9	<2	3.49	<0.5	12	18	35	5.58
172990		2.27	0.065		<0.5	7.13	<5	210	0.6	<2	5.14	<0.5	30	80	142	8.20
172991		3.27	0.009		<0.5	7.31	<5	170	0.6	<2	5.81	<0.5	31	108	35	6.30
172992		2.37	0.023		<0.5	7.32	<5	140	0.5	<2	6.41	<0.5	35	211	32	6.16
172993		2.29	0.014		<0.5	7.07	<5	80	<0.5	<2	6.93	<0.5	33	129	79	6.89
172994		2.82	0.033		<0.5	7.20	<5	110	0.6	<2	6.95	<0.5	41	278	249	7.83
172995 DUP		<0.02	0.043		<0.5	7.25	<5	110	0.6	<2	7.08	<0.5	42	284	254	7.99
172996		0.10	<0.005		<0.5	6.60	<5	560	0.9	<2	0.85	<0.5	2	10	5	1.79
172997		3.00	0.008		<0.5	5.89	<5	130	0.8	<2	7.53	<0.5	50	495	57	8.19
172998		2.94	0.019		<0.5	6.76	7	150	0.7	<2	7.15	<0.5	44	359	126	7.07
172999		2.74	0.127		<0.5	7.35	<5	110	<0.5	<2	6.77	<0.5	43	144	251	7.36
173000		2.67	0.035		<0.5	7.56	6	60	<0.5	<2	7.21	<0.5	33	148	104	7.16



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 25-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041493

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
172981		0.80	4.07	1230	<1	1.80	78	670	2	0.04	<5	210	0.47	217	<10	69
172982		0.51	3.78	1260	<1	1.63	78	380	4	0.43	<5	167	0.45	210	10	66
172983		1.53	1.30	607	1	2.71	28	200	7	0.13	<5	174	0.20	60	<10	39
172984		1.32	3.00	1220	1	1.99	63	340	10	0.30	<5	172	0.37	164	<10	75
172985		0.19	0.07	35	1	8.7	3	630	126	2.99	<5	20	0.01	2	<10	20
172986		1.48	0.10	160	<1	3.29	2	60	13	0.25	<5	142	0.08	1	<10	22
172987		1.64	0.09	147	<1	3.15	2	50	5	0.17	<5	148	0.08	<1	<10	29
172988		1.40	0.81	802	1	2.83	5	1010	11	0.14	<5	207	0.40	23	<10	84
172989		1.30	0.95	1165	1	2.62	4	1490	6	0.24	<5	282	0.56	28	<10	74
172990		0.88	2.27	1195	<1	1.98	47	520	7	0.50	<5	191	0.42	136	<10	103
172991		0.70	3.09	1125	<1	1.86	59	610	4	0.11	<5	241	0.47	172	<10	81
172992		0.70	4.37	1095	<1	1.74	152	510	7	0.08	<5	378	0.40	179	<10	67
172993		0.54	3.70	1355	<1	1.45	78	380	5	0.17	<5	160	0.43	208	<10	67
172994		0.69	4.42	1425	<1	1.81	89	610	4	0.45	<5	308	0.48	216	<10	82
172995 DUP		0.58	4.56	1445	<1	1.81	87	610	<2	0.48	<5	307	0.47	214	<10	80
172996		4.37	0.21	160	<1	2.14	3	170	40	<0.01	<5	152	0.08	9	<10	29
172997		0.54	6.72	1555	<1	1.24	147	720	5	0.09	<5	313	0.37	209	<10	91
172998		0.60	5.56	1290	<1	1.42	156	600	3	0.15	<5	348	0.33	172	<10	77
172999		0.68	3.33	1340	<1	1.54	78	370	8	0.71	<5	160	0.44	202	10	73
173000		0.51	3.44	1255	<1	1.50	74	390	3	0.37	<5	178	0.46	215	<10	63



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 29-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06041494

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - rifle spfitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 29-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041494**

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Units
LOR	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	
173001		2.65	0.159	<0.5	7.32	6	90	<0.5	<2	7.22	<0.5	71	141	212	8.16	0.54	
173002		2.80	0.019	<0.5	7.32	7	150	0.5	<2	7.50	<0.5	35	107	68	7.20	0.55	
173003		2.49	0.020	<0.5	7.64	9	80	<0.5	<2	7.68	<0.5	36	127	75	7.38	0.64	
173004		2.55	0.044	<0.5	6.82	<5	70	<0.5	<2	6.94	<0.5	29	116	41	6.53	0.60	
173005		2.06	0.008	<0.5	7.34	5	120	<0.5	<2	6.45	<0.5	39	120	90	6.91	1.10	
173006		2.91	0.128	<0.5	6.76	<5	170	<0.5	<2	5.92	<0.5	32	110	188	6.62	1.52	
173007 DUP		<0.02	0.143	<0.5	6.92	<5	170	<0.5	<2	6.05	<0.5	34	119	211	6.80	1.51	
173008		0.14	<0.005	<0.5	6.04	<5	510	0.9	<2	1.77	<0.5	2	13	6	1.86	4.00	
173009		2.77	0.006	<0.5	7.71	<5	150	<0.5	<2	6.09	<0.5	32	113	23	6.70	1.04	
173010		2.78	0.031	<0.5	7.55	<5	150	<0.5	<2	6.24	<0.5	40	109	28	6.96	0.95	
173011		2.37	0.011	<0.5	7.76	<5	140	<0.5	<2	6.41	<0.5	42	112	86	7.40	1.10	
173012		2.56	0.005	<0.5	7.71	8	110	<0.5	<2	6.41	<0.5	42	124	80	7.40	0.64	
173013		3.17	0.010	<0.5	7.90	<5	110	<0.5	<2	6.83	<0.5	41	118	77	7.58	0.62	
173014		2.70	0.005	<0.5	7.54	9	110	<0.5	<2	6.32	<0.5	40	116	80	7.27	0.68	
173015		2.59	0.083	<0.5	7.21	10	180	0.5	<2	5.42	<0.5	33	103	83	6.55	1.16	
173016		0.06	1.805	17.4	7.47	<5	60	3.0	<2	0.33	<0.5	2	5	6	2.69	0.18	
173017		2.53	<0.005	<0.5	7.48	8	150	<0.5	<2	6.35	<0.5	42	117	34	7.10	0.91	
173018		2.68	<0.005	<0.5	8.02	9	190	0.5	<2	6.96	<0.5	38	144	32	7.41	0.84	
173019		2.63	0.005	<0.5	7.53	<5	140	<0.5	<2	6.80	<0.5	37	115	13	6.85	0.94	
173020		2.33	0.005	<0.5	7.64	<5	130	<0.5	<2	6.47	<0.5	40	108	26	7.05	0.84	
173021		2.38	<0.005	<0.5	7.40	5	210	<0.5	<2	5.85	<0.5	39	114	12	7.00	1.42	
173022		2.60	0.038	<0.5	7.43	11	330	0.7	<2	6.37	<0.5	40	98	54	7.38	1.34	
173023		2.79	0.007	<0.5	7.37	6	340	0.5	<2	4.93	<0.5	30	91	47	5.33	1.32	
173024		2.38	<0.005	<0.5	7.18	<5	170	<0.5	<2	6.11	<0.5	39	115	3	6.62	0.89	
173025		0.06	0.993	9.9	7.49	<5	60	3.1	<2	0.33	<0.5	2	5	8	2.52	0.18	
173026		2.60	<0.005	<0.5	6.87	<5	140	<0.5	<2	6.03	<0.5	38	286	19	6.18	0.63	
173027		2.76	0.043	<0.5	6.67	<5	130	<0.5	<2	5.77	<0.5	71	306	252	7.24	0.60	
173028		2.69	0.006	<0.5	6.88	<5	120	<0.5	<2	5.84	<0.5	41	485	53	5.94	0.63	
173029		2.65	<0.005	<0.5	8.04	12	250	0.5	<2	6.42	<0.5	33	101	16	6.99	0.95	
173030		2.54	0.007	<0.5	7.78	<5	290	0.7	<2	6.26	<0.5	31	188	75	5.93	0.85	
173031		2.54	<0.005	<0.5	7.56	<5	140	0.5	<2	6.68	<0.5	31	140	22	6.78	0.67	
173032		2.76	0.005	<0.5	7.54	8	70	<0.5	<2	7.30	<0.5	37	109	50	7.25	0.49	
173033		2.60	0.016	<0.5	7.36	8	110	<0.5	<2	7.05	<0.5	36	122	114	7.17	0.69	
173034		2.66	0.010	<0.5	6.19	9	310	0.7	<2	6.11	<0.5	28	94	167	5.84	1.08	
173035		2.75	0.006	0.5	7.64	<5	90	<0.5	<2	7.09	<0.5	36	107	63	7.19	0.63	
173036 DUP		<0.02	0.005	<0.5	7.60	<5	90	<0.5	<2	7.03	<0.5	36	115	64	7.13	0.63	
173037		0.10	<0.005	<0.5	6.66	<5	560	0.9	<2	0.83	<0.5	2	8	5	1.92	4.19	
173038		2.48	0.030	<0.5	7.52	6	110	<0.5	<2	6.91	<0.5	36	117	141	6.93	0.72	
173039		2.31	0.025	<0.5	7.28	<5	330	0.9	<2	3.42	<0.5	13	13	37	4.93	1.12	
173040		2.38	0.069	<0.5	7.22	7	340	0.9	<2	3.86	<0.5	16	42	40	5.47	1.16	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Data: 29-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041494

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
173001		3.52	1320	<1	1.55	107	430	3	0.99	<5	192	0.46	207	<10	72
173002		3.85	1250	<1	1.90	78	1770	6	0.39	<5	730	0.62	194	<10	88
173003		3.86	1380	<1	1.71	81	380	7	0.28	<5	170	0.46	216	10	70
173004		3.62	1325	<1	1.15	71	340	4	0.18	<5	128	0.41	196	<10	62
173005		3.85	1220	<1	1.88	78	390	2	0.13	<5	130	0.45	210	<10	61
173006		3.36	1130	<1	0.70	73	350	7	0.69	<5	108	0.41	193	<10	87
173007 DUP		3.45	1150	<1	0.73	78	380	7	0.78	<5	111	0.42	198	10	67
173008		0.23	178	<1	2.06	5	180	32	0.01	<5	152	0.08	10	<10	27
173009		3.77	1225	<1	1.65	71	370	4	0.06	<5	152	0.44	207	<10	66
173010		3.90	1195	<1	1.42	78	370	4	0.07	<5	142	0.44	205	<10	69
173011		4.10	1335	<1	1.17	86	390	6	0.23	<5	125	0.46	216	<10	74
173012		4.08	1240	<1	1.60	78	370	6	0.18	<5	140	0.46	219	<10	70
173013		4.09	1285	<1	1.88	81	400	4	0.15	<5	148	0.47	221	<10	74
173014		3.88	1200	<1	1.65	77	370	8	0.16	<5	141	0.44	213	<10	66
173015		3.09	1205	<1	1.47	69	370	9	0.57	<5	142	0.42	180	<10	145
173016		0.06	108	<1	6.7	4	610	122	2.98	<5	19	0.01	2	<10	19
173017		3.84	1225	<1	1.60	79	370	8	0.12	<5	176	0.47	217	<10	72
173018		4.43	1285	<1	1.71	83	530	5	0.14	<5	212	0.48	209	<10	71
173019		3.85	1215	<1	1.54	82	370	<2	0.06	<5	148	0.46	212	10	72
173020		3.92	1230	<1	1.77	79	390	4	0.10	<5	152	0.47	218	<10	64
173021		3.90	1215	1	1.58	75	390	5	0.04	<5	177	0.46	213	<10	68
173022		4.05	1255	<1	1.45	82	1710	4	0.44	<5	431	0.62	192	<10	92
173023		2.80	909	<1	2.05	42	340	3	0.12	<5	241	0.36	162	<10	63
173024		4.02	1115	<1	1.51	73	380	5	0.01	<5	159	0.44	210	<10	64
173025		0.07	33	1	6.6	2	610	114	2.76	<5	20	0.01	2	<10	17
173026		5.20	1055	<1	1.53	172	390	4	0.07	<5	205	0.38	181	<10	64
173027		4.70	1030	<1	2.01	166	410	24	1.20	<5	192	0.36	173	<10	83
173028		6.57	1050	<1	1.81	293	610	5	0.17	<5	188	0.32	148	<10	80
173029		3.99	1165	<1	1.64	64	570	9	0.08	<5	316	0.48	207	<10	71
173030		4.07	1020	<1	2.25	92	610	9	0.20	<5	394	0.43	166	<10	81
173031		3.90	1195	<1	1.70	83	430	7	0.08	<5	210	0.44	204	<10	63
173032		3.76	1315	<1	1.53	80	370	<2	0.17	<5	150	0.45	211	<10	61
173033		3.60	1305	<1	1.50	73	370	4	0.33	<5	145	0.44	207	<10	68
173034		2.87	1025	<1	2.04	58	360	6	0.21	<5	256	0.37	164	<10	64
173035		3.80	1235	<1	1.84	70	370	7	0.09	<5	150	0.46	211	<10	64
173036 DUP		3.77	1220	<1	1.63	75	370	3	0.09	<5	150	0.46	211	10	67
173037		0.20	165	1	2.17	2	160	38	0.01	<5	149	0.08	8	<10	26
173038		3.37	1155	<1	1.63	74	390	5	0.24	<5	158	0.45	205	<10	67
173039		1.00	921	1	2.67	17	800	6	0.18	<5	211	0.46	80	<10	89
173040		1.40	1165	1	2.48	29	550	7	0.12	<5	177	0.39	83	<10	106



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 29-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041494

Sample Description	Method Analyte Units LOA	WEI-21	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
173041		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
173042		2.67	0.035	<0.5	7.69	<5	110	<0.5	<2	7.19	<0.5	44	117	93	7.40	0.61
173043 DUP		2.67	0.055	<0.5	7.38	7	80	<0.5	<2	8.05	<0.5	60	122	362	7.86	0.62
173044		<0.02	0.048	<0.5	7.32	9	80	<0.5	<2	7.95	<0.5	61	124	377	7.85	0.62
173045		0.14	<0.005	<0.5	6.48	<5	520	0.9	<2	1.03	<0.5	3	10	7	1.87	4.01
173046		2.54	0.137	<0.5	7.38	<5	340	0.9	<2	4.86	<0.5	25	51	327	4.92	0.96
173047		2.78	0.078	<0.5	7.70	<5	230	0.7	<2	5.21	<0.5	25	81	78	6.36	0.77
173048		2.23	0.013	<0.5	7.97	<5	70	<0.5	<2	7.98	<0.5	40	121	69	7.48	0.54
173049		2.58	0.008	<0.5	7.99	<5	140	<0.5	<2	6.70	<0.5	41	107	91	6.86	0.70
173050		2.81	<0.005	<0.5	7.76	<5	60	<0.5	<2	7.63	<0.5	38	111	48	7.43	0.43
173051		2.87	0.017	<0.5	7.49	5	70	<0.5	<2	7.35	<0.5	41	116	100	7.48	0.48
173052		2.46	0.012	<0.5	7.77	8	100	<0.5	<2	6.68	<0.5	43	114	124	6.93	0.67
173053		2.46	0.552	<0.5	7.93	<5	140	0.5	<2	6.82	<0.5	33	101	94	6.83	1.02
173054		2.70	0.029	<0.5	7.59	8	70	<0.5	<2	7.28	<0.5	38	116	49	7.24	0.45
173055		2.68	0.008	<0.5	7.65	<5	90	<0.5	<2	6.96	<0.5	35	112	26	7.46	0.73
173056		2.65	<0.005	<0.5	7.86	<5	90	<0.5	<2	7.26	<0.5	38	119	4	7.43	0.78
173057		0.06	1.780	19.0	7.93	6	60	3.2	<2	0.36	<0.5	1	6	6	2.83	0.19
173058		2.56	0.014	<0.5	7.59	5	100	<0.5	<2	7.38	<0.5	50	134	124	7.45	0.80
173059		2.57	0.008	<0.5	7.68	13	70	<0.5	<2	7.57	<0.5	48	137	120	7.52	0.50
173060		2.58	<0.005	<0.5	7.54	5	70	<0.5	<2	7.56	<0.5	39	117	57	7.41	0.57
173061		2.48	<0.005	<0.5	7.67	<5	60	<0.5	<2	7.53	<0.5	38	115	61	7.25	0.44
173062		2.64	<0.005	<0.5	7.44	<5	90	<0.5	<2	7.13	<0.5	34	107	14	7.07	0.67
173063		2.54	0.010	<0.5	7.39	<5	90	<0.5	<2	6.71	<0.5	40	112	94	7.01	0.62
173064		2.59	0.007	<0.5	7.80	<5	80	<0.5	<2	7.18	<0.5	44	116	93	7.78	0.55
173065		2.48	0.010	<0.5	7.45	9	80	<0.5	<2	7.59	<0.5	39	102	49	7.39	0.57
173066		2.23	0.007	<0.5	7.13	<5	340	1.1	<2	3.88	<0.5	19	75	30	4.29	1.02
173067		0.06	0.990	9.6	7.46	13	50	3.1	<2	0.33	<0.5	1	6	8	2.69	0.19
173068		2.40	<0.005	<0.5	7.23	<5	380	0.9	<2	3.32	<0.5	14	11	31	4.14	1.30
173069		2.29	0.010	<0.5	6.72	<5	330	0.8	<2	3.56	<0.5	20	54	60	4.00	1.14
173070		2.29	0.066	<0.5	6.01	10	340	1.0	<2	3.09	<0.5	33	55	95	3.69	1.16
173071		2.57	0.079	<0.5	6.71	<5	560	1.5	<2	1.00	<0.5	2	12	14	1.47	1.54
173072		2.41	0.005	<0.5	7.81	9	250	0.8	<2	4.72	<0.5	27	77	69	5.01	0.99
173073		2.42	0.035	<0.5	7.12	<5	440	1.0	<2	3.14	<0.5	18	102	80	4.25	1.35
173074		2.31	0.078	<0.5	6.28	<5	540	1.2	<2	1.27	<0.5	2	8	71	2.28	1.10
173075		1.89	0.026	<0.5	7.14	<5	530	1.1	<2	3.32	<0.5	17	153	87	4.45	0.98
173076		2.48	0.221	0.5	8.41	5	80	<0.5	<2	7.70	<0.5	43	120	124	7.34	0.48
173077 DUP		2.50	0.146	<0.5	8.59	<5	330	0.8	<2	5.50	<0.5	37	72	198	4.95	1.08
173078		<0.02	0.148	<0.5	8.63	5	320	0.8	<2	5.49	<0.5	37	71	194	4.94	1.07
173079		0.13	<0.005	<0.5	7.07	<5	560	0.9	<2	0.96	<0.5	3	10	6	1.88	4.34
173080		2.85	<0.005	<0.5	8.62	<5	740	1.6	<2	2.49	<0.5	5	9	10	1.23	1.69
173080		2.53	0.206	<0.5	8.07	<5	120	<0.5	<2	6.61	<0.5	43	114	317	7.23	0.94



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 29-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041494

Sample Description	Method Analyte Units LOL	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
173041		3.59	1240	<1	1.79	82	380	5	0.27	<5	162	0.46	207	<10	71
173042		3.56	1370	<1	1.47	99	380	7	0.66	<5	146	0.45	210	<10	70
173043 DUP		3.53	1345	1	1.47	105	370	5	0.65	<5	148	0.44	205	<10	67
173044		0.24	169	<1	2.15	7	170	35	0.03	<5	154	0.09	10	<10	29
173045		1.53	937	<1	2.62	40	370	9	0.53	<5	231	0.29	82	<10	70
173046		2.37	1080	1	2.48	48	430	4	0.33	<5	187	0.40	131	<10	64
173047		3.82	1370	<1	1.50	77	390	3	0.32	<5	162	0.47	216	10	64
173048		3.27	1110	<1	1.83	67	380	4	0.32	<5	204	0.43	191	<10	61
173049		3.84	1280	1	1.55	75	380	5	0.14	<5	158	0.46	212	<10	63
173050		3.69	1250	<1	1.49	71	360	2	0.25	<5	148	0.45	208	<10	63
173051		3.19	1120	<1	1.65	77	480	5	0.33	<5	168	0.48	206	<10	62
173052		3.39	1255	<1	1.47	68	530	6	0.37	<5	166	0.49	201	<10	69
173053		3.75	1250	<1	1.51	79	370	3	0.16	<5	136	0.46	208	10	64
173054		4.03	1285	<1	1.39	77	400	5	0.12	<5	135	0.46	215	10	66
173055		4.10	1225	<1	1.41	81	400	7	0.01	<5	140	0.47	219	<10	65
173056		0.07	112	1	7.0	4	680	125	3.06	<5	20	0.01	2	<10	20
173057		3.38	1250	<1	1.24	83	390	6	0.49	<5	140	0.46	215	10	61
173058		3.65	1180	<1	1.49	79	400	4	0.33	<5	146	0.47	211	<10	62
173059		3.80	1210	<1	1.44	74	390	3	0.15	<5	144	0.46	215	10	65
173060		3.74	1190	<1	1.50	76	390	4	0.19	<5	146	0.47	213	<10	62
173061		3.87	1155	<1	1.51	75	380	<2	0.04	<5	135	0.46	216	<10	64
173062		3.23	1150	<1	1.56	72	420	5	0.31	<5	163	0.47	203	<10	68
173063		3.57	1225	<1	1.66	68	390	6	0.33	<5	158	0.47	218	<10	69
173064		3.78	1255	<1	1.56	84	390	3	0.17	<5	155	0.45	210	<10	77
173065		1.76	891	1	2.53	47	740	4	0.12	<5	398	0.37	99	<10	85
173066		0.06	34	<1	6.5	4	610	117	2.93	<5	19	0.01	1	<10	16
173067		1.05	805	1	2.71	15	730	5	0.11	<5	240	0.41	89	<10	80
173068		1.39	755	2	2.50	28	300	6	0.19	<5	170	0.27	89	<10	52
173069		1.14	677	2	2.38	48	180	4	0.41	<5	137	0.21	72	<10	49
173070		0.17	287	2	3.33	4	110	7	0.08	<5	151	0.10	2	<10	36
173071		2.19	1015	2	2.51	43	280	4	0.17	<5	173	0.32	133	<10	83
173072		1.48	843	2	2.59	51	290	3	0.32	<5	178	0.24	60	<10	68
173073		0.08	376	1	3.04	3	120	6	0.46	<5	175	0.13	3	<10	41
173074		1.99	766	1	2.77	46	560	3	0.53	<5	371	0.25	63	<10	53
173075		3.73	1255	1	1.59	80	380	<2	0.32	<5	174	0.47	214	<10	69
173076		2.32	786	1	2.39	48	350	7	0.47	<5	318	0.30	131	<10	55
173077 DUP		2.32	784	<1	2.37	50	350	6	0.47	<5	314	0.30	131	<10	55
173078		0.24	185	1	2.21	8	180	35	0.01	<5	154	0.09	10	<10	32
173079		0.50	168	1	3.77	3	280	3	0.09	<5	459	0.11	24	<10	40
173080		3.67	1170	1	1.74	63	380	<2	0.39	<5	194	0.45	205	60	69





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 29-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041494

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
173081		2.70	0.100	<0.5	7.81	<5	210	0.5	<2	7.77	<0.5	48	236	234	7.55	0.86
173082		2.67	0.144	<0.5	8.48	<5	140	0.5	<2	8.00	<0.5	57	182	505	8.04	0.65
173083		2.54	0.056	0.5	8.03	<5	330	0.8	<2	6.07	<0.5	54	282	126	6.31	1.00
173084		2.60	0.057	<0.5	8.13	<5	220	0.7	<2	6.22	<0.5	60	280	347	6.97	0.68
173085		2.87	0.163	<0.5	8.33	6	210	0.8	<2	5.52	<0.5	50	132	389	6.95	0.88
173086		0.04	1.795	20.0	8.86	5	60	3.2	<2	0.35	<0.5	3	4	6	2.71	0.20
173087		2.44	0.030	<0.5	7.02	<5	500	1.2	<2	1.00	<0.5	1	12	23	1.64	1.44
173088		2.49	0.006	<0.5	7.02	<5	430	0.9	<2	2.25	<0.5	8	18	22	2.87	1.25
173089		2.71	<0.005	<0.5	6.64	<5	480	1.0	<2	1.00	<0.5	3	14	16	1.56	1.14
173090		2.08	0.012	<0.5	7.67	<5	320	1.0	<2	1.12	<0.5	4	15	561	1.88	0.60
173091		2.44	0.007	<0.5	8.02	6	190	0.8	<2	2.41	<0.5	12	12	467	3.45	0.54
173092		2.44	<0.005	<0.5	8.75	7	320	0.8	<2	4.00	<0.5	17	11	40	5.00	1.04
173093		2.11	0.025	<0.5	6.69	<5	380	1.0	<2	0.95	<0.5	2	13	15	1.76	0.81
173094		2.37	0.005	<0.5	7.32	6	340	0.9	<2	2.17	<0.5	7	13	22	3.33	0.98
173095		2.79	0.006	<0.5	6.25	<5	100	<0.5	<2	2.57	1.6	14	12	59	4.18	0.37
173096 DUP		<0.02	0.008	<0.5	5.49	<5	80	<0.5	<2	2.79	2.3	12	13	75	3.75	0.35
173097		0.13	<0.005	<0.5	6.04	<5	500	0.8	<2	1.94	<0.5	2	12	7	2.65	4.13
173098		2.48	0.040	<0.5	8.40	<5	140	0.7	<2	8.59	10.6	22	83	85	3.29	0.79
173099		2.23	<0.005	<0.5	7.90	<5	150	0.6	<2	4.93	<0.5	27	63	56	6.23	1.04
173100		<0.02	<0.005	<0.5	7.57	<5	90	0.5	<2	6.03	<0.5	31	113	31	6.76	0.59



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 29-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041494

Sample Description	Method Analyte Units LDR	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	ME-JCP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
173081		4.99	1240	3	1.70	151	1240	2	0.52	<5	628	0.51	200	<10	89
173082		4.09	1275	<1	1.84	115	770	<2	0.88	<5	425	0.52	214	<10	78
173083		4.49	1080	1	2.03	160	1090	2	0.50	<5	538	0.39	158	<10	77
173084		4.86	1150	2	2.16	157	1010	5	0.73	<5	509	0.40	174	<10	78
173085		2.98	1155	2	2.43	64	370	6	0.95	<5	217	0.39	171	<10	62
173086		0.07	115	1	7.2	7	680	120	2.99	<5	22	0.01	2	<10	20
173087		0.13	294	2	3.55	<1	100	3	0.15	<5	188	0.10	3	<10	18
173088		0.80	523	1	3.10	16	350	3	0.08	<5	221	0.18	37	<10	34
173089		0.15	286	1	3.80	1	100	5	0.09	<5	190	0.10	4	<10	21
173090		0.20	228	1	4.46	4	110	6	0.13	<5	228	0.10	4	<10	28
173091		0.81	522	1	3.72	10	610	<2	0.19	<5	293	0.30	63	<10	58
173092		1.30	812	1	2.84	13	1210	4	0.19	<5	386	0.51	113	<10	63
173093		0.16	233	1	3.63	2	100	4	0.09	<5	175	0.10	3	<10	20
173094		0.60	617	2	3.31	4	790	<2	0.12	<5	245	0.31	24	<10	51
173095		0.85	712	1	2.87	9	1300	<2	0.19	<5	161	0.41	21	<10	598
173096 DUP		0.81	644	1	2.26	8	1180	<2	0.19	<5	133	0.38	20	<10	904
173097		0.16	221	2	1.99	6	170	30	0.01	<5	151	0.08	7	<10	30
173098		1.71	609	3	2.89	34	300	<2	0.29	<5	118	0.19	72	<10	4080
173099		2.53	1090	1	2.29	43	890	<2	0.06	<5	152	0.52	160	<10	63
173100		3.63	1205	<1	2.38	67	400	<2	0.03	<5	188	0.44	201	<10	64



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 26-MAY-2006

Account: TRAVEN

## CERTIFICATE VO06041495

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 26-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041495**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. lg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
173101		2.56	0.029		<0.5	7.82	<5	80	<0.5	<2	4.88	<0.5	33	154	99	7.40
173102		1.65	0.017		<0.5	7.66	5	200	0.6	<2	4.83	<0.5	35	359	29	7.04
173103		2.36	0.012		<0.5	7.95	<5	280	0.6	<2	4.79	<0.5	28	209	82	6.33
173104		2.90	<0.005		<0.5	8.20	<5	150	<0.5	<2	6.52	<0.5	31	124	128	7.36
173105		2.83	0.006		<0.5	8.21	<5	230	0.5	<2	6.20	<0.5	32	136	112	7.02
173106		0.06	0.958		10.8	8.45	11	50	3.2	<2	0.34	<0.5	<1	4	8	2.87
173107		2.46	<0.005		0.6	7.79	<5	130	<0.5	<2	7.02	<0.5	34	130	82	7.35
173108		2.73	0.009		<0.5	8.28	<5	240	0.5	<2	6.88	<0.5	35	220	97	6.28
173109		2.52	0.024		<0.5	8.74	<5	270	0.7	<2	6.15	<0.5	30	133	110	6.35
173110		2.88	0.046		<0.5	8.00	<5	110	<0.5	<2	7.38	<0.5	31	142	116	7.68
173111		2.82	0.065		<0.5	7.45	<5	70	<0.5	<2	8.42	<0.5	41	131	315	7.65
173112		2.83	0.061		<0.5	8.50	<5	70	<0.5	<2	7.88	<0.5	32	129	192	7.88
173113		2.79	0.351		<0.5	7.86	5	70	<0.5	<2	7.29	<0.5	34	127	193	7.33
173114		2.88	0.033		<0.5	8.40	8	90	<0.5	<2	7.18	<0.5	41	136	182	7.81
173115		2.94	0.022		<0.5	8.67	<5	110	<0.5	<2	7.77	<0.5	39	144	275	7.91
173116		2.75	0.120	0.146	<0.5	8.13	<5	90	<0.5	<2	8.48	<0.5	52	144	355	8.36
173117 DUP		<0.02	0.216	0.125	<0.5	7.59	<5	80	<0.5	<2	7.99	<0.5	47	134	337	7.80
173118		0.09	<0.005		<0.5	7.15	<5	550	1.0	<2	0.86	<0.5	1	7	7	2.10
173119		2.98	0.065		<0.5	8.40	<5	100	<0.5	<2	7.48	<0.5	37	128	227	7.28
173120		2.53	0.465		<0.5	8.12	<5	90	<0.5	<2	7.84	<0.5	31	120	210	7.20
173121		2.52	0.014		<0.5	8.25	9	110	<0.5	<2	6.80	<0.5	30	116	51	7.09
173122		2.65	0.862		<0.5	8.32	<5	100	<0.5	<2	7.15	<0.5	36	120	282	7.09
173123		2.92	1.890		1.0	8.30	8	90	<0.5	<2	7.55	<0.5	53	138	2010	7.94
173124		2.51	0.052		<0.5	8.40	<5	150	<0.5	3	6.24	<0.5	37	53	239	8.65
173125		2.76	0.068		<0.5	7.99	<5	40	<0.5	<2	7.62	<0.5	34	117	132	7.28
173126		0.06	1.820		19.0	8.65	9	60	3.2	<2	0.35	<0.5	1	3	5	2.92
173127		2.83	1.075		<0.5	7.41	<5	100	<0.5	<2	6.75	<0.5	45	128	360	7.98
173128		2.71	0.074		<0.5	7.24	<5	420	1.0	<2	2.59	<0.5	6	8	27	4.69
173129		2.76	3.02		<0.5	7.63	<5	230	0.8	<2	5.23	<0.5	43	100	669	7.05
173130		2.61	0.072		<0.5	8.35	<5	50	<0.5	<2	7.53	<0.5	37	136	594	7.68
173131		2.69	0.033		<0.5	8.32	<5	60	<0.5	<2	7.60	<0.5	32	130	211	7.31
173132		2.85	0.082		<0.5	8.15	<5	40	<0.5	<2	7.58	<0.5	32	126	142	7.31
173133 DUP		<0.02	0.064		<0.5	8.04	<5	40	<0.5	<2	7.49	<0.5	32	124	144	7.30
173134		0.16	<0.005		<0.5	6.96	9	590	0.9	<2	0.96	<0.5	2	6	8	1.58
173135		2.83	0.028		<0.5	8.56	<5	90	<0.5	<2	7.44	<0.5	27	124	13	7.02
173136		2.41	0.019		<0.5	7.86	9	330	0.7	<2	4.06	<0.5	16	65	11	4.81
173137		2.48	0.014		<0.5	8.44	8	100	<0.5	<2	6.95	<0.5	33	120	3	7.16
173138		2.56	1.355		<0.5	6.29	<5	130	<0.5	<2	6.82	<0.5	32	140	14	7.17
173139		2.67	0.082		<0.5	7.67	<5	190	0.5	<2	5.43	<0.5	24	96	11	5.98
173140		2.48	0.012		<0.5	7.88	7	250	0.8	<2	4.75	<0.5	20	62	13	5.47



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookabank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 26-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041495

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
173101		0.48	3.82	1265	1	3.05	87	410	<2	0.10	<5	151	0.46	214	<10	55
173102		1.05	6.01	1220	<1	2.20	181	670	<2	0.08	<5	134	0.36	170	<10	67
173103		0.94	4.02	1260	<1	2.47	115	690	<2	0.19	<5	240	0.40	136	<10	86
173104		0.88	3.53	1330	1	2.14	79	390	<2	0.16	<5	244	0.46	217	10	61
173105		0.80	3.88	1330	<1	2.29	78	500	<2	0.21	<5	373	0.46	221	10	97
173106		0.19	0.06	36	<1	6.6	1	620	119	3.06	<5	22	0.01	2	<10	18
173107		0.45	4.49	1365	<1	2.09	66	680	<2	0.24	<5	533	0.42	227	10	80
173108		0.64	5.24	1185	<1	2.27	138	720	<2	0.21	<5	539	0.34	165	<10	76
173109		0.89	3.63	1150	<1	2.66	81	1150	<2	0.32	<5	384	0.44	171	<10	94
173110		0.63	3.74	1420	<1	1.82	89	820	<2	0.41	<5	240	0.51	213	<10	88
173111		0.56	3.28	1405	1	1.72	82	370	<2	0.77	<5	160	0.44	212	10	62
173112		0.46	3.34	1360	<1	1.80	76	390	<2	0.63	<5	189	0.44	205	<10	56
173113		0.59	3.29	1335	1	1.94	89	360	<2	0.46	<5	169	0.44	209	<10	62
173114		0.60	3.49	1370	1	1.86	90	390	<2	0.63	<5	179	0.47	220	10	62
173115		0.71	3.55	1420	1	1.94	83	410	<2	0.54	<5	160	0.49	225	<10	59
173116		0.66	3.57	1565	1	1.86	90	440	<2	0.83	<5	190	0.45	218	10	66
173117 DUP		0.63	3.38	1475	<1	1.74	86	410	<2	0.73	<5	180	0.42	204	20	62
173118		4.07	0.21	192	1	2.18	3	170	30	0.01	<5	149	0.09	10	<10	30
173119		0.84	3.61	1365	1	1.30	76	390	<2	0.46	<5	165	0.47	214	10	62
173120		0.74	3.82	1415	<1	1.40	89	390	<2	0.37	<5	154	0.45	210	10	65
173121		1.06	3.51	1480	<1	1.53	91	400	<2	0.15	<5	151	0.46	218	<10	61
173122		0.93	3.44	1470	1	1.46	103	370	<2	0.32	<5	154	0.48	212	<10	67
173123		0.63	3.38	1415	2	1.49	80	480	<2	0.89	<5	204	0.50	217	10	106
173124		0.50	3.11	1340	<1	1.94	68	1420	<2	0.69	<5	433	0.63	165	<10	78
173125		0.27	3.62	1285	1	1.37	67	360	<2	0.25	<5	154	0.46	214	10	71
173126		0.19	0.06	114	1	6.6	6	650	131	3.15	<5	23	0.01	2	<10	20
173127		0.57	3.42	1245	1	1.50	79	450	<2	0.88	<5	212	0.41	202	<10	74
173128		1.32	0.44	1060	1	2.71	2	700	<2	0.17	<5	200	0.36	16	10	82
173129		0.90	2.14	1080	1	1.92	62	420	<2	1.00	<5	148	0.40	144	<10	78
173130		0.40	3.60	1270	1	1.82	80	380	3	0.46	<5	180	0.47	220	10	75
173131		0.35	3.38	1250	1	1.66	75	390	<2	0.37	<5	156	0.48	221	<10	65
173132		0.26	3.56	1270	1	1.60	70	400	<2	0.30	<5	159	0.46	211	10	65
173133 DUP		0.27	3.53	1265	1	1.60	69	400	<2	0.30	<5	156	0.46	212	10	65
173134		4.31	0.24	156	1	2.08	4	170	29	0.01	<5	160	0.09	10	<10	32
173135		0.48	3.82	1295	1	1.81	76	410	<2	0.03	<5	156	0.47	212	<10	65
173136		0.94	1.85	867	1	2.38	35	440	<2	0.04	<5	160	0.36	93	<10	54
173137		0.74	3.99	1295	<1	1.74	82	400	<2	0.01	<5	154	0.47	217	<10	63
173138		0.92	4.04	1280	1	1.64	83	390	<2	0.05	<5	156	0.48	220	10	66
173139		1.03	2.84	1045	<1	1.78	59	490	<2	0.05	<5	159	0.44	164	<10	81
173140		0.98	2.36	1060	1	2.14	41	570	<2	0.07	<5	181	0.43	137	<10	89



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 26-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041495

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173141		2.73	0.024		<0.5	8.66	5	150	<0.5	<2	6.59	<0.5	25	107	11	6.79
173142		2.71	0.069		<0.5	8.07	<5	110	<0.5	<2	6.73	<0.5	29	133	1	6.63
173143		2.77	0.084		<0.5	7.89	8	280	0.8	<2	5.51	<0.5	20	176	32	5.82
173144		2.46	0.017		<0.5	7.71	<5	250	0.8	<2	3.72	<0.5	11	50	43	4.20
173145		2.71	0.012		<0.5	8.10	<5	170	<0.5	<2	6.65	<0.5	28	135	2	6.58
173146		2.25	0.071		<0.5	7.08	<5	350	0.9	<2	2.59	<0.5	6	46	35	3.62
173147		0.06	0.965		10.6	8.49	<5	50	3.2	<2	0.34	<0.5	<1	4	8	2.81
173148		2.67	0.907		<0.5	8.48	8	470	0.9	<2	4.59	<0.5	22	370	26	3.89
173149		2.50	0.129		<0.5	8.33	<5	330	0.8	<2	4.74	<0.5	16	109	50	5.27
173150		2.61	0.213		<0.5	8.28	<5	220	0.5	<2	7.15	<0.5	28	124	40	6.88
173151		2.79	0.203		<0.5	7.54	5	290	0.8	<2	4.04	<0.5	17	201	51	5.73
173152		2.93	0.095		<0.5	7.70	<5	220	0.5	<2	5.40	<0.5	22	142	202	6.32
173153		2.86	0.046		<0.5	8.13	<5	80	<0.5	<2	7.73	<0.5	40	163	222	7.78
173154		2.73	0.141		<0.5	8.24	<5	50	<0.5	<2	7.62	<0.5	41	150	342	7.62
173155		2.71	4.96		0.6	8.27	<5	70	<0.5	<2	7.81	<0.5	67	144	918	8.79
173156		2.83	0.593	0.777	<0.5	8.03	<5	60	<0.5	<2	7.12	<0.5	77	143	1195	8.69
173157 DUP		<0.02	0.365	0.269	0.6	8.17	9	60	<0.5	<2	7.32	<0.5	80	154	1115	8.85
173158		0.12	0.905		<0.5	6.92	<5	580	0.9	<2	0.86	<0.5	2	12	15	2.25
173159		3.00	0.638		0.5	7.64	<5	80	<0.5	<2	7.18	<0.5	67	148	795	7.63
173160		2.61	0.572		<0.5	7.85	5	60	<0.5	<2	7.14	<0.5	86	132	468	7.99
173161		2.77	0.107		<0.5	7.97	<5	50	<0.5	<2	7.09	<0.5	55	142	529	7.94
173162		2.73	0.595	0.804	<0.5	7.60	10	100	<0.5	<2	6.73	<0.5	41	134	296	6.83
173163 DUP		<0.02	0.463	0.636	<0.5	7.86	5	110	<0.5	<2	7.07	<0.5	43	139	340	7.01
173164		0.11	<0.005		<0.5	7.28	8	610	0.9	<2	0.71	<0.5	1	11	6	2.31
173165		2.42	0.239		<0.5	7.46	<5	330	0.8	2	4.33	<0.5	37	75	475	5.47
173166		2.61	0.234		<0.5	7.37	9	340	0.8	<2	4.76	<0.5	17	54	69	5.17
173167		3.23	0.193		<0.5	7.85	5	110	<0.5	<2	6.65	<0.5	36	132	175	7.19
173168		3.08	0.078		<0.5	8.30	6	90	<0.5	<2	7.52	<0.5	31	110	35	7.28
173169		2.90	0.174		<0.5	8.46	14	90	<0.5	<2	7.95	<0.5	37	114	171	7.62
173170		3.15	0.029		<0.5	8.38	<5	160	0.5	<2	6.26	<0.5	25	79	50	6.14
173171		3.06	0.056		<0.5	7.41	<5	60	<0.5	<2	6.69	<0.5	37	120	225	6.71
173172		2.65	0.136		<0.5	7.87	<5	70	<0.5	<2	7.13	<0.5	36	124	557	7.19
173173		2.66	0.021		<0.5	7.77	<5	80	<0.5	<2	7.06	<0.5	35	126	157	7.01
173174		2.70	0.055		<0.5	7.78	<5	150	<0.5	<2	5.84	<0.5	37	121	197	7.36
173175		2.52	0.008		<0.5	8.50	<5	340	0.7	<2	4.28	<0.5	14	31	30	4.73
173176		2.60	0.019		<0.5	6.84	<5	430	0.9	<2	2.47	<0.5	7	19	26	3.64
173177		0.06	1.620		18.1	8.08	<5	60	3.1	<2	0.33	<0.5	1	4	5	2.78
173178		2.42	0.093		<0.5	6.01	<5	560	1.2	<2	1.21	<0.5	1	7	24	2.40
173179		2.00	0.019		<0.5	7.18	<5	230	0.6	<2	5.11	<0.5	23	83	13	6.06
173180		3.55	0.015		<0.5	7.44	<5	180	<0.5	<2	5.95	<0.5	29	93	13	6.41



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 26-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041495

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
173141		0.88	3.72	1210	1	1.91	70	520	<2	0.03	<5	178	0.49	202	<10	81
173142		0.82	3.97	1185	1	1.85	77	380	<2	<0.01	<5	152	0.46	212	10	67
173143		0.98	3.48	1110	<1	2.19	95	570	<2	0.25	<5	281	0.38	136	<10	75
173144		0.91	1.35	762	1	2.76	24	480	2	0.31	<5	401	0.35	72	<10	53
173145		1.04	3.83	1265	<1	1.86	76	390	<2	0.01	<5	209	0.45	207	<10	74
173146		0.88	0.86	681	1	2.93	20	310	<2	0.24	<5	257	0.22	39	<10	43
173147		0.19	0.06	36	1	6.6	3	640	122	3.02	<5	22	0.01	1	<10	17
173148		1.42	3.39	711	<1	2.88	140	400	<2	0.04	<5	372	0.23	96	<10	64
173149		1.10	2.02	1020	1	2.53	41	520	<2	0.35	<5	283	0.38	111	10	85
173150		1.10	3.49	1525	1	1.75	88	390	<2	0.28	<5	196	0.47	216	10	145
173151		1.10	2.31	1110	1	2.42	89	1150	2	0.32	<5	280	0.48	50	<10	80
173152		1.00	2.65	1140	1	1.88	84	900	3	0.50	<5	240	0.47	138	10	114
173153		0.63	3.62	1350	1	1.42	92	620	<2	0.48	<5	220	0.50	215	<10	86
173154		0.37	3.35	1310	1	1.54	74	370	<2	0.41	<5	156	0.47	215	<10	67
173155		0.51	3.37	1390	1	1.46	89	380	<2	1.08	<5	146	0.48	217	10	78
173156		0.29	3.05	1330	1	1.68	86	370	<2	1.34	<5	149	0.46	207	20	74
173157 DUP		0.29	3.13	1365	1	1.70	84	390	<2	1.24	<5	152	0.47	214	20	75
173158		4.36	0.22	199	<1	2.01	7	160	32	0.03	<5	152	0.09	10	<10	29
173159		0.43	3.03	1305	<1	1.38	76	360	<2	0.97	<5	135	0.43	196	20	63
173160		0.42	3.19	1250	1	1.46	91	370	<2	0.95	<5	152	0.45	208	10	61
173161		0.36	3.16	1260	<1	1.58	78	370	<2	0.75	<5	158	0.45	209	10	69
173162		0.68	3.00	1210	<1	1.30	73	350	<2	0.53	<5	134	0.44	193	10	65
173163 DUP		0.70	3.10	1255	1	1.34	81	360	<2	0.54	<5	139	0.45	201	10	67
173164		4.46	0.17	192	1	2.15	4	150	31	0.01	<5	155	0.08	7	10	27
173165		1.06	1.51	941	1	2.29	46	310	<2	0.57	<5	158	0.30	100	20	61
173166		1.02	1.90	1005	2	2.28	38	670	<2	0.39	<5	379	0.32	108	<10	71
173167		0.77	3.39	1255	<1	2.05	89	360	<2	0.32	<5	142	0.44	200	<10	63
173168		0.72	3.96	1420	1	1.56	77	500	<2	0.13	5	231	0.47	212	<10	80
173169		0.45	3.84	1420	<1	1.60	86	700	2	0.36	<5	312	0.51	218	<10	80
173170		0.59	2.90	1105	<1	2.01	55	610	<2	0.12	<5	252	0.44	196	<10	67
173171		0.39	3.35	1140	<1	1.36	79	350	<2	0.33	<5	145	0.41	189	<10	60
173172		0.55	3.69	1175	<1	1.51	71	380	6	0.28	5	151	0.45	204	10	67
173173		0.89	3.69	1150	<1	1.42	74	370	8	0.21	<5	149	0.45	204	10	63
173174		1.04	3.51	1175	1	1.77	99	470	7	0.35	<5	179	0.49	174	10	93
173175		1.15	1.54	810	<1	3.00	32	900	8	0.14	<5	355	0.40	93	<10	71
173176		1.31	0.63	678	1	2.80	15	430	5	0.17	<5	211	0.26	37	<10	54
173177		0.18	0.06	106	<1	6.7	4	610	123	2.93	<5	22	0.01	2	<10	19
173178		1.55	0.07	488	<1	2.70	1	90	5	0.21	<5	123	0.12	<1	<10	31
173179		1.17	3.03	1125	1	1.88	73	360	6	0.08	5	138	0.37	141	10	79
173180		1.09	3.87	1150	<1	1.61	103	320	4	0.08	<5	129	0.39	161	<10	63



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 26-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041495

Sample Description	Method Analyte Units LOL	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173181		2.49	0.289		0.6	7.84	<5	140	<0.5	<2	6.30	<0.5	36	130	58	7.87
173182		2.59	0.012		<0.5	7.73	5	120	<0.5	<2	6.73	<0.5	29	120	36	6.84
173183		2.63	0.011		<0.5	7.56	6	130	<0.5	<2	6.38	<0.5	24	105	18	6.40
173184		2.52	0.030		<0.5	7.53	<5	130	<0.5	<2	6.32	<0.5	27	113	6	6.37
173185		2.62	0.017		<0.5	7.80	<5	90	<0.5	<2	6.95	<0.5	29	115	3	6.64
173186		2.46	<0.005		<0.5	7.77	<5	110	<0.5	<2	6.65	<0.5	29	112	4	6.71
173187		0.05	0.981		10.3	8.01	<5	50	3.1	<2	0.32	<0.5	1	5	8	2.68
173188		2.63	0.206		<0.5	7.61	<5	240	0.5	<2	7.01	<0.5	34	152	29	7.10
173189		2.38	0.019		<0.5	7.86	<5	270	0.7	<2	7.08	<0.5	33	86	52	7.27
173190		2.52	2.18		<0.5	7.82	<5	180	<0.5	<2	6.32	<0.5	28	102	23	8.90
173191		2.52	0.033		<0.5	7.95	<5	170	0.6	<2	5.37	<0.5	24	67	31	7.12
173192		2.52	0.028		<0.5	7.75	<5	110	<0.5	<2	6.34	<0.5	22	112	13	6.51
173193		2.44	0.019		<0.5	7.28	<5	320	0.8	<2	3.89	<0.5	12	65	10	4.98
173194		2.42	0.013		<0.5	7.48	<5	230	0.6	<2	5.20	<0.5	20	81	10	5.60
173195 DUP		<0.02	0.010		<0.5	7.62	<5	220	0.6	<2	5.35	<0.5	18	81	10	5.88
173196		0.12	<0.005		<0.5	6.68	<5	510	1.0	<2	0.83	<0.5	1	11	5	2.19
173197		2.29	0.014		<0.5	7.21	<5	240	0.7	<2	4.42	<0.5	17	67	13	5.57
173198		2.78	0.131		<0.5	6.64	<5	440	0.9	<2	2.33	<0.5	7	26	15	4.99
173199		2.28	0.011		<0.5	7.47	<5	240	0.6	<2	4.32	<0.5	17	72	21	5.64
173200		2.49	<0.005		<0.5	7.53	<5	250	0.6	<2	4.39	<0.5	20	53	17	5.79





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 26-MAY-2008

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041495

Sample Description	Method Analyte Units LOI	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
173181		1.16	4.54	1320	<1	1.25	146	340	9	0.45	6	105	0.41	185	10	70
173182		1.17	3.95	1285	<1	1.16	85	390	8	0.31	<5	134	0.45	187	10	70
173183		0.86	3.30	1165	<1	1.57	60	450	5	0.11	<5	147	0.43	169	10	61
173184		0.89	3.69	1060	<1	1.37	84	360	5	0.04	<5	129	0.43	199	<10	62
173185		0.72	3.87	1155	<1	1.50	63	380	7	0.01	<5	143	0.46	208	<10	58
173186		0.86	3.97	1120	1	1.41	61	370	5	0.02	<5	138	0.45	207	<10	59
173187		0.18	0.06	33	<1	6.8	2	600	125	2.84	<5	22	0.01	2	<10	17
173188		1.13	4.39	1110	1	1.87	93	1200	5	0.33	<5	603	0.56	194	<10	79
173189		1.16	3.73	1155	<1	2.02	91	2610	7	0.61	<5	885	0.74	194	<10	96
173190		0.98	3.38	1150	<1	1.88	72	870	5	0.21	<5	236	0.52	195	<10	82
173191		0.94	2.35	1200	<1	1.97	45	990	8	0.21	<5	238	0.63	147	<10	95
173192		0.82	3.24	1115	<1	1.69	78	400	8	0.12	<5	132	0.43	196	10	56
173193		1.11	1.42	968	<1	2.56	38	530	6	0.07	<5	170	0.39	90	<10	70
173194		1.00	2.36	1030	<1	2.13	49	420	8	0.07	<5	156	0.39	135	<10	66
173195 DUP		1.02	2.46	1055	<1	2.14	50	430	3	0.07	<5	160	0.40	142	<10	68
173196		4.14	0.19	193	1	2.17	5	170	33	0.01	<5	142	0.08	8	<10	31
173197		1.08	1.77	1060	<1	2.28	45	500	7	0.08	<5	164	0.40	112	<10	74
173198		1.58	0.86	973	1	2.53	21	510	10	0.12	<5	170	0.33	29	<10	94
173199		1.34	2.02	983	<1	2.17	53	610	7	0.09	<5	164	0.46	139	10	103
173200		1.27	1.87	1095	<1	2.16	38	700	4	0.09	<5	182	0.49	138	<10	112



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 26-MAY-2006  
Account: TRAVEN

## CERTIFICATE VO06041496

Project: BLOCK A

P.O. No.:

This report is for 117 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 26-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041496**

Sample Description	Method Analyte Units LOL	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173201		2.40	0.054		<0.5	7.31	6	100	<0.5	<2	6.24	<0.5	55	123	399	7.81
173202		2.62	0.019		<0.5	7.86	<5	170	0.8	<2	5.48	<0.5	29	65	114	6.07
173203		3.42	0.031		<0.5	7.65	<5	200	0.6	<2	4.94	<0.5	47	90	296	6.39
173204		2.43	0.033		<0.5	6.42	<5	780	0.5	<2	0.40	<0.5	1	7	7	0.60
173205 DUP		<0.02	0.031		<0.5	6.41	<5	770	0.5	<2	0.41	<0.5	<1	7	7	0.75
173206		0.10	<0.005		<0.5	6.68	<5	500	0.9	<2	0.76	<0.5	2	13	11	3.02
173207		1.20	0.049		<0.5	6.97	<5	300	0.8	<2	3.88	<0.5	14	59	20	4.73
173208		2.33	0.028		<0.5	6.95	<5	300	0.9	<2	3.88	<0.5	18	62	12	4.77
173209		2.52	0.103		<0.5	7.94	<5	170	<0.5	<2	6.58	<0.5	29	114	31	6.91
173210		2.56	0.367		1.3	7.09	<5	150	<0.5	<2	6.68	0.7	86	118	1325	7.83
173211		2.38	0.027		<0.5	8.53	<5	200	0.7	<2	6.58	0.5	32	89	88	8.08
173212		2.42	0.094		<0.5	7.67	<5	100	<0.5	<2	7.58	<0.5	50	116	376	7.45
173213		2.47	0.090		<0.5	7.89	<5	150	<0.5	<2	6.91	<0.5	39	121	530	6.91
173214		2.53	0.466		<0.5	7.33	<5	130	<0.5	<2	5.64	<0.5	34	132	390	6.67
173215		2.23	0.015		<0.5	7.04	<5	340	0.9	<2	3.15	<0.5	17	68	23	5.18
173216		0.06	1.845		18.5	8.15	<5	60	3.2	<2	0.33	<0.5	1	4	5	2.55
173217		2.17	0.016		<0.5	7.17	<5	290	0.9	<2	3.30	<0.5	12	39	24	4.57
173218		2.22	0.111		<0.5	6.75	<5	290	1.2	<2	2.07	<0.5	5	17	111	3.34
173219		2.15	0.135		<0.5	6.83	<5	340	1.1	<2	3.22	<0.5	22	47	352	3.98
173220		2.23	0.049		<0.5	8.03	<5	280	0.7	<2	4.37	<0.5	20	73	74	5.33
173221		2.26	0.012		<0.5	7.66	<5	330	0.9	<2	3.61	<0.5	19	35	58	5.51
173222		2.46	0.015		<0.5	7.24	<5	360	1.0	<2	2.77	<0.5	9	10	65	4.61
173223		2.29	0.033		<0.5	7.90	<5	440	1.0	<2	4.93	0.6	26	27	101	6.54
173224		2.36	<0.005		<0.5	8.27	8	230	0.7	<2	5.65	<0.5	29	27	62	7.18
173225		2.31	0.007		<0.5	7.59	<5	320	0.9	<2	3.60	<0.5	15	33	43	5.22
173226		0.06	0.946		9.8	8.09	5	50	3.2	<2	0.32	<0.5	<1	4	8	2.73
173227		2.31	0.036		<0.5	7.18	<5	300	1.0	<2	2.80	<0.5	8	7	30	4.03
173228		2.40	0.147		<0.5	7.73	<5	180	0.8	<2	5.84	<0.5	21	75	25	6.42
173229		2.40	0.006		<0.5	8.06	<5	110	<0.5	<2	7.49	<0.5	31	91	9	7.07
173230		2.77	<0.005		<0.5	7.77	<5	240	0.7	<2	4.62	<0.5	18	44	14	6.03
173231		2.40	0.069		<0.5	7.43	5	210	0.6	<2	5.06	<0.5	19	66	26	5.85
173232		2.23	0.101		<0.5	7.10	<5	360	1.0	<2	2.54	<0.5	5	5	55	4.57
173233		2.33	0.080		<0.5	7.66	<5	440	1.0	<2	3.53	<0.5	10	30	36	5.37
173234		2.57	0.139		<0.5	8.06	<5	120	<0.5	<2	6.71	<0.5	30	101	15	7.00
173235		2.39	0.271	0.284	<0.5	7.77	<5	120	<0.5	<2	6.33	<0.5	31	105	3	6.84
173236 DUP		<0.02	0.471	0.351	<0.5	7.86	<5	120	<0.5	<2	6.40	<0.5	32	111	4	6.90
173237		0.11	<0.005		<0.5	6.75	<5	590	0.9	<2	0.84	<0.5	1	10	8	2.34
173238		2.44	0.725		<0.5	7.92	<5	150	<0.5	<2	6.02	<0.5	29	101	9	6.86
173239		2.40	0.111		<0.5	7.97	10	190	0.5	<2	5.24	<0.5	25	65	9	6.43
173240		2.32	0.059		<0.5	7.90	<5	150	<0.5	<2	5.97	<0.5	28	91	12	6.56



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 26-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041496**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
173201		0.88	3.33	1070	1	1.44	80	350	6	0.38	<5	121	0.42	204	<10	107
173202		0.77	2.22	938	<1	2.07	45	700	5	0.29	<5	193	0.49	158	<10	72
173203		0.91	2.08	964	<1	2.05	52	480	4	0.51	5	157	0.42	135	10	74
173204		2.66	0.11	62	2	0.99	2	60	3	0.02	<5	23	0.02	4	<10	7
173205 DUP		2.66	0.11	73	2	1.01	2	60	6	0.03	<5	23	0.02	4	<10	7
173206		3.85	0.17	245	1	2.10	8	150	34	<0.01	<5	137	0.08	7	<10	27
173207		1.32	1.66	858	1	1.72	31	270	5	0.17	<5	127	0.29	88	10	56
173208		1.41	1.91	855	1	2.19	39	270	3	0.09	<5	131	0.31	97	<10	78
173209		1.41	3.80	1155	<1	1.36	78	390	5	0.20	<5	131	0.45	202	20	75
173210		1.54	3.10	1350	<1	1.14	118	330	5	1.69	<5	99	0.41	180	40	120
173211		1.32	3.51	1360	<1	2.00	63	1930	5	0.33	<5	469	1.02	207	20	134
173212		1.06	3.58	1525	<1	1.24	120	570	5	0.68	<5	160	0.50	206	40	120
173213		1.44	3.43	1330	1	1.33	89	390	7	0.59	<5	114	0.45	206	20	91
173214		1.05	3.44	1185	<1	1.81	71	340	10	0.32	<5	122	0.43	196	10	94
173215		1.68	1.77	912	1	2.33	39	350	6	0.15	<5	152	0.34	109	<10	95
173216		0.18	0.06	109	<1	6.8	6	610	112	2.68	<5	22	0.01	2	<10	17
173217		1.58	1.22	871	<1	2.43	22	600	6	0.16	<5	195	0.39	83	10	73
173218		0.71	0.32	492	2	3.15	8	230	7	0.39	5	166	0.20	13	10	36
173219		1.02	0.99	679	1	2.61	31	350	6	0.43	<5	183	0.26	53	10	58
173220		1.40	1.86	966	1	2.17	56	1050	7	0.26	<5	286	0.47	103	<10	82
173221		1.47	1.69	858	<1	2.57	48	1220	6	0.32	<5	290	0.44	86	<10	80
173222		1.30	0.66	736	1	2.94	5	1000	5	0.41	<5	229	0.45	28	<10	50
173223		1.40	2.41	1020	<1	2.51	44	1950	8	0.45	<5	617	0.57	117	<10	78
173224		1.06	2.58	1160	<1	2.61	59	1990	6	0.41	<5	802	0.66	147	<10	88
173225		1.41	1.37	908	1	2.58	29	1030	6	0.28	<5	259	0.56	81	<10	70
173226		0.19	0.06	33	<1	6.8	2	600	117	2.88	6	22	0.01	2	<10	16
173227		0.99	0.53	763	1	2.86	6	660	5	0.19	<5	217	0.36	32	<10	52
173228		0.74	2.56	1130	1	2.16	44	550	7	0.16	<5	197	0.43	138	10	74
173229		0.59	3.80	1375	<1	2.09	86	960	5	0.10	<5	305	0.50	201	<10	88
173230		0.92	1.76	1165	<1	2.58	31	1030	8	0.14	<5	207	0.50	77	<10	76
173231		0.78	2.16	1070	<1	2.33	49	560	6	0.23	<5	181	0.40	109	<10	58
173232		1.06	0.33	759	2	2.92	1	630	8	0.43	<5	191	0.33	2	<10	47
173233		1.40	1.00	1075	1	2.80	14	660	7	0.32	<5	172	0.38	41	<10	68
173234		0.91	3.88	1175	<1	1.91	69	400	7	0.09	<5	144	0.44	196	10	65
173235		1.02	3.81	1100	<1	1.57	65	390	3	0.01	<5	134	0.45	207	<10	61
173236 DUP		1.03	3.87	1095	<1	1.60	67	390	5	0.01	<5	136	0.46	211	10	62
173237		4.23	0.22	203	<1	2.03	5	150	35	<0.01	<5	143	0.08	9	<10	27
173238		1.05	3.55	1095	<1	1.83	62	510	5	0.05	7	141	0.48	203	<10	80
173239		1.00	2.80	1015	<1	2.19	46	720	6	0.03	<5	173	0.52	173	<10	91
173240		1.10	3.46	1125	1	1.83	54	530	5	0.06	<5	141	0.48	196	10	87



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 26-MAY-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041496**

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173241		2.50	0.012		<0.5	7.89	<5	100	<0.5	<2	6.30	<0.5	30	112	2	6.81
173242		2.71	0.020		<0.5	8.15	<5	90	<0.5	<2	7.44	<0.5	33	113	176	6.65
173243		2.44	0.019		<0.5	7.93	<5	80	<0.5	<2	6.87	<0.5	44	121	272	6.84
173244		2.69	0.048		0.5	8.11	<5	100	<0.5	<2	6.67	<0.5	47	137	515	6.63
173245		2.54	0.045		<0.5	8.02	<5	160	0.5	<2	5.52	<0.5	62	118	484	6.73
173246		2.52	0.020		<0.5	8.19	<5	160	<0.5	<2	5.72	<0.5	51	118	217	6.90
173247		2.75	0.033		<0.5	7.41	<5	130	<0.5	<2	5.48	<0.5	78	109	615	6.89
173248 DUP		<0.02	0.049		0.5	7.29	<5	140	<0.5	<2	5.38	<0.5	81	106	845	6.84
173249		0.13	<0.005		<0.5	7.27	<5	580	0.8	<2	0.80	<0.5	1	8	9	2.49
173250		2.73	0.020		<0.5	8.01	<5	120	<0.5	<2	6.42	<0.5	51	128	324	6.96
173251		3.12	0.023		<0.5	7.72	<5	110	<0.5	<2	5.92	<0.5	57	122	375	8.29
173252		2.98	0.007		<0.5	8.05	<5	80	<0.5	<2	6.69	<0.5	40	116	116	9.06
173253		2.94	0.047		<0.5	7.64	<5	70	<0.5	<2	7.01	<0.5	36	120	264	6.16
173254		2.33	0.395		<0.5	7.55	<5	90	<0.5	<2	6.71	<0.5	36	116	217	5.90
173255		3.29	0.033		<0.5	8.25	<5	280	0.7	<2	5.40	<0.5	25	94	87	5.35
173256		2.81	0.184		<0.5	7.98	<5	160	0.6	<2	5.58	<0.5	33	70	356	5.42
173257		0.06	1.860		20.3	8.60	<5	70	3.3	<2	0.34	<0.5	<1	4	5	2.65
173258		3.00	0.065		<0.5	8.34	<5	130	<0.5	<2	6.82	<0.5	29	116	119	6.08
173259		2.75	0.403		<0.5	7.76	<5	210	0.5	<2	5.43	<0.5	26	71	255	5.34
173260		2.61	0.146		<0.5	8.38	<5	120	<0.5	<2	7.42	<0.5	32	127	97	6.29
173261		2.95	0.017		<0.5	7.65	<5	90	<0.5	<2	8.10	<0.5	37	104	215	6.67
173262		2.58	0.100		<0.5	7.33	<5	110	<0.5	<2	6.53	<0.5	37	120	230	5.81
173263		2.24	0.016		<0.5	8.23	<5	200	0.7	<2	5.33	<0.5	21	50	54	5.57
173264		2.38	0.035		<0.5	7.43	<5	70	<0.5	<2	7.13	<0.5	34	118	117	5.89
173265		2.56	0.021		<0.5	7.68	<5	80	<0.5	<2	6.83	<0.5	34	124	144	6.15
173266		2.54	0.020		<0.5	8.12	<5	90	0.9	<2	7.10	<0.5	36	271	151	6.12
173267		2.33	0.027		<0.5	8.29	<5	80	0.8	<2	7.31	<0.5	42	226	202	6.42
173268		0.06	0.973		10.8	8.50	<5	50	3.3	<2	0.34	<0.5	<1	4	8	2.79
173269		2.50	0.023		<0.5	6.87	<5	100	1.1	<2	7.43	<0.5	44	427	123	6.31
173270		2.36	0.091		<0.5	7.30	<5	110	0.6	<2	6.43	<0.5	47	236	398	6.48
173271		2.40	0.046		<0.5	8.08	<5	50	<0.5	<2	7.54	<0.5	31	110	128	6.52
173272		2.46	0.563		1.0	7.93	<5	160	<0.5	<2	6.80	<0.5	37	116	1380	5.91
173273 DUP		<0.02	0.652		1.0	7.74	<5	160	<0.5	<2	6.63	0.7	39	120	1310	5.80
173274		0.14	<0.005		<0.5	6.81	<5	540	0.8	<2	0.74	<0.5	1	8	17	2.31
173275		2.26	0.009		<0.5	7.21	<5	160	0.5	<2	5.42	<0.5	19	73	40	5.45
173276		2.48	0.027		<0.5	7.58	<5	240	0.7	<2	4.45	<0.5	15	42	31	4.96
173277		2.39	0.028		<0.5	7.71	<5	150	0.5	<2	5.41	<0.5	27	93	54	5.89
173278		2.48	0.042		<0.5	7.51	<5	90	<0.5	<2	6.62	<0.5	39	116	174	6.38
173279		2.27	0.095		<0.5	7.85	<5	160	0.6	<2	5.41	<0.5	31	82	48	5.69
173280		2.52	0.013		<0.5	7.19	<5	130	<0.5	<2	5.23	<0.5	32	148	50	5.35



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 26-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041496

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
173241		0.97	3.93	1030	1	1.61	71	370	7	0.01	<5	138	0.46	216	<10	63
173242		0.94	3.24	1185	1	1.45	63	380	5	0.30	<5	137	0.46	217	<10	62
173243		0.69	3.30	1130	<1	1.85	63	400	6	0.41	<5	134	0.46	212	<10	65
173244		1.07	3.18	1180	<1	1.62	55	380	3	0.60	<5	124	0.47	217	<10	58
173245		1.30	2.72	1050	<1	1.80	57	490	<2	0.91	<5	144	0.50	203	<10	63
173246		0.95	3.00	1035	<1	2.01	55	510	7	0.68	<5	154	0.49	203	10	64
173247		0.72	2.55	944	<1	1.78	60	430	<2	1.03	<5	137	0.44	179	10	60
173248 DUP		0.72	2.48	918	<1	1.72	54	420	6	1.15	<5	132	0.42	173	10	58
173249		4.55	0.18	214	4	2.09	5	170	40	0.01	<5	147	0.08	8	<10	25
173250		0.77	3.18	1095	<1	1.69	71	380	6	0.77	<5	130	0.45	202	10	59
173251		0.78	3.52	1265	<1	1.73	94	520	2	0.76	<5	207	0.58	202	10	86
173252		0.50	3.73	1475	<1	1.95	111	780	9	0.28	<5	335	0.80	219	10	108
173253		0.54	3.17	1130	<1	1.56	72	390	8	0.24	<5	154	0.45	204	20	50
173254		0.78	3.10	1080	<1	1.56	52	360	3	0.23	<5	154	0.44	199	10	53
173255		1.13	2.54	940	<1	2.29	44	900	7	0.23	<5	347	0.49	153	<10	62
173256		0.79	2.23	933	<1	2.15	37	680	3	0.22	<5	194	0.50	159	<10	61
173257		0.20	0.07	113	<1	7.1	3	630	115	3.02	<5	22	0.01	2	<10	17
173258		1.08	3.18	1135	<1	1.76	53	500	4	0.19	<5	168	0.50	206	<10	63
173259		1.59	2.25	985	<1	1.72	49	630	5	0.40	<5	161	0.49	160	10	55
173260		1.22	3.44	1370	1	1.56	58	440	5	0.33	<5	121	0.49	221	20	58
173261		0.76	3.62	1500	<1	1.64	81	400	3	0.31	<5	130	0.45	215	20	59
173262		0.78	2.92	1155	<1	1.72	83	380	7	0.30	<5	128	0.44	185	<10	57
173263		0.92	2.20	1005	<1	2.48	28	780	7	0.15	<5	204	0.54	163	<10	67
173264		0.45	3.07	1225	<1	1.65	73	360	4	0.31	<5	141	0.43	197	20	54
173265		0.51	3.14	1175	<1	1.98	81	380	7	0.34	<5	140	0.45	203	20	52
173266		0.61	4.73	1200	1	2.29	115	500	4	0.26	<5	318	0.44	198	10	57
173267		0.57	4.40	1170	<1	2.35	106	420	4	0.43	<5	366	0.46	216	<10	58
173268		0.20	0.07	35	<1	7.1	5	640	125	3.20	<5	21	0.01	2	<10	46
173269		0.96	6.54	1310	<1	1.28	196	530	5	0.26	<5	320	0.32	168	10	66
173270		0.76	4.28	1190	<1	1.85	135	440	3	0.54	<5	205	0.41	196	<10	62
173271		0.31	3.75	1210	<1	2.13	57	360	2	0.15	<5	198	0.45	209	<10	56
173272		1.37	2.88	1170	<1	1.49	65	380	8	0.61	<5	126	0.46	209	60	77
173273 DUP		1.32	2.83	1145	<1	1.47	65	400	7	0.58	<5	125	0.45	205	50	75
173274		4.20	0.17	195	1	2.07	5	140	37	0.01	<5	138	0.08	8	<10	23
173275		0.85	2.56	1060	<1	1.83	38	480	8	0.07	<5	145	0.42	162	10	60
173276		1.11	1.71	884	<1	2.19	20	650	6	0.19	<5	168	0.44	111	<10	50
173277		0.91	2.73	1080	<1	2.00	51	450	6	0.36	<5	148	0.43	168	<10	61
173278		0.63	3.25	1275	<1	1.71	69	400	<2	0.32	<5	138	0.45	206	10	70
173279		0.73	2.37	1075	<1	2.11	52	550	9	0.34	<5	152	0.46	155	20	62
173280		0.80	3.13	1025	1	1.73	64	400	6	0.21	<5	158	0.37	156	20	64



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 26-MAY-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041496

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173281		2.42	0.015		<0.5	7.57	<5	220	0.6	<2	4.69	<0.5	21	58	29	5.18
173282		2.33	0.037		<0.5	7.37	<5	140	<0.5	<2	5.38	<0.5	35	94	49	5.85
173283		2.17	<0.005		<0.5	7.59	<5	290	0.5	<2	4.35	<0.5	19	78	7	4.08
173284		2.25	0.010		<0.5	7.43	<5	320	0.6	<2	3.67	<0.5	17	55	21	3.80
173285		0.06	1.830		18.3	8.07	<5	60	3.1	<2	0.33	<0.5	<1	4	5	2.84
173286		2.50	0.093		<0.5	7.54	<5	100	0.6	<2	6.61	<0.5	40	208	67	6.54
173287		2.46	0.028		<0.5	7.27	<5	110	1.1	<2	6.99	<0.5	41	320	112	6.24
173288		2.56	1.170		0.5	7.58	<5	120	0.8	<2	6.14	<0.5	35	218	104	5.96
173289		2.36	0.169		<0.5	7.73	<5	240	0.6	<2	4.88	<0.5	25	74	53	5.33
173290		2.45	0.051		<0.5	7.38	<5	150	1.0	<2	6.73	<0.5	36	339	76	6.24
173291		2.45	0.047		<0.5	7.91	<5	90	<0.5	<2	6.58	<0.5	37	120	46	6.61
173292		2.45	0.041		<0.5	7.70	<5	160	0.6	<2	5.54	<0.5	27	180	33	5.11
173293		2.27	0.115		<0.5	7.72	<5	80	<0.5	<2	7.03	<0.5	30	104	16	6.28
173294		2.24	0.085		<0.5	7.34	<5	220	<0.5	<2	5.63	<0.5	29	100	127	6.08
173295		2.48	0.027		<0.5	8.24	<5	270	0.5	<2	5.94	<0.5	28	66	100	6.40
173296		2.38	0.018		<0.5	7.90	<5	100	<0.5	<2	6.83	<0.5	26	123	51	6.39
173297		3.08	0.527		<0.5	7.21	<5	190	0.5	<2	5.11	<0.5	20	114	80	5.72
173298		2.12	0.464	0.322	<0.5	4.57	<5	100	<0.5	<2	5.05	<0.5	42	1105	67	6.66
173299 DUP		<0.02	0.297	0.280	<0.5	4.59	<5	100	<0.5	<2	5.07	<0.5	42	1060	66	6.57
173300		0.14	<0.005		<0.5	8.84	<5	530	1.0	<2	0.89	<0.5	<1	18	6	2.16
173301		2.54	0.159		<0.5	3.41	<5	50	<0.5	<2	3.68	<0.5	45	1625	29	6.54
173302		2.62	0.209		<0.5	3.70	<5	70	<0.5	<2	5.60	<0.5	41	1020	67	6.43
173303		2.90	0.193		<0.5	5.65	<5	110	<0.5	<2	5.52	<0.5	46	923	154	7.85
173304		2.86	0.320		<0.5	6.52	<5	150	<0.5	<2	5.02	<0.5	44	578	85	7.05
173305		2.71	0.109		0.7	6.70	<5	540	0.5	<2	5.27	<0.5	46	676	79	7.09
173306		2.68	0.066		<0.5	4.62	<5	140	<0.5	<2	4.01	0.6	71	1730	136	6.65
173307		2.90	0.038		<0.5	4.12	<5	80	<0.5	<2	4.44	<0.5	49	1410	66	6.66
173308		3.25	0.197		<0.5	3.33	<5	40	<0.5	<2	3.62	<0.5	65	1950	180	5.90
173309 DUP		<0.02	0.180		<0.5	3.36	<5	40	<0.5	<2	3.62	<0.5	64	1950	181	5.93
173310		0.11	<0.005		<0.5	6.71	<5	530	0.8	<2	0.76	<0.5	<1	13	5	2.04
173311		1.76	0.008		<0.5	8.09	<5	630	0.7	<2	1.78	<0.5	3	37	22	1.13
173312		2.15	0.005		<0.5	7.96	<5	470	0.7	<2	1.96	<0.5	2	8	13	1.13
173313		2.27	0.009		<0.5	8.05	<5	480	0.6	<2	2.63	<0.5	8	66	12	1.69
173314		2.33	0.013		<0.5	8.09	<5	650	0.7	<2	3.58	<0.5	13	125	27	2.35
173315		2.46	0.027		<0.5	6.19	6	360	<0.5	<2	5.08	<0.5	56	1085	97	4.45
173316		2.42	0.150		<0.5	6.52	<5	230	<0.5	<2	2.27	<0.5	37	1200	69	3.62
173317		0.06	0.986		10.6	6.73	<5	50	3.3	<2	0.34	<0.5	<1	7	9	3.05



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 26-MAY-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041496

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
173281		0.85	2.06	943	<1	2.26	40	750	<2	0.16	<5	205	0.46	140	<10	62
173282		0.74	2.73	1125	<1	1.80	61	500	2	0.20	<5	148	0.44	179	20	80
173283		0.80	2.07	800	<1	2.72	35	310	4	0.04	<5	188	0.28	123	10	56
173284		0.93	1.56	657	<1	2.81	30	400	<2	0.11	<5	162	0.31	101	<10	45
173285		0.18	0.06	108	<1	6.6	6	590	124	3.25	<5	19	0.01	2	<10	17
173286		0.63	4.31	1200	<1	1.87	100	450	8	0.21	5	194	0.42	196	<10	64
173287		0.64	5.37	1195	<1	1.71	139	510	5	0.26	<5	347	0.35	173	<10	67
173288		0.76	3.98	1150	<1	1.93	95	400	3	0.35	<5	264	0.39	184	30	70
173289		1.12	2.27	935	<1	2.12	41	580	4	0.36	<5	152	0.45	161	10	63
173290		0.98	5.66	1195	<1	1.50	156	520	3	0.16	<5	281	0.38	166	<10	69
173291		0.63	3.56	1250	<1	2.05	69	450	4	0.37	<5	136	0.45	211	10	58
173292		0.81	3.53	977	<1	2.31	84	370	<2	0.22	<5	198	0.34	156	10	52
173293		0.53	3.48	1155	<1	1.64	62	410	3	0.11	<5	147	0.45	201	<10	52
173294		1.16	3.02	1170	<1	1.48	50	490	5	0.45	<5	144	0.44	185	20	83
173295		1.24	2.97	1160	<1	1.89	47	680	6	0.36	<5	311	0.56	215	10	73
173296		0.67	3.47	1215	<1	1.62	63	410	7	0.22	<5	133	0.45	210	<10	59
173297		1.18	2.83	1125	<1	1.59	56	560	10	0.47	<5	164	0.44	167	60	75
173298		1.27	8.24	1285	1	0.58	602	350	6	0.43	<5	212	0.23	122	10	96
173299 DUP		1.26	8.07	1280	<1	0.59	597	380	<2	0.40	<5	221	0.23	122	<10	84
173300		4.86	0.20	194	1	2.04	5	160	37	0.01	<5	140	0.09	8	<10	28
173301		1.55	11.15	1305	<1	0.18	835	130	3	0.16	<5	28	0.17	111	<10	104
173302		1.19	8.44	1405	<1	0.39	539	210	4	0.25	<5	101	0.17	114	30	90
173303		1.74	8.28	1620	<1	0.75	522	470	8	0.66	<5	135	0.32	148	30	104
173304		1.41	8.10	1505	1	1.13	410	450	9	0.37	<5	310	0.29	147	<10	86
173305		1.64	7.61	1270	<1	0.96	474	1350	9	0.38	<5	450	0.46	156	<10	136
173306		0.78	12.80	1480	<1	0.13	1005	500	393	0.79	<5	29	0.28	139	<10	1215
173307		1.31	10.35	1430	<1	0.23	742	180	7	0.41	<5	32	0.20	131	10	97
173308		0.50	11.10	1290	<1	0.13	1040	120	14	0.63	<5	31	0.15	103	90	102
173309 DUP		0.46	11.35	1310	1	0.12	1035	130	18	0.64	<5	31	0.15	102	70	100
173310		4.15	0.22	182	<1	1.96	7	160	28	0.01	<5	136	0.08	7	<10	23
173311		1.15	0.61	171	<1	4.02	19	200	3	0.09	<5	265	0.09	20	<10	29
173312		1.20	0.41	148	<1	3.71	8	210	4	0.06	<5	315	0.09	18	<10	27
173313		1.39	1.53	230	<1	3.34	69	370	9	0.04	<5	368	0.11	28	<10	32
173314		1.60	2.32	365	<1	2.96	79	610	4	0.11	<5	500	0.15	45	<10	40
173315		1.69	9.56	896	<1	0.96	815	630	13	0.79	<5	182	0.17	76	<10	816
173316		0.35	7.17	877	<1	2.49	805	140	22	0.33	<5	180	0.11	55	10	265
173317		0.20	0.08	36	<1	6.8	1	660	137	3.44	7	21	0.01	2	<10	16





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 1-JUN-2006

Account: TRAVEN

## CERTIFICATE VO06041497

Project: BLOCK A

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 1-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041497

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
173319		2.39	0.269			0.6	3.09	<5	<10	<0.5	<2	5.23	4.0	77	2530	196
173320		2.88	0.646			0.9	3.25	<5	20	<0.5	<2	4.13	2.4	61	1800	113
173321		2.40	0.034			<0.5	8.36	<5	430	0.5	<2	4.86	<0.5	37	569	59
173322		2.35	0.058			<0.5	3.71	<5	<10	<0.5	<2	2.88	<0.5	84	2130	241
173323		2.75	0.213			<0.5	5.05	<5	70	<0.5	<2	5.04	<0.5	50	1480	60
173324		2.97	0.053			<0.5	6.78	<5	250	0.5	<2	4.52	<0.5	28	435	83
173325		0.06	1.815			19.1	8.65	<5	60	3.2	<2	0.34	<0.5	<1	7	6
173326		1.99	0.067			<0.5	7.21	<5	130	<0.5	<2	6.59	<0.5	48	248	17
173327		2.51	0.119			<0.5	7.81	<5	120	<0.5	<2	6.79	<0.5	43	283	7
173328		2.54	0.044			<0.5	8.14	<5	80	<0.5	<2	7.26	<0.5	42	203	41
173329		2.77	0.118			<0.5	8.17	<5	80	<0.5	<2	7.42	<0.5	44	229	47
173330		2.43	0.033			<0.5	8.01	<5	90	<0.5	<2	7.08	<0.5	43	292	53
173331		2.55	0.072			<0.5	7.03	<5	110	<0.5	<2	6.72	<0.5	41	421	35
173332		2.66	0.224			<0.5	7.04	<5	120	<0.5	<2	6.54	<0.5	48	846	53
173333		2.69	0.083			<0.5	7.20	<5	120	<0.5	<2	6.33	<0.5	43	816	8
173334		2.54	0.359			0.6	7.34	5	170	<0.5	<2	5.35	<0.5	47	738	93
173335 DUP		<0.02	0.347			<0.5	7.58	<5	170	<0.5	<2	5.70	<0.5	46	753	95
173336		2.61	0.509			<0.5	7.29	<5	300	0.6	<2	4.11	<0.5	21	325	47
173337		1.89	0.625			<0.5	7.71	<5	360	0.6	<2	4.41	<0.5	33	464	67
173338		2.39	0.044			<0.5	7.85	<5	390	0.5	<2	3.64	<0.5	25	501	11
173339		0.14	<0.005			<0.5	7.37	<5	590	1.0	<2	0.76	<0.5	1	10	5
173340		2.56	0.053			<0.5	7.21	<5	250	<0.5	<2	4.33	<0.5	35	781	4
173341		2.62	0.181			<0.5	6.33	<5	180	<0.5	<2	5.19	<0.5	41	881	19
173342		2.59	0.173			<0.5	5.89	<5	110	<0.5	<2	5.42	<0.5	49	1175	2
173343		2.67	0.133			<0.5	6.30	<5	160	<0.5	<2	5.30	<0.5	45	1015	21
173344		2.85	0.767			<0.5	5.74	<5	100	<0.5	<2	5.63	<0.5	63	1320	3
173345		2.65	0.345			<0.5	6.10	<5	90	<0.5	<2	5.85	<0.5	56	1290	11
173346		2.35	0.162			<0.5	7.42	<5	210	0.5	<2	4.06	<0.5	28	327	61
173347		2.33	0.075			<0.5	8.14	<5	320	0.7	<2	4.02	<0.5	24	359	55
173348		2.54	0.063			<0.5	7.13	<5	310	0.6	<2	3.97	<0.5	22	430	19
173349 DUP		<0.02	0.073			<0.5	7.08	<5	300	0.6	<2	3.95	<0.5	22	445	20
173350		0.11	<0.005			<0.5	7.00	<5	550	0.9	<2	0.87	<0.5	<1	10	4
173351		2.35	0.789			<0.5	7.21	<5	290	0.5	<2	3.77	<0.5	27	593	34
173352		2.29	0.946			<0.5	7.58	<5	390	0.8	<2	3.18	<0.5	11	78	41
173353		1.92	0.115			<0.5	7.20	<5	290	0.6	<2	4.41	<0.5	39	688	57
173354		3.13	0.133			<0.5	6.95	<5	130	<0.5	<2	6.91	<0.5	37	419	77
173355		3.01	0.520			<0.5	7.57	<5	130	<0.5	<2	7.18	<0.5	42	348	34
173356		2.68	0.034			<0.5	8.23	<5	230	<0.5	<2	5.70	<0.5	29	362	21
173357		0.05	0.959			10.7	9.13	5	50	3.3	<2	0.35	<0.5	1	6	9
173358		3.13	0.121			<0.5	7.25	<5	70	<0.5	<2	7.20	<0.5	37	334	46



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 1-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041497**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
173319		5.72	0.01	14.15	1565	<1	0.07	1280	130	370	1.44	<5	31	0.15	102	330
173320		5.64	0.16	12.45	1220	<1	0.13	1105	130	29	0.47	<5	24	0.16	107	30
173321		5.08	1.73	6.48	958	<1	1.61	334	760	174	0.27	<5	284	0.35	114	50
173322		6.41	0.01	14.65	1145	<1	0.05	1250	120	252	1.01	<5	20	0.19	120	<10
173323		6.82	0.77	10.25	1560	<1	0.33	708	240	40	0.34	<5	112	0.19	118	20
173324		6.48	1.14	4.70	1215	<1	1.53	188	650	40	0.64	<5	176	0.36	115	10
173325		3.02	0.19	0.07	114	<1	6.9	1	650	145	3.40	<5	21	0.01	2	<10
173326		7.45	1.35	5.78	1400	<1	0.81	143	280	5	0.10	<5	122	0.39	236	<10
173327		7.30	1.35	6.17	1370	<1	1.15	146	260	2	0.01	<5	117	0.40	244	<10
173328		7.58	0.96	5.35	1440	<1	1.28	112	280	4	0.07	<5	124	0.42	246	<10
173329		7.61	0.83	5.42	1415	<1	1.31	112	270	<2	0.09	<5	114	0.42	251	<10
173330		7.17	0.88	5.72	1315	<1	1.20	118	360	<2	0.06	<5	142	0.38	221	<10
173331		6.98	0.98	5.40	1285	<1	0.99	136	220	6	0.06	<5	95	0.36	215	<10
173332		7.99	1.28	7.29	1565	4	0.92	283	240	4	0.20	<5	118	0.35	217	<10
173333		7.62	1.21	6.99	1495	<1	1.05	247	200	4	0.02	<5	141	0.36	219	10
173334		8.25	1.73	6.50	1420	<1	0.74	192	270	10	0.49	<5	130	0.37	220	20
173335 DUP		8.74	1.76	6.73	1500	<1	0.76	198	290	12	0.51	<5	132	0.37	224	20
173336		4.85	1.38	4.06	790	3	1.97	118	360	5	0.25	<5	138	0.28	122	<10
173337		7.00	1.93	4.65	1185	<1	1.25	180	600	25	0.43	<5	158	0.45	178	10
173338		3.93	1.67	4.66	701	<1	2.59	222	380	7	0.03	<5	190	0.20	87	<10
173339		2.25	4.66	0.18	199	1	2.28	3	160	35	<0.01	<5	149	0.08	7	<10
173340		4.86	1.13	6.76	870	<1	1.99	381	300	<2	<0.01	<5	174	0.19	105	<10
173341		6.74	0.98	7.35	1220	<1	1.00	419	470	4	0.15	<5	192	0.35	152	<10
173342		7.48	1.99	8.90	1295	<1	0.65	549	290	2	0.01	<5	71	0.32	178	<10
173343		7.05	1.35	8.07	1270	<1	0.87	494	380	2	0.10	<5	76	0.35	171	10
173344		7.32	1.17	10.10	1360	<1	0.47	622	190	5	0.01	<5	22	0.28	177	<10
173345		8.05	1.17	9.58	1475	<1	0.65	588	220	<2	0.03	<5	54	0.31	189	<10
173346		5.48	1.47	2.99	893	<1	2.01	140	780	<2	0.18	<5	210	0.49	144	<10
173347		5.70	1.65	2.87	903	<1	2.17	129	840	2	0.26	<5	179	0.51	145	<10
173348		5.46	1.49	3.57	887	<1	1.56	186	780	4	0.09	<5	174	0.41	98	<10
173349 DUP		5.44	1.48	3.62	895	<1	1.55	192	780	5	0.09	<5	172	0.41	99	<10
173350		1.62	4.14	0.23	159	<1	2.10	4	190	44	0.01	<5	150	0.09	9	<10
173351		5.28	1.79	4.42	880	<1	1.78	267	600	5	0.14	<5	163	0.36	101	<10
173352		4.39	1.93	1.34	835	<1	2.09	35	970	4	0.27	7	168	0.48	83	<10
173353		6.23	1.61	5.91	985	1	1.65	293	630	<2	0.40	<5	188	0.35	131	10
173354		7.05	0.94	5.74	1295	<1	1.03	180	250	3	0.32	<5	205	0.32	201	10
173355		7.39	0.86	5.65	1275	2	1.45	156	280	3	0.24	<5	185	0.37	216	<10
173356		5.31	0.86	4.25	898	3	2.65	123	260	4	0.18	<5	188	0.26	150	<10
173357		2.82	0.20	0.07	37	<1	7.1	2	670	123	3.14	<5	22	0.01	2	<10
173358		7.14	0.51	4.82	1200	1	1.57	122	260	<2	0.29	<5	176	0.35	208	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 6 (A - C)  
Finalized Date: 1-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041497

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
173319		2390
173320		1910
173321		814
173322		1610
173323		406
173324		278
173325		20
173326		68
173327		52
173328		93
173329		57
173330		60
173331		59
173332		115
173333		101
173334		168
173335 DUP		176
173336		64
173337		189
173338		68
173339		28
173340		65
173341		92
173342		112
173343		96
173344		92
173345		102
173346		67
173347		74
173348		58
173348 DUP		59
173350		25
173351		71
173352		46
173353		86
173354		103
173355		82
173356		82
173357		22
173358		96



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 1-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041497

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
173359		2.62	0.092			<0.5	7.94	<5	160	<0.5	<2	6.67	<0.5	37	283	19
173360		2.58	0.712			<0.5	7.22	<5	190	<0.5	<2	5.38	<0.5	27	236	42
173361		2.33	0.010			<0.5	8.53	7	440	0.6	<2	1.48	<0.5	2	7	7
173362		2.88	0.143			<0.5	7.87	9	280	0.5	2	5.93	<0.5	28	252	26
173363		2.44	0.150			<0.5	4.62	<5	130	<0.5	<2	3.79	<0.5	19	195	55
173364		2.63	0.009			<0.5	8.51	<5	390	0.6	<2	2.66	<0.5	8	52	8
173365		2.63	0.395			<0.5	7.56	<5	380	0.8	<2	3.40	<0.5	14	126	29
173366		0.05	1.795			19.4	9.20	<5	60	3.3	<2	0.36	<0.5	3	6	6
173367		2.51	0.266			<0.5	7.27	<5	180	<0.5	<2	5.54	<0.5	24	201	19
173368		2.65	0.566			<0.5	8.01	<5	140	0.5	<2	6.81	<0.5	42	254	128
173369		2.44	0.074			<0.5	8.79	<5	280	0.7	<2	5.16	<0.5	29	96	119
173370		2.98	0.039			<0.5	8.43	<5	110	<0.5	<2	6.08	<0.5	29	221	14
173371		2.63	0.010			<0.5	8.34	<5	350	0.5	<2	4.50	<0.5	27	217	42
173372		3.00	0.170			<0.5	7.90	<5	130	<0.5	<2	9.44	<0.5	39	238	42
173373		2.78	0.171			<0.5	7.75	<5	80	<0.5	<2	9.43	<0.5	43	319	24
173374		2.65	0.112	0.103		<0.5	7.92	6	60	<0.5	<2	9.44	<0.5	39	335	6
173375 DUP		<0.02	0.170	0.199		<0.5	8.00	<5	60	<0.5	<2	9.58	<0.5	38	327	6
173376		0.13	<0.005			<0.5	7.59	<5	580	0.9	<2	0.99	<0.5	2	13	5
173377		2.46	0.118			<0.5	8.13	<5	440	0.9	<2	3.05	<0.5	12	24	43
173378		2.37	0.093			<0.5	7.52	<5	500	1.2	<2	1.79	<0.5	4	10	52
173379		2.61	0.076			<0.5	7.93	5	250	0.6	<2	6.34	<0.5	30	229	16
173380		2.41	0.591			<0.5	7.93	<5	120	<0.5	<2	8.01	<0.5	32	248	44
173381		2.59	0.026			<0.5	8.29	<5	390	1.0	<2	3.40	<0.5	14	40	39
173382		2.34	0.150			<0.5	8.92	<5	330	0.9	<2	4.25	<0.5	20	12	72
173383		2.64	1.890			<0.5	7.95	8	80	<0.5	<2	8.50	<0.5	43	380	118
173384		2.98	1.435			<0.5	7.09	<5	70	<0.5	<2	11.00	<0.5	40	262	29
173385		2.13	0.566			<0.5	7.87	<5	150	<0.5	<2	8.92	<0.5	35	264	14
173386		1.64	>10.0		11.40	<0.5	7.45	<5	80	<0.5	<2	7.70	<0.5	40	351	13
173387 DUP		<0.02	>10.0		23.8	<0.5	7.50	<5	80	<0.5	<2	7.74	<0.5	39	350	11
173388		0.09	0.218	0.249		<0.5	7.09	<5	530	0.9	<2	0.87	<0.5	3	19	11
173389		2.06	0.464			<0.5	7.18	<5	90	<0.5	<2	7.02	<0.5	35	330	14
173390		2.79	1.115			<0.5	6.51	10	80	<0.5	<2	7.92	<0.5	36	296	251
173391		2.88	0.363			<0.5	7.13	5	90	<0.5	<2	7.64	<0.5	41	315	8
173392		2.48	0.610			<0.5	6.82	<5	120	<0.5	<2	6.56	<0.5	40	373	28
173393		2.37	0.037			<0.5	8.09	<5	210	0.6	<2	5.08	<0.5	23	118	39
173394		2.65	0.319	0.347		<0.5	8.08	<5	150	0.5	<2	6.47	<0.5	34	224	38
173395		2.79	1.545			<0.5	7.28	<5	190	0.5	<2	5.47	<0.5	28	205	37
173396		2.62	0.222			0.5	7.28	<5	100	<0.5	<2	7.64	<0.5	50	319	108
173397		0.05	1.025			10.2	8.63	<5	50	3.1	<2	0.35	<0.5	1	4	8
173398		2.40	0.547			<0.5	7.82	<5	130	<0.5	<2	6.51	<0.5	34	253	77



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 1-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041497

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
173359		6.24	0.64	4.23	1050	1	1.97	121	240	3	0.14	<5	181	0.32	186	<10
173360		5.59	0.78	3.07	972	1	1.88	88	440	<2	0.28	<5	181	0.35	152	40
173361		0.74	1.22	0.27	83	<1	4.54	3	180	<2	0.03	<5	181	0.06	9	10
173362		5.38	0.75	3.43	953	1	2.28	91	280	5	0.11	<5	319	0.26	148	<10
173363		4.82	0.63	2.35	825	1	0.86	64	280	<2	0.30	<5	138	0.26	109	10
173364		2.12	1.10	0.84	338	<1	3.88	19	270	4	0.05	<5	238	0.15	41	<10
173365		3.52	1.06	1.56	611	1	2.89	40	220	3	0.19	<5	188	0.20	76	60
173366		2.89	0.20	0.07	115	1	7.3	4	700	123	3.12	<5	22	0.01	2	<10
173367		5.21	0.81	2.75	898	1	2.00	67	340	3	0.14	<5	191	0.28	131	80
173368		7.30	0.70	3.58	1185	2	1.62	113	520	5	0.61	<5	164	0.43	183	20
173369		8.09	1.17	2.17	963	1	2.21	40	810	8	0.35	<5	201	0.49	148	10
173370		8.31	0.49	3.35	1070	1	2.54	88	420	6	0.07	<5	301	0.36	188	30
173371		4.04	1.12	3.92	639	<1	3.32	206	840	4	0.31	7	385	0.27	81	<10
173372		7.73	0.54	4.57	1480	<1	1.87	126	1100	4	0.32	<5	622	0.51	217	<10
173373		8.29	0.56	5.04	1540	<1	1.39	145	260	<2	0.07	<5	182	0.38	225	<10
173374		8.04	0.42	4.73	1510	<1	1.35	124	250	3	0.02	<5	212	0.39	228	<10
173375 DUP		7.98	0.42	4.76	1510	<1	1.36	126	280	4	0.02	<5	214	0.38	222	10
173376		2.18	4.51	0.25	194	1	2.28	4	170	35	0.01	<5	162	0.09	9	<10
173377		3.87	1.62	0.88	710	1	2.74	9	720	3	0.25	<5	146	0.38	89	<10
173378		2.67	1.51	0.27	467	1	3.13	2	310	6	0.43	<5	135	0.19	18	<10
173379		6.38	0.91	3.45	1135	1	2.01	89	820	3	0.13	<5	289	0.43	165	10
173380		7.05	0.64	3.73	1280	<1	1.74	97	410	2	0.11	<5	180	0.40	190	<10
173381		3.52	1.74	1.04	604	2	2.25	20	480	4	0.18	<5	149	0.30	83	10
173382		5.07	1.44	1.43	800	1	2.38	17	820	5	0.15	<5	193	0.48	127	<10
173383		8.54	0.57	4.71	1485	<1	1.31	130	270	<2	0.25	5	173	0.39	233	20
173384		7.84	0.43	4.80	1575	<1	1.27	137	290	3	0.05	<5	149	0.34	192	30
173385		7.37	0.72	3.91	1220	<1	1.78	108	420	2	0.04	<5	169	0.40	199	20
173386		8.02	0.49	4.76	1355	<1	1.42	142	270	<2	0.02	<5	153	0.37	217	10
173387 DUP		8.04	0.50	4.80	1365	1	1.44	143	250	5	0.02	6	156	0.37	221	20
173388		3.14	4.11	0.24	270	1	2.07	10	180	37	<0.01	<5	147	0.09	10	<10
173389		7.45	0.67	4.60	1330	1	1.39	131	280	<2	0.03	<5	163	0.33	185	450
173390		7.19	0.49	4.24	1320	<1	1.29	118	240	2	0.12	<5	148	0.32	184	140
173391		7.84	0.68	4.98	1320	1	1.26	132	250	<2	0.02	<5	148	0.35	206	50
173392		7.32	0.77	4.92	1260	<1	1.41	150	260	4	0.06	<5	155	0.33	193	30
173393		5.49	0.86	2.34	879	1	2.14	49	610	2	0.11	<5	190	0.42	138	<10
173394		6.83	0.70	3.80	1150	1	1.94	92	470	2	0.08	<5	178	0.42	185	<10
173395		6.21	0.87	3.22	1080	1	1.81	85	530	4	0.12	<5	138	0.40	155	<10
173396		7.78	0.70	4.67	1450	<1	1.25	140	250	3	0.29	<5	127	0.36	215	20
173397		2.70	0.18	0.07	37	<1	7.1	5	660	119	2.88	<5	20	0.01	2	<10
173398		6.91	0.75	3.33	1165	<1	1.90	103	480	<2	0.21	<5	152	0.42	189	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 1-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041497

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
173359		72
173360		72
173361		17
173362		77
173363		69
173364		35
173365		43
173366		20
173367		58
173368		84
173369		82
173370		75
173371		62
173372		97
173373		92
173374		88
173375 DUP		88
173376		29
173377		56
173378		28
173379		76
173380		77
173381		55
173382		73
173383		92
173384		84
173385		76
173386		81
173387 DUP		82
173388		30
173389		86
173390		87
173391		71
173392		80
173393		64
173394		73
173395		73
173396		87
173397		16
173398		80



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 1-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041497**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
173399		3.04	0.102			<0.5	7.82	5	80	<0.5	<2	7.96	<0.5	42	333	7
173400		3.00	1.520			<0.5	7.79	<5	60	<0.5	<2	7.88	<0.5	43	345	47
173401		2.79	0.274			<0.5	7.83	<5	160	<0.5	<2	6.09	<0.5	35	235	120
173402		2.89	0.141			<0.5	7.38	<5	100	<0.5	<2	7.57	<0.5	40	314	41
173403		3.08	0.343			<0.5	7.41	<5	80	<0.5	<2	7.68	<0.5	41	334	4
173404		2.94	1.100			1.0	6.97	<5	280	0.5	<2	5.30	<0.5	33	240	153
173405		0.06	1.850			19.7	8.61	6	60	3.2	<2	0.35	<0.5	2	2	6
173406		2.81	0.386			<0.5	7.45	<5	60	<0.5	<2	8.65	<0.5	43	315	55
173407		2.83	1.245	1.030		<0.5	7.40	<5	50	<0.5	<2	7.91	<0.5	45	350	222
173408		2.77	0.088			<0.5	7.53	<5	50	<0.5	<2	7.93	<0.5	43	330	10
173409		2.92	0.705			<0.5	7.57	<5	70	<0.5	<2	7.94	<0.5	43	320	31
173410		2.95	0.069			0.6	8.45	<5	190	0.7	<2	4.86	<0.5	24	31	197
173411		2.81	1.255			<0.5	7.30	<5	110	<0.5	<2	8.13	<0.5	41	315	34
173412		2.72	0.521			<0.5	7.48	<5	60	<0.5	<2	8.17	<0.5	43	319	50
173413		3.04	1.045			<0.5	7.81	7	60	<0.5	<2	8.15	<0.5	38	327	151
173414 DUP		<0.02	0.862			<0.5	7.31	10	60	<0.5	<2	7.75	<0.5	36	324	146
173415		0.09	0.012			<0.5	6.85	<5	620	0.8	<2	0.92	<0.5	4	12	9
173416		2.94	2.00			<0.5	6.95	<5	50	<0.5	<2	10.10	<0.5	32	276	125
173417		2.87	0.248			<0.5	7.40	<5	70	<0.5	<2	8.23	<0.5	36	285	52
173418		2.63	0.259			<0.5	7.78	<5	60	<0.5	<2	8.24	<0.5	40	323	20
173419		2.75	0.312			<0.5	7.67	<5	50	<0.5	<2	8.13	<0.5	40	312	11
173420		2.62	5.81			<0.5	7.09	7	50	<0.5	<2	7.34	<0.5	40	311	222
173421		2.91	0.050			<0.5	7.45	5	180	<0.5	<2	7.09	<0.5	39	316	41
173422		2.56	1.285			<0.5	7.25	<5	50	<0.5	<2	7.67	<0.5	40	301	6
173423		2.61	0.037			<0.5	7.45	<5	80	<0.5	<2	7.52	<0.5	39	300	5
173424		2.14	0.024			<0.5	7.90	<5	140	<0.5	<2	6.71	<0.5	42	122	48
173425		2.60	0.030			<0.5	7.99	<5	90	<0.5	<2	6.71	<0.5	37	152	80
173426		0.06	0.982			10.9	8.17	<5	40	3.2	<2	0.33	0.5	2	10	8
173427		2.59	0.290			<0.5	7.16	<5	170	0.5	<2	4.77	<0.5	37	401	115
173428		2.48	0.009			<0.5	7.98	8	190	1.0	<2	5.40	<0.5	26	133	16
173429		2.63	0.017			<0.5	7.35	<5	130	0.8	<2	3.20	<0.5	18	216	18
173430		2.61	0.056			<0.5	6.51	<5	110	0.6	<2	4.54	<0.5	40	679	19
173431		2.44	0.013			<0.5	5.89	<5	20	<0.5	<2	5.53	<0.5	56	1080	18
173432		2.85	0.058			<0.5	5.45	6	<10	<0.5	2	5.99	<0.5	56	1170	101
173433 DUP		<0.02	0.084			<0.5	5.37	<5	<10	<0.5	<2	5.82	<0.5	60	1255	85
173434		0.15	<0.005			<0.5	6.80	<5	550	0.9	<2	1.16	<0.5	4	38	9
173435		2.28	0.166			<0.5	5.67	<5	10	<0.5	<2	5.43	<0.5	59	1060	111
173436		2.31	0.012			<0.5	8.02	6	130	<0.5	<2	0.70	<0.5	2	28	6
173437		2.38	3.70			0.6	5.68	<5	20	<0.5	7	3.95	<0.5	42	984	107
173438		2.06	0.073			<0.5	8.08	<5	300	0.6	<2	4.46	<0.5	30	375	56





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 1-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041497**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	
173399		8.17	0.47	4.88	1380	<1	1.56	138	250	<2	0.01	6	188	0.38	224	10
173400		8.25	0.57	4.57	1340	<1	1.46	146	250	3	0.07	<5	152	0.38	223	20
173401		8.77	1.03	3.48	1100	1	1.75	116	500	2	0.19	<5	143	0.40	189	10
173402		7.65	0.81	4.85	1325	<1	1.36	130	260	2	0.02	<5	137	0.37	213	50
173403		7.87	0.57	4.86	1355	<1	1.38	130	260	2	0.01	<5	129	0.36	215	10
173404		5.83	0.90	3.23	1005	<1	1.91	90	180	2	0.29	<5	125	0.27	139	20
173405		2.83	0.18	0.07	111	<1	6.9	4	890	121	3.06	<5	21	0.01	2	<10
173406		8.28	0.44	4.89	1495	<1	1.27	148	250	3	0.13	<5	144	0.36	217	<10
173407		8.13	0.34	4.57	1375	<1	1.50	151	250	<2	0.18	5	155	0.37	219	10
173408		7.80	0.35	4.87	1365	<1	1.47	136	240	<2	0.04	<5	141	0.38	222	<10
173409		7.84	0.48	5.26	1420	<1	1.43	138	240	<2	0.05	<5	127	0.37	219	30
173410		7.47	0.62	1.77	1280	1	2.71	20	1350	3	0.20	<5	263	0.73	112	10
173411		7.61	0.58	4.55	1345	<1	1.38	168	230	2	0.09	<5	138	0.38	207	20
173412		7.79	0.43	4.52	1380	<1	1.46	170	240	2	0.11	<5	137	0.37	218	10
173413		7.48	0.52	4.25	1385	<1	1.43	130	240	2	0.17	<5	143	0.38	224	10
173414 DUP		7.17	0.50	4.08	1325	<1	1.40	124	230	2	0.16	<5	137	0.36	217	10
173415		2.74	3.78	0.26	240	2	2.05	7	200	32	0.01	<5	170	0.09	11	<10
173416		6.88	0.46	4.09	1445	<1	1.13	168	230	<2	0.13	<5	121	0.35	202	20
173417		7.33	0.61	4.82	1370	<1	1.28	144	260	<2	0.08	<5	132	0.36	207	70
173418		7.93	0.56	4.95	1495	<1	1.48	132	250	<2	0.13	<5	128	0.39	231	10
173419		7.74	0.47	4.99	1335	<1	1.47	148	240	<2	0.05	5	141	0.38	223	<10
173420		7.62	0.49	4.57	1275	<1	1.45	124	230	3	0.31	<5	121	0.35	206	10
173421		7.10	0.59	4.78	1200	<1	1.67	156	510	<2	0.14	<5	312	0.36	199	10
173422		7.51	0.48	4.83	1290	<1	1.37	128	220	<2	0.03	<5	130	0.36	216	10
173423		7.67	0.86	5.47	1315	<1	1.20	142	250	<2	0.03	<5	97	0.37	217	<10
173424		7.02	0.74	4.08	1290	<1	1.53	83	410	2	0.18	<5	141	0.42	197	<10
173425		6.79	0.73	3.98	1285	1	1.64	96	400	3	0.55	<5	161	0.44	197	10
173426		2.55	0.18	0.07	36	1	6.9	3	650	108	2.79	<5	20	0.01	2	<10
173427		6.44	0.73	4.42	1125	1	1.89	206	220	14	0.58	<5	143	0.30	135	<10
173428		5.17	0.73	3.37	828	1	2.46	71	2100	5	0.30	<5	574	0.41	112	10
173429		4.47	0.59	2.98	626	1	3.15	78	1740	3	0.28	<5	272	0.35	97	<10
173430		5.86	0.39	6.08	1005	1	1.91	343	620	<2	0.13	<5	161	0.26	119	<10
173431		7.15	0.13	9.35	1295	<1	1.05	574	310	<2	0.10	<5	90	0.24	166	<10
173432		7.36	0.05	10.30	1430	<1	0.62	657	180	<2	0.07	<5	61	0.21	147	<10
173433 DUP		7.25	0.05	10.15	1405	<1	0.59	659	190	2	0.08	<5	54	0.21	150	10
173434		2.41	3.95	0.35	222	1	2.08	14	180	32	0.01	<5	158	0.09	11	<10
173435		7.47	0.11	8.69	1415	1	1.19	578	260	<2	0.32	<5	59	0.24	144	10
173436		0.80	0.32	0.33	80	<1	5.7	15	190	<2	0.04	<5	169	0.06	6	<10
173437		7.05	0.13	7.46	1150	1	1.31	478	170	<2	0.13	<5	47	0.21	127	10
173438		5.35	1.16	4.43	846	<1	1.78	170	710	4	0.23	<5	246	0.33	118	180



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 1-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041497

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
173399		76
173400		76
173401		76
173402		75
173403		71
173404		61
173405		19
173406		72
173407		65
173408		64
173409		74
173410		125
173411		69
173412		66
173413		66
173414 DUP		63
173415		29
173416		61
173417		69
173418		66
173419		66
173420		105
173421		88
173422		63
173423		72
173424		92
173425		95
173426		16
173427		112
173428		58
173429		39
173430		76
173431		105
173432		94
173433 DUP		95
173434		30
173435		78
173436		12
173437		65
173438		68



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 1-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041497**

Sample Description	Method Analyte Units LOL	WEI-21	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
173439		2.66	0.029			<0.5	7.91	6	330	0.6	<2	4.45	<0.5	24	144	40
173440		2.50	0.214			<0.5	7.45	<5	120	<0.5	<2	5.30	<0.5	40	733	50
173441		2.52	0.135			<0.5	8.14	<5	10	<0.5	<2	5.60	<0.5	58	1270	130
173442		3.27	0.253			<0.5	8.10	<5	50	<0.5	<2	6.02	<0.5	60	1185	4
173443		2.80	0.151			<0.5	5.44	<5	10	<0.5	<2	6.08	<0.5	64	1270	1
173444		2.56	0.076			<0.5	6.44	<5	60	<0.5	<2	5.76	<0.5	57	982	16
173445		2.06	0.006			<0.5	7.87	5	450	0.7	<2	2.19	<0.5	12	166	13
173446		0.06	1.835			20.8	8.54	6	60	3.2	<2	0.35	<0.5	2	9	5
173447		2.10	<0.005			<0.5	8.54	<5	540	0.8	<2	1.96	<0.5	4	16	4
173448		1.87	<0.005			<0.5	8.44	<5	560	0.8	<2	1.94	<0.5	8	118	12
173449		3.13	0.018			<0.5	6.09	<5	80	<0.5	<2	5.96	<0.5	52	898	11
173450		2.78	0.028			<0.5	8.14	<5	150	<0.5	<2	6.51	<0.5	53	952	23
173451		2.71	0.060			<0.5	5.74	<5	30	<0.5	<2	6.42	<0.5	55	1175	1
173452		2.85	0.074			<0.5	5.34	<5	<10	<0.5	<2	5.93	<0.5	58	1350	7
173453		3.04	1.220			<0.5	5.31	<5	10	<0.5	<2	6.62	<0.5	57	1185	17
173454		2.46	0.169			<0.5	5.16	<5	40	<0.5	<2	6.01	<0.5	54	939	10
173455		3.08	0.053			<0.5	5.79	<5	10	<0.5	<2	6.39	<0.5	57	1255	20
173456		2.73	0.543			<0.5	5.34	<5	10	<0.5	<2	7.22	<0.5	50	964	52
173457 DUP		<0.02	0.523			<0.5	5.16	<5	20	<0.5	<2	7.25	<0.5	51	925	49
173458		0.16	<0.005			<0.5	7.11	5	530	0.9	<2	1.25	<0.5	6	78	8



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 6 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 1-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041497

Sample Description	Method Analyte Units LOL	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
173439		4.87	1.03	3.20	826	1	2.35	44	820	4	0.16	<5	241	0.38	123	<10
173440		7.24	0.50	6.72	1360	1	1.30	361	520	5	0.40	<5	197	0.33	162	<10
173441		9.18	0.15	9.88	1620	<1	0.43	670	200	<2	0.75	<5	58	0.27	178	<10
173442		7.84	0.32	9.99	1425	<1	0.55	583	310	<2	0.02	<5	151	0.26	177	<10
173443		7.61	0.09	10.25	1405	<1	0.49	663	190	<2	<0.01	<5	72	0.21	165	<10
173444		7.20	0.35	8.79	1355	1	0.82	531	340	<2	0.06	<5	200	0.27	164	<10
173445		2.12	1.38	1.67	305	1	3.54	77	260	7	0.06	<5	264	0.13	38	<10
173446		2.99	0.19	0.07	113	1	6.9	5	690	134	3.28	<5	20	0.01	2	<10
173447		1.20	1.67	0.46	145	<1	3.99	7	230	5	0.06	<5	335	0.10	19	<10
173448		1.95	1.70	0.97	226	<1	3.68	57	240	4	0.07	<5	310	0.13	32	<10
173449		7.32	0.74	8.78	1345	<1	0.71	470	410	<2	0.06	<5	230	0.26	159	10
173450		7.28	0.81	9.10	1365	<1	0.54	482	390	<2	0.01	<5	164	0.26	167	<10
173451		8.17	0.29	10.30	1480	1	0.46	647	230	<2	<0.01	<5	94	0.26	171	<10
173452		8.36	0.09	10.50	1415	<1	0.38	724	190	<2	0.07	<5	63	0.25	168	<10
173453		7.93	0.22	9.86	1490	19	0.44	623	200	<2	0.08	<5	84	0.25	161	<10
173454		7.82	0.39	9.06	1365	<1	0.39	548	290	<2	0.03	<5	93	0.26	166	<10
173455		8.87	0.14	10.55	1645	<1	0.48	681	210	13	0.13	<5	70	0.28	176	<10
173456		7.88	0.18	9.03	1695	<1	0.48	564	260	49	0.31	<5	106	0.24	147	10
173457 DUP		7.69	0.17	8.88	1690	<1	0.46	549	240	41	0.29	<5	106	0.24	143	<10
173458		2.67	3.91	0.82	277	2	2.12	34	200	34	0.02	<5	157	0.09	15	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 1-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041497

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
173439		55
173440		92
173441		109
173442		85
173443		82
173444		86
173445		44
173446		22
173447		34
173448		54
173449		91
173450		80
173451		86
173452		93
173453		90
173454		83
173455		144
173456		264
173457 DUP		229
173458		34



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 2-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06041498

Project: BLOCK A

P.O. No.:

This report is for 122 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 27-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 6 (A - C)  
 Finalized Date: 2-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041498**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
173459		2.81	0.071				<0.5	6.15	<5	130	<0.5	<2	5.43	<0.5	38	876
173460		2.54	0.120				<0.5	7.66	<5	370	0.7	<2	5.23	<0.5	34	508
173461		2.63	0.031				<0.5	5.26	<5	40	<0.5	<2	6.06	<0.5	54	1180
173462		1.82	0.025				<0.5	5.68	<5	80	<0.5	2	5.64	<0.5	64	1160
173463		2.61	0.019				<0.5	5.05	6	30	<0.5	<2	5.59	<0.5	59	1245
173464		2.65	0.044				<0.5	5.92	<5	270	0.6	<2	3.37	<0.5	31	802
173465		2.63	0.024				<0.5	6.62	<5	180	0.5	<2	5.20	<0.5	45	642
173466		2.79	0.011				<0.5	5.62	<5	60	<0.5	<2	5.67	<0.5	67	1185
173467		0.06	0.995				10.4	7.93	5	50	3.0	<2	0.33	<0.5	1	9
173468		2.67	0.032				<0.5	5.60	<5	40	<0.5	<2	6.09	<0.5	67	1115
173469		2.42	0.125				<0.5	6.25	7	310	0.7	<2	3.18	<0.5	23	535
173470		2.52	0.028				<0.5	6.40	8	130	<0.5	<2	5.49	<0.5	50	951
173471		2.50	0.082				<0.5	7.51	<5	220	0.7	<2	4.19	<0.5	29	417
173472 DUP		<0.02	0.077				<0.5	7.45	<5	220	0.7	<2	4.15	<0.5	28	413
173473		0.20	<0.005				<0.5	7.00	<5	540	0.8	<2	0.89	<0.5	1	16
173474		2.50	0.404				<0.5	5.62	<5	10	<0.5	<2	5.90	<0.5	64	1130
173475		2.17	0.161				<0.5	7.73	<5	370	0.8	<2	3.94	<0.5	19	89
173476		2.52	0.102				<0.5	5.79	<5	120	0.5	<2	4.47	<0.5	40	817
173477		2.66	0.393				<0.5	5.33	<5	<10	<0.5	<2	6.24	<0.5	56	1160
173478		2.73	0.014				<0.5	7.95	<5	260	0.7	<2	7.01	<0.5	47	358
173479		2.73	0.144				<0.5	7.00	11	160	<0.5	<2	6.33	<0.5	39	508
173480		2.85	0.013				<0.5	7.67	<5	110	<0.5	<2	7.33	<0.5	41	319
173481		2.52	0.255				<0.5	7.34	5	70	<0.5	<2	7.70	<0.5	39	335
173482		2.61	0.102				<0.5	7.67	6	40	<0.5	<2	7.90	<0.5	38	311
173483		2.69	1.720				<0.5	7.56	8	60	<0.5	<2	7.68	<0.5	42	316
173484		2.67	0.470				<0.5	7.58	9	90	<0.5	<2	7.65	<0.5	41	353
173485		2.81	0.137				<0.5	7.25	<5	70	<0.5	<2	7.19	<0.5	39	296
173486		0.22	1.770				19.4	7.97	<5	50	3.0	<2	0.34	<0.5	1	5
173487		2.61	0.103				<0.5	7.70	<5	100	<0.5	<2	7.41	<0.5	40	334
173488		2.17	2.26				<0.5	7.25	<5	90	<0.5	<2	7.19	<0.5	39	328
173489		2.79	0.712				<0.5	6.16	5	90	<0.5	2	7.72	<0.5	34	281
173490		2.19	0.618				<0.5	7.69	7	110	<0.5	<2	7.32	<0.5	41	360
173491		2.29	0.007				<0.5	7.77	7	360	0.5	<2	1.40	<0.5	2	12
173492		3.08	6.17				<0.5	7.27	<5	40	<0.5	<2	7.41	<0.5	42	328
173493		2.94	2.47	1.465	1.845		<0.5	7.40	<5	40	<0.5	<2	7.66	<0.5	39	321
173494 DUP		<0.02	0.761	0.985	0.847		<0.5	7.44	<5	40	<0.5	<2	7.64	<0.5	41	327
173495		0.14	<0.005				<0.5	6.94	<5	530	0.9	<2	0.88	<0.5	2	8
173496		2.46	0.046				<0.5	7.56	<5	90	<0.5	<2	7.02	<0.5	33	269
173497		2.62	0.752				<0.5	8.03	5	230	0.7	<2	5.21	<0.5	23	143
173498		2.52	0.068				<0.5	7.17	<5	40	<0.5	<2	7.62	<0.5	39	340



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 5 (A - C)

Finalized Date: 2-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041498

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
173459	1	21	6.66	0.64	6.93	1200	<1	1.23	442	320	<2	0.11	<5	192	0.27	131
173460	1	39	5.74	1.24	5.47	974	1	1.51	318	750	2	0.28	<5	241	0.34	122
173461	1	3	7.65	0.34	10.25	1395	1	0.53	664	190	<2	0.01	<5	26	0.24	159
173462	1	11	7.35	0.58	10.45	1325	1	0.52	660	230	<2	0.01	<5	43	0.27	167
173463	1	9	7.32	0.28	10.30	1365	1	0.38	689	190	<2	0.02	<5	24	0.24	158
173464	1	15	4.41	0.40	5.53	782	1	1.93	404	140	5	0.05	<5	103	0.16	75
173465	1	37	6.98	1.20	6.73	1220	1	1.46	343	410	9	0.08	<5	186	0.30	168
173466	1	8	7.54	0.72	10.55	1390	1	0.48	659	200	<2	<0.01	<5	34	0.27	174
173467	1	8	2.73	0.18	0.07	34	1	6.9	3	660	120	2.82	<5	22	0.01	2
173468	1	11	7.48	0.57	10.60	1375	<1	0.49	669	210	<2	0.01	<5	42	0.27	176
173469	1	10	4.11	0.82	4.18	667	1	2.17	274	120	4	0.07	<5	107	0.15	67
173470	1	12	7.07	0.99	8.18	1325	1	0.97	518	450	3	0.08	<5	123	0.32	146
173471	1	28	5.20	0.94	3.98	890	2	1.99	217	700	<2	0.11	<5	236	0.40	118
173472 DUP	1	28	5.14	0.94	4.00	883	1	1.97	215	710	<2	0.12	<5	229	0.40	118
173473	1	6	2.29	3.99	0.23	198	2	2.11	6	180	38	<0.01	<5	161	0.08	9
173474	1	<1	7.45	0.23	10.45	1390	<1	0.49	664	210	<2	<0.01	<5	74	0.25	172
173475	1	19	5.02	1.67	1.88	771	1	1.88	39	770	<2	0.14	<5	194	0.41	120
173476	1	13	5.62	0.54	6.38	939	1	1.19	427	420	<2	0.11	<5	91	0.28	126
173477	1	5	7.66	0.06	10.10	1425	1	0.59	636	190	4	0.03	<5	67	0.25	168
173478	1	40	4.83	0.95	7.98	789	1	1.33	527	1070	7	0.45	5	322	0.20	90
173479	1	8	6.22	0.78	6.66	1185	2	1.47	296	380	6	0.15	<5	230	0.29	184
173480	1	12	6.62	0.79	5.78	1335	1	1.45	142	270	<2	0.05	6	166	0.37	231
173481	1	18	7.09	0.62	5.20	1405	<1	1.11	174	270	<2	0.12	<5	149	0.36	218
173482	1	3	7.36	0.29	5.33	1385	<1	1.39	150	260	<2	0.01	<5	166	0.35	219
173483	1	8	7.36	0.38	5.04	1370	<1	1.38	174	250	3	0.02	<5	166	0.36	226
173484	1	9	7.62	0.46	5.19	1465	<1	1.29	154	260	4	0.05	<5	144	0.37	225
173485	1	9	6.98	0.40	4.84	1385	<1	1.49	140	270	3	0.05	<5	134	0.35	210
173486	1	5	2.88	0.18	0.06	107	<1	7.0	3	690	136	3.12	<5	22	0.01	2
173487	1	10	7.53	0.56	5.51	1445	<1	1.52	152	300	2	0.04	<5	131	0.37	224
173488	1	7	7.19	0.48	4.64	1335	<1	1.62	126	290	3	0.07	<5	151	0.34	214
173489	1	15	6.66	0.41	4.17	1310	1	1.28	118	220	<2	0.16	5	117	0.30	186
173490	1	13	7.64	0.55	4.77	1410	<1	1.74	138	280	3	0.06	<5	166	0.37	232
173491	1	4	0.61	0.64	0.20	70	<1	5.1	2	200	3	0.02	<5	197	0.06	6
173492	1	7	7.36	0.26	4.47	1325	<1	1.50	136	250	<2	0.02	<5	153	0.36	228
173493	1	8	7.56	0.22	4.50	1355	<1	1.44	128	250	2	0.04	<5	159	0.35	221
173494 DUP	1	7	7.62	0.21	4.49	1355	1	1.47	130	260	<2	0.03	<5	160	0.35	223
173495	1	6	1.96	4.18	0.22	165	1	2.20	3	170	35	0.01	<5	148	0.09	9
173496	1	18	6.76	0.41	4.06	1210	<1	1.78	104	340	2	0.08	<5	146	0.38	194
173497	1	26	5.70	0.84	2.30	882	1	2.32	52	700	4	0.13	5	169	0.44	138
173498	1	8	7.53	0.23	4.57	1315	<1	1.58	127	240	<2	0.01	<5	138	0.36	219





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 2-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041498

Sample Description	Method Analyte Units LOQ	ME-ICP81	ME-ICP81
		W ppm 10	Zn ppm 2
173459		<10	84
173460		<10	77
173461		<10	103
173462		<10	94
173463		<10	94
173464		10	66
173465		<10	98
173466		<10	102
173467		<10	18
173468		<10	102
173469		<10	80
173470		<10	98
173471		10	87
173472 DUP		<10	67
173473		<10	27
173474		<10	117
173475		10	58
173476		10	76
173477		<10	100
173478		<10	59
173479		<10	80
173480		<10	69
173481		20	75
173482		<10	65
173483		40	70
173484		10	84
173485		310	72
173486		<10	20
173487		10	70
173488		40	66
173489		110	68
173490		10	77
173491		<10	17
173492		<10	67
173493		60	68
173494 DUP		50	68
173495		<10	30
173496		10	68
173497		20	61
173498		160	69



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 5 (A - C)

Finalized Date: 2-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041498

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	AU-AA23	AU-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
173499		2.25	0.019				<0.5	7.00	5	390	0.9	<2	3.20	<0.5	12	130
173500		2.69	0.111				<0.5	6.67	5	340	1.1	<2	1.38	<0.5	2	30
173501		2.27	0.496				<0.5	7.33	5	80	<0.5	<2	7.51	<0.5	38	351
173502		2.70	0.143				<0.5	7.22	5	60	<0.5	<2	7.27	<0.5	39	370
173503		2.55	0.167				<0.5	7.53	<5	60	<0.5	<2	8.10	<0.5	36	299
173504		2.45	1.520				<0.5	6.70	<5	40	<0.5	2	7.30	<0.5	37	346
173505		2.74	0.540				<0.5	6.95	<5	40	<0.5	7	7.56	0.5	39	333
173506		0.07	0.986				10.2	8.25	<5	50	3.2	<2	0.33	<0.5	1	4
173507		2.66	1.895				<0.5	6.30	<5	50	<0.5	8	7.17	<0.5	36	344
173508		2.65	0.148				<0.5	7.23	<5	120	<0.5	3	6.95	<0.5	36	339
173509		2.18	0.027				<0.5	7.15	<5	350	0.6	<2	3.79	<0.5	18	190
173510		2.66	0.035				<0.5	7.27	<5	120	<0.5	2	7.06	0.5	43	383
173511		2.63	0.049				<0.5	7.27	<5	80	<0.5	<2	7.66	<0.5	46	351
173512		2.69	0.087				<0.5	7.56	<5	60	0.5	<2	6.34	<0.5	39	182
173513		2.73	0.081				<0.5	7.00	<5	110	<0.5	<2	7.76	<0.5	47	319
173514 DUP		<0.02	0.100				<0.5	6.78	<5	110	<0.5	<2	7.40	<0.5	44	314
173515		0.14	<0.005				<0.5	7.11	<5	560	1.0	<2	0.89	<0.5	2	5
173516		2.15	0.540				<0.5	6.24	<5	490	1.1	3	1.46	<0.5	3	27
173517		2.61	0.045				<0.5	6.65	<5	250	0.6	<2	5.03	<0.5	33	486
173518		2.60	0.025				<0.5	6.77	<5	150	<0.5	2	6.99	<0.5	47	453
173519		2.61	0.059				<0.5	7.53	<5	160	<0.5	2	5.37	<0.5	36	292
173520		2.60	3.10				<0.5	7.87	<5	150	<0.5	<2	6.29	<0.5	34	207
173521		2.38	<0.005				<0.5	7.87	<5	210	<0.5	<2	4.97	<0.5	21	142
173522		2.38	0.057				<0.5	7.73	<5	160	<0.5	2	5.71	<0.5	31	220
173523		2.61	0.380				<0.5	7.40	<5	120	<0.5	<2	7.02	<0.5	41	274
173524		2.67	0.115				<0.5	7.08	<5	80	<0.5	3	7.34	<0.5	42	290
173525		0.05	1.845				19.6	8.49	<5	60	3.2	<2	0.35	<0.5	1	3
173526		2.81	0.127				<0.5	7.06	<5	50	<0.5	3	7.87	<0.5	39	299
173527		3.73	0.678				<0.5	6.82	<5	30	<0.5	2	7.59	<0.5	36	304
173528		2.49	>10.0			11.15	<0.5	6.98	<5	30	<0.5	<2	8.30	<0.5	38	330
173529		2.75	0.292				<0.5	7.17	<5	40	<0.5	<2	7.88	<0.5	37	314
173530		2.94	0.332				<0.5	7.11	<5	70	<0.5	3	7.99	<0.5	41	327
173531		2.63	0.048				0.5	7.14	<5	210	<0.5	4	7.45	<0.5	48	318
173532		2.99	0.012				0.5	7.07	<5	170	0.6	3	6.07	<0.5	38	214
173533		2.60	0.005				<0.5	6.40	<5	280	1.0	<2	0.74	<0.5	1	5
173534 DUP		<0.02	0.008				<0.5	6.21	8	270	1.0	<2	0.73	<0.5	1	10
173535		0.16	<0.005				<0.5	6.40	<5	500	0.9	<2	0.80	<0.5	3	11
173536		1.85	0.795				<0.5	6.16	5	80	<0.5	<2	6.65	<0.5	77	301
173537		2.36	0.084				<0.5	7.14	5	40	<0.5	<2	7.83	<0.5	44	297
173538		2.56	1.845				<0.5	6.63	5	40	<0.5	<2	7.26	<0.5	39	284



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 5 (A - C)

Finalized Date: 2-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041498

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Cu ppm 1	Fe % 0.01	K % 0.01	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1
173499		5	3.55	1.16	1.40	585	1	2.84	40	120	2	0.03	<5	126	0.17	66
173500		8	1.76	0.92	0.25	180	<1	3.43	8	90	<2	0.09	6	106	0.10	5
173501		8	7.70	0.48	4.46	1400	<1	1.80	126	240	<2	0.01	<5	139	0.36	223
173502		20	7.32	0.39	4.86	1325	<1	1.66	162	250	<2	0.05	<5	129	0.35	210
173503		6	7.94	0.24	4.96	1375	<1	1.55	122	240	<2	0.05	<5	132	0.34	207
173504		5	7.19	0.25	4.35	1335	<1	1.46	112	240	4	0.01	<5	130	0.34	205
173505		8	7.24	0.25	4.43	1360	<1	1.50	132	240	<2	0.02	<5	136	0.35	215
173506		8	2.59	0.19	0.07	35	<1	7.0	2	640	115	2.85	6	20	0.01	1
173507		9	6.89	0.31	4.20	1330	<1	1.37	118	230	<2	0.03	<5	115	0.33	198
173508		5	7.01	0.62	4.28	1395	<1	1.64	124	240	<2	0.02	<5	121	0.34	195
173509		17	4.42	0.72	2.22	825	<1	2.81	65	150	5	0.11	<5	126	0.21	93
173510		16	8.11	0.64	4.97	1580	<1	1.93	150	240	4	0.06	<5	124	0.38	233
173511		10	7.72	0.45	5.47	1590	<1	1.52	138	250	4	0.03	<5	120	0.37	229
173512		116	7.78	0.29	3.16	1410	<1	2.25	85	940	<2	0.24	<5	211	0.60	162
173513		114	7.49	0.54	4.65	1540	<1	1.42	122	320	4	0.20	<5	134	0.38	204
173514 DUP		108	7.24	0.51	4.46	1485	<1	1.40	118	300	4	0.18	<5	130	0.38	194
173515		4	1.43	4.22	0.23	142	<1	2.31	<1	170	40	<0.01	<5	154	0.08	9
173516		32	2.21	1.51	0.28	523	1	2.65	8	70	4	0.24	<5	93	0.10	10
173517		45	5.32	0.94	4.75	1030	<1	1.96	153	480	4	0.13	<5	292	0.27	137
173518		15	7.59	0.69	6.47	1430	<1	1.04	200	250	2	0.09	<5	195	0.34	213
173519		5	5.36	0.91	4.89	1065	<1	1.99	133	240	2	0.02	<5	151	0.27	161
173520		43	5.96	0.75	3.89	1165	<1	2.04	59	250	<2	0.10	<5	181	0.35	204
173521		3	4.08	0.81	2.66	798	<1	2.73	38	220	3	0.02	<5	213	0.23	130
173522		4	5.57	0.86	4.07	1120	<1	2.49	70	240	<2	0.04	<5	162	0.31	183
173523		15	7.05	1.01	5.16	1345	<1	1.33	97	250	<2	0.10	<5	89	0.38	233
173524		1	6.92	0.68	5.29	1250	<1	1.29	111	240	2	<0.01	<5	98	0.36	223
173525		5	2.72	0.19	0.07	114	<1	7.2	3	670	127	3.05	5	21	0.01	1
173526		2	7.39	0.33	5.07	1330	<1	1.41	114	240	3	0.01	<5	116	0.38	232
173527		22	6.71	0.18	3.91	1280	<1	1.22	138	230	3	0.09	<5	114	0.35	216
173528		16	7.61	0.23	5.06	1510	<1	1.32	156	240	3	0.05	<5	126	0.38	222
173529		7	7.38	0.31	5.06	1420	<1	1.48	126	230	<2	0.02	<5	134	0.37	225
173530		12	7.41	0.48	5.36	1450	<1	1.29	146	230	<2	0.06	<5	150	0.36	218
173531		91	7.82	0.53	5.22	1450	<1	1.83	198	690	5	0.34	<5	659	0.43	219
173532		88	5.66	0.52	4.82	958	<1	2.44	225	1430	4	0.48	<5	704	0.42	140
173533		20	0.58	0.82	0.05	81	1	3.84	<1	20	3	0.12	<5	66	0.03	1
173534 DUP		18	0.71	0.82	0.04	90	2	3.86	1	20	<2	0.11	<5	65	0.03	1
173535		5	1.94	4.08	0.20	163	<1	2.10	5	150	32	<0.01	<5	137	0.08	8
173536		341	8.26	0.44	3.67	1200	1	1.05	172	210	<2	0.98	<5	86	0.29	176
173537		78	8.32	0.30	5.41	1440	<1	1.39	134	210	<2	0.19	<5	104	0.37	224
173538		30	7.49	0.31	4.32	1275	<1	1.45	136	210	<2	0.14	<5	132	0.38	214



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 5 (A - C)

Finalized Date: 2-JUN-2006

Account: TRAVEN

Project: BLOCK A

<b>CERTIFICATE OF ANALYSIS VO06041498</b>
---

Sample Description	Method Analyte Units LOR	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
	173499		20
173500		<10	12
173501		110	73
173502		30	67
173503		40	59
173504		550	64
173505		280	65
173506		<10	18
173507		280	64
173508		<10	77
173509		<10	48
173510		30	77
173511		<10	82
173512		10	106
173513		<10	81
173514 DUP		<10	75
173515		<10	29
173516		<10	22
173517		<10	82
173518		<10	85
173519		<10	82
173520		<10	68
173521		<10	56
173522		<10	53
173523		<10	66
173524		<10	59
173525		<10	31
173526		<10	68
173527		<10	60
173528		790	77
173529		160	76
173530		10	74
173531		<10	89
173532		<10	83
173533		<10	4
173534 DUP		<10	4
173535		<10	26
173536		90	59
173537		<10	69
173538		10	60



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 2-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06041498**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
173539		1.48	0.584				<0.5	7.17	<5	140	<0.5	<2	7.02	<0.5	36	267
173540		2.73	0.385				<0.5	7.30	8	60	<0.5	<2	8.24	<0.5	49	306
173541		2.69	0.149				<0.5	7.91	5	80	<0.5	<2	8.88	<0.5	41	308
173542		2.69	0.069				<0.5	7.41	5	50	<0.5	<2	8.04	<0.5	39	284
173543		2.65	0.064				<0.5	7.15	<5	70	<0.5	<2	7.90	<0.5	38	293
173544		2.52	0.166				<0.5	6.55	12	110	<0.5	<2	6.76	<0.5	44	342
173545		0.06	1.000				10.7	7.94	12	40	3.1	<2	0.33	<0.5	1	6
173546		2.67	0.193				<0.5	7.13	11	120	<0.5	<2	7.77	<0.5	36	280
173547		2.52	0.344				<0.5	7.75	<5	200	0.6	<2	4.99	<0.5	19	84
173548		2.65	1.090				<0.5	7.28	<5	70	<0.5	<2	7.68	<0.5	34	283
173549		2.83	0.327				<0.5	6.37	6	50	<0.5	<2	7.17	<0.5	32	272
173550		2.90	0.205				<0.5	7.08	12	60	<0.5	<2	7.87	<0.5	42	302
173551		2.90	0.148				<0.5	6.98	<5	40	<0.5	<2	7.46	<0.5	39	306
173552		3.02	0.088				<0.5	6.96	6	50	<0.5	<2	7.90	<0.5	43	300
173553		2.75	0.167				<0.5	7.07	<5	70	<0.5	<2	8.01	<0.5	45	323
173554		3.00	0.048				<0.5	7.46	9	70	<0.5	<2	8.19	<0.5	40	299
173555		2.79	0.375				<0.5	7.48	9	40	<0.5	<2	9.55	<0.5	37	289
173556		2.36	0.119				<0.5	6.60	7	410	0.9	<2	1.98	<0.5	6	25
173557		2.87	0.393				<0.5	6.56	<5	170	0.6	<2	5.69	<0.5	59	240
173558 DUP		<0.02	0.338				<0.5	6.66	5	180	0.6	<2	5.62	<0.5	56	241
173559		0.13	0.005				<0.5	6.59	<5	520	0.9	<2	0.86	<0.5	3	8
173560		2.84	0.652				<0.5	6.70	<5	40	<0.5	<2	8.01	<0.5	136	314
173561		2.41	0.108				<0.5	7.00	8	170	<0.5	<2	6.02	<0.5	34	239
173562		2.63	0.227				<0.5	6.91	11	150	<0.5	<2	6.00	<0.5	29	234
173563		2.48	0.022				<0.5	7.52	<5	300	<0.5	<2	3.69	<0.5	15	128
173564		2.60	0.203				<0.5	6.65	5	40	<0.5	<2	7.72	<0.5	38	282
173565		2.96	0.050				<0.5	6.88	6	50	<0.5	<2	7.75	<0.5	38	289
173566		2.52	0.022				<0.5	7.14	9	150	<0.5	<2	5.75	<0.5	28	216
173567		2.82	0.218				<0.5	6.81	12	130	<0.5	<2	8.67	<0.5	35	260
173568		2.71	0.046				<0.5	7.00	7	110	<0.5	<2	7.53	<0.5	42	323
173569		0.07	1.750				18.6	7.74	11	50	3.1	<2	0.34	<0.5	2	4
173570		2.43	0.061				<0.5	7.00	9	90	<0.5	<2	6.95	<0.5	33	243
173571		2.50	0.105				<0.5	6.77	<5	30	<0.5	<2	8.18	<0.5	34	260
173572		2.95	0.017				<0.5	7.75	13	140	<0.5	<2	5.97	<0.5	35	95
173573		2.52	<0.005				<0.5	8.70	13	150	<0.5	<2	6.51	<0.5	38	103
173574 DUP		<0.02	<0.005				<0.5	8.35	<5	140	<0.5	<2	6.28	<0.5	38	101
173575		0.16	<0.005				<0.5	6.63	12	530	0.9	<2	0.87	<0.5	3	9
173576		2.98	<0.005				<0.5	8.53	9	130	<0.5	<2	6.65	<0.5	35	93
173577		2.85	<0.005				<0.5	7.82	12	140	<0.5	<2	6.15	<0.5	37	69
173578		2.93	<0.005				<0.5	7.88	9	170	0.5	<2	5.80	<0.5	43	46



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 2-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041498

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
173539		24	6.89	0.56	4.42	1205	<1	2.12	130	210	<2	0.09	<5	138	0.33	192
173540		69	8.47	0.36	4.86	1465	<1	1.52	252	230	<2	0.37	<5	144	0.36	213
173541		18	9.54	0.41	5.54	1655	<1	1.67	140	240	<2	0.04	<5	150	0.40	247
173542		12	6.50	0.27	5.12	1450	<1	1.66	122	230	<2	0.04	<5	141	0.37	228
173543		11	8.26	0.37	5.09	1405	1	1.54	131	210	<2	0.03	<5	128	0.36	225
173544		3	7.64	0.80	6.13	1320	1	1.29	175	200	<2	0.01	<5	82	0.35	216
173545		7	2.71	0.19	0.07	33	1	7.0	4	560	112	2.70	<5	22	0.01	2
173546		13	7.47	0.83	5.65	1360	<1	1.40	136	210	<2	0.02	<5	91	0.37	228
173547		23	5.74	0.77	2.24	967	1	2.59	27	1100	<2	0.15	<5	295	0.56	130
173548		4	7.45	0.53	5.18	1350	<1	1.63	109	230	<2	0.01	<5	133	0.40	241
173549		7	7.12	0.37	4.74	1280	<1	1.49	120	210	<2	0.03	<5	116	0.33	198
173550		8	8.36	0.36	5.31	1460	<1	1.77	138	220	<2	0.02	<5	135	0.37	233
173551		46	7.84	0.31	4.59	1355	<1	1.43	120	220	<2	0.08	<5	122	0.39	235
173552		80	8.14	0.28	4.74	1375	<1	1.47	119	210	2	0.12	<5	142	0.37	226
173553		119	6.10	0.58	4.70	1455	2	1.22	128	220	<2	0.30	<5	120	0.38	228
173554		23	8.34	0.32	5.30	1485	1	1.55	132	230	<2	0.09	<5	142	0.37	225
173555		37	8.06	0.28	5.39	1350	<1	1.88	118	230	<2	0.05	<5	91	0.37	214
173556		49	1.53	1.20	0.34	304	2	3.34	5	100	<2	0.28	<5	132	0.09	13
173557		234	5.77	0.63	3.13	964	1	2.18	106	190	<2	0.59	<5	141	0.28	128
173558 DUP		222	5.80	0.63	3.10	961	1	2.21	104	190	<2	0.61	<5	141	0.25	126
173559		5	1.84	4.27	0.21	157	1	2.31	3	150	30	0.01	<5	146	0.09	10
173560		429	9.74	0.31	4.47	1360	<1	1.51	157	200	<2	1.29	<5	136	0.35	217
173561		69	5.62	0.57	3.50	929	<1	2.37	90	240	<2	0.24	<5	179	0.26	144
173562		45	5.80	0.54	3.57	969	<1	2.43	88	200	<2	0.18	<5	166	0.28	161
173563		11	3.01	0.85	1.75	500	<1	3.42	47	140	<2	0.05	<5	178	0.16	84
173564		62	7.63	0.23	4.54	1340	<1	1.27	138	210	<2	0.15	<5	120	0.34	209
173565		32	7.79	0.29	4.74	1315	1	1.41	132	210	<2	0.09	<5	132	0.36	222
173566		10	5.49	0.46	3.41	921	<1	2.40	92	200	<2	0.03	<5	174	0.26	152
173567		20	6.54	0.50	4.27	1130	1	1.78	132	220	<2	0.14	<5	202	0.31	182
173568		26	7.70	0.91	6.03	1435	<1	1.10	164	210	<2	0.16	6	89	0.36	217
173569		5	2.72	0.18	0.07	106	<1	7.0	4	560	113	2.71	<5	20	0.01	2
173570		3	6.24	0.50	4.78	1195	1	1.38	94	220	<2	0.01	6	127	0.38	217
173571		8	6.70	0.22	4.12	1375	1	1.12	101	240	<2	0.03	<5	123	0.34	211
173572		92	6.04	0.55	2.87	1060	1	1.59	50	360	<2	0.20	<5	140	0.45	194
173573		75	6.67	0.61	3.42	1145	1	1.90	56	410	<2	0.14	<5	143	0.47	222
173574 DUP		76	6.41	0.59	3.29	1100	1	1.80	53	380	<2	0.13	<5	137	0.45	211
173575		7	1.94	3.96	0.19	193	1	2.12	6	170	30	0.01	<5	150	0.06	8
173576		48	6.69	0.59	3.57	1195	1	1.71	54	390	<2	0.07	<5	148	0.46	215
173577		24	6.53	0.79	3.46	1175	<1	1.75	55	380	<2	0.05	<5	160	0.45	219
173578		175	6.96	0.72	2.98	1215	1	1.75	61	1100	<2	0.49	5	351	0.68	209



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 6 (A - C)

Finalized Date: 2-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041498

Sample Description	Method Analyte Units LOL	ME-ICP81	ME-ICP81
		W ppm 10	Zn ppm 2
173539		<10	65
173540		10	65
173541		<10	78
173542		20	67
173543		<10	66
173544		<10	76
173545		<10	17
173546		<10	73
173547		<10	112
173548		10	75
173549		10	64
173550		<10	73
173551		10	73
173552		10	74
173553		10	85
173554		10	73
173555		20	69
173556		<10	17
173557		30	53
173558 DUP		20	52
173559		<10	27
173560		40	76
173561		10	92
173562		<10	71
173563		<10	35
173564		<10	76
173565		10	71
173566		<10	59
173567		20	68
173568		<10	80
173569		<10	18
173570		<10	55
173571		20	57
173572		<10	60
173573		<10	66
173574 DUP		<10	64
173575		<10	26
173576		<10	70
173577		<10	72
173578		<10	69



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 6 - A  
 Total # Pages: 6 (A - C)  
 Finalized Date: 2-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO6041498**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
173579		2.74	<0.005				<0.5	8.16	11	230	0.6	<2	5.46	<0.5	37	33
173580		2.79	<0.005				<0.5	7.89	<5	140	<0.5	<2	6.07	<0.5	35	120





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 5 - B

Total # Pages: 5 (A - C)

Finalized Date: 2-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041498

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	
173579		171	7.45	0.90	2.88	1265	2	1.86	52	1270	<2	0.56	<5	387	0.73	208
173580		10	6.53	0.89	4.06	1245	1	1.77	72	550	<2	0.03	<5	212	0.47	214



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 2-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06041498

Sample Description	Method Analyte Units LOR	ME-JCP61	ME-JCP61
		W ppm 10	Zn ppm 2
173579		<10	80
173580		<10	61



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 9-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06043895

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 9-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043895**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173681		2.87	0.009		<0.5	7.45	7	120	<0.5	<2	6.02	<0.5	24	107	7	6.96
173682		2.62	0.007		<0.5	7.45	<5	130	<0.5	<2	6.28	<0.5	25	110	4	7.18
173683		2.52	0.067		<0.5	7.29	<5	120	<0.5	<2	6.14	<0.5	24	104	6	6.81
173684		2.29	0.012		<0.5	7.49	<5	210	0.7	<2	4.86	<0.5	18	50	19	5.36
173685		2.52	0.299		<0.5	7.36	<5	110	0.5	<2	5.95	<0.5	22	92	8	5.83
173686		0.06	1.795		19.0	8.29	<5	60	3.4	<2	0.35	<0.5	2	4	6	3.15
173687		2.56	0.457		<0.5	7.52	5	60	<0.5	<2	7.51	<0.5	25	115	55	6.80
173688		2.31	0.125		<0.5	7.13	<5	140	0.5	<2	5.70	<0.5	24	113	219	6.24
173689		2.61	0.076		<0.5	7.72	<5	180	0.6	<2	6.44	<0.5	35	89	329	6.46
173690		2.69	2.07		0.6	7.28	<5	150	0.8	<2	5.52	<0.5	56	117	616	7.79
173691		2.71	0.277		<0.5	7.55	<5	110	0.5	<2	7.62	<0.5	51	128	361	7.42
173692		2.68	0.062		<0.5	7.06	<5	110	0.5	<2	7.12	<0.5	37	126	310	6.63
173693		2.62	0.024		<0.5	6.77	<5	340	0.9	<2	3.47	<0.5	11	57	17	4.06
173694		2.32	0.076		<0.5	7.31	<5	120	<0.5	<2	6.11	<0.5	44	127	284	7.06
173695 DUP		<0.02	0.095		<0.5	7.49	<5	120	<0.5	<2	6.30	<0.5	47	130	291	7.35
173696		0.15	0.008		<0.5	6.54	<5	540	0.9	<2	0.90	<0.5	2	10	16	2.11
173697		2.74	0.066		<0.5	7.45	<5	90	0.5	<2	7.28	<0.5	41	125	278	7.37
173698		2.90	0.041		<0.5	7.69	6	330	0.8	<2	6.42	<0.5	29	82	197	6.27
173699		2.50	0.016		<0.5	7.17	<5	220	0.9	<2	4.12	<0.5	22	41	127	4.73
173700		2.53	0.081		<0.5	7.11	7	120	<0.5	<2	6.00	<0.5	44	126	323	7.12
173701		2.82	0.051		<0.5	7.71	6	120	<0.5	<2	6.87	<0.5	44	126	356	7.15
173702		2.52	0.169		<0.5	7.94	<5	120	<0.5	<2	6.78	<0.5	49	142	303	8.23
173703		2.40	0.027		<0.5	7.67	<5	110	<0.5	<2	6.20	<0.5	45	125	223	7.80
173704		2.39	0.043		<0.5	7.76	7	110	<0.5	<2	6.31	<0.5	48	131	326	6.84
173705		2.13	0.066		<0.5	7.73	<5	120	<0.5	<2	6.14	<0.5	49	127	726	6.43
173706		2.42	0.052		<0.5	8.04	<5	70	<0.5	<2	6.88	<0.5	29	118	103	6.63
173707		0.06	1.005		10.2	8.89	6	50	3.0	<2	0.33	<0.5	1	7	8	2.79
173708		1.81	0.062		<0.5	7.30	<5	160	0.5	<2	5.81	<0.5	59	280	466	6.14
173709		2.56	<0.005		<0.5	7.15	6	290	0.5	<2	6.26	<0.5	39	516	40	6.05
173710		2.73	0.034		<0.5	7.72	13	160	<0.5	<2	6.19	<0.5	39	244	187	6.59
173711		2.81	<0.005		<0.5	6.08	<5	150	<0.5	<2	6.18	<0.5	43	570	21	6.40
173712		2.48	0.023		0.7	7.24	<5	160	<0.5	<2	6.41	<0.5	41	452	106	6.51
173713		2.67	0.012		<0.5	7.71	<5	270	0.7	<2	4.09	<0.5	18	79	71	4.79
173714		2.67	0.032		0.6	7.50	<5	160	<0.5	<2	6.42	<0.5	35	284	113	6.53
173715		2.59	0.045		0.5	6.95	<5	120	<0.5	<2	5.64	<0.5	30	129	157	6.10
173718 DUP		<0.02	0.047		<0.5	7.30	<5	130	<0.5	<2	5.97	<0.5	31	126	154	6.27
173717		0.16	<0.005		<0.5	6.69	14	500	0.9	<2	0.89	<0.5	3	16	6	2.05
173718		2.67	0.005		<0.5	7.53	<5	180	<0.5	<2	5.52	<0.5	27	106	46	6.60
173719		2.41	7.47		3.0	7.10	<5	160	<0.5	<2	5.04	<0.5	26	113	97	6.97
173720		2.27	0.084		<0.5	7.05	<5	310	0.7	<2	3.15	<0.5	9	68	31	3.71



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 9-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043895

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
173681		1.11	3.99	1095	1	1.62	54	370	2	0.03	<5	137	0.48	215	<10	62
173682		1.29	4.21	1095	1	1.43	60	400	7	0.02	<5	140	0.46	210	<10	67
173683		1.14	4.08	1070	1	1.54	63	370	2	0.02	<5	138	0.46	209	<10	69
173684		0.96	2.06	896	3	2.20	28	710	6	0.14	<5	178	0.47	138	<10	57
173685		0.80	3.34	985	2	1.87	55	470	7	0.04	<5	154	0.44	174	10	63
173686		0.19	0.07	113	2	7.2	5	650	138	3.23	<5	22	0.01	2	<10	20
173687		0.55	3.52	1230	2	1.49	59	360	7	0.17	<5	149	0.46	212	<10	65
173688		1.40	2.87	1010	2	1.40	55	410	<2	0.45	<5	117	0.43	196	<10	69
173689		1.28	2.25	1055	2	1.37	43	480	<2	0.65	<5	152	0.47	191	<10	92
173690		1.57	2.63	1100	2	1.26	68	380	5	1.44	<5	111	0.44	188	10	86
173691		1.21	2.62	1090	3	1.32	81	340	8	1.37	<5	153	0.46	210	10	61
173692		0.98	2.59	1080	2	1.40	69	320	6	0.88	<5	145	0.44	200	10	59
173693		1.40	1.54	896	4	2.34	22	170	3	0.10	<5	134	0.24	85	<10	49
173694		1.00	2.91	1080	1	1.55	77	350	5	0.74	<5	148	0.45	205	<10	91
173695 DUP		1.01	2.98	1115	2	1.58	80	360	4	0.86	<5	152	0.45	207	<10	91
173696		4.13	0.22	178	1	2.23	4	140	31	0.01	<5	152	0.08	9	<10	33
173697		0.67	2.86	1120	1	1.63	72	350	3	0.95	<5	162	0.43	206	10	73
173698		1.17	2.39	946	<1	1.90	41	830	7	0.62	<5	374	0.45	177	<10	69
173699		0.92	1.24	729	1	2.32	24	510	8	0.44	<5	171	0.41	124	<10	61
173700		0.87	2.73	1080	2	1.46	86	340	2	1.00	5	186	0.42	193	<10	77
173701		0.83	2.57	964	1	1.89	71	350	8	0.91	<5	177	0.46	206	<10	60
173702		0.77	3.16	1170	1	1.71	92	450	7	0.81	<5	201	0.53	225	<10	76
173703		0.57	3.30	1200	1	1.84	98	600	<2	0.53	<5	283	0.57	188	10	71
173704		0.64	2.99	1030	1	1.62	93	430	4	0.74	<5	210	0.44	177	<10	76
173705		0.99	2.75	1060	1	1.54	66	360	5	1.07	<5	136	0.41	186	<10	336
173706		0.58	3.64	1280	1	1.47	67	370	<2	0.30	<5	150	0.42	193	<10	87
173707		0.18	0.08	37	1	7.1	1	600	125	3.15	<5	22	0.01	2	<10	14
173708		0.74	3.52	953	1	1.66	124	420	8	0.90	<5	222	0.44	183	10	80
173709		0.88	5.99	1140	2	1.55	190	590	2	0.11	<5	380	0.37	139	<10	72
173710		0.74	4.32	1180	2	1.81	91	480	<2	0.57	<5	288	0.39	184	<10	63
173711		1.21	7.95	1315	<1	0.81	207	390	2	0.05	<5	146	0.27	156	<10	78
173712		1.08	6.89	1290	1	1.27	156	450	<2	0.12	<5	269	0.34	171	<10	78
173713		0.83	1.83	775	2	2.50	27	810	<2	0.25	<5	240	0.44	107	<10	57
173714		0.81	5.05	1225	1	1.61	106	500	<2	0.36	<5	276	0.36	171	<10	67
173715		1.08	3.29	1030	1	1.10	69	350	<2	0.57	<5	123	0.38	174	<10	83
173716 DUP		1.08	3.42	1065	1	1.16	70	340	<2	0.54	<5	129	0.38	175	<10	81
173717		3.67	0.26	186	2	2.16	8	140	34	0.01	<5	148	0.08	10	10	27
173718		1.28	3.80	1085	<1	1.09	64	360	4	0.18	<5	139	0.39	180	<10	63
173719		1.34	3.78	1055	1	1.21	71	360	<2	0.42	<5	119	0.41	185	10	96
173720		1.40	1.62	664	<1	2.23	32	180	2	0.24	<5	114	0.24	89	<10	86



**ALS Chemex**  
*EXCELLENCE IN ANALYTICAL CHEMISTRY*

ALS Canada Ltd.  
 212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 9-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043895**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173721		2.48	0.128		<0.5	7.47	<5	320	0.6	<2	4.50	<0.5	20	119	92	5.21
173722		2.55	0.050		<0.5	7.84	<5	130	<0.5	<2	5.61	<0.5	28	149	130	6.16
173723		2.30	0.417		<0.5	7.33	<5	150	<0.5	<2	4.77	<0.5	22	130	91	5.71
173724		2.46	0.077		<0.5	8.08	<5	210	<0.5	<2	6.47	<0.5	18	124	159	5.66
173725		2.72	0.187		0.8	7.13	9	150	<0.5	<2	7.05	<0.5	27	108	144	7.36
173726		0.05	1.850		18.7	9.15	<5	100	2.9	<2	0.35	<0.5	1	5	5	2.93
173727		2.61	1.505		0.5	6.46	<5	190	<0.5	<2	5.19	<0.5	28	140	204	5.63
173728		2.68	0.109		<0.5	7.21	<5	350	0.5	<2	3.96	<0.5	38	214	308	5.33
173729		2.83	0.052		<0.5	7.89	<5	230	0.5	<2	4.22	<0.5	38	581	205	5.63
173730		2.93	0.043		<0.5	6.89	<5	140	<0.5	<2	6.27	<0.5	40	675	41	8.23
173731		2.87	0.007		<0.5	7.53	<5	180	<0.5	<2	5.56	<0.5	19	101	19	7.17
173732		2.88	0.225		<0.5	7.15	<5	120	<0.5	<2	6.12	<0.5	21	130	129	6.06
173733		2.75	1.525		1.8	6.76	<5	140	<0.5	<2	5.48	<0.5	51	122	1800	7.84
173734		2.50	0.177	0.189	0.7	6.67	<5	130	<0.5	<2	4.73	<0.5	52	110	779	8.11
173735 DUP		<0.02	0.174		0.7	6.69	<5	140	<0.5	<2	4.71	<0.5	59	132	859	8.09
173736		0.14	0.006		<0.5	6.83	<5	580	0.9	<2	0.91	<0.5	2	15	18	2.35
173737		2.92	0.336		0.5	7.70	<5	160	<0.5	<2	5.73	0.5	36	139	495	6.79
173738		2.62	1.850		0.8	7.88	<5	150	0.5	<2	4.32	<0.5	43	124	357	7.30
173739		2.55	0.114		<0.5	8.19	<5	120	0.5	<2	5.63	0.6	47	153	508	7.43
173740		2.58	0.240		<0.5	8.21	<5	110	<0.5	<2	6.08	<0.5	34	142	328	7.34
173741		2.77	0.978		<0.5	7.97	<5	130	<0.5	<2	6.08	<0.5	38	139	379	7.20
173742		2.63	1.940		0.8	6.79	<5	130	<0.5	<2	5.46	<0.5	44	129	642	7.03
173743		2.51	0.415		0.5	7.68	<5	170	<0.5	<2	5.61	0.5	45	120	556	7.07
173744		2.30	0.028		<0.5	6.38	<5	350	0.8	<2	3.90	<0.5	17	101	37	4.18
173745		2.36	0.024		<0.5	6.95	<5	230	0.7	<2	5.03	<0.5	41	644	67	5.08
173746		1.95	0.283		0.9	7.66	<5	130	<0.5	<2	5.77	<0.5	36	120	480	7.92
173747		1.42	4.27		2.8	7.86	<5	190	<0.5	4	4.27	0.5	56	148	882	8.08
173748 DUP		<0.02	4.20		2.2	7.55	<5	190	<0.5	3	4.20	0.6	60	144	881	7.89
173749		0.16	0.005		<0.5	7.12	<5	550	0.9	<2	0.88	<0.5	4	18	14	1.98
173750		1.92	7.77		2.2	7.71	<5	190	<0.5	<2	4.47	0.8	42	142	767	7.92
173751		2.78	0.414		1.3	7.04	<5	250	<0.5	<2	5.60	<0.5	61	604	514	8.81
173752		1.76	1.545		0.6	5.79	<5	130	<0.5	2	5.57	<0.5	48	818	218	8.42
173753		4.03	0.511		0.5	5.11	<5	40	<0.5	<2	4.97	<0.5	53	1135	305	10.40
173754		2.71	1.715		<0.5	5.98	<5	40	<0.5	<2	5.07	<0.5	50	1075	83	9.81
173755		2.86	1.170		<0.5	6.27	<5	70	<0.5	<2	5.09	<0.5	48	1125	104	10.90
173756		2.83	2.02		0.7	6.67	<5	60	<0.5	<2	6.11	<0.5	52	1150	126	10.80
173757		0.06	0.947		11.2	8.88	<5	50	3.2	<2	0.36	<0.5	1	15	9	2.88
173758		2.71	1.395		<0.5	5.22	<5	20	<0.5	<2	6.09	<0.5	61	1370	54	8.38
173759		2.73	5.50		1.0	6.46	<5	50	<0.5	<2	4.28	<0.5	47	913	94	9.63
173780		2.61	0.201		<0.5	5.95	<5	20	<0.5	<2	6.56	<0.5	58	1235	16	8.00



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 9-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043895

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
173721		1.73	2.59	1035	2	1.56	61	310	3	0.69	<5	131	0.33	140	140	83
173722		1.51	3.30	1205	1	0.99	80	360	4	0.56	<5	137	0.43	193	10	77
173723		2.00	2.98	1060	<1	0.77	87	480	2	0.58	<5	123	0.40	170	20	53
173724		2.55	2.92	1365	1	0.65	78	390	3	1.07	<5	98	0.41	180	20	37
173725		1.95	3.85	1725	1	0.36	80	300	9	1.81	<5	89	0.37	181	50	55
173726		0.17	0.07	122	<1	7.2	4	680	126	3.32	<5	23	0.01	2	<10	17
173727		1.91	3.10	1205	1	0.49	95	320	2	1.41	<5	97	0.36	170	70	56
173728		1.99	2.14	951	1	1.58	114	340	5	1.47	<5	148	0.30	125	30	55
173729		1.21	3.54	954	1	2.05	216	390	6	0.96	<5	183	0.28	114	10	69
173730		1.07	8.09	1550	1	0.85	445	760	<2	0.33	<5	129	0.35	170	10	96
173731		1.00	4.07	1235	1	1.65	64	380	<2	0.11	<5	122	0.33	158	10	43
173732		1.33	3.28	1230	1	1.00	80	370	<2	0.38	<5	122	0.41	187	10	55
173733		1.80	3.49	1525	1	0.54	76	360	<2	1.62	<5	86	0.37	187	40	87
173734		1.24	3.41	1335	2	0.68	67	330	<2	1.67	<5	77	0.33	174	20	60
173735 DUP		1.41	3.40	1325	<1	0.68	71	330	<2	1.62	<5	77	0.38	193	20	69
173736		3.69	0.24	217	<1	1.95	3	170	34	0.03	<5	140	0.08	11	<10	24
173737		1.93	3.21	1140	1	1.44	72	370	3	0.56	<5	106	0.44	193	<10	80
173738		1.17	2.85	1120	<1	1.70	69	470	<2	0.84	<5	155	0.46	182	10	95
173739		1.03	3.14	1150	1	1.67	77	430	<2	0.99	<5	144	0.46	196	10	71
173740		1.05	3.48	1220	<1	1.62	64	420	<2	0.53	<5	149	0.46	206	10	72
173741		1.24	3.39	1230	<1	1.42	69	470	<2	0.64	<5	136	0.44	207	10	67
173742		1.44	3.05	1195	1	0.78	70	340	<2	1.18	<5	97	0.38	181	10	74
173743		1.48	3.26	1270	<1	1.20	61	400	<2	0.91	5	130	0.41	182	10	102
173744		1.47	1.99	614	<1	2.39	39	740	<2	0.19	<5	255	0.37	81	<10	60
173745		0.82	5.25	866	<1	1.90	220	470	<2	0.25	<5	253	0.25	102	<10	56
173746		1.08	3.65	1260	2	1.34	52	450	<2	0.83	<5	131	0.41	185	<10	116
173747		1.70	3.73	1090	1	1.38	82	380	<2	1.29	<5	121	0.44	196	10	146
173748 DUP		1.65	3.60	1060	1	1.34	80	380	<2	1.35	<5	116	0.43	191	10	144
173749		4.26	0.22	174	<1	2.10	4	160	33	0.01	<5	152	0.08	9	<10	31
173750		1.53	3.55	1125	1	1.31	65	410	<2	1.00	<5	110	0.43	202	10	134
173751		1.44	5.72	1355	1	0.81	261	380	<2	1.37	5	117	0.36	183	20	114
173752		1.12	6.67	1490	1	0.44	281	340	<2	1.23	8	103	0.23	139	<10	103
173753		0.60	8.23	1825	1	0.26	521	180	<2	1.80	<5	40	0.24	152	10	129
173754		0.40	9.86	1570	1	0.29	559	240	<2	0.73	<5	59	0.26	169	<10	129
173755		0.54	9.97	1685	<1	0.33	538	230	<2	0.76	<5	36	0.29	186	<10	115
173756		0.54	9.51	1835	<1	0.40	506	220	<2	1.00	<5	71	0.30	197	10	106
173757		0.19	0.10	40	1	6.8	5	630	119	2.96	<5	21	0.01	2	<10	19
173758		0.31	11.85	1655	<1	0.20	840	200	<2	0.46	<5	55	0.23	153	<10	117
173759		0.55	8.73	1710	<1	0.28	426	230	<2	0.62	<5	55	0.31	191	10	116
173760		0.30	9.98	1595	7	0.35	612	210	<2	0.09	<5	63	0.24	177	<10	86



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 9-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043895

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
	LOI															
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173761		2.60	2.31		0.5	5.22	<5	60	<0.5	<2	4.98	<0.5	51	1110	83	7.43
173762		2.77	0.391		<0.5	5.70	<5	20	<0.5	<2	5.50	<0.5	53	1395	83	9.10
173763		3.00	0.182		<0.5	5.80	<5	30	<0.5	<2	6.17	<0.5	58	1340	19	7.90
173764		2.81	0.157		<0.5	6.02	<5	30	<0.5	<2	5.92	<0.5	69	1360	15	8.04
173765		2.65	0.159		<0.5	6.12	<5	20	<0.5	<2	6.18	<0.5	69	1325	2	8.30
173766		0.06	1.835		19.9	9.32	<5	60	3.3	<2	0.38	<0.5	1	11	6	2.97
173767		3.07	0.159		<0.5	6.07	<5	70	<0.5	<2	5.20	<0.5	58	1170	6	7.83
173768		2.63	0.082		<0.5	5.92	<5	40	<0.5	<2	5.51	<0.5	59	1185	9	7.56
173769		1.81	0.062		<0.5	6.27	<5	50	<0.5	<2	5.83	<0.5	66	1235	15	7.79
173770		2.87	0.093		<0.5	6.81	<5	160	<0.5	<2	5.25	<0.5	58	994	13	6.91
173771		2.80	0.095		<0.5	6.46	<5	170	0.5	<2	6.62	<0.5	58	842	17	6.30
173772		2.66	0.051		<0.5	7.64	<5	420	0.5	<2	6.63	0.5	58	767	29	5.83
173773		2.54	0.156		<0.5	5.71	<5	80	<0.5	<2	5.76	<0.5	62	1180	25	7.71
173774		2.81	0.248		<0.5	5.36	<5	30	<0.5	<2	5.83	<0.5	59	1185	13	7.66
173775 DUP		<0.02	0.298		<0.5	5.21	<5	30	<0.5	<2	5.75	<0.5	58	1100	12	7.52
173776		0.13	<0.005		<0.5	6.98	5	570	1.1	<2	0.65	<0.5	3	26	8	2.45
173777		2.81	0.135		<0.5	5.76	<5	30	<0.5	<2	5.54	<0.5	62	1230	7	7.96
173778		2.64	0.085		<0.5	5.48	<5	50	<0.5	<2	6.21	<0.5	54	1025	11	7.45
173779		2.75	0.073		<0.5	5.18	<5	50	<0.5	<2	5.53	<0.5	54	1110	7	7.51
173780		2.72	0.145		<0.5	5.34	<5	<10	<0.5	<2	5.56	<0.5	57	1155	11	7.46





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 9-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043895

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
173761		0.64	8.24	1460	1	0.28	510	240	6	0.37	<5	86	0.21	158	10	113
173762		0.29	10.80	2050	<1	0.23	691	180	55	0.50	<5	49	0.21	170	<10	353
173763		0.27	10.40	1605	<1	0.22	634	230	45	0.08	6	58	0.23	171	<10	307
173764		0.23	10.80	1625	1	0.23	659	220	<2	0.05	<5	47	0.23	176	<10	91
173765		0.27	11.05	1630	<1	0.23	679	200	<2	0.01	<5	51	0.23	176	<10	86
173766		0.20	0.11	125	<1	7.00	8	660	122	3.04	6	22	0.01	3	<10	21
173767		0.53	9.67	1460	<1	0.23	597	250	<2	0.03	<5	80	0.25	164	<10	95
173768		0.33	9.91	1430	<1	0.66	607	240	<2	0.07	8	43	0.25	162	<10	110
173769		0.51	9.99	1510	<1	0.34	621	260	<2	0.08	<5	54	0.27	175	<10	122
173770		1.00	8.62	1375	1	0.52	511	350	<2	0.07	5	121	0.28	157	<10	87
173771		1.11	9.02	1250	<1	0.72	570	510	<2	0.09	<5	110	0.23	132	<10	74
173772		1.95	8.52	1090	<1	0.42	548	700	13	0.11	<5	198	0.22	123	10	281
173773		0.60	10.55	1450	<1	0.29	658	200	2	0.11	5	59	0.27	170	10	88
173774		0.28	10.40	1360	<1	0.30	652	180	<2	0.08	<5	57	0.25	165	<10	85
173775 DUP		0.29	10.15	1345	<1	0.29	628	170	3	0.07	<5	55	0.25	162	<10	83
173776		4.37	0.27	212	<1	2.11	9	160	39	<0.01	<5	149	0.08	9	<10	30
173777		0.33	10.85	1295	<1	0.26	693	200	2	0.04	<5	54	0.26	174	<10	82
173778		0.49	9.66	1320	<1	0.29	606	370	<2	0.06	<5	143	0.28	160	<10	86
173779		0.73	9.93	1280	<1	0.28	637	250	<2	0.06	<5	77	0.25	155	<10	87
173780		0.07	10.30	1315	<1	0.30	855	140	4	0.09	<5	53	0.24	162	10	129



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 8-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06043896

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 8-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043896

Sample Description	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 K %
Method Analyte Units LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
173781	2.69	0.157	<0.5	7.06	<5	140	<0.5	<2	5.19	<0.5	42	589	104	7.88	0.97
173782	2.83	0.808	<0.5	5.73	<5	50	<0.5	<2	5.42	<0.5	55	1315	8	7.86	0.36
173783	3.19	0.413	<0.5	5.75	<5	20	<0.5	<2	6.35	<0.5	60	1290	12	7.62	0.23
173784 DUP	<0.02	0.452	<0.5	5.89	<5	10	<0.5	<2	6.31	<0.5	61	1310	13	7.70	0.22
173785	2.70	0.217	<0.5	6.44	<5	190	<0.5	<2	4.49	<0.5	44	996	25	5.91	0.74
173786	2.43	0.010	<0.5	8.71	<5	630	0.8	<2	1.61	<0.5	4	23	9	1.06	2.15
173787	2.46	0.153	<0.5	5.06	<5	20	<0.5	<2	5.33	<0.5	55	1225	8	7.31	0.48
173788	2.63	1.295	<0.5	6.56	<5	50	0.5	<2	5.60	<0.5	46	879	87	7.62	0.59
173789	2.37	0.745	0.5	8.07	<5	450	0.8	<2	3.47	<0.5	12	16	54	4.61	1.47
173790	0.05	0.979	11.0	9.13	<5	50	3.2	<2	0.36	<0.5	1	8	9	2.87	0.20
173791	2.46	0.286	<0.5	7.53	<5	120	0.6	<2	3.62	<0.5	26	368	110	5.33	0.65
173792	2.55	0.069	<0.5	7.33	<5	190	0.5	<2	3.74	<0.5	26	270	45	5.21	0.70
173793	2.54	0.011	<0.5	8.01	<5	400	0.5	<2	2.51	<0.5	20	289	20	2.97	0.98
173794	2.47	0.048	<0.5	7.37	<5	330	0.6	<2	4.99	<0.5	47	639	20	5.73	1.38
173795	2.86	0.674	<0.5	6.59	<5	90	<0.5	<2	6.20	<0.5	61	1075	23	7.31	0.45
173796	0.16	<0.005	<0.5	7.04	<5	520	1.0	<2	1.01	<0.5	4	20	8	2.11	4.10
173797	2.21	0.039	<0.5	7.30	<5	60	<0.5	<2	6.73	<0.5	51	534	10	6.85	0.55
173798	2.60	0.044	<0.5	7.87	<5	130	<0.5	<2	7.30	<0.5	48	354	23	7.05	0.84
173799	2.77	0.138	<0.5	6.81	<5	130	<0.5	<2	6.84	<0.5	48	331	129	7.29	0.64
173800	2.92	0.148	0.7	7.19	<5	60	<0.5	<2	7.44	<0.5	48	349	294	7.37	0.57
173801	2.78	0.042	<0.5	7.34	<5	130	<0.5	<2	7.99	<0.5	43	356	208	7.83	0.62
173802	2.48	0.206	<0.5	7.57	<5	150	<0.5	<2	7.84	<0.5	37	424	52	7.03	0.93
173803	2.81	0.007	<0.5	7.46	<5	50	<0.5	<2	7.70	<0.5	47	361	18	8.16	0.36
173804	2.90	0.013	<0.5	7.19	<5	90	<0.5	<2	6.73	<0.5	47	366	18	7.74	0.58
173805	0.06	1.800	19.9	8.80	<5	60	3.1	<2	0.37	<0.5	2	8	6	2.88	0.19
173806	2.87	0.054	<0.5	7.29	<5	40	<0.5	<2	7.51	<0.5	53	373	818	7.58	0.52
173807	2.63	0.025	<0.5	7.08	<5	70	<0.5	<2	6.75	<0.5	47	358	62	7.81	0.47
173808	2.65	0.046	<0.5	7.42	<5	50	<0.5	<2	8.09	<0.5	49	350	116	8.15	0.35
173809 DUP	<0.02	0.039	<0.5	6.62	8	50	<0.5	<2	7.76	<0.5	45	361	140	7.74	0.32
173810	2.85	0.023	<0.5	6.87	6	90	<0.5	<2	7.72	<0.5	44	359	19	7.51	0.61
173811	2.63	0.099	<0.5	6.83	8	60	<0.5	<2	7.64	<0.5	47	348	432	7.50	0.41
173812	2.60	0.123	<0.5	6.89	9	100	<0.5	<2	7.58	<0.5	42	357	361	7.48	0.60
173813	2.42	0.019	<0.5	7.03	<5	130	<0.5	<2	6.33	<0.5	34	305	10	6.73	0.63
173814	2.44	0.028	<0.5	6.81	<5	190	0.5	<2	6.26	<0.5	27	237	13	5.24	0.70
173815	0.14	<0.005	<0.5	6.51	<5	520	0.9	<2	0.83	<0.5	3	14	7	2.17	3.93
173816	2.55	0.010	<0.5	7.05	<5	60	<0.5	<2	7.44	<0.5	40	350	29	7.46	0.51
173817	2.50	0.010	<0.5	7.26	<5	60	<0.5	<2	7.71	<0.5	43	366	35	7.88	0.46
173818	2.67	0.012	<0.5	6.71	<5	50	<0.5	<2	10.05	<0.5	36	320	19	7.37	0.44
173819	2.60	0.011	<0.5	7.25	<5	20	<0.5	<2	10.30	<0.5	40	297	12	7.55	0.39
173820	2.83	0.015	<0.5	7.34	<5	30	<0.5	<2	9.34	<0.5	42	335	10	7.65	0.36



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043896

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	
173781		6.46	1310	<1	0.78	323	840	19	0.72	<5	245	0.47	180	<10	149
173782		10.65	1330	<1	0.31	670	210	<2	0.06	<5	75	0.24	160	<10	96
173783		10.65	1450	<1	0.31	664	180	<2	0.10	<5	112	0.25	166	<10	82
173784 DUP		10.80	1445	<1	0.31	681	190	<2	0.10	<5	110	0.25	168	<10	83
173785		7.67	1085	<1	1.24	500	140	<2	0.09	<5	122	0.20	119	<10	75
173788		0.50	134	<1	3.63	10	220	<2	0.05	<5	195	0.10	19	<10	36
173787		9.75	1335	1	0.34	634	180	<2	0.04	<5	62	0.22	151	<10	92
173788		7.34	1330	1	1.21	428	430	35	0.63	<5	174	0.34	146	<10	209
173789		1.19	785	1	2.27	10	850	4	0.47	<5	136	0.48	111	10	53
173790		0.08	40	1	6.7	5	610	115	2.92	<5	21	0.01	2	<10	18
173791		3.28	880	1	2.62	128	780	2	0.51	<5	164	0.44	115	<10	64
173792		3.16	883	1	2.40	113	780	2	0.32	<5	191	0.46	118	<10	56
173793		2.75	435	<1	3.14	118	360	<2	0.15	<5	172	0.19	64	<10	56
173794		8.98	999	<1	1.11	358	650	2	0.08	7	406	0.27	128	<10	83
173795		9.85	1295	<1	0.72	593	430	<2	0.07	<5	174	0.27	183	20	94
173796		0.28	191	36	2.23	7	170	30	0.01	6	160	0.09	10	<10	30
173797		6.59	1320	<1	1.39	241	300	<2	0.01	<5	136	0.32	202	<10	69
173798		5.45	1285	<1	1.32	144	330	<2	0.03	<5	218	0.36	212	10	67
173799		4.75	1310	<1	1.48	176	220	<2	0.11	<5	180	0.34	208	<10	64
173800		4.54	1350	<1	1.51	155	220	<2	0.14	<5	156	0.36	212	10	66
173801		4.77	1530	<1	1.60	156	240	<2	0.15	<5	178	0.37	217	10	70
173802		4.40	1425	<1	1.52	153	240	<2	0.08	<5	177	0.37	220	20	64
173803		5.06	1430	<1	1.51	140	230	<2	0.02	5	174	0.37	225	10	71
173804		5.07	1425	1	1.79	146	220	<2	0.03	<5	174	0.36	220	<10	67
173805		0.09	115	1	6.7	5	590	114	2.96	<5	22	0.01	3	<10	20
173806		4.56	1380	<1	1.77	138	230	<2	0.10	<5	49	0.35	217	<10	59
173807		4.81	1400	<1	1.89	130	230	<2	0.06	5	153	0.36	215	<10	67
173808		4.93	1445	<1	1.68	132	240	<2	0.04	7	170	0.37	219	10	73
173809 DUP		4.70	1315	<1	1.58	123	230	9	0.04	<5	155	0.35	209	<10	70
173810		5.06	1355	<1	1.68	136	230	3	0.05	<5	136	0.34	202	<10	59
173811		4.80	1280	<1	1.59	127	240	5	0.10	<5	168	0.35	208	<10	66
173812		4.50	1350	<1	1.79	144	240	4	0.09	<5	170	0.35	205	<10	62
173813		4.00	1175	<1	2.07	104	220	10	0.02	<5	152	0.32	174	<10	59
173814		2.81	1045	<1	2.32	82	170	7	0.04	<5	152	0.26	130	<10	52
173815		0.21	184	1	2.11	7	180	34	0.01	<5	138	0.08	8	<10	27
173816		4.46	1310	<1	1.91	131	230	2	0.06	<5	130	0.37	213	20	65
173817		4.56	1345	1	1.62	129	250	8	0.14	<5	156	0.37	214	<10	63
173818		4.59	1460	<1	1.40	119	240	4	0.08	<5	158	0.35	200	<10	61
173819		4.50	1520	<1	1.57	119	250	5	0.03	<5	157	0.35	220	<10	61
173820		5.14	1475	<1	1.64	142	280	8	0.02	<5	156	0.35	221	<10	65



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 8-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043896

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
173821		2.83	0.018	<0.5	7.36	<5	20	<0.5	<2	9.03	<0.5	43	363	11	7.80	0.31
173822		2.58	0.016	<0.5	7.11	<5	30	<0.5	<2	10.10	<0.5	41	302	15	7.61	0.41
173823		2.79	0.102	<0.5	7.27	<5	20	<0.5	<2	8.00	<0.5	43	324	45	7.84	0.43
173824		2.73	0.047	<0.5	8.03	<5	30	<0.5	<2	8.71	<0.5	48	348	32	8.49	0.41
173825		0.05	0.842	9.9	7.99	6	20	3.1	<2	0.33	<0.5	<1	5	8	2.66	0.19
173826		2.71	0.116	<0.5	7.75	<5	30	<0.5	<2	8.17	<0.5	46	353	30	8.21	0.49
173827		2.69	0.016	<0.5	7.38	<5	40	<0.5	<2	8.22	<0.5	46	334	41	7.87	0.52
173828		2.79	0.030	<0.5	6.99	5	40	<0.5	<2	9.50	<0.5	42	309	30	7.59	0.51
173829		3.18	0.013	<0.5	8.06	<5	10	<0.5	<2	4.79	<0.5	47	242	9	6.40	0.38
173830 DUP		<0.02	0.015	<0.5	8.21	10	10	<0.5	<2	4.85	<0.5	48	250	10	8.50	0.38
173831		1.95	0.013	<0.5	7.67	<5	50	<0.5	<2	6.32	<0.5	41	324	18	8.04	0.82
173832		2.96	0.006	<0.5	7.73	9	30	<0.5	<2	8.38	<0.5	48	373	42	8.49	0.44
173833		2.57	0.007	<0.5	7.25	<5	<10	0.5	<2	9.39	<0.5	43	194	4	8.63	0.27
173834		2.69	0.005	<0.5	8.09	<5	160	0.6	<2	8.28	<0.5	38	331	3	8.44	1.66
173835		2.53	0.019	<0.5	6.23	<5	20	<0.5	<2	6.84	<0.5	46	349	1	8.48	0.62
173836		2.70	0.005	<0.5	8.56	<5	20	<0.5	<2	8.17	<0.5	40	345	1	8.35	0.82
173837		0.14	<0.005	<0.5	8.99	<5	530	0.8	<2	1.47	<0.5	3	18	4	1.63	4.11
173838		2.47	0.105	<0.5	6.94	<5	50	<0.5	<2	6.74	<0.5	43	344	3	7.90	0.55
173839		2.55	0.030	<0.5	7.04	10	130	0.5	<2	5.12	<0.5	28	235	17	5.63	0.67
173840		2.54	0.045	<0.5	7.02	<5	90	<0.5	<2	6.84	<0.5	36	313	9	7.44	0.62
173841		3.02	0.006	<0.5	8.13	<5	380	0.6	<2	2.60	<0.5	9	19	10	2.87	0.94
173842		2.83	0.069	<0.5	8.78	<5	60	<0.5	<2	8.81	<0.5	39	299	21	7.48	0.44
173843		1.89	0.062	<0.5	8.12	<5	400	0.5	<2	2.71	<0.5	8	61	6	1.73	1.03
173844		2.84	0.030	<0.5	7.76	<5	460	0.7	<2	2.57	<0.5	10	84	8	2.38	1.01
173845		0.06	1.775	19.9	8.12	7	70	3.2	<2	0.37	<0.5	1	4	14	3.04	0.19
173846		2.70	0.030	<0.5	7.44	5	300	0.6	<2	4.67	<0.5	38	76	128	8.14	0.97
173847		2.83	0.030	<0.5	7.30	6	180	0.5	<2	3.72	0.7	36	87	132	7.54	0.92
173848 DUP		<0.02	0.036	<0.5	7.22	8	180	0.5	<2	3.69	0.9	36	89	137	7.48	0.91
173849		1.88	0.027	<0.5	7.77	<5	170	0.5	<2	5.74	<0.5	31	85	91	7.68	0.74
173850		2.81	0.006	<0.5	8.15	<5	190	0.5	<2	5.64	<0.5	29	101	67	7.26	0.70
173851		2.77	0.110	0.9	6.86	10	210	0.8	<2	5.15	0.7	17	39	111	5.71	0.49
173852		2.75	0.011	<0.5	7.57	<5	240	0.7	<2	3.43	<0.5	22	64	148	6.33	0.69
173853		2.84	0.006	<0.5	8.27	<5	300	0.6	<2	6.49	<0.5	38	111	194	8.23	1.03
173854		2.71	0.017	<0.5	7.38	<5	270	<0.5	<2	5.62	<0.5	28	110	88	7.15	1.10
173855		0.12	<0.005	<0.5	7.16	<5	590	0.9	<2	0.94	<0.5	2	9	8	2.07	4.37
173856		2.70	<0.005	<0.5	6.88	8	180	0.9	<2	1.38	<0.5	3	7	29	3.72	0.34
173857		2.63	0.018	<0.5	7.62	<5	230	0.8	<2	4.67	<0.5	27	16	73	6.49	0.85
173858		2.38	0.028	<0.5	7.74	<5	330	0.8	<2	4.63	<0.5	26	15	63	6.36	0.83
173859		2.45	<0.005	<0.5	8.64	<5	350	0.8	<2	4.72	<0.5	22	11	49	4.78	0.81
173860		2.63	0.014	<0.5	7.28	<5	160	<0.5	<2	5.84	<0.5	40	12	153	7.89	0.65



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043896

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
173821		5.09	1405	<1	1.50	160	270	7	0.03	<5	149	0.36	222	<10	64
173822		4.68	1550	<1	1.54	136	250	5	0.04	<5	165	0.35	220	<10	60
173823		5.01	1470	<1	1.62	134	240	8	0.08	<5	141	0.35	222	10	62
173824		5.03	1565	<1	1.85	141	280	4	0.08	<5	164	0.39	249	<10	64
173825		0.06	34	<1	6.5	2	630	118	2.88	<5	20	0.01	1	<10	19
173826		4.62	1585	<1	1.91	140	260	7	0.04	<5	149	0.39	244	<10	65
173827		5.02	1545	<1	1.75	137	260	5	0.10	<5	142	0.37	230	<10	62
173828		4.45	1495	<1	1.64	122	250	5	0.05	<5	179	0.35	220	<10	61
173829		3.28	1100	<1	4.22	94	190	13	1.19	<5	76	0.29	154	<10	42
173830 DUP		3.31	1090	<1	4.34	96	220	11	1.22	<5	77	0.30	158	<10	43
173831		5.27	1650	<1	2.58	136	350	4	0.09	<5	125	0.36	221	<10	67
173832		5.24	1595	<1	1.97	168	360	10	0.15	<5	227	0.41	245	<10	88
173833		5.66	1555	<1	1.17	170	2110	7	0.42	<5	579	0.64	246	<10	78
173834		5.33	1740	<1	0.96	140	310	9	0.11	<5	270	0.37	229	<10	69
173835		5.65	1540	<1	1.64	148	260	7	0.08	<5	52	0.38	243	<10	67
173836		5.34	1615	<1	1.23	136	270	4	0.03	<5	118	0.39	244	<10	71
173837		0.30	172	<1	2.19	3	180	40	0.01	<5	183	0.09	14	<10	30
173838		5.18	1395	<1	2.16	135	240	8	0.07	<5	87	0.37	211	<10	62
173839		3.45	999	1	2.86	89	190	4	0.13	<5	88	0.27	140	<10	45
173840		4.51	1355	<1	2.03	124	390	12	0.07	<5	146	0.40	193	<10	71
173841		0.82	451	<1	3.72	9	550	7	0.06	<5	194	0.28	41	<10	44
173842		4.70	1400	<1	1.43	122	220	6	0.09	<5	193	0.35	205	10	65
173843		0.98	277	<1	3.72	20	210	6	0.03	<5	236	0.11	37	<10	37
173844		1.25	424	<1	3.75	28	160	7	0.05	<5	140	0.12	41	<10	35
173845		0.07	118	1	6.9	6	650	143	3.11	<5	21	0.01	3	<10	30
173846		3.37	1415	<1	2.05	81	1650	10	0.51	<5	301	0.63	178	<10	191
173847		3.17	1105	1	2.14	58	1360	9	0.89	<5	218	0.55	166	<10	457
173848 DUP		3.17	1110	<1	2.11	59	1400	7	0.65	<5	213	0.58	171	<10	437
173849		2.82	1360	<1	2.21	50	1360	11	0.32	<5	305	0.62	159	<10	86
173850		2.85	1320	1	2.21	52	780	5	0.23	<5	243	0.56	167	<10	100
173851		1.47	1185	1	2.63	24	540	52	0.39	<5	200	0.33	56	<10	303
173852		2.00	1110	1	2.79	35	960	7	0.34	<5	297	0.48	100	<10	73
173853		4.15	1555	1	1.79	96	1640	9	0.48	<5	378	0.65	195	<10	87
173854		3.45	1255	1	1.61	67	390	5	0.27	<5	187	0.42	178	<10	110
173855		0.24	193	1	2.21	7	180	39	0.01	<5	157	0.09	10	<10	31
173856		0.28	639	1	3.45	1	300	5	0.12	<5	138	0.21	<1	<10	24
173857		2.42	1025	1	2.78	28	430	6	0.17	<5	188	0.43	161	<10	74
173858		2.14	1020	1	2.46	22	410	10	0.32	<5	167	0.40	144	<10	91
173859		1.90	727	<1	3.04	19	330	9	0.15	<5	285	0.33	135	<10	61
173860		2.79	1160	1	1.70	31	470	13	0.65	<5	141	0.53	219	<10	88



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 8-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043896

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	
173861		2.75	<0.005	<0.5	7.55	<5	150	0.5	<2	5.95	<0.5	39	9	105	8.11	0.59	
173862		2.77	0.030	<0.5	7.67	11	160	0.5	<2	5.68	<0.5	38	6	132	8.80	0.70	
173863		2.62	0.053	<0.5	7.91	<5	150	0.5	<2	6.35	<0.5	39	5	126	9.14	0.60	
173864		2.71	0.109	<0.5	7.21	<5	140	0.5	<2	5.53	<0.5	45	5	298	9.50	0.63	
173865		2.75	0.101	<0.5	7.50	<5	140	0.6	<2	5.84	<0.5	46	4	282	11.00	0.59	
173866		0.06	0.991	10.6	8.99	<5	50	3.2	<2	0.39	<0.5	1	4	11	2.99	0.20	
173867		2.65	0.299	<0.5	7.33	<5	180	0.6	<2	5.14	<0.5	46	3	579	11.35	0.76	
173868		2.52	0.369	<0.5	6.86	<5	140	0.7	<2	4.81	<0.5	40	4	533	10.05	0.68	
173869		2.28	0.588	<0.5	7.13	<5	180	0.6	<2	5.01	0.6	37	3	474	9.80	0.68	
173870		2.45	0.062	<0.5	7.84	17	300	0.7	<2	4.11	<0.5	22	5	237	6.10	0.78	
173871		2.90	0.028	<0.5	8.04	6	190	0.8	<2	5.47	<0.5	38	31	317	8.72	0.76	
173872 DUP		<0.02	0.038	<0.5	7.39	17	170	0.5	<2	5.05	<0.5	35	28	289	8.04	0.69	
173873		0.16	<0.005	<0.5	7.20	9	590	0.9	<2	0.93	<0.5	3	10	9	2.64	4.32	
173874		2.75	0.008	<0.5	7.63	<5	130	0.6	<2	4.15	<0.5	36	19	277	7.78	0.61	
173875		2.27	<0.005	<0.5	9.13	<5	230	0.5	<2	4.54	<0.5	53	47	323	8.75	1.22	
173876		2.73	0.033	<0.5	7.54	<5	120	0.5	<2	4.62	<0.5	39	28	288	8.26	0.81	
173877		2.73	0.046	<0.5	7.99	<5	130	0.5	<2	6.12	<0.5	37	45	213	8.30	0.66	
173878		2.54	0.089	<0.5	7.85	<5	160	<0.5	<2	6.04	<0.5	36	124	79	7.38	0.81	
173879		2.44	<0.005	<0.5	8.11	<5	180	0.5	<2	5.41	<0.5	27	81	72	6.62	0.73	
173880		2.58	0.071	<0.5	7.73	<5	210	<0.5	<2	4.96	<0.5	33	119	91	7.33	0.99	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043896

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	10	2	
173861		2.88	1240	<1	1.84	33	480	9	0.34	<5	144	0.56	238	<10	81
173862		2.73	1340	1	1.88	20	540	5	0.48	<5	162	0.60	259	<10	88
173863		2.71	1425	1	1.89	18	600	7	0.42	<5	162	0.64	268	<10	87
173864		2.34	1375	1	1.68	18	530	9	1.10	<5	150	0.70	368	<10	89
173865		2.38	1600	<1	1.77	18	630	6	0.89	<5	150	0.89	546	<10	85
173866		0.09	45	1	6.7	3	640	123	3.01	<5	21	0.02	4	<10	17
173867		2.05	1455	1	1.73	9	700	7	1.91	<5	145	0.89	432	10	86
173868		1.61	1335	<1	1.90	4	790	6	2.08	<5	147	0.87	304	10	82
173869		1.91	1280	<1	2.12	8	730	69	2.13	<5	172	0.82	290	<10	209
173870		1.37	777	1	2.84	8	490	11	0.76	<5	258	0.50	178	<10	54
173871		2.79	1280	<1	2.06	53	1280	5	1.02	<5	334	0.82	229	<10	70
173872 DUP		2.58	1190	<1	1.90	46	1200	8	0.88	<5	305	0.76	216	<10	66
173873		0.24	223	1	2.24	4	170	34	0.01	<5	152	0.09	10	<10	29
173874		2.59	1285	<1	2.26	37	1100	8	0.44	<5	210	0.74	228	<10	78
173875		3.64	1475	<1	3.24	86	1860	4	0.72	<5	269	0.94	215	<10	62
173876		2.67	1250	<1	2.43	33	860	5	0.64	<5	219	0.63	208	<10	71
173877		3.00	1175	<1	2.10	33	570	7	0.69	<5	177	0.57	224	<10	68
173878		3.56	1195	<1	1.95	48	390	7	0.22	<5	180	0.46	211	<10	81
173879		2.72	1060	<1	2.25	39	620	8	0.20	<5	202	0.49	177	<10	84
173880		3.59	1145	<1	2.10	46	390	9	0.27	<5	182	0.45	201	<10	65





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 8-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06043897

Project: BLOCK A

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - B)

Finalized Date: 8-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043897

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %		
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	1	0.01	
173881		2.48	0.023		<0.5	7.45	<5	180	0.5	<2	5.15	<0.5	37	222	45	6.88		
173882		2.17	0.068		<0.5	7.37	11	240	<0.5	<2	4.77	<0.5	26	120	53	6.46		
173883		2.58	0.119		<0.5	7.94	6	40	0.5	2	5.46	<0.5	23	96	42	6.30		
173884		2.12	0.138		<0.5	8.56	<5	30	0.9	3	9.45	<0.5	18	79	9	6.38		
173885		2.13	0.011		<0.5	7.93	<5	10	0.8	<2	11.15	<0.5	21	90	13	5.68		
173886		1.85	0.648	0.701	0.8	2.40	<5	10	<0.5	2	2.75	2.5	7	35	784	1.54		
173887 DUP		<0.02	0.838	0.659	0.5	2.46	8	<10	<0.5	4	2.77	2.1	8	34	823	1.56		
173888		0.14	<0.005		<0.5	6.28	<5	490	0.9	<2	0.85	<0.5	2	11	11	1.76		
173889		1.63	1.395		0.9	1.49	5	10	<0.5	2	2.38	0.8	5	20	696	1.24		
173890		2.23	0.345		<0.5	8.33	9	10	0.9	<2	10.80	<0.5	19	66	267	5.01		
173891		2.65	0.135		1.6	8.50	9	10	1.1	<2	8.54	<0.5	32	102	1455	6.62		
173892		2.22	1.290		1.4	5.76	<5	20	0.6	<2	9.24	23.1	49	85	992	5.55		
173893		0.06	1.800		21.6	8.51	9	50	3.1	<2	0.35	<0.5	2	4	9	2.91		
173894		2.03	0.067		<0.5	9.42	<5	20	1.2	<2	8.96	1.0	18	47	170	5.13		
173895		1.76	0.213		0.7	3.66	<5	10	<0.5	<2	3.99	24.8	23	24	434	1.58		
173896		1.46	0.657		2.1	4.42	<5	<10	<0.5	<2	6.74	13.2	15	23	1080	1.70		
173897		3.50	0.047		<0.5	7.85	<5	40	0.8	<2	9.33	<0.5	24	99	11	6.28		
173898		2.62	0.736		0.6	7.81	6	240	<0.5	<2	5.00	<0.5	29	119	291	7.18		
173899		3.00	3.74		<0.5	7.46	<5	210	0.6	<2	4.27	<0.5	20	42	66	5.32		
173900		2.94	0.009		<0.5	7.71	<5	100	<0.5	<2	6.45	<0.5	31	114	2	6.71		
173901		2.87	0.436		<0.5	7.87	<5	180	0.6	<2	5.09	<0.5	26	68	47	6.13		
173902		2.61	0.012		<0.5	7.98	<5	110	0.6	<2	6.47	<0.5	33	65	112	7.11		
173903		2.98	0.016		<0.5	7.83	<5	140	<0.5	<2	6.29	<0.5	32	115	10	7.06		
173904		2.81	<0.005		<0.5	7.71	<5	170	0.5	<2	4.93	<0.5	25	72	23	5.84		
173905		0.07	0.976		10.9	8.47	<5	40	3.1	<2	0.32	<0.5	2	3	8	2.85		
173906		3.02	0.007		<0.5	7.51	<5	190	<0.5	<2	5.44	<0.5	27	106	5	6.74		
173907		2.75	0.011		<0.5	7.54	<5	130	<0.5	<2	5.64	<0.5	28	112	4	6.61		
173908		2.69	0.012		<0.5	7.37	7	170	<0.5	<2	5.30	<0.5	27	105	35	6.60		
173909		2.79	0.009		<0.5	8.19	<5	180	<0.5	<2	5.16	<0.5	23	85	32	6.41		
173910		3.13	0.142		<0.5	7.92	<5	160	<0.5	<2	5.92	<0.5	27	108	5	7.15		
173911		2.71	0.295		<0.5	7.88	<5	160	<0.5	<2	5.92	<0.5	24	115	4	6.56		
173912		2.73	1.260		<0.5	7.84	<5	160	<0.5	<2	5.58	<0.5	22	100	8	6.07		
173913		2.83	0.705		<0.5	7.92	<5	180	0.5	<2	5.45	<0.5	20	72	21	5.68		
173914		2.86	0.018		<0.5	7.34	<5	60	<0.5	<2	6.59	<0.5	24	107	3	6.12		
173915		2.77	0.029		<0.5	7.25	6	100	<0.5	<2	6.16	<0.5	25	99	18	6.20		
173916 DUP		<0.02	0.037		<0.5	7.44	7	110	<0.5	<2	6.28	<0.5	26	100	20	6.33		
173917		0.16	<0.005		<0.5	7.66	<5	600	0.9	<2	1.03	<0.5	3	12	7	2.44		
173918		3.03	0.017		<0.5	7.79	5	100	<0.5	<2	6.75	<0.5	23	102	34	6.28		
173919		2.79	0.009		<0.5	7.83	<5	60	<0.5	<2	7.31	<0.5	22	100	24	6.55		
173920		2.66	0.029		<0.5	8.38	<5	220	0.7	<2	4.94	<0.5	15	45	36	5.09		



**ALS Chemex**  
 EXCELLENCE IN ANALYTICAL CHEMISTRY  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 8-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043897**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
173881		0.76	4.51	1150	<1	2.23	112	660	6	0.09	5	176	0.43	193	<10	65
173882		1.21	3.57	1095	<1	1.98	53	380	7	0.13	<5	131	0.43	199	<10	68
173883		0.49	3.42	1060	<1	2.43	64	470	4	0.02	<5	48	0.42	166	10	52
173884		0.57	3.35	998	1	0.59	50	480	7	0.07	5	17	0.40	145	<10	46
173885		0.15	3.42	1100	<1	0.88	61	320	5	0.01	<5	20	0.36	178	10	41
173886		0.07	0.54	221	1	0.41	17	50	134	0.12	<5	7	0.06	37	<10	618
173887 DUP		0.07	0.53	217	2	0.43	18	40	85	0.12	<5	7	0.06	37	<10	580
173888		3.83	0.17	154	1	1.96	5	150	34	0.01	<5	140	0.07	7	<10	28
173889		0.07	0.37	149	2	0.16	12	20	27	0.09	<5	7	0.03	18	<10	182
173890		0.19	3.07	979	<1	0.77	48	230	20	0.06	<5	14	0.26	146	<10	174
173891		0.16	3.05	1015	<1	0.36	65	300	16	0.21	<5	20	0.37	169	<10	58
173892		0.30	2.84	939	<1	1.49	58	340	301	0.46	<5	32	0.29	132	<10	5710
173893		0.19	0.07	113	<1	7.2	6	640	125	3.00	<5	23	0.01	2	<10	47
173894		0.23	2.22	899	1	0.83	35	690	27	0.08	<5	26	0.45	107	<10	444
173895		0.08	0.57	243	<1	2.08	15	80	97	0.39	<5	18	0.07	25	<10	5620
173896		0.06	0.70	291	<1	1.23	15	80	57	0.31	<5	17	0.07	39	<10	3400
173897		0.65	4.19	1220	<1	0.84	60	350	6	0.02	<5	21	0.40	182	<10	60
173898		1.39	4.08	1070	<1	1.82	74	340	7	0.04	5	182	0.42	200	<10	93
173899		0.94	1.98	849	<1	1.96	28	640	10	0.18	<5	182	0.45	140	<10	69
173900		0.82	4.08	1155	<1	1.63	76	330	7	<0.01	<5	138	0.41	196	<10	77
173901		0.93	2.84	1005	<1	1.95	54	530	9	0.38	<5	176	0.43	159	<10	67
173902		0.75	3.75	1235	<1	1.86	29	810	9	0.28	<5	395	0.40	207	10	83
173903		1.08	4.39	1220	1	1.61	89	330	7	0.02	<5	170	0.41	195	<10	80
173904		1.16	3.06	914	<1	1.88	54	500	7	0.08	<5	174	0.43	164	<10	83
173905		0.19	0.07	36	<1	7.0	3	590	121	2.87	7	23	0.01	2	<10	17
173906		1.56	4.19	1050	<1	1.44	78	340	4	0.02	<5	158	0.38	178	<10	74
173907		1.21	4.22	1060	<1	1.31	78	330	2	0.01	<5	158	0.41	191	<10	74
173908		1.95	3.81	1090	<1	1.32	56	330	4	0.13	<5	112	0.41	190	<10	67
173909		1.24	3.39	1025	<1	1.90	45	510	7	0.15	<5	185	0.45	183	<10	66
173910		1.21	4.43	1135	<1	1.50	66	390	2	0.02	<5	148	0.44	206	10	70
173911		1.35	4.35	1055	<1	1.54	69	380	3	0.02	<5	152	0.43	206	<10	64
173912		1.18	3.97	989	1	1.70	71	440	5	0.06	<5	149	0.44	198	10	66
173913		1.09	3.14	942	<1	1.88	51	550	8	0.12	<5	176	0.46	171	10	72
173914		0.50	3.90	1085	<1	1.75	64	330	8	0.01	<5	149	0.40	194	<10	72
173915		0.77	3.56	1045	1	1.63	63	340	5	0.03	<5	157	0.41	193	10	67
173916 DUP		0.77	3.81	1070	<1	1.67	60	340	7	0.03	<5	162	0.41	191	<10	67
173917		4.38	0.26	199	<1	2.36	7	170	42	0.01	<5	163	0.08	11	<10	31
173918		0.59	3.32	1075	<1	1.73	57	460	5	0.14	<5	160	0.44	190	<10	71
173919		0.47	3.52	1145	<1	1.61	55	380	6	0.09	<5	150	0.42	192	10	70
173920		0.84	1.70	824	<1	2.45	26	780	4	0.19	<5	192	0.49	139	<10	59



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 8-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043897

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	
173921		3.00	0.076		<0.5	8.10	15	120	0.5	<2	6.04	<0.5	26	95	108	6.77	
173922		3.02	0.083		<0.5	7.79	<5	130	<0.5	<2	6.95	<0.5	32	122	444	6.90	
173923		2.62	0.081		0.5	8.20	<5	110	<0.5	<2	7.71	<0.5	34	117	541	6.94	
173924		2.52	0.199		<0.5	8.19	<5	160	0.6	<2	5.57	<0.5	24	156	255	5.79	
173925		2.79	0.514		<0.5	7.79	<5	290	0.6	<2	3.84	<0.5	20	157	156	5.55	
173926		0.06	1.780		18.7	8.48	<5	70	3.2	<2	0.35	<0.5	<1	5	6	2.76	
173927		2.44	0.041		<0.5	7.55	<5	350	1.0	<2	3.35	<0.5	15	185	184	3.84	
173928		2.65	0.018		<0.5	8.03	<5	140	<0.5	<2	6.83	<0.5	30	220	290	7.42	
173929		2.92	0.018		<0.5	8.68	<5	160	<0.5	<2	6.96	<0.5	39	164	274	8.40	
173930		2.71	0.110		0.8	8.50	<5	130	<0.5	<2	8.22	<0.5	37	132	649	6.63	
173931		2.68	0.226		<0.5	8.49	<5	150	0.5	<2	6.32	<0.5	29	103	156	7.08	
173932		2.64	0.074		<0.5	8.42	<5	150	<0.5	<2	6.73	<0.5	35	108	134	8.07	
173933		2.82	0.024		<0.5	8.38	<5	120	<0.5	<2	6.58	<0.5	40	122	162	8.92	
173934		2.79	2.76		1.3	8.57	<5	200	0.5	<2	5.40	<0.5	37	142	739	7.24	
173935		2.63	0.300		1.0	8.62	<5	140	<0.5	<2	6.27	<0.5	39	146	619	7.82	
173936		2.65	0.139		1.4	8.70	<5	80	<0.5	<2	6.85	<0.5	40	130	571	7.85	
173937		2.59	0.059		0.6	8.30	<5	100	<0.5	<2	7.07	<0.5	36	124	438	7.15	
173938 DUP		<0.02	0.072		0.5	8.03	<5	90	<0.5	<2	6.75	<0.5	35	125	397	6.90	
173939		0.14	<0.005		<0.5	7.42	<5	590	0.9	<2	1.06	<0.5	3	10	11	2.27	
173940		2.36	0.321		0.6	8.47	<5	110	<0.5	<2	6.60	<0.5	43	133	508	6.95	
173941		2.69	0.029		<0.5	7.90	15	150	0.5	<2	5.55	<0.5	31	88	300	5.81	
173942		2.62	0.156		0.7	8.06	<5	220	<0.5	<2	6.28	<0.5	58	127	1060	7.22	
173943		2.71	0.044		<0.5	8.18	8	200	<0.5	<2	4.94	<0.5	46	140	387	7.16	
173944		2.63	0.042		0.9	7.50	<5	50	<0.5	<2	5.40	<0.5	48	138	573	6.89	
173945		2.82	0.098		0.6	7.26	<5	140	<0.5	<2	5.51	<0.5	72	126	1035	7.68	
173946		0.05	1.005		13.1	8.41	5	60	3.2	<2	0.34	<0.5	1	6	9	2.75	
173947		2.50	0.131		<0.5	7.59	<5	110	<0.5	<2	6.48	<0.5	49	120	485	7.44	
173948		2.86	0.024		<0.5	8.11	<5	230	0.8	<2	4.29	<0.5	20	42	121	5.19	
173949		2.43	0.013		<0.5	7.75	<5	170	<0.5	<2	6.07	<0.5	29	106	65	7.19	
173950		2.53	0.210		<0.5	7.71	<5	90	<0.5	<2	6.30	<0.5	60	129	853	7.56	
173951		2.56	0.094		<0.5	7.77	<5	200	<0.5	<2	5.90	<0.5	54	141	505	7.33	
173952		2.49	0.159		<0.5	6.95	<5	300	0.7	<2	4.29	<0.5	26	112	439	4.88	
173953		2.03	0.049		<0.5	6.54	<5	480	1.1	<2	1.20	<0.5	1	8	24	1.50	
173954		2.51	0.700		1.7	7.56	<5	230	0.5	<2	6.04	<0.5	33	128	600	6.91	
173955		2.81	0.294		0.7	7.66	<5	290	0.5	<2	4.74	<0.5	18	80	204	4.84	
173956 DUP		<0.02	0.304		0.9	8.14	<5	300	0.5	<2	4.98	<0.5	20	81	212	5.20	
173957		0.14	<0.005		<0.5	6.88	<5	560	0.9	<2	1.06	<0.5	3	12	11	2.28	
173958		2.83	0.174		0.6	7.59	<5	210	<0.5	<2	6.38	<0.5	32	140	517	6.63	
173959		2.97	0.077		<0.5	7.99	<5	120	<0.5	<2	6.54	<0.5	31	134	247	6.91	
173960		2.53	0.073		0.6	7.36	<5	100	<0.5	<2	5.88	<0.5	33	125	308	6.82	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 8-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043897

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
173921		0.77	2.88	1110	<1	2.22	57	520	11	0.38	<5	196	0.46	189	10	79
173922		1.02	3.15	1085	<1	1.75	89	380	9	0.78	<5	188	0.44	209	20	75
173923		0.96	2.73	1105	<1	1.66	79	360	9	1.28	<5	197	0.45	209	<10	84
173924		1.03	2.56	966	1	2.01	56	580	9	0.68	<5	230	0.44	170	<10	64
173925		1.63	2.61	979	<1	2.41	59	700	9	0.13	<5	177	0.43	140	<10	96
173926		0.19	0.07	99	<1	6.9	2	620	124	2.99	<5	21	0.01	2	<10	19
173927		0.98	1.90	623	<1	3.06	57	230	13	0.39	<5	183	0.20	71	<10	66
173928		0.91	3.85	1210	<1	1.63	108	510	11	0.71	<5	210	0.47	218	10	83
173929		1.13	4.07	1330	<1	1.84	110	540	6	0.77	<5	211	0.51	224	<10	94
173930		1.21	2.62	1155	<1	1.54	75	420	7	0.97	<5	158	0.45	206	10	68
173931		1.15	3.31	1095	<1	1.52	60	480	6	0.44	<5	157	0.47	197	<10	65
173932		0.98	3.80	1305	1	1.64	69	560	8	0.32	<5	205	0.58	217	10	92
173933		0.77	3.65	1395	<1	1.95	102	770	8	0.36	<5	284	0.72	223	<10	106
173934		1.45	2.85	1210	<1	1.45	85	400	22	1.37	<5	129	0.47	211	20	96
173935		1.30	3.42	1385	<1	1.40	94	370	14	0.93	<5	135	0.48	235	20	83
173936		0.70	3.86	1405	<1	1.75	78	410	7	0.53	<5	142	0.47	222	<10	72
173937		0.90	3.62	1370	<1	1.45	71	370	7	0.41	<5	124	0.46	221	10	71
173938 DUP		0.87	3.48	1320	<1	1.43	69	370	4	0.40	<5	122	0.45	216	10	67
173939		4.32	0.27	187	1	2.30	6	180	39	0.01	<5	164	0.09	11	<10	28
173940		0.86	3.11	1165	<1	1.65	83	390	9	0.67	<5	142	0.47	216	<10	65
173941		1.04	2.33	971	<1	1.86	46	510	7	0.42	5	162	0.46	174	10	58
173942		1.67	2.80	1265	1	1.39	75	390	13	1.36	<5	152	0.44	208	20	56
173943		1.52	3.17	1175	<1	2.43	76	370	8	0.91	<5	140	0.46	216	10	56
173944		1.21	2.95	1130	<1	3.46	73	390	67	1.09	5	39	0.46	210	10	32
173945		1.27	2.56	1005	<1	1.51	102	340	16	1.83	<5	148	0.42	189	10	53
173946		0.19	0.07	36	<1	6.8	4	620	122	2.95	<5	21	0.01	1	<10	16
173947		0.97	3.38	1130	<1	1.32	97	340	36	1.24	<5	153	0.42	204	10	102
173948		1.06	1.55	787	<1	2.34	22	860	3	0.28	<5	213	0.47	114	<10	60
173949		1.18	3.85	1195	<1	1.30	69	380	4	0.23	5	152	0.44	203	10	88
173950		0.84	2.72	1105	<1	1.73	80	370	4	1.52	<5	160	0.44	201	10	54
173951		1.69	2.90	1095	<1	1.62	83	360	<2	1.29	<5	183	0.44	205	10	50
173952		1.02	2.06	701	<1	2.13	51	270	<2	0.76	<5	162	0.25	102	<10	57
173953		0.93	0.12	156	<1	3.40	<1	70	6	0.18	<5	124	0.09	2	<10	21
173954		1.40	2.91	1140	<1	1.40	63	360	2	1.07	<5	128	0.42	194	20	96
173955		1.53	2.23	861	<1	1.97	40	340	<2	0.81	<5	167	0.31	133	10	83
173956 DUP		1.61	2.33	911	<1	2.11	44	360	2	0.90	<5	179	0.32	142	10	86
173957		3.96	0.28	207	<1	2.14	4	170	32	0.01	<5	161	0.09	10	<10	29
173958		1.55	3.06	1215	<1	1.40	70	370	5	1.03	<5	164	0.43	198	10	77
173959		1.14	3.33	1140	<1	1.35	66	380	<2	0.59	<5	142	0.45	207	20	63
173960		0.97	3.24	1090	<1	1.22	72	340	<2	0.65	<5	147	0.42	195	<10	62



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - B)  
Finalized Date: 8-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043897

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
173961		2.60	0.064		<0.5	7.83	<5	160	<0.5	<2	5.88	<0.5	33	130	288	6.74
173962		2.84	0.132		<0.5	7.36	<5	330	<0.5	<2	4.42	<0.5	27	132	273	5.94
173963		2.65	0.123		0.6	7.56	<5	330	0.5	<2	5.06	<0.5	30	141	372	6.31
173964		2.95	0.125		<0.5	8.01	<5	200	<0.5	<2	5.77	<0.5	29	121	170	6.54
173965		2.88	0.891		<0.5	7.85	<5	170	0.5	<2	5.88	<0.5	30	119	205	6.58
173966		0.06	1.840		17.9	8.25	6	60	3.2	<2	0.34	<0.5	1	6	7	2.87
173967		2.72	0.048		<0.5	7.82	<5	220	0.6	<2	4.68	<0.5	16	79	116	5.34
173968		2.69	2.13		0.5	7.65	<5	190	<0.5	<2	5.84	<0.5	34	136	434	6.63
173969		2.88	0.206		0.6	8.15	<5	150	<0.5	<2	6.17	<0.5	33	118	489	7.56
173970		2.95	1.625		1.2	6.21	<5	150	<0.5	<2	5.83	<0.5	53	633	832	9.12
173971		3.29	7.91		0.7	4.33	<5	<10	<0.5	<2	5.44	<0.5	48	1580	133	8.40
173972		2.36	0.052		<0.5	4.30	<5	30	<0.5	<2	5.45	<0.5	66	1785	94	6.11
173973		2.79	1.030		1.1	5.65	<5	110	<0.5	<2	6.01	2.7	53	1520	206	6.60
173974		3.02	7.89	8.39	3.2	4.10	14	90	<0.5	<2	4.79	0.8	53	1160	143	6.14
173975 DUP		<0.02	9.42	9.03	3.9	4.60	<5	110	<0.5	<2	5.18	0.6	56	1160	145	6.64
173976		0.14	0.195	0.223	<0.5	7.03	8	560	0.9	<2	1.02	<0.5	2	21	9	2.54
173977		2.91	1.595		0.5	4.70	<5	40	<0.5	<2	4.89	<0.5	58	1485	83	7.37
173978		2.77	0.938		<0.5	5.27	5	20	<0.5	<2	6.03	<0.5	54	1150	18	7.31
173979		3.06	0.306	0.362	<0.5	5.88	<5	30	<0.5	<2	6.44	<0.5	56	1135	8	7.87
173980		2.66	0.089		<0.5	5.50	10	20	<0.5	<2	6.08	<0.5	58	1075	14	7.35



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043897

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	10	2	
173961		1.28	3.23	1125	<1	1.36	74	390	4	0.58	<5	174	0.44	193	<10	84
173962		1.88	2.66	1075	<1	1.28	64	340	2	0.76	<5	181	0.42	186	10	123
173963		1.99	2.90	1070	<1	1.42	76	550	5	1.06	<5	182	0.45	189	10	125
173964		1.50	3.17	1055	<1	1.31	79	440	6	0.56	<5	153	0.46	193	<10	151
173965		1.36	3.27	1210	<1	1.29	68	450	8	0.60	7	149	0.44	191	<10	222
173966		0.19	0.07	111	<1	6.7	5	640	133	3.12	<5	21	0.01	2	<10	22
173967		1.34	2.36	857	<1	1.83	47	510	2	0.43	5	153	0.41	136	10	68
173968		1.55	3.26	1165	<1	1.32	78	370	8	0.88	7	143	0.43	193	20	102
173969		1.20	3.79	1275	<1	1.32	68	420	8	0.86	<5	149	0.44	205	10	131
173970		1.08	4.73	1665	<1	0.56	290	340	5	2.72	<5	99	0.33	175	40	467
173971		0.07	11.00	1660	<1	0.27	820	150	6	0.94	<5	21	0.21	131	340	196
173972		0.14	11.80	1180	<1	0.33	893	230	5	0.41	<5	51	0.18	130	<10	214
173973		0.42	9.42	1460	<1	0.76	741	440	534	1.37	<5	164	0.19	118	10	2050
173974		0.42	7.98	1215	1	0.29	806	250	74	1.03	<5	64	0.16	110	<10	799
173975 DUP		0.50	8.63	1310	1	0.34	629	290	84	1.05	<5	74	0.18	121	10	777
173976		4.24	0.26	228	<1	2.17	7	180	36	0.01	<5	160	0.09	10	10	35
173977		0.34	11.80	1505	<1	0.20	808	150	105	0.34	<5	51	0.22	146	<10	735
173978		0.22	10.05	1370	<1	0.27	606	170	4	0.09	<5	54	0.21	164	10	80
173979		0.27	10.95	1455	1	0.30	657	200	2	0.04	<5	49	0.25	172	<10	65
173980		0.21	10.15	1320	<1	0.28	638	180	4	0.08	<5	48	0.23	173	<10	65



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 6-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06043898

Project: BLOCK A  
P.O. No.:  
This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**   
Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 3 (A - B)

Finalized Date: 6-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043898

Sample Description	Method Analyte Units LOR	WEI-21 Recvd WL kg	Au-AA23 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
173981		3.13	0.079	<0.5	5.97	<5	40	<0.5	<2	6.27	<0.5	66	1100	23	7.68	0.32
173982		2.77	0.128	<0.5	5.83	<5	20	<0.5	<2	6.16	<0.5	63	1115	5	7.47	0.20
173983		2.25	0.163	<0.5	5.78	<5	40	<0.5	2	6.12	<0.5	66	1075	9	7.49	0.30
173984		3.31	0.178	<0.5	5.44	<5	10	<0.5	<2	5.58	<0.5	63	1165	14	7.27	0.14
173985		2.60	0.424	<0.5	5.50	<5	10	<0.5	2	5.19	<0.5	65	1270	9	7.35	0.10
173986		2.81	4.59	0.6	5.77	<5	10	<0.5	<2	6.05	<0.5	73	1425	40	7.90	0.09
173987		0.07	1.020	9.9	8.11	5	40	3.0	<2	0.32	<0.5	<1	6	9	2.47	0.18
173988		2.65	0.870	<0.5	6.14	<5	10	<0.5	<2	6.19	<0.5	71	1355	24	8.00	0.07
173989		1.99	0.016	<0.5	8.78	6	510	0.7	<2	2.58	<0.5	15	169	11	2.10	1.14
173990		2.56	0.022	<0.5	8.44	5	590	0.8	<2	4.33	<0.5	16	111	59	3.29	1.70
173991		2.69	0.040	<0.5	7.29	<5	390	0.6	<2	3.87	<0.5	26	472	27	4.08	1.39
173992		2.89	0.315	<0.5	5.66	<5	20	<0.5	<2	5.97	<0.5	60	1090	8	7.31	0.15
173993		2.73	0.016	<0.5	6.47	7	270	<0.5	<2	6.68	<0.5	52	682	30	7.73	0.75
173994		3.40	0.012	<0.5	6.28	<5	300	0.5	<2	5.59	<0.5	54	827	29	6.28	0.88
173995		2.92	0.009	<0.5	6.32	9	550	0.9	<2	4.87	<0.5	41	409	39	4.99	1.57
173996		3.19	0.032	<0.5	6.34	<5	430	0.7	<2	5.51	<0.5	50	699	20	5.63	1.25
173997 DUP		<0.02	0.012	<0.5	7.00	<5	440	0.7	<2	5.91	<0.5	50	720	20	6.02	1.31
173998		0.14	<0.005	<0.5	8.66	<5	550	0.9	<2	1.01	<0.5	4	14	7	2.13	4.27
173999		2.92	0.032	<0.5	7.12	<5	230	0.6	<2	6.83	<0.5	49	721	39	5.60	0.99
174000		2.42	0.017	<0.5	6.71	10	210	0.6	2	6.26	<0.5	54	685	10	5.75	1.02
174001		3.06	0.058	<0.5	6.02	6	40	<0.5	<2	6.35	<0.5	67	1230	20	7.54	0.29
174002		2.82	0.106	<0.5	5.74	<5	<10	<0.5	<2	5.67	<0.5	69	1385	14	7.32	0.07
174003		2.92	0.019	<0.5	5.49	<5	10	<0.5	<2	5.96	<0.5	68	1460	21	7.18	0.12
174004		2.71	0.008	<0.5	6.92	<5	290	<0.5	<2	4.33	<0.5	43	845	10	4.99	0.87
174005 DUP		<0.02	0.009	<0.5	7.52	7	320	<0.5	<2	4.24	<0.5	40	739	12	4.81	0.86
174006		0.13	<0.005	<0.5	7.19	<5	550	1.0	<2	1.12	<0.5	4	38	12	2.98	4.40
174007		3.08	0.036	<0.5	6.30	6	20	<0.5	<2	6.23	<0.5	71	1165	6	8.05	0.20
174008		2.91	0.120	<0.5	7.35	6	270	<0.5	3	6.63	<0.5	53	739	31	7.03	1.43
174009		3.04	0.228	<0.5	7.36	6	200	<0.5	<2	5.88	<0.5	39	536	47	5.68	1.11
174010		2.96	0.015	<0.5	7.31	<5	170	<0.5	<2	6.44	<0.5	50	422	18	7.37	1.11
174011		3.19	0.018	<0.5	7.22	6	110	<0.5	<2	6.40	<0.5	50	398	23	7.40	0.81
174012		3.67	0.006	<0.5	7.66	7	110	<0.5	<2	6.54	<0.5	47	308	67	7.57	0.95
174013		2.54	0.080	<0.5	8.55	6	460	1.0	<2	1.31	<0.5	2	31	9	2.18	1.30
174014		1.82	0.362	<0.5	6.66	<5	390	1.0	2	1.13	<0.5	1	9	11	1.75	0.91
174015		0.06	1.875	17.8	8.30	<5	60	3.0	<2	0.33	<0.5	1	6	6	2.61	0.18
174016		3.63	0.054	<0.5	7.71	12	130	<0.5	<2	6.52	<0.5	40	220	4	6.90	0.96
174017		2.96	0.082	<0.5	7.38	7	50	<0.5	<2	6.43	<0.5	42	294	1	6.92	0.46
174018		3.12	0.282	<0.5	7.45	<5	60	<0.5	<2	6.92	<0.5	40	324	12	6.88	0.57
174019		3.15	1.230	<0.5	7.52	<5	60	<0.5	<2	7.19	<0.5	38	382	5	7.08	0.48
174020		3.15	0.194	<0.5	7.42	<5	50	<0.5	<2	7.58	<0.5	42	357	2	7.29	0.43



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 3 (A - B)  
Finalized Date: 6-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043898

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
173981		11.25	1465	<1	0.30	645	240	3	0.18	<5	81	0.26	172	<10	89
173982		10.45	1405	1	0.31	601	190	<2	0.02	<5	46	0.25	176	<10	81
173983		10.65	1390	<1	0.33	615	190	3	0.01	<5	61	0.25	176	<10	85
173984		10.25	1360	<1	0.28	602	180	2	0.07	<5	48	0.24	172	<10	82
173985		11.00	1305	<1	0.34	694	190	2	0.10	<5	39	0.23	166	<10	77
173986		11.15	1545	<1	0.34	720	190	2	0.08	<5	59	0.24	178	<10	87
173987		0.07	35	<1	8.8	4	590	113	2.68	<5	21	0.01	1	<10	15
173988		11.85	1585	<1	0.34	741	210	4	0.09	<5	59	0.26	182	<10	86
173989		1.58	294	<1	3.78	77	250	4	0.13	<5	247	0.11	37	<10	35
173990		2.49	592	<1	2.68	34	430	5	0.03	<5	293	0.15	83	<10	42
173991		4.19	695	<1	2.18	228	280	3	0.10	<5	216	0.17	84	<10	55
173992		10.50	1285	<1	0.37	635	180	4	0.07	<5	64	0.25	172	<10	77
173993		8.04	1390	<1	0.46	405	890	4	0.13	<5	213	0.41	180	<10	92
173994		9.05	1130	<1	0.63	559	720	<2	0.17	<5	323	0.28	135	<10	88
173995		6.97	796	<1	1.20	416	1340	2	0.20	<5	514	0.34	102	<10	72
173996		8.22	957	<1	0.75	529	940	<2	0.18	<5	316	0.29	119	<10	77
173997 DUP		8.80	1010	<1	0.79	541	1010	2	0.18	<5	334	0.29	122	<10	79
173998		0.29	188	1	2.23	5	170	33	0.02	<5	164	0.08	10	<10	27
173999		8.44	985	<1	0.84	479	750	2	0.31	<5	490	0.21	118	10	69
174000		9.27	1035	1	0.39	810	930	<2	0.06	<5	216	0.26	108	<10	76
174001		11.20	1360	<1	0.40	660	250	<2	0.07	<5	105	0.27	178	<10	75
174002		11.15	1265	<1	0.30	676	160	<2	0.07	<5	90	0.26	173	<10	72
174003		11.30	1310	1	0.30	744	140	<2	0.07	<5	70	0.24	160	<10	78
174004		6.87	839	<1	1.63	417	180	<2	0.05	<5	160	0.20	113	<10	60
174005 DUP		6.60	831	<1	1.67	405	200	7	0.05	<5	156	0.19	110	<10	60
174006		0.38	384	1	2.18	17	180	69	0.01	<5	166	0.09	13	<10	32
174007		11.55	1425	<1	0.45	682	210	2	0.02	<5	46	0.29	191	<10	86
174008		8.20	1385	<1	0.87	390	440	5	0.08	<5	192	0.30	176	<10	79
174009		6.16	1115	<1	2.22	230	500	4	0.15	<5	167	0.29	168	<10	68
174010		6.34	1440	<1	1.13	168	220	<2	0.05	<5	118	0.34	220	<10	67
174011		6.32	1395	<1	1.16	167	260	7	0.01	<5	114	0.34	212	<10	80
174012		5.44	1385	<1	1.44	114	250	4	0.01	<5	143	0.37	234	<10	75
174013		0.30	326	<1	2.76	6	80	9	0.05	<5	107	0.10	10	<10	31
174014		0.13	263	4	3.16	2	80	4	0.07	<5	105	0.08	3	<10	15
174015		0.06	110	<1	6.8	5	600	118	2.80	<5	21	0.01	2	<10	18
174016		4.92	1190	<1	1.33	74	230	6	0.01	<5	109	0.38	235	<10	59
174017		5.27	1115	<1	1.45	104	230	2	0.01	<5	93	0.34	221	<10	45
174018		5.14	1235	<1	1.39	113	230	4	0.06	<5	118	0.35	219	<10	57
174019		4.85	1185	<1	1.49	150	240	5	0.01	<5	139	0.35	208	60	62
174020		5.26	1250	<1	1.48	140	220	<2	<0.01	<5	142	0.36	216	<10	63



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 3 (A - B)

Finalized Date: 6-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043898

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	0.01	
174021		3.20	0.095	<0.5	7.25	12	90	<0.5	<2	6.84	<0.5	42	350	1	7.01	0.66
174022		3.20	0.115	<0.5	6.79	<5	60	<0.5	<2	7.20	<0.5	37	310	2	6.52	0.52
174023		2.65	0.060	<0.5	7.19	11	90	<0.5	<2	7.25	<0.5	42	347	6	6.97	0.53
174024		3.02	0.039	<0.5	8.08	<5	550	0.6	<2	1.64	<0.5	2	19	3	0.81	1.05
174025 DUP		<0.02	0.014	<0.5	7.73	<5	520	0.6	<2	1.56	<0.5	2	23	3	0.98	1.04
174026		2.63	0.463	<0.5	6.92	6	70	<0.5	2	7.15	<0.5	43	322	11	7.32	0.43
174027		2.90	0.075	<0.5	7.48	<5	30	<0.5	<2	8.22	<0.5	48	372	94	7.84	0.23
174028		2.96	0.168	<0.5	7.40	<5	40	<0.5	<2	7.62	<0.5	51	388	207	7.78	0.26
174029		2.63	0.005	<0.5	7.24	5	40	<0.5	<2	8.32	<0.5	42	365	20	7.26	0.30
174030		2.65	0.054	<0.5	6.33	<5	40	<0.5	<2	8.69	<0.5	49	303	519	6.70	0.25
174031		2.68	0.015	<0.5	6.90	<5	40	<0.5	<2	8.98	<0.5	45	335	33	7.57	0.31
174032		2.50	0.009	<0.5	6.84	<5	60	<0.5	<2	9.00	<0.5	43	323	34	7.51	0.34
174033		2.82	0.412	<0.5	7.40	<5	60	<0.5	<2	7.84	<0.5	52	371	491	7.94	0.30
174034		4.24	0.135	<0.5	7.15	<5	40	<0.5	<2	8.39	<0.5	52	350	299	7.57	0.30
174035		0.07	1.005	9.8	8.20	<5	50	3.0	<2	0.33	<0.5	<1	6	8	2.65	0.18
174036		4.49	0.018	<0.5	7.01	<5	40	<0.5	<2	7.77	<0.5	67	350	252	7.96	0.26
174037		2.96	0.014	<0.5	7.43	<5	40	<0.5	<2	8.98	<0.5	44	369	15	7.83	0.33
174038		2.88	0.036	<0.5	6.84	<5	90	<0.5	<2	8.29	<0.5	44	377	17	7.76	0.46
174039		0.13	<0.005	<0.5	6.62	<5	530	0.9	<2	0.97	<0.5	3	14	8	2.38	4.05
174040		2.69	0.031	<0.5	6.88	8	60	<0.5	<2	8.25	<0.5	44	308	3	7.54	0.36
174041		2.90	0.041	<0.5	6.24	<5	40	0.5	<2	6.99	<0.5	47	324	66	8.06	0.65
174042		2.73	0.006	<0.5	6.39	<5	70	<0.5	<2	0.83	<0.5	7	21	100	1.22	0.34
174043		1.72	0.025	<0.5	6.35	24	60	<0.5	<2	8.06	<0.5	45	312	35	7.22	0.63
174044		2.82	0.007	<0.5	6.71	10	70	<0.5	<2	7.90	<0.5	46	339	24	7.86	0.46
174045		2.92	0.015	<0.5	7.24	<5	200	0.5	<2	7.45	<0.5	35	150	72	6.91	0.67
174046		3.12	0.023	<0.5	7.70	<5	90	<0.5	<2	7.04	<0.5	37	295	1	7.13	0.50
174047		0.07	1.840	19.4	7.74	<5	60	3.1	<2	0.32	<0.5	2	6	7	2.55	0.18
174048		2.37	<0.005	<0.5	7.59	<5	290	0.5	<2	3.29	<0.5	14	103	6	2.88	0.88
174049		2.84	0.006	<0.5	6.92	13	40	<0.5	<2	7.62	<0.5	49	324	33	7.83	0.26
174050		3.19	0.021	<0.5	7.03	<5	60	<0.5	<2	8.35	<0.5	43	287	3	7.51	0.40
174051		2.92	0.068	<0.5	6.78	<5	50	<0.5	<2	7.60	<0.5	40	293	7	7.44	0.33
174052		2.62	0.067	<0.5	6.71	<5	160	0.5	<2	5.80	<0.5	34	301	27	6.31	1.31
174053 DUP		<0.02	0.036	<0.5	6.96	<5	160	<0.5	<2	5.94	<0.5	35	301	27	6.63	1.30
174054		2.68	0.054	<0.5	7.08	8	160	0.6	<2	5.10	<0.5	29	184	27	6.42	1.07
174055		2.27	0.249	<0.5	7.19	9	160	<0.5	<2	5.15	<0.5	28	208	196	5.13	0.95
174056		2.92	0.031	<0.5	7.19	<5	130	<0.5	<2	6.29	<0.5	34	253	4	6.19	0.62
174057		0.13	<0.005	<0.5	6.73	<5	510	0.9	<2	0.97	<0.5	4	17	8	2.84	4.19
174058		2.49	0.344	<0.5	6.84	<5	120	<0.5	<2	5.96	<0.5	36	278	11	6.30	0.66
174059		3.06	0.116	<0.5	6.76	10	80	<0.5	<2	7.96	<0.5	38	295	26	7.24	0.55
174060		3.21	0.032	<0.5	7.06	<5	50	<0.5	<2	7.57	<0.5	43	300	8	7.65	0.47



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 3 (A - B)

Finalized Date: 6-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043898

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Mg %	Mn ppm	Mo ppm	Na %	NI ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
174021		5.62	1210	<1	1.62	139	230	5	<0.01	<5	120	0.35	216	<10	61
174022		4.98	1185	<1	1.68	132	200	2	0.01	<5	98	0.32	198	<10	57
174023		5.26	1255	<1	1.40	134	220	2	0.04	<5	143	0.35	218	<10	64
174024		0.39	116	<1	4.30	6	170	5	0.01	<5	204	0.07	11	<10	27
174025 DUP		0.38	129	<1	4.25	7	180	5	0.01	<5	201	0.07	11	<10	26
174026		5.02	1320	<1	1.44	164	220	4	0.03	<5	149	0.32	208	50	63
174027		4.66	1330	<1	1.46	122	240	4	0.05	<5	116	0.36	226	<10	58
174028		4.73	1370	<1	1.79	130	240	3	0.06	<5	161	0.36	223	<10	65
174029		4.43	1340	<1	1.81	121	210	<2	0.02	<5	127	0.35	215	<10	57
174030		4.03	1305	<1	1.70	139	220	3	0.18	<5	177	0.31	182	160	57
174031		4.98	1360	<1	1.60	119	230	2	0.11	<5	112	0.34	217	<10	57
174032		4.69	1390	<1	1.62	122	220	2	0.03	<5	140	0.33	202	50	62
174033		4.49	1370	<1	1.62	124	230	5	0.14	<5	138	0.36	217	10	76
174034		4.41	1330	<1	1.54	114	220	22	0.24	<5	129	0.34	205	10	69
174035		0.07	35	<1	6.8	3	590	124	2.85	5	21	0.01	2	<10	16
174036		4.61	1355	<1	1.70	118	220	22	0.30	<5	134	0.35	218	10	98
174037		5.02	1330	<1	1.57	129	260	<2	0.05	<5	129	0.36	218	<10	41
174038		5.19	1340	<1	1.67	147	240	<2	0.08	5	158	0.35	211	<10	46
174039		0.26	211	1	2.22	7	150	30	<0.01	<5	185	0.09	10	<10	22
174040		5.16	1340	<1	1.71	135	240	<2	0.01	<5	159	0.36	213	<10	46
174041		5.32	1440	<1	1.51	134	250	<2	0.14	<5	67	0.36	206	<10	42
174042		0.47	142	1	4.9	11	110	<2	0.13	<5	65	0.12	9	<10	<2
174043		4.64	1360	<1	1.86	135	240	<2	0.18	<5	132	0.35	202	20	48
174044		5.88	1375	<1	1.62	191	530	<2	0.14	5	232	0.39	209	<10	57
174045		4.62	1125	<1	2.07	145	1770	<2	0.49	<5	886	0.54	184	<10	73
174046		4.81	1230	<1	2.22	109	250	<2	0.04	<5	185	0.34	198	<10	47
174047		0.07	107	<1	7.0	7	630	112	2.57	<5	22	0.01	2	<10	16
174048		1.79	429	<1	3.63	39	220	<2	0.04	<5	240	0.15	67	<10	30
174049		5.00	1320	<1	1.46	140	230	<2	0.07	<5	146	0.36	217	<10	50
174050		5.52	1330	<1	1.40	135	240	<2	0.02	<5	138	0.36	212	<10	49
174051		4.71	1290	<1	1.37	130	230	<2	0.07	<5	145	0.35	210	<10	47
174052		3.93	1235	<1	1.43	112	160	<2	0.61	<5	122	0.31	178	480	61
174053 DUP		4.10	1275	<1	1.50	114	180	<2	0.64	<5	130	0.32	183	630	61
174054		2.80	1145	<1	1.73	68	600	<2	0.39	<5	163	0.46	141	20	90
174055		3.05	939	<1	2.64	101	260	<2	0.57	<5	136	0.26	131	<10	69
174056		4.05	1115	<1	2.43	119	220	<2	0.03	<5	166	0.30	176	<10	51
174057		0.28	241	1	2.27	7	140	31	0.01	<5	165	0.08	10	<10	19
174058		5.09	1190	<1	2.10	133	230	<2	0.07	<5	106	0.32	160	<10	73
174059		4.75	1385	<1	1.44	136	230	<2	0.07	<5	114	0.35	212	<10	53
174060		5.06	1395	<1	1.75	140	260	<2	0.07	<5	160	0.37	220	<10	53



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 11-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06043899

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brookbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 11-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043899**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
179301		2.56	0.033		<0.5	7.80	9	210	0.6	<2	5.29	<0.5	29	112	94	6.42
179302		2.44	<0.005		<0.5	7.63	<5	160	<0.5	<2	6.34	<0.5	36	117	13	6.77
179303		2.61	0.016		0.6	7.54	<5	200	<0.5	<2	5.99	<0.5	37	114	58	7.13
179304		2.33	0.006		<0.5	7.84	<5	240	0.7	<2	6.32	<0.5	32	85	166	7.28
179305		2.46	<0.005		<0.5	7.64	<5	120	<0.5	<2	6.60	<0.5	37	125	4	6.71
179306		3.03	0.034		<0.5	7.80	<5	110	<0.5	<2	6.48	<0.5	42	121	48	6.75
179307		1.67	0.018		<0.5	7.85	<5	280	0.7	<2	4.88	<0.5	26	77	24	6.45
179308		1.49	0.009		<0.5	7.60	<5	220	0.5	2	5.75	<0.5	34	98	31	6.64
179308 DUP		<0.02	0.013		<0.5	7.40	<5	220	0.5	<2	5.60	<0.5	33	96	31	6.60
179310		1.79	<0.005		<0.5	8.21	<5	280	0.7	<2	5.19	<0.5	25	48	38	5.62
179311		2.50	0.019		<0.5	7.59	<5	260	0.7	<2	5.00	<0.5	28	88	43	6.40
179312		2.44	<0.005		<0.5	7.75	<5	160	<0.5	<2	6.36	<0.5	44	119	3	7.20
179313		2.41	0.012		<0.5	7.22	<5	370	1.0	<2	2.89	<0.5	8	18	72	4.71
179314		2.44	0.008		<0.5	8.42	<5	330	0.7	<2	4.77	<0.5	23	99	50	5.23
179315		2.42	0.140		<0.5	7.80	<5	150	<0.5	2	5.87	<0.5	36	114	248	6.93
179316		0.11	<0.005		<0.5	6.42	<5	540	0.9	<2	0.87	<0.5	4	11	7	2.23
179317		2.32	0.025		<0.5	8.47	<5	290	0.7	2	4.90	<0.5	22	22	92	6.04
179318		2.29	0.010		<0.5	8.43	<5	300	0.7	<2	4.70	<0.5	20	11	115	5.60
179319		0.06	0.995		9.8	7.98	<5	50	3.2	<2	0.34	<0.5	1	5	19	2.44
179320		2.46	<0.005		<0.5	8.38	<5	290	0.7	<2	5.04	<0.5	25	60	43	6.59
179321		2.02	<0.005		<0.5	6.71	<5	290	1.0	<2	2.31	<0.5	11	13	136	3.32
179322		2.44	<0.005		<0.5	8.04	<5	140	<0.5	<2	7.00	<0.5	37	165	10	6.52
179323		2.48	0.008		<0.5	8.12	<5	140	<0.5	2	8.59	<0.5	34	144	42	6.49
179324		1.95	<0.005		<0.5	8.25	<5	180	<0.5	<2	6.69	<0.5	40	156	92	6.96
179325		2.35	0.010		<0.5	8.25	<5	170	0.5	<2	6.14	<0.5	31	107	28	5.41
179326 DUP		<0.02	<0.005		<0.5	8.38	<5	170	0.5	<2	6.27	<0.5	29	107	28	5.61
179327		2.55	<0.005		<0.5	8.49	<5	230	0.6	<2	5.41	<0.5	34	99	27	5.51
179328		2.60	<0.005		<0.5	8.73	<5	180	0.5	<2	6.57	<0.5	35	112	51	6.18
179329		2.42	<0.005		<0.5	8.62	<5	130	0.5	3	6.95	<0.5	37	117	94	6.68
179330		0.09	<0.005		<0.5	7.04	<5	580	0.9	<2	1.04	<0.5	4	16	12	3.48
179331		3.21	0.005		<0.5	8.53	<5	130	<0.5	<2	6.88	<0.5	38	109	99	6.83
179332		2.31	<0.005		<0.5	8.39	<5	110	<0.5	<2	6.89	<0.5	33	108	43	6.72
179333		2.30	0.046		<0.5	7.36	5	200	0.5	<2	4.94	<0.5	28	84	37	6.36
179334		2.37	0.007		<0.5	8.60	<5	200	<0.5	<2	7.23	<0.5	31	138	36	7.72
179335		2.48	0.175		<0.5	8.11	<5	190	<0.5	<2	6.40	<0.5	24	118	3	7.40
179336		0.05	1.845		20.2	8.34	9	60	3.1	<2	0.34	<0.5	1	3	4	2.67
179337		2.29	0.016		<0.5	8.49	7	160	<0.5	<2	7.12	<0.5	23	123	26	7.81
179338		2.45	0.006		<0.5	8.15	5	130	0.5	<2	6.74	<0.5	34	74	178	7.64
179339		2.73	0.547		<0.5	7.67	8	160	0.6	<2	5.39	<0.5	28	85	218	6.85
179340		1.95	0.269		<0.5	7.64	<5	50	<0.5	<2	7.19	<0.5	43	138	343	7.85



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - B)  
Finalized Date: 11-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043899

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
179301		1.20	2.82	1075	<1	1.69	64	780	18	0.81	<5	258	0.51	181	<10	76
179302		1.08	4.11	1220	<1	1.26	95	370	5	0.04	<5	137	0.44	195	10	75
179303		1.23	3.87	1335	<1	1.30	92	640	6	0.20	<5	164	0.50	173	<10	79
179304		0.90	3.64	1350	1	1.77	82	1820	5	0.48	<5	585	0.65	173	<10	79
179305		0.72	4.24	1185	<1	1.81	109	350	5	<0.01	<5	123	0.43	191	<10	75
179306		0.89	4.26	1225	<1	1.34	108	360	2	0.04	<5	113	0.43	192	<10	71
179307		1.08	2.49	1265	<1	2.34	63	600	7	0.11	<5	159	0.43	106	<10	98
179308		0.89	3.40	1280	<1	1.97	88	470	4	0.15	<5	179	0.42	147	<10	107
179309 DUP		0.88	3.29	1280	<1	1.93	83	460	3	0.18	<5	176	0.41	141	<10	102
179310		1.16	2.38	984	<1	2.17	50	850	6	0.03	<5	221	0.52	149	<10	84
179311		0.82	2.76	1070	<1	1.91	72	520	5	0.23	<5	187	0.41	119	<10	77
179312		0.72	4.37	1245	<1	1.73	113	370	4	<0.01	<5	166	0.45	195	<10	87
179313		1.10	0.68	880	1	2.54	12	630	9	0.28	<5	198	0.34	26	<10	80
179314		1.08	2.59	984	11	2.76	55	720	7	0.18	<5	307	0.44	128	<10	79
179315		0.98	3.88	1285	1	1.75	100	440	6	0.13	<5	173	0.44	171	<10	118
179316		4.09	0.21	192	<1	1.95	4	160	33	0.01	<5	138	0.08	8	<10	27
179317		0.90	1.75	956	1	2.22	25	1460	7	0.40	<5	395	0.59	140	<10	58
179318		0.92	1.48	845	3	2.31	16	1350	18	0.45	<5	422	0.60	136	<10	54
179319		0.19	0.07	35	<1	6.7	4	630	107	2.53	<5	19	0.01	1	<10	18
179320		1.17	2.45	1085	4	2.18	51	920	4	0.17	<5	275	0.52	148	<10	70
179321		0.57	0.49	392	1	2.94	4	420	38	0.60	<5	246	0.25	38	<10	136
179322		0.61	3.80	1115	<1	1.62	72	340	7	0.01	<5	142	0.42	195	<10	71
179323		0.82	3.43	1090	<1	1.73	62	450	4	0.10	<5	166	0.43	172	<10	66
179324		0.90	3.59	1095	1	1.68	59	420	3	0.24	<5	154	0.45	192	<10	69
179325		0.75	2.59	1000	<1	1.77	63	760	5	0.08	<5	245	0.44	134	<10	63
179326 DUP		0.75	2.80	1005	1	1.84	63	810	3	0.08	<5	258	0.45	137	<10	63
179327		0.98	2.27	879	<1	1.96	69	950	6	0.09	<5	282	0.48	127	<10	66
179328		0.81	2.88	1110	<1	2.00	58	650	4	0.15	<5	222	0.47	169	<10	67
179329		0.68	3.30	1130	<1	1.85	59	530	5	0.26	<5	163	0.48	193	<10	72
179330		4.28	0.22	294	1	2.17	6	180	45	0.01	<5	158	0.09	10	<10	30
179331		0.66	3.43	1130	<1	1.69	66	410	<2	0.24	<5	148	0.44	203	<10	61
179332		0.56	3.45	1100	<1	1.73	63	340	<2	0.13	<5	140	0.43	206	<10	57
179333		1.09	2.95	1045	<1	2.05	43	590	<2	0.11	<5	170	0.47	181	<10	98
179334		1.31	3.95	1395	<1	1.57	63	390	2	0.24	<5	131	0.49	227	<10	92
179335		1.02	4.04	1195	<1	1.35	75	360	<2	0.03	<5	160	0.43	203	<10	64
179336		0.19	0.07	109	<1	6.9	5	640	110	2.78	<5	19	0.01	2	<10	13
179337		0.99	4.17	1410	<1	1.32	84	510	<2	0.13	<5	186	0.51	217	<10	106
179338		0.63	3.13	1280	<1	1.54	75	1200	3	0.66	<5	358	0.70	208	<10	71
179339		0.61	2.19	1100	<1	1.83	60	640	<2	0.74	<5	194	0.47	146	<10	72
179340		0.30	3.19	1190	<1	1.40	76	390	5	0.76	<5	134	0.45	202	<10	68



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 4 (A - B)

Finalized Date: 11-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043899

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
179341		2.59	0.042		<0.5	8.30	<5	50	<0.5	<2	7.55	<0.5	39	147	312	7.96
179342		2.23	0.055		<0.5	7.64	<5	80	<0.5	3	8.99	<0.5	35	133	319	7.90
179343		2.85	0.423	0.312	<0.5	7.98	<5	140	<0.5	3	6.05	<0.5	38	159	515	7.76
179344 DUP		<0.02	0.216	0.267	<0.5	7.79	<5	140	<0.5	2	5.92	<0.5	34	153	483	7.59
179345		2.55	0.145		<0.5	7.68	<5	70	<0.5	<2	6.75	<0.5	36	147	592	7.50
179346		2.24	0.745		<0.5	7.49	<5	70	<0.5	<2	6.93	<0.5	48	147	547	8.22
179347		2.29	0.015		<0.5	8.05	<5	50	<0.5	<2	8.09	<0.5	34	148	251	7.53
179348		2.44	1.830		<0.5	7.70	<5	30	<0.5	<2	7.61	<0.5	35	150	287	7.50
179349		2.13	0.087		<0.5	7.99	<5	60	<0.5	<2	7.25	<0.5	39	127	313	7.65
179350		2.63	0.152		<0.5	8.25	<5	70	<0.5	<2	7.46	<0.5	39	150	726	7.88
179351		2.48	0.966		<0.5	7.62	<5	40	<0.5	<2	6.98	<0.5	46	138	939	7.56
179352		0.16	<0.005		<0.5	6.69	<5	530	0.9	<2	0.87	<0.5	4	16	13	2.79
179353		2.45	0.152		<0.5	7.89	<5	50	<0.5	<2	7.60	<0.5	32	124	225	7.10
179354		2.44	0.182		<0.5	8.16	<5	120	<0.5	<2	7.52	<0.5	34	121	296	7.40
179355		2.54	0.022		<0.5	8.18	<5	130	<0.5	<2	6.91	<0.5	27	129	16	7.10
179356		0.04	0.955		10.7	8.75	<5	50	3.3	<2	0.35	<0.5	<1	5	8	2.82
179357		2.39	0.045		<0.5	8.35	<5	130	<0.5	<2	6.93	<0.5	30	133	2	7.45
179358		2.46	0.016		<0.5	8.10	<5	220	0.7	<2	5.31	<0.5	26	88	20	6.02
179359		2.36	0.122		<0.5	8.03	<5	190	0.5	<2	6.40	<0.5	33	162	18	6.82
179360		2.42	0.194		<0.5	8.54	<5	120	<0.5	<2	7.14	<0.5	32	126	3	7.30
179361		3.07	0.008		<0.5	8.51	5	110	<0.5	<2	7.47	<0.5	27	130	10	7.31
179362		2.79	8.36		<0.5	8.06	<5	100	<0.5	<2	6.93	<0.5	30	132	1335	7.25
179363		2.90	0.007		<0.5	8.05	<5	70	<0.5	<2	7.31	<0.5	26	136	81	7.03
179364		2.77	<0.005		<0.5	7.76	<5	80	<0.5	<2	6.93	<0.5	27	129	18	6.88
179365		2.71	1.440		<0.5	7.77	<5	130	<0.5	<2	5.95	<0.5	32	148	460	7.41
179366		2.70	0.172		0.5	8.03	<5	90	<0.5	<2	6.57	<0.5	35	137	649	7.16
179367		2.92	1.730		1.6	7.55	<5	140	<0.5	<2	5.70	0.6	60	142	1820	9.28
179368 DUP		<0.02	1.620		1.6	7.30	<5	140	<0.5	3	5.56	0.5	61	139	1860	6.95
179369		2.76	<0.005		<0.5	8.09	<5	50	<0.5	<2	7.49	<0.5	28	118	82	6.94
179370		2.87	0.515		<0.5	7.72	<5	60	<0.5	<2	7.25	<0.5	40	138	927	7.66
179371		2.89	0.065		<0.5	7.33	<5	40	<0.5	<2	6.88	<0.5	56	159	545	8.12
179372		2.86	0.402		0.5	7.80	<5	60	<0.5	<2	6.65	<0.5	46	138	1325	7.21
179373		2.70	0.098		<0.5	7.18	<5	80	<0.5	<2	6.05	<0.5	49	130	1005	7.51
179374		0.07	<0.005		<0.5	6.76	<5	520	0.9	<2	0.83	<0.5	5	14	16	2.72
179375		2.81	0.005		<0.5	8.08	<5	150	0.5	<2	6.16	<0.5	29	100	126	6.54
179376		2.91	0.045		0.5	7.63	<5	120	<0.5	<2	5.38	<0.5	87	142	1545	8.75
179377		3.08	0.007		0.5	8.07	<5	60	<0.5	<2	7.39	<0.5	30	126	61	7.02
179378		0.04	1.835		18.7	8.05	<5	60	3.1	<2	0.34	<0.5	1	4	6	2.76
179379		2.73	0.015		<0.5	7.93	<5	70	<0.5	<2	7.01	<0.5	31	127	32	6.87
179380		2.73	0.033		<0.5	7.53	<5	120	<0.5	<2	6.03	<0.5	34	138	176	7.09





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 11-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043899

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	0.01	1	10	2	
179341		0.39	3.46	1255	<1	1.55	76	410	3	0.80	<5	153	0.48	216	<10	66
179342		0.68	3.83	1240	<1	1.22	77	450	3	0.70	<5	169	0.45	197	<10	64
179343		1.08	3.15	1010	<1	1.48	79	430	3	1.01	<5	134	0.47	208	<10	56
179344 DUP		1.04	3.07	991	<1	1.44	72	430	3	1.06	<5	130	0.45	202	<10	54
179345		0.55	2.86	1065	<1	1.56	74	350	3	0.88	<5	149	0.44	199	<10	57
179346		0.51	3.07	1150	<1	1.43	85	360	5	1.37	<5	143	0.45	197	<10	58
179347		0.29	3.76	1300	<1	1.48	78	400	6	0.41	<5	144	0.47	214	<10	65
179348		0.18	3.30	1230	<1	1.46	78	380	<2	0.48	5	145	0.45	201	<10	61
179349		0.30	3.22	1285	<1	1.68	80	440	<2	0.48	<5	150	0.49	202	<10	70
179350		0.67	3.72	1295	<1	1.55	71	410	<2	0.67	<5	146	0.46	220	10	65
179351		0.30	3.35	1135	<1	1.47	71	370	4	0.70	<5	142	0.43	200	<10	56
179352		4.28	0.21	230	<1	2.04	3	160	33	0.01	<5	140	0.08	9	<10	26
179353		0.38	3.64	1220	<1	1.38	82	370	5	0.23	<5	141	0.44	210	<10	55
179354		0.54	3.91	1260	<1	1.82	70	680	<2	0.33	<5	334	0.45	215	<10	61
179355		0.96	4.03	1125	<1	1.60	74	480	<2	0.06	<5	176	0.46	218	<10	60
179356		0.20	0.07	37	<1	7.0	2	650	120	2.89	<5	18	0.01	1	<10	13
179357		1.14	4.30	1175	<1	1.63	80	410	<2	0.01	<5	148	0.47	226	<10	63
179358		1.14	2.76	1055	<1	2.04	56	590	<2	0.11	<5	166	0.47	168	<10	76
179359		1.18	4.32	1165	<1	1.61	89	510	2	0.08	<5	216	0.45	211	<10	93
179360		1.03	4.44	1240	<1	1.58	80	410	<2	0.02	<5	149	0.48	230	<10	65
179361		0.89	4.21	1260	<1	1.51	78	410	<2	0.03	<5	150	0.47	222	<10	62
179362		0.76	3.65	1200	<1	1.39	102	370	13	0.44	<5	135	0.44	214	<10	86
179363		0.59	4.02	1230	<1	1.53	67	390	<2	0.07	<5	148	0.45	217	<10	59
179364		0.76	3.92	1170	<1	1.31	68	380	<2	0.07	<5	127	0.44	211	<10	58
179365		1.02	3.54	1080	<1	1.42	90	360	<2	0.43	<5	130	0.43	214	<10	63
179366		0.60	3.38	1120	<1	1.64	69	500	<2	0.41	<5	209	0.47	210	10	70
179367		1.34	3.45	1150	<1	1.03	102	360	<2	1.82	<5	106	0.42	204	<10	261
179368 DUP		1.33	3.35	1125	<1	0.99	98	330	<2	1.52	<5	103	0.41	200	<10	254
179369		0.30	3.82	1285	<1	1.57	61	400	<2	0.11	<5	147	0.45	212	<10	60
179370		0.49	3.58	1310	1	1.40	71	370	<2	0.53	<5	131	0.44	216	<10	72
179371		0.29	3.27	1240	<1	1.28	97	360	<2	1.00	<5	128	0.42	200	10	67
179372		0.32	3.08	1135	<1	1.64	71	370	<2	0.78	5	134	0.45	196	<10	71
179373		0.54	3.06	1105	<1	1.50	79	380	<2	0.96	5	126	0.42	188	<10	76
179374		4.20	0.19	217	<1	2.15	6	150	30	0.03	6	140	0.08	7	<10	25
179375		0.73	2.84	1140	<1	1.87	58	780	<2	0.28	6	222	0.51	176	<10	73
179376		0.94	2.82	964	<1	1.60	108	350	<2	1.66	<5	124	0.45	168	10	68
179377		0.47	3.93	1290	<1	1.56	66	390	<2	0.12	<5	145	0.47	215	<10	69
179378		0.19	0.07	110	<1	6.7	4	650	113	3.02	<5	18	0.01	1	<10	17
179379		0.50	3.89	1235	<1	1.87	71	370	<2	0.08	<5	142	0.46	206	<10	61
179380		1.10	3.45	1190	<1	1.35	61	360	<2	0.43	5	130	0.44	203	10	71



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 11-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043899**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
179381		2.69	0.006		<0.5	8.34	<5	170	0.5	<2	5.86	<0.5	33	114	128	6.37
179382		2.84	0.078		<0.5	7.52	<5	300	0.7	<2	4.71	<0.5	33	148	220	5.48
179383		2.85	0.381	0.490	<0.5	7.87	<5	110	<0.5	<2	6.47	<0.5	62	147	603	8.06
179384		2.52	0.183	0.259	<0.5	7.73	<5	200	0.5	<2	5.59	<0.5	35	111	240	5.96
179385 DUP		<0.02	0.121		<0.5	7.63	<5	410	0.9	<2	3.32	<0.5	10	24	50	4.24
179386		2.67	0.180		<0.5	7.90	<5	200	0.5	<2	5.78	<0.5	35	114	241	5.98
179387		3.05	0.145		1.0	7.62	<5	80	<0.5	<2	6.27	<0.5	58	136	662	7.90
179388		2.46	0.211		<0.5	8.18	<5	330	0.7	<2	5.17	<0.5	28	91	418	5.50
179389		2.38	0.048		<0.5	7.84	<5	90	<0.5	<2	6.57	<0.5	37	136	302	7.49
179390		3.27	0.020		<0.5	8.05	<5	190	0.5	<2	5.37	<0.5	28	104	43	6.96
179391		2.64	0.250		<0.5	7.58	<5	260	0.5	<2	5.32	<0.5	30	128	90	7.02
179392		0.14	<0.005		<0.5	8.81	<5	560	0.8	<2	0.74	<0.5	2	14	10	2.72
179393		2.46	<0.005		<0.5	8.06	<5	190	0.5	<2	4.94	<0.5	23	102	78	5.12
179394		2.94	<0.005		<0.5	7.92	<5	140	<0.5	<2	6.21	<0.5	24	130	4	6.76
179395		2.99	0.016		<0.5	8.13	<5	160	<0.5	<2	6.15	<0.5	28	140	6	6.85
179396		0.06	0.984		9.7	8.27	13	50	3.1	<2	0.32	<0.5	1	5	8	2.72
179397		2.67	0.035		<0.5	7.63	<5	200	0.6	<2	5.05	<0.5	21	84	31	5.79
179398		2.43	0.190		<0.5	7.57	<5	120	0.5	<2	6.32	<0.5	20	93	19	5.73
179399		3.10	0.009		<0.5	7.83	<5	120	0.5	<2	6.30	<0.5	20	92	35	6.09
179400		2.81	0.204		<0.5	7.62	<5	180	0.6	<2	5.37	<0.5	18	72	42	5.88



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 11-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043899

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
179381		1.06	3.13	987	<1	1.82	87	1160	<2	0.32	<5	398	0.52	158	<10	58
179382		1.18	2.59	762	<1	1.91	89	880	4	0.70	<5	432	0.40	118	<10	71
179383		0.93	3.21	1085	<1	1.33	74	370	<2	1.08	<5	144	0.46	212	<10	142
179384		0.72	2.50	927	<1	1.93	52	340	<2	0.55	8	218	0.37	158	<10	79
179385 DUP		1.24	0.87	778	<1	2.83	12	640	2	0.22	5	243	0.37	56	<10	65
179386		0.73	2.81	959	<1	1.97	54	350	<2	0.48	5	223	0.38	164	<10	87
179387		0.60	3.47	1070	<1	1.54	71	360	30	1.16	<5	164	0.44	200	<10	104
179388		1.14	2.39	834	<1	2.11	47	380	<2	0.43	6	262	0.35	136	<10	70
179389		0.78	3.82	1115	<1	1.36	75	380	<2	0.36	<5	136	0.44	197	<10	79
179390		1.03	3.20	1120	<1	1.86	84	580	<2	0.20	8	182	0.51	152	<10	75
179391		1.39	3.68	1075	<1	1.37	98	540	<2	0.22	<5	126	0.47	179	<10	80
179392		4.46	0.18	220	<1	2.06	6	170	30	0.01	5	142	0.08	6	<10	26
179393		1.25	2.35	809	<1	1.78	68	1060	<2	0.28	6	270	0.47	125	<10	58
179394		1.04	3.94	1145	<1	1.78	59	400	<2	0.01	5	148	0.48	211	<10	72
179395		1.25	4.19	1110	<1	1.80	64	360	<2	0.01	5	142	0.46	210	<10	78
179396		0.20	0.07	36	<1	6.4	2	830	116	2.94	5	19	0.01	<1	<10	15
179397		1.17	2.86	989	<1	1.93	58	770	<2	0.16	<5	240	0.51	168	<10	83
179398		0.55	2.86	1140	<1	1.90	46	450	3	0.10	<5	172	0.44	170	<10	63
179399		0.56	2.86	1115	<1	1.83	46	600	3	0.14	<5	176	0.50	184	<10	66
179400		0.87	2.39	1085	<1	1.90	36	680	3	0.17	<5	185	0.49	161	<10	79



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06043910

Project: BLOCK A  
P.O. No.:  
This report is for 81 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 16-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043910**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
179401		2.75	0.074		0.5	7.96	<5	250	0.8	<2	4.66	<0.5	21	69	148	5.32
179402		2.77	0.262		0.7	7.49	<5	250	0.7	<2	7.56	<0.5	34	184	268	7.02
179403		2.47	0.129	0.126	0.7	7.86	<5	110	<0.5	<2	5.65	<0.5	31	136	548	7.31
179404 DUP		<0.02	0.187	0.117	1.0	8.04	5	110	<0.5	<2	5.79	<0.5	30	128	576	7.69
179405		2.80	0.540		1.1	7.58	<5	180	<0.5	2	4.91	<0.5	48	140	905	7.74
179406		2.82	0.026		<0.5	8.29	9	180	0.6	<2	6.43	<0.5	36	164	110	7.81
179407		2.91	1.605		<0.5	8.01	<5	170	0.5	<2	4.87	<0.5	36	95	506	6.92
179408		2.73	2.23		<0.5	7.64	<5	130	<0.5	<2	6.15	<0.5	29	115	166	7.20
179409		0.06	1.795		20.1	8.22	<5	50	3.0	<2	0.32	<0.5	<1	3	5	2.63
179429		0.11	<0.005		<0.5	6.82	<5	530	0.9	<2	0.73	<0.5	3	12	13	2.80
179430		2.76	0.184		<0.5	7.98	6	110	<0.5	<2	6.34	<0.5	37	118	376	7.50
179431		2.72	0.007		<0.5	7.47	<5	90	<0.5	<2	6.68	<0.5	25	98	25	6.57
179432		2.73	0.005		<0.5	8.36	5	170	0.6	<2	5.82	<0.5	23	57	52	6.31
179433		2.68	0.542		<0.5	7.40	<5	120	0.5	<2	5.78	<0.5	20	79	27	5.95
179434		3.06	0.253	0.122	<0.5	7.79	<5	110	0.5	<2	6.49	<0.5	36	55	72	7.46
179435		0.07	0.990		9.7	7.85	<5	40	3.2	<2	0.32	<0.5	1	3	6	2.37
179436		2.79	0.030		<0.5	7.55	<5	180	0.5	<2	5.55	<0.5	23	70	63	6.54
179437		2.75	0.046		<0.5	7.11	<5	300	1.0	<2	2.70	<0.5	9	12	35	3.47
179438		2.43	0.014		<0.5	7.40	<5	160	<0.5	<2	6.22	<0.5	26	110	5	6.63
179439		2.80	0.005		<0.5	7.30	<5	110	<0.5	<2	6.00	<0.5	25	93	23	6.70
179440		3.27	0.148		<0.5	7.74	7	140	<0.5	<2	5.94	<0.5	24	102	5	6.90
179441		2.83	0.566		<0.5	7.54	<5	140	<0.5	<2	6.16	<0.5	24	102	25	6.27
179442		2.91	0.029		<0.5	7.66	<5	160	<0.5	<2	6.30	<0.5	34	102	105	7.88
179443		2.75	0.680		1.6	7.31	<5	130	<0.5	<2	5.62	<0.5	26	94	912	6.37
179444		1.81	0.076		<0.5	6.52	5	230	<0.5	<2	3.54	<0.5	24	108	142	6.66
179445		3.40	0.017		<0.5	6.98	<5	360	1.0	<2	2.03	<0.5	7	5	41	2.85
179446		0.06	1.780		18.4	8.06	<5	50	3.0	<2	0.33	<0.5	1	3	5	2.81
179447		2.54	0.007		<0.5	7.78	<5	90	0.5	<2	6.39	<0.5	44	118	97	9.28
179448		2.93	0.013		<0.5	7.63	<5	160	<0.5	<2	5.96	<0.5	36	112	168	7.92
179449		2.86	0.047		<0.5	7.68	6	270	0.6	<2	3.79	<0.5	18	57	103	5.41
179450		3.23	0.110		<0.5	7.25	<5	250	<0.5	<2	4.19	<0.5	29	172	78	6.44
179451		3.52	0.027		<0.5	7.83	<5	220	0.6	<2	4.11	<0.5	31	58	159	5.19
179452		3.13	0.059		0.5	7.95	<5	220	0.5	<2	5.09	<0.5	52	105	646	6.30
179453		0.17	<0.005		<0.5	6.83	8	550	0.9	<2	0.95	<0.5	5	17	11	2.74
179454		2.06	0.211		1.3	7.46	<5	150	<0.5	<2	4.82	<0.5	62	154	1375	6.40
179455		2.79	0.037		<0.5	7.54	<5	100	<0.5	<2	5.93	<0.5	57	146	481	7.14
179456		2.79	0.051		0.6	8.10	<5	130	0.5	<2	5.95	<0.5	85	159	1165	7.88
179457		3.06	0.078		0.5	8.20	9	170	0.6	<2	5.38	<0.5	49	96	553	6.59
179458		2.31	0.096		0.5	7.49	5	130	<0.5	<2	5.80	<0.5	53	132	631	6.98
179459 DUP		<0.02	0.064		0.7	7.91	8	140	<0.5	<2	6.05	<0.5	55	133	660	7.19



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 16-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043910**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units LOR	% 0.01	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2
179401		0.95	2.00	989	<1	2.28	46	970	3	0.37	<5	285	0.51	121	<10	72
179402		0.81	4.62	1235	<1	1.96	129	1800	3	0.61	<5	989	0.62	180	<10	92
179403		0.99	3.06	1085	<1	1.37	51	390	<2	0.99	<5	142	0.45	190	30	66
179404 DUP		0.96	3.10	1115	<1	1.40	50	380	<2	1.21	<5	146	0.43	184	30	63
179405		1.40	2.88	1050	<1	1.16	69	410	<2	1.58	<5	130	0.47	194	10	67
179406		1.00	4.02	1370	<1	1.53	89	1600	2	0.43	<5	343	0.88	196	<10	77
179407		1.00	2.49	1005	<1	1.68	50	590	<2	0.66	<5	186	0.49	169	10	64
179408		0.99	3.84	1135	<1	1.53	70	340	<2	0.30	<5	129	0.43	194	<10	60
179409		0.18	0.07	114	<1	6.7	3	600	110	2.73	<5	18	0.01	1	<10	16
179429		4.38	0.16	221	<1	2.11	6	150	32	0.03	<5	140	0.08	8	<10	27
179430		1.09	3.37	1205	<1	1.69	58	390	3	0.85	<5	159	0.43	199	<10	70
179431		0.62	3.78	1130	<1	1.66	68	350	<2	0.06	<5	148	0.41	194	<10	63
179432		0.83	2.90	1056	<1	2.30	35	710	3	0.19	<5	267	0.46	172	<10	65
179433		0.73	3.09	1070	<1	1.77	47	440	<2	0.08	<5	161	0.40	170	<10	69
179434		0.65	3.61	1185	<1	1.84	86	1920	2	0.34	<5	584	0.65	200	<10	92
179435		0.19	0.06	32	<1	6.6	1	580	104	2.52	<5	20	0.01	1	<10	17
179436		1.03	3.11	1035	<1	1.74	55	780	<2	0.20	<5	239	0.45	169	<10	75
179437		0.98	0.77	530	<1	3.02	7	650	3	0.27	<5	162	0.35	54	<10	44
179438		1.41	3.97	1140	<1	1.54	83	340	5	0.01	<5	148	0.42	194	<10	80
179439		1.07	4.07	1060	<1	1.51	83	370	2	0.02	<5	136	0.41	167	<10	69
179440		1.31	4.42	1015	<1	1.55	63	360	2	0.01	<5	146	0.41	197	<10	64
179441		1.49	3.84	1065	<1	1.28	68	360	<2	0.07	<5	151	0.42	198	<10	58
179442		1.43	3.98	1225	<1	1.21	96	500	3	0.39	<5	205	0.47	193	<10	76
179443		1.25	3.01	1125	<1	0.73	65	340	2	0.50	<5	128	0.36	176	10	67
179444		1.85	3.11	1125	1	0.82	81	300	3	0.49	<5	96	0.39	165	30	113
179445		1.20	0.51	388	<1	2.94	2	420	8	0.19	<5	154	0.26	47	<10	38
179446		0.18	0.06	103	<1	8.7	5	610	116	3.02	<5	20	0.01	2	<10	19
179447		0.59	3.87	1380	<1	1.96	119	800	4	0.27	<5	324	0.81	214	<10	119
179448		1.39	3.35	1310	<1	1.34	80	600	2	0.41	<5	213	0.59	191	10	87
179449		2.06	2.22	893	<1	1.83	31	550	4	0.49	<5	138	0.40	128	10	62
179450		2.05	3.61	1225	<1	1.31	89	370	4	0.54	<5	127	0.41	186	20	104
179451		1.43	1.96	849	<1	2.15	41	580	4	0.31	<5	200	0.44	151	<10	123
179452		1.47	2.71	1055	<1	1.80	57	510	4	0.78	<5	233	0.39	179	10	85
179453		4.19	0.25	222	<1	2.17	6	180	36	0.01	<5	151	0.08	9	<10	29
179454		1.07	2.56	979	<1	1.54	73	330	6	1.08	5	146	0.44	195	30	103
179455		0.86	3.05	1070	<1	1.46	75	380	3	0.80	<5	137	0.49	227	10	72
179456		1.19	3.06	1025	<1	1.65	82	390	6	1.38	<5	158	0.52	233	10	81
179457		0.91	2.18	947	<1	2.16	45	480	2	0.93	<5	186	0.42	171	10	73
179458		1.08	2.80	1025	<1	1.32	58	360	2	1.08	<5	140	0.42	191	10	70
179459 DUP		1.12	2.90	1060	<1	1.36	62	370	4	1.02	<5	148	0.43	198	10	74



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - B)  
 Finalized Date: 16-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043910**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd WL kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
179460		2.97	0.115		0.8	7.27	<5	120	<0.5	<2	5.35	<0.5	77	139	1120	7.83
179461		2.65	0.008		<0.5	7.04	<5	210	0.5	<2	6.41	<0.5	48	556	85	6.43
179462		3.13	0.011		<0.5	6.33	8	100	0.6	<2	7.87	<0.5	58	613	97	8.82
179463		2.71	0.010		<0.5	6.77	<5	140	0.6	<2	7.83	<0.5	50	467	102	8.46
179464		3.40	0.014		<0.5	7.24	<5	240	0.6	<2	6.95	<0.5	49	513	124	7.74
179465		2.00	0.045		<0.5	7.88	<5	300	<0.5	<2	5.81	<0.5	41	241	315	7.19
179466		3.02	0.557		0.6	7.83	<5	460	<0.5	<2	4.68	<0.5	45	144	631	8.20
179467		2.90	0.203		<0.5	7.75	<5	350	0.5	<2	4.63	<0.5	29	138	250	6.62
179468		2.48	0.283		0.7	7.00	<5	160	<0.5	<2	4.92	<0.5	37	197	623	6.99
179469 DUP		<0.02	0.268		0.6	7.12	<5	160	<0.5	<2	5.05	<0.5	39	202	645	7.16
179470		2.25	0.135		<0.5	7.85	<5	140	<0.5	<2	5.64	<0.5	27	131	500	6.49
179471		2.81	0.199		<0.5	7.61	<5	110	<0.5	<2	6.04	<0.5	28	134	406	7.20
179472		2.58	0.418		<0.5	6.17	6	120	<0.5	<2	6.42	<0.5	20	113	412	7.29
179473		0.15	<0.005		<0.5	6.62	10	500	1.1	<2	1.00	<0.5	4	21	12	2.16
179474		2.35	0.242	0.218	<0.5	7.32	<5	140	<0.5	<2	5.36	<0.5	28	132	411	7.11
179475		3.08	0.212		0.7	8.22	<5	190	<0.5	<2	5.91	<0.5	35	136	641	7.49
179476		1.77	0.179		<0.5	7.14	<5	300	1.0	<2	3.10	<0.5	9	18	98	3.48
179477		0.04	0.974		9.9	7.40	5	40	3.1	<2	0.31	<0.5	<1	8	6	2.42
179478		2.67	0.255		0.8	7.40	<5	280	<0.5	<2	5.41	<0.5	31	150	532	6.60
179479		2.75	0.418		0.7	7.84	<5	230	<0.5	<2	6.22	<0.5	48	177	754	8.28
179480		3.96	0.310		1.1	6.04	9	160	<0.5	<2	4.92	<0.5	123	645	1075	12.05
179481		1.95	0.114		<0.5	4.33	<5	50	<0.5	<2	5.21	<0.5	48	1735	67	7.68
179482		2.82	0.346		<0.5	3.87	11	90	<0.5	<2	5.10	4.4	58	2010	102	7.50
179483		3.23	0.698		<0.5	6.36	<5	240	<0.5	<2	4.97	<0.5	43	1120	48	6.43
179464		2.10	0.180		<0.5	4.46	6	20	<0.5	<2	5.34	<0.5	67	1935	148	7.43
179485		2.88	1.120	1.165	<0.5	5.06	<5	90	<0.5	<2	4.98	<0.5	48	1045	114	8.81
179486		<0.02	1.530	1.900	<0.5	5.45	<5	80	<0.5	<2	5.32	<0.5	45	1030	108	9.46
179487		2.31	2.55		<0.5	5.13	<5	40	<0.5	<2	5.06	<0.5	46	1215	81	9.12
179488		2.66	1.760		<0.5	5.23	<5	70	<0.5	<2	5.53	<0.5	59	1495	154	9.57
179489		2.94	0.215		<0.5	5.78	<5	40	<0.5	<2	6.19	<0.5	60	1290	13	8.22
179490		2.75	0.077		<0.5	5.46	<5	30	<0.5	<2	5.97	<0.5	64	1370	11	7.83
179491		2.75	0.123		<0.5	5.66	<5	10	<0.5	<2	6.21	<0.5	67	1360	35	8.18
179492		0.12	0.011		<0.5	6.61	<5	510	0.9	<2	1.13	<0.5	5	46	11	2.63
179493		2.59	0.093		<0.5	5.25	<5	10	<0.5	<2	6.03	<0.5	66	1185	26	7.36
179494		2.71	0.412		<0.5	5.24	<5	20	<0.5	<2	6.12	<0.5	67	1300	13	7.29
179495		2.84	0.296		<0.5	5.33	<5	40	<0.5	<2	5.98	<0.5	68	1225	9	7.47
179496		0.04	1.755		17.5	7.60	<5	50	3.0	<2	0.33	<0.5	2	4	5	2.70
179497		2.78	0.173		<0.5	5.13	<5	20	<0.5	<2	5.87	<0.5	67	1325	4	7.19
179498		2.39	0.185		<0.5	5.55	<5	10	<0.5	<2	5.60	<0.5	64	1190	7	7.44
179499		2.48	0.251		<0.5	5.60	<5	20	<0.5	<2	5.85	<0.5	64	1155	12	7.47



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - B  
 Total # Pages: 4 (A - B)  
 Finalized Date: 16-JUN-2008  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043910**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOA	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
179460	0.97	2.84	1015	<1	1.65	74	330	2	1.52	<5	188	0.43	207	10	65	
179461	0.94	7.28	1148	<1	1.52	226	650	4	0.25	<5	307	0.33	158	<10	78	
179462	0.56	7.91	1640	<1	1.24	190	680	4	0.23	<5	257	0.43	250	<10	108	
179463	0.86	6.42	1540	<1	1.46	114	750	5	0.17	<5	429	0.46	261	<10	98	
179464	1.29	6.53	1415	<1	1.41	154	750	2	0.32	<5	350	0.43	216	10	93	
179465	2.16	4.80	1285	<1	1.46	134	530	3	0.53	<5	252	0.43	198	10	84	
179466	3.24	3.56	1215	<1	0.72	86	380	8	1.47	5	220	0.45	209	20	70	
179467	2.46	3.38	1050	<1	1.56	73	770	6	0.69	<5	226	0.45	183	20	77	
179468	1.41	3.60	1155	<1	1.29	114	350	2	0.93	<5	142	0.39	178	10	86	
179469 DUP	1.49	3.69	1180	<1	1.30	122	360	2	0.96	<5	146	0.42	192	10	90	
179470	1.36	2.97	1135	<1	1.38	72	390	3	0.90	<5	146	0.43	183	20	63	
179471	1.29	3.47	1210	<1	1.25	78	370	4	0.78	<5	134	0.44	200	20	71	
179472	0.98	3.45	1150	<1	1.57	62	440	2	0.89	<5	144	0.38	170	10	57	
179473	4.79	0.26	197	<1	2.17	8	160	30	0.02	<5	144	0.10	13	<10	33	
179474	1.50	3.31	1105	<1	1.32	62	360	3	1.01	<5	112	0.44	199	10	87	
179475	1.48	3.34	1200	<1	1.54	72	400	6	1.32	<5	128	0.44	197	20	121	
179476	1.73	0.83	482	1	2.17	6	640	2	0.26	<5	168	0.39	62	<10	58	
179477	0.19	0.06	31	<1	6.5	3	580	107	2.58	<5	18	0.01	1	<10	17	
179478	1.43	3.36	1230	<1	1.33	79	400	8	0.92	5	111	0.40	172	10	162	
179479	1.52	3.72	1400	<1	1.11	140	410	2	1.49	<5	122	0.43	204	10	153	
179480	1.02	5.14	1490	<1	0.67	488	240	6	3.48	<5	87	0.31	159	30	166	
179481	0.05	12.30	1625	<1	0.25	885	150	<2	0.32	5	19	0.20	131	<10	137	
179482	0.11	11.10	1370	<1	0.23	1040	130	2	0.44	<5	32	0.22	141	<10	1005	
179483	0.71	9.46	1175	1	1.04	567	430	3	0.18	<5	301	0.28	128	<10	132	
179484	0.05	13.55	1485	<1	0.17	997	190	4	0.79	<5	22	0.17	112	<10	114	
179485	0.21	9.31	1555	<1	0.33	561	200	6	0.75	<5	40	0.25	180	100	101	
179486	0.20	9.99	1670	<1	0.35	550	220	6	0.78	<5	43	0.24	159	70	97	
179487	0.39	9.48	1590	<1	0.31	590	210	4	0.58	<5	44	0.23	149	20	104	
179488	0.08	10.65	1950	<1	0.29	765	180	4	1.08	<5	29	0.26	168	10	110	
179489	0.38	10.80	1530	1	0.32	658	240	<2	0.09	<5	103	0.27	168	<10	91	
179490	0.24	10.95	1305	1	0.28	684	210	3	0.10	<5	50	0.26	171	<10	82	
179491	0.11	11.45	1475	1	0.27	707	220	<2	0.27	<5	41	0.27	173	<10	100	
179492	4.12	0.40	237	2	2.13	18	170	32	<0.01	<5	154	0.09	12	<10	32	
179493	0.15	10.40	1385	2	0.31	637	170	<2	0.10	<5	47	0.24	180	<10	82	
179494	0.38	10.15	1355	5	0.30	695	180	<2	0.06	<5	58	0.26	171	<10	101	
179495	0.55	10.80	1265	2	0.29	646	190	<2	0.03	<5	52	0.25	164	<10	81	
179496	0.18	0.07	102	1	6.6	6	590	115	2.77	<5	20	0.01	2	10	20	
179497	0.30	10.20	1240	<1	0.29	649	180	<2	0.01	<5	58	0.25	163	<10	82	
179498	0.32	10.45	1270	<1	0.25	627	200	<2	0.02	<5	38	0.26	169	<10	83	
179499	0.35	10.85	1320	<1	0.24	648	190	2	0.03	<5	53	0.25	168	<10	95	





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 16-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043910

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
179500		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
		2.86	0.280		<0.5	5.22	<5	50	<0.5	<2	6.11	<0.5	56	1110	23	7.66



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - B)

Finalized Date: 16-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043910

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
Units		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
LOA		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
179500		0.44	10.10	1315	<1	0.30	632	200	<2	0.10	<5	71	0.24	156	<10	87



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **TRADEWINDS VENTURES INC.**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

Page: 1  
Finalized Date: 12-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06043911

Project: BLOCK A  
P.O. No.:  
This report is for 100 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **TRADEWINDS VENTURES INC.**  
**ATTN: MIKE ROBERTS**  
**302-1620 WEST 8TH AVE**  
**VANCOUVER BC V6J 1V4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043911**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179501		2.82	1.035			<0.5	5.81	<5	70	<0.5	<2	4.80	<0.5	58	1255	40
179502		2.48	0.492			<0.5	5.78	<5	30	<0.5	<2	5.32	<0.5	66	1245	4
179503		2.87	0.328			<0.5	5.15	<5	30	<0.5	<2	5.11	<0.5	50	1285	36
179504		2.83	0.133			<0.5	5.21	7	70	<0.5	<2	5.69	<0.5	55	1000	6
179505		2.42	0.027			<0.5	5.86	<5	80	<0.5	<2	5.92	<0.5	57	960	35
179506		2.59	0.088			<0.5	5.68	<5	60	<0.5	<2	6.41	<0.5	53	980	33
179507		2.34	3.52	1.475	1.675	<0.5	4.90	<5	30	<0.5	<2	5.20	<0.5	50	1080	39
179508 DUP		<0.02	1.245	0.935		<0.5	5.51	<5	40	<0.5	<2	5.70	<0.5	52	1135	46
179509		0.13	<0.005			<0.5	8.90	<5	570	0.9	<2	0.78	<0.5	3	18	5
179510		2.50	0.377			<0.5	6.16	14	50	<0.5	<2	6.26	<0.5	58	1070	42
179511		2.47	0.093			<0.5	6.13	<5	40	<0.5	<2	6.07	<0.5	65	1200	18
179512		2.81	2.84			<0.5	5.26	<5	60	<0.5	<2	4.67	<0.5	51	1200	56
179513		2.65	0.563			<0.5	5.60	<5	70	<0.5	<2	5.60	<0.5	55	1370	21
179514		2.45	0.005			<0.5	7.51	<5	330	0.7	<2	6.28	<0.5	48	577	39
179515		2.63	0.021			<0.5	6.99	<5	300	0.7	<2	8.92	<0.5	45	506	40
179516		3.45	0.168			<0.5	6.06	<5	180	<0.5	<2	4.58	<0.5	49	1005	16
179517		0.06	1.005			10.3	7.96	<5	40	3.0	<2	0.32	<0.5	<1	8	8
179518		3.08	0.020			<0.5	7.91	5	680	0.8	<2	2.20	<0.5	4	40	7
179519		1.35	0.287			<0.5	6.55	<5	120	<0.5	<2	4.60	<0.5	56	1410	28
179520		1.95	0.012			<0.5	8.29	<5	560	0.7	<2	2.53	<0.5	8	207	9
179521		3.52	0.012			<0.5	8.13	<5	650	0.8	<2	1.85	<0.5	3	16	7
179522		1.84	0.128	0.172		<0.5	4.13	<5	10	<0.5	<2	5.47	<0.5	42	871	24
179523 DUP		<0.02	0.205	0.235		<0.5	4.16	<5	10	<0.5	<2	5.32	<0.5	45	936	23
179524		2.58	0.023			<0.5	8.11	<5	20	<0.5	<2	5.90	<0.5	65	1240	21
179525		2.71	0.013			<0.5	5.52	<5	40	<0.5	<2	5.78	<0.5	62	1200	30
179526		2.81	0.044			<0.5	5.40	<5	10	<0.5	<2	5.42	<0.5	60	1215	29
179527		2.17	0.024			<0.5	6.57	<5	110	<0.5	<2	5.95	<0.5	54	913	24
179528		2.98	<0.005			<0.5	7.83	10	510	0.5	<2	2.66	<0.5	10	152	6
179529		2.12	0.065			<0.5	7.21	<5	360	0.5	<2	3.00	<0.5	24	465	6
179530		0.06	1.810			19.4	8.33	<5	60	3.0	<2	0.34	<0.5	1	9	5
179531		2.18	0.012			<0.5	6.52	11	120	<0.5	<2	5.99	<0.5	45	915	43
179532		3.96	0.039			<0.5	6.23	<5	130	<0.5	<2	5.17	<0.5	41	802	19
179533		0.12	<0.005			<0.5	6.94	<5	540	0.9	<2	0.84	<0.5	2	21	5
179534		1.64	0.111			<0.5	7.40	9	190	<0.5	<2	6.66	<0.5	39	391	1
179535		2.73	0.120			<0.5	7.20	10	150	<0.5	<2	6.72	<0.5	51	410	2
179536		2.79	0.118			<0.5	6.60	<5	530	1.2	<2	1.19	<0.5	1	11	9
179537		1.99	0.295			<0.5	7.79	7	130	<0.5	<2	7.46	<0.5	36	330	9
179538		2.44	3.47			<0.5	8.89	<5	100	<0.5	<2	7.68	<0.5	40	335	17
179539		2.77	0.517			<0.5	7.50	11	50	<0.5	<2	7.68	<0.5	41	356	4
179540		2.44	0.099			<0.5	7.46	<5	50	<0.5	<2	8.47	<0.5	44	346	5



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 12-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043911

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
179501		8.49	1.15	10.30	1325	<1	0.21	678	200	<2	0.23	<5	51	0.28	186	<10
179502		8.16	0.33	11.30	1355	<1	0.21	716	210	2	0.03	<5	45	0.25	186	<10
179503		8.09	0.40	10.55	1555	<1	0.21	705	140	5	0.24	<5	47	0.25	166	<10
179504		7.15	0.65	9.78	1240	<1	0.24	575	180	2	0.09	<5	83	0.25	166	<10
179505		7.23	0.82	10.00	1250	<1	0.21	551	310	3	0.08	<5	147	0.28	174	<10
179506		7.26	0.76	9.77	1315	<1	0.24	555	240	2	0.22	<5	154	0.25	169	<10
179507		7.12	0.30	9.00	1340	<1	0.23	589	170	2	0.33	<5	49	0.25	162	<10
179508 DUP		7.88	0.35	10.00	1475	<1	0.25	641	170	4	0.37	<5	54	0.27	179	<10
179509		1.90	4.53	0.25	159	<1	2.11	8	170	40	<0.01	<5	148	0.09	9	<10
179510		8.03	0.51	9.52	1485	2	0.26	611	540	8	0.47	<5	202	0.30	170	10
179511		8.53	0.48	10.85	1490	1	0.30	693	210	2	0.12	<5	66	0.27	188	<10
179512		8.59	0.69	9.30	1530	2	0.25	631	170	4	0.40	<5	97	0.24	165	<10
179513		8.79	1.06	10.90	1525	1	0.36	728	190	5	0.14	<5	67	0.26	173	10
179514		5.08	1.53	7.71	871	1	0.82	473	950	8	0.13	<5	764	0.22	107	<10
179515		5.57	1.57	7.17	1015	1	0.90	440	1000	9	0.26	<5	667	0.26	117	10
179516		6.84	1.95	8.54	1030	1	0.62	549	330	4	0.14	<5	126	0.24	145	<10
179517		2.56	0.18	0.07	33	1	6.8	2	620	116	2.67	<5	21	0.01	2	<10
179518		1.11	1.67	0.66	210	<1	3.71	15	190	6	0.05	<5	194	0.10	24	<10
179519		8.74	2.17	10.35	1195	<1	0.33	694	220	4	0.32	<5	36	0.29	187	<10
179520		1.99	1.39	1.72	305	<1	3.49	98	230	<2	0.03	<5	281	0.11	35	<10
179521		1.17	2.03	0.50	140	<1	3.28	11	220	7	0.05	<5	189	0.09	20	<10
179522		5.87	0.19	7.81	1210	<1	0.24	479	130	3	0.17	<5	111	0.18	115	10
179523 DUP		6.00	0.23	8.24	1195	<1	0.23	517	130	2	0.17	<5	100	0.20	124	<10
179524		7.87	0.44	11.85	1390	<1	0.31	742	180	6	0.16	<5	84	0.29	190	<10
179525		7.30	0.75	11.00	1245	1	0.31	720	180	<2	0.21	<5	64	0.27	178	<10
179526		7.44	0.18	10.70	1290	<1	0.28	712	200	2	0.29	<5	47	0.26	174	<10
179527		6.78	1.41	8.77	1205	12	0.44	494	340	7	0.11	<5	235	0.26	157	10
179528		1.83	2.21	1.73	286	1	2.91	77	230	3	0.04	<5	258	0.11	35	<10
179529		2.85	1.11	3.70	451	<1	3.26	237	180	7	0.02	<5	156	0.12	59	<10
179530		3.02	0.18	0.07	112	1	6.9	3	650	137	3.14	<5	22	0.01	2	<10
179531		6.23	0.92	8.08	1140	1	1.12	408	520	7	0.11	<5	196	0.24	142	<10
179532		5.90	0.60	7.00	1075	1	1.22	418	400	<2	0.08	<5	164	0.28	140	<10
179533		2.05	4.09	0.22	166	<1	2.21	6	170	35	<0.01	<5	150	0.08	8	<10
179534		6.69	1.31	8.29	1275	<1	1.21	158	260	<2	<0.01	<5	149	0.37	229	<10
179535		7.44	1.60	8.46	1460	<1	0.85	175	250	7	<0.01	<5	119	0.36	223	<10
179536		1.58	1.35	0.14	253	1	3.07	2	90	6	0.05	<5	128	0.09	2	<10
179537		7.43	0.68	4.75	1295	1	1.28	132	220	3	0.03	<5	198	0.34	244	10
179538		7.32	0.48	4.68	1350	1	1.29	153	250	4	0.10	<5	141	0.34	211	100
179539		7.78	0.32	5.14	1340	<1	1.47	138	250	5	0.02	<5	151	0.37	224	10
179540		8.16	0.26	5.21	1465	<1	1.16	161	230	<2	0.04	<5	146	0.37	222	200



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 12-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043911

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
179501		96
179502		89
179503		129
179504		71
179505		75
179506		84
179507		84
179508 DUP		93
179509		29
179510		109
179511		93
179512		123
179513		107
179514		73
179515		82
179516		91
179517		17
179516		27
179519		116
179520		43
179521		34
179522		80
179523 DUP		82
179524		102
179525		95
179526		98
179527		76
179528		39
179529		44
179530		19
179531		77
179532		83
179533		29
179534		72
179535		83
179536		24
179537		74
179538		68
179539		63
179540		72



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 12-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043911

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179541		2.84	<0.005			<0.5	8.74	5	50	<0.5	<2	6.90	<0.5	51	392	30
179542		2.73	0.008			<0.5	8.52	<5	40	<0.5	<2	6.71	<0.5	57	379	89
179543		2.81	0.015			<0.5	7.70	6	50	<0.5	<2	7.35	<0.5	46	356	27
179544		2.53	<0.005			<0.5	7.62	<5	70	<0.5	<2	7.58	<0.5	49	338	13
179545		2.65	0.416			2.6	6.74	<5	40	<0.5	<2	7.41	<0.5	74	312	7310
179546		0.20	<0.005			<0.5	6.84	<5	580	0.9	<2	0.88	<0.5	4	15	30
179547		2.84	0.062			<0.5	7.82	<5	70	<0.5	<2	7.95	<0.5	56	347	403
179548		2.75	0.075			<0.5	7.07	7	80	<0.5	<2	7.09	<0.5	59	399	840
179549		2.54	0.050			<0.5	7.29	<5	80	<0.5	<2	7.51	<0.5	46	314	86
179550 DUP		<0.02	0.032			<0.5	7.41	<5	80	<0.5	<2	7.59	<0.5	46	302	82
179551		2.88	0.005			<0.5	7.85	<5	80	<0.5	<2	7.62	<0.5	50	382	25
179552		2.37	0.034			<0.5	7.69	<5	50	<0.5	<2	7.98	<0.5	57	301	334
179553		2.73	0.012			<0.5	7.01	<5	60	<0.5	<2	8.95	<0.5	52	273	72
179554		2.61	<0.005			<0.5	6.87	<5	60	<0.5	<2	8.48	<0.5	44	303	14
179555		2.57	0.021			<0.5	6.54	<5	100	<0.5	<2	7.53	<0.5	45	318	53
179556		0.05	0.966			11.4	8.15	<5	50	3.4	<2	0.33	<0.5	1	5	9
179557		3.25	0.036			<0.5	7.50	<5	160	0.8	<2	6.70	<0.5	18	167	16
179558		2.36	0.022			<0.5	6.78	<5	100	<0.5	<2	6.67	<0.5	40	318	12
179559		2.79	0.032			<0.5	7.38	<5	110	<0.5	<2	7.61	<0.5	44	299	127
179560		2.38	0.063			<0.5	7.70	7	300	0.7	<2	3.88	<0.5	19	98	35
179561		2.95	0.106			<0.5	7.11	<5	110	<0.5	<2	7.54	<0.5	40	306	33
179562		2.52	5.86			2.1	6.62	7	100	<0.5	<2	6.36	<0.5	63	269	1630
179563 DUP		<0.02	4.78			1.7	6.37	<5	110	<0.5	<2	5.81	<0.5	47	266	1485
179564		0.23	<0.005			<0.5	6.56	<5	550	0.9	<2	0.83	<0.5	1	13	5
179565		2.54	0.978			1.1	7.06	<5	140	<0.5	<2	5.94	<0.5	44	268	719
179566		2.75	0.255			<0.5	7.17	<5	90	<0.5	<2	7.54	<0.5	39	305	24
179567		2.68	0.035			<0.5	7.06	<5	80	<0.5	<2	7.71	<0.5	39	332	15
179568		1.62	0.070			<0.5	7.31	<5	140	<0.5	<2	7.84	<0.5	41	332	22
179569		3.69	0.046			<0.5	6.97	<5	150	0.6	<2	5.02	<0.5	38	731	39
179570		0.06	1.795			18.9	8.06	<5	50	3.2	<2	0.32	<0.5	1	10	5
179571		2.94	0.114			<0.5	8.29	<5	230	0.6	<2	6.13	<0.5	32	117	82
179572		2.93	1.160			<0.5	7.98	11	120	<0.5	<2	6.37	<0.5	56	164	392
179573		2.52	0.049			<0.5	8.25	<5	120	0.5	<2	6.83	<0.5	30	106	60
179574		1.33	0.011			<0.5	7.96	<5	230	0.8	<2	3.97	<0.5	17	16	87
179575		2.27	1.015			<0.5	7.45	<5	220	<0.5	<2	5.55	<0.5	29	142	123
179576		1.02	0.016			<0.5	6.69	<5	480	0.9	<2	2.38	<0.5	9	142	16
179577		2.33	0.007			<0.5	6.97	6	320	1.1	<2	1.85	<0.5	5	22	117
179578		2.12	0.024			<0.5	7.39	<5	250	0.7	<2	5.32	<0.5	28	81	145
179579		2.21	0.023			<0.5	7.69	6	240	0.6	<2	5.37	<0.5	21	99	178
179580		2.96	0.007			<0.5	6.89	<5	410	1.0	<2	2.42	<0.5	9	10	116



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 12-JUN-2008

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043911

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179541		9.20	0.26	6.38	1550	<1	1.80	180	270	3	0.08	<5	153	0.45	253	<10
179542		9.33	0.30	6.14	1585	<1	1.72	166	280	8	0.22	<5	127	0.43	244	<10
179543		8.09	0.21	4.99	1430	<1	1.62	138	230	10	0.05	<5	142	0.38	228	30
179544		7.85	0.28	5.80	1455	<1	1.48	152	260	5	0.02	<5	133	0.37	222	<10
179545		8.61	0.32	5.06	1410	<1	1.40	182	300	<2	1.00	<5	136	0.34	205	50
179546		1.58	4.09	0.25	156	<1	2.09	6	160	39	0.01	<5	139	0.09	10	<10
179547		8.38	0.28	5.45	1485	<1	1.72	149	290	5	0.15	<5	155	0.38	227	<10
179548		7.78	0.39	5.64	1385	<1	1.48	168	300	5	0.23	<5	140	0.34	199	<10
179549		7.62	0.35	4.97	1370	<1	1.44	135	220	<2	0.10	<5	138	0.36	221	<10
179550 DUP		7.72	0.37	5.11	1360	<1	1.44	135	230	6	0.09	<5	140	0.36	220	10
179551		7.89	0.40	5.85	1370	<1	1.60	165	330	4	0.06	<5	156	0.37	215	<10
179552		8.42	0.28	4.98	1425	<1	1.44	122	280	9	0.19	<5	162	0.38	227	<10
179553		7.53	0.34	4.74	1435	<1	1.22	135	220	<2	0.14	<5	150	0.35	210	<10
179554		7.59	0.30	4.81	1305	4	1.49	114	270	<2	0.05	<5	175	0.36	215	<10
179555		7.29	0.44	5.64	1245	<1	1.45	188	810	6	0.37	<5	269	0.43	206	<10
179556		2.86	0.20	0.07	34	1	7.5	2	660	120	3.11	<5	21	0.01	2	<10
179557		3.60	0.94	3.05	631	<1	1.83	71	340	<2	0.13	<5	106	0.22	101	<10
179558		7.25	0.73	4.80	1295	<1	1.56	134	230	3	0.04	<5	158	0.35	210	<10
179559		7.27	0.55	4.82	1280	1	1.54	136	230	6	0.19	<5	181	0.35	207	<10
179560		4.21	1.28	1.89	811	<1	2.38	37	480	7	0.09	<5	178	0.31	82	<10
179561		7.57	0.84	5.15	1485	<1	1.23	139	240	9	0.42	<5	156	0.37	219	60
179562		6.87	0.65	4.19	1190	<1	1.50	230	210	5	0.65	5	158	0.29	179	10
179563 DUP		6.21	0.68	3.87	1095	<1	1.48	194	210	4	0.55	<5	155	0.27	162	<10
179564		1.27	4.05	0.22	128	<1	2.07	2	150	32	0.01	<5	146	0.08	9	<10
179565		6.19	0.93	3.88	1105	1	1.98	132	240	5	0.45	<5	158	0.29	168	10
179566		7.58	0.68	5.03	1400	1	1.62	132	220	4	0.07	<5	202	0.36	220	<10
179567		7.57	0.65	4.82	1410	1	1.63	139	230	6	0.06	<5	213	0.35	223	<10
179568		7.95	0.72	5.19	1555	<1	1.66	136	250	3	0.15	7	249	0.37	223	<10
179569		5.87	0.58	6.86	1215	<1	1.86	260	700	4	0.16	<5	179	0.31	138	<10
179570		2.44	0.19	0.06	109	<1	6.8	4	640	114	2.58	<5	21	0.01	2	<10
179571		6.48	1.02	3.48	1080	1	2.20	57	1080	9	0.26	<5	460	0.50	182	40
179572		7.52	1.14	3.11	1265	<1	1.48	80	360	4	0.96	<5	158	0.45	222	10
179573		7.29	0.89	3.27	1355	<1	1.75	60	660	3	0.23	<5	200	0.55	194	<10
179574		5.84	0.93	1.38	999	<1	2.38	16	1140	4	0.29	<5	242	0.59	98	<10
179575		6.51	1.18	3.07	1235	<1	1.52	70	460	6	0.24	<5	197	0.45	178	<10
179576		2.64	1.24	1.56	455	<1	2.91	43	170	2	0.01	<5	217	0.14	42	10
179577		2.33	0.63	0.64	305	<1	3.27	15	560	14	0.17	<5	396	0.20	31	<10
179578		6.69	1.04	2.48	1180	<1	1.87	58	1090	7	0.42	<5	264	0.52	130	<10
179579		6.13	1.06	2.40	1215	<1	1.87	47	480	11	0.42	<5	187	0.41	136	<10
179580		4.86	1.25	0.44	869	1	2.71	1	800	5	0.47	<5	215	0.38	7	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 12-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043911

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179541		99
179542		104
179543		68
179544		71
179545		112
179546		30
179547		112
179548		77
179549		68
179550 DUP		68
179551		67
179552		74
179553		64
179554		58
179555		74
179556		18
179557		30
179558		58
179559		66
179560		77
179561		75
179562		77
179563 DUP		69
179564		28
179565		64
179566		63
179567		65
179568		75
179569		79
179570		18
179571		75
179572		66
179573		79
179574		79
179575		96
179576		55
179577		56
179578		101
179579		65
179580		60



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043911**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
179581		1.74	0.010			<0.5	8.25	6	110	0.5	<2	6.98	<0.5	35	152	121
179582		2.72	0.028			<0.5	7.70	<5	90	<0.5	<2	7.73	<0.5	34	137	159
179583 DUP		<0.02	0.047			<0.5	7.59	<5	90	<0.5	<2	7.77	<0.5	35	133	160
179584		2.44	<0.005			<0.5	7.47	<5	250	0.8	<2	4.79	<0.5	17	71	28
179585		2.57	0.011			<0.5	7.73	<5	100	<0.5	<2	6.54	<0.5	28	116	1
179586		1.60	0.006			<0.5	7.81	17	360	0.9	<2	3.63	<0.5	11	23	8
179587		2.33	0.005			<0.5	7.38	<5	380	1.0	<2	2.78	<0.5	7	10	12
179588		2.81	<0.005			<0.5	8.09	7	180	<0.5	<2	6.62	<0.5	39	126	12
179589		0.06	1.790			19.9	8.93	17	60	3.3	<2	0.35	<0.5	<1	8	6
179590		2.71	0.012			<0.5	7.40	11	150	<0.5	<2	6.37	<0.5	37	128	11
179591		2.29	<0.005			<0.5	7.76	<5	380	0.9	<2	4.24	<0.5	19	72	5
179592		2.13	0.017			<0.5	6.92	5	560	1.1	<2	1.74	<0.5	2	12	17
179593		2.31	0.054			<0.5	7.09	<5	400	0.9	<2	3.63	<0.5	7	13	34
179594		2.45	0.033			<0.5	7.89	23	420	0.9	<2	4.19	<0.5	17	99	38
179595		2.65	<0.005			<0.5	7.95	<5	180	<0.5	<2	6.18	<0.5	40	226	53
179596		2.77	<0.005			<0.5	7.42	6	110	<0.5	<2	6.30	<0.5	36	188	32
179597		0.13	<0.005			<0.5	6.64	<5	530	0.8	<2	0.92	<0.5	2	16	7
179598		2.49	0.005			<0.5	7.73	<5	110	<0.5	<2	6.37	<0.5	36	171	70
179599		2.39	<0.005			<0.5	8.05	<5	270	0.6	<2	6.03	<0.5	33	150	25
179600		2.37	<0.005			<0.5	8.01	<5	230	0.5	<2	6.30	<0.5	31	170	2



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06043911**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	10	
179581		7.12	0.87	3.37	1300	<1	1.58	84	400	2	0.41	<5	160	0.47	219	<10
179582		7.15	0.93	3.52	1430	<1	1.25	81	350	3	0.47	<5	133	0.43	204	<10
179583 DUP		7.04	0.91	3.50	1425	1	1.25	80	370	<2	0.45	<5	134	0.43	200	10
179584		5.24	0.75	2.10	1035	<1	2.26	43	450	5	0.15	<5	179	0.37	112	10
179585		6.45	0.68	4.06	1290	<1	1.80	88	380	6	<0.01	<5	131	0.43	198	<10
179586		5.89	1.55	1.17	1280	1	2.66	17	1420	6	0.08	<5	241	0.57	42	<10
179587		5.60	1.24	0.54	1105	<1	2.81	<1	1110	7	0.08	<5	235	0.47	7	<10
179588		7.24	0.99	4.44	1345	<1	1.61	104	380	9	0.02	<5	146	0.44	208	<10
179589		3.04	0.20	0.07	122	<1	7.2	3	690	137	3.24	<5	23	0.01	2	<10
179590		6.83	0.96	4.06	1270	<1	1.39	97	370	4	0.03	<5	138	0.43	204	<10
179591		3.90	1.10	2.04	719	<1	2.89	50	300	7	0.01	<5	317	0.25	102	<10
179592		2.96	1.46	0.24	615	2	2.97	1	230	5	0.12	<5	160	0.17	18	<10
179593		4.51	1.40	0.73	1355	<1	2.50	8	650	5	0.24	<5	181	0.31	24	<10
179594		5.00	1.28	2.01	1010	<1	2.36	36	570	2	0.20	<5	233	0.34	77	<10
179595		8.87	0.95	4.65	1165	<1	1.61	100	290	5	0.06	<5	156	0.39	191	<10
179596		6.36	0.56	3.86	1115	<1	1.48	73	270	<2	0.08	<5	135	0.37	187	<10
179597		2.54	4.03	0.22	216	1	2.04	5	170	38	<0.01	<5	148	0.08	8	<10
179598		6.39	0.57	3.69	1095	<1	1.53	75	310	<2	0.11	<5	132	0.40	201	<10
179599		8.89	0.91	3.96	1215	<1	2.02	74	790	7	0.08	<5	342	0.51	210	<10
179600		6.67	0.99	4.19	1135	<1	1.92	80	580	5	0.01	<5	257	0.45	213	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 12-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043911

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179581		60
179582		64
179583 DUP		63
179584		63
179585		73
179586		124
179587		104
179588		81
179589		19
179590		71
179591		64
179592		64
179593		109
179594		108
179595		78
179596		63
179597		27
179598		67
179599		70
179600		65



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 13-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06043912

Project: BLOCK A  
P.O. No.:  
This report is for 80 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 13-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043912

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.05	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
179601		2.33	<0.005				<0.5	8.17	<5	390	0.7	<2	3.50	<0.5	10	45
179602		2.61	0.007				<0.5	9.23	16	280	0.5	<2	7.09	<0.5	34	148
179603		2.68	1.390				<0.5	7.50	<5	220	0.5	<2	8.02	<0.5	54	158
179604		0.06	0.965				10.7	8.50	<5	50	3.2	<2	0.34	<0.5	<1	4
179605		2.52	0.269				<0.5	7.25	<5	100	<0.5	<2	9.18	<0.5	33	118
179606		2.71	6.55				<0.5	7.70	6	60	<0.5	<2	7.31	<0.5	50	124
179607		2.73	0.870				<0.5	7.42	<5	60	<0.5	<2	6.81	<0.5	53	128
179608		2.72	0.104				<0.5	7.50	<5	40	<0.5	<2	6.73	<0.5	39	128
179609		2.31	0.571				<0.5	7.75	8	70	<0.5	<2	6.39	<0.5	61	132
179610		2.50	1.505				<0.5	7.41	7	50	<0.5	<2	6.95	<0.5	63	126
179611		2.43	0.305				0.5	7.01	<5	100	<0.5	<2	6.13	<0.5	72	126
179612		0.12	<0.005				<0.5	6.88	<5	550	0.9	<2	0.77	<0.5	3	13
179613		2.60	0.010				<0.5	7.65	<5	40	<0.5	<2	7.33	<0.5	33	126
179614		2.63	0.043				<0.5	7.59	<5	30	<0.5	<2	6.98	<0.5	43	134
179615		2.48	0.040				<0.5	7.39	<5	20	<0.5	<2	7.16	<0.5	44	134
179616 DUP		<0.02	0.072				<0.5	7.42	<5	20	<0.5	<2	7.22	<0.5	46	130
179617		2.60	0.017				<0.5	7.82	<5	30	<0.5	<2	7.59	<0.5	29	116
179618		2.48	0.024				<0.5	7.53	9	70	0.5	<2	6.57	<0.5	22	98
179619		3.06	0.065				<0.5	7.79	<5	180	0.7	<2	5.36	<0.5	16	70
179620		3.11	0.795				<0.5	6.17	<5	140	<0.5	<2	7.28	<0.5	23	122
179621		2.88	3.65				<0.5	8.32	<5	180	0.7	<2	5.82	<0.5	25	55
179622		2.38	2.86				<0.5	7.93	<5	40	<0.5	2	7.81	<0.5	33	128
179623		2.38	0.046				<0.5	7.92	<5	40	<0.5	<2	7.79	<0.5	29	121
179624		2.53	0.187				<0.5	7.96	7	170	0.5	<2	6.45	<0.5	28	148
179625		0.06	1.760				17.7	7.51	8	50	3.0	<2	0.31	<0.5	2	4
179626		2.15	0.369				0.5	8.83	<5	120	0.5	<2	5.17	<0.5	34	90
179627		2.56	0.031				<0.5	7.14	<5	60	<0.5	<2	6.36	<0.5	32	128
179628		2.47	0.222				<0.5	7.80	10	50	<0.5	<2	7.09	<0.5	32	119
179629		2.75	0.023				<0.5	7.65	7	40	<0.5	<2	7.12	<0.5	30	117
179630		2.59	0.192				<0.5	7.54	<5	70	<0.5	<2	6.58	<0.5	33	126
179631 DUP		<0.02	0.152				0.5	7.88	<5	70	<0.5	<2	6.83	<0.5	36	128
179632		1.95	0.005				<0.5	7.65	<5	140	0.5	<2	6.20	<0.5	25	94
179633		3.84	0.008				<0.5	7.22	<5	100	0.5	<2	6.55	<0.5	27	144
179634		1.08	>10.0		8.28	10.00	0.5	5.60	<5	100	<0.5	5	5.00	<0.5	45	102
179635		0.12	<0.005				<0.5	6.83	6	550	0.9	<2	0.73	<0.5	4	12
179636		2.56	0.153				<0.5	7.77	<5	100	<0.5	<2	6.55	<0.5	28	130
179637		2.38	0.082				0.6	7.31	<5	120	<0.5	<2	5.99	<0.5	30	124
179638		2.20	0.006				<0.5	7.61	<5	140	<0.5	<2	6.35	<0.5	29	132
179639		2.40	0.275				<0.5	7.47	<5	140	<0.5	<2	5.62	<0.5	24	115
179640		2.76	0.264				<0.5	7.54	<5	140	<0.5	<2	5.86	<0.5	23	106



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 13-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043912

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
Units		ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
LOR		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
179601		7	3.07	1.08	1.34	406	<1	3.44	22	280	7	0.03	<5	347	0.18	68
179602		13	8.45	1.86	5.14	1325	<1	1.41	104	450	<2	0.06	<5	171	0.54	254
179603		1050	8.17	1.56	3.66	1525	<1	1.24	122	820	8	2.01	<5	221	0.48	207
179604		9	2.96	0.19	0.07	36	<1	6.9	<1	640	125	3.16	<5	21	0.01	1
179605		818	6.73	1.24	2.96	1520	<1	1.04	61	370	9	0.95	<5	137	0.40	191
179606		781	8.50	0.53	2.92	1210	<1	1.38	80	380	6	1.48	<5	160	0.43	208
179607		899	8.60	0.37	3.23	1145	<1	1.49	87	370	5	1.50	<5	152	0.42	202
179608		360	7.34	0.24	3.18	1110	<1	1.52	60	390	4	0.67	<5	156	0.43	200
179609		957	8.48	0.48	2.74	1010	<1	1.57	78	330	5	1.86	<5	169	0.43	201
179610		566	8.89	0.35	3.42	1135	<1	1.33	74	340	2	1.51	<5	148	0.41	203
179611		1275	8.69	0.56	2.85	949	1	1.21	83	320	4	2.16	<5	126	0.40	171
179612		17	2.71	4.34	0.18	222	<1	2.11	4	150	35	0.02	<5	152	0.08	8
179613		159	7.40	0.26	3.75	1195	<1	1.41	61	380	3	0.42	<5	151	0.43	207
179614		597	7.10	0.15	2.85	1010	<1	1.35	71	400	4	0.96	<5	142	0.43	200
179615		591	7.43	0.16	2.98	1100	<1	1.19	75	340	7	1.14	<5	134	0.42	202
179616 DUP		631	7.46	0.16	3.00	1100	1	1.21	76	330	2	1.11	<5	137	0.42	201
179617		126	7.24	0.20	3.47	1230	<1	1.21	70	380	4	0.35	<5	142	0.42	202
179618		27	6.00	0.33	3.10	1105	<1	1.64	57	440	4	0.10	<5	155	0.42	168
179619		18	5.94	0.66	2.27	1100	<1	2.19	35	550	4	0.09	<5	172	0.42	126
179620		40	6.32	1.04	3.36	1340	<1	1.31	56	400	4	0.10	<5	149	0.46	208
179621		83	6.16	0.74	2.54	1025	<1	2.15	43	980	4	0.34	<5	361	0.50	172
179622		244	7.44	0.26	3.54	1365	<1	1.38	80	370	5	0.44	<5	144	0.45	212
179623		37	7.15	0.37	3.77	1345	1	1.35	75	390	2	0.13	<5	139	0.45	214
179624		218	7.09	1.12	3.62	1330	1	1.43	106	510	8	0.40	<5	207	0.44	217
179625		6	2.76	0.18	0.06	103	<1	6.4	4	580	118	3.00	<5	19	0.01	2
179626		696	6.50	0.70	2.45	964	1	1.44	124	480	15	0.90	<5	140	0.41	155
179627		443	7.11	0.47	3.24	1175	<1	1.41	110	320	5	0.56	<5	141	0.40	192
179628		756	7.10	0.26	3.61	1200	1	1.46	72	370	8	0.40	<5	143	0.42	199
179629		202	6.88	0.27	3.77	1175	<1	1.57	71	380	6	0.16	<5	145	0.43	205
179630		525	6.91	0.46	3.56	1080	<1	1.50	74	350	4	0.43	<5	138	0.42	198
179631 DUP		704	7.14	0.46	3.68	1120	1	1.58	78	390	5	0.50	<5	143	0.44	209
179632		57	6.19	0.63	3.06	1075	<1	1.83	57	540	8	0.09	<5	187	0.46	179
179633		201	6.43	0.49	3.58	1100	1	1.49	74	500	5	0.21	<5	229	0.41	190
179634		1220	7.41	0.56	2.75	937	1	1.10	121	520	7	1.85	<5	198	0.35	152
179635		10	2.34	4.37	0.18	184	<1	2.07	4	160	34	0.01	<5	145	0.08	8
179636		872	7.51	0.64	3.45	1140	<1	1.69	71	370	<2	0.68	<5	169	0.44	214
179637		1060	7.24	0.82	3.52	1035	<1	1.55	82	350	2	0.69	<5	156	0.42	198
179638		29	7.46	1.16	4.49	1205	<1	1.55	90	470	5	0.05	<5	216	0.43	219
179639		11	6.87	1.28	4.25	1090	<1	1.53	93	330	<2	0.02	<5	149	0.41	205
179640		3	6.93	1.12	4.15	1115	<1	1.40	92	370	2	0.01	<5	120	0.44	206



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 13-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043912

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
179601		<10	38
179602		<10	89
179603		30	98
179604		<10	17
179605		<10	68
179606		<10	86
179607		<10	63
179608		<10	60
179609		10	66
179610		<10	66
179611		10	57
179612		<10	27
179613		<10	62
179614		<10	50
179615		<10	54
179616 DUP		<10	54
179617		<10	57
179618		<10	58
179619		<10	66
179620		<10	112
179621		<10	72
179622		<10	92
179623		<10	84
179624		10	109
179625		<10	25
179626		<10	84
179627		<10	69
179628		<10	73
179629		<10	66
179630		10	69
179631 DUP		<10	74
179632		10	77
179633		<10	68
179634		<10	169
179635		<10	28
179636		<10	76
179637		<10	65
179638		<10	76
179639		<10	63
179640		<10	64





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 3 (A - C)

Finalized Date: 13-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043912

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
179641		2.35	0.014				<0.5	7.40	6	100	<0.5	<2	6.16	<0.5	23	100
179642		2.46	0.327				<0.5	6.72	<5	130	<0.5	<2	5.56	<0.5	20	98
179643		2.40	0.893				<0.5	7.79	17	130	<0.5	<2	6.08	<0.5	22	112
179644		2.65	0.923				<0.5	7.35	<5	170	<0.5	<2	5.58	<0.5	26	130
179645		2.67	4.30	4.57			0.5	7.13	15	90	<0.5	3	6.05	<0.5	44	124
179646 DUP		<0.02	3.59	3.43			0.6	7.37	5	90	<0.5	3	6.11	<0.5	43	122
179647		2.46	1.605				0.6	7.56	<5	270	0.6	<2	4.14	<0.5	22	65
179648		3.35	4.52				0.6	7.70	<5	180	<0.5	4	5.71	<0.5	38	134
179649		0.11	0.008				<0.5	6.64	<5	520	0.9	<2	0.78	<0.5	1	12
179650		2.23	<0.005				<0.5	8.21	<5	200	0.6	<2	4.94	<0.5	25	104
179651		3.31	0.076				0.7	7.42	13	260	0.8	<2	4.14	<0.5	15	20
179652		3.54	0.159				<0.5	8.25	<5	150	<0.5	<2	7.45	<0.5	27	130
179653		3.35	0.027				0.6	7.75	<5	180	0.6	<2	5.67	<0.5	24	89
179654		2.24	0.005				<0.5	8.17	8	140	0.6	<2	5.87	<0.5	27	76
179655		2.52	0.007				<0.5	8.04	<5	120	<0.5	<2	6.52	<0.5	32	121
179656		0.05	0.979				10.7	8.44	<5	50	3.3	<2	0.33	<0.5	1	9
179657		3.42	0.020				<0.5	8.06	<5	100	<0.5	<2	6.80	<0.5	31	116
179658		3.44	<0.005				<0.5	8.15	<5	650	1.2	<2	3.95	<0.5	17	91
179659		2.54	0.521				<0.5	7.76	<5	120	<0.5	<2	6.85	<0.5	56	120
179660		3.08	<0.005				<0.5	7.58	<5	190	0.5	<2	4.76	<0.5	24	114
179661		2.73	0.149				<0.5	7.15	11	230	0.7	<2	3.83	<0.5	22	52
179662		3.09	0.081				<0.5	7.63	6	190	<0.5	<2	5.80	<0.5	38	119
179663		3.75	0.007				<0.5	7.50	<5	220	0.7	<2	4.26	<0.5	19	50
179664		3.75	0.005				<0.5	8.36	7	220	0.6	<2	5.50	<0.5	23	73
179665		0.05	1.815				18.9	8.13	<5	60	3.1	<2	0.34	<0.5	2	7
179666		2.35	0.013				0.5	8.85	10	230	0.8	<2	6.93	<0.5	34	104
179667		2.90	0.009				<0.5	7.59	<5	330	0.8	<2	6.47	<0.5	33	100
179668		2.59	0.349				<0.5	7.73	<5	160	<0.5	<2	5.93	<0.5	29	109
179669		2.61	0.031				<0.5	7.84	6	120	<0.5	<2	6.20	<0.5	28	105
179670		2.56	<0.005				<0.5	7.38	<5	120	<0.5	<2	5.94	<0.5	24	110
179671		2.66	0.038				<0.5	7.54	<5	200	0.6	<2	5.32	<0.5	23	71
179672		2.62	0.012				<0.5	7.80	<5	140	<0.5	5	6.43	<0.5	28	129
179673		2.94	0.161				<0.5	7.66	<5	150	<0.5	<2	6.27	<0.5	25	125
179674		2.99	1.975				<0.5	6.01	<5	120	<0.5	<2	6.98	<0.5	30	119
179675		2.73	0.575				<0.5	7.68	<5	80	<0.5	<2	7.19	<0.5	30	123
179676		2.71	>10.0		11.00		<0.5	6.65	5	90	<0.5	4	5.40	<0.5	56	131
179677		0.13	0.022	0.027			<0.5	7.04	<5	560	0.9	2	1.00	<0.5	6	15
179678		2.58	2.86				<0.5	7.58	9	180	0.6	<2	4.97	<0.5	34	85
179679		2.83	>10.0		11.60		1.7	6.75	<5	110	<0.5	12	5.28	0.8	130	112
179680 DUP		<0.02	>10.0		12.35		2.1	6.73	9	110	<0.5	13	5.30	<0.5	143	110



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 13-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043912

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm 1	Fe % 0.01	K % 0.01	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sr ppm 1	Ti % 0.01	V ppm 1
179641		8	6.50	0.82	3.74	1120	<1	1.82	62	400	2	0.02	<5	141	0.45	215
179642		120	5.99	1.05	3.42	1070	<1	1.32	59	340	6	0.24	<5	122	0.39	186
179643		49	6.78	1.09	3.69	1100	<1	1.52	80	750	6	0.18	<5	215	0.48	216
179644		445	7.44	1.44	3.60	1080	1	1.10	61	340	4	0.52	<5	120	0.42	199
179645		912	8.80	0.85	3.07	1085	1	1.17	87	380	4	1.62	<5	127	0.41	196
179646 DUP		844	8.67	0.88	3.11	1100	<1	1.21	81	370	4	1.60	<5	131	0.41	199
179647		1035	6.45	1.50	1.90	832	1	1.64	36	720	9	0.80	<5	163	0.46	120
179648		877	7.98	1.48	3.18	1185	1	0.84	64	350	6	1.32	<5	108	0.44	212
179649		12	2.27	4.19	0.21	186	<1	2.05	5	170	34	0.01	<5	140	0.08	8
179650		192	5.77	1.23	2.43	850	<1	1.73	78	1010	5	0.77	<5	315	0.46	138
179651		138	5.30	0.83	1.44	702	1	2.32	28	850	10	0.63	<5	322	0.42	85
179652		124	7.23	1.72	3.69	1465	<1	1.09	63	380	5	1.04	<5	124	0.47	219
179653		70	6.22	1.18	2.60	1130	1	1.49	50	510	<2	0.35	<5	151	0.44	172
179654		97	6.36	0.80	2.53	1095	1	1.98	58	700	6	0.35	<5	195	0.50	175
179655		126	7.14	0.73	3.36	1185	<1	1.67	69	380	4	0.35	<5	153	0.46	215
179656		8	2.75	0.20	0.07	35	<1	7.0	2	630	122	2.94	<5	23	0.01	2
179657		181	6.98	0.75	3.18	1170	<1	1.43	73	410	6	0.48	<5	153	0.45	210
179658		42	3.26	1.70	1.95	495	<1	2.97	66	790	6	0.17	<5	691	0.29	78
179659		723	7.86	1.00	3.27	1260	<1	1.20	78	410	4	1.11	<5	178	0.43	194
179660		104	5.31	1.40	2.56	849	<1	1.46	87	980	3	0.38	<5	285	0.43	131
179661		360	5.79	1.04	1.48	717	1	2.09	34	720	6	1.08	<5	230	0.41	93
179662		265	7.36	1.56	3.50	1120	1	1.34	82	430	8	0.73	<5	142	0.44	204
179663		56	5.35	0.95	2.07	793	<1	2.24	41	820	4	0.30	<5	255	0.51	125
179664		36	6.75	1.06	3.31	1085	<1	2.13	75	660	4	0.18	<5	243	0.49	180
179665		6	2.64	0.19	0.07	112	<1	6.8	3	630	120	2.83	<5	22	0.01	2
179666		97	8.13	1.22	3.76	1385	1	2.12	81	2310	5	0.61	<5	677	1.11	218
179667		49	6.67	1.09	3.83	1170	<1	2.06	86	2080	10	0.42	<5	648	0.83	197
179668		7	6.69	1.18	4.21	1085	<1	1.38	83	380	4	0.02	<5	177	0.42	198
179669		1	6.57	1.01	3.82	1100	<1	1.59	68	390	6	<0.01	<5	151	0.46	216
179670		8	6.28	0.96	3.53	1040	<1	1.54	60	380	5	0.04	<5	145	0.43	203
179671		20	5.82	1.11	2.62	997	<1	1.95	43	670	7	0.10	<5	148	0.52	171
179672		8	6.79	1.25	3.97	1160	<1	1.59	69	400	<2	0.02	<5	136	0.47	218
179673		3	6.91	1.26	3.89	1075	<1	1.52	64	360	4	<0.01	<5	140	0.45	209
179674		12	6.96	0.91	4.00	1170	<1	1.70	66	420	5	0.06	<5	153	0.48	217
179675		33	6.91	0.59	3.78	1225	<1	1.67	72	520	4	0.12	<5	167	0.49	211
179676		966	7.44	0.63	2.50	870	<1	1.42	104	340	5	1.54	<5	142	0.40	162
179677		16	3.13	4.19	0.28	274	<1	2.31	7	160	36	0.02	<5	156	0.09	12
179678		394	6.82	0.88	2.49	999	<1	1.97	45	670	8	0.85	<5	164	0.52	175
179679		3130	11.95	0.65	2.28	933	<1	1.51	174	410	10	4.19	<5	133	0.40	162
179680 DUP		3090	12.25	0.64	2.30	922	<1	1.52	180	410	7	4.00	<5	134	0.39	163



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 13-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06043912

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
179641		<10	60
179642		<10	57
179643		<10	66
179644		<10	93
179645		<10	90
179646 DUP		10	85
179647		<10	102
179648		10	171
179649		<10	27
179650		<10	58
179651		10	48
179652		30	78
179653		10	79
179654		<10	79
179655		10	92
179656		<10	18
179657		<10	72
179658		<10	51
179659		<10	74
179660		<10	63
179661		<10	64
179662		10	84
179663		<10	59
179664		<10	73
179665		<10	18
179666		<10	89
179667		<10	83
179668		30	72
179669		<10	63
179670		10	61
179671		10	62
179672		<10	70
179673		<10	64
179674		10	62
179675		10	66
179676		<10	50
179677		<10	28
179678		<10	79
179679		20	108
179680 DUP		10	108



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 4-JUL-2006  
Account: TRAVEN

## CERTIFICATE VO06047181

Project: BLOCK A

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 4-JUL-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179821		2.33	0.035			<0.5	7.50	<5	170	<0.5	<2	5.13	<0.5	38	302	10
179822		2.88	0.029			<0.5	8.17	<5	320	0.5	<2	4.43	<0.5	29	201	19
179823		2.42	0.025			<0.5	7.76	<5	160	<0.5	<2	6.11	<0.5	39	307	20
179824		2.79	0.146			<0.5	7.58	7	130	<0.5	<2	7.26	<0.5	45	339	9
179825		0.19	<0.005			<0.5	6.95	<5	560	0.9	<2	0.87	<0.5	2	13	7
179826		2.77	0.067			<0.5	7.09	<5	350	0.9	<2	3.12	<0.5	13	138	16
179827		2.59	0.108			<0.5	7.59	<5	100	<0.5	<2	7.53	<0.5	38	316	13
179828		3.02	0.272			<0.5	7.77	<5	50	<0.5	<2	8.02	<0.5	42	355	7
179829		2.98	0.955			<0.5	7.12	<5	40	<0.5	<2	8.15	<0.5	43	297	20
179830		2.96	0.048			<0.5	7.62	<5	60	<0.5	<2	7.86	<0.5	44	358	4
179831		0.06	1.760			18.6	6.93	<5	40	2.9	<2	0.32	<0.5	1	7	7
179832		2.57	0.014			<0.5	7.38	<5	60	<0.5	<2	7.78	<0.5	40	321	9
179833		2.81	0.011			<0.5	7.50	5	70	<0.5	<2	7.45	<0.5	42	318	4
179834		3.09	0.091			<0.5	6.77	<5	80	<0.5	<2	7.56	<0.5	40	323	20
179835		2.90	<0.005			<0.5	7.20	<5	40	<0.5	<2	7.64	<0.5	43	322	7
179836 DUP		<0.02	<0.005			<0.5	7.37	<5	40	<0.5	<2	7.75	<0.5	45	316	5
179837		2.76	<0.005			<0.5	7.46	<5	50	<0.5	<2	8.04	<0.5	45	321	12
179838		2.52	<0.005			<0.5	7.31	<5	50	<0.5	<2	7.87	<0.5	43	369	4
179839		2.80	0.024			<0.5	6.83	<5	40	<0.5	<2	7.26	<0.5	45	346	8
179840		2.58	<0.005			<0.5	6.99	7	50	<0.5	<2	7.85	<0.5	45	339	27
179841		2.81	<0.005			<0.5	7.52	22	40	<0.5	<2	7.64	<0.5	46	378	19
179842		2.71	0.045			<0.5	7.51	<5	50	<0.5	<2	8.05	<0.5	49	350	160
179843		2.69	0.026			<0.5	7.26	<5	70	<0.5	<2	7.67	<0.5	44	370	21
179844		2.50	<0.005			<0.5	6.63	<5	50	<0.5	<2	9.61	<0.5	42	290	13
179845		2.83	0.026			<0.5	6.78	<5	120	<0.5	<2	8.58	<0.5	41	306	21
179846		2.71	<0.005			<0.5	6.45	<5	50	<0.5	<2	9.51	<0.5	40	281	28
179847 DUP		<0.02	<0.005			<0.5	6.37	<5	50	<0.5	<2	9.32	<0.5	40	279	29
179848		2.65	0.030			<0.5	7.30	<5	50	<0.5	<2	10.10	<0.5	43	272	76
179849		2.91	0.014			<0.5	7.79	8	60	<0.5	<2	9.39	<0.5	45	299	12
179850		2.11	0.097			<0.5	7.37	5	120	<0.5	<2	7.42	<0.5	46	355	32
179851		0.15	<0.005			<0.5	7.24	<5	570	1.1	<2	0.80	<0.5	6	22	8
179852		3.37	0.160			<0.5	7.33	<5	140	<0.5	<2	6.18	<0.5	34	230	40
179853		2.67	0.088			<0.5	7.62	<5	80	<0.5	<2	7.51	<0.5	44	317	21
179854		2.16	0.157			<0.5	7.14	<5	360	0.9	<2	3.63	<0.5	26	290	14
179855		2.56	0.048			<0.5	8.29	11	300	0.5	<2	4.55	<0.5	22	167	10
179856		2.73	0.043			<0.5	7.56	5	80	<0.5	<2	6.17	<0.5	37	228	12
179857		2.66	0.066			<0.5	8.33	<5	220	<0.5	<2	6.43	<0.5	38	250	45
179858		0.06	0.969			11.1	9.33	12	60	3.3	<2	0.34	<0.5	1	7	10
179859		2.71	1.190			<0.5	8.58	<5	200	0.5	<2	5.55	<0.5	32	224	14
179860		2.65	0.299			<0.5	8.43	7	120	<0.5	<2	7.59	<0.5	46	287	25



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 4-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179821		5.67	1.66	5.15	997	1	2.18	132	210	<2	0.02	<5	84	0.29	172	<10
179822		5.47	1.95	3.91	944	<1	2.79	87	540	<2	0.14	<5	151	0.42	178	<10
179823		6.28	1.13	5.13	1185	<1	2.47	130	300	<2	0.07	<5	143	0.40	223	<10
179824		7.08	0.89	5.90	1325	<1	1.46	151	250	<2	0.01	<5	144	0.38	236	10
179825		1.74	4.34	0.22	160	<1	2.17	3	160	31	<0.01	<5	150	0.08	9	<10
179826		3.32	1.13	1.58	804	2	2.78	46	130	<2	0.07	<5	131	0.18	74	<10
179827		6.78	0.70	5.24	1360	<1	1.47	158	290	<2	0.02	<5	147	0.37	222	10
179828		7.35	0.42	5.58	1320	<1	1.49	154	250	<2	0.01	<5	137	0.38	238	30
179829		7.52	0.35	5.37	1365	<1	1.29	158	240	<2	0.07	<5	131	0.35	221	400
179830		7.47	0.49	5.82	1325	<1	1.44	158	240	<2	0.01	<5	118	0.39	235	<10
179831		2.72	0.17	0.05	101	1	6.8	4	590	90	3.23	<5	13	0.01	2	<10
179832		7.16	0.42	5.26	1290	<1	1.48	145	230	<2	0.02	<5	136	0.37	233	<10
179833		7.10	0.54	5.77	1275	<1	1.47	137	230	<2	<0.01	<5	106	0.38	230	10
179834		6.92	0.57	4.69	1245	<1	1.60	164	220	<2	0.10	<5	101	0.34	203	210
179835		7.38	0.27	5.39	1305	<1	1.54	138	230	<2	0.02	<5	133	0.36	226	<10
179836 DUP		7.46	0.28	5.50	1325	<1	1.59	142	240	<2	0.02	<5	136	0.37	228	<10
179837		7.76	0.31	5.31	1385	<1	1.53	144	260	<2	0.04	<5	134	0.38	235	<10
179838		7.64	0.31	5.01	1330	<1	1.42	141	240	3	0.01	<5	148	0.33	220	10
179839		7.30	0.38	5.15	1275	1	1.73	126	240	7	0.01	<5	104	0.35	208	50
179840		7.71	0.32	4.60	1335	<1	1.61	134	210	<2	0.04	<5	146	0.36	211	10
179841		7.81	0.19	4.62	1315	<1	1.80	122	230	4	0.03	<5	152	0.39	226	30
179842		8.28	0.28	5.18	1435	<1	1.72	160	230	6	0.12	<5	140	0.38	226	10
179843		7.69	0.28	4.64	1315	<1	1.89	118	230	2	0.05	<5	140	0.37	221	<10
179844		7.29	0.32	4.66	1400	1	1.50	119	210	3	0.02	<5	142	0.34	203	<10
179845		7.24	0.49	4.40	1405	<1	1.56	124	220	4	0.09	<5	154	0.34	204	10
179846		7.08	0.39	4.38	1290	1	1.58	117	220	5	0.05	<5	146	0.33	192	<10
179847 DUP		7.05	0.39	4.31	1275	1	1.58	119	200	7	0.05	<5	144	0.32	191	<10
179848		7.08	0.39	4.44	1350	<1	1.56	110	220	4	0.06	<5	150	0.34	205	<10
179849		7.49	0.36	4.96	1380	<1	1.55	127	220	<2	0.03	<5	152	0.37	224	<10
179850		7.25	0.41	5.35	1285	<1	1.41	171	330	9	0.20	<5	197	0.35	204	10
179851		2.48	5.00	0.22	210	<1	2.10	8	140	35	0.01	<5	147	0.10	10	<10
179852		5.12	0.50	3.43	947	<1	2.02	100	280	<2	0.08	<5	198	0.29	159	<10
179853		7.48	0.42	5.06	1395	<1	1.48	122	230	7	0.13	<5	142	0.35	208	<10
179854		4.29	1.23	3.60	855	<1	2.41	131	510	2	0.11	<5	130	0.27	108	<10
179855		3.92	1.01	2.78	709	<1	3.01	64	240	4	0.05	<5	206	0.21	113	<10
179856		7.19	0.53	4.26	1290	<1	1.94	99	570	<2	0.08	<5	138	0.48	182	<10
179857		6.10	0.77	4.11	1160	<1	2.16	112	230	6	0.14	<5	184	0.30	174	<10
179858		2.61	0.19	0.08	38	<1	7.0	1	580	112	2.81	<5	23	0.01	2	<10
179859		5.15	0.73	3.25	961	<1	2.57	94	230	4	0.06	<5	220	0.28	155	<10
179860		7.68	0.70	5.57	1485	<1	1.58	130	280	<2	0.10	<5	144	0.39	225	<10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 4-JUL-2008

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179821		46
179822		57
179823		57
179824		66
179825		26
179826		37
179827		78
179828		66
179829		68
179830		64
179831		15
179832		60
179833		57
179834		57
179835		61
179836 DUP		62
179837		66
179838		68
179839		51
179840		57
179841		61
179842		65
179843		62
179844		55
179845		54
179846		52
179847 DUP		50
179848		57
179849		58
179850		88
179851		32
179852		58
179853		62
179854		78
179855		45
179856		72
179857		65
179858		17
179859		68
179860		84



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 4-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	0.01	0.5	1	1	1	
179861		2.75	0.235			<0.5	7.75	<5	110	<0.5	<2	6.98	<0.5	39	274	14
179862		2.60	0.500			<0.5	7.15	<5	70	<0.5	<2	6.81	<0.5	44	286	30
179863		2.94	0.347			<0.5	7.35	<5	60	<0.5	<2	8.22	<0.5	44	292	14
179864		2.67	0.507			<0.5	7.11	<5	100	<0.5	<2	8.70	<0.5	36	238	77
179865 DUP		<0.02	0.475			<0.5	7.10	11	200	<0.5	<2	8.54	<0.5	38	268	83
179866		2.81	0.166			<0.5	7.00	<5	50	<0.5	<2	10.05	<0.5	43	267	24
179867		2.73	0.088			<0.5	8.14	<5	270	0.5	<2	6.19	<0.5	34	198	20
179868		2.73	1.955			<0.5	7.61	<5	130	<0.5	<2	6.68	<0.5	41	273	194
179869		2.46	0.232			<0.5	7.89	6	300	<0.5	<2	8.61	<0.5	40	264	29
179870		0.11	<0.005			<0.5	7.17	<5	570	1.0	<2	0.96	<0.5	3	19	11
179871		2.38	0.816			<0.5	7.94	<5	190	<0.5	<2	7.05	<0.5	44	320	18
179872		2.80	1.565			0.7	7.66	<5	130	<0.5	<2	6.76	<0.5	44	329	96
179873		2.73	0.872			<0.5	7.19	<5	200	<0.5	<2	4.70	<0.5	42	359	8
179874		1.74	0.395			<0.5	7.51	<5	130	1.0	<2	5.78	<0.5	37	211	61
179875		3.54	0.368			<0.5	8.53	<5	210	<0.5	<2	4.37	<0.5	28	195	29
179876		2.69	0.582			<0.5	7.37	<5	120	<0.5	<2	7.91	<0.5	46	325	21
179877		0.06	1.790			18.4	8.22	<5	80	3.2	<2	0.35	<0.5	1	6	5
179878		2.81	0.077			<0.5	7.29	<5	260	<0.5	<2	3.06	<0.5	17	156	6
179879		2.31	0.094			<0.5	8.20	<5	290	<0.5	<2	3.87	<0.5	19	182	45
179880		2.98	0.541			<0.5	6.82	<5	150	0.5	<2	3.88	<0.5	24	186	32
179881		2.67	0.573			<0.5	8.04	<5	60	<0.5	<2	5.69	<0.5	38	293	8
179882		1.45	>10.0		19.35	3.6	6.49	7	40	<0.5	<2	4.81	<0.5	52	243	1930
179883		0.13	0.032	0.008		<0.5	7.31	<5	580	0.9	<2	0.82	<0.5	3	10	11
179884		2.69	0.817			<0.5	7.12	<5	80	<0.5	<2	5.05	<0.5	45	358	142
179885		3.47	0.081			<0.5	6.84	7	90	<0.5	<2	3.46	<0.5	27	220	20
179886		2.71	0.257			<0.5	6.90	<5	90	<0.5	<2	4.93	<0.5	49	321	10
179887		2.73	0.064			<0.5	7.05	<5	100	0.5	<2	5.76	<0.5	36	296	6
179888		2.78	0.079			<0.5	6.95	5	70	0.7	<2	7.52	<0.5	43	321	21
179889 DUP		<0.02	0.068			<0.5	7.27	7	70	0.7	<2	7.92	<0.5	46	327	21
179890		2.56	0.024			<0.5	7.49	<5	60	0.6	<2	4.91	<0.5	35	196	82
179891		2.65	0.170			<0.5	7.81	<5	80	<0.5	<2	4.66	<0.5	24	135	72
179892		2.69	1.005			<0.5	7.51	<5	100	<0.5	<2	5.92	<0.5	41	314	10
179893		2.11	0.006			<0.5	6.92	<5	490	1.0	<2	2.03	<0.5	7	28	35
179894		2.38	0.359			<0.5	8.35	<5	320	0.9	<2	2.62	<0.5	12	23	338
179895		2.87	0.008			<0.5	7.48	<5	310	0.7	<2	4.21	<0.5	24	65	42
179896		0.05	0.963			9.9	8.54	6	40	3.1	<2	0.33	<0.5	<1	4	8
179897		2.50	0.031			<0.5	7.57	<5	220	0.5	<2	4.44	<0.5	30	93	27
179898		2.50	0.007			<0.5	7.91	6	180	0.5	<2	5.53	<0.5	32	98	21
179899		2.49	<0.005			<0.5	7.86	<5	120	<0.5	<2	6.44	<0.5	29	116	1
179900		3.05	<0.005			<0.5	9.82	<5	60	0.5	<2	9.25	<0.5	34	138	55





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 5 (A - C)

Finalized Date: 4-JUL-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179861		7.05	0.57	4.70	1350	<1	1.68	116	280	3	0.09	<5	144	0.36	205	<10
179862		7.05	0.47	4.66	1355	<1	1.51	123	210	<2	0.13	<5	124	0.35	212	<10
179863		7.25	0.47	4.60	1455	<1	1.37	136	230	6	0.08	<5	140	0.35	210	<10
179864		7.38	0.64	4.88	1735	<1	1.64	105	260	2	0.46	<5	130	0.30	178	10
179865 DUP		7.43	0.69	4.91	1720	<1	1.64	117	270	<2	0.46	<5	130	0.32	192	10
179866		8.97	0.35	4.46	1455	<1	1.30	118	210	8	0.05	<5	166	0.34	199	<10
179867		6.52	0.62	3.35	1180	<1	2.03	80	500	7	0.11	<5	158	0.42	178	<10
179868		7.04	0.60	4.42	1370	<1	1.95	108	270	3	0.15	<5	163	0.37	200	20
179869		7.02	0.74	4.50	1525	1	1.72	112	220	3	0.12	<5	172	0.33	192	<10
179870		3.20	3.92	0.26	289	1	2.16	7	170	37	<0.01	<5	151	0.09	11	<10
179871		7.53	0.77	5.03	1470	<1	1.83	117	230	<2	0.05	<5	160	0.37	213	<10
179872		7.65	0.79	4.77	1475	2	1.87	110	230	<2	0.20	<5	156	0.36	213	10
179873		7.45	0.56	5.05	1450	<1	2.66	118	240	3	0.06	<5	69	0.37	224	<10
179874		8.32	0.75	5.92	1290	<1	1.31	100	160	2	0.26	<5	44	0.26	170	<10
179875		4.57	0.86	3.14	846	<1	3.27	70	190	5	0.08	<5	199	0.24	129	10
179876		7.98	0.75	5.22	1505	2	1.77	126	230	5	0.05	<5	188	0.39	222	20
179877		2.82	0.20	0.07	112	1	7.0	3	640	128	2.98	<5	23	0.01	2	<10
179878		3.46	0.92	2.21	620	<1	3.70	52	180	3	0.04	<5	164	0.17	83	10
179879		4.47	1.06	2.63	920	<1	3.16	60	230	10	0.15	<5	172	0.23	94	<10
179880		4.70	0.82	2.79	905	<1	2.96	66	140	3	0.19	<5	88	0.22	107	10
179881		6.87	0.45	4.88	1330	<1	3.81	108	220	4	0.21	<5	96	0.33	182	<10
179882		7.96	0.31	3.96	1060	2	1.97	111	430	5	2.21	<5	78	0.35	157	10
179883		2.71	4.60	0.19	229	1	2.31	4	170	62	0.01	<5	156	0.08	8	<10
179884		7.98	0.52	5.10	1470	1	2.66	123	220	2	0.20	<5	70	0.37	215	10
179885		4.97	0.48	3.23	922	2	3.67	79	160	9	0.12	<5	89	0.25	127	<10
179886		7.96	0.79	5.44	1550	<1	2.88	130	220	7	0.31	<5	73	0.37	216	<10
179887		7.80	1.04	5.03	1645	3	2.47	117	240	<2	0.30	<5	29	0.36	201	<10
179888		8.14	1.06	6.13	1705	1	0.81	124	220	4	0.07	<5	21	0.37	220	<10
179889 DUP		8.54	1.08	6.47	1790	1	0.86	131	220	3	0.08	<5	22	0.37	217	<10
179890		5.50	0.97	3.87	1015	2	2.07	80	450	2	0.34	<5	26	0.40	165	10
179891		5.43	0.92	3.44	1015	<1	2.76	51	930	<2	0.07	<5	53	0.48	153	<10
179892		7.77	0.67	4.98	1505	<1	2.28	119	290	<2	0.07	<5	146	0.38	227	10
179893		3.20	1.18	0.49	532	<1	2.86	9	330	5	0.19	<5	196	0.21	29	<10
179894		3.95	0.86	0.79	756	1	3.86	12	530	2	0.39	<5	262	0.30	41	<10
179895		5.17	1.16	2.30	985	<1	2.21	58	370	3	0.24	<5	153	0.32	101	<10
179896		2.57	0.19	0.07	34	<1	6.7	2	650	114	2.77	<5	21	0.01	1	<10
179897		6.36	1.18	2.96	1130	<1	2.16	46	490	<2	0.12	<5	149	0.44	170	<10
179898		6.45	1.12	3.80	1065	<1	1.68	59	450	4	0.07	<5	148	0.44	186	<10
179899		6.55	0.83	4.22	1055	<1	1.51	85	370	<2	<0.01	<5	160	0.44	203	10
179900		8.39	0.36	5.01	1520	<1	1.88	90	870	3	0.15	<5	332	0.58	249	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - C

Total # Pages: 5 (A - C)

Finalized Date: 4-JUL-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179861		83
179862		68
179863		79
179864		122
179865 DUP		130
179866		73
179867		65
179868		82
179869		66
179870		29
179871		69
179872		103
179873		61
179874		45
179875		45
179876		73
179877		18
179878		32
179879		46
179880		38
179881		46
179882		49
179883		26
179884		59
179885		36
179886		65
179887		64
179888		61
179889 DUP		62
179890		43
179891		50
179892		74
179893		44
179894		73
179895		91
179896		16
179897		89
179898		67
179899		60
179900		77



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 4-JUL-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047181**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	
179901		2.52	0.128			<0.5	7.75	<5	50	<0.5	<2	7.16	<0.5	42	136	590
179902		2.77	0.023			<0.5	8.03	<5	100	<0.5	<2	6.76	<0.5	48	136	525
179903		2.52	0.018			<0.5	7.49	<5	100	<0.5	<2	6.32	<0.5	38	120	702
179904 DUP		<0.02	0.015			<0.5	7.41	<5	110	<0.5	<2	6.20	<0.5	38	128	750
179905		0.16	<0.005			<0.5	6.74	<5	510	0.8	<2	0.92	<0.5	3	17	15
179906		2.85	0.012			<0.5	8.15	<5	80	<0.5	<2	6.89	<0.5	33	128	157
179907		2.71	0.026			<0.5	7.47	<5	60	<0.5	<2	6.59	<0.5	37	116	398
179908		2.84	0.005			<0.5	8.37	<5	40	<0.5	<2	7.73	<0.5	29	121	60
179909		2.60	0.025			<0.5	7.59	<5	60	<0.5	<2	6.76	<0.5	35	130	239
179910		2.80	0.010			0.5	8.24	<5	50	<0.5	<2	7.33	<0.5	30	138	183
179911		2.67	0.712			<0.5	7.67	<5	90	<0.5	<2	6.76	<0.5	49	138	658
179912		2.88	1.205			<0.5	7.87	<5	40	<0.5	<2	7.48	<0.5	48	140	2480
179913		2.39	0.093			0.8	8.18	<5	440	0.7	<2	3.07	<0.5	31	40	175
179914		0.06	1.795			19.9	8.11	5	50	3.2	<2	0.33	<0.5	<1	6	6
179915		2.42	0.191			<0.5	7.87	<5	110	<0.5	<2	6.23	<0.5	47	126	416
179916		2.81	0.616			<0.5	8.85	<5	160	0.5	<2	4.72	<0.5	63	84	568
179917		3.00	3.49			0.8	8.21	<5	70	<0.5	<2	6.90	<0.5	49	148	750
179918		2.65	0.284			<0.5	7.95	<5	60	<0.5	<2	6.91	<0.5	41	136	491
179919		2.96	0.115			<0.5	8.16	<5	100	<0.5	<2	7.18	<0.5	29	142	18
179920		2.44	0.252			<0.5	8.19	<5	140	<0.5	<2	6.08	<0.5	30	130	4
179921		2.66	0.242			<0.5	7.93	<5	150	0.5	<2	5.32	<0.5	27	87	33
179922		2.31	0.012			<0.5	8.07	<5	230	0.5	<2	5.85	<0.5	30	84	36
179923		2.48	0.056			<0.5	7.98	<5	150	0.5	<2	5.80	<0.5	25	102	22
179924		2.98	6.45	1.915		0.6	7.50	<5	60	<0.5	<2	6.41	<0.5	30	171	534
179925 DUP		<0.02	3.47	3.96		<0.5	7.22	<5	60	<0.5	<2	6.23	<0.5	29	138	565
179926		0.18	<0.005			<0.5	6.68	<5	550	0.9	<2	0.85	<0.5	2	10	7
179927		2.45	0.730			0.6	7.66	<5	40	<0.5	<2	6.80	<0.5	54	138	1480
179928		2.46	0.079			<0.5	8.07	<5	40	<0.5	<2	7.48	<0.5	37	132	330
179929		2.86	1.180			<0.5	7.65	5	60	<0.5	<2	6.79	<0.5	39	133	586
179930		2.29	0.094			<0.5	7.88	<5	70	<0.5	<2	7.14	<0.5	27	118	38
179931		2.86	0.013			<0.5	8.07	<5	90	<0.5	<2	7.39	<0.5	24	126	52
179932		2.63	<0.005			<0.5	7.75	6	130	<0.5	<2	6.89	<0.5	24	146	9
179933		2.54	0.155			<0.5	8.16	<5	30	<0.5	<2	7.94	<0.5	26	116	3
179934		2.67	2.58			<0.5	8.68	<5	30	<0.5	<2	6.06	<0.5	30	131	432
179935		2.58	2.40			<0.5	7.61	11	120	<0.5	<2	6.78	<0.5	28	149	376
179936		2.76	0.068			<0.5	7.90	<5	90	0.5	<2	6.51	<0.5	27	138	300
179937		2.96	0.056			<0.5	7.86	<5	200	0.6	<2	5.48	<0.5	23	91	180
179938		0.06	0.987			10.2	7.74	<5	40	3.1	<2	0.31	<0.5	<1	4	7
179939		2.77	3.29			1.2	7.15	<5	110	<0.5	4	5.16	<0.5	33	119	1145
179940		2.04	0.178			<0.5	6.62	7	70	0.6	<2	5.36	<0.5	28	196	771



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 4-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01									
179901		7.67	0.32	3.78	1155	<1	1.38	63	420	<2	0.76	<5	171	0.45	207	<10
179902		7.92	0.58	3.52	1160	<1	1.51	75	390	<2	0.90	<5	148	0.45	207	<10
179903		6.77	0.63	2.81	997	<1	1.38	91	370	3	0.80	<5	134	0.38	186	10
179904 DUP		6.62	0.64	2.82	992	<1	1.37	87	360	<2	0.67	<5	130	0.38	184	10
179905		2.91	4.03	0.28	258	1	2.04	6	170	31	0.02	<5	152	0.09	16	<10
179906		7.08	0.53	3.69	1200	<1	1.72	63	390	3	0.29	<5	156	0.45	209	10
179907		6.95	0.36	3.26	1140	<1	1.58	79	380	2	0.82	<5	150	0.41	187	<10
179908		7.06	0.23	3.77	1270	1	1.66	70	390	<2	0.14	<5	155	0.46	210	10
179909		7.18	0.36	3.29	1155	<1	1.51	78	360	6	0.53	<5	142	0.43	196	10
179910		7.49	0.38	3.52	1255	<1	1.57	68	380	8	0.38	<5	170	0.46	208	<10
179911		8.13	0.71	3.24	1190	<1	1.45	82	370	7	1.19	<5	145	0.44	200	20
179912		8.55	0.31	3.46	1225	<1	1.54	93	380	9	1.20	5	162	0.44	196	10
179913		4.36	1.02	0.87	338	<1	3.32	67	250	5	1.18	<5	329	0.15	47	<10
179914		2.80	0.18	0.06	109	<1	6.8	2	630	124	3.02	<5	20	0.01	2	<10
179915		7.91	0.48	2.95	1095	<1	1.83	70	350	13	1.22	<5	180	0.40	186	<10
179916		8.62	0.69	1.96	1085	<1	1.75	86	530	7	2.02	<5	148	0.39	120	10
179917		7.93	0.45	3.07	1160	<1	1.85	79	400	11	1.31	<5	174	0.47	207	10
179918		7.71	0.38	3.28	1160	<1	1.64	64	380	5	0.74	<5	174	0.44	206	10
179919		7.37	0.80	4.19	1180	<1	1.55	79	410	5	0.04	<5	158	0.45	209	10
179920		7.01	1.33	4.25	1075	1	1.44	85	390	12	0.01	<5	128	0.45	203	<10
179921		6.44	1.06	3.15	1030	<1	1.72	61	650	12	0.12	<5	181	0.50	176	10
179922		6.82	1.12	3.52	1185	<1	2.15	62	900	5	0.19	<5	423	0.49	190	<10
179923		6.58	0.79	3.11	1100	<1	1.99	55	580	10	0.11	<5	178	0.49	176	<10
179924		8.72	0.40	2.79	1075	<1	1.52	57	340	6	0.50	<5	135	0.43	188	10
179925 DUP		6.69	0.38	2.71	1055	<1	1.47	53	340	3	0.57	<5	131	0.42	192	<10
179926		2.00	4.28	0.22	180	1	2.11	3	180	37	0.01	<5	148	0.08	7	<10
179927		8.51	0.27	3.02	1160	<1	1.37	73	380	5	1.46	<5	144	0.44	198	<10
179928		7.56	0.28	3.55	1245	<1	1.49	70	390	5	0.46	<5	156	0.46	200	10
179929		7.83	0.37	3.31	1205	<1	1.46	59	370	7	0.75	<5	150	0.44	196	10
179930		8.77	0.58	3.92	1205	<1	1.62	76	360	5	0.07	5	160	0.45	200	<10
179931		7.17	0.78	3.99	1340	<1	1.34	77	390	6	0.18	<5	147	0.46	205	<10
179932		6.54	0.72	4.20	1185	<1	1.70	88	500	3	0.03	<5	205	0.45	194	<10
179933		6.86	0.17	3.98	1300	1	1.79	73	390	9	0.01	<5	158	0.45	200	<10
179934		7.59	0.15	3.86	1380	<1	1.80	68	420	10	0.26	<5	170	0.49	218	<10
179935		7.09	0.34	3.66	1165	<1	1.69	81	490	10	0.35	5	225	0.43	189	<10
179936		7.26	0.41	3.48	1170	<1	1.91	69	470	4	0.34	<5	294	0.44	181	<10
179937		6.31	0.71	2.69	1025	<1	2.06	49	530	6	0.33	<5	197	0.44	152	10
179938		2.74	0.18	0.06	33	1	6.8	2	600	115	2.90	<5	18	0.01	1	<10
179939		7.17	0.74	3.17	1055	<1	2.05	77	580	12	0.69	<5	215	0.48	193	<10
179940		7.98	0.80	4.12	1380	<1	1.84	73	390	7	0.58	<5	38	0.40	184	10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 4-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
179901		56
179902		59
179903		48
179904 DUP		49
179905		27
179906		61
179907		55
179908		59
179909		56
179910		59
179911		66
179912		70
179913		38
179914		17
179915		61
179916		118
179917		64
179918		60
179919		71
179920		71
179921		83
179922		88
179923		76
179924		91
179925 DUP		85
179926		25
179927		97
179928		76
179929		66
179930		65
179931		70
179932		66
179933		63
179934		78
179935		71
179936		70
179937		67
179938		16
179939		100
179940		57



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 4-JUL-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047181**

Sample Description	Method Analyte Units LOL	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
179941		2.65	0.038			<0.5	8.25	<5	160	0.7	<2	6.52	<0.5	31	108	163
179942		2.62	0.077			<0.5	7.79	<5	120	<0.5	<2	7.12	<0.5	32	172	190
179943		1.69	0.071			<0.5	7.80	<5	260	<0.5	<2	7.06	<0.5	23	109	411
179944		2.58	<0.005			<0.5	9.17	<5	350	0.6	<2	5.74	<0.5	26	72	142
179945		2.61	0.354	0.409		<0.5	7.46	5	280	0.7	<2	3.42	<0.5	21	45	968
179946 DUP		<0.02	0.566	0.437		<0.5	7.35	9	280	0.7	<2	3.38	<0.5	20	43	929
179947		0.20	<0.005			<0.5	6.83	<5	510	0.9	<2	1.03	<0.5	4	15	16
179948		2.83	0.024			<0.5	7.76	<5	170	<0.5	<2	5.52	<0.5	37	135	462
179949		2.52	0.048			<0.5	7.87	<5	60	<0.5	<2	6.74	<0.5	27	122	223
179950		2.44	0.155			<0.5	7.58	14	110	<0.5	<2	6.11	<0.5	29	110	232
179951		2.81	0.011			<0.5	7.69	<5	110	<0.5	<2	6.30	<0.5	24	104	160
179952		2.77	0.045			<0.5	7.52	7	140	0.5	<2	5.68	<0.5	21	90	120
179953		2.77	0.008			<0.5	7.96	<5	60	<0.5	<2	6.66	<0.5	28	128	474
179954		2.50	<0.005			<0.5	7.93	7	80	<0.5	<2	7.19	<0.5	26	103	106
179955		2.58	0.030			<0.5	7.91	<5	110	<0.5	<2	6.42	<0.5	35	114	90
179956		0.06	1.775			19.1	8.37	11	50	3.0	<2	0.36	<0.5	2	8	6
179957		2.59	<0.005			<0.5	8.35	<5	130	0.5	<2	6.60	<0.5	31	100	80
179958		2.48	0.041			0.5	7.98	<5	150	<0.5	<2	6.47	<0.5	25	121	182
179959		2.53	0.013			<0.5	8.92	<5	220	0.5	<2	6.19	<0.5	32	100	162
179960		2.54	0.019			<0.5	9.33	<5	300	0.5	<2	5.57	<0.5	31	113	186



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 4-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179941		7.02	0.62	3.99	1265	<1	2.21	54	700	5	0.14	<5	289	0.39	194	<10
179942		7.29	0.62	4.22	1280	<1	1.77	70	540	6	0.39	<5	289	0.42	200	<10
179943		7.35	1.24	3.61	1300	1	1.23	56	480	17	0.83	<5	189	0.45	190	10
179944		6.42	1.19	2.97	1045	<1	2.03	50	1030	11	0.34	<5	370	0.53	157	10
179945		6.57	1.03	1.08	647	<1	2.16	45	670	5	1.73	<5	236	0.44	70	10
179946 DUP		6.25	1.00	1.06	812	1	2.13	45	670	<2	1.42	<5	236	0.44	68	<10
179947		2.80	3.84	0.21	254	<1	2.18	7	150	36	0.01	<5	156	0.08	9	<10
179948		8.65	1.41	3.47	1040	<1	1.14	79	380	<2	1.34	<5	113	0.43	188	10
179949		7.46	0.47	3.62	1200	<1	1.63	72	370	8	0.68	<5	156	0.43	189	<10
179950		7.51	0.61	3.14	1210	<1	1.66	78	430	3	0.66	6	152	0.43	177	10
179951		6.76	0.58	3.14	1140	1	1.74	59	410	3	0.23	<5	157	0.43	177	10
179952		6.21	0.52	2.58	1050	1	1.93	46	410	4	0.30	5	161	0.40	142	10
179953		7.42	0.39	3.29	1160	1	1.69	65	370	2	0.54	12	142	0.44	191	10
179954		6.97	0.44	3.55	1240	<1	1.73	72	510	6	0.16	5	257	0.47	195	20
179955		7.20	0.66	3.12	1135	1	1.71	71	440	3	0.58	6	170	0.45	182	10
179956		2.71	0.18	0.07	118	<1	6.9	6	610	114	2.85	<5	24	0.02	3	<10
179957		7.87	0.73	3.52	1325	1	1.76	72	1550	5	0.36	<5	428	0.85	191	10
179958		6.64	1.08	3.28	1165	1	1.65	57	370	8	0.26	<5	182	0.44	190	<10
179959		7.39	1.15	3.22	1210	1	1.96	100	960	7	0.53	<5	322	0.59	153	10
179960		7.41	1.31	3.17	1075	<1	2.02	91	390	19	0.42	7	263	0.43	138	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 4-JUL-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047181

Sample Description	Method Analyte Units LOR	ME-CP61 Zn ppm 2
179941		65
179942		77
179943		86
179944		78
179945		56
179946 DUP		55
179947		26
179948		70
179949		91
179950		84
179951		84
179952		61
179953		60
179954		56
179955		66
179956		18
179957		73
179958		68
179959		85
179960		90





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 27-JUN-2006

Account: TRAVEN

## CERTIFICATE VO06047182

Project: BLOCK A

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 27-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
179961		2.61	0.026			<0.5	8.46	21	140	0.5	<2	6.79	<0.5	31	116	163
179962		2.57	0.030			<0.5	8.36	<5	150	0.5	<2	5.78	<0.5	34	117	624
179963		2.49	0.059			<0.5	8.86	15	380	0.8	<2	4.86	<0.5	17	62	84
179964		2.39	2.29	2.61		1.8	7.55	11	140	0.5	<2	5.20	0.6	51	104	2980
179965 DUP		<0.02	6.35	5.01		1.6	7.50	7	130	0.5	<2	5.17	<0.5	45	90	2800
179966		0.20	<0.005			<0.5	6.96	8	540	0.8	<2	1.09	<0.5	4	15	30
179967		2.68	0.144			0.5	8.38	<5	150	0.6	<2	6.23	<0.5	36	108	812
179968		2.52	<0.005			<0.5	8.34	10	220	0.7	<2	5.58	<0.5	31	73	91
179969		2.43	0.306			0.6	8.01	15	320	0.7	<2	6.63	<0.5	30	167	886
179970		2.52	0.192			0.8	8.50	6	160	0.5	<2	5.68	<0.5	26	99	2840
179971		2.61	0.501			<0.5	7.81	9	130	<0.5	<2	5.60	<0.5	55	124	908
179972		2.48	2.97	1.905		<0.5	8.09	<5	100	0.5	<2	6.39	<0.5	40	116	517
179973		2.56	0.013			<0.5	7.42	11	90	<0.5	<2	7.07	<0.5	28	112	33
179974		2.38	0.259			<0.5	8.24	11	110	<0.5	<2	7.02	<0.5	28	112	47
179975		2.42	0.017			<0.5	8.01	12	180	0.6	<2	8.10	<0.5	35	172	79
179976		0.07	0.955			10.9	9.92	15	50	3.1	<2	0.39	<0.5	<1	7	9
179977		2.43	0.648			0.5	7.71	6	130	0.5	<2	6.52	<0.5	28	102	92
179978		2.46	2.39			<0.5	8.30	16	50	<0.5	<2	7.17	<0.5	26	116	83
179979		2.63	0.140			<0.5	8.10	11	40	<0.5	<2	7.03	<0.5	24	123	55
179980		2.42	0.210			0.5	8.08	12	90	<0.5	<2	5.85	<0.5	36	136	842
179981		2.44	0.349			<0.5	7.03	<5	80	<0.5	<2	5.36	<0.5	46	125	1120
179982		2.51	3.14			0.6	7.87	7	120	0.5	<2	5.46	<0.5	51	106	865
179983		2.59	0.029			<0.5	8.29	<5	210	0.6	<2	5.79	<0.5	22	80	60
179984		2.83	0.587			0.7	7.90	19	80	<0.5	<2	6.48	<0.5	82	204	1290
179985		2.08	0.028			<0.5	6.98	12	120	0.5	<2	7.05	<0.5	42	454	170
179986		0.81	>10.0		17.80	1.0	7.25	<5	240	0.6	<2	3.49	<0.5	38	79	355
179987 DUP		<0.02	>10.0		17.50	0.9	7.09	<5	240	0.6	<2	3.43	<0.5	35	71	355
179988		0.17	<0.005			<0.5	7.86	6	600	0.9	<2	0.95	<0.5	3	13	11
179989		1.97	0.068			<0.5	8.90	6	230	0.5	<2	4.84	<0.5	35	78	156
179990		2.43	0.051			<0.5	7.47	<5	150	<0.5	<2	5.35	<0.5	37	156	234
179991		2.39	0.387	0.241		<0.5	8.18	<5	180	<0.5	<2	5.85	<0.5	37	144	186
179992		2.41	0.095			<0.5	7.65	<5	140	<0.5	<2	5.73	<0.5	30	118	170
179993		2.36	0.024			<0.5	8.57	11	130	<0.5	<2	7.14	<0.5	28	120	73
179994		2.54	0.055			<0.5	8.45	5	160	<0.5	<2	7.95	<0.5	32	131	150
179995		2.40	0.036			<0.5	8.93	<5	240	0.9	<2	5.30	<0.5	26	78	61
179996		0.06	1.780			22.0	11.10	<5	60	3.1	<2	0.43	<0.5	<1	5	5
179997		2.50	0.024			<0.5	7.88	<5	200	0.6	<2	5.78	<0.5	23	78	53
179998		2.41	0.912			<0.5	7.64	<5	120	<0.5	<2	6.58	<0.5	32	138	28
179999		2.52	0.005			<0.5	7.38	<5	170	<0.5	<2	6.48	<0.5	38	351	25
180000		2.52	0.007			<0.5	8.19	<5	200	0.6	<2	5.11	<0.5	23	62	53



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 27-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
179961		7.46	0.83	3.29	1235	<1	1.63	58	660	5	0.35	6	239	0.51	200	20
179962		7.53	0.72	2.64	1085	<1	1.82	61	450	5	0.73	11	180	0.45	172	10
179963		4.83	1.06	1.88	758	<1	2.53	33	510	10	0.15	<5	312	0.35	119	10
179964		7.93	0.69	2.21	918	1	1.69	86	530	4	1.78	<5	180	0.49	180	50
179965 DUP		7.61	0.64	2.14	893	<1	1.68	76	560	6	1.46	5	180	0.46	162	50
179966		2.53	3.98	0.22	207	1	1.94	4	150	35	0.02	7	155	0.08	9	<10
179967		7.64	0.74	3.22	1150	<1	1.77	75	1180	5	0.54	<5	364	0.74	190	10
179968		7.23	1.01	2.91	1100	<1	1.94	56	1760	3	0.27	5	450	0.96	182	10
179969		7.05	0.82	3.89	1095	<1	1.73	100	890	14	0.30	6	649	0.44	173	10
179970		6.95	0.67	2.49	975	1	1.96	42	570	7	0.69	6	201	0.50	174	<10
179971		8.67	0.84	2.91	1000	<1	1.47	80	440	9	1.58	<5	154	0.46	192	10
179972		7.54	0.65	3.00	1105	1	1.64	62	510	4	0.77	6	168	0.50	202	10
179973		6.63	0.47	3.78	1185	1	1.52	64	490	7	0.09	<5	236	0.45	200	<10
179974		7.02	0.57	3.91	1205	<1	1.72	73	400	8	0.05	<5	206	0.48	216	10
179975		7.23	0.61	4.68	1260	<1	1.79	116	1300	4	0.32	<5	678	0.61	206	10
179976		3.32	0.19	0.09	43	<1	6.7	3	630	126	3.32	<5	28	0.02	3	<10
179977		6.57	0.60	3.48	1105	1	1.85	58	950	10	0.27	<5	453	0.52	190	10
179978		7.10	0.36	3.84	1230	1	1.57	56	370	6	0.07	<5	166	0.45	213	<10
179979		6.96	0.32	3.72	1240	<1	1.54	58	360	6	0.04	5	166	0.46	214	<10
179980		6.99	0.65	2.79	989	<1	1.56	71	330	3	0.80	<5	156	0.46	201	10
179981		7.50	0.46	2.57	916	<1	1.71	78	330	7	1.43	<5	148	0.41	195	<10
179982		7.65	0.63	2.50	988	1	1.67	71	500	6	1.06	5	174	0.48	186	30
179983		6.10	0.82	2.61	1085	<1	1.90	45	640	12	0.22	10	196	0.45	140	<10
179984		8.73	0.57	3.92	1250	<1	1.63	107	430	5	1.55	5	207	0.49	231	10
179985		7.20	0.58	6.87	1310	<1	1.55	227	690	12	0.32	<5	316	0.36	177	<10
179986		6.70	1.34	1.74	763	1	1.65	44	520	7	1.52	<5	159	0.42	126	10
179987 DUP		6.87	1.28	1.68	755	1	1.63	43	530	2	1.61	<5	154	0.40	120	20
179988		2.58	4.05	0.25	215	1	2.22	5	180	43	0.02	9	173	0.08	10	<10
179989		7.08	1.34	2.55	1065	1	1.85	43	570	6	0.88	7	215	0.46	174	<10
179990		6.51	1.34	3.15	1160	<1	1.19	66	430	8	0.50	<5	150	0.46	196	60
179991		7.36	1.69	3.10	1260	1	1.05	68	390	7	0.78	<5	120	0.48	215	10
179992		6.92	1.20	3.06	1170	<1	1.30	71	860	5	0.58	<5	200	0.50	198	20
179993		7.43	1.04	3.56	1380	<1	1.54	68	430	9	0.33	<5	155	0.48	217	10
179994		7.20	1.40	3.25	1470	<1	1.08	76	420	11	0.49	<5	129	0.47	217	10
179995		6.24	1.50	2.06	1080	<1	2.09	37	760	7	0.43	5	200	0.65	204	10
179996		3.55	0.19	0.08	133	<1	7.4	5	700	146	3.53	6	29	0.02	3	<10
179997		5.95	1.06	2.65	1060	<1	1.84	37	550	<2	0.31	<5	174	0.44	168	<10
179998		6.51	0.92	3.96	1205	<1	1.57	82	350	<2	0.07	<5	153	0.44	207	<10
179999		6.65	1.19	5.63	1260	<1	1.51	127	470	4	0.06	<5	196	0.37	180	<10
180000		6.16	1.15	2.67	993	<1	2.05	33	660	8	0.29	<5	176	0.46	158	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 27-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
179961		77
179962		79
179963		56
179964		118
179965 DUP		104
179966		27
179967		88
179968		74
179969		92
179970		95
179971		88
179972		73
179973		67
179974		68
179975		88
179976		16
179977		58
179978		81
179979		60
179980		61
179981		67
179982		78
179983		64
179984		90
179985		85
179986		60
179987 DUP		57
179988		25
179989		70
179990		82
179991		79
179992		73
179993		77
179994		81
179995		93
179996		17
179997		63
179998		86
179999		85
180000		65



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 27-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047182**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180001		2.46	0.027			<0.5	7.59	<5	130	<0.5	<2	5.76	<0.5	25	98	17
180002		2.54	0.041			<0.5	7.67	<5	180	<0.5	<2	5.83	<0.5	28	109	4
180003		2.59	0.186			<0.5	7.56	<5	110	<0.5	<2	5.97	<0.5	23	110	45
180004		2.52	0.037			<0.5	7.13	<5	190	0.5	<2	3.45	<0.5	22	89	173
180005		2.40	0.029			<0.5	7.40	<5	180	0.5	2	4.47	<0.5	32	100	253
180006 DUP		<0.02	0.036			<0.5	7.19	<5	170	0.5	<2	4.42	<0.5	32	99	246
180007		0.19	<0.005			<0.5	6.96	<5	560	0.9	<2	0.85	<0.5	4	12	8
180008		2.42	0.057			0.6	7.48	<5	140	<0.5	<2	5.67	<0.5	44	187	445
180009		1.81	0.210			0.8	7.29	<5	240	<0.5	<2	3.99	0.5	48	130	839
180010		1.89	0.156			1.0	7.47	<5	140	<0.5	<2	5.37	<0.5	60	168	630
180011		1.99	0.466			<0.5	7.50	<5	230	0.7	<2	3.97	<0.5	29	85	197
180012		2.25	0.459			0.5	7.67	<5	130	<0.5	<2	5.73	<0.5	59	127	592
180013		2.59	0.050			<0.5	7.78	<5	90	<0.5	<2	6.87	<0.5	45	124	377
180014		2.62	0.046			<0.5	7.93	<5	70	<0.5	<2	6.22	<0.5	60	138	474
180015		2.38	0.331			<0.5	7.99	<5	110	<0.5	<2	6.60	<0.5	38	127	202
180016		0.06	0.989			11.4	7.72	<5	50	3.1	<2	0.32	<0.5	1	6	9
180017		2.60	0.041			<0.5	7.62	<5	180	0.5	<2	5.46	<0.5	27	106	102
180018		2.10	0.158			<0.5	7.72	<5	260	0.6	<2	5.47	<0.5	69	136	602
180019		1.63	0.057			<0.5	7.66	<5	170	0.6	<2	4.21	<0.5	56	79	382
180020		1.75	<0.005			0.8	7.97	<5	230	0.5	<2	5.06	<0.5	28	86	67
180021		2.54	0.036			<0.5	8.27	<5	150	<0.5	<2	6.42	<0.5	48	132	305
180022		2.23	0.055			<0.5	8.13	<5	100	0.5	3	6.48	<0.5	35	119	234
180023		2.32	0.030			<0.5	7.71	<5	240	0.6	<2	4.16	<0.5	34	106	237
180024		2.46	0.018			<0.5	8.07	<5	110	0.5	<2	6.07	<0.5	46	133	198
180025		2.72	0.055			<0.5	7.82	<5	210	0.5	<2	6.24	<0.5	50	225	255
180026 DUP		<0.02	0.061			<0.5	7.64	<5	210	0.5	<2	6.05	<0.5	49	238	248
180027		0.17	<0.005			<0.5	7.12	<5	570	0.9	<2	0.92	<0.5	3	14	11
180028		2.50	0.052			0.8	7.25	<5	150	<0.5	2	5.48	<0.5	61	124	551
180029		2.88	0.067			0.7	7.97	<5	100	<0.5	2	6.10	<0.5	48	124	1100
180030		2.66	0.067			<0.5	7.96	<5	150	<0.5	<2	6.48	<0.5	49	161	305
180031		2.69	0.034			<0.5	7.99	<5	70	<0.5	<2	6.96	<0.5	37	128	156
180032		2.64	0.151			<0.5	8.00	6	90	<0.5	<2	7.13	<0.5	54	128	468
180033		2.27	0.035			0.5	7.94	7	120	0.5	<2	7.09	<0.5	30	115	109
180034		2.09	0.082			<0.5	7.71	5	120	0.5	<2	6.52	<0.5	29	102	74
180035		2.21	0.023			<0.5	7.75	<5	240	0.8	<2	4.54	<0.5	16	45	39
180036		0.06	1.800			19.0	8.53	<5	60	3.4	<2	0.36	<0.5	1	5	6
180037		2.46	0.058			<0.5	7.74	12	100	<0.5	<2	6.89	<0.5	29	114	35
180038		2.04	0.022			0.8	7.86	<5	120	<0.5	<2	6.62	<0.5	35	127	90
180039		2.15	0.899			<0.5	7.73	<5	160	<0.5	<2	5.93	<0.5	29	131	86
180040		2.44	0.638			0.9	7.82	7	150	<0.5	<2	6.65	<0.5	29	132	51



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brookbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 27-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180001		6.27	1.02	3.66	1045	<1	1.80	59	440	<2	0.08	<5	154	0.44	192	<10
180002		6.65	1.81	4.06	1105	<1	1.82	59	350	<2	0.01	<5	126	0.42	199	<10
180003		6.30	0.90	3.44	1065	<1	1.49	58	350	4	0.12	<5	130	0.42	194	<10
180004		5.77	1.26	2.29	755	<1	1.81	39	470	<2	0.47	<5	126	0.42	158	<10
180005		5.93	1.31	2.21	985	<1	1.39	58	450	<2	0.73	<5	128	0.42	156	10
180006 DUP		5.91	1.29	2.19	988	<1	1.34	64	440	<2	0.74	<5	122	0.41	154	10
180007		2.14	4.34	0.22	178	<1	2.22	1	160	30	0.02	<5	152	0.08	9	<10
180008		7.27	1.36	3.73	1175	<1	1.06	74	390	2	0.83	<5	140	0.38	203	<10
180009		7.63	2.49	3.08	1100	<1	0.87	67	320	<2	1.88	<5	86	0.42	196	20
180010		7.20	1.40	3.09	1010	<1	1.21	98	380	25	1.68	<5	149	0.42	184	<10
180011		5.36	1.08	1.84	702	<1	2.31	42	830	8	0.87	<5	207	0.46	114	<10
180012		7.14	1.10	2.54	979	<1	1.61	65	360	<2	1.38	<5	152	0.44	202	10
180013		7.53	0.77	3.06	1215	<1	1.40	58	350	<2	0.99	<5	137	0.42	200	10
180014		7.70	0.58	2.95	1085	<1	1.69	56	350	<2	1.22	<5	146	0.44	206	10
180015		7.28	0.92	3.61	1185	<1	1.73	52	390	<2	0.59	<5	147	0.45	207	<10
180016		2.85	0.19	0.07	38	<1	7.0	2	620	124	3.11	<5	21	0.01	2	<10
180017		8.01	1.41	3.10	1055	<1	1.73	50	330	<2	0.27	<5	158	0.39	176	<10
180018		7.42	1.02	3.08	969	<1	2.16	66	910	8	1.36	<5	273	0.41	165	<10
180019		6.52	0.94	1.99	850	<1	2.08	44	500	3	1.25	<5	194	0.42	160	<10
180020		6.23	1.30	2.83	983	<1	2.00	35	500	4	0.29	<5	196	0.44	178	<10
180021		7.75	0.96	3.57	1175	<1	1.72	85	400	<2	0.68	<5	168	0.45	215	<10
180022		7.45	0.74	3.31	1185	<1	2.40	59	370	<2	0.45	<5	110	0.43	213	<10
180023		5.84	0.90	2.22	848	1	2.59	56	260	<2	0.64	<5	182	0.34	152	<10
180024		9.05	0.55	3.57	1300	<1	2.19	98	660	<2	0.59	<5	301	0.68	210	10
180025		6.83	0.91	3.50	1060	<1	1.92	91	490	2	0.58	<5	290	0.46	190	<10
180026 DUP		8.71	0.92	3.44	1035	<1	1.83	95	480	2	0.58	<5	285	0.46	186	<10
180027		2.71	4.28	0.26	228	<1	2.20	3	180	47	0.01	<5	153	0.09	11	<10
180028		7.48	0.89	2.95	1100	<1	2.21	85	400	<2	0.64	<5	182	0.44	201	<10
180029		7.68	0.77	3.37	1150	<1	2.35	87	440	3	0.57	<5	118	0.45	190	<10
180030		6.73	0.95	3.10	1050	<1	1.86	69	390	<2	0.86	<5	187	0.42	194	<10
180031		6.88	0.70	3.61	1125	<1	2.03	63	390	<2	0.38	<5	189	0.43	205	<10
180032		7.32	0.68	3.05	1120	<1	1.75	78	380	<2	0.97	<5	166	0.45	207	<10
180033		6.71	0.79	3.20	1190	1	1.73	47	410	12	0.39	<5	151	0.47	204	<10
180034		8.61	0.77	3.06	1080	2	1.86	53	490	14	0.27	<5	159	0.48	193	<10
180035		5.02	1.07	1.59	784	1	2.48	17	900	14	0.18	<5	177	0.47	104	<10
180036		2.96	0.20	0.07	123	1	7.0	3	660	139	3.27	<5	21	0.01	2	<10
180037		7.27	0.95	3.99	1185	1	1.45	53	400	9	0.12	<5	129	0.47	214	<10
180038		7.28	1.11	3.76	1170	<1	1.52	83	370	13	0.25	<5	134	0.48	224	<10
180039		7.32	1.51	3.67	1215	<1	1.36	71	380	15	0.51	<5	132	0.45	205	<10
180040		7.31	1.48	4.17	1180	1	1.19	61	370	15	0.20	<5	123	0.45	209	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 27-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180001		70
180002		77
180003		76
180004		115
180005		74
180006 DUP		74
180007		29
180008		80
180009		87
180010		173
180011		147
180012		85
180013		68
180014		64
180015		81
180016		19
180017		81
180018		104
180019		85
180020		87
180021		106
180022		64
180023		58
180024		104
180025		93
180026 DUP		92
180027		31
180028		97
180029		116
180030		67
180031		68
180032		64
180033		67
180034		66
180035		69
180038		22
180037		71
180038		73
180039		89
180040		82



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 6 (A - C)  
 Finalized Date: 27-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047182**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
180041		1.69	0.321			0.5	7.59	<5	160	<0.5	<2	6.72	<0.5	27	141	81
180042		2.93	0.029			<0.5	6.71	<5	590	1.1	<2	2.13	<0.5	6	64	14
180043		1.97	0.447			<0.5	6.71	9	480	1.2	<2	1.96	<0.5	7	62	27
180044		2.50	0.399			0.5	7.82	<5	100	0.5	<2	7.21	<0.5	29	131	107
180045		2.85	0.077			<0.5	7.29	<5	150	<0.5	<2	7.00	<0.5	32	133	194
180046 DUP		<0.02	0.063			<0.5	7.80	12	160	<0.5	<2	6.88	<0.5	31	139	179
180047		0.23	<0.005			<0.5	8.90	7	540	1.0	<2	0.95	<0.5	4	12	7
180048		2.33	0.141			0.7	7.10	<5	140	<0.5	<2	5.71	<0.5	62	134	419
180049		2.48	0.140			0.5	7.58	<5	190	<0.5	<2	7.28	<0.5	34	133	133
180050		2.52	0.177			0.6	7.64	<5	180	<0.5	<2	7.19	<0.5	36	139	186
180051		2.46	0.082			0.5	7.83	<5	90	<0.5	<2	7.19	<0.5	36	213	93
180052		2.52	0.031			<0.5	7.57	<5	120	<0.5	<2	6.19	<0.5	33	132	169
180053		2.37	0.050			<0.5	7.59	<5	170	0.5	<2	6.72	<0.5	29	120	75
180054		2.80	0.064			0.7	7.56	<5	90	<0.5	<2	6.81	<0.5	33	132	110
180055		2.31	0.617			<0.5	7.70	<5	140	<0.5	<2	7.11	<0.5	31	127	158
180056		0.06	0.991			10.7	8.51	<5	50	3.4	<2	0.35	<0.5	1	5	8
180057		2.85	0.101			0.7	6.96	<5	320	<0.5	<2	4.77	<0.5	33	213	449
180058		2.27	0.147			<0.5	7.43	<5	210	0.8	<2	4.34	<0.5	39	57	432
180059		2.51	0.517			1.3	6.81	<5	150	<0.5	<2	5.66	<0.5	80	264	1020
180060		2.67	0.178			0.7	6.23	<5	150	<0.5	<2	4.04	<0.5	55	381	559
180061		2.85	0.080			0.5	7.28	<5	130	<0.5	<2	5.26	<0.5	45	411	381
180062		2.57	0.430			<0.5	6.87	9	120	<0.5	<2	6.13	<0.5	52	545	526
180063		2.65	0.359			0.6	7.03	<5	140	<0.5	<2	6.03	<0.5	36	151	523
180064		2.47	0.155			0.5	7.21	<5	150	<0.5	<2	5.56	<0.5	35	152	388
180065		1.87	0.242			0.5	6.43	<5	160	<0.5	<2	6.07	<0.5	35	101	452
180066 DUP		<0.02	0.238			0.6	6.15	<5	160	<0.5	<2	5.89	<0.5	33	94	441
180067		0.18	<0.005			<0.5	7.01	<5	550	1.0	<2	1.01	<0.5	3	11	10
180068		2.59	0.179			0.8	5.45	<5	210	<0.5	<2	4.99	<0.5	44	457	486
180069		1.24	0.036			0.5	7.87	<5	330	1.0	<2	3.00	<0.5	11	14	89
180070		1.91	0.495			<0.5	6.76	<5	170	<0.5	<2	5.34	<0.5	54	830	292
180071		1.63	0.220			<0.5	7.76	15	330	1.1	<2	2.67	<0.5	11	8	135
180072		1.80	0.297			<0.5	7.33	<5	390	0.5	<2	3.45	<0.5	22	412	74
180073		2.21	0.892			<0.5	4.89	<5	40	<0.5	<2	7.16	<0.5	68	1125	428
180074		2.24	1.675			<0.5	5.22	<5	80	<0.5	<2	4.92	<0.5	46	1080	236
180075		2.63	4.49			0.7	4.78	<5	30	<0.5	<2	4.58	<0.5	41	1010	102
180076		0.07	1.805			19.9	8.34	<5	60	3.2	<2	0.35	<0.5	<1	7	7
180077		2.54	1.005			<0.5	5.71	<5	20	<0.5	<2	5.16	<0.5	45	1140	36
180078		2.75	0.849			<0.5	5.56	<5	10	<0.5	<2	5.56	<0.5	52	1110	15
180079		2.77	0.553			<0.5	5.99	<5	30	<0.5	<2	4.82	<0.5	49	1160	100
180080		2.74	0.747			<0.5	6.60	<5	50	<0.5	<2	4.61	<0.5	47	1105	96





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - 8  
Total # Pages: 5 (A - C)  
Finalized Date: 27-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units LOR	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180041		7.68	1.70	4.20	1500	1	1.08	82	360	12	0.86	<5	117	0.45	215	10
180042		3.12	2.19	1.10	570	1	2.56	24	190	15	0.10	<5	120	0.18	43	<10
180043		2.92	1.84	0.92	478	2	2.72	23	170	14	0.19	<5	116	0.17	40	<10
180044		6.69	1.49	3.54	1520	1	1.14	77	390	28	0.59	<5	110	0.47	216	10
180045		6.76	2.52	3.32	1485	1	0.75	82	390	12	0.79	<5	93	0.45	208	40
180046 DUP		6.67	2.67	3.36	1450	<1	0.79	80	400	10	0.65	<5	97	0.46	204	30
180047		2.46	4.21	0.22	207	1	2.27	2	170	43	0.01	<5	161	0.09	10	<10
180048		7.48	2.85	2.64	1210	<1	0.50	110	400	12	1.66	<5	83	0.43	174	20
180049		7.24	2.80	3.51	1640	<1	0.53	62	400	9	1.26	<5	72	0.43	202	20
180050		7.53	2.55	3.79	1820	<1	0.61	80	410	9	1.20	<5	90	0.47	211	30
180051		7.30	1.37	5.08	1480	<1	1.08	121	500	15	0.37	<5	117	0.41	192	<10
180052		7.03	1.18	3.70	1255	<1	1.35	78	440	10	0.63	<5	149	0.47	207	<10
180053		7.28	1.35	3.85	1395	<1	1.14	66	1260	9	0.44	<5	341	0.52	213	10
180054		7.50	0.99	3.99	1380	1	1.34	97	430	12	0.47	<5	110	0.46	219	10
180055		7.73	1.88	4.07	1630	1	0.67	83	400	5	0.71	<5	110	0.47	220	10
180056		2.89	0.20	0.07	37	1	7.4	<1	840	132	3.18	<5	21	0.01	2	<10
180057		5.20	1.71	2.42	1020	1	1.81	92	290	17	0.98	<5	130	0.28	128	20
180058		6.25	1.35	1.65	811	1	1.93	55	680	14	1.10	<5	180	0.46	143	10
180059		10.10	1.89	3.79	1440	<1	0.74	180	330	15	2.84	<5	85	0.40	216	20
180060		7.33	1.41	2.84	1030	<1	0.99	135	310	11	1.62	<5	84	0.38	174	10
180061		7.97	1.32	3.42	1285	<1	1.28	163	400	9	1.37	<5	106	0.43	201	10
180062		8.34	1.49	3.76	1375	1	0.88	227	300	13	1.49	<5	80	0.40	207	30
180063		7.20	1.73	3.62	1415	1	0.64	118	380	15	1.02	<5	94	0.43	194	20
180064		7.18	1.75	3.49	1325	1	0.85	85	450	11	0.86	<5	107	0.44	195	90
180065		5.88	1.39	2.85	1200	1	0.78	59	390	10	0.97	<5	149	0.37	156	20
180066 DUP		8.05	1.31	2.74	1190	<1	0.75	50	370	8	1.04	<5	142	0.35	148	20
180067		2.28	4.22	0.25	212	1	2.35	4	170	42	0.01	<5	162	0.09	11	<10
180068		6.09	1.08	4.68	1035	1	0.92	155	380	19	1.09	<5	139	0.27	135	20
180069		3.97	1.25	0.72	406	1	2.50	3	680	6	0.52	<5	200	0.38	49	10
180070		8.50	1.06	5.32	1315	1	1.02	292	380	6	1.20	<5	100	0.36	171	30
180071		3.43	1.06	0.48	295	1	2.58	<1	580	8	0.73	<5	217	0.33	20	<10
180072		6.16	1.64	3.20	1020	<1	2.08	159	630	5	0.69	<5	126	0.32	75	10
180073		10.30	0.46	8.71	2560	1	0.43	633	150	17	1.73	<5	41	0.23	145	10
180074		10.25	0.75	8.93	1905	<1	0.30	516	210	2	1.51	<5	35	0.26	152	<10
180075		8.85	0.26	8.47	1640	<1	0.22	484	160	<2	0.65	<5	22	0.23	149	10
180076		2.97	0.19	0.07	113	<1	7.1	2	650	131	3.23	5	22	0.01	2	<10
180077		9.91	0.19	10.25	1735	<1	0.28	602	210	<2	0.30	<5	26	0.27	180	10
180078		8.67	0.15	10.45	1565	<1	0.29	620	180	27	0.15	<5	23	0.23	172	<10
180079		10.25	0.43	10.20	1710	<1	0.29	593	200	34	0.85	<5	31	0.26	181	10
180080		10.40	0.85	9.06	1720	<1	0.31	503	230	11	0.83	<5	81	0.26	198	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 27-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180041		157
180042		68
180043		61
180044		113
180045		64
180046 DUP		65
180047		30
180048		49
180049		49
180050		66
180051		71
180052		68
180053		68
180054		65
180055		75
180056		17
180057		104
180058		62
180059		200
180060		61
180061		64
180062		65
180063		76
180064		119
180065		75
180066 DUP		72
180067		31
180068		83
180069		34
180070		87
180071		25
180072		53
180073		154
180074		170
180075		118
180076		19
180077		146
180078		146
180079		184
180080		143



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 27-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180081		2.59	0.412			<0.5	6.07	<5	50	<0.5	<2	5.34	<0.5	51	1320	174
180082		3.14	0.202			<0.5	5.65	<5	<10	<0.5	<2	6.21	<0.5	59	1180	8
180083		2.85	1.330			<0.5	5.73	<5	30	<0.5	<2	5.79	<0.5	64	1180	4
180084		2.50	0.420			<0.5	6.16	<5	70	<0.5	<2	6.10	<0.5	57	989	21
180085		2.75	0.182	0.214		<0.5	5.82	<5	70	<0.5	<2	5.68	<0.5	64	1120	16
180086 DUP		<0.02	0.259	0.226		<0.5	5.94	<5	70	<0.5	<2	5.81	<0.5	66	1115	17
180087		0.17	<0.005			<0.5	6.84	<5	540	0.8	<2	1.16	<0.5	3	31	10
180088		2.06	0.012			<0.5	7.86	<5	240	0.5	<2	5.71	<0.5	44	853	24
180089		2.17	0.012			<0.5	7.29	<5	270	<0.5	<2	7.39	<0.5	57	784	33
180090		3.15	0.010			<0.5	8.69	<5	650	0.8	<2	7.18	<0.5	43	277	41
180091		2.87	0.121			<0.5	5.63	5	30	<0.5	<2	6.43	<0.5	66	1185	14
180092		2.77	0.159			<0.5	5.46	<5	30	<0.5	<2	6.46	<0.5	64	1225	9
180093		2.60	0.079			<0.5	6.30	<5	130	<0.5	<2	6.42	<0.5	54	879	36
180094		2.82	0.031			<0.5	8.97	9	520	<0.5	<2	6.62	<0.5	53	670	67
180095		1.79	0.797			<0.5	5.48	<5	10	<0.5	<2	5.42	<0.5	54	1215	25
180096		0.06	1.000			10.6	8.61	<5	250	3.3	<2	0.34	<0.5	1	6	12
180097		2.13	0.119			<0.5	5.20	<5	20	<0.5	<2	5.94	<0.5	52	1065	27
180098		2.29	0.036			<0.5	5.79	<5	40	<0.5	<2	5.02	<0.5	64	1435	36
180099		1.91	0.156			<0.5	6.25	<5	50	<0.5	<2	5.32	<0.5	68	1145	18
180100		2.67	0.050			<0.5	6.07	6	30	<0.5	<2	6.43	<0.5	63	1180	38



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 5 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 27-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047182**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180081		9.85	0.55	9.26	1835	<1	0.33	585	220	14	1.11	<5	38	0.24	174	10
180082		8.56	0.10	10.70	1565	<1	0.33	665	180	3	0.04	<5	25	0.25	175	<10
180083		7.75	0.33	10.05	1360	<1	0.50	595	230	3	0.03	<5	47	0.23	167	10
180084		7.63	0.48	9.43	1440	<1	1.04	534	340	3	0.15	<5	51	0.29	169	10
180085		7.45	0.48	9.87	1310	<1	0.73	584	250	2	0.07	<5	49	0.26	166	10
180086 DUP		7.58	0.48	10.20	1335	<1	0.72	606	260	<2	0.07	<5	48	0.26	169	10
180087		3.17	3.92	0.31	278	<1	2.07	8	160	33	0.01	<5	142	0.09	12	10
180088		6.17	0.90	6.40	1120	<1	1.87	336	550	7	0.14	<5	197	0.34	138	10
180089		6.71	1.06	9.28	1210	<1	0.50	544	690	2	0.26	5	259	0.26	140	10
180090		4.50	2.13	7.47	714	<1	0.67	405	1260	7	0.26	<5	659	0.21	83	10
180091		7.64	0.27	10.80	1425	<1	0.39	674	220	4	0.08	<5	56	0.25	169	10
180092		7.84	0.32	10.75	1430	<1	0.37	677	200	<2	0.04	<5	64	0.25	170	<10
180093		8.21	0.44	9.66	1500	<1	0.59	497	730	<2	0.16	<5	206	0.35	166	<10
180094		8.27	0.71	8.14	1455	<1	0.76	418	1070	5	0.36	<5	356	0.47	196	10
180095		7.80	0.20	10.55	1440	<1	0.31	682	170	<2	0.09	<5	69	0.26	171	20
180096		2.57	0.20	0.07	35	<1	7.0	3	630	109	2.72	<5	19	0.01	1	<10
180097		7.48	0.15	10.25	1285	<1	0.25	616	170	7	0.21	<5	62	0.26	164	190
180098		8.09	0.67	11.65	1410	<1	0.23	766	190	11	0.28	<5	51	0.28	182	60
180099		7.91	1.25	10.70	1330	<1	0.31	605	210	2	0.05	5	85	0.31	197	<10
180100		7.70	0.79	11.10	1390	<1	0.32	624	270	2	0.03	<5	123	0.28	161	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 27-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047182

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
180081		180
180082		100
180083		83
180084		82
180085		74
180086 DUP		74
180087		26
180088		76
180089		70
180090		48
180091		83
180092		80
180093		88
180094		98
180095		90
180096		19
180097		102
180098		146
180099		88
180100		84



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 26-JUN-2006

Account: TRAVEN

## CERTIFICATE VO06047183

Project: BLOCK A

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 26-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047183**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
180101		2.83	0.171				<0.5	4.87	<5	20	<0.5	<2	5.50	<0.5	57	1060
180102		2.52	0.339				<0.5	5.50	<5	50	<0.5	<2	5.31	<0.5	57	1270
180103		2.50	0.036				<0.5	5.68	<5	20	<0.5	<2	5.01	<0.5	65	1350
180104		2.77	0.093				<0.5	5.58	6	60	<0.5	<2	5.41	<0.5	61	1180
180105		2.69	0.541	0.942	0.791		<0.5	4.76	5	40	<0.5	<2	4.90	<0.5	50	952
180106 DUP		<0.02	0.775	0.705			<0.5	4.55	6	40	<0.5	<2	4.78	<0.5	51	855
180107		0.19	<0.005				<0.5	6.97	6	550	0.8	<2	0.88	<0.5	5	23
180108		2.58	0.039				<0.5	5.34	14	40	<0.5	<2	5.10	<0.5	65	1255
180109		2.54	0.151				<0.5	5.62	<5	30	<0.5	<2	5.58	<0.5	68	1280
180110		2.77	0.051				<0.5	5.85	<5	40	<0.5	<2	5.46	<0.5	61	1285
180111		2.71	0.086				<0.5	5.48	10	10	<0.5	<2	8.00	<0.5	66	1250
180112		2.49	0.104				0.5	6.81	<5	80	<0.5	<2	7.34	<0.5	47	498
180113		2.54	0.009				<0.5	7.17	<5	70	<0.5	<2	7.89	<0.5	45	343
180114		2.48	0.128				<0.5	7.30	<5	50	<0.5	<2	8.20	<0.5	44	341
180115		2.43	0.048				<0.5	7.27	<5	50	<0.5	<2	8.01	<0.5	44	332
180116		0.06	1.755				19.3	8.48	9	60	3.3	<2	0.38	<0.5	1	7
180117		2.52	0.017				<0.5	7.25	<5	260	0.6	<2	7.45	<0.5	40	340
180118		2.68	0.007				<0.5	7.44	<5	60	<0.5	<2	8.79	<0.5	45	329
180119		2.60	0.008				<0.5	5.59	<5	50	<0.5	<2	7.65	<0.5	34	264
180120		2.57	0.025				<0.5	7.24	<5	50	<0.5	<2	10.90	<0.5	41	308
180121		2.81	0.012				<0.5	7.01	<5	50	<0.5	<2	8.20	<0.5	43	352
180122		2.61	0.010				<0.5	7.40	<5	40	<0.5	<2	8.91	<0.5	44	349
180123		2.74	0.063				<0.5	7.51	<5	60	<0.5	<2	8.67	<0.5	41	342
180124		2.88	0.047				<0.5	7.23	<5	50	<0.5	<2	8.90	<0.5	39	338
180125		2.48	0.120				<0.5	7.28	<5	230	0.6	<2	5.49	<0.5	26	221
180126 DUP		<0.02	0.119				<0.5	6.92	<5	220	0.6	<2	5.13	<0.5	25	210
180127		0.16	<0.005				<0.5	7.22	<5	560	1.0	<2	1.17	<0.5	4	14
180128		2.52	0.023				<0.5	6.76	<5	50	<0.5	<2	9.85	<0.5	40	278
180129		1.90	0.015				<0.5	7.68	5	70	<0.5	<2	8.66	<0.5	44	338
180130		1.62	0.029				<0.5	6.30	28	390	1.2	<2	1.07	<0.5	1	14
180131		1.96	0.088				<0.5	7.42	<5	90	<0.5	<2	7.96	3.5	37	349
180132		2.03	0.019				<0.5	7.00	<5	80	<0.5	<2	9.51	<0.5	42	307
180133		2.47	0.024				<0.5	8.98	9	90	<0.5	<2	9.24	<0.5	47	306
180134		2.34	0.024				<0.5	7.33	<5	50	<0.5	<2	10.15	<0.5	43	318
180136		2.71	0.017				<0.5	7.94	<5	120	<0.5	<2	7.61	0.7	38	266
180136		0.06	0.952				10.1	8.06	<5	50	3.2	<2	0.36	<0.5	1	6
180137		2.78	0.017				<0.5	7.48	<5	70	<0.5	<2	7.97	<0.5	44	329
180138		2.28	0.009				<0.5	7.23	<5	100	<0.5	<2	7.73	<0.5	45	335
180139		2.26	0.023				<0.5	6.54	<5	220	<0.5	<2	7.82	<0.5	47	287
180140		2.52	0.178				<0.5	7.24	<5	80	<0.5	<2	7.28	<0.5	40	330



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 804 984 0221 Fax: 804 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 26-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047183**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
Units		ppm	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
LOR		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
180101		24	6.73	0.57	9.20	1250	31	0.30	561	160	2	0.03	<5	81	0.23	145
180102		10	8.49	1.23	10.95	1445	1	0.27	655	180	4	0.03	<5	59	0.25	160
180103		5	8.03	0.54	10.90	1425	<1	0.25	681	190	3	0.01	<5	52	0.25	166
180104		16	7.58	0.91	10.10	1415	<1	0.28	596	220	8	0.07	<5	73	0.26	159
180105		68	6.57	0.62	7.90	1225	<1	0.22	470	200	7	0.27	7	99	0.23	126
180106 DUP		68	6.64	0.60	7.58	1210	1	0.21	446	190	5	0.29	<5	99	0.22	122
180107		9	2.63	4.13	0.25	233	1	2.12	10	160	37	<0.01	<5	157	0.08	8
180108		44	7.38	0.71	10.40	1310	1	0.27	627	180	4	0.03	<5	46	0.25	164
180109		55	7.57	0.40	10.75	1375	1	0.32	670	160	<2	0.02	<5	41	0.26	164
180110		18	7.16	0.25	10.20	1320	1	0.46	649	240	2	0.02	<5	112	0.25	158
180111		19	7.48	0.12	10.90	1410	<1	0.38	674	170	<2	0.02	<5	51	0.25	159
180112		38	7.36	0.44	6.15	1380	<1	1.17	249	280	6	0.06	<5	128	0.34	206
180113		16	7.54	0.50	5.18	1425	<1	1.26	150	240	2	0.03	<5	130	0.36	228
180114		106	7.59	0.38	4.75	1420	<1	1.46	182	220	<2	0.12	<5	137	0.36	222
180115		10	7.42	0.34	5.24	1415	<1	1.51	138	240	<2	0.02	<5	122	0.37	229
180116		6	2.72	0.20	0.08	124	<1	7.2	5	680	115	2.92	<5	18	0.02	3
180117		71	6.59	0.83	5.16	1215	<1	1.73	233	780	<2	0.14	<5	380	0.40	184
180118		27	7.70	0.37	4.98	1420	<1	1.66	136	240	<2	0.10	<5	195	0.38	230
180119		29	5.94	0.31	3.73	1150	<1	1.12	102	200	<2	0.11	<5	110	0.28	174
180120		33	7.41	0.41	4.77	1530	<1	1.54	132	260	<2	0.12	<5	134	0.37	220
180121		12	7.38	0.32	4.94	1370	<1	1.52	138	220	<2	0.04	<5	125	0.36	224
180122		11	7.72	0.30	5.08	1415	<1	1.54	140	230	<2	0.02	<5	147	0.38	236
180123		20	7.61	0.54	5.37	1465	<1	1.64	142	250	<2	0.08	<5	152	0.38	235
180124		75	7.44	0.52	4.94	1465	<1	1.37	119	240	<2	0.20	<5	133	0.36	222
180125		259	5.54	1.00	3.25	975	<1	2.38	79	180	17	0.45	<5	88	0.25	124
180126 DUP		293	5.35	0.96	3.07	933	1	2.28	78	150	11	0.41	<5	85	0.23	119
180127		17	1.80	4.27	0.25	177	<1	2.42	7	170	40	0.01	<5	158	0.09	11
180128		38	6.92	0.45	4.62	1385	<1	1.34	136	230	<2	0.03	<5	148	0.34	206
180129		21	7.69	0.67	5.18	1620	<1	1.26	146	240	<2	0.18	<5	142	0.39	242
180130		9	1.36	2.60	0.26	451	2	1.08	3	10	<2	0.20	<5	38	0.04	6
180131		72	7.54	0.99	5.00	1620	<1	1.43	126	240	<2	0.53	<5	98	0.37	230
180132		17	7.17	0.79	4.93	1400	<1	1.67	132	240	<2	0.07	<5	122	0.36	219
180133		64	7.53	0.63	5.57	1400	<1	1.53	126	530	<2	0.12	<5	321	0.38	218
180134		18	7.59	0.39	5.03	1560	<1	1.40	138	240	<2	0.09	<5	148	0.37	228
180135		49	6.29	0.76	5.27	1215	<1	1.35	120	570	<2	0.12	<5	273	0.31	170
180136		9	2.48	0.19	0.08	39	1	7.1	4	650	101	2.72	<5	18	0.01	2
180137		45	7.58	0.46	5.48	1385	<1	1.28	140	260	<2	0.09	<5	129	0.38	231
180138		24	7.44	0.43	6.09	1340	<1	1.57	189	500	<2	0.14	<5	283	0.39	219
180139		71	7.66	0.76	6.43	1280	1	1.33	267	1580	3	0.53	<5	690	0.55	207
180140		4	7.31	0.55	5.27	1305	<1	1.44	134	230	<2	0.01	<5	131	0.37	223





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 26-JUN-2006

Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047183**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W	Zn
		ppm	ppm
		10	2
180101		<10	71
180102		<10	101
180103		10	90
180104		10	105
180105		<10	76
180106 DUP		<10	73
180107		<10	27
180108		<10	90
180109		10	88
180110		10	91
180111		<10	89
180112		30	75
180113		<10	88
180114		10	66
180115		10	63
180116		<10	20
180117		10	73
180118		10	65
180119		<10	51
180120		10	63
180121		<10	62
180122		10	63
180123		10	64
180124		<10	74
180125		<10	53
180126 DUP		<10	52
180127		<10	42
180128		<10	66
180129		<10	91
180130		<10	91
180131		50	604
180132		<10	73
180133		<10	79
180134		<10	80
180135		<10	164
180136		<10	16
180137		<10	65
180138		<10	72
180139		<10	91
180140		<10	59



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - A

Total # Pages: 5 (A - C)

Finalized Date: 26-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047183

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.005	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1
180141		2.73	0.014				<0.5	7.35	<5	60	<0.5	<2	8.71	<0.5	42	328
180142		2.79	0.020				<0.5	6.79	<5	80	<0.5	<2	6.41	<0.5	41	331
180143		2.83	0.013				<0.5	7.50	<5	80	<0.5	<2	7.26	<0.5	41	340
180144		2.18	0.049				<0.5	7.00	<5	120	<0.5	<2	7.88	<0.5	46	398
180145		2.48	0.036				<0.5	7.32	<5	140	<0.5	<2	6.90	<0.5	42	341
180146 DUP		<0.02	0.034				<0.5	7.11	<5	130	<0.5	<2	6.77	<0.5	44	331
180147		0.17	<0.005				<0.5	7.27	<5	580	0.9	<2	0.89	<0.5	4	15
180148		2.12	0.009				<0.5	7.36	<5	550	1.0	<2	1.61	<0.5	2	7
180149		1.85	0.041				<0.5	6.70	<5	510	1.2	2	1.22	<0.5	1	8
180150		2.03	0.573	0.673			<0.5	7.53	5	250	0.5	<2	5.61	<0.5	31	160
180151		1.95	0.137				<0.5	7.73	<5	180	0.5	<2	5.48	<0.5	34	168
180152		2.71	0.023				<0.5	7.22	<5	80	<0.5	<2	8.31	<0.5	39	319
180153		2.79	0.108				<0.5	7.48	<5	60	<0.5	<2	8.01	<0.5	44	344
180154		2.19	0.030				<0.5	8.72	<5	220	<0.5	<2	5.21	<0.5	24	201
180155		1.49	0.214				<0.5	7.07	6	80	<0.5	<2	7.31	<0.5	43	319
180156		0.06	1.800				19.9	9.46	<5	60	3.2	2	0.38	<0.5	1	4
180157		1.18	0.348				0.8	6.79	<5	60	<0.5	<2	7.32	<0.5	40	308
180158		2.37	>10.0			15.40	<0.5	7.74	<5	110	<0.5	<2	6.92	4.1	40	287
180159		2.61	0.153				<0.5	7.08	<5	100	<0.5	<2	9.57	<0.5	42	307
180160		2.70	0.082				<0.5	7.31	<5	50	<0.5	<2	8.80	<0.5	43	321
180161		2.37	0.131				<0.5	7.38	<5	50	<0.5	<2	8.51	<0.5	49	339
180162		2.54	1.680				0.5	7.32	<5	70	<0.5	<2	7.49	<0.5	43	320
180163		2.77	0.163				<0.5	8.18	<5	280	<0.5	<2	6.20	<0.5	26	202
180164		1.79	0.016				<0.5	8.80	<5	590	0.6	<2	1.64	<0.5	2	7
180165		1.19	8.47				0.6	6.53	<5	70	<0.5	<2	7.20	<0.5	48	285
180166 DUP		<0.02	>10.0			8.27	1.0	6.97	<5	80	<0.5	<2	7.52	0.5	50	335
180167		0.18	0.021	0.009			<0.5	7.34	<5	580	0.9	<2	0.95	<0.5	4	12
180168		2.89	0.432				<0.5	7.88	8	220	<0.5	<2	5.56	<0.5	25	216
180169		1.90	0.324				<0.5	7.24	<5	90	<0.5	<2	7.83	<0.5	38	319
180170		2.71	0.781				<0.5	7.37	<5	130	<0.5	<2	6.91	<0.5	36	281
180171		3.20	0.353				<0.5	7.40	<5	120	<0.5	<2	6.93	<0.5	42	306
180172		2.50	0.129				<0.5	8.54	<5	150	0.8	<2	3.79	<0.5	17	6
180173		1.98	0.186				<0.5	7.23	<5	80	<0.5	<2	7.42	<0.5	40	301
180174		1.23	2.21				<0.5	6.90	<5	90	<0.5	<2	7.36	<0.5	41	287
180175		1.46	0.071				<0.5	7.38	<5	70	<0.5	<2	8.10	0.6	44	302
180176		0.06	0.963				10.4	8.22	<5	50	3.2	<2	0.61	<0.5	<1	6
180177		2.59	0.032				<0.5	7.58	<5	120	<0.5	<2	6.91	<0.5	40	318
180178		2.58	0.189				<0.5	7.12	<5	180	<0.5	<2	7.99	<0.5	39	307
180179		2.54	0.596				<0.5	7.38	5	160	<0.5	<2	6.67	<0.5	40	287
180180		2.48	0.267				<0.5	7.06	5	50	<0.5	<2	7.97	<0.5	33	230



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 6 (A - C)

Finalized Date: 26-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047183

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
180141		13	7.66	0.42	5.29	1455	<1	1.39	142	240	<2	0.05	<5	122	0.37	218
180142		10	7.34	0.61	5.17	1380	<1	2.09	144	210	2	0.05	<5	126	0.36	211
180143		6	7.62	0.56	5.00	1400	<1	1.68	140	230	3	0.01	<5	148	0.38	226
180144		26	7.12	0.67	5.52	1310	<1	1.60	197	320	3	0.06	<5	218	0.33	195
180145		27	7.68	0.80	5.01	1460	<1	1.51	144	210	4	0.20	<5	152	0.38	226
180146 DUP		30	7.49	0.77	4.86	1430	<1	1.48	144	210	3	0.21	<5	147	0.37	222
180147		7	2.41	4.85	0.24	214	1	2.17	7	170	397	0.01	<5	157	0.10	12
180148		6	1.24	1.24	0.29	198	<1	3.43	3	120	7	0.03	<5	172	0.09	4
180149		6	1.67	1.31	0.12	228	6	3.15	2	80	6	0.06	<5	121	0.10	1
180150		21	7.24	0.93	2.98	1305	<1	2.01	69	880	6	0.11	<5	216	0.61	150
180151		32	7.52	0.68	2.96	1245	<1	2.30	68	930	5	0.15	<5	221	0.64	160
180152		13	7.43	0.54	4.67	1375	<1	1.32	146	220	<2	0.05	<5	144	0.37	217
180153		16	7.94	0.39	5.15	1450	<1	1.43	150	220	2	0.03	<5	141	0.39	233
180154		7	4.32	0.73	2.86	817	<1	3.17	80	220	<2	0.02	<5	238	0.23	118
180155		53	7.80	0.60	4.95	1355	<1	1.45	138	220	3	0.06	<5	146	0.37	220
180156		5	3.06	0.19	0.07	118	<1	7.2	6	640	130	3.14	<5	22	0.01	2
180157		85	7.22	0.48	4.32	1255	<1	1.26	134	220	2	0.17	<5	142	0.35	204
180158		205	6.63	0.54	3.81	1120	<1	1.97	118	230	2	0.48	<5	181	0.32	183
180159		40	7.45	0.48	4.73	1490	<1	1.32	134	220	5	0.12	<5	130	0.37	224
180160		15	7.63	0.42	5.06	1465	<1	1.54	141	220	<2	0.06	<5	130	0.38	226
180161		61	7.46	0.41	4.59	1385	<1	1.55	130	220	7	0.15	<5	138	0.40	234
180162		164	7.58	0.56	4.76	1370	<1	1.49	132	230	<2	0.13	<5	131	0.38	221
180163		15	4.71	0.69	2.81	867	<1	2.54	73	200	4	0.04	<5	250	0.24	127
180164		7	0.81	1.12	0.26	93	<1	4.60	3	180	3	0.01	<5	222	0.06	5
180165		301	7.51	0.44	4.86	1315	<1	1.22	128	200	8	0.63	<5	115	0.34	200
180166 DUP		318	8.02	0.50	5.14	1400	<1	1.27	135	220	2	0.58	<5	118	0.36	211
180167		8	2.00	4.46	0.28	172	<1	2.23	7	200	38	<0.01	<5	156	0.10	13
180168		10	4.66	0.75	3.03	841	<1	2.55	81	190	4	0.02	<5	170	0.25	137
180169		14	7.44	0.76	5.20	1400	<1	1.20	132	230	2	0.24	<5	150	0.37	219
180170		38	6.72	0.70	4.36	1245	<1	1.62	116	210	5	0.23	<5	132	0.34	183
180171		34	7.55	0.94	5.60	1370	<1	1.46	144	240	<2	0.05	<5	124	0.39	227
180172		31	4.84	0.91	1.22	768	1	2.73	9	840	3	0.38	<5	157	0.49	120
180173		38	7.32	0.59	4.71	1300	<1	1.46	144	320	2	0.13	<5	219	0.41	218
180174		106	7.59	0.50	5.03	1240	<1	1.31	123	240	5	0.51	5	155	0.35	204
180175		16	7.85	0.49	5.13	1410	1	1.50	157	240	2	0.08	<5	150	0.38	214
180176		9	2.73	0.19	0.07	64	1	7.1	3	640	109	2.88	<5	20	0.01	2
180177		56	7.71	0.69	4.87	1370	1	2.04	124	310	3	0.11	<5	243	0.36	204
180178		27	7.35	1.00	4.71	1380	<1	1.53	134	230	<2	0.09	<5	215	0.37	211
180179		6	6.69	0.98	5.38	1245	<1	1.65	116	240	2	0.01	<5	153	0.37	226
180180		19	5.73	0.72	4.74	1130	<1	1.81	99	210	3	<0.01	<5	55	0.31	187



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

Project: BLOCK A

<b>CERTIFICATE OF ANALYSIS VO06047183</b>
---

Sample Description	Method Analyte Units LOI	ME-ICP81 W ppm 10	ME-ICP81 Zn ppm 2
	180141		<10
180142		<10	58
180143		<10	63
180144		10	62
180145		<10	83
180146 DUP		<10	83
180147		<10	30
180148		<10	19
180149		<10	22
180150		<10	97
180151		<10	102
180152		<10	61
180153		<10	84
180154		<10	47
180155		<10	69
180156		<10	18
180157		<10	113
180158		<10	429
180159		<10	89
180160		<10	69
180161		<10	71
180182		<10	72
180163		<10	63
180164		<10	27
180165		<10	185
180166 DUP		10	210
180167		<10	28
180188		50	47
180169		<10	67
180170		<10	67
180171		<10	90
180172		<10	67
180173		<10	83
180174		<10	73
180175		10	65
180176		<10	17
180177		<10	66
180178		<10	67
180179		<10	112
180180		10	50



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 26-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047183**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
180181		2.48	0.707				<0.5	7.06	6	140	<0.5	<2	6.75	<0.5	40	276
180182		1.95	0.042				<0.5	7.99	<5	270	0.5	<2	4.86	<0.5	21	168
180183		1.40	0.049				<0.5	6.89	<5	140	0.6	<2	7.34	<0.5	42	312
180184		1.38	0.100				<0.5	6.61	<5	70	0.9	<2	1.61	<0.5	3	10
180185		2.35	0.041				<0.5	6.46	9	220	0.9	<2	1.00	<0.5	3	8
180186 DUP		<0.02	0.045				<0.5	6.32	<5	220	0.9	<2	0.97	<0.5	3	9
180187		0.13	0.010	0.009			<0.5	7.06	9	540	1.0	<2	0.87	<0.5	2	15
180188		2.23	0.065				<0.5	6.74	<5	390	1.0	<2	1.11	<0.5	6	7
180189		2.33	0.067				<0.5	8.37	6	260	0.6	<2	4.85	<0.5	32	89
180190		2.73	0.348				<0.5	8.27	10	120	<0.5	<2	6.79	<0.5	46	144
180191		2.67	0.383				<0.5	8.41	<5	90	0.5	<2	7.23	<0.5	31	137
180192		2.77	0.006				<0.5	7.96	5	390	0.9	<2	3.97	<0.5	16	50
180193		2.98	<0.005				<0.5	7.99	6	390	1.1	<2	2.30	<0.5	6	12
180194		2.41	0.025				<0.5	8.80	<5	230	0.5	<2	6.98	3.1	33	100
180195		2.25	<0.005				<0.5	9.48	<5	610	1.1	<2	3.24	<0.5	10	13
180196		0.06	1.870			18.0	9.32	<5	60	3.2	<2	0.34	<0.5	1	4	
180197		2.38	0.015				<0.5	8.48	<5	390	0.9	<2	3.88	<0.5	14	30
180198		2.50	0.009				<0.5	8.93	<5	250	0.6	<2	5.56	<0.5	34	89
180199		2.85	<0.005				<0.5	8.54	<5	120	<0.5	<2	6.35	<0.5	43	109
180200		2.53	0.041				<0.5	8.26	<5	140	0.5	<2	6.19	<0.5	40	10
180201		2.58	0.188				<0.5	8.14	<5	170	0.6	<2	5.65	<0.5	48	8
180202		2.82	0.077				<0.5	8.13	<5	120	0.6	<2	5.40	<0.5	40	9
180203		2.59	<0.005				<0.5	8.92	<5	140	0.5	<2	6.61	<0.5	37	112
180204		2.60	0.148				<0.5	6.11	7	120	0.6	<2	5.72	<0.5	41	11
180205		2.51	0.030				<0.5	8.55	<5	130	<0.5	<2	6.61	<0.5	39	68
180206 DUP		<0.02	0.032				<0.5	6.34	<5	130	<0.5	<2	6.39	<0.5	40	65
180207		0.16	<0.005				<0.5	7.58	<5	590	1.0	<2	1.21	<0.5	2	14
180208		2.21	<0.005				<0.5	8.69	5	180	0.6	<2	5.47	<0.5	37	84
180209		1.86	<0.005				<0.5	9.32	5	410	0.7	<2	3.66	<0.5	15	65
180210		2.60	0.008				<0.5	8.47	<5	170	<0.5	<2	5.88	<0.5	41	129
180211		2.73	0.012				<0.5	8.73	<5	180	0.5	<2	5.94	<0.5	40	128
180212		2.44	0.009				<0.5	7.98	7	120	<0.5	<2	4.33	<0.5	39	122
180213		2.73	0.024				<0.5	8.41	<5	160	0.6	<2	5.81	<0.5	37	99
180214		2.36	0.012				<0.5	8.42	<5	160	0.6	<2	5.45	<0.5	39	164
180215		2.03	0.021				<0.5	8.44	<5	260	<0.5	<2	4.88	<0.5	31	119
180216		0.06	1.010			10.1	9.47	<5	60	3.3	<2	0.34	<0.5	<1	5	
180217		2.81	0.265				<0.5	8.06	6	190	<0.5	<2	5.15	<0.5	25	119
180218		2.65	0.082				<0.5	8.38	<5	190	<0.5	<2	5.46	<0.5	26	130
180219		2.59	0.225				<0.5	8.51	<5	170	<0.5	<2	5.80	<0.5	25	133
180220		2.70	0.005				<0.5	8.75	5	160	<0.5	<2	6.60	<0.5	23	125



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 28-JUN-2008  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047183**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
		1	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
180181		31	7.09	0.85	4.70	1320	<1	1.85	117	240	<2	0.10	<5	171	0.35	219
180182		42	4.52	0.67	2.84	829	<1	3.34	76	240	<2	0.07	<5	196	0.21	117
180183		22	6.93	0.93	4.89	1290	<1	1.82	130	240	<2	0.07	<5	135	0.37	220
180184		33	0.96	0.20	0.22	233	<1	4.38	1	80	3	0.02	<5	56	0.09	4
180185		38	1.21	0.50	0.12	224	5	4.15	2	70	<2	0.24	<5	112	0.09	1
180186 DUP		39	1.20	0.49	0.11	220	5	4.02	1	80	2	0.24	<5	109	0.09	1
180187		8	2.71	3.95	0.21	235	<1	2.26	6	180	29	<0.01	<5	163	0.08	8
180188		57	1.54	0.75	0.16	229	3	3.58	2	70	4	0.34	<5	105	0.09	1
180189		137	7.93	0.93	2.42	1335	2	2.04	53	1200	7	0.43	<5	285	0.88	131
180190		216	7.89	0.91	3.38	1375	<1	1.30	104	380	3	0.77	<5	142	0.45	215
180191		186	7.45	0.89	3.42	1385	1	1.30	72	390	4	0.57	<5	136	0.44	216
180192		41	4.30	1.30	1.81	701	1	2.81	35	1180	5	0.18	5	527	0.38	90
180193		42	3.18	1.16	0.55	657	1	3.14	6	470	6	0.18	<5	236	0.28	39
180194		196	8.27	1.10	3.52	1435	<1	1.55	74	1180	3	0.67	<5	331	0.59	220
180195		16	2.92	1.52	0.91	450	<1	3.38	15	570	9	0.05	<5	371	0.27	63
180196		6	2.82	0.18	0.06	113	<1	6.9	2	630	115	2.88	<5	21	0.01	3
180197		21	5.37	1.07	1.34	1045	1	2.88	17	1130	6	0.14	<5	285	0.49	54
180198		43	6.72	0.87	3.15	1150	<1	2.59	77	520	8	0.25	6	175	0.45	157
180199		8	7.29	0.68	4.25	1300	<1	2.19	112	400	2	0.05	<5	136	0.43	204
180200		126	9.09	0.57	2.85	1455	2	1.89	25	540	8	0.47	7	147	0.61	272
180201		306	9.43	0.73	2.71	1410	1	1.91	23	570	11	1.09	<5	154	0.65	294
180202		345	9.55	0.56	2.54	1380	1	2.13	18	600	12	1.32	<5	184	0.70	306
180203		67	7.84	0.69	3.77	1300	<1	2.03	62	570	5	0.22	<5	255	0.54	232
180204		250	9.06	0.53	2.70	1390	1	1.98	22	590	7	0.84	<5	165	0.64	282
180205		124	7.95	0.63	3.48	1280	<1	1.94	53	410	8	0.36	<5	166	0.51	244
180206 DUP		116	7.80	0.61	3.41	1245	<1	1.90	50	410	<2	0.37	<5	162	0.50	241
180207		9	2.62	4.16	0.27	243	1	2.25	4	190	36	0.01	<5	165	0.09	12
180208		182	7.63	0.95	3.27	1265	1	2.15	64	1210	5	0.54	<5	344	0.72	217
180209		12	3.56	1.02	1.68	567	<1	3.37	23	310	6	0.05	<5	358	0.24	97
180210		94	7.33	0.85	3.58	1125	1	1.86	55	410	3	0.11	<5	182	0.46	222
180211		126	7.70	0.81	3.77	1265	1	1.75	65	680	10	0.35	6	198	0.51	219
180212		158	7.75	0.69	3.59	1205	<1	2.36	53	480	12	0.34	<5	146	0.52	219
180213		193	7.34	0.98	3.55	1180	1	2.10	44	420	8	0.14	<5	91	0.48	212
180214		57	7.71	0.96	4.26	1335	<1	2.80	61	430	6	0.10	<5	128	0.47	229
180215		32	7.41	1.14	3.99	1245	<1	2.39	59	380	5	0.12	<5	205	0.48	231
180216		8	2.98	0.19	0.07	37	1	7.0	2	650	130	3.07	<5	21	0.01	3
180217		19	7.03	1.06	4.06	1040	<1	1.40	61	360	3	0.10	<5	128	0.44	213
180218		3	7.28	1.15	4.51	1000	<1	1.39	70	370	5	0.03	<5	121	0.46	220
180219		4	7.05	1.05	4.32	1050	1	1.62	65	400	5	0.02	<5	145	0.45	214
180220		2	7.13	1.10	4.49	1105	<1	1.58	78	380	4	0.02	<5	136	0.46	222



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 26-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047183**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61
		W ppm 10	Zn ppm 2
180181		<10	71
180182		<10	60
180183		<10	82
180184		<10	3
180185		<10	5
180186 DUP		<10	5
180187		<10	29
180188		<10	12
180189		10	87
180190		10	110
180191		<10	82
180192		<10	50
180193		<10	59
180194		<10	570
180195		<10	56
180196		<10	19
180197		<10	97
180198		<10	72
180199		<10	73
180200		<10	69
180201		<10	108
180202		<10	77
180203		<10	72
180204		<10	76
180205		<10	83
180206 DUP		10	78
180207		<10	28
180208		<10	73
180209		<10	44
180210		<10	71
180211		30	80
180212		10	67
180213		<10	81
180214		<10	58
180215		<10	57
180216		<10	16
180217		<10	69
180218		<10	67
180219		10	66
180220		<10	64



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 5 - A

Total # Pages: 5 (A - C)

Finalized Date: 26-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047183

Sample Description	Method Analyte Units LOK	WEI-21	Au-AA23	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
180221		2.75	<0.005				<0.5	8.22	5	130	<0.5	<2	6.85	<0.5	25	118
180222		2.60	0.043				<0.5	8.33	<5	160	0.6	<2	5.98	<0.5	20	83
180223		2.40	0.007				<0.5	8.30	<5	50	<0.5	<2	7.72	<0.5	32	117
180224		2.48	0.030				<0.5	7.33	<5	140	<0.5	<2	7.32	<0.5	34	94
180225		2.50	0.041				<0.5	8.00	6	50	<0.5	<2	7.26	<0.5	41	128
180226 DUP		<0.02	0.038				<0.5	8.05	<5	50	<0.5	<2	7.36	<0.5	41	136
180227		0.17	<0.005				<0.5	7.50	<5	580	1.0	<2	0.99	<0.5	5	11
180228		2.46	0.067				<0.5	7.81	<5	130	<0.5	<2	7.97	<0.5	40	106
180229		2.50	0.074				<0.5	7.68	<5	90	<0.5	<2	6.64	<0.5	40	126
180230		2.63	0.068				<0.5	7.41	<5	70	<0.5	<2	7.07	<0.5	40	124
180231		2.58	0.114				<0.5	7.14	<5	120	0.5	<2	6.94	<0.5	26	97
180232		2.36	0.347				<0.5	7.01	<5	50	<0.5	<2	6.88	<0.5	55	120
180233		2.54	0.252				0.8	7.66	<5	70	<0.5	<2	6.87	<0.5	85	134
180234		2.71	0.187				<0.5	7.70	<5	110	0.5	<2	5.78	<0.5	37	111
180235		1.89	0.013				<0.5	7.52	<5	100	<0.5	<2	6.89	<0.5	31	142
180236		0.06	1.860				18.1	7.53	<5	50	3.1	<2	0.32	<0.5	1	5
180237		2.18	0.008				<0.5	7.59	<5	50	<0.5	<2	7.02	<0.5	30	109
180238		2.60	7.47				0.8	7.16	<5	70	<0.5	<2	6.17	<0.5	40	129
180239		2.21	3.73				1.4	7.73	<5	90	<0.5	<2	6.35	<0.5	41	120
180240		2.50	2.50				1.5	7.64	<5	80	<0.5	<2	6.61	<0.5	34	129





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 5 - B

Total # Pages: 5 (A - C)

Finalized Date: 26-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047183

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm
180221	1	6.96	0.01	0.01	4.28	1170	<1	1.68	79	370	3	0.02	<5	157	0.45	213
180222	23	6.19	0.50	2.74	1130	<1	2.10	46	560	4	0.12	<5	166	0.45	149	
180223	122	7.53	0.22	3.64	1315	1	1.56	71	380	3	0.27	<5	148	0.45	216	
180224	225	6.57	0.89	2.59	1055	<1	1.39	52	470	7	0.46	<5	158	0.43	170	
180225	276	7.61	0.39	3.17	1105	<1	1.49	77	400	5	0.69	<5	161	0.45	207	
180226 DUP	274	7.61	0.39	3.19	1135	<1	1.49	77	360	5	0.63	<5	160	0.45	211	
180227	8	3.07	4.22	0.23	240	<1	2.33	7	170	40	0.01	<5	161	0.08	10	
180228	245	7.31	0.60	3.32	1130	<1	1.76	76	670	8	0.69	<5	360	0.42	195	
180229	314	7.28	0.67	3.48	1220	<1	1.56	75	380	9	0.61	<5	161	0.45	212	
180230	218	7.13	0.50	3.30	1255	1	1.55	80	360	6	0.62	5	153	0.43	207	
180231	90	6.05	0.73	2.88	1275	1	1.53	53	450	8	0.34	<5	153	0.43	170	
180232	595	7.95	0.44	3.28	1185	1	1.46	88	380	5	1.13	<5	139	0.41	196	
180233	975	10.90	0.54	3.36	1210	<1	1.55	129	370	4	2.57	<5	139	0.44	198	
180234	557	7.00	0.55	3.05	1125	1	1.86	66	500	9	0.69	<5	165	0.46	183	
180235	147	6.82	0.40	3.99	1165	1	1.60	82	460	10	0.18	<5	202	0.43	199	
180236	6	2.54	0.18	0.07	106	1	6.8	5	630	121	2.79	<5	22	0.01	2	
180237	88	6.70	0.29	3.53	1145	1	1.56	62	360	15	0.20	<5	148	0.44	206	
180238	1125	7.50	0.66	3.15	1160	<1	1.26	78	340	5	1.13	<5	128	0.42	205	
180239	2140	8.13	0.63	3.12	1150	1	1.87	86	540	7	1.18	<5	246	0.48	206	
180240	2460	7.88	0.66	3.39	1220	1	1.40	77	340	8	1.13	<5	142	0.44	210	



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 5 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047183**

Sample Description	Method Analyte Units LOR	ME-JCP61	ME-JCP61
		W ppm 10	Zn ppm 2
180221		<10	64
180222		<10	70
180223		<10	79
180224		<10	97
180225		10	61
180226 DUP		<10	62
180227		<10	27
180228		<10	67
180229		<10	76
180230		<10	63
180231		<10	78
180232		<10	61
180233		10	74
180234		10	76
180235		<10	68
180236		<10	18
180237		<10	66
180238		10	61
180239		<10	91
180240		20	93



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06047184

Project: BLOCK A

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180241		2.49	0.573		<0.5	7.91	<5	100	<0.5	<2	6.49	<0.5	25	127	798	
180242		2.52	0.009		<0.5	7.66	<5	150	<0.5	<2	6.30	<0.5	22	135	33	
180243		2.64	0.092		<0.5	7.83	<5	110	<0.5	<2	6.12	<0.5	21	116	4	
180244		2.69	0.027		<0.5	7.74	<5	100	<0.5	<2	6.46	<0.5	20	106	6	
180245		2.72	0.026		<0.5	7.52	<5	80	<0.5	<2	6.39	<0.5	24	107	5	
180246 DUP		<0.02	0.012		<0.5	7.63	<5	80	<0.5	<2	6.52	<0.5	24	102	6	
180247		0.17	<0.005		<0.5	6.82	<5	560	1.0	<2	0.96	<0.5	2	16	9	
180248		2.89	0.284		<0.5	7.42	<5	110	<0.5	<2	6.03	<0.5	25	112	14	
180249		2.48	1.565		<0.5	7.62	<5	120	0.5	<2	6.79	<0.5	25	126	86	
180250		3.12	0.266		<0.5	7.25	6	230	0.6	<2	4.46	<0.5	28	123	639	
180251		2.54	0.008		<0.5	7.95	<5	200	0.6	<2	5.06	<0.5	23	120	172	
180252		1.47	1.310		0.5	6.32	<5	190	<0.5	<2	5.69	<0.5	31	118	1140	
180253		2.25	0.051		<0.5	7.75	<5	120	<0.5	<2	7.00	<0.5	26	120	101	
180254		2.19	0.046		<0.5	7.49	5	290	0.7	<2	4.31	<0.5	13	70	56	
180255		2.71	0.030		<0.5	7.66	6	210	0.7	<2	5.17	<0.5	20	59	41	
180256		0.06	1.030		11.6	8.43	<5	50	3.2	<2	0.35	<0.5	<1	5	8	
180257		2.31	0.006		<0.5	8.04	<5	140	0.6	<2	5.88	<0.5	23	74	15	
180258		3.09	0.014		<0.5	7.65	<5	180	<0.5	<2	5.93	<0.5	27	112	51	
180259		2.59	0.030		<0.5	7.97	<5	180	0.8	<2	4.33	<0.5	16	19	45	
180260		2.91	<0.005		<0.5	8.45	<5	100	0.5	<2	7.07	<0.5	30	128	41	
180261		2.67	<0.005		<0.5	8.64	7	300	0.8	<2	5.41	<0.5	33	93	109	
180262		1.82	0.134		<0.5	7.64	<5	90	<0.5	<2	5.29	<0.5	47	172	291	
180263		2.61	<0.005		<0.5	8.56	<5	610	1.1	<2	3.40	<0.5	15	55	43	
180264		2.94	0.380		0.5	7.68	8	290	0.8	<2	3.11	<0.5	22	51	703	
180265		2.54	0.196		<0.5	8.08	<5	340	0.8	<2	5.77	<0.5	34	142	174	
180266 DUP		<0.02	0.289		<0.5	7.82	<5	320	0.7	<2	5.63	<0.5	30	136	170	
180267		0.17	<0.005		<0.5	7.21	<5	580	0.9	<2	1.18	<0.5	3	9	8	
180268		2.67	0.236		<0.5	8.05	<5	110	<0.5	<2	6.58	<0.5	43	128	488	
180269		2.58	0.014		<0.5	8.19	<5	180	0.5	<2	5.85	<0.5	28	85	10	
180270		2.68	0.006		<0.5	8.62	<5	260	0.8	<2	4.88	<0.5	22	36	54	
180271		2.42	0.098		<0.5	8.49	<5	200	0.6	<2	6.05	<0.5	30	91	50	
180272		3.23	0.381		<0.5	8.27	<5	150	<0.5	<2	6.26	<0.5	33	124	2	
180273		2.83	0.024		<0.5	8.51	6	140	<0.5	<2	6.40	<0.5	32	126	5	
180274		2.63	0.018		<0.5	8.16	7	230	0.5	<2	6.83	<0.5	32	142	24	
180275		2.73	0.008		<0.5	7.87	<5	300	0.9	<2	4.64	<0.5	22	77	83	
180276		0.06	1.855		18.4	8.71	5	60	3.2	<2	0.35	<0.5	1	3	6	
180277		2.71	0.011		<0.5	7.88	<5	220	0.7	<2	4.90	<0.5	21	74	39	
180278		2.67	0.043		<0.5	8.00	<5	260	0.7	<2	4.96	<0.5	21	78	43	
180279		2.88	0.008		<0.5	7.59	6	280	1.0	<2	3.15	<0.5	15	29	97	
180280		2.18	0.106		<0.5	8.24	5	170	<0.5	<2	6.10	<0.5	27	114	1	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 26-JUN-2008  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180241		7.37	0.88	3.85	1125	1	1.52	70	370	8	0.44	<5	148	0.45	212	<10
180242		6.92	1.02	4.36	1115	<1	1.61	93	410	3	0.07	<5	191	0.42	200	<10
180243		6.85	0.91	4.09	1115	1	1.64	79	380	3	0.01	<5	141	0.46	214	<10
180244		6.53	0.84	3.95	1110	1	1.58	67	420	6	0.01	<5	147	0.47	219	<10
180245		6.36	0.64	3.86	1110	1	1.76	70	370	12	0.01	<5	147	0.45	209	<10
180246 DUP		6.39	0.65	3.90	1120	<1	1.78	72	370	6	<0.01	<5	149	0.46	210	<10
180247		2.80	4.20	0.28	237	3	2.19	7	180	39	0.01	<5	163	0.09	11	<10
180248		6.40	0.95	3.99	1055	1	1.55	74	380	3	0.05	<5	147	0.43	205	<10
180249		6.87	1.04	3.98	1215	2	1.29	75	610	6	0.13	<5	203	0.47	218	<10
180250		6.65	1.32	2.70	873	1	1.51	60	600	6	0.79	<5	173	0.45	158	<10
180251		5.58	1.36	2.64	873	1	1.76	86	1070	13	0.52	<5	311	0.47	140	<10
180252		7.42	1.39	2.61	1095	<1	1.02	75	300	6	1.55	<5	122	0.35	186	10
180253		7.04	1.40	3.44	1360	1	1.08	68	390	5	0.49	<5	143	0.46	214	100
180254		5.36	1.23	1.80	929	1	2.15	33	510	5	0.33	<5	168	0.41	110	<10
180255		5.88	0.82	2.42	1030	1	2.21	45	890	7	0.23	<5	244	0.47	143	<10
180256		3.01	0.19	0.07	37	2	7.6	1	670	134	3.29	<5	24	0.01	2	<10
180257		6.07	0.76	3.02	1100	1	2.06	54	650	6	0.08	<5	190	0.50	181	<10
180258		6.44	1.10	3.34	1190	1	1.78	74	400	9	0.17	5	165	0.46	208	10
180259		5.01	0.80	1.59	812	1	2.61	23	980	7	0.17	<5	226	0.54	130	<10
180260		7.60	0.55	3.65	1290	<1	1.63	69	560	2	0.14	<5	210	0.51	213	<10
180261		6.50	1.06	2.89	1040	<1	2.31	70	1430	5	0.32	<5	402	0.77	163	<10
180262		9.21	0.70	3.85	1180	<1	1.48	129	770	8	0.68	<5	205	0.71	190	10
180263		3.22	1.68	1.33	448	<1	3.18	43	270	3	0.13	<5	322	0.24	63	<10
180264		5.44	1.42	0.96	573	<1	2.38	24	690	7	1.29	<5	205	0.40	85	<10
180265		6.64	1.29	3.37	1010	<1	1.84	80	830	7	0.46	<5	531	0.44	157	<10
180266 DUP		6.65	1.26	3.29	1015	<1	1.78	80	770	5	0.49	<5	502	0.43	153	<10
180267		2.32	4.36	0.22	193	<1	2.26	3	160	38	0.01	<5	156	0.08	8	<10
180268		7.65	0.86	3.83	1095	<1	1.66	75	580	3	0.51	<5	212	0.47	205	<10
180269		6.76	1.14	3.38	997	<1	1.91	70	580	6	0.02	<5	178	0.46	181	<10
180270		6.07	1.04	2.10	899	<1	2.30	40	1040	6	0.25	<5	271	0.57	142	<10
180271		7.26	1.17	3.51	1110	<1	1.84	79	1210	6	0.25	<5	323	0.72	187	<10
180272		7.38	1.23	4.69	1110	<1	1.68	113	360	3	<0.01	<5	141	0.44	204	<10
180273		7.39	1.30	4.59	1120	<1	1.62	96	370	5	0.01	<5	147	0.45	212	<10
180274		7.43	1.22	4.58	1150	<1	1.82	110	940	7	0.21	<5	439	0.53	203	<10
180275		5.39	1.04	2.35	777	<1	2.63	50	840	7	0.55	<5	404	0.42	119	<10
180276		3.10	0.19	0.07	111	<1	7.0	5	640	130	3.27	<5	20	0.01	3	<10
180277		5.76	0.96	2.51	894	<1	2.18	40	440	6	0.27	<5	159	0.40	142	<10
180278		5.81	1.10	2.60	878	<1	2.21	42	630	2	0.25	<5	233	0.43	152	<10
180279		4.55	0.88	1.09	547	1	2.74	13	470	3	0.62	<5	202	0.29	66	<10
180280		7.26	1.34	4.02	1080	<1	1.68	66	400	6	<0.01	<5	141	0.44	211	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180241		70
180242		62
180243		61
180244		59
180245		56
180248 DUP		59
180247		28
180248		62
180249		75
180250		75
180251		68
180252		144
180253		79
180254		72
180255		61
180256		17
180257		84
180258		94
180259		66
180260		75
180261		70
180262		90
180263		52
180264		58
180265		78
180266 DUP		76
180267		26
180268		77
180269		72
180270		61
180271		79
180272		86
180273		83
180274		81
180275		57
180276		18
180277		60
180278		62
180279		45
180280		71



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 28-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
180281		2.88	0.088			<0.5	8.36	8	180	0.5	<2	5.80	<0.5	24	99	24
180282		2.40	0.112			<0.5	8.29	5	210	0.5	<2	5.65	<0.5	32	106	71
180283		3.18	0.025			<0.5	8.35	6	140	0.6	<2	6.26	<0.5	23	85	19
180284		2.31	1.115	1.090		<0.5	8.28	8	100	<0.5	<2	6.75	<0.5	34	122	445
180285		2.58	1.970	1.685		1.4	7.34	<5	190	<0.5	<2	4.66	<0.5	102	129	2010
180286 DUP		<0.02	1.570	2.88		1.1	7.28	<5	190	<0.5	<2	4.56	<0.5	100	130	1940
180287		0.18	<0.005			<0.5	6.73	<5	550	1.1	<2	0.83	<0.5	4	11	9
180288		2.56	0.090			<0.5	7.60	<5	160	<0.5	<2	6.32	<0.5	23	142	229
180289		2.84	0.263			<0.5	7.52	<5	210	0.7	<2	5.24	<0.5	19	81	126
180290		2.40	0.015			<0.5	7.46	<5	130	<0.5	<2	8.30	<0.5	27	116	11
180291		2.65	0.047			<0.5	7.70	<5	100	<0.5	<2	6.52	<0.5	30	114	130
180292		3.53	0.034			<0.5	7.44	<5	130	<0.5	<2	6.12	<0.5	37	298	529
180293		1.49	>10.0		21.3	1.6	7.07	5	180	<0.5	<2	4.95	<0.5	38	130	593
180294		2.83	0.318			<0.5	7.69	<5	270	0.8	<2	3.42	<0.5	19	36	140
180295		2.77	0.033			<0.5	7.78	<5	230	0.6	<2	4.74	<0.5	24	78	102
180296		0.07	0.999			11.0	8.27	7	50	3.2	<2	0.32	<0.5	1	4	8
180297		2.79	0.016			<0.5	7.81	<5	180	0.5	<2	5.23	<0.5	32	95	155
180298		2.73	0.046			<0.5	7.75	7	150	<0.5	<2	5.46	<0.5	41	138	359
180299		2.36	0.036			<0.5	7.69	6	130	<0.5	<2	5.35	<0.5	28	136	93
180300		2.61	0.017			<0.5	8.32	5	160	0.5	<2	6.56	<0.5	34	67	92
180301		2.79	0.018			<0.5	7.57	6	150	<0.5	<2	5.25	<0.5	31	139	173
180302		2.56	0.167			<0.5	7.95	<5	140	<0.5	<2	6.77	<0.5	26	119	61
180303		2.73	0.026			<0.5	8.13	<5	180	0.5	<2	5.96	<0.5	32	99	146
180304		2.19	0.049			<0.5	7.89	<5	190	<0.5	<2	6.22	<0.5	29	130	182
180305		2.43	0.007			<0.5	7.42	<5	310	0.9	<2	3.48	<0.5	15	6	74
180306 DUP		<0.02	0.012			<0.5	7.53	5	310	0.9	<2	3.53	<0.5	14	6	70
180307		0.16	<0.005			<0.5	6.55	<5	550	0.9	<2	0.81	<0.5	4	12	8
180308		2.85	0.012			<0.5	8.11	<5	260	0.7	<2	4.71	<0.5	20	49	44
180309		2.84	0.093			<0.5	8.16	<5	140	0.5	<2	6.66	<0.5	31	103	184
180310		2.65	0.015			<0.5	7.94	<5	150	0.5	<2	6.24	<0.5	30	112	126
180311		2.81	0.014			<0.5	8.14	<5	280	0.8	<2	5.16	<0.5	24	62	64
180312		3.04	0.042			<0.5	7.63	<5	190	0.5	<2	5.86	<0.5	25	86	78
180313		2.13	0.114			<0.5	7.92	<5	120	0.5	<2	6.34	<0.5	24	113	71
180314		2.92	0.480			<0.5	8.45	<5	170	<0.5	<2	6.81	<0.5	22	116	58
180315		2.75	0.138			<0.5	8.01	<5	150	<0.5	<2	7.24	<0.5	22	118	53
180316		0.07	1.825			18.9	8.26	<5	60	3.1	<2	0.33	<0.5	2	4	5
180317		2.46	0.024			<0.5	7.28	<5	140	<0.5	<2	7.36	<0.5	30	156	102
180318		2.34	0.037			<0.5	7.72	<5	210	0.7	<2	5.57	<0.5	25	122	66
180319		2.57	0.009			<0.5	7.90	9	110	<0.5	<2	6.91	<0.5	30	108	8
180320		2.40	<0.005			<0.5	8.12	<5	100	<0.5	<2	7.08	<0.5	26	108	20



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
180281		6.95	1.22	3.30	1035	<1	1.78	52	600	7	0.12	<5	170	0.49	197	10
180282		7.34	1.31	3.70	1025	<1	1.74	71	650	7	0.18	<5	171	0.50	202	<10
180283		6.22	0.67	3.01	1055	<1	2.22	51	530	7	0.12	<5	178	0.45	168	<10
180284		7.66	0.80	3.82	1135	<1	1.59	74	420	3	0.50	<5	153	0.46	208	<10
180285		10.75	1.42	2.72	917	<1	1.25	155	350	10	3.07	<5	110	0.41	192	10
180286 DUP		10.30	1.42	2.68	863	<1	1.25	149	350	7	2.55	<5	109	0.41	188	10
180287		2.28	4.25	0.19	185	1	2.29	4	130	38	0.01	<5	154	0.08	8	<10
180288		6.14	1.52	3.13	1205	<1	1.22	63	350	9	0.50	<5	136	0.45	208	<10
180289		5.52	1.09	2.08	998	2	1.95	37	530	9	0.53	<5	167	0.41	137	<10
180290		6.84	1.11	3.94	1230	1	1.46	81	380	5	0.03	<5	138	0.44	199	<10
180291		6.70	0.74	3.31	1140	1	1.63	74	430	9	0.21	<5	161	0.46	205	<10
180292		6.79	1.02	4.17	1085	1	1.50	97	450	4	0.42	<5	186	0.42	202	<10
180293		6.69	1.30	2.78	1065	<1	1.13	66	340	<2	0.68	<5	107	0.40	188	<10
180294		4.62	1.10	1.20	742	2	2.36	23	690	<2	0.41	<5	188	0.43	99	<10
180295		5.85	1.18	2.25	1045	1	1.87	42	630	<2	0.27	<5	170	0.47	160	<10
180296		2.83	0.19	0.06	34	<1	6.9	1	600	130	2.92	<5	19	0.01	2	<10
180297		6.90	1.16	2.81	1070	<1	1.54	47	540	8	0.41	<5	146	0.44	170	<10
180298		7.78	1.41	3.24	1045	<1	1.12	69	370	6	0.75	<5	114	0.44	206	10
180299		7.41	1.54	3.29	1235	<1	1.00	107	380	11	0.73	<5	98	0.43	205	20
180300		8.26	1.02	3.63	1260	<1	1.65	80	2120	3	0.46	<5	539	0.66	211	<10
180301		7.76	1.75	3.29	1265	<1	0.77	99	350	4	1.31	<5	107	0.44	208	560
180302		7.22	1.22	3.38	1240	<1	1.16	92	790	4	0.38	<5	215	0.48	204	30
180303		7.65	1.30	3.31	1125	<1	1.42	81	1680	<2	0.57	<5	402	0.56	203	10
180304		7.12	1.38	3.30	1280	<1	1.23	92	380	5	0.57	<5	120	0.44	209	20
180305		4.55	1.16	0.87	613	1	2.42	5	940	<2	0.48	<5	202	0.46	72	<10
180306 DUP		4.33	1.18	0.88	602	1	2.45	7	910	6	0.43	<5	204	0.46	74	<10
180307		2.79	4.28	0.20	219	1	1.98	4	160	36	0.01	<5	141	0.08	9	<10
180308		5.58	1.20	2.01	962	<1	2.24	34	670	5	0.15	<5	188	0.47	155	10
180309		7.12	0.78	3.28	1190	<1	1.80	60	440	5	0.26	<5	163	0.45	197	10
180310		6.78	0.98	3.15	1125	<1	1.63	65	420	15	0.33	<5	158	0.43	194	10
180311		6.06	1.12	2.51	988	<1	2.35	34	890	9	0.29	<5	227	0.46	170	<10
180312		6.15	1.13	2.63	1070	<1	1.60	66	530	6	0.47	<5	163	0.45	175	30
180313		6.34	0.98	2.92	1195	<1	1.61	71	400	5	0.22	<5	144	0.47	199	20
180314		6.98	1.28	3.47	1200	<1	1.53	73	390	8	0.21	<5	144	0.45	211	10
180315		6.47	1.38	3.26	1170	<1	1.46	78	390	10	0.22	<5	162	0.45	207	10
180316		2.77	0.19	0.06	108	<1	6.8	5	630	118	2.82	<5	20	0.01	2	<10
180317		6.03	1.06	3.16	1165	<1	1.68	90	360	6	0.40	<5	169	0.41	178	<10
180318		6.25	0.96	2.88	1015	1	2.05	53	660	3	0.38	<5	218	0.46	167	<10
180319		6.97	0.86	4.02	1155	<1	1.49	80	370	6	0.02	<5	156	0.45	211	<10
180320		7.06	0.77	4.02	1195	<1	1.49	73	390	4	0.11	<5	146	0.46	208	<10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 28-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method Analyte Units LOR	ME-ICP81 Zn ppm 2
180281		75
180282		93
180283		69
180284		67
180285		62
180286 DUP		61
180287		24
180288		50
180289		56
180290		75
180291		65
180292		69
180293		84
180294		59
180295		77
180296		16
180297		75
180298		66
180299		62
180300		73
180301		53
180302		66
180303		73
180304		79
180305		65
180306 DUP		62
180307		27
180308		70
180309		91
180310		93
180311		67
180312		75
180313		93
180314		84
180315		67
180316		18
180317		63
180318		56
180319		69
180320		60



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 26-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180321		2.82	0.063			<0.5	7.68	<5	140	<0.5	<2	6.18	<0.5	29	130	36
180322		2.81	<0.005			<0.5	7.31	<5	150	<0.5	<2	6.97	<0.5	38	308	21
180323		2.58	0.208			<0.5	7.59	<5	170	<0.5	<2	5.74	<0.5	24	107	25
180324		2.95	0.010			<0.5	7.42	<5	140	0.5	<2	6.66	<0.5	33	298	42
180325		2.75	<0.005			<0.5	7.30	7	280	0.5	<2	6.67	<0.5	44	578	54
180326 DUP		<0.02	<0.005			<0.5	6.86	5	270	0.5	<2	6.36	<0.5	45	604	56
180327		0.15	<0.005			<0.5	6.70	5	580	0.9	<2	1.04	<0.5	4	23	9
180328		2.54	0.005			<0.5	8.19	<5	300	<0.5	<2	6.86	<0.5	39	399	110
180329		2.72	0.032			0.5	7.24	7	100	0.5	<2	6.78	<0.5	50	435	320
180330		2.66	0.079			0.5	8.11	<5	230	<0.5	<2	5.90	<0.5	53	138	479
180331		2.46	0.078			0.5	8.23	<5	240	0.6	<2	4.77	<0.5	36	95	231
180332		2.53	0.056			<0.5	8.31	<5	320	<0.5	3	5.07	<0.5	51	153	339
180333		2.62	0.064			<0.5	7.80	10	200	<0.5	2	4.70	<0.5	41	135	353
180334		2.90	0.102			0.8	7.49	<5	180	<0.5	<2	6.69	<0.5	69	134	842
180335		2.50	0.035			<0.5	7.90	<5	110	<0.5	3	6.58	<0.5	40	130	335
180336		0.07	0.982			11.2	8.30	8	50	3.2	<2	0.33	<0.5	1	5	10
180337		2.66	0.049			<0.5	7.09	<5	90	<0.5	<2	7.52	<0.5	37	111	360
180338		2.87	0.028			<0.5	8.06	<5	90	<0.5	<2	6.81	<0.5	34	129	153
180339		1.91	0.014			<0.5	8.83	<5	110	<0.5	<2	6.85	<0.5	40	135	172
180340		2.00	0.066			0.5	8.50	<5	110	0.5	4	6.52	<0.5	52	140	623
180341		1.12	>10.0		13.05	0.6	7.19	<5	190	0.6	<2	4.16	<0.5	42	69	809
180342		2.42	0.066			<0.5	8.37	<5	180	0.6	<2	5.52	<0.5	35	88	356
180343		2.72	0.166			0.8	8.01	<5	80	<0.5	<2	6.76	<0.5	63	137	717
180344		2.63	0.257			1.3	7.31	<5	100	<0.5	<2	7.11	<0.5	59	119	791
180345		2.94	2.52			2.4	7.71	<5	80	<0.5	2	6.30	<0.5	46	129	454
180346 DUP		<0.02	2.89			2.4	7.76	6	80	<0.5	<2	6.40	<0.5	45	132	426
180347		0.20	<0.005			<0.5	6.78	<5	550	0.9	2	1.08	<0.5	5	11	10
180348		2.68	3.57			1.7	7.65	17	100	<0.5	<2	6.89	<0.5	47	131	730
180349		2.34	0.449			1.2	8.14	10	110	<0.5	<2	6.78	<0.5	50	134	589
180350		1.25	4.00			2.9	7.24	<5	140	0.6	<2	5.26	5.1	52	132	1015
180351		1.77	0.179			0.9	7.59	<5	200	0.6	<2	5.24	<0.5	49	128	461
180352		2.24	0.131			<0.5	7.02	<5	510	1.1	<2	2.17	<0.5	16	33	227
180353		1.63	0.241			<0.5	7.44	<5	290	0.5	2	3.77	<0.5	30	65	395
180354		1.21	1.455			1.4	5.17	17	120	<0.5	<2	3.49	<0.5	62	102	717
180355		2.15	0.118			0.7	7.53	<5	100	<0.5	2	5.55	0.5	46	129	407
180356		0.07	1.920			18.9	7.66	<5	50	2.5	2	0.32	<0.5	2	3	6
180357		2.49	0.380			1.1	7.74	<5	100	<0.5	2	5.32	<0.5	55	134	581
180358		2.53	0.463			1.6	7.46	<5	110	<0.5	<2	5.51	<0.5	83	132	933
180359		2.71	0.118			<0.5	8.09	<5	190	0.6	<2	5.19	<0.5	38	92	385
180380		2.75	0.235			0.5	7.68	5	180	0.5	<2	6.06	<0.5	42	126	467



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 26-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180321		6.75	0.76	4.09	1045	1	1.87	79	380	2	0.12	<5	197	0.44	206	<10
180322		7.55	0.96	6.04	1225	<1	1.56	125	530	6	0.13	<5	199	0.41	203	<10
180323		6.40	1.12	3.73	1000	<1	1.86	67	400	3	0.11	<5	201	0.46	204	<10
180324		7.17	0.60	5.14	1190	<1	1.81	139	510	8	0.14	<5	324	0.43	208	<10
180325		6.76	1.15	8.58	1205	<1	1.38	330	770	8	0.16	<5	281	0.27	137	<10
180326 DUP		6.40	1.22	8.07	1165	<1	1.27	339	700	11	0.15	<5	260	0.28	140	<10
180327		3.03	4.14	0.33	248	<1	2.04	8	180	35	0.01	<5	155	0.08	14	<10
180328		6.16	1.14	6.51	1050	<1	1.74	206	690	4	0.19	<5	503	0.30	156	<10
180329		7.53	0.83	5.66	1290	<1	1.54	195	560	7	0.71	<5	198	0.40	198	10
180330		6.95	1.85	2.56	1170	<1	1.14	80	310	11	1.39	<5	127	0.46	229	20
180331		6.20	1.69	1.77	873	1	1.62	59	500	6	1.04	<5	128	0.48	169	10
180332		6.74	2.08	2.48	1080	<1	1.53	98	400	15	1.16	<5	132	0.45	193	20
180333		6.47	1.33	2.28	940	<1	1.95	67	320	6	0.96	<5	124	0.42	189	<10
180334		7.97	1.39	2.58	1200	<1	1.34	106	390	13	1.80	<5	136	0.41	188	20
180335		7.34	0.94	3.24	1275	<1	1.71	70	370	9	0.82	<5	132	0.42	207	<10
180336		2.52	0.19	0.07	34	<1	7.0	4	640	116	2.69	5	21	0.01	2	<10
180337		6.45	0.76	2.74	1175	2	1.10	70	370	7	0.73	<5	106	0.38	178	10
180338		7.22	0.79	3.41	1215	<1	1.42	64	400	5	0.52	<5	130	0.43	207	<10
180339		8.01	1.03	3.91	1255	<1	1.59	87	430	10	0.46	<5	131	0.47	224	<10
180340		7.42	0.90	2.58	1045	<1	1.88	76	400	7	1.32	<5	152	0.44	207	10
180341		6.06	0.92	1.52	787	<1	1.82	49	690	6	0.99	<5	146	0.42	126	10
180342		6.55	0.94	2.24	1005	<1	1.92	46	720	14	0.77	<5	171	0.46	163	10
180343		7.86	0.68	2.45	1120	<1	1.74	81	380	<2	1.50	<5	150	0.43	206	10
180344		8.37	1.07	2.80	1250	<1	1.29	96	370	6	1.86	<5	116	0.39	197	60
180345		7.02	1.16	2.83	1150	<1	1.23	72	360	11	0.99	<5	116	0.42	195	<10
180346 DUP		7.24	1.12	2.88	1180	<1	1.25	77	370	11	1.08	<5	118	0.42	196	<10
180347		2.22	4.00	0.24	200	<1	2.11	5	200	40	0.02	<5	149	0.08	11	<10
180348		7.19	1.39	2.89	1280	<1	1.15	70	350	6	1.37	<5	107	0.42	207	10
180349		7.65	1.31	2.94	1270	<1	1.28	69	390	9	1.22	<5	120	0.43	209	10
180350		7.71	1.58	2.77	1135	<1	1.03	93	350	12	1.63	<5	79	0.41	200	20
180351		6.55	1.59	2.40	1090	<1	1.44	65	300	6	1.09	<5	104	0.40	180	<10
180352		3.12	1.40	0.58	388	<1	2.73	16	130	9	0.55	<5	121	0.15	37	<10
180353		4.02	0.90	1.36	586	<1	2.67	42	260	14	0.73	<5	152	0.22	96	10
180354		7.76	1.06	1.70	809	<1	0.80	94	240	55	2.26	<5	60	0.29	137	20
180355		7.33	1.12	2.98	1105	<1	1.36	63	390	11	0.99	<5	104	0.42	205	<10
180356		2.56	0.15	0.06	104	<1	6.5	5	620	124	2.72	<5	20	0.01	3	<10
180357		7.75	1.03	2.74	1080	<1	1.57	70	350	9	1.46	<5	119	0.41	199	10
180358		8.78	0.91	2.57	1035	<1	1.49	105	360	15	1.98	<5	122	0.40	196	10
180359		6.87	1.46	2.32	976	<1	1.65	51	520	7	0.96	<5	148	0.45	183	10
180360		7.04	1.17	2.74	1090	<1	1.55	71	990	3	1.20	<5	268	0.46	194	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 26-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047184

Sample Description	Method Analyte Units LOR	ME-ICP61
		Zn ppm 2
180321		61
180322		72
180323		61
180324		69
180325		70
180326 DUP		76
180327		29
180328		64
180329		73
180330		50
180331		47
180332		63
180333		44
180334		48
180335		56
180336		18
180337		48
180338		62
180339		67
180340		53
180341		58
180342		68
180343		58
180344		57
180345		79
180346 DUP		79
180347		28
180348		127
180349		144
180350		838
180351		136
180352		32
180353		56
180354		134
180355		114
180356		16
180357		69
180358		76
180359		93
180360		88



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 28-JUN-2006  
Account: TRAVEN

**CERTIFICATE VO06047185**

Project: BLOCK A

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-APR-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32d	Pulverize Split -Dup 85% <75um
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 2 - A

Total # Pages: 4 (A - C)

Finalized Date: 28-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047185

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180361		2.48	0.049			<0.5	8.32	<5	150	<0.5	<2	6.64	<0.5	33	136	318
180362		2.52	0.188			0.5	7.92	<5	100	<0.5	<2	6.61	<0.5	36	126	447
180363		2.71	0.425			0.6	7.45	<5	90	<0.5	<2	5.57	<0.5	32	132	679
180364		2.62	2.14			1.0	7.92	<5	110	<0.5	<2	6.04	<0.5	28	130	421
180365		1.88	>10.0		8.75	0.5	7.97	<5	100	<0.5	<2	6.42	<0.5	25	133	313
180366 DUP		<0.02	7.32			<0.5	7.69	<5	90	<0.5	<2	6.24	<0.5	25	127	294
180367		0.15	0.008			<0.5	6.90	<5	550	0.9	<2	0.97	<0.5	4	11	10
180368		1.18	1.515			<0.5	5.69	<5	60	<0.5	<2	4.20	<0.5	31	106	656
180369		2.17	1.530			0.5	7.88	<5	130	<0.5	<2	4.84	<0.5	26	137	675
180370		2.52	4.52			0.5	7.91	<5	220	<0.5	<2	5.22	<0.5	32	140	804
180371		2.81	0.473			0.6	8.11	<5	150	<0.5	<2	5.64	<0.5	33	137	840
180372		2.40	1.730			0.7	7.96	<5	190	0.6	<2	4.51	<0.5	20	81	585
180373		2.65	0.952			1.0	7.60	<5	120	<0.5	<2	5.29	<0.5	35	136	557
180374		2.75	0.234			<0.5	6.35	<5	230	<0.5	<2	5.04	<0.5	40	618	390
180375		3.24	0.341			<0.5	6.24	<5	220	<0.5	<2	6.34	<0.5	42	848	250
180376		0.06	1.010			10.0	8.49	<5	50	3.2	<2	0.34	<0.5	1	12	9
180377		3.25	0.020			<0.5	8.22	<5	440	0.6	<2	5.53	<0.5	36	554	40
180378		2.42	0.190			<0.5	4.60	<5	<10	<0.5	<2	6.28	<0.5	44	1580	85
180379		3.13	0.903			<0.5	4.38	<5	<10	<0.5	<2	5.35	<0.5	55	2000	90
180380		2.84	0.233			<0.5	4.35	<5	10	<0.5	<2	6.21	<0.5	54	1695	85
180381		2.99	0.156			0.8	4.35	<5	10	<0.5	<2	5.50	<0.5	74	1760	84
180382		2.61	0.067			<0.5	4.14	<5	10	<0.5	<2	4.11	<0.5	77	1740	120
180383		2.62	0.134			0.5	3.77	<5	<10	<0.5	<2	4.85	4.2	81	1660	180
180384		2.61	0.866			0.8	6.60	<5	200	<0.5	<2	3.38	2.1	54	1175	131
180385		2.80	0.673			<0.5	5.94	<5	10	<0.5	<2	6.96	<0.5	64	1150	228
180386 DUP		<0.02	0.699			<0.5	5.63	<5	10	<0.5	<2	6.62	0.5	63	1165	210
180387		0.15	<0.005			<0.5	6.91	<5	540	0.9	<2	1.03	<0.5	1	25	7
180388		2.59	2.84			1.0	7.73	9	100	<0.5	<2	3.49	<0.5	43	247	61
180389		2.37	0.300			<0.5	8.11	<5	120	<0.5	<2	6.10	<0.5	43	371	25
180390		2.56	0.156			<0.5	7.26	<5	130	<0.5	<2	6.63	<0.5	48	394	27
180391		2.83	0.227			<0.5	7.60	7	20	<0.5	<2	6.87	<0.5	54	499	64
180392		2.81	0.118			<0.5	7.26	6	50	<0.5	<2	6.42	<0.5	59	709	86
180393		2.96	0.067			<0.5	6.38	<5	50	<0.5	<2	6.12	<0.5	68	1050	54
180394		2.59	0.143			<0.5	5.70	<5	20	<0.5	<2	5.55	<0.5	71	1140	10
180395		2.77	1.300			<0.5	5.82	<5	30	<0.5	<2	5.46	<0.5	71	1000	29
180396		0.06	1.795			20.9	9.49	10	60	3.3	<2	0.37	<0.5	<1	6	6
180397		2.90	0.081			<0.5	5.88	<5	60	<0.5	<2	5.62	<0.5	58	1170	97
180398		2.61	0.190			<0.5	7.17	<5	120	<0.5	<2	6.26	<0.5	60	846	64
180399		2.34	0.062			<0.5	7.66	<5	260	0.5	<2	6.90	<0.5	49	394	110
180400		3.01	0.076			<0.5	7.49	<5	250	0.6	<2	5.91	<0.5	54	703	30



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 28-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047185**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte Units LOR	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm
180361		7.17	0.95	3.47	1125	1	1.56	85	410	9	0.67	<5	154	0.45	212	10
180362		7.01	0.95	3.15	1120	2	1.56	82	360	6	0.94	<5	150	0.44	197	10
180363		6.65	0.96	2.78	1020	<1	1.46	81	360	7	1.02	<5	128	0.43	192	20
180364		6.77	1.56	3.08	1180	1	1.20	73	370	2	0.94	<5	114	0.43	204	10
180365		6.59	1.02	3.29	1145	1	1.43	63	400	5	0.62	<5	125	0.43	196	10
180366 DUP		6.50	0.95	3.21	1110	1	1.38	61	400	3	0.83	<5	122	0.42	187	10
180367		2.41	4.09	0.23	223	1	2.05	7	190	35	0.01	<5	150	0.08	10	<10
180368		6.21	0.66	2.33	751	<1	1.13	83	250	3	1.01	<5	88	0.33	152	20
180369		7.19	1.38	3.35	950	1	1.89	69	380	<2	0.64	<5	114	0.45	205	10
180370		6.69	2.10	2.78	815	1	1.48	79	360	6	0.90	<5	124	0.45	193	10
180371		7.23	1.26	3.19	1035	1	1.72	77	380	3	0.97	5	138	0.44	204	20
180372		5.42	1.11	2.01	845	1	1.98	46	540	4	0.39	<5	160	0.42	133	20
180373		7.30	1.05	3.39	1055	1	1.62	79	390	9	0.78	<5	132	0.43	193	10
180374		8.24	1.64	4.19	1310	1	0.82	248	290	4	1.58	<5	82	0.34	168	20
180375		7.86	0.85	6.25	1530	1	0.99	318	390	8	0.98	<5	198	0.27	153	10
180376		2.66	0.18	0.07	36	1	6.8	2	820	120	2.75	<5	19	0.01	2	<10
180377		5.63	1.55	5.56	1030	<1	1.64	174	650	7	0.15	<5	410	0.32	146	10
180378		9.14	0.07	10.35	1825	<1	0.37	710	160	<2	0.54	6	26	0.21	137	10
180379		8.12	0.05	12.60	1755	<1	0.20	955	170	3	0.53	7	23	0.21	136	10
180380		7.41	0.23	11.45	1710	2	0.16	905	150	<2	0.49	<5	58	0.18	120	<10
180381		7.14	0.16	13.65	1490	<1	0.18	1015	230	<2	0.38	<5	31	0.20	129	<10
180382		6.71	0.18	13.70	1145	1	0.14	1015	180	13	0.49	<5	27	0.19	126	10
180383		6.12	0.04	14.30	1200	<1	0.09	1130	190	326	0.93	<5	22	0.17	115	<10
180384		5.28	0.71	9.97	1180	1	1.32	727	270	202	0.47	<5	156	0.19	96	<10
180385		9.15	0.15	11.45	2050	1	0.32	630	290	210	1.28	<5	37	0.29	191	10
180386 DUP		8.76	0.15	10.90	1960	<1	0.30	608	260	209	1.25	<5	34	0.28	184	20
180387		1.86	4.04	0.32	180	<1	2.19	9	160	32	<0.01	<5	161	0.09	11	<10
180388		10.30	1.20	7.44	1660	<1	0.67	162	280	34	0.80	<5	101	0.40	246	40
180389		8.52	1.15	7.24	1430	<1	0.87	158	290	10	0.21	<5	99	0.39	244	<10
180390		7.50	0.96	6.95	1375	1	0.85	178	320	4	0.12	<5	98	0.34	216	100
180391		7.80	0.31	6.96	1460	<1	1.30	208	260	2	0.33	<5	65	0.35	221	10
180392		7.79	0.72	8.02	1405	<1	0.87	322	260	5	0.24	<5	94	0.29	216	<10
180393		7.92	0.57	10.80	1430	1	0.43	560	250	9	0.06	<5	78	0.28	196	<10
180394		7.44	0.25	10.55	1325	2	0.44	609	200	<2	0.06	<5	41	0.25	179	<10
180395		7.98	0.39	10.20	1395	<1	0.30	593	230	2	0.19	<5	44	0.25	171	<10
180396		2.92	0.20	0.08	118	<1	7.5	7	710	133	3.07	<5	25	0.01	2	<10
180397		8.11	0.45	10.20	1475	1	0.34	627	210	5	0.23	<5	52	0.27	176	<10
180398		8.96	0.73	9.52	1520	1	0.47	522	960	<2	0.49	<5	126	0.46	211	<10
180399		6.97	1.01	7.77	1155	1	0.73	356	1280	4	0.87	<5	411	0.43	157	90
180400		6.13	0.97	9.15	1030	<1	0.80	583	690	2	0.50	<5	295	0.25	136	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 28-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047185

Sample Description	Method Analyte Units LOR	ME-JCP61 Zn ppm 2
180361		59
180362		58
180363		59
180364		59
180365		52
180366 DUP		50
180367		28
180368		44
180369		66
180370		54
180371		90
180372		83
180373		65
180374		83
180375		98
180376		15
180377		72
180378		110
180379		114
180380		99
180381		102
180382		116
180383		2780
180384		1480
180385		606
180386 DUP		572
180367		34
180388		151
180389		102
180390		76
180391		69
180392		77
180393		97
180394		74
180395		81
180396		20
180397		109
180398		97
180399		80
180400		75





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1820 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 3 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 28-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047185**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180401		2.75	0.010			<0.5	5.76	<5	30	<0.5	<2	6.22	<0.5	65	1185	8
180402		2.39	0.023			<0.5	5.96	<5	10	<0.5	<2	6.45	<0.5	68	1300	5
180403		2.93	0.042			<0.5	6.84	<5	200	<0.5	<2	5.76	<0.5	60	868	46
180404		2.17	0.374			<0.5	5.99	<5	10	<0.5	<2	5.68	<0.5	64	1245	4
180405		1.66	3.81			<0.5	6.07	<5	80	<0.5	<2	5.78	<0.5	46	1055	23
180406		1.42	>10.0		>1000	17.9	6.36	<5	120	<0.5	<2	4.71	<0.5	42	893	25
180407 DUP		<0.02	>10.0		705	16.8	6.25	<5	120	<0.5	<2	4.68	<0.5	41	849	23
180408		0.17	0.070	0.053		<0.5	7.70	<5	620	1.0	<2	1.12	<0.5	3	16	7
180409		2.94	0.350			<0.5	7.03	5	250	0.6	<2	5.09	<0.5	49	794	42
180410		2.55	0.809			<0.5	5.28	7	30	<0.5	<2	5.58	<0.5	58	1330	14
180411		1.69	0.122			<0.5	6.06	6	10	<0.5	<2	4.48	<0.5	69	1295	5
180412		1.10	0.043			<0.5	1.66	5	<10	<0.5	<2	1.79	<0.5	21	487	4
180413		2.47	0.104			<0.5	5.99	9	10	<0.5	<2	6.34	<0.5	72	1300	10
180414		2.86	0.208			<0.5	5.94	8	70	<0.5	<2	5.05	<0.5	57	985	26
180415		2.85	0.019			<0.5	7.77	<5	350	0.5	<2	3.42	<0.5	27	453	8
180416		0.06	0.957			11.2	8.65	6	50	3.2	<2	0.33	<0.5	1	5	9
180417		2.04	0.342			<0.5	6.38	<5	130	<0.5	<2	4.67	<0.5	48	783	42
180418		2.98	0.156	0.192		<0.5	6.05	<5	30	<0.5	<2	5.44	<0.5	56	1155	18
180419		2.25	0.021			<0.5	7.06	<5	80	<0.5	<2	5.23	<0.5	36	243	24
180420		3.05	0.073			<0.5	7.65	5	120	<0.5	<2	6.62	<0.5	43	442	24
180421		3.06	0.025			<0.5	7.25	<5	140	<0.5	<2	6.15	<0.5	40	551	27
180422		2.81	0.055			<0.5	7.56	<5	140	<0.5	<2	7.24	<0.5	44	344	27
180423		2.38	0.560			<0.5	8.10	<5	120	<0.5	<2	6.83	<0.5	42	326	26
180424		3.08	0.015			<0.5	7.53	<5	90	<0.5	<2	7.50	<0.5	44	335	15
180425		2.74	0.006			<0.5	6.82	<5	160	<0.5	<2	5.87	<0.5	43	759	8
180426 DUP		<0.02	0.005			<0.5	6.55	<5	160	<0.5	<2	5.67	<0.5	40	772	7
180427		0.14	<0.005			<0.5	7.19	<5	550	0.9	<2	0.97	<0.5	3	17	7
180428		2.78	0.015			<0.5	7.08	<5	230	0.7	<2	4.58	<0.5	30	577	12
180429		2.80	0.016			<0.5	7.38	<5	170	<0.5	<2	6.12	<0.5	35	303	13
180430		2.87	0.006			<0.5	7.23	<5	110	<0.5	<2	5.80	<0.5	42	689	28
180431		2.71	0.008			<0.5	6.99	5	100	<0.5	<2	6.06	<0.5	39	566	34
180432		2.77	0.006			<0.5	7.47	<5	100	<0.5	<2	7.25	<0.5	43	332	17
180433		2.69	0.007			<0.5	7.78	<5	70	<0.5	<2	6.86	<0.5	44	371	32
180434		2.73	0.011			<0.5	7.22	<5	60	<0.5	<2	6.58	<0.5	42	348	114
180435		2.75	0.028			<0.5	7.44	<5	70	<0.5	<2	6.67	<0.5	43	329	112
180436		0.06	1.760			18.3	9.08	5	60	3.1	<2	0.35	<0.5	<1	5	6
180437		2.69	0.132			<0.5	7.18	5	70	<0.5	<2	7.42	<0.5	47	327	74
180438		2.63	0.055			<0.5	7.37	<5	60	<0.5	<2	8.03	<0.5	42	338	75
180439		2.67	0.430			<0.5	7.07	<5	50	<0.5	<2	9.09	<0.5	46	321	511
180440		2.77	<0.005			<0.5	7.75	<5	70	<0.5	<2	7.23	<0.5	45	378	13



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 3 - B

Total # Pages: 4 (A - C)

Finalized Date: 28-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047185

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180401		7.76	0.20	11.25	1430	1	0.47	681	200	<2	0.05	<5	62	0.25	176	<10
180402		8.27	0.11	12.10	1475	<1	0.43	737	200	<2	0.03	<5	61	0.23	180	<10
180403		8.68	0.83	9.11	1475	1	0.50	499	940	3	0.21	<5	187	0.45	196	<10
180404		8.47	0.13	11.50	1485	1	0.40	726	180	2	0.05	<5	56	0.29	186	<10
180405		7.45	0.97	8.93	1355	3	0.56	566	260	14	0.24	<5	128	0.30	156	450
180406		7.11	2.10	7.93	1220	1	0.59	482	330	3	0.19	<5	118	0.32	154	<10
180407 DUP		8.83	2.05	7.68	1190	1	0.80	467	340	2	0.18	<5	122	0.32	152	<10
180408		2.50	4.61	0.28	228	2	2.38	7	180	35	<0.01	<5	172	0.09	9	<10
180409		6.44	1.80	7.81	1150	1	0.79	463	920	5	0.29	<5	345	0.34	140	<10
180410		7.42	0.20	10.60	1295	<1	0.26	686	180	<2	0.14	<5	57	0.23	154	<10
180411		7.40	0.13	10.35	1370	<1	0.23	681	150	<2	0.04	<5	51	0.25	170	<10
180412		2.86	0.02	3.33	498	1	0.04	200	30	<2	0.01	<5	16	0.07	48	<10
180413		7.70	0.13	11.15	1400	<1	0.34	698	200	<2	0.09	<5	86	0.26	175	<10
180414		7.28	0.60	8.92	1240	<1	0.46	503	340	7	0.13	<5	192	0.29	176	<10
180415		3.44	0.86	4.12	599	1	2.74	220	250	<2	0.03	<5	225	0.15	72	10
180416		2.89	0.20	0.07	33	1	7.5	<1	650	119	3.14	<5	23	0.01	2	<10
180417		5.96	0.77	7.65	1090	<1	0.86	394	470	3	0.12	<5	228	0.25	135	<10
180418		6.77	0.21	9.41	1200	1	0.63	620	250	3	0.16	<5	96	0.25	158	10
180419		5.56	0.47	4.54	1035	<1	1.81	116	490	6	0.10	<5	182	0.34	153	<10
180420		6.72	0.80	5.83	1275	<1	1.62	180	370	2	0.07	<5	182	0.34	197	<10
180421		6.19	0.65	6.51	1180	<1	1.60	220	510	3	0.08	<5	174	0.31	172	<10
180422		7.21	0.66	5.55	1385	<1	1.35	156	220	<2	0.11	<5	164	0.37	225	<10
180423		7.53	0.75	5.21	1405	<1	1.44	138	250	<2	0.13	<5	163	0.39	229	10
180424		7.63	0.32	5.19	1410	<1	1.45	157	230	5	0.06	<5	194	0.37	218	<10
180425		6.05	0.98	7.53	1170	<1	1.52	285	600	<2	0.02	<5	168	0.29	146	<10
180426 DUP		5.82	0.96	7.31	1130	<1	1.47	282	560	<2	0.02	<5	162	0.28	141	<10
180427		2.16	3.82	0.25	206	1	2.13	7	160	35	<0.01	<5	150	0.08	10	<10
180428		4.88	0.95	5.53	960	<1	2.05	211	470	3	0.03	<5	138	0.23	104	<10
180429		6.52	0.62	4.14	1215	<1	1.75	122	200	5	0.08	<5	178	0.32	178	<10
180430		6.21	0.68	6.57	1160	<1	1.74	252	600	<2	0.08	<5	170	0.30	170	<10
180431		6.21	0.49	6.06	1170	<1	1.74	201	530	<2	0.09	<5	174	0.28	160	<10
180432		7.55	0.55	4.73	1425	<1	1.58	142	220	3	0.05	<5	157	0.37	218	<10
180433		7.54	0.55	4.43	1385	<1	1.99	136	230	<2	0.02	<5	163	0.37	219	<10
180434		7.47	0.48	4.70	1365	<1	1.86	134	210	4	0.08	<5	168	0.36	214	<10
180435		7.44	0.50	4.59	1345	<1	1.72	138	220	<2	0.18	<5	164	0.36	219	<10
180436		2.95	0.16	0.07	114	<1	6.9	6	620	128	3.07	<5	21	0.01	2	<10
180437		7.27	0.54	4.55	1395	<1	1.71	207	220	4	0.13	<5	160	0.34	206	10
180438		7.53	0.39	4.34	1420	<1	1.58	136	220	2	0.03	<5	156	0.36	215	40
180439		7.63	0.35	4.38	1515	<1	1.49	141	210	3	0.10	<5	139	0.34	206	30
180440		8.49	0.49	5.43	1495	2	1.92	148	250	<2	0.02	<5	157	0.39	238	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 28-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047185

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180401		81
180402		79
180403		98
180404		94
180405		139
180406		89
180407 DUP		86
180408		28
180409		92
180410		93
180411		99
180412		29
180413		93
180414		91
180415		60
180416		18
180417		75
180418		97
180419		59
180420		64
180421		65
180422		69
180423		65
180424		65
180425		66
180426 DUP		65
180427		27
180428		55
180429		62
180430		74
180431		67
180432		69
180433		60
180434		61
180435		61
180436		19
180437		58
180438		61
180439		82
180440		68



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 6TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - A

Total # Pages: 4 (A - C)

Finalized Date: 28-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047185

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Au Check ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
180441		3.92	0.022			<0.5	5.50	<5	30	0.5	<2	6.60	<0.5	41	361	28
180442		2.36	0.059			<0.5	7.71	<5	90	<0.5	<2	2.38	<0.5	5	50	54
180443		3.29	0.008			<0.5	7.23	<5	70	<0.5	<2	9.59	<0.5	42	338	51
180444		2.27	0.025			<0.5	8.81	<5	360	0.8	<2	5.54	<0.5	27	98	95
180445		2.11	0.226			<0.5	7.11	6	60	<0.5	<2	8.83	<0.5	60	311	295
180446 DUP		<0.02	0.221			<0.5	7.31	<5	60	<0.5	<2	8.95	<0.5	62	349	285
180447		0.16	<0.005			<0.5	7.13	<5	520	0.9	<2	1.02	<0.5	3	22	12
180448		2.36	0.017			<0.5	7.59	5	100	<0.5	<2	8.60	<0.5	39	326	23
180449		2.69	0.022			<0.5	7.40	<5	60	<0.5	<2	8.05	<0.5	40	321	20
180450		2.98	0.773			<0.5	7.19	<5	50	<0.5	<2	8.36	<0.5	39	326	204
180451		2.80	0.015			<0.5	7.27	<5	50	<0.5	<2	9.70	<0.5	40	325	37
180452		2.64	0.020			<0.5	7.28	<5	150	<0.5	<2	8.75	<0.5	38	250	48
180453		2.46	0.038			<0.5	6.68	<5	380	1.1	<2	1.21	<0.5	3	32	12
180454		2.50	0.022			<0.5	6.43	<5	40	<0.5	<2	10.20	<0.5	37	260	18
180455		2.57	0.062			<0.5	8.13	<5	200	<0.5	<2	4.63	<0.5	20	179	27
180456		0.06	0.975			9.7	8.95	<5	50	3.2	<2	0.34	<0.5	<1	5	10
180457		2.91	3.07			<0.5	7.38	5	50	<0.5	<2	7.45	<0.5	38	320	14
180458		1.58	0.066			<0.5	7.24	<5	190	0.6	<2	5.20	<0.5	24	225	16
180459		1.95	0.036			<0.5	7.58	<5	150	0.6	<2	4.57	<0.5	25	38	28
180460		1.61	<0.005			<0.5	7.67	<5	330	0.5	<2	3.10	<0.5	12	105	4
180461		2.46	0.057			<0.5	7.32	<5	70	<0.5	<2	7.97	<0.5	46	354	13
180462		2.63	0.111			<0.5	7.08	<5	170	0.5	<2	5.57	<0.5	30	262	31
180463		2.45	0.206			<0.5	7.45	<5	100	<0.5	<2	6.71	<0.5	35	311	198
180464		2.73	0.110			<0.5	7.66	<5	70	<0.5	<2	7.81	<0.5	44	331	12
180465		2.65	0.785			<0.5	7.95	<5	260	<0.5	<2	4.52	<0.5	23	190	12
180466 DUP		<0.02	0.853			<0.5	7.78	<5	260	<0.5	<2	4.38	<0.5	22	188	12
180467		0.15	<0.005			<0.5	7.19	<5	560	0.9	<2	0.95	<0.5	3	12	8
180468		3.16	0.341			<0.5	7.51	<5	120	<0.5	<2	7.08	<0.5	35	284	30
180469		2.69	0.268			<0.5	7.47	<5	70	<0.5	<2	8.23	<0.5	42	333	34
180470		2.96	0.247			<0.5	7.57	<5	70	<0.5	<2	7.40	<0.5	39	306	9
180471		2.78	0.120			<0.5	7.85	<5	80	<0.5	<2	7.47	<0.5	42	327	20
180472		2.81	0.105			<0.5	8.11	<5	140	<0.5	<2	6.15	<0.5	32	232	23
180473		2.69	0.075			<0.5	7.93	<5	270	0.7	<2	3.99	<0.5	21	108	40
180474		2.56	0.477			<0.5	7.54	<5	80	<0.5	<2	7.82	<0.5	42	315	37
180475		2.69	2.91			<0.5	7.25	<5	60	<0.5	<2	8.66	<0.5	41	305	118
180476		0.05	1.825			17.6	8.38	<5	60	3.1	<2	0.35	<0.5	1	3	5
180477		2.81	2.86			<0.5	7.72	<5	80	<0.5	<2	8.10	<0.5	39	342	219
180478		2.85	1.145			<0.5	7.41	<5	70	<0.5	<2	7.72	<0.5	40	337	64
180479		3.84	0.920			<0.5	7.68	<5	110	<0.5	<2	7.79	<0.5	39	326	49
180480		2.48	0.050			<0.5	7.04	<5	510	1.3	<2	1.55	<0.5	2	6	15



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
 302-1620 WEST 8TH AVE  
 VANCOUVER BC V6J 1V4

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 28-JUN-2006  
 Account: TRAVEN

Project: BLOCK A

**CERTIFICATE OF ANALYSIS VO06047185**

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units		%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
180441		8.40	0.38	5.73	1870	2	2.19	135	250	<2	0.04	<5	50	0.38	218	<10
180442		1.83	0.44	1.00	302	1	5.31	16	160	<2	0.10	<5	144	0.08	36	<10
180443		7.56	0.52	4.48	1485	2	1.61	118	250	<2	0.05	7	203	0.37	212	10
180444		8.42	0.90	3.21	1105	2	2.39	60	1040	6	0.27	<5	472	0.57	187	<10
180445		7.47	0.35	4.18	1485	<1	1.36	160	220	6	0.28	<5	191	0.35	208	90
180446 DUP		7.71	0.36	4.30	1510	1	1.40	160	230	2	0.28	<5	194	0.36	211	60
180447		2.31	3.98	0.26	212	1	2.13	9	150	33	<0.01	<5	146	0.08	11	<10
180448		7.49	0.66	4.55	1430	<1	1.39	133	220	5	0.05	<5	166	0.37	219	<10
180449		7.22	0.44	4.77	1380	<1	1.43	141	250	3	0.02	<5	135	0.37	208	20
180450		7.45	0.38	4.38	1370	<1	1.28	132	210	3	0.08	<5	136	0.35	206	<10
180451		7.44	0.35	4.38	1495	<1	1.32	116	210	4	0.09	<5	174	0.35	192	<10
180452		7.60	0.64	4.65	1450	<1	1.47	149	1060	5	0.33	<5	499	0.48	209	10
180453		1.43	1.43	0.36	480	2	2.88	10	70	4	0.05	<5	106	0.09	14	<10
180454		6.94	0.34	4.51	1635	<1	1.16	130	200	4	0.03	<5	128	0.31	184	<10
180455		3.98	0.66	2.22	748	<1	2.86	71	200	2	0.11	<5	215	0.21	108	<10
180456		2.85	0.18	0.06	35	<1	6.7	3	590	117	2.96	<5	19	0.01	2	<10
180457		7.36	0.38	4.46	1345	<1	1.47	138	220	2	0.05	<5	122	0.37	211	10
180458		5.25	0.64	3.25	963	<1	2.31	93	160	3	0.11	<5	116	0.26	135	<10
180459		7.14	0.59	1.80	1210	1	2.36	23	1240	5	0.13	<5	262	0.73	114	<10
180460		2.27	0.82	1.32	400	<1	3.34	34	200	<2	0.01	<5	254	0.14	58	<10
180461		7.77	0.43	4.80	1400	<1	1.53	137	240	3	0.04	<5	158	0.37	221	<10
180462		5.70	0.71	4.00	1105	1	1.83	102	170	4	0.17	<5	112	0.29	158	<10
180463		6.87	0.53	4.24	1245	1	1.71	114	210	<2	0.28	<5	132	0.32	190	<10
180464		7.91	0.49	5.51	1515	1	1.43	144	240	<2	0.05	<5	123	0.37	223	<10
180465		4.36	0.75	2.60	805	<1	2.92	69	220	<2	0.05	<5	165	0.23	113	10
180466 DUP		4.10	0.74	2.57	778	<1	2.87	68	210	2	0.05	<5	161	0.22	112	<10
180467		2.55	4.24	0.22	227	1	2.27	6	180	35	0.01	<5	156	0.08	9	<10
180468		6.63	0.69	3.76	1305	1	1.54	112	310	6	0.18	<5	129	0.37	192	10
180469		7.99	0.48	5.04	1510	1	1.31	136	220	2	0.11	<5	132	0.37	220	<10
180470		7.34	0.40	5.02	1390	1	1.80	126	220	4	0.03	<5	139	0.35	207	<10
180471		7.56	0.52	5.12	1485	<1	1.82	140	250	4	0.09	<5	131	0.37	219	<10
180472		8.58	0.72	4.11	1325	1	2.09	93	430	2	0.13	<5	142	0.39	181	<10
180473		4.75	1.15	1.93	885	1	2.63	40	510	5	0.27	<5	150	0.38	120	<10
180474		7.72	0.52	5.19	1485	<1	1.84	135	230	3	0.06	<5	135	0.37	224	10
180475		7.64	0.47	4.75	1510	<1	1.46	126	230	<2	0.13	<5	136	0.35	212	<10
180476		2.73	0.19	0.07	110	<1	6.9	6	600	112	2.92	<5	20	0.01	1	<10
180477		7.88	0.57	4.90	1585	1	1.46	126	230	<2	0.24	<5	140	0.37	221	20
180478		7.77	0.56	5.00	1550	1	1.40	136	230	6	0.25	<5	116	0.37	221	10
180479		7.33	0.83	4.95	1570	2	1.66	134	220	3	0.25	<5	132	0.37	213	<10
180480		1.27	1.08	0.13	404	4	3.56	1	70	4	0.13	<5	138	0.09	1	<10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 28-JUN-2006

Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047185

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
180441		56
180442		7
180443		68
180444		94
180445		70
180446 DUP		70
180447		27
180448		63
180449		60
180450		62
180451		62
180452		100
180453		49
180454		58
180455		51
180456		22
180457		60
180458		55
180459		106
180460		37
180461		63
180462		59
180463		62
180464		61
180465		43
180466 DUP		43
180467		24
180468		65
180469		89
180470		56
180471		63
180472		73
180473		59
180474		73
180475		64
180476		25
180477		208
180478		79
180479		79
180480		8



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06047653

Project: BLOCK A

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 23-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06047653

Sample Description	Method	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-GRA21	Au-AA25D
	Analyte	Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	Au
	Units LOR	kg	ppm	ppm	ppm	mg	g	g	ppm	ppm	ppm
179141		1.16	249	3520	210	47.411	13.48	1141.5	>100	210	>100

Comments: Sample from VO06039270.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 16-JUN-2006

Account: TRAVEN

## CERTIFICATE VO06048233

Project: BLOCK A

P.O. No.:

This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 31-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 6TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06048233

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au	
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm	
173386		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01	
		1.35	18.50	878	13.80	6.475	7.37	1337.0	13.80	13.95	

Comments: Sample from VO06041497.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

## CERTIFICATE VO06048235

Project: BLOCK A  
P.O. No.:  
This report is for 1 Crushed Rock sample submitted to our lab in Val d'Or, QC, Canada on 31-MAY-2006.  
The following have access to data associated with this certificate:  
IAN LAMBERT                      MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 16-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06048235

Sample Description	Method Analyte Units LOR	WEI-21	AU-SCR21	AU-SCR21	AU-SCR21	AU-SCR21	AU-SCR21	AU-SCR21	AU-AA25	AU-AA25D
		Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
173528		2.23	13.25	256	9.18	9.383	36.63	2192	9.05	9.31

Comments: Sample from VO06041498.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 1  
Finalized Date: 13-JUN-2006  
Account: TRAVEN

**CERTIFICATE VO06048239**

Project: BLOCK A

P.O. No.:

This report is for 4 Crushed Rock samples submitted to our lab in Val d'Or, QC, Canada on 27-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
BAG-01	Bulk Master for Storage
SCR-21	Screen to -100 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: TRADEWINDS VENTURES INC.  
ATTN: MIKE ROBERTS  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.  
302-1620 WEST 8TH AVE  
VANCOUVER BC V6J 1V4

Page: 2 - A  
Total # Pages: 2 (A)  
Finalized Date: 13-JUN-2006  
Account: TRAVEN

Project: BLOCK A

## CERTIFICATE OF ANALYSIS VO06048239

Sample Description	Method Analyte Units LOR	WEI-21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Recvd Wt. kg	Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
		0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
173606		2.73	12.85	231	11.10	5.177	22.44	2721	11.80	10.35
173610		2.41	13.55	50.9	13.00	1.910	37.51	2383	13.05	12.90
173615		2.46	10.50	62.4	10.35	0.474	7.60	2480	10.35	10.30
173650		2.29	8.59	90.9	7.92	1.683	18.52	2289	8.00	7.84

Comments: Sample from VO06037052.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: TRADEWINDS VENTURES INC.

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

Page: 1

Finalized Date: 26-JUN-2006

Account: TRAVEN

## CERTIFICATE VO06050741

Project: BLOCK A

P.O. No.:

This report is for 19 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-MAY-2006.

The following have access to data associated with this certificate:

IAN LAMBERT

MIKE ROBERTS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: TRADEWINDS VENTURES INC.

ATTN: MIKE ROBERTS

302-1620 WEST 8TH AVE

VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory