

Sample #	Specific Gravity			HOLE	0407-47	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-47	295.00	480.0	321.1	158.9	3.0	
0407-47	300.00	455.5	290.4	165.1	2.8	
0407-47	323.00	658.0	460.5	197.5	3.3	
0407-47	350.00	579.1	394.2	184.9	3.1	
0407-47	375.00	536.9	348.7	188.2	2.9	
0407-47	400.00	548.9	368.9	180.0	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-55	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-55	74.00	313.4	207.6	105.8	3.0	
0407-55	84.00	349.4	226.1	123.3	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-99	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-99	3.00	250.6	161.3	89.3	2.8	
0407-99	6.00	256.4	163.2	93.2	2.8	
0407-99	9.00	346.6	224.0	122.6	2.8	
0407-99	12.00	293.2	191.1	102.1	2.9	
0407-99	15.00	421.5	263.5	158.0	2.7	
0407-99	18.00	227.9	142.9	85.0	2.7	
0407-99	21.00	287.9	186.2	101.7	2.8	
0407-99	24.00	303.5	197.0	106.5	2.8	
0407-99	27.00	404.7	252.1	152.6	2.7	
0407-99	30.00	281.0	183.0	98.0	2.9	
0407-99	33.00	439.4	283.6	155.8	2.8	
0407-99	36.00	285.1	184.1	101.0	2.8	
0407-99	39.00	261.9	168.5	93.4	2.8	
0407-99	42.00	329.6	218.4	111.2	3.0	
0407-99	45.00	330.2	219.9	110.3	3.0	
0407-99	48.00	276.8	178.1	98.7	2.8	
0407-99	51.00	334.6	216.2	118.4	2.8	
0407-99	54.00	281.0	180.4	100.6	2.8	
0407-99	57.00	426.6	275.4	151.2	2.8	
0407-99	60.00	284.1	181.7	102.4	2.8	
0407-99	63.00	285.2	180.3	104.9	2.7	
0407-99	66.00	350.4	232.6	117.8	3.0	
0407-99	69.00	300.6	196.1	104.5	2.9	
0407-99	72.00	324.3	210.3	114.0	2.8	
0407-99	75.00	236.9	155.2	81.7	2.9	
0407-99	78.00	226.2	144.7	81.5	2.8	
0407-99	81.00	353.8	237.1	116.7	3.0	
0407-99	84.00	289.6	188.2	101.4	2.9	
0407-99	87.00	342.1	219.6	122.5	2.8	
0407-99	90.00	456.6	299.8	156.8	2.9	
0407-99	93.00	385.5	258.7	126.8	3.0	
0407-99	96.00	304.2	193.6	110.6	2.8	
0407-99	99.00	272.5	174.8	97.7	2.8	
0407-99	102.00	455.5	290.7	164.8	2.8	
0407-99	105.00	402.0	253.7	148.3	2.7	
	Max					
	Min					
	Ave					

Sample #	Specific Gravity			HOLE	0407-100	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-100	10.00	224.8	145.8	79.0	2.8	
0407-100	11.00	424.8	274.1	150.7	2.8	
0407-100	15.00	504.6	325.1	179.5	2.8	
0407-100	18.00	487.1	314.7	172.4	2.8	
0407-100	21.00	415.6	273.4	142.2	2.9	
0407-100	24.00	498.2	328.5	169.7	2.9	
0407-100	27.00	628.2	421.4	206.8	3.0	
0407-100	30.00	363.8	241.9	121.9	3.0	
0407-100	33.00	265.5	176.9	88.6	3.0	
0407-100	36.00	486.0	319.6	166.4	2.9	
0407-100	39.00	323.5	214.3	109.2	3.0	
0407-100	42.00	419.8	266.2	153.6	2.7	
0407-100	45.00	347.5	229.6	117.9	2.9	
0407-100	48.00	355.4	235.3	120.1	3.0	
0407-100	51.00	335.6	223.6	112.0	3.0	
0407-100	54.00	332.7	216.2	116.5	2.9	
0407-100	57.00	196.3	128.1	68.2	2.9	
0407-100	60.00	410.4	267.5	142.9	2.9	
0407-100	63.00	349.1	232.2	116.9	3.0	
0407-100	66.00	625.7	416.6	209.1	3.0	
0407-100	69.00	305.1	203.7	101.4	3.0	
0407-100	72.00	367.3	243.7	123.6	3.0	
0407-100	75.00	351.8	226.3	125.5	2.8	
0407-100	78.00	266.4	170.2	96.2	2.8	
	<b>Max</b>					
	<b>Min</b>					
	<b>Ave</b>					

Sample #	Specific Gravity			HOLE	0407-101	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-101	39.00	322.3	207.1	115.2	2.8	
0407-101	64.00	281.4	185.4	96.0	2.9	
0407-101	89.00	439.7	293.2	146.5	3.0	
0407-101	114.00	340.6	230.6	110.0	3.1	
0407-101	139.00	380.6	258.7	121.9	3.1	
0407-101	163.00	439.5	278.1	161.4	2.7	
0407-101	183.00	293.8	187.4	106.4	2.8	
0407-101	209.00	363.7	239.3	124.4	2.9	
0407-101	234.00	578.5	390.5	188.0	3.1	
0407-101	237.00	587.1	390.4	196.7	3.0	
0407-101	262.00	342.3	222.3	120.0	2.9	
0407-101	287.00	273.0	178.1	94.9	2.9	
0407-101	312.00	241.7	162.6	79.1	3.1	
0407-101	337.00	301.1	199.5	101.6	3.0	
0407-101	362.00	316.4	201.6	114.8	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-102	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-102	24.00	231.6	147.8	83.8	2.8	
0407-102	49.00	319.1	203.2	115.9	2.8	
0407-102	74.00	200.7	129.4	71.3	2.8	
0407-102	99.00	593.3	321.8	271.5	2.2	
0407-102	124.00	328.9	212.2	116.7	2.8	
0407-102	149.00	391.2	259.6	131.6	3.0	
0407-102	174.00	413.7	272.5	141.2	2.9	
0407-102	199.00	211.3	121.4	89.9	2.4	
0407-102	224.00	319.7	233.6	86.1	3.7	
0407-102	259.00	426.6	327.2	99.4	4.3	
0407-102	284.00	339.1	218.8	120.3	2.8	
0407-102	309.00	327.8	210.6	117.2	2.8	
0407-102	334.00	274.9	178.6	96.3	2.9	
0407-102	359.00	381.6	251.4	130.2	2.9	
0407-102	374.00	293.8	193.0	100.8	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-103	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-103	6.00	450.1	286.1	164.0	2.7	
0407-103	9.00	510.8	333.7	177.1	2.9	
0407-103	12.00	361.8	234.6	127.2	2.8	
0407-103	15.00	345.3	229.5	115.8	3.0	
0407-103	18.00	389.8	250.3	139.5	2.8	
0407-103	21.00	502.4	325.2	177.2	2.8	
0407-103	24.00	223.6	145.2	78.4	2.9	
0407-103	27.00	363.8	235.9	127.9	2.8	
0407-103	30.00	392.4	251.7	140.7	2.8	
0407-103	33.00	541.4	352.6	188.8	2.9	
0407-103	36.00	326.2	207.8	118.4	2.8	
0407-103	39.00	371.1	247.7	123.4	3.0	
0407-103	42.00	431.8	280.9	150.9	2.9	
0407-103	45.00	367.0	240.5	126.5	2.9	
0407-103	48.00	311.7	202.3	109.4	2.8	
0407-103	51.00	537.2	349.6	187.6	2.9	
0407-103	54.00	517.5	336.9	180.6	2.9	
0407-103	57.00	546.5	364.9	181.6	3.0	
0407-103	60.00	377.6	248.3	129.3	2.9	
0407-103	63.00	549.9	352.4	197.5	2.8	
0407-103	66.00	474.2	312.4	161.8	2.9	
0407-103	69.00	267.7	171.2	96.5	2.8	
0407-103	72.00	407.9	268.7	139.2	2.9	
0407-103	75.00	523.1	323.9	199.2	2.6	
0407-103	78.00	379.7	244.0	135.7	2.8	
0407-103	81.00	404.5	268.3	136.2	3.0	
0407-103	84.00	450.1	296.0	154.1	2.9	
0407-103	87.00	332.4	218.4	114.0	2.9	
0407-103	90.00	343.0	224.2	118.8	2.9	
0407-103	93.00	204.1	135.7	68.4	3.0	
0407-103	96.00	260.5	171.8	88.7	2.9	
0407-103	99.00	363.9	240.1	123.8	2.9	
0407-103	102.00	328.9	222.9	106.0	3.1	
0407-103	105.00	264.2	173.6	90.6	2.9	
0407-103	108.00	400.0	259.3	140.7	2.8	
0407-103	111.00	449.5	289.3	160.2	2.8	
0407-103	114.00	354.4	226.2	128.2	2.8	
0407-103	117.00	407.5	263.3	144.2	2.8	
0407-103	120.00	272.3	174.1	98.2	2.8	
0407-103	123.00	276.4	178.1	98.3	2.8	
0407-103				0.0	#DIV/0!	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-104	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-104	7.00	320.5	209.2	111.3	2.9	
0407-104	9.00	430.8	284.8	146.0	3.0	
0407-104	12.00	385.5	254.3	131.2	2.9	
0407-104	15.00	361.0	239.8	121.2	3.0	
0407-104	18.00	428.9	285.1	143.8	3.0	
0407-104	21.00	313.5	203.4	110.1	2.8	
0407-104	24.00	202.5	130.8	71.7	2.8	
0407-104	27.00	253.1	164.5	88.6	2.9	
0407-104	30.00	276.8	177.2	99.6	2.8	
0407-104	33.00	399.4	265.5	133.9	3.0	
0407-104	36.00	357.0	230.5	126.5	2.8	
0407-104	39.00	297.4	193.2	104.2	2.9	
0407-104	42.00	302.4	196.1	106.3	2.8	
0407-104	45.00	342.0	221.2	120.8	2.8	
0407-104	48.00	295.1	193.8	101.3	2.9	
0407-104	51.00	382.0	184.1	197.9	1.9	
0407-104	54.00	330.4	211.7	118.7	2.8	
0407-104	57.00	433.3	285.8	147.5	2.9	
0407-104	60.00	421.3	280.7	140.6	3.0	
0407-104	63.00	313.2	209.7	103.5	3.0	
0407-104	66.00	290.2	190.6	99.6	2.9	
0407-104	69.00	318.9	206.3	112.6	2.8	
0407-104	72.00	431.1	276.4	154.7	2.8	
0407-104	75.00	383.2	254.3	128.9	3.0	
0407-104	78.00	387.7	256.8	130.9	3.0	
0407-104	81.00	554.6	370.5	184.1	3.0	
0407-104	84.00	713.8	481.7	232.1	3.1	
0407-104	87.00	367.7	245.2	122.5	3.0	
0407-104	90.00	546.7	355.5	191.2	2.9	
0407-104	93.00	284.2	185.7	98.5	2.9	
0407-104	96.00	221.4	142.3	79.1	2.8	
0407-104	99.00	280.4	253.3	27.1	10.3	
0407-104	102.00	272.8	176.1	96.7	2.8	
0407-104	105.00	366.5	242.9	123.6	3.0	
0407-104	108.00	341.4	220.6	120.8	2.8	
0407-104	111.00	295.4	186.7	108.7	2.7	
0407-104	114.00	309.1	202.8	106.3	2.9	
0407-104	117.00	226.6	149.5	77.1	2.9	
0407-104	120.00	221.0	145.9	75.1	2.9	
0407-104	123.00	352.1	230.9	121.2	2.9	
0407-104	126.00	235.7	154.6	81.1	2.9	
0407-104	129.00	409.1	266.0	143.1	2.9	
0407-104	132.00	306.3	194.0	112.3	2.7	
0407-104	135.00	359.9	233.0	126.9	2.8	

0407-104		138.00	464.4	303.8	160.6	2.9	
0407-104		141.00	432.5	280.7	151.8	2.8	
0407-104		144.00	381.0	246.9	134.1	2.8	
0407-104		147.00	281.1	185.6	95.5	2.9	
0407-104		150.00	312.3	209.3	103.0	3.0	
0407-104		153.00	366.5	242.4	124.1	3.0	
0407-104		156.00	310.7	204.8	105.9	2.9	
0407-104		159.00	319.1	212.1	107.0	3.0	
0407-104		162.00	195.0	126.3	68.7	2.8	
0407-104		165.00	449.2	290.6	158.6	2.8	
0407-104		168.00	432.5	282.2	150.3	2.9	
0407-104		171.00	387.1	259.7	127.4	3.0	
0407-104		174.00	389.8	194.6	195.2	2.0	
0407-104		177.00	269.9	177.0	92.9	2.9	
0407-104		180.00	291.7	188.7	103.0	2.8	
0407-104		183.00	380.3	245.8	134.5	2.8	
0407-104		186.00	422.7	376.7	46.0	9.2	
0407-104		189.00	359.6	236.5	123.1	2.9	
0407-104		192.00	452.7	302.1	150.6	3.0	
0407-104		195.00	370.0	245.0	125.0	3.0	
0407-104		198.00	421.1	367.2	53.9	7.8	
0407-104		201.00	283.8	180.7	103.1	2.8	
0407-104		204.00	442.2	287.6	154.6	2.9	
	<b>Max</b>						
	<b>Min</b>						
	<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-105	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-105	24.00	447.8	288.4	159.4	2.8	
0407-105	48.00	385.9	249.0	136.9	2.8	
0407-105	73.00	544.4	303.2	241.2	2.3	
0407-105	97.00	552.9	367.5	185.4	3.0	
0407-105	122.00	363.6	238.3	125.3	2.9	
0407-105	147.00	449.5	297.7	151.8	3.0	
0407-105	172.00	383.8	247.5	136.3	2.8	
0407-105	197.00	416.3	264.9	151.4	2.7	
0407-105	222.00	262.7	171.4	91.3	2.9	
0407-105	247.00	431.9	285.9	146.0	3.0	
0407-105	272.00	401.4	262.0	139.4	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-106	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-106	25.00	357.9	232.7	125.2	2.9	
0407-106	50.00	454.4	300.2	154.2	2.9	
0407-106	75.00	351.4	227.9	123.5	2.8	
0407-106	100.00	311.9	207.6	104.3	3.0	
0407-106	125.00	467.9	318.5	149.4	3.1	
0407-106	150.00	480.7	306.7	174.0	2.8	
0407-106	175.00	240.7	156.9	83.8	2.9	
0407-106	200.00	447.7	297.7	150.0	3.0	
0407-106	225.00	461.9	304.9	157.0	2.9	
0407-106	250.00	377.6	243.1	134.5	2.8	
0407-106	275.00	235.3	213.9	21.4	11.0	
0407-106	300.00	325.8	207.7	118.1	2.8	
0407-106	325.00	366.9	241.0	125.9	2.9	
0407-106	350.00	266.7	174.1	92.6	2.9	
0407-106	374.00	481.6	314.6	167.0	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-106	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-106	25.00	357.9	232.7	125.2	2.9	
0407-106	50.00	454.4	300.2	154.2	2.9	
0407-106	75.00	351.4	227.9	123.5	2.8	
0407-106	100.00	311.9	207.6	104.3	3.0	
0407-106	125.00	467.9	318.5	149.4	3.1	
0407-106	150.00	480.7	306.7	174.0	2.8	
0407-106	175.00	240.7	156.9	83.8	2.9	
0407-106	200.00	447.7	297.7	150.0	3.0	
0407-106	225.00	461.9	304.9	157.0	2.9	
0407-106	250.00	377.6	243.1	134.5	2.8	
0407-106	275.00	235.3	213.9	21.4	11.0	
0407-106	300.00	325.8	207.7	118.1	2.8	
0407-106	325.00	366.9	241.0	125.9	2.9	
0407-106	350.00	266.7	174.1	92.6	2.9	
0407-106	374.00	481.6	314.6	167.0	2.9	
	<b>Max</b>					
	<b>Min</b>					
	<b>Ave</b>					

Sample #	Specific Gravity			HOLE	0407-107	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-107	50.00	361.9	233.1	128.8	2.8	
0407-107	75.00	282.2	188.1	94.1	3.0	
0407-107	100.00	388.0	250.1	137.9	2.8	
0407-107	125.00	256.8	168.8	88.0	2.9	
0407-107	150.00	487.6	322.5	165.1	3.0	
0407-107	175.00	364.0	238.9	125.1	2.9	
0407-107	200.00	398.5	268.0	130.5	3.1	
0407-107	225.00	321.5	214.4	107.1	3.0	
0407-107	250.00	345.3	231.1	114.2	3.0	
0407-107	275.00	259.7	167.0	92.7	2.8	
0407-107	300.00	519.2	344.7	174.5	3.0	
0407-107	325.00	467.6	307.7	159.9	2.9	
0407-107	350.00	287.0	179.6	107.4	2.7	
0407-107	375.00	258.8	164.3	94.5	2.7	
0407-107	400.00	391.1	256.6	134.5	2.9	
	<b>Max</b>					
	<b>Min</b>					
	<b>Ave</b>					

Sample #	Specific Gravity			HOLE	0407-108	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-108	3.00	448.7	287.4	161.3	2.8	
0407-108	28.00	375.5	245.3	130.2	2.9	
0407-108	51.00	324.2	213.6	110.6	2.9	
0407-108	75.00	380.1	241.7	138.4	2.7	
0407-108	99.00	421.2	270.3	150.9	2.8	
<b>Max</b>	99.00	448.70	287.40	161.30	2.93	
<b>Min</b>	3.00	324.20	213.60	110.60	2.75	
<b>Ave</b>	51.20	389.94	251.66	138.28	2.83	

Sample #	Specific Gravity			HOLE	0407-109	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-109	25.00	335.2	213.0	122.2	2.7	
0407-109	50.00	366.5	244.5	122.0	3.0	
0407-109	75.00	365.4	238.6	126.8	2.9	
0407-109	100.00	367.5	245.3	122.2	3.0	
0407-109	150.00	335.1	215.8	119.3	2.8	
0407-109	175.00	390.2	248.4	141.8	2.8	
0407-109	186.00	512.0	338.6	173.4	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-110	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-110	25.00	374.7	239.7	135.0	2.8	
0407-110	50.00	477.8	307.6	170.2	2.8	
0407-110	75.00	376.9	239.3	137.6	2.7	
0407-110	100.00	346.8	214.7	132.1	2.6	
0407-110	125.00	378.5	251.5	127.0	3.0	
0407-110	150.00	372.1	241.5	130.6	2.8	
0407-110	175.00	364.2	238.3	125.9	2.9	
0407-110	200.00	324.8	212.7	112.1	2.9	
0407-110	225.00	340.2	219.1	121.1	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-111	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-111	5.00	351.9	234.1	117.8	3.0	
0407-111	30.00	550.8	363.7	187.1	2.9	
0407-111	55.00	500.7	330.6	170.1	2.9	
0407-111	69.00	396.7	255.9	140.8	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-112	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-112	25.00	385.9	255.4	130.5	3.0	
0407-112	50.00	296.7	194.2	102.5	2.9	
0407-112	75.00	412.7	258.6	154.1	2.7	
0407-112	100.00	400.2	266.6	133.6	3.0	
0407-112	125.00	367.1	236.2	130.9	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-113	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-113	25.00			0.0	#DIV/0!	
0407-113	50.00			0.0	#DIV/0!	
0407-113	75.00			0.0	#DIV/0!	
0407-113	100.00	339.7	225.6	114.1	3.0	
0407-113	125.00	444.9	298.0	146.9	3.0	
0407-113	150.00	390.6	250.5	140.1	2.8	
0407-113	175.00	304.0	206.9	97.1	3.1	
0407-113	200.00	300.1	192.2	107.9	2.8	
0407-113	225.00	265.8	184.1	81.7	3.3	
0407-113	250.00	445.6	304.8	140.8	3.2	
0407-113	275.00	387.2	252.0	135.2	2.9	
0407-113	300.00	428.3	282.6	145.7	2.9	
0407-113	325.00	246.0	164.7	81.3	3.0	
0407-113	350.00	212.6	140.8	71.8	3.0	
0407-113	360.00	304.6	200.4	104.2	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-113A	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-113A	25.00	457.2	297.6	159.6	2.9	
0407-113A	50.00	394.6	260.2	134.4	2.9	
0407-113A	75.00	329.7	214.9	114.8	2.9	
0407-113A	100.00	280.5	180.1	100.4	2.8	
0407-113A				0.0	#DIV/0!	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-114	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-114	25.00	571.0	381.9	189.1	3.0	
0407-114	50.00	440.6	284.1	156.5	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-115	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-115	25.00	433.8	281.8	152.0	2.9	
0407-115	50.00	377.4	252.9	124.5	3.0	
0407-115	75.00	343.8	225.9	117.9	2.9	
0407-115	100.00	489.8	330.7	159.1	3.1	
0407-115	125.00	348.3	244.5	103.8	3.4	
0407-115	150.00	277.0	185.6	91.4	3.0	
0407-115	175.00	244.1	153.8	90.3	2.7	
0407-115	200.00	247.4	159.8	87.6	2.8	
0407-115	216.00	278.0	178.3	99.7	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-116	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-116	25.00	459.3	305.3	154.0	3.0	
0407-116	50.00	298.2	196.2	102.0	2.9	
0407-116	75.00	269.1	179.5	89.6	3.0	
0407-116	100.00	268.3	176.9	91.4	2.9	
0407-116	125.00	350.3	233.5	116.8	3.0	
0407-116	150.00	349.1	227.1	122.0	2.9	
0407-116	175.00	276.3	179.1	97.2	2.8	
0407-116	200.00	354.4	232.3	122.1	2.9	
0407-116	225.00	381.9	250.2	131.7	2.9	
0407-116	250.00	410.0	265.3	144.7	2.8	
0407-116	275.00	358.4	237.3	121.1	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-117	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-117	20.00	460.8	301.3	159.5	2.9	
0407-117	40.00	402.1	272.2	129.9	3.1	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-117A	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-117A	25.00	374.5	249.0	125.5	3.0	
0407-117A	50.00	462.5	309.1	153.4	3.0	
0407-117A	75.00	505.2	339.1	166.1	3.0	
0407-117A	100.00	410.8	277.4	133.4	3.1	
0407-117A	125.00	375.2	249.7	125.5	3.0	
0407-117A	150.00	435.8	280.8	155.0	2.8	
0407-117A	175.00	242.3	100.6	141.7	1.7	
0407-117A	200.00	426.4	277.4	149.0	2.9	
0407-117A	225.00	568.0	382.1	185.9	3.1	
0407-117A	250.00	400.3	255.4	144.9	2.8	
0407-117A	275.00	407.6	263.2	144.4	2.8	
0407-117A	300.00	309.6	199.7	109.9	2.8	
0407-117A	325.00	361.8	240.9	120.9	3.0	
0407-117A	350.00	448.2	299.4	148.8	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-118	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-118	25.00	300.1	193.7	106.4	2.8	
0407-118	50.00	391.3	260.3	131.0	3.0	
0407-118	100.00	684.1	463.4	220.7	3.1	
0407-118	125.00	652.6	436.4	216.2	3.0	
0407-118	150.00	446.3	289.9	156.4	2.9	
0407-118	175.00	372.6	247.9	124.7	3.0	
0407-118	200.00	595.6	396.8	198.8	3.0	
0407-118	225.00	321.0	202.5	118.5	2.7	
0407-118	250.00	294.8	199.6	95.2	3.1	
0407-118	275.00	524.6	346.7	177.9	2.9	
0407-118	300.00	463.9	307.2	156.7	3.0	
0407-118	325.00	557.8	381.5	176.3	3.2	
0407-118	350.00	641.8	455.0	186.8	3.4	
0407-118	375.00	464.7	311.2	153.5	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-119	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-119	25.00	373.8	244.9	128.9	2.9	
0407-119	50.00	448.3	297.8	150.5	3.0	
0407-119	75.00	324.3	211.3	113.0	2.9	
0407-119	100.00	397.9	261.8	136.1	2.9	
0407-119	125.00	346.5	224.3	122.2	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-120	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-120	25.00	364.7	233.3	131.4	2.8	
0407-120	50.00	380.1	244.8	135.3	2.8	
0407-120	75.00	547.3	379.8	167.5	3.3	
0407-120	100.00	611.3	417.0	194.3	3.1	
0407-120	125.00	644.6	448.5	196.1	3.3	
0407-120	150.00	668.6	461.5	207.1	3.2	
0407-120	175.00	373.2	247.7	125.5	3.0	
0407-120	200.00	417.0	274.7	142.3	2.9	
0407-120	225.00	486.0	324.7	161.3	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-121	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-121	25.00	315.3	205.7	109.6	2.9	
0407-121	50.00	565.5	369.1	196.4	2.9	
0407-121	75.00	791.2	557.7	233.5	3.4	
0407-121	100.00	316.4	204.0	112.4	2.8	
0407-121	125.00	447.9	303.3	144.6	3.1	
0407-121	150.00	933.2	723.0	210.2	4.4	
0407-121	175.00	538.2	355.0	183.2	2.9	
0407-121	200.00	872.6	684.1	188.5	4.6	
0407-121	225.00	981.1	764.0	217.1	4.5	
0407-121	250.00	842.9	648.9	194.0	4.3	
0407-121	275.00	443.8	293.2	150.6	2.9	
0407-121	300.00	570.5	385.6	184.9	3.1	
0407-121	325.00	417.8	278.3	139.5	3.0	
0407-121	350.00	531.9	433.3	98.6	5.4	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-122	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-122	25.00	377.2	247.3	129.9	2.9	
0407-122	50.00	573.6	375.3	198.3	2.9	
0407-122	75.00	325.5	213.5	112.0	2.9	
0407-122	100.00	482.9	279.6	203.3	2.4	
0407-122	125.00	435.6	282.8	152.8	2.9	
0407-122	150.00	389.3	259.7	129.6	3.0	
0407-122	175.00	448.4	288.5	159.9	2.8	
0407-122	200.00	383.8	255.3	128.5	3.0	
0407-122	225.00	273.7	249.2	24.5	11.2	
0407-122	250.00	362.3	237.9	124.4	2.9	
0407-122	275.00	326.8	216.0	110.8	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-123	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-123	25.00	362.0	241.8	120.2	3.0	
0407-123	50.00	457.0	306.6	150.4	3.0	
0407-123	75.00	485.5	319.5	166.0	2.9	
0407-123	100.00	514.5	333.7	180.8	2.8	
0407-123	125.00	413.3	268.2	145.1	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-124	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-124	20.00	512.8	339.1	173.7	3.0	
Max						
Min						
Ave						

Sample #	Specific Gravity			HOLE	0407-124A	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-124A	25.00	546.3	354.7	191.6	2.9	
0407-124A	50.00	566.4	373.6	192.8	2.9	
0407-124A	75.00	742.0	495.8	246.2	3.0	
0407-124A	100.00	509.4	333.1	176.3	2.9	
0407-124A	125.00	876.9	598.1	278.8	3.1	
0407-124A	150.00	480.4	320.9	159.5	3.0	
0407-124A	175.00	520.6	337.9	182.7	2.8	
0407-124A	200.00	544.2	356.4	187.8	2.9	
0407-124A	225.00	384.1	233.3	150.8	2.5	
0407-124A	250.00	328.7	316.2	12.5	26.3	
0407-124A	275.00	723.0	480.8	242.2	3.0	
0407-124A	300.00	481.0	311.9	169.1	2.8	
0407-124A	325.00	422.8	275.6	147.2	2.9	
0407-124A	350.00	440.7	283.8	156.9	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-125	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-125	25.00	407.0	264.0	143.0	2.8	
0407-125	50.00	373.6	246.3	127.3	2.9	
0407-125	75.00	434.6	284.2	150.4	2.9	
0407-125	100.00	578.0	386.0	192.0	3.0	
0407-125	125.00	589.1	394.4	194.7	3.0	
0407-125	150.00	496.6	228.7	267.9	1.9	
0407-125	175.00	750.1	528.7	221.4	3.4	
0407-125	200.00	562.6	365.9	196.7	2.9	
0407-125	225.00	623.4	408.3	215.1	2.9	
0407-125	250.00	752.9	496.3	256.6	2.9	
0407-125	275.00	700.2	449.8	250.4	2.8	
0407-125	300.00	518.0	340.5	177.5	2.9	
0407-125	325.00	568.7	379.8	188.9	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-126	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-126	25.00	554.6	360.6	194.0	2.9	
0407-126	50.00	481.8	310.6	171.2	2.8	
0407-126	75.00	873.8	653.4	220.4	4.0	
0407-126	100.00	612.2	394.9	217.3	2.8	
0407-126	125.00	595.5	383.9	211.6	2.8	
0407-126	150.00	464.7	309.0	155.7	3.0	
0407-126	175.00	249.8	161.8	88.0	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-127	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-127	50.00	674.6	445.3	229.3	2.9	
0407-127	75.00	716.1	486.6	229.5	3.1	
0407-127	100.00	640.2	420.0	220.2	2.9	
0407-127	125.00	556.3	361.0	195.3	2.8	
0407-127	150.00	662.3	447.4	214.9	3.1	
0407-127	175.00	587.5	373.4	214.1	2.7	
0407-127	200.00	531.1	349.5	181.6	2.9	
0407-127	225.00	459.9	304.5	155.4	3.0	
0407-127	250.00	551.9	355.9	196.0	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-128	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-128	25.00	644.0	438.9	205.1	3.1	
0407-128	50.00	769.1	577.3	191.8	4.0	
0407-128	75.00	771.3	580.6	190.7	4.0	
0407-128	100.00	533.5	351.2	182.3	2.9	
0407-128	125.00	535.1	344.9	190.2	2.8	
0407-128	150.00	495.8	315.2	180.6	2.7	
0407-128	175.00	510.5	332.9	177.6	2.9	
0407-128	200.00	439.3	286.2	153.1	2.9	
0407-128	225.00	328.1	213.5	114.6	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-129	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-129	25.00	900.9	681.3	219.6	4.1	
0407-129	50.00	302.4	196.9	105.5	2.9	
0407-129	75.00	505.6	338.9	166.7	3.0	
0407-129	100.00	553.8	369.4	184.4	3.0	
0407-129	125.00	556.0	373.2	182.8	3.0	
0407-129	150.00	448.4	294.6	153.8	2.9	
0407-129	175.00	378.7	244.8	133.9	2.8	
0407-129	200.00	563.0	374.4	188.6	3.0	
0407-129	225.00	502.9	335.2	167.7	3.0	
0407-129	250.00	366.7	238.6	128.1	2.9	
0407-129	275.00	489.2	326.1	163.1	3.0	
0407-129	300.00	305.4	204.7	100.7	3.0	
0407-129	323.00	513.7	338.3	175.4	2.9	
0407-129	350.00	545.0	354.9	190.1	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-130	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-130	25.00	426.0	275.2	150.8	2.8	
0407-130	50.00	576.8	377.2	199.6	2.9	
0407-130	75.00	532.0	355.9	176.1	3.0	
0407-130	100.00	415.1	269.2	145.9	2.8	
0407-130	125.00	465.4	271.7	193.7	2.4	
0407-130	150.00	435.4	292.4	143.0	3.0	
0407-130	175.00	509.5	331.4	178.1	2.9	
0407-130	200.00	434.9	290.2	144.7	3.0	
0407-130	225.00	635.2	438.6	196.6	3.2	
0407-130	250.00	502.1	333.0	169.1	3.0	
0407-130	275.00	493.0	325.0	168.0	2.9	
0407-130	300.00	470.8	307.6	163.2	2.9	
0407-130	325.00	668.8	450.1	218.7	3.1	
0407-130	350.00	558.7	374.4	184.3	3.0	
0407-130	375.00	805.9	561.6	244.3	3.3	
0407-130	399.00	423.1	273.5	149.6	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-131	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-131	25.00	682.1	443.1	239.0	2.9	
0407-131	50.00	606.7	397.7	209.0	2.9	
0407-131	75.00	710.2	482.5	227.7	3.1	
0407-131	100.00	404.6	270.6	134.0	3.0	
0407-131	125.00	633.9	419.2	214.7	3.0	
0407-131	150.00	433.0	286.4	146.6	3.0	
0407-131	175.00	603.3	414.4	188.9	3.2	
0407-131	200.00	574.1	375.6	198.5	2.9	
0407-131	225.00	422.1	278.6	143.5	2.9	
0407-131	250.00	443.2	284.2	159.0	2.8	
0407-131	275.00	518.9	347.8	171.1	3.0	
0407-131	300.00	521.6	346.9	174.7	3.0	
0407-131	325.00	404.9	268.8	136.1	3.0	
0407-131	350.00	306.5	199.9	106.6	2.9	
0407-131	375.00	474.9	313.7	161.2	2.9	
0407-131	400.00	358.4	239.0	119.4	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-132	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-132	25.00	390.4	254.9	135.5	2.9	
0407-132	50.00	402.6	267.2	135.4	3.0	
0407-132	75.00	412.7	275.1	137.6	3.0	
0407-132	100.00	325.4	209.5	115.9	2.8	
0407-132	125.00	604.3	392.4	211.9	2.9	
0407-132	150.00	417.8	275.8	142.0	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-133	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-133	25.00	595.9	393.0	202.9	2.9	
0407-133	50.00	447.2	278.5	168.7	2.7	
0407-133	75.00	545.4	349.3	196.1	2.8	
0407-133	100.00	477.9	306.8	171.1	2.8	
0407-133	125.00	760.7	527.2	233.5	3.3	
0407-133	150.00	478.6	321.0	157.6	3.0	
0407-133	175.00	709.7	489.5	220.2	3.2	
0407-133	200.00	529.5	339.1	190.4	2.8	
0407-133	225.00	500.7	337.2	163.5	3.1	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-134	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-134	25.00	393.4	259.8	133.6	2.9	
0407-134	50.00	495.8	326.6	169.2	2.9	
0407-134	75.00	420.6	274.0	146.6	2.9	
0407-134	100.00	439.9	286.6	153.3	2.9	
0407-134	125.00	436.2	286.4	149.8	2.9	
0407-134	150.00	533.8	347.8	186.0	2.9	
0407-134	175.00	540.4	347.2	193.2	2.8	
0407-134	200.00	482.7	319.5	163.2	3.0	
0407-134	225.00	582.5	371.5	211.0	2.8	
0407-134	250.00	528.5	341.2	187.3	2.8	
0407-134	275.00	287.1	183.9	103.2	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-135	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-135	25.00	379.0	247.7	131.3	2.9	
0407-135	50.00	621.5	415.8	205.7	3.0	
0407-135	75.00	574.1	384.2	189.9	3.0	
0407-135	100.00	625.1	420.2	204.9	3.1	
0407-135	125.00	430.7	288.1	142.6	3.0	
0407-135	150.00	447.2	294.3	152.9	2.9	
0407-135	175.00	312.6	201.6	111.0	2.8	
0407-135	200.00	329.1	212.7	116.4	2.8	
0407-135	225.00	424.7	274.8	149.9	2.8	
0407-135	250.00	392.3	244.4	147.9	2.7	
0407-135	275.00	531.6	350.0	181.6	2.9	
0407-135	300.00	383.8	245.0	138.8	2.8	
0407-135	325.00	584.8	379.0	205.8	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-136	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-136	25.00	304.6	197.8	106.8	2.9	
0407-136	50.00	776.5	520.5	256.0	3.0	
0407-136	75.00	477.6	321.8	155.8	3.1	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-137	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-137	25.00	317.7	204.2	113.5	2.8	
0407-137	50.00	458.4	300.7	157.7	2.9	
0407-137	75.00	426.9	281.7	145.2	2.9	
0407-137	100.00	540.1	364.8	175.3	3.1	
0407-137	125.00	353.9	234.4	119.5	3.0	
0407-137	150.00	503.2	334.9	168.3	3.0	
0407-137	175.00	561.1	369.7	191.4	2.9	
0407-137	200.00	335.1	215.0	120.1	2.8	
0407-137	225.00	713.6	547.0	166.6	4.3	
0407-137	250.00	633.0	433.8	199.2	3.2	
0407-137	275.00	404.2	302.1	102.1	4.0	
0407-137	300.00	346.1	223.5	122.6	2.8	
0407-137	325.00	548.7	374.1	174.6	3.1	
0407-137	350.00	611.6	436.7	174.9	3.5	
0407-137	375.00	826.0	620.4	205.6	4.0	
0407-137	400.00	738.1	535.4	202.7	3.6	
0407-137	425.00	353.2	225.6	127.6	2.8	
0407-137	450.00	698.3	504.3	194.0	3.6	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-138	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-138	25.00	587.6	382.9	204.7	2.9	
0407-138	50.00	740.0	509.5	230.5	3.2	
0407-138	75.00	657.1	442.7	214.4	3.1	
0407-138	100.00	494.8	341.3	153.5	3.2	
0407-138	125.00	455.6	304.5	151.1	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-139	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-139	25.00	608.3	420.7	187.6	3.2	
0407-139	50.00	548.6	380.0	168.6	3.3	
0407-139	75.00	485.0	323.1	161.9	3.0	
0407-139	100.00	402.9	260.7	142.2	2.8	
0407-139	125.00	500.5	341.2	159.3	3.1	
0407-139	150.00	368.5	237.6	130.9	2.8	
0407-139	175.00	652.6	485.2	167.4	3.9	
0407-139	200.00	481.8	328.2	153.6	3.1	
0407-139	225.00	527.9	347.2	180.7	2.9	
0407-139	250.00	530.8	366.5	164.3	3.2	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-140	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-140	25.00	489.4	312.1	177.3	2.8	
0407-140	50.00	478.2	314.0	164.2	2.9	
0407-140	75.00	382.8	254.2	128.6	3.0	
0407-140	100.00	389.2	252.9	136.3	2.9	
0407-140	125.00	429.6	273.1	156.5	2.7	
0407-140	150.00	485.4	313.5	171.9	2.8	
0407-140	175.00	319.4	207.4	112.0	2.9	
0407-140	200.00	725.7	496.9	228.8	3.2	
0407-140	225.00	455.2	306.2	149.0	3.1	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-141	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-141	25.00	709.0	487.0	222.0	3.2	
0407-141	50.00	543.7	355.2	188.5	2.9	
0407-141	75.00	452.3	294.0	158.3	2.9	
0407-141	100.00	440.9	295.9	145.0	3.0	
0407-141	125.00	319.1	207.7	111.4	2.9	
0407-141	150.00	489.7	320.6	169.1	2.9	
0407-141	175.00	363.5	238.9	124.6	2.9	
0407-141	200.00	523.8	347.7	176.1	3.0	
0407-141	225.00	335.3	213.2	122.1	2.7	
0407-141	250.00	519.6	344.0	175.6	3.0	
0407-141	275.00	493.0	326.9	166.1	3.0	
0407-141	300.00	496.4	316.6	179.8	2.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-142	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-142	25.00	645.3	440.7	204.6	3.2	
0407-142	50.00	632.0	438.0	194.0	3.3	
0407-142	75.00	517.0	344.3	172.7	3.0	
0407-142	100.00	515.1	339.0	176.1	2.9	
0407-142	125.00	544.9	345.1	199.8	2.7	
0407-142	150.00	505.5	339.8	165.7	3.1	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-143	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-143	25.00	407.9	263.1	144.8	2.8	
0407-143	50.00	616.3	426.9	189.4	3.3	
0407-143	75.00	358.6	236.7	121.9	2.9	
0407-143	100.00	681.3	455.4	225.9	3.0	
0407-143	125.00	791.4	566.1	225.3	3.5	
0407-143	150.00	743.3	514.2	229.1	3.2	
0407-143	175.00	501.4	339.3	162.1	3.1	
0407-143	200.00	614.1	406.7	207.4	3.0	
0407-143	225.00	703.5	493.2	210.3	3.3	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-144	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-144	25.00	489.2	320.9	168.3	2.9	
0407-144	75.00	441.5	285.2	156.3	2.8	
0407-144	100.00	378.8	245.9	132.9	2.9	
0407-144	125.00	347.4	233.8	113.6	3.1	
0407-144	150.00	646.3	438.7	207.6	3.1	
0407-144	175.00	532.7	354.9	177.8	3.0	
0407-144	200.00	592.8	393.7	199.1	3.0	
0407-144	225.00	423.7	273.6	150.1	2.8	
0407-144	250.00	420.0	271.5	148.5	2.8	
0407-144	275.00	703.2	468.5	234.7	3.0	
0407-144	300.00	660.4	441.7	218.7	3.0	
<b>Max</b>	300.00	703.20	468.50	234.70	3.11	
<b>Min</b>	25.00	347.40	233.80	113.60	2.82	
<b>Ave</b>	172.73	512.36	338.95	173.42	2.94	

Sample #	Specific Gravity			HOLE	0407-145	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-145	25.00	406.4	264.7	141.7	2.9	
0407-145	50.00	458.5	300.8	157.7	2.9	
0407-145	75.00	350.4	227.4	123.0	2.8	
0407-145	100.00	609.7	424.9	184.8	3.3	
0407-145	125.00	661.5	472.0	189.5	3.5	
0407-145	150.00	534.1	343.8	190.3	2.8	
0407-145	175.00	445.6	294.2	151.4	2.9	
0407-145	200.00	508.0	331.2	176.8	2.9	
0407-145	225.00	669.9	438.1	231.8	2.9	
0407-145	250.00	527.5	344.7	182.8	2.9	
0407-145	275.00	753.7	506.4	247.3	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-146	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-146	25.00	555.5	375.3	180.2	3.1	
0407-146	50.00	424.1	275.3	148.8	2.9	
0407-146	75.00	546.7	362.3	184.4	3.0	
0407-146	100.00	567.6	366.5	201.1	2.8	
0407-146	125.00	471.1	308.4	162.7	2.9	
0407-146	150.00	345.0	218.4	126.6	2.7	
0407-146	175.00	361.1	311.3	49.8	7.3	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-147	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-147	25.00	497.2	332.6	164.6	3.0	
0407-147	50.00	577.0	471.6	105.4	5.5	
0407-147	75.00	392.4	248.6	143.8	2.7	
0407-147	100.00	530.1	355.2	174.9	3.0	
0407-147	125.00	419.8	271.1	148.7	2.8	
0407-147	150.00	525.7	338.5	187.2	2.8	
0407-147	175.00	507.8	331.7	176.1	2.9	
0407-147	200.00	339.0	220.7	118.3	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-148	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-148	25.00	526.9	330.3	196.6	2.7	
0407-148	50.00	537.5	361.1	176.4	3.0	
0407-148	75.00	411.0	261.2	149.8	2.7	
0407-148	100.00	544.2	357.1	187.1	2.9	
0407-148	125.00	336.7	220.0	116.7	2.9	
0407-148	150.00	344.9	218.1	126.8	2.7	
0407-148	175.00	503.5	316.3	187.2	2.7	
0407-148	200.00	560.7	375.7	185.0	3.0	
0407-148	225.00	719.6	493.8	225.8	3.2	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-149	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-149	25.00	662.9	457.2	205.7	3.2	
0407-149	50.00	564.0	381.1	182.9	3.1	
0407-149	75.00	640.6	450.7	189.9	3.4	
0407-149	100.00	696.9	491.5	205.4	3.4	
0407-149	125.00	821.1	601.9	219.2	3.7	
0407-149	150.00	338.5	217.2	121.3	2.8	
0407-149	175.00	478.4	320.7	157.7	3.0	
0407-149	200.00	288.1	182.4	105.7	2.7	
0407-149	225.00	418.0	269.0	149.0	2.8	
0407-149	250.00	650.3	430.7	219.6	3.0	
0407-149	275.00	404.9	256.1	148.8	2.7	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-150	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-150	25.00	502.4	323.8	178.6	2.8	
0407-150	50.00	501.7	329.2	172.5	2.9	
0407-150	75.00	593.6	384.2	209.4	2.8	
0407-150	100.00	504.9	321.7	183.2	2.8	
0407-150	125.00	639.9	431.9	208.0	3.1	
0407-150	150.00	397.9	255.0	142.9	2.8	
0407-150	175.00	691.5	495.9	195.6	3.5	
0407-150	200.00	651.8	414.8	237.0	2.8	
0407-150	225.00	392.5	259.3	133.2	2.9	
0407-150	250.00	491.2	331.9	159.3	3.1	
0407-150	275.00	579.8	373.5	206.3	2.8	
0407-150	300.00	514.3	327.1	187.2	2.7	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-151	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-151	19.00	237.7	152.4	85.3	2.8	
	Max					
	Min					
	Ave					

Sample #	Specific Gravity			HOLE	0407-151B	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-151B	25.00	334.1	222.3	111.8	3.0	
0407-151B	50.00	521.6	337.2	184.4	2.8	
0407-151B	75.00	553.7	366.1	187.6	3.0	
0407-151B	100.00	720.3	488.1	232.2	3.1	
0407-151B	125.00	393.0	263.7	129.3	3.0	
0407-151B	150.00	687.4	461.9	225.5	3.0	
0407-151B	175.00	564.4	372.6	191.8	2.9	
0407-151B	200.00	416.5	276.9	139.6	3.0	
0407-151B	225.00	666.8	451.7	215.1	3.1	
0407-151B	250.00	434.5	283.0	151.5	2.9	
0407-151B	275.00	466.4	306.2	160.2	2.9	
0407-151B	300.00	467.1	304.7	162.4	2.9	
0407-151B	325.00	412.4	275.7	136.7	3.0	
0407-151B	350.00	478.2	315.6	162.6	2.9	
0407-151B	375.00	453.5	296.0	157.5	2.9	
0407-151B	400.00	579.4	388.5	190.9	3.0	
0407-151B	425.00	373.4	248.4	125.0	3.0	
0407-151B	450.00	409.9	236.6	173.3	2.4	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-152	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-152	25.00	503.2	322.8	180.4	2.8	
0407-152	50.00	450.1	305.3	144.8	3.1	
0407-152	75.00	615.4	403.9	211.5	2.9	
0407-152	100.00	468.6	292.4	176.2	2.7	
0407-152	125.00	493.5	398.7	94.8	5.2	
0407-152	150.00	619.1	421.8	197.3	3.1	
0407-152	175.00	524.1	343.6	180.5	2.9	
0407-152	200.00	593.0	384.1	208.9	2.8	
0407-152	225.00	634.5	427.3	207.2	3.1	
0407-152	250.00	703.0	481.0	222.0	3.2	
0407-152	275.00	744.9	493.6	251.3	3.0	
0407-152	300.00	620.8	403.1	217.7	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-153	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-153	25.00	410.9	268.2	142.7	2.9	
0407-153	50.00	521.6	349.7	171.9	3.0	
0407-153	75.00	446.2	298.5	147.7	3.0	
0407-153	100.00	628.2	417.1	211.1	3.0	
0407-153	125.00	393.3	254.8	138.5	2.8	
0407-153	150.00	482.5	317.4	165.1	2.9	
0407-153	175.00	367.1	442.9	-75.8	-4.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-154	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-154	25.00	571.8	373.6	198.2	2.9	
0407-154	50.00	727.9	493.7	234.2	3.1	
0407-154	75.00	635.6	423.8	211.8	3.0	
0407-154	100.00	666.2	445.7	220.5	3.0	
0407-154	125.00	825.5	579.4	246.1	3.4	
0407-154	150.00	746.1	522.4	223.7	3.3	
0407-154	175.00	662.9	437.9	225.0	2.9	
0407-154	200.00	692.7	464.3	228.4	3.0	
0407-154	225.00	528.7	350.2	178.5	3.0	
0407-154	250.00	245.9	358.6	-112.7	-2.2	
0407-154	275.00	461.4	304.9	156.5	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-155	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-155	25.00	505.3	330.5	174.8	2.9	
0407-155	50.00	892.4	678.3	214.1	4.2	
0407-155	75.00	489.6	323.6	166.0	2.9	
0407-155	100.00	399.7	264.2	135.5	2.9	
0407-155	125.00	444.2	299.6	144.6	3.1	
0407-155	150.00	421.0	274.4	146.6	2.9	
0407-155	175.00	466.4	313.7	152.7	3.1	
0407-155	200.00	644.9	431.4	213.5	3.0	
0407-155	225.00	542.0	356.2	185.8	2.9	
0407-155	250.00	477.2	309.9	167.3	2.9	
0407-155	275.00	400.8	269.9	130.9	3.1	
0407-155	300.00	387.5	256.3	131.2	3.0	
0407-155	325.00	448.2	293.9	154.3	2.9	
0407-155	350.00	681.5	454.9	226.6	3.0	
0407-155	375.00	642.3	427.8	214.5	3.0	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-156	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-156	25.00	797.3	550.4	246.9	3.2	
0407-156	50.00	751.9	511.5	240.4	3.1	
0407-156	75.00	626.8	421.3	205.5	3.1	
0407-156	100.00	687.2	466.6	220.6	3.1	
0407-156	125.00	931.7	680.2	251.5	3.7	
0407-156	150.00	791.1	552.4	238.7	3.3	
0407-156	175.00	663.8	446.6	217.2	3.1	
0407-156	200.00	769.6	546.0	223.6	3.4	
0407-156	225.00	721.3	491.4	229.9	3.1	
0407-156	250.00	656.2	435.2	221.0	3.0	
0407-156	275.00	728.5	518.3	210.2	3.5	
0407-156	300.00	844.8	605.9	238.9	3.5	
0407-156	325.00	651.3	424.7	226.6	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-157	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-157	25.00	606.2	395.3	210.9	2.9	
0407-157	50.00	865.2	638.8	226.4	3.8	
0407-157	75.00	707.2	497.5	209.7	3.4	
0407-157	100.00	814.9	592.9	222.0	3.7	
0407-157	125.00	668.9	459.4	209.5	3.2	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-158	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-158	25.00	739.9	518.9	221.0	3.3	
0407-158	50.00	682.1	459.3	222.8	3.1	
0407-158	75.00	778.1	554.9	223.2	3.5	
0407-158	100.00	940.8	719.2	221.6	4.2	
0407-158	125.00	796.8	578.4	218.4	3.6	
0407-158	150.00	550.3	372.6	177.7	3.1	
0407-158	175.00	983.6	740.8	242.8	4.1	
0407-158	200.00	797.7	581.5	216.2	3.7	
0407-158	225.00	570.0	379.5	190.5	3.0	
0407-158	250.00	891.5	659.2	232.3	3.8	
0407-158	275.00	708.9	497.4	211.5	3.4	
0407-158	300.00	590.9	376.2	214.7	2.8	
0407-158	325.00	559.3	383.2	176.1	3.2	
0407-158	350.00	478.1	318.6	159.5	3.0	
0407-158	375.00	717.9	498.9	219.0	3.3	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-159	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-159	25.00	527.8	351.9	175.9	3.0	
0407-159	50.00	600.4	401.6	198.8	3.0	
0407-159	75.00	506.9	333.6	173.3	2.9	
0407-159	100.00	666.9	454.0	212.9	3.1	
0407-159	125.00	703.0	498.8	204.2	3.4	
0407-159	150.00	734.3	524.3	210.0	3.5	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-160	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-160	25.00	542.8	359.2	183.6	3.0	
0407-160	50.00	446.5	298.2	148.3	3.0	
0407-160	75.00	554.8	360.1	194.7	2.8	
0407-160	100.00	430.6	283.2	147.4	2.9	
0407-160	125.00	720.1	498.3	221.8	3.2	
0407-160	150.00	724.6	498.7	225.9	3.2	
0407-160	175.00	440.5	284.0	156.5	2.8	
0407-160	200.00	658.6	459.8	198.8	3.3	
0407-160	225.00	747.2	542.5	204.7	3.7	
0407-160	250.00	775.9	555.0	220.9	3.5	
0407-160	275.00	668.5	455.4	213.1	3.1	
0407-160	300.00	660.9	456.9	204.0	3.2	
0407-160	325.00	653.1	431.1	222.0	2.9	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-161	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-161	25.00	747.7	552.3	195.4	3.8	
0407-161	50.00	794.3	566.3	228.0	3.5	
0407-161	75.00	780.2	600.8	179.4	4.3	
0407-161	100.00	938.5	690.8	247.7	3.8	
<b>Max</b>						
<b>Min</b>						
<b>Ave</b>						

Sample #	Specific Gravity			HOLE	0407-178	COMMENT
	From (m)	READING		CORE VOL.	S.G.	
		DRY (Ma)	WET (Mw)	Vc=Ma-Mw	Ma/Vc	
0407-178	25.00	607.2	428.5	178.7	3.4	
0407-178	50.00	518.2	336.2	182.0	2.8	
0407-178	75.00	546.5	389.6	156.9	3.5	
0407-178	100.00	488.0	316.1	171.9	2.8	
0407-178	125.00	607.5	477.8	129.7	4.7	
0407-178	150.00	395.0	260.4	134.6	2.9	
0407-178	175.00	531.2	349.3	181.9	2.9	
0407-178	200.00	467.2	305.7	161.5	2.9	
0407-178	225.00	418.3	270.6	147.7	2.8	
<b>Max</b>	225.00	607.50	477.80	182.00	4.68	
<b>Min</b>	25.00	395.00	260.40	129.70	2.83	
<b>Ave</b>	125.00	508.79	348.24	160.54	3.20	