Assessment Work Report On the Hound Chutes Road Claims By Alan Kon

January 12, 2014

Index

ntroduction	1
Access & Location Topographical & Vegetation	1
Geology & Property Geology	1
Historical Work & Nork Program	2&3
Sampling	4
Work Log	5
Future Work	6
Assay ResultsA	oppendix I
Prospecting, Sampling & Claim Maps	Appendix II

INTRODUCTION

This work report is on the Hound Chutes Road (HCR) property and has been prepared by Alan Kon of North Cobalt/Haileybury Ontario. The HCR property is comprised of claims 3007492, 1140510, 4243947, 4262043, 4268296, 4268297, 4273067, 4273068. The work consisted of mainly prospecting and sampling. A Beep Mat was used only for prospecting purposes with no grid or proper survey.

PROPERTY LOCATION AND ACCESS

The claims can be accessed by the Hound Chutes Road, an Ontario Hydro access road that departs south west from the town of Cobalt and follows the eastern side of the Montreal River. The claims are within one Km of the Hound Chutes hydro power dam and the Ragged Chutes dam.

TOPOGRAPHY AND VEGETATION

Maximum relief on the property is approximately 25 metres. Topography is generally rolling with local steep ledges and cliffs. Giroux Creek flows south and westward through the area mapped and into the Montreal River.

Overburden is relatively shallow over the north and south parts of the claims but of unknown depth in the centre. Vegetation on the claims consists mainly of mature mixed forest and locally dense underbrush.

REGIONAL AND PROPERTY GEOLOGY

The claims are located in the southern part of the Cobalt mining camp. Regionally the area is underlain by an N-S trending trough of Huronian metasedimentary rocks (Cobalt Group, Gowganda Formation, Coleman Member - conglomerates) that cover a complex Archean mafic volcanic terrain. In the Cobalt area the Archean volcanic and overlying Huronian sediments have been intruded by extensive Nipissing aged diabase sills and dykes. There is a strong possibility that the Coleman sediments in this area are underlain by a Nipissing sill. The youngest known consolidated rocks in the area are kimberlite rocks.

EXPLORATION HISTORY

Extensive work has been carried out in the general Cobalt District but very little has been reported in the immediate area of the Hound Chutes claims. One drill hole was completed by E. Forbear in 1955 at a point approximately 75 m north west of the area.

In December 1998, High-Sense Geophysics Limited carried out an airborne electromagnetic survey over the area on behalf of Branchwater Resources Ltd. Seymour Sears carried out geological mapping in 2003 on behalf of Cabo Mining Corp.

During the summer months of 2009, Alan Kon performed a KIM survey and prospecting over parts of the claims on behalf of Diamond Exploration Inc.

A ground Magnetometer/VLF survey carried out between January 28 and February 4, 2011 by Larder Geophysics of Larder Lake Ontario and Alan Kon who did the initial consultation, ground inspection and organized the work.

Since acquiring the claims starting in 2011, Alan Kon has done a considerable amount of preliminary exploration including prospecting and follow-up sampling, overburden stripping projects and geophysical surveys.

Work Program

This prospecting program was basically just follow up work in regards to an OGS sampling survey that was conducted in 2012 in which one of their till samples was taken on claim 1140510 and showed very good gold values. (See OFR 6259, #09-CG-142)

The work program was also to prospect the newly acquired claims 4273067 & 4273068. These 2 claims were previously owned by Harold Watts of Latchford Ontario and it appears he had done some surface exploration including stripping and trenching and diamond drilling by Watts-Armstrong Group and Murgor Exploration Ltd. There is also a 2 compartment vertical mine shaft that is supposed to exist on claim 4273067 although it has never been found nor has any muck or mining debris been observed on surface. It may be under the river.

Al Kon had obtained a Beep Mat 8 from the Kirkland Lake MNDM in hopes of locating old drill collars and/or base metal veining that is said to exist in the area. Because of extremely heavy bush, hunting season and cold weather, Al Kon was limited to what he could do with the beep mat by himself. Prior to using the Beep Mat, Al Kon prospected claim 4273067 and took 3 rock samples, one of which may be a float or blasted rock from the Dam. The particular sample #HCC-13-01 stuck out from the surrounding rock and could be easily seen from as far as 15 metres away. There was no mistaking it for anything else because of the bright greenish white color indicating niccolite/arsenic rock. The results of this sample along with other samples can be viewed in Appendix I.

Work Program, cont.

On October 12 the Beep Mat was used again but this time on claim 4243947 and for a different reason. Al Kon along with a helper dragged the Beep Mat over the previously exposed Kimberlite dike in order to determine if it would detect any anomalous readings. If the Beep Mat picked up any anomalous readings it was hoped that when dragged over the suspected Kimberlite pipe that it would have much of the same readings or results. The numbers were extremely low ranging from -600 to -1200 MAG indicating a high presence of Magnetite which it should because of the known high quantity of magnetite. There was a high HF (high frequency) as well, sometimes as high as 3000 HF. Why the extreme high frequency is unknown.

No readings were recorded on the dike because it was basically one large anomalous reading from one end to the other and the Beep Mat never stopped beeping. It was freaking out over the whole dike and sounded as if it was about to have a heart attack.

When the Beep Mat was dragged down the trail and across where the kimberlite pipe is believed to be but there were only 2 times where it detected anomalies. A 3rd anomaly was recorded on the trail leading out to Hound Chutes road.

What exactly the anomalies are unknown at this time and only one (BM4 - till) was sampled for gold but showed no good results. The other 2 may be dug up and sampled at a later date but both were very small, less than a metre across so they could be anything from kimberlite boulders to pyrrohotite boulders to tin cans, which is most likely the case.

Till Sampling

Five till samples were taken on claim 1140510 close to where the OGS had taken the 09-CG-142. Because of the high costs associated with till sample analysis, the 5 samples were analyzed using the ICP with gold method instead. Three of the samples showed fairly good gold results. Sample TS-13-03 was the best at 0.087 PPM which is considerably higher than most previous samples taken in the area at 0.001 or less. (See results in Appendix I)

The last three days were spent prospecting claims 1140510 & 4268297 but no samples were taken.

Sampling	Type/Data	Coordinates	Elevation	Date
Rock				
HCC-13- 01	COMP SMPL-PRX BLDR ni/co	17 T 598626 5239791	300 m	08/10/2013 18:08
HCC-13- 02	COMP SMPL-CHP/PY	17 T 598627 5239797	300 m	09/10/2013 18:05
HCC-13- 03	Poss magnesite IN DB BLDR	17 T 598625 5239803	300 m	09/10/2013 18:06
Tills				
TS-13-01	sand/gravel	17 T 599398 5238572	299 m	15/10/2013 13:47
TS-13-02	sand/gravel	17 T 599360 5238578	290 m	15/10/2013 14:46
TS-13-03	gravely soil	17 T 599324 5238577	290 m	15/10/2013 15:12
TS-13-04	sand/gravel	17 T 599426 5238563	290 m	16/10/2013 11:50
TS-13-05	sand/gravel	17 T 599451 5238551	290 m	16/10/2013 11:49
BM4	sand	17 T 599397 5239032	302 m	12/10/2013 13:01
Beep Mat				
BM1	H -13,L2,M54%	17 T 598719 5239999	305 m	11/10/2013 12:40
BM2	H 40+,L 40+,RT 99%	17 T 599595 5238735	295 m	12/10/2013 12:19
ВМ3	H 25, Low 15, M 30	17 T 599317 5239005	290 m	12/10/2013 13:30
BM4	LOW CNDR RT 99%	17 T 599397 5239032	302 m	12/10/2013 13:01

Daily Work Log

- Oct 8, 2013 Start fall work program-Hound Chutes claims. Claim 4273067 prospecting, 1 composite sample taken from broken rock and proximity boulders above Hound Chutes Dam. Ni/Co/Cu
- Oct 9 Claim 4273067 prospecting, 1 composite sample taken from broken rock and proximity boulders above Hound Chutes Dam, Zn/Cu & 1 unknown rock type sample taken, possibly magnesite.
- Oct 10 Drive to KL MNDM to pick up Beep Mat.
- Oct 11 Use beep mat on claim 4273067 to find old Ni/Co showing and old drill collars. Underbrush too heavy for proper survey.
- Oct 12 Use beep mat on claim 4243947. One Kimberlite boulder sample taken.
- Oct 15 Soil/till sampling on claim 1140510.
- Oct 16 Soil/till sampling on claim 1140510 (1 sample from Beep mat signal).
- Oct 22 Prospecting on claim 4268297, no samples.
- Oct 31 Prospecting on claim 1140510, no samples.
- Nov 2 Prospecting on claim 1140510, no samples. Witnessed possible illegal tree harvesting and reported it to MNR.

Future Work

A ground magnetometer ground survey has already been planned for the spring of 2014 on the Hound Chutes Road claims. The survey will be an extension of the Mag survey conducted by Larder Lake Geophysics in 2011. The survey will cover all the claims that were not surveyed by Larder Lake Geophysics. The lines will run east/west and will be 50 metres apart and the station will be at 12.5 meters.

Following the Mag survey, more prospecting and till sampling will be done to locate the source of the gold found by the OGS. Further prospecting will also be done to hopefully locate the source of sample HCC-13-01.

Best Regards.

Malla

Alan Kon

Appendix I



CLIENT NAME: ADK EXPLORATION PO BOX 1375 HAILEYBURY, ON P0J1K0 (705) 648-9680

ATTENTION TO: ALAN KON

PROJECT NO: Hound Chutes Claims

AGAT WORK ORDER: 13U791305

SOLID ANALYSIS REVIEWED BY: Yufei Chen, Analyst

DATE REPORTED: Dec 24, 2013

PAGES (INCLUDING COVER): 8

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES	Rock			

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 13U791305 PROJECT NO: Hound Chutes Claims

ATTENTION TO: ALAN KON

5623 McADAM ROAD MISSISSAUGA, ONTARIO CANADA L4Z 1N9 TEL (905)501-9998 FAX (905)501-0589 http://www.agatlabs.com

CLIENT NAME. AD	LAFLONA	11014				-				mon ro.					
			Ac	ua Regia	Digest -	Metals	Package	ICP-OE	S finish	(201073)					
DATE SAMPLED: De	c 06, 2013			DATE REC	CEIVED: De	c 06, 2013		DATE	REPORTED): Dec 24, 2	013	SA	MPLE TYPE:	Rock	
	Analyte:	Sample Login Weight	Ag	Al	As	В	Ва	Be	Bi	Ca	Cd	Ce	Со	Сг	Cı
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppn
Sample ID (AGAT ID)	RDL:	0.01	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5
HCC-13-01 (5032367)		1.42	5.7	0.88	>10000	22	7	2.0	1270	9.26	0.7	39	6380	3.8	7710
HCC-13-02 (5032368)		1.22	0.9	1.57	1020	20	5	2.1	7	9.54	0.6	45	711	13.1	1980
HCC-13-03 (5032369)		2.04	<0.2	2.12	105	15	56	<0.5	<1	0.82	<0.5	11	54.5	5.0	15.2
	Analyte:	Fe	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb
	Unit:	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
Sample ID (AGAT ID)	RDL:	0.01	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5
HCC-13-01 (5032367)		5.10	45	14	6	0.05	16	8	3.37	1240	31.6	0.02	>10000	244	229
HCC-13-02 (5032368)		7.73	18	5	<1	0.08	22	10	3.81	1610	7.0	0.06	175	514	41.0
HCC-13-03 (5032369)		12.0	20	<1	<1	0.75	5	7	1.44	2990	<0.5	0.22	66.5	380	19.5
	Analyte:	Rb	S	Sb	Sc	Se	Sn	Sr	Та	Te	Th	Ti	TI	U	V
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
Sample ID (AGAT ID)	RDL:	10	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5
HCC-13-01 (5032367)		15	4.64	172	13.6	20	46	46.4	<10	<10	28	0.02	<5	158	86.4
HCC-13-02 (5032368)		26	1.96	12	21.9	22	52	54.4	<10	<10	<5	0.13	<5	13	256
HCC-13-03 (5032369)		67	0.100	4	6.2	18	19	101	<10	<10	<5	0.32	<5	<5	282
	Analyte:	W	Y	Zn	Zr	As-OL	Ni-OL								
	Unit:	ppm	ppm	ppm	ppm	%	%								
Sample ID (AGAT ID)	RDL:	1	1	0.5	5	0.01	0.01								
HCC-13-01 (5032367)		<1	57	45.1	9	6.90	4.03								
HCC-13-02 (5032368)		<1	57	43.8	17										
HCC-13-03 (5032369)		<1	6	81.6	6										

Comments: RDL - Reported Detection Limit

Certified By:

Page 2 of



Certificate of Analysis

AGAT WORK ORDER: 13U791305 PROJECT NO: Hound Chutes Claims 5623 McADAM ROAD MISSISSAUGA, ONTARIO CANADA L4Z 1N9 TEL (905)501-9998 FAX (905)501-0589 http://www.agatlabs.com

CLIENT NAME: ADK EXPLORATION

ATTENTION TO: ALAN KON

Fire Assay - Trace Au, ICP-OES finish (202052)											
DATE SAMPLED: De	c 06, 2013			DATE RECEIVED: Dec 06, 2013	DATE REPORTED: Dec 24, 2013	SAMPLE TYPE: Rock					
	Analyte:	Sample Login Weight	Au								
	Unit:	kg	ppm								
Sample ID (AGAT ID)	RDL:	0.01	0.001								
HCC-13-02 (5032368)		1.22	0.008								

Comments: RDL - Reported Detection Limit

Certified By:

y. cha.



Quality Assurance - Replicate AGAT WORK ORDER: 13U791305 PROJECT NO: Hound Chutes Claims 5623 McADAM ROAD MISSISSAUGA, ONTARIO CANADA L4Z 1N9 TEL (905)501-9998 FAX (905)501-0589 http://www.agatlabs.com

CLIENT NAME: ADK EXPLORATION

ATTENTION TO: ALAN KON

				Aqua F	Regia Dige	est - M	letals I	Packag	e, ICP-0	DES fini	sh (201	073)		
		REPLIC	ATE #1											
Parameter	Sample ID	Original	Replicate	RPD										
Ag		< 0.2	< 0.2	0.0%										
Al		2.78	2.78	0.0%										
As		11	9	20.0%										
В		21	20	4.9%										
Ba		86	87	1.2%										
Be		< 0.5	< 0.5	0.0%										
Bi		< 1	< 1	0.0%										
Ca		6.76	6.83	1.0%										
Cd		< 0.5	< 0.5	0.0%										
Се		22	22	0.0%										
Co		21.9	21.9	0.0%										
Cr		42.1	41.8	0.7%										
Cu		17.7	18.5	4.4%										
Fe		3.81	3.80	0.3%										
Ga		10	11	9.5%										
Hg		< 1	< 1	0.0%										
In		< 1	2											
K		0.17	0.17	0.0%										
La		10	10	0.0%										
Li		9	9	0.0%										
Mg		1.88	1.88	0.0%										
Mn		1650	1660	0.6%										
Мо		1.8	3.6											
Na		0.01	0.01	0.0%										
Ni		49.0	48.4	1.2%										
P		795	794	0.1%										
Pb		17.3	16.6	4.1%										
Rb		19	19	0.0%										
S		0.248	0.260	4.7%										
Sb		4	4	0.0%										
Sc		4.9	4.4	10.8%										

AGAT QUALITY ASSURANCE REPORT

Page 4 of 8



Quality Assurance - Replicate AGAT WORK ORDER: 13U791305 PROJECT NO: Hound Chutes Claims 5623 McADAM ROAD MISSISSAUGA, ONTARIO CANADA L4Z 1N9 TEL (905)501-9998 FAX (905)501-0589 http://www.agatlabs.com

LIENT NAM	E: ADK EX	PLORATI	ON							ATTE	NTION TO	: ALAN	KON		raganasore
Se		< 10	< 10	0.0%									}		
Sn		33	33	0.0%											
Sr		87.7	88.7	1.1%											
Та		< 10	< 10	0.0%											
Те		< 10	< 10	0.0%											
Th		< 5	< 5	0.0%											
Ti		0.01	0.01	0.0%											
TI		< 5	< 5	0.0%											
U		< 5	< 5	0.0%											
V		28.4	27.8	2.1%											
W		< 1	< 1	0.0%											
Υ		4	4	0.0%											
Zn		70.3	69.1	1.7%											
Zr		11	11	0.0%											
					Fire A	ssay -	Trace A	u, ICP-0	DES fini	sh (202	052)				
		REPLIC	ATE #1						T						
Parameter	Sample ID	Original	Replicate	RPD											
Au		0.003	0.003	0.0%											



Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 13U791305 PROJECT NO: Hound Chutes Claims 5623 McADAM ROAD MISSISSAUGA, ONTARIO CANADA L4Z 1N9 TEL (905)501-9998 FAX (905)501-0589 http://www.agatlabs.com

LIENT NAM	E: ADK E	(PLORA	TION							AT	TENTION	TO: ALAN I	ON		
				Aqua l	Regia	Digest	- Meta	ls Packa	ge, ICP	-OES fir	nish (20	01073)			
		CRM #1	(CFRM-100)												
Parameter	Expect	Actual	Recovery	Limits											
Со	184	168	91%	90% - 110%											
Cu	3494	3284	94%	90% - 110%											
Ni	2985	2699	90%	90% - 110%											
					Fire /	Assay -	Trace	Au, ICP	-OES fi	nish (20	2052)				
		CRM #	#1 (GS6D)												
Parameter	Expect	Actual	Recovery	Limits			1								
Au	6.09	5.83	96%	90% - 110%											

Method Summary

CLIENT NAME: ADK EXPLORATION PROJECT NO: Hound Chutes Claims

AGAT WORK ORDER: 13U791305 ATTENTION TO: ALAN KON

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	
	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis	MMM 40000		DALANOS
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
В	MIN-200-12020		ICP/OES
Ва	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
ln .	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
_a	MIN-200-12020		ICP/OES
_i	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Vin	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
6	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr Sr	MIN-200-12020		ICP/OES
Га	MIN-200-12020		ICP/OES
Ге	MIN-200-12020		ICP/OES
Th .	MIN-200-12020		
Γi			ICP/OES
TI	MIN-200-12020		ICP/OES
	MIN-200-12020		ICP/OES
J	MIN-200-12020		ICP/OES
/	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
<u> </u>	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Žr	MIN-200-12020		ICP/OES
is-OL	MIN-200-12002/12020		ICP/OES
Ni-OL	MIN-200-12002/12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE



Method Summary

CLIENT NAME: ADK EXPLORATION PROJECT NO: Hound Chutes Claims

AGAT WORK ORDER: 13U791305 ATTENTION TO: ALAN KON

	PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au		MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: ADK EXPLORATION PO BOX 1375 HAILEYBURY, ON P0J1K0 (705) 648-9680

ATTENTION TO: ALAN KON

PROJECT NO: Hound Chutes Claims

AGAT WORK ORDER: 13T772628

SOLID ANALYSIS REVIEWED BY: Yufei Chen, Analyst

DATE REPORTED: Nov 08, 2013

PAGES (INCLUDING COVER): 5

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES	Tills			
				=

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 13T772628
PROJECT NO: Hound Chutes Claims
ATTENTION TO: ALAN KON

5623 McADAM ROAD MISSISSAUGA, ONTARIO CANADA L4Z 1N9 TEL (905)501-9998 FAX (905)501-0589 http://www.agatlabs.com

CLIENT NAME: ADK EXPLORATION

Fire Assay - Trace Au, ICP-OES finish (202052)											
DATE SAMPLED: Oct 21, 2013 DATE RECEIVED: Oct 21, 2013 DATE REPORTED: Nov 08, 2013 SAMPLE TYPE: Soil											
	Analyte:	Sample Login Weight	Au								
	Unit:	kg	ppm								
Sample ID (AGAT ID)	RDL:	0.01	0.001								
TS-13-01 (4863837)		0.29	0.026								
TS-13-02 (4863838)		0.32	0.037								
TS-13-03 (4863839)		0.27	0.087								
TS-13-04 (4863840)		0.42	< 0.001								
TS-13-05 (4863841)		0.28	0.001								
BM4 (4863842)		0.34	< 0.001								

Comments: RDL - Reported Detection Limit

Certified By:

Page 2 of !



Quality Assurance - Replicate AGAT WORK ORDER: 13T772628 PROJECT NO: Hound Chutes Claims 5623 McADAM ROAD MISSISSAUGA, ONTARIO CANADA L4Z 1N9 TEL (905)501-9998 FAX (905)501-0589 http://www.agatlabs.com

CLIENT NAME: ADK EXPLORATION

ATTENTION TO: ALAN KON

					Fire A	ssay - 1	race A	u, ICP-C	ES finis	sh (2020	052)				
	REPLICATE #1														
Parameter	Sample ID	Original	Replicate	RPD											
Au	4863837	0.026	0.003												



Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 13T772628 PROJECT NO: Hound Chutes Claims

5623 McADAM ROAD MISSISSAUGA, ONTARIO CANADA L4Z 1N9 TEL (905)501-9998 FAX (905)501-0589 http://www.agatlabs.com

LIENT NAM	E: ADK E	XPLORA1	TION							ATTE	ENTION	TO: ALAN H	ON	пцрэлч	ww.agatiabs.com
					Fire /	Assay -	- Trace	Au, ICP	-OES fini	sh (202	(052)				
	CRM #1 (1P5F)														
Parameter	Expect	Actual	Recovery	Limits											
Au	1.40	1.37	98%	90% - 110%											

AGAT QUALITY ASSURANCE REPORT

Page 4 of 5



Method Summary

CLIENT NAME: ADK EXPLORATION PROJECT NO: Hound Chutes Claims

AGAT WORK ORDER: 13T772628 ATTENTION TO: ALAN KON

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

Appendix II









