Canadian Arrow Mines Limited
Unit 8 – 233 Brady Street East
Sudbury, Ontario CANADA P3B 4H5
tel: 705-673-8259 fax:705-673-5450
website: www.canadianarrowmines.ca
email: info@canadianarrowmines.ca

Assessment Report on the Canadian Arrow Mines Ltd. Kenbridge Property 2007-2008 Drill Program

Atikwa Lake Area, Ontario

Kenora Mining Division, Ontario

N.T.S. 052F05NE

R. Kim Tyler P.Geo

Sudbury, Ontario
December 20, 2011

SUMMARY

Between April 13, 2007 and February 28, 2008 Canadian Arrow Mines Limited (CAML) completed a diamond drill program of 30,316 metres from 165 holes. In addition, assaying and metallurgical work derived from the samples collected was performed, and a technical report was produced on the Kenbridge Deposit. Additional work included stripping, bedrock diamond saw sampling and geological mapping. The work was designed evaluate the resource potential, gather core samples for metallurgical testwork, gain geotechnical information and expand on the geometrical shape and size of the previously known mineralization. The diamond drilling and assaying is presented in this report for assessment requirements.

Continued exploration on the Property to expand mineral resources is recommended. Emphasis should be placed on the plunge extensions of higher grade intercepts as a vector for greater success potential. Many geophysical targets remain untested and unexplored.

The subject of this report is the work completed to support the filing of assessment credits on claim numbers 4208700, 4208705, 4212129, 4212130, 4212131, 4212132, 4212133, 4213420, 4213421, 4213422, 4213423, 4214238, 4213424, 4213425, and 4213426

TABLE OF CONTENTS

SUMMARY i
INTRODUCTION 1
PROPERTY DESCRIPTION, LOCATION AND ACCESS 1
GEOLOGY 5
EXPLORATION HISTORY 6
2007-2008 DIAMOND DRILLING 7
SAMPLE COLLECTION, PREPARATION, ANALYSIS AND SECURITY 9
INTERPRETATION 10
CONCLUSION AND RECOMMENDATIONS 10
REFERENCES 12

FIGURES

Figure 1: Location of the Kenbridge and Denmark Lake Properties 2
Figure 2: Kenbridge Patents and Denmark Lake Unpatented Claims 4
Figure 3: Regional Geology 7
Figure 4: Diamond Drill Plan, Kenbridge Property 8
Figure 5: Trench Plan, Kenbridge Property 9

TABLES

Table 1: Kenbridge Property Claims 3
Table 2: Kenbridge Deposit, Resource Summary 10

APPENDICES

Appendix I: Drill Logs
Appendix II: Lab Certificates
Appendix III: Cross Sections

INTRODUCTION

Between April 13, 2007 and February 28, 2008 Canadian Arrow Mines Limited (CAML) completed a diamond drill program of 30,316 metres from 165 holes. In addition, assaying and metallurgical work derived from the samples collected was performed, and a technical report was produced on the Kenbridge Deposit. Additional work included stripping, bedrock diamond saw sampling and geological mapping. The work was designed evaluate the resource potential, gather core samples for metallurgical testwork, gain geotechnical information and expand on the geometrical shape and size of the previously known mineralization. The diamond drilling and assaying is presented in this report for assessment requirements.

Background work involved in the preparation of this report included a review and compilation of past exploration work activities by previous operators and a review of previous work completed by Falconbridge Limited and Blackstone Ventures Ltd on the Kenbridge Property.

Canadian Arrow Mines Limited personnel working on the project over the period were: Pat Pope (Senior Geologist), Bob Bailey (Prospector) Tamara Taras (Student Geologist), Peter McChesney (Senior Geologist), Jason Pattison (Student Geologist), Fred Paulus (Student Geologist), Jean Bernard (Senior Geologist) and Todd Keast (P.Geo. Manager).

PROPERTY DESCRIPTION, LOCATION AND ACCESS

The property is located approximately 30 km east of the town of Sioux Narrows Ontario (**Figure 1**).

The deposit is centred on latitude 49°29'N, longitude 93°38'W or UTM NAD 83 (Zone 15) coordinates 451500E, 5470800N. The property is situated within NTS 052F/05NE**.**

The property is located within the Kenora Mining Division, within the Atikwa Lake Area. Access is either by float plane or a 10 km long ATV trail originating from the Maybrun mine site located on the Maybrun Road.

The Kenbridge Property is characterized by abundant bedrock exposures along a large regional northeast, southwest structure. The property is situated on a topographic high between the southwest bay of Populous Lake, Betula Lake and Empire Lake. The drilling was completed on Mining patents K-6668 (G1010108), K-6634 (G1010102) and K-6672 (G1010112) (**Figure 2**).

The Property is comprised of contiguous patented and mining claims acquired by Canadian Arrow Mines under two Option Agreements [1, 2], direct purchase and staking. [1]CAML optioned the Kenbridge Property from Blackstone Ventures Inc. under the terms of an Option Agreement dated August 17, 2006. [2]Canadian Arrow also acquired the Denmark Lake group of claims contiguous with, and south of, Kenbridge under an Option Agreement dated November 6th, 2006 with Fenwick, Bjorkman and Devereaux. At the commencement of the work program the Kenbridge property consisted of 24 patented mining claims held by Kenbridge Nickel Mines Limited (KNM); 50 patented mining claims held by Blackstone Ventures Inc.; 15 unpatented mining claims held by Fenwick et al; 11 patented mining claims purchased and directly owned by CAML and five contiguous unpatented mining claims staked by CAML between April 3 and May 4, 2007. Between March 3 and April 2, 2008 an

additional six contiguous claims were staked and recorded by CAML. The claims are shown in Figure 2. All claims are contiguous.

Kenbridge Nickel Mines Limited is a 99.1% privately held company formerly by Blackstone Ventures Inc. The remaining 0.9% is held by persons deceased or unknown. Canadian Arrow Mines has subsequently acquired 100% of Blackstone's interest in KNM and the 50 patented mining claims from Blackstone Venture Inc. under an agreement dated January 27, 2011. Canadian Arrow has fulfilled its Option Agreement obligations and has also acquired 100% interest in the contiguous Denmark Lake claim group.

Figure 1: Location of the Kenbridge and Denmark Lake Properties

Table 1: Kenbridge Property Claims

Claim Number	Recording Date	Claim Due Date	Work Required	Total Reserve	Units	Area Ha
4208700	20060207	20120207	$6,400	$614	16	256
4208701	20060207	20120207	$6,000	$573	15	240
4208702	20060207	20120207	$6,000	$573	15	240
4208703	20060207	20120207	$5,600	$535	14	224
4208704	20060207	20120207	$6,000	$3,035	15	240
4208705	20060207	20120207	$4,800	$458	12	192
4208706	20060207	20120207	$4,800	$810	12	192
4208707	20060207	20120207	$4,800	$458	12	192
4208708	20060207	20120207	$4,800	$221,023	12	192
4208709	20060207	20120207	$6,400	$3,776	16	256
4212129	20060824	20120824	$4,800	$0	12	192
4212130	20060824	20120824	$6,400	$0	16	256
4212131	20060824	20120824	$4,800	$0	12	192
4212132	20060824	20120824	$4,000	$0	10	160
4212133	20060824	20120824	$6,000	$35,259	15	240
4213420	20070504	20120504	$6,000	$0	15	240
4213421	20070504	20120504	$5,200	$0	13	208
4213422	20070423	20120423	$2,400	$0	6	96
4213423	20070423	20120423	$5,200	$0	13	208
4214238	20070403	20120403	$2,400	$15,882	6	96
4219064	20080303	20120303	$6,400	$0	16	256
4219065	20080303	20120303	$6,400	$0	16	256
4219066	20080303	20120303	$6,400	$0	16	256
4219067	20080303	20120303	$4,800	$0	12	192
4219068	20080303	20120303	$4,800	$0	12	192
4228981	20080402	20120402	$706	$0	12	192
4213424	20070504	20120504	$5,600	$0	14	224
4213425	20070504	20120504	$1,600	$0	4	64
4213426	20070423	20120423	$1,200	$0	3	48



Figure 2: Kenbridge Patents and Denmark Lake Unpatented Claims

GEOLOGY

REGIONAL GEOLOGICAL SETTING

The regional geological setting surrounding the Kenbridge project is characterized a Precambrian metavolcanic sequence with coeval ultramafic-mafic intrusions and post deformation intermediate-felsic intrusions (Figure 3). The Kenbridge deposit and its host rock sequence, lies between two granitic bodies, the Flora Lake pluton to the west, and the Atikwa batholith to the east. The intervening rocks are mainly composed of a sequence of intermediate to mafic volcanic rocks intruded by gabbro and numerous dikes that coincide with a prominent northeast-trending deformation zone. The exposure of the Flora Lake pluton is roughly elliptical with a length of 5.6 km and a width of 3.2 km. The pluton is zoned from an outer rim of monzodiorite to monzonite to a core of granite (Davies, 1973) with a strong positive magnetic signature associated with the outer part. The Atikwa batholith covers an area of 2,000 square kilometres and is composed of inner and outer zones. The inner zone consists of weakly foliated quartz diorite and trondhjemite while the outer zone is a heterogeneous diorite with abundant inclusions and xenoliths of basalt and gabbro

The proximity of the granitic intrusions to Kenbridge has resulted in varying degrees of hydrothermal and contact metamorphic alteration and recrystallization of the rocks.

PROPERTY GEOLOGY

The Kenbridge nickel deposit is hosted by an oval shaped gabbroic suite and has a distinct “pipe” appearance. Interpretation of outcrop lithological information is complicated by deformation and metamorphism (regionally up to upper greenschist facies and with overprints of local contact metamorphism), and limited exposure within the project area. Extrusive and intrusive rock types are found on the property with associated nickel sulphide mineralization. The following descriptions of the geology of the Kenbridge project have been extracted from Keast and O’Flaherty (2006), who summarized previous detailed outcrop mapping and reports:

“Mafic volcanic rocks or “greenstones” are described as the oldest rocks of the project area. The volcanic rocks are predominantly andesitic to basaltic in composition and include both flow and pyroclastic units. A variety of textures and compositions were noted in the Falconbridge outcrop mapping and notes (circa 1950’s) but metamorphism and alteration combined with the lack of observed contacts resulted in poor definition of this group of rocks. A difficulty in distinguishing basalt from gabbro has been noted in some of the field reports. The volcanic sequence is intruded by gabbro, granite and quartz diorite and by the mafic-ultramafic breccias of the Kenbridge deposit.”

The Kenbridge deposit occurs within a vertically dipping, lenticular multi-phase gabbro/ gabbro breccia/gabbro-pyroxenite/pyroxenite intrusive with surface dimensions of greater than 250 metres strike length by 60 metres wide. The host volcanic rocks on the western side of the deposit are mostly composed of medium green, strongly foliated and sheared, tuffaceous units with fragments defined by a lensoid banding of matrix carbonate. Volcanic rocks on the eastern side of the deposit are characterized by larger fragments and less foliation. Contacts between the mineralized gabbro and the enveloping volcanic rocks are marked by a variable thickness of talc schist (1-30 m).

This mineralization has been investigated with drilling to a depth of 823 metres. Mineralization (pyrrhotite, pentlandite, chalcopyrite ± pyrite) is found as massive to net-textured and disseminated sulphide zones, primarily in pyroxenite and pyroxenite-gabbro phases with lesser amounts in gabbro and talc schist. Nickel grades within the deposit are proportional to the total amount of sulphide with massive sulphide zones locally grading in excess of 7% Ni. Mineralization undergoes rapid changes in thickness and grades. At least three sub-parallel mineralized zones were intersected in the current drilling and range in thickness from 2.6 metres to 17.1 metres.

Besides Kenbridge the Atikwa belt has 25 known nickel-copper occurrences in gabbro-pyroxenite intrusives within the 220 km corridor surrounding the Atikwa Batholith (Figure 3). According to Keast and O'Flaherty (2006) there is potential to discover additional similar deposits along strike and/or at depth along the structural corridor which hosts the Kenbridge deposit.

EXPLORATION HISTORY

The discovery and early exploration history of Kenbridge during the period 1936 to 1958 includes various activities ranging from geological mapping to geophysics to drilling to underground development. Core drilling totalling 34,547 metres was completed within the project area during this period. The majority of the diamond drilling, and all underground development and exploration was completed between 1937 and 1957 by Coniagas, Inco and Falconbridge.

The exploration history of the Kenbridge deposit spans the period from 1936 to 1958 and ranges from reconnaissance geological mapping to underground development. Core drilling totalling 43,440 meters was completed within the project area, primarily focused on the Kenbridge deposit between 1937 and 1957 by three different companies (Lee, 1988). A summary of the drilling campaigns follows below. A brief re-evaluation of the data and regional potential took place during 1980's including the release of an Ontario Geological Survey (OGS) sponsored GEOTEM survey (OGS, 1987).

The exploration history of the Kenbridge deposit follows.

In 1936, F. McCallum staked the gossan zone west of Kathleen Lake.

Coniagas Mines Limited optioned the property in 1937 and completed trenching and drilling of 35 surface holes in the same year. Twenty-three holes were drilled over the original showing along a 274 metre strike length, 7 holes were drilled over the northern drift covered extension and 4 holes were drilled elsewhere on the prospect. The location of the 35th hole is unknown. Mineralization was intersected in 13 holes. Coniagas incorporated a company, Kenora Nickel Mines Limited that controlled the property until 1948, when International Nickel Company of Canada (INCO) secured an option on the property.

INCO optioned the property in 1948, staked an additional 34 surrounding claims, completed surface magnetic surveys and 3,658 metres of diamond drilling designed to intersect the mineralized zones at depths of 152 metres and 305 metres. INCO subsequently discontinued the option.

In 1952 Falconbridge optioned the property and staked an additional 90 claims. An extensive work program was carried out including geological and magnetic surveys, and drilling. Kenbridge Nickel Mines Ltd. was formed in 1955 and initiated underground development including a 2,042 ft (622m) shaft with stations at150 ft intervals and two levels developed at

350 ft and 500 ft depths. Underground development ended in 1957 and emphasis shifted to regional work. The Falconbridge campaign ended in 1958. A brief gold exploration program was implemented in 1984 utilizing grid mapping and soil geochemistry but did not yield encouraging results. Reconnaissance mapping and prospecting following the 1987 OGS sponsored GEOTEM survey was completed in 1988 again without encouraging results. In the late 1980's, Falconbridge contracted Lakefield Research to tear down the head frame and cap and fence the shaft collar. A basic environmental clean up was also completed and no significant hazards were reported.

In 2005, Blackstone completed a surface geophysics program on a portion of the property and completed 21 drill holes on the Kenbridge deposit, totalling 4,118 metres.



Figure 3: Regional Geology

2007-2008 DIAMOND DRILLING

During the reporting period one hundred and fifty-seven diamond drillholes totalling 26,846.5m were drilled between April 13, 2007 and December 10, 2007 and eight diamond drillholes totalling 3,469.8m were drilled between January 9, 2008 and January 26, 2008. A total of 10,704 split core samples were taken and sent for assay. Work was based from the Canadian Arrow Kenbridge camp located on Populous Lake. Dill logs, assay certificates, sections are included in Appendix I, Appendix II and Appendix III respectively. The locations of the drill holes are included in **Figure 4**.



Figure 4: Diamond Drill Plan, Kenbridge Property

SURFACE TRENCHING, MAPPING AND SAMPLING

Detailed surface mapping (Figure 6.4) and extensive surface channel sampling were also undertaken on a significant portion (767.5 metres) of the Kenbridge surface outcrop. A total of 622 channel samples from 44 diamond saw channels were collected from stripped and trenched Kenbridge Deposit bedrock exposure. (**Figure 5).**



Figure 5: Trench Plan, Kenbridge Property

SAMPLE COLLECTION, PREPARATION, ANALYSIS AND SECURITY

Selective sampling was carried out where sulphides occurred intermittently. Where the mineralization was more widespread, the entire alteration zone was sampled through. Sampling was done on nominal 1m intervals unless sulphide mineralization was intermittent or of short duration. Narrow intervals of massive or semi-massive sulphide mineralization were sampled to appropriately lesser intervals. Bracket or infill samples that appeared to have little potential had a maximum sample length of 1.5 m.

The drill core was regularly picked up at the drill site at the end of each shift by Canadian Arrow Mines Limited employees and delivered directly to the company core shack and office on the Kenbridge mine site. The core was then logged and samples were marked up by the project geologist. The marked core was then split in half with a hydraulic core splitter by a core technician. Half of the core for each sample was then placed in sample bags with the accompanying sample tags. The remaining half of the sample tag was then stapled into the core box at the end of the sample interval. The core samples were then placed into rice bags, sealed and driven directly by Canadian Arrow Mines Limited employees to either ALS Chemex Laboratories located in Vancouver, B.C. or Accurassay Laboratories of Thunder Bay, Ontario for sample preparation.

Final analyses were performed by ALS Chemex Laboratories in Vancouver, BC and Accurassay Laboratories of Thunder Bay, Ontario. Samples analyzed for base metals (nickel, copper, and cobalt) are digested with a four acid digestion technique with an ICP-AES finish. Precious metals, (platinum, palladium and gold), are fire assayed with an ICP-AES finish. The remaining core boxes were then tagged and cross-piled. Any stored samples were kept within locked premises. All assay certificates are given in Appendix II.

During the logging and sampling process, both standards and blanks were inserted in the sample sequence in every batch of 20 samples, as part of a QA/QC program. Any samples outside of the accepted range were rerun.

INTERPRETATION

Nickel and copper sulphide mineralization is dominantly hosted within what appears to be late-phase pyroxenite injection within an earlier, larger gabbro/gabbro breccia intrusion pipe. The sulphide mineralization is inverted wedge shaped flaring near surface. More widely dispersed lower grade disseminated sulphide haloes about semi-massive and massive sulphide lenses occur at the widest portion near surface indicating amenability for open pit extraction. The disseminated sulphide mineralization resolves into narrower but higher grade semi-massive to massive sulphide lenses towards depth and appears amenable to underground exploitation. The mineralized lenses display an average 50 degree northerly plunge. Mineralization remains open up and down plunge of mineralized lenses in both north and south strike directions.

CONCLUSION AND RECOMMENDATIONS

The work completed in the program was used to complete an independent NI 43-101 Technical Report dated February 2008. An updated resource estimate to the report dated August 2008 highlighted a resource estimate as follows:

Table 2: Kenbridge Deposit, Resource Summary

	Resource Category	Tonnes	Ni (%)	Cu (%)	Co (%)	Contained Ni (t)
Open pit	Measured	3,340,000	0.43	0.23	0.01	14,360
Open pit	Indicated	1,124,000	0.38	0.23	0.01	4,270
Open pit	**Meas. & Ind.**	**4,464,000**	**0.42**	**0.23**	**0.01**	**18,631**
Underground	Measured	206,000	0.85	0.43	0.02	1,748
Underground	Indicated	2,469,000	0.97	0.51	0.02	23,943
Underground	**Meas. & Ind.**	**2,675,000**	**0.96**	**0.50**	**0.02**	**25,691**

Underground	Inferred	118,000	1.38	0.88	0.00	1,634
Total	Measured	3,546,000	0.45	0.24	0.015	16,108
Total	Indicated	3,593,000	0.79	0.42	0.018	28,214
Total	**Meas. & Ind.**	**7,139,000**	**0.62**	**0.33**	**0.016**	**44,322**
Total	Inferred	118,000	1.38	0.88	0.003	1,634

(1) Mineral resources which are not mineral reserves do not have demonstrated economic viability. The estimate of mineral resources may be materially affected by environmental, permitting, legal, title, socio-political, marketing, or other relevant issues.
(2) The quantity and grade of reported inferred resources in this estimation are uncertain in nature and there has been insufficient exploration to define these inferred resources as an indicated or measured mineral resource and it is uncertain if further exploration will result in upgrading them to an indicated or measured mineral resource category.
(3) The mineral resources in this report were estimated using the Canadian Institute of Mining, Metallurgy and Petroleum (CIM), CIM Standards on Mineral Resources and Reserves, Definitions and Guidelines prepared by the CIM Standing Committee on Reserve Definitions and adopted by CIM Council December 11, 2005.

Continued exploration on the Property to expand mineral resources is recommended. Emphasis should be placed on the plunge extensions of higher grade intercepts as a vector for greater success potential. Many geophysical targets remain untested and unexplored.

Besides Kenbridge, the Atikwa corridor has 25 known nickel-copper occurrences in gabbro-pyroxenite intrusives within the 220 km volcanic belt surrounding the Atikwa batholith. There are numerous strong opportunities for satellite deposits with similar grade and tenor as Kenbridge that may prove economic with further exploration. Geophysical anomalies along strike of Kenbridge identified in the 2007 VTEM airborne geophysical survey remain neither tested nor field-truthed.

REFERENCES

Blackburn, C.E. 1981. Geology of the Boyer lake-Meggisi Lake Area, OGS Report 202.

Blackburn, C.E. 1979. Ontario Geological Survey Map 2443, Kenora-Fort-Frances Geological Compilation Series.

Blackburn, C.E. Hinz, P, Storey C.C, Koloski. L, Ravanas C. 1999. Report of Activities 1998, Resident Geologist Program Ontario Geological Survey Open File report 5987, 88p.

Buck, M. K., Cole G., Gowans, R. M. 2008. Technical Report On A Preliminary Assessment Study for the Kenbridge Deposit, Kenora, Ontario, Canada

C. C. Huston & Associated. H. Brown IP Survey (52F05NE0047)

E. Krisko. Operator Model XRT - Serial No. 13113 .Diamond Drilling Cores, June 1955 (52F05NE0039)

Green Bay Mining & Exploration Company, group of 69 claims on Caviar Lake, (52F05NE 8181).

Green Bay Mg. & Expl., Diamond Drilling Area of Atikwa Lake. (52F05NE0018, 52F05NE0038)

Keast, T. O'Flaherty, K. F. 2006. Technical Report on the Kenbridge Project, Kenora, Ontario. Prepared for Canadian Arrow Mines Limited

O.G.S, Map 2273 Atikwa Lake Kenora District. Scale 1:31,680

O.G.S. P.R. 1952-4, Preliminary Report on Copper, Nickel, Lead, and Zinc Deposits of Ontario(Second Edition, May, 1952) by Jas. E. Thomson and Resident Geologists.

O.G.S. Geology Atikwa Lake Area. District of Kenora. By J. C. Davies, Geological Report No 111, 1973.

Ontario Geological Survey. Preliminary Map R2097. Kenora Data Series. Atikwa Lake Area. District of Kenora Mc Tavish March 30, 1980

Ontario Geological Survey MAP P.3594, Precambrian Geology Kakagi–Rowan Lales AREA. Scale 1:50 000. NTS Reference: 52 E/1, 8, F/3, 4, 5, 6 and 12

The International Canada, Mining and Smelting Division Mr. J.F. McFarland. May 27, 1952, (52F05NE0058).

APPENDIX I

DRILL LOGS

DETAILED LOG

Hole Number: KB-08-196

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -65.00
Project Number:	19900	North: 5481364.00			North: 5481364.00		Collar Az: 302.10
Location:	Surface	East: 454088.00			East: 454088.00		Length: 449.00 (m)
		Elev: 385.00			Elev: 385.00		Start Depth: 0.00 (m)
Date Started:	Jan 10, 2008	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 449.00 (m)
Date Completed:	Jan 19, 2008	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	pm	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	357.00	395.00	38.00	0.5416	0.3517	0.0163
WEIGHTED	361.80	363.60	1.80	1.0024	0.3182	0.0184
WEIGHTED	371.50	376.70	5.20	1.2712	0.5496	0.0383
WEIGHTED	371.50	395.00	23.50	0.7242	0.4757	0.0191
WEIGHTED	380.70	386.70	6.00	1.0316	0.4973	0.0210

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	302.10	-65.00	EZ	DO		50.00	307.40	-64.80	EZ	OK	
101.00	309.70	-64.50	EZ	OK		149.00	307.80	-63.10	EZ	OK	
200.00	306.20	-61.50	EZ	OK		251.00	307.00	-59.10	EZ	OK	
302.00	308.60	-58.40	EZ	OK		350.00	309.90	-57.30	EZ	OK	
401.00	311.10	-56.80	EZ	OK		446.00	312.30	-56.00	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	20.00	MV, Mafic Volcanic							
20.00	24.00	MD, Mafic Dike							
24.00	27.00	MV, Mafic Volcanic							
27.00	29.50	MD, Mafic Dike							
29.50	72.00	MV, Mafic Volcanic							
72.00	74.00	MD, Mafic Dike							
74.00	75.00	MV, Mafic Volcanic							
75.00	77.50	MD, Mafic Dike							
77.50	97.00	MV, Mafic Volcanic							
97.00	99.50	MD, Mafic Dike							
99.50	109.00	MV, Mafic Volcanic							

Hole Number: KB-08-196 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
109.00	110.00	MD, Mafic Dike							
110.00	126.00	MV, Mafic Volcanic							
126.00	127.50	MD, Mafic Dike							
127.50	148.00	MV, Mafic Volcanic							
148.00	156.00	MD, Mafic Dike							
156.00	179.00	MV, Mafic Volcanic							
179.00	181.00	MD, Mafic Dike							
181.00	200.50	MV, Mafic Volcanic							
200.50	202.00	MD, Mafic Dike							
202.00	217.00	MV, Mafic Volcanic							
217.00	218.50	MD, Mafic Dike							
218.50	226.50	MV, Mafic Volcanic							
226.50	231.00	MD, Mafic Dike							
231.00	259.50	MV, Mafic Volcanic							
259.50	263.00	MD, Mafic Dike							
263.00	274.00	MV, Mafic Volcanic							
274.00	275.50	MD, Mafic Dike							
275.50	291.00	MV, Mafic Volcanic							
291.00	296.00	FD, Felsic Dike							
296.00	306.00	MV, Mafic Volcanic							
306.00	307.50	MDCHL, Mafic Dike Chloritic							
307.50	345.00	MV, Mafic Volcanic	E829296	343.00	344.00	1.00	0.0424	0.0409	0.0059
			E829297	344.00	345.00	1.00	0.0173	0.0016	0.0045
345.00	345.60	TSCH, Talc Schist Mineralization 345.00 - 345.60 Structure 345.00 - 345.60 : FOL Foliated, 60 Deg to CA 345.00 - 345.60 : UC Upper Contact, 60 Deg to CA	E829298	345.00	345.60	0.60	0.0382	0.0082	0.0056
345.60	346.60	MD, Mafic Dike Structure 345.60 - 346.60 : UC Upper Contact, 50 Deg to CA	E829299	345.60	346.60	1.00	0.0062	0.0031	0.0027
346.60	350.80	TSCH, Talc Schist Mineralization 346.60 - 350.80 Structure 346.60 - 350.80 : FOL Foliated, 40 Deg to CA 346.60 - 350.80 : UC Upper Contact, 45 Deg to CA	E829300	346.60	347.80	1.20	0.0395	0.0795	0.0077
			E829301	347.80	349.00	1.20	0.0272	0.0196	0.0046
			E829302	349.00	350.00	1.00	0.0186	0.0059	0.0046
			E829303	350.00	350.80	0.80	0.0335	0.0277	0.0047

Hole Number: KB-08-196 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
350.80	360.10	PYXT, Pyroxenite Mineralization 350.80 - 356.80 356.80 - 360.10 Structure 350.80 - 360.10 : FOL Foliated, 45 Deg to CA 350.80 - 360.10 : UC Upper Contact, 40 Deg to CA	E829304	350.80	352.00	1.20	0.0239	0.0207	0.0046
			E829305	352.00	353.00	1.00	0.0244	0.0148	0.0044
			E829306	353.00	354.00	1.00	0.0463	0.0959	0.0052
			E829307	354.00	355.00	1.00	0.0381	0.0830	0.0055
			E829308	355.00	356.00	1.00	0.1255	0.2561	0.0067
			E829309	356.00	357.00	1.00	0.1444	0.2524	0.0077
			E829310	357.00	358.00	1.00	0.6859	0.7977	0.0190
			E829311	358.00	359.00	1.00	0.3142	0.4012	0.0089
			E829312	359.00	360.10	1.10	0.2520	0.1195	0.0085
360.10	361.80	MV, Mafic Volcanic Structure 360.10 - 361.80 : UC Upper Contact, 40 Deg to CA	E829313	360.10	361.00	0.90	0.0155	0.0155	0.0058
			E829314	361.00	361.80	0.80	0.0141	0.0110	0.0056
361.80	367.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 361.80 - 362.50 362.50 - 363.10 363.10 - 363.70 363.70 - 364.30 364.30 - 367.30 Structure 361.80 - 367.30 : UC Upper Contact, 65 Deg to CA	E829315	361.80	362.80	1.00	1.0351	0.1278	0.0162
			E829316	362.80	363.60	0.80	0.9615	0.5562	0.0212
			E829317	363.60	364.40	0.80	0.2645	0.1848	0.0549
			E829318	364.40	365.40	1.00	0.0849	0.0382	0.0130
			E829319	365.40	366.40	1.00	0.0174	0.0151	0.0066
			E829320	366.40	367.30	0.90	0.0158	0.0154	0.0067
367.30	371.90	PYXT, Pyroxenite Mineralization 367.30 - 371.60 371.60 - 371.90 Structure 367.30 - 371.90 : FOL Foliated, 40 Deg to CA 367.30 - 371.90 : UC Upper Contact, 70 Deg to CA	E829321	367.30	368.30	1.00	0.0218	0.0103	0.0051
			E829322	368.30	369.30	1.00	0.0051	0.0041	0.0028
			E829323	369.30	370.40	1.10	0.0072	0.0061	0.0029
			E829324	370.40	371.50	1.10	0.0838	0.0197	0.0067
			E829325	371.50	372.50	1.00	1.3759	0.3141	0.0272
371.90	372.10	MD, Mafic Dike Structure 371.90 - 372.10 : UC Upper Contact, 50 Deg to CA							
372.10	375.10	PYXT, Pyroxenite Mineralization 372.10 - 372.40 372.40 - 373.20 373.20 - 374.60 374.60 - 375.10 Structure 372.10 - 375.10 : UC Upper Contact, 45 Deg to CA	E829327	372.50	373.80	1.30	1.1305	0.4162	0.0332
			E829328	373.80	375.10	1.30	0.8079	0.3450	0.0256

Hole Number: KB-08-196 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
375.10	375.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 375.10 - 375.70 Structure 375.10 - 375.70 : UC Upper Contact, 40 Deg to CA	E829329	375.10	375.70	0.60	1.5091	0.4083	0.0543
375.70	376.70	PYXT, Pyroxenite Mineralization 375.70 - 376.70 Structure 375.70 - 376.70 : UC Upper Contact, 45 Deg to CA	E829330	375.70	376.70	1.00	1.8090	1.3091	0.0626
376.70	377.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 376.70 - 377.40 Structure 376.70 - 377.40 : UC Upper Contact, 70 Deg to CA	E829332	376.70	377.40	0.70	0.0640	0.0288	0.0047
377.40	380.70	PYXT, Pyroxenite Mineralization 377.40 - 378.30 378.30 - 380.70 Structure 377.40 - 380.70 : UC Upper Contact, 50 Deg to CA	E829333	377.40	378.30	0.90	0.1344	0.0236	0.0046
			E829334	378.30	379.50	1.20	0.0193	0.0303	0.0046
			E829335	379.50	380.70	1.20	0.0143	0.0109	0.0040
380.70	382.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 380.70 - 382.10 Structure 380.70 - 382.10 : FOL Foliated, 50 Deg to CA 380.70 - 382.10 : UC Upper Contact, 55 Deg to CA	E829336	380.70	382.10	1.40	0.5296	0.1953	0.0118
382.10	382.90	MD, Mafic Dike Structure 382.10 - 382.90 : UC Upper Contact, 40 Deg to CA	E829337	382.10	382.90	0.80	0.6681	0.2400	0.0147
382.90	383.90	PYXT, Pyroxenite Mineralization 382.90 - 383.90 Structure 382.90 - 383.90 : FOL Foliated, 40 Deg to CA 382.90 - 383.90 : UC Upper Contact, 20 Deg to CA	E829338	382.90	383.90	1.00	1.2830	0.3478	0.0231

Hole Number: KB-08-196 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
383.90	385.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 383.90 - 385.10 Structure 383.90 - 385.10 : FOL Foliated, 35 Deg to CA 383.90 - 385.10 : UC Upper Contact, 35 Deg to CA	E829339	383.90	385.10	1.20	0.6414	0.3902	0.0136
385.10	386.70	PYXT, Pyroxenite Mineralization 385.10 - 386.70 Structure 385.10 - 386.70 : FOL Foliated, 40 Deg to CA 385.10 - 386.70 : UC Upper Contact, 40 Deg to CA	E829340	385.10	385.90	0.80	2.5952	1.3396	0.0391
			E829342	385.90	386.70	0.80	0.9813	0.7886	0.0335
386.70	387.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 386.70 - 387.40 Structure 386.70 - 387.40 : UC Upper Contact, 40 Deg to CA	E829343	386.70	387.40	0.70	0.2974	0.5542	0.0134
387.40	392.90	PYXT, Pyroxenite Mineralization 387.40 - 389.80 389.80 - 390.00 390.00 - 391.20 391.20 - 392.90 Structure 387.40 - 392.90 : FOL Foliated, 40 Deg to CA 387.40 - 392.90 : UC Upper Contact, 45 Deg to CA	E829344	387.40	388.80	1.40	0.3637	0.5435	0.0078
			E829345	388.80	390.00	1.20	0.7650	0.9480	0.0201
			E829346	390.00	391.00	1.00	0.7631	0.7238	0.0163
			E829347	391.00	392.00	1.00	0.5317	0.7252	0.0137
			E829348	392.00	392.90	0.90	0.5340	0.9674	0.0155
392.90	393.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 392.90 - 393.70 Structure 392.90 - 393.70 : UC Upper Contact, 35 Deg to CA	E829349	392.90	393.70	0.80	0.1204	0.1520	0.0046

Hole Number: KB-08-196

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
393.70	412.80	PYXT, Pyroxenite Mineralization 393.70 - 398.00 398.00 - 403.00 403.00 - 403.30 403.30 - 412.80 Structure 393.70 - 412.80 : FOL Foliated, 35 Deg to CA 393.70 - 412.80 : UC Upper Contact, 30 Deg to CA	E829350	393.70	395.00	1.30	0.3882	0.3992	0.0119
			E829351	395.00	396.50	1.50	0.1696	0.3064	0.0097
			E829352	396.50	398.00	1.50	0.0949	0.1484	0.0068
			E829353	398.00	399.50	1.50	0.0303	0.0141	0.0041
			E829354	399.50	401.00	1.50	0.0238	0.0128	0.0044
			E829355	401.00	402.00	1.00	0.0302	0.0128	0.0039
			E829356	402.00	403.00	1.00	0.0208	0.0045	0.0038
			E829357	403.00	404.00	1.00	0.0753	0.0995	0.0072
			E829358	404.00	405.00	1.00	0.0226	0.0074	0.0041
			E829359	405.00	406.00	1.00	0.0234	0.0058	0.0037
			E829360	406.00	407.00	1.00	0.0562	0.1391	0.0046
412.80	414.00	TSCH, Talc Schist Mineralization 412.80 - 414.00 Structure 412.80 - 414.00 : FOL Foliated, 40 Deg to CA 412.80 - 414.00 GRAD							
414.00	415.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 414.00 - 415.30 Structure 414.00 - 415.30 : UC Upper Contact, 45 Deg to CA							
415.30	416.50	TSCH, Talc Schist Mineralization 415.30 - 416.50 Structure 415.30 - 416.50 : FOL Foliated, 45 Deg to CA 415.30 - 416.50 : UC Upper Contact, 45 Deg to CA							
416.50	419.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 416.50 - 419.30 Structure 416.50 - 419.30 : FOL Foliated, 45 Deg to CA 416.50 - 419.30 : UC Upper Contact, 45 Deg to CA							
419.30	422.00	TSCH, Talc Schist Mineralization 419.30 - 422.00 Structure 419.30 - 422.00 : FOL Foliated, 45 Deg to CA 419.30 - 422.00 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-08-196

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
422.00	445.80	MV, Mafic Volcanic Structure 422.00 - 445.80 : UC Upper Contact, 50 Deg to CA							
445.80	449.00	MD, Mafic Dike Structure 445.80 - 449.00 : UC Upper Contact, 40 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829296	343.00	344.00	0.0424	0.0409	0.0059
E829297	344.00	345.00	0.0173	0.0016	0.0045
E829298	345.00	345.60	0.0382	0.0082	0.0056
E829299	345.60	346.60	0.0062	0.0031	0.0027
E829300	346.60	347.80	0.0395	0.0795	0.0077
E829301	347.80	349.00	0.0272	0.0196	0.0046
E829302	349.00	350.00	0.0186	0.0059	0.0046
E829303	350.00	350.80	0.0335	0.0277	0.0047
E829304	350.80	352.00	0.0239	0.0207	0.0046
E829305	352.00	353.00	0.0244	0.0148	0.0044
E829306	353.00	354.00	0.0463	0.0959	0.0052
E829307	354.00	355.00	0.0381	0.0830	0.0055
E829308	355.00	356.00	0.1255	0.2561	0.0067
E829309	356.00	357.00	0.1444	0.2524	0.0077
E829310	357.00	358.00	0.6859	0.7977	0.0190
E829311	358.00	359.00	0.3142	0.4012	0.0089
E829312	359.00	360.10	0.2520	0.1195	0.0085
E829313	360.10	361.00	0.0155	0.0155	0.0058
E829314	361.00	361.80	0.0141	0.0110	0.0056
E829315	361.80	362.80	1.0351	0.1278	0.0162
E829316	362.80	363.60	0.9615	0.5562	0.0212
E829317	363.60	364.40	0.2645	0.1848	0.0549
E829318	364.40	365.40	0.0849	0.0382	0.0130
E829319	365.40	366.40	0.0174	0.0151	0.0066
E829320	366.40	367.30	0.0158	0.0154	0.0067
E829321	367.30	368.30	0.0218	0.0103	0.0051
E829322	368.30	369.30	0.0051	0.0041	0.0028
E829323	369.30	370.40	0.0072	0.0061	0.0029

Hole Number: KB-08-196

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829324	370.40	371.50	0.0838	0.0197	0.0067
E829325	371.50	372.50	1.3759	0.3141	0.0272
E829327	372.50	373.80	1.1305	0.4162	0.0332
E829328	373.80	375.10	0.8079	0.3450	0.0256
E829329	375.10	375.70	1.5091	0.4083	0.0543
E829330	375.70	376.70	1.8090	1.3091	0.0626
E829332	376.70	377.40	0.0640	0.0288	0.0047
E829333	377.40	378.30	0.1344	0.0236	0.0046
E829334	378.30	379.50	0.0193	0.0303	0.0046
E829335	379.50	380.70	0.0143	0.0109	0.0040
E829336	380.70	382.10	0.5296	0.1953	0.0118
E829337	382.10	382.90	0.6681	0.2400	0.0147
E829338	382.90	383.90	1.2830	0.3478	0.0231
E829339	383.90	385.10	0.6414	0.3902	0.0136
E829340	385.10	385.90	2.5952	1.3396	0.0391
E829342	385.90	386.70	0.9813	0.7886	0.0335
E829343	386.70	387.40	0.2974	0.5542	0.0134
E829344	387.40	388.80	0.3637	0.5435	0.0078
E829345	388.80	390.00	0.7650	0.9480	0.0201
E829346	390.00	391.00	0.7631	0.7238	0.0163
E829347	391.00	392.00	0.5317	0.7252	0.0137
E829348	392.00	392.90	0.5340	0.9674	0.0155
E829349	392.90	393.70	0.1204	0.1520	0.0046
E829350	393.70	395.00	0.3882	0.3992	0.0119
E829351	395.00	396.50	0.1696	0.3064	0.0097
E829352	396.50	398.00	0.0949	0.1484	0.0068
E829353	398.00	399.50	0.0303	0.0141	0.0041
E829354	399.50	401.00	0.0238	0.0128	0.0044
E829355	401.00	402.00	0.0302	0.0128	0.0039
E829356	402.00	403.00	0.0208	0.0045	0.0038
E829357	403.00	404.00	0.0753	0.0995	0.0072
E829358	404.00	405.00	0.0226	0.0074	0.0041
E829359	405.00	406.00	0.0234	0.0058	0.0037
E829360	406.00	407.00	0.0562	0.1391	0.0046

DETAILED LOG

Hole Number: KB-08-195

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid:	UTM:		Destination Coordinates	Grid:	UTM:	
Project Number:	19900	North:	5481364.00			North:	5481364.00		
Location:	Surface	East:	454088.00			East:	454088.00		
		Elev:	385.00			Elev:	385.00		
Date Started:	Jan 03, 2008	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling		
Date Completed:	Jan 10, 2008	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pm	Pulse EM Survey:	N	Casing:	Left in Hole				

Collar Dip:	-54.50
Collar Az:	303.70
Length:	380.00 (m)
Start Depth:	0.00 (m)
Final Depth:	380.00 (m)

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	303.60	309.70	6.10	1.0591	0.5510	0.0354
WEIGHTED	320.20	332.30	12.10	0.3259	0.1530	0.0108
WEIGHTED	329.00	332.30	3.30	0.5012	0.3208	0.0118
WEIGHTED	342.00	344.00	2.00	0.6240	0.7929	0.0158

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	303.70	-54.50	EZ	DO		50.00	307.60	-54.40	EZ	OK	
101.00	309.00	-53.70	EZ	OK		152.00	308.20	-52.70	EZ	OK	
200.00	308.60	-52.20	EZ	OK		251.00	309.60	-51.00	EZ	OK	
302.00	309.20	-50.70	EZ	OK		350.00	308.80	-48.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.50	CAS, Casing							
2.50	7.00	MV, Mafic Volcanic Structure 2.50 - 7.00							
7.00	15.20	MD, Mafic Dike							
15.20	40.00	MV, Mafic Volcanic Structure 15.20 - 40.00							
40.00	50.20	MD, Mafic Dike							
50.20	86.00	MV, Mafic Volcanic Structure 50.20 - 86.00							
86.00	96.00	FD, Felsic Dike							

Hole Number: KB-08-195 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
96.00	120.00	MV, Mafic Volcanic Structure 96.00 - 120.00							
120.00	125.00	FD, Felsic Dike							
125.00	140.00	MV, Mafic Volcanic Structure 125.00 - 140.00							
140.00	180.00	MV, Mafic Volcanic Structure 140.00 - 180.00							
180.00	188.00	MV, Mafic Volcanic Structure 180.00 - 188.00							
188.00	203.00	MV, Mafic Volcanic Structure 188.00 - 203.00							
203.00	211.00	MD, Mafic Dike							
211.00	267.00	MV, Mafic Volcanic Structure 211.00 - 267.00							
267.00	271.50	MD, Mafic Dike							
271.50	299.50	MV, Mafic Volcanic	E829234	296.00	297.00	1.00	0.0239	0.0240	0.0049
			E829235	297.00	298.00	1.00	0.0127	0.0090	0.0026
			E829236	298.00	299.50	1.50	0.0134	0.0050	0.0032
299.50	303.60	TSCH, Talc Schist Mineralization 299.50 - 303.60 Structure 299.50 - 303.60 : FOL Foliated, 55 Deg to CA 299.50 - 303.60 : UC Upper Contact, 50 Deg to CA	E829237	299.50	300.50	1.00	0.0184	0.0047	0.0033
			E829238	300.50	301.50	1.00	0.0549	0.0642	0.0060
			E829239	301.50	302.50	1.00	0.0178	0.0101	0.0039
			E829240	302.50	303.60	1.10	0.0124	0.0068	0.0037
303.60	308.40	PYXT, Pyroxenite Mineralization 303.60 - 305.50 305.50 - 307.40 307.40 - 308.40 Structure 303.60 - 308.40 : UC Upper Contact, 50 Deg to CA	E829241	303.60	304.50	0.90	2.0400	0.3491	0.0529
			E829243	304.50	305.50	1.00	0.8287	0.7916	0.0448
			E829244	305.50	306.40	0.90	0.1229	0.1772	0.0108
			E829245	306.40	307.30	0.90	0.0175	0.0081	0.0059
			E829246	307.30	308.40	1.10	2.9375	1.6073	0.0828
308.40	312.60	MV, Mafic Volcanic Mineralization 308.40 - 312.60	E829248	308.40	309.70	1.30	0.3370	0.2468	0.0135
			E829249	309.70	311.10	1.40	0.0289	0.0045	0.0051
			E829250	311.10	312.60	1.50	0.1047	0.1019	0.0064

Hole Number: KB-08-195 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
312.60	318.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 312.60 - 318.70 Structure 312.60 - 318.70 : FOL Foliated, 60 Deg to CA 312.60 - 318.70 : UC Upper Contact, 45 Deg to CA UC along QV	E829251	312.60	313.40	0.80	0.1976	0.2643	0.0088
			E829252	313.40	314.20	0.80	0.0398	0.0091	0.0063
			E829253	314.20	315.00	0.80	0.1402	0.0465	0.0094
			E829254	315.00	316.00	1.00	0.0291	0.0197	0.0051
			E829255	316.00	317.00	1.00	0.0312	0.0120	0.0048
			E829256	317.00	318.00	1.00	0.1574	0.1294	0.0054
			E829257	318.00	318.70	0.70	0.0386	0.0431	0.0051
318.70	320.20	MD, Mafic Dike	E829258	318.70	320.20	1.50	0.0072	0.0068	0.0027
320.20	325.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 320.20 - 325.40 Structure 320.20 - 325.40 : UC Upper Contact, 60 Deg to CA	E829259	320.20	321.00	0.80	0.4757	0.1280	0.0127
			E829260	321.00	322.00	1.00	0.2117	0.0614	0.0093
			E829261	322.00	323.00	1.00	0.3432	0.1434	0.0106
			E829262	323.00	324.00	1.00	0.3053	0.1092	0.0099
			E829263	324.00	325.00	1.00	0.1481	0.0609	0.0084
			E829264	325.00	326.00	1.00	0.2958	0.0948	0.0094
325.40	325.90	MD, Mafic Dike							
325.90	330.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 325.90 - 330.60 Structure 325.90 - 330.60 : UC Upper Contact, 60 Deg to CA	E829265	326.00	327.00	1.00	0.3802	0.1492	0.0193
			E829266	327.00	328.00	1.00	0.2035	0.0622	0.0088
			E829267	328.00	329.00	1.00	0.0209	0.0095	0.0054
			E829268	329.00	329.80	0.80	0.6390	0.3476	0.0132
			E829269	329.80	330.60	0.80	0.5266	0.1182	0.0123
330.60	333.30	PYXT, Pyroxenite Mineralization 330.60 - 333.30 Structure 330.60 - 333.30 Gradational	E829270	330.60	331.40	0.80	0.4493	0.2504	0.0108
			E829271	331.40	332.30	0.90	0.4024	0.5396	0.0110
			E829272	332.30	333.30	1.00	0.1892	0.4014	0.0004
333.30	333.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 333.30 - 333.90 Structure 333.30 - 333.90 : UC Upper Contact, 60 Deg to CA	E829273	333.30	333.90	0.60	0.0863	0.0791	0.0084

Hole Number: KB-08-195 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
333.90	345.70	PYXT, Pyroxenite Mineralization 333.90 - 345.70 Structure 333.90 - 345.70 : FOL Foliated, 60 Deg to CA 333.90 - 345.70 : UC Upper Contact, 55 Deg to CA	E829274	333.90	335.00	1.10	0.1319	0.2391	0.0082
			E829275	335.00	336.00	1.00	0.1131	0.2413	0.0095
			E829276	336.00	337.00	1.00	0.0815	0.1760	0.0060
			E829277	337.00	338.00	1.00	0.1111	0.2203	0.0074
			E829278	338.00	339.00	1.00	0.0231	0.0113	0.0040
			E829279	339.00	340.00	1.00	0.0264	0.0319	0.0048
			E829280	340.00	341.00	1.00	0.0671	0.1228	0.0062
			E829281	341.00	342.00	1.00	0.0168	0.0149	0.0034
			E829282	342.00	343.00	1.00	0.7146	0.8589	0.0192
			E829283	343.00	344.00	1.00	0.3936	0.7268	0.0123
			E829284	344.00	344.90	0.90	0.1187	0.2712	0.0049
			E829285	344.90	345.70	0.80	0.0357	0.0039	0.0051
345.70	346.70	MDCHL, Mafic Dike Chloritic Structure 345.70 - 346.70 : UC Upper Contact, 50 Deg to CA	E829286	345.70	346.70	1.00	0.0116	0.0058	0.0037
346.70	350.10	PYXT, Pyroxenite Mineralization 346.70 - 350.10 Structure 346.70 - 350.10 : UC Upper Contact, 45 Deg to CA	E829287	346.70	348.00	1.30	0.0507	0.0304	0.0053
			E829288	348.00	349.00	1.00	0.2428	0.2975	0.0079
			E829289	349.00	350.10	1.10	0.0774	0.0641	0.0057
350.10	350.80	TSCH, Talc Schist Mineralization 350.10 - 350.80 Structure 350.10 - 350.80 : FOL Foliated, 65 Deg to CA 350.10 - 350.80 : UC Upper Contact, 65 Deg to CA	E829290	350.10	350.80	0.70	0.0899	0.2595	0.0049
350.80	352.70	MDCHL, Mafic Dike Chloritic Structure 350.80 - 352.70 : UC Upper Contact, 60 Deg to CA	E829291	350.80	351.70	0.90	0.0099	0.0187	0.0029
			E829292	351.70	352.70	1.00	0.0037	0.0040	0.0024
352.70	353.50	TSCH, Talc Schist Mineralization 352.70 - 353.50 Structure 352.70 - 353.50 : FOL Foliated, 60 Deg to CA 352.70 - 353.50 : UC Upper Contact, 70 Deg to CA	E829293	352.70	353.50	0.80	0.2203	0.2097	0.0081
353.50	359.30	MV, Mafic Volcanic Structure 353.50 - 359.30 : UC Upper Contact, 50 Deg to CA	E829294	353.50	354.80	1.30	0.0648	0.1734	0.0064
			E829295	354.80	356.00	1.20	0.0119	0.0126	0.0051
359.30	361.00	FD, Felsic Dike Structure 359.30 - 361.00 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-08-195 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
361.00	380.00	MV, Mafic Volcanic Structure 361.00 - 380.00 : UC Upper Contact, 40 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829234	296.00	297.00	0.0239	0.0240	0.0049
E829235	297.00	298.00	0.0127	0.0090	0.0026
E829236	298.00	299.50	0.0134	0.0050	0.0032
E829237	299.50	300.50	0.0184	0.0047	0.0033
E829238	300.50	301.50	0.0549	0.0642	0.0060
E829239	301.50	302.50	0.0178	0.0101	0.0039
E829240	302.50	303.60	0.0124	0.0068	0.0037
E829241	303.60	304.50	2.0400	0.3491	0.0529
E829243	304.50	305.50	0.8287	0.7916	0.0448
E829244	305.50	306.40	0.1229	0.1772	0.0108
E829245	306.40	307.30	0.0175	0.0081	0.0059
E829246	307.30	308.40	2.9375	1.6073	0.0828
E829248	308.40	309.70	0.3370	0.2468	0.0135
E829249	309.70	311.10	0.0289	0.0045	0.0051
E829250	311.10	312.60	0.1047	0.1019	0.0064
E829251	312.60	313.40	0.1976	0.2643	0.0088
E829252	313.40	314.20	0.0398	0.0091	0.0063
E829253	314.20	315.00	0.1402	0.0465	0.0094
E829254	315.00	316.00	0.0291	0.0197	0.0051
E829255	316.00	317.00	0.0312	0.0120	0.0048
E829256	317.00	318.00	0.1574	0.1294	0.0054
E829257	318.00	318.70	0.0386	0.0431	0.0051
E829258	318.70	320.20	0.0072	0.0068	0.0027
E829259	320.20	321.00	0.4757	0.1280	0.0127
E829260	321.00	322.00	0.2117	0.0614	0.0093
E829261	322.00	323.00	0.3432	0.1434	0.0106
E829262	323.00	324.00	0.3053	0.1092	0.0099
E829263	324.00	325.00	0.1481	0.0609	0.0084
E829264	325.00	326.00	0.2958	0.0948	0.0094
E829265	326.00	327.00	0.3802	0.1492	0.0193
E829266	327.00	328.00	0.2035	0.0622	0.0088

Hole Number: KB-08-195 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829267	328.00	329.00	0.0209	0.0095	0.0054
E829268	329.00	329.80	0.6390	0.3476	0.0132
E829269	329.80	330.60	0.5266	0.1182	0.0123
E829270	330.60	331.40	0.4493	0.2504	0.0108
E829271	331.40	332.30	0.4024	0.5396	0.0110
E829272	332.30	333.30	0.1892	0.4014	0.0004
E829273	333.30	333.90	0.0863	0.0791	0.0084
E829274	333.90	335.00	0.1319	0.2391	0.0082
E829275	335.00	336.00	0.1131	0.2413	0.0095
E829276	336.00	337.00	0.0815	0.1760	0.0060
E829277	337.00	338.00	0.1111	0.2203	0.0074
E829278	338.00	339.00	0.0231	0.0113	0.0040
E829279	339.00	340.00	0.0264	0.0319	0.0048
E829280	340.00	341.00	0.0671	0.1228	0.0062
E829281	341.00	342.00	0.0168	0.0149	0.0034
E829282	342.00	343.00	0.7146	0.8589	0.0192
E829283	343.00	344.00	0.3936	0.7268	0.0123
E829284	344.00	344.90	0.1187	0.2712	0.0049
E829285	344.90	345.70	0.0357	0.0039	0.0051
E829286	345.70	346.70	0.0116	0.0058	0.0037
E829287	346.70	348.00	0.0507	0.0304	0.0053
E829288	348.00	349.00	0.2428	0.2975	0.0079
E829289	349.00	350.10	0.0774	0.0641	0.0057
E829290	350.10	350.80	0.0899	0.2595	0.0049
E829291	350.80	351.70	0.0099	0.0187	0.0029
E829292	351.70	352.70	0.0037	0.0040	0.0024
E829293	352.70	353.50	0.2203	0.2097	0.0081
E829294	353.50	354.80	0.0648	0.1734	0.0064
E829295	354.80	356.00	0.0119	0.0126	0.0051

DETAILED LOG

Hole Number: KB-08-189

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.30
Project Number:	19900	North:	5481541.00		North:	5481541.00	Collar Az: 309.70
Location:	Surface	East:	454119.00		East:	454119.00	Length: 264.00 (m)
		Elev:	393.00		Elev:	393.00	Start Depth: 0.00 (m)
Date Started:	Feb 07, 2008	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 264.00 (m)
Date Completed:	Feb 10, 2008	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
15.00	309.70	-45.30	EZ	OK		51.00	308.70	-44.80	EZ	OK	
102.00	309.20	-43.30	EZ	OK		153.00	308.20	-42.20	EZ	OK	
252.00	309.90	-40.80	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	10.10	MV, Mafic Volcanic Mineralization 1.50 - 10.10 Structure 1.50 - 10.10 : MODFOL Moderately Foliated, 45 Deg to CA							
10.10	16.50	MDCHL, Mafic Dike Chloritic Mineralization 10.10 - 16.50 Structure 10.10 - 16.50 : MODFOL Moderately Foliated, 50 Deg to CA 10.10 - 16.50 : UC Upper Contact, 50 Deg to CA							
16.50	51.80	MV, Mafic Volcanic Mineralization 16.50 - 51.80 Structure 16.50 - 51.80 : MODFOL Moderately Foliated, 45 Deg to CA 16.50 - 51.80 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-08-189 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
51.80	53.60	MDCHL, Mafic Dike Chloritic Mineralization 51.80 - 53.60 Structure 51.80 - 53.60 : MODFOL Moderately Foliated, 40 Deg to CA 51.80 - 53.60 : UC Upper Contact, 30 Deg to CA							
53.60	54.80	MV, Mafic Volcanic Mineralization 53.60 - 54.80 Structure 53.60 - 54.80 : MODFOL Moderately Foliated, 50 Deg to CA 53.60 - 54.80 : UC Upper Contact, 45 Deg to CA							
54.80	57.10	MDCHL, Mafic Dike Chloritic Mineralization 54.80 - 57.10 Structure 54.80 - 57.10 : MODFOL Moderately Foliated, 50 Deg to CA 54.80 - 57.10 : UC Upper Contact, 50 Deg to CA							
57.10	61.00	MV, Mafic Volcanic Mineralization 57.10 - 61.00 Structure 57.10 - 61.00 : MODFOL Moderately Foliated, 50 Deg to CA 57.10 - 61.00 : UC Upper Contact, 35 Deg to CA							
61.00	66.00	MDCHL, Mafic Dike Chloritic Mineralization 61.00 - 66.00 Structure 61.00 - 66.00 : MODFOL Moderately Foliated, 45 Deg to CA							
66.00	138.00	MV, Mafic Volcanic Mineralization 66.00 - 138.00 Structure 66.00 - 138.00 : MODFOL Moderately Foliated, 50 Deg to CA 66.00 - 138.00 irreg							

Hole Number: KB-08-189

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
138.00	144.20	FD, Felsic Dike Mineralization 138.00 - 144.20 Structure 138.00 - 144.20 : MODFOL Moderately Foliated, 50 Deg to CA 138.00 - 144.20 : UC Upper Contact, 50 Deg to CA							
144.20	149.50	MV, Mafic Volcanic Mineralization 144.20 - 149.50 Structure 144.20 - 149.50							
149.50	150.50	FD, Felsic Dike Mineralization 149.50 - 150.50 Structure 149.50 - 150.50							
150.50	185.00	MV, Mafic Volcanic Mineralization 150.50 - 185.00 Structure 150.50 - 185.00 : MODFOL Moderately Foliated, 45 Deg to CA 150.50 - 185.00 : UC Upper Contact, 45 Deg to CA							
185.00	186.40	FD, Felsic Dike Mineralization 185.00 - 186.40 Structure 185.00 - 186.40 : MODFOL Moderately Foliated, 45 Deg to CA 185.00 - 186.40 : UC Upper Contact, 45 Deg to CA							
186.40	195.10	MV, Mafic Volcanic Mineralization 186.40 - 195.10 Structure 186.40 - 195.10 : MODFOL Moderately Foliated, 45 Deg to CA 186.40 - 195.10 : UC Upper Contact, 45 Deg to CA	E829601	189.00	190.00	1.00	0.0114	0.0115	0.0066
			E829602	190.00	191.00	1.00	0.0239	0.0227	0.0064
			E829603	191.00	192.00	1.00	0.0231	0.0081	0.0060
			E829604	192.00	193.00	1.00	0.0118	0.0133	0.0044
			E829605	193.00	194.00	1.00	0.0459	0.0167	0.0075
			E829606	194.00	195.00	1.00	0.0296	0.0169	0.0055
			E829608	195.00	196.00	1.00	0.0304	0.0188	0.0053
195.10	198.60	PYXT, Pyroxenite Mineralization 195.10 - 198.60 Structure 195.10 - 198.60 : MODFOL Moderately Foliated, 45 Deg to CA 195.10 - 198.60 : UC Upper Contact, 45 Deg to CA	E829609	196.00	197.00	1.00	0.0241	0.0146	0.0045
			E829610	197.00	198.00	1.00	0.0275	0.0148	0.0053
			E829611	198.00	198.60	0.60	0.0437	0.0305	0.0065

Hole Number: KB-08-189 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
198.60	202.10	MV, Mafic Volcanic Mineralization 198.60 - 202.10 Structure 198.60 - 202.10 : MODFOL Moderately Foliated, 45 Deg to CA 198.60 - 202.10 : UC Upper Contact, 40 Deg to CA
202.10	203.60	PYXT, Pyroxenite Mineralization 202.10 - 203.60 Structure 202.10 - 203.60 : MODFOL Moderately Foliated, 45 Deg to CA
203.60	262.00	MV, Mafic Volcanic Mineralization 203.60 - 262.00 Structure 203.60 - 262.00 : MODFOL Moderately Foliated, 45 Deg to CA
262.00	263.00	MDCHL, Mafic Dike Chloritic Mineralization 262.00 - 263.00 Structure 262.00 - 263.00 : MODFOL Moderately Foliated, 45 Deg to CA 262.00 - 263.00 : UC Upper Contact, 45 Deg to CA
263.00	264.00	MV, Mafic Volcanic Mineralization 263.00 - 264.00 Structure 263.00 - 264.00 : MODFOL Moderately Foliated, 45 Deg to CA 263.00 - 264.00 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E829612	198.60	200.00	1.40	0.0693	0.0279	0.0069
E829613	200.00	201.00	1.00	0.0214	0.0147	0.0056
E829614	201.00	202.10	1.10	0.0115	0.0175	0.0041
E829615	202.10	203.60	1.50	0.0244	0.0138	0.0053
E829617	203.60	205.00	1.40	0.0120	0.0137	0.0041
E829618	205.00	206.00	1.00	0.0081	0.0091	0.0047
E829619	206.00	207.00	1.00	0.0213	0.0141	0.0064

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829601	189.00	190.00	0.0114	0.0115	0.0066
E829602	190.00	191.00	0.0239	0.0227	0.0064
E829603	191.00	192.00	0.0231	0.0081	0.0060
E829604	192.00	193.00	0.0118	0.0133	0.0044
E829605	193.00	194.00	0.0459	0.0167	0.0075
E829606	194.00	195.00	0.0296	0.0169	0.0055
E829608	195.00	196.00	0.0304	0.0188	0.0053
E829609	196.00	197.00	0.0241	0.0146	0.0045

Hole Number: KB-08-189

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829610	197.00	198.00	0.0275	0.0148	0.0053
E829611	198.00	198.60	0.0437	0.0305	0.0065
E829612	198.60	200.00	0.0693	0.0279	0.0069
E829613	200.00	201.00	0.0214	0.0147	0.0056
E829614	201.00	202.10	0.0115	0.0175	0.0041
E829615	202.10	203.60	0.0244	0.0138	0.0053
E829617	203.60	205.00	0.0120	0.0137	0.0041
E829618	205.00	206.00	0.0081	0.0091	0.0047
E829619	206.00	207.00	0.0213	0.0141	0.0064

DETAILED LOG

Hole Number: KB-08-188 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -56.50
Project Number:	19900	North: 5481541.00			North: 5481541.00		Collar Az: 305.80
Location:	Surface	East: 454119.00			East: 454119.00		Length: 281.00 (m)
		Elev: 393.00			Elev: 393.00		Start Depth: 0.00 (m)
Date Started:	Feb 03, 2008	Collar Survey: N	Plugged: N		Contractor: Morris Drilling		Final Depth: 281.00 (m)
Date Completed:	Feb 06, 2008	Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	pm	Pulse EM Survey: N	Casing: Left in Hole				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	305.80	-56.50	EZ	OK		50.00	305.90	-55.10	EZ	OK	
104.00	304.60	-49.60	EZ	OK		152.00	307.10	-43.70	EZ	OK	
206.00	290.10	-41.80	EZ	DO		251.00	307.70	-41.10	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.50	CAS, Casing							
4.50	10.50	MV, Mafic Volcanic							
10.50	17.00	MDCHL, Mafic Dike Chloritic Structure 10.50 - 17.00 : UC Upper Contact, 40 Deg to CA							
17.00	43.00	MV, Mafic Volcanic Structure 17.00 - 43.00 17.00 - 43.00 : UC Upper Contact, 45 Deg to CA							
43.00	45.00	FD, Felsic Dike Structure 43.00 - 45.00 : UC Upper Contact, 40 Deg to CA							
45.00	56.00	MV, Mafic Volcanic Structure 45.00 - 56.00 45.00 - 56.00 : UC Upper Contact, 40 Deg to CA							
56.00	57.50	MDCHL, Mafic Dike Chloritic Structure 56.00 - 57.50 : UC Upper Contact, 45 Deg to CA							
57.50	67.00	MV, Mafic Volcanic Structure 57.50 - 67.00 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-08-188 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
67.00	68.20	MDCHL, Mafic Dike Chloritic Structure 67.00 - 68.20 : UC Upper Contact, 40 Deg to CA							
68.20	75.50	MV, Mafic Volcanic Structure 68.20 - 75.50 : UC Upper Contact, 45 Deg to CA							
75.50	80.00	MDCHL, Mafic Dike Chloritic Structure 75.50 - 80.00 : UC Upper Contact, 40 Deg to CA							
80.00	81.60	FD, Felsic Dike Structure 80.00 - 81.60 : UC Upper Contact, 45 Deg to CA							
81.60	82.90	MV, Mafic Volcanic Structure 81.60 - 82.90 : UC Upper Contact, 25 Deg to CA							
82.90	85.70	FD, Felsic Dike Structure 82.90 - 85.70 : UC Upper Contact, 50 Deg to CA							
85.70	87.50	MV, Mafic Volcanic Structure 85.70 - 87.50 : UC Upper Contact, 55 Deg to CA							
87.50	88.70	MD, Mafic Dike Structure 87.50 - 88.70 : UC Upper Contact, 45 Deg to CA							
88.70	90.50	MV, Mafic Volcanic Structure 88.70 - 90.50 : UC Upper Contact, 35 Deg to CA							
90.50	92.50	MD, Mafic Dike Structure 90.50 - 92.50 : UC Upper Contact, 40 Deg to CA							
92.50	102.50	MV, Mafic Volcanic Structure 92.50 - 102.50 : UC Upper Contact, 60 Deg to CA							
102.50	106.00	FD, Felsic Dike Structure 102.50 - 106.00 : UC Upper Contact, 45 Deg to CA							
106.00	108.20	MV, Mafic Volcanic Structure 106.00 - 108.20 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-08-188 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
108.20	109.50	MDCHL, Mafic Dike Chloritic Structure 108.20 - 109.50 : UC Upper Contact, 45 Deg to CA							
109.50	143.30	MV, Mafic Volcanic Structure 109.50 - 143.30 : UC Upper Contact, 45 Deg to CA							
143.30	148.90	MD, Mafic Dike Structure 143.30 - 148.90 : UC Upper Contact, 35 Deg to CA							
148.90	165.00	MV, Mafic Volcanic Structure 148.90 - 165.00 : UC Upper Contact, 45 Deg to CA							
165.00	167.50	MD, Mafic Dike Structure 165.00 - 167.50 : UC Upper Contact, 50 Deg to CA							
167.50	189.70	MV, Mafic Volcanic Structure 167.50 - 189.70 : UC Upper Contact, 45 Deg to CA							
189.70	192.70	FD, Felsic Dike Structure 189.70 - 192.70 : UC Upper Contact, 40 Deg to CA							
192.70	199.50	MV, Mafic Volcanic Structure 192.70 - 199.50 : UC Upper Contact, 50 Deg to CA							
199.50	200.20	MDCHL, Mafic Dike Chloritic Structure 199.50 - 200.20 : FOL Foliated, 60 Deg to CA 199.50 - 200.20 : UC Upper Contact, 55 Deg to CA							
200.20	204.20	MV, Mafic Volcanic Structure 200.20 - 204.20 : UC Upper Contact, 50 Deg to CA	E584090	203.00	204.20	1.20	0.0084	0.0157	0.0050
204.20	205.40	MDCHL, Mafic Dike Chloritic Structure 204.20 - 205.40 : UC Upper Contact, 60 Deg to CA	E584091	204.20	205.40	1.20	0.0050	0.0075	0.0032
205.40	207.60	MV, Mafic Volcanic Structure 205.40 - 207.60 : UC Upper Contact, 50 Deg to CA	E584092	205.40	206.50	1.10	0.0076	0.0120	0.0045
			E584093	206.50	207.60	1.10	0.0087	0.0125	0.0053
207.60	208.30	MDCHL, Mafic Dike Chloritic Structure 207.60 - 208.30 : UC Upper Contact, 45 Deg to CA	E584094	207.60	208.30	0.70	0.0034	0.0038	0.0021

Hole Number: KB-08-188 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
208.30	210.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 208.30 - 210.10 Structure 208.30 - 210.10 : UC Upper Contact, 30 Deg to CA	E584095	208.30	209.20	0.90	0.0082	0.0096	0.0047
			E584096	209.20	210.10	0.90	0.0088	0.0150	0.0048
210.10	211.40	MV, Mafic Volcanic Structure 210.10 - 211.40 : UC Upper Contact, 40 Deg to CA	E584097	210.10	211.40	1.30	0.0133	0.0145	0.0054
211.40	218.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 211.40 - 218.00 Structure 211.40 - 218.00 : FOL Foliated, 60 Deg to CA 211.40 - 218.00 : UC Upper Contact, 80 Deg to CA	E584098	211.40	212.70	1.30	0.0192	0.0192	0.0044
			E584099	212.70	214.00	1.30	0.0336	0.0282	0.0049
			E584151	214.00	215.00	1.00	0.0480	0.0337	0.0051
			E584152	215.00	216.00	1.00	0.0345	0.0265	0.0057
			E584153	216.00	217.00	1.00	0.0233	0.0194	0.0053
			E584154	217.00	218.00	1.00	0.0314	0.0231	0.0059
218.00	220.80	PYXT, Pyroxenite Mineralization 218.00 - 220.80 Structure 218.00 - 220.80 : FOL Foliated, 45 Deg to CA 218.00 - 220.80 : UC Upper Contact, 45 Deg to CA	E584155	218.00	219.00	1.00	0.0692	0.0344	0.0061
			E584156	219.00	219.90	0.90	0.2297	0.1062	0.0112
			E584157	219.90	220.80	0.90	0.1666	0.1004	0.0073
220.80	222.00	MV, Mafic Volcanic Mineralization 220.80 - 222.00 Structure 220.80 - 222.00 : FOL Foliated, 60 Deg to CA 220.80 - 222.00 : UC Upper Contact, 70 Deg to CA	E584159	220.80	222.00	1.20	0.0095	0.0060	0.0050
222.00	225.00	TSCH, Talc Schist Mineralization 222.00 - 225.00 Structure 222.00 - 225.00 : FOL Foliated, 50 Deg to CA 222.00 - 225.00 : UC Upper Contact, 50 Deg to CA	E584160	222.00	223.00	1.00	0.0058	0.0108	0.0038
			E584161	223.00	224.00	1.00	0.0030	0.0124	0.0031
			E584162	224.00	225.00	1.00	0.0073	0.0187	0.0045
225.00	225.90	MV, Mafic Volcanic Structure 225.00 - 225.90 : UC Upper Contact, 60 Deg to CA	E584163	225.00	225.90	0.90	0.0080	0.0095	0.0051
225.90	226.50	FD, Felsic Dike Structure 225.90 - 226.50 : UC Upper Contact, 80 Deg to CA	E584164	225.90	226.50	0.60	0.0053	0.0211	0.0037
226.50	234.70	MV, Mafic Volcanic Structure 226.50 - 234.70 : UC Upper Contact, 45 Deg to CA	E584165	226.50	227.30	0.80	0.0067	0.0064	0.0043
			E584166	227.30	228.00	0.70	0.0071	0.0059	0.0038

Hole Number: KB-08-188 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
234.70	235.40	MD, Mafic Dike Structure 234.70 - 235.40 : UC Upper Contact, 60 Deg to CA							
235.40	245.50	MV, Mafic Volcanic Structure 235.40 - 245.50 : UC Upper Contact, 60 Deg to CA							
245.50	246.40	MD, Mafic Dike Structure 245.50 - 246.40 : UC Upper Contact, 50 Deg to CA							
246.40	247.30	MV, Mafic Volcanic Structure 246.40 - 247.30 : UC Upper Contact, 45 Deg to CA							
247.30	249.10	MD, Mafic Dike Structure 247.30 - 249.10 : UC Upper Contact, 25 Deg to CA							
249.10	250.50	MV, Mafic Volcanic Structure 249.10 - 250.50 : UC Upper Contact, 45 Deg to CA							
250.50	251.10	FD, Felsic Dike Structure 250.50 - 251.10 : UC Upper Contact, 60 Deg to CA							
251.10	253.10	MV, Mafic Volcanic Structure 251.10 - 253.10 : UC Upper Contact, 70 Deg to CA	E584167	252.00	253.10	1.10	0.0115	0.0042	0.0059
253.10	254.00	MD, Mafic Dike Mineralization 253.10 - 254.00 Structure 253.10 - 254.00 : UC Upper Contact, 60 Deg to CA	E584168	253.10	254.00	0.90	0.0024	0.0049	0.0030
254.00	257.30	MV, Mafic Volcanic Mineralization 254.00 - 257.30 Structure 254.00 - 257.30 : UC Upper Contact, 65 Deg to CA	E584169	254.00	255.00	1.00	0.0086	0.0177	0.0065
			E584170	255.00	256.00	1.00	0.0079	0.0127	0.0064
			E584171	256.00	257.00	1.00	0.0070	0.0078	0.0044
			E584172	257.00	258.00	1.00	0.0063	0.0089	0.0039
257.30	257.80	MD, Mafic Dike Structure 257.30 - 257.80 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-08-188 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
257.80	281.00	MV, Mafic Volcanic Mineralization 261.50 - 262.70 Structure 257.80 - 281.00 : UC Upper Contact, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E584173	258.00	259.00	1.00	0.0073	0.0111	0.0048
E584174	259.00	260.00	1.00	0.0075	0.0130	0.0050
E584175	260.00	261.00	1.00	0.0080	0.0127	0.0048
E584176	261.00	262.00	1.00	0.0082	0.0100	0.0047
E584178	262.00	263.00	1.00	0.0075	0.0189	0.0045
E584179	263.00	264.00	1.00	0.0073	0.0116	0.0047

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E584090	203.00	204.20	0.0084	0.0157	0.0050
E584091	204.20	205.40	0.0050	0.0075	0.0032
E584092	205.40	206.50	0.0076	0.0120	0.0045
E584093	206.50	207.60	0.0087	0.0125	0.0053
E584094	207.60	208.30	0.0034	0.0038	0.0021
E584095	208.30	209.20	0.0082	0.0096	0.0047
E584096	209.20	210.10	0.0088	0.0150	0.0048
E584097	210.10	211.40	0.0133	0.0145	0.0054
E584098	211.40	212.70	0.0192	0.0192	0.0044
E584099	212.70	214.00	0.0336	0.0282	0.0049
E584151	214.00	215.00	0.0480	0.0337	0.0051
E584152	215.00	216.00	0.0345	0.0265	0.0057
E584153	216.00	217.00	0.0233	0.0194	0.0053
E584154	217.00	218.00	0.0314	0.0231	0.0059
E584155	218.00	219.00	0.0692	0.0344	0.0061
E584156	219.00	219.90	0.2297	0.1062	0.0112
E584157	219.90	220.80	0.1666	0.1004	0.0073
E584159	220.80	222.00	0.0095	0.0060	0.0050
E584160	222.00	223.00	0.0058	0.0108	0.0038
E584161	223.00	224.00	0.0030	0.0124	0.0031
E584162	224.00	225.00	0.0073	0.0187	0.0045
E584163	225.00	225.90	0.0080	0.0095	0.0051
E584164	225.90	226.50	0.0053	0.0211	0.0037
E584165	226.50	227.30	0.0067	0.0064	0.0043
E584166	227.30	228.00	0.0071	0.0059	0.0038
E584167	252.00	253.10	0.0115	0.0042	0.0059
E584168	253.10	254.00	0.0024	0.0049	0.0030
E584169	254.00	255.00	0.0086	0.0177	0.0065

Hole Number: KB-08-188

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E584170	255.00	256.00	0.0079	0.0127	0.0064
E584171	256.00	257.00	0.0070	0.0078	0.0044
E584172	257.00	258.00	0.0063	0.0089	0.0039
E584173	258.00	259.00	0.0073	0.0111	0.0048
E584174	259.00	260.00	0.0075	0.0130	0.0050
E584175	260.00	261.00	0.0080	0.0127	0.0048
E584176	261.00	262.00	0.0082	0.0100	0.0047
E584178	262.00	263.00	0.0075	0.0189	0.0045
E584179	263.00	264.00	0.0073	0.0116	0.0047

DETAILED LOG

Hole Number: KB-08-187

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -51.80
Project Number:	19900	North: 5481510.00			North: 5481510.00		Collar Az: 309.60
Location:	Surface	East: 454154.00			East: 454154.00		Length: 401.00 (m)
		Elev: 377.00			Elev: 377.00		Start Depth: 0.00 (m)
Date Started:	Jan 27, 2008	Collar Survey: N	Plugged: N		Contractor: Morris Drilling		Final Depth: 401.00 (m)
Date Completed:	Feb 02, 2008	Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	pm	Pulse EM Survey: N	Casing: Left in Hole				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	309.60	-51.80	EZ	OK		50.00	312.20	-51.70	EZ	OK	
101.00	311.60	-50.30	EZ	OK		155.00	310.60	-47.40	EZ	OK	
251.00	312.60	-45.70	EZ	OK		302.00	314.80	-44.30	EZ	OK	
350.00	315.70	-43.10	EZ	OK		401.00	317.40	-41.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	3.00	CAS, Casing
3.00	18.80	MV, Mafic Volcanic
18.80	22.60	FD, Felsic Dike Structure 18.80 - 22.60 : UC Upper Contact, 45 Deg to CA
22.60	37.50	MV, Mafic Volcanic Structure 22.60 - 37.50 : UC Upper Contact, 45 Deg to CA
37.50	42.70	MDCHL, Mafic Dike Chloritic Structure 37.50 - 42.70 : UC Upper Contact, 40 Deg to CA
42.70	66.00	MV, Mafic Volcanic Structure 42.70 - 66.00 : UC Upper Contact, 50 Deg to CA
66.00	78.40	PYXT, Pyroxenite Mineralization 66.00 - 78.40 Structure 66.00 - 78.40 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-08-187 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
78.40	121.00	MV, Mafic Volcanic Structure 78.40 - 121.00 : UC Upper Contact, 60 Deg to CA							
121.00	122.50	MD, Mafic Dike Structure 121.00 - 122.50 : UC Upper Contact, 65 Deg to CA							
122.50	131.70	MV, Mafic Volcanic Structure 122.50 - 131.70 : UC Upper Contact, 50 Deg to CA							
131.70	133.00	MDCHL, Mafic Dike Chloritic Structure 131.70 - 133.00 : UC Upper Contact, 70 Deg to CA							
133.00	142.70	MV, Mafic Volcanic Structure 133.00 - 142.70 : UC Upper Contact, 70 Deg to CA							
142.70	151.00	MDCHL, Mafic Dike Chloritic Structure 142.70 - 151.00 : UC Upper Contact, 50 Deg to CA							
151.00	159.50	MV, Mafic Volcanic Structure 151.00 - 159.50 : UC Upper Contact, 60 Deg to CA							
159.50	161.00	MD, Mafic Dike Structure 159.50 - 161.00 : UC Upper Contact, 40 Deg to CA							
161.00	169.60	MV, Mafic Volcanic Structure 161.00 - 169.60 : UC Upper Contact, 60 Deg to CA							
169.60	173.40	MDCHL, Mafic Dike Chloritic Structure 169.60 - 173.40 : UC Upper Contact, 45 Deg to CA							
173.40	264.00	MV, Mafic Volcanic Structure 173.40 - 264.00 : UC Upper Contact, 40 Deg to CA							
264.00	265.50	MDCHL, Mafic Dike Chloritic Structure 264.00 - 265.50 : UC Upper Contact, 50 Deg to CA							
265.50	286.00	MV, Mafic Volcanic Structure 265.50 - 286.00 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-08-187 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
286.00	287.50	MDCHL, Mafic Dike Chloritic Structure 286.00 - 287.50 : UC Upper Contact, 40 Deg to CA							
287.50	300.40	MV, Mafic Volcanic Structure 287.50 - 300.40 : UC Upper Contact, 40 Deg to CA							
300.40	304.70	MD, Mafic Dike Structure 300.40 - 304.70 : UC Upper Contact, 40 Deg to CA							
304.70	310.90	MV, Mafic Volcanic Structure 304.70 - 310.90 : UC Upper Contact, 50 Deg to CA							
310.90	312.00	MD, Mafic Dike Structure 310.90 - 312.00 : UC Upper Contact, 30 Deg to CA							
312.00	333.40	MV, Mafic Volcanic Structure 312.00 - 333.40 : UC Upper Contact, 40 Deg to CA							
333.40	334.00	MDCHL, Mafic Dike Chloritic Structure 333.40 - 334.00 : UC Upper Contact, 60 Deg to CA							
334.00	336.00	FD, Felsic Dike Structure 334.00 - 336.00 : UC Upper Contact, 75 Deg to CA							
336.00	360.00	MV, Mafic Volcanic Mineralization 338.00 - 342.00 Structure 336.00 - 360.00 : UC Upper Contact, 60 Deg to CA	E584081	336.00	337.00	1.00	0.0094	0.0133	0.0056
			E584082	337.00	338.00	1.00	0.0099	0.0129	0.0058
			E584083	338.00	339.00	1.00	0.0126	0.0388	0.0058
			E584085	339.00	340.00	1.00	0.0139	0.0092	0.0061
			E584086	340.00	341.00	1.00	0.0118	0.0169	0.0046
			E584087	341.00	342.00	1.00	0.0138	0.0122	0.0062
			E584088	342.00	343.00	1.00	0.0127	0.0088	0.0049
			E584089	343.00	344.00	1.00	0.0058	0.0044	0.0030
360.00	361.00	MD, Mafic Dike Structure 360.00 - 361.00 : UC Upper Contact, 40 Deg to CA							
361.00	374.00	MV, Mafic Volcanic Structure 361.00 - 374.00 : UC Upper Contact, 50 Deg to CA							
374.00	375.00	MD, Mafic Dike Structure 374.00 - 375.00 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-08-187 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
375.00	382.00	MV, Mafic Volcanic Structure 375.00 - 382.00 : UC Upper Contact, 40 Deg to CA							
382.00	384.00	MDCHL, Mafic Dike Chloritic Structure 382.00 - 384.00 : UC Upper Contact, 40 Deg to CA							
384.00	401.00	MV, Mafic Volcanic Structure 384.00 - 401.00 : UC Upper Contact, 45 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E584081	336.00	337.00	0.0094	0.0133	0.0056
E584082	337.00	338.00	0.0099	0.0129	0.0058
E584083	338.00	339.00	0.0126	0.0388	0.0058
E584085	339.00	340.00	0.0139	0.0092	0.0061
E584086	340.00	341.00	0.0118	0.0169	0.0046
E584087	341.00	342.00	0.0138	0.0122	0.0062
E584088	342.00	343.00	0.0127	0.0088	0.0049
E584089	343.00	344.00	0.0058	0.0044	0.0030

DETAILED LOG

Hole Number: KB-08-186

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -71.70
Project Number:	19900	North:	5481453.00		North:	5481453.00	Collar Az: 303.40
Location:	Surface	East:	454126.00		East:	454126.00	Length: 413.00 (m)
		Elev:	385.00		Elev:	385.00	Start Depth: 0.00 (m)
Date Started:	Jan 19, 2008	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 413.00 (m)
Date Completed:	Jan 26, 2008	Multishot Survey:	N	Hole Size: NQ/BQ	Core Storage:	Kenbridge Minesite	
Logged By:	pm	Pulse EM Survey:	N	Casing: Left in Hole			

Comments: Hole abandoned due to talc zone

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	303.40	-71.70	EZ	DO		50.00	304.60	-71.20	EZ	DO	
101.00	308.40	-71.20	EZ	OK		152.00	308.50	-71.10	EZ	OK	
200.00	309.90	-70.50	EZ	OK		254.00	312.40	-70.30	EZ	OK	
302.00	314.90	-69.90	EZ	OK		350.00	315.20	-69.20	EZ	OK	
401.00	316.20	-65.70	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	8.00	MV, Mafic Volcanic							
8.00	12.00	MD, Mafic Dike Structure 8.00 - 12.00 : UC Upper Contact, 10 Deg to CA							
12.00	89.50	MV, Mafic Volcanic Structure 12.00 - 89.50 : UC Upper Contact, 50 Deg to CA 31.00 - 51.00							
89.50	91.00	MD, Mafic Dike Structure 89.50 - 91.00 : UC Upper Contact, 40 Deg to CA							
91.00	107.50	MV, Mafic Volcanic Structure 91.00 - 107.50 : UC Upper Contact, 40 Deg to CA							
107.50	109.00	FD, Felsic Dike Structure 107.50 - 109.00 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-08-186

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
109.00	112.80	MV, Mafic Volcanic Structure 109.00 - 112.80 : UC Upper Contact, 45 Deg to CA							
112.80	114.50	FD, Felsic Dike Structure 112.80 - 114.50 : UC Upper Contact, 60 Deg to CA							
114.50	207.50	MV, Mafic Volcanic Structure 114.50 - 207.50 : UC Upper Contact, 30 Deg to CA							
207.50	211.30	MD, Mafic Dike Structure 207.50 - 211.30 : UC Upper Contact, 30 Deg to CA							
211.30	264.20	MV, Mafic Volcanic Structure 211.30 - 264.20 : UC Upper Contact, 20 Deg to CA							
264.20	267.30	FD, Felsic Dike Structure 264.20 - 267.30 : UC Upper Contact, 40 Deg to CA							
267.30	270.50	MDCHL, Mafic Dike Chloritic Structure 267.30 - 270.50 : UC Upper Contact, 30 Deg to CA							
270.50	277.30	MV, Mafic Volcanic Structure 270.50 - 277.30 : UC Upper Contact, 40 Deg to CA							
277.30	282.50	MDCHL, Mafic Dike Chloritic Structure 277.30 - 282.50 : UC Upper Contact, 20 Deg to CA							
282.50	292.00	MV, Mafic Volcanic Structure 282.50 - 292.00 : UC Upper Contact, 30 Deg to CA							
292.00	294.50	FD, Felsic Dike Structure 292.00 - 294.50 : UC Upper Contact, 10 Deg to CA							
294.50	351.50	MV, Mafic Volcanic Structure 294.50 - 351.50 : UC Upper Contact, 35 Deg to CA							
351.50	353.50	MDCHL, Mafic Dike Chloritic Structure 351.50 - 353.50 : UC Upper Contact, 60 Deg to CA							

DETAILED LOG

Hole Number: KB-08-186

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
353.50	365.20	MV, Mafic Volcanic Structure 353.50 - 365.20 : UC Upper Contact, 45 Deg to CA							
365.20	372.80	MDCHL, Mafic Dike Chloritic Structure 365.20 - 372.80 : UC Upper Contact, 45 Deg to CA							
372.80	387.50	MV, Mafic Volcanic Structure 372.80 - 387.50 : UC Upper Contact, 40 Deg to CA							
387.50	413.00	TSCH, Talc Schist Mineralization 387.50 - 413.00 Structure 387.50 - 413.00 : UC Upper Contact, 20 Deg to CA							

DETAILED LOG

Hole Number: KB-08-185 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -64.80
Project Number:	19900	North: 5481453.00			North: 5481453.00		Collar Az: 307.70
Location:	Surface	East: 454126.00			East: 454126.00		Length: 407.00 (m)
		Elev: 385.00			Elev: 385.00		Start Depth: 0.00 (m)
Date Started:	Jan 14, 2008	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 407.00 (m)
Date Completed:	Jan 19, 2008	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	pm	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	326.30	344.10	17.80	1.2229	0.3486	0.0305
WEIGHTED	336.10	340.70	4.60	2.4554	0.4082	0.0519
WEIGHTED	359.80	363.20	3.40	0.9132	0.1939	0.0331
WEIGHTED	359.80	365.00	5.20	0.6870	0.1471	0.0257
WEIGHTED	375.60	382.60	7.00	0.3396	0.3664	0.0113

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	305.70	-64.80	EZ	OK		50.00	309.50	-64.80	EZ	DO	
101.00	306.70	-64.30	EZ	OK		152.00	306.60	-63.50	EZ	OK	
200.00	307.10	-62.60	EZ	OK		251.00	307.70	-62.00	EZ	OK	
302.00	308.10	-61.40	EZ	OK		350.00	305.00	-58.90	EZ	DO	
401.00	310.20	-58.30	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.00	CAS, Casing							
4.00	8.50	MV, Mafic Volcanic							
8.50	13.00	MD, Mafic Dike							
13.00	69.50	MV, Mafic Volcanic							
69.50	71.00	MD, Mafic Dike							
71.00	102.00	MV, Mafic Volcanic							
102.00	106.00	MD, Mafic Dike							
106.00	183.00	MV, Mafic Volcanic Mineralization 168.00 - 175.00							
183.00	185.00	MD, Mafic Dike							
185.00	187.00	MV, Mafic Volcanic							

Hole Number: KB-08-185 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
187.00	206.50	MDCHL, Mafic Dike Chloritic							
206.50	226.50	MV, Mafic Volcanic Mineralization 206.50 - 209.00							
226.50	227.00	MD, Mafic Dike							
227.00	247.00	MV, Mafic Volcanic							
247.00	248.50	MDCHL, Mafic Dike Chloritic							
248.50	295.50	MV, Mafic Volcanic							
295.50	306.00	MDCHL, Mafic Dike Chloritic							
306.00	308.50	MV, Mafic Volcanic							
308.50	315.50	MDCHL, Mafic Dike Chloritic							
315.50	324.10	MV, Mafic Volcanic Mineralization 321.70 - 322.00	E584007	319.00	320.00	1.00	0.0072	0.0076	0.0051
			E584008	320.00	321.00	1.00	0.0086	0.0110	0.0054
			E584009	321.00	322.00	1.00	0.0092	0.0162	0.0063
			E584010	322.00	323.00	1.00	0.0092	0.0134	0.0064
			E584011	323.00	324.10	1.10	0.0332	0.0442	0.0062
324.10	324.70	TSCH, Talc Schist Mineralization 324.10 - 324.30 324.30 - 324.70 Structure 324.10 - 324.70 : FOL Foliated, 70 Deg to CA 324.10 - 324.70 : UC Upper Contact, 70 Deg to CA	E584012	324.10	324.70	0.60	0.2130	0.1402	0.0070
324.70	325.40	MD, Mafic Dike Structure 324.70 - 325.40 : UC Upper Contact, 60 Deg to CA	E584013	324.70	325.40	0.70	0.0082	0.0080	0.0024
325.40	326.30	TSCH, Talc Schist Mineralization 325.40 - 326.30 Structure 325.40 - 326.30 : FOL Foliated, 60 Deg to CA 325.40 - 326.30 : UC Upper Contact, 60 Deg to CA	E584014	325.40	326.30	0.90	0.0685	0.0303	0.0064

Hole Number: KB-08-185 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
326.30	331.80	PYXT, Pyroxenite Mineralization 326.30 - 327.40 327.40 - 329.30 329.30 - 330.50 330.50 - 331.80 Structure 326.30 - 331.80 : FOL Foliated, 60 Deg to CA 326.30 - 331.80 : UC Upper Contact, 70 Deg to CA	E584015	326.30	327.40	1.10	5.0444	1.0563	0.1080
			E584018	327.40	328.40	1.00	0.8327	0.8173	0.0274
			E584019	328.40	329.30	0.90	0.3512	0.4011	0.0110
			E584020	329.30	330.50	1.20	0.0426	0.0307	0.0064
			E584021	330.50	331.80	1.30	0.9535	0.3660	0.0230
331.80	336.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 331.80 - 333.80 333.80 - 334.70 334.70 - 336.10 Structure 331.80 - 336.10 : UC Upper Contact, 60 Deg to CA	E584022	331.80	332.80	1.00	0.1365	0.0786	0.0091
			E584023	332.80	333.80	1.00	0.2991	0.2989	0.0121
			E584024	333.80	334.70	0.90	1.1024	0.2699	0.0448
			E584025	334.70	336.10	1.40	0.0347	0.0440	0.0059
336.10	337.70	PYXT, Pyroxenite Mineralization 336.10 - 337.70 Structure 336.10 - 337.70 : UC Upper Contact, 80 Deg to CA	E584026	336.10	336.90	0.80	1.4778	0.9224	0.0426
			E584027	336.90	337.70	0.80	4.9334	0.4246	0.1103
337.70	345.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 337.70 - 339.10 339.10 - 340.70 340.70 - 341.40 341.40 - 344.10 344.10 - 345.00 Structure 337.70 - 345.00 : UC Upper Contact, 45 Deg to CA	E584029	337.70	339.10	1.40	0.8679	0.0617	0.0263
			E584030	339.10	339.90	0.80	0.5706	0.0577	0.0148
			E584031	339.90	340.70	0.80	5.6180	0.8342	0.0849
			E584032	340.70	341.40	0.70	0.0258	0.0001	0.0059
			E584033	341.40	342.30	0.90	0.4530	0.6362	0.0168
			E584034	342.30	343.20	0.90	0.3103	0.1428	0.0126
			E584035	343.20	344.10	0.90	0.3364	0.1026	0.0116
			E584036	344.10	345.00	0.90	0.0152	0.0170	0.0053
345.00	345.70	MD, Mafic Dike Structure 345.00 - 345.70 : UC Upper Contact, 20 Deg to CA	E584037	345.00	345.70	0.70	0.0138	0.0107	0.0055
345.70	348.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 345.70 - 347.30 347.30 - 348.00 348.00 - 348.50 Structure 345.70 - 348.50 : UC Upper Contact, 70 Deg to CA	E584038	345.70	347.10	1.40	0.1905	0.1093	0.0081
			E584039	347.10	348.50	1.40	0.0894	0.0282	0.0065

Hole Number: KB-08-185 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
348.50	358.90	PYXT, Pyroxenite Mineralization 348.50 - 348.70 348.70 - 357.00 357.00 - 358.90 Structure 348.50 - 358.90 : UC Upper Contact, 60 Deg to CA	E584040	348.50	350.00	1.50	0.2322	0.1284	0.0088
			E584042	350.00	351.50	1.50	0.0412	0.0243	0.0042
			E584043	351.50	353.00	1.50	0.0492	0.0273	0.0050
			E584044	353.00	354.50	1.50	0.0447	0.0247	0.0055
			E584045	354.50	356.00	1.50	0.0352	0.0215	0.0044
			E584046	356.00	357.00	1.00	0.0717	0.0366	0.0058
			E584047	357.00	358.00	1.00	0.1675	0.1128	0.0116
			E584048	358.00	358.90	0.90	0.2426	0.0661	0.0121
358.90	359.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 358.90 - 359.80 Structure 358.90 - 359.80 : UC Upper Contact, 40 Deg to CA	E584049	358.90	359.80	0.90	0.0629	0.0393	0.0077
359.80	361.20	PYXT, Pyroxenite Mineralization 359.80 - 361.20 Structure 359.80 - 361.20 : UC Upper Contact, 30 Deg to CA	E584051	359.80	360.50	0.70	2.5729	0.2125	0.0613
			E584052	360.50	361.20	0.70	0.2639	0.2664	0.0341
361.20	367.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 361.20 - 362.70 362.70 - 363.10 363.10 - 363.90 363.90 - 364.70 364.70 - 367.10 367.10 - 367.50 Structure 361.20 - 367.50 : UC Upper Contact, 40 Deg to CA	E584053	361.20	362.60	1.40	0.0805	0.0153	0.0060
			E584054	362.60	363.20	0.60	1.6776	0.5044	0.0620
			E584055	363.20	364.00	0.80	0.0450	0.0074	0.0061
			E584056	364.00	365.00	1.00	0.4313	0.0997	0.0163
			E584057	365.00	366.20	1.20	0.0586	0.0384	0.0062
			E584058	366.20	367.50	1.30	0.0877	0.0508	0.0063
367.50	371.20	MDCHL, Mafic Dike Chloritic Structure 367.50 - 371.20 : UC Upper Contact, 25 Deg to CA	E584059	367.50	369.30	1.80	0.0102	0.0097	0.0034
			E584060	369.30	371.20	1.90	0.0647	0.0286	0.0047
371.20	373.30	TSCH, Talc Schist Mineralization 371.20 - 373.30 Structure 371.20 - 373.30 : FOL Foliated, 30 Deg to CA 371.20 - 373.30 : UC Upper Contact, 20 Deg to CA	E584061	371.20	372.30	1.10	0.0242	0.0059	0.0036
			E584062	372.30	373.30	1.00	0.0190	0.0025	0.0030
373.30	374.50	MD, Mafic Dike Structure 373.30 - 374.50 : UC Upper Contact, 30 Deg to CA	E584063	373.30	374.50	1.20	0.0093	0.0007	0.0037

DETAILED LOG

Hole Number: KB-08-185

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
374.50	381.50	TSCH, Talc Schist Mineralization 374.50 - 377.80 377.80 - 380.00 380.00 - 381.50 Structure 374.50 - 381.50 : FOL Foliated, 40 Deg to CA 374.50 - 381.50 : UC Upper Contact, 35 Deg to CA
381.50	382.60	PYXT, Pyroxenite Mineralization 381.50 - 382.60 Structure 381.50 - 382.60 : UC Upper Contact, 45 Deg to CA
382.60	407.00	MV, Mafic Volcanic Structure 382.60 - 407.00 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E584064	374.50	375.60	1.10	0.0456	0.0513	0.0056
E584065	375.60	376.70	1.10	0.2428	0.3941	0.0095
E584066	376.70	377.80	1.10	0.4979	0.2460	0.0133
E584067	377.80	378.90	1.10	0.0375	0.0598	0.0066
E584068	378.90	380.00	1.10	0.1028	0.1613	0.0077
E584069	380.00	380.70	0.70	0.7858	0.7145	0.0217
E584070	380.70	381.50	0.80	0.6976	0.8935	0.0167
E584071	381.50	382.60	1.10	0.2726	0.3656	0.0087
E584072	382.60	383.80	1.20	0.0151	0.0188	0.0071
E584073	383.80	385.00	1.20	0.0100	0.0149	0.0060
E584074	385.00	386.00	1.00	0.0100	0.0147	0.0065
E584075	386.00	387.00	1.00	0.0103	0.0111	0.0059
E584076	387.00	388.00	1.00	0.0130	0.0261	0.0081
E584077	388.00	389.00	1.00	0.0065	0.0075	0.0041
E584078	389.00	390.00	1.00	0.0026	0.0086	0.0039
E584079	390.00	391.00	1.00	0.0036	0.0078	0.0039
E584080	391.00	392.00	1.00	0.0082	0.0106	0.0049

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E584007	319.00	320.00	0.0072	0.0076	0.0051
E584008	320.00	321.00	0.0086	0.0110	0.0054
E584009	321.00	322.00	0.0092	0.0162	0.0063
E584010	322.00	323.00	0.0092	0.0134	0.0064
E584011	323.00	324.10	0.0332	0.0442	0.0062
E584012	324.10	324.70	0.2130	0.1402	0.0070
E584013	324.70	325.40	0.0082	0.0080	0.0024
E584014	325.40	326.30	0.0685	0.0303	0.0064
E584015	326.30	327.40	5.0444	1.0563	0.1080
E584018	327.40	328.40	0.8327	0.8173	0.0274
E584019	328.40	329.30	0.3512	0.4011	0.0110
E584020	329.30	330.50	0.0426	0.0307	0.0064
E584021	330.50	331.80	0.9535	0.3660	0.0230
E584022	331.80	332.80	0.1365	0.0786	0.0091

Hole Number: KB-08-185

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E584023	332.80	333.80	0.2991	0.2989	0.0121
E584024	333.80	334.70	1.1024	0.2699	0.0448
E584025	334.70	336.10	0.0347	0.0440	0.0059
E584026	336.10	336.90	1.4778	0.9224	0.0426
E584027	336.90	337.70	4.9334	0.4246	0.1103
E584029	337.70	339.10	0.8679	0.0617	0.0263
E584030	339.10	339.90	0.5706	0.0577	0.0148
E584031	339.90	340.70	5.6180	0.8342	0.0849
E584032	340.70	341.40	0.0258	0.0001	0.0059
E584033	341.40	342.30	0.4530	0.6362	0.0168
E584034	342.30	343.20	0.3103	0.1428	0.0126
E584035	343.20	344.10	0.3364	0.1026	0.0116
E584036	344.10	345.00	0.0152	0.0170	0.0053
E584037	345.00	345.70	0.0138	0.0107	0.0055
E584038	345.70	347.10	0.1905	0.1093	0.0081
E584039	347.10	348.50	0.0894	0.0282	0.0065
E584040	348.50	350.00	0.2322	0.1284	0.0088
E584042	350.00	351.50	0.0412	0.0243	0.0042
E584043	351.50	353.00	0.0492	0.0273	0.0050
E584044	353.00	354.50	0.0447	0.0247	0.0055
E584045	354.50	356.00	0.0352	0.0215	0.0044
E584046	356.00	357.00	0.0717	0.0366	0.0058
E584047	357.00	358.00	0.1675	0.1128	0.0116
E584048	358.00	358.90	0.2426	0.0661	0.0121
E584049	358.90	359.80	0.0629	0.0393	0.0077
E584051	359.80	360.50	2.5729	0.2125	0.0613
E584052	360.50	361.20	0.2639	0.2664	0.0341
E584053	361.20	362.60	0.0805	0.0153	0.0060
E584054	362.60	363.20	1.6776	0.5044	0.0620
E584055	363.20	364.00	0.0450	0.0074	0.0061
E584056	364.00	365.00	0.4313	0.0997	0.0163
E584057	365.00	366.20	0.0586	0.0384	0.0062
E584058	366.20	367.50	0.0877	0.0508	0.0063
E584059	367.50	369.30	0.0102	0.0097	0.0034
E584060	369.30	371.20	0.0647	0.0286	0.0047
E584061	371.20	372.30	0.0242	0.0059	0.0036
E584062	372.30	373.30	0.0190	0.0025	0.0030

Hole Number: KB-08-185

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E584063	373.30	374.50	0.0093	0.0007	0.0037
E584064	374.50	375.60	0.0456	0.0513	0.0056
E584065	375.60	376.70	0.2428	0.3941	0.0095
E584066	376.70	377.80	0.4979	0.2460	0.0133
E584067	377.80	378.90	0.0375	0.0598	0.0066
E584068	378.90	380.00	0.1028	0.1613	0.0077
E584069	380.00	380.70	0.7858	0.7145	0.0217
E584070	380.70	381.50	0.6976	0.8935	0.0167
E584071	381.50	382.60	0.2726	0.3656	0.0087
E584072	382.60	383.80	0.0151	0.0188	0.0071
E584073	383.80	385.00	0.0100	0.0149	0.0060
E584074	385.00	386.00	0.0100	0.0147	0.0065
E584075	386.00	387.00	0.0103	0.0111	0.0059
E584076	387.00	388.00	0.0130	0.0261	0.0081
E584077	388.00	389.00	0.0065	0.0075	0.0041
E584078	389.00	390.00	0.0026	0.0086	0.0039
E584079	390.00	391.00	0.0036	0.0078	0.0039
E584080	391.00	392.00	0.0082	0.0106	0.0049

DETAILED LOG

Hole Number: KB-08-184

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-54.70
Project Number:	19900	North:	5481453.00	North:	5481453.00	Collar Az:	307.00
Location:	Surface	East:	454126.00	East:	454126.00	Length:	377.80 (m)
		Elev:	385.00	Elev:	385.00	Start Depth:	0.00 (m)
Date Started:	Jan 09, 2008	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	377.80 (m)
Date Completed:	Jan 13, 2008	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pm	Pulse EM Survey:	N	Casing:	Left in Hole				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	307.00	-54.70	EZ	OK		50.00	307.60	-54.30	EZ	OK	
101.00	307.40	-53.80	EZ	OK		152.00	307.90	-52.40	EZ	OK	
203.00	307.90	-50.80	EZ	OK		251.00	309.20	-49.40	EZ	OK	
302.00	309.80	-44.70	EZ	OK		350.00	311.30	-41.00	EZ	OK	
377.00	310.70	-40.20	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	9.00	MV, Mafic Volcanic Structure 3.00 - 9.00							
9.00	37.00	MV, Mafic Volcanic Structure 9.00 - 37.00							
37.00	71.00	MV, Mafic Volcanic Structure 37.00 - 71.00							
71.00	80.00	MV, Mafic Volcanic Structure 71.00 - 80.00							
80.00	101.00	MV, Mafic Volcanic Structure 80.00 - 101.00							
101.00	131.00	MV, Mafic Volcanic Structure 101.00 - 131.00							

Hole Number: KB-08-184

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
131.00	151.00	FD, Felsic Dike							
151.00	167.00	MV, Mafic Volcanic Structure 151.00 - 167.00							
167.00	169.00	FD, Felsic Dike							
169.00	216.50	MV, Mafic Volcanic							
216.50	226.00	MDCHL, Mafic Dike Chloritic							
226.00	232.00	MV, Mafic Volcanic							
232.00	244.00	MD, Mafic Dike							
244.00	270.00	MV, Mafic Volcanic							
270.00	271.00	FD, Felsic Dike Structure 270.00 - 271.00 : UC Upper Contact, 65 Deg to CA							
271.00	271.30	MV, Mafic Volcanic Structure 271.00 - 271.30 : UC Upper Contact, 50 Deg to CA							
271.30	272.50	MD, Mafic Dike Structure 271.30 - 272.50 : UC Upper Contact, 45 Deg to CA	E583990	271.30	272.50	1.20	0.0087	0.0111	0.0034
272.50	273.80	TSCH, Talc Schist Mineralization 272.50 - 273.80 Structure 272.50 - 273.80 : FOL Foliated, 50 Deg to CA 272.50 - 273.80 : UC Upper Contact, 50 Deg to CA	E583991	272.50	273.80	1.30	0.1684	0.1299	0.0090
273.80	277.60	PYXT, Pyroxenite Mineralization 273.80 - 277.60 Structure 273.80 - 277.60 : FOL Foliated, 50 Deg to CA 273.80 - 277.60 : UC Upper Contact, 50 Deg to CA	E583992	273.80	275.00	1.20	0.1479	0.0700	0.0077
			E583993	275.00	276.30	1.30	0.1727	0.0778	0.0093
			E583996	276.30	277.60	1.30	0.0951	0.0417	0.0067
277.60	281.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 277.60 - 278.40 278.40 - 279.20 279.20 - 279.50 279.50 - 280.60 280.60 - 281.10 Structure 277.60 - 281.10 : UC Upper Contact, 45 Deg to CA	E583997	277.60	278.80	1.20	0.1499	0.0565	0.0090
			E583998	278.80	280.00	1.20	0.1275	0.0448	0.0092
			E583999	280.00	281.10	1.10	0.0718	0.0211	0.0061

Hole Number: KB-08-184 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
281.10	285.00	PYXT, Pyroxenite Mineralization 281.10 - 281.60 281.60 - 282.50 282.50 - 283.50 283.50 - 285.00 Structure 281.10 - 285.00 : UC Upper Contact, 70 Deg to CA
285.00	286.30	TSCH, Talc Schist Mineralization 285.00 - 286.30 Structure 285.00 - 286.30 : FOL Foliated, 70 Deg to CA 285.00 - 286.30 : UC Upper Contact, 80 Deg to CA
286.30	296.90	MV, Mafic Volcanic Structure 286.30 - 287.90 286.30 - 296.90 : UC Upper Contact, 30 Deg to CA
296.90	297.30	MD, Mafic Dike Structure 296.90 - 297.30 : UC Upper Contact, 30 Deg to CA
297.30	308.90	MV, Mafic Volcanic Structure 297.30 - 308.90 : UC Upper Contact, 75 Deg to CA
308.90	311.80	FD, Felsic Dike Structure 308.90 - 311.80 : UC Upper Contact, 50 Deg to CA
311.80	330.00	MV, Mafic Volcanic Structure 311.80 - 317.00 311.80 - 330.00 : UC Upper Contact, 40 Deg to CA 317.00 - 330.00
330.00	331.10	MD, Mafic Dike Structure 330.00 - 331.10 : UC Upper Contact, 70 Deg to CA
331.10	336.70	MV, Mafic Volcanic Structure 331.10 - 336.70 : FOL Foliated, 50 Deg to CA 331.10 - 336.70 : UC Upper Contact, 70 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E584000	281.10	282.50	1.40	0.1002	0.0472	0.0091
E584001	282.50	283.50	1.00	1.2649	0.5799	0.0466
E584003	283.50	285.00	1.50	0.1565	0.1627	0.0079
E584004	285.00	286.30	1.30	0.0279	0.0230	0.0061
E584005	286.30	287.20	0.90	0.0096	0.0126	0.0051
E584006	287.20	288.00	0.80	0.0126	0.0109	0.0052

Hole Number: KB-08-184 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
336.70	337.40	FD, Felsic Dike Structure 336.70 - 337.40 : UC Upper Contact, 45 Deg to CA							
337.40	340.10	MV, Mafic Volcanic Structure 337.40 - 340.10 : UC Upper Contact, 65 Deg to CA							
340.10	342.10	MDCHL, Mafic Dike Chloritic Structure 340.10 - 342.10 : UC Upper Contact, 45 Deg to CA							
342.10	363.20	MV, Mafic Volcanic Structure 342.10 - 363.20 : UC Upper Contact, 40 Deg to CA							
363.20	364.10	FD, Felsic Dike Structure 363.20 - 364.10 : UC Upper Contact, 60 Deg to CA							
364.10	377.80	MV, Mafic Volcanic Structure 364.10 - 377.80 : UC Upper Contact, 60 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583990	271.30	272.50	0.0087	0.0111	0.0034
E583991	272.50	273.80	0.1684	0.1299	0.0090
E583992	273.80	275.00	0.1479	0.0700	0.0077
E583993	275.00	276.30	0.1727	0.0778	0.0093
E583996	276.30	277.60	0.0951	0.0417	0.0067
E583997	277.60	278.80	0.1499	0.0565	0.0090
E583998	278.80	280.00	0.1275	0.0448	0.0092
E583999	280.00	281.10	0.0718	0.0211	0.0061
E584000	281.10	282.50	0.1002	0.0472	0.0091
E584001	282.50	283.50	1.2649	0.5799	0.0466
E584003	283.50	285.00	0.1565	0.1627	0.0079
E584004	285.00	286.30	0.0279	0.0230	0.0061
E584005	286.30	287.20	0.0096	0.0126	0.0051
E584006	287.20	288.00	0.0126	0.0109	0.0052

DETAILED LOG

Hole Number: KB-07-194

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-67.80
Project Number:	19900	North:	5481312.00	North:	5481312.00	Collar Az:	306.60
Location:	Surface	East:	454053.00	East:	454053.00	Length:	482.00 (m)
		Elev:	385.00	Elev:	385.00	Start Depth:	0.00 (m)
Date Started:	Dec 04, 2007	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	482.00 (m)
Date Completed:	Dec 10, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Left in Hole				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	306.60	-67.80	EZ	OK		50.00	309.80	-67.40	EZ	OK	
101.00	307.20	-67.20	EZ	OK		155.00	309.10	-65.20	EZ	OK	
200.00	308.20	-64.60	EZ	OK		251.00	307.60	-64.20	EZ	OK	
300.00	309.30	-62.70	EZ	OK		356.00	310.60	-61.30	EZ	OK	
400.00	311.00	-60.20	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	18.30	MD, Mafic Dike Structure 1.50 - 18.30 : LC Lower Contact, 50 Deg to CA							
18.30	58.70	MV, Mafic Volcanic							
58.70	65.60	FD, Felsic Dike Structure 58.70 - 65.60 : LC Lower Contact, 70 Deg to CA 58.70 - 65.60 : UC Upper Contact, 80 Deg to CA							
65.60	70.80	GAB, Gabbro Mineralization 65.60 - 70.80							
70.80	76.70	MV, Mafic Volcanic							
76.70	89.60	FD, Felsic Dike Structure 76.70 - 89.60 : LC Lower Contact, 70 Deg to CA 76.70 - 89.60 : UC Upper Contact, 80 Deg to CA							
89.60	106.50	MV, Mafic Volcanic							

Hole Number: KB-07-194 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
106.50	111.60	FD, Felsic Dike Structure 106.50 - 111.60 : LC Lower Contact, 50 Deg to CA 106.50 - 111.60 : UC Upper Contact, 70 Deg to CA							
111.60	139.80	MV, Mafic Volcanic							
139.80	142.20	FD, Felsic Dike Structure 139.80 - 142.20 : LC Lower Contact, 50 Deg to CA 139.80 - 142.20 : UC Upper Contact, 70 Deg to CA							
142.20	218.10	MV, Mafic Volcanic							
218.10	220.30	FD, Felsic Dike							
220.30	267.10	MV, Mafic Volcanic							
267.10	282.40	FD, Felsic Dike							
282.40	295.20	MV, Mafic Volcanic							
295.20	313.50	FD, Felsic Dike							
313.50	343.90	MV, Mafic Volcanic							
343.90	355.10	FD, Felsic Dike Structure 343.90 - 355.10 : LC Lower Contact, 30 Deg to CA 343.90 - 355.10 : UC Upper Contact, 30 Deg to CA							
355.10	394.00	MV, Mafic Volcanic	E829165	393.00	394.00	1.00	0.0180	0.0140	0.0030
394.00	394.70	TSCH, Talc Schist Mineralization 394.00 - 394.70 Structure 394.00 - 394.70 : LC Lower Contact, 55 Deg to CA 394.00 - 394.70 : STRFOL Strongly Foliated, 40 Deg to CA 394.00 - 394.70 : UC Upper Contact, 40 Deg to CA	E829166	394.00	394.70	0.70	0.0860	0.0300	0.0070
394.70	403.90	PYXT, Pyroxenite Mineralization 394.70 - 403.90 Structure 394.70 - 403.90 : LC Lower Contact, 40 Deg to CA 394.70 - 403.90 : STRFOL Strongly Foliated, 40 Deg to CA 394.70 - 403.90 : UC Upper Contact, 55 Deg to CA	E829167	394.70	396.00	1.30	0.0600	0.0060	0.0070
			E829168	396.00	397.50	1.50	0.0590	0.0050	0.0080
			E829169	397.50	399.00	1.50	0.0600	0.0025	0.0070
			E829170	399.00	400.50	1.50	0.0610	0.0025	0.0080
			E829171	400.50	402.00	1.50	0.0610	0.0050	0.0080
			E829172	402.00	403.00	1.00	0.0560	0.0070	0.0090
			E829174	403.00	403.90	0.90	0.0480	0.0025	0.0070

Hole Number: KB-07-194 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
403.90	413.50	TSCH, Talc Schist	E829175	403.90	405.00	1.10	0.0650	0.0120	0.0080
			E829176	405.00	406.50	1.50	0.0610	0.0090	0.0070
			E829178	406.50	408.00	1.50	0.0570	0.0090	0.0080
			E829179	408.00	409.50	1.50	0.0620	0.0100	0.0070
			E829180	409.50	411.00	1.50	0.0570	0.0050	0.0060
			E829181	411.00	412.50	1.50	0.0600	0.0050	0.0070
			E829182	412.50	413.50	1.00	0.0610	0.0050	0.0080
413.50	421.50	FD, Felsic Dike Mineralization 413.50 - 421.50 Structure 413.50 - 421.50 : LC Lower Contact, 30 Deg to CA 413.50 - 421.50 : MODFOL Moderately Foliated, 40 Deg to CA 413.50 - 421.50 : UC Upper Contact, 35 Deg to CA	E829183	413.50	415.00	1.50	0.0025	0.0070	0.0030
			E829184	415.00	416.50	1.50	0.0025	0.0060	0.0020
			E829185	416.50	418.00	1.50	0.0025	0.0025	0.0020
			E829186	418.00	419.50	1.50	0.0120	0.0070	0.0020
			E829187	419.50	420.50	1.00	0.0025	0.0025	0.0020
			E829188	420.50	421.50	1.00	0.0025	0.0070	0.0020
421.50	431.20	TSCH, Talc Schist Mineralization 421.50 - 431.20 Structure 421.50 - 431.20 : LC Lower Contact, 40 Deg to CA 421.50 - 431.20 421.50 - 431.20 : UC Upper Contact, 30 Deg to CA	E829189	421.50	423.00	1.50	0.0490	0.0025	0.0070
			E829190	423.00	424.00	1.00	0.0590	0.0050	0.0070
			E829192	424.00	424.80	0.80	0.0580	0.0050	0.0070
			E829193	424.80	425.40	0.60	0.0025	0.0050	0.0010
			E829194	425.40	427.00	1.60	0.0560	0.0060	0.0080
			E829195	427.00	428.50	1.50	0.0540	0.0025	0.0070
			E829196	428.50	430.00	1.50	0.0570	0.0025	0.0070
			E829197	430.00	431.20	1.20	0.1420	0.0730	0.0080
431.20	434.00	FD, Felsic Dike Mineralization 431.20 - 434.00 Structure 431.20 - 434.00 : LC Lower Contact, 40 Deg to CA 431.20 - 434.00 : MODFOL Moderately Foliated, 40 Deg to CA 431.20 - 434.00 : UC Upper Contact, 40 Deg to CA	E829198	431.20	432.50	1.30	0.0050	0.0060	0.0020
			E829199	432.50	434.00	1.50	0.0080	0.0025	0.0030
434.00	439.20	TSCH, Talc Schist Mineralization 434.00 - 439.20 Structure 434.00 - 439.20 : LC Lower Contact, 45 Deg to CA 434.00 - 439.20 : STRFOL Strongly Foliated, 40 Deg to CA 434.00 - 439.20 : UC Upper Contact, 40 Deg to CA	E829200	434.00	435.50	1.50	0.0570	0.0025	0.0080
			E829201	435.50	437.00	1.50	0.0630	0.0080	0.0080
			E829202	437.00	438.50	1.50	0.0680	0.0025	0.0080
			E829203	438.50	439.20	0.70	0.0680	0.0025	0.0080

Hole Number: KB-07-194 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
439.20	441.00	FD, Felsic Dike Mineralization 439.20 - 441.00 Structure 439.20 - 441.00 : LC Lower Contact, 45 Deg to CA 439.20 - 441.00 : MODFOL Moderately Foliated, 45 Deg to CA 439.20 - 441.00 : UC Upper Contact, 45 Deg to CA	E829204	439.20	440.00	0.80	0.0070	0.0080	0.0030
			E829205	440.00	441.00	1.00	0.0100	0.0070	0.0030
441.00	446.00	TSCH, Talc Schist Mineralization 441.00 - 446.00 Structure 441.00 - 446.00 : STRFOL Strongly Foliated, 35 Deg to CA 441.00 - 446.00 : UC Upper Contact, 45 Deg to CA	E829206	441.00	442.50	1.50	0.0680	0.0050	0.0080
			E829207	442.50	444.00	1.50	0.0670	0.0090	0.0080
			E829208	444.00	445.50	1.50	0.0690	0.0050	0.0090
			E829209	445.50	447.00	1.50	0.2240	0.2060	0.0110
446.00	453.40	PYXT, Pyroxenite loacal talc Mineralization 446.00 - 453.40 Structure 446.00 - 453.40 : STRFOL Strongly Foliated, 35 Deg to CA	E829210	447.00	448.00	1.00	0.1470	0.1440	0.0100
			E829211	448.00	449.00	1.00	0.1440	0.1180	0.0100
			E829212	449.00	450.50	1.50	0.1980	0.2060	0.0110
			E829213	450.50	452.00	1.50	0.0870	0.0240	0.0080
			E829214	452.00	453.40	1.40	0.1690	0.0300	0.0140
453.40	454.00	TSCH, Talc Schist Mineralization 453.40 - 454.00 Structure 453.40 - 454.00 : LC Lower Contact, 35 Deg to CA 453.40 - 454.00 : STRFOL Strongly Foliated, 35 Deg to CA 453.40 - 454.00 : UC Upper Contact, 30 Deg to CA	E829215	453.40	454.00	0.60	0.0760	0.0050	0.0090
454.00	455.70	FD, Felsic Dike Mineralization 454.00 - 455.70 Structure 454.00 - 455.70 : LC Lower Contact, 35 Deg to CA 454.00 - 455.70 454.00 - 455.70 : UC Upper Contact, 35 Deg to CA	E829216	454.00	455.70	1.70	0.0060	0.0050	0.0030
455.70	460.80	TSCH, Talc Schist Mineralization 455.70 - 460.80 Structure 455.70 - 460.80 : LC Lower Contact, 40 Deg to CA 455.70 - 460.80 : STRFOL Strongly Foliated, 30 Deg to CA 455.70 - 460.80 : UC Upper Contact, 35 Deg to CA	E829217	455.70	457.00	1.30	0.0590	0.0025	0.0080
			E829218	457.00	458.50	1.50	0.0780	0.0130	0.0090
			E829219	458.50	459.50	1.00	0.0720	0.0050	0.0090
			E829220	459.50	460.80	1.30	0.0640	0.0070	0.0080

Hole Number: KB-07-194 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
460.80	461.80	FD, Felsic Dike Mineralization 460.80 - 461.80 Structure 460.80 - 461.80 : LC Lower Contact, 40 Deg to CA 460.80 - 461.80 : MODFOL Moderately Foliated, 40 Deg to CA 460.80 - 461.80 : UC Upper Contact, 40 Deg to CA
461.80	474.80	TSCH, Talc Schist local pyxt Mineralization 461.80 - 474.80 Structure 461.80 - 474.80 : LC Lower Contact, 45 Deg to CA 461.80 - 474.80 : STRFOL Strongly Foliated, 40 Deg to CA 461.80 - 474.80 : UC Upper Contact, 40 Deg to CA
474.80	482.00	MV, Mafic Volcanic Structure 474.80 - 477.50 : MODFOL Moderately Foliated, 45 Deg to CA 477.50 - 482.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E829221	460.80	461.80	1.00	0.0140	0.0060	0.0040
E829223	461.80	463.00	1.20	0.0600	0.0025	0.0080
E829224	463.00	464.50	1.50	0.0540	0.0025	0.0080
E829225	464.50	466.00	1.50	0.0630	0.0060	0.0080
E829226	466.00	467.50	1.50	0.0670	0.0070	0.0090
E829227	467.50	469.00	1.50	0.0630	0.0080	0.0080
E829228	469.00	470.50	1.50	0.0660	0.0060	0.0080
E829229	470.50	472.00	1.50	0.0610	0.0025	0.0080
E829230	472.00	473.50	1.50	0.0700	0.0050	0.0090
E829231	473.50	474.80	1.30	0.1410	0.0790	0.0090
E829232	474.80	476.00	1.20	0.0150	0.0120	0.0060
E829233	476.00	477.00	1.00	0.0100	0.0150	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829165	393.00	394.00	0.0180	0.0140	0.0030
E829166	394.00	394.70	0.0860	0.0300	0.0070
E829167	394.70	396.00	0.0600	0.0060	0.0070
E829168	396.00	397.50	0.0590	0.0050	0.0080
E829169	397.50	399.00	0.0600	0.0025	0.0070
E829170	399.00	400.50	0.0610	0.0025	0.0080
E829171	400.50	402.00	0.0610	0.0050	0.0080
E829172	402.00	403.00	0.0560	0.0070	0.0090
E829174	403.00	403.90	0.0480	0.0025	0.0070
E829175	403.90	405.00	0.0650	0.0120	0.0080
E829176	405.00	406.50	0.0610	0.0090	0.0070
E829178	406.50	408.00	0.0570	0.0090	0.0080
E829179	408.00	409.50	0.0620	0.0100	0.0070
E829180	409.50	411.00	0.0570	0.0050	0.0060
E829181	411.00	412.50	0.0600	0.0050	0.0070
E829182	412.50	413.50	0.0610	0.0050	0.0080

Hole Number: KB-07-194 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829183	413.50	415.00	0.0025	0.0070	0.0030
E829184	415.00	416.50	0.0025	0.0060	0.0020
E829185	416.50	418.00	0.0025	0.0025	0.0020
E829186	418.00	419.50	0.0120	0.0070	0.0020
E829187	419.50	420.50	0.0025	0.0025	0.0020
E829188	420.50	421.50	0.0025	0.0070	0.0020
E829189	421.50	423.00	0.0490	0.0025	0.0070
E829190	423.00	424.00	0.0590	0.0050	0.0070
E829192	424.00	424.80	0.0580	0.0050	0.0070
E829193	424.80	425.40	0.0025	0.0050	0.0010
E829194	425.40	427.00	0.0560	0.0060	0.0080
E829195	427.00	428.50	0.0540	0.0025	0.0070
E829196	428.50	430.00	0.0570	0.0025	0.0070
E829197	430.00	431.20	0.1420	0.0730	0.0080
E829198	431.20	432.50	0.0050	0.0060	0.0020
E829199	432.50	434.00	0.0080	0.0025	0.0030
E829200	434.00	435.50	0.0570	0.0025	0.0080
E829201	435.50	437.00	0.0630	0.0080	0.0080
E829202	437.00	438.50	0.0680	0.0025	0.0080
E829203	438.50	439.20	0.0680	0.0025	0.0080
E829204	439.20	440.00	0.0070	0.0080	0.0030
E829205	440.00	441.00	0.0100	0.0070	0.0030
E829206	441.00	442.50	0.0680	0.0050	0.0080
E829207	442.50	444.00	0.0670	0.0090	0.0080
E829208	444.00	445.50	0.0690	0.0050	0.0090
E829209	445.50	447.00	0.2240	0.2060	0.0110
E829210	447.00	448.00	0.1470	0.1440	0.0100
E829211	448.00	449.00	0.1440	0.1180	0.0100
E829212	449.00	450.50	0.1980	0.2060	0.0110
E829213	450.50	452.00	0.0870	0.0240	0.0080
E829214	452.00	453.40	0.1690	0.0300	0.0140
E829215	453.40	454.00	0.0760	0.0050	0.0090
E829216	454.00	455.70	0.0060	0.0050	0.0030
E829217	455.70	457.00	0.0590	0.0025	0.0080
E829218	457.00	458.50	0.0780	0.0130	0.0090
E829219	458.50	459.50	0.0720	0.0050	0.0090
E829220	459.50	460.80	0.0640	0.0070	0.0080

Hole Number: KB-07-194

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829221	460.80	461.80	0.0140	0.0060	0.0040
E829223	461.80	463.00	0.0600	0.0025	0.0080
E829224	463.00	464.50	0.0540	0.0025	0.0080
E829225	464.50	466.00	0.0630	0.0060	0.0080
E829226	466.00	467.50	0.0670	0.0070	0.0090
E829227	467.50	469.00	0.0630	0.0080	0.0080
E829228	469.00	470.50	0.0660	0.0060	0.0080
E829229	470.50	472.00	0.0610	0.0025	0.0080
E829230	472.00	473.50	0.0700	0.0050	0.0090
E829231	473.50	474.80	0.1410	0.0790	0.0090
E829232	474.80	476.00	0.0150	0.0120	0.0060
E829233	476.00	477.00	0.0100	0.0150	0.0050

DETAILED LOG

Hole Number: KB-07-193

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid:	UTM:		Destination Coordinates	Grid:	UTM:	
Project Number:	19900	North:	5481312.00			North:	5481312.00		
Location:	Surface	East:	454053.00			East:	454053.00		
		Elev:	385.00			Elev:	385.00		
Date Started:	Nov 29, 2007	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling		
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Left in Hole				

Collar Dip:	-60.90
Collar Az:	307.20
Length:	410.00 (m)
Start Depth:	0.00 (m)
Final Depth:	410.00 (m)

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	377.00	394.20	17.20	0.1835	0.1708	0.0105

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	307.20	-60.90	EZ	OK		50.00	304.20	-61.00	EZ	OK	
101.00	307.30	-60.40	EZ	OK		150.00	309.70	-59.30	EZ	OK	
200.00	310.70	-58.70	EZ	OK		250.00	308.60	-57.80	EZ	OK	
302.00	308.70	-54.40	EZ	OK		354.00	308.50	-53.00	EZ	OK	
401.00	305.00	-52.10	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	0.50	CAS, Casing
0.50	20.20	MV, Mafic Volcanic
20.20	24.10	FD, Felsic Dike Structure 20.20 - 24.10 : LC Lower Contact, 45 Deg to CA 20.20 - 24.10 : UC Upper Contact, 70 Deg to CA
24.10	44.00	MV, Mafic Volcanic
44.00	58.00	FD, Felsic Dike Structure 44.00 - 58.00 : LC Lower Contact, 80 Deg to CA
58.00	70.80	GAB, Gabbro Mineralization 58.00 - 70.80
70.80	75.00	FD, Felsic Dike Structure 70.80 - 75.00 : LC Lower Contact, 80 Deg to CA 70.80 - 75.00 : UC Upper Contact, 70 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-193

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
75.00	86.00	MV, Mafic Volcanic							
86.00	92.00	MD, Mafic Dike Structure 86.00 - 92.00 : LC Lower Contact, 70 Deg to CA 86.00 - 92.00 : UC Upper Contact, 80 Deg to CA							
92.00	120.50	MV, Mafic Volcanic							
120.50	124.80	GAB, Gabbro Mineralization 120.50 - 124.80							
124.80	178.00	MV, Mafic Volcanic							
178.00	223.30	MV, Mafic Volcanic							
223.30	226.80	FD, Felsic Dike Structure 223.30 - 226.80 : LC Lower Contact, 40 Deg to CA 223.30 - 226.80 : UC Upper Contact, 45 Deg to CA							
226.80	266.20	MV, Mafic Volcanic							
266.20	274.80	FD, Felsic Dike Structure 266.20 - 274.80 : LC Lower Contact, 70 Deg to CA 266.20 - 274.80 : UC Upper Contact, 20 Deg to CA							
274.80	308.10	MV, Mafic Volcanic							
308.10	310.30	GAB, Gabbro Mineralization 308.10 - 310.30							
310.30	349.60	MV, Mafic Volcanic Structure 310.30 - 349.60 : FOL Foliated, 80 Deg to CA							
349.60	350.90	TSCH, Talc Schist Mineralization 349.60 - 350.90 Structure 349.60 - 350.90 : FOL Foliated, 45 Deg to CA							
350.90	355.50	MV, Mafic Volcanic Structure 350.90 - 355.50 : FOL Foliated, 80 Deg to CA	E829122	354.00	355.50	1.50	0.0025	0.0060	0.0020
355.50	359.00	TSCH, Talc Schist Mineralization 355.50 - 359.00 Structure 355.50 - 359.00 : FOL Foliated, 50 Deg to CA	E829123	355.50	357.00	1.50	0.0620	0.0070	0.0080
			E829124	357.00	358.00	1.00	0.0630	0.0050	0.0090
			E829125	358.00	359.00	1.00	0.0650	0.0060	0.0080

Hole Number: KB-07-193

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
359.00	360.50	MV, Mafic Volcanic Structure 359.00 - 360.50 : FOL Foliated, 70 Deg to CA	E829126	359.00	360.50	1.50	0.0270	0.0025	0.0050
360.50	366.50	TSCH, Talc Schist Mineralization 360.50 - 366.50 Structure 360.50 - 366.50 : FOL Foliated, 70 Deg to CA	E829127	360.50	362.00	1.50	0.0560	0.0050	0.0070
			E829128	362.00	363.50	1.50	0.0630	0.0070	0.0080
			E829129	363.50	365.00	1.50	0.0620	0.0025	0.0080
			E829130	365.00	366.50	1.50	0.0820	0.0260	0.0090
366.50	373.10	PYXT, Pyroxenite Mineralization 366.50 - 370.50 370.50 - 373.10	E829131	366.50	368.00	1.50	0.1830	0.1530	0.0110
			E829132	368.00	369.50	1.50	0.2450	0.2130	0.0110
			E829133	369.50	370.50	1.00	0.2720	0.2650	0.0110
			E829134	370.50	372.00	1.50	0.1000	0.0410	0.0100
			E829136	372.00	373.10	1.10	0.0850	0.0160	0.0110
373.10	375.80	TSCH, Talc Schist Mineralization 373.10 - 375.80 Structure 373.10 - 375.80 : FOL Foliated, 50 Deg to CA	E829137	373.10	374.00	0.90	0.0720	0.0050	0.0090
			E829138	374.00	375.80	1.80	0.0680	0.0050	0.0080
375.80	405.20	PYXT, Pyroxenite Mineralization 375.80 - 377.50 377.50 - 385.00 385.50 - 389.20 389.20 - 394.20 394.20 - 401.00 401.20 - 405.20	E829139	375.80	377.00	1.20	0.0750	0.0120	0.0080
			E829140	377.00	378.50	1.50	0.2150	0.0840	0.0130
			E829142	378.50	380.00	1.50	0.0790	0.0360	0.0090
			E829143	380.00	381.50	1.50	0.2400	0.2510	0.0110
			E829144	381.50	383.00	1.50	0.2950	0.2990	0.0130
			E829145	383.00	384.00	1.00	0.2880	0.3520	0.0130
			E829146	384.00	385.00	1.00	0.2430	0.2650	0.0100
			E829147	385.00	386.50	1.50	0.0370	0.0060	0.0050
			E829148	386.50	388.00	1.50	0.0740	0.0100	0.0100
			E829149	388.00	389.20	1.20	0.1200	0.0460	0.0110
			E829151	389.20	390.50	1.30	0.3070	0.4370	0.0130
			E829152	390.50	392.00	1.50	0.1290	0.0700	0.0090
			E829154	392.00	393.00	1.00	0.1040	0.0700	0.0080
			E829155	393.00	394.20	1.20	0.3120	0.4110	0.0120
			E829156	394.20	395.60	1.40	0.0690	0.0070	0.0080
			E829157	395.60	397.00	1.40	0.0550	0.0050	0.0070
			E829158	397.00	398.50	1.50	0.0610	0.0025	0.0080
			E829159	398.50	400.00	1.50	0.0690	0.0025	0.0080
			E829160	400.00	401.50	1.50	0.0700	0.0530	0.0070
			E829161	401.50	403.00	1.50	0.0780	0.0220	0.0090
			E829162	403.00	404.00	1.00	0.0890	0.0080	0.0100
			E829163	404.00	405.20	1.20	0.1070	0.0470	0.0090
405.20	410.00	MV, Mafic Volcanic	E829164	405.20	406.50	1.30	0.0120	0.0150	0.0060

Hole Number: KB-07-193 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829122	354.00	355.50	0.0025	0.0060	0.0020
E829123	355.50	357.00	0.0620	0.0070	0.0080
E829124	357.00	358.00	0.0630	0.0050	0.0090
E829125	358.00	359.00	0.0650	0.0060	0.0080
E829126	359.00	360.50	0.0270	0.0025	0.0050
E829127	360.50	362.00	0.0560	0.0050	0.0070
E829128	362.00	363.50	0.0630	0.0070	0.0080
E829129	363.50	365.00	0.0620	0.0025	0.0080
E829130	365.00	366.50	0.0820	0.0260	0.0090
E829131	366.50	368.00	0.1830	0.1530	0.0110
E829132	368.00	369.50	0.2450	0.2130	0.0110
E829133	369.50	370.50	0.2720	0.2650	0.0110
E829134	370.50	372.00	0.1000	0.0410	0.0100
E829136	372.00	373.10	0.0850	0.0160	0.0110
E829137	373.10	374.00	0.0720	0.0050	0.0090
E829138	374.00	375.80	0.0680	0.0050	0.0080
E829139	375.80	377.00	0.0750	0.0120	0.0080
E829140	377.00	378.50	0.2150	0.0840	0.0130
E829142	378.50	380.00	0.0790	0.0360	0.0090
E829143	380.00	381.50	0.2400	0.2510	0.0110
E829144	381.50	383.00	0.2950	0.2990	0.0130
E829145	383.00	384.00	0.2880	0.3520	0.0130
E829146	384.00	385.00	0.2430	0.2650	0.0100
E829147	385.00	386.50	0.0370	0.0060	0.0050
E829148	386.50	388.00	0.0740	0.0100	0.0100
E829149	388.00	389.20	0.1200	0.0460	0.0110
E829151	389.20	390.50	0.3070	0.4370	0.0130
E829152	390.50	392.00	0.1290	0.0700	0.0090
E829154	392.00	393.00	0.1040	0.0700	0.0080
E829155	393.00	394.20	0.3120	0.4110	0.0120
E829156	394.20	395.60	0.0690	0.0070	0.0080
E829157	395.60	397.00	0.0550	0.0050	0.0070
E829158	397.00	398.50	0.0610	0.0025	0.0080
E829159	398.50	400.00	0.0690	0.0025	0.0080
E829160	400.00	401.50	0.0700	0.0530	0.0070
E829161	401.50	403.00	0.0780	0.0220	0.0090
E829162	403.00	404.00	0.0890	0.0080	0.0100

Hole Number: KB-07-193

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829163	404.00	405.20	0.1070	0.0470	0.0090
E829164	405.20	406.50	0.0120	0.0150	0.0060

DETAILED LOG

Hole Number: KB-07-192

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid:	UTM:		Destination Coordinates	Grid:	UTM:	Collar Dip: -52.80
Project Number:	19900	North:	5481312.00			North:	5481312.00		Collar Az: 307.70
Location:	Surface	East:	454053.00			East:	454053.00		Length: 374.00 (m)
		Elev:	385.00			Elev:	385.00		Start Depth: 0.00 (m)
Date Started:	Nov 21, 2007	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling		Final Depth: 374.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Left in Hole				

Comments: Lost core between 293 to 296m

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	327.10	339.00	11.90	0.3097	0.3086	0.0111

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	307.50	-52.80	EZ	OK		50.00	310.60	-52.60	EZ	OK	
101.00	312.80	-52.50	EZ	OK		150.00	308.10	-50.00	EZ	OK	
200.00	308.60	-49.50	EZ	OK		251.00	309.00	-48.70	EZ	OK	
302.00	309.40	-45.40	EZ	OK		374.00	309.10	-43.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	19.70	MV, Mafic Volcanic							
19.70	26.50	MD, Mafic Dike Structure 19.70 - 26.50 : LC Lower Contact, 80 Deg to CA 19.70 - 26.50 : UC Upper Contact, 70 Deg to CA							
26.50	38.00	MV, Mafic Volcanic							
38.00	47.00	FD, Felsic Dike Structure 38.00 - 47.00 : LC Lower Contact, 60 Deg to CA 38.00 - 47.00 : UC Upper Contact, 70 Deg to CA							
47.00	52.90	GAB, Gabbro Mineralization 47.00 - 52.90							
52.90	56.20	FD, Felsic Dike Structure 52.90 - 56.20 : LC Lower Contact, 80 Deg to CA 52.90 - 56.20 : UC Upper Contact, 85 Deg to CA							

Hole Number: KB-07-192 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
56.20	69.00	GAB, Gabbro							
69.00	79.00	MD, Mafic Dike Structure 69.00 - 79.00 : LC Lower Contact, 70 Deg to CA 69.00 - 79.00 : UC Upper Contact, 80 Deg to CA							
79.00	91.00	MV, Mafic Volcanic							
91.00	97.00	FD, Felsic Dike Structure 91.00 - 97.00 : LC Lower Contact, 70 Deg to CA 91.00 - 97.00 : UC Upper Contact, 60 Deg to CA							
97.00	133.00	MV, Mafic Volcanic							
133.00	135.30	MD, Mafic Dike							
135.30	140.10	MV, Mafic Volcanic							
140.10	143.00	MD, Mafic Dike Structure 140.10 - 143.00 : LC Lower Contact, 30 Deg to CA 140.10 - 143.00 : UC Upper Contact, 70 Deg to CA							
143.00	181.00	MV, Mafic Volcanic							
181.00	202.45	MD, Mafic Dike Structure 181.00 - 202.45 : UC Upper Contact, 70 Deg to CA							
202.45	226.00	MV, Mafic Volcanic Structure 202.45 - 226.00 : FOL Foliated, 60 Deg to CA							
226.00	233.00	GAB, Gabbro Mineralization 226.00 - 233.00							
233.00	298.70	MV, Mafic Volcanic Structure 233.00 - 298.70 : FOL Foliated, 70 Deg to CA	E829074	296.00	297.50	1.50	0.0025	0.0025	0.0020
			E829075	297.50	298.70	1.20	0.0260	0.0460	0.0040

Hole Number: KB-07-192 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
298.70	319.50	TSCH, Talc Schist Mineralization 298.70 - 319.50 Structure 298.70 - 319.50 : FOL Foliated, 60 Deg to CA	E829076	298.70	300.00	1.30	0.0650	0.0090	0.0080
			E829077	300.00	301.50	1.50	0.0570	0.0060	0.0060
			E829079	301.50	303.00	1.50	0.0560	0.0060	0.0060
			E829080	303.00	304.00	1.00	0.0650	0.0060	0.0080
			E829081	304.00	305.00	1.00	0.0600	0.0070	0.0060
			E829082	305.00	306.50	1.50	0.0590	0.0025	0.0070
			E829083	306.50	308.00	1.50	0.0650	0.0070	0.0080
			E829084	308.00	309.50	1.50	0.0610	0.0050	0.0080
			E829085	309.50	311.00	1.50	0.0560	0.0140	0.0070
			E829086	311.00	312.50	1.50	0.0660	0.0060	0.0070
			E829087	312.50	313.50	1.00	0.0650	0.0050	0.0090
			E829088	313.50	314.50	1.00	0.0090	0.0060	0.0040
			E829089	314.50	315.80	1.30	0.0310	0.0060	0.0060
			E829090	315.80	317.00	1.20	0.0570	0.0025	0.0080
			E829091	317.00	318.50	1.50	0.0550	0.0025	0.0070
			E829092	318.50	319.50	1.00	0.0570	0.0025	0.0080
319.50	320.30	FD, Felsic Dike Structure 319.50 - 320.30 : LC Lower Contact, 70 Deg to CA 319.50 - 320.30 : UC Upper Contact, 50 Deg to CA	E829093	319.50	320.30	0.80	0.0230	0.0100	0.0050
320.30	321.10	TSCH, Talc Schist Mineralization 320.30 - 321.10 Structure 320.30 - 321.10 : FOL Foliated, 70 Deg to CA	E829094	320.30	321.50	1.20	0.0620	0.0120	0.0080
321.10	324.30	FD, Felsic Dike Structure 321.10 - 324.30 : LC Lower Contact, 35 Deg to CA 321.10 - 324.30 : UC Upper Contact, 85 Deg to CA	E829096	321.50	323.10	1.60	0.3110	0.2610	0.0130
			E829097	323.10	324.50	1.40	0.0590	0.0480	0.0040
324.30	325.20	TSCH, Talc Schist Mineralization 324.30 - 325.20 Structure 324.30 - 325.20 : FOL Foliated, 70 Deg to CA	E829098	324.50	325.80	1.30	0.1040	0.0350	0.0090
325.20	325.80	FD, Felsic Dike Structure 325.20 - 325.80 : LC Lower Contact, 70 Deg to CA 325.20 - 325.80 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-192 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
325.80	334.50	PYXT, Pyroxenite Mineralization 325.80 - 332.20 332.20 - 334.50
334.50	340.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 334.50 - 340.30
340.30	351.70	PYXT, Pyroxenite Mineralization 340.30 - 351.70 Structure 340.30 - 351.70 : FOL Foliated, 70 Deg to CA
351.70	353.30	MV, Mafic Volcanic Structure 351.70 - 353.30 : FOL Foliated, 70 Deg to CA
353.30	356.00	GAB, Gabbro Mineralization 353.30 - 356.00 Structure 353.30 - 356.00 : UC Upper Contact, 70 Deg to CA
356.00	374.00	MV, Mafic Volcanic Structure 356.00 - 374.00 : FOL Foliated, 70 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E829099	325.80	327.10	1.30	0.2580	0.2040	0.0130
E829100	327.10	328.60	1.50	0.3350	0.2570	0.0130
E829101	328.60	330.10	1.50	0.2370	0.2960	0.0090
E829102	330.10	331.60	1.50	0.3130	0.3260	0.0110
E829103	331.60	333.10	1.50	0.2970	0.2780	0.0130
E829104	333.10	334.50	1.40	0.5220	0.5970	0.0120
E829105	334.50	336.00	1.50	0.1370	0.1550	0.0060
E829106	336.00	337.50	1.50	0.2640	0.2660	0.0090
E829107	337.50	339.00	1.50	0.3870	0.3130	0.0160
E829108	339.00	340.30	1.30	0.1870	0.2290	0.0100
E829109	340.30	341.50	1.20	0.1690	0.1290	0.0100
E829111	341.50	343.00	1.50	0.1270	0.0570	0.0100
E829112	343.00	344.50	1.50	0.1460	0.1180	0.0100
E829113	344.50	346.00	1.50	0.1130	0.0920	0.0090
E829114	346.00	347.50	1.50	0.3030	0.4970	0.0110
E829115	347.50	349.00	1.50	0.0830	0.0270	0.0090
E829116	349.00	350.50	1.50	0.1160	0.1110	0.0080
E829117	350.50	351.70	1.20	0.0820	0.0760	0.0080
E829118	351.70	353.30	1.60	0.0780	0.0700	0.0070
E829119	353.30	354.70	1.40	0.0025	0.0060	0.0030
E829120	354.70	356.10	1.40	0.0050	0.0100	0.0020
E829121	356.10	357.50	1.40	0.0140	0.0180	0.0070

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829074	296.00	297.50	0.0025	0.0025	0.0020
E829075	297.50	298.70	0.0260	0.0460	0.0040
E829076	298.70	300.00	0.0650	0.0090	0.0080
E829077	300.00	301.50	0.0570	0.0060	0.0060
E829079	301.50	303.00	0.0560	0.0060	0.0060
E829080	303.00	304.00	0.0650	0.0060	0.0080
E829081	304.00	305.00	0.0600	0.0070	0.0060

Hole Number: KB-07-192 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829082	305.00	306.50	0.0590	0.0025	0.0070
E829083	306.50	308.00	0.0650	0.0070	0.0080
E829084	308.00	309.50	0.0610	0.0050	0.0080
E829085	309.50	311.00	0.0560	0.0140	0.0070
E829086	311.00	312.50	0.0660	0.0060	0.0070
E829087	312.50	313.50	0.0650	0.0050	0.0090
E829088	313.50	314.50	0.0090	0.0060	0.0040
E829089	314.50	315.80	0.0310	0.0060	0.0060
E829090	315.80	317.00	0.0570	0.0025	0.0080
E829091	317.00	318.50	0.0550	0.0025	0.0070
E829092	318.50	319.50	0.0570	0.0025	0.0080
E829093	319.50	320.30	0.0230	0.0100	0.0050
E829094	320.30	321.50	0.0620	0.0120	0.0080
E829096	321.50	323.10	0.3110	0.2610	0.0130
E829097	323.10	324.50	0.0590	0.0480	0.0040
E829098	324.50	325.80	0.1040	0.0350	0.0090
E829099	325.80	327.10	0.2580	0.2040	0.0130
E829100	327.10	328.60	0.3350	0.2570	0.0130
E829101	328.60	330.10	0.2370	0.2960	0.0090
E829102	330.10	331.60	0.3130	0.3260	0.0110
E829103	331.60	333.10	0.2970	0.2780	0.0130
E829104	333.10	334.50	0.5220	0.5970	0.0120
E829105	334.50	336.00	0.1370	0.1550	0.0060
E829106	336.00	337.50	0.2640	0.2660	0.0090
E829107	337.50	339.00	0.3870	0.3130	0.0160
E829108	339.00	340.30	0.1870	0.2290	0.0100
E829109	340.30	341.50	0.1690	0.1290	0.0100
E829111	341.50	343.00	0.1270	0.0570	0.0100
E829112	343.00	344.50	0.1460	0.1180	0.0100
E829113	344.50	346.00	0.1130	0.0920	0.0090
E829114	346.00	347.50	0.3030	0.4970	0.0110
E829115	347.50	349.00	0.0830	0.0270	0.0090
E829116	349.00	350.50	0.1160	0.1110	0.0080
E829117	350.50	351.70	0.0820	0.0760	0.0080
E829118	351.70	353.30	0.0780	0.0700	0.0070
E829119	353.30	354.70	0.0025	0.0060	0.0030
E829120	354.70	356.10	0.0050	0.0100	0.0020

Hole Number: KB-07-192

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829121	356.10	357.50	0.0140	0.0180	0.0070

DETAILED LOG

Hole Number: KB-07-191 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-69.60
Project Number:	19900	North:	5481451.00	North:	5481451.00	Collar Az:	307.50
Location:	Surface	East:	454069.00	East:	454069.00	Length:	78.00 (m)
		Elev:	402.80	Elev:	402.80	Start Depth:	0.00 (m)
Date Started:	Nov 20, 2007	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	78.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey:	N	Casing:	Pulled				

Comments: Hole abandoned dut to hitting shaft

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	307.50	-69.60	EZ	OK		50.00	306.60	-69.50	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data						
			Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.00	CAS, Casing							
4.00	78.00	MV, Mafic Volcanic							

DETAILED LOG

Hole Number: KB-07-190

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -63.10
Project Number:	19900	North:	5481451.00		North:	5481451.00	Collar Az: 309.20
Location:	Surface	East:	454069.00		East:	454069.00	Length: 311.40 (m)
		Elev:	402.80		Elev:	402.80	Start Depth: 0.00 (m)
Date Started:	Nov 21, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 311.40 (m)
Date Completed:	Nov 29, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Left in Hole			

Comments: Miss two tags in ticket book (E5829062 and E829063).

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	239.20	256.00	16.80	0.4770	0.2005	0.0135
WEIGHTED	239.20	267.00	27.80	0.4338	0.1944	0.0137
WEIGHTED	261.70	267.00	5.30	0.6035	0.3137	0.0201

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	309.20	-63.10	EZ	OK		50.00	307.20	-62.20	EZ	OK	
100.00	305.40	-59.50	EZ	OK		152.00	302.70	-57.00	EZ	OK	
203.00	304.90	-57.50	EZ	OK		300.00	303.20	-55.90	EZ	OK	
350.00	309.80	-50.90	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.00	CAS, Casing							
4.00	6.00	FD, Felsic Dike							
6.00	33.00	MV, Mafic Volcanic							
33.00	39.00	FD, Felsic Dike							
39.00	66.00	MV, Mafic Volcanic							
66.00	72.00	FD, Felsic Dike							
72.00	170.00	MV, Mafic Volcanic							
170.00	178.00	FD, Felsic Dike							
178.00	195.00	MV, Mafic Volcanic							
195.00	201.00	FD, Felsic Dike							
201.00	206.00	MV, Mafic Volcanic							
206.00	210.50	FD, Felsic Dike							
210.50	214.00	MV, Mafic Volcanic							
214.00	222.00	FD, Felsic Dike							

Hole Number: KB-07-190 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
222.00	229.50	MV, Mafic Volcanic							
229.50	232.00	FD, Felsic Dike							
232.00	240.78	MV, Mafic Volcanic	E829030	237.00	238.00	1.00	0.0180	0.0180	0.0050
			E829031	238.00	239.20	1.20	0.0550	0.0450	0.0050
			E829032	239.20	240.20	1.00	1.9800	0.3270	0.0440
			E829033	240.20	241.20	1.00	0.0310	0.0240	0.0030
240.78	257.00	TSCH, Talc Schist	E829034	244.50	246.00	1.50	0.3540	0.1070	0.0110
		246.0-247.5 ground core	E829035	247.50	249.00	1.50	0.8660	0.5230	0.0230
		Mineralization	E829036	249.00	250.50	1.50	0.7680	0.4790	0.0230
		240.78 - 257.00	E829038	250.50	252.00	1.50	0.5470	0.2570	0.0160
			E829039	252.00	253.50	1.50	0.5520	0.2420	0.0180
			E829040	253.50	255.00	1.50	0.4820	0.2040	0.0170
			E829042	255.00	256.00	1.00	0.6490	0.3000	0.0180
			E829043	256.00	257.00	1.00	0.2740	0.0780	0.0100
257.00	259.60	GABPYXT, Gabbro Pyroxenite Dikes	E829044	257.00	258.00	1.00	0.2130	0.0740	0.0100
		Mineralization	E829045	258.00	259.60	1.60	0.1680	0.0830	0.0090
		257.00 - 259.60							
259.60	261.70	MV, Mafic Volcanic	E829046	259.60	260.50	0.90	0.0520	0.0520	0.0070
		Structure	E829047	260.50	261.70	1.20	0.0380	0.0340	0.0060
		259.60 - 261.70 : FOL Foliated, 50 Deg to CA							
261.70	265.70	PYXT, Pyroxenite	E829048	261.70	263.00	1.30	1.3600	0.4120	0.0310
		Mineralization	E829049	263.00	264.50	1.50	0.3000	0.2050	0.0140
		261.70 - 265.70	E829050	264.50	265.70	1.20	0.3850	0.3460	0.0160
265.70	272.60	GABPYXT, Gabbro Pyroxenite Dikes	E829051	265.70	267.00	1.30	0.3990	0.3110	0.0200
		Mineralization	E829052	267.00	268.40	1.40	0.2760	0.1870	0.0100
		265.70 - 272.60	E829053	268.40	270.00	1.60	0.0560	0.0180	0.0060
			E829055	270.00	271.50	1.50	0.2300	0.0440	0.0180
			E829056	271.50	272.60	1.10	0.1250	0.0500	0.0080
272.60	278.20	MV, Mafic Volcanic	E829057	272.60	274.00	1.40	0.2930	0.2830	0.0130
		Structure	E829058	274.00	275.50	1.50	0.0660	0.1400	0.0050
		272.60 - 278.20 : FOL Foliated, 50 Deg to CA	E829059	275.50	277.00	1.50	0.0640	0.0720	0.0060
			E829060	277.00	278.20	1.20	0.1890	0.2030	0.0060
278.20	291.30	TSCH, Talc Schist	E829061	278.20	279.50	1.30	0.3900	0.2660	0.0120
		Mineralization	E829062	279.50	281.00	1.50	0.1810	0.1100	0.0080
		278.20 - 291.30	E829065	281.00	282.50	1.50	0.3110	0.3030	0.0110
		Structure	E829066	282.50	284.00	1.50	0.2720	0.2140	0.0100
		278.20 - 291.30 : FOL Foliated, 60 Deg to CA	E829067	284.00	285.50	1.50	0.1300	0.0690	0.0090
			E829068	285.50	287.00	1.50	0.0770	0.0290	0.0070
			E829069	287.00	288.50	1.50	0.0640	0.0130	0.0060
			E829070	288.50	290.00	1.50	0.0790	0.0060	0.0080
			E829071	290.00	291.30	1.30	0.1000	0.0440	0.0080

Hole Number: KB-07-190 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
291.30	311.40	MV, Mafic Volcanic
		Structure
		291.30 - 311.40 : FOL Foliated, 70 Deg to CA
		291.30 - 311.40 : UC Upper Contact, 70 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E829072	291.30	292.50	1.20	0.0120	0.0090	0.0030
E829073	292.50	294.00	1.50	0.0090	0.0110	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829030	237.00	238.00	0.0180	0.0180	0.0050
E829031	238.00	239.20	0.0550	0.0450	0.0050
E829032	239.20	240.20	1.9800	0.3270	0.0440
E829033	240.20	241.20	0.0310	0.0240	0.0030
E829034	244.50	246.00	0.3540	0.1070	0.0110
E829035	247.50	249.00	0.8660	0.5230	0.0230
E829036	249.00	250.50	0.7680	0.4790	0.0230
E829038	250.50	252.00	0.5470	0.2570	0.0160
E829039	252.00	253.50	0.5520	0.2420	0.0180
E829040	253.50	255.00	0.4820	0.2040	0.0170
E829042	255.00	256.00	0.6490	0.3000	0.0180
E829043	256.00	257.00	0.2740	0.0780	0.0100
E829044	257.00	258.00	0.2130	0.0740	0.0100
E829045	258.00	259.60	0.1680	0.0830	0.0090
E829046	259.60	260.50	0.0520	0.0520	0.0070
E829047	260.50	261.70	0.0380	0.0340	0.0060
E829048	261.70	263.00	1.3600	0.4120	0.0310
E829049	263.00	264.50	0.3000	0.2050	0.0140
E829050	264.50	265.70	0.3850	0.3460	0.0160
E829051	265.70	267.00	0.3990	0.3110	0.0200
E829052	267.00	268.40	0.2760	0.1870	0.0100
E829053	268.40	270.00	0.0560	0.0180	0.0060
E829055	270.00	271.50	0.2300	0.0440	0.0180
E829056	271.50	272.60	0.1250	0.0500	0.0080
E829057	272.60	274.00	0.2930	0.2830	0.0130
E829058	274.00	275.50	0.0660	0.1400	0.0050
E829059	275.50	277.00	0.0640	0.0720	0.0060
E829060	277.00	278.20	0.1890	0.2030	0.0060
E829061	278.20	279.50	0.3900	0.2660	0.0120
E829062	279.50	281.00	0.1810	0.1100	0.0080

Hole Number: KB-07-190

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829065	281.00	282.50	0.3110	0.3030	0.0110
E829066	282.50	284.00	0.2720	0.2140	0.0100
E829067	284.00	285.50	0.1300	0.0690	0.0090
E829068	285.50	287.00	0.0770	0.0290	0.0070
E829069	287.00	288.50	0.0640	0.0130	0.0060
E829070	288.50	290.00	0.0790	0.0060	0.0080
E829071	290.00	291.30	0.1000	0.0440	0.0080
E829072	291.30	292.50	0.0120	0.0090	0.0030
E829073	292.50	294.00	0.0090	0.0110	0.0040

DETAILED LOG

Hole Number: KB-07-183

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -65.40
Project Number:	19900	North: 5481426.00			North: 5481426.00		Collar Az: 310.30
Location:	Surface	East: 454112.00			East: 454112.00		Length: 409.00 (m)
		Elev: 377.50			Elev: 377.50		Start Depth: 0.00 (m)
Date Started:	Dec 07, 2007	Collar Survey: N	Plugged: N		Contractor: Morris Drilling		Final Depth: 409.00 (m)
Date Completed:		Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N	Casing: Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	337.90	374.50	36.60	1.3334	0.5480	0.0448
WEIGHTED	337.90	384.10	46.20	1.0990	0.4623	0.0373
WEIGHTED	356.00	371.50	15.50	2.5709	0.7549	0.0806
WEIGHTED	364.00	371.50	7.50	3.4502	1.2206	0.1019

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	310.30	-65.40	EZ	OK		50.00	313.30	-65.70	EZ	OK	
107.00	313.50	-65.10	EZ	OK		150.00	313.50	-64.60	EZ	OK	
200.00	314.10	-63.60	EZ	OK		250.00	315.20	-62.60	EZ	OK	
300.00	311.20	-61.20	EZ	OK		350.00	315.50	-59.10	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	71.30	MV, Mafic Volcanic							
71.30	82.20	FD, Felsic Dike Structure 71.30 - 82.20 : LC Lower Contact, 70 Deg to CA 71.30 - 82.20 : UC Upper Contact, 80 Deg to CA							
82.20	110.50	GAB, Gabbro							
110.50	116.60	MV, Mafic Volcanic							
116.60	121.90	FD, Felsic Dike Structure 116.60 - 121.90 : LC Lower Contact, 80 Deg to CA 116.60 - 121.90 : UC Upper Contact, 70 Deg to CA							
121.90	169.10	MV, Mafic Volcanic							

Hole Number: KB-07-183 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
169.10	173.20	FD, Felsic Dike Structure 169.10 - 173.20 : LC Lower Contact, 40 Deg to CA 169.10 - 173.20 : UC Upper Contact, 25 Deg to CA							
173.20	207.00	MV, Mafic Volcanic							
207.00	208.00	FD, Felsic Dike							
208.00	209.20	MV, Mafic Volcanic							
209.20	211.00	FD, Felsic Dike							
211.00	216.00	MV, Mafic Volcanic							
216.00	218.50	FD, Felsic Dike							
218.50	234.00	MV, Mafic Volcanic							
234.00	238.90	FD, Felsic Dike							
238.90	264.00	MV, Mafic Volcanic							
264.00	267.00	FD, Felsic Dike							
267.00	336.20	MV, Mafic Volcanic	E583930	334.00	335.00	1.00	0.0129	0.0190	0.0061
			E583931	335.00	336.20	1.20	0.0917	0.0590	0.0079
336.20	337.90	TSCH, Talc Schist Mineralization 336.20 - 337.90 Structure 336.20 - 337.90 : STRFOL Strongly Foliated, 40 Deg to CA	E583932	336.20	337.90	1.70	0.0704	0.0351	0.0056
337.90	339.60	PYXT, Pyroxenite Mineralization 337.90 - 339.60 Structure 337.90 - 339.60 : STRFOL Strongly Foliated, 40 Deg to CA	E583934	337.90	339.60	1.70	1.9780	1.0102	0.0536
339.60	342.40	TSCH, Talc Schist Mineralization 339.60 - 342.40 Structure 339.60 - 342.40 : STRFOL Strongly Foliated, 40 Deg to CA	E583935	339.60	341.00	1.40	0.3151	0.3113	0.0214
			E583936	341.00	342.40	1.40	0.3317	0.2391	0.0242
342.40	346.20	PYXT, Pyroxenite Mineralization 342.40 - 346.20 Structure 342.40 - 346.20 : STRFOL Strongly Foliated, 40 Deg to CA	E583937	342.40	344.00	1.60	0.1728	0.1172	0.0091
			E583938	344.00	345.00	1.00	1.0596	0.7542	0.0441
			E583939	345.00	346.20	1.20	0.1804	0.1011	0.0073

Hole Number: KB-07-183

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
346.20	358.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 346.20 - 356.00 356.00 - 358.50 Structure 346.20 - 358.50	E583940	346.20	347.70	1.50	0.1337	0.0729	0.0081
			E583941	347.70	349.20	1.50	0.2885	0.1141	0.0106
			E583943	349.20	350.50	1.30	0.0362	0.0233	0.0072
			E583944	350.50	351.90	1.40	0.0686	0.0391	0.0075
			E583945	351.90	353.00	1.10	0.5037	0.8694	0.0255
			E583946	353.00	354.50	1.50	0.1319	0.1443	0.0079
			E583947	354.50	356.00	1.50	0.1087	0.2402	0.0145
			E583948	356.00	357.00	1.00	2.1112	0.8098	0.0852
			E583949	357.00	358.50	1.50	1.7001	0.4944	0.0697
358.50	359.90	PYXT, Pyroxenite Mineralization 358.50 - 359.90 Structure 358.50 - 359.90	E583950	358.50	359.90	1.40	5.8203	0.1069	0.1320
359.90	363.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 359.90 - 363.00 Structure 359.90 - 363.00	E583951	359.90	361.50	1.60	0.0637	0.0279	0.0088
			E583952	361.50	363.00	1.50	0.2558	0.1700	0.0146
363.00	367.50	PYXT, Pyroxenite Mineralization 363.00 - 367.50 Structure 363.00 - 367.50	E583953	363.00	364.00	1.00	0.6772	0.5467	0.0749
			E583954	364.00	365.00	1.00	4.7171	2.7014	0.1764
			E583955	365.00	366.00	1.00	2.7926	1.7553	0.1262
			E583956	366.00	367.50	1.50	3.4563	2.2107	0.0894
367.50	369.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 367.50 - 368.50 368.50 - 369.80 Structure 367.50 - 369.80	E583957	367.50	368.50	1.00	0.6485	0.1448	0.0190
			E583958	368.50	369.80	1.30	1.9713	0.1605	0.0609
369.80	371.50	PYXT, Pyroxenite Mineralization 369.80 - 371.50 Structure 369.80 - 371.50	E583959	369.80	370.50	0.70	6.7750	0.2976	0.1404
			E583960	370.50	371.50	1.00	5.2285	0.8196	0.1313

Hole Number: KB-07-183 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
371.50	383.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 371.50 - 373.60 373.60 - 383.00 Structure 371.50 - 383.00	E583962	371.50	373.00	1.50	0.3935	1.1076	0.0151
			E583963	373.00	374.50	1.50	0.5664	0.8297	0.0220
			E583964	374.50	376.00	1.50	0.1813	0.1489	0.0122
			E583965	376.00	377.50	1.50	0.1524	0.0870	0.0103
			E583966	377.50	379.00	1.50	0.0173	0.0208	0.0052
			E583967	379.00	380.50	1.50	0.2017	0.1171	0.0073
			E583968	380.50	382.00	1.50	0.3166	0.3061	0.0088
			E583969	382.00	383.50	1.50	0.1069	0.1306	0.0032
383.00	386.00	PYXT, Pyroxenite Mineralization 383.00 - 384.10 384.10 - 386.00	E583970	383.50	384.10	0.60	0.8456	0.1387	0.0267
			E583971	384.10	385.00	0.90	0.1776	0.1235	0.0081
			E583972	385.00	386.00	1.00	0.1462	0.0916	0.0093
386.00	387.60	TSCH, Talc Schist Mineralization 386.00 - 387.60 Structure 386.00 - 387.60 : STRFOL Strongly Foliated, 30 Deg to CA	E583973	386.00	387.60	1.60	0.0780	0.0453	0.0059
387.60	389.70	PYXT, Pyroxenite Mineralization 387.60 - 389.70 Structure 387.60 - 389.70 : STRFOL Strongly Foliated, 25 Deg to CA	E583974	387.60	388.50	0.90	0.1419	0.0609	0.0068
			E583975	388.50	389.70	1.20	0.4374	0.2029	0.0134
389.70	392.70	MDCHL, Mafic Dike Chloritic Structure 389.70 - 392.70 : MODFOL Moderately Foliated, 35 Deg to CA	E583976	389.70	391.00	1.30	0.0320	0.0132	0.0044
			E583977	391.00	392.70	1.70	0.0232	0.0112	0.0033
392.70	398.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 392.70 - 398.00 Structure 392.70 - 398.00	E583978	392.70	394.00	1.30	0.4978	0.1810	0.0132
			E583979	394.00	395.50	1.50	0.3506	0.2013	0.0110
			E583980	395.50	397.00	1.50	0.1399	0.1038	0.0065
			E583981	397.00	398.00	1.00	0.0587	0.0180	0.0052
398.00	399.00	TSCH, Talc Schist Mineralization 398.00 - 399.00	E583982	398.00	399.00	1.00	0.0453	0.0115	0.0040
399.00	400.50	MV, Mafic Volcanic	E583983	399.00	400.50	1.50	0.0178	0.0085	0.0027
400.50	405.50	TSCH, Talc Schist Mineralization 400.50 - 405.50 Structure 400.50 - 405.50 : STRFOL Strongly Foliated, 20 Deg to CA 400.50 - 405.50 : UC Upper Contact, 20 Deg to CA	E583984	400.50	402.00	1.50	0.0229	0.0054	0.0039
			E583985	402.00	403.50	1.50	0.0221	0.0027	0.0043
			E583986	403.50	404.50	1.00	0.0187	0.0033	0.0038
			E583987	404.50	405.50	1.00	0.0460	0.1081	0.0044

Hole Number: KB-07-183 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
405.50	407.20	MV, Mafic Volcanic Structure 405.50 - 407.20 : UC Upper Contact, 15 Deg to CA	E583988	405.50	407.20	1.70	0.0673	0.0820	0.0060
407.20	409.00	TSCH, Talc Schist Mineralization 407.20 - 409.00 Structure 407.20 - 409.00 : STRFOL Strongly Foliated, 15 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583930	334.00	335.00	0.0129	0.0190	0.0061
E583931	335.00	336.20	0.0917	0.0590	0.0079
E583932	336.20	337.90	0.0704	0.0351	0.0056
E583934	337.90	339.60	1.9780	1.0102	0.0536
E583935	339.60	341.00	0.3151	0.3113	0.0214
E583936	341.00	342.40	0.3317	0.2391	0.0242
E583937	342.40	344.00	0.1728	0.1172	0.0091
E583938	344.00	345.00	1.0596	0.7542	0.0441
E583939	345.00	346.20	0.1804	0.1011	0.0073
E583940	346.20	347.70	0.1337	0.0729	0.0081
E583941	347.70	349.20	0.2885	0.1141	0.0106
E583943	349.20	350.50	0.0362	0.0233	0.0072
E583944	350.50	351.90	0.0686	0.0391	0.0075
E583945	351.90	353.00	0.5037	0.8694	0.0255
E583946	353.00	354.50	0.1319	0.1443	0.0079
E583947	354.50	356.00	0.1087	0.2402	0.0145
E583948	356.00	357.00	2.1112	0.8098	0.0852
E583949	357.00	358.50	1.7001	0.4944	0.0697
E583950	358.50	359.90	5.8203	0.1069	0.1320
E583951	359.90	361.50	0.0637	0.0279	0.0088
E583952	361.50	363.00	0.2558	0.1700	0.0146
E583953	363.00	364.00	0.6772	0.5467	0.0749
E583954	364.00	365.00	4.7171	2.7014	0.1764
E583955	365.00	366.00	2.7926	1.7553	0.1262
E583956	366.00	367.50	3.4563	2.2107	0.0894
E583957	367.50	368.50	0.6485	0.1448	0.0190

Hole Number: KB-07-183

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583958	368.50	369.80	1.9713	0.1605	0.0609
E583959	369.80	370.50	6.7750	0.2976	0.1404
E583960	370.50	371.50	5.2285	0.8196	0.1313
E583962	371.50	373.00	0.3935	1.1076	0.0151
E583963	373.00	374.50	0.5664	0.8297	0.0220
E583964	374.50	376.00	0.1813	0.1489	0.0122
E583965	376.00	377.50	0.1524	0.0870	0.0103
E583966	377.50	379.00	0.0173	0.0208	0.0052
E583967	379.00	380.50	0.2017	0.1171	0.0073
E583968	380.50	382.00	0.3166	0.3061	0.0088
E583969	382.00	383.50	0.1069	0.1306	0.0032
E583970	383.50	384.10	0.8456	0.1387	0.0267
E583971	384.10	385.00	0.1776	0.1235	0.0081
E583972	385.00	386.00	0.1462	0.0916	0.0093
E583973	386.00	387.60	0.0780	0.0453	0.0059
E583974	387.60	388.50	0.1419	0.0609	0.0068
E583975	388.50	389.70	0.4374	0.2029	0.0134
E583976	389.70	391.00	0.0320	0.0132	0.0044
E583977	391.00	392.70	0.0232	0.0112	0.0033
E583978	392.70	394.00	0.4978	0.1810	0.0132
E583979	394.00	395.50	0.3506	0.2013	0.0110
E583980	395.50	397.00	0.1399	0.1038	0.0065
E583981	397.00	398.00	0.0587	0.0180	0.0052
E583982	398.00	399.00	0.0453	0.0115	0.0040
E583983	399.00	400.50	0.0178	0.0085	0.0027
E583984	400.50	402.00	0.0229	0.0054	0.0039
E583985	402.00	403.50	0.0221	0.0027	0.0043
E583986	403.50	404.50	0.0187	0.0033	0.0038
E583987	404.50	405.50	0.0460	0.1081	0.0044
E583988	405.50	407.20	0.0673	0.0820	0.0060

DETAILED LOG

Hole Number: KB-07-182

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -60.90
Project Number:	19900	North: 5481426.00			North: 5481426.00		Collar Az: 312.10
Location:	Surface	East: 454112.00			East: 454112.00		Length: 377.00 (m)
		Elev: 377.50			Elev: 377.50		Start Depth: 0.00 (m)
Date Started:	Dec 04, 2007	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 377.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	320.50	323.90	3.40	1.4463	0.5524	0.0506
WEIGHTED	320.50	349.85	29.35	0.3733	0.2151	0.0142
WEIGHTED	321.70	323.90	2.20	2.0132	0.7949	0.0705
WEIGHTED	344.90	349.85	4.95	0.5296	0.4863	0.0158

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	312.10	-60.90	EZ	OK		50.00	312.90	-60.00	EZ	OK	
100.00	311.60	-59.30	EZ	OK		152.00	314.60	-59.40	EZ	OK	
203.00	313.10	-58.70	EZ	OK		251.00	314.00	-58.10	EZ	OK	
302.00	315.20	-56.47	EZ	OK		350.00	299.50	-56.30	EZ	DO	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	70.00	MV, Mafic Volcanic							
70.00	74.20	FD, Felsic Dike							
74.20	89.20	MV, Mafic Volcanic							
89.20	98.50	GAB, Gabbro							
98.50	111.00	FD, Felsic Dike							
111.00	187.90	MV, Mafic Volcanic							
187.90	192.20	FD, Felsic Dike Structure 187.90 - 192.20 : FOL Foliated, 50 Deg to CA 187.90 - 192.20 : LC Lower Contact, 40 Deg to CA 187.90 - 192.20 : UC Upper Contact, 30 Deg to CA							
192.20	231.60	MV, Mafic Volcanic							

Hole Number: KB-07-182 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
231.60	239.40	FD, Felsic Dike Structure 231.60 - 239.40 : LC Lower Contact, 30 Deg to CA 231.60 - 239.40 : UC Upper Contact, 40 Deg to CA							
239.40	286.90	MV, Mafic Volcanic							
286.90	293.30	FD, Felsic Dike Structure 286.90 - 293.30 : LC Lower Contact, 30 Deg to CA 286.90 - 293.30 : UC Upper Contact, 80 Deg to CA							
293.30	311.30	MV, Mafic Volcanic	E583900	310.00	311.30	1.30	0.0380	0.0290	0.0050
311.30	312.00	TSCH, Talc Schist Mineralization 311.30 - 312.00 Structure 311.30 - 312.00 : FOL Foliated, 50 Deg to CA	E583901	311.30	312.00	0.70	0.0650	0.0160	0.0070
312.00	323.90	PYXT, Pyroxenite Mineralization 312.00 - 314.20 314.20 - 314.70 314.70 - 321.70 321.70 - 323.90	E583902	312.00	313.00	1.00	0.0850	0.0310	0.0070
			E583903	313.00	314.20	1.20	1.5800	0.1360	0.0480
			E583904	314.20	314.70	0.50	5.7900	2.4000	0.0950
			E583905	314.70	316.00	1.30	0.8680	0.4240	0.0250
			E583906	316.00	317.50	1.50	0.3380	0.1460	0.0130
			E583907	317.50	319.00	1.50	0.0830	0.0300	0.0070
			E583908	319.00	320.50	1.50	0.1290	0.0490	0.0090
			E583910	320.50	321.70	1.20	0.4070	0.1080	0.0140
			E583911	321.70	323.00	1.30	1.8700	0.5490	0.0570
			E583912	323.00	323.90	0.90	2.2200	1.1500	0.0900
323.90	328.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 323.90 - 328.70	E583913	323.90	325.50	1.60	0.1840	0.1260	0.0110
			E583914	325.50	327.00	1.50	0.0950	0.0410	0.0080
			E583915	327.00	328.70	1.70	0.1010	0.0510	0.0080
328.70	330.20	PYXT, Pyroxenite Mineralization 328.70 - 330.20	E583916	328.70	330.20	1.50	0.8280	0.4380	0.0230
330.20	331.70	MD, Mafic Dike Structure 330.20 - 331.70 : LC Lower Contact, 35 Deg to CA 330.20 - 331.70 : UC Upper Contact, 60 Deg to CA	E583917	330.20	331.70	1.50	0.0240	0.0060	0.0040
331.70	337.20	PYXT, Pyroxenite Mineralization 331.70 - 337.20	E583919	331.70	333.00	1.30	0.1010	0.0100	0.0100
			E583920	333.00	334.50	1.50	0.1460	0.1000	0.0090
			E583921	334.50	336.00	1.50	0.4240	0.1950	0.0150
			E583922	336.00	337.20	1.20	0.4060	0.3840	0.0120
337.20	344.90	MV, Mafic Volcanic	E583923	337.20	338.70	1.50	0.0220	0.0320	0.0070
			E583924	343.50	344.90	1.40	0.0180	0.0330	0.0060

DETAILED LOG

Hole Number: KB-07-182

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
344.90	349.85	PYXT, Pyroxenite Mineralization 344.90 - 349.85
349.85	377.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583925	344.90	346.50	1.60	0.4410	0.3920	0.0130
E583926	346.50	348.00	1.50	0.5040	0.5890	0.0140
E583927	348.00	349.00	1.00	0.7290	0.5080	0.0220
E583928	349.00	349.85	0.85	0.5070	0.4570	0.0170
E583929	349.85	351.30	1.45	0.0280	0.0390	0.0070

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583900	310.00	311.30	0.0380	0.0290	0.0050
E583901	311.30	312.00	0.0650	0.0160	0.0070
E583902	312.00	313.00	0.0850	0.0310	0.0070
E583903	313.00	314.20	1.5800	0.1360	0.0480
E583904	314.20	314.70	5.7900	2.4000	0.0950
E583905	314.70	316.00	0.8680	0.4240	0.0250
E583906	316.00	317.50	0.3380	0.1460	0.0130
E583907	317.50	319.00	0.0830	0.0300	0.0070
E583908	319.00	320.50	0.1290	0.0490	0.0090
E583910	320.50	321.70	0.4070	0.1080	0.0140
E583911	321.70	323.00	1.8700	0.5490	0.0570
E583912	323.00	323.90	2.2200	1.1500	0.0900
E583913	323.90	325.50	0.1840	0.1260	0.0110
E583914	325.50	327.00	0.0950	0.0410	0.0080
E583915	327.00	328.70	0.1010	0.0510	0.0080
E583916	328.70	330.20	0.8280	0.4380	0.0230
E583917	330.20	331.70	0.0240	0.0060	0.0040
E583919	331.70	333.00	0.1010	0.0100	0.0100
E583920	333.00	334.50	0.1460	0.1000	0.0090
E583921	334.50	336.00	0.4240	0.1950	0.0150
E583922	336.00	337.20	0.4060	0.3840	0.0120
E583923	337.20	338.70	0.0220	0.0320	0.0070
E583924	343.50	344.90	0.0180	0.0330	0.0060
E583925	344.90	346.50	0.4410	0.3920	0.0130
E583926	346.50	348.00	0.5040	0.5890	0.0140
E583927	348.00	349.00	0.7290	0.5080	0.0220
E583928	349.00	349.85	0.5070	0.4570	0.0170
E583929	349.85	351.30	0.0280	0.0390	0.0070

DETAILED LOG

Hole Number: KB-07-181

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid:	UTM:		Destination Coordinates	Grid:	UTM:	Collar Dip: -56.70
Project Number:	19900	North:	5481426.00			North:	5481426.00		Collar Az: 310.00
Location:	Surface	East:	454112.00			East:	454112.00		Length: 325.50 (m)
		Elev:	377.50			Elev:	377.50		Start Depth: 0.00 (m)
Date Started:	Nov 29, 2007	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling		Final Depth: 325.50 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	284.20	296.50	12.30	0.9988	0.3155	0.0288
WEIGHTED	284.20	302.00	17.80	0.7664	0.2894	0.0232
WEIGHTED	292.00	293.80	1.80	1.7061	0.2312	0.0444

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	310.00	-56.70	EZ	OK		50.00	311.20	-56.70	EZ	OK	
101.00	311.90	-56.20	EZ	OK		150.00	313.40	-54.90	EZ	OK	
199.00	313.60	-54.30	EZ	OK		251.00	313.60	-53.60	EZ	OK	
302.00	311.50	-52.30	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	11.50	MV, Mafic Volcanic							
11.50	15.10	MD, Mafic Dike Structure 11.50 - 15.10 : LC Lower Contact, 60 Deg to CA 11.50 - 15.10 : UC Upper Contact, 80 Deg to CA							
15.10	62.30	MV, Mafic Volcanic							
62.30	64.70	FD, Felsic Dike Structure 62.30 - 64.70 : UC Upper Contact, 80 Deg to CA							
64.70	78.40	MV, Mafic Volcanic							
78.40	100.20	FD, Felsic Dike Structure 78.40 - 100.20 : LC Lower Contact, 80 Deg to CA 78.40 - 100.20 : UC Upper Contact, 30 Deg to CA							
100.20	122.40	MV, Mafic Volcanic							

Hole Number: KB-07-181 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
122.40	127.30	FD, Felsic Dike Structure 122.40 - 127.30 : LC Lower Contact, 40 Deg to CA 122.40 - 127.30 : UC Upper Contact, 45 Deg to CA							
127.30	139.30	MV, Mafic Volcanic							
139.30	147.40	FD, Felsic Dike Structure 139.30 - 147.40 : LC Lower Contact, 20 Deg to CA 139.30 - 147.40 : UC Upper Contact, 50 Deg to CA							
147.40	151.90	MV, Mafic Volcanic							
151.90	172.90	FD, Felsic Dike Structure 151.90 - 172.90 : LC Lower Contact, 45 Deg to CA 151.90 - 172.90 : UC Upper Contact, 50 Deg to CA							
172.90	202.80	MV, Mafic Volcanic							
202.80	206.00	FD, Felsic Dike Structure 202.80 - 206.00 : LC Lower Contact, 70 Deg to CA 202.80 - 206.00 : UC Upper Contact, 35 Deg to CA							
206.00	249.00	MV, Mafic Volcanic							
249.00	249.30	FD, Felsic Dike Structure 249.00 - 249.30 : LC Lower Contact, 50 Deg to CA 249.00 - 249.30 : UC Upper Contact, 70 Deg to CA							
249.30	276.80	MV, Mafic Volcanic Structure 249.30 - 276.80 : FOL Foliated, 80 Deg to CA	E583872	275.00	276.80	1.80	0.0025	0.0090	0.0030
276.80	280.40	TSCH, Talc Schist Mineralization 276.80 - 280.40 Structure 276.80 - 280.40 : FOL Foliated, 80 Deg to CA	E583873	276.80	278.30	1.50	0.0800	0.0880	0.0070
			E583874	278.30	279.30	1.00	0.1400	0.0630	0.0090
			E583875	279.30	280.40	1.10	0.0840	0.0420	0.0080
280.40	281.60	MD, Mafic Dike Structure 280.40 - 281.60 : LC Lower Contact, 80 Deg to CA 280.40 - 281.60 : UC Upper Contact, 75 Deg to CA	E583876	280.40	281.60	1.20	0.0150	0.0090	0.0050
281.60	284.20	TSCH, Talc Schist Mineralization 281.60 - 284.20	E583877	281.60	283.10	1.50	0.0940	0.0200	0.0100
			E583878	283.10	284.20	1.10	0.0820	0.0130	0.0110

Hole Number: KB-07-181

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
284.20	297.70	PYXT, Pyroxenite Mineralization 284.20 - 292.70 292.20 - 293.80 292.20 - 293.80 293.80 - 297.70
297.70	306.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 297.70 - 306.00
306.00	325.50	MV, Mafic Volcanic Structure 306.00 - 325.50 : FOL Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583879	284.20	285.50	1.30	0.7000	0.2620	0.0220
E583881	285.50	287.00	1.50	0.9430	0.4420	0.0260
E583882	287.00	288.50	1.50	1.4200	0.4080	0.0350
E583883	288.50	290.00	1.50	1.2750	0.5590	0.0330
E583885	290.00	291.00	1.00	0.7480	0.2310	0.0230
E583886	291.00	292.00	1.00	0.2250	0.3220	0.0110
E583887	292.00	293.00	1.00	1.6550	0.2490	0.0400
E583888	293.00	293.80	0.80	1.7700	0.2090	0.0500
E583889	293.80	295.00	1.20	0.1490	0.0840	0.0080
E583890	295.00	296.50	1.50	1.1300	0.2380	0.0410
E583891	296.50	297.50	1.00	0.0640	0.0500	0.0080
E583892	297.50	299.00	1.50	0.1460	0.1030	0.0080
E583893	299.00	300.50	1.50	0.1470	0.0970	0.0090
E583894	300.50	302.00	1.50	0.5690	0.6140	0.0170
E583895	302.00	303.50	1.50	0.1200	0.0770	0.0080
E583896	303.50	305.00	1.50	0.1250	0.0810	0.0100
E583898	305.00	306.00	1.00	0.0670	0.0430	0.0090

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583872	275.00	276.80	0.0025	0.0090	0.0030
E583873	276.80	278.30	0.0800	0.0880	0.0070
E583874	278.30	279.30	0.1400	0.0630	0.0090
E583875	279.30	280.40	0.0840	0.0420	0.0080
E583876	280.40	281.60	0.0150	0.0090	0.0050
E583877	281.60	283.10	0.0940	0.0200	0.0100
E583878	283.10	284.20	0.0820	0.0130	0.0110
E583879	284.20	285.50	0.7000	0.2620	0.0220
E583881	285.50	287.00	0.9430	0.4420	0.0260
E583882	287.00	288.50	1.4200	0.4080	0.0350
E583883	288.50	290.00	1.2750	0.5590	0.0330
E583885	290.00	291.00	0.7480	0.2310	0.0230
E583886	291.00	292.00	0.2250	0.3220	0.0110
E583887	292.00	293.00	1.6550	0.2490	0.0400
E583888	293.00	293.80	1.7700	0.2090	0.0500
E583889	293.80	295.00	0.1490	0.0840	0.0080

Hole Number: KB-07-181

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583890	295.00	296.50	1.1300	0.2380	0.0410
E583891	296.50	297.50	0.0640	0.0500	0.0080
E583892	297.50	299.00	0.1460	0.1030	0.0080
E583893	299.00	300.50	0.1470	0.0970	0.0090
E583894	300.50	302.00	0.5690	0.6140	0.0170
E583895	302.00	303.50	0.1200	0.0770	0.0080
E583896	303.50	305.00	0.1250	0.0810	0.0100
E583898	305.00	306.00	0.0670	0.0430	0.0090

DETAILED LOG

Hole Number: KB-07-180

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -70.90
Project Number:	19900	North: 5481491.00			North: 5481491.00		Collar Az: 298.70
Location:	Surface	East: 454136.00			East: 454136.00		Length: 491.00 (m)
		Elev: 378.20			Elev: 378.20		Start Depth: 0.00 (m)
Date Started:	Nov 20, 2007	Collar Survey: N	Plugged: N		Contractor: Morris Drilling		Final Depth: 491.00 (m)
Date Completed:		Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey: N	Casing: Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	358.00	379.50	21.50	2.9477	0.8217	0.0721
WEIGHTED	363.50	375.00	11.50	4.8452	0.8410	0.1169
WEIGHTED	364.50	370.00	5.50	7.2100	0.6717	0.1869
WEIGHTED	432.50	461.00	28.50	0.4003	0.1912	0.0143
WEIGHTED	447.50	450.50	3.00	0.9270	0.3155	0.0330

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	298.70	-70.90	EZ	OK		50.00	303.70	-70.50	EZ	OK	
101.00	302.60	-69.60	EZ	OK		155.00	304.50	-69.80	EZ	OK	
200.00	306.20	-69.10	EZ	OK		250.00	309.40	-68.50	EZ	OK	
350.00	306.50	-67.60	EZ	OK		400.00	282.00	-67.10	EZ	DO	
491.00	308.50	-66.80	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	6.50	MV, Mafic Volcanic							
6.50	7.90	FD, Felsic Dike							
7.90	13.00	PYXT, Pyroxenite	E583772	8.00	9.50	1.50	0.0080	0.0090	0.0050
			E583773	9.50	11.00	1.50	0.0100	0.0070	0.0060
			E583774	11.00	12.00	1.00	0.0120	0.0100	0.0060
			E583775	12.00	13.00	1.00	0.0110	0.0140	0.0050
13.00	25.00	GAB, Gabbro	E583776	13.00	14.00	1.00	0.0080	0.0070	0.0050
			E583777	14.00	15.00	1.00	0.0090	0.0060	0.0040
			E583778	15.00	16.00	1.00	0.0060	0.0060	0.0040
25.00	34.00	FD, Felsic Dike							
34.00	61.00	MV, Mafic Volcanic							

Hole Number: KB-07-180 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
61.00	63.00	MD, Mafic Dike							
63.00	66.00	MV, Mafic Volcanic							
66.00	67.00	FD, Felsic Dike							
67.00	104.00	MV, Mafic Volcanic							
104.00	146.50	MV, Mafic Volcanic							
146.50	150.00	FD, Felsic Dike							
150.00	192.00	MV, Mafic Volcanic							
192.00	206.00	FD, Felsic Dike							
206.00	312.00	MV, Mafic Volcanic							
312.00	313.00	MV, Mafic Volcanic Well bedded sediments.							
313.00	321.00	MV, Mafic Volcanic							
321.00	325.00	FD, Felsic Dike							
325.00	356.50	MV, Mafic Volcanic	E583779	353.00	354.50	1.50	0.0025	0.0070	0.0030
			E583780	354.50	356.50	2.00	0.0025	0.0110	0.0030
356.50	360.50	TSCH, Talc Schist Mineralization 356.50 - 360.50	E583781	356.50	358.00	1.50	0.0850	0.0410	0.0060
			E583782	358.00	359.50	1.50	0.5300	0.0760	0.0170
			E583783	359.50	360.50	1.00	0.2470	0.1050	0.0090
360.50	364.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 360.50 - 364.50	E583784	360.50	362.00	1.50	1.9700	0.6860	0.0460
			E583785	362.00	363.50	1.50	0.6830	0.2440	0.0210
			E583786	363.50	364.50	1.00	3.1700	0.7400	0.0600
364.50	376.50	PYXT, Pyroxenite Mineralization 364.50 - 371.50 371.50 - 376.50	E583787	364.50	366.00	1.50	7.9100	0.6790	0.2620
			E583788	366.00	367.00	1.00	8.8300	0.3180	0.1700
			E583789	367.00	368.00	1.00	5.8000	0.7680	0.2140
			E583791	368.00	369.00	1.00	5.8000	1.3250	0.0900
			E583792	369.00	370.00	1.00	7.3600	0.2650	0.1610
			E583794	370.00	371.00	1.00	3.1700	1.4700	0.0520
			E583795	371.00	372.00	1.00	2.6900	0.4060	0.0590
			E583796	372.00	373.00	1.00	1.9550	0.9470	0.0440
			E583798	373.00	374.00	1.00	2.2200	1.4450	0.0420
			E583799	374.00	375.00	1.00	2.8600	0.9690	0.0590
			E583800	375.00	376.50	1.50	0.9950	1.6900	0.0220
376.50	377.60	MD, Mafic Dike	E583801	376.50	377.60	1.10	0.0300	0.2260	0.0060
377.60	379.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 377.60 - 379.50	E583802	377.60	378.50	0.90	0.7850	2.4800	0.0210
			E583803	378.50	379.50	1.00	0.4030	1.3650	0.0130
379.50	381.40	MV, Mafic Volcanic	E583804	379.50	380.50	1.00	0.0230	0.0390	0.0040
			E583805	380.50	381.40	0.90	0.0260	0.0410	0.0040

Hole Number: KB-07-180 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
381.40	387.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 381.40 - 387.50	E583806	381.40	383.00	1.60	0.0550	0.0420	0.0050
			E583807	383.00	384.50	1.50	0.0470	0.0110	0.0050
			E583809	384.50	386.00	1.50	0.0620	0.0340	0.0070
			E583810	386.00	387.50	1.50	0.0270	0.0410	0.0080
387.50	391.00	MV, Mafic Volcanic	E583811	387.50	389.00	1.50	0.0430	0.0380	0.0070
			E583812	389.00	390.00	1.00	0.0170	0.0150	0.0070
			E583813	390.00	391.00	1.00	0.0190	0.0150	0.0060
391.00	395.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 391.00 - 395.10	E583814	391.00	392.50	1.50	0.1880	0.1350	0.0110
			E583815	392.50	394.00	1.50	0.2040	0.0880	0.0110
			E583817	394.00	395.10	1.10	0.1780	0.0610	0.0100
395.10	421.50	GABPYXT, Gabbro Pyroxenite Dikes	E583818	395.10	396.50	1.40	0.0220	0.0220	0.0060
			E583819	396.50	398.00	1.50	0.0150	0.0130	0.0050
			E583820	398.00	399.50	1.50	0.0240	0.0350	0.0070
			E583821	399.50	401.00	1.50	0.6630	0.2410	0.0190
			E583822	401.00	402.50	1.50	0.7100	0.4450	0.0260
			E583823	402.50	404.00	1.50	0.3180	0.2730	0.0120
			E583824	404.00	405.50	1.50	0.0510	0.0450	0.0060
			E583825	405.50	407.00	1.50	0.0630	0.0460	0.0060
			E583826	407.00	408.50	1.50	0.3100	0.1430	0.0110
			E583827	408.50	410.00	1.50	0.2160	0.1170	0.0110
			E583829	410.00	411.50	1.50	0.1430	0.0830	0.0080
			E583830	411.50	413.00	1.50	0.0200	0.0320	0.0050
			E583831	413.00	414.50	1.50	0.1220	0.0640	0.0070
			E583832	414.50	416.00	1.50	0.0980	0.0580	0.0060
			E583833	416.00	417.50	1.50	0.0180	0.0150	0.0030
			E583835	417.50	419.00	1.50	0.1270	0.0740	0.0080
			E583836	419.00	420.50	1.50	0.1560	0.0830	0.0090
			E583837	420.50	421.50	1.00	0.1960	0.1040	0.0110
421.50	435.50	GAB, Gabbro Mineralization 421.50 - 435.50 421.50 - 435.50	E583838	421.50	423.00	1.50	0.0330	0.0190	0.0050
			E583839	423.00	424.80	1.80	0.0190	0.0110	0.0030
			E583840	424.80	426.50	1.70	0.1120	0.0760	0.0090
			E583841	426.50	428.00	1.50	0.1800	0.1030	0.0090
			E583842	428.00	429.50	1.50	0.1840	0.1110	0.0110
			E583843	429.50	431.00	1.50	0.1660	0.0930	0.0090
			E583844	431.00	432.50	1.50	0.1960	0.1210	0.0090
			E583845	432.50	434.00	1.50	0.3400	0.1540	0.0120
			E583846	434.00	435.50	1.50	0.4820	0.1890	0.0140

DETAILED LOG

Hole Number: KB-07-180

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
435.50	450.50	PYXT, Pyroxenite Mineralization 435.50 - 446.00 446.00 - 449.90 449.90 - 450.50
450.50	456.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 450.50 - 456.30
456.30	459.70	GAB, Gabbro Mineralization 456.30 - 459.70
459.70	463.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 459.70 - 463.90
463.90	467.10	PYXT, Pyroxenite Mineralization 463.90 - 467.10
467.10	491.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583847	435.50	437.00	1.50	0.9340	0.5410	0.0270
E583848	437.00	438.50	1.50	0.6650	0.3060	0.0200
E583849	438.50	440.00	1.50	0.5590	0.2890	0.0190
E583850	440.00	441.50	1.50	0.2990	0.1650	0.0120
E583852	441.50	443.00	1.50	0.3400	0.1220	0.0120
E583853	443.00	444.50	1.50	0.2110	0.1060	0.0100
E583854	444.50	446.00	1.50	0.1350	0.1440	0.0060
E583855	446.00	447.50	1.50	0.4690	0.1650	0.0170
E583856	447.50	449.00	1.50	1.1400	0.4230	0.0330
E583857	449.00	450.50	1.50	0.7140	0.2080	0.0330
E583858	450.50	452.00	1.50	0.0300	0.0150	0.0060
E583859	452.00	453.50	1.50	0.1280	0.0640	0.0080
E583860	453.50	455.00	1.50	0.3420	0.1410	0.0120
E583862	455.00	456.30	1.30	0.4220	0.2160	0.0130
E583863	456.30	458.00	1.70	0.0025	0.0090	0.0020
E583864	458.00	459.70	1.70	0.0890	0.0900	0.0050
E583865	459.70	461.00	1.30	0.4010	0.3480	0.0130
E583866	461.00	462.50	1.50	0.1440	0.1720	0.0080
E583867	462.50	463.90	1.40	0.1860	0.0620	0.0090
E583868	463.90	465.50	1.60	0.1340	0.0820	0.0080
E583869	465.50	467.10	1.60	0.2010	0.1600	0.0100
E583870	467.10	468.50	1.40	0.0470	0.0570	0.0060
E583871	468.50	470.00	1.50	0.0080	0.0150	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583772	8.00	9.50	0.0080	0.0090	0.0050
E583773	9.50	11.00	0.0100	0.0070	0.0060
E583774	11.00	12.00	0.0120	0.0100	0.0060
E583775	12.00	13.00	0.0110	0.0140	0.0050
E583776	13.00	14.00	0.0080	0.0070	0.0050
E583777	14.00	15.00	0.0090	0.0060	0.0040
E583778	15.00	16.00	0.0060	0.0060	0.0040
E583779	353.00	354.50	0.0025	0.0070	0.0030
E583780	354.50	356.50	0.0025	0.0110	0.0030
E583781	356.50	358.00	0.0850	0.0410	0.0060
E583782	358.00	359.50	0.5300	0.0760	0.0170

Hole Number: KB-07-180 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583783	359.50	360.50	0.2470	0.1050	0.0090
E583784	360.50	362.00	1.9700	0.6860	0.0460
E583785	362.00	363.50	0.6830	0.2440	0.0210
E583786	363.50	364.50	3.1700	0.7400	0.0600
E583787	364.50	366.00	7.9100	0.6790	0.2620
E583788	366.00	367.00	8.8300	0.3180	0.1700
E583789	367.00	368.00	5.8000	0.7680	0.2140
E583791	368.00	369.00	5.8000	1.3250	0.0900
E583792	369.00	370.00	7.3600	0.2650	0.1610
E583794	370.00	371.00	3.1700	1.4700	0.0520
E583795	371.00	372.00	2.6900	0.4060	0.0590
E583796	372.00	373.00	1.9550	0.9470	0.0440
E583798	373.00	374.00	2.2200	1.4450	0.0420
E583799	374.00	375.00	2.8600	0.9690	0.0590
E583800	375.00	376.50	0.9950	1.6900	0.0220
E583801	376.50	377.60	0.0300	0.2260	0.0060
E583802	377.60	378.50	0.7850	2.4800	0.0210
E583803	378.50	379.50	0.4030	1.3650	0.0130
E583804	379.50	380.50	0.0230	0.0390	0.0040
E583805	380.50	381.40	0.0260	0.0410	0.0040
E583806	381.40	383.00	0.0550	0.0420	0.0050
E583807	383.00	384.50	0.0470	0.0110	0.0050
E583809	384.50	386.00	0.0620	0.0340	0.0070
E583810	386.00	387.50	0.0270	0.0410	0.0080
E583811	387.50	389.00	0.0430	0.0380	0.0070
E583812	389.00	390.00	0.0170	0.0150	0.0070
E583813	390.00	391.00	0.0190	0.0150	0.0060
E583814	391.00	392.50	0.1880	0.1350	0.0110
E583815	392.50	394.00	0.2040	0.0880	0.0110
E583817	394.00	395.10	0.1780	0.0610	0.0100
E583818	395.10	396.50	0.0220	0.0220	0.0060
E583819	396.50	398.00	0.0150	0.0130	0.0050
E583820	398.00	399.50	0.0240	0.0350	0.0070
E583821	399.50	401.00	0.6630	0.2410	0.0190
E583822	401.00	402.50	0.7100	0.4450	0.0260
E583823	402.50	404.00	0.3180	0.2730	0.0120
E583824	404.00	405.50	0.0510	0.0450	0.0060

Hole Number: KB-07-180

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583825	405.50	407.00	0.0630	0.0460	0.0060
E583826	407.00	408.50	0.3100	0.1430	0.0110
E583827	408.50	410.00	0.2160	0.1170	0.0110
E583829	410.00	411.50	0.1430	0.0830	0.0080
E583830	411.50	413.00	0.0200	0.0320	0.0050
E583831	413.00	414.50	0.1220	0.0640	0.0070
E583832	414.50	416.00	0.0980	0.0580	0.0060
E583833	416.00	417.50	0.0180	0.0150	0.0030
E583835	417.50	419.00	0.1270	0.0740	0.0080
E583836	419.00	420.50	0.1560	0.0830	0.0090
E583837	420.50	421.50	0.1960	0.1040	0.0110
E583838	421.50	423.00	0.0330	0.0190	0.0050
E583839	423.00	424.80	0.0190	0.0110	0.0030
E583840	424.80	426.50	0.1120	0.0760	0.0090
E583841	426.50	428.00	0.1800	0.1030	0.0090
E583842	428.00	429.50	0.1840	0.1110	0.0110
E583843	429.50	431.00	0.1660	0.0930	0.0090
E583844	431.00	432.50	0.1960	0.1210	0.0090
E583845	432.50	434.00	0.3400	0.1540	0.0120
E583846	434.00	435.50	0.4820	0.1890	0.0140
E583847	435.50	437.00	0.9340	0.5410	0.0270
E583848	437.00	438.50	0.6650	0.3060	0.0200
E583849	438.50	440.00	0.5590	0.2890	0.0190
E583850	440.00	441.50	0.2990	0.1650	0.0120
E583852	441.50	443.00	0.3400	0.1220	0.0120
E583853	443.00	444.50	0.2110	0.1060	0.0100
E583854	444.50	446.00	0.1350	0.1440	0.0060
E583855	446.00	447.50	0.4690	0.1650	0.0170
E583856	447.50	449.00	1.1400	0.4230	0.0330
E583857	449.00	450.50	0.7140	0.2080	0.0330
E583858	450.50	452.00	0.0300	0.0150	0.0060
E583859	452.00	453.50	0.1280	0.0640	0.0080
E583860	453.50	455.00	0.3420	0.1410	0.0120
E583862	455.00	456.30	0.4220	0.2160	0.0130
E583863	456.30	458.00	0.0025	0.0090	0.0020
E583864	458.00	459.70	0.0890	0.0900	0.0050
E583865	459.70	461.00	0.4010	0.3480	0.0130

Hole Number: KB-07-180

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583866	461.00	462.50	0.1440	0.1720	0.0080
E583867	462.50	463.90	0.1860	0.0620	0.0090
E583868	463.90	465.50	0.1340	0.0820	0.0080
E583869	465.50	467.10	0.2010	0.1600	0.0100
E583870	467.10	468.50	0.0470	0.0570	0.0060
E583871	468.50	470.00	0.0080	0.0150	0.0050

DETAILED LOG

Hole Number: KB-07-169 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -52.40
Project Number:	19900	North:	5481451.00		North:	5481451.00	Collar Az: 307.00
Location:	Surface	East:	454069.00		East:	454069.00	Length: 299.00 (m)
		Elev:	402.80		Elev:	402.80	Start Depth: 0.00 (m)
Date Started:	Nov 20, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 299.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:		Pulse EM Survey:	N	Casing: Left in Hole			

Comments: Core boxes with core lost from 221m to 231m. In Gabpyxt. Weak minerlaization. TK

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	200.50	206.50	6.00	0.4110	0.2723	0.0140
WEIGHTED	246.10	250.50	4.40	0.3228	0.1912	0.0110

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	307.30	-52.40	EZ	OK		50.00	309.90	-51.80	EZ	OK	
101.00	309.90	-50.00	EZ	OK		152.00	270.10	-48.70	EZ	DO	
200.00	312.40	-47.80	EZ	OK		250.00	311.10	-46.90	EZ	OK	
299.00	312.80	-46.00	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	5.00	MV, Mafic Volcanic							
5.00	9.00	FD, Felsic Dike							
9.00	20.50	MV, Mafic Volcanic							
20.50	27.50	FD, Felsic Dike							
27.50	86.20	MV, Mafic Volcanic							
86.20	90.50	FD, Felsic Dike							
90.50	130.00	MV, Mafic Volcanic							
130.00	138.00	FD, Felsic Dike							
138.00	188.00	MV, Mafic Volcanic							
188.00	189.60	TSCH, Talc Schist Mineralization 188.00 - 189.60							
189.60	192.20	MV, Mafic Volcanic Structure 189.60 - 192.20							

Hole Number: KB-07-169

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
192.20	212.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 192.20 - 212.30	E586487	198.00	199.20	1.20	0.0410	0.0140	0.0040
			E586488	199.20	200.50	1.30	0.1330	0.0450	0.0080
			E586489	200.50	202.00	1.50	0.3460	0.1430	0.0140
			E586490	202.00	203.50	1.50	0.4710	0.3990	0.0160
			E586491	203.50	205.00	1.50	0.5340	0.4380	0.0170
			E586493	205.00	206.50	1.50	0.2930	0.1090	0.0090
			E586494	206.50	208.00	1.50	0.1120	0.0360	0.0060
			E586495	208.00	209.50	1.50	0.1310	0.0680	0.0070
			E586496	209.50	211.00	1.50	0.1120	0.0500	0.0070
			E586497	211.00	212.30	1.30	0.1760	0.1090	0.0080
212.30	212.80	FD, Felsic Dike	E586498	212.30	212.80	0.50	0.0740	0.0360	0.0040
212.80	230.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 212.80 - 230.00	E586499	212.80	214.00	1.20	0.1370	0.0300	0.0070
			E586500	214.00	215.50	1.50	0.1710	0.0530	0.0090
			E829001	215.50	217.00	1.50	0.0470	0.0250	0.0040
			E829002	217.00	218.50	1.50	0.1240	0.0500	0.0080
			E829004	218.50	220.00	1.50	0.1100	0.0480	0.0060
			E829005	220.00	221.00	1.00	0.1920	0.0970	0.0090
230.00	232.30	FD, Felsic Dike	E829006	231.00	232.30	1.30	0.0025	0.0100	0.0020
232.30	236.40	MV, Mafic Volcanic	E829007	232.30	234.00	1.70	0.0610	0.0270	0.0050
			E829008	234.00	235.00	1.00	0.0200	0.0110	0.0040
			E829009	235.00	236.40	1.40	0.0140	0.0160	0.0040
236.40	241.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 236.40 - 241.50	E829010	236.40	238.00	1.60	0.0830	0.0360	0.0040
			E829011	238.00	239.50	1.50	0.0830	0.0500	0.0060
			E829012	239.50	240.50	1.00	0.1930	0.0790	0.0070
			E829014	240.50	241.50	1.00	0.1520	0.0730	0.0080
241.50	246.10	MV, Mafic Volcanic	E829015	241.50	243.00	1.50	0.0180	0.0140	0.0040
			E829016	243.00	244.50	1.50	0.0170	0.0150	0.0040
			E829017	244.50	246.10	1.60	0.0490	0.0520	0.0040
246.10	254.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 246.10 - 254.00	E829018	246.10	247.50	1.40	0.4950	0.2260	0.0120
			E829019	247.50	249.00	1.50	0.2400	0.1500	0.0100
			E829020	249.00	250.50	1.50	0.2450	0.2000	0.0110
			E829021	250.50	252.00	1.50	0.1330	0.1290	0.0070
			E829023	252.00	253.00	1.00	0.0520	0.0330	0.0060
			E829024	253.00	254.00	1.00	0.0840	0.0480	0.0080
254.00	258.00	TSCH, Talc Schist Mineralization 254.00 - 258.00	E829025	254.00	255.50	1.50	0.4320	0.3530	0.0130
			E829026	255.50	257.00	1.50	0.1180	0.0780	0.0080
			E829027	257.00	258.00	1.00	0.0670	0.0150	0.0060
258.00	263.20	MV, Mafic Volcanic	E829028	258.00	259.00	1.00	0.1020	0.1400	0.0060
			E829029	259.00	260.00	1.00	0.0140	0.0120	0.0060
263.20	263.80	FD, Felsic Dike							
263.80	299.00	MV, Mafic Volcanic							

Hole Number: KB-07-169 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586487	198.00	199.20	0.0410	0.0140	0.0040
E586488	199.20	200.50	0.1330	0.0450	0.0080
E586489	200.50	202.00	0.3460	0.1430	0.0140
E586490	202.00	203.50	0.4710	0.3990	0.0160
E586491	203.50	205.00	0.5340	0.4380	0.0170
E586493	205.00	206.50	0.2930	0.1090	0.0090
E586494	206.50	208.00	0.1120	0.0360	0.0060
E586495	208.00	209.50	0.1310	0.0680	0.0070
E586496	209.50	211.00	0.1120	0.0500	0.0070
E586497	211.00	212.30	0.1760	0.1090	0.0080
E586498	212.30	212.80	0.0740	0.0360	0.0040
E586499	212.80	214.00	0.1370	0.0300	0.0070
E586500	214.00	215.50	0.1710	0.0530	0.0090
E829001	215.50	217.00	0.0470	0.0250	0.0040
E829002	217.00	218.50	0.1240	0.0500	0.0080
E829004	218.50	220.00	0.1100	0.0480	0.0060
E829005	220.00	221.00	0.1920	0.0970	0.0090
E829006	231.00	232.30	0.0025	0.0100	0.0020
E829007	232.30	234.00	0.0610	0.0270	0.0050
E829008	234.00	235.00	0.0200	0.0110	0.0040
E829009	235.00	236.40	0.0140	0.0160	0.0040
E829010	236.40	238.00	0.0830	0.0360	0.0040
E829011	238.00	239.50	0.0830	0.0500	0.0060
E829012	239.50	240.50	0.1930	0.0790	0.0070
E829014	240.50	241.50	0.1520	0.0730	0.0080
E829015	241.50	243.00	0.0180	0.0140	0.0040
E829016	243.00	244.50	0.0170	0.0150	0.0040
E829017	244.50	246.10	0.0490	0.0520	0.0040
E829018	246.10	247.50	0.4950	0.2260	0.0120
E829019	247.50	249.00	0.2400	0.1500	0.0100
E829020	249.00	250.50	0.2450	0.2000	0.0110
E829021	250.50	252.00	0.1330	0.1290	0.0070
E829023	252.00	253.00	0.0520	0.0330	0.0060
E829024	253.00	254.00	0.0840	0.0480	0.0080
E829025	254.00	255.50	0.4320	0.3530	0.0130
E829026	255.50	257.00	0.1180	0.0780	0.0080
E829027	257.00	258.00	0.0670	0.0150	0.0060

Hole Number: KB-07-169

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829028	258.00	259.00	0.1020	0.1400	0.0060
E829029	259.00	260.00	0.0140	0.0120	0.0060

DETAILED LOG

Hole Number: KB-07-168

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -63.30
Project Number:	19900	North: 5481401.00			North: 5481401.00		Collar Az: 310.10
Location:	Surface	East: 454055.90			East: 454055.90		Length: 327.00 (m)
		Elev: 403.10			Elev: 403.10		Start Depth: 0.00 (m)
Date Started:	Nov 20, 2007	Collar Survey: N	Plugged: N		Contractor: Morris Drilling		Final Depth: 327.00 (m)
Date Completed:		Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey: N	Casing: Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	265.50	272.75	7.25	0.7609	0.2627	0.0211
WEIGHTED	265.50	311.00	45.50	0.4366	0.2162	0.0135
WEIGHTED	270.00	272.75	2.75	1.4932	0.2094	0.0365
WEIGHTED	285.00	289.50	4.50	1.3560	0.4103	0.0337
WEIGHTED	285.00	291.00	6.00	1.1570	0.3785	0.0310

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	310.80	-63.30	EZ	OK		50.00	309.50	-63.00	EZ	OK	
101.00	311.60	-62.50	EZ	OK		152.00	311.80	-61.80	EZ	OK	
200.00	311.90	-60.90	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	107.00	MV, Mafic Volcanic							
107.00	110.00	FD, Felsic Dike							
110.00	261.00	MV, Mafic Volcanic	E586438	259.00	260.00	1.00	0.0380	0.0400	0.0070
			E586439	260.00	261.00	1.00	0.1200	0.1180	0.0090
261.00	265.50	TSCH, Talc Schist	E586440	261.00	262.50	1.50	0.0590	0.0140	0.0050
		Mineralization	E586441	262.50	264.00	1.50	0.1570	0.1390	0.0070
		261.00 - 265.50	E586442	264.00	265.50	1.50	0.1340	0.0430	0.0090
265.50	272.75	GABPYXT, Gabbro Pyroxenite Dikes	E586443	265.50	267.00	1.50	0.3360	0.6360	0.0110
		Mineralization	E586444	267.00	268.50	1.50	0.3330	0.0580	0.0120
		265.50 - 272.75	E586446	268.50	270.00	1.50	0.2710	0.1920	0.0120
			E586447	270.00	271.50	1.50	1.3000	0.1530	0.0310
			E586448	271.50	272.75	1.25	1.7250	0.2770	0.0430

DETAILED LOG

Hole Number: KB-07-168

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
272.75	277.10	FD, Felsic Dike	E586449	272.75	274.00	1.25	0.0140	0.0070	0.0020
			E586450	274.00	275.50	1.50	0.0070	0.0100	0.0020
			E586451	275.50	277.10	1.60	0.0070	0.0060	0.0020
277.10	283.40	GABPYXT, Gabbro Pyroxenite Dikes	E586452	277.10	278.50	1.40	0.0650	0.0250	0.0060
		Mineralization	E586453	278.50	280.00	1.50	0.0370	0.0150	0.0050
		277.10 - 283.40	E586455	280.00	281.50	1.50	0.0110	0.0070	0.0060
			E586456	281.50	282.50	1.00	0.0120	0.0090	0.0050
			E586457	282.50	283.40	0.90	0.1380	0.0890	0.0080
283.40	290.60	PYXT, Pyroxenite	E586458	283.40	285.00	1.60	0.1870	0.1150	0.0090
		Mineralization	E586459	285.00	286.50	1.50	0.9880	0.4490	0.0220
		283.40 - 290.60	E586460	286.50	288.00	1.50	1.6850	0.4350	0.0370
			E586462	288.00	289.50	1.50	1.3950	0.3470	0.0420
			E586463	289.50	291.00	1.50	0.5600	0.2830	0.0230
290.60	292.50	GABPYXT, Gabbro Pyroxenite Dikes	E586464	291.00	292.50	1.50	0.1070	0.0780	0.0080
		Mineralization							
		290.60 - 292.50							
292.50	297.50	MV, Mafic Volcanic	E586466	292.50	294.00	1.50	0.0280	0.0180	0.0050
			E586467	294.00	295.50	1.50	0.0290	0.0190	0.0050
			E586468	295.50	296.50	1.00	0.1110	0.0550	0.0060
			E586469	296.50	297.50	1.00	0.0990	0.0460	0.0060
297.50	300.10	GABPYXT, Gabbro Pyroxenite Dikes	E586470	297.50	299.00	1.50	0.1120	0.0380	0.0060
		Mineralization	E586471	299.00	300.10	1.10	1.9150	1.1750	0.0340
		297.50 - 300.10							
300.10	301.10	FD, Felsic Dike	E586472	300.10	301.10	1.00	0.0920	0.0700	0.0050
301.10	312.00	PYXT, Pyroxenite	E586473	301.10	302.50	1.40	0.4850	0.3410	0.0220
		Mineralization	E586474	302.50	304.00	1.50	0.4350	0.3290	0.0120
		301.10 - 312.00	E586475	304.00	305.50	1.50	0.4680	0.4000	0.0140
		Structure	E586476	305.50	307.00	1.50	0.2830	0.1950	0.0120
		301.10 - 312.00	E586477	307.00	308.50	1.50	0.3010	0.2800	0.0090
			E586478	308.50	310.00	1.50	0.4480	0.5790	0.0100
			E586479	310.00	311.00	1.00	0.3640	0.4410	0.0080
			E586480	311.00	312.00	1.00	0.0870	0.0380	0.0080
312.00	317.75	TSCH, Talc Schist	E586482	312.00	313.50	1.50	0.1190	0.1380	0.0070
		Mineralization	E586483	313.50	315.00	1.50	0.1170	0.0970	0.0090
		312.00 - 317.75	E586484	315.00	316.50	1.50	0.1080	0.0630	0.0080
			E586485	316.50	317.75	1.25	0.0730	0.0730	0.0040
317.75	327.00	MV, Mafic Volcanic	E586486	317.75	319.00	1.25	0.0340	0.0960	0.0030

Hole Number: KB-07-168 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586438	259.00	260.00	0.0380	0.0400	0.0070
E586439	260.00	261.00	0.1200	0.1180	0.0090
E586440	261.00	262.50	0.0590	0.0140	0.0050
E586441	262.50	264.00	0.1570	0.1390	0.0070
E586442	264.00	265.50	0.1340	0.0430	0.0090
E586443	265.50	267.00	0.3360	0.6360	0.0110
E586444	267.00	268.50	0.3330	0.0580	0.0120
E586446	268.50	270.00	0.2710	0.1920	0.0120
E586447	270.00	271.50	1.3000	0.1530	0.0310
E586448	271.50	272.75	1.7250	0.2770	0.0430
E586449	272.75	274.00	0.0140	0.0070	0.0020
E586450	274.00	275.50	0.0070	0.0100	0.0020
E586451	275.50	277.10	0.0070	0.0060	0.0020
E586452	277.10	278.50	0.0650	0.0250	0.0060
E586453	278.50	280.00	0.0370	0.0150	0.0050
E586455	280.00	281.50	0.0110	0.0070	0.0060
E586456	281.50	282.50	0.0120	0.0090	0.0050
E586457	282.50	283.40	0.1380	0.0890	0.0080
E586458	283.40	285.00	0.1870	0.1150	0.0090
E586459	285.00	286.50	0.9880	0.4490	0.0220
E586460	286.50	288.00	1.6850	0.4350	0.0370
E586462	288.00	289.50	1.3950	0.3470	0.0420
E586463	289.50	291.00	0.5600	0.2830	0.0230
E586464	291.00	292.50	0.1070	0.0780	0.0080
E586466	292.50	294.00	0.0280	0.0180	0.0050
E586467	294.00	295.50	0.0290	0.0190	0.0050
E586468	295.50	296.50	0.1110	0.0550	0.0060
E586469	296.50	297.50	0.0990	0.0460	0.0060
E586470	297.50	299.00	0.1120	0.0380	0.0060
E586471	299.00	300.10	1.9150	1.1750	0.0340
E586472	300.10	301.10	0.0920	0.0700	0.0050
E586473	301.10	302.50	0.4850	0.3410	0.0220
E586474	302.50	304.00	0.4350	0.3290	0.0120
E586475	304.00	305.50	0.4680	0.4000	0.0140
E586476	305.50	307.00	0.2830	0.1950	0.0120
E586477	307.00	308.50	0.3010	0.2800	0.0090
E586478	308.50	310.00	0.4480	0.5790	0.0100

Hole Number: KB-07-168

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586479	310.00	311.00	0.3640	0.4410	0.0080
E586480	311.00	312.00	0.0870	0.0380	0.0080
E586482	312.00	313.50	0.1190	0.1380	0.0070
E586483	313.50	315.00	0.1170	0.0970	0.0090
E586484	315.00	316.50	0.1080	0.0630	0.0080
E586485	316.50	317.75	0.0730	0.0730	0.0040
E586486	317.75	319.00	0.0340	0.0960	0.0030

DETAILED LOG

Hole Number: KB-07-167 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -54.00
Project Number:	19900	North: 5481401.00			North: 5481401.00		Collar Az: 309.80
Location:	Surface	East: 454055.90			East: 454055.90		Length: 290.00 (m)
		Elev: 403.10			Elev: 403.10		Start Depth: 0.00 (m)
Date Started:	Oct 15, 2007	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 290.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	199.50	206.50	7.00	0.3380	0.1887	0.0135
WEIGHTED	210.50	217.00	6.50	1.1537	0.4005	0.0304
WEIGHTED	263.00	269.00	6.00	0.6110	0.4708	0.0155

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	309.80	-54.00	EZ	OK		50.00	311.60	-53.40	EZ	OK	
101.00	312.50	-51.60	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	56.20	MV, Mafic Volcanic							
56.20	57.80	FD, Felsic Dike Structure 56.20 - 57.80 : LC Lower Contact, 40 Deg to CA 56.20 - 57.80 : UC Upper Contact, 25 Deg to CA							
57.80	69.40	MV, Mafic Volcanic							
69.40	71.90	FD, Felsic Dike Structure 69.40 - 71.90 : LC Lower Contact, 30 Deg to CA 69.40 - 71.90 : UC Upper Contact, 20 Deg to CA							
71.90	86.10	MV, Mafic Volcanic							
86.10	87.50	FD, Felsic Dike Structure 86.10 - 87.50 : LC Lower Contact, 50 Deg to CA 86.10 - 87.50 : UC Upper Contact, 30 Deg to CA							

Hole Number: KB-07-167

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
87.50	188.50	MV, Mafic Volcanic Structure 87.50 - 188.50 : FOL Foliated, 65 Deg to CA	E586383	186.50	187.50	1.00	0.0260	0.0140	0.0040
			E586384	187.50	188.80	1.30	0.0470	0.0500	0.0040
188.50	194.00	TSCH, Talc Schist Mineralization 188.50 - 194.00	E586385	188.80	190.00	1.20	0.0480	0.0220	0.0040
			E586386	190.00	191.00	1.00	0.1900	0.1410	0.0080
			E586387	191.00	192.50	1.50	0.2040	0.1670	0.0100
			E586388	192.50	194.00	1.50	0.6680	0.2930	0.0190
194.00	197.00	MV, Mafic Volcanic	E586389	194.00	195.50	1.50	0.0860	0.0400	0.0040
			E586390	195.50	197.00	1.50	0.0310	0.0150	0.0050
197.00	200.50	PYXT, Pyroxenite Mineralization 197.00 - 200.50	E586391	197.00	198.50	1.50	0.1410	0.0480	0.0100
			E586392	198.50	199.50	1.00	0.0770	0.0510	0.0070
			E586393	199.50	200.50	1.00	0.3770	0.1750	0.0150
200.50	210.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 200.50 - 210.50	E586395	200.50	202.00	1.50	0.3120	0.1780	0.0130
			E586396	202.00	203.50	1.50	0.2860	0.2660	0.0140
			E586397	203.50	205.00	1.50	0.1340	0.0990	0.0070
			E586399	205.00	206.50	1.50	0.5940	0.2210	0.0190
			E586400	206.50	208.00	1.50	0.0110	0.0210	0.0050
			E586401	208.00	209.50	1.50	0.0200	0.0310	0.0050
			E586402	209.50	210.50	1.00	0.0470	0.0270	0.0060
210.50	213.50	PYXT, Pyroxenite Mineralization 210.50 - 213.50	E586403	210.50	212.00	1.50	2.0300	0.4700	0.0520
			E586405	212.00	213.50	1.50	1.3150	0.5240	0.0310
213.50	217.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 213.50 - 217.00	E586406	213.50	215.00	1.50	0.1190	0.1890	0.0080
			E586407	215.00	216.00	1.00	1.7950	0.4650	0.0430
			E586408	216.00	217.00	1.00	0.5080	0.3640	0.0180
217.00	223.00	GAB, Gabbro Mineralization 217.00 - 223.00	E586409	217.00	218.00	1.00	0.0480	0.0570	0.0070
			E586410	222.00	223.00	1.00	0.0270	0.0240	0.0080
223.00	224.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 223.00 - 224.20	E586411	223.00	224.20	1.20	0.1660	0.1280	0.0130
224.20	227.10	FD, Felsic Dike	E586412	224.20	225.50	1.30	0.0480	0.0190	0.0030
			E586413	225.50	227.10	1.60	0.0090	0.0070	0.0030
227.10	228.00	PYXT, Pyroxenite Mineralization 227.10 - 228.00	E586414	227.10	228.00	0.90	1.0600	0.5920	0.0260
228.00	237.50	MV, Mafic Volcanic	E586415	228.00	229.00	1.00	0.0290	0.0220	0.0060
			E586416	236.00	237.50	1.50	0.0280	0.0230	0.0070
237.50	242.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 237.50 - 242.00	E586417	237.50	239.00	1.50	0.1390	0.0590	0.0070
			E586419	239.00	240.50	1.50	0.2340	0.1440	0.0100
			E586420	240.50	242.00	1.50	0.5540	0.3180	0.0170

DETAILED LOG

Hole Number: KB-07-167

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
242.00	244.50	MV, Mafic Volcanic	E586421	242.00	243.00	1.00	0.0150	0.0190	0.0040
244.50	252.60	FD, Felsic Dike							
252.60	254.60	MV, Mafic Volcanic							
254.60	258.00	GABPYXT, Gabbro Pyroxenite Dikes	E586422	254.60	256.00	1.40	0.0940	0.0410	0.0060
		Mineralization	E586423	256.00	257.00	1.00	0.2640	0.1210	0.0140
		254.60 - 258.00	E586424	257.00	258.00	1.00	0.0530	0.0550	0.0070
258.00	263.00	PYXT, Pyroxenite	E586425	258.00	259.50	1.50	0.1840	0.0710	0.0100
		Mineralization	E586426	259.50	261.00	1.50	0.1450	0.0520	0.0070
		258.00 - 263.00	E586427	261.00	262.00	1.00	0.0870	0.0350	0.0060
			E586428	262.00	263.00	1.00	0.2340	0.1650	0.0090
263.00	266.00	PYXT, Pyroxenite	E586429	263.00	264.50	1.50	1.2800	0.6730	0.0280
		Mineralization	E586430	264.50	266.00	1.50	0.2860	0.4600	0.0110
		263.00 - 266.00							
266.00	271.00	TSCH, Talc Schist	E586431	266.00	267.50	1.50	0.5570	0.4220	0.0130
		Mineralization	E586432	267.50	269.00	1.50	0.3210	0.3280	0.0100
		266.00 - 271.00	E586433	269.00	270.00	1.00	0.0610	0.0170	0.0050
			E586435	270.00	271.00	1.00	0.2260	0.1430	0.0090
271.00	290.00	MV, Mafic Volcanic	E586436	271.00	272.00	1.00	0.0200	0.0250	0.0030
			E586437	272.00	273.00	1.00	0.0100	0.0110	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586383	186.50	187.50	0.0260	0.0140	0.0040
E586384	187.50	188.80	0.0470	0.0500	0.0040
E586385	188.80	190.00	0.0480	0.0220	0.0040
E586386	190.00	191.00	0.1900	0.1410	0.0080
E586387	191.00	192.50	0.2040	0.1670	0.0100
E586388	192.50	194.00	0.6680	0.2930	0.0190
E586389	194.00	195.50	0.0860	0.0400	0.0040
E586390	195.50	197.00	0.0310	0.0150	0.0050
E586391	197.00	198.50	0.1410	0.0480	0.0100
E586392	198.50	199.50	0.0770	0.0510	0.0070
E586393	199.50	200.50	0.3770	0.1750	0.0150
E586395	200.50	202.00	0.3120	0.1780	0.0130
E586396	202.00	203.50	0.2860	0.2660	0.0140
E586397	203.50	205.00	0.1340	0.0990	0.0070
E586399	205.00	206.50	0.5940	0.2210	0.0190
E586400	206.50	208.00	0.0110	0.0210	0.0050

Hole Number: KB-07-167

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586401	208.00	209.50	0.0200	0.0310	0.0050
E586402	209.50	210.50	0.0470	0.0270	0.0060
E586403	210.50	212.00	2.0300	0.4700	0.0520
E586405	212.00	213.50	1.3150	0.5240	0.0310
E586406	213.50	215.00	0.1190	0.1890	0.0080
E586407	215.00	216.00	1.7950	0.4650	0.0430
E586408	216.00	217.00	0.5080	0.3640	0.0180
E586409	217.00	218.00	0.0480	0.0570	0.0070
E586410	222.00	223.00	0.0270	0.0240	0.0080
E586411	223.00	224.20	0.1660	0.1280	0.0130
E586412	224.20	225.50	0.0480	0.0190	0.0030
E586413	225.50	227.10	0.0090	0.0070	0.0030
E586414	227.10	228.00	1.0600	0.5920	0.0260
E586415	228.00	229.00	0.0290	0.0220	0.0060
E586416	236.00	237.50	0.0280	0.0230	0.0070
E586417	237.50	239.00	0.1390	0.0590	0.0070
E586419	239.00	240.50	0.2340	0.1440	0.0100
E586420	240.50	242.00	0.5540	0.3180	0.0170
E586421	242.00	243.00	0.0150	0.0190	0.0040
E586422	254.60	256.00	0.0940	0.0410	0.0060
E586423	256.00	257.00	0.2640	0.1210	0.0140
E586424	257.00	258.00	0.0530	0.0550	0.0070
E586425	258.00	259.50	0.1840	0.0710	0.0100
E586426	259.50	261.00	0.1450	0.0520	0.0070
E586427	261.00	262.00	0.0870	0.0350	0.0060
E586428	262.00	263.00	0.2340	0.1650	0.0090
E586429	263.00	264.50	1.2800	0.6730	0.0280
E586430	264.50	266.00	0.2860	0.4600	0.0110
E586431	266.00	267.50	0.5570	0.4220	0.0130
E586432	267.50	269.00	0.3210	0.3280	0.0100
E586433	269.00	270.00	0.0610	0.0170	0.0050
E586435	270.00	271.00	0.2260	0.1430	0.0090
E586436	271.00	272.00	0.0200	0.0250	0.0030
E586437	272.00	273.00	0.0100	0.0110	0.0040

DETAILED LOG

Hole Number: KB-07-166

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -48.50
Project Number:	19900	North:	5481401.00		North:	5481401.00	Collar Az: 311.10
Location:	Surface	East:	454055.90		East:	454055.90	Length: 263.00 (m)
		Elev:	403.10		Elev:	403.10	Start Depth: 0.00 (m)
Date Started:	Nov 05, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 263.00 (m)
Date Completed:	Nov 07, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Left in Hole			

Comments: Fault between 209 and 209.3m.

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	211.50	224.30	12.80	0.4687	0.2734	0.0150
WEIGHTED	247.00	249.50	2.50	0.9132	0.6056	0.0222
WEIGHTED	247.00	255.00	8.00	0.5289	0.3936	0.0144

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
8.00	291.40	-48.50	EZ	DO		50.00	311.10	-47.50	EZ	OK	
101.00	310.10	-44.50	EZ	OK		150.00	312.10	-43.50	EZ	OK	
200.00	320.10	-41.70	EZ	OK		250.00	318.40	-40.60	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	1.50	CAS, Casing
1.50	56.00	MV, Mafic Volcanic Structure 1.50 - 56.00 : FOL Foliated, 50 Deg to CA
56.00	60.40	MDCHL, Mafic Dike Chloritic Structure 56.00 - 60.40 : LC Lower Contact, 80 Deg to CA 56.00 - 60.40 : UC Upper Contact, 80 Deg to CA
60.40	167.20	MV, Mafic Volcanic Structure 60.40 - 167.20 : FOL Foliated, 50 Deg to CA
167.20	172.40	TSCH, Talc Schist Mineralization 167.20 - 172.40 Structure 167.20 - 172.40 : FOL Foliated, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586310	164.50	166.00	1.50	0.1480	0.0940	0.0050
E586311	166.00	167.70	1.70	0.1460	0.0770	0.0080
E586312	167.70	169.30	1.60	0.0850	0.0050	0.0080
E586313	169.30	170.80	1.50	0.1230	0.0400	0.0070
E586314	170.80	172.40	1.60	0.1290	0.0650	0.0060

Hole Number: KB-07-166

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
172.40	182.20	PYXT, Pyroxenite Mineralization 172.40 - 182.20	E586315	172.40	174.00	1.60	0.1110	0.0840	0.0080
			E586316	174.00	175.50	1.50	0.1800	0.1880	0.0070
			E586317	175.50	177.00	1.50	0.3220	0.3070	0.0110
			E586318	177.00	178.50	1.50	0.2480	0.0780	0.0090
			E586319	178.50	180.00	1.50	0.3750	0.3190	0.0100
			E586321	180.00	181.50	1.50	0.2060	0.1730	0.0080
			E586322	181.50	182.20	0.70	0.1970	0.1200	0.0090
182.20	194.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 182.20 - 194.00	E586323	182.20	183.50	1.30	0.1340	0.0660	0.0080
			E586324	183.50	185.00	1.50	0.0210	0.0150	0.0050
			E586325	185.00	186.50	1.50	0.0180	0.0140	0.0050
			E586326	186.50	188.00	1.50	0.1020	0.0590	0.0070
			E586327	188.00	189.50	1.50	0.1530	0.0940	0.0090
			E586328	189.50	191.00	1.50	0.2310	0.1010	0.0100
			E586329	191.00	192.50	1.50	0.0140	0.0190	0.0050
			E586330	192.50	194.00	1.50	0.0200	0.0200	0.0050
194.00	201.70	PYXT, Pyroxenite Mineralization 194.00 - 201.70	E586331	194.00	195.50	1.50	0.0720	0.0420	0.0060
			E586333	195.50	197.00	1.50	0.0930	0.0420	0.0080
			E586334	197.00	198.50	1.50	0.2020	0.1140	0.0110
			E586335	198.50	200.00	1.50	0.1170	0.0810	0.0080
			E586336	200.00	201.70	1.70	0.1930	0.0940	0.0080
201.70	205.60	FD, Felsic Dike	E586337	201.70	203.00	1.30	0.0060	0.0140	0.0010
			E586338	203.00	204.00	1.00	0.0090	0.0070	0.0020
			E586339	204.00	205.60	1.60	0.0025	0.0050	0.0020
205.60	209.00	PYXT, Pyroxenite Mineralization 205.60 - 209.00	E586340	205.60	207.00	1.40	0.0140	0.0120	0.0020
			E586341	207.00	208.50	1.50	0.0790	0.0340	0.0040
			E586342	208.50	210.00	1.50	0.2960	0.0620	0.0110
209.00	209.30	FLT, Fault							
209.30	216.10	PYXT, Pyroxenite Mineralization 209.30 - 211.10 211.10 - 216.10	E586343	210.00	211.50	1.50	0.2590	0.1250	0.0090
			E586344	211.50	212.50	1.00	0.6250	0.2340	0.0190
			E586345	212.50	214.00	1.50	0.7140	0.3920	0.0230
			E586346	214.00	215.50	1.50	0.1590	0.0510	0.0080
			E586347	215.50	216.10	0.60	0.9950	0.3380	0.0260
216.10	217.10	GAB, Gabbro Mineralization 216.10 - 217.10	E586348	216.10	217.10	1.00	0.0130	0.0170	0.0030
217.10	224.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 217.10 - 224.30	E586349	217.10	218.50	1.40	0.5290	0.3990	0.0150
			E586351	218.50	220.00	1.50	0.6590	0.3180	0.0200
			E586352	220.00	221.50	1.50	0.3760	0.4390	0.0110
			E586353	221.50	223.00	1.50	0.4590	0.2950	0.0160
			E586354	223.00	224.30	1.30	0.3640	0.1880	0.0130

DETAILED LOG

Hole Number: KB-07-166

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
224.30	229.30	MV, Mafic Volcanic
229.30	232.70	PYXT, Pyroxenite Mineralization 229.30 - 232.70
232.70	235.60	FD, Felsic Dike
235.60	242.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 235.60 - 242.20
242.20	254.50	PYXT, Pyroxenite Mineralization 242.20 - 249.50 249.50 - 254.50
254.50	255.00	TSCH, Talc Schist Mineralization 254.50 - 255.00
255.00	256.00	MD, Mafic Dike Structure 255.00 - 256.00 : LC Lower Contact, 80 Deg to CA 255.00 - 256.00 : UC Upper Contact, 90 Deg to CA
256.00	263.00	MV, Mafic Volcanic Structure 256.00 - 263.00 : FOL Foliated, 80 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586355	224.30	225.50	1.20	0.0790	0.0540	0.0050
E586356	225.50	227.00	1.50	0.0240	0.0170	0.0050
E586357	227.00	228.00	1.00	0.0160	0.0140	0.0060
E586358	228.00	229.30	1.30	0.0300	0.0470	0.0050
E586359	229.30	230.50	1.20	0.3290	0.2660	0.0130
E586360	230.50	232.00	1.50	0.4890	0.5620	0.0140
E586361	232.00	232.70	0.70	0.3030	0.2690	0.0120
E586362	232.70	234.00	1.30	0.0180	0.0080	0.0040
E586363	234.00	235.60	1.60	0.0100	0.0080	0.0030
E586364	235.60	237.00	1.40	0.2310	0.1350	0.0100
E586365	237.00	238.50	1.50	0.0370	0.0520	0.0060
E586366	238.50	240.00	1.50	0.1780	0.1330	0.0090
E586367	240.00	241.50	1.50	0.3330	0.1400	0.0110
E586369	241.50	243.00	1.50	0.1300	0.1020	0.0070
E586370	243.00	244.20	1.20	0.0960	0.0260	0.0060
E586371	244.20	245.50	1.30	0.2670	0.0720	0.0100
E586372	245.50	247.00	1.50	0.2200	0.1390	0.0090
E586373	247.00	248.50	1.50	0.7420	0.4160	0.0190
E586374	248.50	249.50	1.00	1.1700	0.8900	0.0270
E586375	249.50	251.00	1.50	0.2680	0.2410	0.0080
E586376	251.00	252.50	1.50	0.3120	0.1470	0.0110
E586377	252.50	254.00	1.50	0.4380	0.3930	0.0120
E586378	254.00	254.50	0.50	0.5030	0.4740	0.0160
E586379	254.50	255.00	0.50	0.3390	0.4520	0.0100
E586380	255.00	256.00	1.00	0.0950	0.0690	0.0040
E586381	256.00	257.50	1.50	0.0140	0.0180	0.0060
E586382	257.50	259.00	1.50	0.0090	0.0060	0.0020

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586310	164.50	166.00	0.1480	0.0940	0.0050
E586311	166.00	167.70	0.1460	0.0770	0.0080
E586312	167.70	169.30	0.0850	0.0050	0.0080

Hole Number: KB-07-166

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586313	169.30	170.80	0.1230	0.0400	0.0070
E586314	170.80	172.40	0.1290	0.0650	0.0060
E586315	172.40	174.00	0.1110	0.0840	0.0080
E586316	174.00	175.50	0.1800	0.1880	0.0070
E586317	175.50	177.00	0.3220	0.3070	0.0110
E586318	177.00	178.50	0.2480	0.0780	0.0090
E586319	178.50	180.00	0.3750	0.3190	0.0100
E586321	180.00	181.50	0.2060	0.1730	0.0080
E586322	181.50	182.20	0.1970	0.1200	0.0090
E586323	182.20	183.50	0.1340	0.0660	0.0080
E586324	183.50	185.00	0.0210	0.0150	0.0050
E586325	185.00	186.50	0.0180	0.0140	0.0050
E586326	186.50	188.00	0.1020	0.0590	0.0070
E586327	188.00	189.50	0.1530	0.0940	0.0090
E586328	189.50	191.00	0.2310	0.1010	0.0100
E586329	191.00	192.50	0.0140	0.0190	0.0050
E586330	192.50	194.00	0.0200	0.0200	0.0050
E586331	194.00	195.50	0.0720	0.0420	0.0060
E586333	195.50	197.00	0.0930	0.0420	0.0080
E586334	197.00	198.50	0.2020	0.1140	0.0110
E586335	198.50	200.00	0.1170	0.0810	0.0080
E586336	200.00	201.70	0.1930	0.0940	0.0080
E586337	201.70	203.00	0.0060	0.0140	0.0010
E586338	203.00	204.00	0.0090	0.0070	0.0020
E586339	204.00	205.60	0.0025	0.0050	0.0020
E586340	205.60	207.00	0.0140	0.0120	0.0020
E586341	207.00	208.50	0.0790	0.0340	0.0040
E586342	208.50	210.00	0.2960	0.0620	0.0110
E586343	210.00	211.50	0.2590	0.1250	0.0090
E586344	211.50	212.50	0.6250	0.2340	0.0190
E586345	212.50	214.00	0.7140	0.3920	0.0230
E586346	214.00	215.50	0.1590	0.0510	0.0080
E586347	215.50	216.10	0.9950	0.3380	0.0260
E586348	216.10	217.10	0.0130	0.0170	0.0030
E586349	217.10	218.50	0.5290	0.3990	0.0150
E586351	218.50	220.00	0.6590	0.3180	0.0200
E586352	220.00	221.50	0.3760	0.4390	0.0110

Hole Number: KB-07-166

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586353	221.50	223.00	0.4590	0.2950	0.0160
E586354	223.00	224.30	0.3640	0.1880	0.0130
E586355	224.30	225.50	0.0790	0.0540	0.0050
E586356	225.50	227.00	0.0240	0.0170	0.0050
E586357	227.00	228.00	0.0160	0.0140	0.0060
E586358	228.00	229.30	0.0300	0.0470	0.0050
E586359	229.30	230.50	0.3290	0.2660	0.0130
E586360	230.50	232.00	0.4890	0.5620	0.0140
E586361	232.00	232.70	0.3030	0.2690	0.0120
E586362	232.70	234.00	0.0180	0.0080	0.0040
E586363	234.00	235.60	0.0100	0.0080	0.0030
E586364	235.60	237.00	0.2310	0.1350	0.0100
E586365	237.00	238.50	0.0370	0.0520	0.0060
E586366	238.50	240.00	0.1780	0.1330	0.0090
E586367	240.00	241.50	0.3330	0.1400	0.0110
E586369	241.50	243.00	0.1300	0.1020	0.0070
E586370	243.00	244.20	0.0960	0.0260	0.0060
E586371	244.20	245.50	0.2670	0.0720	0.0100
E586372	245.50	247.00	0.2200	0.1390	0.0090
E586373	247.00	248.50	0.7420	0.4160	0.0190
E586374	248.50	249.50	1.1700	0.8900	0.0270
E586375	249.50	251.00	0.2680	0.2410	0.0080
E586376	251.00	252.50	0.3120	0.1470	0.0110
E586377	252.50	254.00	0.4380	0.3930	0.0120
E586378	254.00	254.50	0.5030	0.4740	0.0160
E586379	254.50	255.00	0.3390	0.4520	0.0100
E586380	255.00	256.00	0.0950	0.0690	0.0040
E586381	256.00	257.50	0.0140	0.0180	0.0060
E586382	257.50	259.00	0.0090	0.0060	0.0020

DETAILED LOG

Hole Number: KB-07-165

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.70
Project Number:	19900	North: 5481312.00			North: 5481312.00		Collar Az: 313.20
Location:	Surface	East: 453888.10			East: 453888.10		Length: 149.00 (m)
		Elev: 391.96			Elev: 391.96		Start Depth: 0.00 (m)
Date Started:	Nov 03, 2007	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 149.00 (m)
Date Completed:	Nov 04, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments: Geotec hole GSKB-07-06.

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	313.20	-44.70	EZ	OK		50.00	314.60	-43.30	EZ	OK	
101.00	315.60	-40.50	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	6.00	CAS, Casing							
6.00	45.50	MV, Mafic Volcanic							
45.50	49.90	FD, Felsic Dike Structure 45.50 - 49.90 : LC Lower Contact, 30 Deg to CA 45.50 - 49.90 : UC Upper Contact, 50 Deg to CA							
49.90	51.30	MV, Mafic Volcanic							
51.30	53.60	GAB, Gabbro Mineralization 51.30 - 53.60 Structure 51.30 - 53.60 : LC Lower Contact, 60 Deg to CA 51.30 - 53.60 : UC Upper Contact, 45 Deg to CA							
53.60	65.50	MV, Mafic Volcanic							
65.50	66.50	FD, Felsic Dike Structure 65.50 - 66.50 : UC Upper Contact, 30 Deg to CA							
66.50	71.00	MD, Mafic Dike Structure 66.50 - 71.00 : LC Lower Contact, 80 Deg to CA							
71.00	72.90	FD, Felsic Dike Structure 71.00 - 72.90 : LC Lower Contact, 70 Deg to CA							

Hole Number: KB-07-165

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
72.90	82.70	MV, Mafic Volcanic	E586259	79.50	81.00	1.50	0.0800	0.0540	0.0030
			E586260	81.00	82.70	1.70	0.1420	0.0990	0.0080
82.70	92.80	TSCH, Talc Schist	E586261	82.70	84.00	1.30	0.0650	0.0110	0.0070
		Mineralization	E586262	84.00	85.50	1.50	0.0650	0.0120	0.0070
		82.70 - 92.80	E586263	85.50	87.00	1.50	0.0700	0.0090	0.0080
		Structure	E586264	87.00	88.50	1.50	0.0640	0.0060	0.0060
		82.70 - 92.80 : FOL Foliated, 45 Deg to CA	E586265	88.50	90.00	1.50	0.0590	0.0080	0.0060
			E586266	90.00	91.50	1.50	0.0590	0.0090	0.0070
			E586267	91.50	92.80	1.30	0.0590	0.0050	0.0060
92.80	93.90	MD, Mafic Dike	E586268	92.80	93.90	1.10	0.0025	0.0090	0.0010
		Structure							
		92.80 - 93.90 : LC Lower Contact, 60 Deg to CA							
		92.80 - 93.90 : UC Upper Contact, 30 Deg to CA							
93.90	129.30	PYXT, Pyroxenite	E586269	93.90	95.50	1.60	0.0680	0.0090	0.0070
		Mineralization	E586271	95.50	97.00	1.50	0.0660	0.0060	0.0060
		93.90 - 101.80	E586272	97.00	98.50	1.50	0.0680	0.0060	0.0070
		101.80 - 106.60	E586273	98.50	100.00	1.50	0.0550	0.0025	0.0060
		106.60 - 129.30	E586274	100.00	101.80	1.80	0.0760	0.0380	0.0060
		Structure	E586275	101.80	103.00	1.20	0.3390	0.2890	0.0120
		93.90 - 129.30 : FOL Foliated, 70 Deg to CA	E586276	103.00	104.50	1.50	0.3330	0.2690	0.0100
			E586277	104.50	105.50	1.00	0.2640	0.2740	0.0110
			E586278	105.50	106.60	1.10	0.2140	0.2300	0.0090
			E586279	106.60	108.00	1.40	0.2110	0.2240	0.0090
			E586280	108.00	109.50	1.50	0.0990	0.0420	0.0070
			E586281	109.50	111.00	1.50	0.0750	0.0110	0.0070
			E586283	111.00	112.50	1.50	0.0690	0.0080	0.0070
			E586284	112.50	114.00	1.50	0.1100	0.0590	0.0070
			E586285	114.00	115.50	1.50	0.1950	0.1960	0.0100
			E586286	115.50	117.00	1.50	0.1760	0.1790	0.0090
			E586287	117.00	118.50	1.50	0.1710	0.1060	0.0080
			E586288	118.50	120.00	1.50	0.0820	0.0250	0.0070
			E586289	120.00	121.50	1.50	0.1480	0.1200	0.0090
			E586290	121.50	123.00	1.50	0.2240	0.2280	0.0100
			E586291	123.00	124.50	1.50	0.3290	0.2880	0.0120
			E586292	124.50	126.00	1.50	0.2460	0.1950	0.0110
			E586293	126.00	127.50	1.50	0.2220	0.1650	0.0100
			E586294	127.50	128.50	1.00	0.1420	0.0730	0.0080
			E586295	128.50	129.30	0.80	0.1510	0.0640	0.0090
129.30	131.00	MD, Mafic Dike	E586296	129.30	131.00	1.70	0.0170	0.0130	0.0020
		Structure							
		129.30 - 131.00 : LC Lower Contact, 70 Deg to CA							
		129.30 - 131.00 : UC Upper Contact, 80 Deg to CA							

DETAILED LOG

Hole Number: KB-07-165

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
131.00	142.30	PYXT, Pyroxenite Mineralization 131.00 - 139.60 139.60 - 142.30 Structure 131.00 - 142.30 : FOL Foliated, 70 Deg to CA
142.30	149.00	TSCH, Talc Schist Mineralization 142.30 - 149.00 Structure 142.30 - 149.00 : FOL Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586297	131.00	132.50	1.50	0.3850	0.3290	0.0120
E586298	132.50	134.00	1.50	0.3560	0.2940	0.0130
E586299	134.00	135.00	1.00	0.2000	0.1250	0.0100
E586300	135.00	136.50	1.50	0.6240	0.7480	0.0160
E586301	136.50	138.00	1.50	0.5340	0.4720	0.0260
E586302	138.00	139.60	1.60	0.2170	0.2380	0.0100
E586303	139.60	141.00	1.40	0.6390	0.3030	0.0190
E586304	141.00	142.30	1.30	0.2820	0.2380	0.0120
E586305	142.30	143.50	1.20	0.4150	0.4930	0.0100
E586306	143.50	145.00	1.50	0.5650	0.6150	0.0140
E586307	145.00	146.50	1.50	0.2470	0.1900	0.0090
E586308	146.50	148.00	1.50	0.2060	0.1540	0.0100
E586309	148.00	149.00	1.00	0.1010	0.0540	0.0070

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586259	79.50	81.00	0.0800	0.0540	0.0030
E586260	81.00	82.70	0.1420	0.0990	0.0080
E586261	82.70	84.00	0.0650	0.0110	0.0070
E586262	84.00	85.50	0.0650	0.0120	0.0070
E586263	85.50	87.00	0.0700	0.0090	0.0080
E586264	87.00	88.50	0.0640	0.0060	0.0060
E586265	88.50	90.00	0.0590	0.0080	0.0060
E586266	90.00	91.50	0.0590	0.0090	0.0070
E586267	91.50	92.80	0.0590	0.0050	0.0060
E586268	92.80	93.90	0.0025	0.0090	0.0010
E586269	93.90	95.50	0.0680	0.0090	0.0070
E586271	95.50	97.00	0.0660	0.0060	0.0060
E586272	97.00	98.50	0.0680	0.0060	0.0070
E586273	98.50	100.00	0.0550	0.0025	0.0060
E586274	100.00	101.80	0.0760	0.0380	0.0060
E586275	101.80	103.00	0.3390	0.2890	0.0120
E586276	103.00	104.50	0.3330	0.2690	0.0100
E586277	104.50	105.50	0.2640	0.2740	0.0110
E586278	105.50	106.60	0.2140	0.2300	0.0090
E586279	106.60	108.00	0.2110	0.2240	0.0090
E586280	108.00	109.50	0.0990	0.0420	0.0070
E586281	109.50	111.00	0.0750	0.0110	0.0070

Hole Number: KB-07-165

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586283	111.00	112.50	0.0690	0.0080	0.0070
E586284	112.50	114.00	0.1100	0.0590	0.0070
E586285	114.00	115.50	0.1950	0.1960	0.0100
E586286	115.50	117.00	0.1760	0.1790	0.0090
E586287	117.00	118.50	0.1710	0.1060	0.0080
E586288	118.50	120.00	0.0820	0.0250	0.0070
E586289	120.00	121.50	0.1480	0.1200	0.0090
E586290	121.50	123.00	0.2240	0.2280	0.0100
E586291	123.00	124.50	0.3290	0.2880	0.0120
E586292	124.50	126.00	0.2460	0.1950	0.0110
E586293	126.00	127.50	0.2220	0.1650	0.0100
E586294	127.50	128.50	0.1420	0.0730	0.0080
E586295	128.50	129.30	0.1510	0.0640	0.0090
E586296	129.30	131.00	0.0170	0.0130	0.0020
E586297	131.00	132.50	0.3850	0.3290	0.0120
E586298	132.50	134.00	0.3560	0.2940	0.0130
E586299	134.00	135.00	0.2000	0.1250	0.0100
E586300	135.00	136.50	0.6240	0.7480	0.0160
E586301	136.50	138.00	0.5340	0.4720	0.0260
E586302	138.00	139.60	0.2170	0.2380	0.0100
E586303	139.60	141.00	0.6390	0.3030	0.0190
E586304	141.00	142.30	0.2820	0.2380	0.0120
E586305	142.30	143.50	0.4150	0.4930	0.0100
E586306	143.50	145.00	0.5650	0.6150	0.0140
E586307	145.00	146.50	0.2470	0.1900	0.0090
E586308	146.50	148.00	0.2060	0.1540	0.0100
E586309	148.00	149.00	0.1010	0.0540	0.0070

DETAILED LOG

Hole Number: KB-07-164

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -48.00
Project Number:	19900	North: 5481439.00			North: 5481439.00		Collar Az: 142.20
Location:	Surface	East: 453866.00			East: 453866.00		Length: 122.00 (m)
		Elev: 389.25			Elev: 389.25		Start Depth: 0.00 (m)
Date Started:	Nov 03, 2007	Collar Survey: N	Plugged: N		Contractor: Morris Drilling		Final Depth: 122.00 (m)
Date Completed:	Nov 04, 2007	Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N	Casing: Left in Hole				

Comments: Geotec hole GSKB-07-05

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	49.40	52.00	2.60	0.5003	0.1489	0.0166

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	142.20	-48.00	EZ	OK		50.00	139.40	-47.10	EZ	OK	
89.00	139.90	-46.50	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.00	CAS, Casing							
1.00	4.30	PYXT, Pyroxenite	E586221	1.00	2.50	1.50	0.0500	0.0210	0.0060
			E586222	2.50	4.30	1.80	0.0680	0.0430	0.0070
		Mineralization 1.00 - 4.30							
4.30	5.10	GAB, Gabbro	E586223	4.30	5.10	0.80	0.0980	0.1000	0.0070
		Mineralization 4.30 - 5.10							
5.10	6.80	MV, Mafic Volcanic							
6.80	12.80	GAB, Gabbro							
		Mineralization 6.80 - 12.80							
12.80	14.30	GABPYXT, Gabbro Pyroxenite Dikes	E586224	12.80	14.30	1.50	0.3810	0.3180	0.0160
		Mineralization 12.80 - 14.30							
14.30	15.70	GAB, Gabbro	E586225	14.30	15.70	1.40	0.0520	0.0290	0.0050
		Mineralization 14.30 - 15.70							
15.70	17.30	GABPYXT, Gabbro Pyroxenite Dikes	E586226	15.70	17.30	1.60	0.3330	0.2740	0.0120
		Mineralization 15.70 - 17.30							

Hole Number: KB-07-164 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
17.30	18.90	MD, Mafic Dike Structure 17.30 - 18.90 : LC Lower Contact, 90 Deg to CA 17.30 - 18.90 : UC Upper Contact, 80 Deg to CA	E586228	17.30	18.90	1.60	0.0090	0.0090	0.0020
18.90	27.30	PYXT, Pyroxenite Mineralization 18.90 - 27.30	E586229	18.90	20.30	1.40	0.2450	0.1710	0.0110
			E586230	20.30	21.80	1.50	0.5350	0.1730	0.0250
			E586231	21.80	23.00	1.20	0.2540	0.1580	0.0140
			E586233	23.00	24.50	1.50	0.2140	0.1420	0.0130
			E586234	24.50	26.00	1.50	0.0630	0.0300	0.0080
			E586235	26.00	27.30	1.30	0.0790	0.0570	0.0070
27.30	29.00	GAB, Gabbro Mineralization 27.30 - 29.00							
29.00	31.20	FD, Felsic Dike Structure 29.00 - 31.20 : LC Lower Contact, 80 Deg to CA 29.00 - 31.20 : UC Upper Contact, 80 Deg to CA							
31.20	35.10	GAB, Gabbro Mineralization 31.20 - 35.10							
35.10	43.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 35.10 - 43.40	E586236	42.30	43.40	1.10	0.0290	0.0025	0.0040
43.40	62.00	PYXT, Pyroxenite Mineralization 43.40 - 62.00	E586237	43.40	44.90	1.50	0.0630	0.0220	0.0070
			E586238	44.90	46.40	1.50	0.1370	0.0510	0.0090
			E586239	46.40	47.90	1.50	0.0810	0.0300	0.0070
			E586240	47.90	49.40	1.50	0.0330	0.0160	0.0070
			E586242	49.40	50.50	1.10	0.2990	0.0970	0.0120
			E586243	50.50	52.00	1.50	0.6480	0.1870	0.0200
			E586244	52.00	53.50	1.50	0.1130	0.0810	0.0100
			E586245	53.50	55.00	1.50	0.1080	0.0620	0.0100
			E586246	55.00	56.50	1.50	0.1060	0.0470	0.0090
			E586247	56.50	58.00	1.50	0.1450	0.0840	0.0090
			E586248	58.00	59.50	1.50	0.1280	0.0930	0.0100
			E586249	59.50	61.00	1.50	0.0900	0.0450	0.0090
			E586250	61.00	62.00	1.00	0.0950	0.0320	0.0090

DETAILED LOG

Hole Number: KB-07-164

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
62.00	72.00	TSCH, Talc Schist Mineralization 62.00 - 72.00
72.00	115.50	MV, Mafic Volcanic
115.50	117.00	FD, Felsic Dike Structure 115.50 - 117.00 : LC Lower Contact, 60 Deg to CA 115.50 - 117.00 : UC Upper Contact, 60 Deg to CA
117.00	122.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586251	62.00	63.50	1.50	0.0940	0.0260	0.0090
E586252	63.50	65.00	1.50	0.0750	0.0080	0.0080
E586253	65.00	66.50	1.50	0.0770	0.0140	0.0090
E586254	66.50	68.00	1.50	0.0720	0.0070	0.0080
E586255	68.00	69.50	1.50	0.0710	0.0090	0.0080
E586256	69.50	71.00	1.50	0.0670	0.0050	0.0080
E586257	71.00	72.00	1.00	0.0970	0.0350	0.0080
E586258	72.00	73.50	1.50	0.0490	0.0400	0.0060

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586221	1.00	2.50	0.0500	0.0210	0.0060
E586222	2.50	4.30	0.0680	0.0430	0.0070
E586223	4.30	5.10	0.0980	0.1000	0.0070
E586224	12.80	14.30	0.3810	0.3180	0.0160
E586225	14.30	15.70	0.0520	0.0290	0.0050
E586226	15.70	17.30	0.3330	0.2740	0.0120
E586228	17.30	18.90	0.0090	0.0090	0.0020
E586229	18.90	20.30	0.2450	0.1710	0.0110
E586230	20.30	21.80	0.5350	0.1730	0.0250
E586231	21.80	23.00	0.2540	0.1580	0.0140
E586233	23.00	24.50	0.2140	0.1420	0.0130
E586234	24.50	26.00	0.0630	0.0300	0.0080
E586235	26.00	27.30	0.0790	0.0570	0.0070
E586236	42.30	43.40	0.0290	0.0025	0.0040
E586237	43.40	44.90	0.0630	0.0220	0.0070
E586238	44.90	46.40	0.1370	0.0510	0.0090
E586239	46.40	47.90	0.0810	0.0300	0.0070
E586240	47.90	49.40	0.0330	0.0160	0.0070
E586242	49.40	50.50	0.2990	0.0970	0.0120
E586243	50.50	52.00	0.6480	0.1870	0.0200
E586244	52.00	53.50	0.1130	0.0810	0.0100
E586245	53.50	55.00	0.1080	0.0620	0.0100

Hole Number: KB-07-164

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586246	55.00	56.50	0.1060	0.0470	0.0090
E586247	56.50	58.00	0.1450	0.0840	0.0090
E586248	58.00	59.50	0.1280	0.0930	0.0100
E586249	59.50	61.00	0.0900	0.0450	0.0090
E586250	61.00	62.00	0.0950	0.0320	0.0090
E586251	62.00	63.50	0.0940	0.0260	0.0090
E586252	63.50	65.00	0.0750	0.0080	0.0080
E586253	65.00	66.50	0.0770	0.0140	0.0090
E586254	66.50	68.00	0.0720	0.0070	0.0080
E586255	68.00	69.50	0.0710	0.0090	0.0080
E586256	69.50	71.00	0.0670	0.0050	0.0080
E586257	71.00	72.00	0.0970	0.0350	0.0080
E586258	72.00	73.50	0.0490	0.0400	0.0060

DETAILED LOG

Hole Number: KB-07-163 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481439.00		North:	5481439.00	Collar Az: 133.90
Location:	Surface	East:	453866.00		East:	453866.00	Length: 110.00 (m)
		Elev:	389.25		Elev:	389.25	Start Depth: 0.00 (m)
Date Started:	Nov 01, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 110.00 (m)
Date Completed:	Nov 02, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments: Geotec hole GSKB-07-04. Dropped 6 core boxes on the ground. (from 31.2 to 93.6m) and restorted a new hole (GSKB-07-05) on the same setup at -47 degrees. Keeping the core boxes (Kenbridge Minesite) with a final depth of 110m.

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	9.00	12.30	3.30	0.8698	0.7497	0.0268
WEIGHTED	9.00	16.80	7.80	0.4830	0.4312	0.0161
WEIGHTED	9.00	21.50	12.50	0.3549	0.3074	0.0130

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	133.90	-45.00	EZ	OK		50.00	142.00	-43.30	EZ	OK	
101.00	141.20	-41.10	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.00	CAS, Casing							
1.00	5.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.00 - 5.30	E586197	1.00	2.50	1.50	0.0340	0.0150	0.0030
			E586198	2.50	4.00	1.50	0.0850	0.0600	0.0080
			E586199	4.00	5.30	1.30	0.0500	0.0340	0.0060
5.30	9.00	FD, Felsic Dike Structure 5.30 - 9.00 : LC Lower Contact, 90 Deg to CA 5.30 - 9.00 : UC Upper Contact, 90 Deg to CA	E586200	5.30	6.00	0.70	0.0180	0.0120	0.0020
			E586201	6.00	7.50	1.50	0.0500	0.0550	0.0040
			E586202	7.50	9.00	1.50	0.0160	0.0080	0.0040
9.00	12.30	PYXT, Pyroxenite Mineralization 9.00 - 12.30	E586203	9.00	10.00	1.00	0.3430	0.6240	0.0130
			E586204	10.00	11.00	1.00	0.4410	0.3030	0.0170
			E586205	11.00	12.30	1.30	1.6050	1.1900	0.0450
12.30	16.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 12.30 - 16.80	E586207	12.30	13.50	1.20	0.0510	0.0360	0.0060
			E586208	13.50	15.00	1.50	0.1790	0.2030	0.0080
			E586209	15.00	16.80	1.80	0.3150	0.3010	0.0100
16.80	18.20	FD, Felsic Dike Structure 16.80 - 18.20 : LC Lower Contact, 80 Deg to CA 16.80 - 18.20 : UC Upper Contact, 90 Deg to CA	E586210	16.80	18.20	1.40	0.0150	0.0200	0.0010

DETAILED LOG

Hole Number: KB-07-163

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
18.20	20.10	PYXT, Pyroxenite Mineralization 18.20 - 20.10
20.10	27.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 20.10 - 27.40
27.40	29.30	FD, Felsic Dike Structure 27.40 - 29.30 : LC Lower Contact, 50 Deg to CA 27.40 - 29.30 : UC Upper Contact, 45 Deg to CA
29.30	31.20	GAB, Gabbro Mineralization 29.30 - 31.20
31.20	93.60	LC, Lost Core
93.60	99.60	FD, Felsic Dike Structure 93.60 - 99.60 : LC Lower Contact, 45 Deg to CA
99.60	110.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586211	18.20	19.40	1.20	0.1720	0.0700	0.0090
E586212	19.40	20.10	0.70	0.1910	0.1130	0.0080
E586213	20.10	21.00	0.90	0.1890	0.1660	0.0110
E586214	21.00	21.50	0.50	0.2760	0.2770	0.0170
E586215	21.50	23.00	1.50	0.1730	0.0490	0.0090
E586216	23.00	24.50	1.50	0.0830	0.0420	0.0080
E586217	24.50	26.00	1.50	0.1200	0.0630	0.0090
E586218	26.00	27.40	1.40	0.0520	0.0350	0.0070
E586219	27.40	29.30	1.90	0.0050	0.0025	0.0010
E586220	29.30	30.50	1.20	0.0280	0.0110	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586197	1.00	2.50	0.0340	0.0150	0.0030
E586198	2.50	4.00	0.0850	0.0600	0.0080
E586199	4.00	5.30	0.0500	0.0340	0.0060
E586200	5.30	6.00	0.0180	0.0120	0.0020
E586201	6.00	7.50	0.0500	0.0550	0.0040
E586202	7.50	9.00	0.0160	0.0080	0.0040
E586203	9.00	10.00	0.3430	0.6240	0.0130
E586204	10.00	11.00	0.4410	0.3030	0.0170
E586205	11.00	12.30	1.6050	1.1900	0.0450
E586207	12.30	13.50	0.0510	0.0360	0.0060
E586208	13.50	15.00	0.1790	0.2030	0.0080
E586209	15.00	16.80	0.3150	0.3010	0.0100
E586210	16.80	18.20	0.0150	0.0200	0.0010
E586211	18.20	19.40	0.1720	0.0700	0.0090

Hole Number: KB-07-163

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586212	19.40	20.10	0.1910	0.1130	0.0080
E586213	20.10	21.00	0.1890	0.1660	0.0110
E586214	21.00	21.50	0.2760	0.2770	0.0170
E586215	21.50	23.00	0.1730	0.0490	0.0090
E586216	23.00	24.50	0.0830	0.0420	0.0080
E586217	24.50	26.00	0.1200	0.0630	0.0090
E586218	26.00	27.40	0.0520	0.0350	0.0070
E586219	27.40	29.30	0.0050	0.0025	0.0010
E586220	29.30	30.50	0.0280	0.0110	0.0050

DETAILED LOG

Hole Number: KB-07-162

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -42.50
Project Number:	19900	North:	5481524.00		North:	-2927715.85	Collar Az: 308.70
Location:	Surface	East:	454033.30		East:	8341357.08	Length: 149.00 (m)
		Elev:	300.98		Elev:	300.98	Start Depth: 0.00 (m)
Date Started:	Oct 28, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 149.00 (m)
Date Completed:	Nov 01, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Left in Hole			

Comments: Geotec hole # GSKB-07-03.Sample No E586184 miss 30cm (99 to 99.3m).

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	63.40	82.20	18.80	0.4974	0.1916	0.0169
WEIGHTED	64.60	68.00	3.40	1.3507	0.4579	0.0365
WEIGHTED	110.40	119.00	8.60	0.2579	0.1773	0.0123

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	291.00	-44.40	EZ	DO		50.00	308.70	-42.50	EZ	OK	
100.00	308.50	-39.90	EZ	OK		149.00	312.80	-37.90	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	9.30	MV, Mafic Volcanic							
9.30	12.20	FD, Felsic Dike Structure 9.30 - 12.20 : LC Lower Contact, 50 Deg to CA 9.30 - 12.20 : UC Upper Contact, 50 Deg to CA							
12.20	60.20	MV, Mafic Volcanic Structure 12.20 - 60.20 : FOL Foliated, 70 Deg to CA	E586160	59.00	60.50	1.50	0.0360	0.0350	0.0060
60.20	63.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 60.20 - 63.40	E586161	60.50	62.00	1.50	0.0500	0.0380	0.0050
			E586162	62.00	63.40	1.40	0.1170	0.1480	0.0050
63.40	64.60	TSCH, Talc Schist Mineralization 63.40 - 64.60 Structure 63.40 - 64.60 : FOL Foliated, 70 Deg to CA	E586164	63.40	64.60	1.20	0.2050	0.1750	0.0090

Hole Number: KB-07-162

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
64.60	68.00	PYXT, Pyroxenite Mineralization 64.60 - 68.00 Structure 64.60 - 68.00	E586165	64.60	65.50	0.90	1.9450	0.7780	0.0500
			E586166	65.50	66.50	1.00	1.6300	0.3810	0.0460
			E586167	66.50	68.00	1.50	0.8080	0.3170	0.0220
68.00	69.40	FD, Felsic Dike Structure 68.00 - 69.40 : LC Lower Contact, 90 Deg to CA 68.00 - 69.40 : UC Upper Contact, 80 Deg to CA	E586168	68.00	69.40	1.40	0.0330	0.0140	0.0010
69.40	82.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 69.40 - 74.70 74.70 - 76.50 76.50 - 82.20	E586169	69.40	71.00	1.60	0.1440	0.0510	0.0060
			E586170	71.00	72.50	1.50	0.1910	0.0690	0.0090
			E586171	72.50	74.00	1.50	0.0850	0.0470	0.0050
			E586172	74.00	74.70	0.70	0.5450	0.2270	0.0210
			E586173	74.70	76.00	1.30	0.9900	0.4180	0.0320
			E586174	76.00	77.50	1.50	0.5150	0.1280	0.0210
			E586176	77.50	79.00	1.50	0.3250	0.1760	0.0140
			E586177	79.00	80.50	1.50	0.2970	0.1340	0.0130
			E586178	80.50	82.20	1.70	0.2640	0.1180	0.0130
82.20	91.00	MV, Mafic Volcanic	E586179	82.20	83.40	1.20	0.0230	0.0130	0.0060
91.00	95.90	GAB, Gabbro Mineralization 91.00 - 95.90	E586180	94.50	95.00	0.50	0.0110	0.0080	0.0050
			E586181	95.00	95.90	0.90	0.0520	0.0210	0.0080
95.90	97.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 95.90 - 97.80	E586182	95.90	97.00	1.10	0.2330	0.1190	0.0110
			E586183	97.00	97.80	0.80	0.0170	0.0130	0.0050
97.80	99.30	MV, Mafic Volcanic	E586184	97.80	99.30	1.50	0.0180	0.0190	0.0050
99.30	110.40	GAB, Gabbro Mineralization 99.30 - 110.40	E586185	99.30	101.00	1.70	0.0450	0.0210	0.0070
			E586186	101.00	102.90	1.90	0.0860	0.0320	0.0080
			E586187	102.90	104.00	1.10	0.0230	0.0100	0.0060
			E586188	109.50	110.40	0.90	0.0230	0.0110	0.0060
110.40	119.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 110.40 - 119.50	E586189	110.40	112.00	1.60	0.3850	0.1560	0.0190
			E586190	112.00	113.00	1.00	0.0600	0.0320	0.0080
			E586192	113.00	114.50	1.50	0.2120	0.1100	0.0110
			E586193	114.50	116.00	1.50	0.4360	0.4230	0.0150
			E586194	116.00	117.50	1.50	0.1000	0.0420	0.0080
			E586195	117.50	119.00	1.50	0.2800	0.2540	0.0110
			E586196	119.00	120.50	1.50	0.0130	0.0130	0.0050
119.50	136.40	MV, Mafic Volcanic							

Hole Number: KB-07-162

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
136.40	138.50	FD, Felsic Dike Structure 136.40 - 138.50 : LC Lower Contact, 70 Deg to CA 136.40 - 138.50 : UC Upper Contact, 80 Deg to CA							
138.50	149.00	MV, Mafic Volcanic							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586160	59.00	60.50	0.0360	0.0350	0.0060
E586161	60.50	62.00	0.0500	0.0380	0.0050
E586162	62.00	63.40	0.1170	0.1480	0.0050
E586164	63.40	64.60	0.2050	0.1750	0.0090
E586165	64.60	65.50	1.9450	0.7780	0.0500
E586166	65.50	66.50	1.6300	0.3810	0.0460
E586167	66.50	68.00	0.8080	0.3170	0.0220
E586168	68.00	69.40	0.0330	0.0140	0.0010
E586169	69.40	71.00	0.1440	0.0510	0.0060
E586170	71.00	72.50	0.1910	0.0690	0.0090
E586171	72.50	74.00	0.0850	0.0470	0.0050
E586172	74.00	74.70	0.5450	0.2270	0.0210
E586173	74.70	76.00	0.9900	0.4180	0.0320
E586174	76.00	77.50	0.5150	0.1280	0.0210
E586176	77.50	79.00	0.3250	0.1760	0.0140
E586177	79.00	80.50	0.2970	0.1340	0.0130
E586178	80.50	82.20	0.2640	0.1180	0.0130
E586179	82.20	83.40	0.0230	0.0130	0.0060
E586180	94.50	95.00	0.0110	0.0080	0.0050
E586181	95.00	95.90	0.0520	0.0210	0.0080
E586182	95.90	97.00	0.2330	0.1190	0.0110
E586183	97.00	97.80	0.0170	0.0130	0.0050
E586184	97.80	99.30	0.0180	0.0190	0.0050
E586185	99.30	101.00	0.0450	0.0210	0.0070
E586186	101.00	102.90	0.0860	0.0320	0.0080
E586187	102.90	104.00	0.0230	0.0100	0.0060
E586188	109.50	110.40	0.0230	0.0110	0.0060
E586189	110.40	112.00	0.3850	0.1560	0.0190
E586190	112.00	113.00	0.0600	0.0320	0.0080

Hole Number: KB-07-162

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586192	113.00	114.50	0.2120	0.1100	0.0110
E586193	114.50	116.00	0.4360	0.4230	0.0150
E586194	116.00	117.50	0.1000	0.0420	0.0080
E586195	117.50	119.00	0.2800	0.2540	0.0110
E586196	119.00	120.50	0.0130	0.0130	0.0050

DETAILED LOG

Hole Number: KB-07-161

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.60
Project Number:	19900	North: 5481620.00			North: 5481620.00		Collar Az: 146.30
Location:	Surface	East: 453927.70			East: 453927.70		Length: 146.00 (m)
		Elev: 398.63			Elev: 398.63		Start Depth: 0.00 (m)
Date Started:	Oct 26, 2007	Collar Survey: N	Plugged: N		Contractor: Morris Drilling		Final Depth: 146.00 (m)
Date Completed:	Oct 28, 2007	Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N	Casing: Left in Hole				

Comments: GEOTEC HOLE GSKB-07-02. Sample # E586110 miss 20cm (84.5 70 84.7m).Sample # E586141 miss 30cm (123.6 to 123.9m). Miss EZ test at 151m.

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	117.50	123.50	6.00	0.8103	0.2368	0.0235
WEIGHTED	117.50	140.80	23.30	0.8297	0.4069	0.0255
WEIGHTED	132.50	140.80	8.30	1.5298	0.8855	0.0462
WEIGHTED	137.50	140.80	3.30	1.9670	1.3867	0.0654

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	146.30	-44.60	EZ	OK		50.00	148.60	-42.80	EZ	OK	
101.00	149.20	-41.00	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	0.20	CAS, Casing							
0.20	12.50	MV, Mafic Volcanic							
12.50	16.35	MD, Mafic Dike Structure 12.50 - 16.35 : LC Lower Contact, 60 Deg to CA 12.50 - 16.35 : UC Upper Contact, 45 Deg to CA							
16.35	17.65	MV, Mafic Volcanic							
17.65	20.95	MD, Mafic Dike Structure 17.65 - 20.95 : LC Lower Contact, 70 Deg to CA 17.65 - 20.95 : UC Upper Contact, 30 Deg to CA							
20.95	33.00	MV, Mafic Volcanic							
33.00	35.60	MD, Mafic Dike Structure 33.00 - 35.60 : LC Lower Contact, 45 Deg to CA 33.00 - 35.60 : UC Upper Contact, 40 Deg to CA							
35.60	40.00	MV, Mafic Volcanic							

Hole Number: KB-07-161 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
40.00	41.30	MD, Mafic Dike Structure 40.00 - 41.30 : LC Lower Contact, 70 Deg to CA 40.00 - 41.30 : UC Upper Contact, 70 Deg to CA							
41.30	46.90	MV, Mafic Volcanic							
46.90	47.70	MDCHL, Mafic Dike Chloritic Structure 46.90 - 47.70 : LC Lower Contact, 70 Deg to CA 46.90 - 47.70 : UC Upper Contact, 70 Deg to CA							
47.70	50.65	MV, Mafic Volcanic							
50.65	63.90	FD, Felsic Dike Structure 50.65 - 63.90 : LC Lower Contact, 55 Deg to CA 50.65 - 63.90 : UC Upper Contact, 80 Deg to CA							
63.90	70.60	MV, Mafic Volcanic	E586096	67.50	69.00	1.50	0.0170	0.0120	0.0010
			E586097	69.00	70.60	1.60	0.0240	0.0240	0.0040
70.60	71.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 70.60 - 71.50	E586098	70.60	71.50	0.90	0.0880	0.0920	0.0030
71.50	72.70	MDCHL, Mafic Dike Chloritic Structure 71.50 - 72.70 : LC Lower Contact, 70 Deg to CA 71.50 - 72.70 : UC Upper Contact, 80 Deg to CA	E586099	71.50	72.70	1.20	0.0080	0.0150	0.0010
72.70	74.70	TSCH, Talc Schist Mineralization 72.70 - 74.70 Structure 72.70 - 74.70 : FOL Foliated, 70 Deg to CA	E586100	72.70	73.70	1.00	0.3120	0.3320	0.0080
			E586101	73.70	74.70	1.00	0.2270	0.1620	0.0090

Hole Number: KB-07-161 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
74.70	111.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 74.70 - 111.10	E586102	74.70	76.00	1.30	0.3400	0.1130	0.0210
			E586103	76.00	77.50	1.50	0.0890	0.0390	0.0060
			E586105	77.50	79.00	1.50	0.1630	0.0810	0.0080
			E586106	79.00	80.50	1.50	0.1370	0.0590	0.0070
			E586107	80.50	82.00	1.50	0.3790	0.1420	0.0150
			E586108	82.00	83.50	1.50	0.2060	0.0550	0.0090
			E586110	83.50	85.00	1.50	0.1080	0.0350	0.0050
			E586111	85.00	86.50	1.50	0.2230	0.1550	0.0100
			E586112	86.50	88.00	1.50	0.3380	0.1590	0.0130
			E586113	88.00	89.50	1.50	0.1910	0.0750	0.0100
			E586114	89.50	91.00	1.50	0.1410	0.0780	0.0060
			E586115	91.00	92.50	1.50	0.0280	0.0180	0.0040
			E586116	92.50	94.00	1.50	0.2000	0.0890	0.0100
			E586117	94.00	95.50	1.50	0.1780	0.0630	0.0080
			E586119	95.50	97.00	1.50	0.2460	0.1160	0.0110
			E586120	97.00	98.50	1.50	0.1300	0.0320	0.0070
			E586121	98.50	100.00	1.50	0.1740	0.0620	0.0090
			E586122	100.00	101.50	1.50	0.0870	0.0310	0.0050
			E586123	101.50	103.00	1.50	0.1760	0.0780	0.0080
			E586124	103.00	104.50	1.50	0.1550	0.2370	0.0080
			E586125	104.50	106.00	1.50	0.1760	0.0790	0.0080
			E586126	106.00	107.50	1.50	0.0190	0.0160	0.0050
			E586127	107.50	109.00	1.50	0.0230	0.0090	0.0030
			E586129	109.00	110.50	1.50	0.1620	0.1500	0.0070
			E586130	110.50	111.10	0.60	0.5260	0.3640	0.0170
111.10	113.30	GAB, Gabbro Mineralization 111.10 - 113.30	E586131	111.10	112.10	1.00	0.0360	0.0220	0.0030
			E586132	112.10	113.30	1.20	0.0390	0.0320	0.0040
113.30	114.40	FD, Felsic Dike Structure 113.30 - 114.40 : LC Lower Contact, 70 Deg to CA 113.30 - 114.40 : UC Upper Contact, 70 Deg to CA	E586133	113.30	114.40	1.10	0.0410	0.0220	0.0020
114.40	126.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 114.40 - 119.60 119.60 - 122.70 122.70 - 126.40 Structure 114.40 - 126.40 : LC Lower Contact, 70 Deg to CA	E586134	114.40	116.00	1.60	0.1320	0.0710	0.0080
			E586135	116.00	117.50	1.50	0.1700	0.0790	0.0090
			E586136	117.50	119.00	1.50	0.6950	0.3520	0.0220
			E586137	119.00	120.50	1.50	0.4150	0.0770	0.0140
			E586138	120.50	122.00	1.50	1.7900	0.1730	0.0460
			E586140	122.00	123.50	1.50	0.3410	0.3450	0.0120
			E586141	123.50	125.00	1.50	0.1010	0.0970	0.0040
			E586142	125.00	126.40	1.40	0.0540	0.0060	0.0040

DETAILED LOG

Hole Number: KB-07-161

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
126.40	127.31	TSCH, Talc Schist Mineralization 126.40 - 127.31
127.31	140.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 127.31 - 133.30 133.30 - 140.80 133.30 - 140.80
140.80	146.00	MV, Mafic Volcanic Structure 140.80 - 146.00 : FOL Foliated, 70 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586143	126.40	127.30	0.90	0.1330	0.0210	0.0070
E586144	127.30	128.60	1.30	0.5960	0.0680	0.0230
E586145	128.60	130.10	1.50	0.0950	0.1510	0.0040
E586146	130.10	131.40	1.30	0.3570	0.1500	0.0090
E586147	131.40	132.50	1.10	0.0420	0.0260	0.0040
E586148	132.50	133.50	1.00	0.8050	0.6330	0.0220
E586149	133.50	134.50	1.00	2.0200	0.9800	0.0550
E586150	134.50	135.50	1.00	1.2400	0.2450	0.0340
E586152	135.50	136.50	1.00	1.2300	0.5990	0.0300
E586153	136.50	137.50	1.00	0.9110	0.3170	0.0270
E586154	137.50	138.50	1.00	1.9550	1.3600	0.0500
E586155	138.50	139.50	1.00	1.9900	1.6900	0.0670
E586156	139.50	140.00	0.50	2.5000	0.2200	0.1110
E586157	140.00	140.80	0.80	1.6200	1.7700	0.0540
E586158	140.80	142.30	1.50	0.0180	0.0290	0.0040
E586159	142.30	143.80	1.50	0.0130	0.0230	0.0030

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586096	67.50	69.00	0.0170	0.0120	0.0010
E586097	69.00	70.60	0.0240	0.0240	0.0040
E586098	70.60	71.50	0.0880	0.0920	0.0030
E586099	71.50	72.70	0.0080	0.0150	0.0010
E586100	72.70	73.70	0.3120	0.3320	0.0080
E586101	73.70	74.70	0.2270	0.1620	0.0090
E586102	74.70	76.00	0.3400	0.1130	0.0210
E586103	76.00	77.50	0.0890	0.0390	0.0060
E586105	77.50	79.00	0.1630	0.0810	0.0080
E586106	79.00	80.50	0.1370	0.0590	0.0070
E586107	80.50	82.00	0.3790	0.1420	0.0150
E586108	82.00	83.50	0.2060	0.0550	0.0090
E586110	83.50	85.00	0.1080	0.0350	0.0050
E586111	85.00	86.50	0.2230	0.1550	0.0100
E586112	86.50	88.00	0.3380	0.1590	0.0130
E586113	88.00	89.50	0.1910	0.0750	0.0100
E586114	89.50	91.00	0.1410	0.0780	0.0060

Hole Number: KB-07-161 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586115	91.00	92.50	0.0280	0.0180	0.0040
E586116	92.50	94.00	0.2000	0.0890	0.0100
E586117	94.00	95.50	0.1780	0.0630	0.0080
E586119	95.50	97.00	0.2460	0.1160	0.0110
E586120	97.00	98.50	0.1300	0.0320	0.0070
E586121	98.50	100.00	0.1740	0.0620	0.0090
E586122	100.00	101.50	0.0870	0.0310	0.0050
E586123	101.50	103.00	0.1760	0.0780	0.0080
E586124	103.00	104.50	0.1550	0.2370	0.0080
E586125	104.50	106.00	0.1760	0.0790	0.0080
E586126	106.00	107.50	0.0190	0.0160	0.0050
E586127	107.50	109.00	0.0230	0.0090	0.0030
E586129	109.00	110.50	0.1620	0.1500	0.0070
E586130	110.50	111.10	0.5260	0.3640	0.0170
E586131	111.10	112.10	0.0360	0.0220	0.0030
E586132	112.10	113.30	0.0390	0.0320	0.0040
E586133	113.30	114.40	0.0410	0.0220	0.0020
E586134	114.40	116.00	0.1320	0.0710	0.0080
E586135	116.00	117.50	0.1700	0.0790	0.0090
E586136	117.50	119.00	0.6950	0.3520	0.0220
E586137	119.00	120.50	0.4150	0.0770	0.0140
E586138	120.50	122.00	1.7900	0.1730	0.0460
E586140	122.00	123.50	0.3410	0.3450	0.0120
E586141	123.50	125.00	0.1010	0.0970	0.0040
E586142	125.00	126.40	0.0540	0.0060	0.0040
E586143	126.40	127.30	0.1330	0.0210	0.0070
E586144	127.30	128.60	0.5960	0.0680	0.0230
E586145	128.60	130.10	0.0950	0.1510	0.0040
E586146	130.10	131.40	0.3570	0.1500	0.0090
E586147	131.40	132.50	0.0420	0.0260	0.0040
E586148	132.50	133.50	0.8050	0.6330	0.0220
E586149	133.50	134.50	2.0200	0.9800	0.0550
E586150	134.50	135.50	1.2400	0.2450	0.0340
E586152	135.50	136.50	1.2300	0.5990	0.0300
E586153	136.50	137.50	0.9110	0.3170	0.0270
E586154	137.50	138.50	1.9550	1.3600	0.0500
E586155	138.50	139.50	1.9900	1.6900	0.0670

Hole Number: KB-07-161

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586156	139.50	140.00	2.5000	0.2200	0.1110
E586157	140.00	140.80	1.6200	1.7700	0.0540
E586158	140.80	142.30	0.0180	0.0290	0.0040
E586159	142.30	143.80	0.0130	0.0230	0.0030

DETAILED LOG

Hole Number: KB-07-160 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -47.80
Project Number:	19900	North: 5481569.00			North: 5481569.00		Collar Az: 38.80
Location:	Surface	East: 453974.80			East: 453974.80		Length: 152.00 (m)
		Elev: 395.61			Elev: 395.61		Start Depth: 0.00 (m)
Date Started:	Oct 26, 2007	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 152.00 (m)
Date Completed:	Oct 28, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments: Geotec hole GSKB-07-01
Sample #586096, miss 30cm (70.6-70.9m) taken for Geotec test.

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	8.00	12.50	4.50	0.4497	0.1707	0.0150

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	37.30	-47.70	EZ	OK		56.00	38.80	-47.80	EZ	OK	
101.00	38.20	-47.10	EZ	OK		151.00	42.50	-45.90	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.80	CAS, Casing							
2.80	7.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.80 - 7.30 Structure 2.80 - 7.30	E586072	2.80	4.00	1.20	0.1110	0.1070	0.0050
			E586073	4.00	5.00	1.00	0.0070	0.0200	0.0030
			E586074	5.00	6.00	1.00	0.0170	0.0180	0.0030
			E586075	6.00	7.30	1.30	0.2060	0.1830	0.0080
7.30	8.00	FD, Felsic Dike Structure 7.30 - 8.00 : LC Lower Contact, 45 Deg to CA 7.30 - 8.00 : UC Upper Contact, 35 Deg to CA	E586077	7.30	8.00	0.70	0.0070	0.0090	0.0010
8.00	19.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 8.00 - 19.20	E586078	8.00	9.50	1.50	0.8620	0.2700	0.0300
			E586079	9.50	11.00	1.50	0.2590	0.1320	0.0080
			E586080	11.00	12.50	1.50	0.2280	0.1100	0.0070
			E586081	12.50	14.00	1.50	0.0380	0.0250	0.0040
			E586082	14.00	15.50	1.50	0.0760	0.0400	0.0030
			E586083	15.50	17.00	1.50	0.0290	0.0330	0.0040
			E586084	17.00	18.50	1.50	0.0880	0.0320	0.0050
			E586086	18.50	19.20	0.70	0.0390	0.0210	0.0020

DETAILED LOG

Hole Number: KB-07-160

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
19.20	23.20	FD, Felsic Dike Structure 19.20 - 23.20 : LC Lower Contact, 45 Deg to CA 19.20 - 23.20 : UC Upper Contact, 70 Deg to CA
23.20	29.60	MV, Mafic Volcanic
29.60	33.40	FD, Felsic Dike Structure 29.60 - 33.40 : LC Lower Contact, 20 Deg to CA 29.60 - 33.40 : UC Upper Contact, 30 Deg to CA
33.40	69.10	MV, Mafic Volcanic
69.10	73.00	PYXT, Pyroxenite Mineralization 69.10 - 73.00
73.00	75.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 73.00 - 75.80
75.80	84.80	MV, Mafic Volcanic
84.80	93.60	GAB, Gabbro Mineralization 84.80 - 93.60 Structure 84.80 - 93.60 : UC Upper Contact, 90 Deg to CA
93.60	152.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586087	19.20	20.40	1.20	0.0080	0.0230	0.0010
E586088	68.00	69.10	1.10	0.0180	0.0220	0.0050
E586089	69.10	70.00	0.90	0.0910	0.0350	0.0080
E586090	70.00	70.90	0.90	0.1280	0.0800	0.0090
E586091	70.90	72.40	1.50	0.1560	0.1030	0.0090
E586092	72.40	74.00	1.60	0.0680	0.0350	0.0060
E586093	74.00	75.00	1.00	0.0830	0.0570	0.0070
E586094	75.00	75.80	0.80	0.1540	0.1030	0.0090
E586095	75.80	77.00	1.20	0.0170	0.0230	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586072	2.80	4.00	0.1110	0.1070	0.0050
E586073	4.00	5.00	0.0070	0.0200	0.0030
E586074	5.00	6.00	0.0170	0.0180	0.0030
E586075	6.00	7.30	0.2060	0.1830	0.0080
E586077	7.30	8.00	0.0070	0.0090	0.0010
E586078	8.00	9.50	0.8620	0.2700	0.0300
E586079	9.50	11.00	0.2590	0.1320	0.0080
E586080	11.00	12.50	0.2280	0.1100	0.0070
E586081	12.50	14.00	0.0380	0.0250	0.0040
E586082	14.00	15.50	0.0760	0.0400	0.0030
E586083	15.50	17.00	0.0290	0.0330	0.0040

Hole Number: KB-07-160

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586084	17.00	18.50	0.0880	0.0320	0.0050
E586086	18.50	19.20	0.0390	0.0210	0.0020
E586087	19.20	20.40	0.0080	0.0230	0.0010
E586088	68.00	69.10	0.0180	0.0220	0.0050
E586089	69.10	70.00	0.0910	0.0350	0.0080
E586090	70.00	70.90	0.1280	0.0800	0.0090
E586091	70.90	72.40	0.1560	0.1030	0.0090
E586092	72.40	74.00	0.0680	0.0350	0.0060
E586093	74.00	75.00	0.0830	0.0570	0.0070
E586094	75.00	75.80	0.1540	0.1030	0.0090
E586095	75.80	77.00	0.0170	0.0230	0.0040

DETAILED LOG

Hole Number: KB-07-159

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -51.30
Project Number:	19900	North: 5481291.00			North: 5481291.00		Collar Az: 304.70
Location:	Surface	East: 453934.20			East: 453934.20		Length: 244.00 (m)
		Elev: 398.36			Elev: 398.36		Start Depth: 0.00 (m)
Date Started:	Oct 20, 2007	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 244.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments: Logged By Jean Bernard

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	207.00	220.60	13.60	0.2421	0.2284	0.0109

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	304.70	-51.30	EZ	OK		50.00	306.20	-50.30	EZ	OK	
100.00	306.00	-48.90	EZ	OK		150.00	306.90	-48.00	EZ	OK	
200.00	305.90	-47.70	EZ	OK		244.00	307.20	-46.20	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data						
			Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	128.70	MV, Mafic Volcanic Structure 1.50 - 128.70 : FOL Foliated, 70 Deg to CA							
128.70	131.90	FD, Felsic Dike Structure 128.70 - 131.90 : LC Lower Contact, 80 Deg to CA 128.70 - 131.90 : UC Upper Contact, 45 Deg to CA							
131.90	156.50	MV, Mafic Volcanic Structure 131.90 - 156.50 131.90 - 156.50							
156.50	157.90	MD, Mafic Dike Structure 156.50 - 157.90 : LC Lower Contact, 45 Deg to CA 156.50 - 157.90 : UC Upper Contact, 80 Deg to CA							
157.90	168.00	MV, Mafic Volcanic							

Hole Number: KB-07-159 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
168.00	170.70	MD, Mafic Dike Structure 168.00 - 170.70 : LC Lower Contact, 70 Deg to CA							
170.70	177.10	TSCH, Talc Schist Mineralization 170.70 - 177.10 Structure 170.70 - 177.10 : FOL Foliated, 50 Deg to CA							
177.10	180.25	MD, Mafic Dike Structure 177.10 - 180.25 : LC Lower Contact, 60 Deg to CA 177.10 - 180.25 : UC Upper Contact, 70 Deg to CA							
180.25	184.70	TSCH, Talc Schist Mineralization 180.25 - 184.70 Structure 180.25 - 184.70 : STRFOL Strongly Foliated, 60 Deg to CA							
184.70	187.95	MDCHL, Mafic Dike Chloritic Structure 184.70 - 187.95 : FOL Foliated, 75 Deg to CA 184.70 - 187.95 : LC Lower Contact, 80 Deg to CA 184.70 - 187.95 : UC Upper Contact, 80 Deg to CA							
187.95	209.20	TSCH, Talc Schist Mineralization 187.95 - 209.20 Structure 187.95 - 209.20 : STRFOL Strongly Foliated, 70 Deg to CA	E586054	201.00	202.50	1.50	0.1800	0.1320	0.0090
			E586055	202.50	204.00	1.50	0.1770	0.1280	0.0100
			E586056	204.00	205.50	1.50	0.0950	0.0490	0.0080
			E586057	205.50	207.00	1.50	0.1680	0.0990	0.0100
			E586059	207.00	208.50	1.50	0.2260	0.1650	0.0120
			E586060	208.50	209.20	0.70	0.2010	0.1510	0.0110
209.20	217.00	PYXT, Pyroxenite Mineralization 209.20 - 217.00 Structure 209.20 - 217.00 : FOL Foliated, 80 Deg to CA	E586061	209.20	210.70	1.50	0.3860	0.4260	0.0140
			E586062	210.70	212.20	1.50	0.2010	0.2500	0.0090
			E586064	212.20	213.70	1.50	0.2170	0.2310	0.0110
			E586065	213.70	215.20	1.50	0.0660	0.0950	0.0050
			E586066	215.20	217.00	1.80	0.2920	0.3090	0.0110
217.00	229.00	TSCH, Talc Schist Mineralization 217.00 - 220.60 220.60 - 229.00 Structure 217.00 - 229.00 : LC Lower Contact, 30 Deg to CA 217.00 - 229.00 : STRFOL Strongly Foliated, 80 Deg to CA	E586067	217.00	218.00	1.00	0.4000	0.3780	0.0160
			E586068	218.00	219.00	1.00	0.1240	0.0260	0.0090
			E586070	219.00	220.60	1.60	0.2860	0.1810	0.0120
			E586071	220.60	222.10	1.50	0.0830	0.0310	0.0090

DETAILED LOG

Hole Number: KB-07-159

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
229.00	244.00	MV, Mafic Volcanic Structure 229.00 - 244.00							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586054	201.00	202.50	0.1800	0.1320	0.0090
E586055	202.50	204.00	0.1770	0.1280	0.0100
E586056	204.00	205.50	0.0950	0.0490	0.0080
E586057	205.50	207.00	0.1680	0.0990	0.0100
E586059	207.00	208.50	0.2260	0.1650	0.0120
E586060	208.50	209.20	0.2010	0.1510	0.0110
E586061	209.20	210.70	0.3860	0.4260	0.0140
E586062	210.70	212.20	0.2010	0.2500	0.0090
E586064	212.20	213.70	0.2170	0.2310	0.0110
E586065	213.70	215.20	0.0660	0.0950	0.0050
E586066	215.20	217.00	0.2920	0.3090	0.0110
E586067	217.00	218.00	0.4000	0.3780	0.0160
E586068	218.00	219.00	0.1240	0.0260	0.0090
E586070	219.00	220.60	0.2860	0.1810	0.0120
E586071	220.60	222.10	0.0830	0.0310	0.0090

DETAILED LOG

Hole Number: KB-07-158

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.60
Project Number:	19900	North:	5481291.00		North:	5481291.00	Collar Az: 305.90
Location:	Surface	East:	453934.20		East:	453934.20	Length: 251.00 (m)
		Elev:	398.36		Elev:	398.36	Start Depth: 0.00 (m)
Date Started:	Oct 16, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 251.00 (m)
Date Completed:	Oct 19, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments: Logged By Jean bernard

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	196.80	209.00	12.20	0.3132	0.2698	0.0124
WEIGHTED	201.50	203.80	2.30	0.5189	0.3983	0.0224

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	305.90	-44.60	EZ	OK		50.00	307.50	-44.20	EZ	OK	
100.00	310.80	-43.00	EZ	OK		150.00	311.50	-41.50	EZ	OK	
200.00	307.10	-40.20	EZ	OK		251.00	313.00	-36.60	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.00	CAS, Casing							
1.00	73.30	MV, Mafic Volcanic Structure 1.00 - 73.30 : FOL Foliated, 65 Deg to CA							
73.30	75.10	FD, Felsic Dike Structure 73.30 - 75.10 : LC Lower Contact, 80 Deg to CA 73.30 - 75.10 : UC Upper Contact, 80 Deg to CA							
75.10	116.10	MV, Mafic Volcanic Structure 75.10 - 116.10 : FOL Foliated, 70 Deg to CA							
116.10	122.00	FD, Felsic Dike Structure 116.10 - 122.00 : LC Lower Contact, 90 Deg to CA 116.10 - 122.00 : UC Upper Contact, 70 Deg to CA							
122.00	133.80	MV, Mafic Volcanic Structure 122.00 - 133.80 : FOL Foliated, 65 Deg to CA							

Hole Number: KB-07-158 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
133.80	135.00	FD, Felsic Dike Structure 133.80 - 135.00 : LC Lower Contact, 40 Deg to CA 133.80 - 135.00 : UC Upper Contact, 80 Deg to CA							
135.00	143.90	MV, Mafic Volcanic Structure 135.00 - 143.90 : FOL Foliated, 50 Deg to CA							
143.90	145.60	FD, Felsic Dike Structure 143.90 - 145.60 : LC Lower Contact, 70 Deg to CA 143.90 - 145.60 : UC Upper Contact, 70 Deg to CA							
145.60	151.80	MV, Mafic Volcanic Structure 145.60 - 151.80							
151.80	153.10	MD, Mafic Dike Structure 151.80 - 153.10 : LC Lower Contact, 80 Deg to CA 151.80 - 153.10 : UC Upper Contact, 50 Deg to CA							
153.10	162.40	TSCH, Talc Schist Mineralization 153.10 - 162.40 Structure 153.10 - 162.40 : STRFOL Strongly Foliated, 70 Deg to CA							
162.40	166.50	MD, Mafic Dike Structure 162.40 - 166.50 : LC Lower Contact, 80 Deg to CA 162.40 - 166.50 : UC Upper Contact, 45 Deg to CA							
166.50	194.40	TSCH, Talc Schist Mineralization 166.50 - 194.40 Structure 166.50 - 194.40 : STRFOL Strongly Foliated, 80 Deg to CA							
194.40	195.30	MD, Mafic Dike Structure 194.40 - 195.30 : LC Lower Contact, 80 Deg to CA 194.40 - 195.30 : UC Upper Contact, 80 Deg to CA							
195.30	198.20	TSCH, Talc Schist Mineralization 195.30 - 198.20 Structure 195.30 - 198.20 : FOL Foliated, 80 Deg to CA	E586042	195.30	196.80	1.50	0.0790	0.0180	0.0080
			E586043	196.80	198.30	1.50	0.2540	0.1950	0.0100

DETAILED LOG

Hole Number: KB-07-158

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
198.20	203.80	PYXT, Pyroxenite Mineralization 198.20 - 201.50 201.50 - 203.80 Structure 198.20 - 203.80 : MODFOL Moderately Foliated, 80 Deg to CA
203.80	204.40	MD, Mafic Dike Structure 203.80 - 204.40 : LC Lower Contact, 80 Deg to CA 203.80 - 204.40 : UC Upper Contact, 50 Deg to CA
204.40	215.60	PYXT, Pyroxenite Mineralization 204.40 - 214.80 214.80 - 214.80 Structure 204.40 - 214.80 : FOL Foliated, 80 Deg to CA
215.60	217.80	TSCH, Talc Schist Mineralization 215.60 - 217.80 Structure 215.60 - 217.80 : STRFOL Strongly Foliated, 80 Deg to CA
217.80	251.00	MV, Mafic Volcanic Structure 217.80 - 251.00 : FOL Foliated, 80 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586044	198.30	199.30	1.00	0.2400	0.2700	0.0110
E586046	199.80	201.50	1.70	0.2510	0.2490	0.0100
E586047	201.50	202.50	1.00	0.6110	0.4170	0.0320
E586048	202.50	203.80	1.30	0.4480	0.3840	0.0150
E586049	203.80	204.40	0.60	0.1180	0.1220	0.0050
E586050	204.40	206.00	1.60	0.4340	0.4860	0.0130
E586052	206.00	207.50	1.50	0.2900	0.1810	0.0110
E586053	207.50	209.00	1.50	0.2530	0.1780	0.0110

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586042	195.30	196.80	0.0790	0.0180	0.0080
E586043	196.80	198.30	0.2540	0.1950	0.0100
E586044	198.30	199.30	0.2400	0.2700	0.0110
E586046	199.80	201.50	0.2510	0.2490	0.0100
E586047	201.50	202.50	0.6110	0.4170	0.0320
E586048	202.50	203.80	0.4480	0.3840	0.0150
E586049	203.80	204.40	0.1180	0.1220	0.0050
E586050	204.40	206.00	0.4340	0.4860	0.0130
E586052	206.00	207.50	0.2900	0.1810	0.0110
E586053	207.50	209.00	0.2530	0.1780	0.0110

DETAILED LOG

Hole Number: KB-07-157

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-44.70
Project Number:	19900	North:	5481359.00	North:	5481359.00	Collar Az:	306.20
Location:	Surface	East:	453995.90	East:	453995.90	Length:	254.00 (m)
		Elev:	401.74	Elev:	401.74	Start Depth:	0.00 (m)
Date Started:	Oct 14, 2007	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	254.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:		Pulse EM Survey:	N	Casing:	Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	175.50	183.00	7.50	0.3542	0.2314	0.0154
WEIGHTED	231.40	241.00	9.60	0.3092	0.2411	0.0113

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	306.20	-44.70	EZ	OK		50.00	308.40	-43.80	EZ	OK	
100.00	309.40	-43.00	EZ	OK		150.00	310.40	-40.90	EZ	OK	
200.00	315.00	-40.10	EZ	OK		254.00	318.60	-39.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	3.00	CAS, Casing
3.00	23.50	MV, Mafic Volcanic
23.50	26.10	FD, Felsic Dike Structure 23.50 - 26.10 : LC Lower Contact, 45 Deg to CA
26.10	41.50	MV, Mafic Volcanic
41.50	48.00	MDCHL, Mafic Dike Chloritic
48.00	55.70	MV, Mafic Volcanic
55.70	60.20	FD, Felsic Dike
60.20	76.20	MV, Mafic Volcanic
76.20	80.60	FD, Felsic Dike
80.60	112.00	MV, Mafic Volcanic
112.00	115.70	FD, Felsic Dike
115.70	128.15	MV, Mafic Volcanic
128.15	134.30	FD, Felsic Dike
134.30	153.70	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-157 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
153.70	156.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 153.70 - 156.00 Structure 153.70 - 156.00							
156.00	170.00	TSCH, Talc Schist Mineralization 156.00 - 170.00 Structure 156.00 - 170.00 : UC Upper Contact, 50 Deg to CA	E585801	169.00	170.00	1.00	0.1050	0.0590	0.0100
170.00	174.00	PYXT, Pyroxenite Mineralization 170.00 - 174.00	E585802	170.00	171.50	1.50	0.0780	0.0140	0.0090
			E585803	171.50	173.00	1.50	0.0520	0.0100	0.0070
			E585804	173.00	174.00	1.00	0.1460	0.1630	0.0090
174.00	183.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 174.00 - 183.90	E585805	174.00	175.50	1.50	0.2720	0.2000	0.0170
			E585806	175.50	177.00	1.50	0.5550	0.4430	0.0190
			E585808	177.00	178.50	1.50	0.1540	0.1180	0.0090
			E585809	178.50	180.00	1.50	0.3150	0.1770	0.0140
			E585810	180.00	181.50	1.50	0.0800	0.0640	0.0070
			E585811	181.50	183.00	1.50	0.6670	0.3550	0.0280
			E585812	183.00	183.90	0.90	0.1870	0.1210	0.0090
183.90	185.00	FD, Felsic Dike	E585813	183.90	185.00	1.10	0.0920	0.0320	0.0060
185.00	191.10	MV, Mafic Volcanic	E585814	185.00	186.50	1.50	0.0510	0.0430	0.0060
			E585815	186.50	188.00	1.50	0.0220	0.0130	0.0060
			E585816	188.00	189.50	1.50	0.0620	0.0930	0.0070
			E585817	189.50	190.50	1.00	0.0200	0.0090	0.0070
			E585818	190.50	191.10	0.60	0.0310	0.0130	0.0070

Hole Number: KB-07-157

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
191.10	217.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 191.10 - 217.50	E585819	191.10	192.50	1.40	0.0480	0.0260	0.0060
			E585820	192.50	194.00	1.50	0.1460	0.0850	0.0080
			E585822	194.00	195.50	1.50	0.4280	0.1630	0.0180
			E585823	195.50	197.00	1.50	0.0610	0.0240	0.0040
			E585824	197.00	198.50	1.50	0.1710	0.0590	0.0090
			E585825	198.50	200.00	1.50	0.1670	0.0390	0.0100
			E585826	200.00	201.50	1.50	0.1710	0.0890	0.0100
			E585828	201.50	203.00	1.50	0.2100	0.2150	0.0110
			E585829	203.00	204.50	1.50	0.2920	0.1630	0.0140
			E585830	204.50	206.00	1.50	0.0430	0.0420	0.0060
			E585831	206.00	207.50	1.50	0.0270	0.0080	0.0040
			E585832	207.50	209.00	1.50	0.0170	0.0120	0.0040
			E585833	209.00	210.50	1.50	0.0160	0.0160	0.0060
			E585834	210.50	212.00	1.50	0.0520	0.0300	0.0060
			E585835	212.00	213.50	1.50	0.1410	0.0840	0.0080
			E585836	213.50	215.00	1.50	0.0560	0.0330	0.0060
			E585837	215.00	216.50	1.50	0.0850	0.0400	0.0080
			E585838	216.50	217.50	1.00	0.3270	0.1510	0.0140
217.50	219.90	MV, Mafic Volcanic	E585839	217.50	218.50	1.00	0.0100	0.0140	0.0040
			E585840	218.50	219.90	1.40	0.0080	0.0160	0.0050
219.90	222.30	FD, Felsic Dike	E585841	219.90	221.00	1.10	0.0025	0.0050	0.0010
			E585842	221.00	222.30	1.30	0.0090	0.0120	0.0030
222.30	225.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 222.30 - 225.70	E585843	222.30	223.50	1.20	0.2910	0.2220	0.0130
			E585844	223.50	224.50	1.00	0.0200	0.0220	0.0040
			E585845	224.50	225.70	1.20	0.1740	0.1040	0.0100
225.70	228.00	FD, Felsic Dike	E585846	225.70	227.00	1.30	0.0025	0.0050	0.0020
			E585847	227.00	228.00	1.00	0.0110	0.0110	0.0030
228.00	232.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 228.00 - 232.00	E585848	228.00	229.50	1.50	0.2640	0.1490	0.0090
			E585849	229.50	230.50	1.00	0.0210	0.0180	0.0040
			E585850	230.50	231.40	0.90	0.1010	0.0390	0.0050
			E586001	231.40	233.00	1.60	0.3560	0.2510	0.0120
232.00	241.00	TSCH, Talc Schist Mineralization 232.00 - 241.00	E586003	233.00	234.50	1.50	0.4990	0.3470	0.0150
			E586004	234.50	236.00	1.50	0.3250	0.2460	0.0130
			E586005	236.00	237.50	1.50	0.1100	0.0280	0.0080
			E586006	237.50	239.00	1.50	0.2550	0.2260	0.0100
			E586008	239.00	240.00	1.00	0.2750	0.2870	0.0100
			E586009	240.00	241.00	1.00	0.3400	0.3550	0.0100
241.00	254.00	MV, Mafic Volcanic	E586010	241.00	242.00	1.00	0.0680	0.0410	0.0070
			E586011	242.00	243.00	1.00	0.0430	0.0220	0.0050

Hole Number: KB-07-157

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585801	169.00	170.00	0.1050	0.0590	0.0100
E585802	170.00	171.50	0.0780	0.0140	0.0090
E585803	171.50	173.00	0.0520	0.0100	0.0070
E585804	173.00	174.00	0.1460	0.1630	0.0090
E585805	174.00	175.50	0.2720	0.2000	0.0170
E585806	175.50	177.00	0.5550	0.4430	0.0190
E585808	177.00	178.50	0.1540	0.1180	0.0090
E585809	178.50	180.00	0.3150	0.1770	0.0140
E585810	180.00	181.50	0.0800	0.0640	0.0070
E585811	181.50	183.00	0.6670	0.3550	0.0280
E585812	183.00	183.90	0.1870	0.1210	0.0090
E585813	183.90	185.00	0.0920	0.0320	0.0060
E585814	185.00	186.50	0.0510	0.0430	0.0060
E585815	186.50	188.00	0.0220	0.0130	0.0060
E585816	188.00	189.50	0.0620	0.0930	0.0070
E585817	189.50	190.50	0.0200	0.0090	0.0070
E585818	190.50	191.10	0.0310	0.0130	0.0070
E585819	191.10	192.50	0.0480	0.0260	0.0060
E585820	192.50	194.00	0.1460	0.0850	0.0080
E585822	194.00	195.50	0.4280	0.1630	0.0180
E585823	195.50	197.00	0.0610	0.0240	0.0040
E585824	197.00	198.50	0.1710	0.0590	0.0090
E585825	198.50	200.00	0.1670	0.0390	0.0100
E585826	200.00	201.50	0.1710	0.0890	0.0100
E585828	201.50	203.00	0.2100	0.2150	0.0110
E585829	203.00	204.50	0.2920	0.1630	0.0140
E585830	204.50	206.00	0.0430	0.0420	0.0060
E585831	206.00	207.50	0.0270	0.0080	0.0040
E585832	207.50	209.00	0.0170	0.0120	0.0040
E585833	209.00	210.50	0.0160	0.0160	0.0060
E585834	210.50	212.00	0.0520	0.0300	0.0060
E585835	212.00	213.50	0.1410	0.0840	0.0080
E585836	213.50	215.00	0.0560	0.0330	0.0060
E585837	215.00	216.50	0.0850	0.0400	0.0080
E585838	216.50	217.50	0.3270	0.1510	0.0140
E585839	217.50	218.50	0.0100	0.0140	0.0040
E585840	218.50	219.90	0.0080	0.0160	0.0050

Hole Number: KB-07-157

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585841	219.90	221.00	0.0025	0.0050	0.0010
E585842	221.00	222.30	0.0090	0.0120	0.0030
E585843	222.30	223.50	0.2910	0.2220	0.0130
E585844	223.50	224.50	0.0200	0.0220	0.0040
E585845	224.50	225.70	0.1740	0.1040	0.0100
E585846	225.70	227.00	0.0025	0.0050	0.0020
E585847	227.00	228.00	0.0110	0.0110	0.0030
E585848	228.00	229.50	0.2640	0.1490	0.0090
E585849	229.50	230.50	0.0210	0.0180	0.0040
E585850	230.50	231.40	0.1010	0.0390	0.0050
E586001	231.40	233.00	0.3560	0.2510	0.0120
E586003	233.00	234.50	0.4990	0.3470	0.0150
E586004	234.50	236.00	0.3250	0.2460	0.0130
E586005	236.00	237.50	0.1100	0.0280	0.0080
E586006	237.50	239.00	0.2550	0.2260	0.0100
E586008	239.00	240.00	0.2750	0.2870	0.0100
E586009	240.00	241.00	0.3400	0.3550	0.0100
E586010	241.00	242.00	0.0680	0.0410	0.0070
E586011	242.00	243.00	0.0430	0.0220	0.0050

DETAILED LOG

Hole Number: KB-07-156

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -57.00
Project Number:	19900	North:	5481359.00		North:	5481359.00	Collar Az: 304.00
Location:	Surface	East:	453995.90		East:	453995.90	Length: 272.00 (m)
		Elev:	401.74		Elev:	401.74	Start Depth: 0.00 (m)
Date Started:	Oct 14, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 272.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	TK	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	240.50	251.50	11.00	0.5775	0.4146	0.0153
WEIGHTED	243.50	246.50	3.00	1.1313	0.3583	0.0237

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	300.80	-57.20	EZ	DO		50.00	305.30	-55.40	EZ	OK	
101.00	306.30	-53.00	EZ	OK		152.00	307.00	-51.90	EZ	OK	
200.00	307.60	-51.00	EZ	OK		271.00	309.20	-49.30	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.50	CAS, Casing							
2.50	33.00	MV, Mafic Volcanic							
33.00	35.90	MDCHL, Mafic Dike Chloritic							
35.90	59.70	MV, Mafic Volcanic							
59.70	64.80	MDCHL, Mafic Dike Chloritic							
64.80	82.00	MV, Mafic Volcanic							
82.00	84.00	FD, Felsic Dike							
84.00	104.00	MV, Mafic Volcanic							
104.00	105.20	FD, Felsic Dike							
105.20	106.40	FD, Felsic Dike							
106.40	166.00	MV, Mafic Volcanic							
166.00	167.00	FD, Felsic Dike							
167.00	168.00	FD, Felsic Dike							
168.00	198.00	MV, Mafic Volcanic							

Hole Number: KB-07-156

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
198.00	214.90	TSCH, Talc Schist Mineralization 198.00 - 214.90
214.90	216.50	MDCHL, Mafic Dike Chloritic Structure 214.90 - 216.50 : MODFOL Moderately Foliated, 55 Deg to CA
216.50	240.50	TSCH, Talc Schist Mineralization 216.50 - 218.10 218.10 - 240.50 Structure 216.50 - 240.50 : STRFOL Strongly Foliated, 60 Deg to CA
240.50	250.50	PYXT, Pyroxenite Mineralization 240.50 - 243.50 243.50 - 250.50
250.50	258.80	TSCH, Talc Schist Mineralization 250.50 - 258.80
258.80	272.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E586022	234.00	235.00	1.00	0.0820	0.0320	0.0050
E586023	235.00	236.00	1.00	0.1850	0.2450	0.0090
E586024	236.00	237.00	1.00	0.2810	0.2850	0.0100
E586012	237.00	238.50	1.50	0.1750	0.0950	0.0100
E586013	238.50	239.50	1.00	0.1230	0.0430	0.0100
E586014	239.50	240.50	1.00	0.1880	0.1120	0.0080
E586015	240.50	241.50	1.00	0.3850	0.4480	0.0120
E586017	241.50	242.50	1.00	0.1470	0.1100	0.0090
E586018	242.50	243.50	1.00	0.2550	0.2340	0.0110
E586020	243.50	244.50	1.00	2.1800	0.7150	0.0360
E586021	244.50	245.50	1.00	0.3100	0.0840	0.0090
E586025	245.50	246.50	1.00	0.9040	0.2760	0.0260
E586027	246.50	247.50	1.00	0.4500	0.6960	0.0150
E586028	247.50	248.50	1.00	0.4840	0.3760	0.0140
E586029	248.50	249.50	1.00	0.3990	0.3330	0.0120
E586030	249.50	250.50	1.00	0.4680	0.7050	0.0130
E586031	250.50	251.50	1.00	0.3700	0.5840	0.0110
E586033	251.50	252.50	1.00	0.1810	0.1580	0.0080
E586034	252.50	253.50	1.00	0.2420	0.2570	0.0100
E586035	253.50	254.50	1.00	0.1430	0.0840	0.0090
E586036	254.50	256.00	1.50	0.1690	0.2330	0.0070
E586037	256.00	257.00	1.00	0.1310	0.1200	0.0060
E586038	257.00	258.00	1.00	0.2000	0.1940	0.0080
E586039	258.00	258.80	0.80	0.1730	0.1500	0.0100
E586040	258.80	260.00	1.20	0.0530	0.0460	0.0040
E586041	260.00	261.00	1.00	0.0070	0.0120	0.0020

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586022	234.00	235.00	0.0820	0.0320	0.0050
E586023	235.00	236.00	0.1850	0.2450	0.0090
E586024	236.00	237.00	0.2810	0.2850	0.0100
E586012	237.00	238.50	0.1750	0.0950	0.0100

Hole Number: KB-07-156

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E586013	238.50	239.50	0.1230	0.0430	0.0100
E586014	239.50	240.50	0.1880	0.1120	0.0080
E586015	240.50	241.50	0.3850	0.4480	0.0120
E586017	241.50	242.50	0.1470	0.1100	0.0090
E586018	242.50	243.50	0.2550	0.2340	0.0110
E586020	243.50	244.50	2.1800	0.7150	0.0360
E586021	244.50	245.50	0.3100	0.0840	0.0090
E586025	245.50	246.50	0.9040	0.2760	0.0260
E586027	246.50	247.50	0.4500	0.6960	0.0150
E586028	247.50	248.50	0.4840	0.3760	0.0140
E586029	248.50	249.50	0.3990	0.3330	0.0120
E586030	249.50	250.50	0.4680	0.7050	0.0130
E586031	250.50	251.50	0.3700	0.5840	0.0110
E586033	251.50	252.50	0.1810	0.1580	0.0080
E586034	252.50	253.50	0.2420	0.2570	0.0100
E586035	253.50	254.50	0.1430	0.0840	0.0090
E586036	254.50	256.00	0.1690	0.2330	0.0070
E586037	256.00	257.00	0.1310	0.1200	0.0060
E586038	257.00	258.00	0.2000	0.1940	0.0080
E586039	258.00	258.80	0.1730	0.1500	0.0100
E586040	258.80	260.00	0.0530	0.0460	0.0040
E586041	260.00	261.00	0.0070	0.0120	0.0020

DETAILED LOG

Hole Number: KB-07-155 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid:	UTM:		Destination Coordinates	Grid:	UTM:	Collar Dip: -54.60
Project Number:	19900	North:	5481383.00			North:	5481383.00		Collar Az: 305.00
Location:	Surface	East:	454009.30			East:	454009.30		Length: 272.00 (m)
		Elev:	403.82			Elev:	403.82		Start Depth: 0.00 (m)
Date Started:	Oct 09, 2007	Collar Survey:	N	Plugged:	N	Contractor:	Morris Drilling		Final Depth: 272.00 (m)
Date Completed:	Oct 12, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments: Logged By jean Bernard

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	203.40	207.90	4.50	1.8894	0.2444	0.0494
WEIGHTED	204.40	207.00	2.60	2.8408	0.2495	0.0728
WEIGHTED	234.00	248.30	14.30	0.3745	0.2309	0.0145
WEIGHTED	241.80	248.30	6.50	0.4364	0.3478	0.0151

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	305.00	-54.60	EZ	OK		50.00	305.00	-53.80	EZ	OK	
100.00	304.60	-50.60	EZ	OK		152.00	306.20	-48.80	EZ	OK	
200.00	306.00	-48.60	EZ	OK		251.00	306.30	-48.00	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.50	CAS, Casing							
3.50	63.20	MV, Mafic Volcanic Structure 3.50 - 63.20 : FOL Foliated, 45 Deg to CA							
63.20	67.30	FD, Felsic Dike Structure 63.20 - 67.30 : LC Lower Contact, 40 Deg to CA 63.20 - 67.30 : UC Upper Contact, 45 Deg to CA							
67.30	98.80	MV, Mafic Volcanic Structure 67.30 - 98.80 : FOL Foliated, 40 Deg to CA							
98.80	104.80	FD, Felsic Dike Structure 98.80 - 104.80 : LC Lower Contact, 70 Deg to CA 98.80 - 104.80 98.80 - 104.80 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-155 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
104.80	176.00	MV, Mafic Volcanic Structure 104.80 - 176.00 : FOL Foliated, 40 Deg to CA	E585917	174.50	176.00	1.50	0.0120	0.0090	0.0050
176.00	180.40	MDCHL, Mafic Dike Chloritic Structure 176.00 - 180.40 : LC Lower Contact, 30 Deg to CA	E585918	176.00	177.50	1.50	0.0060	0.0070	0.0030
			E585919	177.50	179.00	1.50	0.0025	0.0080	0.0030
			E585920	179.00	180.40	1.40	0.0025	0.0060	0.0010
180.40	197.80	TSCH, Talc Schist Mineralization 180.40 - 197.80 Structure 180.40 - 197.80 : STRFOL Strongly Foliated, 40 Deg to CA	E585921	180.40	182.00	1.60	0.1180	0.0680	0.0090
			E585922	182.00	183.50	1.50	0.0680	0.0310	0.0060
			E585923	183.50	185.00	1.50	0.0630	0.0025	0.0070
			E585924	185.00	186.50	1.50	0.0530	0.0025	0.0050
			E585925	186.50	188.00	1.50	0.0740	0.0090	0.0090
			E585926	188.00	189.50	1.50	0.0700	0.0050	0.0070
			E585927	189.50	191.00	1.50	0.0700	0.0160	0.0080
			E585928	191.00	192.50	1.50	0.0540	0.0080	0.0060
			E585929	192.50	194.00	1.50	0.0730	0.0080	0.0090
			E585930	194.00	195.50	1.50	0.0710	0.0090	0.0090
			E585931	195.50	197.00	1.50	0.0670	0.0090	0.0080
			E585932	197.00	197.80	0.80	0.1810	0.1470	0.0090
197.80	203.40	GAB, Gabbro Mineralization 197.80 - 203.40 Structure 197.80 - 203.40	E585934	197.80	199.50	1.70	0.1600	0.1070	0.0080
			E585935	199.50	201.50	2.00	0.0080	0.0140	0.0050
			E585936	201.50	203.40	1.90	0.0160	0.0160	0.0050
203.40	207.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 203.40 - 207.90 204.40 - 205.90 205.50 - 207.90	E585937	203.40	204.40	1.00	0.6420	0.2350	0.0180
			E585938	204.40	205.50	1.10	3.0600	0.1370	0.0670
			E585939	205.50	207.00	1.50	2.6800	0.3320	0.0770
			E585940	207.00	207.90	0.90	0.5270	0.2400	0.0170
207.90	211.50	MV, Mafic Volcanic Structure 207.90 - 211.50	E585941	207.90	209.50	1.60	0.0890	0.0540	0.0070
			E585942	209.50	211.50	2.00	0.0700	0.0300	0.0070
211.50	221.30	FD, Felsic Dike Structure 211.50 - 221.30 : LC Lower Contact, 80 Deg to CA 211.50 - 221.30 : UC Upper Contact, 80 Deg to CA							

Hole Number: KB-07-155 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
221.30	228.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 221.30 - 228.70 Structure 221.30 - 228.70 : LC Lower Contact, 40 Deg to CA 221.30 - 228.70 : STRFOL Strongly Foliated, 80 Deg to CA 221.30 - 228.70 : UC Upper Contact, 45 Deg to CA	E585943	221.30	222.80	1.50	0.0580	0.0340	0.0060
			E585944	222.80	224.30	1.50	0.0320	0.0280	0.0050
			E585945	224.30	225.80	1.50	0.0950	0.0430	0.0070
			E585946	225.80	226.80	1.00	0.0700	0.0290	0.0050
			E585947	226.80	227.60	0.80	0.0180	0.0130	0.0030
			E585948	227.60	228.70	1.10	0.0250	0.0080	0.0050
228.70	232.90	FD, Felsic Dike Structure 228.70 - 232.90 : LC Lower Contact, 45 Deg to CA 228.70 - 232.90 : UC Upper Contact, 40 Deg to CA	E585949	228.70	230.00	1.30	0.3760	0.0940	0.0150
			E585950	230.00	231.50	1.50	0.0060	0.0050	0.0030
			E585951	231.50	232.90	1.40	0.0070	0.0025	0.0030
232.90	248.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 232.90 - 248.30 242.00 - 243.30 246.30 - 248.30 Structure 232.90 - 248.30 : FOL Foliated, 70 Deg to CA 232.90 - 248.30 : STRFOL Strongly Foliated, 40 Deg to CA	E585952	232.90	234.00	1.10	0.1700	0.0800	0.0100
			E585953	234.00	234.80	0.80	0.3160	0.0840	0.0130
			E585954	234.80	235.80	1.00	0.8780	0.3080	0.0280
			E585955	235.80	237.30	1.50	0.1000	0.0610	0.0070
			E585956	237.30	238.80	1.50	0.2550	0.1080	0.0120
			E585958	238.80	240.30	1.50	0.3120	0.0910	0.0160
			E585959	240.30	241.80	1.50	0.2580	0.1840	0.0120
			E585960	241.80	243.20	1.40	0.4770	0.5180	0.0170
			E585961	243.20	244.80	1.60	0.2610	0.1430	0.0120
			E585962	244.80	246.30	1.50	0.5610	0.4650	0.0180
			E585963	246.30	247.30	1.00	0.4670	0.4530	0.0140
			E585964	247.30	248.30	1.00	0.4430	0.1560	0.0140
248.30	255.70	TSCH, Talc Schist Mineralization 248.30 - 255.70 Structure 248.30 - 255.70 : FOL Foliated, 65 Deg to CA 248.30 - 255.70 : LC Lower Contact, 70 Deg to CA 248.30 - 255.70 : UC Upper Contact, 65 Deg to CA	E585965	248.30	249.80	1.50	0.1090	0.0450	0.0090
			E585966	249.80	251.30	1.50	0.1680	0.1090	0.0100
			E585967	251.30	252.80	1.50	0.2150	0.2750	0.0100
			E585968	252.80	254.30	1.50	0.1240	0.0880	0.0090
			E585969	254.30	255.70	1.40	0.1220	0.0680	0.0090
255.70	269.20	MV, Mafic Volcanic Structure 255.70 - 269.20 : FOL Foliated, 70 Deg to CA	E585971	259.20	260.70	1.50	0.0140	0.0120	0.0070
269.20	270.50	FD, Felsic Dike Structure 269.20 - 270.50 : LC Lower Contact, 70 Deg to CA 269.20 - 270.50 : UC Upper Contact, 50 Deg to CA							
270.50	272.00	MV, Mafic Volcanic Structure 270.50 - 272.00 : LAM Laminated, 70 Deg to CA							

Hole Number: KB-07-155

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585917	174.50	176.00	0.0120	0.0090	0.0050
E585918	176.00	177.50	0.0060	0.0070	0.0030
E585919	177.50	179.00	0.0025	0.0080	0.0030
E585920	179.00	180.40	0.0025	0.0060	0.0010
E585921	180.40	182.00	0.1180	0.0680	0.0090
E585922	182.00	183.50	0.0680	0.0310	0.0060
E585923	183.50	185.00	0.0630	0.0025	0.0070
E585924	185.00	186.50	0.0530	0.0025	0.0050
E585925	186.50	188.00	0.0740	0.0090	0.0090
E585926	188.00	189.50	0.0700	0.0050	0.0070
E585927	189.50	191.00	0.0700	0.0160	0.0080
E585928	191.00	192.50	0.0540	0.0080	0.0060
E585929	192.50	194.00	0.0730	0.0080	0.0090
E585930	194.00	195.50	0.0710	0.0090	0.0090
E585931	195.50	197.00	0.0670	0.0090	0.0080
E585932	197.00	197.80	0.1810	0.1470	0.0090
E585934	197.80	199.50	0.1600	0.1070	0.0080
E585935	199.50	201.50	0.0080	0.0140	0.0050
E585936	201.50	203.40	0.0160	0.0160	0.0050
E585937	203.40	204.40	0.6420	0.2350	0.0180
E585938	204.40	205.50	3.0600	0.1370	0.0670
E585939	205.50	207.00	2.6800	0.3320	0.0770
E585940	207.00	207.90	0.5270	0.2400	0.0170
E585941	207.90	209.50	0.0890	0.0540	0.0070
E585942	209.50	211.50	0.0700	0.0300	0.0070
E585943	221.30	222.80	0.0580	0.0340	0.0060
E585944	222.80	224.30	0.0320	0.0280	0.0050
E585945	224.30	225.80	0.0950	0.0430	0.0070
E585946	225.80	226.80	0.0700	0.0290	0.0050
E585947	226.80	227.60	0.0180	0.0130	0.0030
E585948	227.60	228.70	0.0250	0.0080	0.0050
E585949	228.70	230.00	0.3760	0.0940	0.0150
E585950	230.00	231.50	0.0060	0.0050	0.0030
E585951	231.50	232.90	0.0070	0.0025	0.0030
E585952	232.90	234.00	0.1700	0.0800	0.0100
E585953	234.00	234.80	0.3160	0.0840	0.0130
E585954	234.80	235.80	0.8780	0.3080	0.0280

Hole Number: KB-07-155

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585955	235.80	237.30	0.1000	0.0610	0.0070
E585956	237.30	238.80	0.2550	0.1080	0.0120
E585958	238.80	240.30	0.3120	0.0910	0.0160
E585959	240.30	241.80	0.2580	0.1840	0.0120
E585960	241.80	243.20	0.4770	0.5180	0.0170
E585961	243.20	244.80	0.2610	0.1430	0.0120
E585962	244.80	246.30	0.5610	0.4650	0.0180
E585963	246.30	247.30	0.4670	0.4530	0.0140
E585964	247.30	248.30	0.4430	0.1560	0.0140
E585965	248.30	249.80	0.1090	0.0450	0.0090
E585966	249.80	251.30	0.1680	0.1090	0.0100
E585967	251.30	252.80	0.2150	0.2750	0.0100
E585968	252.80	254.30	0.1240	0.0880	0.0090
E585969	254.30	255.70	0.1220	0.0680	0.0090
E585971	259.20	260.70	0.0140	0.0120	0.0070

DETAILED LOG

Hole Number: KB-07-154 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.90
Project Number:	19900	North: 5481383.00			North: 5481383.00		Collar Az: 301.00
Location:	Surface	East: 454009.30			East: 454009.30		Length: 251.00 (m)
		Elev: 403.82			Elev: 403.82		Start Depth: 0.00 (m)
Date Started:	Oct 06, 2007	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 251.00 (m)
Date Completed:	Oct 08, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments: Logged By Jean Bernard

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	163.70	166.80	3.10	1.0590	0.3860	0.0294

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	301.10	-44.90	EZ	OK		51.00	304.60	-44.00	EZ	OK	
101.00	309.40	-42.20	EZ	OK		150.00	308.10	-40.70	EZ	OK	
200.00	311.50	-40.10	EZ	OK		250.00	313.00	-39.50	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data						
			Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	11.50	MV, Mafic Volcanic Structure 2.00 - 11.50 : FOL Foliated, 50 Deg to CA							
11.50	17.00	MDCHL, Mafic Dike Chloritic Structure 11.50 - 17.00 : UC Upper Contact, 50 Deg to CA							
17.00	36.00	MV, Mafic Volcanic Structure 17.00 - 36.00 : FOL Foliated, 45 Deg to CA							
36.00	38.00	FD, Felsic Dike							
38.00	140.60	MV, Mafic Volcanic Structure 38.00 - 140.60 : FOL Foliated, 50 Deg to CA							
140.60	142.50	MDCHL, Mafic Dike Chloritic Structure 140.60 - 142.50 : LC Lower Contact, 35 Deg to CA 140.60 - 142.50 : UC Upper Contact, 75 Deg to CA	E585851	140.60	141.60	1.00	0.0980	0.0920	0.0050
			E585852	141.60	142.50	0.90	0.0080	0.0060	0.0020

Hole Number: KB-07-154

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
142.50	144.90	MV, Mafic Volcanic Structure 142.50 - 144.90 : LC Lower Contact, 80 Deg to CA 142.50 - 144.90 : STRFOL Strongly Foliated, 45 Deg to CA	E585853	142.50	144.00	1.50	0.0440	0.0280	0.0040
			E585854	144.00	144.90	0.90	0.0660	0.0110	0.0060
144.90	156.20	TSCH, Talc Schist Mineralization 144.90 - 156.20 Structure 144.90 - 156.20 : MODFOL Moderately Foliated, 45 Deg to CA	E585855	144.90	146.40	1.50	0.0770	0.0025	0.0080
			E585857	146.40	147.90	1.50	0.0720	0.0080	0.0080
			E585858	147.90	149.40	1.50	0.0740	0.0060	0.0090
			E585859	149.40	150.90	1.50	0.0710	0.0050	0.0080
			E585860	150.90	152.40	1.50	0.0760	0.0170	0.0080
			E585862	152.40	153.90	1.50	0.1550	0.0950	0.0090
			E585863	153.90	155.40	1.50	0.0750	0.0120	0.0090
			E585864	155.40	156.20	0.80	0.1230	0.0400	0.0090
156.20	166.80	PYXT, Pyroxenite Mineralization 156.20 - 166.80 163.70 - 164.40 164.40 - 166.80 Structure 156.20 - 166.80	E585865	156.20	157.70	1.50	0.0830	0.0230	0.0090
			E585866	157.70	159.20	1.50	0.0720	0.0220	0.0090
			E585867	159.20	160.70	1.50	0.0700	0.0190	0.0090
			E585868	160.70	162.20	1.50	0.0650	0.0025	0.0080
			E585869	162.20	163.70	1.50	0.0950	0.0440	0.0090
			E585870	163.70	165.20	1.50	1.0100	0.3060	0.0320
			E585871	165.20	166.80	1.60	1.1050	0.4610	0.0270
166.80	170.50	GAB, Gabbro Mineralization 166.80 - 170.50 Structure 166.80 - 170.50	E585872	166.80	168.60	1.80	0.0960	0.1180	0.0060
			E585873	168.60	170.50	1.90	0.0350	0.1300	0.0050
170.50	176.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 170.50 - 176.40 172.00 - 172.30 Structure 170.50 - 176.40	E585874	170.50	172.30	1.80	0.1600	0.1750	0.0070
			E585875	172.30	173.90	1.60	0.0770	0.0350	0.0060
			E585876	173.90	174.90	1.00	0.0780	0.0920	0.0070
			E585877	174.90	176.40	1.50	0.1280	0.1110	0.0070
176.40	179.30	FD, Felsic Dike Structure 176.40 - 179.30 : LC Lower Contact, 30 Deg to CA 176.40 - 179.30 176.40 - 179.30 : UC Upper Contact, 70 Deg to CA	E585878	176.40	177.90	1.50	0.0090	0.0070	0.0020
			E585879	177.90	179.30	1.40	0.0090	0.0070	0.0020

Hole Number: KB-07-154 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
179.30	192.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 179.30 - 192.50 Structure 179.30 - 192.50	E585880	179.30	180.80	1.50	0.0100	0.0200	0.0050
			E585881	180.80	182.30	1.50	0.0400	0.0360	0.0050
			E585882	182.30	183.80	1.50	0.0540	0.0530	0.0040
			E585883	183.80	185.30	1.50	0.1720	0.1940	0.0080
			E585884	185.30	186.80	1.50	0.2090	0.1570	0.0090
			E585885	186.80	188.30	1.50	0.0120	0.0180	0.0030
			E585886	188.30	189.80	1.50	0.0480	0.0260	0.0070
			E585887	189.80	191.30	1.50	0.1620	0.0900	0.0080
			E585888	191.30	192.50	1.20	0.1630	0.0960	0.0100
192.50	201.20	FD, Felsic Dike Structure 192.50 - 201.20 : LC Lower Contact, 80 Deg to CA 192.50 - 201.20 : UC Upper Contact, 15 Deg to CA							
201.20	208.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 201.20 - 208.50 Structure 201.20 - 208.50	E585889	201.20	203.00	1.80	1.3100	0.5870	0.0340
			E585890	203.00	204.50	1.50	0.0730	0.0670	0.0050
			E585891	204.50	206.00	1.50	0.0590	0.0300	0.0050
			E585892	206.00	207.50	1.50	0.0930	0.0500	0.0070
			E585893	207.50	208.50	1.00	0.0990	0.0580	0.0070
208.50	211.50	GAB, Gabbro Mineralization 208.50 - 211.50 Structure 208.50 - 211.50 : LC Lower Contact, 85 Deg to CA 208.50 - 211.50 208.50 - 211.50 : UC Upper Contact, 85 Deg to CA	E585894	208.50	210.00	1.50	0.0460	0.0610	0.0050
			E585895	210.00	211.50	1.50	0.0710	0.0900	0.0050

Hole Number: KB-07-154 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
211.50	238.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 211.50 - 238.40 Structure 211.50 - 238.40
238.40	239.80	TSCH, Talc Schist Mineralization 238.40 - 239.80 Structure 238.40 - 239.80 : LC Lower Contact, 80 Deg to CA 238.40 - 239.80 : STRFOL Strongly Foliated, 80 Deg to CA
239.80	248.00	MV, Mafic Volcanic Structure 239.80 - 248.00
248.00	251.00	FD, Felsic Dike Structure 248.00 - 251.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E585896	211.50	213.00	1.50	0.2960	0.1930	0.0110
E585897	213.00	214.50	1.50	0.1750	0.0600	0.0100
E585898	214.50	216.00	1.50	0.0220	0.0090	0.0040
E585899	216.00	217.50	1.50	0.0200	0.0120	0.0050
E585900	217.50	219.00	1.50	0.3230	0.1640	0.0130
E585901	219.00	220.50	1.50	0.2310	0.1310	0.0110
E585902	220.50	222.00	1.50	0.0820	0.0490	0.0070
E585903	222.00	223.50	1.50	0.2520	0.1360	0.0110
E585904	223.50	225.00	1.50	0.1300	0.0530	0.0080
E585905	225.00	226.50	1.50	0.0390	0.0320	0.0040
E585906	226.50	228.00	1.50	0.3830	0.2200	0.0110
E585907	228.00	229.50	1.50	0.2020	0.2390	0.0070
E585908	229.50	231.00	1.50	0.3440	0.3050	0.0120
E585909	231.00	232.50	1.50	0.1250	0.0270	0.0100
E585910	232.50	234.00	1.50	0.2270	0.2310	0.0100
E585911	234.00	235.50	1.50	0.4150	0.4270	0.0100
E585912	235.50	237.00	1.50	0.2660	0.2760	0.0080
E585913	237.00	238.40	1.40	0.0690	0.0510	0.0030
E585914	238.40	239.80	1.40	0.2040	0.2330	0.0100
E585915	239.80	241.30	1.50	0.0760	0.0690	0.0060
E585916	241.30	242.80	1.50	0.0130	0.0100	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585851	140.60	141.60	0.0980	0.0920	0.0050
E585852	141.60	142.50	0.0080	0.0060	0.0020
E585853	142.50	144.00	0.0440	0.0280	0.0040
E585854	144.00	144.90	0.0660	0.0110	0.0060
E585855	144.90	146.40	0.0770	0.0025	0.0080
E585857	146.40	147.90	0.0720	0.0080	0.0080

Hole Number: KB-07-154 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585858	147.90	149.40	0.0740	0.0060	0.0090
E585859	149.40	150.90	0.0710	0.0050	0.0080
E585860	150.90	152.40	0.0760	0.0170	0.0080
E585862	152.40	153.90	0.1550	0.0950	0.0090
E585863	153.90	155.40	0.0750	0.0120	0.0090
E585864	155.40	156.20	0.1230	0.0400	0.0090
E585865	156.20	157.70	0.0830	0.0230	0.0090
E585866	157.70	159.20	0.0720	0.0220	0.0090
E585867	159.20	160.70	0.0700	0.0190	0.0090
E585868	160.70	162.20	0.0650	0.0025	0.0080
E585869	162.20	163.70	0.0950	0.0440	0.0090
E585870	163.70	165.20	1.0100	0.3060	0.0320
E585871	165.20	166.80	1.1050	0.4610	0.0270
E585872	166.80	168.60	0.0960	0.1180	0.0060
E585873	168.60	170.50	0.0350	0.1300	0.0050
E585874	170.50	172.30	0.1600	0.1750	0.0070
E585875	172.30	173.90	0.0770	0.0350	0.0060
E585876	173.90	174.90	0.0780	0.0920	0.0070
E585877	174.90	176.40	0.1280	0.1110	0.0070
E585878	176.40	177.90	0.0090	0.0070	0.0020
E585879	177.90	179.30	0.0090	0.0070	0.0020
E585880	179.30	180.80	0.0100	0.0200	0.0050
E585881	180.80	182.30	0.0400	0.0360	0.0050
E585882	182.30	183.80	0.0540	0.0530	0.0040
E585883	183.80	185.30	0.1720	0.1940	0.0080
E585884	185.30	186.80	0.2090	0.1570	0.0090
E585885	186.80	188.30	0.0120	0.0180	0.0030
E585886	188.30	189.80	0.0480	0.0260	0.0070
E585887	189.80	191.30	0.1620	0.0900	0.0080
E585888	191.30	192.50	0.1630	0.0960	0.0100
E585889	201.20	203.00	1.3100	0.5870	0.0340
E585890	203.00	204.50	0.0730	0.0670	0.0050
E585891	204.50	206.00	0.0590	0.0300	0.0050
E585892	206.00	207.50	0.0930	0.0500	0.0070
E585893	207.50	208.50	0.0990	0.0580	0.0070
E585894	208.50	210.00	0.0460	0.0610	0.0050
E585895	210.00	211.50	0.0710	0.0900	0.0050

Hole Number: KB-07-154

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585896	211.50	213.00	0.2960	0.1930	0.0110
E585897	213.00	214.50	0.1750	0.0600	0.0100
E585898	214.50	216.00	0.0220	0.0090	0.0040
E585899	216.00	217.50	0.0200	0.0120	0.0050
E585900	217.50	219.00	0.3230	0.1640	0.0130
E585901	219.00	220.50	0.2310	0.1310	0.0110
E585902	220.50	222.00	0.0820	0.0490	0.0070
E585903	222.00	223.50	0.2520	0.1360	0.0110
E585904	223.50	225.00	0.1300	0.0530	0.0080
E585905	225.00	226.50	0.0390	0.0320	0.0040
E585906	226.50	228.00	0.3830	0.2200	0.0110
E585907	228.00	229.50	0.2020	0.2390	0.0070
E585908	229.50	231.00	0.3440	0.3050	0.0120
E585909	231.00	232.50	0.1250	0.0270	0.0100
E585910	232.50	234.00	0.2270	0.2310	0.0100
E585911	234.00	235.50	0.4150	0.4270	0.0100
E585912	235.50	237.00	0.2660	0.2760	0.0080
E585913	237.00	238.40	0.0690	0.0510	0.0030
E585914	238.40	239.80	0.2040	0.2330	0.0100
E585915	239.80	241.30	0.0760	0.0690	0.0060
E585916	241.30	242.80	0.0130	0.0100	0.0050

DETAILED LOG

Hole Number: KB-07-153 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North: 5481424.00			North: 5481424.00		Collar Az: 308.00
Location:	Surface	East: 453983.60			East: 453983.60		Length: 212.00 (m)
		Elev: 402.09			Elev: 402.09		Start Depth: 0.00 (m)
Date Started:	Oct 02, 2007	Collar Survey: N	Plugged: N		Contractor: Morris Drilling		Final Depth: 212.00 (m)
Date Completed:		Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey: N	Casing: Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	135.60	153.50	17.90	0.3343	0.1597	0.0128
WEIGHTED	151.25	153.50	2.25	0.9784	0.6212	0.0273
WEIGHTED	179.00	190.50	11.50	0.5855	0.4165	0.0166
WEIGHTED	185.50	188.20	2.70	1.0933	0.6413	0.0258

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	308.00	-45.30	EZ	OK		50.00	307.00	-44.50	EZ	OK	
101.00	309.70	-43.30	EZ	OK		200.00	313.00	-40.50	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.70	CAS, Casing							
4.70	33.00	MV, Mafic Volcanic							
33.00	35.30	FD, Felsic Dike							
35.30	69.50	MV, Mafic Volcanic							
69.50	76.00	TSCH, Talc Schist Mineralization 69.50 - 76.00 Structure 69.50 - 76.00 : STRFOL Strongly Foliated, 60 Deg to CA							
76.00	79.00	MV, Mafic Volcanic							
79.00	86.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 79.00 - 86.50							
86.50	94.00	GABPYXT, Gabbro Pyroxenite Dikes							
94.00	104.50	GAB, Gabbro Mineralization 94.00 - 104.50							

DETAILED LOG

Hole Number: KB-07-153

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
104.50	107.40	FD, Felsic Dike							
107.40	126.00	GABPYXT, Gabbro Pyroxenite Dikes	E585724	123.00	124.50	1.50	0.0650	0.0280	0.0060
			E585725	124.50	126.00	1.50	0.1980	0.1250	0.0080
		Mineralization							
		107.40 - 126.00							
126.00	129.50	PYXT, Pyroxenite	E585726	126.00	127.50	1.50	0.1470	0.0290	0.0090
			E585727	127.50	129.30	1.80	0.3460	0.0940	0.0140
		Mineralization	E585728	129.30	130.50	1.20	0.0210	0.0130	0.0040
		126.00 - 129.50							
129.50	131.45	GAB, Gabbro	E585729	130.50	131.45	0.95	0.0150	0.0170	0.0050
131.45	134.30	GABPYXT, Gabbro Pyroxenite Dikes	E585730	131.45	133.00	1.55	0.1150	0.0490	0.0090
			E585731	133.00	134.30	1.30	0.1980	0.1020	0.0090
		Mineralization							
		131.45 - 134.30							
134.30	135.60	FD, Felsic Dike	E585732	134.30	135.60	1.30	0.0080	0.0090	0.0020
135.60	139.90	GABPYXT, Gabbro Pyroxenite Dikes	E585733	135.60	137.00	1.40	0.8630	0.2630	0.0300
			E585734	137.00	138.50	1.50	0.2590	0.0800	0.0100
		Mineralization	E585735	138.50	140.00	1.50	0.0500	0.1330	0.0070
		135.60 - 139.90							
139.90	142.70	PYXT, Pyroxenite	E585736	140.00	141.50	1.50	0.5990	0.2430	0.0210
			E585737	141.50	142.70	1.20	0.3810	0.1830	0.0140
		Mineralization							
		139.90 - 142.70							
142.70	147.90	MV, Mafic Volcanic	E585738	142.70	144.00	1.30	0.0180	0.0160	0.0050
			E585740	144.00	145.50	1.50	0.3270	0.0690	0.0120
		Mineralization	E585741	145.50	147.00	1.50	0.0170	0.0170	0.0060
		142.70 - 147.90	E585742	147.00	147.90	0.90	0.0180	0.0160	0.0060
147.90	151.25	FD, Felsic Dike	E585743	147.90	149.50	1.60	0.0025	0.0060	0.0010
			E585744	149.50	151.25	1.75	0.1120	0.0090	0.0060
151.25	159.60	GABPYXT, Gabbro Pyroxenite Dikes	E585745	151.25	152.50	1.25	0.7410	0.5950	0.0260
			E585746	152.50	153.50	1.00	1.2750	0.6540	0.0290
		Mineralization	E585747	153.50	155.00	1.50	0.0200	0.0150	0.0040
		151.25 - 159.60	E585748	155.00	156.75	1.75	0.1400	0.0640	0.0070
			E585749	156.75	158.00	1.25	0.1440	0.1260	0.0080
			E585750	158.00	159.60	1.60	0.1030	0.0530	0.0050
159.60	167.40	PYXT, Pyroxenite	E585751	159.60	161.00	1.40	0.7090	0.3590	0.0230
			E585752	161.00	162.50	1.50	0.0730	0.0250	0.0070
		Mineralization	E585753	162.50	164.00	1.50	0.7880	0.2230	0.0220
		159.60 - 167.40	E585754	164.00	165.50	1.50	0.1950	0.2120	0.0080
			E585755	165.50	167.00	1.50	0.4000	0.3350	0.0140
			E585756	167.00	168.00	1.00	0.1410	0.0850	0.0080
167.40	169.60	MV, Mafic Volcanic	E585757	168.00	169.60	1.60	0.0710	0.0380	0.0060

DETAILED LOG

Hole Number: KB-07-153

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
169.60	177.75	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 169.60 - 177.75
177.75	181.10	MV, Mafic Volcanic Mineralization 177.75 - 181.10
181.10	188.20	PYXT, Pyroxenite Mineralization 181.10 - 188.20
188.20	190.50	TSCH, Talc Schist
190.50	212.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E585758	169.60	171.50	1.90	0.0670	0.0280	0.0080
E585759	171.50	173.00	1.50	0.0320	0.0350	0.0050
E585760	173.00	174.50	1.50	0.0160	0.0170	0.0060
E585761	174.50	176.00	1.50	0.0480	0.0340	0.0070
E585763	176.00	177.75	1.75	0.0590	0.0130	0.0060
E585764	177.75	179.00	1.25	0.0810	0.0340	0.0070
E585765	179.00	181.10	2.10	0.4300	0.3560	0.0150
E585766	181.10	182.50	1.40	0.8530	0.5640	0.0230
E585767	182.50	184.00	1.50	0.2580	0.2970	0.0100
E585769	184.00	185.50	1.50	0.2310	0.1960	0.0100
E585770	185.50	187.00	1.50	1.0200	0.5280	0.0280
E585771	187.00	188.20	1.20	1.1850	0.7830	0.0230
E585772	188.20	189.50	1.30	0.4540	0.4040	0.0130
E585773	189.50	190.50	1.00	0.3600	0.2560	0.0110
E585774	190.50	191.50	1.00	0.1220	0.1030	0.0060
E585775	191.50	192.50	1.00	0.0150	0.0100	0.0030

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585724	123.00	124.50	0.0650	0.0280	0.0060
E585725	124.50	126.00	0.1980	0.1250	0.0080
E585726	126.00	127.50	0.1470	0.0290	0.0090
E585727	127.50	129.30	0.3460	0.0940	0.0140
E585728	129.30	130.50	0.0210	0.0130	0.0040
E585729	130.50	131.45	0.0150	0.0170	0.0050
E585730	131.45	133.00	0.1150	0.0490	0.0090
E585731	133.00	134.30	0.1980	0.1020	0.0090
E585732	134.30	135.60	0.0080	0.0090	0.0020
E585733	135.60	137.00	0.8630	0.2630	0.0300
E585734	137.00	138.50	0.2590	0.0800	0.0100
E585735	138.50	140.00	0.0500	0.1330	0.0070
E585736	140.00	141.50	0.5990	0.2430	0.0210
E585737	141.50	142.70	0.3810	0.1830	0.0140
E585738	142.70	144.00	0.0180	0.0160	0.0050
E585740	144.00	145.50	0.3270	0.0690	0.0120
E585741	145.50	147.00	0.0170	0.0170	0.0060
E585742	147.00	147.90	0.0180	0.0160	0.0060

Hole Number: KB-07-153

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585743	147.90	149.50	0.0025	0.0060	0.0010
E585744	149.50	151.25	0.1120	0.0090	0.0060
E585745	151.25	152.50	0.7410	0.5950	0.0260
E585746	152.50	153.50	1.2750	0.6540	0.0290
E585747	153.50	155.00	0.0200	0.0150	0.0040
E585748	155.00	156.75	0.1400	0.0640	0.0070
E585749	156.75	158.00	0.1440	0.1260	0.0080
E585750	158.00	159.60	0.1030	0.0530	0.0050
E585751	159.60	161.00	0.7090	0.3590	0.0230
E585752	161.00	162.50	0.0730	0.0250	0.0070
E585753	162.50	164.00	0.7880	0.2230	0.0220
E585754	164.00	165.50	0.1950	0.2120	0.0080
E585755	165.50	167.00	0.4000	0.3350	0.0140
E585756	167.00	168.00	0.1410	0.0850	0.0080
E585757	168.00	169.60	0.0710	0.0380	0.0060
E585758	169.60	171.50	0.0670	0.0280	0.0080
E585759	171.50	173.00	0.0320	0.0350	0.0050
E585760	173.00	174.50	0.0160	0.0170	0.0060
E585761	174.50	176.00	0.0480	0.0340	0.0070
E585763	176.00	177.75	0.0590	0.0130	0.0060
E585764	177.75	179.00	0.0810	0.0340	0.0070
E585765	179.00	181.10	0.4300	0.3560	0.0150
E585766	181.10	182.50	0.8530	0.5640	0.0230
E585767	182.50	184.00	0.2580	0.2970	0.0100
E585769	184.00	185.50	0.2310	0.1960	0.0100
E585770	185.50	187.00	1.0200	0.5280	0.0280
E585771	187.00	188.20	1.1850	0.7830	0.0230
E585772	188.20	189.50	0.4540	0.4040	0.0130
E585773	189.50	190.50	0.3600	0.2560	0.0110
E585774	190.50	191.50	0.1220	0.1030	0.0060
E585775	191.50	192.50	0.0150	0.0100	0.0030

DETAILED LOG

Hole Number: KB-07-152

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -54.30
Project Number:	19900	North:	5481442.00		North:	5481442.00	Collar Az: 305.20
Location:	Surface	East:	453989.00		East:	453989.00	Length: 225.00 (m)
		Elev:	399.98		Elev:	399.98	Start Depth: 0.00 (m)
Date Started:	Oct 02, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 225.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	136.50	141.70	5.20	0.4347	0.2592	0.0142
WEIGHTED	145.65	172.00	26.35	0.6278	0.2976	0.0182
WEIGHTED	152.90	155.00	2.10	3.4724	0.6962	0.0833
WEIGHTED	164.50	170.50	6.00	0.7013	0.4210	0.0193

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	305.20	-54.30	EZ	OK		50.00	305.00	-53.50	EZ	OK	
101.00	308.40	-52.90	EZ	OK		150.00	309.40	-52.40	EZ	OK	
200.00	309.10	-52.60	EZ	OK		224.00	311.30	-52.00	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	31.90	MV, Mafic Volcanic							
31.90	32.50	MDCHL, Mafic Dike Chloritic							
32.50	72.50	MV, Mafic Volcanic							
72.50	73.50	MDCHL, Mafic Dike Chloritic							
73.50	77.50	TSCH, Talc Schist							
77.50	106.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 77.50 - 81.50							
106.30	108.00	GAB, Gabbro							
108.00	110.20	FD, Felsic Dike							
110.20	114.60	GAB, Gabbro Mineralization 110.20 - 114.00	E585501	113.00	114.60	1.60	0.0390	0.0140	0.0050
114.60	116.00	FD, Felsic Dike	E585502	114.60	116.00	1.40	0.0150	0.0120	0.0030

Hole Number: KB-07-152

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
116.00	125.00	PYXT, Pyroxenite Mineralization 116.00 - 125.00	E585503	116.00	117.00	1.00	0.0070	0.0120	0.0030
			E585504	117.00	118.50	1.50	0.0670	0.0240	0.0070
			E585505	118.50	120.00	1.50	0.2840	0.2540	0.0120
			E585506	120.00	121.50	1.50	0.1280	0.0980	0.0090
			E585507	121.50	123.00	1.50	0.2080	0.1040	0.0090
			E585508	123.00	124.00	1.00	0.1650	0.1270	0.0080
			E585509	124.00	125.00	1.00	0.1400	0.0930	0.0070
125.00	127.00	LC, Lost Core hit drift	E585510	125.00	128.00	3.00	0.3080	0.2260	0.0120
127.00	128.00	TSCH, Talc Schist							
128.00	132.00	PYXT, Pyroxenite Mineralization 128.00 - 132.00	E585512	128.00	129.50	1.50	0.2580	0.0890	0.0120
			E585513	129.50	131.00	1.50	0.5050	0.2170	0.0170
			E585514	131.00	132.00	1.00	0.1340	0.0610	0.0080
132.00	133.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 132.00 - 133.90	E585515	132.00	133.00	1.00	0.4170	0.2680	0.0160
			E585516	133.00	133.90	0.90	0.1610	0.0830	0.0090
133.90	136.50	MV, Mafic Volcanic	E585518	133.90	135.00	1.10	0.0210	0.0160	0.0050
			E585519	135.00	136.50	1.50	0.0190	0.0200	0.0060
136.50	141.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 136.50 - 141.70	E585520	136.50	138.00	1.50	0.3070	0.1310	0.0120
			E585521	138.00	139.50	1.50	0.6310	0.3470	0.0190
			E585522	139.50	141.00	1.50	0.4580	0.2930	0.0140
			E585523	141.00	141.70	0.70	0.2380	0.2730	0.0090
141.70	145.65	FD, Felsic Dike	E585524	141.70	143.00	1.30	0.0130	0.0090	0.0020
			E585525	143.00	144.00	1.00	0.0090	0.0060	0.0020
			E585526	144.00	145.65	1.65	0.0200	0.0150	0.0030
145.65	149.75	PYXT, Pyroxenite Mineralization 145.65 - 149.75	E585527	145.65	147.00	1.35	0.4480	0.2420	0.0150
			E585528	147.00	148.75	1.75	0.4050	0.1920	0.0140
			E585530	148.75	150.00	1.25	0.0630	0.0190	0.0060
149.75	152.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 149.75 - 152.90	E585531	150.00	151.50	1.50	0.6420	0.1710	0.0190
			E585532	151.50	152.90	1.40	0.1480	0.1240	0.0070
152.90	163.20	PYXT, Pyroxenite Mineralization 152.90 - 156.20 156.20 - 163.20	E585533	152.90	154.00	1.10	2.8200	0.6500	0.0700
			E585536	154.00	155.00	1.00	4.1900	0.7470	0.0980
			E585537	155.00	156.50	1.50	0.2600	0.3490	0.0110
			E585538	156.50	158.00	1.50	0.2340	0.3340	0.0090
			E585539	158.00	159.50	1.50	0.2750	0.2220	0.0100
			E585540	159.50	161.00	1.50	0.3050	0.3160	0.0110
			E585541	161.00	162.00	1.00	0.2450	0.2390	0.0090
			E585542	162.00	163.20	1.20	0.1560	0.0840	0.0070

DETAILED LOG

Hole Number: KB-07-152

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
163.20	172.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 163.20 - 172.00
172.00	174.80	MV, Mafic Volcanic
174.80	180.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 174.80 - 180.90
180.90	183.50	MV, Mafic Volcanic
183.50	189.15	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 183.50 - 189.15
189.15	192.00	PYXT, Pyroxenite Mineralization 189.15 - 192.00
192.00	199.00	MV, Mafic Volcanic
199.00	207.90	TSCH, Talc Schist Mineralization 199.00 - 207.90
207.90	225.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E585543	163.20	164.50	1.30	0.1000	0.2290	0.0050
E585544	164.50	166.00	1.50	0.9470	0.4770	0.0300
E585545	166.00	167.50	1.50	0.3610	0.4370	0.0110
E585546	167.50	169.00	1.50	0.3720	0.0720	0.0110
E585547	169.00	170.50	1.50	1.1250	0.6980	0.0250
E585549	170.50	172.00	1.50	0.2050	0.1790	0.0080
E585550	172.00	173.00	1.00	0.0950	0.0730	0.0040
E585551	173.00	174.00	1.00	0.0980	0.0380	0.0060
E585552	174.00	174.80	0.80	0.0420	0.0230	0.0050
E585553	174.80	176.00	1.20	0.0980	0.0400	0.0070
E585554	176.00	177.50	1.50	0.1970	0.0980	0.0100
E585555	177.50	179.00	1.50	0.1550	0.1150	0.0080
E585556	179.00	180.90	1.90	0.1050	0.1240	0.0050
E585557	180.90	182.50	1.60	0.1450	0.0970	0.0070
E585558	182.50	183.50	1.00	0.0190	0.0220	0.0050
E585559	183.50	185.00	1.50	0.0780	0.0490	0.0050
E585560	185.00	186.50	1.50	0.0690	0.0560	0.0050
E585561	186.50	188.00	1.50	0.1380	0.1140	0.0060
E585562	188.00	189.15	1.15	0.0370	0.0370	0.0050
E585564	189.15	190.50	1.35	0.4720	0.1160	0.0190
E585565	190.50	192.00	1.50	0.1300	0.0920	0.0070
E585566	192.00	193.50	1.50	0.0160	0.0180	0.0040
E585567	193.50	195.00	1.50	0.0140	0.0160	0.0040
E585568	195.00	196.50	1.50	0.0140	0.0140	0.0050
E585569	196.50	198.00	1.50	0.0610	0.0530	0.0050
E585570	198.00	199.00	1.00	0.0580	0.0680	0.0040
E585571	199.00	201.50	2.50	0.4210	0.3470	0.0140
E585572	201.50	203.00	1.50	0.3820	0.3310	0.0090
E585573	203.00	204.50	1.50	0.0700	0.0820	0.0050
E585574	204.50	206.00	1.50	0.2330	0.2010	0.0070
E585575	206.00	207.90	1.90	0.2940	0.1910	0.0100
E585577	207.90	209.00	1.10	0.0140	0.0070	0.0030

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585501	113.00	114.60	0.0390	0.0140	0.0050
E585502	114.60	116.00	0.0150	0.0120	0.0030
E585503	116.00	117.00	0.0070	0.0120	0.0030

Hole Number: KB-07-152

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585504	117.00	118.50	0.0670	0.0240	0.0070
E585505	118.50	120.00	0.2840	0.2540	0.0120
E585506	120.00	121.50	0.1280	0.0980	0.0090
E585507	121.50	123.00	0.2080	0.1040	0.0090
E585508	123.00	124.00	0.1650	0.1270	0.0080
E585509	124.00	125.00	0.1400	0.0930	0.0070
E585510	125.00	128.00	0.3080	0.2260	0.0120
E585512	128.00	129.50	0.2580	0.0890	0.0120
E585513	129.50	131.00	0.5050	0.2170	0.0170
E585514	131.00	132.00	0.1340	0.0610	0.0080
E585515	132.00	133.00	0.4170	0.2680	0.0160
E585516	133.00	133.90	0.1610	0.0830	0.0090
E585518	133.90	135.00	0.0210	0.0160	0.0050
E585519	135.00	136.50	0.0190	0.0200	0.0060
E585520	136.50	138.00	0.3070	0.1310	0.0120
E585521	138.00	139.50	0.6310	0.3470	0.0190
E585522	139.50	141.00	0.4580	0.2930	0.0140
E585523	141.00	141.70	0.2380	0.2730	0.0090
E585524	141.70	143.00	0.0130	0.0090	0.0020
E585525	143.00	144.00	0.0090	0.0060	0.0020
E585526	144.00	145.65	0.0200	0.0150	0.0030
E585527	145.65	147.00	0.4480	0.2420	0.0150
E585528	147.00	148.75	0.4050	0.1920	0.0140
E585530	148.75	150.00	0.0630	0.0190	0.0060
E585531	150.00	151.50	0.6420	0.1710	0.0190
E585532	151.50	152.90	0.1480	0.1240	0.0070
E585533	152.90	154.00	2.8200	0.6500	0.0700
E585536	154.00	155.00	4.1900	0.7470	0.0980
E585537	155.00	156.50	0.2600	0.3490	0.0110
E585538	156.50	158.00	0.2340	0.3340	0.0090
E585539	158.00	159.50	0.2750	0.2220	0.0100
E585540	159.50	161.00	0.3050	0.3160	0.0110
E585541	161.00	162.00	0.2450	0.2390	0.0090
E585542	162.00	163.20	0.1560	0.0840	0.0070
E585543	163.20	164.50	0.1000	0.2290	0.0050
E585544	164.50	166.00	0.9470	0.4770	0.0300
E585545	166.00	167.50	0.3610	0.4370	0.0110

Hole Number: KB-07-152

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585546	167.50	169.00	0.3720	0.0720	0.0110
E585547	169.00	170.50	1.1250	0.6980	0.0250
E585549	170.50	172.00	0.2050	0.1790	0.0080
E585550	172.00	173.00	0.0950	0.0730	0.0040
E585551	173.00	174.00	0.0980	0.0380	0.0060
E585552	174.00	174.80	0.0420	0.0230	0.0050
E585553	174.80	176.00	0.0980	0.0400	0.0070
E585554	176.00	177.50	0.1970	0.0980	0.0100
E585555	177.50	179.00	0.1550	0.1150	0.0080
E585556	179.00	180.90	0.1050	0.1240	0.0050
E585557	180.90	182.50	0.1450	0.0970	0.0070
E585558	182.50	183.50	0.0190	0.0220	0.0050
E585559	183.50	185.00	0.0780	0.0490	0.0050
E585560	185.00	186.50	0.0690	0.0560	0.0050
E585561	186.50	188.00	0.1380	0.1140	0.0060
E585562	188.00	189.15	0.0370	0.0370	0.0050
E585564	189.15	190.50	0.4720	0.1160	0.0190
E585565	190.50	192.00	0.1300	0.0920	0.0070
E585566	192.00	193.50	0.0160	0.0180	0.0040
E585567	193.50	195.00	0.0140	0.0160	0.0040
E585568	195.00	196.50	0.0140	0.0140	0.0050
E585569	196.50	198.00	0.0610	0.0530	0.0050
E585570	198.00	199.00	0.0580	0.0680	0.0040
E585571	199.00	201.50	0.4210	0.3470	0.0140
E585572	201.50	203.00	0.3820	0.3310	0.0090
E585573	203.00	204.50	0.0700	0.0820	0.0050
E585574	204.50	206.00	0.2330	0.2010	0.0070
E585575	206.00	207.90	0.2940	0.1910	0.0100
E585577	207.90	209.00	0.0140	0.0070	0.0030

DETAILED LOG

Hole Number: KB-07-151

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -61.10
Project Number:	19900	North: 5481453.00			North: 5481453.00		Collar Az: 303.40
Location:	Surface	East: 453997.30			East: 453997.30		Length: 236.00 (m)
		Elev: 399.93			Elev: 399.93		Start Depth: 0.00 (m)
Date Started:	Oct 01, 2007	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 236.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	119.60	143.00	23.40	0.2870	0.2180	0.0111
WEIGHTED	147.50	159.50	12.00	0.2566	0.1796	0.0110
WEIGHTED	173.20	176.00	2.80	0.4735	0.1303	0.0147
WEIGHTED	197.00	201.50	4.50	0.5217	0.1620	0.0173
WEIGHTED	216.50	223.40	6.90	0.4530	0.3490	0.0165

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	303.40	-61.10	EZ	OK		50.00	305.10	-60.30	EZ	OK	
100.00	305.90	-59.90	EZ	OK		152.00	306.90	-59.20	EZ	OK	
200.00	313.60	-59.60	EZ	DO							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.80	CAS, Casing							
3.80	89.40	MV, Mafic Volcanic							
89.40	90.90	MDCHL, Mafic Dike Chloritic							
90.90	93.25	MV, Mafic Volcanic	E585578	90.90	92.00	1.10	0.0130	0.0140	0.0050
			E585579	92.00	93.25	1.25	0.0730	0.0590	0.0060
93.25	101.50	TSCH, Talc Schist	E585580	93.25	94.50	1.25	0.1850	0.1050	0.0080
			E585581	94.50	96.00	1.50	0.2180	0.1360	0.0090
			E585582	96.00	97.50	1.50	0.1290	0.0210	0.0090
			E585583	97.50	99.00	1.50	0.5830	0.5560	0.0170
			E585584	99.00	100.00	1.00	0.0940	0.0090	0.0080
			E585585	100.00	101.50	1.50	0.2870	0.2710	0.0110

DETAILED LOG

Hole Number: KB-07-151

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
101.50	111.10	GAB, Gabbro hornblende	E585586	101.50	103.00	1.50	0.2710	0.1340	0.0090
			E585587	103.00	104.50	1.50	0.1900	0.0970	0.0080
			E585588	104.50	106.00	1.50	0.0460	0.0025	0.0050
			E585589	106.00	107.00	1.00	0.0350	0.0090	0.0040
			E585591	107.00	108.50	1.50	0.0450	0.0060	0.0040
			E585592	108.50	110.00	1.50	0.0440	0.0240	0.0040
			E585593	110.00	111.10	1.10	0.0310	0.0390	0.0050
111.10	114.40	FD, Felsic Dike	E585594	111.10	112.80	1.70	0.0170	0.0330	0.0010
			E585595	112.80	113.50	0.70	0.0025	0.0060	0.0010
			E585596	113.50	114.40	0.90	0.0025	0.0060	0.0020
114.40	119.60	GAB, Gabbro	E585597	114.40	116.00	1.60	0.0370	0.0060	0.0050
			E585598	116.00	117.50	1.50	0.0870	0.0350	0.0050
			E585599	117.50	118.50	1.00	0.0690	0.0110	0.0070
			E585600	118.50	119.60	1.10	0.1060	0.0450	0.0060
119.60	122.30	TSCH, Talc Schist	E585601	119.60	120.50	0.90	0.2040	0.0960	0.0090
			E585602	120.50	121.50	1.00	0.4710	0.3840	0.0140
			E585603	121.50	122.30	0.80	0.2500	0.1690	0.0090
122.30	127.00	PYXT, Pyroxenite Mineralization 122.30 - 127.00	E585604	122.30	123.50	1.20	0.2890	0.1990	0.0090
			E585606	123.50	124.70	1.20	0.2160	0.1430	0.0100
			E585607	125.00	126.00	1.00	0.1630	0.0870	0.0090
			E585608	126.00	127.00	1.00	0.2620	0.1620	0.0110
127.00	137.65	TSCH, Talc Schist Mineralization 127.00 - 137.65	E585610	127.00	128.00	1.00	0.2910	0.3030	0.0100
			E585611	128.00	129.00	1.00	0.2350	0.2280	0.0080
			E585612	129.00	130.50	1.50	0.3950	0.3690	0.0150
			E585613	130.50	132.00	1.50	0.3160	0.2400	0.0120
			E585614	132.00	133.50	1.50	0.2410	0.1950	0.0110
			E585615	133.50	135.00	1.50	0.3110	0.2380	0.0110
			E585616	135.00	136.50	1.50	0.4740	0.4480	0.0130
			E585617	136.50	137.65	1.15	0.4870	0.4050	0.0160
137.65	143.00	PYXT, Pyroxenite	E585618	137.65	138.50	0.85	0.2080	0.1460	0.0090
			E585619	138.50	140.00	1.50	0.1440	0.0450	0.0090
			E585620	140.00	141.50	1.50	0.2680	0.1140	0.0120
			E585621	141.50	143.00	1.50	0.2290	0.1610	0.0130
143.00	148.25	GAB, Gabbro Mineralization 143.00 - 148.25	E585622	143.00	144.50	1.50	0.0200	0.0160	0.0040
			E585623	144.50	146.00	1.50	0.0140	0.0110	0.0040
			E585624	146.00	147.50	1.50	0.0190	0.0200	0.0040
			E585625	147.50	149.00	1.50	0.2310	0.2820	0.0100

Hole Number: KB-07-151

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
148.25	159.00	GABPYXT, Gabbro Pyroxenite Dikes	E585627	149.00	150.50	1.50	0.6150	0.3930	0.0190
			E585628	150.50	152.00	1.50	0.0350	0.0120	0.0050
			E585629	152.00	153.50	1.50	0.3710	0.1370	0.0170
			E585630	153.50	155.00	1.50	0.0400	0.0270	0.0060
			E585631	155.00	156.50	1.50	0.0530	0.0410	0.0070
			E585632	156.50	158.00	1.50	0.2150	0.0830	0.0100
			E585633	158.00	159.50	1.50	0.4930	0.4620	0.0140
159.00	171.45	GAB, Gabbro	E585635	159.50	161.00	1.50	0.0690	0.0450	0.0050
			E585636	161.00	162.50	1.50	0.0430	0.0360	0.0060
			E585637	162.50	164.00	1.50	0.0240	0.0110	0.0060
			E585638	164.00	165.50	1.50	0.0340	0.0260	0.0050
			E585639	165.50	167.00	1.50	0.0260	0.0220	0.0050
			E585640	167.00	168.50	1.50	0.0760	0.0310	0.0080
			E585641	168.50	170.00	1.50	0.1450	0.0210	0.0090
			E585642	170.00	171.50	1.50	0.0510	0.0150	0.0050
171.45	173.20	FD, Felsic Dike	E585643	171.50	173.20	1.70	0.0130	0.0090	0.0020

Hole Number: KB-07-151

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
173.20	220.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 173.20 - 220.00	E585644	173.20	174.50	1.30	0.6160	0.1340	0.0190
			E585645	174.50	176.00	1.50	0.3500	0.1270	0.0110
			E585646	176.00	177.50	1.50	0.1700	0.1280	0.0090
			E585647	177.50	179.00	1.50	0.0530	0.0470	0.0050
			E585648	179.00	180.50	1.50	0.0750	0.0510	0.0050
			E585649	180.50	182.00	1.50	0.2260	0.0890	0.0090
			E585650	182.00	183.50	1.50	0.0280	0.0270	0.0060
			E585651	183.50	185.00	1.50	0.5640	0.4780	0.0160
			E585652	185.00	186.50	1.50	0.2420	0.1040	0.0110
			E585653	186.50	188.00	1.50	0.0790	0.0690	0.0060
			E585655	188.00	189.50	1.50	0.0250	0.0200	0.0060
			E585656	189.50	191.00	1.50	0.5780	0.1880	0.0170
			E585657	191.00	192.50	1.50	0.1940	0.2130	0.0090
			E585658	192.50	194.00	1.50	0.0950	0.0570	0.0060
			E585659	194.00	195.50	1.50	0.0570	0.0470	0.0060
			E585660	195.50	197.00	1.50	0.1080	0.0460	0.0080
			E585661	197.00	198.50	1.50	0.5280	0.1380	0.0180
			E585662	198.50	200.00	1.50	0.6120	0.1460	0.0200
			E585663	200.00	201.50	1.50	0.4250	0.2020	0.0140
			E585664	201.50	203.00	1.50	0.1930	0.1020	0.0100
			E585665	203.00	204.50	1.50	0.0230	0.0320	0.0050
			E585666	204.50	206.00	1.50	0.1290	0.0770	0.0080
			E585668	206.00	207.50	1.50	0.1500	0.0970	0.0110
			E585669	207.50	209.00	1.50	0.1060	0.0670	0.0060
			E585670	209.00	210.50	1.50	0.0110	0.0170	0.0050
			E585671	210.50	212.00	1.50	0.0090	0.0130	0.0050
			E585672	212.00	213.50	1.50	0.0580	0.0490	0.0060
			E585673	213.50	215.00	1.50	0.1300	0.1010	0.0070
			E585674	215.00	216.50	1.50	0.1550	0.0480	0.0080
			E585675	216.50	218.00	1.50	0.3830	0.1220	0.0110
			E585676	218.00	219.00	1.00	0.4510	0.4390	0.0160
			E585677	219.00	220.00	1.00	0.4080	0.3460	0.0300
220.00	222.60	PYXT, Pyroxenite Mineralization 220.00 - 222.60	E585678	220.00	221.00	1.00	0.6340	0.7570	0.0220
			E585679	221.00	222.60	1.60	0.5290	0.2290	0.0140
222.60	223.40	TSCH, Talc Schist	E585680	222.60	223.40	0.80	0.2650	0.3960	0.0090
223.40	224.50	MDCHL, Mafic Dike Chloritic	E585681	223.40	224.50	1.10	0.0230	0.0230	0.0040
224.50	225.50	TSCH, Talc Schist	E585682	224.50	225.50	1.00	0.1390	0.1110	0.0070
225.50	236.00	MV, Mafic Volcanic	E585683	225.50	226.50	1.00	0.1080	0.1570	0.0060
			E585684	226.50	227.50	1.00	0.0100	0.0110	0.0050

Hole Number: KB-07-151

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585578	90.90	92.00	0.0130	0.0140	0.0050
E585579	92.00	93.25	0.0730	0.0590	0.0060
E585580	93.25	94.50	0.1850	0.1050	0.0080
E585581	94.50	96.00	0.2180	0.1360	0.0090
E585582	96.00	97.50	0.1290	0.0210	0.0090
E585583	97.50	99.00	0.5830	0.5560	0.0170
E585584	99.00	100.00	0.0940	0.0090	0.0080
E585585	100.00	101.50	0.2870	0.2710	0.0110
E585586	101.50	103.00	0.2710	0.1340	0.0090
E585587	103.00	104.50	0.1900	0.0970	0.0080
E585588	104.50	106.00	0.0460	0.0025	0.0050
E585589	106.00	107.00	0.0350	0.0090	0.0040
E585591	107.00	108.50	0.0450	0.0060	0.0040
E585592	108.50	110.00	0.0440	0.0240	0.0040
E585593	110.00	111.10	0.0310	0.0390	0.0050
E585594	111.10	112.80	0.0170	0.0330	0.0010
E585595	112.80	113.50	0.0025	0.0060	0.0010
E585596	113.50	114.40	0.0025	0.0060	0.0020
E585597	114.40	116.00	0.0370	0.0060	0.0050
E585598	116.00	117.50	0.0870	0.0350	0.0050
E585599	117.50	118.50	0.0690	0.0110	0.0070
E585600	118.50	119.60	0.1060	0.0450	0.0060
E585601	119.60	120.50	0.2040	0.0960	0.0090
E585602	120.50	121.50	0.4710	0.3840	0.0140
E585603	121.50	122.30	0.2500	0.1690	0.0090
E585604	122.30	123.50	0.2890	0.1990	0.0090
E585606	123.50	124.70	0.2160	0.1430	0.0100
E585607	125.00	126.00	0.1630	0.0870	0.0090
E585608	126.00	127.00	0.2620	0.1620	0.0110
E585610	127.00	128.00	0.2910	0.3030	0.0100
E585611	128.00	129.00	0.2350	0.2280	0.0080
E585612	129.00	130.50	0.3950	0.3690	0.0150
E585613	130.50	132.00	0.3160	0.2400	0.0120
E585614	132.00	133.50	0.2410	0.1950	0.0110
E585615	133.50	135.00	0.3110	0.2380	0.0110
E585616	135.00	136.50	0.4740	0.4480	0.0130
E585617	136.50	137.65	0.4870	0.4050	0.0160

Hole Number: KB-07-151

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585618	137.65	138.50	0.2080	0.1460	0.0090
E585619	138.50	140.00	0.1440	0.0450	0.0090
E585620	140.00	141.50	0.2680	0.1140	0.0120
E585621	141.50	143.00	0.2290	0.1610	0.0130
E585622	143.00	144.50	0.0200	0.0160	0.0040
E585623	144.50	146.00	0.0140	0.0110	0.0040
E585624	146.00	147.50	0.0190	0.0200	0.0040
E585625	147.50	149.00	0.2310	0.2820	0.0100
E585627	149.00	150.50	0.6150	0.3930	0.0190
E585628	150.50	152.00	0.0350	0.0120	0.0050
E585629	152.00	153.50	0.3710	0.1370	0.0170
E585630	153.50	155.00	0.0400	0.0270	0.0060
E585631	155.00	156.50	0.0530	0.0410	0.0070
E585632	156.50	158.00	0.2150	0.0830	0.0100
E585633	158.00	159.50	0.4930	0.4620	0.0140
E585635	159.50	161.00	0.0690	0.0450	0.0050
E585636	161.00	162.50	0.0430	0.0360	0.0060
E585637	162.50	164.00	0.0240	0.0110	0.0060
E585638	164.00	165.50	0.0340	0.0260	0.0050
E585639	165.50	167.00	0.0260	0.0220	0.0050
E585640	167.00	168.50	0.0760	0.0310	0.0080
E585641	168.50	170.00	0.1450	0.0210	0.0090
E585642	170.00	171.50	0.0510	0.0150	0.0050
E585643	171.50	173.20	0.0130	0.0090	0.0020
E585644	173.20	174.50	0.6160	0.1340	0.0190
E585645	174.50	176.00	0.3500	0.1270	0.0110
E585646	176.00	177.50	0.1700	0.1280	0.0090
E585647	177.50	179.00	0.0530	0.0470	0.0050
E585648	179.00	180.50	0.0750	0.0510	0.0050
E585649	180.50	182.00	0.2260	0.0890	0.0090
E585650	182.00	183.50	0.0280	0.0270	0.0060
E585651	183.50	185.00	0.5640	0.4780	0.0160
E585652	185.00	186.50	0.2420	0.1040	0.0110
E585653	186.50	188.00	0.0790	0.0690	0.0060
E585655	188.00	189.50	0.0250	0.0200	0.0060
E585656	189.50	191.00	0.5780	0.1880	0.0170
E585657	191.00	192.50	0.1940	0.2130	0.0090

Hole Number: KB-07-151

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585658	192.50	194.00	0.0950	0.0570	0.0060
E585659	194.00	195.50	0.0570	0.0470	0.0060
E585660	195.50	197.00	0.1080	0.0460	0.0080
E585661	197.00	198.50	0.5280	0.1380	0.0180
E585662	198.50	200.00	0.6120	0.1460	0.0200
E585663	200.00	201.50	0.4250	0.2020	0.0140
E585664	201.50	203.00	0.1930	0.1020	0.0100
E585665	203.00	204.50	0.0230	0.0320	0.0050
E585666	204.50	206.00	0.1290	0.0770	0.0080
E585668	206.00	207.50	0.1500	0.0970	0.0110
E585669	207.50	209.00	0.1060	0.0670	0.0060
E585670	209.00	210.50	0.0110	0.0170	0.0050
E585671	210.50	212.00	0.0090	0.0130	0.0050
E585672	212.00	213.50	0.0580	0.0490	0.0060
E585673	213.50	215.00	0.1300	0.1010	0.0070
E585674	215.00	216.50	0.1550	0.0480	0.0080
E585675	216.50	218.00	0.3830	0.1220	0.0110
E585676	218.00	219.00	0.4510	0.4390	0.0160
E585677	219.00	220.00	0.4080	0.3460	0.0300
E585678	220.00	221.00	0.6340	0.7570	0.0220
E585679	221.00	222.60	0.5290	0.2290	0.0140
E585680	222.60	223.40	0.2650	0.3960	0.0090
E585681	223.40	224.50	0.0230	0.0230	0.0040
E585682	224.50	225.50	0.1390	0.1110	0.0070
E585683	225.50	226.50	0.1080	0.1570	0.0060
E585684	226.50	227.50	0.0100	0.0110	0.0050

DETAILED LOG

Hole Number: KB-07-150

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-61.00
Project Number:	19900	North:	5481465.00	North:	5481465.00	Collar Az:	302.00
Location:	Surface	East:	454008.20	East:	454008.20	Length:	248.00 (m)
		Elev:	401.23	Elev:	401.23	Start Depth:	0.00 (m)
Date Started:	Oct 01, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	248.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	98.50	105.00	6.50	0.5073	0.1565	0.0191
WEIGHTED	129.50	136.30	6.80	0.3289	0.2503	0.0127
WEIGHTED	175.10	184.30	9.20	0.9358	0.3444	0.0288
WEIGHTED	175.10	200.00	24.90	0.5222	0.2417	0.0157
WEIGHTED	181.00	184.30	3.30	1.6272	0.5802	0.0477
WEIGHTED	218.55	223.00	4.45	0.3331	0.3543	0.0081

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	301.80	-60.90	EZ	OK		50.00	302.80	-58.80	EZ	OK	
100.00	302.00	-57.50	EZ	OK		152.00	305.00	-57.10	EZ	OK	
200.00	313.00	-57.20	EZ	DO		250.00	307.80	-56.60	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.80	CAS, Casing							
4.80	7.00	MV, Mafic Volcanic							
7.00	12.00	FD, Felsic Dike							
12.00	13.10	MV, Mafic Volcanic							
13.10	15.30	FD, Felsic Dike							
15.30	19.40	MV, Mafic Volcanic							
19.40	23.10	FD, Felsic Dike							
23.10	33.00	MV, Mafic Volcanic							
33.00	65.50	FD, Felsic Dike							
65.50	93.00	MV, Mafic Volcanic							
93.00	97.30	MV, Mafic Volcanic Structure 93.00 - 97.30 : STRFOL Strongly Foliated, 35 Deg to CA	394849	96.00	97.30	1.30	0.0820	0.0210	0.0070

Hole Number: KB-07-150 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
97.30	99.45	MDCHL, Mafic Dike Chloritic	394850	97.30	98.50	1.20	0.0330	0.0250	0.0050
			394851	98.50	99.45	0.95	0.6620	0.2920	0.0200
99.45	104.50	PYXT, Pyroxenite	394852	99.45	101.00	1.55	0.8390	0.1150	0.0260
		Mineralization	394853	101.00	102.50	1.50	0.0980	0.0290	0.0090
		99.45 - 104.50	394854	102.50	104.00	1.50	0.6760	0.2600	0.0270
		Structure	394855	104.00	105.00	1.00	0.2070	0.1280	0.0110
		99.45 - 104.50 : STRFOL Strongly Foliated, 40 Deg to CA							
104.50	109.75	FD, Felsic Dike	394856	105.00	106.50	1.50	0.0110	0.0130	0.0050
			394857	106.50	108.00	1.50	0.0090	0.0120	0.0040
			394858	108.00	109.75	1.75	0.0160	0.0090	0.0050
109.75	117.35	GABPYXT, Gabbro Pyroxenite Dikes	394859	109.75	111.00	1.25	0.0900	0.0680	0.0070
		Mineralization	394860	111.00	112.50	1.50	0.0290	0.0240	0.0060
		109.75 - 117.35	394861	112.50	114.00	1.50	0.0260	0.0130	0.0060
			394862	114.00	115.50	1.50	0.0180	0.0170	0.0070
			394863	115.50	117.35	1.85	0.0590	0.0480	0.0060
117.35	120.80	MV, Mafic Volcanic	394864	117.35	118.50	1.15	0.0240	0.0230	0.0060
			394865	118.50	120.00	1.50	0.0340	0.0300	0.0050
			394866	120.00	120.80	0.80	0.0500	0.0360	0.0050
120.80	125.15	GABPYXT, Gabbro Pyroxenite Dikes	394867	120.80	122.00	1.20	0.3360	0.2440	0.0080
		Mineralization	394869	122.00	123.50	1.50	0.1610	0.0080	0.0080
		120.80 - 125.15	394870	123.50	125.15	1.65	0.0480	0.0140	0.0050
125.15	132.75	PYXT, Pyroxenite	394871	125.15	126.50	1.35	0.0660	0.0070	0.0060
		Mineralization	394872	126.50	128.00	1.50	0.0800	0.0090	0.0060
		125.15 - 132.75	394873	128.00	129.50	1.50	0.0780	0.0580	0.0070
			394875	129.50	131.00	1.50	0.2870	0.3400	0.0120
			394876	131.00	132.75	1.75	0.4210	0.2520	0.0130
132.75	136.30	GABPYXT, Gabbro Pyroxenite Dikes	394877	132.75	134.00	1.25	0.3280	0.2980	0.0150
		Mineralization	394878	134.00	135.00	1.00	0.3770	0.2170	0.0140
		132.75 - 136.30	394879	135.00	136.30	1.30	0.2170	0.1240	0.0100
136.30	138.85	FD, Felsic Dike	394880	136.30	137.50	1.20	0.0060	0.0060	0.0020
			394881	137.50	138.85	1.35	0.0160	0.0100	0.0030
138.85	140.20	PYXT, Pyroxenite	394882	138.85	140.20	1.35	0.3310	0.1540	0.0130
		Mineralization							
		138.85 - 140.20							
140.20	142.90	MV, Mafic Volcanic	394883	140.20	141.50	1.30	0.0280	0.0240	0.0050
			394884	141.50	142.90	1.40	0.0210	0.0250	0.0040

DETAILED LOG

Hole Number: KB-07-150

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
142.90	155.10	PYXT, Pyroxenite Mineralization 142.90 - 155.10	394885	142.90	144.50	1.60	0.0820	0.0370	0.0080
			394887	144.50	146.00	1.50	0.1930	0.0830	0.0100
			394888	146.00	147.50	1.50	0.2890	0.1990	0.0120
			394889	147.50	149.00	1.50	0.4750	0.2080	0.0160
			394891	149.00	150.50	1.50	0.3180	0.1300	0.0150
			394892	150.50	152.00	1.50	0.1820	0.0770	0.0090
			394893	152.00	153.50	1.50	0.1200	0.0550	0.0070
			394894	153.50	155.10	1.60	0.0710	0.0300	0.0080
155.10	158.75	MV, Mafic Volcanic	394895	155.10	156.50	1.40	0.0220	0.0200	0.0060
			394896	156.50	157.50	1.00	0.0150	0.0150	0.0050
			394897	157.50	158.75	1.25	0.0170	0.0150	0.0050
158.75	165.65	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 158.75 - 165.65	394898	158.75	160.00	1.25	0.0320	0.0250	0.0060
			394899	160.00	161.50	1.50	0.0810	0.0410	0.0070
			394900	161.50	163.00	1.50	0.2390	0.1370	0.0090
			394901	163.00	164.50	1.50	0.0980	0.0590	0.0070
			394902	164.50	165.65	1.15	0.1100	0.0650	0.0080
165.65	172.00	PYXT, Pyroxenite Mineralization 165.65 - 172.00	394903	165.65	167.00	1.35	0.2370	0.1030	0.0120
			394904	167.00	168.50	1.50	0.1870	0.1860	0.0080
			394905	168.50	170.00	1.50	0.1800	0.0830	0.0090
			394906	170.00	171.00	1.00	0.3450	0.1800	0.0120
			394907	171.00	172.00	1.00	0.1340	0.0760	0.0090
172.00	175.10	FD, Felsic Dike	394908	172.00	173.50	1.50	0.0050	0.0090	0.0020
			394909	173.50	175.10	1.60	0.0150	0.0110	0.0020
175.10	184.30	PYXT, Pyroxenite Mineralization 175.10 - 184.30	394910	175.10	176.50	1.40	0.5620	0.2010	0.0220
			394912	176.50	178.00	1.50	0.6890	0.3520	0.0200
			394913	178.00	179.50	1.50	0.3860	0.1360	0.0140
			394914	179.50	181.00	1.50	0.5600	0.1600	0.0170
			394915	181.00	182.50	1.50	1.8250	0.7480	0.0470
			394916	182.50	183.50	1.00	1.8850	0.5720	0.0430
			394917	183.50	184.30	0.80	0.9340	0.2760	0.0550
184.30	189.25	GAB, Gabbro Mineralization 184.30 - 189.25	394918	184.30	186.00	1.70	0.0430	0.0420	0.0030
			394919	186.00	187.50	1.50	0.0200	0.0330	0.0060
			394920	187.50	189.25	1.75	0.1090	0.1200	0.0070
189.25	192.75	MD, Mafic Dike Mineralization 189.25 - 192.75	394921	189.25	190.50	1.25	0.1860	0.1810	0.0060
			394922	190.50	192.00	1.50	0.0270	0.0250	0.0020
			394923	192.00	192.75	0.75	0.0880	0.0700	0.0040

Hole Number: KB-07-150

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
192.75	202.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 192.75 - 202.60
202.60	207.10	FD, Felsic Dike
207.10	220.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 207.10 - 211.60
220.40	223.00	TSCH, Talc Schist
223.00	224.50	FD, Felsic Dike
224.50	225.40	TSCH, Talc Schist
225.40	248.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
394924	192.75	194.00	1.25	1.0500	0.5850	0.0250
394925	194.00	195.50	1.50	0.2140	0.1860	0.0050
394926	195.50	197.00	1.50	0.2040	0.1490	0.0040
394927	197.00	198.50	1.50	0.3170	0.2560	0.0070
394928	198.50	200.00	1.50	0.8970	0.3900	0.0210
394929	200.00	201.50	1.50	0.1390	0.1900	0.0030
394930	201.50	202.60	1.10	0.1360	0.1080	0.0030
394931	202.60	204.00	1.40	0.0190	0.0110	0.0010
394932	204.00	205.50	1.50	0.0150	0.0070	0.0010
394933	205.50	207.10	1.60	0.0100	0.0050	0.0010
394934	207.10	208.50	1.40	0.0900	0.0600	0.0030
394935	208.50	210.00	1.50	0.1520	0.0770	0.0050
394937	210.00	211.50	1.50	0.1200	0.0400	0.0050
394938	211.50	213.00	1.50	0.1990	0.0460	0.0050
394939	213.00	214.50	1.50	0.0500	0.0120	0.0030
394940	214.50	216.00	1.50	0.1230	0.1060	0.0040
394941	216.00	217.00	1.00	0.1380	0.0670	0.0050
394942	217.00	218.55	1.55	0.1390	0.2160	0.0030
394943	218.55	219.50	0.95	0.4290	0.4470	0.0110
394944	219.50	220.40	0.90	0.3360	0.3930	0.0080
394945	220.40	223.00	2.60	0.2970	0.3070	0.0070
394946	223.00	224.50	1.50	0.0060	0.0090	0.0010
394947	224.50	225.40	0.90	0.2450	0.2360	0.0050
394948	225.40	226.50	1.10	0.1220	0.0890	0.0030
394949	226.50	227.50	1.00	0.0140	0.0090	0.0010

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394849	96.00	97.30	0.0820	0.0210	0.0070
394850	97.30	98.50	0.0330	0.0250	0.0050
394851	98.50	99.45	0.6620	0.2920	0.0200
394852	99.45	101.00	0.8390	0.1150	0.0260
394853	101.00	102.50	0.0980	0.0290	0.0090
394854	102.50	104.00	0.6760	0.2600	0.0270
394855	104.00	105.00	0.2070	0.1280	0.0110
394856	105.00	106.50	0.0110	0.0130	0.0050
394857	106.50	108.00	0.0090	0.0120	0.0040
394858	108.00	109.75	0.0160	0.0090	0.0050
394859	109.75	111.00	0.0900	0.0680	0.0070

Hole Number: KB-07-150 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394860	111.00	112.50	0.0290	0.0240	0.0060
394861	112.50	114.00	0.0260	0.0130	0.0060
394862	114.00	115.50	0.0180	0.0170	0.0070
394863	115.50	117.35	0.0590	0.0480	0.0060
394864	117.35	118.50	0.0240	0.0230	0.0060
394865	118.50	120.00	0.0340	0.0300	0.0050
394866	120.00	120.80	0.0500	0.0360	0.0050
394867	120.80	122.00	0.3360	0.2440	0.0080
394869	122.00	123.50	0.1610	0.0080	0.0080
394870	123.50	125.15	0.0480	0.0140	0.0050
394871	125.15	126.50	0.0660	0.0070	0.0060
394872	126.50	128.00	0.0800	0.0090	0.0060
394873	128.00	129.50	0.0780	0.0580	0.0070
394875	129.50	131.00	0.2870	0.3400	0.0120
394876	131.00	132.75	0.4210	0.2520	0.0130
394877	132.75	134.00	0.3280	0.2980	0.0150
394878	134.00	135.00	0.3770	0.2170	0.0140
394879	135.00	136.30	0.2170	0.1240	0.0100
394880	136.30	137.50	0.0060	0.0060	0.0020
394881	137.50	138.85	0.0160	0.0100	0.0030
394882	138.85	140.20	0.3310	0.1540	0.0130
394883	140.20	141.50	0.0280	0.0240	0.0050
394884	141.50	142.90	0.0210	0.0250	0.0040
394885	142.90	144.50	0.0820	0.0370	0.0080
394887	144.50	146.00	0.1930	0.0830	0.0100
394888	146.00	147.50	0.2890	0.1990	0.0120
394889	147.50	149.00	0.4750	0.2080	0.0160
394891	149.00	150.50	0.3180	0.1300	0.0150
394892	150.50	152.00	0.1820	0.0770	0.0090
394893	152.00	153.50	0.1200	0.0550	0.0070
394894	153.50	155.10	0.0710	0.0300	0.0080
394895	155.10	156.50	0.0220	0.0200	0.0060
394896	156.50	157.50	0.0150	0.0150	0.0050
394897	157.50	158.75	0.0170	0.0150	0.0050
394898	158.75	160.00	0.0320	0.0250	0.0060
394899	160.00	161.50	0.0810	0.0410	0.0070
394900	161.50	163.00	0.2390	0.1370	0.0090

Hole Number: KB-07-150

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394901	163.00	164.50	0.0980	0.0590	0.0070
394902	164.50	165.65	0.1100	0.0650	0.0080
394903	165.65	167.00	0.2370	0.1030	0.0120
394904	167.00	168.50	0.1870	0.1860	0.0080
394905	168.50	170.00	0.1800	0.0830	0.0090
394906	170.00	171.00	0.3450	0.1800	0.0120
394907	171.00	172.00	0.1340	0.0760	0.0090
394908	172.00	173.50	0.0050	0.0090	0.0020
394909	173.50	175.10	0.0150	0.0110	0.0020
394910	175.10	176.50	0.5620	0.2010	0.0220
394912	176.50	178.00	0.6890	0.3520	0.0200
394913	178.00	179.50	0.3860	0.1360	0.0140
394914	179.50	181.00	0.5600	0.1600	0.0170
394915	181.00	182.50	1.8250	0.7480	0.0470
394916	182.50	183.50	1.8850	0.5720	0.0430
394917	183.50	184.30	0.9340	0.2760	0.0550
394918	184.30	186.00	0.0430	0.0420	0.0030
394919	186.00	187.50	0.0200	0.0330	0.0060
394920	187.50	189.25	0.1090	0.1200	0.0070
394921	189.25	190.50	0.1860	0.1810	0.0060
394922	190.50	192.00	0.0270	0.0250	0.0020
394923	192.00	192.75	0.0880	0.0700	0.0040
394924	192.75	194.00	1.0500	0.5850	0.0250
394925	194.00	195.50	0.2140	0.1860	0.0050
394926	195.50	197.00	0.2040	0.1490	0.0040
394927	197.00	198.50	0.3170	0.2560	0.0070
394928	198.50	200.00	0.8970	0.3900	0.0210
394929	200.00	201.50	0.1390	0.1900	0.0030
394930	201.50	202.60	0.1360	0.1080	0.0030
394931	202.60	204.00	0.0190	0.0110	0.0010
394932	204.00	205.50	0.0150	0.0070	0.0010
394933	205.50	207.10	0.0100	0.0050	0.0010
394934	207.10	208.50	0.0900	0.0600	0.0030
394935	208.50	210.00	0.1520	0.0770	0.0050
394937	210.00	211.50	0.1200	0.0400	0.0050
394938	211.50	213.00	0.1990	0.0460	0.0050
394939	213.00	214.50	0.0500	0.0120	0.0030

Hole Number: KB-07-150

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394940	214.50	216.00	0.1230	0.1060	0.0040
394941	216.00	217.00	0.1380	0.0670	0.0050
394942	217.00	218.55	0.1390	0.2160	0.0030
394943	218.55	219.50	0.4290	0.4470	0.0110
394944	219.50	220.40	0.3360	0.3930	0.0080
394945	220.40	223.00	0.2970	0.3070	0.0070
394946	223.00	224.50	0.0060	0.0090	0.0010
394947	224.50	225.40	0.2450	0.2360	0.0050
394948	225.40	226.50	0.1220	0.0890	0.0030
394949	226.50	227.50	0.0140	0.0090	0.0010

DETAILED LOG

Hole Number: KB-07-149

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -66.50
Project Number:	19900	North:	5481491.00		North:	-24406303.72	Collar Az: 301.30
Location:	Surface	East:	454136.00		East:	-27727315.46	Length: 380.00 (m)
		Elev:	378.20		Elev:	378.20	Start Depth: 0.00 (m)
Date Started:	Nov 04, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 380.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	319.00	368.00	49.00	1.1394	0.2952	0.0354
WEIGHTED	326.00	328.00	2.00	2.4750	0.7900	0.0660
WEIGHTED	356.20	362.00	5.80	6.3247	0.7221	0.1845
WEIGHTED	356.20	368.00	11.80	3.5455	0.5681	0.1023

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	295.80	-66.50	EZ	DO		50.00	301.30	-66.20	EZ	OK	
101.00	301.90	-65.60	EZ	OK		152.00	302.80	-64.80	EZ	OK	
200.00	304.80	-64.20	EZ	OK		251.00	303.60	-63.30	EZ	OK	
302.00	305.60	-60.10	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	1.50	CAS, Casing
1.50	10.00	PYXT, Pyroxenite Mineralization 1.50 - 10.00
10.00	11.60	FD, Felsic Dike Structure 10.00 - 11.60 : LC Lower Contact, 80 Deg to CA 10.00 - 11.60 : UC Upper Contact, 80 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583714	4.50	6.00	1.50	0.0160	0.0120	0.0050
E583715	6.00	7.50	1.50	0.0130	0.0100	0.0050
E583716	7.50	9.00	1.50	0.0140	0.0120	0.0050
E583717	9.00	10.00	1.00	0.0140	0.0110	0.0050
E583718	10.00	11.60	1.60	0.0110	0.0070	0.0060

Hole Number: KB-07-149

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.60	26.40	PYXT, Pyroxenite	E583719	11.60	13.00	1.40	0.0080	0.0070	0.0030
			E583720	13.00	14.50	1.50	0.0210	0.0140	0.0050
			E583722	14.50	16.00	1.50	0.0150	0.0130	0.0050
			E583723	16.00	17.50	1.50	0.0130	0.0120	0.0050
			E583724	17.50	19.00	1.50	0.0130	0.0130	0.0050
			E583725	19.00	20.50	1.50	0.0170	0.0130	0.0060
			E583726	20.50	22.00	1.50	0.0190	0.0120	0.0040
			E583727	22.00	23.50	1.50	0.0150	0.0110	0.0050
			E583728	23.50	25.00	1.50	0.0170	0.0120	0.0060
			E583729	25.00	26.40	1.40	0.0200	0.0160	0.0050
26.40	28.20	FD, Felsic Dike Structure 26.40 - 28.20 : LC Lower Contact, 80 Deg to CA 26.40 - 28.20 : UC Upper Contact, 80 Deg to CA							
28.20	29.60	MV, Mafic Volcanic							
29.60	36.50	FD, Felsic Dike Structure 29.60 - 36.50 : LC Lower Contact, 80 Deg to CA 29.60 - 36.50 : UC Upper Contact, 30 Deg to CA							
36.50	38.30	MV, Mafic Volcanic							
38.30	41.10	FD, Felsic Dike Structure 38.30 - 41.10 : LC Lower Contact, 35 Deg to CA 38.30 - 41.10 : UC Upper Contact, 80 Deg to CA							
41.10	61.50	MV, Mafic Volcanic							
61.50	63.60	FD, Felsic Dike Structure 61.50 - 63.60 : LC Lower Contact, 80 Deg to CA 61.50 - 63.60 : UC Upper Contact, 90 Deg to CA							
63.60	90.50	MV, Mafic Volcanic							
90.50	94.60	GAB, Gabbro							
94.60	96.60	MV, Mafic Volcanic							
96.60	106.80	FD, Felsic Dike Structure 96.60 - 106.80 : LC Lower Contact, 70 Deg to CA 96.60 - 106.80 : UC Upper Contact, 80 Deg to CA							
106.80	170.60	MV, Mafic Volcanic							
170.60	172.40	MD, Mafic Dike							
172.40	220.50	MV, Mafic Volcanic							
220.50	234.60	GAB, Gabbro							

Hole Number: KB-07-149

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
234.60	242.60	MV, Mafic Volcanic							
242.60	244.90	MD, Mafic Dike							
244.90	263.60	MV, Mafic Volcanic							
263.60	268.80	FD, Felsic Dike							
268.80	276.00	MV, Mafic Volcanic							
276.00	278.10	FD, Felsic Dike							
278.10	301.50	MV, Mafic Volcanic							
301.50	306.00	FD, Felsic Dike							
306.00	310.00	MV, Mafic Volcanic							
310.00	317.00	FD, Felsic Dike	E583730	316.50	317.80	1.30	0.0230	0.0280	0.0040
317.00	317.80	MV, Mafic Volcanic							
317.80	324.00	TSCH, Talc Schist Mineralization 317.80 - 324.00	E583731	317.80	319.00	1.20	0.1250	0.0460	0.0080
			E583733	319.00	320.50	1.50	0.4990	0.7570	0.0160
			E583734	320.50	322.00	1.50	0.6370	0.1530	0.0300
			E583735	322.00	323.00	1.00	0.2150	0.0800	0.0110
			E583736	323.00	324.00	1.00	0.1240	0.0550	0.0110
324.00	329.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 324.00 - 329.50	E583737	324.00	325.00	1.00	0.1580	0.0870	0.0110
			E583738	325.00	326.00	1.00	0.2380	0.2470	0.0130
			E583739	326.00	327.00	1.00	3.0600	1.2200	0.0810
			E583740	327.00	328.00	1.00	1.8900	0.3600	0.0510
			E583741	328.00	329.50	1.50	0.5910	0.2520	0.0190
329.50	335.30	MV, Mafic Volcanic	E583742	329.50	330.50	1.00	0.0420	0.0080	0.0060
			E583743	334.00	335.30	1.30	0.1190	0.1390	0.0090
335.30	340.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 335.30 - 340.00	E583744	335.30	336.50	1.20	0.4190	0.2410	0.0170
			E583745	336.50	338.00	1.50	0.1140	0.0530	0.0060
			E583746	338.00	339.00	1.00	0.0820	0.0330	0.0060
			E583747	339.00	340.00	1.00	0.0350	0.0140	0.0050
340.00	341.60	MD, Mafic Dike	E583748	340.00	341.60	1.60	0.0230	0.0180	0.0030
341.60	353.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 341.60 - 353.10	E583749	341.60	343.00	1.40	0.3580	0.1160	0.0160
			E583750	343.00	344.50	1.50	0.0860	0.0330	0.0060
			E583751	344.50	346.00	1.50	0.0300	0.0170	0.0040
			E583753	346.00	347.50	1.50	0.2760	0.0980	0.0140
			E583754	347.50	349.00	1.50	1.0500	0.7110	0.0350
			E583755	349.00	350.50	1.50	0.0170	0.0220	0.0040
			E583757	350.50	352.00	1.50	0.3820	0.2380	0.0150
			E583758	352.00	353.10	1.10	0.5200	0.1840	0.0190
353.10	354.80	FD, Felsic Dike	E583759	353.10	354.80	1.70	0.0340	0.0440	0.0020
354.80	356.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 354.80 - 356.20	E583760	354.80	356.20	1.40	0.5730	0.8710	0.0180

DETAILED LOG

Hole Number: KB-07-149

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
356.20	368.00	PYXT, Pyroxenite Mineralization 356.20 - 362.20 362.20 - 368.00
368.00	380.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583761	356.20	357.50	1.30	6.4100	1.0050	0.1840
E583762	357.50	359.00	1.50	4.1200	0.2220	0.1260
E583763	359.00	360.50	1.50	7.4600	0.1540	0.1570
E583764	360.50	362.00	1.50	7.3200	1.5450	0.2710
E583765	362.00	363.50	1.50	1.1900	0.6680	0.0320
E583766	363.50	365.00	1.50	0.2100	0.1410	0.0090
E583768	365.00	366.50	1.50	0.2410	0.1830	0.0090
E583769	366.50	368.00	1.50	1.7950	0.6850	0.0410
E583770	368.00	369.00	1.00	0.0750	0.1170	0.0060
E583771	369.00	370.00	1.00	0.0230	0.0350	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583714	4.50	6.00	0.0160	0.0120	0.0050
E583715	6.00	7.50	0.0130	0.0100	0.0050
E583716	7.50	9.00	0.0140	0.0120	0.0050
E583717	9.00	10.00	0.0140	0.0110	0.0050
E583718	10.00	11.60	0.0110	0.0070	0.0060
E583719	11.60	13.00	0.0080	0.0070	0.0030
E583720	13.00	14.50	0.0210	0.0140	0.0050
E583722	14.50	16.00	0.0150	0.0130	0.0050
E583723	16.00	17.50	0.0130	0.0120	0.0050
E583724	17.50	19.00	0.0130	0.0130	0.0050
E583725	19.00	20.50	0.0170	0.0130	0.0060
E583726	20.50	22.00	0.0190	0.0120	0.0040
E583727	22.00	23.50	0.0150	0.0110	0.0050
E583728	23.50	25.00	0.0170	0.0120	0.0060
E583729	25.00	26.40	0.0200	0.0160	0.0050
E583730	316.50	317.80	0.0230	0.0280	0.0040
E583731	317.80	319.00	0.1250	0.0460	0.0080
E583733	319.00	320.50	0.4990	0.7570	0.0160
E583734	320.50	322.00	0.6370	0.1530	0.0300
E583735	322.00	323.00	0.2150	0.0800	0.0110
E583736	323.00	324.00	0.1240	0.0550	0.0110
E583737	324.00	325.00	0.1580	0.0870	0.0110
E583738	325.00	326.00	0.2380	0.2470	0.0130
E583739	326.00	327.00	3.0600	1.2200	0.0810
E583740	327.00	328.00	1.8900	0.3600	0.0510

Hole Number: KB-07-149

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583741	328.00	329.50	0.5910	0.2520	0.0190
E583742	329.50	330.50	0.0420	0.0080	0.0060
E583743	334.00	335.30	0.1190	0.1390	0.0090
E583744	335.30	336.50	0.4190	0.2410	0.0170
E583745	336.50	338.00	0.1140	0.0530	0.0060
E583746	338.00	339.00	0.0820	0.0330	0.0060
E583747	339.00	340.00	0.0350	0.0140	0.0050
E583748	340.00	341.60	0.0230	0.0180	0.0030
E583749	341.60	343.00	0.3580	0.1160	0.0160
E583750	343.00	344.50	0.0860	0.0330	0.0060
E583751	344.50	346.00	0.0300	0.0170	0.0040
E583753	346.00	347.50	0.2760	0.0980	0.0140
E583754	347.50	349.00	1.0500	0.7110	0.0350
E583755	349.00	350.50	0.0170	0.0220	0.0040
E583757	350.50	352.00	0.3820	0.2380	0.0150
E583758	352.00	353.10	0.5200	0.1840	0.0190
E583759	353.10	354.80	0.0340	0.0440	0.0020
E583760	354.80	356.20	0.5730	0.8710	0.0180
E583761	356.20	357.50	6.4100	1.0050	0.1840
E583762	357.50	359.00	4.1200	0.2220	0.1260
E583763	359.00	360.50	7.4600	0.1540	0.1570
E583764	360.50	362.00	7.3200	1.5450	0.2710
E583765	362.00	363.50	1.1900	0.6680	0.0320
E583766	363.50	365.00	0.2100	0.1410	0.0090
E583768	365.00	366.50	0.2410	0.1830	0.0090
E583769	366.50	368.00	1.7950	0.6850	0.0410
E583770	368.00	369.00	0.0750	0.1170	0.0060
E583771	369.00	370.00	0.0230	0.0350	0.0050

DETAILED LOG

Hole Number: KB-07-148

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -60.10
Project Number:	19900	North: 5481491.00			North: 5481491.00		Collar Az: 304.00
Location:	Surface	East: 454136.00			East: 454136.00		Length: 320.00 (m)
		Elev: 378.20			Elev: 378.20		Start Depth: 0.00 (m)
Date Started:	Nov 02, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 320.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	276.00	295.20	19.20	0.5635	0.1911	0.0181
WEIGHTED	285.70	288.40	2.70	1.5040	0.5028	0.0439

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	298.30	-60.60	EZ	DO		50.00	304.30	-60.10	EZ	OK	
101.00	302.70	-59.70	EZ	OK		149.00	305.30	-58.40	EZ	OK	
200.00	305.90	-57.80	EZ	OK		251.00	307.60	-56.80	EZ	OK	
305.00	309.30	-55.10	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.00	CAS, Casing							
1.00	1.80	MV, Mafic Volcanic Structure 1.00 - 1.80							
1.80	6.80	PYXT, Pyroxenite Mineralization 1.80 - 6.80							
6.80	8.60	FD, Felsic Dike Structure 6.80 - 8.60 : LC Lower Contact, 80 Deg to CA 6.80 - 8.60 : UC Upper Contact, 70 Deg to CA							
8.60	19.30	PYXT, Pyroxenite Mineralization 8.60 - 19.30							

Hole Number: KB-07-148 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
19.30	23.70	MD, Mafic Dike Structure 19.30 - 23.70 : LC Lower Contact, 70 Deg to CA 19.30 - 23.70 : UC Upper Contact, 80 Deg to CA							
23.70	31.70	FD, Felsic Dike Structure 23.70 - 31.70 : UC Upper Contact, 70 Deg to CA							
31.70	51.60	MD, Mafic Dike Structure 31.70 - 51.60 : UC Upper Contact, 70 Deg to CA							
51.60	53.70	FD, Felsic Dike Structure 51.60 - 53.70 : LC Lower Contact, 25 Deg to CA 51.60 - 53.70 : UC Upper Contact, 30 Deg to CA							
53.70	61.90	MV, Mafic Volcanic							
61.90	70.60	FD, Felsic Dike Structure 61.90 - 70.60 : LC Lower Contact, 70 Deg to CA 61.90 - 70.60 : UC Upper Contact, 80 Deg to CA							
70.60	76.10	MV, Mafic Volcanic							
76.10	79.10	FD, Felsic Dike Structure 76.10 - 79.10 : LC Lower Contact, 80 Deg to CA 76.10 - 79.10 : UC Upper Contact, 15 Deg to CA							
79.10	90.30	GAB, Gabbro Mineralization 79.10 - 90.30 Structure 79.10 - 90.30							
90.30	118.00	MV, Mafic Volcanic							
118.00	122.10	GAB, Gabbro Mineralization 118.00 - 122.10							
122.10	142.90	MV, Mafic Volcanic							
142.90	144.40	FD, Felsic Dike Structure 142.90 - 144.40 : LC Lower Contact, 30 Deg to CA 142.90 - 144.40 : UC Upper Contact, 80 Deg to CA							
144.40	172.80	MV, Mafic Volcanic							

Hole Number: KB-07-148

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
172.80	180.80	MDCHL, Mafic Dike Chloritic Structure 172.80 - 180.80 : LC Lower Contact, 30 Deg to CA 172.80 - 180.80 : UC Upper Contact, 70 Deg to CA							
180.80	209.70	MV, Mafic Volcanic							
209.70	214.70	FD, Felsic Dike Structure 209.70 - 214.70 : LC Lower Contact, 25 Deg to CA 209.70 - 214.70 : UC Upper Contact, 15 Deg to CA							
214.70	224.60	MV, Mafic Volcanic							
224.60	230.10	MD, Mafic Dike Structure 224.60 - 230.10 : LC Lower Contact, 50 Deg to CA 224.60 - 230.10 : UC Upper Contact, 60 Deg to CA							
230.10	252.10	MV, Mafic Volcanic							
252.10	258.20	MD, Mafic Dike Structure 252.10 - 258.20 : LC Lower Contact, 50 Deg to CA 252.10 - 258.20 : UC Upper Contact, 70 Deg to CA							
258.20	272.70	MV, Mafic Volcanic	E583684	270.50	271.50	1.00	0.0080	0.0160	0.0060
			E583685	271.50	272.70	1.20	0.0700	0.1100	0.0080
272.70	275.00	TSCH, Talc Schist Structure 272.70 - 275.00 : FOL Foliated, 30 Deg to CA	E583686	272.70	273.80	1.10	0.0750	0.0180	0.0070
			E583687	273.80	275.00	1.20	0.1410	0.0970	0.0100
275.00	281.90	PYXT, Pyroxenite Mineralization 275.00 - 278.50 278.50 - 278.90 Structure 275.00 - 281.90 : FOL Foliated, 40 Deg to CA	E583688	275.00	276.00	1.00	0.1570	0.0740	0.0090
			E583689	276.00	277.00	1.00	0.3430	0.1320	0.0120
			E583690	277.00	278.00	1.00	0.1350	0.0460	0.0080
			E583692	278.00	279.00	1.00	0.7270	0.2880	0.0190
			E583693	279.00	280.00	1.00	0.6310	0.3470	0.0200
			E583694	280.00	281.00	1.00	1.1300	0.2770	0.0250
			E583695	281.00	281.90	0.90	0.2480	0.1020	0.0100
281.90	283.70	MV, Mafic Volcanic Structure 281.90 - 283.70 : FOL Foliated, 30 Deg to CA	E583696	281.90	283.70	1.80	0.1170	0.0720	0.0080
283.70	289.40	PYXT, Pyroxenite Mineralization 283.70 - 285.70 285.70 - 289.40 Structure 283.70 - 289.40 : FOL Foliated, 50 Deg to CA	E583697	283.70	284.70	1.00	0.0170	0.0160	0.0050
			E583699	284.70	285.70	1.00	0.0480	0.0520	0.0060
			E583700	285.70	286.70	1.00	2.5400	0.6270	0.0730
			E583701	286.70	287.40	0.70	0.2010	0.3480	0.0080
			E583702	287.40	288.40	1.00	1.3800	0.4870	0.0400
			E583703	288.40	289.40	1.00	0.8840	0.3350	0.0280

DETAILED LOG

Hole Number: KB-07-148

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
289.40	293.80	MV, Mafic Volcanic Structure 289.40 - 293.80 : FOL Foliated, 35 Deg to CA
293.80	295.20	PYXT, Pyroxenite Mineralization 293.80 - 295.20 Structure 293.80 - 295.20 : FOL Foliated, 40 Deg to CA
295.20	296.90	TSCH, Talc Schist Mineralization 295.20 - 296.90
296.90	298.40	PYXT, Pyroxenite Mineralization 296.90 - 298.40
298.40	320.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583704	289.40	290.80	1.40	0.0290	0.0100	0.0060
E583705	290.80	292.30	1.50	0.0210	0.0090	0.0050
E583706	292.30	293.80	1.50	0.0230	0.0150	0.0040
E583707	293.80	295.20	1.40	1.6450	0.3910	0.0430
E583708	295.20	296.90	1.70	0.1020	0.0250	0.0100
E583709	296.90	298.40	1.50	0.1870	0.0720	0.0100
E583710	298.40	299.90	1.50	0.0180	0.0090	0.0050
E583711	299.90	301.40	1.50	0.0200	0.0120	0.0060

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583684	270.50	271.50	0.0080	0.0160	0.0060
E583685	271.50	272.70	0.0700	0.1100	0.0080
E583686	272.70	273.80	0.0750	0.0180	0.0070
E583687	273.80	275.00	0.1410	0.0970	0.0100
E583688	275.00	276.00	0.1570	0.0740	0.0090
E583689	276.00	277.00	0.3430	0.1320	0.0120
E583690	277.00	278.00	0.1350	0.0460	0.0080
E583692	278.00	279.00	0.7270	0.2880	0.0190
E583693	279.00	280.00	0.6310	0.3470	0.0200
E583694	280.00	281.00	1.1300	0.2770	0.0250
E583695	281.00	281.90	0.2480	0.1020	0.0100
E583696	281.90	283.70	0.1170	0.0720	0.0080
E583697	283.70	284.70	0.0170	0.0160	0.0050
E583699	284.70	285.70	0.0480	0.0520	0.0060
E583700	285.70	286.70	2.5400	0.6270	0.0730
E583701	286.70	287.40	0.2010	0.3480	0.0080
E583702	287.40	288.40	1.3800	0.4870	0.0400
E583703	288.40	289.40	0.8840	0.3350	0.0280
E583704	289.40	290.80	0.0290	0.0100	0.0060

Hole Number: KB-07-148

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583705	290.80	292.30	0.0210	0.0090	0.0050
E583706	292.30	293.80	0.0230	0.0150	0.0040
E583707	293.80	295.20	1.6450	0.3910	0.0430
E583708	295.20	296.90	0.1020	0.0250	0.0100
E583709	296.90	298.40	0.1870	0.0720	0.0100
E583710	298.40	299.90	0.0180	0.0090	0.0050
E583711	299.90	301.40	0.0200	0.0120	0.0060

DETAILED LOG

Hole Number: KB-07-147

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -57.10
Project Number:	19900	North: 5481521.00			North: 5481521.00		Collar Az: 303.70
Location:	Surface	East: 454113.10			East: 454113.10		Length: 248.00 (m)
		Elev: 395.32			Elev: 395.32		Start Depth: 0.00 (m)
Date Started:	Oct 31, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 248.00 (m)
Date Completed:	Nov 01, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	297.00	-57.10	EZ	DO		50.00	303.70	-57.10	EZ	OK	
101.00	302.90	-56.50	EZ	OK		152.00	304.90	-55.70	EZ	OK	
200.00	306.00	-55.10	EZ	OK		248.00	306.40	-54.60	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	29.00	MV, Mafic Volcanic							
29.00	31.70	FD, Felsic Dike Structure 29.00 - 31.70 : LC Lower Contact, 50 Deg to CA 29.00 - 31.70 : UC Upper Contact, 70 Deg to CA							
31.70	215.50	MV, Mafic Volcanic							
215.50	216.40	FD, Felsic Dike Structure 215.50 - 216.40 : UC Upper Contact, 80 Deg to CA							
216.40	218.90	MV, Mafic Volcanic	E583661	216.40	217.50	1.10	0.0120	0.0220	0.0040
			E583662	217.50	218.90	1.40	0.0060	0.0120	0.0020
218.90	220.30	PYXT, Pyroxenite Mineralization 218.90 - 220.30 Structure 218.90 - 220.30 : FOL Foliated, 45 Deg to CA	E583663	218.90	220.30	1.40	0.0800	0.0590	0.0060
220.30	221.20	TSCH, Talc Schist Mineralization 220.30 - 221.20 Structure 220.30 - 221.20 : FOL Foliated, 40 Deg to CA	E583664	220.30	221.20	0.90	0.2840	0.2650	0.0090

Hole Number: KB-07-147 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
221.20	222.80	PYXT, Pyroxenite Mineralization 221.20 - 222.80 Structure 221.20 - 222.80 : FOL Foliated, 40 Deg to CA	E583665	221.20	222.80	1.60	0.1810	0.1270	0.0070
222.80	225.50	TSCH, Talc Schist Mineralization 222.80 - 225.50 Structure 222.80 - 225.50 : FOL Foliated, 45 Deg to CA	E583667	222.80	224.00	1.20	0.0870	0.0300	0.0070
			E583668	224.00	225.50	1.50	0.2540	0.2460	0.0090
225.50	236.50	PYXT, Pyroxenite Mineralization 225.50 - 236.50	E583669	225.50	227.00	1.50	0.4320	0.1660	0.0120
			E583670	227.00	228.50	1.50	0.0850	0.0350	0.0070
			E583671	228.50	230.00	1.50	0.0860	0.0270	0.0080
			E583672	230.00	231.50	1.50	0.2580	0.1090	0.0120
			E583673	231.50	233.00	1.50	0.0910	0.0170	0.0070
			E583674	233.00	234.50	1.50	0.1350	0.0330	0.0070
			E583676	234.50	236.00	1.50	0.0510	0.0170	0.0040
			E583677	236.00	237.50	1.50	0.0330	0.0210	0.0050
236.50	239.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 236.50 - 238.60 238.50 - 239.30	E583678	237.50	238.60	1.10	0.0920	0.0510	0.0060
			E583679	238.60	239.30	0.70	1.1100	2.7600	0.0870
239.30	242.90	MV, Mafic Volcanic Structure 239.30 - 242.90 : FOL Foliated, 60 Deg to CA	E583680	239.30	240.50	1.20	0.1080	0.0490	0.0070
			E583681	240.50	242.00	1.50	0.0240	0.0170	0.0040
			E583682	242.00	243.50	1.50	0.1480	0.1400	0.0080
242.90	243.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 242.90 - 243.50 Structure 242.90 - 243.50 : LC Lower Contact, 80 Deg to CA 242.90 - 243.50 : UC Upper Contact, 60 Deg to CA							
243.50	245.80	FD, Felsic Dike Structure 243.50 - 245.80 : LC Lower Contact, 70 Deg to CA 243.50 - 245.80 : UC Upper Contact, 70 Deg to CA	E583683	243.50	245.00	1.50	0.0120	0.0300	0.0040
245.80	248.00	MV, Mafic Volcanic							

Hole Number: KB-07-147

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583661	216.40	217.50	0.0120	0.0220	0.0040
E583662	217.50	218.90	0.0060	0.0120	0.0020
E583663	218.90	220.30	0.0800	0.0590	0.0060
E583664	220.30	221.20	0.2840	0.2650	0.0090
E583665	221.20	222.80	0.1810	0.1270	0.0070
E583667	222.80	224.00	0.0870	0.0300	0.0070
E583668	224.00	225.50	0.2540	0.2460	0.0090
E583669	225.50	227.00	0.4320	0.1660	0.0120
E583670	227.00	228.50	0.0850	0.0350	0.0070
E583671	228.50	230.00	0.0860	0.0270	0.0080
E583672	230.00	231.50	0.2580	0.1090	0.0120
E583673	231.50	233.00	0.0910	0.0170	0.0070
E583674	233.00	234.50	0.1350	0.0330	0.0070
E583676	234.50	236.00	0.0510	0.0170	0.0040
E583677	236.00	237.50	0.0330	0.0210	0.0050
E583678	237.50	238.60	0.0920	0.0510	0.0060
E583679	238.60	239.30	1.1100	2.7600	0.0870
E583680	239.30	240.50	0.1080	0.0490	0.0070
E583681	240.50	242.00	0.0240	0.0170	0.0040
E583682	242.00	243.50	0.1480	0.1400	0.0080
E583683	243.50	245.00	0.0120	0.0300	0.0040

DETAILED LOG

Hole Number: KB-07-146

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -54.70
Project Number:	19900	North: 5481521.00			North: 5481521.00		Collar Az: 300.40
Location:	Surface	East: 454113.10			East: 454113.10		Length: 248.00 (m)
		Elev: 395.32			Elev: 395.32		Start Depth: 0.00 (m)
Date Started:	Oct 26, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 248.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments: Logged By Jean Bernard

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	300.40	-54.70	EZ	OK		50.00	304.30	-54.00	EZ	OK	
100.00	303.10	-52.70	EZ	OK		152.00	304.30	-51.30	EZ	OK	
200.00	305.20	-50.80	EZ	OK		248.00	307.10	-50.40	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	13.80	MV, Mafic Volcanic							
13.80	15.20	FD, Felsic Dike Structure 13.80 - 15.20 : LC Lower Contact, 70 Deg to CA							
15.20	29.00	MV, Mafic Volcanic							
29.00	33.60	FD, Felsic Dike Structure 29.00 - 33.60 : LC Lower Contact, 60 Deg to CA 29.00 - 33.60 : UC Upper Contact, 70 Deg to CA							
33.60	74.40	MV, Mafic Volcanic							
74.40	79.50	MD, Mafic Dike Structure 74.40 - 79.50 : LC Lower Contact, 60 Deg to CA 74.40 - 79.50 : UC Upper Contact, 70 Deg to CA							
79.50	100.80	MV, Mafic Volcanic							
100.80	103.60	FD, Felsic Dike Structure 100.80 - 103.60 : LC Lower Contact, 60 Deg to CA 100.80 - 103.60 : UC Upper Contact, 70 Deg to CA							
103.60	111.00	MV, Mafic Volcanic							

Hole Number: KB-07-146

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
111.00	114.40	FD, Felsic Dike Structure 111.00 - 114.40 : LC Lower Contact, 80 Deg to CA 111.00 - 114.40 : UC Upper Contact, 30 Deg to CA							
114.40	155.60	MV, Mafic Volcanic							
155.60	163.30	MDCHL, Mafic Dike Chloritic Structure 155.60 - 163.30 : LC Lower Contact, 30 Deg to CA 155.60 - 163.30 : UC Upper Contact, 45 Deg to CA							
163.30	207.00	MV, Mafic Volcanic	E583637	204.00	205.50	1.50	0.0110	0.0110	0.0060
			E583638	205.50	207.00	1.50	0.0530	0.0370	0.0050
207.00	210.50	TSCH, Talc Schist Mineralization 207.00 - 210.50 Structure 207.00 - 210.50 : FOL Foliated, 70 Deg to CA 207.00 - 210.50 : LC Lower Contact, 60 Deg to CA 207.00 - 210.50 : UC Upper Contact, 50 Deg to CA	E583639	207.00	208.00	1.00	0.0910	0.0380	0.0080
			E583640	208.00	209.50	1.50	0.1580	0.1170	0.0080
			E583641	209.50	210.50	1.00	0.1660	0.1180	0.0080
210.50	215.25	PYXT, Pyroxenite Mineralization 210.50 - 215.25 Structure 210.50 - 215.25	E583642	210.50	212.00	1.50	0.2600	0.1490	0.0100
			E583644	212.00	213.50	1.50	0.0410	0.0060	0.0060
			E583645	213.50	214.50	1.00	0.0430	0.0060	0.0060
			E583646	214.50	215.25	0.75	0.0690	0.0110	0.0070
215.25	217.80	FD, Felsic Dike Structure 215.25 - 217.80 : LC Lower Contact, 30 Deg to CA 215.25 - 217.80 : UC Upper Contact, 35 Deg to CA	E583647	215.25	216.00	0.75	0.0090	0.0050	0.0020
			E583648	216.00	217.80	1.80	0.0060	0.0060	0.0030
217.80	218.70	PYXT, Pyroxenite Mineralization 217.80 - 218.70 Structure 217.80 - 218.70	E583649	217.80	219.70	1.90	0.0470	0.0025	0.0070
218.70	231.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 218.70 - 223.50 223.50 - 224.00 223.50 - 231.40	E583650	219.70	220.00	0.30	0.0400	0.0025	0.0050
			E583651	220.00	221.50	1.50	0.0620	0.0025	0.0040
			E583652	221.50	223.00	1.50	0.0080	0.0090	0.0030
			E583653	223.00	224.00	1.00	0.3640	0.0590	0.0300
			E583654	224.00	225.50	1.50	0.0110	0.0050	0.0040
			E583655	225.50	227.00	1.50	0.0570	0.0220	0.0040
			E583656	227.00	228.50	1.50	0.1480	0.0510	0.0100
			E583657	228.50	230.00	1.50	0.1420	0.0790	0.0080
			E583658	230.00	231.40	1.40	0.1460	0.0760	0.0100

DETAILED LOG

Hole Number: KB-07-146

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
231.40	248.00	MV, Mafic Volcanic	E583659	231.40	233.00	1.60	0.0380	0.0130	0.0060
			E583660	233.00	234.50	1.50	0.0180	0.0120	0.0060

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583637	204.00	205.50	0.0110	0.0110	0.0060
E583638	205.50	207.00	0.0530	0.0370	0.0050
E583639	207.00	208.00	0.0910	0.0380	0.0080
E583640	208.00	209.50	0.1580	0.1170	0.0080
E583641	209.50	210.50	0.1660	0.1180	0.0080
E583642	210.50	212.00	0.2600	0.1490	0.0100
E583644	212.00	213.50	0.0410	0.0060	0.0060
E583645	213.50	214.50	0.0430	0.0060	0.0060
E583646	214.50	215.25	0.0690	0.0110	0.0070
E583647	215.25	216.00	0.0090	0.0050	0.0020
E583648	216.00	217.80	0.0060	0.0060	0.0030
E583649	217.80	219.70	0.0470	0.0025	0.0070
E583650	219.70	220.00	0.0400	0.0025	0.0050
E583651	220.00	221.50	0.0620	0.0025	0.0040
E583652	221.50	223.00	0.0080	0.0090	0.0030
E583653	223.00	224.00	0.3640	0.0590	0.0300
E583654	224.00	225.50	0.0110	0.0050	0.0040
E583655	225.50	227.00	0.0570	0.0220	0.0040
E583656	227.00	228.50	0.1480	0.0510	0.0100
E583657	228.50	230.00	0.1420	0.0790	0.0080
E583658	230.00	231.40	0.1460	0.0760	0.0100
E583659	231.40	233.00	0.0380	0.0130	0.0060
E583660	233.00	234.50	0.0180	0.0120	0.0060

DETAILED LOG

Hole Number: KB-07-145

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -48.80
Project Number:	19900	North:	5481521.00		North:	-39447885.86	Collar Az: 302.70
Location:	Surface	East:	454113.10		East:	37023976.92	Length: 248.00 (m)
		Elev:	395.32		Elev:	395.32	Start Depth: 0.00 (m)
Date Started:	Oct 21, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 248.00 (m)
Date Completed:	Oct 23, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments: Logged By Jean Bernard. Tag ample # 583602 lost and remplaced by # 583636

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	177.30	184.50	7.20	0.2206	0.1089	0.0094
WEIGHTED	198.80	207.00	8.20	0.2051	0.0860	0.0105
WEIGHTED	214.50	217.50	3.00	0.6020	0.2145	0.0195

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	302.70	-48.80	EZ	OK		50.00	303.90	-47.50	EZ	OK	
101.00	301.60	-46.50	EZ	OK		149.00	304.50	-44.90	EZ	OK	
200.00	304.60	-44.50	EZ	OK		248.00	303.80	-43.80	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	64.30	MV, Mafic Volcanic Structure 1.50 - 64.30							
64.30	65.80	FD, Felsic Dike Structure 64.30 - 65.80 : LC Lower Contact, 70 Deg to CA 64.30 - 65.80 : UC Upper Contact, 80 Deg to CA							
65.80	87.20	MV, Mafic Volcanic							
87.20	88.30	MDCHL, Mafic Dike Chloritic Structure 87.20 - 88.30 : LC Lower Contact, 85 Deg to CA 87.20 - 88.30 : UC Upper Contact, 70 Deg to CA							
88.30	93.80	MV, Mafic Volcanic							

Hole Number: KB-07-145

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
93.80	97.00	MD, Mafic Dike Structure 93.80 - 97.00 : LC Lower Contact, 80 Deg to CA 93.80 - 97.00 : UC Upper Contact, 70 Deg to CA							
97.00	150.20	MV, Mafic Volcanic Structure 145.70 - 147.50 50% recovery							
150.20	154.00	FD, Felsic Dike Structure 150.20 - 154.00 : LC Lower Contact, 35 Deg to CA 150.20 - 154.00 : UC Upper Contact, 30 Deg to CA							
154.00	165.30	MV, Mafic Volcanic							
165.30	168.00	FD, Felsic Dike Structure 165.30 - 168.00 : LC Lower Contact, 70 Deg to CA 165.30 - 168.00 : UC Upper Contact, 30 Deg to CA							
168.00	177.30	MV, Mafic Volcanic	583594	174.50	176.00	1.50	0.0130	0.0110	0.0040
			583596	176.00	177.30	1.30	0.0150	0.0100	0.0050
177.30	178.20	PYXT, Pyroxenite Mineralization 177.30 - 178.20 Structure 177.30 - 178.20	583597	177.30	178.20	0.90	0.1550	0.1690	0.0070
178.20	181.50	TSCH, Talc Schist Mineralization 178.20 - 181.50 Structure 178.20 - 181.50 : FOL Foliated, 50 Deg to CA 178.20 - 181.50 : LC Lower Contact, 80 Deg to CA 178.20 - 181.50 : UC Upper Contact, 50 Deg to CA	583598	178.20	180.00	1.80	0.2300	0.1510	0.0090
			583599	180.00	181.50	1.50	0.3380	0.1210	0.0120
181.50	192.60	PYXT, Pyroxenite Mineralization 181.50 - 192.60 Structure 181.50 - 192.60	E583600	181.50	183.00	1.50	0.1020	0.0270	0.0070
			E583601	183.00	184.50	1.50	0.2500	0.0920	0.0110
			E583636	184.50	186.00	1.50	0.0510	0.0060	0.0060
			E583603	186.00	187.50	1.50	0.0510	0.0025	0.0070
			E583604	187.50	189.00	1.50	0.0500	0.0060	0.0070
			E583605	189.00	190.50	1.50	0.0790	0.0350	0.0070
			E583606	190.50	192.00	1.50	0.1930	0.1330	0.0090
			E583607	192.00	193.60	1.60	0.1460	0.0670	0.0080

Hole Number: KB-07-145

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
192.60	198.80	GAB, Gabbro Mineralization 192.60 - 198.80 Structure 192.60 - 198.80 : LC Lower Contact, 85 Deg to CA 192.60 - 198.80 : UC Upper Contact, 80 Deg to CA	E583608	193.60	194.00	0.40	0.0590	0.0025	0.0060
			E583609	194.00	195.50	1.50	0.0490	0.0025	0.0050
			E583610	195.50	197.00	1.50	0.0540	0.0025	0.0050
			E583611	197.00	198.80	1.80	0.1390	0.0410	0.0070
198.80	201.00	PYXT, Pyroxenite Mineralization 198.80 - 201.00 Structure 198.80 - 201.00 : FOL Foliated, 50 Deg to CA	583612	198.80	200.00	1.20	0.3500	0.1050	0.0150
			583613	200.00	201.00	1.00	0.0800	0.0360	0.0060
201.00	201.60	FD, Felsic Dike Structure 201.00 - 201.60 : LC Lower Contact, 80 Deg to CA 201.00 - 201.60 : UC Upper Contact, 80 Deg to CA	583614	201.00	201.60	0.60	0.0100	0.0100	0.0030
201.60	205.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 201.60 - 205.50	583615	201.60	203.00	1.40	0.1630	0.1190	0.0100
			583617	203.00	204.50	1.50	0.1220	0.0370	0.0080
			E583618	204.50	205.50	1.00	0.3540	0.1520	0.0160
205.50	218.00	PYXT, Pyroxenite Mineralization 205.50 - 218.00 Structure 205.50 - 218.00 : FOL Foliated, 60 Deg to CA 205.50 - 218.00 : UC Upper Contact, 75 Deg to CA	E583619	205.50	207.00	1.50	0.2740	0.1090	0.0120
			E583620	207.00	208.50	1.50	0.0260	0.0110	0.0050
			E583621	208.50	210.00	1.50	0.0240	0.0130	0.0060
			E583622	210.00	211.50	1.50	0.0270	0.0120	0.0060
			E583623	211.50	213.00	1.50	0.0220	0.0120	0.0050
			583624	213.00	214.50	1.50	0.0280	0.0100	0.0060
			583625	214.50	216.00	1.50	0.9990	0.3080	0.0290
			583626	216.00	217.50	1.50	0.2050	0.1210	0.0100
			583628	217.50	218.00	0.50	0.0640	0.0290	0.0060
218.00	223.40	MV, Mafic Volcanic	583629	218.00	219.50	1.50	0.0180	0.0090	0.0050
			583630	219.50	221.00	1.50	0.0150	0.0160	0.0050
			583631	221.00	222.40	1.40	0.0140	0.0120	0.0050
			583632	222.40	223.40	1.00	0.0130	0.0080	0.0040
223.40	224.90	FD, Felsic Dike Structure 223.40 - 224.90 : LC Lower Contact, 70 Deg to CA 223.40 - 224.90 : UC Upper Contact, 80 Deg to CA	583633	223.40	224.90	1.50	0.0130	0.0120	0.0060
224.90	246.70	MV, Mafic Volcanic	583634	224.90	226.50	1.60	0.0070	0.0150	0.0040
			583635	226.50	228.00	1.50	0.0100	0.0170	0.0050
246.70	248.00	MDCHL, Mafic Dike Chloritic Structure 246.70 - 248.00 : UC Upper Contact, 60 Deg to CA							

Hole Number: KB-07-145

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
583594	174.50	176.00	0.0130	0.0110	0.0040
583596	176.00	177.30	0.0150	0.0100	0.0050
583597	177.30	178.20	0.1550	0.1690	0.0070
583598	178.20	180.00	0.2300	0.1510	0.0090
583599	180.00	181.50	0.3380	0.1210	0.0120
E583600	181.50	183.00	0.1020	0.0270	0.0070
E583601	183.00	184.50	0.2500	0.0920	0.0110
E583636	184.50	186.00	0.0510	0.0060	0.0060
E583603	186.00	187.50	0.0510	0.0025	0.0070
E583604	187.50	189.00	0.0500	0.0060	0.0070
E583605	189.00	190.50	0.0790	0.0350	0.0070
E583606	190.50	192.00	0.1930	0.1330	0.0090
E583607	192.00	193.60	0.1460	0.0670	0.0080
E583608	193.60	194.00	0.0590	0.0025	0.0060
E583609	194.00	195.50	0.0490	0.0025	0.0050
E583610	195.50	197.00	0.0540	0.0025	0.0050
E583611	197.00	198.80	0.1390	0.0410	0.0070
583612	198.80	200.00	0.3500	0.1050	0.0150
583613	200.00	201.00	0.0800	0.0360	0.0060
583614	201.00	201.60	0.0100	0.0100	0.0030
583615	201.60	203.00	0.1630	0.1190	0.0100
583617	203.00	204.50	0.1220	0.0370	0.0080
E583618	204.50	205.50	0.3540	0.1520	0.0160
E583619	205.50	207.00	0.2740	0.1090	0.0120
E583620	207.00	208.50	0.0260	0.0110	0.0050
E583621	208.50	210.00	0.0240	0.0130	0.0060
E583622	210.00	211.50	0.0270	0.0120	0.0060
E583623	211.50	213.00	0.0220	0.0120	0.0050
583624	213.00	214.50	0.0280	0.0100	0.0060
583625	214.50	216.00	0.9990	0.3080	0.0290
583626	216.00	217.50	0.2050	0.1210	0.0100
583628	217.50	218.00	0.0640	0.0290	0.0060
583629	218.00	219.50	0.0180	0.0090	0.0050
583630	219.50	221.00	0.0150	0.0160	0.0050
583631	221.00	222.40	0.0140	0.0120	0.0050
583632	222.40	223.40	0.0130	0.0080	0.0040
583633	223.40	224.90	0.0130	0.0120	0.0060

Hole Number: KB-07-145

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
583634	224.90	226.50	0.0070	0.0150	0.0040
583635	226.50	228.00	0.0100	0.0170	0.0050

DETAILED LOG

Hole Number: KB-07-144

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-66.20
Project Number:	19900	North:	5481491.00	North:	5481491.00	Collar Az:	305.80
Location:	Surface	East:	454100.20	East:	454100.20	Length:	311.00 (m)
		Elev:	397.54	Elev:	397.54	Start Depth:	0.00 (m)
Date Started:	Oct 19, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	311.00 (m)
Date Completed:	Oct 23, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments: Logged By Jean Bernard. Core box #61 (252 to 256m) was dropped on the drill, mixted core.

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	273.00	277.80	4.80	0.5927	0.3591	0.0201

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	305.80	-66.20	EZ	OK		50.00	308.60	-65.30	EZ	OK	
101.00	307.80	-64.40	EZ	OK		150.00	309.40	-62.10	EZ	OK	
200.00	308.50	-62.10	EZ	OK		251.00	310.50	-61.30	EZ	OK	
302.00	311.70	-60.60	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	24.00	FD, Felsic Dike Structure 1.50 - 24.00 : LC Lower Contact, 70 Deg to CA							
24.00	36.00	MV, Mafic Volcanic							
36.00	41.10	FD, Felsic Dike Structure 36.00 - 41.10 : LC Lower Contact, 80 Deg to CA 36.00 - 41.10 : UC Upper Contact, 80 Deg to CA							
41.10	70.00	MV, Mafic Volcanic Structure 41.10 - 70.00 : FOL Foliated, 50 Deg to CA							
70.00	94.10	FD, Felsic Dike Structure 70.00 - 94.10 : LC Lower Contact, 45 Deg to CA 70.00 - 94.10 : UC Upper Contact, 80 Deg to CA							
94.10	159.60	MV, Mafic Volcanic							

Hole Number: KB-07-144

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
159.60	163.30	MD, Mafic Dike Structure 159.60 - 163.30 : LC Lower Contact, 15 Deg to CA 159.60 - 163.30 : UC Upper Contact, 15 Deg to CA							
163.30	191.50	MV, Mafic Volcanic Structure 163.30 - 191.50 : FOL Foliated, 30 Deg to CA							
191.50	193.40	MD, Mafic Dike Structure 191.50 - 193.40 : LC Lower Contact, 20 Deg to CA 191.50 - 193.40 : UC Upper Contact, 60 Deg to CA							
193.40	202.60	MV, Mafic Volcanic							
202.60	206.80	FD, Felsic Dike Structure 202.60 - 206.80 : LC Lower Contact, 70 Deg to CA 202.60 - 206.80 : UC Upper Contact, 80 Deg to CA							
206.80	215.50	MV, Mafic Volcanic							
215.50	239.20	FD, Felsic Dike Structure 215.50 - 239.20 : LC Lower Contact, 30 Deg to CA 215.50 - 239.20 : UC Upper Contact, 80 Deg to CA							
239.20	253.20	MV, Mafic Volcanic Structure 239.20 - 253.20	E583569	250.20	251.70	1.50	0.0150	0.0110	0.0050
			E583570	251.70	253.20	1.50	0.0500	0.0720	0.0060
253.20	255.70	TSCH, Talc Schist Mineralization 253.20 - 255.70 Structure 253.20 - 255.70 : FOL Foliated, 45 Deg to CA 253.20 - 255.70 : LC Lower Contact, 80 Deg to CA 253.20 - 255.70 : UC Upper Contact, 45 Deg to CA	E583571	253.20	254.30	1.10	0.1650	0.1460	0.0080
			E583572	254.30	255.70	1.40	0.1290	0.0770	0.0080
255.70	256.50	MD, Mafic Dike Structure 255.70 - 256.50 : LC Lower Contact, 70 Deg to CA	E583573	255.70	256.50	0.80	0.1010	0.0380	0.0060
256.50	265.00	PYXT, Pyroxenite Mineralization 256.50 - 265.00 Structure 256.50 - 265.00 : FOL Foliated, 80 Deg to CA	E583574	256.50	258.00	1.50	0.0460	0.0080	0.0050
			E583575	258.00	259.50	1.50	0.0670	0.0180	0.0060
			E583576	259.50	261.00	1.50	0.1440	0.0530	0.0080
			E583577	261.00	262.50	1.50	0.4010	0.1630	0.0150
			E583578	262.50	264.00	1.50	0.1240	0.0430	0.0090
			E583580	264.00	265.00	1.00	0.1790	0.0750	0.0120

DETAILED LOG

Hole Number: KB-07-144

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
265.00	276.35	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 265.00 - 273.50 273.50 - 276.35 Structure 265.00 - 276.35 : FOL Foliated, 25 Deg to CA 265.00 - 276.35 : LC Lower Contact, 30 Deg to CA
276.35	277.80	TSCH, Talc Schist Mineralization 276.35 - 277.80 Structure 276.35 - 277.80 : LC Lower Contact, 70 Deg to CA 276.35 - 277.80 : MODFOL Moderately Foliated, 40 Deg to CA
277.80	311.00	MV, Mafic Volcanic Structure 277.80 - 311.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583581	265.00	266.50	1.50	0.1140	0.0450	0.0080
E583582	266.50	268.00	1.50	0.1120	0.0460	0.0090
E583583	268.00	269.50	1.50	0.0830	0.0640	0.0060
E583584	269.50	271.00	1.50	0.0410	0.0240	0.0040
E583585	271.00	272.00	1.00	0.0930	0.0450	0.0070
E583586	272.00	273.00	1.00	0.0760	0.0330	0.0070
E583587	273.00	274.00	1.00	0.9260	0.8940	0.0300
E583588	274.00	275.00	1.00	0.6370	0.4090	0.0220
E583590	275.00	276.35	1.35	0.5200	0.0850	0.0180
E583591	276.35	277.80	1.45	0.4000	0.2110	0.0140
E583592	277.80	279.30	1.50	0.1580	0.1270	0.0070
E583593	279.30	280.80	1.50	0.0160	0.0050	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583569	250.20	251.70	0.0150	0.0110	0.0050
E583570	251.70	253.20	0.0500	0.0720	0.0060
E583571	253.20	254.30	0.1650	0.1460	0.0080
E583572	254.30	255.70	0.1290	0.0770	0.0080
E583573	255.70	256.50	0.1010	0.0380	0.0060
E583574	256.50	258.00	0.0460	0.0080	0.0050
E583575	258.00	259.50	0.0670	0.0180	0.0060
E583576	259.50	261.00	0.1440	0.0530	0.0080
E583577	261.00	262.50	0.4010	0.1630	0.0150
E583578	262.50	264.00	0.1240	0.0430	0.0090
E583580	264.00	265.00	0.1790	0.0750	0.0120
E583581	265.00	266.50	0.1140	0.0450	0.0080
E583582	266.50	268.00	0.1120	0.0460	0.0090
E583583	268.00	269.50	0.0830	0.0640	0.0060
E583584	269.50	271.00	0.0410	0.0240	0.0040
E583585	271.00	272.00	0.0930	0.0450	0.0070
E583586	272.00	273.00	0.0760	0.0330	0.0070

Hole Number: KB-07-144

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583587	273.00	274.00	0.9260	0.8940	0.0300
E583588	274.00	275.00	0.6370	0.4090	0.0220
E583590	275.00	276.35	0.5200	0.0850	0.0180
E583591	276.35	277.80	0.4000	0.2110	0.0140
E583592	277.80	279.30	0.1580	0.1270	0.0070
E583593	279.30	280.80	0.0160	0.0050	0.0050

DETAILED LOG

Hole Number: KB-07-143

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -60.00
Project Number:	19900	North:	5481491.00		North:	-15849720.45	Collar Az: 307.10
Location:	Surface	East:	454100.20		East:	1115012.92	Length: 278.00 (m)
		Elev:	397.64		Elev:	397.64	Start Depth: 0.00 (m)
Date Started:	Oct 17, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 278.00 (m)
Date Completed:	Oct 21, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments: Logged By Jean Bernard

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	237.50	257.00	19.50	0.4174	0.2194	0.0155
WEIGHTED	248.80	257.00	8.20	0.7380	0.2974	0.0236

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	307.10	-60.00	EZ	OK		50.00	307.30	-59.10	EZ	OK	
101.00	307.70	-57.50	EZ	OK		149.00	307.20	-55.90	EZ	OK	
200.00	309.60	-54.70	EZ	OK		251.00	307.40	-54.00	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	0.50	CAS, Casing							
0.50	14.10	FD, Felsic Dike Structure 0.50 - 14.10 : UC Upper Contact, 90 Deg to CA							
14.10	17.20	MD, Mafic Dike Structure 14.10 - 17.20 : LC Lower Contact, 80 Deg to CA							
17.20	20.60	MV, Mafic Volcanic Structure 17.20 - 20.60							
20.60	23.60	MD, Mafic Dike Structure 20.60 - 23.60 : LC Lower Contact, 80 Deg to CA							
23.60	26.70	MV, Mafic Volcanic Structure 23.60 - 26.70							
26.70	32.90	MDCHL, Mafic Dike Chloritic							

Hole Number: KB-07-143 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
32.90	38.70	FD, Felsic Dike Structure 32.90 - 38.70 : FOL Foliated, 80 Deg to CA 32.90 - 38.70 : LC Lower Contact, 80 Deg to CA							
38.70	45.80	MV, Mafic Volcanic Structure 38.70 - 45.80 : UC Upper Contact, 80 Deg to CA							
45.80	64.40	MDCHL, Mafic Dike Chloritic Structure 45.80 - 64.40 : LC Lower Contact, 80 Deg to CA							
64.40	75.90	FD, Felsic Dike Structure 64.40 - 75.90 : LC Lower Contact, 70 Deg to CA							
75.90	131.20	MV, Mafic Volcanic Structure 75.90 - 131.20 : FOL Foliated, 30 Deg to CA							
131.20	134.50	FD, Felsic Dike Structure 131.20 - 134.50 : LC Lower Contact, 30 Deg to CA 131.20 - 134.50 : UC Upper Contact, 30 Deg to CA							
134.50	135.10	MV, Mafic Volcanic Structure 134.50 - 135.10 : FOL Foliated, 45 Deg to CA							
135.10	140.70	FD, Felsic Dike Structure 135.10 - 140.70 : LC Lower Contact, 45 Deg to CA 135.10 - 140.70 : UC Upper Contact, 45 Deg to CA							
140.70	146.30	MV, Mafic Volcanic Structure 140.70 - 146.30 : FOL Foliated, 45 Deg to CA							
146.30	155.50	FD, Felsic Dike Structure 146.30 - 155.50 : LC Lower Contact, 25 Deg to CA 146.30 - 155.50 146.30 - 155.50 : UC Upper Contact, 45 Deg to CA							
155.50	160.30	MV, Mafic Volcanic Structure 155.50 - 160.30 : FOL Foliated, 45 Deg to CA							

Hole Number: KB-07-143 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
160.30	167.80	FD, Felsic Dike Structure 160.30 - 167.80 : LC Lower Contact, 30 Deg to CA 160.30 - 167.80 : UC Upper Contact, 80 Deg to CA							
167.80	187.30	MV, Mafic Volcanic Structure 167.80 - 187.30							
187.30	194.70	MDCHL, Mafic Dike Chloritic Structure 187.30 - 194.70 : LC Lower Contact, 45 Deg to CA 187.30 - 194.70 : UC Upper Contact, 35 Deg to CA							
194.70	206.70	MV, Mafic Volcanic Structure 194.70 - 206.70 : FOL Foliated, 80 Deg to CA							
206.70	226.90	MDCHL, Mafic Dike Chloritic Structure 206.70 - 226.90 : LC Lower Contact, 80 Deg to CA 206.70 - 226.90 : UC Upper Contact, 30 Deg to CA							
226.90	232.80	MV, Mafic Volcanic	E583545	229.80	231.30	1.50	0.0100	0.0100	0.0040
			E583547	231.30	232.80	1.50	0.0025	0.0090	0.0020
232.80	234.50	TSCH, Talc Schist Mineralization 232.80 - 234.50 Structure 232.80 - 234.50 : LC Lower Contact, 80 Deg to CA 232.80 - 234.50 : STRFOL Strongly Foliated, 35 Deg to CA 232.80 - 234.50 : UC Upper Contact, 30 Deg to CA	E583548	232.80	234.50	1.70	0.1730	0.2150	0.0090
234.50	246.20	PYXT, Pyroxenite Mineralization 234.50 - 246.20 Structure 234.50 - 246.20	E583549	234.50	236.00	1.50	0.0460	0.0110	0.0070
			E583550	236.00	237.50	1.50	0.0830	0.0150	0.0070
			E583551	237.50	239.00	1.50	0.4080	0.2770	0.0170
			E583552	239.00	240.50	1.50	0.0750	0.0500	0.0070
			E583553	240.50	241.50	1.00	0.0400	0.0190	0.0060
			E583554	241.50	243.00	1.50	0.2660	0.1200	0.0100
			E583555	243.00	244.50	1.50	0.2460	0.0920	0.0130
			E583556	244.50	246.20	1.70	0.2430	0.1200	0.0110
246.20	248.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 246.20 - 248.80 Structure 246.20 - 248.80 : LC Lower Contact, 80 Deg to CA 246.20 - 248.80 : UC Upper Contact, 80 Deg to CA	E583557	246.20	247.50	1.30	0.0240	0.0260	0.0040
			E583558	247.50	248.80	1.30	0.0850	0.5960	0.0060

DETAILED LOG

Hole Number: KB-07-143

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
248.80	256.50	PYXT, Pyroxenite Mineralization 248.80 - 250.00 248.80 - 256.50 Structure 248.80 - 256.50 : FOL Foliated, 50 Deg to CA
256.50	257.00	TSCH, Talc Schist Mineralization 256.50 - 257.00 Structure 256.50 - 257.00 : FOL Foliated, 50 Deg to CA 256.50 - 257.00 : LC Lower Contact, 80 Deg to CA 256.50 - 257.00 : UC Upper Contact, 50 Deg to CA
257.00	278.00	MV, Mafic Volcanic Structure 257.00 - 278.00 : FOL Foliated, 80 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583559	248.80	250.00	1.20	1.9950	0.8290	0.0570
E583560	250.00	251.50	1.50	0.7440	0.3840	0.0210
E583561	251.50	253.00	1.50	0.3190	0.1910	0.0120
E583562	253.00	254.50	1.50	0.3710	0.1160	0.0180
E583563	254.50	255.50	1.00	0.1220	0.0760	0.0070
E583565	255.50	256.50	1.00	1.2350	0.3070	0.0350
E583566	256.50	257.00	0.50	0.2990	0.0490	0.0130
E583567	257.00	258.50	1.50	0.0470	0.0240	0.0050
E583568	258.50	260.00	1.50	0.0140	0.0100	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583545	229.80	231.30	0.0100	0.0100	0.0040
E583547	231.30	232.80	0.0025	0.0090	0.0020
E583548	232.80	234.50	0.1730	0.2150	0.0090
E583549	234.50	236.00	0.0460	0.0110	0.0070
E583550	236.00	237.50	0.0830	0.0150	0.0070
E583551	237.50	239.00	0.4080	0.2770	0.0170
E583552	239.00	240.50	0.0750	0.0500	0.0070
E583553	240.50	241.50	0.0400	0.0190	0.0060
E583554	241.50	243.00	0.2660	0.1200	0.0100
E583555	243.00	244.50	0.2460	0.0920	0.0130
E583556	244.50	246.20	0.2430	0.1200	0.0110
E583557	246.20	247.50	0.0240	0.0260	0.0040
E583558	247.50	248.80	0.0850	0.5960	0.0060
E583559	248.80	250.00	1.9950	0.8290	0.0570
E583560	250.00	251.50	0.7440	0.3840	0.0210
E583561	251.50	253.00	0.3190	0.1910	0.0120
E583562	253.00	254.50	0.3710	0.1160	0.0180
E583563	254.50	255.50	0.1220	0.0760	0.0070
E583565	255.50	256.50	1.2350	0.3070	0.0350

Hole Number: KB-07-143

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583566	256.50	257.00	0.2990	0.0490	0.0130
E583567	257.00	258.50	0.0470	0.0240	0.0050
E583568	258.50	260.00	0.0140	0.0100	0.0050

DETAILED LOG

Hole Number: KB-07-142

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -55.20
Project Number:	19900	North: 5481491.00			North: 5481491.00		Collar Az: 307.00
Location:	Surface	East: 454100.20			East: 454100.20		Length: 272.00 (m)
		Elev: 397.64			Elev: 397.64		Start Depth: 0.00 (m)
Date Started:	Oct 16, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 272.00 (m)
Date Completed:	Oct 17, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments: Logged By Jean Bernard

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	231.50	234.50	3.00	2.8667	1.2317	0.0837
WEIGHTED	231.50	241.30	9.80	1.5708	0.6406	0.0459
WEIGHTED	231.50	248.20	16.70	1.0145	0.4558	0.0306

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	298.20	-55.60	EZ	DO		50.00	307.00	-54.70	EZ	OK	
101.00	307.90	-52.00	EZ	OK		152.00	307.60	-50.30	EZ	OK	
200.00	310.60	-49.30	EZ	OK		251.00	306.30	-48.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	89.00	MV, Mafic Volcanic Structure 1.50 - 89.00 : FOL Foliated, 50 Deg to CA							
89.00	92.90	FD, Felsic Dike Structure 89.00 - 92.90 : LC Lower Contact, 60 Deg to CA 89.00 - 92.90 : UC Upper Contact, 70 Deg to CA							
92.90	118.60	MV, Mafic Volcanic Structure 92.90 - 118.60 : FOL Foliated, 45 Deg to CA							
118.60	121.80	FD, Felsic Dike Structure 118.60 - 121.80 : LC Lower Contact, 30 Deg to CA							
121.80	123.00	MV, Mafic Volcanic							

Hole Number: KB-07-142

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
123.00	124.70	FD, Felsic Dike Structure 123.00 - 124.70 : LC Lower Contact, 70 Deg to CA							
124.70	130.00	MV, Mafic Volcanic							
130.00	133.00	FD, Felsic Dike							
133.00	153.00	MV, Mafic Volcanic							
153.00	154.50	FD, Felsic Dike Structure 153.00 - 154.50 : LC Lower Contact, 70 Deg to CA 153.00 - 154.50 : UC Upper Contact, 70 Deg to CA							
154.50	204.20	MV, Mafic Volcanic Structure 154.50 - 204.20 : FOL Foliated, 50 Deg to CA	E583501	202.70	204.20	1.50	0.0110	0.0110	0.0040
204.20	206.60	FD, Felsic Dike Structure 204.20 - 206.60 : LC Lower Contact, 45 Deg to CA	E583502	204.20	205.40	1.20	0.0025	0.0050	0.0010
			E583503	205.40	206.60	1.20	0.0160	0.0280	0.0030
206.60	209.25	MDCHL, Mafic Dike Chloritic Structure 206.60 - 209.25 : STRFOL Strongly Foliated, 45 Deg to CA	E583504	206.60	208.00	1.40	0.4670	0.3620	0.0140
			E583505	208.00	209.25	1.25	0.1240	0.1220	0.0080
209.25	225.30	PYXT, Pyroxenite Mineralization 209.25 - 225.30 209.25 - 225.30 Structure 209.25 - 212.00 : STRFOL Strongly Foliated, 30 Deg to CA	E583506	209.25	210.50	1.25	0.1470	0.1000	0.0090
			E583507	210.50	211.50	1.00	0.0690	0.0070	0.0060
			E583508	211.50	213.00	1.50	0.1240	0.0490	0.0080
			E583509	213.00	214.50	1.50	0.0870	0.0240	0.0070
			E583510	214.50	216.00	1.50	0.1560	0.0650	0.0110
			E583511	216.00	217.50	1.50	0.0880	0.0280	0.0080
			E583512	217.50	218.50	1.00	0.1400	0.0500	0.0090
			E583513	218.50	220.00	1.50	0.1810	0.0670	0.0100
			E583514	220.00	221.50	1.50	0.1020	0.0270	0.0070
			E583515	221.50	223.00	1.50	0.0880	0.0180	0.0070
			E583516	223.00	224.50	1.50	0.1340	0.0480	0.0090
			E583517	224.50	225.30	0.80	0.0090	0.0170	0.0040
225.30	231.50	MV, Mafic Volcanic Structure 225.30 - 231.50 : UC Upper Contact, 70 Deg to CA	E583518	225.30	226.80	1.50	0.0090	0.0110	0.0040
			E583519	226.80	228.30	1.50	0.0080	0.0090	0.0030
			E583520	228.30	229.80	1.50	0.0170	0.0200	0.0040
			E583521	229.80	231.50	1.70	0.0660	0.0450	0.0050

DETAILED LOG

Hole Number: KB-07-142

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
231.50	241.30	PYXT, Pyroxenite Mineralization 231.50 - 241.30
241.30	242.70	MD, Mafic Dike Structure 241.30 - 242.70 : LC Lower Contact, 80 Deg to CA 241.30 - 242.70 : UC Upper Contact, 90 Deg to CA
242.70	248.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 242.70 - 248.20 Structure 242.70 - 248.20 : FOL Foliated, 70 Deg to CA
248.20	272.00	MV, Mafic Volcanic Structure 248.20 - 272.00 : FOL Foliated, 80 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E583522	231.50	232.50	1.00	2.4800	1.3800	0.0900
E583523	232.50	233.50	1.00	3.2600	1.2450	0.0810
E583524	233.50	234.50	1.00	2.8600	1.0700	0.0800
E583525	234.50	235.50	1.00	0.8410	0.5520	0.0230
E583526	235.50	236.50	1.00	0.2460	0.0700	0.0090
E583527	236.50	237.50	1.00	1.0050	0.7190	0.0300
E583528	237.50	238.50	1.00	0.9790	0.4490	0.0280
E583529	238.50	239.50	1.00	2.0800	0.4060	0.0590
E583530	239.50	240.50	1.00	0.5750	0.2660	0.0180
E583531	240.50	241.30	0.80	1.3350	0.1510	0.0400
E583532	241.30	242.70	1.40	0.0280	0.0160	0.0020
E583533	242.70	244.20	1.50	0.0750	0.0210	0.0050
E583534	244.20	245.70	1.50	0.3400	0.2300	0.0140
E583535	245.70	247.20	1.50	0.2950	0.1550	0.0120
E583536	247.20	248.20	1.00	0.4440	0.7020	0.0120
E583537	248.20	249.50	1.30	0.0780	0.0420	0.0050
E583538	249.50	250.70	1.20	0.0080	0.0070	0.0010
E583540	250.70	252.20	1.50	0.0090	0.0080	0.0030
E583541	252.20	253.70	1.50	0.0110	0.0060	0.0040
E583543	253.70	254.60	0.90	0.0070	0.0090	0.0030
E583544	254.60	255.60	1.00	0.0060	0.0025	0.0010

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583501	202.70	204.20	0.0110	0.0110	0.0040
E583502	204.20	205.40	0.0025	0.0050	0.0010
E583503	205.40	206.60	0.0160	0.0280	0.0030
E583504	206.60	208.00	0.4670	0.3620	0.0140
E583505	208.00	209.25	0.1240	0.1220	0.0080
E583506	209.25	210.50	0.1470	0.1000	0.0090
E583507	210.50	211.50	0.0690	0.0070	0.0060
E583508	211.50	213.00	0.1240	0.0490	0.0080
E583509	213.00	214.50	0.0870	0.0240	0.0070
E583510	214.50	216.00	0.1560	0.0650	0.0110
E583511	216.00	217.50	0.0880	0.0280	0.0080

Hole Number: KB-07-142

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E583512	217.50	218.50	0.1400	0.0500	0.0090
E583513	218.50	220.00	0.1810	0.0670	0.0100
E583514	220.00	221.50	0.1020	0.0270	0.0070
E583515	221.50	223.00	0.0880	0.0180	0.0070
E583516	223.00	224.50	0.1340	0.0480	0.0090
E583517	224.50	225.30	0.0090	0.0170	0.0040
E583518	225.30	226.80	0.0090	0.0110	0.0040
E583519	226.80	228.30	0.0080	0.0090	0.0030
E583520	228.30	229.80	0.0170	0.0200	0.0040
E583521	229.80	231.50	0.0660	0.0450	0.0050
E583522	231.50	232.50	2.4800	1.3800	0.0900
E583523	232.50	233.50	3.2600	1.2450	0.0810
E583524	233.50	234.50	2.8600	1.0700	0.0800
E583525	234.50	235.50	0.8410	0.5520	0.0230
E583526	235.50	236.50	0.2460	0.0700	0.0090
E583527	236.50	237.50	1.0050	0.7190	0.0300
E583528	237.50	238.50	0.9790	0.4490	0.0280
E583529	238.50	239.50	2.0800	0.4060	0.0590
E583530	239.50	240.50	0.5750	0.2660	0.0180
E583531	240.50	241.30	1.3350	0.1510	0.0400
E583532	241.30	242.70	0.0280	0.0160	0.0020
E583533	242.70	244.20	0.0750	0.0210	0.0050
E583534	244.20	245.70	0.3400	0.2300	0.0140
E583535	245.70	247.20	0.2950	0.1550	0.0120
E583536	247.20	248.20	0.4440	0.7020	0.0120
E583537	248.20	249.50	0.0780	0.0420	0.0050
E583538	249.50	250.70	0.0080	0.0070	0.0010
E583540	250.70	252.20	0.0090	0.0080	0.0030
E583541	252.20	253.70	0.0110	0.0060	0.0040
E583543	253.70	254.60	0.0070	0.0090	0.0030
E583544	254.60	255.60	0.0060	0.0025	0.0010

DETAILED LOG

Hole Number: KB-07-141

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-46.00
Project Number:	19900	North:	5481320.00	North:	5481320.00	Collar Az:	309.70
Location:	Surface	East:	453948.00	East:	453948.00	Length:	231.00 (m)
		Elev:	399.62	Elev:	399.62	Start Depth:	0.00 (m)
Date Started:	Oct 06, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	231.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	291.60	-45.30	EZ	DO	6058	51.00	309.70	-43.50	EZ	OK	5860
102.00	312.40	-42.30	EZ	OK	6015	150.00	312.20	-41.00	EZ	OK	5853
195.00	309.30	-40.40	EZ	OK	5993	230.00	268.00	-39.90	EZ	DO	5620

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	29.10	MV, Mafic Volcanic							
29.10	51.00	MD, Mafic Dike							
51.00	79.30	FD, Felsic Dike							
79.30	117.30	MV, Mafic Volcanic							
117.30	120.50	FD, Felsic Dike							
120.50	134.00	MV, Mafic Volcanic							
134.00	135.50	MD, Mafic Dike							
135.50	140.70	MV, Mafic Volcanic							
140.70	153.00	TSCH, Talc Schist							
153.00	185.80	PYXT, Pyroxenite Mineralization 153.00 - 185.80 Structure 153.00 - 185.80	E585776	180.00	181.50	1.50	0.0670	0.0025	0.0090
			E585777	181.50	183.00	1.50	0.0910	0.0360	0.0080
			E585778	183.00	184.50	1.50	0.2050	0.2270	0.0090
			E585779	184.50	185.80	1.30	0.2200	0.2160	0.0100
185.80	187.00	MD, Mafic Dike	E585780	185.80	187.00	1.20	0.0150	0.0230	0.0020

DETAILED LOG

Hole Number: KB-07-141

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
187.00	202.00	TSCH, Talc Schist Mineralization 187.00 - 202.00
202.00	204.00	LC, Lost Core
204.00	211.00	TSCH, Talc Schist Mineralization 204.00 - 211.00
211.00	231.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E585781	187.00	188.50	1.50	0.3340	0.3540	0.0130
E585782	188.50	190.00	1.50	0.3250	0.3090	0.0130
E585784	190.00	191.50	1.50	0.0970	0.0170	0.0100
E585785	191.50	193.00	1.50	0.1490	0.0820	0.0110
E585786	193.00	194.50	1.50	0.3100	0.2580	0.0120
E585787	194.50	196.00	1.50	0.1220	0.0790	0.0110
E585788	196.00	197.50	1.50	0.1860	0.1870	0.0110
E585789	197.50	199.00	1.50	0.7770	0.5980	0.0260
E585790	199.00	200.50	1.50	0.5000	0.4570	0.0160
E585791	200.50	202.00	1.50	0.2380	0.2530	0.0100
E585792	204.00	205.50	1.50	0.3240	0.3560	0.0100
E585793	205.50	207.00	1.50	0.5530	0.4930	0.0160
E585795	207.00	208.50	1.50	0.3670	0.4740	0.0110
E585796	208.50	210.00	1.50	0.5280	0.5510	0.0160
E585797	210.00	211.00	1.00	0.1580	0.0940	0.0100
E585798	211.00	212.50	1.50	0.1660	0.1790	0.0080
E585799	212.50	214.00	1.50	0.0160	0.0080	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585776	180.00	181.50	0.0670	0.0025	0.0090
E585777	181.50	183.00	0.0910	0.0360	0.0080
E585778	183.00	184.50	0.2050	0.2270	0.0090
E585779	184.50	185.80	0.2200	0.2160	0.0100
E585780	185.80	187.00	0.0150	0.0230	0.0020
E585781	187.00	188.50	0.3340	0.3540	0.0130
E585782	188.50	190.00	0.3250	0.3090	0.0130
E585784	190.00	191.50	0.0970	0.0170	0.0100
E585785	191.50	193.00	0.1490	0.0820	0.0110
E585786	193.00	194.50	0.3100	0.2580	0.0120
E585787	194.50	196.00	0.1220	0.0790	0.0110
E585788	196.00	197.50	0.1860	0.1870	0.0110
E585789	197.50	199.00	0.7770	0.5980	0.0260
E585790	199.00	200.50	0.5000	0.4570	0.0160
E585791	200.50	202.00	0.2380	0.2530	0.0100
E585792	204.00	205.50	0.3240	0.3560	0.0100
E585793	205.50	207.00	0.5530	0.4930	0.0160

Hole Number: KB-07-141

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E585795	207.00	208.50	0.3670	0.4740	0.0110
E585796	208.50	210.00	0.5280	0.5510	0.0160
E585797	210.00	211.00	0.1580	0.0940	0.0100
E585798	211.00	212.50	0.1660	0.1790	0.0080
E585799	212.50	214.00	0.0160	0.0080	0.0040

DETAILED LOG

Hole Number: KB-07-140

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -46.00
Project Number:	19900	North:	5481339.00		North:	-2652718.62	Collar Az: 306.70
Location:	Surface	East:	453947.80		East:	-1758670.54	Length: 221.00 (m)
		Elev:	401.07		Elev:	401.07	Start Depth: 0.00 (m)
Date Started:	Oct 02, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 221.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	172.50	211.30	38.80	0.3695	0.3678	0.0115
WEIGHTED	174.00	190.50	16.50	0.4638	0.5015	0.0118

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	306.70	-47.00	EZ	OK	6083	50.00	310.90	-46.30	EZ	OK	5870
100.00	309.90	-45.30	EZ	OK	5922	152.00	314.60	-45.00	EZ	DO	5885
218.00	314.20	-43.30	EZ	OK	5906						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	13.40	MV, Mafic Volcanic							
13.40	16.00	FD, Felsic Dike							
16.00	23.65	MV, Mafic Volcanic							
23.65	27.00	FD, Felsic Dike							
27.00	79.90	MV, Mafic Volcanic							
79.90	82.50	FD, Felsic Dike							
82.50	95.40	MV, Mafic Volcanic							
95.40	98.00	FD, Felsic Dike							
98.00	114.00	MV, Mafic Volcanic							
114.00	117.80	MD, Mafic Dike							
117.80	124.60	MV, Mafic Volcanic							
124.60	133.00	TSCH, Talc Schist Mineralization 124.60 - 131.00							

DETAILED LOG

Hole Number: KB-07-140

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
133.00	170.15	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 133.00 - 167.00 Structure 133.00 - 170.15 : STRFOL Strongly Foliated, 45 Deg to CA	585685	165.50	167.00	1.50	0.1240	0.0870	0.0090
			585686	167.00	168.50	1.50	0.1260	0.0880	0.0080
			585687	168.50	170.15	1.65	0.1650	0.1460	0.0070
170.15	171.65	FD, Felsic Dike	585688	170.15	171.00	0.85	0.0070	0.0120	0.0010
			585689	171.00	172.50	1.50	0.1020	0.0420	0.0080
171.65	190.50	PYXT, Pyroxenite Mineralization 171.65 - 190.50 Structure 171.65 - 199.50	585690	172.50	174.00	1.50	0.2000	0.1820	0.0080
			585691	174.00	175.50	1.50	0.8160	0.9660	0.0180
			585692	175.50	177.00	1.50	0.6970	0.9020	0.0150
			585693	177.00	178.50	1.50	0.4490	0.4830	0.0110
			585694	178.50	180.00	1.50	0.3130	0.2680	0.0100
			585695	180.00	181.50	1.50	0.4370	0.4320	0.0110
			585696	181.50	183.00	1.50	0.3530	0.3240	0.0110
			585697	183.00	184.50	1.50	0.2500	0.2380	0.0080
			585699	184.50	186.00	1.50	0.3190	0.2830	0.0090
			585700	186.00	187.50	1.50	0.2950	0.2950	0.0090
			585701	187.50	189.00	1.50	0.4870	0.5220	0.0130
			585702	189.00	190.50	1.50	0.6860	0.8040	0.0150
190.50	193.85	FD, Felsic Dike	585703	190.50	192.00	1.50	0.0450	0.0340	0.0020
			585704	192.00	193.85	1.85	0.0320	0.0320	0.0010
193.85	195.25	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 193.85 - 195.25	585705	193.85	195.25	1.40	0.3920	0.5550	0.0120
195.25	196.00	FD, Felsic Dike	585706	195.25	196.00	0.75	0.0820	0.0230	0.0030
196.00	199.65	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 196.00 - 199.65	585707	196.00	197.50	1.50	0.7950	1.1000	0.0290
			585709	197.50	198.50	1.00	0.0580	0.0310	0.0060
			585710	198.50	199.65	1.15	0.2490	0.1020	0.0180
199.65	203.00	MV, Mafic Volcanic	585711	199.65	201.00	1.35	0.0080	0.0230	0.0050
			585712	201.00	202.00	1.00	0.6030	0.2430	0.0240
			585713	202.00	203.00	1.00	0.0220	0.0170	0.0040
203.00	211.30	TSCH, Talc Schist Mineralization 203.00 - 211.30	585714	203.00	204.50	1.50	0.6830	0.4080	0.0260
			585715	204.50	206.00	1.50	0.3100	0.3100	0.0110
			585716	206.00	207.50	1.50	0.4730	0.3600	0.0120
			585717	207.50	209.00	1.50	0.2700	0.1980	0.0100
			585719	209.00	210.00	1.00	0.3190	0.3370	0.0090
			585721	210.00	211.30	1.30	0.4230	0.3680	0.0090
211.30	221.00	MV, Mafic Volcanic	585722	211.30	212.50	1.20	0.0110	0.0090	0.0020
			585723	212.50	214.00	1.50	0.0140	0.0130	0.0050

Hole Number: KB-07-140

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
585685	165.50	167.00	0.1240	0.0870	0.0090
585686	167.00	168.50	0.1260	0.0880	0.0080
585687	168.50	170.15	0.1650	0.1460	0.0070
585688	170.15	171.00	0.0070	0.0120	0.0010
585689	171.00	172.50	0.1020	0.0420	0.0080
585690	172.50	174.00	0.2000	0.1820	0.0080
585691	174.00	175.50	0.8160	0.9660	0.0180
585692	175.50	177.00	0.6970	0.9020	0.0150
585693	177.00	178.50	0.4490	0.4830	0.0110
585694	178.50	180.00	0.3130	0.2680	0.0100
585695	180.00	181.50	0.4370	0.4320	0.0110
585696	181.50	183.00	0.3530	0.3240	0.0110
585697	183.00	184.50	0.2500	0.2380	0.0080
585699	184.50	186.00	0.3190	0.2830	0.0090
585700	186.00	187.50	0.2950	0.2950	0.0090
585701	187.50	189.00	0.4870	0.5220	0.0130
585702	189.00	190.50	0.6860	0.8040	0.0150
585703	190.50	192.00	0.0450	0.0340	0.0020
585704	192.00	193.85	0.0320	0.0320	0.0010
585705	193.85	195.25	0.3920	0.5550	0.0120
585706	195.25	196.00	0.0820	0.0230	0.0030
585707	196.00	197.50	0.7950	1.1000	0.0290
585709	197.50	198.50	0.0580	0.0310	0.0060
585710	198.50	199.65	0.2490	0.1020	0.0180
585711	199.65	201.00	0.0080	0.0230	0.0050
585712	201.00	202.00	0.6030	0.2430	0.0240
585713	202.00	203.00	0.0220	0.0170	0.0040
585714	203.00	204.50	0.6830	0.4080	0.0260
585715	204.50	206.00	0.3100	0.3100	0.0110
585716	206.00	207.50	0.4730	0.3600	0.0120
585717	207.50	209.00	0.2700	0.1980	0.0100
585719	209.00	210.00	0.3190	0.3370	0.0090
585721	210.00	211.30	0.4230	0.3680	0.0090
585722	211.30	212.50	0.0110	0.0090	0.0020
585723	212.50	214.00	0.0140	0.0130	0.0050

DETAILED LOG

Hole Number: KB-07-139

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-58.10
Project Number:	19900	North:	5481350.00	North:	5481350.00	Collar Az:	302.50
Location:	Surface	East:	453957.70	East:	453957.70	Length:	260.00 (m)
		Elev:	401.67	Elev:	401.67	Start Depth:	0.00 (m)
Date Started:	Sep 29, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	260.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	228.00	241.75	13.75	0.2067	0.1826	0.0101

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	302.00	-58.10	EZ	OK		50.00	304.00	-57.40	EZ	OK	
100.00	306.00	-56.30	EZ	OK		150.00	307.60	-55.40	EZ	OK	
200.00	306.20	-55.60	EZ	OK		260.00	308.40	-54.80	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing Mineralization 0.00 - 2.00 Structure 0 - 2.00							
2.00	12.50	MV, Mafic Volcanic Structure 2.00 - 12.50 carb alteration							
12.50	19.50	MDCHL, Mafic Dike Chloritic							
19.50	93.00	MV, Mafic Volcanic Structure 19.50 - 93.00 strong carbonste							
93.00	96.40	FD, Felsic Dike							
96.40	108.20	MV, Mafic Volcanic Structure 96.40 - 108.20							
108.20	109.50	FD, Felsic Dike							

DETAILED LOG

Hole Number: KB-07-139

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
109.50	140.20	MV, Mafic Volcanic Structure 109.50 - 140.20							
140.20	145.50	MD, Mafic Dike							
145.50	163.20	MV, Mafic Volcanic Structure 145.50 - 163.20	394674	161.00	162.00	1.00	0.0280	0.0160	0.0060
			394675	162.00	163.20	1.20	0.0090	0.0090	0.0040
163.20	166.90	PYXT, Pyroxenite Mineralization 163.20 - 166.90 Structure 163.20 - 166.90 : STRFOL Strongly Foliated, 40 Deg to CA	394676	163.20	164.50	1.30	0.1350	0.0940	0.0100
			394677	164.50	165.50	1.00	0.0570	0.0090	0.0080
			394678	165.50	166.90	1.40	0.0480	0.0080	0.0070
166.90	167.60	MD, Mafic Dike	394679	166.90	167.60	0.70	0.0170	0.0060	0.0040
167.60	191.15	TSCH, Talc Schist Mineralization 167.60 - 168.30 168.30 - 191.15 Structure 167.60 - 191.15 : STRFOL Strongly Foliated, 40 Deg to CA	394680	167.60	169.00	1.40	0.0100	0.0025	0.0030
			394681	169.00	170.50	1.50	0.0370	0.0070	0.0050
			394683	170.50	172.00	1.50	0.0470	0.0050	0.0060
			394684	172.00	173.50	1.50	0.0650	0.0050	0.0080
			394685	173.50	175.00	1.50	0.0640	0.0050	0.0070
			394686	175.00	176.50	1.50	0.0650	0.0060	0.0090
			394687	176.50	178.00	1.50	0.0640	0.0025	0.0080
			394688	178.00	179.50	1.50	0.0590	0.0070	0.0080
			394689	179.50	181.00	1.50	0.0480	0.0080	0.0070
			394690	181.00	182.50	1.50	0.0600	0.0050	0.0070
			394692	182.50	184.00	1.50	0.0660	0.0070	0.0070
			394693	184.00	185.50	1.50	0.0660	0.0080	0.0080
			394694	185.50	187.00	1.50	0.0600	0.0070	0.0080
			394695	187.00	188.50	1.50	0.0650	0.0060	0.0090
			394696	188.50	190.00	1.50	0.0620	0.0050	0.0070
			394697	190.00	191.65	1.65	0.0690	0.0060	0.0070
191.15	196.60	MD, Mafic Dike	394698	191.65	193.00	1.35	0.0080	0.0060	0.0030
			394699	193.00	194.50	1.50	0.0050	0.0050	0.0020
			394700	194.50	195.50	1.00	0.0025	0.0060	0.0020
			394701	195.50	196.60	1.10	0.0025	0.0070	0.0030
196.60	198.30	TSCH, Talc Schist Mineralization 196.60 - 198.30 Structure 196.60 - 198.30 : STRFOL Strongly Foliated, 45.04 Deg to CA	394702	196.60	198.30	1.70	0.0630	0.0080	0.0090

Hole Number: KB-07-139

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
198.30	223.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 198.30 - 223.90 Structure 198.30 - 223.90 : STRFOL Strongly Foliated, 60 Deg to CA
223.90	225.00	MD, Mafic Dike
225.00	241.75	TSCH, Talc Schist Mineralization 225.00 - 241.75 Structure 225.00 - 241.75 : STRUC Structure, 50 Deg to CA
241.75	260.00	MV, Mafic Volcanic moderate carbonate

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
394703	198.30	199.50	1.20	0.0600	0.0025	0.0080
394704	199.50	201.00	1.50	0.0650	0.0050	0.0090
394706	201.00	202.50	1.50	0.0610	0.0080	0.0090
394707	202.50	204.00	1.50	0.0560	0.0060	0.0080
394708	204.00	205.50	1.50	0.0590	0.0060	0.0080
394709	205.50	207.00	1.50	0.0610	0.0050	0.0070
394710	207.00	208.50	1.50	0.0640	0.0090	0.0090
394711	208.50	210.00	1.50	0.0630	0.0025	0.0080
394713	210.00	211.50	1.50	0.0620	0.0025	0.0090
394714	211.50	213.00	1.50	0.0610	0.0050	0.0080
394715	213.00	214.50	1.50	0.0580	0.0025	0.0070
394716	214.50	216.00	1.50	0.0620	0.0025	0.0080
394717	216.00	217.50	1.50	0.1160	0.0710	0.0090
394718	217.50	219.00	1.50	0.3990	0.2830	0.0130
394719	219.00	220.50	1.50	0.0880	0.0025	0.0080
394720	220.50	222.00	1.50	0.1520	0.0780	0.0120
394721	222.00	223.90	1.90	0.1670	0.0920	0.0100
394722	223.90	225.00	1.10	0.0140	0.0090	0.0030
394724	225.00	226.50	1.50	0.1720	0.1550	0.0090
394725	226.50	228.00	1.50	0.1830	0.1850	0.0090
394726	228.00	229.50	1.50	0.2070	0.2110	0.0100
394727	229.50	231.00	1.50	0.2220	0.1460	0.0100
394728	231.00	232.50	1.50	0.1100	0.0500	0.0090
394729	232.50	234.00	1.50	0.2100	0.1600	0.0100
394730	234.00	235.50	1.50	0.2440	0.2270	0.0130
394731	235.50	237.00	1.50	0.2070	0.1020	0.0100
394732	237.00	238.50	1.50	0.1450	0.1410	0.0090
394734	238.50	240.00	1.50	0.2590	0.2930	0.0110
394735	240.00	241.75	1.75	0.2490	0.2950	0.0090
394736	241.75	243.00	1.25	0.0740	0.0860	0.0060
394737	243.00	244.00	1.00	0.0580	0.0750	0.0070

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394674	161.00	162.00	0.0280	0.0160	0.0060
394675	162.00	163.20	0.0090	0.0090	0.0040
394676	163.20	164.50	0.1350	0.0940	0.0100
394677	164.50	165.50	0.0570	0.0090	0.0080
394678	165.50	166.90	0.0480	0.0080	0.0070
394679	166.90	167.60	0.0170	0.0060	0.0040

Hole Number: KB-07-139

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394680	167.60	169.00	0.0100	0.0025	0.0030
394681	169.00	170.50	0.0370	0.0070	0.0050
394683	170.50	172.00	0.0470	0.0050	0.0060
394684	172.00	173.50	0.0650	0.0050	0.0080
394685	173.50	175.00	0.0640	0.0050	0.0070
394686	175.00	176.50	0.0650	0.0060	0.0090
394687	176.50	178.00	0.0640	0.0025	0.0080
394688	178.00	179.50	0.0590	0.0070	0.0080
394689	179.50	181.00	0.0480	0.0080	0.0070
394690	181.00	182.50	0.0600	0.0050	0.0070
394692	182.50	184.00	0.0660	0.0070	0.0070
394693	184.00	185.50	0.0660	0.0080	0.0080
394694	185.50	187.00	0.0600	0.0070	0.0080
394695	187.00	188.50	0.0650	0.0060	0.0090
394696	188.50	190.00	0.0620	0.0050	0.0070
394697	190.00	191.65	0.0690	0.0060	0.0070
394698	191.65	193.00	0.0080	0.0060	0.0030
394699	193.00	194.50	0.0050	0.0050	0.0020
394700	194.50	195.50	0.0025	0.0060	0.0020
394701	195.50	196.60	0.0025	0.0070	0.0030
394702	196.60	198.30	0.0630	0.0080	0.0090
394703	198.30	199.50	0.0600	0.0025	0.0080
394704	199.50	201.00	0.0650	0.0050	0.0090
394706	201.00	202.50	0.0610	0.0080	0.0090
394707	202.50	204.00	0.0560	0.0060	0.0080
394708	204.00	205.50	0.0590	0.0060	0.0080
394709	205.50	207.00	0.0610	0.0050	0.0070
394710	207.00	208.50	0.0640	0.0090	0.0090
394711	208.50	210.00	0.0630	0.0025	0.0080
394713	210.00	211.50	0.0620	0.0025	0.0090
394714	211.50	213.00	0.0610	0.0050	0.0080
394715	213.00	214.50	0.0580	0.0025	0.0070
394716	214.50	216.00	0.0620	0.0025	0.0080
394717	216.00	217.50	0.1160	0.0710	0.0090
394718	217.50	219.00	0.3990	0.2830	0.0130
394719	219.00	220.50	0.0880	0.0025	0.0080
394720	220.50	222.00	0.1520	0.0780	0.0120

Hole Number: KB-07-139

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394721	222.00	223.90	0.1670	0.0920	0.0100
394722	223.90	225.00	0.0140	0.0090	0.0030
394724	225.00	226.50	0.1720	0.1550	0.0090
394725	226.50	228.00	0.1830	0.1850	0.0090
394726	228.00	229.50	0.2070	0.2110	0.0100
394727	229.50	231.00	0.2220	0.1460	0.0100
394728	231.00	232.50	0.1100	0.0500	0.0090
394729	232.50	234.00	0.2100	0.1600	0.0100
394730	234.00	235.50	0.2440	0.2270	0.0130
394731	235.50	237.00	0.2070	0.1020	0.0100
394732	237.00	238.50	0.1450	0.1410	0.0090
394734	238.50	240.00	0.2590	0.2930	0.0110
394735	240.00	241.75	0.2490	0.2950	0.0090
394736	241.75	243.00	0.0740	0.0860	0.0060
394737	243.00	244.00	0.0580	0.0750	0.0070

DETAILED LOG

Hole Number: KB-07-138 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.00
Project Number:	19900	North: 5481362.00			North: 5481362.00		Collar Az: 310.60
Location:	Surface	East: 453967.40			East: 453967.40		Length: 239.00 (m)
		Elev: 402.27			Elev: 402.27		Start Depth: 0.00 (m)
Date Started:	Sep 25, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 239.00 (m)
Date Completed:	Sep 27, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	143.90	146.40	2.50	1.0557	0.4503	0.0219
WEIGHTED	143.90	155.15	11.25	0.6654	0.2766	0.0181
WEIGHTED	149.55	152.00	2.45	1.0612	0.4466	0.0291
WEIGHTED	207.45	217.00	9.55	0.3898	0.3440	0.0123

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	303.70	-46.80	EZ	DO	5937	50.00	310.60	-45.70	EZ	OK	5804
101.00	311.30	-44.50	EZ	OK	5806	152.00	312.50	-44.20	EZ	OK	5436
200.00	311.60	-44.00	EZ	OK	5840	239.00	314.20	-42.80	EZ	OK	5021

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	2.90	MV, Mafic Volcanic Mineralization 2.00 - 2.90 Structure 2.00 - 2.90 : MODFOL Moderately Foliated, 50 Deg to CA							
2.90	12.50	MDCHL, Mafic Dike Chloritic Mineralization 2.90 - 12.50 Structure 2.90 - 12.50 : MODFOL Moderately Foliated, 50 Deg to CA							

Hole Number: KB-07-138 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
12.50	18.30	MV, Mafic Volcanic Mineralization 12.50 - 18.30 Structure 12.50 - 18.30 : MODFOL Moderately Foliated, 50 Deg to CA 12.50 - 18.30 : UC Upper Contact, 45 Deg to CA							
18.30	22.90	MDCHL, Mafic Dike Chloritic Mineralization 18.30 - 22.90 Structure 18.30 - 22.90 18.30 - 22.90 : UC Upper Contact, 35 Deg to CA							
22.90	33.55	MV, Mafic Volcanic Mineralization 22.90 - 33.55 Structure 22.90 - 33.55 : MODFOL Moderately Foliated, 45 Deg to CA							
33.55	34.10	MD, Mafic Dike Mineralization 33.55 - 34.10 Structure 33.55 - 34.10 33.55 - 34.10 : UC Upper Contact, 45 Deg to CA							
34.10	37.70	MV, Mafic Volcanic Mineralization 34.10 - 37.70 Structure 34.10 - 37.70 : MODFOL Moderately Foliated, 45 Deg to CA 34.10 - 37.70 : UC Upper Contact, 40 Deg to CA							
37.70	38.50	MD, Mafic Dike Mineralization 37.70 - 38.50 Structure 37.70 - 38.50 37.70 - 38.50 : UC Upper Contact, 30 Deg to CA							
38.50	46.80	MV, Mafic Volcanic Mineralization 38.50 - 46.80 Structure 38.50 - 46.80 : MODFOL Moderately Foliated, 45 Deg to CA 38.50 - 46.80 : UC Upper Contact, 35 Deg to CA							

Hole Number: KB-07-138

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
46.80	47.80	FD, Felsic Dike Mineralization 46.80 - 47.80 Structure 46.80 - 47.80 : MODFOL Moderately Foliated, 50 Deg to CA 46.80 - 47.80 : UC Upper Contact, 45 Deg to CA							
47.80	51.10	MV, Mafic Volcanic Mineralization 47.80 - 51.10 Structure 47.80 - 51.10 : MODFOL Moderately Foliated, 50 Deg to CA 47.80 - 51.10 : UC Upper Contact, 45 Deg to CA							
51.10	53.90	FD, Felsic Dike Mineralization 51.10 - 53.90 Structure 51.10 - 53.90 : MODFOL Moderately Foliated, 50 Deg to CA 51.10 - 53.90 : UC Upper Contact, 50 Deg to CA							
53.90	59.40	MV, Mafic Volcanic Mineralization 53.90 - 59.40 Structure 53.90 - 59.40 : MODFOL Moderately Foliated, 45 Deg to CA 53.90 - 59.40 : UC Upper Contact, 50 Deg to CA							
59.40	60.80	MD, Mafic Dike Mineralization 59.40 - 60.80 Structure 59.40 - 60.80							
60.80	63.60	MV, Mafic Volcanic Mineralization 60.80 - 63.60 Structure 60.80 - 63.60 : MODFOL Moderately Foliated, 45 Deg to CA 60.80 - 63.60 : UC Upper Contact, 50 Deg to CA							
63.60	64.10	FD, Felsic Dike Mineralization 63.60 - 64.10 Structure 63.60 - 64.10							

Hole Number: KB-07-138 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
64.10	117.65	MV, Mafic Volcanic Mineralization 64.10 - 116.00 116.00 - 117.65 Structure 64.10 - 117.65 : MODFOL Moderately Foliated, 45 Deg to CA 64.10 - 117.65 : UC Upper Contact, 30 Deg to CA	394472	113.00	114.00	1.00	0.0090	0.0130	0.0050
			394473	114.00	115.00	1.00	0.0180	0.0150	0.0050
			394474	115.00	116.00	1.00	0.0110	0.0170	0.0050
			394475	116.00	117.00	1.00	0.0300	0.0490	0.0060
			394476	117.00	117.65	0.65	0.0650	0.0690	0.0060
117.65	122.10	TSCH, Talc Schist Mineralization 117.65 - 122.10 Structure 117.65 - 122.10 : STRFOL Strongly Foliated, 30 Deg to CA 117.65 - 122.10 : UC Upper Contact, 30 Deg to CA	394477	117.65	119.00	1.35	0.1550	0.0970	0.0100
			394478	119.00	120.00	1.00	0.0620	0.0025	0.0070
			394479	120.00	121.00	1.00	0.0690	0.0070	0.0080
			394480	121.00	122.10	1.10	0.0680	0.0060	0.0080
122.10	122.80	MDCHL, Mafic Dike Chloritic Mineralization 122.10 - 122.80 Structure 122.10 - 122.80 : MODFOL Moderately Foliated, 30 Deg to CA 122.10 - 122.80 : UC Upper Contact, 25 Deg to CA	394481	122.10	122.80	0.70	0.0100	0.0050	0.0040
122.80	127.00	TSCH, Talc Schist Mineralization 122.80 - 127.00 Structure 122.80 - 127.00 : STRFOL Strongly Foliated, 30 Deg to CA 122.80 - 127.00 : UC Upper Contact, 30 Deg to CA	394482	122.80	124.00	1.20	0.0600	0.0050	0.0070
			394483	124.00	125.00	1.00	0.0500	0.0025	0.0070
			394484	125.00	126.00	1.00	0.0640	0.0090	0.0070
			394485	126.00	127.00	1.00	0.0630	0.0090	0.0080

Hole Number: KB-07-138 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
127.00	146.40	PYXT, Pyroxenite Mineralization 127.00 - 141.50 141.50 - 142.70 142.70 - 143.90 143.90 - 146.40 Structure 127.00 - 146.40 : STRFOL Strongly Foliated, 40 Deg to CA	394486	127.00	128.00	1.00	0.0650	0.0060	0.0090
			394487	128.00	129.00	1.00	0.0670	0.0050	0.0080
			394488	129.00	130.00	1.00	0.0690	0.0080	0.0080
			394489	130.00	131.00	1.00	0.0690	0.0080	0.0080
			394490	131.00	132.00	1.00	0.0710	0.0080	0.0080
			394491	132.00	133.00	1.00	0.0690	0.0080	0.0090
			394492	133.00	134.00	1.00	0.0630	0.0080	0.0070
			394493	134.00	135.00	1.00	0.0670	0.0100	0.0080
			394494	135.00	136.00	1.00	0.0650	0.0070	0.0070
			394495	136.00	137.00	1.00	0.0720	0.0100	0.0090
			394496	137.00	138.00	1.00	0.0710	0.0070	0.0080
			394497	138.00	139.00	1.00	0.0680	0.0090	0.0080
			394498	139.00	140.00	1.00	0.0690	0.0100	0.0080
			394499	140.00	141.50	1.50	0.0720	0.0060	0.0080
			394500	141.50	142.70	1.20	0.1560	0.1620	0.0090
			394501	142.70	143.90	1.20	0.0530	0.0130	0.0070
			394502	143.90	145.00	1.10	0.8020	0.5550	0.0180
			394503	145.00	146.40	1.40	1.2550	0.3680	0.0250
146.40	149.55	GAB, Gabbro Mineralization 146.40 - 149.55 Structure 146.40 - 149.55	394505	146.40	148.00	1.60	0.2260	0.0790	0.0100
			394506	148.00	149.55	1.55	0.0630	0.0240	0.0060
149.55	152.65	PYXT, Pyroxenite Mineralization 149.55 - 152.65 Structure 149.55 - 152.65	394507	149.55	151.00	1.45	1.1400	0.4360	0.0320
			394508	151.00	152.00	1.00	0.9470	0.4620	0.0250
			394509	152.00	152.65	0.65	0.6600	0.3520	0.0210
152.65	155.15	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 152.65 - 155.15 Structure 152.65 - 155.15	394511	152.65	154.00	1.35	0.1840	0.0820	0.0070
			394512	154.00	155.15	1.15	0.9650	0.3380	0.0250
155.15	158.50	GAB, Gabbro Mineralization 155.15 - 158.50 Structure 155.15 - 158.50	394513	155.15	156.00	0.85	0.0650	0.0530	0.0050
			394514	156.00	157.00	1.00	0.0260	0.0170	0.0050
			394515	157.00	158.50	1.50	0.0470	0.0440	0.0040

Hole Number: KB-07-138 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
158.50	159.50	FD, Felsic Dike Mineralization 158.50 - 159.50 Structure 158.50 - 159.50 158.50 - 159.50 : UC Upper Contact, 40 Deg to CA	394516	158.50	159.50	1.00	0.0050	0.0060	0.0010
159.50	164.85	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 159.50 - 164.85 Structure 159.50 - 164.85	394517	159.50	161.00	1.50	0.0290	0.0230	0.0040
			394518	161.00	162.00	1.00	0.0290	0.0180	0.0050
			394519	162.00	163.00	1.00	0.2220	0.2670	0.0100
			394520	163.00	164.00	1.00	0.1690	0.0490	0.0100
			394521	164.00	164.85	0.85	0.1390	0.0660	0.0070
164.85	168.65	GAB, Gabbro Mineralization 164.85 - 168.65 Structure 164.85 - 168.65	394522	164.85	166.00	1.15	0.0230	0.0150	0.0040
			394523	166.00	167.00	1.00	0.0230	0.0110	0.0040
			394524	167.00	168.00	1.00	0.0220	0.0150	0.0040
			394525	168.00	168.65	0.65	0.0220	0.0090	0.0040
168.65	178.20	GABPYXT, Gabbro Pyroxenite Dikes 171-173m: ground 40cm core Mineralization 168.65 - 178.20 Structure 168.65 - 178.20	394526	168.65	170.00	1.35	0.0270	0.0150	0.0050
			394528	170.00	171.00	1.00	0.1010	0.0190	0.0070
			394529	171.00	172.25	1.25	0.0400	0.0330	0.0050
			394530	172.25	173.00	0.75	0.1260	0.0800	0.0070
			394531	173.00	174.00	1.00	0.0480	0.0400	0.0040
			394532	174.00	175.00	1.00	0.1340	0.0800	0.0070
			394533	175.00	176.00	1.00	0.1460	0.0650	0.0070
			394534	176.00	177.00	1.00	0.4200	0.1440	0.0160
			394535	177.00	178.20	1.20	0.0640	0.0390	0.0050
178.20	181.40	GAB, Gabbro Mineralization 178.20 - 181.40 Structure 178.20 - 181.40	394536	178.20	179.00	0.80	0.0400	0.0290	0.0040
			394537	179.00	180.00	1.00	0.0250	0.0190	0.0050
			394538	180.00	181.40	1.40	0.0300	0.0170	0.0050
181.40	187.80	MV, Mafic Volcanic loc pyxt Mineralization 181.40 - 187.80 Structure 181.40 - 187.80 : MODFOL Moderately Foliated, 40 Deg to CA	394539	181.40	183.00	1.60	0.0190	0.0100	0.0040
			394540	183.00	184.50	1.50	0.0660	0.0280	0.0050
			394541	184.50	186.00	1.50	0.1080	0.0640	0.0060
			394542	186.00	187.80	1.80	0.0380	0.0340	0.0020

Hole Number: KB-07-138

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
187.80	189.20	MDCHL, Mafic Dike Chloritic Mineralization 187.80 - 189.20 Structure 187.80 - 189.20 : MODFOL Moderately Foliated, 50 Deg to CA 187.80 - 189.20 : UC Upper Contact, 50 Deg to CA	394543	187.80	189.20	1.40	0.0050	0.0050	0.0010
189.20	194.05	MV, Mafic Volcanic Mineralization 189.20 - 194.05 Structure 189.20 - 194.05 : MODFOL Moderately Foliated, 40 Deg to CA	394544	189.20	190.00	0.80	0.0520	0.0600	0.0050
			394545	190.00	191.50	1.50	0.1210	0.1030	0.0070
			394546	191.50	193.00	1.50	0.0150	0.0170	0.0050
			394547	193.00	194.05	1.05	0.0100	0.0100	0.0040
194.05	202.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 194.05 - 198.60 198.65 - 202.80 Structure 194.05 - 202.80	394548	194.05	195.00	0.95	0.0320	0.0240	0.0040
			394549	195.00	196.00	1.00	0.0100	0.0140	0.0040
			394550	196.00	197.00	1.00	0.0100	0.0160	0.0040
			394551	197.00	198.00	1.00	0.4590	0.1770	0.0150
			394552	198.00	198.60	0.60	0.8960	0.2350	0.0250
			394553	198.60	200.00	1.40	0.0560	0.0330	0.0060
			394554	200.00	201.00	1.00	0.0250	0.0120	0.0050
			394555	201.00	202.00	1.00	0.0270	0.0090	0.0050
			394556	202.00	202.80	0.80	0.0240	0.0120	0.0050
202.80	203.35	MD, Mafic Dike Mineralization 202.80 - 203.35 Structure 202.80 - 203.35 202.80 - 203.35	394557	202.80	203.35	0.55	0.0330	0.0150	0.0030
203.35	206.70	PYXT, Pyroxenite with mv Mineralization 203.35 - 206.70 Structure 203.35 - 206.70 203.35 - 206.70 : STRUC Structure, 45 Deg to CA	394558	203.35	204.00	0.65	0.5410	0.1660	0.0130
			394559	204.00	205.00	1.00	0.2350	0.1190	0.0100
			394560	205.00	206.00	1.00	0.0960	0.0490	0.0080
			394561	206.00	206.70	0.70	0.1940	0.0800	0.0100
206.70	207.45	MDCHL, Mafic Dike Chloritic Mineralization 206.70 - 207.45 Structure 206.70 - 207.45 : MODFOL Moderately Foliated, 50 Deg to CA 206.70 - 207.45 : UC Upper Contact, 50 Deg to CA	394562	206.70	207.45	0.75	0.0460	0.0150	0.0030

Hole Number: KB-07-138

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
207.45	219.10	TSCH, Talc Schist Mineralization 207.45 - 212.00 212.00 - 219.10 Structure 207.45 - 219.10 207.45 - 219.10 : STRFOL Strongly Foliated, 50 Deg to CA
219.10	239.00	MV, Mafic Volcanic Mineralization 219.10 - 239.00 Structure 219.10 - 239.00 : MODFOL Moderately Foliated, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
394563	207.45	208.00	0.55	0.3240	0.2300	0.0120
394564	208.00	209.00	1.00	0.3980	0.3520	0.0140
394566	209.00	210.00	1.00	0.6160	0.5800	0.0150
394567	210.00	211.00	1.00	0.3920	0.3250	0.0120
394568	211.00	212.00	1.00	0.7530	0.7320	0.0160
394569	212.00	213.00	1.00	0.3720	0.3270	0.0120
394570	213.00	214.00	1.00	0.2370	0.2000	0.0100
394571	214.00	215.00	1.00	0.1670	0.0730	0.0100
394572	215.00	216.00	1.00	0.1050	0.0210	0.0080
394573	216.00	217.00	1.00	0.5040	0.5490	0.0140
394574	217.00	218.00	1.00	0.1600	0.1840	0.0090
394575	218.00	219.10	1.10	0.1280	0.0850	0.0070
394577	219.10	220.00	0.90	0.0120	0.0080	0.0030
394578	220.00	221.00	1.00	0.0050	0.0050	0.0020
394579	221.00	222.00	1.00	0.0120	0.0100	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394472	113.00	114.00	0.0090	0.0130	0.0050
394473	114.00	115.00	0.0180	0.0150	0.0050
394474	115.00	116.00	0.0110	0.0170	0.0050
394475	116.00	117.00	0.0300	0.0490	0.0060
394476	117.00	117.65	0.0650	0.0690	0.0060
394477	117.65	119.00	0.1550	0.0970	0.0100
394478	119.00	120.00	0.0620	0.0025	0.0070
394479	120.00	121.00	0.0690	0.0070	0.0080
394480	121.00	122.10	0.0680	0.0060	0.0080
394481	122.10	122.80	0.0100	0.0050	0.0040
394482	122.80	124.00	0.0600	0.0050	0.0070
394483	124.00	125.00	0.0500	0.0025	0.0070
394484	125.00	126.00	0.0640	0.0090	0.0070
394485	126.00	127.00	0.0630	0.0090	0.0080
394486	127.00	128.00	0.0650	0.0060	0.0090
394487	128.00	129.00	0.0670	0.0050	0.0080
394488	129.00	130.00	0.0690	0.0080	0.0080
394489	130.00	131.00	0.0690	0.0080	0.0080

Hole Number: KB-07-138

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394490	131.00	132.00	0.0710	0.0080	0.0080
394491	132.00	133.00	0.0690	0.0080	0.0090
394492	133.00	134.00	0.0630	0.0080	0.0070
394493	134.00	135.00	0.0670	0.0100	0.0080
394494	135.00	136.00	0.0650	0.0070	0.0070
394495	136.00	137.00	0.0720	0.0100	0.0090
394496	137.00	138.00	0.0710	0.0070	0.0080
394497	138.00	139.00	0.0680	0.0090	0.0080
394498	139.00	140.00	0.0690	0.0100	0.0080
394499	140.00	141.50	0.0720	0.0060	0.0080
394500	141.50	142.70	0.1560	0.1620	0.0090
394501	142.70	143.90	0.0530	0.0130	0.0070
394502	143.90	145.00	0.8020	0.5550	0.0180
394503	145.00	146.40	1.2550	0.3680	0.0250
394505	146.40	148.00	0.2260	0.0790	0.0100
394506	148.00	149.55	0.0630	0.0240	0.0060
394507	149.55	151.00	1.1400	0.4360	0.0320
394508	151.00	152.00	0.9470	0.4620	0.0250
394509	152.00	152.65	0.6600	0.3520	0.0210
394511	152.65	154.00	0.1840	0.0820	0.0070
394512	154.00	155.15	0.9650	0.3380	0.0250
394513	155.15	156.00	0.0650	0.0530	0.0050
394514	156.00	157.00	0.0260	0.0170	0.0050
394515	157.00	158.50	0.0470	0.0440	0.0040
394516	158.50	159.50	0.0050	0.0060	0.0010
394517	159.50	161.00	0.0290	0.0230	0.0040
394518	161.00	162.00	0.0290	0.0180	0.0050
394519	162.00	163.00	0.2220	0.2670	0.0100
394520	163.00	164.00	0.1690	0.0490	0.0100
394521	164.00	164.85	0.1390	0.0660	0.0070
394522	164.85	166.00	0.0230	0.0150	0.0040
394523	166.00	167.00	0.0230	0.0110	0.0040
394524	167.00	168.00	0.0220	0.0150	0.0040
394525	168.00	168.65	0.0220	0.0090	0.0040
394526	168.65	170.00	0.0270	0.0150	0.0050
394528	170.00	171.00	0.1010	0.0190	0.0070
394529	171.00	172.25	0.0400	0.0330	0.0050

Hole Number: KB-07-138

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394530	172.25	173.00	0.1260	0.0800	0.0070
394531	173.00	174.00	0.0480	0.0400	0.0040
394532	174.00	175.00	0.1340	0.0800	0.0070
394533	175.00	176.00	0.1460	0.0650	0.0070
394534	176.00	177.00	0.4200	0.1440	0.0160
394535	177.00	178.20	0.0640	0.0390	0.0050
394536	178.20	179.00	0.0400	0.0290	0.0040
394537	179.00	180.00	0.0250	0.0190	0.0050
394538	180.00	181.40	0.0300	0.0170	0.0050
394539	181.40	183.00	0.0190	0.0100	0.0040
394540	183.00	184.50	0.0660	0.0280	0.0050
394541	184.50	186.00	0.1080	0.0640	0.0060
394542	186.00	187.80	0.0380	0.0340	0.0020
394543	187.80	189.20	0.0050	0.0050	0.0010
394544	189.20	190.00	0.0520	0.0600	0.0050
394545	190.00	191.50	0.1210	0.1030	0.0070
394546	191.50	193.00	0.0150	0.0170	0.0050
394547	193.00	194.05	0.0100	0.0100	0.0040
394548	194.05	195.00	0.0320	0.0240	0.0040
394549	195.00	196.00	0.0100	0.0140	0.0040
394550	196.00	197.00	0.0100	0.0160	0.0040
394551	197.00	198.00	0.4590	0.1770	0.0150
394552	198.00	198.60	0.8960	0.2350	0.0250
394553	198.60	200.00	0.0560	0.0330	0.0060
394554	200.00	201.00	0.0250	0.0120	0.0050
394555	201.00	202.00	0.0270	0.0090	0.0050
394556	202.00	202.80	0.0240	0.0120	0.0050
394557	202.80	203.35	0.0330	0.0150	0.0030
394558	203.35	204.00	0.5410	0.1660	0.0130
394559	204.00	205.00	0.2350	0.1190	0.0100
394560	205.00	206.00	0.0960	0.0490	0.0080
394561	206.00	206.70	0.1940	0.0800	0.0100
394562	206.70	207.45	0.0460	0.0150	0.0030
394563	207.45	208.00	0.3240	0.2300	0.0120
394564	208.00	209.00	0.3980	0.3520	0.0140
394566	209.00	210.00	0.6160	0.5800	0.0150
394567	210.00	211.00	0.3920	0.3250	0.0120

Hole Number: KB-07-138

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394568	211.00	212.00	0.7530	0.7320	0.0160
394569	212.00	213.00	0.3720	0.3270	0.0120
394570	213.00	214.00	0.2370	0.2000	0.0100
394571	214.00	215.00	0.1670	0.0730	0.0100
394572	215.00	216.00	0.1050	0.0210	0.0080
394573	216.00	217.00	0.5040	0.5490	0.0140
394574	217.00	218.00	0.1600	0.1840	0.0090
394575	218.00	219.10	0.1280	0.0850	0.0070
394577	219.10	220.00	0.0120	0.0080	0.0030
394578	220.00	221.00	0.0050	0.0050	0.0020
394579	221.00	222.00	0.0120	0.0100	0.0040

DETAILED LOG

Hole Number: KB-07-137 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.00
Project Number:	19900	North:	5481375.00		North:	5481375.00	Collar Az: 309.20
Location:	Surface	East:	453973.30		East:	453973.30	Length: 230.00 (m)
		Elev:	402.24		Elev:	402.24	Start Depth: 0.00 (m)
Date Started:	Sep 23, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 230.00 (m)
Date Completed:	Sep 25, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	301.70	-46.90	EZ	DO		50.00	309.20	-44.20	EZ	OK	5813
101.00	309.20	-40.70	EZ	OK	5801	152.00	310.70	-39.80	EZ	OK	5835
200.00	325.40	-38.40	EZ	DO	5656	230.00	309.20	-37.70	EZ	OK	5771

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.20	CAS, Casing							
3.20	5.90	MV, Mafic Volcanic Mineralization 3.20 - 5.90 Structure 3.20 - 5.90 3.20 - 5.90 : MODFOL Moderately Foliated, 40 Deg to CA							
5.90	7.30	FD, Felsic Dike Mineralization 5.90 - 7.30 Structure 5.90 - 7.30							
7.30	11.50	MV, Mafic Volcanic Mineralization 7.30 - 11.50 Structure 7.30 - 11.50 : MODFOL Moderately Foliated, 40 Deg to CA							

Hole Number: KB-07-137

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.50	13.75	MDCHL, Mafic Dike Chloritic Mineralization 11.50 - 13.75 Structure 11.50 - 13.75 11.50 - 13.75 : UC Upper Contact, 50 Deg to CA							
13.75	35.35	MV, Mafic Volcanic Mineralization 13.75 - 35.35 Structure 13.75 - 35.35 13.75 - 35.35 : UC Upper Contact, 60 Deg to CA							
35.35	36.80	FD, Felsic Dike Mineralization 35.35 - 36.80 Structure 35.35 - 36.80 35.35 - 36.80 : UC Upper Contact, 55 Deg to CA							
36.80	52.40	MV, Mafic Volcanic Mineralization 36.80 - 52.40 Structure 36.80 - 52.40 : MODFOL Moderately Foliated, 55 Deg to CA							
52.40	53.25	MD, Mafic Dike Mineralization 52.40 - 53.25 Structure 52.40 - 53.25 52.40 - 53.25 : UC Upper Contact, 45 Deg to CA							
53.25	62.50	MV, Mafic Volcanic Mineralization 53.25 - 62.50 Structure 53.25 - 62.50 : MODFOL Moderately Foliated, 45 Deg to CA							
62.50	65.00	MD, Mafic Dike Mineralization 62.50 - 65.00 Structure 62.50 - 65.00							

Hole Number: KB-07-137 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
65.00	66.00	MV, Mafic Volcanic Mineralization 65.00 - 66.00 Structure 65.00 - 66.00 : MODFOL Moderately Foliated, 45 Deg to CA 65.00 - 66.00 : UC Upper Contact, 50 Deg to CA							
66.00	66.55	MD, Mafic Dike Mineralization 66.00 - 66.55 Structure 66.00 - 66.55 66.00 - 66.55 : UC Upper Contact, 50 Deg to CA							
66.55	67.75	MV, Mafic Volcanic Mineralization 66.55 - 67.75 Structure 66.55 - 67.75 : MAS Massive, 50 Deg to CA 66.55 - 67.75 : UC Upper Contact, 50 Deg to CA							
67.75	68.40	MD, Mafic Dike Mineralization 67.75 - 68.40 Structure 67.75 - 68.40							
68.40	69.30	MV, Mafic Volcanic Mineralization 68.40 - 69.30 Structure 68.40 - 69.30 : MODFOL Moderately Foliated, 50 Deg to CA							
69.30	73.10	MD, Mafic Dike Mineralization 69.30 - 73.10 Structure 69.30 - 73.10							
73.10	74.10	MV, Mafic Volcanic Mineralization 73.10 - 74.10 Structure 73.10 - 74.10 : MODFOL Moderately Foliated, 50 Deg to CA							

Hole Number: KB-07-137 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
74.10	75.95	MD, Mafic Dike Mineralization 74.10 - 75.95 Structure 74.10 - 75.95							
75.95	94.15	MV, Mafic Volcanic Mineralization 75.95 - 94.15 Structure 75.95 - 94.15 : MODFOL Moderately Foliated, 45 Deg to CA							
94.15	99.15	MD, Mafic Dike Mineralization 94.15 - 99.15 Structure 94.15 - 99.15							
99.15	107.10	MV, Mafic Volcanic Mineralization 99.15 - 104.00 104.00 - 107.10 Structure 99.15 - 107.10	394357	101.00	102.00	1.00	0.0150	0.0140	0.0050
			394358	102.00	103.00	1.00	0.0170	0.0280	0.0060
			394359	103.00	104.00	1.00	0.0190	0.0170	0.0070
			394360	104.00	105.00	1.00	0.0230	0.0340	0.0060
			394361	105.00	106.00	1.00	0.0150	0.0080	0.0040
			394362	106.00	107.10	1.10	0.0220	0.0220	0.0060
107.10	115.00	TSCH, Talc Schist Mineralization 107.10 - 115.00 Structure 107.10 - 115.00 107.10 - 115.00 : STRFOL Strongly Foliated, 40 Deg to CA	394363	107.10	108.00	0.90	0.1360	0.0860	0.0080
			394364	108.00	109.00	1.00	0.0950	0.0310	0.0080
			394365	109.00	110.00	1.00	0.0560	0.0090	0.0060
			394366	110.00	111.00	1.00	0.0710	0.0050	0.0070
			394367	111.00	112.00	1.00	0.0740	0.0050	0.0080
			394368	112.00	113.00	1.00	0.1000	0.0540	0.0090
			394369	113.00	114.00	1.00	0.0690	0.0025	0.0080
			394370	114.00	115.00	1.00	0.0620	0.0050	0.0070

Hole Number: KB-07-137 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
115.00	130.00	PYXT, Pyroxenite Mineralization 115.00 - 122.00 122.00 - 130.00 Structure 115.00 - 130.00 : STRFOL Strongly Foliated, 40 Deg to CA	394371	115.00	116.00	1.00	0.0720	0.0090	0.0080
			394372	116.00	117.00	1.00	0.0690	0.0070	0.0070
			394373	117.00	118.00	1.00	0.0790	0.0420	0.0080
			394374	118.00	119.00	1.00	0.0780	0.0150	0.0070
			394375	119.00	120.00	1.00	0.0680	0.0025	0.0080
			394376	120.00	121.00	1.00	0.0710	0.0025	0.0080
			394377	121.00	122.00	1.00	0.1050	0.0580	0.0090
			394378	122.00	123.00	1.00	0.1350	0.1190	0.0100
			394380	123.00	124.00	1.00	0.1290	0.0980	0.0080
			394381	124.00	125.00	1.00	0.1160	0.0980	0.0080
			394382	125.00	126.00	1.00	0.0950	0.0530	0.0090
			394383	126.00	127.00	1.00	0.1230	0.0880	0.0090
			394384	127.00	128.00	1.00	0.1370	0.1100	0.0090
			394385	128.00	129.00	1.00	0.0940	0.0410	0.0100
			394386	129.00	130.00	1.00	0.1490	0.0770	0.0090
130.00	131.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 130.00 - 131.50 Structure 130.00 - 131.50	394387	130.00	131.50	1.50	0.3710	0.2950	0.0130
131.50	137.00	MV, Mafic Volcanic Mineralization 131.50 - 137.00 Structure 131.50 - 137.00	394389	131.50	133.00	1.50	0.0170	0.0120	0.0050
			394390	133.00	134.00	1.00	0.0140	0.0120	0.0050
			394391	134.00	135.00	1.00	0.0150	0.0210	0.0050
			394392	135.00	136.00	1.00	0.0150	0.0180	0.0050
			394393	136.00	137.00	1.00	0.0590	0.0560	0.0060
137.00	142.00	PYXT, Pyroxenite mv xenos Mineralization 137.00 - 142.00 Structure 137.00 - 142.00 : MODFOL Moderately Foliated, 40 Deg to CA	394394	137.00	138.00	1.00	0.4470	0.3820	0.0160
			394395	138.00	139.00	1.00	0.0800	0.0160	0.0070
			394396	139.00	140.00	1.00	0.1210	0.0300	0.0090
			394397	140.00	141.00	1.00	0.1560	0.0930	0.0110
			394398	141.00	142.00	1.00	0.0700	0.0120	0.0070
142.00	143.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 142.00 - 143.00 Structure 142.00 - 143.00	394399	142.00	143.00	1.00	0.0300	0.0210	0.0050
143.00	146.25	FD, Felsic Dike Mineralization 143.00 - 146.25 Structure 143.00 - 146.25	394400	143.00	144.00	1.00	0.0100	0.0025	0.0020
			394401	144.00	145.00	1.00	0.0025	0.0025	0.0020
			394402	145.00	146.25	1.25	0.0070	0.0025	0.0020

Hole Number: KB-07-137

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
146.25	149.60	MV, Mafic Volcanic Mineralization 146.25 - 149.60 Structure 146.25 - 149.60 146.25 - 149.60 : UC Upper Contact, 20 Deg to CA	394403	146.25	147.00	0.75	0.0160	0.0150	0.0050
			394404	147.00	148.00	1.00	0.0190	0.0180	0.0060
			394405	148.00	149.60	1.60	0.0160	0.0150	0.0060
149.60	168.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 149.60 - 168.50 Structure 149.60 - 168.50	394406	149.60	151.00	1.40	0.1500	0.0900	0.0080
			394407	151.00	152.00	1.00	0.0680	0.0300	0.0060
			394409	152.00	153.00	1.00	0.2530	0.0910	0.0130
			394410	153.00	154.00	1.00	0.0750	0.0840	0.0080
			394411	154.00	155.00	1.00	0.4130	0.2000	0.0150
			394412	155.00	156.00	1.00	0.0500	0.0600	0.0050
			394413	156.00	157.00	1.00	0.0380	0.0150	0.0060
			394414	157.00	158.00	1.00	0.0880	0.0240	0.0070
			394415	158.00	159.00	1.00	0.2910	0.6910	0.0110
			394416	159.00	160.00	1.00	0.6920	0.1570	0.0240
			394417	160.00	161.00	1.00	0.2060	0.1430	0.0110
			394418	161.00	162.00	1.00	0.1200	0.1500	0.0090
			394419	162.00	163.00	1.00	0.2700	0.1560	0.0110
			394420	163.00	164.00	1.00	0.2050	0.1250	0.0090
			394422	164.00	165.00	1.00	0.2050	0.1110	0.0110
			394423	165.00	166.00	1.00	0.0320	0.0170	0.0050
			394424	166.00	167.00	1.00	0.0230	0.0150	0.0050
			394425	167.00	168.50	1.50	0.1210	0.0980	0.0070
168.50	173.60	GAB, Gabbro Mineralization 168.50 - 173.60 Structure 168.50 - 173.60	394426	168.50	170.00	1.50	0.0290	0.0140	0.0050
			394427	170.00	171.00	1.00	0.0370	0.0340	0.0050
			394428	171.00	172.00	1.00	0.0340	0.0470	0.0060
			394429	172.00	173.00	1.00	0.0410	0.0390	0.0050
			394430	173.00	173.60	0.60	0.0270	0.0130	0.0060
173.60	174.00	MV, Mafic Volcanic Mineralization 173.60 - 174.00 Structure 173.60 - 174.00 : MODFOL Moderately Foliated, 40 Deg to CA	394431	173.60	174.00	0.40	0.2440	0.1300	0.0090
174.00	175.45	MDCHL, Mafic Dike Chloritic Mineralization 174.00 - 175.45 Structure 174.00 - 175.45	394432	174.00	175.45	1.45	0.0060	0.0070	0.0020

Hole Number: KB-07-137

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
175.45	180.50	PYXT, Pyroxenite abun mv Mineralization 175.45 - 180.50 Structure 175.45 - 180.50 : MAS Massive, 50 Deg to CA 175.45 - 180.50 : UC Upper Contact, 50 Deg to CA	394433	175.45	176.00	0.55	0.6780	0.2200	0.0170
			394434	176.00	177.00	1.00	0.2310	0.2720	0.0090
			394435	177.00	178.00	1.00	0.1520	0.1190	0.0090
			394436	178.00	179.00	1.00	0.4520	0.3440	0.0130
			394437	179.00	180.50	1.50	0.2940	0.1250	0.0110
180.50	181.25	FD, Felsic Dike Mineralization 180.50 - 181.25 Structure 180.50 - 181.25 180.50 - 181.25 : UC Upper Contact, 50 Deg to CA	394438	180.50	181.25	0.75	0.0480	0.0270	0.0060
181.25	185.45	MV, Mafic Volcanic Mineralization 181.25 - 185.45 Structure 181.25 - 185.45 : MODFOL Moderately Foliated, 40 Deg to CA 181.25 - 185.45 : UC Upper Contact, 50 Deg to CA	394439	181.25	182.00	0.75	0.1640	0.1240	0.0090
			394440	182.00	183.00	1.00	0.0760	0.0380	0.0060
			394441	183.00	184.00	1.00	0.1070	0.0870	0.0070
			394442	184.00	185.45	1.45	0.4230	0.4420	0.0150
185.45	191.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 185.45 - 191.40 Structure 185.45 - 191.40 185.45 - 191.40 : UC Upper Contact, 30 Deg to CA	394443	185.45	187.00	1.55	0.0410	0.0280	0.0060
			394444	187.00	188.00	1.00	0.0910	0.0450	0.0080
			394445	188.00	189.00	1.00	0.1630	0.0690	0.0110
			394446	189.00	190.00	1.00	0.0210	0.0140	0.0060
			394447	190.00	191.40	1.40	0.0470	0.0240	0.0060
191.40	193.30	MDCHL, Mafic Dike Chloritic Mineralization 191.40 - 193.30 Structure 191.40 - 193.30 191.40 - 193.30 : UC Upper Contact, 30 Deg to CA	394448	191.40	192.00	0.60	0.0130	0.0060	0.0040
			394449	192.00	193.30	1.30	0.0160	0.0080	0.0030
193.30	202.20	PYXT, Pyroxenite abun mv xenos Mineralization 193.30 - 202.20 Structure 193.30 - 202.20	394450	193.30	194.00	0.70	0.2470	0.0550	0.0100
			394451	194.00	195.00	1.00	0.6300	0.4630	0.0200
			394452	195.00	196.00	1.00	0.5140	0.4590	0.0130
			394453	196.00	197.00	1.00	1.2050	0.4970	0.0300
			394455	197.00	198.00	1.00	0.6200	0.5890	0.0180
			394456	198.00	199.00	1.00	1.2800	0.9670	0.0250
			394457	199.00	200.00	1.00	1.5400	0.7050	0.0390
			394458	200.00	201.00	1.00	1.1000	0.2060	0.0230
			394459	201.00	202.20	1.20	0.7760	0.7570	0.0290

Hole Number: KB-07-137 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
202.20	208.00	TSCH, Talc Schist Mineralization 202.20 - 208.00 Structure 202.20 - 208.00 202.20 - 208.00 : STRFOL Strongly Foliated, 60 Deg to CA	394460	202.20	203.00	0.80	0.7380	0.7950	0.0200
			394461	203.00	204.00	1.00	0.3800	0.2960	0.0130
			394463	204.00	205.00	1.00	0.1150	0.0250	0.0090
			394464	205.00	206.00	1.00	0.0980	0.0080	0.0090
			394465	206.00	207.00	1.00	0.1620	0.0650	0.0080
			394466	207.00	208.00	1.00	0.2280	0.1710	0.0080
208.00	209.00	LC, Lost Core							
209.00	210.10	TSCH, Talc Schist Mineralization 209.00 - 210.10 Structure 209.00 - 210.10 209.00 - 210.10 : STRFOL Strongly Foliated, 60 Deg to CA	394467	209.00	210.10	1.10	0.1510	0.1240	0.0050
210.10	211.10	MDCHL, Mafic Dike Chloritic Mineralization 210.10 - 211.10 Structure 210.10 - 211.10 : MODFOL Moderately Foliated, 60 Deg to CA	394468	210.10	211.10	1.00	0.0560	0.0360	0.0020
211.10	214.75	MV, Mafic Volcanic Mineralization 211.10 - 214.75 Structure 211.10 - 214.75 : MODFOL Moderately Foliated, 60 Deg to CA	394469	211.10	212.00	0.90	0.0160	0.0070	0.0040
			394470	212.00	213.00	1.00	0.0150	0.0100	0.0040
			394471	213.00	214.00	1.00	0.0150	0.0130	0.0040
214.75	215.35	FD, Felsic Dike Mineralization 214.75 - 215.35 Structure 214.75 - 215.35							
215.35	216.85	MV, Mafic Volcanic Mineralization 215.35 - 216.85 Structure 215.35 - 216.85 : MODFOL Moderately Foliated, 60 Deg to CA							
216.85	218.00	MDCHL, Mafic Dike Chloritic Mineralization 216.85 - 218.00 Structure 216.85 - 218.00 : MODFOL Moderately Foliated, 60 Deg to CA 216.85 - 218.00 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-137

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
218.00	226.10	MV, Mafic Volcanic Mineralization 218.00 - 226.10 Structure 218.00 - 226.10 : MODFOL Moderately Foliated, 60 Deg to CA							
226.10	226.80	MDCHL, Mafic Dike Chloritic Mineralization 226.10 - 226.80 Structure 226.10 - 226.80							
226.80	230.00	MV, Mafic Volcanic Mineralization 226.80 - 230.00 Structure 226.80 - 230.00 : MODFOL Moderately Foliated, 70 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394357	101.00	102.00	0.0150	0.0140	0.0050
394358	102.00	103.00	0.0170	0.0280	0.0060
394359	103.00	104.00	0.0190	0.0170	0.0070
394360	104.00	105.00	0.0230	0.0340	0.0060
394361	105.00	106.00	0.0150	0.0080	0.0040
394362	106.00	107.10	0.0220	0.0220	0.0060
394363	107.10	108.00	0.1360	0.0860	0.0080
394364	108.00	109.00	0.0950	0.0310	0.0080
394365	109.00	110.00	0.0560	0.0090	0.0060
394366	110.00	111.00	0.0710	0.0050	0.0070
394367	111.00	112.00	0.0740	0.0050	0.0080
394368	112.00	113.00	0.1000	0.0540	0.0090
394369	113.00	114.00	0.0690	0.0025	0.0080
394370	114.00	115.00	0.0620	0.0050	0.0070
394371	115.00	116.00	0.0720	0.0090	0.0080
394372	116.00	117.00	0.0690	0.0070	0.0070
394373	117.00	118.00	0.0790	0.0420	0.0080
394374	118.00	119.00	0.0780	0.0150	0.0070
394375	119.00	120.00	0.0680	0.0025	0.0080
394376	120.00	121.00	0.0710	0.0025	0.0080

Hole Number: KB-07-137

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394377	121.00	122.00	0.1050	0.0580	0.0090
394378	122.00	123.00	0.1350	0.1190	0.0100
394380	123.00	124.00	0.1290	0.0980	0.0080
394381	124.00	125.00	0.1160	0.0980	0.0080
394382	125.00	126.00	0.0950	0.0530	0.0090
394383	126.00	127.00	0.1230	0.0880	0.0090
394384	127.00	128.00	0.1370	0.1100	0.0090
394385	128.00	129.00	0.0940	0.0410	0.0100
394386	129.00	130.00	0.1490	0.0770	0.0090
394387	130.00	131.50	0.3710	0.2950	0.0130
394389	131.50	133.00	0.0170	0.0120	0.0050
394390	133.00	134.00	0.0140	0.0120	0.0050
394391	134.00	135.00	0.0150	0.0210	0.0050
394392	135.00	136.00	0.0150	0.0180	0.0050
394393	136.00	137.00	0.0590	0.0560	0.0060
394394	137.00	138.00	0.4470	0.3820	0.0160
394395	138.00	139.00	0.0800	0.0160	0.0070
394396	139.00	140.00	0.1210	0.0300	0.0090
394397	140.00	141.00	0.1560	0.0930	0.0110
394398	141.00	142.00	0.0700	0.0120	0.0070
394399	142.00	143.00	0.0300	0.0210	0.0050
394400	143.00	144.00	0.0100	0.0025	0.0020
394401	144.00	145.00	0.0025	0.0025	0.0020
394402	145.00	146.25	0.0070	0.0025	0.0020
394403	146.25	147.00	0.0160	0.0150	0.0050
394404	147.00	148.00	0.0190	0.0180	0.0060
394405	148.00	149.60	0.0160	0.0150	0.0060
394406	149.60	151.00	0.1500	0.0900	0.0080
394407	151.00	152.00	0.0680	0.0300	0.0060
394409	152.00	153.00	0.2530	0.0910	0.0130
394410	153.00	154.00	0.0750	0.0840	0.0080
394411	154.00	155.00	0.4130	0.2000	0.0150
394412	155.00	156.00	0.0500	0.0600	0.0050
394413	156.00	157.00	0.0380	0.0150	0.0060
394414	157.00	158.00	0.0880	0.0240	0.0070
394415	158.00	159.00	0.2910	0.6910	0.0110
394416	159.00	160.00	0.6920	0.1570	0.0240

Hole Number: KB-07-137

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394417	160.00	161.00	0.2060	0.1430	0.0110
394418	161.00	162.00	0.1200	0.1500	0.0090
394419	162.00	163.00	0.2700	0.1560	0.0110
394420	163.00	164.00	0.2050	0.1250	0.0090
394422	164.00	165.00	0.2050	0.1110	0.0110
394423	165.00	166.00	0.0320	0.0170	0.0050
394424	166.00	167.00	0.0230	0.0150	0.0050
394425	167.00	168.50	0.1210	0.0980	0.0070
394426	168.50	170.00	0.0290	0.0140	0.0050
394427	170.00	171.00	0.0370	0.0340	0.0050
394428	171.00	172.00	0.0340	0.0470	0.0060
394429	172.00	173.00	0.0410	0.0390	0.0050
394430	173.00	173.60	0.0270	0.0130	0.0060
394431	173.60	174.00	0.2440	0.1300	0.0090
394432	174.00	175.45	0.0060	0.0070	0.0020
394433	175.45	176.00	0.6780	0.2200	0.0170
394434	176.00	177.00	0.2310	0.2720	0.0090
394435	177.00	178.00	0.1520	0.1190	0.0090
394436	178.00	179.00	0.4520	0.3440	0.0130
394437	179.00	180.50	0.2940	0.1250	0.0110
394438	180.50	181.25	0.0480	0.0270	0.0060
394439	181.25	182.00	0.1640	0.1240	0.0090
394440	182.00	183.00	0.0760	0.0380	0.0060
394441	183.00	184.00	0.1070	0.0870	0.0070
394442	184.00	185.45	0.4230	0.4420	0.0150
394443	185.45	187.00	0.0410	0.0280	0.0060
394444	187.00	188.00	0.0910	0.0450	0.0080
394445	188.00	189.00	0.1630	0.0690	0.0110
394446	189.00	190.00	0.0210	0.0140	0.0060
394447	190.00	191.40	0.0470	0.0240	0.0060
394448	191.40	192.00	0.0130	0.0060	0.0040
394449	192.00	193.30	0.0160	0.0080	0.0030
394450	193.30	194.00	0.2470	0.0550	0.0100
394451	194.00	195.00	0.6300	0.4630	0.0200
394452	195.00	196.00	0.5140	0.4590	0.0130
394453	196.00	197.00	1.2050	0.4970	0.0300
394455	197.00	198.00	0.6200	0.5890	0.0180

Hole Number: KB-07-137

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394456	198.00	199.00	1.2800	0.9670	0.0250
394457	199.00	200.00	1.5400	0.7050	0.0390
394458	200.00	201.00	1.1000	0.2060	0.0230
394459	201.00	202.20	0.7760	0.7570	0.0290
394460	202.20	203.00	0.7380	0.7950	0.0200
394461	203.00	204.00	0.3800	0.2960	0.0130
394463	204.00	205.00	0.1150	0.0250	0.0090
394464	205.00	206.00	0.0980	0.0080	0.0090
394465	206.00	207.00	0.1620	0.0650	0.0080
394466	207.00	208.00	0.2280	0.1710	0.0080
394467	209.00	210.10	0.1510	0.1240	0.0050
394468	210.10	211.10	0.0560	0.0360	0.0020
394469	211.10	212.00	0.0160	0.0070	0.0040
394470	212.00	213.00	0.0150	0.0100	0.0040
394471	213.00	214.00	0.0150	0.0130	0.0040

DETAILED LOG

Hole Number: KB-07-136 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.00
Project Number:	19900	North: 5481393.00			North: 5481393.00		Collar Az: 309.70
Location:	Surface	East: 453974.20			East: 453974.20		Length: 224.00 (m)
		Elev: 402.41			Elev: 402.41		Start Depth: 0.00 (m)
Date Started:	Sep 23, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 224.00 (m)
Date Completed:	Sep 23, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	117.20	123.60	6.40	1.8865	1.1780	0.0457
WEIGHTED	117.20	139.00	21.80	0.8459	0.5521	0.0224
WEIGHTED	119.00	123.60	4.60	2.3390	1.4171	0.0552
WEIGHTED	195.10	204.00	8.90	0.4535	0.3006	0.0131

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
50.00	309.70	-44.60	EZ	OK	5796	101.00	308.80	-43.10	EZ	OK	5801
152.00	320.00	-42.40	EZ	DO	6000	200.00	320.70	-41.50	EZ	DO	5879
224.00	312.70	-40.90	EZ	OK	5812						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	7.00	CAS, Casing							
7.00	13.55	MV, Mafic Volcanic Mineralization 7.00 - 13.55 Structure 7.00 - 13.55 : MODFOL Moderately Foliated, 40 Deg to CA							
13.55	15.30	FD, Felsic Dike Mineralization 13.55 - 15.30 Structure 13.55 - 15.30 13.55 - 15.30 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-136 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
15.30	38.10	MV, Mafic Volcanic Mineralization 15.30 - 38.10 Structure 15.30 - 38.10 : MODFOL Moderately Foliated, 45 Deg to CA 15.30 - 38.10 : UC Upper Contact, 50 Deg to CA							
38.10	41.85	FD, Felsic Dike Mineralization 38.10 - 41.85 Structure 38.10 - 41.85 38.10 - 41.85 : UC Upper Contact, 45 Deg to CA							
41.85	43.15	MV, Mafic Volcanic Mineralization 41.85 - 43.15 Structure 41.85 - 43.15 : MODFOL Moderately Foliated, 50 Deg to CA							
43.15	45.00	FD, Felsic Dike Mineralization 43.15 - 45.00 Structure 43.15 - 45.00							
45.00	48.70	MV, Mafic Volcanic Mineralization 45.00 - 48.70 Structure 45.00 - 48.70 45.00 - 48.70 : MODFOL Moderately Foliated, 50 Deg to CA 45.00 - 48.70 : UC Upper Contact, 50 Deg to CA							
48.70	55.60	MDCHL, Mafic Dike Chloritic Mineralization 48.70 - 55.60 Structure 48.70 - 55.60							
55.60	91.70	MV, Mafic Volcanic Mineralization 55.60 - 90.00 90.00 - 91.70 Structure 55.60 - 91.70 : MODFOL Moderately Foliated, 50 Deg to CA	394234	87.00	88.00	1.00	0.0160	0.0150	0.0050
			394235	88.00	89.00	1.00	0.0180	0.0280	0.0060
			394236	89.00	90.00	1.00	0.0300	0.0270	0.0050
			394237	90.00	91.00	1.00	0.0250	0.0220	0.0050
			394238	91.00	91.70	0.70	0.0530	0.0420	0.0040

Hole Number: KB-07-136

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
91.70	102.00	TSCH, Talc Schist Mineralization 91.70 - 102.00 Structure 91.70 - 102.00 : STRFOL Strongly Foliated, 30 Deg to CA	394239	91.70	93.00	1.30	0.0970	0.0230	0.0080
			394240	93.00	94.00	1.00	0.0820	0.0050	0.0090
			394241	94.00	95.00	1.00	0.0820	0.0070	0.0080
			394242	95.00	96.00	1.00	0.0830	0.0100	0.0090
			394243	96.00	97.00	1.00	0.0860	0.0110	0.0090
			394244	97.00	98.00	1.00	0.0860	0.0090	0.0090
			394245	98.00	99.00	1.00	0.0740	0.0050	0.0080
			394246	99.00	100.00	1.00	0.0930	0.0340	0.0100
			394247	100.00	101.00	1.00	0.1330	0.0870	0.0090
			394248	101.00	102.00	1.00	0.1110	0.0320	0.0090
102.00	123.60	PYXT, Pyroxenite Mineralization 102.00 - 117.20 117.20 - 120.25 120.25 - 121.80 121.80 - 123.60 Structure 102.00 - 123.60 : STRFOL Strongly Foliated, 40 Deg to CA	394249	102.00	103.00	1.00	0.0780	0.0090	0.0090
			394250	103.00	104.00	1.00	0.1110	0.0270	0.0080
			394251	104.00	105.00	1.00	0.1690	0.1180	0.0100
			394252	105.00	106.00	1.00	0.1090	0.0290	0.0090
			394253	106.00	107.00	1.00	0.2110	0.1670	0.0100
			394254	107.00	108.00	1.00	0.0910	0.0280	0.0080
			394255	108.00	109.00	1.00	0.0790	0.0330	0.0080
			394256	109.00	110.00	1.00	0.0640	0.0080	0.0080
			394257	110.00	111.00	1.00	0.0810	0.0190	0.0080
			394258	111.00	112.00	1.00	0.0740	0.0100	0.0080
			394259	112.00	113.00	1.00	0.0720	0.0050	0.0070
			394260	113.00	114.00	1.00	0.0700	0.0060	0.0080
			394261	114.00	115.00	1.00	0.0710	0.0150	0.0080
			394262	115.00	116.00	1.00	0.0700	0.0090	0.0080
			394263	116.00	117.20	1.20	0.0850	0.1050	0.0070
			394264	117.20	118.00	0.80	0.6860	0.3500	0.0220
			394265	118.00	119.00	1.00	0.7650	0.7410	0.0210
			394266	119.00	120.25	1.25	4.1900	2.6800	0.1080
			394268	120.25	121.80	1.55	0.1020	0.0940	0.0050
			394269	121.80	123.00	1.20	2.6100	2.2000	0.0530
			394270	123.00	123.60	0.60	3.7200	0.6380	0.0790

Hole Number: KB-07-136

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
123.60	152.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 123.60 - 132.60 132.60 - 136.40 136.40 - 152.50 Structure 123.60 - 152.50	394271	123.60	125.00	1.40	0.1050	0.0320	0.0060
			394273	125.00	126.00	1.00	0.1170	0.0970	0.0050
			394274	126.00	127.00	1.00	0.2330	0.0850	0.0110
			394275	127.00	128.00	1.00	0.4470	0.0810	0.0140
			394276	128.00	129.00	1.00	0.0930	0.0740	0.0050
			394277	129.00	130.00	1.00	0.1670	0.1300	0.0080
			394278	130.00	131.00	1.00	0.0830	0.0630	0.0090
			394279	131.00	132.00	1.00	0.5930	0.3250	0.0160
			394280	132.00	132.60	0.60	0.0330	0.0340	0.0040
			394281	132.60	134.00	1.40	0.8090	0.5050	0.0190
			394282	134.00	135.00	1.00	1.2950	0.4950	0.0290
			394283	135.00	136.40	1.40	0.7780	0.4610	0.0220
			394284	136.40	138.00	1.60	0.1400	0.1180	0.0070
			394285	138.00	139.00	1.00	0.7270	1.5400	0.0190
			394286	139.00	140.00	1.00	0.1540	0.2260	0.0070
			394287	140.00	141.00	1.00	0.0310	0.0280	0.0050
			394288	141.00	142.00	1.00	0.0860	0.0580	0.0070
			394289	142.00	143.00	1.00	0.0840	0.0450	0.0070
			394290	143.00	144.00	1.00	0.1380	0.0780	0.0080
			394291	144.00	145.00	1.00	0.2350	0.1060	0.0110
			394292	145.00	146.00	1.00	0.0910	0.0230	0.0080
			394293	146.00	147.00	1.00	0.1230	0.0490	0.0080
			394294	147.00	148.00	1.00	0.0700	0.0530	0.0070
			394295	148.00	149.00	1.00	0.0170	0.0180	0.0050
			394297	149.00	150.00	1.00	0.0180	0.0170	0.0050
			394298	150.00	151.00	1.00	0.0200	0.0150	0.0050
			394299	151.00	152.50	1.50	0.1610	0.0520	0.0090
152.50	159.25	MV, Mafic Volcanic Mineralization 152.50 - 159.25 py Structure 152.50 - 159.25	394301	152.50	154.00	1.50	0.0260	0.0190	0.0070
			394302	154.00	155.50	1.50	0.0180	0.0130	0.0050
			394303	155.50	157.00	1.50	0.0170	0.0140	0.0060
			394304	157.00	158.00	1.00	0.0160	0.0160	0.0070
			394305	158.00	159.25	1.25	0.0150	0.0150	0.0040
159.25	159.80	PYXT, Pyroxenite Mineralization 159.25 - 159.80 Structure 159.25 - 159.80 : MAS Massive, 45 Deg to CA 159.25 - 159.80	394306	159.25	159.80	0.55	0.0980	0.0150	0.0050

Hole Number: KB-07-136 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
159.80	160.55	MV, Mafic Volcanic Mineralization 159.80 - 160.55 Structure 159.80 - 160.55	394307	159.80	160.55	0.75	0.0200	0.0210	0.0060
160.55	163.30	MDCHL, Mafic Dike Chloritic Mineralization 160.55 - 163.30 Structure 160.55 - 163.30 160.55 - 163.30 : UC Upper Contact, 50 Deg to CA	394308	160.55	162.00	1.45	0.0025	0.0050	0.0020
			394309	162.00	163.30	1.30	0.0025	0.0050	0.0010
163.30	167.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 163.30 - 167.30 Structure 163.30 - 167.30	394310	163.30	164.00	0.70	0.1380	0.1100	0.0060
			394311	164.00	165.00	1.00	0.1060	0.0350	0.0070
			394312	165.00	166.00	1.00	0.2630	0.0840	0.0130
			394313	166.00	167.30	1.30	0.2680	0.1550	0.0100
167.30	169.10	MD, Mafic Dike Mineralization 167.30 - 169.10 Structure 167.30 - 169.10	394314	167.30	168.00	0.70	0.0025	0.0060	0.0030
			394315	168.00	169.00	1.00	0.0025	0.0050	0.0010
			394316	169.00	170.00	1.00	0.0160	0.0110	0.0040
169.10	178.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 169.10 - 178.80 Structure 169.10 - 178.80	394317	170.00	171.00	1.00	0.0090	0.0080	0.0040
			394318	171.00	172.00	1.00	0.0110	0.0140	0.0040
			394319	172.00	173.00	1.00	0.0750	0.0370	0.0080
			394320	173.00	174.00	1.00	0.0140	0.0100	0.0040
			394321	174.00	175.00	1.00	0.0110	0.0200	0.0040
			394322	175.00	176.00	1.00	0.0450	0.0310	0.0050
			394323	176.00	177.00	1.00	0.1630	0.1500	0.0090
			394325	177.00	178.00	1.00	0.0270	0.0150	0.0040
			394326	178.00	178.80	0.80	0.3910	0.1810	0.0150
178.80	181.30	MD, Mafic Dike Mineralization 178.80 - 181.30 Structure 178.80 - 181.30	394327	178.80	180.00	1.20	0.0150	0.0070	0.0030
			394328	180.00	181.30	1.30	0.0025	0.0050	0.0010

Hole Number: KB-07-136 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
181.30	187.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 181.30 - 187.70 Structure 181.30 - 187.70	394329	181.30	182.00	0.70	0.0480	0.0180	0.0040
			394330	182.00	183.00	1.00	0.0350	0.0170	0.0030
			394331	183.00	184.00	1.00	0.0770	0.0340	0.0050
			394332	184.00	185.00	1.00	0.2110	0.1100	0.0110
			394333	185.00	186.00	1.00	0.0370	0.0100	0.0040
			394335	186.00	187.00	1.00	0.0220	0.0060	0.0020
			394336	187.00	187.70	0.70	0.0400	0.0110	0.0050
187.70	190.50	PYXT, Pyroxenite Mineralization 187.70 - 190.50 Structure 187.70 - 190.50	394337	187.70	189.00	1.30	0.3090	0.1280	0.0100
			394338	189.00	190.50	1.50	0.3880	0.1790	0.0140
190.50	195.10	MV, Mafic Volcanic Mineralization 190.50 - 195.10 Structure 190.50 - 195.10	394339	190.50	192.00	1.50	0.0730	0.0330	0.0060
			394340	192.00	193.50	1.50	0.0130	0.0180	0.0050
			394341	193.50	195.10	1.60	0.0190	0.0240	0.0050
195.10	204.70	TSCH, Talc Schist Mineralization 195.10 - 204.70 Structure 195.10 - 204.70 : STRFOL Strongly Foliated, 60 Deg to CA	394342	195.10	196.00	0.90	0.3690	0.2970	0.0120
			394343	196.00	197.00	1.00	0.5630	0.3940	0.0180
			394344	197.00	198.00	1.00	0.2090	0.1270	0.0100
			394345	198.00	199.00	1.00	0.5630	0.2730	0.0150
			394346	199.00	200.00	1.00	0.5370	0.4320	0.0130
			394347	200.00	201.00	1.00	0.3070	0.2280	0.0090
			394348	201.00	202.00	1.00	0.2270	0.1680	0.0080
			394349	202.00	203.00	1.00	0.3400	0.3150	0.0100
			394350	203.00	204.00	1.00	0.9580	0.4710	0.0230
			394351	204.00	204.70	0.70	0.1350	0.0780	0.0070
204.70	206.50	MDCHL, Mafic Dike Chloritic Mineralization 204.70 - 206.50 Structure 204.70 - 206.50 : MODFOL Moderately Foliated, 60 Deg to CA	394352	204.70	206.00	1.30	0.0090	0.0080	0.0020
			394353	206.00	206.50	0.50	0.0050	0.0060	0.0010
206.50	224.00	MV, Mafic Volcanic Mineralization 206.50 - 224.00 Structure 206.50 - 224.00 : MODFOL Moderately Foliated, 60 Deg to CA	394354	206.50	208.00	1.50	0.0090	0.0100	0.0040
			394355	208.00	209.00	1.00	0.0140	0.0110	0.0050
			394356	209.00	210.00	1.00	0.0110	0.0140	0.0040

Hole Number: KB-07-136

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394234	87.00	88.00	0.0160	0.0150	0.0050
394235	88.00	89.00	0.0180	0.0280	0.0060
394236	89.00	90.00	0.0300	0.0270	0.0050
394237	90.00	91.00	0.0250	0.0220	0.0050
394238	91.00	91.70	0.0530	0.0420	0.0040
394239	91.70	93.00	0.0970	0.0230	0.0080
394240	93.00	94.00	0.0820	0.0050	0.0090
394241	94.00	95.00	0.0820	0.0070	0.0080
394242	95.00	96.00	0.0830	0.0100	0.0090
394243	96.00	97.00	0.0860	0.0110	0.0090
394244	97.00	98.00	0.0860	0.0090	0.0090
394245	98.00	99.00	0.0740	0.0050	0.0080
394246	99.00	100.00	0.0930	0.0340	0.0100
394247	100.00	101.00	0.1330	0.0870	0.0090
394248	101.00	102.00	0.1110	0.0320	0.0090
394249	102.00	103.00	0.0780	0.0090	0.0090
394250	103.00	104.00	0.1110	0.0270	0.0080
394251	104.00	105.00	0.1690	0.1180	0.0100
394252	105.00	106.00	0.1090	0.0290	0.0090
394253	106.00	107.00	0.2110	0.1670	0.0100
394254	107.00	108.00	0.0910	0.0280	0.0080
394255	108.00	109.00	0.0790	0.0330	0.0080
394256	109.00	110.00	0.0640	0.0080	0.0080
394257	110.00	111.00	0.0810	0.0190	0.0080
394258	111.00	112.00	0.0740	0.0100	0.0080
394259	112.00	113.00	0.0720	0.0050	0.0070
394260	113.00	114.00	0.0700	0.0060	0.0080
394261	114.00	115.00	0.0710	0.0150	0.0080
394262	115.00	116.00	0.0700	0.0090	0.0080
394263	116.00	117.20	0.0850	0.1050	0.0070
394264	117.20	118.00	0.6860	0.3500	0.0220
394265	118.00	119.00	0.7650	0.7410	0.0210
394266	119.00	120.25	4.1900	2.6800	0.1080
394268	120.25	121.80	0.1020	0.0940	0.0050
394269	121.80	123.00	2.6100	2.2000	0.0530
394270	123.00	123.60	3.7200	0.6380	0.0790
394271	123.60	125.00	0.1050	0.0320	0.0060

Hole Number: KB-07-136

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394273	125.00	126.00	0.1170	0.0970	0.0050
394274	126.00	127.00	0.2330	0.0850	0.0110
394275	127.00	128.00	0.4470	0.0810	0.0140
394276	128.00	129.00	0.0930	0.0740	0.0050
394277	129.00	130.00	0.1670	0.1300	0.0080
394278	130.00	131.00	0.0830	0.0630	0.0090
394279	131.00	132.00	0.5930	0.3250	0.0160
394280	132.00	132.60	0.0330	0.0340	0.0040
394281	132.60	134.00	0.8090	0.5050	0.0190
394282	134.00	135.00	1.2950	0.4950	0.0290
394283	135.00	136.40	0.7780	0.4610	0.0220
394284	136.40	138.00	0.1400	0.1180	0.0070
394285	138.00	139.00	0.7270	1.5400	0.0190
394286	139.00	140.00	0.1540	0.2260	0.0070
394287	140.00	141.00	0.0310	0.0280	0.0050
394288	141.00	142.00	0.0860	0.0580	0.0070
394289	142.00	143.00	0.0840	0.0450	0.0070
394290	143.00	144.00	0.1380	0.0780	0.0080
394291	144.00	145.00	0.2350	0.1060	0.0110
394292	145.00	146.00	0.0910	0.0230	0.0080
394293	146.00	147.00	0.1230	0.0490	0.0080
394294	147.00	148.00	0.0700	0.0530	0.0070
394295	148.00	149.00	0.0170	0.0180	0.0050
394297	149.00	150.00	0.0180	0.0170	0.0050
394298	150.00	151.00	0.0200	0.0150	0.0050
394299	151.00	152.50	0.1610	0.0520	0.0090
394301	152.50	154.00	0.0260	0.0190	0.0070
394302	154.00	155.50	0.0180	0.0130	0.0050
394303	155.50	157.00	0.0170	0.0140	0.0060
394304	157.00	158.00	0.0160	0.0160	0.0070
394305	158.00	159.25	0.0150	0.0150	0.0040
394306	159.25	159.80	0.0980	0.0150	0.0050
394307	159.80	160.55	0.0200	0.0210	0.0060
394308	160.55	162.00	0.0025	0.0050	0.0020
394309	162.00	163.30	0.0025	0.0050	0.0010
394310	163.30	164.00	0.1380	0.1100	0.0060
394311	164.00	165.00	0.1060	0.0350	0.0070

Hole Number: KB-07-136

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394312	165.00	166.00	0.2630	0.0840	0.0130
394313	166.00	167.30	0.2680	0.1550	0.0100
394314	167.30	168.00	0.0025	0.0060	0.0030
394315	168.00	169.00	0.0025	0.0050	0.0010
394316	169.00	170.00	0.0160	0.0110	0.0040
394317	170.00	171.00	0.0090	0.0080	0.0040
394318	171.00	172.00	0.0110	0.0140	0.0040
394319	172.00	173.00	0.0750	0.0370	0.0080
394320	173.00	174.00	0.0140	0.0100	0.0040
394321	174.00	175.00	0.0110	0.0200	0.0040
394322	175.00	176.00	0.0450	0.0310	0.0050
394323	176.00	177.00	0.1630	0.1500	0.0090
394325	177.00	178.00	0.0270	0.0150	0.0040
394326	178.00	178.80	0.3910	0.1810	0.0150
394327	178.80	180.00	0.0150	0.0070	0.0030
394328	180.00	181.30	0.0025	0.0050	0.0010
394329	181.30	182.00	0.0480	0.0180	0.0040
394330	182.00	183.00	0.0350	0.0170	0.0030
394331	183.00	184.00	0.0770	0.0340	0.0050
394332	184.00	185.00	0.2110	0.1100	0.0110
394333	185.00	186.00	0.0370	0.0100	0.0040
394335	186.00	187.00	0.0220	0.0060	0.0020
394336	187.00	187.70	0.0400	0.0110	0.0050
394337	187.70	189.00	0.3090	0.1280	0.0100
394338	189.00	190.50	0.3880	0.1790	0.0140
394339	190.50	192.00	0.0730	0.0330	0.0060
394340	192.00	193.50	0.0130	0.0180	0.0050
394341	193.50	195.10	0.0190	0.0240	0.0050
394342	195.10	196.00	0.3690	0.2970	0.0120
394343	196.00	197.00	0.5630	0.3940	0.0180
394344	197.00	198.00	0.2090	0.1270	0.0100
394345	198.00	199.00	0.5630	0.2730	0.0150
394346	199.00	200.00	0.5370	0.4320	0.0130
394347	200.00	201.00	0.3070	0.2280	0.0090
394348	201.00	202.00	0.2270	0.1680	0.0080
394349	202.00	203.00	0.3400	0.3150	0.0100
394350	203.00	204.00	0.9580	0.4710	0.0230

Hole Number: KB-07-136

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394351	204.00	204.70	0.1350	0.0780	0.0070
394352	204.70	206.00	0.0090	0.0080	0.0020
394353	206.00	206.50	0.0050	0.0060	0.0010
394354	206.50	208.00	0.0090	0.0100	0.0040
394355	208.00	209.00	0.0140	0.0110	0.0050
394356	209.00	210.00	0.0110	0.0140	0.0040

DETAILED LOG

Hole Number: KB-07-135

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -56.00
Project Number:	19900	North: 5481525.00			North: 5481525.00		Collar Az: 305.00
Location:	Surface	East: 454056.00			East: 454056.00		Length: 194.00 (m)
		Elev: 404.19			Elev: 404.19		Start Depth: 0.00 (m)
Date Started:	Sep 18, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 194.00 (m)
Date Completed:	Sep 20, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	103.20	138.60	35.40	0.6031	0.2355	0.0206
WEIGHTED	104.00	118.30	14.30	0.8237	0.3018	0.0251
WEIGHTED	114.00	118.30	4.30	1.6145	0.5598	0.0445
WEIGHTED	122.90	128.00	5.10	0.8655	0.3011	0.0248
WEIGHTED	133.30	138.60	5.30	0.7171	0.3533	0.0286
WEIGHTED	158.00	168.35	10.35	0.6816	0.3211	0.0227
WEIGHTED	160.60	165.00	4.40	1.2695	0.5551	0.0378

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	305.00	-56.80	EZ	OK	5885	53.00	304.70	-54.10	EZ	OK	5806
101.00	312.40	-51.30	EZ	DO	5757	155.00	310.20	-50.60	EZ	OK	5753
194.00	309.50	-49.60	EZ	OK	5786						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.00	CAS, Casing							
4.00	37.35	MV, Mafic Volcanic Mineralization 4.00 - 37.35 Structure 4.00 - 37.35 : MODFOL Moderately Foliated, 30 Deg to CA							
37.35	39.70	FD, Felsic Dike Mineralization 37.35 - 39.70 Structure 37.35 - 39.70 37.35 - 39.70 : UC Upper Contact, 35 Deg to CA							

Hole Number: KB-07-135 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
39.70	66.10	MV, Mafic Volcanic Mineralization 39.70 - 66.10 Structure 39.70 - 66.10 : MODFOL Moderately Foliated, 45 Deg to CA							
66.10	68.20	FD, Felsic Dike Mineralization 66.10 - 68.20 Structure 66.10 - 68.20							
68.20	100.30	MV, Mafic Volcanic Mineralization 68.20 - 100.30 Structure 68.20 - 100.30 : MODFOL Moderately Foliated, 45 Deg to CA	367815	98.00	99.00	1.00	0.0130	0.0130	0.0050
			367816	99.00	100.30	1.30	0.0130	0.0090	0.0050
100.30	100.90	FD, Felsic Dike Mineralization 100.30 - 100.90 Structure 100.30 - 100.90 100.30 - 100.90 : UC Upper Contact, 45 Deg to CA	367817	100.30	100.90	0.60	0.0070	0.0180	0.0020
100.90	103.20	MV, Mafic Volcanic Mineralization 100.90 - 103.20 Structure 100.90 - 103.20 : MODFOL Moderately Foliated, 40 Deg to CA	367818	100.90	102.00	1.10	0.0220	0.0340	0.0050
			367819	102.00	103.20	1.20	0.0090	0.0070	0.0030
103.20	106.30	PYXT, Pyroxenite Mineralization 103.20 - 106.30 Structure 103.20 - 106.30 : MODFOL Moderately Foliated, 30 Deg to CA	367820	103.20	104.00	0.80	0.2970	0.0890	0.0230
			367821	104.00	105.00	1.00	0.8520	0.4780	0.0270
			367822	105.00	106.30	1.30	0.8390	0.5200	0.0270

Hole Number: KB-07-135 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
106.30	126.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 106.30 - 114.00 114.00 - 118.30 118.30 - 122.90 122.90 - 124.60 124.60 - 126.90 Structure 106.30 - 126.90	367823	106.30	107.00	0.70	0.0430	0.0720	0.0060
			367824	107.00	108.00	1.00	0.0170	0.0160	0.0050
			367825	108.00	109.00	1.00	0.4850	0.2010	0.0170
			367826	109.00	110.00	1.00	0.7960	0.1420	0.0240
			367827	110.00	111.00	1.00	1.4100	0.2590	0.0390
			367828	111.00	112.00	1.00	0.0530	0.0290	0.0050
			367829	112.00	113.00	1.00	0.0240	0.0150	0.0050
			367830	113.00	114.00	1.00	0.0790	0.0420	0.0060
			367831	114.00	115.00	1.00	1.9400	0.8720	0.0520
			367832	115.00	116.00	1.00	2.4500	0.4300	0.0670
			367834	116.00	117.00	1.00	1.2550	0.2990	0.0360
			367835	117.00	118.30	1.30	0.9980	0.6200	0.0280
			367837	118.30	119.00	0.70	0.0330	0.0340	0.0060
			367838	119.00	120.00	1.00	0.0570	0.0390	0.0060
			367839	120.00	121.00	1.00	0.0300	0.0990	0.0060
			367840	121.00	122.00	1.00	0.3320	0.1710	0.0130
			367841	122.00	122.90	0.90	0.0320	0.0070	0.0040
			367842	122.90	124.00	1.10	1.4500	0.4230	0.0360
			367843	124.00	124.60	0.60	2.4300	0.6500	0.0650
			367844	124.60	126.00	1.40	0.0280	0.0140	0.0040
			367845	126.00	126.90	0.90	0.8280	0.5860	0.0250
126.90	132.30	PYXT, Pyroxenite Mineralization 126.90 - 132.30 Structure 126.90 - 132.30 : MODFOL Moderately Foliated, 40 Deg to CA	367846	126.90	128.00	1.10	0.5240	0.1210	0.0180
			367847	128.00	129.00	1.00	0.1790	0.0270	0.0090
			367848	129.00	130.00	1.00	0.1660	0.0460	0.0100
			367849	130.00	131.00	1.00	0.0940	0.0200	0.0080
			367850	131.00	132.30	1.30	0.1540	0.0790	0.0100
132.30	133.30	FD, Felsic Dike Mineralization 132.30 - 133.30 Structure 132.30 - 133.30 132.30 - 133.30	367851	132.30	133.30	1.00	0.0080	0.0070	0.0020
133.30	138.60	PYXT, Pyroxenite with mv Mineralization 133.30 - 134.70 133.30 - 138.60 Structure 133.30 - 134.70 134.70 - 138.60	367852	133.30	134.70	1.40	0.2090	0.0790	0.0110
			367853	134.70	136.00	1.30	1.5350	0.3750	0.0660
			367854	136.00	137.00	1.00	0.8870	0.3950	0.0260
			367855	137.00	138.00	1.00	0.3380	0.6010	0.0130
			367857	138.00	138.60	0.60	0.4790	0.4640	0.0190

Hole Number: KB-07-135 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
138.60	147.30	MV, Mafic Volcanic Mineralization 138.60 - 147.30 Structure 138.60 - 147.30	367858	138.60	140.00	1.40	0.0370	0.0370	0.0050
			367859	140.00	141.50	1.50	0.0170	0.0170	0.0060
			367860	141.50	143.00	1.50	0.0160	0.0130	0.0060
			367861	143.00	144.50	1.50	0.0330	0.0230	0.0060
			367862	144.50	146.00	1.50	0.0210	0.0200	0.0050
			367863	146.00	147.30	1.30	0.0160	0.0170	0.0060
147.30	150.15	PYXT, Pyroxenite Mineralization 147.30 - 150.15 Structure 147.30 - 150.15	367864	147.30	148.00	0.70	0.1570	0.0720	0.0110
			367865	148.00	149.00	1.00	0.1860	0.0510	0.0100
			367866	149.00	150.15	1.15	0.0280	0.0470	0.0070
150.15	150.50	FD, Felsic Dike Mineralization 150.15 - 150.50 Structure 150.15 - 150.50 150.15 - 150.50 : UC Upper Contact, 20 Deg to CA	367867	150.15	151.00	0.85	0.0510	0.0390	0.0070
150.50	153.75	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 150.50 - 153.75 Structure 150.50 - 153.75	367868	151.00	152.00	1.00	0.0420	0.0220	0.0060
			367869	152.00	153.00	1.00	0.0450	0.0390	0.0070
			367870	153.00	153.75	0.75	0.0880	0.0310	0.0070
153.75	159.40	PYXT, Pyroxenite with mv Mineralization 153.75 - 159.40 Structure 153.75 - 159.40 : MODFOL Moderately Foliated, 60 Deg to CA	367871	153.75	155.00	1.25	0.0530	0.0180	0.0050
			367872	155.00	156.00	1.00	0.0550	0.0210	0.0060
			367873	156.00	157.00	1.00	0.0760	0.0330	0.0050
			367874	157.00	158.00	1.00	0.1430	0.1480	0.0100
			367875	158.00	159.40	1.40	0.4500	0.1930	0.0200
159.40	160.60	MD, Mafic Dike Mineralization 159.40 - 160.60 Structure 159.40 - 160.60 159.40 - 160.60 : UC Upper Contact, 40 Deg to CA	367876	159.40	160.60	1.20	0.0310	0.0140	0.0040
160.60	165.00	PYXT, Pyroxenite Mineralization 160.60 - 165.00 Structure 160.60 - 165.00 : MODFOL Moderately Foliated, 45 Deg to CA	367877	160.60	162.00	1.40	1.6850	0.6390	0.0510
			367878	162.00	163.00	1.00	1.4550	0.6230	0.0430
			367879	163.00	164.00	1.00	0.7790	0.5080	0.0220
			367880	164.00	165.00	1.00	0.9930	0.4170	0.0300

Hole Number: KB-07-135 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
165.00	168.35	TSCH, Talc Schist Mineralization 165.00 - 168.35 Structure 165.00 - 168.35 : STRFOL Strongly Foliated, 40 Deg to CA	367881	165.00	166.00	1.00	0.1410	0.0360	0.0100
			367882	166.00	167.00	1.00	0.1700	0.1180	0.0110
			367883	167.00	168.35	1.35	0.3630	0.3260	0.0110
168.35	194.00	MV, Mafic Volcanic Mineralization 168.35 - 194.00 Structure 168.35 - 194.00	367885	168.35	169.00	0.65	0.0380	0.0250	0.0050
			367886	169.00	170.00	1.00	0.0120	0.0080	0.0050
			367887	170.00	171.00	1.00	0.0180	0.0310	0.0080
			367888	171.00	172.00	1.00	0.0280	0.0430	0.0080
			367889	172.00	173.00	1.00	0.0130	0.0060	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367815	98.00	99.00	0.0130	0.0130	0.0050
367816	99.00	100.30	0.0130	0.0090	0.0050
367817	100.30	100.90	0.0070	0.0180	0.0020
367818	100.90	102.00	0.0220	0.0340	0.0050
367819	102.00	103.20	0.0090	0.0070	0.0030
367820	103.20	104.00	0.2970	0.0890	0.0230
367821	104.00	105.00	0.8520	0.4780	0.0270
367822	105.00	106.30	0.8390	0.5200	0.0270
367823	106.30	107.00	0.0430	0.0720	0.0060
367824	107.00	108.00	0.0170	0.0160	0.0050
367825	108.00	109.00	0.4850	0.2010	0.0170
367826	109.00	110.00	0.7960	0.1420	0.0240
367827	110.00	111.00	1.4100	0.2590	0.0390
367828	111.00	112.00	0.0530	0.0290	0.0050
367829	112.00	113.00	0.0240	0.0150	0.0050
367830	113.00	114.00	0.0790	0.0420	0.0060
367831	114.00	115.00	1.9400	0.8720	0.0520
367832	115.00	116.00	2.4500	0.4300	0.0670
367834	116.00	117.00	1.2550	0.2990	0.0360
367835	117.00	118.30	0.9980	0.6200	0.0280
367837	118.30	119.00	0.0330	0.0340	0.0060
367838	119.00	120.00	0.0570	0.0390	0.0060
367839	120.00	121.00	0.0300	0.0990	0.0060
367840	121.00	122.00	0.3320	0.1710	0.0130
367841	122.00	122.90	0.0320	0.0070	0.0040

Hole Number: KB-07-135

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367842	122.90	124.00	1.4500	0.4230	0.0360
367843	124.00	124.60	2.4300	0.6500	0.0650
367844	124.60	126.00	0.0280	0.0140	0.0040
367845	126.00	126.90	0.8280	0.5860	0.0250
367846	126.90	128.00	0.5240	0.1210	0.0180
367847	128.00	129.00	0.1790	0.0270	0.0090
367848	129.00	130.00	0.1660	0.0460	0.0100
367849	130.00	131.00	0.0940	0.0200	0.0080
367850	131.00	132.30	0.1540	0.0790	0.0100
367851	132.30	133.30	0.0080	0.0070	0.0020
367852	133.30	134.70	0.2090	0.0790	0.0110
367853	134.70	136.00	1.5350	0.3750	0.0660
367854	136.00	137.00	0.8870	0.3950	0.0260
367855	137.00	138.00	0.3380	0.6010	0.0130
367857	138.00	138.60	0.4790	0.4640	0.0190
367858	138.60	140.00	0.0370	0.0370	0.0050
367859	140.00	141.50	0.0170	0.0170	0.0060
367860	141.50	143.00	0.0160	0.0130	0.0060
367861	143.00	144.50	0.0330	0.0230	0.0060
367862	144.50	146.00	0.0210	0.0200	0.0050
367863	146.00	147.30	0.0160	0.0170	0.0060
367864	147.30	148.00	0.1570	0.0720	0.0110
367865	148.00	149.00	0.1860	0.0510	0.0100
367866	149.00	150.15	0.0280	0.0470	0.0070
367867	150.15	151.00	0.0510	0.0390	0.0070
367868	151.00	152.00	0.0420	0.0220	0.0060
367869	152.00	153.00	0.0450	0.0390	0.0070
367870	153.00	153.75	0.0880	0.0310	0.0070
367871	153.75	155.00	0.0530	0.0180	0.0050
367872	155.00	156.00	0.0550	0.0210	0.0060
367873	156.00	157.00	0.0760	0.0330	0.0050
367874	157.00	158.00	0.1430	0.1480	0.0100
367875	158.00	159.40	0.4500	0.1930	0.0200
367876	159.40	160.60	0.0310	0.0140	0.0040
367877	160.60	162.00	1.6850	0.6390	0.0510
367878	162.00	163.00	1.4550	0.6230	0.0430
367879	163.00	164.00	0.7790	0.5080	0.0220

Hole Number: KB-07-135

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367880	164.00	165.00	0.9930	0.4170	0.0300
367881	165.00	166.00	0.1410	0.0360	0.0100
367882	166.00	167.00	0.1700	0.1180	0.0110
367883	167.00	168.35	0.3630	0.3260	0.0110
367885	168.35	169.00	0.0380	0.0250	0.0050
367886	169.00	170.00	0.0120	0.0080	0.0050
367887	170.00	171.00	0.0180	0.0310	0.0080
367888	171.00	172.00	0.0280	0.0430	0.0080
367889	172.00	173.00	0.0130	0.0060	0.0050

DETAILED LOG

Hole Number: KB-07-134

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-49.00
Project Number:	19900	North:	5481548.00	North:	5481548.00	Collar Az:	306.00
Location:	Surface	East:	454075.50	East:	454075.50	Length:	179.00 (m)
		Elev:	402.23	Elev:	402.23	Start Depth:	0.00 (m)
Date Started:	Sep 17, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	179.00 (m)
Date Completed:	Sep 18, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	306.00	-49.10	EZ	OK		59.00	307.30	-44.80	EZ	OK	5814
101.00	313.30	-43.20	EZ	DO	5789	150.00	307.40	-40.70	EZ	OK	5788
179.00	306.70	-39.20	EZ	OK	5791						

Detailed Lithology

From (m)	To (m)	Lithology
0	1.30	CAS, Casing
1.30	20.10	MV, Mafic Volcanic Mineralization 1.30 - 20.10 Structure 1.30 - 20.10 : MODFOL Moderately Foliated, 50 Deg to CA
20.10	23.30	FD, Felsic Dike Mineralization 20.10 - 23.30 Structure 20.10 - 23.30
23.30	27.00	MV, Mafic Volcanic Mineralization 23.30 - 27.00 Structure 23.30 - 27.00 : MODFOL Moderately Foliated, 45 Deg to CA 23.30 - 27.00 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-134 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
27.00	30.10	FD, Felsic Dike with mv Mineralization 27.00 - 30.10 Structure 27.00 - 30.10							
30.10	38.20	MV, Mafic Volcanic Mineralization 30.10 - 38.20 Structure 30.10 - 38.20 : MODFOL Moderately Foliated, 50 Deg to CA							
38.20	39.60	FD, Felsic Dike Mineralization 38.20 - 39.60 Structure 38.20 - 39.60							
39.60	45.80	MV, Mafic Volcanic Mineralization 39.60 - 45.80 Structure 39.60 - 45.80 : MODFOL Moderately Foliated, 50 Deg to CA							
45.80	47.20	FD, Felsic Dike Mineralization 45.80 - 47.20 Structure 45.80 - 47.20							
47.20	95.20	MV, Mafic Volcanic Mineralization 47.20 - 95.20 Structure 47.20 - 95.20 : MODFOL Moderately Foliated, 50 Deg to CA	367615	94.00	95.20	1.20	0.0160	0.0130	0.0050
95.20	97.20	MDCHL, Mafic Dike Chloritic Mineralization 95.20 - 97.20 Structure 95.20 - 97.20 : MODFOL Moderately Foliated, 40 Deg to CA 95.20 - 97.20 : UC Upper Contact, 45 Deg to CA	367616	95.20	96.00	0.80	0.0140	0.0050	0.0030
			367617	96.00	97.20	1.20	0.0130	0.0050	0.0030

Hole Number: KB-07-134

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
97.20	98.50	MV, Mafic Volcanic Mineralization 97.20 - 98.50 Structure 97.20 - 98.50 : MODFOL Moderately Foliated, 40 Deg to CA 97.20 - 98.50 : UC Upper Contact, 50 Deg to CA	367618	97.20	98.50	1.30	0.0230	0.0180	0.0050
98.50	112.20	PYXT, Pyroxenite Mineralization 98.50 - 104.00 104.00 - 110.00 110.00 - 112.20 Structure 98.50 - 104.00 : MODFOL Moderately Foliated, 35 Deg to CA 104.00 - 112.20	367619	98.50	100.00	1.50	0.1740	0.1300	0.0080
			367620	100.00	101.00	1.00	0.1510	0.1230	0.0090
			367621	101.00	102.00	1.00	0.1790	0.1370	0.0070
			367622	102.00	103.00	1.00	0.3000	0.2660	0.0100
			367624	103.00	104.00	1.00	0.6240	0.5250	0.0180
			367625	104.00	105.00	1.00	0.1080	0.0070	0.0070
			367626	105.00	106.00	1.00	0.0690	0.0070	0.0060
			367627	106.00	107.00	1.00	0.0570	0.0090	0.0050
			367628	107.00	108.00	1.00	0.0510	0.0025	0.0060
			367629	108.00	109.00	1.00	0.0470	0.0025	0.0060
			367630	109.00	110.00	1.00	0.0420	0.0025	0.0050
			367631	110.00	111.00	1.00	0.1310	0.0660	0.0070
			367632	111.00	112.20	1.20	0.0870	0.0370	0.0050
112.20	113.20	MV, Mafic Volcanic Mineralization 112.20 - 113.20 Structure 112.20 - 113.20 : MODFOL Moderately Foliated, 50 Deg to CA 112.20 - 113.20 : UC Upper Contact, 50 Deg to CA	367633	112.20	113.20	1.00	0.0220	0.0130	0.0060
113.20	116.50	MD, Mafic Dike Mineralization 113.20 - 116.50 Structure 113.20 - 116.50 113.20 - 116.50 : UC Upper Contact, 40 Deg to CA	367634	113.20	114.00	0.80	0.0100	0.0090	0.0020
			367635	114.00	115.00	1.00	0.0070	0.0110	0.0030
			367636	115.00	116.50	1.50	0.0120	0.0050	0.0030
116.50	125.65	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 116.50 - 125.65 Structure 116.50 - 125.65 116.50 - 125.65 : UC Upper Contact, 10 Deg to CA	367637	116.50	118.00	1.50	0.0150	0.0080	0.0030
			367638	118.00	119.00	1.00	0.0150	0.0100	0.0050
			367639	119.00	120.00	1.00	0.0150	0.0100	0.0060
			367640	120.00	121.00	1.00	0.0180	0.0140	0.0050
			367641	121.00	122.00	1.00	0.0380	0.0190	0.0060
			367642	122.00	123.00	1.00	0.0420	0.0300	0.0060
			367643	123.00	124.00	1.00	0.0350	0.0230	0.0050
			367645	124.00	125.00	1.00	0.0260	0.0160	0.0050
			367646	125.00	125.65	0.65	0.0350	0.0140	0.0040

Hole Number: KB-07-134 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
125.65	127.00	FD, Felsic Dike Mineralization 125.65 - 127.00 Structure 125.65 - 127.00	367647	125.65	127.00	1.35	0.0060	0.0060	0.0020
127.00	154.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 127.00 - 154.60 Structure 127.00 - 154.60 127.00 - 154.60 : UC Upper Contact, 20 Deg to CA	367648	127.00	128.00	1.00	0.0160	0.0140	0.0050
			367649	128.00	129.00	1.00	0.0170	0.0170	0.0050
			367650	129.00	130.00	1.00	0.0240	0.0180	0.0060
			367651	130.00	131.00	1.00	0.0170	0.0140	0.0050
			367652	131.00	132.00	1.00	0.0290	0.0270	0.0060
			367653	132.00	133.00	1.00	0.0430	0.0110	0.0050
			367654	133.00	134.00	1.00	0.0180	0.0160	0.0060
			367655	134.00	135.00	1.00	0.0150	0.0230	0.0040
			367656	135.00	136.00	1.00	0.0180	0.0140	0.0050
			367657	136.00	137.00	1.00	0.0190	0.0160	0.0050
			367658	137.00	138.00	1.00	0.0470	0.0200	0.0060
			367659	138.00	139.00	1.00	0.0380	0.0370	0.0050
			367661	139.00	140.00	1.00	0.0520	0.0340	0.0060
			367662	140.00	141.00	1.00	0.0490	0.0250	0.0070
			367663	141.00	142.00	1.00	0.0680	0.0330	0.0070
			367664	142.00	143.00	1.00	0.0220	0.0110	0.0050
			367665	143.00	144.00	1.00	0.0500	0.0280	0.0050
			367666	144.00	145.00	1.00	0.0620	0.0350	0.0050
			367667	145.00	146.00	1.00	0.1230	0.0610	0.0090
			367668	146.00	147.00	1.00	0.1500	0.0700	0.0090
			367669	147.00	148.00	1.00	0.0900	0.0370	0.0060
			367670	148.00	149.00	1.00	0.1870	0.0800	0.0090
			367671	149.00	150.00	1.00	0.0320	0.0130	0.0060
			367672	150.00	151.00	1.00	0.2640	0.0630	0.0110
			367674	151.00	152.00	1.00	0.1700	0.1020	0.0090
			367675	152.00	153.00	1.00	0.0180	0.0180	0.0050
			367676	153.00	154.00	1.00	0.0220	0.0260	0.0050
			367677	154.00	154.60	0.60	0.0200	0.0120	0.0050
154.60	158.40	MV, Mafic Volcanic Mineralization 154.60 - 158.40 Structure 154.60 - 158.40 : MODFOL Moderately Foliated, 60 Deg to CA	367678	154.60	156.00	1.40	0.0100	0.0100	0.0040
			367679	156.00	157.00	1.00	0.0110	0.0090	0.0030
			367680	157.00	158.40	1.40	0.0090	0.0090	0.0040

Hole Number: KB-07-134 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
158.40	162.00	FD, Felsic Dike Mineralization 158.40 - 162.00 Structure 158.40 - 162.00	367681	158.40	160.00	1.60	0.0025	0.0025	0.0010
			367682	160.00	161.00	1.00	0.0120	0.0025	0.0010
			367683	161.00	162.00	1.00	0.0070	0.0060	0.0030
162.00	174.20	MV, Mafic Volcanic Mineralization 162.00 - 174.20 Structure 162.00 - 174.20 162.00 - 174.20 : UC Upper Contact, 30 Deg to CA	367684	162.00	163.00	1.00	0.0090	0.0130	0.0050
174.20	174.75	MD, Mafic Dike Mineralization 174.20 - 174.75 Structure 174.20 - 174.75							
174.75	179.00	MV, Mafic Volcanic Mineralization 174.75 - 179.00 Structure 174.75 - 179.00							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367615	94.00	95.20	0.0160	0.0130	0.0050
367616	95.20	96.00	0.0140	0.0050	0.0030
367617	96.00	97.20	0.0130	0.0050	0.0030
367618	97.20	98.50	0.0230	0.0180	0.0050
367619	98.50	100.00	0.1740	0.1300	0.0080
367620	100.00	101.00	0.1510	0.1230	0.0090
367621	101.00	102.00	0.1790	0.1370	0.0070
367622	102.00	103.00	0.3000	0.2660	0.0100
367624	103.00	104.00	0.6240	0.5250	0.0180
367625	104.00	105.00	0.1080	0.0070	0.0070
367626	105.00	106.00	0.0690	0.0070	0.0060
367627	106.00	107.00	0.0570	0.0090	0.0050
367628	107.00	108.00	0.0510	0.0025	0.0060
367629	108.00	109.00	0.0470	0.0025	0.0060

Hole Number: KB-07-134

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367630	109.00	110.00	0.0420	0.0025	0.0050
367631	110.00	111.00	0.1310	0.0660	0.0070
367632	111.00	112.20	0.0870	0.0370	0.0050
367633	112.20	113.20	0.0220	0.0130	0.0060
367634	113.20	114.00	0.0100	0.0090	0.0020
367635	114.00	115.00	0.0070	0.0110	0.0030
367636	115.00	116.50	0.0120	0.0050	0.0030
367637	116.50	118.00	0.0150	0.0080	0.0030
367638	118.00	119.00	0.0150	0.0100	0.0050
367639	119.00	120.00	0.0150	0.0100	0.0060
367640	120.00	121.00	0.0180	0.0140	0.0050
367641	121.00	122.00	0.0380	0.0190	0.0060
367642	122.00	123.00	0.0420	0.0300	0.0060
367643	123.00	124.00	0.0350	0.0230	0.0050
367645	124.00	125.00	0.0260	0.0160	0.0050
367646	125.00	125.65	0.0350	0.0140	0.0040
367647	125.65	127.00	0.0060	0.0060	0.0020
367648	127.00	128.00	0.0160	0.0140	0.0050
367649	128.00	129.00	0.0170	0.0170	0.0050
367650	129.00	130.00	0.0240	0.0180	0.0060
367651	130.00	131.00	0.0170	0.0140	0.0050
367652	131.00	132.00	0.0290	0.0270	0.0060
367653	132.00	133.00	0.0430	0.0110	0.0050
367654	133.00	134.00	0.0180	0.0160	0.0060
367655	134.00	135.00	0.0150	0.0230	0.0040
367656	135.00	136.00	0.0180	0.0140	0.0050
367657	136.00	137.00	0.0190	0.0160	0.0050
367658	137.00	138.00	0.0470	0.0200	0.0060
367659	138.00	139.00	0.0380	0.0370	0.0050
367661	139.00	140.00	0.0520	0.0340	0.0060
367662	140.00	141.00	0.0490	0.0250	0.0070
367663	141.00	142.00	0.0680	0.0330	0.0070
367664	142.00	143.00	0.0220	0.0110	0.0050
367665	143.00	144.00	0.0500	0.0280	0.0050
367666	144.00	145.00	0.0620	0.0350	0.0050
367667	145.00	146.00	0.1230	0.0610	0.0090
367668	146.00	147.00	0.1500	0.0700	0.0090

Hole Number: KB-07-134

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367669	147.00	148.00	0.0900	0.0370	0.0060
367670	148.00	149.00	0.1870	0.0800	0.0090
367671	149.00	150.00	0.0320	0.0130	0.0060
367672	150.00	151.00	0.2640	0.0630	0.0110
367674	151.00	152.00	0.1700	0.1020	0.0090
367675	152.00	153.00	0.0180	0.0180	0.0050
367676	153.00	154.00	0.0220	0.0260	0.0050
367677	154.00	154.60	0.0200	0.0120	0.0050
367678	154.60	156.00	0.0100	0.0100	0.0040
367679	156.00	157.00	0.0110	0.0090	0.0030
367680	157.00	158.40	0.0090	0.0090	0.0040
367681	158.40	160.00	0.0025	0.0025	0.0010
367682	160.00	161.00	0.0120	0.0025	0.0010
367683	161.00	162.00	0.0070	0.0060	0.0030
367684	162.00	163.00	0.0090	0.0130	0.0050

DETAILED LOG

Hole Number: KB-07-133 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-55.00
Project Number:	19900	North:	5481548.00	North:	5481548.00	Collar Az:	305.30
Location:	Surface	East:	454075.50	East:	454075.50	Length:	197.00 (m)
		Elev:	402.23	Elev:	402.23	Start Depth:	0.00 (m)
Date Started:	Sep 15, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	197.00 (m)
Date Completed:	Sep 17, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
20.00	305.30	-55.10	EZ	OK	5869	70.00	304.80	-52.60	EZ	OK	5814
100.00	307.50	-50.30	EZ	OK	5767	152.00	308.70	-48.40	EZ	OK	5771
197.00	307.50	-46.80	EZ	OK	5787						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.80	CAS, Casing							
3.80	29.85	MV, Mafic Volcanic Mineralization 3.80 - 29.85 Structure 3.80 - 29.85 : MODFOL Moderately Foliated, 50 Deg to CA							
29.85	31.00	FD, Felsic Dike Mineralization 29.85 - 31.00 Structure 29.85 - 31.00 29.85 - 31.00 : UC Upper Contact, 40 Deg to CA							
31.00	33.20	MV, Mafic Volcanic Mineralization 31.00 - 33.20 Structure 31.00 - 33.20 : MODFOL Moderately Foliated, 40 Deg to CA							
33.20	34.60	FD, Felsic Dike Mineralization 33.20 - 34.60 Structure 33.20 - 34.60							

Hole Number: KB-07-133 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
34.60	37.50	MV, Mafic Volcanic Mineralization 34.60 - 37.50 Structure 34.60 - 37.50 : MODFOL Moderately Foliated, 40 Deg to CA							
37.50	38.10	FD, Felsic Dike Mineralization 37.50 - 38.10 Structure 37.50 - 38.10							
38.10	47.80	MV, Mafic Volcanic Mineralization 38.10 - 47.80 Structure 38.10 - 47.80 : MODFOL Moderately Foliated, 40 Deg to CA 38.10 - 47.80 : UC Upper Contact, 50 Deg to CA							
47.80	48.90	FD, Felsic Dike Mineralization 47.80 - 48.90 Structure 47.80 - 48.90							
48.90	56.50	MV, Mafic Volcanic Mineralization 48.90 - 56.50 Structure 48.90 - 56.50 : MODFOL Moderately Foliated, 50 Deg to CA 48.90 - 56.50 : UC Upper Contact, 50 Deg to CA							
56.50	58.20	FD, Felsic Dike Mineralization 56.50 - 58.20 Structure 56.50 - 58.20							
58.20	108.55	MV, Mafic Volcanic Mineralization 58.20 - 108.55 Structure 58.20 - 108.55 : MODFOL Moderately Foliated, 50 Deg to CA 58.20 - 108.55 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-133

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
108.55	110.10	FD, Felsic Dike Mineralization 108.55 - 110.10 Structure 108.55 - 110.10							
110.10	123.20	MV, Mafic Volcanic 115-123.2 loc biotite Mineralization 110.10 - 123.20 Structure 110.10 - 123.20 : MODFOL Moderately Foliated, 50 Deg to CA							
123.20	126.80	MDCHL, Mafic Dike Chloritic Mineralization 123.20 - 126.80 Structure 123.20 - 126.80 : MODFOL Moderately Foliated, 40 Deg to CA 123.20 - 126.80 : UC Upper Contact, 40 Deg to CA	367560	123.20	124.00	0.80	0.0130	0.0110	0.0030
			367561	124.00	125.00	1.00	0.0100	0.0050	0.0040
			367562	125.00	126.00	1.00	0.0140	0.0050	0.0020
			367563	126.00	126.80	0.80	0.0090	0.0100	0.0030
126.80	128.80	MV, Mafic Volcanic Mineralization 126.80 - 128.80 Structure 126.80 - 128.80 : MODFOL Moderately Foliated, 40 Deg to CA 126.80 - 128.80 : UC Upper Contact, 25 Deg to CA	367564	126.80	128.00	1.20	0.0590	0.0590	0.0040
			367565	128.00	128.80	0.80	0.1260	0.1310	0.0040
128.80	129.50	PYXT, Pyroxenite Mineralization 128.80 - 129.50 Structure 128.80 - 129.50 : STRFOL Strongly Foliated, 40 Deg to CA	367566	128.80	129.50	0.70	0.2760	0.2190	0.0100
129.50	145.30	MV, Mafic Volcanic loc biotite Mineralization 129.50 - 136.00 136.00 - 145.30 Structure 129.50 - 145.30	367567	129.50	131.00	1.50	0.0680	0.0580	0.0040
			367568	131.00	132.00	1.00	0.0670	0.0790	0.0050
			367569	132.00	133.00	1.00	0.0180	0.0380	0.0050
			367570	133.00	134.00	1.00	0.0140	0.0260	0.0050
			367571	134.00	135.00	1.00	0.1190	0.1680	0.0080
			367572	135.00	136.00	1.00	0.0940	0.0940	0.0080
			367573	136.00	137.50	1.50	0.0170	0.0110	0.0040
			367574	137.50	139.00	1.50	0.0150	0.0100	0.0040
			367575	139.00	140.50	1.50	0.0140	0.0100	0.0050
			367576	140.50	142.00	1.50	0.0150	0.0130	0.0040
			367577	142.00	143.50	1.50	0.0120	0.0110	0.0040
			367578	143.50	145.30	1.80	0.0260	0.0200	0.0050

Hole Number: KB-07-133 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
145.30	147.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 145.30 - 147.80 Structure 145.30 - 147.80 145.30 - 147.80 : VN Veins, 30 Deg to CA	367579	145.30	147.00	1.70	0.0140	0.0210	0.0050
			367580	147.00	147.80	0.80	0.0140	0.0130	0.0040
147.80	148.50	FD, Felsic Dike Mineralization 147.80 - 148.50 Structure 147.80 - 148.50	367581	147.80	148.50	0.70	0.0080	0.0140	0.0030
148.50	150.50	MV, Mafic Volcanic Mineralization 148.50 - 150.50 Structure 148.50 - 150.50	367582	148.50	150.00	1.50	0.0120	0.0110	0.0040
			367583	150.00	150.50	0.50	0.0110	0.0080	0.0040
150.50	155.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 150.50 - 155.00 Structure 150.50 - 155.00	367584	150.50	152.00	1.50	0.0700	0.0310	0.0060
			367586	152.00	153.00	1.00	0.1140	0.0460	0.0090
			367587	153.00	154.00	1.00	0.1010	0.0440	0.0060
			367588	154.00	155.00	1.00	0.1210	0.0560	0.0090
155.00	158.40	MV, Mafic Volcanic Mineralization 155.00 - 158.40 Structure 155.00 - 158.40 : MODFOL Moderately Foliated, 50 Deg to CA	367590	155.00	156.00	1.00	0.0460	0.0240	0.0050
			367591	156.00	157.00	1.00	0.0180	0.0280	0.0040
			367592	157.00	158.40	1.40	0.0180	0.0110	0.0040
158.40	158.90	FD, Felsic Dike Mineralization 158.40 - 158.90 Structure 158.40 - 158.90	367593	158.40	158.90	0.50	0.0025	0.0100	0.0030
158.90	163.20	MV, Mafic Volcanic loc pyxt Mineralization 158.90 - 163.20 Structure 158.90 - 163.20 : MODFOL Moderately Foliated, 50 Deg to CA	367594	158.90	160.00	1.10	0.0390	0.0300	0.0050
			367595	160.00	161.00	1.00	0.0840	0.0160	0.0070
			367596	161.00	162.00	1.00	0.0290	0.0240	0.0050
			367597	162.00	163.20	1.20	0.0200	0.0110	0.0060

Hole Number: KB-07-133 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
163.20	167.40	GAB, Gabbro Mineralization 163.20 - 167.40 Structure 163.20 - 167.40	367598	163.20	164.00	0.80	0.0220	0.0110	0.0060
			367599	164.00	165.00	1.00	0.0200	0.0090	0.0060
			367600	165.00	166.00	1.00	0.0210	0.0090	0.0060
			367601	166.00	167.40	1.40	0.0240	0.0110	0.0060
167.40	168.20	MD, Mafic Dike Mineralization 167.40 - 168.20 Structure 167.40 - 168.20	367603	167.40	168.20	0.80	0.0070	0.0090	0.0030
168.20	170.75	GAB, Gabbro Mineralization 168.20 - 170.75 Structure 168.20 - 170.75	367604	168.20	169.00	0.80	0.0230	0.0110	0.0050
			367605	169.00	170.00	1.00	0.0240	0.0130	0.0060
			367606	170.00	170.75	0.75	0.0330	0.0270	0.0060
170.75	173.30	PYXT, Pyroxenite with mv Mineralization 170.75 - 173.30 Structure 170.75 - 173.30 : MODFOL Moderately Foliated, 50 Deg to CA	367607	170.75	172.00	1.25	0.1910	0.1000	0.0120
			367608	172.00	173.30	1.30	0.1960	0.1260	0.0110
173.30	182.00	MV, Mafic Volcanic Mineralization 173.30 - 176.00 176.00 - 182.00 Structure 173.30 - 182.00	367609	173.30	174.00	0.70	0.0520	0.0320	0.0050
			367610	174.00	175.00	1.00	0.0390	0.0490	0.0050
			367611	175.00	176.00	1.00	0.2920	0.1550	0.0100
			367612	176.00	177.00	1.00	0.0700	0.0770	0.0070
			367613	177.00	178.00	1.00	0.0270	0.0450	0.0080
			367614	178.00	179.00	1.00	0.0110	0.0120	0.0060
182.00	184.20	MD, Mafic Dike Mineralization 182.00 - 184.20 Structure 182.00 - 184.20							
184.20	192.50	MV, Mafic Volcanic Mineralization 184.20 - 192.50 Structure 184.20 - 192.50							

Hole Number: KB-07-133 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
192.50	193.40	FD, Felsic Dike Mineralization 192.50 - 193.40 Structure 192.50 - 193.40							
193.40	197.00	MV, Mafic Volcanic Mineralization 193.40 - 197.00 Structure 193.40 - 197.00 : MODFOL Moderately Foliated, 50 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367560	123.20	124.00	0.0130	0.0110	0.0030
367561	124.00	125.00	0.0100	0.0050	0.0040
367562	125.00	126.00	0.0140	0.0050	0.0020
367563	126.00	126.80	0.0090	0.0100	0.0030
367564	126.80	128.00	0.0590	0.0590	0.0040
367565	128.00	128.80	0.1260	0.1310	0.0040
367566	128.80	129.50	0.2760	0.2190	0.0100
367567	129.50	131.00	0.0680	0.0580	0.0040
367568	131.00	132.00	0.0670	0.0790	0.0050
367569	132.00	133.00	0.0180	0.0380	0.0050
367570	133.00	134.00	0.0140	0.0260	0.0050
367571	134.00	135.00	0.1190	0.1680	0.0080
367572	135.00	136.00	0.0940	0.0940	0.0080
367573	136.00	137.50	0.0170	0.0110	0.0040
367574	137.50	139.00	0.0150	0.0100	0.0040
367575	139.00	140.50	0.0140	0.0100	0.0050
367576	140.50	142.00	0.0150	0.0130	0.0040
367577	142.00	143.50	0.0120	0.0110	0.0040
367578	143.50	145.30	0.0260	0.0200	0.0050
367579	145.30	147.00	0.0140	0.0210	0.0050
367580	147.00	147.80	0.0140	0.0130	0.0040
367581	147.80	148.50	0.0080	0.0140	0.0030
367582	148.50	150.00	0.0120	0.0110	0.0040
367583	150.00	150.50	0.0110	0.0080	0.0040
367584	150.50	152.00	0.0700	0.0310	0.0060

Hole Number: KB-07-133

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367586	152.00	153.00	0.1140	0.0460	0.0090
367587	153.00	154.00	0.1010	0.0440	0.0060
367588	154.00	155.00	0.1210	0.0560	0.0090
367590	155.00	156.00	0.0460	0.0240	0.0050
367591	156.00	157.00	0.0180	0.0280	0.0040
367592	157.00	158.40	0.0180	0.0110	0.0040
367593	158.40	158.90	0.0025	0.0100	0.0030
367594	158.90	160.00	0.0390	0.0300	0.0050
367595	160.00	161.00	0.0840	0.0160	0.0070
367596	161.00	162.00	0.0290	0.0240	0.0050
367597	162.00	163.20	0.0200	0.0110	0.0060
367598	163.20	164.00	0.0220	0.0110	0.0060
367599	164.00	165.00	0.0200	0.0090	0.0060
367600	165.00	166.00	0.0210	0.0090	0.0060
367601	166.00	167.40	0.0240	0.0110	0.0060
367603	167.40	168.20	0.0070	0.0090	0.0030
367604	168.20	169.00	0.0230	0.0110	0.0050
367605	169.00	170.00	0.0240	0.0130	0.0060
367606	170.00	170.75	0.0330	0.0270	0.0060
367607	170.75	172.00	0.1910	0.1000	0.0120
367608	172.00	173.30	0.1960	0.1260	0.0110
367609	173.30	174.00	0.0520	0.0320	0.0050
367610	174.00	175.00	0.0390	0.0490	0.0050
367611	175.00	176.00	0.2920	0.1550	0.0100
367612	176.00	177.00	0.0700	0.0770	0.0070
367613	177.00	178.00	0.0270	0.0450	0.0080
367614	178.00	179.00	0.0110	0.0120	0.0060

DETAILED LOG

Hole Number: KB-07-132

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481548.00		North:	5481548.00	Collar Az: 304.10
Location:	Surface	East:	454075.50		East:	454075.50	Length: 119.00 (m)
		Elev:	402.23		Elev:	402.23	Start Depth: 0.00 (m)
Date Started:	Sep 11, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 119.00 (m)
Date Completed:	Sep 15, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	90.00	99.80	9.80	0.5640	0.2984	0.0190
WEIGHTED	97.40	99.80	2.40	1.4100	0.6718	0.0430

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	304.10	-44.30	EZ	OK	5972	50.00	307.40	-36.00	EZ	OK	5784
95.00	304.70	-32.20	EZ	OK	5771	119.00	304.20	-31.20	EZ	OK	5702

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.60	CAS, Casing							
4.60	20.15	MV, Mafic Volcanic Mineralization 4.60 - 20.15 Structure 4.60 - 20.15 : MODFOL Moderately Foliated, 55 Deg to CA							
20.15	22.60	FD, Felsic Dike Mineralization 20.15 - 22.60 Structure 20.15 - 22.60							
22.60	28.70	MV, Mafic Volcanic Mineralization 22.60 - 28.70 Structure 22.60 - 28.70 : MODFOL Moderately Foliated, 50 Deg to CA							

Hole Number: KB-07-132 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
28.70	30.80	FD, Felsic Dike Mineralization 28.70 - 30.80 Structure 28.70 - 30.80							
30.80	37.10	MV, Mafic Volcanic Mineralization 30.80 - 37.10 Structure 30.80 - 37.10 : MODFOL Moderately Foliated, 50 Deg to CA 30.80 - 37.10 : UC Upper Contact, 50 Deg to CA							
37.10	38.30	FD, Felsic Dike Mineralization 37.10 - 38.30 Structure 37.10 - 38.30 : MODFOL Moderately Foliated, 50 Deg to CA 37.10 - 38.30							
38.30	44.40	MV, Mafic Volcanic Mineralization 38.30 - 44.40 Structure 38.30 - 44.40 : MODFOL Moderately Foliated, 0.6 Deg to CA 38.30 - 44.40 : UC Upper Contact, 50 Deg to CA							
44.40	45.95	FD, Felsic Dike Mineralization 44.40 - 45.95 Structure 44.40 - 45.95							
45.95	84.10	MV, Mafic Volcanic Mineralization 45.95 - 84.10 Structure 45.95 - 84.10 : MODFOL Moderately Foliated, 60 Deg to CA 45.95 - 84.10 : UC Upper Contact, 40 Deg to CA							
84.10	86.25	MDCHL, Mafic Dike Chloritic Mineralization 84.10 - 86.25 Structure 84.10 - 86.25	367524	85.00	86.25	1.25	0.0150	0.0060	0.0030

Hole Number: KB-07-132

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
86.25	87.10	MV, Mafic Volcanic Mineralization 86.25 - 87.10 Structure 86.25 - 87.10	367525	86.25	87.10	0.85	0.0190	0.0330	0.0060
87.10	87.60	MDCHL, Mafic Dike Chloritic Mineralization 87.10 - 87.60 Structure 87.10 - 87.60	367526	87.10	87.60	0.50	0.0460	0.0690	0.0040
87.60	88.30	MV, Mafic Volcanic Mineralization 87.60 - 88.30 Structure 87.60 - 88.30	367527	87.60	88.30	0.70	0.0360	0.0630	0.0060
88.30	91.20	TSCH, Talc Schist Mineralization 88.30 - 91.20 Structure 88.30 - 91.20 : STRFOL Strongly Foliated, 50 Deg to CA	367528	88.30	89.00	0.70	0.1870	0.0710	0.0120
			367529	89.00	90.00	1.00	0.1610	0.0880	0.0100
			367530	90.00	91.20	1.20	0.4770	0.2690	0.0170
91.20	96.10	PYXT, Pyroxenite Mineralization 91.20 - 94.70 94.70 - 96.10 Structure 91.20 - 96.10 : STRFOL Strongly Foliated, 60 Deg to CA	367531	91.20	92.00	0.80	0.2580	0.1760	0.0090
			367532	92.00	93.00	1.00	0.0390	0.0080	0.0060
			367533	93.00	94.00	1.00	0.0430	0.0120	0.0050
			367534	94.00	94.70	0.70	0.1440	0.0500	0.0080
			367535	94.70	96.10	1.40	0.7540	0.5390	0.0220
96.10	97.40	MV, Mafic Volcanic loc pyxt Mineralization 96.10 - 97.40 Structure 96.10 - 97.40	367537	96.10	97.40	1.30	0.0970	0.0300	0.0060
97.40	99.80	PYXT, Pyroxenite abun mv Mineralization 97.40 - 99.80 Structure 97.40 - 99.80	367538	97.40	98.00	0.60	2.3000	0.3630	0.0660
			367539	98.00	99.00	1.00	0.5120	0.8880	0.0180
			367540	99.00	99.80	0.80	1.8650	0.6330	0.0570

Hole Number: KB-07-132

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
99.80	117.50	MV, Mafic Volcanic Mineralization 99.80 - 117.50 Structure 99.80 - 117.50 : MODFOL Moderately Foliated, 60 Deg to CA 99.80 - 117.50 : UC Upper Contact, 30 Deg to CA
117.50	119.00	PYXT, Pyroxenite abun mv Mineralization 117.50 - 119.00 Structure 117.50 - 119.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
367542	99.80	101.00	1.20	0.0650	0.0230	0.0060
367543	101.00	102.00	1.00	0.0120	0.0100	0.0040
367544	102.00	103.00	1.00	0.0580	0.0250	0.0050
367545	103.00	104.00	1.00	0.0950	0.0510	0.0070
367546	104.00	105.00	1.00	0.0570	0.0210	0.0050
367547	105.00	106.00	1.00	0.0160	0.0120	0.0050
367548	106.00	107.00	1.00	0.0150	0.0130	0.0050
367549	107.00	108.00	1.00	0.0190	0.0150	0.0040
367550	108.00	109.00	1.00	0.0090	0.0070	0.0030
367551	109.00	110.00	1.00	0.0160	0.0140	0.0060
367552	110.00	111.00	1.00	0.0140	0.0140	0.0050
367553	111.00	112.00	1.00	0.0150	0.0100	0.0060
367554	112.00	113.00	1.00	0.0140	0.0160	0.0040
367555	113.00	114.00	1.00	0.0160	0.0150	0.0050
367556	114.00	115.00	1.00	0.0210	0.0150	0.0060
367557	115.00	116.00	1.00	0.0220	0.0130	0.0050
367558	116.00	117.50	1.50	0.0290	0.0190	0.0070
367559	117.50	119.00	1.50	0.0560	0.0250	0.0070

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367524	85.00	86.25	0.0150	0.0060	0.0030
367525	86.25	87.10	0.0190	0.0330	0.0060
367526	87.10	87.60	0.0460	0.0690	0.0040
367527	87.60	88.30	0.0360	0.0630	0.0060
367528	88.30	89.00	0.1870	0.0710	0.0120
367529	89.00	90.00	0.1610	0.0880	0.0100
367530	90.00	91.20	0.4770	0.2690	0.0170
367531	91.20	92.00	0.2580	0.1760	0.0090
367532	92.00	93.00	0.0390	0.0080	0.0060
367533	93.00	94.00	0.0430	0.0120	0.0050
367534	94.00	94.70	0.1440	0.0500	0.0080
367535	94.70	96.10	0.7540	0.5390	0.0220
367537	96.10	97.40	0.0970	0.0300	0.0060

Hole Number: KB-07-132

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367538	97.40	98.00	2.3000	0.3630	0.0660
367539	98.00	99.00	0.5120	0.8880	0.0180
367540	99.00	99.80	1.8650	0.6330	0.0570
367542	99.80	101.00	0.0650	0.0230	0.0060
367543	101.00	102.00	0.0120	0.0100	0.0040
367544	102.00	103.00	0.0580	0.0250	0.0050
367545	103.00	104.00	0.0950	0.0510	0.0070
367546	104.00	105.00	0.0570	0.0210	0.0050
367547	105.00	106.00	0.0160	0.0120	0.0050
367548	106.00	107.00	0.0150	0.0130	0.0050
367549	107.00	108.00	0.0190	0.0150	0.0040
367550	108.00	109.00	0.0090	0.0070	0.0030
367551	109.00	110.00	0.0160	0.0140	0.0060
367552	110.00	111.00	0.0140	0.0140	0.0050
367553	111.00	112.00	0.0150	0.0100	0.0060
367554	112.00	113.00	0.0140	0.0160	0.0040
367555	113.00	114.00	0.0160	0.0150	0.0050
367556	114.00	115.00	0.0210	0.0150	0.0060
367557	115.00	116.00	0.0220	0.0130	0.0050
367558	116.00	117.50	0.0290	0.0190	0.0070
367559	117.50	119.00	0.0560	0.0250	0.0070

DETAILED LOG

Hole Number: KB-07-131

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -64.00
Project Number:	19900	North: 5481424.00			North: 5481424.00		Collar Az: 302.90
Location:	Surface	East: 454063.90			East: 454063.90		Length: 349.40 (m)
		Elev: 402.89			Elev: 402.89		Start Depth: 0.00 (m)
Date Started:	Sep 07, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 349.40 (m)
Date Completed:	Sep 10, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	275.70	283.85	8.15	0.9882	0.4896	0.0280
WEIGHTED	277.90	280.70	2.80	2.1184	1.2280	0.0530
WEIGHTED	277.90	283.85	5.95	1.2754	0.6251	0.0345
WEIGHTED	295.00	296.50	1.50	0.3790	0.1397	0.0127
WEIGHTED	309.10	327.00	17.90	0.3337	0.2249	0.0145
WEIGHTED	309.10	330.70	21.60	0.3121	0.2078	0.0138

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	302.90	-64.60	EZ	OK	5846	50.00	291.20	-63.90	EZ	DO	6061
104.00	305.90	-63.50	EZ	OK	5785	150.00	306.70	-62.50	EZ	OK	5798
200.00	307.90	-61.60	EZ	OK	5782	251.00	308.60	-61.10	EZ	OK	5821
300.00	305.70	-59.80	EZ	OK	5763	349.00	311.00	-58.90	EZ	OK	5788

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.90	CAS, Casing							
2.90	95.70	MV, Mafic Volcanic Mineralization 2.90 - 95.70 Structure 2.90 - 95.70 : MODFOL Moderately Foliated, 40 Deg to CA							
95.70	96.40	MDCHL, Mafic Dike Chloritic Mineralization 95.70 - 96.40 Structure 95.70 - 96.40 95.70 - 96.40 : UC Upper Contact, 30 Deg to CA							

Hole Number: KB-07-131 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
96.40	131.10	MV, Mafic Volcanic Mineralization 96.40 - 131.10 Structure 96.40 - 131.10 : MODFOL Moderately Foliated, 40 Deg to CA 96.40 - 131.10 : UC Upper Contact, 20 Deg to CA							
131.10	135.05	MDCHL, Mafic Dike Chloritic Mineralization 131.10 - 135.05 Structure 131.10 - 135.05 : MODFOL Moderately Foliated, 40 Deg to CA							
135.05	139.70	MV, Mafic Volcanic Mineralization 135.05 - 139.70 Structure 135.05 - 139.70 : MODFOL Moderately Foliated, 40 Deg to CA 135.05 - 139.70 : UC Upper Contact, 25 Deg to CA							
139.70	140.40	FD, Felsic Dike Mineralization 139.70 - 140.40 Structure 139.70 - 140.40 : MODFOL Moderately Foliated, 30 Deg to CA 139.70 - 140.40 : UC Upper Contact, 20 Deg to CA							
140.40	214.30	MV, Mafic Volcanic Mineralization 140.40 - 214.30 Structure 140.40 - 214.30 : MODFOL Moderately Foliated, 40 Deg to CA 140.40 - 214.30 : UC Upper Contact, 30 Deg to CA							
214.30	214.90	FD, Felsic Dike Mineralization 214.30 - 214.90 Structure 214.30 - 214.90 214.30 - 214.90 : UC Upper Contact, 40 Deg to CA							
214.90	245.00	MV, Mafic Volcanic Mineralization 214.90 - 245.00 Structure 214.90 - 245.00 : MODFOL Moderately Foliated, 40 Deg to CA 214.90 - 245.00 : UC Upper Contact, 30 Deg to CA							

Hole Number: KB-07-131 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
245.00	253.60	MD, Mafic Dike Mineralization 245.00 - 253.60 Structure 245.00 - 253.60 245.00 - 253.60 : UC Upper Contact, 20 Deg to CA							
253.60	274.90	MV, Mafic Volcanic Mineralization 253.60 - 274.90 Structure 253.60 - 274.90 : MODFOL Moderately Foliated, 40 Deg to CA 253.60 - 274.90 : UC Upper Contact, 40 Deg to CA	366611	272.00	273.00	1.00	0.0150	0.0110	0.0040
			366612	273.00	274.00	1.00	0.0140	0.0140	0.0040
			366613	274.00	274.90	0.90	0.0220	0.0160	0.0040
274.90	275.70	MDCHL, Mafic Dike Chloritic Mineralization 274.90 - 275.70 Structure 274.90 - 275.70 : MODFOL Moderately Foliated, 60 Deg to CA	366614	274.90	275.70	0.80	0.0110	0.0070	0.0020
275.70	277.90	TSCH, Talc Schist Mineralization 275.70 - 277.90 Structure 275.70 - 277.90 : STRFOL Strongly Foliated, 60 Deg to CA	366615	275.70	277.00	1.30	0.2090	0.1050	0.0120
			366616	277.00	277.90	0.90	0.2150	0.1500	0.0080
277.90	280.70	PYXT, Pyroxenite Mineralization 277.90 - 280.70 Structure 277.90 - 280.70 : STRFOL Strongly Foliated, 50 Deg to CA	366617	277.90	279.00	1.10	1.7350	1.2550	0.0450
			366619	279.00	280.00	1.00	2.3500	1.0500	0.0660
			366620	280.00	280.70	0.70	2.3900	1.4400	0.0470
280.70	283.40	MV, Mafic Volcanic Mineralization 280.70 - 283.40 Structure 280.70 - 283.40	366622	280.70	282.00	1.30	0.0210	0.0280	0.0060
			366623	282.00	283.40	1.40	0.0200	0.0150	0.0050
283.40	283.85	PYXT, Pyroxenite Mineralization 283.40 - 283.85 Structure 283.40 - 283.85 : MODFOL Moderately Foliated, 50 Deg to CA 283.40 - 283.85 : UC Upper Contact, 50 Deg to CA	366624	283.40	283.85	0.45	3.5600	0.4960	0.0930

Hole Number: KB-07-131 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
283.85	284.95	MDCHL, Mafic Dike Chloritic Mineralization 283.85 - 284.95 Structure 283.85 - 284.95 : MODFOL Moderately Foliated, 40 Deg to CA 283.85 - 284.95 : UC Upper Contact, 50 Deg to CA	366625	283.85	284.95	1.10	0.0120	0.0080	0.0020
284.95	285.75	MV, Mafic Volcanic Mineralization 284.95 - 285.75 Structure 284.95 - 285.75 : MODFOL Moderately Foliated, 40 Deg to CA 284.95 - 285.75 : UC Upper Contact, 40 Deg to CA	366626	284.95	285.75	0.80	0.0530	0.0220	0.0060
285.75	286.25	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 285.75 - 286.25 Structure 285.75 - 286.25	366627	285.75	286.25	0.50	0.1080	0.0960	0.0080
286.25	293.60	MV, Mafic Volcanic Mineralization 286.25 - 293.60 Structure 286.25 - 293.60	366628	286.25	287.00	0.75	0.0130	0.0090	0.0040
			366629	287.00	288.00	1.00	0.0220	0.0130	0.0060
			366630	288.00	289.50	1.50	0.0210	0.0140	0.0050
			366631	289.50	291.00	1.50	0.0140	0.0110	0.0050
			366632	291.00	292.00	1.00	0.0180	0.0080	0.0060
			366633	292.00	293.60	1.60	0.0140	0.0090	0.0050
293.60	296.50	PYXT, Pyroxenite abun mv Mineralization 293.60 - 296.50 Structure 293.60 - 296.50 : MODFOL Moderately Foliated, 40 Deg to CA	366634	293.60	295.00	1.40	0.1130	0.0430	0.0070
			366635	295.00	296.00	1.00	0.3110	0.1060	0.0120
			366636	296.00	296.50	0.50	0.5150	0.2070	0.0140
296.50	309.10	MV, Mafic Volcanic Mineralization 296.50 - 309.10 Structure 296.50 - 309.10 : MODFOL Moderately Foliated, 40 Deg to CA	366637	296.50	298.00	1.50	0.0440	0.0090	0.0050
			366638	298.00	299.50	1.50	0.0590	0.0460	0.0050
			366639	299.50	301.00	1.50	0.0600	0.2080	0.0040
			366640	301.00	302.50	1.50	0.0910	0.0790	0.0070
			366641	302.50	304.00	1.50	0.2000	0.0910	0.0080
			366642	304.00	305.50	1.50	0.0980	0.0800	0.0070
			366643	305.50	307.00	1.50	0.0150	0.0070	0.0040
			366644	307.00	308.00	1.00	0.0930	0.0250	0.0070
			366645	308.00	309.10	1.10	0.1810	0.0840	0.0100

DETAILED LOG

Hole Number: KB-07-131

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
309.10	313.30	PYXT, Pyroxenite abun mv Mineralization 309.10 - 311.30 311.30 - 312.20 312.20 - 313.30 Structure 309.10 - 313.30 : MODFOL Moderately Foliated, 40 Deg to CA 309.10 - 313.30 : UC Upper Contact, 40 Deg to CA
313.30	330.70	TSCH, Talc Schist Mineralization 313.30 - 330.70 Structure 313.30 - 330.70 : STRFOL Strongly Foliated, 45 Deg to CA
330.70	349.40	MV, Mafic Volcanic Mineralization 330.70 - 349.40 Structure 330.70 - 349.40 : MODFOL Moderately Foliated, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366646	309.10	310.00	0.90	0.2310	0.1050	0.0130
366647	310.00	311.30	1.30	0.2870	0.1060	0.0110
366649	311.30	312.20	0.90	1.2800	0.5270	0.0560
366650	312.20	313.30	1.10	0.0570	0.0350	0.0050
366651	313.30	314.00	0.70	0.3090	0.3770	0.0140
366652	314.00	315.00	1.00	0.3760	0.1270	0.0150
366653	315.00	316.00	1.00	0.3840	0.1410	0.0130
366654	316.00	317.00	1.00	0.4210	0.3190	0.0130
366656	317.00	318.00	1.00	0.1350	0.0490	0.0060
366657	318.00	319.00	1.00	0.5550	0.3280	0.0320
366658	319.00	320.00	1.00	0.2530	0.1870	0.0100
366659	320.00	321.00	1.00	0.2530	0.0980	0.0140
366660	321.00	322.00	1.00	0.1860	0.0870	0.0090
366661	322.00	323.00	1.00	0.1600	0.2590	0.0090
366662	323.00	324.00	1.00	0.2670	0.2540	0.0120
366663	324.00	325.00	1.00	0.1400	0.1400	0.0090
366664	325.00	326.00	1.00	0.2690	0.3960	0.0110
366665	326.00	327.00	1.00	0.5630	0.6310	0.0150
366666	327.00	328.00	1.00	0.1150	0.0460	0.0090
366667	328.00	329.00	1.00	0.1200	0.0480	0.0080
366668	329.00	330.00	1.00	0.1740	0.1270	0.0100
366669	330.00	330.70	0.70	0.5120	0.3470	0.0150
366670	330.70	332.00	1.30	0.0180	0.0460	0.0010
366671	332.00	333.00	1.00	0.0500	0.0270	0.0020
366672	333.00	334.00	1.00	0.0060	0.0025	0.0010
366673	334.00	335.00	1.00	0.0060	0.0110	0.0030

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366611	272.00	273.00	0.0150	0.0110	0.0040
366612	273.00	274.00	0.0140	0.0140	0.0040
366613	274.00	274.90	0.0220	0.0160	0.0040
366614	274.90	275.70	0.0110	0.0070	0.0020
366615	275.70	277.00	0.2090	0.1050	0.0120

Hole Number: KB-07-131

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366616	277.00	277.90	0.2150	0.1500	0.0080
366617	277.90	279.00	1.7350	1.2550	0.0450
366619	279.00	280.00	2.3500	1.0500	0.0660
366620	280.00	280.70	2.3900	1.4400	0.0470
366622	280.70	282.00	0.0210	0.0280	0.0060
366623	282.00	283.40	0.0200	0.0150	0.0050
366624	283.40	283.85	3.5600	0.4960	0.0930
366625	283.85	284.95	0.0120	0.0080	0.0020
366626	284.95	285.75	0.0530	0.0220	0.0060
366627	285.75	286.25	0.1080	0.0960	0.0080
366628	286.25	287.00	0.0130	0.0090	0.0040
366629	287.00	288.00	0.0220	0.0130	0.0060
366630	288.00	289.50	0.0210	0.0140	0.0050
366631	289.50	291.00	0.0140	0.0110	0.0050
366632	291.00	292.00	0.0180	0.0080	0.0060
366633	292.00	293.60	0.0140	0.0090	0.0050
366634	293.60	295.00	0.1130	0.0430	0.0070
366635	295.00	296.00	0.3110	0.1060	0.0120
366636	296.00	296.50	0.5150	0.2070	0.0140
366637	296.50	298.00	0.0440	0.0090	0.0050
366638	298.00	299.50	0.0590	0.0460	0.0050
366639	299.50	301.00	0.0600	0.2080	0.0040
366640	301.00	302.50	0.0910	0.0790	0.0070
366641	302.50	304.00	0.2000	0.0910	0.0080
366642	304.00	305.50	0.0980	0.0800	0.0070
366643	305.50	307.00	0.0150	0.0070	0.0040
366644	307.00	308.00	0.0930	0.0250	0.0070
366645	308.00	309.10	0.1810	0.0840	0.0100
366646	309.10	310.00	0.2310	0.1050	0.0130
366647	310.00	311.30	0.2870	0.1060	0.0110
366649	311.30	312.20	1.2800	0.5270	0.0560
366650	312.20	313.30	0.0570	0.0350	0.0050
366651	313.30	314.00	0.3090	0.3770	0.0140
366652	314.00	315.00	0.3760	0.1270	0.0150
366653	315.00	316.00	0.3840	0.1410	0.0130
366654	316.00	317.00	0.4210	0.3190	0.0130
366656	317.00	318.00	0.1350	0.0490	0.0060

Hole Number: KB-07-131

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366657	318.00	319.00	0.5550	0.3280	0.0320
366658	319.00	320.00	0.2530	0.1870	0.0100
366659	320.00	321.00	0.2530	0.0980	0.0140
366660	321.00	322.00	0.1860	0.0870	0.0090
366661	322.00	323.00	0.1600	0.2590	0.0090
366662	323.00	324.00	0.2670	0.2540	0.0120
366663	324.00	325.00	0.1400	0.1400	0.0090
366664	325.00	326.00	0.2690	0.3960	0.0110
366665	326.00	327.00	0.5630	0.6310	0.0150
366666	327.00	328.00	0.1150	0.0460	0.0090
366667	328.00	329.00	0.1200	0.0480	0.0080
366668	329.00	330.00	0.1740	0.1270	0.0100
366669	330.00	330.70	0.5120	0.3470	0.0150
366670	330.70	332.00	0.0180	0.0460	0.0010
366671	332.00	333.00	0.0500	0.0270	0.0020
366672	333.00	334.00	0.0060	0.0025	0.0010
366673	334.00	335.00	0.0060	0.0110	0.0030

DETAILED LOG

Hole Number: KB-07-130

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-55.80
Project Number:	19900	North:	5481481.00	North:	5481481.00	Collar Az:	302.20
Location:	Surface	East:	454010.80	East:	454010.80	Length:	230.00 (m)
		Elev:	400.71	Elev:	400.71	Start Depth:	0.00 (m)
Date Started:	Oct 01, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	230.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	77.65	82.00	4.35	0.3348	0.1290	0.0118
WEIGHTED	90.50	133.00	42.50	1.4056	0.5389	0.0411
WEIGHTED	90.50	179.00	88.50	0.7746	0.3135	0.0246
WEIGHTED	99.00	131.50	32.50	1.7195	0.5961	0.0498
WEIGHTED	111.00	131.50	20.50	2.2964	0.7165	0.0634
WEIGHTED	122.50	131.50	9.00	2.8848	0.6668	0.0707
WEIGHTED	131.50	179.00	47.50	0.1947	0.1060	0.0095
WEIGHTED	192.50	201.50	9.00	0.2623	0.1767	0.0111

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	302.20	-55.80	EZ	OK		50.00	303.70	-55.10	EZ	OK	
100.00	349.80	-53.20	EZ	DO		150.00	303.80	-53.90	EZ	OK	
200.00	308.30	-52.70	EZ	OK		230.00	308.40	-51.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	4.00	CAS, Casing
4.00	46.00	MV, Mafic Volcanic
46.00	53.40	MV, Mafic Volcanic carbonate Structure 46.00 - 53.40
53.40	55.60	FD, Felsic Dike
55.60	64.70	MV, Mafic Volcanic
64.70	65.60	MD, Mafic Dike

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
394738	46.00	47.00	1.00	0.0170	0.0120	0.0060
394739	47.00	48.00	1.00	0.0200	0.0160	0.0050
394740	48.00	49.00	1.00	0.0150	0.0160	0.0040
394741	49.00	50.00	1.00	0.0140	0.0120	0.0050
394742	50.00	51.00	1.00	0.0170	0.0130	0.0050
394743	51.00	52.00	1.00	0.0150	0.0140	0.0050
394744	52.00	53.40	1.40	0.0180	0.0080	0.0050

Hole Number: KB-07-130 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
65.60	73.30	MV, Mafic Volcanic Structure 65.60 - 69.50 69.50 - 73.30 : STRFOL Strongly Foliated, 40 Deg to CA	394745	71.00	72.00	1.00	0.0060	0.0100	0.0020
			394746	72.00	73.30	1.30	0.0490	0.0430	0.0060
73.30	83.35	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 73.30 - 83.35 Structure 73.30 - 83.35 : MODFOL Moderately Foliated, 50 Deg to CA	394747	73.30	74.50	1.20	0.0780	0.0390	0.0060
			394748	74.50	76.00	1.50	0.1120	0.0530	0.0070
			394749	76.00	77.65	1.65	0.0660	0.0310	0.0070
			394750	77.65	79.20	1.55	0.3470	0.0770	0.0140
			394751	79.20	80.50	1.30	0.3120	0.1020	0.0100
			394752	80.50	82.00	1.50	0.3420	0.2060	0.0110
			394753	82.00	83.35	1.35	0.0660	0.0380	0.0040
83.35	87.60	MDCHL, Mafic Dike Chloritic	394755	83.35	85.00	1.65	0.0090	0.0070	0.0020
			394756	85.00	86.50	1.50	0.0025	0.0060	0.0010
			394757	86.50	87.60	1.10	0.0080	0.0050	0.0020
87.60	89.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 87.60 - 89.00	394758	87.60	89.00	1.40	0.0270	0.0240	0.0050
89.00	91.50	FD, Felsic Dike	394759	89.00	90.50	1.50	0.0050	0.0100	0.0030
			394760	90.50	91.50	1.00	0.6490	0.1710	0.0180

Hole Number: KB-07-130

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
91.50	138.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 91.50 - 102.00 102.00 - 109.00 109.00 - 131.50 131.50 - 138.90	394761	91.50	93.00	1.50	0.2080	0.0840	0.0070
			394762	93.00	94.50	1.50	0.3240	0.5540	0.0110
			394763	94.50	96.00	1.50	0.3980	0.1860	0.0140
			394764	96.00	97.50	1.50	0.6860	1.0050	0.0210
			394765	97.50	99.00	1.50	0.2320	0.2820	0.0090
			394766	99.00	100.50	1.50	1.0450	0.6840	0.0340
			394768	100.50	102.00	1.50	2.6700	0.6120	0.0790
			394769	102.00	103.50	1.50	0.4440	1.1000	0.0150
			394770	103.50	105.00	1.50	0.2430	0.3190	0.0180
			394771	105.00	106.50	1.50	0.8580	0.1760	0.0310
			394773	106.50	108.00	1.50	0.1540	0.0570	0.0090
			394774	108.00	109.50	1.50	0.4400	0.1550	0.0220
			394775	109.50	111.00	1.50	0.0180	0.0210	0.0040
			394776	111.00	112.00	1.00	1.5350	1.2850	0.0490
			394777	112.00	113.50	1.50	2.0700	0.4570	0.0810
			394778	113.50	115.00	1.50	1.9350	0.3200	0.0620
			394779	115.00	116.50	1.50	4.5500	0.2040	0.1330
			394780	116.50	118.00	1.50	1.9700	0.3330	0.0560
			394781	118.00	119.50	1.50	0.1420	1.3300	0.0070
			394782	119.50	121.00	1.50	1.4600	1.0100	0.0420
			394783	121.00	122.50	1.50	0.9250	1.2800	0.0290
			394785	122.50	124.00	1.50	5.0100	0.3790	0.1090
			394786	124.00	125.50	1.50	0.1290	0.4450	0.0050
			394787	125.50	127.00	1.50	2.1400	1.1350	0.0530
			394788	127.00	128.50	1.50	3.3500	0.4710	0.0750
			394789	128.50	130.00	1.50	3.3500	0.8900	0.0950
			394790	130.00	131.50	1.50	3.3300	0.6810	0.0870
			394791	131.50	133.00	1.50	0.2870	0.1290	0.0120
			394792	133.00	134.50	1.50	0.1360	0.0650	0.0090
			394793	134.50	136.00	1.50	0.0410	0.0300	0.0050
			394794	136.00	137.50	1.50	0.0650	0.0310	0.0070
			394795	137.50	138.90	1.40	0.1120	0.0520	0.0070
138.90	143.20	GAB, Gabbro Mineralization 138.90 - 143.20	394796	138.90	140.50	1.60	0.1270	0.0600	0.0070
			394797	140.50	142.00	1.50	0.1080	0.0460	0.0070
			394798	142.00	143.20	1.20	0.0280	0.0290	0.0040

Hole Number: KB-07-130

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
143.20	155.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 143.20 - 155.30	394799	143.20	145.00	1.80	0.1350	0.0680	0.0080
			394800	145.00	146.50	1.50	0.0570	0.0220	0.0060
			394801	146.50	148.00	1.50	0.0720	0.0380	0.0050
			394803	148.00	149.50	1.50	0.1080	0.0480	0.0070
			394804	149.50	151.00	1.50	0.2360	0.2190	0.0090
			394805	151.00	152.50	1.50	0.1590	0.0630	0.0080
			394806	152.50	154.00	1.50	0.3390	0.1530	0.0130
			394807	154.00	155.30	1.30	0.5380	0.2640	0.0180
155.30	158.10	FD, Felsic Dike	394808	155.30	156.50	1.20	0.1670	0.0420	0.0090
			394809	156.50	158.10	1.60	0.0070	0.0070	0.0020
158.10	162.25	MV, Mafic Volcanic	394810	158.10	159.00	0.90	0.0340	0.0350	0.0070
			394811	159.00	160.50	1.50	0.0260	0.0230	0.0060
			394812	160.50	162.25	1.75	0.0170	0.0160	0.0050
162.25	165.30	GABPYXT, Gabbro Pyroxenite Dikes	394813	162.25	163.50	1.25	0.3040	0.1060	0.0130
			394814	163.50	164.50	1.00	0.1390	0.0440	0.0090
			394815	164.50	165.30	0.80	0.0300	0.0140	0.0060
165.30	168.40	PYXT, Pyroxenite Mineralization 165.30 - 168.40	394816	165.30	167.00	1.70	0.4690	0.0920	0.0210
			394817	167.00	168.40	1.40	0.8550	0.4700	0.0310
168.40	171.80	MV, Mafic Volcanic	394818	168.40	170.00	1.60	0.1420	0.0590	0.0080
			394819	170.00	171.00	1.00	0.0300	0.0160	0.0050
			394820	171.00	171.80	0.80	0.1110	0.0760	0.0070
171.80	182.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 171.80 - 182.50	394821	171.80	173.00	1.20	0.1020	0.0360	0.0070
			394822	173.00	174.50	1.50	0.0690	0.0360	0.0080
			394824	174.50	176.00	1.50	0.4260	0.1550	0.0150
			394825	176.00	177.50	1.50	0.3830	0.4090	0.0120
			394826	177.50	179.00	1.50	0.5770	0.5510	0.0150
			394827	179.00	180.50	1.50	0.1200	0.1570	0.0060
			394828	180.50	181.50	1.00	0.0130	0.0250	0.0050
			394829	181.50	182.50	1.00	0.1470	0.3740	0.0090
182.50	185.00	MV, Mafic Volcanic	394830	182.50	183.50	1.00	0.1490	0.3680	0.0080
			394831	183.50	185.00	1.50	0.1160	0.0440	0.0070
185.00	188.50	GABPYXT, Gabbro Pyroxenite Dikes	394832	185.00	186.50	1.50	0.1400	0.0560	0.0100
			394833	186.50	187.50	1.00	0.0890	0.0200	0.0080
			394834	187.50	188.50	1.00	0.1410	0.0880	0.0080
188.50	189.85	MV, Mafic Volcanic	394835	188.50	189.85	1.35	0.0200	0.0600	0.0060
189.85	195.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 189.85 - 195.00	394836	189.85	191.00	1.15	0.1250	0.0770	0.0080
			394837	191.00	192.50	1.50	0.1680	0.1040	0.0100
			394838	192.50	193.50	1.00	0.3210	0.2000	0.0100
			394839	193.50	195.00	1.50	0.2190	0.1210	0.0100
195.00	196.00	MV, Mafic Volcanic	394840	195.00	196.00	1.00	0.0050	0.0060	0.0020

Hole Number: KB-07-130

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
196.00	198.00	GABPYXT, Gabbro Pyroxenite Dikes
198.00	201.50	TSCH, Talc Schist
201.50	205.00	TSCH, Talc Schist
205.00	230.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
394841	196.00	197.00	1.00	0.2430	0.2110	0.0170
394842	197.00	198.00	1.00	0.3340	0.2110	0.0130
394843	198.00	199.00	1.00	0.2170	0.1180	0.0120
394844	199.00	200.00	1.00	0.1760	0.0940	0.0100
394845	200.00	201.50	1.50	0.4910	0.3790	0.0140
394846	201.50	203.00	1.50	0.1740	0.1370	0.0080
394847	203.00	204.00	1.00	0.0260	0.0150	0.0060
394848	204.00	205.00	1.00	0.0120	0.0025	0.0030

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394738	46.00	47.00	0.0170	0.0120	0.0060
394739	47.00	48.00	0.0200	0.0160	0.0050
394740	48.00	49.00	0.0150	0.0160	0.0040
394741	49.00	50.00	0.0140	0.0120	0.0050
394742	50.00	51.00	0.0170	0.0130	0.0050
394743	51.00	52.00	0.0150	0.0140	0.0050
394744	52.00	53.40	0.0180	0.0080	0.0050
394745	71.00	72.00	0.0060	0.0100	0.0020
394746	72.00	73.30	0.0490	0.0430	0.0060
394747	73.30	74.50	0.0780	0.0390	0.0060
394748	74.50	76.00	0.1120	0.0530	0.0070
394749	76.00	77.65	0.0660	0.0310	0.0070
394750	77.65	79.20	0.3470	0.0770	0.0140
394751	79.20	80.50	0.3120	0.1020	0.0100
394752	80.50	82.00	0.3420	0.2060	0.0110
394753	82.00	83.35	0.0660	0.0380	0.0040
394755	83.35	85.00	0.0090	0.0070	0.0020
394756	85.00	86.50	0.0025	0.0060	0.0010
394757	86.50	87.60	0.0080	0.0050	0.0020
394758	87.60	89.00	0.0270	0.0240	0.0050
394759	89.00	90.50	0.0050	0.0100	0.0030
394760	90.50	91.50	0.6490	0.1710	0.0180
394761	91.50	93.00	0.2080	0.0840	0.0070
394762	93.00	94.50	0.3240	0.5540	0.0110
394763	94.50	96.00	0.3980	0.1860	0.0140

Hole Number: KB-07-130

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394764	96.00	97.50	0.6860	1.0050	0.0210
394765	97.50	99.00	0.2320	0.2820	0.0090
394766	99.00	100.50	1.0450	0.6840	0.0340
394768	100.50	102.00	2.6700	0.6120	0.0790
394769	102.00	103.50	0.4440	1.1000	0.0150
394770	103.50	105.00	0.2430	0.3190	0.0180
394771	105.00	106.50	0.8580	0.1760	0.0310
394773	106.50	108.00	0.1540	0.0570	0.0090
394774	108.00	109.50	0.4400	0.1550	0.0220
394775	109.50	111.00	0.0180	0.0210	0.0040
394776	111.00	112.00	1.5350	1.2850	0.0490
394777	112.00	113.50	2.0700	0.4570	0.0810
394778	113.50	115.00	1.9350	0.3200	0.0620
394779	115.00	116.50	4.5500	0.2040	0.1330
394780	116.50	118.00	1.9700	0.3330	0.0560
394781	118.00	119.50	0.1420	1.3300	0.0070
394782	119.50	121.00	1.4600	1.0100	0.0420
394783	121.00	122.50	0.9250	1.2800	0.0290
394785	122.50	124.00	5.0100	0.3790	0.1090
394786	124.00	125.50	0.1290	0.4450	0.0050
394787	125.50	127.00	2.1400	1.1350	0.0530
394788	127.00	128.50	3.3500	0.4710	0.0750
394789	128.50	130.00	3.3500	0.8900	0.0950
394790	130.00	131.50	3.3300	0.6810	0.0870
394791	131.50	133.00	0.2870	0.1290	0.0120
394792	133.00	134.50	0.1360	0.0650	0.0090
394793	134.50	136.00	0.0410	0.0300	0.0050
394794	136.00	137.50	0.0650	0.0310	0.0070
394795	137.50	138.90	0.1120	0.0520	0.0070
394796	138.90	140.50	0.1270	0.0600	0.0070
394797	140.50	142.00	0.1080	0.0460	0.0070
394798	142.00	143.20	0.0280	0.0290	0.0040
394799	143.20	145.00	0.1350	0.0680	0.0080
394800	145.00	146.50	0.0570	0.0220	0.0060
394801	146.50	148.00	0.0720	0.0380	0.0050
394803	148.00	149.50	0.1080	0.0480	0.0070
394804	149.50	151.00	0.2360	0.2190	0.0090

Hole Number: KB-07-130

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394805	151.00	152.50	0.1590	0.0630	0.0080
394806	152.50	154.00	0.3390	0.1530	0.0130
394807	154.00	155.30	0.5380	0.2640	0.0180
394808	155.30	156.50	0.1670	0.0420	0.0090
394809	156.50	158.10	0.0070	0.0070	0.0020
394810	158.10	159.00	0.0340	0.0350	0.0070
394811	159.00	160.50	0.0260	0.0230	0.0060
394812	160.50	162.25	0.0170	0.0160	0.0050
394813	162.25	163.50	0.3040	0.1060	0.0130
394814	163.50	164.50	0.1390	0.0440	0.0090
394815	164.50	165.30	0.0300	0.0140	0.0060
394816	165.30	167.00	0.4690	0.0920	0.0210
394817	167.00	168.40	0.8550	0.4700	0.0310
394818	168.40	170.00	0.1420	0.0590	0.0080
394819	170.00	171.00	0.0300	0.0160	0.0050
394820	171.00	171.80	0.1110	0.0760	0.0070
394821	171.80	173.00	0.1020	0.0360	0.0070
394822	173.00	174.50	0.0690	0.0360	0.0080
394824	174.50	176.00	0.4260	0.1550	0.0150
394825	176.00	177.50	0.3830	0.4090	0.0120
394826	177.50	179.00	0.5770	0.5510	0.0150
394827	179.00	180.50	0.1200	0.1570	0.0060
394828	180.50	181.50	0.0130	0.0250	0.0050
394829	181.50	182.50	0.1470	0.3740	0.0090
394830	182.50	183.50	0.1490	0.3680	0.0080
394831	183.50	185.00	0.1160	0.0440	0.0070
394832	185.00	186.50	0.1400	0.0560	0.0100
394833	186.50	187.50	0.0890	0.0200	0.0080
394834	187.50	188.50	0.1410	0.0880	0.0080
394835	188.50	189.85	0.0200	0.0600	0.0060
394836	189.85	191.00	0.1250	0.0770	0.0080
394837	191.00	192.50	0.1680	0.1040	0.0100
394838	192.50	193.50	0.3210	0.2000	0.0100
394839	193.50	195.00	0.2190	0.1210	0.0100
394840	195.00	196.00	0.0050	0.0060	0.0020
394841	196.00	197.00	0.2430	0.2110	0.0170
394842	197.00	198.00	0.3340	0.2110	0.0130

Hole Number: KB-07-130

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394843	198.00	199.00	0.2170	0.1180	0.0120
394844	199.00	200.00	0.1760	0.0940	0.0100
394845	200.00	201.50	0.4910	0.3790	0.0140
394846	201.50	203.00	0.1740	0.1370	0.0080
394847	203.00	204.00	0.0260	0.0150	0.0060
394848	204.00	205.00	0.0120	0.0025	0.0030

DETAILED LOG

Hole Number: KB-07-129 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.00
Project Number:	19900	North: 5481482.00			North: 5481482.00		Collar Az: 305.70
Location:	Surface	East: 454010.30			East: 454010.30		Length: 197.00 (m)
		Elev: 400.72			Elev: 400.72		Start Depth: 0.00 (m)
Date Started:	Sep 29, 2007	Collar Survey: Y	Plugged: N		Contractor: Morris Drilling		Final Depth: 197.00 (m)
Date Completed:		Multishot Survey: N	Hole Size: NQ		Core Storage: Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey: N	Casing: Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	73.50	80.80	7.30	2.0727	1.4222	0.0519
WEIGHTED	73.50	165.00	91.50	0.6019	0.3128	0.0183
WEIGHTED	103.40	111.80	8.40	0.8232	0.3321	0.0241
WEIGHTED	118.40	165.00	46.60	0.6256	0.2926	0.0187
WEIGHTED	131.50	160.00	28.50	0.8621	0.3647	0.0239
WEIGHTED	144.50	159.00	14.50	1.4075	0.5978	0.0352
WEIGHTED	146.00	154.10	8.10	2.0453	0.7720	0.0474

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	305.70	-46.00	EZ	OK		50.00	306.70	-44.90	EZ	OK	
101.00	305.90	-44.30	EZ	OK		150.00	315.90	-43.70	EZ	DO	
197.00	307.80	-42.20	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	5.00	CAS, Casing							
5.00	14.60	MV, Mafic Volcanic Mineralization 5.00 - 14.60 Structure 5.00 - 14.60							
14.60	19.15	FD, Felsic Dike							
19.15	45.30	MV, Mafic Volcanic							
45.30	59.10	FD, Felsic Dike							
59.10	60.50	MV, Mafic Volcanic Structure 59.10 - 60.50							
60.50	61.10	FD, Felsic Dike							

DETAILED LOG

Hole Number: KB-07-129

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
61.10	63.40	MV, Mafic Volcanic	394580	62.50	63.40	0.90	0.1240	0.0630	0.0060
63.40	66.60	GABPYXT, Gabbro Pyroxenite Dikes	394581	63.40	64.50	1.10	0.1360	0.0670	0.0080
		Mineralization	394582	64.50	65.50	1.00	0.1900	0.0680	0.0090
		63.40 - 66.60	394583	65.50	66.60	1.10	0.1050	0.0290	0.0070
66.60	69.00	MV, Mafic Volcanic	394584	66.60	68.00	1.40	0.0470	0.0280	0.0050
			394585	68.00	69.00	1.00	0.0590	0.0170	0.0050
69.00	72.00	FD, Felsic Dike	394586	69.00	70.50	1.50	0.0070	0.0060	0.0020
			394587	70.50	72.00	1.50	0.0220	0.0160	0.0030
72.00	73.00	GABPYXT, Gabbro Pyroxenite Dikes	394588	72.00	73.00	1.00	0.1490	0.0790	0.0070
		Mineralization							
		72.00 - 73.00							
73.00	73.50	FD, Felsic Dike	394589	73.00	73.50	0.50	0.0050	0.0080	0.0010
73.50	80.80	PYXT, Pyroxenite	394590	73.50	74.00	0.50	0.6440	0.4970	0.0200
		Mineralization	394592	74.00	76.50	2.50	1.1050	1.0000	0.0290
		73.50 - 80.80	394593	76.50	78.00	1.50	2.8600	0.9490	0.0720
			394595	78.00	79.50	1.50	3.1600	1.6700	0.0770
			394596	79.50	80.80	1.30	2.3200	2.8500	0.0560
80.80	100.40	GABPYXT, Gabbro Pyroxenite Dikes	394597	80.80	82.50	1.70	0.0450	0.0310	0.0050
		Mineralization	394598	82.50	84.00	1.50	0.0250	0.0190	0.0040
		80.80 - 100.40	394599	84.00	85.50	1.50	0.0130	0.0120	0.0050
			394600	85.50	87.00	1.50	0.0190	0.0270	0.0050
			394601	87.00	88.50	1.50	0.0400	0.0510	0.0060
			394602	88.50	90.00	1.50	0.4300	0.1990	0.0160
			394603	90.00	91.50	1.50	0.3050	0.1270	0.0130
			394604	91.50	93.00	1.50	0.2550	0.0940	0.0110
			394605	93.00	94.50	1.50	0.3720	0.1700	0.0140
			394606	94.50	96.00	1.50	0.1520	0.0550	0.0090
			394608	96.00	97.50	1.50	0.2010	0.0810	0.0100
			394609	97.50	99.00	1.50	0.4640	0.1790	0.0180
			394610	99.00	100.40	1.40	0.1360	0.0670	0.0070
100.40	103.40	FD, Felsic Dike	394611	100.40	102.00	1.60	0.0090	0.0060	0.0020
			394612	102.00	103.40	1.40	0.0080	0.0090	0.0020
103.40	111.80	GABPYXT, Gabbro Pyroxenite Dikes	394613	103.40	105.00	1.60	0.9770	0.4100	0.0290
		Mineralization	394614	105.00	106.50	1.50	1.8500	0.8010	0.0500
		103.40 - 111.80	394615	106.50	108.00	1.50	0.2650	0.0900	0.0090
			394616	108.00	109.50	1.50	0.8330	0.2580	0.0230
			394617	109.50	110.50	1.00	0.0640	0.1070	0.0060
			394618	110.50	111.80	1.30	0.6660	0.2330	0.0210

Hole Number: KB-07-129

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
111.80	118.40	GAB, Gabbro Mineralization 111.80 - 118.40	394619	111.80	113.00	1.20	0.0170	0.0260	0.0040
			394620	113.00	114.50	1.50	0.0110	0.0140	0.0040
			394621	114.50	116.00	1.50	0.0740	0.0360	0.0070
			394622	116.00	117.50	1.50	0.0070	0.0130	0.0040
			394623	117.50	118.40	0.90	0.0110	0.0025	0.0040
118.40	132.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 118.40 - 131.40	394624	118.40	120.00	1.60	0.2630	0.1300	0.0120
			394625	120.00	121.50	1.50	0.1630	0.1140	0.0090
			394627	121.50	123.00	1.50	0.1990	0.0930	0.0080
			394628	123.00	124.50	1.50	1.2900	1.1100	0.0370
			394629	124.50	126.00	1.50	0.4600	0.3410	0.0150
			394630	126.00	127.50	1.50	0.0400	0.0290	0.0050
			394631	127.50	129.00	1.50	0.0190	0.0170	0.0050
			394632	129.00	130.50	1.50	0.0530	0.0290	0.0060
			394633	130.50	131.50	1.00	0.0820	0.0390	0.0060
			394634	131.50	132.60	1.10	0.6870	0.2450	0.0220
132.60	154.10	PYXT, Pyroxenite Mineralization 132.60 - 144.00 144.00 - 154.10 Structure 132.60 - 154.10	394635	132.60	134.00	1.40	0.3380	0.1280	0.0130
			394636	134.00	135.50	1.50	0.2230	0.0570	0.0110
			394637	135.50	137.00	1.50	0.1610	0.0770	0.0090
			394638	137.00	138.50	1.50	0.2780	0.0970	0.0120
			394639	138.50	140.00	1.50	0.3010	0.0950	0.0140
			394640	140.00	141.50	1.50	0.2680	0.0930	0.0120
			394641	141.50	143.00	1.50	0.1480	0.0570	0.0070
			394642	143.00	144.50	1.50	0.3500	0.1260	0.0130
			394643	144.50	146.00	1.50	0.6630	0.4690	0.0210
			394644	146.00	147.50	1.50	1.2200	0.4030	0.0320
			394645	147.50	149.00	1.50	3.5600	1.4350	0.0800
			394646	149.00	150.50	1.50	2.7800	1.0150	0.0560
			394647	150.50	152.00	1.50	1.0900	0.5400	0.0280
			394648	152.00	153.00	1.00	1.3700	0.5440	0.0330
			394649	153.00	154.10	1.10	2.0200	0.5630	0.0520
154.10	157.50	MV, Mafic Volcanic Mineralization 154.10 - 157.00	394650	154.10	155.50	1.40	0.7040	0.3400	0.0290
			394651	155.50	156.50	1.00	0.2960	0.2120	0.0090
			394652	156.50	157.50	1.00	0.0210	0.0170	0.0060
157.50	160.00	PYXT, Pyroxenite Mineralization 157.50 - 160.00	394653	157.50	159.00	1.50	1.0300	0.6710	0.0260
			394654	159.00	160.00	1.00	0.3390	0.3740	0.0110

Hole Number: KB-07-129

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
160.00	172.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 160.00 - 172.70
172.70	176.10	TSCH, Talc Schist Mineralization 172.70 - 176.10 Structure 172.70 - 176.10 : STRFOL Strongly Foliated, 50 Deg to CA
176.10	197.00	MV, Mafic Volcanic Mineralization 176.10 - 197.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
394655	160.00	161.00	1.00	0.0960	0.1350	0.0060
394657	161.00	162.00	1.00	0.0270	0.0240	0.0050
394658	162.00	163.00	1.00	0.1230	0.0510	0.0060
394659	163.00	164.00	1.00	0.1630	0.0720	0.0080
394660	164.00	165.00	1.00	0.3360	0.1120	0.0110
394661	165.00	166.00	1.00	0.0520	0.0340	0.0040
394662	166.00	167.00	1.00	0.2230	0.1400	0.0090
394663	167.00	168.00	1.00	0.0900	0.0230	0.0070
394664	168.00	169.00	1.00	0.2130	0.1030	0.0090
394665	169.00	170.00	1.00	0.1470	0.0440	0.0070
394666	170.00	171.00	1.00	0.1130	0.0340	0.0080
394667	171.00	172.70	1.70	0.1390	0.1080	0.0090
394668	172.70	174.00	1.30	0.0770	0.0090	0.0080
394670	174.00	175.00	1.00	0.1480	0.0430	0.0090
394671	175.00	176.10	1.10	0.2060	0.0890	0.0100
394672	176.10	177.00	0.90	0.0790	0.0830	0.0070
394673	177.00	178.00	1.00	0.0150	0.0230	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394580	62.50	63.40	0.1240	0.0630	0.0060
394581	63.40	64.50	0.1360	0.0670	0.0080
394582	64.50	65.50	0.1900	0.0680	0.0090
394583	65.50	66.60	0.1050	0.0290	0.0070
394584	66.60	68.00	0.0470	0.0280	0.0050
394585	68.00	69.00	0.0590	0.0170	0.0050
394586	69.00	70.50	0.0070	0.0060	0.0020
394587	70.50	72.00	0.0220	0.0160	0.0030
394588	72.00	73.00	0.1490	0.0790	0.0070
394589	73.00	73.50	0.0050	0.0080	0.0010
394590	73.50	74.00	0.6440	0.4970	0.0200
394592	74.00	76.50	1.1050	1.0000	0.0290
394593	76.50	78.00	2.8600	0.9490	0.0720
394595	78.00	79.50	3.1600	1.6700	0.0770
394596	79.50	80.80	2.3200	2.8500	0.0560

Hole Number: KB-07-129

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394597	80.80	82.50	0.0450	0.0310	0.0050
394598	82.50	84.00	0.0250	0.0190	0.0040
394599	84.00	85.50	0.0130	0.0120	0.0050
394600	85.50	87.00	0.0190	0.0270	0.0050
394601	87.00	88.50	0.0400	0.0510	0.0060
394602	88.50	90.00	0.4300	0.1990	0.0160
394603	90.00	91.50	0.3050	0.1270	0.0130
394604	91.50	93.00	0.2550	0.0940	0.0110
394605	93.00	94.50	0.3720	0.1700	0.0140
394606	94.50	96.00	0.1520	0.0550	0.0090
394608	96.00	97.50	0.2010	0.0810	0.0100
394609	97.50	99.00	0.4640	0.1790	0.0180
394610	99.00	100.40	0.1360	0.0670	0.0070
394611	100.40	102.00	0.0090	0.0060	0.0020
394612	102.00	103.40	0.0080	0.0090	0.0020
394613	103.40	105.00	0.9770	0.4100	0.0290
394614	105.00	106.50	1.8500	0.8010	0.0500
394615	106.50	108.00	0.2650	0.0900	0.0090
394616	108.00	109.50	0.8330	0.2580	0.0230
394617	109.50	110.50	0.0640	0.1070	0.0060
394618	110.50	111.80	0.6660	0.2330	0.0210
394619	111.80	113.00	0.0170	0.0260	0.0040
394620	113.00	114.50	0.0110	0.0140	0.0040
394621	114.50	116.00	0.0740	0.0360	0.0070
394622	116.00	117.50	0.0070	0.0130	0.0040
394623	117.50	118.40	0.0110	0.0025	0.0040
394624	118.40	120.00	0.2630	0.1300	0.0120
394625	120.00	121.50	0.1630	0.1140	0.0090
394627	121.50	123.00	0.1990	0.0930	0.0080
394628	123.00	124.50	1.2900	1.1100	0.0370
394629	124.50	126.00	0.4600	0.3410	0.0150
394630	126.00	127.50	0.0400	0.0290	0.0050
394631	127.50	129.00	0.0190	0.0170	0.0050
394632	129.00	130.50	0.0530	0.0290	0.0060
394633	130.50	131.50	0.0820	0.0390	0.0060
394634	131.50	132.60	0.6870	0.2450	0.0220
394635	132.60	134.00	0.3380	0.1280	0.0130

Hole Number: KB-07-129

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394636	134.00	135.50	0.2230	0.0570	0.0110
394637	135.50	137.00	0.1610	0.0770	0.0090
394638	137.00	138.50	0.2780	0.0970	0.0120
394639	138.50	140.00	0.3010	0.0950	0.0140
394640	140.00	141.50	0.2680	0.0930	0.0120
394641	141.50	143.00	0.1480	0.0570	0.0070
394642	143.00	144.50	0.3500	0.1260	0.0130
394643	144.50	146.00	0.6630	0.4690	0.0210
394644	146.00	147.50	1.2200	0.4030	0.0320
394645	147.50	149.00	3.5600	1.4350	0.0800
394646	149.00	150.50	2.7800	1.0150	0.0560
394647	150.50	152.00	1.0900	0.5400	0.0280
394648	152.00	153.00	1.3700	0.5440	0.0330
394649	153.00	154.10	2.0200	0.5630	0.0520
394650	154.10	155.50	0.7040	0.3400	0.0290
394651	155.50	156.50	0.2960	0.2120	0.0090
394652	156.50	157.50	0.0210	0.0170	0.0060
394653	157.50	159.00	1.0300	0.6710	0.0260
394654	159.00	160.00	0.3390	0.3740	0.0110
394655	160.00	161.00	0.0960	0.1350	0.0060
394657	161.00	162.00	0.0270	0.0240	0.0050
394658	162.00	163.00	0.1230	0.0510	0.0060
394659	163.00	164.00	0.1630	0.0720	0.0080
394660	164.00	165.00	0.3360	0.1120	0.0110
394661	165.00	166.00	0.0520	0.0340	0.0040
394662	166.00	167.00	0.2230	0.1400	0.0090
394663	167.00	168.00	0.0900	0.0230	0.0070
394664	168.00	169.00	0.2130	0.1030	0.0090
394665	169.00	170.00	0.1470	0.0440	0.0070
394666	170.00	171.00	0.1130	0.0340	0.0080
394667	171.00	172.70	0.1390	0.1080	0.0090
394668	172.70	174.00	0.0770	0.0090	0.0080
394670	174.00	175.00	0.1480	0.0430	0.0090
394671	175.00	176.10	0.2060	0.0890	0.0100
394672	176.10	177.00	0.0790	0.0830	0.0070
394673	177.00	178.00	0.0150	0.0230	0.0050

DETAILED LOG

Hole Number: KB-07-128 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-48.00
Project Number:	19900	North:	5481508.00	North:	5481508.00	Collar Az:	305.60
Location:	Surface	East:	454026.60	East:	454026.60	Length:	200.00 (m)
		Elev:	400.57	Elev:	400.57	Start Depth:	0.00 (m)
Date Started:	Sep 18, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	200.00 (m)
Date Completed:	Sep 20, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	305.60	-47.70	EZ	OK	5853	50.00	308.10	-46.80	EZ	OK	5802
101.00	310.00	-45.90	EZ	OK	5978	150.00	308.80	-45.30	EZ	OK	5741
200.00	309.30	-44.10	EZ	OK	5777						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	5.55	MV, Mafic Volcanic Mineralization 2.00 - 5.55 Structure 2.00 - 5.55 : MODFOL Moderately Foliated, 40 Deg to CA							
5.55	8.15	MDCHL, Mafic Dike Chloritic Mineralization 5.55 - 8.15 Structure 5.55 - 8.15 5.55 - 8.15 : UC Upper Contact, 60 Deg to CA							
8.15	22.25	MV, Mafic Volcanic Mineralization 8.15 - 22.25 Structure 8.15 - 22.25 : MODFOL Moderately Foliated, 45 Deg to CA 8.15 - 22.25 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-128

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
22.25	24.80	MDCHL, Mafic Dike Chloritic Mineralization 22.25 - 24.80 Structure 22.25 - 24.80 : MODFOL Moderately Foliated, 50 Deg to CA 22.25 - 24.80 : UC Upper Contact, 50 Deg to CA							
24.80	47.40	MV, Mafic Volcanic Mineralization 24.80 - 47.40 Structure 24.80 - 47.40 : MODFOL Moderately Foliated, 45 Deg to CA 24.80 - 47.40 : UC Upper Contact, 50 Deg to CA							
47.40	48.20	MDCHL, Mafic Dike Chloritic Mineralization 47.40 - 48.20 Structure 47.40 - 48.20 : MODFOL Moderately Foliated, 45 Deg to CA 47.40 - 48.20 : UC Upper Contact, 45 Deg to CA							
48.20	53.75	MV, Mafic Volcanic Mineralization 48.20 - 53.75 Structure 48.20 - 53.75 : MODFOL Moderately Foliated, 45 Deg to CA 48.20 - 53.75 : UC Upper Contact, 45 Deg to CA							
53.75	58.80	MD, Mafic Dike Mineralization 53.75 - 58.80 Structure 53.75 - 58.80 53.75 - 58.80 : UC Upper Contact, 40 Deg to CA							
58.80	69.80	MV, Mafic Volcanic Mineralization 58.80 - 69.80 Structure 58.80 - 69.80 : MODFOL Moderately Foliated, 40 Deg to CA 58.80 - 69.80 : UC Upper Contact, 30 Deg to CA	394123	66.00	67.00	1.00	0.0170	0.0120	0.0050
			394124	67.00	68.00	1.00	0.0140	0.0140	0.0050
			394125	68.00	69.00	1.00	0.0160	0.0220	0.0050
			394126	69.00	69.80	0.80	0.0180	0.0180	0.0060

Hole Number: KB-07-128

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
69.80	72.35	TSCH, Talc Schist Mineralization 69.80 - 72.35 Structure 69.80 - 71.20 69.80 - 72.35 : STRFOL Strongly Foliated, 50 Deg to CA	394127	69.80	71.00	1.20	0.1970	0.1300	0.0100
			394128	71.00	72.35	1.35	0.2690	0.1240	0.0120
72.35	74.45	PYXT, Pyroxenite Mineralization 72.35 - 74.45 Structure 72.35 - 74.45 : MODFOL Moderately Foliated, 50 Deg to CA 72.35 - 74.45 : UC Upper Contact, 50 Deg to CA	394129	72.35	73.30	0.95	2.6100	0.7550	0.0620
			394130	73.30	74.45	1.15	1.7200	1.6350	0.0420
74.45	75.30	MV, Mafic Volcanic Mineralization 74.45 - 75.30 py Structure 74.45 - 75.30	394132	74.45	75.30	0.85	0.0290	0.0200	0.0060
75.30	75.80	PYXT, Pyroxenite Mineralization 75.30 - 75.80 Structure 75.30 - 75.80 : MODFOL Moderately Foliated, 60 Deg to CA 75.30 - 75.80 : UC Upper Contact, 70 Deg to CA	394133	75.30	75.80	0.50	1.6100	0.5060	0.0410
75.80	77.60	MDCHL, Mafic Dike Chloritic Mineralization 75.80 - 77.60 Structure 75.80 - 77.60	394134	75.80	77.00	1.20	0.0720	0.0210	0.0040
			394135	77.00	77.60	0.60	0.0050	0.0070	0.0030
77.60	90.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 77.60 - 90.50 Structure 77.60 - 90.50 77.60 - 90.50 : UC Upper Contact, 50 Deg to CA	394136	77.60	79.00	1.40	0.0740	0.0400	0.0060
			394137	79.00	80.00	1.00	0.0320	0.0140	0.0050
			394139	80.00	81.00	1.00	0.3100	0.1160	0.0140
			394140	81.00	82.00	1.00	0.3810	0.1420	0.0160
			394141	82.00	83.00	1.00	0.3800	0.1660	0.0160
			394142	83.00	84.00	1.00	0.0540	0.0050	0.0080
			394143	84.00	85.00	1.00	0.0950	0.0320	0.0070
			394144	85.00	86.00	1.00	0.0980	0.0950	0.0080
			394145	86.00	87.00	1.00	0.4790	0.1540	0.0160
			394146	87.00	88.00	1.00	0.1670	0.1000	0.0090
			394147	88.00	89.00	1.00	0.0150	0.0130	0.0040
			394148	89.00	90.50	1.50	0.0400	0.0250	0.0060

Hole Number: KB-07-128 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
90.50	92.25	GAB, Gabbro Mineralization 90.50 - 92.25 Structure 90.50 - 92.25	394149	90.50	92.25	1.75	0.0190	0.0120	0.0050
92.25	99.05	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 92.25 - 99.05 Structure 92.25 - 99.05	394150	92.25	93.00	0.75	0.0340	0.0170	0.0060
			394151	93.00	94.00	1.00	0.1310	0.0590	0.0100
			394152	94.00	95.00	1.00	0.1750	0.0850	0.0090
			394153	95.00	96.00	1.00	0.1900	0.1150	0.0110
			394154	96.00	97.00	1.00	0.2160	0.1090	0.0110
			394155	97.00	98.00	1.00	0.1820	0.0830	0.0110
			394156	98.00	99.05	1.05	0.3210	0.1450	0.0140
99.05	99.90	FD, Felsic Dike Mineralization 99.05 - 99.90 Structure 99.05 - 99.90	394157	99.05	99.90	0.85	0.0530	0.0430	0.0040
99.90	105.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 99.90 - 105.60 Structure 99.90 - 105.60 99.90 - 105.60 : UC Upper Contact, 40 Deg to CA	394158	99.90	101.00	1.10	0.3380	0.2020	0.0130
			394159	101.00	102.00	1.00	0.2200	0.5150	0.0100
			394160	102.00	103.00	1.00	1.3750	2.0500	0.0370
			394161	103.00	104.00	1.00	2.6800	0.5600	0.0690
			394162	104.00	105.00	1.00	1.0150	0.6670	0.0300
			394163	105.00	105.60	0.60	0.0910	0.0370	0.0050
105.60	107.50	MDCHL, Mafic Dike Chloritic Mineralization 105.60 - 107.50 Structure 105.60 - 107.50	394164	105.60	106.60	1.00	0.0260	0.0150	0.0010
			394165	106.60	107.50	0.90	0.0090	0.0025	0.0010

Hole Number: KB-07-128 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
107.50	130.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 107.50 - 128.80 128.80 - 130.00 Structure 107.50 - 130.00	394166	107.50	109.00	1.50	0.2140	0.0910	0.0100
			394167	109.00	110.00	1.00	0.1040	0.0610	0.0050
			394168	110.00	111.00	1.00	0.0970	0.0540	0.0050
			394169	111.00	112.00	1.00	0.0510	0.0330	0.0040
			394170	112.00	113.00	1.00	0.0510	0.0470	0.0030
			394171	113.00	114.00	1.00	0.0200	0.0120	0.0020
			394172	114.00	115.00	1.00	0.0140	0.0090	0.0020
			394173	115.00	116.00	1.00	0.0310	0.0180	0.0030
			394174	116.00	117.00	1.00	0.0430	0.0360	0.0030
			394175	117.00	118.00	1.00	0.1700	0.0730	0.0090
			394176	118.00	119.00	1.00	0.3050	0.1420	0.0120
			394178	119.00	120.00	1.00	0.1670	0.0970	0.0060
			394179	120.00	121.00	1.00	0.1590	0.0990	0.0070
			394180	121.00	122.00	1.00	0.2020	0.1080	0.0070
			394181	122.00	123.00	1.00	0.1890	0.0790	0.0080
			394182	123.00	124.00	1.00	0.2870	0.0840	0.0090
			394183	124.00	125.00	1.00	0.3570	0.1080	0.0130
			394184	125.00	126.00	1.00	0.0990	0.1230	0.0040
			394185	126.00	127.00	1.00	0.1160	0.1450	0.0040
			394186	127.00	128.00	1.00	0.3470	0.1220	0.0110
			394187	128.00	128.80	0.80	0.0800	0.2700	0.0030
			394188	128.80	130.00	1.20	1.4650	0.9980	0.0520
130.00	131.20	PYXT, Pyroxenite Mineralization 130.00 - 131.20 Structure 130.00 - 131.20	394189	130.00	131.20	1.20	5.9400	1.3200	0.1400
131.20	142.40	TSCH, Talc Schist loc pyxt Mineralization 131.20 - 142.40 Structure 131.20 - 142.40 : STRFOL Strongly Foliated, 60 Deg to CA	394191	131.20	132.00	0.80	0.0920	0.1440	0.0110
			394192	132.00	133.00	1.00	0.2840	0.1720	0.0110
			394193	133.00	134.00	1.00	0.1930	0.0900	0.0090
			394194	134.00	135.00	1.00	0.1820	0.0940	0.0070
			394195	135.00	136.00	1.00	0.0730	0.0310	0.0030
			394196	136.00	137.00	1.00	0.2860	0.2230	0.0090
			394197	137.00	138.00	1.00	0.1760	0.0950	0.0080
			394198	138.00	139.00	1.00	0.1000	0.0180	0.0070
			394200	139.00	140.00	1.00	0.0950	0.0190	0.0060
			394201	140.00	141.00	1.00	0.1660	0.0910	0.0090
			394202	141.00	142.40	1.40	0.2620	0.1640	0.0120

Hole Number: KB-07-128

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
142.40	143.40	MD, Mafic Dike Mineralization 142.40 - 143.40 Structure 142.40 - 143.40	394203	142.40	143.40	1.00	0.1870	0.1400	0.0100
143.40	152.10	PYXT, Pyroxenite loc tsch Mineralization 143.40 - 152.10 Structure 143.40 - 152.10 : MODFOL Moderately Foliated, 50 Deg to CA 143.40 - 152.10 : UC Upper Contact, 45 Deg to CA	394204	143.40	145.00	1.60	0.0260	0.0100	0.0040
			394205	145.00	146.00	1.00	0.1630	0.0920	0.0090
			394206	146.00	147.00	1.00	0.1210	0.0290	0.0080
			394207	147.00	148.00	1.00	0.2350	0.2010	0.0100
			394208	148.00	149.00	1.00	0.1630	0.1560	0.0070
			394209	149.00	150.00	1.00	0.1970	0.1500	0.0090
			394210	150.00	151.50	1.50	0.2460	0.2520	0.0100
			394212	151.50	152.90	1.40	0.4260	0.5130	0.0120
152.10	152.90	MV, Mafic Volcanic Mineralization 152.10 - 152.90 Structure 152.10 - 152.90							
152.90	153.40	PYXT, Pyroxenite Mineralization 152.90 - 153.40 Structure 152.90 - 153.40	394213	152.90	153.40	0.50	0.5200	0.1150	0.0130
153.40	159.90	MV, Mafic Volcanic Mineralization 153.40 - 159.90 Structure 153.40 - 159.90	394214	153.40	155.00	1.60	0.0300	0.0210	0.0060
			394215	155.00	156.00	1.00	0.0230	0.0300	0.0060
			394216	156.00	157.00	1.00	0.0140	0.0230	0.0050
			394217	157.00	158.00	1.00	0.0160	0.0110	0.0050
			394218	158.00	159.00	1.00	0.0260	0.0200	0.0050
			394219	159.00	159.90	0.90	0.0230	0.0130	0.0050
159.90	160.60	MD, Mafic Dike Mineralization 159.90 - 160.60 Structure 159.90 - 160.60 159.90 - 160.60 : UC Upper Contact, 40 Deg to CA	394220	159.90	160.60	0.70	0.0090	0.0060	0.0030
160.60	162.90	MV, Mafic Volcanic Mineralization 160.60 - 162.90 Structure 160.60 - 162.90 160.60 - 162.90 : UC Upper Contact, 40 Deg to CA	394221	160.60	162.00	1.40	0.0190	0.0270	0.0050
			394222	162.00	162.90	0.90	0.0140	0.0160	0.0050

Hole Number: KB-07-128 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
162.90	165.20	MD, Mafic Dike Mineralization 162.90 - 165.20 Structure 162.90 - 165.20	394223	162.90	164.00	1.10	0.0070	0.0025	0.0030
			394224	164.00	165.20	1.20	0.0060	0.0050	0.0020
165.20	167.25	MDCHL, Mafic Dike Chloritic Mineralization 165.20 - 167.25 Structure 165.20 - 167.25	394225	165.20	166.00	0.80	0.0170	0.0090	0.0030
			394226	166.00	167.25	1.25	0.0050	0.0070	0.0030
167.25	200.00	MV, Mafic Volcanic Mineralization 167.25 - 171.00 171.00 - 200.00 Structure 167.25 - 200.00 : MODFOL Moderately Foliated, 60 Deg to CA	394227	167.25	168.00	0.75	0.4460	0.3370	0.0140
			394228	168.00	169.00	1.00	0.0700	0.0820	0.0060
			394229	169.00	170.00	1.00	0.0290	0.0190	0.0050
			394230	170.00	171.00	1.00	0.0310	0.0720	0.0060
			394231	171.00	172.00	1.00	0.0160	0.0120	0.0040
			394232	172.00	173.00	1.00	0.0150	0.0180	0.0040
			394233	173.00	174.00	1.00	0.0150	0.0100	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394123	66.00	67.00	0.0170	0.0120	0.0050
394124	67.00	68.00	0.0140	0.0140	0.0050
394125	68.00	69.00	0.0160	0.0220	0.0050
394126	69.00	69.80	0.0180	0.0180	0.0060
394127	69.80	71.00	0.1970	0.1300	0.0100
394128	71.00	72.35	0.2690	0.1240	0.0120
394129	72.35	73.30	2.6100	0.7550	0.0620
394130	73.30	74.45	1.7200	1.6350	0.0420
394132	74.45	75.30	0.0290	0.0200	0.0060
394133	75.30	75.80	1.6100	0.5060	0.0410
394134	75.80	77.00	0.0720	0.0210	0.0040
394135	77.00	77.60	0.0050	0.0070	0.0030
394136	77.60	79.00	0.0740	0.0400	0.0060
394137	79.00	80.00	0.0320	0.0140	0.0050
394139	80.00	81.00	0.3100	0.1160	0.0140
394140	81.00	82.00	0.3810	0.1420	0.0160
394141	82.00	83.00	0.3800	0.1660	0.0160
394142	83.00	84.00	0.0540	0.0050	0.0080

Hole Number: KB-07-128

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394143	84.00	85.00	0.0950	0.0320	0.0070
394144	85.00	86.00	0.0980	0.0950	0.0080
394145	86.00	87.00	0.4790	0.1540	0.0160
394146	87.00	88.00	0.1670	0.1000	0.0090
394147	88.00	89.00	0.0150	0.0130	0.0040
394148	89.00	90.50	0.0400	0.0250	0.0060
394149	90.50	92.25	0.0190	0.0120	0.0050
394150	92.25	93.00	0.0340	0.0170	0.0060
394151	93.00	94.00	0.1310	0.0590	0.0100
394152	94.00	95.00	0.1750	0.0850	0.0090
394153	95.00	96.00	0.1900	0.1150	0.0110
394154	96.00	97.00	0.2160	0.1090	0.0110
394155	97.00	98.00	0.1820	0.0830	0.0110
394156	98.00	99.05	0.3210	0.1450	0.0140
394157	99.05	99.90	0.0530	0.0430	0.0040
394158	99.90	101.00	0.3380	0.2020	0.0130
394159	101.00	102.00	0.2200	0.5150	0.0100
394160	102.00	103.00	1.3750	2.0500	0.0370
394161	103.00	104.00	2.6800	0.5600	0.0690
394162	104.00	105.00	1.0150	0.6670	0.0300
394163	105.00	105.60	0.0910	0.0370	0.0050
394164	105.60	106.60	0.0260	0.0150	0.0010
394165	106.60	107.50	0.0090	0.0025	0.0010
394166	107.50	109.00	0.2140	0.0910	0.0100
394167	109.00	110.00	0.1040	0.0610	0.0050
394168	110.00	111.00	0.0970	0.0540	0.0050
394169	111.00	112.00	0.0510	0.0330	0.0040
394170	112.00	113.00	0.0510	0.0470	0.0030
394171	113.00	114.00	0.0200	0.0120	0.0020
394172	114.00	115.00	0.0140	0.0090	0.0020
394173	115.00	116.00	0.0310	0.0180	0.0030
394174	116.00	117.00	0.0430	0.0360	0.0030
394175	117.00	118.00	0.1700	0.0730	0.0090
394176	118.00	119.00	0.3050	0.1420	0.0120
394178	119.00	120.00	0.1670	0.0970	0.0060
394179	120.00	121.00	0.1590	0.0990	0.0070
394180	121.00	122.00	0.2020	0.1080	0.0070

Hole Number: KB-07-128 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394181	122.00	123.00	0.1890	0.0790	0.0080
394182	123.00	124.00	0.2870	0.0840	0.0090
394183	124.00	125.00	0.3570	0.1080	0.0130
394184	125.00	126.00	0.0990	0.1230	0.0040
394185	126.00	127.00	0.1160	0.1450	0.0040
394186	127.00	128.00	0.3470	0.1220	0.0110
394187	128.00	128.80	0.0800	0.2700	0.0030
394188	128.80	130.00	1.4650	0.9980	0.0520
394189	130.00	131.20	5.9400	1.3200	0.1400
394191	131.20	132.00	0.0920	0.1440	0.0110
394192	132.00	133.00	0.2840	0.1720	0.0110
394193	133.00	134.00	0.1930	0.0900	0.0090
394194	134.00	135.00	0.1820	0.0940	0.0070
394195	135.00	136.00	0.0730	0.0310	0.0030
394196	136.00	137.00	0.2860	0.2230	0.0090
394197	137.00	138.00	0.1760	0.0950	0.0080
394198	138.00	139.00	0.1000	0.0180	0.0070
394200	139.00	140.00	0.0950	0.0190	0.0060
394201	140.00	141.00	0.1660	0.0910	0.0090
394202	141.00	142.40	0.2620	0.1640	0.0120
394203	142.40	143.40	0.1870	0.1400	0.0100
394204	143.40	145.00	0.0260	0.0100	0.0040
394205	145.00	146.00	0.1630	0.0920	0.0090
394206	146.00	147.00	0.1210	0.0290	0.0080
394207	147.00	148.00	0.2350	0.2010	0.0100
394208	148.00	149.00	0.1630	0.1560	0.0070
394209	149.00	150.00	0.1970	0.1500	0.0090
394210	150.00	151.50	0.2460	0.2520	0.0100
394212	151.50	152.90	0.4260	0.5130	0.0120
394213	152.90	153.40	0.5200	0.1150	0.0130
394214	153.40	155.00	0.0300	0.0210	0.0060
394215	155.00	156.00	0.0230	0.0300	0.0060
394216	156.00	157.00	0.0140	0.0230	0.0050
394217	157.00	158.00	0.0160	0.0110	0.0050
394218	158.00	159.00	0.0260	0.0200	0.0050
394219	159.00	159.90	0.0230	0.0130	0.0050
394220	159.90	160.60	0.0090	0.0060	0.0030

Hole Number: KB-07-128

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394221	160.60	162.00	0.0190	0.0270	0.0050
394222	162.00	162.90	0.0140	0.0160	0.0050
394223	162.90	164.00	0.0070	0.0025	0.0030
394224	164.00	165.20	0.0060	0.0050	0.0020
394225	165.20	166.00	0.0170	0.0090	0.0030
394226	166.00	167.25	0.0050	0.0070	0.0030
394227	167.25	168.00	0.4460	0.3370	0.0140
394228	168.00	169.00	0.0700	0.0820	0.0060
394229	169.00	170.00	0.0290	0.0190	0.0050
394230	170.00	171.00	0.0310	0.0720	0.0060
394231	171.00	172.00	0.0160	0.0120	0.0040
394232	172.00	173.00	0.0150	0.0180	0.0040
394233	173.00	174.00	0.0150	0.0100	0.0050

DETAILED LOG

Hole Number: KB-07-127

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid:	UTM:		Destination Coordinates	Grid:	UTM:	
Project Number:	19900	North:	5481353.00			North:	5481353.00		
Location:	Surface	East:	453904.30			East:	453904.30		
		Elev:	391.59			Elev:	391.59		
Date Started:	Sep 17, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling		
Date Completed:	Sep 18, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Pulled				

Collar Dip:	-45.00
Collar Az:	311.80
Length:	179.00 (m)
Start Depth:	0.00 (m)
Final Depth:	179.00 (m)

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	136.15	139.00	2.85	2.3609	0.9109	0.0548
WEIGHTED	136.15	143.90	7.75	1.1754	0.6400	0.0285
WEIGHTED	136.15	150.80	14.65	0.7994	0.5369	0.0209

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	311.80	-44.80	EZ	OK	5875	50.00	311.90	-43.00	EZ	OK	5769
100.00	313.30	-43.20	EZ	OK	5789	152.00	311.90	-41.80	EZ	OK	5765
179.00	310.70	-41.20	EZ	OK	5756						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	6.00	CAS, Casing							
6.00	20.90	MV, Mafic Volcanic Mineralization 6.00 - 20.90 Structure 6.00 - 20.90 : MODFOL Moderately Foliated, 40 Deg to CA 15.20 - 19.20							
20.90	22.60	MD, Mafic Dike Mineralization 20.90 - 22.60 Structure 20.90 - 22.60 20.90 - 22.60 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-127 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
22.60	32.40	MV, Mafic Volcanic Mineralization 22.60 - 32.40 Structure 22.60 - 32.40 : MODFOL Moderately Foliated, 50 Deg to CA							
32.40	33.10	FD, Felsic Dike Mineralization 32.40 - 33.10 Structure 32.40 - 33.10							
33.10	51.10	MV, Mafic Volcanic Mineralization 33.10 - 51.10 Structure 33.10 - 51.10 : MODFOL Moderately Foliated, 50 Deg to CA 33.10 - 51.10 : UC Upper Contact, 40 Deg to CA	394012	48.00	49.00	1.00	0.0140	0.0160	0.0050
			394013	49.00	50.00	1.00	0.0130	0.0110	0.0050
			394014	50.00	51.10	1.10	0.0150	0.0160	0.0040
51.10	51.80	TSCH, Talc Schist Mineralization 51.10 - 51.80 Structure 51.10 - 51.80 : STRFOL Strongly Foliated, 45 Deg to CA	394015	51.10	51.80	0.70	0.1030	0.0610	0.0070
51.80	53.20	MDCHL, Mafic Dike Chloritic Mineralization 51.80 - 53.20 Structure 51.80 - 53.20 : MODFOL Moderately Foliated, 50 Deg to CA	394016	51.80	53.20	1.40	0.0025	0.0120	0.0020
53.20	62.00	TSCH, Talc Schist Mineralization 53.20 - 58.00 58.00 - 62.00 Structure 53.20 - 62.00 : STRFOL Strongly Foliated, 50 Deg to CA	394017	53.20	54.00	0.80	0.0590	0.0050	0.0070
			394018	54.00	55.00	1.00	0.0620	0.0025	0.0070
			394019	55.00	56.00	1.00	0.0470	0.0060	0.0070
			394020	56.00	57.00	1.00	0.0700	0.0060	0.0090
			394021	57.00	58.00	1.00	0.0690	0.0280	0.0070
			394022	58.00	59.00	1.00	0.1780	0.1910	0.0110
			394023	59.00	60.00	1.00	0.1980	0.2130	0.0100
			394024	60.00	61.00	1.00	0.2020	0.1320	0.0090
			394025	61.00	62.00	1.00	0.1930	0.1440	0.0090

Hole Number: KB-07-127

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
62.00	88.20	PYXT, Pyroxenite Mineralization 62.00 - 88.20 Structure 62.00 - 88.20 : STRFOL Strongly Foliated, 45 Deg to CA	394027	62.00	63.00	1.00	0.0740	0.0070	0.0080
			394028	63.00	64.00	1.00	0.0860	0.0130	0.0080
			394029	64.00	65.00	1.00	0.0870	0.0190	0.0080
			394030	65.00	66.00	1.00	0.2100	0.2250	0.0100
			394031	66.00	67.00	1.00	0.1420	0.1020	0.0090
			394032	67.00	68.00	1.00	0.1250	0.0870	0.0090
			394033	68.00	69.00	1.00	0.1360	0.0850	0.0080
			394034	69.00	70.00	1.00	0.1730	0.1170	0.0090
			394035	70.00	71.00	1.00	0.0900	0.0240	0.0080
			394036	71.00	72.00	1.00	0.0630	0.0100	0.0080
			394037	72.00	73.00	1.00	0.0640	0.0070	0.0080
			394038	73.00	74.00	1.00	0.0670	0.0070	0.0080
			394039	74.00	75.00	1.00	0.0680	0.0080	0.0080
			394040	75.00	76.00	1.00	0.1000	0.0350	0.0090
			394041	76.00	77.00	1.00	0.2450	0.2640	0.0100
			394042	77.00	78.00	1.00	0.0900	0.0580	0.0090
			394043	78.00	79.00	1.00	0.0710	0.0050	0.0090
			394044	79.00	80.00	1.00	0.0620	0.0070	0.0080
			394045	80.00	81.00	1.00	0.0620	0.0070	0.0070
			394046	81.00	82.00	1.00	0.0620	0.0090	0.0070
			394047	82.00	83.00	1.00	0.0690	0.0080	0.0100
			394048	83.00	84.00	1.00	0.0650	0.0070	0.0080
			394049	84.00	85.00	1.00	0.2080	0.0530	0.0120
			394050	85.00	86.00	1.00	0.1120	0.0810	0.0100
			394051	86.00	87.00	1.00	0.0990	0.0410	0.0090
			394052	87.00	88.20	1.20	0.1140	0.0690	0.0090
88.20	90.40	TSCH, Talc Schist Mineralization 88.20 - 90.40 Structure 88.20 - 90.40 : STRFOL Strongly Foliated, 40 Deg to CA	394053	88.20	89.00	0.80	0.1680	0.1210	0.0080
			394054	89.00	90.40	1.40	0.3890	0.1360	0.0180
90.40	97.00	PYXT, Pyroxenite Mineralization 90.40 - 97.00 Structure 90.40 - 97.00 : MODFOL Moderately Foliated, 40 Deg to CA	394056	90.40	91.00	0.60	0.2700	0.1670	0.0200
			394057	91.00	92.00	1.00	0.5620	0.2170	0.0180
			394058	92.00	93.00	1.00	0.4390	0.2170	0.0170
			394060	93.00	94.00	1.00	0.1500	0.0610	0.0070
			394061	94.00	95.00	1.00	0.3070	0.3060	0.0110
			394062	95.00	96.00	1.00	0.3930	0.1780	0.0140
			394063	96.00	97.00	1.00	0.0850	0.0780	0.0050

Hole Number: KB-07-127

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
97.00	98.60	FD, Felsic Dike Mineralization 97.00 - 98.60 Structure 97.00 - 98.60	394064	97.00	98.60	1.60	0.0140	0.0120	0.0020
98.60	102.00	MV, Mafic Volcanic Mineralization 98.60 - 102.00 py Structure 98.60 - 102.00	394065	98.60	100.00	1.40	0.0460	0.0140	0.0060
			394066	100.00	101.00	1.00	0.0940	0.1170	0.0090
			394067	101.00	102.00	1.00	0.1510	0.1040	0.0100
102.00	113.70	PYXT, Pyroxenite Mineralization 102.00 - 113.70 Structure 102.00 - 110.00 110.00 - 113.70 : MODFOL Moderately Foliated, 40 Deg to CA	394068	102.00	103.00	1.00	0.3560	0.4080	0.0110
			394069	103.00	104.00	1.00	0.4490	0.4940	0.0130
			394070	104.00	105.00	1.00	0.3750	0.3200	0.0230
			394071	105.00	106.00	1.00	0.3970	0.3620	0.0120
			394072	106.00	107.00	1.00	0.3970	0.4790	0.0110
			394073	107.00	108.00	1.00	0.2030	0.2010	0.0090
			394074	108.00	109.00	1.00	0.3260	0.4370	0.0110
			394075	109.00	110.00	1.00	0.2260	0.2370	0.0100
			394076	110.00	111.00	1.00	0.4480	0.5070	0.0130
			394078	111.00	112.00	1.00	0.6350	0.7250	0.0160
			394079	112.00	113.00	1.00	0.4150	0.4950	0.0130
			394080	113.00	113.70	0.70	0.4790	0.5630	0.0140
113.70	114.80	MD, Mafic Dike Mineralization 113.70 - 114.80 Structure 113.70 - 114.80 113.70 - 114.80 : STRUC Structure, 40 Deg to CA	394081	113.70	114.80	1.10	0.0280	0.0290	0.0040
114.80	115.70	PYXT, Pyroxenite Mineralization 114.80 - 115.70 Structure 114.80 - 115.70 : MODFOL Moderately Foliated, 50 Deg to CA	394082	114.80	115.70	0.90	0.1710	0.1430	0.0090

Hole Number: KB-07-127 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
115.70	130.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 115.70 - 123.10 123.10 - 130.10 Structure 115.70 - 130.10	394083	115.70	117.00	1.30	0.0730	0.0370	0.0070
			394084	117.00	118.00	1.00	0.0780	0.0290	0.0070
			394085	118.00	119.00	1.00	0.0230	0.0160	0.0060
			394086	119.00	120.00	1.00	0.0250	0.0130	0.0060
			394087	120.00	121.00	1.00	0.0250	0.0180	0.0050
			394088	121.00	122.00	1.00	0.0250	0.0090	0.0060
			394089	122.00	123.10	1.10	0.0230	0.0080	0.0050
			394090	123.10	124.00	0.90	0.1730	0.0860	0.0100
			394091	124.00	125.00	1.00	0.0200	0.0180	0.0060
			394092	125.00	126.00	1.00	0.0420	0.0190	0.0060
			394093	126.00	127.00	1.00	0.6570	0.2330	0.0200
			394094	127.00	128.00	1.00	0.1380	0.0450	0.0090
			394095	128.00	129.00	1.00	0.1410	0.0640	0.0110
			394096	129.00	130.10	1.10	0.1470	0.0650	0.0100
130.10	132.10	MV, Mafic Volcanic Mineralization 130.10 - 132.10 Structure 130.10 - 132.10	394098	130.10	131.00	0.90	0.1960	0.1060	0.0100
			394099	131.00	132.10	1.10	0.0160	0.0160	0.0060
132.10	136.15	MDCHL, Mafic Dike Chloritic Mineralization 132.10 - 136.15 Structure 132.10 - 136.15	394100	132.10	133.00	0.90	0.0025	0.0070	0.0020
			394101	133.00	134.00	1.00	0.0025	0.0025	0.0020
			394102	134.00	135.00	1.00	0.0050	0.0025	0.0020
			394103	135.00	136.15	1.15	0.0650	0.0120	0.0060
136.15	139.00	PYXT, Pyroxenite Mineralization 136.15 - 139.00 Structure 136.15 - 139.00	394104	136.15	137.00	0.85	2.6100	0.4870	0.0720
			394105	137.00	138.00	1.00	2.7100	0.6820	0.0540
			394106	138.00	139.00	1.00	1.8000	1.5000	0.0410
139.00	139.70	MDCHL, Mafic Dike Chloritic Mineralization 139.00 - 139.70 Structure 139.00 - 139.70	394107	139.00	139.70	0.70	0.0210	0.0130	0.0040
139.70	141.55	PYXT, Pyroxenite Mineralization 139.70 - 141.55 Structure 139.70 - 141.55 : MODFOL Moderately Foliated, 50 Deg to CA	394108	139.70	141.00	1.30	0.3990	0.3910	0.0130
			394109	141.00	141.55	0.55	0.1970	0.2140	0.0050

Hole Number: KB-07-127

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
141.55	150.80	TSCH, Talc Schist Mineralization 141.55 - 143.90 143.90 - 150.80 Structure 141.55 - 150.80 : STRFOL Strongly Foliated, 50 Deg to CA
150.80	179.00	MV, Mafic Volcanic Mineralization 150.80 - 179.00 Structure 150.80 - 179.00 : MODFOL Moderately Foliated, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
394110	141.55	142.00	0.45	0.6060	0.7870	0.0180
394111	142.00	143.00	1.00	0.5260	0.6260	0.0140
394112	143.00	143.90	0.90	1.0450	0.8320	0.0220
394113	143.90	145.00	1.10	0.4250	0.3980	0.0130
394114	145.00	146.00	1.00	0.4580	0.5710	0.0120
394115	146.00	147.00	1.00	0.5420	0.8450	0.0150
394116	147.00	148.00	1.00	0.2750	0.2270	0.0110
394117	148.00	149.00	1.00	0.2490	0.1800	0.0120
394118	149.00	150.00	1.00	0.3720	0.4190	0.0110
394119	150.00	150.80	0.80	0.2980	0.2820	0.0130
394120	150.80	152.00	1.20	0.0170	0.0180	0.0050
394121	152.00	153.00	1.00	0.0110	0.0100	0.0040
394122	153.00	154.00	1.00	0.0120	0.0090	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394012	48.00	49.00	0.0140	0.0160	0.0050
394013	49.00	50.00	0.0130	0.0110	0.0050
394014	50.00	51.10	0.0150	0.0160	0.0040
394015	51.10	51.80	0.1030	0.0610	0.0070
394016	51.80	53.20	0.0025	0.0120	0.0020
394017	53.20	54.00	0.0590	0.0050	0.0070
394018	54.00	55.00	0.0620	0.0025	0.0070
394019	55.00	56.00	0.0470	0.0060	0.0070
394020	56.00	57.00	0.0700	0.0060	0.0090
394021	57.00	58.00	0.0690	0.0280	0.0070
394022	58.00	59.00	0.1780	0.1910	0.0110
394023	59.00	60.00	0.1980	0.2130	0.0100
394024	60.00	61.00	0.2020	0.1320	0.0090
394025	61.00	62.00	0.1930	0.1440	0.0090
394027	62.00	63.00	0.0740	0.0070	0.0080
394028	63.00	64.00	0.0860	0.0130	0.0080
394029	64.00	65.00	0.0870	0.0190	0.0080
394030	65.00	66.00	0.2100	0.2250	0.0100
394031	66.00	67.00	0.1420	0.1020	0.0090
394032	67.00	68.00	0.1250	0.0870	0.0090

Hole Number: KB-07-127

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394033	68.00	69.00	0.1360	0.0850	0.0080
394034	69.00	70.00	0.1730	0.1170	0.0090
394035	70.00	71.00	0.0900	0.0240	0.0080
394036	71.00	72.00	0.0630	0.0100	0.0080
394037	72.00	73.00	0.0640	0.0070	0.0080
394038	73.00	74.00	0.0670	0.0070	0.0080
394039	74.00	75.00	0.0680	0.0080	0.0080
394040	75.00	76.00	0.1000	0.0350	0.0090
394041	76.00	77.00	0.2450	0.2640	0.0100
394042	77.00	78.00	0.0900	0.0580	0.0090
394043	78.00	79.00	0.0710	0.0050	0.0090
394044	79.00	80.00	0.0620	0.0070	0.0080
394045	80.00	81.00	0.0620	0.0070	0.0070
394046	81.00	82.00	0.0620	0.0090	0.0070
394047	82.00	83.00	0.0690	0.0080	0.0100
394048	83.00	84.00	0.0650	0.0070	0.0080
394049	84.00	85.00	0.2080	0.0530	0.0120
394050	85.00	86.00	0.1120	0.0810	0.0100
394051	86.00	87.00	0.0990	0.0410	0.0090
394052	87.00	88.20	0.1140	0.0690	0.0090
394053	88.20	89.00	0.1680	0.1210	0.0080
394054	89.00	90.40	0.3890	0.1360	0.0180
394056	90.40	91.00	0.2700	0.1670	0.0200
394057	91.00	92.00	0.5620	0.2170	0.0180
394058	92.00	93.00	0.4390	0.2170	0.0170
394060	93.00	94.00	0.1500	0.0610	0.0070
394061	94.00	95.00	0.3070	0.3060	0.0110
394062	95.00	96.00	0.3930	0.1780	0.0140
394063	96.00	97.00	0.0850	0.0780	0.0050
394064	97.00	98.60	0.0140	0.0120	0.0020
394065	98.60	100.00	0.0460	0.0140	0.0060
394066	100.00	101.00	0.0940	0.1170	0.0090
394067	101.00	102.00	0.1510	0.1040	0.0100
394068	102.00	103.00	0.3560	0.4080	0.0110
394069	103.00	104.00	0.4490	0.4940	0.0130
394070	104.00	105.00	0.3750	0.3200	0.0230
394071	105.00	106.00	0.3970	0.3620	0.0120

Hole Number: KB-07-127

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394072	106.00	107.00	0.3970	0.4790	0.0110
394073	107.00	108.00	0.2030	0.2010	0.0090
394074	108.00	109.00	0.3260	0.4370	0.0110
394075	109.00	110.00	0.2260	0.2370	0.0100
394076	110.00	111.00	0.4480	0.5070	0.0130
394078	111.00	112.00	0.6350	0.7250	0.0160
394079	112.00	113.00	0.4150	0.4950	0.0130
394080	113.00	113.70	0.4790	0.5630	0.0140
394081	113.70	114.80	0.0280	0.0290	0.0040
394082	114.80	115.70	0.1710	0.1430	0.0090
394083	115.70	117.00	0.0730	0.0370	0.0070
394084	117.00	118.00	0.0780	0.0290	0.0070
394085	118.00	119.00	0.0230	0.0160	0.0060
394086	119.00	120.00	0.0250	0.0130	0.0060
394087	120.00	121.00	0.0250	0.0180	0.0050
394088	121.00	122.00	0.0250	0.0090	0.0060
394089	122.00	123.10	0.0230	0.0080	0.0050
394090	123.10	124.00	0.1730	0.0860	0.0100
394091	124.00	125.00	0.0200	0.0180	0.0060
394092	125.00	126.00	0.0420	0.0190	0.0060
394093	126.00	127.00	0.6570	0.2330	0.0200
394094	127.00	128.00	0.1380	0.0450	0.0090
394095	128.00	129.00	0.1410	0.0640	0.0110
394096	129.00	130.10	0.1470	0.0650	0.0100
394098	130.10	131.00	0.1960	0.1060	0.0100
394099	131.00	132.10	0.0160	0.0160	0.0060
394100	132.10	133.00	0.0025	0.0070	0.0020
394101	133.00	134.00	0.0025	0.0025	0.0020
394102	134.00	135.00	0.0050	0.0025	0.0020
394103	135.00	136.15	0.0650	0.0120	0.0060
394104	136.15	137.00	2.6100	0.4870	0.0720
394105	137.00	138.00	2.7100	0.6820	0.0540
394106	138.00	139.00	1.8000	1.5000	0.0410
394107	139.00	139.70	0.0210	0.0130	0.0040
394108	139.70	141.00	0.3990	0.3910	0.0130
394109	141.00	141.55	0.1970	0.2140	0.0050
394110	141.55	142.00	0.6060	0.7870	0.0180

Hole Number: KB-07-127

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
394111	142.00	143.00	0.5260	0.6260	0.0140
394112	143.00	143.90	1.0450	0.8320	0.0220
394113	143.90	145.00	0.4250	0.3980	0.0130
394114	145.00	146.00	0.4580	0.5710	0.0120
394115	146.00	147.00	0.5420	0.8450	0.0150
394116	147.00	148.00	0.2750	0.2270	0.0110
394117	148.00	149.00	0.2490	0.1800	0.0120
394118	149.00	150.00	0.3720	0.4190	0.0110
394119	150.00	150.80	0.2980	0.2820	0.0130
394120	150.80	152.00	0.0170	0.0180	0.0050
394121	152.00	153.00	0.0110	0.0100	0.0040
394122	153.00	154.00	0.0120	0.0090	0.0040

DETAILED LOG

Hole Number: KB-07-126

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-46.00
Project Number:	19900	North:	5481365.00	North:	5481365.00	Collar Az:	309.50
Location:	Surface	East:	453913.70	East:	453913.70	Length:	191.00 (m)
		Elev:	392.57	Elev:	392.57	Start Depth:	0.00 (m)
Date Started:	Sep 14, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	191.00 (m)
Date Completed:	Sep 17, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	142.90	156.15	13.25	0.6297	0.4934	0.0174
WEIGHTED	146.00	148.30	2.30	1.0287	0.6467	0.0240

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	99.70	-45.90	EZ	DO	5082	50.00	309.50	-45.20	EZ	OK	5774
101.00	312.90	-44.70	EZ	OK	5816	150.00	309.40	-44.10	EZ	OK	5793
191.00	311.80	-43.20	EZ	OK	5791						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	5.50	MV, Mafic Volcanic Mineralization 2.00 - 5.50 Structure 2.00 - 5.50 : MODFOL Moderately Foliated, 40 Deg to CA							
5.50	6.40	FD, Felsic Dike Mineralization 5.50 - 6.40 Structure 5.50 - 6.40							
6.40	13.80	MV, Mafic Volcanic Mineralization 6.40 - 13.80 Structure 6.40 - 13.80 : MODFOL Moderately Foliated, 40 Deg to CA							

Hole Number: KB-07-126 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
13.80	15.40	FD, Felsic Dike Mineralization 13.80 - 15.40 Structure 13.80 - 15.40							
15.40	26.70	MV, Mafic Volcanic Mineralization 15.40 - 26.70 Structure 15.40 - 26.70 : MODFOL Moderately Foliated, 45 Deg to CA 17.70 - 20.20							
26.70	28.80	FD, Felsic Dike Mineralization 26.70 - 28.80 Structure 26.70 - 28.80 26.70 - 28.80 : UC Upper Contact, 35 Deg to CA							
28.80	39.30	MV, Mafic Volcanic Mineralization 28.80 - 39.30 Structure 28.80 - 39.30 : MODFOL Moderately Foliated, 40 Deg to CA 28.80 - 39.30 : UC Upper Contact, 50 Deg to CA							
39.30	42.00	MDCHL, Mafic Dike Chloritic Mineralization 39.30 - 42.00 Structure 39.30 - 42.00 : MODFOL Moderately Foliated, 40 Deg to CA 39.30 - 42.00 : UC Upper Contact, 30 Deg to CA							
42.00	49.20	MV, Mafic Volcanic Mineralization 42.00 - 49.20 Structure 42.00 - 49.20 : MODFOL Moderately Foliated, 50 Deg to CA	367890	46.00	47.00	1.00	0.0170	0.0180	0.0070
			367891	47.00	48.00	1.00	0.0130	0.0150	0.0040
			367892	48.00	49.20	1.20	0.0320	0.0340	0.0050
49.20	55.00	TSCH, Talc Schist Mineralization 49.20 - 55.00 Structure 49.20 - 55.00 : STRFOL Strongly Foliated, 40 Deg to CA	367893	49.20	50.00	0.80	0.1070	0.0770	0.0060
			367894	50.00	51.00	1.00	0.0640	0.0080	0.0090
			367895	51.00	52.00	1.00	0.0680	0.0060	0.0080
			367896	52.00	53.00	1.00	0.0870	0.0750	0.0090
			367897	53.00	54.00	1.00	0.0820	0.0025	0.0100
			367898	54.00	55.00	1.00	0.0650	0.0060	0.0070

Hole Number: KB-07-126

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
55.00	77.60	PYXT, Pyroxenite Mineralization 55.00 - 68.00 68.00 - 70.00 70.00 - 77.60 Structure 55.00 - 77.60 : STRFOL Strongly Foliated, 40 Deg to CA	367899	55.00	56.00	1.00	0.0530	0.0080	0.0060
			367900	56.00	57.00	1.00	0.0650	0.0080	0.0080
			367901	57.00	58.00	1.00	0.0640	0.0090	0.0070
			367902	58.00	59.00	1.00	0.0680	0.0090	0.0090
			367903	59.00	60.00	1.00	0.1160	0.0090	0.0080
			367904	60.00	61.00	1.00	0.0730	0.0080	0.0080
			367905	61.00	62.00	1.00	0.0660	0.0070	0.0080
			367906	62.00	63.00	1.00	0.0730	0.0060	0.0090
			367907	63.00	64.00	1.00	0.0690	0.0070	0.0090
			367908	64.00	65.00	1.00	0.0720	0.0070	0.0080
			367909	65.00	66.00	1.00	0.0740	0.0070	0.0090
			367910	66.00	67.00	1.00	0.0720	0.0050	0.0080
			367911	67.00	68.00	1.00	0.0650	0.0060	0.0080
			367912	68.00	69.00	1.00	0.2210	0.2310	0.0110
			367914	69.00	70.00	1.00	0.1760	0.1630	0.0110
			367915	70.00	71.00	1.00	0.0790	0.0200	0.0080
			367916	71.00	72.00	1.00	0.1000	0.0350	0.0080
			367917	72.00	73.00	1.00	0.1230	0.0650	0.0090
			367918	73.00	74.00	1.00	0.0700	0.0050	0.0090
			367919	74.00	75.00	1.00	0.0700	0.0060	0.0090
			367920	75.00	76.00	1.00	0.0690	0.0070	0.0080
			367921	76.00	77.00	1.00	0.0650	0.0050	0.0070
			367922	77.00	77.60	0.60	0.0630	0.0025	0.0080
77.60	79.40	TSCH, Talc Schist Mineralization 77.60 - 79.40 Structure 77.60 - 79.40 : STRFOL Strongly Foliated, 40 Deg to CA	367923	77.60	79.40	1.80	0.0870	0.0290	0.0080
79.40	82.40	PYXT, Pyroxenite Mineralization 79.40 - 82.40 Structure 79.40 - 82.40 : STRFOL Strongly Foliated, 40 Deg to CA	367924	79.40	80.00	0.60	0.1400	0.1150	0.0090
			367925	80.00	81.00	1.00	0.1400	0.1160	0.0100
			367926	81.00	82.40	1.40	0.1430	0.0710	0.0080

Hole Number: KB-07-126

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
82.40	96.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 82.40 - 96.80 Structure 82.40 - 96.80	367927	82.40	83.00	0.60	0.0870	0.0720	0.0100
			367929	83.00	84.00	1.00	0.1060	0.0780	0.0090
			367930	84.00	85.50	1.50	0.0920	0.0330	0.0060
			367932	85.50	87.00	1.50	0.0220	0.0430	0.0050
			367933	87.00	88.00	1.00	0.0760	0.0610	0.0070
			367934	88.00	89.00	1.00	0.1800	0.0950	0.0090
			367935	89.00	90.00	1.00	0.0440	0.0550	0.0070
			367936	90.00	91.00	1.00	0.0400	0.0290	0.0060
			367937	91.00	92.00	1.00	0.0780	0.0460	0.0090
			367938	92.00	93.00	1.00	0.0160	0.0140	0.0070
			367939	93.00	94.00	1.00	0.0100	0.0090	0.0040
			367940	94.00	95.00	1.00	0.0370	0.0230	0.0050
			367941	95.00	96.00	1.00	0.1280	0.1010	0.0090
			367942	96.00	96.80	0.80	0.2570	0.2280	0.0120
96.80	99.20	MV, Mafic Volcanic Mineralization 96.80 - 99.20 py Structure 96.80 - 99.20	367943	96.80	98.00	1.20	0.0870	0.0820	0.0060
			367944	98.00	99.20	1.20	0.0170	0.0150	0.0060
99.20	109.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 99.20 - 109.00 Structure 99.20 - 109.00	367945	99.20	100.00	0.80	0.0700	0.0340	0.0070
			367946	100.00	101.00	1.00	0.2000	0.1320	0.0100
			367947	101.00	102.00	1.00	0.1810	0.1170	0.0090
			367948	102.00	103.00	1.00	0.0770	0.0870	0.0050
			367949	103.00	104.00	1.00	0.1370	0.0780	0.0090
			367950	104.00	105.00	1.00	0.2510	0.1090	0.0120
			367951	105.00	106.00	1.00	0.0170	0.0270	0.0050
			367953	106.00	107.00	1.00	0.2020	0.0700	0.0100
			367954	107.00	108.00	1.00	0.0320	0.0140	0.0050
			367955	108.00	109.00	1.00	0.1130	0.0430	0.0070
109.00	114.45	MV, Mafic Volcanic Mineralization 109.00 - 114.45 Structure 109.00 - 114.45	367956	109.00	110.00	1.00	0.0560	0.0200	0.0060
			367957	110.00	111.00	1.00	0.1630	0.1040	0.0090
			367959	111.00	112.00	1.00	0.0820	0.0450	0.0060
			367960	112.00	113.00	1.00	0.0330	0.0190	0.0050
			367961	113.00	114.45	1.45	0.0620	0.0280	0.0060
114.45	115.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 114.45 - 115.20 Structure 114.45 - 115.20	367962	114.45	115.20	0.75	0.1130	0.0470	0.0090

Hole Number: KB-07-126

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
115.20	117.20	FD, Felsic Dike Mineralization 115.20 - 117.20 Structure 115.20 - 117.20	367963	115.20	116.00	0.80	0.0060	0.0070	0.0020
			367964	116.00	117.20	1.20	0.0070	0.0025	0.0010
117.20	131.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 117.20 - 131.30 Structure 117.20 - 131.30 117.20 - 131.30 : UC Upper Contact, 45 Deg to CA	367965	117.20	118.00	0.80	0.0720	0.0550	0.0060
			367966	118.00	119.00	1.00	0.2640	0.1290	0.0110
			367967	119.00	120.00	1.00	0.0510	0.0220	0.0050
			367968	120.00	121.00	1.00	0.0410	0.0260	0.0040
			367969	121.00	122.00	1.00	0.1090	0.0670	0.0070
			367970	122.00	123.00	1.00	0.0210	0.0060	0.0050
			367971	123.00	124.00	1.00	0.1830	0.0920	0.0100
			367972	124.00	125.00	1.00	0.0260	0.0110	0.0060
			367973	125.00	126.00	1.00	0.0710	0.0760	0.0050
			367974	126.00	127.00	1.00	0.1810	0.1310	0.0070
			367975	127.00	128.00	1.00	0.0430	0.0330	0.0040
			367976	128.00	129.00	1.00	0.0260	0.0220	0.0040
			367977	129.00	130.00	1.00	0.0290	0.0160	0.0040
			367978	130.00	131.30	1.30	0.0430	0.0210	0.0060
131.30	134.30	FD, Felsic Dike Mineralization 131.30 - 134.30 Structure 131.30 - 134.30 131.30 - 134.30 : UC Upper Contact, 40 Deg to CA	367979	131.30	132.00	0.70	0.0100	0.0060	0.0020
			367980	132.00	133.00	1.00	0.0025	0.0025	0.0020
			367981	133.00	134.30	1.30	0.0090	0.0025	0.0040
134.30	142.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 134.30 - 142.90 Structure 134.30 - 142.90	367982	134.30	135.00	0.70	0.0520	0.0310	0.0060
			367983	135.00	136.00	1.00	0.1270	0.0570	0.0100
			367984	136.00	137.00	1.00	0.0350	0.0240	0.0060
			367985	137.00	138.00	1.00	0.2600	0.1190	0.0110
			367986	138.00	139.00	1.00	0.2930	0.1040	0.0120
			367987	139.00	140.00	1.00	0.0150	0.0130	0.0050
			367988	140.00	141.00	1.00	0.0170	0.0150	0.0070
			367989	141.00	142.00	1.00	0.0260	0.0140	0.0050
			367990	142.00	142.90	0.90	0.0300	0.0210	0.0040
142.90	148.30	PYXT, Pyroxenite Mineralization 142.90 - 148.30 Structure 142.90 - 148.30	367991	142.90	144.00	1.10	0.7830	0.3000	0.0260
			367992	144.00	145.00	1.00	0.9840	0.5180	0.0200
			367994	145.00	146.00	1.00	0.2440	0.1160	0.0110
			367995	146.00	147.00	1.00	1.0400	0.8180	0.0240
			367996	147.00	148.30	1.30	1.0200	0.5150	0.0240

Hole Number: KB-07-126 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
148.30	156.15	TSCH, Talc Schist Mineralization 148.30 - 156.15 Structure 148.30 - 156.15 : STRFOL Strongly Foliated, 45 Deg to CA
156.15	156.70	MD, Mafic Dike Mineralization 156.15 - 156.70 Structure 156.15 - 156.70 156.15 - 156.70
156.70	157.10	TSCH, Talc Schist Mineralization 156.70 - 157.10 Structure 156.70 - 157.10 : STRFOL Strongly Foliated, 45 Deg to CA
157.10	191.00	MV, Mafic Volcanic Mineralization 157.10 - 191.00 Structure 157.10 - 191.00 : MODFOL Moderately Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
367998	148.30	149.00	0.70	0.4180	0.4350	0.0150
367999	149.00	150.00	1.00	0.5450	0.4880	0.0150
368000	150.00	151.00	1.00	0.5390	0.4700	0.0150
394001	151.00	152.00	1.00	0.6310	0.8730	0.0160
394002	152.00	153.00	1.00	0.5950	0.8950	0.0180
394003	153.00	154.00	1.00	0.5960	0.4300	0.0180
394004	154.00	155.00	1.00	0.3130	0.2830	0.0110
394005	155.00	156.15	1.15	0.3280	0.2980	0.0110
394006	156.15	156.70	0.55	0.0120	0.0050	0.0030
394007	156.70	157.10	0.40	0.0770	0.0630	0.0060
394008	157.10	158.15	1.05	0.0060	0.0025	0.0030
394009	158.15	159.00	0.85	0.0110	0.0080	0.0050
394010	159.00	160.00	1.00	0.0110	0.0100	0.0050
394011	160.00	161.00	1.00	0.0170	0.0190	0.0060

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367890	46.00	47.00	0.0170	0.0180	0.0070
367891	47.00	48.00	0.0130	0.0150	0.0040
367892	48.00	49.20	0.0320	0.0340	0.0050
367893	49.20	50.00	0.1070	0.0770	0.0060
367894	50.00	51.00	0.0640	0.0080	0.0090
367895	51.00	52.00	0.0680	0.0060	0.0080
367896	52.00	53.00	0.0870	0.0750	0.0090
367897	53.00	54.00	0.0820	0.0025	0.0100
367898	54.00	55.00	0.0650	0.0060	0.0070
367899	55.00	56.00	0.0530	0.0080	0.0060
367900	56.00	57.00	0.0650	0.0080	0.0080
367901	57.00	58.00	0.0640	0.0090	0.0070

Hole Number: KB-07-126

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367902	58.00	59.00	0.0680	0.0090	0.0090
367903	59.00	60.00	0.1160	0.0090	0.0080
367904	60.00	61.00	0.0730	0.0080	0.0080
367905	61.00	62.00	0.0660	0.0070	0.0080
367906	62.00	63.00	0.0730	0.0060	0.0090
367907	63.00	64.00	0.0690	0.0070	0.0090
367908	64.00	65.00	0.0720	0.0070	0.0080
367909	65.00	66.00	0.0740	0.0070	0.0090
367910	66.00	67.00	0.0720	0.0050	0.0080
367911	67.00	68.00	0.0650	0.0060	0.0080
367912	68.00	69.00	0.2210	0.2310	0.0110
367914	69.00	70.00	0.1760	0.1630	0.0110
367915	70.00	71.00	0.0790	0.0200	0.0080
367916	71.00	72.00	0.1000	0.0350	0.0080
367917	72.00	73.00	0.1230	0.0650	0.0090
367918	73.00	74.00	0.0700	0.0050	0.0090
367919	74.00	75.00	0.0700	0.0060	0.0090
367920	75.00	76.00	0.0690	0.0070	0.0080
367921	76.00	77.00	0.0650	0.0050	0.0070
367922	77.00	77.60	0.0630	0.0025	0.0080
367923	77.60	79.40	0.0870	0.0290	0.0080
367924	79.40	80.00	0.1400	0.1150	0.0090
367925	80.00	81.00	0.1400	0.1160	0.0100
367926	81.00	82.40	0.1430	0.0710	0.0080
367927	82.40	83.00	0.0870	0.0720	0.0100
367929	83.00	84.00	0.1060	0.0780	0.0090
367930	84.00	85.50	0.0920	0.0330	0.0060
367932	85.50	87.00	0.0220	0.0430	0.0050
367933	87.00	88.00	0.0760	0.0610	0.0070
367934	88.00	89.00	0.1800	0.0950	0.0090
367935	89.00	90.00	0.0440	0.0550	0.0070
367936	90.00	91.00	0.0400	0.0290	0.0060
367937	91.00	92.00	0.0780	0.0460	0.0090
367938	92.00	93.00	0.0160	0.0140	0.0070
367939	93.00	94.00	0.0100	0.0090	0.0040
367940	94.00	95.00	0.0370	0.0230	0.0050
367941	95.00	96.00	0.1280	0.1010	0.0090

Hole Number: KB-07-126 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367942	96.00	96.80	0.2570	0.2280	0.0120
367943	96.80	98.00	0.0870	0.0820	0.0060
367944	98.00	99.20	0.0170	0.0150	0.0060
367945	99.20	100.00	0.0700	0.0340	0.0070
367946	100.00	101.00	0.2000	0.1320	0.0100
367947	101.00	102.00	0.1810	0.1170	0.0090
367948	102.00	103.00	0.0770	0.0870	0.0050
367949	103.00	104.00	0.1370	0.0780	0.0090
367950	104.00	105.00	0.2510	0.1090	0.0120
367951	105.00	106.00	0.0170	0.0270	0.0050
367953	106.00	107.00	0.2020	0.0700	0.0100
367954	107.00	108.00	0.0320	0.0140	0.0050
367955	108.00	109.00	0.1130	0.0430	0.0070
367956	109.00	110.00	0.0560	0.0200	0.0060
367957	110.00	111.00	0.1630	0.1040	0.0090
367959	111.00	112.00	0.0820	0.0450	0.0060
367960	112.00	113.00	0.0330	0.0190	0.0050
367961	113.00	114.45	0.0620	0.0280	0.0060
367962	114.45	115.20	0.1130	0.0470	0.0090
367963	115.20	116.00	0.0060	0.0070	0.0020
367964	116.00	117.20	0.0070	0.0025	0.0010
367965	117.20	118.00	0.0720	0.0550	0.0060
367966	118.00	119.00	0.2640	0.1290	0.0110
367967	119.00	120.00	0.0510	0.0220	0.0050
367968	120.00	121.00	0.0410	0.0260	0.0040
367969	121.00	122.00	0.1090	0.0670	0.0070
367970	122.00	123.00	0.0210	0.0060	0.0050
367971	123.00	124.00	0.1830	0.0920	0.0100
367972	124.00	125.00	0.0260	0.0110	0.0060
367973	125.00	126.00	0.0710	0.0760	0.0050
367974	126.00	127.00	0.1810	0.1310	0.0070
367975	127.00	128.00	0.0430	0.0330	0.0040
367976	128.00	129.00	0.0260	0.0220	0.0040
367977	129.00	130.00	0.0290	0.0160	0.0040
367978	130.00	131.30	0.0430	0.0210	0.0060
367979	131.30	132.00	0.0100	0.0060	0.0020
367980	132.00	133.00	0.0025	0.0025	0.0020

Hole Number: KB-07-126

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367981	133.00	134.30	0.0090	0.0025	0.0040
367982	134.30	135.00	0.0520	0.0310	0.0060
367983	135.00	136.00	0.1270	0.0570	0.0100
367984	136.00	137.00	0.0350	0.0240	0.0060
367985	137.00	138.00	0.2600	0.1190	0.0110
367986	138.00	139.00	0.2930	0.1040	0.0120
367987	139.00	140.00	0.0150	0.0130	0.0050
367988	140.00	141.00	0.0170	0.0150	0.0070
367989	141.00	142.00	0.0260	0.0140	0.0050
367990	142.00	142.90	0.0300	0.0210	0.0040
367991	142.90	144.00	0.7830	0.3000	0.0260
367992	144.00	145.00	0.9840	0.5180	0.0200
367994	145.00	146.00	0.2440	0.1160	0.0110
367995	146.00	147.00	1.0400	0.8180	0.0240
367996	147.00	148.30	1.0200	0.5150	0.0240
367998	148.30	149.00	0.4180	0.4350	0.0150
367999	149.00	150.00	0.5450	0.4880	0.0150
368000	150.00	151.00	0.5390	0.4700	0.0150
394001	151.00	152.00	0.6310	0.8730	0.0160
394002	152.00	153.00	0.5950	0.8950	0.0180
394003	153.00	154.00	0.5960	0.4300	0.0180
394004	154.00	155.00	0.3130	0.2830	0.0110
394005	155.00	156.15	0.3280	0.2980	0.0110
394006	156.15	156.70	0.0120	0.0050	0.0030
394007	156.70	157.10	0.0770	0.0630	0.0060
394008	157.10	158.15	0.0060	0.0025	0.0030
394009	158.15	159.00	0.0110	0.0080	0.0050
394010	159.00	160.00	0.0110	0.0100	0.0050
394011	160.00	161.00	0.0170	0.0190	0.0060

DETAILED LOG

Hole Number: KB-07-125

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -59.00
Project Number:	19900	North:	5481377.00		North:	5481377.00	Collar Az: 309.00
Location:	Surface	East:	453927.60		East:	453927.60	Length: 212.00 (m)
		Elev:	393.06		Elev:	393.06	Start Depth: 0.00 (m)
Date Started:	Sep 11, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 212.00 (m)
Date Completed:	Sep 13, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments: line re-established, 3m north of new line

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	133.60	140.25	6.65	1.7203	0.5227	0.0541
WEIGHTED	133.60	163.35	29.75	0.6813	0.3754	0.0213
WEIGHTED	177.00	179.00	2.00	1.1115	0.4065	0.0315
WEIGHTED	177.00	194.00	17.00	0.5136	0.3922	0.0143

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	298.10	-58.60	EZ	DO	5737	50.00	309.00	-58.00	EZ	OK	5777
100.00	309.10	-57.60	EZ	OK	5777	150.00	309.60	-57.50	EZ	OK	5726
200.00	310.00	-57.40	EZ	OK	5802						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	22.05	MV, Mafic Volcanic Mineralization 2.00 - 22.05 Structure 2.00 - 22.05 : MODFOL Moderately Foliated, 40 Deg to CA							
22.05	25.50	MD, Mafic Dike Mineralization 22.05 - 25.50 Structure 22.05 - 25.50							
25.50	28.80	MV, Mafic Volcanic Mineralization 25.50 - 28.80 Structure 25.50 - 28.80 : MODFOL Moderately Foliated, 50 Deg to CA							

Hole Number: KB-07-125 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
28.80	30.70	FD, Felsic Dike Mineralization 28.80 - 30.70 Structure 28.80 - 30.70							
30.70	32.80	MV, Mafic Volcanic Mineralization 30.70 - 32.80 Structure 30.70 - 32.80 : MODFOL Moderately Foliated, 50 Deg to CA							
32.80	33.40	FD, Felsic Dike Mineralization 32.80 - 33.40 Structure 32.80 - 33.40 32.80 - 33.40 : UC Upper Contact, 40 Deg to CA							
33.40	52.95	MV, Mafic Volcanic Mineralization 33.40 - 52.95 Structure 33.40 - 52.95 : MODFOL Moderately Foliated, 40 Deg to CA 33.40 - 52.95 : UC Upper Contact, 30 Deg to CA							
52.95	57.30	FD, Felsic Dike Mineralization 52.95 - 57.30 Structure 52.95 - 57.30							
57.30	75.60	MV, Mafic Volcanic Mineralization 57.30 - 75.60 Structure 57.30 - 75.60 : MODFOL Moderately Foliated, 40 Deg to CA 57.30 - 75.60 : UC Upper Contact, 30 Deg to CA	367685	72.00	73.00	1.00	0.0025	0.0025	0.0030
			367686	73.00	74.00	1.00	0.0160	0.0100	0.0030
			367687	74.00	75.00	1.00	0.0150	0.0080	0.0020
			367688	75.00	75.60	0.60	0.0230	0.0170	0.0050
75.60	76.00	PYXT, Pyroxenite Mineralization 75.60 - 76.00 Structure 75.60 - 76.00 : STRFOL Strongly Foliated, 30 Deg to CA 75.60 - 76.00 : UC Upper Contact, 20 Deg to CA	367689	75.60	76.00	0.40	0.1220	0.0720	0.0080

Hole Number: KB-07-125 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
76.00	76.50	MD, Mafic Dike Mineralization 76.00 - 76.50 Structure 76.00 - 76.50 76.00 - 76.50 : UC Upper Contact, 30 Deg to CA	367690	76.00	76.50	0.50	0.0080	0.0080	0.0020
76.50	83.00	TSCH, Talc Schist Mineralization 76.50 - 83.00 Structure 76.50 - 83.00 : STRFOL Strongly Foliated, 30 Deg to CA 76.50 - 83.00 : UC Upper Contact, 30 Deg to CA	367691	76.50	78.00	1.50	0.1460	0.0910	0.0080
			367692	78.00	79.00	1.00	0.0660	0.0050	0.0070
			367693	79.00	80.00	1.00	0.0680	0.0025	0.0080
			367694	80.00	81.00	1.00	0.0710	0.0090	0.0070
			367695	81.00	82.00	1.00	0.0640	0.0025	0.0070
			367696	82.00	83.00	1.00	0.0670	0.0025	0.0070

Hole Number: KB-07-125

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
83.00	140.25	PYXT, Pyroxenite Mineralization 83.00 - 129.00 129.00 - 133.60 133.60 - 140.25 Structure 83.00 - 133.60 133.60 - 140.25	367697	83.00	84.00	1.00	0.0530	0.0025	0.0060
			367698	84.00	85.00	1.00	0.0690	0.0060	0.0080
			367699	85.00	86.00	1.00	0.0640	0.0025	0.0060
			367700	86.00	87.00	1.00	0.0730	0.0025	0.0070
			367701	87.00	88.00	1.00	0.0700	0.0090	0.0080
			367703	88.00	89.00	1.00	0.0530	0.0060	0.0060
			367704	89.00	90.00	1.00	0.0610	0.0080	0.0060
			367705	90.00	91.00	1.00	0.0700	0.0100	0.0090
			367706	91.00	92.00	1.00	0.0710	0.0100	0.0070
			367707	92.00	93.00	1.00	0.0690	0.0070	0.0080
			367708	93.00	94.00	1.00	0.0750	0.0070	0.0080
			367709	94.00	95.00	1.00	0.0680	0.0060	0.0070
			367710	95.00	96.00	1.00	0.0710	0.0090	0.0070
			367711	96.00	97.00	1.00	0.0680	0.0070	0.0070
			367713	97.00	98.00	1.00	0.0750	0.0060	0.0090
			367714	98.00	99.00	1.00	0.0730	0.0060	0.0080
			367715	99.00	100.00	1.00	0.0720	0.0070	0.0080
			367716	100.00	101.00	1.00	0.0690	0.0080	0.0070
			367717	101.00	102.00	1.00	0.0660	0.0025	0.0080
			367718	102.00	103.00	1.00	0.0670	0.0080	0.0080
			367719	103.00	104.00	1.00	0.0710	0.0110	0.0080
			367720	104.00	105.00	1.00	0.0710	0.0070	0.0080
			367721	105.00	106.00	1.00	0.0690	0.0050	0.0080
			367722	106.00	107.00	1.00	0.0720	0.0080	0.0080
			367723	107.00	108.00	1.00	0.0710	0.0060	0.0080
			367724	108.00	109.00	1.00	0.0730	0.0070	0.0070
			367725	109.00	110.00	1.00	0.0650	0.0070	0.0070
			367726	110.00	111.00	1.00	0.0670	0.0130	0.0080
			367727	111.00	112.00	1.00	0.0680	0.0070	0.0080
			367728	112.00	113.00	1.00	0.0710	0.0210	0.0080
			367729	113.00	114.00	1.00	0.0700	0.0170	0.0070
			367730	114.00	115.00	1.00	0.0680	0.0080	0.0080
			367731	115.00	116.00	1.00	0.1020	0.0380	0.0080
			367732	116.00	117.00	1.00	0.0810	0.0210	0.0080
			367733	117.00	118.00	1.00	0.0740	0.0110	0.0070
			367734	118.00	119.00	1.00	0.0740	0.0140	0.0070
			367736	119.00	120.00	1.00	0.0740	0.0120	0.0080
			367737	120.00	121.00	1.00	0.0680	0.0025	0.0070
			367738	121.00	122.00	1.00	0.0730	0.0025	0.0070
			367739	122.00	123.00	1.00	0.0700	0.0025	0.0080
			367740	123.00	124.00	1.00	0.0700	0.0025	0.0070
			367741	124.00	125.00	1.00	0.0810	0.0025	0.0070

Hole Number: KB-07-125 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
			367742	125.00	126.00	1.00	0.0650	0.0025	0.0070
			367743	126.00	127.00	1.00	0.0680	0.0025	0.0070
			367744	127.00	128.00	1.00	0.1570	0.1050	0.0080
			367745	128.00	129.00	1.00	0.0730	0.0150	0.0080
			367746	129.00	130.00	1.00	0.1110	0.0590	0.0090
			367747	130.00	131.00	1.00	0.1830	0.1350	0.0060
			367748	131.00	132.00	1.00	0.1540	0.1540	0.0090
			367749	132.00	133.60	1.60	0.1450	0.1200	0.0080
			367750	133.60	135.00	1.40	1.7000	0.2280	0.0530
			367751	135.00	136.00	1.00	1.0950	0.7950	0.0720
			367752	136.00	137.00	1.00	0.7890	0.3260	0.0500
			367754	137.00	138.00	1.00	0.6310	0.2110	0.0480
			367755	138.00	139.00	1.00	3.8200	0.4060	0.0720
			367756	139.00	140.25	1.25	2.1800	1.1350	0.0350
140.25	141.35	MV, Mafic Volcanic Mineralization 140.25 - 141.35 Structure 140.25 - 141.35	367758	140.25	141.35	1.10	0.0670	0.0260	0.0040
141.35	142.60	PYXT, Pyroxenite Mineralization 141.35 - 142.60 Structure 141.35 - 142.60	367759	141.35	142.60	1.25	0.9430	0.4580	0.0270
142.60	145.50	MDCHL, Mafic Dike Chloritic Mineralization 142.60 - 145.50 Structure 142.60 - 145.50 142.60 - 145.50 : UC Upper Contact, 40 Deg to CA	367760	142.60	144.00	1.40	0.0310	0.0270	0.0010
			367761	144.00	145.50	1.50	0.0100	0.0060	0.0010

Hole Number: KB-07-125

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
145.50	163.35	PYXT, Pyroxenite local mv Mineralization 145.50 - 151.60 151.60 - 157.40 157.40 - 162.80 162.80 - 163.35 Structure 145.50 - 163.35 : STRFOL Strongly Foliated, 30 Deg to CA talcose	367762	145.50	147.00	1.50	0.2010	0.1210	0.0100
			367763	147.00	148.00	1.00	0.2090	0.1530	0.0090
			367764	148.00	149.00	1.00	0.4810	0.5030	0.0140
			367765	149.00	150.00	1.00	0.2540	0.2730	0.0100
			367766	150.00	151.60	1.60	0.1180	0.0410	0.0090
			367767	151.60	153.00	1.40	0.7070	0.8990	0.0150
			367768	153.00	154.00	1.00	0.7990	0.9980	0.0160
			367769	154.00	155.00	1.00	0.7740	0.8710	0.0160
			367771	155.00	156.00	1.00	0.4970	0.4920	0.0120
			367772	156.00	157.40	1.40	0.4890	0.4860	0.0150
			367773	157.40	159.00	1.60	0.3060	0.2630	0.0100
			367774	159.00	160.00	1.00	0.3390	0.3630	0.0120
			367775	160.00	161.00	1.00	0.1770	0.1140	0.0090
			367776	161.00	162.00	1.00	0.2620	0.2540	0.0100
			367777	162.00	162.80	0.80	0.3180	0.3200	0.0110
			367778	162.80	163.35	0.55	1.4850	0.2900	0.0490
163.35	167.10	MV, Mafic Volcanic Mineralization 163.35 - 167.10 Structure 163.35 - 167.10 : MODFOL Moderately Foliated, 30 Deg to CA	367779	163.35	165.00	1.65	0.1030	0.0430	0.0040
			367780	165.00	166.00	1.00	0.0390	0.0160	0.0040
			367781	166.00	167.10	1.10	0.0150	0.0120	0.0040
167.10	171.70	MDCHL, Mafic Dike Chloritic Mineralization 167.10 - 171.70 Structure 167.10 - 171.70 167.10 - 171.70 : UC Upper Contact, 30 Deg to CA	367782	167.10	168.00	0.90	0.0050	0.0060	0.0010
			367783	168.00	169.00	1.00	0.0025	0.0060	0.0010
			367784	169.00	170.00	1.00	0.0050	0.0060	0.0020
			367785	170.00	171.00	1.00	0.0025	0.0070	0.0020
			367786	171.00	171.70	0.70	0.0120	0.0140	0.0010
171.70	186.00	PYXT, Pyroxenite local mv Mineralization 171.70 - 186.00 Structure 171.70 - 186.00	367787	171.70	173.00	1.30	0.8190	0.2260	0.0190
			367789	173.00	174.00	1.00	0.0910	0.0380	0.0070
			367790	174.00	175.00	1.00	0.0820	0.0770	0.0060
			367791	175.00	176.00	1.00	0.1380	0.1130	0.0060
			367792	176.00	177.00	1.00	0.1150	0.0390	0.0060
			367793	177.00	178.00	1.00	0.9630	0.3690	0.0230
			367794	178.00	179.00	1.00	1.2600	0.4440	0.0400
			367795	179.00	180.00	1.00	0.3850	0.5310	0.0100
			367796	180.00	181.00	1.00	0.4690	0.6010	0.0110
			367797	181.00	182.00	1.00	0.3020	0.4440	0.0080
			367798	182.00	183.00	1.00	0.2800	0.4660	0.0070
			367799	183.00	184.00	1.00	0.3440	0.2990	0.0130
			367800	184.00	185.00	1.00	0.5200	0.1240	0.0120
			367801	185.00	186.00	1.00	0.5080	0.2920	0.0190

Hole Number: KB-07-125

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
186.00	195.55	TSCH, Talc Schist Mineralization 186.00 - 195.55 Structure 186.00 - 195.55 : STRFOL Strongly Foliated, 50 Deg to CA
195.55	208.25	MV, Mafic Volcanic Mineralization 195.55 - 208.25 Structure 195.55 - 208.25 : MODFOL Moderately Foliated, 60 Deg to CA
208.25	212.00	FD, Felsic Dike loc mv Mineralization 208.25 - 212.00 Structure 208.25 - 212.00 208.25 - 212.00 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
367802	186.00	187.00	1.00	0.5100	0.6630	0.0160
367803	187.00	188.00	1.00	0.5700	0.4540	0.0140
367804	188.00	189.00	1.00	0.8990	0.8130	0.0180
367805	189.00	190.00	1.00	0.5130	0.5030	0.0130
367806	190.00	191.00	1.00	0.1790	0.1280	0.0090
367807	191.00	192.00	1.00	0.1910	0.1200	0.0090
367808	192.00	193.00	1.00	0.6090	0.2360	0.0120
367809	193.00	194.00	1.00	0.2300	0.1810	0.0090
367810	194.00	195.00	1.00	0.1370	0.0870	0.0090
367811	195.00	195.55	0.55	0.1260	0.0420	0.0090
367812	195.55	197.00	1.45	0.0150	0.0130	0.0030
367813	197.00	198.00	1.00	0.0120	0.0110	0.0040
367814	198.00	199.00	1.00	0.0130	0.0080	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367685	72.00	73.00	0.0025	0.0025	0.0030
367686	73.00	74.00	0.0160	0.0100	0.0030
367687	74.00	75.00	0.0150	0.0080	0.0020
367688	75.00	75.60	0.0230	0.0170	0.0050
367689	75.60	76.00	0.1220	0.0720	0.0080
367690	76.00	76.50	0.0080	0.0080	0.0020
367691	76.50	78.00	0.1460	0.0910	0.0080
367692	78.00	79.00	0.0660	0.0050	0.0070
367693	79.00	80.00	0.0680	0.0025	0.0080
367694	80.00	81.00	0.0710	0.0090	0.0070
367695	81.00	82.00	0.0640	0.0025	0.0070
367696	82.00	83.00	0.0670	0.0025	0.0070
367697	83.00	84.00	0.0530	0.0025	0.0060
367698	84.00	85.00	0.0690	0.0060	0.0080

Hole Number: KB-07-125

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367699	85.00	86.00	0.0640	0.0025	0.0060
367700	86.00	87.00	0.0730	0.0025	0.0070
367701	87.00	88.00	0.0700	0.0090	0.0080
367703	88.00	89.00	0.0530	0.0060	0.0060
367704	89.00	90.00	0.0610	0.0080	0.0060
367705	90.00	91.00	0.0700	0.0100	0.0090
367706	91.00	92.00	0.0710	0.0100	0.0070
367707	92.00	93.00	0.0690	0.0070	0.0080
367708	93.00	94.00	0.0750	0.0070	0.0080
367709	94.00	95.00	0.0680	0.0060	0.0070
367710	95.00	96.00	0.0710	0.0090	0.0070
367711	96.00	97.00	0.0680	0.0070	0.0070
367713	97.00	98.00	0.0750	0.0060	0.0090
367714	98.00	99.00	0.0730	0.0060	0.0080
367715	99.00	100.00	0.0720	0.0070	0.0080
367716	100.00	101.00	0.0690	0.0080	0.0070
367717	101.00	102.00	0.0660	0.0025	0.0080
367718	102.00	103.00	0.0670	0.0080	0.0080
367719	103.00	104.00	0.0710	0.0110	0.0080
367720	104.00	105.00	0.0710	0.0070	0.0080
367721	105.00	106.00	0.0690	0.0050	0.0080
367722	106.00	107.00	0.0720	0.0080	0.0080
367723	107.00	108.00	0.0710	0.0060	0.0080
367724	108.00	109.00	0.0730	0.0070	0.0070
367725	109.00	110.00	0.0650	0.0070	0.0070
367726	110.00	111.00	0.0670	0.0130	0.0080
367727	111.00	112.00	0.0680	0.0070	0.0080
367728	112.00	113.00	0.0710	0.0210	0.0080
367729	113.00	114.00	0.0700	0.0170	0.0070
367730	114.00	115.00	0.0680	0.0080	0.0080
367731	115.00	116.00	0.1020	0.0380	0.0080
367732	116.00	117.00	0.0810	0.0210	0.0080
367733	117.00	118.00	0.0740	0.0110	0.0070
367734	118.00	119.00	0.0740	0.0140	0.0070
367736	119.00	120.00	0.0740	0.0120	0.0080
367737	120.00	121.00	0.0680	0.0025	0.0070
367738	121.00	122.00	0.0730	0.0025	0.0070

Hole Number: KB-07-125

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367739	122.00	123.00	0.0700	0.0025	0.0080
367740	123.00	124.00	0.0700	0.0025	0.0070
367741	124.00	125.00	0.0810	0.0025	0.0070
367742	125.00	126.00	0.0650	0.0025	0.0070
367743	126.00	127.00	0.0680	0.0025	0.0070
367744	127.00	128.00	0.1570	0.1050	0.0080
367745	128.00	129.00	0.0730	0.0150	0.0080
367746	129.00	130.00	0.1110	0.0590	0.0090
367747	130.00	131.00	0.1830	0.1350	0.0060
367748	131.00	132.00	0.1540	0.1540	0.0090
367749	132.00	133.60	0.1450	0.1200	0.0080
367750	133.60	135.00	1.7000	0.2280	0.0530
367751	135.00	136.00	1.0950	0.7950	0.0720
367752	136.00	137.00	0.7890	0.3260	0.0500
367754	137.00	138.00	0.6310	0.2110	0.0480
367755	138.00	139.00	3.8200	0.4060	0.0720
367756	139.00	140.25	2.1800	1.1350	0.0350
367758	140.25	141.35	0.0670	0.0260	0.0040
367759	141.35	142.60	0.9430	0.4580	0.0270
367760	142.60	144.00	0.0310	0.0270	0.0010
367761	144.00	145.50	0.0100	0.0060	0.0010
367762	145.50	147.00	0.2010	0.1210	0.0100
367763	147.00	148.00	0.2090	0.1530	0.0090
367764	148.00	149.00	0.4810	0.5030	0.0140
367765	149.00	150.00	0.2540	0.2730	0.0100
367766	150.00	151.60	0.1180	0.0410	0.0090
367767	151.60	153.00	0.7070	0.8990	0.0150
367768	153.00	154.00	0.7990	0.9980	0.0160
367769	154.00	155.00	0.7740	0.8710	0.0160
367771	155.00	156.00	0.4970	0.4920	0.0120
367772	156.00	157.40	0.4890	0.4860	0.0150
367773	157.40	159.00	0.3060	0.2630	0.0100
367774	159.00	160.00	0.3390	0.3630	0.0120
367775	160.00	161.00	0.1770	0.1140	0.0090
367776	161.00	162.00	0.2620	0.2540	0.0100
367777	162.00	162.80	0.3180	0.3200	0.0110
367778	162.80	163.35	1.4850	0.2900	0.0490

Hole Number: KB-07-125

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
367779	163.35	165.00	0.1030	0.0430	0.0040
367780	165.00	166.00	0.0390	0.0160	0.0040
367781	166.00	167.10	0.0150	0.0120	0.0040
367782	167.10	168.00	0.0050	0.0060	0.0010
367783	168.00	169.00	0.0025	0.0060	0.0010
367784	169.00	170.00	0.0050	0.0060	0.0020
367785	170.00	171.00	0.0025	0.0070	0.0020
367786	171.00	171.70	0.0120	0.0140	0.0010
367787	171.70	173.00	0.8190	0.2260	0.0190
367789	173.00	174.00	0.0910	0.0380	0.0070
367790	174.00	175.00	0.0820	0.0770	0.0060
367791	175.00	176.00	0.1380	0.1130	0.0060
367792	176.00	177.00	0.1150	0.0390	0.0060
367793	177.00	178.00	0.9630	0.3690	0.0230
367794	178.00	179.00	1.2600	0.4440	0.0400
367795	179.00	180.00	0.3850	0.5310	0.0100
367796	180.00	181.00	0.4690	0.6010	0.0110
367797	181.00	182.00	0.3020	0.4440	0.0080
367798	182.00	183.00	0.2800	0.4660	0.0070
367799	183.00	184.00	0.3440	0.2990	0.0130
367800	184.00	185.00	0.5200	0.1240	0.0120
367801	185.00	186.00	0.5080	0.2920	0.0190
367802	186.00	187.00	0.5100	0.6630	0.0160
367803	187.00	188.00	0.5700	0.4540	0.0140
367804	188.00	189.00	0.8990	0.8130	0.0180
367805	189.00	190.00	0.5130	0.5030	0.0130
367806	190.00	191.00	0.1790	0.1280	0.0090
367807	191.00	192.00	0.1910	0.1200	0.0090
367808	192.00	193.00	0.6090	0.2360	0.0120
367809	193.00	194.00	0.2300	0.1810	0.0090
367810	194.00	195.00	0.1370	0.0870	0.0090
367811	195.00	195.55	0.1260	0.0420	0.0090
367812	195.55	197.00	0.0150	0.0130	0.0030
367813	197.00	198.00	0.0120	0.0110	0.0040
367814	198.00	199.00	0.0130	0.0080	0.0040

DETAILED LOG

Hole Number: KB-07-124 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481377.00		North:	5481377.00	Collar Az: 304.90
Location:	Surface	East:	453927.20		East:	453927.20	Length: 140.00 (m)
		Elev:	393.08		Elev:	393.08	Start Depth: 0.00 (m)
Date Started:	Sep 09, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 140.00 (m)
Date Completed:	Sep 10, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments: line re-established, collar 3m north of new line

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	74.00	78.00	4.00	0.3896	0.2458	0.0194
WEIGHTED	74.00	83.00	9.00	0.3824	0.2958	0.0155
WEIGHTED	103.00	110.00	7.00	0.3136	0.1596	0.0134
WEIGHTED	124.00	129.30	5.30	0.5133	0.2447	0.0182

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	304.90	-45.90	EZ	OK	6025	50.00	307.80	-45.20	EZ	OK	5763
100.00	310.40	-45.10	EZ	OK	5837	125.00	310.00	-44.80	EZ	OK	5683

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.60	CAS, Casing							
2.60	15.60	MV, Mafic Volcanic Mineralization 2.60 - 15.60 Structure 2.60 - 15.60 : MODFOL Moderately Foliated, 50 Deg to CA							
15.60	19.10	FD, Felsic Dike Mineralization 15.60 - 19.10 Structure 15.60 - 19.10 15.60 - 19.10 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-124

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
19.10	45.00	MV, Mafic Volcanic Mineralization 19.10 - 45.00 Structure 19.10 - 45.00 : MODFOL Moderately Foliated, 50 Deg to CA 19.10 - 45.00 : UC Upper Contact, 45 Deg to CA 22.60 - 29.00							
45.00	46.00	FD, Felsic Dike Mineralization 45.00 - 46.00 Structure 45.00 - 46.00 45.00 - 46.00 : UC Upper Contact, 45 Deg to CA							
46.00	52.25	MV, Mafic Volcanic Mineralization 46.00 - 52.25 Structure 46.00 - 52.25 : MODFOL Moderately Foliated, 40 Deg to CA	366930	49.00	50.00	1.00	0.0070	0.0050	0.0030
			366931	50.00	51.00	1.00	0.0190	0.0120	0.0050
			366932	51.00	52.25	1.25	0.0260	0.0200	0.0050
52.25	65.15	TSCH, Talc Schist Mineralization 52.25 - 65.15 Structure 52.25 - 65.15 : STRFOL Strongly Foliated, 45 Deg to CA 52.25 - 65.15 : UC Upper Contact, 45 Deg to CA	366933	52.25	53.00	0.75	0.1780	0.1140	0.0090
			366934	53.00	54.00	1.00	0.1820	0.1080	0.0090
			366935	54.00	55.00	1.00	0.0770	0.0190	0.0070
			366936	55.00	56.00	1.00	0.0750	0.0070	0.0090
			366937	56.00	57.00	1.00	0.0760	0.0070	0.0090
			366938	57.00	58.00	1.00	0.0680	0.0050	0.0090
			366939	58.00	59.00	1.00	0.0720	0.0090	0.0090
			366940	59.00	60.00	1.00	0.0700	0.0090	0.0090
			366941	60.00	61.00	1.00	0.0720	0.0100	0.0090
			366942	61.00	62.00	1.00	0.0680	0.0130	0.0080
			366943	62.00	63.00	1.00	0.0810	0.0180	0.0090
			366944	63.00	64.00	1.00	0.0700	0.0050	0.0090
			366945	64.00	65.15	1.15	0.0830	0.0080	0.0090
65.15	75.50	PYXT, Pyroxenite Mineralization 65.15 - 75.50 Structure 65.15 - 75.50 : STRFOL Strongly Foliated, 45 Deg to CA	366946	65.15	66.00	0.85	0.4090	0.2450	0.0170
			366947	66.00	67.00	1.00	0.1150	0.0480	0.0070
			366948	67.00	68.00	1.00	0.0730	0.0180	0.0080
			366950	68.00	69.00	1.00	0.0740	0.0070	0.0090
			366951	69.00	70.00	1.00	0.0730	0.0080	0.0090
			366952	70.00	71.00	1.00	0.0900	0.0460	0.0080
			366953	71.00	72.00	1.00	0.2610	0.3160	0.0120
			366954	72.00	73.00	1.00	0.1160	0.0720	0.0090
			366955	73.00	74.00	1.00	0.1080	0.0600	0.0090
			366956	74.00	75.00	1.00	0.2420	0.1490	0.0110
			366957	75.00	75.50	0.50	0.9720	0.7250	0.0660

Hole Number: KB-07-124

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
75.50	90.15	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 75.50 - 90.15 Structure 75.50 - 90.15	366959	75.50	77.00	1.50	0.3150	0.1190	0.0150
			366960	77.00	78.00	1.00	0.3580	0.2930	0.0110
			366961	78.00	79.00	1.00	0.0470	0.0250	0.0050
			366962	79.00	80.00	1.00	0.1950	0.1420	0.0090
			366963	80.00	81.00	1.00	0.0430	0.0320	0.0050
			366964	81.00	82.00	1.00	0.8050	0.5930	0.0240
			366965	82.00	83.00	1.00	0.7930	0.8870	0.0190
			366966	83.00	84.00	1.00	0.1910	0.1480	0.0090
			366967	84.00	85.00	1.00	0.1560	0.0620	0.0070
			366968	85.00	86.00	1.00	0.2370	0.2370	0.0110
			366969	86.00	87.00	1.00	0.4070	0.2880	0.0130
			366970	87.00	88.00	1.00	0.0920	0.1080	0.0060
			366971	88.00	89.00	1.00	0.0900	0.0700	0.0060
			366972	89.00	90.15	1.15	0.8370	0.3370	0.0320
90.15	92.70	FD, Felsic Dike Mineralization 90.15 - 92.70 Structure 90.15 - 92.70 90.15 - 92.70 : UC Upper Contact, 30 Deg to CA	366973	90.15	91.00	0.85	0.0670	0.0580	0.0040
			366974	91.00	92.70	1.70	0.0060	0.0050	0.0010

Hole Number: KB-07-124

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
92.70	129.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 92.70 - 129.30 Structure 92.70 - 129.30 92.70 - 129.30 : UC Upper Contact, 30 Deg to CA	366975	92.70	94.00	1.30	0.4760	0.4020	0.0160
			366976	94.00	95.00	1.00	0.4150	0.2850	0.0150
			366978	95.00	96.00	1.00	0.3370	0.3470	0.0140
			366979	96.00	97.00	1.00	0.2770	0.1260	0.0120
			366980	97.00	98.00	1.00	0.0810	0.0330	0.0070
			366981	98.00	99.00	1.00	0.0150	0.0120	0.0050
			366982	99.00	100.00	1.00	0.0640	0.0140	0.0070
			366984	100.00	101.00	1.00	0.1390	0.0850	0.0070
			366985	101.00	102.00	1.00	0.1010	0.0460	0.0070
			366986	102.00	103.00	1.00	0.1870	0.1400	0.0100
			366987	103.00	104.00	1.00	0.3260	0.2310	0.0130
			366988	104.00	105.00	1.00	0.2590	0.2410	0.0110
			366989	105.00	106.00	1.00	0.1620	0.0720	0.0100
			366990	106.00	107.00	1.00	0.0210	0.0100	0.0050
			366991	107.00	108.00	1.00	0.0260	0.0260	0.0050
			366992	108.00	109.00	1.00	0.4970	0.1550	0.0230
			366993	109.00	110.00	1.00	0.9040	0.3820	0.0270
			366994	110.00	111.00	1.00	0.1450	0.0590	0.0090
			366995	111.00	112.00	1.00	0.1180	0.0670	0.0090
			366996	112.00	113.00	1.00	0.0530	0.0420	0.0070
			366997	113.00	114.00	1.00	0.1050	0.0840	0.0090
			366998	114.00	115.00	1.00	0.3080	0.2690	0.0140
			366999	115.00	116.00	1.00	0.0210	0.0180	0.0060
			367000	116.00	117.00	1.00	0.1320	0.0860	0.0080
			367501	117.00	118.00	1.00	0.2050	0.0840	0.0100
			367502	118.00	119.00	1.00	0.0180	0.0200	0.0040
			367503	119.00	120.00	1.00	0.1850	0.0950	0.0090
			367504	120.00	121.00	1.00	0.1090	0.0770	0.0080
			367505	121.00	122.00	1.00	0.0370	0.0380	0.0030
			367506	122.00	123.00	1.00	0.1490	0.0880	0.0080
			367507	123.00	124.00	1.00	0.0760	0.0550	0.0070
			367508	124.00	125.00	1.00	0.3230	0.2110	0.0130
			367509	125.00	126.00	1.00	0.1260	0.0660	0.0080
			367510	126.00	127.00	1.00	0.1800	0.0680	0.0090
			367511	127.00	128.00	1.00	0.1220	0.0820	0.0080
			367512	128.00	129.30	1.30	1.5150	0.6690	0.0450
129.30	131.10	FD, Felsic Dike Mineralization 129.30 - 131.10 Structure 129.30 - 131.10 129.30 - 131.10 : UC Upper Contact, 30 Deg to CA	367513	129.30	130.00	0.70	0.0260	0.0190	0.0030
			367514	130.00	131.10	1.10	0.0130	0.0130	0.0030

Hole Number: KB-07-124

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
131.10	140.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 131.10 - 140.00 Structure 131.10 - 140.00 131.10 - 140.00 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
367515	131.10	132.00	0.90	0.0300	0.0320	0.0060
367516	132.00	133.00	1.00	0.0120	0.0140	0.0050
367517	133.00	134.00	1.00	0.0120	0.0140	0.0050
367518	134.00	135.00	1.00	0.0140	0.0160	0.0060
367519	135.00	136.00	1.00	0.0140	0.0130	0.0050
367520	136.00	137.00	1.00	0.0140	0.0140	0.0050
367521	137.00	138.00	1.00	0.0190	0.0210	0.0050
367522	138.00	139.00	1.00	0.0140	0.0140	0.0050
367523	139.00	140.00	1.00	0.0160	0.0130	0.0060

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366930	49.00	50.00	0.0070	0.0050	0.0030
366931	50.00	51.00	0.0190	0.0120	0.0050
366932	51.00	52.25	0.0260	0.0200	0.0050
366933	52.25	53.00	0.1780	0.1140	0.0090
366934	53.00	54.00	0.1820	0.1080	0.0090
366935	54.00	55.00	0.0770	0.0190	0.0070
366936	55.00	56.00	0.0750	0.0070	0.0090
366937	56.00	57.00	0.0760	0.0070	0.0090
366938	57.00	58.00	0.0680	0.0050	0.0090
366939	58.00	59.00	0.0720	0.0090	0.0090
366940	59.00	60.00	0.0700	0.0090	0.0090
366941	60.00	61.00	0.0720	0.0100	0.0090
366942	61.00	62.00	0.0680	0.0130	0.0080
366943	62.00	63.00	0.0810	0.0180	0.0090
366944	63.00	64.00	0.0700	0.0050	0.0090
366945	64.00	65.15	0.0830	0.0080	0.0090
366946	65.15	66.00	0.4090	0.2450	0.0170
366947	66.00	67.00	0.1150	0.0480	0.0070
366948	67.00	68.00	0.0730	0.0180	0.0080
366950	68.00	69.00	0.0740	0.0070	0.0090
366951	69.00	70.00	0.0730	0.0080	0.0090
366952	70.00	71.00	0.0900	0.0460	0.0080
366953	71.00	72.00	0.2610	0.3160	0.0120
366954	72.00	73.00	0.1160	0.0720	0.0090
366955	73.00	74.00	0.1080	0.0600	0.0090
366956	74.00	75.00	0.2420	0.1490	0.0110

Hole Number: KB-07-124

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366957	75.00	75.50	0.9720	0.7250	0.0660
366959	75.50	77.00	0.3150	0.1190	0.0150
366960	77.00	78.00	0.3580	0.2930	0.0110
366961	78.00	79.00	0.0470	0.0250	0.0050
366962	79.00	80.00	0.1950	0.1420	0.0090
366963	80.00	81.00	0.0430	0.0320	0.0050
366964	81.00	82.00	0.8050	0.5930	0.0240
366965	82.00	83.00	0.7930	0.8870	0.0190
366966	83.00	84.00	0.1910	0.1480	0.0090
366967	84.00	85.00	0.1560	0.0620	0.0070
366968	85.00	86.00	0.2370	0.2370	0.0110
366969	86.00	87.00	0.4070	0.2880	0.0130
366970	87.00	88.00	0.0920	0.1080	0.0060
366971	88.00	89.00	0.0900	0.0700	0.0060
366972	89.00	90.15	0.8370	0.3370	0.0320
366973	90.15	91.00	0.0670	0.0580	0.0040
366974	91.00	92.70	0.0060	0.0050	0.0010
366975	92.70	94.00	0.4760	0.4020	0.0160
366976	94.00	95.00	0.4150	0.2850	0.0150
366978	95.00	96.00	0.3370	0.3470	0.0140
366979	96.00	97.00	0.2770	0.1260	0.0120
366980	97.00	98.00	0.0810	0.0330	0.0070
366981	98.00	99.00	0.0150	0.0120	0.0050
366982	99.00	100.00	0.0640	0.0140	0.0070
366984	100.00	101.00	0.1390	0.0850	0.0070
366985	101.00	102.00	0.1010	0.0460	0.0070
366986	102.00	103.00	0.1870	0.1400	0.0100
366987	103.00	104.00	0.3260	0.2310	0.0130
366988	104.00	105.00	0.2590	0.2410	0.0110
366989	105.00	106.00	0.1620	0.0720	0.0100
366990	106.00	107.00	0.0210	0.0100	0.0050
366991	107.00	108.00	0.0260	0.0260	0.0050
366992	108.00	109.00	0.4970	0.1550	0.0230
366993	109.00	110.00	0.9040	0.3820	0.0270
366994	110.00	111.00	0.1450	0.0590	0.0090
366995	111.00	112.00	0.1180	0.0670	0.0090
366996	112.00	113.00	0.0530	0.0420	0.0070

Hole Number: KB-07-124

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366997	113.00	114.00	0.1050	0.0840	0.0090
366998	114.00	115.00	0.3080	0.2690	0.0140
366999	115.00	116.00	0.0210	0.0180	0.0060
367000	116.00	117.00	0.1320	0.0860	0.0080
367501	117.00	118.00	0.2050	0.0840	0.0100
367502	118.00	119.00	0.0180	0.0200	0.0040
367503	119.00	120.00	0.1850	0.0950	0.0090
367504	120.00	121.00	0.1090	0.0770	0.0080
367505	121.00	122.00	0.0370	0.0380	0.0030
367506	122.00	123.00	0.1490	0.0880	0.0080
367507	123.00	124.00	0.0760	0.0550	0.0070
367508	124.00	125.00	0.3230	0.2110	0.0130
367509	125.00	126.00	0.1260	0.0660	0.0080
367510	126.00	127.00	0.1800	0.0680	0.0090
367511	127.00	128.00	0.1220	0.0820	0.0080
367512	128.00	129.30	1.5150	0.6690	0.0450
367513	129.30	130.00	0.0260	0.0190	0.0030
367514	130.00	131.10	0.0130	0.0130	0.0030
367515	131.10	132.00	0.0300	0.0320	0.0060
367516	132.00	133.00	0.0120	0.0140	0.0050
367517	133.00	134.00	0.0120	0.0140	0.0050
367518	134.00	135.00	0.0140	0.0160	0.0060
367519	135.00	136.00	0.0140	0.0130	0.0050
367520	136.00	137.00	0.0140	0.0140	0.0050
367521	137.00	138.00	0.0190	0.0210	0.0050
367522	138.00	139.00	0.0140	0.0140	0.0050
367523	139.00	140.00	0.0160	0.0130	0.0060

DETAILED LOG

Hole Number: KB-07-123 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.00
Project Number:	19900	North:	5481388.00		North:	5481388.00	Collar Az: 308.00
Location:	Surface	East:	453933.30		East:	453933.30	Length: 200.00 (m)
		Elev:	393.37		Elev:	393.37	Start Depth: 0.00 (m)
Date Started:	Sep 08, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 200.00 (m)
Date Completed:	Sep 09, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	75.00	76.60	1.60	0.5013	0.3388	0.0149
WEIGHTED	83.00	85.50	2.50	0.4766	0.3836	0.0114
WEIGHTED	91.00	99.00	8.00	0.4543	0.2786	0.0148
WEIGHTED	133.40	142.20	8.80	0.3589	0.1938	0.0127
WEIGHTED	149.00	165.30	16.30	0.4896	0.3517	0.0161
WEIGHTED	151.60	160.00	8.40	0.7062	0.5555	0.0207

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	308.00	-46.50	EZ	OK	5986	50.00	307.90	-45.40	EZ	OK	5760
100.00	311.80	-44.50	EZ	OK	5754	150.00	308.50	-43.50	EZ	OK	5761
200.00	310.20	-43.10	EZ	OK	5771						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.80	CAS, Casing							
2.80	14.60	MV, Mafic Volcanic Mineralization 2.80 - 14.60 Structure 2.80 - 14.60 : MODFOL Moderately Foliated, 45 Deg to CA							
14.60	16.70	FD, Felsic Dike Mineralization 14.60 - 16.70 Structure 14.60 - 16.70							

Hole Number: KB-07-123 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.70	21.80	MV, Mafic Volcanic Mineralization 16.70 - 21.80 Structure 16.70 - 21.80 : MODFOL Moderately Foliated, 45 Deg to CA 16.70 - 21.80 : UC Upper Contact, 40 Deg to CA							
21.80	24.75	FD, Felsic Dike Mineralization 21.80 - 24.75 Structure 21.80 - 24.75 21.80 - 24.75 : UC Upper Contact, 40 Deg to CA							
24.75	39.90	MV, Mafic Volcanic Mineralization 24.75 - 39.90 Structure 24.75 - 39.90 : MODFOL Moderately Foliated, 55 Deg to CA 24.75 - 39.90 : UC Upper Contact, 50 Deg to CA							
39.90	41.65	FD, Felsic Dike Mineralization 39.90 - 41.65 Structure 39.90 - 41.65 39.90 - 41.65 : UC Upper Contact, 20 Deg to CA							
41.65	48.80	MV, Mafic Volcanic Mineralization 41.65 - 48.80 Structure 41.65 - 48.80 : MODFOL Moderately Foliated, 55 Deg to CA 41.65 - 48.80 : UC Upper Contact, 30 Deg to CA	366806	46.00	47.00	1.00	0.0025	0.0025	0.0010
			366807	47.00	48.00	1.00	0.0025	0.0050	0.0010
			366808	48.00	48.80	0.80	0.0200	0.0080	0.0020
48.80	55.00	TSCH, Talc Schist Mineralization 48.80 - 55.00 Structure 48.80 - 55.00 : STRFOL Strongly Foliated, 45 Deg to CA	366809	48.80	50.00	1.20	0.1240	0.0750	0.0080
			366810	50.00	51.00	1.00	0.0730	0.0025	0.0060
			366811	51.00	52.00	1.00	0.0730	0.0050	0.0060
			366812	52.00	53.00	1.00	0.0750	0.0070	0.0070
			366813	53.00	54.00	1.00	0.0770	0.0050	0.0070
			366814	54.00	55.00	1.00	0.0850	0.0080	0.0070

Hole Number: KB-07-123

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
55.00	76.60	PYXT, Pyroxenite Mineralization 55.00 - 76.60 Structure 55.00 - 76.60 : STRFOL Strongly Foliated, 40 Deg to CA	366815	55.00	56.00	1.00	0.0800	0.0310	0.0060
			366816	56.00	57.00	1.00	0.0720	0.0025	0.0060
			366817	57.00	58.00	1.00	0.0730	0.0050	0.0060
			366818	58.00	59.00	1.00	0.0690	0.0025	0.0070
			366819	59.00	60.00	1.00	0.0810	0.0070	0.0070
			366820	60.00	61.00	1.00	0.1050	0.0580	0.0090
			366821	61.00	62.00	1.00	0.0960	0.0430	0.0080
			366822	62.00	63.00	1.00	0.1400	0.1140	0.0090
			366823	63.00	64.00	1.00	0.1600	0.1770	0.0090
			366824	64.00	65.00	1.00	0.1180	0.1050	0.0100
			366825	65.00	66.00	1.00	0.1370	0.1300	0.0080
			366826	66.00	67.00	1.00	0.1670	0.1500	0.0090
			366827	67.00	68.00	1.00	0.2240	0.2100	0.0100
			366828	68.00	69.00	1.00	0.1320	0.1210	0.0090
			366829	69.00	70.00	1.00	0.1380	0.1210	0.0070
			366830	70.00	71.00	1.00	0.1100	0.0750	0.0070
			366831	71.00	72.00	1.00	0.1040	0.0510	0.0080
			366832	72.00	73.00	1.00	0.0970	0.0440	0.0080
			366834	73.00	74.00	1.00	0.0880	0.0530	0.0090
			366835	74.00	75.00	1.00	0.1460	0.1230	0.0090
			366836	75.00	76.00	1.00	0.4630	0.4010	0.0130
			366837	76.00	76.60	0.60	0.5650	0.2350	0.0180
76.60	87.65	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 76.60 - 83.00 83.00 - 85.50 85.50 - 87.65 Structure 76.60 - 87.65 76.60 - 87.65 : VN Veins, 20 Deg to CA	366839	76.60	78.00	1.40	0.0310	0.0130	0.0050
			366840	78.00	79.00	1.00	0.0240	0.0130	0.0050
			366841	79.00	80.00	1.00	0.0300	0.0160	0.0040
			366842	80.00	81.00	1.00	0.0230	0.0150	0.0040
			366843	81.00	82.00	1.00	0.0310	0.0190	0.0060
			366844	82.00	83.00	1.00	0.0300	0.0270	0.0030
			366845	83.00	84.00	1.00	0.6920	0.6110	0.0150
			366847	84.00	85.50	1.50	0.3330	0.2320	0.0090
			366848	85.50	87.00	1.50	0.0220	0.0170	0.0040
			366849	87.00	87.65	0.65	0.2120	0.2110	0.0090
87.65	90.20	FD, Felsic Dike Mineralization 87.65 - 90.20 Structure 87.65 - 90.20 87.65 - 90.20 : UC Upper Contact, 50 Deg to CA	366850	87.65	89.00	1.35	0.0025	0.0050	0.0010
			366851	89.00	90.20	1.20	0.0025	0.0025	0.0010

Hole Number: KB-07-123 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
90.20	105.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 90.20 - 105.50 Structure 90.20 - 105.50 90.20 - 105.50 : UC Upper Contact, 40 Deg to CA	366852	90.20	91.00	0.80	0.0320	0.0330	0.0040
			366853	91.00	92.00	1.00	0.2810	0.1500	0.0100
			366854	92.00	93.00	1.00	0.5580	0.3400	0.0170
			366855	93.00	94.00	1.00	0.1070	0.2530	0.0060
			366856	94.00	95.00	1.00	0.5430	0.0940	0.0210
			366858	95.00	96.00	1.00	1.3200	0.7850	0.0330
			366859	96.00	97.00	1.00	0.3110	0.1760	0.0120
			366860	97.00	98.00	1.00	0.2720	0.2090	0.0090
			366861	98.00	99.00	1.00	0.2420	0.2220	0.0100
			366862	99.00	100.00	1.00	0.1900	0.1790	0.0080
			366863	100.00	101.00	1.00	0.0160	0.0170	0.0030
			366864	101.00	102.00	1.00	0.1180	0.0930	0.0060
			366865	102.00	103.00	1.00	0.1470	0.1230	0.0070
			366866	103.00	104.00	1.00	0.0460	0.0550	0.0070
			366867	104.00	105.50	1.50	0.1360	0.1010	0.0080
105.50	109.00	PYXT, Pyroxenite Mineralization 105.50 - 109.00 Structure 105.50 - 109.00 : MODFOL Moderately Foliated, 30 Deg to CA 105.50 - 109.00 : UC Upper Contact, 30 Deg to CA	366868	105.50	107.00	1.50	0.1350	0.1280	0.0080
			366869	107.00	108.00	1.00	0.0860	0.0200	0.0080
			366870	108.00	109.00	1.00	0.1530	0.0610	0.0100
109.00	113.40	MV, Mafic Volcanic Mineralization 109.00 - 113.40 Structure 109.00 - 113.40	366871	109.00	110.00	1.00	0.0840	0.0930	0.0090
			366872	110.00	111.00	1.00	0.0170	0.0180	0.0050
			366873	111.00	112.00	1.00	0.0160	0.0210	0.0050
			366874	112.00	113.40	1.40	0.0190	0.0240	0.0050
113.40	117.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 113.40 - 117.40 Structure 113.40 - 117.40	366875	113.40	114.00	0.60	0.1570	0.0620	0.0100
			366876	114.00	115.00	1.00	0.3410	0.2830	0.0140
			366877	115.00	116.00	1.00	0.0850	0.0850	0.0050
			366878	116.00	117.40	1.40	0.1180	0.0560	0.0070
117.40	121.00	MV, Mafic Volcanic with pyxt Mineralization 117.40 - 121.00 Structure 117.40 - 121.00 : MODFOL Moderately Foliated, 30 Deg to CA 117.40 - 121.00 : UC Upper Contact, 50 Deg to CA	366880	117.40	118.00	0.60	0.0790	0.0400	0.0060
			366881	118.00	119.00	1.00	0.2870	0.1090	0.0110
			366882	119.00	120.00	1.00	0.0490	0.0400	0.0050
			366883	120.00	121.00	1.00	0.0940	0.0750	0.0060

Hole Number: KB-07-123

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
121.00	122.65	FD, Felsic Dike Mineralization 121.00 - 122.65 Structure 121.00 - 122.65	366884	121.00	122.65	1.65	0.0250	0.0180	0.0020
122.65	123.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 122.65 - 123.70 Structure 122.65 - 123.70 122.65 - 123.70 : UC Upper Contact, 30 Deg to CA	366885	122.65	123.70	1.05	0.0500	0.0310	0.0040
123.70	126.60	FD, Felsic Dike Mineralization 123.70 - 126.60 Structure 123.70 - 126.60 123.70 - 126.60 : UC Upper Contact, 40 Deg to CA	366886	123.70	125.00	1.30	0.0025	0.0070	0.0010
			366887	125.00	126.60	1.60	0.0080	0.0080	0.0020
126.60	129.00	MV, Mafic Volcanic Mineralization 126.60 - 129.00 Structure 126.60 - 129.00 : MODFOL Moderately Foliated, 35 Deg to CA 126.60 - 129.00 : UC Upper Contact, 30 Deg to CA	366888	126.60	128.00	1.40	0.0230	0.0110	0.0040
			366889	128.00	129.00	1.00	0.0160	0.0080	0.0040
129.00	130.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 129.00 - 130.80 Structure 129.00 - 130.80 129.00 - 130.80 : UC Upper Contact, 45 Deg to CA	366890	129.00	130.00	1.00	0.0870	0.0380	0.0060
			366891	130.00	130.80	0.80	0.1770	0.0490	0.0090
130.80	133.40	MV, Mafic Volcanic Mineralization 130.80 - 133.40 Structure 130.80 - 133.40 130.80 - 133.40 : UC Upper Contact, 10 Deg to CA	366892	130.80	132.00	1.20	0.1030	0.0290	0.0070
			366893	132.00	133.40	1.40	0.0310	0.0240	0.0060

Hole Number: KB-07-123 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
133.40	142.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 133.40 - 142.20 Structure 133.40 - 142.20	366894	133.40	135.00	1.60	0.2770	0.1470	0.0110
			366895	135.00	136.00	1.00	0.4250	0.1670	0.0140
			366896	136.00	137.00	1.00	0.0760	0.0330	0.0060
			366897	137.00	138.00	1.00	0.3470	0.1770	0.0120
			366898	138.00	139.00	1.00	0.5810	0.2930	0.0180
			366900	139.00	140.00	1.00	0.2320	0.0840	0.0110
			366901	140.00	141.00	1.00	0.4040	0.1670	0.0130
			366902	141.00	142.20	1.20	0.5420	0.4580	0.0170
142.20	147.10	FD, Felsic Dike Mineralization 142.20 - 147.10 Structure 142.20 - 147.10 142.20 - 147.10 : UC Upper Contact, 35 Deg to CA	366903	142.20	143.00	0.80	0.0520	0.1090	0.0040
			366904	143.00	144.00	1.00	0.0230	0.0140	0.0030
			366905	144.00	145.00	1.00	0.0160	0.0080	0.0030
			366906	145.00	146.00	1.00	0.0090	0.0050	0.0030
			366907	146.00	147.10	1.10	0.0180	0.0100	0.0030
147.10	147.90	MV, Mafic Volcanic Mineralization 147.10 - 147.90 Structure 147.10 - 147.90 147.10 - 147.90 : UC Upper Contact, 25 Deg to CA	366908	147.10	147.90	0.80	0.0140	0.0150	0.0040
147.90	158.00	PYXT, Pyroxenite loc mv Mineralization 147.90 - 151.60 151.60 - 158.00 Structure 147.90 - 154.00 147.90 - 158.00 : UC Upper Contact, 40 Deg to CA 154.00 - 158.00 : STRFOL Strongly Foliated, 50 Deg to CA	366909	147.90	149.00	1.10	0.0950	0.0520	0.0060
			366910	149.00	150.00	1.00	0.2100	0.0730	0.0100
			366911	150.00	151.60	1.60	0.1560	0.0500	0.0090
			366912	151.60	153.00	1.40	0.5110	0.2100	0.0170
			366913	153.00	154.00	1.00	0.7890	0.2670	0.0200
			366914	154.00	155.00	1.00	0.5060	0.1750	0.0160
			366915	155.00	156.00	1.00	0.9230	0.6810	0.0250
			366916	156.00	157.00	1.00	1.0700	0.6060	0.0430
			366917	157.00	158.00	1.00	0.6700	0.7530	0.0170
158.00	165.30	TSCH, Talc Schist Mineralization 158.00 - 161.00 161.00 - 165.30 Structure 158.00 - 165.30 : STRFOL Strongly Foliated, 45 Deg to CA	366918	158.00	159.00	1.00	0.6330	1.0100	0.0150
			366919	159.00	160.00	1.00	0.6260	0.8800	0.0140
			366921	160.00	161.00	1.00	0.4540	0.2830	0.0150
			366922	161.00	162.00	1.00	0.1810	0.1040	0.0090
			366923	162.00	163.00	1.00	0.1460	0.0450	0.0100
			366924	163.00	164.00	1.00	0.0960	0.0100	0.0100
			366925	164.00	165.30	1.30	0.5470	0.3630	0.0150
165.30	200.00	MV, Mafic Volcanic Mineralization 165.30 - 200.00 Structure 165.30 - 200.00 : MODFOL Moderately Foliated, 55 Deg to CA	366926	165.30	166.00	0.70	0.0220	0.0170	0.0020
			366927	166.00	167.00	1.00	0.0220	0.0220	0.0060
			366928	167.00	168.00	1.00	0.0170	0.0130	0.0050
			366929	168.00	169.00	1.00	0.0520	0.0290	0.0060

Hole Number: KB-07-123

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366806	46.00	47.00	0.0025	0.0025	0.0010
366807	47.00	48.00	0.0025	0.0050	0.0010
366808	48.00	48.80	0.0200	0.0080	0.0020
366809	48.80	50.00	0.1240	0.0750	0.0080
366810	50.00	51.00	0.0730	0.0025	0.0060
366811	51.00	52.00	0.0730	0.0050	0.0060
366812	52.00	53.00	0.0750	0.0070	0.0070
366813	53.00	54.00	0.0770	0.0050	0.0070
366814	54.00	55.00	0.0850	0.0080	0.0070
366815	55.00	56.00	0.0800	0.0310	0.0060
366816	56.00	57.00	0.0720	0.0025	0.0060
366817	57.00	58.00	0.0730	0.0050	0.0060
366818	58.00	59.00	0.0690	0.0025	0.0070
366819	59.00	60.00	0.0810	0.0070	0.0070
366820	60.00	61.00	0.1050	0.0580	0.0090
366821	61.00	62.00	0.0960	0.0430	0.0080
366822	62.00	63.00	0.1400	0.1140	0.0090
366823	63.00	64.00	0.1600	0.1770	0.0090
366824	64.00	65.00	0.1180	0.1050	0.0100
366825	65.00	66.00	0.1370	0.1300	0.0080
366826	66.00	67.00	0.1670	0.1500	0.0090
366827	67.00	68.00	0.2240	0.2100	0.0100
366828	68.00	69.00	0.1320	0.1210	0.0090
366829	69.00	70.00	0.1380	0.1210	0.0070
366830	70.00	71.00	0.1100	0.0750	0.0070
366831	71.00	72.00	0.1040	0.0510	0.0080
366832	72.00	73.00	0.0970	0.0440	0.0080
366834	73.00	74.00	0.0880	0.0530	0.0090
366835	74.00	75.00	0.1460	0.1230	0.0090
366836	75.00	76.00	0.4630	0.4010	0.0130
366837	76.00	76.60	0.5650	0.2350	0.0180
366839	76.60	78.00	0.0310	0.0130	0.0050
366840	78.00	79.00	0.0240	0.0130	0.0050
366841	79.00	80.00	0.0300	0.0160	0.0040
366842	80.00	81.00	0.0230	0.0150	0.0040
366843	81.00	82.00	0.0310	0.0190	0.0060
366844	82.00	83.00	0.0300	0.0270	0.0030

Hole Number: KB-07-123

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366845	83.00	84.00	0.6920	0.6110	0.0150
366847	84.00	85.50	0.3330	0.2320	0.0090
366848	85.50	87.00	0.0220	0.0170	0.0040
366849	87.00	87.65	0.2120	0.2110	0.0090
366850	87.65	89.00	0.0025	0.0050	0.0010
366851	89.00	90.20	0.0025	0.0025	0.0010
366852	90.20	91.00	0.0320	0.0330	0.0040
366853	91.00	92.00	0.2810	0.1500	0.0100
366854	92.00	93.00	0.5580	0.3400	0.0170
366855	93.00	94.00	0.1070	0.2530	0.0060
366856	94.00	95.00	0.5430	0.0940	0.0210
366858	95.00	96.00	1.3200	0.7850	0.0330
366859	96.00	97.00	0.3110	0.1760	0.0120
366860	97.00	98.00	0.2720	0.2090	0.0090
366861	98.00	99.00	0.2420	0.2220	0.0100
366862	99.00	100.00	0.1900	0.1790	0.0080
366863	100.00	101.00	0.0160	0.0170	0.0030
366864	101.00	102.00	0.1180	0.0930	0.0060
366865	102.00	103.00	0.1470	0.1230	0.0070
366866	103.00	104.00	0.0460	0.0550	0.0070
366867	104.00	105.50	0.1360	0.1010	0.0080
366868	105.50	107.00	0.1350	0.1280	0.0080
366869	107.00	108.00	0.0860	0.0200	0.0080
366870	108.00	109.00	0.1530	0.0610	0.0100
366871	109.00	110.00	0.0840	0.0930	0.0090
366872	110.00	111.00	0.0170	0.0180	0.0050
366873	111.00	112.00	0.0160	0.0210	0.0050
366874	112.00	113.40	0.0190	0.0240	0.0050
366875	113.40	114.00	0.1570	0.0620	0.0100
366876	114.00	115.00	0.3410	0.2830	0.0140
366877	115.00	116.00	0.0850	0.0850	0.0050
366878	116.00	117.40	0.1180	0.0560	0.0070
366880	117.40	118.00	0.0790	0.0400	0.0060
366881	118.00	119.00	0.2870	0.1090	0.0110
366882	119.00	120.00	0.0490	0.0400	0.0050
366883	120.00	121.00	0.0940	0.0750	0.0060
366884	121.00	122.65	0.0250	0.0180	0.0020

Hole Number: KB-07-123

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366885	122.65	123.70	0.0500	0.0310	0.0040
366886	123.70	125.00	0.0025	0.0070	0.0010
366887	125.00	126.60	0.0080	0.0080	0.0020
366888	126.60	128.00	0.0230	0.0110	0.0040
366889	128.00	129.00	0.0160	0.0080	0.0040
366890	129.00	130.00	0.0870	0.0380	0.0060
366891	130.00	130.80	0.1770	0.0490	0.0090
366892	130.80	132.00	0.1030	0.0290	0.0070
366893	132.00	133.40	0.0310	0.0240	0.0060
366894	133.40	135.00	0.2770	0.1470	0.0110
366895	135.00	136.00	0.4250	0.1670	0.0140
366896	136.00	137.00	0.0760	0.0330	0.0060
366897	137.00	138.00	0.3470	0.1770	0.0120
366898	138.00	139.00	0.5810	0.2930	0.0180
366900	139.00	140.00	0.2320	0.0840	0.0110
366901	140.00	141.00	0.4040	0.1670	0.0130
366902	141.00	142.20	0.5420	0.4580	0.0170
366903	142.20	143.00	0.0520	0.1090	0.0040
366904	143.00	144.00	0.0230	0.0140	0.0030
366905	144.00	145.00	0.0160	0.0080	0.0030
366906	145.00	146.00	0.0090	0.0050	0.0030
366907	146.00	147.10	0.0180	0.0100	0.0030
366908	147.10	147.90	0.0140	0.0150	0.0040
366909	147.90	149.00	0.0950	0.0520	0.0060
366910	149.00	150.00	0.2100	0.0730	0.0100
366911	150.00	151.60	0.1560	0.0500	0.0090
366912	151.60	153.00	0.5110	0.2100	0.0170
366913	153.00	154.00	0.7890	0.2670	0.0200
366914	154.00	155.00	0.5060	0.1750	0.0160
366915	155.00	156.00	0.9230	0.6810	0.0250
366916	156.00	157.00	1.0700	0.6060	0.0430
366917	157.00	158.00	0.6700	0.7530	0.0170
366918	158.00	159.00	0.6330	1.0100	0.0150
366919	159.00	160.00	0.6260	0.8800	0.0140
366921	160.00	161.00	0.4540	0.2830	0.0150
366922	161.00	162.00	0.1810	0.1040	0.0090
366923	162.00	163.00	0.1460	0.0450	0.0100

Hole Number: KB-07-123

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366924	163.00	164.00	0.0960	0.0100	0.0100
366925	164.00	165.30	0.5470	0.3630	0.0150
366926	165.30	166.00	0.0220	0.0170	0.0020
366927	166.00	167.00	0.0220	0.0220	0.0060
366928	167.00	168.00	0.0170	0.0130	0.0050
366929	168.00	169.00	0.0520	0.0290	0.0060

DETAILED LOG

Hole Number: KB-07-122

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.00
Project Number:	19900	North:	5481400.00		North:	5481400.00	Collar Az: 311.10
Location:	Surface	East:	453939.90		East:	453939.90	Length: 182.00 (m)
		Elev:	396.60		Elev:	396.60	Start Depth: 0.00 (m)
Date Started:	Sep 06, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 182.00 (m)
Date Completed:	Sep 08, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	90.00	95.40	5.40	1.0950	1.4394	0.0289
WEIGHTED	92.20	94.00	1.80	1.8467	3.0839	0.0451
WEIGHTED	114.00	119.85	5.85	0.2119	0.1285	0.0118
WEIGHTED	131.00	140.00	9.00	0.2498	0.1094	0.0107
WEIGHTED	152.00	165.30	13.30	0.5566	0.2618	0.0150
WEIGHTED	157.00	159.00	2.00	1.6450	0.4850	0.0310

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	303.40	-47.00	EZ	DO	5979	50.00	311.10	-45.60	EZ	OK	5754
101.00	312.30	-44.40	EZ	OK	5699	152.00	311.20	-44.70	EZ	OK	5796
182.00	310.70	-44.20	EZ	OK	5765						

Detailed Lithology

From (m)	To (m)	Lithology
0	2.00	CAS, Casing
2.00	4.60	MV, Mafic Volcanic Mineralization 2.00 - 4.60 Structure 2.00 - 4.60 : MODFOL Moderately Foliated, 35 Deg to CA
4.60	11.60	FD, Felsic Dike Mineralization 4.60 - 11.60 Structure 4.60 - 11.60 : MODFOL Moderately Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-122

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.60	35.50	MV, Mafic Volcanic Mineralization 11.60 - 35.50 Structure 11.60 - 20.00 11.60 - 35.50 : MODFOL Moderately Foliated, 50 Deg to CA							
35.50	38.80	FD, Felsic Dike Mineralization 35.50 - 38.80 Structure 35.50 - 38.80 35.50 - 38.80 : UC Upper Contact, 40 Deg to CA							
38.80	41.90	MV, Mafic Volcanic Mineralization 38.80 - 41.90 Structure 38.80 - 41.90 38.80 - 41.90 : UC Upper Contact, 35 Deg to CA	366674	40.00	41.00	1.00	0.0160	0.0070	0.0050
			366675	41.00	41.90	0.90	0.0110	0.0100	0.0050
41.90	44.50	MDCHL, Mafic Dike Chloritic Mineralization 41.90 - 44.50 Structure 41.90 - 44.50 : MODFOL Moderately Foliated, 50 Deg to CA 41.90 - 44.50 : UC Upper Contact, 40 Deg to CA	366676	41.90	43.00	1.10	0.0050	0.0025	0.0020
			366677	43.00	44.00	1.00	0.0450	0.0510	0.0040
			366678	44.00	44.50	0.50	0.0100	0.0080	0.0020
44.50	50.10	TSCH, Talc Schist Mineralization 44.50 - 50.10 Structure 44.50 - 50.10 : STRFOL Strongly Foliated, 40 Deg to CA 44.50 - 50.10 : UC Upper Contact, 45 Deg to CA	366679	44.50	45.00	0.50	0.1260	0.0640	0.0100
			366680	45.00	46.00	1.00	0.0800	0.0050	0.0090
			366681	46.00	47.00	1.00	0.0720	0.0025	0.0080
			366682	47.00	48.00	1.00	0.0690	0.0060	0.0070
			366683	48.00	49.00	1.00	0.0870	0.0080	0.0090
			366684	49.00	50.10	1.10	0.0990	0.0200	0.0090

Hole Number: KB-07-122

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
50.10	67.65	PYXT, Pyroxenite loc mv Mineralization 50.10 - 67.65 Structure 50.10 - 57.00 : STRFOL Strongly Foliated, 40 Deg to CA 57.00 - 67.65 : MODFOL Moderately Foliated, 40 Deg to CA	366685	50.10	51.00	0.90	0.0870	0.0370	0.0070
			366686	51.00	52.00	1.00	0.1140	0.0740	0.0090
			366687	52.00	53.00	1.00	0.0910	0.0310	0.0080
			366688	53.00	54.00	1.00	0.0990	0.0350	0.0090
			366689	54.00	55.00	1.00	0.1240	0.0670	0.0080
			366690	55.00	56.00	1.00	0.0810	0.0130	0.0080
			366692	56.00	57.00	1.00	0.0990	0.0400	0.0090
			366693	57.00	58.00	1.00	0.0740	0.0160	0.0090
			366694	58.00	59.00	1.00	0.1100	0.0600	0.0080
			366695	59.00	60.00	1.00	0.4290	0.3010	0.0170
			366696	60.00	61.00	1.00	0.0700	0.0230	0.0080
			366697	61.00	62.00	1.00	0.1230	0.0610	0.0090
			366698	62.00	63.00	1.00	0.1010	0.0410	0.0060
			366699	63.00	64.00	1.00	0.0660	0.0210	0.0070
			366700	64.00	65.00	1.00	0.0510	0.0130	0.0050
			366701	65.00	66.00	1.00	0.0390	0.0340	0.0060
			366702	66.00	67.00	1.00	0.0990	0.0510	0.0080
			366703	67.00	67.65	0.65	0.0920	0.0620	0.0080
67.65	78.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 67.65 - 78.70 Structure 67.65 - 78.70	366704	67.65	69.00	1.35	0.1620	0.0860	0.0100
			366705	69.00	70.00	1.00	0.0970	0.0440	0.0090
			366706	70.00	71.00	1.00	0.0650	0.0320	0.0070
			366707	71.00	72.00	1.00	0.0310	0.0230	0.0050
			366708	72.00	73.00	1.00	0.2980	0.1530	0.0130
			366709	73.00	74.00	1.00	0.0870	0.0280	0.0070
			366710	74.00	75.00	1.00	0.0390	0.0170	0.0050
			366711	75.00	76.00	1.00	0.0230	0.0130	0.0040
			366712	76.00	77.00	1.00	0.0500	0.0330	0.0050
			366713	77.00	78.00	1.00	0.0100	0.0210	0.0050
			366714	78.00	78.70	0.70	0.1960	0.0750	0.0090
78.70	82.45	FD, Felsic Dike Mineralization 78.70 - 82.45 Structure 78.70 - 82.45 78.70 - 82.45 : UC Upper Contact, 30 Deg to CA	366715	78.70	80.00	1.30	0.0025	0.0050	0.0020
			366716	80.00	81.00	1.00	0.0025	0.0025	0.0020
			366717	81.00	82.45	1.45	0.0050	0.0025	0.0020

Hole Number: KB-07-122

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
82.45	92.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 82.45 - 92.20 Structure 82.45 - 92.20 82.45 - 92.20 : UC Upper Contact, 40 Deg to CA	366718	82.45	84.00	1.55	0.2730	0.1110	0.0100
			366719	84.00	85.00	1.00	0.2020	0.0960	0.0110
			366720	85.00	86.00	1.00	0.0680	0.0490	0.0060
			366721	86.00	87.00	1.00	0.0840	0.0640	0.0080
			366723	87.00	88.00	1.00	0.0690	0.0530	0.0070
			366724	88.00	89.00	1.00	0.1130	0.0390	0.0080
			366725	89.00	90.00	1.00	0.0960	0.0500	0.0070
			366726	90.00	91.00	1.00	0.6920	0.2670	0.0210
			366727	91.00	92.20	1.20	0.4970	0.1650	0.0170
92.20	95.40	PYXT, Pyroxenite Mineralization 92.20 - 95.40 Structure 92.20 - 95.40	366728	92.20	93.00	0.80	1.0550	6.4200	0.0290
			366729	93.00	94.00	1.00	2.4800	0.4150	0.0580
			366730	94.00	95.40	1.40	0.9290	1.2550	0.0240
95.40	102.65	MV, Mafic Volcanic Mineralization 95.40 - 102.65 Structure 95.40 - 102.65	366732	95.40	97.00	1.60	0.1290	0.2510	0.0090
			366733	97.00	98.00	1.00	0.0850	0.0950	0.0060
			366734	98.00	99.00	1.00	0.0680	0.2090	0.0060
			366735	99.00	100.00	1.00	0.0330	0.0400	0.0070
			366736	100.00	101.00	1.00	0.0200	0.0150	0.0060
			366737	101.00	102.00	1.00	0.0440	0.0480	0.0070
			366738	102.00	102.65	0.65	0.0180	0.0230	0.0070
102.65	119.85	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 102.65 - 119.85 Structure 102.65 - 119.85	366739	102.65	104.00	1.35	0.2510	0.2500	0.0100
			366740	104.00	105.00	1.00	0.2070	0.3920	0.0080
			366741	105.00	106.00	1.00	0.1500	0.1730	0.0080
			366742	106.00	107.00	1.00	0.0900	0.0550	0.0080
			366743	107.00	108.00	1.00	0.0840	0.0840	0.0060
			366744	108.00	109.00	1.00	0.1090	0.0760	0.0080
			366745	109.00	110.00	1.00	0.1070	0.1350	0.0070
			366746	110.00	111.00	1.00	0.1790	0.2510	0.0100
			366747	111.00	112.00	1.00	0.1860	0.1040	0.0090
			366748	112.00	113.00	1.00	0.1380	0.1340	0.0090
			366749	113.00	114.00	1.00	0.0720	0.0720	0.0070
			366750	114.00	115.00	1.00	0.2120	0.0840	0.0100
			366751	115.00	116.00	1.00	0.3300	0.3390	0.0150
			366752	116.00	117.00	1.00	0.1760	0.1090	0.0100
			366753	117.00	118.00	1.00	0.2270	0.0930	0.0130
			366754	118.00	119.00	1.00	0.0470	0.0220	0.0050
			366755	119.00	119.85	0.85	0.2910	0.1230	0.0190

Hole Number: KB-07-122

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
119.85	122.30	FD, Felsic Dike Mineralization 119.85 - 122.30 Structure 119.85 - 122.30 : MODFOL Moderately Foliated, 40 Deg to CA 119.85 - 122.30 : UC Upper Contact, 45 Deg to CA	366756	119.85	121.00	1.15	0.0540	0.0260	0.0030
			366757	121.00	122.30	1.30	0.0070	0.0060	0.0020
122.30	153.95	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 122.30 - 153.95 Structure 122.30 - 153.95	366758	122.30	123.00	0.70	0.1500	0.1390	0.0060
			366759	123.00	124.00	1.00	0.0610	0.0260	0.0040
			366760	124.00	125.00	1.00	0.0600	0.0520	0.0060
			366761	125.00	126.00	1.00	0.4620	0.3010	0.0150
			366762	126.00	127.00	1.00	0.0400	0.0260	0.0040
			366763	127.00	128.00	1.00	0.0310	0.0160	0.0040
			366764	128.00	129.00	1.00	0.0290	0.0240	0.0050
			366765	129.00	130.00	1.00	0.0290	0.0210	0.0060
			366766	130.00	131.00	1.00	0.0890	0.0570	0.0060
			366767	131.00	132.00	1.00	0.3050	0.1590	0.0140
			366768	132.00	133.00	1.00	0.2100	0.0620	0.0110
			366769	133.00	134.00	1.00	0.1170	0.0490	0.0070
			366771	134.00	135.00	1.00	0.3910	0.1970	0.0140
			366772	135.00	136.00	1.00	0.0790	0.0210	0.0070
			366773	136.00	137.00	1.00	0.0520	0.0230	0.0030
			366774	137.00	138.00	1.00	0.0500	0.0200	0.0040
			366775	138.00	139.00	1.00	0.5470	0.1950	0.0190
			366776	139.00	140.00	1.00	0.4970	0.2590	0.0170
			366777	140.00	141.00	1.00	0.1540	0.1220	0.0090
			366778	141.00	142.00	1.00	0.1330	0.0460	0.0090
			366779	142.00	143.00	1.00	0.0640	0.0320	0.0060
			366780	143.00	144.00	1.00	0.1360	0.0710	0.0080
			366781	144.00	145.00	1.00	0.1860	0.0990	0.0100
			366782	145.00	146.00	1.00	0.2310	0.1410	0.0120
			366784	146.00	147.00	1.00	0.0270	0.0140	0.0070
			366785	147.00	148.00	1.00	0.0840	0.0550	0.0070
			366786	148.00	149.00	1.00	0.0510	0.0240	0.0060
			366787	149.00	150.00	1.00	0.0950	0.1020	0.0110
			366788	150.00	151.00	1.00	0.1770	0.0930	0.0110
			366789	151.00	152.00	1.00	0.0930	0.0420	0.0070
			366790	152.00	153.00	1.00	0.5150	0.1950	0.0170
			366791	153.00	153.95	0.95	0.6370	0.3070	0.0230

Hole Number: KB-07-122 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
153.95	156.00	MV, Mafic Volcanic Mineralization 153.95 - 156.00 Structure 153.95 - 156.00
156.00	159.00	PYXT, Pyroxenite Mineralization 156.00 - 159.00 Structure 156.00 - 159.00
159.00	165.30	TSCH, Talc Schist Mineralization 159.00 - 165.30 Structure 159.00 - 165.30 : STRFOL Strongly Foliated, 50 Deg to CA
165.30	171.40	MV, Mafic Volcanic Mineralization 165.30 - 171.40 Structure 165.30 - 171.40 : MODFOL Moderately Foliated, 50 Deg to CA
171.40	173.80	FD, Felsic Dike Mineralization 171.40 - 173.80 Structure 171.40 - 173.80 : MODFOL Moderately Foliated, 60 Deg to CA 171.40 - 173.80 : UC Upper Contact, 65 Deg to CA
173.80	182.00	MV, Mafic Volcanic Mineralization 173.80 - 182.00 Structure 173.80 - 182.00 : MODFOL Moderately Foliated, 60 Deg to CA 173.80 - 182.00 : VN Veins, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366792	153.95	155.00	1.05	0.1380	0.0310	0.0070
366793	155.00	156.00	1.00	0.0280	0.0180	0.0050
366794	156.00	157.00	1.00	0.5700	0.3540	0.0140
366795	157.00	158.00	1.00	1.4900	0.4910	0.0290
366796	158.00	159.00	1.00	1.8000	0.4790	0.0330
366797	159.00	160.00	1.00	0.3960	0.4570	0.0120
366798	160.00	161.00	1.00	0.6720	0.5370	0.0160
366799	161.00	162.00	1.00	0.1300	0.0480	0.0090
366800	162.00	163.00	1.00	0.1550	0.0550	0.0100
366801	163.00	164.00	1.00	0.4950	0.3550	0.0150
366802	164.00	165.30	1.30	0.3090	0.1300	0.0080
366803	165.30	166.00	0.70	0.0300	0.0480	0.0040
366804	166.00	167.00	1.00	0.0120	0.0100	0.0040
366805	167.00	168.00	1.00	0.0160	0.0090	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366674	40.00	41.00	0.0160	0.0070	0.0050
366675	41.00	41.90	0.0110	0.0100	0.0050
366676	41.90	43.00	0.0050	0.0025	0.0020

Hole Number: KB-07-122

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366677	43.00	44.00	0.0450	0.0510	0.0040
366678	44.00	44.50	0.0100	0.0080	0.0020
366679	44.50	45.00	0.1260	0.0640	0.0100
366680	45.00	46.00	0.0800	0.0050	0.0090
366681	46.00	47.00	0.0720	0.0025	0.0080
366682	47.00	48.00	0.0690	0.0060	0.0070
366683	48.00	49.00	0.0870	0.0080	0.0090
366684	49.00	50.10	0.0990	0.0200	0.0090
366685	50.10	51.00	0.0870	0.0370	0.0070
366686	51.00	52.00	0.1140	0.0740	0.0090
366687	52.00	53.00	0.0910	0.0310	0.0080
366688	53.00	54.00	0.0990	0.0350	0.0090
366689	54.00	55.00	0.1240	0.0670	0.0080
366690	55.00	56.00	0.0810	0.0130	0.0080
366692	56.00	57.00	0.0990	0.0400	0.0090
366693	57.00	58.00	0.0740	0.0160	0.0090
366694	58.00	59.00	0.1100	0.0600	0.0080
366695	59.00	60.00	0.4290	0.3010	0.0170
366696	60.00	61.00	0.0700	0.0230	0.0080
366697	61.00	62.00	0.1230	0.0610	0.0090
366698	62.00	63.00	0.1010	0.0410	0.0060
366699	63.00	64.00	0.0660	0.0210	0.0070
366700	64.00	65.00	0.0510	0.0130	0.0050
366701	65.00	66.00	0.0390	0.0340	0.0060
366702	66.00	67.00	0.0990	0.0510	0.0080
366703	67.00	67.65	0.0920	0.0620	0.0080
366704	67.65	69.00	0.1620	0.0860	0.0100
366705	69.00	70.00	0.0970	0.0440	0.0090
366706	70.00	71.00	0.0650	0.0320	0.0070
366707	71.00	72.00	0.0310	0.0230	0.0050
366708	72.00	73.00	0.2980	0.1530	0.0130
366709	73.00	74.00	0.0870	0.0280	0.0070
366710	74.00	75.00	0.0390	0.0170	0.0050
366711	75.00	76.00	0.0230	0.0130	0.0040
366712	76.00	77.00	0.0500	0.0330	0.0050
366713	77.00	78.00	0.0100	0.0210	0.0050
366714	78.00	78.70	0.1960	0.0750	0.0090

Hole Number: KB-07-122

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366715	78.70	80.00	0.0025	0.0050	0.0020
366716	80.00	81.00	0.0025	0.0025	0.0020
366717	81.00	82.45	0.0050	0.0025	0.0020
366718	82.45	84.00	0.2730	0.1110	0.0100
366719	84.00	85.00	0.2020	0.0960	0.0110
366720	85.00	86.00	0.0680	0.0490	0.0060
366721	86.00	87.00	0.0840	0.0640	0.0080
366723	87.00	88.00	0.0690	0.0530	0.0070
366724	88.00	89.00	0.1130	0.0390	0.0080
366725	89.00	90.00	0.0960	0.0500	0.0070
366726	90.00	91.00	0.6920	0.2670	0.0210
366727	91.00	92.20	0.4970	0.1650	0.0170
366728	92.20	93.00	1.0550	6.4200	0.0290
366729	93.00	94.00	2.4800	0.4150	0.0580
366730	94.00	95.40	0.9290	1.2550	0.0240
366732	95.40	97.00	0.1290	0.2510	0.0090
366733	97.00	98.00	0.0850	0.0950	0.0060
366734	98.00	99.00	0.0680	0.2090	0.0060
366735	99.00	100.00	0.0330	0.0400	0.0070
366736	100.00	101.00	0.0200	0.0150	0.0060
366737	101.00	102.00	0.0440	0.0480	0.0070
366738	102.00	102.65	0.0180	0.0230	0.0070
366739	102.65	104.00	0.2510	0.2500	0.0100
366740	104.00	105.00	0.2070	0.3920	0.0080
366741	105.00	106.00	0.1500	0.1730	0.0080
366742	106.00	107.00	0.0900	0.0550	0.0080
366743	107.00	108.00	0.0840	0.0840	0.0060
366744	108.00	109.00	0.1090	0.0760	0.0080
366745	109.00	110.00	0.1070	0.1350	0.0070
366746	110.00	111.00	0.1790	0.2510	0.0100
366747	111.00	112.00	0.1860	0.1040	0.0090
366748	112.00	113.00	0.1380	0.1340	0.0090
366749	113.00	114.00	0.0720	0.0720	0.0070
366750	114.00	115.00	0.2120	0.0840	0.0100
366751	115.00	116.00	0.3300	0.3390	0.0150
366752	116.00	117.00	0.1760	0.1090	0.0100
366753	117.00	118.00	0.2270	0.0930	0.0130

Hole Number: KB-07-122

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366754	118.00	119.00	0.0470	0.0220	0.0050
366755	119.00	119.85	0.2910	0.1230	0.0190
366756	119.85	121.00	0.0540	0.0260	0.0030
366757	121.00	122.30	0.0070	0.0060	0.0020
366758	122.30	123.00	0.1500	0.1390	0.0060
366759	123.00	124.00	0.0610	0.0260	0.0040
366760	124.00	125.00	0.0600	0.0520	0.0060
366761	125.00	126.00	0.4620	0.3010	0.0150
366762	126.00	127.00	0.0400	0.0260	0.0040
366763	127.00	128.00	0.0310	0.0160	0.0040
366764	128.00	129.00	0.0290	0.0240	0.0050
366765	129.00	130.00	0.0290	0.0210	0.0060
366766	130.00	131.00	0.0890	0.0570	0.0060
366767	131.00	132.00	0.3050	0.1590	0.0140
366768	132.00	133.00	0.2100	0.0620	0.0110
366769	133.00	134.00	0.1170	0.0490	0.0070
366771	134.00	135.00	0.3910	0.1970	0.0140
366772	135.00	136.00	0.0790	0.0210	0.0070
366773	136.00	137.00	0.0520	0.0230	0.0030
366774	137.00	138.00	0.0500	0.0200	0.0040
366775	138.00	139.00	0.5470	0.1950	0.0190
366776	139.00	140.00	0.4970	0.2590	0.0170
366777	140.00	141.00	0.1540	0.1220	0.0090
366778	141.00	142.00	0.1330	0.0460	0.0090
366779	142.00	143.00	0.0640	0.0320	0.0060
366780	143.00	144.00	0.1360	0.0710	0.0080
366781	144.00	145.00	0.1860	0.0990	0.0100
366782	145.00	146.00	0.2310	0.1410	0.0120
366784	146.00	147.00	0.0270	0.0140	0.0070
366785	147.00	148.00	0.0840	0.0550	0.0070
366786	148.00	149.00	0.0510	0.0240	0.0060
366787	149.00	150.00	0.0950	0.1020	0.0110
366788	150.00	151.00	0.1770	0.0930	0.0110
366789	151.00	152.00	0.0930	0.0420	0.0070
366790	152.00	153.00	0.5150	0.1950	0.0170
366791	153.00	153.95	0.6370	0.3070	0.0230
366792	153.95	155.00	0.1380	0.0310	0.0070

Hole Number: KB-07-122

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366793	155.00	156.00	0.0280	0.0180	0.0050
366794	156.00	157.00	0.5700	0.3540	0.0140
366795	157.00	158.00	1.4900	0.4910	0.0290
366796	158.00	159.00	1.8000	0.4790	0.0330
366797	159.00	160.00	0.3960	0.4570	0.0120
366798	160.00	161.00	0.6720	0.5370	0.0160
366799	161.00	162.00	0.1300	0.0480	0.0090
366800	162.00	163.00	0.1550	0.0550	0.0100
366801	163.00	164.00	0.4950	0.3550	0.0150
366802	164.00	165.30	0.3090	0.1300	0.0080
366803	165.30	166.00	0.0300	0.0480	0.0040
366804	166.00	167.00	0.0120	0.0100	0.0040
366805	167.00	168.00	0.0160	0.0090	0.0050

DETAILED LOG

Hole Number: KB-07-121 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -61.00
Project Number:	19900	North: 5481483.00			North: 5481483.00		Collar Az: 303.20
Location:	Surface	East: 454059.50			East: 454059.50		Length: 272.00 (m)
		Elev: 405.29			Elev: 405.29		Start Depth: 0.00 (m)
Date Started:	Aug 28, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 272.00 (m)
Date Completed:	Sep 06, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	203.00	222.00	19.00	1.9572	0.9878	0.0551
WEIGHTED	203.65	207.05	3.40	3.5237	0.8251	0.1005
WEIGHTED	212.30	222.00	9.70	2.4934	1.5496	0.0666
WEIGHTED	216.30	222.00	5.70	3.0037	1.5423	0.0796
WEIGHTED	238.00	244.10	6.10	0.3333	0.1477	0.0109

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	303.20	-60.80	EZ	OK	5822	50.00	305.10	-59.50	EZ	OK	5769
101.00	303.40	-57.10	EZ	OK	5762	150.00	302.10	-56.40	EZ	OK	5772
209.00	312.40	-55.60	EZ	DO	5893	250.00	305.90	-55.20	EZ	OK	5799
272.00	307.30	-54.90	EZ	OK	5887						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.60	CAS, Casing							
1.60	15.10	MV, Mafic Volcanic Mineralization 1.60 - 15.10 Structure 1.60 - 15.10 : MODFOL Moderately Foliated, 45 Deg to CA							
15.10	16.90	MDCHL, Mafic Dike Chloritic Mineralization 15.10 - 16.90 Structure 15.10 - 16.90 15.10 - 16.90 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-121 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.90	19.20	MV, Mafic Volcanic Mineralization 16.90 - 19.20 Structure 16.90 - 19.20 : MODFOL Moderately Foliated, 50 Deg to CA 16.90 - 19.20 : UC Upper Contact, 40 Deg to CA							
19.20	23.30	MD, Mafic Dike Mineralization 19.20 - 23.30 Structure 19.20 - 23.30 19.20 - 23.30 Irregular							
23.30	37.10	MV, Mafic Volcanic Mineralization 23.30 - 37.10 Structure 23.30 - 37.10 : MODFOL Moderately Foliated, 35 Deg to CA 23.30 - 37.10 : UC Upper Contact, 50 Deg to CA							
37.10	37.40	LC, Lost Core							
37.40	41.10	MV, Mafic Volcanic Mineralization 37.40 - 41.10 Structure 37.40 - 41.10 : MODFOL Moderately Foliated, 35 Deg to CA							
41.10	47.20	MDCHL, Mafic Dike Chloritic Mineralization 41.10 - 47.20 Structure 41.10 - 47.20 41.10 - 47.20 : UC Upper Contact, 35 Deg to CA							
47.20	50.10	MV, Mafic Volcanic Mineralization 47.20 - 50.10 Structure 47.20 - 50.10 : MODFOL Moderately Foliated, 35 Deg to CA 47.20 - 50.10 : UC Upper Contact, 25 Deg to CA							

Hole Number: KB-07-121

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
50.10	55.30	FD, Felsic Dike Mineralization 50.10 - 55.30 Structure 50.10 - 55.30 : MODFOL Moderately Foliated, 35 Deg to CA 50.10 - 55.30 : UC Upper Contact, 55 Deg to CA							
55.30	59.00	MV, Mafic Volcanic Mineralization 55.30 - 59.00 Structure 55.30 - 59.00 : MODFOL Moderately Foliated, 35 Deg to CA 55.30 - 59.00 : UC Upper Contact, 35 Deg to CA							
59.00	60.60	MD, Mafic Dike Mineralization 59.00 - 60.60 Structure 59.00 - 60.60 59.00 - 60.60 : UC Upper Contact, 40 Deg to CA							
60.60	79.80	MV, Mafic Volcanic Mineralization 60.60 - 79.80 Structure 60.60 - 79.80 : MODFOL Moderately Foliated, 45 Deg to CA 60.60 - 79.80 : UC Upper Contact, 40 Deg to CA							
79.80	81.80	MDCHL, Mafic Dike Chloritic Mineralization 79.80 - 81.80 Structure 79.80 - 81.80 79.80 - 81.80 : UC Upper Contact, 45 Deg to CA							
81.80	89.10	MV, Mafic Volcanic Mineralization 81.80 - 89.10 Structure 81.80 - 89.10 : MODFOL Moderately Foliated, 40 Deg to CA 81.80 - 89.10 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-121 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
89.10	90.20	MD, Mafic Dike Mineralization 89.10 - 90.20 Structure 89.10 - 90.20 89.10 - 90.20 : UC Upper Contact, 50 Deg to CA							
90.20	94.00	MV, Mafic Volcanic Mineralization 90.20 - 94.00 Structure 90.20 - 94.00 : MODFOL Moderately Foliated, 40 Deg to CA 90.20 - 94.00 : UC Upper Contact, 40 Deg to CA							
94.00	101.20	MDCHL, Mafic Dike Chloritic Mineralization 94.00 - 101.20 Structure 94.00 - 101.20 94.00 - 101.20 : UC Upper Contact, 35 Deg to CA							
101.20	101.70	MV, Mafic Volcanic Mineralization 101.20 - 101.70 Tr PY Structure 101.20 - 101.70 : MODFOL Moderately Foliated, 40 Deg to CA 101.20 - 101.70 : UC Upper Contact, 40 Deg to CA							
101.70	104.30	MDCHL, Mafic Dike Chloritic Mineralization 101.70 - 104.30 Structure 101.70 - 104.30 101.70 - 104.30 : UC Upper Contact, 35 Deg to CA							
104.30	111.20	MV, Mafic Volcanic Mineralization 104.30 - 111.20 Structure 104.30 - 111.20 : MODFOL Moderately Foliated, 35 Deg to CA 104.30 - 111.20 : UC Upper Contact, 35 Deg to CA							

Hole Number: KB-07-121 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
111.20	113.40	MDCHL, Mafic Dike Chloritic Mineralization 111.20 - 113.40 Structure 111.20 - 113.40 : MODFOL Moderately Foliated, 40 Deg to CA 111.20 - 113.40 : UC Upper Contact, 30 Deg to CA							
113.40	120.70	MV, Mafic Volcanic Mineralization 113.40 - 120.70 Structure 113.40 - 120.70 : MODFOL Moderately Foliated, 35 Deg to CA 113.40 - 120.70 : UC Upper Contact, 25 Deg to CA							
120.70	125.20	MDCHL, Mafic Dike Chloritic Mineralization 120.70 - 125.20 Structure 120.70 - 125.20 : MODFOL Moderately Foliated, 50 Deg to CA 120.70 - 125.20 Unknown							
125.20	146.60	MV, Mafic Volcanic Mineralization 125.20 - 146.60 Structure 125.20 - 146.60 : MODFOL Moderately Foliated, 35 Deg to CA 125.20 - 146.60 : UC Upper Contact, 30 Deg to CA							
146.60	146.90	LC, Lost Core							
146.90	148.50	MV, Mafic Volcanic Local bio Mineralization 146.90 - 148.50 Structure 146.90 - 148.50 : MODFOL Moderately Foliated, 50 Deg to CA							
148.50	151.90	MDCHL, Mafic Dike Chloritic Mineralization 148.50 - 151.90 Structure 148.50 - 151.90 148.50 - 151.90 : UC Upper Contact, 30 Deg to CA							

Hole Number: KB-07-121 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
151.90	155.80	MD, Mafic Dike Mineralization 151.90 - 155.80 Structure 151.90 - 155.80 151.90 - 155.80 : UC Upper Contact, 25 Deg to CA							
155.80	171.40	MV, Mafic Volcanic Mineralization 155.80 - 171.40 Structure 155.80 - 171.40 155.80 - 171.40 : UC Upper Contact, 30 Deg to CA							
171.40	173.30	MD, Mafic Dike Mineralization 171.40 - 173.30 Tr PY Structure 171.40 - 173.30 171.40 - 173.30 : UC Upper Contact, 35 Deg to CA							
173.30	181.60	MV, Mafic Volcanic Mineralization 173.30 - 181.60 Structure 173.30 - 181.60 : MODFOL Moderately Foliated, 35 Deg to CA 173.30 - 181.60 : UC Upper Contact, 25 Deg to CA	365862	181.20	183.20	2.00	0.0360	0.0220	0.0040
181.60	183.20	MDCHL, Mafic Dike Chloritic Mineralization 181.60 - 183.20 Structure 181.60 - 183.20 : STRFOL Strongly Foliated, 25 Deg to CA 181.60 - 183.20 : UC Upper Contact, 25 Deg to CA							
183.20	184.80	TSCH, Talc Schist Mineralization 183.20 - 184.80 Structure 183.20 - 184.80 : STRFOL Strongly Foliated, 25 Deg to CA 183.20 - 184.80 : UC Upper Contact, 25 Deg to CA	365863	183.20	184.00	0.80	0.1480	0.0300	0.0100
			365864	184.00	184.80	0.80	0.1240	0.0520	0.0100

Hole Number: KB-07-121 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
184.80	187.60	MDCHL, Mafic Dike Chloritic Mineralization 184.80 - 187.60 Structure 184.80 - 187.60 : MODFOL Moderately Foliated, 30 Deg to CA 184.80 - 187.60 : UC Upper Contact, 25 Deg to CA	365865	184.80	186.00	1.20	0.0110	0.0080	0.0030
			365866	186.00	187.00	1.00	0.0060	0.0050	0.0030
			365867	187.00	187.60	0.60	0.0130	0.0060	0.0040
187.60	193.00	PYXT, Pyroxenite w/assimilated MV xenoliths Mineralization 187.60 - 193.00 Structure 187.60 - 193.00 : MODFOL Moderately Foliated, 35 Deg to CA 187.60 - 193.00 : UC Upper Contact, 40 Deg to CA	365868	187.60	188.30	0.70	0.0870	0.0260	0.0070
			365869	188.30	189.00	0.70	0.0930	0.0140	0.0070
			365870	189.00	190.00	1.00	0.1300	0.0210	0.0080
			365871	190.00	191.00	1.00	0.3190	0.2020	0.0140
			365872	191.00	192.00	1.00	0.0750	0.0250	0.0070
			365873	192.00	193.00	1.00	0.0650	0.0210	0.0060
193.00	194.65	MDCHL, Mafic Dike Chloritic Mineralization 193.00 - 194.65 Structure 193.00 - 194.65 : MODFOL Moderately Foliated, 20 Deg to CA 193.00 - 194.65 : UC Upper Contact, 20 Deg to CA	365874	193.00	194.00	1.00	0.0180	0.0060	0.0030
			365875	194.00	194.65	0.65	0.0110	0.0060	0.0040
194.65	196.65	PYXT, Pyroxenite Mineralization 194.65 - 196.65 Structure 194.65 - 196.65 : MODFOL Moderately Foliated, 30 Deg to CA 194.65 - 196.65 Irregular	365876	194.65	195.65	1.00	0.0890	0.0190	0.0080
			365877	195.65	196.65	1.00	0.1630	0.0790	0.0090
196.65	197.50	MV, Mafic Volcanic Mineralization 196.65 - 197.50 Tr PY Structure 196.65 - 197.50 : MODFOL Moderately Foliated, 30 Deg to CA 196.65 - 197.50 : UC Upper Contact, 30 Deg to CA	365878	196.65	197.50	0.85	0.0270	0.0080	0.0060
197.50	199.15	PYXT, Pyroxenite Mineralization 197.50 - 199.15 Structure 197.50 - 199.15 : MODFOL Moderately Foliated, 30 Deg to CA 197.50 - 199.15 : UC Upper Contact, 35 Deg to CA	365879	197.50	198.50	1.00	0.1970	0.0810	0.0100
			365880	198.50	199.15	0.65	0.3770	0.2040	0.0160

Hole Number: KB-07-121

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
199.15	205.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 199.15 - 203.65 203.65 - 204.70 204.70 - 205.40 Structure 199.15 - 200.10 : MODFOL Moderately Foliated, 40 Deg to CA 80% MV 199.15 - 205.40 : UC Upper Contact, 40 Deg to CA 200.10 - 205.40 20% MV	365881	199.15	200.10	0.95	0.2240	0.1500	0.0110
			365882	200.10	201.00	0.90	0.0550	0.0280	0.0060
			365883	201.00	202.00	1.00	0.1850	0.0730	0.0110
			365884	202.00	203.00	1.00	0.0790	0.0420	0.0060
			365886	203.00	203.65	0.65	0.2390	0.5730	0.0120
			365887	203.65	204.70	1.05	2.9800	1.2100	0.0810
			365888	204.70	205.40	0.70	0.2530	0.3780	0.0100
205.40	207.05	PYXT, Pyroxenite Mineralization 205.40 - 207.05 Structure 205.40 - 207.05 205.40 - 207.05 Irregular	365889	205.40	206.00	0.60	5.9700	0.4930	0.2130
			365890	206.00	207.05	1.05	4.8500	0.9280	0.1160
207.05	222.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 207.05 - 208.55 90% MV 208.55 - 212.30 212.30 - 216.30 216.30 - 216.80 216.80 - 219.00 219.00 - 220.70 220.70 - 221.30 221.30 - 222.00 Structure 207.05 - 222.00 207.05 - 222.00 : UC Upper Contact, 45 Deg to CA	365891	207.05	208.00	0.95	0.1230	0.0950	0.0080
			365892	208.00	208.85	0.85	0.0370	0.0160	0.0060
			365893	208.85	209.30	0.45	0.0380	0.0170	0.0060
			365894	209.30	210.30	1.00	0.3410	0.1040	0.0150
			365895	210.30	211.30	1.00	0.2090	0.1010	0.0110
			365896	211.30	212.30	1.00	0.1490	0.2430	0.0100
			365897	212.30	213.00	0.70	1.6350	2.3700	0.0410
			365898	213.00	214.00	1.00	2.1100	3.7500	0.0500
			365900	214.00	215.00	1.00	2.2700	0.3750	0.0660
			365901	215.00	216.30	1.30	1.1850	0.3510	0.0370
			365903	216.30	216.80	0.50	6.7000	0.2380	0.1510
			365904	216.80	218.00	1.20	0.6100	1.7850	0.0240
			365905	218.00	219.00	1.00	0.3270	0.2610	0.0280
			365906	219.00	220.00	1.00	4.2800	2.9000	0.1120
			365907	220.00	220.70	0.70	7.1900	3.2400	0.1760
			365908	220.70	221.30	0.60	0.4150	0.1030	0.0140
			365909	221.30	222.00	0.70	4.5000	1.4850	0.1110
222.00	227.00	FD, Felsic Dike Mineralization 222.00 - 227.00 Structure 222.00 - 227.00 222.00 - 227.00 : UC Upper Contact, 40 Deg to CA	365910	222.00	223.50	1.50	0.0350	0.1650	0.0020
			365911	223.50	225.00	1.50	0.0290	0.0170	0.0010
			365912	225.00	226.00	1.00	0.0090	0.0110	0.0010
			365913	226.00	227.00	1.00	0.0025	0.0080	0.0010

Hole Number: KB-07-121

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
227.00	233.45	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 227.00 - 228.80 228.80 - 233.45 Structure 227.00 - 233.45 227.00 - 233.45 : UC Upper Contact, 5 Deg to CA	365914	227.00	228.00	1.00	0.0350	0.0170	0.0040
			365915	228.00	228.80	0.80	0.0390	0.0250	0.0040
			365916	228.80	230.00	1.20	0.1160	0.1020	0.0080
			365917	230.00	231.00	1.00	0.0500	0.0300	0.0060
			365918	231.00	232.00	1.00	0.0200	0.0150	0.0040
			365919	232.00	232.90	0.90	0.0180	0.0160	0.0040
			365920	232.90	233.45	0.55	0.0190	0.0190	0.0050
233.45	243.60	MV, Mafic Volcanic Mineralization 233.45 - 235.00 235.00 - 243.60 Structure 233.45 - 235.00 233.45 - 243.60 : UC Upper Contact, 20 Deg to CA 235.00 - 243.60 : STRFOL Strongly Foliated, 40 Deg to CA	365921	233.45	235.00	1.55	0.0170	0.0150	0.0040
			365922	235.00	236.50	1.50	0.0590	0.0430	0.0040
			365923	236.50	238.00	1.50	0.1290	0.0540	0.0050
			365924	238.00	239.50	1.50	0.3500	0.1840	0.0130
			365925	239.50	241.00	1.50	0.1250	0.0890	0.0070
			365926	241.00	242.50	1.50	0.4060	0.1070	0.0110
			365927	242.50	243.60	1.10	0.4400	0.2280	0.0120
243.60	244.10	TSCH, Talc Schist Mineralization 243.60 - 244.10 Structure 243.60 - 244.10 : STRFOL Strongly Foliated, 45 Deg to CA 243.60 - 244.10 : UC Upper Contact, 50 Deg to CA	365928	243.60	244.10	0.50	0.4550	0.1600	0.0130
244.10	247.30	MV, Mafic Volcanic Mineralization 244.10 - 247.30 Structure 244.10 - 247.30 : STRFOL Strongly Foliated, 60 Deg to CA 244.10 - 247.30 : UC Upper Contact, 70 Deg to CA	365929	244.10	245.50	1.40	0.1640	0.1750	0.0070
			365930	245.50	247.00	1.50	0.0330	0.0330	0.0030
247.30	247.80	MDCHL, Mafic Dike Chloritic Mineralization 247.30 - 247.80 Structure 247.30 - 247.80 : STRFOL Strongly Foliated, 55 Deg to CA 247.30 - 247.80 : UC Upper Contact, 55 Deg to CA							
247.80	257.00	MV, Mafic Volcanic Mineralization 247.80 - 257.00 Structure 247.80 - 253.70 : MODFOL Moderately Foliated, 60 Deg to CA 247.80 - 257.00 : UC Upper Contact, 45 Deg to CA 253.70 - 257.00							

Hole Number: KB-07-121 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
257.00	257.60	MDCHL, Mafic Dike Chloritic Mineralization 257.00 - 257.60 Structure 257.00 - 257.60 : MODFOL Moderately Foliated, 35 Deg to CA 257.00 - 257.60 : UC Upper Contact, 30 Deg to CA							
257.60	263.70	MV, Mafic Volcanic Mineralization 257.60 - 263.70 Structure 257.60 - 263.70 : MODFOL Moderately Foliated, 55 Deg to CA 257.60 - 263.70 : UC Upper Contact, 60 Deg to CA							
263.70	264.70	MD, Mafic Dike Mineralization 263.70 - 264.70 Structure 263.70 - 264.70 263.70 - 264.70 : UC Upper Contact, 40 Deg to CA							
264.70	272.00	MV, Mafic Volcanic Mineralization 264.70 - 272.00 Structure 264.70 - 272.00 264.70 - 272.00 : UC Upper Contact, 25 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365862	181.20	183.20	0.0360	0.0220	0.0040
365863	183.20	184.00	0.1480	0.0300	0.0100
365864	184.00	184.80	0.1240	0.0520	0.0100
365865	184.80	186.00	0.0110	0.0080	0.0030
365866	186.00	187.00	0.0060	0.0050	0.0030
365867	187.00	187.60	0.0130	0.0060	0.0040
365868	187.60	188.30	0.0870	0.0260	0.0070
365869	188.30	189.00	0.0930	0.0140	0.0070
365870	189.00	190.00	0.1300	0.0210	0.0080
365871	190.00	191.00	0.3190	0.2020	0.0140
365872	191.00	192.00	0.0750	0.0250	0.0070
365873	192.00	193.00	0.0650	0.0210	0.0060

Hole Number: KB-07-121

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365874	193.00	194.00	0.0180	0.0060	0.0030
365875	194.00	194.65	0.0110	0.0060	0.0040
365876	194.65	195.65	0.0890	0.0190	0.0080
365877	195.65	196.65	0.1630	0.0790	0.0090
365878	196.65	197.50	0.0270	0.0080	0.0060
365879	197.50	198.50	0.1970	0.0810	0.0100
365880	198.50	199.15	0.3770	0.2040	0.0160
365881	199.15	200.10	0.2240	0.1500	0.0110
365882	200.10	201.00	0.0550	0.0280	0.0060
365883	201.00	202.00	0.1850	0.0730	0.0110
365884	202.00	203.00	0.0790	0.0420	0.0060
365886	203.00	203.65	0.2390	0.5730	0.0120
365887	203.65	204.70	2.9800	1.2100	0.0810
365888	204.70	205.40	0.2530	0.3780	0.0100
365889	205.40	206.00	5.9700	0.4930	0.2130
365890	206.00	207.05	4.8500	0.9280	0.1160
365891	207.05	208.00	0.1230	0.0950	0.0080
365892	208.00	208.85	0.0370	0.0160	0.0060
365893	208.85	209.30	0.0380	0.0170	0.0060
365894	209.30	210.30	0.3410	0.1040	0.0150
365895	210.30	211.30	0.2090	0.1010	0.0110
365896	211.30	212.30	0.1490	0.2430	0.0100
365897	212.30	213.00	1.6350	2.3700	0.0410
365898	213.00	214.00	2.1100	3.7500	0.0500
365900	214.00	215.00	2.2700	0.3750	0.0660
365901	215.00	216.30	1.1850	0.3510	0.0370
365903	216.30	216.80	6.7000	0.2380	0.1510
365904	216.80	218.00	0.6100	1.7850	0.0240
365905	218.00	219.00	0.3270	0.2610	0.0280
365906	219.00	220.00	4.2800	2.9000	0.1120
365907	220.00	220.70	7.1900	3.2400	0.1760
365908	220.70	221.30	0.4150	0.1030	0.0140
365909	221.30	222.00	4.5000	1.4850	0.1110
365910	222.00	223.50	0.0350	0.1650	0.0020
365911	223.50	225.00	0.0290	0.0170	0.0010
365912	225.00	226.00	0.0090	0.0110	0.0010
365913	226.00	227.00	0.0025	0.0080	0.0010

Hole Number: KB-07-121

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365914	227.00	228.00	0.0350	0.0170	0.0040
365915	228.00	228.80	0.0390	0.0250	0.0040
365916	228.80	230.00	0.1160	0.1020	0.0080
365917	230.00	231.00	0.0500	0.0300	0.0060
365918	231.00	232.00	0.0200	0.0150	0.0040
365919	232.00	232.90	0.0180	0.0160	0.0040
365920	232.90	233.45	0.0190	0.0190	0.0050
365921	233.45	235.00	0.0170	0.0150	0.0040
365922	235.00	236.50	0.0590	0.0430	0.0040
365923	236.50	238.00	0.1290	0.0540	0.0050
365924	238.00	239.50	0.3500	0.1840	0.0130
365925	239.50	241.00	0.1250	0.0890	0.0070
365926	241.00	242.50	0.4060	0.1070	0.0110
365927	242.50	243.60	0.4400	0.2280	0.0120
365928	243.60	244.10	0.4550	0.1600	0.0130
365929	244.10	245.50	0.1640	0.1750	0.0070
365930	245.50	247.00	0.0330	0.0330	0.0030

DETAILED LOG

Hole Number: KB-07-120

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -58.00
Project Number:	19900	North: 5481483.00			North: 5481483.00		Collar Az: 303.90
Location:	Surface	East: 454059.50			East: 454059.50		Length: 266.00 (m)
		Elev: 405.29			Elev: 405.29		Start Depth: 0.00 (m)
Date Started:	Aug 26, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 266.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	166.40	168.30	1.90	0.3133	0.2574	0.0098
WEIGHTED	183.00	204.00	21.00	1.8409	1.2014	0.0504
WEIGHTED	183.00	235.00	52.00	0.8852	0.5744	0.0263
WEIGHTED	183.90	186.40	2.50	5.7136	0.8798	0.1444
WEIGHTED	183.90	190.90	7.00	2.9443	1.0568	0.0760
WEIGHTED	195.30	199.60	4.30	2.2036	1.2554	0.0630
WEIGHTED	202.10	204.00	1.90	3.3226	1.1356	0.0925
WEIGHTED	210.00	235.00	25.00	0.2227	0.1534	0.0095
WEIGHTED	221.40	235.00	13.60	0.3387	0.2420	0.0121

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	303.90	-58.00	EZ	OK		50.00	305.80	-56.50	EZ	OK	
200.00	279.80	-51.20	EZ	DO		250.00	307.00	-49.90	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.20	CAS, Casing							
2.20	14.40	MV, Mafic Volcanic Mineralization 2.20 - 14.40 Structure 2.20 - 14.40 : MODFOL Moderately Foliated, 50 Deg to CA							
14.40	16.00	MDCHL, Mafic Dike Chloritic Mineralization 14.40 - 16.00 Structure 14.40 - 16.00 : MODFOL Moderately Foliated, 50 Deg to CA 14.40 - 16.00 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-120 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.00	37.60	MV, Mafic Volcanic Mineralization 16.00 - 37.60 Structure 16.00 - 37.60 : MODFOL Moderately Foliated, 40 Deg to CA 16.00 - 37.60 : UC Upper Contact, 40 Deg to CA							
37.60	39.30	MDCHL, Mafic Dike Chloritic Mineralization 37.60 - 39.30 Structure 37.60 - 39.30 : MODFOL Moderately Foliated, 50 Deg to CA							
39.30	40.70	MV, Mafic Volcanic Mineralization 39.30 - 40.70 Structure 39.30 - 40.70 : MODFOL Moderately Foliated, 40 Deg to CA 39.30 - 40.70 : UC Upper Contact, 40 Deg to CA							
40.70	49.00	MDCHL, Mafic Dike Chloritic Mineralization 40.70 - 49.00 Structure 40.70 - 49.00 : MODFOL Moderately Foliated, 45 Deg to CA 40.70 - 49.00 : UC Upper Contact, 40 Deg to CA							
49.00	86.50	MV, Mafic Volcanic Mineralization 49.00 - 86.50 Structure 49.00 - 86.50 : MODFOL Moderately Foliated, 45 Deg to CA							
86.50	91.20	MDCHL, Mafic Dike Chloritic Mineralization 86.50 - 91.20 Structure 86.50 - 91.20 : MODFOL Moderately Foliated, 45 Deg to CA							
91.20	102.70	MV, Mafic Volcanic Mineralization 91.20 - 102.70 Structure 91.20 - 102.70 : MODFOL Moderately Foliated, 45 Deg to CA							

Hole Number: KB-07-120 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
102.70	104.20	MDCHL, Mafic Dike Chloritic Mineralization 102.70 - 104.20 Structure 102.70 - 104.20 : MODFOL Moderately Foliated, 40 Deg to CA 102.70 - 104.20 : UC Upper Contact, 30 Deg to CA							
104.20	108.10	MV, Mafic Volcanic Mineralization 104.20 - 108.10 Structure 104.20 - 108.10 : MODFOL Moderately Foliated, 45 Deg to CA							
108.10	110.90	MDCHL, Mafic Dike Chloritic Mineralization 108.10 - 110.90 Structure 108.10 - 110.90 : MODFOL Moderately Foliated, 45 Deg to CA 108.10 - 110.90 : UC Upper Contact, 30 Deg to CA							
110.90	135.50	MV, Mafic Volcanic Mineralization 110.90 - 135.50 Structure 110.90 - 135.50 : MODFOL Moderately Foliated, 40 Deg to CA 110.90 - 135.50 : UC Upper Contact, 35 Deg to CA							
135.50	138.70	MDCHL, Mafic Dike Chloritic Mineralization 135.50 - 138.70 Structure 135.50 - 138.70 : MODFOL Moderately Foliated, 45 Deg to CA							
138.70	166.40	MV, Mafic Volcanic Mineralization 138.70 - 166.40 Structure 138.70 - 166.40 : MODFOL Moderately Foliated, 45 Deg to CA 138.70 - 166.40 : UC Upper Contact, 45 Deg to CA	365710	163.00	164.00	1.00	0.0130	0.0150	0.0050
			365711	164.00	165.00	1.00	0.0240	0.0320	0.0040
			365712	165.00	166.40	1.40	0.0330	0.0480	0.0060
166.40	168.30	TSCH, Talc Schist Mineralization 166.40 - 168.30 Structure 166.40 - 168.30 : STRFOL Strongly Foliated, 40 Deg to CA 166.40 - 168.30 : UC Upper Contact, 40 Deg to CA	365713	166.40	167.50	1.10	0.2510	0.1900	0.0090
			365714	167.50	168.30	0.80	0.3990	0.3500	0.0110

Hole Number: KB-07-120

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
168.30	176.20	PYXT, Pyroxenite Mineralization 168.30 - 176.20 Structure 168.30 - 176.20 : MODFOL Moderately Foliated, 40 Deg to CA 168.30 - 176.20 : UC Upper Contact, 35 Deg to CA	365715	168.30	169.00	0.70	0.0510	0.0050	0.0050
			365716	169.00	170.00	1.00	0.0280	0.0110	0.0050
			365717	170.00	171.00	1.00	0.0310	0.0025	0.0040
			365718	171.00	172.00	1.00	0.0350	0.0025	0.0040
			365719	172.00	173.00	1.00	0.0560	0.0025	0.0050
			365720	173.00	174.00	1.00	0.0600	0.0100	0.0050
			365722	174.00	175.00	1.00	0.0470	0.0025	0.0050
			365723	175.00	176.20	1.20	0.2540	0.1620	0.0080
176.20	177.30	MV, Mafic Volcanic Mineralization 176.20 - 177.30 Structure 176.20 - 177.30 176.20 - 177.30 : UC Upper Contact, 50 Deg to CA	365724	176.20	177.30	1.10	0.0970	0.0320	0.0050
177.30	186.40	PYXT, Pyroxenite Mineralization 177.30 - 183.90 183.90 - 186.40 Structure 177.30 - 186.40 : MODFOL Moderately Foliated, 50 Deg to CA 177.30 - 186.40 : UC Upper Contact, 50 Deg to CA	365725	177.30	178.00	0.70	0.0360	0.0140	0.0040
			365726	178.00	179.00	1.00	0.0270	0.0025	0.0030
			365727	179.00	180.00	1.00	0.0440	0.0810	0.0060
			365728	180.00	181.00	1.00	0.0200	0.0025	0.0040
			365729	181.00	182.00	1.00	0.0350	0.0200	0.0040
			365730	182.00	183.00	1.00	0.0590	0.0320	0.0060
			365731	183.00	183.90	0.90	0.2800	0.1320	0.0110
			365732	183.90	185.00	1.10	3.8600	1.6050	0.1080
			365733	185.00	186.40	1.40	7.1700	0.3100	0.1730
186.40	190.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 186.40 - 187.90 187.90 - 189.50 189.50 - 190.90 Structure 186.40 - 190.90	365735	186.40	187.40	1.00	0.0440	0.0510	0.0050
			365736	187.40	188.00	0.60	2.9000	2.3400	0.0720
			365737	188.00	189.50	1.50	2.0200	1.9000	0.0520
			365738	189.50	190.90	1.40	1.0800	0.6380	0.0320
190.90	193.00	GAB, Gabbro Mineralization 190.90 - 193.00 Structure 190.90 - 193.00 190.90 - 193.00 : UC Upper Contact, 50 Deg to CA	365739	190.90	192.00	1.10	0.0410	0.1150	0.0050
			365740	192.00	193.00	1.00	0.0210	0.1140	0.0030

Hole Number: KB-07-120 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
193.00	210.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 193.00 - 195.30 195.30 - 197.10 197.10 - 200.20 200.20 - 202.10 202.10 - 204.00 204.00 - 210.00 Structure 193.00 - 210.00 193.00 - 210.00 : UC Upper Contact, 40 Deg to CA	365741	193.00	194.00	1.00	0.8360	2.1000	0.0210
			365742	194.00	195.30	1.30	0.0620	0.1030	0.0050
			365743	195.30	196.00	0.70	2.0700	1.9150	0.0590
			365744	196.00	197.10	1.10	0.6450	0.8050	0.0260
			365745	197.10	198.00	0.90	3.1800	1.4650	0.0770
			365746	198.00	199.00	1.00	0.5430	1.5700	0.0170
			365747	199.00	199.60	0.60	6.5200	0.4730	0.1910
			365748	199.60	200.20	0.60	1.2150	4.9700	0.0340
			365749	200.20	201.00	0.80	0.2470	5.0200	0.0080
			365750	201.00	202.10	1.10	0.0900	0.6220	0.0060
			365751	202.10	203.00	0.90	3.5700	0.5640	0.0930
			365752	203.00	204.00	1.00	3.1000	1.6500	0.0920
			365753	204.00	205.00	1.00	0.1540	0.1120	0.0090
			365754	205.00	206.00	1.00	0.0650	0.0230	0.0070
			365755	206.00	207.00	1.00	0.0660	0.0200	0.0050
			365756	207.00	208.00	1.00	0.4170	0.2600	0.0140
			365757	208.00	209.00	1.00	0.4370	0.1870	0.0140
			365758	209.00	210.00	1.00	0.6680	0.2050	0.0200
210.00	212.70	MV, Mafic Volcanic Mineralization 210.00 - 212.70 Structure 210.00 - 212.70 210.00 - 212.70 : UC Upper Contact, 50 Deg to CA	365759	210.00	211.00	1.00	0.0540	0.0410	0.0060
			365760	211.00	212.00	1.00	0.0210	0.0170	0.0040
			365762	212.00	212.70	0.70	0.0220	0.0170	0.0060
212.70	214.00	PYXT, Pyroxenite Mineralization 212.70 - 214.00 Structure 212.70 - 214.00 : MODFOL Moderately Foliated, 45 Deg to CA	365763	212.70	214.00	1.30	0.1370	0.0390	0.0080
214.00	215.30	MV, Mafic Volcanic Mineralization 214.00 - 215.30 Structure 214.00 - 215.30 214.00 - 215.30 : UC Upper Contact, 45 Deg to CA	365764	214.00	215.50	1.50	0.0250	0.0190	0.0060
215.30	217.00	PYXT, Pyroxenite mv xenos Mineralization 215.30 - 217.00 Structure 215.30 - 217.00 : MODFOL Moderately Foliated, 45 Deg to CA 215.30 - 217.00 : UC Upper Contact, 45 Deg to CA	365765	215.50	216.00	0.50	0.3460	0.3270	0.0130
			365766	216.00	217.00	1.00	0.1090	0.0490	0.0070

Hole Number: KB-07-120 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
217.00	221.40	MV, Mafic Volcanic with pyxt dykes Mineralization 217.00 - 221.40 Structure 217.00 - 221.40 : MODFOL Moderately Foliated, 50 Deg to CA	365767	217.00	218.00	1.00	0.0240	0.0120	0.0040
			365768	218.00	219.00	1.00	0.0490	0.0350	0.0050
			365769	219.00	220.00	1.00	0.0980	0.0430	0.0060
			365770	220.00	221.40	1.40	0.1440	0.0660	0.0080
221.40	232.60	PYXT, Pyroxenite Mineralization 221.40 - 232.60 Structure 221.40 - 232.60 : MODFOL Moderately Foliated, 50 Deg to CA 221.40 - 232.60 : UC Upper Contact, 50 Deg to CA	365771	221.40	222.50	1.10	0.3490	0.1510	0.0120
			365772	222.50	224.00	1.50	0.3710	0.2560	0.0130
			365773	224.00	225.00	1.00	0.5060	0.3690	0.0150
			365774	225.00	226.00	1.00	0.6170	0.3020	0.0230
			365775	226.00	227.00	1.00	0.4320	0.7450	0.0140
			365776	227.00	228.00	1.00	0.0750	0.0330	0.0060
			365778	228.00	229.00	1.00	0.3050	0.3220	0.0110
			365779	229.00	230.00	1.00	0.4320	0.2340	0.0140
			365780	230.00	231.00	1.00	0.0230	0.0180	0.0040
			365781	231.00	232.00	1.00	0.3190	0.2390	0.0090
			365782	232.00	232.60	0.60	0.1650	0.0810	0.0090
232.60	236.60	TSCH, Talc Schist Mineralization 232.60 - 236.60 Structure 232.60 - 236.60 : MODFOL Moderately Foliated, 55 Deg to CA 232.60 - 236.60 : UC Upper Contact, 65 Deg to CA	365783	232.60	234.00	1.40	0.4440	0.1930	0.0150
			365784	234.00	235.00	1.00	0.2360	0.1600	0.0100
			365785	235.00	236.00	1.00	0.1880	0.1240	0.0080
			365786	236.00	236.60	0.60	0.1360	0.0730	0.0060
236.60	266.00	MV, Mafic Volcanic Mineralization 236.60 - 261.00 Structure 236.60 - 261.00 : UC Upper Contact, 55 Deg to CA 236.60 - 266.00 : MODFOL Moderately Foliated, 50 Deg to CA	365787	236.60	238.00	1.40	0.0160	0.0110	0.0040
			365788	238.00	239.00	1.00	0.0100	0.0025	0.0060
			365789	239.00	240.00	1.00	0.0100	0.0160	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365710	163.00	164.00	0.0130	0.0150	0.0050
365711	164.00	165.00	0.0240	0.0320	0.0040
365712	165.00	166.40	0.0330	0.0480	0.0060
365713	166.40	167.50	0.2510	0.1900	0.0090
365714	167.50	168.30	0.3990	0.3500	0.0110
365715	168.30	169.00	0.0510	0.0050	0.0050
365716	169.00	170.00	0.0280	0.0110	0.0050

Hole Number: KB-07-120

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365717	170.00	171.00	0.0310	0.0025	0.0040
365718	171.00	172.00	0.0350	0.0025	0.0040
365719	172.00	173.00	0.0560	0.0025	0.0050
365720	173.00	174.00	0.0600	0.0100	0.0050
365722	174.00	175.00	0.0470	0.0025	0.0050
365723	175.00	176.20	0.2540	0.1620	0.0080
365724	176.20	177.30	0.0970	0.0320	0.0050
365725	177.30	178.00	0.0360	0.0140	0.0040
365726	178.00	179.00	0.0270	0.0025	0.0030
365727	179.00	180.00	0.0440	0.0810	0.0060
365728	180.00	181.00	0.0200	0.0025	0.0040
365729	181.00	182.00	0.0350	0.0200	0.0040
365730	182.00	183.00	0.0590	0.0320	0.0060
365731	183.00	183.90	0.2800	0.1320	0.0110
365732	183.90	185.00	3.8600	1.6050	0.1080
365733	185.00	186.40	7.1700	0.3100	0.1730
365735	186.40	187.40	0.0440	0.0510	0.0050
365736	187.40	188.00	2.9000	2.3400	0.0720
365737	188.00	189.50	2.0200	1.9000	0.0520
365738	189.50	190.90	1.0800	0.6380	0.0320
365739	190.90	192.00	0.0410	0.1150	0.0050
365740	192.00	193.00	0.0210	0.1140	0.0030
365741	193.00	194.00	0.8360	2.1000	0.0210
365742	194.00	195.30	0.0620	0.1030	0.0050
365743	195.30	196.00	2.0700	1.9150	0.0590
365744	196.00	197.10	0.6450	0.8050	0.0260
365745	197.10	198.00	3.1800	1.4650	0.0770
365746	198.00	199.00	0.5430	1.5700	0.0170
365747	199.00	199.60	6.5200	0.4730	0.1910
365748	199.60	200.20	1.2150	4.9700	0.0340
365749	200.20	201.00	0.2470	5.0200	0.0080
365750	201.00	202.10	0.0900	0.6220	0.0060
365751	202.10	203.00	3.5700	0.5640	0.0930
365752	203.00	204.00	3.1000	1.6500	0.0920
365753	204.00	205.00	0.1540	0.1120	0.0090
365754	205.00	206.00	0.0650	0.0230	0.0070
365755	206.00	207.00	0.0660	0.0200	0.0050

Hole Number: KB-07-120

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365756	207.00	208.00	0.4170	0.2600	0.0140
365757	208.00	209.00	0.4370	0.1870	0.0140
365758	209.00	210.00	0.6680	0.2050	0.0200
365759	210.00	211.00	0.0540	0.0410	0.0060
365760	211.00	212.00	0.0210	0.0170	0.0040
365762	212.00	212.70	0.0220	0.0170	0.0060
365763	212.70	214.00	0.1370	0.0390	0.0080
365764	214.00	215.50	0.0250	0.0190	0.0060
365765	215.50	216.00	0.3460	0.3270	0.0130
365766	216.00	217.00	0.1090	0.0490	0.0070
365767	217.00	218.00	0.0240	0.0120	0.0040
365768	218.00	219.00	0.0490	0.0350	0.0050
365769	219.00	220.00	0.0980	0.0430	0.0060
365770	220.00	221.40	0.1440	0.0660	0.0080
365771	221.40	222.50	0.3490	0.1510	0.0120
365772	222.50	224.00	0.3710	0.2560	0.0130
365773	224.00	225.00	0.5060	0.3690	0.0150
365774	225.00	226.00	0.6170	0.3020	0.0230
365775	226.00	227.00	0.4320	0.7450	0.0140
365776	227.00	228.00	0.0750	0.0330	0.0060
365778	228.00	229.00	0.3050	0.3220	0.0110
365779	229.00	230.00	0.4320	0.2340	0.0140
365780	230.00	231.00	0.0230	0.0180	0.0040
365781	231.00	232.00	0.3190	0.2390	0.0090
365782	232.00	232.60	0.1650	0.0810	0.0090
365783	232.60	234.00	0.4440	0.1930	0.0150
365784	234.00	235.00	0.2360	0.1600	0.0100
365785	235.00	236.00	0.1880	0.1240	0.0080
365786	236.00	236.60	0.1360	0.0730	0.0060
365787	236.60	238.00	0.0160	0.0110	0.0040
365788	238.00	239.00	0.0100	0.0025	0.0060
365789	239.00	240.00	0.0100	0.0160	0.0040

DETAILED LOG

Hole Number: KB-07-119

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -49.10
Project Number:	19900	North: 5481483.00			North: 5481483.00		Collar Az: 304.00
Location:	Surface	East: 454059.50			East: 454059.50		Length: 233.00 (m)
		Elev: 405.29			Elev: 405.29		Start Depth: 0.00 (m)
Date Started:	Aug 26, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 233.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	127.60	170.40	42.80	0.8625	0.6015	0.0273
WEIGHTED	127.60	220.50	92.90	0.6130	0.3921	0.0200
WEIGHTED	129.50	140.00	10.50	1.9230	0.9519	0.0604
WEIGHTED	130.90	136.60	5.70	2.7360	1.1639	0.0870
WEIGHTED	147.00	150.80	3.80	1.4082	1.1568	0.0368
WEIGHTED	172.60	206.50	33.90	0.4840	0.2459	0.0154
WEIGHTED	194.00	200.00	6.00	0.9710	0.3525	0.0263
WEIGHTED	210.00	223.10	13.10	0.2759	0.1870	0.0122

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	304.10	-49.10	EZ	OK	5799	50.00	305.30	-48.30	EZ	OK	5774
100.00	305.40	-47.20	EZ	OK	5761	150.00	306.10	-46.40	EZ	OK	5659
200.00	308.10	-46.00	EZ	OK	5768	233.00	308.00	-45.30	EZ	OK	5774

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	11.80	MV, Mafic Volcanic Mineralization 2.00 - 11.80 Structure 2.00 - 11.80 : STRFOL Strongly Foliated, 50 Deg to CA							
11.80	13.20	MDCHL, Mafic Dike Chloritic Mineralization 11.80 - 13.20 Structure 11.80 - 13.20 : MODFOL Moderately Foliated, 40 Deg to CA 11.80 - 13.20 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-119

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
13.20	15.80	MV, Mafic Volcanic Mineralization 13.20 - 15.80 Structure 13.20 - 15.80 : STRFOL Strongly Foliated, 45 Deg to CA 13.20 - 15.80 : UC Upper Contact, 45 Deg to CA							
15.80	19.10	MD, Mafic Dike Mineralization 15.80 - 19.10 Structure 15.80 - 19.10 15.80 - 19.10 : UC Upper Contact, 45 Deg to CA							
19.10	27.70	MV, Mafic Volcanic Mineralization 19.10 - 27.70 Structure 19.10 - 27.70 : STRFOL Strongly Foliated, 45 Deg to CA 19.10 - 27.70 : UC Upper Contact, 45 Deg to CA							
27.70	28.40	MDCHL, Mafic Dike Chloritic irregular contact Mineralization 27.70 - 28.40 Structure 27.70 - 28.40							
28.40	33.80	MV, Mafic Volcanic Mineralization 28.40 - 33.80 Structure 28.40 - 33.80 : MODFOL Moderately Foliated, 40 Deg to CA 28.40 - 33.80 : UC Upper Contact, 30 Deg to CA							
33.80	38.60	MDCHL, Mafic Dike Chloritic Mineralization 33.80 - 38.60 Structure 33.80 - 38.60 : MODFOL Moderately Foliated, 45 Deg to CA 33.80 - 38.60 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-119

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
38.60	44.90	MV, Mafic Volcanic irregular contact approximately 25degrees Mineralization 38.60 - 44.90 Structure 38.60 - 44.90 : STRFOL Strongly Foliated, 40 Deg to CA							
44.90	46.10	MD, Mafic Dike Mineralization 44.90 - 46.10 Structure 44.90 - 46.10 44.90 - 46.10 : UC Upper Contact, 40 Deg to CA							
46.10	63.80	MV, Mafic Volcanic Mineralization 46.10 - 63.80 Structure 46.10 - 63.80 : MODFOL Moderately Foliated, 40 Deg to CA 46.10 - 63.80 : UC Upper Contact, 40 Deg to CA							
63.80	65.80	MDCHL, Mafic Dike Chloritic Mineralization 63.80 - 65.80 Structure 63.80 - 65.80 : MODFOL Moderately Foliated, 45 Deg to CA 63.80 - 65.80 : UC Upper Contact, 50 Deg to CA							
65.80	74.80	MV, Mafic Volcanic Mineralization 65.80 - 74.80 Structure 65.80 - 74.80 : STRFOL Strongly Foliated, 40 Deg to CA 65.80 - 74.80 : UC Upper Contact, 50 Deg to CA							
74.80	76.60	MDCHL, Mafic Dike Chloritic Mineralization 74.80 - 76.60 Structure 74.80 - 76.60 : MODFOL Moderately Foliated, 45 Deg to CA 74.80 - 76.60 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-119

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
76.60	87.00	MV, Mafic Volcanic Mineralization 76.60 - 87.00 Structure 76.60 - 87.00 : MODFOL Moderately Foliated, 45 Deg to CA 76.60 - 87.00 : UC Upper Contact, 40 Deg to CA							
87.00	89.40	MDCHL, Mafic Dike Chloritic irregular contact Mineralization 87.00 - 89.40 Structure 87.00 - 89.40 : MODFOL Moderately Foliated, 45 Deg to CA							
89.40	115.30	MV, Mafic Volcanic Mineralization 89.40 - 104.00 104.00 - 109.00 109.00 - 115.30 Structure 89.40 - 115.30 : STRFOL Strongly Foliated, 50 Deg to CA 89.40 - 115.30 : UC Upper Contact, 50 Deg to CA							
115.30	117.50	MDCHL, Mafic Dike Chloritic irregular contact Mineralization 115.30 - 117.50 Structure 115.30 - 117.50 : MODFOL Moderately Foliated, 45 Deg to CA							
117.50	127.60	MV, Mafic Volcanic Mineralization 117.50 - 127.50 127.40 - 127.60 Structure 117.50 - 127.60 : STRFOL Strongly Foliated, 30 Deg to CA 117.50 - 127.60 : UC Upper Contact, 45 Deg to CA	365626	124.00	125.50	1.50	0.0090	0.0150	0.0040
			365627	125.50	127.00	1.50	0.0120	0.0120	0.0040
			365628	127.00	127.60	0.60	0.0430	0.0310	0.0050
127.60	128.10	TSCH, Talc Schist irregular contact Mineralization 127.60 - 128.10 Structure 127.60 - 128.10	365629	127.60	128.00	0.40	0.3050	0.2640	0.0100
			365630	128.00	129.50	1.50	0.2600	0.2490	0.0090

Hole Number: KB-07-119

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
128.10	130.90	MV, Mafic Volcanic irregular contact Mineralization 128.10 - 130.90 Structure 128.10 - 130.90 : STRFOL Strongly Foliated, 20 Deg to CA	365631	129.50	130.90	1.40	1.0500	0.7310	0.0290
130.90	135.90	PYXT, Pyroxenite Mineralization 130.90 - 135.90 Structure 130.90 - 135.90 130.90 - 135.90 : UC Upper Contact, 40 Deg to CA	365632	130.90	132.50	1.60	2.2400	0.3550	0.1060
			365633	132.50	134.00	1.50	2.2600	1.4400	0.0630
			365634	134.00	135.00	1.00	2.6800	2.2700	0.0810
			365635	135.00	135.90	0.90	2.8600	1.7100	0.0880
135.90	150.80	GABPYXT, Gabbro Pyroxenite Dikes vague contact Mineralization 135.90 - 136.60 136.60 - 139.10 139.10 - 140.60 140.60 - 150.80 Structure 135.90 - 150.80	365636	135.90	136.60	0.70	4.8100	0.1390	0.1020
			365637	136.60	138.00	1.40	0.3050	0.5320	0.0130
			365638	138.00	139.00	1.00	0.0300	0.0370	0.0040
			365639	139.00	140.00	1.00	2.6700	1.5550	0.0760
			365640	140.00	141.50	1.50	0.9560	0.3790	0.0270
			365641	141.50	142.50	1.00	0.0360	0.0430	0.0040
			365642	142.50	144.00	1.50	0.1050	0.3480	0.0070
			365643	144.00	145.50	1.50	0.5080	0.5130	0.0160
			365644	145.50	147.00	1.50	0.2630	0.9370	0.0110
			365645	147.00	148.50	1.50	0.5090	2.1800	0.0140
			365646	148.50	150.00	1.50	2.7000	0.7010	0.0680
			365647	150.00	150.80	0.80	0.6720	0.0930	0.0210
150.80	154.10	FD, Felsic Dike Mineralization 150.80 - 154.10 Structure 150.80 - 154.10	365648	150.80	152.00	1.20	0.0240	0.0130	0.0020
			365649	152.00	153.00	1.00	0.0630	0.0110	0.0010
			365651	153.00	154.10	1.10	0.0170	0.0270	0.0020
154.10	154.90	PYXT, Pyroxenite irregular contact Mineralization 154.10 - 154.90 Structure 154.10 - 154.90	365652	154.10	154.90	0.80	1.7000	5.9700	0.0500
154.90	160.40	FD, Felsic Dike Mineralization 154.90 - 160.40 Structure 154.90 - 160.40 154.90 - 160.40 : UC Upper Contact, 5 Deg to CA	365653	154.90	156.50	1.60	0.1050	0.0270	0.0050
			365654	156.50	158.00	1.50	0.0050	0.0120	0.0020
			365655	158.00	159.50	1.50	0.0025	0.0050	0.0020
			365656	159.50	160.40	0.90	0.0025	0.0060	0.0040

Hole Number: KB-07-119 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
160.40	164.40	MV, Mafic Volcanic Mineralization 160.40 - 161.30 161.30 - 164.40 Structure 160.40 - 164.40 : MODFOL Moderately Foliated, 55 Deg to CA 160.40 - 164.40 : UC Upper Contact, 35 Deg to CA	365657	160.40	162.00	1.60	0.7640	0.1230	0.0220
			365658	162.00	163.50	1.50	1.0350	0.3760	0.0370
			365660	163.50	164.40	0.90	1.1950	0.6810	0.0340
164.40	166.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 164.40 - 166.70 Structure 164.40 - 166.70 164.40 - 166.70 : UC Upper Contact, 50 Deg to CA	365661	164.40	165.50	1.10	0.2250	0.1070	0.0100
			365662	165.50	166.70	1.20	0.4820	0.3390	0.0160
166.70	170.40	MV, Mafic Volcanic vague contact Mineralization 166.70 - 170.40 Structure 166.70 - 170.40 : MODFOL Moderately Foliated, 45 Deg to CA	365663	166.70	168.00	1.30	0.5070	0.1460	0.0220
			365665	168.00	169.50	1.50	0.3280	0.1570	0.0130
			365666	169.50	170.40	0.90	0.6630	0.3720	0.0210
170.40	170.90	FD, Felsic Dike Mineralization 170.40 - 170.90 Structure 170.40 - 170.90 170.40 - 170.90 : UC Upper Contact, 65 Deg to CA	365667	170.40	170.90	0.50	0.0170	0.0370	0.0020
170.90	172.10	MV, Mafic Volcanic Mineralization 170.90 - 172.10 Structure 170.90 - 172.10 : MODFOL Moderately Foliated, 45 Deg to CA 170.90 - 172.10 : UC Upper Contact, 55 Deg to CA	365668	170.90	172.10	1.20	0.1790	0.1010	0.0090
172.10	172.60	FD, Felsic Dike Mineralization 172.10 - 172.60 Structure 172.10 - 172.60 : MODFOL Moderately Foliated, 60 Deg to CA 172.10 - 172.60 : UC Upper Contact, 65 Deg to CA	365669	172.10	172.60	0.50	0.0520	0.0590	0.0040

Hole Number: KB-07-119

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
172.60	173.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 172.60 - 173.00 173.00 - 173.90 Structure 172.60 - 173.90 172.60 - 173.90 : UC Upper Contact, 75 Deg to CA	365670	172.60	173.90	1.30	1.1950	0.3000	0.0300
173.90	176.10	MV, Mafic Volcanic irregular contact Mineralization 173.90 - 176.10 Structure 173.90 - 176.10	365671	173.90	175.50	1.60	0.0220	0.0130	0.0060
			365672	175.50	176.10	0.60	0.0250	0.0660	0.0050
176.10	183.40	PYXT, Pyroxenite Mineralization 176.10 - 183.40 Structure 176.10 - 183.40 : MODFOL Moderately Foliated, 35 Deg to CA 176.10 - 183.40 : UC Upper Contact, 45 Deg to CA	365673	176.10	177.50	1.40	0.1270	0.0400	0.0090
			365674	177.50	179.00	1.50	0.2860	0.1190	0.0120
			365675	179.00	180.50	1.50	0.6750	0.3390	0.0200
			365676	180.50	182.00	1.50	0.9450	0.5690	0.0250
			365677	182.00	183.40	1.40	0.4300	0.1610	0.0150
183.40	204.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 183.40 - 204.10 Structure 183.40 - 204.10 183.40 - 204.10 : UC Upper Contact, 40 Deg to CA	365678	183.40	185.00	1.60	0.1060	0.0600	0.0080
			365679	185.00	186.50	1.50	0.4840	0.3210	0.0170
			365680	186.50	188.00	1.50	0.1680	0.2490	0.0080
			365681	188.00	189.50	1.50	0.4020	0.1960	0.0140
			365682	189.50	191.00	1.50	0.1090	0.0410	0.0080
			365683	191.00	192.50	1.50	0.5990	0.2340	0.0190
			365684	192.50	194.00	1.50	0.3230	0.1170	0.0110
			365685	194.00	195.50	1.50	1.0550	0.3250	0.0290
			365686	195.50	197.00	1.50	1.1400	0.2710	0.0270
			365687	197.00	198.50	1.50	0.5490	0.5400	0.0200
			365688	198.50	200.00	1.50	1.1400	0.2740	0.0290
			365689	200.00	201.50	1.50	0.2400	0.2380	0.0080
			365690	201.50	203.00	1.50	0.4770	0.3590	0.0130
			365691	203.00	204.10	1.10	0.3220	0.4560	0.0110
204.10	205.10	FD, Felsic Dike Mineralization 204.10 - 205.10 Structure 204.10 - 205.10 204.10 - 205.10 : UC Upper Contact, 25 Deg to CA	365692	204.10	205.10	1.00	0.0180	0.0480	0.0030

Hole Number: KB-07-119

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
205.10	207.30	PYXT, Pyroxenite Mineralization 205.10 - 207.30 Structure 205.10 - 207.30 : MODFOL Moderately Foliated, 50 Deg to CA 205.10 - 207.30 : UC Upper Contact, 30 Deg to CA	365693	205.10	206.50	1.40	0.4250	0.4800	0.0130
			365694	206.50	207.30	0.80	0.1110	0.0220	0.0070
207.30	208.90	MV, Mafic Volcanic pyrite Mineralization 207.30 - 208.90 Structure 207.30 - 208.90 : MODFOL Moderately Foliated, 60 Deg to CA 207.30 - 208.90 : UC Upper Contact, 60 Deg to CA	365695	207.30	208.00	0.70	0.0250	0.0100	0.0050
			365696	208.00	208.90	0.90	0.0080	0.0080	0.0040
208.90	216.40	PYXT, Pyroxenite weak local talc; Mineralization 208.90 - 216.40 Structure 208.90 - 216.40 : MODFOL Moderately Foliated, 50 Deg to CA 208.90 - 216.40 : UC Upper Contact, 30 Deg to CA	365697	208.90	210.00	1.10	0.0410	0.0220	0.0050
			365698	210.00	211.50	1.50	0.5410	0.1510	0.0230
			365699	211.50	213.00	1.50	0.2560	0.1280	0.0130
			365700	213.00	214.50	1.50	0.1480	0.0630	0.0100
			365701	214.50	215.50	1.00	0.3310	0.2020	0.0120
			365702	215.50	216.40	0.90	0.4590	0.4560	0.0130
216.40	219.00	MV, Mafic Volcanic irregular contact Mineralization 216.40 - 219.00 Structure 216.40 - 219.00 : MODFOL Moderately Foliated, 40 Deg to CA	365703	216.40	217.50	1.10	0.2700	0.1710	0.0100
			365704	217.50	219.00	1.50	0.1230	0.1210	0.0080
219.00	223.10	PYXT, Pyroxenite Mineralization 219.00 - 223.10 Structure 219.00 - 223.10 : STRFOL Strongly Foliated, 60 Deg to CA 219.00 - 223.10 : UC Upper Contact, 60 Deg to CA	365705	219.00	220.50	1.50	0.3790	0.4180	0.0140
			365706	220.50	222.00	1.50	0.0940	0.0510	0.0080
			365707	222.00	223.10	1.10	0.2380	0.2280	0.0100
223.10	233.00	MV, Mafic Volcanic Mineralization 223.10 - 233.00 Structure 223.10 - 233.00 : STRFOL Strongly Foliated, 55 Deg to CA 223.10 - 233.00 : UC Upper Contact, 50 Deg to CA	365708	223.10	224.50	1.40	0.1030	0.0250	0.0060
			365709	224.50	226.00	1.50	0.0140	0.0090	0.0040

Hole Number: KB-07-119

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365626	124.00	125.50	0.0090	0.0150	0.0040
365627	125.50	127.00	0.0120	0.0120	0.0040
365628	127.00	127.60	0.0430	0.0310	0.0050
365629	127.60	128.00	0.3050	0.2640	0.0100
365630	128.00	129.50	0.2600	0.2490	0.0090
365631	129.50	130.90	1.0500	0.7310	0.0290
365632	130.90	132.50	2.2400	0.3550	0.1060
365633	132.50	134.00	2.2600	1.4400	0.0630
365634	134.00	135.00	2.6800	2.2700	0.0810
365635	135.00	135.90	2.8600	1.7100	0.0880
365636	135.90	136.60	4.8100	0.1390	0.1020
365637	136.60	138.00	0.3050	0.5320	0.0130
365638	138.00	139.00	0.0300	0.0370	0.0040
365639	139.00	140.00	2.6700	1.5550	0.0760
365640	140.00	141.50	0.9560	0.3790	0.0270
365641	141.50	142.50	0.0360	0.0430	0.0040
365642	142.50	144.00	0.1050	0.3480	0.0070
365643	144.00	145.50	0.5080	0.5130	0.0160
365644	145.50	147.00	0.2630	0.9370	0.0110
365645	147.00	148.50	0.5090	2.1800	0.0140
365646	148.50	150.00	2.7000	0.7010	0.0680
365647	150.00	150.80	0.6720	0.0930	0.0210
365648	150.80	152.00	0.0240	0.0130	0.0020
365649	152.00	153.00	0.0630	0.0110	0.0010
365651	153.00	154.10	0.0170	0.0270	0.0020
365652	154.10	154.90	1.7000	5.9700	0.0500
365653	154.90	156.50	0.1050	0.0270	0.0050
365654	156.50	158.00	0.0050	0.0120	0.0020
365655	158.00	159.50	0.0025	0.0050	0.0020
365656	159.50	160.40	0.0025	0.0060	0.0040
365657	160.40	162.00	0.7640	0.1230	0.0220
365658	162.00	163.50	1.0350	0.3760	0.0370
365660	163.50	164.40	1.1950	0.6810	0.0340
365661	164.40	165.50	0.2250	0.1070	0.0100
365662	165.50	166.70	0.4820	0.3390	0.0160
365663	166.70	168.00	0.5070	0.1460	0.0220
365665	168.00	169.50	0.3280	0.1570	0.0130

Hole Number: KB-07-119

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365666	169.50	170.40	0.6630	0.3720	0.0210
365667	170.40	170.90	0.0170	0.0370	0.0020
365668	170.90	172.10	0.1790	0.1010	0.0090
365669	172.10	172.60	0.0520	0.0590	0.0040
365670	172.60	173.90	1.1950	0.3000	0.0300
365671	173.90	175.50	0.0220	0.0130	0.0060
365672	175.50	176.10	0.0250	0.0660	0.0050
365673	176.10	177.50	0.1270	0.0400	0.0090
365674	177.50	179.00	0.2860	0.1190	0.0120
365675	179.00	180.50	0.6750	0.3390	0.0200
365676	180.50	182.00	0.9450	0.5690	0.0250
365677	182.00	183.40	0.4300	0.1610	0.0150
365678	183.40	185.00	0.1060	0.0600	0.0080
365679	185.00	186.50	0.4840	0.3210	0.0170
365680	186.50	188.00	0.1680	0.2490	0.0080
365681	188.00	189.50	0.4020	0.1960	0.0140
365682	189.50	191.00	0.1090	0.0410	0.0080
365683	191.00	192.50	0.5990	0.2340	0.0190
365684	192.50	194.00	0.3230	0.1170	0.0110
365685	194.00	195.50	1.0550	0.3250	0.0290
365686	195.50	197.00	1.1400	0.2710	0.0270
365687	197.00	198.50	0.5490	0.5400	0.0200
365688	198.50	200.00	1.1400	0.2740	0.0290
365689	200.00	201.50	0.2400	0.2380	0.0080
365690	201.50	203.00	0.4770	0.3590	0.0130
365691	203.00	204.10	0.3220	0.4560	0.0110
365692	204.10	205.10	0.0180	0.0480	0.0030
365693	205.10	206.50	0.4250	0.4800	0.0130
365694	206.50	207.30	0.1110	0.0220	0.0070
365695	207.30	208.00	0.0250	0.0100	0.0050
365696	208.00	208.90	0.0080	0.0080	0.0040
365697	208.90	210.00	0.0410	0.0220	0.0050
365698	210.00	211.50	0.5410	0.1510	0.0230
365699	211.50	213.00	0.2560	0.1280	0.0130
365700	213.00	214.50	0.1480	0.0630	0.0100
365701	214.50	215.50	0.3310	0.2020	0.0120
365702	215.50	216.40	0.4590	0.4560	0.0130

Hole Number: KB-07-119

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365703	216.40	217.50	0.2700	0.1710	0.0100
365704	217.50	219.00	0.1230	0.1210	0.0080
365705	219.00	220.50	0.3790	0.4180	0.0140
365706	220.50	222.00	0.0940	0.0510	0.0080
365707	222.00	223.10	0.2380	0.2280	0.0100
365708	223.10	224.50	0.1030	0.0250	0.0060
365709	224.50	226.00	0.0140	0.0090	0.0040

DETAILED LOG

Hole Number: KB-07-118

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-44.20
Project Number:	19900	North:	5481525.00	North:	5481525.00	Collar Az:	302.80
Location:	Surface	East:	454056.00	East:	454056.00	Length:	161.00 (m)
		Elev:	404.19	Elev:	404.19	Start Depth:	0.00 (m)
Date Started:	Aug 26, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	161.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	94.00	100.50	6.50	1.0373	0.7783	0.0270
WEIGHTED	94.70	97.00	2.30	2.0389	1.9139	0.0497
WEIGHTED	129.00	132.50	3.50	0.3906	0.2631	0.0153
WEIGHTED	139.00	145.00	6.00	0.3035	0.1647	0.0121

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
17.00	302.80	-44.20	EZ	OK	5819	50.00	303.00	-43.20	EZ	OK	5784
100.00	304.70	-42.40	EZ	OK	5728	161.00	305.30	-41.90	EZ	OK	5731

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	9.50	CAS, Casing							
9.50	27.70	MV, Mafic Volcanic Mineralization 9.50 - 27.70 Structure 9.50 - 27.70 : MODFOL Moderately Foliated, 40 Deg to CA							
27.70	28.70	MDCHL, Mafic Dike Chloritic Mineralization 27.70 - 28.70 Structure 27.70 - 28.70 : MODFOL Moderately Foliated, 45 Deg to CA 27.70 - 28.70 : UC Upper Contact, 50 Deg to CA							
28.70	33.60	MV, Mafic Volcanic Mineralization 28.70 - 33.60 Structure 28.70 - 33.60 : MODFOL Moderately Foliated, 50 Deg to CA							

Hole Number: KB-07-118

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
33.60	35.70	MDCHL, Mafic Dike Chloritic Mineralization 33.60 - 35.70 Structure 33.60 - 35.70 : MODFOL Moderately Foliated, 45 Deg to CA 33.60 - 35.70 : UC Upper Contact, 45 Deg to CA							
35.70	60.00	MV, Mafic Volcanic Mineralization 35.70 - 60.00 Structure 35.70 - 60.00 : MODFOL Moderately Foliated, 50 Deg to CA 35.70 - 60.00 : UC Upper Contact, 55 Deg to CA							
60.00	61.50	MDCHL, Mafic Dike Chloritic Mineralization 60.00 - 61.50 Structure 60.00 - 61.50 : MODFOL Moderately Foliated, 45 Deg to CA 60.00 - 61.50 : UC Upper Contact, 60 Deg to CA							
61.50	87.60	MV, Mafic Volcanic Mineralization 61.50 - 87.60 Structure 61.50 - 87.60 : MODFOL Moderately Foliated, 40 Deg to CA	365554	84.00	85.00	1.00	0.0160	0.0170	0.0050
			365555	85.00	86.00	1.00	0.0150	0.0110	0.0050
			365556	86.00	87.00	1.00	0.0160	0.0150	0.0050
			365557	87.00	87.60	0.60	0.0390	0.0500	0.0050
87.60	96.10	PYXT, Pyroxenite Mineralization 87.60 - 94.70 94.70 - 96.10 Structure 87.60 - 94.70 : STRFOL Strongly Foliated, 45 Deg to CA 94.70 - 96.10	365558	87.60	89.00	1.40	0.5820	0.3210	0.0200
			365559	89.00	90.00	1.00	0.1120	0.0140	0.0060
			365560	90.00	91.00	1.00	0.0950	0.0025	0.0060
			365561	91.00	92.00	1.00	0.1490	0.0700	0.0080
			365563	92.00	93.00	1.00	0.2160	0.0940	0.0100
			365564	93.00	94.00	1.00	0.1810	0.0790	0.0080
			365565	94.00	94.70	0.70	0.3520	0.1740	0.0120
			365566	94.70	96.10	1.40	2.5300	2.5200	0.0630
96.10	98.90	MD, Mafic Dike 96.7-96.9 is pyxt {INT mineralization} Mineralization 96.10 - 96.70 96.70 - 96.90 96.90 - 98.90 Structure 96.10 - 98.90	365567	96.10	97.00	0.90	1.2750	0.9710	0.0290
			365568	97.00	98.00	1.00	0.0090	0.0130	0.0020
			365569	98.00	98.90	0.90	0.0130	0.0220	0.0030

Hole Number: KB-07-118

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
98.90	100.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 98.90 - 100.50 Structure 98.90 - 100.50	365570	98.90	99.50	0.60	1.7150	0.3910	0.0420
			365572	99.50	100.50	1.00	0.7570	0.2680	0.0230
100.50	103.95	GAB, Gabbro Mineralization 100.50 - 103.95 Structure 100.50 - 103.95	365573	100.50	101.00	0.50	0.0170	0.0140	0.0040
			365574	101.00	102.00	1.00	0.0180	0.0150	0.0040
			365575	102.00	103.00	1.00	0.0160	0.0170	0.0050
			365576	103.00	103.95	0.95	0.0230	0.0250	0.0060
103.95	106.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 103.95 - 106.50 Structure 103.95 - 106.50	365577	103.95	105.00	1.05	0.3040	0.1410	0.0120
			365578	105.00	106.00	1.00	0.1280	0.0670	0.0090
			365579	106.00	106.50	0.50	0.0700	0.0490	0.0070
106.50	107.50	MV, Mafic Volcanic Mineralization 106.50 - 107.50 Structure 106.50 - 107.50 : MODFOL Moderately Foliated, 30 Deg to CA	365580	106.50	107.50	1.00	0.3210	0.1240	0.0140
107.50	113.05	MDCHL, Mafic Dike Chloritic Mineralization 107.50 - 113.05 Structure 107.50 - 113.05 : MODFOL Moderately Foliated, 40 Deg to CA	365581	107.50	109.00	1.50	0.0100	0.0100	0.0030
			365582	109.00	110.00	1.00	0.0130	0.0090	0.0030
			365583	110.00	111.00	1.00	0.0120	0.0070	0.0030
			365584	111.00	112.00	1.00	0.0090	0.0050	0.0020
			365585	112.00	113.05	1.05	0.0080	0.0070	0.0030
113.05	120.20	MV, Mafic Volcanic pyxt dykes Mineralization 113.05 - 120.20 Structure 113.05 - 120.20 113.05 - 120.20 : UC Upper Contact, 25 Deg to CA	365586	113.05	114.00	0.95	0.0750	0.0390	0.0070
			365587	114.00	115.00	1.00	0.0200	0.0130	0.0050
			365588	115.00	116.00	1.00	0.0180	0.0170	0.0060
			365589	116.00	117.00	1.00	0.0490	0.0600	0.0070
			365590	117.00	118.00	1.00	0.0160	0.0080	0.0050
			365591	118.00	119.00	1.00	0.0140	0.0110	0.0050
			365592	119.00	120.20	1.20	0.0150	0.0110	0.0050

Hole Number: KB-07-118

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
120.20	132.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 120.20 - 132.50 Structure 120.20 - 132.50 120.20 - 132.50 : UC Upper Contact, 55 Deg to CA	365593	120.20	121.00	0.80	0.0800	0.0280	0.0060
			365594	121.00	122.00	1.00	0.0290	0.0110	0.0060
			365595	122.00	123.00	1.00	0.0290	0.0120	0.0050
			365596	123.00	124.00	1.00	0.0490	0.0340	0.0060
			365598	124.00	125.00	1.00	0.0850	0.0280	0.0060
			365599	125.00	126.00	1.00	0.1680	0.0590	0.0090
			365600	126.00	127.00	1.00	0.1880	0.0870	0.0090
			365601	127.00	128.00	1.00	0.1040	0.0420	0.0070
			365603	128.00	129.00	1.00	0.0370	0.0170	0.0050
			365604	129.00	130.00	1.00	0.1910	0.0760	0.0100
			365605	130.00	131.00	1.00	0.2850	0.3320	0.0120
			365606	131.00	132.50	1.50	0.5940	0.3420	0.0210
132.50	136.40	MV, Mafic Volcanic Mineralization 132.50 - 136.40 py Structure 132.50 - 136.40 : MODFOL Moderately Foliated, 50 Deg to CA	365607	132.50	134.00	1.50	0.0390	0.0190	0.0050
			365608	134.00	135.00	1.00	0.0230	0.0090	0.0040
			365609	135.00	136.40	1.40	0.0270	0.0140	0.0050
136.40	137.30	FD, Felsic Dike Mineralization 136.40 - 137.30 Structure 136.40 - 137.30	365610	136.40	137.30	0.90	0.0025	0.0060	0.0020
137.30	141.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 137.30 - 141.10 Structure 137.30 - 141.10	365611	137.30	138.00	0.70	0.0230	0.0090	0.0050
			365612	138.00	139.00	1.00	0.0470	0.0620	0.0060
			365613	139.00	140.00	1.00	0.2730	0.1160	0.0130
			365614	140.00	141.10	1.10	0.4460	0.1510	0.0180
141.10	141.80	MDCHL, Mafic Dike Chloritic Mineralization 141.10 - 141.80 Structure 141.10 - 141.80 : MODFOL Moderately Foliated, 45 Deg to CA	365615	141.10	141.80	0.70	0.0050	0.0110	0.0020
141.80	148.10	GABPYXT, Gabbro Pyroxenite Dikes mv xeno Mineralization 141.80 - 148.10 Structure 141.80 - 148.10 : MODFOL Moderately Foliated, 50 Deg to CA 141.80 - 148.10 : UC Upper Contact, 50 Deg to CA	365616	141.80	143.00	1.20	0.3800	0.2160	0.0130
			365617	143.00	144.00	1.00	0.0210	0.0130	0.0040
			365618	144.00	145.00	1.00	0.5770	0.4260	0.0190
			365619	145.00	146.00	1.00	0.0690	0.0190	0.0060
			365620	146.00	147.00	1.00	0.1660	0.1040	0.0090
			365621	147.00	148.10	1.10	0.1030	0.0980	0.0050

Hole Number: KB-07-118

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
148.10	161.00	MV, Mafic Volcanic Mineralization 148.10 - 161.00 Structure 148.10 - 161.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
365622	148.10	149.00	0.90	0.0370	0.0400	0.0050
365623	149.00	150.00	1.00	0.0120	0.0100	0.0040
365624	150.00	151.00	1.00	0.0130	0.0110	0.0050
365625	151.00	152.00	1.00	0.0150	0.0180	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365554	84.00	85.00	0.0160	0.0170	0.0050
365555	85.00	86.00	0.0150	0.0110	0.0050
365556	86.00	87.00	0.0160	0.0150	0.0050
365557	87.00	87.60	0.0390	0.0500	0.0050
365558	87.60	89.00	0.5820	0.3210	0.0200
365559	89.00	90.00	0.1120	0.0140	0.0060
365560	90.00	91.00	0.0950	0.0025	0.0060
365561	91.00	92.00	0.1490	0.0700	0.0080
365563	92.00	93.00	0.2160	0.0940	0.0100
365564	93.00	94.00	0.1810	0.0790	0.0080
365565	94.00	94.70	0.3520	0.1740	0.0120
365566	94.70	96.10	2.5300	2.5200	0.0630
365567	96.10	97.00	1.2750	0.9710	0.0290
365568	97.00	98.00	0.0090	0.0130	0.0020
365569	98.00	98.90	0.0130	0.0220	0.0030
365570	98.90	99.50	1.7150	0.3910	0.0420
365572	99.50	100.50	0.7570	0.2680	0.0230
365573	100.50	101.00	0.0170	0.0140	0.0040
365574	101.00	102.00	0.0180	0.0150	0.0040
365575	102.00	103.00	0.0160	0.0170	0.0050
365576	103.00	103.95	0.0230	0.0250	0.0060
365577	103.95	105.00	0.3040	0.1410	0.0120
365578	105.00	106.00	0.1280	0.0670	0.0090
365579	106.00	106.50	0.0700	0.0490	0.0070
365580	106.50	107.50	0.3210	0.1240	0.0140
365581	107.50	109.00	0.0100	0.0100	0.0030
365582	109.00	110.00	0.0130	0.0090	0.0030
365583	110.00	111.00	0.0120	0.0070	0.0030
365584	111.00	112.00	0.0090	0.0050	0.0020

Hole Number: KB-07-118

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365585	112.00	113.05	0.0080	0.0070	0.0030
365586	113.05	114.00	0.0750	0.0390	0.0070
365587	114.00	115.00	0.0200	0.0130	0.0050
365588	115.00	116.00	0.0180	0.0170	0.0060
365589	116.00	117.00	0.0490	0.0600	0.0070
365590	117.00	118.00	0.0160	0.0080	0.0050
365591	118.00	119.00	0.0140	0.0110	0.0050
365592	119.00	120.20	0.0150	0.0110	0.0050
365593	120.20	121.00	0.0800	0.0280	0.0060
365594	121.00	122.00	0.0290	0.0110	0.0060
365595	122.00	123.00	0.0290	0.0120	0.0050
365596	123.00	124.00	0.0490	0.0340	0.0060
365598	124.00	125.00	0.0850	0.0280	0.0060
365599	125.00	126.00	0.1680	0.0590	0.0090
365600	126.00	127.00	0.1880	0.0870	0.0090
365601	127.00	128.00	0.1040	0.0420	0.0070
365603	128.00	129.00	0.0370	0.0170	0.0050
365604	129.00	130.00	0.1910	0.0760	0.0100
365605	130.00	131.00	0.2850	0.3320	0.0120
365606	131.00	132.50	0.5940	0.3420	0.0210
365607	132.50	134.00	0.0390	0.0190	0.0050
365608	134.00	135.00	0.0230	0.0090	0.0040
365609	135.00	136.40	0.0270	0.0140	0.0050
365610	136.40	137.30	0.0025	0.0060	0.0020
365611	137.30	138.00	0.0230	0.0090	0.0050
365612	138.00	139.00	0.0470	0.0620	0.0060
365613	139.00	140.00	0.2730	0.1160	0.0130
365614	140.00	141.10	0.4460	0.1510	0.0180
365615	141.10	141.80	0.0050	0.0110	0.0020
365616	141.80	143.00	0.3800	0.2160	0.0130
365617	143.00	144.00	0.0210	0.0130	0.0040
365618	144.00	145.00	0.5770	0.4260	0.0190
365619	145.00	146.00	0.0690	0.0190	0.0060
365620	146.00	147.00	0.1660	0.1040	0.0090
365621	147.00	148.10	0.1030	0.0980	0.0050
365622	148.10	149.00	0.0370	0.0400	0.0050
365623	149.00	150.00	0.0120	0.0100	0.0040

Hole Number: KB-07-118

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365624	150.00	151.00	0.0130	0.0110	0.0050
365625	151.00	152.00	0.0150	0.0180	0.0050

DETAILED LOG

Hole Number: KB-07-117 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -67.00
Project Number:	19900	North: 5481424.00			North: 5481424.00		Collar Az: 304.00
Location:	Surface	East: 454063.90			East: 454063.90		Length: 410.00 (m)
		Elev: 402.89			Elev: 402.89		Start Depth: 0.00 (m)
Date Started:	Sep 02, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 410.00 (m)
Date Completed:	Sep 07, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	295.70	299.90	4.20	0.7910	0.2789	0.0216
WEIGHTED	321.00	327.60	6.60	0.2289	0.1326	0.0105
WEIGHTED	332.00	352.90	20.90	0.4962	0.4241	0.0155

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
14.00	304.00	-67.20	EZ	OK	5816	50.00	303.50	-67.20	EZ	OK	5795
100.00	306.10	-66.20	EZ	OK	5802	152.00	305.40	-65.50	EZ	OK	5788
200.00	306.30	-64.60	EZ	OK	5790	250.00	307.20	-64.00	EZ	OK	5798
300.00	305.40	-62.90	EZ	OK	5760	353.00	307.90	-62.30	EZ	OK	5821

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.80	CAS, Casing							
3.80	5.10	MD, Mafic Dike Mineralization 3.80 - 5.10 Structure 3.80 - 5.10							
5.10	17.80	MV, Mafic Volcanic Mineralization 5.10 - 17.80 Structure 5.10 - 17.80 : MODFOL Moderately Foliated, 30 Deg to CA 5.10 - 17.80 : UC Upper Contact, 15 Deg to CA							

Hole Number: KB-07-117

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
17.80	18.30	MD, Mafic Dike Mineralization 17.80 - 18.30 Tr PY Structure 17.80 - 18.30 17.80 - 18.30 : UC Upper Contact, 20 Deg to CA							
18.30	117.80	MV, Mafic Volcanic EPI alt 116.1-117 Mineralization 18.30 - 117.80 Structure 18.30 - 103.10 18.30 - 117.80 : UC Upper Contact, 15 Deg to CA 103.10 - 117.80 : MODFOL Moderately Foliated, 40 Deg to CA							
117.80	119.20	MDCHL, Mafic Dike Chloritic Mineralization 117.80 - 119.20 Structure 117.80 - 119.20 117.80 - 119.20 : UC Upper Contact, 35 Deg to CA							
119.20	135.50	MV, Mafic Volcanic Mineralization 119.20 - 135.50 Structure 119.20 - 135.50 119.20 - 135.50 : UC Upper Contact, 25 Deg to CA							
135.50	137.30	MD, Mafic Dike Mineralization 135.50 - 137.30 Tr PY Structure 135.50 - 137.30 135.50 - 137.30 : UC Upper Contact, 40 Deg to CA							
137.30	141.60	MV, Mafic Volcanic Mineralization 137.30 - 141.60 Structure 137.30 - 141.60 137.30 - 141.60							

Hole Number: KB-07-117

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
141.60	142.60	MDCHL, Mafic Dike Chloritic Mineralization 141.60 - 142.60 Structure 141.60 - 142.60 : MODFOL Moderately Foliated, 40 Deg to CA 141.60 - 142.60 : UC Upper Contact, 35 Deg to CA							
142.60	146.10	MV, Mafic Volcanic Mineralization 142.60 - 146.10 Structure 142.60 - 146.10 142.60 - 146.10 : UC Upper Contact, 35 Deg to CA							
146.10	147.50	MD, Mafic Dike							
147.50	151.80	MV, Mafic Volcanic Mineralization 147.50 - 151.80 Structure 147.50 - 151.80 : MODFOL Moderately Foliated, 30 Deg to CA 147.50 - 151.80 : UC Upper Contact, 35 Deg to CA							
151.80	154.50	MDCHL, Mafic Dike Chloritic Mineralization 151.80 - 154.50 Structure 151.80 - 154.50 151.80 - 154.50 : UC Upper Contact, 15 Deg to CA							
154.50	155.30	MD, Mafic Dike 20 cm MV @ lower contact Mineralization 154.50 - 155.30 Tr PY Structure 154.50 - 155.30 154.50 - 155.30 : UC Upper Contact, 25 Deg to CA							
155.30	158.80	MV, Mafic Volcanic Mineralization 155.30 - 158.80 Structure 155.30 - 158.80 : MODFOL Moderately Foliated, 25 Deg to CA 155.30 - 158.80 : UC Upper Contact, 30 Deg to CA							

Hole Number: KB-07-117

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
158.80	159.50	MDCHL, Mafic Dike Chloritic Mineralization 158.80 - 159.50 Structure 158.80 - 159.50 158.80 - 159.50 : UC Upper Contact, 30 Deg to CA							
159.50	194.80	MV, Mafic Volcanic Mineralization 159.50 - 194.80 Structure 159.50 - 194.80 : MODFOL Moderately Foliated, 30 Deg to CA							
194.80	196.10	MD, Mafic Dike							
196.10	207.50	MV, Mafic Volcanic Mineralization 196.10 - 207.50 Structure 196.10 - 207.50 : MODFOL Moderately Foliated, 30 Deg to CA 196.10 - 207.50 : UC Upper Contact, 35 Deg to CA							
207.50	208.30	MD, Mafic Dike Mineralization 207.50 - 208.30 Structure 207.50 - 208.30 207.50 - 208.30 : UC Upper Contact, 20 Deg to CA							
208.30	254.50	MV, Mafic Volcanic Mineralization 208.30 - 254.50 Structure 208.30 - 254.50 : MODFOL Moderately Foliated, 30 Deg to CA 208.30 - 254.50 : UC Upper Contact, 20 Deg to CA							
254.50	256.00	MD, Mafic Dike Mineralization 254.50 - 256.00 tr py Structure 254.50 - 256.00							

Hole Number: KB-07-117

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
256.00	277.50	MV, Mafic Volcanic loc biotite Mineralization 256.00 - 277.50 Structure 256.00 - 277.50 : UC Upper Contact, 15 Deg to CA							
277.50	279.00	MD, Mafic Dike Mineralization 277.50 - 279.00 Structure 277.50 - 279.00 277.50 - 279.00 : UC Upper Contact, 25 Deg to CA							
279.00	288.50	MV, Mafic Volcanic Mineralization 279.00 - 288.50 Structure 279.00 - 288.50 : STRFOL Strongly Foliated, 40 Deg to CA 279.00 - 288.50 : UC Upper Contact, 15 Deg to CA	365931	284.00	285.00	1.00	0.0080	0.0050	0.0010
			365932	285.00	286.00	1.00	0.0025	0.0080	0.0020
			365933	286.00	287.00	1.00	0.0080	0.0110	0.0030
			365934	287.00	288.50	1.50	0.0090	0.0170	0.0020
288.50	293.50	TSCH, Talc Schist Mineralization 288.50 - 293.50 Structure 288.50 - 293.50 : STRFOL Strongly Foliated, 40 Deg to CA 288.50 - 293.50 : UC Upper Contact, 40 Deg to CA	365935	288.50	290.00	1.50	0.0720	0.0310	0.0060
			365936	290.00	291.00	1.00	0.0730	0.0110	0.0090
			365937	291.00	292.00	1.00	0.0630	0.0025	0.0060
			365938	292.00	293.50	1.50	0.0850	0.0050	0.0090
293.50	295.70	FD, Felsic Dike Mineralization 293.50 - 295.70 Structure 293.50 - 295.70 293.50 - 295.70 : UC Upper Contact, 25 Deg to CA	365939	293.50	295.00	1.50	0.0140	0.0025	0.0020
			365940	295.00	295.70	0.70	0.0160	0.0025	0.0020
295.70	299.30	TSCH, Talc Schist Mineralization 295.70 - 299.30 Structure 295.70 - 299.30 : STRFOL Strongly Foliated, 35 Deg to CA 295.70 - 299.30 : UC Upper Contact, 35 Deg to CA	365941	295.70	297.00	1.30	0.2760	0.0720	0.0120
			365942	297.00	298.00	1.00	0.4120	0.2750	0.0130
			365944	298.00	299.30	1.30	0.1120	0.0360	0.0080

Hole Number: KB-07-117

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
299.30	306.10	PYXT, Pyroxenite Mineralization 299.30 - 299.90 299.90 - 306.10 Structure 299.30 - 306.10 : MODFOL Moderately Foliated, 45 Deg to CA 299.30 - 306.10 : UC Upper Contact, 45 Deg to CA	365945	299.30	299.90	0.60	4.0100	1.2600	0.0860
			365946	299.90	301.00	1.10	0.0520	0.0370	0.0050
			365947	301.00	302.00	1.00	0.0330	0.0160	0.0050
			365948	302.00	303.00	1.00	0.0680	0.0940	0.0050
			365949	303.00	304.00	1.00	0.0180	0.0130	0.0060
			365950	304.00	305.00	1.00	0.0340	0.0390	0.0070
			365951	305.00	306.10	1.10	0.0320	0.0180	0.0060
306.10	307.90	FD, Felsic Dike Mineralization 306.10 - 307.90 Structure 306.10 - 307.90 306.10 - 307.90	365952	306.10	307.00	0.90	0.0080	0.0080	0.0020
			365953	307.00	307.90	0.90	0.0070	0.0130	0.0020
307.90	315.70	PYXT, Pyroxenite abun mv Mineralization 307.90 - 315.70 Structure 307.90 - 315.70 : MODFOL Moderately Foliated, 50 Deg to CA 307.90 - 315.70 : UC Upper Contact, 30 Deg to CA	365954	307.90	309.00	1.10	0.0940	0.0490	0.0080
			365955	309.00	310.00	1.00	0.0230	0.0350	0.0060
			365956	310.00	311.00	1.00	0.0760	0.0540	0.0060
			365957	311.00	312.00	1.00	0.0200	0.0090	0.0050
			365958	312.00	313.00	1.00	0.4210	0.0420	0.0160
			365960	313.00	314.00	1.00	0.0650	0.0270	0.0060
			365961	314.00	315.00	1.00	0.0310	0.0200	0.0060
			365962	315.00	315.70	0.70	0.0430	0.0290	0.0050
315.70	317.30	MDCHL, Mafic Dike Chloritic Mineralization 315.70 - 317.30 Structure 315.70 - 317.30 315.70 - 317.30 : UC Upper Contact, 35 Deg to CA	365963	315.70	317.30	1.60	0.0770	0.0540	0.0050
317.30	327.60	PYXT, Pyroxenite abun mv Mineralization 317.30 - 327.60 Structure 317.30 - 327.60 : MODFOL Moderately Foliated, 50 Deg to CA 317.30 - 327.60 : UC Upper Contact, 35 Deg to CA	365964	317.30	318.00	0.70	0.0680	0.0220	0.0060
			365965	318.00	319.00	1.00	0.0290	0.0150	0.0060
			365966	319.00	320.00	1.00	0.0910	0.1050	0.0070
			365967	320.00	321.00	1.00	0.1390	0.1030	0.0080
			365968	321.00	322.00	1.00	0.6970	0.4370	0.0210
			365969	322.00	323.00	1.00	0.1400	0.0890	0.0090
			365970	323.00	324.00	1.00	0.0430	0.0120	0.0060
			365971	324.00	325.00	1.00	0.0210	0.0100	0.0050
			365972	325.00	326.00	1.00	0.0520	0.0230	0.0070
			365973	326.00	327.00	1.00	0.1560	0.1370	0.0090
			365974	327.00	327.60	0.60	0.6700	0.2790	0.0210

Hole Number: KB-07-117

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
327.60	329.60	MDCHL, Mafic Dike Chloritic Mineralization 327.60 - 329.60 Structure 327.60 - 329.60 : MODFOL Moderately Foliated, 45 Deg to CA 327.60 - 329.60 : UC Upper Contact, 35 Deg to CA	365975	327.60	329.00	1.40	0.0150	0.0090	0.0040
			365976	329.00	329.60	0.60	0.0160	0.0110	0.0040
329.60	334.30	PYXT, Pyroxenite abun mv Mineralization 329.60 - 332.90 332.90 - 334.30 Structure 329.60 - 334.30 : MODFOL Moderately Foliated, 40 Deg to CA 329.60 - 334.30 : UC Upper Contact, 25 Deg to CA	365977	329.60	331.00	1.40	0.0210	0.0190	0.0040
			365978	331.00	332.00	1.00	0.0430	0.0500	0.0050
			365979	332.00	332.90	0.90	0.2860	0.1570	0.0130
			365980	332.90	334.30	1.40	0.8480	0.4160	0.0170
334.30	336.60	MV, Mafic Volcanic Mineralization 334.30 - 336.60 Structure 334.30 - 336.60 334.30 - 336.60 : UC Upper Contact, 25 Deg to CA	365982	334.30	336.00	1.70	0.1640	0.1380	0.0080
			365983	336.00	336.60	0.60	0.3870	0.2510	0.0110
336.60	337.80	PYXT, Pyroxenite abun mv Mineralization 336.60 - 337.80 Structure 336.60 - 337.80 336.60 - 337.80 : UC Upper Contact, 25 Deg to CA	365984	336.60	337.80	1.20	1.6650	0.7150	0.0370

Hole Number: KB-07-117

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
337.80	358.40	TSCH, Talc Schist Mineralization 337.80 - 342.40 342.40 - 352.90 352.90 - 358.40 Structure 337.80 - 358.40 : STRFOL Strongly Foliated, 35 Deg to CA 337.80 - 358.40 : UC Upper Contact, 60 Deg to CA	365986	337.80	339.00	1.20	0.9450	1.1700	0.0360
			365987	339.00	340.00	1.00	0.6910	0.9600	0.0180
			365988	340.00	341.00	1.00	0.5080	0.6350	0.0150
			365989	341.00	342.40	1.40	0.8450	0.5550	0.0210
			365990	342.40	343.00	0.60	0.1700	0.1070	0.0100
			365991	343.00	344.00	1.00	0.3680	0.1770	0.0160
			365992	344.00	345.00	1.00	0.5140	0.4650	0.0140
			365993	345.00	346.00	1.00	0.1830	0.1710	0.0100
			365994	346.00	347.00	1.00	0.4680	0.4390	0.0140
			365995	347.00	348.00	1.00	0.1520	0.1120	0.0100
			365996	348.00	349.00	1.00	0.1080	0.0790	0.0080
			365997	349.00	350.00	1.00	0.0760	0.0160	0.0100
			365998	350.00	351.00	1.00	0.3690	0.5410	0.0110
			365999	351.00	352.00	1.00	0.3870	0.8030	0.0110
			366000	352.00	352.90	0.90	0.1930	0.2810	0.0100
			366601	352.90	354.00	1.10	0.0950	0.0150	0.0100
			366602	354.00	355.00	1.00	0.0830	0.0160	0.0090
			366603	355.00	356.00	1.00	0.1290	0.1290	0.0080
			366604	356.00	357.00	1.00	0.0840	0.0250	0.0080
			366605	357.00	358.40	1.40	0.0840	0.0450	0.0060
358.40	359.00	MDCHL, Mafic Dike Chloritic Mineralization 358.40 - 359.00 Structure 358.40 - 359.00 : MODFOL Moderately Foliated, 40 Deg to CA 358.40 - 359.00 : UC Upper Contact, 40 Deg to CA	366606	358.40	359.00	0.60	0.0340	0.0150	0.0030
359.00	359.80	TSCH, Talc Schist Mineralization 359.00 - 359.80 Structure 359.00 - 359.80 : STRFOL Strongly Foliated, 35 Deg to CA 359.00 - 359.80 : UC Upper Contact, 35 Deg to CA	366607	359.00	359.80	0.80	0.2670	0.2260	0.0090
359.80	410.00	MV, Mafic Volcanic Mineralization 359.80 - 410.00 Structure 359.80 - 410.00 : MODFOL Moderately Foliated, 35 Deg to CA 359.80 - 410.00 : UC Upper Contact, 30 Deg to CA	366608	359.80	361.00	1.20	0.0130	0.0080	0.0040
			366609	361.00	362.00	1.00	0.0070	0.0090	0.0040
			366610	362.00	363.00	1.00	0.0100	0.0180	0.0070

Hole Number: KB-07-117

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365931	284.00	285.00	0.0080	0.0050	0.0010
365932	285.00	286.00	0.0025	0.0080	0.0020
365933	286.00	287.00	0.0080	0.0110	0.0030
365934	287.00	288.50	0.0090	0.0170	0.0020
365935	288.50	290.00	0.0720	0.0310	0.0060
365936	290.00	291.00	0.0730	0.0110	0.0090
365937	291.00	292.00	0.0630	0.0025	0.0060
365938	292.00	293.50	0.0850	0.0050	0.0090
365939	293.50	295.00	0.0140	0.0025	0.0020
365940	295.00	295.70	0.0160	0.0025	0.0020
365941	295.70	297.00	0.2760	0.0720	0.0120
365942	297.00	298.00	0.4120	0.2750	0.0130
365944	298.00	299.30	0.1120	0.0360	0.0080
365945	299.30	299.90	4.0100	1.2600	0.0860
365946	299.90	301.00	0.0520	0.0370	0.0050
365947	301.00	302.00	0.0330	0.0160	0.0050
365948	302.00	303.00	0.0680	0.0940	0.0050
365949	303.00	304.00	0.0180	0.0130	0.0060
365950	304.00	305.00	0.0340	0.0390	0.0070
365951	305.00	306.10	0.0320	0.0180	0.0060
365952	306.10	307.00	0.0080	0.0080	0.0020
365953	307.00	307.90	0.0070	0.0130	0.0020
365954	307.90	309.00	0.0940	0.0490	0.0080
365955	309.00	310.00	0.0230	0.0350	0.0060
365956	310.00	311.00	0.0760	0.0540	0.0060
365957	311.00	312.00	0.0200	0.0090	0.0050
365958	312.00	313.00	0.4210	0.0420	0.0160
365960	313.00	314.00	0.0650	0.0270	0.0060
365961	314.00	315.00	0.0310	0.0200	0.0060
365962	315.00	315.70	0.0430	0.0290	0.0050
365963	315.70	317.30	0.0770	0.0540	0.0050
365964	317.30	318.00	0.0680	0.0220	0.0060
365965	318.00	319.00	0.0290	0.0150	0.0060
365966	319.00	320.00	0.0910	0.1050	0.0070
365967	320.00	321.00	0.1390	0.1030	0.0080
365968	321.00	322.00	0.6970	0.4370	0.0210
365969	322.00	323.00	0.1400	0.0890	0.0090

Hole Number: KB-07-117

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365970	323.00	324.00	0.0430	0.0120	0.0060
365971	324.00	325.00	0.0210	0.0100	0.0050
365972	325.00	326.00	0.0520	0.0230	0.0070
365973	326.00	327.00	0.1560	0.1370	0.0090
365974	327.00	327.60	0.6700	0.2790	0.0210
365975	327.60	329.00	0.0150	0.0090	0.0040
365976	329.00	329.60	0.0160	0.0110	0.0040
365977	329.60	331.00	0.0210	0.0190	0.0040
365978	331.00	332.00	0.0430	0.0500	0.0050
365979	332.00	332.90	0.2860	0.1570	0.0130
365980	332.90	334.30	0.8480	0.4160	0.0170
365982	334.30	336.00	0.1640	0.1380	0.0080
365983	336.00	336.60	0.3870	0.2510	0.0110
365984	336.60	337.80	1.6650	0.7150	0.0370
365986	337.80	339.00	0.9450	1.1700	0.0360
365987	339.00	340.00	0.6910	0.9600	0.0180
365988	340.00	341.00	0.5080	0.6350	0.0150
365989	341.00	342.40	0.8450	0.5550	0.0210
365990	342.40	343.00	0.1700	0.1070	0.0100
365991	343.00	344.00	0.3680	0.1770	0.0160
365992	344.00	345.00	0.5140	0.4650	0.0140
365993	345.00	346.00	0.1830	0.1710	0.0100
365994	346.00	347.00	0.4680	0.4390	0.0140
365995	347.00	348.00	0.1520	0.1120	0.0100
365996	348.00	349.00	0.1080	0.0790	0.0080
365997	349.00	350.00	0.0760	0.0160	0.0100
365998	350.00	351.00	0.3690	0.5410	0.0110
365999	351.00	352.00	0.3870	0.8030	0.0110
366000	352.00	352.90	0.1930	0.2810	0.0100
366601	352.90	354.00	0.0950	0.0150	0.0100
366602	354.00	355.00	0.0830	0.0160	0.0090
366603	355.00	356.00	0.1290	0.1290	0.0080
366604	356.00	357.00	0.0840	0.0250	0.0080
366605	357.00	358.40	0.0840	0.0450	0.0060
366606	358.40	359.00	0.0340	0.0150	0.0030
366607	359.00	359.80	0.2670	0.2260	0.0090
366608	359.80	361.00	0.0130	0.0080	0.0040

Hole Number: KB-07-117

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366609	361.00	362.00	0.0070	0.0090	0.0040
366610	362.00	363.00	0.0100	0.0180	0.0070

DETAILED LOG

Hole Number: KB-07-116

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -62.00
Project Number:	19900	North:	5481424.00		North:	5481424.00	Collar Az: 302.50
Location:	Surface	East:	454063.90		East:	454063.90	Length: 332.00 (m)
		Elev:	402.89		Elev:	402.89	Start Depth: 0.00 (m)
Date Started:	Aug 24, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 332.00 (m)
Date Completed:	Sep 02, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	248.10	264.20	16.10	0.9998	0.3729	0.0287
WEIGHTED	285.00	303.00	18.00	0.4466	0.2936	0.0113
WEIGHTED	287.80	290.00	2.20	1.3240	0.3948	0.0188

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	302.50	-62.20	EZ	OK	5848	101.00	307.70	-58.40	EZ	OK	5810
152.00	306.60	-55.10	EZ	OK	5789	200.00	307.40	-52.90	EZ	OK	5807
251.00	280.90	-52.50	EZ	OK	5878						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.70	CAS, Casing							
2.70	6.20	MD, Mafic Dike Mineralization 2.70 - 6.20 Structure 2.70 - 6.20 2.70 - 6.20 : UC Upper Contact, 5 Deg to CA Down dip							
6.20	82.20	MV, Mafic Volcanic Mineralization 6.20 - 82.20 Structure 6.20 - 82.20 : MODFOL Moderately Foliated, 65 Deg to CA 6.20 - 82.20 : UC Upper Contact, 65 Deg to CA							

Hole Number: KB-07-116 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
82.20	84.90	MDCHL, Mafic Dike Chloritic Mineralization 82.20 - 84.90 Structure 82.20 - 84.90 82.20 - 84.90 Irregular							
84.90	86.90	MV, Mafic Volcanic Mineralization 84.90 - 86.90 Structure 84.90 - 86.90 : MODFOL Moderately Foliated, 35 Deg to CA 84.90 - 86.90 Irregular							
86.90	88.40	MDCHL, Mafic Dike Chloritic Mineralization 86.90 - 88.40 Structure 86.90 - 88.40 : MODFOL Moderately Foliated, 40 Deg to CA 86.90 - 88.40 : UC Upper Contact, 15 Deg to CA							
88.40	113.50	MV, Mafic Volcanic Mineralization 88.40 - 113.50 Structure 88.40 - 113.50 : MODFOL Moderately Foliated, 30 Deg to CA 88.40 - 113.50 : UC Upper Contact, 20 Deg to CA Irregular							
113.50	114.45	MDCHL, Mafic Dike Chloritic Mineralization 113.50 - 114.45 Structure 113.50 - 114.45 : MODFOL Moderately Foliated, 30 Deg to CA 113.50 - 114.45 : UC Upper Contact, 35 Deg to CA							
114.45	120.30	MV, Mafic Volcanic Mineralization 114.45 - 120.30 Structure 114.45 - 120.30 : MODFOL Moderately Foliated, 40 Deg to CA 114.45 - 120.30 : UC Upper Contact, 30 Deg to CA							

Hole Number: KB-07-116 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
120.30	121.50	FD, Felsic Dike Mineralization 120.30 - 121.50 Structure 120.30 - 121.50 120.30 - 121.50 : UC Upper Contact, 35 Deg to CA							
121.50	149.30	MV, Mafic Volcanic Mineralization 121.50 - 149.30 Structure 121.50 - 149.30 : MODFOL Moderately Foliated, 35 Deg to CA 121.50 - 149.30 : UC Upper Contact, 35 Deg to CA							
149.30	150.30	MD, Mafic Dike Mineralization 149.30 - 150.30 Tr PY Structure 149.30 - 150.30 149.30 - 150.30 : UC Upper Contact, 30 Deg to CA							
150.30	159.40	MV, Mafic Volcanic Mineralization 150.30 - 159.40 Structure 150.30 - 159.40 : MODFOL Moderately Foliated, 40 Deg to CA 150.30 - 159.40 Unknown							
159.40	161.90	MD, Mafic Dike Mineralization 159.40 - 161.90 Structure 159.40 - 161.90 159.40 - 161.90 : UC Upper Contact, 50 Deg to CA							
161.90	209.00	MV, Mafic Volcanic Mineralization 161.90 - 209.00 Tr sul in salvages w/GABPYXT Structure 161.90 - 195.80 : MODFOL Moderately Foliated, 40 Deg to CA 195.80 - 207.00 : MODFOL Moderately Foliated, 50 Deg to CA 20% GABPYXT dykes 207.00 - 209.00 : MODFOL Moderately Foliated, 30 Deg to CA							

Hole Number: KB-07-116 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
209.00	213.60	MD, Mafic Dike Mineralization 209.00 - 213.60 Structure 209.00 - 213.60 209.00 - 213.60 : UC Upper Contact, 35 Deg to CA							
213.60	217.70	MV, Mafic Volcanic Mineralization 213.60 - 217.70 Structure 213.60 - 217.70 213.60 - 217.70 : UC Upper Contact, 55 Deg to CA							
217.70	218.60	FD, Felsic Dike Mineralization 217.70 - 218.60 Structure 217.70 - 218.60 217.70 - 218.60 : UC Upper Contact, 85 Deg to CA							
218.60	236.00	MV, Mafic Volcanic Local bio Mineralization 218.60 - 236.00 Structure 218.60 - 236.00 218.60 - 236.00 : UC Upper Contact, 65 Deg to CA							
236.00	237.80	MDCHL, Mafic Dike Chloritic Mineralization 236.00 - 237.80 Structure 236.00 - 237.80 236.00 - 237.80 : UC Upper Contact, 45 Deg to CA							
237.80	243.10	MV, Mafic Volcanic Mineralization 237.80 - 243.10 Tr sul near lower contact Structure 237.80 - 243.10 237.80 - 243.10 : UC Upper Contact, 40 Deg to CA	365790	240.00	241.50	1.50	0.0230	0.0140	0.0060
			365791	241.50	243.10	1.60	0.1650	0.0690	0.0100

DETAILED LOG

Hole Number: KB-07-116

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
243.10	245.40	MDCHL, Mafic Dike Chloritic Mineralization 243.10 - 245.40 Structure 243.10 - 245.40 243.10 - 245.40 Unknown	365792	243.10	244.00	0.90	0.0025	0.0050	0.0020
			365793	244.00	245.40	1.40	0.0090	0.0025	0.0030
245.40	254.30	TSCH, Talc Schist Mineralization 245.40 - 248.10 248.10 - 254.30 Structure 245.40 - 254.30 : STRFOL Strongly Foliated, 30 Deg to CA 245.40 - 254.30 : UC Upper Contact, 40 Deg to CA	365794	245.40	246.00	0.60	0.1780	0.0830	0.0100
			365795	246.00	247.00	1.00	0.1190	0.0300	0.0120
			365796	247.00	248.10	1.10	0.1480	0.0780	0.0110
			365798	248.10	249.00	0.90	1.0150	0.6890	0.0230
			365799	249.00	250.00	1.00	0.7420	0.3590	0.0250
			365801	250.00	251.00	1.00	0.4730	0.2280	0.0170
			365802	251.00	252.00	1.00	0.5830	0.4680	0.0200
			365803	252.00	253.00	1.00	0.8050	0.3390	0.0230
			365804	253.00	254.30	1.30	2.1100	0.4170	0.0590
254.30	258.00	PYXT, Pyroxenite Mineralization 254.30 - 257.20 257.20 - 258.00 Structure 254.30 - 258.00 : STRFOL Strongly Foliated, 30 Deg to CA	365805	254.30	255.00	0.70	0.5970	0.3240	0.0170
			365806	255.00	256.00	1.00	0.6470	0.1650	0.0210
			365807	256.00	257.20	1.20	0.0630	0.0470	0.0080
			365808	257.20	258.00	0.80	1.3650	0.5830	0.0420
258.00	259.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 258.00 - 259.10 Structure 258.00 - 259.10 : MODFOL Moderately Foliated, 35 Deg to CA 258.00 - 259.10 Vague	365809	258.00	259.10	1.10	0.0720	0.0570	0.0070
259.10	264.20	PYXT, Pyroxenite Mineralization 259.10 - 261.40 261.40 - 261.90 261.90 - 264.20 Structure 259.10 - 264.20 : MODFOL Moderately Foliated, 30 Deg to CA 259.10 - 264.20 : UC Upper Contact, 35 Deg to CA	365810	259.10	260.20	1.10	1.3200	0.3270	0.0330
			365812	260.20	261.40	1.20	0.9220	0.5670	0.0230
			365813	261.40	261.90	0.50	6.2200	0.9510	0.1720
			365815	261.90	263.00	1.10	1.3100	0.7210	0.0290
			365816	263.00	264.20	1.20	0.3470	0.1340	0.0120

Hole Number: KB-07-116

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
264.20	268.50	MDCHL, Mafic Dike Chloritic Mineralization 264.20 - 268.50 Structure 264.20 - 268.50 264.20 - 268.50 : UC Upper Contact, 40 Deg to CA	365817	264.20	265.50	1.30	0.0410	0.0270	0.0010
			365818	265.50	267.00	1.50	0.0110	0.0150	0.0010
			365819	267.00	268.50	1.50	0.0070	0.0140	0.0010
268.50	287.80	MV, Mafic Volcanic Mineralization 268.50 - 287.80 20% PYXT dykes Structure 268.50 - 287.80 : MODFOL Moderately Foliated, 50 Deg to CA 268.50 - 287.80 : UC Upper Contact, 55 Deg to CA	365820	268.50	270.00	1.50	0.0830	0.0300	0.0040
			365821	270.00	271.50	1.50	0.0250	0.0190	0.0040
			365822	271.50	273.00	1.50	0.0210	0.0120	0.0030
			365823	273.00	274.50	1.50	0.0250	0.0200	0.0040
			365824	274.50	276.00	1.50	0.3140	0.1290	0.0100
			365825	276.00	277.50	1.50	0.1250	0.0400	0.0040
			365826	277.50	279.00	1.50	0.1680	0.1670	0.0070
			365827	279.00	280.50	1.50	0.1060	0.1030	0.0060
			365828	280.50	282.00	1.50	0.0220	0.0160	0.0040
			365829	282.00	283.50	1.50	0.1900	0.1390	0.0070
			365830	283.50	285.00	1.50	0.1670	0.0720	0.0090
			365831	285.00	286.50	1.50	0.2010	0.1740	0.0090
			365832	286.50	287.80	1.30	0.2360	0.0980	0.0110
287.80	291.00	PYXT, Pyroxenite Mineralization 287.80 - 288.30 288.30 - 291.00 Structure 287.80 - 291.00 : MODFOL Moderately Foliated, 40 Deg to CA 287.80 - 291.00 : UC Upper Contact, 65 Deg to CA	365833	287.80	288.30	0.50	3.0200	0.8320	0.0480
			365834	288.30	289.00	0.70	0.4970	0.5480	0.0120
			365836	289.00	290.00	1.00	1.0550	0.0690	0.0090
			365837	290.00	291.00	1.00	0.4910	0.5610	0.0130
291.00	294.60	TSCH, Talc Schist Mineralization 291.00 - 294.60 Structure 291.00 - 294.60 : STRFOL Strongly Foliated, 40 Deg to CA 291.00 - 294.60 Gradational	365839	291.00	292.00	1.00	0.7040	0.4710	0.0180
			365840	292.00	293.00	1.00	0.4750	0.2550	0.0130
			365841	293.00	294.00	1.00	0.7470	1.0050	0.0190
			365842	294.00	294.60	0.60	0.4380	0.3170	0.0110
294.60	296.10	PYXT, Pyroxenite Mineralization 294.60 - 296.10 Structure 294.60 - 296.10 : STRFOL Strongly Foliated, 45 Deg to CA 294.60 - 296.10 : UC Upper Contact, 60 Deg to CA	365843	294.60	295.30	0.70	0.1940	0.1750	0.0090
			365844	295.30	296.10	0.80	0.0800	0.0080	0.0070

Hole Number: KB-07-116

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
296.10	298.80	TSCH, Talc Schist Mineralization 296.10 - 298.80 Structure 296.10 - 298.80 : STRFOL Strongly Foliated, 50 Deg to CA 296.10 - 298.80 : UC Upper Contact, 65 Deg to CA
298.80	301.10	MDCHL, Mafic Dike Chloritic Mineralization 298.80 - 301.10 Structure 298.80 - 301.10 298.80 - 301.10 : UC Upper Contact, 55 Deg to CA
301.10	302.00	PYXT, Pyroxenite w/MV xenoliths Mineralization 301.10 - 302.00 Structure 301.10 - 302.00 : STRFOL Strongly Foliated, 45 Deg to CA 301.10 - 302.00 : UC Upper Contact, 45 Deg to CA
302.00	332.00	MV, Mafic Volcanic Mineralization 302.00 - 303.70 303.70 - 332.00 Structure 302.00 - 332.00 : MODFOL Moderately Foliated, 45 Deg to CA 302.00 - 332.00 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
365845	296.10	296.90	0.80	0.4730	0.4680	0.0120
365846	296.90	297.90	1.00	0.3280	0.3370	0.0100
365847	297.90	298.80	0.90	0.1210	0.0370	0.0070
365848	298.80	300.00	1.20	0.0730	0.0690	0.0020
365849	300.00	301.10	1.10	0.0130	0.0080	0.0010
365850	301.10	302.00	0.90	0.4550	0.3380	0.0110
365851	302.00	303.00	1.00	0.3120	0.2760	0.0130
365852	303.00	303.70	0.70	0.0620	0.0470	0.0060
365853	303.70	305.00	1.30	0.0190	0.0150	0.0040
365854	305.00	306.50	1.50	0.0150	0.0130	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365790	240.00	241.50	0.0230	0.0140	0.0060
365791	241.50	243.10	0.1650	0.0690	0.0100
365792	243.10	244.00	0.0025	0.0050	0.0020
365793	244.00	245.40	0.0090	0.0025	0.0030
365794	245.40	246.00	0.1780	0.0830	0.0100
365795	246.00	247.00	0.1190	0.0300	0.0120
365796	247.00	248.10	0.1480	0.0780	0.0110
365798	248.10	249.00	1.0150	0.6890	0.0230
365799	249.00	250.00	0.7420	0.3590	0.0250
365801	250.00	251.00	0.4730	0.2280	0.0170

Hole Number: KB-07-116

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365802	251.00	252.00	0.5830	0.4680	0.0200
365803	252.00	253.00	0.8050	0.3390	0.0230
365804	253.00	254.30	2.1100	0.4170	0.0590
365805	254.30	255.00	0.5970	0.3240	0.0170
365806	255.00	256.00	0.6470	0.1650	0.0210
365807	256.00	257.20	0.0630	0.0470	0.0080
365808	257.20	258.00	1.3650	0.5830	0.0420
365809	258.00	259.10	0.0720	0.0570	0.0070
365810	259.10	260.20	1.3200	0.3270	0.0330
365812	260.20	261.40	0.9220	0.5670	0.0230
365813	261.40	261.90	6.2200	0.9510	0.1720
365815	261.90	263.00	1.3100	0.7210	0.0290
365816	263.00	264.20	0.3470	0.1340	0.0120
365817	264.20	265.50	0.0410	0.0270	0.0010
365818	265.50	267.00	0.0110	0.0150	0.0010
365819	267.00	268.50	0.0070	0.0140	0.0010
365820	268.50	270.00	0.0830	0.0300	0.0040
365821	270.00	271.50	0.0250	0.0190	0.0040
365822	271.50	273.00	0.0210	0.0120	0.0030
365823	273.00	274.50	0.0250	0.0200	0.0040
365824	274.50	276.00	0.3140	0.1290	0.0100
365825	276.00	277.50	0.1250	0.0400	0.0040
365826	277.50	279.00	0.1680	0.1670	0.0070
365827	279.00	280.50	0.1060	0.1030	0.0060
365828	280.50	282.00	0.0220	0.0160	0.0040
365829	282.00	283.50	0.1900	0.1390	0.0070
365830	283.50	285.00	0.1670	0.0720	0.0090
365831	285.00	286.50	0.2010	0.1740	0.0090
365832	286.50	287.80	0.2360	0.0980	0.0110
365833	287.80	288.30	3.0200	0.8320	0.0480
365834	288.30	289.00	0.4970	0.5480	0.0120
365836	289.00	290.00	1.0550	0.0690	0.0090
365837	290.00	291.00	0.4910	0.5610	0.0130
365839	291.00	292.00	0.7040	0.4710	0.0180
365840	292.00	293.00	0.4750	0.2550	0.0130
365841	293.00	294.00	0.7470	1.0050	0.0190
365842	294.00	294.60	0.4380	0.3170	0.0110

Hole Number: KB-07-116

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365843	294.60	295.30	0.1940	0.1750	0.0090
365844	295.30	296.10	0.0800	0.0080	0.0070
365845	296.10	296.90	0.4730	0.4680	0.0120
365846	296.90	297.90	0.3280	0.3370	0.0100
365847	297.90	298.80	0.1210	0.0370	0.0070
365848	298.80	300.00	0.0730	0.0690	0.0020
365849	300.00	301.10	0.0130	0.0080	0.0010
365850	301.10	302.00	0.4550	0.3380	0.0110
365851	302.00	303.00	0.3120	0.2760	0.0130
365852	303.00	303.70	0.0620	0.0470	0.0060
365853	303.70	305.00	0.0190	0.0150	0.0040
365854	305.00	306.50	0.0150	0.0130	0.0040

DETAILED LOG

Hole Number: KB-07-115

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -55.10
Project Number:	19900	North: 5481424.00			North: 5481424.00		Collar Az: 304.60
Location:	Surface	East: 454063.90			East: 454063.90		Length: 299.00 (m)
		Elev: 402.89			Elev: 402.89		Start Depth: 0.00 (m)
Date Started:	May 10, 2005	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 299.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	213.00	229.40	16.40	0.3261	0.1442	0.0124
WEIGHTED	236.10	237.95	1.85	1.0702	0.3068	0.0266
WEIGHTED	236.10	245.40	9.30	0.4172	0.1755	0.0135
WEIGHTED	243.70	248.00	4.30	0.4660	0.2747	0.0138
WEIGHTED	251.00	258.80	7.80	0.3178	0.1785	0.0139
WEIGHTED	263.50	268.00	4.50	0.3528	0.1607	0.0113
WEIGHTED	271.60	277.40	5.80	0.2953	0.2288	0.0113

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	304.60	-55.10	EZ	OK	5855	50.00	308.60	-54.50	EZ	OK	5895
101.00	310.90	-51.40	EZ	OK	5832	152.00	313.60	-48.10	EZ	OK	5835
200.00	311.00	-46.80	EZ	OK	5765	251.00	313.40	-46.20	EZ	OK	5796
299.00	314.40	-44.90	EZ	OK	5790						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	26.70	MV, Mafic Volcanic Mineralization 3.00 - 26.70 Structure 3.00 - 26.70							
26.70	27.80	FD, Felsic Dike Mineralization 26.70 - 27.80 Structure 26.70 - 27.80							

Hole Number: KB-07-115 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
27.80	66.80	MV, Mafic Volcanic Mineralization 27.80 - 66.80 Structure 27.80 - 66.80 27.80 - 66.80 : UC Upper Contact, 50 Deg to CA							
66.80	67.80	FD, Felsic Dike							
67.80	70.20	MV, Mafic Volcanic Mineralization 67.80 - 70.20 Structure 67.80 - 70.20 67.80 - 70.20 : UC Upper Contact, 25 Deg to CA							
70.20	73.80	FD, Felsic Dike Mineralization 70.20 - 73.80 Structure 70.20 - 73.80							
73.80	102.50	MV, Mafic Volcanic Mineralization 73.80 - 102.50 Structure 73.80 - 102.50 : MODFOL Moderately Foliated, 45 Deg to CA 73.80 - 102.50 : UC Upper Contact, 20 Deg to CA							
102.50	103.10	MDCHL, Mafic Dike Chloritic Mineralization 102.50 - 103.10 Structure 102.50 - 103.10 : MODFOL Moderately Foliated, 45 Deg to CA 102.50 - 103.10 : UC Upper Contact, 30 Deg to CA							
103.10	106.20	MV, Mafic Volcanic Mineralization 103.10 - 106.20 Structure 103.10 - 106.20 : MODFOL Moderately Foliated, 45 Deg to CA 103.10 - 106.20 : UC Upper Contact, 55 Deg to CA							

Hole Number: KB-07-115 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
106.20	107.00	MD, Mafic Dike Mineralization 106.20 - 107.00 trace po Structure 106.20 - 107.00 106.20 - 107.00 : UC Upper Contact, 40 Deg to CA							
107.00	155.40	MV, Mafic Volcanic Mineralization 107.00 - 155.40 Structure 107.00 - 155.40 : MODFOL Moderately Foliated, 45 Deg to CA							
155.40	156.60	MDCHL, Mafic Dike Chloritic Mineralization 155.40 - 156.60 Structure 155.40 - 156.60 155.40 - 156.60 : UC Upper Contact, 40 Deg to CA							
156.60	158.90	MV, Mafic Volcanic Mineralization 156.60 - 158.90 Structure 156.60 - 158.90 : MODFOL Moderately Foliated, 45 Deg to CA 156.60 - 158.90 : UC Upper Contact, 30 Deg to CA							
158.90	161.90	MDCHL, Mafic Dike Chloritic Mineralization 158.90 - 161.90 Structure 158.90 - 161.90 158.90 - 161.90 : UC Upper Contact, 80 Deg to CA							
161.90	189.00	MV, Mafic Volcanic Mineralization 161.90 - 189.00 trace po Structure 161.90 - 189.00 161.90 - 189.00 : UC Upper Contact, 60 Deg to CA							

Hole Number: KB-07-115

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
189.00	189.90	MD, Mafic Dike Mineralization 189.00 - 189.90 Structure 189.00 - 189.90							
189.90	208.30	MV, Mafic Volcanic Mineralization 189.90 - 208.30 Structure 189.90 - 208.30	365474	205.00	206.00	1.00	0.0170	0.0180	0.0050
			365475	206.00	207.00	1.00	0.0180	0.0180	0.0050
			365476	207.00	208.30	1.30	0.1630	0.1190	0.0070
208.30	211.60	TSCH, Talc Schist Mineralization 208.30 - 211.60 Structure 208.30 - 211.60 : STRFOL Strongly Foliated, 25 Deg to CA	365477	208.30	209.00	0.70	0.1930	0.1410	0.0100
			365478	209.00	210.00	1.00	0.0820	0.0140	0.0090
			365479	210.00	211.00	1.00	0.0670	0.0150	0.0070
			365480	211.00	211.60	0.60	0.1710	0.0870	0.0060
211.60	213.00	MDCHL, Mafic Dike Chloritic Mineralization 211.60 - 213.00 Structure 211.60 - 213.00 : MODFOL Moderately Foliated, 35 Deg to CA 211.60 - 213.00 : UC Upper Contact, 35 Deg to CA	365481	211.60	213.00	1.40	0.0110	0.0130	0.0030
213.00	214.00	TSCH, Talc Schist Mineralization 213.00 - 214.00 Structure 213.00 - 214.00 : STRFOL Strongly Foliated, 35 Deg to CA	365482	213.00	214.00	1.00	0.3590	0.3520	0.0120
214.00	221.90	PYXT, Pyroxenite Mineralization 214.00 - 221.90 Structure 214.00 - 221.90 : STRFOL Strongly Foliated, 30 Deg to CA	365483	214.00	215.00	1.00	0.2470	0.1010	0.0090
			365484	215.00	216.00	1.00	0.2140	0.0960	0.0100
			365485	216.00	217.00	1.00	0.1830	0.0660	0.0100
			365486	217.00	218.00	1.00	0.2400	0.0870	0.0090
			365487	218.00	219.00	1.00	0.3080	0.1600	0.0140
			365489	219.00	220.00	1.00	0.5200	0.2540	0.0210
			365490	220.00	221.00	1.00	0.1930	0.0970	0.0070
			365491	221.00	221.90	0.90	0.4090	0.1360	0.0150
221.90	223.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 221.90 - 223.00 Structure 221.90 - 223.00	365493	221.90	223.00	1.10	0.0320	0.0130	0.0040

Hole Number: KB-07-115

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
223.00	229.40	PYXT, Pyroxenite MV Xenos Mineralization 223.00 - 229.40 Structure 223.00 - 229.40 : MODFOL Moderately Foliated, 50 Deg to CA 223.00 - 229.40 : UC Upper Contact, 45 Deg to CA	365494	223.00	224.00	1.00	0.2300	0.0890	0.0090
			365495	224.00	225.00	1.00	0.2030	0.0710	0.0080
			365496	225.00	226.00	1.00	0.5240	0.2330	0.0190
			365497	226.00	227.00	1.00	0.4740	0.1760	0.0170
			365498	227.00	228.00	1.00	0.6040	0.2330	0.0180
			365499	228.00	229.40	1.40	0.4610	0.1520	0.0160
229.40	232.05	MDCHL, Mafic Dike Chloritic Mineralization 229.40 - 232.05 Structure 229.40 - 232.05 : MODFOL Moderately Foliated, 45 Deg to CA 229.40 - 232.05 : UC Upper Contact, 40 Deg to CA	365500	229.40	231.00	1.60	0.0170	0.0130	0.0020
			365501	231.00	232.05	1.05	0.0070	0.0050	0.0020
232.05	233.00	MV, Mafic Volcanic Mineralization 232.05 - 233.00 Structure 232.05 - 233.00 : MODFOL Moderately Foliated, 55 Deg to CA 232.05 - 233.00 : UC Upper Contact, 50 Deg to CA	365502	232.05	233.00	0.95	0.0160	0.0350	0.0040
233.00	236.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 233.00 - 236.10 Structure 233.00 - 236.10	365503	233.00	234.00	1.00	0.0450	0.0130	0.0040
			365504	234.00	235.00	1.00	0.2130	0.1010	0.0100
			365505	235.00	236.10	1.10	0.0490	0.0770	0.0090
236.10	237.95	PYXT, Pyroxenite Mineralization 236.10 - 237.95 Structure 236.10 - 237.95	365506	236.10	237.00	0.90	0.7960	0.3140	0.0220
			365507	237.00	237.95	0.95	1.3300	0.3000	0.0310
237.95	241.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 237.95 - 241.00 Structure 237.95 - 241.00 237.95 - 241.00 : UC Upper Contact, 45 Deg to CA	365509	237.95	239.00	1.05	0.0190	0.0110	0.0050
			365510	239.00	240.00	1.00	0.0110	0.0120	0.0050
			365511	240.00	241.00	1.00	0.3400	0.2600	0.0130
241.00	243.70	GAB, Gabbro Mineralization 241.00 - 243.70 Structure 241.00 - 243.70 241.00 - 243.70 : UC Upper Contact, 45 Deg to CA	365512	241.00	242.50	1.50	0.0120	0.0260	0.0050
			365513	242.50	243.70	1.20	0.0210	0.0240	0.0050

Hole Number: KB-07-115

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
243.70	245.40	PYXT, Pyroxenite Mineralization 243.70 - 245.40 Structure 243.70 - 245.40 243.70 - 245.40 : UC Upper Contact, 45 Deg to CA	365514	243.70	244.50	0.80	0.9570	0.5110	0.0240
			365516	244.50	245.40	0.90	0.8000	0.3380	0.0220
245.40	246.50	MV, Mafic Volcanic Mineralization 245.40 - 246.50 Structure 245.40 - 246.50 245.40 - 246.50 : UC Upper Contact, 50 Deg to CA	365517	245.40	246.50	1.10	0.0280	0.0180	0.0050
246.50	251.90	PYXT, Pyroxenite Rare GAB Dikes + MV Xenos Mineralization 246.50 - 251.90 Structure 246.50 - 251.90 : MODFOL Moderately Foliated, 60 Deg to CA 246.50 - 251.90 : UC Upper Contact, 60 Deg to CA	365518	246.50	248.00	1.50	0.3250	0.2990	0.0100
			365519	248.00	249.00	1.00	0.0830	0.0400	0.0080
			365520	249.00	250.00	1.00	0.1600	0.0780	0.0090
			365521	250.00	251.00	1.00	0.1070	0.0490	0.0070
			365522	251.00	251.90	0.90	0.2730	0.0830	0.0150
251.90	255.40	MV, Mafic Volcanic PYXT Dikes Mineralization 251.90 - 255.40 Structure 251.90 - 255.40 : MODFOL Moderately Foliated, 50 Deg to CA 251.90 - 255.40 : UC Upper Contact, 40 Deg to CA	365523	251.90	253.00	1.10	0.0950	0.0580	0.0070
			365524	253.00	254.00	1.00	0.5440	0.1780	0.0120
			365526	254.00	255.40	1.40	0.2690	0.1900	0.0240
255.40	258.80	GABPYXT, Gabbro Pyroxenite Dikes MV Xenos Mineralization 255.40 - 258.80 Structure 255.40 - 258.80	365527	255.40	256.00	0.60	0.3330	0.1030	0.0110
			365528	256.00	257.00	1.00	0.3750	0.2690	0.0120
			365529	257.00	258.00	1.00	0.4460	0.3940	0.0140
			365531	258.00	258.80	0.80	0.2340	0.1060	0.0110
258.80	263.50	MV, Mafic Volcanic Mineralization 258.80 - 263.50 Structure 258.80 - 263.50 258.80 - 263.50 : UC Upper Contact, 35 Deg to CA	365532	258.80	260.00	1.20	0.0340	0.0110	0.0060
			365533	260.00	261.50	1.50	0.0200	0.0180	0.0050
			365534	261.50	262.50	1.00	0.0160	0.0130	0.0060
			365535	262.50	263.50	1.00	0.0190	0.0190	0.0060

Hole Number: KB-07-115

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
263.50	264.00	PYXT, Pyroxenite MV Xenos Mineralization 263.50 - 264.00 Structure 263.50 - 264.00 : MODFOL Moderately Foliated, 45 Deg to CA 263.50 - 264.00 : UC Upper Contact, 40 Deg to CA	365536	263.50	264.00	0.50	0.6210	0.4260	0.0160
264.00	271.00	MV, Mafic Volcanic PYXT Dikes Mineralization 264.00 - 271.00 Structure 264.00 - 271.00 : MODFOL Moderately Foliated, 45 Deg to CA	365537	264.00	265.00	1.00	0.0880	0.0910	0.0060
			365538	265.00	266.00	1.00	0.3060	0.0720	0.0120
			365539	266.00	267.00	1.00	0.5820	0.1930	0.0140
			365541	267.00	268.00	1.00	0.3010	0.1540	0.0110
			365542	268.00	269.00	1.00	0.0980	0.0560	0.0050
			365543	269.00	270.00	1.00	0.0440	0.0220	0.0070
			365544	270.00	271.60	1.60	0.0260	0.0180	0.0060
271.00	277.40	PYXT, Pyroxenite Zones of TSCH + MV Xenos Mineralization 271.00 - 277.40 Structure 271.00 - 277.40 : MODFOL Moderately Foliated, 45 Deg to CA 271.00 - 277.40 : UC Upper Contact, 60 Deg to CA	365545	271.60	273.00	1.40	0.5630	0.4590	0.0170
			365547	273.00	274.00	1.00	0.0790	0.0900	0.0070
			365548	274.00	275.00	1.00	0.0950	0.0470	0.0050
			365549	275.00	276.00	1.00	0.3910	0.2340	0.0160
			365550	276.00	277.40	1.40	0.2570	0.2240	0.0100
277.40	299.00	MV, Mafic Volcanic Mineralization 277.40 - 299.00 Structure 277.40 - 299.00 : MODFOL Moderately Foliated, 45 Deg to CA 277.40 - 299.00 : UC Upper Contact, 55 Deg to CA	365551	277.40	279.00	1.60	0.0270	0.0300	0.0040
			365552	279.00	280.00	1.00	0.0150	0.0100	0.0050
			365553	280.00	281.00	1.00	0.0080	0.0120	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365474	205.00	206.00	0.0170	0.0180	0.0050
365475	206.00	207.00	0.0180	0.0180	0.0050
365476	207.00	208.30	0.1630	0.1190	0.0070
365477	208.30	209.00	0.1930	0.1410	0.0100
365478	209.00	210.00	0.0820	0.0140	0.0090
365479	210.00	211.00	0.0670	0.0150	0.0070
365480	211.00	211.60	0.1710	0.0870	0.0060
365481	211.60	213.00	0.0110	0.0130	0.0030
365482	213.00	214.00	0.3590	0.3520	0.0120

Hole Number: KB-07-115

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365483	214.00	215.00	0.2470	0.1010	0.0090
365484	215.00	216.00	0.2140	0.0960	0.0100
365485	216.00	217.00	0.1830	0.0660	0.0100
365486	217.00	218.00	0.2400	0.0870	0.0090
365487	218.00	219.00	0.3080	0.1600	0.0140
365489	219.00	220.00	0.5200	0.2540	0.0210
365490	220.00	221.00	0.1930	0.0970	0.0070
365491	221.00	221.90	0.4090	0.1360	0.0150
365493	221.90	223.00	0.0320	0.0130	0.0040
365494	223.00	224.00	0.2300	0.0890	0.0090
365495	224.00	225.00	0.2030	0.0710	0.0080
365496	225.00	226.00	0.5240	0.2330	0.0190
365497	226.00	227.00	0.4740	0.1760	0.0170
365498	227.00	228.00	0.6040	0.2330	0.0180
365499	228.00	229.40	0.4610	0.1520	0.0160
365500	229.40	231.00	0.0170	0.0130	0.0020
365501	231.00	232.05	0.0070	0.0050	0.0020
365502	232.05	233.00	0.0160	0.0350	0.0040
365503	233.00	234.00	0.0450	0.0130	0.0040
365504	234.00	235.00	0.2130	0.1010	0.0100
365505	235.00	236.10	0.0490	0.0770	0.0090
365506	236.10	237.00	0.7960	0.3140	0.0220
365507	237.00	237.95	1.3300	0.3000	0.0310
365509	237.95	239.00	0.0190	0.0110	0.0050
365510	239.00	240.00	0.0110	0.0120	0.0050
365511	240.00	241.00	0.3400	0.2600	0.0130
365512	241.00	242.50	0.0120	0.0260	0.0050
365513	242.50	243.70	0.0210	0.0240	0.0050
365514	243.70	244.50	0.9570	0.5110	0.0240
365516	244.50	245.40	0.8000	0.3380	0.0220
365517	245.40	246.50	0.0280	0.0180	0.0050
365518	246.50	248.00	0.3250	0.2990	0.0100
365519	248.00	249.00	0.0830	0.0400	0.0080
365520	249.00	250.00	0.1600	0.0780	0.0090
365521	250.00	251.00	0.1070	0.0490	0.0070
365522	251.00	251.90	0.2730	0.0830	0.0150
365523	251.90	253.00	0.0950	0.0580	0.0070

Hole Number: KB-07-115

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365524	253.00	254.00	0.5440	0.1780	0.0120
365526	254.00	255.40	0.2690	0.1900	0.0240
365527	255.40	256.00	0.3330	0.1030	0.0110
365528	256.00	257.00	0.3750	0.2690	0.0120
365529	257.00	258.00	0.4460	0.3940	0.0140
365531	258.00	258.80	0.2340	0.1060	0.0110
365532	258.80	260.00	0.0340	0.0110	0.0060
365533	260.00	261.50	0.0200	0.0180	0.0050
365534	261.50	262.50	0.0160	0.0130	0.0060
365535	262.50	263.50	0.0190	0.0190	0.0060
365536	263.50	264.00	0.6210	0.4260	0.0160
365537	264.00	265.00	0.0880	0.0910	0.0060
365538	265.00	266.00	0.3060	0.0720	0.0120
365539	266.00	267.00	0.5820	0.1930	0.0140
365541	267.00	268.00	0.3010	0.1540	0.0110
365542	268.00	269.00	0.0980	0.0560	0.0050
365543	269.00	270.00	0.0440	0.0220	0.0070
365544	270.00	271.60	0.0260	0.0180	0.0060
365545	271.60	273.00	0.5630	0.4590	0.0170
365547	273.00	274.00	0.0790	0.0900	0.0070
365548	274.00	275.00	0.0950	0.0470	0.0050
365549	275.00	276.00	0.3910	0.2340	0.0160
365550	276.00	277.40	0.2570	0.2240	0.0100
365551	277.40	279.00	0.0270	0.0300	0.0040
365552	279.00	280.00	0.0150	0.0100	0.0050
365553	280.00	281.00	0.0080	0.0120	0.0040

DETAILED LOG

Hole Number: KB-07-114

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -54.80
Project Number:	19900	North: 5481537.00			North: 5481537.00		Collar Az: 300.20
Location:	Surface	East: 454064.40			East: 454064.40		Length: 200.00 (m)
		Elev: 403.90			Elev: 403.90		Start Depth: 0.00 (m)
Date Started:	Aug 15, 2005	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 200.00 (m)
Date Completed:		Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	125.00	127.20	2.20	0.3996	0.1665	0.0156
WEIGHTED	131.00	133.00	2.00	1.9379	1.5775	0.0523
WEIGHTED	149.40	163.90	14.50	0.3017	0.1213	0.0143

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
15.00	300.20	-54.80	EZ	OK	5824	50.00	301.30	-52.10	EZ	OK	5772
100.00	343.70	-50.50	EZ	DO	4893	150.00	301.40	-50.70	EZ	OK	5802
200.00	306.10	-50.00	EZ	OK	5759						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.50	CAS, Casing							
2.50	9.70	MV, Mafic Volcanic Mineralization 2.50 - 9.70 Structure 2.50 - 9.70							
9.70	11.00	MDCHL, Mafic Dike Chloritic Mineralization 9.70 - 11.00 Structure 9.70 - 11.00 : MODFOL Moderately Foliated, 45 Deg to CA 9.70 - 11.00 : UC Upper Contact, 30 Deg to CA							
11.00	11.70	MV, Mafic Volcanic Mineralization 11.00 - 11.70 Structure 11.00 - 11.70 : MODFOL Moderately Foliated, 40 Deg to CA							

Hole Number: KB-07-114 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.70	15.15	FD, Felsic Dike Mineralization 11.70 - 15.15 Structure 11.70 - 15.15							
15.15	30.00	MV, Mafic Volcanic BI Mineralization 15.15 - 30.00 Structure 15.15 - 30.00 : MODFOL Moderately Foliated, 35 Deg to CA 15.15 - 30.00 : UC Upper Contact, 35 Deg to CA							
30.00	34.20	MDCHL, Mafic Dike Chloritic Mineralization 30.00 - 34.20 Structure 30.00 - 34.20 : MODFOL Moderately Foliated, 50 Deg to CA 30.00 - 34.20 : UC Upper Contact, 50 Deg to CA							
34.20	37.80	MV, Mafic Volcanic Mineralization 34.20 - 37.80 Structure 34.20 - 37.80 : MODFOL Moderately Foliated, 40 Deg to CA 34.20 - 37.80 : UC Upper Contact, 40 Deg to CA							
37.80	39.30	MDCHL, Mafic Dike Chloritic Mineralization 37.80 - 39.30 Structure 37.80 - 39.30 : MODFOL Moderately Foliated, 50 Deg to CA 37.80 - 39.30 : UC Upper Contact, 60 Deg to CA							
39.30	53.70	MV, Mafic Volcanic Mineralization 39.30 - 53.70 Structure 39.30 - 53.70 : MODFOL Moderately Foliated, 40 Deg to CA 39.30 - 53.70 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-114

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
53.70	54.50	FD, Felsic Dike Mineralization 53.70 - 54.50 Structure 53.70 - 54.50 53.70 - 54.50 : UC Upper Contact, 35 Deg to CA							
54.50	58.10	MV, Mafic Volcanic Mineralization 54.50 - 58.10 trace py Structure 54.50 - 58.10 : MODFOL Moderately Foliated, 40 Deg to CA 54.50 - 58.10 : UC Upper Contact, 30 Deg to CA							
58.10	68.30	FD, Felsic Dike Mineralization 58.10 - 68.30 Structure 58.10 - 68.30 58.10 - 68.30 : UC Upper Contact, 40 Deg to CA							
68.30	69.60	MV, Mafic Volcanic Mineralization 68.30 - 69.60 Structure 68.30 - 69.60 : MODFOL Moderately Foliated, 50 Deg to CA 68.30 - 69.60 : UC Upper Contact, 30 Deg to CA							
69.60	73.30	FD, Felsic Dike Mineralization 69.60 - 73.30 Structure 69.60 - 73.30							
73.30	80.00	MV, Mafic Volcanic Mineralization 73.30 - 80.00 Structure 73.30 - 80.00 : MODFOL Moderately Foliated, 40 Deg to CA							
80.00	80.65	FD, Felsic Dike Mineralization 80.00 - 80.65 Structure 80.00 - 80.65							

Hole Number: KB-07-114 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
80.65	83.00	MV, Mafic Volcanic Mineralization 80.65 - 83.00 Structure 80.65 - 83.00 80.65 - 83.00 : UC Upper Contact, 30 Deg to CA							
83.00	90.25	FD, Felsic Dike MV Xenos Mineralization 83.00 - 90.25 Structure 83.00 - 90.25 83.00 - 90.25 : UC Upper Contact, 45 Deg to CA							
90.25	92.35	MD, Mafic Dike Mineralization 90.25 - 92.35 Structure 90.25 - 92.35							
92.35	102.00	MV, Mafic Volcanic BI Mineralization 92.35 - 102.00 trace po Structure 92.35 - 102.00 : MODFOL Moderately Foliated, 35 Deg to CA	365405	99.00	100.00	1.00	0.0140	0.0110	0.0070
			365406	100.00	101.00	1.00	0.0110	0.0080	0.0050
			365407	101.00	102.00	1.00	0.0620	0.0230	0.0050
102.00	103.75	PYXT, Pyroxenite Mineralization 102.00 - 103.75 Structure 102.00 - 103.75	365408	102.00	103.00	1.00	2.4000	1.0650	0.0830
			365409	103.00	103.75	0.75	3.4100	1.5050	0.0950
103.75	107.60	MV, Mafic Volcanic SM PYXT Dikes Mineralization 103.75 - 107.60 Structure 103.75 - 107.60 103.75 - 107.60 : UC Upper Contact, 35 Deg to CA	365411	103.75	105.00	1.25	0.7600	0.5330	0.0240
			365412	105.00	106.00	1.00	0.2180	0.7250	0.0110
			365413	106.00	107.60	1.60	0.0790	0.1150	0.0070

Hole Number: KB-07-114

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
107.60	109.10	GABPYXT, Gabbro Pyroxenite Dikes MV Xenos Mineralization 107.60 - 109.10 Structure 107.60 - 109.10 107.60 - 109.10 : UC Upper Contact, 70 Deg to CA	365414	107.60	108.20	0.60	0.3820	0.2800	0.0140
			365415	108.20	109.10	0.90	1.4800	0.6150	0.0430
109.10	110.00	PYXT, Pyroxenite Mineralization 109.10 - 110.00 Structure 109.10 - 110.00 109.10 - 110.00 : UC Upper Contact, 10 Deg to CA	365416	109.10	110.00	0.90	3.6500	0.4700	0.1020
110.00	112.65	MV, Mafic Volcanic Mineralization 110.00 - 112.65 Structure 110.00 - 112.65	365418	110.00	111.00	1.00	0.1710	0.6120	0.0080
			365419	111.00	112.00	1.00	0.1950	0.4020	0.0100
			365420	112.00	112.65	0.65	0.2060	0.4240	0.0100
112.65	115.10	GAB, Gabbro Mineralization 112.65 - 115.10 Structure 112.65 - 115.10 112.65 - 115.10 : UC Upper Contact, 30 Deg to CA	365421	112.65	114.00	1.35	0.0410	0.0830	0.0060
			365422	114.00	115.10	1.10	0.0190	0.0150	0.0060
115.10	121.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 115.10 - 118.00 118.00 - 121.00 Structure 115.10 - 121.00	365423	115.10	116.50	1.40	0.0230	0.0180	0.0060
			365424	116.50	118.00	1.50	0.0580	0.0220	0.0050
			365425	118.00	119.00	1.00	0.0530	0.1020	0.0070
			365426	119.00	120.00	1.00	0.0670	0.0480	0.0090
			365427	120.00	121.00	1.00	0.0510	0.0240	0.0050
121.00	122.70	FD, Felsic Dike Mineralization 121.00 - 122.70 Structure 121.00 - 122.70 121.00 - 122.70 : UC Upper Contact, 55 Deg to CA	365428	121.00	122.70	1.70	0.0060	0.0050	0.0020

Hole Number: KB-07-114

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
122.70	127.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 122.70 - 127.20 Structure 122.70 - 127.20 122.70 - 127.20 : UC Upper Contact, 50 Deg to CA	365429	122.70	124.00	1.30	0.0210	0.0140	0.0060
			365430	124.00	125.00	1.00	0.0250	0.0200	0.0050
			365431	125.00	126.00	1.00	0.3560	0.1250	0.0140
			365432	126.00	127.20	1.20	0.4360	0.2010	0.0170
127.20	127.95	PYXT, Pyroxenite Mineralization 127.20 - 127.95 Structure 127.20 - 127.95 127.20 - 127.95 : UC Upper Contact, 45 Deg to CA	365433	127.20	127.95	0.75	0.0850	0.0370	0.0060
127.95	129.20	MV, Mafic Volcanic Mineralization 127.95 - 129.20 trace py Structure 127.95 - 129.20 127.95 - 129.20 : UC Upper Contact, 40 Deg to CA	365434	127.95	129.20	1.25	0.0170	0.0170	0.0060
129.20	131.00	MDCHL, Mafic Dike Chloritic Mineralization 129.20 - 131.00 trace po Structure 129.20 - 131.00 129.20 - 131.00 : UC Upper Contact, 30 Deg to CA	365435	129.20	130.00	0.80	0.0090	0.0060	0.0020
			365436	130.00	131.00	1.00	0.0090	0.0070	0.0040
131.00	133.00	PYXT, Pyroxenite MV Xenos Mineralization 131.00 - 132.15 132.15 - 133.00 Structure 131.00 - 133.00 131.00 - 133.00 : UC Upper Contact, 40 Deg to CA	365437	131.00	132.15	1.15	0.7980	1.9600	0.0200
			365438	132.15	133.00	0.85	3.4800	1.0600	0.0960
133.00	144.30	MV, Mafic Volcanic PYXT + GAB Dikes Mineralization 133.00 - 144.30 trace po + cpy Structure 133.00 - 144.30 133.00 - 144.30 : UC Upper Contact, 35 Deg to CA	365440	133.00	134.50	1.50	0.1780	0.0720	0.0110
			365441	134.50	136.00	1.50	0.0120	0.0170	0.0050
			365442	136.00	137.50	1.50	0.0140	0.0110	0.0050
			365443	137.50	139.00	1.50	0.0170	0.0130	0.0060
			365444	139.00	140.50	1.50	0.0200	0.0140	0.0070
			365445	140.50	142.00	1.50	0.0800	0.0380	0.0080
			365446	142.00	143.00	1.00	0.0170	0.0170	0.0070
			365447	143.00	144.30	1.30	0.0160	0.0100	0.0050

Hole Number: KB-07-114 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
144.30	146.10	GABPYXT, Gabbro Pyroxenite Dikes MV Xenos Mineralization 144.30 - 146.10 trace po Structure 144.30 - 146.10	365448	144.30	145.00	0.70	0.0340	0.0220	0.0070
			365450	145.00	146.10	1.10	0.0300	0.0280	0.0060
146.10	147.60	GAB, Gabbro Mineralization 146.10 - 147.60 Structure 146.10 - 147.60	365451	146.10	147.60	1.50	0.0200	0.0160	0.0050
147.60	151.00	PYXT, Pyroxenite MV Xenos Mineralization 147.60 - 149.40 149.40 - 151.00 Structure 147.60 - 151.00 147.60 - 151.00 : UC Upper Contact, 70 Deg to CA	365452	147.60	148.50	0.90	0.1590	0.0620	0.0090
			365453	148.50	149.40	0.90	0.1100	0.0520	0.0080
			365454	149.40	150.00	0.60	0.7240	0.3930	0.0270
			365456	150.00	151.00	1.00	1.2450	0.2640	0.0450
151.00	152.20	GABPYXT, Gabbro Pyroxenite Dikes MV Xenos Mineralization 151.00 - 152.20 Structure 151.00 - 152.20 151.00 - 152.20 : UC Upper Contact, 60 Deg to CA	365457	151.00	152.20	1.20	0.1710	0.0880	0.0090
152.20	154.95	GAB, Gabbro Mineralization 152.20 - 154.95 Structure 152.20 - 154.95 152.20 - 154.95 : UC Upper Contact, 35 Deg to CA	365459	152.20	153.50	1.30	0.0870	0.0180	0.0090
			365460	153.50	154.95	1.45	0.0250	0.0110	0.0060
154.95	155.45	FD, Felsic Dike Mineralization 154.95 - 155.45 Structure 154.95 - 155.45 154.95 - 155.45 : UC Upper Contact, 40 Deg to CA	365461	154.95	155.45	0.50	0.0120	0.0060	0.0040

Hole Number: KB-07-114 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
155.45	156.00	MD, Mafic Dike Mineralization 155.45 - 156.00 Structure 155.45 - 156.00	365462	155.45	156.00	0.55	0.0100	0.0050	0.0040
156.00	157.70	MV, Mafic Volcanic Mineralization 156.00 - 157.70 Structure 156.00 - 157.70 : MODFOL Moderately Foliated, 50 Deg to CA 156.00 - 157.70 : UC Upper Contact, 50 Deg to CA	365463	156.00	157.70	1.70	0.0250	0.0090	0.0070
157.70	163.90	PYXT, Pyroxenite MV Xenos Mineralization 157.70 - 161.40 161.40 - 162.35 162.35 - 163.90 Structure 157.70 - 163.90 : MODFOL Moderately Foliated, 35 Deg to CA 157.70 - 163.90 : UC Upper Contact, 50 Deg to CA	365464	157.70	159.00	1.30	0.3700	0.1250	0.0150
			365465	159.00	160.00	1.00	0.3200	0.1110	0.0150
			365466	160.00	161.40	1.40	0.1940	0.3180	0.0090
			365467	161.40	162.35	0.95	0.9380	0.1350	0.0390
			365469	162.35	163.00	0.65	0.2160	0.1760	0.0110
			365470	163.00	163.90	0.90	0.2030	0.1460	0.0090
163.90	191.80	MV, Mafic Volcanic GAB Dikes Mineralization 163.90 - 191.80 Structure 163.90 - 191.80	365471	163.90	165.00	1.10	0.0350	0.0210	0.0060
			365472	165.00	166.00	1.00	0.0210	0.0240	0.0040
			365473	166.00	167.00	1.00	0.0120	0.0070	0.0060
191.80	192.60	MDCHL, Mafic Dike Chloritic Mineralization 191.80 - 192.60 Structure 191.80 - 192.60							
192.60	200.00	MV, Mafic Volcanic Mineralization 192.60 - 200.00 Structure 192.60 - 200.00 : MODFOL Moderately Foliated, 45 Deg to CA 192.60 - 200.00 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-114

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365405	99.00	100.00	0.0140	0.0110	0.0070
365406	100.00	101.00	0.0110	0.0080	0.0050
365407	101.00	102.00	0.0620	0.0230	0.0050
365408	102.00	103.00	2.4000	1.0650	0.0830
365409	103.00	103.75	3.4100	1.5050	0.0950
365411	103.75	105.00	0.7600	0.5330	0.0240
365412	105.00	106.00	0.2180	0.7250	0.0110
365413	106.00	107.60	0.0790	0.1150	0.0070
365414	107.60	108.20	0.3820	0.2800	0.0140
365415	108.20	109.10	1.4800	0.6150	0.0430
365416	109.10	110.00	3.6500	0.4700	0.1020
365418	110.00	111.00	0.1710	0.6120	0.0080
365419	111.00	112.00	0.1950	0.4020	0.0100
365420	112.00	112.65	0.2060	0.4240	0.0100
365421	112.65	114.00	0.0410	0.0830	0.0060
365422	114.00	115.10	0.0190	0.0150	0.0060
365423	115.10	116.50	0.0230	0.0180	0.0060
365424	116.50	118.00	0.0580	0.0220	0.0050
365425	118.00	119.00	0.0530	0.1020	0.0070
365426	119.00	120.00	0.0670	0.0480	0.0090
365427	120.00	121.00	0.0510	0.0240	0.0050
365428	121.00	122.70	0.0060	0.0050	0.0020
365429	122.70	124.00	0.0210	0.0140	0.0060
365430	124.00	125.00	0.0250	0.0200	0.0050
365431	125.00	126.00	0.3560	0.1250	0.0140
365432	126.00	127.20	0.4360	0.2010	0.0170
365433	127.20	127.95	0.0850	0.0370	0.0060
365434	127.95	129.20	0.0170	0.0170	0.0060
365435	129.20	130.00	0.0090	0.0060	0.0020
365436	130.00	131.00	0.0090	0.0070	0.0040
365437	131.00	132.15	0.7980	1.9600	0.0200
365438	132.15	133.00	3.4800	1.0600	0.0960
365440	133.00	134.50	0.1780	0.0720	0.0110
365441	134.50	136.00	0.0120	0.0170	0.0050
365442	136.00	137.50	0.0140	0.0110	0.0050
365443	137.50	139.00	0.0170	0.0130	0.0060
365444	139.00	140.50	0.0200	0.0140	0.0070

Hole Number: KB-07-114

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365445	140.50	142.00	0.0800	0.0380	0.0080
365446	142.00	143.00	0.0170	0.0170	0.0070
365447	143.00	144.30	0.0160	0.0100	0.0050
365448	144.30	145.00	0.0340	0.0220	0.0070
365450	145.00	146.10	0.0300	0.0280	0.0060
365451	146.10	147.60	0.0200	0.0160	0.0050
365452	147.60	148.50	0.1590	0.0620	0.0090
365453	148.50	149.40	0.1100	0.0520	0.0080
365454	149.40	150.00	0.7240	0.3930	0.0270
365456	150.00	151.00	1.2450	0.2640	0.0450
365457	151.00	152.20	0.1710	0.0880	0.0090
365459	152.20	153.50	0.0870	0.0180	0.0090
365460	153.50	154.95	0.0250	0.0110	0.0060
365461	154.95	155.45	0.0120	0.0060	0.0040
365462	155.45	156.00	0.0100	0.0050	0.0040
365463	156.00	157.70	0.0250	0.0090	0.0070
365464	157.70	159.00	0.3700	0.1250	0.0150
365465	159.00	160.00	0.3200	0.1110	0.0150
365466	160.00	161.40	0.1940	0.3180	0.0090
365467	161.40	162.35	0.9380	0.1350	0.0390
365469	162.35	163.00	0.2160	0.1760	0.0110
365470	163.00	163.90	0.2030	0.1460	0.0090
365471	163.90	165.00	0.0350	0.0210	0.0060
365472	165.00	166.00	0.0210	0.0240	0.0040
365473	166.00	167.00	0.0120	0.0070	0.0060

DETAILED LOG

Hole Number: KB-07-113

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.70
Project Number:	19900	North: 5481527.00			North: 5481527.00		Collar Az: 313.40
Location:	Surface	East: 454000.10			East: 454000.10		Length: 146.00 (m)
		Elev: 398.85			Elev: 398.85		Start Depth: 0.00 (m)
Date Started:	Aug 14, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 146.00 (m)
Date Completed:	Aug 15, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	22.05	26.15	4.10	0.9406	0.3970	0.0292
WEIGHTED	82.00	98.40	16.40	1.0598	0.3808	0.0350
WEIGHTED	92.30	96.10	3.80	3.5034	1.0859	0.1053

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
9.00	313.40	-45.70	EZ	OK	5859	50.00	305.00	-45.30	EZ	OK	5802
100.00	308.30	-45.10	EZ	OK	5834	146.00	310.50	-44.80	EZ	OK	5769

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	3.00	MDCHL, Mafic Dike Chloritic Mineralization 2.00 - 3.00 Structure 2.00 - 3.00 : MODFOL Moderately Foliated, 60 Deg to CA							
3.00	20.00	MV, Mafic Volcanic Mineralization 3.00 - 20.00 Structure 3.00 - 20.00 : MODFOL Moderately Foliated, 60 Deg to CA 3.00 - 20.00 : UC Upper Contact, 65 Deg to CA	366491	18.00	19.00	1.00	0.0140	0.0130	0.0060
			366492	19.00	20.00	1.00	0.0150	0.0120	0.0050
20.00	21.35	MDCHL, Mafic Dike Chloritic Mineralization 20.00 - 21.35 Structure 20.00 - 21.35 : MODFOL Moderately Foliated, 50 Deg to CA 20.00 - 21.35 : UC Upper Contact, 65 Deg to CA	366493	20.00	21.35	1.35	0.0025	0.0025	0.0020

Hole Number: KB-07-113

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
21.35	26.10	PYXT, Pyroxenite Mineralization 21.35 - 22.05 22.05 - 24.80 24.80 - 26.10 Structure 21.35 - 26.10 : STRFOL Strongly Foliated, 50 Deg to CA	366494	21.35	22.05	0.70	0.1510	0.0900	0.0080
			366495	22.05	23.00	0.95	0.9990	0.4920	0.0310
			366497	23.00	24.00	1.00	1.1450	0.4420	0.0350
			366498	24.00	24.80	0.80	1.0250	0.3410	0.0300
			366499	24.80	26.15	1.35	0.6980	0.3300	0.0230
26.10	30.30	MD, Mafic Dike Mineralization 26.10 - 30.30 Structure 26.10 - 30.30 26.10 - 30.30 : UC Upper Contact, 30 Deg to CA	366501	26.15	27.50	1.35	0.0760	0.0970	0.0070
			366502	27.50	29.00	1.50	0.0230	0.0110	0.0060
			366503	29.00	30.30	1.30	0.0190	0.0100	0.0070
30.30	33.70	MDCHL, Mafic Dike Chloritic Mineralization 30.30 - 33.70 Structure 30.30 - 33.70 30.30 - 33.70 : UC Upper Contact, 55 Deg to CA	366504	30.30	32.00	1.70	0.0070	0.0060	0.0030
			366505	32.00	33.70	1.70	0.0025	0.0060	0.0040
33.70	38.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 33.70 - 34.40 34.40 - 38.20 Structure 33.70 - 38.20 33.70 - 38.20 : UC Upper Contact, 45 Deg to CA	366506	33.70	34.40	0.70	0.0240	0.0100	0.0070
			366507	34.40	36.00	1.60	0.0690	0.0470	0.0070
			366508	36.00	37.00	1.00	0.2420	0.0990	0.0130
			366509	37.00	38.20	1.20	0.3940	0.1800	0.0160
38.20	39.70	MV, Mafic Volcanic Mineralization 38.20 - 39.70 Structure 38.20 - 39.70 38.20 - 39.70 : UC Upper Contact, 30 Deg to CA	366510	38.20	39.70	1.50	0.0270	0.0150	0.0060
39.70	41.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 39.70 - 41.40 Structure 39.70 - 41.40 39.70 - 41.40 : UC Upper Contact, 65 Deg to CA	366511	39.70	41.40	1.70	0.1260	0.0970	0.0090

Hole Number: KB-07-113

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
41.40	42.50	MDCHL, Mafic Dike Chloritic Mineralization 41.40 - 42.50 Structure 41.40 - 42.50 : MAS Massive, 0 Deg to CA 41.40 - 42.50 : UC Upper Contact, 45 Deg to CA	366512	41.40	42.50	1.10	0.0450	0.0190	0.0050
42.50	45.70	MV, Mafic Volcanic PYXT Dikes Mineralization 42.50 - 45.70 Structure 42.50 - 45.70 : MODFOL Moderately Foliated, 60 Deg to CA 42.50 - 45.70 : UC Upper Contact, 50 Deg to CA	366513	42.50	44.00	1.50	0.1540	0.0790	0.0090
			366514	44.00	45.70	1.70	0.1810	0.0950	0.0110
45.70	47.50	MDCHL, Mafic Dike Chloritic Mineralization 45.70 - 47.50 Structure 45.70 - 47.50 45.70 - 47.50 : UC Upper Contact, 65 Deg to CA	366515	45.70	46.50	0.80	0.0050	0.0050	0.0030
			366516	46.50	47.50	1.00	0.0090	0.0080	0.0040
47.50	60.00	GABPYXT, Gabbro Pyroxenite Dikes MV Xenos Mineralization 47.50 - 60.00 Structure 47.50 - 60.00 47.50 - 60.00 : UC Upper Contact, 80 Deg to CA	366517	47.50	49.00	1.50	0.0340	0.0220	0.0070
			366518	49.00	50.00	1.00	0.0520	0.0250	0.0070
			366519	50.00	51.00	1.00	0.0830	0.0490	0.0080
			366520	51.00	52.00	1.00	0.0410	0.0190	0.0070
			366521	52.00	53.00	1.00	0.0220	0.0080	0.0060
			366522	53.00	54.00	1.00	0.0310	0.0190	0.0070
			366523	54.00	55.00	1.00	0.0180	0.0160	0.0060
			366524	55.00	56.00	1.00	0.0270	0.0450	0.0060
			366526	56.00	57.00	1.00	0.0530	0.0400	0.0070
			366527	57.00	58.00	1.00	0.1320	0.0490	0.0090
			366528	58.00	59.00	1.00	0.2590	0.0630	0.0160
			366530	59.00	60.00	1.00	0.0640	0.0300	0.0070
60.00	68.50	MV, Mafic Volcanic PYXT + GAB Dikes, BI Mineralization 60.00 - 68.50 Structure 60.00 - 68.50 60.00 - 68.50 : UC Upper Contact, 50 Deg to CA	366531	60.00	61.50	1.50	0.0180	0.0170	0.0050
			366532	61.50	63.00	1.50	0.0170	0.0160	0.0060
			366533	63.00	64.50	1.50	0.0140	0.0120	0.0060
			366534	64.50	66.00	1.50	0.0150	0.0150	0.0060
			366535	66.00	67.50	1.50	0.0160	0.0090	0.0060
			366536	67.50	68.50	1.00	0.0150	0.0160	0.0060

Hole Number: KB-07-113

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
68.50	69.50	PYXT, Pyroxenite Rare GAB Dikes Mineralization 68.50 - 69.50 Structure 68.50 - 69.50 68.50 - 69.50 : UC Upper Contact, 45 Deg to CA	366537	68.50	69.50	1.00	0.2030	0.0590	0.0120
69.50	71.20	GAB, Gabbro Rare PYXT Dikes Mineralization 69.50 - 71.20 Structure 69.50 - 71.20	366538	69.50	71.20	1.70	0.0150	0.0230	0.0050
71.20	96.10	GABPYXT, Gabbro Pyroxenite Dikes MX Xenos Mineralization 71.20 - 72.70 72.70 - 85.90 85.90 - 86.90 86.90 - 92.35 92.35 - 93.10 93.10 - 96.10 Structure 71.20 - 96.10	366539	71.20	72.70	1.50	0.0520	0.0360	0.0080
			366540	72.70	74.00	1.30	0.3890	0.1320	0.0170
			366541	74.00	75.00	1.00	0.6510	0.1630	0.0210
			366542	75.00	76.00	1.00	0.1810	0.0620	0.0100
			366543	76.00	77.00	1.00	0.4430	0.0840	0.0190
			366545	77.00	78.00	1.00	0.0640	0.0460	0.0090
			366546	78.00	79.00	1.00	0.0620	0.0430	0.0070
			366547	79.00	80.00	1.00	0.1180	0.0690	0.0110
			366548	80.00	81.00	1.00	0.1450	0.0730	0.0100
			366549	81.00	82.00	1.00	0.1390	0.0910	0.0090
			366550	82.00	83.00	1.00	0.3910	0.2280	0.0180
			366552	83.00	84.00	1.00	0.2240	0.1350	0.0110
			366553	84.00	85.00	1.00	0.5780	0.2450	0.0190
			366554	85.00	85.90	0.90	0.5240	0.1320	0.0220
			366555	85.90	86.90	1.00	1.1750	0.3910	0.0340
			366556	86.90	88.00	1.10	0.0510	0.0250	0.0070
			366557	88.00	89.00	1.00	0.2220	0.1270	0.0130
			366558	89.00	90.00	1.00	0.0560	0.0240	0.0070
			366559	90.00	91.00	1.00	0.1580	0.0630	0.0100
			366560	91.00	92.30	1.30	0.1000	0.0750	0.0070
			366561	92.30	93.10	0.80	1.7850	1.3100	0.0480
			366562	93.10	94.00	0.90	3.6500	1.3350	0.1310
			366564	94.00	95.00	1.00	2.5500	0.5570	0.0900
			366565	95.00	96.10	1.10	5.5000	1.2000	0.1400
96.10	98.40	PYXT, Pyroxenite Mineralization 96.10 - 98.40 Structure 96.10 - 98.40 : MODFOL Moderately Foliated, 60 Deg to CA	366567	96.10	97.00	0.90	0.3130	0.3880	0.0130
			366568	97.00	98.40	1.40	0.2320	0.2230	0.0100

Hole Number: KB-07-113

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
98.40	101.20	MV, Mafic Volcanic PYXT + GAB Dikes Mineralization 98.40 - 101.20 Structure 98.40 - 101.20 98.40 - 101.20 : UC Upper Contact, 20 Deg to CA	366569	98.40	100.00	1.60	0.1020	0.1080	0.0070
			366570	100.00	101.20	1.20	0.0280	0.0270	0.0060
101.20	102.00	MD, Mafic Dike Mineralization 101.20 - 102.00 Structure 101.20 - 102.00 101.20 - 102.00 : UC Upper Contact, 65 Deg to CA	366571	101.20	102.00	0.80	0.0080	0.0090	0.0030
102.00	107.30	MV, Mafic Volcanic Mineralization 102.00 - 107.30 Structure 102.00 - 107.30							
107.30	108.50	MDCHL, Mafic Dike Chloritic Mineralization 107.30 - 108.50 Structure 107.30 - 108.50 107.30 - 108.50 : UC Upper Contact, 50 Deg to CA							
108.50	111.60	MV, Mafic Volcanic Mineralization 108.50 - 111.60 Structure 108.50 - 111.60 108.50 - 111.60 : UC Upper Contact, 40 Deg to CA							
111.60	113.15	MDCHL, Mafic Dike Chloritic Mineralization 111.60 - 113.15 Structure 111.60 - 113.15 : MODFOL Moderately Foliated, 50 Deg to CA 111.60 - 113.15 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-113

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
113.15	132.50	MV, Mafic Volcanic Mineralization 113.15 - 132.50 Structure 113.15 - 132.50 : MODFOL Moderately Foliated, 45 Deg to CA 113.15 - 132.50 : UC Upper Contact, 40 Deg to CA							
132.50	133.10	MDCHL, Mafic Dike Chloritic Mineralization 132.50 - 133.10 Structure 132.50 - 133.10 : MODFOL Moderately Foliated, 55 Deg to CA 132.50 - 133.10 : UC Upper Contact, 40 Deg to CA							
133.10	146.00	MV, Mafic Volcanic Mineralization 133.10 - 146.00 Structure 133.10 - 146.00 133.10 - 146.00 : UC Upper Contact, 40 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366491	18.00	19.00	0.0140	0.0130	0.0060
366492	19.00	20.00	0.0150	0.0120	0.0050
366493	20.00	21.35	0.0025	0.0025	0.0020
366494	21.35	22.05	0.1510	0.0900	0.0080
366495	22.05	23.00	0.9990	0.4920	0.0310
366497	23.00	24.00	1.1450	0.4420	0.0350
366498	24.00	24.80	1.0250	0.3410	0.0300
366499	24.80	26.15	0.6980	0.3300	0.0230
366501	26.15	27.50	0.0760	0.0970	0.0070
366502	27.50	29.00	0.0230	0.0110	0.0060
366503	29.00	30.30	0.0190	0.0100	0.0070
366504	30.30	32.00	0.0070	0.0060	0.0030
366505	32.00	33.70	0.0025	0.0060	0.0040
366506	33.70	34.40	0.0240	0.0100	0.0070
366507	34.40	36.00	0.0690	0.0470	0.0070
366508	36.00	37.00	0.2420	0.0990	0.0130
366509	37.00	38.20	0.3940	0.1800	0.0160

Hole Number: KB-07-113

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366510	38.20	39.70	0.0270	0.0150	0.0060
366511	39.70	41.40	0.1260	0.0970	0.0090
366512	41.40	42.50	0.0450	0.0190	0.0050
366513	42.50	44.00	0.1540	0.0790	0.0090
366514	44.00	45.70	0.1810	0.0950	0.0110
366515	45.70	46.50	0.0050	0.0050	0.0030
366516	46.50	47.50	0.0090	0.0080	0.0040
366517	47.50	49.00	0.0340	0.0220	0.0070
366518	49.00	50.00	0.0520	0.0250	0.0070
366519	50.00	51.00	0.0830	0.0490	0.0080
366520	51.00	52.00	0.0410	0.0190	0.0070
366521	52.00	53.00	0.0220	0.0080	0.0060
366522	53.00	54.00	0.0310	0.0190	0.0070
366523	54.00	55.00	0.0180	0.0160	0.0060
366524	55.00	56.00	0.0270	0.0450	0.0060
366526	56.00	57.00	0.0530	0.0400	0.0070
366527	57.00	58.00	0.1320	0.0490	0.0090
366528	58.00	59.00	0.2590	0.0630	0.0160
366530	59.00	60.00	0.0640	0.0300	0.0070
366531	60.00	61.50	0.0180	0.0170	0.0050
366532	61.50	63.00	0.0170	0.0160	0.0060
366533	63.00	64.50	0.0140	0.0120	0.0060
366534	64.50	66.00	0.0150	0.0150	0.0060
366535	66.00	67.50	0.0160	0.0090	0.0060
366536	67.50	68.50	0.0150	0.0160	0.0060
366537	68.50	69.50	0.2030	0.0590	0.0120
366538	69.50	71.20	0.0150	0.0230	0.0050
366539	71.20	72.70	0.0520	0.0360	0.0080
366540	72.70	74.00	0.3890	0.1320	0.0170
366541	74.00	75.00	0.6510	0.1630	0.0210
366542	75.00	76.00	0.1810	0.0620	0.0100
366543	76.00	77.00	0.4430	0.0840	0.0190
366545	77.00	78.00	0.0640	0.0460	0.0090
366546	78.00	79.00	0.0620	0.0430	0.0070
366547	79.00	80.00	0.1180	0.0690	0.0110
366548	80.00	81.00	0.1450	0.0730	0.0100
366549	81.00	82.00	0.1390	0.0910	0.0090

Hole Number: KB-07-113

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366550	82.00	83.00	0.3910	0.2280	0.0180
366552	83.00	84.00	0.2240	0.1350	0.0110
366553	84.00	85.00	0.5780	0.2450	0.0190
366554	85.00	85.90	0.5240	0.1320	0.0220
366555	85.90	86.90	1.1750	0.3910	0.0340
366556	86.90	88.00	0.0510	0.0250	0.0070
366557	88.00	89.00	0.2220	0.1270	0.0130
366558	89.00	90.00	0.0560	0.0240	0.0070
366559	90.00	91.00	0.1580	0.0630	0.0100
366560	91.00	92.30	0.1000	0.0750	0.0070
366561	92.30	93.10	1.7850	1.3100	0.0480
366562	93.10	94.00	3.6500	1.3350	0.1310
366564	94.00	95.00	2.5500	0.5570	0.0900
366565	95.00	96.10	5.5000	1.2000	0.1400
366567	96.10	97.00	0.3130	0.3880	0.0130
366568	97.00	98.40	0.2320	0.2230	0.0100
366569	98.40	100.00	0.1020	0.1080	0.0070
366570	100.00	101.20	0.0280	0.0270	0.0060
366571	101.20	102.00	0.0080	0.0090	0.0030

DETAILED LOG

Hole Number: KB-07-112

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.10
Project Number:	19900	North:	5481544.00	North:	5481544.00	Collar Az:	296.30
Location:	Surface	East:	453978.40	East:	453978.40	Length:	110.00 (m)
		Elev:	396.46	Elev:	396.46	Start Depth:	0.00 (m)
Date Started:	Aug 13, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	110.00 (m)
Date Completed:	Aug 13, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	19.00	46.15	27.15	0.5293	0.2128	0.0197
WEIGHTED	19.00	62.10	43.10	0.4696	0.1914	0.0171
WEIGHTED	29.70	38.00	8.30	0.8802	0.3625	0.0303
WEIGHTED	52.00	62.10	10.10	0.5407	0.2188	0.0164

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
9.00	296.30	-45.10	EZ	OK	5565	50.00	304.20	-43.00	EZ	OK	5662
100.00	309.90	-42.40	EZ	OK	5776						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.30	CAS, Casing							
1.30	6.10	GAB, Gabbro Mineralization 1.30 - 6.10 Structure 1.30 - 6.10	366440	3.00	4.00	1.00	0.0210	0.0110	0.0040
			366441	4.00	5.00	1.00	0.0220	0.0100	0.0050
			366443	5.00	6.10	1.10	0.0210	0.0070	0.0040
6.10	11.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 6.10 - 11.70 Structure 6.10 - 11.70 6.10 - 11.70 : UC Upper Contact, 45 Deg to CA	366444	6.10	7.50	1.40	0.2420	0.1000	0.0110
			366445	7.50	9.00	1.50	0.1270	0.0660	0.0080
			366446	9.00	10.50	1.50	0.0670	0.0700	0.0070
			366447	10.50	11.70	1.20	0.6800	0.1970	0.0240

Hole Number: KB-07-112

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.70	13.80	GAB, Gabbro Mineralization 11.70 - 13.80 Structure 11.70 - 13.80 11.70 - 13.80 : UC Upper Contact, 55 Deg to CA	366448	11.70	12.50	0.80	0.0650	0.0250	0.0050
			366449	12.50	13.80	1.30	0.0230	0.0120	0.0040
13.80	19.00	MV, Mafic Volcanic Mineralization 13.80 - 19.00 Structure 13.80 - 19.00 13.80 - 19.00 : UC Upper Contact, 50 Deg to CA	366450	13.80	15.00	1.20	0.0370	0.0140	0.0060
			366451	15.00	16.50	1.50	0.0180	0.0140	0.0050
			366452	16.50	18.00	1.50	0.0180	0.0120	0.0040
			366453	18.00	19.00	1.00	0.0190	0.0150	0.0040
19.00	29.70	GABPYXT, Gabbro Pyroxenite Dikes irregular contact Mineralization 19.00 - 29.70 Structure 19.00 - 29.70	366454	19.00	20.50	1.50	0.5020	0.2930	0.0180
			366456	20.50	22.00	1.50	0.3950	0.1400	0.0160
			366457	22.00	23.50	1.50	0.5890	0.2070	0.0220
			366458	23.50	25.00	1.50	0.6330	0.1840	0.0220
			366459	25.00	26.50	1.50	0.3220	0.1530	0.0130
			366460	26.50	28.00	1.50	0.1430	0.0590	0.0080
			366461	28.00	29.00	1.00	0.3110	0.1340	0.0140
			366462	29.00	29.70	0.70	0.0620	0.0380	0.0060
29.70	38.00	PYXT, Pyroxenite 30cm FD& 30cm GAB Mineralization 29.70 - 38.00 Structure 29.70 - 38.00 29.70 - 38.00 : UC Upper Contact, 50 Deg to CA	366463	29.70	31.00	1.30	1.2350	0.3320	0.0430
			366464	31.00	32.50	1.50	0.6780	0.3010	0.0240
			366465	32.50	34.00	1.50	0.7650	0.3980	0.0270
			366466	34.00	35.50	1.50	0.8950	0.3950	0.0290
			366467	35.50	37.00	1.50	0.7590	0.3330	0.0270
			366468	37.00	38.00	1.00	1.0550	0.4370	0.0350
38.00	40.40	GABPYXT, Gabbro Pyroxenite Dikes 30cm mvxeno Mineralization 38.00 - 40.40 Structure 38.00 - 40.40	366469	38.00	39.50	1.50	0.0310	0.0200	0.0050
			366470	39.50	40.40	0.90	0.0140	0.0170	0.0040
40.40	46.15	PYXT, Pyroxenite Mineralization 40.40 - 46.15 Structure 40.40 - 46.15 : MODFOL Moderately Foliated, 45 Deg to CA 40.40 - 46.15 : UC Upper Contact, 40 Deg to CA	366471	40.40	41.50	1.10	0.4190	0.1480	0.0180
			366472	41.50	43.00	1.50	0.2620	0.0980	0.0120
			366473	43.00	44.50	1.50	0.8460	0.2690	0.0290
			366475	44.50	45.50	1.00	0.4690	0.2270	0.0170
			366476	45.50	46.15	0.65	0.2810	0.1060	0.0120

Hole Number: KB-07-112

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
46.15	57.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 46.15 - 57.90 Structure 46.15 - 57.90 46.15 - 57.90 : UC Upper Contact, 15 Deg to CA	366477	46.15	47.50	1.35	0.0660	0.0420	0.0060
			366478	47.50	49.00	1.50	0.0300	0.0270	0.0050
			366479	49.00	50.50	1.50	0.0390	0.0250	0.0040
			366480	50.50	52.00	1.50	0.1430	0.0850	0.0080
			366481	52.00	53.50	1.50	0.3130	0.1490	0.0130
			366482	53.50	55.00	1.50	0.5540	0.1880	0.0190
			366483	55.00	56.50	1.50	0.2460	0.0710	0.0090
			366484	56.50	57.90	1.40	1.0500	0.2410	0.0280
57.90	60.80	PYXT, Pyroxenite Mineralization 57.90 - 58.30 58.30 - 58.90 58.90 - 60.80 Structure 57.90 - 60.80 : STRFOL Strongly Foliated, 40 Deg to CA 57.90 - 60.80 : UC Upper Contact, 30 Deg to CA	366485	57.90	59.00	1.10	1.2600	0.4530	0.0330
			366486	59.00	60.00	1.00	0.4010	0.3040	0.0140
			366487	60.00	60.80	0.80	0.2640	0.2450	0.0090
60.80	62.10	GABPYXT, Gabbro Pyroxenite Dikes gradational contact Mineralization 60.80 - 62.10 Structure 60.80 - 62.10	366488	60.80	62.10	1.30	0.2490	0.2020	0.0060
62.10	65.50	MV, Mafic Volcanic Mineralization 62.10 - 65.50 Structure 62.10 - 65.50	366489	62.10	63.50	1.40	0.0260	0.0170	0.0040
			366490	63.50	65.00	1.50	0.0220	0.0160	0.0040
65.50	66.70	FD, Felsic Dike Mineralization 65.50 - 66.70 Structure 65.50 - 66.70							
66.70	74.90	MV, Mafic Volcanic Mineralization 66.70 - 74.90 Structure 66.70 - 74.90 66.70 - 74.90 : UC Upper Contact, 30 Deg to CA							

Hole Number: KB-07-112 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
74.90	76.45	MDCHL, Mafic Dike Chloritic Mineralization 74.90 - 76.45 Structure 74.90 - 76.45 : MODFOL Moderately Foliated, 45 Deg to CA 74.90 - 76.45 : UC Upper Contact, 60 Deg to CA							
76.45	94.10	MV, Mafic Volcanic Mineralization 76.45 - 94.10 Structure 76.45 - 94.10 76.45 - 94.10 : UC Upper Contact, 35 Deg to CA							
94.10	94.60	MDCHL, Mafic Dike Chloritic Mineralization 94.10 - 94.60 Structure 94.10 - 94.60 : MODFOL Moderately Foliated, 50 Deg to CA 94.10 - 94.60 : UC Upper Contact, 50 Deg to CA							
94.60	108.20	MV, Mafic Volcanic Mineralization 94.60 - 108.20 Structure 94.60 - 108.20 94.60 - 108.20 : UC Upper Contact, 50 Deg to CA							
108.20	109.30	MD, Mafic Dike Mineralization 108.20 - 109.30 Structure 108.20 - 109.30 108.20 - 109.30 : UC Upper Contact, 50 Deg to CA							
109.30	110.00	MV, Mafic Volcanic Mineralization 109.30 - 110.00 Structure 109.30 - 110.00 : MODFOL Moderately Foliated, 55 Deg to CA 109.30 - 110.00 : UC Upper Contact, 45 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366440	3.00	4.00	0.0210	0.0110	0.0040

Hole Number: KB-07-112

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366441	4.00	5.00	0.0220	0.0100	0.0050
366443	5.00	6.10	0.0210	0.0070	0.0040
366444	6.10	7.50	0.2420	0.1000	0.0110
366445	7.50	9.00	0.1270	0.0660	0.0080
366446	9.00	10.50	0.0670	0.0700	0.0070
366447	10.50	11.70	0.6800	0.1970	0.0240
366448	11.70	12.50	0.0650	0.0250	0.0050
366449	12.50	13.80	0.0230	0.0120	0.0040
366450	13.80	15.00	0.0370	0.0140	0.0060
366451	15.00	16.50	0.0180	0.0140	0.0050
366452	16.50	18.00	0.0180	0.0120	0.0040
366453	18.00	19.00	0.0190	0.0150	0.0040
366454	19.00	20.50	0.5020	0.2930	0.0180
366456	20.50	22.00	0.3950	0.1400	0.0160
366457	22.00	23.50	0.5890	0.2070	0.0220
366458	23.50	25.00	0.6330	0.1840	0.0220
366459	25.00	26.50	0.3220	0.1530	0.0130
366460	26.50	28.00	0.1430	0.0590	0.0080
366461	28.00	29.00	0.3110	0.1340	0.0140
366462	29.00	29.70	0.0620	0.0380	0.0060
366463	29.70	31.00	1.2350	0.3320	0.0430
366464	31.00	32.50	0.6780	0.3010	0.0240
366465	32.50	34.00	0.7650	0.3980	0.0270
366466	34.00	35.50	0.8950	0.3950	0.0290
366467	35.50	37.00	0.7590	0.3330	0.0270
366468	37.00	38.00	1.0550	0.4370	0.0350
366469	38.00	39.50	0.0310	0.0200	0.0050
366470	39.50	40.40	0.0140	0.0170	0.0040
366471	40.40	41.50	0.4190	0.1480	0.0180
366472	41.50	43.00	0.2620	0.0980	0.0120
366473	43.00	44.50	0.8460	0.2690	0.0290
366475	44.50	45.50	0.4690	0.2270	0.0170
366476	45.50	46.15	0.2810	0.1060	0.0120
366477	46.15	47.50	0.0660	0.0420	0.0060
366478	47.50	49.00	0.0300	0.0270	0.0050
366479	49.00	50.50	0.0390	0.0250	0.0040
366480	50.50	52.00	0.1430	0.0850	0.0080

Hole Number: KB-07-112

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366481	52.00	53.50	0.3130	0.1490	0.0130
366482	53.50	55.00	0.5540	0.1880	0.0190
366483	55.00	56.50	0.2460	0.0710	0.0090
366484	56.50	57.90	1.0500	0.2410	0.0280
366485	57.90	59.00	1.2600	0.4530	0.0330
366486	59.00	60.00	0.4010	0.3040	0.0140
366487	60.00	60.80	0.2640	0.2450	0.0090
366488	60.80	62.10	0.2490	0.2020	0.0060
366489	62.10	63.50	0.0260	0.0170	0.0040
366490	63.50	65.00	0.0220	0.0160	0.0040

DETAILED LOG

Hole Number: KB-07-111

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: 44.00
Project Number:	19900	North:	5481558.00		North:	5481558.00	Collar Az: 311.20
Location:	Surface	East:	453958.00		East:	453958.00	Length: 72.00 (m)
		Elev:	397.95		Elev:	397.95	Start Depth: 0.00 (m)
Date Started:	Aug 12, 2005	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 72.00 (m)
Date Completed:	Aug 13, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	9.50	17.30	7.80	0.3507	0.1102	0.0175
WEIGHTED	26.00	32.70	6.70	0.6761	0.3725	0.0202

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
50.00	311.20	-44.00	EZ	OK	5764	71.00	311.30	-44.20	EZ	OK	5790

Detailed Lithology

From (m)	To (m)	Lithology
0	1.00	CAS, Casing
1.00	2.90	PYXT, Pyroxenite Mineralization 1.00 - 2.90 Structure 1.00 - 2.90
2.90	4.40	MV, Mafic Volcanic Mineralization 2.90 - 4.40 Structure 2.90 - 4.40
4.40	16.00	GABPYXT, Gabbro Pyroxenite Dikes with mv Mineralization 4.40 - 5.50 5.50 - 9.50 9.50 - 16.00 Structure 4.40 - 16.00 : MODFOL Moderately Foliated, 45 Deg to CA 4.40 - 16.00 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366401	1.00	2.00	1.00	0.4540	0.2400	0.0190
366402	2.00	2.90	0.90	0.1420	0.0400	0.0080
366403	2.90	4.40	1.50	0.0300	0.0190	0.0040
366404	4.40	5.50	1.10	0.2990	0.2540	0.0120
366405	5.50	7.00	1.50	0.0650	0.0270	0.0050
366406	7.00	8.00	1.00	0.0180	0.0100	0.0040
366407	8.00	9.50	1.50	0.0530	0.0230	0.0040
366408	9.50	11.00	1.50	0.2670	0.1370	0.0100
366410	11.00	12.00	1.00	0.1250	0.0660	0.0070
366411	12.00	13.00	1.00	0.6780	0.2410	0.0210
366412	13.00	14.00	1.00	0.4530	0.1240	0.0160
366413	14.00	15.00	1.00	0.2580	0.1110	0.0100
366414	15.00	16.00	1.00	0.2610	0.0940	0.0100

Hole Number: KB-07-111 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.00	17.30	MV, Mafic Volcanic Mineralization 16.00 - 17.30 Structure 16.00 - 17.30	366415	16.00	17.30	1.30	0.4310	0.0140	0.0440
17.30	19.20	FD, Felsic Dike Mineralization 17.30 - 19.20 Structure 17.30 - 19.20 : MODFOL Moderately Foliated, 45 Deg to CA 17.30 - 19.20 : UC Upper Contact, 40 Deg to CA	366416	17.30	18.00	0.70	0.0060	0.0050	0.0010
			366417	18.00	19.20	1.20	0.0080	0.0050	0.0010
19.20	24.30	MV, Mafic Volcanic Mineralization 19.20 - 24.30 Structure 19.20 - 24.30 : MODFOL Moderately Foliated, 40 Deg to CA 19.20 - 24.30 : UC Upper Contact, 40 Deg to CA	366418	19.20	20.00	0.80	0.0080	0.0060	0.0020
			366419	20.00	21.00	1.00	0.0130	0.0090	0.0030
			366420	21.00	22.00	1.00	0.0150	0.0130	0.0040
			366421	22.00	23.00	1.00	0.0140	0.0120	0.0040
			366422	23.00	24.30	1.30	0.0080	0.0090	0.0020
24.30	26.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 24.30 - 26.00 Structure 24.30 - 26.00	366423	24.30	25.00	0.70	0.0300	0.0290	0.0060
			366424	25.00	26.00	1.00	0.1420	0.0650	0.0080
26.00	32.70	PYXT, Pyroxenite with mv xenos Mineralization 26.00 - 26.60 26.60 - 27.40 27.40 - 29.60 29.60 - 32.70 Structure 26.00 - 32.70 : MODFOL Moderately Foliated, 45 Deg to CA	366426	26.00	26.60	0.60	0.2450	0.1100	0.0110
			366427	26.60	27.40	0.80	1.8300	1.3350	0.0490
			366428	27.40	28.00	0.60	0.5200	0.3310	0.0160
			366429	28.00	29.00	1.00	0.9540	0.4900	0.0270
			366430	29.00	29.60	0.60	1.5000	0.2190	0.0480
			366431	29.60	31.00	1.40	0.2460	0.1700	0.0080
			366432	31.00	32.00	1.00	0.1200	0.0690	0.0060
			366433	32.00	32.70	0.70	0.4120	0.3350	0.0100
32.70	43.50	MV, Mafic Volcanic with gabpyxt dykes Mineralization 32.70 - 43.50 Structure 32.70 - 43.50 : MODFOL Moderately Foliated, 45 Deg to CA 32.70 - 43.50 : UC Upper Contact, 55 Deg to CA	366434	32.70	34.00	1.30	0.0720	0.0550	0.0030
			366435	34.00	35.00	1.00	0.1670	0.1460	0.0050
			366436	35.00	36.00	1.00	0.0210	0.0120	0.0030
			366437	36.00	37.00	1.00	0.0570	0.0490	0.0060
			366438	37.00	38.00	1.00	0.0120	0.0090	0.0030
			366439	38.00	39.00	1.00	0.0170	0.0110	0.0040

Hole Number: KB-07-111 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
43.50	46.10	MDCHL, Mafic Dike Chloritic Mineralization 43.50 - 46.10 Structure 43.50 - 46.10 : MODFOL Moderately Foliated, 45 Deg to CA 43.50 - 46.10 : UC Upper Contact, 55 Deg to CA
46.10	72.00	MV, Mafic Volcanic with fd and mdchl Mineralization 46.10 - 72.00 Structure 46.10 - 72.00 : MODFOL Moderately Foliated, 55 Deg to CA 46.10 - 72.00 : UC Upper Contact, 55 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366401	1.00	2.00	0.4540	0.2400	0.0190
366402	2.00	2.90	0.1420	0.0400	0.0080
366403	2.90	4.40	0.0300	0.0190	0.0040
366404	4.40	5.50	0.2990	0.2540	0.0120
366405	5.50	7.00	0.0650	0.0270	0.0050
366406	7.00	8.00	0.0180	0.0100	0.0040
366407	8.00	9.50	0.0530	0.0230	0.0040
366408	9.50	11.00	0.2670	0.1370	0.0100
366410	11.00	12.00	0.1250	0.0660	0.0070
366411	12.00	13.00	0.6780	0.2410	0.0210
366412	13.00	14.00	0.4530	0.1240	0.0160
366413	14.00	15.00	0.2580	0.1110	0.0100
366414	15.00	16.00	0.2610	0.0940	0.0100
366415	16.00	17.30	0.4310	0.0140	0.0440
366416	17.30	18.00	0.0060	0.0050	0.0010
366417	18.00	19.20	0.0080	0.0050	0.0010
366418	19.20	20.00	0.0080	0.0060	0.0020
366419	20.00	21.00	0.0130	0.0090	0.0030
366420	21.00	22.00	0.0150	0.0130	0.0040
366421	22.00	23.00	0.0140	0.0120	0.0040
366422	23.00	24.30	0.0080	0.0090	0.0020
366423	24.30	25.00	0.0300	0.0290	0.0060

Hole Number: KB-07-111

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366424	25.00	26.00	0.1420	0.0650	0.0080
366426	26.00	26.60	0.2450	0.1100	0.0110
366427	26.60	27.40	1.8300	1.3350	0.0490
366428	27.40	28.00	0.5200	0.3310	0.0160
366429	28.00	29.00	0.9540	0.4900	0.0270
366430	29.00	29.60	1.5000	0.2190	0.0480
366431	29.60	31.00	0.2460	0.1700	0.0080
366432	31.00	32.00	0.1200	0.0690	0.0060
366433	32.00	32.70	0.4120	0.3350	0.0100
366434	32.70	34.00	0.0720	0.0550	0.0030
366435	34.00	35.00	0.1670	0.1460	0.0050
366436	35.00	36.00	0.0210	0.0120	0.0030
366437	36.00	37.00	0.0570	0.0490	0.0060
366438	37.00	38.00	0.0120	0.0090	0.0030
366439	38.00	39.00	0.0170	0.0110	0.0040

DETAILED LOG

Hole Number: KB-07-110

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.20
Project Number:	19900	North: 5481576.00			North: 5481576.00		Collar Az: 310.10
Location:	Surface	East: 453986.00			East: 453986.00		Length: 50.00 (m)
		Elev: 393.70			Elev: 393.70		Start Depth: 0.00 (m)
Date Started:	Aug 12, 2005	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 50.00 (m)
Date Completed:	Aug 12, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	4.00	12.70	8.70	0.3072	0.1389	0.0134
WEIGHTED	25.50	32.30	6.80	0.6213	0.2725	0.0235

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	279.00	-46.20	EZ	DO	5774	50.00	310.10	-45.70	EZ	OK	5783

Detailed Lithology

From (m)	To (m)	Lithology
0	4.00	CAS, Casing
4.00	12.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 4.00 - 7.50 7.50 - 10.80 10.80 - 12.70 Structure 4.00 - 12.70 : MODFOL Moderately Foliated, 45 Deg to CA
12.70	14.20	FD, Felsic Dike Mineralization 12.70 - 14.20 Structure 12.70 - 14.20 : MODFOL Moderately Foliated, 55 Deg to CA 12.70 - 14.20 : UC Upper Contact, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366367	4.00	5.00	1.00	0.3350	0.1420	0.0150
366368	5.00	6.00	1.00	0.1040	0.0450	0.0060
366369	6.00	7.50	1.50	0.8890	0.3890	0.0320
366370	7.50	9.00	1.50	0.0590	0.0390	0.0050
366371	9.00	10.00	1.00	0.0170	0.0120	0.0040
366372	10.00	10.80	0.80	0.0570	0.0190	0.0060
366373	10.80	12.00	1.20	0.2150	0.0950	0.0110
366374	12.00	12.70	0.70	0.7010	0.3400	0.0260
366376	12.70	14.20	1.50	0.0090	0.0080	0.0020

DETAILED LOG

Hole Number: KB-07-110

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
14.20	25.50	MV, Mafic Volcanic Mineralization 14.20 - 22.60 22.60 - 25.50 Structure 14.20 - 25.50 : MODFOL Moderately Foliated, 50 Deg to CA
25.50	32.30	PYXT, Pyroxenite Mineralization 25.50 - 32.30 Structure 25.50 - 32.30 : MODFOL Moderately Foliated, 50 Deg to CA 25.50 - 32.30 : UC Upper Contact, 50 Deg to CA
32.30	42.50	MV, Mafic Volcanic Mineralization 32.30 - 42.50 Structure 32.30 - 42.50 : MODFOL Moderately Foliated, 45 Deg to CA
42.50	45.80	FD, Felsic Dike Mineralization 42.50 - 45.80 Structure 42.50 - 45.80 : MODFOL Moderately Foliated, 45 Deg to CA 42.50 - 45.80 : UC Upper Contact, 65 Deg to CA
45.80	50.00	MV, Mafic Volcanic Mineralization 45.80 - 50.00 Structure 45.80 - 50.00 45.80 - 50.00 : UC Upper Contact, 65 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366377	14.20	15.00	0.80	0.0170	0.0150	0.0050
366378	15.00	16.00	1.00	0.0130	0.0120	0.0060
366379	16.00	17.00	1.00	0.0200	0.0100	0.0040
366380	17.00	18.00	1.00	0.0210	0.0130	0.0050
366381	18.00	19.00	1.00	0.0260	0.0150	0.0060
366382	19.00	20.00	1.00	0.0170	0.0140	0.0060
366383	20.00	21.00	1.00	0.0210	0.0110	0.0050
366384	21.00	22.60	1.60	0.0160	0.0130	0.0050
366386	22.60	24.00	1.40	0.1200	0.0690	0.0090
366387	24.00	25.50	1.50	0.1240	0.0610	0.0090
366388	25.50	27.00	1.50	0.6380	0.2520	0.0240
366389	27.00	28.00	1.00	0.3970	0.1370	0.0170
366390	28.00	29.00	1.00	0.4520	0.2610	0.0180
366391	29.00	30.00	1.00	0.2880	0.2070	0.0110
366392	30.00	31.00	1.00	0.7720	0.2840	0.0270
366393	31.00	32.30	1.30	1.0450	0.4510	0.0390
366395	32.30	33.00	0.70	0.0610	0.0260	0.0050
366396	33.00	34.00	1.00	0.0120	0.0050	0.0030
366397	34.00	35.00	1.00	0.0060	0.0050	0.0020
366398	35.00	36.00	1.00	0.0160	0.0130	0.0030
366399	36.00	37.00	1.00	0.0140	0.0410	0.0060
366400	37.00	38.00	1.00	0.0170	0.0080	0.0040

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366367	4.00	5.00	0.3350	0.1420	0.0150
366368	5.00	6.00	0.1040	0.0450	0.0060
366369	6.00	7.50	0.8890	0.3890	0.0320

Hole Number: KB-07-110

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366370	7.50	9.00	0.0590	0.0390	0.0050
366371	9.00	10.00	0.0170	0.0120	0.0040
366372	10.00	10.80	0.0570	0.0190	0.0060
366373	10.80	12.00	0.2150	0.0950	0.0110
366374	12.00	12.70	0.7010	0.3400	0.0260
366376	12.70	14.20	0.0090	0.0080	0.0020
366377	14.20	15.00	0.0170	0.0150	0.0050
366378	15.00	16.00	0.0130	0.0120	0.0060
366379	16.00	17.00	0.0200	0.0100	0.0040
366380	17.00	18.00	0.0210	0.0130	0.0050
366381	18.00	19.00	0.0260	0.0150	0.0060
366382	19.00	20.00	0.0170	0.0140	0.0060
366383	20.00	21.00	0.0210	0.0110	0.0050
366384	21.00	22.60	0.0160	0.0130	0.0050
366386	22.60	24.00	0.1200	0.0690	0.0090
366387	24.00	25.50	0.1240	0.0610	0.0090
366388	25.50	27.00	0.6380	0.2520	0.0240
366389	27.00	28.00	0.3970	0.1370	0.0170
366390	28.00	29.00	0.4520	0.2610	0.0180
366391	29.00	30.00	0.2880	0.2070	0.0110
366392	30.00	31.00	0.7720	0.2840	0.0270
366393	31.00	32.30	1.0450	0.4510	0.0390
366395	32.30	33.00	0.0610	0.0260	0.0050
366396	33.00	34.00	0.0120	0.0050	0.0030
366397	34.00	35.00	0.0060	0.0050	0.0020
366398	35.00	36.00	0.0160	0.0130	0.0030
366399	36.00	37.00	0.0140	0.0410	0.0060
366400	37.00	38.00	0.0170	0.0080	0.0040

DETAILED LOG

Hole Number: KB-07-109

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: 44.10
Project Number:	19900	North:	5481561.00		North:	5481561.00	Collar Az: 320.60
Location:	Surface	East:	454006.90		East:	454006.90	Length: 86.00 (m)
		Elev:	396.20		Elev:	396.20	Start Depth: 0.00 (m)
Date Started:	Aug 11, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 86.00 (m)
Date Completed:	Aug 12, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	12.20	18.10	5.90	0.4519	0.1633	0.0168
WEIGHTED	55.00	61.90	6.90	0.4291	0.2190	0.0170

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
50.00	320.60	-44.10	EZ	OK	5782	86.00	320.70	-44.20	EZ	OK	5805

Detailed Lithology

From (m)	To (m)	Lithology
0	6.80	CAS, Casing
6.80	7.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 6.80 - 7.60 Structure 6.80 - 7.60
7.60	12.20	FD, Felsic Dike Mineralization 7.60 - 12.20 Structure 7.60 - 12.20 : MODFOL Moderately Foliated, 45 Deg to CA
12.20	16.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 12.20 - 16.00 Structure 12.20 - 16.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366305	6.80	8.00	1.20	0.3270	0.1260	0.0110
366306	8.00	9.00	1.00	0.0025	0.0070	0.0010
366307	9.00	10.00	1.00	0.0050	0.0060	0.0010
366308	10.00	11.00	1.00	0.0060	0.0070	0.0010
366309	11.00	12.20	1.20	0.0080	0.0060	0.0010
366310	12.20	13.00	0.80	0.3050	0.1390	0.0110
366311	13.00	14.00	1.00	0.2160	0.0810	0.0090
366312	14.00	15.00	1.00	0.6730	0.3370	0.0220
366313	15.00	16.00	1.00	0.5220	0.1610	0.0170

Hole Number: KB-07-109

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.00	17.00	MV, Mafic Volcanic Mineralization 16.00 - 17.00 Structure 16.00 - 17.00	366314	16.00	17.00	1.00	0.0850	0.0280	0.0070
17.00	18.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 17.00 - 18.10 Structure 17.00 - 18.10	366316	17.00	18.10	1.10	0.8420	0.2230	0.0320
18.10	21.10	GAB, Gabbro Mineralization 18.10 - 21.10 Structure 18.10 - 21.10	366317	18.10	19.00	0.90	0.0620	0.0210	0.0060
			366318	19.00	20.00	1.00	0.0280	0.0110	0.0050
			366319	20.00	21.10	1.10	0.0300	0.0110	0.0060
21.10	26.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 21.10 - 26.30 Structure 21.10 - 26.30 21.10 - 26.30 : UC Upper Contact, 45 Deg to CA	366320	21.10	22.00	0.90	0.2940	0.0950	0.0130
			366321	22.00	23.00	1.00	0.2650	0.1260	0.0110
			366322	23.00	24.00	1.00	0.6500	0.2120	0.0220
			366323	24.00	25.00	1.00	0.2300	0.1270	0.0110
			366324	25.00	26.30	1.30	0.5730	0.3320	0.0200
26.30	32.40	MV, Mafic Volcanic with gab dyke Mineralization 26.30 - 32.40 Structure 26.30 - 32.40	366326	26.30	27.00	0.70	0.0210	0.0240	0.0050
			366327	27.00	28.00	1.00	0.0270	0.0130	0.0050
			366328	28.00	29.00	1.00	0.0150	0.0320	0.0050
			366329	29.00	30.00	1.00	0.0180	0.0170	0.0050
			366330	30.00	31.00	1.00	0.0160	0.0160	0.0050
			366331	31.00	32.40	1.40	0.0200	0.0170	0.0050
32.40	37.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 32.40 - 37.20 Structure 32.40 - 37.20	366332	32.40	33.00	0.60	0.3480	0.1510	0.0170
			366333	33.00	34.00	1.00	0.1290	0.0520	0.0090
			366334	34.00	35.00	1.00	0.0410	0.0250	0.0060
			366335	35.00	36.00	1.00	0.0950	0.0430	0.0070
			366336	36.00	37.20	1.20	0.2040	0.1160	0.0090

Hole Number: KB-07-109

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
37.20	55.00	MV, Mafic Volcanic Mineralization 37.20 - 55.00 Structure 37.20 - 55.00 : MODFOL Moderately Foliated, 45 Deg to CA	366337	37.20	38.00	0.80	0.1920	0.0460	0.0110
			366339	38.00	39.00	1.00	0.0160	0.0130	0.0060
			366340	39.00	40.00	1.00	0.0190	0.0140	0.0060
			366341	40.00	41.00	1.00	0.0160	0.0160	0.0050
			366342	41.00	42.00	1.00	0.0160	0.0140	0.0050
			366343	42.00	43.00	1.00	0.0160	0.0130	0.0040
			366344	43.00	44.00	1.00	0.0160	0.0140	0.0050
			366345	44.00	45.00	1.00	0.0100	0.0130	0.0030
			366346	45.00	46.00	1.00	0.0160	0.0130	0.0050
			366347	46.00	47.00	1.00	0.0110	0.0150	0.0050
			366348	47.00	48.00	1.00	0.0140	0.0130	0.0050
			366349	48.00	49.00	1.00	0.0170	0.0130	0.0050
			366350	49.00	50.00	1.00	0.0150	0.0140	0.0040
			366351	50.00	51.00	1.00	0.0180	0.0140	0.0060
			366352	51.00	52.00	1.00	0.0260	0.0170	0.0050
			366353	52.00	53.50	1.50	0.0170	0.0160	0.0050
			366354	53.50	55.00	1.50	0.0160	0.0130	0.0050
55.00	61.90	PYXT, Pyroxenite Mineralization 55.00 - 61.90 Structure 55.00 - 61.90 : MODFOL Moderately Foliated, 45 Deg to CA	366355	55.00	56.00	1.00	0.3080	0.1120	0.0140
			366356	56.00	57.00	1.00	0.5220	0.2470	0.0180
			366357	57.00	58.00	1.00	0.6040	0.3630	0.0210
			366359	58.00	59.00	1.00	0.4990	0.2580	0.0190
			366360	59.00	60.00	1.00	0.4290	0.2000	0.0180
			366361	60.00	61.00	1.00	0.2580	0.1320	0.0130
			366362	61.00	61.90	0.90	0.3790	0.2210	0.0160
61.90	72.70	MV, Mafic Volcanic Mineralization 61.90 - 72.70 Structure 61.90 - 72.70 : MODFOL Moderately Foliated, 45 Deg to CA	366363	61.90	63.00	1.10	0.0530	0.0280	0.0060
			366364	63.00	64.00	1.00	0.0200	0.0150	0.0050
			366365	64.00	65.00	1.00	0.0160	0.0170	0.0050
			366366	65.00	66.00	1.00	0.0080	0.0070	0.0030
72.70	74.00	FD, Felsic Dike Mineralization 72.70 - 74.00 Structure 72.70 - 74.00 : MODFOL Moderately Foliated, 40 Deg to CA 72.70 - 74.00 : UC Upper Contact, 50 Deg to CA							
74.00	76.20	MDCHL, Mafic Dike Chloritic Mineralization 74.00 - 76.20 Structure 74.00 - 76.20 : MODFOL Moderately Foliated, 50 Deg to CA							

Hole Number: KB-07-109

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
76.20	86.00	MV, Mafic Volcanic Mineralization 76.20 - 86.00 Structure 76.20 - 86.00 : MODFOL Moderately Foliated, 50 Deg to CA 76.20 - 86.00 : UC Upper Contact, 45 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366305	6.80	8.00	0.3270	0.1260	0.0110
366306	8.00	9.00	0.0025	0.0070	0.0010
366307	9.00	10.00	0.0050	0.0060	0.0010
366308	10.00	11.00	0.0060	0.0070	0.0010
366309	11.00	12.20	0.0080	0.0060	0.0010
366310	12.20	13.00	0.3050	0.1390	0.0110
366311	13.00	14.00	0.2160	0.0810	0.0090
366312	14.00	15.00	0.6730	0.3370	0.0220
366313	15.00	16.00	0.5220	0.1610	0.0170
366314	16.00	17.00	0.0850	0.0280	0.0070
366316	17.00	18.10	0.8420	0.2230	0.0320
366317	18.10	19.00	0.0620	0.0210	0.0060
366318	19.00	20.00	0.0280	0.0110	0.0050
366319	20.00	21.10	0.0300	0.0110	0.0060
366320	21.10	22.00	0.2940	0.0950	0.0130
366321	22.00	23.00	0.2650	0.1260	0.0110
366322	23.00	24.00	0.6500	0.2120	0.0220
366323	24.00	25.00	0.2300	0.1270	0.0110
366324	25.00	26.30	0.5730	0.3320	0.0200
366326	26.30	27.00	0.0210	0.0240	0.0050
366327	27.00	28.00	0.0270	0.0130	0.0050
366328	28.00	29.00	0.0150	0.0320	0.0050
366329	29.00	30.00	0.0180	0.0170	0.0050
366330	30.00	31.00	0.0160	0.0160	0.0050
366331	31.00	32.40	0.0200	0.0170	0.0050
366332	32.40	33.00	0.3480	0.1510	0.0170
366333	33.00	34.00	0.1290	0.0520	0.0090
366334	34.00	35.00	0.0410	0.0250	0.0060

Hole Number: KB-07-109

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366335	35.00	36.00	0.0950	0.0430	0.0070
366336	36.00	37.20	0.2040	0.1160	0.0090
366337	37.20	38.00	0.1920	0.0460	0.0110
366339	38.00	39.00	0.0160	0.0130	0.0060
366340	39.00	40.00	0.0190	0.0140	0.0060
366341	40.00	41.00	0.0160	0.0160	0.0050
366342	41.00	42.00	0.0160	0.0140	0.0050
366343	42.00	43.00	0.0160	0.0130	0.0040
366344	43.00	44.00	0.0160	0.0140	0.0050
366345	44.00	45.00	0.0100	0.0130	0.0030
366346	45.00	46.00	0.0160	0.0130	0.0050
366347	46.00	47.00	0.0110	0.0150	0.0050
366348	47.00	48.00	0.0140	0.0130	0.0050
366349	48.00	49.00	0.0170	0.0130	0.0050
366350	49.00	50.00	0.0150	0.0140	0.0040
366351	50.00	51.00	0.0180	0.0140	0.0060
366352	51.00	52.00	0.0260	0.0170	0.0050
366353	52.00	53.50	0.0170	0.0160	0.0050
366354	53.50	55.00	0.0160	0.0130	0.0050
366355	55.00	56.00	0.3080	0.1120	0.0140
366356	56.00	57.00	0.5220	0.2470	0.0180
366357	57.00	58.00	0.6040	0.3630	0.0210
366359	58.00	59.00	0.4990	0.2580	0.0190
366360	59.00	60.00	0.4290	0.2000	0.0180
366361	60.00	61.00	0.2580	0.1320	0.0130
366362	61.00	61.90	0.3790	0.2210	0.0160
366363	61.90	63.00	0.0530	0.0280	0.0060
366364	63.00	64.00	0.0200	0.0150	0.0050
366365	64.00	65.00	0.0160	0.0170	0.0050
366366	65.00	66.00	0.0080	0.0070	0.0030

DETAILED LOG

Hole Number: KB-07-108

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.20
Project Number:	19900	North:	5481543.00	North:	5481543.00	Collar Az:	305.30
Location:	Surface	East:	454027.70	East:	454027.70	Length:	120.00 (m)
		Elev:	399.32	Elev:	399.32	Start Depth:	0.00 (m)
Date Started:	Aug 10, 2005	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	120.00 (m)
Date Completed:	Aug 11, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	47.50	53.10	5.60	0.9796	0.4286	0.0275
WEIGHTED	47.50	58.70	11.20	0.6440	0.2810	0.0205
WEIGHTED	95.60	97.00	1.40	0.8595	0.9155	0.0390

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	305.30	-45.20	EZ	OK	6180	60.00	309.70	-44.40	EZ	OK	5828
120.00	310.80	-43.20	EZ	OK	5772						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.20	CAS, Casing							
2.20	13.30	MV, Mafic Volcanic Mineralization 2.20 - 13.30 Structure 2.20 - 13.30 : MODFOL Moderately Foliated, 50 Deg to CA							
13.30	16.10	FD, Felsic Dike Mineralization 13.30 - 16.10 Structure 13.30 - 16.10 : MODFOL Moderately Foliated, 40 Deg to CA 13.30 - 16.10 : UC Upper Contact, 50 Deg to CA							
16.10	21.70	MV, Mafic Volcanic with mv Mineralization 16.10 - 21.70 Structure 16.10 - 21.70 : MODFOL Moderately Foliated, 50 Deg to CA 16.10 - 21.70 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-108 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
21.70	25.50	FD, Felsic Dike Mineralization 21.70 - 25.50 Structure 21.70 - 25.50 : MODFOL Moderately Foliated, 50 Deg to CA 21.70 - 25.50 : UC Upper Contact, 70 Deg to CA							
25.50	38.20	MV, Mafic Volcanic Mineralization 25.50 - 38.20 Structure 25.50 - 38.20 : MODFOL Moderately Foliated, 50 Deg to CA 25.50 - 38.20 : UC Upper Contact, 50 Deg to CA	366228	31.00	32.00	1.00	0.0130	0.0100	0.0040
			366229	32.00	33.00	1.00	0.0320	0.0200	0.0060
			366230	33.00	34.00	1.00	0.0130	0.0130	0.0050
			366231	34.00	35.00	1.00	0.0120	0.0110	0.0040
			366232	35.00	36.00	1.00	0.0150	0.0110	0.0050
			366233	36.00	37.00	1.00	0.0150	0.0140	0.0050
			366234	37.00	38.20	1.20	0.0150	0.0080	0.0030
38.20	40.10	FD, Felsic Dike Mineralization 38.20 - 40.10 Structure 38.20 - 40.10 38.20 - 40.10 : UC Upper Contact, 45 Deg to CA	366235	38.20	39.00	0.80	0.0060	0.0060	0.0010
			366236	39.00	40.10	1.10	0.0025	0.0025	0.0010
40.10	43.50	MV, Mafic Volcanic Mineralization 40.10 - 43.50 Structure 40.10 - 43.50 40.10 - 43.50 : UC Upper Contact, 50 Deg to CA	366237	40.10	41.00	0.90	0.0130	0.0180	0.0060
			366238	41.00	42.00	1.00	0.0140	0.0110	0.0060
			366239	42.00	43.50	1.50	0.0420	0.0320	0.0060
43.50	45.00	TSCH, Talc Schist with mv Mineralization 43.50 - 45.00 Structure 43.50 - 45.00 : STRFOL Strongly Foliated, 45 Deg to CA 43.50 - 45.00 : UC Upper Contact, 45 Deg to CA	366240	43.50	44.50	1.00	0.1660	0.1130	0.0100
			366241	44.50	45.00	0.50	0.0080	0.0150	0.0030
45.00	50.30	PYXT, Pyroxenite Mineralization 45.00 - 47.50 47.50 - 50.30 Structure 45.00 - 47.50 : STRFOL Strongly Foliated, 45 Deg to CA 47.50 - 50.30 : MODFOL Moderately Foliated, 45 Deg to CA	366242	45.00	46.00	1.00	0.1230	0.0550	0.0070
			366243	46.00	47.50	1.50	0.1960	0.0990	0.0100
			366244	47.50	49.00	1.50	2.0200	1.1050	0.0510
			366246	49.00	50.30	1.30	0.8150	0.2080	0.0240

Hole Number: KB-07-108

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
50.30	52.40	FD, Felsic Dike with pyxt Mineralization 50.30 - 52.40 Structure 50.30 - 52.40	366247	50.30	51.00	0.70	0.1070	0.0530	0.0060
			366248	51.00	52.40	1.40	0.0140	0.0070	0.0040
52.40	58.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 52.40 - 53.10 53.10 - 54.90 54.90 - 57.80 57.80 - 58.70 Structure 52.40 - 58.70	366249	52.40	53.10	0.70	1.8600	0.6080	0.0520
			366250	53.10	54.00	0.90	0.4220	0.2140	0.0160
			366251	54.00	54.90	0.90	0.3930	0.0790	0.0210
			366252	54.90	56.00	1.10	0.0380	0.0130	0.0050
			366254	56.00	57.00	1.00	0.0220	0.0150	0.0050
			366255	57.00	57.80	0.80	0.0260	0.0110	0.0050
			366256	57.80	58.70	0.90	1.0100	0.4940	0.0310
58.70	64.80	MV, Mafic Volcanic Mineralization 58.70 - 64.80 Structure 58.70 - 64.80	366257	58.70	60.00	1.30	0.0330	0.0390	0.0070
			366258	60.00	61.00	1.00	0.0180	0.0170	0.0070
			366259	61.00	62.00	1.00	0.0160	0.0100	0.0050
			366260	62.00	63.00	1.00	0.0160	0.0180	0.0050
			366261	63.00	64.00	1.00	0.0150	0.0110	0.0040
			366262	64.00	64.80	0.80	0.0180	0.0170	0.0050
64.80	66.20	PYXT, Pyroxenite Mineralization 64.80 - 66.20 Structure 64.80 - 66.20 : MODFOL Moderately Foliated, 50 Deg to CA	366263	64.80	66.20	1.40	0.1930	0.0720	0.0110

Hole Number: KB-07-108 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
66.20	85.50	MV, Mafic Volcanic with gabpyxt dykes + fd Mineralization 66.20 - 85.50 Structure 66.20 - 85.50	366264	66.20	67.00	0.80	0.0310	0.0230	0.0060
			366265	67.00	68.00	1.00	0.0180	0.0150	0.0070
			366266	68.00	69.00	1.00	0.0150	0.0160	0.0060
			366267	69.00	70.00	1.00	0.0100	0.0090	0.0040
			366268	70.00	71.00	1.00	0.0110	0.0120	0.0050
			366269	71.00	72.00	1.00	0.0190	0.0100	0.0060
			366270	72.00	73.00	1.00	0.0140	0.0110	0.0060
			366271	73.00	74.00	1.00	0.0130	0.0080	0.0060
			366272	74.00	75.00	1.00	0.0160	0.0150	0.0050
			366273	75.00	76.00	1.00	0.0150	0.0130	0.0060
			366274	76.00	77.00	1.00	0.0140	0.0180	0.0060
			366276	77.00	78.00	1.00	0.0140	0.0100	0.0050
			366277	78.00	79.00	1.00	0.0150	0.0120	0.0050
			366278	79.00	80.00	1.00	0.0140	0.0120	0.0050
			366279	80.00	81.00	1.00	0.0140	0.0140	0.0050
			366280	81.00	82.00	1.00	0.0180	0.0140	0.0050
			366281	82.00	83.00	1.00	0.0150	0.0170	0.0050
			366282	83.00	84.00	1.00	0.0160	0.0150	0.0050
			366283	84.00	85.50	1.50	0.0150	0.0140	0.0060
85.50	88.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 85.50 - 88.50 Structure 85.50 - 88.50	366284	85.50	87.00	1.50	0.0250	0.0110	0.0060
			366285	87.00	88.50	1.50	0.0820	0.0360	0.0070
88.50	90.70	MV, Mafic Volcanic with fd Mineralization 88.50 - 90.70 Structure 88.50 - 90.70 : MODFOL Moderately Foliated, 45 Deg to CA 88.50 - 90.70 : UC Upper Contact, 35 Deg to CA	366286	88.50	90.00	1.50	0.0180	0.0090	0.0050
			366287	90.00	90.70	0.70	0.0160	0.0120	0.0040
90.70	94.00	GAB, Gabbro Mineralization 90.70 - 94.00 Structure 90.70 - 94.00	366288	90.70	92.00	1.30	0.0240	0.0110	0.0050
			366289	92.00	93.00	1.00	0.0290	0.0170	0.0060
			366290	93.00	94.00	1.00	0.0300	0.0110	0.0070
94.00	95.60	MV, Mafic Volcanic with pyxt dykes Mineralization 94.00 - 95.60 Structure 94.00 - 95.60 : MODFOL Moderately Foliated, 50 Deg to CA	366291	94.00	95.00	1.00	0.1590	0.1030	0.0080
			366292	95.00	95.60	0.60	0.1670	0.0610	0.0080

Hole Number: KB-07-108 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
95.60	96.30	PYXT, Pyroxenite Mineralization 95.60 - 96.30 Structure 95.60 - 96.30 : MODFOL Moderately Foliated, 50 Deg to CA	366293	95.60	96.30	0.70	1.5050	1.7350	0.0670
96.30	97.70	TSCH, Talc Schist Mineralization 96.30 - 97.70 Structure 96.30 - 97.70 : STRFOL Strongly Foliated, 50 Deg to CA	366295	96.30	97.00	0.70	0.2140	0.0960	0.0110
			366296	97.00	97.70	0.70	0.0660	0.0050	0.0080
97.70	99.10	PYXT, Pyroxenite Mineralization 97.70 - 99.10 Structure 97.70 - 99.10	366297	97.70	99.00	1.30	0.1230	0.0410	0.0090
			366298	99.00	100.00	1.00	0.0700	0.1530	0.0070
99.10	120.00	MV, Mafic Volcanic Mineralization 99.10 - 103.00 103.00 - 120.00 Structure 99.10 - 120.00 : MODFOL Moderately Foliated, 45 Deg to CA 99.10 - 120.00 : UC Upper Contact, 45 Deg to CA	366299	100.00	101.00	1.00	0.0750	0.0780	0.0050
			366300	101.00	102.00	1.00	0.0550	0.0360	0.0080
			366301	102.00	103.00	1.00	0.0410	0.0490	0.0050
			366302	103.00	104.00	1.00	0.0250	0.0170	0.0060
			366303	104.00	105.00	1.00	0.0140	0.0080	0.0050
			366304	105.00	106.00	1.00	0.0130	0.0160	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366228	31.00	32.00	0.0130	0.0100	0.0040
366229	32.00	33.00	0.0320	0.0200	0.0060
366230	33.00	34.00	0.0130	0.0130	0.0050
366231	34.00	35.00	0.0120	0.0110	0.0040
366232	35.00	36.00	0.0150	0.0110	0.0050
366233	36.00	37.00	0.0150	0.0140	0.0050
366234	37.00	38.20	0.0150	0.0080	0.0030
366235	38.20	39.00	0.0060	0.0060	0.0010
366236	39.00	40.10	0.0025	0.0025	0.0010
366237	40.10	41.00	0.0130	0.0180	0.0060
366238	41.00	42.00	0.0140	0.0110	0.0060
366239	42.00	43.50	0.0420	0.0320	0.0060
366240	43.50	44.50	0.1660	0.1130	0.0100

Hole Number: KB-07-108 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366241	44.50	45.00	0.0080	0.0150	0.0030
366242	45.00	46.00	0.1230	0.0550	0.0070
366243	46.00	47.50	0.1960	0.0990	0.0100
366244	47.50	49.00	2.0200	1.1050	0.0510
366246	49.00	50.30	0.8150	0.2080	0.0240
366247	50.30	51.00	0.1070	0.0530	0.0060
366248	51.00	52.40	0.0140	0.0070	0.0040
366249	52.40	53.10	1.8600	0.6080	0.0520
366250	53.10	54.00	0.4220	0.2140	0.0160
366251	54.00	54.90	0.3930	0.0790	0.0210
366252	54.90	56.00	0.0380	0.0130	0.0050
366254	56.00	57.00	0.0220	0.0150	0.0050
366255	57.00	57.80	0.0260	0.0110	0.0050
366256	57.80	58.70	1.0100	0.4940	0.0310
366257	58.70	60.00	0.0330	0.0390	0.0070
366258	60.00	61.00	0.0180	0.0170	0.0070
366259	61.00	62.00	0.0160	0.0100	0.0050
366260	62.00	63.00	0.0160	0.0180	0.0050
366261	63.00	64.00	0.0150	0.0110	0.0040
366262	64.00	64.80	0.0180	0.0170	0.0050
366263	64.80	66.20	0.1930	0.0720	0.0110
366264	66.20	67.00	0.0310	0.0230	0.0060
366265	67.00	68.00	0.0180	0.0150	0.0070
366266	68.00	69.00	0.0150	0.0160	0.0060
366267	69.00	70.00	0.0100	0.0090	0.0040
366268	70.00	71.00	0.0110	0.0120	0.0050
366269	71.00	72.00	0.0190	0.0100	0.0060
366270	72.00	73.00	0.0140	0.0110	0.0060
366271	73.00	74.00	0.0130	0.0080	0.0060
366272	74.00	75.00	0.0160	0.0150	0.0050
366273	75.00	76.00	0.0150	0.0130	0.0060
366274	76.00	77.00	0.0140	0.0180	0.0060
366276	77.00	78.00	0.0140	0.0100	0.0050
366277	78.00	79.00	0.0150	0.0120	0.0050
366278	79.00	80.00	0.0140	0.0120	0.0050
366279	80.00	81.00	0.0140	0.0140	0.0050
366280	81.00	82.00	0.0180	0.0140	0.0050

Hole Number: KB-07-108

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366281	82.00	83.00	0.0150	0.0170	0.0050
366282	83.00	84.00	0.0160	0.0150	0.0050
366283	84.00	85.50	0.0150	0.0140	0.0060
366284	85.50	87.00	0.0250	0.0110	0.0060
366285	87.00	88.50	0.0820	0.0360	0.0070
366286	88.50	90.00	0.0180	0.0090	0.0050
366287	90.00	90.70	0.0160	0.0120	0.0040
366288	90.70	92.00	0.0240	0.0110	0.0050
366289	92.00	93.00	0.0290	0.0170	0.0060
366290	93.00	94.00	0.0300	0.0110	0.0070
366291	94.00	95.00	0.1590	0.1030	0.0080
366292	95.00	95.60	0.1670	0.0610	0.0080
366293	95.60	96.30	1.5050	1.7350	0.0670
366295	96.30	97.00	0.2140	0.0960	0.0110
366296	97.00	97.70	0.0660	0.0050	0.0080
366297	97.70	99.00	0.1230	0.0410	0.0090
366298	99.00	100.00	0.0700	0.1530	0.0070
366299	100.00	101.00	0.0750	0.0780	0.0050
366300	101.00	102.00	0.0550	0.0360	0.0080
366301	102.00	103.00	0.0410	0.0490	0.0050
366302	103.00	104.00	0.0250	0.0170	0.0060
366303	104.00	105.00	0.0140	0.0080	0.0050
366304	105.00	106.00	0.0130	0.0160	0.0050

DETAILED LOG

Hole Number: KB-07-107

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-46.00
Project Number:	19900	North:	5481569.00	North:	5481569.00	Collar Az:	301.00
Location:	Surface	East:	454045.40	East:	454045.40	Length:	117.00 (m)
		Elev:	396.84	Elev:	396.84	Start Depth:	0.00 (m)
Date Started:	Aug 09, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	117.00 (m)
Date Completed:	Aug 10, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	54.50	58.00	3.50	1.1030	0.3358	0.0320
WEIGHTED	54.50	65.50	11.00	0.5938	0.2368	0.0205
WEIGHTED	86.70	98.50	11.80	0.5406	0.3135	0.0190

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	301.10	-46.00	EZ	OK	5864	50.00	317.90	-44.00	EZ	OK	5933
117.00	309.00	-42.70	EZ	OK	5772						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.90	CAS, Casing							
1.90	42.10	MV, Mafic Volcanic Mineralization 1.90 - 42.10 Structure 1.90 - 42.10 : MODFOL Moderately Foliated, 50 Deg to CA							
42.10	44.20	MDCHL, Mafic Dike Chloritic Mineralization 42.10 - 44.20 Structure 42.10 - 44.20 : MODFOL Moderately Foliated, 50 Deg to CA 42.10 - 44.20 : UC Upper Contact, 65 Deg to CA							
44.20	44.70	MV, Mafic Volcanic Mineralization 44.20 - 44.70 Structure 44.20 - 44.70 44.20 - 44.70 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-107

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
44.70	45.30	MDCHL, Mafic Dike Chloritic Mineralization 44.70 - 45.30 Structure 44.70 - 45.30 : MODFOL Moderately Foliated, 50 Deg to CA 44.70 - 45.30 : UC Upper Contact, 45 Deg to CA							
45.30	49.20	MV, Mafic Volcanic with MDCHL dykes ; irregular contact Mineralization 45.30 - 49.20 Structure 45.30 - 49.20	365204	46.00	47.50	1.50	0.0190	0.0120	0.0050
			365205	47.50	48.50	1.00	0.0190	0.0210	0.0060
			365206	48.50	49.20	0.70	0.0510	0.0490	0.0060
49.20	56.80	PYXT, Pyroxenite weak local talc; Mineralization 49.20 - 54.50 54.50 - 56.80 Structure 49.20 - 56.80 : MODFOL Moderately Foliated, 50 Deg to CA 49.20 - 56.80 : UC Upper Contact, 45 Deg to CA	365207	49.20	50.00	0.80	0.1850	0.0920	0.0110
			365208	50.00	51.50	1.50	0.2420	0.2050	0.0110
			365209	51.50	53.00	1.50	0.1280	0.0660	0.0070
			365210	53.00	54.50	1.50	0.1180	0.0560	0.0070
			365211	54.50	55.50	1.00	1.2150	0.3380	0.0330
			365213	55.50	56.80	1.30	1.0750	0.2010	0.0330
56.80	73.25	GABPYXT, Gabbro Pyroxenite Dikes irregular contact Mineralization 56.80 - 58.30 58.30 - 73.25 Structure 56.80 - 73.25	365214	56.80	58.00	1.20	1.0400	0.4800	0.0300
			365215	58.00	59.50	1.50	0.4780	0.1910	0.0180
			365216	59.50	61.00	1.50	0.3910	0.1460	0.0210
			365217	61.00	62.50	1.50	0.0310	0.0190	0.0050
			365219	62.50	64.00	1.50	0.2130	0.1380	0.0100
			365220	64.00	65.50	1.50	0.6680	0.4590	0.0220
			365221	65.50	67.00	1.50	0.0600	0.0320	0.0070
			365222	67.00	68.50	1.50	0.1900	0.0680	0.0120
			365223	68.50	70.00	1.50	0.1260	0.0580	0.0100
			365224	70.00	71.50	1.50	0.0690	0.0340	0.0090
			365225	71.50	73.00	1.50	0.0230	0.0120	0.0070
			365226	73.00	73.25	0.25	0.1480	0.0840	0.0100
73.25	76.20	FD, Felsic Dike irregular contact Mineralization 73.25 - 76.20 Structure 73.25 - 76.20	365227	73.25	75.00	1.75	0.0070	0.0070	0.0010
			365228	75.00	76.20	1.20	0.0050	0.0050	0.0020

Hole Number: KB-07-107 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
76.20	86.70	MV, Mafic Volcanic Mineralization 76.20 - 86.70 Structure 76.20 - 86.70	365229	76.20	77.50	1.30	0.0180	0.0190	0.0040
			365230	77.50	79.00	1.50	0.0180	0.0120	0.0030
			365231	79.00	80.50	1.50	0.0180	0.0150	0.0050
			365232	80.50	82.00	1.50	0.0180	0.0240	0.0050
			365233	82.00	83.50	1.50	0.0170	0.0140	0.0050
			365234	83.50	85.00	1.50	0.0210	0.0150	0.0050
			365235	85.00	86.70	1.70	0.0790	0.0500	0.0060
86.70	92.90	PYXT, Pyroxenite with 25 &30cm FD; irregular contact Mineralization 86.70 - 92.90 Structure 86.70 - 92.90	365237	86.70	88.00	1.30	0.3060	0.0970	0.0130
			365238	88.00	89.50	1.50	0.8050	0.5520	0.0280
			365239	89.50	91.00	1.50	0.3720	0.1820	0.0150
			365240	91.00	92.50	1.50	0.4510	0.1770	0.0170
			365241	92.50	92.90	0.40	0.3130	0.2260	0.0140
92.90	99.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 92.90 - 97.00 97.00 - 98.90 98.90 - 99.90 Structure 92.90 - 99.90 92.90 - 99.90 : UC Upper Contact, 45 Deg to CA	365242	92.90	94.00	1.10	0.0750	0.0270	0.0050
			365243	94.00	95.50	1.50	0.5700	0.2480	0.0200
			365244	95.50	97.00	1.50	0.3410	0.2690	0.0120
			365246	97.00	98.50	1.50	1.3100	0.8740	0.0390
			365247	98.50	99.90	1.40	0.1090	0.0580	0.0060
99.90	113.60	MV, Mafic Volcanic 30cm pyxt dyke; irregular contact Mineralization 99.90 - 101.00 101.00 - 113.60 Structure 99.90 - 113.60	365248	99.90	101.50	1.60	0.0950	0.0440	0.0050
			365249	101.50	103.00	1.50	0.0270	0.0280	0.0040
			365250	103.00	104.00	1.00	0.0130	0.0080	0.0030
113.60	115.40	MDCHL, Mafic Dike Chloritic Mineralization 113.60 - 115.40 Structure 113.60 - 115.40 : MODFOL Moderately Foliated, 40 Deg to CA 113.60 - 115.40 : UC Upper Contact, 35 Deg to CA							
115.40	117.00	MV, Mafic Volcanic Mineralization 115.40 - 117.00 Structure 115.40 - 117.00 : MODFOL Moderately Foliated, 45 Deg to CA 115.40 - 117.00 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-107

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365204	46.00	47.50	0.0190	0.0120	0.0050
365205	47.50	48.50	0.0190	0.0210	0.0060
365206	48.50	49.20	0.0510	0.0490	0.0060
365207	49.20	50.00	0.1850	0.0920	0.0110
365208	50.00	51.50	0.2420	0.2050	0.0110
365209	51.50	53.00	0.1280	0.0660	0.0070
365210	53.00	54.50	0.1180	0.0560	0.0070
365211	54.50	55.50	1.2150	0.3380	0.0330
365213	55.50	56.80	1.0750	0.2010	0.0330
365214	56.80	58.00	1.0400	0.4800	0.0300
365215	58.00	59.50	0.4780	0.1910	0.0180
365216	59.50	61.00	0.3910	0.1460	0.0210
365217	61.00	62.50	0.0310	0.0190	0.0050
365219	62.50	64.00	0.2130	0.1380	0.0100
365220	64.00	65.50	0.6680	0.4590	0.0220
365221	65.50	67.00	0.0600	0.0320	0.0070
365222	67.00	68.50	0.1900	0.0680	0.0120
365223	68.50	70.00	0.1260	0.0580	0.0100
365224	70.00	71.50	0.0690	0.0340	0.0090
365225	71.50	73.00	0.0230	0.0120	0.0070
365226	73.00	73.25	0.1480	0.0840	0.0100
365227	73.25	75.00	0.0070	0.0070	0.0010
365228	75.00	76.20	0.0050	0.0050	0.0020
365229	76.20	77.50	0.0180	0.0190	0.0040
365230	77.50	79.00	0.0180	0.0120	0.0030
365231	79.00	80.50	0.0180	0.0150	0.0050
365232	80.50	82.00	0.0180	0.0240	0.0050
365233	82.00	83.50	0.0170	0.0140	0.0050
365234	83.50	85.00	0.0210	0.0150	0.0050
365235	85.00	86.70	0.0790	0.0500	0.0060
365237	86.70	88.00	0.3060	0.0970	0.0130
365238	88.00	89.50	0.8050	0.5520	0.0280
365239	89.50	91.00	0.3720	0.1820	0.0150
365240	91.00	92.50	0.4510	0.1770	0.0170
365241	92.50	92.90	0.3130	0.2260	0.0140
365242	92.90	94.00	0.0750	0.0270	0.0050
365243	94.00	95.50	0.5700	0.2480	0.0200

Hole Number: KB-07-107

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365244	95.50	97.00	0.3410	0.2690	0.0120
365246	97.00	98.50	1.3100	0.8740	0.0390
365247	98.50	99.90	0.1090	0.0580	0.0060
365248	99.90	101.50	0.0950	0.0440	0.0050
365249	101.50	103.00	0.0270	0.0280	0.0040
365250	103.00	104.00	0.0130	0.0080	0.0030

DETAILED LOG

Hole Number: KB-07-106

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.70
Project Number:	19900	North:	5481584.00		North:	5481584.00	Collar Az: 311.40
Location:	Surface	East:	454026.50		East:	454026.50	Length: 75.00 (m)
		Elev:	396.64		Elev:	396.64	Start Depth: 0.00 (m)
Date Started:	Aug 08, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 75.00 (m)
Date Completed:	Aug 08, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	19.00	22.60	3.60	0.3879	0.2812	0.0131
WEIGHTED	59.00	61.90	2.90	0.2241	0.0992	0.0116

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	348.70	-44.70	EZ	DO	5594	32.00	311.40	-43.50	EZ	OK	5774
75.00	312.20	-43.00	EZ	OK	5794						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.80	CAS, Casing							
2.80	6.50	MV, Mafic Volcanic Mineralization 2.80 - 6.50 Structure 2.80 - 6.50							
6.50	7.50	FD, Felsic Dike Mineralization 6.50 - 7.50 Structure 6.50 - 7.50							
7.50	16.10	MV, Mafic Volcanic Mineralization 7.50 - 16.10 Structure 7.50 - 16.10 : MODFOL Moderately Foliated, 45 Deg to CA 7.50 - 16.10 : UC Upper Contact, 55 Deg to CA	365001	13.00	14.50	1.50	0.0200	0.0440	0.0060
			365002	14.50	16.10	1.60	0.0450	0.0670	0.0070

Hole Number: KB-07-106 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.10	22.60	PYXT, Pyroxenite Mineralization 16.10 - 22.60 Structure 16.10 - 22.60 : MODFOL Moderately Foliated, 40 Deg to CA 16.10 - 22.60 : UC Upper Contact, 45 Deg to CA	365003	16.10	17.00	0.90	0.1260	0.0620	0.0090
			365004	17.00	18.00	1.00	0.1520	0.1040	0.0090
			365005	18.00	19.00	1.00	0.1690	0.1530	0.0100
			365006	19.00	20.00	1.00	0.3240	0.2490	0.0130
			365007	20.00	21.00	1.00	0.8070	0.4730	0.0210
			365009	21.00	22.00	1.00	0.1120	0.2650	0.0060
			365010	22.00	22.60	0.60	0.2560	0.0420	0.0120
22.60	30.60	MV, Mafic Volcanic Mineralization 22.60 - 30.60 Structure 22.60 - 30.60 22.60 - 30.60 : UC Upper Contact, 55 Deg to CA	365012	22.60	24.00	1.40	0.0950	0.0490	0.0070
			365013	24.00	25.50	1.50	0.0210	0.0170	0.0060
			365014	25.50	27.00	1.50	0.0150	0.0140	0.0060
			365015	27.00	28.00	1.00	0.0160	0.0060	0.0050
			365016	28.00	29.50	1.50	0.0110	0.0090	0.0050
			365017	29.50	30.60	1.10	0.0130	0.0120	0.0050
30.60	38.75	GABPYXT, Gabbro Pyroxenite Dikes 30% MV xenoliths Mineralization 30.60 - 38.75 Structure 30.60 - 38.75 30.60 - 38.75 Irregular	365018	30.60	32.00	1.40	0.1130	0.0590	0.0080
			365019	32.00	33.00	1.00	0.1440	0.0680	0.0090
			365020	33.00	34.00	1.00	0.0190	0.0140	0.0040
			365021	34.00	35.00	1.00	0.0350	0.0220	0.0060
			365022	35.00	36.00	1.00	0.0200	0.0180	0.0050
			365023	36.00	37.00	1.00	0.0250	0.0180	0.0050
			365024	37.00	38.00	1.00	0.0270	0.0180	0.0050
			365025	38.00	38.75	0.75	0.0390	0.0220	0.0060
38.75	40.15	FD, Felsic Dike Mineralization 38.75 - 40.15 Structure 38.75 - 40.15 38.75 - 40.15 : UC Upper Contact, 75 Deg to CA	365026	38.75	40.15	1.40	0.0060	0.0070	0.0020
40.15	40.75	MV, Mafic Volcanic Mineralization 40.15 - 40.75 Structure 40.15 - 40.75 : MODFOL Moderately Foliated, 60 Deg to CA 40.15 - 40.75 : UC Upper Contact, 50 Deg to CA	365027	40.15	40.75	0.60	0.0210	0.0210	0.0040
40.75	47.40	GABPYXT, Gabbro Pyroxenite Dikes 30% MV xenoliths Mineralization 40.75 - 47.40 Structure 40.75 - 47.40 40.75 - 47.40 : UC Upper Contact, 70 Deg to CA	365028	40.75	42.00	1.25	0.0190	0.0100	0.0060
			365029	42.00	43.00	1.00	0.0480	0.0250	0.0070
			365030	43.00	44.00	1.00	0.0170	0.0150	0.0050
			365032	44.00	45.00	1.00	0.0280	0.0410	0.0030
			365033	45.00	46.00	1.00	0.0260	0.0180	0.0050
			365034	46.00	47.40	1.40	0.0350	0.0190	0.0040

Hole Number: KB-07-106 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
47.40	49.20	FD, Felsic Dike Mineralization 47.40 - 49.20 Structure 47.40 - 49.20 47.40 - 49.20 : UC Upper Contact, 70 Deg to CA	365035	47.40	48.30	0.90	0.0070	0.0140	0.0020
			365036	48.30	49.20	0.90	0.0025	0.0025	0.0020
49.20	61.90	GABPYXT, Gabbro Pyroxenite Dikes 30% MV xenoliths Mineralization 49.20 - 61.90 Structure 49.20 - 61.90 49.20 - 61.90 : UC Upper Contact, 40 Deg to CA	365037	49.20	50.00	0.80	0.0290	0.0260	0.0040
			365039	50.00	51.00	1.00	0.0270	0.0150	0.0050
			365040	51.00	52.00	1.00	0.0490	0.0280	0.0040
			365041	52.00	53.00	1.00	0.0440	0.0280	0.0050
			365042	53.00	54.00	1.00	0.0230	0.0230	0.0050
			365043	54.00	55.00	1.00	0.0750	0.0410	0.0060
			365044	55.00	56.00	1.00	0.1650	0.0740	0.0100
			365045	56.00	57.00	1.00	0.0970	0.0460	0.0090
			365046	57.00	58.00	1.00	0.1410	0.0780	0.0100
			365047	58.00	59.00	1.00	0.0890	0.0480	0.0060
			365048	59.00	60.00	1.00	0.1880	0.0850	0.0100
			365049	60.00	61.00	1.00	0.2280	0.1020	0.0120
			365051	61.00	61.90	0.90	0.2600	0.1120	0.0130
61.90	72.00	MV, Mafic Volcanic Mineralization 61.90 - 72.00 Structure 61.90 - 72.00 : MODFOL Moderately Foliated, 40 Deg to CA 61.90 - 72.00 : UC Upper Contact, 35 Deg to CA	365052	61.90	63.50	1.60	0.0280	0.0200	0.0040
			365053	63.50	65.00	1.50	0.0070	0.0100	0.0020
72.00	74.30	MDCHL, Mafic Dike Chloritic Mineralization 72.00 - 74.30 Structure 72.00 - 74.30 : MODFOL Moderately Foliated, 40 Deg to CA 72.00 - 74.30 : UC Upper Contact, 65 Deg to CA							
74.30	75.00	MV, Mafic Volcanic Mineralization 74.30 - 75.00 Structure 74.30 - 75.00 : MODFOL Moderately Foliated, 40 Deg to CA 74.30 - 75.00 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-106

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365001	13.00	14.50	0.0200	0.0440	0.0060
365002	14.50	16.10	0.0450	0.0670	0.0070
365003	16.10	17.00	0.1260	0.0620	0.0090
365004	17.00	18.00	0.1520	0.1040	0.0090
365005	18.00	19.00	0.1690	0.1530	0.0100
365006	19.00	20.00	0.3240	0.2490	0.0130
365007	20.00	21.00	0.8070	0.4730	0.0210
365009	21.00	22.00	0.1120	0.2650	0.0060
365010	22.00	22.60	0.2560	0.0420	0.0120
365012	22.60	24.00	0.0950	0.0490	0.0070
365013	24.00	25.50	0.0210	0.0170	0.0060
365014	25.50	27.00	0.0150	0.0140	0.0060
365015	27.00	28.00	0.0160	0.0060	0.0050
365016	28.00	29.50	0.0110	0.0090	0.0050
365017	29.50	30.60	0.0130	0.0120	0.0050
365018	30.60	32.00	0.1130	0.0590	0.0080
365019	32.00	33.00	0.1440	0.0680	0.0090
365020	33.00	34.00	0.0190	0.0140	0.0040
365021	34.00	35.00	0.0350	0.0220	0.0060
365022	35.00	36.00	0.0200	0.0180	0.0050
365023	36.00	37.00	0.0250	0.0180	0.0050
365024	37.00	38.00	0.0270	0.0180	0.0050
365025	38.00	38.75	0.0390	0.0220	0.0060
365026	38.75	40.15	0.0060	0.0070	0.0020
365027	40.15	40.75	0.0210	0.0210	0.0040
365028	40.75	42.00	0.0190	0.0100	0.0060
365029	42.00	43.00	0.0480	0.0250	0.0070
365030	43.00	44.00	0.0170	0.0150	0.0050
365032	44.00	45.00	0.0280	0.0410	0.0030
365033	45.00	46.00	0.0260	0.0180	0.0050
365034	46.00	47.40	0.0350	0.0190	0.0040
365035	47.40	48.30	0.0070	0.0140	0.0020
365036	48.30	49.20	0.0025	0.0025	0.0020
365037	49.20	50.00	0.0290	0.0260	0.0040
365039	50.00	51.00	0.0270	0.0150	0.0050
365040	51.00	52.00	0.0490	0.0280	0.0040
365041	52.00	53.00	0.0440	0.0280	0.0050

Hole Number: KB-07-106

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365042	53.00	54.00	0.0230	0.0230	0.0050
365043	54.00	55.00	0.0750	0.0410	0.0060
365044	55.00	56.00	0.1650	0.0740	0.0100
365045	56.00	57.00	0.0970	0.0460	0.0090
365046	57.00	58.00	0.1410	0.0780	0.0100
365047	58.00	59.00	0.0890	0.0480	0.0060
365048	59.00	60.00	0.1880	0.0850	0.0100
365049	60.00	61.00	0.2280	0.1020	0.0120
365051	61.00	61.90	0.2600	0.1120	0.0130
365052	61.90	63.50	0.0280	0.0200	0.0040
365053	63.50	65.00	0.0070	0.0100	0.0020

DETAILED LOG

Hole Number: KB-07-105

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481600.00	North:	5481600.00	Collar Az:	303.10
Location:	Surface	East:	454005.70	East:	454005.70	Length:	50.00 (m)
		Elev:	398.54	Elev:	398.54	Start Depth:	0.00 (m)
Date Started:	Aug 07, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	50.00 (m)
Date Completed:	Aug 07, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	303.10	-45.00	EZ	OK	6260	50.00	307.70	-44.60	EZ	OK	5793

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	3.60	FD, Felsic Dike Mineralization 3.00 - 3.60 Structure 3.00 - 3.60	365054	3.00	3.60	0.60	0.0089	0.0047	0.0022
3.60	5.00	MV, Mafic Volcanic Mineralization 3.60 - 5.00 Structure 3.60 - 5.00	365055	3.60	5.00	1.40	0.0129	0.0094	0.0047
5.00	6.00	FD, Felsic Dike Mineralization 5.00 - 6.00 Structure 5.00 - 6.00	365056	5.00	6.00	1.00	0.0054	0.0066	0.0027

Hole Number: KB-07-105 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
6.00	26.80	GABPYXT, Gabbro Pyroxenite Dikes MV XENO Mineralization 6.00 - 26.80 Structure 6.00 - 26.80 6.00 - 26.80 : UC Upper Contact, 30 Deg to CA	365057	6.00	7.00	1.00	0.0352	0.0218	0.0040
			365058	7.00	8.00	1.00	0.0526	0.0346	0.0043
			365059	8.00	9.00	1.00	0.0246	0.0347	0.0037
			365060	9.00	10.00	1.00	0.0255	0.0182	0.0036
			365061	10.00	11.00	1.00	0.0260	0.0258	0.0038
			365062	11.00	12.00	1.00	0.0291	0.0192	0.0045
			365063	12.00	13.00	1.00	0.0345	0.0226	0.0043
			365064	13.00	14.00	1.00	0.0299	0.0148	0.0047
			365065	14.00	15.00	1.00	0.0191	0.0150	0.0047
			365066	15.00	16.00	1.00	0.0896	0.0393	0.0067
			365067	16.00	17.00	1.00	0.0208	0.0232	0.0041
			365068	17.00	18.00	1.00	0.0134	0.0145	0.0038
			365069	18.00	19.00	1.00	0.0162	0.0208	0.0039
			365070	19.00	20.00	1.00	0.0165	0.0234	0.0039
			365072	20.00	21.00	1.00	0.0177	0.0115	0.0036
			365073	21.00	22.00	1.00	0.0895	0.0994	0.0059
			365074	22.00	23.00	1.00	0.0151	0.0112	0.0034
			365075	23.00	24.00	1.00	0.0151	0.0117	0.0034
			365076	24.00	25.00	1.00	0.0201	0.0091	0.0042
			365077	25.00	26.00	1.00	0.0615	0.0424	0.0056
			365078	26.00	26.85	0.85	0.0878	0.0494	0.0053
26.80	31.85	MV, Mafic Volcanic Mineralization 26.80 - 31.85 Structure 26.80 - 31.85 : MODFOL Moderately Foliated, 50 Deg to CA	365079	26.85	28.00	1.15	0.0487	0.0269	0.0047
			365080	28.00	29.00	1.00	0.0103	0.0132	0.0046
			365081	29.00	30.00	1.00	0.0111	0.0140	0.0050
31.85	34.40	MDCHL, Mafic Dike Chloritic Mineralization 31.85 - 34.40 Structure 31.85 - 34.40 : MODFOL Moderately Foliated, 55 Deg to CA 31.85 - 34.40 : UC Upper Contact, 45 Deg to CA							
34.40	50.00	MV, Mafic Volcanic Mineralization 34.40 - 50.00 Structure 34.40 - 50.00							

Hole Number: KB-07-105

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365054	3.00	3.60	0.0089	0.0047	0.0022
365055	3.60	5.00	0.0129	0.0094	0.0047
365056	5.00	6.00	0.0054	0.0066	0.0027
365057	6.00	7.00	0.0352	0.0218	0.0040
365058	7.00	8.00	0.0526	0.0346	0.0043
365059	8.00	9.00	0.0246	0.0347	0.0037
365060	9.00	10.00	0.0255	0.0182	0.0036
365061	10.00	11.00	0.0260	0.0258	0.0038
365062	11.00	12.00	0.0291	0.0192	0.0045
365063	12.00	13.00	0.0345	0.0226	0.0043
365064	13.00	14.00	0.0299	0.0148	0.0047
365065	14.00	15.00	0.0191	0.0150	0.0047
365066	15.00	16.00	0.0896	0.0393	0.0067
365067	16.00	17.00	0.0208	0.0232	0.0041
365068	17.00	18.00	0.0134	0.0145	0.0038
365069	18.00	19.00	0.0162	0.0208	0.0039
365070	19.00	20.00	0.0165	0.0234	0.0039
365072	20.00	21.00	0.0177	0.0115	0.0036
365073	21.00	22.00	0.0895	0.0994	0.0059
365074	22.00	23.00	0.0151	0.0112	0.0034
365075	23.00	24.00	0.0151	0.0117	0.0034
365076	24.00	25.00	0.0201	0.0091	0.0042
365077	25.00	26.00	0.0615	0.0424	0.0056
365078	26.00	26.85	0.0878	0.0494	0.0053
365079	26.85	28.00	0.0487	0.0269	0.0047
365080	28.00	29.00	0.0103	0.0132	0.0046
365081	29.00	30.00	0.0111	0.0140	0.0050

DETAILED LOG

Hole Number: KB-07-104 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -71.10
Project Number:	19900	North: 5481467.00			North: 5481467.00		Collar Az: 308.70
Location:	Surface	East: 454085.30			East: 454085.30		Length: 422.00 (m)
		Elev: 398.54			Elev: 398.54		Start Depth: 0.00 (m)
Date Started:	Aug 07, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 422.00 (m)
Date Completed:	Aug 15, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	312.60	332.80	20.20	1.2653	0.4101	0.0336
WEIGHTED	320.10	322.20	2.10	3.7214	0.9354	0.0877
WEIGHTED	320.10	327.70	7.60	2.1514	0.5108	0.0515
WEIGHTED	324.70	327.70	3.00	2.7772	0.5988	0.0650
WEIGHTED	347.70	359.00	11.30	0.6135	0.1216	0.0208
WEIGHTED	353.50	359.00	5.50	0.9540	0.1669	0.0300
WEIGHTED	377.30	379.00	1.70	1.0294	0.7334	0.0256
WEIGHTED	377.30	394.00	16.70	0.4824	0.4358	0.0143

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	308.70	-71.10	EZ	OK	5733	50.00	309.00	-71.10	EZ	OK	5775
101.00	310.20	-70.10	EZ	OK	5785	149.00	311.60	-69.60	EZ	OK	5785
200.00	313.90	-69.10	EZ	OK	5793	251.00	313.90	-69.10	EZ	OK	5793
299.00	316.00	-67.60	EZ	OK	5810	350.00	315.80	-67.60	EZ	OK	5743
401.00	312.60	-68.00	EZ	OK	5772						

Detailed Lithology

From (m)	To (m)	Lithology
0	4.00	CAS, Casing
4.00	48.20	MV, Mafic Volcanic Mineralization 4.00 - 48.20 Structure 4.00 - 40.80 40.80 - 44.50 : STRFOL Strongly Foliated, 30 Deg to CA TR PY 44.50 - 47.80 : MODFOL Moderately Foliated, 30 Deg to CA 47.80 - 48.20

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-104 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
48.20	51.20	MD, Mafic Dike Mineralization 48.20 - 51.20 Structure 48.20 - 51.20 48.20 - 51.20 : UC Upper Contact, 15 Deg to CA							
51.20	57.20	MDCHL, Mafic Dike Chloritic Mineralization 51.20 - 57.20 Structure 51.20 - 57.20 : MODFOL Moderately Foliated, 30 Deg to CA							
57.20	63.30	MV, Mafic Volcanic Mineralization 57.20 - 63.30 Structure 57.20 - 63.30 : MODFOL Moderately Foliated, 40 Deg to CA							
63.30	74.80	FD, Felsic Dike Mineralization 63.30 - 74.80 Structure 63.30 - 74.80 63.30 - 74.80 : UC Upper Contact, 20 Deg to CA							
74.80	85.20	MV, Mafic Volcanic Mineralization 74.80 - 85.20 Structure 74.80 - 85.20 74.80 - 85.20 : UC Upper Contact, 15 Deg to CA							
85.20	87.20	MD, Mafic Dike Mineralization 85.20 - 87.20 Structure 85.20 - 87.20 85.20 - 87.20 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-104 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
87.20	115.70	MV, Mafic Volcanic Mineralization 87.20 - 99.60 99.60 - 107.20 107.20 - 115.70 Structure 87.20 - 115.70 : MODFOL Moderately Foliated, 40 Deg to CA 87.20 - 115.70 : UC Upper Contact, 40 Deg to CA							
115.70	117.00	MDCHL, Mafic Dike Chloritic Mineralization 115.70 - 117.00 Structure 115.70 - 117.00 : MODFOL Moderately Foliated, 40 Deg to CA							
117.00	126.00	MV, Mafic Volcanic Mineralization 117.00 - 126.00 Structure 117.00 - 126.00 : MODFOL Moderately Foliated, 25 Deg to CA							
126.00	128.20	MD, Mafic Dike Mineralization 126.00 - 128.20 Structure 126.00 - 128.20 : MAS Massive, 20 Deg to CA 126.00 - 128.20							
128.20	128.80	MV, Mafic Volcanic Mineralization 128.20 - 128.80 PY Structure 128.20 - 128.80							
128.80	131.85	MD, Mafic Dike Mineralization 128.80 - 131.85 Structure 128.80 - 131.85							
131.85	146.75	MV, Mafic Volcanic Mineralization 131.85 - 146.75 Structure 131.85 - 146.75 : MODFOL Moderately Foliated, 30 Deg to CA							

Hole Number: KB-07-104 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
146.75	150.30	FD, Felsic Dike Mineralization 146.75 - 150.30 Structure 146.75 - 150.30 146.75 - 150.30 : UC Upper Contact, 30 Deg to CA							
150.30	177.50	MV, Mafic Volcanic Mineralization 150.30 - 177.50 Structure 150.30 - 177.50 : MODFOL Moderately Foliated, 35 Deg to CA							
177.50	181.90	MD, Mafic Dike Mineralization 177.50 - 181.90 Structure 177.50 - 181.90 177.50 - 181.90 : UC Upper Contact, 30 Deg to CA							
181.90	287.20	MV, Mafic Volcanic Mineralization 181.90 - 287.20 Structure 181.90 - 287.20 : MODFOL Moderately Foliated, 30 Deg to CA							
287.20	288.20	FD, Felsic Dike Mineralization 287.20 - 288.20 Structure 287.20 - 288.20 : MODFOL Moderately Foliated, 35 Deg to CA 287.20 - 288.20 : UC Upper Contact, 30 Deg to CA							
288.20	312.60	MV, Mafic Volcanic with fd and mdchl Mineralization 288.20 - 311.00 311.00 - 312.60 Structure 288.20 - 312.60 : MODFOL Moderately Foliated, 35 Deg to CA	365251	308.30	310.00	1.70	0.0110	0.0140	0.0060
			365252	310.00	311.00	1.00	0.0120	0.0120	0.0040
			365253	311.00	312.00	1.00	0.0760	0.1710	0.0090
			365254	312.00	312.60	0.60	0.0930	0.0560	0.0060

Hole Number: KB-07-104

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
312.60	317.00	TSCH, Talc Schist with qtz Mineralization 312.60 - 317.00 Structure 312.60 - 317.00 : STRFOL Strongly Foliated, 35 Deg to CA 312.60 - 317.00 : UC Upper Contact, 40 Deg to CA	365255	312.60	314.00	1.40	0.9240	0.1960	0.0220
			365256	314.00	315.00	1.00	2.3400	0.7720	0.0570
			365258	315.00	316.00	1.00	1.1150	0.3550	0.0480
			365259	316.00	317.00	1.00	1.4950	0.5610	0.0410
317.00	332.80	PYXT, Pyroxenite with mv xenos Mineralization 317.00 - 317.90 317.90 - 320.10 320.10 - 322.20 322.20 - 324.70 324.70 - 325.40 325.40 - 326.90 326.90 - 327.70 327.70 - 332.80 Structure 317.00 - 332.80 : MODFOL Moderately Foliated, 35 Deg to CA	365260	317.00	317.90	0.90	1.2750	0.9730	0.0350
			365261	317.90	319.00	1.10	0.1030	0.0450	0.0070
			365262	319.00	320.10	1.10	0.1780	0.2290	0.0090
			365263	320.10	321.00	0.90	3.5500	1.2000	0.0820
			365264	321.00	322.20	1.20	3.8500	0.7370	0.0920
			365266	322.20	323.00	0.80	0.0440	0.0290	0.0050
			365267	323.00	324.00	1.00	0.1400	0.0810	0.0060
			365268	324.00	324.70	0.70	0.0410	0.0240	0.0030
			365269	324.70	325.40	0.70	5.6900	1.3250	0.1450
			365270	325.40	326.90	1.50	0.5950	0.2060	0.0170
			365271	326.90	327.70	0.80	4.3200	0.7000	0.0850
			365272	327.70	329.00	1.30	0.4510	0.4880	0.0150
			365273	329.00	330.00	1.00	0.1480	0.0670	0.0090
			365274	330.00	331.00	1.00	0.1720	0.1050	0.0090
			365275	331.00	332.00	1.00	0.2710	0.1180	0.0100
			365276	332.00	332.80	0.80	0.4140	0.4230	0.0180
332.80	343.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 332.80 - 334.00 334.00 - 343.00 Structure 332.80 - 343.00	365277	332.80	334.00	1.20	0.1630	0.1640	0.0080
			365278	334.00	335.00	1.00	0.0800	0.0380	0.0050
			365279	335.00	336.00	1.00	0.0630	0.0230	0.0060
			365280	336.00	337.00	1.00	0.0650	0.0280	0.0060
			365281	337.00	338.00	1.00	0.0670	0.0270	0.0060
			365282	338.00	339.00	1.00	0.0680	0.0300	0.0080
			365283	339.00	340.00	1.00	0.0600	0.0220	0.0070
			365284	340.00	341.00	1.00	0.0540	0.0160	0.0070
			365285	341.00	342.00	1.00	0.0510	0.0160	0.0070
			365286	342.00	343.00	1.00	0.0750	0.0540	0.0080
343.00	348.80	PYXT, Pyroxenite Mineralization 343.00 - 347.70 347.70 - 348.80 Structure 343.00 - 348.80 : STRFOL Strongly Foliated, 30 Deg to CA	365287	343.00	344.00	1.00	0.0680	0.0210	0.0090
			365288	344.00	345.00	1.00	0.0740	0.0250	0.0090
			365289	345.00	346.00	1.00	0.1370	0.0800	0.0110
			365291	346.00	347.70	1.70	0.1540	0.1500	0.0120
			365292	347.70	348.80	1.10	1.1200	0.2470	0.0280

Hole Number: KB-07-104

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
348.80	353.50	MV, Mafic Volcanic Mineralization 348.80 - 353.50 Structure 348.80 - 353.50 : MODFOL Moderately Foliated, 25 Deg to CA 348.80 - 353.50 : UC Upper Contact, 30 Deg to CA	365294	348.80	350.40	1.60	0.2220	0.0880	0.0150
			365295	350.40	352.00	1.60	0.0190	0.0120	0.0050
			365296	352.00	353.50	1.50	0.0450	0.0160	0.0050
353.50	373.10	TSCH, Talc Schist Mineralization 353.50 - 356.00 356.00 - 357.30 357.30 - 369.30 369.30 - 373.10 Structure 353.50 - 373.10 : STRFOL Strongly Foliated, 20 Deg to CA 353.50 - 373.10 : UC Upper Contact, 20 Deg to CA	365297	353.50	355.00	1.50	0.2850	0.1850	0.0110
			365298	355.00	356.00	1.00	0.4160	0.0670	0.0140
			365299	356.00	357.30	1.30	3.0800	0.3550	0.0890
			365301	357.30	359.00	1.70	0.2350	0.0660	0.0110
			365302	359.00	360.50	1.50	0.0790	0.0170	0.0080
			365303	360.50	362.00	1.50	0.0780	0.0025	0.0090
			365304	362.00	363.50	1.50	0.0800	0.0130	0.0100
			365305	363.50	365.00	1.50	0.0730	0.0025	0.0090
			365306	365.00	366.50	1.50	0.0025	0.0025	0.0020
			365307	366.50	368.00	1.50	0.0830	0.0025	0.0100
			365308	368.00	369.30	1.30	0.1050	0.0220	0.0100
			365309	369.30	370.00	0.70	0.4320	0.2750	0.0160
			365311	370.00	371.00	1.00	0.1720	0.1460	0.0100
			365312	371.00	372.00	1.00	0.2680	0.2670	0.0120
			365313	372.00	373.10	1.10	0.2570	0.2370	0.0120
373.10	377.30	MV, Mafic Volcanic Mineralization 373.10 - 377.30 Structure 373.10 - 377.30 : MODFOL Moderately Foliated, 15 Deg to CA 373.10 - 377.30 : UC Upper Contact, 20 Deg to CA	365314	373.10	374.50	1.40	0.0450	0.0340	0.0060
			365315	374.50	376.00	1.50	0.0200	0.0240	0.0060
			365316	376.00	377.30	1.30	0.0220	0.0350	0.0060
377.30	379.60	TSCH, Talc Schist Mineralization 377.30 - 379.60 Structure 377.30 - 379.60 : STRFOL Strongly Foliated, 15 Deg to CA 377.30 - 379.60 : UC Upper Contact, 10 Deg to CA	365317	377.30	378.00	0.70	1.0000	0.5910	0.0250
			365318	378.00	379.00	1.00	1.0500	0.8330	0.0260
			365320	379.00	379.60	0.60	0.3950	0.1830	0.0130
379.60	380.50	PYXT, Pyroxenite Mineralization 379.60 - 380.50 Structure 379.60 - 380.50	365321	379.60	380.50	0.90	0.6600	0.4900	0.0200

Hole Number: KB-07-104 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
380.50	385.80	MV, Mafic Volcanic Mineralization 380.50 - 385.80 Structure 380.50 - 385.80 380.50 - 385.80 : UC Upper Contact, 10 Deg to CA	365322	380.50	382.00	1.50	0.2570	0.1710	0.0090
			365323	382.00	383.00	1.00	0.3050	0.1300	0.0100
			365324	383.00	384.00	1.00	0.2700	0.2200	0.0090
			365325	384.00	385.00	1.00	0.1250	0.2750	0.0060
			365326	385.00	385.80	0.80	0.2320	0.3520	0.0070
385.80	389.60	PYXT, Pyroxenite Mineralization 385.80 - 389.60 Structure 385.80 - 389.60 385.80 - 389.60 : UC Upper Contact, 10 Deg to CA	365327	385.80	387.00	1.20	0.6370	0.6560	0.0160
			365329	387.00	388.00	1.00	0.7990	0.7090	0.0220
			365330	388.00	389.00	1.00	0.4130	0.8850	0.0120
			365331	389.00	389.60	0.60	0.3240	0.4830	0.0140
389.60	394.00	TSCH, Talc Schist Mineralization 389.60 - 394.00 Structure 389.60 - 394.00 : STRFOL Strongly Foliated, 15 Deg to CA 389.60 - 394.00 : UC Upper Contact, 10 Deg to CA	365332	389.60	391.00	1.40	0.2470	0.2250	0.0110
			365333	391.00	392.00	1.00	0.5640	0.3990	0.0180
			365334	392.00	393.00	1.00	0.7770	0.5140	0.0190
			365335	393.00	394.00	1.00	0.3470	0.4180	0.0110
394.00	402.20	PYXT, Pyroxenite Mineralization 394.00 - 402.20 trace PO + CPY Structure 394.00 - 402.20 : STRFOL Strongly Foliated, 15 Deg to CA	365336	394.00	395.50	1.50	0.0710	0.0680	0.0040
			365337	395.50	397.00	1.50	0.0330	0.0070	0.0050
			365338	397.00	398.50	1.50	0.0210	0.0130	0.0050
			365339	398.50	400.00	1.50	0.0090	0.0190	0.0050
			365340	400.00	401.00	1.00	0.0090	0.0180	0.0060
			365341	401.00	402.20	1.20	0.0090	0.0140	0.0050
402.20	415.60	MV, Mafic Volcanic Mineralization 402.20 - 415.60 Structure 402.20 - 415.60 : MODFOL Moderately Foliated, 20 Deg to CA	365342	402.20	403.00	0.80	0.0050	0.0260	0.0060
			365343	403.00	404.00	1.00	0.0060	0.0170	0.0050
			365344	404.00	405.00	1.00	0.0180	0.0240	0.0050
415.60	418.40	MD, Mafic Dike Mineralization 415.60 - 418.40 Structure 415.60 - 418.40 415.60 - 418.40 : UC Upper Contact, 20 Deg to CA							
418.40	419.80	MV, Mafic Volcanic Mineralization 418.40 - 419.80 Structure 418.40 - 419.80 : MODFOL Moderately Foliated, 3 Deg to CA 418.40 - 419.80 : UC Upper Contact, 15 Deg to CA							

Hole Number: KB-07-104

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
419.80	420.50	FD, Felsic Dike Mineralization 419.80 - 420.50 Structure 419.80 - 420.50 419.80 - 420.50 : UC Upper Contact, 40 Deg to CA							
420.50	422.00	MV, Mafic Volcanic Mineralization 420.50 - 422.00 Structure 420.50 - 422.00 : MODFOL Moderately Foliated, 30 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365251	308.30	310.00	0.0110	0.0140	0.0060
365252	310.00	311.00	0.0120	0.0120	0.0040
365253	311.00	312.00	0.0760	0.1710	0.0090
365254	312.00	312.60	0.0930	0.0560	0.0060
365255	312.60	314.00	0.9240	0.1960	0.0220
365256	314.00	315.00	2.3400	0.7720	0.0570
365258	315.00	316.00	1.1150	0.3550	0.0480
365259	316.00	317.00	1.4950	0.5610	0.0410
365260	317.00	317.90	1.2750	0.9730	0.0350
365261	317.90	319.00	0.1030	0.0450	0.0070
365262	319.00	320.10	0.1780	0.2290	0.0090
365263	320.10	321.00	3.5500	1.2000	0.0820
365264	321.00	322.20	3.8500	0.7370	0.0920
365266	322.20	323.00	0.0440	0.0290	0.0050
365267	323.00	324.00	0.1400	0.0810	0.0060
365268	324.00	324.70	0.0410	0.0240	0.0030
365269	324.70	325.40	5.6900	1.3250	0.1450
365270	325.40	326.90	0.5950	0.2060	0.0170
365271	326.90	327.70	4.3200	0.7000	0.0850
365272	327.70	329.00	0.4510	0.4880	0.0150
365273	329.00	330.00	0.1480	0.0670	0.0090
365274	330.00	331.00	0.1720	0.1050	0.0090
365275	331.00	332.00	0.2710	0.1180	0.0100
365276	332.00	332.80	0.4140	0.4230	0.0180

Hole Number: KB-07-104

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365277	332.80	334.00	0.1630	0.1640	0.0080
365278	334.00	335.00	0.0800	0.0380	0.0050
365279	335.00	336.00	0.0630	0.0230	0.0060
365280	336.00	337.00	0.0650	0.0280	0.0060
365281	337.00	338.00	0.0670	0.0270	0.0060
365282	338.00	339.00	0.0680	0.0300	0.0080
365283	339.00	340.00	0.0600	0.0220	0.0070
365284	340.00	341.00	0.0540	0.0160	0.0070
365285	341.00	342.00	0.0510	0.0160	0.0070
365286	342.00	343.00	0.0750	0.0540	0.0080
365287	343.00	344.00	0.0680	0.0210	0.0090
365288	344.00	345.00	0.0740	0.0250	0.0090
365289	345.00	346.00	0.1370	0.0800	0.0110
365291	346.00	347.70	0.1540	0.1500	0.0120
365292	347.70	348.80	1.1200	0.2470	0.0280
365294	348.80	350.40	0.2220	0.0880	0.0150
365295	350.40	352.00	0.0190	0.0120	0.0050
365296	352.00	353.50	0.0450	0.0160	0.0050
365297	353.50	355.00	0.2850	0.1850	0.0110
365298	355.00	356.00	0.4160	0.0670	0.0140
365299	356.00	357.30	3.0800	0.3550	0.0890
365301	357.30	359.00	0.2350	0.0660	0.0110
365302	359.00	360.50	0.0790	0.0170	0.0080
365303	360.50	362.00	0.0780	0.0025	0.0090
365304	362.00	363.50	0.0800	0.0130	0.0100
365305	363.50	365.00	0.0730	0.0025	0.0090
365306	365.00	366.50	0.0025	0.0025	0.0020
365307	366.50	368.00	0.0830	0.0025	0.0100
365308	368.00	369.30	0.1050	0.0220	0.0100
365309	369.30	370.00	0.4320	0.2750	0.0160
365311	370.00	371.00	0.1720	0.1460	0.0100
365312	371.00	372.00	0.2680	0.2670	0.0120
365313	372.00	373.10	0.2570	0.2370	0.0120
365314	373.10	374.50	0.0450	0.0340	0.0060
365315	374.50	376.00	0.0200	0.0240	0.0060
365316	376.00	377.30	0.0220	0.0350	0.0060
365317	377.30	378.00	1.0000	0.5910	0.0250

Hole Number: KB-07-104

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365318	378.00	379.00	1.0500	0.8330	0.0260
365320	379.00	379.60	0.3950	0.1830	0.0130
365321	379.60	380.50	0.6600	0.4900	0.0200
365322	380.50	382.00	0.2570	0.1710	0.0090
365323	382.00	383.00	0.3050	0.1300	0.0100
365324	383.00	384.00	0.2700	0.2200	0.0090
365325	384.00	385.00	0.1250	0.2750	0.0060
365326	385.00	385.80	0.2320	0.3520	0.0070
365327	385.80	387.00	0.6370	0.6560	0.0160
365329	387.00	388.00	0.7990	0.7090	0.0220
365330	388.00	389.00	0.4130	0.8850	0.0120
365331	389.00	389.60	0.3240	0.4830	0.0140
365332	389.60	391.00	0.2470	0.2250	0.0110
365333	391.00	392.00	0.5640	0.3990	0.0180
365334	392.00	393.00	0.7770	0.5140	0.0190
365335	393.00	394.00	0.3470	0.4180	0.0110
365336	394.00	395.50	0.0710	0.0680	0.0040
365337	395.50	397.00	0.0330	0.0070	0.0050
365338	397.00	398.50	0.0210	0.0130	0.0050
365339	398.50	400.00	0.0090	0.0190	0.0050
365340	400.00	401.00	0.0090	0.0180	0.0060
365341	401.00	402.20	0.0090	0.0140	0.0050
365342	402.20	403.00	0.0050	0.0260	0.0060
365343	403.00	404.00	0.0060	0.0170	0.0050
365344	404.00	405.00	0.0180	0.0240	0.0050

DETAILED LOG

Hole Number: KB-07-103

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -68.40
Project Number:	19900	North:	5481467.00		North:	5481467.00	Collar Az: 308.50
Location:	Surface	East:	454085.10		East:	454085.10	Length: 374.00 (m)
		Elev:	398.63		Elev:	398.63	Start Depth: 0.00 (m)
Date Started:	Jul 30, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 374.00 (m)
Date Completed:	Aug 06, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	271.80	281.50	9.70	0.3978	0.2391	0.0125
WEIGHTED	275.20	281.50	6.30	0.4710	0.3041	0.0137

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	308.50	-68.40	EZ	OK	Magnetic Field 5812	50.00	309.90	-68.50	EZ	OK	Magnetic Field 5778
101.00	309.00	-66.50	EZ	OK	Magnetic Field 5771	155.00	309.40	-59.20	EZ	OK	Magnetic Field 5777
188.00	309.10	-58.40	EZ	OK	Magnetic Field 5774	224.00	308.70	-58.30	EZ	OK	Magnetic Field 5801
248.00	309.40	-57.90	EZ	OK	Magnetic Field 5812	302.00	310.30	-55.60	EZ	OK	Magnetic Field 5783
359.00	310.40	-53.00	EZ	OK	Magnetic Field 5736	374.00	310.90	-53.40	EZ	OK	Magnetic Field 5833

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.30	CAS, Casing							
1.30	46.50	MV, Mafic Volcanic Mineralization 1.30 - 46.50 Structure 1.30 - 46.50 : MODFOL Moderately Foliated, 40 Deg to CA							
46.50	51.60	MDCHL, Mafic Dike Chloritic Mineralization 46.50 - 51.60 Structure 46.50 - 51.60 : MODFOL Moderately Foliated, 40 Deg to CA 46.50 - 51.60 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-103 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
51.60	71.70	MV, Mafic Volcanic Mineralization 51.60 - 71.70 Structure 51.60 - 71.70 : MODFOL Moderately Foliated, 40 Deg to CA							
71.70	76.50	MDCHL, Mafic Dike Chloritic Mineralization 71.70 - 76.50 Structure 71.70 - 76.50 : MODFOL Moderately Foliated, 35 Deg to CA							
76.50	90.20	MV, Mafic Volcanic with pyxt dyke							
90.20	99.80	FD, Felsic Dike Mineralization 90.20 - 99.80 Structure 90.20 - 99.80 : MODFOL Moderately Foliated, 35 Deg to CA							
99.80	104.00	MV, Mafic Volcanic Mineralization 99.80 - 104.00 Structure 99.80 - 104.00 : MODFOL Moderately Foliated, 30 Deg to CA 99.80 - 104.00 : UC Upper Contact, 35 Deg to CA							
104.00	105.40	FD, Felsic Dike Mineralization 104.00 - 105.40 Structure 104.00 - 105.40 : MODFOL Moderately Foliated, 35 Deg to CA							
105.40	129.00	MV, Mafic Volcanic Mineralization 105.40 - 129.00 Structure 105.40 - 129.00 : MODFOL Moderately Foliated, 35 Deg to CA							
129.00	131.00	MDCHL, Mafic Dike Chloritic Mineralization 129.00 - 131.00 Structure 129.00 - 131.00 : MODFOL Moderately Foliated, 40 Deg to CA 129.00 - 131.00 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-103 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
131.00	152.00	MV, Mafic Volcanic Mineralization 131.00 - 152.00 Structure 131.00 - 152.00 : MODFOL Moderately Foliated, 35 Deg to CA 131.00 - 152.00 : UC Upper Contact, 40 Deg to CA							
152.00	154.10	FD, Felsic Dike Mineralization 152.00 - 154.10 Structure 152.00 - 154.10 : MODFOL Moderately Foliated, 35 Deg to CA							
154.10	167.30	MV, Mafic Volcanic Mineralization 154.10 - 167.30 Structure 154.10 - 167.30 : MODFOL Moderately Foliated, 30 Deg to CA 154.10 - 167.30 : UC Upper Contact, 30 Deg to CA							
167.30	168.30	MD, Mafic Dike Mineralization 167.30 - 168.30 Structure 167.30 - 168.30 : MODFOL Moderately Foliated, 40 Deg to CA 167.30 - 168.30 : UC Upper Contact, 35 Deg to CA							
168.30	186.60	MV, Mafic Volcanic Mineralization 168.30 - 186.60 Structure 168.30 - 186.60 : MODFOL Moderately Foliated, 30 Deg to CA							
186.60	187.40	MD, Mafic Dike Mineralization 186.60 - 187.40 Structure 186.60 - 187.40 186.60 - 187.40 : UC Upper Contact, 40 Deg to CA							
187.40	217.00	MV, Mafic Volcanic Mineralization 187.40 - 217.00 Structure 187.40 - 217.00 : MODFOL Moderately Foliated, 30 Deg to CA 187.40 - 217.00 : UC Upper Contact, 25 Deg to CA							

Hole Number: KB-07-103

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
217.00	228.50	MDCHL, Mafic Dike Chloritic Mineralization 217.00 - 228.50 Structure 217.00 - 228.50 : MODFOL Moderately Foliated, 35 Deg to CA							
228.50	233.30	MD, Mafic Dike Mineralization 228.50 - 233.30 Structure 228.50 - 233.30 228.50 - 233.30 : UC Upper Contact, 40 Deg to CA							
233.30	235.80	MV, Mafic Volcanic Mineralization 233.30 - 235.80 Structure 233.30 - 235.80 : MODFOL Moderately Foliated, 40 Deg to CA 233.30 - 235.80 : UC Upper Contact, 40 Deg to CA							
235.80	241.70	MD, Mafic Dike Mineralization 235.80 - 241.70 Structure 235.80 - 241.70 : MODFOL Moderately Foliated, 35 Deg to CA 235.80 - 241.70 : UC Upper Contact, 40 Deg to CA							
241.70	256.30	MV, Mafic Volcanic gradational contact Mineralization 241.70 - 256.30 Structure 241.70 - 256.30 : MODFOL Moderately Foliated, 40 Deg to CA	365107	253.50	255.00	1.50	0.0104	0.0050	0.0056
			365108	255.00	256.30	1.30	0.0073	0.0054	0.0047
256.30	258.00	GAB, Gabbro fine grained; Mineralization 256.30 - 258.00 Structure 256.30 - 258.00 : MODFOL Moderately Foliated, 45 Deg to CA	365109	256.30	258.00	1.70	0.0030	0.0026	0.0018
258.00	261.40	MV, Mafic Volcanic Mineralization 258.00 - 261.40 Structure 258.00 - 261.40 : MODFOL Moderately Foliated, 55 Deg to CA 258.00 - 261.40 : UC Upper Contact, 50 Deg to CA	365110	258.00	259.00	1.00	0.0061	0.0089	0.0031
			365111	259.00	260.00	1.00	0.0237	0.0141	0.0047
			365112	260.00	261.40	1.40	0.0945	0.0986	0.0074

Hole Number: KB-07-103

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
261.40	262.20	PYXT, Pyroxenite weak local talc Mineralization 261.40 - 262.20 Structure 261.40 - 262.20 : STRFOL Strongly Foliated, 50 Deg to CA 261.40 - 262.20 : UC Upper Contact, 55 Deg to CA	365113	261.40	262.20	0.80	0.1614	0.1368	0.0084
262.20	263.50	MDCHL, Mafic Dike Chloritic Mineralization 262.20 - 263.50 Structure 262.20 - 263.50 : MODFOL Moderately Foliated, 50 Deg to CA 262.20 - 263.50 : UC Upper Contact, 55 Deg to CA	365114	262.20	263.50	1.30	0.0063	0.0070	0.0031
263.50	265.00	TSCH, Talc Schist irregular contact Mineralization 263.50 - 265.00 Structure 263.50 - 265.00 : STRFOL Strongly Foliated, 60 Deg to CA	365115	263.50	265.00	1.50	0.0297	0.0208	0.0044
265.00	270.60	PYXT, Pyroxenite weak local talc; vague contact Mineralization 265.00 - 270.60 Structure 265.00 - 270.60 : STRFOL Strongly Foliated, 40 Deg to CA	365117	265.00	266.00	1.00	0.1722	0.0767	0.0078
			365118	266.00	267.00	1.00	0.0315	0.0047	0.0048
			365119	267.00	268.00	1.00	0.3401	0.0955	0.0113
			365121	268.00	269.00	1.00	0.1081	0.0576	0.0081
			365122	269.00	270.00	1.00	0.2345	0.1229	0.0096
			365123	270.00	270.60	0.60	0.1666	0.0793	0.0088
270.60	271.80	MD, Mafic Dike Mineralization 270.60 - 271.80 Structure 270.60 - 271.80 : MODFOL Moderately Foliated, 40 Deg to CA 270.60 - 271.80 : UC Upper Contact, 40 Deg to CA	365124	270.60	271.80	1.20	0.0226	0.0093	0.0059
271.80	281.50	PYXT, Pyroxenite Mineralization 271.80 - 275.20 275.20 - 276.10 276.10 - 281.50 Structure 271.80 - 281.50 : MODFOL Moderately Foliated, 45 Deg to CA 271.80 - 281.50 : UC Upper Contact, 40 Deg to CA	365125	271.80	273.00	1.20	0.4477	0.1456	0.0132
			365126	273.00	274.00	1.00	0.1857	0.0759	0.0097
			365127	274.00	275.20	1.20	0.1402	0.1268	0.0077
			365129	275.20	276.30	1.10	1.0354	0.6372	0.0301
			365130	276.30	277.00	0.70	0.1227	0.0454	0.0081
			365131	277.00	278.00	1.00	0.1650	0.1016	0.0091
			365132	278.00	279.00	1.00	0.1538	0.0846	0.0077
			365133	279.00	280.00	1.00	0.1186	0.1476	0.0056
			365134	280.00	281.00	1.00	0.9429	0.5794	0.0173
			365136	281.00	281.50	0.50	0.7242	0.5402	0.0158

Hole Number: KB-07-103

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
281.50	318.30	MV, Mafic Volcanic Mineralization 281.50 - 318.30 Structure 281.50 - 318.30 : MODFOL Moderately Foliated, 30 Deg to CA 281.50 - 318.30 : UC Upper Contact, 20 Deg to CA	365137	281.50	283.00	1.50	0.0150	0.0112	0.0062
			365138	283.00	284.50	1.50	0.0107	0.0148	0.0055
318.30	319.30	MDCHL, Mafic Dike Chloritic Mineralization 318.30 - 319.30 Structure 318.30 - 319.30 : MODFOL Moderately Foliated, 40 Deg to CA 318.30 - 319.30 : UC Upper Contact, 40 Deg to CA							
319.30	325.85	MV, Mafic Volcanic Mineralization 319.30 - 325.50 325.50 - 325.85 Structure 319.30 - 325.85 : MODFOL Moderately Foliated, 40 Deg to CA 319.30 - 325.85 : UC Upper Contact, 40 Deg to CA							
325.85	328.30	MD, Mafic Dike with 40cm mv xeno Mineralization 325.85 - 328.30 Structure 325.85 - 328.30 : MODFOL Moderately Foliated, 40 Deg to CA 325.85 - 328.30 : UC Upper Contact, 10 Deg to CA							
328.30	330.40	MV, Mafic Volcanic Mineralization 328.30 - 330.40 Structure 328.30 - 330.40 : STRFOL Strongly Foliated, 30 Deg to CA 328.30 - 330.40 : UC Upper Contact, 50 Deg to CA							
330.40	331.10	FD, Felsic Dike Mineralization 330.40 - 331.10 Structure 330.40 - 331.10 330.40 - 331.10 : UC Upper Contact, 35 Deg to CA							
331.10	331.80	FD, Felsic Dike							

Hole Number: KB-07-103 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
331.80	334.50	MV, Mafic Volcanic Mineralization 331.80 - 334.50 Structure 331.80 - 334.50 : MODFOL Moderately Foliated, 35 Deg to CA 331.80 - 334.50 : UC Upper Contact, 30 Deg to CA							
334.50	341.20	MDCHL, Mafic Dike Chloritic Mineralization 334.50 - 341.20 Structure 334.50 - 341.20 : MODFOL Moderately Foliated, 40 Deg to CA 334.50 - 341.20 : UC Upper Contact, 30 Deg to CA							
341.20	352.70	MV, Mafic Volcanic Mineralization 341.20 - 352.70 Structure 341.20 - 352.70 : MODFOL Moderately Foliated, 30 Deg to CA 341.20 - 352.70 : UC Upper Contact, 30 Deg to CA							
352.70	354.80	FD, Felsic Dike Mineralization 352.70 - 354.80 Structure 352.70 - 354.80 352.70 - 354.80 : UC Upper Contact, 40 Deg to CA							
354.80	374.00	MV, Mafic Volcanic Mineralization 354.80 - 374.00 Structure 354.80 - 374.00 : MODFOL Moderately Foliated, 30 Deg to CA 354.80 - 374.00 : UC Upper Contact, 30 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365107	253.50	255.00	0.0104	0.0050	0.0056
365108	255.00	256.30	0.0073	0.0054	0.0047
365109	256.30	258.00	0.0030	0.0026	0.0018
365110	258.00	259.00	0.0061	0.0089	0.0031
365111	259.00	260.00	0.0237	0.0141	0.0047
365112	260.00	261.40	0.0945	0.0986	0.0074

Hole Number: KB-07-103

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365113	261.40	262.20	0.1614	0.1368	0.0084
365114	262.20	263.50	0.0063	0.0070	0.0031
365115	263.50	265.00	0.0297	0.0208	0.0044
365117	265.00	266.00	0.1722	0.0767	0.0078
365118	266.00	267.00	0.0315	0.0047	0.0048
365119	267.00	268.00	0.3401	0.0955	0.0113
365121	268.00	269.00	0.1081	0.0576	0.0081
365122	269.00	270.00	0.2345	0.1229	0.0096
365123	270.00	270.60	0.1666	0.0793	0.0088
365124	270.60	271.80	0.0226	0.0093	0.0059
365125	271.80	273.00	0.4477	0.1456	0.0132
365126	273.00	274.00	0.1857	0.0759	0.0097
365127	274.00	275.20	0.1402	0.1268	0.0077
365129	275.20	276.30	1.0354	0.6372	0.0301
365130	276.30	277.00	0.1227	0.0454	0.0081
365131	277.00	278.00	0.1650	0.1016	0.0091
365132	278.00	279.00	0.1538	0.0846	0.0077
365133	279.00	280.00	0.1186	0.1476	0.0056
365134	280.00	281.00	0.9429	0.5794	0.0173
365136	281.00	281.50	0.7242	0.5402	0.0158
365137	281.50	283.00	0.0150	0.0112	0.0062
365138	283.00	284.50	0.0107	0.0148	0.0055

DETAILED LOG

Hole Number: KB-07-102

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -43.50
Project Number:	19900	North:	5481481.00		North:	5481481.00	Collar Az: 308.60
Location:	Surface	East:	453860.40		East:	453860.40	Length: 50.00 (m)
		Elev:	389.02		Elev:	389.02	Start Depth: 0.00 (m)
Date Started:	Aug 06, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 50.00 (m)
Date Completed:	Aug 06, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	6.40	20.50	14.10	0.4181	0.4715	0.0114
WEIGHTED	7.40	12.00	4.60	0.7507	0.7577	0.0185

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	280.60	-44.30	EZ	DO	6459	50.00	308.60	-43.50	EZ	OK	5785

Detailed Lithology

From (m)	To (m)	Lithology
0	2.90	CAS, Casing
2.90	4.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.90 - 4.90 Structure 2.90 - 4.90
4.90	6.40	GAB, Gabbro Mineralization 4.90 - 6.40 Structure 4.90 - 6.40 4.90 - 6.40 : UC Upper Contact, 65 Deg to CA
6.40	7.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 6.40 - 7.40 Structure 6.40 - 7.40 6.40 - 7.40 : UC Upper Contact, 25 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
365082	2.00	3.00	1.00	0.0100	0.0172	0.0034
365083	3.00	4.00	1.00	0.0621	0.0172	0.0033
365084	4.00	4.90	0.90	0.0927	0.0420	0.0051
365085	4.90	6.40	1.50	0.0140	0.0074	0.0026
365086	6.40	7.40	1.00	0.2055	0.4281	0.0074

DETAILED LOG

Hole Number: KB-07-102

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
7.40	13.80	PYXT, Pyroxenite irregular contact Mineralization 7.40 - 8.00 8.00 - 9.00 9.00 - 9.60 9.60 - 13.80 Structure 7.40 - 13.80 : MODFOL Moderately Foliated, 35 Deg to CA	365088	7.40	8.00	0.60	1.1983	0.2325	0.0244
			365089	8.00	9.00	1.00	0.0660	0.1145	0.0052
			365090	9.00	9.60	0.60	1.3239	3.0062	0.0356
			365092	9.60	11.00	1.40	0.9071	0.5330	0.0213
			365093	11.00	12.00	1.00	0.6039	0.6814	0.0142
			365094	12.00	13.00	1.00	0.3516	0.4841	0.0092
			365095	13.00	13.80	0.80	0.3940	0.4526	0.0097
13.80	18.00	TSCH, Talc Schist 40cm MD. vague contact Mineralization 13.80 - 18.00 Structure 13.80 - 18.00 : STRFOL Strongly Foliated, 45 Deg to CA	365096	13.80	15.00	1.20	0.2296	0.2434	0.0070
			365097	15.00	16.00	1.00	0.0438	0.0549	0.0037
			365098	16.00	17.00	1.00	0.2544	0.6971	0.0135
			365099	17.00	18.00	1.00	0.6824	0.5216	0.0132
18.00	18.90	MDCHL, Mafic Dike Chloritic Mineralization 18.00 - 18.90 Structure 18.00 - 18.90 18.00 - 18.90 : UC Upper Contact, 50 Deg to CA	365101	18.00	19.00	1.00	0.0152	0.0202	0.0020
18.90	19.40	TSCH, Talc Schist Mineralization 18.90 - 19.40 Structure 18.90 - 19.40 : STRFOL Strongly Foliated, 40 Deg to CA 18.90 - 19.40 : UC Upper Contact, 40 Deg to CA	365102	19.00	19.40	0.40	0.4799	0.4746	0.0115
19.40	19.90	MD, Mafic Dike Mineralization 19.40 - 19.90 Structure 19.40 - 19.90 : MODFOL Moderately Foliated, 40 Deg to CA 19.40 - 19.90 : UC Upper Contact, 45 Deg to CA	365103	19.40	19.90	0.50	0.0124	0.0068	0.0026
19.90	20.50	TSCH, Talc Schist Mineralization 19.90 - 20.50 Structure 19.90 - 20.50 : STRFOL Strongly Foliated, 45 Deg to CA 19.90 - 20.50 : UC Upper Contact, 50 Deg to CA	365104	19.90	20.50	0.60	0.1672	0.1833	0.0070

DETAILED LOG

Hole Number: KB-07-102

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
20.50	50.00	MV, Mafic Volcanic Mineralization 20.50 - 50.00 Structure 20.50 - 50.00 : MODFOL Moderately Foliated, 40 Deg to CA 20.50 - 50.00 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
365105	20.50	22.00	1.50	0.0122	0.0120	0.0051
365106	22.00	23.50	1.50	0.0094	0.0122	0.0044

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365082	2.00	3.00	0.0100	0.0172	0.0034
365083	3.00	4.00	0.0621	0.0172	0.0033
365084	4.00	4.90	0.0927	0.0420	0.0051
365085	4.90	6.40	0.0140	0.0074	0.0026
365086	6.40	7.40	0.2055	0.4281	0.0074
365088	7.40	8.00	1.1983	0.2325	0.0244
365089	8.00	9.00	0.0660	0.1145	0.0052
365090	9.00	9.60	1.3239	3.0062	0.0356
365092	9.60	11.00	0.9071	0.5330	0.0213
365093	11.00	12.00	0.6039	0.6814	0.0142
365094	12.00	13.00	0.3516	0.4841	0.0092
365095	13.00	13.80	0.3940	0.4526	0.0097
365096	13.80	15.00	0.2296	0.2434	0.0070
365097	15.00	16.00	0.0438	0.0549	0.0037
365098	16.00	17.00	0.2544	0.6971	0.0135
365099	17.00	18.00	0.6824	0.5216	0.0132
365101	18.00	19.00	0.0152	0.0202	0.0020
365102	19.00	19.40	0.4799	0.4746	0.0115
365103	19.40	19.90	0.0124	0.0068	0.0026
365104	19.90	20.50	0.1672	0.1833	0.0070
365105	20.50	22.00	0.0122	0.0120	0.0051
365106	22.00	23.50	0.0094	0.0122	0.0044

DETAILED LOG

Hole Number: KB-07-101 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -50.50
Project Number:	19900	North: 5481467.00			North: 5481467.00		Collar Az: 304.90
Location:	Surface	East: 453879.40			East: 453879.40		Length: 77.00 (m)
		Elev: 392.05			Elev: 392.05		Start Depth: 0.00 (m)
Date Started:	Aug 05, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 77.00 (m)
Date Completed:	Aug 06, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	9.00	14.00	5.00	0.2910	0.1935	0.0091
WEIGHTED	31.40	58.40	27.00	0.3772	0.3187	0.0104
WEIGHTED	42.40	44.50	2.10	1.0739	0.2715	0.0218

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
9.00	304.50	-50.50	EZ	OK	Magnetic Field 6086	77.00	310.70	-49.80	EZ	OK	Magnetic Field 5792

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.30	CAS, Casing							
1.30	1.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.30 - 1.90 Structure 1.30 - 1.90	365139	1.30	1.90	0.60	0.0222	0.0218	0.0044
1.90	6.00	FD, Felsic Dike irregular contact Mineralization 1.90 - 6.00 Structure 1.90 - 6.00	365140	1.90	3.50	1.60	0.0076	0.0052	0.0024
			365141	3.50	5.00	1.50	0.0055	0.0041	0.0021
			365142	5.00	6.00	1.00	0.0045	0.0041	0.0021
6.00	11.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 6.00 - 11.10 Structure 6.00 - 11.10 6.00 - 11.10 : UC Upper Contact, 40 Deg to CA	365143	6.00	7.00	1.00	0.0304	0.0348	0.0036
			365144	7.00	8.00	1.00	0.0143	0.0105	0.0038
			365145	8.00	9.00	1.00	0.0128	0.0064	0.0029
			365146	9.00	10.00	1.00	0.1920	0.0728	0.0076
			365147	10.00	11.00	1.00	0.1306	0.1303	0.0053
			365148	11.00	12.00	1.00	0.6530	0.5364	0.0125

Hole Number: KB-07-101

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.10	17.90	GAB, Gabbro irregular contact Mineralization 11.10 - 17.90 Structure 11.10 - 17.90	365149	12.00	13.00	1.00	0.1841	0.1174	0.0104
			365151	13.00	14.00	1.00	0.2953	0.1106	0.0097
			365152	14.00	15.00	1.00	0.0265	0.0250	0.0048
			365153	15.00	16.00	1.00	0.0179	0.0191	0.0047
			365154	16.00	17.00	1.00	0.0123	0.0020	0.0031
			365155	17.00	17.90	0.90	0.0710	0.0583	0.0053
17.90	18.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 17.90 - 18.90 Structure 17.90 - 18.90 17.90 - 18.90 : UC Upper Contact, 40 Deg to CA	365156	17.90	18.90	1.00	0.0265	0.0220	0.0066
18.90	20.20	MD, Mafic Dike irregular contact Mineralization 18.90 - 20.20 Structure 18.90 - 20.20 : MODFOL Moderately Foliated, 35 Deg to CA	365157	18.90	20.20	1.30	0.3054	0.0639	0.0090
20.20	21.60	PYXT, Pyroxenite Mineralization 20.20 - 21.60 Structure 20.20 - 21.60 : MODFOL Moderately Foliated, 45 Deg to CA 20.20 - 21.60 : UC Upper Contact, 45 Deg to CA	365158	20.20	21.00	0.80	0.0168	0.0127	0.0053
			365159	21.00	21.60	0.60	0.0210	0.0117	0.0045
21.60	23.80	GAB, Gabbro Mineralization 21.60 - 23.80 Structure 21.60 - 23.80 21.60 - 23.80 : UC Upper Contact, 50 Deg to CA	365161	21.60	23.00	1.40	0.1677	0.0754	0.0071
			365162	23.00	23.80	0.80	0.0919	0.0422	0.0062
23.80	27.20	PYXT, Pyroxenite Mineralization 23.80 - 27.20 Structure 23.80 - 27.20 : MODFOL Moderately Foliated, 45 Deg to CA 23.80 - 27.20 : UC Upper Contact, 35 Deg to CA	365163	23.80	25.00	1.20	0.1300	0.0513	0.0072
			365164	25.00	26.00	1.00	0.0191	0.0102	0.0035
			365165	26.00	27.20	1.20	0.0118	0.0083	0.0027

DETAILED LOG

Hole Number: KB-07-101

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
27.20	30.00	GAB, Gabbro Mineralization 27.20 - 30.00 Structure 27.20 - 30.00 27.20 - 30.00 : UC Upper Contact, 50 Deg to CA	365166	27.20	28.00	0.80	0.0127	0.0058	0.0026
			365167	28.00	29.00	1.00	0.0984	0.0422	0.0056
			365168	29.00	30.00	1.00	0.0216	0.0317	0.0062
30.00	31.40	PYXT, Pyroxenite Mineralization 30.00 - 31.40 Structure 30.00 - 31.40 : MODFOL Moderately Foliated, 40 Deg to CA 30.00 - 31.40 : UC Upper Contact, 30 Deg to CA	365169	30.00	31.40	1.40	0.0175	0.0080	0.0039
31.40	35.60	MV, Mafic Volcanic irregular contact. pyrite Mineralization 31.40 - 35.60 Structure 31.40 - 35.60	365170	31.40	33.00	1.60	0.4193	0.1154	0.0117
			365171	33.00	34.50	1.50	0.0517	0.0244	0.0049
			365172	34.50	35.60	1.10	0.0548	0.0250	0.0060
35.60	38.60	PYXT, Pyroxenite Mineralization 35.60 - 38.60 Structure 35.60 - 38.60 : MODFOL Moderately Foliated, 40 Deg to CA 35.60 - 38.60 : UC Upper Contact, 40 Deg to CA	365173	35.60	36.60	1.00	0.0874	0.0414	0.0059
			365174	36.60	37.60	1.00	0.2071	0.1835	0.0126
			365175	37.60	38.60	1.00	0.2006	0.0858	0.0079
38.60	39.20	MV, Mafic Volcanic py Mineralization 38.60 - 39.20 Structure 38.60 - 39.20	365176	38.60	39.20	0.60	0.0194	0.0228	0.0053
39.20	41.80	PYXT, Pyroxenite Mineralization 39.20 - 41.80 Structure 39.20 - 41.80 : MODFOL Moderately Foliated, 40 Deg to CA 39.20 - 41.80 : UC Upper Contact, 30 Deg to CA	365177	39.20	40.00	0.80	0.1092	0.0902	0.0059
			365178	40.00	41.00	1.00	0.1672	0.1044	0.0070
			365179	41.00	41.80	0.80	0.6253	0.3884	0.0219

Hole Number: KB-07-101 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
41.80	43.40	GAB, Gabbro irregular contact Mineralization 41.80 - 43.40 Structure 41.80 - 43.40	365181	41.80	42.40	0.60	0.0224	0.0061	0.0033
			365182	42.40	43.00	0.60	1.0357	0.2963	0.0195
			365183	43.00	43.90	0.90	0.3724	0.2036	0.0096
43.40	45.20	PYXT, Pyroxenite Mineralization 43.40 - 43.90 43.90 - 44.50 44.50 - 45.20 Structure 43.40 - 45.20 43.40 - 45.20 : UC Upper Contact, 45 Deg to CA	365184	43.90	44.50	0.60	2.1643	0.3485	0.0423
			365186	44.50	45.20	0.70	0.6448	0.6769	0.0124
45.20	47.00	MD, Mafic Dike py Mineralization 45.20 - 47.00 Structure 45.20 - 47.00 : MODFOL Moderately Foliated, 45 Deg to CA 45.20 - 47.00 : UC Upper Contact, 60 Deg to CA	365187	45.20	46.00	0.80	0.1563	0.0273	0.0059
			365188	46.00	47.00	1.00	0.0295	0.0117	0.0057
47.00	55.50	PYXT, Pyroxenite weak local talc Mineralization 47.00 - 55.50 Structure 47.00 - 55.50 : STRFOL Strongly Foliated, 45 Deg to CA 47.00 - 55.50 : UC Upper Contact, 55 Deg to CA	365189	47.00	48.00	1.00	0.1637	0.2652	0.0089
			365190	48.00	49.00	1.00	0.4781	0.5956	0.0106
			365191	49.00	50.00	1.00	0.4680	0.5505	0.0094
			365192	50.00	51.00	1.00	0.4030	0.4230	0.0092
			365193	51.00	52.00	1.00	0.6447	0.7103	0.0126
			365194	52.00	53.00	1.00	0.4631	0.6268	0.0103
			365195	53.00	54.00	1.00	0.6573	0.7621	0.0140
			365197	54.00	55.00	1.00	0.7188	0.7250	0.0140
			365198	55.00	55.50	0.50	0.1125	0.0537	0.0054
55.50	58.40	TSCH, Talc Schist Mineralization 55.50 - 58.40 Structure 55.50 - 58.40 : STRFOL Strongly Foliated, 35 Deg to CA 55.50 - 58.40 : UC Upper Contact, 35 Deg to CA	365199	55.50	56.50	1.00	0.4836	0.7988	0.0117
			365200	56.50	57.50	1.00	0.4970	0.5040	0.0104
			365201	57.50	58.40	0.90	0.2284	0.5270	0.0084

Hole Number: KB-07-101

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
58.40	77.00	MV, Mafic Volcanic
		Mineralization
		58.40 - 77.00
		Structure
		58.40 - 77.00 : MODFOL Moderately Foliated, 45 Deg to CA
		58.40 - 77.00 : UC Upper Contact, 30 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
365202	58.40	60.00	1.60	0.0314	0.0249	0.0054
365203	60.00	61.50	1.50	0.0142	0.0123	0.0058

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365139	1.30	1.90	0.0222	0.0218	0.0044
365140	1.90	3.50	0.0076	0.0052	0.0024
365141	3.50	5.00	0.0055	0.0041	0.0021
365142	5.00	6.00	0.0045	0.0041	0.0021
365143	6.00	7.00	0.0304	0.0348	0.0036
365144	7.00	8.00	0.0143	0.0105	0.0038
365145	8.00	9.00	0.0128	0.0064	0.0029
365146	9.00	10.00	0.1920	0.0728	0.0076
365147	10.00	11.00	0.1306	0.1303	0.0053
365148	11.00	12.00	0.6530	0.5364	0.0125
365149	12.00	13.00	0.1841	0.1174	0.0104
365151	13.00	14.00	0.2953	0.1106	0.0097
365152	14.00	15.00	0.0265	0.0250	0.0048
365153	15.00	16.00	0.0179	0.0191	0.0047
365154	16.00	17.00	0.0123	0.0020	0.0031
365155	17.00	17.90	0.0710	0.0583	0.0053
365156	17.90	18.90	0.0265	0.0220	0.0066
365157	18.90	20.20	0.3054	0.0639	0.0090
365158	20.20	21.00	0.0168	0.0127	0.0053
365159	21.00	21.60	0.0210	0.0117	0.0045
365161	21.60	23.00	0.1677	0.0754	0.0071
365162	23.00	23.80	0.0919	0.0422	0.0062
365163	23.80	25.00	0.1300	0.0513	0.0072
365164	25.00	26.00	0.0191	0.0102	0.0035
365165	26.00	27.20	0.0118	0.0083	0.0027
365166	27.20	28.00	0.0127	0.0058	0.0026
365167	28.00	29.00	0.0984	0.0422	0.0056
365168	29.00	30.00	0.0216	0.0317	0.0062

Hole Number: KB-07-101

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
365169	30.00	31.40	0.0175	0.0080	0.0039
365170	31.40	33.00	0.4193	0.1154	0.0117
365171	33.00	34.50	0.0517	0.0244	0.0049
365172	34.50	35.60	0.0548	0.0250	0.0060
365173	35.60	36.60	0.0874	0.0414	0.0059
365174	36.60	37.60	0.2071	0.1835	0.0126
365175	37.60	38.60	0.2006	0.0858	0.0079
365176	38.60	39.20	0.0194	0.0228	0.0053
365177	39.20	40.00	0.1092	0.0902	0.0059
365178	40.00	41.00	0.1672	0.1044	0.0070
365179	41.00	41.80	0.6253	0.3884	0.0219
365181	41.80	42.40	0.0224	0.0061	0.0033
365182	42.40	43.00	1.0357	0.2963	0.0195
365183	43.00	43.90	0.3724	0.2036	0.0096
365184	43.90	44.50	2.1643	0.3485	0.0423
365186	44.50	45.20	0.6448	0.6769	0.0124
365187	45.20	46.00	0.1563	0.0273	0.0059
365188	46.00	47.00	0.0295	0.0117	0.0057
365189	47.00	48.00	0.1637	0.2652	0.0089
365190	48.00	49.00	0.4781	0.5956	0.0106
365191	49.00	50.00	0.4680	0.5505	0.0094
365192	50.00	51.00	0.4030	0.4230	0.0092
365193	51.00	52.00	0.6447	0.7103	0.0126
365194	52.00	53.00	0.4631	0.6268	0.0103
365195	53.00	54.00	0.6573	0.7621	0.0140
365197	54.00	55.00	0.7188	0.7250	0.0140
365198	55.00	55.50	0.1125	0.0537	0.0054
365199	55.50	56.50	0.4836	0.7988	0.0117
365200	56.50	57.50	0.4970	0.5040	0.0104
365201	57.50	58.40	0.2284	0.5270	0.0084
365202	58.40	60.00	0.0314	0.0249	0.0054
365203	60.00	61.50	0.0142	0.0123	0.0058

DETAILED LOG

Hole Number: KB-07-100 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid:	UTM:		Destination Coordinates	Grid:	UTM:	Collar Dip: -46.00
Project Number:	19900	North:	5481446.00			North:	5481446.00		Collar Az: 305.90
Location:	Surface	East:	453904.90			East:	453904.90		Length: 110.00 (m)
		Elev:	390.98			Elev:	390.98		Start Depth: 0.00 (m)
Date Started:	Aug 04, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling		Final Depth: 110.00 (m)
Date Completed:	Aug 04, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.00	7.00	5.00	0.2618	0.1408	0.0140
WEIGHTED	14.60	18.00	3.40	0.3520	0.2134	0.0138
WEIGHTED	49.00	51.60	2.60	0.2566	0.1359	0.0091
WEIGHTED	81.00	89.00	8.00	0.5921	0.5581	0.0148
WEIGHTED	81.00	96.90	15.90	0.4061	0.4377	0.0112

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	305.90	-46.00	EZ	OK	Magnetic Field 5472	55.00	307.60	-45.90	EZ	OK	Magnetic Field 5846
110.00	309.90	-45.40	EZ	OK	Magnetic Field 5766						

Detailed Lithology

From (m)	To (m)	Lithology
0	1.80	CAS, Casing
1.80	7.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.80 - 7.00 Structure 1.80 - 7.00
7.00	8.80	MDCHL, Mafic Dike Chloritic Mineralization 7.00 - 8.80 Structure 7.00 - 8.80 : MODFOL Moderately Foliated, 45 Deg to CA 7.00 - 8.80 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366133	2.00	3.00	1.00	0.1635	0.1080	0.0232
366134	3.00	4.00	1.00	0.3164	0.2064	0.0107
366135	4.00	5.00	1.00	0.5184	0.2463	0.0165
366137	5.00	6.00	1.00	0.0951	0.0655	0.0078
366138	6.00	7.00	1.00	0.2157	0.0777	0.0118
366139	7.00	8.00	1.00	0.0066	0.0056	0.0033
366140	8.00	8.80	0.80	0.0070	0.0067	0.0036

Hole Number: KB-07-100 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
8.80	11.30	GAB, Gabbro Mineralization 8.80 - 11.30 Structure 8.80 - 11.30 8.80 - 11.30 : UC Upper Contact, 50 Deg to CA	366141	8.80	10.00	1.20	0.0203	0.0064	0.0059
			366142	10.00	11.30	1.30	0.0610	0.1446	0.0063
11.30	14.60	FD, Felsic Dike Mineralization 11.30 - 14.60 Structure 11.30 - 14.60	366143	11.30	13.00	1.70	0.0058	0.0053	0.0032
			366144	13.00	14.60	1.60	0.0051	0.0056	0.0032
14.60	26.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 14.60 - 22.70 22.70 - 26.60 Structure 14.60 - 26.60 : MODFOL Moderately Foliated, 40 Deg to CA	366145	14.60	16.00	1.40	0.4054	0.3286	0.0146
			366147	16.00	17.00	1.00	0.4182	0.1877	0.0163
			366148	17.00	18.00	1.00	0.2110	0.0780	0.0102
			366149	18.00	19.00	1.00	0.0481	0.0215	0.0082
			366150	19.00	20.00	1.00	0.0765	0.0412	0.0081
			366151	20.00	21.00	1.00	0.0845	0.0301	0.0100
			366152	21.00	22.00	1.00	0.0684	0.0358	0.0074
			366153	22.00	22.70	0.70	0.1695	0.0948	0.0092
			366154	22.70	24.00	1.30	0.0130	0.0101	0.0047
			366155	24.00	25.50	1.50	0.0120	0.0208	0.0049
			366156	25.50	27.00	1.50	0.0816	0.0358	0.0072
26.60	29.10	MV, Mafic Volcanic Mineralization 26.60 - 29.10 Structure 26.60 - 29.10	366157	27.00	28.00	1.00	0.0138	0.0153	0.0054
			366158	28.00	29.10	1.10	0.0182	0.0153	0.0065
29.10	40.70	MDCHL, Mafic Dike Chloritic Mineralization 29.10 - 40.70 Structure 29.10 - 40.70 : MODFOL Moderately Foliated, 40 Deg to CA	366159	29.10	30.50	1.40	0.0102	0.0054	0.0039
			366160	30.50	32.00	1.50	0.0062	0.0041	0.0033
			366161	32.00	33.50	1.50	0.0055	0.0042	0.0032
			366162	33.50	35.00	1.50	0.0051	0.0039	0.0032
			366163	35.00	36.50	1.50	0.0049	0.0042	0.0028
			366164	36.50	38.00	1.50	0.0048	0.0040	0.0028
			366165	38.00	39.50	1.50	0.0046	0.0042	0.0028
			366166	39.50	40.70	1.20	0.0050	0.0040	0.0030

Hole Number: KB-07-100 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
40.70	47.00	MV, Mafic Volcanic with gabpyxt Mineralization 40.70 - 47.00 Structure 40.70 - 47.00 : MODFOL Moderately Foliated, 40 Deg to CA 40.70 - 47.00 : UC Upper Contact, 40 Deg to CA	366167	40.70	42.00	1.30	0.0068	0.0120	0.0036
			366168	42.00	43.00	1.00	0.0253	0.0301	0.0042
			366169	43.00	44.00	1.00	0.0785	0.0823	0.0089
			366171	44.00	45.00	1.00	0.0127	0.0196	0.0062
			366172	45.00	46.00	1.00	0.0109	0.0221	0.0068
			366173	46.00	47.00	1.00	0.0463	0.0338	0.0061
47.00	64.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 47.00 - 51.60 51.60 - 55.80 55.80 - 58.60 58.60 - 64.20 Structure 47.00 - 64.20 : MODFOL Moderately Foliated, 40 Deg to CA 47.00 - 64.20 : UC Upper Contact, 40 Deg to CA	366174	47.00	48.00	1.00	0.0318	0.0218	0.0070
			366175	48.00	49.00	1.00	0.0808	0.0524	0.0073
			366176	49.00	50.00	1.00	0.1489	0.1061	0.0072
			366177	50.00	51.00	1.00	0.3921	0.1881	0.0105
			366179	51.00	51.60	0.60	0.2101	0.0985	0.0099
			366180	51.60	53.00	1.40	0.1168	0.0242	0.0067
			366181	53.00	54.00	1.00	0.0120	0.0209	0.0042
			366182	54.00	55.80	1.80	0.0062	0.0066	0.0029
			366183	55.80	57.00	1.20	0.0426	0.0365	0.0054
			366184	57.00	58.00	1.00	0.2604	0.1157	0.0100
			366185	58.00	58.60	0.60	0.1528	0.0700	0.0087
			366186	58.60	60.00	1.40	0.0174	0.0083	0.0039
			366187	60.00	61.00	1.00	0.0046	0.0123	0.0027
			366188	61.00	62.00	1.00	0.0057	0.0212	0.0039
			366189	62.00	63.00	1.00	0.0168	0.0153	0.0040
			366190	63.00	64.20	1.20	0.0485	0.0273	0.0055
64.20	69.40	PYXT, Pyroxenite with mv xenos Mineralization 64.20 - 69.40 Structure 64.20 - 69.40 : MODFOL Moderately Foliated, 45 Deg to CA	366191	64.20	65.00	0.80	0.0486	0.0250	0.0058
			366192	65.00	66.00	1.00	0.2581	0.1418	0.0089
			366194	66.00	67.00	1.00	0.5563	0.5333	0.0117
			366195	67.00	68.00	1.00	0.1242	0.1034	0.0055
			366196	68.00	69.40	1.40	0.1506	0.2047	0.0056
69.40	77.30	MV, Mafic Volcanic Mineralization 69.40 - 77.30 Structure 69.40 - 77.30 : MODFOL Moderately Foliated, 50 Deg to CA 69.40 - 77.30 : UC Upper Contact, 50 Deg to CA	366198	69.40	71.00	1.60	0.0645	0.0800	0.0074
			366199	71.00	72.50	1.50	0.0102	0.0158	0.0047
			366200	72.50	74.00	1.50	0.0109	0.0152	0.0064
			366201	74.00	75.50	1.50	0.0144	0.0152	0.0065
			366202	75.50	77.30	1.80	0.0155	0.0180	0.0068
77.30	81.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 77.30 - 81.10 Structure 77.30 - 81.10 77.30 - 81.10 : UC Upper Contact, 55 Deg to CA	366203	77.30	78.00	0.70	0.0992	0.0803	0.0075
			366204	78.00	79.00	1.00	0.1148	0.0669	0.0082
			366205	79.00	80.00	1.00	0.1223	0.0593	0.0079
			366206	80.00	81.00	1.00	0.0470	0.0293	0.0055
			366207	81.00	82.00	1.00	0.3534	0.2488	0.0116

DETAILED LOG

Hole Number: KB-07-100

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
81.10	93.30	PYXT, Pyroxenite Mineralization 81.10 - 86.00 86.00 - 93.30 Structure 81.10 - 93.30 : MODFOL Moderately Foliated, 45 Deg to CA
93.30	96.90	TSCH, Talc Schist Mineralization 93.30 - 96.90 Structure 93.30 - 96.90 : STRFOL Strongly Foliated, 45 Deg to CA 93.30 - 96.90 : UC Upper Contact, 50 Deg to CA
96.90	110.00	MV, Mafic Volcanic Mineralization 96.90 - 110.00 Structure 96.90 - 110.00 : MODFOL Moderately Foliated, 50 Deg to CA 96.90 - 110.00 : UC Upper Contact, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366209	82.00	83.00	1.00	0.5601	0.3367	0.0144
366210	83.00	84.00	1.00	0.9842	0.9859	0.0248
366212	84.00	85.00	1.00	0.8580	0.9060	0.0198
366213	85.00	86.00	1.00	0.5151	0.1680	0.0123
366214	86.00	87.00	1.00	0.4409	0.6093	0.0112
366215	87.00	88.00	1.00	0.4849	0.6827	0.0116
366216	88.00	89.00	1.00	0.5401	0.5277	0.0123
366217	89.00	90.00	1.00	0.0914	0.1119	0.0049
366218	90.00	91.00	1.00	0.0817	0.0991	0.0054
366219	91.00	92.00	1.00	0.1116	0.1640	0.0048
366220	92.00	93.30	1.30	0.0441	0.0510	0.0047
366221	93.30	94.00	0.70	0.5944	0.7592	0.0145
366222	94.00	95.00	1.00	0.3452	0.3535	0.0085
366223	95.00	96.00	1.00	0.3951	0.5554	0.0113
366224	96.00	96.90	0.90	0.2473	0.6811	0.0094
366225	96.90	98.00	1.10	0.0507	0.0479	0.0066
366226	98.00	99.00	1.00	0.0131	0.0115	0.0059
366227	99.00	100.00	1.00	0.0126	0.0125	0.0057

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366133	2.00	3.00	0.1635	0.1080	0.0232
366134	3.00	4.00	0.3164	0.2064	0.0107
366135	4.00	5.00	0.5184	0.2463	0.0165
366137	5.00	6.00	0.0951	0.0655	0.0078
366138	6.00	7.00	0.2157	0.0777	0.0118
366139	7.00	8.00	0.0066	0.0056	0.0033
366140	8.00	8.80	0.0070	0.0067	0.0036
366141	8.80	10.00	0.0203	0.0064	0.0059
366142	10.00	11.30	0.0610	0.1446	0.0063
366143	11.30	13.00	0.0058	0.0053	0.0032
366144	13.00	14.60	0.0051	0.0056	0.0032
366145	14.60	16.00	0.4054	0.3286	0.0146
366147	16.00	17.00	0.4182	0.1877	0.0163

Hole Number: KB-07-100

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366148	17.00	18.00	0.2110	0.0780	0.0102
366149	18.00	19.00	0.0481	0.0215	0.0082
366150	19.00	20.00	0.0765	0.0412	0.0081
366151	20.00	21.00	0.0845	0.0301	0.0100
366152	21.00	22.00	0.0684	0.0358	0.0074
366153	22.00	22.70	0.1695	0.0948	0.0092
366154	22.70	24.00	0.0130	0.0101	0.0047
366155	24.00	25.50	0.0120	0.0208	0.0049
366156	25.50	27.00	0.0816	0.0358	0.0072
366157	27.00	28.00	0.0138	0.0153	0.0054
366158	28.00	29.10	0.0182	0.0153	0.0065
366159	29.10	30.50	0.0102	0.0054	0.0039
366160	30.50	32.00	0.0062	0.0041	0.0033
366161	32.00	33.50	0.0055	0.0042	0.0032
366162	33.50	35.00	0.0051	0.0039	0.0032
366163	35.00	36.50	0.0049	0.0042	0.0028
366164	36.50	38.00	0.0048	0.0040	0.0028
366165	38.00	39.50	0.0046	0.0042	0.0028
366166	39.50	40.70	0.0050	0.0040	0.0030
366167	40.70	42.00	0.0068	0.0120	0.0036
366168	42.00	43.00	0.0253	0.0301	0.0042
366169	43.00	44.00	0.0785	0.0823	0.0089
366171	44.00	45.00	0.0127	0.0196	0.0062
366172	45.00	46.00	0.0109	0.0221	0.0068
366173	46.00	47.00	0.0463	0.0338	0.0061
366174	47.00	48.00	0.0318	0.0218	0.0070
366175	48.00	49.00	0.0808	0.0524	0.0073
366176	49.00	50.00	0.1489	0.1061	0.0072
366177	50.00	51.00	0.3921	0.1881	0.0105
366179	51.00	51.60	0.2101	0.0985	0.0099
366180	51.60	53.00	0.1168	0.0242	0.0067
366181	53.00	54.00	0.0120	0.0209	0.0042
366182	54.00	55.80	0.0062	0.0066	0.0029
366183	55.80	57.00	0.0426	0.0365	0.0054
366184	57.00	58.00	0.2604	0.1157	0.0100
366185	58.00	58.60	0.1528	0.0700	0.0087
366186	58.60	60.00	0.0174	0.0083	0.0039

Hole Number: KB-07-100 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366187	60.00	61.00	0.0046	0.0123	0.0027
366188	61.00	62.00	0.0057	0.0212	0.0039
366189	62.00	63.00	0.0168	0.0153	0.0040
366190	63.00	64.20	0.0485	0.0273	0.0055
366191	64.20	65.00	0.0486	0.0250	0.0058
366192	65.00	66.00	0.2581	0.1418	0.0089
366194	66.00	67.00	0.5563	0.5333	0.0117
366195	67.00	68.00	0.1242	0.1034	0.0055
366196	68.00	69.40	0.1506	0.2047	0.0056
366198	69.40	71.00	0.0645	0.0800	0.0074
366199	71.00	72.50	0.0102	0.0158	0.0047
366200	72.50	74.00	0.0109	0.0152	0.0064
366201	74.00	75.50	0.0144	0.0152	0.0065
366202	75.50	77.30	0.0155	0.0180	0.0068
366203	77.30	78.00	0.0992	0.0803	0.0075
366204	78.00	79.00	0.1148	0.0669	0.0082
366205	79.00	80.00	0.1223	0.0593	0.0079
366206	80.00	81.00	0.0470	0.0293	0.0055
366207	81.00	82.00	0.3534	0.2488	0.0116
366209	82.00	83.00	0.5601	0.3367	0.0144
366210	83.00	84.00	0.9842	0.9859	0.0248
366212	84.00	85.00	0.8580	0.9060	0.0198
366213	85.00	86.00	0.5151	0.1680	0.0123
366214	86.00	87.00	0.4409	0.6093	0.0112
366215	87.00	88.00	0.4849	0.6827	0.0116
366216	88.00	89.00	0.5401	0.5277	0.0123
366217	89.00	90.00	0.0914	0.1119	0.0049
366218	90.00	91.00	0.0817	0.0991	0.0054
366219	91.00	92.00	0.1116	0.1640	0.0048
366220	92.00	93.30	0.0441	0.0510	0.0047
366221	93.30	94.00	0.5944	0.7592	0.0145
366222	94.00	95.00	0.3452	0.3535	0.0085
366223	95.00	96.00	0.3951	0.5554	0.0113
366224	96.00	96.90	0.2473	0.6811	0.0094
366225	96.90	98.00	0.0507	0.0479	0.0066
366226	98.00	99.00	0.0131	0.0115	0.0059
366227	99.00	100.00	0.0126	0.0125	0.0057

DETAILED LOG

Hole Number: KB-07-99 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.60
Project Number:	19900	North: 5481429.00			North: 5481429.00		Collar Az: 312.60
Location:	Surface	East: 453926.30			East: 453926.30		Length: 146.00 (m)
		Elev: 385.36			Elev: 385.36		Start Depth: 0.00 (m)
Date Started:	Jul 31, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 146.00 (m)
Date Completed:	Aug 04, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	7.10	9.00	1.90	0.2684	0.2026	0.0134
WEIGHTED	110.00	126.10	16.10	0.2861	0.2567	0.0100

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	312.60	-44.60	EZ	OK	Magnetic Field 5734	72.00	304.30	-43.80	EZ	OK	Magnetic Field 5787
146.00	312.20	-42.20	EZ	OK	Magnetic Field 5789						

Detailed Lithology

From (m)	To (m)	Lithology
0	1.50	CAS, Casing
1.50	7.10	MV, Mafic Volcanic Mineralization 1.50 - 7.10 Structure 1.50 - 7.10
7.10	15.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 7.10 - 15.70 Structure 7.10 - 15.70 7.10 - 15.70 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
366001	4.00	5.00	1.00	0.0190	0.0049	0.0061
366002	5.00	6.00	1.00	0.0189	0.0064	0.0051
366003	6.00	7.10	1.10	0.0062	0.0112	0.0029
366004	7.10	8.00	0.90	0.2686	0.2187	0.0135
366005	8.00	9.00	1.00	0.2683	0.1882	0.0132
366006	9.00	10.00	1.00	0.0821	0.0580	0.0062
366007	10.00	11.00	1.00	0.1170	0.0769	0.0077
366008	11.00	12.00	1.00	0.1534	0.1521	0.0093
366010	12.00	13.00	1.00	0.1001	0.1095	0.0072
366011	13.00	14.00	1.00	0.2647	0.0558	0.0110
366012	14.00	15.00	1.00	0.0489	0.0307	0.0036
366013	15.00	15.70	0.70	0.0603	0.0454	0.0047

Hole Number: KB-07-99

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
15.70	21.90	GAB, Gabbro rare pyxt dyke Mineralization 15.70 - 21.90 Structure 15.70 - 21.90	366015	15.70	17.00	1.30	0.0142	0.0122	0.0045
			366016	17.00	18.00	1.00	0.0136	0.0087	0.0043
			366017	18.00	19.00	1.00	0.0132	0.0066	0.0040
			366018	19.00	20.00	1.00	0.0131	0.0075	0.0040
			366019	20.00	21.00	1.00	0.0152	0.0070	0.0046
			366020	21.00	21.90	0.90	0.0146	0.0097	0.0050
21.90	23.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 21.90 - 23.90 Structure 21.90 - 23.90	366021	21.90	23.00	1.10	0.0162	0.0076	0.0045
			366022	23.00	23.85	0.85	0.0239	0.0105	0.0049
			366023	23.85	25.00	1.15	0.0429	0.0186	0.0057
23.90	29.70	PYXT, Pyroxenite 30% mv Mineralization 23.90 - 29.70 Structure 23.90 - 29.70 : MODFOL Moderately Foliated, 45 Deg to CA 23.90 - 29.70 : UC Upper Contact, 35 Deg to CA	366024	25.00	26.00	1.00	0.0403	0.0392	0.0059
			366025	26.00	27.00	1.00	0.0338	0.0338	0.0041
			366026	27.00	28.00	1.00	0.0834	0.0577	0.0052
			366027	28.00	29.00	1.00	0.0591	0.0669	0.0053
			366028	29.00	29.70	0.70	0.0405	0.0871	0.0036
29.70	31.70	MDCHL, Mafic Dike Chloritic Mineralization 29.70 - 31.70 Structure 29.70 - 31.70	366029	29.70	30.50	0.80	0.0050	0.0039	0.0023
			366030	30.50	31.70	1.20	0.0047	0.0155	0.0029
31.70	40.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 31.70 - 40.30 Structure 31.70 - 40.30 : MODFOL Moderately Foliated, 45 Deg to CA 31.70 - 40.30 : UC Upper Contact, 45 Deg to CA	366031	31.70	33.00	1.30	0.0558	0.0925	0.0037
			366032	33.00	34.00	1.00	0.0362	0.0217	0.0048
			366033	34.00	35.00	1.00	0.2445	0.1572	0.0124
			366035	35.00	36.00	1.00	0.0473	0.0359	0.0059
			366036	36.00	37.00	1.00	0.0759	0.0364	0.0046
			366037	37.00	38.00	1.00	0.0262	0.0236	0.0039
			366038	38.00	39.00	1.00	0.0078	0.0175	0.0041
			366039	39.00	40.30	1.30	0.0237	0.0184	0.0039
40.30	41.50	FD, Felsic Dike Mineralization 40.30 - 41.50 Structure 40.30 - 41.50 : MODFOL Moderately Foliated, 45 Deg to CA 40.30 - 41.50 : UC Upper Contact, 35 Deg to CA	366041	40.30	41.50	1.20	0.0081	0.0077	0.0029

Hole Number: KB-07-99

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
41.50	53.20	GABPYXT, Gabbro Pyroxenite Dikes with mv xenos Mineralization 41.50 - 49.00 49.00 - 53.20 Structure 41.50 - 53.20 41.50 - 53.20 : UC Upper Contact, 40 Deg to CA	366042	41.50	43.00	1.50	0.0469	0.0232	0.0047
			366043	43.00	44.00	1.00	0.0097	0.0111	0.0033
			366044	44.00	45.00	1.00	0.0407	0.0381	0.0042
			366045	45.00	46.00	1.00	0.0616	0.0345	0.0051
			366046	46.00	47.00	1.00	0.0382	0.0246	0.0049
			366047	47.00	48.00	1.00	0.0187	0.0092	0.0046
			366048	48.00	49.00	1.00	0.1004	0.0466	0.0059
			366049	49.00	50.00	1.00	0.0819	0.1212	0.0057
			366051	50.00	51.00	1.00	0.0075	0.0126	0.0035
			366052	51.00	52.00	1.00	0.0269	0.0292	0.0037
			366053	52.00	53.20	1.20	0.1279	0.0608	0.0078
53.20	61.90	GAB, Gabbro with gabpyxt dyke Mineralization 53.20 - 61.90 Structure 53.20 - 61.90	366055	53.20	54.00	0.80	0.0078	0.0223	0.0034
			366056	54.00	55.00	1.00	0.0114	0.0179	0.0036
			366057	55.00	56.00	1.00	0.0074	0.0211	0.0037
			366058	56.00	57.00	1.00	0.0075	0.0282	0.0036
			366059	57.00	58.00	1.00	0.0082	0.0322	0.0035
			366060	58.00	59.00	1.00	0.0065	0.0210	0.0034
			366061	59.00	60.00	1.00	0.0112	0.0263	0.0030
			366062	60.00	61.00	1.00	0.0059	0.0166	0.0030
			366063	61.00	61.90	0.90	0.0052	0.0130	0.0028
61.90	67.40	GABPYXT, Gabbro Pyroxenite Dikes with mv xenos Mineralization 61.90 - 67.40 Structure 61.90 - 67.40 : MODFOL Moderately Foliated, 45 Deg to CA	366064	61.90	63.00	1.10	0.0618	0.0656	0.0037
			366065	63.00	64.00	1.00	0.1943	0.1205	0.0093
			366066	64.00	65.00	1.00	0.0589	0.0439	0.0063
			366067	65.00	66.00	1.00	0.0190	0.0240	0.0045
			366068	66.00	67.40	1.40	0.0345	0.0320	0.0052
67.40	69.40	PYXT, Pyroxenite Mineralization 67.40 - 69.40 Structure 67.40 - 69.40	366069	67.40	68.50	1.10	0.1237	0.0297	0.0060
			366070	68.50	69.40	0.90	0.0999	0.0344	0.0050
69.40	71.30	FD, Felsic Dike Mineralization 69.40 - 71.30 Structure 69.40 - 71.30 : MODFOL Moderately Foliated, 45 Deg to CA	366071	69.40	70.50	1.10	0.0096	0.0299	0.0027
			366072	70.50	71.30	0.80	0.0040	0.0043	0.0022

Hole Number: KB-07-99

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
71.30	76.20	MDCHL, Mafic Dike Chloritic Mineralization 71.30 - 76.20 Structure 71.30 - 76.20 : MODFOL Moderately Foliated, 45 Deg to CA 71.30 - 76.20 : UC Upper Contact, 40 Deg to CA	366073	71.30	73.00	1.70	0.0049	0.0044	0.0029
			366074	73.00	74.00	1.00	0.0042	0.0036	0.0025
			366075	74.00	75.00	1.00	0.0042	0.0044	0.0026
			366076	75.00	76.20	1.20	0.0042	0.0042	0.0025
76.20	80.50	MV, Mafic Volcanic with 50cm pyxt dykes and gabpyxt dykelettes Mineralization 76.20 - 80.50 Structure 76.20 - 80.50	366077	76.20	77.00	0.80	0.1705	0.0887	0.0096
			366079	77.00	78.00	1.00	0.0170	0.0188	0.0056
			366080	78.00	79.00	1.00	0.0115	0.0169	0.0051
			366081	79.00	80.50	1.50	0.0186	0.0224	0.0053
80.50	84.80	GABPYXT, Gabbro Pyroxenite Dikes with mv xenos Mineralization 80.50 - 84.80 Structure 80.50 - 84.80 : MODFOL Moderately Foliated, 45 Deg to CA	366082	80.50	82.00	1.50	0.0895	0.0521	0.0068
			366084	82.00	83.00	1.00	0.0865	0.0305	0.0064
			366085	83.00	84.00	1.00	0.0834	0.0380	0.0059
			366086	84.00	85.00	1.00	0.0705	0.0249	0.0056
84.80	89.80	GAB, Gabbro Mineralization 84.80 - 89.80 Structure 84.80 - 89.80	366087	85.00	86.00	1.00	0.0320	0.0117	0.0049
			366088	86.00	87.00	1.00	0.1719	0.3852	0.0056
			366089	87.00	88.00	1.00	0.0694	0.0352	0.0057
			366090	88.00	89.10	1.10	0.2350	0.2800	0.0080
			366091	89.10	89.80	0.70	0.0043	0.0048	0.0024
89.80	103.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 89.80 - 103.10 Structure 89.80 - 103.10	366092	89.80	91.00	1.20	0.0164	0.0102	0.0046
			366093	91.00	92.00	1.00	0.0174	0.0137	0.0048
			366094	92.00	93.00	1.00	0.0165	0.0156	0.0043
			366095	93.00	94.20	1.20	0.0162	0.0120	0.0041
			366096	94.20	95.00	0.80	0.0504	0.0497	0.0042
			366097	95.00	96.00	1.00	0.3565	0.1437	0.0107
			366099	96.00	97.00	1.00	0.1809	0.2065	0.0064
			366100	97.00	98.00	1.00	0.0144	0.0103	0.0033
			366101	98.00	99.00	1.00	0.0119	0.0107	0.0038
			366102	99.00	100.00	1.00	0.0713	0.1312	0.0050
			366103	100.00	101.00	1.00	0.5155	0.2870	0.0220
			366105	101.00	102.00	1.00	0.1083	0.0824	0.0066
			366106	102.00	103.00	1.00	0.0109	0.0208	0.0043
			366107	103.00	104.00	1.00	0.0479	0.0216	0.0068

Hole Number: KB-07-99

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
103.10	105.70	MV, Mafic Volcanic Mineralization 103.10 - 105.70 Structure 103.10 - 105.70 : MODFOL Moderately Foliated, 40 Deg to CA 103.10 - 105.70 : UC Upper Contact, 45 Deg to CA	366108	104.00	105.70	1.70	0.0164	0.0162	0.0056
105.70	111.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 105.70 - 107.00 107.00 - 110.00 110.00 - 111.00 Structure 105.70 - 111.00 105.70 - 111.00 : UC Upper Contact, 50 Deg to CA	366109	105.70	107.00	1.30	0.2376	0.1607	0.0094
			366110	107.00	108.00	1.00	0.0195	0.0116	0.0046
			366111	108.00	109.00	1.00	0.0156	0.0076	0.0044
			366112	109.00	110.00	1.00	0.0194	0.0085	0.0051
			366113	110.00	111.00	1.00	0.8587	0.1692	0.0206
111.00	115.70	MV, Mafic Volcanic with gabpyxt dykes Mineralization 111.00 - 115.70 Structure 111.00 - 115.70 : MODFOL Moderately Foliated, 50 Deg to CA	366114	111.00	112.00	1.00	0.1525	0.0564	0.0083
			366115	112.00	113.00	1.00	0.0171	0.0136	0.0052
			366116	113.00	114.00	1.00	0.0149	0.0419	0.0062
			366117	114.00	115.70	1.70	0.0859	0.0776	0.0057
115.70	122.20	GABPYXT, Gabbro Pyroxenite Dikes mv xenos Mineralization 115.70 - 122.20 Structure 115.70 - 122.20	366118	115.70	117.00	1.30	0.2406	0.2001	0.0098
			366120	117.00	118.00	1.00	0.2985	0.2755	0.0114
			366121	118.00	119.00	1.00	0.3529	0.6046	0.0170
			366122	119.00	120.20	1.20	0.7129	0.4910	0.0179
			366124	120.20	121.00	0.80	0.5565	0.6220	0.0135
			366125	121.00	122.00	1.00	0.2985	0.3524	0.0086
			366126	122.00	123.00	1.00	0.2407	0.2870	0.0088
122.20	126.10	TSCH, Talc Schist with mdchl Mineralization 122.20 - 126.10 Structure 122.20 - 126.10 : STRFOL Strongly Foliated, 40 Deg to CA	366127	123.00	124.00	1.00	0.1308	0.1858	0.0052
			366128	124.00	125.00	1.00	0.1825	0.2440	0.0076
			366129	125.00	126.10	1.10	0.2728	0.3845	0.0074
126.10	146.00	MV, Mafic Volcanic Mineralization 126.10 - 146.00 Structure 126.10 - 146.00 : MODFOL Moderately Foliated, 40 Deg to CA 126.10 - 146.00 : UC Upper Contact, 50 Deg to CA	366130	126.10	127.00	0.90	0.0458	0.0398	0.0029
			366131	127.00	128.00	1.00	0.1050	0.0940	0.0055
			366132	128.00	129.00	1.00	0.0142	0.0134	0.0054

Hole Number: KB-07-99

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366001	4.00	5.00	0.0190	0.0049	0.0061
366002	5.00	6.00	0.0189	0.0064	0.0051
366003	6.00	7.10	0.0062	0.0112	0.0029
366004	7.10	8.00	0.2686	0.2187	0.0135
366005	8.00	9.00	0.2683	0.1882	0.0132
366006	9.00	10.00	0.0821	0.0580	0.0062
366007	10.00	11.00	0.1170	0.0769	0.0077
366008	11.00	12.00	0.1534	0.1521	0.0093
366010	12.00	13.00	0.1001	0.1095	0.0072
366011	13.00	14.00	0.2647	0.0558	0.0110
366012	14.00	15.00	0.0489	0.0307	0.0036
366013	15.00	15.70	0.0603	0.0454	0.0047
366015	15.70	17.00	0.0142	0.0122	0.0045
366016	17.00	18.00	0.0136	0.0087	0.0043
366017	18.00	19.00	0.0132	0.0066	0.0040
366018	19.00	20.00	0.0131	0.0075	0.0040
366019	20.00	21.00	0.0152	0.0070	0.0046
366020	21.00	21.90	0.0146	0.0097	0.0050
366021	21.90	23.00	0.0162	0.0076	0.0045
366022	23.00	23.85	0.0239	0.0105	0.0049
366023	23.85	25.00	0.0429	0.0186	0.0057
366024	25.00	26.00	0.0403	0.0392	0.0059
366025	26.00	27.00	0.0338	0.0338	0.0041
366026	27.00	28.00	0.0834	0.0577	0.0052
366027	28.00	29.00	0.0591	0.0669	0.0053
366028	29.00	29.70	0.0405	0.0871	0.0036
366029	29.70	30.50	0.0050	0.0039	0.0023
366030	30.50	31.70	0.0047	0.0155	0.0029
366031	31.70	33.00	0.0558	0.0925	0.0037
366032	33.00	34.00	0.0362	0.0217	0.0048
366033	34.00	35.00	0.2445	0.1572	0.0124
366035	35.00	36.00	0.0473	0.0359	0.0059
366036	36.00	37.00	0.0759	0.0364	0.0046
366037	37.00	38.00	0.0262	0.0236	0.0039
366038	38.00	39.00	0.0078	0.0175	0.0041
366039	39.00	40.30	0.0237	0.0184	0.0039
366041	40.30	41.50	0.0081	0.0077	0.0029

Hole Number: KB-07-99

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366042	41.50	43.00	0.0469	0.0232	0.0047
366043	43.00	44.00	0.0097	0.0111	0.0033
366044	44.00	45.00	0.0407	0.0381	0.0042
366045	45.00	46.00	0.0616	0.0345	0.0051
366046	46.00	47.00	0.0382	0.0246	0.0049
366047	47.00	48.00	0.0187	0.0092	0.0046
366048	48.00	49.00	0.1004	0.0466	0.0059
366049	49.00	50.00	0.0819	0.1212	0.0057
366051	50.00	51.00	0.0075	0.0126	0.0035
366052	51.00	52.00	0.0269	0.0292	0.0037
366053	52.00	53.20	0.1279	0.0608	0.0078
366055	53.20	54.00	0.0078	0.0223	0.0034
366056	54.00	55.00	0.0114	0.0179	0.0036
366057	55.00	56.00	0.0074	0.0211	0.0037
366058	56.00	57.00	0.0075	0.0282	0.0036
366059	57.00	58.00	0.0082	0.0322	0.0035
366060	58.00	59.00	0.0065	0.0210	0.0034
366061	59.00	60.00	0.0112	0.0263	0.0030
366062	60.00	61.00	0.0059	0.0166	0.0030
366063	61.00	61.90	0.0052	0.0130	0.0028
366064	61.90	63.00	0.0618	0.0656	0.0037
366065	63.00	64.00	0.1943	0.1205	0.0093
366066	64.00	65.00	0.0589	0.0439	0.0063
366067	65.00	66.00	0.0190	0.0240	0.0045
366068	66.00	67.40	0.0345	0.0320	0.0052
366069	67.40	68.50	0.1237	0.0297	0.0060
366070	68.50	69.40	0.0999	0.0344	0.0050
366071	69.40	70.50	0.0096	0.0299	0.0027
366072	70.50	71.30	0.0040	0.0043	0.0022
366073	71.30	73.00	0.0049	0.0044	0.0029
366074	73.00	74.00	0.0042	0.0036	0.0025
366075	74.00	75.00	0.0042	0.0044	0.0026
366076	75.00	76.20	0.0042	0.0042	0.0025
366077	76.20	77.00	0.1705	0.0887	0.0096
366079	77.00	78.00	0.0170	0.0188	0.0056
366080	78.00	79.00	0.0115	0.0169	0.0051
366081	79.00	80.50	0.0186	0.0224	0.0053

Hole Number: KB-07-99

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366082	80.50	82.00	0.0895	0.0521	0.0068
366084	82.00	83.00	0.0865	0.0305	0.0064
366085	83.00	84.00	0.0834	0.0380	0.0059
366086	84.00	85.00	0.0705	0.0249	0.0056
366087	85.00	86.00	0.0320	0.0117	0.0049
366088	86.00	87.00	0.1719	0.3852	0.0056
366089	87.00	88.00	0.0694	0.0352	0.0057
366090	88.00	89.10	0.2350	0.2800	0.0080
366091	89.10	89.80	0.0043	0.0048	0.0024
366092	89.80	91.00	0.0164	0.0102	0.0046
366093	91.00	92.00	0.0174	0.0137	0.0048
366094	92.00	93.00	0.0165	0.0156	0.0043
366095	93.00	94.20	0.0162	0.0120	0.0041
366096	94.20	95.00	0.0504	0.0497	0.0042
366097	95.00	96.00	0.3565	0.1437	0.0107
366099	96.00	97.00	0.1809	0.2065	0.0064
366100	97.00	98.00	0.0144	0.0103	0.0033
366101	98.00	99.00	0.0119	0.0107	0.0038
366102	99.00	100.00	0.0713	0.1312	0.0050
366103	100.00	101.00	0.5155	0.2870	0.0220
366105	101.00	102.00	0.1083	0.0824	0.0066
366106	102.00	103.00	0.0109	0.0208	0.0043
366107	103.00	104.00	0.0479	0.0216	0.0068
366108	104.00	105.70	0.0164	0.0162	0.0056
366109	105.70	107.00	0.2376	0.1607	0.0094
366110	107.00	108.00	0.0195	0.0116	0.0046
366111	108.00	109.00	0.0156	0.0076	0.0044
366112	109.00	110.00	0.0194	0.0085	0.0051
366113	110.00	111.00	0.8587	0.1692	0.0206
366114	111.00	112.00	0.1525	0.0564	0.0083
366115	112.00	113.00	0.0171	0.0136	0.0052
366116	113.00	114.00	0.0149	0.0419	0.0062
366117	114.00	115.70	0.0859	0.0776	0.0057
366118	115.70	117.00	0.2406	0.2001	0.0098
366120	117.00	118.00	0.2985	0.2755	0.0114
366121	118.00	119.00	0.3529	0.6046	0.0170
366122	119.00	120.20	0.7129	0.4910	0.0179

Hole Number: KB-07-99

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
366124	120.20	121.00	0.5565	0.6220	0.0135
366125	121.00	122.00	0.2985	0.3524	0.0086
366126	122.00	123.00	0.2407	0.2870	0.0088
366127	123.00	124.00	0.1308	0.1858	0.0052
366128	124.00	125.00	0.1825	0.2440	0.0076
366129	125.00	126.10	0.2728	0.3845	0.0074
366130	126.10	127.00	0.0458	0.0398	0.0029
366131	127.00	128.00	0.1050	0.0940	0.0055
366132	128.00	129.00	0.0142	0.0134	0.0054

DETAILED LOG

Hole Number: KB-07-98 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.90
Project Number:	19900	North: 5481458.00			North: 5481458.00		Collar Az: 307.60
Location:	Surface	East: 453937.60			East: 453937.60		Length: 137.00 (m)
		Elev: 389.37			Elev: 389.37		Start Depth: 0.00 (m)
Date Started:	Jul 29, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 137.00 (m)
Date Completed:	Jul 31, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	1.60	6.70	5.10	2.0675	0.4470	0.0496
WEIGHTED	1.60	18.00	16.40	0.8147	0.3001	0.0211
WEIGHTED	77.50	99.85	22.35	0.3533	0.2131	0.0126
WEIGHTED	77.50	119.60	42.10	0.3768	0.2943	0.0121
WEIGHTED	88.90	92.10	3.20	0.8925	0.2873	0.0251
WEIGHTED	108.00	119.60	11.60	0.6587	0.6373	0.0162

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	307.60	-44.90	EZ	OK	5655	70.00	312.30	-43.20	EZ	OK	5785
137.00	312.90	-41.30	EZ	OK	5771						

Detailed Lithology

From (m)	To (m)	Lithology
0	1.60	CAS, Casing
1.60	5.50	PYXT, Pyroxenite some crumbling Mineralization 1.60 - 5.50 Structure 1.60 - 5.50
5.50	6.70	GABPYXT, Gabbro Pyroxenite Dikes SM PYXT Dikes Mineralization 5.50 - 6.70 Structure 5.50 - 6.70

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
419351	1.60	3.00	1.40	2.7122	0.4874	0.0624
419352	3.00	4.00	1.00	3.1340	0.8899	0.0729
419353	4.00	5.50	1.50	1.6149	0.2119	0.0427
419355	5.50	6.70	1.20	0.9921	0.3245	0.0239

Hole Number: KB-07-98

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
6.70	8.20	MV, Mafic Volcanic Mineralization 6.70 - 8.20 Structure 6.70 - 8.20	419356	6.70	8.20	1.50	0.0195	0.0213	0.0040
8.20	11.00	MDCHL, Mafic Dike Chloritic Mineralization 8.20 - 11.00 Structure 8.20 - 11.00 8.20 - 11.00 : UC Upper Contact, 10 Deg to CA	419357	8.20	10.00	1.80	0.0520	0.0229	0.0026
			419358	10.00	11.00	1.00	0.0071	0.0035	0.0013
11.00	14.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 11.00 - 12.60 12.60 - 13.50 13.50 - 14.70 Structure 11.00 - 14.70 11.00 - 14.70 : UC Upper Contact, 50 Deg to CA	419359	11.00	12.00	1.00	0.8660	0.5965	0.0198
			419361	12.00	12.60	0.60	0.1883	0.0410	0.0062
			419362	12.60	13.50	0.90	0.9168	1.7318	0.0220
			419363	13.50	14.70	1.20	0.2806	0.1334	0.0090
14.70	19.50	GAB, Gabbro Mineralization 14.70 - 19.50 trace py +rare pyxt dikes Structure 14.70 - 19.50	419364	14.70	16.00	1.30	0.0189	0.0167	0.0041
			419365	16.00	17.00	1.00	0.3986	0.1487	0.0153
			419366	17.00	18.00	1.00	0.1233	0.0545	0.0067
			419367	18.00	19.50	1.50	0.0067	0.0133	0.0033
19.50	20.50	FD, Felsic Dike Mineralization 19.50 - 20.50 Structure 19.50 - 20.50 19.50 - 20.50 : UC Upper Contact, 15 Deg to CA	419368	19.50	20.50	1.00	0.0043	0.0038	0.0016
20.50	21.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 20.50 - 21.90 Structure 20.50 - 21.90 20.50 - 21.90 : UC Upper Contact, 70 Deg to CA	419369	20.50	21.90	1.40	0.0227	0.0162	0.0029

Hole Number: KB-07-98 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
21.90	24.60	MDCHL, Mafic Dike Chloritic Mineralization 21.90 - 24.60 Structure 21.90 - 24.60	419370	21.90	23.00	1.10	0.0034	0.0048	0.0015
			419371	23.00	24.60	1.60	0.0034	0.0041	0.0012
24.60	28.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 24.60 - 28.00 trace po Structure 24.60 - 28.00	419372	24.60	26.00	1.40	0.1952	0.0543	0.0084
			419373	26.00	27.00	1.00	0.0086	0.0091	0.0027
			419374	27.00	28.00	1.00	0.0058	0.0053	0.0024
28.00	35.00	GAB, Gabbro Mineralization 28.00 - 35.00 Structure 28.00 - 35.00	419375	28.00	29.00	1.00	0.0064	0.0091	0.0028
			419376	29.00	30.00	1.00	0.0061	0.0072	0.0030
			419377	30.00	31.00	1.00	0.0052	0.0090	0.0027
			419378	31.00	32.00	1.00	0.0062	0.0133	0.0034
			419379	32.00	33.00	1.00	0.0059	0.0047	0.0030
			419380	33.00	34.00	1.00	0.0080	0.0070	0.0039
			419381	34.00	35.00	1.00	0.0082	0.0070	0.0038
35.00	42.55	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 35.00 - 42.55 Structure 35.00 - 42.55	419382	35.00	36.00	1.00	0.0087	0.0094	0.0037
			419383	36.00	37.00	1.00	0.0068	0.0108	0.0034
			419384	37.00	38.00	1.00	0.0876	0.0470	0.0055
			419386	38.00	39.00	1.00	0.0233	0.0105	0.0046
			419387	39.00	40.00	1.00	0.0496	0.0346	0.0048
			419388	40.00	41.00	1.00	0.0686	0.0397	0.0051
			419389	41.00	42.55	1.55	0.2308	0.0946	0.0095
42.55	48.60	MDCHL, Mafic Dike Chloritic Mineralization 42.55 - 48.60 Structure 42.55 - 48.60 42.55 - 48.60 : UC Upper Contact, 60 Deg to CA	419391	42.55	44.00	1.45	0.0072	0.0078	0.0024
			419392	44.00	45.00	1.00	0.0046	0.0050	0.0025
			419393	45.00	46.00	1.00	0.0042	0.0061	0.0024
			419394	46.00	47.00	1.00	0.0044	0.0042	0.0020
			419395	47.00	48.60	1.60	0.0047	0.0049	0.0022
48.60	51.00	GAB, Gabbro rare PYXT Dikes Mineralization 48.60 - 51.00 Structure 48.60 - 51.00 48.60 - 51.00 : UC Upper Contact, 20 Deg to CA	419396	48.60	50.00	1.40	0.0365	0.0247	0.0047
			419397	50.00	51.00	1.00	0.0167	0.0131	0.0040

Hole Number: KB-07-98

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
51.00	52.15	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 51.00 - 52.15 Structure 51.00 - 52.15	419398	51.00	52.15	1.15	0.0146	0.0064	0.0029
52.15	56.00	FD, Felsic Dike Mineralization 52.15 - 56.00 Structure 52.15 - 56.00 52.15 - 56.00 : UC Upper Contact, 40 Deg to CA	419399	52.15	53.00	0.85	0.0037	0.0052	0.0020
			419400	53.00	54.00	1.00	0.0037	0.0037	0.0019
			419401	54.00	55.00	1.00	0.0036	0.0033	0.0019
			419402	55.00	56.00	1.00	0.0036	0.0028	0.0018
56.00	58.50	GABPYXT, Gabbro Pyroxenite Dikes MV Xenos Mineralization 56.00 - 58.50 Structure 56.00 - 58.50 56.00 - 58.50 : UC Upper Contact, 45 Deg to CA	419403	56.00	57.00	1.00	0.0278	0.0315	0.0046
			419404	57.00	58.50	1.50	0.0518	0.0320	0.0053
58.50	60.85	GAB, Gabbro Mineralization 58.50 - 60.85 Structure 58.50 - 60.85 58.50 - 60.85 : UC Upper Contact, 25 Deg to CA	419405	58.50	60.00	1.50	0.0090	0.0137	0.0027
			419406	60.00	60.85	0.85	0.0094	0.0200	0.0028
60.85	66.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 60.85 - 66.00 Structure 60.85 - 66.00 60.85 - 66.00 : UC Upper Contact, 25 Deg to CA	419407	60.85	62.00	1.15	0.0615	0.0549	0.0052
			419409	62.00	63.00	1.00	0.0546	0.0516	0.0049
			419410	63.00	64.00	1.00	0.0489	0.0295	0.0036
			419411	64.00	65.00	1.00	0.1985	0.0888	0.0077
			419413	65.00	66.00	1.00	0.2041	0.0876	0.0083
66.00	68.80	MV, Mafic Volcanic GAB + PYXT Dikes Mineralization 66.00 - 68.80 Structure 66.00 - 68.80	419414	66.00	67.00	1.00	0.0134	0.0147	0.0036
			419415	67.00	68.00	1.00	0.0093	0.0149	0.0029
			419416	68.00	68.80	0.80	0.0092	0.0103	0.0026
68.80	71.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 68.80 - 71.70 Structure 68.80 - 71.70	419417	68.80	70.00	1.20	0.1128	0.0680	0.0072
			419418	70.00	71.00	1.00	0.1647	0.0616	0.0076
			419419	71.00	71.70	0.70	0.0471	0.0132	0.0055

Hole Number: KB-07-98 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
71.70	73.80	MV, Mafic Volcanic 50% FD Mineralization 71.70 - 73.80 Structure 71.70 - 73.80 71.70 - 73.80 : UC Upper Contact, 50 Deg to CA	419420	71.70	73.00	1.30	0.0129	0.0099	0.0030
			419421	73.00	73.80	0.80	0.0211	0.0395	0.0038
73.80	75.30	PYXT, Pyroxenite FD Dikes Mineralization 73.80 - 75.30 Structure 73.80 - 75.30 : MODFOL Moderately Foliated, 30 Deg to CA 73.80 - 75.30 : UC Upper Contact, 55 Deg to CA	419422	73.80	75.30	1.50	0.2248	0.1970	0.0075
75.30	76.30	GAB, Gabbro Mineralization 75.30 - 76.30 Structure 75.30 - 76.30	419423	75.30	76.30	1.00	0.0170	0.0095	0.0043
76.30	77.50	MV, Mafic Volcanic PYXT Dikes Mineralization 76.30 - 77.50 Structure 76.30 - 77.50 76.30 - 77.50 : UC Upper Contact, 15 Deg to CA	419424	76.30	77.50	1.20	0.0350	0.0056	0.0047
77.50	79.10	PYXT, Pyroxenite Mineralization 77.50 - 79.10 Structure 77.50 - 79.10 : MODFOL Moderately Foliated, 40 Deg to CA 77.50 - 79.10 : UC Upper Contact, 80 Deg to CA	419425	77.50	79.10	1.60	0.1850	0.0948	0.0086
79.10	79.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 79.10 - 79.80 Structure 79.10 - 79.80	419426	79.10	79.80	0.70	0.0169	0.0056	0.0039

Hole Number: KB-07-98

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
79.80	87.10	PYXT, Pyroxenite MV Xenos Mineralization 79.80 - 87.10 Structure 79.80 - 87.10	419427	79.80	81.00	1.20	0.1884	0.0779	0.0088
			419429	81.00	82.00	1.00	0.0588	0.0226	0.0056
			419430	82.00	83.00	1.00	0.3488	0.2096	0.0148
			419431	83.00	84.00	1.00	0.2693	0.1123	0.0101
			419432	84.00	85.00	1.00	0.0547	0.0363	0.0061
			419433	85.00	86.00	1.00	0.3640	0.1688	0.0121
			419435	86.00	87.10	1.10	0.1001	0.0529	0.0070
87.10	87.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 87.10 - 87.80 Structure 87.10 - 87.80	419436	87.10	87.80	0.70	0.6507	0.4614	0.0175
87.80	88.90	MV, Mafic Volcanic Mineralization 87.80 - 88.90 Structure 87.80 - 88.90	419437	87.80	88.90	1.10	0.0876	0.0223	0.0085
88.90	92.10	PYXT, Pyroxenite Mineralization 88.90 - 90.50 90.50 - 92.10 Structure 88.90 - 92.10	419438	88.90	90.50	1.60	0.6642	0.2173	0.0188
			419439	90.50	91.00	0.50	1.2044	0.7149	0.0333
			419440	91.00	92.10	1.10	1.0827	0.1948	0.0305
92.10	96.00	GABPYXT, Gabbro Pyroxenite Dikes MV Xenos Mineralization 92.10 - 96.00 Structure 92.10 - 96.00	419442	92.10	93.00	0.90	0.3340	0.3286	0.0100
			419443	93.00	94.00	1.00	0.2695	0.3273	0.0104
			419444	94.00	95.00	1.00	0.9341	0.9092	0.0240
			419445	95.00	96.00	1.00	0.2645	0.3028	0.0199
96.00	98.25	MV, Mafic Volcanic Mineralization 96.00 - 98.25 Structure 96.00 - 98.25 96.00 - 98.25 : UC Upper Contact, 80 Deg to CA	419446	96.00	97.00	1.00	0.0623	0.0648	0.0053
			419447	97.00	98.25	1.25	0.0303	0.0487	0.0045
98.25	99.85	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 98.25 - 99.85 Structure 98.25 - 99.85 98.25 - 99.85 : UC Upper Contact, 70 Deg to CA	419448	98.25	99.85	1.60	0.5501	0.4241	0.0137

Hole Number: KB-07-98

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
99.85	102.00	MV, Mafic Volcanic PYXT Dikes Mineralization 99.85 - 102.00 Structure 99.85 - 102.00 99.85 - 102.00 : UC Upper Contact, 80 Deg to CA	419450	99.85	101.00	1.15	0.0200	0.0204	0.0042
			419451	101.00	102.00	1.00	0.0119	0.0167	0.0040
102.00	103.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 102.00 - 103.30 Structure 102.00 - 103.30	419452	102.00	103.30	1.30	0.0773	0.0463	0.0042
103.30	105.80	MV, Mafic Volcanic Mineralization 103.30 - 105.80 Structure 103.30 - 105.80	419453	103.30	105.00	1.70	0.0426	0.0382	0.0057
			419454	105.00	105.80	0.80	0.0190	0.0191	0.0050
105.80	111.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 105.80 - 110.00 110.00 - 110.60 110.60 - 111.70 Structure 105.80 - 111.70 105.80 - 111.70 : UC Upper Contact, 40 Deg to CA	419455	105.80	107.00	1.20	0.0549	0.0180	0.0054
			419456	107.00	108.00	1.00	0.0382	0.0321	0.0048
			419457	108.00	109.00	1.00	0.2340	0.1134	0.0083
			419458	109.00	110.00	1.00	0.2901	0.1953	0.0089
			419459	110.00	110.60	0.60	1.1704	1.8150	0.0394
			419461	110.60	111.70	1.10	0.3866	0.3943	0.0107
111.70	117.30	PYXT, Pyroxenite Mineralization 111.70 - 117.30 Structure 111.70 - 113.10 113.10 - 117.30 : STRFOL Strongly Foliated, 45 Deg to CA	419462	111.70	113.10	1.40	0.9289	0.5992	0.0240
			419464	113.10	114.00	0.90	0.5035	0.6876	0.0112
			419465	114.00	115.00	1.00	0.5773	0.7078	0.0124
			419466	115.00	116.00	1.00	0.5954	0.7978	0.0131
			419467	116.00	117.30	1.30	0.4158	0.6164	0.0099
117.30	119.60	TSCH, Talc Schist Mineralization 117.30 - 118.10 118.10 - 119.60 Structure 117.30 - 119.60 : STRFOL Strongly Foliated, 40 Deg to CA	419468	117.30	118.10	0.80	0.7210	0.3900	0.0142
			419469	118.10	119.60	1.50	1.2967	0.9899	0.0277

Hole Number: KB-07-98

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
119.60	137.00	MV, Mafic Volcanic
		Mineralization
		119.60 - 137.00
		Structure
		119.60 - 137.00 : MODFOL Moderately Foliated, 50 Deg to CA
		119.60 - 137.00 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
419470	119.60	121.00	1.40	0.0225	0.0181	0.0041
419471	121.00	122.00	1.00	0.0123	0.0088	0.0045
419472	122.00	123.00	1.00	0.0122	0.0086	0.0048

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419351	1.60	3.00	2.7122	0.4874	0.0624
419352	3.00	4.00	3.1340	0.8899	0.0729
419353	4.00	5.50	1.6149	0.2119	0.0427
419355	5.50	6.70	0.9921	0.3245	0.0239
419356	6.70	8.20	0.0195	0.0213	0.0040
419357	8.20	10.00	0.0520	0.0229	0.0026
419358	10.00	11.00	0.0071	0.0035	0.0013
419359	11.00	12.00	0.8660	0.5965	0.0198
419361	12.00	12.60	0.1883	0.0410	0.0062
419362	12.60	13.50	0.9168	1.7318	0.0220
419363	13.50	14.70	0.2806	0.1334	0.0090
419364	14.70	16.00	0.0189	0.0167	0.0041
419365	16.00	17.00	0.3986	0.1487	0.0153
419366	17.00	18.00	0.1233	0.0545	0.0067
419367	18.00	19.50	0.0067	0.0133	0.0033
419368	19.50	20.50	0.0043	0.0038	0.0016
419369	20.50	21.90	0.0227	0.0162	0.0029
419370	21.90	23.00	0.0034	0.0048	0.0015
419371	23.00	24.60	0.0034	0.0041	0.0012
419372	24.60	26.00	0.1952	0.0543	0.0084
419373	26.00	27.00	0.0086	0.0091	0.0027
419374	27.00	28.00	0.0058	0.0053	0.0024
419375	28.00	29.00	0.0064	0.0091	0.0028
419376	29.00	30.00	0.0061	0.0072	0.0030
419377	30.00	31.00	0.0052	0.0090	0.0027
419378	31.00	32.00	0.0062	0.0133	0.0034
419379	32.00	33.00	0.0059	0.0047	0.0030
419380	33.00	34.00	0.0080	0.0070	0.0039

Hole Number: KB-07-98

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419381	34.00	35.00	0.0082	0.0070	0.0038
419382	35.00	36.00	0.0087	0.0094	0.0037
419383	36.00	37.00	0.0068	0.0108	0.0034
419384	37.00	38.00	0.0876	0.0470	0.0055
419386	38.00	39.00	0.0233	0.0105	0.0046
419387	39.00	40.00	0.0496	0.0346	0.0048
419388	40.00	41.00	0.0686	0.0397	0.0051
419389	41.00	42.55	0.2308	0.0946	0.0095
419391	42.55	44.00	0.0072	0.0078	0.0024
419392	44.00	45.00	0.0046	0.0050	0.0025
419393	45.00	46.00	0.0042	0.0061	0.0024
419394	46.00	47.00	0.0044	0.0042	0.0020
419395	47.00	48.60	0.0047	0.0049	0.0022
419396	48.60	50.00	0.0365	0.0247	0.0047
419397	50.00	51.00	0.0167	0.0131	0.0040
419398	51.00	52.15	0.0146	0.0064	0.0029
419399	52.15	53.00	0.0037	0.0052	0.0020
419400	53.00	54.00	0.0037	0.0037	0.0019
419401	54.00	55.00	0.0036	0.0033	0.0019
419402	55.00	56.00	0.0036	0.0028	0.0018
419403	56.00	57.00	0.0278	0.0315	0.0046
419404	57.00	58.50	0.0518	0.0320	0.0053
419405	58.50	60.00	0.0090	0.0137	0.0027
419406	60.00	60.85	0.0094	0.0200	0.0028
419407	60.85	62.00	0.0615	0.0549	0.0052
419409	62.00	63.00	0.0546	0.0516	0.0049
419410	63.00	64.00	0.0489	0.0295	0.0036
419411	64.00	65.00	0.1985	0.0888	0.0077
419413	65.00	66.00	0.2041	0.0876	0.0083
419414	66.00	67.00	0.0134	0.0147	0.0036
419415	67.00	68.00	0.0093	0.0149	0.0029
419416	68.00	68.80	0.0092	0.0103	0.0026
419417	68.80	70.00	0.1128	0.0680	0.0072
419418	70.00	71.00	0.1647	0.0616	0.0076
419419	71.00	71.70	0.0471	0.0132	0.0055
419420	71.70	73.00	0.0129	0.0099	0.0030
419421	73.00	73.80	0.0211	0.0395	0.0038

Hole Number: KB-07-98

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419422	73.80	75.30	0.2248	0.1970	0.0075
419423	75.30	76.30	0.0170	0.0095	0.0043
419424	76.30	77.50	0.0350	0.0056	0.0047
419425	77.50	79.10	0.1850	0.0948	0.0086
419426	79.10	79.80	0.0169	0.0056	0.0039
419427	79.80	81.00	0.1884	0.0779	0.0088
419429	81.00	82.00	0.0588	0.0226	0.0056
419430	82.00	83.00	0.3488	0.2096	0.0148
419431	83.00	84.00	0.2693	0.1123	0.0101
419432	84.00	85.00	0.0547	0.0363	0.0061
419433	85.00	86.00	0.3640	0.1688	0.0121
419435	86.00	87.10	0.1001	0.0529	0.0070
419436	87.10	87.80	0.6507	0.4614	0.0175
419437	87.80	88.90	0.0876	0.0223	0.0085
419438	88.90	90.50	0.6642	0.2173	0.0188
419439	90.50	91.00	1.2044	0.7149	0.0333
419440	91.00	92.10	1.0827	0.1948	0.0305
419442	92.10	93.00	0.3340	0.3286	0.0100
419443	93.00	94.00	0.2695	0.3273	0.0104
419444	94.00	95.00	0.9341	0.9092	0.0240
419445	95.00	96.00	0.2645	0.3028	0.0199
419446	96.00	97.00	0.0623	0.0648	0.0053
419447	97.00	98.25	0.0303	0.0487	0.0045
419448	98.25	99.85	0.5501	0.4241	0.0137
419450	99.85	101.00	0.0200	0.0204	0.0042
419451	101.00	102.00	0.0119	0.0167	0.0040
419452	102.00	103.30	0.0773	0.0463	0.0042
419453	103.30	105.00	0.0426	0.0382	0.0057
419454	105.00	105.80	0.0190	0.0191	0.0050
419455	105.80	107.00	0.0549	0.0180	0.0054
419456	107.00	108.00	0.0382	0.0321	0.0048
419457	108.00	109.00	0.2340	0.1134	0.0083
419458	109.00	110.00	0.2901	0.1953	0.0089
419459	110.00	110.60	1.1704	1.8150	0.0394
419461	110.60	111.70	0.3866	0.3943	0.0107
419462	111.70	113.10	0.9289	0.5992	0.0240
419464	113.10	114.00	0.5035	0.6876	0.0112

Hole Number: KB-07-98

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419465	114.00	115.00	0.5773	0.7078	0.0124
419466	115.00	116.00	0.5954	0.7978	0.0131
419467	116.00	117.30	0.4158	0.6164	0.0099
419468	117.30	118.10	0.7210	0.3900	0.0142
419469	118.10	119.60	1.2967	0.9899	0.0277
419470	119.60	121.00	0.0225	0.0181	0.0041
419471	121.00	122.00	0.0123	0.0088	0.0045
419472	122.00	123.00	0.0122	0.0086	0.0048

DETAILED LOG

Hole Number: KB-07-97

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481473.00	North:	5481473.00	Collar Az:	302.90
Location:	Surface	East:	453917.60	East:	453917.60	Length:	110.00 (m)
		Elev:	393.99	Elev:	393.99	Start Depth:	0.00 (m)
Date Started:	Jul 28, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	110.00 (m)
Date Completed:	Jul 29, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.00	6.20	4.20	0.5329	0.2290	0.0169
WEIGHTED	20.60	24.00	3.40	0.5137	0.1544	0.0197
WEIGHTED	62.00	66.00	4.00	0.2513	0.1002	0.0097
WEIGHTED	70.90	93.20	22.30	0.5242	0.3766	0.0174
WEIGHTED	88.50	91.00	2.50	1.1202	0.9996	0.0281

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	303.90	-45.40	EZ	OK	Magnetic Field 5839	50.00	310.30	-44.80	EZ	OK	Magnetic Field 5619
110.00	311.60	-43.10	EZ	OK	Magnetic Field 5782						

Detailed Lithology

From (m)	To (m)	Lithology
0	2.00	CAS, Casing
2.00	6.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.00 - 6.20 Structure 2.00 - 6.20

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418979	2.00	3.00	1.00	0.6013	0.2811	0.0203
418980	3.00	4.00	1.00	0.4281	0.3449	0.0121
418981	4.00	5.00	1.00	0.8086	0.1684	0.0242
418982	5.00	6.20	1.20	0.3336	0.1394	0.0119

Hole Number: KB-07-97

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
6.20	18.80	MV, Mafic Volcanic Mineralization 6.20 - 18.80 Structure 6.20 - 18.80 : MODFOL Moderately Foliated, 50 Deg to CA	418983	6.20	7.00	0.80	0.0445	0.0189	0.0067
			418984	7.00	8.00	1.00	0.0163	0.0148	0.0055
			418985	8.00	9.00	1.00	0.0160	0.0139	0.0058
			418986	9.00	10.00	1.00	0.0151	0.0114	0.0053
			418987	10.00	11.00	1.00	0.0140	0.0117	0.0050
			418988	11.00	12.00	1.00	0.0247	0.0132	0.0052
			418989	12.00	13.00	1.00	0.0398	0.0207	0.0053
			418990	13.00	14.00	1.00	0.0142	0.0275	0.0046
			418991	14.00	15.00	1.00	0.0159	0.0125	0.0047
			418992	15.00	16.00	1.00	0.0104	0.0121	0.0035
			418993	16.00	17.00	1.00	0.0101	0.0127	0.0036
			418994	17.00	18.00	1.00	0.0139	0.0133	0.0046
			418995	18.00	18.80	0.80	0.0135	0.0218	0.0050
18.80	20.60	FD, Felsic Dike Mineralization 18.80 - 20.60 Structure 18.80 - 20.60 : MODFOL Moderately Foliated, 45 Deg to CA 18.80 - 20.60 : UC Upper Contact, 45 Deg to CA	418996	18.80	20.00	1.20	0.0135	0.0059	0.0037
			418998	20.00	20.60	0.60	0.0117	0.0073	0.0035
20.60	27.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 20.60 - 22.60 22.60 - 27.40 Structure 20.60 - 27.40 : MODFOL Moderately Foliated, 45 Deg to CA 20.60 - 27.40 : UC Upper Contact, 40 Deg to CA	418999	20.60	22.00	1.40	0.6073	0.1347	0.0229
			419000	22.00	22.60	0.60	0.8900	0.2546	0.0299
			419269	22.60	24.00	1.40	0.2588	0.1312	0.0122
			419270	24.00	25.00	1.00	0.0158	0.0097	0.0040
			419271	25.00	26.00	1.00	0.0153	0.0112	0.0038
			419272	26.00	27.40	1.40	0.1289	0.0399	0.0061
27.40	40.30	MV, Mafic Volcanic with gab dykes and fd Mineralization 27.40 - 40.30 Structure 27.40 - 40.30 : MODFOL Moderately Foliated, 40 Deg to CA 27.40 - 40.30 : UC Upper Contact, 50 Deg to CA	419273	27.40	28.00	0.60	0.0902	0.0353	0.0214
			419274	28.00	29.00	1.00	0.0116	0.0112	0.0042
			419275	29.00	30.00	1.00	0.0124	0.0191	0.0056
			419276	30.00	31.00	1.00	0.0101	0.0195	0.0059
			419277	31.00	32.00	1.00	0.0096	0.0097	0.0044
			419278	32.00	33.00	1.00	0.0095	0.0162	0.0048
			419279	33.00	34.00	1.00	0.0137	0.0141	0.0045
			419280	34.00	35.00	1.00	0.0318	0.0417	0.0046
			419281	35.00	36.00	1.00	0.0135	0.0145	0.0042
			419282	36.00	37.00	1.00	0.0133	0.0123	0.0044
			419283	37.00	38.00	1.00	0.0145	0.0116	0.0049
			419284	38.00	39.00	1.00	0.0154	0.0186	0.0062
			419285	39.00	40.30	1.30	0.0102	0.0245	0.0039

DETAILED LOG

Hole Number: KB-07-97

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
40.30	46.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 40.30 - 46.70 Structure 40.30 - 46.70 : MODFOL Moderately Foliated, 45 Deg to CA 40.30 - 46.70 : UC Upper Contact, 50 Deg to CA	419286	40.30	41.00	0.70	0.0367	0.0033	0.0022
			419287	41.00	42.00	1.00	0.0828	0.0424	0.0037
			419288	42.00	43.00	1.00	0.1271	0.0665	0.0067
			419289	43.00	44.00	1.00	0.1524	0.0655	0.0072
			419290	44.00	45.00	1.00	0.2482	0.0855	0.0096
			419291	45.00	46.00	1.00	0.1373	0.0630	0.0062
			419292	46.00	46.70	0.70	0.0425	0.0129	0.0038
46.70	48.60	MV, Mafic Volcanic with pyxt dyke Mineralization 46.70 - 48.60 Structure 46.70 - 48.60 : MODFOL Moderately Foliated, 45 Deg to CA 46.70 - 48.60 : UC Upper Contact, 50 Deg to CA	419293	46.70	48.00	1.30	0.0563	0.0354	0.0064
			419294	48.00	48.60	0.60	0.1809	0.0506	0.0074
48.60	52.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 48.60 - 52.10 Structure 48.60 - 52.10 : MODFOL Moderately Foliated, 50 Deg to CA	419295	48.60	50.00	1.40	0.2480	0.1027	0.0100
			419296	50.00	51.00	1.00	0.0423	0.0225	0.0040
			419297	51.00	52.10	1.10	0.0859	0.0877	0.0058
52.10	61.00	MV, Mafic Volcanic Mineralization 52.10 - 61.00 pyrite Structure 52.10 - 61.00 : MODFOL Moderately Foliated, 45 Deg to CA 52.10 - 61.00 : UC Upper Contact, 45 Deg to CA	419298	52.10	53.00	0.90	0.0198	0.0210	0.0056
			419299	53.00	54.00	1.00	0.0177	0.0161	0.0059
			419300	54.00	55.00	1.00	0.0148	0.0139	0.0049
			419301	55.00	56.00	1.00	0.0132	0.0121	0.0040
			419302	56.00	57.00	1.00	0.0146	0.0195	0.0056
			419303	57.00	58.00	1.00	0.0141	0.0250	0.0061
			419304	58.00	59.00	1.00	0.0176	0.0165	0.0054
			419305	59.00	60.00	1.00	0.0128	0.0134	0.0049
			419306	60.00	61.00	1.00	0.0148	0.0223	0.0074
61.00	64.30	PYXT, Pyroxenite Mineralization 61.00 - 64.30 Structure 61.00 - 64.30 : MODFOL Moderately Foliated, 45 Deg to CA 61.00 - 64.30 : UC Upper Contact, 55 Deg to CA	419307	61.00	62.00	1.00	0.1417	0.0339	0.0068
			419308	62.00	63.00	1.00	0.3300	0.1508	0.0127
			419310	63.00	64.30	1.30	0.2885	0.0969	0.0103
64.30	65.30	MV, Mafic Volcanic Mineralization 64.30 - 65.30 Structure 64.30 - 65.30 : MODFOL Moderately Foliated, 45 Deg to CA	419311	64.30	65.30	1.00	0.0243	0.0212	0.0040

Hole Number: KB-07-97

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
65.30	67.90	PYXT, Pyroxenite Mineralization 65.30 - 67.90 Structure 65.30 - 67.90 : MODFOL Moderately Foliated, 50 Deg to CA 65.30 - 67.90 : UC Upper Contact, 50 Deg to CA	419312	65.30	66.00	0.70	0.3941	0.1466	0.0125
			419313	66.00	67.00	1.00	0.1606	0.0662	0.0076
			419314	67.00	67.90	0.90	0.1008	0.0382	0.0058
67.90	70.90	GAB, Gabbro Mineralization 67.90 - 70.90 Structure 67.90 - 70.90 67.90 - 70.90 : UC Upper Contact, 50 Deg to CA	419315	67.90	69.00	1.10	0.0088	0.0199	0.0024
			419316	69.00	70.00	1.00	0.0070	0.0212	0.0027
			419317	70.00	70.90	0.90	0.0059	0.0217	0.0032
70.90	81.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 70.90 - 72.60 72.60 - 81.00 Structure 70.90 - 81.00 : MODFOL Moderately Foliated, 50 Deg to CA	419318	70.90	72.00	1.10	0.3469	0.2536	0.0122
			419319	72.00	72.60	0.60	1.7060	0.6126	0.0896
			419321	72.60	74.00	1.40	0.1773	0.2357	0.0065
			419322	74.00	75.00	1.00	0.2462	0.1230	0.0123
			419323	75.00	76.00	1.00	0.3902	0.1745	0.0146
			419324	76.00	77.00	1.00	0.6757	0.1807	0.0197
			419325	77.00	78.00	1.00	0.8104	0.3873	0.0227
			419326	78.00	79.00	1.00	0.9363	0.5031	0.0269
			419327	79.00	80.00	1.00	0.6513	0.4735	0.0220
			419328	80.00	81.00	1.00	0.2798	0.2383	0.0150
81.00	90.10	PYXT, Pyroxenite Mineralization 81.00 - 88.50 88.50 - 90.10 Structure 81.00 - 90.10 : MODFOL Moderately Foliated, 50 Deg to CA 81.00 - 90.10 : UC Upper Contact, 30 Deg to CA	419329	81.00	82.00	1.00	0.3742	0.2317	0.0147
			419330	82.00	83.00	1.00	0.3752	0.2897	0.0139
			419331	83.00	84.00	1.00	0.3785	0.3026	0.0137
			419332	84.00	85.00	1.00	0.3851	0.5192	0.0104
			419333	85.00	86.00	1.00	0.1801	0.2483	0.0064
			419334	86.00	87.00	1.00	0.3145	0.3312	0.0099
			419335	87.00	88.50	1.50	0.3749	0.3544	0.0119
			419336	88.50	90.10	1.60	0.8608	0.9423	0.0184
90.10	92.00	MDCHL, Mafic Dike Chloritic Mineralization 90.10 - 92.00 Structure 90.10 - 92.00 : MODFOL Moderately Foliated, 45 Deg to CA 90.10 - 92.00 : UC Upper Contact, 45 Deg to CA	419338	90.10	91.00	0.90	1.5812	1.1014	0.0453
			419339	91.00	92.00	1.00	0.1340	0.0669	0.0063
92.00	93.20	TSCH, Talc Schist Mineralization 92.00 - 93.20 Structure 92.00 - 93.20 : STRFOL Strongly Foliated, 40 Deg to CA 92.00 - 93.20 : UC Upper Contact, 40 Deg to CA	419340	92.00	93.20	1.20	0.4513	0.2666	0.0130

Hole Number: KB-07-97

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
93.20	110.00	MV, Mafic Volcanic
		Mineralization
		93.20 - 110.00
		Structure
		93.20 - 110.00 : MODFOL Moderately Foliated, 45 Deg to CA
		93.20 - 110.00 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
419341	93.20	94.00	0.80	0.0334	0.0315	0.0064
419342	94.00	95.00	1.00	0.0068	0.0046	0.0028
419343	95.00	96.00	1.00	0.0134	0.0081	0.0059

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418979	2.00	3.00	0.6013	0.2811	0.0203
418980	3.00	4.00	0.4281	0.3449	0.0121
418981	4.00	5.00	0.8086	0.1684	0.0242
418982	5.00	6.20	0.3336	0.1394	0.0119
418983	6.20	7.00	0.0445	0.0189	0.0067
418984	7.00	8.00	0.0163	0.0148	0.0055
418985	8.00	9.00	0.0160	0.0139	0.0058
418986	9.00	10.00	0.0151	0.0114	0.0053
418987	10.00	11.00	0.0140	0.0117	0.0050
418988	11.00	12.00	0.0247	0.0132	0.0052
418989	12.00	13.00	0.0398	0.0207	0.0053
418990	13.00	14.00	0.0142	0.0275	0.0046
418991	14.00	15.00	0.0159	0.0125	0.0047
418992	15.00	16.00	0.0104	0.0121	0.0035
418993	16.00	17.00	0.0101	0.0127	0.0036
418994	17.00	18.00	0.0139	0.0133	0.0046
418995	18.00	18.80	0.0135	0.0218	0.0050
418996	18.80	20.00	0.0135	0.0059	0.0037
418998	20.00	20.60	0.0117	0.0073	0.0035
418999	20.60	22.00	0.6073	0.1347	0.0229
419000	22.00	22.60	0.8900	0.2546	0.0299
419269	22.60	24.00	0.2588	0.1312	0.0122
419270	24.00	25.00	0.0158	0.0097	0.0040
419271	25.00	26.00	0.0153	0.0112	0.0038
419272	26.00	27.40	0.1289	0.0399	0.0061
419273	27.40	28.00	0.0902	0.0353	0.0214
419274	28.00	29.00	0.0116	0.0112	0.0042
419275	29.00	30.00	0.0124	0.0191	0.0056

Hole Number: KB-07-97

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419276	30.00	31.00	0.0101	0.0195	0.0059
419277	31.00	32.00	0.0096	0.0097	0.0044
419278	32.00	33.00	0.0095	0.0162	0.0048
419279	33.00	34.00	0.0137	0.0141	0.0045
419280	34.00	35.00	0.0318	0.0417	0.0046
419281	35.00	36.00	0.0135	0.0145	0.0042
419282	36.00	37.00	0.0133	0.0123	0.0044
419283	37.00	38.00	0.0145	0.0116	0.0049
419284	38.00	39.00	0.0154	0.0186	0.0062
419285	39.00	40.30	0.0102	0.0245	0.0039
419286	40.30	41.00	0.0367	0.0033	0.0022
419287	41.00	42.00	0.0828	0.0424	0.0037
419288	42.00	43.00	0.1271	0.0665	0.0067
419289	43.00	44.00	0.1524	0.0655	0.0072
419290	44.00	45.00	0.2482	0.0855	0.0096
419291	45.00	46.00	0.1373	0.0630	0.0062
419292	46.00	46.70	0.0425	0.0129	0.0038
419293	46.70	48.00	0.0563	0.0354	0.0064
419294	48.00	48.60	0.1809	0.0506	0.0074
419295	48.60	50.00	0.2480	0.1027	0.0100
419296	50.00	51.00	0.0423	0.0225	0.0040
419297	51.00	52.10	0.0859	0.0877	0.0058
419298	52.10	53.00	0.0198	0.0210	0.0056
419299	53.00	54.00	0.0177	0.0161	0.0059
419300	54.00	55.00	0.0148	0.0139	0.0049
419301	55.00	56.00	0.0132	0.0121	0.0040
419302	56.00	57.00	0.0146	0.0195	0.0056
419303	57.00	58.00	0.0141	0.0250	0.0061
419304	58.00	59.00	0.0176	0.0165	0.0054
419305	59.00	60.00	0.0128	0.0134	0.0049
419306	60.00	61.00	0.0148	0.0223	0.0074
419307	61.00	62.00	0.1417	0.0339	0.0068
419308	62.00	63.00	0.3300	0.1508	0.0127
419310	63.00	64.30	0.2885	0.0969	0.0103
419311	64.30	65.30	0.0243	0.0212	0.0040
419312	65.30	66.00	0.3941	0.1466	0.0125
419313	66.00	67.00	0.1606	0.0662	0.0076

Hole Number: KB-07-97

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419314	67.00	67.90	0.1008	0.0382	0.0058
419315	67.90	69.00	0.0088	0.0199	0.0024
419316	69.00	70.00	0.0070	0.0212	0.0027
419317	70.00	70.90	0.0059	0.0217	0.0032
419318	70.90	72.00	0.3469	0.2536	0.0122
419319	72.00	72.60	1.7060	0.6126	0.0896
419321	72.60	74.00	0.1773	0.2357	0.0065
419322	74.00	75.00	0.2462	0.1230	0.0123
419323	75.00	76.00	0.3902	0.1745	0.0146
419324	76.00	77.00	0.6757	0.1807	0.0197
419325	77.00	78.00	0.8104	0.3873	0.0227
419326	78.00	79.00	0.9363	0.5031	0.0269
419327	79.00	80.00	0.6513	0.4735	0.0220
419328	80.00	81.00	0.2798	0.2383	0.0150
419329	81.00	82.00	0.3742	0.2317	0.0147
419330	82.00	83.00	0.3752	0.2897	0.0139
419331	83.00	84.00	0.3785	0.3026	0.0137
419332	84.00	85.00	0.3851	0.5192	0.0104
419333	85.00	86.00	0.1801	0.2483	0.0064
419334	86.00	87.00	0.3145	0.3312	0.0099
419335	87.00	88.50	0.3749	0.3544	0.0119
419336	88.50	90.10	0.8608	0.9423	0.0184
419338	90.10	91.00	1.5812	1.1014	0.0453
419339	91.00	92.00	0.1340	0.0669	0.0063
419340	92.00	93.20	0.4513	0.2666	0.0130
419341	93.20	94.00	0.0334	0.0315	0.0064
419342	94.00	95.00	0.0068	0.0046	0.0028
419343	95.00	96.00	0.0134	0.0081	0.0059

DETAILED LOG

Hole Number: KB-07-96

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.20
Project Number:	19900	North: 5481490.00			North: 5481490.00		Collar Az: 308.70
Location:	Surface	East: 453896.00			East: 453896.00		Length: 71.00 (m)
		Elev: 393.70			Elev: 393.70		Start Depth: 0.00 (m)
Date Started:	Jul 27, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 71.00 (m)
Date Completed:	Jul 28, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	36.00	56.00	20.00	0.9703	0.4322	0.0279
WEIGHTED	39.80	43.70	3.90	2.5994	0.7103	0.0719
WEIGHTED	51.00	55.00	4.00	1.1122	0.4616	0.0331

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
71.00	308.70	-44.20	EZ	DO	5839						

Detailed Lithology

From (m)	To (m)	Lithology
0	2.80	CAS, Casing
2.80	6.60	MV, Mafic Volcanic Mineralization 2.80 - 6.60 Structure 2.80 - 6.60 : MODFOL Moderately Foliated, 40 Deg to CA
6.60	9.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 6.60 - 9.70 Structure 6.60 - 9.70 6.60 - 9.70 : UC Upper Contact, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418919	4.00	5.00	1.00	0.0166	0.0220	0.0062
418920	5.00	6.00	1.00	0.0138	0.0151	0.0056
418921	6.00	6.60	0.60	0.0155	0.0190	0.0067
418922	6.60	8.00	1.40	0.1113	0.0479	0.0080
418923	8.00	9.00	1.00	0.1651	0.0819	0.0079
418924	9.00	9.70	0.70	0.4591	0.2174	0.0179

Hole Number: KB-07-96

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
9.70	18.90	GAB, Gabbro Mineralization 9.70 - 18.90 Structure 9.70 - 18.90	418925	9.70	11.00	1.30	0.0181	0.0127	0.0031
			418926	11.00	12.00	1.00	0.0173	0.0265	0.0029
			418927	12.00	13.00	1.00	0.0176	0.0100	0.0031
			418929	13.00	14.00	1.00	0.0162	0.2622	0.0025
			418930	14.00	15.00	1.00	0.0211	0.0278	0.0042
			418931	15.00	16.00	1.00	0.0139	0.0224	0.0035
			418932	16.00	17.00	1.00	0.0132	0.0130	0.0046
			418933	17.00	17.90	0.90	0.0245	0.0189	0.0050
			418934	17.90	19.00	1.10	0.0669	0.0684	0.0106
18.90	22.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 18.90 - 22.70 Structure 18.90 - 22.70 18.90 - 22.70 : UC Upper Contact, 60 Deg to CA	418935	19.00	20.00	1.00	0.0147	0.0190	0.0039
			418936	20.00	21.00	1.00	0.0574	0.1664	0.0132
			418937	21.00	22.00	1.00	0.0179	0.0179	0.0059
			418938	22.00	22.70	0.70	0.0453	0.0303	0.0043
22.70	25.10	PYXT, Pyroxenite Mineralization 22.70 - 25.10 Structure 22.70 - 25.10 : MODFOL Moderately Foliated, 45 Deg to CA 22.70 - 25.10 : UC Upper Contact, 50 Deg to CA	418939	22.70	24.00	1.30	0.1508	0.1428	0.0064
			418940	24.00	25.10	1.10	0.1194	0.1275	0.0060
25.10	32.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 25.10 - 32.20 Structure 25.10 - 32.20 : MODFOL Moderately Foliated, 45 Deg to CA	418941	25.10	26.00	0.90	0.0719	0.0913	0.0041
			418942	26.00	27.00	1.00	0.0250	0.0169	0.0034
			418943	27.00	28.00	1.00	0.0924	0.0767	0.0065
			418944	28.00	29.00	1.00	0.1385	0.1518	0.0056
			418945	29.00	30.00	1.00	0.0414	0.0329	0.0043
			418946	30.00	31.00	1.00	0.2219	0.1125	0.0134
			418947	31.00	32.20	1.20	0.0740	0.0217	0.0060
32.20	43.70	PYXT, Pyroxenite Mineralization 32.20 - 39.90 39.90 - 43.70 Structure 32.20 - 43.70 : MODFOL Moderately Foliated, 50 Deg to CA 32.20 - 43.70 : UC Upper Contact, 50 Deg to CA	418948	32.20	33.00	0.80	0.0403	0.0072	0.0046
			418949	33.00	34.00	1.00	0.0500	0.0373	0.0037
			418950	34.00	35.00	1.00	0.0458	0.0131	0.0057
			418951	35.00	36.00	1.00	0.0498	0.0187	0.0056
			418952	36.00	37.00	1.00	0.5692	0.1453	0.0185
			418953	37.00	38.00	1.00	0.3383	0.1410	0.0127
			418955	38.00	39.00	1.00	0.3316	0.1436	0.0112
			418956	39.00	39.80	0.80	0.2253	0.8220	0.0106
			418957	39.80	41.00	1.20	3.2180	0.8499	0.0846
			418958	41.00	42.00	1.00	1.3231	0.5707	0.0354
			418959	42.00	43.00	1.00	3.2572	0.6177	0.0980
			418960	43.00	43.70	0.70	2.4225	0.8029	0.0649

DETAILED LOG

Hole Number: KB-07-96

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
43.70	48.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 43.70 - 48.30 Structure 43.70 - 48.30
48.30	48.90	FD, Felsic Dike Mineralization 48.30 - 48.90 Structure 48.30 - 48.90 : MODFOL Moderately Foliated, 40 Deg to CA
48.90	53.30	PYXT, Pyroxenite W/ fd Mineralization 48.90 - 53.30 Structure 48.90 - 53.30 : MODFOL Moderately Foliated, 50 Deg to CA 48.90 - 53.30 : UC Upper Contact, 40 Deg to CA
53.30	54.30	MV, Mafic Volcanic Mineralization 53.30 - 54.30 Structure 53.30 - 54.30 : MODFOL Moderately Foliated, 45 Deg to CA 53.30 - 54.30 : UC Upper Contact, 50 Deg to CA
54.30	57.40	TSCH, Talc Schist Mineralization 54.30 - 57.40 Structure 54.30 - 57.40 : STRFOL Strongly Foliated, 45 Deg to CA
57.40	71.00	MV, Mafic Volcanic Mineralization 57.40 - 71.00 Structure 57.40 - 71.00 : MODFOL Moderately Foliated, 50 Deg to CA 57.40 - 71.00 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418961	43.70	45.00	1.30	0.4586	0.3162	0.0125
418962	45.00	46.00	1.00	0.0176	0.0194	0.0057
418963	46.00	47.00	1.00	0.1507	0.0374	0.0063
418964	47.00	48.30	1.30	0.4766	0.1748	0.0138
418965	48.30	48.90	0.60	0.0068	0.0087	0.0027
418966	48.90	50.00	1.10	0.5583	0.2535	0.0140
418967	50.00	51.00	1.00	0.8066	0.6478	0.0179
418968	51.00	52.00	1.00	2.0282	0.7381	0.0512
418970	52.00	53.30	1.30	0.9218	0.3193	0.0396
418971	53.30	54.30	1.00	0.0665	0.0413	0.0040
418972	54.30	55.00	0.70	1.6510	0.9311	0.0365
418973	55.00	56.00	1.00	0.5918	1.3122	0.0133
418974	56.00	57.40	1.40	0.0876	0.1078	0.0046
418975	57.40	58.00	0.60	0.0153	0.0061	0.0054
418977	58.00	59.00	1.00	0.0114	0.0081	0.0050
418978	59.00	60.00	1.00	0.0110	0.0102	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418919	4.00	5.00	0.0166	0.0220	0.0062
418920	5.00	6.00	0.0138	0.0151	0.0056

Hole Number: KB-07-96

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418921	6.00	6.60	0.0155	0.0190	0.0067
418922	6.60	8.00	0.1113	0.0479	0.0080
418923	8.00	9.00	0.1651	0.0819	0.0079
418924	9.00	9.70	0.4591	0.2174	0.0179
418925	9.70	11.00	0.0181	0.0127	0.0031
418926	11.00	12.00	0.0173	0.0265	0.0029
418927	12.00	13.00	0.0176	0.0100	0.0031
418929	13.00	14.00	0.0162	0.2622	0.0025
418930	14.00	15.00	0.0211	0.0278	0.0042
418931	15.00	16.00	0.0139	0.0224	0.0035
418932	16.00	17.00	0.0132	0.0130	0.0046
418933	17.00	17.90	0.0245	0.0189	0.0050
418934	17.90	19.00	0.0669	0.0684	0.0106
418935	19.00	20.00	0.0147	0.0190	0.0039
418936	20.00	21.00	0.0574	0.1664	0.0132
418937	21.00	22.00	0.0179	0.0179	0.0059
418938	22.00	22.70	0.0453	0.0303	0.0043
418939	22.70	24.00	0.1508	0.1428	0.0064
418940	24.00	25.10	0.1194	0.1275	0.0060
418941	25.10	26.00	0.0719	0.0913	0.0041
418942	26.00	27.00	0.0250	0.0169	0.0034
418943	27.00	28.00	0.0924	0.0767	0.0065
418944	28.00	29.00	0.1385	0.1518	0.0056
418945	29.00	30.00	0.0414	0.0329	0.0043
418946	30.00	31.00	0.2219	0.1125	0.0134
418947	31.00	32.20	0.0740	0.0217	0.0060
418948	32.20	33.00	0.0403	0.0072	0.0046
418949	33.00	34.00	0.0500	0.0373	0.0037
418950	34.00	35.00	0.0458	0.0131	0.0057
418951	35.00	36.00	0.0498	0.0187	0.0056
418952	36.00	37.00	0.5692	0.1453	0.0185
418953	37.00	38.00	0.3383	0.1410	0.0127
418955	38.00	39.00	0.3316	0.1436	0.0112
418956	39.00	39.80	0.2253	0.8220	0.0106
418957	39.80	41.00	3.2180	0.8499	0.0846
418958	41.00	42.00	1.3231	0.5707	0.0354
418959	42.00	43.00	3.2572	0.6177	0.0980

Hole Number: KB-07-96

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418960	43.00	43.70	2.4225	0.8029	0.0649
418961	43.70	45.00	0.4586	0.3162	0.0125
418962	45.00	46.00	0.0176	0.0194	0.0057
418963	46.00	47.00	0.1507	0.0374	0.0063
418964	47.00	48.30	0.4766	0.1748	0.0138
418965	48.30	48.90	0.0068	0.0087	0.0027
418966	48.90	50.00	0.5583	0.2535	0.0140
418967	50.00	51.00	0.8066	0.6478	0.0179
418968	51.00	52.00	2.0282	0.7381	0.0512
418970	52.00	53.30	0.9218	0.3193	0.0396
418971	53.30	54.30	0.0665	0.0413	0.0040
418972	54.30	55.00	1.6510	0.9311	0.0365
418973	55.00	56.00	0.5918	1.3122	0.0133
418974	56.00	57.40	0.0876	0.1078	0.0046
418975	57.40	58.00	0.0153	0.0061	0.0054
418977	58.00	59.00	0.0114	0.0081	0.0050
418978	59.00	60.00	0.0110	0.0102	0.0050

DETAILED LOG

Hole Number: KB-07-95 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-47.70
Project Number:	19900	North:	5481505.00	North:	5481505.00	Collar Az:	304.20
Location:	Surface	East:	453876.90	East:	453876.90	Length:	50.00 (m)
		Elev:	391.30	Elev:	391.30	Start Depth:	0.00 (m)
Date Started:	Jul 27, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	50.00 (m)
Date Completed:	Jul 27, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	13.20	26.30	13.10	0.6300	0.2398	0.0186
WEIGHTED	21.00	25.80	4.80	1.0963	0.3628	0.0328

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	304.20	-47.70	EZ	OK	Magnetic Field 5951	50.00	313.00	-46.80	EZ	OK	Magnetic Field 5823

Detailed Lithology

From (m)	To (m)	Lithology
0	1.60	CAS, Casing
1.60	4.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.60 - 4.60 Structure 1.60 - 4.60 : MODFOL Moderately Foliated, 45 Deg to CA
4.60	8.20	PYXT, Pyroxenite Mineralization 4.60 - 8.20 Structure 4.60 - 8.20 : MODFOL Moderately Foliated, 45 Deg to CA
8.20	13.20	MV, Mafic Volcanic LGT GABPYXT DYKES Mineralization 8.20 - 13.20 Structure 8.20 - 13.20 : MODFOL Moderately Foliated, 55 Deg to CA 8.20 - 13.20 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418886	1.60	3.00	1.40	0.2350	0.2282	0.0108
418887	3.00	4.60	1.60	0.0361	0.0213	0.0052
418888	4.60	6.00	1.40	0.0698	0.0448	0.0064
418889	6.00	7.00	1.00	0.0343	0.0031	0.0036
418890	7.00	8.20	1.20	0.1254	0.0397	0.0059
418891	8.20	9.00	0.80	0.0124	0.0099	0.0052
418892	9.00	10.00	1.00	0.0474	0.0193	0.0042
418893	10.00	11.00	1.00	0.2072	0.1885	0.0097
418894	11.00	12.00	1.00	0.0111	0.0137	0.0034
418895	12.00	13.20	1.20	0.0113	0.0104	0.0040

DETAILED LOG

Hole Number: KB-07-95

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
13.20	20.00	PYXT, Pyroxenite W/ fd and mv xenos Mineralization 13.20 - 15.80 15.80 - 18.00 18.00 - 20.00 Structure 13.20 - 20.00 : MODFOL Moderately Foliated, 45 Deg to CA 13.20 - 20.00 : UC Upper Contact, 55 Deg to CA	418896	13.20	14.00	0.80	0.2834	0.0799	0.0089
			418897	14.00	15.00	1.00	0.2505	0.0690	0.0093
			418898	15.00	15.80	0.80	0.1357	0.0434	0.0059
			418899	15.80	17.00	1.20	0.6330	0.4608	0.0149
			418900	17.00	18.00	1.00	0.9087	0.3360	0.0215
			418901	18.00	19.00	1.00	0.2051	0.0915	0.0074
			418902	19.00	20.00	1.00	0.4158	0.1683	0.0127
20.00	22.70	MD, Mafic Dike with 40cm sm pyxt dyke Mineralization 20.00 - 22.00 22.00 - 22.70 Structure 20.00 - 22.70	418903	20.00	21.00	1.00	0.0129	0.0191	0.0022
			418904	21.00	22.00	1.00	2.0726	0.2574	0.0750
			418905	22.00	22.70	0.70	0.0859	0.0150	0.0041
22.70	24.80	MDCHL, Mafic Dike Chloritic Mineralization 22.70 - 24.80 Structure 22.70 - 24.80 : MODFOL Moderately Foliated, 45 Deg to CA	418906	22.70	24.00	1.30	0.0156	0.0081	0.0025
			418907	24.00	24.80	0.80	0.9186	0.2258	0.0186
24.80	28.10	PYXT, Pyroxenite Mineralization 24.80 - 25.80 25.80 - 26.30 26.30 - 28.10 Structure 24.80 - 28.10 : MODFOL Moderately Foliated, 40 Deg to CA	418908	24.80	25.80	1.00	2.3745	1.2824	0.0612
			418909	25.80	26.30	0.50	0.2063	0.1288	0.0076
			418910	26.30	28.10	1.80	0.0162	0.0156	0.0047
28.10	35.30	MV, Mafic Volcanic Mineralization 28.10 - 35.30 Structure 28.10 - 35.30 : MODFOL Moderately Foliated, 40 Deg to CA	418912	28.10	29.00	0.90	0.0121	0.0092	0.0055
			418913	29.00	30.00	1.00	0.0103	0.0097	0.0045
			418914	30.00	31.00	1.00	0.0109	0.0087	0.0052
			418916	31.00	32.00	1.00	0.0103	0.0127	0.0045
			418917	32.00	33.00	1.00	0.0110	0.0135	0.0051
			418918	33.00	34.00	1.00	0.0116	0.0141	0.0054
35.30	36.50	FD, Felsic Dike Mineralization 35.30 - 36.50 Structure 35.30 - 36.50 : MODFOL Moderately Foliated, 45 Deg to CA 35.30 - 36.50 : UC Upper Contact, 35 Deg to CA							

Hole Number: KB-07-95

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
36.50	50.00	MV, Mafic Volcanic Mineralization 36.50 - 50.00 Structure 36.50 - 50.00 : MODFOL Moderately Foliated, 45 Deg to CA 36.50 - 50.00 : UC Upper Contact, 45 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418886	1.60	3.00	0.2350	0.2282	0.0108
418887	3.00	4.60	0.0361	0.0213	0.0052
418888	4.60	6.00	0.0698	0.0448	0.0064
418889	6.00	7.00	0.0343	0.0031	0.0036
418890	7.00	8.20	0.1254	0.0397	0.0059
418891	8.20	9.00	0.0124	0.0099	0.0052
418892	9.00	10.00	0.0474	0.0193	0.0042
418893	10.00	11.00	0.2072	0.1885	0.0097
418894	11.00	12.00	0.0111	0.0137	0.0034
418895	12.00	13.20	0.0113	0.0104	0.0040
418896	13.20	14.00	0.2834	0.0799	0.0089
418897	14.00	15.00	0.2505	0.0690	0.0093
418898	15.00	15.80	0.1357	0.0434	0.0059
418899	15.80	17.00	0.6330	0.4608	0.0149
418900	17.00	18.00	0.9087	0.3360	0.0215
418901	18.00	19.00	0.2051	0.0915	0.0074
418902	19.00	20.00	0.4158	0.1683	0.0127
418903	20.00	21.00	0.0129	0.0191	0.0022
418904	21.00	22.00	2.0726	0.2574	0.0750
418905	22.00	22.70	0.0859	0.0150	0.0041
418906	22.70	24.00	0.0156	0.0081	0.0025
418907	24.00	24.80	0.9186	0.2258	0.0186
418908	24.80	25.80	2.3745	1.2824	0.0612
418909	25.80	26.30	0.2063	0.1288	0.0076
418910	26.30	28.10	0.0162	0.0156	0.0047
418912	28.10	29.00	0.0121	0.0092	0.0055
418913	29.00	30.00	0.0103	0.0097	0.0045
418914	30.00	31.00	0.0109	0.0087	0.0052

Hole Number: KB-07-95

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418916	31.00	32.00	0.0103	0.0127	0.0045
418917	32.00	33.00	0.0110	0.0135	0.0051
418918	33.00	34.00	0.0116	0.0141	0.0054

DETAILED LOG

Hole Number: KB-07-94 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -47.40
Project Number:	19900	North:	5481526.00		North:	5481526.00	Collar Az: 310.10
Location:	Surface	East:	453901.50		East:	453901.50	Length: 50.00 (m)
		Elev:	393.64		Elev:	393.64	Start Depth: 0.00 (m)
Date Started:	Jul 26, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 50.00 (m)
Date Completed:	Jul 26, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	6.00	10.80	4.80	1.9078	1.1535	0.0587
WEIGHTED	7.20	10.00	2.80	2.9386	1.6150	0.0894
WEIGHTED	31.00	35.40	4.40	0.3609	0.1969	0.0141

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	344.20	-47.40	EZ	DO	6964	50.00	310.10	-46.10	EZ	OK	5880

Detailed Lithology

From (m)	To (m)	Lithology
0	1.90	CAS, Casing
1.90	10.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.90 - 4.00 4.00 - 7.20 7.20 - 10.00 10.00 - 10.80 Structure 1.90 - 10.80
10.80	13.70	MD, Mafic Dike Mineralization 10.80 - 13.70 Structure 10.80 - 13.70
13.70	16.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 13.70 - 16.60 Structure 13.70 - 16.60

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418847	1.90	3.00	1.10	0.0402	0.0225	0.0055
418848	3.00	4.00	1.00	0.0276	0.0175	0.0060
418849	4.00	5.00	1.00	0.0620	0.0372	0.0053
418850	5.00	6.00	1.00	0.1520	0.0888	0.0096
418851	6.00	7.20	1.20	0.4816	0.2492	0.0164
418852	7.20	8.00	0.80	3.5172	1.3251	0.0964
418854	8.00	9.00	1.00	1.4623	1.9809	0.0352
418855	9.00	10.00	1.00	3.9520	1.4810	0.1381
418856	10.00	10.80	0.80	0.4392	0.8946	0.0145
418858	10.80	12.00	1.20	0.0125	0.0222	0.0030
418859	12.00	13.00	1.00	0.0069	0.0094	0.0035
418860	13.00	13.70	0.70	0.0053	0.0184	0.0037
418861	13.70	15.00	1.30	0.0142	0.0160	0.0050
418862	15.00	16.50	1.50	0.0216	0.0184	0.0049
418863	16.50	17.00	0.50	0.0224	0.0156	0.0055

Hole Number: KB-07-94

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.60	18.70	PYXT, Pyroxenite Mineralization 16.60 - 18.70 Structure 16.60 - 18.70 : MODFOL Moderately Foliated, 50 Deg to CA 16.60 - 18.70 : UC Upper Contact, 45 Deg to CA	418864	17.00	18.00	1.00	0.4184	0.2155	0.0128
			418865	18.00	18.70	0.70	0.1213	0.1436	0.0083
18.70	23.00	MV, Mafic Volcanic Mineralization 18.70 - 23.00 Structure 18.70 - 23.00 : MODFOL Moderately Foliated, 50 Deg to CA 18.70 - 23.00 : UC Upper Contact, 45 Deg to CA	418866	18.70	20.00	1.30	0.0072	0.1032	0.0040
			418867	20.00	21.00	1.00	0.0028	0.0474	0.0032
			418868	21.00	22.00	1.00	0.0117	0.0120	0.0028
			418869	22.00	23.00	1.00	0.0859	0.0719	0.0054
23.00	25.30	PYXT, Pyroxenite Mineralization 23.00 - 25.30 Structure 23.00 - 25.30 : MODFOL Moderately Foliated, 50 Deg to CA 23.00 - 25.30 : UC Upper Contact, 50 Deg to CA	418870	23.00	24.00	1.00	0.2811	0.2600	0.0155
			418871	24.00	25.30	1.30	0.2506	0.1248	0.0115
25.30	26.70	MV, Mafic Volcanic Mineralization 25.30 - 26.70 Structure 25.30 - 26.70 : MODFOL Moderately Foliated, 50 Deg to CA 25.30 - 26.70 : UC Upper Contact, 50 Deg to CA	418872	25.30	26.00	0.70	0.0160	0.0090	0.0047
			418873	26.00	26.70	0.70	0.0055	0.0055	0.0033
26.70	27.70	MD, Mafic Dike Mineralization 26.70 - 27.70 Structure 26.70 - 27.70 : MODFOL Moderately Foliated, 45 Deg to CA	418874	26.70	27.70	1.00	0.0053	0.0052	0.0031
27.70	29.40	TSCH, Talc Schist Mineralization 27.70 - 29.40 Structure 27.70 - 29.40 : STRFOL Strongly Foliated, 40 Deg to CA	418875	27.70	29.40	1.70	0.1924	0.1222	0.0080
29.40	35.40	PYXT, Pyroxenite Mineralization 29.40 - 31.00 31.00 - 35.40 Structure 29.40 - 31.00 : STRFOL Strongly Foliated, 45 Deg to CA 31.00 - 35.40 : MODFOL Moderately Foliated, 45 Deg to CA	418876	29.40	30.00	0.60	0.1421	0.0251	0.0090
			418877	30.00	31.00	1.00	0.0415	0.0088	0.0050
			418878	31.00	32.00	1.00	0.6759	0.1460	0.0250
			418879	32.00	33.00	1.00	0.2792	0.1862	0.0162
			418880	33.00	34.00	1.00	0.0444	0.0361	0.0035
			418882	34.00	35.40	1.40	0.4202	0.3558	0.0123

DETAILED LOG

Hole Number: KB-07-94

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
35.40	37.90	MV, Mafic Volcanic Mineralization 35.40 - 37.90 Structure 35.40 - 37.90
37.90	39.10	MDCHL, Mafic Dike Chloritic Mineralization 37.90 - 39.10 Structure 37.90 - 39.10 : MODFOL Moderately Foliated, 50 Deg to CA 37.90 - 39.10 : UC Upper Contact, 50 Deg to CA
39.10	50.00	MV, Mafic Volcanic Mineralization 39.10 - 50.00 Structure 39.10 - 50.00 : MODFOL Moderately Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418883	35.40	36.00	0.60	0.0216	0.0122	0.0067
418884	36.00	37.00	1.00	0.0159	0.0157	0.0068
418885	37.00	37.90	0.90	0.0138	0.0120	0.0070

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418847	1.90	3.00	0.0402	0.0225	0.0055
418848	3.00	4.00	0.0276	0.0175	0.0060
418849	4.00	5.00	0.0620	0.0372	0.0053
418850	5.00	6.00	0.1520	0.0888	0.0096
418851	6.00	7.20	0.4816	0.2492	0.0164
418852	7.20	8.00	3.5172	1.3251	0.0964
418854	8.00	9.00	1.4623	1.9809	0.0352
418855	9.00	10.00	3.9520	1.4810	0.1381
418856	10.00	10.80	0.4392	0.8946	0.0145
418858	10.80	12.00	0.0125	0.0222	0.0030
418859	12.00	13.00	0.0069	0.0094	0.0035
418860	13.00	13.70	0.0053	0.0184	0.0037
418861	13.70	15.00	0.0142	0.0160	0.0050
418862	15.00	16.50	0.0216	0.0184	0.0049
418863	16.50	17.00	0.0224	0.0156	0.0055
418864	17.00	18.00	0.4184	0.2155	0.0128
418865	18.00	18.70	0.1213	0.1436	0.0083
418866	18.70	20.00	0.0072	0.1032	0.0040
418867	20.00	21.00	0.0028	0.0474	0.0032

Hole Number: KB-07-94

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418868	21.00	22.00	0.0117	0.0120	0.0028
418869	22.00	23.00	0.0859	0.0719	0.0054
418870	23.00	24.00	0.2811	0.2600	0.0155
418871	24.00	25.30	0.2506	0.1248	0.0115
418872	25.30	26.00	0.0160	0.0090	0.0047
418873	26.00	26.70	0.0055	0.0055	0.0033
418874	26.70	27.70	0.0053	0.0052	0.0031
418875	27.70	29.40	0.1924	0.1222	0.0080
418876	29.40	30.00	0.1421	0.0251	0.0090
418877	30.00	31.00	0.0415	0.0088	0.0050
418878	31.00	32.00	0.6759	0.1460	0.0250
418879	32.00	33.00	0.2792	0.1862	0.0162
418880	33.00	34.00	0.0444	0.0361	0.0035
418882	34.00	35.40	0.4202	0.3558	0.0123
418883	35.40	36.00	0.0216	0.0122	0.0067
418884	36.00	37.00	0.0159	0.0157	0.0068
418885	37.00	37.90	0.0138	0.0120	0.0070

DETAILED LOG

Hole Number: KB-07-93

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -44.20
Project Number:	19900	North: 5481510.00			North: 5481510.00		Collar Az: 305.50
Location:	Surface	East: 453923.10			East: 453923.10		Length: 85.00 (m)
		Elev: 396.32			Elev: 396.32		Start Depth: 0.00 (m)
Date Started:	Jul 25, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 85.00 (m)
Date Completed:	Jul 25, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	7.00	13.25	6.25	0.4319	0.1227	0.0150
WEIGHTED	51.00	68.05	17.05	0.3288	0.2473	0.0100
WEIGHTED	59.00	63.40	4.40	0.8180	0.6163	0.0188

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	294.50	-44.20	EZ	DO	6137	42.00	305.50	-43.60	EZ	OK	5741
85.00	306.60	-42.50	EZ	OK	5887						

Detailed Lithology

From (m)	To (m)	Lithology
0	1.00	CAS, Casing
1.00	11.15	GABPYXT, Gabbro Pyroxenite Dikes 10% MV xenoliths Mineralization 1.00 - 11.15 Structure 1.00 - 11.15
11.15	13.25	MV, Mafic Volcanic Mineralization 11.15 - 13.25 Structure 11.15 - 13.25 11.15 - 13.25 : UC Upper Contact, 35 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
419171	1.00	2.00	1.00	0.0174	0.0212	0.0042
419172	2.00	3.00	1.00	0.0334	0.0290	0.0052
419173	3.00	4.00	1.00	0.0351	0.0301	0.0049
419174	4.00	5.00	1.00	0.0852	0.0532	0.0065
419175	5.00	6.00	1.00	0.0439	0.0338	0.0056
419176	6.00	7.00	1.00	0.0508	0.0340	0.0050
419177	7.00	8.00	1.00	0.2808	0.1201	0.0103
419178	8.00	9.00	1.00	0.5956	0.2328	0.0181
419179	9.00	10.00	1.00	0.6029	0.2286	0.0183
419180	10.00	11.15	1.15	0.7592	0.0684	0.0291
419181	11.15	12.20	1.05	0.0911	0.0296	0.0051
419182	12.20	13.25	1.05	0.2393	0.0719	0.0078

Hole Number: KB-07-93

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
13.25	14.70	PYXT, Pyroxenite Mineralization 13.25 - 14.70 Structure 13.25 - 14.70 13.25 - 14.70 : UC Upper Contact, 60 Deg to CA	419183	13.25	14.70	1.45	0.0215	0.0228	0.0045
14.70	24.15	MV, Mafic Volcanic Mineralization 14.70 - 24.15 Structure 14.70 - 24.15 14.70 - 24.15 : UC Upper Contact, 50 Deg to CA	419184	14.70	16.00	1.30	0.0141	0.0138	0.0044
			419185	16.00	17.50	1.50	0.0108	0.0114	0.0043
			419186	17.50	19.00	1.50	0.0129	0.0149	0.0052
			419187	19.00	20.50	1.50	0.0113	0.0134	0.0045
			419188	20.50	22.00	1.50	0.0108	0.0128	0.0048
			419189	22.00	23.00	1.00	0.0112	0.0153	0.0060
			419190	23.00	24.15	1.15	0.0404	0.0281	0.0042
24.15	27.50	GABPYXT, Gabbro Pyroxenite Dikes 10% MV xenoliths Mineralization 24.15 - 27.50 Structure 24.15 - 27.50 24.15 - 27.50 : UC Upper Contact, 35 Deg to CA	419191	24.15	25.00	0.85	0.0370	0.0240	0.0056
			419192	25.00	26.00	1.00	0.1042	0.1004	0.0058
			419194	26.00	27.50	1.50	0.2037	0.0679	0.0060
27.50	28.00	FD, Felsic Dike Mineralization 27.50 - 28.00 Structure 27.50 - 28.00 27.50 - 28.00 : UC Upper Contact, 80 Deg to CA	419196	27.50	28.00	0.50	0.0045	0.0085	0.0007
28.00	44.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 28.00 - 36.50 36.50 - 41.60 41.60 - 44.10 Structure 28.00 - 44.10 28.00 - 44.10 : UC Upper Contact, 90 Deg to CA	419197	28.00	29.00	1.00	0.3592	0.4738	0.0075
			419198	29.00	30.00	1.00	0.0998	0.1471	0.0050
			419199	30.00	31.00	1.00	0.0405	0.0587	0.0042
			419201	31.00	32.00	1.00	0.1954	0.1275	0.0081
			419202	32.00	33.00	1.00	0.0649	0.0516	0.0050
			419203	33.00	34.00	1.00	0.9090	0.1146	0.0321
			419204	34.00	35.00	1.00	0.2122	0.0675	0.0072
			419205	35.00	36.50	1.50	0.0239	0.0217	0.0033
			419206	36.50	38.00	1.50	0.0101	0.0196	0.0030
			419207	38.00	39.00	1.00	0.0106	0.0115	0.0029
			419208	39.00	40.00	1.00	0.0134	0.0185	0.0031
			419209	40.00	41.60	1.60	0.0162	0.0125	0.0033
			419210	41.60	43.00	1.40	0.0545	0.0315	0.0041
			419212	43.00	44.10	1.10	0.2066	0.0906	0.0068

Hole Number: KB-07-93

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
44.10	53.70	PYXT, Pyroxenite Two 40 cm dykes Mineralization 44.10 - 53.70 Structure 44.10 - 53.70 : MODFOL Moderately Foliated, 55 Deg to CA 44.10 - 53.70 : UC Upper Contact, 75 Deg to CA	419213	44.10	45.00	0.90	0.7617	0.2551	0.0204
			419215	45.00	46.00	1.00	0.0805	0.0369	0.0058
			419216	46.00	47.00	1.00	0.2071	0.0883	0.0079
			419217	47.00	48.00	1.00	0.2533	0.1263	0.0098
			419218	48.00	49.00	1.00	0.1812	0.0858	0.0080
			419219	49.00	50.00	1.00	0.1506	0.0520	0.0072
			419220	50.00	51.00	1.00	0.1230	0.0515	0.0056
			419221	51.00	52.00	1.00	0.3132	0.1506	0.0099
			419222	52.00	53.00	1.00	0.1120	0.0500	0.0056
			419223	53.00	53.70	0.70	0.2304	0.0985	0.0092
53.70	55.80	MDCHL, Mafic Dike Chloritic Mineralization 53.70 - 55.80 Structure 53.70 - 55.80 53.70 - 55.80 : UC Upper Contact, 45 Deg to CA	419224	53.70	54.80	1.10	0.0052	0.0036	0.0022
			419225	54.80	55.80	1.00	0.0035	0.0034	0.0021
55.80	59.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 55.80 - 59.80 Structure 55.80 - 59.80 55.80 - 59.80 : UC Upper Contact, 55 Deg to CA	419226	55.80	57.00	1.20	0.4897	0.2502	0.0141
			419227	57.00	58.00	1.00	0.0413	0.0206	0.0059
			419228	58.00	59.00	1.00	0.0245	0.0048	0.0048
			419229	59.00	59.80	0.80	1.0710	0.5510	0.0255
59.80	60.30	MD, Mafic Dike Mineralization 59.80 - 60.30 Structure 59.80 - 60.30 59.80 - 60.30 : UC Upper Contact, 60 Deg to CA	419230	59.80	60.30	0.50	0.0440	0.0207	0.0047
60.30	62.40	PYXT, Pyroxenite Mineralization 60.30 - 62.40 Structure 60.30 - 62.40 : MODFOL Moderately Foliated, 60 Deg to CA 60.30 - 62.40 : UC Upper Contact, 60 Deg to CA	419231	60.30	61.00	0.70	0.2578	0.2321	0.0084
			419232	61.00	62.40	1.40	0.3271	0.3450	0.0083
62.40	63.40	TSCH, Talc Schist Mineralization 62.40 - 63.40 Structure 62.40 - 63.40 : STRFOL Strongly Foliated, 45 Deg to CA 62.40 - 63.40 Gradational	419233	62.40	63.40	1.00	2.0819	1.6151	0.0425

Hole Number: KB-07-93 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
63.40	64.15	MD, Mafic Dike Mineralization 63.40 - 64.15 Structure 63.40 - 64.15 63.40 - 64.15	419235	63.40	64.15	0.75	0.0076	0.0073	0.0023
64.15	64.75	TSCH, Talc Schist Mineralization 64.15 - 64.75 Structure 64.15 - 64.75 : STRFOL Strongly Foliated, 45 Deg to CA 64.15 - 64.75 : UC Upper Contact, 50 Deg to CA	419236	64.15	64.75	0.60	0.4715	0.3959	0.0250
64.75	68.05	PYXT, Pyroxenite 30% MV xenoliths Mineralization 64.75 - 68.05 Structure 64.75 - 68.05 64.75 - 68.05 : UC Upper Contact, 55 Deg to CA	419238	64.75	66.00	1.25	0.0295	0.0167	0.0040
			419239	66.00	67.00	1.00	0.1845	0.2677	0.0053
			419240	67.00	68.05	1.05	0.2366	0.3530	0.0070
68.05	71.10	MV, Mafic Volcanic Mineralization 68.05 - 71.10 Structure 68.05 - 71.10 68.05 - 71.10 : UC Upper Contact, 70 Deg to CA	419241	68.05	69.50	1.45	0.0139	0.0132	0.0048
			419242	69.50	71.00	1.50	0.0123	0.0105	0.0052
71.10	72.25	MDCHL, Mafic Dike Chloritic Mineralization 71.10 - 72.25 Structure 71.10 - 72.25 : MODFOL Moderately Foliated, 55 Deg to CA 71.10 - 72.25 : UC Upper Contact, 55 Deg to CA							
72.25	77.70	MV, Mafic Volcanic Mineralization 72.25 - 77.70 Structure 72.25 - 77.70 72.25 - 77.70 : UC Upper Contact, 55 Deg to CA							

Hole Number: KB-07-93 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
77.70	78.30	FD, Felsic Dike Mineralization 77.70 - 78.30 Structure 77.70 - 78.30 77.70 - 78.30 : UC Upper Contact, 65 Deg to CA							
78.30	79.10	MV, Mafic Volcanic Mineralization 78.30 - 79.10 Structure 78.30 - 79.10 78.30 - 79.10 : UC Upper Contact, 65 Deg to CA							
79.10	80.30	MD, Mafic Dike Mineralization 79.10 - 80.30 Structure 79.10 - 80.30 79.10 - 80.30 : UC Upper Contact, 60 Deg to CA							
80.30	85.00	MV, Mafic Volcanic Mineralization 80.30 - 85.00 Structure 80.30 - 85.00 : MODFOL Moderately Foliated, 40 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419171	1.00	2.00	0.0174	0.0212	0.0042
419172	2.00	3.00	0.0334	0.0290	0.0052
419173	3.00	4.00	0.0351	0.0301	0.0049
419174	4.00	5.00	0.0852	0.0532	0.0065
419175	5.00	6.00	0.0439	0.0338	0.0056
419176	6.00	7.00	0.0508	0.0340	0.0050
419177	7.00	8.00	0.2808	0.1201	0.0103
419178	8.00	9.00	0.5956	0.2328	0.0181
419179	9.00	10.00	0.6029	0.2286	0.0183
419180	10.00	11.15	0.7592	0.0684	0.0291
419181	11.15	12.20	0.0911	0.0296	0.0051
419182	12.20	13.25	0.2393	0.0719	0.0078
419183	13.25	14.70	0.0215	0.0228	0.0045

Hole Number: KB-07-93

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419184	14.70	16.00	0.0141	0.0138	0.0044
419185	16.00	17.50	0.0108	0.0114	0.0043
419186	17.50	19.00	0.0129	0.0149	0.0052
419187	19.00	20.50	0.0113	0.0134	0.0045
419188	20.50	22.00	0.0108	0.0128	0.0048
419189	22.00	23.00	0.0112	0.0153	0.0060
419190	23.00	24.15	0.0404	0.0281	0.0042
419191	24.15	25.00	0.0370	0.0240	0.0056
419192	25.00	26.00	0.1042	0.1004	0.0058
419194	26.00	27.50	0.2037	0.0679	0.0060
419196	27.50	28.00	0.0045	0.0085	0.0007
419197	28.00	29.00	0.3592	0.4738	0.0075
419198	29.00	30.00	0.0998	0.1471	0.0050
419199	30.00	31.00	0.0405	0.0587	0.0042
419201	31.00	32.00	0.1954	0.1275	0.0081
419202	32.00	33.00	0.0649	0.0516	0.0050
419203	33.00	34.00	0.9090	0.1146	0.0321
419204	34.00	35.00	0.2122	0.0675	0.0072
419205	35.00	36.50	0.0239	0.0217	0.0033
419206	36.50	38.00	0.0101	0.0196	0.0030
419207	38.00	39.00	0.0106	0.0115	0.0029
419208	39.00	40.00	0.0134	0.0185	0.0031
419209	40.00	41.60	0.0162	0.0125	0.0033
419210	41.60	43.00	0.0545	0.0315	0.0041
419212	43.00	44.10	0.2066	0.0906	0.0068
419213	44.10	45.00	0.7617	0.2551	0.0204
419215	45.00	46.00	0.0805	0.0369	0.0058
419216	46.00	47.00	0.2071	0.0883	0.0079
419217	47.00	48.00	0.2533	0.1263	0.0098
419218	48.00	49.00	0.1812	0.0858	0.0080
419219	49.00	50.00	0.1506	0.0520	0.0072
419220	50.00	51.00	0.1230	0.0515	0.0056
419221	51.00	52.00	0.3132	0.1506	0.0099
419222	52.00	53.00	0.1120	0.0500	0.0056
419223	53.00	53.70	0.2304	0.0985	0.0092
419224	53.70	54.80	0.0052	0.0036	0.0022
419225	54.80	55.80	0.0035	0.0034	0.0021

Hole Number: KB-07-93

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419226	55.80	57.00	0.4897	0.2502	0.0141
419227	57.00	58.00	0.0413	0.0206	0.0059
419228	58.00	59.00	0.0245	0.0048	0.0048
419229	59.00	59.80	1.0710	0.5510	0.0255
419230	59.80	60.30	0.0440	0.0207	0.0047
419231	60.30	61.00	0.2578	0.2321	0.0084
419232	61.00	62.40	0.3271	0.3450	0.0083
419233	62.40	63.40	2.0819	1.6151	0.0425
419235	63.40	64.15	0.0076	0.0073	0.0023
419236	64.15	64.75	0.4715	0.3959	0.0250
419238	64.75	66.00	0.0295	0.0167	0.0040
419239	66.00	67.00	0.1845	0.2677	0.0053
419240	67.00	68.05	0.2366	0.3530	0.0070
419241	68.05	69.50	0.0139	0.0132	0.0048
419242	69.50	71.00	0.0123	0.0105	0.0052

DETAILED LOG

Hole Number: KB-07-92

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-46.20
Project Number:	19900	North:	5481485.00	North:	5481485.00	Collar Az:	332.60
Location:	Surface	East:	453956.50	East:	453956.50	Length:	120.00 (m)
		Elev:	392.47	Elev:	392.47	Start Depth:	0.00 (m)
Date Started:	Jul 23, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	120.00 (m)
Date Completed:	Jul 24, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	3.60	36.80	33.20	0.4592	0.1647	0.0151
WEIGHTED	31.50	36.80	5.30	1.1042	0.3875	0.0311
WEIGHTED	59.70	64.00	4.30	0.6107	0.2766	0.0238
WEIGHTED	106.00	119.20	13.20	0.2590	0.1207	0.0103
WEIGHTED	118.10	119.20	1.10	1.2061	0.3707	0.0325

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	332.60	-46.20	EZ	OK	5739	60.00	294.70	-45.30	EZ	DO	5558
120.00	331.50	-44.20	EZ	OK	6014						

Detailed Lithology

From (m)	To (m)	Lithology
0	3.60	CAS, Casing
3.60	14.20	PYXT, Pyroxenite Mineralization 3.60 - 14.20 Structure 3.60 - 14.20 : MODFOL Moderately Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418725	3.60	5.00	1.40	0.8477	0.3046	0.0265
418726	5.00	6.00	1.00	0.9047	0.3612	0.0307
418727	6.00	7.00	1.00	0.6317	0.2303	0.0186
418728	7.00	8.00	1.00	0.6763	0.1671	0.0188
418729	8.00	9.00	1.00	0.9468	0.3140	0.0265
418730	9.00	10.00	1.00	0.8284	0.2796	0.0245
418731	10.00	11.00	1.00	0.2898	0.0848	0.0118
418732	11.00	12.00	1.00	0.3173	0.0922	0.0113
418733	12.00	13.00	1.00	0.1723	0.0571	0.0087
418734	13.00	14.20	1.20	0.1550	0.0479	0.0073

Hole Number: KB-07-92

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
14.20	23.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 14.20 - 23.20 Structure 14.20 - 23.20	418735	14.20	15.00	0.80	0.0379	0.0150	0.0059
			418736	15.00	16.00	1.00	0.0208	0.0122	0.0057
			418737	16.00	17.00	1.00	0.0529	0.0142	0.0068
			418738	17.00	18.00	1.00	0.0292	0.0168	0.0050
			418739	18.00	19.00	1.00	0.1467	0.0194	0.0093
			418740	19.00	20.00	1.00	0.6695	0.2808	0.0191
			418742	20.00	21.00	1.00	0.4391	0.2953	0.0152
			418743	21.00	22.00	1.00	0.6238	0.1757	0.0187
			418744	22.00	23.20	1.20	0.1928	0.0723	0.0092
23.20	28.10	FD, Felsic Dike Mineralization 23.20 - 28.10 Structure 23.20 - 28.10 23.20 - 28.10 : UC Upper Contact, 60 Deg to CA	418745	23.20	24.00	0.80	0.0111	0.0098	0.0024
			418746	24.00	25.00	1.00	0.0047	0.0046	0.0023
			418747	25.00	26.00	1.00	0.0043	0.0053	0.0026
			418748	26.00	27.00	1.00	0.0156	0.0029	0.0024
			418749	27.00	28.10	1.10	0.0140	0.0102	0.0025
28.10	29.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 28.10 - 29.40 Structure 28.10 - 29.40	418750	28.10	29.40	1.30	0.5971	0.1941	0.0169
29.40	31.50	FD, Felsic Dike Mineralization 29.40 - 31.50 Structure 29.40 - 31.50	418751	29.40	30.50	1.10	0.1201	0.0915	0.0049
			418752	30.50	31.50	1.00	0.0513	0.0456	0.0034
31.50	48.15	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 31.50 - 33.90 33.90 - 36.10 36.10 - 36.80 36.80 - 48.15 Structure 31.50 - 48.15 31.50 - 48.15 : UC Upper Contact, 30 Deg to CA	418754	31.50	32.50	1.00	1.3343	0.4958	0.0411
			418755	32.50	33.90	1.40	1.8766	0.9210	0.0490
			418756	33.90	35.00	1.10	0.2566	0.0295	0.0090
			418757	35.00	36.10	1.10	0.0810	0.0462	0.0039
			418758	36.10	36.80	0.70	2.1701	0.2650	0.0582
			418760	36.80	38.00	1.20	0.0075	0.0086	0.0023
			418761	38.00	39.00	1.00	0.0043	0.0097	0.0028
			418762	39.00	40.00	1.00	0.0084	0.0093	0.0023
			418763	40.00	41.00	1.00	0.0462	0.0347	0.0045
			418764	41.00	42.00	1.00	0.1567	0.0644	0.0071
			418765	42.00	43.00	1.00	0.0386	0.0285	0.0043
			418766	43.00	44.00	1.00	0.0055	0.0113	0.0036
			418767	44.00	45.00	1.00	0.0062	0.0161	0.0042
			418768	45.00	46.00	1.00	0.0053	0.0298	0.0036
			418769	46.00	47.00	1.00	0.0059	0.0125	0.0040
			418770	47.00	48.15	1.15	0.0474	0.0340	0.0050

Hole Number: KB-07-92

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
48.15	53.50	MV, Mafic Volcanic pyxt around salvages Mineralization 48.15 - 53.50 Structure 48.15 - 53.50	418771	48.15	49.00	0.85	0.0237	0.0205	0.0045
			418772	49.00	50.00	1.00	0.0107	0.0112	0.0036
			418773	50.00	51.00	1.00	0.0113	0.0135	0.0036
			418774	51.00	52.00	1.00	0.0130	0.0144	0.0043
			418775	52.00	53.00	1.00	0.0136	0.0152	0.0046
			418776	53.00	53.50	0.50	0.0198	0.0159	0.0039
53.50	54.10	GAB, Gabbro Mineralization 53.50 - 54.10 Structure 53.50 - 54.10	418777	53.50	54.10	0.60	0.0181	0.0102	0.0048
54.10	55.30	MV, Mafic Volcanic pyxt around salvages Mineralization 54.10 - 55.30 Structure 54.10 - 55.30	418778	54.10	55.30	1.20	0.0191	0.0207	0.0059
55.30	56.60	FD, Felsic Dike Mineralization 55.30 - 56.50 Structure 55.30 - 56.50	418779	55.30	56.60	1.30	0.0023	0.0026	0.0009
56.60	59.20	MV, Mafic Volcanic 10-15% pyxt Mineralization 56.60 - 59.20 Structure 56.60 - 59.20	418780	56.60	58.00	1.40	0.0460	0.0303	0.0051
			418781	58.00	59.20	1.20	0.0309	0.0150	0.0054
59.20	59.70	FD, Felsic Dike Mineralization 59.20 - 59.70 Structure 59.20 - 59.70 59.20 - 59.70 : UC Upper Contact, 45 Deg to CA	418782	59.20	59.70	0.50	0.0090	0.0076	0.0027

Hole Number: KB-07-92

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
59.70	79.05	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 59.70 - 60.55 60.55 - 79.05 Structure 59.70 - 79.05 59.70 - 79.05 : UC Upper Contact, 50 Deg to CA	418783	59.70	60.55	0.85	2.4536	0.9748	0.0883
			418785	60.55	62.00	1.45	0.0716	0.0800	0.0056
			418786	62.00	63.00	1.00	0.2222	0.1263	0.0090
			418787	63.00	64.00	1.00	0.2146	0.1184	0.0100
			418788	64.00	65.00	1.00	0.1115	0.0672	0.0063
			418789	65.00	66.00	1.00	0.0384	0.0191	0.0041
			418790	66.00	67.00	1.00	0.1439	0.0654	0.0077
			418791	67.00	68.00	1.00	0.0491	0.0444	0.0043
			418792	68.00	69.00	1.00	0.0137	0.0155	0.0031
			418793	69.00	70.00	1.00	0.0575	0.0384	0.0063
			418794	70.00	71.00	1.00	0.1004	0.0578	0.0056
			418795	71.00	72.00	1.00	0.0878	0.0452	0.0057
			418796	72.00	73.00	1.00	0.0341	0.0157	0.0036
			418797	73.00	74.00	1.00	0.1944	0.0881	0.0097
			418798	74.00	75.00	1.00	0.0226	0.0173	0.0039
			418799	75.00	76.00	1.00	0.0685	0.0290	0.0050
			418800	76.00	77.00	1.00	0.1550	0.0662	0.0079
			418801	77.00	78.00	1.00	0.5742	0.2423	0.0194
			418802	78.00	79.05	1.05	0.0678	0.0652	0.0049
79.05	83.70	PYXT, Pyroxenite Mineralization 79.05 - 83.70 Structure 79.05 - 83.70 : MODFOL Moderately Foliated, 50 Deg to CA	418803	79.05	80.00	0.95	0.3178	0.1293	0.0124
			418804	80.00	81.00	1.00	0.2079	0.0809	0.0104
			418805	81.00	82.00	1.00	0.0625	0.0191	0.0065
			418806	82.00	83.00	1.00	0.1580	0.0535	0.0081
			418807	83.00	83.70	0.70	0.1459	0.0532	0.0091
83.70	93.40	GABPYXT, Gabbro Pyroxenite Dikes LOC BI Mineralization 83.70 - 93.40 Structure 83.70 - 93.40	418808	83.70	84.50	0.80	0.0157	0.0221	0.0075
			418809	84.50	85.00	0.50	0.0086	0.0219	0.0062
			418810	85.00	86.00	1.00	0.3238	0.1415	0.0109
			418811	86.00	87.00	1.00	0.0238	0.0314	0.0048
			418812	87.00	88.00	1.00	0.0290	0.0097	0.0037
			418813	88.00	89.00	1.00	0.0608	0.0245	0.0044
			418814	89.00	90.00	1.00	0.2209	0.0825	0.0096
			418815	90.00	91.00	1.00	0.3264	0.1002	0.0113
			418816	91.00	92.00	1.00	0.3005	0.0672	0.0112
			418817	92.00	93.40	1.40	0.0148	0.0161	0.0038
93.40	95.40	MV, Mafic Volcanic Mineralization 93.40 - 95.40 Structure 93.40 - 95.40	418818	93.40	94.50	1.10	0.0135	0.0135	0.0037
			418819	94.50	95.40	0.90	0.0148	0.0208	0.0049

Hole Number: KB-07-92

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
95.40	96.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 95.40 - 96.10 Structure 95.40 - 96.10	418820	95.40	96.10	0.70	0.0480	0.0474	0.0033
96.10	102.00	MV, Mafic Volcanic Mineralization 96.10 - 102.00 Structure 96.10 - 102.00 : MODFOL Moderately Foliated, 55 Deg to CA	418821	96.10	97.00	0.90	0.0106	0.0138	0.0043
			418822	97.00	98.00	1.00	0.0538	0.0224	0.0058
			418823	98.00	99.00	1.00	0.0113	0.0116	0.0042
			418824	99.00	100.00	1.00	0.0113	0.0097	0.0040
			418825	100.00	101.00	1.00	0.0107	0.0062	0.0043
			418826	101.00	102.00	1.00	0.0093	0.0117	0.0039
102.00	107.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 102.00 - 107.00 Structure 102.00 - 107.00	418827	102.00	103.00	1.00	0.0141	0.0067	0.0030
			418828	103.00	104.00	1.00	0.0152	0.0113	0.0036
			418829	104.00	105.00	1.00	0.0166	0.0107	0.0036
			418830	105.00	106.00	1.00	0.1242	0.0800	0.0056
			418831	106.00	107.00	1.00	1.3023	0.5544	0.0325
107.00	112.95	MV, Mafic Volcanic 30cm GABPYXT at 109m Mineralization 107.00 - 112.95 Structure 107.00 - 112.95	418833	107.00	108.00	1.00	0.0574	0.0611	0.0052
			418834	108.00	109.00	1.00	0.0410	0.0234	0.0052
			418835	109.00	110.00	1.00	0.1215	0.1108	0.0066
			418836	110.00	111.00	1.00	0.0590	0.0542	0.0058
			418837	111.00	112.00	1.00	0.0130	0.0152	0.0059
			418838	112.00	112.95	0.95	0.0188	0.0223	0.0061
112.95	114.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 112.95 - 114.70 Structure 112.95 - 114.70	418839	112.95	114.00	1.05	0.2676	0.2212	0.0109
			418840	114.00	114.70	0.70	0.0166	0.0130	0.0051
114.70	118.10	MV, Mafic Volcanic Mineralization 114.70 - 118.10 Structure 114.70 - 118.10 : MODFOL Moderately Foliated, 45 Deg to CA	418841	114.70	116.00	1.30	0.0744	0.0475	0.0050
			418842	116.00	117.00	1.00	0.0463	0.0306	0.0049
			418843	117.00	118.10	1.10	0.0398	0.0108	0.0058
118.10	118.80	PYXT, Pyroxenite Mineralization 118.10 - 118.80 Structure 118.10 - 118.80 : MODFOL Moderately Foliated, 45 Deg to CA	418844	118.10	118.80	0.70	1.6446	0.4551	0.0444

Hole Number: KB-07-92

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
118.80	119.20	TSCH, Talc Schist Mineralization 118.80 - 119.20 Structure 118.80 - 119.20 : STRFOL Strongly Foliated, 50 Deg to CA
119.20	120.00	MDCHL, Mafic Dike Chloritic Mineralization 119.20 - 120.00 Structure 119.20 - 120.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418845	118.80	119.20	0.40	0.4388	0.2229	0.0118
418846	119.20	120.00	0.80	0.0145	0.0049	0.0021

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418725	3.60	5.00	0.8477	0.3046	0.0265
418726	5.00	6.00	0.9047	0.3612	0.0307
418727	6.00	7.00	0.6317	0.2303	0.0186
418728	7.00	8.00	0.6763	0.1671	0.0188
418729	8.00	9.00	0.9468	0.3140	0.0265
418730	9.00	10.00	0.8284	0.2796	0.0245
418731	10.00	11.00	0.2898	0.0848	0.0118
418732	11.00	12.00	0.3173	0.0922	0.0113
418733	12.00	13.00	0.1723	0.0571	0.0087
418734	13.00	14.20	0.1550	0.0479	0.0073
418735	14.20	15.00	0.0379	0.0150	0.0059
418736	15.00	16.00	0.0208	0.0122	0.0057
418737	16.00	17.00	0.0529	0.0142	0.0068
418738	17.00	18.00	0.0292	0.0168	0.0050
418739	18.00	19.00	0.1467	0.0194	0.0093
418740	19.00	20.00	0.6695	0.2808	0.0191
418742	20.00	21.00	0.4391	0.2953	0.0152
418743	21.00	22.00	0.6238	0.1757	0.0187
418744	22.00	23.20	0.1928	0.0723	0.0092
418745	23.20	24.00	0.0111	0.0098	0.0024
418746	24.00	25.00	0.0047	0.0046	0.0023
418747	25.00	26.00	0.0043	0.0053	0.0026
418748	26.00	27.00	0.0156	0.0029	0.0024
418749	27.00	28.10	0.0140	0.0102	0.0025
418750	28.10	29.40	0.5971	0.1941	0.0169

Hole Number: KB-07-92

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418751	29.40	30.50	0.1201	0.0915	0.0049
418752	30.50	31.50	0.0513	0.0456	0.0034
418754	31.50	32.50	1.3343	0.4958	0.0411
418755	32.50	33.90	1.8766	0.9210	0.0490
418756	33.90	35.00	0.2566	0.0295	0.0090
418757	35.00	36.10	0.0810	0.0462	0.0039
418758	36.10	36.80	2.1701	0.2650	0.0582
418760	36.80	38.00	0.0075	0.0086	0.0023
418761	38.00	39.00	0.0043	0.0097	0.0028
418762	39.00	40.00	0.0084	0.0093	0.0023
418763	40.00	41.00	0.0462	0.0347	0.0045
418764	41.00	42.00	0.1567	0.0644	0.0071
418765	42.00	43.00	0.0386	0.0285	0.0043
418766	43.00	44.00	0.0055	0.0113	0.0036
418767	44.00	45.00	0.0062	0.0161	0.0042
418768	45.00	46.00	0.0053	0.0298	0.0036
418769	46.00	47.00	0.0059	0.0125	0.0040
418770	47.00	48.15	0.0474	0.0340	0.0050
418771	48.15	49.00	0.0237	0.0205	0.0045
418772	49.00	50.00	0.0107	0.0112	0.0036
418773	50.00	51.00	0.0113	0.0135	0.0036
418774	51.00	52.00	0.0130	0.0144	0.0043
418775	52.00	53.00	0.0136	0.0152	0.0046
418776	53.00	53.50	0.0198	0.0159	0.0039
418777	53.50	54.10	0.0181	0.0102	0.0048
418778	54.10	55.30	0.0191	0.0207	0.0059
418779	55.30	56.60	0.0023	0.0026	0.0009
418780	56.60	58.00	0.0460	0.0303	0.0051
418781	58.00	59.20	0.0309	0.0150	0.0054
418782	59.20	59.70	0.0090	0.0076	0.0027
418783	59.70	60.55	2.4536	0.9748	0.0883
418785	60.55	62.00	0.0716	0.0800	0.0056
418786	62.00	63.00	0.2222	0.1263	0.0090
418787	63.00	64.00	0.2146	0.1184	0.0100
418788	64.00	65.00	0.1115	0.0672	0.0063
418789	65.00	66.00	0.0384	0.0191	0.0041
418790	66.00	67.00	0.1439	0.0654	0.0077

Hole Number: KB-07-92

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418791	67.00	68.00	0.0491	0.0444	0.0043
418792	68.00	69.00	0.0137	0.0155	0.0031
418793	69.00	70.00	0.0575	0.0384	0.0063
418794	70.00	71.00	0.1004	0.0578	0.0056
418795	71.00	72.00	0.0878	0.0452	0.0057
418796	72.00	73.00	0.0341	0.0157	0.0036
418797	73.00	74.00	0.1944	0.0881	0.0097
418798	74.00	75.00	0.0226	0.0173	0.0039
418799	75.00	76.00	0.0685	0.0290	0.0050
418800	76.00	77.00	0.1550	0.0662	0.0079
418801	77.00	78.00	0.5742	0.2423	0.0194
418802	78.00	79.05	0.0678	0.0652	0.0049
418803	79.05	80.00	0.3178	0.1293	0.0124
418804	80.00	81.00	0.2079	0.0809	0.0104
418805	81.00	82.00	0.0625	0.0191	0.0065
418806	82.00	83.00	0.1580	0.0535	0.0081
418807	83.00	83.70	0.1459	0.0532	0.0091
418808	83.70	84.50	0.0157	0.0221	0.0075
418809	84.50	85.00	0.0086	0.0219	0.0062
418810	85.00	86.00	0.3238	0.1415	0.0109
418811	86.00	87.00	0.0238	0.0314	0.0048
418812	87.00	88.00	0.0290	0.0097	0.0037
418813	88.00	89.00	0.0608	0.0245	0.0044
418814	89.00	90.00	0.2209	0.0825	0.0096
418815	90.00	91.00	0.3264	0.1002	0.0113
418816	91.00	92.00	0.3005	0.0672	0.0112
418817	92.00	93.40	0.0148	0.0161	0.0038
418818	93.40	94.50	0.0135	0.0135	0.0037
418819	94.50	95.40	0.0148	0.0208	0.0049
418820	95.40	96.10	0.0480	0.0474	0.0033
418821	96.10	97.00	0.0106	0.0138	0.0043
418822	97.00	98.00	0.0538	0.0224	0.0058
418823	98.00	99.00	0.0113	0.0116	0.0042
418824	99.00	100.00	0.0113	0.0097	0.0040
418825	100.00	101.00	0.0107	0.0062	0.0043
418826	101.00	102.00	0.0093	0.0117	0.0039
418827	102.00	103.00	0.0141	0.0067	0.0030

Hole Number: KB-07-92

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418828	103.00	104.00	0.0152	0.0113	0.0036
418829	104.00	105.00	0.0166	0.0107	0.0036
418830	105.00	106.00	0.1242	0.0800	0.0056
418831	106.00	107.00	1.3023	0.5544	0.0325
418833	107.00	108.00	0.0574	0.0611	0.0052
418834	108.00	109.00	0.0410	0.0234	0.0052
418835	109.00	110.00	0.1215	0.1108	0.0066
418836	110.00	111.00	0.0590	0.0542	0.0058
418837	111.00	112.00	0.0130	0.0152	0.0059
418838	112.00	112.95	0.0188	0.0223	0.0061
418839	112.95	114.00	0.2676	0.2212	0.0109
418840	114.00	114.70	0.0166	0.0130	0.0051
418841	114.70	116.00	0.0744	0.0475	0.0050
418842	116.00	117.00	0.0463	0.0306	0.0049
418843	117.00	118.10	0.0398	0.0108	0.0058
418844	118.10	118.80	1.6446	0.4551	0.0444
418845	118.80	119.20	0.4388	0.2229	0.0118
418846	119.20	120.00	0.0145	0.0049	0.0021

DETAILED LOG

Hole Number: KB-07-91

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-61.00
Project Number:	19900	North:	5481467.00	North:	5481467.00	Collar Az:	310.40
Location:	Surface	East:	454084.90	East:	454084.90	Length:	352.00 (m)
		Elev:	398.54	Elev:	398.54	Start Depth:	0.00 (m)
Date Started:	Jul 22, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	352.00 (m)
Date Completed:	Jul 29, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	255.00	263.00	8.00	1.0165	0.3278	0.0282
WEIGHTED	259.10	261.70	2.60	2.8495	0.8375	0.0684

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	310.40	-60.70	EZ	OK	Magnetic Field 5816	50.00	309.30	-60.30	EZ	OK	Magnetic Field 5774
100.00	310.20	-58.50	EZ	OK	Magnetic Field 5775	150.00	311.50	-57.00	EZ	OK	Magnetic Field 5772
200.00	312.40	-56.50	EZ	OK	Magnetic Field 5777	250.00	311.40	-56.10	EZ	OK	Magnetic Field 5801
300.00	314.50	-55.30	EZ	OK	Magnetic Field 5790	352.00	316.00	-54.80	EZ	OK	Magnetic Field 5779

Detailed Lithology

From (m)	To (m)	Lithology
0	1.30	CAS, Casing
1.30	25.10	MV, Mafic Volcanic Mineralization 1.30 - 25.10 Structure 1.30 - 25.10
25.10	31.30	MD, Mafic Dike Mineralization 25.10 - 31.30 Structure 25.10 - 31.30 25.10 - 31.30 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-91

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
31.30	79.30	MV, Mafic Volcanic Mineralization 31.30 - 79.30 Structure 31.30 - 79.30 : MODFOL Moderately Foliated, 45 Deg to CA 31.30 - 79.30 : UC Upper Contact, 20 Deg to CA							
79.30	82.20	FD, Felsic Dike Mineralization 79.30 - 82.20 Structure 79.30 - 82.20 : MODFOL Moderately Foliated, 45 Deg to CA 79.30 - 82.20 : UC Upper Contact, 35 Deg to CA							
82.20	95.10	MV, Mafic Volcanic Mineralization 82.20 - 95.10 Structure 82.20 - 95.10 : MODFOL Moderately Foliated, 45 Deg to CA							
95.10	102.80	MDCHL, Mafic Dike Chloritic Mineralization 95.10 - 102.80 Structure 95.10 - 102.80 : MODFOL Moderately Foliated, 45 Deg to CA 95.10 - 102.80 : UC Upper Contact, 45 Deg to CA							
102.80	171.00	MV, Mafic Volcanic Mineralization 102.80 - 171.00 Structure 102.80 - 171.00 : MODFOL Moderately Foliated, 45 Deg to CA 102.80 - 171.00 : UC Upper Contact, 45 Deg to CA							
171.00	179.80	MDCHL, Mafic Dike Chloritic Mineralization 171.00 - 179.80 Structure 171.00 - 179.80 : MODFOL Moderately Foliated, 45 Deg to CA							
179.80	186.50	MV, Mafic Volcanic Mineralization 179.80 - 186.50 Structure 179.80 - 186.50 : MODFOL Moderately Foliated, 45 Deg to CA 179.80 - 186.50 : UC Upper Contact, 55 Deg to CA							

Hole Number: KB-07-91 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
186.50	189.20	MDCHL, Mafic Dike Chloritic Mineralization 186.50 - 189.20 Structure 186.50 - 189.20 : MODFOL Moderately Foliated, 45 Deg to CA							
189.20	195.00	MV, Mafic Volcanic Mineralization 189.20 - 195.00 Structure 189.20 - 195.00 : MODFOL Moderately Foliated, 45 Deg to CA 189.20 - 195.00 : UC Upper Contact, 45 Deg to CA							
195.00	198.90	FD, Felsic Dike Mineralization 195.00 - 198.90 Structure 195.00 - 198.90 : MODFOL Moderately Foliated, 40 Deg to CA							
198.90	205.30	MD, Mafic Dike Mineralization 198.90 - 205.30 Structure 198.90 - 205.30 : MAS Massive, 0 Deg to CA							
205.30	243.80	MV, Mafic Volcanic Mineralization 205.30 - 243.80 Structure 205.30 - 243.80 : MODFOL Moderately Foliated, 45 Deg to CA 205.30 - 243.80 : UC Upper Contact, 55 Deg to CA	419243	240.50	242.00	1.50	0.0118	0.0103	0.0055
			419244	242.00	243.70	1.70	0.0479	0.0533	0.0057
			419245	243.70	244.50	0.80	0.0270	0.0359	0.0022
243.80	244.50	TSCH, Talc Schist Mineralization 243.80 - 244.50 Structure 243.80 - 244.50 : STRFOL Strongly Foliated, 35 Deg to CA 243.80 - 244.50 : UC Upper Contact, 35 Deg to CA							
244.50	245.50	MDCHL, Mafic Dike Chloritic Mineralization 244.50 - 245.50 Structure 244.50 - 245.50 244.50 - 245.50 : UC Upper Contact, 35 Deg to CA	419246	244.50	245.50	1.00	0.0046	0.0039	0.0018

Hole Number: KB-07-91

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
245.50	247.30	PYXT, Pyroxenite Mineralization 245.50 - 247.30 Structure 245.50 - 247.30 : STRFOL Strongly Foliated, 45 Deg to CA 245.50 - 247.30 : UC Upper Contact, 40 Deg to CA	419247	245.50	246.50	1.00	0.1359	0.1209	0.0067
			419248	246.50	247.30	0.80	0.1853	0.0644	0.0098
247.30	250.50	GAB, Gabbro Mineralization 247.30 - 250.50 Structure 247.30 - 250.50 247.30 - 250.50 : UC Upper Contact, 35 Deg to CA	419249	247.30	248.00	0.70	0.0116	0.0155	0.0062
			419250	248.00	249.00	1.00	0.0147	0.0216	0.0058
			419251	249.00	250.50	1.50	0.0105	0.0175	0.0052
250.50	261.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 250.50 - 259.10 259.10 - 261.70 Structure 250.50 - 261.70 : MODFOL Moderately Foliated, 50 Deg to CA 250.50 - 261.70 : UC Upper Contact, 45 Deg to CA	419252	250.50	251.00	0.50	0.1803	0.0834	0.0098
			419254	251.00	252.00	1.00	0.1139	0.0590	0.0092
			419255	252.00	253.00	1.00	0.0214	0.0140	0.0082
			419256	253.00	254.00	1.00	0.0163	0.0113	0.0071
			419257	254.00	255.00	1.00	0.0189	0.0168	0.0072
			419258	255.00	256.00	1.00	0.2182	0.1072	0.0104
			419259	256.00	257.00	1.00	0.1069	0.0691	0.0096
			419260	257.00	258.00	1.00	0.1233	0.0583	0.0084
			419261	258.00	259.10	1.10	0.0183	0.0157	0.0068
			419263	259.10	260.00	0.90	2.7946	0.6695	0.0881
			419264	260.00	261.00	1.00	2.8558	1.0398	0.0581
			419266	261.00	261.70	0.70	2.9110	0.7646	0.0577
261.70	271.00	MV, Mafic Volcanic Mineralization 261.70 - 271.00 Structure 261.70 - 271.00 : MODFOL Moderately Foliated, 65 Deg to CA 261.70 - 271.00 : UC Upper Contact, 70 Deg to CA	419267	261.70	263.00	1.30	0.1958	0.1485	0.0091
			419268	263.00	264.50	1.50	0.0150	0.0199	0.0067
271.00	272.40	MDCHL, Mafic Dike Chloritic Mineralization 271.00 - 272.40 Structure 271.00 - 272.40 : MODFOL Moderately Foliated, 45 Deg to CA 271.00 - 272.40 : UC Upper Contact, 50 Deg to CA							

DETAILED LOG

Hole Number: KB-07-91

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
272.40	352.00	MV, Mafic Volcanic Mineralization 272.40 - 352.00 Structure 272.40 - 352.00 : MODFOL Moderately Foliated, 40 Deg to CA 272.40 - 352.00 Irregular							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419243	240.50	242.00	0.0118	0.0103	0.0055
419244	242.00	243.70	0.0479	0.0533	0.0057
419245	243.70	244.50	0.0270	0.0359	0.0022
419246	244.50	245.50	0.0046	0.0039	0.0018
419247	245.50	246.50	0.1359	0.1209	0.0067
419248	246.50	247.30	0.1853	0.0644	0.0098
419249	247.30	248.00	0.0116	0.0155	0.0062
419250	248.00	249.00	0.0147	0.0216	0.0058
419251	249.00	250.50	0.0105	0.0175	0.0052
419252	250.50	251.00	0.1803	0.0834	0.0098
419254	251.00	252.00	0.1139	0.0590	0.0092
419255	252.00	253.00	0.0214	0.0140	0.0082
419256	253.00	254.00	0.0163	0.0113	0.0071
419257	254.00	255.00	0.0189	0.0168	0.0072
419258	255.00	256.00	0.2182	0.1072	0.0104
419259	256.00	257.00	0.1069	0.0691	0.0096
419260	257.00	258.00	0.1233	0.0583	0.0084
419261	258.00	259.10	0.0183	0.0157	0.0068
419263	259.10	260.00	2.7946	0.6695	0.0881
419264	260.00	261.00	2.8558	1.0398	0.0581
419266	261.00	261.70	2.9110	0.7646	0.0577
419267	261.70	263.00	0.1958	0.1485	0.0091
419268	263.00	264.50	0.0150	0.0199	0.0067

DETAILED LOG

Hole Number: KB-07-90

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -47.30
Project Number:	19900	North:	5481511.00		North:	5481511.00	Collar Az: 310.90
Location:	Surface	East:	453971.90		East:	453971.90	Length: 121.50 (m)
		Elev:	393.30		Elev:	393.30	Start Depth: 3.50 (m)
Date Started:	Jul 22, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 125.00 (m)
Date Completed:	Jul 23, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	3.50	25.00	21.50	0.3010	0.1499	0.0107
WEIGHTED	73.40	76.50	3.10	1.5075	0.4922	0.0584
WEIGHTED	73.40	102.60	29.20	0.3735	0.1568	0.0140
WEIGHTED	83.00	89.00	6.00	0.4405	0.1519	0.0123
WEIGHTED	83.00	102.60	19.60	0.2993	0.1417	0.0101

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	101.90	-47.30	EZ	DO	3197	50.00	310.90	-46.50	EZ	OK	5803
125.00	308.30	-45.00	EZ	OK	5721						

Detailed Lithology

From (m)	To (m)	Lithology
3.50	11.25	PYXT, Pyroxenite MV XENO Mineralization 3.50 - 5.50 5.50 - 11.25 Structure 3.50 - 11.25 : MODFOL Moderately Foliated, 45 Deg to CA
11.25	12.35	TSCH, Talc Schist Mineralization 11.25 - 12.35 Structure 11.25 - 12.35 : STRFOL Strongly Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418601	3.50	4.50	1.00	0.9965	0.3982	0.0289
418602	4.50	5.50	1.00	0.9412	0.3817	0.0284
418603	5.50	6.00	0.50	0.3640	0.1402	0.0131
418604	6.00	7.00	1.00	0.1418	0.0667	0.0081
418605	7.00	8.00	1.00	0.1435	0.0499	0.0072
418606	8.00	9.00	1.00	0.2279	0.0853	0.0091
418607	9.00	10.00	1.00	0.2279	0.0799	0.0098
418608	10.00	11.25	1.25	0.2948	0.0628	0.0103
418609	11.25	12.35	1.10	0.1212	0.0702	0.0058

Hole Number: KB-07-90

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
12.35	16.85	PYXT, Pyroxenite MV XENO Mineralization 12.35 - 16.85 Structure 12.35 - 16.85	418610	12.35	13.00	0.65	0.3604	0.1711	0.0099
			418611	13.00	14.00	1.00	0.1039	0.1027	0.0040
			418612	14.00	15.00	1.00	0.2254	0.2025	0.0065
			418613	15.00	16.00	1.00	0.5054	0.3076	0.0171
			418614	16.00	16.85	0.85	0.3806	0.1205	0.0145
16.85	18.50	MD, Mafic Dike Mineralization 16.85 - 18.50 Structure 16.85 - 18.50 16.85 - 18.50 : UC Upper Contact, 40 Deg to CA	418615	16.85	17.50	0.65	0.0161	0.0048	0.0023
			418616	17.50	18.50	1.00	0.0201	0.0052	0.0027
18.50	35.65	GABPYXT, Gabbro Pyroxenite Dikes LOC MV Mineralization 18.50 - 35.65 Structure 18.50 - 35.65 : MODFOL Moderately Foliated, 35 Deg to CA	418617	18.50	19.00	0.50	0.4737	0.9398	0.0141
			418618	19.00	20.00	1.00	0.4966	0.2368	0.0151
			418620	20.00	21.00	1.00	0.0379	0.0172	0.0049
			418621	21.00	22.00	1.00	0.0833	0.0351	0.0057
			418622	22.00	23.00	1.00	0.1417	0.0492	0.0070
			418623	23.00	24.00	1.00	0.5571	0.2280	0.0158
			418625	24.00	25.00	1.00	0.1325	0.0649	0.0068
			418626	25.00	26.00	1.00	0.0182	0.0198	0.0042
			418627	26.00	27.00	1.00	0.0672	0.0406	0.0054
			418628	27.00	28.00	1.00	0.0257	0.0256	0.0060
			418629	28.00	29.00	1.00	0.2213	0.1570	0.0105
			418630	29.00	30.00	1.00	0.1903	0.1464	0.0109
			418631	30.00	31.00	1.00	0.0538	0.0499	0.0062
			418632	31.00	32.00	1.00	0.0816	0.0857	0.0078
			418633	32.00	33.00	1.00	0.1245	0.0711	0.0064
			418634	33.00	34.00	1.00	0.2717	0.2970	0.0120
			418635	34.00	35.00	1.00	0.0128	0.0212	0.0052
			418636	35.00	35.65	0.65	0.0294	0.0191	0.0069
35.65	37.65	FD, Felsic Dike Mineralization 35.65 - 37.65 Structure 35.65 - 37.65	418637	35.65	36.50	0.85	0.0017	0.0038	0.0006
			418638	36.50	37.65	1.15	0.0011	0.0027	0.0006

Hole Number: KB-07-90

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
37.65	54.10	GABPYXT, Gabbro Pyroxenite Dikes MV XENO Mineralization 37.65 - 54.10 Structure 37.65 - 54.10 37.65 - 54.10 : UC Upper Contact, 60 Deg to CA	418639	37.65	39.00	1.35	0.0462	0.0336	0.0069
			418640	39.00	40.00	1.00	0.0507	0.0426	0.0066
			418641	40.00	41.00	1.00	0.0558	0.0361	0.0076
			418642	41.00	42.00	1.00	0.0311	0.0248	0.0057
			418643	42.00	43.00	1.00	0.0238	0.0192	0.0046
			418644	43.00	44.00	1.00	0.0116	0.0200	0.0055
			418645	44.00	45.00	1.00	0.0688	0.0536	0.0074
			418646	45.00	46.00	1.00	0.0126	0.0097	0.0040
			418647	46.00	47.00	1.00	0.0122	0.0086	0.0039
			418648	47.00	48.00	1.00	0.0578	0.0566	0.0062
			418649	48.00	49.00	1.00	0.1141	0.0568	0.0060
			418650	49.00	50.00	1.00	0.0685	0.0469	0.0051
			418651	50.00	51.00	1.00	0.0941	0.0569	0.0059
			418652	51.00	52.00	1.00	0.2586	0.1100	0.0096
			418653	52.00	53.00	1.00	0.1726	0.0586	0.0069
			418654	53.00	54.10	1.10	0.4592	0.2922	0.0131
54.10	54.80	PYXT, Pyroxenite Mineralization 54.10 - 54.80 Structure 54.10 - 54.80	418656	54.10	54.80	0.70	0.0117	0.0122	0.0039
54.80	69.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 54.80 - 64.10 64.10 - 69.00 Structure 54.80 - 69.00 54.80 - 69.00 : UC Upper Contact, 55 Deg to CA	418657	54.80	56.00	1.20	0.0719	0.0309	0.0052
			418658	56.00	57.00	1.00	0.1138	0.0534	0.0064
			418659	57.00	58.00	1.00	0.0409	0.0219	0.0052
			418660	58.00	59.00	1.00	0.0268	0.0186	0.0041
			418661	59.00	60.00	1.00	0.1897	0.1451	0.0089
			418662	60.00	61.00	1.00	0.2859	0.1685	0.0091
			418663	61.00	62.00	1.00	0.2796	0.0889	0.0124
			418664	62.00	63.00	1.00	0.0334	0.0235	0.0045
			418665	63.00	64.10	1.10	0.2630	0.1424	0.0118
			418666	64.10	65.00	0.90	0.0236	0.0265	0.0041
			418667	65.00	66.00	1.00	0.0154	0.0074	0.0035
			418668	66.00	67.00	1.00	0.0147	0.0102	0.0040
			418669	67.00	68.00	1.00	0.0172	0.0157	0.0039
			418670	68.00	69.00	1.00	0.0165	0.0125	0.0045
69.00	73.40	MV, Mafic Volcanic 5-10% PYXT STRING Mineralization 69.00 - 73.40 Structure 69.00 - 73.40 : MODFOL Moderately Foliated, 40 Deg to CA	418671	69.00	70.00	1.00	0.0227	0.0302	0.0050
			418672	70.00	71.00	1.00	0.0148	0.0112	0.0046
			418673	71.00	72.00	1.00	0.0123	0.0097	0.0037
			418674	72.00	73.40	1.40	0.0130	0.0125	0.0042

Hole Number: KB-07-90

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
73.40	85.95	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 73.40 - 76.50 76.50 - 85.95 Structure 73.40 - 85.95	418675	73.40	74.00	0.60	1.3591	0.2698	0.0355
			418676	74.00	75.00	1.00	1.5120	0.1936	0.0384
			418677	75.00	76.00	1.00	1.4032	0.9152	0.0395
			418678	76.00	76.50	0.50	1.8853	0.5099	0.1634
			418680	76.50	78.00	1.50	0.0597	0.0838	0.0046
			418681	78.00	79.00	1.00	0.0314	0.0274	0.0035
			418682	79.00	80.00	1.00	0.0408	0.0237	0.0044
			418683	80.00	81.00	1.00	0.0227	0.0089	0.0028
			418684	81.00	82.00	1.00	0.1251	0.0663	0.0071
			418685	82.00	83.00	1.00	0.0560	0.0252	0.0047
			418686	83.00	84.00	1.00	0.2108	0.0832	0.0082
			418687	84.00	85.00	1.00	0.2329	0.1270	0.0104
			418688	85.00	85.95	0.95	0.6238	0.1250	0.0130
85.95	89.55	PYXT, Pyroxenite Mineralization 85.95 - 89.55 Structure 85.95 - 89.55	418689	85.95	87.00	1.05	0.4831	0.1297	0.0127
			418690	87.00	88.00	1.00	0.4155	0.2044	0.0118
			418691	88.00	89.00	1.00	0.6841	0.2420	0.0174
			418693	89.00	89.55	0.55	0.0530	0.0631	0.0060
89.55	92.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 89.55 - 92.50 Structure 89.55 - 92.50	418694	89.55	90.50	0.95	0.0175	0.0057	0.0042
			418695	90.50	91.50	1.00	0.0198	0.0041	0.0048
			418696	91.50	92.50	1.00	0.0264	0.0080	0.0040
92.50	93.30	MD, Mafic Dike Mineralization 92.50 - 93.30 Structure 92.50 - 93.30	418697	92.50	93.30	0.80	0.0208	0.0279	0.0032
93.30	99.40	PYXT, Pyroxenite Mineralization 93.30 - 99.40 Structure 93.30 - 99.40 : MODFOL Moderately Foliated, 50 Deg to CA 93.30 - 99.40 : UC Upper Contact, 50 Deg to CA	418698	93.30	94.00	0.70	0.1651	0.0863	0.0087
			418699	94.00	95.00	1.00	0.3287	0.1534	0.0115
			418700	95.00	96.00	1.00	0.3974	0.1862	0.0135
			418701	96.00	97.00	1.00	0.0489	0.0151	0.0040
			418703	97.00	98.00	1.00	0.6674	0.4768	0.0184
			418704	98.00	99.40	1.40	0.8467	0.3074	0.0251
99.40	100.20	MDCHL, Mafic Dike Chloritic Mineralization 99.40 - 100.20 Structure 99.40 - 100.20 99.40 - 100.20 : UC Upper Contact, 50 Deg to CA	418705	99.40	100.20	0.80	0.0067	0.0056	0.0029

Hole Number: KB-07-90

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
100.20	102.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 100.20 - 102.60 Structure 100.20 - 102.60
102.60	107.40	FD, Felsic Dike Mineralization 102.60 - 107.40 Structure 102.60 - 107.40 102.60 - 107.40 : UC Upper Contact, 20 Deg to CA
107.40	109.50	PYXT, Pyroxenite Mineralization 107.40 - 109.50 Structure 107.40 - 109.50 : MODFOL Moderately Foliated, 25 Deg to CA 107.40 - 109.50 : UC Upper Contact, 20 Deg to CA
109.50	116.10	TSCH, Talc Schist Mineralization 109.50 - 116.10 Structure 109.50 - 116.10 : STRFOL Strongly Foliated, 30 Deg to CA
116.10	117.15	MDCHL, Mafic Dike Chloritic Mineralization 116.10 - 117.15 Structure 116.10 - 117.15
117.15	125.00	MV, Mafic Volcanic Mineralization 117.15 - 125.00 Structure 117.15 - 125.00 : MODFOL Moderately Foliated, 50 Deg to CA 117.15 - 125.00 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
418706	100.20	101.50	1.30	0.1440	0.2466	0.0061
418707	101.50	102.60	1.10	0.1618	0.1299	0.0063
418708	102.60	104.00	1.40	0.0083	0.0092	0.0023
418709	104.00	105.00	1.00	0.0029	0.0032	0.0018
418710	105.00	106.00	1.00	0.0032	0.0029	0.0020
418711	106.00	107.40	1.40	0.0027	0.0028	0.0017
418712	107.40	108.50	1.10	0.1051	0.0499	0.0065
418713	108.50	109.50	1.00	0.1266	0.0206	0.0078
418714	109.50	111.00	1.50	0.2926	0.1032	0.0094
418715	111.00	112.00	1.00	0.0243	0.0131	0.0032
418716	112.00	113.00	1.00	0.0381	0.0169	0.0037
418717	113.00	114.00	1.00	0.2247	0.3793	0.0076
418718	114.00	115.00	1.00	0.0498	0.0184	0.0044
418719	115.00	116.10	1.10	0.1453	0.1646	0.0075
418720	116.10	117.15	1.05	0.0093	0.0105	0.0036
418721	117.15	118.00	0.85	0.0114	0.0152	0.0056
418722	118.00	119.00	1.00	0.0114	0.0108	0.0054
418723	119.00	120.00	1.00	0.0119	0.0138	0.0056
418724	120.00	121.00	1.00	0.0027	0.0046	0.0024

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418601	3.50	4.50	0.9965	0.3982	0.0289
418602	4.50	5.50	0.9412	0.3817	0.0284

Hole Number: KB-07-90

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418603	5.50	6.00	0.3640	0.1402	0.0131
418604	6.00	7.00	0.1418	0.0667	0.0081
418605	7.00	8.00	0.1435	0.0499	0.0072
418606	8.00	9.00	0.2279	0.0853	0.0091
418607	9.00	10.00	0.2279	0.0799	0.0098
418608	10.00	11.25	0.2948	0.0628	0.0103
418609	11.25	12.35	0.1212	0.0702	0.0058
418610	12.35	13.00	0.3604	0.1711	0.0099
418611	13.00	14.00	0.1039	0.1027	0.0040
418612	14.00	15.00	0.2254	0.2025	0.0065
418613	15.00	16.00	0.5054	0.3076	0.0171
418614	16.00	16.85	0.3806	0.1205	0.0145
418615	16.85	17.50	0.0161	0.0048	0.0023
418616	17.50	18.50	0.0201	0.0052	0.0027
418617	18.50	19.00	0.4737	0.9398	0.0141
418618	19.00	20.00	0.4966	0.2368	0.0151
418620	20.00	21.00	0.0379	0.0172	0.0049
418621	21.00	22.00	0.0833	0.0351	0.0057
418622	22.00	23.00	0.1417	0.0492	0.0070
418623	23.00	24.00	0.5571	0.2280	0.0158
418625	24.00	25.00	0.1325	0.0649	0.0068
418626	25.00	26.00	0.0182	0.0198	0.0042
418627	26.00	27.00	0.0672	0.0406	0.0054
418628	27.00	28.00	0.0257	0.0256	0.0060
418629	28.00	29.00	0.2213	0.1570	0.0105
418630	29.00	30.00	0.1903	0.1464	0.0109
418631	30.00	31.00	0.0538	0.0499	0.0062
418632	31.00	32.00	0.0816	0.0857	0.0078
418633	32.00	33.00	0.1245	0.0711	0.0064
418634	33.00	34.00	0.2717	0.2970	0.0120
418635	34.00	35.00	0.0128	0.0212	0.0052
418636	35.00	35.65	0.0294	0.0191	0.0069
418637	35.65	36.50	0.0017	0.0038	0.0006
418638	36.50	37.65	0.0011	0.0027	0.0006
418639	37.65	39.00	0.0462	0.0336	0.0069
418640	39.00	40.00	0.0507	0.0426	0.0066
418641	40.00	41.00	0.0558	0.0361	0.0076

Hole Number: KB-07-90

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418642	41.00	42.00	0.0311	0.0248	0.0057
418643	42.00	43.00	0.0238	0.0192	0.0046
418644	43.00	44.00	0.0116	0.0200	0.0055
418645	44.00	45.00	0.0688	0.0536	0.0074
418646	45.00	46.00	0.0126	0.0097	0.0040
418647	46.00	47.00	0.0122	0.0086	0.0039
418648	47.00	48.00	0.0578	0.0566	0.0062
418649	48.00	49.00	0.1141	0.0568	0.0060
418650	49.00	50.00	0.0685	0.0469	0.0051
418651	50.00	51.00	0.0941	0.0569	0.0059
418652	51.00	52.00	0.2586	0.1100	0.0096
418653	52.00	53.00	0.1726	0.0586	0.0069
418654	53.00	54.10	0.4592	0.2922	0.0131
418656	54.10	54.80	0.0117	0.0122	0.0039
418657	54.80	56.00	0.0719	0.0309	0.0052
418658	56.00	57.00	0.1138	0.0534	0.0064
418659	57.00	58.00	0.0409	0.0219	0.0052
418660	58.00	59.00	0.0268	0.0186	0.0041
418661	59.00	60.00	0.1897	0.1451	0.0089
418662	60.00	61.00	0.2859	0.1685	0.0091
418663	61.00	62.00	0.2796	0.0889	0.0124
418664	62.00	63.00	0.0334	0.0235	0.0045
418665	63.00	64.10	0.2630	0.1424	0.0118
418666	64.10	65.00	0.0236	0.0265	0.0041
418667	65.00	66.00	0.0154	0.0074	0.0035
418668	66.00	67.00	0.0147	0.0102	0.0040
418669	67.00	68.00	0.0172	0.0157	0.0039
418670	68.00	69.00	0.0165	0.0125	0.0045
418671	69.00	70.00	0.0227	0.0302	0.0050
418672	70.00	71.00	0.0148	0.0112	0.0046
418673	71.00	72.00	0.0123	0.0097	0.0037
418674	72.00	73.40	0.0130	0.0125	0.0042
418675	73.40	74.00	1.3591	0.2698	0.0355
418676	74.00	75.00	1.5120	0.1936	0.0384
418677	75.00	76.00	1.4032	0.9152	0.0395
418678	76.00	76.50	1.8853	0.5099	0.1634
418680	76.50	78.00	0.0597	0.0838	0.0046

Hole Number: KB-07-90

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418681	78.00	79.00	0.0314	0.0274	0.0035
418682	79.00	80.00	0.0408	0.0237	0.0044
418683	80.00	81.00	0.0227	0.0089	0.0028
418684	81.00	82.00	0.1251	0.0663	0.0071
418685	82.00	83.00	0.0560	0.0252	0.0047
418686	83.00	84.00	0.2108	0.0832	0.0082
418687	84.00	85.00	0.2329	0.1270	0.0104
418688	85.00	85.95	0.6238	0.1250	0.0130
418689	85.95	87.00	0.4831	0.1297	0.0127
418690	87.00	88.00	0.4155	0.2044	0.0118
418691	88.00	89.00	0.6841	0.2420	0.0174
418693	89.00	89.55	0.0530	0.0631	0.0060
418694	89.55	90.50	0.0175	0.0057	0.0042
418695	90.50	91.50	0.0198	0.0041	0.0048
418696	91.50	92.50	0.0264	0.0080	0.0040
418697	92.50	93.30	0.0208	0.0279	0.0032
418698	93.30	94.00	0.1651	0.0863	0.0087
418699	94.00	95.00	0.3287	0.1534	0.0115
418700	95.00	96.00	0.3974	0.1862	0.0135
418701	96.00	97.00	0.0489	0.0151	0.0040
418703	97.00	98.00	0.6674	0.4768	0.0184
418704	98.00	99.40	0.8467	0.3074	0.0251
418705	99.40	100.20	0.0067	0.0056	0.0029
418706	100.20	101.50	0.1440	0.2466	0.0061
418707	101.50	102.60	0.1618	0.1299	0.0063
418708	102.60	104.00	0.0083	0.0092	0.0023
418709	104.00	105.00	0.0029	0.0032	0.0018
418710	105.00	106.00	0.0032	0.0029	0.0020
418711	106.00	107.40	0.0027	0.0028	0.0017
418712	107.40	108.50	0.1051	0.0499	0.0065
418713	108.50	109.50	0.1266	0.0206	0.0078
418714	109.50	111.00	0.2926	0.1032	0.0094
418715	111.00	112.00	0.0243	0.0131	0.0032
418716	112.00	113.00	0.0381	0.0169	0.0037
418717	113.00	114.00	0.2247	0.3793	0.0076
418718	114.00	115.00	0.0498	0.0184	0.0044
418719	115.00	116.10	0.1453	0.1646	0.0075

Hole Number: KB-07-90

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
418720	116.10	117.15	0.0093	0.0105	0.0036
418721	117.15	118.00	0.0114	0.0152	0.0056
418722	118.00	119.00	0.0114	0.0108	0.0054
418723	119.00	120.00	0.0119	0.0138	0.0056
418724	120.00	121.00	0.0027	0.0046	0.0024

DETAILED LOG

Hole Number: KB-07-89

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.00
Project Number:	19900	North: 5481525.00			North: 5481525.00		Collar Az: 303.20
Location:	Surface	East: 453952.60			East: 453952.60		Length: 107.00 (m)
		Elev: 397.25			Elev: 397.25		Start Depth: 0.00 (m)
Date Started:	Jul 20, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 107.00 (m)
Date Completed:	Jul 21, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	35.00	39.70	4.70	0.2340	0.1996	0.0099
WEIGHTED	57.70	60.25	2.55	3.2760	0.6948	0.0959
WEIGHTED	57.70	61.00	3.30	2.5814	0.6074	0.0757
WEIGHTED	74.90	76.70	1.80	0.6183	0.4206	0.0141

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	340.40	-46.00	EZ	DO	5927	50.00	303.20	-45.40	EZ	OK	5924
107.00	304.80	-43.90	EZ	OK	5775						

Hole Number: KB-07-89

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	22.60	GABPYXT, Gabbro Pyroxenite Dikes 50% MV xenoliths Mineralization 0.00 - 22.60 Structure 0 - 22.60	419079	4.00	5.00	1.00	0.0271	0.0200	0.0049
			419080	5.00	6.00	1.00	0.1875	0.1687	0.0230
			419081	6.00	7.00	1.00	0.0925	0.0870	0.0069
			419082	7.00	8.00	1.00	0.1854	0.0931	0.0095
			419083	8.00	9.00	1.00	0.0152	0.0174	0.0062
			419084	9.00	10.00	1.00	0.0379	0.0544	0.0072
			419085	10.00	11.00	1.00	0.1754	0.0868	0.0083
			419086	11.00	12.00	1.00	0.0646	0.0472	0.0067
			419087	12.00	13.00	1.00	0.0135	0.0157	0.0052
			419088	13.00	14.00	1.00	0.3444	0.1655	0.0126
			419089	14.00	15.00	1.00	0.0185	0.0207	0.0050
			419090	15.00	16.00	1.00	0.0152	0.0170	0.0057
			419091	16.00	17.00	1.00	0.1339	0.0728	0.0084
			419092	17.00	18.00	1.00	0.0789	0.0605	0.0077
			419093	18.00	19.00	1.00	0.0295	0.0270	0.0056
			419095	19.00	20.00	1.00	0.1073	0.0716	0.0081
			419096	20.00	21.00	1.00	0.0603	0.0375	0.0076
			419098	21.00	22.00	1.00	0.0138	0.0168	0.0051
			419099	22.00	22.60	0.60	0.1868	0.0968	0.0106
22.60	29.80	MV, Mafic Volcanic Mineralization 22.60 - 29.80 Structure 22.60 - 29.80 22.60 - 29.80 Irregular	419100	22.60	24.00	1.40	0.0138	0.0161	0.0053
			419101	24.00	25.50	1.50	0.0134	0.0125	0.0050
			419102	25.50	27.00	1.50	0.0223	0.0170	0.0062
			419103	27.00	28.50	1.50	0.0188	0.0173	0.0061
			419104	28.50	29.80	1.30	0.0129	0.0171	0.0063
29.80	32.15	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 29.80 - 32.15 Structure 29.80 - 32.15 29.80 - 32.15 : UC Upper Contact, 50 Deg to CA	419105	29.80	31.00	1.20	0.0766	0.0341	0.0104
			419106	31.00	32.15	1.15	0.1019	0.0693	0.0097
32.15	33.10	FD, Felsic Dike Mineralization 32.15 - 33.10 Structure 32.15 - 33.10 32.15 - 33.10 : UC Upper Contact, 55 Deg to CA	419107	32.15	33.10	0.95	0.0025	0.0035	0.0009

Hole Number: KB-07-89

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
33.10	39.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 33.10 - 39.70 Structure 33.10 - 39.70 33.10 - 39.70 : UC Upper Contact, 60 Deg to CA	419108	33.10	34.00	0.90	0.0495	0.0357	0.0079
			419109	34.00	35.00	1.00	0.0792	0.0602	0.0077
			419110	35.00	36.00	1.00	0.1363	0.0699	0.0085
			419111	36.00	37.00	1.00	0.3088	0.1354	0.0121
			419112	37.00	38.00	1.00	0.2133	0.0892	0.0092
			419113	38.00	39.00	1.00	0.2607	0.1243	0.0116
			419114	39.00	39.70	0.70	0.2582	0.7416	0.0073
39.70	56.00	GAB, Gabbro Mineralization 39.70 - 56.00 Structure 39.70 - 56.00 39.70 - 56.00 Irregular	419116	39.70	41.00	1.30	0.0796	0.1467	0.0044
			419117	41.00	42.00	1.00	0.0084	0.0263	0.0032
			419118	42.00	43.00	1.00	0.0083	0.0240	0.0032
			419119	43.00	44.00	1.00	0.0074	0.0223	0.0030
			419120	44.00	45.00	1.00	0.0084	0.0165	0.0037
			419122	45.00	46.00	1.00	0.0077	0.0209	0.0032
			419123	46.00	47.00	1.00	0.0110	0.0165	0.0041
			419124	47.00	48.00	1.00	0.0127	0.0120	0.0045
			419125	48.00	49.00	1.00	0.0138	0.0217	0.0048
			419126	49.00	50.00	1.00	0.0138	0.0141	0.0044
			419127	50.00	51.00	1.00	0.0150	0.0083	0.0046
			419128	51.00	52.00	1.00	0.0127	0.0144	0.0043
			419129	52.00	53.00	1.00	0.0130	0.0084	0.0041
			419130	53.00	54.00	1.00	0.0141	0.0094	0.0047
			419131	54.00	55.00	1.00	0.0145	0.0141	0.0047
			419132	55.00	56.00	1.00	0.0183	0.0259	0.0047
56.00	63.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 56.00 - 57.70 57.70 - 60.25 0.5 m MD 60.25 - 63.10 Structure 56.00 - 63.10 56.00 - 63.10 Irregular	419133	56.00	57.00	1.00	0.1119	0.0619	0.0064
			419134	57.00	57.70	0.70	0.0428	0.2317	0.0053
			419136	57.70	59.00	1.30	2.7474	1.0305	0.0909
			419137	59.00	60.25	1.25	3.8258	0.3456	0.1010
			419139	60.25	61.00	0.75	0.2197	0.3103	0.0071
			419140	61.00	62.00	1.00	0.0497	0.0107	0.0038
			419141	62.00	63.10	1.10	0.0550	0.0316	0.0050
63.10	63.60	MDCHL, Mafic Dike Chloritic Mineralization 63.10 - 63.60 Structure 63.10 - 63.60 : MODFOL Moderately Foliated, 40 Deg to CA 63.10 - 63.60 : UC Upper Contact, 55 Deg to CA	419142	63.10	63.60	0.50	0.0074	0.0091	0.0026

Hole Number: KB-07-89

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
63.60	65.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 63.60 - 65.90 Structure 63.60 - 65.90 : MODFOL Moderately Foliated, 45 Deg to CA 63.60 - 65.90 : UC Upper Contact, 45 Deg to CA	419143	63.60	65.00	1.40	0.1012	0.0375	0.0068
			419144	65.00	65.90	0.90	0.2613	0.1077	0.0097
65.90	66.60	MDCHL, Mafic Dike Chloritic Mineralization 65.90 - 66.60 Structure 65.90 - 66.60 65.90 - 66.60 : UC Upper Contact, 55 Deg to CA	419145	65.90	66.60	0.70	0.0057	0.0110	0.0026
66.60	72.70	PYXT, Pyroxenite Local BIO Mineralization 66.60 - 72.70 30 cm MD Structure 66.60 - 72.70 : MODFOL Moderately Foliated, 55 Deg to CA 66.60 - 72.70 : UC Upper Contact, 60 Deg to CA	419146	66.60	68.00	1.40	0.2002	0.0740	0.0088
			419147	68.00	69.00	1.00	0.0913	0.0469	0.0078
			419148	69.00	70.00	1.00	0.0676	0.0259	0.0055
			419149	70.00	71.00	1.00	0.1591	0.0494	0.0073
			419150	71.00	72.00	1.00	0.1983	0.0842	0.0096
			419151	72.00	72.70	0.70	0.1783	0.0703	0.0087
72.70	74.90	MDCHL, Mafic Dike Chloritic Mineralization 72.70 - 74.90 Structure 72.70 - 74.90 : MODFOL Moderately Foliated, 35 Deg to CA 72.70 - 74.90 : UC Upper Contact, 50 Deg to CA	419152	72.70	74.00	1.30	0.0067	0.0044	0.0025
			419153	74.00	74.90	0.90	0.0066	0.0042	0.0030
74.90	76.70	PYXT, Pyroxenite Mineralization 74.90 - 76.70 Structure 74.90 - 76.70 : MODFOL Moderately Foliated, 45 Deg to CA 74.90 - 76.70 : UC Upper Contact, 40 Deg to CA	419154	74.90	76.00	1.10	0.7342	0.3903	0.0165
			419155	76.00	76.70	0.70	0.4361	0.4683	0.0102
76.70	79.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 76.70 - 79.50 Structure 76.70 - 79.50 : MODFOL Moderately Foliated, 45 Deg to CA 76.70 - 79.50 : UC Upper Contact, 45 Deg to CA	419157	76.70	78.00	1.30	0.0779	0.0140	0.0065
			419158	78.00	79.50	1.50	0.0816	0.0986	0.0062

Hole Number: KB-07-89

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
79.50	80.00	MD, Mafic Dike Mineralization 79.50 - 80.00 Structure 79.50 - 80.00 79.50 - 80.00 : UC Upper Contact, 50 Deg to CA	419159	79.50	80.00	0.50	0.0071	0.0040	0.0033
80.00	81.60	TSCH, Talc Schist Mineralization 80.00 - 81.60 Structure 80.00 - 81.60 : STRFOL Strongly Foliated, 45 Deg to CA 80.00 - 81.60 : UC Upper Contact, 45 Deg to CA	419160	80.00	81.00	1.00	0.0286	0.0142	0.0030
			419161	81.00	81.60	0.60	0.0133	0.0033	0.0029
81.60	84.00	PYXT, Pyroxenite Mineralization 81.60 - 84.00 Structure 81.60 - 84.00 : MODFOL Moderately Foliated, 45 Deg to CA 81.60 - 84.00 : UC Upper Contact, 50 Deg to CA	419162	81.60	83.00	1.40	0.1640	0.1738	0.0064
			419163	83.00	84.00	1.00	0.1888	0.2143	0.0067
84.00	86.00	MV, Mafic Volcanic Mineralization 84.00 - 86.00 Structure 84.00 - 86.00 84.00 - 86.00 : UC Upper Contact, 70 Deg to CA	419164	84.00	85.00	1.00	0.0528	0.0704	0.0063
			419165	85.00	86.00	1.00	0.0115	0.0140	0.0048
86.00	87.50	FD, Felsic Dike Mineralization 86.00 - 87.50 Structure 86.00 - 87.50 86.00 - 87.50 : UC Upper Contact, 65 Deg to CA	419166	86.00	87.50	1.50	0.0031	0.0050	0.0011
87.50	88.90	MV, Mafic Volcanic Mineralization 87.50 - 88.90 Structure 87.50 - 88.90 87.50 - 88.90 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-89

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
88.90	89.80	MDCHL, Mafic Dike Chloritic Mineralization 88.90 - 89.80 Structure 88.90 - 89.80 : MODFOL Moderately Foliated, 50 Deg to CA 88.90 - 89.80 : UC Upper Contact, 65 Deg to CA							
89.80	94.60	MV, Mafic Volcanic Mineralization 89.80 - 94.60 Structure 89.80 - 94.60 : MODFOL Moderately Foliated, 50 Deg to CA 89.80 - 94.60 : UC Upper Contact, 50 Deg to CA							
94.60	95.50	MD, Mafic Dike Mineralization 94.60 - 95.50 Structure 94.60 - 95.50 94.60 - 95.50 : UC Upper Contact, 30 Deg to CA							
95.50	103.95	MV, Mafic Volcanic Mineralization 95.50 - 103.95 Structure 95.50 - 103.95 : MODFOL Moderately Foliated, 50 Deg to CA 95.50 - 103.95 : UC Upper Contact, 60 Deg to CA							
103.95	105.50	MD, Mafic Dike Mineralization 103.95 - 105.50 Structure 103.95 - 105.50 103.95 - 105.50 : UC Upper Contact, 55 Deg to CA							
105.50	107.00	MV, Mafic Volcanic Mineralization 105.50 - 107.00 Structure 105.50 - 107.00 105.50 - 107.00 : UC Upper Contact, 30 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419079	4.00	5.00	0.0271	0.0200	0.0049

Hole Number: KB-07-89

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419080	5.00	6.00	0.1875	0.1687	0.0230
419081	6.00	7.00	0.0925	0.0870	0.0069
419082	7.00	8.00	0.1854	0.0931	0.0095
419083	8.00	9.00	0.0152	0.0174	0.0062
419084	9.00	10.00	0.0379	0.0544	0.0072
419085	10.00	11.00	0.1754	0.0868	0.0083
419086	11.00	12.00	0.0646	0.0472	0.0067
419087	12.00	13.00	0.0135	0.0157	0.0052
419088	13.00	14.00	0.3444	0.1655	0.0126
419089	14.00	15.00	0.0185	0.0207	0.0050
419090	15.00	16.00	0.0152	0.0170	0.0057
419091	16.00	17.00	0.1339	0.0728	0.0084
419092	17.00	18.00	0.0789	0.0605	0.0077
419093	18.00	19.00	0.0295	0.0270	0.0056
419095	19.00	20.00	0.1073	0.0716	0.0081
419096	20.00	21.00	0.0603	0.0375	0.0076
419098	21.00	22.00	0.0138	0.0168	0.0051
419099	22.00	22.60	0.1868	0.0968	0.0106
419100	22.60	24.00	0.0138	0.0161	0.0053
419101	24.00	25.50	0.0134	0.0125	0.0050
419102	25.50	27.00	0.0223	0.0170	0.0062
419103	27.00	28.50	0.0188	0.0173	0.0061
419104	28.50	29.80	0.0129	0.0171	0.0063
419105	29.80	31.00	0.0766	0.0341	0.0104
419106	31.00	32.15	0.1019	0.0693	0.0097
419107	32.15	33.10	0.0025	0.0035	0.0009
419108	33.10	34.00	0.0495	0.0357	0.0079
419109	34.00	35.00	0.0792	0.0602	0.0077
419110	35.00	36.00	0.1363	0.0699	0.0085
419111	36.00	37.00	0.3088	0.1354	0.0121
419112	37.00	38.00	0.2133	0.0892	0.0092
419113	38.00	39.00	0.2607	0.1243	0.0116
419114	39.00	39.70	0.2582	0.7416	0.0073
419116	39.70	41.00	0.0796	0.1467	0.0044
419117	41.00	42.00	0.0084	0.0263	0.0032
419118	42.00	43.00	0.0083	0.0240	0.0032
419119	43.00	44.00	0.0074	0.0223	0.0030

Hole Number: KB-07-89

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419120	44.00	45.00	0.0084	0.0165	0.0037
419122	45.00	46.00	0.0077	0.0209	0.0032
419123	46.00	47.00	0.0110	0.0165	0.0041
419124	47.00	48.00	0.0127	0.0120	0.0045
419125	48.00	49.00	0.0138	0.0217	0.0048
419126	49.00	50.00	0.0138	0.0141	0.0044
419127	50.00	51.00	0.0150	0.0083	0.0046
419128	51.00	52.00	0.0127	0.0144	0.0043
419129	52.00	53.00	0.0130	0.0084	0.0041
419130	53.00	54.00	0.0141	0.0094	0.0047
419131	54.00	55.00	0.0145	0.0141	0.0047
419132	55.00	56.00	0.0183	0.0259	0.0047
419133	56.00	57.00	0.1119	0.0619	0.0064
419134	57.00	57.70	0.0428	0.2317	0.0053
419136	57.70	59.00	2.7474	1.0305	0.0909
419137	59.00	60.25	3.8258	0.3456	0.1010
419139	60.25	61.00	0.2197	0.3103	0.0071
419140	61.00	62.00	0.0497	0.0107	0.0038
419141	62.00	63.10	0.0550	0.0316	0.0050
419142	63.10	63.60	0.0074	0.0091	0.0026
419143	63.60	65.00	0.1012	0.0375	0.0068
419144	65.00	65.90	0.2613	0.1077	0.0097
419145	65.90	66.60	0.0057	0.0110	0.0026
419146	66.60	68.00	0.2002	0.0740	0.0088
419147	68.00	69.00	0.0913	0.0469	0.0078
419148	69.00	70.00	0.0676	0.0259	0.0055
419149	70.00	71.00	0.1591	0.0494	0.0073
419150	71.00	72.00	0.1983	0.0842	0.0096
419151	72.00	72.70	0.1783	0.0703	0.0087
419152	72.70	74.00	0.0067	0.0044	0.0025
419153	74.00	74.90	0.0066	0.0042	0.0030
419154	74.90	76.00	0.7342	0.3903	0.0165
419155	76.00	76.70	0.4361	0.4683	0.0102
419157	76.70	78.00	0.0779	0.0140	0.0065
419158	78.00	79.50	0.0816	0.0986	0.0062
419159	79.50	80.00	0.0071	0.0040	0.0033
419160	80.00	81.00	0.0286	0.0142	0.0030

Hole Number: KB-07-89

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419161	81.00	81.60	0.0133	0.0033	0.0029
419162	81.60	83.00	0.1640	0.1738	0.0064
419163	83.00	84.00	0.1888	0.2143	0.0067
419164	84.00	85.00	0.0528	0.0704	0.0063
419165	85.00	86.00	0.0115	0.0140	0.0048
419166	86.00	87.50	0.0031	0.0050	0.0011

DETAILED LOG

Hole Number: KB-07-88

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -47.80
Project Number:	19900	North:	5481535.00		North:	5481535.00	Collar Az: 306.00
Location:	Surface	East:	453938.70		East:	453938.70	Length: 77.00 (m)
		Elev:	396.76		Elev:	396.76	Start Depth: 0.00 (m)
Date Started:	Jul 19, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 77.00 (m)
Date Completed:	Jul 20, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	22.00	30.00	8.00	0.3125	0.2534	0.0097
WEIGHTED	27.00	30.00	3.00	0.5694	0.4889	0.0123
WEIGHTED	40.30	43.00	2.70	2.2561	0.5710	0.0668
WEIGHTED	48.90	52.90	4.00	0.3740	0.1653	0.0136
WEIGHTED	54.50	60.10	5.60	0.3538	0.1301	0.0127

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	306.00	-47.80	EZ	OK	5912	77.00	304.50	-46.20	EZ	OK	5790

Detailed Lithology

From (m)	To (m)	Lithology
0	3.90	CAS, Casing
3.90	7.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 3.90 - 7.20 Structure 3.90 - 7.20
7.20	8.00	FD, Felsic Dike Mineralization 7.20 - 8.00 Structure 7.20 - 8.00 7.20 - 8.00 : UC Upper Contact, 35 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
419001	3.90	5.00	1.10	0.0813	0.0770	0.0073
419002	5.00	6.00	1.00	0.0535	0.0496	0.0078
419003	6.00	7.20	1.20	0.0536	0.0437	0.0079
419004	7.20	8.00	0.80	0.0096	0.0097	0.0026

Hole Number: KB-07-88

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
8.00	27.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 8.00 - 27.50 Structure 8.00 - 27.50 8.00 - 27.50 : UC Upper Contact, 35 Deg to CA	419005	8.00	9.00	1.00	0.0128	0.0099	0.0043
			419006	9.00	10.00	1.00	0.0239	0.0249	0.0058
			419007	10.00	11.00	1.00	0.0297	0.0270	0.0054
			419008	11.00	12.00	1.00	0.0199	0.0210	0.0047
			419009	12.00	13.00	1.00	0.0118	0.0110	0.0038
			419010	13.00	14.00	1.00	0.0143	0.0266	0.0058
			419011	14.00	15.00	1.00	0.0368	0.0274	0.0055
			419012	15.00	16.00	1.00	0.0395	0.0210	0.0069
			419013	16.00	17.00	1.00	0.0342	0.0145	0.0080
			419014	17.00	18.00	1.00	0.0158	0.0354	0.0079
			419015	18.00	19.00	1.00	0.0148	0.0144	0.0033
			419016	19.00	20.00	1.00	0.0469	0.0443	0.0065
			419018	20.00	21.00	1.00	0.0259	0.0178	0.0051
			419019	21.00	22.00	1.00	0.0274	0.0228	0.0060
			419020	22.00	23.00	1.00	0.1862	0.0814	0.0092
			419022	23.00	24.00	1.00	0.1515	0.0667	0.0091
			419023	24.00	25.00	1.00	0.2821	0.3220	0.0094
			419024	25.00	26.00	1.00	0.1346	0.0672	0.0083
			419025	26.00	27.00	1.00	0.0375	0.0232	0.0050
			419026	27.00	27.50	0.50	0.1766	0.0838	0.0077
27.50	36.30	PYXT, Pyroxenite Mineralization 27.50 - 36.30 Structure 27.50 - 36.30 27.50 - 36.30 : UC Upper Contact, 65 Deg to CA	419027	27.50	28.00	0.50	1.9128	0.7776	0.0337
			419028	28.00	29.00	1.00	0.2090	0.6318	0.0058
			419029	29.00	30.00	1.00	0.4546	0.4043	0.0103
			419030	30.00	31.00	1.00	0.0710	0.0699	0.0038
			419031	31.00	32.00	1.00	0.1163	0.1450	0.0060
			419032	32.00	33.00	1.00	0.0607	0.0483	0.0036
			419033	33.00	34.00	1.00	0.0636	0.0609	0.0038
			419034	34.00	35.00	1.00	0.0705	0.0271	0.0052
			419035	35.00	36.30	1.30	0.3642	0.4015	0.0101
36.30	46.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 36.30 - 38.30 38.30 - 40.30 40.30 - 42.00 42.00 - 43.00 43.00 - 46.80 Structure 36.30 - 46.80 36.30 - 46.80 : UC Upper Contact, 40 Deg to CA	419036	36.30	37.30	1.00	0.1515	0.1160	0.0070
			419037	37.30	38.30	1.00	0.0583	0.0663	0.0055
			419038	38.30	39.30	1.00	0.0238	0.0298	0.0039
			419039	39.30	40.30	1.00	0.0289	0.0217	0.0044
			419041	40.30	41.00	0.70	0.5207	0.2156	0.0147
			419042	41.00	42.00	1.00	0.5047	0.2001	0.0280
			419043	42.00	43.00	1.00	5.2222	1.1907	0.1421
			419045	43.00	44.00	1.00	0.0430	0.0240	0.0039
			419046	44.00	45.00	1.00	0.1543	0.0479	0.0067
			419047	45.00	46.00	1.00	0.0392	0.0070	0.0029
			419048	46.00	46.80	0.80	0.0559	0.0239	0.0035

Hole Number: KB-07-88

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
46.80	47.40	PYXT, Pyroxenite Mineralization 46.80 - 47.40 Structure 46.80 - 47.40 : MODFOL Moderately Foliated, 50 Deg to CA 46.80 - 47.40 : UC Upper Contact, 50 Deg to CA	419049	46.80	47.40	0.60	0.1304	0.0724	0.0062
47.40	48.90	MDCHL, Mafic Dike Chloritic Mineralization 47.40 - 48.90 Structure 47.40 - 48.90 47.40 - 48.90 : UC Upper Contact, 60 Deg to CA	419050	47.40	48.00	0.60	0.0055	0.0043	0.0024
			419051	48.00	48.90	0.90	0.0314	0.0109	0.0041
48.90	52.90	PYXT, Pyroxenite Mineralization 48.90 - 50.00 50.00 - 50.50 50.50 - 52.90 Structure 48.90 - 52.90 : STRFOL Strongly Foliated, 50 Deg to CA 48.90 - 52.90 : UC Upper Contact, 55 Deg to CA	419052	48.90	50.00	1.10	0.2311	0.0946	0.0090
			419053	50.00	50.50	0.50	0.9630	0.4812	0.0349
			419054	50.50	51.00	0.50	0.3956	0.1733	0.0138
			419055	51.00	52.00	1.00	0.3964	0.1648	0.0132
			419056	52.00	52.90	0.90	0.1844	0.0720	0.0078
52.90	54.50	MDCHL, Mafic Dike Chloritic Mineralization 52.90 - 54.50 Structure 52.90 - 54.50 52.90 - 54.50 : UC Upper Contact, 35 Deg to CA	419057	52.90	54.00	1.10	0.0094	0.0059	0.0026
			419058	54.00	54.50	0.50	0.0105	0.0051	0.0025
54.50	54.90	PYXT, Pyroxenite Mineralization 54.50 - 54.90 Structure 54.50 - 54.90 : STRFOL Strongly Foliated, 55 Deg to CA 54.50 - 54.90 : UC Upper Contact, 55 Deg to CA	419059	54.50	54.90	0.40	0.2711	0.1092	0.0107
54.90	55.50	MD, Mafic Dike Mineralization 54.90 - 55.50 Structure 54.90 - 55.50 54.90 - 55.50 : UC Upper Contact, 55 Deg to CA	419060	54.90	55.50	0.60	0.0165	0.0064	0.0038

Hole Number: KB-07-88

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
55.50	58.60	PYXT, Pyroxenite Mineralization 55.50 - 57.00 57.00 - 58.10 58.10 - 58.60 Structure 55.50 - 58.60 : MODFOL Moderately Foliated, 45 Deg to CA	419061	55.50	56.00	0.50	0.1413	0.0530	0.0082
			419062	56.00	57.00	1.00	0.2066	0.0647	0.0084
			419064	57.00	58.10	1.10	0.9600	0.4107	0.0267
			419065	58.10	58.60	0.50	0.3997	0.1076	0.0135
58.60	59.10	MDCHL, Mafic Dike Chloritic Mineralization 58.60 - 59.10 Structure 58.60 - 59.10 : MODFOL Moderately Foliated, 50 Deg to CA 58.60 - 59.10 : UC Upper Contact, 50 Deg to CA	419067	58.60	59.10	0.50	0.0179	0.0091	0.0038
59.10	60.10	PYXT, Pyroxenite Mineralization 59.10 - 60.10 Structure 59.10 - 60.10 : MODFOL Moderately Foliated, 40 Deg to CA 59.10 - 60.10 : UC Upper Contact, 50 Deg to CA	419068	59.10	60.10	1.00	0.3210	0.0794	0.0137
60.10	60.50	MD, Mafic Dike Mineralization 60.10 - 60.50 Structure 60.10 - 60.50 60.10 - 60.50 : UC Upper Contact, 50 Deg to CA	419069	60.10	60.50	0.40	0.0719	0.0226	0.0042
60.50	62.00	TSCH, Talc Schist Mineralization 60.50 - 62.00 Structure 60.50 - 62.00 : STRFOL Strongly Foliated, 45 Deg to CA 60.50 - 62.00 : UC Upper Contact, 45 Deg to CA	419070	60.50	61.00	0.50	0.0778	0.0566	0.0061
			419071	61.00	62.00	1.00	0.0460	0.0628	0.0041
62.00	66.10	PYXT, Pyroxenite Mineralization 62.00 - 64.00 64.00 - 65.40 65.40 - 66.10 Structure 62.00 - 66.10 : MODFOL Moderately Foliated, 50 Deg to CA 62.00 - 66.10 : UC Upper Contact, 55 Deg to CA	419072	62.00	63.00	1.00	0.2879	0.3119	0.0094
			419073	63.00	64.00	1.00	0.1655	0.1727	0.0075
			419074	64.00	65.40	1.40	0.0552	0.0226	0.0059
			419075	65.40	66.10	0.70	0.4344	0.4142	0.0165

Hole Number: KB-07-88

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
66.10	66.80	MV, Mafic Volcanic Mineralization 66.10 - 66.80 Structure 66.10 - 66.80 : MODFOL Moderately Foliated, 50 Deg to CA 66.10 - 66.80 : UC Upper Contact, 40 Deg to CA
66.80	69.40	MDCHL, Mafic Dike Chloritic Mineralization 66.80 - 69.40 Structure 66.80 - 69.40 : MODFOL Moderately Foliated, 45 Deg to CA 66.80 - 69.40 : UC Upper Contact, 65 Deg to CA
69.40	71.00	MV, Mafic Volcanic Mineralization 69.40 - 71.00 Structure 69.40 - 71.00 : MODFOL Moderately Foliated, 45 Deg to CA 69.40 - 71.00 : UC Upper Contact, 45 Deg to CA
71.00	73.60	FD, Felsic Dike Mineralization 71.00 - 73.60 Structure 71.00 - 73.60 71.00 - 73.60 : UC Upper Contact, 45 Deg to CA
73.60	77.00	MV, Mafic Volcanic Mineralization 73.60 - 77.00 Structure 73.60 - 77.00 73.60 - 77.00 : UC Upper Contact, 55 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
419076	66.10	66.80	0.70	0.2890	0.2232	0.0118
419077	66.80	68.00	1.20	0.0122	0.0079	0.0030
419078	68.00	69.40	1.40	0.0046	0.0043	0.0017

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419001	3.90	5.00	0.0813	0.0770	0.0073
419002	5.00	6.00	0.0535	0.0496	0.0078
419003	6.00	7.20	0.0536	0.0437	0.0079
419004	7.20	8.00	0.0096	0.0097	0.0026
419005	8.00	9.00	0.0128	0.0099	0.0043
419006	9.00	10.00	0.0239	0.0249	0.0058

Hole Number: KB-07-88

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419007	10.00	11.00	0.0297	0.0270	0.0054
419008	11.00	12.00	0.0199	0.0210	0.0047
419009	12.00	13.00	0.0118	0.0110	0.0038
419010	13.00	14.00	0.0143	0.0266	0.0058
419011	14.00	15.00	0.0368	0.0274	0.0055
419012	15.00	16.00	0.0395	0.0210	0.0069
419013	16.00	17.00	0.0342	0.0145	0.0080
419014	17.00	18.00	0.0158	0.0354	0.0079
419015	18.00	19.00	0.0148	0.0144	0.0033
419016	19.00	20.00	0.0469	0.0443	0.0065
419018	20.00	21.00	0.0259	0.0178	0.0051
419019	21.00	22.00	0.0274	0.0228	0.0060
419020	22.00	23.00	0.1862	0.0814	0.0092
419022	23.00	24.00	0.1515	0.0667	0.0091
419023	24.00	25.00	0.2821	0.3220	0.0094
419024	25.00	26.00	0.1346	0.0672	0.0083
419025	26.00	27.00	0.0375	0.0232	0.0050
419026	27.00	27.50	0.1766	0.0838	0.0077
419027	27.50	28.00	1.9128	0.7776	0.0337
419028	28.00	29.00	0.2090	0.6318	0.0058
419029	29.00	30.00	0.4546	0.4043	0.0103
419030	30.00	31.00	0.0710	0.0699	0.0038
419031	31.00	32.00	0.1163	0.1450	0.0060
419032	32.00	33.00	0.0607	0.0483	0.0036
419033	33.00	34.00	0.0636	0.0609	0.0038
419034	34.00	35.00	0.0705	0.0271	0.0052
419035	35.00	36.30	0.3642	0.4015	0.0101
419036	36.30	37.30	0.1515	0.1160	0.0070
419037	37.30	38.30	0.0583	0.0663	0.0055
419038	38.30	39.30	0.0238	0.0298	0.0039
419039	39.30	40.30	0.0289	0.0217	0.0044
419041	40.30	41.00	0.5207	0.2156	0.0147
419042	41.00	42.00	0.5047	0.2001	0.0280
419043	42.00	43.00	5.2222	1.1907	0.1421
419045	43.00	44.00	0.0430	0.0240	0.0039
419046	44.00	45.00	0.1543	0.0479	0.0067
419047	45.00	46.00	0.0392	0.0070	0.0029

Hole Number: KB-07-88 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
419048	46.00	46.80	0.0559	0.0239	0.0035
419049	46.80	47.40	0.1304	0.0724	0.0062
419050	47.40	48.00	0.0055	0.0043	0.0024
419051	48.00	48.90	0.0314	0.0109	0.0041
419052	48.90	50.00	0.2311	0.0946	0.0090
419053	50.00	50.50	0.9630	0.4812	0.0349
419054	50.50	51.00	0.3956	0.1733	0.0138
419055	51.00	52.00	0.3964	0.1648	0.0132
419056	52.00	52.90	0.1844	0.0720	0.0078
419057	52.90	54.00	0.0094	0.0059	0.0026
419058	54.00	54.50	0.0105	0.0051	0.0025
419059	54.50	54.90	0.2711	0.1092	0.0107
419060	54.90	55.50	0.0165	0.0064	0.0038
419061	55.50	56.00	0.1413	0.0530	0.0082
419062	56.00	57.00	0.2066	0.0647	0.0084
419064	57.00	58.10	0.9600	0.4107	0.0267
419065	58.10	58.60	0.3997	0.1076	0.0135
419067	58.60	59.10	0.0179	0.0091	0.0038
419068	59.10	60.10	0.3210	0.0794	0.0137
419069	60.10	60.50	0.0719	0.0226	0.0042
419070	60.50	61.00	0.0778	0.0566	0.0061
419071	61.00	62.00	0.0460	0.0628	0.0041
419072	62.00	63.00	0.2879	0.3119	0.0094
419073	63.00	64.00	0.1655	0.1727	0.0075
419074	64.00	65.40	0.0552	0.0226	0.0059
419075	65.40	66.10	0.4344	0.4142	0.0165
419076	66.10	66.80	0.2890	0.2232	0.0118
419077	66.80	68.00	0.0122	0.0079	0.0030
419078	68.00	69.40	0.0046	0.0043	0.0017

DETAILED LOG

Hole Number: KB-07-87

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North: 5481549.00			North: 5481549.00		Collar Az: 309.10
Location:	Surface	East: 453920.70			East: 453920.70		Length: 47.00 (m)
		Elev: 396.04			Elev: 396.04		Start Depth: 0.00 (m)
Date Started:	Jul 18, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 47.00 (m)
Date Completed:	Jul 19, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.00	5.00	3.00	0.5855	0.1886	0.0175
WEIGHTED	25.00	30.50	5.50	0.3487	0.3321	0.0124

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	297.40	-45.80	EZ	DO	5913	47.00	309.10	-45.00	EZ	OK	5850

Detailed Lithology

From (m)	To (m)	Lithology
0	1.30	CAS, Casing
1.30	14.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.30 - 14.60 Structure 1.30 - 14.60
14.60	18.20	MDCHL, Mafic Dike Chloritic Mineralization 14.60 - 18.20 Structure 14.60 - 18.20 : MODFOL Moderately Foliated, 50 Deg to CA 14.60 - 18.20 : UC Upper Contact, 25 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
c447261	1.30	2.00	0.70	0.0124	0.0051	0.0047
c447262	2.00	3.50	1.50	0.2873	0.1408	0.0098
c447263	3.50	5.00	1.50	0.8837	0.2363	0.0252
c447265	5.00	6.50	1.50	0.1158	0.0679	0.0078
c447266	6.50	8.00	1.50	0.0266	0.0163	0.0056
c447267	8.00	9.50	1.50	0.0519	0.0297	0.0058
c447268	9.50	11.00	1.50	0.0682	0.0314	0.0071
c447269	11.00	12.50	1.50	0.0344	0.0237	0.0049
c447270	12.50	14.00	1.50	0.1619	0.0885	0.0276
c447271	14.00	14.60	0.60	0.1340	0.0657	0.0072
c447272	14.60	16.00	1.40	0.0048	0.0061	0.0023
c447274	16.00	17.50	1.50	0.0053	0.0042	0.0028
c447275	17.50	18.20	0.70	0.0042	0.0032	0.0030

DETAILED LOG

Hole Number: KB-07-87

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
18.20	21.30	PYXT, Pyroxenite weak local talc Mineralization 18.20 - 21.30 Structure 18.20 - 21.30 : MODFOL Moderately Foliated, 40 Deg to CA 18.20 - 21.30 : UC Upper Contact, 40 Deg to CA
21.30	22.10	MD, Mafic Dike Mineralization 21.30 - 22.10 Structure 21.30 - 22.10 : MODFOL Moderately Foliated, 50 Deg to CA 21.30 - 22.10 : UC Upper Contact, 45 Deg to CA
22.10	30.50	PYXT, Pyroxenite weak local talc Mineralization 22.10 - 30.50 Structure 22.10 - 30.50 : STRFOL Strongly Foliated, 50 Deg to CA 22.10 - 30.50 : UC Upper Contact, 45 Deg to CA
30.50	47.00	MV, Mafic Volcanic Mineralization 30.50 - 47.00 Structure 30.50 - 47.00 30.50 - 47.00 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
c447276	18.20	19.50	1.30	0.1058	0.1159	0.0069
c447277	19.50	21.30	1.80	0.1966	0.0739	0.0097
c447278	21.30	22.10	0.80	0.0568	0.0217	0.0057
c447279	22.10	23.50	1.40	0.1945	0.0997	0.0092
c447280	23.50	25.00	1.50	0.0855	0.0348	0.0069
c447281	25.00	26.50	1.50	0.2158	0.2306	0.0148
c447283	26.50	28.00	1.50	0.4304	0.0540	0.0137
c447284	28.00	29.00	1.00	0.2724	0.3410	0.0082
c447285	29.00	30.50	1.50	0.4507	0.7059	0.0114
c447286	30.50	32.00	1.50	0.0338	0.0305	0.0063
c447287	32.00	33.00	1.00	0.0131	0.0119	0.0057

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c447261	1.30	2.00	0.0124	0.0051	0.0047
c447262	2.00	3.50	0.2873	0.1408	0.0098
c447263	3.50	5.00	0.8837	0.2363	0.0252
c447265	5.00	6.50	0.1158	0.0679	0.0078
c447266	6.50	8.00	0.0266	0.0163	0.0056
c447267	8.00	9.50	0.0519	0.0297	0.0058
c447268	9.50	11.00	0.0682	0.0314	0.0071
c447269	11.00	12.50	0.0344	0.0237	0.0049
c447270	12.50	14.00	0.1619	0.0885	0.0276
c447271	14.00	14.60	0.1340	0.0657	0.0072

Hole Number: KB-07-87

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c447272	14.60	16.00	0.0048	0.0061	0.0023
c447274	16.00	17.50	0.0053	0.0042	0.0028
c447275	17.50	18.20	0.0042	0.0032	0.0030
c447276	18.20	19.50	0.1058	0.1159	0.0069
c447277	19.50	21.30	0.1966	0.0739	0.0097
c447278	21.30	22.10	0.0568	0.0217	0.0057
c447279	22.10	23.50	0.1945	0.0997	0.0092
c447280	23.50	25.00	0.0855	0.0348	0.0069
c447281	25.00	26.50	0.2158	0.2306	0.0148
c447283	26.50	28.00	0.4304	0.0540	0.0137
c447284	28.00	29.00	0.2724	0.3410	0.0082
c447285	29.00	30.50	0.4507	0.7059	0.0114
c447286	30.50	32.00	0.0338	0.0305	0.0063
c447287	32.00	33.00	0.0131	0.0119	0.0057

DETAILED LOG

Hole Number: KB-07-86

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -47.30
Project Number:	19900	North:	5481389.00		North:	5481389.00	Collar Az: 312.40
Location:	Surface	East:	453882.70		East:	453882.70	Length: 119.00 (m)
		Elev:	382.90		Elev:	382.90	Start Depth: 0.00 (m)
Date Started:	Jul 13, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 119.00 (m)
Date Completed:	Jul 13, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:		Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	25.50	43.50	18.00	0.7831	0.3138	0.0194
WEIGHTED	25.50	55.00	29.50	0.5579	0.2210	0.0150
WEIGHTED	30.20	40.50	10.30	1.1856	0.4467	0.0276
WEIGHTED	32.75	37.20	4.45	2.3070	0.8087	0.0501
WEIGHTED	51.00	55.00	4.00	0.5642	0.1917	0.0137
WEIGHTED	79.90	86.10	6.20	0.7429	0.5691	0.0178
WEIGHTED	79.90	111.20	31.30	0.2902	0.2595	0.0091

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	312.40	-47.30	EZ	OK	5967	60.00	299.50	-47.30	EZ	DO	5443
119.00	314.90	-47.40	EZ	OK	5785						

Detailed Lithology

From (m)	To (m)	Lithology
0	6.60	CAS, Casing
6.60	16.90	PYXT, Pyroxenite Mineralization 6.60 - 16.90 Structure 6.60 - 16.90 : STRFOL Strongly Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804957	6.60	7.60	1.00	0.2238	0.4135	0.0076
E804958	7.60	8.60	1.00	0.0477	0.0965	0.0043
E804959	8.60	9.60	1.00	0.0387	0.0566	0.0051
E804960	9.60	10.60	1.00	0.0259	0.0196	0.0044
E804961	10.60	11.60	1.00	0.0276	0.0327	0.0044
E804962	11.60	12.60	1.00	0.0309	0.0393	0.0051
E804963	12.60	13.50	0.90	0.0357	0.0519	0.0047
E804964	13.50	14.00	0.50	0.0460	0.0514	0.0040
E804965	14.00	15.00	1.00	0.0458	0.0687	0.0037
E804966	15.00	16.00	1.00	0.0722	0.0925	0.0046
E804967	16.00	16.90	0.90	0.2610	0.2481	0.0108

Hole Number: KB-07-86

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.90	30.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 16.90 - 25.50 25.50 - 30.20 Structure 16.90 - 30.20 16.90 - 30.20 : UC Upper Contact, 20 Deg to CA	E804968	16.90	18.00	1.10	0.0489	0.0206	0.0041
			E804969	18.00	19.00	1.00	0.0699	0.0415	0.0046
			E804970	19.00	20.00	1.00	0.0266	0.0134	0.0044
			E804971	20.00	21.00	1.00	0.0295	0.0204	0.0043
			E804973	21.00	22.00	1.00	0.0191	0.0093	0.0047
			E804974	22.00	23.00	1.00	0.0216	0.0114	0.0053
			E804975	23.00	24.00	1.00	0.0186	0.0105	0.0048
			E804976	24.00	25.00	1.00	0.0198	0.0118	0.0050
			E804977	25.00	25.50	0.50	0.0196	0.0229	0.0048
			E804978	25.50	26.50	1.00	0.4903	0.2458	0.0129
			E804979	26.50	27.50	1.00	0.6735	0.3596	0.0162
			E804981	27.50	28.50	1.00	0.2661	0.1916	0.0083
			E804982	28.50	29.50	1.00	0.0193	0.0184	0.0043
			E804983	29.50	30.20	0.70	0.0199	0.0154	0.0037
30.20	38.20	PYXT, Pyroxenite Mineralization 30.20 - 32.75 32.75 - 33.25 33.25 - 35.80 MV xenoliths 35.80 - 36.25 36.25 - 38.20 MV xenoliths Structure 30.20 - 36.25 30.20 - 38.20 : UC Upper Contact, 40 Deg to CA 36.25 - 38.20 : MODFOL Moderately Foliated, 40 Deg to CA	E804984	30.20	31.00	0.80	0.3119	0.1131	0.0110
			E804985	31.00	32.00	1.00	0.5491	0.1217	0.0120
			E804986	32.00	32.75	0.75	0.6465	0.2964	0.0119
			E804987	32.75	33.25	0.50	6.3130	1.7438	0.1528
			E804988	33.25	34.00	0.75	1.2349	0.8554	0.0213
			E804989	34.00	35.00	1.00	2.3430	0.8970	0.0524
			E804990	35.00	35.80	0.80	0.7752	0.9474	0.0172
			E804991	35.80	36.25	0.45	5.8208	0.3113	0.1097
			E804992	36.25	37.20	0.95	0.6326	0.3057	0.0156
			E804993	37.20	38.20	1.00	0.3145	0.3332	0.0183
38.20	39.60	MDCHL, Mafic Dike Chloritic Mineralization 38.20 - 39.60 Structure 38.20 - 39.60 38.20 - 39.60 : UC Upper Contact, 40 Deg to CA	E804994	38.20	39.60	1.40	0.0249	0.0233	0.0021
39.60	42.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 39.60 - 42.00 Structure 39.60 - 42.00 39.60 - 42.00 : UC Upper Contact, 20 Deg to CA	E804995	39.60	40.50	0.90	0.3470	0.2245	0.0114
			E804996	40.50	42.10	1.60	0.0199	0.0276	0.0049

Hole Number: KB-07-86

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
42.00	49.50	MV, Mafic Volcanic Mineralization 42.00 - 49.50 PY PO CPY Structure 42.00 - 49.50 42.00 - 49.50 : UC Upper Contact, 20 Deg to CA	E804997	42.10	43.50	1.40	0.2786	0.1267	0.0090
			E804998	43.50	45.00	1.50	0.0126	0.0139	0.0048
			E804999	45.00	46.50	1.50	0.0157	0.0144	0.0054
			E805000	46.50	48.00	1.50	0.0122	0.0129	0.0045
			C447115	48.00	49.50	1.50	0.0235	0.0249	0.0090
49.50	51.00	FD, Felsic Dike Mineralization 49.50 - 51.00 Structure 49.50 - 51.00 49.50 - 51.00 : UC Upper Contact, 30 Deg to CA	C447116	49.50	51.00	1.50	0.0062	0.0038	0.0018
51.00	68.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 51.00 - 53.60 53.60 - 68.00 Structure 51.00 - 68.00 51.00 - 68.00 : UC Upper Contact, 40 Deg to CA	C447117	51.00	52.00	1.00	1.3792	0.3575	0.0285
			C447118	52.00	53.00	1.00	0.2038	0.1059	0.0071
			C447119	53.00	53.60	0.60	0.6647	0.2924	0.0160
			C447121	53.60	54.20	0.60	0.2754	0.1437	0.0073
			C447122	54.20	55.00	0.80	0.1373	0.0523	0.0063
			C447123	55.00	56.00	1.00	0.0180	0.0042	0.0017
			C447124	56.00	57.00	1.00	0.0559	0.0345	0.0040
			C447125	57.00	58.00	1.00	0.2845	0.0952	0.0087
			C447126	58.00	59.00	1.00	0.1193	0.0299	0.0088
			C447127	59.00	60.00	1.00	0.0164	0.0061	0.0045
			C447128	60.00	61.00	1.00	0.0247	0.0121	0.0044
			C447129	61.00	62.00	1.00	0.0257	0.0260	0.0058
			C447130	62.00	63.00	1.00	0.0202	0.0305	0.0052
			C447131	63.00	64.00	1.00	0.1032	0.0533	0.0067
			C447132	64.00	65.00	1.00	0.0172	0.0110	0.0045
			C447133	65.00	66.00	1.00	0.1052	0.0909	0.0078
			C447134	66.00	67.00	1.00	0.0894	0.0466	0.0058
			C447135	67.00	68.00	1.00	0.1716	0.0718	0.0081
68.00	72.70	MV, Mafic Volcanic Mineralization 68.00 - 72.70 PY Structure 68.00 - 72.70 68.00 - 72.70 : UC Upper Contact, 20 Deg to CA	C447137	68.00	69.00	1.00	0.1962	0.1319	0.0094
			C447138	69.00	70.00	1.00	0.0179	0.0349	0.0062
			C447139	70.00	71.00	1.00	0.0122	0.0121	0.0047
			C447140	71.00	72.00	1.00	0.0122	0.0126	0.0049
			C447141	72.00	72.70	0.70	0.0134	0.0104	0.0045

Hole Number: KB-07-86

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
72.70	76.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 72.70 - 76.90 Structure 72.70 - 76.90 72.70 - 76.90 : UC Upper Contact, 35 Deg to CA	C447142	72.70	73.70	1.00	0.0836	0.0796	0.0065
			C447143	73.70	74.70	1.00	0.0209	0.0208	0.0050
			C447144	74.70	75.70	1.00	0.0133	0.0142	0.0049
			C447145	75.70	76.90	1.20	0.0151	0.0181	0.0059
76.90	79.90	MDCHL, Mafic Dike Chloritic Mineralization 76.90 - 79.90 Structure 76.90 - 79.90 76.90 - 79.90 : UC Upper Contact, 30 Deg to CA	C447146	76.90	77.90	1.00	0.0047	0.0042	0.0027
			C447147	77.90	78.90	1.00	0.0045	0.0040	0.0027
			C447148	78.90	79.90	1.00	0.0125	0.0082	0.0029
79.90	86.10	PYXT, Pyroxenite Mineralization 79.90 - 86.10 Structure 79.90 - 86.10 79.90 - 86.10 : UC Upper Contact, 40 Deg to CA	C447150	79.90	81.00	1.10	0.8602	0.9226	0.0250
			C444925	81.00	82.00	1.00	0.5559	0.4715	0.0113
			C444926	82.00	83.00	1.00	0.6234	0.6924	0.0141
			C444927	83.00	84.00	1.00	0.9739	0.5201	0.0220
			C444928	84.00	85.00	1.00	1.1813	0.3680	0.0241
			C444930	85.00	86.10	1.10	0.2956	0.4197	0.0105
86.10	94.90	FD, Felsic Dike Mineralization 86.10 - 94.90 Tr PY Structure 86.10 - 94.90 86.10 - 94.90 : UC Upper Contact, 30 Deg to CA	C444931	86.10	87.50	1.40	0.0229	0.0091	0.0043
			C444932	87.50	89.00	1.50	0.0126	0.0043	0.0039
			C444933	89.00	90.50	1.50	0.0098	0.0040	0.0036
			C444934	90.50	92.00	1.50	0.0084	0.0039	0.0036
			C444935	92.00	93.50	1.50	0.0084	0.0041	0.0036
			C444936	93.50	94.90	1.40	0.0078	0.0049	0.0034
94.90	100.90	PYXT, Pyroxenite 25% MV xenoliths Mineralization 94.90 - 100.90 Structure 94.90 - 100.90 94.90 - 100.90 : UC Upper Contact, 25 Deg to CA	C444937	94.90	96.00	1.10	0.1228	0.0559	0.0066
			C444938	96.00	97.00	1.00	0.3958	0.3035	0.0109
			C444939	97.00	98.00	1.00	0.7783	0.7172	0.0216
			C444940	98.00	99.00	1.00	0.1766	0.2525	0.0065
			C444941	99.00	100.00	1.00	0.3523	0.0790	0.0081
			C444942	100.00	100.90	0.90	0.1136	0.2174	0.0040
100.90	104.70	MV, Mafic Volcanic Mineralization 100.90 - 104.70 Structure 100.90 - 104.70 100.90 - 104.70 : UC Upper Contact, 35 Deg to CA	C444943	100.90	102.50	1.60	0.0324	0.0288	0.0060
			C444944	102.50	104.00	1.50	0.0086	0.0146	0.0055
			C444945	104.00	104.70	0.70	0.0183	0.0318	0.0065

DETAILED LOG

Hole Number: KB-07-86

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
104.70	106.80	PYXT, Pyroxenite 30% MVV xenoliths Mineralization 104.70 - 106.80 PY in MV Structure 104.70 - 106.80 : MODFOL Moderately Foliated, 50 Deg to CA 104.70 - 106.80 : UC Upper Contact, 45 Deg to CA
106.80	111.20	TSCH, Talc Schist Mineralization 106.80 - 111.20 Structure 106.80 - 111.20 : STRFOL Strongly Foliated, 50 Deg to CA 106.80 - 111.20 Gradational
111.20	119.00	MV, Mafic Volcanic Mineralization 111.20 - 119.00 Structure 111.20 - 119.00 : MODFOL Moderately Foliated, 45 Deg to CA 111.20 - 119.00 : UC Upper Contact, 40 Deg to CA 113.30 - 114.80 Tectonic breccia - 0.5 m lost core

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
C444946	104.70	105.80	1.10	0.1141	0.0460	0.0059
C444947	105.80	106.80	1.00	0.3948	0.4408	0.0110
C444948	106.80	107.50	0.70	0.7985	0.8850	0.0154
C444950	107.50	108.50	1.00	0.6519	0.9623	0.0125
C444951	108.50	109.50	1.00	0.2670	0.3859	0.0084
C444952	109.50	110.50	1.00	0.2344	0.2675	0.0065
C444953	110.50	111.20	0.70	0.1776	0.1772	0.0064
C444955	111.20	112.50	1.30	0.0106	0.0078	0.0028
C444956	112.50	114.00	1.50	0.0180	0.0056	0.0055

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804957	6.60	7.60	0.2238	0.4135	0.0076
E804958	7.60	8.60	0.0477	0.0965	0.0043
E804959	8.60	9.60	0.0387	0.0566	0.0051
E804960	9.60	10.60	0.0259	0.0196	0.0044
E804961	10.60	11.60	0.0276	0.0327	0.0044
E804962	11.60	12.60	0.0309	0.0393	0.0051
E804963	12.60	13.50	0.0357	0.0519	0.0047
E804964	13.50	14.00	0.0460	0.0514	0.0040
E804965	14.00	15.00	0.0458	0.0687	0.0037
E804966	15.00	16.00	0.0722	0.0925	0.0046
E804967	16.00	16.90	0.2610	0.2481	0.0108
E804968	16.90	18.00	0.0489	0.0206	0.0041
E804969	18.00	19.00	0.0699	0.0415	0.0046

Hole Number: KB-07-86 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804970	19.00	20.00	0.0266	0.0134	0.0044
E804971	20.00	21.00	0.0295	0.0204	0.0043
E804973	21.00	22.00	0.0191	0.0093	0.0047
E804974	22.00	23.00	0.0216	0.0114	0.0053
E804975	23.00	24.00	0.0186	0.0105	0.0048
E804976	24.00	25.00	0.0198	0.0118	0.0050
E804977	25.00	25.50	0.0196	0.0229	0.0048
E804978	25.50	26.50	0.4903	0.2458	0.0129
E804979	26.50	27.50	0.6735	0.3596	0.0162
E804981	27.50	28.50	0.2661	0.1916	0.0083
E804982	28.50	29.50	0.0193	0.0184	0.0043
E804983	29.50	30.20	0.0199	0.0154	0.0037
E804984	30.20	31.00	0.3119	0.1131	0.0110
E804985	31.00	32.00	0.5491	0.1217	0.0120
E804986	32.00	32.75	0.6465	0.2964	0.0119
E804987	32.75	33.25	6.3130	1.7438	0.1528
E804988	33.25	34.00	1.2349	0.8554	0.0213
E804989	34.00	35.00	2.3430	0.8970	0.0524
E804990	35.00	35.80	0.7752	0.9474	0.0172
E804991	35.80	36.25	5.8208	0.3113	0.1097
E804992	36.25	37.20	0.6326	0.3057	0.0156
E804993	37.20	38.20	0.3145	0.3332	0.0183
E804994	38.20	39.60	0.0249	0.0233	0.0021
E804995	39.60	40.50	0.3470	0.2245	0.0114
E804996	40.50	42.10	0.0199	0.0276	0.0049
E804997	42.10	43.50	0.2786	0.1267	0.0090
E804998	43.50	45.00	0.0126	0.0139	0.0048
E804999	45.00	46.50	0.0157	0.0144	0.0054
E805000	46.50	48.00	0.0122	0.0129	0.0045
C447115	48.00	49.50	0.0235	0.0249	0.0090
C447116	49.50	51.00	0.0062	0.0038	0.0018
C447117	51.00	52.00	1.3792	0.3575	0.0285
C447118	52.00	53.00	0.2038	0.1059	0.0071
C447119	53.00	53.60	0.6647	0.2924	0.0160
C447121	53.60	54.20	0.2754	0.1437	0.0073
C447122	54.20	55.00	0.1373	0.0523	0.0063
C447123	55.00	56.00	0.0180	0.0042	0.0017

Hole Number: KB-07-86 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C447124	56.00	57.00	0.0559	0.0345	0.0040
C447125	57.00	58.00	0.2845	0.0952	0.0087
C447126	58.00	59.00	0.1193	0.0299	0.0088
C447127	59.00	60.00	0.0164	0.0061	0.0045
C447128	60.00	61.00	0.0247	0.0121	0.0044
C447129	61.00	62.00	0.0257	0.0260	0.0058
C447130	62.00	63.00	0.0202	0.0305	0.0052
C447131	63.00	64.00	0.1032	0.0533	0.0067
C447132	64.00	65.00	0.0172	0.0110	0.0045
C447133	65.00	66.00	0.1052	0.0909	0.0078
C447134	66.00	67.00	0.0894	0.0466	0.0058
C447135	67.00	68.00	0.1716	0.0718	0.0081
C447137	68.00	69.00	0.1962	0.1319	0.0094
C447138	69.00	70.00	0.0179	0.0349	0.0062
C447139	70.00	71.00	0.0122	0.0121	0.0047
C447140	71.00	72.00	0.0122	0.0126	0.0049
C447141	72.00	72.70	0.0134	0.0104	0.0045
C447142	72.70	73.70	0.0836	0.0796	0.0065
C447143	73.70	74.70	0.0209	0.0208	0.0050
C447144	74.70	75.70	0.0133	0.0142	0.0049
C447145	75.70	76.90	0.0151	0.0181	0.0059
C447146	76.90	77.90	0.0047	0.0042	0.0027
C447147	77.90	78.90	0.0045	0.0040	0.0027
C447148	78.90	79.90	0.0125	0.0082	0.0029
C447150	79.90	81.00	0.8602	0.9226	0.0250
C444925	81.00	82.00	0.5559	0.4715	0.0113
C444926	82.00	83.00	0.6234	0.6924	0.0141
C444927	83.00	84.00	0.9739	0.5201	0.0220
C444928	84.00	85.00	1.1813	0.3680	0.0241
C444930	85.00	86.10	0.2956	0.4197	0.0105
C444931	86.10	87.50	0.0229	0.0091	0.0043
C444932	87.50	89.00	0.0126	0.0043	0.0039
C444933	89.00	90.50	0.0098	0.0040	0.0036
C444934	90.50	92.00	0.0084	0.0039	0.0036
C444935	92.00	93.50	0.0084	0.0041	0.0036
C444936	93.50	94.90	0.0078	0.0049	0.0034
C444937	94.90	96.00	0.1228	0.0559	0.0066

Hole Number: KB-07-86

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C444938	96.00	97.00	0.3958	0.3035	0.0109
C444939	97.00	98.00	0.7783	0.7172	0.0216
C444940	98.00	99.00	0.1766	0.2525	0.0065
C444941	99.00	100.00	0.3523	0.0790	0.0081
C444942	100.00	100.90	0.1136	0.2174	0.0040
C444943	100.90	102.50	0.0324	0.0288	0.0060
C444944	102.50	104.00	0.0086	0.0146	0.0055
C444945	104.00	104.70	0.0183	0.0318	0.0065
C444946	104.70	105.80	0.1141	0.0460	0.0059
C444947	105.80	106.80	0.3948	0.4408	0.0110
C444948	106.80	107.50	0.7985	0.8850	0.0154
C444950	107.50	108.50	0.6519	0.9623	0.0125
C444951	108.50	109.50	0.2670	0.3859	0.0084
C444952	109.50	110.50	0.2344	0.2675	0.0065
C444953	110.50	111.20	0.1776	0.1772	0.0064
C444955	111.20	112.50	0.0106	0.0078	0.0028
C444956	112.50	114.00	0.0180	0.0056	0.0055

DETAILED LOG

Hole Number: KB-07-85

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.80
Project Number:	19900	North:	5481403.00	North:	5481403.00	Collar Az:	308.70
Location:	Surface	East:	453864.10	East:	453864.10	Length:	101.00 (m)
		Elev:	387.16	Elev:	387.16	Start Depth:	0.00 (m)
Date Started:	Jul 12, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	101.00 (m)
Date Completed:	Jul 12, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	23.00	34.20	11.20	0.3507	0.1443	0.0125
WEIGHTED	23.00	47.40	24.40	0.2335	0.1057	0.0098
WEIGHTED	44.40	47.40	3.00	0.4322	0.1958	0.0177
WEIGHTED	76.70	81.90	5.20	0.4890	0.6393	0.0149

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	308.70	-45.80	EZ	OK	5815	50.00	313.10	-45.40	EZ	OK	5954
100.00	313.60	-45.10	EZ	OK	5799						

Detailed Lithology

From (m)	To (m)	Lithology
0	1.70	CAS, Casing
1.70	4.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.70 - 4.90 Structure 1.70 - 4.90
4.90	6.90	MDCHL, Mafic Dike Chloritic Mineralization 4.90 - 6.90 Structure 4.90 - 6.90 4.90 - 6.90 : UC Upper Contact, 25 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804872	1.70	2.70	1.00	0.0230	0.0134	0.0057
E804873	2.70	3.80	1.10	0.0399	0.0142	0.0053
E804874	3.80	4.90	1.10	0.0347	0.0193	0.0072
E804875	4.90	5.90	1.00	0.0064	0.0078	0.0020
E804876	5.90	6.90	1.00	0.0086	0.0061	0.0023

Hole Number: KB-07-85

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
6.90	11.80	MV, Mafic Volcanic Mineralization 6.90 - 11.80 PY Structure 6.90 - 11.80 : MODFOL Moderately Foliated, 35 Deg to CA 6.90 - 11.80 Unknown	E804877	6.90	7.90	1.00	0.0981	0.0440	0.0104
			E804878	7.90	8.90	1.00	0.0204	0.0210	0.0077
			E804879	8.90	9.90	1.00	0.1775	0.0885	0.0120
			E804880	9.90	10.90	1.00	0.0276	0.0387	0.0087
			E804881	10.90	11.80	0.90	0.0143	0.0135	0.0062
11.80	12.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 11.80 - 12.70 Structure 11.80 - 12.70 : MODFOL Moderately Foliated, 35 Deg to CA 11.80 - 12.70 : UC Upper Contact, 40 Deg to CA	E804882	11.80	12.70	0.90	0.1693	0.0938	0.0106
12.70	16.00	FD, Felsic Dike Mineralization 12.70 - 16.00 Structure 12.70 - 16.00 12.70 - 16.00 : UC Upper Contact, 55 Deg to CA	E804883	12.70	14.00	1.30	0.0046	0.0042	0.0029
			E804884	14.00	15.00	1.00	0.0053	0.0061	0.0030
			E804885	15.00	16.00	1.00	0.0056	0.0054	0.0029
16.00	21.50	PYXT, Pyroxenite Mineralization 16.00 - 21.50 Structure 16.00 - 21.50 16.00 - 21.50 : UC Upper Contact, 30 Deg to CA	E804886	16.00	17.00	1.00	0.1155	0.0425	0.0082
			E804887	17.00	18.00	1.00	0.1042	0.0354	0.0068
			E804888	18.00	19.00	1.00	0.1648	0.0762	0.0089
			E804889	19.00	20.00	1.00	0.1889	0.0779	0.0090
			E804890	20.00	21.00	1.00	0.3541	0.2071	0.0143
			E804891	21.00	21.50	0.50	0.1549	0.0813	0.0092
21.50	35.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 21.50 - 23.00 23.00 - 25.00 25.00 - 28.50 28.50 - 30.70 30.70 - 35.40 Structure 21.50 - 35.40 21.50 - 35.40 : UC Upper Contact, 55 Deg to CA	E804892	21.50	22.00	0.50	0.0168	0.0130	0.0052
			E804893	22.00	23.00	1.00	0.0461	0.0195	0.0053
			E804894	23.00	24.00	1.00	0.3539	0.1218	0.0160
			E804895	24.00	25.00	1.00	0.9838	0.3440	0.0271
			E804896	25.00	26.00	1.00	0.1587	0.1565	0.0099
			E804897	26.00	27.00	1.00	0.1662	0.0710	0.0080
			E804898	27.00	28.00	1.00	0.0380	0.0201	0.0049
			E804899	28.00	28.50	0.50	0.2106	0.0812	0.0084
			E804901	28.50	29.60	1.10	0.9196	0.2696	0.0232
			E804902	29.60	30.70	1.10	0.4318	0.1871	0.0144
			E804904	30.70	31.80	1.10	0.1213	0.1302	0.0066
			E804905	31.80	33.00	1.20	0.1268	0.0759	0.0070
			E804906	33.00	34.20	1.20	0.2917	0.1048	0.0109
			E804907	34.20	35.40	1.20	0.1109	0.0357	0.0074

Hole Number: KB-07-85

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
35.40	37.70	FD, Felsic Dike Mineralization 35.40 - 37.70 Structure 35.40 - 37.70 35.40 - 37.70 : UC Upper Contact, 45 Deg to CA	E804908	35.40	36.60	1.20	0.0103	0.0063	0.0033
			E804909	36.60	37.70	1.10	0.0089	0.0074	0.0034
37.70	38.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 37.70 - 38.70 Structure 37.70 - 38.70 37.70 - 38.70 : UC Upper Contact, 25 Deg to CA	E804910	37.70	38.70	1.00	0.2819	0.2864	0.0108
38.70	44.40	MDCHL, Mafic Dike Chloritic Mineralization 38.70 - 44.40 Structure 38.70 - 44.40 38.70 - 44.40 : UC Upper Contact, 30 Deg to CA	E804911	38.70	40.20	1.50	0.0047	0.0040	0.0023
			E804912	40.20	41.70	1.50	0.0073	0.0086	0.0030
			E804913	41.70	43.20	1.50	0.0064	0.0035	0.0036
			E804914	43.20	44.40	1.20	0.0067	0.0048	0.0039
44.40	55.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 44.40 - 55.20 Structure 44.40 - 55.20 44.40 - 55.20 : UC Upper Contact, 35 Deg to CA	E804915	44.40	45.40	1.00	0.2794	0.1623	0.0112
			E804916	45.40	46.40	1.00	0.6709	0.2769	0.0267
			E804917	46.40	47.40	1.00	0.3463	0.1483	0.0152
			E804918	47.40	48.40	1.00	0.0937	0.1816	0.0071
			E804919	48.40	49.40	1.00	0.1140	0.0602	0.0108
			E804920	49.40	50.40	1.00	0.1463	0.1109	0.0090
			E804921	50.40	51.40	1.00	0.1030	0.0758	0.0061
			E804922	51.40	52.40	1.00	0.0858	0.0278	0.0052
			E804923	52.40	53.40	1.00	0.0672	0.0234	0.0072
			E804924	53.40	54.40	1.00	0.3276	0.0898	0.0106
			E804926	54.40	55.20	0.80	0.0206	0.0064	0.0039
55.20	56.50	FD, Felsic Dike Mineralization 55.20 - 56.50 Structure 55.20 - 56.50 55.20 - 56.50 : UC Upper Contact, 40 Deg to CA	E804927	55.20	56.50	1.30	0.0039	0.0057	0.0033

DETAILED LOG

Hole Number: KB-07-85

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
56.50	70.50	GABPYXT, Gabbro Pyroxenite Dikes 10% MV xenoliths Mineralization 56.50 - 70.50 Structure 56.50 - 70.50 56.50 - 70.50 : UC Upper Contact, 25 Deg to CA	E804928	56.50	57.50	1.00	0.0463	0.0264	0.0047
			E804929	57.50	58.50	1.00	0.0159	0.0244	0.0031
			E804930	58.50	59.50	1.00	0.0465	0.0207	0.0040
			E804931	59.50	60.50	1.00	0.2088	0.1300	0.0155
			E804932	60.50	61.50	1.00	0.1496	0.0846	0.0083
			E804934	61.50	62.50	1.00	0.0148	0.0187	0.0044
			E804935	62.50	63.50	1.00	0.1816	0.1009	0.0078
			E804936	63.50	64.50	1.00	0.1740	0.1015	0.0081
			E804937	64.50	65.50	1.00	0.0871	0.0560	0.0062
			E804938	65.50	66.50	1.00	0.0950	0.0777	0.0103
			E804939	66.50	67.50	1.00	0.0333	0.0226	0.0044
			E804940	67.50	68.50	1.00	0.0542	0.0716	0.0058
			E804941	68.50	69.50	1.00	0.0539	0.0771	0.0053
			E804942	69.50	70.50	1.00	0.7212	0.2044	0.0132
70.50	74.50	MV, Mafic Volcanic Mineralization 70.50 - 74.50 PY Structure 70.50 - 74.50 70.50 - 74.50 : UC Upper Contact, 35 Deg to CA	E804944	70.50	72.00	1.50	0.0154	0.0197	0.0049
			E804945	72.00	73.50	1.50	0.0135	0.0138	0.0052
			E804946	73.50	74.50	1.00	0.0189	0.0121	0.0058
74.50	76.70	GABPYXT, Gabbro Pyroxenite Dikes 60% MV xenoliths Mineralization 74.50 - 76.70 Structure 74.50 - 76.70 74.50 - 76.70 : UC Upper Contact, 60 Deg to CA	E804947	74.50	75.60	1.10	0.3264	0.1563	0.0110
			E804948	75.60	76.70	1.10	0.0237	0.0163	0.0049
76.70	81.00	PYXT, Pyroxenite Mineralization 76.70 - 81.00 Structure 76.70 - 81.00 : STRFOL Strongly Foliated, 30 Deg to CA 76.70 - 81.00 : UC Upper Contact, 25 Deg to CA	E804949	76.70	77.80	1.10	0.2774	0.3188	0.0118
			E804950	77.80	78.90	1.10	0.7719	0.9789	0.0181
			E804951	78.90	80.00	1.10	0.6474	0.8793	0.0201
			E804952	80.00	81.00	1.00	0.4294	0.6718	0.0111
81.00	82.80	MV, Mafic Volcanic Mineralization 81.00 - 81.90 81.90 - 82.80 Structure 81.00 - 82.80 : MODFOL Moderately Foliated, 50 Deg to CA 81.00 - 82.80 Unknown	E804953	81.00	81.90	0.90	0.2743	0.2864	0.0127
			E804954	81.90	82.80	0.90	0.0108	0.0106	0.0036

Hole Number: KB-07-85 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
82.80	83.30	FD, Felsic Dike Mineralization 82.80 - 83.30 Structure 82.80 - 83.30 82.80 - 83.30 Unknown
83.30	85.10	MV, Mafic Volcanic Mineralization 83.30 - 85.10 Structure 83.30 - 85.10 83.30 - 85.10 : UC Upper Contact, 50 Deg to CA
85.10	86.10	MDCHL, Mafic Dike Chloritic Mineralization 85.10 - 86.10 Structure 85.10 - 86.10 85.10 - 86.10 Unknown
86.10	101.00	MV, Mafic Volcanic Mineralization 86.10 - 101.00 Structure 86.10 - 101.00 : MODFOL Moderately Foliated, 55 Deg to CA 86.10 - 101.00 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804955	82.80	83.30	0.50	0.0061	0.0050	0.0027
E804956	83.30	84.00	0.70	0.0012	0.0047	0.0025

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804872	1.70	2.70	0.0230	0.0134	0.0057
E804873	2.70	3.80	0.0399	0.0142	0.0053
E804874	3.80	4.90	0.0347	0.0193	0.0072
E804875	4.90	5.90	0.0064	0.0078	0.0020
E804876	5.90	6.90	0.0086	0.0061	0.0023
E804877	6.90	7.90	0.0981	0.0440	0.0104
E804878	7.90	8.90	0.0204	0.0210	0.0077
E804879	8.90	9.90	0.1775	0.0885	0.0120
E804880	9.90	10.90	0.0276	0.0387	0.0087
E804881	10.90	11.80	0.0143	0.0135	0.0062

Hole Number: KB-07-85

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804882	11.80	12.70	0.1693	0.0938	0.0106
E804883	12.70	14.00	0.0046	0.0042	0.0029
E804884	14.00	15.00	0.0053	0.0061	0.0030
E804885	15.00	16.00	0.0056	0.0054	0.0029
E804886	16.00	17.00	0.1155	0.0425	0.0082
E804887	17.00	18.00	0.1042	0.0354	0.0068
E804888	18.00	19.00	0.1648	0.0762	0.0089
E804889	19.00	20.00	0.1889	0.0779	0.0090
E804890	20.00	21.00	0.3541	0.2071	0.0143
E804891	21.00	21.50	0.1549	0.0813	0.0092
E804892	21.50	22.00	0.0168	0.0130	0.0052
E804893	22.00	23.00	0.0461	0.0195	0.0053
E804894	23.00	24.00	0.3539	0.1218	0.0160
E804895	24.00	25.00	0.9838	0.3440	0.0271
E804896	25.00	26.00	0.1587	0.1565	0.0099
E804897	26.00	27.00	0.1662	0.0710	0.0080
E804898	27.00	28.00	0.0380	0.0201	0.0049
E804899	28.00	28.50	0.2106	0.0812	0.0084
E804901	28.50	29.60	0.9196	0.2696	0.0232
E804902	29.60	30.70	0.4318	0.1871	0.0144
E804904	30.70	31.80	0.1213	0.1302	0.0066
E804905	31.80	33.00	0.1268	0.0759	0.0070
E804906	33.00	34.20	0.2917	0.1048	0.0109
E804907	34.20	35.40	0.1109	0.0357	0.0074
E804908	35.40	36.60	0.0103	0.0063	0.0033
E804909	36.60	37.70	0.0089	0.0074	0.0034
E804910	37.70	38.70	0.2819	0.2864	0.0108
E804911	38.70	40.20	0.0047	0.0040	0.0023
E804912	40.20	41.70	0.0073	0.0086	0.0030
E804913	41.70	43.20	0.0064	0.0035	0.0036
E804914	43.20	44.40	0.0067	0.0048	0.0039
E804915	44.40	45.40	0.2794	0.1623	0.0112
E804916	45.40	46.40	0.6709	0.2769	0.0267
E804917	46.40	47.40	0.3463	0.1483	0.0152
E804918	47.40	48.40	0.0937	0.1816	0.0071
E804919	48.40	49.40	0.1140	0.0602	0.0108
E804920	49.40	50.40	0.1463	0.1109	0.0090

Hole Number: KB-07-85

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804921	50.40	51.40	0.1030	0.0758	0.0061
E804922	51.40	52.40	0.0858	0.0278	0.0052
E804923	52.40	53.40	0.0672	0.0234	0.0072
E804924	53.40	54.40	0.3276	0.0898	0.0106
E804926	54.40	55.20	0.0206	0.0064	0.0039
E804927	55.20	56.50	0.0039	0.0057	0.0033
E804928	56.50	57.50	0.0463	0.0264	0.0047
E804929	57.50	58.50	0.0159	0.0244	0.0031
E804930	58.50	59.50	0.0465	0.0207	0.0040
E804931	59.50	60.50	0.2088	0.1300	0.0155
E804932	60.50	61.50	0.1496	0.0846	0.0083
E804934	61.50	62.50	0.0148	0.0187	0.0044
E804935	62.50	63.50	0.1816	0.1009	0.0078
E804936	63.50	64.50	0.1740	0.1015	0.0081
E804937	64.50	65.50	0.0871	0.0560	0.0062
E804938	65.50	66.50	0.0950	0.0777	0.0103
E804939	66.50	67.50	0.0333	0.0226	0.0044
E804940	67.50	68.50	0.0542	0.0716	0.0058
E804941	68.50	69.50	0.0539	0.0771	0.0053
E804942	69.50	70.50	0.7212	0.2044	0.0132
E804944	70.50	72.00	0.0154	0.0197	0.0049
E804945	72.00	73.50	0.0135	0.0138	0.0052
E804946	73.50	74.50	0.0189	0.0121	0.0058
E804947	74.50	75.60	0.3264	0.1563	0.0110
E804948	75.60	76.70	0.0237	0.0163	0.0049
E804949	76.70	77.80	0.2774	0.3188	0.0118
E804950	77.80	78.90	0.7719	0.9789	0.0181
E804951	78.90	80.00	0.6474	0.8793	0.0201
E804952	80.00	81.00	0.4294	0.6718	0.0111
E804953	81.00	81.90	0.2743	0.2864	0.0127
E804954	81.90	82.80	0.0108	0.0106	0.0036
E804955	82.80	83.30	0.0061	0.0050	0.0027
E804956	83.30	84.00	0.0012	0.0047	0.0025

DETAILED LOG

Hole Number: KB-07-84

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-49.30
Project Number:	19900	North:	5481416.00	North:	5481416.00	Collar Az:	308.90
Location:	Surface	East:	453848.20	East:	453848.20	Length:	80.30 (m)
		Elev:	386.51	Elev:	386.51	Start Depth:	0.00 (m)
Date Started:	Jul 11, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	80.30 (m)
Date Completed:	Jul 12, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	46.10	54.40	8.30	0.3431	0.4107	0.0120

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	308.90	-49.30	EZ	OK	5970	74.00	309.50	-48.30	EZ	OK	5780

Detailed Lithology

From (m)	To (m)	Lithology
0	1.60	CAS, Casing
1.60	6.70	GABPYXT, Gabbro Pyroxenite Dikes 40% MV xenoliths Mineralization 1.60 - 6.70 Structure 1.60 - 6.70
6.70	10.60	MDCHL, Mafic Dike Chloritic Mineralization 6.70 - 10.60 Structure 6.70 - 10.60 6.70 - 10.60 : UC Upper Contact, 50 Deg to CA
10.60	14.50	MV, Mafic Volcanic Mineralization 10.60 - 14.50 PY Structure 10.60 - 14.50 10.60 - 14.50 : UC Upper Contact, 35 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804817	1.60	3.00	1.40	0.0378	0.0187	0.0058
E804818	3.00	4.00	1.00	0.0182	0.0269	0.0071
E804819	4.00	5.00	1.00	0.0185	0.0181	0.0063
E804820	5.00	6.00	1.00	0.0161	0.0131	0.0067
E804821	6.00	6.70	0.70	0.0185	0.0159	0.0058
E804822	6.70	7.70	1.00	0.0063	0.0050	0.0031
E804823	7.70	8.70	1.00	0.0048	0.0039	0.0028
E804824	8.70	9.70	1.00	0.0056	0.0039	0.0028
E804825	9.70	10.60	0.90	0.0055	0.0070	0.0028
E804826	10.60	12.00	1.40	0.0482	0.0558	0.0066
E804827	12.00	13.50	1.50	0.0128	0.0151	0.0056
E804828	13.50	14.50	1.00	0.0379	0.0384	0.0050

Hole Number: KB-07-84

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
14.50	16.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 14.50 - 16.00 Structure 14.50 - 16.00 14.50 - 16.00 : UC Upper Contact, 60 Deg to CA	E804829	14.50	15.20	0.70	0.0120	0.0185	0.0061
			E804830	15.20	16.00	0.80	0.8096	0.3321	0.0250
16.00	22.60	MV, Mafic Volcanic Mineralization 16.00 - 22.60 PY Structure 16.00 - 22.60 16.00 - 22.60 : UC Upper Contact, 45 Deg to CA	E804832	16.00	17.50	1.50	0.0210	0.0170	0.0068
			E804833	17.50	19.00	1.50	0.0193	0.0198	0.0063
			E804834	19.00	20.50	1.50	0.0229	0.0206	0.0074
			E804835	20.50	21.50	1.00	0.0234	0.0074	0.0067
			E804836	21.50	22.60	1.10	0.0365	0.0146	0.0074
22.60	24.40	FD, Felsic Dike Mineralization 22.60 - 24.40 Structure 22.60 - 24.40 22.60 - 24.40 : UC Upper Contact, 40 Deg to CA	E804837	22.60	23.70	1.10	0.0049	0.0047	0.0029
			E804838	23.70	24.90	1.20	0.0529	0.0311	0.0053
24.40	24.90	MV, Mafic Volcanic Mineralization 24.40 - 24.90 PY Structure 24.40 - 24.90 : MODFOL Moderately Foliated, 45 Deg to CA 24.40 - 24.90 : UC Upper Contact, 40 Deg to CA							
24.90	37.50	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 24.90 - 37.50 Structure 24.90 - 37.50 24.90 - 37.50 : UC Upper Contact, 60 Deg to CA	E804839	24.90	26.00	1.10	0.2681	0.1075	0.0104
			E804841	26.00	27.00	1.00	0.0255	0.0205	0.0058
			E804842	27.00	28.00	1.00	0.0377	0.0261	0.0061
			E804843	28.00	29.00	1.00	0.1017	0.0500	0.0074
			E804844	29.00	30.00	1.00	0.1608	0.0742	0.0092
			E804845	30.00	31.00	1.00	0.1397	0.1476	0.0074
			E804846	31.00	32.00	1.00	0.4102	0.3366	0.0127
			E804847	32.00	33.00	1.00	0.0155	0.0029	0.0038
			E804848	33.00	34.00	1.00	0.0168	0.0079	0.0046
			E804849	34.00	35.00	1.00	0.0567	0.0682	0.0062
			E804850	35.00	36.00	1.00	0.0470	0.0496	0.0062
			E804851	36.00	37.00	1.00	0.0572	0.0330	0.0056
			E804852	37.00	37.50	0.50	0.0989	0.0707	0.0068

Hole Number: KB-07-84

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
37.50	40.50	MV, Mafic Volcanic Tr PYXT dykes Mineralization 37.50 - 40.50 Structure 37.50 - 40.50 37.50 - 40.50 : UC Upper Contact, 50 Deg to CA	E804853	37.50	39.00	1.50	0.0162	0.0259	0.0045
			E804854	39.00	40.60	1.60	0.0150	0.0178	0.0046
40.50	50.10	GABPYXT, Gabbro Pyroxenite Dikes 40% MV xenoliths Mineralization 40.50 - 50.10 PY in MV Structure 40.50 - 50.10 40.50 - 50.10 : UC Upper Contact, 20 Deg to CA	E804855	40.60	41.10	0.50	0.0723	0.0616	0.0065
			E804856	41.10	42.10	1.00	0.0674	0.0464	0.0059
			E804857	42.10	43.10	1.00	0.0175	0.0304	0.0058
			E804858	43.10	44.10	1.00	0.1100	0.0687	0.0079
			E804859	44.10	45.10	1.00	0.0219	0.0166	0.0051
			E804860	45.10	46.10	1.00	0.1630	0.1367	0.0084
			E804861	46.10	47.10	1.00	0.2600	0.1798	0.0141
			E804862	47.10	48.10	1.00	0.3004	0.1847	0.0151
			E804863	48.10	49.10	1.00	0.0484	0.0197	0.0077
			E804864	49.10	50.10	1.00	0.1913	0.1031	0.0105
50.10	54.10	TSCH, Talc Schist 10%MV xenoliths Mineralization 50.10 - 54.10 Structure 50.10 - 54.10 : STRFOL Strongly Foliated, 20 Deg to CA 50.10 - 54.10 : UC Upper Contact, 45 Deg to CA	E804865	50.10	51.10	1.00	0.5719	0.9742	0.0126
			E804866	51.10	52.20	1.10	0.6754	0.8208	0.0149
			E804867	52.20	53.30	1.10	0.3090	0.3598	0.0120
			E804868	53.30	54.40	1.10	0.3572	0.5897	0.0091
54.10	55.10	MV, Mafic Volcanic Mineralization 54.10 - 55.10 Structure 54.10 - 55.10 : STRFOL Strongly Foliated, 30 Deg to CA 54.10 - 55.10 : UC Upper Contact, 30 Deg to CA	E804869	54.40	55.10	0.70	0.0472	0.0556	0.0062
55.10	57.30	MDCHL, Mafic Dike Chloritic Mineralization 55.10 - 57.30 Structure 55.10 - 57.30 55.10 - 57.30 : UC Upper Contact, 40 Deg to CA	E804870	55.10	56.10	1.00	0.0039	0.0047	0.0018
			E804871	56.10	57.30	1.20	0.0046	0.0052	0.0023
57.30	66.80	MV, Mafic Volcanic Mineralization 57.30 - 66.80 Structure 57.30 - 66.80 : MODFOL Moderately Foliated, 30 Deg to CA 57.30 - 66.80 : UC Upper Contact, 30 Deg to CA							

Hole Number: KB-07-84

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
66.80	67.70	MDCHL, Mafic Dike Chloritic Mineralization 66.80 - 67.70 Structure 66.80 - 67.70 : STRFOL Strongly Foliated, 30 Deg to CA 66.80 - 67.70 : UC Upper Contact, 35 Deg to CA
67.70	74.00	MV, Mafic Volcanic Mineralization 67.70 - 74.00 Structure 67.70 - 74.00 : MODFOL Moderately Foliated, 35 Deg to CA 67.70 - 74.00 : UC Upper Contact, 20 Deg to CA
74.00	80.30	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804817	1.60	3.00	0.0378	0.0187	0.0058
E804818	3.00	4.00	0.0182	0.0269	0.0071
E804819	4.00	5.00	0.0185	0.0181	0.0063
E804820	5.00	6.00	0.0161	0.0131	0.0067
E804821	6.00	6.70	0.0185	0.0159	0.0058
E804822	6.70	7.70	0.0063	0.0050	0.0031
E804823	7.70	8.70	0.0048	0.0039	0.0028
E804824	8.70	9.70	0.0056	0.0039	0.0028
E804825	9.70	10.60	0.0055	0.0070	0.0028
E804826	10.60	12.00	0.0482	0.0558	0.0066
E804827	12.00	13.50	0.0128	0.0151	0.0056
E804828	13.50	14.50	0.0379	0.0384	0.0050
E804829	14.50	15.20	0.0120	0.0185	0.0061
E804830	15.20	16.00	0.8096	0.3321	0.0250
E804832	16.00	17.50	0.0210	0.0170	0.0068
E804833	17.50	19.00	0.0193	0.0198	0.0063
E804834	19.00	20.50	0.0229	0.0206	0.0074
E804835	20.50	21.50	0.0234	0.0074	0.0067
E804836	21.50	22.60	0.0365	0.0146	0.0074
E804837	22.60	23.70	0.0049	0.0047	0.0029
E804838	23.70	24.90	0.0529	0.0311	0.0053
E804839	24.90	26.00	0.2681	0.1075	0.0104

Hole Number: KB-07-84

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804841	26.00	27.00	0.0255	0.0205	0.0058
E804842	27.00	28.00	0.0377	0.0261	0.0061
E804843	28.00	29.00	0.1017	0.0500	0.0074
E804844	29.00	30.00	0.1608	0.0742	0.0092
E804845	30.00	31.00	0.1397	0.1476	0.0074
E804846	31.00	32.00	0.4102	0.3366	0.0127
E804847	32.00	33.00	0.0155	0.0029	0.0038
E804848	33.00	34.00	0.0168	0.0079	0.0046
E804849	34.00	35.00	0.0567	0.0682	0.0062
E804850	35.00	36.00	0.0470	0.0496	0.0062
E804851	36.00	37.00	0.0572	0.0330	0.0056
E804852	37.00	37.50	0.0989	0.0707	0.0068
E804853	37.50	39.00	0.0162	0.0259	0.0045
E804854	39.00	40.60	0.0150	0.0178	0.0046
E804855	40.60	41.10	0.0723	0.0616	0.0065
E804856	41.10	42.10	0.0674	0.0464	0.0059
E804857	42.10	43.10	0.0175	0.0304	0.0058
E804858	43.10	44.10	0.1100	0.0687	0.0079
E804859	44.10	45.10	0.0219	0.0166	0.0051
E804860	45.10	46.10	0.1630	0.1367	0.0084
E804861	46.10	47.10	0.2600	0.1798	0.0141
E804862	47.10	48.10	0.3004	0.1847	0.0151
E804863	48.10	49.10	0.0484	0.0197	0.0077
E804864	49.10	50.10	0.1913	0.1031	0.0105
E804865	50.10	51.10	0.5719	0.9742	0.0126
E804866	51.10	52.20	0.6754	0.8208	0.0149
E804867	52.20	53.30	0.3090	0.3598	0.0120
E804868	53.30	54.40	0.3572	0.5897	0.0091
E804869	54.40	55.10	0.0472	0.0556	0.0062
E804870	55.10	56.10	0.0039	0.0047	0.0018
E804871	56.10	57.30	0.0046	0.0052	0.0023

DETAILED LOG

Hole Number: KB-07-83 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-47.00
Project Number:	19900	North:	5481409.00	North:	5481409.00	Collar Az:	320.00
Location:	Surface	East:	453906.10	East:	453906.10	Length:	139.00 (m)
		Elev:	383.81	Elev:	383.81	Start Depth:	0.00 (m)
Date Started:	Jul 09, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	139.00 (m)
Date Completed:	Jul 10, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments: COMPLETE

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	44.20	48.70	4.50	0.7308	0.3090	0.0205
WEIGHTED	76.50	86.00	9.50	0.5656	0.4133	0.0173
WEIGHTED	88.80	92.10	3.30	0.2908	0.1861	0.0098
WEIGHTED	105.50	110.90	5.40	0.5315	0.3172	0.0141
WEIGHTED	122.10	132.50	10.40	0.3008	0.3621	0.0090

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	322.20	-47.10	EZ	OK	5717	50.00	320.10	-47.10	EZ	OK	5779
100.00	319.60	-46.80	EZ	OK	5642	138.00	325.10	-46.80	EZ	OK	5781

Detailed Lithology

From (m)	To (m)	Lithology
0	3.40	CAS, Casing
3.40	5.10	PYXT, Pyroxenite Mineralization 3.40 - 5.10 Structure 3.40 - 5.10 : MODFOL Moderately Foliated, 40 Deg to CA
5.10	10.60	MV, Mafic Volcanic w/ gabpyxt dykes Mineralization 5.10 - 10.60 Structure 5.10 - 10.60 : MODFOL Moderately Foliated, 40 Deg to CA 5.10 - 10.60 : UC Upper Contact, 30 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
C444957	3.40	4.50	1.10	0.0254	0.0127	0.0051
C444958	4.50	5.10	0.60	0.0587	0.0287	0.0036
C444959	5.10	6.50	1.40	0.0217	0.0261	0.0049
C444960	6.50	8.00	1.50	0.0288	0.0323	0.0049
C444961	8.00	9.60	1.60	0.0189	0.0100	0.0050
C444962	9.60	10.60	1.00	0.0278	0.0177	0.0026

Hole Number: KB-07-83

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
10.60	37.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 10.60 - 28.80 28.80 - 37.70 Structure 10.60 - 37.70	C444963	10.60	11.60	1.00	0.0110	0.0214	0.0032
			C444964	11.60	12.60	1.00	0.0020	0.0103	0.0031
			C444965	12.60	13.60	1.00	0.0201	0.0277	0.0023
			C444966	13.60	14.60	1.00	0.0042	0.0100	0.0036
			C444967	14.60	15.60	1.00	0.0082	0.0169	0.0038
			C444968	15.60	16.60	1.00	0.0565	0.0664	0.0052
			C444969	16.60	17.60	1.00	0.0457	0.0265	0.0038
			C444970	17.60	18.60	1.00	0.0112	0.0164	0.0031
			C444971	18.60	19.60	1.00	0.0125	0.0237	0.0036
			C444972	19.60	20.60	1.00	0.0156	0.0088	0.0024
			C444973	20.60	21.60	1.00	0.0066	0.0080	0.0025
			C444975	21.60	22.60	1.00	0.0108	0.0081	0.0021
			C444976	22.60	23.60	1.00	0.0057	0.0126	0.0030
			C444977	23.60	24.60	1.00	0.0054	0.0136	0.0030
			C444978	24.60	25.60	1.00	0.0059	0.0089	0.0029
			C444979	25.60	26.60	1.00	0.0063	0.0135	0.0036
			C444980	26.60	27.60	1.00	0.0106	0.0134	0.0024
			C444981	27.60	28.80	1.20	0.0169	0.0062	0.0024
			C444982	28.80	30.00	1.20	0.0294	0.0383	0.0045
			C444983	30.00	31.00	1.00	0.0117	0.0198	0.0039
			C444984	31.00	32.00	1.00	0.0294	0.0120	0.0045
			C444985	32.00	33.00	1.00	0.0263	0.0625	0.0048
			C444986	33.00	34.00	1.00	0.0176	0.0174	0.0053
			C444987	34.00	35.00	1.00	0.0213	0.0071	0.0031
			C444988	35.00	36.00	1.00	0.0341	0.0331	0.0065
			C444989	36.00	37.00	1.00	0.0258	0.0273	0.0064
			C444990	37.00	37.70	0.70	0.0242	0.0509	0.0058
37.70	39.90	GAB, Gabbro Mineralization 37.70 - 39.90 Structure 37.70 - 39.90 37.70 - 39.90	C444991	37.70	38.90	1.20	0.0180	0.0126	0.0048
			C444992	38.90	39.90	1.00	0.0216	0.0131	0.0058
39.90	42.90	FD, Felsic Dike Mineralization 39.90 - 42.90 Structure 39.90 - 42.90 : MODFOL Moderately Foliated, 50 Deg to CA 39.90 - 42.90 : UC Upper Contact, 45 Deg to CA	C444993	39.90	40.90	1.00	0.0039	0.0038	0.0019
			C444994	40.90	41.90	1.00	0.0018	0.0034	0.0018
			C444995	41.90	42.90	1.00	0.0050	0.0059	0.0021

Hole Number: KB-07-83

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
42.90	48.80	PYXT, Pyroxenite w/ mv xenos Mineralization 42.90 - 44.20 44.20 - 48.80 Structure 42.90 - 48.80 : MODFOL Moderately Foliated, 45 Deg to CA 42.90 - 48.80 : UC Upper Contact, 45 Deg to CA	C444996	42.90	44.20	1.30	0.0737	0.0359	0.0049
			C444997	44.20	45.00	0.80	1.2228	0.6460	0.0297
			C444999	45.00	46.00	1.00	0.3350	0.1879	0.0116
			C445000	46.00	47.00	1.00	0.1250	0.0880	0.0061
			C447165	47.00	48.00	1.00	1.6006	0.4855	0.0429
			C447166	48.00	48.70	0.70	0.3568	0.1606	0.0111
			C447167	48.70	50.00	1.30	0.0109	0.0223	0.0056
48.80	52.60	GAB, Gabbro Mineralization 48.80 - 52.60 Structure 48.80 - 52.60 48.80 - 52.60 : UC Upper Contact, 45 Deg to CA	C447168	50.00	51.00	1.00	0.0103	0.0235	0.0053
			C447169	51.00	52.00	1.00	0.0094	0.0147	0.0055
			C447170	52.00	52.60	0.60	0.0073	0.0200	0.0043
52.60	59.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 52.60 - 59.20 Structure 52.60 - 59.20 : MODFOL Moderately Foliated, 50 Deg to CA 52.60 - 59.20 : UC Upper Contact, 55 Deg to CA	C447171	52.60	53.20	0.60	0.0326	0.0083	0.0044
			C447172	53.20	54.20	1.00	0.0069	0.0221	0.0038
			C447173	54.20	55.20	1.00	0.0758	0.0387	0.0070
			C447175	55.20	56.20	1.00	0.1146	0.0597	0.0060
			C447176	56.20	57.20	1.00	0.0737	0.0229	0.0058
			C447177	57.20	58.20	1.00	0.0358	0.0609	0.0069
			C447178	58.20	59.20	1.00	0.0514	0.0146	0.0054
59.20	63.40	MV, Mafic Volcanic w/ gabpyxt dykes Mineralization 59.20 - 63.40 Structure 59.20 - 63.40 59.20 - 63.40 : UC Upper Contact, 20 Deg to CA	C447179	59.20	60.20	1.00	0.0118	0.0153	0.0042
			C447180	60.20	61.20	1.00	0.0112	0.0133	0.0043
			C447181	61.20	62.20	1.00	0.0128	0.0164	0.0049
			C447182	62.20	63.40	1.20	0.0144	0.0165	0.0045
63.40	65.10	PYXT, Pyroxenite w mv xenos Mineralization 63.40 - 65.10 Structure 63.40 - 65.10 : MODFOL Moderately Foliated, 45 Deg to CA	C447183	63.40	64.30	0.90	0.0555	0.0201	0.0053
			C447185	64.30	65.10	0.80	0.1338	0.0445	0.0071
65.10	72.50	MV, Mafic Volcanic w/ gabpyxt dykes Mineralization 65.10 - 72.50 Structure 65.10 - 72.50 : MODFOL Moderately Foliated, 45 Deg to CA	C447186	65.10	66.50	1.40	0.0255	0.0267	0.0050
			C447187	66.50	68.00	1.50	0.0145	0.0172	0.0045
			C447188	68.00	69.00	1.00	0.0146	0.0356	0.0056
			C447189	69.00	70.00	1.00	0.0116	0.0191	0.0046
			C447190	70.00	71.00	1.00	0.0110	0.0122	0.0046
			C447191	71.00	72.00	1.00	0.0111	0.0139	0.0045
			C447192	72.00	72.60	0.60	0.0120	0.0140	0.0046

Hole Number: KB-07-83

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
72.50	76.50	FD, Felsic Dike Mineralization 72.50 - 76.50 Structure 72.50 - 76.50 : MODFOL Moderately Foliated, 45 Deg to CA 72.50 - 76.50 : UC Upper Contact, 60 Deg to CA	C447193	72.60	74.00	1.40	0.0037	0.0032	0.0025
			C447194	74.00	75.50	1.50	0.0041	0.0036	0.0024
			C447195	75.50	76.50	1.00	0.0035	0.0038	0.0022
76.50	79.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 76.50 - 79.60 Structure 76.50 - 79.60 : MODFOL Moderately Foliated, 50 Deg to CA 76.50 - 79.60 : UC Upper Contact, 50 Deg to CA	C447196	76.50	77.50	1.00	0.3259	0.0540	0.0120
			C447197	77.50	78.50	1.00	0.0756	0.0442	0.0068
			C447199	78.50	79.60	1.10	1.0334	0.6989	0.0242
79.60	81.50	MDCHL, Mafic Dike Chloritic Mineralization 79.60 - 81.50 Structure 79.60 - 81.50 : MODFOL Moderately Foliated, 40 Deg to CA	C447201	79.60	80.60	1.00	0.0063	0.0038	0.0028
			C447202	80.60	81.50	0.90	0.0048	0.0042	0.0027
81.50	86.00	PYXT, Pyroxenite Mineralization 81.50 - 86.00 Structure 81.50 - 86.00 : MODFOL Moderately Foliated, 45 Deg to CA 81.50 - 86.00 : UC Upper Contact, 45 Deg to CA	C447203	81.50	82.00	0.50	0.6937	0.6232	0.0575
			C447204	82.00	83.00	1.00	0.5786	0.6957	0.0149
			C447205	83.00	84.00	1.00	0.9484	1.2305	0.0230
			C447206	84.00	85.00	1.00	0.2253	0.2564	0.0079
			C447207	85.00	86.00	1.00	1.7255	0.5574	0.0392
86.00	88.80	MDCHL, Mafic Dike Chloritic Mineralization 86.00 - 88.80 Structure 86.00 - 88.80 : MODFOL Moderately Foliated, 50 Deg to CA 86.00 - 88.80 : UC Upper Contact, 40 Deg to CA	C447208	86.00	87.00	1.00	0.0147	0.0067	0.0043
			C447209	87.00	88.00	1.00	0.0178	0.0082	0.0041
			C447210	88.00	88.80	0.80	0.0095	0.0089	0.0038
88.80	92.10	PYXT, Pyroxenite w 40% mv Mineralization 88.80 - 92.10 Structure 88.80 - 92.10 : MODFOL Moderately Foliated, 45 Deg to CA 88.80 - 92.10 : UC Upper Contact, 45 Deg to CA	C447211	88.80	89.90	1.10	0.3279	0.2184	0.0119
			C447212	89.90	91.00	1.10	0.1331	0.0660	0.0065
			C447213	91.00	92.10	1.10	0.4114	0.2739	0.0111

Hole Number: KB-07-83

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
92.10	95.80	MV, Mafic Volcanic w gabpyxt dykes Mineralization 92.10 - 95.80 Structure 92.10 - 95.80 : MODFOL Moderately Foliated, 40 Deg to CA 92.10 - 95.80 : UC Upper Contact, 35 Deg to CA	C447215	92.10	93.20	1.10	0.0281	0.0177	0.0058
			C447216	93.20	94.40	1.20	0.0549	0.0251	0.0060
			C447217	94.40	95.80	1.40	0.0406	0.0228	0.0055
95.80	98.40	PYXT, Pyroxenite Mineralization 95.80 - 98.40 Structure 95.80 - 98.40 : MODFOL Moderately Foliated, 50 Deg to CA	C447218	95.80	96.70	0.90	0.1197	0.0603	0.0071
			C447219	96.70	97.60	0.90	0.0571	0.0287	0.0041
			C447220	97.60	98.40	0.80	0.1632	0.0692	0.0078
98.40	110.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 98.40 - 103.60 103.60 - 110.90 Structure 98.40 - 110.90	C447221	98.40	99.40	1.00	0.0308	0.0329	0.0044
			C447222	99.40	100.40	1.00	0.0084	0.0109	0.0011
			C447223	100.40	101.40	1.00	0.1945	0.1513	0.0065
			C447224	101.40	102.40	1.00	0.1394	0.1383	0.0050
			C447225	102.40	103.60	1.20	0.0892	0.0369	0.0051
			C447226	103.60	104.50	0.90	0.0846	0.0359	0.0051
			C447227	104.50	105.50	1.00	0.1454	0.0895	0.0064
			C447228	105.50	106.50	1.00	0.9848	0.8143	0.0254
			C447230	106.50	107.50	1.00	0.3740	0.2801	0.0104
			C447231	107.50	108.50	1.00	0.7715	0.1359	0.0161
			C447233	108.50	109.30	0.80	0.3126	0.2334	0.0107
			C447234	109.30	110.30	1.00	0.2821	0.2037	0.0089
			C447235	110.30	110.90	0.60	0.3460	0.1536	0.0109
110.90	117.20	MV, Mafic Volcanic w/ gabpyxt dykes Mineralization 110.90 - 117.20 Structure 110.90 - 117.20 : MODFOL Moderately Foliated, 50 Deg to CA	C447236	110.90	112.00	1.10	0.0443	0.0323	0.0039
			C447237	112.00	113.00	1.00	0.1089	0.0933	0.0057
			C447238	113.00	114.00	1.00	0.0224	0.0229	0.0042
			C447239	114.00	115.00	1.00	0.0118	0.0129	0.0043
			C447240	115.00	116.00	1.00	0.0114	0.0121	0.0046
			C447241	116.00	117.20	1.20	0.0143	0.0161	0.0047
117.20	122.10	GABPYXT, Gabbro Pyroxenite Dikes with mv xenos Mineralization 117.20 - 122.10 Structure 117.20 - 122.10 117.20 - 122.10 : UC Upper Contact, 45 Deg to CA	C447242	117.20	118.00	0.80	0.0220	0.0258	0.0030
			C447244	118.00	119.00	1.00	0.0418	0.0436	0.0052
			C447245	119.00	120.00	1.00	0.1158	0.0503	0.0067
			C447246	120.00	121.00	1.00	0.0414	0.0332	0.0049
			C447247	121.00	122.10	1.10	0.0248	0.0268	0.0047

Hole Number: KB-07-83

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
122.10	127.00	PYXT, Pyroxenite Mineralization 122.10 - 124.90 124.90 - 127.00 Structure 122.10 - 127.00 : MODFOL Moderately Foliated, 50 Deg to CA 122.10 - 127.00 : UC Upper Contact, 55 Deg to CA
127.00	132.50	TSCH, Talc Schist Mineralization 127.00 - 132.50 Structure 127.00 - 132.50 : STRFOL Strongly Foliated, 55 Deg to CA 127.00 - 132.50 : UC Upper Contact, 50 Deg to CA
132.50	139.00	MV, Mafic Volcanic tcsh dyke Mineralization 132.50 - 139.00 Structure 132.50 - 139.00 : MODFOL Moderately Foliated, 55 Deg to CA 132.50 - 139.00 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
C447248	122.10	123.00	0.90	0.3346	0.9580	0.0142
C447249	123.00	124.00	1.00	0.7364	0.4528	0.0143
C447250	124.00	124.90	0.90	0.5653	0.8803	0.0124
C447251	124.90	126.00	1.10	0.0609	0.0833	0.0047
C447252	126.00	127.00	1.00	0.0931	0.1385	0.0050
C447253	127.00	128.00	1.00	0.3503	0.3105	0.0109
C447254	128.00	129.00	1.00	0.1392	0.1056	0.0062
C447255	129.00	130.00	1.00	0.0369	0.0307	0.0042
C447256	130.00	131.00	1.00	0.3691	0.3673	0.0104
C447257	131.00	132.00	1.00	0.2970	0.3170	0.0081
C447258	132.00	132.50	0.50	0.4579	0.5944	0.0110
C447259	132.50	134.00	1.50	0.0267	0.0208	0.0041
C447260	134.00	135.00	1.00	0.0155	0.0126	0.0058

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C444957	3.40	4.50	0.0254	0.0127	0.0051
C444958	4.50	5.10	0.0587	0.0287	0.0036
C444959	5.10	6.50	0.0217	0.0261	0.0049
C444960	6.50	8.00	0.0288	0.0323	0.0049
C444961	8.00	9.60	0.0189	0.0100	0.0050
C444962	9.60	10.60	0.0278	0.0177	0.0026
C444963	10.60	11.60	0.0110	0.0214	0.0032
C444964	11.60	12.60	0.0020	0.0103	0.0031
C444965	12.60	13.60	0.0201	0.0277	0.0023
C444966	13.60	14.60	0.0042	0.0100	0.0036
C444967	14.60	15.60	0.0082	0.0169	0.0038
C444968	15.60	16.60	0.0565	0.0664	0.0052
C444969	16.60	17.60	0.0457	0.0265	0.0038
C444970	17.60	18.60	0.0112	0.0164	0.0031
C444971	18.60	19.60	0.0125	0.0237	0.0036
C444972	19.60	20.60	0.0156	0.0088	0.0024

Hole Number: KB-07-83 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C444973	20.60	21.60	0.0066	0.0080	0.0025
C444975	21.60	22.60	0.0108	0.0081	0.0021
C444976	22.60	23.60	0.0057	0.0126	0.0030
C444977	23.60	24.60	0.0054	0.0136	0.0030
C444978	24.60	25.60	0.0059	0.0089	0.0029
C444979	25.60	26.60	0.0063	0.0135	0.0036
C444980	26.60	27.60	0.0106	0.0134	0.0024
C444981	27.60	28.80	0.0169	0.0062	0.0024
C444982	28.80	30.00	0.0294	0.0383	0.0045
C444983	30.00	31.00	0.0117	0.0198	0.0039
C444984	31.00	32.00	0.0294	0.0120	0.0045
C444985	32.00	33.00	0.0263	0.0625	0.0048
C444986	33.00	34.00	0.0176	0.0174	0.0053
C444987	34.00	35.00	0.0213	0.0071	0.0031
C444988	35.00	36.00	0.0341	0.0331	0.0065
C444989	36.00	37.00	0.0258	0.0273	0.0064
C444990	37.00	37.70	0.0242	0.0509	0.0058
C444991	37.70	38.90	0.0180	0.0126	0.0048
C444992	38.90	39.90	0.0216	0.0131	0.0058
C444993	39.90	40.90	0.0039	0.0038	0.0019
C444994	40.90	41.90	0.0018	0.0034	0.0018
C444995	41.90	42.90	0.0050	0.0059	0.0021
C444996	42.90	44.20	0.0737	0.0359	0.0049
C444997	44.20	45.00	1.2228	0.6460	0.0297
C444999	45.00	46.00	0.3350	0.1879	0.0116
C445000	46.00	47.00	0.1250	0.0880	0.0061
C447165	47.00	48.00	1.6006	0.4855	0.0429
C447166	48.00	48.70	0.3568	0.1606	0.0111
C447167	48.70	50.00	0.0109	0.0223	0.0056
C447168	50.00	51.00	0.0103	0.0235	0.0053
C447169	51.00	52.00	0.0094	0.0147	0.0055
C447170	52.00	52.60	0.0073	0.0200	0.0043
C447171	52.60	53.20	0.0326	0.0083	0.0044
C447172	53.20	54.20	0.0069	0.0221	0.0038
C447173	54.20	55.20	0.0758	0.0387	0.0070
C447175	55.20	56.20	0.1146	0.0597	0.0060
C447176	56.20	57.20	0.0737	0.0229	0.0058

Hole Number: KB-07-83

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C447177	57.20	58.20	0.0358	0.0609	0.0069
C447178	58.20	59.20	0.0514	0.0146	0.0054
C447179	59.20	60.20	0.0118	0.0153	0.0042
C447180	60.20	61.20	0.0112	0.0133	0.0043
C447181	61.20	62.20	0.0128	0.0164	0.0049
C447182	62.20	63.40	0.0144	0.0165	0.0045
C447183	63.40	64.30	0.0555	0.0201	0.0053
C447185	64.30	65.10	0.1338	0.0445	0.0071
C447186	65.10	66.50	0.0255	0.0267	0.0050
C447187	66.50	68.00	0.0145	0.0172	0.0045
C447188	68.00	69.00	0.0146	0.0356	0.0056
C447189	69.00	70.00	0.0116	0.0191	0.0046
C447190	70.00	71.00	0.0110	0.0122	0.0046
C447191	71.00	72.00	0.0111	0.0139	0.0045
C447192	72.00	72.60	0.0120	0.0140	0.0046
C447193	72.60	74.00	0.0037	0.0032	0.0025
C447194	74.00	75.50	0.0041	0.0036	0.0024
C447195	75.50	76.50	0.0035	0.0038	0.0022
C447196	76.50	77.50	0.3259	0.0540	0.0120
C447197	77.50	78.50	0.0756	0.0442	0.0068
C447199	78.50	79.60	1.0334	0.6989	0.0242
C447201	79.60	80.60	0.0063	0.0038	0.0028
C447202	80.60	81.50	0.0048	0.0042	0.0027
C447203	81.50	82.00	0.6937	0.6232	0.0575
C447204	82.00	83.00	0.5786	0.6957	0.0149
C447205	83.00	84.00	0.9484	1.2305	0.0230
C447206	84.00	85.00	0.2253	0.2564	0.0079
C447207	85.00	86.00	1.7255	0.5574	0.0392
C447208	86.00	87.00	0.0147	0.0067	0.0043
C447209	87.00	88.00	0.0178	0.0082	0.0041
C447210	88.00	88.80	0.0095	0.0089	0.0038
C447211	88.80	89.90	0.3279	0.2184	0.0119
C447212	89.90	91.00	0.1331	0.0660	0.0065
C447213	91.00	92.10	0.4114	0.2739	0.0111
C447215	92.10	93.20	0.0281	0.0177	0.0058
C447216	93.20	94.40	0.0549	0.0251	0.0060
C447217	94.40	95.80	0.0406	0.0228	0.0055

Hole Number: KB-07-83

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C447218	95.80	96.70	0.1197	0.0603	0.0071
C447219	96.70	97.60	0.0571	0.0287	0.0041
C447220	97.60	98.40	0.1632	0.0692	0.0078
C447221	98.40	99.40	0.0308	0.0329	0.0044
C447222	99.40	100.40	0.0084	0.0109	0.0011
C447223	100.40	101.40	0.1945	0.1513	0.0065
C447224	101.40	102.40	0.1394	0.1383	0.0050
C447225	102.40	103.60	0.0892	0.0369	0.0051
C447226	103.60	104.50	0.0846	0.0359	0.0051
C447227	104.50	105.50	0.1454	0.0895	0.0064
C447228	105.50	106.50	0.9848	0.8143	0.0254
C447230	106.50	107.50	0.3740	0.2801	0.0104
C447231	107.50	108.50	0.7715	0.1359	0.0161
C447233	108.50	109.30	0.3126	0.2334	0.0107
C447234	109.30	110.30	0.2821	0.2037	0.0089
C447235	110.30	110.90	0.3460	0.1536	0.0109
C447236	110.90	112.00	0.0443	0.0323	0.0039
C447237	112.00	113.00	0.1089	0.0933	0.0057
C447238	113.00	114.00	0.0224	0.0229	0.0042
C447239	114.00	115.00	0.0118	0.0129	0.0043
C447240	115.00	116.00	0.0114	0.0121	0.0046
C447241	116.00	117.20	0.0143	0.0161	0.0047
C447242	117.20	118.00	0.0220	0.0258	0.0030
C447244	118.00	119.00	0.0418	0.0436	0.0052
C447245	119.00	120.00	0.1158	0.0503	0.0067
C447246	120.00	121.00	0.0414	0.0332	0.0049
C447247	121.00	122.10	0.0248	0.0268	0.0047
C447248	122.10	123.00	0.3346	0.9580	0.0142
C447249	123.00	124.00	0.7364	0.4528	0.0143
C447250	124.00	124.90	0.5653	0.8803	0.0124
C447251	124.90	126.00	0.0609	0.0833	0.0047
C447252	126.00	127.00	0.0931	0.1385	0.0050
C447253	127.00	128.00	0.3503	0.3105	0.0109
C447254	128.00	129.00	0.1392	0.1056	0.0062
C447255	129.00	130.00	0.0369	0.0307	0.0042
C447256	130.00	131.00	0.3691	0.3673	0.0104
C447257	131.00	132.00	0.2970	0.3170	0.0081

Hole Number: KB-07-83

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C447258	132.00	132.50	0.4579	0.5944	0.0110
C447259	132.50	134.00	0.0267	0.0208	0.0041
C447260	134.00	135.00	0.0155	0.0126	0.0058

DETAILED LOG

Hole Number: KB-07-82 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-47.00
Project Number:	19900	North:	5481424.00	North:	5481424.00	Collar Az:	311.10
Location:	Surface	East:	453883.50	East:	453883.50	Length:	107.00 (m)
		Elev:	389.50	Elev:	389.50	Start Depth:	0.00 (m)
Date Started:	Jul 08, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	107.00 (m)
Date Completed:	Jul 09, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:		Pulse EM Survey:	N	Casing:	Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	49.50	89.80	40.30	0.4415	0.3629	0.0131
WEIGHTED	77.20	79.80	2.60	1.5872	1.1872	0.0345

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	311.10	-46.80	EZ	OK	5788	50.00	342.50	-45.80	EZ	OK	4637
104.00	316.30	-44.70	EZ	OK	5777						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.60	CAS, Casing							
4.60	7.90	FD, Felsic Dike Mineralization 4.60 - 7.90 Structure 4.60 - 7.90	E804522	5.00	6.50	1.50	0.0067	0.0036	0.0019
			E804523	6.50	7.90	1.40	0.0038	0.0039	0.0020
7.90	17.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 7.90 - 17.60 Structure 7.90 - 11.60 7.90 - 17.60 : UC Upper Contact, 40 Deg to CA 11.60 - 17.60 : MODFOL Moderately Foliated, 50 Deg to CA	E804524	7.90	9.00	1.10	0.0222	0.0323	0.0064
			E804525	9.00	10.00	1.00	0.0289	0.0240	0.0065
			E804526	10.00	11.00	1.00	0.0231	0.0218	0.0058
			E804527	11.00	11.60	0.60	0.0246	0.0338	0.0063
			E804528	11.60	12.60	1.00	0.1003	0.0644	0.0071
			E804529	12.60	13.60	1.00	0.0895	0.0365	0.0053
			E804530	13.60	14.60	1.00	0.0467	0.0417	0.0045
			E804531	14.60	15.60	1.00	0.0580	0.0345	0.0052
			E804532	15.60	16.60	1.00	0.0515	0.0311	0.0055
			E804533	16.60	17.60	1.00	0.0459	0.0299	0.0057

Hole Number: KB-07-82

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
17.60	20.90	FD, Felsic Dike Mineralization 17.60 - 20.90 Structure 17.60 - 20.90 17.60 - 20.90 : UC Upper Contact, 35 Deg to CA	E804535	17.60	19.00	1.40	0.0047	0.0030	0.0026
			E804536	19.00	20.00	1.00	0.0047	0.0036	0.0028
			E804537	20.00	20.90	0.90	0.0111	0.0144	0.0040
20.90	42.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 20.90 - 42.60 Structure 20.90 - 42.60 20.90 - 42.60 : UC Upper Contact, 25 Deg to CA	E804538	20.90	22.00	1.10	0.1797	0.1353	0.0079
			E804539	22.00	23.00	1.00	0.1853	0.0900	0.0100
			E804540	23.00	24.00	1.00	0.0837	0.0522	0.0057
			E804541	24.00	25.00	1.00	0.0635	0.0876	0.0051
			E804542	25.00	26.00	1.00	0.0707	0.0296	0.0048
			E804543	26.00	27.00	1.00	0.0536	0.0469	0.0052
			E804544	27.00	28.00	1.00	0.0761	0.0432	0.0046
			E804545	28.00	29.00	1.00	0.0473	0.0406	0.0054
			E804546	29.00	30.00	1.00	0.0186	0.0190	0.0043
			E804547	30.00	31.00	1.00	0.1042	0.0496	0.0073
			E804548	31.00	32.00	1.00	0.1627	0.0801	0.0078
			E804549	32.00	33.00	1.00	0.1387	0.0677	0.0073
			E804550	33.00	34.00	1.00	0.0759	0.0563	0.0060
			E804659	34.00	35.00	1.00	0.1136	0.0593	0.0070
			E804660	35.00	36.00	1.00	0.0282	0.0369	0.0049
			E804662	36.00	37.00	1.00	0.0871	0.0651	0.0077
			E804663	37.00	38.00	1.00	0.2322	0.0789	0.0089
			E804664	38.00	39.00	1.00	0.0466	0.0206	0.0060
			E804665	39.00	40.00	1.00	0.0968	0.0449	0.0064
			E804666	40.00	41.00	1.00	0.0218	0.0098	0.0038
			E804667	41.00	42.00	1.00	0.0914	0.0452	0.0065
			E804668	42.00	42.60	0.60	0.0761	0.0686	0.0077
42.60	50.40	PYXT, Pyroxenite 10% MV xenoliths Mineralization 42.60 - 50.40 Structure 42.60 - 50.40 : MODFOL Moderately Foliated, 45 Deg to CA 42.60 - 50.40 : UC Upper Contact, 45 Deg to CA	E804669	42.60	43.50	0.90	0.1280	0.0493	0.0066
			E804670	43.50	44.50	1.00	0.0371	0.0038	0.0041
			E804672	44.50	45.50	1.00	0.0344	0.0109	0.0035
			E804673	45.50	46.50	1.00	0.0443	0.0193	0.0057
			E804674	46.50	47.50	1.00	0.0635	0.0363	0.0068
			E804675	47.50	48.50	1.00	0.0560	0.0251	0.0066
			E804676	48.50	49.50	1.00	0.0675	0.0191	0.0053
			E804677	49.50	50.40	0.90	0.1178	0.0430	0.0074
50.40	52.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 50.40 - 52.20 Structure 50.40 - 52.20 50.40 - 52.20 : UC Upper Contact, 40 Deg to CA	E804678	50.40	51.30	0.90	0.3007	0.2305	0.0095
			E804679	51.30	52.20	0.90	0.2036	0.0510	0.0090

Hole Number: KB-07-82

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
52.20	60.70	PYXT, Pyroxenite Mineralization 52.20 - 60.70 Structure 52.20 - 60.70 52.20 - 60.70 : UC Upper Contact, 35 Deg to CA	E804680	52.20	53.00	0.80	1.1806	0.5410	0.0279
			E804681	53.00	54.00	1.00	0.3525	0.5746	0.0133
			E804682	54.00	55.00	1.00	0.4173	0.5624	0.0098
			E804683	55.00	56.00	1.00	0.3966	0.4613	0.0101
			E804684	56.00	57.00	1.00	0.4859	0.8051	0.0105
			E804685	57.00	58.00	1.00	0.5095	0.6929	0.0163
			E804686	58.00	59.00	1.00	1.3843	1.2702	0.0228
			E804687	59.00	60.00	1.00	0.6458	0.3833	0.0146
			E804688	60.00	60.70	0.70	0.4628	0.3975	0.0124
60.70	86.80	GABPYXT, Gabbro Pyroxenite Dikes 20% MV xenoliths Mineralization 60.70 - 72.20 PY in MV 72.20 - 77.20 77.20 - 79.80 79.80 - 82.30 82.30 - 84.80 83.00 - 84.80 84.80 - 86.80 Structure 60.70 - 86.80 60.70 - 86.80 : UC Upper Contact, 20 Deg to CA	E804690	60.70	61.50	0.80	0.0626	0.0705	0.0068
			E804691	61.50	62.50	1.00	0.1463	0.0943	0.0089
			E804692	62.50	63.50	1.00	0.0293	0.0355	0.0060
			E804693	63.50	64.50	1.00	0.1687	0.0779	0.0077
			E804694	64.50	65.50	1.00	0.1751	0.0915	0.0082
			E804695	65.50	66.50	1.00	0.1882	0.1186	0.0107
			E804696	66.50	67.50	1.00	0.3253	0.1157	0.0105
			E804697	67.50	68.50	1.00	0.1605	0.0872	0.0072
			E804698	68.50	69.50	1.00	0.5186	0.2303	0.0150
			E804699	69.50	70.50	1.00	0.2299	0.1077	0.0122
			E804700	70.50	71.50	1.00	0.2287	0.2141	0.0087
			E804701	71.50	72.20	0.70	0.9247	0.3909	0.0276
			E804703	72.20	73.20	1.00	0.2103	0.1123	0.0121
			E804704	73.20	74.20	1.00	0.0695	0.0423	0.0046
			E804705	74.20	75.20	1.00	0.1155	0.0658	0.0065
			E804706	75.20	76.20	1.00	0.3107	0.2494	0.0097
			E804707	76.20	77.20	1.00	0.4183	0.3338	0.0108
			E804708	77.20	78.00	0.80	1.5978	2.2116	0.0274
			E804709	78.00	79.00	1.00	0.3215	0.5270	0.0252
			E804710	79.00	79.80	0.80	3.1586	0.9879	0.0532
			E804711	79.80	80.60	0.80	0.1783	0.2314	0.0070
			E804712	80.60	81.40	0.80	0.1334	0.1458	0.0062
			E804713	81.40	82.30	0.90	0.2035	0.2376	0.0077
			E804714	82.30	83.00	0.70	0.8726	0.7491	0.0243
			E804716	83.00	83.90	0.90	0.2218	0.2937	0.0074
			E804717	83.90	84.80	0.90	0.2052	0.2252	0.0068
			E804718	84.80	85.80	1.00	0.4873	0.1552	0.0310
			E804719	85.80	86.80	1.00	0.8202	0.8460	0.0175

Hole Number: KB-07-82 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
86.80	92.60	TSCH, Talc Schist Mineralization 86.80 - 92.60 Structure 86.80 - 92.60 : STRFOL Strongly Foliated, 45 Deg to CA
92.60	97.50	MV, Mafic Volcanic Mineralization 92.60 - 97.50 Structure 92.60 - 97.50 92.60 - 97.50 : UC Upper Contact, 55 Deg to CA
97.50	98.10	MD, Mafic Dike Mineralization 97.50 - 98.10 Structure 97.50 - 98.10 97.50 - 98.10 : UC Upper Contact, 45 Deg to CA
98.10	107.00	MV, Mafic Volcanic Mineralization 98.10 - 107.00 Structure 98.10 - 107.00 : MODFOL Moderately Foliated, 45 Deg to CA 98.10 - 107.00 : UC Upper Contact, 55 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804720	86.80	87.80	1.00	0.4074	0.4392	0.0111
E804721	87.80	88.80	1.00	0.3775	0.3764	0.0102
E804722	88.80	89.80	1.00	0.1348	0.1552	0.0069
E804723	89.80	90.80	1.00	0.0292	0.0198	0.0044
E804724	90.80	91.80	1.00	0.1104	0.1305	0.0058
E804725	91.80	92.60	0.80	0.3503	0.3926	0.0106
E804727	92.60	94.00	1.40	0.0130	0.0125	0.0043
E804728	94.00	95.50	1.50	0.0136	0.0179	0.0059

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804522	5.00	6.50	0.0067	0.0036	0.0019
E804523	6.50	7.90	0.0038	0.0039	0.0020
E804524	7.90	9.00	0.0222	0.0323	0.0064
E804525	9.00	10.00	0.0289	0.0240	0.0065
E804526	10.00	11.00	0.0231	0.0218	0.0058
E804527	11.00	11.60	0.0246	0.0338	0.0063
E804528	11.60	12.60	0.1003	0.0644	0.0071
E804529	12.60	13.60	0.0895	0.0365	0.0053
E804530	13.60	14.60	0.0467	0.0417	0.0045
E804531	14.60	15.60	0.0580	0.0345	0.0052
E804532	15.60	16.60	0.0515	0.0311	0.0055
E804533	16.60	17.60	0.0459	0.0299	0.0057

Hole Number: KB-07-82

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804535	17.60	19.00	0.0047	0.0030	0.0026
E804536	19.00	20.00	0.0047	0.0036	0.0028
E804537	20.00	20.90	0.0111	0.0144	0.0040
E804538	20.90	22.00	0.1797	0.1353	0.0079
E804539	22.00	23.00	0.1853	0.0900	0.0100
E804540	23.00	24.00	0.0837	0.0522	0.0057
E804541	24.00	25.00	0.0635	0.0876	0.0051
E804542	25.00	26.00	0.0707	0.0296	0.0048
E804543	26.00	27.00	0.0536	0.0469	0.0052
E804544	27.00	28.00	0.0761	0.0432	0.0046
E804545	28.00	29.00	0.0473	0.0406	0.0054
E804546	29.00	30.00	0.0186	0.0190	0.0043
E804547	30.00	31.00	0.1042	0.0496	0.0073
E804548	31.00	32.00	0.1627	0.0801	0.0078
E804549	32.00	33.00	0.1387	0.0677	0.0073
E804550	33.00	34.00	0.0759	0.0563	0.0060
E804659	34.00	35.00	0.1136	0.0593	0.0070
E804660	35.00	36.00	0.0282	0.0369	0.0049
E804662	36.00	37.00	0.0871	0.0651	0.0077
E804663	37.00	38.00	0.2322	0.0789	0.0089
E804664	38.00	39.00	0.0466	0.0206	0.0060
E804665	39.00	40.00	0.0968	0.0449	0.0064
E804666	40.00	41.00	0.0218	0.0098	0.0038
E804667	41.00	42.00	0.0914	0.0452	0.0065
E804668	42.00	42.60	0.0761	0.0686	0.0077
E804669	42.60	43.50	0.1280	0.0493	0.0066
E804670	43.50	44.50	0.0371	0.0038	0.0041
E804672	44.50	45.50	0.0344	0.0109	0.0035
E804673	45.50	46.50	0.0443	0.0193	0.0057
E804674	46.50	47.50	0.0635	0.0363	0.0068
E804675	47.50	48.50	0.0560	0.0251	0.0066
E804676	48.50	49.50	0.0675	0.0191	0.0053
E804677	49.50	50.40	0.1178	0.0430	0.0074
E804678	50.40	51.30	0.3007	0.2305	0.0095
E804679	51.30	52.20	0.2036	0.0510	0.0090
E804680	52.20	53.00	1.1806	0.5410	0.0279
E804681	53.00	54.00	0.3525	0.5746	0.0133

Hole Number: KB-07-82

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804682	54.00	55.00	0.4173	0.5624	0.0098
E804683	55.00	56.00	0.3966	0.4613	0.0101
E804684	56.00	57.00	0.4859	0.8051	0.0105
E804685	57.00	58.00	0.5095	0.6929	0.0163
E804686	58.00	59.00	1.3843	1.2702	0.0228
E804687	59.00	60.00	0.6458	0.3833	0.0146
E804688	60.00	60.70	0.4628	0.3975	0.0124
E804690	60.70	61.50	0.0626	0.0705	0.0068
E804691	61.50	62.50	0.1463	0.0943	0.0089
E804692	62.50	63.50	0.0293	0.0355	0.0060
E804693	63.50	64.50	0.1687	0.0779	0.0077
E804694	64.50	65.50	0.1751	0.0915	0.0082
E804695	65.50	66.50	0.1882	0.1186	0.0107
E804696	66.50	67.50	0.3253	0.1157	0.0105
E804697	67.50	68.50	0.1605	0.0872	0.0072
E804698	68.50	69.50	0.5186	0.2303	0.0150
E804699	69.50	70.50	0.2299	0.1077	0.0122
E804700	70.50	71.50	0.2287	0.2141	0.0087
E804701	71.50	72.20	0.9247	0.3909	0.0276
E804703	72.20	73.20	0.2103	0.1123	0.0121
E804704	73.20	74.20	0.0695	0.0423	0.0046
E804705	74.20	75.20	0.1155	0.0658	0.0065
E804706	75.20	76.20	0.3107	0.2494	0.0097
E804707	76.20	77.20	0.4183	0.3338	0.0108
E804708	77.20	78.00	1.5978	2.2116	0.0274
E804709	78.00	79.00	0.3215	0.5270	0.0252
E804710	79.00	79.80	3.1586	0.9879	0.0532
E804711	79.80	80.60	0.1783	0.2314	0.0070
E804712	80.60	81.40	0.1334	0.1458	0.0062
E804713	81.40	82.30	0.2035	0.2376	0.0077
E804714	82.30	83.00	0.8726	0.7491	0.0243
E804716	83.00	83.90	0.2218	0.2937	0.0074
E804717	83.90	84.80	0.2052	0.2252	0.0068
E804718	84.80	85.80	0.4873	0.1552	0.0310
E804719	85.80	86.80	0.8202	0.8460	0.0175
E804720	86.80	87.80	0.4074	0.4392	0.0111
E804721	87.80	88.80	0.3775	0.3764	0.0102

Hole Number: KB-07-82

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804722	88.80	89.80	0.1348	0.1552	0.0069
E804723	89.80	90.80	0.0292	0.0198	0.0044
E804724	90.80	91.80	0.1104	0.1305	0.0058
E804725	91.80	92.60	0.3503	0.3926	0.0106
E804727	92.60	94.00	0.0130	0.0125	0.0043
E804728	94.00	95.50	0.0136	0.0179	0.0059

DETAILED LOG

Hole Number: KB-07-81

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-47.00
Project Number:	19900	North:	5481439.00	North:	5481439.00	Collar Az:	309.60
Location:	Surface	East:	453866.00	East:	453866.00	Length:	80.00 (m)
		Elev:	389.25	Elev:	389.25	Start Depth:	0.00 (m)
Date Started:	Jul 08, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	80.00 (m)
Date Completed:	Jul 08, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	4.00	24.00	20.00	0.2840	0.1991	0.0102
WEIGHTED	29.00	55.00	26.00	0.4421	0.2828	0.0179
WEIGHTED	45.70	50.20	4.50	1.2105	0.4078	0.0460

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	309.60	-46.80	EZ	OK	6163	50.00	301.10	-46.10	EZ	OK	5544
80.00	309.40	-45.00	EZ	OK	5776						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.20	CAS, Casing							
3.20	4.00	MDCHL, Mafic Dike Chloritic Mineralization 3.20 - 4.00 Structure 3.20 - 4.00	E804551	3.20	4.00	0.80	0.0269	0.0584	0.0035
4.00	5.70	PYXT, Pyroxenite Mineralization 4.00 - 5.70 Structure 4.00 - 4.60 : MODFOL Moderately Foliated, 50 Deg to CA 4.00 - 5.70 : UC Upper Contact, 50 Deg to CA 4.60 - 5.70	E804552	4.00	4.60	0.60	0.2208	0.1079	0.0093
			E804553	4.60	5.70	1.10	0.4155	0.1884	0.0132
5.70	6.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 5.70 - 6.80 Structure 5.70 - 6.80 5.70 - 6.80 : UC Upper Contact, 55 Deg to CA	E804554	5.70	6.80	1.10	0.0831	0.0408	0.0061

DETAILED LOG

Hole Number: KB-07-81

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
6.80	14.40	PYXT, Pyroxenite Mineralization 6.80 - 10.50 10.50 - 12.60 12.60 - 14.40 Structure 6.80 - 11.00 6.80 - 14.40 : UC Upper Contact, 45 Deg to CA 11.00 - 14.40 : MODFOL Moderately Foliated, 40 Deg to CA	E804555	6.80	8.00	1.20	0.4039	0.1693	0.0120
			E804556	8.00	9.00	1.00	0.4350	0.1996	0.0125
			E804557	9.00	10.00	1.00	0.0945	0.0370	0.0055
			E804558	10.00	10.50	0.50	0.1557	0.0576	0.0073
			E804559	10.50	11.50	1.00	0.8381	1.5773	0.0179
			E804560	11.50	12.60	1.10	0.6728	0.2726	0.0188
			E804561	12.60	13.50	0.90	0.1435	0.0989	0.0060
			E804562	13.50	14.40	0.90	0.0717	0.0494	0.0057
14.40	16.20	FD, Felsic Dike Mineralization 14.40 - 16.20 Structure 14.40 - 16.20 14.40 - 16.20 : UC Upper Contact, 25 Deg to CA	E804563	14.40	15.30	0.90	0.0099	0.0163	0.0034
			E804564	15.30	16.20	0.90	0.0431	0.0149	0.0032
16.20	33.40	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 16.20 - 23.10 23.10 - 29.00 29.00 - 31.60 31.60 - 33.40 Structure 16.20 - 33.40 16.20 - 33.40 : UC Upper Contact, 25 Deg to CA	E804565	16.20	17.00	0.80	0.2013	0.0979	0.0085
			E804566	17.00	18.00	1.00	0.1944	0.1688	0.0084
			E804567	18.00	19.00	1.00	0.1620	0.0799	0.0084
			E804568	19.00	20.00	1.00	0.0510	0.0278	0.0079
			E804569	20.00	21.00	1.00	0.5947	0.3439	0.0175
			E804570	21.00	22.00	1.00	0.0732	0.0650	0.0051
			E804571	22.00	23.10	1.10	0.5617	0.2518	0.0193
			E804573	23.10	24.00	0.90	0.2586	0.1300	0.0129
			E804574	24.00	25.00	1.00	0.0456	0.0376	0.0068
			E804575	25.00	26.00	1.00	0.0844	0.0734	0.0088
			E804576	26.00	27.00	1.00	0.0288	0.0194	0.0072
			E804577	27.00	28.00	1.00	0.0247	0.0216	0.0089
			E804578	28.00	29.00	1.00	0.0444	0.0378	0.0080
			E804579	29.00	30.00	1.00	0.5719	0.4011	0.0178
			E804581	30.00	31.00	1.00	0.0333	0.0383	0.0063
			E804582	31.00	31.60	0.60	0.9039	0.6240	0.0234
			E804583	31.60	32.20	0.60	0.0257	0.0129	0.0055
			E804584	32.20	33.40	1.20	0.0232	0.0122	0.0063
33.40	35.80	PYXT, Pyroxenite Mineralization 33.40 - 35.80 Structure 33.40 - 35.80 33.40 - 35.80 Vague	E804585	33.40	34.00	0.60	0.9408	0.2668	0.0376
			E804586	34.00	35.00	1.00	0.1677	0.0810	0.0083
			E804587	35.00	35.80	0.80	0.2816	0.1815	0.0133

Hole Number: KB-07-81

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
35.80	38.00	MV, Mafic Volcanic <10% GABPYXT dykes Mineralization 35.80 - 38.00 PY Structure 35.80 - 38.00 35.80 - 38.00 : UC Upper Contact, 55 Deg to CA	E804588	35.80	37.00	1.20	0.0273	0.0216	0.0092
			E804589	37.00	38.00	1.00	0.1359	0.0688	0.0093
38.00	49.30	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 38.00 - 45.70 PY in MV xenoliths 45.70 - 47.40 47.40 - 49.30 Structure 38.00 - 49.30 38.00 - 49.30 : UC Upper Contact, 40 Deg to CA	E804590	38.00	39.00	1.00	0.0830	0.0439	0.0090
			E804591	39.00	40.00	1.00	0.0461	0.0368	0.0099
			E804592	40.00	41.00	1.00	0.1666	0.0722	0.0097
			E804593	41.00	42.00	1.00	0.3782	0.3174	0.0145
			E804594	42.00	43.00	1.00	0.2561	0.2328	0.0121
			E804595	43.00	44.00	1.00	0.1345	0.1129	0.0084
			E804596	44.00	45.00	1.00	0.3249	0.6180	0.0107
			E804597	45.00	45.70	0.70	0.1843	0.1250	0.0086
			E804598	45.70	46.70	1.00	1.5159	0.5825	0.0465
			E804600	46.70	47.40	0.70	1.9501	0.4487	0.1027
			E804602	47.40	48.30	0.90	0.1970	0.2371	0.0099
			E804603	48.30	49.30	1.00	0.0293	0.0115	0.0060
49.30	58.60	PYXT, Pyroxenite Mineralization 49.30 - 49.80 49.80 - 50.20 50.20 - 54.90 54.90 - 58.60 Structure 49.30 - 50.20 49.30 - 58.60 : UC Upper Contact, 40 Deg to CA 50.20 - 58.60 : MODFOL Moderately Foliated, 45 Deg to CA	E804604	49.30	49.80	0.50	1.8732	0.6788	0.0559
			E804605	49.80	50.20	0.40	3.5580	0.9358	0.1137
			E804607	50.20	51.00	0.80	0.3584	0.6920	0.0157
			E804608	51.00	52.00	1.00	0.4561	0.6509	0.0112
			E804609	52.00	53.00	1.00	0.1730	0.2571	0.0065
			E804610	53.00	54.30	1.30	0.7886	0.6758	0.0205
			E804611	54.30	55.00	0.70	0.3869	0.4852	0.0160
			E804612	55.00	56.00	1.00	0.0822	0.1064	0.0074
			E804613	56.00	57.00	1.00	0.0514	0.0320	0.0059
			E804614	57.00	58.00	1.00	0.2795	0.2507	0.0128
			E804615	58.00	58.60	0.60	0.1061	0.1222	0.0079
58.60	62.70	TSCH, Talc Schist Mineralization 58.60 - 62.70 Structure 58.60 - 62.70 : STRFOL Strongly Foliated, 45 Deg to CA 58.60 - 62.70 Gradational	E804616	58.60	59.60	1.00	0.1288	0.1621	0.0074
			E804617	59.60	60.60	1.00	0.2207	0.1744	0.0088
			E804618	60.60	61.60	1.00	0.3654	0.2025	0.0111
			E804619	61.60	62.70	1.10	0.0256	0.0085	0.0048

Hole Number: KB-07-81

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
62.70	63.70	MDCHL, Mafic Dike Chloritic Mineralization 62.70 - 63.70 Structure 62.70 - 63.70 : MODFOL Moderately Foliated, 50 Deg to CA 62.70 - 63.70 : UC Upper Contact, 45 Deg to CA
63.70	65.00	TSCH, Talc Schist Mineralization 63.70 - 65.00 Structure 63.70 - 65.00 : STRFOL Strongly Foliated, 50 Deg to CA 63.70 - 65.00 : UC Upper Contact, 50 Deg to CA
65.00	77.30	MV, Mafic Volcanic Mineralization 65.00 - 77.30 Structure 65.00 - 77.30 : MODFOL Moderately Foliated, 50 Deg to CA 65.00 - 77.30 : UC Upper Contact, 50 Deg to CA
77.30	78.30	MD, Mafic Dike Mineralization 77.30 - 78.30 Structure 77.30 - 78.30 77.30 - 78.30 : UC Upper Contact, 45 Deg to CA
78.30	80.00	MV, Mafic Volcanic Mineralization 78.30 - 80.00 Structure 78.30 - 80.00 : MODFOL Moderately Foliated, 50 Deg to CA 78.30 - 80.00 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804620	62.70	63.70	1.00	0.0036	0.0039	0.0024
E804621	63.70	64.30	0.60	0.0379	0.0132	0.0055
E804622	64.30	65.00	0.70	0.0829	0.0327	0.0064
E804623	65.00	66.50	1.50	0.0199	0.0136	0.0057
E804624	66.50	68.00	1.50	0.0166	0.0199	0.0078

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804551	3.20	4.00	0.0269	0.0584	0.0035
E804552	4.00	4.60	0.2208	0.1079	0.0093
E804553	4.60	5.70	0.4155	0.1884	0.0132
E804554	5.70	6.80	0.0831	0.0408	0.0061
E804555	6.80	8.00	0.4039	0.1693	0.0120
E804556	8.00	9.00	0.4350	0.1996	0.0125

Hole Number: KB-07-81 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804557	9.00	10.00	0.0945	0.0370	0.0055
E804558	10.00	10.50	0.1557	0.0576	0.0073
E804559	10.50	11.50	0.8381	1.5773	0.0179
E804560	11.50	12.60	0.6728	0.2726	0.0188
E804561	12.60	13.50	0.1435	0.0989	0.0060
E804562	13.50	14.40	0.0717	0.0494	0.0057
E804563	14.40	15.30	0.0099	0.0163	0.0034
E804564	15.30	16.20	0.0431	0.0149	0.0032
E804565	16.20	17.00	0.2013	0.0979	0.0085
E804566	17.00	18.00	0.1944	0.1688	0.0084
E804567	18.00	19.00	0.1620	0.0799	0.0084
E804568	19.00	20.00	0.0510	0.0278	0.0079
E804569	20.00	21.00	0.5947	0.3439	0.0175
E804570	21.00	22.00	0.0732	0.0650	0.0051
E804571	22.00	23.10	0.5617	0.2518	0.0193
E804573	23.10	24.00	0.2586	0.1300	0.0129
E804574	24.00	25.00	0.0456	0.0376	0.0068
E804575	25.00	26.00	0.0844	0.0734	0.0088
E804576	26.00	27.00	0.0288	0.0194	0.0072
E804577	27.00	28.00	0.0247	0.0216	0.0089
E804578	28.00	29.00	0.0444	0.0378	0.0080
E804579	29.00	30.00	0.5719	0.4011	0.0178
E804581	30.00	31.00	0.0333	0.0383	0.0063
E804582	31.00	31.60	0.9039	0.6240	0.0234
E804583	31.60	32.20	0.0257	0.0129	0.0055
E804584	32.20	33.40	0.0232	0.0122	0.0063
E804585	33.40	34.00	0.9408	0.2668	0.0376
E804586	34.00	35.00	0.1677	0.0810	0.0083
E804587	35.00	35.80	0.2816	0.1815	0.0133
E804588	35.80	37.00	0.0273	0.0216	0.0092
E804589	37.00	38.00	0.1359	0.0688	0.0093
E804590	38.00	39.00	0.0830	0.0439	0.0090
E804591	39.00	40.00	0.0461	0.0368	0.0099
E804592	40.00	41.00	0.1666	0.0722	0.0097
E804593	41.00	42.00	0.3782	0.3174	0.0145
E804594	42.00	43.00	0.2561	0.2328	0.0121
E804595	43.00	44.00	0.1345	0.1129	0.0084

Hole Number: KB-07-81 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804596	44.00	45.00	0.3249	0.6180	0.0107
E804597	45.00	45.70	0.1843	0.1250	0.0086
E804598	45.70	46.70	1.5159	0.5825	0.0465
E804600	46.70	47.40	1.9501	0.4487	0.1027
E804602	47.40	48.30	0.1970	0.2371	0.0099
E804603	48.30	49.30	0.0293	0.0115	0.0060
E804604	49.30	49.80	1.8732	0.6788	0.0559
E804605	49.80	50.20	3.5580	0.9358	0.1137
E804607	50.20	51.00	0.3584	0.6920	0.0157
E804608	51.00	52.00	0.4561	0.6509	0.0112
E804609	52.00	53.00	0.1730	0.2571	0.0065
E804610	53.00	54.30	0.7886	0.6758	0.0205
E804611	54.30	55.00	0.3869	0.4852	0.0160
E804612	55.00	56.00	0.0822	0.1064	0.0074
E804613	56.00	57.00	0.0514	0.0320	0.0059
E804614	57.00	58.00	0.2795	0.2507	0.0128
E804615	58.00	58.60	0.1061	0.1222	0.0079
E804616	58.60	59.60	0.1288	0.1621	0.0074
E804617	59.60	60.60	0.2207	0.1744	0.0088
E804618	60.60	61.60	0.3654	0.2025	0.0111
E804619	61.60	62.70	0.0256	0.0085	0.0048
E804620	62.70	63.70	0.0036	0.0039	0.0024
E804621	63.70	64.30	0.0379	0.0132	0.0055
E804622	64.30	65.00	0.0829	0.0327	0.0064
E804623	65.00	66.50	0.0199	0.0136	0.0057
E804624	66.50	68.00	0.0166	0.0199	0.0078

DETAILED LOG

Hole Number: KB-07-80 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -51.00
Project Number:	19900	North: 5481456.00			North: 5481456.00		Collar Az: 291.10
Location:	Surface	East: 453844.00			East: 453844.00		Length: 50.00 (m)
		Elev: 385.15			Elev: 385.15		Start Depth: 0.00 (m)
Date Started:	Jul 07, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 50.00 (m)
Date Completed:	Jul 07, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	5.20	11.00	5.80	0.4098	0.4677	0.0121
WEIGHTED	5.20	22.30	17.10	0.2532	0.2884	0.0087
WEIGHTED	14.00	22.30	8.30	0.2102	0.2332	0.0075

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	291.10	-50.90	EZ	OK	5801	50.00	304.50	-50.30	EZ	OK	5774

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.30	CAS, Casing							
2.30	5.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.30 - 5.20 Structure 2.30 - 5.20	c444651	2.30	3.00	0.70	0.0896	0.1250	0.0044
			c444652	3.00	4.00	1.00	0.1078	0.0837	0.0046
			c444653	4.00	5.20	1.20	0.1500	0.0955	0.0057
5.20	18.70	PYXT, Pyroxenite irregular contact . weak local talc Mineralization 5.20 - 18.70 Structure 5.20 - 18.70 : MODFOL Moderately Foliated, 40 Deg to CA	c444654	5.20	6.00	0.80	0.2257	0.6774	0.0092
			c444655	6.00	7.00	1.00	0.3074	0.3155	0.0082
			c444657	7.00	8.00	1.00	0.2729	0.2044	0.0129
			c444658	8.00	9.00	1.00	0.2760	0.1852	0.0112
			c444659	9.00	10.00	1.00	0.8115	0.8142	0.0177
			c444660	10.00	11.00	1.00	0.5286	0.6517	0.0128
			c444661	11.00	12.00	1.00	0.0741	0.1024	0.0057
			c444662	12.00	13.00	1.00	0.0618	0.0754	0.0058
			c444663	13.00	14.00	1.00	0.0728	0.1049	0.0056
			c444664	14.00	15.00	1.00	0.2985	0.2770	0.0094
			c444665	15.00	16.00	1.00	0.1055	0.1262	0.0057
			c444666	16.00	17.00	1.00	0.3234	0.2812	0.0103
			c444667	17.00	18.00	1.00	0.1327	0.1525	0.0065
			c444668	18.00	18.70	0.70	0.1394	0.1626	0.0075

DETAILED LOG

Hole Number: KB-07-80

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
18.70	20.25	TSCH, Talc Schist Mineralization 18.70 - 20.25 Structure 18.70 - 20.25 : STRFOL Strongly Foliated, 25 Deg to CA 18.70 - 20.25 : UC Upper Contact, 40 Deg to CA
20.25	21.40	MDCHL, Mafic Dike Chloritic Mineralization 20.25 - 21.40 Structure 20.25 - 21.40 : MODFOL Moderately Foliated, 50 Deg to CA 20.25 - 21.40 : UC Upper Contact, 35 Deg to CA
21.40	22.30	TSCH, Talc Schist Mineralization 21.40 - 22.30 Structure 21.40 - 22.30 : STRFOL Strongly Foliated, 25 Deg to CA 21.40 - 22.30 : UC Upper Contact, 40 Deg to CA
22.30	50.00	MV, Mafic Volcanic Mineralization 22.30 - 50.00 Structure 22.30 - 50.00 22.30 - 50.00 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
c444669	18.70	20.25	1.55	0.1194	0.1527	0.0058
c444670	20.25	21.40	1.15	0.0049	0.0044	0.0021
c444672	21.40	22.30	0.90	0.6626	0.8258	0.0150
c444673	22.30	23.00	0.70	0.0163	0.0111	0.0054
c444674	23.00	24.00	1.00	0.0141	0.0066	0.0060
c444675	24.00	25.00	1.00	0.0115	0.0045	0.0053
c444676	25.00	26.00	1.00	0.0448	0.0312	0.0053

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c444651	2.30	3.00	0.0896	0.1250	0.0044
c444652	3.00	4.00	0.1078	0.0837	0.0046
c444653	4.00	5.20	0.1500	0.0955	0.0057
c444654	5.20	6.00	0.2257	0.6774	0.0092
c444655	6.00	7.00	0.3074	0.3155	0.0082
c444657	7.00	8.00	0.2729	0.2044	0.0129
c444658	8.00	9.00	0.2760	0.1852	0.0112
c444659	9.00	10.00	0.8115	0.8142	0.0177
c444660	10.00	11.00	0.5286	0.6517	0.0128
c444661	11.00	12.00	0.0741	0.1024	0.0057
c444662	12.00	13.00	0.0618	0.0754	0.0058
c444663	13.00	14.00	0.0728	0.1049	0.0056

Hole Number: KB-07-80

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c444664	14.00	15.00	0.2985	0.2770	0.0094
c444665	15.00	16.00	0.1055	0.1262	0.0057
c444666	16.00	17.00	0.3234	0.2812	0.0103
c444667	17.00	18.00	0.1327	0.1525	0.0065
c444668	18.00	18.70	0.1394	0.1626	0.0075
c444669	18.70	20.25	0.1194	0.1527	0.0058
c444670	20.25	21.40	0.0049	0.0044	0.0021
c444672	21.40	22.30	0.6626	0.8258	0.0150
c444673	22.30	23.00	0.0163	0.0111	0.0054
c444674	23.00	24.00	0.0141	0.0066	0.0060
c444675	24.00	25.00	0.0115	0.0045	0.0053
c444676	25.00	26.00	0.0448	0.0312	0.0053

DETAILED LOG

Hole Number: KB-07-79 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -63.40
Project Number:	19900	North: 5481400.00			North: 5481400.00		Collar Az: 309.50
Location:	Surface	East: 453894.80			East: 453894.80		Length: 191.00 (m)
		Elev: 383.34			Elev: 383.34		Start Depth: 0.00 (m)
Date Started:	Jul 05, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 191.00 (m)
Date Completed:	Jul 07, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments: kb-07-79

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	21.00	41.40	20.40	0.6202	0.4544	0.0153
WEIGHTED	30.00	33.00	3.00	1.1693	0.6129	0.0226
WEIGHTED	36.00	40.00	4.00	1.2655	0.6087	0.0304
WEIGHTED	51.00	58.20	7.20	0.3341	0.2036	0.0108
WEIGHTED	81.05	93.10	12.05	0.2402	0.1426	0.0081
WEIGHTED	143.00	154.00	11.00	0.2470	0.3167	0.0084

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	309.50	-63.40	EZ	OK	5837	50.00	310.40	-63.80	EZ	OK	5941
101.00	311.40	-63.80	EZ	OK	5807	152.00	311.20	-62.00	EZ	OK	3300
191.00	312.60	-61.40	EZ	OK	5807						

Detailed Lithology

From (m)	To (m)	Lithology
0	4.80	CAS, Casing

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-79

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
4.80	41.40	PYXT, Pyroxenite Mineralization 4.80 - 29.75 29.75 - 32.95 32.95 - 35.95 35.95 - 41.40 Structure 4.80 - 41.40 : MODFOL Moderately Foliated, 40 Deg to CA	C444677	4.80	6.00	1.20	0.0577	0.0991	0.0059
			C444678	6.00	7.00	1.00	0.0200	0.0146	0.0041
			C444679	7.00	8.00	1.00	0.0209	0.0026	0.0033
			C444680	8.00	9.00	1.00	0.0220	0.0118	0.0035
			C444681	9.00	10.00	1.00	0.0320	0.0625	0.0044
			C444682	10.00	11.00	1.00	0.0210	0.0163	0.0042
			C444683	11.00	12.00	1.00	0.0230	0.0107	0.0038
			C444684	12.00	13.00	1.00	0.0420	0.0604	0.0049
			C444685	13.00	14.00	1.00	0.0242	0.0085	0.0040
			C444686	14.00	15.00	1.00	0.0278	0.0086	0.0039
			C444687	15.00	16.00	1.00	0.0655	0.1621	0.0062
			C444688	16.00	17.00	1.00	0.0240	0.0151	0.0037
			C444689	17.00	18.00	1.00	0.0211	0.0162	0.0037
			C444690	18.00	19.00	1.00	0.0320	0.0421	0.0031
			C444691	19.00	20.00	1.00	0.0003	0.0509	0.0020
			C444692	20.00	21.00	1.00	0.0795	0.0669	0.0054
			C444693	21.00	22.00	1.00	0.7097	1.0611	0.0149
			C444694	22.00	23.00	1.00	0.4132	0.7804	0.0140
			C444695	23.00	24.00	1.00	0.5993	1.4716	0.0090
			C444696	24.00	25.00	1.00	0.0903	0.0582	0.0065
			C444697	25.00	26.00	1.00	0.0844	0.0684	0.0045
			C444698	26.00	27.00	1.00	0.1097	0.0848	0.0052
			C444699	27.00	28.00	1.00	0.2164	0.3262	0.0066
			C444700	28.00	29.00	1.00	0.0578	0.0352	0.0045
			C444701	29.00	30.00	1.00	0.2735	0.2211	0.0089
			C444702	30.00	31.00	1.00	1.1245	0.5287	0.0228
			C444703	31.00	32.00	1.00	0.9841	0.7048	0.0247
			C444704	32.00	33.00	1.00	1.3992	0.6053	0.0202
			C444705	33.00	34.00	1.00	0.2080	0.1329	0.0090
			C444706	34.00	35.00	1.00	0.1444	0.0309	0.0075
			C444707	35.00	36.00	1.00	0.1027	0.0824	0.0075
			C444708	36.00	37.00	1.00	0.9835	0.6200	0.0241
			C444709	37.00	38.00	1.00	1.2018	0.5281	0.0312
			C444710	38.00	39.00	1.00	1.5474	0.4953	0.0412
			C444711	39.00	40.00	1.00	1.3292	0.7913	0.0252
			C444713	40.00	41.40	1.40	0.7660	0.4596	0.0171
41.40	48.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 41.40 - 48.30 Structure 41.40 - 48.30 41.40 - 48.30 : UC Upper Contact, 55 Deg to CA	C444714	41.40	43.00	1.60	0.0182	0.0192	0.0031
			C444715	43.00	44.50	1.50	0.0150	0.0134	0.0037
			C444716	44.50	46.00	1.50	0.0176	0.0522	0.0048
			C444717	46.00	47.00	1.00	0.0201	0.0354	0.0041
			C444718	47.00	48.30	1.30	0.3072	0.2970	0.0104

Hole Number: KB-07-79 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
48.30	51.00	MV, Mafic Volcanic Mineralization 48.30 - 51.00 Structure 48.30 - 51.00	C444719	48.30	49.00	0.70	0.0120	0.0180	0.0041
			C444720	49.00	50.00	1.00	0.0166	0.0285	0.0043
			C444721	50.00	51.00	1.00	0.0138	0.0185	0.0043
51.00	56.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 51.00 - 56.00 Structure 51.00 - 56.00 51.00 - 56.00 : UC Upper Contact, 15 Deg to CA	C444722	51.00	52.00	1.00	0.5899	0.2481	0.0165
			C444723	52.00	53.00	1.00	0.0542	0.0455	0.0039
			C444724	53.00	54.00	1.00	0.2162	0.2554	0.0093
			C444725	54.00	55.00	1.00	0.0498	0.0415	0.0046
			C444726	55.00	56.00	1.00	0.0958	0.1050	0.0062
56.00	58.20	PYXT, Pyroxenite irregular contact Mineralization 56.00 - 56.80 56.80 - 58.20 Structure 56.00 - 58.20	C444727	56.00	57.00	1.00	0.9447	0.4608	0.0260
			C444728	57.00	58.20	1.20	0.3788	0.2579	0.0097
58.20	60.90	MV, Mafic Volcanic Mineralization 58.20 - 60.90 Structure 58.20 - 60.90 58.20 - 60.90 : UC Upper Contact, 55 Deg to CA	C444730	58.20	59.00	0.80	0.0640	0.0362	0.0049
			C444731	59.00	60.00	1.00	0.0166	0.0142	0.0048
			C444732	60.00	60.90	0.90	0.0158	0.0149	0.0045
60.90	63.30	FD, Felsic Dike Mineralization 60.90 - 63.30 Structure 60.90 - 63.30 60.90 - 63.30 : UC Upper Contact, 20 Deg to CA	C444733	60.90	62.00	1.10	0.0037	0.0038	0.0011
			C444734	62.00	63.30	1.30	0.0063	0.0043	0.0018
63.30	64.40	MV, Mafic Volcanic py Mineralization 63.30 - 64.40 Structure 63.30 - 64.40 : UC Upper Contact, 45 Deg to CA	C444735	63.30	64.40	1.10	0.0141	0.0144	0.0039

Hole Number: KB-07-79

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
64.40	70.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 64.40 - 70.10 Structure 64.40 - 70.10 64.40 - 70.10 : UC Upper Contact, 50 Deg to CA	C444736	64.40	66.00	1.60	0.0671	0.0344	0.0048
			C444737	66.00	67.00	1.00	0.0183	0.0113	0.0023
			C444738	67.00	68.00	1.00	0.0114	0.0098	0.0020
			C444739	68.00	69.00	1.00	0.0109	0.0135	0.0031
			C444740	69.00	70.10	1.10	0.0366	0.0645	0.0062
70.10	72.10	PYXT, Pyroxenite irregular contact Mineralization 70.10 - 72.10 Structure 70.10 - 72.10 : MODFOL Moderately Foliated, 30 Deg to CA	C444741	70.10	71.00	0.90	0.0488	0.0183	0.0043
			C444742	71.00	72.10	1.10	0.0529	0.0114	0.0045
72.10	79.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 72.10 - 79.20 Structure 72.10 - 79.20 72.10 - 79.20 : UC Upper Contact, 25 Deg to CA	C444743	72.10	73.00	0.90	0.0131	0.0218	0.0040
			C444744	73.00	74.00	1.00	0.0106	0.0214	0.0045
			C444745	74.00	75.00	1.00	0.0058	0.0099	0.0021
			C444746	75.00	76.00	1.00	0.0088	0.0075	0.0027
			C444747	76.00	77.00	1.00	0.0372	0.0638	0.0050
			C444748	77.00	78.00	1.00	0.0543	0.0618	0.0076
			C444749	78.00	79.20	1.20	0.2480	0.1167	0.0086
79.20	81.05	GAB, Gabbro Mineralization 79.20 - 81.05 Structure 79.20 - 81.05 : UC Upper Contact, 60 Deg to CA 81.05 - 81.05	C444750	79.20	80.00	0.80	0.0507	0.0143	0.0050
			C444751	80.00	81.05	1.05	0.0147	0.0137	0.0031
81.05	82.50	PYXT, Pyroxenite irregular contact Mineralization 81.05 - 82.50 Structure 81.05 - 82.50	C444752	81.05	82.50	1.45	0.4451	0.1810	0.0124
82.50	88.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 82.50 - 88.80 Structure 82.50 - 88.80 82.50 - 88.80 : UC Upper Contact, 50 Deg to CA	C444753	82.50	84.00	1.50	0.0144	0.0077	0.0012
			C444754	84.00	85.00	1.00	0.0221	0.0195	0.0027
			C444755	85.00	86.00	1.00	0.2891	0.2109	0.0083
			C444756	86.00	87.00	1.00	0.0443	0.0302	0.0056
			C444757	87.00	88.00	1.00	0.3843	0.3212	0.0146
			C444758	88.00	88.80	0.80	0.0463	0.0413	0.0050

Hole Number: KB-07-79 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
88.80	90.40	GAB, Gabbro Mineralization 88.80 - 90.40 Structure 88.80 - 90.40 88.80 - 90.40 : UC Upper Contact, 40 Deg to CA	C444759	88.80	89.80	1.00	0.0228	0.0454	0.0039
			C444760	89.80	90.40	0.60	0.0125	0.0050	0.0040
90.40	93.10	PYXT, Pyroxenite Mineralization 90.40 - 93.10 Structure 90.40 - 93.10 : MODFOL Moderately Foliated, 45 Deg to CA 90.40 - 93.10 : UC Upper Contact, 65 Deg to CA	C444761	90.40	92.00	1.60	0.5911	0.3736	0.0143
			C444763	92.00	93.10	1.10	0.4313	0.1663	0.0118
93.10	97.45	MV, Mafic Volcanic Mineralization 93.10 - 97.45 Structure 93.10 - 97.45 93.10 - 97.45 : UC Upper Contact, 35 Deg to CA	C444764	93.10	94.00	0.90	0.0412	0.0205	0.0060
			C444765	94.00	95.00	1.00	0.0744	0.0161	0.0076
			C444766	95.00	96.00	1.00	0.0156	0.0027	0.0056
			C444767	96.00	97.45	1.45	0.0177	0.0033	0.0050
97.45	103.85	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 97.45 - 103.85 Structure 97.45 - 103.85 97.45 - 103.85 : UC Upper Contact, 50 Deg to CA	C444768	97.45	99.00	1.55	0.0744	0.0600	0.0067
			C444769	99.00	100.00	1.00	0.0166	0.0204	0.0043
			C444770	100.00	101.00	1.00	0.0048	0.0072	0.0026
			C444771	101.00	102.50	1.50	0.0450	0.0324	0.0039
			C444772	102.50	103.85	1.35	0.0180	0.0074	0.0030
103.85	114.55	MV, Mafic Volcanic vague contact . pyrite Mineralization 103.85 - 114.55 Structure 103.85 - 114.55	C444773	103.85	105.00	1.15	0.0067	0.0145	0.0047
			C444774	105.00	106.00	1.00	0.0138	0.0074	0.0043
			C444775	106.00	107.00	1.00	0.0104	0.0128	0.0055
			C444776	107.00	108.00	1.00	0.0422	0.0402	0.0065
			C444777	108.00	109.00	1.00	0.0109	0.0161	0.0052
			C444778	109.00	110.00	1.00	0.0113	0.0107	0.0036
			C444779	110.00	111.00	1.00	0.0094	0.0118	0.0046
			C444780	111.00	112.00	1.00	0.0104	0.0108	0.0042
			C444781	112.00	113.00	1.00	0.0103	0.0127	0.0044
			C444782	113.00	114.55	1.55	0.0114	0.0126	0.0047
114.55	119.60	MDCHL, Mafic Dike Chloritic Mineralization 114.55 - 119.60 Structure 114.55 - 119.60 114.55 - 119.60 : UC Upper Contact, 30 Deg to CA	C444783	114.55	116.00	1.45	0.0036	0.0036	0.0018
			C444784	116.00	117.00	1.00	0.0034	0.0034	0.0016
			C444785	117.00	118.00	1.00	0.0027	0.0029	0.0015
			C444786	118.00	119.60	1.60	0.0039	0.0033	0.0022

Hole Number: KB-07-79

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
119.60	121.25	MD, Mafic Dike Mineralization 119.60 - 121.25 Structure 119.60 - 121.25 : MODFOL Moderately Foliated, 35 Deg to CA 119.60 - 121.25 : UC Upper Contact, 55 Deg to CA	C444787	119.60	120.50	0.90	0.0060	0.0073	0.0037
			C444788	120.50	121.25	0.75	0.0082	0.0140	0.0052
121.25	123.05	PYXT, Pyroxenite Mineralization 121.25 - 123.05 Structure 121.25 - 123.05 121.25 - 123.05 : UC Upper Contact, 65 Deg to CA	C444791	121.25	123.05	1.80	0.6193	0.1606	0.0188
123.05	125.90	FD, Felsic Dike Mineralization 123.05 - 125.90 Structure 123.05 - 125.90 123.05 - 125.90 : UC Upper Contact, 35 Deg to CA	C444792	123.05	124.00	0.95	0.0101	0.0101	0.0021
			C444793	124.00	125.00	1.00	0.0037	0.0065	0.0018
			C444794	125.00	125.90	0.90	0.1797	0.0884	0.0093
125.90	126.60	MV, Mafic Volcanic 10cm pyxt dyke Mineralization 125.90 - 126.60 Structure 125.90 - 126.60 125.90 - 126.60 : UC Upper Contact, 40 Deg to CA	C444795	125.90	126.60	0.70	0.1283	0.0656	0.0061
126.60	129.75	PYXT, Pyroxenite Mineralization 126.60 - 129.75 Structure 126.60 - 129.75 : MODFOL Moderately Foliated, 50 Deg to CA 126.60 - 129.75 : UC Upper Contact, 60 Deg to CA	C444796	126.60	128.00	1.40	0.0996	0.1563	0.0065
			C444797	128.00	129.00	1.00	0.1968	0.0816	0.0085
			C444798	129.00	129.75	0.75	0.2270	0.0792	0.0096
129.75	138.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 129.75 - 138.60 Structure 129.75 - 138.60 129.75 - 138.60 : UC Upper Contact, 45 Deg to CA	C444799	129.75	131.00	1.25	0.1162	0.0445	0.0075
			C444800	131.00	132.00	1.00	0.0216	0.0144	0.0031
			C444801	132.00	133.00	1.00	0.0226	0.0162	0.0051
			C444802	133.00	134.00	1.00	0.0528	0.0284	0.0051
			C444803	134.00	135.00	1.00	0.0143	0.0201	0.0056
			C444804	135.00	136.00	1.00	0.0119	0.0075	0.0045
			C444805	136.00	137.00	1.00	0.1341	0.0700	0.0077
			C444806	137.00	138.60	1.60	0.0268	0.0006	0.0048

Hole Number: KB-07-79 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
138.60	143.85	PYXT, Pyroxenite irregular contact Mineralization 138.60 - 143.85 Structure 138.60 - 143.85
143.85	145.05	MDCHL, Mafic Dike Chloritic Mineralization 143.85 - 145.05 Structure 143.85 - 145.05 : MODFOL Moderately Foliated, 35 Deg to CA 143.85 - 145.05 : UC Upper Contact, 40 Deg to CA
145.05	156.50	TSCH, Talc Schist Mineralization 145.05 - 156.50 Structure 145.05 - 156.50 : STRFOL Strongly Foliated, 40 Deg to CA 145.05 - 156.50 : UC Upper Contact, 30 Deg to CA
156.50	157.70	MDCHL, Mafic Dike Chloritic Mineralization 156.50 - 157.70 Structure 156.50 - 157.70 : MODFOL Moderately Foliated, 50 Deg to CA 156.50 - 157.70 : UC Upper Contact, 45 Deg to CA
157.70	191.00	MV, Mafic Volcanic Mineralization 157.70 - 191.00 Structure 157.70 - 191.00 157.70 - 191.00 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
C444807	138.60	140.00	1.40	0.1268	0.0508	0.0063
C444808	140.00	141.00	1.00	0.0077	0.0132	0.0031
C444809	141.00	142.00	1.00	0.1421	0.1368	0.0230
C444811	142.00	143.00	1.00	0.1025	0.0397	0.0070
C444812	143.00	143.85	0.85	0.2177	0.1135	0.0098
C444813	143.85	145.05	1.20	0.0108	0.0079	0.0031
C444814	145.05	146.00	0.95	0.4619	0.6596	0.0119
C444815	146.00	147.00	1.00	0.1632	0.2522	0.0064
C444816	147.00	148.00	1.00	0.3382	0.4579	0.0088
C444817	148.00	149.00	1.00	0.3022	0.6870	0.0086
C444818	149.00	150.00	1.00	0.2478	0.3284	0.0071
C444819	150.00	151.00	1.00	0.2165	0.2621	0.0072
C444820	151.00	152.00	1.00	0.1198	0.1778	0.0061
C444821	152.00	153.00	1.00	0.2332	0.1904	0.0103
C444822	153.00	154.00	1.00	0.4598	0.3954	0.0147
C444823	154.00	155.00	1.00	0.1468	0.1542	0.0072
C444824	155.00	156.50	1.50	0.1015	0.1289	0.0052
C444825	156.50	157.70	1.20	0.0152	0.0162	0.0069
C444826	157.70	159.00	1.30	0.0156	0.0119	0.0070
C444827	159.00	160.00	1.00	0.0155	0.0148	0.0067
C444828	160.00	161.00	1.00	0.0382	0.0218	0.0042

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C444677	4.80	6.00	0.0577	0.0991	0.0059
C444678	6.00	7.00	0.0200	0.0146	0.0041

Hole Number: KB-07-79

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C444679	7.00	8.00	0.0209	0.0026	0.0033
C444680	8.00	9.00	0.0220	0.0118	0.0035
C444681	9.00	10.00	0.0320	0.0625	0.0044
C444682	10.00	11.00	0.0210	0.0163	0.0042
C444683	11.00	12.00	0.0230	0.0107	0.0038
C444684	12.00	13.00	0.0420	0.0604	0.0049
C444685	13.00	14.00	0.0242	0.0085	0.0040
C444686	14.00	15.00	0.0278	0.0086	0.0039
C444687	15.00	16.00	0.0655	0.1621	0.0062
C444688	16.00	17.00	0.0240	0.0151	0.0037
C444689	17.00	18.00	0.0211	0.0162	0.0037
C444690	18.00	19.00	0.0320	0.0421	0.0031
C444691	19.00	20.00	0.0003	0.0509	0.0020
C444692	20.00	21.00	0.0795	0.0669	0.0054
C444693	21.00	22.00	0.7097	1.0611	0.0149
C444694	22.00	23.00	0.4132	0.7804	0.0140
C444695	23.00	24.00	0.5993	1.4716	0.0090
C444696	24.00	25.00	0.0903	0.0582	0.0065
C444697	25.00	26.00	0.0844	0.0684	0.0045
C444698	26.00	27.00	0.1097	0.0848	0.0052
C444699	27.00	28.00	0.2164	0.3262	0.0066
C444700	28.00	29.00	0.0578	0.0352	0.0045
C444701	29.00	30.00	0.2735	0.2211	0.0089
C444702	30.00	31.00	1.1245	0.5287	0.0228
C444703	31.00	32.00	0.9841	0.7048	0.0247
C444704	32.00	33.00	1.3992	0.6053	0.0202
C444705	33.00	34.00	0.2080	0.1329	0.0090
C444706	34.00	35.00	0.1444	0.0309	0.0075
C444707	35.00	36.00	0.1027	0.0824	0.0075
C444708	36.00	37.00	0.9835	0.6200	0.0241
C444709	37.00	38.00	1.2018	0.5281	0.0312
C444710	38.00	39.00	1.5474	0.4953	0.0412
C444711	39.00	40.00	1.3292	0.7913	0.0252
C444713	40.00	41.40	0.7660	0.4596	0.0171
C444714	41.40	43.00	0.0182	0.0192	0.0031
C444715	43.00	44.50	0.0150	0.0134	0.0037
C444716	44.50	46.00	0.0176	0.0522	0.0048

Hole Number: KB-07-79 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C444717	46.00	47.00	0.0201	0.0354	0.0041
C444718	47.00	48.30	0.3072	0.2970	0.0104
C444719	48.30	49.00	0.0120	0.0180	0.0041
C444720	49.00	50.00	0.0166	0.0285	0.0043
C444721	50.00	51.00	0.0138	0.0185	0.0043
C444722	51.00	52.00	0.5899	0.2481	0.0165
C444723	52.00	53.00	0.0542	0.0455	0.0039
C444724	53.00	54.00	0.2162	0.2554	0.0093
C444725	54.00	55.00	0.0498	0.0415	0.0046
C444726	55.00	56.00	0.0958	0.1050	0.0062
C444727	56.00	57.00	0.9447	0.4608	0.0260
C444728	57.00	58.20	0.3788	0.2579	0.0097
C444730	58.20	59.00	0.0640	0.0362	0.0049
C444731	59.00	60.00	0.0166	0.0142	0.0048
C444732	60.00	60.90	0.0158	0.0149	0.0045
C444733	60.90	62.00	0.0037	0.0038	0.0011
C444734	62.00	63.30	0.0063	0.0043	0.0018
C444735	63.30	64.40	0.0141	0.0144	0.0039
C444736	64.40	66.00	0.0671	0.0344	0.0048
C444737	66.00	67.00	0.0183	0.0113	0.0023
C444738	67.00	68.00	0.0114	0.0098	0.0020
C444739	68.00	69.00	0.0109	0.0135	0.0031
C444740	69.00	70.10	0.0366	0.0645	0.0062
C444741	70.10	71.00	0.0488	0.0183	0.0043
C444742	71.00	72.10	0.0529	0.0114	0.0045
C444743	72.10	73.00	0.0131	0.0218	0.0040
C444744	73.00	74.00	0.0106	0.0214	0.0045
C444745	74.00	75.00	0.0058	0.0099	0.0021
C444746	75.00	76.00	0.0088	0.0075	0.0027
C444747	76.00	77.00	0.0372	0.0638	0.0050
C444748	77.00	78.00	0.0543	0.0618	0.0076
C444749	78.00	79.20	0.2480	0.1167	0.0086
C444750	79.20	80.00	0.0507	0.0143	0.0050
C444751	80.00	81.05	0.0147	0.0137	0.0031
C444752	81.05	82.50	0.4451	0.1810	0.0124
C444753	82.50	84.00	0.0144	0.0077	0.0012
C444754	84.00	85.00	0.0221	0.0195	0.0027

Hole Number: KB-07-79

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C444755	85.00	86.00	0.2891	0.2109	0.0083
C444756	86.00	87.00	0.0443	0.0302	0.0056
C444757	87.00	88.00	0.3843	0.3212	0.0146
C444758	88.00	88.80	0.0463	0.0413	0.0050
C444759	88.80	89.80	0.0228	0.0454	0.0039
C444760	89.80	90.40	0.0125	0.0050	0.0040
C444761	90.40	92.00	0.5911	0.3736	0.0143
C444763	92.00	93.10	0.4313	0.1663	0.0118
C444764	93.10	94.00	0.0412	0.0205	0.0060
C444765	94.00	95.00	0.0744	0.0161	0.0076
C444766	95.00	96.00	0.0156	0.0027	0.0056
C444767	96.00	97.45	0.0177	0.0033	0.0050
C444768	97.45	99.00	0.0744	0.0600	0.0067
C444769	99.00	100.00	0.0166	0.0204	0.0043
C444770	100.00	101.00	0.0048	0.0072	0.0026
C444771	101.00	102.50	0.0450	0.0324	0.0039
C444772	102.50	103.85	0.0180	0.0074	0.0030
C444773	103.85	105.00	0.0067	0.0145	0.0047
C444774	105.00	106.00	0.0138	0.0074	0.0043
C444775	106.00	107.00	0.0104	0.0128	0.0055
C444776	107.00	108.00	0.0422	0.0402	0.0065
C444777	108.00	109.00	0.0109	0.0161	0.0052
C444778	109.00	110.00	0.0113	0.0107	0.0036
C444779	110.00	111.00	0.0094	0.0118	0.0046
C444780	111.00	112.00	0.0104	0.0108	0.0042
C444781	112.00	113.00	0.0103	0.0127	0.0044
C444782	113.00	114.55	0.0114	0.0126	0.0047
C444783	114.55	116.00	0.0036	0.0036	0.0018
C444784	116.00	117.00	0.0034	0.0034	0.0016
C444785	117.00	118.00	0.0027	0.0029	0.0015
C444786	118.00	119.60	0.0039	0.0033	0.0022
C444787	119.60	120.50	0.0060	0.0073	0.0037
C444788	120.50	121.25	0.0082	0.0140	0.0052
C444791	121.25	123.05	0.6193	0.1606	0.0188
C444792	123.05	124.00	0.0101	0.0101	0.0021
C444793	124.00	125.00	0.0037	0.0065	0.0018
C444794	125.00	125.90	0.1797	0.0884	0.0093

Hole Number: KB-07-79

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
C444795	125.90	126.60	0.1283	0.0656	0.0061
C444796	126.60	128.00	0.0996	0.1563	0.0065
C444797	128.00	129.00	0.1968	0.0816	0.0085
C444798	129.00	129.75	0.2270	0.0792	0.0096
C444799	129.75	131.00	0.1162	0.0445	0.0075
C444800	131.00	132.00	0.0216	0.0144	0.0031
C444801	132.00	133.00	0.0226	0.0162	0.0051
C444802	133.00	134.00	0.0528	0.0284	0.0051
C444803	134.00	135.00	0.0143	0.0201	0.0056
C444804	135.00	136.00	0.0119	0.0075	0.0045
C444805	136.00	137.00	0.1341	0.0700	0.0077
C444806	137.00	138.60	0.0268	0.0006	0.0048
C444807	138.60	140.00	0.1268	0.0508	0.0063
C444808	140.00	141.00	0.0077	0.0132	0.0031
C444809	141.00	142.00	0.1421	0.1368	0.0230
C444811	142.00	143.00	0.1025	0.0397	0.0070
C444812	143.00	143.85	0.2177	0.1135	0.0098
C444813	143.85	145.05	0.0108	0.0079	0.0031
C444814	145.05	146.00	0.4619	0.6596	0.0119
C444815	146.00	147.00	0.1632	0.2522	0.0064
C444816	147.00	148.00	0.3382	0.4579	0.0088
C444817	148.00	149.00	0.3022	0.6870	0.0086
C444818	149.00	150.00	0.2478	0.3284	0.0071
C444819	150.00	151.00	0.2165	0.2621	0.0072
C444820	151.00	152.00	0.1198	0.1778	0.0061
C444821	152.00	153.00	0.2332	0.1904	0.0103
C444822	153.00	154.00	0.4598	0.3954	0.0147
C444823	154.00	155.00	0.1468	0.1542	0.0072
C444824	155.00	156.50	0.1015	0.1289	0.0052
C444825	156.50	157.70	0.0152	0.0162	0.0069
C444826	157.70	159.00	0.0156	0.0119	0.0070
C444827	159.00	160.00	0.0155	0.0148	0.0067
C444828	160.00	161.00	0.0382	0.0218	0.0042

DETAILED LOG

Hole Number: KB-07-78

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-58.00
Project Number:	19900	North:	5481400.00	North:	5481400.00	Collar Az:	307.50
Location:	Surface	East:	453894.80	East:	453894.80	Length:	164.00 (m)
		Elev:	383.34	Elev:	383.34	Start Depth:	0.00 (m)
Date Started:	Jun 29, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	164.00 (m)
Date Completed:	Jul 04, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	307.50	-57.90	EZ	OK	5840	50.00	314.60	-57.40	EZ	OK	5910
101.00	311.40	-56.30	EZ	OK	5788	167.00	309.80	-54.10	EZ	OK	5809

Detailed Lithology

From (m)	To (m)	Lithology
0	4.70	CAS, Casing
4.70	22.65	PYXT, Pyroxenite Mineralization 4.70 - 22.65 Structure 4.70 - 22.65 : STRFOL Strongly Foliated, 40 Deg to CA
22.65	26.60	GABPYXT, Gabbro Pyroxenite Dikes irregular contact Mineralization 22.65 - 26.60 Structure 22.65 - 26.60

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
c444501	4.70	6.00	1.30	0.0266	0.0399	0.0043
c444502	6.00	7.00	1.00	0.0196	0.0104	0.0030
c444503	7.00	8.00	1.00	0.0268	0.0411	0.0040
c444504	8.00	9.00	1.00	0.0302	0.0236	0.0040
c444505	9.00	10.00	1.00	0.0241	0.0182	0.0034
c444506	10.00	11.00	1.00	0.0303	0.0381	0.0035
c444507	11.00	12.00	1.00	0.0517	0.0885	0.0038
c444508	12.00	13.00	1.00	0.0505	0.0821	0.0043
c444509	13.00	14.00	1.00	0.0257	0.0155	0.0034
c444510	14.00	15.00	1.00	0.0214	0.0183	0.0031
c444511	15.00	16.00	1.00	0.0282	0.0200	0.0032
c444512	16.00	17.00	1.00	0.3608	0.3659	0.0267
c444513	17.00	18.00	1.00	0.0474	0.0570	0.0039
c444514	18.00	19.00	1.00	0.6040	0.7175	0.0168
c444515	19.00	20.00	1.00	0.7154	0.7586	0.0216
c444516	20.00	21.00	1.00	0.3914	0.3343	0.0114
c444517	21.00	22.65	1.65	0.0928	0.0384	0.0054
c444518	22.65	24.00	1.35	0.0539	0.0223	0.0054
c444519	24.00	25.00	1.00	0.0143	0.0036	0.0040
c444520	25.00	26.60	1.60	0.1185	0.0684	0.0072

Hole Number: KB-07-78

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
26.60	34.75	PYXT, Pyroxenite vague Mineralization 26.60 - 34.75 Structure 26.60 - 34.75 : MODFOL Moderately Foliated, 35 Deg to CA	c444521	26.60	28.00	1.40	0.0765	0.0375	0.0052
			c444522	28.00	29.00	1.00	0.1514	0.0569	0.0077
			c444523	29.00	30.00	1.00	0.1688	0.0473	0.0079
			c444524	30.00	31.00	1.00	0.1807	0.0596	0.0078
			c444525	31.00	32.00	1.00	0.1578	0.0609	0.0069
			c444526	32.00	33.00	1.00	0.0945	0.0343	0.0054
			c444527	33.00	34.00	1.00	0.0681	0.0122	0.0049
			c444528	34.00	34.75	0.75	0.0505	0.0203	0.0052
34.75	37.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 34.75 - 37.50 Structure 34.75 - 37.50 34.75 - 37.50 : UC Upper Contact, 25 Deg to CA	c444529	34.75	36.00	1.25	0.0622	0.0473	0.0068
			c444530	36.00	37.00	1.00	0.0145	0.0171	0.0046
			c444531	37.00	37.75	0.75	0.0162	0.0249	0.0046
37.50	47.70	PYXT, Pyroxenite irregular contact Mineralization 37.50 - 42.40 42.40 - 44.90 44.90 - 46.30 46.30 - 47.70 Structure 37.50 - 47.70 : MODFOL Moderately Foliated, 45 Deg to CA 37.50 - 47.70 : UC Upper Contact, 65 Deg to CA	c444532	37.75	39.00	1.25	0.3329	0.1442	0.0111
			c444533	39.00	40.00	1.00	0.4595	0.1905	0.0133
			c444534	40.00	42.00	2.00	0.3751	0.2855	0.0105
			c444537	42.00	43.00	1.00	4.1222	0.7496	0.1097
			c444538	43.00	44.00	1.00	7.5248	0.4104	0.1677
			c444539	44.00	45.00	1.00	6.0626	0.8115	0.1598
			c444540	45.00	46.00	1.00	2.0366	0.4193	0.0501
			c444541	46.00	47.00	1.00	1.5953	0.3037	0.0411
			c444542	47.00	47.70	0.70	0.2068	0.1277	0.0061
47.70	55.65	GAB, Gabbro irregular contact Mineralization 47.70 - 55.65 Structure 47.70 - 55.65	c444543	47.70	49.00	1.30	0.0463	0.1890	0.0045
			c444544	49.00	50.00	1.00	0.0227	0.0247	0.0042
			c444545	50.00	51.00	1.00	0.0200	0.0204	0.0034
			c444546	51.00	52.00	1.00	0.0222	0.0034	0.0040
			c444547	52.00	53.00	1.00	0.0416	0.0464	0.0039
			c444548	53.00	54.00	1.00	0.3941	0.3628	0.0130
			c444549	54.00	55.65	1.65	0.1744	0.1064	0.0063
55.65	59.80	FD, Felsic Dike Mineralization 55.65 - 59.80 Structure 55.65 - 59.80 55.65 - 59.80 : UC Upper Contact, 15 Deg to CA	c444550	55.65	57.00	1.35	0.0071	0.0062	0.0012
			c444551	57.00	58.00	1.00	0.0073	0.0047	0.0012
			c444552	58.00	59.00	1.00	0.0045	0.0034	0.0011
			c444553	59.00	59.80	0.80	0.0095	0.0097	0.0010

Hole Number: KB-07-78

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
59.80	96.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 59.80 - 96.10 Structure 59.80 - 96.10 59.80 - 96.10 : UC Upper Contact, 20 Deg to CA	c444554	59.80	61.00	1.20	1.0462	0.1687	0.0333
			c444556	61.00	62.00	1.00	0.2199	0.3199	0.0068
			c444557	62.00	63.00	1.00	0.4067	0.4886	0.0100
			c444558	63.00	64.00	1.00	0.1964	0.1580	0.0065
			c444559	64.00	65.00	1.00	0.0774	0.0556	0.0052
			c444560	65.00	66.00	1.00	0.1026	0.0443	0.0051
			c444561	66.00	67.00	1.00	0.0937	0.0943	0.0050
			c444562	67.00	68.00	1.00	0.0360	0.0346	0.0045
			c444563	68.00	69.00	1.00	0.0952	0.0532	0.0053
			c444564	69.00	70.00	1.00	0.0123	0.0146	0.0051
			c444566	70.00	71.00	1.00	0.2857	0.2417	0.0102
			c444567	71.00	72.00	1.00	0.0085	0.0121	0.0032
			c444568	72.00	73.00	1.00	0.3987	0.2541	0.0120
			c444569	73.00	74.00	1.00	0.2753	0.1532	0.0087
			c444570	74.00	75.00	1.00	0.7047	0.1490	0.0168
			c444571	75.00	76.00	1.00	0.2505	0.0776	0.0092
			c444572	76.00	77.00	1.00	0.1726	0.0925	0.0091
			c444573	77.00	78.00	1.00	0.0954	0.0554	0.0071
			c444574	78.00	79.00	1.00	0.0957	0.0660	0.0069
			c444575	79.00	80.00	1.00	0.1423	0.1097	0.0072
			c444576	80.00	81.00	1.00	0.3113	0.1642	0.0113
			c444577	81.00	82.00	1.00	0.2732	0.1640	0.0088
			c444578	82.00	83.00	1.00	0.2050	0.1064	0.0092
			c444579	83.00	84.00	1.00	0.0572	0.0210	0.0050
			c444580	84.00	85.00	1.00	0.0811	0.0606	0.0038
			c444581	85.00	86.00	1.00	0.0952	0.0448	0.0070
			c444582	86.00	87.00	1.00	0.2444	0.1946	0.0083
			c444583	87.00	88.00	1.00	0.3710	0.2073	0.0107
			c444584	88.00	89.00	1.00	0.0908	0.0349	0.0052
			c444585	89.00	90.00	1.00	0.0657	0.0515	0.0059
			c444586	90.00	91.00	1.00	0.0718	0.0369	0.0057
			c444587	91.00	92.00	1.00	0.1050	0.0474	0.0051
			c444588	92.00	93.00	1.00	0.7513	0.0895	0.0170
			c444589	93.00	94.00	1.00	0.5340	0.2417	0.0221
			c444591	94.00	95.00	1.00	0.1881	0.0579	0.0059
			c444592	95.00	96.10	1.10	0.1021	0.0563	0.0071
96.10	99.30	MDCHL, Mafic Dike Chloritic Mineralization 96.10 - 99.30 Structure 96.10 - 99.30 : MODFOL Moderately Foliated, 65 Deg to CA 96.10 - 99.30 : UC Upper Contact, 40 Deg to CA	c444593	96.10	97.00	0.90	0.0062	0.0042	0.0024
			c444594	97.00	98.00	1.00	0.0047	0.0034	0.0022
			c444595	98.00	99.30	1.30	0.0047	0.0042	0.0025

Hole Number: KB-07-78

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
99.30	112.80	GAB, Gabbro mvx, pyxt dykes Mineralization 99.30 - 112.80 Structure 99.30 - 112.80 99.30 - 112.80 : UC Upper Contact, 10 Deg to CA	c444596	99.30	100.00	0.70	0.0113	0.0139	0.0057
			c444597	100.00	101.00	1.00	0.0097	0.0107	0.0048
			c444598	101.00	102.00	1.00	0.0103	0.0123	0.0047
			c444599	102.00	103.00	1.00	0.0109	0.0133	0.0048
			c444600	103.00	104.00	1.00	0.0090	0.0096	0.0041
			c444601	104.00	105.00	1.00	0.0101	0.0110	0.0043
			c444602	105.00	106.00	1.00	0.0113	0.0126	0.0052
			c444603	106.00	107.00	1.00	0.0110	0.0115	0.0049
			c444604	107.00	108.00	1.00	0.0094	0.0130	0.0043
			c444605	108.00	109.00	1.00	0.0100	0.0111	0.0046
			c444606	109.00	110.00	1.00	0.0082	0.0181	0.0040
			c444607	110.00	111.00	1.00	0.0094	0.0127	0.0043
			c444608	111.00	112.00	1.00	0.0089	0.0152	0.0043
			c444609	112.00	112.80	0.80	0.0101	0.0181	0.0050
112.80	115.70	PYXT, Pyroxenite Mineralization 112.80 - 115.70 Structure 112.80 - 115.70 112.80 - 115.70 : UC Upper Contact, 70 Deg to CA	c444610	112.80	114.00	1.20	0.1380	0.1000	0.0082
			c444611	114.00	115.00	1.00	0.2222	0.1438	0.0108
			c444612	115.00	115.70	0.70	0.5247	0.1541	0.0149
115.70	116.40	MD, Mafic Dike Mineralization 115.70 - 116.40 Structure 115.70 - 116.40 115.70 - 116.40 : UC Upper Contact, 50 Deg to CA	c444613	115.70	116.40	0.70	0.0185	0.0162	0.0041
116.40	119.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 116.40 - 119.20 Structure 116.40 - 119.20 116.40 - 119.20 : UC Upper Contact, 65 Deg to CA	c444614	116.40	118.00	1.60	0.4007	0.2314	0.0098
			c444615	118.00	119.20	1.20	0.1241	0.0508	0.0068
119.20	120.00	GAB, Gabbro vague Mineralization 119.20 - 120.00 Structure 119.20 - 120.00	c444616	119.20	120.00	0.80	0.0201	0.0068	0.0044

Hole Number: KB-07-78

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
120.00	122.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 120.00 - 122.40 Structure 120.00 - 122.40 120.00 - 122.40 : UC Upper Contact, 65 Deg to CA	c444617	120.00	121.00	1.00	0.6098	0.2264	0.0142
			c444618	121.00	122.40	1.40	0.1431	0.0644	0.0070
122.40	125.10	MDCHL, Mafic Dike Chloritic Mineralization 122.40 - 125.10 Structure 122.40 - 125.10 : MODFOL Moderately Foliated, 40 Deg to CA 122.40 - 125.10 : UC Upper Contact, 55 Deg to CA	c444619	122.40	124.00	1.60	0.0090	0.0068	0.0022
			c444620	124.00	125.10	1.10	0.0086	0.0050	0.0028
125.10	125.90	MV, Mafic Volcanic Mineralization 125.10 - 125.90 Structure 125.10 - 125.90 : MODFOL Moderately Foliated, 45 Deg to CA 125.10 - 125.90 : UC Upper Contact, 40 Deg to CA	c444621	125.10	125.90	0.80	0.0791	0.0247	0.0068
125.90	137.60	TSCH, Talc Schist Mineralization 125.90 - 126.80 126.80 - 129.80 129.80 - 130.60 130.60 - 137.60 Structure 125.90 - 137.60 : STRFOL Strongly Foliated, 45 Deg to CA 125.90 - 137.60 : UC Upper Contact, 60 Deg to CA	c444622	125.90	126.80	0.90	0.6813	0.8354	0.0138
			c444624	126.80	128.00	1.20	0.2217	0.2579	0.0093
			c444625	128.00	129.00	1.00	0.1782	0.1801	0.0062
			c444626	129.00	130.00	1.00	0.5554	0.6568	0.0116
			c444627	130.00	131.00	1.00	0.2894	0.4297	0.0091
			c444628	131.00	132.00	1.00	0.1891	0.2151	0.0091
			c444629	132.00	133.00	1.00	0.0309	0.0202	0.0035
			c444630	133.00	134.00	1.00	0.0399	0.0485	0.0032
			c444631	134.00	135.00	1.00	0.0544	0.0391	0.0047
			c444632	135.00	136.00	1.00	0.2090	0.1921	0.0057
			c444633	136.00	137.00	1.00	0.1394	0.2050	0.0059
			c444634	137.00	137.60	0.60	0.0072	0.0083	0.0033
137.60	144.80	MV, Mafic Volcanic Mineralization 137.60 - 144.80 Structure 137.60 - 144.80 : MODFOL Moderately Foliated, 40 Deg to CA 137.60 - 144.80 : UC Upper Contact, 45 Deg to CA	c444635	137.60	139.00	1.40	0.0112	0.0096	0.0049
			c444636	139.00	140.60	1.60	0.0094	0.0088	0.0045
			c444637	140.60	142.00	1.40	0.0114	0.0145	0.0052
			c444638	142.00	143.00	1.00	0.0104	0.0091	0.0049
			c444639	143.00	144.00	1.00	0.0120	0.0086	0.0057
			c444640	144.00	144.80	0.80	0.0051	0.0040	0.0025

Hole Number: KB-07-78

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
144.80	145.50	MDCHL, Mafic Dike Chloritic Mineralization 144.80 - 145.50 Structure 144.80 - 145.50 : MODFOL Moderately Foliated, 45 Deg to CA 144.80 - 145.50 : UC Upper Contact, 55 Deg to CA
145.50	157.50	MV, Mafic Volcanic Mineralization 145.50 - 157.50 Structure 145.50 - 157.50 : MODFOL Moderately Foliated, 40 Deg to CA 145.50 - 157.50 : UC Upper Contact, 50 Deg to CA
157.50	158.60	MD, Mafic Dike Mineralization 157.50 - 158.60 Structure 157.50 - 158.60 157.50 - 158.60 : UC Upper Contact, 55 Deg to CA
158.60	164.00	MV, Mafic Volcanic Mineralization 158.60 - 164.00 Structure 158.60 - 164.00 : MODFOL Moderately Foliated, 60 Deg to CA 158.60 - 164.00 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
c444641	144.80	145.50	0.70	0.0106	0.0091	0.0049
c444642	145.50	147.00	1.50	0.0128	0.0122	0.0055
c444643	147.00	148.50	1.50	0.0112	0.0189	0.0053
c444644	148.50	149.00	0.50	0.0124	0.0138	0.0055
c444645	149.00	150.00	1.00	0.0117	0.0129	0.0050
c444646	150.00	151.00	1.00	0.0121	0.0064	0.0054
c444647	151.00	152.00	1.00	0.0109	0.0071	0.0049
c444648	152.00	153.00	1.00	0.0122	0.0063	0.0056
c444649	153.00	154.00	1.00	0.0111	0.0042	0.0046
c444650	154.00	155.00	1.00	0.0121	0.0081	0.0051

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c444501	4.70	6.00	0.0266	0.0399	0.0043
c444502	6.00	7.00	0.0196	0.0104	0.0030
c444503	7.00	8.00	0.0268	0.0411	0.0040
c444504	8.00	9.00	0.0302	0.0236	0.0040
c444505	9.00	10.00	0.0241	0.0182	0.0034
c444506	10.00	11.00	0.0303	0.0381	0.0035
c444507	11.00	12.00	0.0517	0.0885	0.0038
c444508	12.00	13.00	0.0505	0.0821	0.0043
c444509	13.00	14.00	0.0257	0.0155	0.0034

Hole Number: KB-07-78

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c444510	14.00	15.00	0.0214	0.0183	0.0031
c444511	15.00	16.00	0.0282	0.0200	0.0032
c444512	16.00	17.00	0.3608	0.3659	0.0267
c444513	17.00	18.00	0.0474	0.0570	0.0039
c444514	18.00	19.00	0.6040	0.7175	0.0168
c444515	19.00	20.00	0.7154	0.7586	0.0216
c444516	20.00	21.00	0.3914	0.3343	0.0114
c444517	21.00	22.65	0.0928	0.0384	0.0054
c444518	22.65	24.00	0.0539	0.0223	0.0054
c444519	24.00	25.00	0.0143	0.0036	0.0040
c444520	25.00	26.60	0.1185	0.0684	0.0072
c444521	26.60	28.00	0.0765	0.0375	0.0052
c444522	28.00	29.00	0.1514	0.0569	0.0077
c444523	29.00	30.00	0.1688	0.0473	0.0079
c444524	30.00	31.00	0.1807	0.0596	0.0078
c444525	31.00	32.00	0.1578	0.0609	0.0069
c444526	32.00	33.00	0.0945	0.0343	0.0054
c444527	33.00	34.00	0.0681	0.0122	0.0049
c444528	34.00	34.75	0.0505	0.0203	0.0052
c444529	34.75	36.00	0.0622	0.0473	0.0068
c444530	36.00	37.00	0.0145	0.0171	0.0046
c444531	37.00	37.75	0.0162	0.0249	0.0046
c444532	37.75	39.00	0.3329	0.1442	0.0111
c444533	39.00	40.00	0.4595	0.1905	0.0133
c444534	40.00	42.00	0.3751	0.2855	0.0105
c444537	42.00	43.00	4.1222	0.7496	0.1097
c444538	43.00	44.00	7.5248	0.4104	0.1677
c444539	44.00	45.00	6.0626	0.8115	0.1598
c444540	45.00	46.00	2.0366	0.4193	0.0501
c444541	46.00	47.00	1.5953	0.3037	0.0411
c444542	47.00	47.70	0.2068	0.1277	0.0061
c444543	47.70	49.00	0.0463	0.1890	0.0045
c444544	49.00	50.00	0.0227	0.0247	0.0042
c444545	50.00	51.00	0.0200	0.0204	0.0034
c444546	51.00	52.00	0.0222	0.0034	0.0040
c444547	52.00	53.00	0.0416	0.0464	0.0039
c444548	53.00	54.00	0.3941	0.3628	0.0130

Hole Number: KB-07-78

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c444549	54.00	55.65	0.1744	0.1064	0.0063
c444550	55.65	57.00	0.0071	0.0062	0.0012
c444551	57.00	58.00	0.0073	0.0047	0.0012
c444552	58.00	59.00	0.0045	0.0034	0.0011
c444553	59.00	59.80	0.0095	0.0097	0.0010
c444554	59.80	61.00	1.0462	0.1687	0.0333
c444556	61.00	62.00	0.2199	0.3199	0.0068
c444557	62.00	63.00	0.4067	0.4886	0.0100
c444558	63.00	64.00	0.1964	0.1580	0.0065
c444559	64.00	65.00	0.0774	0.0556	0.0052
c444560	65.00	66.00	0.1026	0.0443	0.0051
c444561	66.00	67.00	0.0937	0.0943	0.0050
c444562	67.00	68.00	0.0360	0.0346	0.0045
c444563	68.00	69.00	0.0952	0.0532	0.0053
c444564	69.00	70.00	0.0123	0.0146	0.0051
c444566	70.00	71.00	0.2857	0.2417	0.0102
c444567	71.00	72.00	0.0085	0.0121	0.0032
c444568	72.00	73.00	0.3987	0.2541	0.0120
c444569	73.00	74.00	0.2753	0.1532	0.0087
c444570	74.00	75.00	0.7047	0.1490	0.0168
c444571	75.00	76.00	0.2505	0.0776	0.0092
c444572	76.00	77.00	0.1726	0.0925	0.0091
c444573	77.00	78.00	0.0954	0.0554	0.0071
c444574	78.00	79.00	0.0957	0.0660	0.0069
c444575	79.00	80.00	0.1423	0.1097	0.0072
c444576	80.00	81.00	0.3113	0.1642	0.0113
c444577	81.00	82.00	0.2732	0.1640	0.0088
c444578	82.00	83.00	0.2050	0.1064	0.0092
c444579	83.00	84.00	0.0572	0.0210	0.0050
c444580	84.00	85.00	0.0811	0.0606	0.0038
c444581	85.00	86.00	0.0952	0.0448	0.0070
c444582	86.00	87.00	0.2444	0.1946	0.0083
c444583	87.00	88.00	0.3710	0.2073	0.0107
c444584	88.00	89.00	0.0908	0.0349	0.0052
c444585	89.00	90.00	0.0657	0.0515	0.0059
c444586	90.00	91.00	0.0718	0.0369	0.0057
c444587	91.00	92.00	0.1050	0.0474	0.0051

Hole Number: KB-07-78 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c444588	92.00	93.00	0.7513	0.0895	0.0170
c444589	93.00	94.00	0.5340	0.2417	0.0221
c444591	94.00	95.00	0.1881	0.0579	0.0059
c444592	95.00	96.10	0.1021	0.0563	0.0071
c444593	96.10	97.00	0.0062	0.0042	0.0024
c444594	97.00	98.00	0.0047	0.0034	0.0022
c444595	98.00	99.30	0.0047	0.0042	0.0025
c444596	99.30	100.00	0.0113	0.0139	0.0057
c444597	100.00	101.00	0.0097	0.0107	0.0048
c444598	101.00	102.00	0.0103	0.0123	0.0047
c444599	102.00	103.00	0.0109	0.0133	0.0048
c444600	103.00	104.00	0.0090	0.0096	0.0041
c444601	104.00	105.00	0.0101	0.0110	0.0043
c444602	105.00	106.00	0.0113	0.0126	0.0052
c444603	106.00	107.00	0.0110	0.0115	0.0049
c444604	107.00	108.00	0.0094	0.0130	0.0043
c444605	108.00	109.00	0.0100	0.0111	0.0046
c444606	109.00	110.00	0.0082	0.0181	0.0040
c444607	110.00	111.00	0.0094	0.0127	0.0043
c444608	111.00	112.00	0.0089	0.0152	0.0043
c444609	112.00	112.80	0.0101	0.0181	0.0050
c444610	112.80	114.00	0.1380	0.1000	0.0082
c444611	114.00	115.00	0.2222	0.1438	0.0108
c444612	115.00	115.70	0.5247	0.1541	0.0149
c444613	115.70	116.40	0.0185	0.0162	0.0041
c444614	116.40	118.00	0.4007	0.2314	0.0098
c444615	118.00	119.20	0.1241	0.0508	0.0068
c444616	119.20	120.00	0.0201	0.0068	0.0044
c444617	120.00	121.00	0.6098	0.2264	0.0142
c444618	121.00	122.40	0.1431	0.0644	0.0070
c444619	122.40	124.00	0.0090	0.0068	0.0022
c444620	124.00	125.10	0.0086	0.0050	0.0028
c444621	125.10	125.90	0.0791	0.0247	0.0068
c444622	125.90	126.80	0.6813	0.8354	0.0138
c444624	126.80	128.00	0.2217	0.2579	0.0093
c444625	128.00	129.00	0.1782	0.1801	0.0062
c444626	129.00	130.00	0.5554	0.6568	0.0116

Hole Number: KB-07-78 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
c444627	130.00	131.00	0.2894	0.4297	0.0091
c444628	131.00	132.00	0.1891	0.2151	0.0091
c444629	132.00	133.00	0.0309	0.0202	0.0035
c444630	133.00	134.00	0.0399	0.0485	0.0032
c444631	134.00	135.00	0.0544	0.0391	0.0047
c444632	135.00	136.00	0.2090	0.1921	0.0057
c444633	136.00	137.00	0.1394	0.2050	0.0059
c444634	137.00	137.60	0.0072	0.0083	0.0033
c444635	137.60	139.00	0.0112	0.0096	0.0049
c444636	139.00	140.60	0.0094	0.0088	0.0045
c444637	140.60	142.00	0.0114	0.0145	0.0052
c444638	142.00	143.00	0.0104	0.0091	0.0049
c444639	143.00	144.00	0.0120	0.0086	0.0057
c444640	144.00	144.80	0.0051	0.0040	0.0025
c444641	144.80	145.50	0.0106	0.0091	0.0049
c444642	145.50	147.00	0.0128	0.0122	0.0055
c444643	147.00	148.50	0.0112	0.0189	0.0053
c444644	148.50	149.00	0.0124	0.0138	0.0055
c444645	149.00	150.00	0.0117	0.0129	0.0050
c444646	150.00	151.00	0.0121	0.0064	0.0054
c444647	151.00	152.00	0.0109	0.0071	0.0049
c444648	152.00	153.00	0.0122	0.0063	0.0056
c444649	153.00	154.00	0.0111	0.0042	0.0046
c444650	154.00	155.00	0.0121	0.0081	0.0051

DETAILED LOG

Hole Number: KB-07-77

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -54.90
Project Number:	19900	North: 5481400.00			North: 5481400.00		Collar Az: 308.20
Location:	Surface	East: 453894.80			East: 453894.80		Length: 153.20 (m)
		Elev: 383.34			Elev: 383.34		Start Depth: 0.00 (m)
Date Started:	Jun 28, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 153.20 (m)
Date Completed:	Jun 29, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	16.00	19.00	3.00	0.6802	0.5653	0.0196
WEIGHTED	42.00	50.50	8.50	1.2838	0.4527	0.0359
WEIGHTED	56.20	59.00	2.80	0.3034	0.1320	0.0096
WEIGHTED	64.00	75.00	11.00	0.3466	0.2365	0.0113
WEIGHTED	120.50	127.00	6.50	0.4571	0.7326	0.0114

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	308.20	-54.90	EZ	OK	5843	50.00	254.20	-54.60	EZ	OK	6913
101.00	310.60	-54.10	EZ	OK	5808	152.00	312.80	-52.90	EZ	OK	5788

Detailed Lithology

From (m)	To (m)	Lithology
0	5.00	CAS, Casing

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-77

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
5.00	22.50	PYXT, Pyroxenite Mineralization 5.00 - 22.50 Structure 5.00 - 22.50 : MODFOL Moderately Foliated, 35 Deg to CA	E804342	5.00	6.50	1.50	0.0183	0.0220	0.0046
			E804344	6.50	8.00	1.50	0.0223	0.0195	0.0040
			E804345	8.00	9.00	1.00	0.0318	0.0359	0.0045
			E804346	9.00	10.00	1.00	0.0588	0.1090	0.0051
			E804347	10.00	11.00	1.00	0.0548	0.0804	0.0050
			E804348	11.00	12.00	1.00	0.0240	0.0157	0.0042
			E804349	12.00	13.00	1.00	0.0286	0.0216	0.0043
			E804350	13.00	14.00	1.00	0.1293	0.0741	0.0079
			E804351	14.00	15.00	1.00	0.0102	0.0091	0.0047
			E804353	15.00	16.00	1.00	0.1432	0.2723	0.0066
			E804354	16.00	17.00	1.00	1.4584	1.4153	0.0257
			E804355	17.00	18.00	1.00	0.0250	0.0344	0.0043
			E804357	18.00	19.00	1.00	0.5573	0.2462	0.0288
			E804358	19.00	20.00	1.00	0.0856	0.0586	0.0068
			E804359	20.00	21.00	1.00	0.0187	0.0084	0.0056
			E804360	21.00	22.25	1.25	0.0935	0.0433	0.0061
			E804361	22.25	24.00	1.75	0.0148	0.0014	0.0040
22.50	25.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 22.50 - 25.90 Structure 22.50 - 25.90 : UC Upper Contact, 55 Deg to CA	E804362	24.00	25.00	1.00	0.0148	0.0014	0.0044
			E804363	25.00	25.90	0.90	0.0263	0.0082	0.0052
25.90	29.30	PYXT, Pyroxenite irregular contact Mineralization 25.90 - 29.30 Structure 25.90 - 29.30 : MODFOL Moderately Foliated, 25 Deg to CA	E804364	25.90	27.00	1.10	0.0382	0.0047	0.0046
			E804365	27.00	28.00	1.00	0.0325	0.0054	0.0041
			E804366	28.00	29.30	1.30	0.0335	0.0189	0.0051
29.30	33.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 29.30 - 33.20 Structure 29.30 - 33.20 : UC Upper Contact, 30 Deg to CA	E804367	29.30	31.00	1.70	0.0339	0.0211	0.0058
			E804368	31.00	32.00	1.00	0.0201	0.0121	0.0053
			E804369	32.00	33.20	1.20	0.0556	0.0372	0.0064
33.20	34.30	PYXT, Pyroxenite Mineralization 33.20 - 34.30 Structure 33.20 - 34.30 : MODFOL Moderately Foliated, 40 Deg to CA 33.20 - 34.30 : UC Upper Contact, 15 Deg to CA	E804370	33.20	34.30	1.10	0.1374	0.0301	0.0068

Hole Number: KB-07-77

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
34.30	37.00	MV, Mafic Volcanic Mineralization 34.30 - 37.00 Structure 34.30 - 37.00 : UC Upper Contact, 30 Deg to CA	E804372	34.30	36.00	1.70	0.0422	0.0177	0.0051
			E804373	36.00	37.00	1.00	0.0114	0.0116	0.0041
37.00	41.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 37.00 - 41.00 Structure 37.00 - 41.00 : UC Upper Contact, 30 Deg to CA	E804374	37.00	38.00	1.00	0.0290	0.0277	0.0049
			E804375	38.00	39.00	1.00	0.0309	0.0386	0.0048
			E804376	39.00	40.00	1.00	0.0165	0.0172	0.0045
			E804377	40.00	41.00	1.00	0.0793	0.1490	0.0050
41.00	44.00	MV, Mafic Volcanic Mineralization 41.00 - 44.00 Structure 41.00 - 44.00 : UC Upper Contact, 30 Deg to CA	E804378	41.00	42.00	1.00	0.0961	0.4245	0.0053
			E804379	42.00	43.00	1.00	0.4376	0.9277	0.0112
			E804380	43.00	44.00	1.00	0.3433	0.1762	0.0478
44.00	50.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 44.00 - 46.70 46.70 - 48.20 48.20 - 50.50 Structure 44.00 - 50.50 : UC Upper Contact, 30 Deg to CA	E804381	44.00	45.00	1.00	0.7490	0.9777	0.0366
			E804382	45.00	46.00	1.00	0.2072	0.4037	0.0053
			E804383	46.00	46.70	0.70	0.7268	0.2946	0.0280
			E804384	46.70	48.20	1.50	4.6504	0.4181	0.0900
			E804386	48.20	49.00	0.80	0.8307	0.3542	0.0213
			E804387	49.00	50.50	1.50	0.6842	0.1637	0.0217
50.50	54.25	FD, Felsic Dike Mineralization 50.50 - 54.25 Structure 50.50 - 54.25 : UC Upper Contact, 30 Deg to CA	E804389	50.50	52.00	1.50	0.0079	0.0060	0.0024
			E804390	52.00	53.00	1.00	0.0049	0.0033	0.0023
			E804391	53.00	54.25	1.25	0.0113	0.0082	0.0026
54.25	56.20	GAB, Gabbro Mineralization 54.25 - 56.20 Structure 54.25 - 56.20 : UC Upper Contact, 25 Deg to CA	E804392	54.25	55.00	0.75	0.0178	0.0144	0.0046
			E804393	55.00	56.20	1.20	0.0164	0.0152	0.0049

Hole Number: KB-07-77

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
56.20	70.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 56.20 - 70.40 Structure 56.20 - 70.40 : UC Upper Contact, 50 Deg to CA	E804394	56.20	57.50	1.30	0.3659	0.2595	0.0118
			E804396	57.50	59.00	1.50	0.5568	0.1621	0.0175
			E804398	59.00	60.00	1.00	0.0128	0.0189	0.0052
			E804399	60.00	61.00	1.00	0.0190	0.0325	0.0058
			E804400	61.00	62.00	1.00	0.0178	0.0217	0.0039
			E804401	62.00	63.00	1.00	0.0429	0.0805	0.0042
			E804402	63.00	64.00	1.00	0.1503	0.0795	0.0076
			E804403	64.00	65.00	1.00	0.8629	0.2661	0.0203
			E804405	65.00	66.00	1.00	0.2794	0.2233	0.0107
			E804406	66.00	67.00	1.00	0.1760	0.0869	0.0078
			E804407	67.00	68.00	1.00	0.3209	0.1331	0.0113
			E804408	68.00	69.00	1.00	0.1042	0.0901	0.0072
			E804409	69.00	70.40	1.40	0.4183	0.3814	0.0133
70.40	71.90	MD, Mafic Dike Mineralization 70.40 - 71.90 Structure 70.40 - 71.90 : UC Upper Contact, 35 Deg to CA	E804410	70.40	72.00	1.60	0.0376	0.0385	0.0030
71.90	85.70	GABPYXT, Gabbro Pyroxenite Dikes irregular contact Mineralization 71.90 - 85.70 Structure 71.90 - 85.70 : UC Upper Contact, 55 Deg to CA	E804411	72.00	73.00	1.00	0.7943	0.6572	0.0219
			E804412	73.00	74.00	1.00	0.2983	0.2978	0.0111
			E804413	74.00	75.00	1.00	0.3306	0.2515	0.0103
			E804414	75.00	76.00	1.00	0.1116	0.0511	0.0075
			E804415	76.00	77.00	1.00	0.0110	0.0112	0.0045
			E804416	77.00	78.00	1.00	0.0937	0.0376	0.0056
			E804417	78.00	79.00	1.00	0.0660	0.0471	0.0060
			E804418	79.00	80.00	1.00	0.0193	0.0095	0.0049
			E804419	80.00	81.00	1.00	0.0213	0.0127	0.0063
			E804420	81.00	82.00	1.00	0.0711	0.0455	0.0057
			E804421	82.00	83.00	1.00	0.0394	0.0503	0.0040
			E804423	83.00	84.00	1.00	1.0948	0.0706	0.0097
			E804424	84.00	85.00	1.00	0.0843	0.0755	0.0071
			E804425	85.00	85.70	0.70	0.0817	0.1082	0.0087
85.70	86.80	MV, Mafic Volcanic irregular contact Mineralization 85.70 - 86.80	E804426	85.70	86.80	1.10	0.0224	0.0235	0.0057
86.80	89.60	GABX, Gabbro Brecciated Mineralization 86.80 - 89.60 Structure 86.80 - 89.60 : UC Upper Contact, 50 Deg to CA	E804427	86.80	88.00	1.20	0.0967	0.0512	0.0060
			E804428	88.00	89.00	1.00	0.2374	0.1122	0.0089
			E804429	89.00	89.60	0.60	0.0957	0.0405	0.0071

Hole Number: KB-07-77

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
89.60	92.15	MDCHL, Mafic Dike Chloritic Mineralization 89.60 - 92.15 Structure 89.60 - 92.15 : UC Upper Contact, 35 Deg to CA	E804430	89.60	91.00	1.40	0.0079	0.0055	0.0028
			E804431	91.00	92.60	1.60	0.0048	0.0034	0.0025
92.15	96.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 92.15 - 96.00 Structure 92.15 - 96.00 : UC Upper Contact, 40 Deg to CA	E804432	92.60	94.00	1.40	0.2667	0.1160	0.0102
			E804433	94.00	95.00	1.00	0.0737	0.0404	0.0048
			E804435	95.00	96.00	1.00	0.1593	0.1210	0.0060
96.00	96.50	MD, Mafic Dike py Mineralization 96.00 - 96.50 Structure 96.00 - 96.50 : UC Upper Contact, 40 Deg to CA	E804436	96.00	96.50	0.50	0.1592	0.0511	0.0073
96.50	104.08	GAB, Gabbro Mineralization 96.50 - 104.08 Structure 96.50 - 104.08 : UC Upper Contact, 35 Deg to CA	E804437	96.50	98.00	1.50	0.0263	0.0235	0.0032
			E804438	98.00	99.00	1.00	0.0289	0.0185	0.0031
			E804439	99.00	100.00	1.00	0.0553	0.0113	0.0042
			E804440	100.00	101.00	1.00	0.0366	0.0608	0.0039
			E804441	101.00	102.00	1.00	0.0164	0.0120	0.0031
			E804442	102.00	103.00	1.00	0.0277	0.0368	0.0039
			E804443	103.00	104.00	1.00	0.0149	0.0119	0.0034
			E804444	104.00	105.00	1.00	0.0152	0.0142	0.0036
104.08	111.65	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 104.08 - 111.65 Structure 104.08 - 111.65 : UC Upper Contact, 35 Deg to CA	E804445	105.00	106.00	1.00	0.0783	0.0445	0.0063
			E804446	106.00	107.00	1.00	0.3372	0.2463	0.0140
			E804448	107.00	108.00	1.00	0.0154	0.0096	0.0039
			E804449	108.00	109.00	1.00	0.0137	0.0204	0.0046
			E804450	109.00	110.00	1.00	0.0856	0.0602	0.0052
			E804451	110.00	111.00	1.00	0.1900	0.1113	0.0097
			E804452	111.00	111.65	0.65	0.5935	0.3804	0.0157
111.65	117.00	MV, Mafic Volcanic with 35cm&40cm pyxt dykes. irregular contact Mineralization 111.65 - 117.00	E804453	111.65	113.00	1.35	0.0204	0.0161	0.0050
			E804454	113.00	114.00	1.00	0.0198	0.0147	0.0045
			E804455	114.00	115.00	1.00	0.0136	0.0121	0.0043
			E804456	115.00	116.20	1.20	0.0377	0.0245	0.0050
			E804457	116.20	117.00	0.80	0.0794	0.0469	0.0064
117.00	118.00	FD, Felsic Dike Mineralization 117.00 - 118.00 Structure 117.00 - 118.00 : UC Upper Contact, 50 Deg to CA	E804458	117.00	118.00	1.00	0.0046	0.0055	0.0027

Hole Number: KB-07-77

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
118.00	118.55	MDCHL, Mafic Dike Chloritic Mineralization 118.00 - 118.55 Structure 118.00 - 118.55 : MODFOL Moderately Foliated, 50 Deg to CA 118.00 - 118.55 : UC Upper Contact, 35 Deg to CA	E804459	118.00	118.55	0.55	0.0688	0.0616	0.0052
118.55	120.50	MV, Mafic Volcanic Mineralization 118.55 - 120.50 Structure 118.55 - 120.50 : UC Upper Contact, 40 Deg to CA	E804460	118.55	120.00	1.45	0.0203	0.0189	0.0062
			E804461	120.00	120.50	0.50	0.0189	0.0186	0.0062
120.50	121.20	PYXT, Pyroxenite Mineralization 120.50 - 121.20 Structure 120.50 - 121.20 : MODFOL Moderately Foliated, 60 Deg to CA 120.50 - 121.20 : UC Upper Contact, 65 Deg to CA	E804462	120.50	121.20	0.70	0.2328	0.3470	0.0063
121.20	131.80	TSCH, Talc Schist Mineralization 121.20 - 131.80 Structure 121.20 - 131.80 : STRFOL Strongly Foliated, 45 Deg to CA 121.20 - 131.80 : UC Upper Contact, 50 Deg to CA	E804463	121.20	122.00	0.80	0.1388	0.2140	0.0068
			E804464	122.00	123.00	1.00	0.5246	0.9096	0.0130
			E804465	123.00	124.00	1.00	0.5179	0.9088	0.0124
			E804467	124.00	125.00	1.00	0.6051	0.9946	0.0117
			E804468	125.00	126.00	1.00	0.7078	0.8648	0.0149
			E804470	126.00	127.00	1.00	0.3420	0.6698	0.0121
			E804471	127.00	128.00	1.00	0.1213	0.2260	0.0075
			E804472	128.00	129.00	1.00	0.0508	0.0749	0.0038
			E804473	129.00	130.00	1.00	0.0601	0.0877	0.0049
			E804474	130.00	131.00	1.00	0.0660	0.0927	0.0043
			E804475	131.00	131.80	0.80	0.1203	0.1878	0.0062
131.80	153.20	MV, Mafic Volcanic Mineralization 131.80 - 153.20 Structure 131.80 - 153.20 : MODFOL Moderately Foliated, 55 Deg to CA 131.80 - 153.20 : UC Upper Contact, 50 Deg to CA	E804476	131.80	133.00	1.20	0.0068	0.0048	0.0031
			E804477	133.00	134.00	1.00	0.0108	0.0076	0.0055
			E804478	134.00	135.00	1.00	0.0107	0.0115	0.0054

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804342	5.00	6.50	0.0183	0.0220	0.0046
E804344	6.50	8.00	0.0223	0.0195	0.0040
E804345	8.00	9.00	0.0318	0.0359	0.0045

Hole Number: KB-07-77

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804346	9.00	10.00	0.0588	0.1090	0.0051
E804347	10.00	11.00	0.0548	0.0804	0.0050
E804348	11.00	12.00	0.0240	0.0157	0.0042
E804349	12.00	13.00	0.0286	0.0216	0.0043
E804350	13.00	14.00	0.1293	0.0741	0.0079
E804351	14.00	15.00	0.0102	0.0091	0.0047
E804353	15.00	16.00	0.1432	0.2723	0.0066
E804354	16.00	17.00	1.4584	1.4153	0.0257
E804355	17.00	18.00	0.0250	0.0344	0.0043
E804357	18.00	19.00	0.5573	0.2462	0.0288
E804358	19.00	20.00	0.0856	0.0586	0.0068
E804359	20.00	21.00	0.0187	0.0084	0.0056
E804360	21.00	22.25	0.0935	0.0433	0.0061
E804361	22.25	24.00	0.0148	0.0014	0.0040
E804362	24.00	25.00	0.0148	0.0014	0.0044
E804363	25.00	25.90	0.0263	0.0082	0.0052
E804364	25.90	27.00	0.0382	0.0047	0.0046
E804365	27.00	28.00	0.0325	0.0054	0.0041
E804366	28.00	29.30	0.0335	0.0189	0.0051
E804367	29.30	31.00	0.0339	0.0211	0.0058
E804368	31.00	32.00	0.0201	0.0121	0.0053
E804369	32.00	33.20	0.0556	0.0372	0.0064
E804370	33.20	34.30	0.1374	0.0301	0.0068
E804372	34.30	36.00	0.0422	0.0177	0.0051
E804373	36.00	37.00	0.0114	0.0116	0.0041
E804374	37.00	38.00	0.0290	0.0277	0.0049
E804375	38.00	39.00	0.0309	0.0386	0.0048
E804376	39.00	40.00	0.0165	0.0172	0.0045
E804377	40.00	41.00	0.0793	0.1490	0.0050
E804378	41.00	42.00	0.0961	0.4245	0.0053
E804379	42.00	43.00	0.4376	0.9277	0.0112
E804380	43.00	44.00	0.3433	0.1762	0.0478
E804381	44.00	45.00	0.7490	0.9777	0.0366
E804382	45.00	46.00	0.2072	0.4037	0.0053
E804383	46.00	46.70	0.7268	0.2946	0.0280
E804384	46.70	48.20	4.6504	0.4181	0.0900
E804386	48.20	49.00	0.8307	0.3542	0.0213

Hole Number: KB-07-77

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804387	49.00	50.50	0.6842	0.1637	0.0217
E804389	50.50	52.00	0.0079	0.0060	0.0024
E804390	52.00	53.00	0.0049	0.0033	0.0023
E804391	53.00	54.25	0.0113	0.0082	0.0026
E804392	54.25	55.00	0.0178	0.0144	0.0046
E804393	55.00	56.20	0.0164	0.0152	0.0049
E804394	56.20	57.50	0.3659	0.2595	0.0118
E804396	57.50	59.00	0.5568	0.1621	0.0175
E804398	59.00	60.00	0.0128	0.0189	0.0052
E804399	60.00	61.00	0.0190	0.0325	0.0058
E804400	61.00	62.00	0.0178	0.0217	0.0039
E804401	62.00	63.00	0.0429	0.0805	0.0042
E804402	63.00	64.00	0.1503	0.0795	0.0076
E804403	64.00	65.00	0.8629	0.2661	0.0203
E804405	65.00	66.00	0.2794	0.2233	0.0107
E804406	66.00	67.00	0.1760	0.0869	0.0078
E804407	67.00	68.00	0.3209	0.1331	0.0113
E804408	68.00	69.00	0.1042	0.0901	0.0072
E804409	69.00	70.40	0.4183	0.3814	0.0133
E804410	70.40	72.00	0.0376	0.0385	0.0030
E804411	72.00	73.00	0.7943	0.6572	0.0219
E804412	73.00	74.00	0.2983	0.2978	0.0111
E804413	74.00	75.00	0.3306	0.2515	0.0103
E804414	75.00	76.00	0.1116	0.0511	0.0075
E804415	76.00	77.00	0.0110	0.0112	0.0045
E804416	77.00	78.00	0.0937	0.0376	0.0056
E804417	78.00	79.00	0.0660	0.0471	0.0060
E804418	79.00	80.00	0.0193	0.0095	0.0049
E804419	80.00	81.00	0.0213	0.0127	0.0063
E804420	81.00	82.00	0.0711	0.0455	0.0057
E804421	82.00	83.00	0.0394	0.0503	0.0040
E804423	83.00	84.00	1.0948	0.0706	0.0097
E804424	84.00	85.00	0.0843	0.0755	0.0071
E804425	85.00	85.70	0.0817	0.1082	0.0087
E804426	85.70	86.80	0.0224	0.0235	0.0057
E804427	86.80	88.00	0.0967	0.0512	0.0060
E804428	88.00	89.00	0.2374	0.1122	0.0089

Hole Number: KB-07-77

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804429	89.00	89.60	0.0957	0.0405	0.0071
E804430	89.60	91.00	0.0079	0.0055	0.0028
E804431	91.00	92.60	0.0048	0.0034	0.0025
E804432	92.60	94.00	0.2667	0.1160	0.0102
E804433	94.00	95.00	0.0737	0.0404	0.0048
E804435	95.00	96.00	0.1593	0.1210	0.0060
E804436	96.00	96.50	0.1592	0.0511	0.0073
E804437	96.50	98.00	0.0263	0.0235	0.0032
E804438	98.00	99.00	0.0289	0.0185	0.0031
E804439	99.00	100.00	0.0553	0.0113	0.0042
E804440	100.00	101.00	0.0366	0.0608	0.0039
E804441	101.00	102.00	0.0164	0.0120	0.0031
E804442	102.00	103.00	0.0277	0.0368	0.0039
E804443	103.00	104.00	0.0149	0.0119	0.0034
E804444	104.00	105.00	0.0152	0.0142	0.0036
E804445	105.00	106.00	0.0783	0.0445	0.0063
E804446	106.00	107.00	0.3372	0.2463	0.0140
E804448	107.00	108.00	0.0154	0.0096	0.0039
E804449	108.00	109.00	0.0137	0.0204	0.0046
E804450	109.00	110.00	0.0856	0.0602	0.0052
E804451	110.00	111.00	0.1900	0.1113	0.0097
E804452	111.00	111.65	0.5935	0.3804	0.0157
E804453	111.65	113.00	0.0204	0.0161	0.0050
E804454	113.00	114.00	0.0198	0.0147	0.0045
E804455	114.00	115.00	0.0136	0.0121	0.0043
E804456	115.00	116.20	0.0377	0.0245	0.0050
E804457	116.20	117.00	0.0794	0.0469	0.0064
E804458	117.00	118.00	0.0046	0.0055	0.0027
E804459	118.00	118.55	0.0688	0.0616	0.0052
E804460	118.55	120.00	0.0203	0.0189	0.0062
E804461	120.00	120.50	0.0189	0.0186	0.0062
E804462	120.50	121.20	0.2328	0.3470	0.0063
E804463	121.20	122.00	0.1388	0.2140	0.0068
E804464	122.00	123.00	0.5246	0.9096	0.0130
E804465	123.00	124.00	0.5179	0.9088	0.0124
E804467	124.00	125.00	0.6051	0.9946	0.0117
E804468	125.00	126.00	0.7078	0.8648	0.0149

Hole Number: KB-07-77

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804470	126.00	127.00	0.3420	0.6698	0.0121
E804471	127.00	128.00	0.1213	0.2260	0.0075
E804472	128.00	129.00	0.0508	0.0749	0.0038
E804473	129.00	130.00	0.0601	0.0877	0.0049
E804474	130.00	131.00	0.0660	0.0927	0.0043
E804475	131.00	131.80	0.1203	0.1878	0.0062
E804476	131.80	133.00	0.0068	0.0048	0.0031
E804477	133.00	134.00	0.0108	0.0076	0.0055
E804478	134.00	135.00	0.0107	0.0115	0.0054

DETAILED LOG

Hole Number: KB-07-76

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-50.00
Project Number:	19900	North:	5481430.00	North:	5481430.00	Collar Az:	318.40
Location:	Surface	East:	453901.40	East:	453901.40	Length:	124.90 (m)
		Elev:	390.41	Elev:	390.41	Start Depth:	0.00 (m)
Date Started:	Jun 27, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	124.90 (m)
Date Completed:	Jun 28, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	49.60	56.00	6.40	0.4999	0.2851	0.0144
WEIGHTED	95.00	114.30	19.30	0.5820	0.6444	0.0144
WEIGHTED	97.60	99.60	2.00	3.2149	3.8861	0.0577

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	318.40	-50.30	EZ	DO	5708	50.00	318.40	-49.40	EZ	OK	5798
113.00	320.20	-48.20	EZ	OK	5787						

Detailed Lithology

From (m)	To (m)	Lithology
0	1.50	CAS, Casing
1.50	9.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.50 - 9.00
9.00	12.50	FD, Felsic Dike Structure 9.00 - 12.50 : UC Upper Contact, 35 Deg to CA
12.50	13.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 12.50 - 13.80 Structure 12.50 - 13.80 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804216	1.60	3.00	1.40	0.0169	0.0098	0.0040
E804217	3.00	4.00	1.00	0.0169	0.0098	0.0040
E804218	4.00	5.00	1.00	0.0568	0.0412	0.0043
E804219	5.00	6.00	1.00	0.0250	0.0130	0.0049
E804220	6.00	7.00	1.00	0.0274	0.0173	0.0045
E804221	7.00	8.00	1.00	0.1952	0.2035	0.0111
E804223	8.00	9.00	1.00	0.0562	0.0561	0.0048
E804224	9.00	10.00	1.00	0.0043	0.0058	0.0011
E804225	10.00	11.00	1.00	0.0025	0.0042	0.0010
E804226	11.00	12.50	1.50	0.0018	0.0031	0.0008
E804227	12.50	13.80	1.30	0.0380	0.0367	0.0033

Hole Number: KB-07-76

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
13.80	21.70	GAB, Gabbro Structure 13.80 - 21.70 : UC Upper Contact, 40 Deg to CA	E804229	13.80	15.00	1.20	0.0150	0.0056	0.0041
			E804230	15.00	16.00	1.00	0.0150	0.0095	0.0043
			E804231	16.00	17.00	1.00	0.0148	0.0107	0.0042
			E804232	17.00	18.00	1.00	0.0292	0.0162	0.0074
			E804233	18.00	19.00	1.00	0.0141	0.0094	0.0041
			E804234	19.00	20.00	1.00	0.0167	0.0093	0.0043
			E804235	20.00	21.00	1.00	0.0271	0.0170	0.0071
			E804236	21.00	21.70	0.70	0.0115	0.0024	0.0027
21.70	45.50	MV, Mafic Volcanic Mineralization 21.70 - 45.50 Structure 21.70 - 45.50 : MODFOL Moderately Foliated, 60 Deg to CA 21.70 - 45.50 : UC Upper Contact, 65 Deg to CA	E804237	21.70	23.00	1.30	0.0352	0.0290	0.0036
			E804238	23.00	24.00	1.00	0.0912	0.0606	0.0052
			E804239	24.00	25.00	1.00	0.1177	0.1180	0.0061
			E804241	25.00	26.00	1.00	0.0533	0.0260	0.0042
			E804242	26.00	27.00	1.00	0.0132	0.0192	0.0049
			E804243	27.00	28.00	1.00	0.0111	0.0128	0.0051
			E804244	28.00	29.00	1.00	0.0086	0.0147	0.0041
			E804245	29.00	30.00	1.00	0.0074	0.0175	0.0044
			E804246	30.00	31.00	1.00	0.0075	0.0144	0.0040
			E804247	31.00	32.00	1.00	0.0081	0.0100	0.0032
			E804248	32.00	33.00	1.00	0.0089	0.0095	0.0036
			E804249	33.00	34.00	1.00	0.0082	0.0126	0.0029
			E804250	34.00	35.00	1.00	0.0069	0.0112	0.0026
			E804251	35.00	36.00	1.00	0.0077	0.0128	0.0032
			E804252	36.00	37.00	1.00	0.0061	0.0113	0.0035
			E804254	37.00	38.00	1.00	0.0069	0.0088	0.0027
			E804255	38.00	39.00	1.00	0.0089	0.0086	0.0035
			E804256	39.00	40.00	1.00	0.0063	0.0246	0.0045
			E804257	40.00	41.00	1.00	0.0070	0.0166	0.0036
			E804258	41.00	42.00	1.00	0.0069	0.0120	0.0033
			E804259	42.00	43.00	1.00	0.0072	0.0134	0.0029
			E804260	43.00	44.00	1.00	0.0095	0.0124	0.0040
			E804261	44.00	45.50	1.50	0.0104	0.0135	0.0045
45.50	49.60	FD, Felsic Dike	E804262	45.50	47.00	1.50	0.0039	0.0043	0.0027
			E804263	47.00	48.00	1.00	0.0037	0.0054	0.0025
			E804264	48.00	49.60	1.60	0.0037	0.0039	0.0027
49.60	56.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 49.60 - 51.65 51.65 - 52.30 52.30 - 56.90 Structure 49.60 - 56.90 : UC Upper Contact, 15 Deg to CA	E804265	49.60	51.00	1.40	0.2022	0.1125	0.0079
			E804266	51.00	51.65	0.65	0.6972	0.4931	0.0191
			E804267	51.65	52.30	0.65	1.7322	0.7616	0.0410
			E804269	52.30	53.00	0.70	0.2710	0.1662	0.0092
			E804270	53.00	54.00	1.00	0.7358	0.4612	0.0190
			E804272	54.00	55.00	1.00	0.2103	0.1524	0.0080
			E804273	55.00	56.00	1.00	0.2013	0.1220	0.0086
			E804274	56.00	56.90	0.90	0.0394	0.0161	0.0050

Hole Number: KB-07-76

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
56.90	57.60	GAB, Gabbro Structure 56.90 - 57.60 : UC Upper Contact, 40 Deg to CA	E804275	56.90	57.60	0.70	0.0098	0.0056	0.0042
57.60	58.20	PYXT, Pyroxenite Mineralization 57.60 - 58.20 Structure 57.60 - 58.20 : UC Upper Contact, 55 Deg to CA	E804276	57.60	58.20	0.60	0.0843	0.0704	0.0059
58.20	59.95	MV, Mafic Volcanic Structure 58.20 - 59.95 : UC Upper Contact, 55 Deg to CA	E804277	58.20	58.95	0.75	0.0131	0.0117	0.0043
			E804278	58.95	60.00	1.05	0.0056	0.0042	0.0025
59.95	63.75	MDCHL, Mafic Dike Chloritic Structure 59.95 - 63.75 : MODFOL Moderately Foliated, 35 Deg to CA 59.95 - 63.75 : UC Upper Contact, 30 Deg to CA	E804279	60.00	61.00	1.00	0.0043	0.0039	0.0023
			E804280	61.00	62.75	1.75	0.0163	0.0083	0.0030
			E804281	62.75	64.00	1.25	0.0910	0.0649	0.0071
63.75	72.35	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 63.75 - 72.35 Structure 63.75 - 72.35 : MODFOL Moderately Foliated, 35 Deg to CA 63.75 - 72.35 : UC Upper Contact, 40 Deg to CA	E804282	64.00	65.00	1.00	0.1181	0.0760	0.0083
			E804284	65.00	66.00	1.00	0.1148	0.0987	0.0069
			E804285	66.00	67.00	1.00	0.0184	0.0183	0.0043
			E804286	67.00	68.00	1.00	0.0145	0.0179	0.0048
			E804287	68.00	69.00	1.00	0.0104	0.0122	0.0045
			E804288	69.00	70.00	1.00	0.0601	0.0329	0.0046
			E804289	70.00	71.00	1.00	0.0163	0.0084	0.0043
			E804290	71.00	72.35	1.35	0.8177	0.1806	0.0232
72.35	74.30	FD, Felsic Dike Structure 72.35 - 74.30 : UC Upper Contact, 55 Deg to CA	E804292	72.35	73.00	0.65	0.0071	0.0063	0.0026
			E804293	73.00	74.30	1.30	0.0044	0.0050	0.0029
74.30	80.80	GAB, Gabbro Structure 74.30 - 80.80 : UC Upper Contact, 30 Deg to CA	E804294	74.30	76.00	1.70	0.0246	0.0521	0.0056
			E804295	76.00	77.00	1.00	0.0172	0.0101	0.0061
			E804296	77.00	78.00	1.00	0.0177	0.0101	0.0066
			E804297	78.00	79.00	1.00	0.0220	0.0158	0.0059
			E804298	79.00	80.00	1.00	0.0158	0.0148	0.0060
			E804299	80.00	80.80	0.80	0.0230	0.0149	0.0056
80.80	90.55	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 80.80 - 81.10 81.10 - 90.55 Structure 80.80 - 90.55 : MODFOL Moderately Foliated, 35 Deg to CA 80.80 - 90.55 : UC Upper Contact, 45 Deg to CA	E804300	80.80	82.00	1.20	1.0936	0.1261	0.0193
			E804301	82.00	83.00	1.00	0.0279	0.0104	0.0042
			E804302	83.00	84.00	1.00	0.0838	0.0297	0.0053
			E804303	84.00	85.00	1.00	0.4770	0.3225	0.0125
			E804305	85.00	86.00	1.00	0.1812	0.1914	0.0074
			E804306	86.00	87.00	1.00	0.1710	0.1422	0.0069
			E804307	87.00	88.00	1.00	0.0256	0.0310	0.0039
			E804308	88.00	89.00	1.00	0.0968	0.1010	0.0071
			E804309	89.00	90.55	1.55	0.0712	0.0777	0.0072

Hole Number: KB-07-76

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
90.55	91.20	GAB, Gabbro Structure 90.55 - 91.20 : UC Upper Contact, 35 Deg to CA	E804310	90.55	91.20	0.65	0.0346	0.0290	0.0042
91.20	91.90	PYXT, Pyroxenite Mineralization 91.20 - 91.90 Structure 91.20 - 91.90 : UC Upper Contact, 85 Deg to CA	E804311	91.20	92.10	0.90	0.0820	0.0655	0.0061
91.90	99.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 91.90 - 97.60 97.60 - 98.60 98.60 - 99.00 99.00 - 99.60 Structure 91.90 - 99.60 : UC Upper Contact, 75 Deg to CA	E804312	92.10	93.00	0.90	0.0627	0.0945	0.0077
			E804313	93.00	94.00	1.00	0.2831	0.4463	0.0097
			E804314	94.00	95.00	1.00	0.0143	0.0220	0.0065
			E804315	95.00	96.00	1.00	0.3214	0.2083	0.0117
			E804317	96.00	97.00	1.00	0.3706	0.2678	0.0118
			E804318	97.00	97.60	0.60	0.6599	0.3440	0.0150
			E804319	97.60	98.60	1.00	3.2604	7.1491	0.0639
			E804321	98.60	99.60	1.00	3.1693	0.6231	0.0514
99.60	104.30	MV, Mafic Volcanic Mineralization 99.60 - 104.30	E804322	99.60	101.00	1.40	0.1414	0.0989	0.0064
			E804323	101.00	102.00	1.00	0.0366	0.0336	0.0057
			E804324	102.00	103.00	1.00	0.0455	0.0369	0.0061
			E804325	103.00	104.30	1.30	0.0290	0.0157	0.0057
104.30	106.90	PYXT, Pyroxenite Mineralization 104.30 - 106.90 Structure 104.30 - 106.90 : MODFOL Moderately Foliated, 40 Deg to CA	E804326	104.30	105.00	0.70	0.5684	0.3594	0.0157
			E804327	105.00	106.00	1.00	0.6182	0.7070	0.0163
			E804328	106.00	107.10	1.10	0.4322	0.3536	0.0111
106.90	109.90	TSCH, Talc Schist Mineralization 106.90 - 109.90 Structure 106.90 - 109.90 : STRFOL Strongly Foliated, 25 Deg to CA 106.90 - 109.90 : UC Upper Contact, 25 Deg to CA	E804329	107.10	108.00	0.90	0.3877	0.8089	0.0131
			E804330	108.00	109.00	1.00	0.0775	0.1332	0.0047
			E804331	109.00	109.90	0.90	0.0867	0.1226	0.0057
109.90	113.00	PYXT, Pyroxenite Mineralization 109.90 - 113.00 Structure 109.90 - 113.00 : MODFOL Moderately Foliated, 40 Deg to CA 109.90 - 113.00 : UC Upper Contact, 45 Deg to CA	E804332	109.90	111.00	1.10	0.4545	0.4578	0.0117
			E804333	111.00	112.00	1.00	0.2633	0.2952	0.0078
			E804335	112.00	113.00	1.00	0.4029	0.4237	0.0102

Hole Number: KB-07-76

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
113.00	114.30	TSCH, Talc Schist Mineralization 113.00 - 114.30 Structure 113.00 - 114.30 : STRFOL Strongly Foliated, 55 Deg to CA
114.30	114.90	MDCHL, Mafic Dike Chloritic Structure 114.30 - 114.90 : MODFOL Moderately Foliated, 55 Deg to CA 114.30 - 114.90 : UC Upper Contact, 45 Deg to CA
114.90	115.50	TSCH, Talc Schist Mineralization 114.90 - 115.50 Structure 114.90 - 115.50 : STRFOL Strongly Foliated, 40 Deg to CA 114.90 - 115.50 : UC Upper Contact, 70 Deg to CA
115.50	121.50	MV, Mafic Volcanic Structure 115.50 - 121.50 : MODFOL Moderately Foliated, 45 Deg to CA 115.50 - 121.50 : UC Upper Contact, 45 Deg to CA
121.50	123.45	MDCHL, Mafic Dike Chloritic Structure 121.50 - 123.45 : MODFOL Moderately Foliated, 45 Deg to CA 121.50 - 123.45 : UC Upper Contact, 40 Deg to CA
123.45	124.90	MV, Mafic Volcanic 40cm FD dyke Structure 123.45 - 124.90 : MODFOL Moderately Foliated, 40 Deg to CA 123.45 - 124.90 : UC Upper Contact, 30 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804336	113.00	114.30	1.30	0.1812	0.1621	0.0074
E804337	114.30	114.90	0.60	0.0134	0.0307	0.0024
E804338	114.90	115.50	0.60	0.1125	0.1457	0.0054
E804339	115.50	117.00	1.50	0.0213	0.0192	0.0056
E804340	117.00	118.00	1.00	0.0133	0.0101	0.0061
E804341	118.00	119.00	1.00	0.0092	0.0112	0.0043

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804216	1.60	3.00	0.0169	0.0098	0.0040
E804217	3.00	4.00	0.0169	0.0098	0.0040
E804218	4.00	5.00	0.0568	0.0412	0.0043
E804219	5.00	6.00	0.0250	0.0130	0.0049
E804220	6.00	7.00	0.0274	0.0173	0.0045
E804221	7.00	8.00	0.1952	0.2035	0.0111
E804223	8.00	9.00	0.0562	0.0561	0.0048
E804224	9.00	10.00	0.0043	0.0058	0.0011

Hole Number: KB-07-76

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804225	10.00	11.00	0.0025	0.0042	0.0010
E804226	11.00	12.50	0.0018	0.0031	0.0008
E804227	12.50	13.80	0.0380	0.0367	0.0033
E804229	13.80	15.00	0.0150	0.0056	0.0041
E804230	15.00	16.00	0.0150	0.0095	0.0043
E804231	16.00	17.00	0.0148	0.0107	0.0042
E804232	17.00	18.00	0.0292	0.0162	0.0074
E804233	18.00	19.00	0.0141	0.0094	0.0041
E804234	19.00	20.00	0.0167	0.0093	0.0043
E804235	20.00	21.00	0.0271	0.0170	0.0071
E804236	21.00	21.70	0.0115	0.0024	0.0027
E804237	21.70	23.00	0.0352	0.0290	0.0036
E804238	23.00	24.00	0.0912	0.0606	0.0052
E804239	24.00	25.00	0.1177	0.1180	0.0061
E804241	25.00	26.00	0.0533	0.0260	0.0042
E804242	26.00	27.00	0.0132	0.0192	0.0049
E804243	27.00	28.00	0.0111	0.0128	0.0051
E804244	28.00	29.00	0.0086	0.0147	0.0041
E804245	29.00	30.00	0.0074	0.0175	0.0044
E804246	30.00	31.00	0.0075	0.0144	0.0040
E804247	31.00	32.00	0.0081	0.0100	0.0032
E804248	32.00	33.00	0.0089	0.0095	0.0036
E804249	33.00	34.00	0.0082	0.0126	0.0029
E804250	34.00	35.00	0.0069	0.0112	0.0026
E804251	35.00	36.00	0.0077	0.0128	0.0032
E804252	36.00	37.00	0.0061	0.0113	0.0035
E804254	37.00	38.00	0.0069	0.0088	0.0027
E804255	38.00	39.00	0.0089	0.0086	0.0035
E804256	39.00	40.00	0.0063	0.0246	0.0045
E804257	40.00	41.00	0.0070	0.0166	0.0036
E804258	41.00	42.00	0.0069	0.0120	0.0033
E804259	42.00	43.00	0.0072	0.0134	0.0029
E804260	43.00	44.00	0.0095	0.0124	0.0040
E804261	44.00	45.50	0.0104	0.0135	0.0045
E804262	45.50	47.00	0.0039	0.0043	0.0027
E804263	47.00	48.00	0.0037	0.0054	0.0025
E804264	48.00	49.60	0.0037	0.0039	0.0027

Hole Number: KB-07-76

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804265	49.60	51.00	0.2022	0.1125	0.0079
E804266	51.00	51.65	0.6972	0.4931	0.0191
E804267	51.65	52.30	1.7322	0.7616	0.0410
E804269	52.30	53.00	0.2710	0.1662	0.0092
E804270	53.00	54.00	0.7358	0.4612	0.0190
E804272	54.00	55.00	0.2103	0.1524	0.0080
E804273	55.00	56.00	0.2013	0.1220	0.0086
E804274	56.00	56.90	0.0394	0.0161	0.0050
E804275	56.90	57.60	0.0098	0.0056	0.0042
E804276	57.60	58.20	0.0843	0.0704	0.0059
E804277	58.20	58.95	0.0131	0.0117	0.0043
E804278	58.95	60.00	0.0056	0.0042	0.0025
E804279	60.00	61.00	0.0043	0.0039	0.0023
E804280	61.00	62.75	0.0163	0.0083	0.0030
E804281	62.75	64.00	0.0910	0.0649	0.0071
E804282	64.00	65.00	0.1181	0.0760	0.0083
E804284	65.00	66.00	0.1148	0.0987	0.0069
E804285	66.00	67.00	0.0184	0.0183	0.0043
E804286	67.00	68.00	0.0145	0.0179	0.0048
E804287	68.00	69.00	0.0104	0.0122	0.0045
E804288	69.00	70.00	0.0601	0.0329	0.0046
E804289	70.00	71.00	0.0163	0.0084	0.0043
E804290	71.00	72.35	0.8177	0.1806	0.0232
E804292	72.35	73.00	0.0071	0.0063	0.0026
E804293	73.00	74.30	0.0044	0.0050	0.0029
E804294	74.30	76.00	0.0246	0.0521	0.0056
E804295	76.00	77.00	0.0172	0.0101	0.0061
E804296	77.00	78.00	0.0177	0.0101	0.0066
E804297	78.00	79.00	0.0220	0.0158	0.0059
E804298	79.00	80.00	0.0158	0.0148	0.0060
E804299	80.00	80.80	0.0230	0.0149	0.0056
E804300	80.80	82.00	1.0936	0.1261	0.0193
E804301	82.00	83.00	0.0279	0.0104	0.0042
E804302	83.00	84.00	0.0838	0.0297	0.0053
E804303	84.00	85.00	0.4770	0.3225	0.0125
E804305	85.00	86.00	0.1812	0.1914	0.0074
E804306	86.00	87.00	0.1710	0.1422	0.0069

Hole Number: KB-07-76

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804307	87.00	88.00	0.0256	0.0310	0.0039
E804308	88.00	89.00	0.0968	0.1010	0.0071
E804309	89.00	90.55	0.0712	0.0777	0.0072
E804310	90.55	91.20	0.0346	0.0290	0.0042
E804311	91.20	92.10	0.0820	0.0655	0.0061
E804312	92.10	93.00	0.0627	0.0945	0.0077
E804313	93.00	94.00	0.2831	0.4463	0.0097
E804314	94.00	95.00	0.0143	0.0220	0.0065
E804315	95.00	96.00	0.3214	0.2083	0.0117
E804317	96.00	97.00	0.3706	0.2678	0.0118
E804318	97.00	97.60	0.6599	0.3440	0.0150
E804319	97.60	98.60	3.2604	7.1491	0.0639
E804321	98.60	99.60	3.1693	0.6231	0.0514
E804322	99.60	101.00	0.1414	0.0989	0.0064
E804323	101.00	102.00	0.0366	0.0336	0.0057
E804324	102.00	103.00	0.0455	0.0369	0.0061
E804325	103.00	104.30	0.0290	0.0157	0.0057
E804326	104.30	105.00	0.5684	0.3594	0.0157
E804327	105.00	106.00	0.6182	0.7070	0.0163
E804328	106.00	107.10	0.4322	0.3536	0.0111
E804329	107.10	108.00	0.3877	0.8089	0.0131
E804330	108.00	109.00	0.0775	0.1332	0.0047
E804331	109.00	109.90	0.0867	0.1226	0.0057
E804332	109.90	111.00	0.4545	0.4578	0.0117
E804333	111.00	112.00	0.2633	0.2952	0.0078
E804335	112.00	113.00	0.4029	0.4237	0.0102
E804336	113.00	114.30	0.1812	0.1621	0.0074
E804337	114.30	114.90	0.0134	0.0307	0.0024
E804338	114.90	115.50	0.1125	0.1457	0.0054
E804339	115.50	117.00	0.0213	0.0192	0.0056
E804340	117.00	118.00	0.0133	0.0101	0.0061
E804341	118.00	119.00	0.0092	0.0112	0.0043

DETAILED LOG

Hole Number: KB-07-75 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -48.00
Project Number:	19900	North:	5481462.00		North:	5481462.00	Collar Az: 306.10
Location:	Surface	East:	453861.90		East:	453861.90	Length: 50.55 (m)
		Elev:	389.01		Elev:	389.01	Start Depth: 0.00 (m)
Date Started:	Jun 26, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 50.55 (m)
Date Completed:	Jun 26, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	3.00	6.00	3.00	0.1979	0.0771	0.0087
WEIGHTED	15.00	16.80	1.80	0.3125	0.3109	0.0088
WEIGHTED	22.85	37.00	14.15	0.3033	0.3449	0.0089

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	306.10	-48.30	EZ	OK	6084	50.00	307.80	-47.50	EZ	OK	5785

Detailed Lithology

From (m)	To (m)	Lithology
0	1.20	C, Casing
1.20	11.60	PYXT, Pyroxenite Mineralization 10.00 - 11.60 Structure 10.00 - 11.60 : MODFOL Moderately Foliated, 45 Deg to CA 10.00 - 11.60 : UC Upper Contact, 40 Deg to CA
11.60	13.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 11.60 - 13.20

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804174	1.30	2.00	0.70	0.0118	0.0074	0.0044
E804175	2.00	3.00	1.00	0.0496	0.0141	0.0051
E804176	3.00	4.00	1.00	0.2052	0.0768	0.0086
E804177	4.00	5.00	1.00	0.1715	0.0692	0.0080
E804178	5.00	6.00	1.00	0.2169	0.0853	0.0095
E804179	6.00	7.00	1.00	0.1015	0.0325	0.0063
E804181	7.00	8.00	1.00	0.0156	0.0118	0.0051
E804182	8.00	9.00	1.00	0.0776	0.0277	0.0063
E804183	9.00	10.00	1.00	0.0448	0.0216	0.0058
E804184	10.00	11.00	1.00	0.2870	0.1041	0.0104
E804186	11.00	11.60	0.60	0.0866	0.0461	0.0062
E804187	11.60	13.20	1.60	0.0181	0.0105	0.0045

Hole Number: KB-07-75

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
13.20	16.80	PYXT, Pyroxenite Mineralization 13.20 - 16.80 Structure 13.20 - 16.80 : MODFOL Moderately Foliated, 45 Deg to CA 13.20 - 16.80 : UC Upper Contact, 30 Deg to CA	E804188	13.20	14.00	0.80	0.1671	0.0871	0.0089
			E804189	14.00	15.00	1.00	0.1792	0.0740	0.0079
			E804190	15.00	16.00	1.00	0.3245	0.2852	0.0094
			E804191	16.00	16.80	0.80	0.2975	0.3430	0.0080
16.80	20.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 16.80 - 20.20 Structure 16.80 - 20.20	E804192	16.80	18.00	1.20	0.0327	0.0412	0.0041
			E804193	18.00	19.00	1.00	0.1129	0.0914	0.0053
			E804194	19.00	20.20	1.20	0.2508	0.5344	0.0069
20.20	22.85	GAB, Gabbro Mineralization 20.20 - 22.85 Structure 20.20 - 22.85 : UC Upper Contact, 90 Deg to CA	E804195	20.20	21.00	0.80	0.0649	0.0933	0.0057
			E804196	21.00	22.00	1.00	0.0186	0.0177	0.0042
			E804197	22.00	22.85	0.85	0.0177	0.0156	0.0050
22.85	24.35	PYXT, Pyroxenite Mineralization 22.85 - 24.35	E804198	22.85	24.35	1.50	0.2115	0.2494	0.0082
24.35	25.35	MD, Mafic Dike py Mineralization 24.35 - 25.35 Structure 24.35 - 25.35 : UC Upper Contact, 45 Deg to CA	E804200	24.35	25.35	1.00	0.0166	0.0154	0.0057
25.35	32.20	PYXT, Pyroxenite weak local talc & 40cm FD Mineralization 25.35 - 32.20 Structure 25.35 - 32.20 : MODFOL Moderately Foliated, 45 Deg to CA 25.35 - 32.20 : UC Upper Contact, 50 Deg to CA	E804201	25.35	26.00	0.65	0.2217	0.4178	0.0092
			E804202	26.00	27.00	1.00	0.1977	0.2350	0.0071
			E804203	27.00	28.00	1.00	0.2932	0.3806	0.0092
			E804205	28.00	29.00	1.00	0.2606	0.3662	0.0078
			E804206	29.00	30.00	1.00	0.3708	0.4563	0.0098
			E804207	30.00	31.00	1.00	0.4842	0.5722	0.0110
			E804208	31.00	32.20	1.20	0.2796	0.3096	0.0084
32.20	35.05	TSCH, Talc Schist Mineralization 32.20 - 35.05 Structure 32.20 - 35.05 : STRFOL Strongly Foliated, 35 Deg to CA 32.20 - 35.05 : UC Upper Contact, 40 Deg to CA	E804209	32.20	33.00	0.80	0.2803	0.4006	0.0085
			E804210	33.00	34.00	1.00	0.4939	0.2549	0.0120
			E804211	34.00	35.05	1.05	0.7965	0.8992	0.0159

DETAILED LOG

Hole Number: KB-07-75

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
35.05	50.55	MV, Mafic Volcanic
		vague
		Structure
		35.05 - 38.80 : MODFOL Moderately Foliated, 35 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804212	35.05	36.00	0.95	0.0663	0.0534	0.0041
E804213	36.00	37.00	1.00	0.2544	0.2668	0.0075
E804214	37.00	37.80	0.80	0.1173	0.1042	0.0059
E804215	37.80	39.00	1.20	0.0070	0.0065	0.0033

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804174	1.30	2.00	0.0118	0.0074	0.0044
E804175	2.00	3.00	0.0496	0.0141	0.0051
E804176	3.00	4.00	0.2052	0.0768	0.0086
E804177	4.00	5.00	0.1715	0.0692	0.0080
E804178	5.00	6.00	0.2169	0.0853	0.0095
E804179	6.00	7.00	0.1015	0.0325	0.0063
E804181	7.00	8.00	0.0156	0.0118	0.0051
E804182	8.00	9.00	0.0776	0.0277	0.0063
E804183	9.00	10.00	0.0448	0.0216	0.0058
E804184	10.00	11.00	0.2870	0.1041	0.0104
E804186	11.00	11.60	0.0866	0.0461	0.0062
E804187	11.60	13.20	0.0181	0.0105	0.0045
E804188	13.20	14.00	0.1671	0.0871	0.0089
E804189	14.00	15.00	0.1792	0.0740	0.0079
E804190	15.00	16.00	0.3245	0.2852	0.0094
E804191	16.00	16.80	0.2975	0.3430	0.0080
E804192	16.80	18.00	0.0327	0.0412	0.0041
E804193	18.00	19.00	0.1129	0.0914	0.0053
E804194	19.00	20.20	0.2508	0.5344	0.0069
E804195	20.20	21.00	0.0649	0.0933	0.0057
E804196	21.00	22.00	0.0186	0.0177	0.0042
E804197	22.00	22.85	0.0177	0.0156	0.0050
E804198	22.85	24.35	0.2115	0.2494	0.0082
E804200	24.35	25.35	0.0166	0.0154	0.0057
E804201	25.35	26.00	0.2217	0.4178	0.0092
E804202	26.00	27.00	0.1977	0.2350	0.0071
E804203	27.00	28.00	0.2932	0.3806	0.0092
E804205	28.00	29.00	0.2606	0.3662	0.0078
E804206	29.00	30.00	0.3708	0.4563	0.0098
E804207	30.00	31.00	0.4842	0.5722	0.0110

Hole Number: KB-07-75

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804208	31.00	32.20	0.2796	0.3096	0.0084
E804209	32.20	33.00	0.2803	0.4006	0.0085
E804210	33.00	34.00	0.4939	0.2549	0.0120
E804211	34.00	35.05	0.7965	0.8992	0.0159
E804212	35.05	36.00	0.0663	0.0534	0.0041
E804213	36.00	37.00	0.2544	0.2668	0.0075
E804214	37.00	37.80	0.1173	0.1042	0.0059
E804215	37.80	39.00	0.0070	0.0065	0.0033

DETAILED LOG

Hole Number: KB-07-74

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North: 5481557.00			North: 5481557.00		Collar Az: 313.00
Location:	Surface	East: 453986.00			East: 453986.00		Length: 71.00 (m)
		Elev: 396.50			Elev: 396.50		Start Depth: 0.00 (m)
Date Started:	Jun 25, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 71.00 (m)
Date Completed:	Jun 26, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	3.00	11.90	8.90	0.3479	0.1423	0.0128
WEIGHTED	21.95	25.70	3.75	0.3308	0.1437	0.0132
WEIGHTED	42.00	50.00	8.00	0.3089	0.1592	0.0122

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	240.10	-44.60	EZ	DO	7293	71.00	313.70	-44.90	EZ	OK	5768

Detailed Lithology

From (m)	To (m)	Lithology
0	1.40	CAS, Casing
1.40	11.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.40 - 11.90 Structure 1.40 - 11.90 : MODFOL Moderately Foliated, 60 Deg to CA 1.40 - 11.90
11.90	14.55	MV, Mafic Volcanic gab pyxt dyke Mineralization 11.90 - 14.55 Structure 11.90 - 14.55 : UC Upper Contact, 65 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E804110	1.60	3.00	1.40	0.0281	0.0170	0.0039
E804111	3.00	4.00	1.00	0.3226	0.0821	0.0137
E804112	4.00	5.00	1.00	0.2997	0.1824	0.0109
E804113	5.00	6.00	1.00	0.5872	0.4336	0.0180
E804115	6.00	7.00	1.00	0.2350	0.0288	0.0119
E804116	7.00	8.00	1.00	0.4254	0.1591	0.0153
E804117	8.00	9.00	1.00	0.4282	0.1099	0.0148
E804118	9.00	10.00	1.00	0.0413	0.0208	0.0041
E804119	10.00	11.00	1.00	0.3310	0.1179	0.0114
E804120	11.00	11.90	0.90	0.4732	0.1463	0.0158
E804122	11.90	13.00	1.10	0.0396	0.0211	0.0050
E804123	13.00	14.55	1.55	0.0938	0.0649	0.0072

Hole Number: KB-07-74

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
14.55	21.95	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 14.55 - 21.95 Structure 14.55 - 21.95 : MODFOL Moderately Foliated, 45 Deg to CA 14.55 - 21.95 : UC Upper Contact, 45 Deg to CA	E804124	14.55	16.00	1.45	0.1122	0.0581	0.0067
			E804125	16.00	17.00	1.00	0.2363	0.0970	0.0111
			E804126	17.00	18.00	1.00	0.1628	0.0562	0.0073
			E804127	18.00	19.00	1.00	0.0207	0.0109	0.0052
			E804128	19.00	20.00	1.00	0.0173	0.0103	0.0045
			E804129	20.00	21.00	1.00	0.1172	0.0430	0.0067
			E804131	21.00	21.95	0.95	0.0237	0.0260	0.0048
21.95	25.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 21.95 - 25.70 Structure 21.95 - 25.70 : MODFOL Moderately Foliated, 55 Deg to CA 21.95 - 25.70 : UC Upper Contact, 30 Deg to CA	E804132	21.95	23.00	1.05	0.3516	0.2090	0.0131
			E804133	23.00	24.00	1.00	0.2835	0.0643	0.0102
			E804134	24.00	25.00	1.00	0.2672	0.1312	0.0119
			E804135	25.00	25.70	0.70	0.4578	0.1767	0.0195
25.70	32.80	MV, Mafic Volcanic Mineralization 25.70 - 32.80 Structure 25.70 - 32.80 : MODFOL Moderately Foliated, 55 Deg to CA 25.70 - 32.80 : UC Upper Contact, 80 Deg to CA	E804137	25.70	27.00	1.30	0.0163	0.0150	0.0062
			E804138	27.00	28.00	1.00	0.0109	0.0147	0.0042
			E804139	28.00	29.00	1.00	0.0111	0.0136	0.0041
			E804140	29.00	30.00	1.00	0.0099	0.0115	0.0038
			E804141	30.00	31.00	1.00	0.0105	0.0114	0.0042
			E804142	31.00	32.00	1.00	0.0103	0.0096	0.0043
			E804143	32.00	32.80	0.80	0.0104	0.0149	0.0043
32.80	34.20	FD, Felsic Dike Structure 32.80 - 34.20	E804144	32.80	34.20	1.40	0.0040	0.0042	0.0029
34.20	35.30	MV, Mafic Volcanic Structure 34.20 - 35.30 : UC Upper Contact, 35 Deg to CA	E804145	34.20	35.30	1.10	0.0404	0.0100	0.0052
35.30	36.20	FD, Felsic Dike Mineralization 35.30 - 36.20 Structure 35.30 - 36.20 : UC Upper Contact, 25 Deg to CA	E804146	35.30	36.20	0.90	0.0057	0.0068	0.0033

DETAILED LOG

Hole Number: KB-07-74

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
36.20	46.55	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 36.20 - 46.55 Structure 36.20 - 46.55 : MODFOL Moderately Foliated, 45 Deg to CA 36.20 - 46.55 : UC Upper Contact, 40 Deg to CA	E804147	36.20	37.00	0.80	0.0277	0.0114	0.0052
			E804148	37.00	38.00	1.00	0.0496	0.0177	0.0056
			E804149	38.00	39.00	1.00	0.1189	0.0538	0.0081
			E804150	39.00	40.00	1.00	0.0278	0.0222	0.0054
			E804151	40.00	41.00	1.00	0.1039	0.0568	0.0067
			E804152	41.00	42.00	1.00	0.0571	0.0292	0.0051
			E804153	42.00	43.00	1.00	0.2123	0.1012	0.0090
			E804154	43.00	44.00	1.00	0.2311	0.0882	0.0101
			E804155	44.00	45.00	1.00	0.2041	0.1240	0.0092
			E804156	45.00	46.00	1.00	0.7500	0.6327	0.0247
			E804158	46.00	46.55	0.55	0.3015	0.1079	0.0148
46.55	47.45	TSCH, Talc Schist Mineralization 46.55 - 47.45 Structure 46.55 - 47.45 : STRFOL Strongly Foliated, 55 Deg to CA 46.55 - 47.45 : UC Upper Contact, 50 Deg to CA	E804159	46.55	47.45	0.90	0.0572	0.0312	0.0047
47.45	48.30	PYXT, Pyroxenite Mineralization 47.45 - 48.30 Structure 47.45 - 48.30 : STRFOL Strongly Foliated, 55 Deg to CA 47.45 - 48.30 : UC Upper Contact, 55 Deg to CA	E804160	47.45	48.30	0.85	0.4598	0.2431	0.0184
48.30	48.95	MD, Mafic Dike Structure 48.30 - 48.95 : MODFOL Moderately Foliated, 55 Deg to CA 48.30 - 48.95 : UC Upper Contact, 60 Deg to CA	E804162	48.30	48.95	0.65	0.0159	0.0109	0.0023
48.95	56.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 48.95 - 56.80 Structure 48.95 - 56.80 : MODFOL Moderately Foliated, 40 Deg to CA 48.95 - 56.80 : UC Upper Contact, 40 Deg to CA	E804163	48.95	50.00	1.05	0.4339	0.0252	0.0141
			E804164	50.00	51.00	1.00	0.0143	0.0122	0.0042
			E804165	51.00	52.00	1.00	0.0832	0.0876	0.0080
			E804166	52.00	53.00	1.00	0.0471	0.0748	0.0052
			E804167	53.00	54.00	1.00	0.0093	0.0092	0.0041
			E804168	54.00	55.00	1.00	0.0094	0.0108	0.0045
			E804169	55.00	56.00	1.00	0.0100	0.0163	0.0042
			E804170	56.00	56.80	0.80	0.0137	0.0102	0.0053
56.80	59.70	MD, Mafic Dike Structure 56.80 - 59.70 : UC Upper Contact, 35 Deg to CA	E804171	56.80	58.00	1.20	0.0037	0.0040	0.0026
			E804172	58.00	59.00	1.00	0.0035	0.0046	0.0026
			E804173	59.00	59.70	0.70	0.0035	0.0054	0.0026
59.70	65.20	MV, Mafic Volcanic Structure 59.70 - 65.20 : MODFOL Moderately Foliated, 30 Deg to CA 59.70 - 65.20 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-74

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
65.20	66.95	MDCHL, Mafic Dike Chloritic Structure 65.20 - 66.95 : MODFOL Moderately Foliated, 60 Deg to CA 65.20 - 66.95 : UC Upper Contact, 55 Deg to CA							
66.95	71.00	MV, Mafic Volcanic Structure 66.95 - 71.00 : UC Upper Contact, 55 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804110	1.60	3.00	0.0281	0.0170	0.0039
E804111	3.00	4.00	0.3226	0.0821	0.0137
E804112	4.00	5.00	0.2997	0.1824	0.0109
E804113	5.00	6.00	0.5872	0.4336	0.0180
E804115	6.00	7.00	0.2350	0.0288	0.0119
E804116	7.00	8.00	0.4254	0.1591	0.0153
E804117	8.00	9.00	0.4282	0.1099	0.0148
E804118	9.00	10.00	0.0413	0.0208	0.0041
E804119	10.00	11.00	0.3310	0.1179	0.0114
E804120	11.00	11.90	0.4732	0.1463	0.0158
E804122	11.90	13.00	0.0396	0.0211	0.0050
E804123	13.00	14.55	0.0938	0.0649	0.0072
E804124	14.55	16.00	0.1122	0.0581	0.0067
E804125	16.00	17.00	0.2363	0.0970	0.0111
E804126	17.00	18.00	0.1628	0.0562	0.0073
E804127	18.00	19.00	0.0207	0.0109	0.0052
E804128	19.00	20.00	0.0173	0.0103	0.0045
E804129	20.00	21.00	0.1172	0.0430	0.0067
E804131	21.00	21.95	0.0237	0.0260	0.0048
E804132	21.95	23.00	0.3516	0.2090	0.0131
E804133	23.00	24.00	0.2835	0.0643	0.0102
E804134	24.00	25.00	0.2672	0.1312	0.0119
E804135	25.00	25.70	0.4578	0.1767	0.0195
E804137	25.70	27.00	0.0163	0.0150	0.0062
E804138	27.00	28.00	0.0109	0.0147	0.0042
E804139	28.00	29.00	0.0111	0.0136	0.0041
E804140	29.00	30.00	0.0099	0.0115	0.0038

Hole Number: KB-07-74 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E804141	30.00	31.00	0.0105	0.0114	0.0042
E804142	31.00	32.00	0.0103	0.0096	0.0043
E804143	32.00	32.80	0.0104	0.0149	0.0043
E804144	32.80	34.20	0.0040	0.0042	0.0029
E804145	34.20	35.30	0.0404	0.0100	0.0052
E804146	35.30	36.20	0.0057	0.0068	0.0033
E804147	36.20	37.00	0.0277	0.0114	0.0052
E804148	37.00	38.00	0.0496	0.0177	0.0056
E804149	38.00	39.00	0.1189	0.0538	0.0081
E804150	39.00	40.00	0.0278	0.0222	0.0054
E804151	40.00	41.00	0.1039	0.0568	0.0067
E804152	41.00	42.00	0.0571	0.0292	0.0051
E804153	42.00	43.00	0.2123	0.1012	0.0090
E804154	43.00	44.00	0.2311	0.0882	0.0101
E804155	44.00	45.00	0.2041	0.1240	0.0092
E804156	45.00	46.00	0.7500	0.6327	0.0247
E804158	46.00	46.55	0.3015	0.1079	0.0148
E804159	46.55	47.45	0.0572	0.0312	0.0047
E804160	47.45	48.30	0.4598	0.2431	0.0184
E804162	48.30	48.95	0.0159	0.0109	0.0023
E804163	48.95	50.00	0.4339	0.0252	0.0141
E804164	50.00	51.00	0.0143	0.0122	0.0042
E804165	51.00	52.00	0.0832	0.0876	0.0080
E804166	52.00	53.00	0.0471	0.0748	0.0052
E804167	53.00	54.00	0.0093	0.0092	0.0041
E804168	54.00	55.00	0.0094	0.0108	0.0045
E804169	55.00	56.00	0.0100	0.0163	0.0042
E804170	56.00	56.80	0.0137	0.0102	0.0053
E804171	56.80	58.00	0.0037	0.0040	0.0026
E804172	58.00	59.00	0.0035	0.0046	0.0026
E804173	59.00	59.70	0.0035	0.0054	0.0026

DETAILED LOG

Hole Number: KB-07-73

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481533.00	North:	5481533.00	Collar Az:	311.90
Location:	Surface	East:	453968.30	East:	453968.30	Length:	101.00 (m)
		Elev:	396.15	Elev:	396.15	Start Depth:	0.00 (m)
Date Started:	Jun 23, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	101.00 (m)
Date Completed:	Jun 24, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	311.90	-44.90	EZ	OK	5699	101.00	311.50	-43.90	EZ	OK	5762

Detailed Lithology

From (m)	To (m)	Lithology
0	1.00	CAS, Casing
1.00	1.90	MV, Mafic Volcanic
1.90	4.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.90 - 4.90 Structure 2.90 - 4.90 : MODFOL Moderately Foliated, 45 Deg to CA 2.90 - 4.90 : UC Upper Contact, 50 Deg to CA
4.90	5.60	FD, Felsic Dike Structure 4.90 - 5.60 : UC Upper Contact, 55 Deg to CA
5.60	16.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 5.60 - 16.50 Structure 5.60 - 16.50 : MODFOL Moderately Foliated, 60 Deg to CA 5.60 - 16.50 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
315266	1.00	1.90	0.90	0.0268	0.0097	0.0044
315267	1.90	3.00	1.10	0.0757	0.0350	0.0067
315268	3.00	4.00	1.00	0.1334	0.0686	0.0079
315269	4.00	4.90	0.90	0.1116	0.0675	0.0087
315270	4.90	5.60	0.70	0.0151	0.0170	0.0032
315271	5.60	7.00	1.40	0.0944	0.0623	0.0061
315272	7.00	8.00	1.00	0.0916	0.0493	0.0074
315274	8.00	9.00	1.00	0.0301	0.0262	0.0061
315275	9.00	10.00	1.00	0.0973	0.0678	0.0075
315276	10.00	11.00	1.00	0.0957	0.0591	0.0076
315277	11.00	12.00	1.00	0.0463	0.0429	0.0070
315278	12.00	13.00	1.00	0.0282	0.0278	0.0061
315279	13.00	14.00	1.00	0.0610	0.0501	0.0077
315280	14.00	15.00	1.00	0.3670	0.1856	0.0146
315281	15.00	16.50	1.50	0.4908	0.1960	0.0175

Hole Number: KB-07-73

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.50	25.10	PYXT, Pyroxenite mvx Mineralization 16.50 - 25.10 Structure 16.50 - 25.10 : MODFOL Moderately Foliated, 40 Deg to CA 16.50 - 25.10 : UC Upper Contact, 20 Deg to CA	315282	16.50	18.00	1.50	0.0326	0.0162	0.0057
			315283	18.00	19.00	1.00	0.0496	0.0628	0.0051
			315284	19.00	20.00	1.00	0.0541	0.0268	0.0052
			315285	20.00	21.00	1.00	0.0157	0.0139	0.0066
			315286	21.00	22.00	1.00	0.0129	0.0163	0.0051
			315287	22.00	23.00	1.00	0.0124	0.0156	0.0050
			315288	23.00	24.00	1.00	0.4184	0.1471	0.0148
			315290	24.00	25.10	1.10	0.3936	0.1775	0.0142
25.10	26.20	MV, Mafic Volcanic mainly pyrite Mineralization 25.10 - 26.20 Structure 25.10 - 26.20	315291	25.10	26.20	1.10	0.0183	0.0398	0.0046
26.20	26.55	FD, Felsic Dike Structure 26.20 - 26.55 : UC Upper Contact, 60 Deg to CA	315292	26.20	26.55	0.35	0.0190	0.0119	0.0036
26.55	29.00	PYXT, Pyroxenite Mineralization 26.55 - 29.00 Structure 26.55 - 29.00 : MODFOL Moderately Foliated, 45 Deg to CA 26.55 - 29.00 : UC Upper Contact, 55 Deg to CA	315293	26.55	28.00	1.45	0.2243	0.0913	0.0103
			315294	28.00	29.00	1.00	0.2112	0.1140	0.0095
29.00	29.75	FD, Felsic Dike Structure 29.00 - 29.75 : UC Upper Contact, 70 Deg to CA	315295	29.00	29.75	0.75	0.0050	0.0068	0.0009
29.75	46.10	MV, Mafic Volcanic	315296	29.75	30.00	0.25	0.0816	0.0324	0.0073
			315297	30.00	31.00	1.00	0.1151	0.0618	0.0084
			315298	31.00	32.00	1.00	0.0262	0.0202	0.0057
			315299	32.00	33.00	1.00	0.0159	0.0241	0.0057
			315300	33.00	34.00	1.00	0.0256	0.0392	0.0053
46.10	53.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 46.10 - 53.00 Structure 46.10 - 53.00 : MODFOL Moderately Foliated, 45 Deg to CA 46.10 - 53.00 : UC Upper Contact, 55 Deg to CA							

Hole Number: KB-07-73

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
53.00	60.00	GAB, Gabbro Mineralization 53.00 - 60.00 Structure 53.00 - 60.00 : MODFOL Moderately Foliated, 45 Deg to CA 53.00 - 60.00 : UC Upper Contact, 55 Deg to CA							
60.00	63.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 60.00 - 63.60 Structure 60.00 - 63.60 : MODFOL Moderately Foliated, 45 Deg to CA 60.00 - 63.60 : UC Upper Contact, 55 Deg to CA							
63.60	65.10	PYXT, Pyroxenite 40cm mdchl Mineralization 63.60 - 65.10 Structure 63.60 - 65.10 : UC Upper Contact, 60 Deg to CA							
65.10	66.20	MD, Mafic Dike Structure 65.10 - 66.20 : STRFOL Strongly Foliated, 40 Deg to CA 65.10 - 66.20 : UC Upper Contact, 45 Deg to CA							
66.20	74.10	PYXT, Pyroxenite with md & weak local talc Mineralization 66.20 - 74.10 Structure 66.20 - 74.10 : STRFOL Strongly Foliated, 50 Deg to CA 66.20 - 74.10 : UC Upper Contact, 45 Deg to CA							
74.10	76.20	MDCHL, Mafic Dike Chloritic Structure 74.10 - 76.20 : MODFOL Moderately Foliated, 40 Deg to CA 74.10 - 76.20 : UC Upper Contact, 90 Deg to CA							
76.20	79.30	PYXT, Pyroxenite Mineralization 76.20 - 79.30 Structure 76.20 - 79.30 : MODFOL Moderately Foliated, 65 Deg to CA 76.20 - 79.30							

Hole Number: KB-07-73 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
79.30	84.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 79.30 - 84.70 Structure 79.30 - 84.70							
84.70	85.30	MD, Mafic Dike Structure 84.70 - 85.30 : UC Upper Contact, 45 Deg to CA							
85.30	87.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 85.30 - 87.50 Structure 85.30 - 87.50 : MODFOL Moderately Foliated, 55 Deg to CA 85.30 - 87.50 : UC Upper Contact, 50 Deg to CA							
87.50	98.80	MV, Mafic Volcanic vague contact Structure 87.50 - 98.80 : MODFOL Moderately Foliated, 45 Deg to CA 87.50 - 98.80							
98.80	101.00	MD, Mafic Dike Structure 98.80 - 101.00 : MODFOL Moderately Foliated, 50 Deg to CA 98.80 - 101.00 : UC Upper Contact, 45 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315266	1.00	1.90	0.0268	0.0097	0.0044
315267	1.90	3.00	0.0757	0.0350	0.0067
315268	3.00	4.00	0.1334	0.0686	0.0079
315269	4.00	4.90	0.1116	0.0675	0.0087
315270	4.90	5.60	0.0151	0.0170	0.0032
315271	5.60	7.00	0.0944	0.0623	0.0061
315272	7.00	8.00	0.0916	0.0493	0.0074
315274	8.00	9.00	0.0301	0.0262	0.0061
315275	9.00	10.00	0.0973	0.0678	0.0075
315276	10.00	11.00	0.0957	0.0591	0.0076
315277	11.00	12.00	0.0463	0.0429	0.0070
315278	12.00	13.00	0.0282	0.0278	0.0061
315279	13.00	14.00	0.0610	0.0501	0.0077

Hole Number: KB-07-73

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315280	14.00	15.00	0.3670	0.1856	0.0146
315281	15.00	16.50	0.4908	0.1960	0.0175
315282	16.50	18.00	0.0326	0.0162	0.0057
315283	18.00	19.00	0.0496	0.0628	0.0051
315284	19.00	20.00	0.0541	0.0268	0.0052
315285	20.00	21.00	0.0157	0.0139	0.0066
315286	21.00	22.00	0.0129	0.0163	0.0051
315287	22.00	23.00	0.0124	0.0156	0.0050
315288	23.00	24.00	0.4184	0.1471	0.0148
315290	24.00	25.10	0.3936	0.1775	0.0142
315291	25.10	26.20	0.0183	0.0398	0.0046
315292	26.20	26.55	0.0190	0.0119	0.0036
315293	26.55	28.00	0.2243	0.0913	0.0103
315294	28.00	29.00	0.2112	0.1140	0.0095
315295	29.00	29.75	0.0050	0.0068	0.0009
315296	29.75	30.00	0.0816	0.0324	0.0073
315297	30.00	31.00	0.1151	0.0618	0.0084
315298	31.00	32.00	0.0262	0.0202	0.0057
315299	32.00	33.00	0.0159	0.0241	0.0057
315300	33.00	34.00	0.0256	0.0392	0.0053

DETAILED LOG

Hole Number: KB-07-72

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481513.00	North:	5481513.00	Collar Az:	299.90
Location:	Surface	East:	453943.90	East:	453943.90	Length:	92.00 (m)
		Elev:	398.04	Elev:	398.04	Start Depth:	0.00 (m)
Date Started:	May 09, 2005	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	92.00 (m)
Date Completed:		Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	26.00	32.20	6.20	0.3465	0.2525	0.0118
WEIGHTED	28.00	31.00	3.00	0.5963	0.4354	0.0172
WEIGHTED	37.00	44.00	7.00	0.2951	0.1349	0.0112
WEIGHTED	51.20	56.00	4.80	0.9220	1.1790	0.0302
WEIGHTED	52.00	55.00	3.00	1.3867	1.7893	0.0438
WEIGHTED	69.20	74.80	5.60	0.2352	0.0936	0.0093

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	299.90	-45.20	EZ	OK	5609	50.00	299.70	-45.10	EZ	OK	6034
92.00	307.40	-45.00	EZ	OK	5951						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.00	CAS, Casing							
1.00	2.20	MV, Mafic Volcanic Structure 1.00 - 2.20 : LC Lower Contact, 50 Deg to CA							
2.20	4.90	FD, Felsic Dike Structure 2.20 - 4.90 : LC Lower Contact, 40 Deg to CA	315301	4.00	4.90	0.90	0.0036	0.0035	0.0023
4.90	7.85	MV, Mafic Volcanic pyxt dyke Structure 4.90 - 7.85 : LC Lower Contact, 50 Deg to CA	315302	4.90	6.00	1.10	0.0237	0.0241	0.0060
			315303	6.00	7.00	1.00	0.0678	0.0425	0.0060
			315304	7.00	7.85	0.85	0.0115	0.0150	0.0056

Hole Number: KB-07-72

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
7.85	32.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 7.85 - 29.20 29.20 - 29.95 29.95 - 32.20 Structure 7.85 - 32.20 : LC Lower Contact, 40 Deg to CA	315305	7.85	9.00	1.15	0.0321	0.0313	0.0058
			315306	9.00	10.00	1.00	0.0307	0.0269	0.0053
			315308	10.00	11.00	1.00	0.0518	0.0295	0.0074
			315309	11.00	12.00	1.00	0.0324	0.0217	0.0048
			315310	12.00	13.00	1.00	0.1322	0.0893	0.0078
			315311	13.00	14.00	1.00	0.1152	0.0808	0.0073
			315312	14.00	15.00	1.00	0.0151	0.0154	0.0048
			315313	15.00	16.00	1.00	0.0238	0.0228	0.0057
			315314	16.00	17.00	1.00	0.0320	0.0226	0.0044
			315315	17.00	18.00	1.00	0.0490	0.0452	0.0070
			315316	18.00	19.00	1.00	0.0345	0.0296	0.0059
			315317	19.00	20.00	1.00	0.0355	0.0301	0.0060
			315318	20.00	21.00	1.00	0.0374	0.0309	0.0059
			315319	21.00	22.00	1.00	0.0481	0.0323	0.0053
			315320	22.00	23.00	1.00	0.0590	0.0420	0.0058
			315321	23.00	24.00	1.00	0.0573	0.0515	0.0063
			315322	24.00	25.00	1.00	0.0321	0.0236	0.0056
			315323	25.00	26.00	1.00	0.0359	0.0340	0.0056
			315324	26.00	27.00	1.00	0.1066	0.0660	0.0067
			315325	27.00	28.00	1.00	0.1055	0.0735	0.0060
			315326	28.00	29.20	1.20	0.4397	0.2764	0.0135
			315328	29.20	30.00	0.80	1.2282	0.9816	0.0288
			315329	30.00	31.00	1.00	0.2786	0.1892	0.0124
			315330	31.00	32.20	1.20	0.1229	0.0996	0.0074
32.20	32.80	MV, Mafic Volcanic Structure 32.20 - 32.80 : LC Lower Contact, 85 Deg to CA	315331	32.20	32.80	0.60	0.0151	0.0103	0.0046
32.80	33.70	FD, Felsic Dike Structure 32.80 - 33.70 : LC Lower Contact, 85 Deg to CA	315332	32.80	34.25	1.45	0.0279	0.0182	0.0033
33.70	34.25	MV, Mafic Volcanic Mineralization 33.70 - 34.25 Structure 33.70 - 34.25 : LC Lower Contact, 55 Deg to CA							
34.25	38.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 34.25 - 38.40 Structure 34.25 - 38.40 : LC Lower Contact, 38.4 Deg to CA	315333	34.25	35.00	0.75	0.0149	0.0223	0.0041
			315334	35.00	36.00	1.00	0.0383	0.0282	0.0047
			315335	36.00	37.00	1.00	0.0879	0.0712	0.0057
			315336	37.00	38.40	1.40	0.2971	0.1226	0.0116

DETAILED LOG

Hole Number: KB-07-72

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
38.40	39.50	MV, Mafic Volcanic Structure 38.40 - 39.50	315337	38.40	39.50	1.10	0.0100	0.0146	0.0040
39.50	43.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 39.50 - 43.30 Structure 39.50 - 43.30 : LC Lower Contact, 35 Deg to CA	315338	39.50	40.50	1.00	0.3486	0.0632	0.0110
			315339	40.50	41.50	1.00	0.2497	0.2892	0.0084
			315340	41.50	42.50	1.00	0.6359	0.2051	0.0225
			315341	42.50	43.30	0.80	0.3804	0.1336	0.0139
43.30	51.20	GAB, Gabbro 2 15cm pyxt dykes Mineralization 43.30 - 51.20 Structure 43.30 - 51.20 : LC Lower Contact, 45 Deg to CA	315342	43.30	44.00	0.70	0.1433	0.1321	0.0065
			315344	44.00	45.00	1.00	0.0146	0.0068	0.0042
			315345	45.00	46.00	1.00	0.0210	0.0075	0.0047
			315346	46.00	47.00	1.00	0.0170	0.0033	0.0044
			315347	47.00	48.00	1.00	0.2952	0.1091	0.0114
			315348	48.00	49.00	1.00	0.1168	0.0705	0.0059
			315349	49.00	50.00	1.00	0.0274	0.0171	0.0036
			315350	50.00	51.20	1.20	0.0083	0.0138	0.0032
51.20	59.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 51.20 - 52.90 52.90 - 54.30 54.30 - 59.80 Structure 51.20 - 59.80	315351	51.20	52.00	0.80	0.1963	0.2416	0.0080
			315352	52.00	53.00	1.00	0.4776	0.5596	0.0258
			315354	53.00	54.00	1.00	1.8004	3.0995	0.0660
			315355	54.00	55.00	1.00	1.8821	1.7089	0.0395
			315356	55.00	56.00	1.00	0.1084	0.0981	0.0073
			315357	56.00	57.00	1.00	0.0273	0.0244	0.0045
			315358	57.00	58.00	1.00	0.0224	0.0066	0.0041
			315359	58.00	59.00	1.00	0.0139	0.0178	0.0046
			315360	59.00	59.80	0.80	0.0111	0.0041	0.0033
59.80	65.80	PYXT, Pyroxenite Mineralization 59.80 - 65.80 Structure 59.80 - 65.80 : LC Lower Contact, 60 Deg to CA 59.80 - 65.80 : MODFOL Moderately Foliated, 45 Deg to CA	315361	59.80	61.00	1.20	0.0749	0.0960	0.0050
			315362	61.00	62.00	1.00	0.0567	0.0169	0.0053
			315363	62.00	63.00	1.00	0.0407	0.0200	0.0041
			315364	63.00	64.00	1.00	0.0131	0.0080	0.0023
			315365	64.00	65.00	1.00	0.1359	0.0514	0.0054
			315366	65.00	65.80	0.80	0.2607	0.1020	0.0083
65.80	66.40	MV, Mafic Volcanic Mineralization 65.80 - 66.40 Structure 65.80 - 66.40 65.80 - 66.40 : MODFOL Moderately Foliated, 65 Deg to CA	315367	65.80	66.40	0.60	0.0076	0.0111	0.0049

Hole Number: KB-07-72

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
66.40	68.50	PYXT, Pyroxenite Mineralization 66.40 - 68.50 Structure 66.40 - 68.50 : LC Lower Contact, 50 Deg to CA 66.40 - 68.50 : MODFOL Moderately Foliated, 65 Deg to CA	315368	66.40	67.50	1.10	0.1703	0.0693	0.0072
			315369	67.50	68.50	1.00	0.1365	0.0448	0.0072
68.50	69.20	MD, Mafic Dike Structure 68.50 - 69.20 : LC Lower Contact, 50 Deg to CA	315370	68.50	69.20	0.70	0.0265	0.0108	0.0039
69.20	74.80	PYXT, Pyroxenite Mineralization 69.20 - 74.80 Structure 69.20 - 74.80 : LC Lower Contact, 55 Deg to CA 69.20 - 74.80 : MODFOL Moderately Foliated, 55 Deg to CA	315371	69.20	70.00	0.80	0.3495	0.1305	0.0115
			315372	70.00	71.00	1.00	0.2010	0.0778	0.0089
			315373	71.00	72.00	1.00	0.1969	0.0837	0.0095
			315374	72.00	73.00	1.00	0.2420	0.0734	0.0093
			315375	73.00	74.00	1.00	0.0283	0.0054	0.0044
			315376	74.00	74.80	0.80	0.4615	0.2241	0.0137
74.80	77.45	MDCHL, Mafic Dike Chloritic Structure 74.80 - 77.45 : LC Lower Contact, 55 Deg to CA 74.80 - 77.45 : MODFOL Moderately Foliated, 50 Deg to CA	315377	74.80	76.00	1.20	0.0108	0.0166	0.0022
			315378	76.00	77.45	1.45	0.0050	0.0056	0.0026
77.45	83.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 77.45 - 83.10 Structure 77.45 - 83.10 : LC Lower Contact, 50 Deg to CA 77.45 - 83.10 : MODFOL Moderately Foliated, 55 Deg to CA	315379	77.45	79.00	1.55	0.0001	0.0602	0.0069
			315380	79.00	80.00	1.00	0.4035	0.2437	0.0103
			315381	80.00	81.00	1.00	0.4211	0.1700	0.0135
			315382	81.00	82.00	1.00	0.3081	0.1961	0.0101
			315383	82.00	83.10	1.10	0.1026	0.1095	0.0057
83.10	84.35	TSCH, Talc Schist Mineralization 83.10 - 84.35 Structure 83.10 - 84.35 : LC Lower Contact, 30 Deg to CA 83.10 - 84.35 : STRFOL Strongly Foliated, 55 Deg to CA	315384	83.10	84.35	1.25	0.0579	0.0717	0.0044
84.35	85.55	MDCHL, Mafic Dike Chloritic Structure 84.35 - 85.55 : LC Lower Contact, 30 Deg to CA 84.35 - 85.55 : MODFOL Moderately Foliated, 35 Deg to CA	315385	84.35	85.55	1.20	0.0232	0.0276	0.0036
85.55	86.10	TSCH, Talc Schist Mineralization 85.55 - 86.10 Structure 85.55 - 86.10 85.55 - 86.10 : STRFOL Strongly Foliated, 45 Deg to CA	315386	85.55	86.10	0.55	0.1339	0.1264	0.0053

DETAILED LOG

Hole Number: KB-07-72

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
86.10	86.90	PYXT, Pyroxenite Mineralization 86.10 - 86.90 Structure 86.10 - 86.90 86.10 - 86.90 : MODFOL Moderately Foliated, 40 Deg to CA
86.90	92.00	MV, Mafic Volcanic Mineralization 86.90 - 92.00 Structure 86.90 - 92.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
315387	86.10	86.90	0.80	0.5512	0.6580	0.0109
315388	86.90	88.00	1.10	0.0211	0.0242	0.0047
315389	88.00	89.00	1.00	0.0166	0.0162	0.0050
315390	89.00	90.00	1.00	0.0712	0.2125	0.0057
315391	90.00	91.00	1.00	0.0925	0.0812	0.0074
315392	91.00	92.00	1.00	0.1345	0.0725	0.0062

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315301	4.00	4.90	0.0036	0.0035	0.0023
315302	4.90	6.00	0.0237	0.0241	0.0060
315303	6.00	7.00	0.0678	0.0425	0.0060
315304	7.00	7.85	0.0115	0.0150	0.0056
315305	7.85	9.00	0.0321	0.0313	0.0058
315306	9.00	10.00	0.0307	0.0269	0.0053
315308	10.00	11.00	0.0518	0.0295	0.0074
315309	11.00	12.00	0.0324	0.0217	0.0048
315310	12.00	13.00	0.1322	0.0893	0.0078
315311	13.00	14.00	0.1152	0.0808	0.0073
315312	14.00	15.00	0.0151	0.0154	0.0048
315313	15.00	16.00	0.0238	0.0228	0.0057
315314	16.00	17.00	0.0320	0.0226	0.0044
315315	17.00	18.00	0.0490	0.0452	0.0070
315316	18.00	19.00	0.0345	0.0296	0.0059
315317	19.00	20.00	0.0355	0.0301	0.0060
315318	20.00	21.00	0.0374	0.0309	0.0059
315319	21.00	22.00	0.0481	0.0323	0.0053
315320	22.00	23.00	0.0590	0.0420	0.0058
315321	23.00	24.00	0.0573	0.0515	0.0063
315322	24.00	25.00	0.0321	0.0236	0.0056
315323	25.00	26.00	0.0359	0.0340	0.0056
315324	26.00	27.00	0.1066	0.0660	0.0067
315325	27.00	28.00	0.1055	0.0735	0.0060

Hole Number: KB-07-72

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315326	28.00	29.20	0.4397	0.2764	0.0135
315328	29.20	30.00	1.2282	0.9816	0.0288
315329	30.00	31.00	0.2786	0.1892	0.0124
315330	31.00	32.20	0.1229	0.0996	0.0074
315331	32.20	32.80	0.0151	0.0103	0.0046
315332	32.80	34.25	0.0279	0.0182	0.0033
315333	34.25	35.00	0.0149	0.0223	0.0041
315334	35.00	36.00	0.0383	0.0282	0.0047
315335	36.00	37.00	0.0879	0.0712	0.0057
315336	37.00	38.40	0.2971	0.1226	0.0116
315337	38.40	39.50	0.0100	0.0146	0.0040
315338	39.50	40.50	0.3486	0.0632	0.0110
315339	40.50	41.50	0.2497	0.2892	0.0084
315340	41.50	42.50	0.6359	0.2051	0.0225
315341	42.50	43.30	0.3804	0.1336	0.0139
315342	43.30	44.00	0.1433	0.1321	0.0065
315344	44.00	45.00	0.0146	0.0068	0.0042
315345	45.00	46.00	0.0210	0.0075	0.0047
315346	46.00	47.00	0.0170	0.0033	0.0044
315347	47.00	48.00	0.2952	0.1091	0.0114
315348	48.00	49.00	0.1168	0.0705	0.0059
315349	49.00	50.00	0.0274	0.0171	0.0036
315350	50.00	51.20	0.0083	0.0138	0.0032
315351	51.20	52.00	0.1963	0.2416	0.0080
315352	52.00	53.00	0.4776	0.5596	0.0258
315354	53.00	54.00	1.8004	3.0995	0.0660
315355	54.00	55.00	1.8821	1.7089	0.0395
315356	55.00	56.00	0.1084	0.0981	0.0073
315357	56.00	57.00	0.0273	0.0244	0.0045
315358	57.00	58.00	0.0224	0.0066	0.0041
315359	58.00	59.00	0.0139	0.0178	0.0046
315360	59.00	59.80	0.0111	0.0041	0.0033
315361	59.80	61.00	0.0749	0.0960	0.0050
315362	61.00	62.00	0.0567	0.0169	0.0053
315363	62.00	63.00	0.0407	0.0200	0.0041
315364	63.00	64.00	0.0131	0.0080	0.0023
315365	64.00	65.00	0.1359	0.0514	0.0054

Hole Number: KB-07-72

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315366	65.00	65.80	0.2607	0.1020	0.0083
315367	65.80	66.40	0.0076	0.0111	0.0049
315368	66.40	67.50	0.1703	0.0693	0.0072
315369	67.50	68.50	0.1365	0.0448	0.0072
315370	68.50	69.20	0.0265	0.0108	0.0039
315371	69.20	70.00	0.3495	0.1305	0.0115
315372	70.00	71.00	0.2010	0.0778	0.0089
315373	71.00	72.00	0.1969	0.0837	0.0095
315374	72.00	73.00	0.2420	0.0734	0.0093
315375	73.00	74.00	0.0283	0.0054	0.0044
315376	74.00	74.80	0.4615	0.2241	0.0137
315377	74.80	76.00	0.0108	0.0166	0.0022
315378	76.00	77.45	0.0050	0.0056	0.0026
315379	77.45	79.00	0.0001	0.0602	0.0069
315380	79.00	80.00	0.4035	0.2437	0.0103
315381	80.00	81.00	0.4211	0.1700	0.0135
315382	81.00	82.00	0.3081	0.1961	0.0101
315383	82.00	83.10	0.1026	0.1095	0.0057
315384	83.10	84.35	0.0579	0.0717	0.0044
315385	84.35	85.55	0.0232	0.0276	0.0036
315386	85.55	86.10	0.1339	0.1264	0.0053
315387	86.10	86.90	0.5512	0.6580	0.0109
315388	86.90	88.00	0.0211	0.0242	0.0047
315389	88.00	89.00	0.0166	0.0162	0.0050
315390	89.00	90.00	0.0712	0.2125	0.0057
315391	90.00	91.00	0.0925	0.0812	0.0074
315392	91.00	92.00	0.1345	0.0725	0.0062

DETAILED LOG

Hole Number: KB-07-71

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	56.60
Project Number:	19900	North:	5481474.00	North:	5481474.00	Collar Az:	312.80
Location:	Surface	East:	453983.90	East:	453983.90	Length:	188.00 (m)
		Elev:	399.36	Elev:	399.36	Start Depth:	0.00 (m)
Date Started:	Jun 20, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	188.00 (m)
Date Completed:	Jun 22, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	313.80	-56.60	EZ	OK	5747	90.00	285.40	-53.50	EZ	OK	5683
188.00	306.90	-53.20	EZ	OK	5806						

Detailed Lithology

From (m)	To (m)	Lithology
0	2.90	CAS, Casing
2.90	16.70	FD, Felsic Dike Mineralization 2.90 - 16.70 Structure 2.90 - 16.70 : MODFOL Moderately Foliated, 35 Deg to CA
16.70	19.85	MV, Mafic Volcanic Mineralization 16.70 - 19.85 Structure 16.70 - 19.85 : MODFOL Moderately Foliated, 50 Deg to CA 16.70 - 19.85 : UC Upper Contact, 45 Deg to CA
19.85	21.20	MD, Mafic Dike Mineralization 19.85 - 21.20 Structure 19.85 - 21.20 : MODFOL Moderately Foliated, 55 Deg to CA 19.85 - 21.20 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-71 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
21.20	39.90	MV, Mafic Volcanic Mineralization 21.20 - 39.90 Structure 21.20 - 39.90 : MODFOL Moderately Foliated, 50 Deg to CA 21.20 - 39.90 : UC Upper Contact, 45 Deg to CA	315393	37.00	38.00	1.00	0.0031	0.0039	0.0025
			315394	38.00	39.00	1.00	0.0013	0.0020	0.0025
			315395	39.00	39.90	0.90	0.0161	0.0152	0.0042
39.90	41.85	TSCH, Talc Schist Mineralization 39.90 - 41.85 Quartz vein with CPY Structure 39.90 - 41.85 : STRFOL Strongly Foliated, 50 Deg to CA 39.90 - 41.85 : UC Upper Contact, 35 Deg to CA	315396	39.90	41.00	1.10	0.0752	0.0435	0.0059
			315397	41.00	41.85	0.85	0.0747	0.0418	0.0059
41.85	42.90	MDCHL, Mafic Dike Chloritic Mineralization 41.85 - 42.90 Structure 41.85 - 42.90 : MODFOL Moderately Foliated, 60 Deg to CA 41.85 - 42.90 : UC Upper Contact, 50 Deg to CA	315398	41.85	42.90	1.05	0.0457	0.0038	0.0040
42.90	56.30	PYXT, Pyroxenite Shear Zones Mineralization 42.90 - 54.00 54.00 - 56.30 Structure 42.90 - 52.00 : STRFOL Strongly Foliated, 40 Deg to CA 42.90 - 56.30 : UC Upper Contact, 35 Deg to CA 52.00 - 56.30	315399	42.90	44.00	1.10	0.0862	0.0280	0.0064
			315400	44.00	45.00	1.00	0.1784	0.0665	0.0089
			315401	45.00	46.00	1.00	0.1194	0.0480	0.0068
			315403	46.00	47.00	1.00	0.1756	0.0796	0.0083
			315404	47.00	48.00	1.00	0.0373	0.0144	0.0048
			315405	48.00	49.00	1.00	0.0555	0.0251	0.0051
			315406	49.00	50.00	1.00	0.2188	0.1088	0.0106
			315407	50.00	51.00	1.00	0.1433	0.0615	0.0072
			315408	51.00	52.00	1.00	0.8000	0.3338	0.0267
			315410	52.00	53.00	1.00	0.2226	0.1002	0.0108
			315411	53.00	54.00	1.00	0.2377	0.1125	0.0101
			315412	54.00	55.00	1.00	1.9059	0.9339	0.0584
			315413	55.00	56.30	1.30	1.5379	1.2529	0.0434
56.30	64.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 56.30 - 64.60 PYXT SM Dikes Structure 56.30 - 64.60 56.30 - 64.60 : UC Upper Contact, 55 Deg to CA	315415	56.30	58.00	1.70	0.0252	0.0104	0.0037
			315416	58.00	59.00	1.00	0.0206	0.0079	0.0034
			315417	59.00	60.00	1.00	0.0378	0.0181	0.0038
			315418	60.00	61.00	1.00	0.0203	0.0107	0.0035
			315419	61.00	62.00	1.00	0.0160	0.0070	0.0046
			315420	62.00	63.00	1.00	0.0149	0.0056	0.0037
			315421	63.00	64.00	1.00	0.5403	0.0319	0.0150
			315422	64.00	64.60	0.60	0.8040	1.3952	0.0272

Hole Number: KB-07-71

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
64.60	69.20	FD, Felsic Dike Mineralization 64.60 - 69.20 Structure 64.60 - 69.20 64.60 - 69.20 : UC Upper Contact, 25 Deg to CA	315424	64.60	66.00	1.40	0.0053	0.0081	0.0018
			315425	66.00	67.00	1.00	0.0044	0.0052	0.0018
			315426	67.00	68.00	1.00	0.0040	0.0038	0.0017
			315427	68.00	69.20	1.20	0.0167	0.0043	0.0023
69.20	73.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 69.20 - 73.40 Structure 69.20 - 73.40 69.20 - 73.40 : UC Upper Contact, 25 Deg to CA	315428	69.20	70.00	0.80	0.5035	0.5401	0.0146
			315429	70.00	71.00	1.00	0.0792	0.0434	0.0061
			315430	71.00	72.00	1.00	0.2389	0.1475	0.0082
			315431	72.00	73.40	1.40	0.1928	0.0859	0.0079
73.40	79.90	GAB, Gabbro rare PYXT dikes Mineralization 73.40 - 79.90 Structure 73.40 - 79.90 73.40 - 79.90 : UC Upper Contact, 50 Deg to CA	315432	73.40	75.00	1.60	0.0061	0.0126	0.0025
			315433	75.00	76.00	1.00	0.0069	0.0125	0.0025
			315434	76.00	77.00	1.00	0.0060	0.0149	0.0026
			315435	77.00	78.00	1.00	0.0050	0.0056	0.0021
			315436	78.00	79.00	1.00	0.0063	0.0146	0.0028
			315437	79.00	79.90	0.90	0.0108	0.0158	0.0025
79.90	91.75	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 79.90 - 91.75 SM PYXT Dikes Structure 79.90 - 91.75 79.90 - 91.75 : UC Upper Contact, 40 Deg to CA	315438	79.90	81.00	1.10	0.3163	0.1299	0.0103
			315440	81.00	82.00	1.00	0.2588	0.2581	0.0087
			315441	82.00	83.00	1.00	0.7665	0.6472	0.0200
			315443	83.00	84.00	1.00	0.1735	0.1011	0.0059
			315444	84.00	85.00	1.00	0.4507	0.8177	0.0116
			315445	85.00	86.00	1.00	0.6667	0.3496	0.0173
			315446	86.00	87.00	1.00	1.1327	0.8680	0.0318
			315447	87.00	88.00	1.00	0.4188	0.1173	0.0142
			315448	88.00	89.00	1.00	0.8506	0.8966	0.0267
			315449	89.00	90.00	1.00	1.0296	0.1857	0.0343
			315450	90.00	91.00	1.00	0.0678	0.0602	0.0040
			315451	91.00	91.75	0.75	0.5897	0.7477	0.0176

Hole Number: KB-07-71

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
91.75	107.10	GAB, Gabbro PYXT Dikes Mineralization 91.75 - 107.10 Structure 91.75 - 107.10	315453	91.75	93.00	1.25	0.0242	0.0099	0.0045
			315454	93.00	94.00	1.00	0.0179	0.0098	0.0038
			315455	94.00	95.00	1.00	0.0168	0.0110	0.0040
			315456	95.00	96.00	1.00	0.0166	0.0137	0.0040
			315457	96.00	97.00	1.00	0.0160	0.0112	0.0038
			315458	97.00	98.00	1.00	0.0155	0.0141	0.0037
			315459	98.00	99.00	1.00	0.0169	0.0146	0.0043
			315460	99.00	100.00	1.00	0.0150	0.0113	0.0037
			315461	100.00	101.00	1.00	0.0159	0.0062	0.0041
			315462	101.00	102.00	1.00	0.0121	0.0079	0.0034
			315463	102.00	103.00	1.00	0.0142	0.0110	0.0041
			315464	103.00	104.00	1.00	0.0122	0.0120	0.0034
			315465	104.00	105.00	1.00	0.0129	0.0090	0.0039
			315466	105.00	106.00	1.00	0.0121	0.0091	0.0039
			315467	106.00	107.10	1.10	0.0119	0.0125	0.0036
107.10	112.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 107.10 - 112.50 Structure 107.10 - 112.50	315468	107.10	108.00	0.90	0.2251	0.0998	0.0076
			315470	108.00	109.00	1.00	0.0522	0.0446	0.0048
			315471	109.00	110.00	1.00	0.0311	0.0280	0.0045
			315472	110.00	111.00	1.00	0.0241	0.0176	0.0052
			315473	111.00	112.50	1.50	0.0176	0.0167	0.0048
112.50	117.80	FD, Felsic Dike Mineralization 112.50 - 117.80 Structure 112.50 - 117.80	315475	112.50	114.00	1.50	0.0044	0.0065	0.0016
			315476	114.00	115.00	1.00	0.0042	0.0037	0.0018
			315477	115.00	116.00	1.00	0.0040	0.0036	0.0018
			315478	116.00	117.00	1.00	0.0037	0.0037	0.0016
			315479	117.00	117.80	0.80	0.0048	0.0043	0.0017
117.80	118.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 117.80 - 118.80 Structure 117.80 - 118.80	315480	117.80	118.80	1.00	0.0771	0.0362	0.0049
118.80	121.20	FD, Felsic Dike Mineralization 118.80 - 121.20 Structure 118.80 - 121.20	315481	118.80	120.00	1.20	0.0042	0.0047	0.0018
			315482	120.00	121.20	1.20	0.0044	0.0048	0.0018
121.20	121.90	MV, Mafic Volcanic Mineralization 121.20 - 121.90 Structure 121.20 - 121.90	315483	121.20	122.90	1.70	0.0132	0.0153	0.0049

Hole Number: KB-07-71 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
121.90	123.60	FD, Felsic Dike Mineralization 121.90 - 123.60 Structure 121.90 - 123.60 121.90 - 123.60 : UC Upper Contact, 30 Deg to CA	315484	122.90	123.60	0.70	0.0033	0.0034	0.0020
123.60	128.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 123.60 - 128.50 Structure 123.60 - 128.50 123.60 - 128.50 : UC Upper Contact, 45 Deg to CA	315485	123.60	125.00	1.40	0.0348	0.0230	0.0045
			315486	125.00	126.00	1.00	0.0194	0.0231	0.0039
			315487	126.00	127.00	1.00	0.0096	0.0105	0.0033
			315488	127.00	128.50	1.50	0.1926	0.0855	0.0080
128.50	130.60	GAB, Gabbro Mineralization 128.50 - 130.60 Structure 128.50 - 130.60	315490	128.50	130.00	1.50	0.0092	0.0132	0.0033
			315491	130.00	130.60	0.60	0.0082	0.0119	0.0031
130.60	132.55	PYXT, Pyroxenite Mineralization 130.60 - 132.55 Structure 130.60 - 132.55 : MODFOL Moderately Foliated, 35 Deg to CA	315492	130.60	132.00	1.40	0.0565	0.0152	0.0053
			315493	132.00	132.55	0.55	0.0531	0.0105	0.0048
132.55	134.00	FD, Felsic Dike Mineralization 132.55 - 134.00 Structure 132.55 - 134.00 132.55 - 134.00	315494	132.55	134.00	1.45	0.0096	0.0061	0.0034
134.00	134.60	MV, Mafic Volcanic Mineralization 134.00 - 134.60 Structure 134.00 - 134.60 134.00 - 134.60 : UC Upper Contact, 40 Deg to CA	315495	134.00	134.60	0.60	0.0495	0.0590	0.0066
134.60	136.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 134.60 - 136.50 Structure 134.60 - 136.50	315496	134.60	136.00	1.40	0.1614	0.0632	0.0082
			315498	136.00	137.00	1.00	0.0388	0.0098	0.0037

Hole Number: KB-07-71 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
136.50	140.20	PYXT, Pyroxenite Mineralization 136.50 - 139.00 139.00 - 140.20 Structure 136.50 - 140.20 136.50 - 140.20 : UC Upper Contact, 25 Deg to CA	315499	137.00	138.00	1.00	0.1453	0.0403	0.0067
			315500	138.00	139.00	1.00	0.0564	0.1897	0.0039
140.20	144.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 140.20 - 140.95 140.95 - 142.55 142.55 - 144.60 Structure 140.20 - 144.60							
144.60	147.00	GAB, Gabbro rare PYXT dikes Mineralization 144.60 - 147.00 trace PO Structure 144.60 - 147.00							
147.00	148.10	PYXT, Pyroxenite GAB Dikes Mineralization 147.00 - 148.10 Structure 147.00 - 148.10							
148.10	151.40	GAB, Gabbro Mineralization 148.10 - 151.40 Structure 148.10 - 151.40							
151.40	162.50	PYXT, Pyroxenite MV Xenos Mineralization 151.40 - 158.80 158.80 - 162.50 Structure 151.40 - 162.50							

Hole Number: KB-07-71

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
162.50	166.10	MV, Mafic Volcanic GAB Dikes Mineralization 162.50 - 166.10 Structure 162.50 - 166.10 162.50 - 166.10 : UC Upper Contact, 55 Deg to CA							
166.10	169.30	GABPYXT, Gabbro Pyroxenite Dikes MV Xenos Mineralization 166.10 - 169.30 Structure 166.10 - 169.30 166.10 - 169.30 : UC Upper Contact, 65 Deg to CA							
169.30	172.40	PYXT, Pyroxenite Zones of TSCH Mineralization 169.30 - 170.40 170.40 - 172.40 Structure 169.30 - 172.40 : MODFOL Moderately Foliated, 25 Deg to CA 169.30 - 172.40 : UC Upper Contact, 35 Deg to CA							
172.40	176.30	MV, Mafic Volcanic PYXT Dikes Mineralization 172.40 - 176.30 Structure 172.40 - 176.30 : MODFOL Moderately Foliated, 50 Deg to CA 172.40 - 176.30 : UC Upper Contact, 55 Deg to CA							
176.30	178.70	TSCH, Talc Schist MV Xenos Mineralization 176.30 - 178.70 Structure 176.30 - 178.70 : STRFOL Strongly Foliated, 35 Deg to CA							
178.70	187.00	MV, Mafic Volcanic Mineralization 178.70 - 187.00 Structure 178.70 - 187.00 : MODFOL Moderately Foliated, 60 Deg to CA 178.70 - 187.00 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-71

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
187.00	187.60	FD, Felsic Dike Mineralization 187.00 - 187.60 Structure 187.00 - 187.60 187.00 - 187.60 : UC Upper Contact, 75 Deg to CA							
187.60	188.00	MV, Mafic Volcanic Mineralization 187.60 - 188.00 Structure 187.60 - 188.00 : MODFOL Moderately Foliated, 60 Deg to CA 187.60 - 188.00 : UC Upper Contact, 60 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315393	37.00	38.00	0.0031	0.0039	0.0025
315394	38.00	39.00	0.0013	0.0020	0.0025
315395	39.00	39.90	0.0161	0.0152	0.0042
315396	39.90	41.00	0.0752	0.0435	0.0059
315397	41.00	41.85	0.0747	0.0418	0.0059
315398	41.85	42.90	0.0457	0.0038	0.0040
315399	42.90	44.00	0.0862	0.0280	0.0064
315400	44.00	45.00	0.1784	0.0665	0.0089
315401	45.00	46.00	0.1194	0.0480	0.0068
315403	46.00	47.00	0.1756	0.0796	0.0083
315404	47.00	48.00	0.0373	0.0144	0.0048
315405	48.00	49.00	0.0555	0.0251	0.0051
315406	49.00	50.00	0.2188	0.1088	0.0106
315407	50.00	51.00	0.1433	0.0615	0.0072
315408	51.00	52.00	0.8000	0.3338	0.0267
315410	52.00	53.00	0.2226	0.1002	0.0108
315411	53.00	54.00	0.2377	0.1125	0.0101
315412	54.00	55.00	1.9059	0.9339	0.0584
315413	55.00	56.30	1.5379	1.2529	0.0434
315415	56.30	58.00	0.0252	0.0104	0.0037
315416	58.00	59.00	0.0206	0.0079	0.0034
315417	59.00	60.00	0.0378	0.0181	0.0038
315418	60.00	61.00	0.0203	0.0107	0.0035

Hole Number: KB-07-71

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315419	61.00	62.00	0.0160	0.0070	0.0046
315420	62.00	63.00	0.0149	0.0056	0.0037
315421	63.00	64.00	0.5403	0.0319	0.0150
315422	64.00	64.60	0.8040	1.3952	0.0272
315424	64.60	66.00	0.0053	0.0081	0.0018
315425	66.00	67.00	0.0044	0.0052	0.0018
315426	67.00	68.00	0.0040	0.0038	0.0017
315427	68.00	69.20	0.0167	0.0043	0.0023
315428	69.20	70.00	0.5035	0.5401	0.0146
315429	70.00	71.00	0.0792	0.0434	0.0061
315430	71.00	72.00	0.2389	0.1475	0.0082
315431	72.00	73.40	0.1928	0.0859	0.0079
315432	73.40	75.00	0.0061	0.0126	0.0025
315433	75.00	76.00	0.0069	0.0125	0.0025
315434	76.00	77.00	0.0060	0.0149	0.0026
315435	77.00	78.00	0.0050	0.0056	0.0021
315436	78.00	79.00	0.0063	0.0146	0.0028
315437	79.00	79.90	0.0108	0.0158	0.0025
315438	79.90	81.00	0.3163	0.1299	0.0103
315440	81.00	82.00	0.2588	0.2581	0.0087
315441	82.00	83.00	0.7665	0.6472	0.0200
315443	83.00	84.00	0.1735	0.1011	0.0059
315444	84.00	85.00	0.4507	0.8177	0.0116
315445	85.00	86.00	0.6667	0.3496	0.0173
315446	86.00	87.00	1.1327	0.8680	0.0318
315447	87.00	88.00	0.4188	0.1173	0.0142
315448	88.00	89.00	0.8506	0.8966	0.0267
315449	89.00	90.00	1.0296	0.1857	0.0343
315450	90.00	91.00	0.0678	0.0602	0.0040
315451	91.00	91.75	0.5897	0.7477	0.0176
315453	91.75	93.00	0.0242	0.0099	0.0045
315454	93.00	94.00	0.0179	0.0098	0.0038
315455	94.00	95.00	0.0168	0.0110	0.0040
315456	95.00	96.00	0.0166	0.0137	0.0040
315457	96.00	97.00	0.0160	0.0112	0.0038
315458	97.00	98.00	0.0155	0.0141	0.0037
315459	98.00	99.00	0.0169	0.0146	0.0043

Hole Number: KB-07-71

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315460	99.00	100.00	0.0150	0.0113	0.0037
315461	100.00	101.00	0.0159	0.0062	0.0041
315462	101.00	102.00	0.0121	0.0079	0.0034
315463	102.00	103.00	0.0142	0.0110	0.0041
315464	103.00	104.00	0.0122	0.0120	0.0034
315465	104.00	105.00	0.0129	0.0090	0.0039
315466	105.00	106.00	0.0121	0.0091	0.0039
315467	106.00	107.10	0.0119	0.0125	0.0036
315468	107.10	108.00	0.2251	0.0998	0.0076
315470	108.00	109.00	0.0522	0.0446	0.0048
315471	109.00	110.00	0.0311	0.0280	0.0045
315472	110.00	111.00	0.0241	0.0176	0.0052
315473	111.00	112.50	0.0176	0.0167	0.0048
315475	112.50	114.00	0.0044	0.0065	0.0016
315476	114.00	115.00	0.0042	0.0037	0.0018
315477	115.00	116.00	0.0040	0.0036	0.0018
315478	116.00	117.00	0.0037	0.0037	0.0016
315479	117.00	117.80	0.0048	0.0043	0.0017
315480	117.80	118.80	0.0771	0.0362	0.0049
315481	118.80	120.00	0.0042	0.0047	0.0018
315482	120.00	121.20	0.0044	0.0048	0.0018
315483	121.20	122.90	0.0132	0.0153	0.0049
315484	122.90	123.60	0.0033	0.0034	0.0020
315485	123.60	125.00	0.0348	0.0230	0.0045
315486	125.00	126.00	0.0194	0.0231	0.0039
315487	126.00	127.00	0.0096	0.0105	0.0033
315488	127.00	128.50	0.1926	0.0855	0.0080
315490	128.50	130.00	0.0092	0.0132	0.0033
315491	130.00	130.60	0.0082	0.0119	0.0031
315492	130.60	132.00	0.0565	0.0152	0.0053
315493	132.00	132.55	0.0531	0.0105	0.0048
315494	132.55	134.00	0.0096	0.0061	0.0034
315495	134.00	134.60	0.0495	0.0590	0.0066
315496	134.60	136.00	0.1614	0.0632	0.0082
315498	136.00	137.00	0.0388	0.0098	0.0037
315499	137.00	138.00	0.1453	0.0403	0.0067
315500	138.00	139.00	0.0564	0.1897	0.0039

DETAILED LOG

Hole Number: KB-07-70 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481411.00	North:	5481411.00	Collar Az:	311.80
Location:	Surface	East:	453973.10	East:	453973.10	Length:	204.00 (m)
		Elev:	401.86	Elev:	401.86	Start Depth:	0.00 (m)
Date Started:	Jun 17, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	204.00 (m)
Date Completed:	Jun 20, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	127.00	131.50	4.50	0.4268	0.2116	0.0156
WEIGHTED	146.00	158.30	12.30	1.2341	0.5084	0.0287
WEIGHTED	146.00	194.00	48.00	0.4868	0.2810	0.0135
WEIGHTED	147.10	151.00	3.90	2.9232	0.7393	0.0550
WEIGHTED	175.00	194.00	19.00	0.3895	0.3437	0.0109

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	311.80	-45.10	EZ	OK	5791	100.00	312.70	-44.20	EZ	OK	5815
204.00	314.70	-43.20	EZ	OK	5796						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	6.60	CAS, Casing							
6.60	14.10	MV, Mafic Volcanic Mineralization 6.60 - 14.10 Tr PY Structure 6.60 - 14.10 : MODFOL Moderately Foliated, 45 Deg to CA							
14.10	16.85	MDCHL, Mafic Dike Chloritic Mineralization 14.10 - 16.85 Structure 14.10 - 16.85 : MODFOL Moderately Foliated, 50 Deg to CA 14.10 - 16.85 : UC Upper Contact, 35 Deg to CA							

Hole Number: KB-07-70 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
16.85	32.40	MV, Mafic Volcanic Local EPI alt Mineralization 16.85 - 32.40 Tr PY Structure 16.85 - 32.40 : MODFOL Moderately Foliated, 45 Deg to CA 16.85 - 32.40 : UC Upper Contact, 20 Deg to CA							
32.40	34.80	MDCHL, Mafic Dike Chloritic Mineralization 32.40 - 34.80 Structure 32.40 - 34.80 32.40 - 34.80 : UC Upper Contact, 55 Deg to CA							
34.80	44.20	MV, Mafic Volcanic Local EPI alt Mineralization 34.80 - 44.20 Structure 34.80 - 44.20 : MODFOL Moderately Foliated, 4 Deg to CA 34.80 - 44.20 : UC Upper Contact, 45 Deg to CA							
44.20	44.70	MD, Mafic Dike Mineralization 44.20 - 44.70 Structure 44.20 - 44.70 44.20 - 44.70 : UC Upper Contact, 45 Deg to CA							
44.70	69.10	MV, Mafic Volcanic Local EPI alt Mineralization 44.70 - 69.10 Tr PY PO Structure 44.70 - 69.10 : MODFOL Moderately Foliated, 50 Deg to CA 44.70 - 69.10 : UC Upper Contact, 50 Deg to CA	315127	66.00	67.00	1.00	0.0148	0.0134	0.0066
			315128	67.00	68.00	1.00	0.0125	0.0151	0.0055
			315129	68.00	69.10	1.10	0.0169	0.0243	0.0054
69.10	70.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 69.10 - 70.10 Structure 69.10 - 70.10 : STRFOL Strongly Foliated, 45 Deg to CA 69.10 - 70.10 : UC Upper Contact, 35 Deg to CA	315130	69.10	70.10	1.00	0.0659	0.0546	0.0049

Hole Number: KB-07-70

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
70.10	73.90	TSCH, Talc Schist Mineralization 70.10 - 73.90 Structure 70.10 - 73.90 : STRFOL Strongly Foliated, 55 Deg to CA Vein folding & C-S fabric 70.10 - 73.90 : UC Upper Contact, 45 Deg to CA	315131	70.10	71.00	0.90	0.0506	0.0211	0.0044
			315132	71.00	72.00	1.00	0.1177	0.0714	0.0070
			315134	72.00	73.00	1.00	0.0244	0.0151	0.0032
			315135	73.00	73.90	0.90	0.0636	0.0134	0.0052
73.90	78.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 73.90 - 78.80 Structure 73.90 - 78.80 73.90 - 78.80 Vague	315136	73.90	75.00	1.10	0.0232	0.0187	0.0050
			315137	75.00	76.00	1.00	0.0115	0.0151	0.0061
			315138	76.00	77.00	1.00	0.0082	0.0180	0.0033
			315140	77.00	78.00	1.00	0.0167	0.0142	0.0038
			315141	78.00	79.00	1.00	0.0201	0.0230	0.0058
78.80	85.00	GAB, Gabbro	315142	79.00	80.00	1.00	0.0154	0.0175	0.0047
			315143	80.00	81.00	1.00	0.0184	0.0143	0.0057
			315144	81.00	82.00	1.00	0.0182	0.0177	0.0049
			315145	82.00	83.00	1.00	0.0186	0.0197	0.0047
			315146	83.00	84.00	1.00	0.0211	0.0292	0.0053
			315147	84.00	85.00	1.00	0.0427	0.0230	0.0054
85.00	94.10	GABPYXT, Gabbro Pyroxenite Dikes	315148	85.00	86.00	1.00	0.0288	0.0244	0.0049
			315149	86.00	87.00	1.00	0.0201	0.0169	0.0044
			315150	87.00	88.00	1.00	0.0414	0.0357	0.0050
			315151	88.00	89.00	1.00	0.0269	0.0284	0.0042
			315152	89.00	91.00	2.00	0.0273	0.0284	0.0044
			315154	91.00	92.00	1.00	0.0511	0.0319	0.0041
			315156	92.00	93.00	1.00	0.0276	0.0061	0.0031
			315157	93.00	94.10	1.10	0.0156	0.0181	0.0049
94.10	95.30	MV, Mafic Volcanic Mineralization 94.10 - 95.30 Structure 94.10 - 95.30 94.10 - 95.30 : UC Upper Contact, 50 Deg to CA	315158	94.10	95.30	1.20	0.0147	0.0168	0.0045
95.30	98.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 95.30 - 98.30 Structure 95.30 - 98.30 95.30 - 98.30 : UC Upper Contact, 35 Deg to CA	315159	95.30	96.00	0.70	0.0169	0.0145	0.0044
			315160	96.00	97.00	1.00	0.0170	0.0184	0.0048
			315161	97.00	98.30	1.30	0.1391	0.0812	0.0069

Hole Number: KB-07-70

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
98.30	103.80	MV, Mafic Volcanic Tr GABPYXT dikes Mineralization 98.30 - 103.80 PY PO Structure 98.30 - 102.70 102.70 - 103.80 : MODFOL Moderately Foliated, 15 Deg to CA Pillow salvage? 102.70 - 103.80 : UC Upper Contact, 45 Deg to CA	315163	98.30	100.00	1.70	0.0114	0.0128	0.0038
			315164	100.00	101.00	1.00	0.0132	0.0163	0.0043
			315165	101.00	102.00	1.00	0.0126	0.0126	0.0048
			315166	102.00	103.00	1.00	0.0143	0.0120	0.0056
			315167	103.00	103.80	0.80	0.0150	0.0162	0.0062
103.80	105.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 103.80 - 105.10 Structure 103.80 - 105.10 103.80 - 105.10 : UC Upper Contact, 60 Deg to CA	315168	103.80	105.10	1.30	0.0275	0.0057	0.0026
105.10	110.60	MV, Mafic Volcanic Tr GABPYXT dikes Mineralization 105.10 - 110.60 Structure 105.10 - 106.00 : STRFOL Strongly Foliated, 15 Deg to CA 106.00 - 110.60 106.00 - 110.60 : UC Upper Contact, 20 Deg to CA	315169	105.10	106.00	0.90	0.0140	0.0105	0.0041
			315170	106.00	107.00	1.00	0.0139	0.0144	0.0057
			315171	107.00	108.00	1.00	0.0118	0.0119	0.0047
			315172	108.00	109.00	1.00	0.0129	0.0116	0.0049
			315173	109.00	110.60	1.60	0.0168	0.0158	0.0057
110.60	115.00	PYXT, Pyroxenite MV xenoliths	315174	110.60	112.00	1.40	0.0315	0.0069	0.0039
			315175	112.00	113.00	1.00	0.0559	0.0186	0.0044
			315176	113.00	114.00	1.00	0.3183	0.1533	0.0114
			315177	114.00	115.00	1.00	0.6969	0.3401	0.0204
115.00	116.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 115.00 - 116.00 Structure 115.00 - 116.00 : MODFOL Moderately Foliated, 45 Deg to CA 115.00 - 116.00 Vague	315179	115.00	116.00	1.00	0.0056	0.0063	0.0023
116.00	117.50	FD, Felsic Dike Mineralization 116.00 - 117.50 Structure 116.00 - 117.50 116.00 - 117.50 Irregular	315180	116.00	117.50	1.50	0.0773	0.0458	0.0064

Hole Number: KB-07-70

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
117.50	129.90	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 117.50 - 129.90 Structure 117.50 - 129.90 : MODFOL Moderately Foliated, 40 Deg to CA 117.50 - 129.90 : UC Upper Contact, 45 Deg to CA	315181	117.50	119.00	1.50	0.1466	0.0369	0.0083
			315182	119.00	120.00	1.00	0.1285	0.0335	0.0075
			315183	120.00	121.00	1.00	0.1792	0.1103	0.0067
			315185	121.00	122.00	1.00	0.0124	0.0216	0.0045
			315186	122.00	123.00	1.00	0.0135	0.0295	0.0054
			315187	123.00	124.00	1.00	0.0605	0.0401	0.0047
			315188	124.00	125.00	1.00	0.0478	0.0392	0.0064
			315189	125.00	126.00	1.00	0.0221	0.0266	0.0054
			315190	126.00	127.00	1.00	0.0107	0.0237	0.0041
			315191	127.00	128.00	1.00	0.1952	0.0864	0.0078
			315192	128.00	129.00	1.00	0.2471	0.0839	0.0112
			315193	129.00	129.90	0.90	0.3994	0.0644	0.0167
129.90	131.50	PYXT, Pyroxenite Mineralization 129.90 - 131.50 Structure 129.90 - 131.50 129.90 - 131.50 : UC Upper Contact, 80 Deg to CA	315194	129.90	131.00	1.10	0.5532	0.2302	0.0168
			315195	131.00	131.50	0.50	1.0208	0.9410	0.0355
131.50	134.00	GAB, Gabbro Mineralization 131.50 - 134.00 Structure 131.50 - 134.00 131.50 - 134.00 : UC Upper Contact, 70 Deg to CA	315197	131.50	133.00	1.50	0.0424	0.0594	0.0039
			315198	133.00	134.00	1.00	0.0004	0.0001	0.0002
134.00	139.50	FD, Felsic Dike Mineralization 134.00 - 139.50 Structure 134.00 - 139.50 134.00 - 139.50 : UC Upper Contact, 40 Deg to CA	315199	134.00	135.00	1.00	0.0002	0.0001	0.0001
			315200	135.00	136.00	1.00	0.0045	0.0048	0.0025
			315201	136.00	137.00	1.00	0.0045	0.0044	0.0026
			315202	137.00	138.00	1.00	0.0048	0.0044	0.0025
			315203	138.00	139.50	1.50	0.0047	0.0032	0.0026
139.50	146.00	GAB, Gabbro Mineralization 139.50 - 146.00 Structure 139.50 - 146.00 139.50 - 146.00 : UC Upper Contact, 40 Deg to CA	315204	139.50	141.00	1.50	0.0094	0.0147	0.0031
			315205	141.00	142.00	1.00	0.0093	0.0191	0.0032
			315206	142.00	143.00	1.00	0.0121	0.0192	0.0040
			315207	143.00	144.00	1.00	0.0077	0.0085	0.0042
			315208	144.00	145.00	1.00	0.0073	0.0162	0.0037
			315209	145.00	146.00	1.00	0.0101	0.0209	0.0043

Hole Number: KB-07-70

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
146.00	148.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 146.00 - 147.10 147.10 - 148.20 Structure 146.00 - 148.20 146.00 - 148.20 Vague	315210	146.00	147.10	1.10	0.2578	0.4516	0.0082
			315211	147.10	148.20	1.10	4.2284	0.8296	0.0823
148.20	149.20	FD, Felsic Dike Mineralization 148.20 - 149.20 Tr PO Structure 148.20 - 149.20 148.20 - 149.20 Irregular	315213	148.20	149.20	1.00	0.1449	0.0490	0.0047
149.20	158.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 149.20 - 149.60 149.60 - 150.00 150.00 - 158.30 Structure 149.20 - 158.30 149.20 - 158.30 : UC Upper Contact, 45 Deg to CA	315214	149.20	150.00	0.80	6.4400	1.9566	0.1044
			315216	150.00	151.00	1.00	1.4524	0.3564	0.0357
			315217	151.00	152.00	1.00	0.2517	0.8926	0.0297
			315218	152.00	153.00	1.00	0.2012	0.1719	0.0085
			315219	153.00	154.00	1.00	0.3971	0.2159	0.0114
			315220	154.00	155.00	1.00	0.8538	0.4746	0.0348
			315221	155.00	156.00	1.00	0.7677	0.4802	0.0167
			315222	156.00	157.00	1.00	0.6104	0.2724	0.0163
			315223	157.00	158.30	1.30	0.3183	0.2814	0.0095
158.30	159.80	FD, Felsic Dike Mineralization 158.30 - 159.80 Structure 158.30 - 159.80 158.30 - 159.80 : UC Upper Contact, 40 Deg to CA	315224	158.30	159.80	1.50	0.0048	0.0050	0.0027
159.80	162.00	MV, Mafic Volcanic Mineralization 159.80 - 162.00 Structure 159.80 - 162.00 : MODFOL Moderately Foliated, 45 Deg to CA 159.80 - 162.00 : UC Upper Contact, 45 Deg to CA	315225	159.80	161.00	1.20	0.0142	0.0140	0.0058
			315226	161.00	162.00	1.00	0.0275	0.0313	0.0063

Hole Number: KB-07-70 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
162.00	168.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 162.00 - 168.00 Structure 162.00 - 168.00 162.00 - 168.00 : UC Upper Contact, 50 Deg to CA	315227	162.00	163.00	1.00	0.2101	0.2491	0.0079
			315228	163.00	164.40	1.40	0.1401	0.0760	0.0076
			315229	164.40	165.00	0.60	0.1460	0.0546	0.0071
			315230	165.00	166.00	1.00	0.0128	0.0144	0.0044
			315231	166.00	167.00	1.00	0.0201	0.0218	0.0054
			315232	167.00	168.00	1.00	0.0226	0.0362	0.0055
168.00	172.00	GAB, Gabbro Mineralization 168.00 - 171.80 171.80 - 172.00 Structure 168.00 - 172.00 168.00 - 172.00 : UC Upper Contact, 50 Deg to CA	315233	168.00	169.00	1.00	0.0362	0.0384	0.0029
			315234	169.00	170.00	1.00	0.0171	0.0056	0.0033
			315235	170.00	171.00	1.00	0.0200	0.0153	0.0043
			315236	171.00	171.80	0.80	0.0166	0.0083	0.0039
			315237	171.80	173.00	1.20	0.0422	0.0392	0.0053
172.00	181.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 172.00 - 175.00 175.00 - 181.30 Structure 172.00 - 181.30 172.00 - 181.30 : UC Upper Contact, 50 Deg to CA	315238	173.00	174.00	1.00	0.0089	0.0395	0.0061
			315239	174.00	175.00	1.00	0.0397	0.0333	0.0056
			315240	175.00	176.00	1.00	0.1426	0.1197	0.0117
			315242	176.00	177.00	1.00	0.3857	0.2633	0.0124
			315243	177.00	178.00	1.00	0.4446	0.3562	0.0126
			315244	178.00	179.00	1.00	0.2025	0.3520	0.0070
			315245	179.00	180.00	1.00	0.4764	0.2245	0.0118
			315247	180.00	181.30	1.30	0.7662	0.6355	0.0217
181.30	184.10	MV, Mafic Volcanic GABPYXT dikes Mineralization 181.30 - 184.10 Tr PY Structure 181.30 - 184.10 181.30 - 184.10 : UC Upper Contact, 60 Deg to CA	315248	181.30	182.00	0.70	0.0124	0.0188	0.0035
			315249	182.00	183.00	1.00	0.0100	0.0137	0.0035
			315250	183.00	184.10	1.10	0.0114	0.0118	0.0046
184.10	189.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 184.10 - 186.00 186.00 - 189.80 Structure 184.10 - 189.80 : STRFOL Strongly Foliated, 45 Deg to CA 184.10 - 189.80 : UC Upper Contact, 70 Deg to CA	315251	184.10	185.00	0.90	0.2581	0.1373	0.0062
			315252	185.00	186.00	1.00	0.3962	0.4674	0.0077
			315253	186.00	187.00	1.00	0.4619	0.7542	0.0097
			315254	187.00	188.00	1.00	0.2578	0.3134	0.0063
			315255	188.00	189.00	1.00	0.2316	0.3392	0.0138
			315256	189.00	189.80	0.80	1.1554	0.8703	0.0274
189.80	191.00	MDCHL, Mafic Dike Chloritic Mineralization 189.80 - 190.30 Structure 189.80 - 190.30 189.80 - 190.30 : UC Upper Contact, 40 Deg to CA	315258	189.80	191.00	1.20	0.0538	0.0605	0.0035

Hole Number: KB-07-70 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
191.00	194.00	TSCH, Talc Schist Mineralization 191.00 - 194.00 Structure 191.00 - 194.00 : STRFOL Strongly Foliated, 45 Deg to CA 191.00 - 194.00 : UC Upper Contact, 60 Deg to CA
194.00	204.00	MV, Mafic Volcanic Mineralization 194.00 - 204.00 Structure 194.00 - 204.00 : MODFOL Moderately Foliated, 50 Deg to CA 194.00 - 204.00 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
315259	191.00	192.00	1.00	1.5809	0.8476	0.0251
315261	192.00	193.00	1.00	0.3740	0.4561	0.0106
315262	193.00	194.00	1.00	0.1977	0.2781	0.0072
315263	194.00	195.00	1.00	0.0355	0.0294	0.0047
315264	195.00	196.00	1.00	0.0122	0.0183	0.0050
315265	196.00	197.00	1.00	0.0112	0.0108	0.0048

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315127	66.00	67.00	0.0148	0.0134	0.0066
315128	67.00	68.00	0.0125	0.0151	0.0055
315129	68.00	69.10	0.0169	0.0243	0.0054
315130	69.10	70.10	0.0659	0.0546	0.0049
315131	70.10	71.00	0.0506	0.0211	0.0044
315132	71.00	72.00	0.1177	0.0714	0.0070
315134	72.00	73.00	0.0244	0.0151	0.0032
315135	73.00	73.90	0.0636	0.0134	0.0052
315136	73.90	75.00	0.0232	0.0187	0.0050
315137	75.00	76.00	0.0115	0.0151	0.0061
315138	76.00	77.00	0.0082	0.0180	0.0033
315140	77.00	78.00	0.0167	0.0142	0.0038
315141	78.00	79.00	0.0201	0.0230	0.0058
315142	79.00	80.00	0.0154	0.0175	0.0047
315143	80.00	81.00	0.0184	0.0143	0.0057
315144	81.00	82.00	0.0182	0.0177	0.0049
315145	82.00	83.00	0.0186	0.0197	0.0047
315146	83.00	84.00	0.0211	0.0292	0.0053
315147	84.00	85.00	0.0427	0.0230	0.0054
315148	85.00	86.00	0.0288	0.0244	0.0049
315149	86.00	87.00	0.0201	0.0169	0.0044
315150	87.00	88.00	0.0414	0.0357	0.0050
315151	88.00	89.00	0.0269	0.0284	0.0042

Hole Number: KB-07-70 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315152	89.00	91.00	0.0273	0.0284	0.0044
315154	91.00	92.00	0.0511	0.0319	0.0041
315156	92.00	93.00	0.0276	0.0061	0.0031
315157	93.00	94.10	0.0156	0.0181	0.0049
315158	94.10	95.30	0.0147	0.0168	0.0045
315159	95.30	96.00	0.0169	0.0145	0.0044
315160	96.00	97.00	0.0170	0.0184	0.0048
315161	97.00	98.30	0.1391	0.0812	0.0069
315163	98.30	100.00	0.0114	0.0128	0.0038
315164	100.00	101.00	0.0132	0.0163	0.0043
315165	101.00	102.00	0.0126	0.0126	0.0048
315166	102.00	103.00	0.0143	0.0120	0.0056
315167	103.00	103.80	0.0150	0.0162	0.0062
315168	103.80	105.10	0.0275	0.0057	0.0026
315169	105.10	106.00	0.0140	0.0105	0.0041
315170	106.00	107.00	0.0139	0.0144	0.0057
315171	107.00	108.00	0.0118	0.0119	0.0047
315172	108.00	109.00	0.0129	0.0116	0.0049
315173	109.00	110.60	0.0168	0.0158	0.0057
315174	110.60	112.00	0.0315	0.0069	0.0039
315175	112.00	113.00	0.0559	0.0186	0.0044
315176	113.00	114.00	0.3183	0.1533	0.0114
315177	114.00	115.00	0.6969	0.3401	0.0204
315179	115.00	116.00	0.0056	0.0063	0.0023
315180	116.00	117.50	0.0773	0.0458	0.0064
315181	117.50	119.00	0.1466	0.0369	0.0083
315182	119.00	120.00	0.1285	0.0335	0.0075
315183	120.00	121.00	0.1792	0.1103	0.0067
315185	121.00	122.00	0.0124	0.0216	0.0045
315186	122.00	123.00	0.0135	0.0295	0.0054
315187	123.00	124.00	0.0605	0.0401	0.0047
315188	124.00	125.00	0.0478	0.0392	0.0064
315189	125.00	126.00	0.0221	0.0266	0.0054
315190	126.00	127.00	0.0107	0.0237	0.0041
315191	127.00	128.00	0.1952	0.0864	0.0078
315192	128.00	129.00	0.2471	0.0839	0.0112
315193	129.00	129.90	0.3994	0.0644	0.0167

Hole Number: KB-07-70 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315194	129.90	131.00	0.5532	0.2302	0.0168
315195	131.00	131.50	1.0208	0.9410	0.0355
315197	131.50	133.00	0.0424	0.0594	0.0039
315198	133.00	134.00	0.0004	0.0001	0.0002
315199	134.00	135.00	0.0002	0.0001	0.0001
315200	135.00	136.00	0.0045	0.0048	0.0025
315201	136.00	137.00	0.0045	0.0044	0.0026
315202	137.00	138.00	0.0048	0.0044	0.0025
315203	138.00	139.50	0.0047	0.0032	0.0026
315204	139.50	141.00	0.0094	0.0147	0.0031
315205	141.00	142.00	0.0093	0.0191	0.0032
315206	142.00	143.00	0.0121	0.0192	0.0040
315207	143.00	144.00	0.0077	0.0085	0.0042
315208	144.00	145.00	0.0073	0.0162	0.0037
315209	145.00	146.00	0.0101	0.0209	0.0043
315210	146.00	147.10	0.2578	0.4516	0.0082
315211	147.10	148.20	4.2284	0.8296	0.0823
315213	148.20	149.20	0.1449	0.0490	0.0047
315214	149.20	150.00	6.4400	1.9566	0.1044
315216	150.00	151.00	1.4524	0.3564	0.0357
315217	151.00	152.00	0.2517	0.8926	0.0297
315218	152.00	153.00	0.2012	0.1719	0.0085
315219	153.00	154.00	0.3971	0.2159	0.0114
315220	154.00	155.00	0.8538	0.4746	0.0348
315221	155.00	156.00	0.7677	0.4802	0.0167
315222	156.00	157.00	0.6104	0.2724	0.0163
315223	157.00	158.30	0.3183	0.2814	0.0095
315224	158.30	159.80	0.0048	0.0050	0.0027
315225	159.80	161.00	0.0142	0.0140	0.0058
315226	161.00	162.00	0.0275	0.0313	0.0063
315227	162.00	163.00	0.2101	0.2491	0.0079
315228	163.00	164.40	0.1401	0.0760	0.0076
315229	164.40	165.00	0.1460	0.0546	0.0071
315230	165.00	166.00	0.0128	0.0144	0.0044
315231	166.00	167.00	0.0201	0.0218	0.0054
315232	167.00	168.00	0.0226	0.0362	0.0055
315233	168.00	169.00	0.0362	0.0384	0.0029

Hole Number: KB-07-70

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315234	169.00	170.00	0.0171	0.0056	0.0033
315235	170.00	171.00	0.0200	0.0153	0.0043
315236	171.00	171.80	0.0166	0.0083	0.0039
315237	171.80	173.00	0.0422	0.0392	0.0053
315238	173.00	174.00	0.0089	0.0395	0.0061
315239	174.00	175.00	0.0397	0.0333	0.0056
315240	175.00	176.00	0.1426	0.1197	0.0117
315242	176.00	177.00	0.3857	0.2633	0.0124
315243	177.00	178.00	0.4446	0.3562	0.0126
315244	178.00	179.00	0.2025	0.3520	0.0070
315245	179.00	180.00	0.4764	0.2245	0.0118
315247	180.00	181.30	0.7662	0.6355	0.0217
315248	181.30	182.00	0.0124	0.0188	0.0035
315249	182.00	183.00	0.0100	0.0137	0.0035
315250	183.00	184.10	0.0114	0.0118	0.0046
315251	184.10	185.00	0.2581	0.1373	0.0062
315252	185.00	186.00	0.3962	0.4674	0.0077
315253	186.00	187.00	0.4619	0.7542	0.0097
315254	187.00	188.00	0.2578	0.3134	0.0063
315255	188.00	189.00	0.2316	0.3392	0.0138
315256	189.00	189.80	1.1554	0.8703	0.0274
315258	189.80	191.00	0.0538	0.0605	0.0035
315259	191.00	192.00	1.5809	0.8476	0.0251
315261	192.00	193.00	0.3740	0.4561	0.0106
315262	193.00	194.00	0.1977	0.2781	0.0072
315263	194.00	195.00	0.0355	0.0294	0.0047
315264	195.00	196.00	0.0122	0.0183	0.0050
315265	196.00	197.00	0.0112	0.0108	0.0048

DETAILED LOG

Hole Number: KB-07-69 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481449.00		North:	5481449.00	Collar Az: 303.70
Location:	Surface	East:	453982.50		East:	453982.50	Length: 188.00 (m)
		Elev:	399.60		Elev:	399.60	Start Depth: 0.00 (m)
Date Started:	Jun 14, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 188.00 (m)
Date Completed:	Jun 16, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	53.00	76.00	23.00	0.9941	0.2573	0.0274
WEIGHTED	70.30	74.70	4.40	3.5222	0.5266	0.0916
WEIGHTED	139.00	147.00	8.00	0.5931	0.3950	0.0185
WEIGHTED	160.60	172.70	12.10	0.3254	0.4424	0.0093

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	303.70	-44.50	EZ	OK	6089	90.00	306.80	-43.10	EZ	OK	5799
188.00	308.10	-41.60	EZ	OK	5781						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.50	CAS, Casing							
4.50	17.40	MV, Mafic Volcanic Mineralization 4.50 - 17.40 Structure 4.50 - 17.40 : MODFOL Moderately Foliated, 55 Deg to CA							
17.40	19.40	MDCHL, Mafic Dike Chloritic Mineralization 17.40 - 19.40 Structure 17.40 - 19.40 : MODFOL Moderately Foliated, 45 Deg to CA 17.40 - 19.40 : UC Upper Contact, 45 Deg to CA							

Hole Number: KB-07-69

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
19.40	50.50	MV, Mafic Volcanic Mineralization 19.40 - 50.50 Structure 19.40 - 50.50 : MODFOL Moderately Foliated, 40 Deg to CA 19.40 - 50.50 : UC Upper Contact, 50 Deg to CA	314908	47.00	48.00	1.00	0.0118	0.0081	0.0051
			314909	48.00	49.00	1.00	0.0117	0.0074	0.0054
			314910	49.00	50.00	1.00	0.0115	0.0167	0.0056
			314911	50.00	50.50	0.50	0.0521	0.0578	0.0059
50.50	54.20	TSCH, Talc Schist Mineralization 50.50 - 54.20 Structure 50.50 - 54.20 : STRFOL Strongly Foliated, 50 Deg to CA 50.50 - 54.20 : UC Upper Contact, 55 Deg to CA	314912	50.50	51.00	0.50	0.2076	0.3366	0.0092
			314913	51.00	52.00	1.00	0.0804	0.0994	0.0057
			314914	52.00	53.00	1.00	0.0299	0.0018	0.0044
			314915	53.00	54.20	1.20	0.1240	0.1279	0.0058
54.20	55.10	PYXT, Pyroxenite Mineralization 54.20 - 55.10 Structure 54.20 - 55.10 54.20 - 55.10 : UC Upper Contact, 50 Deg to CA	314916	54.20	55.10	0.90	5.0124	1.1490	0.1094
55.10	64.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 55.10 - 64.40 Structure 55.10 - 64.40 55.10 - 64.40 : UC Upper Contact, 65 Deg to CA	314918	55.10	56.00	0.90	0.0843	0.0355	0.0068
			314919	56.00	57.00	1.00	0.1870	0.0382	0.0100
			314920	57.00	58.00	1.00	0.0218	0.0079	0.0045
			314921	58.00	59.00	1.00	0.1008	0.0208	0.0060
			314922	59.00	60.00	1.00	0.0514	0.0260	0.0049
			314923	60.00	61.00	1.00	0.3825	0.1975	0.0109
			314924	61.00	62.00	1.00	0.1263	0.0563	0.0065
			314925	62.00	63.00	1.00	0.2929	0.0589	0.0107
			314926	63.00	64.40	1.40	0.1688	0.1104	0.0074
64.40	66.50	MDCHL, Mafic Dike Chloritic Mineralization 64.40 - 66.50 Structure 64.40 - 66.50 64.40 - 66.50 : UC Upper Contact, 45 Deg to CA	314927	64.40	65.00	0.60	0.0071	0.0049	0.0016
			314928	65.00	66.00	1.00	0.0059	0.0029	0.0016
			314929	66.00	66.50	0.50	0.0125	0.0055	0.0017
66.50	67.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 66.50 - 67.90 Structure 66.50 - 67.90	314930	66.50	67.00	0.50	0.6317	0.2549	0.0195
			314931	67.00	67.90	0.90	0.3260	0.8898	0.0109

Hole Number: KB-07-69

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
67.90	70.30	MDCHL, Mafic Dike Chloritic with fg gab dyke Mineralization 67.90 - 70.30 Structure 67.90 - 70.30 : MODFOL Moderately Foliated, 50 Deg to CA 67.90 - 70.30 : UC Upper Contact, 50 Deg to CA	314933	67.90	69.00	1.10	0.3731	0.0737	0.0177
			314934	69.00	70.30	1.30	0.0228	0.0791	0.0025
70.30	74.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 70.30 - 74.70 Structure 70.30 - 74.70 70.30 - 74.70 : UC Upper Contact, 50 Deg to CA	314935	70.30	71.00	0.70	2.6640	0.5222	0.0666
			314936	71.00	72.00	1.00	4.3660	0.2777	0.1110
			314937	72.00	73.00	1.00	3.1798	0.4706	0.0842
			314938	73.00	74.00	1.00	3.2862	0.6911	0.1032
			314939	74.00	74.70	0.70	4.0010	0.7316	0.0828
74.70	85.10	GAB, Gabbro with pyxt dykes Mineralization 74.70 - 79.90 79.90 - 85.10 Structure 74.70 - 85.10	314941	74.70	76.00	1.30	0.1276	0.5389	0.0050
			314942	76.00	77.00	1.00	0.0473	0.1854	0.0050
			314943	77.00	78.00	1.00	0.0157	0.0115	0.0045
			314944	78.00	79.10	1.10	0.0400	0.1458	0.0048
			314945	79.10	79.90	0.80	0.3697	0.7253	0.0122
			314946	79.90	81.00	1.10	0.0279	0.0707	0.0035
			314947	81.00	82.00	1.00	0.0128	0.0044	0.0031
			314948	82.00	83.00	1.00	0.0140	0.0056	0.0033
			314949	83.00	84.00	1.00	0.0158	0.0135	0.0027
			314950	84.00	85.10	1.10	0.0138	0.0143	0.0034
85.10	88.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 85.10 - 88.80 Structure 85.10 - 88.80 85.10 - 88.80 : UC Upper Contact, 45 Deg to CA	314951	85.10	86.00	0.90	0.0969	0.0690	0.0070
			314952	86.00	87.00	1.00	0.0620	0.0318	0.0060
			314953	87.00	88.00	1.00	0.0847	0.0684	0.0045
			314954	88.00	88.80	0.80	0.4519	0.2722	0.0193
88.80	92.30	PYXT, Pyroxenite Mineralization 88.80 - 92.30 Structure 88.80 - 92.30 : MODFOL Moderately Foliated, 50 Deg to CA	314955	88.80	90.00	1.20	0.0578	0.0291	0.0044
			314956	90.00	91.00	1.00	0.3182	0.0572	0.0126
			314957	91.00	92.30	1.30	0.0552	0.0172	0.0032

Hole Number: KB-07-69

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
92.30	102.90	MV, Mafic Volcanic with gabpyxt dykes Mineralization 92.30 - 102.90 Structure 92.30 - 102.90	314958	92.30	93.00	0.70	0.0176	0.0274	0.0052
			314959	93.00	94.00	1.00	0.0179	0.0343	0.0023
			314960	94.00	95.00	1.00	0.0119	0.0131	0.0039
			314961	95.00	96.00	1.00	0.0153	0.0330	0.0048
			314962	96.00	97.00	1.00	0.0274	0.0282	0.0048
			314963	97.00	98.00	1.00	0.0135	0.0124	0.0040
			314964	98.00	99.00	1.00	0.0137	0.0148	0.0042
			314965	99.00	100.00	1.00	0.0145	0.0213	0.0041
			314966	100.00	101.00	1.00	0.0195	0.0175	0.0043
			314967	101.00	102.00	1.00	0.0115	0.0138	0.0038
			314968	102.00	102.90	0.90	0.0280	0.0178	0.0039
102.90	108.10	MDCHL, Mafic Dike Chloritic Mineralization 102.90 - 108.10 Structure 102.90 - 108.10 102.90 - 108.10 : UC Upper Contact, 45 Deg to CA	314969	102.90	104.00	1.10	0.0058	0.0054	0.0022
			314970	104.00	105.00	1.00	0.0044	0.0057	0.0022
			314971	105.00	106.00	1.00	0.0042	0.0036	0.0022
			314972	106.00	107.00	1.00	0.0039	0.0034	0.0021
			314973	107.00	108.10	1.10	0.0045	0.0055	0.0021
108.10	119.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 108.10 - 114.40 114.40 - 119.10 Structure 108.10 - 119.10 108.10 - 119.10 : UC Upper Contact, 40 Deg to CA	314974	108.10	109.00	0.90	0.0512	0.0337	0.0051
			314975	109.00	110.00	1.00	0.2525	0.0973	0.0102
			314977	110.00	111.00	1.00	0.0963	0.0559	0.0057
			314978	111.00	112.00	1.00	0.0539	0.0217	0.0037
			314979	112.00	113.00	1.00	0.0196	0.0111	0.0026
			314980	113.00	114.00	1.00	0.0107	0.0056	0.0022
			314981	114.00	114.90	0.90	0.2610	0.1112	0.0090
			314982	114.90	116.00	1.10	0.0130	0.0044	0.0027
			314983	116.00	117.00	1.00	0.0137	0.0160	0.0040
			314984	117.00	118.00	1.00	0.0113	0.0184	0.0036
			314985	118.00	119.10	1.10	0.0128	0.0136	0.0038
119.10	120.60	PYXT, Pyroxenite Mineralization 119.10 - 120.60 Structure 119.10 - 120.60 : MODFOL Moderately Foliated, 60 Deg to CA 119.10 - 120.60 : UC Upper Contact, 50 Deg to CA	314986	119.10	120.00	0.90	0.1156	0.0474	0.0056
			314987	120.00	120.60	0.60	0.0412	0.0106	0.0041
120.60	127.90	GABPYXT, Gabbro Pyroxenite Dikes with mv xenos Mineralization 120.60 - 127.90 Structure 120.60 - 127.90 : MODFOL Moderately Foliated, 45 Deg to CA 120.60 - 127.90 : UC Upper Contact, 45 Deg to CA	314988	120.60	122.00	1.40	0.0512	0.0258	0.0069
			314989	122.00	123.00	1.00	0.1759	0.0638	0.0096
			314990	123.00	124.00	1.00	0.0498	0.0871	0.0049
			314991	124.00	125.00	1.00	0.1729	0.0603	0.0088
			314992	125.00	126.00	1.00	0.3017	0.2148	0.0104
			314993	126.00	127.00	1.00	0.3599	0.1429	0.0121
			314994	127.00	127.90	0.90	0.0370	0.0286	0.0046

Hole Number: KB-07-69

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
127.90	129.70	FD, Felsic Dike with pyxt dyke Mineralization 127.90 - 129.70 Structure 127.90 - 129.70 : MODFOL Moderately Foliated, 50 Deg to CA 127.90 - 129.70 : UC Upper Contact, 50 Deg to CA	314995	127.90	129.00	1.10	0.0107	0.0067	0.0030
			314996	129.00	129.70	0.70	0.0059	0.0052	0.0024
129.70	133.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 129.70 - 133.20 Structure 129.70 - 133.20 : MODFOL Moderately Foliated, 50 Deg to CA 129.70 - 133.20 : UC Upper Contact, 50 Deg to CA	314997	129.70	131.00	1.30	0.0833	0.0405	0.0053
			314998	131.00	132.00	1.00	0.1786	0.0830	0.0077
			314999	132.00	133.20	1.20	0.1805	0.0793	0.0075
133.20	136.90	GAB, Gabbro local mineralization Mineralization 133.20 - 136.90 Structure 133.20 - 136.90 : MODFOL Moderately Foliated, 45 Deg to CA	315000	133.20	134.00	0.80	0.0127	0.0149	0.0042
			315001	134.00	135.00	1.00	0.0165	0.0158	0.0041
			315002	135.00	136.00	1.00	0.0142	0.0154	0.0033
			315003	136.00	136.90	0.90	0.1299	0.1272	0.0058
136.90	140.10	MV, Mafic Volcanic intermediate pyxt dykes Mineralization 136.90 - 140.10 Structure 136.90 - 140.10	315004	136.90	138.00	1.10	0.2313	0.2970	0.0123
			315005	138.00	139.00	1.00	0.0119	0.0138	0.0041
			315006	139.00	140.10	1.10	0.4815	0.5328	0.0103
140.10	152.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 140.10 - 142.60 142.60 - 152.90 Structure 140.10 - 152.90 140.10 - 152.90 : UC Upper Contact, 60 Deg to CA	315007	140.10	141.00	0.90	1.6512	0.6865	0.0633
			315008	141.00	141.60	0.60	0.2138	0.0734	0.0075
			315009	141.60	143.00	1.40	0.3792	0.1795	0.0116
			315010	143.00	144.00	1.00	0.2790	0.5301	0.0079
			315011	144.00	145.00	1.00	0.6634	0.4508	0.0166
			315012	145.00	146.00	1.00	0.6900	0.4856	0.0163
			315014	146.00	147.00	1.00	0.4370	0.1945	0.0183
			315015	147.00	148.00	1.00	0.0790	0.0723	0.0055
			315016	148.00	149.00	1.00	0.1651	0.1482	0.0082
			315017	149.00	150.00	1.00	0.0495	0.0265	0.0042
			315018	150.00	151.00	1.00	0.2049	0.2465	0.0079
			315019	151.00	152.00	1.00	0.0592	0.0357	0.0055
			315020	152.00	152.90	0.90	0.0558	0.0330	0.0052

Hole Number: KB-07-69

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
152.90	160.60	MV, Mafic Volcanic with light min gabpyxt dykes Mineralization 152.90 - 160.60 Structure 152.90 - 160.60 : MODFOL Moderately Foliated, 45 Deg to CA 152.90 - 160.60 : UC Upper Contact, 55 Deg to CA	315021	152.90	154.00	1.10	0.1374	0.1688	0.0051
			315022	154.00	155.00	1.00	0.0094	0.0119	0.0037
			315023	155.00	156.00	1.00	0.0124	0.0147	0.0044
			315024	156.00	157.00	1.00	0.0096	0.0105	0.0037
			315025	157.00	158.00	1.00	0.0107	0.0172	0.0044
			315026	158.00	159.00	1.00	0.0088	0.0119	0.0034
			315027	159.00	160.00	1.00	0.0102	0.0171	0.0039
			315028	160.00	160.60	0.60	0.0236	0.0129	0.0039
160.60	162.10	PYXT, Pyroxenite mixed with mv Mineralization 160.60 - 162.10 Structure 160.60 - 162.10 : MODFOL Moderately Foliated, 45 Deg to CA 160.60 - 162.10 : UC Upper Contact, 40 Deg to CA	315029	160.60	162.10	1.50	0.8752	1.4087	0.0199
162.10	166.60	GAB, Gabbro Mineralization 162.10 - 163.60 Structure 162.10 - 163.60	315031	162.10	163.00	0.90	0.0345	0.0795	0.0043
			315032	163.00	164.00	1.00	0.0735	0.1978	0.0053
			315033	164.00	165.00	1.00	0.0424	0.0838	0.0045
			315034	165.00	166.00	1.00	0.0582	0.1020	0.0050
			315035	166.00	166.60	0.60	0.0497	0.1148	0.0041
166.60	168.10	MV, Mafic Volcanic Mineralization 166.60 - 168.10 Structure 166.60 - 168.10 : MODFOL Moderately Foliated, 35 Deg to CA 166.60 - 168.10 : UC Upper Contact, 55 Deg to CA	315036	166.60	168.10	1.50	0.0850	0.0874	0.0058
168.10	171.20	PYXT, Pyroxenite Mineralization 168.10 - 171.20 Structure 168.10 - 171.20 : STRFOL Strongly Foliated, 45 Deg to CA 168.10 - 171.20 : UC Upper Contact, 60 Deg to CA	315037	168.10	169.00	0.90	0.5694	0.3431	0.0113
			315038	169.00	170.00	1.00	0.2604	0.3501	0.0069
			315039	170.00	171.20	1.20	0.5368	0.7299	0.0136
171.20	172.70	TSCH, Talc Schist Mineralization 171.20 - 172.70 Structure 171.20 - 172.70 : STRFOL Strongly Foliated, 55 Deg to CA 171.20 - 172.70 : UC Upper Contact, 50 Deg to CA	315040	171.20	172.00	0.80	0.8255	0.9500	0.0152
			315041	172.00	172.70	0.70	0.2641	0.4148	0.0095

Hole Number: KB-07-69

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
172.70	188.00	MV, Mafic Volcanic with md Mineralization 172.70 - 188.00 Structure 172.70 - 188.00 : MODFOL Moderately Foliated, 55 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
315042	172.70	174.00	1.30	0.0123	0.0070	0.0046
315043	174.00	175.00	1.00	0.0140	0.0195	0.0054
315044	175.00	176.00	1.00	0.0112	0.0162	0.0047
315045	176.00	177.00	1.00	0.0120	0.0129	0.0049

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314908	47.00	48.00	0.0118	0.0081	0.0051
314909	48.00	49.00	0.0117	0.0074	0.0054
314910	49.00	50.00	0.0115	0.0167	0.0056
314911	50.00	50.50	0.0521	0.0578	0.0059
314912	50.50	51.00	0.2076	0.3366	0.0092
314913	51.00	52.00	0.0804	0.0994	0.0057
314914	52.00	53.00	0.0299	0.0018	0.0044
314915	53.00	54.20	0.1240	0.1279	0.0058
314916	54.20	55.10	5.0124	1.1490	0.1094
314918	55.10	56.00	0.0843	0.0355	0.0068
314919	56.00	57.00	0.1870	0.0382	0.0100
314920	57.00	58.00	0.0218	0.0079	0.0045
314921	58.00	59.00	0.1008	0.0208	0.0060
314922	59.00	60.00	0.0514	0.0260	0.0049
314923	60.00	61.00	0.3825	0.1975	0.0109
314924	61.00	62.00	0.1263	0.0563	0.0065
314925	62.00	63.00	0.2929	0.0589	0.0107
314926	63.00	64.40	0.1688	0.1104	0.0074
314927	64.40	65.00	0.0071	0.0049	0.0016
314928	65.00	66.00	0.0059	0.0029	0.0016
314929	66.00	66.50	0.0125	0.0055	0.0017
314930	66.50	67.00	0.6317	0.2549	0.0195
314931	67.00	67.90	0.3260	0.8898	0.0109
314933	67.90	69.00	0.3731	0.0737	0.0177
314934	69.00	70.30	0.0228	0.0791	0.0025
314935	70.30	71.00	2.6640	0.5222	0.0666
314936	71.00	72.00	4.3660	0.2777	0.1110
314937	72.00	73.00	3.1798	0.4706	0.0842

Hole Number: KB-07-69

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314938	73.00	74.00	3.2862	0.6911	0.1032
314939	74.00	74.70	4.0010	0.7316	0.0828
314941	74.70	76.00	0.1276	0.5389	0.0050
314942	76.00	77.00	0.0473	0.1854	0.0050
314943	77.00	78.00	0.0157	0.0115	0.0045
314944	78.00	79.10	0.0400	0.1458	0.0048
314945	79.10	79.90	0.3697	0.7253	0.0122
314946	79.90	81.00	0.0279	0.0707	0.0035
314947	81.00	82.00	0.0128	0.0044	0.0031
314948	82.00	83.00	0.0140	0.0056	0.0033
314949	83.00	84.00	0.0158	0.0135	0.0027
314950	84.00	85.10	0.0138	0.0143	0.0034
314951	85.10	86.00	0.0969	0.0690	0.0070
314952	86.00	87.00	0.0620	0.0318	0.0060
314953	87.00	88.00	0.0847	0.0684	0.0045
314954	88.00	88.80	0.4519	0.2722	0.0193
314955	88.80	90.00	0.0578	0.0291	0.0044
314956	90.00	91.00	0.3182	0.0572	0.0126
314957	91.00	92.30	0.0552	0.0172	0.0032
314958	92.30	93.00	0.0176	0.0274	0.0052
314959	93.00	94.00	0.0179	0.0343	0.0023
314960	94.00	95.00	0.0119	0.0131	0.0039
314961	95.00	96.00	0.0153	0.0330	0.0048
314962	96.00	97.00	0.0274	0.0282	0.0048
314963	97.00	98.00	0.0135	0.0124	0.0040
314964	98.00	99.00	0.0137	0.0148	0.0042
314965	99.00	100.00	0.0145	0.0213	0.0041
314966	100.00	101.00	0.0195	0.0175	0.0043
314967	101.00	102.00	0.0115	0.0138	0.0038
314968	102.00	102.90	0.0280	0.0178	0.0039
314969	102.90	104.00	0.0058	0.0054	0.0022
314970	104.00	105.00	0.0044	0.0057	0.0022
314971	105.00	106.00	0.0042	0.0036	0.0022
314972	106.00	107.00	0.0039	0.0034	0.0021
314973	107.00	108.10	0.0045	0.0055	0.0021
314974	108.10	109.00	0.0512	0.0337	0.0051
314975	109.00	110.00	0.2525	0.0973	0.0102

Hole Number: KB-07-69

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314977	110.00	111.00	0.0963	0.0559	0.0057
314978	111.00	112.00	0.0539	0.0217	0.0037
314979	112.00	113.00	0.0196	0.0111	0.0026
314980	113.00	114.00	0.0107	0.0056	0.0022
314981	114.00	114.90	0.2610	0.1112	0.0090
314982	114.90	116.00	0.0130	0.0044	0.0027
314983	116.00	117.00	0.0137	0.0160	0.0040
314984	117.00	118.00	0.0113	0.0184	0.0036
314985	118.00	119.10	0.0128	0.0136	0.0038
314986	119.10	120.00	0.1156	0.0474	0.0056
314987	120.00	120.60	0.0412	0.0106	0.0041
314988	120.60	122.00	0.0512	0.0258	0.0069
314989	122.00	123.00	0.1759	0.0638	0.0096
314990	123.00	124.00	0.0498	0.0871	0.0049
314991	124.00	125.00	0.1729	0.0603	0.0088
314992	125.00	126.00	0.3017	0.2148	0.0104
314993	126.00	127.00	0.3599	0.1429	0.0121
314994	127.00	127.90	0.0370	0.0286	0.0046
314995	127.90	129.00	0.0107	0.0067	0.0030
314996	129.00	129.70	0.0059	0.0052	0.0024
314997	129.70	131.00	0.0833	0.0405	0.0053
314998	131.00	132.00	0.1786	0.0830	0.0077
314999	132.00	133.20	0.1805	0.0793	0.0075
315000	133.20	134.00	0.0127	0.0149	0.0042
315001	134.00	135.00	0.0165	0.0158	0.0041
315002	135.00	136.00	0.0142	0.0154	0.0033
315003	136.00	136.90	0.1299	0.1272	0.0058
315004	136.90	138.00	0.2313	0.2970	0.0123
315005	138.00	139.00	0.0119	0.0138	0.0041
315006	139.00	140.10	0.4815	0.5328	0.0103
315007	140.10	141.00	1.6512	0.6865	0.0633
315008	141.00	141.60	0.2138	0.0734	0.0075
315009	141.60	143.00	0.3792	0.1795	0.0116
315010	143.00	144.00	0.2790	0.5301	0.0079
315011	144.00	145.00	0.6634	0.4508	0.0166
315012	145.00	146.00	0.6900	0.4856	0.0163
315014	146.00	147.00	0.4370	0.1945	0.0183

Hole Number: KB-07-69

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
315015	147.00	148.00	0.0790	0.0723	0.0055
315016	148.00	149.00	0.1651	0.1482	0.0082
315017	149.00	150.00	0.0495	0.0265	0.0042
315018	150.00	151.00	0.2049	0.2465	0.0079
315019	151.00	152.00	0.0592	0.0357	0.0055
315020	152.00	152.90	0.0558	0.0330	0.0052
315021	152.90	154.00	0.1374	0.1688	0.0051
315022	154.00	155.00	0.0094	0.0119	0.0037
315023	155.00	156.00	0.0124	0.0147	0.0044
315024	156.00	157.00	0.0096	0.0105	0.0037
315025	157.00	158.00	0.0107	0.0172	0.0044
315026	158.00	159.00	0.0088	0.0119	0.0034
315027	159.00	160.00	0.0102	0.0171	0.0039
315028	160.00	160.60	0.0236	0.0129	0.0039
315029	160.60	162.10	0.8752	1.4087	0.0199
315031	162.10	163.00	0.0345	0.0795	0.0043
315032	163.00	164.00	0.0735	0.1978	0.0053
315033	164.00	165.00	0.0424	0.0838	0.0045
315034	165.00	166.00	0.0582	0.1020	0.0050
315035	166.00	166.60	0.0497	0.1148	0.0041
315036	166.60	168.10	0.0850	0.0874	0.0058
315037	168.10	169.00	0.5694	0.3431	0.0113
315038	169.00	170.00	0.2604	0.3501	0.0069
315039	170.00	171.20	0.5368	0.7299	0.0136
315040	171.20	172.00	0.8255	0.9500	0.0152
315041	172.00	172.70	0.2641	0.4148	0.0095
315042	172.70	174.00	0.0123	0.0070	0.0046
315043	174.00	175.00	0.0140	0.0195	0.0054
315044	175.00	176.00	0.0112	0.0162	0.0047
315045	176.00	177.00	0.0120	0.0129	0.0049

DETAILED LOG

Hole Number: KB-07-68

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481459.00	North:	5481459.00	Collar Az:	305.70
Location:	Surface	East:	453967.70	East:	453967.70	Length:	161.00 (m)
		Elev:	399.17	Elev:	399.17	Start Depth:	0.00 (m)
Date Started:	Jun 11, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	161.00 (m)
Date Completed:	Jun 12, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	23.60	67.20	43.60	0.4991	0.1403	0.0249
WEIGHTED	26.00	41.00	15.00	1.1119	0.2975	0.0513
WEIGHTED	32.40	41.00	8.60	1.7290	0.4694	0.0754
WEIGHTED	94.00	98.00	4.00	0.2380	0.1007	0.0097
WEIGHTED	110.60	125.20	14.60	0.8703	0.1942	0.0301
WEIGHTED	121.00	125.20	4.20	2.3490	0.4735	0.0700
WEIGHTED	135.10	151.00	15.90	0.7124	0.5127	0.0263

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
50.00	305.70	-44.20	EZ	OK	5837	75.00	305.70	-43.80	EZ	OK	5823
160.00	307.20	-43.40	EZ	OK	5762						

Detailed Lithology

From (m)	To (m)	Lithology
0	2.90	CAS, Casing
2.90	23.60	MV, Mafic Volcanic Mineralization 2.90 - 23.60 Structure 2.90 - 23.60 : MODFOL Moderately Foliated, 60 Deg to CA
23.60	28.20	TSCH, Talc Schist Mineralization 23.60 - 28.20 Structure 23.60 - 28.20 : STRFOL Strongly Foliated, 75 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314383	20.00	21.00	1.00	0.0327	0.0085	0.0155
314384	21.00	22.00	1.00	0.0252	0.0084	0.0127
314385	22.00	23.60	1.60	0.0300	0.0169	0.0126
314386	23.60	25.00	1.40	0.1251	0.0720	0.0134
314387	25.00	26.00	1.00	0.0879	0.0135	0.0132
314388	26.00	27.00	1.00	0.2016	0.1221	0.0152
314389	27.00	28.20	1.20	0.0736	0.0241	0.0087

Hole Number: KB-07-68

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
28.20	35.50	PYXT, Pyroxenite Mineralization 28.20 - 32.40 32.40 - 33.20 33.20 - 35.50 Structure 28.20 - 33.55 : STRFOL Strongly Foliated, 65 Deg to CA 33.55 - 35.50	314390	28.20	29.00	0.80	0.2297	0.0240	0.0167
			314391	29.00	30.00	1.00	0.3636	0.0792	0.0229
			314392	30.00	31.00	1.00	0.4201	0.0846	0.0264
			314393	31.00	32.40	1.40	0.3935	0.0653	0.0236
			314394	32.40	33.20	0.80	1.5452	0.7824	0.1271
			314395	33.20	34.00	0.80	3.7872	0.8183	0.2114
			314397	34.00	35.15	1.15	0.1014	0.0154	0.0055
			314398	35.15	36.00	0.85	0.5532	0.0615	0.0204
35.50	37.40	MDCHL, Mafic Dike Chloritic Mineralization 35.50 - 37.40 SM PYXT Dikes Structure 35.50 - 37.40 : MODFOL Moderately Foliated, 60 Deg to CA 35.50 - 37.40 : UC Upper Contact, 65 Deg to CA	314399	36.00	37.40	1.40	3.8826	0.8328	0.1212
37.40	41.80	PYXT, Pyroxenite Mineralization 37.40 - 39.70 39.70 - 41.80 Structure 37.40 - 41.80 37.40 - 41.80 : UC Upper Contact, 60 Deg to CA	314400	37.40	38.00	0.60	3.9334	1.0029	0.1321
			314401	38.00	39.00	1.00	0.0176	0.0084	0.0056
			314403	39.00	39.60	0.60	1.7663	0.7837	0.0783
			314404	39.60	41.00	1.40	0.8171	0.3143	0.0375
			314405	41.00	41.80	0.80	0.0449	0.0399	0.0063
41.80	43.90	GAB, Gabbro Mineralization 41.80 - 43.90 Structure 41.80 - 43.90 41.80 - 43.90 : UC Upper Contact, 35 Deg to CA	314406	41.80	43.00	1.20	0.0316	0.0097	0.0058
			314407	43.00	43.90	0.90	0.2915	0.0657	0.0143
43.90	45.40	PYXT, Pyroxenite Mineralization 43.90 - 45.40 Structure 43.90 - 45.40	314408	43.90	45.40	1.50	0.0732	0.1303	0.0059
45.40	46.75	GAB, Gabbro Mineralization 45.40 - 46.75 Structure 45.40 - 46.75	314409	45.40	46.75	1.35	0.0615	0.0272	0.0057

Hole Number: KB-07-68

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
46.75	67.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 46.75 - 67.20 SM PYXT Dikes Structure 46.75 - 67.20 46.75 - 67.20 : UC Upper Contact, 75 Deg to CA	314410	46.75	48.00	1.25	0.0224	0.0091	0.0055
			314411	48.00	49.00	1.00	0.2902	0.1010	0.0121
			314412	49.00	50.00	1.00	0.0854	0.0293	0.0069
			314413	50.00	51.00	1.00	0.7123	0.0967	0.0421
			314414	51.00	52.00	1.00	0.0112	0.0031	0.0055
			314416	52.00	53.00	1.00	0.7713	0.2012	0.0289
			314417	53.00	54.00	1.00	0.3096	0.1019	0.0125
			314419	54.00	55.00	1.00	0.0321	0.0224	0.0064
			314420	55.00	56.00	1.00	0.0455	0.0272	0.0073
			314421	56.00	57.00	1.00	0.0459	0.0111	0.0060
			314422	57.00	58.00	1.00	0.1476	0.0583	0.0096
			314423	58.00	59.00	1.00	0.2912	0.0624	0.0136
			314424	59.00	60.00	1.00	0.0227	0.0198	0.0049
			314425	60.00	61.00	1.00	0.2050	0.0839	0.0113
			314426	61.00	62.00	1.00	0.3306	0.1008	0.0149
			314427	62.00	63.00	1.00	0.2921	0.0459	0.0154
			314428	63.00	64.00	1.00	0.0224	0.0194	0.0053
			314429	64.00	65.00	1.00	0.2474	0.0790	0.0107
			314430	65.00	66.00	1.00	0.1931	0.0575	0.0095
			314431	66.00	67.20	1.20	0.1730	0.0611	0.0122
67.20	71.50	MDCHL, Mafic Dike Chloritic Mineralization 67.20 - 71.50 Structure 67.20 - 71.50	314432	67.20	68.00	0.80	0.0068	0.0060	0.0036
			314433	68.00	69.00	1.00	0.0044	0.0077	0.0025
			314434	69.00	70.00	1.00	0.0045	0.0050	0.0025
			314435	70.00	71.50	1.50	0.0059	0.0049	0.0030
71.50	75.90	GAB, Gabbro Mineralization 71.50 - 75.90 PYXT Dikes Structure 71.50 - 75.90 71.50 - 75.90 : UC Upper Contact, 50 Deg to CA	314436	71.50	73.00	1.50	0.0301	0.0165	0.0089
			314437	73.00	74.00	1.00	0.0275	0.0118	0.0082
			314438	74.00	75.00	1.00	0.0267	0.0117	0.0081
			314439	75.00	75.90	0.90	0.0268	0.0169	0.0075
75.90	76.50	PYXT, Pyroxenite Mineralization 75.90 - 76.50 Structure 75.90 - 76.50	314440	75.90	76.50	0.60	0.1769	0.0506	0.0110

Hole Number: KB-07-68

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
76.50	93.00	GAB, Gabbro Mineralization 76.50 - 93.00 PYXT Dikes trace PY Structure 76.50 - 93.00	314442	76.50	78.00	1.50	0.0309	0.0181	0.0076
			314443	78.00	79.00	1.00	0.0227	0.0128	0.0064
			314444	79.00	80.00	1.00	0.0346	0.0166	0.0099
			314445	80.00	81.00	1.00	0.0280	0.0107	0.0077
			314446	81.00	82.00	1.00	0.0338	0.0130	0.0090
			314447	82.00	83.00	1.00	0.0292	0.0127	0.0077
			314448	83.00	84.00	1.00	0.0290	0.0118	0.0081
			314449	84.00	85.00	1.00	0.0251	0.0111	0.0065
			314450	85.00	86.00	1.00	0.0286	0.0135	0.0081
			314451	86.00	87.00	1.00	0.0276	0.0152	0.0079
			314452	87.00	88.00	1.00	0.0289	0.0128	0.0082
			314453	88.00	89.00	1.00	0.0288	0.0101	0.0077
			314454	89.00	90.00	1.00	0.0282	0.0122	0.0080
			314455	90.00	91.00	1.00	0.0289	0.0120	0.0081
			314456	91.00	92.00	1.00	0.0281	0.0117	0.0079
			314457	92.00	93.00	1.00	0.0257	0.0133	0.0079
93.00	106.15	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 93.00 - 106.15 Structure 93.00 - 106.15	314458	93.00	94.00	1.00	0.0267	0.0121	0.0037
			314459	94.00	95.00	1.00	0.1775	0.1441	0.0087
			314460	95.00	96.00	1.00	0.1593	0.0494	0.0070
			314462	96.00	97.00	1.00	0.2022	0.0849	0.0093
			314463	97.00	98.00	1.00	0.4129	0.1242	0.0139
			314464	98.00	99.00	1.00	0.0535	0.0243	0.0043
			314465	99.00	100.00	1.00	0.0807	0.0314	0.0060
			314466	100.00	101.00	1.00	0.0263	0.0088	0.0072
			314467	101.00	102.00	1.00	0.1587	0.0435	0.0159
			314468	102.00	103.00	1.00	0.0372	0.0146	0.0060
			314469	103.00	104.00	1.00	0.0071	0.0049	0.0036
			314470	104.00	105.00	1.00	0.2931	0.0991	0.0141
			314472	105.00	106.15	1.15	0.0937	0.0166	0.0080
106.15	110.60	GAB, Gabbro Mineralization 106.15 - 110.60 Structure 106.15 - 110.60	314473	106.15	107.00	0.85	0.0295	0.0079	0.0086
			314474	107.00	108.00	1.00	0.0287	0.0105	0.0077
			314475	108.00	109.00	1.00	0.0293	0.0100	0.0079
			314476	109.00	110.60	1.60	0.0297	0.0104	0.0079
110.60	112.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 110.60 - 112.80 Structure 110.60 - 112.80 110.60 - 112.80 : UC Upper Contact, 55 Deg to CA	314477	110.60	112.00	1.40	0.2954	0.0838	0.0136
			314478	112.00	112.80	0.80	0.3844	0.1253	0.0136

Hole Number: KB-07-68

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
112.80	118.50	PYXT, Pyroxenite MV Xenos Mineralization 112.80 - 118.50 Structure 112.80 - 118.50 : MODFOL Moderately Foliated, 50 Deg to CA	314480	112.80	114.00	1.20	0.1968	0.0663	0.0129
			314481	114.00	115.00	1.00	0.4665	0.1283	0.0221
			314482	115.00	116.00	1.00	0.0871	0.0194	0.0081
			314483	116.00	117.00	1.00	0.3774	0.0988	0.0158
			314484	117.00	118.50	1.50	0.3989	0.0839	0.0187
118.50	120.10	MV, Mafic Volcanic Mineralization 118.50 - 120.10 Structure 118.50 - 120.10 118.50 - 120.10 : UC Upper Contact, 80 Deg to CA	314485	118.50	120.10	1.60	0.0335	0.0146	0.0082
120.10	121.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 120.10 - 121.00 Structure 120.10 - 121.00 120.10 - 121.00 : UC Upper Contact, 65 Deg to CA	314486	120.10	121.00	0.90	0.3343	0.1702	0.0152
121.00	123.70	PYXT, Pyroxenite Mineralization 121.00 - 122.70 122.70 - 123.70 Structure 121.00 - 123.70	314487	121.00	122.00	1.00	4.2016	0.6891	0.1090
			314489	122.00	122.70	0.70	4.4484	0.9545	0.0966
			314490	122.70	123.70	1.00	0.7702	0.4778	0.0213
123.70	125.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 123.70 - 125.20 SM PYXT Dikes Structure 123.70 - 125.20 123.70 - 125.20 : UC Upper Contact, 65 Deg to CA	314491	123.70	125.20	1.50	1.1868	0.1025	0.0639
125.20	135.10	MV, Mafic Volcanic Mineralization 125.20 - 135.10 PY Structure 125.20 - 135.10 125.20 - 135.10 : UC Upper Contact, 75 Deg to CA	314493	125.20	126.00	0.80	0.0908	0.2126	0.0071
			314494	126.00	127.00	1.00	0.0148	0.0089	0.0054
			314495	127.00	128.00	1.00	0.0174	0.0117	0.0069
			314496	128.00	129.00	1.00	0.0210	0.0247	0.0071
			314497	129.00	130.00	1.00	0.0291	0.0243	0.0074
			314498	130.00	131.00	1.00	0.0192	0.0157	0.0073
			314499	131.00	132.00	1.00	0.0183	0.0112	0.0070
			314500	132.00	133.00	1.00	0.0221	0.0191	0.0063
			314885	133.00	134.00	1.00	0.0187	0.0156	0.0077
			314886	134.00	135.10	1.10	0.0881	0.0514	0.0089

Hole Number: KB-07-68

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
135.10	137.40	PYXT, Pyroxenite Mineralization 135.10 - 137.40 Structure 135.10 - 137.40 : MODFOL Moderately Foliated, 45 Deg to CA 135.10 - 137.40 : UC Upper Contact, 70 Deg to CA	314887	135.10	136.00	0.90	0.6120	0.1414	0.0237
			314888	136.00	137.40	1.40	0.1772	0.0388	0.0117
137.40	138.20	GAB, Gabbro Mineralization 137.40 - 138.20 PY Structure 137.40 - 138.20 137.40 - 138.20 : UC Upper Contact, 15 Deg to CA	314889	137.40	138.20	0.80	0.0634	0.0421	0.0099
138.20	141.45	PYXT, Pyroxenite Mineralization 138.20 - 140.70 140.70 - 141.45 Structure 138.20 - 141.45	314890	138.20	139.00	0.80	0.8458	0.2467	0.0242
			314891	139.00	140.00	1.00	0.9531	0.3863	0.0310
			314892	140.00	140.70	0.70	0.5086	0.3185	0.0172
			314893	140.70	141.45	0.75	1.2055	0.7610	0.0542
141.45	142.30	GAB, Gabbro 50% MV Mineralization 141.45 - 142.30 Structure 141.45 - 142.30 141.45 - 142.30 : UC Upper Contact, 70 Deg to CA	314895	141.45	142.30	0.85	0.0247	0.0138	0.0074
142.30	147.90	PYXT, Pyroxenite Mineralization 142.30 - 144.50 144.50 - 146.90 Structure 142.30 - 146.90 : MODFOL Moderately Foliated, 55 Deg to CA 142.30 - 146.90 : UC Upper Contact, 40 Deg to CA	314896	142.30	143.00	0.70	1.5307	0.2253	0.0732
			314897	143.00	144.50	1.50	0.5897	0.7121	0.0291
			314899	144.50	146.00	1.50	0.8462	0.6804	0.0233
			314900	146.00	147.00	1.00	0.4771	0.2980	0.0141
			314901	147.00	147.90	0.90	0.8183	0.6528	0.0279
147.90	151.00	TSCH, Talc Schist Mineralization 147.90 - 151.00 Structure 147.90 - 151.00 : STRFOL Strongly Foliated, 55 Deg to CA	314902	147.90	149.00	1.10	0.7430	0.9223	0.0245
			314903	149.00	150.00	1.00	1.4564	1.7957	0.0452
			314904	150.00	151.00	1.00	0.8536	0.6046	0.0216

Hole Number: KB-07-68

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
151.00	154.20	MV, Mafic Volcanic Mineralization 151.00 - 154.20 Structure 151.00 - 154.20 : MODFOL Moderately Foliated, 60 Deg to CA 151.00 - 154.20 : UC Upper Contact, 60 Deg to CA
154.20	154.80	MD, Mafic Dike Mineralization 154.20 - 154.80 Structure 154.20 - 154.80 154.20 - 154.80 : UC Upper Contact, 50 Deg to CA
154.80	156.30	MV, Mafic Volcanic Mineralization 154.80 - 156.30 Structure 154.80 - 156.30 : MODFOL Moderately Foliated, 60 Deg to CA 154.80 - 156.30 : UC Upper Contact, 45 Deg to CA
156.30	157.00	MDCHL, Mafic Dike Chloritic Mineralization 156.30 - 157.00 Structure 156.30 - 157.00 : MODFOL Moderately Foliated, 45 Deg to CA 156.30 - 157.00 : UC Upper Contact, 40 Deg to CA
157.00	161.00	MV, Mafic Volcanic Mineralization 157.00 - 161.00 Structure 157.00 - 161.00 : MODFOL Moderately Foliated, 45 Deg to CA 157.00 - 161.00 : UC Upper Contact, 70 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314905	151.00	152.00	1.00	0.0389	0.0168	0.0093
314906	152.00	153.00	1.00	0.0189	0.0099	0.0080
314907	153.00	154.00	1.00	0.0138	0.0063	0.0059

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314383	20.00	21.00	0.0327	0.0085	0.0155
314384	21.00	22.00	0.0252	0.0084	0.0127
314385	22.00	23.60	0.0300	0.0169	0.0126
314386	23.60	25.00	0.1251	0.0720	0.0134
314387	25.00	26.00	0.0879	0.0135	0.0132
314388	26.00	27.00	0.2016	0.1221	0.0152

Hole Number: KB-07-68

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314389	27.00	28.20	0.0736	0.0241	0.0087
314390	28.20	29.00	0.2297	0.0240	0.0167
314391	29.00	30.00	0.3636	0.0792	0.0229
314392	30.00	31.00	0.4201	0.0846	0.0264
314393	31.00	32.40	0.3935	0.0653	0.0236
314394	32.40	33.20	1.5452	0.7824	0.1271
314395	33.20	34.00	3.7872	0.8183	0.2114
314397	34.00	35.15	0.1014	0.0154	0.0055
314398	35.15	36.00	0.5532	0.0615	0.0204
314399	36.00	37.40	3.8826	0.8328	0.1212
314400	37.40	38.00	3.9334	1.0029	0.1321
314401	38.00	39.00	0.0176	0.0084	0.0056
314403	39.00	39.60	1.7663	0.7837	0.0783
314404	39.60	41.00	0.8171	0.3143	0.0375
314405	41.00	41.80	0.0449	0.0399	0.0063
314406	41.80	43.00	0.0316	0.0097	0.0058
314407	43.00	43.90	0.2915	0.0657	0.0143
314408	43.90	45.40	0.0732	0.1303	0.0059
314409	45.40	46.75	0.0615	0.0272	0.0057
314410	46.75	48.00	0.0224	0.0091	0.0055
314411	48.00	49.00	0.2902	0.1010	0.0121
314412	49.00	50.00	0.0854	0.0293	0.0069
314413	50.00	51.00	0.7123	0.0967	0.0421
314414	51.00	52.00	0.0112	0.0031	0.0055
314416	52.00	53.00	0.7713	0.2012	0.0289
314417	53.00	54.00	0.3096	0.1019	0.0125
314419	54.00	55.00	0.0321	0.0224	0.0064
314420	55.00	56.00	0.0455	0.0272	0.0073
314421	56.00	57.00	0.0459	0.0111	0.0060
314422	57.00	58.00	0.1476	0.0583	0.0096
314423	58.00	59.00	0.2912	0.0624	0.0136
314424	59.00	60.00	0.0227	0.0198	0.0049
314425	60.00	61.00	0.2050	0.0839	0.0113
314426	61.00	62.00	0.3306	0.1008	0.0149
314427	62.00	63.00	0.2921	0.0459	0.0154
314428	63.00	64.00	0.0224	0.0194	0.0053
314429	64.00	65.00	0.2474	0.0790	0.0107

Hole Number: KB-07-68

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314430	65.00	66.00	0.1931	0.0575	0.0095
314431	66.00	67.20	0.1730	0.0611	0.0122
314432	67.20	68.00	0.0068	0.0060	0.0036
314433	68.00	69.00	0.0044	0.0077	0.0025
314434	69.00	70.00	0.0045	0.0050	0.0025
314435	70.00	71.50	0.0059	0.0049	0.0030
314436	71.50	73.00	0.0301	0.0165	0.0089
314437	73.00	74.00	0.0275	0.0118	0.0082
314438	74.00	75.00	0.0267	0.0117	0.0081
314439	75.00	75.90	0.0268	0.0169	0.0075
314440	75.90	76.50	0.1769	0.0506	0.0110
314442	76.50	78.00	0.0309	0.0181	0.0076
314443	78.00	79.00	0.0227	0.0128	0.0064
314444	79.00	80.00	0.0346	0.0166	0.0099
314445	80.00	81.00	0.0280	0.0107	0.0077
314446	81.00	82.00	0.0338	0.0130	0.0090
314447	82.00	83.00	0.0292	0.0127	0.0077
314448	83.00	84.00	0.0290	0.0118	0.0081
314449	84.00	85.00	0.0251	0.0111	0.0065
314450	85.00	86.00	0.0286	0.0135	0.0081
314451	86.00	87.00	0.0276	0.0152	0.0079
314452	87.00	88.00	0.0289	0.0128	0.0082
314453	88.00	89.00	0.0288	0.0101	0.0077
314454	89.00	90.00	0.0282	0.0122	0.0080
314455	90.00	91.00	0.0289	0.0120	0.0081
314456	91.00	92.00	0.0281	0.0117	0.0079
314457	92.00	93.00	0.0257	0.0133	0.0079
314458	93.00	94.00	0.0267	0.0121	0.0037
314459	94.00	95.00	0.1775	0.1441	0.0087
314460	95.00	96.00	0.1593	0.0494	0.0070
314462	96.00	97.00	0.2022	0.0849	0.0093
314463	97.00	98.00	0.4129	0.1242	0.0139
314464	98.00	99.00	0.0535	0.0243	0.0043
314465	99.00	100.00	0.0807	0.0314	0.0060
314466	100.00	101.00	0.0263	0.0088	0.0072
314467	101.00	102.00	0.1587	0.0435	0.0159
314468	102.00	103.00	0.0372	0.0146	0.0060

Hole Number: KB-07-68

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314469	103.00	104.00	0.0071	0.0049	0.0036
314470	104.00	105.00	0.2931	0.0991	0.0141
314472	105.00	106.15	0.0937	0.0166	0.0080
314473	106.15	107.00	0.0295	0.0079	0.0086
314474	107.00	108.00	0.0287	0.0105	0.0077
314475	108.00	109.00	0.0293	0.0100	0.0079
314476	109.00	110.60	0.0297	0.0104	0.0079
314477	110.60	112.00	0.2954	0.0838	0.0136
314478	112.00	112.80	0.3844	0.1253	0.0136
314480	112.80	114.00	0.1968	0.0663	0.0129
314481	114.00	115.00	0.4665	0.1283	0.0221
314482	115.00	116.00	0.0871	0.0194	0.0081
314483	116.00	117.00	0.3774	0.0988	0.0158
314484	117.00	118.50	0.3989	0.0839	0.0187
314485	118.50	120.10	0.0335	0.0146	0.0082
314486	120.10	121.00	0.3343	0.1702	0.0152
314487	121.00	122.00	4.2016	0.6891	0.1090
314489	122.00	122.70	4.4484	0.9545	0.0966
314490	122.70	123.70	0.7702	0.4778	0.0213
314491	123.70	125.20	1.1868	0.1025	0.0639
314493	125.20	126.00	0.0908	0.2126	0.0071
314494	126.00	127.00	0.0148	0.0089	0.0054
314495	127.00	128.00	0.0174	0.0117	0.0069
314496	128.00	129.00	0.0210	0.0247	0.0071
314497	129.00	130.00	0.0291	0.0243	0.0074
314498	130.00	131.00	0.0192	0.0157	0.0073
314499	131.00	132.00	0.0183	0.0112	0.0070
314500	132.00	133.00	0.0221	0.0191	0.0063
314885	133.00	134.00	0.0187	0.0156	0.0077
314886	134.00	135.10	0.0881	0.0514	0.0089
314887	135.10	136.00	0.6120	0.1414	0.0237
314888	136.00	137.40	0.1772	0.0388	0.0117
314889	137.40	138.20	0.0634	0.0421	0.0099
314890	138.20	139.00	0.8458	0.2467	0.0242
314891	139.00	140.00	0.9531	0.3863	0.0310
314892	140.00	140.70	0.5086	0.3185	0.0172
314893	140.70	141.45	1.2055	0.7610	0.0542

Hole Number: KB-07-68

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314895	141.45	142.30	0.0247	0.0138	0.0074
314896	142.30	143.00	1.5307	0.2253	0.0732
314897	143.00	144.50	0.5897	0.7121	0.0291
314899	144.50	146.00	0.8462	0.6804	0.0233
314900	146.00	147.00	0.4771	0.2980	0.0141
314901	147.00	147.90	0.8183	0.6528	0.0279
314902	147.90	149.00	0.7430	0.9223	0.0245
314903	149.00	150.00	1.4564	1.7957	0.0452
314904	150.00	151.00	0.8536	0.6046	0.0216
314905	151.00	152.00	0.0389	0.0168	0.0093
314906	152.00	153.00	0.0189	0.0099	0.0080
314907	153.00	154.00	0.0138	0.0063	0.0059

DETAILED LOG

Hole Number: KB-07-67

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481554.00	North:	5481554.00	Collar Az:	303.60
Location:	Surface	East:	454037.00	East:	454037.00	Length:	119.00 (m)
		Elev:	398.15	Elev:	398.15	Start Depth:	0.00 (m)
Date Started:	Jun 07, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	119.00 (m)
Date Completed:	Jun 08, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	303.60	-45.60	EZ	OK	5911	60.00	314.60	-45.10	EZ	DO	5782
119.00	306.50	-44.90	EZ	OK	5762						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	8.85	MV, Mafic Volcanic Mineralization 2.00 - 8.85 Structure 2.00 - 8.85 : MODFOL Moderately Foliated, 60 Deg to CA							
8.85	10.30	FD, Felsic Dike Mineralization 8.85 - 10.30 Structure 8.85 - 10.30 : MODFOL Moderately Foliated, 45 Deg to CA 8.85 - 10.30 : UC Upper Contact, 45 Deg to CA							
10.30	19.10	MV, Mafic Volcanic Mineralization 10.30 - 19.10 Structure 10.30 - 19.10 : MODFOL Moderately Foliated, 50 Deg to CA 10.30 - 19.10 : UC Upper Contact, 50 Deg to CA							

Hole Number: KB-07-67

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
19.10	25.60	FD, Felsic Dike Mineralization 19.10 - 25.60 PY Structure 19.10 - 25.60 19.10 - 25.60 : UC Upper Contact, 40 Deg to CA							
25.60	46.40	MV, Mafic Volcanic Mineralization 25.60 - 46.40 Structure 25.60 - 36.30 : MODFOL Moderately Foliated, 60 Deg to CA 36.30 - 46.40 36.30 - 46.40 : UC Upper Contact, 65 Deg to CA	314313	43.00	44.00	1.00	0.0048	0.0058	0.0039
			314314	44.00	45.00	1.00	0.0076	0.0090	0.0046
			314315	45.00	46.40	1.40	0.0147	0.0093	0.0037
46.40	54.80	PYXT, Pyroxenite Biotite Mineralization 46.40 - 50.50 50.50 - 51.20 51.20 - 53.80 53.80 - 54.80 Structure 46.40 - 50.90 : STRFOL Strongly Foliated, 55 Deg to CA 50.90 - 54.80 50.90 - 54.80 : UC Upper Contact, 55 Deg to CA	314316	46.40	47.00	0.60	0.1299	0.1407	0.0064
			314317	47.00	48.00	1.00	0.0482	0.0114	0.0050
			314318	48.00	49.00	1.00	0.0260	0.0033	0.0046
			314319	49.00	50.50	1.50	0.1334	0.0398	0.0075
			314320	50.50	51.20	0.70	0.6704	0.5021	0.0439
			314322	51.20	52.00	0.80	0.3607	0.2335	0.0115
			314323	52.00	53.00	1.00	0.3936	0.2557	0.0121
			314324	53.00	53.80	0.80	0.5024	0.3366	0.0164
			314325	53.80	54.80	1.00	0.6737	0.4877	0.0178
54.80	57.20	GAB, Gabbro PYXT Dikes Mineralization 54.80 - 57.20 Structure 54.80 - 57.20	314327	54.80	56.00	1.20	0.0792	0.0345	0.0073
			314328	56.00	57.20	1.20	0.2908	0.0651	0.0113
57.20	63.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 57.20 - 63.80 Structure 57.20 - 63.80	314329	57.20	58.00	0.80	0.7290	0.2364	0.0220
			314330	58.00	59.00	1.00	0.4792	0.4763	0.0165
			314331	59.00	60.00	1.00	0.8663	0.4998	0.0226
			314332	60.00	61.00	1.00	0.3193	0.1861	0.0108
			314333	61.00	62.00	1.00	0.1292	0.2533	0.0058
			314334	62.00	63.00	1.00	0.8971	0.5398	0.0249
			314335	63.00	63.80	0.80	0.8908	0.3787	0.0267

Hole Number: KB-07-67

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
63.80	67.10	MV, Mafic Volcanic Mineralization 63.80 - 67.10 Structure 63.80 - 67.10 63.80 - 67.10 : UC Upper Contact, 50 Deg to CA	314337	63.80	65.00	1.20	0.0209	0.0153	0.0041
			314338	65.00	66.00	1.00	0.0093	0.0119	0.0031
			314339	66.00	67.10	1.10	0.0104	0.0139	0.0036
67.10	67.60	PYXT, Pyroxenite Mineralization 67.10 - 67.60 Structure 67.10 - 67.60	314340	67.10	67.60	0.50	0.1316	0.0397	0.0067
67.60	83.40	MV, Mafic Volcanic GAB Dikes Mineralization 67.60 - 83.40 Structure 67.60 - 83.40 67.60 - 83.40 : UC Upper Contact, 55 Deg to CA	314341	67.60	69.00	1.40	0.0093	0.0106	0.0032
			314342	69.00	70.00	1.00	0.0117	0.0161	0.0039
			314343	70.00	71.00	1.00	0.0106	0.0091	0.0040
			314344	71.00	72.00	1.00	0.0105	0.0156	0.0036
			314345	72.00	73.00	1.00	0.0119	0.0116	0.0040
			314346	73.00	74.00	1.00	0.0125	0.0147	0.0041
			314347	74.00	75.00	1.00	0.0098	0.0129	0.0035
			314348	75.00	76.00	1.00	0.0116	0.0099	0.0036
			314349	76.00	77.00	1.00	0.0097	0.0109	0.0029
			314350	77.00	78.00	1.00	0.0110	0.0085	0.0040
			314351	78.00	79.00	1.00	0.0091	0.0101	0.0029
			314352	79.00	80.00	1.00	0.0090	0.0103	0.0035
			314353	80.00	81.00	1.00	0.0083	0.0087	0.0023
			314354	81.00	82.00	1.00	0.0098	0.0160	0.0034
			314355	82.00	83.40	1.40	0.0108	0.0065	0.0044
83.40	84.70	FD, Felsic Dike Mineralization 83.40 - 84.70 Structure 83.40 - 84.70 83.40 - 84.70 : UC Upper Contact, 25 Deg to CA	314356	83.40	84.70	1.30	0.0037	0.0046	0.0025
84.70	86.90	PYXT, Pyroxenite GAB + MV Xenos Mineralization 84.70 - 86.90 Structure 84.70 - 86.90 84.70 - 86.90 : UC Upper Contact, 55 Deg to CA	314357	84.70	86.00	1.30	0.1204	0.0723	0.0067
			314358	86.00	86.90	0.90	0.1901	0.0705	0.0082

Hole Number: KB-07-67

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
86.90	96.90	GAB, Gabbro Mineralization 86.90 - 96.90 Structure 86.90 - 96.90 86.90 - 96.90 : UC Upper Contact, 55 Deg to CA
96.90	101.10	PYXT, Pyroxenite Mineralization 96.90 - 98.75 98.75 - 99.65 99.65 - 101.10 Structure 96.90 - 101.10
101.10	113.10	MV, Mafic Volcanic Mineralization 101.10 - 105.20 105.20 - 113.10 Structure 101.10 - 113.10
113.10	119.00	MV, Mafic Volcanic MV Xenos Mineralization 113.10 - 119.00 Structure 113.10 - 119.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314360	86.90	88.00	1.10	0.0156	0.0103	0.0044
314361	88.00	89.00	1.00	0.0294	0.0187	0.0056
314362	89.00	90.00	1.00	0.0146	0.0131	0.0048
314363	90.00	91.00	1.00	0.0133	0.0103	0.0046
314364	91.00	92.00	1.00	0.0130	0.0111	0.0043
314365	92.00	93.00	1.00	0.0001	0.0001	0.0001
314366	93.00	94.00	1.00	0.0167	0.0125	0.0046
314367	94.00	95.00	1.00	0.0197	0.0120	0.0048
314368	95.00	96.00	1.00	0.0181	0.0110	0.0046
314369	96.00	96.90	0.90	0.0196	0.0099	0.0046
314370	96.90	98.00	1.10	0.4248	0.2665	0.0139
314372	98.00	98.75	0.75	0.2984	0.1161	0.0101
314373	98.75	99.65	0.90	3.9706	0.6477	0.0764
314375	99.65	101.10	1.45	0.4493	0.1903	0.0138
314376	101.10	102.00	0.90	0.0245	0.0135	0.0042
314377	102.00	103.00	1.00	0.0257	0.0176	0.0027
314378	103.00	104.00	1.00	0.0706	0.0546	0.0069
314379	104.00	105.20	1.20	0.0344	0.0429	0.0066
314380	105.20	106.00	0.80	0.0094	0.0129	0.0043
314381	106.00	107.00	1.00	0.0107	0.0081	0.0056
314382	107.00	108.00	1.00	0.0096	0.0127	0.0047

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314313	43.00	44.00	0.0048	0.0058	0.0039
314314	44.00	45.00	0.0076	0.0090	0.0046
314315	45.00	46.40	0.0147	0.0093	0.0037
314316	46.40	47.00	0.1299	0.1407	0.0064
314317	47.00	48.00	0.0482	0.0114	0.0050
314318	48.00	49.00	0.0260	0.0033	0.0046

Hole Number: KB-07-67

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314319	49.00	50.50	0.1334	0.0398	0.0075
314320	50.50	51.20	0.6704	0.5021	0.0439
314322	51.20	52.00	0.3607	0.2335	0.0115
314323	52.00	53.00	0.3936	0.2557	0.0121
314324	53.00	53.80	0.5024	0.3366	0.0164
314325	53.80	54.80	0.6737	0.4877	0.0178
314327	54.80	56.00	0.0792	0.0345	0.0073
314328	56.00	57.20	0.2908	0.0651	0.0113
314329	57.20	58.00	0.7290	0.2364	0.0220
314330	58.00	59.00	0.4792	0.4763	0.0165
314331	59.00	60.00	0.8663	0.4998	0.0226
314332	60.00	61.00	0.3193	0.1861	0.0108
314333	61.00	62.00	0.1292	0.2533	0.0058
314334	62.00	63.00	0.8971	0.5398	0.0249
314335	63.00	63.80	0.8908	0.3787	0.0267
314337	63.80	65.00	0.0209	0.0153	0.0041
314338	65.00	66.00	0.0093	0.0119	0.0031
314339	66.00	67.10	0.0104	0.0139	0.0036
314340	67.10	67.60	0.1316	0.0397	0.0067
314341	67.60	69.00	0.0093	0.0106	0.0032
314342	69.00	70.00	0.0117	0.0161	0.0039
314343	70.00	71.00	0.0106	0.0091	0.0040
314344	71.00	72.00	0.0105	0.0156	0.0036
314345	72.00	73.00	0.0119	0.0116	0.0040
314346	73.00	74.00	0.0125	0.0147	0.0041
314347	74.00	75.00	0.0098	0.0129	0.0035
314348	75.00	76.00	0.0116	0.0099	0.0036
314349	76.00	77.00	0.0097	0.0109	0.0029
314350	77.00	78.00	0.0110	0.0085	0.0040
314351	78.00	79.00	0.0091	0.0101	0.0029
314352	79.00	80.00	0.0090	0.0103	0.0035
314353	80.00	81.00	0.0083	0.0087	0.0023
314354	81.00	82.00	0.0098	0.0160	0.0034
314355	82.00	83.40	0.0108	0.0065	0.0044
314356	83.40	84.70	0.0037	0.0046	0.0025
314357	84.70	86.00	0.1204	0.0723	0.0067
314358	86.00	86.90	0.1901	0.0705	0.0082

Hole Number: KB-07-67

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314360	86.90	88.00	0.0156	0.0103	0.0044
314361	88.00	89.00	0.0294	0.0187	0.0056
314362	89.00	90.00	0.0146	0.0131	0.0048
314363	90.00	91.00	0.0133	0.0103	0.0046
314364	91.00	92.00	0.0130	0.0111	0.0043
314365	92.00	93.00	0.0001	0.0001	0.0001
314366	93.00	94.00	0.0167	0.0125	0.0046
314367	94.00	95.00	0.0197	0.0120	0.0048
314368	95.00	96.00	0.0181	0.0110	0.0046
314369	96.00	96.90	0.0196	0.0099	0.0046
314370	96.90	98.00	0.4248	0.2665	0.0139
314372	98.00	98.75	0.2984	0.1161	0.0101
314373	98.75	99.65	3.9706	0.6477	0.0764
314375	99.65	101.10	0.4493	0.1903	0.0138
314376	101.10	102.00	0.0245	0.0135	0.0042
314377	102.00	103.00	0.0257	0.0176	0.0027
314378	103.00	104.00	0.0706	0.0546	0.0069
314379	104.00	105.20	0.0344	0.0429	0.0066
314380	105.20	106.00	0.0094	0.0129	0.0043
314381	106.00	107.00	0.0107	0.0081	0.0056
314382	107.00	108.00	0.0096	0.0127	0.0047

DETAILED LOG

Hole Number: KB-07-66

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481576.00	North:	5481576.00	Collar Az:	302.40
Location:	Surface	East:	454059.50	East:	454059.50	Length:	119.00 (m)
		Elev:	395.65	Elev:	395.65	Start Depth:	0.00 (m)
Date Started:	Jun 06, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	119.00 (m)
Date Completed:	Jun 07, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	302.40	-45.10	EZ	OK		60.00	304.50	-43.90	EZ	OK	
119.00	303.50	-43.40	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	2.40	CAS, Casing
2.40	3.00	GAB, Gabbro fg Mineralization 2.40 - 3.00 Structure 2.40 - 3.00 : MODFOL Moderately Foliated, 50 Deg to CA
3.00	4.30	MDCHL, Mafic Dike Chloritic trace min Mineralization 3.00 - 4.30 Structure 3.00 - 4.30 : MODFOL Moderately Foliated, 50 Deg to CA 3.00 - 4.30 : UC Upper Contact, 60 Deg to CA
4.30	6.40	MV, Mafic Volcanic Mineralization 4.30 - 6.40 Structure 4.30 - 6.40 : MODFOL Moderately Foliated, 50 Deg to CA 4.30 - 6.40 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-66

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
6.40	7.30	MD, Mafic Dike Mineralization 6.40 - 7.30 Structure 6.40 - 7.30							
7.30	38.60	MV, Mafic Volcanic local trace min zones and md Mineralization 7.30 - 38.60 Structure 7.30 - 38.60 : MODFOL Moderately Foliated, 50 Deg to CA 7.30 - 38.60 : UC Upper Contact, 45 Deg to CA							
38.60	42.30	MD, Mafic Dike Mineralization 38.60 - 42.30 Structure 38.60 - 42.30 38.60 - 42.30 : UC Upper Contact, 45 Deg to CA	314256	39.00	40.00	1.00	0.0013	0.0015	0.0028
			314257	40.00	41.00	1.00	0.0014	0.0012	0.0030
			314258	41.00	42.30	1.30	0.0012	0.0014	0.0030
42.30	46.60	MV, Mafic Volcanic local brecciation with local min Mineralization 42.30 - 46.60 Structure 42.30 - 46.60 : MODFOL Moderately Foliated, 50 Deg to CA 42.30 - 46.60 : UC Upper Contact, 30 Deg to CA	314259	42.30	43.00	0.70	0.0100	0.0080	0.0049
			314260	43.00	44.00	1.00	0.0116	0.0122	0.0055
			314261	44.00	45.00	1.00	0.0120	0.0086	0.0055
			314262	45.00	46.60	1.60	0.0115	0.0090	0.0051
46.60	48.20	FD, Felsic Dike Mineralization 46.60 - 48.20 Structure 46.60 - 48.20 : MODFOL Moderately Foliated, 50 Deg to CA 46.60 - 48.20 : UC Upper Contact, 40 Deg to CA	314264	46.60	48.20	1.60	0.0081	0.0043	0.0030
48.20	49.10	PYXT, Pyroxenite Mineralization 48.20 - 49.10 Structure 48.20 - 49.10 : MODFOL Moderately Foliated, 45 Deg to CA 48.20 - 49.10 : UC Upper Contact, 45 Deg to CA	314265	48.20	49.10	0.90	0.0092	0.0111	0.0041

Hole Number: KB-07-66

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
49.10	67.70	MV, Mafic Volcanic with brecciation and local trace min in fracture fill Mineralization 49.10 - 65.30 65.30 - 66.00 66.00 - 67.70 Structure 49.10 - 67.70 : MODFOL Moderately Foliated, 40 Deg to CA 49.10 - 67.70 : UC Upper Contact, 45 Deg to CA	314266	49.10	50.00	0.90	0.0066	0.0085	0.0032
			314267	50.00	51.00	1.00	0.0072	0.0087	0.0043
			314268	51.00	52.00	1.00	0.0109	0.0136	0.0048
			314269	65.00	66.00	1.00	0.0958	0.1257	0.0060
			314270	66.00	67.70	1.70	0.0138	0.0116	0.0033
67.70	70.30	MV, Mafic Volcanic mixed with mv xenos Mineralization 67.70 - 70.30 Structure 67.70 - 70.30 67.70 - 70.30 : UC Upper Contact, 40 Deg to CA	314271	67.70	69.00	1.30	0.0255	0.0185	0.0055
			314272	69.00	70.30	1.30	0.0097	0.0329	0.0041
70.30	76.70	MV, Mafic Volcanic Mineralization 70.30 - 76.70 Structure 70.30 - 76.70 : MODFOL Moderately Foliated, 40 Deg to CA	314273	70.30	71.00	0.70	0.0094	0.0041	0.0038
			314274	76.00	76.70	0.70	0.0117	0.0085	0.0050
76.70	78.00	MV, Mafic Volcanic with mv xenos and 50cm qtz vein Mineralization 76.70 - 78.00 Structure 76.70 - 78.00 : MODFOL Moderately Foliated, 40 Deg to CA	314275	76.70	78.00	1.30	0.0432	0.0212	0.0049
78.00	90.50	MV, Mafic Volcanic 10% PYXT Dikes, 50cm Quartz vein Mineralization 78.00 - 90.50 Structure 78.00 - 90.50 : MODFOL Moderately Foliated, 45 Deg to CA	314276	78.00	79.00	1.00	0.0647	0.0361	0.0049
			314278	79.00	80.00	1.00	0.0802	0.0368	0.0055
			314279	86.00	87.00	1.00	0.0248	0.0169	0.0037
			314280	87.00	88.00	1.00	0.0373	0.0240	0.0046
			314281	88.00	89.00	1.00	0.0112	0.0084	0.0026
			314282	89.00	90.40	1.40	0.0046	0.0052	0.0025
			314283	90.40	92.00	1.60	0.0430	0.0238	0.0041
90.50	98.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 90.50 - 98.40 Structure 90.50 - 98.40	314284	92.00	93.00	1.00	0.0366	0.0324	0.0042
			314285	93.00	94.00	1.00	0.0235	0.0230	0.0038
			314286	94.00	95.00	1.00	0.0547	0.0379	0.0049
			314288	95.00	96.00	1.00	0.0169	0.0101	0.0033
			314289	96.00	97.00	1.00	0.0108	0.0172	0.0041
			314290	97.00	98.40	1.40	0.0092	0.0116	0.0034

DETAILED LOG

Hole Number: KB-07-66

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
98.40	103.20	MV, Mafic Volcanic with fg gab xenos, local min Mineralization 98.40 - 103.20 Structure 98.40 - 103.20
103.20	110.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 103.20 - 110.10 Structure 103.20 - 110.10 : MODFOL Moderately Foliated, 50 Deg to CA 103.20 - 110.10 : UC Upper Contact, 40 Deg to CA
110.10	113.20	GAB, Gabbro fg local min Mineralization 110.10 - 113.20 Structure 110.10 - 113.20 : MODFOL Moderately Foliated, 45 Deg to CA
113.20	114.00	MD, Mafic Dike Mineralization 113.20 - 114.00 Structure 113.20 - 114.00
114.00	119.00	MV, Mafic Volcanic Mineralization 114.00 - 119.00 Structure 114.00 - 119.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314291	98.40	100.00	1.60	0.0101	0.0103	0.0037
314292	100.00	101.00	1.00	0.0107	0.0117	0.0042
314293	101.00	102.00	1.00	0.0119	0.0125	0.0044
314294	102.00	103.20	1.20	0.0127	0.0119	0.0044
314295	103.20	104.00	0.80	0.0289	0.0310	0.0051
314296	104.00	105.00	1.00	0.0439	0.0269	0.0063
314297	105.00	106.00	1.00	0.0621	0.0315	0.0058
314298	106.00	107.00	1.00	0.0778	0.0461	0.0059
314299	107.00	108.00	1.00	0.1325	0.0729	0.0075
314301	108.00	109.00	1.00	0.0735	0.0528	0.0055
314302	109.00	110.10	1.10	0.1001	0.0579	0.0069
314303	110.10	111.00	0.90	0.0207	0.0369	0.0059
314304	111.00	112.00	1.00	0.0120	0.0105	0.0052
314305	112.00	113.20	1.20	0.0122	0.0110	0.0055
314306	113.20	114.00	0.80	0.0091	0.0092	0.0034
314307	114.00	115.00	1.00	0.0096	0.0127	0.0044
314308	115.00	116.00	1.00	0.0129	0.0140	0.0061
314310	116.00	117.00	1.00	0.0121	0.0102	0.0052
314311	117.00	118.00	1.00	0.0114	0.0101	0.0051
314312	118.00	119.00	1.00	0.0097	0.0114	0.0047

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314256	39.00	40.00	0.0013	0.0015	0.0028
314257	40.00	41.00	0.0014	0.0012	0.0030
314258	41.00	42.30	0.0012	0.0014	0.0030
314259	42.30	43.00	0.0100	0.0080	0.0049
314260	43.00	44.00	0.0116	0.0122	0.0055
314261	44.00	45.00	0.0120	0.0086	0.0055
314262	45.00	46.60	0.0115	0.0090	0.0051

Hole Number: KB-07-66

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314264	46.60	48.20	0.0081	0.0043	0.0030
314265	48.20	49.10	0.0092	0.0111	0.0041
314266	49.10	50.00	0.0066	0.0085	0.0032
314267	50.00	51.00	0.0072	0.0087	0.0043
314268	51.00	52.00	0.0109	0.0136	0.0048
314269	65.00	66.00	0.0958	0.1257	0.0060
314270	66.00	67.70	0.0138	0.0116	0.0033
314271	67.70	69.00	0.0255	0.0185	0.0055
314272	69.00	70.30	0.0097	0.0329	0.0041
314273	70.30	71.00	0.0094	0.0041	0.0038
314274	76.00	76.70	0.0117	0.0085	0.0050
314275	76.70	78.00	0.0432	0.0212	0.0049
314276	78.00	79.00	0.0647	0.0361	0.0049
314278	79.00	80.00	0.0802	0.0368	0.0055
314279	86.00	87.00	0.0248	0.0169	0.0037
314280	87.00	88.00	0.0373	0.0240	0.0046
314281	88.00	89.00	0.0112	0.0084	0.0026
314282	89.00	90.40	0.0046	0.0052	0.0025
314283	90.40	92.00	0.0430	0.0238	0.0041
314284	92.00	93.00	0.0366	0.0324	0.0042
314285	93.00	94.00	0.0235	0.0230	0.0038
314286	94.00	95.00	0.0547	0.0379	0.0049
314288	95.00	96.00	0.0169	0.0101	0.0033
314289	96.00	97.00	0.0108	0.0172	0.0041
314290	97.00	98.40	0.0092	0.0116	0.0034
314291	98.40	100.00	0.0101	0.0103	0.0037
314292	100.00	101.00	0.0107	0.0117	0.0042
314293	101.00	102.00	0.0119	0.0125	0.0044
314294	102.00	103.20	0.0127	0.0119	0.0044
314295	103.20	104.00	0.0289	0.0310	0.0051
314296	104.00	105.00	0.0439	0.0269	0.0063
314297	105.00	106.00	0.0621	0.0315	0.0058
314298	106.00	107.00	0.0778	0.0461	0.0059
314299	107.00	108.00	0.1325	0.0729	0.0075
314301	108.00	109.00	0.0735	0.0528	0.0055
314302	109.00	110.10	0.1001	0.0579	0.0069
314303	110.10	111.00	0.0207	0.0369	0.0059

Hole Number: KB-07-66

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314304	111.00	112.00	0.0120	0.0105	0.0052
314305	112.00	113.20	0.0122	0.0110	0.0055
314306	113.20	114.00	0.0091	0.0092	0.0034
314307	114.00	115.00	0.0096	0.0127	0.0044
314308	115.00	116.00	0.0129	0.0140	0.0061
314310	116.00	117.00	0.0121	0.0102	0.0052
314311	117.00	118.00	0.0114	0.0101	0.0051
314312	118.00	119.00	0.0097	0.0114	0.0047

DETAILED LOG

Hole Number: KB-07-65

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481642.00	North:	5481642.00	Collar Az:	304.50
Location:	Surface	East:	454078.10	East:	454078.10	Length:	103.00 (m)
		Elev:	387.12	Elev:	387.12	Start Depth:	0.00 (m)
Date Started:	Jun 05, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	103.00 (m)
Date Completed:	Jun 05, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Left in Hole				

Comments: mineralization at end of hole. Possible extension of hole later on

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	304.50	-44.90	EZ	OK	6007	50.00	304.70	-44.50	EZ	OK	5785
100.00	306.90	-43.70	EZ	OK	5778						

Detailed Lithology

From (m)	To (m)	Lithology
0	3.30	CAS, Casing
3.30	5.00	MD, Mafic Dike Mineralization 3.30 - 5.00 Structure 3.30 - 5.00 blocky
5.00	7.60	MV, Mafic Volcanic Mineralization 5.00 - 7.60 Structure 5.00 - 7.60 : MODFOL Moderately Foliated, 50 Deg to CA 5.00 - 7.60 : UC Upper Contact, 50 Deg to CA
7.60	8.40	MD, Mafic Dike Mineralization 7.60 - 8.40 Structure 7.60 - 8.40 : MODFOL Moderately Foliated, 55 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-65

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
8.40	28.50	MV, Mafic Volcanic with feldspar phenos Mineralization 8.40 - 28.50 Structure 8.40 - 28.50 8.40 - 28.50 : UC Upper Contact, 45 Deg to CA	314861	27.00	28.00	1.00	0.0087	0.0085	0.0038
			314862	28.00	28.50	0.50	0.0118	0.0086	0.0061
28.50	37.10	MV, Mafic Volcanic possibly altered mv Mineralization 28.50 - 37.10 Structure 28.50 - 37.10 : MODFOL Moderately Foliated, 40 Deg to CA	314863	28.50	29.00	0.50	0.0105	0.0117	0.0055
			314864	29.00	30.00	1.00	0.0105	0.0113	0.0049
			314865	30.00	31.00	1.00	0.0104	0.0114	0.0048
			314866	31.00	32.00	1.00	0.0098	0.0102	0.0044
			314867	32.00	33.00	1.00	0.0101	0.0107	0.0046
			314868	33.00	34.00	1.00	0.0107	0.0089	0.0043
			314869	34.00	35.00	1.00	0.0100	0.0093	0.0044
			314870	35.00	36.00	1.00	0.0098	0.0118	0.0044
			314871	36.00	37.10	1.10	0.0090	0.0101	0.0041
37.10	54.00	MV, Mafic Volcanic with md and local trace min Mineralization 37.10 - 54.00 Structure 37.10 - 54.00 : MODFOL Moderately Foliated, 45 Deg to CA	314872	37.10	38.00	0.90	0.0117	0.0096	0.0056
54.00	56.50	MD, Mafic Dike with trace min Mineralization 54.00 - 56.50 Structure 54.00 - 56.50 54.00 - 56.50 : UC Upper Contact, 40 Deg to CA							
56.50	71.50	MV, Mafic Volcanic local trace min Mineralization 56.50 - 59.20 59.20 - 59.80 59.80 - 71.50 Structure 56.50 - 71.50 : MODFOL Moderately Foliated, 45 Deg to CA 56.50 - 71.50 : UC Upper Contact, 40 Deg to CA	314873	58.00	59.20	1.20	0.0081	0.0031	0.0038
			314874	59.20	59.80	0.60	0.0045	0.0714	0.0029
			314876	59.80	61.00	1.20	0.0091	0.0037	0.0048

Hole Number: KB-07-65

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
71.50	74.90	MDCHL, Mafic Dike Chloritic Mineralization 71.50 - 74.90 Structure 71.50 - 74.90							
74.90	78.00	MV, Mafic Volcanic with fd Mineralization 74.90 - 78.00 Structure 74.90 - 78.00 : MODFOL Moderately Foliated, 45 Deg to CA 74.90 - 78.00 : UC Upper Contact, 40 Deg to CA							
78.00	79.00	MD, Mafic Dike Mineralization 78.00 - 79.00 Structure 78.00 - 79.00 78.00 - 79.00 : UC Upper Contact, 50 Deg to CA							
79.00	87.70	MV, Mafic Volcanic with local trace min Mineralization 79.00 - 87.70 Structure 79.00 - 87.70 : MODFOL Moderately Foliated, 45 Deg to CA 79.00 - 87.70 : UC Upper Contact, 40 Deg to CA							
87.70	91.60	MDCHL, Mafic Dike Chloritic Mineralization 87.70 - 91.60 Structure 87.70 - 91.60 : MODFOL Moderately Foliated, 40 Deg to CA							
91.60	103.00	MV, Mafic Volcanic Mineralization 91.60 - 98.30 98.30 - 103.00 Structure 91.60 - 103.00 : MODFOL Moderately Foliated, 50 Deg to CA 91.60 - 103.00 : UC Upper Contact, 40 Deg to CA	314877	97.00	98.30	1.30	0.0101	0.0093	0.0054
			314878	98.30	99.00	0.70	0.0083	0.0225	0.0056
			314879	99.00	100.00	1.00	0.0090	0.0128	0.0060
			314881	100.00	101.00	1.00	0.0087	0.0107	0.0055
			314882	101.00	102.00	1.00	0.0091	0.0163	0.0060
			314884	102.00	103.00	1.00	0.0056	0.0078	0.0047

Hole Number: KB-07-65

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314861	27.00	28.00	0.0087	0.0085	0.0038
314862	28.00	28.50	0.0118	0.0086	0.0061
314863	28.50	29.00	0.0105	0.0117	0.0055
314864	29.00	30.00	0.0105	0.0113	0.0049
314865	30.00	31.00	0.0104	0.0114	0.0048
314866	31.00	32.00	0.0098	0.0102	0.0044
314867	32.00	33.00	0.0101	0.0107	0.0046
314868	33.00	34.00	0.0107	0.0089	0.0043
314869	34.00	35.00	0.0100	0.0093	0.0044
314870	35.00	36.00	0.0098	0.0118	0.0044
314871	36.00	37.10	0.0090	0.0101	0.0041
314872	37.10	38.00	0.0117	0.0096	0.0056
314873	58.00	59.20	0.0081	0.0031	0.0038
314874	59.20	59.80	0.0045	0.0714	0.0029
314876	59.80	61.00	0.0091	0.0037	0.0048
314877	97.00	98.30	0.0101	0.0093	0.0054
314878	98.30	99.00	0.0083	0.0225	0.0056
314879	99.00	100.00	0.0090	0.0128	0.0060
314881	100.00	101.00	0.0087	0.0107	0.0055
314882	101.00	102.00	0.0091	0.0163	0.0060
314884	102.00	103.00	0.0056	0.0078	0.0047

DETAILED LOG

Hole Number: KB-07-64

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481658.00	North:	5481658.00	Collar Az:	302.70
Location:	Surface	East:	454060.20	East:	454060.20	Length:	56.90 (m)
		Elev:	385.23	Elev:	385.23	Start Depth:	0.00 (m)
Date Started:	Jun 04, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	56.90 (m)
Date Completed:	Jun 05, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	302.70	-45.60	EZ	OK	5890	56.00	302.80	-44.90	EZ	OK	5779

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.40	CAS, Casing							
1.40	6.50	GAB, Gabbro FG Mineralization 1.40 - 6.50 Tr PO and PY Structure 1.40 - 6.50							
6.50	9.30	MV, Mafic Volcanic Local bio Mineralization 6.50 - 9.30 Structure 6.50 - 9.30 6.50 - 9.30 : UC Upper Contact, 50 Deg to CA							
9.30	10.00	MD, Mafic Dike Mineralization 9.30 - 10.00 Structure 9.30 - 10.00 9.30 - 10.00 : UC Upper Contact, 60 Deg to CA							

DETAILED LOG

Hole Number: KB-07-64

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
10.00	14.90	MV, Mafic Volcanic Local bio Mineralization 10.00 - 14.90 Tr PY Structure 10.00 - 14.90 10.00 - 14.90 : UC Upper Contact, 50 Deg to CA	314236	12.00	13.50	1.50	0.0114	0.0064	0.0053
			314237	13.50	14.90	1.40	0.0105	0.0097	0.0049
14.90	25.00	GAB, Gabbro FG Mineralization 14.90 - 25.00 Tr disseminated PO and PY Structure 14.90 - 25.00 14.90 - 25.00 : UC Upper Contact, 50 Deg to CA	314238	14.90	16.00	1.10	0.0093	0.0097	0.0038
			314239	16.00	17.00	1.00	0.0095	0.0106	0.0037
			314240	17.00	18.00	1.00	0.0100	0.0093	0.0046
			314241	18.00	19.00	1.00	0.0087	0.0071	0.0043
			314242	19.00	20.00	1.00	0.0064	0.0039	0.0031
			314243	20.00	21.00	1.00	0.0114	0.0114	0.0048
			314244	21.00	22.00	1.00	0.0098	0.0107	0.0044
			314245	22.00	23.00	1.00	0.0092	0.0120	0.0041
			314246	23.00	24.00	1.00	0.0080	0.0086	0.0032
			314247	24.00	25.00	1.00	0.0100	0.0082	0.0040
25.00	25.80	MD, Mafic Dike Mineralization 25.00 - 25.80 Structure 25.00 - 25.80 25.00 - 25.80 : UC Upper Contact, 45 Deg to CA	314248	25.00	25.80	0.80	0.0034	0.0043	0.0024
25.80	30.30	GAB, Gabbro FG Mineralization 25.80 - 30.30 Tr PO and PY Structure 25.80 - 30.30 25.80 - 30.30 : UC Upper Contact, 60 Deg to CA	314250	25.80	27.00	1.20	0.0068	0.0058	0.0042
			314251	27.00	28.00	1.00	0.0072	0.0099	0.0041
			314252	28.00	29.00	1.00	0.0094	0.0100	0.0039
			314253	29.00	30.30	1.30	0.0100	0.0053	0.0046
30.30	32.90	MV, Mafic Volcanic Mineralization 30.30 - 32.90 Structure 30.30 - 32.90 : MODFOL Moderately Foliated, 55 Deg to CA 30.30 - 32.90 : UC Upper Contact, 40 Deg to CA	314254	30.30	31.50	1.20	0.0051	0.0047	0.0025
			314255	31.50	32.90	1.40	0.0101	0.0162	0.0044

Hole Number: KB-07-64

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
32.90	34.00	MDCHL, Mafic Dike Chloritic Mineralization 32.90 - 34.00 Structure 32.90 - 34.00 32.90 - 34.00 : UC Upper Contact, 50 Deg to CA							
34.00	39.50	MV, Mafic Volcanic Mineralization 34.00 - 39.50 Structure 34.00 - 39.50 : MODFOL Moderately Foliated, 35 Deg to CA 34.00 - 39.50 : UC Upper Contact, 20 Deg to CA							
39.50	40.90	MD, Mafic Dike Mineralization 39.50 - 40.90 Structure 39.50 - 40.90 39.50 - 40.90 : UC Upper Contact, 30 Deg to CA							
40.90	43.80	MV, Mafic Volcanic Local bio Mineralization 40.90 - 43.80 Structure 40.90 - 43.80 40.90 - 43.80 : UC Upper Contact, 45 Deg to CA							
43.80	44.40	MD, Mafic Dike Mineralization 43.80 - 44.40 Structure 43.80 - 44.40 43.80 - 44.40 : UC Upper Contact, 35 Deg to CA							
44.40	53.50	MV, Mafic Volcanic Local bio Mineralization 44.40 - 53.50 Tr PO PY Structure 44.40 - 53.50 44.40 - 53.50 : UC Upper Contact, 30 Deg to CA							

DETAILED LOG

Hole Number: KB-07-64

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
53.50	55.65	MDCHL, Mafic Dike Chloritic Mineralization 53.50 - 55.65 Structure 53.50 - 55.65 : MODFOL Moderately Foliated, 60 Deg to CA 53.50 - 55.65 : UC Upper Contact, 55 Deg to CA							
55.65	56.90	MV, Mafic Volcanic Mineralization 55.65 - 56.90 Structure 55.65 - 56.90 : MODFOL Moderately Foliated, 45 Deg to CA 55.65 - 56.90 : UC Upper Contact, 50 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314236	12.00	13.50	0.0114	0.0064	0.0053
314237	13.50	14.90	0.0105	0.0097	0.0049
314238	14.90	16.00	0.0093	0.0097	0.0038
314239	16.00	17.00	0.0095	0.0106	0.0037
314240	17.00	18.00	0.0100	0.0093	0.0046
314241	18.00	19.00	0.0087	0.0071	0.0043
314242	19.00	20.00	0.0064	0.0039	0.0031
314243	20.00	21.00	0.0114	0.0114	0.0048
314244	21.00	22.00	0.0098	0.0107	0.0044
314245	22.00	23.00	0.0092	0.0120	0.0041
314246	23.00	24.00	0.0080	0.0086	0.0032
314247	24.00	25.00	0.0100	0.0082	0.0040
314248	25.00	25.80	0.0034	0.0043	0.0024
314250	25.80	27.00	0.0068	0.0058	0.0042
314251	27.00	28.00	0.0072	0.0099	0.0041
314252	28.00	29.00	0.0094	0.0100	0.0039
314253	29.00	30.30	0.0100	0.0053	0.0046
314254	30.30	31.50	0.0051	0.0047	0.0025
314255	31.50	32.90	0.0101	0.0162	0.0044

DETAILED LOG

Hole Number: KB-07-63

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481609.00	North:	5481609.00	Collar Az:	302.70
Location:	Surface	East:	454070.30	East:	454070.30	Length:	118.25 (m)
		Elev:	389.88	Elev:	389.88	Start Depth:	0.00 (m)
Date Started:	Jun 03, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	118.25 (m)
Date Completed:	Jun 04, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	302.70	-48.10	EZ	OK	5856	50.00	302.20	-47.10	EZ	OK	5778
115.00	304.40	-46.10	EZ	OK	5772						

Detailed Lithology

From (m)	To (m)	Lithology
0	2.50	CAS, Casing
2.50	20.70	MV, Mafic Volcanic Mineralization 2.50 - 20.70 Structure 2.50 - 20.70 : MODFOL Moderately Foliated, 55 Deg to CA
20.70	22.00	MD, Mafic Dike Mineralization 20.70 - 22.00 Structure 20.70 - 22.00 20.70 - 22.00 : UC Upper Contact, 40 Deg to CA
22.00	24.90	MV, Mafic Volcanic Mineralization 22.00 - 24.90 Structure 22.00 - 24.90 : MODFOL Moderately Foliated, 50 Deg to CA 22.00 - 24.90 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%

Hole Number: KB-07-63

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
24.90	25.80	MDCHL, Mafic Dike Chloritic Mineralization 24.90 - 25.80 Structure 24.90 - 25.80 : MODFOL Moderately Foliated, 45 Deg to CA 24.90 - 25.80 : UC Upper Contact, 45 Deg to CA							
25.80	42.60	MV, Mafic Volcanic Local bio below 36 m. Mineralization 25.80 - 42.60 Tr PO and CPY Structure 25.80 - 42.60 : MODFOL Moderately Foliated, 55 Deg to CA 25.80 - 42.60 : UC Upper Contact, 40 Deg to CA	314177	38.00	39.50	1.50	0.0140	0.0127	0.0059
			314178	39.50	41.00	1.50	0.0130	0.0121	0.0059
			314179	41.00	42.60	1.60	0.0143	0.0151	0.0066
42.60	59.00	GAB, Gabbro Fine grained; grades into/out of MV Mineralization 42.60 - 59.00 Tr PO and CPY Structure 42.60 - 59.00 42.60 - 59.00 : UC Upper Contact, 35 Deg to CA	314180	42.60	44.00	1.40	0.0096	0.0108	0.0044
			314181	44.00	45.00	1.00	0.0094	0.0106	0.0042
			314182	45.00	46.00	1.00	0.0101	0.0130	0.0046
			314183	46.00	47.00	1.00	0.0106	0.0108	0.0047
			314184	47.00	48.00	1.00	0.0100	0.0131	0.0046
			314185	48.00	49.00	1.00	0.0112	0.0128	0.0053
			314186	49.00	50.00	1.00	0.0096	0.0104	0.0044
			314187	50.00	51.00	1.00	0.0100	0.0102	0.0053
			314188	51.00	52.00	1.00	0.0117	0.0113	0.0059
			314189	52.00	53.00	1.00	0.0107	0.0132	0.0049
			314190	53.00	54.00	1.00	0.0100	0.0107	0.0047
			314191	54.00	55.00	1.00	0.0095	0.0124	0.0041
			314192	55.00	56.00	1.00	0.0088	0.0113	0.0039
			314193	56.00	57.00	1.00	0.0101	0.0130	0.0047
			314194	57.00	58.00	1.00	0.0101	0.0106	0.0047
			314195	58.00	59.00	1.00	0.0092	0.0112	0.0042

Hole Number: KB-07-63

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
59.00	80.10	MV, Mafic Volcanic Mineralization 59.00 - 80.10 Structure 59.00 - 80.10 : MODFOL Moderately Foliated, 40 Deg to CA 59.00 - 80.10 : UC Upper Contact, 30 Deg to CA	314196	59.00	60.50	1.50	0.0099	0.0110	0.0046
			314197	60.50	62.00	1.50	0.0083	0.0081	0.0040
			314198	62.00	63.50	1.50	0.0085	0.0115	0.0039
			314199	63.50	65.00	1.50	0.0101	0.0117	0.0045
			314200	65.00	66.50	1.50	0.0080	0.0073	0.0041
			314201	66.50	68.00	1.50	0.0087	0.0063	0.0042
			314202	68.00	69.50	1.50	0.0065	0.0061	0.0032
			314203	69.50	71.00	1.50	0.0065	0.0077	0.0037
			314204	71.00	72.50	1.50	0.0072	0.0103	0.0041
			314205	72.50	74.00	1.50	0.0069	0.0101	0.0041
			314206	74.00	75.50	1.50	0.0063	0.0138	0.0033
			314207	75.50	77.00	1.50	0.0069	0.0097	0.0033
			314208	77.00	78.50	1.50	0.0092	0.0083	0.0042
			314210	78.50	80.10	1.60	0.0087	0.0170	0.0041
80.10	81.60	MD, Mafic Dike Mineralization 80.10 - 81.60 Structure 80.10 - 81.60 80.10 - 81.60 : UC Upper Contact, 30 Deg to CA	314211	80.10	80.60	0.50	0.0038	0.0062	0.0028
			314212	80.60	82.00	1.40	0.0061	0.0137	0.0036
81.60	89.90	MV, Mafic Volcanic Porphyroblasts [chloritoid] Mineralization 81.60 - 89.90 Structure 81.60 - 89.90 81.60 - 89.90 : UC Upper Contact, 35 Deg to CA	314213	82.00	83.50	1.50	0.0054	0.0058	0.0026
			314214	83.50	85.00	1.50	0.0049	0.0120	0.0024
			314215	85.00	86.50	1.50	0.0055	0.0103	0.0028
			314216	86.50	88.00	1.50	0.0068	0.0098	0.0037
			314217	88.00	89.00	1.00	0.0071	0.0125	0.0035
			314218	89.00	89.90	0.90	0.0044	0.0076	0.0022
89.90	92.70	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 89.90 - 92.70 Structure 89.90 - 92.70 89.90 - 92.70 : UC Upper Contact, 45 Deg to CA	314219	89.90	91.00	1.10	0.0083	0.0030	0.0031
			314220	91.00	92.00	1.00	0.0083	0.0063	0.0041
			314221	92.00	92.70	0.70	0.0193	0.0009	0.0048
92.70	95.00	MDCHL, Mafic Dike Chloritic Mineralization 92.70 - 95.00 Structure 92.70 - 95.00 : MODFOL Moderately Foliated, 70 Deg to CA 92.70 - 95.00 : UC Upper Contact, 60 Deg to CA	314222	92.70	94.00	1.30	0.0049	0.0073	0.0032
			314223	94.00	95.00	1.00	0.0043	0.0360	0.0028

Hole Number: KB-07-63 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
95.00	102.15	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 95.00 - 102.15 Tr PO and CPY Structure 95.00 - 102.15 95.00 - 102.15 : UC Upper Contact, 40 Deg to CA
102.15	105.30	MDCHL, Mafic Dike Chloritic Mineralization 102.15 - 105.30 Structure 102.15 - 105.30 102.15 - 105.30 : UC Upper Contact, 35 Deg to CA
105.30	118.25	MV, Mafic Volcanic Mineralization 105.30 - 118.25 Structure 105.30 - 118.25 : MODFOL Moderately Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314224	95.00	96.00	1.00	0.0163	0.0081	0.0045
314225	96.00	97.00	1.00	0.0196	0.0542	0.0054
314226	97.00	98.00	1.00	0.0140	0.0066	0.0037
314227	98.00	99.00	1.00	0.0143	0.0079	0.0049
314228	99.00	100.00	1.00	0.0086	0.0039	0.0033
314229	100.00	101.00	1.00	0.0212	0.0093	0.0053
314230	101.00	102.15	1.15	0.0577	0.0187	0.0070
314231	102.15	103.00	0.85	0.0036	0.0031	0.0024
314232	103.00	104.00	1.00	0.0030	0.0028	0.0021
314233	104.00	105.30	1.30	0.0042	0.0036	0.0021
314234	105.30	107.00	1.70	0.0114	0.0096	0.0050
314235	107.00	108.50	1.50	0.0045	0.0113	0.0025

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314177	38.00	39.50	0.0140	0.0127	0.0059
314178	39.50	41.00	0.0130	0.0121	0.0059
314179	41.00	42.60	0.0143	0.0151	0.0066
314180	42.60	44.00	0.0096	0.0108	0.0044
314181	44.00	45.00	0.0094	0.0106	0.0042
314182	45.00	46.00	0.0101	0.0130	0.0046
314183	46.00	47.00	0.0106	0.0108	0.0047
314184	47.00	48.00	0.0100	0.0131	0.0046
314185	48.00	49.00	0.0112	0.0128	0.0053
314186	49.00	50.00	0.0096	0.0104	0.0044
314187	50.00	51.00	0.0100	0.0102	0.0053
314188	51.00	52.00	0.0117	0.0113	0.0059
314189	52.00	53.00	0.0107	0.0132	0.0049
314190	53.00	54.00	0.0100	0.0107	0.0047
314191	54.00	55.00	0.0095	0.0124	0.0041
314192	55.00	56.00	0.0088	0.0113	0.0039
314193	56.00	57.00	0.0101	0.0130	0.0047

Hole Number: KB-07-63

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314194	57.00	58.00	0.0101	0.0106	0.0047
314195	58.00	59.00	0.0092	0.0112	0.0042
314196	59.00	60.50	0.0099	0.0110	0.0046
314197	60.50	62.00	0.0083	0.0081	0.0040
314198	62.00	63.50	0.0085	0.0115	0.0039
314199	63.50	65.00	0.0101	0.0117	0.0045
314200	65.00	66.50	0.0080	0.0073	0.0041
314201	66.50	68.00	0.0087	0.0063	0.0042
314202	68.00	69.50	0.0065	0.0061	0.0032
314203	69.50	71.00	0.0065	0.0077	0.0037
314204	71.00	72.50	0.0072	0.0103	0.0041
314205	72.50	74.00	0.0069	0.0101	0.0041
314206	74.00	75.50	0.0063	0.0138	0.0033
314207	75.50	77.00	0.0069	0.0097	0.0033
314208	77.00	78.50	0.0092	0.0083	0.0042
314210	78.50	80.10	0.0087	0.0170	0.0041
314211	80.10	80.60	0.0038	0.0062	0.0028
314212	80.60	82.00	0.0061	0.0137	0.0036
314213	82.00	83.50	0.0054	0.0058	0.0026
314214	83.50	85.00	0.0049	0.0120	0.0024
314215	85.00	86.50	0.0055	0.0103	0.0028
314216	86.50	88.00	0.0068	0.0098	0.0037
314217	88.00	89.00	0.0071	0.0125	0.0035
314218	89.00	89.90	0.0044	0.0076	0.0022
314219	89.90	91.00	0.0083	0.0030	0.0031
314220	91.00	92.00	0.0083	0.0063	0.0041
314221	92.00	92.70	0.0193	0.0009	0.0048
314222	92.70	94.00	0.0049	0.0073	0.0032
314223	94.00	95.00	0.0043	0.0360	0.0028
314224	95.00	96.00	0.0163	0.0081	0.0045
314225	96.00	97.00	0.0196	0.0542	0.0054
314226	97.00	98.00	0.0140	0.0066	0.0037
314227	98.00	99.00	0.0143	0.0079	0.0049
314228	99.00	100.00	0.0086	0.0039	0.0033
314229	100.00	101.00	0.0212	0.0093	0.0053
314230	101.00	102.15	0.0577	0.0187	0.0070
314231	102.15	103.00	0.0036	0.0031	0.0024

Hole Number: KB-07-63

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314232	103.00	104.00	0.0030	0.0028	0.0021
314233	104.00	105.30	0.0042	0.0036	0.0021
314234	105.30	107.00	0.0114	0.0096	0.0050
314235	107.00	108.50	0.0045	0.0113	0.0025

DETAILED LOG

Hole Number: KB-07-62

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481640.00	North:	5481640.00	Collar Az:	304.90
Location:	Surface	East:	454028.00	East:	454028.00	Length:	50.00 (m)
		Elev:	387.03	Elev:	387.03	Start Depth:	0.00 (m)
Date Started:	Jun 02, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	50.00 (m)
Date Completed:	Jun 02, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	304.90	-46.60	EZ	OK	5905	50.00	306.50	-45.50	EZ	OK	5794

Detailed Lithology

From (m)	To (m)	Lithology
0	2.60	CAS, Casing
2.60	7.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.60 - 7.90 Structure 2.60 - 7.90
7.90	8.60	MD, Mafic Dike Mineralization 7.90 - 8.60 Structure 7.90 - 8.60 7.90 - 8.60 : UC Upper Contact, 30 Deg to CA
8.60	9.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 8.60 - 9.80 Structure 8.60 - 9.80 8.60 - 9.80 : UC Upper Contact, 45 Deg to CA
9.80	11.60	MDCHL, Mafic Dike Chloritic Mineralization 9.80 - 11.60 Structure 9.80 - 11.60 9.80 - 11.60 Vague

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314151	2.60	4.00	1.40	0.0169	0.0076	0.0056
314152	4.00	5.00	1.00	0.0204	0.0363	0.0060
314153	5.00	6.00	1.00	0.0140	0.0081	0.0051
314154	6.00	7.00	1.00	0.0180	0.0033	0.0034
314155	7.00	7.90	0.90	0.0285	0.0146	0.0048
314156	7.90	8.60	0.70	0.0033	0.0061	0.0024
314157	8.60	9.80	1.20	0.0159	0.0053	0.0047
314158	9.80	10.80	1.00	0.0034	0.0053	0.0023
314159	10.80	11.60	0.80	0.0049	0.0036	0.0023

Hole Number: KB-07-62

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.60	12.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 11.60 - 12.40 Structure 11.60 - 12.40 : STRFOL Strongly Foliated, 40 Deg to CA	314160	11.60	12.40	0.80	0.0161	0.0009	0.0043
12.40	13.30	MDCHL, Mafic Dike Chloritic Mineralization 12.40 - 13.30 Structure 12.40 - 13.30 12.40 - 13.30 : UC Upper Contact, 45 Deg to CA	314161	12.40	13.30	0.90	0.0039	0.0011	0.0027
13.30	13.80	MV, Mafic Volcanic Mineralization 13.30 - 13.80 Structure 13.30 - 13.80 13.30 - 13.80 : UC Upper Contact, 45 Deg to CA	314162	13.30	13.80	0.50	0.0122	0.0119	0.0048
13.80	16.30	MDCHL, Mafic Dike Chloritic Mineralization 13.80 - 16.30 Structure 13.80 - 16.30 13.80 - 16.30 : UC Upper Contact, 50 Deg to CA	314163	13.80	15.00	1.20	0.0064	0.0038	0.0025
			314164	15.00	16.30	1.30	0.0042	0.0049	0.0024
16.30	19.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 16.30 - 19.30 Structure 16.30 - 19.30 16.30 - 19.30 : UC Upper Contact, 20 Deg to CA	314165	16.30	17.30	1.00	0.0185	0.0079	0.0045
			314166	17.30	18.30	1.00	0.0186	0.0125	0.0043
			314167	18.30	19.30	1.00	0.0183	0.0031	0.0044
19.30	26.60	MV, Mafic Volcanic Mineralization 19.30 - 26.60 Structure 19.30 - 26.60 : MODFOL Moderately Foliated, 50 Deg to CA 19.30 - 26.60 : UC Upper Contact, 40 Deg to CA	314168	19.30	21.00	1.70	0.0108	0.0094	0.0055
			314169	21.00	22.50	1.50	0.0094	0.0082	0.0043
			314170	22.50	24.00	1.50	0.0091	0.0155	0.0045
			314171	24.00	25.50	1.50	0.0105	0.0106	0.0050
			314172	25.50	26.60	1.10	0.0088	0.0079	0.0046
26.60	27.50	MDCHL, Mafic Dike Chloritic Mineralization 26.60 - 27.50 Structure 26.60 - 27.50 26.60 - 27.50 : UC Upper Contact, 65 Deg to CA	314173	26.60	27.50	0.90	0.0056	0.0020	0.0029

DETAILED LOG

Hole Number: KB-07-62

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
27.50	50.00	MV, Mafic Volcanic
		Mineralization
		27.50 - 50.00
		Structure
		27.50 - 50.00
		27.50 - 50.00 : UC Upper Contact, 25 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314174	27.50	29.00	1.50	0.0070	0.0056	0.0036
314175	29.00	30.50	1.50	0.0110	0.0115	0.0050
314176	30.50	32.00	1.50	0.0102	0.0097	0.0049

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314151	2.60	4.00	0.0169	0.0076	0.0056
314152	4.00	5.00	0.0204	0.0363	0.0060
314153	5.00	6.00	0.0140	0.0081	0.0051
314154	6.00	7.00	0.0180	0.0033	0.0034
314155	7.00	7.90	0.0285	0.0146	0.0048
314156	7.90	8.60	0.0033	0.0061	0.0024
314157	8.60	9.80	0.0159	0.0053	0.0047
314158	9.80	10.80	0.0034	0.0053	0.0023
314159	10.80	11.60	0.0049	0.0036	0.0023
314160	11.60	12.40	0.0161	0.0009	0.0043
314161	12.40	13.30	0.0039	0.0011	0.0027
314162	13.30	13.80	0.0122	0.0119	0.0048
314163	13.80	15.00	0.0064	0.0038	0.0025
314164	15.00	16.30	0.0042	0.0049	0.0024
314165	16.30	17.30	0.0185	0.0079	0.0045
314166	17.30	18.30	0.0186	0.0125	0.0043
314167	18.30	19.30	0.0183	0.0031	0.0044
314168	19.30	21.00	0.0108	0.0094	0.0055
314169	21.00	22.50	0.0094	0.0082	0.0043
314170	22.50	24.00	0.0091	0.0155	0.0045
314171	24.00	25.50	0.0105	0.0106	0.0050
314172	25.50	26.60	0.0088	0.0079	0.0046
314173	26.60	27.50	0.0056	0.0020	0.0029
314174	27.50	29.00	0.0070	0.0056	0.0036
314175	29.00	30.50	0.0110	0.0115	0.0050
314176	30.50	32.00	0.0102	0.0097	0.0049

DETAILED LOG

Hole Number: KB-07-61

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481591.00	North:	5481591.00	Collar Az:	307.80
Location:	Surface	East:	454039.80	East:	454039.80	Length:	100.00 (m)
		Elev:	396.12	Elev:	396.12	Start Depth:	0.00 (m)
Date Started:	Jun 01, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	100.00 (m)
Date Completed:	Jun 01, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	307.80	-47.50	EZ	OK	5878	50.00	307.70	-47.10	EZ	OK	5770
100.00	309.70	-45.90	EZ	OK	5789						

Detailed Lithology

From (m)	To (m)	Lithology
0	0.90	CAS, Casing
0.90	3.65	MV, Mafic Volcanic Mineralization 0.90 - 3.65 Structure 0.90 - 3.65
3.65	4.70	FD, Felsic Dike Mineralization 3.65 - 4.70 Structure 3.65 - 4.70 3.65 - 4.70 Irregular
4.70	5.90	MV, Mafic Volcanic Mineralization 4.70 - 5.90 Structure 4.70 - 5.90 : MODFOL Moderately Foliated, 55 Deg to CA 4.70 - 5.90 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314029	0.90	2.00	1.10	0.0145	0.0063	0.0031
314030	2.00	3.65	1.65	0.0077	0.0055	0.0031
314031	3.65	4.70	1.05	0.0142	0.0092	0.0014
314032	4.70	5.90	1.20	0.0136	0.0130	0.0054

Hole Number: KB-07-61 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
5.90	7.50	MD, Mafic Dike Mineralization 5.90 - 7.50 Structure 5.90 - 7.50 5.90 - 7.50 : UC Upper Contact, 45 Deg to CA	314033	5.90	7.50	1.60	0.0011	0.0023	0.0025
7.50	10.10	MV, Mafic Volcanic With MDCHL Mineralization 7.50 - 10.10 Structure 7.50 - 10.10 : MODFOL Moderately Foliated, 40 Deg to CA 7.50 - 10.10 : UC Upper Contact, 45 Deg to CA	314034	7.50	9.00	1.50	0.0058	0.0058	0.0035
			314035	9.00	10.10	1.10	0.0118	0.0115	0.0042
10.10	11.60	MDCHL, Mafic Dike Chloritic Mineralization 10.10 - 11.60 Structure 10.10 - 11.60 10.10 - 11.60 : UC Upper Contact, 45 Deg to CA	314036	10.10	11.60	1.50	0.0086	0.0042	0.0032
11.60	27.25	MV, Mafic Volcanic With FD Mineralization 11.60 - 27.25 Structure 11.60 - 27.25	314037	11.60	13.00	1.40	0.0104	0.0089	0.0048
			314038	13.00	14.50	1.50	0.0091	0.0154	0.0043
			314039	14.50	16.00	1.50	0.0082	0.0134	0.0037
			314040	16.00	17.50	1.50	0.0079	0.0091	0.0039
			314041	17.50	19.00	1.50	0.0070	0.0040	0.0035
			314042	19.00	20.50	1.50	0.0053	0.0048	0.0036
			314043	20.50	22.00	1.50	0.0100	0.0137	0.0046
			314044	22.00	23.50	1.50	0.0078	0.0091	0.0037
			314045	23.50	25.00	1.50	0.0098	0.0123	0.0044
			314046	25.00	26.00	1.00	0.0078	0.0056	0.0039
			314047	26.00	27.25	1.25	0.0087	0.0077	0.0047
27.25	28.00	MDCHL, Mafic Dike Chloritic Mineralization 27.25 - 28.00 Structure 27.25 - 28.00 : MODFOL Moderately Foliated, 35 Deg to CA 27.25 - 28.00 : UC Upper Contact, 55 Deg to CA	314049	27.25	28.00	0.75	0.0047	0.0046	0.0027

Hole Number: KB-07-61

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
28.00	43.00	MV, Mafic Volcanic With tr sulfide stringers. Mineralization 28.00 - 43.00 Structure 28.00 - 43.00 : MODFOL Moderately Foliated, 40 Deg to CA	314050	28.00	29.50	1.50	0.0086	0.0104	0.0040
			314051	29.50	31.00	1.50	0.0095	0.0118	0.0047
			314052	31.00	32.50	1.50	0.0110	0.0141	0.0047
			314053	32.50	34.00	1.50	0.0101	0.0090	0.0050
			314054	34.00	35.50	1.50	0.0102	0.0131	0.0045
			314055	35.50	37.00	1.50	0.0116	0.0132	0.0053
			314056	37.00	38.50	1.50	0.0111	0.0094	0.0050
			314057	38.50	40.00	1.50	0.0112	0.0097	0.0053
			314058	40.00	41.50	1.50	0.0112	0.0122	0.0050
			314059	41.50	43.00	1.50	0.0082	0.0092	0.0041
43.00	44.90	MDCHL, Mafic Dike Chloritic Mineralization 43.00 - 44.90 Structure 43.00 - 44.90 43.00 - 44.90 : UC Upper Contact, 30 Deg to CA	314060	43.00	44.00	1.00	0.0042	0.0075	0.0029
			314061	44.00	44.90	0.90	0.0042	0.0053	0.0030
44.90	50.70	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 44.90 - 50.70 Structure 44.90 - 50.70 44.90 - 50.70 : UC Upper Contact, 30 Deg to CA	314062	44.90	46.00	1.10	0.0180	0.0165	0.0038
			314063	46.00	47.00	1.00	0.0120	0.0148	0.0046
			314065	47.00	48.00	1.00	0.0121	0.0128	0.0046
			314066	48.00	49.00	1.00	0.0110	0.0165	0.0041
			314067	49.00	50.00	1.00	0.0657	0.0425	0.0063
			314068	50.00	50.70	0.70	0.0873	0.0441	0.0064
50.70	53.75	MV, Mafic Volcanic Minor PYXT dikes. Mineralization 50.70 - 53.75 Structure 50.70 - 53.75	314070	50.70	52.00	1.30	0.0116	0.0126	0.0045
			314071	52.00	52.75	0.75	0.0135	0.0131	0.0041
			314072	52.75	54.00	1.25	0.0353	0.0187	0.0050
53.75	61.20	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 53.75 - 61.20 Structure 53.75 - 61.20 53.75 - 61.20 Irregular	314073	54.00	55.00	1.00	0.1220	0.0859	0.0072
			314074	55.00	56.00	1.00	0.0333	0.0248	0.0048
			314075	56.00	57.00	1.00	0.0183	0.0164	0.0042
			314076	57.00	58.00	1.00	0.0759	0.0362	0.0059
			314077	58.00	59.00	1.00	0.0475	0.0357	0.0054
			314078	59.00	60.00	1.00	0.0544	0.0321	0.0059
			314079	60.00	61.20	1.20	0.0356	0.0353	0.0059

Hole Number: KB-07-61 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
61.20	64.40	MV, Mafic Volcanic Massive qtz veins. Mineralization 61.20 - 64.40 Structure 61.20 - 64.40 61.20 - 64.40 : UC Upper Contact, 60 Deg to CA	314080	61.20	62.00	0.80	0.0580	0.0048	0.0060
			314081	62.00	63.00	1.00	0.0240	0.0098	0.0048
			314082	63.00	64.40	1.40	0.0185	0.0100	0.0034
64.40	68.10	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 64.40 - 68.10 Structure 64.40 - 68.10 64.40 - 68.10 : UC Upper Contact, 0 Deg to CA Vague	314083	64.40	65.00	0.60	0.0624	0.0355	0.0060
			314084	65.00	66.00	1.00	0.0171	0.0155	0.0041
			314085	66.00	67.00	1.00	0.0907	0.0441	0.0072
			314086	67.00	68.10	1.10	0.0223	0.0244	0.0046
68.10	68.70	MD, Mafic Dike Mineralization 68.10 - 68.70 Structure 68.10 - 68.70 68.10 - 68.70 : UC Upper Contact, 50 Deg to CA	314088	68.10	68.70	0.60	0.0055	0.0046	0.0025
68.70	71.20	MV, Mafic Volcanic Minor GABPYXT dikes. Mineralization 68.70 - 71.20 Structure 68.70 - 71.20 68.70 - 71.20 : UC Upper Contact, 35 Deg to CA	314089	68.70	70.00	1.30	0.0078	0.0155	0.0039
			314090	70.00	71.20	1.20	0.0104	0.0106	0.0043
71.20	72.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 71.20 - 72.70 Structure 71.20 - 72.70 : MODFOL Moderately Foliated, 30 Deg to CA 71.20 - 72.70 Irregular	314091	71.20	72.00	0.80	0.0308	0.0129	0.0049
			314092	72.00	72.70	0.70	0.0194	0.0100	0.0054
72.70	74.30	MD, Mafic Dike Mineralization 72.70 - 74.30 Structure 72.70 - 74.30 72.70 - 74.30 : UC Upper Contact, 35 Deg to CA	314093	72.70	74.30	1.60	0.0035	0.0038	0.0026

Hole Number: KB-07-61 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
74.30	81.80	MV, Mafic Volcanic Local bio Mineralization 74.30 - 77.70 77.70 - 80.25 80.25 - 81.80 Structure 74.30 - 81.80 : MODFOL Moderately Foliated, 35 Deg to CA 74.30 - 81.80 : UC Upper Contact, 25 Deg to CA
81.80	83.45	MDCHL, Mafic Dike Chloritic Mineralization 81.80 - 83.45 Structure 81.80 - 83.45 : MODFOL Moderately Foliated, 45 Deg to CA 81.80 - 83.45 : UC Upper Contact, 25 Deg to CA
83.45	100.00	MV, Mafic Volcanic Mineralization 83.45 - 100.00 Structure 83.45 - 100.00 83.45 - 100.00 : UC Upper Contact, 35 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314094	74.30	75.00	0.70	0.0056	0.0079	0.0026
314095	75.00	76.00	1.00	0.0083	0.0129	0.0045
314096	76.00	77.00	1.00	0.0072	0.0103	0.0034
314097	77.00	77.70	0.70	0.0068	0.0097	0.0033
314099	77.70	79.00	1.30	0.0077	0.0093	0.0035
314100	79.00	80.25	1.25	0.0090	0.0109	0.0042
314101	80.25	81.80	1.55	0.0100	0.0115	0.0052
314102	81.80	82.70	0.90	0.0030	0.0035	0.0021
314103	82.70	83.45	0.75	0.0029	0.0031	0.0023
314104	83.45	85.00	1.55	0.0106	0.0079	0.0055

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314029	0.90	2.00	0.0145	0.0063	0.0031
314030	2.00	3.65	0.0077	0.0055	0.0031
314031	3.65	4.70	0.0142	0.0092	0.0014
314032	4.70	5.90	0.0136	0.0130	0.0054
314033	5.90	7.50	0.0011	0.0023	0.0025
314034	7.50	9.00	0.0058	0.0058	0.0035
314035	9.00	10.10	0.0118	0.0115	0.0042
314036	10.10	11.60	0.0086	0.0042	0.0032
314037	11.60	13.00	0.0104	0.0089	0.0048
314038	13.00	14.50	0.0091	0.0154	0.0043
314039	14.50	16.00	0.0082	0.0134	0.0037
314040	16.00	17.50	0.0079	0.0091	0.0039
314041	17.50	19.00	0.0070	0.0040	0.0035
314042	19.00	20.50	0.0053	0.0048	0.0036
314043	20.50	22.00	0.0100	0.0137	0.0046

Hole Number: KB-07-61

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314044	22.00	23.50	0.0078	0.0091	0.0037
314045	23.50	25.00	0.0098	0.0123	0.0044
314046	25.00	26.00	0.0078	0.0056	0.0039
314047	26.00	27.25	0.0087	0.0077	0.0047
314049	27.25	28.00	0.0047	0.0046	0.0027
314050	28.00	29.50	0.0086	0.0104	0.0040
314051	29.50	31.00	0.0095	0.0118	0.0047
314052	31.00	32.50	0.0110	0.0141	0.0047
314053	32.50	34.00	0.0101	0.0090	0.0050
314054	34.00	35.50	0.0102	0.0131	0.0045
314055	35.50	37.00	0.0116	0.0132	0.0053
314056	37.00	38.50	0.0111	0.0094	0.0050
314057	38.50	40.00	0.0112	0.0097	0.0053
314058	40.00	41.50	0.0112	0.0122	0.0050
314059	41.50	43.00	0.0082	0.0092	0.0041
314060	43.00	44.00	0.0042	0.0075	0.0029
314061	44.00	44.90	0.0042	0.0053	0.0030
314062	44.90	46.00	0.0180	0.0165	0.0038
314063	46.00	47.00	0.0120	0.0148	0.0046
314065	47.00	48.00	0.0121	0.0128	0.0046
314066	48.00	49.00	0.0110	0.0165	0.0041
314067	49.00	50.00	0.0657	0.0425	0.0063
314068	50.00	50.70	0.0873	0.0441	0.0064
314070	50.70	52.00	0.0116	0.0126	0.0045
314071	52.00	52.75	0.0135	0.0131	0.0041
314072	52.75	54.00	0.0353	0.0187	0.0050
314073	54.00	55.00	0.1220	0.0859	0.0072
314074	55.00	56.00	0.0333	0.0248	0.0048
314075	56.00	57.00	0.0183	0.0164	0.0042
314076	57.00	58.00	0.0759	0.0362	0.0059
314077	58.00	59.00	0.0475	0.0357	0.0054
314078	59.00	60.00	0.0544	0.0321	0.0059
314079	60.00	61.20	0.0356	0.0353	0.0059
314080	61.20	62.00	0.0580	0.0048	0.0060
314081	62.00	63.00	0.0240	0.0098	0.0048
314082	63.00	64.40	0.0185	0.0100	0.0034
314083	64.40	65.00	0.0624	0.0355	0.0060

Hole Number: KB-07-61

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314084	65.00	66.00	0.0171	0.0155	0.0041
314085	66.00	67.00	0.0907	0.0441	0.0072
314086	67.00	68.10	0.0223	0.0244	0.0046
314088	68.10	68.70	0.0055	0.0046	0.0025
314089	68.70	70.00	0.0078	0.0155	0.0039
314090	70.00	71.20	0.0104	0.0106	0.0043
314091	71.20	72.00	0.0308	0.0129	0.0049
314092	72.00	72.70	0.0194	0.0100	0.0054
314093	72.70	74.30	0.0035	0.0038	0.0026
314094	74.30	75.00	0.0056	0.0079	0.0026
314095	75.00	76.00	0.0083	0.0129	0.0045
314096	76.00	77.00	0.0072	0.0103	0.0034
314097	77.00	77.70	0.0068	0.0097	0.0033
314099	77.70	79.00	0.0077	0.0093	0.0035
314100	79.00	80.25	0.0090	0.0109	0.0042
314101	80.25	81.80	0.0100	0.0115	0.0052
314102	81.80	82.70	0.0030	0.0035	0.0021
314103	82.70	83.45	0.0029	0.0031	0.0023
314104	83.45	85.00	0.0106	0.0079	0.0055

DETAILED LOG

Hole Number: KB-07-60

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481613.00	North:	5481613.00	Collar Az:	306.70
Location:	Surface	East:	454013.40	East:	454013.40	Length:	50.00 (m)
		Elev:	390.75	Elev:	390.75	Start Depth:	0.00 (m)
Date Started:	May 31, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	50.00 (m)
Date Completed:	Jun 01, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	296.40	-45.90	EZ	DO	5923	50.00	306.70	-45.50	EZ	OK	5796

Detailed Lithology

From (m)	To (m)	Lithology
0	1.80	CAS, Casing
1.80	20.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.80 - 20.30 Structure 1.80 - 20.30

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313951	1.80	3.00	1.20	0.0185	0.0149	0.0044
313952	3.00	4.00	1.00	0.0275	0.0199	0.0042
313953	4.00	5.00	1.00	0.0697	0.0385	0.0056
313954	5.00	6.00	1.00	0.0472	0.0275	0.0049
313955	6.00	7.00	1.00	0.0262	0.0270	0.0054
313956	7.00	8.00	1.00	0.0164	0.0184	0.0043
313957	8.00	9.00	1.00	0.0427	0.0318	0.0048
313959	9.00	10.00	1.00	0.0382	0.0235	0.0040
313960	10.00	11.00	1.00	0.1008	0.0574	0.0059
313961	11.00	12.00	1.00	0.0172	0.0158	0.0042
313962	12.00	13.00	1.00	0.0469	0.0433	0.0050
313963	13.00	14.00	1.00	0.0382	0.0248	0.0038
313965	14.00	15.00	1.00	0.0338	0.0353	0.0059
313966	15.00	16.00	1.00	0.0133	0.0175	0.0040
313967	16.00	17.00	1.00	0.0239	0.0219	0.0047
313968	17.00	18.00	1.00	0.0426	0.0251	0.0056
313969	18.00	19.00	1.00	0.0561	0.0328	0.0068
313970	19.00	20.30	1.30	0.0421	0.0199	0.0050

DETAILED LOG

Hole Number: KB-07-60

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
20.30	23.35	MV, Mafic Volcanic Local PYXT Mineralization 20.30 - 23.35 Structure 20.30 - 22.70 : MODFOL Moderately Foliated, 40 Deg to CA 22.70 - 23.35
23.35	26.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 23.35 - 26.30 Structure 23.35 - 26.30 : MODFOL Moderately Foliated, 45 Deg to CA
26.30	27.15	MV, Mafic Volcanic Mineralization 26.30 - 27.15 Structure 26.30 - 27.15
27.15	30.70	MDCHL, Mafic Dike Chloritic Mineralization 27.15 - 30.70 Structure 27.15 - 30.70 : MODFOL Moderately Foliated, 50 Deg to CA 27.15 - 30.70 : UC Upper Contact, 55 Deg to CA
30.70	50.00	MV, Mafic Volcanic Mineralization 30.70 - 50.00 Structure 30.70 - 50.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313971	20.30	21.00	0.70	0.0036	0.0054	0.0026
313973	21.00	22.00	1.00	0.0036	0.0032	0.0026
313974	22.00	23.35	1.35	0.0072	0.0124	0.0029
313975	23.35	24.00	0.65	0.0493	0.0304	0.0051
313976	24.00	25.00	1.00	0.0159	0.0079	0.0045
313977	25.00	26.30	1.30	0.0360	0.0190	0.0052
313979	26.30	27.15	0.85	0.0129	0.0069	0.0055
313980	27.15	28.00	0.85	0.0037	0.0030	0.0026
313981	28.00	29.00	1.00	0.0035	0.0030	0.0025
313982	29.00	30.00	1.00	0.0037	0.0032	0.0026

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313951	1.80	3.00	0.0185	0.0149	0.0044
313952	3.00	4.00	0.0275	0.0199	0.0042
313953	4.00	5.00	0.0697	0.0385	0.0056
313954	5.00	6.00	0.0472	0.0275	0.0049
313955	6.00	7.00	0.0262	0.0270	0.0054
313956	7.00	8.00	0.0164	0.0184	0.0043
313957	8.00	9.00	0.0427	0.0318	0.0048
313959	9.00	10.00	0.0382	0.0235	0.0040

Hole Number: KB-07-60

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313960	10.00	11.00	0.1008	0.0574	0.0059
313961	11.00	12.00	0.0172	0.0158	0.0042
313962	12.00	13.00	0.0469	0.0433	0.0050
313963	13.00	14.00	0.0382	0.0248	0.0038
313965	14.00	15.00	0.0338	0.0353	0.0059
313966	15.00	16.00	0.0133	0.0175	0.0040
313967	16.00	17.00	0.0239	0.0219	0.0047
313968	17.00	18.00	0.0426	0.0251	0.0056
313969	18.00	19.00	0.0561	0.0328	0.0068
313970	19.00	20.30	0.0421	0.0199	0.0050
313971	20.30	21.00	0.0036	0.0054	0.0026
313973	21.00	22.00	0.0036	0.0032	0.0026
313974	22.00	23.35	0.0072	0.0124	0.0029
313975	23.35	24.00	0.0493	0.0304	0.0051
313976	24.00	25.00	0.0159	0.0079	0.0045
313977	25.00	26.30	0.0360	0.0190	0.0052
313979	26.30	27.15	0.0129	0.0069	0.0055
313980	27.15	28.00	0.0037	0.0030	0.0026
313981	28.00	29.00	0.0035	0.0030	0.0025
313982	29.00	30.00	0.0037	0.0032	0.0026

DETAILED LOG

Hole Number: KB-07-59

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid:	UTM:		Destination Coordinates	Grid:	UTM:	
Project Number:	19900	North:	5481310.00			North:	5481310.00		
Location:	Surface	East:	453908.40			East:	453908.40		
		Elev:	395.53			Elev:	395.53		
Date Started:	May 29, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling		
Date Completed:	May 31, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Left in Hole				

Collar Dip:	-45.00
Collar Az:	307.60
Length:	194.10 (m)
Start Depth:	0.00 (m)
Final Depth:	194.10 (m)

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	128.40	134.00	5.60	0.1855	0.3112	0.0084
WEIGHTED	155.00	167.00	12.00	0.1711	0.2777	0.0079
WEIGHTED	161.00	166.00	5.00	0.2417	0.4448	0.0101

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	307.60	-45.30	EZ	OK	5945	50.00	307.70	-44.30	EZ	OK	5805
100.00	309.00	-43.50	EZ	OK	5783	152.00	309.10	-42.10	EZ	OK	5786
194.00	309.20	-40.70	EZ	OK	5781						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	3.80	MV, Mafic Volcanic Mineralization 2.00 - 3.80 Structure 2.00 - 3.80 : MODFOL Moderately Foliated, 50 Deg to CA							
3.80	10.80	MDCHL, Mafic Dike Chloritic Mineralization 3.80 - 10.80 Structure 3.80 - 10.80 : MODFOL Moderately Foliated, 50 Deg to CA 3.80 - 10.80 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-07-59

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
10.80	13.40	MV, Mafic Volcanic Mineralization 10.80 - 13.40 Structure 10.80 - 13.40 : STRFOL Strongly Foliated, 50 Deg to CA 10.80 - 13.40 : UC Upper Contact, 40 Deg to CA							
13.40	15.35	MD, Mafic Dike Mineralization 13.40 - 15.35 Structure 13.40 - 15.35 13.40 - 15.35 : UC Upper Contact, 45 Deg to CA							
15.35	39.85	MV, Mafic Volcanic Mineralization 15.35 - 39.85 Structure 15.35 - 39.85 : MODFOL Moderately Foliated, 60 Deg to CA 15.35 - 39.85 : UC Upper Contact, 60 Deg to CA							
39.85	42.85	MD, Mafic Dike Mineralization 39.85 - 42.85 Structure 39.85 - 42.85 39.85 - 42.85 : UC Upper Contact, 50 Deg to CA							
42.85	71.40	MV, Mafic Volcanic Mineralization 42.85 - 71.40 Structure 42.85 - 71.40 : MODFOL Moderately Foliated, 60 Deg to CA 42.85 - 71.40 : UC Upper Contact, 55 Deg to CA							
71.40	78.00	MD, Mafic Dike Local MDCHL Mineralization 71.40 - 78.00 PY Structure 71.40 - 78.00 71.40 - 78.00 : UC Upper Contact, 20 Deg to CA							

Hole Number: KB-07-59

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
78.00	82.00	MV, Mafic Volcanic Mineralization 78.00 - 82.00 Structure 78.00 - 82.00 : MODFOL Moderately Foliated, 60 Deg to CA 78.00 - 82.00 : UC Upper Contact, 45 Deg to CA							
82.00	83.10	FD, Felsic Dike Mineralization 82.00 - 83.10 Structure 82.00 - 83.10 Local QTZ veins with CPY							
83.10	95.40	MV, Mafic Volcanic Mineralization 83.10 - 95.40 Structure 83.10 - 95.40 : MODFOL Moderately Foliated, 60 Deg to CA							
95.40	96.05	FD, Felsic Dike Mineralization 95.40 - 96.05 Structure 95.40 - 96.05 95.40 - 96.05 : UC Upper Contact, 35 Deg to CA							
96.05	101.90	MV, Mafic Volcanic Mineralization 96.05 - 101.90 Structure 96.05 - 101.90 96.05 - 101.90 : UC Upper Contact, 40 Deg to CA							
101.90	103.80	MDCHL, Mafic Dike Chloritic Mineralization 101.90 - 103.80 Structure 101.90 - 103.80 101.90 - 103.80 : UC Upper Contact, 20 Deg to CA							
103.80	112.40	MV, Mafic Volcanic Mineralization 103.80 - 112.40 Structure 103.80 - 112.40 103.80 - 112.40 : UC Upper Contact, 35 Deg to CA	313871	109.00	110.00	1.00	0.0111	0.0115	0.0049
			313872	110.00	111.00	1.00	0.0126	0.0061	0.0051
			313873	111.00	112.40	1.40	0.0144	0.0072	0.0063

Hole Number: KB-07-59 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
112.40	114.40	TSCH, Talc Schist Mineralization 112.40 - 114.40 Structure 112.40 - 114.40 : STRFOL Strongly Foliated, 45 Deg to CA	313874	112.40	113.00	0.60	0.0958	0.0777	0.0063
			313875	113.00	114.40	1.40	0.0872	0.0639	0.0058
114.40	115.70	MDCHL, Mafic Dike Chloritic Mineralization 114.40 - 115.70 Structure 114.40 - 115.70 : STRFOL Strongly Foliated, 50 Deg to CA 114.40 - 115.70 : UC Upper Contact, 40 Deg to CA	313876	114.40	115.70	1.30	0.0054	0.0067	0.0026
115.70	118.20	TSCH, Talc Schist Mineralization 115.70 - 118.20 Structure 115.70 - 118.20 : STRFOL Strongly Foliated, 45 Deg to CA 115.70 - 118.20 : UC Upper Contact, 40 Deg to CA	313877	115.70	117.00	1.30	0.0224	0.0048	0.0048
			313879	117.00	118.20	1.20	0.0211	0.0059	0.0051
118.20	119.70	MDCHL, Mafic Dike Chloritic Mineralization 118.20 - 119.70 Structure 118.20 - 119.70 : MODFOL Moderately Foliated, 55 Deg to CA 118.20 - 119.70 : UC Upper Contact, 55 Deg to CA	313880	118.20	119.00	0.80	0.0040	0.0046	0.0028
			313881	119.00	119.70	0.70	0.0040	0.0037	0.0023

Hole Number: KB-07-59

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
119.70	156.90	PYXT, Pyroxenite Mineralization 119.70 - 128.40 128.40 - 156.90 PY+CPY+PO Structure 119.70 - 156.90 : STRFOL Strongly Foliated, 45 Deg to CA 119.70 - 156.90 : UC Upper Contact, 55 Deg to CA	313882	119.70	121.00	1.30	0.0209	0.0066	0.0041
			313883	121.00	122.00	1.00	0.0208	0.0055	0.0039
			313884	122.00	123.00	1.00	0.0201	0.0049	0.0038
			313885	123.00	124.00	1.00	0.0200	0.0039	0.0037
			313886	124.00	125.00	1.00	0.0242	0.0065	0.0041
			313887	125.00	126.00	1.00	0.0202	0.0064	0.0039
			313888	126.00	127.00	1.00	0.0217	0.0046	0.0038
			313889	127.00	128.40	1.40	0.0208	0.0034	0.0040
			313890	128.40	130.00	1.60	0.1261	0.2007	0.0087
			313891	130.00	131.00	1.00	0.2674	0.4092	0.0118
			313893	131.00	132.00	1.00	0.2062	0.3576	0.0077
			313894	132.00	133.00	1.00	0.2576	0.4266	0.0073
			313895	133.00	134.00	1.00	0.1060	0.2282	0.0061
			313896	134.00	135.00	1.00	0.0602	0.1233	0.0042
			313897	135.00	136.00	1.00	0.1913	0.3911	0.0082
			313898	136.00	137.00	1.00	0.0554	0.0916	0.0036
			313899	137.00	138.00	1.00	0.0190	0.0069	0.0032
			313900	138.00	139.00	1.00	0.0202	0.0054	0.0036
			313901	139.00	140.00	1.00	0.0360	0.0241	0.0041
			313902	140.00	141.00	1.00	0.0487	0.0347	0.0044
			313904	141.00	142.00	1.00	0.0932	0.1264	0.0075
			313905	142.00	143.00	1.00	0.1370	0.1435	0.0090
			313906	143.00	144.00	1.00	0.1185	0.1657	0.0053
			313907	144.00	145.00	1.00	0.0308	0.0152	0.0038
			313908	145.00	146.00	1.00	0.0193	0.0034	0.0034
			313909	146.00	147.00	1.00	0.0334	0.0477	0.0040
			313910	147.00	148.00	1.00	0.0939	0.1646	0.0048
			313912	148.00	149.00	1.00	0.0718	0.1095	0.0052
			313913	149.00	150.00	1.00	0.1136	0.1880	0.0059
			313914	150.00	151.00	1.00	0.1429	0.1767	0.0065
			313915	151.00	152.00	1.00	0.1419	0.2443	0.0067
			313916	152.00	153.00	1.00	0.1105	0.1654	0.0061
			313917	153.00	154.00	1.00	0.0193	0.0037	0.0034
			313918	154.00	155.00	1.00	0.0633	0.0582	0.0045
			313919	155.00	156.00	1.00	0.2074	0.2038	0.0070
			313921	156.00	156.90	0.90	0.0869	0.1196	0.0069

Hole Number: KB-07-59 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
156.90	179.20	TSCH, Talc Schist Mineralization 156.90 - 179.20 Structure 156.90 - 179.20 : STRFOL Strongly Foliated, 55 Deg to CA
179.20	179.70	MV, Mafic Volcanic Mineralization 179.20 - 179.70 Structure 179.20 - 179.70 179.20 - 179.70 : UC Upper Contact, 75 Deg to CA
179.70	180.20	LC, Lost Core
180.20	194.10	MV, Mafic Volcanic Mineralization 180.20 - 194.10 Structure 180.20 - 194.10

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313922	156.90	158.00	1.10	0.0662	0.0775	0.0058
313923	158.00	159.00	1.00	0.1602	0.2024	0.0060
313924	159.00	160.00	1.00	0.1057	0.1893	0.0068
313925	160.00	161.00	1.00	0.1010	0.1693	0.0062
313926	161.00	162.00	1.00	0.2594	0.5868	0.0099
313927	162.00	163.00	1.00	0.3086	0.5475	0.0141
313928	163.00	164.00	1.00	0.2474	0.4763	0.0105
313930	164.00	165.00	1.00	0.1813	0.2802	0.0078
313931	165.00	166.00	1.00	0.2116	0.3330	0.0080
313932	166.00	167.00	1.00	0.1200	0.1511	0.0059
313933	167.00	168.00	1.00	0.0593	0.0922	0.0058
313934	168.00	169.00	1.00	0.1914	0.2297	0.0091
313935	169.00	170.00	1.00	0.1036	0.1561	0.0078
313937	170.00	171.00	1.00	0.0325	0.0071	0.0043
313938	171.00	172.00	1.00	0.0271	0.0035	0.0046
313939	172.00	173.00	1.00	0.0296	0.0030	0.0051
313940	173.00	174.00	1.00	0.0236	0.0060	0.0043
313941	174.00	175.00	1.00	0.0303	0.0033	0.0047
313942	175.00	176.00	1.00	0.0266	0.0026	0.0040
313943	176.00	177.00	1.00	0.0268	0.0073	0.0043
313944	177.00	178.00	1.00	0.0316	0.0045	0.0054
313945	178.00	179.20	1.20	0.0602	0.0465	0.0053
313947	179.20	179.70	0.50	0.0187	0.0121	0.0044
313948	180.20	181.00	0.80	0.0095	0.0083	0.0046
313949	181.00	182.00	1.00	0.0101	0.0159	0.0046
313950	182.00	183.00	1.00	0.0083	0.0104	0.0038

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313871	109.00	110.00	0.0111	0.0115	0.0049
313872	110.00	111.00	0.0126	0.0061	0.0051
313873	111.00	112.40	0.0144	0.0072	0.0063

Hole Number: KB-07-59

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313874	112.40	113.00	0.0958	0.0777	0.0063
313875	113.00	114.40	0.0872	0.0639	0.0058
313876	114.40	115.70	0.0054	0.0067	0.0026
313877	115.70	117.00	0.0224	0.0048	0.0048
313879	117.00	118.20	0.0211	0.0059	0.0051
313880	118.20	119.00	0.0040	0.0046	0.0028
313881	119.00	119.70	0.0040	0.0037	0.0023
313882	119.70	121.00	0.0209	0.0066	0.0041
313883	121.00	122.00	0.0208	0.0055	0.0039
313884	122.00	123.00	0.0201	0.0049	0.0038
313885	123.00	124.00	0.0200	0.0039	0.0037
313886	124.00	125.00	0.0242	0.0065	0.0041
313887	125.00	126.00	0.0202	0.0064	0.0039
313888	126.00	127.00	0.0217	0.0046	0.0038
313889	127.00	128.40	0.0208	0.0034	0.0040
313890	128.40	130.00	0.1261	0.2007	0.0087
313891	130.00	131.00	0.2674	0.4092	0.0118
313893	131.00	132.00	0.2062	0.3576	0.0077
313894	132.00	133.00	0.2576	0.4266	0.0073
313895	133.00	134.00	0.1060	0.2282	0.0061
313896	134.00	135.00	0.0602	0.1233	0.0042
313897	135.00	136.00	0.1913	0.3911	0.0082
313898	136.00	137.00	0.0554	0.0916	0.0036
313899	137.00	138.00	0.0190	0.0069	0.0032
313900	138.00	139.00	0.0202	0.0054	0.0036
313901	139.00	140.00	0.0360	0.0241	0.0041
313902	140.00	141.00	0.0487	0.0347	0.0044
313904	141.00	142.00	0.0932	0.1264	0.0075
313905	142.00	143.00	0.1370	0.1435	0.0090
313906	143.00	144.00	0.1185	0.1657	0.0053
313907	144.00	145.00	0.0308	0.0152	0.0038
313908	145.00	146.00	0.0193	0.0034	0.0034
313909	146.00	147.00	0.0334	0.0477	0.0040
313910	147.00	148.00	0.0939	0.1646	0.0048
313912	148.00	149.00	0.0718	0.1095	0.0052
313913	149.00	150.00	0.1136	0.1880	0.0059
313914	150.00	151.00	0.1429	0.1767	0.0065

Hole Number: KB-07-59

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313915	151.00	152.00	0.1419	0.2443	0.0067
313916	152.00	153.00	0.1105	0.1654	0.0061
313917	153.00	154.00	0.0193	0.0037	0.0034
313918	154.00	155.00	0.0633	0.0582	0.0045
313919	155.00	156.00	0.2074	0.2038	0.0070
313921	156.00	156.90	0.0869	0.1196	0.0069
313922	156.90	158.00	0.0662	0.0775	0.0058
313923	158.00	159.00	0.1602	0.2024	0.0060
313924	159.00	160.00	0.1057	0.1893	0.0068
313925	160.00	161.00	0.1010	0.1693	0.0062
313926	161.00	162.00	0.2594	0.5868	0.0099
313927	162.00	163.00	0.3086	0.5475	0.0141
313928	163.00	164.00	0.2474	0.4763	0.0105
313930	164.00	165.00	0.1813	0.2802	0.0078
313931	165.00	166.00	0.2116	0.3330	0.0080
313932	166.00	167.00	0.1200	0.1511	0.0059
313933	167.00	168.00	0.0593	0.0922	0.0058
313934	168.00	169.00	0.1914	0.2297	0.0091
313935	169.00	170.00	0.1036	0.1561	0.0078
313937	170.00	171.00	0.0325	0.0071	0.0043
313938	171.00	172.00	0.0271	0.0035	0.0046
313939	172.00	173.00	0.0296	0.0030	0.0051
313940	173.00	174.00	0.0236	0.0060	0.0043
313941	174.00	175.00	0.0303	0.0033	0.0047
313942	175.00	176.00	0.0266	0.0026	0.0040
313943	176.00	177.00	0.0268	0.0073	0.0043
313944	177.00	178.00	0.0316	0.0045	0.0054
313945	178.00	179.20	0.0602	0.0465	0.0053
313947	179.20	179.70	0.0187	0.0121	0.0044
313948	180.20	181.00	0.0095	0.0083	0.0046
313949	181.00	182.00	0.0101	0.0159	0.0046
313950	182.00	183.00	0.0083	0.0104	0.0038

DETAILED LOG

Hole Number: KB-07-58

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -55.00
Project Number:	19900	North: 5481332.00			North: 5481332.00		Collar Az: 303.00
Location:	Surface	East: 453992.60			East: 453992.60		Length: 308.00 (m)
		Elev: 399.40			Elev: 399.40		Start Depth: 0.00 (m)
Date Started:	May 25, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 308.00 (m)
Date Completed:	May 28, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	244.00	255.00	11.00	0.1676	0.2365	0.0069
WEIGHTED	251.00	253.00	2.00	0.3535	0.4931	0.0110
WEIGHTED	259.00	266.00	7.00	0.2155	0.3109	0.0070

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
20.00	303.00	-55.20	EZ	OK	5924	56.00	301.50	-51.90	EZ	OK	5796
107.00	302.20	-50.60	EZ	OK	5780	150.00	300.90	-50.10	EZ	OK	5785
200.00	302.10	-49.40	EZ	OK	5785	257.00	303.00	-48.50	EZ	OK	5778
302.00	305.20	-47.40	EZ	OK	5785						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.00	CAS, Casing							
1.00	12.35	MV, Mafic Volcanic Mineralization 1.00 - 12.35 Structure 1.00 - 12.35 : MODFOL Moderately Foliated, 30 Deg to CA							
12.35	14.30	MDCHL, Mafic Dike Chloritic Mineralization 12.35 - 14.30 Structure 12.35 - 14.30							
14.30	21.25	MV, Mafic Volcanic Mineralization 14.30 - 21.25 Structure 14.30 - 21.25 : MODFOL Moderately Foliated, 45 Deg to CA							

Hole Number: KB-07-58 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
21.25	21.95	MD, Mafic Dike Mineralization 21.25 - 21.95 Structure 21.25 - 21.95							
21.95	27.30	MV, Mafic Volcanic Mineralization 21.95 - 27.30 Structure 21.95 - 27.30 : MODFOL Moderately Foliated, 40 Deg to CA 21.95 - 27.30 : UC Upper Contact, 35 Deg to CA							
27.30	28.35	MD, Mafic Dike Mineralization 27.30 - 28.35 Structure 27.30 - 28.35 27.30 - 28.35 : UC Upper Contact, 45 Deg to CA							
28.35	40.35	MV, Mafic Volcanic Mineralization 28.35 - 40.35 Structure 28.35 - 40.35 : MODFOL Moderately Foliated, 40 Deg to CA							
40.35	40.80	MD, Mafic Dike Mineralization 40.35 - 40.80 Structure 40.35 - 40.80							
40.80	52.15	MV, Mafic Volcanic Mineralization 40.80 - 52.15 Structure 40.80 - 52.15 : MODFOL Moderately Foliated, 45 Deg to CA							
52.15	53.40	MD, Mafic Dike Mineralization 52.15 - 53.40 PY Structure 52.15 - 53.40							

Hole Number: KB-07-58 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
53.40	62.30	MV, Mafic Volcanic Mineralization 53.40 - 62.30 PY Structure 53.40 - 62.30 : MODFOL Moderately Foliated, 45 Deg to CA							
62.30	64.75	MD, Mafic Dike Mineralization 62.30 - 64.75 Structure 62.30 - 64.75							
64.75	71.35	MV, Mafic Volcanic Mineralization 64.75 - 71.35 Structure 64.75 - 71.35 : MODFOL Moderately Foliated, 40 Deg to CA							
71.35	82.75	FD, Felsic Dike Mineralization 71.35 - 82.75 Structure 71.35 - 82.75 : MODFOL Moderately Foliated, 45 Deg to CA							
82.75	92.15	MV, Mafic Volcanic Mineralization 82.75 - 92.15 Structure 82.75 - 92.15 : MODFOL Moderately Foliated, 40 Deg to CA							
92.15	97.15	MDCHL, Mafic Dike Chloritic Mineralization 92.15 - 97.15 Structure 92.15 - 97.15 : MODFOL Moderately Foliated, 40 Deg to CA							
97.15	105.30	MV, Mafic Volcanic Mineralization 97.15 - 105.30 Structure 97.15 - 105.30 : MODFOL Moderately Foliated, 45 Deg to CA							
105.30	108.65	FD, Felsic Dike Mineralization 105.30 - 108.65 Structure 105.30 - 108.65							

Hole Number: KB-07-58 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
108.65	117.35	MV, Mafic Volcanic Mineralization 108.65 - 117.35 Structure 108.65 - 117.35 : MODFOL Moderately Foliated, 45 Deg to CA							
117.35	118.75	MD, Mafic Dike Mineralization 117.35 - 118.75 PY Structure 117.35 - 118.75							
118.75	123.85	MV, Mafic Volcanic Mineralization 118.75 - 123.85 Structure 118.75 - 123.85 : MODFOL Moderately Foliated, 50 Deg to CA							
123.85	125.05	MD, Mafic Dike Mineralization 123.85 - 125.05 Structure 123.85 - 125.05							
125.05	129.60	MV, Mafic Volcanic Mineralization 125.05 - 129.60 Structure 125.05 - 129.60 : MODFOL Moderately Foliated, 40 Deg to CA							
129.60	130.70	MD, Mafic Dike Mineralization 129.60 - 130.70 Structure 129.60 - 130.70							
130.70	137.25	MV, Mafic Volcanic Mineralization 130.70 - 137.25 Structure 130.70 - 137.25 : MODFOL Moderately Foliated, 45 Deg to CA							

Hole Number: KB-07-58

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
137.25	138.85	MD, Mafic Dike Mineralization 137.25 - 138.85 Structure 137.25 - 138.85 137.25 - 138.85 : UC Upper Contact, 45 Deg to CA							
138.85	174.50	MV, Mafic Volcanic Mineralization 138.85 - 151.95 Structure 138.85 - 151.95 : MODFOL Moderately Foliated, 45 Deg to CA							
174.50	177.15	MD, Mafic Dike Mineralization 174.50 - 177.15 Structure 174.50 - 177.15							
177.15	178.20	MV, Mafic Volcanic Mineralization 177.15 - 178.20 Structure 177.15 - 178.20 : MODFOL Moderately Foliated, 45 Deg to CA							
178.20	178.65	MD, Mafic Dike Mineralization 178.20 - 178.65 Structure 178.20 - 178.65							
178.65	194.15	MV, Mafic Volcanic Mineralization 178.65 - 194.15 Structure 178.65 - 194.15 : MODFOL Moderately Foliated, 45 Deg to CA							
194.15	196.15	MDCHL, Mafic Dike Chloritic Mineralization 194.15 - 196.15 Structure 194.15 - 196.15 : MODFOL Moderately Foliated, 40 Deg to CA							
196.15	206.30	MV, Mafic Volcanic Mineralization 196.15 - 206.30 Structure 196.15 - 206.30 : MODFOL Moderately Foliated, 45 Deg to CA	314688	202.00	203.00	1.00	0.0100	0.0113	0.0047
			314689	203.00	204.00	1.00	0.0162	0.0106	0.0075
			314690	204.00	205.00	1.00	0.0138	0.0125	0.0054
			314691	205.00	206.30	1.30	0.1012	0.0648	0.0078

Hole Number: KB-07-58 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
206.30	207.40	PYXT, Pyroxenite Mineralization 206.30 - 207.40 Structure 206.30 - 207.40 : MODFOL Moderately Foliated, 45 Deg to CA	314692	206.30	207.40	1.10	0.5744	0.2375	0.0133
207.40	208.20	MD, Mafic Dike Mineralization 207.40 - 208.20 Structure 207.40 - 208.20 : MODFOL Moderately Foliated, 45 Deg to CA 207.40 - 208.20 : UC Upper Contact, 50 Deg to CA	314693	207.40	208.20	0.80	0.0177	0.0110	0.0042
208.20	232.95	PYXT, Pyroxenite LOC TSCH Mineralization 208.20 - 232.95 Structure 208.20 - 232.95 : STRFOL Strongly Foliated, 45 Deg to CA 208.20 - 232.95 : UC Upper Contact, 50 Deg to CA	314694	208.20	209.00	0.80	0.0311	0.0038	0.0053
			314696	209.00	210.00	1.00	0.0346	0.0049	0.0058
			314697	210.00	211.00	1.00	0.0343	0.0034	0.0056
			314698	211.00	212.00	1.00	0.0283	0.0021	0.0053
			314699	212.00	213.00	1.00	0.0313	0.0057	0.0057
			314700	213.00	214.00	1.00	0.0318	0.0057	0.0063
			314701	214.00	215.00	1.00	0.0318	0.0054	0.0057
			314702	215.00	216.00	1.00	0.0229	0.0060	0.0037
			314703	216.00	217.00	1.00	0.0248	0.0061	0.0039
			314704	217.00	218.00	1.00	0.0245	0.0040	0.0036
			314705	218.00	219.00	1.00	0.0250	0.0041	0.0037
			314706	219.00	220.00	1.00	0.0244	0.0032	0.0041
			314707	220.00	221.00	1.00	0.0237	0.0031	0.0039
			314708	221.00	222.00	1.00	0.0230	0.0036	0.0043
			314709	222.00	223.00	1.00	0.0225	0.0053	0.0039
			314710	223.00	224.00	1.00	0.0239	0.0048	0.0039
			314711	224.00	225.00	1.00	0.0216	0.0039	0.0042
			314712	225.00	226.00	1.00	0.0229	0.0061	0.0040
			314713	226.00	227.00	1.00	0.0234	0.0057	0.0039
			314714	227.00	228.00	1.00	0.0234	0.0071	0.0044
			314715	228.00	229.00	1.00	0.0232	0.0068	0.0042
			314716	229.00	230.00	1.00	0.0212	0.0059	0.0031
			314717	230.00	231.00	1.00	0.0229	0.0062	0.0038
			314718	231.00	232.00	1.00	0.0208	0.0058	0.0041
			314719	232.00	232.95	0.95	0.0231	0.0053	0.0044
232.95	234.80	MDCHL, Mafic Dike Chloritic Mineralization 232.95 - 234.80 Structure 232.95 - 234.80 : MODFOL Moderately Foliated, 50 Deg to CA 232.95 - 234.80 : UC Upper Contact, 50 Deg to CA	314720	232.95	233.60	0.65	0.0055	0.0041	0.0026
			314721	233.60	234.80	1.20	0.0056	0.0086	0.0028

Hole Number: KB-07-58

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
234.80	241.75	PYXT, Pyroxenite LOC TSCH Mineralization 234.80 - 241.75 Structure 234.80 - 234.90 234.90 - 241.75 : STRFOL Strongly Foliated, 50 Deg to CA	314722	234.80	236.00	1.20	0.0188	0.0018	0.0039
			314723	236.00	237.00	1.00	0.0215	0.0032	0.0039
			314724	237.00	238.00	1.00	0.0197	0.0043	0.0038
			314725	238.00	239.00	1.00	0.0196	0.0046	0.0038
			314726	239.00	240.50	1.50	0.0236	0.0030	0.0038
			314727	240.50	241.75	1.25	0.0216	0.0036	0.0036
241.75	242.70	MDCHL, Mafic Dike Chloritic Mineralization 241.75 - 242.70 Structure 241.75 - 242.70 : MODFOL Moderately Foliated, 55 Deg to CA 241.75 - 242.70 : UC Upper Contact, 65 Deg to CA	314728	241.75	242.70	0.95	0.0047	0.0034	0.0019
242.70	264.15	TSCH, Talc Schist LOC PYXT Mineralization 242.70 - 243.65 Structure 242.70 - 243.65 : STRFOL Strongly Foliated, 50 Deg to CA 242.70 - 243.65 : UC Upper Contact, 50 Deg to CA	314730	242.70	244.00	1.30	0.0694	0.1011	0.0048
			314731	244.00	245.00	1.00	0.1411	0.2002	0.0056
			314733	245.00	246.00	1.00	0.1961	0.3403	0.0074
			314734	246.00	247.00	1.00	0.1932	0.2893	0.0086
			314735	247.00	248.00	1.00	0.0542	0.0518	0.0048
			314736	248.00	249.00	1.00	0.0230	0.0069	0.0035
			314737	249.00	250.00	1.00	0.0420	0.0402	0.0050
			314738	250.00	251.00	1.00	0.1339	0.2837	0.0083
			314739	251.00	252.00	1.00	0.2941	0.3655	0.0114
			314740	252.00	253.00	1.00	0.4129	0.6207	0.0106
			314741	253.00	254.00	1.00	0.1256	0.1989	0.0054
			314742	254.00	255.00	1.00	0.2279	0.2042	0.0054
			314743	255.00	256.00	1.00	0.0519	0.0250	0.0036
			314744	256.00	257.00	1.00	0.0196	0.0030	0.0032
			314745	257.00	258.00	1.00	0.0314	0.0129	0.0036
			314746	258.00	259.00	1.00	0.0726	0.1445	0.0063
			314747	259.00	260.00	1.00	0.2324	0.3277	0.0082
			314748	260.00	261.00	1.00	0.0936	0.1553	0.0049
			314749	261.00	262.00	1.00	0.2593	0.3461	0.0078
			314750	262.00	263.00	1.00	0.2746	0.3612	0.0072
			314751	263.00	264.15	1.15	0.1952	0.3073	0.0066
264.15	269.90	PYXT, Pyroxenite LOC TSCH Mineralization 264.15 - 269.90 Structure 264.15 - 269.90 : STRFOL Strongly Foliated, 45 Deg to CA	314752	264.15	265.00	0.85	0.3135	0.4530	0.0075
			314753	265.00	266.00	1.00	0.1576	0.2477	0.0072
			314754	266.00	267.00	1.00	0.0296	0.0123	0.0030
			314755	267.00	268.00	1.00	0.0831	0.0703	0.0054
			314756	268.00	269.00	1.00	0.1431	0.0986	0.0065
			314757	269.00	269.90	0.90	0.1388	0.1466	0.0052

Hole Number: KB-07-58

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
269.90	281.55	MV, Mafic Volcanic Mineralization 269.90 - 275.65 Structure 269.90 - 275.65 : MODFOL Moderately Foliated, 40 Deg to CA
281.55	282.30	MDCHL, Mafic Dike Chloritic Mineralization 281.55 - 282.30 Structure 281.55 - 282.30 : MODFOL Moderately Foliated, 50 Deg to CA
282.30	308.00	MV, Mafic Volcanic Mineralization 282.30 - 308.00 Structure 282.30 - 308.00 : MODFOL Moderately Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314758	269.90	271.00	1.10	0.0258	0.0182	0.0040
314759	271.00	272.00	1.00	0.0093	0.0099	0.0040
314760	272.00	273.00	1.00	0.0120	0.0080	0.0051
314761	273.00	274.00	1.00	0.0127	0.0101	0.0052

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314688	202.00	203.00	0.0100	0.0113	0.0047
314689	203.00	204.00	0.0162	0.0106	0.0075
314690	204.00	205.00	0.0138	0.0125	0.0054
314691	205.00	206.30	0.1012	0.0648	0.0078
314692	206.30	207.40	0.5744	0.2375	0.0133
314693	207.40	208.20	0.0177	0.0110	0.0042
314694	208.20	209.00	0.0311	0.0038	0.0053
314696	209.00	210.00	0.0346	0.0049	0.0058
314697	210.00	211.00	0.0343	0.0034	0.0056
314698	211.00	212.00	0.0283	0.0021	0.0053
314699	212.00	213.00	0.0313	0.0057	0.0057
314700	213.00	214.00	0.0318	0.0057	0.0063
314701	214.00	215.00	0.0318	0.0054	0.0057
314702	215.00	216.00	0.0229	0.0060	0.0037
314703	216.00	217.00	0.0248	0.0061	0.0039
314704	217.00	218.00	0.0245	0.0040	0.0036
314705	218.00	219.00	0.0250	0.0041	0.0037
314706	219.00	220.00	0.0244	0.0032	0.0041
314707	220.00	221.00	0.0237	0.0031	0.0039
314708	221.00	222.00	0.0230	0.0036	0.0043

Hole Number: KB-07-58

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314709	222.00	223.00	0.0225	0.0053	0.0039
314710	223.00	224.00	0.0239	0.0048	0.0039
314711	224.00	225.00	0.0216	0.0039	0.0042
314712	225.00	226.00	0.0229	0.0061	0.0040
314713	226.00	227.00	0.0234	0.0057	0.0039
314714	227.00	228.00	0.0234	0.0071	0.0044
314715	228.00	229.00	0.0232	0.0068	0.0042
314716	229.00	230.00	0.0212	0.0059	0.0031
314717	230.00	231.00	0.0229	0.0062	0.0038
314718	231.00	232.00	0.0208	0.0058	0.0041
314719	232.00	232.95	0.0231	0.0053	0.0044
314720	232.95	233.60	0.0055	0.0041	0.0026
314721	233.60	234.80	0.0056	0.0086	0.0028
314722	234.80	236.00	0.0188	0.0018	0.0039
314723	236.00	237.00	0.0215	0.0032	0.0039
314724	237.00	238.00	0.0197	0.0043	0.0038
314725	238.00	239.00	0.0196	0.0046	0.0038
314726	239.00	240.50	0.0236	0.0030	0.0038
314727	240.50	241.75	0.0216	0.0036	0.0036
314728	241.75	242.70	0.0047	0.0034	0.0019
314730	242.70	244.00	0.0694	0.1011	0.0048
314731	244.00	245.00	0.1411	0.2002	0.0056
314733	245.00	246.00	0.1961	0.3403	0.0074
314734	246.00	247.00	0.1932	0.2893	0.0086
314735	247.00	248.00	0.0542	0.0518	0.0048
314736	248.00	249.00	0.0230	0.0069	0.0035
314737	249.00	250.00	0.0420	0.0402	0.0050
314738	250.00	251.00	0.1339	0.2837	0.0083
314739	251.00	252.00	0.2941	0.3655	0.0114
314740	252.00	253.00	0.4129	0.6207	0.0106
314741	253.00	254.00	0.1256	0.1989	0.0054
314742	254.00	255.00	0.2279	0.2042	0.0054
314743	255.00	256.00	0.0519	0.0250	0.0036
314744	256.00	257.00	0.0196	0.0030	0.0032
314745	257.00	258.00	0.0314	0.0129	0.0036
314746	258.00	259.00	0.0726	0.1445	0.0063
314747	259.00	260.00	0.2324	0.3277	0.0082

Hole Number: KB-07-58

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314748	260.00	261.00	0.0936	0.1553	0.0049
314749	261.00	262.00	0.2593	0.3461	0.0078
314750	262.00	263.00	0.2746	0.3612	0.0072
314751	263.00	264.15	0.1952	0.3073	0.0066
314752	264.15	265.00	0.3135	0.4530	0.0075
314753	265.00	266.00	0.1576	0.2477	0.0072
314754	266.00	267.00	0.0296	0.0123	0.0030
314755	267.00	268.00	0.0831	0.0703	0.0054
314756	268.00	269.00	0.1431	0.0986	0.0065
314757	269.00	269.90	0.1388	0.1466	0.0052
314758	269.90	271.00	0.0258	0.0182	0.0040
314759	271.00	272.00	0.0093	0.0099	0.0040
314760	272.00	273.00	0.0120	0.0080	0.0051
314761	273.00	274.00	0.0127	0.0101	0.0052

DETAILED LOG

Hole Number: KB-07-57

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481353.00		North:	5481353.00	Collar Az: 309.10
Location:	Surface	East:	453852.80		East:	453852.80	Length: 131.00 (m)
		Elev:	382.26		Elev:	382.26	Start Depth: 0.00 (m)
Date Started:	May 24, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 131.00 (m)
Date Completed:	May 25, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	30.00	83.00	53.00	0.3454	0.2947	0.0115
WEIGHTED	60.00	83.00	23.00	0.6100	0.3962	0.0180
WEIGHTED	61.65	73.95	12.30	0.9163	0.4381	0.0255

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
20.00	309.10	-46.40	EZ	OK	5814	50.00	306.80	-45.50	EZ	OK	5777
131.00	308.90	-39.80	EZ	OK	5777						

Detailed Lithology

From (m)	To (m)	Lithology
0	11.90	CAS, Casing
11.90	26.45	TSCH, Talc Schist Mineralization 11.90 - 26.45 Structure 11.90 - 26.45 : STRFOL Strongly Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314598	11.90	13.00	1.10	0.0215	0.0058	0.0040
314599	13.00	14.00	1.00	0.0260	0.0069	0.0049
314600	14.00	15.00	1.00	0.0272	0.0057	0.0042
314601	15.00	16.00	1.00	0.0256	0.0063	0.0038
314602	16.00	17.00	1.00	0.0233	0.0058	0.0037
314603	17.00	18.00	1.00	0.0250	0.0077	0.0034
314604	18.00	19.00	1.00	0.0227	0.0060	0.0041
314605	19.00	20.00	1.00	0.0251	0.0054	0.0039
314606	20.00	21.00	1.00	0.0251	0.0044	0.0037
314607	21.00	22.00	1.00	0.0272	0.0042	0.0043
314608	22.00	23.00	1.00	0.0260	0.0052	0.0040
314609	23.00	24.00	1.00	0.0248	0.0057	0.0040
314610	24.00	25.00	1.00	0.0230	0.0063	0.0043
314611	25.00	26.45	1.45	0.0316	0.0103	0.0039

Hole Number: KB-07-57

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
26.45	28.85	MDCHL, Mafic Dike Chloritic Mineralization 26.45 - 28.85 Structure 26.45 - 28.85 : MODFOL Moderately Foliated, 40 Deg to CA	314612	26.45	27.50	1.05	0.0057	0.0065	0.0024
			314613	27.50	28.85	1.35	0.0119	0.0135	0.0026
28.85	52.75	TSCH, Talc Schist Mineralization 28.85 - 52.75 Structure 28.85 - 52.75 : STRFOL Strongly Foliated, 45 Deg to CA	314614	28.85	30.00	1.15	0.0334	0.0456	0.0040
			314615	30.00	31.00	1.00	0.1444	0.2364	0.0049
			314616	31.00	32.00	1.00	0.1769	0.2726	0.0057
			314617	32.00	33.00	1.00	0.1953	0.2442	0.0070
			314618	33.00	34.00	1.00	0.1477	0.2562	0.0074
			314619	34.00	35.00	1.00	0.3552	0.4943	0.0114
			314620	35.00	36.00	1.00	0.2476	0.3425	0.0090
			314621	36.00	37.00	1.00	0.2557	0.4550	0.0065
			314623	37.00	38.00	1.00	0.1844	0.2431	0.0069
			314624	38.00	39.00	1.00	0.0275	0.0077	0.0033
			314625	39.00	40.00	1.00	0.0836	0.1711	0.0051
			314626	40.00	41.00	1.00	0.0791	0.1446	0.0067
			314627	41.00	42.00	1.00	0.0588	0.0856	0.0060
			314628	42.00	43.00	1.00	0.1984	0.4237	0.0082
			314629	43.00	44.00	1.00	0.0382	0.0510	0.0049
			314630	44.00	45.00	1.00	0.0392	0.0503	0.0039
			314631	45.00	46.00	1.00	0.4352	0.5612	0.0141
			314632	46.00	47.00	1.00	0.1945	0.2381	0.0079
			314633	47.00	48.00	1.00	0.0462	0.0344	0.0045
			314634	48.00	49.00	1.00	0.0587	0.0621	0.0046
			314635	49.00	50.00	1.00	0.0746	0.1567	0.0065
			314636	50.00	51.00	1.00	0.0461	0.0795	0.0053
			314637	51.00	52.00	1.00	0.3771	0.5026	0.0109
			314638	52.00	52.75	0.75	0.3479	0.4847	0.0115
52.75	53.70	MDCHL, Mafic Dike Chloritic Mineralization 52.75 - 53.70 Structure 52.75 - 53.70 : MODFOL Moderately Foliated, 30 Deg to CA 52.75 - 53.70 : UC Upper Contact, 40 Deg to CA	314639	52.75	53.70	0.95	0.0059	0.0086	0.0022
53.70	56.30	TSCH, Talc Schist Mineralization 53.70 - 56.30 Structure 53.70 - 56.30 : STRFOL Strongly Foliated, 45 Deg to CA 53.70 - 56.30 : UC Upper Contact, 25 Deg to CA	314640	53.70	55.00	1.30	0.1984	0.2971	0.0083
			314642	55.00	56.30	1.30	0.0750	0.1287	0.0057

Hole Number: KB-07-57

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
56.30	57.15	MD, Mafic Dike Mineralization 56.30 - 57.15 Structure 56.30 - 57.15 56.30 - 57.15 : UC Upper Contact, 40 Deg to CA	314643	56.30	57.15	0.85	0.0276	0.0414	0.0025
57.15	61.65	TSCH, Talc Schist Mineralization 57.15 - 61.65 Structure 57.15 - 61.65 : STRFOL Strongly Foliated, 40 Deg to CA 57.15 - 61.65 : UC Upper Contact, 40 Deg to CA	314644	57.15	58.00	0.85	0.1109	0.3363	0.0089
			314645	58.00	59.00	1.00	0.0701	0.1463	0.0069
			314647	59.00	61.00	2.00	0.1896	0.2990	0.0085
			314648	61.00	61.65	0.65	0.3146	0.5130	0.0095
61.65	73.95	PYXT, Pyroxenite MV XENO Mineralization 61.65 - 73.95 Structure 61.65 - 73.95 : MODFOL Moderately Foliated, 40 Deg to CA	314649	61.65	63.00	1.35	0.9404	0.5702	0.0309
			314651	63.00	64.00	1.00	0.8087	0.8643	0.0208
			314652	64.00	65.00	1.00	1.5589	0.6306	0.0517
			314653	65.00	66.00	1.00	1.6626	0.7614	0.0352
			314654	66.00	67.00	1.00	0.6793	0.1882	0.0168
			314655	67.00	68.00	1.00	1.0620	0.4156	0.0240
			314656	68.00	69.00	1.00	0.2519	0.0561	0.0110
			314657	69.00	70.00	1.00	0.5401	0.1376	0.0138
			314658	70.00	71.00	1.00	0.6516	0.2473	0.0206
			314659	71.00	72.00	1.00	0.8917	0.3823	0.0255
			314660	72.00	73.00	1.00	0.3342	0.1546	0.0122
			314661	73.00	73.95	0.95	1.6416	0.8225	0.0428
73.95	76.50	MV, Mafic Volcanic Mineralization 73.95 - 76.50 PY Structure 73.95 - 76.50	314663	73.95	75.00	1.05	0.0607	0.0321	0.0066
			314664	75.00	76.50	1.50	0.0144	0.0210	0.0059
76.50	78.10	MDCHL, Mafic Dike Chloritic Mineralization 76.50 - 78.10 Structure 76.50 - 78.10 : STRFOL Strongly Foliated, 30 Deg to CA	314665	76.50	78.10	1.60	0.0675	0.0557	0.0063

Hole Number: KB-07-57

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
78.10	85.55	TSCH, Talc Schist Mineralization 78.10 - 85.55 Structure 78.10 - 85.55 : STRFOL Strongly Foliated, 45 Deg to CA	314666	78.10	79.00	0.90	0.6323	0.9640	0.0137
			314667	79.00	80.00	1.00	0.6657	0.8200	0.0164
			314668	80.00	81.00	1.00	0.3445	0.5014	0.0117
			314669	81.00	82.00	1.00	0.2918	0.3768	0.0099
			314670	82.00	83.00	1.00	0.3018	0.3699	0.0102
			314671	83.00	84.00	1.00	0.0658	0.0719	0.0058
			314672	84.00	85.00	1.00	0.0319	0.0201	0.0039
			314673	85.00	85.50	0.50	0.1079	0.1329	0.0075
			314674	85.50	86.20	0.70	0.0210	0.0162	0.0036
85.55	86.20	MD, Mafic Dike Mineralization 85.55 - 86.20 Structure 85.55 - 86.20							
86.20	91.00	TSCH, Talc Schist Mineralization 86.20 - 91.00 Structure 86.20 - 91.00 : STRFOL Strongly Foliated, 45 Deg to CA	314675	86.20	87.00	0.80	0.0859	0.2091	0.0058
			314676	87.00	88.00	1.00	0.0287	0.0038	0.0046
			314677	88.00	89.00	1.00	0.0287	0.0056	0.0054
			314678	89.00	90.00	1.00	0.0314	0.0051	0.0060
			314679	90.00	91.00	1.00	0.0285	0.0032	0.0055
91.00	108.55	MV, Mafic Volcanic Mineralization 91.00 - 108.55 Structure 91.00 - 96.00 : STRFOL Strongly Foliated, 45 Deg to CA 96.00 - 108.55 : MODFOL Moderately Foliated, 40 Deg to CA	314680	91.00	92.00	1.00	0.0324	0.0036	0.0050
			314681	92.00	93.00	1.00	0.0313	0.0035	0.0055
			314682	93.00	94.00	1.00	0.0252	0.0044	0.0046
			314683	94.00	95.00	1.00	0.0363	0.0029	0.0055
			314684	95.00	96.00	1.00	0.0600	0.0296	0.0062
			314685	96.00	97.00	1.00	0.0190	0.0111	0.0071
			314686	97.00	98.00	1.00	0.0134	0.0099	0.0070
			314687	98.00	99.00	1.00	0.0121	0.0112	0.0062
108.55	109.50	MD, Mafic Dike Mineralization 108.55 - 109.50 Structure 108.55 - 109.50							
109.50	131.00	MV, Mafic Volcanic LOC BANDING Mineralization 109.50 - 131.00 Structure 109.50 - 131.00 : MODFOL Moderately Foliated, 45 Deg to CA							

Hole Number: KB-07-57

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314598	11.90	13.00	0.0215	0.0058	0.0040
314599	13.00	14.00	0.0260	0.0069	0.0049
314600	14.00	15.00	0.0272	0.0057	0.0042
314601	15.00	16.00	0.0256	0.0063	0.0038
314602	16.00	17.00	0.0233	0.0058	0.0037
314603	17.00	18.00	0.0250	0.0077	0.0034
314604	18.00	19.00	0.0227	0.0060	0.0041
314605	19.00	20.00	0.0251	0.0054	0.0039
314606	20.00	21.00	0.0251	0.0044	0.0037
314607	21.00	22.00	0.0272	0.0042	0.0043
314608	22.00	23.00	0.0260	0.0052	0.0040
314609	23.00	24.00	0.0248	0.0057	0.0040
314610	24.00	25.00	0.0230	0.0063	0.0043
314611	25.00	26.45	0.0316	0.0103	0.0039
314612	26.45	27.50	0.0057	0.0065	0.0024
314613	27.50	28.85	0.0119	0.0135	0.0026
314614	28.85	30.00	0.0334	0.0456	0.0040
314615	30.00	31.00	0.1444	0.2364	0.0049
314616	31.00	32.00	0.1769	0.2726	0.0057
314617	32.00	33.00	0.1953	0.2442	0.0070
314618	33.00	34.00	0.1477	0.2562	0.0074
314619	34.00	35.00	0.3552	0.4943	0.0114
314620	35.00	36.00	0.2476	0.3425	0.0090
314621	36.00	37.00	0.2557	0.4550	0.0065
314623	37.00	38.00	0.1844	0.2431	0.0069
314624	38.00	39.00	0.0275	0.0077	0.0033
314625	39.00	40.00	0.0836	0.1711	0.0051
314626	40.00	41.00	0.0791	0.1446	0.0067
314627	41.00	42.00	0.0588	0.0856	0.0060
314628	42.00	43.00	0.1984	0.4237	0.0082
314629	43.00	44.00	0.0382	0.0510	0.0049
314630	44.00	45.00	0.0392	0.0503	0.0039
314631	45.00	46.00	0.4352	0.5612	0.0141
314632	46.00	47.00	0.1945	0.2381	0.0079
314633	47.00	48.00	0.0462	0.0344	0.0045
314634	48.00	49.00	0.0587	0.0621	0.0046
314635	49.00	50.00	0.0746	0.1567	0.0065

Hole Number: KB-07-57

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314636	50.00	51.00	0.0461	0.0795	0.0053
314637	51.00	52.00	0.3771	0.5026	0.0109
314638	52.00	52.75	0.3479	0.4847	0.0115
314639	52.75	53.70	0.0059	0.0086	0.0022
314640	53.70	55.00	0.1984	0.2971	0.0083
314642	55.00	56.30	0.0750	0.1287	0.0057
314643	56.30	57.15	0.0276	0.0414	0.0025
314644	57.15	58.00	0.1109	0.3363	0.0089
314645	58.00	59.00	0.0701	0.1463	0.0069
314647	59.00	61.00	0.1896	0.2990	0.0085
314648	61.00	61.65	0.3146	0.5130	0.0095
314649	61.65	63.00	0.9404	0.5702	0.0309
314651	63.00	64.00	0.8087	0.8643	0.0208
314652	64.00	65.00	1.5589	0.6306	0.0517
314653	65.00	66.00	1.6626	0.7614	0.0352
314654	66.00	67.00	0.6793	0.1882	0.0168
314655	67.00	68.00	1.0620	0.4156	0.0240
314656	68.00	69.00	0.2519	0.0561	0.0110
314657	69.00	70.00	0.5401	0.1376	0.0138
314658	70.00	71.00	0.6516	0.2473	0.0206
314659	71.00	72.00	0.8917	0.3823	0.0255
314660	72.00	73.00	0.3342	0.1546	0.0122
314661	73.00	73.95	1.6416	0.8225	0.0428
314663	73.95	75.00	0.0607	0.0321	0.0066
314664	75.00	76.50	0.0144	0.0210	0.0059
314665	76.50	78.10	0.0675	0.0557	0.0063
314666	78.10	79.00	0.6323	0.9640	0.0137
314667	79.00	80.00	0.6657	0.8200	0.0164
314668	80.00	81.00	0.3445	0.5014	0.0117
314669	81.00	82.00	0.2918	0.3768	0.0099
314670	82.00	83.00	0.3018	0.3699	0.0102
314671	83.00	84.00	0.0658	0.0719	0.0058
314672	84.00	85.00	0.0319	0.0201	0.0039
314673	85.00	85.50	0.1079	0.1329	0.0075
314674	85.50	86.20	0.0210	0.0162	0.0036
314675	86.20	87.00	0.0859	0.2091	0.0058
314676	87.00	88.00	0.0287	0.0038	0.0046

Hole Number: KB-07-57

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314677	88.00	89.00	0.0287	0.0056	0.0054
314678	89.00	90.00	0.0314	0.0051	0.0060
314679	90.00	91.00	0.0285	0.0032	0.0055
314680	91.00	92.00	0.0324	0.0036	0.0050
314681	92.00	93.00	0.0313	0.0035	0.0055
314682	93.00	94.00	0.0252	0.0044	0.0046
314683	94.00	95.00	0.0363	0.0029	0.0055
314684	95.00	96.00	0.0600	0.0296	0.0062
314685	96.00	97.00	0.0190	0.0111	0.0071
314686	97.00	98.00	0.0134	0.0099	0.0070
314687	98.00	99.00	0.0121	0.0112	0.0062

DETAILED LOG

Hole Number: KB-07-56 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -46.50
Project Number:	19900	North:	5481364.00		North:	5481364.00	Collar Az: 307.40
Location:	Surface	East:	453836.40		East:	453836.40	Length: 101.00 (m)
		Elev:	382.29		Elev:	382.29	Start Depth: 0.00 (m)
Date Started:	May 23, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 101.00 (m)
Date Completed:	May 24, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	11.00	16.00	5.00	0.2205	0.4800	0.0097
WEIGHTED	32.00	52.00	20.00	0.2471	0.2662	0.0098
WEIGHTED	39.00	53.00	14.00	0.2617	0.3484	0.0098
WEIGHTED	44.30	50.00	5.70	0.3975	0.6288	0.0117
WEIGHTED	44.30	53.00	8.70	0.3349	0.4941	0.0108
WEIGHTED	47.00	50.00	3.00	0.5041	0.8613	0.0128

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	307.40	-46.50	EZ	OK	5888	50.00	309.10	-46.10	EZ	OK	5757
101.00	310.30	-45.30	EZ	OK	5764						

Detailed Lithology

From (m)	To (m)	Lithology
0	4.00	CAS, Casing
4.00	4.80	TSCH, Talc Schist Mineralization 4.00 - 4.80 Structure 4.00 - 4.80
4.80	6.60	MDCHL, Mafic Dike Chloritic Mineralization 4.80 - 6.60 Structure 4.80 - 6.60 4.80 - 6.60 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313680	4.00	4.80	0.80	0.1277	0.2294	0.0068
313681	4.80	6.00	1.20	0.0126	0.0148	0.0052
313683	6.00	6.60	0.60	0.0046	0.0055	0.0026

DETAILED LOG

Hole Number: KB-07-56

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
6.60	19.50	TSCH, Talc Schist fault gouges Mineralization 6.60 - 19.50 Structure 6.60 - 19.50 : STRFOL Strongly Foliated, 40 Deg to CA 6.60 - 19.50 : UC Upper Contact, 40 Deg to CA	313684	6.60	8.00	1.40	0.1000	0.1829	0.0057
			313685	8.00	9.00	1.00	0.1009	0.1813	0.0046
			313686	9.00	10.00	1.00	0.0344	0.0586	0.0041
			313687	10.00	11.00	1.00	0.0358	0.0476	0.0050
			313688	11.00	12.00	1.00	0.1322	0.2904	0.0081
			313689	12.00	13.00	1.00	0.2225	0.3762	0.0078
			313690	13.00	14.00	1.00	0.3020	1.0533	0.0159
			313691	14.00	15.00	1.00	0.3805	0.6046	0.0105
			313692	15.00	16.00	1.00	0.0654	0.0756	0.0063
			313693	16.00	17.00	1.00	0.0818	0.1046	0.0068
			313694	17.00	18.00	1.00	0.1923	0.3475	0.0082
			313695	18.00	19.00	1.00	0.0929	0.1898	0.0078
			313696	19.00	19.50	0.50	0.0602	0.1006	0.0063
19.50	20.30	MDCHL, Mafic Dike Chloritic Mineralization 19.50 - 20.30 Structure 19.50 - 20.30 19.50 - 20.30 : UC Upper Contact, 40 Deg to CA	313697	19.50	20.30	0.80	0.0040	0.0048	0.0020
20.30	25.25	TSCH, Talc Schist with mv xenos Mineralization 20.30 - 25.25 Structure 20.30 - 25.10 : STRFOL Strongly Foliated, 40 Deg to CA 25.10 - 25.25 : UC Upper Contact, 40 Deg to CA	313698	20.30	21.00	0.70	0.0752	0.0784	0.0062
			313700	21.00	22.00	1.00	0.0591	0.0372	0.0041
			313701	22.00	23.00	1.00	0.2240	0.3017	0.0073
			313702	23.00	24.00	1.00	0.1071	0.1652	0.0064
			313703	24.00	25.25	1.25	0.1295	0.2391	0.0070
25.25	34.50	PYXT, Pyroxenite Mineralization 25.25 - 34.50 10-25 in local banded areas Structure 25.25 - 34.50 : MODFOL Moderately Foliated, 40 Deg to CA 25.25 - 34.50 vague	313704	25.25	26.00	0.75	0.0117	0.0085	0.0029
			313705	26.00	27.00	1.00	0.0910	0.0918	0.0065
			313706	27.00	28.00	1.00	0.2269	0.1151	0.0107
			313707	28.00	29.00	1.00	0.1067	0.0565	0.0080
			313708	29.00	30.00	1.00	0.1622	0.0786	0.0090
			313709	30.00	31.00	1.00	0.2082	0.0466	0.0080
			313710	31.00	32.00	1.00	0.0312	0.0136	0.0051
			313711	32.00	33.00	1.00	0.5228	0.2597	0.0170
			313712	33.00	34.00	1.00	0.3843	0.1234	0.0150
			313713	34.00	34.50	0.50	0.5742	0.2556	0.0224
34.50	36.00	MD, Mafic Dike Mineralization 34.50 - 36.00 Structure 34.50 - 36.00 34.50 - 36.00	313714	34.50	36.00	1.50	0.0179	0.0264	0.0041

Hole Number: KB-07-56

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
36.00	39.00	MV, Mafic Volcanic with min pyxt dyke at upper contct Mineralization 36.00 - 39.00 Structure 36.00 - 39.00 : MODFOL Moderately Foliated, 30 Deg to CA 36.00 - 39.00 : UC Upper Contact, 40 Deg to CA	313715	36.00	37.00	1.00	0.1546	0.0433	0.0074
			313716	37.00	38.00	1.00	0.0170	0.0151	0.0051
			313717	38.00	39.00	1.00	0.0159	0.0193	0.0047
39.00	41.90	PYXT, Pyroxenite Mineralization 39.00 - 40.65 40.65 - 41.90 Structure 39.00 - 41.90 : STRFOL Strongly Foliated, 45 Deg to CA 39.00 - 41.90 : UC Upper Contact, 45 Deg to CA	313718	39.00	40.00	1.00	0.3532	0.3654	0.0170
			313720	40.00	40.65	0.65	0.4154	0.1609	0.0147
			313721	40.65	41.90	1.25	0.0524	0.0431	0.0067
41.90	44.30	MDCHL, Mafic Dike Chloritic Mineralization 41.90 - 44.30 Structure 41.90 - 44.30 : MODFOL Moderately Foliated, 40 Deg to CA 41.90 - 44.30 : UC Upper Contact, 40 Deg to CA	313722	41.90	43.00	1.10	0.0423	0.0384	0.0039
			313723	43.00	44.30	1.30	0.0116	0.0099	0.0032
44.30	47.90	TSCH, Talc Schist Mineralization 44.30 - 47.90 Structure 44.30 - 47.90 : STRFOL Strongly Foliated, 30 Deg to CA 44.30 - 47.90 : UC Upper Contact, 35 Deg to CA	313724	44.30	45.00	0.70	0.4437	0.5662	0.0123
			313725	45.00	46.00	1.00	0.1908	0.2550	0.0093
			313726	46.00	47.00	1.00	0.2519	0.3493	0.0103
			313727	47.00	47.90	0.90	0.4985	0.9456	0.0125
47.90	48.50	MD, Mafic Dike Mineralization 47.90 - 48.50 Structure 47.90 - 48.50 47.90 - 48.50 : UC Upper Contact, 40 Deg to CA	313728	47.90	48.50	0.60	0.5672	0.9498	0.0127
48.50	54.40	TSCH, Talc Schist Mineralization 48.50 - 54.40 Structure 48.50 - 54.40 : STRFOL Strongly Foliated, 30 Deg to CA 48.50 - 54.40 : UC Upper Contact, 30 Deg to CA	313729	48.50	49.00	0.50	0.5509	0.9178	0.0125
			313731	49.00	50.00	1.00	0.4479	0.7040	0.0132
			313732	50.00	51.00	1.00	0.2865	0.2309	0.0070
			313733	51.00	52.00	1.00	0.2303	0.3010	0.0113
			313734	52.00	53.00	1.00	0.1314	0.1823	0.0091
			313735	53.00	54.40	1.40	0.0431	0.0567	0.0040

Hole Number: KB-07-56 Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
54.40	56.45	MD, Mafic Dike with tsch dyke Mineralization 54.40 - 56.45 Structure 54.40 - 56.45 54.40 - 56.45 : UC Upper Contact, 45 Deg to CA
56.45	66.70	TSCH, Talc Schist Mineralization 56.45 - 66.70 Structure 56.45 - 66.70 : STRFOL Strongly Foliated, 40 Deg to CA 56.45 - 66.70 : UC Upper Contact, 45 Deg to CA
66.70	67.90	MDCHL, Mafic Dike Chloritic Mineralization 66.70 - 67.90 Structure 66.70 - 67.90 : MODFOL Moderately Foliated, 45 Deg to CA 66.70 - 67.90 : UC Upper Contact, 40 Deg to CA
67.90	71.20	TSCH, Talc Schist Mineralization 67.90 - 71.20 Structure 67.90 - 71.20 : STRFOL Strongly Foliated, 40 Deg to CA 67.90 - 71.20 : UC Upper Contact, 40 Deg to CA
71.20	101.00	MV, Mafic Volcanic Mineralization 71.20 - 101.00 Structure 71.20 - 101.00 : MODFOL Moderately Foliated, 40 Deg to CA 71.20 - 101.00 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313736	54.40	55.00	0.60	0.0109	0.0102	0.0035
313737	55.00	56.45	1.45	0.0114	0.0043	0.0036
313738	56.45	57.00	0.55	0.0243	0.0082	0.0049
313740	57.00	58.00	1.00	0.0240	0.0230	0.0041
313741	58.00	59.00	1.00	0.0214	0.0052	0.0035
313742	59.00	60.00	1.00	0.0250	0.0041	0.0045
313743	60.00	61.00	1.00	0.0295	0.0038	0.0049
313744	61.00	62.00	1.00	0.0304	0.0042	0.0047
313745	62.00	63.00	1.00	0.0340	0.0048	0.0059
313746	63.00	64.00	1.00	0.0290	0.0031	0.0052
313747	64.00	65.00	1.00	0.0673	0.0485	0.0070
313748	65.00	66.00	1.00	0.0307	0.0034	0.0053
313749	66.00	66.70	0.70	0.0370	0.0038	0.0055
313750	66.70	67.90	1.20	0.0054	0.0055	0.0021
313751	67.90	69.00	1.10	0.0336	0.0037	0.0052
313752	69.00	70.00	1.00	0.0308	0.0042	0.0049
313753	70.00	71.20	1.20	0.0478	0.0290	0.0054
313754	71.20	72.00	0.80	0.0472	0.0462	0.0060
313756	72.00	73.00	1.00	0.0108	0.0071	0.0046
313757	73.00	74.00	1.00	0.0203	0.0060	0.0053
313758	74.00	75.00	1.00	0.0151	0.0060	0.0063

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313680	4.00	4.80	0.1277	0.2294	0.0068

Hole Number: KB-07-56

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313681	4.80	6.00	0.0126	0.0148	0.0052
313683	6.00	6.60	0.0046	0.0055	0.0026
313684	6.60	8.00	0.1000	0.1829	0.0057
313685	8.00	9.00	0.1009	0.1813	0.0046
313686	9.00	10.00	0.0344	0.0586	0.0041
313687	10.00	11.00	0.0358	0.0476	0.0050
313688	11.00	12.00	0.1322	0.2904	0.0081
313689	12.00	13.00	0.2225	0.3762	0.0078
313690	13.00	14.00	0.3020	1.0533	0.0159
313691	14.00	15.00	0.3805	0.6046	0.0105
313692	15.00	16.00	0.0654	0.0756	0.0063
313693	16.00	17.00	0.0818	0.1046	0.0068
313694	17.00	18.00	0.1923	0.3475	0.0082
313695	18.00	19.00	0.0929	0.1898	0.0078
313696	19.00	19.50	0.0602	0.1006	0.0063
313697	19.50	20.30	0.0040	0.0048	0.0020
313698	20.30	21.00	0.0752	0.0784	0.0062
313700	21.00	22.00	0.0591	0.0372	0.0041
313701	22.00	23.00	0.2240	0.3017	0.0073
313702	23.00	24.00	0.1071	0.1652	0.0064
313703	24.00	25.25	0.1295	0.2391	0.0070
313704	25.25	26.00	0.0117	0.0085	0.0029
313705	26.00	27.00	0.0910	0.0918	0.0065
313706	27.00	28.00	0.2269	0.1151	0.0107
313707	28.00	29.00	0.1067	0.0565	0.0080
313708	29.00	30.00	0.1622	0.0786	0.0090
313709	30.00	31.00	0.2082	0.0466	0.0080
313710	31.00	32.00	0.0312	0.0136	0.0051
313711	32.00	33.00	0.5228	0.2597	0.0170
313712	33.00	34.00	0.3843	0.1234	0.0150
313713	34.00	34.50	0.5742	0.2556	0.0224
313714	34.50	36.00	0.0179	0.0264	0.0041
313715	36.00	37.00	0.1546	0.0433	0.0074
313716	37.00	38.00	0.0170	0.0151	0.0051
313717	38.00	39.00	0.0159	0.0193	0.0047
313718	39.00	40.00	0.3532	0.3654	0.0170
313720	40.00	40.65	0.4154	0.1609	0.0147

Hole Number: KB-07-56

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313721	40.65	41.90	0.0524	0.0431	0.0067
313722	41.90	43.00	0.0423	0.0384	0.0039
313723	43.00	44.30	0.0116	0.0099	0.0032
313724	44.30	45.00	0.4437	0.5662	0.0123
313725	45.00	46.00	0.1908	0.2550	0.0093
313726	46.00	47.00	0.2519	0.3493	0.0103
313727	47.00	47.90	0.4985	0.9456	0.0125
313728	47.90	48.50	0.5672	0.9498	0.0127
313729	48.50	49.00	0.5509	0.9178	0.0125
313731	49.00	50.00	0.4479	0.7040	0.0132
313732	50.00	51.00	0.2865	0.2309	0.0070
313733	51.00	52.00	0.2303	0.3010	0.0113
313734	52.00	53.00	0.1314	0.1823	0.0091
313735	53.00	54.40	0.0431	0.0567	0.0040
313736	54.40	55.00	0.0109	0.0102	0.0035
313737	55.00	56.45	0.0114	0.0043	0.0036
313738	56.45	57.00	0.0243	0.0082	0.0049
313740	57.00	58.00	0.0240	0.0230	0.0041
313741	58.00	59.00	0.0214	0.0052	0.0035
313742	59.00	60.00	0.0250	0.0041	0.0045
313743	60.00	61.00	0.0295	0.0038	0.0049
313744	61.00	62.00	0.0304	0.0042	0.0047
313745	62.00	63.00	0.0340	0.0048	0.0059
313746	63.00	64.00	0.0290	0.0031	0.0052
313747	64.00	65.00	0.0673	0.0485	0.0070
313748	65.00	66.00	0.0307	0.0034	0.0053
313749	66.00	66.70	0.0370	0.0038	0.0055
313750	66.70	67.90	0.0054	0.0055	0.0021
313751	67.90	69.00	0.0336	0.0037	0.0052
313752	69.00	70.00	0.0308	0.0042	0.0049
313753	70.00	71.20	0.0478	0.0290	0.0054
313754	71.20	72.00	0.0472	0.0462	0.0060
313756	72.00	73.00	0.0108	0.0071	0.0046
313757	73.00	74.00	0.0203	0.0060	0.0053
313758	74.00	75.00	0.0151	0.0060	0.0063

DETAILED LOG

Hole Number: KB-07-55 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-46.00
Project Number:	19900	North:	5481380.00	North:	5481380.00	Collar Az:	303.70
Location:	Surface	East:	453817.40	East:	453817.40	Length:	71.00 (m)
		Elev:	381.30	Elev:	381.30	Start Depth:	0.00 (m)
Date Started:	May 22, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	71.00 (m)
Date Completed:	May 23, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	333.40	-46.00	EZ	DO	7536	70.00	303.70	-46.20	EZ	OK	5755

Detailed Lithology

From (m)	To (m)	Lithology
0	5.00	CAS, Casing
5.00	25.90	TSCH, Talc Schist Mineralization 5.00 - 25.90 Structure 5.00 - 25.90 : STRFOL Strongly Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313642	5.00	6.00	1.00	0.2849	0.5465	0.0106
313643	6.00	7.00	1.00	0.2677	0.4552	0.0097
313644	7.00	8.00	1.00	0.0333	0.0475	0.0049
313645	8.00	9.00	1.00	0.0399	0.0545	0.0037
313646	9.00	10.00	1.00	0.0232	0.0106	0.0034
313647	10.00	11.00	1.00	0.5395	0.2068	0.0173
313648	11.00	12.00	1.00	0.0705	0.0833	0.0067
313649	12.00	13.00	1.00	0.0332	0.0085	0.0048
313650	13.00	14.00	1.00	0.0277	0.0119	0.0047
313651	14.00	15.00	1.00	0.0267	0.0106	0.0042
313652	15.00	16.00	1.00	0.0237	0.0071	0.0045
313653	16.00	17.00	1.00	0.0261	0.0061	0.0036
313654	17.00	18.00	1.00	0.0489	0.0806	0.0049
313655	18.00	19.00	1.00	0.0547	0.0508	0.0052
313656	19.00	20.00	1.00	0.0244	0.0050	0.0039
313657	20.00	21.00	1.00	0.0238	0.0034	0.0037
313658	21.00	22.00	1.00	0.1394	0.0137	0.0066
313659	22.00	23.00	1.00	0.0475	0.0178	0.0046
313660	23.00	24.00	1.00	0.0475	0.0180	0.0048
313661	24.00	25.00	1.00	0.0248	0.0049	0.0045
313662	25.00	25.90	0.90	0.0307	0.0054	0.0059

DETAILED LOG

Hole Number: KB-07-55

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
25.90	28.50	MDCHL, Mafic Dike Chloritic with tsch inclusion Mineralization 25.90 - 28.50 Structure 25.90 - 28.50 : STRFOL Strongly Foliated, 45 Deg to CA 25.90 - 28.50 : UC Upper Contact, 50 Deg to CA
28.50	33.30	TSCH, Talc Schist Mineralization 28.50 - 33.30 Structure 28.50 - 30.00 folded and kinked zone 28.50 - 33.30 : UC Upper Contact, 40 Deg to CA 30.00 - 33.30 : STRFOL Strongly Foliated, 30 Deg to CA
33.30	34.60	MD, Mafic Dike with tsch inclusion Mineralization 33.30 - 34.60 Structure 33.30 - 34.60 : MODFOL Moderately Foliated, 45 Deg to CA 33.30 - 34.60 : UC Upper Contact, 45 Deg to CA
34.60	35.85	TSCH, Talc Schist Mineralization 34.60 - 35.85 Structure 34.60 - 35.85 : STRFOL Strongly Foliated, 45 Deg to CA 34.60 - 35.85 : UC Upper Contact, 45 Deg to CA
35.85	71.00	MV, Mafic Volcanic Mineralization 35.85 - 71.00 Structure 35.85 - 71.00 : MODFOL Moderately Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313663	25.90	28.50	2.60	0.0210	0.0028	0.0038
313667	28.50	29.00	0.50	0.0397	0.0069	0.0063
313668	29.00	30.00	1.00	0.0435	0.0082	0.0069
313669	30.00	31.00	1.00	0.0456	0.0051	0.0065
313670	31.00	32.00	1.00	0.0510	0.0050	0.0069
313671	32.00	33.30	1.30	0.0470	0.0065	0.0068
313672	33.30	34.60	1.30	0.0195	0.0036	0.0043
313673	34.60	35.85	1.25	0.0969	0.0999	0.0069
313674	35.85	37.00	1.15	0.0149	0.0111	0.0055
313675	37.00	38.00	1.00	0.0124	0.0095	0.0061
313676	38.00	39.00	1.00	0.0109	0.0110	0.0059
313677	39.00	40.00	1.00	0.0088	0.0047	0.0039
313678	40.00	41.00	1.00	0.0128	0.0111	0.0066

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313642	5.00	6.00	0.2849	0.5465	0.0106
313643	6.00	7.00	0.2677	0.4552	0.0097
313644	7.00	8.00	0.0333	0.0475	0.0049
313645	8.00	9.00	0.0399	0.0545	0.0037

Hole Number: KB-07-55

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313646	9.00	10.00	0.0232	0.0106	0.0034
313647	10.00	11.00	0.5395	0.2068	0.0173
313648	11.00	12.00	0.0705	0.0833	0.0067
313649	12.00	13.00	0.0332	0.0085	0.0048
313650	13.00	14.00	0.0277	0.0119	0.0047
313651	14.00	15.00	0.0267	0.0106	0.0042
313652	15.00	16.00	0.0237	0.0071	0.0045
313653	16.00	17.00	0.0261	0.0061	0.0036
313654	17.00	18.00	0.0489	0.0806	0.0049
313655	18.00	19.00	0.0547	0.0508	0.0052
313656	19.00	20.00	0.0244	0.0050	0.0039
313657	20.00	21.00	0.0238	0.0034	0.0037
313658	21.00	22.00	0.1394	0.0137	0.0066
313659	22.00	23.00	0.0475	0.0178	0.0046
313660	23.00	24.00	0.0475	0.0180	0.0048
313661	24.00	25.00	0.0248	0.0049	0.0045
313662	25.00	25.90	0.0307	0.0054	0.0059
313663	25.90	28.50	0.0210	0.0028	0.0038
313667	28.50	29.00	0.0397	0.0069	0.0063
313668	29.00	30.00	0.0435	0.0082	0.0069
313669	30.00	31.00	0.0456	0.0051	0.0065
313670	31.00	32.00	0.0510	0.0050	0.0069
313671	32.00	33.30	0.0470	0.0065	0.0068
313672	33.30	34.60	0.0195	0.0036	0.0043
313673	34.60	35.85	0.0969	0.0999	0.0069
313674	35.85	37.00	0.0149	0.0111	0.0055
313675	37.00	38.00	0.0124	0.0095	0.0061
313676	38.00	39.00	0.0109	0.0110	0.0059
313677	39.00	40.00	0.0088	0.0047	0.0039
313678	40.00	41.00	0.0128	0.0111	0.0066

DETAILED LOG

Hole Number: KB-07-54

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481380.00	North:	5481380.00	Collar Az:	315.10
Location:	Surface	East:	453869.50	East:	453869.50	Length:	115.50 (m)
		Elev:	382.64	Elev:	382.64	Start Depth:	0.00 (m)
Date Started:	May 21, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	115.50 (m)
Date Completed:	May 22, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	12.00	50.00	38.00	0.2881	0.1931	0.0102
WEIGHTED	15.00	16.90	1.90	0.9826	0.2653	0.0245
WEIGHTED	20.00	30.00	10.00	0.5983	0.4218	0.0164

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	315.10	-44.90	EZ	OK	5747	50.00	319.40	-44.80	EZ	OK	5739
101.00	317.10	-43.10	EZ	OK	5758						

Detailed Lithology

From (m)	To (m)	Lithology
0	3.30	CAS, Casing
3.30	5.50	MDCHL, Mafic Dike Chloritic Mineralization 3.30 - 5.50 Structure 3.30 - 5.50
5.50	12.00	PYXT, Pyroxenite Mineralization 5.50 - 8.30 8.30 - 12.00 Structure 5.50 - 12.00 : MODFOL Moderately Foliated, 45 Deg to CA 5.50 - 12.00 : UC Upper Contact, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E807278	3.30	4.00	0.70	0.0063	0.0047	0.0021
E807279	4.00	5.50	1.50	0.0077	0.0069	0.0022
E807280	5.50	6.00	0.50	0.0257	0.0065	0.0033
E807281	6.00	7.00	1.00	0.0191	0.0061	0.0034
E807282	7.00	8.00	1.00	0.0240	0.0067	0.0034
E807283	8.00	9.00	1.00	0.0713	0.1080	0.0048
E807284	9.00	10.00	1.00	0.2304	0.4004	0.0089
E807285	10.00	11.00	1.00	0.0619	0.1000	0.0050
E807286	11.00	12.00	1.00	0.0496	0.0847	0.0048

Hole Number: KB-07-54

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
12.00	12.60	MD, Mafic Dike Mineralization 12.00 - 12.60 Structure 12.00 - 12.60 12.00 - 12.60 : UC Upper Contact, 50 Deg to CA	E807287	12.00	12.60	0.60	0.1932	0.1192	0.0144
12.60	27.80	PYXT, Pyroxenite Mineralization 12.60 - 16.90 16.90 - 20.80 Assimulated MV xenoliths 20.80 - 27.80 Structure 12.60 - 27.80 12.60 - 27.80 : UC Upper Contact, 40 Deg to CA	E807288	12.60	13.20	0.60	0.3769	1.9459	0.0244
			E807289	13.20	14.00	0.80	0.1083	0.0786	0.0058
			E807290	14.00	15.00	1.00	0.0444	0.0141	0.0041
			E807291	15.00	16.00	1.00	1.2955	0.2978	0.0258
			E807292	16.00	16.90	0.90	0.6349	0.2292	0.0230
			E807294	16.90	18.00	1.10	0.0544	0.0535	0.0052
			E807295	18.00	19.00	1.00	0.0180	0.0110	0.0047
			E807296	19.00	20.00	1.00	0.0853	0.0570	0.0063
			E807298	20.00	20.80	0.80	0.2641	0.1537	0.0101
			E807299	20.80	22.00	1.20	0.3087	0.1928	0.0115
			E807300	22.00	23.00	1.00	0.4878	0.3682	0.0155
			E807301	23.00	24.00	1.00	0.5514	0.3081	0.0149
			E807302	24.00	25.00	1.00	0.6301	0.3658	0.0154
			E807303	25.00	26.00	1.00	0.6048	0.2621	0.0147
			E807304	26.00	27.00	1.00	1.2419	0.2886	0.0267
			E807305	27.00	27.80	0.80	1.1655	2.0365	0.0311
27.80	30.70	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 27.80 - 30.70 Structure 27.80 - 30.70 27.80 - 30.70 : UC Upper Contact, 35 Deg to CA	E807306	27.80	29.00	1.20	0.5523	0.3173	0.0162
			E807307	29.00	30.00	1.00	0.2904	0.2607	0.0107
			E807308	30.00	30.70	0.70	0.0625	0.0604	0.0032
30.70	33.60	MDCHL, Mafic Dike Chloritic Mineralization 30.70 - 33.60 Structure 30.70 - 33.60 : MODFOL Moderately Foliated, 45 Deg to CA 30.70 - 33.60 : UC Upper Contact, 50 Deg to CA	E807309	30.70	32.00	1.30	0.0215	0.0090	0.0025
			E807310	32.00	33.60	1.60	0.0043	0.0037	0.0020
33.60	35.40	MV, Mafic Volcanic Mineralization 33.60 - 35.40 Structure 33.60 - 35.40 33.60 - 35.40 : UC Upper Contact, 30 Deg to CA	E807311	33.60	34.40	0.80	0.0200	0.0317	0.0056
			E807312	34.40	35.00	0.60	0.1615	0.0875	0.0083
			E807313	35.00	36.00	1.00	0.6341	0.1816	0.0179

Hole Number: KB-07-54

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
35.40	42.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 35.40 - 42.30 Structure 35.40 - 42.30 35.40 - 42.30 : UC Upper Contact, 65 Deg to CA	E807314	36.00	37.00	1.00	0.1130	0.1440	0.0065
			E807315	37.00	38.00	1.00	0.0532	0.0361	0.0054
			E807316	38.00	39.00	1.00	0.0409	0.0392	0.0055
			E807317	39.00	40.00	1.00	0.0187	0.0063	0.0042
			E807318	40.00	41.00	1.00	0.1075	0.2183	0.0058
			E807320	41.00	42.30	1.30	0.2354	0.2086	0.0088
42.30	44.50	FD, Felsic Dike Mineralization 42.30 - 44.50 Structure 42.30 - 44.50 42.30 - 44.50 : UC Upper Contact, 50 Deg to CA	E807321	42.30	43.50	1.20	0.0079	0.0085	0.0030
			E807322	43.50	44.50	1.00	0.0059	0.0048	0.0029
44.50	52.30	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 44.50 - 52.30 Structure 44.50 - 52.30 44.50 - 52.30 : UC Upper Contact, 50 Deg to CA	E807323	44.50	45.00	0.50	0.2789	0.1048	0.0105
			E807324	45.00	46.00	1.00	0.0723	0.0365	0.0046
			E807325	46.00	47.00	1.00	0.0737	0.0954	0.0042
			E807326	47.00	48.00	1.00	0.1575	0.1108	0.0064
			E807327	48.00	49.00	1.00	0.1888	0.0874	0.0086
			E807328	49.00	50.00	1.00	0.2365	0.2172	0.0093
			E807329	50.00	51.00	1.00	0.0211	0.0154	0.0061
			E807331	51.00	52.30	1.30	0.0221	0.0141	0.0055
52.30	59.50	MV, Mafic Volcanic Mineralization 52.30 - 59.50 Structure 52.30 - 59.50 52.30 - 59.50 : UC Upper Contact, 45 Deg to CA	E807332	52.30	54.00	1.70	0.0131	0.0127	0.0058
			E807333	54.00	55.00	1.00	0.0153	0.0159	0.0056
			E807334	55.00	56.00	1.00	0.0193	0.0137	0.0048
			E807335	56.00	57.00	1.00	0.0197	0.0148	0.0049
			E807336	57.00	58.00	1.00	0.0219	0.0125	0.0061
			E807337	58.00	59.00	1.00	0.2549	0.1658	0.0099
			E807338	59.00	59.50	0.50	0.0144	0.0151	0.0058
59.50	62.00	GAB, Gabbro Mineralization 59.50 - 62.00 Structure 59.50 - 62.00	E807339	59.50	61.00	1.50	0.0120	0.0151	0.0048
			E807340	61.00	62.00	1.00	0.0129	0.0138	0.0049
62.00	71.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 62.00 - 71.70 Structure 62.00 - 71.70	E807341	62.00	63.00	1.00	0.0679	0.0528	0.0057
			E807342	63.00	64.00	1.00	0.0337	0.0116	0.0047
			E807344	64.00	65.00	1.00	0.3546	0.1102	0.0121
			E807345	65.00	66.00	1.00	0.1656	0.0843	0.0073
			E807346	66.00	67.00	1.00	0.3353	0.1617	0.0109
			E807347	67.00	68.00	1.00	0.0828	0.1170	0.0064
			E807348	68.00	69.00	1.00	0.1799	0.1012	0.0075
			E807349	69.00	71.00	2.00	0.0125	0.0157	0.0048
			314560	71.00	71.70	0.70	0.0175	0.0075	0.0053

Hole Number: KB-07-54

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
71.70	76.20	MDCHL, Mafic Dike Chloritic Mineralization 71.70 - 76.20 Structure 71.70 - 76.20 71.70 - 76.20 : UC Upper Contact, 40 Deg to CA	314561	71.70	73.00	1.30	0.0052	0.0054	0.0025
			314563	73.00	74.00	1.00	0.0047	0.0037	0.0027
			314564	74.00	75.00	1.00	0.0048	0.0051	0.0028
			314565	75.00	76.20	1.20	0.0057	0.0049	0.0026
76.20	79.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 76.20 - 79.40 Structure 76.20 - 79.40 76.20 - 79.40 : UC Upper Contact, 45 Deg to CA	314566	76.20	77.00	0.80	0.2806	0.1588	0.0110
			314568	77.00	78.00	1.00	0.2298	0.1323	0.0098
			314569	78.00	79.40	1.40	0.2032	0.1221	0.0087
79.40	81.60	MDCHL, Mafic Dike Chloritic Mineralization 79.40 - 81.60 Structure 79.40 - 81.60 79.40 - 81.60 : UC Upper Contact, 30 Deg to CA	314570	79.40	80.00	0.60	0.0121	0.0074	0.0037
			314571	80.00	81.00	1.00	0.0103	0.0042	0.0037
			314572	81.00	81.60	0.60	0.0085	0.0055	0.0035
81.60	84.90	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 81.60 - 84.90 Structure 81.60 - 84.90	314573	81.60	83.00	1.40	0.0310	0.0178	0.0058
			314574	83.00	84.00	1.00	0.0183	0.0137	0.0054
			314575	84.00	84.90	0.90	0.0515	0.0292	0.0065
84.90	87.70	PYXT, Pyroxenite MVxenoliths Mineralization 84.90 - 87.70 Structure 84.90 - 87.70 84.90 - 87.70 : UC Upper Contact, 50 Deg to CA	314576	84.90	86.00	1.10	0.5271	0.3240	0.0156
			314578	86.00	87.00	1.00	0.1915	0.2975	0.0089
			314579	87.00	87.70	0.70	0.2030	0.1922	0.0119
87.70	89.40	MDCHL, Mafic Dike Chloritic Mineralization 87.70 - 89.40 Structure 87.70 - 89.40 87.70 - 89.40 : UC Upper Contact, 30 Deg to CA	314580	87.70	89.40	1.70	0.0180	0.0146	0.0028

Hole Number: KB-07-54

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
89.40	94.80	PYXT, Pyroxenite Mineralization 89.40 - 92.80 Abundant MV xenoliths 92.80 - 94.80 Structure 89.40 - 92.80 89.40 - 94.80 : UC Upper Contact, 30 Deg to CA 92.80 - 94.80 : MODFOL Moderately Foliated, 35 Deg to CA
94.80	99.10	TSCH, Talc Schist Mineralization 94.80 - 99.10 Structure 94.80 - 99.10 : STRFOL Strongly Foliated, 45 Deg to CA Folding and kink banding 94.80 - 99.10 : UC Upper Contact, 40 Deg to CA
99.10	100.60	MV, Mafic Volcanic Mineralization 99.10 - 100.60 Structure 99.10 - 100.60 : MODFOL Moderately Foliated, 50 Deg to CA 99.10 - 100.60 : UC Upper Contact, 45 Deg to CA
100.60	101.00	MDCHL, Mafic Dike Chloritic Mineralization 100.60 - 101.00 Structure 100.60 - 101.00 : MODFOL Moderately Foliated, 45 Deg to CA 100.60 - 101.00 : UC Upper Contact, 65 Deg to CA
101.00	115.50	MV, Mafic Volcanic Mineralization 101.00 - 115.50 Structure 101.00 - 115.50 : MODFOL Moderately Foliated, 45 Deg to CA Bad ground from 110.9 to 111.3. 101.00 - 115.50 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
314581	89.40	90.00	0.60	0.0407	0.0380	0.0059
314582	90.00	91.00	1.00	0.2437	0.3214	0.0108
314583	91.00	92.00	1.00	0.0380	0.0303	0.0078
314584	92.00	92.80	0.80	0.4444	0.3466	0.0134
314585	92.80	94.00	1.20	0.5725	0.7236	0.0153
314586	94.00	94.80	0.80	0.6766	0.7020	0.0195
314587	94.80	96.00	1.20	0.4137	0.4979	0.0107
314588	96.00	97.00	1.00	0.6988	0.7231	0.0170
314589	97.00	98.00	1.00	0.4272	0.5498	0.0141
314590	98.00	99.10	1.10	0.2816	0.3403	0.0082
314591	99.10	99.60	0.50	0.0127	0.0120	0.0033
314592	99.60	101.00	1.40	0.0924	0.0407	0.0062
314594	101.00	102.00	1.00	0.0077	0.0090	0.0033
314595	102.00	103.00	1.00	0.0099	0.0062	0.0045

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807278	3.30	4.00	0.0063	0.0047	0.0021
E807279	4.00	5.50	0.0077	0.0069	0.0022

Hole Number: KB-07-54

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807280	5.50	6.00	0.0257	0.0065	0.0033
E807281	6.00	7.00	0.0191	0.0061	0.0034
E807282	7.00	8.00	0.0240	0.0067	0.0034
E807283	8.00	9.00	0.0713	0.1080	0.0048
E807284	9.00	10.00	0.2304	0.4004	0.0089
E807285	10.00	11.00	0.0619	0.1000	0.0050
E807286	11.00	12.00	0.0496	0.0847	0.0048
E807287	12.00	12.60	0.1932	0.1192	0.0144
E807288	12.60	13.20	0.3769	1.9459	0.0244
E807289	13.20	14.00	0.1083	0.0786	0.0058
E807290	14.00	15.00	0.0444	0.0141	0.0041
E807291	15.00	16.00	1.2955	0.2978	0.0258
E807292	16.00	16.90	0.6349	0.2292	0.0230
E807294	16.90	18.00	0.0544	0.0535	0.0052
E807295	18.00	19.00	0.0180	0.0110	0.0047
E807296	19.00	20.00	0.0853	0.0570	0.0063
E807298	20.00	20.80	0.2641	0.1537	0.0101
E807299	20.80	22.00	0.3087	0.1928	0.0115
E807300	22.00	23.00	0.4878	0.3682	0.0155
E807301	23.00	24.00	0.5514	0.3081	0.0149
E807302	24.00	25.00	0.6301	0.3658	0.0154
E807303	25.00	26.00	0.6048	0.2621	0.0147
E807304	26.00	27.00	1.2419	0.2886	0.0267
E807305	27.00	27.80	1.1655	2.0365	0.0311
E807306	27.80	29.00	0.5523	0.3173	0.0162
E807307	29.00	30.00	0.2904	0.2607	0.0107
E807308	30.00	30.70	0.0625	0.0604	0.0032
E807309	30.70	32.00	0.0215	0.0090	0.0025
E807310	32.00	33.60	0.0043	0.0037	0.0020
E807311	33.60	34.40	0.0200	0.0317	0.0056
E807312	34.40	35.00	0.1615	0.0875	0.0083
E807313	35.00	36.00	0.6341	0.1816	0.0179
E807314	36.00	37.00	0.1130	0.1440	0.0065
E807315	37.00	38.00	0.0532	0.0361	0.0054
E807316	38.00	39.00	0.0409	0.0392	0.0055
E807317	39.00	40.00	0.0187	0.0063	0.0042
E807318	40.00	41.00	0.1075	0.2183	0.0058

Hole Number: KB-07-54

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807320	41.00	42.30	0.2354	0.2086	0.0088
E807321	42.30	43.50	0.0079	0.0085	0.0030
E807322	43.50	44.50	0.0059	0.0048	0.0029
E807323	44.50	45.00	0.2789	0.1048	0.0105
E807324	45.00	46.00	0.0723	0.0365	0.0046
E807325	46.00	47.00	0.0737	0.0954	0.0042
E807326	47.00	48.00	0.1575	0.1108	0.0064
E807327	48.00	49.00	0.1888	0.0874	0.0086
E807328	49.00	50.00	0.2365	0.2172	0.0093
E807329	50.00	51.00	0.0211	0.0154	0.0061
E807331	51.00	52.30	0.0221	0.0141	0.0055
E807332	52.30	54.00	0.0131	0.0127	0.0058
E807333	54.00	55.00	0.0153	0.0159	0.0056
E807334	55.00	56.00	0.0193	0.0137	0.0048
E807335	56.00	57.00	0.0197	0.0148	0.0049
E807336	57.00	58.00	0.0219	0.0125	0.0061
E807337	58.00	59.00	0.2549	0.1658	0.0099
E807338	59.00	59.50	0.0144	0.0151	0.0058
E807339	59.50	61.00	0.0120	0.0151	0.0048
E807340	61.00	62.00	0.0129	0.0138	0.0049
E807341	62.00	63.00	0.0679	0.0528	0.0057
E807342	63.00	64.00	0.0337	0.0116	0.0047
E807344	64.00	65.00	0.3546	0.1102	0.0121
E807345	65.00	66.00	0.1656	0.0843	0.0073
E807346	66.00	67.00	0.3353	0.1617	0.0109
E807347	67.00	68.00	0.0828	0.1170	0.0064
E807348	68.00	69.00	0.1799	0.1012	0.0075
E807349	69.00	71.00	0.0125	0.0157	0.0048
314560	71.00	71.70	0.0175	0.0075	0.0053
314561	71.70	73.00	0.0052	0.0054	0.0025
314563	73.00	74.00	0.0047	0.0037	0.0027
314564	74.00	75.00	0.0048	0.0051	0.0028
314565	75.00	76.20	0.0057	0.0049	0.0026
314566	76.20	77.00	0.2806	0.1588	0.0110
314568	77.00	78.00	0.2298	0.1323	0.0098
314569	78.00	79.40	0.2032	0.1221	0.0087
314570	79.40	80.00	0.0121	0.0074	0.0037

Hole Number: KB-07-54

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
314571	80.00	81.00	0.0103	0.0042	0.0037
314572	81.00	81.60	0.0085	0.0055	0.0035
314573	81.60	83.00	0.0310	0.0178	0.0058
314574	83.00	84.00	0.0183	0.0137	0.0054
314575	84.00	84.90	0.0515	0.0292	0.0065
314576	84.90	86.00	0.5271	0.3240	0.0156
314578	86.00	87.00	0.1915	0.2975	0.0089
314579	87.00	87.70	0.2030	0.1922	0.0119
314580	87.70	89.40	0.0180	0.0146	0.0028
314581	89.40	90.00	0.0407	0.0380	0.0059
314582	90.00	91.00	0.2437	0.3214	0.0108
314583	91.00	92.00	0.0380	0.0303	0.0078
314584	92.00	92.80	0.4444	0.3466	0.0134
314585	92.80	94.00	0.5725	0.7236	0.0153
314586	94.00	94.80	0.6766	0.7020	0.0195
314587	94.80	96.00	0.4137	0.4979	0.0107
314588	96.00	97.00	0.6988	0.7231	0.0170
314589	97.00	98.00	0.4272	0.5498	0.0141
314590	98.00	99.10	0.2816	0.3403	0.0082
314591	99.10	99.60	0.0127	0.0120	0.0033
314592	99.60	101.00	0.0924	0.0407	0.0062
314594	101.00	102.00	0.0077	0.0090	0.0033
314595	102.00	103.00	0.0099	0.0062	0.0045

DETAILED LOG

Hole Number: KB-07-53

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481393.00	North:	5481393.00	Collar Az:	316.40
Location:	Surface	East:	453852.60	East:	453852.60	Length:	98.00 (m)
		Elev:	386.87	Elev:	386.87	Start Depth:	0.00 (m)
Date Started:	May 20, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	98.00 (m)
Date Completed:	May 20, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	10.70	25.00	14.30	0.4010	0.2832	0.0109
WEIGHTED	10.70	73.00	62.30	0.2248	0.1870	0.0080
WEIGHTED	64.50	72.00	7.50	0.4141	0.7110	0.0114
WEIGHTED	66.00	71.00	5.00	0.5499	0.9896	0.0137

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	330.40	-45.40	EZ	DO	6057	50.00	316.40	-45.30	EZ	OK	5765
98.00	317.70	-44.80	EZ	OK	5772						

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.00	CAS, Casing							
3.00	4.10	MD, Mafic Dike Mineralization 3.00 - 4.10 Structure 3.00 - 4.10	313560	3.00	4.10	1.10	0.0041	0.0039	0.0014
4.10	9.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 4.10 - 9.20 Structure 4.10 - 9.20 4.10 - 9.20 : UC Upper Contact, 35 Deg to CA	313561	4.10	5.00	0.90	0.0210	0.0148	0.0053
			313562	5.00	6.00	1.00	0.0211	0.0159	0.0051
			313563	6.00	7.00	1.00	0.0344	0.0184	0.0048
			313564	7.00	8.00	1.00	0.0252	0.0141	0.0051
			313565	8.00	9.20	1.20	0.2953	0.1435	0.0115
9.20	10.70	MD, Mafic Dike Mineralization 9.20 - 10.70 Structure 9.20 - 10.70	313566	9.20	10.00	0.80	0.0055	0.0046	0.0022
			313567	10.00	10.70	0.70	0.0060	0.0062	0.0021

Hole Number: KB-07-53

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
10.70	35.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 10.70 - 12.40 12.40 - 16.40 16.40 - 35.70 mv xenos Structure 10.70 - 35.70 : MODFOL Moderately Foliated, 45 Deg to CA 10.70 - 35.70 : UC Upper Contact, 45 Deg to CA	313568	10.70	12.00	1.30	0.1954	0.0872	0.0101
			313569	12.00	13.00	1.00	0.6842	0.6888	0.0146
			313570	13.00	14.00	1.00	0.0371	0.0282	0.0024
			313571	14.00	15.00	1.00	0.5802	0.1516	0.0134
			313572	15.00	16.00	1.00	1.0750	0.4527	0.0270
			313573	16.00	17.00	1.00	1.2717	0.8074	0.0264
			313574	17.00	18.00	1.00	0.1678	0.1805	0.0107
			313575	18.00	19.00	1.00	0.2682	0.1354	0.0120
			313576	19.00	20.00	1.00	0.1948	0.2034	0.0071
			313577	20.00	21.00	1.00	0.3419	0.4404	0.0081
			313578	21.00	22.00	1.00	0.3501	0.1835	0.0101
			313579	22.00	23.00	1.00	0.2316	0.1307	0.0072
			313580	23.00	24.00	1.00	0.3691	0.1345	0.0151
			313581	24.00	25.00	1.00	0.1247	0.0450	0.0058
			313582	25.00	26.00	1.00	0.0574	0.0566	0.0041
			313583	26.00	27.00	1.00	0.0913	0.1108	0.0068
			313584	27.00	28.00	1.00	0.0277	0.0302	0.0069
			313585	28.00	29.00	1.00	0.2200	0.0982	0.0126
			313586	29.00	30.00	1.00	0.1103	0.1174	0.0054
			313587	30.00	31.00	1.00	0.0661	0.0724	0.0045
			313588	31.00	32.00	1.00	0.0683	0.0741	0.0041
			313589	32.00	33.00	1.00	0.1354	0.0359	0.0057
			313590	33.00	34.00	1.00	0.3170	0.2439	0.0111
			313591	34.00	35.70	1.70	0.2440	0.1588	0.0098
35.70	38.20	MD, Mafic Dike with pyxt dyke Mineralization 35.70 - 38.20 Structure 35.70 - 38.20 35.70 - 38.20 vague	313592	35.70	37.00	1.30	0.0114	0.0054	0.0035
			313594	37.00	38.20	1.20	0.1179	0.0351	0.0064
38.20	46.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 38.20 - 42.00 42.00 - 46.00 Structure 38.20 - 46.00 : MODFOL Moderately Foliated, 40 Deg to CA 38.20 - 46.00 : UC Upper Contact, 40 Deg to CA	313595	38.20	39.00	0.80	0.0160	0.0102	0.0045
			313596	39.00	40.00	1.00	0.0858	0.0387	0.0054
			313597	40.00	41.00	1.00	0.0358	0.0279	0.0053
			313598	41.00	42.00	1.00	0.0211	0.0187	0.0056
			313599	42.00	43.00	1.00	0.6334	0.2737	0.0161
			313601	43.00	44.00	1.00	0.3086	0.1728	0.0089
			313602	44.00	45.00	1.00	0.1082	0.0843	0.0067
			313603	45.00	46.00	1.00	0.2587	0.1362	0.0112

Hole Number: KB-07-53

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
46.00	49.00	MV, Mafic Volcanic Mineralization 46.00 - 49.00 Structure 46.00 - 49.00 46.00 - 49.00 irregular	313604	46.00	47.00	1.00	0.0251	0.0237	0.0055
			313605	47.00	48.00	1.00	0.0105	0.0103	0.0038
			313606	48.00	49.00	1.00	0.0118	0.0115	0.0046
49.00	56.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 49.00 - 56.20 Structure 49.00 - 56.20 49.00 - 56.20 irregular	313607	49.00	50.00	1.00	0.2393	0.2116	0.0107
			313609	50.00	51.00	1.00	0.3622	0.2668	0.0143
			313610	51.00	52.00	1.00	0.0580	0.0763	0.0064
			313611	52.00	53.00	1.00	0.1206	0.0654	0.0078
			313612	53.00	54.00	1.00	0.1393	0.0751	0.0080
			313613	54.00	55.00	1.00	0.0788	0.0363	0.0064
			313614	55.00	56.20	1.20	0.1813	0.1238	0.0100
56.20	59.00	MD, Mafic Dike Mineralization 56.20 - 59.00 Structure 56.20 - 59.00 56.20 - 59.00 : UC Upper Contact, 50 Deg to CA	313615	56.20	57.00	0.80	0.0041	0.0051	0.0028
			313616	57.00	58.00	1.00	0.0032	0.0052	0.0025
			313617	58.00	59.00	1.00	0.0047	0.0050	0.0023
59.00	60.80	MV, Mafic Volcanic remob min at uc Mineralization 59.00 - 60.80 Structure 59.00 - 60.80 59.00 - 60.80	313618	59.00	60.00	1.00	0.1685	0.0970	0.0068
			313619	60.00	60.80	0.80	0.0282	0.0267	0.0043
60.80	61.45	PYXT, Pyroxenite Mineralization 60.80 - 61.45 Structure 60.80 - 61.45 : MODFOL Moderately Foliated, 50 Deg to CA 60.80 - 61.45 : UC Upper Contact, 50 Deg to CA	313620	60.80	61.45	0.65	0.7173	0.2437	0.0214
61.45	64.50	GAB, Gabbro Mineralization 61.45 - 64.50 Structure 61.45 - 64.50 61.45 - 64.50 vague	313622	61.45	63.00	1.55	0.0139	0.0160	0.0038
			313623	63.00	64.00	1.00	0.0118	0.0098	0.0035
			313624	64.00	64.50	0.50	0.0194	0.0063	0.0041

Hole Number: KB-07-53

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
64.50	67.90	PYXT, Pyroxenite with mv xenos Mineralization 64.50 - 67.90 Structure 64.50 - 67.90 : MODFOL Moderately Foliated, 50 Deg to CA
67.90	74.40	TSCH, Talc Schist Mineralization 67.90 - 71.00 71.00 - 74.40 Structure 67.90 - 74.40 : STRFOL Strongly Foliated, 40 Deg to CA
74.40	98.00	MV, Mafic Volcanic Mineralization 74.40 - 98.00 Structure 74.40 - 98.00 : MODFOL Moderately Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313625	64.50	65.00	0.50	0.2285	0.1076	0.0107
313626	65.00	66.00	1.00	0.1036	0.0549	0.0061
313627	66.00	67.00	1.00	0.4075	0.1614	0.0134
313628	67.00	67.90	0.90	0.5768	0.5223	0.0148
313629	67.90	69.00	1.10	0.5258	0.9093	0.0125
313631	69.00	70.00	1.00	0.6704	2.0469	0.0148
313632	70.00	71.00	1.00	0.5739	1.2693	0.0132
313633	71.00	72.00	1.00	0.1388	0.2760	0.0054
313634	72.00	73.00	1.00	0.1018	0.0995	0.0044
313635	73.00	74.00	1.00	0.0976	0.1210	0.0040
313636	74.00	75.40	1.40	0.0575	0.0433	0.0044
313637	75.40	76.00	0.60	0.0137	0.0054	0.0058
313639	76.00	77.00	1.00	0.0084	0.0124	0.0041
313640	77.00	78.00	1.00	0.0092	0.0131	0.0041
313641	78.00	79.00	1.00	0.0070	0.0061	0.0038

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313560	3.00	4.10	0.0041	0.0039	0.0014
313561	4.10	5.00	0.0210	0.0148	0.0053
313562	5.00	6.00	0.0211	0.0159	0.0051
313563	6.00	7.00	0.0344	0.0184	0.0048
313564	7.00	8.00	0.0252	0.0141	0.0051
313565	8.00	9.20	0.2953	0.1435	0.0115
313566	9.20	10.00	0.0055	0.0046	0.0022
313567	10.00	10.70	0.0060	0.0062	0.0021
313568	10.70	12.00	0.1954	0.0872	0.0101
313569	12.00	13.00	0.6842	0.6888	0.0146
313570	13.00	14.00	0.0371	0.0282	0.0024
313571	14.00	15.00	0.5802	0.1516	0.0134
313572	15.00	16.00	1.0750	0.4527	0.0270
313573	16.00	17.00	1.2717	0.8074	0.0264
313574	17.00	18.00	0.1678	0.1805	0.0107
313575	18.00	19.00	0.2682	0.1354	0.0120
313576	19.00	20.00	0.1948	0.2034	0.0071

Hole Number: KB-07-53

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313577	20.00	21.00	0.3419	0.4404	0.0081
313578	21.00	22.00	0.3501	0.1835	0.0101
313579	22.00	23.00	0.2316	0.1307	0.0072
313580	23.00	24.00	0.3691	0.1345	0.0151
313581	24.00	25.00	0.1247	0.0450	0.0058
313582	25.00	26.00	0.0574	0.0566	0.0041
313583	26.00	27.00	0.0913	0.1108	0.0068
313584	27.00	28.00	0.0277	0.0302	0.0069
313585	28.00	29.00	0.2200	0.0982	0.0126
313586	29.00	30.00	0.1103	0.1174	0.0054
313587	30.00	31.00	0.0661	0.0724	0.0045
313588	31.00	32.00	0.0683	0.0741	0.0041
313589	32.00	33.00	0.1354	0.0359	0.0057
313590	33.00	34.00	0.3170	0.2439	0.0111
313591	34.00	35.70	0.2440	0.1588	0.0098
313592	35.70	37.00	0.0114	0.0054	0.0035
313594	37.00	38.20	0.1179	0.0351	0.0064
313595	38.20	39.00	0.0160	0.0102	0.0045
313596	39.00	40.00	0.0858	0.0387	0.0054
313597	40.00	41.00	0.0358	0.0279	0.0053
313598	41.00	42.00	0.0211	0.0187	0.0056
313599	42.00	43.00	0.6334	0.2737	0.0161
313601	43.00	44.00	0.3086	0.1728	0.0089
313602	44.00	45.00	0.1082	0.0843	0.0067
313603	45.00	46.00	0.2587	0.1362	0.0112
313604	46.00	47.00	0.0251	0.0237	0.0055
313605	47.00	48.00	0.0105	0.0103	0.0038
313606	48.00	49.00	0.0118	0.0115	0.0046
313607	49.00	50.00	0.2393	0.2116	0.0107
313609	50.00	51.00	0.3622	0.2668	0.0143
313610	51.00	52.00	0.0580	0.0763	0.0064
313611	52.00	53.00	0.1206	0.0654	0.0078
313612	53.00	54.00	0.1393	0.0751	0.0080
313613	54.00	55.00	0.0788	0.0363	0.0064
313614	55.00	56.20	0.1813	0.1238	0.0100
313615	56.20	57.00	0.0041	0.0051	0.0028
313616	57.00	58.00	0.0032	0.0052	0.0025

Hole Number: KB-07-53

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313617	58.00	59.00	0.0047	0.0050	0.0023
313618	59.00	60.00	0.1685	0.0970	0.0068
313619	60.00	60.80	0.0282	0.0267	0.0043
313620	60.80	61.45	0.7173	0.2437	0.0214
313622	61.45	63.00	0.0139	0.0160	0.0038
313623	63.00	64.00	0.0118	0.0098	0.0035
313624	64.00	64.50	0.0194	0.0063	0.0041
313625	64.50	65.00	0.2285	0.1076	0.0107
313626	65.00	66.00	0.1036	0.0549	0.0061
313627	66.00	67.00	0.4075	0.1614	0.0134
313628	67.00	67.90	0.5768	0.5223	0.0148
313629	67.90	69.00	0.5258	0.9093	0.0125
313631	69.00	70.00	0.6704	2.0469	0.0148
313632	70.00	71.00	0.5739	1.2693	0.0132
313633	71.00	72.00	0.1388	0.2760	0.0054
313634	72.00	73.00	0.1018	0.0995	0.0044
313635	73.00	74.00	0.0976	0.1210	0.0040
313636	74.00	75.40	0.0575	0.0433	0.0044
313637	75.40	76.00	0.0137	0.0054	0.0058
313639	76.00	77.00	0.0084	0.0124	0.0041
313640	77.00	78.00	0.0092	0.0131	0.0041
313641	78.00	79.00	0.0070	0.0061	0.0038

DETAILED LOG

Hole Number: KB-07-52

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481410.00	North:	5481410.00	Collar Az:	312.80
Location:	Surface	East:	453834.40	East:	453834.40	Length:	61.50 (m)
		Elev:	382.93	Elev:	382.93	Start Depth:	0.00 (m)
Date Started:	May 19, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	61.50 (m)
Date Completed:	May 20, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	ss	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.40	35.00	32.60	0.2420	0.2279	0.0095
WEIGHTED	15.00	35.00	20.00	0.3389	0.3416	0.0119

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	312.80	-47.40	EZ	OK	5866	61.00	316.50	-47.00	EZ	OK	5773

Detailed Lithology

From (m)	To (m)	Lithology
0	2.40	CAS, Casing
2.40	12.60	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 2.40 - 12.60 Structure 2.40 - 12.60

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E807235	2.40	3.00	0.60	0.2703	0.1636	0.0127
E807236	3.00	4.00	1.00	0.1670	0.0871	0.0097
E807237	4.00	5.00	1.00	0.3915	0.0919	0.0120
E807238	5.00	6.00	1.00	0.1032	0.0558	0.0068
E807239	6.00	7.00	1.00	0.0281	0.0198	0.0043
E807240	7.00	8.00	1.00	0.0074	0.0072	0.0033
E807241	8.00	9.00	1.00	0.0477	0.0283	0.0038
E807242	9.00	10.00	1.00	0.0510	0.0341	0.0053
E807243	10.00	11.00	1.00	0.0682	0.0467	0.0062
E807244	11.00	12.00	1.00	0.0392	0.0340	0.0037
E807245	12.00	12.60	0.60	0.0165	0.0225	0.0044

Hole Number: KB-07-52

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
12.60	26.00	PYXT, Pyroxenite MV xenoliths Mineralization 12.60 - 26.00 Structure 12.60 - 26.00 : MODFOL Moderately Foliated, 35 Deg to CA	E807246	12.60	14.00	1.40	0.0946	0.0437	0.0072
			E807247	14.00	15.00	1.00	0.0533	0.0222	0.0049
			E807248	15.00	16.00	1.00	1.1811	0.3484	0.0232
			E807249	16.00	17.00	1.00	0.3761	0.3803	0.0130
			E807250	17.00	18.00	1.00	0.1364	0.1393	0.0061
			E807251	18.00	19.00	1.00	0.1953	0.2644	0.0080
			E807252	19.00	20.00	1.00	0.8131	0.2935	0.0202
			E807253	20.00	21.00	1.00	0.4064	0.2289	0.0134
			E807254	21.00	22.00	1.00	0.1583	0.0829	0.0103
			E807255	22.00	23.00	1.00	0.1474	0.0647	0.0077
			E807256	23.00	24.00	1.00	0.0724	0.0299	0.0066
			E807258	24.00	25.00	1.00	0.4673	0.1614	0.0198
			E807259	25.00	26.00	1.00	0.1862	0.1213	0.0091
26.00	37.20	TSCH, Talc Schist PYXT lithons Mineralization 26.00 - 37.20 Structure 26.00 - 37.20 : STRFOL Strongly Foliated, 40 Deg to CA	E807260	26.00	27.00	1.00	0.2107	0.3456	0.0086
			E807262	27.00	28.00	1.00	0.3948	0.3942	0.0177
			E807263	28.00	29.00	1.00	0.5557	0.6317	0.0182
			E807264	29.00	30.00	1.00	0.3710	0.4003	0.0098
			E807265	30.00	31.00	1.00	0.3876	0.5141	0.0120
			E807266	31.00	32.00	1.00	0.4477	0.5840	0.0122
			E807267	32.00	33.00	1.00	0.6089	0.7520	0.0143
			E807268	33.00	34.00	1.00	0.2032	0.2419	0.0083
			E807269	34.00	35.00	1.00	0.1500	0.2906	0.0061
			E807270	35.00	36.00	1.00	0.0545	0.1012	0.0045
			E807271	36.00	37.20	1.20	0.1017	0.1074	0.0054
37.20	38.70	MDCHL, Mafic Dike Chloritic Mineralization 37.20 - 38.70 Structure 37.20 - 38.70 37.20 - 38.70 : UC Upper Contact, 30 Deg to CA	E807273	37.20	38.70	1.50	0.0031	0.0046	0.0014
38.70	40.00	TSCH, Talc Schist Mineralization 38.70 - 40.00 Structure 38.70 - 40.00 : STRFOL Strongly Foliated, 35 Deg to CA 38.70 - 40.00 : UC Upper Contact, 35 Deg to CA	E807274	38.70	40.00	1.30	0.0568	0.0370	0.0042
40.00	61.50	MV, Mafic Volcanic Mineralization 40.00 - 61.50 Structure 40.00 - 61.50 : MODFOL Moderately Foliated, 45 Deg to CA 40.00 - 61.50 : UC Upper Contact, 40 Deg to CA	E807275	40.00	41.50	1.50	0.0183	0.0148	0.0044
			E807276	41.50	43.00	1.50	0.0096	0.0100	0.0041

Hole Number: KB-07-52

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807235	2.40	3.00	0.2703	0.1636	0.0127
E807236	3.00	4.00	0.1670	0.0871	0.0097
E807237	4.00	5.00	0.3915	0.0919	0.0120
E807238	5.00	6.00	0.1032	0.0558	0.0068
E807239	6.00	7.00	0.0281	0.0198	0.0043
E807240	7.00	8.00	0.0074	0.0072	0.0033
E807241	8.00	9.00	0.0477	0.0283	0.0038
E807242	9.00	10.00	0.0510	0.0341	0.0053
E807243	10.00	11.00	0.0682	0.0467	0.0062
E807244	11.00	12.00	0.0392	0.0340	0.0037
E807245	12.00	12.60	0.0165	0.0225	0.0044
E807246	12.60	14.00	0.0946	0.0437	0.0072
E807247	14.00	15.00	0.0533	0.0222	0.0049
E807248	15.00	16.00	1.1811	0.3484	0.0232
E807249	16.00	17.00	0.3761	0.3803	0.0130
E807250	17.00	18.00	0.1364	0.1393	0.0061
E807251	18.00	19.00	0.1953	0.2644	0.0080
E807252	19.00	20.00	0.8131	0.2935	0.0202
E807253	20.00	21.00	0.4064	0.2289	0.0134
E807254	21.00	22.00	0.1583	0.0829	0.0103
E807255	22.00	23.00	0.1474	0.0647	0.0077
E807256	23.00	24.00	0.0724	0.0299	0.0066
E807258	24.00	25.00	0.4673	0.1614	0.0198
E807259	25.00	26.00	0.1862	0.1213	0.0091
E807260	26.00	27.00	0.2107	0.3456	0.0086
E807262	27.00	28.00	0.3948	0.3942	0.0177
E807263	28.00	29.00	0.5557	0.6317	0.0182
E807264	29.00	30.00	0.3710	0.4003	0.0098
E807265	30.00	31.00	0.3876	0.5141	0.0120
E807266	31.00	32.00	0.4477	0.5840	0.0122
E807267	32.00	33.00	0.6089	0.7520	0.0143
E807268	33.00	34.00	0.2032	0.2419	0.0083
E807269	34.00	35.00	0.1500	0.2906	0.0061
E807270	35.00	36.00	0.0545	0.1012	0.0045
E807271	36.00	37.20	0.1017	0.1074	0.0054
E807273	37.20	38.70	0.0031	0.0046	0.0014
E807274	38.70	40.00	0.0568	0.0370	0.0042

Hole Number: KB-07-52

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807275	40.00	41.50	0.0183	0.0148	0.0044
E807276	41.50	43.00	0.0096	0.0100	0.0041

DETAILED LOG

Hole Number: KB-07-51

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481400.00		North:	5481400.00	Collar Az: 305.90
Location:	Surface	East:	453894.80		East:	453894.80	Length: 134.00 (m)
		Elev:	383.34		Elev:	383.34	Start Depth: 0.00 (m)
Date Started:	May 18, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 134.00 (m)
Date Completed:	May 19, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	43.45	69.00	25.55	0.6078	0.2788	0.0157
WEIGHTED	48.00	50.90	2.90	2.4726	0.9876	0.0453
WEIGHTED	102.00	116.70	14.70	0.2862	0.3110	0.0105

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	305.90	-45.80	EZ	OK	5830	50.00	307.60	-45.70	EZ	OK	5827
134.00	310.20	-45.50	EZ	OK	5774						

Detailed Lithology

From (m)	To (m)	Lithology
0	5.00	CAS, Casing
5.00	21.00	PYXT, Pyroxenite Mineralization 5.00 - 21.00 Structure 5.00 - 21.00 : MODFOL Moderately Foliated, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E807435	5.00	6.00	1.00	0.0273	0.0450	0.0039
E807436	6.00	7.00	1.00	0.0247	0.0383	0.0044
E807437	7.00	8.00	1.00	0.0384	0.0494	0.0040
E807438	8.00	9.00	1.00	0.0790	0.1416	0.0065
E807439	9.00	10.00	1.00	0.1156	0.1681	0.0070
E807440	10.00	11.00	1.00	0.1136	0.0283	0.0047
E807441	11.00	12.00	1.00	0.0277	0.0224	0.0037
E807442	12.00	13.00	1.00	0.0480	0.0410	0.0045
E807443	13.00	14.00	1.00	0.0402	0.0137	0.0040
E807444	14.00	15.00	1.00	0.1096	0.1037	0.0060
E807445	15.00	16.00	1.00	0.3833	0.3781	0.0110
E807446	16.00	17.00	1.00	0.1196	0.0372	0.0068
E807447	17.00	18.00	1.00	0.0528	0.0254	0.0058
E807448	18.00	19.00	1.00	0.0421	0.0173	0.0050
E807449	19.00	20.00	1.00	0.0247	0.0078	0.0036
E807450	20.00	21.00	1.00	0.0271	0.0174	0.0028

Hole Number: KB-07-51

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
21.00	40.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 21.00 - 40.50 Structure 21.00 - 40.50	E807451	21.00	22.00	1.00	0.0199	0.0148	0.0024
			E807453	22.00	23.00	1.00	0.0298	0.0409	0.0043
			E807454	23.00	24.00	1.00	0.0547	0.0367	0.0042
			E807455	24.00	25.00	1.00	0.0471	0.0133	0.0042
			E807456	25.00	26.00	1.00	0.0908	0.0338	0.0059
			E807457	26.00	27.00	1.00	0.0222	0.0195	0.0044
			E807458	27.00	28.00	1.00	0.0445	0.0281	0.0044
			E807459	28.00	29.00	1.00	0.0238	0.0217	0.0043
			E807460	29.00	30.00	1.00	0.0567	0.0236	0.0043
			E807461	30.00	31.00	1.00	0.0444	0.0192	0.0049
			E807462	31.00	32.00	1.00	0.0144	0.0137	0.0043
			E807463	32.00	33.00	1.00	0.0234	0.0142	0.0044
			E807464	33.00	34.00	1.00	0.0673	0.0535	0.0058
			E807465	34.00	35.00	1.00	0.0752	0.0098	0.0057
			E807466	35.00	36.00	1.00	0.0706	0.0378	0.0062
			E807467	36.00	37.00	1.00	0.0555	0.0424	0.0053
			E807468	37.00	38.00	1.00	0.5173	0.2687	0.0160
			E807469	38.00	39.00	1.00	0.0498	0.0235	0.0056
			E807470	39.00	40.00	1.00	0.0971	0.0956	0.0061
			E807471	40.00	40.50	0.50	0.0529	0.0155	0.0047
40.50	43.45	MD, Mafic Dike Mineralization 40.50 - 43.45 Structure 40.50 - 43.45	E807472	40.50	41.00	0.50	0.0143	0.0045	0.0029
			E807474	41.00	42.00	1.00	0.0039	0.0024	0.0019
			E807475	42.00	43.45	1.45	0.0041	0.0040	0.0016

Hole Number: KB-07-51

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
43.45	67.90	PYXT, Pyroxenite Mineralization 43.45 - 48.00 48.00 - 50.90 50.90 - 57.00 mv xenos intruding 57.00 - 57.60 57.60 - 64.00 64.00 - 67.90 Structure 43.45 - 67.90 : MODFOL Moderately Foliated, 40 Deg to CA	E807476	43.45	45.00	1.55	0.2705	0.1174	0.0096
			E807478	45.00	46.00	1.00	0.4877	0.1669	0.0153
			E807479	46.00	47.00	1.00	0.1899	0.0601	0.0080
			E807480	47.00	48.00	1.00	0.1168	0.0540	0.0052
			E807481	48.00	49.00	1.00	1.1214	1.3718	0.0235
			E807482	49.00	50.00	1.00	4.7419	1.0383	0.0905
			E807483	50.00	50.90	0.90	1.4772	0.7261	0.0514
			E807484	50.90	52.00	1.10	0.2976	0.0806	0.0133
			E807485	52.00	53.00	1.00	0.0825	0.0272	0.0051
			E807486	53.00	54.00	1.00	0.0351	0.0214	0.0050
			E807487	54.00	55.00	1.00	0.0689	0.0244	0.0051
			E807488	55.00	56.00	1.00	0.1688	0.0628	0.0072
			E807489	56.00	57.00	1.00	0.1014	0.0221	0.0047
			E807490	57.00	57.60	0.60	2.0343	1.9631	0.0911
			E807491	57.60	59.00	1.40	0.5509	0.4042	0.0155
			E807493	59.00	60.00	1.00	0.2364	0.1146	0.0112
			E807494	60.00	61.00	1.00	0.0421	0.0223	0.0055
			E807495	61.00	62.00	1.00	0.0598	0.0207	0.0055
			E807496	62.00	63.00	1.00	0.1425	0.0545	0.0071
			E807497	63.00	64.00	1.00	0.2335	0.0827	0.0081
			E807498	64.00	65.00	1.00	1.5213	0.4206	0.0473
			E807500	65.00	66.00	1.00	1.0714	0.4419	0.0254
			313501	66.00	67.00	1.00	0.6363	0.5888	0.0180
			313502	67.00	67.90	0.90	1.4036	0.4114	0.0176
67.90	74.30	GAB, Gabbro Mineralization 67.90 - 74.30 Structure 67.90 - 74.30	313503	67.90	69.00	1.10	0.1139	0.0586	0.0047
			313504	69.00	70.00	1.00	0.0339	0.0338	0.0041
			313505	70.00	71.00	1.00	0.0188	0.0128	0.0034
			313506	71.00	72.00	1.00	0.0286	0.0266	0.0034
			313507	72.00	73.00	1.00	0.0486	0.0375	0.0043
			313508	73.00	74.30	1.30	0.0194	0.0196	0.0025
74.30	78.30	MD, Mafic Dike Mineralization 74.30 - 78.30 Structure 74.30 - 78.30	313509	74.30	75.00	0.70	0.0044	0.0097	0.0002
			313510	75.00	76.00	1.00	0.0026	0.0033	0.0001
			313511	76.00	77.00	1.00	0.0023	0.0020	0.0001
			313512	77.00	78.30	1.30	0.0023	0.0018	0.0001
78.30	83.30	PYXT, Pyroxenite Mineralization 78.30 - 83.30 Structure 78.30 - 83.30 : MODFOL Moderately Foliated, 35 Deg to CA	313513	78.30	79.00	0.70	0.0872	0.0471	0.0051
			313514	79.00	80.00	1.00	0.1025	0.0512	0.0046
			313515	80.00	81.00	1.00	0.0984	0.0508	0.0045
			313516	81.00	82.00	1.00	0.1394	0.0346	0.0111
			313517	82.00	83.30	1.30	0.3282	0.2243	0.0114

Hole Number: KB-07-51

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
83.30	84.80	MD, Mafic Dike remob min near uc Mineralization 83.30 - 84.80 Structure 83.30 - 84.80	313518	83.30	84.80	1.50	0.0380	0.0769	0.0015
84.80	93.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 84.80 - 93.10 Structure 84.80 - 93.10	313520	84.80	86.00	1.20	0.0816	0.0543	0.0053
			313521	86.00	87.00	1.00	0.1774	0.1209	0.0084
			313522	87.00	88.00	1.00	0.0189	0.0184	0.0036
			313523	88.00	89.00	1.00	0.0188	0.0228	0.0036
			313524	89.00	90.00	1.00	0.0711	0.0424	0.0047
			313525	90.00	91.00	1.00	0.1065	0.0637	0.0052
			313526	91.00	92.00	1.00	0.1254	0.0803	0.0067
			313527	92.00	93.10	1.10	0.0181	0.0144	0.0018
93.10	95.40	MD, Mafic Dike Mineralization 93.10 - 95.40 Structure 93.10 - 95.40	313528	93.10	94.00	0.90	0.0215	0.0238	0.0040
			313529	94.00	95.40	1.40	0.0013	0.0043	0.0001
95.40	108.10	PYXT, Pyroxenite Mineralization 95.40 - 108.10 Structure 95.40 - 108.10 : MODFOL Moderately Foliated, 40 Deg to CA	313530	95.40	96.00	0.60	0.1919	0.0916	0.0076
			313532	96.00	97.00	1.00	0.2079	0.0670	0.0072
			313533	97.00	98.00	1.00	0.8581	0.3902	0.0237
			313534	98.00	99.00	1.00	0.0564	0.0477	0.0034
			313535	99.00	100.00	1.00	0.0312	0.0193	0.0039
			313536	100.00	101.00	1.00	0.0649	0.0360	0.0045
			313537	101.00	102.00	1.00	0.0580	0.0288	0.0032
			313538	102.00	103.00	1.00	0.2349	0.0852	0.0154
			313539	103.00	104.00	1.00	0.2554	0.1210	0.0080
			313540	104.00	105.00	1.00	0.0779	0.0456	0.0067
			313541	105.00	106.00	1.00	0.4207	0.2046	0.0129
			313542	106.00	107.00	1.00	0.2001	0.2213	0.0088
			313543	107.00	108.10	1.10	0.2368	0.2971	0.0083
108.10	116.70	TSCH, Talc Schist Mineralization 108.10 - 116.70 Structure 108.10 - 116.70 : STRFOL Strongly Foliated, 30 Deg to CA	313544	108.10	109.00	0.90	0.2542	0.5976	0.0113
			313546	109.00	110.00	1.00	0.7073	0.6654	0.0217
			313547	110.00	111.00	1.00	0.8254	0.7913	0.0181
			313548	111.00	112.00	1.00	0.3068	0.5651	0.0100
			313549	112.00	113.00	1.00	0.2382	0.3204	0.0107
			313550	113.00	114.00	1.00	0.1815	0.2562	0.0076
			313551	114.00	115.00	1.00	0.2051	0.2450	0.0070
			313552	115.00	116.00	1.00	0.2950	0.2919	0.0086
			313553	116.00	116.70	0.70	0.1778	0.3126	0.0069

Hole Number: KB-07-51

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
116.70	117.20	FD, Felsic Dike Mineralization 116.70 - 117.20 Structure 116.70 - 117.20 116.70 - 117.20 : UC Upper Contact, 40 Deg to CA
117.20	134.00	MV, Mafic Volcanic Mineralization 117.20 - 134.00 Structure 117.20 - 122.20 blocky core 122.20 - 134.00 : MODFOL Moderately Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
313554	116.70	117.20	0.50	0.0168	0.0076	0.0027
313555	117.20	118.00	0.80	0.0172	0.0084	0.0050
313556	118.00	119.00	1.00	0.0142	0.0064	0.0041
313557	119.00	120.00	1.00	0.0139	0.0151	0.0059
313558	120.00	121.00	1.00	0.0159	0.0186	0.0055

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807435	5.00	6.00	0.0273	0.0450	0.0039
E807436	6.00	7.00	0.0247	0.0383	0.0044
E807437	7.00	8.00	0.0384	0.0494	0.0040
E807438	8.00	9.00	0.0790	0.1416	0.0065
E807439	9.00	10.00	0.1156	0.1681	0.0070
E807440	10.00	11.00	0.1136	0.0283	0.0047
E807441	11.00	12.00	0.0277	0.0224	0.0037
E807442	12.00	13.00	0.0480	0.0410	0.0045
E807443	13.00	14.00	0.0402	0.0137	0.0040
E807444	14.00	15.00	0.1096	0.1037	0.0060
E807445	15.00	16.00	0.3833	0.3781	0.0110
E807446	16.00	17.00	0.1196	0.0372	0.0068
E807447	17.00	18.00	0.0528	0.0254	0.0058
E807448	18.00	19.00	0.0421	0.0173	0.0050
E807449	19.00	20.00	0.0247	0.0078	0.0036
E807450	20.00	21.00	0.0271	0.0174	0.0028
E807451	21.00	22.00	0.0199	0.0148	0.0024
E807453	22.00	23.00	0.0298	0.0409	0.0043
E807454	23.00	24.00	0.0547	0.0367	0.0042
E807455	24.00	25.00	0.0471	0.0133	0.0042
E807456	25.00	26.00	0.0908	0.0338	0.0059
E807457	26.00	27.00	0.0222	0.0195	0.0044

Hole Number: KB-07-51 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807458	27.00	28.00	0.0445	0.0281	0.0044
E807459	28.00	29.00	0.0238	0.0217	0.0043
E807460	29.00	30.00	0.0567	0.0236	0.0043
E807461	30.00	31.00	0.0444	0.0192	0.0049
E807462	31.00	32.00	0.0144	0.0137	0.0043
E807463	32.00	33.00	0.0234	0.0142	0.0044
E807464	33.00	34.00	0.0673	0.0535	0.0058
E807465	34.00	35.00	0.0752	0.0098	0.0057
E807466	35.00	36.00	0.0706	0.0378	0.0062
E807467	36.00	37.00	0.0555	0.0424	0.0053
E807468	37.00	38.00	0.5173	0.2687	0.0160
E807469	38.00	39.00	0.0498	0.0235	0.0056
E807470	39.00	40.00	0.0971	0.0956	0.0061
E807471	40.00	40.50	0.0529	0.0155	0.0047
E807472	40.50	41.00	0.0143	0.0045	0.0029
E807474	41.00	42.00	0.0039	0.0024	0.0019
E807475	42.00	43.45	0.0041	0.0040	0.0016
E807476	43.45	45.00	0.2705	0.1174	0.0096
E807478	45.00	46.00	0.4877	0.1669	0.0153
E807479	46.00	47.00	0.1899	0.0601	0.0080
E807480	47.00	48.00	0.1168	0.0540	0.0052
E807481	48.00	49.00	1.1214	1.3718	0.0235
E807482	49.00	50.00	4.7419	1.0383	0.0905
E807483	50.00	50.90	1.4772	0.7261	0.0514
E807484	50.90	52.00	0.2976	0.0806	0.0133
E807485	52.00	53.00	0.0825	0.0272	0.0051
E807486	53.00	54.00	0.0351	0.0214	0.0050
E807487	54.00	55.00	0.0689	0.0244	0.0051
E807488	55.00	56.00	0.1688	0.0628	0.0072
E807489	56.00	57.00	0.1014	0.0221	0.0047
E807490	57.00	57.60	2.0343	1.9631	0.0911
E807491	57.60	59.00	0.5509	0.4042	0.0155
E807493	59.00	60.00	0.2364	0.1146	0.0112
E807494	60.00	61.00	0.0421	0.0223	0.0055
E807495	61.00	62.00	0.0598	0.0207	0.0055
E807496	62.00	63.00	0.1425	0.0545	0.0071
E807497	63.00	64.00	0.2335	0.0827	0.0081

Hole Number: KB-07-51

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807498	64.00	65.00	1.5213	0.4206	0.0473
E807500	65.00	66.00	1.0714	0.4419	0.0254
313501	66.00	67.00	0.6363	0.5888	0.0180
313502	67.00	67.90	1.4036	0.4114	0.0176
313503	67.90	69.00	0.1139	0.0586	0.0047
313504	69.00	70.00	0.0339	0.0338	0.0041
313505	70.00	71.00	0.0188	0.0128	0.0034
313506	71.00	72.00	0.0286	0.0266	0.0034
313507	72.00	73.00	0.0486	0.0375	0.0043
313508	73.00	74.30	0.0194	0.0196	0.0025
313509	74.30	75.00	0.0044	0.0097	0.0002
313510	75.00	76.00	0.0026	0.0033	0.0001
313511	76.00	77.00	0.0023	0.0020	0.0001
313512	77.00	78.30	0.0023	0.0018	0.0001
313513	78.30	79.00	0.0872	0.0471	0.0051
313514	79.00	80.00	0.1025	0.0512	0.0046
313515	80.00	81.00	0.0984	0.0508	0.0045
313516	81.00	82.00	0.1394	0.0346	0.0111
313517	82.00	83.30	0.3282	0.2243	0.0114
313518	83.30	84.80	0.0380	0.0769	0.0015
313520	84.80	86.00	0.0816	0.0543	0.0053
313521	86.00	87.00	0.1774	0.1209	0.0084
313522	87.00	88.00	0.0189	0.0184	0.0036
313523	88.00	89.00	0.0188	0.0228	0.0036
313524	89.00	90.00	0.0711	0.0424	0.0047
313525	90.00	91.00	0.1065	0.0637	0.0052
313526	91.00	92.00	0.1254	0.0803	0.0067
313527	92.00	93.10	0.0181	0.0144	0.0018
313528	93.10	94.00	0.0215	0.0238	0.0040
313529	94.00	95.40	0.0013	0.0043	0.0001
313530	95.40	96.00	0.1919	0.0916	0.0076
313532	96.00	97.00	0.2079	0.0670	0.0072
313533	97.00	98.00	0.8581	0.3902	0.0237
313534	98.00	99.00	0.0564	0.0477	0.0034
313535	99.00	100.00	0.0312	0.0193	0.0039
313536	100.00	101.00	0.0649	0.0360	0.0045
313537	101.00	102.00	0.0580	0.0288	0.0032

Hole Number: KB-07-51

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
313538	102.00	103.00	0.2349	0.0852	0.0154
313539	103.00	104.00	0.2554	0.1210	0.0080
313540	104.00	105.00	0.0779	0.0456	0.0067
313541	105.00	106.00	0.4207	0.2046	0.0129
313542	106.00	107.00	0.2001	0.2213	0.0088
313543	107.00	108.10	0.2368	0.2971	0.0083
313544	108.10	109.00	0.2542	0.5976	0.0113
313546	109.00	110.00	0.7073	0.6654	0.0217
313547	110.00	111.00	0.8254	0.7913	0.0181
313548	111.00	112.00	0.3068	0.5651	0.0100
313549	112.00	113.00	0.2382	0.3204	0.0107
313550	113.00	114.00	0.1815	0.2562	0.0076
313551	114.00	115.00	0.2051	0.2450	0.0070
313552	115.00	116.00	0.2950	0.2919	0.0086
313553	116.00	116.70	0.1778	0.3126	0.0069
313554	116.70	117.20	0.0168	0.0076	0.0027
313555	117.20	118.00	0.0172	0.0084	0.0050
313556	118.00	119.00	0.0142	0.0064	0.0041
313557	119.00	120.00	0.0139	0.0151	0.0059
313558	120.00	121.00	0.0159	0.0186	0.0055

DETAILED LOG

Hole Number: KB-07-50

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481414.00		North:	5481414.00	Collar Az: 302.70
Location:	Surface	East:	453872.90		East:	453872.90	Length: 111.40 (m)
		Elev:	387.70		Elev:	387.70	Start Depth: 0.00 (m)
Date Started:	May 17, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 111.40 (m)
Date Completed:	May 18, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	42.80	85.90	43.10	0.2248	0.1345	0.0090

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	302.70	-44.90	EZ	OK		50.00	315.10	-44.80	EZ	DO	
101.00	308.80	-44.50	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	1.30	CAS, Casing
1.30	20.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 1.30 - 20.00 Structure 1.30 - 20.00 1.30 - 20.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E807137	1.30	2.00	0.70	0.0156	0.0116	0.0038
E807138	2.00	3.00	1.00	0.0209	0.0125	0.0039
E807139	3.00	4.00	1.00	0.0191	0.0188	0.0041
E807140	4.00	5.00	1.00	0.0126	0.0108	0.0024
E807141	5.00	6.00	1.00	0.0116	0.0073	0.0034
E807142	6.00	7.00	1.00	0.0090	0.0098	0.0030
E807143	7.00	8.00	1.00	0.0164	0.0101	0.0034
E807144	8.00	9.00	1.00	0.0200	0.0137	0.0041
E807145	9.00	10.00	1.00	0.0374	0.0229	0.0053
E807146	10.00	11.00	1.00	0.0288	0.0193	0.0037
E807147	11.00	12.00	1.00	0.0185	0.0120	0.0037
E807148	12.00	13.00	1.00	0.0191	0.0098	0.0035
E807149	13.00	14.00	1.00	0.0198	0.0172	0.0051
E807150	14.00	15.00	1.00	0.0201	0.0174	0.0040
E807151	15.00	16.00	1.00	0.0289	0.0122	0.0033
E807152	16.00	17.00	1.00	0.0213	0.0092	0.0031
E807153	17.00	18.00	1.00	0.0557	0.0283	0.0044
E807155	18.00	19.00	1.00	0.0150	0.0221	0.0040
E807156	19.00	20.00	1.00	0.0437	0.0264	0.0062

Hole Number: KB-07-50

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
20.00	34.00	PYXT, Pyroxenite Mineralization 20.00 - 28.35 28.35 - 34.00 Structure 20.00 - 28.35 : MODFOL Moderately Foliated, 35 Deg to CA MV xenoliths 28.35 - 34.00 : STRFOL Strongly Foliated, 45 Deg to CA Talc sections	E807157	20.00	21.00	1.00	0.0820	0.0426	0.0063
			E807158	21.00	22.00	1.00	0.0783	0.0423	0.0062
			E807159	22.00	23.00	1.00	0.2214	0.0883	0.0107
			E807160	23.00	24.00	1.00	0.0462	0.0497	0.0072
			E807161	24.00	25.00	1.00	0.1866	0.0943	0.0084
			E807163	25.00	26.00	1.00	0.0836	0.0391	0.0053
			E807164	26.00	27.00	1.00	0.3115	0.1729	0.0103
			E807165	27.00	27.65	0.65	0.0760	0.0269	0.0044
			E807166	27.65	28.35	0.70	0.2574	0.1254	0.0104
			E807167	28.35	29.00	0.65	0.0392	0.0291	0.0033
			E807168	29.00	30.00	1.00	0.0485	0.0172	0.0043
			E807169	30.00	31.00	1.00	0.0374	0.0080	0.0040
			E807170	31.00	32.00	1.00	0.0230	0.0001	0.0032
			E807171	32.00	33.00	1.00	0.0218	0.0029	0.0039
			E807172	33.00	34.00	1.00	0.0707	0.0288	0.0053
34.00	36.50	MDCHL, Mafic Dike Chloritic Mineralization 34.00 - 36.50 Structure 34.00 - 36.50	E807173	34.00	35.00	1.00	0.0059	0.0036	0.0026
			E807174	35.00	36.00	1.00	0.0052	0.0033	0.0022
			E807175	36.00	36.50	0.50	0.0051	0.0038	0.0022
36.50	42.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 36.50 - 38.75 38.75 - 42.30 Structure 36.50 - 42.30	E807176	36.50	38.00	1.50	0.4161	0.0817	0.0178
			E807177	38.00	38.75	0.75	0.1298	0.0676	0.0086
			E807178	38.75	40.00	1.25	0.0248	0.0263	0.0027
			E807179	40.00	41.00	1.00	0.0075	0.0125	0.0038
			E807180	41.00	42.30	1.30	0.0293	0.0201	0.0045
42.30	42.80	MDCHL, Mafic Dike Chloritic Mineralization 42.30 - 42.80 Structure 42.30 - 42.80	E807181	42.30	42.80	0.50	0.0696	0.0376	0.0053
42.80	47.50	PYXT, Pyroxenite Mineralization 42.80 - 47.50 Structure 42.80 - 47.50	E807182	42.80	44.00	1.20	0.2673	0.1511	0.0129
			E807183	44.00	45.00	1.00	0.4955	0.3281	0.0158
			E807184	45.00	46.00	1.00	1.9824	0.1914	0.0223
			E807186	46.00	47.00	1.00	0.6883	0.1867	0.0192
			E807187	47.00	47.50	0.50	0.7518	0.1871	0.0194
47.50	50.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 47.50 - 50.00 Structure 47.50 - 50.00	E807189	47.50	49.00	1.50	0.5851	0.1274	0.0240
			E807190	49.00	50.00	1.00	0.2961	0.1755	0.0083

Hole Number: KB-07-50

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
50.00	54.60	PYXT, Pyroxenite MV xenoliths Mineralization 50.00 - 54.60 Structure 50.00 - 54.60	E807191	50.00	51.00	1.00	0.0858	0.0650	0.0056
			E807192	51.00	52.50	1.50	0.1054	0.0705	0.0068
			E807193	52.50	54.00	1.50	0.0580	0.0452	0.0050
			E807194	54.00	54.60	0.60	0.2302	0.3088	0.0083
54.60	57.00	MV, Mafic Volcanic Mineralization 54.60 - 57.00 PY Structure 54.60 - 57.00	E807195	54.60	56.00	1.40	0.0233	0.0305	0.0056
			E807196	56.00	57.00	1.00	0.0186	0.0203	0.0055
57.00	62.60	PYXT, Pyroxenite Mineralization 57.00 - 62.00 Abundant MV xenoliths 62.00 - 62.60 Structure 57.00 - 62.60	E807197	57.00	58.00	1.00	0.4430	0.2312	0.0127
			E807198	58.00	59.00	1.00	0.0247	0.0052	0.0040
			E807199	59.00	60.00	1.00	0.0355	0.0551	0.0042
			E807201	60.00	61.00	1.00	0.2946	0.2532	0.0092
			E807202	61.00	62.00	1.00	0.0716	0.0401	0.0057
			E807203	62.00	62.60	0.60	0.9886	0.7138	0.0294
62.60	66.90	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 62.60 - 66.90 Structure 62.60 - 66.90	E807205	62.60	64.00	1.40	0.0418	0.0295	0.0042
			E807206	64.00	65.00	1.00	0.4567	0.2082	0.0183
			E807207	65.00	66.00	1.00	0.3287	0.2248	0.0100
			E807208	66.00	66.90	0.90	0.1936	0.0967	0.0072
66.90	69.10	MV, Mafic Volcanic Mineralization 66.90 - 69.10 PY Structure 66.90 - 69.10	E807209	66.90	68.00	1.10	0.0316	0.0122	0.0049
			E807210	68.00	69.10	1.10	0.0258	0.0077	0.0057
69.10	74.90	GABPYXT, Gabbro Pyroxenite Dikes MV xenoliths Mineralization 69.10 - 74.90 Structure 69.10 - 74.90	E807211	69.10	70.00	0.90	0.1539	0.0541	0.0095
			E807212	70.00	71.00	1.00	0.0563	0.0280	0.0064
			E807213	71.00	72.00	1.00	0.0770	0.0487	0.0055
			E807214	72.00	73.00	1.00	0.0985	0.0638	0.0053
			E807215	73.00	74.00	1.00	0.0950	0.0482	0.0050
			E807216	74.00	74.90	0.90	0.1006	0.0729	0.0047

Hole Number: KB-07-50

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
74.90	78.30	PYXT, Pyroxenite Mineralization 74.90 - 78.30 Structure 74.90 - 78.30	E807217	74.90	75.80	0.90	0.2175	0.1229	0.0090
			E807218	75.80	76.60	0.80	0.3457	0.1305	0.0113
			E807219	76.60	77.40	0.80	0.2179	0.0665	0.0083
			E807220	77.40	78.30	0.90	0.1282	0.1348	0.0085
78.30	82.60	MV, Mafic Volcanic PYXT dikes Mineralization 78.30 - 82.60 Structure 78.30 - 82.60	E807222	78.30	79.00	0.70	0.0182	0.0166	0.0044
			E807223	79.00	80.00	1.00	0.0179	0.0100	0.0048
			E807224	80.00	81.00	1.00	0.0875	0.0399	0.0068
			E807225	81.00	82.00	1.00	0.0316	0.0128	0.0051
			E807226	82.00	82.60	0.60	0.0213	0.0113	0.0059
82.60	83.40	PYXT, Pyroxenite Mineralization 82.60 - 83.40 Structure 82.60 - 83.40 : MODFOL Moderately Foliated, 45 Deg to CA	E807227	82.60	83.40	0.80	0.8023	0.4243	0.0151
83.40	85.90	TSCH, Talc Schist Mineralization 83.40 - 85.90 Structure 83.40 - 85.90 : STRFOL Strongly Foliated, 45 Deg to CA	E807228	83.40	84.00	0.60	0.9870	1.7846	0.0183
			E807229	84.00	85.00	1.00	0.4855	0.5510	0.0128
			E807231	85.00	85.90	0.90	0.2012	0.1646	0.0079
85.90	86.90	FD, Felsic Dike Mineralization 85.90 - 86.90 Structure 85.90 - 86.90 : MODFOL Moderately Foliated, 40 Deg to CA	E807232	85.90	86.90	1.00	0.0089	0.0079	0.0025
86.90	93.70	MV, Mafic Volcanic Mineralization 86.90 - 93.70 Structure 86.90 - 93.70 : MODFOL Moderately Foliated, 50 Deg to CA	E807233	86.90	88.50	1.60	0.0101	0.0116	0.0048
			E807234	88.50	90.00	1.50	0.0082	0.0068	0.0039
93.70	94.80	FD, Felsic Dike Mineralization 93.70 - 94.80 Structure 93.70 - 94.80 : MODFOL Moderately Foliated, 50 Deg to CA							
94.80	98.20	MV, Mafic Volcanic Mineralization 94.80 - 98.20 Structure 94.80 - 98.20 : MODFOL Moderately Foliated, 50 Deg to CA							

Hole Number: KB-07-50

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
98.20	99.00	FD, Felsic Dike Mineralization 98.20 - 99.00 Structure 98.20 - 99.00							
99.00	111.40	MV, Mafic Volcanic Mineralization 99.00 - 111.40 Structure 99.00 - 111.40 : MODFOL Moderately Foliated, 45 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807137	1.30	2.00	0.0156	0.0116	0.0038
E807138	2.00	3.00	0.0209	0.0125	0.0039
E807139	3.00	4.00	0.0191	0.0188	0.0041
E807140	4.00	5.00	0.0126	0.0108	0.0024
E807141	5.00	6.00	0.0116	0.0073	0.0034
E807142	6.00	7.00	0.0090	0.0098	0.0030
E807143	7.00	8.00	0.0164	0.0101	0.0034
E807144	8.00	9.00	0.0200	0.0137	0.0041
E807145	9.00	10.00	0.0374	0.0229	0.0053
E807146	10.00	11.00	0.0288	0.0193	0.0037
E807147	11.00	12.00	0.0185	0.0120	0.0037
E807148	12.00	13.00	0.0191	0.0098	0.0035
E807149	13.00	14.00	0.0198	0.0172	0.0051
E807150	14.00	15.00	0.0201	0.0174	0.0040
E807151	15.00	16.00	0.0289	0.0122	0.0033
E807152	16.00	17.00	0.0213	0.0092	0.0031
E807153	17.00	18.00	0.0557	0.0283	0.0044
E807155	18.00	19.00	0.0150	0.0221	0.0040
E807156	19.00	20.00	0.0437	0.0264	0.0062
E807157	20.00	21.00	0.0820	0.0426	0.0063
E807158	21.00	22.00	0.0783	0.0423	0.0062
E807159	22.00	23.00	0.2214	0.0883	0.0107
E807160	23.00	24.00	0.0462	0.0497	0.0072
E807161	24.00	25.00	0.1866	0.0943	0.0084
E807163	25.00	26.00	0.0836	0.0391	0.0053

Hole Number: KB-07-50

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807164	26.00	27.00	0.3115	0.1729	0.0103
E807165	27.00	27.65	0.0760	0.0269	0.0044
E807166	27.65	28.35	0.2574	0.1254	0.0104
E807167	28.35	29.00	0.0392	0.0291	0.0033
E807168	29.00	30.00	0.0485	0.0172	0.0043
E807169	30.00	31.00	0.0374	0.0080	0.0040
E807170	31.00	32.00	0.0230	0.0001	0.0032
E807171	32.00	33.00	0.0218	0.0029	0.0039
E807172	33.00	34.00	0.0707	0.0288	0.0053
E807173	34.00	35.00	0.0059	0.0036	0.0026
E807174	35.00	36.00	0.0052	0.0033	0.0022
E807175	36.00	36.50	0.0051	0.0038	0.0022
E807176	36.50	38.00	0.4161	0.0817	0.0178
E807177	38.00	38.75	0.1298	0.0676	0.0086
E807178	38.75	40.00	0.0248	0.0263	0.0027
E807179	40.00	41.00	0.0075	0.0125	0.0038
E807180	41.00	42.30	0.0293	0.0201	0.0045
E807181	42.30	42.80	0.0696	0.0376	0.0053
E807182	42.80	44.00	0.2673	0.1511	0.0129
E807183	44.00	45.00	0.4955	0.3281	0.0158
E807184	45.00	46.00	1.9824	0.1914	0.0223
E807186	46.00	47.00	0.6883	0.1867	0.0192
E807187	47.00	47.50	0.7518	0.1871	0.0194
E807189	47.50	49.00	0.5851	0.1274	0.0240
E807190	49.00	50.00	0.2961	0.1755	0.0083
E807191	50.00	51.00	0.0858	0.0650	0.0056
E807192	51.00	52.50	0.1054	0.0705	0.0068
E807193	52.50	54.00	0.0580	0.0452	0.0050
E807194	54.00	54.60	0.2302	0.3088	0.0083
E807195	54.60	56.00	0.0233	0.0305	0.0056
E807196	56.00	57.00	0.0186	0.0203	0.0055
E807197	57.00	58.00	0.4430	0.2312	0.0127
E807198	58.00	59.00	0.0247	0.0052	0.0040
E807199	59.00	60.00	0.0355	0.0551	0.0042
E807201	60.00	61.00	0.2946	0.2532	0.0092
E807202	61.00	62.00	0.0716	0.0401	0.0057
E807203	62.00	62.60	0.9886	0.7138	0.0294

Hole Number: KB-07-50

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807205	62.60	64.00	0.0418	0.0295	0.0042
E807206	64.00	65.00	0.4567	0.2082	0.0183
E807207	65.00	66.00	0.3287	0.2248	0.0100
E807208	66.00	66.90	0.1936	0.0967	0.0072
E807209	66.90	68.00	0.0316	0.0122	0.0049
E807210	68.00	69.10	0.0258	0.0077	0.0057
E807211	69.10	70.00	0.1539	0.0541	0.0095
E807212	70.00	71.00	0.0563	0.0280	0.0064
E807213	71.00	72.00	0.0770	0.0487	0.0055
E807214	72.00	73.00	0.0985	0.0638	0.0053
E807215	73.00	74.00	0.0950	0.0482	0.0050
E807216	74.00	74.90	0.1006	0.0729	0.0047
E807217	74.90	75.80	0.2175	0.1229	0.0090
E807218	75.80	76.60	0.3457	0.1305	0.0113
E807219	76.60	77.40	0.2179	0.0665	0.0083
E807220	77.40	78.30	0.1282	0.1348	0.0085
E807222	78.30	79.00	0.0182	0.0166	0.0044
E807223	79.00	80.00	0.0179	0.0100	0.0048
E807224	80.00	81.00	0.0875	0.0399	0.0068
E807225	81.00	82.00	0.0316	0.0128	0.0051
E807226	82.00	82.60	0.0213	0.0113	0.0059
E807227	82.60	83.40	0.8023	0.4243	0.0151
E807228	83.40	84.00	0.9870	1.7846	0.0183
E807229	84.00	85.00	0.4855	0.5510	0.0128
E807231	85.00	85.90	0.2012	0.1646	0.0079
E807232	85.90	86.90	0.0089	0.0079	0.0025
E807233	86.90	88.50	0.0101	0.0116	0.0048
E807234	88.50	90.00	0.0082	0.0068	0.0039

DETAILED LOG

Hole Number: KB-07-49

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -87.00
Project Number:	19900	North:	5481424.00		North:	11093892.42	Collar Az: 322.00
Location:	Surface	East:	453860.00		East:	-760441.88	Length: 152.00 (m)
		Elev:	387.89		Elev:	387.89	Start Depth: 0.00 (m)
Date Started:	May 15, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 152.00 (m)
Date Completed:	May 17, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	Fred Paulus	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	49.00	56.80	7.80	0.3990	0.2783	0.0118
WEIGHTED	73.00	77.00	4.00	0.4335	0.1526	0.0142
WEIGHTED	137.20	143.00	5.80	0.3183	0.4419	0.0094

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	322.00	-86.10	EZ	OK		50.00	326.90	-85.80	EZ	OK	
101.00	329.30	-86.40	EZ	OK		152.00	329.80	-86.60	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	3.40	CAS, Casing
3.40	11.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 3.40 - 11.30 Structure 3.40 - 11.30

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806940	3.40	4.00	0.60	0.1048	0.0826	0.0064
E806941	4.00	5.00	1.00	0.1257	0.0619	0.0059
E806942	5.00	6.00	1.00	0.1386	0.0717	0.0064
E806943	6.00	7.00	1.00	0.1913	0.1028	0.0067
E806944	7.00	8.00	1.00	0.0271	0.0210	0.0045
E806945	8.00	9.00	1.00	0.0644	0.0332	0.0050
E806946	9.00	10.00	1.00	0.0776	0.0429	0.0046
E806947	10.00	11.30	1.30	0.1115	0.0636	0.0065

Hole Number: KB-07-49

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.30	47.25	PYXT, Pyroxenite talcos Mineralization 11.30 - 47.25 Structure 11.30 - 47.25 : STRFOL Strongly Foliated, 25 Deg to CA	E806948	11.30	12.00	0.70	0.1712	0.0757	0.0079
			E806949	12.00	13.00	1.00	0.0835	0.0485	0.0060
			E806950	13.00	14.00	1.00	0.0261	0.0010	0.0025
			E806951	14.00	15.00	1.00	0.1229	0.0326	0.0065
			E806952	15.00	16.00	1.00	0.1099	0.0464	0.0060
			E806953	16.00	17.00	1.00	0.0300	0.0044	0.0037
			E806954	17.00	18.00	1.00	0.0257	0.0033	0.0031
			E806955	18.00	19.00	1.00	0.0577	0.0229	0.0042
			E806956	19.00	20.00	1.00	0.1115	0.0981	0.0069
			E806957	20.00	21.00	1.00	0.0283	0.0165	0.0042
			E806958	21.00	22.00	1.00	0.0200	0.0210	0.0027
			E806959	22.00	23.00	1.00	0.0882	0.1074	0.0057
			E806960	23.00	24.00	1.00	0.1300	0.1787	0.0068
			E806961	24.00	25.00	1.00	0.0484	0.0428	0.0040
			E806962	25.00	26.00	1.00	0.0474	0.0629	0.0037
			E806963	26.00	27.00	1.00	0.0282	0.0208	0.0029
			E806964	27.00	28.00	1.00	0.0466	0.0343	0.0038
			E806965	28.00	29.00	1.00	0.1266	0.0429	0.0078
			E806966	29.00	30.00	1.00	0.0458	0.0179	0.0036
			E806967	30.00	31.00	1.00	0.0463	0.0214	0.0035
			E806968	31.00	32.00	1.00	0.0523	0.0246	0.0035
			E806969	32.00	33.00	1.00	0.0492	0.0390	0.0034
			E806970	33.00	34.00	1.00	0.0448	0.0246	0.0038
			E806971	34.00	35.00	1.00	0.0424	0.0247	0.0033
			E806972	35.00	36.00	1.00	0.0498	0.0724	0.0036
			E806973	36.00	37.00	1.00	0.0638	0.1798	0.0043
			E806974	37.00	38.00	1.00	0.0356	0.0198	0.0030
			E806975	38.00	39.00	1.00	0.0919	0.0499	0.0066
			E806977	39.00	40.00	1.00	0.0807	0.0503	0.0052
			E806978	40.00	41.00	1.00	0.1131	0.0522	0.0069
			E806979	41.00	42.00	1.00	0.0343	0.0152	0.0062
			E806980	42.00	43.00	1.00	0.0188	0.0057	0.0044
			E806981	43.00	44.00	1.00	0.0204	0.0109	0.0055
			E806982	44.00	45.00	1.00	0.0203	0.0104	0.0049
			E806984	45.00	46.00	1.00	0.0206	0.0161	0.0051
			E806985	46.00	47.25	1.25	0.1260	0.0496	0.0078
47.25	49.00	GAB, Gabbro Mineralization 47.25 - 49.00 Structure 47.25 - 49.00	E806986	47.25	48.00	0.75	0.0139	0.0080	0.0043
			E806987	48.00	49.00	1.00	0.0136	0.0233	0.0056

Hole Number: KB-07-49

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
49.00	56.80	PYXT, Pyroxenite Mineralization 49.00 - 56.80 Structure 49.00 - 56.80	E806988	49.00	50.00	1.00	0.1963	0.0449	0.0093
			E806990	50.00	51.00	1.00	0.2793	0.1213	0.0109
			E806991	51.00	52.00	1.00	0.1845	0.0835	0.0071
			E806992	52.00	53.00	1.00	0.7295	0.5961	0.0171
			E806993	53.00	54.00	1.00	0.3491	0.3042	0.0097
			E806994	54.00	55.00	1.00	0.2507	0.2551	0.0078
			E806995	55.00	56.00	1.00	0.6490	0.5015	0.0184
			E806996	56.00	56.80	0.80	0.5922	0.3306	0.0148
56.80	80.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 56.80 - 80.60 Structure 56.80 - 80.60	E806997	56.80	58.00	1.20	0.0981	0.1241	0.0065
			E806999	58.00	59.00	1.00	0.0464	0.0462	0.0067
			E807000	59.00	60.00	1.00	0.0527	0.0468	0.0065
			E807351	60.00	61.00	1.00	0.0547	0.0826	0.0059
			E807352	61.00	62.00	1.00	0.0524	0.0459	0.0058
			E807353	62.00	63.00	1.00	0.0272	0.0174	0.0049
			E807354	63.00	64.00	1.00	0.0188	0.0137	0.0042
			E807355	64.00	65.00	1.00	0.0213	0.0186	0.0046
			E807356	65.00	66.00	1.00	0.0249	0.0290	0.0047
			E807357	66.00	67.00	1.00	0.1584	0.1604	0.0071
			E807358	67.00	68.00	1.00	0.0701	0.0816	0.0059
			E807359	68.00	69.00	1.00	0.0659	0.0744	0.0054
			E807360	69.00	70.00	1.00	0.1475	0.1256	0.0067
			E807362	70.00	71.00	1.00	0.0298	0.0240	0.0031
			E807363	71.00	72.00	1.00	0.0359	0.0643	0.0039
			E807364	72.00	73.00	1.00	0.0655	0.0883	0.0052
			E807365	73.00	74.00	1.00	0.2009	0.0890	0.0090
			E807366	74.00	75.00	1.00	0.0961	0.0498	0.0061
			E807367	75.00	76.00	1.00	0.4306	0.1649	0.0123
			E807368	76.00	77.00	1.00	1.0065	0.3065	0.0295
			E807369	77.00	78.00	1.00	0.0423	0.0464	0.0037
			E807370	78.00	79.00	1.00	0.2088	0.1347	0.0083
			E807372	79.00	80.00	1.00	0.1179	0.0531	0.0060
			E807373	80.00	80.60	0.60	0.1199	0.0572	0.0068
80.60	88.15	GAB, Gabbro Mineralization 80.60 - 88.15 Structure 80.60 - 88.15	E807374	80.60	82.00	1.40	0.0131	0.0326	0.0049
			E807375	82.00	83.00	1.00	0.0204	0.0112	0.0031
			E807376	83.00	84.00	1.00	0.0125	0.0032	0.0026
			E807377	84.00	85.00	1.00	0.0139	0.0095	0.0028
			E807378	85.00	86.00	1.00	0.0219	0.0282	0.0057
			E807379	86.00	87.00	1.00	0.0429	0.0169	0.0041
			E807380	87.00	88.15	1.15	0.0179	0.0028	0.0033

Hole Number: KB-07-49

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
88.15	92.50	MD, Mafic Dike Mineralization 88.15 - 92.50 Structure 88.15 - 92.50	E807381	88.15	89.00	0.85	0.0046	0.0053	0.0027
			E807382	89.00	90.00	1.00	0.0063	0.0032	0.0027
			E807383	90.00	91.00	1.00	0.0058	0.0031	0.0020
			E807385	91.00	92.00	1.00	0.0144	0.0048	0.0025
			E807386	92.00	93.00	1.00	0.1812	0.2664	0.0072
92.50	94.10	PYXT, Pyroxenite Mineralization 92.50 - 94.10 Structure 92.50 - 94.10	E807387	93.00	94.10	1.10	0.1800	0.1637	0.0066
94.10	96.50	MD, Mafic Dike Mineralization 94.10 - 96.50 Structure 94.10 - 96.50	E807388	94.10	95.00	0.90	0.0091	0.0147	0.0025
			E807389	95.00	96.00	1.00	0.0038	0.0037	0.0023
			E807390	96.00	96.50	0.50	0.0057	0.0063	0.0022
96.50	127.00	GAB, Gabbro fg gab/mas mv heterogeneous Mineralization 96.50 - 127.00 Structure 96.50 - 127.00 : MODFOL Moderately Foliated, 30 Deg to CA	E807391	96.50	98.00	1.50	0.0129	0.0094	0.0055
			E807392	98.00	99.50	1.50	0.0102	0.0130	0.0051
			E807393	99.50	101.00	1.50	0.0123	0.0115	0.0048
			E807394	101.00	102.50	1.50	0.0108	0.0101	0.0054
			E807395	102.50	104.00	1.50	0.0123	0.0101	0.0062
			E807396	104.00	105.50	1.50	0.0115	0.0108	0.0055
			E807397	105.50	107.00	1.50	0.0128	0.0150	0.0051
			E807398	107.00	108.50	1.50	0.0113	0.0154	0.0054
			E807399	108.50	110.00	1.50	0.0347	0.0304	0.0056
			E807400	110.00	111.50	1.50	0.0095	0.0124	0.0044
			E807401	111.50	113.00	1.50	0.0113	0.0082	0.0037
			E807402	113.00	114.50	1.50	0.0081	0.0167	0.0046
			E807403	114.50	116.00	1.50	0.0064	0.0095	0.0043
			E807404	116.00	117.50	1.50	0.0074	0.0165	0.0056
			E807405	117.50	119.00	1.50	0.0067	0.0160	0.0059
			E807406	119.00	120.50	1.50	0.0053	0.0150	0.0041
			E807407	120.50	123.00	2.50	0.0068	0.0117	0.0047
			E807409	123.00	124.50	1.50	0.0077	0.0167	0.0048
			E807410	124.50	126.00	1.50	0.0116	0.0138	0.0047
			E807411	126.00	127.00	1.00	0.1108	0.0492	0.0069
127.00	137.20	FD, Felsic Dike Mineralization 127.00 - 137.20 Structure 127.00 - 137.20 : MODFOL Moderately Foliated, 30 Deg to CA	E807412	127.00	128.50	1.50	0.0049	0.0031	0.0020
			E807413	128.50	130.00	1.50	0.0045	0.0046	0.0020
			E807414	130.00	131.50	1.50	0.0043	0.0036	0.0018
			E807415	131.50	133.00	1.50	0.0113	0.0034	0.0041
			E807417	133.00	134.50	1.50	0.0040	0.0040	0.0019
			E807418	134.50	136.00	1.50	0.0074	0.0058	0.0028
			E807419	136.00	137.20	1.20	0.0274	0.0148	0.0038

DETAILED LOG

Hole Number: KB-07-49

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
137.20	141.90	PYXT, Pyroxenite Mineralization 137.20 - 141.90 Structure 137.20 - 141.90 : STRFOL Strongly Foliated, 30 Deg to CA
141.90	152.00	MV, Mafic Volcanic w/ 40cm min qtz Mineralization 141.90 - 142.50 142.50 - 142.90 142.90 - 152.00 Structure 141.90 - 152.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E807420	137.20	138.00	0.80	0.5713	0.9341	0.0144
E807421	138.00	139.00	1.00	0.5398	0.7895	0.0126
E807422	139.00	140.00	1.00	0.1438	0.2971	0.0057
E807424	140.00	141.00	1.00	0.2158	0.3666	0.0065
E807425	141.00	141.90	0.90	0.2090	0.2497	0.0074
E807426	141.90	143.00	1.10	0.2742	0.1251	0.0105
E807428	143.00	144.10	1.10	0.0086	0.0079	0.0018
E807429	144.10	145.50	1.40	0.0086	0.0032	0.0016
E807430	145.50	147.00	1.50	0.0042	0.0043	0.0022
E807431	147.00	148.50	1.50	0.0044	0.0026	0.0023
E807432	148.50	150.00	1.50	0.0040	0.0046	0.0023
E807433	150.00	151.00	1.00	0.0061	0.0037	0.0022
E807434	151.00	152.00	1.00	0.0125	0.0165	0.0030

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806940	3.40	4.00	0.1048	0.0826	0.0064
E806941	4.00	5.00	0.1257	0.0619	0.0059
E806942	5.00	6.00	0.1386	0.0717	0.0064
E806943	6.00	7.00	0.1913	0.1028	0.0067
E806944	7.00	8.00	0.0271	0.0210	0.0045
E806945	8.00	9.00	0.0644	0.0332	0.0050
E806946	9.00	10.00	0.0776	0.0429	0.0046
E806947	10.00	11.30	0.1115	0.0636	0.0065
E806948	11.30	12.00	0.1712	0.0757	0.0079
E806949	12.00	13.00	0.0835	0.0485	0.0060
E806950	13.00	14.00	0.0261	0.0010	0.0025
E806951	14.00	15.00	0.1229	0.0326	0.0065
E806952	15.00	16.00	0.1099	0.0464	0.0060
E806953	16.00	17.00	0.0300	0.0044	0.0037
E806954	17.00	18.00	0.0257	0.0033	0.0031
E806955	18.00	19.00	0.0577	0.0229	0.0042
E806956	19.00	20.00	0.1115	0.0981	0.0069
E806957	20.00	21.00	0.0283	0.0165	0.0042
E806958	21.00	22.00	0.0200	0.0210	0.0027
E806959	22.00	23.00	0.0882	0.1074	0.0057
E806960	23.00	24.00	0.1300	0.1787	0.0068
E806961	24.00	25.00	0.0484	0.0428	0.0040

Hole Number: KB-07-49

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806962	25.00	26.00	0.0474	0.0629	0.0037
E806963	26.00	27.00	0.0282	0.0208	0.0029
E806964	27.00	28.00	0.0466	0.0343	0.0038
E806965	28.00	29.00	0.1266	0.0429	0.0078
E806966	29.00	30.00	0.0458	0.0179	0.0036
E806967	30.00	31.00	0.0463	0.0214	0.0035
E806968	31.00	32.00	0.0523	0.0246	0.0035
E806969	32.00	33.00	0.0492	0.0390	0.0034
E806970	33.00	34.00	0.0448	0.0246	0.0038
E806971	34.00	35.00	0.0424	0.0247	0.0033
E806972	35.00	36.00	0.0498	0.0724	0.0036
E806973	36.00	37.00	0.0638	0.1798	0.0043
E806974	37.00	38.00	0.0356	0.0198	0.0030
E806975	38.00	39.00	0.0919	0.0499	0.0066
E806977	39.00	40.00	0.0807	0.0503	0.0052
E806978	40.00	41.00	0.1131	0.0522	0.0069
E806979	41.00	42.00	0.0343	0.0152	0.0062
E806980	42.00	43.00	0.0188	0.0057	0.0044
E806981	43.00	44.00	0.0204	0.0109	0.0055
E806982	44.00	45.00	0.0203	0.0104	0.0049
E806984	45.00	46.00	0.0206	0.0161	0.0051
E806985	46.00	47.25	0.1260	0.0496	0.0078
E806986	47.25	48.00	0.0139	0.0080	0.0043
E806987	48.00	49.00	0.0136	0.0233	0.0056
E806988	49.00	50.00	0.1963	0.0449	0.0093
E806990	50.00	51.00	0.2793	0.1213	0.0109
E806991	51.00	52.00	0.1845	0.0835	0.0071
E806992	52.00	53.00	0.7295	0.5961	0.0171
E806993	53.00	54.00	0.3491	0.3042	0.0097
E806994	54.00	55.00	0.2507	0.2551	0.0078
E806995	55.00	56.00	0.6490	0.5015	0.0184
E806996	56.00	56.80	0.5922	0.3306	0.0148
E806997	56.80	58.00	0.0981	0.1241	0.0065
E806999	58.00	59.00	0.0464	0.0462	0.0067
E807000	59.00	60.00	0.0527	0.0468	0.0065
E807351	60.00	61.00	0.0547	0.0826	0.0059
E807352	61.00	62.00	0.0524	0.0459	0.0058

Hole Number: KB-07-49

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807353	62.00	63.00	0.0272	0.0174	0.0049
E807354	63.00	64.00	0.0188	0.0137	0.0042
E807355	64.00	65.00	0.0213	0.0186	0.0046
E807356	65.00	66.00	0.0249	0.0290	0.0047
E807357	66.00	67.00	0.1584	0.1604	0.0071
E807358	67.00	68.00	0.0701	0.0816	0.0059
E807359	68.00	69.00	0.0659	0.0744	0.0054
E807360	69.00	70.00	0.1475	0.1256	0.0067
E807362	70.00	71.00	0.0298	0.0240	0.0031
E807363	71.00	72.00	0.0359	0.0643	0.0039
E807364	72.00	73.00	0.0655	0.0883	0.0052
E807365	73.00	74.00	0.2009	0.0890	0.0090
E807366	74.00	75.00	0.0961	0.0498	0.0061
E807367	75.00	76.00	0.4306	0.1649	0.0123
E807368	76.00	77.00	1.0065	0.3065	0.0295
E807369	77.00	78.00	0.0423	0.0464	0.0037
E807370	78.00	79.00	0.2088	0.1347	0.0083
E807372	79.00	80.00	0.1179	0.0531	0.0060
E807373	80.00	80.60	0.1199	0.0572	0.0068
E807374	80.60	82.00	0.0131	0.0326	0.0049
E807375	82.00	83.00	0.0204	0.0112	0.0031
E807376	83.00	84.00	0.0125	0.0032	0.0026
E807377	84.00	85.00	0.0139	0.0095	0.0028
E807378	85.00	86.00	0.0219	0.0282	0.0057
E807379	86.00	87.00	0.0429	0.0169	0.0041
E807380	87.00	88.15	0.0179	0.0028	0.0033
E807381	88.15	89.00	0.0046	0.0053	0.0027
E807382	89.00	90.00	0.0063	0.0032	0.0027
E807383	90.00	91.00	0.0058	0.0031	0.0020
E807385	91.00	92.00	0.0144	0.0048	0.0025
E807386	92.00	93.00	0.1812	0.2664	0.0072
E807387	93.00	94.10	0.1800	0.1637	0.0066
E807388	94.10	95.00	0.0091	0.0147	0.0025
E807389	95.00	96.00	0.0038	0.0037	0.0023
E807390	96.00	96.50	0.0057	0.0063	0.0022
E807391	96.50	98.00	0.0129	0.0094	0.0055
E807392	98.00	99.50	0.0102	0.0130	0.0051

Hole Number: KB-07-49

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807393	99.50	101.00	0.0123	0.0115	0.0048
E807394	101.00	102.50	0.0108	0.0101	0.0054
E807395	102.50	104.00	0.0123	0.0101	0.0062
E807396	104.00	105.50	0.0115	0.0108	0.0055
E807397	105.50	107.00	0.0128	0.0150	0.0051
E807398	107.00	108.50	0.0113	0.0154	0.0054
E807399	108.50	110.00	0.0347	0.0304	0.0056
E807400	110.00	111.50	0.0095	0.0124	0.0044
E807401	111.50	113.00	0.0113	0.0082	0.0037
E807402	113.00	114.50	0.0081	0.0167	0.0046
E807403	114.50	116.00	0.0064	0.0095	0.0043
E807404	116.00	117.50	0.0074	0.0165	0.0056
E807405	117.50	119.00	0.0067	0.0160	0.0059
E807406	119.00	120.50	0.0053	0.0150	0.0041
E807407	120.50	123.00	0.0068	0.0117	0.0047
E807409	123.00	124.50	0.0077	0.0167	0.0048
E807410	124.50	126.00	0.0116	0.0138	0.0047
E807411	126.00	127.00	0.1108	0.0492	0.0069
E807412	127.00	128.50	0.0049	0.0031	0.0020
E807413	128.50	130.00	0.0045	0.0046	0.0020
E807414	130.00	131.50	0.0043	0.0036	0.0018
E807415	131.50	133.00	0.0113	0.0034	0.0041
E807417	133.00	134.50	0.0040	0.0040	0.0019
E807418	134.50	136.00	0.0074	0.0058	0.0028
E807419	136.00	137.20	0.0274	0.0148	0.0038
E807420	137.20	138.00	0.5713	0.9341	0.0144
E807421	138.00	139.00	0.5398	0.7895	0.0126
E807422	139.00	140.00	0.1438	0.2971	0.0057
E807424	140.00	141.00	0.2158	0.3666	0.0065
E807425	141.00	141.90	0.2090	0.2497	0.0074
E807426	141.90	143.00	0.2742	0.1251	0.0105
E807428	143.00	144.10	0.0086	0.0079	0.0018
E807429	144.10	145.50	0.0086	0.0032	0.0016
E807430	145.50	147.00	0.0042	0.0043	0.0022
E807431	147.00	148.50	0.0044	0.0026	0.0023
E807432	148.50	150.00	0.0040	0.0046	0.0023
E807433	150.00	151.00	0.0061	0.0037	0.0022

Hole Number: KB-07-49

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807434	151.00	152.00	0.0125	0.0165	0.0030

DETAILED LOG

Hole Number: KB-07-48

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -45.00
Project Number:	19900	North:	5481425.00		North:	11012981.28	Collar Az: 307.90
Location:	Surface	East:	453859.00		East:	-724761.87	Length: 80.00 (m)
		Elev:	387.96		Elev:	387.96	Start Depth: 0.00 (m)
Date Started:	May 15, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 80.00 (m)
Date Completed:	May 15, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	42.05	47.20	5.15	0.8996	0.9981	0.0244
WEIGHTED	42.05	62.20	20.15	0.4108	0.4106	0.0122
WEIGHTED	50.80	62.20	11.40	0.3162	0.2627	0.0098

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	307.90	-46.60	EZ	OK		80.00	307.40	-46.10	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data						
			Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.30	CAS, Casing							
1.30	7.50	PYXT, Pyroxenite Mineralization 1.30 - 7.50 Structure 1.30 - 7.50 : MODFOL Moderately Foliated, 45 Deg to CA	E807070	1.30	2.00	0.70	0.0592	0.0281	0.0044
			E807071	2.00	3.00	1.00	0.0486	0.0091	0.0039
			E807072	3.00	4.00	1.00	0.0810	0.0216	0.0049
			E807073	4.00	5.00	1.00	0.0859	0.0296	0.0048
			E807074	5.00	6.00	1.00	0.0924	0.0514	0.0053
			E807076	6.00	7.00	1.00	0.0981	0.0478	0.0051
			E807077	7.00	7.50	0.50	0.1029	0.0874	0.0055
7.50	9.65	MDCHL, Mafic Dike Chloritic Mineralization 7.50 - 9.65 Structure 7.50 - 9.65	E807078	7.50	9.00	1.50	0.0294	0.0103	0.0031
			E807079	9.00	9.65	0.65	0.1173	0.0407	0.0067
9.65	11.50	PYXT, Pyroxenite Mineralization 9.65 - 11.50 Structure 9.65 - 11.50 : STRFOL Strongly Foliated, 55 Deg to CA	E807080	9.65	11.00	1.35	0.0172	0.0030	0.0056
			E807082	11.00	11.50	0.50	0.0206	0.0123	0.0043

Hole Number: KB-07-48

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.50	19.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 11.50 - 19.40 Structure 11.50 - 19.40	E807083	11.50	13.00	1.50	0.0178	0.0119	0.0046
			E807084	13.00	14.00	1.00	0.0197	0.0132	0.0035
			E807085	14.00	15.00	1.00	0.0297	0.0116	0.0041
			E807086	15.00	16.00	1.00	0.0291	0.0118	0.0033
			E807087	16.00	17.00	1.00	0.0353	0.0272	0.0037
			E807088	17.00	18.00	1.00	0.0355	0.0265	0.0040
			E807089	18.00	19.40	1.40	0.0361	0.0788	0.0038
19.40	20.95	FD, Felsic Dike Mineralization 19.40 - 20.95 Structure 19.40 - 20.95	E807090	19.40	20.95	1.55	0.0044	0.0047	0.0022
20.95	42.05	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 20.95 - 42.05 Structure 20.95 - 42.05	E807091	20.95	22.00	1.05	0.1912	0.3742	0.0079
			E807092	22.00	23.00	1.00	0.0266	0.0478	0.0040
			E807093	23.00	24.00	1.00	0.0363	0.0612	0.0044
			E807094	24.00	25.00	1.00	0.0236	0.0238	0.0052
			E807095	25.00	26.00	1.00	0.0112	0.0148	0.0038
			E807096	26.00	27.00	1.00	0.0100	0.0216	0.0036
			E807097	27.00	28.00	1.00	0.0338	0.0658	0.0048
			E807098	28.00	29.00	1.00	0.0363	0.0739	0.0044
			E807099	29.00	30.00	1.00	0.0108	0.0188	0.0026
			E807100	30.00	31.00	1.00	0.1024	0.0570	0.0048
			E807101	31.00	32.00	1.00	0.1566	0.1226	0.0057
			E807102	32.00	33.00	1.00	0.0333	0.0570	0.0040
			E807103	33.00	34.00	1.00	0.0637	0.0821	0.0053
			E807104	34.00	35.00	1.00	0.0474	0.0286	0.0045
			E807105	35.00	36.00	1.00	0.0597	0.0497	0.0039
			E807106	36.00	37.00	1.00	0.0389	0.0278	0.0061
			E807107	37.00	38.00	1.00	0.1019	0.0533	0.0075
			E807108	38.00	39.00	1.00	0.2046	0.0754	0.0082
			E807109	39.00	40.00	1.00	0.0135	0.0186	0.0051
			E807110	40.00	41.00	1.00	0.1415	0.0780	0.0074
			E807111	41.00	42.05	1.05	0.0603	0.0380	0.0056
42.05	47.20	PYXT, Pyroxenite Mineralization 42.05 - 47.20 Structure 42.05 - 47.20	E807112	42.05	43.00	0.95	0.6043	0.2409	0.0154
			E807113	43.00	44.00	1.00	0.3685	0.2330	0.0107
			E807114	44.00	45.00	1.00	0.2940	3.1426	0.0079
			E807116	45.00	46.00	1.00	2.2413	0.8313	0.0674
			E807117	46.00	47.20	1.20	0.9626	0.5868	0.0210

DETAILED LOG

Hole Number: KB-07-48

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
47.20	50.80	GAB, Gabbro Mineralization 47.20 - 50.80 Structure 47.20 - 50.80
50.80	57.80	PYXT, Pyroxenite MV sections Mineralization 50.80 - 57.80 Structure 50.80 - 57.80 : MODFOL Moderately Foliated, 30 Deg to CA
57.80	62.20	TSCH, Talc Schist Mineralization 57.80 - 59.00 59.00 - 62.20 Structure 57.80 - 62.20 : STRFOL Strongly Foliated, 50 Deg to CA
62.20	64.00	FD, Felsic Dike Mineralization 62.20 - 64.00 Structure 62.20 - 64.00 : MODFOL Moderately Foliated, 45 Deg to CA
64.00	80.00	MV, Mafic Volcanic Mineralization 64.00 - 80.00 Structure 64.00 - 80.00 : MODFOL Moderately Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E807119	47.20	48.00	0.80	0.0242	0.0530	0.0026
E807120	48.00	49.00	1.00	0.0085	0.0313	0.0018
E807121	49.00	50.00	1.00	0.0079	0.0496	0.0020
E807122	50.00	50.80	0.80	0.0055	0.0192	0.0020
E807123	50.80	52.00	1.20	0.2244	0.1662	0.0093
E807124	52.00	53.00	1.00	0.4600	0.2094	0.0134
E807125	53.00	54.00	1.00	0.1729	0.1292	0.0070
E807126	54.00	55.00	1.00	0.3558	0.1884	0.0147
E807127	55.00	56.00	1.00	0.0506	0.0266	0.0052
E807128	56.00	57.00	1.00	0.4149	0.4570	0.0124
E807129	57.00	57.80	0.80	0.6851	0.5573	0.0143
E807130	57.80	59.00	1.20	0.6939	0.6229	0.0140
E807131	59.00	60.00	1.00	0.1446	0.1632	0.0066
E807132	60.00	61.00	1.00	0.1617	0.1972	0.0068
E807133	61.00	62.20	1.20	0.1617	0.1927	0.0051
E807134	62.20	63.10	0.90	0.0330	0.0196	0.0024
E807135	63.10	64.00	0.90	0.0165	0.0123	0.0043
E807136	64.00	65.00	1.00	0.0137	0.0174	0.0055

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807070	1.30	2.00	0.0592	0.0281	0.0044
E807071	2.00	3.00	0.0486	0.0091	0.0039
E807072	3.00	4.00	0.0810	0.0216	0.0049
E807073	4.00	5.00	0.0859	0.0296	0.0048
E807074	5.00	6.00	0.0924	0.0514	0.0053
E807076	6.00	7.00	0.0981	0.0478	0.0051
E807077	7.00	7.50	0.1029	0.0874	0.0055
E807078	7.50	9.00	0.0294	0.0103	0.0031

Hole Number: KB-07-48

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807079	9.00	9.65	0.1173	0.0407	0.0067
E807080	9.65	11.00	0.0172	0.0030	0.0056
E807082	11.00	11.50	0.0206	0.0123	0.0043
E807083	11.50	13.00	0.0178	0.0119	0.0046
E807084	13.00	14.00	0.0197	0.0132	0.0035
E807085	14.00	15.00	0.0297	0.0116	0.0041
E807086	15.00	16.00	0.0291	0.0118	0.0033
E807087	16.00	17.00	0.0353	0.0272	0.0037
E807088	17.00	18.00	0.0355	0.0265	0.0040
E807089	18.00	19.40	0.0361	0.0788	0.0038
E807090	19.40	20.95	0.0044	0.0047	0.0022
E807091	20.95	22.00	0.1912	0.3742	0.0079
E807092	22.00	23.00	0.0266	0.0478	0.0040
E807093	23.00	24.00	0.0363	0.0612	0.0044
E807094	24.00	25.00	0.0236	0.0238	0.0052
E807095	25.00	26.00	0.0112	0.0148	0.0038
E807096	26.00	27.00	0.0100	0.0216	0.0036
E807097	27.00	28.00	0.0338	0.0658	0.0048
E807098	28.00	29.00	0.0363	0.0739	0.0044
E807099	29.00	30.00	0.0108	0.0188	0.0026
E807100	30.00	31.00	0.1024	0.0570	0.0048
E807101	31.00	32.00	0.1566	0.1226	0.0057
E807102	32.00	33.00	0.0333	0.0570	0.0040
E807103	33.00	34.00	0.0637	0.0821	0.0053
E807104	34.00	35.00	0.0474	0.0286	0.0045
E807105	35.00	36.00	0.0597	0.0497	0.0039
E807106	36.00	37.00	0.0389	0.0278	0.0061
E807107	37.00	38.00	0.1019	0.0533	0.0075
E807108	38.00	39.00	0.2046	0.0754	0.0082
E807109	39.00	40.00	0.0135	0.0186	0.0051
E807110	40.00	41.00	0.1415	0.0780	0.0074
E807111	41.00	42.05	0.0603	0.0380	0.0056
E807112	42.05	43.00	0.6043	0.2409	0.0154
E807113	43.00	44.00	0.3685	0.2330	0.0107
E807114	44.00	45.00	0.2940	3.1426	0.0079
E807116	45.00	46.00	2.2413	0.8313	0.0674
E807117	46.00	47.20	0.9626	0.5868	0.0210

Hole Number: KB-07-48

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807119	47.20	48.00	0.0242	0.0530	0.0026
E807120	48.00	49.00	0.0085	0.0313	0.0018
E807121	49.00	50.00	0.0079	0.0496	0.0020
E807122	50.00	50.80	0.0055	0.0192	0.0020
E807123	50.80	52.00	0.2244	0.1662	0.0093
E807124	52.00	53.00	0.4600	0.2094	0.0134
E807125	53.00	54.00	0.1729	0.1292	0.0070
E807126	54.00	55.00	0.3558	0.1884	0.0147
E807127	55.00	56.00	0.0506	0.0266	0.0052
E807128	56.00	57.00	0.4149	0.4570	0.0124
E807129	57.00	57.80	0.6851	0.5573	0.0143
E807130	57.80	59.00	0.6939	0.6229	0.0140
E807131	59.00	60.00	0.1446	0.1632	0.0066
E807132	60.00	61.00	0.1617	0.1972	0.0068
E807133	61.00	62.20	0.1617	0.1927	0.0051
E807134	62.20	63.10	0.0330	0.0196	0.0024
E807135	63.10	64.00	0.0165	0.0123	0.0043
E807136	64.00	65.00	0.0137	0.0174	0.0055

DETAILED LOG

Hole Number: KB-07-47

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -45.00
Project Number:	19900	North:	5481418.00		North:	8079904.08	Collar Az: 318.00
Location:	Surface	East:	453917.90		East:	-1671735.13	Length: 112.80 (m)
		Elev:	384.05		Elev:	384.05	Start Depth: 0.00 (m)
Date Started:	May 13, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 112.80 (m)
Date Completed:	May 15, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	ss	Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	48.00	109.20	61.20	0.1316	0.0672	0.0063
WEIGHTED	54.00	69.00	15.00	0.2235	0.1149	0.0083
WEIGHTED	101.70	109.20	7.50	0.1875	0.1134	0.0103

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	318.00	-44.70	EZ	OK		50.00	316.40	-44.00	EZ	OK	
101.00	318.00	-43.00	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	4.20	CAS, Casing
4.20	11.00	MV, Mafic Volcanic pyxt dykes Mineralization 4.20 - 11.00 Structure 4.20 - 11.00 : MODFOL Moderately Foliated, 40 Deg to CA
11.00	13.90	PYXT, Pyroxenite Mineralization 11.00 - 13.90 Structure 11.00 - 13.90
13.90	17.20	MV, Mafic Volcanic Mineralization 13.90 - 17.20 Structure 13.90 - 17.20

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806819	4.20	5.00	0.80	0.0121	0.0149	0.0046
E806820	5.00	6.00	1.00	0.0109	0.0102	0.0046
E806821	6.00	7.00	1.00	0.0335	0.0349	0.0051
E806822	7.00	8.00	1.00	0.0180	0.0195	0.0045
E806823	8.00	9.00	1.00	0.0308	0.0159	0.0063
E806824	9.00	10.00	1.00	0.0210	0.0175	0.0056
E806826	10.00	11.00	1.00	0.0254	0.0191	0.0054
E806827	11.00	12.00	1.00	0.0597	0.0466	0.0054
E806829	12.00	13.00	1.00	0.0587	0.0354	0.0055
E806830	13.00	13.90	0.90	0.0822	0.0402	0.0048
E806831	13.90	15.00	1.10	0.0571	0.0301	0.0050
E806832	15.00	16.00	1.00	0.0199	0.0125	0.0050
E806833	16.00	17.20	1.20	0.0213	0.0130	0.0050

Hole Number: KB-07-47

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
17.20	20.40	PYXT, Pyroxenite Mineralization 17.20 - 20.40 Structure 17.20 - 20.40 : MODFOL Moderately Foliated, 45 Deg to CA	E806834	17.20	18.00	0.80	0.0256	0.0058	0.0036
			E806835	18.00	19.00	1.00	0.0536	0.0151	0.0037
			E806836	19.00	20.40	1.40	0.0710	0.0207	0.0049
20.40	30.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 20.40 - 30.40 Structure 20.40 - 30.40	E806837	20.40	21.00	0.60	0.0475	0.0608	0.0057
			E806839	21.00	22.00	1.00	0.0171	0.0076	0.0034
			E806840	22.00	23.00	1.00	0.0186	0.0074	0.0050
			E806841	23.00	24.00	1.00	0.0206	0.0189	0.0046
			E806842	24.00	25.00	1.00	0.0189	0.0299	0.0045
			E806843	25.00	26.00	1.00	0.0199	0.0168	0.0039
			E806844	26.00	27.00	1.00	0.0158	0.0201	0.0031
			E806845	27.00	28.00	1.00	0.0142	0.0183	0.0044
			E806846	28.00	29.00	1.00	0.0163	0.0065	0.0033
			E806847	29.00	30.40	1.40	0.0220	0.0170	0.0040
30.40	32.40	FD, Felsic Dike Mineralization 30.40 - 32.40 Structure 30.40 - 32.40	E806848	30.40	31.40	1.00	0.0032	0.0030	0.0016
			E806849	31.40	32.40	1.00	0.0035	0.0029	0.0019
32.40	37.40	GAB, Gabbro Mineralization 32.40 - 37.40 Structure 32.40 - 37.40	E806850	32.40	33.00	0.60	0.0112	0.0087	0.0032
			E806851	33.00	34.00	1.00	0.0111	0.0171	0.0029
			E806852	34.00	35.00	1.00	0.0095	0.0214	0.0036
			E806853	35.00	36.00	1.00	0.0080	0.0146	0.0032
			E806854	36.00	37.40	1.40	0.0072	0.0155	0.0029
37.40	43.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 37.40 - 43.20 Structure 37.40 - 43.20	E806855	37.40	38.00	0.60	0.0201	0.0113	0.0027
			E806856	38.00	39.00	1.00	0.0675	0.0598	0.0037
			E806857	39.00	40.00	1.00	0.0512	0.0381	0.0039
			E806858	40.00	41.00	1.00	0.0223	0.0094	0.0029
			E806859	41.00	42.00	1.00	0.0198	0.0021	0.0044
			E806860	42.00	43.20	1.20	0.0415	0.0223	0.0052
43.20	46.80	MV, Mafic Volcanic Mineralization 43.20 - 46.80 Structure 43.20 - 46.80	E806861	43.20	44.00	0.80	0.0191	0.0239	0.0050
			E806862	44.00	45.00	1.00	0.0141	0.0187	0.0037
			E806863	45.00	46.00	1.00	0.0110	0.0177	0.0042
			E806865	46.00	46.80	0.80	0.0100	0.0121	0.0041

Hole Number: KB-07-47

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
46.80	72.85	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 46.80 - 72.85 Structure 46.80 - 72.85	E806866	46.80	48.00	1.20	0.1059	0.0556	0.0049
			E806867	48.00	49.00	1.00	0.1771	0.0799	0.0067
			E806868	49.00	50.00	1.00	0.0919	0.0578	0.0058
			E806869	50.00	51.00	1.00	0.1421	0.0460	0.0055
			E806870	51.00	52.00	1.00	0.0234	0.0053	0.0018
			E806871	52.00	53.00	1.00	0.0526	0.0771	0.0053
			E806872	53.00	54.00	1.00	0.0512	0.0228	0.0047
			E806873	54.00	55.00	1.00	0.2870	0.1778	0.0142
			E806875	55.00	56.00	1.00	0.1820	0.0940	0.0086
			E806876	56.00	57.00	1.00	0.0925	0.0464	0.0058
			E806877	57.00	58.00	1.00	0.0740	0.0459	0.0054
			E806878	58.00	59.00	1.00	0.0335	0.0299	0.0042
			E806879	59.00	60.00	1.00	0.2334	0.0749	0.0096
			E806880	60.00	61.00	1.00	0.0970	0.0762	0.0052
			E806881	61.00	62.00	1.00	0.2932	0.2898	0.0092
			E806882	62.00	63.00	1.00	0.8376	0.4006	0.0179
			E806883	63.00	64.00	1.00	0.1232	0.1274	0.0051
			E806884	64.00	65.00	1.00	0.4374	0.0978	0.0130
			E806886	65.00	66.00	1.00	0.1485	0.0757	0.0054
			E806887	66.00	67.00	1.00	0.1212	0.0288	0.0062
			E806888	67.00	68.00	1.00	0.1432	0.0664	0.0066
			E806889	68.00	69.00	1.00	0.2488	0.0922	0.0082
			E806890	69.00	70.00	1.00	0.0553	0.0209	0.0044
			E806891	70.00	71.00	1.00	0.0543	0.0098	0.0045
			E806892	71.00	72.00	1.00	0.0186	0.0039	0.0032
			E806893	72.00	72.85	0.85	0.0109	0.0142	0.0045
72.85	74.60	FD, Felsic Dike Mineralization 72.85 - 74.60 Structure 72.85 - 74.60	E806894	72.85	74.00	1.15	0.0238	0.0115	0.0030
			E806896	74.00	74.60	0.60	0.0061	0.0035	0.0024
74.60	76.90	PYXT, Pyroxenite Mineralization 74.60 - 76.90 Structure 74.60 - 76.90 : MODFOL Moderately Foliated, 45 Deg to CA	E806897	74.60	76.00	1.40	0.1582	0.0974	0.0061
			E806898	76.00	76.90	0.90	0.1396	0.0661	0.0056
76.90	79.50	MDCHL, Mafic Dike Chloritic Mineralization 76.90 - 79.20 Structure 76.90 - 79.20	E806899	76.90	78.00	1.10	0.0075	0.0060	0.0022
			E806900	78.00	79.00	1.00	0.0035	0.0029	0.0023
			E806901	79.00	79.50	0.50	0.0034	0.0031	0.0023

Hole Number: KB-07-47

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
79.50	86.90	PYXT, Pyroxenite Mineralization 79.50 - 86.90 Structure 79.50 - 86.90 : MODFOL Moderately Foliated, 50 Deg to CA	E806902	79.50	80.00	0.50	0.0146	0.0060	0.0037
			E806903	80.00	81.00	1.00	0.0456	0.0168	0.0039
			E806904	81.00	82.00	1.00	0.1943	0.0339	0.0051
			E806905	82.00	83.00	1.00	0.2278	0.1169	0.0052
			E806906	83.00	84.00	1.00	0.4543	0.1562	0.0075
			E806907	84.00	85.00	1.00	0.0857	0.0216	0.0055
			E806908	85.00	86.00	1.00	0.3947	0.1267	0.0123
			E806909	86.00	86.90	0.90	0.0636	0.0283	0.0053
86.90	87.70	MD, Mafic Dike Mineralization 86.90 - 87.70 Structure 86.90 - 87.70	E806910	86.90	87.70	0.80	0.0104	0.0064	0.0032
87.70	88.70	GAB, Gabbro Mineralization 87.70 - 88.70 Structure 87.70 - 88.70	E806911	87.70	88.70	1.00	0.0212	0.0143	0.0047
88.70	90.90	MD, Mafic Dike Mineralization 88.70 - 90.90 Structure 88.70 - 90.90	E806912	88.70	90.00	1.30	0.0050	0.0045	0.0027
			E806914	90.00	90.90	0.90	0.0030	0.0036	0.0021
90.90	94.00	GAB, Gabbro Mineralization 90.90 - 94.00 Structure 90.90 - 94.00	E806915	90.90	92.00	1.10	0.0125	0.0069	0.0042
			E806916	92.00	93.00	1.00	0.0152	0.0081	0.0044
			E806917	93.00	94.00	1.00	0.0162	0.0076	0.0042
94.00	96.50	PYXT, Pyroxenite Mineralization 94.00 - 96.50 Structure 94.00 - 96.50 : MODFOL Moderately Foliated, 45 Deg to CA	E806918	94.00	95.00	1.00	0.0786	0.0610	0.0053
			E806919	95.00	96.00	1.00	0.0403	0.0170	0.0045
			E806920	96.00	96.90	0.90	0.5671	0.3015	0.0138
96.50	101.70	GAB, Gabbro fg Mineralization 96.50 - 101.70 Structure 96.50 - 101.70	E806921	96.90	98.00	1.10	0.0093	0.0109	0.0030
			E806922	98.00	99.00	1.00	0.0207	0.0395	0.0049
			E806924	99.00	100.00	1.00	0.0059	0.0119	0.0037
			E806925	100.00	101.00	1.00	0.0053	0.0121	0.0027
			E806926	101.00	101.70	0.70	0.0058	0.0082	0.0035

Hole Number: KB-07-47

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
101.70	106.00	PYXT, Pyroxenite Mineralization 101.70 - 106.00 Structure 101.70 - 106.00 : MODFOL Moderately Foliated, 50 Deg to CA
106.00	108.25	GAB, Gabbro Mineralization 106.00 - 108.25 Structure 106.00 - 108.25
108.25	110.10	PYXT, Pyroxenite Mineralization 108.25 - 109.20 109.20 - 110.10 Structure 108.25 - 110.10
110.10	112.80	MV, Mafic Volcanic pyxt dykelets Mineralization 110.10 - 112.80 Structure 110.10 - 112.80

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806927	101.70	103.00	1.30	0.1485	0.1032	0.0070
E806929	103.00	104.00	1.00	0.1893	0.0751	0.0079
E806930	104.00	105.00	1.00	0.4581	0.2968	0.0126
E806931	105.00	106.00	1.00	0.1194	0.0683	0.0060
E806932	106.00	107.00	1.00	0.0361	0.0409	0.0044
E806933	107.00	108.25	1.25	0.0376	0.0459	0.0044
E806934	108.25	109.20	0.95	0.3823	0.1872	0.0338
E806936	109.20	110.10	0.90	0.0356	0.0151	0.0027
E806937	110.10	111.00	0.90	0.0160	0.0227	0.0046
E806938	111.00	112.00	1.00	0.0109	0.0150	0.0036
E806939	112.00	112.80	0.80	0.0109	0.0105	0.0031

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806819	4.20	5.00	0.0121	0.0149	0.0046
E806820	5.00	6.00	0.0109	0.0102	0.0046
E806821	6.00	7.00	0.0335	0.0349	0.0051
E806822	7.00	8.00	0.0180	0.0195	0.0045
E806823	8.00	9.00	0.0308	0.0159	0.0063
E806824	9.00	10.00	0.0210	0.0175	0.0056
E806826	10.00	11.00	0.0254	0.0191	0.0054
E806827	11.00	12.00	0.0597	0.0466	0.0054
E806829	12.00	13.00	0.0587	0.0354	0.0055
E806830	13.00	13.90	0.0822	0.0402	0.0048
E806831	13.90	15.00	0.0571	0.0301	0.0050
E806832	15.00	16.00	0.0199	0.0125	0.0050
E806833	16.00	17.20	0.0213	0.0130	0.0050

Hole Number: KB-07-47

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806834	17.20	18.00	0.0256	0.0058	0.0036
E806835	18.00	19.00	0.0536	0.0151	0.0037
E806836	19.00	20.40	0.0710	0.0207	0.0049
E806837	20.40	21.00	0.0475	0.0608	0.0057
E806839	21.00	22.00	0.0171	0.0076	0.0034
E806840	22.00	23.00	0.0186	0.0074	0.0050
E806841	23.00	24.00	0.0206	0.0189	0.0046
E806842	24.00	25.00	0.0189	0.0299	0.0045
E806843	25.00	26.00	0.0199	0.0168	0.0039
E806844	26.00	27.00	0.0158	0.0201	0.0031
E806845	27.00	28.00	0.0142	0.0183	0.0044
E806846	28.00	29.00	0.0163	0.0065	0.0033
E806847	29.00	30.40	0.0220	0.0170	0.0040
E806848	30.40	31.40	0.0032	0.0030	0.0016
E806849	31.40	32.40	0.0035	0.0029	0.0019
E806850	32.40	33.00	0.0112	0.0087	0.0032
E806851	33.00	34.00	0.0111	0.0171	0.0029
E806852	34.00	35.00	0.0095	0.0214	0.0036
E806853	35.00	36.00	0.0080	0.0146	0.0032
E806854	36.00	37.40	0.0072	0.0155	0.0029
E806855	37.40	38.00	0.0201	0.0113	0.0027
E806856	38.00	39.00	0.0675	0.0598	0.0037
E806857	39.00	40.00	0.0512	0.0381	0.0039
E806858	40.00	41.00	0.0223	0.0094	0.0029
E806859	41.00	42.00	0.0198	0.0021	0.0044
E806860	42.00	43.20	0.0415	0.0223	0.0052
E806861	43.20	44.00	0.0191	0.0239	0.0050
E806862	44.00	45.00	0.0141	0.0187	0.0037
E806863	45.00	46.00	0.0110	0.0177	0.0042
E806865	46.00	46.80	0.0100	0.0121	0.0041
E806866	46.80	48.00	0.1059	0.0556	0.0049
E806867	48.00	49.00	0.1771	0.0799	0.0067
E806868	49.00	50.00	0.0919	0.0578	0.0058
E806869	50.00	51.00	0.1421	0.0460	0.0055
E806870	51.00	52.00	0.0234	0.0053	0.0018
E806871	52.00	53.00	0.0526	0.0771	0.0053
E806872	53.00	54.00	0.0512	0.0228	0.0047

Hole Number: KB-07-47

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806873	54.00	55.00	0.2870	0.1778	0.0142
E806875	55.00	56.00	0.1820	0.0940	0.0086
E806876	56.00	57.00	0.0925	0.0464	0.0058
E806877	57.00	58.00	0.0740	0.0459	0.0054
E806878	58.00	59.00	0.0335	0.0299	0.0042
E806879	59.00	60.00	0.2334	0.0749	0.0096
E806880	60.00	61.00	0.0970	0.0762	0.0052
E806881	61.00	62.00	0.2932	0.2898	0.0092
E806882	62.00	63.00	0.8376	0.4006	0.0179
E806883	63.00	64.00	0.1232	0.1274	0.0051
E806884	64.00	65.00	0.4374	0.0978	0.0130
E806886	65.00	66.00	0.1485	0.0757	0.0054
E806887	66.00	67.00	0.1212	0.0288	0.0062
E806888	67.00	68.00	0.1432	0.0664	0.0066
E806889	68.00	69.00	0.2488	0.0922	0.0082
E806890	69.00	70.00	0.0553	0.0209	0.0044
E806891	70.00	71.00	0.0543	0.0098	0.0045
E806892	71.00	72.00	0.0186	0.0039	0.0032
E806893	72.00	72.85	0.0109	0.0142	0.0045
E806894	72.85	74.00	0.0238	0.0115	0.0030
E806896	74.00	74.60	0.0061	0.0035	0.0024
E806897	74.60	76.00	0.1582	0.0974	0.0061
E806898	76.00	76.90	0.1396	0.0661	0.0056
E806899	76.90	78.00	0.0075	0.0060	0.0022
E806900	78.00	79.00	0.0035	0.0029	0.0023
E806901	79.00	79.50	0.0034	0.0031	0.0023
E806902	79.50	80.00	0.0146	0.0060	0.0037
E806903	80.00	81.00	0.0456	0.0168	0.0039
E806904	81.00	82.00	0.1943	0.0339	0.0051
E806905	82.00	83.00	0.2278	0.1169	0.0052
E806906	83.00	84.00	0.4543	0.1562	0.0075
E806907	84.00	85.00	0.0857	0.0216	0.0055
E806908	85.00	86.00	0.3947	0.1267	0.0123
E806909	86.00	86.90	0.0636	0.0283	0.0053
E806910	86.90	87.70	0.0104	0.0064	0.0032
E806911	87.70	88.70	0.0212	0.0143	0.0047
E806912	88.70	90.00	0.0050	0.0045	0.0027

Hole Number: KB-07-47

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806914	90.00	90.90	0.0030	0.0036	0.0021
E806915	90.90	92.00	0.0125	0.0069	0.0042
E806916	92.00	93.00	0.0152	0.0081	0.0044
E806917	93.00	94.00	0.0162	0.0076	0.0042
E806918	94.00	95.00	0.0786	0.0610	0.0053
E806919	95.00	96.00	0.0403	0.0170	0.0045
E806920	96.00	96.90	0.5671	0.3015	0.0138
E806921	96.90	98.00	0.0093	0.0109	0.0030
E806922	98.00	99.00	0.0207	0.0395	0.0049
E806924	99.00	100.00	0.0059	0.0119	0.0037
E806925	100.00	101.00	0.0053	0.0121	0.0027
E806926	101.00	101.70	0.0058	0.0082	0.0035
E806927	101.70	103.00	0.1485	0.1032	0.0070
E806929	103.00	104.00	0.1893	0.0751	0.0079
E806930	104.00	105.00	0.4581	0.2968	0.0126
E806931	105.00	106.00	0.1194	0.0683	0.0060
E806932	106.00	107.00	0.0361	0.0409	0.0044
E806933	107.00	108.25	0.0376	0.0459	0.0044
E806934	108.25	109.20	0.3823	0.1872	0.0338
E806936	109.20	110.10	0.0356	0.0151	0.0027
E806937	110.10	111.00	0.0160	0.0227	0.0046
E806938	111.00	112.00	0.0109	0.0150	0.0036
E806939	112.00	112.80	0.0109	0.0105	0.0031

DETAILED LOG

Hole Number: KB-07-46

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: RT90-0	Collar Dip: -45.00
Project Number:	19900	North:	5481438.00		North:	9907046.60	Collar Az: 309.50
Location:	Surface	East:	453891.50		East:	147695.98	Length: 104.00 (m)
		Elev:	390.83		Elev:	390.83	Start Depth: 0.00 (m)
Date Started:	May 12, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 104.00 (m)
Date Completed:	May 13, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	3.60	13.00	9.40	0.3987	0.1605	0.0127
WEIGHTED	50.50	88.25	37.75	0.3678	0.2880	0.0089
WEIGHTED	74.00	77.20	3.20	1.9690	1.2024	0.0296

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	258.20	-44.40	EZ	DO		50.00	309.50	-43.60	EZ	OK	
104.00	311.90	-41.50	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	3.60	CAS, Casing							
3.60	4.00	PYXT, Pyroxenite Mineralization 3.60 - 4.00 Structure 3.60 - 4.00	E806731	3.60	4.00	0.40	5.1286	0.8061	0.1256
4.00	6.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 4.00 - 6.00 Structure 4.00 - 6.00	E806732	4.00	5.00	1.00	0.2134	0.1105	0.0074
			E806733	5.00	6.00	1.00	0.4017	0.3847	0.0130
6.00	9.30	FD, Felsic Dike Mineralization 6.00 - 9.30 Structure 6.00 - 9.30	E806734	6.00	7.00	1.00	0.0177	0.0119	0.0028
			E806735	7.00	8.00	1.00	0.0103	0.0046	0.0028
			E806736	8.00	9.30	1.30	0.0076	0.0042	0.0020

Hole Number: KB-07-46 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
9.30	13.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 9.30 - 13.70 Structure 9.30 - 13.70	E806737	9.30	10.00	0.70	0.4608	0.1806	0.0161
			E806738	10.00	11.00	1.00	0.0172	0.0129	0.0036
			E806740	11.00	12.00	1.00	0.3006	0.2718	0.0112
			E806741	12.00	13.00	1.00	0.4027	0.2583	0.0148
			E806742	13.00	13.70	0.70	0.0925	0.0255	0.0058
13.70	34.35	MV, Mafic Volcanic Mineralization 13.70 - 34.35 Structure 13.70 - 34.35 : MODFOL Moderately Foliated, 45 Deg to CA	E806744	13.70	15.00	1.30	0.0133	0.0142	0.0050
			E806745	15.00	16.50	1.50	0.0121	0.0131	0.0044
			E806746	16.50	18.00	1.50	0.0091	0.0098	0.0037
			E806747	18.00	19.50	1.50	0.0127	0.0134	0.0046
			E806748	19.50	21.00	1.50	0.0126	0.0166	0.0043
			E806749	21.00	22.50	1.50	0.0113	0.0096	0.0045
			E806750	22.50	24.00	1.50	0.0111	0.0127	0.0041
			E806751	24.00	25.50	1.50	0.0111	0.0129	0.0042
			E806752	25.50	27.00	1.50	0.0154	0.0165	0.0051
			E806753	27.00	28.50	1.50	0.0132	0.0115	0.0050
			E806754	28.50	30.00	1.50	0.0120	0.0151	0.0043
			E806755	30.00	31.50	1.50	0.0127	0.0122	0.0044
			E806756	31.50	33.00	1.50	0.0185	0.0152	0.0040
			E806757	33.00	34.50	1.50	0.0146	0.0163	0.0059
34.35	40.80	MDCHL, Mafic Dike Chloritic Mineralization 34.35 - 40.80 Structure 34.35 - 40.80 : MODFOL Moderately Foliated, 45 Deg to CA	E806758	34.50	36.00	1.50	0.0096	0.0041	0.0032
			E806759	36.00	37.50	1.50	0.0072	0.0042	0.0032
			E806760	37.50	39.00	1.50	0.0049	0.0041	0.0024
			E806761	39.00	40.00	1.00	0.0062	0.0060	0.0033
			E806762	40.00	40.80	0.80	0.0357	0.0149	0.0044
40.80	42.60	MV, Mafic Volcanic Mineralization 40.80 - 42.60 Structure 40.80 - 42.60 : MODFOL Moderately Foliated, 45 Deg to CA	E806763	40.80	42.60	1.80	0.0181	0.0170	0.0054
42.60	46.60	PYXT, Pyroxenite Mineralization 42.60 - 46.60 Structure 42.60 - 46.60 : MODFOL Moderately Foliated, 50 Deg to CA	E806764	42.60	43.50	0.90	0.1747	0.1282	0.0083
			E806765	43.50	44.50	1.00	0.5987	0.2151	0.0149
			E806767	44.50	45.50	1.00	0.5152	0.3800	0.0124
			E806768	45.50	46.60	1.10	0.0779	0.0316	0.0049
46.60	48.10	MDCHL, Mafic Dike Chloritic Mineralization 46.60 - 48.10 Structure 46.60 - 48.10 : MODFOL Moderately Foliated, 45 Deg to CA	E806769	46.60	47.50	0.90	0.0048	0.0058	0.0023
			E806770	47.50	48.10	0.60	0.0048	0.0043	0.0028

Hole Number: KB-07-46

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
48.10	49.45	GAB, Gabbro Mineralization 48.10 - 49.45 Structure 48.10 - 49.45	E806771	48.10	49.45	1.35	0.0216	0.0142	0.0044
49.45	66.80	PYXT, Pyroxenite mv xenos Mineralization 49.45 - 66.80 Structure 49.45 - 66.80 : MODFOL Moderately Foliated, 50 Deg to CA	E806773	49.45	50.50	1.05	0.0751	0.0328	0.0044
			E806774	50.50	51.50	1.00	0.1618	0.1879	0.0055
			E806775	51.50	52.00	0.50	0.2142	0.3884	0.0067
			E806776	52.00	53.00	1.00	0.1710	0.2069	0.0059
			E806777	53.00	54.00	1.00	0.3632	0.4745	0.0102
			E806778	54.00	55.00	1.00	0.3437	0.3378	0.0093
			E806779	55.00	56.00	1.00	0.1087	0.1497	0.0053
			E806780	56.00	57.00	1.00	0.1042	0.1258	0.0052
			E806781	57.00	58.00	1.00	0.0965	0.1025	0.0045
			E806782	58.00	59.00	1.00	0.3551	0.4643	0.0098
			E806783	59.00	60.00	1.00	0.4360	0.2413	0.0125
			E806784	60.00	61.00	1.00	0.3233	0.2987	0.0077
			E806785	61.00	62.00	1.00	0.6494	0.4016	0.0128
			E806786	62.00	63.00	1.00	0.9322	0.4471	0.0158
			E806787	63.00	64.00	1.00	0.4798	0.2386	0.0140
			E806788	64.00	65.00	1.00	0.2138	0.1508	0.0082
			E806789	65.00	66.00	1.00	0.0880	0.0502	0.0045
			E806790	66.00	66.80	0.80	0.2015	0.2018	0.0099
66.80	68.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 66.80 - 68.00 Structure 66.80 - 68.00	E806791	66.80	68.00	1.20	0.0686	0.0486	0.0038
68.00	71.50	MV, Mafic Volcanic Mineralization 68.00 - 71.50 Structure 68.00 - 71.50	E806792	68.00	69.00	1.00	0.0237	0.0255	0.0041
			E806793	69.00	70.00	1.00	0.0115	0.0120	0.0033
			E806794	70.00	71.00	1.00	0.0235	0.0367	0.0048
			E806795	71.00	71.50	0.50	0.0134	0.0149	0.0043
71.50	72.30	PYXT, Pyroxenite Mineralization 71.50 - 72.30 Structure 71.50 - 72.30	E806796	71.50	72.30	0.80	0.4328	0.3128	0.0110

DETAILED LOG

Hole Number: KB-07-46

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
72.30	73.50	MV, Mafic Volcanic Mineralization 72.30 - 73.50 Structure 72.30 - 73.50
73.50	79.10	PYXT, Pyroxenite Mineralization 73.50 - 76.30 76.30 - 77.20 77.20 - 79.10 Structure 73.50 - 79.10 : MODFOL Moderately Foliated, 50 Deg to CA
79.10	88.25	TSCH, Talc Schist Mineralization 79.10 - 88.25 Structure 79.10 - 88.25 : STRFOL Strongly Foliated, 50 Deg to CA
88.25	104.00	MV, Mafic Volcanic Mineralization 88.25 - 104.00 Structure 88.25 - 104.00 : MODFOL Moderately Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806797	72.30	73.50	1.20	0.0420	0.1521	0.0042
E806798	73.50	74.00	0.50	0.3565	0.2700	0.0106
E806800	74.00	75.00	1.00	1.0575	1.0110	0.0116
E806801	75.00	76.30	1.30	1.0421	0.2446	0.0282
E806803	76.30	77.20	0.90	4.3208	2.7985	0.0515
E806804	77.20	78.00	0.80	0.1923	0.3074	0.0054
E806805	78.00	79.10	1.10	0.1071	0.1682	0.0041
E806807	79.10	80.00	0.90	0.2070	0.3360	0.0070
E806808	80.00	81.00	1.00	0.1567	0.2385	0.0067
E806809	81.00	82.00	1.00	0.3269	0.3739	0.0082
E806810	82.00	83.00	1.00	0.1684	0.2361	0.0061
E806811	83.00	84.00	1.00	0.0318	0.0292	0.0032
E806812	84.00	85.00	1.00	0.0249	0.0140	0.0034
E806813	85.00	86.00	1.00	0.0379	0.0298	0.0037
E806814	86.00	87.00	1.00	0.0759	0.0751	0.0047
E806815	87.00	88.25	1.25	0.3894	0.2838	0.0089
E806816	88.25	89.00	0.75	0.0146	0.0118	0.0033
E806817	89.00	90.00	1.00	0.0111	0.0101	0.0041
E806818	90.00	91.00	1.00	0.0139	0.0154	0.0057

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806731	3.60	4.00	5.1286	0.8061	0.1256
E806732	4.00	5.00	0.2134	0.1105	0.0074
E806733	5.00	6.00	0.4017	0.3847	0.0130
E806734	6.00	7.00	0.0177	0.0119	0.0028
E806735	7.00	8.00	0.0103	0.0046	0.0028
E806736	8.00	9.30	0.0076	0.0042	0.0020
E806737	9.30	10.00	0.4608	0.1806	0.0161
E806738	10.00	11.00	0.0172	0.0129	0.0036
E806740	11.00	12.00	0.3006	0.2718	0.0112
E806741	12.00	13.00	0.4027	0.2583	0.0148

Hole Number: KB-07-46 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806742	13.00	13.70	0.0925	0.0255	0.0058
E806744	13.70	15.00	0.0133	0.0142	0.0050
E806745	15.00	16.50	0.0121	0.0131	0.0044
E806746	16.50	18.00	0.0091	0.0098	0.0037
E806747	18.00	19.50	0.0127	0.0134	0.0046
E806748	19.50	21.00	0.0126	0.0166	0.0043
E806749	21.00	22.50	0.0113	0.0096	0.0045
E806750	22.50	24.00	0.0111	0.0127	0.0041
E806751	24.00	25.50	0.0111	0.0129	0.0042
E806752	25.50	27.00	0.0154	0.0165	0.0051
E806753	27.00	28.50	0.0132	0.0115	0.0050
E806754	28.50	30.00	0.0120	0.0151	0.0043
E806755	30.00	31.50	0.0127	0.0122	0.0044
E806756	31.50	33.00	0.0185	0.0152	0.0040
E806757	33.00	34.50	0.0146	0.0163	0.0059
E806758	34.50	36.00	0.0096	0.0041	0.0032
E806759	36.00	37.50	0.0072	0.0042	0.0032
E806760	37.50	39.00	0.0049	0.0041	0.0024
E806761	39.00	40.00	0.0062	0.0060	0.0033
E806762	40.00	40.80	0.0357	0.0149	0.0044
E806763	40.80	42.60	0.0181	0.0170	0.0054
E806764	42.60	43.50	0.1747	0.1282	0.0083
E806765	43.50	44.50	0.5987	0.2151	0.0149
E806767	44.50	45.50	0.5152	0.3800	0.0124
E806768	45.50	46.60	0.0779	0.0316	0.0049
E806769	46.60	47.50	0.0048	0.0058	0.0023
E806770	47.50	48.10	0.0048	0.0043	0.0028
E806771	48.10	49.45	0.0216	0.0142	0.0044
E806773	49.45	50.50	0.0751	0.0328	0.0044
E806774	50.50	51.50	0.1618	0.1879	0.0055
E806775	51.50	52.00	0.2142	0.3884	0.0067
E806776	52.00	53.00	0.1710	0.2069	0.0059
E806777	53.00	54.00	0.3632	0.4745	0.0102
E806778	54.00	55.00	0.3437	0.3378	0.0093
E806779	55.00	56.00	0.1087	0.1497	0.0053
E806780	56.00	57.00	0.1042	0.1258	0.0052
E806781	57.00	58.00	0.0965	0.1025	0.0045

Hole Number: KB-07-46

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806782	58.00	59.00	0.3551	0.4643	0.0098
E806783	59.00	60.00	0.4360	0.2413	0.0125
E806784	60.00	61.00	0.3233	0.2987	0.0077
E806785	61.00	62.00	0.6494	0.4016	0.0128
E806786	62.00	63.00	0.9322	0.4471	0.0158
E806787	63.00	64.00	0.4798	0.2386	0.0140
E806788	64.00	65.00	0.2138	0.1508	0.0082
E806789	65.00	66.00	0.0880	0.0502	0.0045
E806790	66.00	66.80	0.2015	0.2018	0.0099
E806791	66.80	68.00	0.0686	0.0486	0.0038
E806792	68.00	69.00	0.0237	0.0255	0.0041
E806793	69.00	70.00	0.0115	0.0120	0.0033
E806794	70.00	71.00	0.0235	0.0367	0.0048
E806795	71.00	71.50	0.0134	0.0149	0.0043
E806796	71.50	72.30	0.4328	0.3128	0.0110
E806797	72.30	73.50	0.0420	0.1521	0.0042
E806798	73.50	74.00	0.3565	0.2700	0.0106
E806800	74.00	75.00	1.0575	1.0110	0.0116
E806801	75.00	76.30	1.0421	0.2446	0.0282
E806803	76.30	77.20	4.3208	2.7985	0.0515
E806804	77.20	78.00	0.1923	0.3074	0.0054
E806805	78.00	79.10	0.1071	0.1682	0.0041
E806807	79.10	80.00	0.2070	0.3360	0.0070
E806808	80.00	81.00	0.1567	0.2385	0.0067
E806809	81.00	82.00	0.3269	0.3739	0.0082
E806810	82.00	83.00	0.1684	0.2361	0.0061
E806811	83.00	84.00	0.0318	0.0292	0.0032
E806812	84.00	85.00	0.0249	0.0140	0.0034
E806813	85.00	86.00	0.0379	0.0298	0.0037
E806814	86.00	87.00	0.0759	0.0751	0.0047
E806815	87.00	88.25	0.3894	0.2838	0.0089
E806816	88.25	89.00	0.0146	0.0118	0.0033
E806817	89.00	90.00	0.0111	0.0101	0.0041
E806818	90.00	91.00	0.0139	0.0154	0.0057

DETAILED LOG

Hole Number: KB-07-45

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -50.00
Project Number:	19900	North: 5481453.00			North: 5481453.00		Collar Az: 301.00
Location:	Surface	East: 453871.40			East: 453871.40		Length: 77.00 (m)
		Elev: 390.16			Elev: 390.16		Start Depth: 0.00 (m)
Date Started:	May 11, 2007	Collar Survey: N		Plugged: N	Contractor: Morris Drilling		Final Depth: 77.00 (m)
Date Completed:	May 12, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey: N		Casing: Pulled			

Comments: drill off line

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	22.00	66.00	44.00	0.2998	0.2818	0.0100

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	301.00	-53.10	EZ	OK		77.00	303.70	-52.90	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	2.00	CAS, Casing
2.00	8.20	GAB, Gabbro Mineralization 2.00 - 8.20 Structure 2.00 - 8.20
8.20	22.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 8.20 - 22.00 Structure 8.20 - 22.00 : MODFOL Moderately Foliated, 36 Deg to CA 8.20 - 22.00 : UC Upper Contact, 30 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E807012	2.00	3.50	1.50	0.0175	0.0102	0.0041
E807013	3.50	5.00	1.50	0.0192	0.0067	0.0040
E807014	5.00	6.50	1.50	0.0224	0.0080	0.0050
E807015	6.50	7.50	1.00	0.0244	0.0111	0.0054
E807016	7.50	8.20	0.70	0.0408	0.0210	0.0046
E807017	8.20	9.50	1.30	0.0187	0.0101	0.0040
E807018	9.50	11.00	1.50	0.0345	0.0212	0.0040
E807019	11.00	12.50	1.50	0.0395	0.0219	0.0057
E807020	12.50	14.00	1.50	0.1898	0.1105	0.0091
E807021	14.00	15.50	1.50	0.1375	0.0847	0.0061
E807022	15.50	17.00	1.50	0.1462	0.0416	0.0074
E807023	17.00	18.50	1.50	0.0877	0.0419	0.0064
E807024	18.50	20.00	1.50	0.0096	0.0193	0.0044
E807025	20.00	21.00	1.00	0.0433	0.0213	0.0044
E807026	21.00	22.00	1.00	0.0222	0.0043	0.0037

Hole Number: KB-07-45

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
22.00	37.10	PYXT, Pyroxenite Mineralization 22.00 - 37.10 Structure 22.00 - 37.10 : MODFOL Moderately Foliated, 45 Deg to CA 22.00 - 37.10 : UC Upper Contact, 40 Deg to CA	E807027	22.00	23.00	1.00	0.2126	0.0959	0.0094
			E807029	23.00	24.00	1.00	0.2238	0.1808	0.0074
			E807030	24.00	25.00	1.00	0.1343	0.1528	0.0052
			E807031	25.00	26.00	1.00	0.3274	0.3849	0.0081
			E807033	26.00	27.00	1.00	0.5417	0.6109	0.0114
			E807034	27.00	28.00	1.00	0.5255	0.5708	0.0107
			E807035	28.00	29.00	1.00	0.5134	0.5509	0.0111
			E807036	29.00	30.00	1.00	0.2125	0.2819	0.0061
			E807037	30.00	31.00	1.00	0.3313	0.2435	0.0086
			E807038	31.00	32.00	1.00	0.3072	0.2654	0.0081
			E807039	32.00	33.00	1.00	0.5498	0.6090	0.0127
			E807041	33.00	34.00	1.00	0.6539	0.8446	0.0153
			E807042	34.00	35.00	1.00	0.4651	0.5612	0.0122
			E807043	35.00	36.00	1.00	0.5513	0.5834	0.0127
			E807044	36.00	37.10	1.10	0.7019	0.4507	0.0208
37.10	45.50	MV, Mafic Volcanic Pyroxenite dikes through out. Mineralization 37.10 - 45.50 Structure 37.10 - 45.50 37.10 - 45.50 : UC Upper Contact, 50 Deg to CA	E807045	37.10	38.50	1.40	0.1436	0.0765	0.0070
			E807046	38.50	40.00	1.50	0.2320	0.1915	0.0066
			E807047	40.00	41.50	1.50	0.3614	0.1926	0.0115
			E807048	41.50	43.00	1.50	0.1559	0.0702	0.0064
			E807049	43.00	44.50	1.50	0.0129	0.0138	0.0044
			E807050	44.50	45.50	1.00	0.0349	0.0235	0.0050
45.50	51.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 45.50 - 51.80 Structure 45.50 - 51.80 45.50 - 51.80 : UC Upper Contact, 45 Deg to CA	E807051	45.50	47.00	1.50	0.0507	0.0606	0.0056
			E807052	47.00	48.50	1.50	0.0578	0.0469	0.0041
			E807053	48.50	50.00	1.50	0.1131	0.0453	0.0065
			E807054	50.00	51.80	1.80	0.5851	0.3202	0.0150
51.80	63.40	PYXT, Pyroxenite Mineralization 51.80 - 63.40 Structure 51.80 - 63.40 : STRFOL Strongly Foliated, 40 Deg to CA 51.80 - 63.40 : UC Upper Contact, 45 Deg to CA	E807055	51.80	53.00	1.20	0.9944	0.8071	0.0255
			E807057	53.00	54.50	1.50	0.3737	0.4809	0.0116
			E807058	54.50	56.00	1.50	0.7374	1.0844	0.0157
			E807059	56.00	57.50	1.50	0.3203	0.4132	0.0097
			E807060	57.50	59.00	1.50	0.0865	0.1276	0.0059
			E807061	59.00	60.50	1.50	0.2466	0.3053	0.0090
			E807062	60.50	62.00	1.50	0.0914	0.1040	0.0057
			E807063	62.00	63.40	1.40	0.0808	0.0493	0.0048
63.40	65.00	TSCH, Talc Schist Mineralization 63.40 - 65.00 Structure 63.40 - 65.00 : STRFOL Strongly Foliated, 25 Deg to CA 63.40 - 65.00 : UC Upper Contact, 30 Deg to CA	E807064	63.40	65.00	1.60	0.4890	0.3798	0.0116

Hole Number: KB-07-45

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
65.00	77.00	MV, Mafic Volcanic Mineralization 65.00 - 77.00 Structure 65.00 - 77.00 65.00 - 77.00 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E807066	65.00	66.00	1.00	0.1829	0.1114	0.0058
E807067	66.00	67.00	1.00	0.0619	0.0377	0.0052
E807068	67.00	68.00	1.00	0.0268	0.0211	0.0060
E807069	68.00	69.00	1.00	0.0104	0.0120	0.0046

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807012	2.00	3.50	0.0175	0.0102	0.0041
E807013	3.50	5.00	0.0192	0.0067	0.0040
E807014	5.00	6.50	0.0224	0.0080	0.0050
E807015	6.50	7.50	0.0244	0.0111	0.0054
E807016	7.50	8.20	0.0408	0.0210	0.0046
E807017	8.20	9.50	0.0187	0.0101	0.0040
E807018	9.50	11.00	0.0345	0.0212	0.0040
E807019	11.00	12.50	0.0395	0.0219	0.0057
E807020	12.50	14.00	0.1898	0.1105	0.0091
E807021	14.00	15.50	0.1375	0.0847	0.0061
E807022	15.50	17.00	0.1462	0.0416	0.0074
E807023	17.00	18.50	0.0877	0.0419	0.0064
E807024	18.50	20.00	0.0096	0.0193	0.0044
E807025	20.00	21.00	0.0433	0.0213	0.0044
E807026	21.00	22.00	0.0222	0.0043	0.0037
E807027	22.00	23.00	0.2126	0.0959	0.0094
E807029	23.00	24.00	0.2238	0.1808	0.0074
E807030	24.00	25.00	0.1343	0.1528	0.0052
E807031	25.00	26.00	0.3274	0.3849	0.0081
E807033	26.00	27.00	0.5417	0.6109	0.0114
E807034	27.00	28.00	0.5255	0.5708	0.0107
E807035	28.00	29.00	0.5134	0.5509	0.0111
E807036	29.00	30.00	0.2125	0.2819	0.0061
E807037	30.00	31.00	0.3313	0.2435	0.0086
E807038	31.00	32.00	0.3072	0.2654	0.0081
E807039	32.00	33.00	0.5498	0.6090	0.0127
E807041	33.00	34.00	0.6539	0.8446	0.0153
E807042	34.00	35.00	0.4651	0.5612	0.0122

Hole Number: KB-07-45 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E807043	35.00	36.00	0.5513	0.5834	0.0127
E807044	36.00	37.10	0.7019	0.4507	0.0208
E807045	37.10	38.50	0.1436	0.0765	0.0070
E807046	38.50	40.00	0.2320	0.1915	0.0066
E807047	40.00	41.50	0.3614	0.1926	0.0115
E807048	41.50	43.00	0.1559	0.0702	0.0064
E807049	43.00	44.50	0.0129	0.0138	0.0044
E807050	44.50	45.50	0.0349	0.0235	0.0050
E807051	45.50	47.00	0.0507	0.0606	0.0056
E807052	47.00	48.50	0.0578	0.0469	0.0041
E807053	48.50	50.00	0.1131	0.0453	0.0065
E807054	50.00	51.80	0.5851	0.3202	0.0150
E807055	51.80	53.00	0.9944	0.8071	0.0255
E807057	53.00	54.50	0.3737	0.4809	0.0116
E807058	54.50	56.00	0.7374	1.0844	0.0157
E807059	56.00	57.50	0.3203	0.4132	0.0097
E807060	57.50	59.00	0.0865	0.1276	0.0059
E807061	59.00	60.50	0.2466	0.3053	0.0090
E807062	60.50	62.00	0.0914	0.1040	0.0057
E807063	62.00	63.40	0.0808	0.0493	0.0048
E807064	63.40	65.00	0.4890	0.3798	0.0116
E807066	65.00	66.00	0.1829	0.1114	0.0058
E807067	66.00	67.00	0.0619	0.0377	0.0052
E807068	67.00	68.00	0.0268	0.0211	0.0060
E807069	68.00	69.00	0.0104	0.0120	0.0046

DETAILED LOG

Hole Number: KB-07-44 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481471.00		North:	5481471.00	Collar Az: 306.40
Location:	Surface	East:	453849.30		East:	453849.30	Length: 50.00 (m)
		Elev:	386.66		Elev:	386.66	Start Depth: 0.00 (m)
Date Started:	May 11, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 50.00 (m)
Date Completed:	May 11, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.00	14.90	12.90	0.3961	0.3999	0.0098

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	306.40	-44.80	EZ	OK		50.00	310.10	-44.40	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	2.00	CAS, Casing
2.00	11.50	PYXT, Pyroxenite Mineralization 2.00 - 11.50 Structure 2.00 - 11.50 2.00 - 11.50
11.50	14.90	TSCH, Talc Schist Mineralization 11.50 - 14.90 Structure 11.50 - 14.90 : STRFOL Strongly Foliated, 40 Deg to CA 11.50 - 14.90 : UC Upper Contact, 40 Deg to CA
14.90	50.00	MV, Mafic Volcanic Mineralization 14.90 - 18.30 Structure 14.90 - 18.30 14.90 - 18.30 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805494	2.00	3.00	1.00	0.4443	0.5413	0.0064
E805495	3.00	4.00	1.00	0.3053	0.5066	0.0053
E805496	4.00	5.00	1.00	0.4166	0.4379	0.0116
E805497	5.00	6.00	1.00	0.2783	0.3713	0.0076
E805498	6.00	7.00	1.00	0.1293	0.1443	0.0067
E805499	7.00	8.00	1.00	0.1300	0.1622	0.0062
E807001	8.00	9.00	1.00	0.2002	0.2506	0.0075
E807002	9.00	10.00	1.00	0.1252	0.1755	0.0062
E807003	10.00	11.50	1.50	0.2496	0.2930	0.0083
E807004	11.50	12.50	1.00	0.5079	0.4679	0.0133
E807005	12.50	13.50	1.00	1.3461	1.1244	0.0186
E807006	13.50	14.90	1.40	0.6078	0.5134	0.0142
E807008	14.90	16.50	1.60	0.0149	0.0143	0.0051
E807009	16.50	18.00	1.50	0.0131	0.0071	0.0053
E807010	18.00	19.50	1.50	0.0140	0.0140	0.0058
E807011	19.50	21.00	1.50	0.0120	0.0128	0.0058

Hole Number: KB-07-44 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805494	2.00	3.00	0.4443	0.5413	0.0064
E805495	3.00	4.00	0.3053	0.5066	0.0053
E805496	4.00	5.00	0.4166	0.4379	0.0116
E805497	5.00	6.00	0.2783	0.3713	0.0076
E805498	6.00	7.00	0.1293	0.1443	0.0067
E805499	7.00	8.00	0.1300	0.1622	0.0062
E807001	8.00	9.00	0.2002	0.2506	0.0075
E807002	9.00	10.00	0.1252	0.1755	0.0062
E807003	10.00	11.50	0.2496	0.2930	0.0083
E807004	11.50	12.50	0.5079	0.4679	0.0133
E807005	12.50	13.50	1.3461	1.1244	0.0186
E807006	13.50	14.90	0.6078	0.5134	0.0142
E807008	14.90	16.50	0.0149	0.0143	0.0051
E807009	16.50	18.00	0.0131	0.0071	0.0053
E807010	18.00	19.50	0.0140	0.0140	0.0058
E807011	19.50	21.00	0.0120	0.0128	0.0058

DETAILED LOG

Hole Number: KB-07-43 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:			Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481450.00			North:	5481450.00	Collar Az:	312.60
Location:	Surface	East:	453920.10			East:	453920.10	Length:	133.30 (m)
		Elev:	390.02			Elev:	390.02	Start Depth:	0.00 (m)
Date Started:	May 06, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	133.30 (m)
Date Completed:	May 07, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.00	14.80	12.80	0.7086	0.2878	0.0564
WEIGHTED	2.00	33.50	31.50	0.4029	0.1627	0.0334
WEIGHTED	67.00	82.55	15.55	0.2530	0.0719	0.0112
WEIGHTED	80.25	82.55	2.30	1.2745	0.2887	0.0404
WEIGHTED	100.95	106.00	5.05	1.4768	0.4415	0.0364
WEIGHTED	100.95	117.30	16.35	0.7346	0.4663	0.0192

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
50.00	312.60	-48.10	EZ	OK		100.00	314.80	-48.00	EZ	OK	
131.00	316.20	-47.30	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	2.00	CAS, Casing
2.00	14.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.00 - 9.70 9.70 - 14.20 14.20 - 14.80 Structure 2.00 - 14.80

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806612	2.00	3.00	1.00	0.1540	0.1055	0.0060
E806613	3.00	4.00	1.00	0.2205	0.1662	0.0070
E806614	4.00	5.00	1.00	0.2067	0.1298	0.0070
E806615	5.00	6.00	1.00	0.6985	0.5198	0.0181
E806616	6.00	7.00	1.00	0.2178	0.0988	0.0083
E806617	7.00	8.00	1.00	1.2651	0.3592	0.0369
E806618	8.00	9.00	1.00	0.1863	0.1209	0.0065
E806619	9.00	9.70	0.70	0.2226	0.1678	0.0069
E806620	9.70	11.00	1.30	0.0487	0.0244	0.0040
E806621	11.00	12.00	1.00	0.0821	0.2083	0.0059
E806622	12.00	13.00	1.00	0.2177	0.7285	0.0105
E806623	13.00	14.20	1.20	0.0485	0.0816	0.0041
E806624	14.20	14.80	0.60	4.9216	0.1923	0.1455

Hole Number: KB-07-43

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
14.80	17.95	MD, Mafic Dike Mineralization 14.80 - 17.95 Structure 14.80 - 17.95	E806625	14.80	16.00	1.20	0.0357	0.0225	0.0023
			E806626	16.00	17.00	1.00	0.0189	0.0052	0.0023
			E806627	17.00	17.95	0.95	0.0048	0.0049	0.0015
17.95	21.75	GAB, Gabbro Mineralization 17.95 - 21.75 Structure 17.95 - 21.75	E806628	17.95	19.00	1.05	0.0151	0.0075	0.0041
			E806629	19.00	20.05	1.05	0.0141	0.0059	0.0037
			E806630	20.05	21.25	1.20	0.0143	0.0063	0.0037
			E806631	21.25	23.00	1.75	0.1017	0.0545	0.0065
21.75	25.25	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 21.75 - 25.25 Structure 21.75 - 25.25	E806633	23.00	24.00	1.00	0.0195	0.0116	0.0031
			E806634	24.00	25.25	1.25	0.0270	0.0161	0.0044
25.25	28.20	MD, Mafic Dike Mineralization 25.25 - 28.20 Structure 25.25 - 28.20 : MODFOL Moderately Foliated, 40 Deg to CA	E806636	25.25	26.00	0.75	0.0053	0.0068	0.0034
			E806637	26.00	27.00	1.00	0.0130	0.0134	0.0034
			E806638	27.00	28.20	1.20	0.0299	0.0129	0.0048
28.20	33.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 28.20 - 33.50 Structure 28.20 - 33.50	E806639	28.20	29.00	0.80	0.1409	0.0881	0.0083
			E806640	29.00	30.00	1.00	0.1232	0.1108	0.0049
			E806641	30.00	31.00	1.00	0.2247	0.1960	0.0093
			E806642	31.00	32.00	1.00	0.1428	0.1682	0.0049
			E806643	32.00	33.00	1.00	0.3339	0.2334	0.0094
			E806644	33.00	33.50	0.50	0.1189	0.0576	0.0101
33.50	36.15	MD, Mafic Dike Mineralization 33.50 - 36.15 Structure 33.50 - 36.15	E806645	33.50	35.00	1.50	0.0318	0.0148	0.0026
			E806646	35.00	36.15	1.15	0.0159	0.0124	0.0037
36.15	37.50	GAB, Gabbro Mineralization 36.15 - 37.50 Structure 36.15 - 37.50	E806647	36.15	37.50	1.35	0.0056	0.0053	0.0023

Hole Number: KB-07-43

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
37.50	51.65	MV, Mafic Volcanic Mineralization 37.50 - 51.65 Structure 37.50 - 51.65	E806648	37.50	39.00	1.50	0.0111	0.0139	0.0038
			E806649	39.00	40.50	1.50	0.0102	0.0127	0.0039
			E806650	40.50	42.00	1.50	0.0102	0.0117	0.0034
			E806651	42.00	43.50	1.50	0.0080	0.0110	0.0029
			E806652	43.50	45.00	1.50	0.0092	0.0097	0.0034
			E806653	45.00	46.50	1.50	0.0099	0.0090	0.0034
			E806654	46.50	48.00	1.50	0.0100	0.0186	0.0040
			E806655	48.00	49.50	1.50	0.0082	0.0102	0.0031
			E806656	49.50	51.00	1.50	0.0091	0.0067	0.0031
			E806657	51.00	51.65	0.65	0.0102	0.0190	0.0034
51.65	68.05	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 51.65 - 68.05 Structure 51.65 - 68.05	E806658	51.65	53.00	1.35	0.0675	0.0516	0.0044
			E806659	53.00	54.00	1.00	0.0688	0.0433	0.0060
			E806661	54.00	55.00	1.00	0.1050	0.0563	0.0049
			E806662	55.00	56.00	1.00	0.0055	0.0201	0.0019
			E806663	56.00	57.00	1.00	0.0442	0.0243	0.0034
			E806664	57.00	58.00	1.00	0.0746	0.0196	0.0048
			E806665	58.00	59.00	1.00	0.0818	0.0410	0.0049
			E806667	59.00	60.00	1.00	0.1442	0.0828	0.0076
			E806668	60.00	61.00	1.00	0.0559	0.0421	0.0069
			E806669	61.00	62.00	1.00	0.0691	0.0481	0.0049
			E806670	62.00	63.00	1.00	0.0974	0.0321	0.0057
			E806671	63.00	64.00	1.00	0.0313	0.0221	0.0046
			E806672	64.00	65.00	1.00	0.0133	0.0087	0.0033
			E806673	65.00	66.00	1.00	0.0048	0.0107	0.0027
			E806674	66.00	67.00	1.00	0.0106	0.0253	0.0044
			E806675	67.00	68.05	1.05	0.1763	0.0891	0.0075
68.05	71.05	MD, Mafic Dike Mineralization 68.05 - 71.05 Structure 68.05 - 71.05	E806676	68.05	69.00	0.95	0.0097	0.0067	0.0028
			E806677	69.00	70.00	1.00	0.0091	0.0046	0.0028
			E806678	70.00	71.50	1.50	0.0272	0.0141	0.0038
71.05	73.70	PYXT, Pyroxenite Mineralization 71.05 - 73.70 Structure 71.05 - 73.70 : STRFOL Strongly Foliated, 40 Deg to CA	E806679	71.50	72.00	0.50	0.1339	0.0771	0.0067
			E806680	72.00	73.00	1.00	0.0567	0.0277	0.0042
			E806681	73.00	73.70	0.70	0.1585	0.1002	0.0076
73.70	75.15	MD, Mafic Dike Mineralization 73.70 - 75.15 Structure 73.70 - 75.15	E806682	73.70	75.15	1.45	0.0046	0.0043	0.0016

Hole Number: KB-07-43

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
75.15	75.55	PYXT, Pyroxenite Mineralization 75.15 - 75.55 Structure 75.15 - 75.55 : MODFOL Moderately Foliated, 50 Deg to CA	E806683	75.15	75.55	0.40	0.6840	0.1429	0.0140
75.55	80.25	GAB, Gabbro Mineralization 75.55 - 80.25 Structure 75.55 - 80.25	E806684	75.55	77.00	1.45	0.0191	0.0142	0.0053
			E806685	77.00	78.50	1.50	0.0152	0.0104	0.0050
			E806686	78.50	80.25	1.75	0.0170	0.0128	0.0057
80.25	82.55	PYXT, Pyroxenite Mineralization 80.25 - 82.55 Structure 80.25 - 82.55 : MODFOL Moderately Foliated, 40 Deg to CA	E806687	80.25	81.00	0.75	1.4332	0.1913	0.0392
			E806689	81.00	82.00	1.00	0.7656	0.2778	0.0219
			E806690	82.00	82.55	0.55	1.9836	0.3850	0.0724
82.55	90.90	MV, Mafic Volcanic Mineralization 82.55 - 90.90 Structure 82.55 - 90.90	E806692	82.55	83.00	0.45	0.0592	0.0209	0.0052
			E806693	83.00	84.00	1.00	0.0179	0.0320	0.0052
			E806694	84.00	85.00	1.00	0.0232	0.0458	0.0051
			E806695	85.00	86.00	1.00	0.0623	0.0700	0.0076
			E806696	86.00	87.00	1.00	0.0165	0.0218	0.0045
			E806697	87.00	88.00	1.00	0.0093	0.0121	0.0036
			E806698	88.00	89.00	1.00	0.0683	0.0963	0.0051
			E806699	89.00	90.00	1.00	0.0456	0.0655	0.0035
			E806700	90.00	90.90	0.90	0.0167	0.0181	0.0044
90.90	98.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 90.90 - 98.00 Structure 90.90 - 98.00	E806701	90.90	92.00	1.10	0.0203	0.0263	0.0038
			E806702	92.00	93.00	1.00	0.0140	0.0222	0.0031
			E806703	93.00	94.00	1.00	0.0050	0.0109	0.0026
			E806704	94.00	95.00	1.00	0.0746	0.0677	0.0039
			E806705	95.00	96.00	1.00	0.0952	0.0674	0.0054
			E806706	96.00	97.00	1.00	0.0882	0.0550	0.0058
			E806707	97.00	98.00	1.00	0.0171	0.0133	0.0025
98.00	101.60	PYXT, Pyroxenite Mineralization 98.00 - 100.95 100.95 - 101.60 Structure 98.00 - 101.60	E806708	98.00	99.00	1.00	0.0275	0.0180	0.0036
			E806709	99.00	100.00	1.00	0.0459	0.0386	0.0021
			E806710	100.00	100.95	0.95	0.1373	0.1671	0.0048
			E806711	100.95	101.60	0.65	2.2535	0.7022	0.0424

Hole Number: KB-07-43

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
101.60	103.10	GAB, Gabbro Mineralization 101.60 - 103.10 py Structure 101.60 - 103.10	E806712	101.60	103.10	1.50	0.0250	0.0133	0.0047
103.10	105.30	PYXT, Pyroxenite Mineralization 103.10 - 104.00 104.00 - 105.30 Structure 103.10 - 105.30	E806713	103.10	104.10	1.00	5.2566	0.6344	0.1250
			E806714	104.10	105.30	1.20	0.2253	0.3639	0.0074
105.30	117.30	TSCH, Talc Schist Mineralization 105.30 - 117.30 Structure 105.30 - 117.30 : STRFOL Strongly Foliated, 40 Deg to CA	E806715	105.30	106.00	0.70	0.4859	0.6438	0.0117
			E806716	106.00	107.00	1.00	0.3049	0.4272	0.0089
			E806717	107.00	108.00	1.00	0.1201	0.1942	0.0066
			E806718	108.00	109.00	1.00	0.2067	0.3100	0.0080
			E806719	109.00	110.00	1.00	0.2626	0.3937	0.0078
			E806720	110.00	111.00	1.00	0.3550	0.4156	0.0088
			E806721	111.00	112.00	1.00	0.4456	0.5233	0.0114
			E806723	112.00	113.00	1.00	0.4925	0.5311	0.0124
			E806724	113.00	114.00	1.00	0.5304	0.5743	0.0120
			E806725	114.00	115.00	1.00	0.1744	0.1764	0.0065
			E806726	115.00	116.00	1.00	0.5408	0.5749	0.0123
			E806727	116.00	117.30	1.30	0.7536	0.6679	0.0163
117.30	120.85	MV, Mafic Volcanic Mineralization 117.30 - 120.85 Structure 117.30 - 120.85 : MODFOL Moderately Foliated, 45 Deg to CA	E806728	117.30	118.00	0.70	0.0228	0.0140	0.0051
			E806729	118.00	119.00	1.00	0.0118	0.0119	0.0057
			E806730	119.00	120.00	1.00	0.0112	0.0133	0.0050
120.85	121.95	MDCHL, Mafic Dike Chloritic Mineralization 120.85 - 121.95 Structure 120.85 - 121.95 : MODFOL Moderately Foliated, 50 Deg to CA							
121.95	133.30	MV, Mafic Volcanic Mineralization 121.95 - 133.30 Structure 121.95 - 133.30 : MODFOL Moderately Foliated, 45 Deg to CA							

Hole Number: KB-07-43

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806612	2.00	3.00	0.1540	0.1055	0.0060
E806613	3.00	4.00	0.2205	0.1662	0.0070
E806614	4.00	5.00	0.2067	0.1298	0.0070
E806615	5.00	6.00	0.6985	0.5198	0.0181
E806616	6.00	7.00	0.2178	0.0988	0.0083
E806617	7.00	8.00	1.2651	0.3592	0.0369
E806618	8.00	9.00	0.1863	0.1209	0.0065
E806619	9.00	9.70	0.2226	0.1678	0.0069
E806620	9.70	11.00	0.0487	0.0244	0.0040
E806621	11.00	12.00	0.0821	0.2083	0.0059
E806622	12.00	13.00	0.2177	0.7285	0.0105
E806623	13.00	14.20	0.0485	0.0816	0.0041
E806624	14.20	14.80	4.9216	0.1923	0.1455
E806625	14.80	16.00	0.0357	0.0225	0.0023
E806626	16.00	17.00	0.0189	0.0052	0.0023
E806627	17.00	17.95	0.0048	0.0049	0.0015
E806628	17.95	19.00	0.0151	0.0075	0.0041
E806629	19.00	20.05	0.0141	0.0059	0.0037
E806630	20.05	21.25	0.0143	0.0063	0.0037
E806631	21.25	23.00	0.1017	0.0545	0.0065
E806633	23.00	24.00	0.0195	0.0116	0.0031
E806634	24.00	25.25	0.0270	0.0161	0.0044
E806636	25.25	26.00	0.0053	0.0068	0.0034
E806637	26.00	27.00	0.0130	0.0134	0.0034
E806638	27.00	28.20	0.0299	0.0129	0.0048
E806639	28.20	29.00	0.1409	0.0881	0.0083
E806640	29.00	30.00	0.1232	0.1108	0.0049
E806641	30.00	31.00	0.2247	0.1960	0.0093
E806642	31.00	32.00	0.1428	0.1682	0.0049
E806643	32.00	33.00	0.3339	0.2334	0.0094
E806644	33.00	33.50	0.1189	0.0576	0.0101
E806645	33.50	35.00	0.0318	0.0148	0.0026
E806646	35.00	36.15	0.0159	0.0124	0.0037
E806647	36.15	37.50	0.0056	0.0053	0.0023
E806648	37.50	39.00	0.0111	0.0139	0.0038
E806649	39.00	40.50	0.0102	0.0127	0.0039
E806650	40.50	42.00	0.0102	0.0117	0.0034

Hole Number: KB-07-43

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806651	42.00	43.50	0.0080	0.0110	0.0029
E806652	43.50	45.00	0.0092	0.0097	0.0034
E806653	45.00	46.50	0.0099	0.0090	0.0034
E806654	46.50	48.00	0.0100	0.0186	0.0040
E806655	48.00	49.50	0.0082	0.0102	0.0031
E806656	49.50	51.00	0.0091	0.0067	0.0031
E806657	51.00	51.65	0.0102	0.0190	0.0034
E806658	51.65	53.00	0.0675	0.0516	0.0044
E806659	53.00	54.00	0.0688	0.0433	0.0060
E806661	54.00	55.00	0.1050	0.0563	0.0049
E806662	55.00	56.00	0.0055	0.0201	0.0019
E806663	56.00	57.00	0.0442	0.0243	0.0034
E806664	57.00	58.00	0.0746	0.0196	0.0048
E806665	58.00	59.00	0.0818	0.0410	0.0049
E806667	59.00	60.00	0.1442	0.0828	0.0076
E806668	60.00	61.00	0.0559	0.0421	0.0069
E806669	61.00	62.00	0.0691	0.0481	0.0049
E806670	62.00	63.00	0.0974	0.0321	0.0057
E806671	63.00	64.00	0.0313	0.0221	0.0046
E806672	64.00	65.00	0.0133	0.0087	0.0033
E806673	65.00	66.00	0.0048	0.0107	0.0027
E806674	66.00	67.00	0.0106	0.0253	0.0044
E806675	67.00	68.05	0.1763	0.0891	0.0075
E806676	68.05	69.00	0.0097	0.0067	0.0028
E806677	69.00	70.00	0.0091	0.0046	0.0028
E806678	70.00	71.50	0.0272	0.0141	0.0038
E806679	71.50	72.00	0.1339	0.0771	0.0067
E806680	72.00	73.00	0.0567	0.0277	0.0042
E806681	73.00	73.70	0.1585	0.1002	0.0076
E806682	73.70	75.15	0.0046	0.0043	0.0016
E806683	75.15	75.55	0.6840	0.1429	0.0140
E806684	75.55	77.00	0.0191	0.0142	0.0053
E806685	77.00	78.50	0.0152	0.0104	0.0050
E806686	78.50	80.25	0.0170	0.0128	0.0057
E806687	80.25	81.00	1.4332	0.1913	0.0392
E806689	81.00	82.00	0.7656	0.2778	0.0219
E806690	82.00	82.55	1.9836	0.3850	0.0724

Hole Number: KB-07-43

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806692	82.55	83.00	0.0592	0.0209	0.0052
E806693	83.00	84.00	0.0179	0.0320	0.0052
E806694	84.00	85.00	0.0232	0.0458	0.0051
E806695	85.00	86.00	0.0623	0.0700	0.0076
E806696	86.00	87.00	0.0165	0.0218	0.0045
E806697	87.00	88.00	0.0093	0.0121	0.0036
E806698	88.00	89.00	0.0683	0.0963	0.0051
E806699	89.00	90.00	0.0456	0.0655	0.0035
E806700	90.00	90.90	0.0167	0.0181	0.0044
E806701	90.90	92.00	0.0203	0.0263	0.0038
E806702	92.00	93.00	0.0140	0.0222	0.0031
E806703	93.00	94.00	0.0050	0.0109	0.0026
E806704	94.00	95.00	0.0746	0.0677	0.0039
E806705	95.00	96.00	0.0952	0.0674	0.0054
E806706	96.00	97.00	0.0882	0.0550	0.0058
E806707	97.00	98.00	0.0171	0.0133	0.0025
E806708	98.00	99.00	0.0275	0.0180	0.0036
E806709	99.00	100.00	0.0459	0.0386	0.0021
E806710	100.00	100.95	0.1373	0.1671	0.0048
E806711	100.95	101.60	2.2535	0.7022	0.0424
E806712	101.60	103.10	0.0250	0.0133	0.0047
E806713	103.10	104.10	5.2566	0.6344	0.1250
E806714	104.10	105.30	0.2253	0.3639	0.0074
E806715	105.30	106.00	0.4859	0.6438	0.0117
E806716	106.00	107.00	0.3049	0.4272	0.0089
E806717	107.00	108.00	0.1201	0.1942	0.0066
E806718	108.00	109.00	0.2067	0.3100	0.0080
E806719	109.00	110.00	0.2626	0.3937	0.0078
E806720	110.00	111.00	0.3550	0.4156	0.0088
E806721	111.00	112.00	0.4456	0.5233	0.0114
E806723	112.00	113.00	0.4925	0.5311	0.0124
E806724	113.00	114.00	0.5304	0.5743	0.0120
E806725	114.00	115.00	0.1744	0.1764	0.0065
E806726	115.00	116.00	0.5408	0.5749	0.0123
E806727	116.00	117.30	0.7536	0.6679	0.0163
E806728	117.30	118.00	0.0228	0.0140	0.0051
E806729	118.00	119.00	0.0118	0.0119	0.0057

Hole Number: KB-07-43

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806730	119.00	120.00	0.0112	0.0133	0.0050

DETAILED LOG

Hole Number: KB-07-42

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -87.00
Project Number:	19900	North:	5481464.00		North:	5481464.00	Collar Az: 304.70
Location:	Surface	East:	453907.40		East:	453907.40	Length: 151.50 (m)
		Elev:	392.80		Elev:	392.80	Start Depth: 0.00 (m)
Date Started:	May 05, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 151.50 (m)
Date Completed:	May 06, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.00	25.00	23.00	0.2387	0.1124	0.0120
WEIGHTED	88.00	151.50	63.50	0.4082	0.1397	0.0233
WEIGHTED	96.25	105.10	8.85	0.7935	0.3368	0.0343
WEIGHTED	100.00	105.10	5.10	1.0196	0.4285	0.0445
WEIGHTED	146.00	147.80	1.80	1.7812	0.3619	0.0893

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
10.00	304.70	-86.50	EZ	OK		50.00	296.20	-86.00	EZ	OK	
101.00	284.70	-86.40	EZ	DO		151.00	299.00	-86.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	2.00	CAS, Casing
2.00	12.65	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.00 - 12.65 Structure 2.00 - 12.65
12.65	14.40	GAB, Gabbro Mineralization 12.65 - 14.40 Structure 12.65 - 14.40

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806466	2.00	3.00	1.00	0.1749	0.0627	0.0069
E806467	3.00	4.00	1.00	0.0203	0.0293	0.0041
E806468	4.00	5.00	1.00	0.1868	0.1366	0.0075
E806469	5.00	6.00	1.00	0.0319	0.0189	0.0039
E806470	6.00	7.00	1.00	0.0242	0.0269	0.0037
E806471	7.00	8.00	1.00	0.0196	0.0383	0.0033
E806472	8.00	9.00	1.00	0.0435	0.0324	0.0028
E806473	9.00	10.00	1.00	0.0798	0.0618	0.0048
E806474	10.00	11.00	1.00	0.0520	0.0492	0.0039
E806475	11.00	12.00	1.00	0.3075	0.1364	0.0095
E806477	12.00	12.65	0.65	0.1810	0.6997	0.0070
E806478	12.65	13.50	0.85	0.0077	0.0183	0.0023
E806479	13.50	14.40	0.90	0.0243	0.0376	0.0034

Hole Number: KB-07-42

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
14.40	19.20	PYXT, Pyroxenite Mineralization 14.40 - 19.20 Structure 14.40 - 19.20	E806480	14.40	15.00	0.60	2.4526	0.1118	0.0635
			E806481	15.00	16.00	1.00	0.6026	0.0957	0.0164
			E806482	16.00	17.00	1.00	0.2593	0.1577	0.0108
			E806483	17.00	18.00	1.00	0.4270	0.2950	0.0191
			E806484	18.00	19.20	1.20	0.3063	0.3765	0.0136
19.20	23.50	MV, Mafic Volcanic Mineralization 19.20 - 23.50 Structure 19.20 - 23.50 : MODFOL Moderately Foliated, 10 Deg to CA	E806486	19.20	20.00	0.80	0.0442	0.0122	0.0044
			E806487	20.00	21.00	1.00	0.0338	0.0425	0.0045
			E806488	21.00	22.00	1.00	0.0321	0.0310	0.0045
			E806489	22.00	23.50	1.50	0.0366	0.0210	0.0045
23.50	27.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 23.50 - 27.10 Structure 23.50 - 27.10	E806490	23.50	24.00	0.50	0.1512	0.0806	0.0083
			E806491	24.00	25.00	1.00	0.1284	0.0684	0.0066
			E806492	25.00	26.00	1.00	0.0212	0.0158	0.0032
			E806493	26.00	27.10	1.10	0.0508	0.0337	0.0040
27.10	35.00	GAB, Gabbro Mineralization 27.10 - 35.00 Structure 27.10 - 35.00	E806494	27.10	28.00	0.90	0.0134	0.0077	0.0033
			E806495	28.00	29.00	1.00	0.0129	0.0071	0.0035
			E806496	29.00	30.00	1.00	0.0239	0.0230	0.0038
			E806497	30.00	31.50	1.50	0.0299	0.0282	0.0035
			E806498	31.50	33.00	1.50	0.0436	0.0382	0.0060
			E806499	33.00	34.00	1.00	0.0191	0.0193	0.0038
			E806500	34.00	35.00	1.00	0.0115	0.0148	0.0039
35.00	41.50	PYXT, Pyroxenite Mineralization 35.00 - 41.50 Structure 35.00 - 41.50	E806501	35.00	36.00	1.00	0.0656	0.0616	0.0051
			E806503	36.00	37.00	1.00	0.1188	0.0739	0.0060
			E806504	37.00	38.00	1.00	0.2082	0.1192	0.0087
			E806505	38.00	39.00	1.00	0.0467	0.0317	0.0020
			E806506	39.00	40.00	1.00	0.0564	0.0585	0.0027
			E806507	40.00	41.00	1.00	0.0462	0.0292	0.0027
			E806508	41.00	41.50	0.50	0.0418	0.0379	0.0033
41.50	42.80	MV, Mafic Volcanic Mineralization 41.50 - 42.80 Structure 41.50 - 42.80	E806509	41.50	42.80	1.30	0.0101	0.0109	0.0037
42.80	45.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 42.80 - 45.00 Structure 42.80 - 45.00	E806510	42.80	44.00	1.20	0.1479	0.0806	0.0079
			E806511	44.00	45.00	1.00	0.0860	0.0488	0.0050

Hole Number: KB-07-42

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
45.00	53.65	GAB, Gabbro Mineralization 45.00 - 53.65 Structure 45.00 - 53.65	E806512	45.00	46.50	1.50	0.0081	0.0160	0.0031
			E806513	46.50	48.00	1.50	0.0322	0.0205	0.0041
			E806514	48.00	49.50	1.50	0.0258	0.0271	0.0037
			E806515	49.50	51.00	1.50	0.0109	0.0099	0.0030
			E806516	51.00	52.50	1.50	0.0118	0.0183	0.0033
			E806517	52.50	53.65	1.15	0.0095	0.0174	0.0033
53.65	55.95	PYXT, Pyroxenite Mineralization 53.65 - 55.95 Structure 53.65 - 55.95	E806518	53.65	55.00	1.35	0.0332	0.0111	0.0032
			E806519	55.00	55.95	0.95	0.0231	0.0031	0.0025
55.95	57.40	GAB, Gabbro Mineralization 55.95 - 57.40 Structure 55.95 - 57.40	E806520	55.95	57.40	1.45	0.0051	0.0072	0.0029
57.40	59.60	MV, Mafic Volcanic Mineralization 57.40 - 59.60 Structure 57.40 - 59.60 : STRFOL Strongly Foliated, 20 Deg to CA	E806521	57.40	58.50	1.10	0.0072	0.0158	0.0047
			E806522	58.50	59.60	1.10	0.0222	0.0105	0.0047
59.60	62.00	PYXT, Pyroxenite Mineralization 59.60 - 62.00 Structure 59.60 - 62.00	E806523	59.60	61.00	1.40	0.0707	0.0472	0.0057
			E806524	61.00	62.00	1.00	0.1425	0.0750	0.0056
62.00	64.45	GAB, Gabbro Mineralization 62.00 - 64.45 Structure 62.00 - 64.45	E806525	62.00	63.00	1.00	0.0229	0.0112	0.0043
			E806526	63.00	64.45	1.45	0.0232	0.0108	0.0051
64.45	71.75	MV, Mafic Volcanic Mineralization 64.45 - 71.75 Structure 64.45 - 71.75	E806527	64.45	66.00	1.55	0.0115	0.0137	0.0048
			E806528	66.00	67.50	1.50	0.0096	0.0135	0.0045
			E806529	67.50	69.00	1.50	0.0100	0.0136	0.0043
			E806530	69.00	70.50	1.50	0.0113	0.0143	0.0049
			E806531	70.50	71.75	1.25	0.0107	0.0169	0.0046
71.75	72.80	PYXT, Pyroxenite Mineralization 71.75 - 72.80 Structure 71.75 - 72.80 : MODFOL Moderately Foliated, 25 Deg to CA	E806532	71.75	72.80	1.05	0.0777	0.0343	0.0063

Hole Number: KB-07-42

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
72.80	74.50	MV, Mafic Volcanic Mineralization 72.80 - 74.50 Structure 72.80 - 74.50	E806533	72.80	74.50	1.70	0.0132	0.0171	0.0043
74.50	75.20	PYXT, Pyroxenite Mineralization 74.50 - 75.20 Structure 74.50 - 75.20	E806534	74.50	75.20	0.70	0.1531	0.0782	0.0079
75.20	75.85	MV, Mafic Volcanic Mineralization 75.20 - 75.85 Structure 75.20 - 75.85	E806535	75.20	75.85	0.65	0.0222	0.0151	0.0049
75.85	77.40	PYXT, Pyroxenite Mineralization 75.85 - 77.40 Structure 75.85 - 77.40	E806536	75.85	77.40	1.55	0.1445	0.0745	0.0052
77.40	79.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 77.40 - 79.60 Structure 77.40 - 79.60	E806537	77.40	78.00	0.60	0.1231	0.0594	0.0072
			E806539	78.00	79.00	1.00	0.0500	0.0658	0.0070
			E806540	79.00	79.60	0.60	0.2139	0.0524	0.0078
79.60	85.75	GAB, Gabbro Mineralization 79.60 - 85.75 Structure 79.60 - 85.75	E806542	79.60	81.00	1.40	0.0063	0.0113	0.0020
			E806543	81.00	82.50	1.50	0.0057	0.0176	0.0023
			E806544	82.50	84.00	1.50	0.0061	0.0174	0.0027
			E806545	84.00	85.75	1.75	0.0062	0.0157	0.0025
85.75	88.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 85.75 - 88.00 Structure 85.75 - 88.00	E806546	85.75	87.00	1.25	0.0450	0.0447	0.0045
			E806547	87.00	88.00	1.00	0.0166	0.0271	0.0040
88.00	89.50	PYXT, Pyroxenite Mineralization 88.00 - 89.50 Structure 88.00 - 89.50 : MODFOL Moderately Foliated, 20 Deg to CA	E806548	88.00	89.00	1.00	0.5123	0.1938	0.0137
			E806549	89.00	89.50	0.50	0.3777	1.1751	0.0111

Hole Number: KB-07-42

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
89.50	96.25	MV, Mafic Volcanic Mineralization 89.50 - 96.25 Structure 89.50 - 96.25	E806550	89.50	91.00	1.50	0.0134	0.0173	0.0041
			E806551	91.00	92.50	1.50	0.0112	0.0119	0.0039
			E806552	92.50	94.00	1.50	0.0110	0.0127	0.0038
			E806553	94.00	95.50	1.50	0.0098	0.0128	0.0038
			E806554	95.50	96.25	0.75	0.0106	0.0135	0.0037
96.25	105.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 96.25 - 105.10 Structure 96.25 - 105.10	E806555	96.25	97.00	0.75	0.3358	0.2385	0.0097
			E806556	97.00	98.00	1.00	0.2162	0.0935	0.0062
			E806557	98.00	99.00	1.00	0.7618	0.3858	0.0256
			E806558	99.00	100.00	1.00	0.3206	0.2881	0.0098
			E806559	100.00	101.00	1.00	0.4422	0.2290	0.0140
			E806561	101.00	102.00	1.00	0.7914	0.7532	0.0210
			E806562	102.00	103.00	1.00	0.3565	0.1769	0.0101
			E806563	103.00	104.00	1.00	1.2915	0.3247	0.0383
			E806564	104.00	105.10	1.10	1.4978	0.5800	0.0270
105.10	106.85	GAB, Gabbro Mineralization 105.10 - 106.85 Structure 105.10 - 106.85	E806566	105.10	106.00	0.90	0.0313	0.0098	0.0024
			E806567	106.00	106.85	0.85	0.0106	0.0033	0.0018
106.85	108.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 106.85 - 108.50 Structure 106.85 - 108.50	E806568	106.85	108.00	1.15	0.0743	0.0883	0.0046
			E806569	108.00	108.50	0.50	0.0126	0.0127	0.0045
108.50	111.30	MV, Mafic Volcanic Mineralization 108.50 - 111.30 Structure 108.50 - 111.30 : STRFOL Strongly Foliated, 25 Deg to CA	E806570	108.50	110.00	1.50	0.0242	0.0130	0.0042
			E806571	110.00	111.30	1.30	0.1124	0.0699	0.0072
111.30	112.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 111.30 - 112.90 Structure 111.30 - 112.90 : MODFOL Moderately Foliated, 30 Deg to CA	E806572	111.30	112.00	0.70	0.0952	0.0734	0.0057
			E806573	112.00	112.90	0.90	0.2071	0.1654	0.0092
112.90	113.60	MV, Mafic Volcanic Mineralization 112.90 - 113.60 Structure 112.90 - 113.60 : STRFOL Strongly Foliated, 30 Deg to CA	E806574	112.90	113.60	0.70	0.0809	0.0408	0.0064

Hole Number: KB-07-42

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
113.60	115.90	PYXT, Pyroxenite Mineralization 113.60 - 115.90 Structure 113.60 - 115.90	E806575	113.60	115.00	1.40	0.0282	0.0334	0.0044
			E806576	115.00	115.90	0.90	0.1027	0.0581	0.0054
115.90	121.60	MV, Mafic Volcanic Mineralization 115.90 - 121.60 Structure 115.90 - 121.60	E806577	115.90	117.50	1.60	0.0141	0.0156	0.0052
			E806578	117.50	119.00	1.50	0.0117	0.0143	0.0040
			E806579	119.00	120.50	1.50	0.0112	0.0103	0.0041
			E806580	120.50	121.60	1.10	0.0107	0.0088	0.0034
121.60	126.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 121.60 - 126.00 Structure 121.60 - 126.00	E806581	121.60	123.00	1.40	0.1517	0.0572	0.0065
			E806583	123.00	124.00	1.00	0.0869	0.0540	0.0057
			E806584	124.00	125.00	1.00	0.1455	0.1024	0.0065
			E806585	125.00	126.00	1.00	0.0905	0.0858	0.0073
126.00	129.10	PYXT, Pyroxenite Mineralization 126.00 - 129.10 Structure 126.00 - 129.10	E806586	126.00	127.00	1.00	0.3057	0.1298	0.0103
			E806587	127.00	128.00	1.00	0.3162	0.1304	0.0117
			E806588	128.00	129.10	1.10	0.1518	0.0802	0.0067
129.10	132.30	MV, Mafic Volcanic Mineralization 129.10 - 132.30 py Structure 129.10 - 132.30	E806590	129.10	130.50	1.40	0.0117	0.0138	0.0050
			E806591	130.50	132.30	1.80	0.0493	0.0536	0.0063
132.30	146.00	PYXT, Pyroxenite PYXT dikes in MV Mineralization 132.30 - 144.00 Structure 132.30 - 144.00 : MODFOL Moderately Foliated, 20 Deg to CA	E806592	132.30	133.00	0.70	0.0972	0.0532	0.0032
			E806593	133.00	134.00	1.00	0.8553	0.3723	0.0243
			E806594	134.00	135.00	1.00	0.5995	0.6362	0.0141
			E806595	135.00	136.00	1.00	0.2619	0.1048	0.0092
			E806596	136.00	137.00	1.00	0.2260	0.1309	0.0109
			E806597	137.00	138.00	1.00	0.0737	0.0392	0.0050
			E806598	138.00	139.00	1.00	0.2324	0.1368	0.0083
			E806599	139.00	140.00	1.00	0.1006	0.0974	0.0062
			E806600	140.00	141.00	1.00	0.2059	0.0855	0.0090
			E806601	141.00	142.00	1.00	0.1357	0.0473	0.0059
			E806602	142.00	143.00	1.00	0.6882	0.4030	0.0221
			E806603	143.00	144.00	1.00	0.2114	0.0832	0.0064
			E806604	144.00	145.00	1.00	0.1953	0.0453	0.0064
			E806605	145.00	146.00	1.00	0.1053	0.0495	0.0061

Hole Number: KB-07-42

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
146.00	151.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 146.00 - 146.50 146.50 - 147.00 147.00 - 147.80 147.80 - 151.50 Structure 146.00 - 151.50

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806606	146.00	146.50	0.50	0.1339	0.0470	0.0047
E806607	146.50	147.00	0.50	4.1682	0.7331	0.0587
E806608	147.00	147.80	0.80	1.2396	0.2399	0.0206
E806609	147.80	149.00	1.20	0.0813	0.0564	0.0042
E806610	149.00	150.00	1.00	0.1619	0.1342	0.0080
E806611	150.00	151.50	1.50	0.0355	0.0376	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806466	2.00	3.00	0.1749	0.0627	0.0069
E806467	3.00	4.00	0.0203	0.0293	0.0041
E806468	4.00	5.00	0.1868	0.1366	0.0075
E806469	5.00	6.00	0.0319	0.0189	0.0039
E806470	6.00	7.00	0.0242	0.0269	0.0037
E806471	7.00	8.00	0.0196	0.0383	0.0033
E806472	8.00	9.00	0.0435	0.0324	0.0028
E806473	9.00	10.00	0.0798	0.0618	0.0048
E806474	10.00	11.00	0.0520	0.0492	0.0039
E806475	11.00	12.00	0.3075	0.1364	0.0095
E806477	12.00	12.65	0.1810	0.6997	0.0070
E806478	12.65	13.50	0.0077	0.0183	0.0023
E806479	13.50	14.40	0.0243	0.0376	0.0034
E806480	14.40	15.00	2.4526	0.1118	0.0635
E806481	15.00	16.00	0.6026	0.0957	0.0164
E806482	16.00	17.00	0.2593	0.1577	0.0108
E806483	17.00	18.00	0.4270	0.2950	0.0191
E806484	18.00	19.20	0.3063	0.3765	0.0136
E806486	19.20	20.00	0.0442	0.0122	0.0044
E806487	20.00	21.00	0.0338	0.0425	0.0045
E806488	21.00	22.00	0.0321	0.0310	0.0045
E806489	22.00	23.50	0.0366	0.0210	0.0045
E806490	23.50	24.00	0.1512	0.0806	0.0083
E806491	24.00	25.00	0.1284	0.0684	0.0066
E806492	25.00	26.00	0.0212	0.0158	0.0032
E806493	26.00	27.10	0.0508	0.0337	0.0040
E806494	27.10	28.00	0.0134	0.0077	0.0033

Hole Number: KB-07-42

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806495	28.00	29.00	0.0129	0.0071	0.0035
E806496	29.00	30.00	0.0239	0.0230	0.0038
E806497	30.00	31.50	0.0299	0.0282	0.0035
E806498	31.50	33.00	0.0436	0.0382	0.0060
E806499	33.00	34.00	0.0191	0.0193	0.0038
E806500	34.00	35.00	0.0115	0.0148	0.0039
E806501	35.00	36.00	0.0656	0.0616	0.0051
E806503	36.00	37.00	0.1188	0.0739	0.0060
E806504	37.00	38.00	0.2082	0.1192	0.0087
E806505	38.00	39.00	0.0467	0.0317	0.0020
E806506	39.00	40.00	0.0564	0.0585	0.0027
E806507	40.00	41.00	0.0462	0.0292	0.0027
E806508	41.00	41.50	0.0418	0.0379	0.0033
E806509	41.50	42.80	0.0101	0.0109	0.0037
E806510	42.80	44.00	0.1479	0.0806	0.0079
E806511	44.00	45.00	0.0860	0.0488	0.0050
E806512	45.00	46.50	0.0081	0.0160	0.0031
E806513	46.50	48.00	0.0322	0.0205	0.0041
E806514	48.00	49.50	0.0258	0.0271	0.0037
E806515	49.50	51.00	0.0109	0.0099	0.0030
E806516	51.00	52.50	0.0118	0.0183	0.0033
E806517	52.50	53.65	0.0095	0.0174	0.0033
E806518	53.65	55.00	0.0332	0.0111	0.0032
E806519	55.00	55.95	0.0231	0.0031	0.0025
E806520	55.95	57.40	0.0051	0.0072	0.0029
E806521	57.40	58.50	0.0072	0.0158	0.0047
E806522	58.50	59.60	0.0222	0.0105	0.0047
E806523	59.60	61.00	0.0707	0.0472	0.0057
E806524	61.00	62.00	0.1425	0.0750	0.0056
E806525	62.00	63.00	0.0229	0.0112	0.0043
E806526	63.00	64.45	0.0232	0.0108	0.0051
E806527	64.45	66.00	0.0115	0.0137	0.0048
E806528	66.00	67.50	0.0096	0.0135	0.0045
E806529	67.50	69.00	0.0100	0.0136	0.0043
E806530	69.00	70.50	0.0113	0.0143	0.0049
E806531	70.50	71.75	0.0107	0.0169	0.0046
E806532	71.75	72.80	0.0777	0.0343	0.0063

Hole Number: KB-07-42

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806533	72.80	74.50	0.0132	0.0171	0.0043
E806534	74.50	75.20	0.1531	0.0782	0.0079
E806535	75.20	75.85	0.0222	0.0151	0.0049
E806536	75.85	77.40	0.1445	0.0745	0.0052
E806537	77.40	78.00	0.1231	0.0594	0.0072
E806539	78.00	79.00	0.0500	0.0658	0.0070
E806540	79.00	79.60	0.2139	0.0524	0.0078
E806542	79.60	81.00	0.0063	0.0113	0.0020
E806543	81.00	82.50	0.0057	0.0176	0.0023
E806544	82.50	84.00	0.0061	0.0174	0.0027
E806545	84.00	85.75	0.0062	0.0157	0.0025
E806546	85.75	87.00	0.0450	0.0447	0.0045
E806547	87.00	88.00	0.0166	0.0271	0.0040
E806548	88.00	89.00	0.5123	0.1938	0.0137
E806549	89.00	89.50	0.3777	1.1751	0.0111
E806550	89.50	91.00	0.0134	0.0173	0.0041
E806551	91.00	92.50	0.0112	0.0119	0.0039
E806552	92.50	94.00	0.0110	0.0127	0.0038
E806553	94.00	95.50	0.0098	0.0128	0.0038
E806554	95.50	96.25	0.0106	0.0135	0.0037
E806555	96.25	97.00	0.3358	0.2385	0.0097
E806556	97.00	98.00	0.2162	0.0935	0.0062
E806557	98.00	99.00	0.7618	0.3858	0.0256
E806558	99.00	100.00	0.3206	0.2881	0.0098
E806559	100.00	101.00	0.4422	0.2290	0.0140
E806561	101.00	102.00	0.7914	0.7532	0.0210
E806562	102.00	103.00	0.3565	0.1769	0.0101
E806563	103.00	104.00	1.2915	0.3247	0.0383
E806564	104.00	105.10	1.4978	0.5800	0.0270
E806566	105.10	106.00	0.0313	0.0098	0.0024
E806567	106.00	106.85	0.0106	0.0033	0.0018
E806568	106.85	108.00	0.0743	0.0883	0.0046
E806569	108.00	108.50	0.0126	0.0127	0.0045
E806570	108.50	110.00	0.0242	0.0130	0.0042
E806571	110.00	111.30	0.1124	0.0699	0.0072
E806572	111.30	112.00	0.0952	0.0734	0.0057
E806573	112.00	112.90	0.2071	0.1654	0.0092

Hole Number: KB-07-42

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806574	112.90	113.60	0.0809	0.0408	0.0064
E806575	113.60	115.00	0.0282	0.0334	0.0044
E806576	115.00	115.90	0.1027	0.0581	0.0054
E806577	115.90	117.50	0.0141	0.0156	0.0052
E806578	117.50	119.00	0.0117	0.0143	0.0040
E806579	119.00	120.50	0.0112	0.0103	0.0041
E806580	120.50	121.60	0.0107	0.0088	0.0034
E806581	121.60	123.00	0.1517	0.0572	0.0065
E806583	123.00	124.00	0.0869	0.0540	0.0057
E806584	124.00	125.00	0.1455	0.1024	0.0065
E806585	125.00	126.00	0.0905	0.0858	0.0073
E806586	126.00	127.00	0.3057	0.1298	0.0103
E806587	127.00	128.00	0.3162	0.1304	0.0117
E806588	128.00	129.10	0.1518	0.0802	0.0067
E806590	129.10	130.50	0.0117	0.0138	0.0050
E806591	130.50	132.30	0.0493	0.0536	0.0063
E806592	132.30	133.00	0.0972	0.0532	0.0032
E806593	133.00	134.00	0.8553	0.3723	0.0243
E806594	134.00	135.00	0.5995	0.6362	0.0141
E806595	135.00	136.00	0.2619	0.1048	0.0092
E806596	136.00	137.00	0.2260	0.1309	0.0109
E806597	137.00	138.00	0.0737	0.0392	0.0050
E806598	138.00	139.00	0.2324	0.1368	0.0083
E806599	139.00	140.00	0.1006	0.0974	0.0062
E806600	140.00	141.00	0.2059	0.0855	0.0090
E806601	141.00	142.00	0.1357	0.0473	0.0059
E806602	142.00	143.00	0.6882	0.4030	0.0221
E806603	143.00	144.00	0.2114	0.0832	0.0064
E806604	144.00	145.00	0.1953	0.0453	0.0064
E806605	145.00	146.00	0.1053	0.0495	0.0061
E806606	146.00	146.50	0.1339	0.0470	0.0047
E806607	146.50	147.00	4.1682	0.7331	0.0587
E806608	147.00	147.80	1.2396	0.2399	0.0206
E806609	147.80	149.00	0.0813	0.0564	0.0042
E806610	149.00	150.00	0.1619	0.1342	0.0080
E806611	150.00	151.50	0.0355	0.0376	0.0050

DETAILED LOG

Hole Number: KB-07-41

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481464.00		North:	5481464.00	Collar Az: 314.40
Location:	Surface	East:	453907.40		East:	453907.40	Length: 122.00 (m)
		Elev:	392.80		Elev:	392.80	Start Depth: 0.00 (m)
Date Started:	May 04, 2007	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 122.00 (m)
Date Completed:	May 05, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	13.00	17.05	4.05	0.2149	0.1099	0.0101
WEIGHTED	54.00	68.40	14.40	0.6033	0.1466	0.0143
WEIGHTED	66.55	68.40	1.85	3.5664	0.6798	0.0626
WEIGHTED	83.50	92.10	8.60	0.5449	0.6272	0.0122

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	314.40	-47.40	EZ	OK		50.00	309.40	-47.70	EZ	OK	
122.00	312.80	-47.00	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	4.30	MD, Mafic Dike Mineralization 2.00 - 4.30 Structure 2.00 - 4.30	E806358	2.00	3.00	1.00	0.0049	0.0034	0.0033
			E806359	3.00	4.30	1.30	0.0041	0.0035	0.0034
4.30	9.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 4.30 - 9.00 Structure 4.30 - 9.00	E806360	4.30	5.00	0.70	0.0194	0.0122	0.0055
			E806361	5.00	6.00	1.00	0.0619	0.0284	0.0061
			E806362	6.00	7.00	1.00	0.0518	0.0301	0.0059
			E806363	7.00	8.00	1.00	0.1160	0.0643	0.0083
			E806364	8.00	9.00	1.00	0.0470	0.0290	0.0062
9.00	9.70	MD, Mafic Dike Mineralization 9.00 - 9.70	E806365	9.00	9.70	0.70	0.0141	0.0075	0.0038

Hole Number: KB-07-41 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
9.70	17.05	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 9.70 - 17.05 Structure 9.70 - 17.05	E806366	9.70	11.00	1.30	0.0731	0.0268	0.0074
			E806367	11.00	12.00	1.00	0.0129	0.0057	0.0043
			E806368	12.00	13.00	1.00	0.0354	0.0141	0.0054
			E806369	13.00	14.00	1.00	0.1009	0.0468	0.0074
			E806370	14.00	15.00	1.00	0.2274	0.1567	0.0105
			E806371	15.00	16.00	1.00	0.1634	0.0866	0.0093
			E806373	16.00	17.05	1.05	0.3606	0.1476	0.0132
17.05	36.15	MV, Mafic Volcanic Mineralization 17.05 - 36.15 Structure 17.05 - 36.15	E806374	17.05	18.00	0.95	0.0483	0.0285	0.0067
			E806375	18.00	19.00	1.00	0.0131	0.0111	0.0051
			E806376	19.00	20.00	1.00	0.0133	0.0177	0.0059
			E806377	20.00	21.00	1.00	0.0118	0.0118	0.0053
			E806378	21.00	22.00	1.00	0.0117	0.0088	0.0056
			E806379	22.00	23.00	1.00	0.0119	0.0151	0.0063
			E806380	23.00	24.00	1.00	0.0104	0.0146	0.0039
			E806381	24.00	25.00	1.00	0.0095	0.0110	0.0028
			E806382	25.00	26.00	1.00	0.0078	0.0152	0.0033
			E806383	26.00	27.00	1.00	0.0124	0.0128	0.0034
			E806384	27.00	28.00	1.00	0.0126	0.0149	0.0043
			E806385	28.00	29.00	1.00	0.0142	0.0120	0.0050
			E806386	29.00	30.00	1.00	0.0121	0.0170	0.0042
			E806387	30.00	31.00	1.00	0.0102	0.0106	0.0036
			E806388	31.00	32.00	1.00	0.0134	0.0108	0.0035
			E806389	32.00	33.00	1.00	0.0121	0.0162	0.0045
			E806390	33.00	34.00	1.00	0.0124	0.0127	0.0038
			E806391	34.00	35.00	1.00	0.0123	0.0109	0.0041
			E806392	35.00	36.15	1.15	0.1253	0.0576	0.0065
36.15	39.75	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 36.15 - 39.75 Structure 36.15 - 39.75	E806393	36.15	37.00	0.85	0.0129	0.0160	0.0044
			E806395	37.00	38.00	1.00	0.1551	0.0856	0.0071
			E806396	38.00	39.00	1.00	0.0484	0.0460	0.0048
			E806397	39.00	39.75	0.75	0.0218	0.0241	0.0034
39.75	42.55	MDCHL, Mafic Dike Chloritic Mineralization 39.75 - 42.55 Structure 39.75 - 42.55	E806398	39.75	41.00	1.25	0.0040	0.0049	0.0018
			E806399	41.00	42.00	1.00	0.0045	0.0044	0.0020
			E806400	42.00	42.55	0.55	0.0046	0.0043	0.0022
42.55	43.50	PYXT, Pyroxenite Mineralization 42.55 - 43.50 Structure 42.55 - 43.50	E806401	42.55	43.50	0.95	0.0622	0.0200	0.0049

Hole Number: KB-07-41 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
43.50	44.00	GAB, Gabbro Mineralization 43.50 - 44.00 Structure 43.50 - 44.00	E806402	43.50	44.00	0.50	0.0172	0.0319	0.0030
44.00	45.30	PYXT, Pyroxenite Mineralization 44.00 - 45.30 Structure 44.00 - 45.30 : MODFOL Moderately Foliated, 45 Deg to CA	E806403	44.00	45.30	1.30	0.0183	0.0143	0.0024
45.30	46.30	FD, Felsic Dike Mineralization 45.30 - 46.30 Structure 45.30 - 46.30 : MODFOL Moderately Foliated, 60 Deg to CA	E806404	45.30	46.30	1.00	0.0573	0.0254	0.0060
46.30	47.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 46.30 - 47.00 Structure 46.30 - 47.00 : MODFOL Moderately Foliated, 45 Deg to CA	E806405	46.30	47.00	0.70	0.1222	0.0851	0.0071
47.00	52.00	GAB, Gabbro Mineralization 47.00 - 52.00 Structure 47.00 - 52.00	E806407	47.00	48.00	1.00	0.0086	0.0137	0.0019
			E806408	48.00	49.00	1.00	0.0330	0.0175	0.0027
			E806409	49.00	50.00	1.00	0.0147	0.0250	0.0029
			E806410	50.00	51.00	1.00	0.0170	0.0155	0.0029
			E806411	51.00	52.00	1.00	0.0198	0.0257	0.0027
52.00	61.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 52.00 - 61.10 Structure 52.00 - 61.10 : MODFOL Moderately Foliated, 50 Deg to CA	E806412	52.00	53.00	1.00	0.0474	0.0328	0.0030
			E806414	53.00	54.00	1.00	0.0225	0.0130	0.0033
			E806415	54.00	55.00	1.00	0.1818	0.0889	0.0067
			E806416	55.00	56.00	1.00	0.1845	0.0622	0.0083
			E806417	56.00	57.00	1.00	0.2309	0.0911	0.0087
			E806418	57.00	58.00	1.00	0.4135	0.1853	0.0110
			E806419	58.00	59.00	1.00	0.0425	0.0262	0.0048
			E806420	59.00	60.00	1.00	0.0187	0.0131	0.0038
			E806421	60.00	61.10	1.10	0.0130	0.0089	0.0027
61.10	66.55	PYXT, Pyroxenite Mineralization 61.10 - 66.55 Structure 61.10 - 66.55 : MODFOL Moderately Foliated, 50 Deg to CA	E806422	61.10	62.00	0.90	0.2385	0.0985	0.0091
			E806423	62.00	63.00	1.00	0.0621	0.0236	0.0044
			E806424	63.00	64.00	1.00	0.2666	0.0789	0.0103
			E806425	64.00	65.00	1.00	0.2433	0.0981	0.0096
			E806426	65.00	66.00	1.00	0.0498	0.0308	0.0049
			E806427	66.00	66.55	0.55	0.3027	0.1025	0.0103

Hole Number: KB-07-41 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
66.55	68.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 66.55 - 68.40 Structure 66.55 - 68.40	E806428	66.55	67.00	0.45	2.6088	0.8247	0.0504
			E806430	67.00	67.70	0.70	4.0538	0.6960	0.0746
			E806431	67.70	68.40	0.70	3.6945	0.5704	0.0585
68.40	78.20	MV, Mafic Volcanic Mineralization 68.40 - 78.20 py Structure 68.40 - 78.20	E806433	68.40	69.00	0.60	0.0726	0.3109	0.0043
			E806434	69.00	70.00	1.00	0.0176	0.0983	0.0034
			E806435	70.00	71.00	1.00	0.0144	0.0232	0.0035
			E806436	71.00	72.00	1.00	0.0907	0.0805	0.0056
			E806437	72.00	73.00	1.00	0.0841	0.0486	0.0059
			E806438	73.00	74.00	1.00	0.0703	0.0630	0.0061
			E806439	74.00	75.00	1.00	0.0364	0.0663	0.0067
			E806440	75.00	76.00	1.00	0.0449	0.1071	0.0057
			E806441	76.00	77.00	1.00	0.0106	0.0329	0.0054
			E806442	77.00	78.20	1.20	0.0168	0.0210	0.0044
78.20	79.10	PYXT, Pyroxenite Mineralization 78.20 - 79.10 Structure 78.20 - 79.10	E806443	78.20	79.10	0.90	0.3156	0.2318	0.0140
79.10	83.50	MV, Mafic Volcanic Mineralization 79.10 - 83.50 Structure 79.10 - 83.50	E806444	79.10	80.00	0.90	0.0325	0.0202	0.0048
			E806445	80.00	81.00	1.00	0.0115	0.0101	0.0043
			E806446	81.00	82.00	1.00	0.0193	0.0163	0.0048
			E806447	82.00	83.00	1.00	0.0160	0.0093	0.0050
			E806448	83.00	83.50	0.50	0.0676	0.0582	0.0059
83.50	84.60	PYXT, Pyroxenite Mineralization 83.50 - 84.60 Structure 83.50 - 84.60 : MODFOL Moderately Foliated, 45 Deg to CA	E806449	83.50	84.00	0.50	0.8426	0.9280	0.0103
			E806450	84.00	84.60	0.60	0.2678	0.4074	0.0079
84.60	88.40	TSCH, Talc Schist Mineralization 84.60 - 88.40 Structure 84.60 - 88.40 : STRFOL Strongly Foliated, 45 Deg to CA	E806451	84.60	85.00	0.40	0.3069	0.2718	0.0108
			E806452	85.00	86.00	1.00	0.6508	0.9328	0.0125
			E806453	86.00	87.00	1.00	0.3364	0.5449	0.0081
			E806454	87.00	88.00	1.00	0.2742	0.5712	0.0078
			E806456	88.00	88.40	0.40	0.7506	1.1689	0.0176
88.40	89.00	MDCHL, Mafic Dike Chloritic Mineralization 88.40 - 89.00 Structure 88.40 - 89.00 : MODFOL Moderately Foliated, 45 Deg to CA	E806457	88.40	89.00	0.60	0.0172	0.0179	0.0029

Hole Number: KB-07-41 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
89.00	92.10	TSCH, Talc Schist Mineralization 89.00 - 90.80 90.80 - 92.10 Structure 89.00 - 92.10 : STRFOL Strongly Foliated, 50 Deg to CA	E806458	89.00	90.00	1.00	0.9419	0.9781	0.0213
			E806459	90.00	90.80	0.80	1.2343	0.8916	0.0242
			E806460	90.80	92.10	1.30	0.3691	0.2758	0.0098
92.10	93.85	MV, Mafic Volcanic Mineralization 92.10 - 93.85 Structure 92.10 - 93.85 : MODFOL Moderately Foliated, 45 Deg to CA	E806462	92.10	93.00	0.90	0.0133	0.0126	0.0056
			E806463	93.00	93.85	0.85	0.0128	0.0102	0.0056
93.85	94.40	MDCHL, Mafic Dike Chloritic Mineralization 93.85 - 94.40 Structure 93.85 - 94.40 : MODFOL Moderately Foliated, 45 Deg to CA	E806464	93.85	94.40	0.55	0.0114	0.0053	0.0045
94.40	95.30	MV, Mafic Volcanic Mineralization 94.40 - 95.30 Structure 94.40 - 95.30	E806465	94.40	95.30	0.90	0.0065	0.0054	0.0028
95.30	96.90	MDCHL, Mafic Dike Chloritic Mineralization 95.30 - 96.90 Structure 95.30 - 96.90							
96.90	97.80	MV, Mafic Volcanic Mineralization 96.90 - 97.80 Structure 96.90 - 97.80							
97.80	98.20	FD, Felsic Dike Mineralization 97.80 - 98.20 Structure 97.80 - 98.20							
98.20	100.40	MV, Mafic Volcanic Mineralization 98.20 - 100.40 Structure 98.20 - 100.40							

Hole Number: KB-07-41

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
100.40	100.90	FD, Felsic Dike Mineralization 100.40 - 100.90 Structure 100.40 - 100.90							
100.90	122.00	MV, Mafic Volcanic Mineralization 100.90 - 122.00 Structure 100.90 - 122.00 : MODFOL Moderately Foliated, 45 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806358	2.00	3.00	0.0049	0.0034	0.0033
E806359	3.00	4.30	0.0041	0.0035	0.0034
E806360	4.30	5.00	0.0194	0.0122	0.0055
E806361	5.00	6.00	0.0619	0.0284	0.0061
E806362	6.00	7.00	0.0518	0.0301	0.0059
E806363	7.00	8.00	0.1160	0.0643	0.0083
E806364	8.00	9.00	0.0470	0.0290	0.0062
E806365	9.00	9.70	0.0141	0.0075	0.0038
E806366	9.70	11.00	0.0731	0.0268	0.0074
E806367	11.00	12.00	0.0129	0.0057	0.0043
E806368	12.00	13.00	0.0354	0.0141	0.0054
E806369	13.00	14.00	0.1009	0.0468	0.0074
E806370	14.00	15.00	0.2274	0.1567	0.0105
E806371	15.00	16.00	0.1634	0.0866	0.0093
E806373	16.00	17.05	0.3606	0.1476	0.0132
E806374	17.05	18.00	0.0483	0.0285	0.0067
E806375	18.00	19.00	0.0131	0.0111	0.0051
E806376	19.00	20.00	0.0133	0.0177	0.0059
E806377	20.00	21.00	0.0118	0.0118	0.0053
E806378	21.00	22.00	0.0117	0.0088	0.0056
E806379	22.00	23.00	0.0119	0.0151	0.0063
E806380	23.00	24.00	0.0104	0.0146	0.0039
E806381	24.00	25.00	0.0095	0.0110	0.0028
E806382	25.00	26.00	0.0078	0.0152	0.0033
E806383	26.00	27.00	0.0124	0.0128	0.0034

Hole Number: KB-07-41

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806384	27.00	28.00	0.0126	0.0149	0.0043
E806385	28.00	29.00	0.0142	0.0120	0.0050
E806386	29.00	30.00	0.0121	0.0170	0.0042
E806387	30.00	31.00	0.0102	0.0106	0.0036
E806388	31.00	32.00	0.0134	0.0108	0.0035
E806389	32.00	33.00	0.0121	0.0162	0.0045
E806390	33.00	34.00	0.0124	0.0127	0.0038
E806391	34.00	35.00	0.0123	0.0109	0.0041
E806392	35.00	36.15	0.1253	0.0576	0.0065
E806393	36.15	37.00	0.0129	0.0160	0.0044
E806395	37.00	38.00	0.1551	0.0856	0.0071
E806396	38.00	39.00	0.0484	0.0460	0.0048
E806397	39.00	39.75	0.0218	0.0241	0.0034
E806398	39.75	41.00	0.0040	0.0049	0.0018
E806399	41.00	42.00	0.0045	0.0044	0.0020
E806400	42.00	42.55	0.0046	0.0043	0.0022
E806401	42.55	43.50	0.0622	0.0200	0.0049
E806402	43.50	44.00	0.0172	0.0319	0.0030
E806403	44.00	45.30	0.0183	0.0143	0.0024
E806404	45.30	46.30	0.0573	0.0254	0.0060
E806405	46.30	47.00	0.1222	0.0851	0.0071
E806407	47.00	48.00	0.0086	0.0137	0.0019
E806408	48.00	49.00	0.0330	0.0175	0.0027
E806409	49.00	50.00	0.0147	0.0250	0.0029
E806410	50.00	51.00	0.0170	0.0155	0.0029
E806411	51.00	52.00	0.0198	0.0257	0.0027
E806412	52.00	53.00	0.0474	0.0328	0.0030
E806414	53.00	54.00	0.0225	0.0130	0.0033
E806415	54.00	55.00	0.1818	0.0889	0.0067
E806416	55.00	56.00	0.1845	0.0622	0.0083
E806417	56.00	57.00	0.2309	0.0911	0.0087
E806418	57.00	58.00	0.4135	0.1853	0.0110
E806419	58.00	59.00	0.0425	0.0262	0.0048
E806420	59.00	60.00	0.0187	0.0131	0.0038
E806421	60.00	61.10	0.0130	0.0089	0.0027
E806422	61.10	62.00	0.2385	0.0985	0.0091
E806423	62.00	63.00	0.0621	0.0236	0.0044

Hole Number: KB-07-41

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806424	63.00	64.00	0.2666	0.0789	0.0103
E806425	64.00	65.00	0.2433	0.0981	0.0096
E806426	65.00	66.00	0.0498	0.0308	0.0049
E806427	66.00	66.55	0.3027	0.1025	0.0103
E806428	66.55	67.00	2.6088	0.8247	0.0504
E806430	67.00	67.70	4.0538	0.6960	0.0746
E806431	67.70	68.40	3.6945	0.5704	0.0585
E806433	68.40	69.00	0.0726	0.3109	0.0043
E806434	69.00	70.00	0.0176	0.0983	0.0034
E806435	70.00	71.00	0.0144	0.0232	0.0035
E806436	71.00	72.00	0.0907	0.0805	0.0056
E806437	72.00	73.00	0.0841	0.0486	0.0059
E806438	73.00	74.00	0.0703	0.0630	0.0061
E806439	74.00	75.00	0.0364	0.0663	0.0067
E806440	75.00	76.00	0.0449	0.1071	0.0057
E806441	76.00	77.00	0.0106	0.0329	0.0054
E806442	77.00	78.20	0.0168	0.0210	0.0044
E806443	78.20	79.10	0.3156	0.2318	0.0140
E806444	79.10	80.00	0.0325	0.0202	0.0048
E806445	80.00	81.00	0.0115	0.0101	0.0043
E806446	81.00	82.00	0.0193	0.0163	0.0048
E806447	82.00	83.00	0.0160	0.0093	0.0050
E806448	83.00	83.50	0.0676	0.0582	0.0059
E806449	83.50	84.00	0.8426	0.9280	0.0103
E806450	84.00	84.60	0.2678	0.4074	0.0079
E806451	84.60	85.00	0.3069	0.2718	0.0108
E806452	85.00	86.00	0.6508	0.9328	0.0125
E806453	86.00	87.00	0.3364	0.5449	0.0081
E806454	87.00	88.00	0.2742	0.5712	0.0078
E806456	88.00	88.40	0.7506	1.1689	0.0176
E806457	88.40	89.00	0.0172	0.0179	0.0029
E806458	89.00	90.00	0.9419	0.9781	0.0213
E806459	90.00	90.80	1.2343	0.8916	0.0242
E806460	90.80	92.10	0.3691	0.2758	0.0098
E806462	92.10	93.00	0.0133	0.0126	0.0056
E806463	93.00	93.85	0.0128	0.0102	0.0056
E806464	93.85	94.40	0.0114	0.0053	0.0045

Hole Number: KB-07-41

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806465	94.40	95.30	0.0065	0.0054	0.0028

DETAILED LOG

Hole Number: KB-07-40 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481479.00		North:	5481479.00	Collar Az: 315.40
Location:	Surface	East:	453889.50		East:	453889.50	Length: 77.00 (m)
		Elev:	393.57		Elev:	393.57	Start Depth: 0.00 (m)
Date Started:	May 03, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 77.00 (m)
Date Completed:	May 04, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.15	7.10	4.95	0.3784	0.2347	0.0138
WEIGHTED	32.00	56.80	24.80	0.3268	0.2200	0.0108

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	325.70	-46.50	EZ	DO		77.00	315.40	-46.10	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.70	CAS, Casing							
1.70	2.15	MV, Mafic Volcanic Mineralization 1.70 - 2.15 Structure 1.70 - 2.15	E806289	1.70	2.15	0.45	0.0182	0.0143	0.0051
2.15	11.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 2.15 - 6.30 6.30 - 7.10 7.10 - 11.40 Structure 2.15 - 11.40	E806290	2.15	3.00	0.85	0.6986	0.6001	0.0213
			E806292	3.00	4.00	1.00	0.1074	0.0753	0.0064
			E806293	4.00	5.00	1.00	0.0090	0.0086	0.0024
			E806294	5.00	6.30	1.30	0.2495	0.0717	0.0099
			E806295	6.30	7.10	0.80	1.0482	0.5931	0.0355
			E806296	7.10	8.00	0.90	0.0306	0.1045	0.0030
			E806297	8.00	9.00	1.00	0.0162	0.0034	0.0032
			E806298	9.00	10.00	1.00	0.0085	0.0069	0.0033
			E806299	10.00	11.40	1.40	0.0115	0.0104	0.0033
11.40	11.95	MD, Mafic Dike Mineralization 11.40 - 11.95 Structure 11.40 - 11.95	E806300	11.40	11.95	0.55	0.0056	0.0052	0.0021

Hole Number: KB-07-40

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.95	19.05	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 11.95 - 17.80 17.80 - 19.05 Structure 11.95 - 19.05	E806301	11.95	13.00	1.05	0.0075	0.0111	0.0031
			E806302	13.00	14.00	1.00	0.0227	0.0202	0.0025
			E806303	14.00	15.00	1.00	0.0105	0.0160	0.0034
			E806304	15.00	16.00	1.00	0.0111	0.0107	0.0028
			E806305	16.00	17.00	1.00	0.0303	0.0347	0.0039
			E806306	17.00	17.80	0.80	0.0144	0.0134	0.0040
			E806307	17.80	19.05	1.25	0.0546	0.0462	0.0052
19.05	20.90	MV, Mafic Volcanic Mineralization 19.05 - 20.90 Structure 19.05 - 20.90 : MODFOL Moderately Foliated, 45 Deg to CA	E806308	19.05	20.00	0.95	0.1254	0.0470	0.0064
			E806309	20.00	20.90	0.90	0.1275	0.0439	0.0083
20.90	22.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 20.90 - 22.00 Structure 20.90 - 22.00	E806310	20.90	22.00	1.10	0.1469	0.0573	0.0076
22.00	34.20	GAB, Gabbro c-g,dark green,blue qtz Mineralization 22.00 - 32.00 32.00 - 34.20 Structure 22.00 - 34.20	E806312	22.00	23.00	1.00	0.0321	0.0222	0.0039
			E806313	23.00	24.00	1.00	0.0244	0.0161	0.0032
			E806314	24.00	25.00	1.00	0.0226	0.0136	0.0031
			E806315	25.00	26.00	1.00	0.0230	0.0159	0.0039
			E806316	26.00	27.00	1.00	0.0276	0.0181	0.0039
			E806317	27.00	28.00	1.00	0.0253	0.0161	0.0032
			E806318	28.00	29.00	1.00	0.0289	0.0225	0.0038
			E806319	29.00	30.00	1.00	0.0184	0.0155	0.0027
			E806320	30.00	31.00	1.00	0.0155	0.0138	0.0024
			E806321	31.00	32.00	1.00	0.0132	0.0122	0.0018
			E806322	32.00	33.00	1.00	0.1930	0.2162	0.0068
			E806323	33.00	34.20	1.20	0.2167	0.3369	0.0055
34.20	42.90	PYXT, Pyroxenite Mineralization 34.20 - 42.90 Structure 34.20 - 42.90 : STRFOL Strongly Foliated, 55 Deg to CA	E806324	34.20	35.00	0.80	0.2433	0.2302	0.0118
			E806326	35.00	36.00	1.00	0.0937	0.0311	0.0059
			E806327	36.00	37.00	1.00	0.2092	0.0734	0.0094
			E806328	37.00	38.00	1.00	0.4055	0.1388	0.0138
			E806330	38.00	39.00	1.00	0.5974	0.2462	0.0187
			E806331	39.00	40.00	1.00	0.4487	0.1649	0.0118
			E806332	40.00	41.00	1.00	0.4986	0.2084	0.0149
			E806333	41.00	42.10	1.10	0.5022	0.2056	0.0144
			E806334	42.10	43.00	0.90	0.0190	0.0081	0.0037

DETAILED LOG

Hole Number: KB-07-40

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
42.90	50.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 42.90 - 50.70 Structure 42.90 - 50.70
50.70	55.80	PYXT, Pyroxenite Mineralization 50.70 - 55.80 Structure 50.70 - 55.80 : STRFOL Strongly Foliated, 55 Deg to CA
55.80	56.80	TSCH, Talc Schist Mineralization 55.80 - 56.80 Structure 55.80 - 56.80 : STRFOL Strongly Foliated, 40 Deg to CA
56.80	59.90	MDCHL, Mafic Dike Chloritic Mineralization 56.80 - 59.90 Structure 56.80 - 59.90 : MODFOL Moderately Foliated, 40 Deg to CA
59.90	61.40	TSCH, Talc Schist Mineralization 59.90 - 61.40 Structure 59.90 - 61.40 : STRFOL Strongly Foliated, 45 Deg to CA
61.40	77.00	MV, Mafic Volcanic Mineralization 61.40 - 77.00 Structure 61.40 - 77.00 : MODFOL Moderately Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806335	43.00	44.00	1.00	0.0541	0.0317	0.0050
E806336	44.00	45.00	1.00	0.4319	0.1219	0.0090
E806337	45.00	46.00	1.00	0.0969	0.0452	0.0058
E806338	46.00	47.00	1.00	0.0923	0.0767	0.0065
E806339	47.00	48.00	1.00	0.9419	0.4691	0.0205
E806340	48.00	49.00	1.00	0.1383	0.0957	0.0050
E806341	49.00	50.00	1.00	0.1878	0.1213	0.0101
E806343	50.00	50.70	0.70	0.6784	0.8264	0.0176
E806344	50.70	52.00	1.30	0.3396	0.2349	0.0161
E806345	52.00	53.00	1.00	0.1468	0.1941	0.0071
E806346	53.00	54.00	1.00	0.2007	0.2795	0.0078
E806347	54.00	55.00	1.00	0.7703	0.4975	0.0180
E806348	55.00	55.80	0.80	0.1606	0.2348	0.0110
E806349	55.80	56.80	1.00	0.5279	0.5504	0.0140
E806350	56.80	58.00	1.20	0.0064	0.0061	0.0035
E806351	58.00	59.00	1.00	0.0043	0.0104	0.0033
E806352	59.00	59.90	0.90	0.0039	0.0045	0.0034
E806353	59.90	61.40	1.50	0.3630	0.5763	0.0135
E806354	61.40	62.00	0.60	0.0179	0.0160	0.0068
E806355	62.00	63.00	1.00	0.0148	0.0122	0.0072
E806356	63.00	64.00	1.00	0.0135	0.0114	0.0071
E806357	64.00	65.00	1.00	0.0112	0.0108	0.0070

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806289	1.70	2.15	0.0182	0.0143	0.0051
E806290	2.15	3.00	0.6986	0.6001	0.0213
E806292	3.00	4.00	0.1074	0.0753	0.0064

Hole Number: KB-07-40

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806293	4.00	5.00	0.0090	0.0086	0.0024
E806294	5.00	6.30	0.2495	0.0717	0.0099
E806295	6.30	7.10	1.0482	0.5931	0.0355
E806296	7.10	8.00	0.0306	0.1045	0.0030
E806297	8.00	9.00	0.0162	0.0034	0.0032
E806298	9.00	10.00	0.0085	0.0069	0.0033
E806299	10.00	11.40	0.0115	0.0104	0.0033
E806300	11.40	11.95	0.0056	0.0052	0.0021
E806301	11.95	13.00	0.0075	0.0111	0.0031
E806302	13.00	14.00	0.0227	0.0202	0.0025
E806303	14.00	15.00	0.0105	0.0160	0.0034
E806304	15.00	16.00	0.0111	0.0107	0.0028
E806305	16.00	17.00	0.0303	0.0347	0.0039
E806306	17.00	17.80	0.0144	0.0134	0.0040
E806307	17.80	19.05	0.0546	0.0462	0.0052
E806308	19.05	20.00	0.1254	0.0470	0.0064
E806309	20.00	20.90	0.1275	0.0439	0.0083
E806310	20.90	22.00	0.1469	0.0573	0.0076
E806312	22.00	23.00	0.0321	0.0222	0.0039
E806313	23.00	24.00	0.0244	0.0161	0.0032
E806314	24.00	25.00	0.0226	0.0136	0.0031
E806315	25.00	26.00	0.0230	0.0159	0.0039
E806316	26.00	27.00	0.0276	0.0181	0.0039
E806317	27.00	28.00	0.0253	0.0161	0.0032
E806318	28.00	29.00	0.0289	0.0225	0.0038
E806319	29.00	30.00	0.0184	0.0155	0.0027
E806320	30.00	31.00	0.0155	0.0138	0.0024
E806321	31.00	32.00	0.0132	0.0122	0.0018
E806322	32.00	33.00	0.1930	0.2162	0.0068
E806323	33.00	34.20	0.2167	0.3369	0.0055
E806324	34.20	35.00	0.2433	0.2302	0.0118
E806326	35.00	36.00	0.0937	0.0311	0.0059
E806327	36.00	37.00	0.2092	0.0734	0.0094
E806328	37.00	38.00	0.4055	0.1388	0.0138
E806330	38.00	39.00	0.5974	0.2462	0.0187
E806331	39.00	40.00	0.4487	0.1649	0.0118
E806332	40.00	41.00	0.4986	0.2084	0.0149

Hole Number: KB-07-40

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806333	41.00	42.10	0.5022	0.2056	0.0144
E806334	42.10	43.00	0.0190	0.0081	0.0037
E806335	43.00	44.00	0.0541	0.0317	0.0050
E806336	44.00	45.00	0.4319	0.1219	0.0090
E806337	45.00	46.00	0.0969	0.0452	0.0058
E806338	46.00	47.00	0.0923	0.0767	0.0065
E806339	47.00	48.00	0.9419	0.4691	0.0205
E806340	48.00	49.00	0.1383	0.0957	0.0050
E806341	49.00	50.00	0.1878	0.1213	0.0101
E806343	50.00	50.70	0.6784	0.8264	0.0176
E806344	50.70	52.00	0.3396	0.2349	0.0161
E806345	52.00	53.00	0.1468	0.1941	0.0071
E806346	53.00	54.00	0.2007	0.2795	0.0078
E806347	54.00	55.00	0.7703	0.4975	0.0180
E806348	55.00	55.80	0.1606	0.2348	0.0110
E806349	55.80	56.80	0.5279	0.5504	0.0140
E806350	56.80	58.00	0.0064	0.0061	0.0035
E806351	58.00	59.00	0.0043	0.0104	0.0033
E806352	59.00	59.90	0.0039	0.0045	0.0034
E806353	59.90	61.40	0.3630	0.5763	0.0135
E806354	61.40	62.00	0.0179	0.0160	0.0068
E806355	62.00	63.00	0.0148	0.0122	0.0072
E806356	63.00	64.00	0.0135	0.0114	0.0071
E806357	64.00	65.00	0.0112	0.0108	0.0070

DETAILED LOG

Hole Number: KB-07-39

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481497.00	North:	5481497.00	Collar Az:	314.40
Location:	Surface	East:	453868.90	East:	453868.90	Length:	50.00 (m)
		Elev:	389.77	Elev:	389.77	Start Depth:	0.00 (m)
Date Started:	May 02, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	50.00 (m)
Date Completed:	May 03, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	8.95	15.00	6.05	0.7454	0.1574	0.0189
WEIGHTED	8.95	20.15	11.20	1.0979	0.2788	0.0242
WEIGHTED	8.95	26.90	17.95	0.7427	0.2464	0.0171
WEIGHTED	16.80	20.15	3.35	2.3073	0.6323	0.0440

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	290.40	-48.00	EZ	DO		50.00	314.40	-47.20	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	5.50	CAS, Casing							
5.50	6.00	MV, Mafic Volcanic Mineralization 5.50 - 6.00 Structure 5.50 - 6.00	E806258	5.50	6.00	0.50	0.0167	0.0173	0.0066
6.00	7.00	PYXT, Pyroxenite Mineralization 6.00 - 7.00 Structure 6.00 - 7.00	E806259	6.00	7.00	1.00	0.1099	0.0422	0.0071
7.00	8.95	MV, Mafic Volcanic Mineralization 7.00 - 8.95 Structure 7.00 - 8.95	E806260	7.00	8.00	1.00	0.0152	0.0167	0.0052
			E806261	8.00	8.95	0.95	0.0216	0.0209	0.0047

DETAILED LOG

Hole Number: KB-07-39

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
8.95	15.00	PYXT, Pyroxenite Mineralization 8.95 - 13.85 13.85 - 15.00 Structure 8.95 - 15.00	E806262	8.95	10.00	1.05	0.0790	0.0233	0.0043
			E806263	10.00	11.00	1.00	0.1854	0.0854	0.0100
			E806264	11.00	12.00	1.00	0.3298	0.1186	0.0117
			E806265	12.00	13.00	1.00	0.2706	0.0895	0.0112
			E806267	13.00	13.85	0.85	0.1960	0.1013	0.0080
			E806268	13.85	14.50	0.65	4.8549	0.4064	0.0975
			E806269	14.50	15.00	0.50	0.6365	0.5678	0.0138
15.00	16.80	MV, Mafic Volcanic Mineralization 15.00 - 16.80 Structure 15.00 - 16.80 : MODFOL Moderately Foliated, 40 Deg to CA	E806270	15.00	16.00	1.00	0.0377	0.0351	0.0057
			E806271	16.00	16.80	0.80	0.0254	0.0215	0.0045
16.80	20.15	PYXT, Pyroxenite Mineralization 16.80 - 17.40 17.40 - 19.00 19.00 - 20.15 Structure 16.80 - 20.15 : MODFOL Moderately Foliated, 50 Deg to CA	E806272	16.80	17.40	0.60	1.8897	0.6250	0.0245
			E806273	17.40	18.00	0.60	0.1399	0.2011	0.0058
			E806274	18.00	19.00	1.00	0.2435	0.2182	0.0081
			E806275	19.00	20.15	1.15	5.4507	1.2210	0.1053
20.15	21.80	MDCHL, Mafic Dike Chloritic Mineralization 20.15 - 21.80 Structure 20.15 - 21.80 : MODFOL Moderately Foliated, 40 Deg to CA	E806277	20.15	21.00	0.85	0.0175	0.0536	0.0025
			E806278	21.00	21.80	0.80	0.0210	0.0547	0.0020
21.80	22.40	TSCH, Talc Schist Mineralization 21.80 - 22.40 Structure 21.80 - 22.40 : STRFOL Strongly Foliated, 40 Deg to CA	E806279	21.80	22.40	0.60	0.4381	0.2715	0.0107
22.40	24.10	MDCHL, Mafic Dike Chloritic Mineralization 22.40 - 24.10 Structure 22.40 - 24.10 : MODFOL Moderately Foliated, 40 Deg to CA	E806280	22.40	23.00	0.60	0.0043	0.0040	0.0021
			E806281	23.00	24.10	1.10	0.0070	0.0180	0.0017
24.10	24.50	TSCH, Talc Schist Mineralization 24.10 - 24.50 Structure 24.10 - 24.50 : STRFOL Strongly Foliated, 45 Deg to CA	E806282	24.10	24.50	0.40	0.2563	0.8300	0.0087

DETAILED LOG

Hole Number: KB-07-39

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
24.50	25.70	MV, Mafic Volcanic Mineralization 24.50 - 25.70 Structure 24.50 - 25.70 : MODFOL Moderately Foliated, 40 Deg to CA
25.70	26.90	TSCH, Talc Schist Mineralization 25.70 - 26.90 Structure 25.70 - 26.90 : STRFOL Strongly Foliated, 45 Deg to CA
26.90	50.00	MV, Mafic Volcanic Mineralization 26.90 - 50.00 Structure 26.90 - 50.00 : MODFOL Moderately Foliated, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806283	24.50	25.00	0.50	0.0269	0.0118	0.0028
E806284	25.00	25.70	0.70	0.0360	0.1017	0.0032
E806285	25.70	26.90	1.20	0.4911	0.5133	0.0126
E806286	26.90	28.00	1.10	0.0296	0.0201	0.0051
E806287	28.00	29.00	1.00	0.0121	0.0158	0.0051
E806288	29.00	30.00	1.00	0.0079	0.0073	0.0033

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806258	5.50	6.00	0.0167	0.0173	0.0066
E806259	6.00	7.00	0.1099	0.0422	0.0071
E806260	7.00	8.00	0.0152	0.0167	0.0052
E806261	8.00	8.95	0.0216	0.0209	0.0047
E806262	8.95	10.00	0.0790	0.0233	0.0043
E806263	10.00	11.00	0.1854	0.0854	0.0100
E806264	11.00	12.00	0.3298	0.1186	0.0117
E806265	12.00	13.00	0.2706	0.0895	0.0112
E806267	13.00	13.85	0.1960	0.1013	0.0080
E806268	13.85	14.50	4.8549	0.4064	0.0975
E806269	14.50	15.00	0.6365	0.5678	0.0138
E806270	15.00	16.00	0.0377	0.0351	0.0057
E806271	16.00	16.80	0.0254	0.0215	0.0045
E806272	16.80	17.40	1.8897	0.6250	0.0245
E806273	17.40	18.00	0.1399	0.2011	0.0058
E806274	18.00	19.00	0.2435	0.2182	0.0081
E806275	19.00	20.15	5.4507	1.2210	0.1053
E806277	20.15	21.00	0.0175	0.0536	0.0025
E806278	21.00	21.80	0.0210	0.0547	0.0020
E806279	21.80	22.40	0.4381	0.2715	0.0107

Hole Number: KB-07-39

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806280	22.40	23.00	0.0043	0.0040	0.0021
E806281	23.00	24.10	0.0070	0.0180	0.0017
E806282	24.10	24.50	0.2563	0.8300	0.0087
E806283	24.50	25.00	0.0269	0.0118	0.0028
E806284	25.00	25.70	0.0360	0.1017	0.0032
E806285	25.70	26.90	0.4911	0.5133	0.0126
E806286	26.90	28.00	0.0296	0.0201	0.0051
E806287	28.00	29.00	0.0121	0.0158	0.0051
E806288	29.00	30.00	0.0079	0.0073	0.0033

DETAILED LOG

Hole Number: KB-07-38 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481477.00	North:	5481477.00	Collar Az:	311.10
Location:	Surface	East:	453943.80	East:	453943.80	Length:	152.00 (m)
		Elev:	391.45	Elev:	391.45	Start Depth:	0.00 (m)
Date Started:	May 01, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	152.00 (m)
Date Completed:	May 02, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Left in Hole				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	2.10	41.00	38.90	0.7075	0.1785	0.0138
WEIGHTED	2.10	52.90	50.80	1.0046	0.2342	0.0198
WEIGHTED	11.10	13.90	2.80	0.6081	0.1394	0.0165
WEIGHTED	16.65	19.00	2.35	5.1227	0.9566	0.0701
WEIGHTED	23.30	26.40	3.10	0.2360	0.1422	0.0091
WEIGHTED	23.30	26.40	3.10	0.2360	0.1422	0.0091
WEIGHTED	32.00	41.00	9.00	0.2403	0.0900	0.0095
WEIGHTED	72.10	118.80	46.70	0.5247	0.1681	0.0116

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	296.50	-47.60	EZ	DO		50.00	311.10	-47.50	EZ	OK	
101.00	306.40	-47.60	EZ	OK		150.00	310.70	-47.10	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	2.10	CAS, Casing
2.10	7.10	PYXT, Pyroxenite Mineralization 2.10 - 7.10 Structure 2.10 - 7.10 : MODFOL Moderately Foliated, 50 Deg to CA
7.10	11.10	GAB, Gabbro Mineralization 7.10 - 11.10 Structure 7.10 - 11.10

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806122	2.10	3.00	0.90	0.7163	0.3678	0.0195
E806123	3.00	4.00	1.00	3.4037	0.6424	0.0376
E806125	4.00	5.00	1.00	2.8239	0.9135	0.0364
E806126	5.00	6.00	1.00	2.3213	0.1990	0.0281
E806127	6.00	7.10	1.10	0.6972	0.1855	0.0186
E806128	7.10	8.00	0.90	0.0404	0.0177	0.0046
E806129	8.00	9.00	1.00	0.0158	0.0159	0.0039
E806130	9.00	10.00	1.00	0.0400	0.0267	0.0041
E806131	10.00	11.10	1.10	0.0151	0.0078	0.0031

Hole Number: KB-07-38 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
11.10	13.90	PYXT, Pyroxenite Mineralization 11.10 - 13.90 Structure 11.10 - 13.90 : MODFOL Moderately Foliated, 60 Deg to CA	E806132	11.10	12.00	0.90	0.9601	0.1706	0.0278
			E806134	12.00	13.00	1.00	0.2902	0.1038	0.0076
			E806135	13.00	13.90	0.90	0.6092	0.1479	0.0152
13.90	16.65	MV, Mafic Volcanic Mineralization 13.90 - 16.65 Structure 13.90 - 16.65	E806136	13.90	15.00	1.10	0.1505	0.0514	0.0067
			E806137	15.00	16.00	1.00	0.0742	0.1483	0.0048
			E806138	16.00	16.65	0.65	0.1178	0.1635	0.0044
16.65	19.00	PYXT, Pyroxenite Mineralization 16.65 - 19.00 Structure 16.65 - 19.00	E806139	16.65	18.00	1.35	5.5555	0.4484	0.0729
			E806140	18.00	19.00	1.00	4.5385	1.6428	0.0663
19.00	23.30	GAB, Gabbro Mineralization 19.00 - 23.30 Structure 19.00 - 23.30	E806142	19.00	20.00	1.00	0.0811	0.1554	0.0036
			E806143	20.00	21.00	1.00	0.0126	0.0136	0.0028
			E806144	21.00	22.00	1.00	0.0079	0.0207	0.0028
			E806145	22.00	23.30	1.30	0.0136	0.0182	0.0035
23.30	26.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 23.30 - 26.40 Structure 23.30 - 26.40	E806146	23.30	24.00	0.70	0.2452	0.4017	0.0087
			E806147	24.00	25.00	1.00	0.2428	0.0746	0.0099
			E806148	25.00	26.40	1.40	0.2266	0.0607	0.0087
26.40	28.10	FD, Felsic Dike Mineralization 26.40 - 28.10 Structure 26.40 - 28.10	E806149	26.40	27.00	0.60	0.0064	0.0084	0.0029
			E806150	27.00	28.10	1.10	0.0075	0.0086	0.0028

Hole Number: KB-07-38

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
28.10	41.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 28.10 - 41.00 Structure 28.10 - 41.00	E806151	28.10	29.00	0.90	0.0484	0.0237	0.0048
			E806152	29.00	30.00	1.00	0.0770	0.0339	0.0053
			E806153	30.00	31.00	1.00	0.1755	0.0567	0.0068
			E806154	31.00	32.00	1.00	0.0726	0.0470	0.0048
			E806155	32.00	33.00	1.00	0.7055	0.1869	0.0224
			E806156	33.00	34.00	1.00	0.2573	0.0972	0.0081
			E806157	34.00	35.00	1.00	0.1583	0.0729	0.0058
			E806158	35.00	36.00	1.00	0.2607	0.1035	0.0095
			E806159	36.00	37.00	1.00	0.2533	0.1121	0.0100
			E806160	37.00	38.00	1.00	0.0921	0.0382	0.0054
			E806161	38.00	39.00	1.00	0.1651	0.0768	0.0085
			E806162	39.00	40.00	1.00	0.1126	0.0574	0.0077
			E806163	40.00	41.00	1.00	0.1578	0.0653	0.0078
41.00	43.50	MV, Mafic Volcanic Mineralization 41.00 - 43.50 Structure 41.00 - 43.50	E806164	41.00	42.00	1.00	0.0210	0.0173	0.0038
			E806165	42.00	43.00	1.00	0.0846	0.2306	0.0042
			E806166	43.00	43.50	0.50	0.0801	0.2249	0.0046
43.50	59.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 43.50 - 44.55 44.55 - 46.15 46.15 - 46.95 46.95 - 50.20 50.20 - 52.90 52.90 - 59.30 Structure 43.50 - 59.30	E806167	43.50	44.00	0.50	2.4864	2.7092	0.0412
			E806168	44.00	44.55	0.55	3.0088	0.8728	0.0449
			E806169	44.55	45.00	0.45	0.3694	0.1925	0.0097
			E806170	45.00	46.15	1.15	0.0128	0.0193	0.0029
			E806171	46.15	46.95	0.80	0.1625	0.0839	0.0079
			E806172	46.95	48.00	1.05	4.6671	0.5744	0.1073
			E806173	48.00	49.00	1.00	6.2590	0.1854	0.1361
			E806175	49.00	50.20	1.20	6.4279	0.4366	0.0994
			E806177	50.20	51.00	0.80	0.1359	0.3958	0.0061
			E806178	51.00	52.00	1.00	0.9152	0.7133	0.0216
			E806179	52.00	52.90	0.90	0.2877	0.2686	0.0100
			E806180	52.90	54.00	1.10	0.0189	0.0115	0.0026
			E806181	54.00	55.00	1.00	0.0433	0.0206	0.0038
			E806183	55.00	57.00	2.00	0.1458	0.0282	0.0072
			E806184	57.00	58.00	1.00	0.0358	0.0402	0.0037
			E806185	58.00	59.30	1.30	0.0815	0.0611	0.0063
59.30	64.30	FD, Felsic Dike Mineralization 59.30 - 64.30 Structure 59.30 - 64.30 : MODFOL Moderately Foliated, 30 Deg to CA	E806186	59.30	60.00	0.70	0.0098	0.0068	0.0029
			E806187	60.00	61.00	1.00	0.0106	0.0048	0.0031
			E806188	61.00	62.00	1.00	0.0088	0.0040	0.0029
			E806189	62.00	63.00	1.00	0.0081	0.0046	0.0028
			E806190	63.00	64.30	1.30	0.0099	0.0065	0.0031

Hole Number: KB-07-38

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
64.30	69.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 64.30 - 69.50 Structure 64.30 - 69.50 : MODFOL Moderately Foliated, 30 Deg to CA	E806191	64.30	65.00	0.70	0.0299	0.0233	0.0055
			E806192	65.00	66.00	1.00	0.0497	0.0131	0.0050
			E806193	66.00	67.00	1.00	0.0912	0.0229	0.0061
			E806194	67.00	68.00	1.00	0.0449	0.0514	0.0049
			E806195	68.00	69.00	1.00	0.0503	0.0406	0.0052
			E806196	69.00	69.50	0.50	0.0080	0.0193	0.0045
69.50	72.10	GAB, Gabbro Mineralization 69.50 - 72.10 Structure 69.50 - 72.10	E806197	69.50	70.00	0.50	0.0069	0.0143	0.0045
			E806198	70.00	71.00	1.00	0.0054	0.0084	0.0033
			E806199	71.00	72.10	1.10	0.0071	0.0141	0.0040
72.10	79.10	PYXT, Pyroxenite Mineralization 72.10 - 77.00 77.00 - 79.10 Structure 72.10 - 79.10 : MODFOL Moderately Foliated, 50 Deg to CA	E806200	72.10	73.00	0.90	0.5757	0.1670	0.0189
			E806201	73.00	74.00	1.00	0.3461	0.1526	0.0139
			E806202	74.00	75.00	1.00	0.8015	0.2420	0.0197
			E806203	75.00	76.00	1.00	0.4364	0.1507	0.0123
			E806204	76.00	77.00	1.00	0.3377	0.1434	0.0108
			E806205	77.00	78.00	1.00	0.0261	0.0160	0.0034
			E806207	78.00	79.10	1.10	0.1329	0.0358	0.0050
79.10	80.20	MV, Mafic Volcanic Mineralization 79.10 - 80.20 Structure 79.10 - 80.20 : MODFOL Moderately Foliated, 40 Deg to CA	E806208	79.10	80.20	1.10	0.0151	0.0166	0.0047
80.20	80.80	PYXT, Pyroxenite Mineralization 80.20 - 80.80 Structure 80.20 - 80.80	E806209	80.20	80.80	0.60	0.4518	0.2902	0.0091
80.80	86.90	GAB, Gabbro Mineralization 80.80 - 86.90 Structure 80.80 - 86.90	E806210	80.80	82.00	1.20	0.0368	0.0226	0.0037
			E806211	82.00	83.00	1.00	0.0070	0.0123	0.0024
			E806212	83.00	84.00	1.00	0.0104	0.0165	0.0034
			E806213	84.00	85.00	1.00	0.0383	0.0220	0.0035
			E806214	85.00	86.00	1.00	0.0076	0.0164	0.0030
			E806215	86.00	86.90	0.90	0.0069	0.0139	0.0022

Hole Number: KB-07-38

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
86.90	103.70	GABPYXT, Gabbro Pyroxenite Dikes also breccia Mineralization 86.90 - 95.30 95.30 - 98.35 98.35 - 103.70 Structure 86.90 - 99.00 99.00 - 102.00 : MODFOL Moderately Foliated, 30 Deg to CA 102.00 - 103.70	E806216	86.90	88.00	1.10	0.1338	0.1579	0.0062
			E806217	88.00	89.00	1.00	0.0968	0.0546	0.0055
			E806218	89.00	90.00	1.00	0.7569	0.2885	0.0214
			E806219	90.00	91.00	1.00	0.6407	0.2639	0.0143
			E806220	91.00	92.00	1.00	0.3878	0.2481	0.0091
			E806222	92.00	93.00	1.00	0.0255	0.0415	0.0038
			E806223	93.00	94.00	1.00	0.1706	0.0317	0.0088
			E806224	94.00	95.30	1.30	0.1581	0.0845	0.0063
			E806225	95.30	96.00	0.70	0.7610	0.5970	0.0164
			E806226	96.00	97.00	1.00	4.1478	0.3094	0.0754
			E806228	97.00	98.35	1.35	1.9883	0.4281	0.0223
			E806229	98.35	99.00	0.65	0.1246	0.2188	0.0065
			E806230	99.00	100.00	1.00	0.1531	0.1109	0.0065
			E806231	100.00	101.00	1.00	0.3162	0.1635	0.0092
			E806232	101.00	102.00	1.00	0.0684	0.0395	0.0064
			E806233	102.00	103.00	1.00	0.0381	0.0198	0.0049
			E806234	103.00	103.70	0.70	1.7576	0.6671	0.0282
103.70	108.30	GAB, Gabbro Mineralization 103.70 - 108.30 Structure 103.70 - 108.30	E806235	103.70	105.00	1.30	0.0105	0.0212	0.0046
			E806236	105.00	106.00	1.00	0.0040	0.0072	0.0030
			E806237	106.00	107.00	1.00	0.0051	0.0091	0.0035
			E806238	107.00	108.30	1.30	0.0044	0.0068	0.0032
108.30	113.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 108.30 - 113.00 Structure 108.30 - 113.00	E806239	108.30	109.00	0.70	0.2557	0.1070	0.0087
			E806240	109.00	110.00	1.00	0.1422	0.1152	0.0076
			E806241	110.00	111.00	1.00	0.2642	0.0403	0.0094
			E806242	111.00	112.00	1.00	0.0797	0.0889	0.0058
			E806243	112.00	113.00	1.00	0.0059	0.0923	0.0048
113.00	116.15	PYXT, Pyroxenite Mineralization 113.00 - 113.35 113.35 - 115.00 115.00 - 116.15 Structure 113.00 - 116.15 : MODFOL Moderately Foliated, 60 Deg to CA	E806244	113.00	113.35	0.35	0.0905	0.2229	0.0077
			E806245	113.35	114.00	0.65	3.6131	0.7499	0.0451
			E806246	114.00	115.00	1.00	2.3872	0.3527	0.0314
			E806247	115.00	116.15	1.15	0.3655	0.0807	0.0106
116.15	116.50	MDCHL, Mafic Dike Chloritic Mineralization 116.15 - 116.50 Structure 116.15 - 116.50 : MODFOL Moderately Foliated, 60 Deg to CA	E806248	116.15	116.50	0.35	0.6495	0.1452	0.0204

Hole Number: KB-07-38 Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
116.50	118.80	TSCH, Talc Schist Mineralization 116.50 - 118.80 Structure 116.50 - 118.80 : STRFOL Strongly Foliated, 50 Deg to CA	E806249	116.50	117.00	0.50	2.5613	0.4506	0.0346
			E806250	117.00	118.00	1.00	2.0052	1.1354	0.0233
			E806251	118.00	118.80	0.80	0.5060	0.3846	0.0116
118.80	122.30	MV, Mafic Volcanic Mineralization 118.80 - 122.30 Structure 118.80 - 122.30 : MODFOL Moderately Foliated, 60 Deg to CA	E806253	118.80	120.00	1.20	0.0692	0.0277	0.0055
			E806254	120.00	121.00	1.00	0.0124	0.0075	0.0049
			E806255	121.00	122.30	1.30	0.0100	0.0086	0.0047
122.30	123.15	MDCHL, Mafic Dike Chloritic Mineralization 122.30 - 123.15 Structure 122.30 - 123.15 : MODFOL Moderately Foliated, 40 Deg to CA	E806256	122.30	123.15	0.85	0.0049	0.0038	0.0020
123.15	133.00	MV, Mafic Volcanic Mineralization 123.15 - 133.00 Structure 123.15 - 133.00 : MODFOL Moderately Foliated, 45 Deg to CA	E806257	123.15	124.00	0.85	0.0070	0.0065	0.0033
133.00	135.60	MDCHL, Mafic Dike Chloritic Mineralization 133.00 - 135.60 Structure 133.00 - 135.60							
135.60	144.30	MV, Mafic Volcanic Mineralization 135.60 - 144.30 Structure 135.60 - 144.30 : MODFOL Moderately Foliated, 50 Deg to CA							
144.30	144.95	MD, Mafic Dike Mineralization 144.30 - 144.95 Structure 144.30 - 144.95							
144.95	146.10	MV, Mafic Volcanic Mineralization 144.95 - 146.10 Structure 144.95 - 146.10							

Hole Number: KB-07-38

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
146.10	147.20	MD, Mafic Dike Mineralization 146.10 - 147.20 Structure 146.10 - 147.20							
147.20	152.00	MV, Mafic Volcanic Structure 147.20 - 152.00 : MODFOL Moderately Foliated, 70 Deg to CA							

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806122	2.10	3.00	0.7163	0.3678	0.0195
E806123	3.00	4.00	3.4037	0.6424	0.0376
E806125	4.00	5.00	2.8239	0.9135	0.0364
E806126	5.00	6.00	2.3213	0.1990	0.0281
E806127	6.00	7.10	0.6972	0.1855	0.0186
E806128	7.10	8.00	0.0404	0.0177	0.0046
E806129	8.00	9.00	0.0158	0.0159	0.0039
E806130	9.00	10.00	0.0400	0.0267	0.0041
E806131	10.00	11.10	0.0151	0.0078	0.0031
E806132	11.10	12.00	0.9601	0.1706	0.0278
E806134	12.00	13.00	0.2902	0.1038	0.0076
E806135	13.00	13.90	0.6092	0.1479	0.0152
E806136	13.90	15.00	0.1505	0.0514	0.0067
E806137	15.00	16.00	0.0742	0.1483	0.0048
E806138	16.00	16.65	0.1178	0.1635	0.0044
E806139	16.65	18.00	5.5555	0.4484	0.0729
E806140	18.00	19.00	4.5385	1.6428	0.0663
E806142	19.00	20.00	0.0811	0.1554	0.0036
E806143	20.00	21.00	0.0126	0.0136	0.0028
E806144	21.00	22.00	0.0079	0.0207	0.0028
E806145	22.00	23.30	0.0136	0.0182	0.0035
E806146	23.30	24.00	0.2452	0.4017	0.0087
E806147	24.00	25.00	0.2428	0.0746	0.0099
E806148	25.00	26.40	0.2266	0.0607	0.0087
E806149	26.40	27.00	0.0064	0.0084	0.0029
E806150	27.00	28.10	0.0075	0.0086	0.0028

Hole Number: KB-07-38

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806151	28.10	29.00	0.0484	0.0237	0.0048
E806152	29.00	30.00	0.0770	0.0339	0.0053
E806153	30.00	31.00	0.1755	0.0567	0.0068
E806154	31.00	32.00	0.0726	0.0470	0.0048
E806155	32.00	33.00	0.7055	0.1869	0.0224
E806156	33.00	34.00	0.2573	0.0972	0.0081
E806157	34.00	35.00	0.1583	0.0729	0.0058
E806158	35.00	36.00	0.2607	0.1035	0.0095
E806159	36.00	37.00	0.2533	0.1121	0.0100
E806160	37.00	38.00	0.0921	0.0382	0.0054
E806161	38.00	39.00	0.1651	0.0768	0.0085
E806162	39.00	40.00	0.1126	0.0574	0.0077
E806163	40.00	41.00	0.1578	0.0653	0.0078
E806164	41.00	42.00	0.0210	0.0173	0.0038
E806165	42.00	43.00	0.0846	0.2306	0.0042
E806166	43.00	43.50	0.0801	0.2249	0.0046
E806167	43.50	44.00	2.4864	2.7092	0.0412
E806168	44.00	44.55	3.0088	0.8728	0.0449
E806169	44.55	45.00	0.3694	0.1925	0.0097
E806170	45.00	46.15	0.0128	0.0193	0.0029
E806171	46.15	46.95	0.1625	0.0839	0.0079
E806172	46.95	48.00	4.6671	0.5744	0.1073
E806173	48.00	49.00	6.2590	0.1854	0.1361
E806175	49.00	50.20	6.4279	0.4366	0.0994
E806177	50.20	51.00	0.1359	0.3958	0.0061
E806178	51.00	52.00	0.9152	0.7133	0.0216
E806179	52.00	52.90	0.2877	0.2686	0.0100
E806180	52.90	54.00	0.0189	0.0115	0.0026
E806181	54.00	55.00	0.0433	0.0206	0.0038
E806183	55.00	57.00	0.1458	0.0282	0.0072
E806184	57.00	58.00	0.0358	0.0402	0.0037
E806185	58.00	59.30	0.0815	0.0611	0.0063
E806186	59.30	60.00	0.0098	0.0068	0.0029
E806187	60.00	61.00	0.0106	0.0048	0.0031
E806188	61.00	62.00	0.0088	0.0040	0.0029
E806189	62.00	63.00	0.0081	0.0046	0.0028
E806190	63.00	64.30	0.0099	0.0065	0.0031

Hole Number: KB-07-38

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806191	64.30	65.00	0.0299	0.0233	0.0055
E806192	65.00	66.00	0.0497	0.0131	0.0050
E806193	66.00	67.00	0.0912	0.0229	0.0061
E806194	67.00	68.00	0.0449	0.0514	0.0049
E806195	68.00	69.00	0.0503	0.0406	0.0052
E806196	69.00	69.50	0.0080	0.0193	0.0045
E806197	69.50	70.00	0.0069	0.0143	0.0045
E806198	70.00	71.00	0.0054	0.0084	0.0033
E806199	71.00	72.10	0.0071	0.0141	0.0040
E806200	72.10	73.00	0.5757	0.1670	0.0189
E806201	73.00	74.00	0.3461	0.1526	0.0139
E806202	74.00	75.00	0.8015	0.2420	0.0197
E806203	75.00	76.00	0.4364	0.1507	0.0123
E806204	76.00	77.00	0.3377	0.1434	0.0108
E806205	77.00	78.00	0.0261	0.0160	0.0034
E806207	78.00	79.10	0.1329	0.0358	0.0050
E806208	79.10	80.20	0.0151	0.0166	0.0047
E806209	80.20	80.80	0.4518	0.2902	0.0091
E806210	80.80	82.00	0.0368	0.0226	0.0037
E806211	82.00	83.00	0.0070	0.0123	0.0024
E806212	83.00	84.00	0.0104	0.0165	0.0034
E806213	84.00	85.00	0.0383	0.0220	0.0035
E806214	85.00	86.00	0.0076	0.0164	0.0030
E806215	86.00	86.90	0.0069	0.0139	0.0022
E806216	86.90	88.00	0.1338	0.1579	0.0062
E806217	88.00	89.00	0.0968	0.0546	0.0055
E806218	89.00	90.00	0.7569	0.2885	0.0214
E806219	90.00	91.00	0.6407	0.2639	0.0143
E806220	91.00	92.00	0.3878	0.2481	0.0091
E806222	92.00	93.00	0.0255	0.0415	0.0038
E806223	93.00	94.00	0.1706	0.0317	0.0088
E806224	94.00	95.30	0.1581	0.0845	0.0063
E806225	95.30	96.00	0.7610	0.5970	0.0164
E806226	96.00	97.00	4.1478	0.3094	0.0754
E806228	97.00	98.35	1.9883	0.4281	0.0223
E806229	98.35	99.00	0.1246	0.2188	0.0065
E806230	99.00	100.00	0.1531	0.1109	0.0065

Hole Number: KB-07-38

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806231	100.00	101.00	0.3162	0.1635	0.0092
E806232	101.00	102.00	0.0684	0.0395	0.0064
E806233	102.00	103.00	0.0381	0.0198	0.0049
E806234	103.00	103.70	1.7576	0.6671	0.0282
E806235	103.70	105.00	0.0105	0.0212	0.0046
E806236	105.00	106.00	0.0040	0.0072	0.0030
E806237	106.00	107.00	0.0051	0.0091	0.0035
E806238	107.00	108.30	0.0044	0.0068	0.0032
E806239	108.30	109.00	0.2557	0.1070	0.0087
E806240	109.00	110.00	0.1422	0.1152	0.0076
E806241	110.00	111.00	0.2642	0.0403	0.0094
E806242	111.00	112.00	0.0797	0.0889	0.0058
E806243	112.00	113.00	0.0059	0.0923	0.0048
E806244	113.00	113.35	0.0905	0.2229	0.0077
E806245	113.35	114.00	3.6131	0.7499	0.0451
E806246	114.00	115.00	2.3872	0.3527	0.0314
E806247	115.00	116.15	0.3655	0.0807	0.0106
E806248	116.15	116.50	0.6495	0.1452	0.0204
E806249	116.50	117.00	2.5613	0.4506	0.0346
E806250	117.00	118.00	2.0052	1.1354	0.0233
E806251	118.00	118.80	0.5060	0.3846	0.0116
E806253	118.80	120.00	0.0692	0.0277	0.0055
E806254	120.00	121.00	0.0124	0.0075	0.0049
E806255	121.00	122.30	0.0100	0.0086	0.0047
E806256	122.30	123.15	0.0049	0.0038	0.0020
E806257	123.15	124.00	0.0070	0.0065	0.0033

DETAILED LOG

Hole Number: KB-07-37 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481496.00		North:	5481496.00	Collar Az: 307.80
Location:	Surface	East:	453917.20		East:	453917.20	Length: 124.00 (m)
		Elev:	395.41		Elev:	395.41	Start Depth: 0.00 (m)
Date Started:	Apr 30, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 124.00 (m)
Date Completed:	May 01, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pp	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	6.00	10.00	4.00	0.3336	0.2078	0.0120
WEIGHTED	55.00	73.00	18.00	0.3286	0.2097	0.0094
WEIGHTED	55.00	75.45	20.45	0.3132	0.2078	0.0093
WEIGHTED	62.10	66.35	4.25	0.1679	0.1494	0.0069
WEIGHTED	69.00	73.70	4.70	0.8642	0.4185	0.0195

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	307.80	-45.80	EZ	OK		50.00	357.30	-44.80	EZ	DO	
124.00	309.70	-42.80	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	1.50	CAS, Casing							
1.50	4.10	GABPYXT, Gabbro Pyroxenite Dikes	E806025	1.50	2.00	0.50	0.2182	0.1343	0.0114
		Mineralization	E806026	2.00	3.00	1.00	0.8543	0.2035	0.0291
		1.50 - 4.10	E806027	3.00	4.10	1.10	1.0441	0.4190	0.0303
		Structure							
		1.50 - 4.10							
4.10	6.70	MV, Mafic Volcanic	E806028	4.10	5.00	0.90	0.0256	0.0340	0.0059
		Mineralization	E806029	5.00	6.00	1.00	0.0172	0.0188	0.0075
		4.10 - 6.70	E806030	6.00	6.70	0.70	0.0146	0.0135	0.0058
		Structure							
		4.10 - 6.70							
6.70	7.50	FD, Felsic Dike	E806031	6.70	7.50	0.80	0.0070	0.0129	0.0035
		Mineralization							
		6.70 - 7.50							
		Structure							
		6.70 - 7.50							

Hole Number: KB-07-37

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
7.50	8.10	MV, Mafic Volcanic Mineralization 7.50 - 8.10 Structure 7.50 - 8.10	E806032	7.50	8.10	0.60	0.0513	0.0622	0.0073
8.10	8.70	PYXT, Pyroxenite Mineralization 8.10 - 8.70 Structure 8.10 - 8.70	E806033	8.10	8.70	0.60	1.9424	0.7139	0.0463
8.70	24.90	MV, Mafic Volcanic Mineralization 8.70 - 16.00 16.00 - 24.90 Structure 8.70 - 24.90	E806035	8.70	10.00	1.30	0.0941	0.2659	0.0067
			E806036	10.00	11.00	1.00	0.0221	0.0231	0.0048
			E806037	11.00	12.00	1.00	0.0512	0.0275	0.0070
			E806038	12.00	13.00	1.00	0.0232	0.0295	0.0061
			E806039	13.00	14.00	1.00	0.0205	0.0151	0.0059
			E806040	14.00	15.00	1.00	0.0136	0.0139	0.0052
			E806041	15.00	16.00	1.00	0.0140	0.0210	0.0050
			E806042	16.00	17.00	1.00	0.0115	0.0105	0.0032
			E806043	17.00	18.00	1.00	0.0117	0.0110	0.0033
			E806044	18.00	19.00	1.00	0.0123	0.0112	0.0042
			E806045	19.00	20.00	1.00	0.0130	0.0126	0.0049
			E806046	20.00	21.00	1.00	0.0123	0.0130	0.0056
			E806047	21.00	22.00	1.00	0.0127	0.0125	0.0051
			E806048	22.00	23.00	1.00	0.0139	0.0126	0.0054
			E806049	23.00	24.00	1.00	0.0115	0.0103	0.0047
			E806050	24.00	24.90	0.90	0.0295	0.0210	0.0053

Hole Number: KB-07-37

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
24.90	44.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 24.90 - 44.50 Structure 24.90 - 44.50	E806051	24.90	26.00	1.10	0.0122	0.0125	0.0048
			E806052	26.00	27.00	1.00	0.0854	0.0514	0.0058
			E806053	27.00	28.00	1.00	0.0611	0.0400	0.0052
			E806054	28.00	29.00	1.00	0.0468	0.0181	0.0054
			E806055	29.00	30.00	1.00	1.1134	0.5141	0.0322
			E806057	30.00	31.00	1.00	0.0220	0.0137	0.0066
			E806058	31.00	32.00	1.00	0.0317	0.0322	0.0057
			E806059	32.00	33.00	1.00	0.0217	0.0220	0.0051
			E806060	33.00	34.00	1.00	0.0149	0.0129	0.0044
			E806061	34.00	35.00	1.00	0.0145	0.0177	0.0052
			E806062	35.00	36.00	1.00	0.0254	0.0176	0.0059
			E806063	36.00	37.00	1.00	0.0249	0.0170	0.0057
			E806065	37.00	38.00	1.00	0.0149	0.0139	0.0050
			E806066	38.00	39.00	1.00	0.0336	0.0411	0.0040
			E806067	39.00	40.00	1.00	0.0994	0.0677	0.0053
			E806068	40.00	41.00	1.00	0.1649	0.0589	0.0072
			E806069	41.00	42.00	1.00	0.2741	0.1179	0.0095
			E806070	42.00	43.00	1.00	0.0663	0.0276	0.0052
			E806072	43.00	44.00	1.00	0.0415	0.0205	0.0061
			E806074	44.00	44.50	0.50	0.0130	0.0123	0.0050
44.50	51.75	GAB, Gabbro Mineralization 44.50 - 51.75 Structure 44.50 - 51.75	E806075	44.50	45.00	0.50	0.0143	0.0107	0.0049
			E806076	45.00	46.00	1.00	0.0154	0.0095	0.0045
			E806077	46.00	47.00	1.00	0.0122	0.0084	0.0042
			E806078	47.00	48.00	1.00	0.0147	0.0096	0.0039
			E806079	48.00	49.00	1.00	0.0115	0.0081	0.0039
			E806080	49.00	50.00	1.00	0.0122	0.0055	0.0040
			E806081	50.00	51.00	1.00	0.0121	0.0064	0.0038
			E806082	51.00	51.75	0.75	0.0118	0.0031	0.0041
51.75	59.90	PYXT, Pyroxenite Mineralization 51.75 - 59.90 Structure 51.75 - 59.90 : STRFOL Strongly Foliated, 50 Deg to CA	E806083	51.75	53.00	1.25	0.0535	0.0132	0.0055
			E806084	53.00	54.00	1.00	0.0685	0.0211	0.0066
			E806085	54.00	55.00	1.00	0.0755	0.0210	0.0065
			E806086	55.00	56.00	1.00	0.2354	0.0675	0.0113
			E806088	56.00	57.00	1.00	0.1843	0.2336	0.0066
			E806089	57.00	58.00	1.00	0.1787	0.2762	0.0063
			E806090	58.00	59.00	1.00	0.2387	0.2342	0.0066
			E806091	59.00	59.90	0.90	0.4365	0.4477	0.0105
59.90	62.10	MDCHL, Mafic Dike Chloritic Mineralization 59.90 - 62.10 Structure 59.90 - 62.10	E806093	59.90	61.00	1.10	0.0060	0.0085	0.0029
			E806094	61.00	62.10	1.10	0.0243	0.0132	0.0035

Hole Number: KB-07-37

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
62.10	66.35	PYXT, Pyroxenite Mineralization 62.10 - 66.35 Structure 62.10 - 66.35 : STRFOL Strongly Foliated, 60 Deg to CA	E806095	62.10	63.00	0.90	0.1047	0.1107	0.0052
			E806096	63.00	64.00	1.00	0.1739	0.1466	0.0064
			E806097	64.00	65.00	1.00	0.1720	0.2218	0.0064
			E806098	65.00	66.35	1.35	0.2025	0.1236	0.0087
66.35	68.20	MDCHL, Mafic Dike Chloritic Mineralization 66.35 - 68.20 Structure 66.35 - 68.20 : MODFOL Moderately Foliated, 45 Deg to CA	E806099	66.35	67.00	0.65	0.0080	0.0060	0.0020
			E806100	67.00	68.20	1.20	0.0160	0.0074	0.0030
68.20	73.70	PYXT, Pyroxenite Mineralization 68.20 - 69.00 69.00 - 73.70 Structure 68.20 - 73.70 : MODFOL Moderately Foliated, 45 Deg to CA	E806101	68.20	69.00	0.80	0.0600	0.1618	0.0064
			E806102	69.00	70.00	1.00	0.4884	0.2897	0.0155
			E806103	70.00	71.00	1.00	0.4693	0.2483	0.0142
			E806105	71.00	72.00	1.00	2.2128	0.8979	0.0290
			E806106	72.00	73.00	1.00	0.6954	0.3234	0.0232
			E806108	73.00	73.70	0.70	0.2800	0.2969	0.0140
73.70	74.50	MDCHL, Mafic Dike Chloritic Mineralization 73.70 - 74.50 Structure 73.70 - 74.50 : MODFOL Moderately Foliated, 50 Deg to CA	E806109	73.70	74.50	0.80	0.0203	0.0314	0.0033
74.50	75.45	TSCH, Talc Schist Mineralization 74.50 - 75.45 Structure 74.50 - 75.45 : STRFOL Strongly Foliated, 55 Deg to CA	E806110	74.50	75.45	0.95	0.2928	0.2556	0.0091
75.45	79.25	MV, Mafic Volcanic Mineralization 75.45 - 79.25 Structure 75.45 - 79.25 : MODFOL Moderately Foliated, 60 Deg to CA	E806111	75.45	76.00	0.55	0.0621	0.0566	0.0070
			E806112	76.00	77.00	1.00	0.0145	0.0157	0.0062
			E806113	77.00	78.00	1.00	0.0095	0.0098	0.0046
			E806114	78.00	79.25	1.25	0.0105	0.0078	0.0047
79.25	82.50	FD, Felsic Dike Mineralization 79.25 - 82.50 Structure 79.25 - 82.50	E806115	79.25	80.00	0.75	0.0053	0.0038	0.0027
			E806116	80.00	81.00	1.00	0.0032	0.0026	0.0013
			E806117	81.00	82.00	1.00	0.0061	0.0045	0.0029
			E806118	82.00	82.50	0.50	0.0026	0.0039	0.0013

DETAILED LOG

Hole Number: KB-07-37

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
82.50	124.00	MV, Mafic Volcanic Mineralization 82.50 - 124.00 Structure 82.50 - 114.00 : MODFOL Moderately Foliated, 50 Deg to CA 114.00 - 122.70 : STRFOL Strongly Foliated, 60 Deg to CA banded 122.70 - 124.00 : FLT Fault, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806119	82.50	83.00	0.50	0.0120	0.0110	0.0052
E806120	83.00	84.00	1.00	0.0114	0.0112	0.0049
E806121	84.00	85.00	1.00	0.0139	0.0112	0.0060

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806025	1.50	2.00	0.2182	0.1343	0.0114
E806026	2.00	3.00	0.8543	0.2035	0.0291
E806027	3.00	4.10	1.0441	0.4190	0.0303
E806028	4.10	5.00	0.0256	0.0340	0.0059
E806029	5.00	6.00	0.0172	0.0188	0.0075
E806030	6.00	6.70	0.0146	0.0135	0.0058
E806031	6.70	7.50	0.0070	0.0129	0.0035
E806032	7.50	8.10	0.0513	0.0622	0.0073
E806033	8.10	8.70	1.9424	0.7139	0.0463
E806035	8.70	10.00	0.0941	0.2659	0.0067
E806036	10.00	11.00	0.0221	0.0231	0.0048
E806037	11.00	12.00	0.0512	0.0275	0.0070
E806038	12.00	13.00	0.0232	0.0295	0.0061
E806039	13.00	14.00	0.0205	0.0151	0.0059
E806040	14.00	15.00	0.0136	0.0139	0.0052
E806041	15.00	16.00	0.0140	0.0210	0.0050
E806042	16.00	17.00	0.0115	0.0105	0.0032
E806043	17.00	18.00	0.0117	0.0110	0.0033
E806044	18.00	19.00	0.0123	0.0112	0.0042
E806045	19.00	20.00	0.0130	0.0126	0.0049
E806046	20.00	21.00	0.0123	0.0130	0.0056
E806047	21.00	22.00	0.0127	0.0125	0.0051
E806048	22.00	23.00	0.0139	0.0126	0.0054
E806049	23.00	24.00	0.0115	0.0103	0.0047
E806050	24.00	24.90	0.0295	0.0210	0.0053
E806051	24.90	26.00	0.0122	0.0125	0.0048
E806052	26.00	27.00	0.0854	0.0514	0.0058

Hole Number: KB-07-37

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806053	27.00	28.00	0.0611	0.0400	0.0052
E806054	28.00	29.00	0.0468	0.0181	0.0054
E806055	29.00	30.00	1.1134	0.5141	0.0322
E806057	30.00	31.00	0.0220	0.0137	0.0066
E806058	31.00	32.00	0.0317	0.0322	0.0057
E806059	32.00	33.00	0.0217	0.0220	0.0051
E806060	33.00	34.00	0.0149	0.0129	0.0044
E806061	34.00	35.00	0.0145	0.0177	0.0052
E806062	35.00	36.00	0.0254	0.0176	0.0059
E806063	36.00	37.00	0.0249	0.0170	0.0057
E806065	37.00	38.00	0.0149	0.0139	0.0050
E806066	38.00	39.00	0.0336	0.0411	0.0040
E806067	39.00	40.00	0.0994	0.0677	0.0053
E806068	40.00	41.00	0.1649	0.0589	0.0072
E806069	41.00	42.00	0.2741	0.1179	0.0095
E806070	42.00	43.00	0.0663	0.0276	0.0052
E806072	43.00	44.00	0.0415	0.0205	0.0061
E806074	44.00	44.50	0.0130	0.0123	0.0050
E806075	44.50	45.00	0.0143	0.0107	0.0049
E806076	45.00	46.00	0.0154	0.0095	0.0045
E806077	46.00	47.00	0.0122	0.0084	0.0042
E806078	47.00	48.00	0.0147	0.0096	0.0039
E806079	48.00	49.00	0.0115	0.0081	0.0039
E806080	49.00	50.00	0.0122	0.0055	0.0040
E806081	50.00	51.00	0.0121	0.0064	0.0038
E806082	51.00	51.75	0.0118	0.0031	0.0041
E806083	51.75	53.00	0.0535	0.0132	0.0055
E806084	53.00	54.00	0.0685	0.0211	0.0066
E806085	54.00	55.00	0.0755	0.0210	0.0065
E806086	55.00	56.00	0.2354	0.0675	0.0113
E806088	56.00	57.00	0.1843	0.2336	0.0066
E806089	57.00	58.00	0.1787	0.2762	0.0063
E806090	58.00	59.00	0.2387	0.2342	0.0066
E806091	59.00	59.90	0.4365	0.4477	0.0105
E806093	59.90	61.00	0.0060	0.0085	0.0029
E806094	61.00	62.10	0.0243	0.0132	0.0035
E806095	62.10	63.00	0.1047	0.1107	0.0052

Hole Number: KB-07-37

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806096	63.00	64.00	0.1739	0.1466	0.0064
E806097	64.00	65.00	0.1720	0.2218	0.0064
E806098	65.00	66.35	0.2025	0.1236	0.0087
E806099	66.35	67.00	0.0080	0.0060	0.0020
E806100	67.00	68.20	0.0160	0.0074	0.0030
E806101	68.20	69.00	0.0600	0.1618	0.0064
E806102	69.00	70.00	0.4884	0.2897	0.0155
E806103	70.00	71.00	0.4693	0.2483	0.0142
E806105	71.00	72.00	2.2128	0.8979	0.0290
E806106	72.00	73.00	0.6954	0.3234	0.0232
E806108	73.00	73.70	0.2800	0.2969	0.0140
E806109	73.70	74.50	0.0203	0.0314	0.0033
E806110	74.50	75.45	0.2928	0.2556	0.0091
E806111	75.45	76.00	0.0621	0.0566	0.0070
E806112	76.00	77.00	0.0145	0.0157	0.0062
E806113	77.00	78.00	0.0095	0.0098	0.0046
E806114	78.00	79.25	0.0105	0.0078	0.0047
E806115	79.25	80.00	0.0053	0.0038	0.0027
E806116	80.00	81.00	0.0032	0.0026	0.0013
E806117	81.00	82.00	0.0061	0.0045	0.0029
E806118	82.00	82.50	0.0026	0.0039	0.0013
E806119	82.50	83.00	0.0120	0.0110	0.0052
E806120	83.00	84.00	0.0114	0.0112	0.0049
E806121	84.00	85.00	0.0139	0.0112	0.0060

DETAILED LOG

Hole Number: KB-07-36

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North: 5481508.00			North: 5481508.00		Collar Az: 306.10
Location:	Surface	East: 453900.40			East: 453900.40		Length: 74.00 (m)
		Elev: 394.83			Elev: 394.83		Start Depth: 0.00 (m)
Date Started:	Apr 29, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 74.00 (m)
Date Completed:	Apr 30, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	26.55	35.05	8.50	0.4648	0.1492	0.0132
WEIGHTED	26.55	51.70	25.15	0.7966	0.2392	0.0158
WEIGHTED	36.80	39.00	2.20	0.8462	0.3241	0.0221
WEIGHTED	41.20	46.85	5.65	0.1741	0.2128	0.0075

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	291.60	-45.90	EZ	DO		74.00	306.10	-45.50	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	3.50	CAS, Casing
3.50	11.40	MV, Mafic Volcanic Mineralization 3.50 - 11.40 Structure 3.50 - 11.40
11.40	14.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 11.40 - 14.30 Structure 11.40 - 14.30 11.40 - 14.30 : UC Upper Contact, 35 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805966	3.50	4.00	0.50	0.0086	0.0168	0.0049
E805967	4.00	5.00	1.00	0.0094	0.0142	0.0048
E805968	5.00	6.00	1.00	0.0090	0.0130	0.0048
E805969	6.00	7.00	1.00	0.0099	0.0123	0.0056
E805970	7.00	8.00	1.00	0.0078	0.0094	0.0048
E805971	8.00	9.00	1.00	0.0082	0.0133	0.0038
E805972	9.00	10.00	1.00	0.0080	0.0100	0.0044
E805973	10.00	11.40	1.40	0.0164	0.0183	0.0051
E805974	11.40	12.00	0.60	0.0747	0.0708	0.0046
E805975	12.00	13.00	1.00	0.0290	0.0233	0.0047
E805976	13.00	14.30	1.30	0.5190	0.2213	0.0201

DETAILED LOG

Hole Number: KB-07-36

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
14.30	23.60	GAB, Gabbro Mineralization 14.30 - 23.60 Structure 14.30 - 23.60	E805978	14.30	15.00	0.70	0.0132	0.0152	0.0044
			E805979	15.00	16.00	1.00	0.0091	0.0157	0.0042
			E805980	16.00	17.00	1.00	0.0059	0.0138	0.0031
			E805981	17.00	18.00	1.00	0.0054	0.0120	0.0035
			E805982	18.00	19.00	1.00	0.0089	0.0186	0.0044
			E805983	19.00	20.00	1.00	0.0068	0.0108	0.0052
			E805984	20.00	21.00	1.00	0.0090	0.0208	0.0040
			E805985	21.00	22.00	1.00	0.0058	0.0079	0.0022
			E805986	22.00	23.00	1.00	0.0054	0.0112	0.0037
			E805987	23.00	23.60	0.60	0.0060	0.0053	0.0035
23.60	26.55	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 23.60 - 26.55 Structure 23.60 - 26.55	E805988	23.60	25.00	1.40	0.0535	0.0153	0.0075
			E805989	25.00	26.00	1.00	0.0279	0.0124	0.0051
			E805990	26.00	26.55	0.55	0.0165	0.0002	0.0041
26.55	35.05	PYXT, Pyroxenite Mineralization 26.55 - 26.95 26.95 - 27.45 27.45 - 35.05 Structure 26.55 - 35.05 : STRFOL Strongly Foliated, 50 Deg to CA 26.55 - 35.05 : UC Upper Contact, 80 Deg to CA	E805991	26.55	27.40	0.85	2.3979	0.5428	0.0380
			E805993	27.40	28.00	0.60	0.7357	0.2941	0.0147
			E805994	28.00	29.00	1.00	0.0709	0.0285	0.0061
			E805995	29.00	30.00	1.00	0.1264	0.0645	0.0074
			E805996	30.00	31.00	1.00	0.0872	0.0458	0.0060
			E805997	31.00	32.00	1.00	0.1642	0.0667	0.0070
			E805998	32.00	33.00	1.00	0.4390	0.1664	0.0170
			E805999	33.00	34.00	1.00	0.3899	0.1872	0.0187
			E806000	34.00	35.05	1.05	0.1842	0.0675	0.0089
35.05	36.80	MDCHL, Mafic Dike Chloritic Mineralization 35.05 - 36.80 Structure 35.05 - 36.80 35.05 - 36.80 : UC Upper Contact, 25 Deg to CA	E806001	35.05	36.00	0.95	0.0084	0.0069	0.0019
			E806002	36.00	36.80	0.80	0.0512	0.0179	0.0046
36.80	39.00	PYXT, Pyroxenite Mineralization 36.80 - 39.00 Structure 36.80 - 39.00 : STRFOL Strongly Foliated, 50 Deg to CA 36.80 - 39.00 : UC Upper Contact, 45 Deg to CA	E806003	36.80	38.00	1.20	0.6325	0.2123	0.0166
			E806005	38.00	39.00	1.00	1.1027	0.4582	0.0288

Hole Number: KB-07-36

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
39.00	41.20	MDCHL, Mafic Dike Chloritic Mineralization 39.00 - 41.20 Structure 39.00 - 41.20 : MODFOL Moderately Foliated, 45 Deg to CA 39.00 - 41.20 : UC Upper Contact, 30 Deg to CA	E806006	39.00	40.00	1.00	0.0142	0.0082	0.0026
			E806007	40.00	41.20	1.20	0.0083	0.0107	0.0026
41.20	42.90	TSCH, Talc Schist Mineralization 41.20 - 42.90 Structure 41.20 - 42.90 : STRFOL Strongly Foliated, 35 Deg to CA 41.20 - 42.90 : UC Upper Contact, 40 Deg to CA	E806008	41.20	42.00	0.80	0.1978	0.1319	0.0099
			E806009	42.00	42.90	0.90	0.1860	0.2130	0.0071
42.90	44.60	MDCHL, Mafic Dike Chloritic Mineralization 42.90 - 44.60 Structure 42.90 - 44.60 : MODFOL Moderately Foliated, 45 Deg to CA 42.90 - 44.60 : UC Upper Contact, 35 Deg to CA	E806010	42.90	44.00	1.10	0.0165	0.0144	0.0037
			E806011	44.00	44.60	0.60	0.0365	0.0227	0.0042
44.60	46.85	TSCH, Talc Schist Mineralization 44.60 - 46.85 Structure 44.60 - 46.85 : STRFOL Strongly Foliated, 30 Deg to CA 44.60 - 46.85 : UC Upper Contact, 40 Deg to CA	E806012	44.60	45.00	0.40	0.1962	0.2323	0.0082
			E806013	45.00	46.00	1.00	0.3344	0.5432	0.0104
			E806014	46.00	46.85	0.85	0.2413	0.2822	0.0091
46.85	47.60	PYXT, Pyroxenite Mineralization 46.85 - 47.60 Structure 46.85 - 47.60 : STRFOL Strongly Foliated, 45 Deg to CA 46.85 - 47.60 : UC Upper Contact, 45 Deg to CA	E806015	46.85	47.60	0.75	5.3738	0.9305	0.0874
47.60	48.50	MDCHL, Mafic Dike Chloritic Mineralization 47.60 - 48.50 Structure 47.60 - 48.50 : MODFOL Moderately Foliated, 50 Deg to CA 47.60 - 48.50 : UC Upper Contact, 50 Deg to CA	E806017	47.60	48.50	0.90	0.0104	0.0071	0.0025

Hole Number: KB-07-36

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
48.50	51.30	PYXT, Pyroxenite Mineralization 48.50 - 50.30 50.30 - 51.30 Structure 48.50 - 51.30 : STRFOL Strongly Foliated, 50 Deg to CA 48.50 - 51.30 : UC Upper Contact, 50 Deg to CA
51.30	51.70	TSCH, Talc Schist Mineralization 51.30 - 51.70 Structure 51.30 - 51.70 : STRFOL Strongly Foliated, 50 Deg to CA 51.30 - 51.70 : UC Upper Contact, 60 Deg to CA
51.70	74.00	MV, Mafic Volcanic Mineralization 51.70 - 52.00 52.00 - 74.00 Structure 51.70 - 74.00 : MODFOL Moderately Foliated, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E806018	48.50	49.00	0.50	4.9754	1.7309	0.0596
E806019	49.00	50.30	1.30	4.9197	0.8049	0.0571
E806020	50.30	51.30	1.00	0.1498	0.1131	0.0060
E806021	51.30	51.70	0.40	0.2331	0.1544	0.0100
E806022	51.70	53.00	1.30	0.0985	0.1004	0.0080
E806023	53.00	54.00	1.00	0.0194	0.0262	0.0069
E806024	54.00	55.00	1.00	0.0073	0.0063	0.0049

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805966	3.50	4.00	0.0086	0.0168	0.0049
E805967	4.00	5.00	0.0094	0.0142	0.0048
E805968	5.00	6.00	0.0090	0.0130	0.0048
E805969	6.00	7.00	0.0099	0.0123	0.0056
E805970	7.00	8.00	0.0078	0.0094	0.0048
E805971	8.00	9.00	0.0082	0.0133	0.0038
E805972	9.00	10.00	0.0080	0.0100	0.0044
E805973	10.00	11.40	0.0164	0.0183	0.0051
E805974	11.40	12.00	0.0747	0.0708	0.0046
E805975	12.00	13.00	0.0290	0.0233	0.0047
E805976	13.00	14.30	0.5190	0.2213	0.0201
E805978	14.30	15.00	0.0132	0.0152	0.0044
E805979	15.00	16.00	0.0091	0.0157	0.0042
E805980	16.00	17.00	0.0059	0.0138	0.0031
E805981	17.00	18.00	0.0054	0.0120	0.0035
E805982	18.00	19.00	0.0089	0.0186	0.0044

Hole Number: KB-07-36

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805983	19.00	20.00	0.0068	0.0108	0.0052
E805984	20.00	21.00	0.0090	0.0208	0.0040
E805985	21.00	22.00	0.0058	0.0079	0.0022
E805986	22.00	23.00	0.0054	0.0112	0.0037
E805987	23.00	23.60	0.0060	0.0053	0.0035
E805988	23.60	25.00	0.0535	0.0153	0.0075
E805989	25.00	26.00	0.0279	0.0124	0.0051
E805990	26.00	26.55	0.0165	0.0002	0.0041
E805991	26.55	27.40	2.3979	0.5428	0.0380
E805993	27.40	28.00	0.7357	0.2941	0.0147
E805994	28.00	29.00	0.0709	0.0285	0.0061
E805995	29.00	30.00	0.1264	0.0645	0.0074
E805996	30.00	31.00	0.0872	0.0458	0.0060
E805997	31.00	32.00	0.1642	0.0667	0.0070
E805998	32.00	33.00	0.4390	0.1664	0.0170
E805999	33.00	34.00	0.3899	0.1872	0.0187
E806000	34.00	35.05	0.1842	0.0675	0.0089
E806001	35.05	36.00	0.0084	0.0069	0.0019
E806002	36.00	36.80	0.0512	0.0179	0.0046
E806003	36.80	38.00	0.6325	0.2123	0.0166
E806005	38.00	39.00	1.1027	0.4582	0.0288
E806006	39.00	40.00	0.0142	0.0082	0.0026
E806007	40.00	41.20	0.0083	0.0107	0.0026
E806008	41.20	42.00	0.1978	0.1319	0.0099
E806009	42.00	42.90	0.1860	0.2130	0.0071
E806010	42.90	44.00	0.0165	0.0144	0.0037
E806011	44.00	44.60	0.0365	0.0227	0.0042
E806012	44.60	45.00	0.1962	0.2323	0.0082
E806013	45.00	46.00	0.3344	0.5432	0.0104
E806014	46.00	46.85	0.2413	0.2822	0.0091
E806015	46.85	47.60	5.3738	0.9305	0.0874
E806017	47.60	48.50	0.0104	0.0071	0.0025
E806018	48.50	49.00	4.9754	1.7309	0.0596
E806019	49.00	50.30	4.9197	0.8049	0.0571
E806020	50.30	51.30	0.1498	0.1131	0.0060
E806021	51.30	51.70	0.2331	0.1544	0.0100
E806022	51.70	53.00	0.0985	0.1004	0.0080

Hole Number: KB-07-36

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E806023	53.00	54.00	0.0194	0.0262	0.0069
E806024	54.00	55.00	0.0073	0.0063	0.0049

DETAILED LOG

Hole Number: KB-07-35 Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481518.00	North:	5481518.00	Collar Az:	305.70
Location:	Surface	East:	453885.50	East:	453885.50	Length:	65.00 (m)
		Elev:	391.91	Elev:	391.91	Start Depth:	0.00 (m)
Date Started:	Apr 28, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	65.00 (m)
Date Completed:	Apr 29, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	8.40	14.10	5.70	0.1223	0.0717	0.0081
WEIGHTED	8.40	31.70	23.30	0.2966	0.1861	0.0107
WEIGHTED	12.00	30.00	18.00	0.3644	0.2284	0.0121
WEIGHTED	19.00	21.50	2.50	0.7032	0.5619	0.0163
WEIGHTED	19.00	26.40	7.40	0.6464	0.4470	0.0179
WEIGHTED	22.10	26.40	4.30	0.6971	0.4379	0.0208
WEIGHTED	27.40	31.70	4.30	0.3043	0.1193	0.0106

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	305.70	-47.10	EZ	OK		65.00	309.10	-46.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	4.70	CAS, Casing
4.70	8.40	GAB, Gabbro Mineralization 4.70 - 8.40 Structure 4.70 - 8.40
8.40	14.10	PYXT, Pyroxenite Mineralization 8.40 - 14.10 Structure 8.40 - 14.10 : STRFOL Strongly Foliated, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805933	4.70	6.00	1.30	0.0084	0.0143	0.0050
E805934	6.00	7.00	1.00	0.0055	0.0155	0.0051
E805935	7.00	8.40	1.40	0.0047	0.0080	0.0051
E805936	8.40	9.00	0.60	0.0216	0.0170	0.0080
E805937	9.00	10.00	1.00	0.0521	0.0856	0.0062
E805938	10.00	11.00	1.00	0.0952	0.0251	0.0072
E805939	11.00	12.00	1.00	0.0826	0.0363	0.0077
E805940	12.00	13.00	1.00	0.1638	0.0555	0.0102
E805941	13.00	14.10	1.10	0.2639	0.1780	0.0093

Hole Number: KB-07-35

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
14.10	19.00	MDCHL, Mafic Dike Chloritic Mineralization 14.10 - 16.40 16.40 - 19.00 Structure 14.10 - 19.00 14.10 - 19.00 : UC Upper Contact, 45 Deg to CA	E805942	14.10	15.00	0.90	0.0188	0.0074	0.0058
			E805943	15.00	16.40	1.40	0.0531	0.0572	0.0059
			E805944	16.40	17.00	0.60	0.0171	0.0049	0.0062
			E805945	17.00	18.00	1.00	0.0024	0.0039	0.0023
			E805946	18.00	19.00	1.00	0.0042	0.0074	0.0027
19.00	21.50	PYXT, Pyroxenite Mineralization 19.00 - 21.50 Structure 19.00 - 21.50 : STRFOL Strongly Foliated, 40 Deg to CA 19.00 - 21.50 : UC Upper Contact, 35 Deg to CA	E805947	19.00	20.00	1.00	0.6942	0.6595	0.0129
			E805949	20.00	21.00	1.00	0.6339	0.4971	0.0169
			E805950	21.00	21.50	0.50	0.8598	0.4961	0.0220
21.50	22.10	MD, Mafic Dike Mineralization 21.50 - 22.10 Structure 21.50 - 22.10 21.50 - 22.10 : UC Upper Contact, 50 Deg to CA	E805951	21.50	22.10	0.60	0.0460	0.0333	0.0041
22.10	26.40	PYXT, Pyroxenite Mineralization 22.10 - 26.40 Structure 22.10 - 26.40 : STRFOL Strongly Foliated, 40 Deg to CA 22.10 - 26.40 : UC Upper Contact, 40 Deg to CA	E805952	22.10	23.00	0.90	0.7985	0.5644	0.0270
			E805953	23.00	24.00	1.00	0.7042	0.5521	0.0173
			E805954	24.00	25.00	1.00	0.7195	0.2738	0.0251
			E805955	25.00	26.40	1.40	0.6107	0.3922	0.0163
26.40	27.40	MD, Mafic Dike Mineralization 26.40 - 27.40 Structure 26.40 - 27.40 26.40 - 27.40 : UC Upper Contact, 30 Deg to CA	E805957	26.40	27.40	1.00	0.0137	0.0053	0.0030
27.40	31.70	PYXT, Pyroxenite Mineralization 27.40 - 30.00 30.00 - 31.70 Structure 27.40 - 31.70 27.40 - 31.70 : UC Upper Contact, 20 Deg to CA	E805958	27.40	28.00	0.60	0.3326	0.1241	0.0115
			E805959	28.00	29.00	1.00	0.3913	0.1622	0.0126
			E805960	29.00	30.00	1.00	0.6089	0.2084	0.0201
			E805961	30.00	31.00	1.00	0.0684	0.0269	0.0037
			E805962	31.00	31.70	0.70	0.0575	0.0589	0.0033

DETAILED LOG

Hole Number: KB-07-35

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
31.70	65.00	MV, Mafic Volcanic
		Mineralization
		31.70 - 65.00
		Structure
		31.70 - 65.00 : MODFOL Moderately Foliated, 45 Deg to CA
		31.70 - 65.00 : UC Upper Contact, 20 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805963	31.70	33.00	1.30	0.0230	0.0250	0.0067
E805964	33.00	34.00	1.00	0.0068	0.0047	0.0030
E805965	34.00	35.00	1.00	0.0081	0.0076	0.0041

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805933	4.70	6.00	0.0084	0.0143	0.0050
E805934	6.00	7.00	0.0055	0.0155	0.0051
E805935	7.00	8.40	0.0047	0.0080	0.0051
E805936	8.40	9.00	0.0216	0.0170	0.0080
E805937	9.00	10.00	0.0521	0.0856	0.0062
E805938	10.00	11.00	0.0952	0.0251	0.0072
E805939	11.00	12.00	0.0826	0.0363	0.0077
E805940	12.00	13.00	0.1638	0.0555	0.0102
E805941	13.00	14.10	0.2639	0.1780	0.0093
E805942	14.10	15.00	0.0188	0.0074	0.0058
E805943	15.00	16.40	0.0531	0.0572	0.0059
E805944	16.40	17.00	0.0171	0.0049	0.0062
E805945	17.00	18.00	0.0024	0.0039	0.0023
E805946	18.00	19.00	0.0042	0.0074	0.0027
E805947	19.00	20.00	0.6942	0.6595	0.0129
E805949	20.00	21.00	0.6339	0.4971	0.0169
E805950	21.00	21.50	0.8598	0.4961	0.0220
E805951	21.50	22.10	0.0460	0.0333	0.0041
E805952	22.10	23.00	0.7985	0.5644	0.0270
E805953	23.00	24.00	0.7042	0.5521	0.0173
E805954	24.00	25.00	0.7195	0.2738	0.0251
E805955	25.00	26.40	0.6107	0.3922	0.0163
E805957	26.40	27.40	0.0137	0.0053	0.0030
E805958	27.40	28.00	0.3326	0.1241	0.0115
E805959	28.00	29.00	0.3913	0.1622	0.0126
E805960	29.00	30.00	0.6089	0.2084	0.0201
E805961	30.00	31.00	0.0684	0.0269	0.0037
E805962	31.00	31.70	0.0575	0.0589	0.0033

Hole Number: KB-07-35

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805963	31.70	33.00	0.0230	0.0250	0.0067
E805964	33.00	34.00	0.0068	0.0047	0.0030
E805965	34.00	35.00	0.0081	0.0076	0.0041

DETAILED LOG

Hole Number: KB-07-34

Units: Metric

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481500.00	North:	5481500.00	Collar Az:	312.20
Location:	Surface	East:	453963.00	East:	453963.00	Length:	151.00 (m)
		Elev:	392.98	Elev:	392.98	Start Depth:	0.00 (m)
Date Started:	Apr 27, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	151.00 (m)
Date Completed:	Apr 28, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	pp	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	3.75	27.00	23.25	0.3099	0.1396	0.0101
WEIGHTED	10.25	17.50	7.25	0.1360	0.0687	0.0064
WEIGHTED	61.00	68.00	7.00	0.3037	0.1283	0.0112
WEIGHTED	61.00	90.30	29.30	0.0979	0.0480	0.0064
WEIGHTED	90.30	120.80	30.50	0.3829	0.1679	0.0112

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	312.20	-47.00	EZ	OK		50.00	308.80	-48.00	EZ	OK	
101.00	357.50	-48.00	EZ	DO		151.00	311.70	-47.40	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	3.75	CAS, Casing
3.75	10.25	PYXT, Pyroxenite Mineralization 3.75 - 10.25 Structure 3.75 - 10.25 : MODFOL Moderately Foliated, 50 Deg to CA
10.25	17.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 10.25 - 17.50 Structure 10.25 - 11.40 10.25 - 17.50 : UC Upper Contact, 50 Deg to CA 11.40 - 17.50

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805801	3.75	5.00	1.25	0.2713	0.0872	0.0087
E805802	5.00	6.00	1.00	0.5870	0.2052	0.0174
E805803	6.00	7.00	1.00	0.7907	0.2812	0.0210
E805804	7.00	8.00	1.00	0.3114	0.1146	0.0109
E805805	8.00	9.00	1.00	1.4644	0.3843	0.0288
E805806	9.00	10.25	1.25	0.9246	0.7878	0.0218
E805808	10.25	11.00	0.75	0.1232	0.1140	0.0064
E805809	11.00	12.00	1.00	0.0324	0.0205	0.0045
E805810	12.00	13.00	1.00	0.0357	0.0107	0.0041
E805811	13.00	14.00	1.00	0.2284	0.1637	0.0069
E805812	14.00	15.00	1.00	0.0185	0.0062	0.0018
E805813	15.00	16.00	1.00	0.1719	0.0488	0.0069
E805814	16.00	17.00	1.00	0.2706	0.1467	0.0112
E805815	17.00	17.50	0.50	0.2719	0.0322	0.0126

Hole Number: KB-07-34

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
17.50	20.20	FD, Felsic Dike Mineralization 17.50 - 20.20 Structure 17.50 - 20.20 : MAS Massive, 0 Deg to CA 17.50 - 20.20 : UC Upper Contact, 30 Deg to CA	E805816	17.50	18.00	0.50	0.0224	0.0173	0.0031
			E805817	18.00	19.00	1.00	0.0062	0.0042	0.0021
			E805818	19.00	20.20	1.20	0.0137	0.0144	0.0023
20.20	20.75	PYXT, Pyroxenite Mineralization 20.20 - 20.75 Structure 20.20 - 20.75 20.20 - 20.75 : UC Upper Contact, 30 Deg to CA	E805819	20.20	20.75	0.55	1.0918	0.4393	0.0276
20.75	27.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 20.75 - 27.00 Structure 20.75 - 27.00 20.75 - 27.00 : UC Upper Contact, 50 Deg to CA	E805821	20.75	22.00	1.25	0.1130	0.0366	0.0073
			E805822	22.00	23.00	1.00	0.1424	0.0584	0.0091
			E805823	23.00	24.00	1.00	0.1051	0.0438	0.0071
			E805824	24.00	25.00	1.00	0.0568	0.0255	0.0049
			E805825	25.00	26.00	1.00	0.1706	0.0722	0.0082
			E805826	26.00	27.00	1.00	0.3201	0.1517	0.0122
27.00	36.05	FD, Felsic Dike Mineralization 27.00 - 36.05 Structure 27.00 - 36.05 27.00 - 36.05 : UC Upper Contact, 40 Deg to CA	E805827	27.00	28.00	1.00	0.0197	0.0097	0.0036
			E805828	28.00	29.00	1.00	0.0121	0.0039	0.0041
			E805829	29.00	30.00	1.00	0.0106	0.0028	0.0034
			E805830	30.00	31.00	1.00	0.0085	0.0037	0.0038
			E805831	31.00	32.00	1.00	0.0074	0.0068	0.0021
			E805832	32.00	33.00	1.00	0.0079	0.0035	0.0028
			E805833	33.00	34.00	1.00	0.0080	0.0053	0.0031
			E805834	34.00	35.00	1.00	0.0078	0.0035	0.0032
			E805835	35.00	36.05	1.05	0.0094	0.0102	0.0040
36.05	38.15	PYXT, Pyroxenite Mineralization 36.05 - 38.15 Structure 36.05 - 38.15 : MODFOL Moderately Foliated, 40 Deg to CA 36.05 - 38.15 : UC Upper Contact, 50 Deg to CA	E805836	36.05	37.00	0.95	0.1481	0.0613	0.0077
			E805837	37.00	38.15	1.15	0.1694	0.0711	0.0084
38.15	39.00	FD, Felsic Dike Mineralization 38.15 - 39.00 Structure 38.15 - 39.00 38.15 - 39.00 : UC Upper Contact, 50 Deg to CA	E805838	38.15	39.00	0.85	0.0051	0.0056	0.0012

Hole Number: KB-07-34

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
39.00	42.10	MD, Mafic Dike
		Mineralization
		39.00 - 42.10
		Structure
		39.00 - 42.10
		39.00 - 42.10 : UC Upper Contact, 60 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805839	39.00	40.00	1.00	0.0419	0.0206	0.0056
E805840	40.00	41.00	1.00	0.0036	0.0026	0.0029
E805841	41.00	42.10	1.10	0.0035	0.0062	0.0026

Hole Number: KB-07-34

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
42.10	90.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 42.10 - 90.30 Structure 42.10 - 90.30 42.10 - 90.30 : UC Upper Contact, 30 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805842	42.10	43.00	0.90	0.8997	0.8319	0.0221
E805843	43.00	44.00	1.00	0.1700	0.0618	0.0078
E805844	44.00	45.00	1.00	0.0118	0.0104	0.0029
E805845	45.00	46.00	1.00	0.0072	0.0175	0.0037
E805846	46.00	47.00	1.00	0.0077	0.0119	0.0048
E805847	47.00	48.00	1.00	0.0543	0.0225	0.0054
E805849	48.00	49.00	1.00	0.0535	0.0313	0.0041
E805850	49.00	50.00	1.00	0.0064	0.0078	0.0041
E805851	50.00	51.00	1.00	0.1083	0.0191	0.0085
E805852	51.00	52.00	1.00	0.0201	0.0177	0.0038
E805853	52.00	53.00	1.00	0.0062	0.0142	0.0039
E805854	53.00	54.00	1.00	0.0179	0.0231	0.0039
E805855	54.00	55.00	1.00	0.0714	0.0405	0.0059
E805856	55.00	56.00	1.00	0.0688	0.0337	0.0056
E805857	56.00	57.00	1.00	0.0116	0.0107	0.0049
E805858	57.00	58.00	1.00	0.0123	0.0127	0.0056
E805859	58.00	59.00	1.00	0.0636	0.0375	0.0053
E805861	59.00	60.00	1.00	0.0182	0.0170	0.0051
E805862	60.00	61.00	1.00	0.0185	0.0096	0.0043
E805863	61.00	62.00	1.00	0.2242	0.0526	0.0099
E805864	62.00	63.00	1.00	0.1001	0.0864	0.0059
E805865	63.00	64.00	1.00	0.1112	0.0471	0.0066
E805866	64.00	65.00	1.00	0.2233	0.1351	0.0092
E805867	65.00	66.00	1.00	0.5739	0.2602	0.0198
E805868	66.00	67.00	1.00	0.4158	0.2071	0.0136
E805869	67.00	68.00	1.00	0.4776	0.1099	0.0133
E805870	68.00	69.00	1.00	0.0301	0.0204	0.0070
E805871	69.00	70.00	1.00	0.0352	0.0234	0.0059
E805872	70.00	71.00	1.00	0.0278	0.0161	0.0040
E805873	71.00	72.00	1.00	0.0311	0.0345	0.0047
E805874	72.00	73.00	1.00	0.0611	0.0384	0.0059
E805875	73.00	74.00	1.00	0.0179	0.0137	0.0046
E805876	74.00	75.00	1.00	0.0169	0.0176	0.0067
E805877	75.00	76.00	1.00	0.0546	0.0298	0.0066
E805879	76.00	77.00	1.00	0.0128	0.0178	0.0064
E805880	77.00	78.00	1.00	0.0177	0.0143	0.0065
E805881	78.00	79.00	1.00	0.0401	0.0360	0.0045
E805882	79.00	80.00	1.00	0.0526	0.0506	0.0052
E805883	80.00	81.00	1.00	0.1371	0.0494	0.0083
E805884	81.00	82.00	1.00	0.0117	0.0142	0.0039
E805885	82.00	83.00	1.00	0.0126	0.0118	0.0050
E805886	83.00	84.00	1.00	0.0628	0.0291	0.0058

Hole Number: KB-07-34

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
			E805887	84.00	85.00	1.00	0.0505	0.0165	0.0055
			E805888	85.00	86.00	1.00	0.0114	0.0124	0.0014
			E805889	86.00	87.00	1.00	0.0112	0.0122	0.0039
			E805890	87.00	88.00	1.00	0.0117	0.0154	0.0038
			E805891	88.00	89.00	1.00	0.0139	0.0171	0.0029
			E805892	89.00	90.30	1.30	0.0156	0.0128	0.0013
90.30	93.90	PYXT, Pyroxenite Mineralization 90.30 - 93.90 Structure 90.30 - 93.90 : MODFOL Moderately Foliated, 50 Deg to CA 90.30 - 93.90 : UC Upper Contact, 50 Deg to CA	E805893	90.30	91.00	0.70	0.2327	0.1004	0.0062
			E805895	91.00	92.00	1.00	0.6235	0.2673	0.0185
			E805896	92.00	93.00	1.00	0.4102	0.1471	0.0119
			E805897	93.00	93.90	0.90	0.2091	0.0803	0.0081
93.90	98.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 93.90 - 98.80 Structure 93.90 - 98.80 93.90 - 98.80 : UC Upper Contact, 70 Deg to CA	E805898	93.90	95.00	1.10	0.0512	0.0866	0.0052
			E805899	95.00	96.00	1.00	0.0794	0.0339	0.0026
			E805900	96.00	97.00	1.00	0.2822	0.0573	0.0128
			E805901	97.00	98.00	1.00	0.0767	0.0658	0.0041
			E805902	98.00	98.80	0.80	0.1214	0.0782	0.0043
98.80	101.35	PYXT, Pyroxenite Mineralization 98.80 - 100.95 100.95 - 101.35 Structure 98.80 - 101.35 : MODFOL Moderately Foliated, 50 Deg to CA 98.80 - 101.35 : UC Upper Contact, 70 Deg to CA	E805903	98.80	100.00	1.20	0.2202	0.0832	0.0069
			E805904	100.00	100.95	0.95	2.0220	0.5835	0.0432
			E805906	100.95	101.35	0.40	0.0991	0.1215	0.0067
101.35	102.00	MD, Mafic Dike Mineralization 101.35 - 102.00 Structure 101.35 - 102.00 101.35 - 102.00 : UC Upper Contact, 30 Deg to CA	E805907	101.35	102.00	0.65	0.0129	0.0190	0.0045
102.00	103.40	PYXT, Pyroxenite Mineralization 102.00 - 102.80 102.80 - 103.10 103.10 - 103.40 Structure 102.00 - 103.40 102.00 - 103.40 : UC Upper Contact, 30 Deg to CA	E805908	102.00	102.80	0.80	0.5653	0.2156	0.0192
			E805909	102.80	103.40	0.60	5.4355	0.5428	0.0616

Hole Number: KB-07-34

Units: Metric

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
103.40	105.50	MDCHL, Mafic Dike Chloritic Mineralization 103.40 - 105.50 Structure 103.40 - 105.50 : MODFOL Moderately Foliated, 50 Deg to CA 103.40 - 105.50 : UC Upper Contact, 30 Deg to CA	E805910	103.40	104.00	0.60	0.0259	0.0287	0.0050
			E805911	104.00	105.00	1.00	0.0108	0.0084	0.0053
			E805912	105.00	105.50	0.50	0.0048	0.0087	0.0033
105.50	106.25	PYXT, Pyroxenite Mineralization 105.50 - 106.25 Structure 105.50 - 106.25	E805913	105.50	106.25	0.75	0.5032	0.4481	0.0178
106.25	109.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 106.25 - 109.90 Structure 106.25 - 109.90 106.25 - 109.90 : UC Upper Contact, 70 Deg to CA	E805914	106.25	107.00	0.75	0.1300	0.1456	0.0106
			E805915	107.00	108.00	1.00	0.4547	0.3301	0.0142
			E805916	108.00	109.00	1.00	0.3346	0.1283	0.0127
			E805917	109.00	109.90	0.90	0.0290	0.0129	0.0078
109.90	110.70	MDCHL, Mafic Dike Chloritic Mineralization 109.90 - 110.70 Structure 109.90 - 110.70 109.90 - 110.70 : UC Upper Contact, 35 Deg to CA	E805918	109.90	110.70	0.80	0.0137	0.0107	0.0047
110.70	117.00	PYXT, Pyroxenite Mineralization 110.70 - 111.30 111.30 - 117.00 Structure 110.70 - 117.00 : STRFOL Strongly Foliated, 40 Deg to CA 110.70 - 117.00 : UC Upper Contact, 30 Deg to CA	E805919	110.70	111.30	0.60	0.9926	1.2244	0.0276
			E805920	111.30	112.00	0.70	0.0979	0.0268	0.0057
			E805921	112.00	113.00	1.00	0.1217	0.0626	0.0091
			E805922	113.00	114.00	1.00	0.0537	0.0093	0.0053
			E805923	114.00	115.00	1.00	0.3401	0.1528	0.0122
			E805924	115.00	116.00	1.00	0.3361	0.0874	0.0124
			E805925	116.00	117.00	1.00	0.0895	0.0468	0.0064
117.00	118.50	MDCHL, Mafic Dike Chloritic Mineralization 117.00 - 118.50 Structure 117.00 - 118.50 : MODFOL Moderately Foliated, 50 Deg to CA 117.00 - 118.50 : UC Upper Contact, 40 Deg to CA	E805926	117.00	118.00	1.00	0.0135	0.0094	0.0033
			E805927	118.00	118.50	0.50	0.0104	0.0044	0.0041

Hole Number: KB-07-34

Units: Metric

Detailed Lithology

From (m)	To (m)	Lithology
118.50	119.30	TSCH, Talc Schist Mineralization 118.50 - 119.30 Structure 118.50 - 119.30 : STRFOL Strongly Foliated, 50 Deg to CA 118.50 - 119.30 : UC Upper Contact, 40 Deg to CA
119.30	120.80	PYXT, Pyroxenite Mineralization 119.30 - 120.80 Structure 119.30 - 120.80
120.80	151.00	MV, Mafic Volcanic Mineralization 120.80 - 151.00 Structure 120.80 - 151.00 : MODFOL Moderately Foliated, 40 Deg to CA 120.80 - 151.00 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805928	118.50	119.30	0.80	0.0865	0.2094	0.0053
E805929	119.30	120.80	1.50	0.4875	0.5271	0.0117
E805930	120.80	122.00	1.20	0.0249	0.0352	0.0073
E805931	122.00	123.00	1.00	0.0119	0.0094	0.0063
E805932	123.00	124.00	1.00	0.0069	0.0134	0.0064

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805801	3.75	5.00	0.2713	0.0872	0.0087
E805802	5.00	6.00	0.5870	0.2052	0.0174
E805803	6.00	7.00	0.7907	0.2812	0.0210
E805804	7.00	8.00	0.3114	0.1146	0.0109
E805805	8.00	9.00	1.4644	0.3843	0.0288
E805806	9.00	10.25	0.9246	0.7878	0.0218
E805808	10.25	11.00	0.1232	0.1140	0.0064
E805809	11.00	12.00	0.0324	0.0205	0.0045
E805810	12.00	13.00	0.0357	0.0107	0.0041
E805811	13.00	14.00	0.2284	0.1637	0.0069
E805812	14.00	15.00	0.0185	0.0062	0.0018
E805813	15.00	16.00	0.1719	0.0488	0.0069
E805814	16.00	17.00	0.2706	0.1467	0.0112
E805815	17.00	17.50	0.2719	0.0322	0.0126
E805816	17.50	18.00	0.0224	0.0173	0.0031
E805817	18.00	19.00	0.0062	0.0042	0.0021
E805818	19.00	20.20	0.0137	0.0144	0.0023
E805819	20.20	20.75	1.0918	0.4393	0.0276

Hole Number: KB-07-34 Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805821	20.75	22.00	0.1130	0.0366	0.0073
E805822	22.00	23.00	0.1424	0.0584	0.0091
E805823	23.00	24.00	0.1051	0.0438	0.0071
E805824	24.00	25.00	0.0568	0.0255	0.0049
E805825	25.00	26.00	0.1706	0.0722	0.0082
E805826	26.00	27.00	0.3201	0.1517	0.0122
E805827	27.00	28.00	0.0197	0.0097	0.0036
E805828	28.00	29.00	0.0121	0.0039	0.0041
E805829	29.00	30.00	0.0106	0.0028	0.0034
E805830	30.00	31.00	0.0085	0.0037	0.0038
E805831	31.00	32.00	0.0074	0.0068	0.0021
E805832	32.00	33.00	0.0079	0.0035	0.0028
E805833	33.00	34.00	0.0080	0.0053	0.0031
E805834	34.00	35.00	0.0078	0.0035	0.0032
E805835	35.00	36.05	0.0094	0.0102	0.0040
E805836	36.05	37.00	0.1481	0.0613	0.0077
E805837	37.00	38.15	0.1694	0.0711	0.0084
E805838	38.15	39.00	0.0051	0.0056	0.0012
E805839	39.00	40.00	0.0419	0.0206	0.0056
E805840	40.00	41.00	0.0036	0.0026	0.0029
E805841	41.00	42.10	0.0035	0.0062	0.0026
E805842	42.10	43.00	0.8997	0.8319	0.0221
E805843	43.00	44.00	0.1700	0.0618	0.0078
E805844	44.00	45.00	0.0118	0.0104	0.0029
E805845	45.00	46.00	0.0072	0.0175	0.0037
E805846	46.00	47.00	0.0077	0.0119	0.0048
E805847	47.00	48.00	0.0543	0.0225	0.0054
E805849	48.00	49.00	0.0535	0.0313	0.0041
E805850	49.00	50.00	0.0064	0.0078	0.0041
E805851	50.00	51.00	0.1083	0.0191	0.0085
E805852	51.00	52.00	0.0201	0.0177	0.0038
E805853	52.00	53.00	0.0062	0.0142	0.0039
E805854	53.00	54.00	0.0179	0.0231	0.0039
E805855	54.00	55.00	0.0714	0.0405	0.0059
E805856	55.00	56.00	0.0688	0.0337	0.0056
E805857	56.00	57.00	0.0116	0.0107	0.0049
E805858	57.00	58.00	0.0123	0.0127	0.0056

Hole Number: KB-07-34

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805859	58.00	59.00	0.0636	0.0375	0.0053
E805861	59.00	60.00	0.0182	0.0170	0.0051
E805862	60.00	61.00	0.0185	0.0096	0.0043
E805863	61.00	62.00	0.2242	0.0526	0.0099
E805864	62.00	63.00	0.1001	0.0864	0.0059
E805865	63.00	64.00	0.1112	0.0471	0.0066
E805866	64.00	65.00	0.2233	0.1351	0.0092
E805867	65.00	66.00	0.5739	0.2602	0.0198
E805868	66.00	67.00	0.4158	0.2071	0.0136
E805869	67.00	68.00	0.4776	0.1099	0.0133
E805870	68.00	69.00	0.0301	0.0204	0.0070
E805871	69.00	70.00	0.0352	0.0234	0.0059
E805872	70.00	71.00	0.0278	0.0161	0.0040
E805873	71.00	72.00	0.0311	0.0345	0.0047
E805874	72.00	73.00	0.0611	0.0384	0.0059
E805875	73.00	74.00	0.0179	0.0137	0.0046
E805876	74.00	75.00	0.0169	0.0176	0.0067
E805877	75.00	76.00	0.0546	0.0298	0.0066
E805879	76.00	77.00	0.0128	0.0178	0.0064
E805880	77.00	78.00	0.0177	0.0143	0.0065
E805881	78.00	79.00	0.0401	0.0360	0.0045
E805882	79.00	80.00	0.0526	0.0506	0.0052
E805883	80.00	81.00	0.1371	0.0494	0.0083
E805884	81.00	82.00	0.0117	0.0142	0.0039
E805885	82.00	83.00	0.0126	0.0118	0.0050
E805886	83.00	84.00	0.0628	0.0291	0.0058
E805887	84.00	85.00	0.0505	0.0165	0.0055
E805888	85.00	86.00	0.0114	0.0124	0.0014
E805889	86.00	87.00	0.0112	0.0122	0.0039
E805890	87.00	88.00	0.0117	0.0154	0.0038
E805891	88.00	89.00	0.0139	0.0171	0.0029
E805892	89.00	90.30	0.0156	0.0128	0.0013
E805893	90.30	91.00	0.2327	0.1004	0.0062
E805895	91.00	92.00	0.6235	0.2673	0.0185
E805896	92.00	93.00	0.4102	0.1471	0.0119
E805897	93.00	93.90	0.2091	0.0803	0.0081
E805898	93.90	95.00	0.0512	0.0866	0.0052

Hole Number: KB-07-34

Units: Metric

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805899	95.00	96.00	0.0794	0.0339	0.0026
E805900	96.00	97.00	0.2822	0.0573	0.0128
E805901	97.00	98.00	0.0767	0.0658	0.0041
E805902	98.00	98.80	0.1214	0.0782	0.0043
E805903	98.80	100.00	0.2202	0.0832	0.0069
E805904	100.00	100.95	2.0220	0.5835	0.0432
E805906	100.95	101.35	0.0991	0.1215	0.0067
E805907	101.35	102.00	0.0129	0.0190	0.0045
E805908	102.00	102.80	0.5653	0.2156	0.0192
E805909	102.80	103.40	5.4355	0.5428	0.0616
E805910	103.40	104.00	0.0259	0.0287	0.0050
E805911	104.00	105.00	0.0108	0.0084	0.0053
E805912	105.00	105.50	0.0048	0.0087	0.0033
E805913	105.50	106.25	0.5032	0.4481	0.0178
E805914	106.25	107.00	0.1300	0.1456	0.0106
E805915	107.00	108.00	0.4547	0.3301	0.0142
E805916	108.00	109.00	0.3346	0.1283	0.0127
E805917	109.00	109.90	0.0290	0.0129	0.0078
E805918	109.90	110.70	0.0137	0.0107	0.0047
E805919	110.70	111.30	0.9926	1.2244	0.0276
E805920	111.30	112.00	0.0979	0.0268	0.0057
E805921	112.00	113.00	0.1217	0.0626	0.0091
E805922	113.00	114.00	0.0537	0.0093	0.0053
E805923	114.00	115.00	0.3401	0.1528	0.0122
E805924	115.00	116.00	0.3361	0.0874	0.0124
E805925	116.00	117.00	0.0895	0.0468	0.0064
E805926	117.00	118.00	0.0135	0.0094	0.0033
E805927	118.00	118.50	0.0104	0.0044	0.0041
E805928	118.50	119.30	0.0865	0.2094	0.0053
E805929	119.30	120.80	0.4875	0.5271	0.0117
E805930	120.80	122.00	0.0249	0.0352	0.0073
E805931	122.00	123.00	0.0119	0.0094	0.0063
E805932	123.00	124.00	0.0069	0.0134	0.0064

DETAILED LOG

Hole Number: KB-07-33 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481525.00		North:	5481525.00	Collar Az: 305.20
Location:	Surface	East:	453926.90		East:	453926.90	Length: 100.00 (m)
		Elev:	396.41		Elev:	396.41	Start Depth: 0.00 (m)
Date Started:	Apr 26, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 100.00 (m)
Date Completed:	Apr 27, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	12.00	18.90	6.90	0.3591	0.1171	0.0127
WEIGHTED	12.00	60.30	48.30	0.4705	0.2260	0.0112
WEIGHTED	18.90	23.60	4.70	0.3559	0.3659	0.0066
WEIGHTED	25.30	32.70	7.40	0.1005	0.0721	0.0051

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
9.00	305.20	-45.80	EZ	OK		50.00	296.20	-45.90	EZ	DO	
100.00	311.00	-45.90	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	3.00	CAS, Casing
3.00	18.90	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 3.00 - 18.90 Structure 3.00 - 18.90
18.90	23.60	PYXT, Pyroxenite Mineralization 18.90 - 23.60 Structure 18.90 - 23.60 18.90 - 23.60 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805437	3.00	4.50	1.50	0.0333	0.0346	0.0064
E805438	4.50	6.00	1.50	0.0403	0.0383	0.0065
E805439	6.00	7.50	1.50	0.0298	0.0225	0.0059
E805440	7.50	9.00	1.50	0.0156	0.0151	0.0044
E805442	9.00	10.50	1.50	0.0347	0.0324	0.0061
E805443	10.50	12.00	1.50	0.0310	0.0284	0.0063
E805444	12.00	13.50	1.50	0.2267	0.1047	0.0102
E805445	13.50	15.00	1.50	0.7862	0.2612	0.0274
E805446	15.00	16.50	1.50	0.1932	0.0534	0.0087
E805447	16.50	18.00	1.50	0.1430	0.0631	0.0064
E805448	18.00	18.90	0.90	0.5042	0.0938	0.0096
E805449	18.90	20.00	1.10	0.7250	0.4716	0.0117
E805450	20.00	21.00	1.00	0.5453	0.6857	0.0068
E805451	21.00	22.00	1.00	0.1568	0.2619	0.0044
E805452	22.00	23.60	1.60	0.1083	0.1584	0.0042

Hole Number: KB-07-33

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
23.60	25.30	FD, Felsic Dike Mineralization 23.60 - 25.30 Structure 23.60 - 25.30 23.60 - 25.30 : UC Upper Contact, 60 Deg to CA	E805453	23.60	25.30	1.70	0.0050	0.0063	0.0010
25.30	32.70	GAB, Gabbro Mineralization 25.30 - 32.20 Structure 25.30 - 32.20 25.30 - 32.20 : UC Upper Contact, 80 Deg to CA	E805454	25.30	27.00	1.70	0.1338	0.1386	0.0056
			E805455	27.00	28.50	1.50	0.0297	0.0261	0.0055
			E805457	28.50	30.00	1.50	0.1720	0.0774	0.0056
			E805458	30.00	31.50	1.50	0.1289	0.0844	0.0050
			E805459	31.50	32.70	1.20	0.0168	0.0131	0.0036
32.70	34.10	PYXT, Pyroxenite Mineralization 32.70 - 34.10 Structure 32.70 - 34.10	E805460	32.70	33.50	0.80	4.2724	3.5220	0.0395
			E805461	33.50	34.10	0.60	4.7244	1.3395	0.0432
34.10	37.20	GAB, Gabbro Mineralization 34.10 - 36.20 36.20 - 37.20 Structure 34.10 - 37.20 34.10 - 37.20 : UC Upper Contact, 65 Deg to CA	E805463	34.10	35.50	1.40	0.1133	0.2631	0.0059
			E805464	35.50	36.20	0.70	0.0550	0.0961	0.0061
			E805465	36.20	37.20	1.00	5.6100	1.1059	0.0970
37.20	38.60	MV, Mafic Volcanic Narrow delsic dikes thrughout Mineralization 37.20 - 38.60 Structure 37.20 - 38.60 : MODFOL Moderately Foliated, 60 Deg to CA 37.20 - 38.60 : UC Upper Contact, 80 Deg to CA	E805466	37.20	38.60	1.40	0.0287	0.0187	0.0048
38.60	45.30	PYXT, Pyroxenite Mineralization 38.60 - 45.30 Structure 38.60 - 45.30 : STRFOL Strongly Foliated, 45 Deg to CA 38.60 - 45.30 : UC Upper Contact, 65 Deg to CA	E805467	38.60	40.00	1.40	0.0900	0.0254	0.0059
			E805468	40.00	41.00	1.00	0.1244	0.0579	0.0065
			E805469	41.00	42.00	1.00	0.1127	0.0504	0.0074
			E805470	42.00	43.00	1.00	0.1955	0.0895	0.0100
			E805471	43.00	44.00	1.00	0.4197	0.2233	0.0148
			E805472	44.00	45.30	1.30	0.1962	0.0950	0.0100

Hole Number: KB-07-33

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
45.30	47.10	MDCHL, Mafic Dike Chloritic Mineralization 45.30 - 47.10 Structure 45.30 - 47.10 45.30 - 47.10 : UC Upper Contact, 40 Deg to CA	E805473	45.30	47.10	1.80	0.0066	0.0053	0.0023
47.10	50.70	TSCH, Talc Schist Narrow mafic dike within this unit. Mineralization 47.10 - 50.70 Structure 47.10 - 50.70 : STRFOL Strongly Foliated, 45 Deg to CA 47.10 - 50.70 : UC Upper Contact, 70 Deg to CA	E805474	47.10	48.00	0.90	0.3953	0.1141	0.0077
			E805475	48.00	49.00	1.00	0.1756	0.0537	0.0082
			E805476	49.00	50.00	1.00	0.1030	0.0391	0.0065
			E805478	50.00	50.70	0.70	0.0651	0.0375	0.0051
50.70	54.10	PYXT, Pyroxenite Mineralization 50.70 - 54.10 Structure 50.70 - 54.10 : STRFOL Strongly Foliated, 40 Deg to CA 50.70 - 54.10 : UC Upper Contact, 25 Deg to CA	E805479	50.70	52.00	1.30	0.5740	0.2146	0.0176
			E805480	52.00	53.00	1.00	0.5237	0.2033	0.0149
			E805481	53.00	54.10	1.10	0.3090	0.2565	0.0207
54.10	55.50	MDCHL, Mafic Dike Chloritic Mineralization 54.10 - 55.50 Structure 54.10 - 55.50 54.10 - 55.50 : UC Upper Contact, 30 Deg to CA	E805482	54.10	55.50	1.40	0.0159	0.0087	0.0025
55.50	60.30	PYXT, Pyroxenite Mineralization 55.50 - 60.30 Structure 55.50 - 60.30 : MODFOL Moderately Foliated, 45 Deg to CA 55.50 - 60.30 : UC Upper Contact, 30 Deg to CA	E805483	55.50	56.50	1.00	0.2898	0.1038	0.0098
			E805484	56.50	57.50	1.00	0.8258	0.3940	0.0206
			E805486	57.50	58.50	1.00	0.5004	0.2475	0.0143
			E805487	58.50	59.50	1.00	0.0985	0.1485	0.0040
			E805488	59.50	60.30	0.80	0.5615	0.2151	0.0077
60.30	100.00	MV, Mafic Volcanic Mineralization 60.30 - 100.00 Structure 60.30 - 100.00 60.30 - 100.00 : UC Upper Contact, 40 Deg to CA	E805489	60.30	61.50	1.20	0.0214	0.0148	0.0049
			E805490	61.50	63.00	1.50	0.0042	0.0048	0.0021
			E805491	63.00	64.00	1.00	0.0047	0.0028	0.0023
			E805492	64.00	65.50	1.50	0.0089	0.0049	0.0037

Hole Number: KB-07-33 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805437	3.00	4.50	0.0333	0.0346	0.0064
E805438	4.50	6.00	0.0403	0.0383	0.0065
E805439	6.00	7.50	0.0298	0.0225	0.0059
E805440	7.50	9.00	0.0156	0.0151	0.0044
E805442	9.00	10.50	0.0347	0.0324	0.0061
E805443	10.50	12.00	0.0310	0.0284	0.0063
E805444	12.00	13.50	0.2267	0.1047	0.0102
E805445	13.50	15.00	0.7862	0.2612	0.0274
E805446	15.00	16.50	0.1932	0.0534	0.0087
E805447	16.50	18.00	0.1430	0.0631	0.0064
E805448	18.00	18.90	0.5042	0.0938	0.0096
E805449	18.90	20.00	0.7250	0.4716	0.0117
E805450	20.00	21.00	0.5453	0.6857	0.0068
E805451	21.00	22.00	0.1568	0.2619	0.0044
E805452	22.00	23.60	0.1083	0.1584	0.0042
E805453	23.60	25.30	0.0050	0.0063	0.0010
E805454	25.30	27.00	0.1338	0.1386	0.0056
E805455	27.00	28.50	0.0297	0.0261	0.0055
E805457	28.50	30.00	0.1720	0.0774	0.0056
E805458	30.00	31.50	0.1289	0.0844	0.0050
E805459	31.50	32.70	0.0168	0.0131	0.0036
E805460	32.70	33.50	4.2724	3.5220	0.0395
E805461	33.50	34.10	4.7244	1.3395	0.0432
E805463	34.10	35.50	0.1133	0.2631	0.0059
E805464	35.50	36.20	0.0550	0.0961	0.0061
E805465	36.20	37.20	5.6100	1.1059	0.0970
E805466	37.20	38.60	0.0287	0.0187	0.0048
E805467	38.60	40.00	0.0900	0.0254	0.0059
E805468	40.00	41.00	0.1244	0.0579	0.0065
E805469	41.00	42.00	0.1127	0.0504	0.0074
E805470	42.00	43.00	0.1955	0.0895	0.0100
E805471	43.00	44.00	0.4197	0.2233	0.0148
E805472	44.00	45.30	0.1962	0.0950	0.0100
E805473	45.30	47.10	0.0066	0.0053	0.0023
E805474	47.10	48.00	0.3953	0.1141	0.0077
E805475	48.00	49.00	0.1756	0.0537	0.0082
E805476	49.00	50.00	0.1030	0.0391	0.0065

Hole Number: KB-07-33

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805478	50.00	50.70	0.0651	0.0375	0.0051
E805479	50.70	52.00	0.5740	0.2146	0.0176
E805480	52.00	53.00	0.5237	0.2033	0.0149
E805481	53.00	54.10	0.3090	0.2565	0.0207
E805482	54.10	55.50	0.0159	0.0087	0.0025
E805483	55.50	56.50	0.2898	0.1038	0.0098
E805484	56.50	57.50	0.8258	0.3940	0.0206
E805486	57.50	58.50	0.5004	0.2475	0.0143
E805487	58.50	59.50	0.0985	0.1485	0.0040
E805488	59.50	60.30	0.5615	0.2151	0.0077
E805489	60.30	61.50	0.0214	0.0148	0.0049
E805490	61.50	63.00	0.0042	0.0048	0.0021
E805491	63.00	64.00	0.0047	0.0028	0.0023
E805492	64.00	65.50	0.0089	0.0049	0.0037

DETAILED LOG

Hole Number: KB-07-32 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North: 5481541.00			North: 5481541.00		Collar Az: 306.90
Location:	Surface	East: 453907.50			East: 453907.50		Length: 50.00 (m)
		Elev: 394.29			Elev: 394.29		Start Depth: 0.00 (m)
Date Started:	Apr 25, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 50.00 (m)
Date Completed:	Apr 26, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey: N		Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	6.00	30.50	24.50	0.2237	0.1267	0.0095
WEIGHTED	23.00	30.50	7.50	0.3659	0.2309	0.0107
WEIGHTED	23.00	30.50	7.50	0.3659	0.2309	0.0107

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
9.00	306.90	-47.30	EZ	OK		50.00	306.00	-46.90	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	5.00	CAS, Casing
5.00	7.40	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 5.00 - 7.40 Structure 5.00 - 7.40
7.40	14.40	GAB, Gabbro Mineralization 7.40 - 14.40 Structure 7.40 - 14.40 7.40 - 14.40 : UC Upper Contact, 75 Deg to CA
14.40	15.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 14.40 - 15.60 Structure 14.40 - 15.60 14.40 - 15.60 : UC Upper Contact, 90 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805407	5.00	6.00	1.00	0.0122	0.0126	0.0050
E805408	6.00	7.40	1.40	0.2001	0.1769	0.0085
E805409	7.40	9.00	1.60	0.9559	0.3402	0.0415
E805410	9.00	10.50	1.50	0.0608	0.0618	0.0043
E805412	10.50	12.00	1.50	0.0619	0.0404	0.0045
E805413	12.00	13.50	1.50	0.0536	0.0625	0.0043
E805414	13.50	14.40	0.90	0.0103	0.0257	0.0035
E805415	14.40	15.60	1.20	0.0416	0.0279	0.0057

DETAILED LOG

Hole Number: KB-07-32

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
15.60	18.60	PYXT, Pyroxenite Mineralization 15.60 - 18.60 Structure 15.60 - 18.60 : STRFOL Strongly Foliated, 55 Deg to CA 15.60 - 18.60 : UC Upper Contact, 45 Deg to CA
18.60	19.70	MDCHL, Mafic Dike Chloritic Structure 18.60 - 19.70 18.60 - 19.70 : UC Upper Contact, 60 Deg to CA
19.70	30.50	PYXT, Pyroxenite Mineralization 19.70 - 30.50 Structure 19.70 - 30.50 : STRFOL Strongly Foliated, 45 Deg to CA 19.70 - 30.50 : UC Upper Contact, 70 Deg to CA
30.50	31.60	MV, Mafic Volcanic Mineralization 30.50 - 31.60 Structure 30.50 - 31.60 : MODFOL Moderately Foliated, 40 Deg to CA 30.50 - 31.60 : UC Upper Contact, 40 Deg to CA
31.60	32.70	MDCHL, Mafic Dike Chloritic Mineralization 31.60 - 32.70 Structure 31.60 - 32.70 : UC Upper Contact, 40 Deg to CA
32.70	50.00	MV, Mafic Volcanic Mineralization 32.70 - 50.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805416	15.60	16.60	1.00	0.0773	0.0379	0.0054
E805417	16.60	17.60	1.00	0.0561	0.0197	0.0055
E805418	17.60	18.60	1.00	0.1383	0.0543	0.0077
E805419	18.60	19.70	1.10	0.0083	0.0044	0.0025
E805420	19.70	21.00	1.30	0.1102	0.0564	0.0074
E805421	21.00	22.00	1.00	0.0820	0.0431	0.0069
E805422	22.00	23.00	1.00	0.0962	0.0448	0.0065
E805424	23.00	24.00	1.00	0.3036	0.1475	0.0120
E805425	24.00	25.00	1.00	0.5072	0.2236	0.0156
E805426	25.00	26.00	1.00	0.1381	0.0591	0.0074
E805427	26.00	27.00	1.00	0.3918	0.2021	0.0118
E805428	27.00	28.00	1.00	0.4126	0.3842	0.0098
E805430	28.00	29.00	1.00	0.6204	0.2406	0.0129
E805431	29.00	30.50	1.50	0.2471	0.3164	0.0073
E805432	30.50	31.60	1.10	0.0536	0.0473	0.0053
E805433	31.60	32.70	1.10	0.0138	0.0088	0.0030
E805434	32.70	34.00	1.30	0.0154	0.0139	0.0058
E805435	34.00	35.00	1.00	0.0149	0.0072	0.0070
E805436	35.00	36.00	1.00	0.0132	0.0071	0.0059

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805407	5.00	6.00	0.0122	0.0126	0.0050
E805408	6.00	7.40	0.2001	0.1769	0.0085
E805409	7.40	9.00	0.9559	0.3402	0.0415

Hole Number: KB-07-32

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805410	9.00	10.50	0.0608	0.0618	0.0043
E805412	10.50	12.00	0.0619	0.0404	0.0045
E805413	12.00	13.50	0.0536	0.0625	0.0043
E805414	13.50	14.40	0.0103	0.0257	0.0035
E805415	14.40	15.60	0.0416	0.0279	0.0057
E805416	15.60	16.60	0.0773	0.0379	0.0054
E805417	16.60	17.60	0.0561	0.0197	0.0055
E805418	17.60	18.60	0.1383	0.0543	0.0077
E805419	18.60	19.70	0.0083	0.0044	0.0025
E805420	19.70	21.00	0.1102	0.0564	0.0074
E805421	21.00	22.00	0.0820	0.0431	0.0069
E805422	22.00	23.00	0.0962	0.0448	0.0065
E805424	23.00	24.00	0.3036	0.1475	0.0120
E805425	24.00	25.00	0.5072	0.2236	0.0156
E805426	25.00	26.00	0.1381	0.0591	0.0074
E805427	26.00	27.00	0.3918	0.2021	0.0118
E805428	27.00	28.00	0.4126	0.3842	0.0098
E805430	28.00	29.00	0.6204	0.2406	0.0129
E805431	29.00	30.50	0.2471	0.3164	0.0073
E805432	30.50	31.60	0.0536	0.0473	0.0053
E805433	31.60	32.70	0.0138	0.0088	0.0030
E805434	32.70	34.00	0.0154	0.0139	0.0058
E805435	34.00	35.00	0.0149	0.0072	0.0070
E805436	35.00	36.00	0.0132	0.0071	0.0059

DETAILED LOG

Hole Number: KB-07-31

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481570.00	North:	5481570.00	Collar Az:	308.40
Location:	Surface	East:	454018.50	East:	454018.50	Length:	50.00 (m)
		Elev:	396.81	Elev:	396.81	Start Depth:	0.00 (m)
Date Started:	Apr 25, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	50.00 (m)
Date Completed:	Apr 25, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	13.50	20.00	6.50	0.6557	0.2130	0.0203
WEIGHTED	13.50	41.00	27.50	0.3170	0.1119	0.0115
WEIGHTED	13.50	43.90	30.40	0.2971	0.1062	0.0110

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
50.00	308.40	-45.70	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	3.00	CAS, Casing
3.00	12.60	MV, Mafic Volcanic Structure 3.00 - 12.60 : MODFOL Moderately Foliated, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805359	3.00	4.50	1.50	0.0105	0.0085	0.0043
E805360	4.50	6.00	1.50	0.0109	0.0101	0.0050
E805361	6.00	7.50	1.50	0.0143	0.0140	0.0062
E805362	7.50	9.00	1.50	0.0129	0.0117	0.0059
E805363	9.00	10.50	1.50	0.0103	0.0094	0.0055
E805364	10.50	11.50	1.00	0.0080	0.0089	0.0047
E805365	11.50	12.60	1.10	0.0322	0.0253	0.0061

Hole Number: KB-07-31

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
12.60	43.90	GABPYXT, Gabbro Pyroxenite Dikes Narrow 0.40 metre wide MDchl dyke at contact sheared. Mineralization 12.60 - 20.00 20.00 - 43.90 Structure 12.60 - 43.90 : MODFOL Moderately Foliated, 45 Deg to CA	E805366	12.60	13.50	0.90	0.0667	0.0076	0.0053
			E805367	13.50	14.50	1.00	0.8478	0.2946	0.0264
			E805369	14.50	15.50	1.00	1.1120	0.3821	0.0312
			E805370	15.50	16.50	1.00	0.5399	0.1790	0.0169
			E805371	16.50	17.50	1.00	0.6085	0.2462	0.0204
			E805372	17.50	18.50	1.00	0.3031	0.0928	0.0104
			E805373	18.50	20.00	1.50	0.5671	0.1265	0.0179
			E805375	20.00	21.00	1.00	0.0161	0.0162	0.0045
			E805376	21.00	22.00	1.00	0.0072	0.0155	0.0030
			E805377	22.00	23.00	1.00	0.3677	0.1492	0.0136
			E805378	23.00	24.00	1.00	0.2354	0.0865	0.0102
			E805379	24.00	25.00	1.00	0.0271	0.0349	0.0054
			E805380	25.00	26.00	1.00	0.2241	0.1210	0.0093
			E805381	26.00	27.00	1.00	0.1564	0.0615	0.0087
			E805382	27.00	28.00	1.00	0.1632	0.0463	0.0065
			E805383	28.00	29.00	1.00	0.7775	0.1980	0.0204
			E805384	29.00	30.00	1.00	0.3231	0.0955	0.0156
			E805385	30.00	31.00	1.00	0.0715	0.0216	0.0046
			E805386	31.00	32.00	1.00	0.1179	0.0442	0.0055
			E805388	32.00	33.00	1.00	0.5431	0.1250	0.0173
			E805389	33.00	34.00	1.00	0.1143	0.0489	0.0066
			E805390	34.00	35.00	1.00	0.0350	0.0358	0.0040
			E805391	35.00	36.00	1.00	0.2209	0.2404	0.0087
			E805392	36.00	37.00	1.00	0.3639	0.1218	0.0112
			E805393	37.00	38.00	1.00	0.2240	0.0752	0.0088
			E805394	38.00	39.00	1.00	0.1995	0.0819	0.0087
			E805395	39.00	40.00	1.00	0.1090	0.0376	0.0060
			E805396	40.00	41.00	1.00	0.1582	0.0351	0.0058
			E805398	41.00	42.00	1.00	0.0522	0.0306	0.0046
			E805399	42.00	43.00	1.00	0.1388	0.0658	0.0071
			E805400	43.00	43.90	0.90	0.1369	0.0631	0.0068
43.90	50.00	MV, Mafic Volcanic Structure 43.90 - 50.00 43.90 - 50.00 : UC Upper Contact, 60 Deg to CA	E805401	43.90	45.00	1.10	0.0133	0.0200	0.0042
			E805402	45.00	46.00	1.00	0.0100	0.0092	0.0046
			E805403	46.00	47.00	1.00	0.0115	0.0193	0.0043
			E805404	47.00	48.00	1.00	0.0117	0.0195	0.0040
			E805405	48.00	49.00	1.00	0.0122	0.0141	0.0042
			E805406	49.00	50.00	1.00	0.0105	0.0105	0.0041

Hole Number: KB-07-31 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805359	3.00	4.50	0.0105	0.0085	0.0043
E805360	4.50	6.00	0.0109	0.0101	0.0050
E805361	6.00	7.50	0.0143	0.0140	0.0062
E805362	7.50	9.00	0.0129	0.0117	0.0059
E805363	9.00	10.50	0.0103	0.0094	0.0055
E805364	10.50	11.50	0.0080	0.0089	0.0047
E805365	11.50	12.60	0.0322	0.0253	0.0061
E805366	12.60	13.50	0.0667	0.0076	0.0053
E805367	13.50	14.50	0.8478	0.2946	0.0264
E805369	14.50	15.50	1.1120	0.3821	0.0312
E805370	15.50	16.50	0.5399	0.1790	0.0169
E805371	16.50	17.50	0.6085	0.2462	0.0204
E805372	17.50	18.50	0.3031	0.0928	0.0104
E805373	18.50	20.00	0.5671	0.1265	0.0179
E805375	20.00	21.00	0.0161	0.0162	0.0045
E805376	21.00	22.00	0.0072	0.0155	0.0030
E805377	22.00	23.00	0.3677	0.1492	0.0136
E805378	23.00	24.00	0.2354	0.0865	0.0102
E805379	24.00	25.00	0.0271	0.0349	0.0054
E805380	25.00	26.00	0.2241	0.1210	0.0093
E805381	26.00	27.00	0.1564	0.0615	0.0087
E805382	27.00	28.00	0.1632	0.0463	0.0065
E805383	28.00	29.00	0.7775	0.1980	0.0204
E805384	29.00	30.00	0.3231	0.0955	0.0156
E805385	30.00	31.00	0.0715	0.0216	0.0046
E805386	31.00	32.00	0.1179	0.0442	0.0055
E805388	32.00	33.00	0.5431	0.1250	0.0173
E805389	33.00	34.00	0.1143	0.0489	0.0066
E805390	34.00	35.00	0.0350	0.0358	0.0040
E805391	35.00	36.00	0.2209	0.2404	0.0087
E805392	36.00	37.00	0.3639	0.1218	0.0112
E805393	37.00	38.00	0.2240	0.0752	0.0088
E805394	38.00	39.00	0.1995	0.0819	0.0087
E805395	39.00	40.00	0.1090	0.0376	0.0060
E805396	40.00	41.00	0.1582	0.0351	0.0058
E805398	41.00	42.00	0.0522	0.0306	0.0046
E805399	42.00	43.00	0.1388	0.0658	0.0071

Hole Number: KB-07-31

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805400	43.00	43.90	0.1369	0.0631	0.0068
E805401	43.90	45.00	0.0133	0.0200	0.0042
E805402	45.00	46.00	0.0100	0.0092	0.0046
E805403	46.00	47.00	0.0115	0.0193	0.0043
E805404	47.00	48.00	0.0117	0.0195	0.0040
E805405	48.00	49.00	0.0122	0.0141	0.0042
E805406	49.00	50.00	0.0105	0.0105	0.0041

DETAILED LOG

Hole Number: KB-07-30

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -87.00
Project Number:	19900	North:	5481586.00		North:	5481586.00	Collar Az: 315.60
Location:	Surface	East:	453999.60		East:	453999.60	Length: 167.00 (m)
		Elev:	392.90		Elev:	392.90	Start Depth: 0.00 (m)
Date Started:	Apr 23, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 167.00 (m)
Date Completed:	Apr 24, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Left in Hole			

Comments: Hole stopped. Purpose of hole was to twin the upper portion of historical hole F- .

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	5.60	13.00	7.40	0.5191	0.2380	0.0148
WEIGHTED	5.60	37.20	31.60	0.2369	0.1099	0.0089
WEIGHTED	17.50	37.20	19.70	0.1836	0.0843	0.0077
WEIGHTED	71.00	77.00	6.00	0.3024	0.2208	0.0098
WEIGHTED	131.00	153.00	22.00	0.6361	0.1936	0.0226
WEIGHTED	138.50	153.00	14.50	0.9328	0.2742	0.0311
WEIGHTED	138.50	153.00	14.50	0.9328	0.2742	0.0311
WEIGHTED	143.00	148.85	5.85	1.6990	0.4153	0.0585
WEIGHTED	144.00	148.00	4.00	2.1003	0.3921	0.0753

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
9.00	315.60	-86.40	EZ	OK		50.00	313.30	-86.40	EZ	OK	
101.00	314.30	-86.60	EZ	OK		150.00	314.70	-86.30	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	5.60	CAS, Casing							
5.60	7.75	GAB, Gabbro Mineralization 5.60 - 7.75 Narrow pyroxenite dykes carry sulphides. Structure 5.60 - 7.75	E805217	5.60	6.50	0.90	0.2789	0.0483	0.0106
			E805218	6.50	7.75	1.25	0.6718	0.2039	0.0211
7.75	9.95	PYXT, Pyroxenite Mineralization 7.75 - 9.95 Structure 7.75 - 9.95	E805219	7.75	8.50	0.75	1.1316	0.5156	0.0277
			E805220	8.50	9.95	1.45	0.6087	0.2232	0.0166

Hole Number: KB-07-30

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
9.95	37.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 9.95 - 23.30 Structure 9.95 - 23.30 9.95 - 23.30 : UC Upper Contact, 30 Deg to CA	E805221	9.95	11.50	1.55	0.1508	0.2794	0.0055
			E805222	11.50	13.00	1.50	0.5238	0.2130	0.0134
			E805223	13.00	14.50	1.50	0.0064	0.0138	0.0040
			E805225	14.50	16.00	1.50	0.0058	0.0129	0.0044
			E805226	16.00	17.50	1.50	0.0064	0.0077	0.0046
			E805227	17.50	19.00	1.50	0.1336	0.0513	0.0076
			E805228	19.00	20.50	1.50	0.1553	0.1096	0.0063
			E805230	20.50	22.00	1.50	0.2077	0.1383	0.0079
			E805231	22.00	23.00	1.00	0.3026	0.1965	0.0108
			E805232	23.00	24.00	1.00	0.4274	0.1247	0.0131
			E805233	24.00	25.00	1.00	0.4642	0.0663	0.0142
			E805234	25.00	26.00	1.00	0.0231	0.0156	0.0038
			E805235	26.00	27.00	1.00	0.1192	0.0421	0.0056
			E805236	27.00	28.00	1.00	0.1289	0.0815	0.0060
			E805237	28.00	29.00	1.00	0.1239	0.0821	0.0064
			E805238	29.00	30.00	1.00	0.2155	0.0664	0.0090
			E805239	30.00	31.00	1.00	0.1646	0.0662	0.0073
			E805240	31.00	32.00	1.00	0.1637	0.0976	0.0076
			E805241	32.00	33.00	1.00	0.0424	0.0692	0.0033
			E805242	33.00	34.00	1.00	0.0614	0.0283	0.0043
			E805243	34.00	35.00	1.00	0.1190	0.0726	0.0067
			E805244	35.00	36.00	1.00	0.1884	0.1364	0.0077
			E805245	36.00	37.20	1.20	0.2734	0.0554	0.0105

Hole Number: KB-07-30

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
37.20	70.00	MV, Mafic Volcanic Mineralization 37.20 - 70.00 Rare bleb, stringer. Structure 37.20 - 70.00 37.20 - 70.00 : UC Upper Contact, 40 Deg to CA	E805246	37.20	39.00	1.80	0.0359	0.0352	0.0052
			E805247	39.00	40.50	1.50	0.0099	0.0130	0.0034
			E805248	40.50	42.00	1.50	0.0106	0.0121	0.0038
			E805249	42.00	43.50	1.50	0.0093	0.0111	0.0035
			E805251	43.50	45.00	1.50	0.0093	0.0134	0.0033
			E805252	45.00	46.50	1.50	0.0097	0.0118	0.0036
			E805253	46.50	48.00	1.50	0.0117	0.0088	0.0044
			E805254	48.00	49.50	1.50	0.0088	0.0092	0.0033
			E805255	49.50	51.00	1.50	0.0093	0.0104	0.0032
			E805256	51.00	52.50	1.50	0.0094	0.0129	0.0034
			E805257	52.50	54.00	1.50	0.0099	0.0103	0.0037
			E805258	54.00	55.50	1.50	0.0084	0.0080	0.0030
			E805259	55.50	57.00	1.50	0.0083	0.0086	0.0032
			E805261	57.00	58.50	1.50	0.0088	0.0152	0.0033
			E805262	58.50	60.00	1.50	0.0098	0.0111	0.0034
			E805263	60.00	61.50	1.50	0.0085	0.0134	0.0033
			E805264	61.50	63.00	1.50	0.0102	0.0091	0.0039
			E805265	63.00	64.50	1.50	0.0088	0.0094	0.0035
			E805266	64.50	66.00	1.50	0.0079	0.0089	0.0027
			E805268	66.00	67.50	1.50	0.0083	0.0121	0.0031
			E805269	67.50	68.50	1.00	0.0081	0.0113	0.0028
			E805270	68.50	70.00	1.50	0.0085	0.0160	0.0032
70.00	81.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 70.00 - 75.32 75.32 - 81.00 Structure 70.00 - 75.32 70.00 - 75.32 : UC Upper Contact, 80 Deg to CA	E805271	70.00	71.00	1.00	0.0208	0.0093	0.0036
			E805272	71.00	72.00	1.00	0.2671	0.1624	0.0078
			E805273	72.00	73.00	1.00	0.7002	0.6259	0.0144
			E805274	73.00	74.00	1.00	0.0181	0.0172	0.0040
			E805275	74.00	75.00	1.00	0.2979	0.0686	0.0115
			E805276	75.00	76.00	1.00	0.3156	0.2309	0.0115
			E805277	76.00	77.00	1.00	0.2156	0.2198	0.0093
			E805278	77.00	78.00	1.00	0.0658	0.0397	0.0057
			E805279	78.00	79.00	1.00	0.1177	0.0384	0.0074
			E805280	79.00	80.00	1.00	0.0634	0.0392	0.0050
			E805281	80.00	81.00	1.00	0.0586	0.0355	0.0050

Hole Number: KB-07-30 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
81.00	96.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 81.00 - 96.00 Structure 81.00 - 96.00	E805283	81.00	82.00	1.00	0.0549	0.0395	0.0050
			E805284	82.00	83.00	1.00	0.0752	0.0512	0.0059
			E805285	83.00	84.00	1.00	0.0728	0.0380	0.0056
			E805286	84.00	85.00	1.00	0.0601	0.0300	0.0050
			E805287	85.00	86.00	1.00	0.0578	0.0389	0.0057
			E805288	86.00	87.00	1.00	0.0586	0.0389	0.0048
			E805289	87.00	88.00	1.00	0.0738	0.0390	0.0056
			E805290	88.00	89.00	1.00	0.0551	0.0457	0.0052
			E805291	89.00	90.00	1.00	0.0671	0.0319	0.0053
			E805292	90.00	91.00	1.00	0.0997	0.0569	0.0058
			E805293	91.00	92.00	1.00	0.1069	0.0596	0.0064
			E805294	92.00	93.00	1.00	0.1123	0.0828	0.0067
			E805296	93.00	94.00	1.00	0.0448	0.0089	0.0039
			E805297	94.00	95.00	1.00	0.0287	0.0073	0.0037
			E805298	95.00	96.00	1.00	0.0401	0.0133	0.0037
96.00	102.00	MV, Mafic Volcanic Pyroxenite dikes throughout. Mineralization 96.00 - 102.00 Structure 96.00 - 102.00	E805299	96.00	97.00	1.00	0.0125	0.0273	0.0041
			E805300	97.00	98.00	1.00	0.0095	0.0088	0.0034
			E805301	98.00	99.00	1.00	0.0099	0.0114	0.0035
			E805302	99.00	100.00	1.00	0.0106	0.0158	0.0040
			E805303	100.00	101.00	1.00	0.0110	0.0177	0.0041
			E805304	101.00	102.00	1.00	0.0109	0.0106	0.0036
102.00	105.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 102.00 - 105.00 Structure 102.00 - 105.00	E805305	102.00	103.00	1.00	0.0242	0.0243	0.0044
			E805306	103.00	104.00	1.00	0.1057	0.0593	0.0056
			E805307	104.00	105.00	1.00	0.0748	0.0407	0.0052
105.00	106.40	FD, Felsic Dike Structure 105.00 - 106.40 105.00 - 106.40 : UC Upper Contact, 45 Deg to CA	E805308	105.00	106.40	1.40	0.0052	0.0049	0.0022
106.40	114.35	MV, Mafic Volcanic Mineralization 106.40 - 114.35 Structure 106.40 - 114.35 106.40 - 114.35 : UC Upper Contact, 25 Deg to CA	E805309	106.40	107.50	1.10	0.0109	0.0201	0.0037
			E805310	107.50	109.00	1.50	0.0119	0.0107	0.0041
			E805311	109.00	110.50	1.50	0.0137	0.0175	0.0042
			E805312	110.50	112.00	1.50	0.0135	0.0070	0.0042
			E805314	112.00	113.50	1.50	0.0113	0.0288	0.0042
			E805315	113.50	114.35	0.85	0.0119	0.0183	0.0040

Hole Number: KB-07-30 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
114.35	117.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 114.35 - 117.10 Structure 114.35 - 117.10 114.35 - 117.10 : UC Upper Contact, 30 Deg to CA	E805316	114.35	116.00	1.65	0.0165	0.0048	0.0036
			E805317	116.00	117.10	1.10	0.0471	0.0632	0.0037
117.10	131.00	MV, Mafic Volcanic Zero degree core axis to mmasive mafic volcanic. Pyroxenite dykes throughout. Mineralization 117.10 - 131.00 Structure 117.10 - 131.00 : MODFOL Moderately Foliated, 5 Deg to CA 117.10 - 131.00 : UC Upper Contact, 20 Deg to CA	E805318	117.10	118.50	1.40	0.0350	0.0238	0.0048
			E805319	118.50	120.00	1.50	0.0323	0.0156	0.0047
			E805320	120.00	121.50	1.50	0.0132	0.0109	0.0045
			E805321	121.50	123.00	1.50	0.0098	0.0150	0.0041
			E805322	123.00	124.50	1.50	0.0136	0.0165	0.0056
			E805323	124.50	126.00	1.50	0.0134	0.0079	0.0055
			E805325	126.00	127.50	1.50	0.0095	0.0081	0.0038
			E805326	127.50	129.00	1.50	0.0117	0.0107	0.0050
			E805327	129.00	130.00	1.00	0.0136	0.0126	0.0053
			E805328	130.00	131.00	1.00	0.0137	0.0142	0.0053
131.00	131.70	PYXT, Pyroxenite Mineralization 131.00 - 131.70 Structure 131.00 - 131.70 : MODFOL Moderately Foliated, 15 Deg to CA	E805329	131.00	131.70	0.70	0.4993	0.2754	0.0155
131.70	138.50	MV, Mafic Volcanic Structure 131.70 - 138.50 : MODFOL Moderately Foliated, 5 Deg to CA	E805330	131.70	133.00	1.30	0.0316	0.0223	0.0058
			E805331	133.00	135.50	2.50	0.0159	0.0121	0.0054
			E805332	135.50	137.00	1.50	0.0126	0.0112	0.0052
			E805333	137.00	138.50	1.50	0.0124	0.0099	0.0047
138.50	148.85	PYXT, Pyroxenite Dominant Pyroxenite dykes in Mafic Volcanic for upper section Mineralization 138.50 - 142.00 142.00 - 148.85 Structure 138.50 - 148.85 138.50 - 148.85 : UC Upper Contact, 25 Deg to CA	E805334	138.50	140.00	1.50	0.1882	0.0983	0.0085
			E805335	140.00	141.00	1.00	0.1166	0.0367	0.0060
			E805336	141.00	142.00	1.00	0.1329	0.0502	0.0060
			E805337	142.00	143.00	1.00	0.6856	0.7297	0.0212
			E805339	143.00	144.00	1.00	0.8093	0.8069	0.0216
			E805340	144.00	145.00	1.00	2.0611	0.1714	0.1356
			E805341	145.00	146.00	1.00	1.5895	0.2034	0.0496
			E805342	146.00	147.00	1.00	1.7303	0.1970	0.0420
			E805343	147.00	148.00	1.00	3.0202	0.9966	0.0738
			E805344	148.00	148.85	0.85	0.8574	0.0640	0.0234

Hole Number: KB-07-30

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
148.85	160.50	GAB, Gabbro Mineralization 148.85 - 160.50 Structure 148.85 - 160.50 148.85 - 160.50 : UC Upper Contact, 25 Deg to CA
160.50	164.00	FD, Felsic Dike Structure 160.50 - 164.00 : UC Upper Contact, 20 Deg to CA
164.00	167.00	GAB, Gabbro Fine grained. Hole stopped on purpose at the approximate vertical limit of the pit . This was a twinned hole for F-25. Mineralization 164.00 - 167.00 Structure 164.00 - 167.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805345	148.85	150.00	1.15	0.0294	0.0251	0.0038
E805346	150.00	151.15	1.15	1.2818	0.2147	0.0312
E805347	151.15	153.00	1.85	0.4655	0.1657	0.0122
E805348	153.00	154.50	1.50	0.0700	0.0893	0.0071
E805349	154.50	156.00	1.50	0.1026	0.0083	0.0121
E805350	156.00	157.50	1.50	0.0231	0.0129	0.0044
E805351	157.50	159.00	1.50	0.0280	0.0204	0.0061
E805352	159.00	160.50	1.50	0.0292	0.0383	0.0058
E805353	160.50	162.00	1.50	0.0063	0.0057	0.0022
E805354	162.00	163.00	1.00	0.0149	0.0121	0.0043
E805355	163.00	164.00	1.00	0.0050	0.0055	0.0021
E805356	164.00	165.00	1.00	0.2611	0.1661	0.0117
E805357	165.00	166.00	1.00	0.0201	0.0332	0.0050
E805358	166.00	167.00	1.00	0.0127	0.0049	0.0035

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805217	5.60	6.50	0.2789	0.0483	0.0106
E805218	6.50	7.75	0.6718	0.2039	0.0211
E805219	7.75	8.50	1.1316	0.5156	0.0277
E805220	8.50	9.95	0.6087	0.2232	0.0166
E805221	9.95	11.50	0.1508	0.2794	0.0055
E805222	11.50	13.00	0.5238	0.2130	0.0134
E805223	13.00	14.50	0.0064	0.0138	0.0040
E805225	14.50	16.00	0.0058	0.0129	0.0044
E805226	16.00	17.50	0.0064	0.0077	0.0046
E805227	17.50	19.00	0.1336	0.0513	0.0076
E805228	19.00	20.50	0.1553	0.1096	0.0063
E805230	20.50	22.00	0.2077	0.1383	0.0079
E805231	22.00	23.00	0.3026	0.1965	0.0108
E805232	23.00	24.00	0.4274	0.1247	0.0131
E805233	24.00	25.00	0.4642	0.0663	0.0142
E805234	25.00	26.00	0.0231	0.0156	0.0038
E805235	26.00	27.00	0.1192	0.0421	0.0056

Hole Number: KB-07-30 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805236	27.00	28.00	0.1289	0.0815	0.0060
E805237	28.00	29.00	0.1239	0.0821	0.0064
E805238	29.00	30.00	0.2155	0.0664	0.0090
E805239	30.00	31.00	0.1646	0.0662	0.0073
E805240	31.00	32.00	0.1637	0.0976	0.0076
E805241	32.00	33.00	0.0424	0.0692	0.0033
E805242	33.00	34.00	0.0614	0.0283	0.0043
E805243	34.00	35.00	0.1190	0.0726	0.0067
E805244	35.00	36.00	0.1884	0.1364	0.0077
E805245	36.00	37.20	0.2734	0.0554	0.0105
E805246	37.20	39.00	0.0359	0.0352	0.0052
E805247	39.00	40.50	0.0099	0.0130	0.0034
E805248	40.50	42.00	0.0106	0.0121	0.0038
E805249	42.00	43.50	0.0093	0.0111	0.0035
E805251	43.50	45.00	0.0093	0.0134	0.0033
E805252	45.00	46.50	0.0097	0.0118	0.0036
E805253	46.50	48.00	0.0117	0.0088	0.0044
E805254	48.00	49.50	0.0088	0.0092	0.0033
E805255	49.50	51.00	0.0093	0.0104	0.0032
E805256	51.00	52.50	0.0094	0.0129	0.0034
E805257	52.50	54.00	0.0099	0.0103	0.0037
E805258	54.00	55.50	0.0084	0.0080	0.0030
E805259	55.50	57.00	0.0083	0.0086	0.0032
E805261	57.00	58.50	0.0088	0.0152	0.0033
E805262	58.50	60.00	0.0098	0.0111	0.0034
E805263	60.00	61.50	0.0085	0.0134	0.0033
E805264	61.50	63.00	0.0102	0.0091	0.0039
E805265	63.00	64.50	0.0088	0.0094	0.0035
E805266	64.50	66.00	0.0079	0.0089	0.0027
E805268	66.00	67.50	0.0083	0.0121	0.0031
E805269	67.50	68.50	0.0081	0.0113	0.0028
E805270	68.50	70.00	0.0085	0.0160	0.0032
E805271	70.00	71.00	0.0208	0.0093	0.0036
E805272	71.00	72.00	0.2671	0.1624	0.0078
E805273	72.00	73.00	0.7002	0.6259	0.0144
E805274	73.00	74.00	0.0181	0.0172	0.0040
E805275	74.00	75.00	0.2979	0.0686	0.0115

Hole Number: KB-07-30

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805276	75.00	76.00	0.3156	0.2309	0.0115
E805277	76.00	77.00	0.2156	0.2198	0.0093
E805278	77.00	78.00	0.0658	0.0397	0.0057
E805279	78.00	79.00	0.1177	0.0384	0.0074
E805280	79.00	80.00	0.0634	0.0392	0.0050
E805281	80.00	81.00	0.0586	0.0355	0.0050
E805283	81.00	82.00	0.0549	0.0395	0.0050
E805284	82.00	83.00	0.0752	0.0512	0.0059
E805285	83.00	84.00	0.0728	0.0380	0.0056
E805286	84.00	85.00	0.0601	0.0300	0.0050
E805287	85.00	86.00	0.0578	0.0389	0.0057
E805288	86.00	87.00	0.0586	0.0389	0.0048
E805289	87.00	88.00	0.0738	0.0390	0.0056
E805290	88.00	89.00	0.0551	0.0457	0.0052
E805291	89.00	90.00	0.0671	0.0319	0.0053
E805292	90.00	91.00	0.0997	0.0569	0.0058
E805293	91.00	92.00	0.1069	0.0596	0.0064
E805294	92.00	93.00	0.1123	0.0828	0.0067
E805296	93.00	94.00	0.0448	0.0089	0.0039
E805297	94.00	95.00	0.0287	0.0073	0.0037
E805298	95.00	96.00	0.0401	0.0133	0.0037
E805299	96.00	97.00	0.0125	0.0273	0.0041
E805300	97.00	98.00	0.0095	0.0088	0.0034
E805301	98.00	99.00	0.0099	0.0114	0.0035
E805302	99.00	100.00	0.0106	0.0158	0.0040
E805303	100.00	101.00	0.0110	0.0177	0.0041
E805304	101.00	102.00	0.0109	0.0106	0.0036
E805305	102.00	103.00	0.0242	0.0243	0.0044
E805306	103.00	104.00	0.1057	0.0593	0.0056
E805307	104.00	105.00	0.0748	0.0407	0.0052
E805308	105.00	106.40	0.0052	0.0049	0.0022
E805309	106.40	107.50	0.0109	0.0201	0.0037
E805310	107.50	109.00	0.0119	0.0107	0.0041
E805311	109.00	110.50	0.0137	0.0175	0.0042
E805312	110.50	112.00	0.0135	0.0070	0.0042
E805314	112.00	113.50	0.0113	0.0288	0.0042
E805315	113.50	114.35	0.0119	0.0183	0.0040

Hole Number: KB-07-30

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805316	114.35	116.00	0.0165	0.0048	0.0036
E805317	116.00	117.10	0.0471	0.0632	0.0037
E805318	117.10	118.50	0.0350	0.0238	0.0048
E805319	118.50	120.00	0.0323	0.0156	0.0047
E805320	120.00	121.50	0.0132	0.0109	0.0045
E805321	121.50	123.00	0.0098	0.0150	0.0041
E805322	123.00	124.50	0.0136	0.0165	0.0056
E805323	124.50	126.00	0.0134	0.0079	0.0055
E805325	126.00	127.50	0.0095	0.0081	0.0038
E805326	127.50	129.00	0.0117	0.0107	0.0050
E805327	129.00	130.00	0.0136	0.0126	0.0053
E805328	130.00	131.00	0.0137	0.0142	0.0053
E805329	131.00	131.70	0.4993	0.2754	0.0155
E805330	131.70	133.00	0.0316	0.0223	0.0058
E805331	133.00	135.50	0.0159	0.0121	0.0054
E805332	135.50	137.00	0.0126	0.0112	0.0052
E805333	137.00	138.50	0.0124	0.0099	0.0047
E805334	138.50	140.00	0.1882	0.0983	0.0085
E805335	140.00	141.00	0.1166	0.0367	0.0060
E805336	141.00	142.00	0.1329	0.0502	0.0060
E805337	142.00	143.00	0.6856	0.7297	0.0212
E805339	143.00	144.00	0.8093	0.8069	0.0216
E805340	144.00	145.00	2.0611	0.1714	0.1356
E805341	145.00	146.00	1.5895	0.2034	0.0496
E805342	146.00	147.00	1.7303	0.1970	0.0420
E805343	147.00	148.00	3.0202	0.9966	0.0738
E805344	148.00	148.85	0.8574	0.0640	0.0234
E805345	148.85	150.00	0.0294	0.0251	0.0038
E805346	150.00	151.15	1.2818	0.2147	0.0312
E805347	151.15	153.00	0.4655	0.1657	0.0122
E805348	153.00	154.50	0.0700	0.0893	0.0071
E805349	154.50	156.00	0.1026	0.0083	0.0121
E805350	156.00	157.50	0.0231	0.0129	0.0044
E805351	157.50	159.00	0.0280	0.0204	0.0061
E805352	159.00	160.50	0.0292	0.0383	0.0058
E805353	160.50	162.00	0.0063	0.0057	0.0022
E805354	162.00	163.00	0.0149	0.0121	0.0043

Hole Number: KB-07-30

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805355	163.00	164.00	0.0050	0.0055	0.0021
E805356	164.00	165.00	0.2611	0.1661	0.0117
E805357	165.00	166.00	0.0201	0.0332	0.0050
E805358	166.00	167.00	0.0127	0.0049	0.0035

DETAILED LOG

Hole Number: KB-07-29 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North: 5481587.00			North: 5481587.00		Collar Az: 311.30
Location:	Surface	East: 453998.50			East: 453998.50		Length: 50.00 (m)
		Elev: 392.71			Elev: 392.71		Start Depth: 0.00 (m)
Date Started:	Apr 23, 2007	Collar Survey: Y		Plugged: N	Contractor: Morris Drilling		Final Depth: 50.00 (m)
Date Completed:	Apr 23, 2007	Multishot Survey: N		Hole Size: NQ	Core Storage: Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey: N		Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	16.00	18.00	2.00	0.1479	0.0974	0.0074

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
6.00	311.30	-44.70	EZ	OK		50.00	312.50	-43.90	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	4.50	CAS, Casing							
4.50	5.60	MV, Mafic Volcanic Structure 4.50 - 5.60 : MODFOL Moderately Foliated, 35 Deg to CA	E805194	4.50	5.60	1.10	0.0348	0.0180	0.0051
5.60	7.10	FD, Felsic Dike Structure 5.60 - 7.10 5.60 - 7.10 : UC Upper Contact, 60 Deg to CA	E805195	5.60	7.10	1.50	0.0016	0.0021	0.0006
7.10	10.50	GABPYXT, Gabbro Pyroxenite Dikes Sheared at upper cntact. Gradational mafic volcanic to gabbro. Mineralization 7.10 - 10.50 Structure 7.10 - 10.50 : MODFOL Moderately Foliated, 40 Deg to CA 7.10 - 10.50 : UC Upper Contact, 80 Deg to CA	E805196	7.10	8.50	1.40	0.0594	0.0257	0.0053
			E805197	8.50	9.50	1.00	0.0229	0.0163	0.0044
			E805198	9.50	10.50	1.00	0.0293	0.0156	0.0039
10.50	12.30	FD, Felsic Dike Structure 10.50 - 12.30 10.50 - 12.30 : UC Upper Contact, 35 Deg to CA	E805199	10.50	11.50	1.00	0.0026	0.0037	0.0015
			E805200	11.50	12.30	0.80	0.0031	0.0024	0.0020

DETAILED LOG

Hole Number: KB-07-29

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
12.30	13.90	MD, Mafic Dike Structure 12.30 - 13.90 : UC Upper Contact, 15 Deg to CA
13.90	20.90	GAB, Gabbro Variable gabbro to pyroxenite. Bottom 2 metres massive gabro. Mineralization 13.90 - 20.90 Structure 13.90 - 20.90 13.90 - 20.90 : UC Upper Contact, 45 Deg to CA
20.90	39.85	MV, Mafic Volcanic Narrow Pyroxenite Dykes mineralized 5-10 cm wide. Mineralization 20.90 - 23.00 Structure 20.90 - 39.85 20.90 - 39.85 : UC Upper Contact, 70 Deg to CA
39.85	40.90	MDCHL, Mafic Dike Chloritic Structure 39.85 - 40.90 39.85 - 40.90 : UC Upper Contact, 45 Deg to CA
40.90	50.00	MV, Mafic Volcanic Structure 40.90 - 50.00 : UC Upper Contact, 70 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805201	12.30	13.90	1.60	0.0047	0.0060	0.0025
E805202	13.90	15.00	1.10	0.0081	0.0142	0.0031
E805204	15.00	16.00	1.00	0.0789	0.0474	0.0054
E805205	16.00	17.00	1.00	0.2169	0.1404	0.0090
E805207	17.00	18.00	1.00	0.0788	0.0543	0.0058
E805208	18.00	19.00	1.00	0.0175	0.0090	0.0031
E805209	19.00	20.00	1.00	0.0060	0.0149	0.0021
E805210	20.00	20.90	0.90	0.0247	0.0162	0.0026
E805211	20.90	22.00	1.10	0.0598	0.0371	0.0057
E805212	22.00	23.00	1.00	0.0820	0.0682	0.0059
E805213	23.00	24.00	1.00	0.0084	0.0096	0.0031
E805214	24.00	25.00	1.00	0.0133	0.0098	0.0034
E805215	25.00	26.00	1.00	0.0110	0.0192	0.0038
E805216	26.00	27.00	1.00	0.0099	0.0123	0.0037

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805194	4.50	5.60	0.0348	0.0180	0.0051
E805195	5.60	7.10	0.0016	0.0021	0.0006
E805196	7.10	8.50	0.0594	0.0257	0.0053
E805197	8.50	9.50	0.0229	0.0163	0.0044
E805198	9.50	10.50	0.0293	0.0156	0.0039
E805199	10.50	11.50	0.0026	0.0037	0.0015
E805200	11.50	12.30	0.0031	0.0024	0.0020
E805201	12.30	13.90	0.0047	0.0060	0.0025
E805202	13.90	15.00	0.0081	0.0142	0.0031
E805204	15.00	16.00	0.0789	0.0474	0.0054
E805205	16.00	17.00	0.2169	0.1404	0.0090
E805207	17.00	18.00	0.0788	0.0543	0.0058

Hole Number: KB-07-29

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805208	18.00	19.00	0.0175	0.0090	0.0031
E805209	19.00	20.00	0.0060	0.0149	0.0021
E805210	20.00	20.90	0.0247	0.0162	0.0026
E805211	20.90	22.00	0.0598	0.0371	0.0057
E805212	22.00	23.00	0.0820	0.0682	0.0059
E805213	23.00	24.00	0.0084	0.0096	0.0031
E805214	24.00	25.00	0.0133	0.0098	0.0034
E805215	25.00	26.00	0.0110	0.0192	0.0038
E805216	26.00	27.00	0.0099	0.0123	0.0037

DETAILED LOG

Hole Number: KB-07-28

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481537.00	North:	5481537.00	Collar Az:	310.40
Location:	Surface	East:	454010.70	East:	454010.70	Length:	128.00 (m)
		Elev:	398.88	Elev:	398.88	Start Depth:	0.00 (m)
Date Started:	Apr 21, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	128.00 (m)
Date Completed:	Apr 22, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	31.00	38.00	7.00	1.0673	0.7110	0.0269
WEIGHTED	31.00	50.10	19.10	0.5331	0.3102	0.0151
WEIGHTED	88.50	94.15	5.65	0.6663	0.3505	0.0194

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
12.00	310.40	-46.10	EZ	OK		75.00	308.00	-45.00	EZ	OK	
128.00	310.00	-44.30	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	3.00	CAS, Casing
3.00	9.90	MV, Mafic Volcanic Mineralization 3.00 - 9.90 Structure 3.00 - 9.90 : MODFOL Moderately Foliated, 45 Deg to CA
9.90	13.65	FD, Felsic Dike Mineralization 9.90 - 13.65 Structure 9.90 - 13.65 9.90 - 13.65 : UC Upper Contact, 70 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805106	3.00	4.00	1.00	0.0117	0.0085	0.0054
E805107	4.00	5.00	1.00	0.0127	0.0074	0.0057
E805108	5.00	6.00	1.00	0.0113	0.0071	0.0051
E805109	6.00	7.00	1.00	0.0129	0.0087	0.0056
E805110	7.00	8.00	1.00	0.0125	0.0111	0.0056
E805111	8.00	9.00	1.00	0.0137	0.0154	0.0057
E805112	9.00	9.90	0.90	0.0119	0.0138	0.0057
E805113	9.90	11.00	1.10	0.0008	0.0013	0.0006
E805114	11.00	12.00	1.00	0.0010	0.0011	0.0005
E805115	12.00	13.65	1.65	0.0012	0.0010	0.0004

Hole Number: KB-07-28

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
13.65	19.58	MV, Mafic Volcanic Mineralization 13.65 - 19.58 Structure 13.65 - 19.58 13.65 - 19.58 : UC Upper Contact, 30 Deg to CA	E805116	13.65	15.00	1.35	0.0013	0.0010	0.0028
			E805118	15.00	16.00	1.00	0.0012	0.0028	0.0030
			E805119	16.00	17.00	1.00	0.0117	0.0096	0.0052
			E805120	17.00	18.00	1.00	0.0113	0.0120	0.0049
			E805121	18.00	19.58	1.58	0.0086	0.0121	0.0041
19.58	21.95	FD, Felsic Dike Mineralization 19.58 - 21.95 Structure 19.58 - 21.95 19.58 - 21.95 : UC Upper Contact, 40 Deg to CA	E805122	19.58	21.00	1.42	0.0035	0.0028	0.0010
			E805123	21.00	21.95	0.95	0.0006	0.0015	0.0004
21.95	23.75	MV, Mafic Volcanic Mineralization 21.95 - 23.75 Structure 21.95 - 23.75 : MODFOL Moderately Foliated, 40 Deg to CA 21.95 - 23.75 : UC Upper Contact, 40 Deg to CA	E805124	21.95	23.75	1.80	0.0096	0.0074	0.0041
23.75	25.55	FD, Felsic Dike Mineralization 23.75 - 25.55 Structure 23.75 - 25.55	E805125	23.75	25.55	1.80	0.0025	0.0025	0.0006
25.55	28.20	MV, Mafic Volcanic Mineralization 25.55 - 28.20 Structure 25.55 - 28.20	E805126	25.55	27.00	1.45	0.0151	0.0167	0.0050
			E805127	27.00	28.20	1.20	0.0283	0.0330	0.0049

Hole Number: KB-07-28

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
28.20	50.10	PYXT, Pyroxenite 29.85 - 30.40 Mafic Dyke, sheared. Upper contact strongly foliated 30 to CA. Mineralization 28.20 - 38.00 38.00 - 46.00 Structure 28.20 - 40.00 : FOL Foliated, 40 Deg to CA 28.20 - 40.00 : UC Upper Contact, 30 Deg to CA	E805128	28.20	30.00	1.80	0.0635	0.0665	0.0047
			E805129	30.00	31.00	1.00	0.0642	0.0369	0.0036
			E805130	31.00	32.00	1.00	0.9726	0.2376	0.0257
			E805132	32.00	33.00	1.00	1.3095	2.1476	0.0263
			E805133	33.00	34.00	1.00	1.1309	0.7192	0.0235
			E805134	34.00	35.00	1.00	1.1957	0.6164	0.0299
			E805135	35.00	36.00	1.00	0.9631	0.6092	0.0254
			E805136	36.00	37.00	1.00	0.9192	0.2781	0.0231
			E805138	37.00	38.00	1.00	0.9802	0.3692	0.0344
			E805139	38.00	39.00	1.00	0.1163	0.0221	0.0044
			E805140	39.00	40.00	1.00	0.1309	0.0152	0.0059
			E805141	40.00	41.00	1.00	0.0084	0.0073	0.0026
			E805142	41.00	42.00	1.00	0.0365	0.0146	0.0032
			E805143	42.00	43.00	1.00	0.0053	0.0045	0.0024
			E805144	43.00	44.00	1.00	0.1303	0.0222	0.0060
			E805145	44.00	45.00	1.00	0.2166	0.0601	0.0069
			E805146	45.00	46.00	1.00	0.7163	0.2678	0.0188
			E805147	46.00	47.00	1.00	0.8357	0.3058	0.0272
			E805148	47.00	48.00	1.00	0.2202	0.0911	0.0085
			E805149	48.00	49.00	1.00	0.0739	0.0338	0.0057
			E805150	49.00	50.10	1.10	0.2011	0.0937	0.0082
50.10	53.10	MV, Mafic Volcanic Mafic Exnolith, narrow pyroxenite dykes mineralized. Mineralization 50.10 - 53.10 1 10 cm mineralized pyroxentite dyke. Structure 50.10 - 53.10	E805151	50.10	51.50	1.40	0.0192	0.0160	0.0039
			E805152	51.50	53.10	1.60	0.0481	0.0232	0.0049
53.10	64.20	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 53.10 - 64.20 Structure 53.10 - 64.20 53.10 - 64.20 : UC Upper Contact, 45 Deg to CA	E805153	53.10	54.00	0.90	0.0432	0.0287	0.0047
			E805154	54.00	55.00	1.00	0.0275	0.0218	0.0043
			E805155	55.00	56.00	1.00	0.0591	0.1530	0.0049
			E805156	56.00	57.00	1.00	0.0890	0.0578	0.0062
			E805157	57.00	58.00	1.00	0.0944	0.0438	0.0051
			E805158	58.00	59.00	1.00	0.0280	0.0228	0.0048
			E805159	59.00	60.00	1.00	0.0050	0.0036	0.0037
			E805161	60.00	61.00	1.00	0.0047	0.0034	0.0040
			E805162	61.00	62.00	1.00	0.0055	0.0052	0.0050
			E805163	62.00	63.00	1.00	0.0795	0.0177	0.0049
			E805164	63.00	64.20	1.20	0.1076	0.0495	0.0060

Hole Number: KB-07-28

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
64.20	81.30	MV, Mafic Volcanic Mineralization 64.20 - 81.30 Structure 64.20 - 81.30 64.20 - 81.30 : UC Upper Contact, 80 Deg to CA	E805165	64.20	65.50	1.30	0.0059	0.0066	0.0042
			E805166	65.50	67.00	1.50	0.0084	0.0124	0.0041
			E805167	67.00	68.50	1.50	0.0101	0.0142	0.0038
			E805168	68.50	70.00	1.50	0.0088	0.0105	0.0035
			E805169	70.00	71.50	1.50	0.0077	0.0093	0.0031
			E805170	71.50	73.00	1.50	0.0093	0.0098	0.0037
			E805171	73.00	74.50	1.50	0.0104	0.0119	0.0039
			E805172	74.50	76.00	1.50	0.0126	0.0138	0.0050
			E805173	76.00	77.50	1.50	0.0109	0.0114	0.0038
			E805174	77.50	79.00	1.50	0.0119	0.0119	0.0041
			E805175	79.00	80.00	1.00	0.0104	0.0127	0.0038
			E805176	80.00	81.30	1.30	0.0103	0.0123	0.0038
81.30	82.75	FD, Felsic Dike Mineralization 81.30 - 82.75 Structure 81.30 - 82.75 : UC Upper Contact, 30 Deg to CA	E805177	81.30	82.75	1.45	0.0129	0.0151	0.0023
82.75	85.25	PYXT, Pyroxenite Scattred Mafic volcanic xenoliths. Mineralization 82.75 - 85.25 Structure 82.75 - 85.25 82.75 - 85.25 : UC Upper Contact, 80 Deg to CA	E805178	82.75	84.00	1.25	0.4331	0.1439	0.0152
			E805179	84.00	85.25	1.25	0.1445	0.0909	0.0066
85.25	86.50	MD, Mafic Dike Mineralization 85.25 - 86.50 Structure 85.25 - 86.50 85.25 - 86.50 : STRUC Structure, 80 Deg to CA	E805180	85.25	86.50	1.25	0.0315	0.0155	0.0034
86.50	89.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 86.50 - 89.50 Structure 86.50 - 89.50 86.50 - 89.50 : UC Upper Contact, 75 Deg to CA	E805181	86.50	87.50	1.00	0.1059	0.0618	0.0059
			E805182	87.50	88.50	1.00	0.1008	0.0543	0.0061
			E805184	88.50	89.50	1.00	0.3533	0.1358	0.0119

Hole Number: KB-07-28

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
89.50	94.15	PYXT, Pyroxenite Xenoliths of Mafic volcanics, gabbro sections. Lower contact sheared but not talc shcist. Mineralization 89.50 - 90.75 Structure 89.50 - 94.15 : MODFOL Moderately Foliated, 45 Deg to CA 89.50 - 94.15 : UC Upper Contact, 45 Deg to CA
94.15	105.80	MV, Mafic Volcanic Structure 94.15 - 105.80 94.15 - 105.80 : UC Upper Contact, 35 Deg to CA
105.80	109.00	MDCHL, Mafic Dike Chloritic Structure 105.80 - 109.00
109.00	128.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805185	89.50	90.50	1.00	1.6795	0.9714	0.0474
E805186	90.50	91.50	1.00	1.1104	0.2491	0.0322
E805187	91.50	92.50	1.00	0.2108	0.1424	0.0084
E805189	92.50	93.50	1.00	0.1784	0.1968	0.0050
E805190	93.50	94.15	0.65	0.3574	0.4383	0.0072
E805191	94.15	95.50	1.35	0.0550	0.0724	0.0050
E805192	95.50	97.00	1.50	0.0121	0.0104	0.0036
E805193	97.00	98.50	1.50	0.0101	0.0109	0.0044

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805106	3.00	4.00	0.0117	0.0085	0.0054
E805107	4.00	5.00	0.0127	0.0074	0.0057
E805108	5.00	6.00	0.0113	0.0071	0.0051
E805109	6.00	7.00	0.0129	0.0087	0.0056
E805110	7.00	8.00	0.0125	0.0111	0.0056
E805111	8.00	9.00	0.0137	0.0154	0.0057
E805112	9.00	9.90	0.0119	0.0138	0.0057
E805113	9.90	11.00	0.0008	0.0013	0.0006
E805114	11.00	12.00	0.0010	0.0011	0.0005
E805115	12.00	13.65	0.0012	0.0010	0.0004
E805116	13.65	15.00	0.0013	0.0010	0.0028
E805118	15.00	16.00	0.0012	0.0028	0.0030
E805119	16.00	17.00	0.0117	0.0096	0.0052
E805120	17.00	18.00	0.0113	0.0120	0.0049
E805121	18.00	19.58	0.0086	0.0121	0.0041
E805122	19.58	21.00	0.0035	0.0028	0.0010
E805123	21.00	21.95	0.0006	0.0015	0.0004
E805124	21.95	23.75	0.0096	0.0074	0.0041
E805125	23.75	25.55	0.0025	0.0025	0.0006

Hole Number: KB-07-28 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805126	25.55	27.00	0.0151	0.0167	0.0050
E805127	27.00	28.20	0.0283	0.0330	0.0049
E805128	28.20	30.00	0.0635	0.0665	0.0047
E805129	30.00	31.00	0.0642	0.0369	0.0036
E805130	31.00	32.00	0.9726	0.2376	0.0257
E805132	32.00	33.00	1.3095	2.1476	0.0263
E805133	33.00	34.00	1.1309	0.7192	0.0235
E805134	34.00	35.00	1.1957	0.6164	0.0299
E805135	35.00	36.00	0.9631	0.6092	0.0254
E805136	36.00	37.00	0.9192	0.2781	0.0231
E805138	37.00	38.00	0.9802	0.3692	0.0344
E805139	38.00	39.00	0.1163	0.0221	0.0044
E805140	39.00	40.00	0.1309	0.0152	0.0059
E805141	40.00	41.00	0.0084	0.0073	0.0026
E805142	41.00	42.00	0.0365	0.0146	0.0032
E805143	42.00	43.00	0.0053	0.0045	0.0024
E805144	43.00	44.00	0.1303	0.0222	0.0060
E805145	44.00	45.00	0.2166	0.0601	0.0069
E805146	45.00	46.00	0.7163	0.2678	0.0188
E805147	46.00	47.00	0.8357	0.3058	0.0272
E805148	47.00	48.00	0.2202	0.0911	0.0085
E805149	48.00	49.00	0.0739	0.0338	0.0057
E805150	49.00	50.10	0.2011	0.0937	0.0082
E805151	50.10	51.50	0.0192	0.0160	0.0039
E805152	51.50	53.10	0.0481	0.0232	0.0049
E805153	53.10	54.00	0.0432	0.0287	0.0047
E805154	54.00	55.00	0.0275	0.0218	0.0043
E805155	55.00	56.00	0.0591	0.1530	0.0049
E805156	56.00	57.00	0.0890	0.0578	0.0062
E805157	57.00	58.00	0.0944	0.0438	0.0051
E805158	58.00	59.00	0.0280	0.0228	0.0048
E805159	59.00	60.00	0.0050	0.0036	0.0037
E805161	60.00	61.00	0.0047	0.0034	0.0040
E805162	61.00	62.00	0.0055	0.0052	0.0050
E805163	62.00	63.00	0.0795	0.0177	0.0049
E805164	63.00	64.20	0.1076	0.0495	0.0060
E805165	64.20	65.50	0.0059	0.0066	0.0042

Hole Number: KB-07-28

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805166	65.50	67.00	0.0084	0.0124	0.0041
E805167	67.00	68.50	0.0101	0.0142	0.0038
E805168	68.50	70.00	0.0088	0.0105	0.0035
E805169	70.00	71.50	0.0077	0.0093	0.0031
E805170	71.50	73.00	0.0093	0.0098	0.0037
E805171	73.00	74.50	0.0104	0.0119	0.0039
E805172	74.50	76.00	0.0126	0.0138	0.0050
E805173	76.00	77.50	0.0109	0.0114	0.0038
E805174	77.50	79.00	0.0119	0.0119	0.0041
E805175	79.00	80.00	0.0104	0.0127	0.0038
E805176	80.00	81.30	0.0103	0.0123	0.0038
E805177	81.30	82.75	0.0129	0.0151	0.0023
E805178	82.75	84.00	0.4331	0.1439	0.0152
E805179	84.00	85.25	0.1445	0.0909	0.0066
E805180	85.25	86.50	0.0315	0.0155	0.0034
E805181	86.50	87.50	0.1059	0.0618	0.0059
E805182	87.50	88.50	0.1008	0.0543	0.0061
E805184	88.50	89.50	0.3533	0.1358	0.0119
E805185	89.50	90.50	1.6795	0.9714	0.0474
E805186	90.50	91.50	1.1104	0.2491	0.0322
E805187	91.50	92.50	0.2108	0.1424	0.0084
E805189	92.50	93.50	0.1784	0.1968	0.0050
E805190	93.50	94.15	0.3574	0.4383	0.0072
E805191	94.15	95.50	0.0550	0.0724	0.0050
E805192	95.50	97.00	0.0121	0.0104	0.0036
E805193	97.00	98.50	0.0101	0.0109	0.0044

DETAILED LOG

Hole Number: KB-07-27 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:	Destination Coordinates	Grid: UTM:	Collar Dip:	-45.00
Project Number:	19900	North:	5481587.00	North:	5481587.00	Collar Az:	311.00
Location:	Surface	East:	453951.10	East:	453951.10	Length:	50.00 (m)
		Elev:	398.00	Elev:	398.00	Start Depth:	0.00 (m)
Date Started:	Apr 18, 2007	Collar Survey:	Y	Plugged:	N	Contractor:	Morris Drilling	Final Depth:	50.00 (m)
Date Completed:	Apr 18, 2007	Multishot Survey:	N	Hole Size:	NQ	Core Storage:	Kenbridge Minesite		
Logged By:	tk	Pulse EM Survey:	N	Casing:	Pulled				

Comments:

Sample Averages

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
11.00	311.00	-45.20	EZ	OK		50.00	308.10	-44.70	EZ	OK	

Detailed Lithology

From (m)	To (m)	Lithology
0	2.50	CAS, Casing
2.50	7.90	MV, Mafic Volcanic
7.90	10.40	MD, Mafic Dike
10.40	21.00	MV, Mafic Volcanic
21.00	23.50	MDCHL, Mafic Dike Chloritic
23.50	28.00	MD, Mafic Dike
28.00	45.20	MV, Mafic Volcanic
45.20	46.55	MD, Mafic Dike
46.55	50.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805100	2.50	4.00	1.50	0.0106	0.0139	0.0049
E805101	4.00	5.00	1.00	0.0083	0.0087	0.0038
E805102	5.00	6.00	1.00	0.0102	0.0095	0.0052
E805104	6.00	7.00	1.00	0.0099	0.0107	0.0052
E805105	7.00	7.90	0.90	0.0124	0.0160	0.0061

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805100	2.50	4.00	0.0106	0.0139	0.0049
E805101	4.00	5.00	0.0083	0.0087	0.0038
E805102	5.00	6.00	0.0102	0.0095	0.0052
E805104	6.00	7.00	0.0099	0.0107	0.0052
E805105	7.00	7.90	0.0124	0.0160	0.0061

DETAILED LOG

Hole Number: KB-07-26

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481569.00		North:	5481569.00	Collar Az: 310.10
Location:	Surface	East:	453972.70		East:	453972.70	Length: 77.00 (m)
		Elev:	395.64		Elev:	395.64	Start Depth: 0.00 (m)
Date Started:	Apr 17, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 77.00 (m)
Date Completed:	Apr 18, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	6.60	12.00	5.40	0.2193	0.2231	0.0093
WEIGHTED	23.00	35.60	12.60	0.4254	0.1597	0.0143

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
77.00	310.10	-46.10	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	6.60	CAS, Casing
6.60	14.80	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 6.60 - 14.80 Structure 6.60 - 14.80
14.80	20.80	MV, Mafic Volcanic 19.70 - 20.0 Felsic Dyke. Mineralization 14.80 - 20.80 Structure 14.80 - 20.80 14.80 - 20.80 : UC Upper Contact, 50 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805799	6.60	8.00	1.40	0.1260	0.1127	0.0065
E805800	8.00	9.00	1.00	0.1584	0.0600	0.0077
E805001	9.00	10.00	1.00	0.1748	0.0892	0.0084
E805002	10.00	11.00	1.00	0.2688	0.1916	0.0114
E805004	11.00	12.00	1.00	0.4058	0.7060	0.0136
E805005	12.00	13.00	1.00	0.0870	0.0287	0.0081
E805006	13.00	14.00	1.00	0.0122	0.0150	0.0045
E805007	14.00	14.80	0.80	0.0889	0.1158	0.0062
E805008	14.80	16.00	1.20	0.0380	0.0225	0.0052
E805009	16.00	17.00	1.00	0.0123	0.0192	0.0051
E805010	17.00	18.00	1.00	0.0112	0.0159	0.0049
E805011	18.00	19.00	1.00	0.0120	0.0112	0.0052
E805012	19.00	20.00	1.00	0.0105	0.0087	0.0045
E805013	20.00	20.80	0.80	0.0063	0.0062	0.0038

DETAILED LOG

Hole Number: KB-07-26

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
20.80	24.58	GABPYXT, Gabbro Pyroxenite Dikes 21.5 - 22. 0 Mafc Dyke Mineralization 20.80 - 22.95 Structure 20.80 - 22.95 20.80 - 22.95 : UC Upper Contact, 80 Deg to CA
24.58	35.60	PYXT, Pyroxenite Mineralization 24.58 - 35.60 Structure 24.58 - 35.60
35.60	37.20	MD, Mafic Dike Mineralization 35.60 - 37.20 Structure 35.60 - 37.20 : UC Upper Contact, 45 Deg to CA
37.20	52.00	MV, Mafic Volcanic Mineralization 37.20 - 52.00 Structure 37.20 - 52.00 37.20 - 52.00 : UC Upper Contact, 60 Deg to CA
52.00	54.30	MDCHL, Mafic Dike Chloritic Structure 52.00 - 54.30 : UC Upper Contact, 40 Deg to CA
54.30	67.30	MV, Mafic Volcanic
67.30	69.90	MDCHL, Mafic Dike Chloritic
69.90	77.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805014	20.80	22.00	1.20	0.0463	0.0553	0.0051
E805015	22.00	23.00	1.00	0.0552	0.0247	0.0073
E805017	23.00	24.58	1.58	0.2530	0.1491	0.0105
E805018	24.58	25.50	0.92	0.0964	0.0691	0.0072
E805019	25.50	26.50	1.00	0.2030	0.0842	0.0097
E805020	26.50	27.50	1.00	0.2123	0.0875	0.0097
E805021	27.50	28.50	1.00	0.1570	0.0638	0.0097
E805023	28.50	29.50	1.00	0.3920	0.1837	0.0139
E805024	29.50	30.50	1.00	0.5756	0.2168	0.0193
E805025	30.50	31.50	1.00	0.8549	0.3648	0.0257
E805026	31.50	32.50	1.00	0.2803	0.1662	0.0125
E805027	32.50	33.50	1.00	0.8649	0.1318	0.0215
E805028	33.50	34.50	1.00	0.5505	0.1736	0.0153
E805029	34.50	35.60	1.10	0.7097	0.2188	0.0175
E805030	35.60	37.20	1.60	0.0357	0.0108	0.0032
E805031	37.20	38.00	0.80	0.0562	0.0845	0.0053
E805032	38.00	39.00	1.00	0.0097	0.0052	0.0036
E805033	39.00	40.00	1.00	0.0109	0.0162	0.0040
E805034	40.00	41.00	1.00	0.0083	0.0043	0.0041

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805799	6.60	8.00	0.1260	0.1127	0.0065

Hole Number: KB-07-26

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805800	8.00	9.00	0.1584	0.0600	0.0077
E805001	9.00	10.00	0.1748	0.0892	0.0084
E805002	10.00	11.00	0.2688	0.1916	0.0114
E805004	11.00	12.00	0.4058	0.7060	0.0136
E805005	12.00	13.00	0.0870	0.0287	0.0081
E805006	13.00	14.00	0.0122	0.0150	0.0045
E805007	14.00	14.80	0.0889	0.1158	0.0062
E805008	14.80	16.00	0.0380	0.0225	0.0052
E805009	16.00	17.00	0.0123	0.0192	0.0051
E805010	17.00	18.00	0.0112	0.0159	0.0049
E805011	18.00	19.00	0.0120	0.0112	0.0052
E805012	19.00	20.00	0.0105	0.0087	0.0045
E805013	20.00	20.80	0.0063	0.0062	0.0038
E805014	20.80	22.00	0.0463	0.0553	0.0051
E805015	22.00	23.00	0.0552	0.0247	0.0073
E805017	23.00	24.58	0.2530	0.1491	0.0105
E805018	24.58	25.50	0.0964	0.0691	0.0072
E805019	25.50	26.50	0.2030	0.0842	0.0097
E805020	26.50	27.50	0.2123	0.0875	0.0097
E805021	27.50	28.50	0.1570	0.0638	0.0097
E805023	28.50	29.50	0.3920	0.1837	0.0139
E805024	29.50	30.50	0.5756	0.2168	0.0193
E805025	30.50	31.50	0.8549	0.3648	0.0257
E805026	31.50	32.50	0.2803	0.1662	0.0125
E805027	32.50	33.50	0.8649	0.1318	0.0215
E805028	33.50	34.50	0.5505	0.1736	0.0153
E805029	34.50	35.60	0.7097	0.2188	0.0175
E805030	35.60	37.20	0.0357	0.0108	0.0032
E805031	37.20	38.00	0.0562	0.0845	0.0053
E805032	38.00	39.00	0.0097	0.0052	0.0036
E805033	39.00	40.00	0.0109	0.0162	0.0040
E805034	40.00	41.00	0.0083	0.0043	0.0041

DETAILED LOG

Hole Number: KB-07-25

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481547.00		North:	5481547.00	Collar Az: 316.90
Location:	Surface	East:	453998.50		East:	453998.50	Length: 125.00 (m)
		Elev:	395.42		Elev:	395.42	Start Depth: 0.00 (m)
Date Started:	Apr 19, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 125.00 (m)
Date Completed:	Apr 20, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	24.00	29.00	5.00	0.3435	0.0964	0.0128
WEIGHTED	59.10	66.00	6.90	0.4549	0.2016	0.0169
WEIGHTED	59.10	73.00	13.90	0.3132	0.1826	0.0121
WEIGHTED	59.10	73.75	14.65	0.3043	0.1766	0.0118

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
9.00	316.90	-47.90	EZ	OK		50.00	313.30	-47.10	EZ	OK	
125.00	315.00	-46.20	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	6.00	CAS, Casing							
6.00	8.10	MV, Mafic Volcanic Mineralization 6.00 - 8.10 Structure 6.00 - 8.10	E805726	6.00	7.00	1.00	0.0696	0.0367	0.0073
			E805727	7.00	8.10	1.10	0.0157	0.0119	0.0064
8.10	10.25	MD, Mafic Dike Mineralization 8.10 - 10.25 Structure 8.10 - 10.25	E805728	8.10	9.00	0.90	0.0038	0.0040	0.0024
			E805729	9.00	10.25	1.25	0.0034	0.0032	0.0026
10.25	19.20	FD, Felsic Dike Mineralization 10.25 - 19.20 Structure 10.25 - 19.20 10.25 - 19.20 : UC Upper Contact, 35 Deg to CA	E805730	10.25	11.50	1.25	0.0056	0.0017	0.0011
			E805731	11.50	13.00	1.50	0.0077	0.0061	0.0029
			E805732	13.00	14.50	1.50	0.0008	0.0011	0.0006
			E805733	14.50	16.00	1.50	0.0007	0.0017	0.0004
			E805734	16.00	17.50	1.50	0.0006	0.0015	0.0006
			E805735	17.50	18.50	1.00	0.0049	0.0013	0.0008
			E805736	18.50	19.20	0.70	0.0064	0.0012	0.0007

Hole Number: KB-07-25 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
19.20	22.00	GABPYXT, Gabbro Pyroxenite Dikes 20. 1 - 20.4 Felsic Dyke 1 cm feldsapr xls. Mineralization 19.20 - 22.00 Structure 19.20 - 22.00 : MODFOL Moderately Foliated, 45 Deg to CA 19.20 - 22.00 : UC Upper Contact, 35 Deg to CA	E805737	19.20	20.00	0.80	0.5009	0.1632	0.0162
			E805738	20.00	21.00	1.00	0.0367	0.0422	0.0048
			E805739	21.00	22.00	1.00	0.0138	0.0097	0.0040
22.00	24.00	FD, Felsic Dike Mineralization 22.00 - 24.00 Structure 22.00 - 24.00 22.00 - 24.00 : UC Upper Contact, 35 Deg to CA	E805740	22.00	23.00	1.00	0.0075	0.0063	0.0009
			E805741	23.00	24.00	1.00	0.0301	0.0088	0.0025
24.00	25.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 24.00 - 25.10 Structure 24.00 - 25.10 : MODFOL Moderately Foliated, 40 Deg to CA	E805743	24.00	25.10	1.10	0.2643	0.1078	0.0113
25.10	25.90	FD, Felsic Dike Mineralization 25.10 - 25.90 Structure 25.10 - 25.90 : UC Upper Contact, 45 Deg to CA	E805744	25.10	25.90	0.80	0.0079	0.0050	0.0011
25.90	30.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 25.90 - 30.50 Structure 25.90 - 30.50	E805745	25.90	27.00	1.10	0.6980	0.1953	0.0237
			E805746	27.00	28.00	1.00	0.1291	0.0331	0.0084
			E805747	28.00	29.00	1.00	0.4131	0.1116	0.0164
			E805748	29.00	30.00	1.00	0.0283	0.0177	0.0063
			E805749	30.00	31.50	1.50	0.0231	0.0136	0.0024
30.50	32.50	FD, Felsic Dike Mineralization 30.50 - 32.50 Structure 30.50 - 32.50 : UC Upper Contact, 70 Deg to CA	E805750	31.50	32.50	1.00	0.0049	0.0306	0.0009

Hole Number: KB-07-25

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
32.50	46.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 32.50 - 46.10 Structure 32.50 - 46.10 32.50 - 46.10 : UC Upper Contact, 45 Deg to CA	E805751	32.50	33.50	1.00	0.2738	0.0456	0.0172
			E805752	33.50	34.50	1.00	0.0296	0.0167	0.0051
			E805754	34.50	35.50	1.00	0.0128	0.0117	0.0052
			E805755	35.50	36.50	1.00	0.0127	0.0146	0.0052
			E805756	36.50	37.50	1.00	0.0960	0.0474	0.0067
			E805757	37.50	38.50	1.00	0.0388	0.0129	0.0079
			E805758	38.50	39.50	1.00	0.0059	0.0040	0.0051
			E805759	39.50	40.50	1.00	0.0046	0.0054	0.0051
			E805760	40.50	41.50	1.00	0.0040	0.0070	0.0042
			E805762	41.50	42.50	1.00	0.0083	0.0067	0.0047
			E805763	42.50	43.50	1.00	0.0099	0.0166	0.0044
			E805764	43.50	44.50	1.00	0.0103	0.0142	0.0047
			E805765	44.50	45.50	1.00	0.0098	0.0124	0.0042
			E805766	45.50	46.10	0.60	0.0100	0.0138	0.0046
46.10	55.50	MV, Mafic Volcanic Mineralization 46.10 - 55.50 Structure 46.10 - 55.50	E805767	46.10	47.50	1.40	0.0096	0.0125	0.0040
			E805768	47.50	49.00	1.50	0.0099	0.0148	0.0043
			E805769	49.00	50.50	1.50	0.0089	0.0110	0.0038
			E805770	50.50	52.00	1.50	0.0095	0.0134	0.0042
			E805771	52.00	53.50	1.50	0.0085	0.0091	0.0036
			E805772	53.50	54.50	1.00	0.0125	0.0137	0.0059
			E805773	54.50	55.50	1.00	0.0168	0.0190	0.0050
55.50	57.50	PYXT, Pyroxenite Mineralization 55.50 - 57.50 Structure 55.50 - 57.50 55.50 - 57.50 : UC Upper Contact, 80 Deg to CA	E805774	55.50	56.50	1.00	0.0416	0.0254	0.0057
			E805775	56.50	57.50	1.00	0.0273	0.0214	0.0054
57.50	59.10	FD, Felsic Dike Mineralization 57.50 - 59.10 Structure 57.50 - 59.10 : UC Upper Contact, 40 Deg to CA	E805776	57.50	59.10	1.60	0.0038	0.0057	0.0031
59.10	62.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 59.10 - 62.60 Structure 59.10 - 62.60	E805777	59.10	60.50	1.40	0.4240	0.2541	0.0167
			E805778	60.50	61.50	1.00	0.0464	0.0336	0.0055
			E805779	61.50	62.60	1.10	0.2836	0.1857	0.0134

DETAILED LOG

Hole Number: KB-07-25

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
62.60	68.00	PYXT, Pyroxenite Mineralization 62.60 - 63.50 63.50 - 65.50 65.50 - 68.00 Structure 62.60 - 68.00 62.60 - 68.00 : UC Upper Contact, 50 Deg to CA
68.00	71.00	TSCH, Talc Schist Mineralization 68.00 - 71.00 Structure 68.00 - 71.00 : STRFOL Strongly Foliated, 45 Deg to CA
71.00	73.75	GABPYXT, Gabbro Pyroxenite Dikes 72.35 - 72.7 Mafic Dyke. Mineralization 71.00 - 73.75 Structure 71.00 - 73.75
73.75	85.50	MV, Mafic Volcanic Mineralization 73.75 - 85.50 Structure 73.75 - 85.50 73.75 - 85.50 : UC Upper Contact, 60 Deg to CA
85.50	86.80	MDCHL, Mafic Dike Chloritic Structure 85.50 - 86.80 85.50 - 86.80 : UC Upper Contact, 65 Deg to CA
86.80	114.00	MV, Mafic Volcanic
114.00	117.50	MDCHL, Mafic Dike Chloritic Structure 114.00 - 117.50 : MODFOL Moderately Foliated, 45 Deg to CA
117.50	125.00	MV, Mafic Volcanic

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805780	62.60	63.00	0.40	0.2302	0.3012	0.0105
E805781	63.00	64.00	1.00	0.3191	0.2004	0.0146
E805782	64.00	65.00	1.00	0.7568	0.3064	0.0223
E805783	65.00	66.00	1.00	0.9979	0.1702	0.0320
E805784	66.00	67.00	1.00	0.1598	0.1935	0.0084
E805785	67.00	68.00	1.00	0.0635	0.0609	0.0051
E805787	68.00	69.00	1.00	0.2575	0.1164	0.0100
E805788	69.00	70.00	1.00	0.1851	0.2297	0.0078
E805790	70.00	71.00	1.00	0.1598	0.1596	0.0071
E805791	71.00	72.00	1.00	0.0250	0.0274	0.0038
E805792	72.00	73.00	1.00	0.2603	0.3591	0.0099
E805793	73.00	73.75	0.75	0.1255	0.0653	0.0051
E805794	73.75	75.00	1.25	0.0101	0.0048	0.0041
E805795	75.00	76.00	1.00	0.0074	0.0085	0.0039
E805796	76.00	77.00	1.00	0.0079	0.0133	0.0046
E805797	77.00	78.00	1.00	0.0091	0.0086	0.0049
E805798	78.00	79.00	1.00	0.0104	0.0139	0.0050

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805726	6.00	7.00	0.0696	0.0367	0.0073
E805727	7.00	8.10	0.0157	0.0119	0.0064

Hole Number: KB-07-25

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805728	8.10	9.00	0.0038	0.0040	0.0024
E805729	9.00	10.25	0.0034	0.0032	0.0026
E805730	10.25	11.50	0.0056	0.0017	0.0011
E805731	11.50	13.00	0.0077	0.0061	0.0029
E805732	13.00	14.50	0.0008	0.0011	0.0006
E805733	14.50	16.00	0.0007	0.0017	0.0004
E805734	16.00	17.50	0.0006	0.0015	0.0006
E805735	17.50	18.50	0.0049	0.0013	0.0008
E805736	18.50	19.20	0.0064	0.0012	0.0007
E805737	19.20	20.00	0.5009	0.1632	0.0162
E805738	20.00	21.00	0.0367	0.0422	0.0048
E805739	21.00	22.00	0.0138	0.0097	0.0040
E805740	22.00	23.00	0.0075	0.0063	0.0009
E805741	23.00	24.00	0.0301	0.0088	0.0025
E805743	24.00	25.10	0.2643	0.1078	0.0113
E805744	25.10	25.90	0.0079	0.0050	0.0011
E805745	25.90	27.00	0.6980	0.1953	0.0237
E805746	27.00	28.00	0.1291	0.0331	0.0084
E805747	28.00	29.00	0.4131	0.1116	0.0164
E805748	29.00	30.00	0.0283	0.0177	0.0063
E805749	30.00	31.50	0.0231	0.0136	0.0024
E805750	31.50	32.50	0.0049	0.0306	0.0009
E805751	32.50	33.50	0.2738	0.0456	0.0172
E805752	33.50	34.50	0.0296	0.0167	0.0051
E805754	34.50	35.50	0.0128	0.0117	0.0052
E805755	35.50	36.50	0.0127	0.0146	0.0052
E805756	36.50	37.50	0.0960	0.0474	0.0067
E805757	37.50	38.50	0.0388	0.0129	0.0079
E805758	38.50	39.50	0.0059	0.0040	0.0051
E805759	39.50	40.50	0.0046	0.0054	0.0051
E805760	40.50	41.50	0.0040	0.0070	0.0042
E805762	41.50	42.50	0.0083	0.0067	0.0047
E805763	42.50	43.50	0.0099	0.0166	0.0044
E805764	43.50	44.50	0.0103	0.0142	0.0047
E805765	44.50	45.50	0.0098	0.0124	0.0042
E805766	45.50	46.10	0.0100	0.0138	0.0046
E805767	46.10	47.50	0.0096	0.0125	0.0040

Hole Number: KB-07-25 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805768	47.50	49.00	0.0099	0.0148	0.0043
E805769	49.00	50.50	0.0089	0.0110	0.0038
E805770	50.50	52.00	0.0095	0.0134	0.0042
E805771	52.00	53.50	0.0085	0.0091	0.0036
E805772	53.50	54.50	0.0125	0.0137	0.0059
E805773	54.50	55.50	0.0168	0.0190	0.0050
E805774	55.50	56.50	0.0416	0.0254	0.0057
E805775	56.50	57.50	0.0273	0.0214	0.0054
E805776	57.50	59.10	0.0038	0.0057	0.0031
E805777	59.10	60.50	0.4240	0.2541	0.0167
E805778	60.50	61.50	0.0464	0.0336	0.0055
E805779	61.50	62.60	0.2836	0.1857	0.0134
E805780	62.60	63.00	0.2302	0.3012	0.0105
E805781	63.00	64.00	0.3191	0.2004	0.0146
E805782	64.00	65.00	0.7568	0.3064	0.0223
E805783	65.00	66.00	0.9979	0.1702	0.0320
E805784	66.00	67.00	0.1598	0.1935	0.0084
E805785	67.00	68.00	0.0635	0.0609	0.0051
E805787	68.00	69.00	0.2575	0.1164	0.0100
E805788	69.00	70.00	0.1851	0.2297	0.0078
E805790	70.00	71.00	0.1598	0.1596	0.0071
E805791	71.00	72.00	0.0250	0.0274	0.0038
E805792	72.00	73.00	0.2603	0.3591	0.0099
E805793	73.00	73.75	0.1255	0.0653	0.0051
E805794	73.75	75.00	0.0101	0.0048	0.0041
E805795	75.00	76.00	0.0074	0.0085	0.0039
E805796	76.00	77.00	0.0079	0.0133	0.0046
E805797	77.00	78.00	0.0091	0.0086	0.0049
E805798	78.00	79.00	0.0104	0.0139	0.0050

DETAILED LOG

Hole Number: KB-07-24

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481524.00		North:	5481524.00	Collar Az: 307.20
Location:	Surface	East:	453980.80		East:	453980.80	Length: 122.00 (m)
		Elev:	394.18		Elev:	394.18	Start Depth: 0.00 (m)
Date Started:	Apr 16, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 122.00 (m)
Date Completed:	Apr 17, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	3.50	10.10	6.60	1.3494	0.2179	0.0198
WEIGHTED	3.50	14.10	10.60	0.9193	0.1616	0.0153
WEIGHTED	3.50	14.10	10.60	0.9193	0.1616	0.0153
WEIGHTED	58.00	90.00	32.00	0.4797	0.3176	0.0166
WEIGHTED	85.10	90.00	4.90	0.2400	0.0942	0.0091
WEIGHTED	111.50	113.00	1.50	0.1926	0.1983	0.0075

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
122.00	307.20	-48.00	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	3.50	CAS, Casing
3.50	7.60	PYXT, Pyroxenite Mineralization 3.50 - 7.60 Structure 3.50 - 7.60 : MODFOL Moderately Foliated, 35 Deg to CA
7.60	9.20	MD, Mafic Dike Mineralization 7.60 - 9.20 Structure 7.60 - 9.20
9.20	10.10	PYXT, Pyroxenite Mineralization 9.20 - 10.10 Structure 9.20 - 10.10 9.20 - 10.10 : UC Upper Contact, 30 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805610	3.50	4.50	1.00	1.0952	0.1076	0.0126
E805611	4.50	5.50	1.00	1.4079	0.1427	0.0199
E805612	5.50	6.50	1.00	2.5043	0.2567	0.0213
E805614	6.50	7.60	1.10	2.0731	0.4747	0.0364
E805615	7.60	9.20	1.60	0.0840	0.0133	0.0028
E805616	9.20	10.10	0.90	1.6486	0.4304	0.0358

Hole Number: KB-07-24

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
10.10	12.70	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 10.10 - 12.70 Structure 10.10 - 12.70	E805617	10.10	11.50	1.40	0.0261	0.0335	0.0050
			E805618	11.50	12.70	1.20	0.0257	0.0147	0.0039
12.70	14.10	PYXT, Pyroxenite Mineralization 12.70 - 14.10 Structure 12.70 - 14.10 : MODFOL Moderately Foliated, 40 Deg to CA	E805619	12.70	14.10	1.40	0.5510	0.1502	0.0143
14.10	17.10	FD, Felsic Dike Mineralization 14.10 - 17.10 Structure 14.10 - 17.10	E805620	14.10	15.00	0.90	0.0080	0.0082	0.0033
			E805621	15.00	15.90	0.90	0.0126	0.0044	0.0039
			E805622	15.90	17.10	1.20	0.0466	0.0301	0.0034
17.10	19.10	TSCH, Talc Schist Mineralization 17.10 - 19.10 Structure 17.10 - 19.10 : STRFOL Strongly Foliated, 55 Deg to CA	E805624	17.10	18.00	0.90	0.0429	0.0046	0.0033
			E805625	18.00	19.10	1.10	0.1164	0.0359	0.0054
19.10	32.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 19.10 - 32.60 Structure 19.10 - 32.60	E805626	19.10	20.00	0.90	0.1624	0.0712	0.0075
			E805627	20.00	21.00	1.00	0.1526	0.0727	0.0073
			E805628	21.00	22.00	1.00	0.1341	0.0684	0.0072
			E805629	22.00	23.00	1.00	0.0130	0.0163	0.0042
			E805630	23.00	24.00	1.00	0.0122	0.0152	0.0037
			E805632	24.00	25.00	1.00	0.0146	0.0133	0.0038
			E805633	25.00	26.00	1.00	0.0124	0.0109	0.0035
			E805634	26.00	27.00	1.00	0.0292	0.0304	0.0045
			E805635	27.00	28.00	1.00	0.0164	0.0102	0.0040
			E805636	28.00	29.00	1.00	0.0520	0.0343	0.0047
			E805637	29.00	30.00	1.00	0.1056	0.0323	0.0074
			E805638	30.00	31.00	1.00	0.0206	0.0206	0.0046
			E805639	31.00	32.60	1.60	0.0471	0.0356	0.0063
32.60	33.60	FD, Felsic Dike Mineralization 32.60 - 33.60 Structure 32.60 - 33.60 32.60 - 33.60 : UC Upper Contact, 85 Deg to CA	E805640	32.60	33.60	1.00	0.0040	0.0028	0.0005

Hole Number: KB-07-24

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
33.60	41.50	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 33.60 - 41.50 Structure 33.60 - 41.50 33.60 - 41.50 : UC Upper Contact, 80 Deg to CA	E805641	33.60	35.00	1.40	0.0585	0.0370	0.0060
			E805642	35.00	36.00	1.00	0.0223	0.0306	0.0067
			E805643	36.00	37.00	1.00	0.0470	0.0378	0.0070
			E805644	37.00	38.00	1.00	0.0640	0.0298	0.0101
			E805645	38.00	39.00	1.00	0.0562	0.0232	0.0089
			E805646	39.00	40.00	1.00	0.0606	0.0337	0.0090
			E805647	40.00	41.50	1.50	0.1098	0.0751	0.0070
41.50	47.00	MV, Mafic Volcanic 10 cm pyroxenite dykes throughout. Py in pillow selvedges Mineralization 41.50 - 47.00 Structure 41.50 - 47.00	E805648	41.50	43.00	1.50	0.0140	0.0178	0.0043
			E805649	43.00	44.00	1.00	0.0139	0.0148	0.0040
			E805650	44.00	45.00	1.00	0.0115	0.0090	0.0037
			E805651	45.00	46.00	1.00	0.0171	0.0142	0.0060
			E805653	46.00	47.00	1.00	0.0135	0.0129	0.0047
47.00	67.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 47.00 - 66.30 63.00 - 65.00 Structure 47.00 - 66.30	E805654	47.00	48.00	1.00	0.0173	0.0152	0.0044
			E805655	48.00	49.00	1.00	0.0298	0.0105	0.0032
			E805656	49.00	50.00	1.00	0.1001	0.0678	0.0073
			E805657	50.00	51.00	1.00	0.0880	0.0446	0.0055
			E805658	51.00	52.00	1.00	0.0149	0.0217	0.0039
			E805659	52.00	53.00	1.00	0.0101	0.0113	0.0036
			E805660	53.00	54.00	1.00	0.0094	0.0097	0.0032
			E805661	54.00	55.00	1.00	0.0097	0.0106	0.0034
			E805662	55.00	56.00	1.00	0.0213	0.0244	0.0054
			E805663	56.00	57.00	1.00	0.0357	0.0350	0.0045
			E805664	57.00	58.00	1.00	0.1005	0.0648	0.0069
			E805665	58.00	59.00	1.00	0.2771	0.1325	0.0113
			E805667	59.00	60.00	1.00	0.1686	0.0764	0.0081
			E805668	60.00	61.00	1.00	0.1015	0.0672	0.0064
			E805669	61.00	62.00	1.00	0.2009	0.1338	0.0092
			E805670	62.00	63.00	1.00	0.1845	0.0796	0.0085
			E805671	63.00	64.00	1.00	0.9267	0.2702	0.0221
			E805672	64.00	65.00	1.00	0.6841	0.2304	0.0181
			E805673	65.00	66.00	1.00	0.1895	0.0902	0.0061
			E805674	66.00	67.00	1.00	0.1397	0.1314	0.0054
67.00	71.00	PYXT, Pyroxenite Mineralization 67.00 - 71.00 Structure 67.00 - 71.00	E805675	67.00	68.00	1.00	0.1849	0.1095	0.0061
			E805676	68.00	69.00	1.00	0.2500	0.1985	0.0064
			E805677	69.00	70.00	1.00	0.3972	0.0602	0.0089
			E805678	70.00	71.00	1.00	0.3517	0.1925	0.0077

Hole Number: KB-07-24

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
71.00	84.13	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 71.00 - 78.00 78.00 - 81.50 81.50 - 84.13 Structure 71.00 - 78.30	E805679	71.00	72.00	1.00	0.0470	0.0321	0.0034
			E805680	72.00	73.00	1.00	0.1171	0.0882	0.0062
			E805681	73.00	74.00	1.00	0.4191	0.2501	0.0147
			E805682	74.00	75.00	1.00	0.8318	0.1776	0.0261
			E805683	75.00	76.00	1.00	0.3843	0.1142	0.0107
			E805684	76.00	77.00	1.00	0.2379	0.0672	0.0092
			E805685	77.00	78.00	1.00	1.7143	0.3997	0.0819
			E805686	78.00	79.00	1.00	0.5879	0.3517	0.0174
			E805688	79.00	80.00	1.00	2.1831	5.7832	0.0666
			E805689	80.00	81.50	1.50	2.1734	0.3414	0.0727
			E805690	81.50	83.00	1.50	0.1510	0.0748	0.0053
			E805691	83.00	84.13	1.13	0.0891	0.0322	0.0051
84.13	85.50	FD, Felsic Dike Mineralization 84.13 - 85.10 Structure 84.13 - 85.10	E805692	84.13	85.10	0.97	0.0067	0.0054	0.0020
			E805693	85.10	86.00	0.90	0.2259	0.0914	0.0075
85.50	93.00	PYXT, Pyroxenite Mineralization 85.50 - 93.00 Structure 85.50 - 93.00	E805694	86.00	87.00	1.00	0.2090	0.0726	0.0089
			E805695	87.00	88.00	1.00	0.0718	0.0269	0.0057
			E805696	88.00	89.00	1.00	0.1858	0.0730	0.0091
			E805697	89.00	90.00	1.00	0.5063	0.2070	0.0140
			E805698	90.00	91.00	1.00	0.0578	0.0329	0.0054
			E805699	91.00	92.00	1.00	0.0791	0.0301	0.0059
			E805700	92.00	93.00	1.00	0.0304	0.0211	0.0030
93.00	95.10	TSCH, Talc Schist Mineralization 93.00 - 95.10 Structure 93.00 - 95.10 : STRFOL Strongly Foliated, 45 Deg to CA	E805701	93.00	94.00	1.00	0.0550	0.0413	0.0038
			E805702	94.00	95.10	1.10	0.0994	0.1306	0.0052
95.10	99.10	PYXT, Pyroxenite Mineralization 95.10 - 99.10 Structure 95.10 - 99.10	E805703	95.10	96.00	0.90	0.0582	0.0478	0.0041
			E805704	96.00	97.00	1.00	0.0574	0.0657	0.0041
			E805705	97.00	98.00	1.00	0.0707	0.0654	0.0030
			E805706	98.00	99.00	1.00	0.0903	0.1072	0.0059
			E805707	99.00	100.00	1.00	0.0084	0.0049	0.0027
99.10	101.00	MDCHL, Mafic Dike Chloritic Mineralization 99.10 - 101.00 Structure 99.10 - 101.00	E805708	100.00	101.00	1.00	0.0041	0.0038	0.0019

Hole Number: KB-07-24

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
101.00	102.00	MV, Mafic Volcanic Mineralization 101.00 - 102.00 Structure 101.00 - 102.00
102.00	103.00	MD, Mafic Dike Mineralization 102.00 - 103.00 Structure 102.00 - 103.00
103.00	106.60	MV, Mafic Volcanic Mineralization 103.00 - 106.60 Structure 103.00 - 106.60
106.60	108.50	TSCH, Talc Schist Mineralization 106.60 - 108.50 Structure 106.60 - 108.50
108.50	112.10	PYXT, Pyroxenite Mineralization 108.50 - 112.10 Structure 108.50 - 112.10
112.10	122.00	MV, Mafic Volcanic Mineralization 112.10 - 122.00 Structure 112.10 - 122.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805709	101.00	102.00	1.00	0.0977	0.0441	0.0065
E805710	102.00	103.00	1.00	0.0152	0.0173	0.0057
E805712	103.00	104.00	1.00	0.0125	0.0178	0.0055
E805713	104.00	105.00	1.00	0.0653	0.0441	0.0058
E805714	105.00	106.00	1.00	0.1066	0.0174	0.0072
E805715	106.00	106.60	0.60	0.0474	0.0093	0.0040
E805716	106.60	107.50	0.90	0.0271	0.0074	0.0038
E805717	107.50	108.50	1.00	0.0467	0.0420	0.0041
E805718	108.50	109.50	1.00	0.0857	0.0845	0.0056
E805719	109.50	110.50	1.00	0.0471	0.0059	0.0052
E805720	110.50	111.50	1.00	0.0503	0.0109	0.0043
E805721	111.50	112.00	0.50	0.3037	0.3524	0.0087
E805722	112.00	113.00	1.00	0.1370	0.1213	0.0069
E805723	113.00	114.00	1.00	0.0216	0.0269	0.0054
E805724	114.00	115.00	1.00	0.0129	0.0102	0.0049
E805725	115.00	116.00	1.00	0.0115	0.0100	0.0045

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805610	3.50	4.50	1.0952	0.1076	0.0126
E805611	4.50	5.50	1.4079	0.1427	0.0199
E805612	5.50	6.50	2.5043	0.2567	0.0213
E805614	6.50	7.60	2.0731	0.4747	0.0364
E805615	7.60	9.20	0.0840	0.0133	0.0028
E805616	9.20	10.10	1.6486	0.4304	0.0358

Hole Number: KB-07-24 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805617	10.10	11.50	0.0261	0.0335	0.0050
E805618	11.50	12.70	0.0257	0.0147	0.0039
E805619	12.70	14.10	0.5510	0.1502	0.0143
E805620	14.10	15.00	0.0080	0.0082	0.0033
E805621	15.00	15.90	0.0126	0.0044	0.0039
E805622	15.90	17.10	0.0466	0.0301	0.0034
E805624	17.10	18.00	0.0429	0.0046	0.0033
E805625	18.00	19.10	0.1164	0.0359	0.0054
E805626	19.10	20.00	0.1624	0.0712	0.0075
E805627	20.00	21.00	0.1526	0.0727	0.0073
E805628	21.00	22.00	0.1341	0.0684	0.0072
E805629	22.00	23.00	0.0130	0.0163	0.0042
E805630	23.00	24.00	0.0122	0.0152	0.0037
E805632	24.00	25.00	0.0146	0.0133	0.0038
E805633	25.00	26.00	0.0124	0.0109	0.0035
E805634	26.00	27.00	0.0292	0.0304	0.0045
E805635	27.00	28.00	0.0164	0.0102	0.0040
E805636	28.00	29.00	0.0520	0.0343	0.0047
E805637	29.00	30.00	0.1056	0.0323	0.0074
E805638	30.00	31.00	0.0206	0.0206	0.0046
E805639	31.00	32.60	0.0471	0.0356	0.0063
E805640	32.60	33.60	0.0040	0.0028	0.0005
E805641	33.60	35.00	0.0585	0.0370	0.0060
E805642	35.00	36.00	0.0223	0.0306	0.0067
E805643	36.00	37.00	0.0470	0.0378	0.0070
E805644	37.00	38.00	0.0640	0.0298	0.0101
E805645	38.00	39.00	0.0562	0.0232	0.0089
E805646	39.00	40.00	0.0606	0.0337	0.0090
E805647	40.00	41.50	0.1098	0.0751	0.0070
E805648	41.50	43.00	0.0140	0.0178	0.0043
E805649	43.00	44.00	0.0139	0.0148	0.0040
E805650	44.00	45.00	0.0115	0.0090	0.0037
E805651	45.00	46.00	0.0171	0.0142	0.0060
E805653	46.00	47.00	0.0135	0.0129	0.0047
E805654	47.00	48.00	0.0173	0.0152	0.0044
E805655	48.00	49.00	0.0298	0.0105	0.0032
E805656	49.00	50.00	0.1001	0.0678	0.0073

Hole Number: KB-07-24 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805657	50.00	51.00	0.0880	0.0446	0.0055
E805658	51.00	52.00	0.0149	0.0217	0.0039
E805659	52.00	53.00	0.0101	0.0113	0.0036
E805660	53.00	54.00	0.0094	0.0097	0.0032
E805661	54.00	55.00	0.0097	0.0106	0.0034
E805662	55.00	56.00	0.0213	0.0244	0.0054
E805663	56.00	57.00	0.0357	0.0350	0.0045
E805664	57.00	58.00	0.1005	0.0648	0.0069
E805665	58.00	59.00	0.2771	0.1325	0.0113
E805667	59.00	60.00	0.1686	0.0764	0.0081
E805668	60.00	61.00	0.1015	0.0672	0.0064
E805669	61.00	62.00	0.2009	0.1338	0.0092
E805670	62.00	63.00	0.1845	0.0796	0.0085
E805671	63.00	64.00	0.9267	0.2702	0.0221
E805672	64.00	65.00	0.6841	0.2304	0.0181
E805673	65.00	66.00	0.1895	0.0902	0.0061
E805674	66.00	67.00	0.1397	0.1314	0.0054
E805675	67.00	68.00	0.1849	0.1095	0.0061
E805676	68.00	69.00	0.2500	0.1985	0.0064
E805677	69.00	70.00	0.3972	0.0602	0.0089
E805678	70.00	71.00	0.3517	0.1925	0.0077
E805679	71.00	72.00	0.0470	0.0321	0.0034
E805680	72.00	73.00	0.1171	0.0882	0.0062
E805681	73.00	74.00	0.4191	0.2501	0.0147
E805682	74.00	75.00	0.8318	0.1776	0.0261
E805683	75.00	76.00	0.3843	0.1142	0.0107
E805684	76.00	77.00	0.2379	0.0672	0.0092
E805685	77.00	78.00	1.7143	0.3997	0.0819
E805686	78.00	79.00	0.5879	0.3517	0.0174
E805688	79.00	80.00	2.1831	5.7832	0.0666
E805689	80.00	81.50	2.1734	0.3414	0.0727
E805690	81.50	83.00	0.1510	0.0748	0.0053
E805691	83.00	84.13	0.0891	0.0322	0.0051
E805692	84.13	85.10	0.0067	0.0054	0.0020
E805693	85.10	86.00	0.2259	0.0914	0.0075
E805694	86.00	87.00	0.2090	0.0726	0.0089
E805695	87.00	88.00	0.0718	0.0269	0.0057

Hole Number: KB-07-24

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805696	88.00	89.00	0.1858	0.0730	0.0091
E805697	89.00	90.00	0.5063	0.2070	0.0140
E805698	90.00	91.00	0.0578	0.0329	0.0054
E805699	91.00	92.00	0.0791	0.0301	0.0059
E805700	92.00	93.00	0.0304	0.0211	0.0030
E805701	93.00	94.00	0.0550	0.0413	0.0038
E805702	94.00	95.10	0.0994	0.1306	0.0052
E805703	95.10	96.00	0.0582	0.0478	0.0041
E805704	96.00	97.00	0.0574	0.0657	0.0041
E805705	97.00	98.00	0.0707	0.0654	0.0030
E805706	98.00	99.00	0.0903	0.1072	0.0059
E805707	99.00	100.00	0.0084	0.0049	0.0027
E805708	100.00	101.00	0.0041	0.0038	0.0019
E805709	101.00	102.00	0.0977	0.0441	0.0065
E805710	102.00	103.00	0.0152	0.0173	0.0057
E805712	103.00	104.00	0.0125	0.0178	0.0055
E805713	104.00	105.00	0.0653	0.0441	0.0058
E805714	105.00	106.00	0.1066	0.0174	0.0072
E805715	106.00	106.60	0.0474	0.0093	0.0040
E805716	106.60	107.50	0.0271	0.0074	0.0038
E805717	107.50	108.50	0.0467	0.0420	0.0041
E805718	108.50	109.50	0.0857	0.0845	0.0056
E805719	109.50	110.50	0.0471	0.0059	0.0052
E805720	110.50	111.50	0.0503	0.0109	0.0043
E805721	111.50	112.00	0.3037	0.3524	0.0087
E805722	112.00	113.00	0.1370	0.1213	0.0069
E805723	113.00	114.00	0.0216	0.0269	0.0054
E805724	114.00	115.00	0.0129	0.0102	0.0049
E805725	115.00	116.00	0.0115	0.0100	0.0045

DETAILED LOG

Hole Number: KB-07-23 Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481543.00		North:	5481543.00	Collar Az: 307.70
Location:	Surface	East:	453954.70		East:	453954.70	Length: 77.00 (m)
		Elev:	398.91		Elev:	398.91	Start Depth: 0.00 (m)
Date Started:	Apr 14, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 77.00 (m)
Date Completed:	Apr 15, 2007	Multishot Survey:	Y	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	8.50	18.00	9.50	0.4389	0.2897	0.0141
WEIGHTED	9.44	19.00	9.56	0.4276	0.2856	0.0138
WEIGHTED	38.00	43.00	5.00	0.3006	0.1413	0.0112
WEIGHTED	38.00	45.25	7.25	0.3545	0.2496	0.0124
WEIGHTED	38.00	54.00	16.00	0.2254	0.1720	0.0105
WEIGHTED	40.00	48.10	8.10	0.3084	0.2828	0.0110

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
77.00	307.70	-42.90	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	4.80	CAS, Casing
4.80	7.00	PYXT, Pyroxenite Mineralization 4.80 - 7.00 Structure 4.80 - 7.00
7.00	7.75	FD, Felsic Dike Mineralization 7.00 - 7.75 Structure 7.00 - 7.75 7.00 - 7.75 : UC Upper Contact, 45 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805543	4.80	6.00	1.20	0.0221	0.0210	0.0043
E805544	6.00	7.00	1.00	0.2039	0.0673	0.0105
E805545	7.00	7.75	0.75	0.0089	0.0047	0.0022

DETAILED LOG

Hole Number: KB-07-23

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
7.75	9.44	GABPYXT, Gabbro Pyroxenite Dikes GABpyrxt 9.0 - 9.4 Felsic Dike. Mineralization 7.75 - 9.40 Structure 7.75 - 9.40	E805546	7.75	8.50	0.75	0.0235	0.0166	0.0042
			E805547	8.50	9.44	0.94	0.1060	0.0407	0.0062
9.44	17.00	PYXT, Pyroxenite Mineralization 9.44 - 17.00 Structure 9.44 - 17.00	E805548	9.44	10.50	1.06	0.1994	0.0673	0.0075
			E805549	10.50	11.50	1.00	0.3571	0.1490	0.0124
			E805551	11.50	12.50	1.00	0.2222	0.1013	0.0089
			E805552	12.50	13.50	1.00	0.1947	0.0851	0.0080
			E805553	13.50	14.50	1.00	0.7661	0.4408	0.0207
			E805554	14.50	15.50	1.00	1.0280	1.2498	0.0324
			E805555	15.50	17.00	1.50	0.7509	0.3570	0.0189
17.00	35.40	GABPYXT, Gabbro Pyroxenite Dikes Gabbro Xenolthis Mineralization 17.00 - 35.40 Structure 17.00 - 35.40	E805556	17.00	18.00	1.00	0.1638	0.0814	0.0092
			E805557	18.00	19.00	1.00	0.0179	0.0159	0.0043
			E805559	19.00	20.00	1.00	0.0110	0.0161	0.0054
			E805560	20.00	21.00	1.00	0.0180	0.0196	0.0051
			E805561	21.00	22.00	1.00	0.0135	0.0203	0.0059
			E805562	22.00	23.00	1.00	0.0081	0.0136	0.0040
			E805563	23.00	24.00	1.00	0.0458	0.0288	0.0066
			E805565	24.00	25.00	1.00	0.0225	0.0458	0.0080
			E805566	25.00	26.00	1.00	0.1469	0.0794	0.0101
			E805567	26.00	27.00	1.00	0.0344	0.0078	0.0058
			E805568	27.00	28.00	1.00	0.0275	0.0124	0.0054
			E805569	28.00	29.00	1.00	0.0229	0.0220	0.0049
			E805570	29.00	30.00	1.00	0.0329	0.0402	0.0077
			E805571	30.00	31.00	1.00	0.0056	0.0112	0.0034
			E805572	31.00	32.00	1.00	0.0114	0.0292	0.0052
			E805573	32.00	33.00	1.00	0.0137	0.0288	0.0066
			E805574	33.00	34.00	1.00	0.0150	0.0394	0.0073
			E805575	34.00	35.40	1.40	0.0501	0.0281	0.0071
35.40	37.00	FD, Felsic Dike Mineralization 35.40 - 37.00 Structure 35.40 - 37.00	E805576	35.40	37.00	1.60	0.0013	0.0044	0.0006

Hole Number: KB-07-23 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
37.00	43.00	GABPYXT, Gabbro Pyroxenite Dikes Gabrro Hetrogeneous Mineralization 37.00 - 43.00 Structure 37.00 - 43.00	E805577	37.00	38.00	1.00	0.0832	0.0535	0.0083
			E805578	38.00	39.00	1.00	0.1299	0.0591	0.0069
			E805579	39.00	40.00	1.00	0.2828	0.0792	0.0102
			E805581	40.00	41.00	1.00	0.6406	0.3807	0.0206
			E805582	41.00	42.00	1.00	0.1670	0.0931	0.0072
			E805583	42.00	43.00	1.00	0.2825	0.0946	0.0110
43.00	45.25	PYXT, Pyroxenite Mineralization 43.00 - 45.25 Structure 43.00 - 45.25 43.00 - 45.25 : UC Upper Contact, 60 Deg to CA	E805584	43.00	44.00	1.00	0.9265	0.9946	0.0263
			E805585	44.00	45.25	1.25	0.1127	0.0866	0.0062
45.25	47.00	TSCH, Talc Schist Mineralization 45.25 - 47.00 Structure 45.25 - 47.00	E805586	45.25	46.00	0.75	0.0452	0.0701	0.0036
			E805587	46.00	47.00	1.00	0.2154	0.3764	0.0082
47.00	48.10	PYXT, Pyroxenite	E805588	47.00	48.10	1.10	0.0830	0.1731	0.0047
48.10	56.68	GAB, Gabbro Numerous Dykes both Mafic and Felsic Pyroxenite veins throughot 53.1 - 53. 30 Semi massive vein 54.4 - 54.5 Semi massive sulphide vein	E805589	48.10	49.00	0.90	0.0049	0.0099	0.0022
			E805590	49.00	50.00	1.00	0.0414	0.0238	0.0044
			E805591	50.00	51.00	1.00	0.0034	0.0100	0.0022
			E805592	51.00	52.00	1.00	0.0035	0.0120	0.0021
			E805593	52.00	53.10	1.10	0.0038	0.0128	0.0021
			E805594	53.10	54.00	0.90	0.7102	0.2824	0.0534
			E805595	54.00	55.00	1.00	0.0589	0.0492	0.0046
			E805596	55.00	56.68	1.68	0.0374	0.0268	0.0040
56.68	60.90	MDCHL, Mafic Dike Chloritic Mineralization 56.68 - 60.90	E805597	56.68	58.00	1.32	0.0066	0.0066	0.0027
			E805598	58.00	59.00	1.00	0.0038	0.0047	0.0020
			E805600	59.00	60.00	1.00	0.0037	0.0041	0.0021
			E805601	60.00	60.90	0.90	0.0039	0.0044	0.0020
60.90	65.75	GABPYXT, Gabbro Pyroxenite Dikes Hetrolithic Gabbro Mineralization 60.90 - 65.75 Structure 60.90 - 65.75	E805602	60.90	62.00	1.10	0.0660	0.0408	0.0043
			E805603	62.00	63.00	1.00	0.0155	0.0105	0.0032
			E805604	63.00	64.00	1.00	0.0659	0.0804	0.0039
			E805605	64.00	65.00	1.00	0.1384	0.0678	0.0029
			E805606	65.00	65.75	0.75	0.1285	0.0761	0.0021
65.75	77.00	MV, Mafic Volcanic Mineralization 65.75 - 77.00 Structure 65.75 - 77.00	E805607	65.75	67.00	1.25	0.0423	0.0148	0.0025
			E805608	67.00	68.00	1.00	0.0190	0.0026	0.0024
			E805609	68.00	69.00	1.00	0.0274	0.0107	0.0026

Hole Number: KB-07-23 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805543	4.80	6.00	0.0221	0.0210	0.0043
E805544	6.00	7.00	0.2039	0.0673	0.0105
E805545	7.00	7.75	0.0089	0.0047	0.0022
E805546	7.75	8.50	0.0235	0.0166	0.0042
E805547	8.50	9.44	0.1060	0.0407	0.0062
E805548	9.44	10.50	0.1994	0.0673	0.0075
E805549	10.50	11.50	0.3571	0.1490	0.0124
E805551	11.50	12.50	0.2222	0.1013	0.0089
E805552	12.50	13.50	0.1947	0.0851	0.0080
E805553	13.50	14.50	0.7661	0.4408	0.0207
E805554	14.50	15.50	1.0280	1.2498	0.0324
E805555	15.50	17.00	0.7509	0.3570	0.0189
E805556	17.00	18.00	0.1638	0.0814	0.0092
E805557	18.00	19.00	0.0179	0.0159	0.0043
E805559	19.00	20.00	0.0110	0.0161	0.0054
E805560	20.00	21.00	0.0180	0.0196	0.0051
E805561	21.00	22.00	0.0135	0.0203	0.0059
E805562	22.00	23.00	0.0081	0.0136	0.0040
E805563	23.00	24.00	0.0458	0.0288	0.0066
E805565	24.00	25.00	0.0225	0.0458	0.0080
E805566	25.00	26.00	0.1469	0.0794	0.0101
E805567	26.00	27.00	0.0344	0.0078	0.0058
E805568	27.00	28.00	0.0275	0.0124	0.0054
E805569	28.00	29.00	0.0229	0.0220	0.0049
E805570	29.00	30.00	0.0329	0.0402	0.0077
E805571	30.00	31.00	0.0056	0.0112	0.0034
E805572	31.00	32.00	0.0114	0.0292	0.0052
E805573	32.00	33.00	0.0137	0.0288	0.0066
E805574	33.00	34.00	0.0150	0.0394	0.0073
E805575	34.00	35.40	0.0501	0.0281	0.0071
E805576	35.40	37.00	0.0013	0.0044	0.0006
E805577	37.00	38.00	0.0832	0.0535	0.0083
E805578	38.00	39.00	0.1299	0.0591	0.0069
E805579	39.00	40.00	0.2828	0.0792	0.0102
E805581	40.00	41.00	0.6406	0.3807	0.0206
E805582	41.00	42.00	0.1670	0.0931	0.0072
E805583	42.00	43.00	0.2825	0.0946	0.0110

Hole Number: KB-07-23 Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805584	43.00	44.00	0.9265	0.9946	0.0263
E805585	44.00	45.25	0.1127	0.0866	0.0062
E805586	45.25	46.00	0.0452	0.0701	0.0036
E805587	46.00	47.00	0.2154	0.3764	0.0082
E805588	47.00	48.10	0.0830	0.1731	0.0047
E805589	48.10	49.00	0.0049	0.0099	0.0022
E805590	49.00	50.00	0.0414	0.0238	0.0044
E805591	50.00	51.00	0.0034	0.0100	0.0022
E805592	51.00	52.00	0.0035	0.0120	0.0021
E805593	52.00	53.10	0.0038	0.0128	0.0021
E805594	53.10	54.00	0.7102	0.2824	0.0534
E805595	54.00	55.00	0.0589	0.0492	0.0046
E805596	55.00	56.68	0.0374	0.0268	0.0040
E805597	56.68	58.00	0.0066	0.0066	0.0027
E805598	58.00	59.00	0.0038	0.0047	0.0020
E805600	59.00	60.00	0.0037	0.0041	0.0021
E805601	60.00	60.90	0.0039	0.0044	0.0020
E805602	60.90	62.00	0.0660	0.0408	0.0043
E805603	62.00	63.00	0.0155	0.0105	0.0032
E805604	63.00	64.00	0.0659	0.0804	0.0039
E805605	64.00	65.00	0.1384	0.0678	0.0029
E805606	65.00	65.75	0.1285	0.0761	0.0021
E805607	65.75	67.00	0.0423	0.0148	0.0025
E805608	67.00	68.00	0.0190	0.0026	0.0024
E805609	68.00	69.00	0.0274	0.0107	0.0026

DETAILED LOG

Hole Number: KB-07-22

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -45.00
Project Number:	19900	North:	5481561.00		North:	5481561.00	Collar Az: 303.10
Location:	Surface	East:	453931.70		East:	453931.70	Length: 50.00 (m)
		Elev:	398.08		Elev:	398.08	Start Depth: 0.00 (m)
Date Started:	Apr 13, 2007	Collar Survey:	Y	Plugged: N	Contractor:	Morris Drilling	Final Depth: 50.00 (m)
Date Completed:	Jul 13, 2007	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	tk	Pulse EM Survey:	N	Casing: Pulled			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	6.00	32.00	26.00	0.1227	0.1273	0.0052
WEIGHTED	25.60	32.00	6.40	0.2029	0.2238	0.0061

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
50.00	303.10	-47.10	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology
0	6.00	CAS, Casing
6.00	7.90	PYXT, Pyroxenite Mineralization 6.00 - 7.90 Structure 6.00 - 7.90
7.90	10.52	TSCH, Talc Schist Mineralization 7.90 - 10.52 Structure 7.90 - 10.52
10.52	15.50	PYXT, Pyroxenite 13.50 14.0 Mafic Dyke fine grained. 15.0 15.40 Mfic Volcanic sheared. Mineralization 10.52 - 15.50 Structure 10.52 - 15.50

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805501	6.00	7.00	1.00	0.3707	0.0172	0.0138
E805502	7.00	7.90	0.90	0.0285	0.0272	0.0034
E805503	7.90	9.00	1.10	0.0588	0.0744	0.0044
E805504	9.00	10.52	1.52	0.1145	0.1495	0.0049
E805505	10.52	11.50	0.98	0.0609	0.0702	0.0031
E805506	11.50	12.50	1.00	0.0853	0.0823	0.0044
E805507	12.50	13.65	1.15	0.2920	0.3954	0.0068
E805508	13.65	14.05	0.40	0.0172	0.0161	0.0034
E805509	14.05	15.00	0.95	0.2381	0.3338	0.0072
E805510	15.00	15.50	0.50	0.0571	0.0342	0.0044

Hole Number: KB-07-22

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
15.50	17.30	MDCHL, Mafic Dike Chloritic Mineralization 15.50 - 17.30 Structure 15.50 - 17.30 15.50 - 17.30 : UC Upper Contact, 45 Deg to CA	E805511	15.50	17.30	1.80	0.0050	0.0050	0.0023
17.30	18.30	PYXT, Pyroxenite Mineralization 17.30 - 18.30 Structure 17.30 - 18.30 : MODFOL Moderately Foliated, 65 Deg to CA	E805512	17.30	18.30	1.00	0.1269	0.1671	0.0050
18.30	19.40	MD, Mafic Dike Mineralization 18.30 - 19.40 Structure 18.30 - 19.40 18.30 - 19.40 : UC Upper Contact, 70 Deg to CA	E805513	18.30	19.40	1.10	0.0209	0.0153	0.0039
19.40	24.20	MV, Mafic Volcanic Mineralization 19.40 - 24.20 Structure 19.40 - 24.20 19.40 - 24.20 : UC Upper Contact, 50 Deg to CA	E805514	19.40	20.50	1.10	0.0868	0.0899	0.0047
			E805516	20.50	21.50	1.00	0.0666	0.0711	0.0055
			E805517	21.50	22.50	1.00	0.0459	0.0691	0.0050
			E805518	22.50	23.50	1.00	0.1127	0.0950	0.0056
			E805519	23.50	24.20	0.70	0.0370	0.0696	0.0054
24.20	25.60	MDCHL, Mafic Dike Chloritic Mineralization 24.20 - 25.60 Structure 24.20 - 25.60 24.20 - 25.60 : UC Upper Contact, 40 Deg to CA	E805520	24.20	25.60	1.40	0.0062	0.0035	0.0026
25.60	27.10	PYXT, Pyroxenite Mineralization 25.60 - 27.10 Structure 25.60 - 27.10 : MODFOL Moderately Foliated, 40 Deg to CA	E805521	25.60	26.50	0.90	0.4921	0.3957	0.0098
			E805522	26.50	27.10	0.60	0.2977	0.3628	0.0061
27.10	27.70	MD, Mafic Dike Structure 27.10 - 27.70 27.10 - 27.70 : UC Upper Contact, 40 Deg to CA	E805524	27.10	27.70	0.60	0.0071	0.0063	0.0033

DETAILED LOG

Hole Number: KB-07-22

Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
27.70	33.20	PYXT, Pyroxenite Mineralization 27.70 - 33.20 Structure 27.70 - 33.20 : STRFOL Strongly Foliated, 40 Deg to CA
33.20	50.00	MV, Mafic Volcanic Mineralization 33.20 - 50.00 Structure 33.20 - 50.00

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E805525	27.70	29.00	1.30	0.1486	0.2452	0.0054
E805526	29.00	30.00	1.00	0.0997	0.0941	0.0055
E805528	30.00	31.00	1.00	0.2256	0.2991	0.0060
E805529	31.00	32.00	1.00	0.1540	0.1425	0.0059
E805530	32.00	33.20	1.20	0.0379	0.0380	0.0046
E805531	33.20	34.00	0.80	0.1394	0.0783	0.0073
E805532	34.00	35.00	1.00	0.0213	0.0338	0.0052
E805533	35.00	36.00	1.00	0.0125	0.0131	0.0050
E805534	36.00	37.00	1.00	0.0151	0.0193	0.0050
E805535	37.00	38.00	1.00	0.0108	0.0136	0.0032
E805537	38.00	39.00	1.00	0.0021	0.0023	0.0011
E805538	39.00	40.00	1.00	0.0006	0.0015	0.0009
E805539	40.00	41.00	1.00	0.0089	0.0106	0.0040
E805540	41.00	42.00	1.00	0.0101	0.0101	0.0045
E805541	42.00	43.00	1.00	0.0108	0.0154	0.0052
E805542	43.00	44.00	1.00	0.0099	0.0110	0.0048

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805501	6.00	7.00	0.3707	0.0172	0.0138
E805502	7.00	7.90	0.0285	0.0272	0.0034
E805503	7.90	9.00	0.0588	0.0744	0.0044
E805504	9.00	10.52	0.1145	0.1495	0.0049
E805505	10.52	11.50	0.0609	0.0702	0.0031
E805506	11.50	12.50	0.0853	0.0823	0.0044
E805507	12.50	13.65	0.2920	0.3954	0.0068
E805508	13.65	14.05	0.0172	0.0161	0.0034
E805509	14.05	15.00	0.2381	0.3338	0.0072
E805510	15.00	15.50	0.0571	0.0342	0.0044
E805511	15.50	17.30	0.0050	0.0050	0.0023
E805512	17.30	18.30	0.1269	0.1671	0.0050
E805513	18.30	19.40	0.0209	0.0153	0.0039
E805514	19.40	20.50	0.0868	0.0899	0.0047
E805516	20.50	21.50	0.0666	0.0711	0.0055
E805517	21.50	22.50	0.0459	0.0691	0.0050
E805518	22.50	23.50	0.1127	0.0950	0.0056
E805519	23.50	24.20	0.0370	0.0696	0.0054
E805520	24.20	25.60	0.0062	0.0035	0.0026

Hole Number: KB-07-22

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E805521	25.60	26.50	0.4921	0.3957	0.0098
E805522	26.50	27.10	0.2977	0.3628	0.0061
E805524	27.10	27.70	0.0071	0.0063	0.0033
E805525	27.70	29.00	0.1486	0.2452	0.0054
E805526	29.00	30.00	0.0997	0.0941	0.0055
E805528	30.00	31.00	0.2256	0.2991	0.0060
E805529	31.00	32.00	0.1540	0.1425	0.0059
E805530	32.00	33.20	0.0379	0.0380	0.0046
E805531	33.20	34.00	0.1394	0.0783	0.0073
E805532	34.00	35.00	0.0213	0.0338	0.0052
E805533	35.00	36.00	0.0125	0.0131	0.0050
E805534	36.00	37.00	0.0151	0.0193	0.0050
E805535	37.00	38.00	0.0108	0.0136	0.0032
E805537	38.00	39.00	0.0021	0.0023	0.0011
E805538	39.00	40.00	0.0006	0.0015	0.0009
E805539	40.00	41.00	0.0089	0.0106	0.0040
E805540	41.00	42.00	0.0101	0.0101	0.0045
E805541	42.00	43.00	0.0108	0.0154	0.0052
E805542	43.00	44.00	0.0099	0.0110	0.0048

DETAILED LOG

Hole Number: KB-08-197

Units: METRIC

Project Name:	Kenbridge	Primary Coordinates	Grid: UTM:		Destination Coordinates	Grid: UTM:	Collar Dip: -68.80
Project Number:	19900	North:	5481364.00		North:	5481364.00	Collar Az: 304.10
Location:	Surface	East:	454088.00		East:	454088.00	Length: 497.00 (m)
		Elev:	385.00		Elev:	385.00	Start Depth: 0.00 (m)
Date Started:	Jan 19, 2008	Collar Survey:	N	Plugged: N	Contractor:	Morris Drilling	Final Depth: 497.00 (m)
Date Completed:	Jan 26, 2008	Multishot Survey:	N	Hole Size: NQ	Core Storage:	Kenbridge Minesite	
Logged By:	pm	Pulse EM Survey:	N	Casing: Left in Hole			

Comments:

Sample Averages

Average Type	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
WEIGHTED	426.00	445.00	19.00	0.4616	0.2827	0.0141
WEIGHTED	426.00	458.00	32.00	0.3409	0.2130	0.0112
WEIGHTED	428.00	431.20	3.20	0.8335	0.4483	0.0210

Survey Data

Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments	Depth (m)	Azimuth Decimal	Dip Decimal	Test Type	Flag	Comments
0.00	304.10	-68.80	EZ	DO		50.00	308.60	-68.10	EZ	OK	
100.00	311.20	-67.90	EZ	OK		150.00	315.60	-67.40	EZ	OK	
200.00	311.80	-67.00	EZ	OK		250.00	314.40	-66.70	EZ	OK	
400.00	312.70	-63.10	EZ	OK							

Detailed Lithology

From (m)	To (m)	Lithology	Assay Data: Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
0	2.00	CAS, Casing							
2.00	30.00	MV, Mafic Volcanic							
30.00	36.50	MD, Mafic Dike Structure 30.00 - 36.50 : UC Upper Contact, 45 Deg to CA							
36.50	43.50	MV, Mafic Volcanic Structure 36.50 - 43.50 : UC Upper Contact, 50 Deg to CA							
43.50	53.00	FD, Felsic Dike Structure 43.50 - 53.00 : UC Upper Contact, 45 Deg to CA							
53.00	54.00	MV, Mafic Volcanic Structure 53.00 - 54.00 : UC Upper Contact, 60 Deg to CA							

Hole Number: KB-08-197 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
54.00	57.70	FD, Felsic Dike Structure 54.00 - 57.70 : UC Upper Contact, 70 Deg to CA							
57.70	66.50	MV, Mafic Volcanic Structure 57.70 - 66.50 : UC Upper Contact, 45 Deg to CA							
66.50	67.60	MD, Mafic Dike Structure 66.50 - 67.60 : UC Upper Contact, 50 Deg to CA							
67.60	74.30	MV, Mafic Volcanic Structure 67.60 - 74.30 : UC Upper Contact, 45 Deg to CA							
74.30	79.00	FD, Felsic Dike Structure 74.30 - 79.00 : UC Upper Contact, 40 Deg to CA							
79.00	100.00	MV, Mafic Volcanic Structure 79.00 - 100.00 : UC Upper Contact, 45 Deg to CA							
100.00	102.00	MD, Mafic Dike Structure 100.00 - 102.00 : UC Upper Contact, 50 Deg to CA							
102.00	107.20	MV, Mafic Volcanic Structure 102.00 - 107.20 : UC Upper Contact, 50 Deg to CA							
107.20	108.00	FD, Felsic Dike Structure 107.20 - 108.00 : UC Upper Contact, 30 Deg to CA							
108.00	120.00	MV, Mafic Volcanic Structure 108.00 - 120.00 : UC Upper Contact, 30 Deg to CA							
120.00	121.60	FD, Felsic Dike Structure 120.00 - 121.60 : UC Upper Contact, 20 Deg to CA							
121.60	145.80	MV, Mafic Volcanic Structure 121.60 - 145.80 : UC Upper Contact, 45 Deg to CA							
145.80	148.00	FD, Felsic Dike Structure 145.80 - 148.00 : UC Upper Contact, 70 Deg to CA							

Hole Number: KB-08-197

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
148.00	176.00	MV, Mafic Volcanic Structure 148.00 - 176.00 : UC Upper Contact, 65 Deg to CA							
176.00	179.50	MD, Mafic Dike Structure 176.00 - 179.50 : UC Upper Contact, 70 Deg to CA							
179.50	218.70	MV, Mafic Volcanic Structure 179.50 - 218.70 : UC Upper Contact, 70 Deg to CA							
218.70	240.50	PYXT, Pyroxenite Mineralization 218.70 - 240.50 Structure 218.70 - 240.50 : FOL Foliated, 40 Deg to CA 218.70 - 240.50 : UC Upper Contact, 40 Deg to CA							
240.50	242.00	MD, Mafic Dike Structure 240.50 - 242.00 : UC Upper Contact, 40 Deg to CA							
242.00	243.80	MV, Mafic Volcanic Structure 242.00 - 243.80 242.00 - 243.80 : UC Upper Contact, 40 Deg to CA							
243.80	246.70	MD, Mafic Dike Structure 243.80 - 246.70 : UC Upper Contact, 30 Deg to CA							
246.70	251.00	MV, Mafic Volcanic Structure 246.70 - 251.00 : UC Upper Contact, 40 Deg to CA							
251.00	252.00	MD, Mafic Dike Structure 251.00 - 252.00 : UC Upper Contact, 15 Deg to CA							
252.00	293.00	MV, Mafic Volcanic Structure 252.00 - 293.00 : UC Upper Contact, 45 Deg to CA							
293.00	304.50	MDCHL, Mafic Dike Chloritic Structure 293.00 - 304.50 : UC Upper Contact, 40 Deg to CA							
304.50	390.30	MV, Mafic Volcanic Structure 304.50 - 390.30 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-08-197 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
390.30	393.50	MD, Mafic Dike Structure 390.30 - 393.50 : UC Upper Contact, 50 Deg to CA							
393.50	400.00	MV, Mafic Volcanic Structure 393.50 - 400.00 : UC Upper Contact, 30 Deg to CA							
400.00	402.50	FD, Felsic Dike Structure 400.00 - 402.50 : UC Upper Contact, 40 Deg to CA							
402.50	411.10	MV, Mafic Volcanic Structure 402.50 - 411.10 : UC Upper Contact, 20 Deg to CA							
411.10	413.00	TSCH, Talc Schist Mineralization 411.10 - 413.00 Structure 411.10 - 413.00 : FOL Foliated, 20 Deg to CA 411.10 - 413.00 : UC Upper Contact, 20 Deg to CA							
413.00	414.80	MV, Mafic Volcanic Structure 413.00 - 414.80 : UC Upper Contact, 35 Deg to CA							
414.80	422.50	TSCH, Talc Schist Mineralization 414.80 - 421.70 421.70 - 422.50 Structure 414.80 - 422.50 : FOL Foliated, 25 Deg to CA 414.80 - 422.50 : UC Upper Contact, 25 Deg to CA							
422.50	424.10	MDCHL, Mafic Dike Chloritic Structure 422.50 - 424.10 : UC Upper Contact, 35 Deg to CA							
424.10	426.90	TSCH, Talc Schist Mineralization 424.10 - 426.90 Structure 424.10 - 426.90 : FOL Foliated, 30 Deg to CA 424.10 - 426.90 : UC Upper Contact, 30 Deg to CA	E829361	424.10	425.00	0.90	0.0560	0.0557	0.0043
			E829362	425.00	426.00	1.00	0.0471	0.0550	0.0041
			E829363	426.00	426.90	0.90	0.5584	0.3938	0.0136

Hole Number: KB-08-197 Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
426.90	431.20	PYXT, Pyroxenite Mineralization 426.90 - 431.20 Structure 426.90 - 431.20 : FOL Foliated, 45 Deg to CA 426.90 - 431.20 : UC Upper Contact, 40 Deg to CA	E829364	426.90	428.00	1.10	0.0350	0.0197	0.0064
			E829365	428.00	429.00	1.00	0.6852	0.3609	0.0190
			E829366	429.00	430.00	1.00	0.8876	0.4512	0.0211
			E829367	430.00	431.20	1.20	0.9120	0.5186	0.0227
431.20	432.40	MDCHL, Mafic Dike Chloritic Structure 431.20 - 432.40 : UC Upper Contact, 45 Deg to CA	E829369	431.20	432.40	1.20	0.0360	0.0226	0.0030
432.40	435.60	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 432.40 - 435.60 Structure 432.40 - 435.60 : FOL Foliated, 55 Deg to CA 432.40 - 435.60 : UC Upper Contact, 55 Deg to CA	E829370	432.40	433.50	1.10	0.6974	0.3515	0.0191
			E829371	433.50	434.60	1.10	0.0196	0.0210	0.0058
			E829372	434.60	435.60	1.00	0.1972	0.1089	0.0084
435.60	438.60	PYXT, Pyroxenite Mineralization 435.60 - 436.40 436.40 - 437.00 437.00 - 437.50 437.50 - 438.20 438.20 - 438.60 Structure 435.60 - 438.60 : UC Upper Contact, 35 Deg to CA	E829373	435.60	436.60	1.00	0.7689	0.4979	0.0227
			E829374	436.60	437.60	1.00	0.5697	0.5579	0.0144
			E829376	437.60	438.60	1.00	0.7883	0.4124	0.0205
438.60	440.30	MD, Mafic Dike Structure 438.60 - 440.30 : UC Upper Contact, 30 Deg to CA	E829377	438.60	440.30	1.70	0.0373	0.0467	0.0052
440.30	445.00	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 440.30 - 445.00 Structure 440.30 - 445.00 : FOL Foliated, 40 Deg to CA 440.30 - 445.00 : UC Upper Contact, 30 Deg to CA	E829378	440.30	441.20	0.90	0.3618	0.1347	0.0129
			E829379	441.20	442.10	0.90	0.4731	0.2335	0.0141
			E829380	442.10	443.00	0.90	0.6234	0.1635	0.0149
			E829381	443.00	444.00	1.00	0.4571	0.4915	0.0195
			E829382	444.00	445.00	1.00	0.5727	0.4974	0.0190
445.00	446.70	MDCHL, Mafic Dike Chloritic Structure 445.00 - 446.70 : UC Upper Contact, 40 Deg to CA	E829383	445.00	446.00	1.00	0.0389	0.0388	0.0037
446.70	450.50	MD, Mafic Dike Structure 446.70 - 450.50 GRAD							

Hole Number: KB-08-197

Units: METRIC

Detailed Lithology			Assay Data						
From (m)	To (m)	Lithology	Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
450.50	451.30	MDCHL, Mafic Dike Chloritic Structure 450.50 - 451.30 GRAD							
451.30	453.30	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 451.30 - 453.30 Structure 451.30 - 453.30 : UC Upper Contact, 40 Deg to CA	E829384	451.30	452.60	1.30	0.0100	0.0079	0.0031
			E829385	452.60	453.90	1.30	0.0076	0.0100	0.0028
453.30	453.90	FD, Felsic Dike Structure 453.30 - 453.90 : UC Upper Contact, 70 Deg to CA							
453.90	459.10	GABPYXT, Gabbro Pyroxenite Dikes Mineralization 453.90 - 459.10 Structure 453.90 - 459.10 : FOL Foliated, 60 Deg to CA 453.90 - 459.10 : UC Upper Contact, 55 Deg to CA	E829386	453.90	455.00	1.10	0.4823	0.7894	0.0220
			E829387	455.00	456.00	1.00	0.4366	0.1285	0.0137
			E829388	456.00	457.00	1.00	0.8475	0.2678	0.0280
			E829389	457.00	458.00	1.00	0.2631	0.1172	0.0129
			E829390	458.00	459.10	1.10	0.1601	0.0773	0.0089
459.10	459.60	MDCHL, Mafic Dike Chloritic Structure 459.10 - 459.60 : UC Upper Contact, 65 Deg to CA	E829391	459.10	459.60	0.50	0.0261	0.0092	0.0036
459.60	465.60	TSCH, Talc Schist Mineralization 459.60 - 465.60 Structure 459.60 - 465.60 : FOL Foliated, 45 Deg to CA 459.60 - 465.60 : UC Upper Contact, 45 Deg to CA	E829392	459.60	460.80	1.20	0.4380	0.2824	0.0081
			E829393	460.80	462.20	1.40	0.2266	0.8850	0.0129
			E829395	462.20	463.40	1.20	0.2605	0.0792	0.0082
			E829396	463.40	464.50	1.10	0.1341	0.1557	0.0061
			E829397	464.50	465.60	1.10	0.0473	0.0358	0.0043
465.60	466.50	MDCHL, Mafic Dike Chloritic Mineralization 465.60 - 466.50 Structure 465.60 - 466.50 : UC Upper Contact, 55 Deg to CA	E829398	465.60	466.50	0.90	0.0374	0.0178	0.0053
466.50	474.80	TSCH, Talc Schist Mineralization 466.50 - 474.80 Structure 466.50 - 474.80 : FOL Foliated, 50 Deg to CA 466.50 - 474.80 : UC Upper Contact, 40 Deg to CA	E829399	466.50	467.70	1.20	0.0212	0.0050	0.0046
			E829400	467.70	468.90	1.20	0.0215	0.0062	0.0042
			E584101	468.90	470.00	1.10	0.1754	0.0453	0.0063
			E584102	470.00	471.00	1.00	0.0112	0.0116	0.0048
474.80	475.60	MDCHL, Mafic Dike Chloritic Structure 474.80 - 475.60 : UC Upper Contact, 40 Deg to CA							

Hole Number: KB-08-197 Units: METRIC

Detailed Lithology

From (m)	To (m)	Lithology
475.60	482.60	TSCH, Talc Schist Mineralization 475.60 - 482.60 Structure 475.60 - 482.60 : FOL Foliated, 45 Deg to CA 475.60 - 482.60 : UC Upper Contact, 45 Deg to CA
482.60	483.90	MDCHL, Mafic Dike Chloritic Structure 482.60 - 483.90 : UC Upper Contact, 45 Deg to CA
483.90	497.00	MV, Mafic Volcanic Structure 483.90 - 497.00 : UC Upper Contact, 40 Deg to CA

Assay Data

Sample Number	From (m)	To (m)	Length (m)	Ni%	Cu%	Co%
E584103	481.60	482.60	1.00	0.0243	0.0052	0.0046
E584104	482.60	483.90	1.30	0.1061	0.0712	0.0064
E584105	483.90	484.90	1.00	0.0372	0.0281	0.0043
E584106	484.90	485.90	1.00	0.2613	0.1148	0.0095
E584107	485.90	486.90	1.00	0.0396	0.0239	0.0051

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829361	424.10	425.00	0.0560	0.0557	0.0043
E829362	425.00	426.00	0.0471	0.0550	0.0041
E829363	426.00	426.90	0.5584	0.3938	0.0136
E829364	426.90	428.00	0.0350	0.0197	0.0064
E829365	428.00	429.00	0.6852	0.3609	0.0190
E829366	429.00	430.00	0.8876	0.4512	0.0211
E829367	430.00	431.20	0.9120	0.5186	0.0227
E829369	431.20	432.40	0.0360	0.0226	0.0030
E829370	432.40	433.50	0.6974	0.3515	0.0191
E829371	433.50	434.60	0.0196	0.0210	0.0058
E829372	434.60	435.60	0.1972	0.1089	0.0084
E829373	435.60	436.60	0.7689	0.4979	0.0227
E829374	436.60	437.60	0.5697	0.5579	0.0144
E829376	437.60	438.60	0.7883	0.4124	0.0205
E829377	438.60	440.30	0.0373	0.0467	0.0052
E829378	440.30	441.20	0.3618	0.1347	0.0129
E829379	441.20	442.10	0.4731	0.2335	0.0141
E829380	442.10	443.00	0.6234	0.1635	0.0149
E829381	443.00	444.00	0.4571	0.4915	0.0195
E829382	444.00	445.00	0.5727	0.4974	0.0190
E829383	445.00	446.00	0.0389	0.0388	0.0037
E829384	451.30	452.60	0.0100	0.0079	0.0031
E829385	452.60	453.90	0.0076	0.0100	0.0028

Hole Number: KB-08-197

Units: METRIC

Samples

Sample Number	From (m)	To (m)	Ni%	Cu%	Co%
Sample Type ASSAY					
E829386	453.90	455.00	0.4823	0.7894	0.0220
E829387	455.00	456.00	0.4366	0.1285	0.0137
E829388	456.00	457.00	0.8475	0.2678	0.0280
E829389	457.00	458.00	0.2631	0.1172	0.0129
E829390	458.00	459.10	0.1601	0.0773	0.0089
E829391	459.10	459.60	0.0261	0.0092	0.0036
E829392	459.60	460.80	0.4380	0.2824	0.0081
E829393	460.80	462.20	0.2266	0.8850	0.0129
E829395	462.20	463.40	0.2605	0.0792	0.0082
E829396	463.40	464.50	0.1341	0.1557	0.0061
E829397	464.50	465.60	0.0473	0.0358	0.0043
E829398	465.60	466.50	0.0374	0.0178	0.0053
E829399	466.50	467.70	0.0212	0.0050	0.0046
E829400	467.70	468.90	0.0215	0.0062	0.0042
E584101	468.90	470.00	0.1754	0.0453	0.0063
E584102	470.00	471.00	0.0112	0.0116	0.0048
E584103	481.60	482.60	0.0243	0.0052	0.0046
E584104	482.60	483.90	0.1061	0.0712	0.0064
E584105	483.90	484.90	0.0372	0.0281	0.0043
E584106	484.90	485.90	0.2613	0.1148	0.0095
E584107	485.90	486.90	0.0396	0.0239	0.0051

APPENDIX II

LAB CERTIFICATES

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 24-FEB-2008
Account: CNARMN

CERTIFICATE TB07154397

Project:

P.O. No.:

This report is for 93 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 24-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 964 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 24-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154397

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E583779		4.04	<0.005	0.007	0.003	<0.005	<0.001	0.003	<1	0.09
E583780		5.80	<0.005	0.011	0.003	<0.005	<0.001	0.006	<1	0.16
E583781		2.26	0.085	0.041	0.008	0.012	0.013	0.022	1	0.38
E583782		3.49	0.530	0.076	0.017	0.037	0.011	0.016	<1	1.77
E583783		2.52	0.247	0.105	0.009	0.094	0.037	0.103	2	0.93
E583784		4.08	1.970	0.866	0.046	0.016	0.006	0.024	<1	7.32
E583785		3.46	0.683	0.244	0.021	0.023	0.006	0.091	<1	2.59
E583788		4.19	3.17	0.740	0.080	0.128	0.036	0.055	2	12.25
E583787		4.97	7.91	0.679	0.262	0.063	0.059	0.104	2	31.4
E583788		3.67	6.63	0.316	0.170	0.043	0.056	0.053	1	29.4
E583789		4.32	5.80	0.768	0.214	0.035	0.053	0.131	3	29.7
E583790		3.91	0.036	0.015	0.005	<0.005	0.001	0.004	<1	0.25
E583791		3.67	5.60	1.325	0.090	0.016	0.057	0.133	4	21.1
E583792		4.29	7.36	0.265	0.161	0.036	0.059	0.036	2	26.5
E583793		0.06	1.460	0.753	0.058	0.010	0.007	0.051	1	13.45
E583794		3.22	3.17	1.470	0.052	0.274	0.033	0.037	2	12.35
E583795		2.50	2.69	0.406	0.059	0.126	0.021	0.015	2	9.67
E583796		3.45	1.955	0.947	0.044	0.137	0.042	0.049	2	7.15
E583797		0.06	1.460	0.762	0.059	0.012	0.008	0.053	1	13.65
E583798		3.12	2.22	1.445	0.042	0.229	0.054	0.116	4	9.16
E583799		3.24	2.86	0.969	0.059	0.115	0.048	0.036	3	11.10
E583800		4.59	0.995	1.690	0.022	0.117	0.048	0.074	4	5.16
E583801		3.48	0.030	0.226	0.006	0.007	0.003	0.048	1	0.81
E583802		2.13	0.785	2.46	0.021	0.135	0.063	0.097	6	5.03
E583803		3.36	0.403	1.365	0.013	0.036	0.016	0.205	4	2.65
E583804		2.05	0.023	0.039	0.004	<0.005	0.002	0.009	<1	0.31
E583805		2.67	0.026	0.041	0.004	<0.005	0.002	0.013	<1	0.31
E583806		4.71	0.055	0.042	0.005	0.009	0.002	0.012	<1	0.17
E583807		3.99	0.047	0.011	0.005	0.012	0.003	0.003	<1	0.12
E583808		3.50	0.011	0.014	0.004	<0.005	<0.001	0.003	<1	0.13
E583809		4.16	0.062	0.034	0.007	0.009	0.004	0.009	<1	0.43
E583810		4.50	0.027	0.041	0.008	<0.005	0.002	0.011	<1	0.82
E583811		1.66	0.043	0.038	0.007	<0.005	0.002	0.014	<1	0.73
E583812		5.96	0.017	0.015	0.007	<0.005	0.002	0.006	<1	0.52
E583813		2.56	0.019	0.015	0.006	<0.005	0.002	0.009	<1	0.62
E583814		4.16	0.188	0.135	0.011	0.051	0.015	0.097	1	0.76
E583815		4.51	0.204	0.088	0.011	0.023	0.007	0.027	1	0.80
E583816		0.06	1.430	0.742	0.056	0.005	0.007	0.067	2	13.30
E583817		3.42	0.178	0.061	0.010	0.015	0.006	0.019	<1	0.57
E583818		4.50	0.022	0.022	0.006	<0.005	0.002	0.007	1	0.29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 24-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154397

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E583819		4.70	0.015	0.013	0.005	<0.005	0.001	0.005	<1	0.44
E583820		3.28	0.024	0.035	0.007	<0.005	0.002	0.013	1	0.75
E583821		4.40	0.683	0.241	0.019	0.033	0.017	0.068	2	3.08
E583822		3.98	0.710	0.445	0.026	0.053	0.017	0.037	1	3.62
E583823		4.16	0.318	0.273	0.012	0.024	0.010	0.046	2	1.92
E583824		4.19	0.051	0.045	0.006	0.009	0.003	0.019	<1	0.34
E583825		4.06	0.063	0.046	0.006	0.005	0.003	0.018	1	0.43
E583826		4.00	0.310	0.143	0.011	0.034	0.014	0.058	1	1.49
E583827		4.54	0.216	0.117	0.011	0.032	0.018	0.033	<1	1.43
E583828		0.07	1.460	0.779	0.057	<0.005	<0.001	0.037	2	13.80
E583829		4.34	0.143	0.083	0.008	0.020	0.010	0.015	<1	1.06
E583830		4.10	0.020	0.032	0.005	<0.005	0.001	0.009	<1	0.48
E583831		4.46	0.122	0.084	0.007	0.018	0.009	0.014	1	0.92
E583832		4.53	0.098	0.058	0.008	0.015	0.007	0.012	<1	0.66
E583833		3.67	0.018	0.015	0.003	<0.005	0.002	0.007	1	0.80
E583834		3.65	0.020	0.022	0.005	<0.005	0.001	0.002	1	0.34
E583835		4.43	0.127	0.074	0.008	0.012	0.007	0.015	<1	1.00
E583836		4.02	0.156	0.083	0.009	0.019	0.012	0.017	1	1.08
E583837		2.49	0.198	0.104	0.011	0.027	0.014	0.020	<1	1.41
E583838		3.73	0.033	0.019	0.005	0.007	0.003	0.006	1	0.20
E583839		4.92	0.019	0.011	0.003	0.009	0.002	0.007	<1	0.17
E583840		3.87	0.112	0.076	0.009	0.015	0.009	0.014	<1	0.90
E583841		4.04	0.180	0.103	0.009	0.022	0.013	0.026	1	1.13
E583842		3.71	0.184	0.111	0.011	0.026	0.012	0.024	1	1.30
E583843		4.57	0.166	0.093	0.009	0.024	0.010	0.024	1	1.17
E583844		5.33	0.196	0.121	0.009	0.026	0.011	0.032	1	1.09
E583845		2.97	0.340	0.154	0.012	0.038	0.015	0.042	<1	1.63
E583846		3.52	0.482	0.169	0.014	0.049	0.014	0.060	2	1.88
E583847		4.55	0.934	0.541	0.027	0.062	0.023	0.105	4	3.93
E583848		4.16	0.665	0.306	0.020	0.053	0.022	0.109	3	2.79
E583849		3.87	0.559	0.289	0.019	0.046	0.018	0.083	2	2.66
E583850		4.13	0.299	0.165	0.012	0.032	0.012	0.066	1	1.77
E583851		0.06	1.475	0.745	0.058	<0.005	0.006	0.076	1	13.60
E583852		3.37	0.340	0.122	0.012	0.016	0.006	0.038	2	1.47
E583853		4.18	0.211	0.106	0.010	0.017	0.011	0.041	1	1.31
E583854		3.45	0.135	0.144	0.006	0.024	0.010	0.067	2	0.87
E583855		3.97	0.469	0.165	0.017	0.038	0.016	0.031	1	2.78
E583856		4.56	1.140	0.423	0.033	0.107	0.033	0.047	2	6.06
E583857		4.41	0.714	0.208	0.033	0.071	0.019	0.050	<1	4.13
E583858		3.84	0.030	0.015	0.006	0.008	0.005	0.005	<1	0.21

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 11-FEB-2008
Account: CNARMN

CERTIFICATE TB07154399

Project:

P.O. No.:

This report is for 69 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 24-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 11-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154399

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E829165		2.70	0.018	0.014	0.003	0.007	0.008	0.008	<1	0.08
E829166		2.04	0.086	0.030	0.007	0.029	0.031	0.012	<1	0.15
E829167		3.44	0.060	0.006	0.007	0.008	0.004	0.003	<1	0.05
E829168		4.42	0.059	0.005	0.008	<0.005	0.003	0.002	<1	0.05
E829169		4.37	0.060	<0.005	0.007	0.008	0.005	0.003	<1	0.06
E829170		4.22	0.061	<0.005	0.008	0.009	0.002	0.002	<1	0.06
E829171		4.24	0.061	0.005	0.008	0.007	0.003	0.002	<1	0.05
E829172		2.82	0.056	0.007	0.009	0.006	0.003	0.002	<1	0.03
E829173		2.82	0.010	0.008	0.004	0.006	0.001	0.002	<1	0.12
E829174		2.26	0.048	<0.005	0.007	0.006	0.004	0.002	<1	<0.01
E829175		3.65	0.065	0.012	0.008	0.006	0.002	0.004	<1	0.12
E829176		3.65	0.061	0.009	0.007	0.005	0.004	0.005	<1	0.07
E829177		0.06	1.460	0.771	0.058	0.017	0.008	0.094	1	13.35
E829178		4.08	0.057	0.009	0.008	0.005	0.002	0.003	<1	0.11
E829179		4.60	0.062	0.010	0.007	<0.005	0.003	0.002	<1	0.10
E829180		3.95	0.057	0.005	0.006	0.005	0.004	0.001	<1	0.07
E829181		3.70	0.080	0.005	0.007	<0.005	0.002	0.001	<1	0.07
E829182		2.57	0.081	0.005	0.006	0.007	0.002	0.003	<1	0.04
E829183		4.08	<0.005	0.007	0.003	<0.005	0.001	0.097	<1	0.07
E829184		4.19	<0.005	0.006	0.002	<0.005	<0.001	<0.001	<1	0.11
E829185		3.44	<0.005	<0.005	0.002	<0.005	<0.001	<0.001	<1	0.18
E829186		3.37	0.012	0.007	0.002	<0.005	<0.001	<0.001	<1	0.11
E829187		2.43	<0.005	<0.005	0.002	<0.005	0.001	0.001	<1	0.09
E829188		2.22	<0.005	0.007	0.002	<0.005	0.001	0.023	<1	0.05
E829189		4.22	0.049	<0.005	0.007	<0.005	0.006	0.003	<1	0.14
E829190		3.00	0.059	0.005	0.007	0.007	0.003	0.001	<1	0.06
E829191		0.07	1.460	0.761	0.057	0.016	0.008	0.047	1	13.35
E829192		1.79	0.058	0.005	0.007	0.008	0.003	0.001	<1	0.06
E829193		1.74	<0.005	0.005	<0.002	<0.005	0.001	0.001	<1	0.01
E829194		4.47	0.056	0.006	0.008	<0.005	0.002	<0.001	<1	0.06
E829195		3.80	0.054	<0.005	0.007	0.006	0.003	0.001	<1	0.04
E829196		2.52	0.057	<0.005	0.007	0.006	0.004	<0.001	<1	0.07
E829197		2.96	0.142	0.073	0.008	0.022	0.011	0.036	<1	0.33
E829198		2.95	0.005	0.006	0.002	<0.005	0.001	0.003	<1	<0.01
E829199		3.65	0.008	<0.005	0.003	<0.005	0.001	0.003	<1	0.06
E829200		4.88	0.057	<0.005	0.008	0.010	0.003	0.002	<1	0.05
E829201		4.49	0.063	0.008	0.008	0.006	0.002	0.001	<1	0.09
E829202		4.36	0.068	<0.005	0.006	0.009	0.005	<0.001	<1	0.13
E829203		2.11	0.068	<0.005	0.008	0.011	0.005	0.001	<1	0.05
E829204		1.85	0.007	0.008	0.003	<0.005	<0.001	0.007	<1	0.13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 11-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154399

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E829205		1.98	0.010	0.007	0.003	0.037	0.025	0.019	<1	0.08
E829206		4.73	0.068	0.005	0.008	0.010	0.005	<0.001	<1	0.07
E829207		4.93	0.067	0.009	0.008	0.007	0.005	0.001	<1	0.05
E829208		3.05	0.069	0.005	0.009	0.008	0.005	<0.001	<1	0.06
E829209		3.78	0.224	0.206	0.011	0.056	0.024	0.149	2	0.46
E829210		2.63	0.147	0.144	0.010	0.045	0.024	0.096	1	0.25
E829211		2.65	0.144	0.118	0.010	0.041	0.022	0.158	<1	0.36
E829212		5.05	0.198	0.206	0.011	0.076	0.034	0.210	2	0.68
E829213		4.50	0.087	0.024	0.008	0.017	0.007	0.011	<1	0.08
E829214		4.00	0.169	0.030	0.014	0.014	0.010	0.017	1	0.81
E829215		3.01	0.076	0.005	0.009	0.011	0.007	0.001	<1	0.06
E829216		2.38	0.006	0.005	0.003	<0.005	<0.001	<0.001	<1	0.03
E829217		4.18	0.059	<0.005	0.008	0.007	0.002	<0.001	<1	0.04
E829218		4.07	0.078	0.013	0.009	0.034	0.036	0.003	<1	0.20
E829219		3.08	0.072	0.005	0.009	0.008	0.005	<0.001	<1	0.04
E829220		4.28	0.064	0.007	0.008	0.006	0.003	0.001	<1	0.07
E829221		2.93	0.014	0.008	0.004	<0.005	0.001	0.002	<1	0.09
E829222		3.30	0.014	0.010	0.006	<0.005	0.001	0.002	<1	0.19
E829223		3.55	0.060	<0.005	0.008	<0.005	0.002	<0.001	<1	0.04
E829224		4.12	0.054	<0.005	0.008	0.005	0.001	0.001	<1	0.05
E829225		4.64	0.063	0.006	0.008	<0.005	0.002	0.001	<1	0.07
E829226		4.63	0.067	0.007	0.009	0.005	0.002	0.002	<1	0.10
E829227		4.35	0.063	0.008	0.008	<0.005	0.002	0.002	<1	0.09
E829228		4.63	0.066	0.006	0.008	0.005	0.001	0.002	<1	0.08
E829229		4.85	0.061	<0.005	0.008	<0.005	0.002	<0.001	<1	0.05
E829230		4.13	0.070	0.005	0.009	0.011	0.009	0.004	<1	0.07
E829231		3.48	0.141	0.079	0.009	0.049	0.048	0.040	<1	0.27
E829232		3.79	0.015	0.012	0.006	0.005	0.003	0.004	<1	0.13
E829233		3.01	0.010	0.015	0.005	<0.005	0.001	0.006	<1	0.12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 11-FEB-2008
Account: CNARMN

CERTIFICATE TB07154792

Project:

P.O. No.:

This report is for 43 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: CANADIAN ARROW MINES LTD.
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 11-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154792

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E829122		3.44	<0.005	0.006	0.002	<0.005	0.001	0.004	<1	0.04
E829123		4.54	0.062	0.007	0.008	0.010	0.004	0.003	<1	0.17
E829124		3.17	0.063	0.005	0.009	0.012	0.002	0.006	<1	0.11
E829125		3.03	0.065	0.006	0.006	<0.005	0.001	0.002	<1	0.11
E829126		4.17	0.027	<0.005	0.005	0.005	0.002	0.005	<1	0.07
E829127		4.84	0.056	0.005	0.007	0.006	0.004	0.002	<1	0.08
E829128		4.95	0.063	0.007	0.008	0.009	0.003	0.002	<1	0.06
E829129		4.79	0.062	<0.005	0.008	0.007	0.002	0.003	<1	0.07
E829130		4.95	0.082	0.026	0.009	0.030	0.023	0.030	<1	0.14
E829131		4.30	0.183	0.153	0.011	0.125	0.107	0.058	1	0.53
E829132		4.51	0.245	0.213	0.011	0.066	0.041	0.102	1	0.63
E829133		3.30	0.272	0.265	0.011	0.104	0.067	0.247	1	0.67
E829134		4.03	0.100	0.041	0.010	0.039	0.037	0.023	<1	0.12
E829135		0.05	1.505	0.764	0.060	0.017	0.006	0.060	1	13.60
E829136		3.52	0.085	0.016	0.011	0.013	0.010	0.008	<1	0.18
E829137		2.62	0.072	0.005	0.009	0.018	0.017	0.002	<1	0.06
E829138		4.88	0.068	0.005	0.008	0.013	0.008	0.003	<1	0.09
E829139		3.33	0.075	0.012	0.008	0.017	0.015	0.007	<1	0.15
E829140		4.32	0.215	0.084	0.013	0.034	0.020	0.046	1	1.02
E829141		3.27	0.015	0.020	0.005	0.006	0.002	0.001	<1	0.18
E829142		3.98	0.079	0.036	0.009	0.043	0.026	0.019	<1	0.21
E829143		4.32	0.240	0.251	0.011	0.072	0.043	0.224	1	0.83
E829144		4.78	0.295	0.299	0.013	0.086	0.054	0.338	3	1.04
E829145		2.90	0.288	0.352	0.013	0.106	0.067	0.274	2	1.07
E829146		2.55	0.243	0.265	0.010	0.127	0.116	0.163	2	0.72
E829147		5.00	0.037	0.006	0.005	<0.005	0.002	0.003	<1	0.10
E829148		5.27	0.074	0.010	0.010	0.010	0.006	0.005	<1	0.11
E829149		3.44	0.120	0.046	0.011	0.055	0.036	0.026	<1	0.45
E829150		2.89	0.016	0.014	0.006	0.007	0.002	0.003	<1	0.13
E829151		4.42	0.307	0.437	0.013	0.130	0.104	0.209	6	1.02
E829152		4.51	0.129	0.070	0.009	0.037	0.026	0.036	<1	0.23
E829153		2.52	0.015	0.016	0.006	0.007	0.001	0.004	<1	0.17
E829154		2.75	0.104	0.070	0.008	0.029	0.021	0.027	<1	0.25
E829155		3.55	0.312	0.411	0.012	0.138	0.085	0.216	3	1.05
E829156		4.52	0.069	0.007	0.008	0.006	0.002	0.004	<1	0.05
E829157		3.93	0.055	0.005	0.007	0.007	0.002	0.003	<1	0.06
E829158		4.19	0.061	<0.005	0.008	0.010	0.002	0.002	<1	0.04
E829159		4.12	0.069	<0.005	0.008	0.008	0.004	0.003	<1	0.06
E829160		3.68	0.070	0.053	0.007	0.018	0.020	0.021	<1	0.19
E829161		3.98	0.078	0.022	0.009	0.039	0.034	0.010	1	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 9-FEB-2008
Account: CNARMN

CERTIFICATE TB07154394

Project:

P.O. No.:

This report is for 30 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 24-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 9-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154394

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pt Check	Pd	Pd Check	Au	Au Check	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.005	0.001	0.001	0.001	0.001	1	0.01
E583900		3.61	0.038	0.029	0.005	0.010		0.010		0.009		<1	1.04
E583901		1.66	0.065	0.016	0.007	<0.005		0.004		0.014		<1	0.18
E583902		4.37	0.085	0.031	0.007	<0.005		0.005		0.009		<1	0.39
E583903		2.18	1.580	0.136	0.048	0.031		0.014		0.033		1	6.44
E583904		1.51	5.79	2.40	0.095	0.036		0.025		0.048		5	20.0
E583905		4.55	0.868	0.424	0.025	0.072	0.065	0.027	0.033	0.063	0.076	2	3.34
E583906		4.41	0.338	0.148	0.013	0.042		<0.001		0.036		1	2.08
E583907		4.79	0.083	0.030	0.007	0.007		0.004		0.007		2	0.90
E583908		4.45	0.129	0.049	0.009	0.018		0.010		0.012		1	0.59
E583909		4.19	0.015	0.009	0.005	<0.005		0.002		0.004		1	0.13
E583910		3.09	0.407	0.108	0.014	0.023		0.015		0.015		1	1.67
E583911		4.07	1.870	0.549	0.057	0.127		0.047		0.032		1	6.38
E583912		2.76	2.22	1.150	0.090	0.232		0.059		0.042		1	12.30
E583913		4.15	0.184	0.126	0.011	0.035		0.010		0.018		<1	1.02
E583914		3.86	0.095	0.041	0.006	0.011		0.006		0.009		1	0.40
E583915		4.64	0.101	0.051	0.008	0.011		0.007		0.020		1	0.39
E583916		4.25	0.828	0.438	0.023	0.094		0.032		0.067		2	3.18
E583917		3.47	0.024	0.006	0.004	<0.005		0.002		0.004		1	0.11
E583918		0.06	1.020	0.069	0.011	0.081		0.172		0.061		<1	1.18
E583919		3.66	0.101	0.010	0.010	0.015		0.010		0.009		<1	0.10
E583920		3.95	0.146	0.100	0.009	0.062		0.060		0.056		2	0.21
E583921		3.91	0.424	0.195	0.015	0.112		0.091		0.091		2	1.05
E583922		3.46	0.406	0.384	0.012	0.208		0.116		0.165		3	1.26
E583923		3.82	0.022	0.032	0.007	<0.005		0.007		0.042		1	0.20
E583924		3.71	0.018	0.033	0.006	<0.005		0.003		0.015		1	0.18
E583925		3.66	0.441	0.392	0.013	0.126		0.164		0.219		4	1.38
E583926		3.92	0.504	0.569	0.014	0.198		0.163		0.160		5	1.96
E583927		2.96	0.729	0.506	0.022	0.393		0.347		0.313		3	2.66
E583928		2.32	0.507	0.457	0.017	0.268		0.258		0.282		3	1.67
E583929		3.65	0.028	0.039	0.007	<0.005		0.004		0.015		2	0.18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 9-FEB-2008
Account: CNARMN

CERTIFICATE TB07154395

Project:

P.O. No.:

This report is for 42 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 24-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 9-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154395

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E829030		2.72	0.018	0.018	0.005	0.007	0.005	0.010	<1	0.05
E829031		3.14	0.055	0.045	0.005	0.021	0.026	0.029	<1	0.23
E829032		2.67	1.980	0.327	0.044	0.258	0.200	0.129	3	8.51
E829033		2.05	0.031	0.024	0.003	0.012	0.011	0.012	<1	0.13
E829034		3.21	0.354	0.107	0.011	0.228	0.242	0.043	<1	0.70
E829035		5.20	0.866	0.523	0.023	0.017	0.006	0.029	3	3.20
E829036		3.74	0.768	0.479	0.023	0.139	0.046	0.156	1	3.13
E829037		0.06	1.435	0.763	0.056	0.014	0.007	0.054	2	13.25
E829036		4.64	0.547	0.257	0.016	0.063	0.022	0.089	1	1.94
E829039		4.71	0.552	0.242	0.016	0.048	0.020	0.187	1	2.15
E829040		4.76	0.482	0.204	0.017	0.044	0.021	0.070	<1	1.90
E829041		4.00	0.016	0.012	0.005	<0.005	0.001	0.002	<1	0.10
E829042		3.15	0.649	0.300	0.018	0.053	0.024	0.088	<1	2.50
E829043		2.98	0.274	0.078	0.010	0.032	0.008	0.035	<1	0.91
E829044		2.85	0.213	0.074	0.010	0.019	0.007	0.025	<1	1.04
E829045		3.65	0.168	0.083	0.009	0.018	0.007	0.029	<1	0.75
E829046		2.52	0.052	0.052	0.007	0.008	0.003	0.013	<1	1.88
E829047		4.17	0.036	0.034	0.006	0.007	0.003	0.006	<1	2.48
E829046		4.04	1.360	0.412	0.031	0.102	0.037	0.114	1	5.33
E829049		4.76	0.300	0.205	0.014	0.036	0.012	0.058	1	1.14
E829050		3.73	0.385	0.346	0.016	0.134	0.028	0.153	2	1.54
E829051		4.22	0.399	0.311	0.020	0.045	0.016	0.031	1	2.57
E829052		3.68	0.276	0.187	0.010	0.021	0.009	0.016	<1	1.14
E829053		4.71	0.056	0.018	0.006	<0.005	0.003	0.005	<1	1.06
E829054		3.30	0.015	0.014	0.006	<0.005	0.001	0.003	<1	0.21
E829055		2.90	0.230	0.044	0.018	0.023	0.008	0.019	<1	1.84
E829056		2.79	0.125	0.050	0.008	0.013	0.005	0.020	<1	0.79
E829057		4.28	0.293	0.283	0.013	0.036	0.013	0.034	1	1.37
E829058		4.35	0.066	0.140	0.005	0.009	0.003	0.011	<1	0.32
E829059		4.08	0.064	0.072	0.006	0.010	0.003	0.026	1	0.82
E829060		3.42	0.189	0.203	0.006	0.036	0.009	0.055	2	0.94
E829081		4.63	0.390	0.286	0.012	0.047	0.013	0.162	1	1.84
E829062		4.56	0.181	0.110	0.008	0.039	0.035	0.070	<1	0.41
E829065		3.84	0.311	0.303	0.011	0.067	0.040	0.169	2	1.10
E829066		3.42	0.272	0.214	0.010	0.097	0.094	0.065	1	0.67
E829067		5.01	0.130	0.069	0.009	0.053	0.047	0.029	<1	0.19
E829068		4.54	0.077	0.029	0.007	0.021	0.021	0.037	1	0.05
E829069		4.94	0.084	0.013	0.006	0.012	0.011	0.010	<1	0.05
E829070		5.26	0.079	0.006	0.008	0.015	0.012	0.005	<1	0.03
E829071		4.49	0.100	0.044	0.008	0.048	0.037	0.022	<1	0.16

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 9-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154395

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E829072		3.52	0.012	0.009	0.003	0.006	0.004	0.006	<1	0.04
E829073		3.98	0.009	0.011	0.004	<0.005	0.001	0.005	1	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 9-FEB-2008
Account: CNARMN

CERTIFICATE TB07154396

Project:

P.O. No.:

This report is for 48 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 24-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 9-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154396

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E829114		3.98	0.303	0.497	0.011	0.207	0.142	0.209	4	0.91
E829115		4.88	0.083	0.027	0.009	0.012	0.011	0.015	1	0.07
E829116		3.99	0.116	0.111	0.008	0.049	0.040	0.069	1	0.25
E829117		3.96	0.082	0.076	0.006	0.061	0.047	0.045	1	0.14
E829118		4.59	0.078	0.070	0.007	0.030	0.032	0.027	1	0.23
E829119		3.19	<0.005	0.006	0.003	<0.005	0.001	0.003	1	0.03
E829120		3.35	0.005	0.010	0.002	<0.005	0.001	0.003	1	0.04
E829121		4.40	0.014	0.018	0.007	<0.005	0.001	0.011	<1	0.09

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 3-FEB-2008
Account: CNARMN

CERTIFICATE TB07148851

Project:

P.O. No.:

This report is for 7 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 13-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: CANADIAN ARROW MINES LTD.
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 3-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148851

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E583772		3.93	0.008	0.009	0.005	<0.005	0.002	0.001	<1	0.08
E583773		4.73	0.010	0.007	0.006	<0.005	<0.001	0.002	<1	0.05
E583774		2.29	0.012	0.010	0.006	<0.005	<0.001	0.002	<1	0.05
E583775		3.09	0.011	0.014	0.005	<0.005	0.003	0.001	<1	0.07
E583776		2.08	0.008	0.007	0.005	<0.005	0.001	0.001	<1	0.10
E583777		2.32	0.009	0.006	0.004	<0.005	<0.001	0.001	<1	0.04
E583778		2.50	0.006	0.006	0.004	<0.005	<0.001	0.003	<1	0.11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 964 0221 Fax: 604 984 0216 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 3-FEB-2008
Account: CNARMN

CERTIFICATE TB07148729

Project:

P.O. No.:

This report is for 51 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 13-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 3-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148729

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E586259		3.49	0.080	0.054	0.003	0.036	0.045	0.039	<1	0.29
E586260		4.97	0.142	0.099	0.008	0.086	0.074	0.056	<1	0.33
E586261		3.99	0.065	0.011	0.007	0.008	0.006	0.008	<1	0.21
E586262		4.52	0.065	0.012	0.007	0.007	0.006	0.006	<1	0.07
E586263		4.26	0.070	0.009	0.008	<0.005	0.004	0.003	<1	0.11
E586264		4.60	0.064	0.006	0.006	<0.005	0.002	0.004	2	0.07
E586265		4.26	0.059	0.008	0.006	0.005	0.004	0.004	<1	0.07
E586266		3.67	0.059	0.009	0.007	<0.005	0.001	0.003	1	0.04
E586267		3.99	0.059	0.005	0.006	<0.005	0.002	0.004	2	0.05
E586268		2.85	<0.005	0.009	<0.002	<0.005	<0.001	0.004	<1	0.07
E586269		4.72	0.068	0.009	0.007	0.005	0.002	0.005	<1	0.10
E586270		4.24	0.005	0.015	0.002	<0.005	0.001	0.005	<1	0.13
E586271		4.65	0.066	0.006	0.006	<0.005	0.002	0.004	<1	0.05
E586272		4.43	0.068	0.006	0.007	<0.005	0.002	0.005	1	0.11
E586273		4.38	0.055	<0.005	0.006	0.005	0.001	0.003	1	0.06
E586274		5.23	0.076	0.038	0.006	0.006	0.008	0.008	<1	0.10
E586275		3.57	0.339	0.289	0.012	0.073	0.047	0.107	3	1.10
E586276		4.61	0.333	0.269	0.010	0.060	0.039	0.232	3	0.83
E586277		3.16	0.284	0.274	0.011	0.074	0.050	0.181	2	0.83
E586278		2.97	0.214	0.230	0.009	0.076	0.037	0.198	6	0.59
E586279		4.33	0.211	0.224	0.009	0.072	0.033	0.232	2	0.54
E586280		4.91	0.099	0.042	0.007	0.014	0.007	0.053	<1	0.14
E586281		3.88	0.075	0.011	0.007	<0.005	0.002	0.004	1	0.04
E586282		4.25	0.011	0.014	0.004	<0.005	0.001	0.005	<1	0.13
E586283		4.59	0.069	0.008	0.007	<0.005	0.002	0.006	<1	0.05
E586284		4.52	0.110	0.059	0.007	0.021	0.022	0.038	<1	0.16
E586285		4.66	0.195	0.196	0.010	0.114	0.093	0.110	<1	0.65
E586286		4.64	0.176	0.179	0.009	0.097	0.080	0.077	<1	0.52
E586287		4.63	0.171	0.106	0.008	0.078	0.065	0.044	2	0.32
E586288		4.62	0.082	0.025	0.007	0.027	0.025	0.008	<1	0.11
E586289		4.67	0.148	0.120	0.009	0.037	0.038	0.042	1	0.37
E586290		4.63	0.224	0.228	0.010	0.119	0.088	0.137	1	0.58
E586291		4.09	0.329	0.288	0.012	0.168	0.113	0.148	1	0.82
E586292		4.16	0.246	0.195	0.011	0.108	0.104	0.106	2	0.54
E586293		4.50	0.222	0.165	0.010	0.075	0.070	0.061	<1	0.48
E586294		2.59	0.142	0.073	0.008	0.087	0.106	0.029	<1	0.21
E586295		2.16	0.151	0.064	0.009	0.077	0.083	0.033	1	0.23
E586296		3.48	0.017	0.013	0.002	0.006	0.008	0.013	<1	0.04
E586297		4.72	0.365	0.329	0.012	0.168	0.160	0.209	3	0.88
E586298		3.88	0.356	0.294	0.013	0.236	0.228	0.204	2	0.97

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 3-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148729

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E586299		3.04	0.200	0.125	0.010	0.088	0.057	0.093	1	0.68
E586300		5.02	0.624	0.746	0.016	0.194	0.095	0.776	5	2.22
E586301		4.31	0.534	0.472	0.026	0.140	0.057	0.439	3	3.22
E586302		4.59	0.217	0.238	0.010	0.065	0.030	0.304	2	0.61
E586303		3.77	0.639	0.303	0.019	0.089	0.027	0.238	2	2.38
E586304		2.85	0.282	0.238	0.012	0.072	0.026	0.144	2	2.29
E586305		3.70	0.415	0.493	0.010	0.106	0.055	0.285	4	1.30
E586306		4.62	0.565	0.615	0.014	0.189	0.120	0.660	4	1.68
E586307		3.84	0.247	0.190	0.009	0.099	0.089	0.087	1	0.55
E586308		4.42	0.206	0.154	0.010	0.072	0.066	0.076	<1	0.50
E586309		3.12	0.101	0.054	0.007	0.029	0.022	0.034	1	0.19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE TB07148728

Project:

P.O. No.:

This report is for 55 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 13-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 964 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148728

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pt Check ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Pd Check ppm 0.001	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Au Check ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E586383		3.03	0.026	0.014	0.004	<0.005		0.004		0.010		82	0.11
E586384		2.96	0.047	0.050	0.004	0.013		0.019		0.015		1	0.14
E586385		3.05	0.048	0.022	0.004	0.020		0.024		0.007		1	0.13
E586386		2.77	0.190	0.141	0.008	0.077		0.081		0.069		1	0.49
E586387		3.96	0.204	0.167	0.010	0.103		0.110		0.070		<1	0.56
E586388		3.55	0.668	0.293	0.019	0.136		0.058		0.280		2	2.35
E586389		3.25	0.066	0.040	0.004	0.006		0.007		0.015		<1	0.20
E586390		3.35	0.031	0.015	0.005	<0.005		0.005		0.006		1	0.12
E586391		3.37	0.141	0.048	0.010	0.022		0.010		0.015		1	0.56
E586392		1.88	0.077	0.051	0.007	<0.005		0.001		0.016		1	0.13
E586393		2.66	0.377	0.175	0.015	0.043		0.016		0.044		1	1.72
E586394		0.05	1.535	0.773	0.059	0.006		0.007		0.044		3	14.05
E586395		4.24	0.312	0.178	0.013	0.072		0.020		0.075		1	1.18
E586396		3.73	0.286	0.266	0.014	0.063		0.019		0.152		<1	1.43
E586397		4.43	0.134	0.099	0.007	0.019		0.006		0.039		<1	0.58
E586398		4.49	0.013	0.014	0.004	<0.005		<0.001		0.005		<1	0.27
E586399		4.58	0.594	0.221	0.019	0.046		0.017		0.052		1	2.25
E586400		3.95	0.011	0.021	0.005	<0.005		<0.001		0.008		<1	0.40
E586401		4.25	0.020	0.031	0.005	0.006		<0.001		0.014		1	0.18
E586402		2.10	0.047	0.027	0.006	0.006		0.001		0.007		1	0.45
E586403		4.62	2.03	0.470	0.052	0.221		0.047		0.073		2	7.61
E586404		0.06	1.505	0.777	0.059	0.012		0.008		0.068		2	13.70
E586405		4.30	1.315	0.524	0.031	0.155	0.117	0.042	0.066	0.070	0.058	2	5.44
E586406		3.64	0.119	0.189	0.008	<0.005		0.002		0.063		1	1.19
E586407		3.14	1.795	0.465	0.043	0.118		0.033		0.135		2	7.06
E586408		2.63	0.508	0.364	0.018	0.072		0.023		0.060		1	2.39
E586409		2.77	0.048	0.057	0.007	0.019		0.015		0.027		1	0.49
E586410		2.96	0.027	0.024	0.008	0.012		0.023		0.012		1	0.76
E586411		3.10	0.166	0.128	0.013	0.030		0.010		0.047		1	1.06
E586412		3.57	0.048	0.019	0.003	0.005		0.001		0.006		1	0.26
E586413		3.40	0.009	0.007	0.003	<0.005		0.001		0.005		<1	0.10
E588414		2.73	1.060	0.592	0.026	0.054		0.022		0.262		2	4.55
E588415		2.72	0.029	0.022	0.006	<0.005		0.001		0.006		1	0.71
E588416		4.18	0.026	0.023	0.007	<0.005		0.002		0.008		<1	0.90
E586417		3.61	0.139	0.059	0.007	0.012		0.004		0.031		1	0.34
E586418		3.03	0.009	0.015	0.004	<0.005		<0.001		0.004		<1	0.13
E586419		4.41	0.234	0.144	0.010	0.022		0.012		0.065		1	0.99
E586420		4.21	0.554	0.318	0.017	0.027		0.008		0.228		1	2.76
E586421		2.47	0.015	0.019	0.004	<0.005		0.001		0.007		<1	0.16
E586422		3.81	0.094	0.041	0.006	0.012		0.004		0.022		1	0.67

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148728

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pt Check ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Pd Check ppm 0.001	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Au Check ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E586423		2.35	0.264	0.121	0.014	0.029		0.016		0.113		1	4.35
E586424		2.82	0.053	0.055	0.007	0.016		0.004		0.054		<1	1.49
E586425		3.66	0.184	0.071	0.010	0.035		0.011		0.034		<1	0.60
E586426		4.51	0.145	0.052	0.007	0.025		0.007		0.025		<1	0.50
E586427		3.04	0.087	0.035	0.006	0.014		0.004		0.015		<1	0.35
E586428		2.81	0.234	0.165	0.009	0.026		0.009		0.046		<1	1.26
E586429		4.76	1.280	0.673	0.028	0.125		0.042		0.173		2	4.50
E586430		4.58	0.286	0.460	0.011	0.104		0.042		0.167		1	1.30
E586431		4.53	0.557	0.422	0.013	0.109		0.065		0.242		2	1.61
E586432		3.69	0.321	0.328	0.010	0.105		0.089		0.177		1	0.85
E586433		2.99	0.061	0.017	0.005	0.008		0.008		0.013		<1	0.05
E586434		2.77	0.011	0.018	0.004	<0.005		<0.001		0.005		<1	0.12
E586435		3.33	0.226	0.143	0.009	0.096		0.096		0.125		<1	0.50
E586436		2.44	0.020	0.025	0.003	0.009		0.008		0.012		<1	0.20
E586437		3.14	0.010	0.011	0.004	0.005		0.001		0.013		<1	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 6-FEB-2008
Account: CNARMN

CERTIFICATE TB07148850

Project:

P.O. No.:

This report is for 58 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 13-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

FEB 11 2008

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148850

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E583714		0.78	0.016	0.012	0.005	<0.005	0.001	0.002	<1	0.10
E583715		2.43	0.013	0.010	0.005	<0.005	<0.001	0.002	<1	0.07
E583716		3.23	0.014	0.012	0.005	<0.005	0.001	0.002	1	0.08
E583717		3.81	0.014	0.011	0.005	<0.005	0.001	0.001	<1	0.10
E583718		2.46	0.011	0.007	0.008	<0.005	<0.001	0.001	<1	0.06
E583719		4.16	0.008	0.007	0.003	<0.005	<0.001	0.002	<1	0.15
E583720		4.10	0.021	0.014	0.005	<0.005	0.001	<0.001	<1	0.18
E583721		2.69	0.014	0.010	0.004	<0.005	<0.001	<0.001	<1	0.13
E583722		4.93	0.015	0.013	0.005	<0.005	<0.001	0.001	<1	0.16
E583723		4.31	0.013	0.012	0.005	<0.005	0.001	0.001	<1	0.12
E583724		4.47	0.013	0.013	0.005	<0.005	<0.001	0.001	<1	0.17
E583725		4.43	0.017	0.013	0.006	<0.005	0.001	<0.001	<1	0.13
E583726		4.02	0.019	0.012	0.004	<0.005	<0.001	0.001	<1	0.13
E583727		3.92	0.015	0.011	0.005	<0.005	<0.001	0.001	<1	0.13
E583728		5.31	0.017	0.012	0.006	<0.005	<0.001	0.003	<1	0.12
E583729		3.71	0.020	0.016	0.005	<0.005	<0.001	0.002	<1	0.21
E583730		3.61	0.023	0.028	0.004	0.012	0.028	0.014	<1	0.35
E583731		3.74	0.125	0.046	0.008	0.032	0.014	0.036	1	0.30
E583732		0.08	1.085	0.072	0.011	0.097	0.178	0.066	2	1.20
E583733		4.40	0.499	0.757	0.016	0.050	0.011	0.074	3	2.27
E583734		4.72	0.837	0.153	0.030	0.079	0.037	0.070	1	3.21
E583735		3.39	0.215	0.080	0.011	0.032	0.013	0.027	1	0.67
E583736		3.29	0.124	0.055	0.011	0.022	0.007	0.020	1	0.82
E583737		2.79	0.158	0.087	0.011	0.013	0.008	0.021	1	1.00
E583738		3.21	0.238	0.247	0.013	0.020	0.020	0.027	1	1.44
E583739		2.77	3.06	1.220	0.081	0.378	0.085	0.051	3	13.45
E583740		2.95	1.890	0.360	0.051	0.284	0.044	0.028	1	7.79
E583741		4.08	0.591	0.252	0.019	0.136	0.031	0.027	1	2.69
E583742		2.93	0.042	0.008	0.006	<0.005	0.001	0.001	<1	0.09
E583743		3.87	0.119	0.139	0.009	0.021	0.009	0.008	1	0.65
E583744		2.65	0.419	0.241	0.017	0.101	0.029	0.030	1	2.18
E583745		3.71	0.114	0.053	0.006	0.034	0.009	0.014	<1	0.58
E583746		2.95	0.082	0.033	0.006	<0.005	0.001	0.020	<1	0.29
E583747		2.45	0.035	0.014	0.005	<0.005	0.002	0.003	<1	0.09
E583748		4.04	0.023	0.018	0.003	<0.005	0.001	0.002	1	0.49
E583749		3.55	0.358	0.116	0.016	0.102	0.025	0.013	<1	1.91
E583750		3.79	0.086	0.033	0.006	0.018	0.007	0.004	<1	0.26
E583751		4.17	0.030	0.017	0.004	<0.005	0.002	0.002	<1	0.09
E583752		0.08	1.430	0.781	0.057	0.006	0.008	0.066	1	13.35
E583753		4.02	0.276	0.098	0.014	0.078	0.020	0.010	<1	1.58

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 964 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148850

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ni % 0.005	ME-ICP61 Cu % 0.005	ME-ICP61 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP61 S % 0.01
E583754		4.32	1.050	0.711	0.035	0.315	0.079	0.038	<1	5.79
E583755		2.99	0.017	0.022	0.004	<0.005	0.001	0.004	<1	0.17
E583758		3.89	0.216	0.118	0.011	0.065	0.015	0.015	<1	1.19
E583757		2.95	0.382	0.238	0.015	0.082	0.023	0.013	<1	2.64
E583758		4.81	0.520	0.184	0.019	0.126	0.034	0.020	<1	2.49
E583759		3.93	0.034	0.044	0.002	<0.005	0.001	0.004	<1	0.26
E583760		3.55	0.573	0.871	0.018	0.061	0.023	0.307	1	3.09
E583761		4.53	6.41	1.005	0.184	0.567	0.164	0.023	1	25.4
E583762		5.16	4.12	0.222	0.128	0.154	0.135	0.020	<1	20.6
E583763		5.70	7.46	0.154	0.157	0.304	0.322	0.016	<1	31.3
E583764		6.91	7.32	1.545	0.271	0.163	0.216	0.029	1	30.5
E583765		4.08	1.190	0.668	0.032	0.344	0.066	0.012	<1	5.62
E583766		4.17	0.210	0.141	0.009	0.198	0.192	0.047	<1	0.75
E583767		0.08	1.460	0.760	0.056	0.007	0.007	0.045	2	13.20
E583768		5.00	0.241	0.183	0.009	0.230	0.184	0.133	1	0.60
E583769		4.73	1.795	0.685	0.041	0.388	0.296	0.158	1	4.52
E583770		2.78	0.075	0.117	0.006	0.048	0.051	0.034	<1	0.36
E583771		3.31	0.023	0.035	0.005	0.011	0.009	0.011	<1	0.09

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE TB07149454

Project:

P.O. No.:

This report is for 68 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07149454

Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
Sample Description Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E583600	3.95	0.102	0.027	0.007	0.009	0.004	0.009	<1	0.26
E583601	4.19	0.250	0.092	0.011	0.021	0.006	0.019	<1	0.75
E583602	Not Recvd								
E583603	4.11	0.051	<0.005	0.007	<0.005	0.001	0.003	<1	0.03
E583604	3.80	0.050	0.006	0.007	<0.005	0.004	0.003	<1	0.03
E583605	3.97	0.079	0.035	0.007	0.037	0.034	0.020	<1	0.11
E583606	4.55	0.193	0.133	0.009	0.117	0.124	0.069	1	0.44
E583607	2.19	0.146	0.067	0.006	0.075	0.070	0.044	1	0.40
E583608	3.00	0.059	<0.005	0.006	0.006	0.005	0.002	<1	0.09
E583609	3.86	0.049	<0.005	0.005	0.005	0.002	0.001	<1	0.05
E583610	4.13	0.054	<0.005	0.005	0.005	0.003	0.001	<1	0.08
E583611	4.74	0.139	0.041	0.007	0.015	0.012	0.010	<1	0.37
E583618	3.04	0.354	0.152	0.016	0.092	0.032	0.016	<1	2.25
E583619	3.55	0.274	0.109	0.012	0.073	0.018	0.012	<1	1.36
E583620	4.26	0.026	0.011	0.005	0.006	0.016	0.007	<1	0.12
E583621	3.88	0.024	0.013	0.006	<0.005	0.001	0.003	<1	0.14
E583622	4.10	0.027	0.012	0.006	<0.005	0.001	0.003	<1	0.15
E583623	4.15	0.022	0.012	0.005	<0.005	0.001	0.003	<1	0.27
E583636	4.29	0.051	0.006	0.006	<0.005	0.001	0.002	<1	0.04
E586166	2.84	1.630	0.381	0.046	0.207	0.041	0.045	<1	6.91
E586167	3.80	0.808	0.317	0.022	0.104	0.033	0.036	<1	3.48
E586168	3.75	0.033	0.014	<0.002	0.009	0.003	0.001	<1	0.31
E586169	4.53	0.144	0.051	0.008	0.017	0.007	0.009	<1	0.80
E586170	3.44	0.191	0.069	0.009	0.021	0.007	0.008	1	1.08
E586171	3.65	0.085	0.047	0.005	0.011	0.004	0.007	<1	0.61
E586487	3.24	0.041	0.014	0.004	<0.005	0.002	0.006	<1	0.15
E586486	3.46	0.133	0.045	0.008	0.022	0.010	0.018	1	0.37
E586469	4.59	0.346	0.143	0.014	0.046	0.018	0.038	1	1.40
E586490	4.24	0.471	0.399	0.016	0.050	0.027	0.070	2	2.41
E586491	4.11	0.534	0.438	0.017	0.079	0.040	0.078	2	2.69
E586492	3.57	0.017	0.023	0.002	<0.005	0.001	0.002	<1	0.11
E588493	3.85	0.293	0.109	0.009	0.055	0.017	0.020	1	1.20
E586494	4.10	0.112	0.036	0.006	0.016	0.006	0.009	2	0.45
E586495	4.49	0.131	0.068	0.007	0.019	0.008	0.020	<1	0.72
E586496	4.56	0.112	0.050	0.007	0.012	0.007	0.017	<1	0.70
E588497	3.37	0.176	0.109	0.008	0.020	0.010	0.027	<1	1.05
E586498	1.52	0.074	0.036	0.004	0.013	0.004	0.020	1	0.36
E586499	3.11	0.137	0.030	0.007	0.019	0.009	0.019	<1	0.44
E586500	3.47	0.171	0.053	0.009	0.022	0.010	0.017	<1	0.90
E829001	4.22	0.047	0.025	0.004	0.010	0.008	0.015	<1	0.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 804 984 0221 Fax: 804 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07149454

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E829002		3.18	0.124	0.050	0.008	0.019	0.007	0.015	1	0.59
E829003		0.05	1.520	0.744	0.060	0.006	0.006	0.051	2	13.95
E829004		4.28	0.110	0.048	0.006	0.015	0.006	0.018	<1	0.49
E829005		2.90	0.192	0.097	0.009	0.020	0.009	0.032	<1	0.95
E829006		2.78	<0.005	0.010	0.002	<0.005	<0.001	0.002	<1	0.17
E829007		4.72	0.061	0.027	0.005	<0.005	0.003	0.017	2	0.41
E829008		3.13	0.020	0.011	0.004	<0.005	0.002	0.003	<1	0.10
E829009		3.93	0.014	0.016	0.004	<0.005	0.002	0.003	<1	0.30
E829010		4.68	0.083	0.036	0.004	0.009	0.003	0.010	<1	0.31
E829011		3.90	0.083	0.050	0.006	0.005	0.003	0.009	<1	0.58
E829012		2.64	0.193	0.079	0.007	0.018	0.006	0.087	<1	0.66
E829013		0.06	1.480	0.741	0.060	0.010	0.007	0.093	1	13.65
E829014		2.85	0.152	0.073	0.008	0.014	0.004	0.017	<1	0.79
E829015		4.13	0.018	0.014	0.004	<0.005	0.002	0.002	<1	0.09
E829016		4.10	0.017	0.015	0.004	<0.005	0.001	0.002	<1	0.15
E829017		4.89	0.049	0.052	0.004	0.006	0.002	0.014	1	0.34
E829018		3.49	0.495	0.226	0.012	0.127	0.093	0.112	<1	1.66
E829019		3.87	0.240	0.150	0.010	0.031	0.011	0.053	1	1.16
E829020		4.26	0.245	0.200	0.011	0.032	0.014	0.116	<1	1.26
E829021		4.37	0.133	0.129	0.007	0.020	0.013	0.021	<1	0.72
E829022		4.01	0.016	0.011	0.006	<0.005	0.001	<0.001	1	0.11
E829023		2.78	0.052	0.033	0.006	0.006	0.008	0.011	<1	0.33
E829024		2.10	0.084	0.048	0.008	0.018	0.003	0.025	<1	1.33
E829025		3.99	0.432	0.353	0.013	0.102	0.058	0.084	3	1.34
E829026		3.26	0.118	0.078	0.008	0.075	0.063	0.028	<1	0.21
E829027		2.83	0.067	0.015	0.006	0.018	0.018	0.009	<1	0.10
E829028		2.80	0.102	0.140	0.006	0.063	0.069	0.021	<1	0.56
E829029		2.84	0.014	0.012	0.006	<0.005	<0.001	0.008	<1	0.06

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 964 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE TB07149433

Project:

P.O. No.:

This report is for 38 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: CANADIAN ARROW MINES LTD.
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07149433

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E586221		3.01	0.050	0.021	0.006	0.007	0.001	0.005	<1	0.23
E586222		4.10	0.068	0.043	0.007	0.010	0.002	0.010	<1	0.57
E586223		2.54	0.098	0.100	0.007	0.013	0.008	0.025	1	0.45
E586224		3.84	0.381	0.318	0.016	0.060	0.029	0.125	2	1.58
E586225		2.96	0.052	0.029	0.005	0.005	0.001	0.011	<1	0.16
E586226		4.41	0.333	0.274	0.012	0.278	0.285	0.226	1	1.07
E586227		4.30	0.020	0.017	0.006	<0.005	0.001	0.004	<1	0.16
E586228		3.36	0.009	0.009	0.002	<0.005	0.001	0.005	<1	0.09
E586229		4.36	0.245	0.171	0.011	0.048	0.067	0.298	1	0.79
E586230		4.09	0.535	0.173	0.025	0.107	0.053	0.102	1	2.97
E586231		3.20	0.254	0.158	0.014	0.037	0.022	0.058	1	1.36
E586232		4.00	0.015	0.012	0.005	<0.005	0.001	0.004	<1	0.14
E586233		3.22	0.214	0.142	0.013	0.031	0.033	0.088	1	0.96
E586234		4.75	0.063	0.030	0.008	<0.005	0.004	0.012	<1	0.36
E586235		3.80	0.079	0.057	0.007	0.022	0.053	0.034	<1	0.26
E586236		3.77	0.029	<0.005	0.004	0.005	0.008	0.003	<1	0.03
E586237		3.62	0.063	0.022	0.007	0.013	0.006	0.014	<1	0.11
E586238		4.79	0.137	0.051	0.009	0.019	0.009	0.019	<1	0.33
E586239		4.06	0.081	0.030	0.007	0.019	0.006	0.010	<1	0.18
E586240		3.73	0.033	0.016	0.007	0.006	0.004	0.005	<1	0.27
E586241		3.67	0.013	0.013	0.005	<0.005	0.001	0.004	<1	0.07
E586242		2.74	0.299	0.097	0.012	0.042	0.015	0.032	<1	0.96
E586243		4.47	0.648	0.187	0.020	0.047	0.019	0.059	1	2.21
E586244		4.23	0.113	0.081	0.010	0.015	0.006	0.053	1	0.32
E586245		4.32	0.108	0.062	0.010	0.016	0.009	0.037	<1	0.26
E586246		4.10	0.106	0.047	0.009	0.010	0.005	0.014	1	0.24
E586247		4.35	0.145	0.084	0.009	0.029	0.020	0.050	1	0.31
E586248		3.85	0.128	0.093	0.010	0.028	0.019	0.051	<1	0.34
E586249		4.08	0.090	0.045	0.009	0.022	0.014	0.033	<1	0.21
E586250		2.94	0.095	0.032	0.009	0.017	0.012	0.015	<1	0.19
E586251		4.47	0.094	0.026	0.009	0.019	0.010	0.054	<1	0.21
E586252		4.70	0.075	0.008	0.008	<0.005	0.001	0.005	<1	0.12
E586253		4.39	0.077	0.014	0.009	<0.005	0.002	0.006	<1	0.10
E586254		4.32	0.072	0.007	0.008	<0.005	0.005	0.005	<1	0.06
E586255		4.49	0.071	0.009	0.008	0.005	0.006	0.004	<1	0.07
E586256		4.47	0.067	0.005	0.008	0.017	0.015	0.003	<1	0.07
E586257		3.22	0.097	0.035	0.008	0.029	0.040	0.019	<1	0.26
E586258		4.06	0.049	0.040	0.006	0.023	0.028	0.018	<1	0.27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE TB07149434

Project:

P.O. No.:

This report is for 73 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07149434

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E586310		3.61	0.148	0.094	0.005	0.066	0.060	0.033	<1	0.33
E586311		4.94	0.146	0.077	0.008	0.071	0.060	0.030	<1	0.25
E586312		3.60	0.085	0.005	0.008	0.016	0.010	0.004	<1	0.06
E586313		4.14	0.123	0.040	0.007	0.024	0.008	0.011	<1	0.22
E586314		4.15	0.129	0.065	0.006	0.043	0.037	0.046	<1	0.32
E586315		4.87	0.111	0.084	0.008	0.040	0.033	0.046	1	0.30
E586316		3.51	0.180	0.166	0.007	0.040	0.025	0.152	<1	0.52
E586317		3.46	0.322	0.307	0.011	0.087	0.056	0.206	2	0.80
E586318		4.29	0.248	0.078	0.009	0.036	0.030	0.033	<1	0.59
E586319		3.96	0.375	0.319	0.010	0.153	0.172	0.191	2	0.95
E586320		3.44	0.008	0.013	0.003	<0.005	0.001	0.004	<1	0.20
E586321		4.20	0.206	0.173	0.008	0.127	0.114	0.128	<1	0.50
E586322		2.56	0.197	0.120	0.009	0.063	0.029	0.082	<1	0.47
E586323		3.52	0.134	0.066	0.008	0.019	0.008	0.032	<1	0.42
E586324		4.13	0.021	0.015	0.005	<0.005	0.001	0.008	<1	0.20
E586325		4.12	0.018	0.014	0.005	<0.005	0.001	0.007	<1	0.14
E586326		4.04	0.102	0.059	0.007	0.014	0.005	0.011	<1	0.45
E586327		3.81	0.153	0.094	0.009	0.020	0.008	0.045	<1	0.64
E586328		4.04	0.231	0.101	0.010	0.031	0.011	0.034	<1	1.04
E586329		3.69	0.014	0.019	0.005	<0.005	0.004	0.005	<1	0.63
E586330		3.76	0.020	0.020	0.005	0.005	0.003	0.012	<1	1.15
E586331		4.06	0.072	0.042	0.006	0.007	0.003	0.009	1	0.35
E586332		0.06	1.050	0.070	0.009	0.067	0.192	0.040	2	1.13
E586333		4.39	0.093	0.042	0.006	0.015	0.004	0.014	<1	0.61
E586334		4.43	0.202	0.114	0.011	0.027	0.007	0.022	<1	1.07
E586335		3.92	0.117	0.081	0.008	0.015	0.005	0.027	<1	0.54
E586336		4.94	0.193	0.094	0.008	0.018	0.006	0.032	<1	0.84
E586337		2.59	0.006	0.014	<0.002	<0.005	<0.001	0.006	<1	0.18
E586338		2.62	0.009	0.007	0.002	<0.005	<0.001	0.004	<1	0.06
E586339		4.48	<0.005	0.005	0.002	<0.005	<0.001	0.003	<1	0.06
E586340		3.38	0.014	0.012	0.002	<0.005	0.001	0.004	<1	0.14
E586341		4.00	0.079	0.034	0.004	0.009	0.002	0.013	<1	0.22
E586342		3.06	0.296	0.062	0.011	0.024	0.009	0.020	5	1.07
E586343		3.92	0.259	0.125	0.009	0.033	0.014	0.062	1	0.93
E586344		3.78	0.625	0.234	0.019	0.049	0.018	0.045	1	2.47
E586345		4.27	0.714	0.392	0.023	0.042	0.017	0.077	1	3.11
E586346		3.73	0.159	0.051	0.008	0.012	0.004	0.013	<1	0.70
E586347		2.19	0.995	0.338	0.026	0.018	0.012	0.085	<1	4.89
E586348		2.88	0.013	0.017	0.003	0.007	0.002	0.006	<1	0.04
E586349		3.10	0.529	0.399	0.015	0.053	0.014	0.061	2	2.32

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07149434

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E586350		3.41	0.014	0.011	0.006	<0.005	<0.001	0.006	<1	0.11
E586351		4.60	0.859	0.318	0.020	0.069	0.021	0.113	1	2.63
E586352		4.30	0.376	0.439	0.011	0.044	0.010	0.098	1	1.64
E586353		4.13	0.459	0.295	0.016	0.072	0.018	0.143	2	1.94
E586354		3.70	0.384	0.188	0.013	0.019	0.008	0.047	<1	1.53
E586355		3.31	0.079	0.054	0.005	0.011	0.005	0.014	<1	0.61
E586356		4.01	0.024	0.017	0.005	<0.005	0.001	0.007	<1	0.60
E586357		2.76	0.018	0.014	0.006	<0.005	0.001	0.008	<1	0.34
E586358		2.99	0.030	0.047	0.005	0.008	0.002	0.021	<1	0.87
E586359		3.33	0.329	0.266	0.013	0.080	0.015	0.261	1	1.27
E586360		4.27	0.489	0.562	0.014	0.109	0.022	0.232	2	2.12
E586361		1.51	0.303	0.289	0.012	0.040	0.010	0.099	<1	1.24
E586362		2.70	0.018	0.008	0.004	<0.005	0.001	0.004	<1	0.11
E586363		4.14	0.010	0.008	0.003	<0.005	<0.001	0.005	<1	0.13
E586364		4.06	0.231	0.135	0.010	0.030	0.010	0.067	<1	1.22
E586365		3.46	0.037	0.052	0.006	0.013	0.004	0.023	<1	0.42
E586366		4.08	0.178	0.133	0.009	0.027	0.010	0.104	<1	0.87
E586367		4.50	0.333	0.140	0.011	0.037	0.014	0.084	<1	1.20
E586368		4.07	0.010	0.013	0.002	<0.005	<0.001	0.005	<1	0.13
E586369		4.52	0.130	0.102	0.007	0.024	0.008	0.056	<1	0.73
E586370		3.38	0.096	0.026	0.006	0.010	0.005	0.016	<1	0.31
E586371		3.72	0.267	0.072	0.010	0.023	0.008	0.022	<1	1.84
E586372		4.43	0.220	0.139	0.009	0.036	0.013	0.072	<1	0.85
E586373		4.59	0.742	0.416	0.019	0.129	0.038	0.119	<1	2.91
E586374		3.20	1.170	0.890	0.027	0.148	0.078	0.192	4	4.59
E586375		3.39	0.268	0.241	0.008	0.082	0.027	0.194	<1	0.79
E586376		4.37	0.312	0.147	0.011	0.056	0.024	0.129	<1	0.94
E586377		4.42	0.438	0.393	0.012	0.138	0.094	0.238	2	1.25
E586378		1.52	0.503	0.474	0.016	0.166	0.103	0.309	3	1.57
E586379		1.32	0.339	0.452	0.010	0.132	0.096	0.175	4	1.12
E586380		3.11	0.095	0.069	0.004	0.024	0.023	0.060	<1	0.22
E586381		3.80	0.014	0.018	0.006	<0.005	<0.001	0.008	<1	0.04
E586382		4.05	0.009	0.006	0.002	<0.005	<0.001	0.004	<1	0.08

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 1-FEB-2008
Account: CNARMN

CERTIFICATE TB07149435

Project:

P.O. No.:

This report is for 24 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 1-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07149435

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E586197		2.84	0.034	0.015	0.003	<0.005	0.001	0.005	<1	0.21
E586198		4.24	0.085	0.080	0.008	0.008	0.004	0.014	<1	1.15
E586199		3.91	0.050	0.034	0.006	0.009	0.002	0.011	<1	0.40
E586200		1.94	0.018	0.012	0.002	<0.005	<0.001	0.004	<1	0.15
E586201		3.38	0.050	0.055	0.004	<0.005	0.002	0.017	<1	0.38
E586202		3.31	0.018	0.008	0.004	<0.005	<0.001	0.003	<1	0.15
E586203		2.56	0.343	0.824	0.013	0.042	0.027	0.092	3	1.51
E586204		1.70	0.441	0.303	0.017	0.045	0.040	0.122	<1	1.75
E586205		3.32	1.805	1.190	0.045	0.301	0.107	0.687	5	7.85
E586206		2.94	0.018	0.017	0.006	<0.005	0.001	0.003	<1	0.09
E586207		3.30	0.051	0.036	0.006	0.009	0.005	0.017	1	0.10
E586208		4.19	0.179	0.203	0.008	0.033	0.040	0.141	1	0.64
E586209		4.65	0.315	0.301	0.010	0.379	0.332	0.175	1	0.93
E586210		4.14	0.015	0.020	<0.002	0.013	0.012	0.009	1	0.11
E586211		2.94	0.172	0.070	0.009	0.030	0.042	0.060	<1	0.33
E586212		2.21	0.191	0.113	0.008	0.036	0.045	0.058	<1	0.59
E586213		2.26	0.189	0.166	0.011	0.015	0.024	0.050	<1	1.01
E586214		1.44	0.276	0.277	0.017	0.014	0.030	0.095	1	1.40
E586215		3.87	0.173	0.049	0.009	0.033	0.038	0.034	<1	0.40
E586216		3.97	0.083	0.042	0.008	0.018	0.008	0.018	<1	0.55
E586217		4.92	0.120	0.063	0.009	0.017	0.010	0.027	<1	0.52
E586218		4.11	0.052	0.035	0.007	<0.005	0.004	0.011	1	0.35
E586219		4.85	0.005	<0.005	<0.002	<0.005	0.004	0.005	<1	0.07
E586220		3.56	0.028	0.011	0.005	0.005	0.007	0.004	<1	0.12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 07-FEB-2008
Account: CNARMN

CERTIFICATE TB07154398

Project:

P.O. No.:

This report is for 28 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 24-DEC-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 3-FEB-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07154398

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E583872		4.50	<0.005	0.009	0.003	<0.005	<0.001	0.005	<1	1.43
E583873		3.62	0.080	0.088	0.007	0.032	0.033	0.058	<1	1.69
E583874		2.79	0.140	0.063	0.009	0.046	0.049	0.056	<1	0.51
E583875		3.04	0.084	0.042	0.008	0.036	0.027	0.044	<1	0.18
E583876		2.96	0.015	0.009	0.005	<0.005	0.001	0.011	<1	0.13
E583877		4.72	0.094	0.020	0.010	0.037	0.047	0.012	1	0.21
E583878		3.02	0.082	0.013	0.011	0.061	0.022	0.005	<1	0.31
E583879		3.78	0.700	0.262	0.022	0.037	0.013	0.156	1	2.54
E583880		0.06	1.475	0.757	0.059	0.005	0.005	0.048	1	13.20
E583881		4.73	0.943	0.442	0.026	0.114	0.039	0.209	1	3.36
E583882		4.44	1.420	0.406	0.035	0.105	0.050	0.090	<1	5.38
E583883		3.84	1.275	0.559	0.033	0.098	0.041	0.195	1	4.92
E583884		3.76	0.014	0.012	0.004	<0.005	0.001	0.004	<1	0.15
E583885		3.04	0.748	0.231	0.023	0.090	0.025	0.051	<1	2.61
E583886		3.16	0.225	0.322	0.011	0.024	0.018	0.030	<1	1.20
E583887		2.15	1.655	0.249	0.040	0.063	0.028	0.019	1	7.19
E583888		2.49	1.770	0.209	0.050	0.087	0.035	0.030	<1	7.47
E583889		2.69	0.149	0.064	0.006	0.011	0.007	0.014	<1	0.66
E583890		1.20	1.130	0.238	0.041	0.109	0.043	0.052	<1	5.20
E583891		3.12	0.084	0.050	0.008	<0.005	0.001	0.025	<1	1.23
E583892		2.88	0.146	0.103	0.008	0.025	0.014	0.049	<1	0.58
E583893		4.14	0.147	0.097	0.009	0.062	0.055	0.050	<1	0.41
E583894		3.48	0.569	0.614	0.017	0.190	0.112	0.294	3	2.20
E583895		3.40	0.120	0.077	0.008	0.021	0.035	0.030	1	1.25
E583896		3.77	0.125	0.081	0.010	0.008	0.038	0.015	<1	2.00
E583897		2.65	<0.005	0.014	0.003	<0.005	0.001	0.002	<1	0.14
E583898		2.46	0.067	0.043	0.009	<0.005	0.007	0.012	<1	1.27
E5983899		3.54	0.011	0.020	0.005	<0.005	<0.001	0.007	<1	0.17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-JAN-2008
Account: CNARMN

CERTIFICATE TB07148854

Project:

P.O. No.:

This report is for 49 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148854

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62	ME-ICP81
	Analyte	Recvd Wt.	Ni	Cu	Co	Pt	Pd	Au	Ag	S
	Units	kg	%	%	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.002	0.005	0.001	0.001	1	0.01
E586438		2.84	0.038	0.040	0.007	0.007	0.008	0.019	<1	0.97
E586439		2.75	0.120	0.118	0.009	0.041	0.037	0.084	1	0.73
E586440		4.04	0.059	0.014	0.005	0.022	0.024	0.008	<1	0.22
E586441		3.16	0.157	0.139	0.007	0.112	0.095	0.080	<1	0.48
E586442		3.19	0.134	0.043	0.009	0.072	0.073	0.069	1	0.34
E586443		4.17	0.336	0.636	0.011	0.090	0.023	0.105	3	1.91
E586444		3.76	0.333	0.058	0.012	0.036	0.012	0.013	<1	1.51
E586445		0.06	1.490	0.756	0.058	0.019	0.009	0.049	1	13.45
E586446		4.47	0.271	0.192	0.012	0.066	0.020	0.104	<1	1.30
E586447		5.41	1.300	0.153	0.031	0.084	0.022	0.127	<1	4.98
E586448		3.38	1.725	0.277	0.043	0.060	0.024	0.039	1	6.93
E586449		3.16	0.014	0.007	0.002	0.005	0.002	0.005	<1	0.16
E586450		3.50	0.007	0.010	0.002	<0.005	<0.001	0.006	<1	0.07
E586451		3.80	0.007	0.006	0.002	<0.005	<0.001	0.003	<1	0.09
E586452		3.15	0.065	0.025	0.006	0.010	0.002	0.011	<1	0.23
E586453		3.36	0.037	0.015	0.005	0.005	0.003	0.008	8	0.18
E586454		3.44	0.007	0.010	0.003	<0.005	0.001	0.005	39	0.15
E586455		4.35	0.011	0.007	0.006	<0.005	<0.001	0.003	23	0.25
E586456		1.97	0.012	0.009	0.005	<0.005	<0.001	0.004	<1	0.37
E586457		2.73	0.138	0.089	0.008	0.018	0.007	0.036	<1	1.22
E586458		3.23	0.187	0.115	0.009	0.022	0.009	0.038	1	1.27
E586459		4.56	0.988	0.449	0.022	0.109	0.027	0.056	2	4.03
E586460		3.12	1.685	0.435	0.037	0.193	0.049	0.079	1	6.76
E586461		0.05	1.445	0.741	0.057	0.010	0.007	0.057	2	13.20
E586462		5.07	1.395	0.347	0.042	0.137	0.050	0.087	2	5.94
E586463		3.86	0.560	0.283	0.023	0.068	0.024	0.080	2	2.62
E586464		4.01	0.107	0.078	0.008	0.035	0.007	0.035	1	0.46
E586465		2.59	0.011	0.013	0.005	0.007	0.001	0.006	1	0.20
E586466		3.98	0.028	0.018	0.005	0.007	0.003	0.012	<1	0.28
E586467		3.32	0.029	0.019	0.005	<0.005	0.002	0.010	1	0.25
E586468		3.05	0.111	0.055	0.006	0.017	0.005	0.014	1	0.58
E586469		3.20	0.099	0.046	0.006	0.006	0.004	0.013	1	0.73
E586470		3.98	0.112	0.038	0.006	0.007	0.005	0.028	<1	0.35
E586471		1.95	1.915	1.175	0.034	0.078	0.033	0.643	4	6.30
E586472		4.04	0.092	0.070	0.005	0.014	0.007	0.055	<1	0.51
E586473		3.99	0.485	0.341	0.022	0.100	0.063	0.151	2	2.49
E586474		4.57	0.435	0.329	0.012	0.259	0.222	0.217	3	1.21
E586475		4.50	0.468	0.400	0.014	0.218	0.155	0.342	4	1.38
E586476		3.81	0.283	0.195	0.012	0.067	0.049	0.120	2	0.85
E586477		3.77	0.301	0.280	0.009	0.113	0.082	0.159	3	0.70

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148854

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E586478		3.44	0.448	0.579	0.010	0.182	0.115	0.836	5	1.28
E586479		2.87	0.364	0.441	0.008	0.247	0.236	0.357	5	1.04
E586480		3.32	0.087	0.038	0.008	0.016	0.015	0.011	<1	0.15
E586481		3.91	0.014	0.012	0.003	<0.005	0.003	0.006	1	0.25
E586482		3.99	0.119	0.138	0.007	0.051	0.036	0.081	1	0.25
E586483		4.48	0.117	0.097	0.009	0.015	0.019	0.572	1	0.22
E586484		3.86	0.108	0.063	0.008	0.101	0.051	0.051	1	0.15
E586485		3.78	0.073	0.073	0.004	0.034	0.038	0.025	2	0.18
E586486		3.20	0.034	0.096	0.003	0.005	0.026	0.040	1	0.26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-JAN-2008
Account: CNARMN

CERTIFICATE TB07148853

Project:

P.O. No.:

This report is for 28 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07148853

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Au ppm 0.001	Ag-AA62 Ag ppm 1	ME-ICP81 S % 0.01
E583684		4.53	0.008	0.016	0.006	<0.005	0.001	0.009	<1	0.25
E583685		3.37	0.070	0.110	0.008	0.059	0.070	0.050	1	0.52
E583686		3.62	0.075	0.018	0.007	0.013	0.017	0.011	<1	0.09
E583687		3.69	0.141	0.097	0.010	0.039	0.032	0.058	1	0.54
E583688		3.31	0.157	0.074	0.009	0.017	0.010	0.037	1	0.61
E583689		3.16	0.343	0.132	0.012	0.019	0.007	0.020	1	1.18
E583690		2.76	0.135	0.046	0.008	0.014	0.008	0.027	1	0.33
E583691		3.98	0.012	0.010	0.005	0.010	0.030	0.019	<1	0.12
E583692		3.61	0.727	0.288	0.019	0.047	0.012	0.045	2	2.60
E583693		3.13	0.631	0.347	0.020	0.062	0.021	0.063	2	2.20
E583694		3.41	1.130	0.277	0.025	0.081	0.035	0.038	2	3.71
E583695		3.00	0.248	0.102	0.010	0.029	0.010	0.139	<1	0.84
E583696		5.05	0.117	0.072	0.008	0.018	0.007	0.023	<1	0.83
E583697		3.08	0.017	0.016	0.005	<0.005	0.001	0.008	<1	0.22
E583698		0.06	1.450	0.735	0.055	0.009	0.008	0.070	2	12.90
E583699		2.45	0.048	0.052	0.006	0.008	0.007	0.010	<1	0.34
E583700		2.29	2.54	0.627	0.073	0.226	0.076	0.101	2	12.10
E583701		2.19	0.201	0.348	0.008	0.058	0.013	0.040	2	1.20
E583702		2.79	1.380	0.487	0.040	0.426	0.059	0.028	2	6.71
E583703		2.95	0.884	0.335	0.028	0.211	0.039	0.116	2	4.23
E583704		4.39	0.029	0.010	0.006	<0.005	0.001	0.005	<1	0.13
E583705		4.81	0.021	0.009	0.005	<0.005	0.001	0.005	<1	0.22
E583706		3.91	0.023	0.015	0.004	<0.005	0.001	0.003	<1	0.13
E583707		4.14	1.645	0.391	0.043	0.212	0.066	0.040	1	7.23
E583708		5.12	0.102	0.025	0.010	0.018	0.023	0.008	<1	0.45
E583709		4.70	0.187	0.072	0.010	0.096	0.094	0.033	<1	0.38
E583710		4.54	0.018	0.009	0.005	<0.005	0.002	0.010	<1	0.14
E583711		3.60	0.020	0.012	0.006	<0.005	0.001	0.004	<1	0.08

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 18-JAN-2008
Account: CNARMN

CERTIFICATE TB07134458

Project:

P.O. No.:

This report is for 64 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 18-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07134458

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E586096		4.15	0.017	0.012	<0.002	0.03	0.003	<0.005	0.002	<1
E586097		4.31	0.024	0.024	0.004	0.12	0.008	<0.005	0.002	<1
E588098		2.37	0.088	0.092	0.003	0.16	0.032	0.037	0.034	1
E586099		3.17	0.008	0.015	<0.002	0.09	0.005	<0.005	0.001	<1
E586100		3.04	0.312	0.332	0.008	0.76	0.143	0.174	0.165	1
E586101		2.57	0.227	0.162	0.009	0.71	0.086	0.127	0.151	<1
E586102		3.81	0.340	0.113	0.021	2.32	0.026	0.174	0.029	<1
E586103		4.03	0.089	0.039	0.006	0.71	0.003	0.009	0.005	<1
E586104		2.31	0.015	0.015	0.004	0.12	0.005	<0.005	0.001	1
E586105		4.26	0.163	0.081	0.008	1.12	0.007	0.015	0.007	<1
E586106		3.57	0.137	0.059	0.007	1.26	0.005	0.013	0.010	<1
E586107		4.47	0.379	0.142	0.015	2.05	0.144	0.098	0.027	<1
E586108		4.31	0.206	0.055	0.009	1.03	0.015	0.058	0.015	<1
E586109		2.03	0.016	0.006	0.003	0.02	<0.001	<0.005	<0.001	1
E586110		3.79	0.108	0.035	0.005	0.72	0.005	0.018	0.007	<1
E586111		3.93	0.223	0.155	0.010	1.39	0.018	0.058	0.015	<1
E586112		4.40	0.338	0.159	0.013	1.68	0.139	0.154	0.024	1
E586113		4.35	0.191	0.075	0.010	0.72	0.010	0.049	0.013	<1
E586114		3.99	0.141	0.078	0.006	0.57	0.006	0.031	0.009	1
E586115		2.84	0.028	0.018	0.004	0.16	0.004	<0.005	0.002	<1
E586116		4.16	0.200	0.089	0.010	0.75	0.013	0.049	0.014	<1
E586117		3.50	0.178	0.063	0.008	0.74	0.006	0.034	0.012	<1
E586118		0.06	0.948	0.065	0.009	1.00	0.042	0.083	0.168	1
E586119		4.23	0.246	0.116	0.011	1.09	0.012	0.075	0.017	1
E586120		3.99	0.130	0.032	0.007	0.55	0.002	0.030	0.008	<1
E586121		4.20	0.174	0.062	0.009	1.04	0.004	0.032	0.011	<1
E586122		4.05	0.087	0.031	0.005	0.31	0.002	0.036	0.007	<1
E586123		4.09	0.176	0.078	0.008	0.61	0.003	0.047	0.010	<1
E586124		3.78	0.155	0.237	0.008	1.02	0.046	0.040	0.013	1
E586125		4.25	0.176	0.079	0.008	0.88	0.006	0.033	0.011	1
E588126		3.91	0.019	0.016	0.005	0.43	0.002	<0.005	0.008	<1
E586127		3.24	0.023	0.009	0.003	0.14	<0.001	0.013	0.003	<1
E586128		0.06	1.430	0.774	0.056	13.30	0.058	<0.005	0.008	2
E586129		3.53	0.162	0.150	0.007	0.79	0.009	0.044	0.009	<1
E588130		1.35	0.526	0.364	0.017	2.67	0.030	0.110	0.026	1
E586131		2.70	0.036	0.022	0.003	0.07	0.002	<0.005	0.002	<1
E586132		2.87	0.039	0.032	0.004	0.11	0.003	<0.005	0.001	<1
E586133		2.50	0.041	0.022	0.002	0.28	0.005	0.005	0.004	<1
E586134		4.00	0.132	0.071	0.008	0.88	0.011	0.018	0.007	<1
E586135		3.99	0.170	0.079	0.009	1.04	0.017	0.023	0.008	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 18-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07134458

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E586136		4.31	0.695	0.352	0.022	3.14	0.025	0.075	0.025	<1
E586137		3.97	0.415	0.077	0.014	1.68	0.008	0.059	0.011	<1
E586138		4.32	1.790	0.173	0.046	7.20	0.152	0.243	0.051	<1
E586139		3.03	0.016	0.012	0.004	0.06	0.007	<0.005	<0.001	<1
E588140		4.15	0.341	0.345	0.012	1.46	0.062	0.207	0.197	1
E586141		3.43	0.101	0.097	0.004	0.42	0.029	0.088	0.052	1
E586142		3.82	0.054	0.006	0.004	0.06	0.004	0.035	0.066	<1
E586143		2.74	0.133	0.021	0.007	0.50	0.006	0.070	0.070	<1
E586144		3.69	0.596	0.068	0.023	2.95	0.013	0.056	0.043	<1
E586145		4.14	0.095	0.151	0.004	0.52	0.009	<0.005	0.003	1
E586146		3.71	0.357	0.150	0.009	1.51	0.019	0.035	0.013	1
E586147		3.51	0.042	0.026	0.004	0.12	0.004	<0.005	0.002	<1
E586148		2.68	0.805	0.633	0.022	4.00	0.045	0.073	0.022	1
E586149		2.52	2.02	0.980	0.055	8.80	0.019	0.218	0.048	1
E586150		2.79	1.240	0.245	0.034	5.29	0.031	0.124	0.031	<1
E586151		0.06	1.500	0.783	0.058	13.45	0.055	0.006	0.008	2
E586152		2.90	1.230	0.599	0.030	6.03	0.083	0.099	0.032	1
E586153		2.65	0.911	0.317	0.027	4.27	0.259	0.049	0.025	<1
E586154		3.06	1.955	1.360	0.050	9.75	0.096	0.210	0.077	2
E586155		2.89	1.990	1.690	0.067	11.15	0.326	0.154	0.052	2
E586156		1.36	2.50	0.220	0.111	14.80	0.027	0.150	0.059	1
E586157		2.87	1.620	1.770	0.054	9.02	0.027	0.266	0.081	2
E586158		3.88	0.018	0.029	0.004	0.42	0.003	<0.005	0.001	1
E586159		3.92	0.013	0.023	0.003	0.26	0.007	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-JAN-2008
Account: CNARMN

CERTIFICATE TB07134456

Project:

P.O. No.:

This report is for 16 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07134456

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E586072		1.94	0.111	0.107	0.005	0.66	0.010	0.028	0.019	<1
E586073		2.94	0.007	0.020	0.003	0.11	0.001	<0.005	<0.001	<1
E586074		2.71	0.017	0.018	0.003	0.10	0.001	<0.005	<0.001	<1
E586075		3.80	0.206	0.183	0.008	1.07	0.023	0.056	0.011	<1
E586076		2.24	0.007	0.009	0.002	0.03	0.001	<0.005	<0.001	<1
E586077		1.70	0.007	0.009	<0.002	0.10	<0.001	<0.005	<0.001	<1
E586078		1.74	0.862	0.270	0.030	4.25	0.019	0.271	0.061	<1
E586079		2.93	0.259	0.132	0.008	1.18	0.011	0.079	0.018	<1
E586080		3.54	0.228	0.110	0.007	1.18	0.024	0.068	0.017	<1
E586081		4.38	0.038	0.025	0.004	0.31	0.002	0.006	0.002	<1
E586082		4.74	0.076	0.040	0.003	0.48	0.002	0.023	0.004	<1
E586083		4.59	0.029	0.033	0.004	0.19	0.003	0.008	0.002	<1
E586084		3.35	0.088	0.032	0.005	0.79	0.003	0.024	0.006	<1
E586085		0.06	1.500	0.779	0.056	13.70	0.045	0.013	0.006	1
E586086		2.05	0.039	0.021	0.002	0.18	0.002	0.013	0.002	<1
E586087		3.17	0.008	0.023	<0.002	0.14	<0.001	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 15-JAN-2008
Account: CNARMN

CERTIFICATE TB07134457

Project:

P.O. No.:

This report is for 24 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 15-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07134457

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E583637		3.99	0.011	0.011	0.006	0.20	0.003	<0.005	0.001	<1
E583638		3.74	0.053	0.037	0.005	0.12	0.013	0.028	0.042	<1
E583639		3.25	0.091	0.038	0.008	0.10	0.021	0.039	0.063	<1
E583640		3.98	0.158	0.117	0.008	0.28	0.066	0.086	0.115	1
E583641		2.79	0.166	0.118	0.008	0.59	0.047	0.062	0.048	1
E583642		3.55	0.260	0.149	0.010	0.91	0.014	0.011	0.010	1
E583643		2.60	0.023	0.011	0.010	0.07	0.002	<0.005	0.001	<1
E583644		3.90	0.041	0.006	0.006	0.05	0.001	<0.005	<0.001	<1
E583645		2.21	0.043	0.006	0.006	0.03	0.001	<0.005	0.001	<1
E583646		2.09	0.069	0.011	0.007	0.09	0.001	<0.005	0.001	<1
E583647		2.93	0.009	0.005	0.002	0.12	0.001	<0.005	0.001	<1
E583648		3.58	0.006	0.006	0.003	0.09	<0.001	<0.005	<0.001	1
E583649		2.10	0.047	<0.005	0.007	0.05	<0.001	<0.005	0.001	<1
E583650		3.48	0.040	<0.005	0.005	0.07	<0.001	<0.005	0.002	<1
E583651		3.87	0.062	<0.005	0.004	0.05	<0.001	<0.005	0.003	<1
E583652		3.60	0.008	0.009	0.003	0.21	<0.001	<0.005	0.001	<1
E583653		2.34	0.364	0.059	0.030	2.96	0.011	0.138	0.003	<1
E583654		3.49	0.011	0.005	0.004	0.16	<0.001	<0.005	<0.001	<1
E583655		3.89	0.057	0.022	0.004	0.42	0.001	<0.005	0.003	<1
E583656		4.08	0.148	0.051	0.010	0.89	0.006	0.016	0.008	<1
E583657		4.53	0.142	0.079	0.008	1.05	0.009	0.027	0.009	<1
E583658		3.68	0.146	0.076	0.010	0.94	0.012	0.029	0.009	<1
E583659		4.46	0.038	0.013	0.006	0.11	0.001	<0.005	0.002	<1
E583660		4.12	0.018	0.012	0.006	0.24	<0.001	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 13-JAN-2008
Account: CNARMN

CERTIFICATE TB07134453

Project:

P.O. No.:

This report is for 41 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 13-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07134453

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
583594		3.99	0.013	0.011	0.004	0.06	0.006	<0.005	<0.001	1
583595		0.04	1.060	0.069	0.010	1.23	0.048	0.115	0.166	<1
583596		3.53	0.015	0.010	0.005	0.10	0.004	<0.005	<0.001	<1
583597		2.05	0.155	0.169	0.007	0.64	0.086	0.097	0.092	1
583598		4.56	0.230	0.151	0.009	0.72	0.078	0.115	0.155	<1
583599		3.44	0.338	0.121	0.012	1.28	0.069	0.042	0.018	1
583600		Not Recvd								
583601		Not Recvd								
583603		Not Recvd								
583604		Not Recvd								
583605		Not Recvd								
583606		Not Recvd								
583607		Not Recvd								
583608		Not Recvd								
583609		Not Recvd								
583610		Not Recvd								
583611		Not Recvd								
583612		2.95	0.350	0.105	0.015	2.23	0.013	0.041	0.011	1
583613		3.06	0.080	0.036	0.006	0.54	0.008	0.021	0.004	<1
583614		1.53	0.010	0.010	0.003	0.37	0.001	<0.005	<0.001	<1
583615		3.52	0.163	0.119	0.010	1.17	0.021	0.042	0.010	<1
583616		2.11	0.015	0.011	0.005	0.19	0.004	<0.005	<0.001	<1
583617		3.74	0.122	0.037	0.008	0.74	0.003	0.034	0.008	<1
583618		Not Recvd								
583619		Not Recvd								
583620		Not Recvd								
583621		Not Recvd								
583622		Not Recvd								
583623		Not Recvd								
583624		4.26	0.028	0.010	0.006	0.33	0.002	<0.005	0.001	<1
583625		3.99	0.999	0.308	0.029	4.70	0.071	0.270	0.085	2
583626		4.22	0.205	0.121	0.010	0.82	0.066	0.167	0.185	<1
583627		0.06	1.490	0.759	0.059	13.65	0.055	<0.005	0.007	2
583628		1.66	0.064	0.029	0.006	0.09	0.015	0.021	0.032	<1
583629		3.96	0.018	0.009	0.005	0.07	0.003	<0.005	0.003	<1
583630		4.29	0.015	0.016	0.005	0.10	0.007	<0.005	0.001	<1
583631		3.48	0.014	0.012	0.005	0.12	0.006	<0.005	<0.001	<1
583632		3.39	0.013	0.008	0.004	0.05	0.004	<0.005	0.001	<1
583633		2.76	0.013	0.012	0.006	0.08	0.010	<0.005	<0.001	<1
583634		3.85	0.007	0.015	0.004	0.34	0.003	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 13-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07134453

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
583635		4.21	0.010	0.017	0.005	0.25	0.016	<0.005	<0.001	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-JAN-2008
Account: CNARMN

CERTIFICATE TB07145031

Project:

P.O. No.:

This report is for 37 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-JAN-2008
Account: CNARMN

CERTIFICATE TB07134454

Project:

P.O. No.:

This report is for 8 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07134454

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E586088		3.20	0.018	0.022	0.005	0.40	0.002	<0.005	0.001	<1
E586089		2.93	0.091	0.035	0.008	0.57	0.005	0.022	0.005	<1
E586090		1.89	0.128	0.080	0.009	0.73	0.007	0.034	0.007	1
E586091		4.33	0.156	0.103	0.009	1.15	0.017	0.031	0.009	1
E586092		4.28	0.068	0.035	0.006	0.52	0.007	0.015	0.003	1
E586093		2.98	0.083	0.057	0.007	0.68	0.007	0.014	0.003	1
E586094		2.29	0.154	0.103	0.009	1.07	0.032	0.033	0.008	2
E586095		3.06	0.017	0.023	0.004	0.36	0.005	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 12-JAN-2008
Account: CNARMN

CERTIFICATE TB07134455

Project:

P.O. No.:

This report is for 23 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-NOV-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 12-JAN-2008
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07134455

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E583661		3.08	0.012	0.022	0.004	0.14	0.017	<0.005	<0.001	<1
E583662		3.01	0.006	0.012	0.002	0.24	0.005	<0.005	0.002	<1
E583663		3.38	0.080	0.059	0.006	0.18	0.073	0.090	0.055	<1
E583664		2.29	0.284	0.265	0.009	1.11	0.143	0.155	0.133	2
E583665		4.44	0.181	0.127	0.007	0.48	0.068	0.096	0.105	1
E583666		3.47	0.013	0.014	0.004	0.10	0.005	<0.005	0.007	<1
E583667		3.74	0.087	0.030	0.007	0.16	0.019	0.031	0.039	<1
E583668		3.65	0.254	0.246	0.009	0.85	0.097	0.096	0.062	1
E583669		3.57	0.432	0.166	0.012	1.57	0.033	0.023	0.011	1
E583670		3.97	0.085	0.035	0.007	0.17	0.007	0.005	0.001	<1
E583671		3.53	0.086	0.027	0.008	0.14	0.006	0.005	0.002	<1
E583672		4.21	0.258	0.109	0.012	0.94	0.076	0.064	0.009	<1
E583673		3.71	0.091	0.017	0.007	0.15	0.002	0.017	0.004	<1
E583674		3.83	0.135	0.033	0.007	0.29	0.007	0.015	0.006	<1
E583675		0.06	1.055	0.069	0.010	1.14	0.038	0.100	0.169	1
E583676		3.10	0.051	0.017	0.004	0.14	0.003	0.007	0.004	1
E583677		3.29	0.033	0.021	0.005	0.35	0.006	0.006	0.002	<1
E583678		3.14	0.092	0.051	0.006	0.57	0.014	0.009	0.003	<1
E583679		1.74	1.110	2.76	0.087	9.75	1.120	0.253	0.061	4
E583680		3.60	0.108	0.049	0.007	0.79	0.012	0.030	0.007	1
E583681		3.89	0.024	0.017	0.004	0.11	0.004	<0.005	<0.001	<1
E583682		3.87	0.148	0.140	0.008	0.86	0.014	0.035	0.011	<1
E583683		3.26	0.012	0.030	0.004	0.34	0.010	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE TB07125177

Project:

P.O. No.:

This report is for 66 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E585851		2.95	0.098	0.092	0.005	0.33	0.058	0.127	0.122	1
E585852		2.57	0.008	0.006	0.002	0.07	0.006	<0.005	0.003	<1
E585853		3.85	0.044	0.028	0.004	0.06	0.055	0.010	0.009	<1
E585854		2.94	0.066	0.011	0.006	0.06	0.047	0.032	0.032	<1
E585855		3.71	0.077	<0.005	0.008	0.08	0.011	0.008	0.006	<1
E585856		0.06	1.055	0.071	0.012	1.15	0.056	0.110	0.186	1
E585857		3.40	0.072	0.008	0.008	0.13	0.005	0.007	0.005	<1
E585858		3.26	0.074	0.006	0.009	0.05	0.015	0.006	0.003	<1
E585859		4.70	0.071	0.005	0.008	0.02	0.005	0.008	0.002	<1
E585860		4.57	0.076	0.017	0.008	0.07	0.008	<0.005	0.004	<1
E585861		3.00	0.013	0.010	0.006	0.06	0.004	<0.005	0.001	1
E585862		4.13	0.155	0.095	0.009	0.30	0.058	0.035	0.015	<1
E585863		4.68	0.075	0.012	0.009	0.06	0.008	<0.005	0.002	<1
E585864		2.07	0.123	0.040	0.009	0.21	0.022	0.037	0.021	1
E585885		4.27	0.083	0.023	0.009	0.13	0.034	0.013	0.008	<1
E585866		4.23	0.072	0.022	0.009	0.09	0.014	0.014	0.010	<1
E585887		4.89	0.070	0.019	0.009	0.08	0.019	0.081	0.029	<1
E585868		3.84	0.065	<0.005	0.008	0.01	0.002	0.018	0.005	<1
E585869		4.58	0.095	0.044	0.009	0.14	0.028	0.043	0.012	1
E585870		4.42	1.010	0.306	0.032	4.51	0.112	0.120	0.026	2
E585871		4.25	1.105	0.461	0.027	4.33	0.213	0.126	0.035	2
E585872		4.54	0.096	0.118	0.006	0.50	0.103	0.031	0.006	1
E585873		4.87	0.035	0.130	0.005	0.31	0.013	0.010	0.001	1
E585874		4.94	0.160	0.175	0.007	0.81	0.056	0.028	0.009	1
E585875		4.57	0.077	0.035	0.006	0.85	0.009	<0.005	0.002	1
E585876		2.59	0.078	0.092	0.007	1.10	0.018	<0.005	0.003	1
E585877		3.69	0.128	0.111	0.007	0.67	0.139	0.011	0.003	<1
E585876		3.55	0.009	0.007	0.002	0.08	0.003	<0.005	<0.001	<1
E585879		3.55	0.009	0.007	0.002	0.05	0.004	0.006	<0.001	<1
E585880		4.00	0.010	0.020	0.005	0.21	0.009	0.006	0.001	1
E585881		3.54	0.040	0.036	0.005	0.11	0.010	0.011	0.003	<1
E585882		3.48	0.054	0.053	0.004	0.20	0.009	0.007	0.005	1
E585883		4.10	0.172	0.194	0.008	0.85	0.052	0.034	0.009	<1
E585884		3.69	0.209	0.157	0.009	1.10	0.129	0.034	0.008	1
E585885		2.68	0.012	0.018	0.003	0.23	0.006	<0.005	<0.001	<1
E585886		3.66	0.048	0.026	0.007	0.24	0.006	0.009	0.004	<1
E585887		4.20	0.162	0.090	0.008	0.68	0.025	0.017	0.005	1
E585888		3.89	0.163	0.096	0.010	1.05	0.027	0.019	0.006	<1
E585889		5.18	1.310	0.587	0.034	5.41	0.223	0.093	0.024	3
E585890		4.02	0.073	0.087	0.005	0.55	0.030	0.016	0.003	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125177

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E585891		4.01	0.059	0.030	0.005	0.33	0.006	0.006	0.002	1
E585892		3.81	0.093	0.050	0.007	0.98	0.018	0.014	0.004	<1
E585893		2.47	0.099	0.058	0.007	0.66	0.016	0.015	0.004	1
E585894		3.83	0.046	0.061	0.005	0.32	0.023	0.017	0.003	<1
E585895		4.23	0.071	0.090	0.005	0.39	0.056	0.019	0.005	1
E585896		4.30	0.296	0.193	0.011	1.30	0.088	0.033	0.009	1
E585897		4.48	0.175	0.060	0.010	1.03	0.024	0.021	0.008	<1
E585898		3.53	0.022	0.009	0.004	0.08	0.004	0.007	0.001	1
E585899		3.58	0.020	0.012	0.005	0.11	0.007	<0.005	0.002	<1
E585900		3.74	0.323	0.164	0.013	1.65	0.078	0.048	0.015	1
E585901		3.70	0.231	0.131	0.011	1.26	0.069	0.046	0.015	1
E585902		3.91	0.082	0.049	0.007	0.53	0.017	0.012	0.004	1
E585903		4.20	0.252	0.136	0.011	1.29	0.037	0.027	0.010	1
E585904		3.85	0.130	0.053	0.008	0.63	0.021	0.020	0.008	1
E585905		2.74	0.039	0.032	0.004	0.30	0.011	0.007	0.002	<1
E585906		4.24	0.383	0.220	0.011	1.43	0.142	0.066	0.031	2
E585907		4.12	0.202	0.239	0.007	0.49	0.190	0.129	0.107	3
E585908		4.31	0.344	0.305	0.012	0.88	0.213	0.151	0.131	2
E585909		4.28	0.125	0.027	0.010	0.15	0.011	0.011	0.013	1
E585910		3.51	0.227	0.231	0.010	0.53	0.318	0.099	0.077	2
E585911		3.95	0.415	0.427	0.010	1.24	0.297	0.196	0.164	3
E585912		4.13	0.266	0.276	0.008	0.64	0.136	0.120	0.102	3
E585913		3.08	0.069	0.051	0.003	0.10	0.030	0.022	0.012	1
E585914		3.75	0.204	0.233	0.010	0.51	0.111	0.098	0.078	2
E585915		3.94	0.076	0.069	0.006	0.13	0.027	0.059	0.065	<1
E585916		4.12	0.013	0.010	0.005	0.04	0.005	<0.005	0.001	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE TB07125172

Project:

P.O. No.:

This report is for 30 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125172

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E586012		4.33	0.175	0.095	0.010	0.49	0.044	0.054	0.058	<1
E586013		2.88	0.123	0.043	0.010	0.45	0.021	0.031	0.038	<1
E586014		3.17	0.188	0.112	0.008	0.40	0.069	0.042	0.024	1
E586015		3.50	0.385	0.446	0.012	1.21	0.295	0.105	0.051	4
E586016		0.04	1.470	0.760	0.060	13.70	0.036	0.009	0.007	1
E586017		3.56	0.147	0.110	0.009	0.46	0.088	0.033	0.016	2
E586018		2.91	0.255	0.234	0.011	0.96	0.119	0.063	0.021	1
E586019		4.47	0.008	0.015	0.005	0.09	<0.001	<0.005	0.001	<1
E586020		3.25	2.18	0.715	0.036	7.06	0.151	0.067	0.043	4
E586021		3.26	0.310	0.084	0.009	1.11	0.022	0.019	0.008	<1
E586022		2.74	0.082	0.032	0.005	0.16	0.012	0.016	0.012	<1
E586023		3.06	0.185	0.245	0.009	0.72	0.076	0.063	0.053	2
E586024		2.79	0.281	0.285	0.010	0.92	0.271	0.143	0.117	2
E586025		2.89	0.904	0.276	0.026	4.19	0.079	0.083	0.026	1
E586026		0.04	1.035	0.071	0.010	1.18	0.029	0.094	0.161	1
E586027		2.82	0.450	0.696	0.015	2.56	0.179	0.066	0.030	4
E586028		3.27	0.484	0.376	0.014	1.37	0.234	0.176	0.139	2
E586029		3.41	0.399	0.333	0.012	1.14	0.209	0.134	0.102	3
E586030		3.70	0.468	0.705	0.013	1.63	0.276	0.120	0.080	6
E586031		3.21	0.370	0.584	0.011	1.08	0.378	0.127	0.112	5
E586032		4.22	0.014	0.018	0.004	0.14	0.002	<0.005	0.001	<1
E586033		2.87	0.181	0.158	0.008	0.52	0.069	0.038	0.026	1
E586034		2.91	0.242	0.257	0.010	0.66	0.173	0.071	0.036	3
E586035		3.25	0.143	0.084	0.009	0.25	0.037	0.033	0.026	<1
E586036		4.34	0.169	0.233	0.007	0.46	0.114	0.072	0.054	2
E586037		3.69	0.131	0.120	0.006	0.26	0.044	0.059	0.052	1
E586038		3.10	0.200	0.194	0.008	0.44	0.083	0.175	0.174	1
E586039		2.44	0.173	0.150	0.010	0.39	0.116	0.077	0.083	1
E586040		3.99	0.053	0.046	0.004	0.20	0.020	0.024	0.028	1
E586041		2.74	0.007	0.012	0.002	0.05	0.003	<0.005	0.003	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE TB07125170

Project:

P.O. No.:

This report is for 61 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125170

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E585801		2.93	0.105	0.059	0.010	0.22	0.026	0.026	0.015	<1
E585802		3.77	0.078	0.014	0.009	0.14	0.006	0.014	0.007	2
E585803		3.91	0.052	0.010	0.007	0.07	0.005	0.005	<0.001	<1
E585804		2.86	0.146	0.163	0.009	0.74	0.067	0.024	0.006	1
E585805		4.83	0.272	0.200	0.017	1.72	0.066	0.031	0.008	1
E585806		4.35	0.555	0.443	0.019	2.73	0.199	0.100	0.019	1
E585807		3.26	0.013	0.015	0.004	0.13	0.003	0.006	<0.001	1
E585808		3.62	0.154	0.118	0.009	0.66	0.033	0.039	0.005	<1
E585809		3.62	0.315	0.177	0.014	1.31	0.051	0.030	0.010	<1
E585810		3.71	0.080	0.064	0.007	0.41	0.015	0.014	0.002	<1
E585811		3.98	0.667	0.355	0.028	3.16	0.031	0.107	0.013	1
E585812		2.48	0.187	0.121	0.009	0.71	0.027	0.027	0.011	<1
E585813		3.02	0.092	0.032	0.006	0.52	0.004	0.006	0.002	<1
E585814		4.32	0.051	0.043	0.006	0.25	0.017	0.014	0.002	<1
E585815		4.07	0.022	0.013	0.006	0.12	0.005	<0.005	<0.001	1
E585816		5.10	0.062	0.093	0.007	0.40	0.054	0.014	0.004	<1
E585817		2.40	0.020	0.009	0.007	0.13	0.002	<0.005	<0.001	<1
E585818		1.74	0.031	0.013	0.007	0.12	0.005	0.006	0.001	<1
E585819		3.69	0.048	0.026	0.006	0.30	0.006	<0.005	0.001	<1
E585820		3.43	0.146	0.085	0.006	0.79	0.032	0.022	0.003	<1
E585821		0.04	1.460	0.762	0.061	13.55	0.048	0.012	0.006	1
E585822		4.08	0.428	0.163	0.018	2.40	0.030	0.023	0.006	1
E585823		3.91	0.061	0.024	0.004	0.17	0.007	0.013	0.004	<1
E585824		4.19	0.171	0.059	0.009	0.80	0.024	0.016	0.003	<1
E585825		3.61	0.167	0.039	0.010	0.82	0.012	0.014	0.004	<1
E585826		4.77	0.171	0.089	0.010	0.93	0.040	0.038	0.033	<1
E585827		4.02	0.017	0.013	0.005	0.12	0.003	<0.005	<0.001	<1
E585828		4.10	0.210	0.215	0.011	1.24	0.061	0.030	0.010	<1
E585829		4.31	0.292	0.163	0.014	1.74	0.040	0.040	0.017	1
E585830		4.33	0.043	0.042	0.006	0.33	0.014	0.009	0.006	<1
E585831		3.86	0.027	0.008	0.004	0.04	0.002	0.006	0.001	<1
E585832		3.71	0.017	0.012	0.004	0.09	0.003	0.007	0.004	<1
E585833		4.27	0.016	0.016	0.006	0.18	0.012	0.005	0.001	<1
E585834		3.98	0.052	0.030	0.006	0.35	0.013	0.015	0.006	<1
E585835		4.58	0.141	0.084	0.008	0.77	0.012	0.010	0.005	<1
E585836		3.77	0.056	0.033	0.006	0.32	0.030	0.022	0.006	<1
E585837		3.80	0.085	0.040	0.008	0.53	0.014	0.013	0.004	<1
E585838		2.35	0.327	0.151	0.014	1.74	0.054	0.036	0.017	<1
E585839		2.77	0.010	0.014	0.004	0.34	0.006	0.006	0.002	<1
E585840		4.36	0.008	0.016	0.005	0.87	0.005	<0.005	0.002	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125170

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E585841		3.17	<0.005	0.005	<0.002	0.16	0.001	<0.005	<0.001	<1
E585842		3.34	0.009	0.012	0.003	0.16	0.003	<0.005	<0.001	1
E585843		2.90	0.291	0.222	0.013	1.63	0.060	0.045	0.016	<1
E585844		2.83	0.020	0.022	0.004	0.23	0.009	<0.005	<0.001	<1
E585845		3.34	0.174	0.104	0.010	1.38	0.042	0.024	0.009	<1
E585846		3.73	<0.005	0.005	0.002	0.10	0.001	<0.005	<0.001	<1
E585847		2.53	0.011	0.011	0.003	0.20	0.005	0.005	<0.001	<1
E585848		3.83	0.264	0.149	0.009	1.49	0.044	0.013	0.008	1
E585849		2.69	0.021	0.018	0.004	0.06	0.006	<0.005	0.003	1
E585850		2.53	0.101	0.039	0.005	0.41	0.015	<0.005	0.002	<1
E586001		4.10	0.356	0.251	0.012	0.96	0.136	0.213	0.226	1
E586002		0.05	1.415	0.747	0.056	13.35	0.055	0.016	0.007	2
E586003		4.77	0.499	0.347	0.015	1.58	0.201	0.156	0.118	2
E586004		5.01	0.325	0.246	0.013	1.50	0.131	0.082	0.059	2
E586005		4.33	0.110	0.028	0.008	0.18	0.017	0.043	0.050	<1
E586006		4.91	0.255	0.226	0.010	0.74	0.149	0.186	0.180	1
E586007		4.38	0.008	0.018	0.005	0.15	0.004	<0.005	<0.001	<1
E586008		2.63	0.275	0.287	0.010	0.60	0.153	0.221	0.222	2
E586009		2.86	0.340	0.355	0.010	0.89	0.584	0.184	0.175	3
E586010		2.20	0.068	0.041	0.007	0.10	0.018	0.033	0.071	<1
E586011		3.77	0.043	0.022	0.005	0.09	0.012	0.011	0.014	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE TB07125171

Project:

P.O. No.:

This report is for 4 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125171

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
395501		0.13	<0.005	<0.005	0.003	0.10	0.046	<0.005	0.001	<1
395502		0.18	<0.005	<0.005	<0.002	0.02	0.082	<0.005	<0.001	<1
395503		0.27	0.424	<0.005	0.023	0.22	0.040	<0.005	0.005	<1
395504		0.20	1.475	<0.005	0.065	0.65	0.001	<0.005	0.004	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE TB07125139

Project:

P.O. No.:

This report is for 55 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125139

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E585917		4.14	0.012	0.009	0.005	0.11	0.054	0.014	0.003	<1
E585918		3.93	0.006	0.007	0.003	0.11	0.001	<0.005	<0.001	<1
E585919		3.82	<0.005	0.008	0.003	0.18	0.004	<0.005	<0.001	<1
E585920		3.54	<0.005	0.006	<0.002	0.07	0.005	<0.005	0.006	<1
E585921		4.81	0.118	0.068	0.009	0.26	0.041	0.041	0.039	<1
E585922		3.47	0.068	0.031	0.006	0.05	0.025	0.020	0.017	<1
E585923		3.55	0.063	<0.005	0.007	0.01	0.003	0.008	0.010	<1
E585924		3.92	0.053	<0.005	0.005	0.07	0.002	0.007	0.005	<1
E585925		3.23	0.074	0.009	0.009	0.08	0.001	0.008	0.005	<1
E585926		3.95	0.070	0.005	0.007	0.13	0.003	0.006	0.003	<1
E585927		3.42	0.070	0.016	0.008	0.15	0.007	0.006	0.002	<1
E585928		4.54	0.054	0.008	0.006	0.10	0.003	<0.005	0.001	<1
E585929		4.31	0.073	0.008	0.009	0.12	0.002	0.005	0.002	<1
E585930		4.60	0.071	0.009	0.009	0.11	0.003	<0.005	0.001	<1
E585931		4.85	0.067	0.009	0.008	0.08	0.001	<0.005	0.002	<1
E585932		2.67	0.181	0.147	0.009	0.45	0.087	0.033	0.014	<1
E585933		0.05	1.535	0.780	0.061	14.00	0.056	0.015	0.008	1
E585934		4.64	0.160	0.107	0.008	0.66	0.042	0.020	0.004	<1
E585935		5.58	0.008	0.014	0.005	0.16	0.002	<0.005	<0.001	<1
E585936		5.18	0.016	0.016	0.005	0.19	0.001	<0.005	<0.001	<1
E585937		3.02	0.642	0.235	0.018	2.22	0.039	0.043	0.012	<1
E585938		3.09	3.06	0.137	0.067	11.55	0.011	0.027	0.030	1
E585939		4.18	2.68	0.332	0.077	12.65	0.028	0.053	0.044	2
E585940		2.52	0.527	0.240	0.017	2.29	0.015	0.023	0.010	<1
E585941		4.36	0.089	0.054	0.007	1.24	0.005	<0.005	0.002	<1
E585942		5.03	0.070	0.030	0.007	1.27	0.004	<0.005	0.002	<1
E585943		4.02	0.058	0.034	0.006	0.48	0.019	0.009	0.005	<1
E585944		3.78	0.032	0.028	0.005	0.76	0.020	0.009	0.005	<1
E585945		3.91	0.095	0.043	0.007	0.62	0.015	0.014	0.006	<1
E585946		2.24	0.070	0.029	0.005	0.34	0.014	0.009	0.004	<1
E585947		1.93	0.018	0.013	0.003	0.16	0.002	<0.005	0.001	<1
E585948		2.18	0.025	0.008	0.005	0.04	0.002	<0.005	0.001	<1
E585949		3.57	0.376	0.094	0.015	2.09	0.011	0.032	0.017	1
E585950		3.77	0.006	0.005	0.003	0.08	0.001	<0.005	<0.001	<1
E585951		3.77	0.007	<0.005	0.003	0.05	0.001	<0.005	<0.001	<1
E585952		2.70	0.170	0.080	0.010	0.83	0.029	0.022	0.009	1
E585953		2.09	0.316	0.084	0.013	1.66	0.028	0.027	0.015	<1
E585954		3.17	0.878	0.308	0.028	3.89	0.072	0.068	0.034	1
E585955		3.82	0.100	0.061	0.007	0.42	0.033	0.016	0.007	<1
E585956		4.35	0.255	0.108	0.012	1.35	0.050	0.027	0.010	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 964 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 31-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125139

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E585957		3.25	0.015	0.013	0.006	0.08	0.003	<0.005	0.001	<1
E585958		3.63	0.312	0.091	0.016	1.37	0.026	0.037	0.012	<1
E585959		3.94	0.258	0.164	0.012	1.04	0.093	0.035	0.011	1
E585960		4.19	0.477	0.518	0.017	1.94	0.511	0.140	0.063	3
E585961		4.23	0.261	0.143	0.012	0.72	0.112	0.109	0.088	1
E585962		3.74	0.561	0.465	0.018	1.76	0.347	0.264	0.243	4
E585963		3.59	0.467	0.453	0.014	1.31	0.213	0.173	0.159	4
E585964		2.57	0.443	0.156	0.014	1.33	0.085	0.078	0.098	2
E585965		4.65	0.109	0.045	0.009	0.15	0.012	0.023	0.028	<1
E585966		3.69	0.168	0.109	0.010	0.23	0.086	0.119	0.130	1
E585967		3.99	0.215	0.275	0.010	0.48	0.137	0.225	0.195	2
E585968		4.35	0.124	0.088	0.009	0.17	0.036	0.073	0.062	<1
E585969		4.57	0.122	0.068	0.009	0.16	0.032	0.052	0.082	1
E585970		4.42	0.021	0.012	0.006	0.06	0.010	<0.005	0.005	<1
E585971		4.62	0.014	0.012	0.007	0.03	0.006	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 29-DEC-2007
Account: CNARMN

CERTIFICATE TB07125176

Project:

P.O. No.:

This report is for 18 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 29-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125176

Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
Sample Description LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E586054	4.61	0.180	0.132	0.009	0.35	0.043	0.067	0.059	1
E586055	4.35	0.177	0.128	0.010	0.41	0.068	0.049	0.037	1
E586056	4.76	0.095	0.049	0.008	0.17	0.026	0.031	0.032	<1
E586057	4.92	0.168	0.099	0.010	0.30	0.084	0.068	0.061	1
E586058	0.06	1.050	0.070	0.010	1.14	0.063	0.090	0.170	1
E586059	4.99	0.226	0.165	0.012	0.60	0.125	0.133	0.122	2
E586060	2.17	0.201	0.151	0.011	0.39	0.161	0.075	0.035	1
E586061	5.38	0.386	0.426	0.014	1.16	0.390	0.103	0.052	4
E586062	3.84	0.201	0.250	0.009	0.58	0.315	0.059	0.028	1
E586063	2.63	0.016	0.012	0.006	0.10	0.002	<0.005	0.003	1
E586064	4.43	0.217	0.231	0.011	0.67	0.155	0.094	0.061	2
E586065	3.98	0.066	0.095	0.005	0.27	0.043	0.018	0.010	1
E586066	5.36	0.292	0.309	0.011	0.89	0.199	0.089	0.047	3
E586067	3.29	0.400	0.376	0.016	1.60	0.295	0.103	0.049	4
E586068	3.14	0.124	0.026	0.009	0.20	0.020	0.056	0.047	1
E586069	0.06	1.430	0.746	0.058	13.15	0.091	0.007	0.008	2
E586070	4.90	0.286	0.181	0.012	0.64	0.072	0.133	0.109	1
E586071	5.16	0.083	0.031	0.009	0.11	0.012	0.013	0.009	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 28-DEC-2007
Account: CNARMN

CERTIFICATE TB07125138

Project:

P.O. No.:

This report is for 25 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 28-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125138

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E583569		4.58	0.015	0.011	0.005	0.19	0.003	<0.005	0.001	<1
E583570		3.74	0.050	0.072	0.006	0.26	0.055	0.017	0.013	<1
E583571		2.59	0.165	0.146	0.008	0.52	0.142	0.088	0.074	1
E583572		3.32	0.129	0.077	0.008	0.48	0.054	0.072	0.082	1
E583573		1.74	0.101	0.038	0.006	0.46	0.050	0.014	0.005	<1
E583574		3.42	0.046	0.008	0.005	0.06	0.007	0.006	0.001	<1
E583575		3.76	0.067	0.018	0.006	0.13	0.005	0.007	0.002	<1
E583576		4.27	0.144	0.053	0.008	0.33	0.020	0.010	0.003	<1
E583577		4.24	0.401	0.163	0.015	1.62	0.079	0.038	0.012	<1
E583578		4.02	0.124	0.043	0.009	0.33	0.011	0.023	0.007	<1
E583579		2.26	0.012	0.013	0.004	0.11	0.001	<0.005	0.001	<1
E583580		2.56	0.179	0.075	0.012	0.77	0.052	0.034	0.010	<1
E583581		4.13	0.114	0.045	0.008	0.37	0.012	0.016	0.007	<1
E583582		4.39	0.112	0.046	0.009	0.76	0.016	0.017	0.007	<1
E583583		4.24	0.083	0.064	0.006	0.49	0.022	0.012	0.006	<1
E583584		3.88	0.041	0.024	0.004	0.26	0.008	0.008	0.003	<1
E583585		2.47	0.093	0.045	0.007	0.40	0.011	0.011	0.005	<1
E583586		2.71	0.078	0.033	0.007	0.39	0.019	0.011	0.003	<1
E583587		2.81	0.926	0.894	0.030	4.41	0.381	0.101	0.023	1
E583588		3.09	0.637	0.409	0.022	3.38	0.010	0.154	0.029	<1
E583589		0.05	1.095	0.076	0.011	1.21	0.047	0.102	0.175	1
E583590		3.65	0.520	0.085	0.018	2.30	0.016	0.069	0.019	<1
E583591		4.45	0.400	0.211	0.014	1.66	0.040	0.099	0.100	<1
E583592		3.77	0.158	0.127	0.007	0.80	1.450	0.057	0.048	<1
E583593		4.35	0.016	0.005	0.005	0.08	0.019	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 28-DEC-2007
Account: CNARMN

CERTIFICATE TB07125178

Project:

P.O. No.:

This report is for 44 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 28-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125178

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E583501		4.22	0.011	0.011	0.004	0.15	0.005	<0.005	<0.001	1
E583502		3.20	<0.005	0.005	<0.002	0.04	0.004	<0.005	<0.001	<1
E583503		3.85	0.016	0.028	0.003	0.15	0.004	<0.005	0.009	1
E583504		2.79	0.467	0.362	0.014	1.62	0.195	0.191	0.189	5
E583505		3.63	0.124	0.122	0.008	0.25	0.056	0.089	0.085	2
E583506		3.24	0.147	0.100	0.009	0.34	0.022	0.023	0.007	1
E583507		3.27	0.069	0.007	0.006	0.06	0.002	0.006	0.003	<1
E583508		4.07	0.124	0.049	0.008	0.23	0.012	0.016	0.006	1
E583509		3.88	0.087	0.024	0.007	0.11	0.007	0.013	0.004	<1
E583510		4.09	0.156	0.065	0.011	0.82	0.023	0.022	0.010	1
E583511		4.28	0.088	0.028	0.008	0.18	0.007	0.010	0.004	1
E583512		3.32	0.140	0.050	0.009	0.41	0.008	0.018	0.007	1
E583513		3.97	0.181	0.067	0.010	0.60	0.019	0.022	0.009	<1
E583514		4.41	0.102	0.027	0.007	0.23	0.008	0.012	0.005	<1
E583515		4.23	0.088	0.018	0.007	0.15	0.003	0.017	0.004	<1
E583518		4.58	0.134	0.048	0.009	0.42	0.013	0.016	0.007	1
E583517		1.93	0.009	0.017	0.004	0.29	0.005	<0.005	<0.001	<1
E583518		3.62	0.009	0.011	0.004	0.05	0.003	<0.005	<0.001	<1
E583519		4.20	0.008	0.009	0.003	0.03	0.001	<0.005	<0.001	1
E583520		4.30	0.017	0.020	0.004	0.11	0.004	<0.005	<0.001	1
E583521		4.08	0.066	0.045	0.005	0.22	0.007	0.005	0.004	<1
E583522		2.64	2.48	1.380	0.090	11.25	0.023	0.127	0.065	1
E583523		3.24	3.26	1.245	0.081	15.35	0.259	0.416	0.087	2
E583524		2.89	2.86	1.070	0.080	12.90	0.043	0.481	0.080	2
E583525		2.69	0.841	0.552	0.023	3.93	0.051	0.083	0.027	<1
E583526		2.60	0.246	0.070	0.009	1.22	0.007	0.022	0.007	<1
E583527		2.87	1.005	0.719	0.030	4.87	0.321	0.106	0.032	<1
E583528		2.43	0.979	0.449	0.028	4.55	0.594	0.088	0.032	<1
E583529		2.63	2.08	0.406	0.059	9.87	0.019	0.121	0.063	<1
E583530		2.86	0.575	0.266	0.018	2.66	0.032	0.072	0.020	<1
E583531		1.99	1.335	0.151	0.040	6.21	0.075	0.344	0.062	<1
E583532		3.21	0.028	0.016	0.002	0.21	0.002	0.013	0.002	<1
E583533		3.85	0.075	0.021	0.005	0.29	0.004	0.010	0.004	<1
E583534		3.75	0.340	0.230	0.014	1.86	0.016	0.125	0.024	1
E583535		3.81	0.295	0.155	0.012	1.48	0.043	0.081	0.015	<1
E583536		2.39	0.444	0.702	0.012	2.92	0.015	0.094	0.019	2
E583537		3.52	0.078	0.042	0.005	0.35	0.010	0.025	0.026	<1
E583538		2.31	0.008	0.007	<0.002	0.17	<0.001	<0.005	<0.001	<1
E583539		2.36	0.016	0.009	0.005	0.07	0.003	<0.005	0.001	<1
E583540		4.16	0.009	0.008	0.003	0.05	0.003	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 28-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125178

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA82 Ag ppm 1
E583541		2.51	0.011	0.006	0.004	0.05	0.011	<0.005	0.001	<1
E583542		0.06	1.130	0.072	0.011	1.22	0.038	0.088	0.163	<1
E583543		3.60	0.007	0.009	0.003	0.09	0.003	<0.005	<0.001	<1
E583544		3.45	0.006	<0.005	<0.002	0.02	0.001	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 28-DEC-2007
Account: CNARMN

CERTIFICATE TB07125927

Project:

P.O. No.:

This report is for 52 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 28-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125927

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E585724		3.25	0.065	0.028	0.006	0.25	0.010	0.018	0.007	<1
E585725		4.07	0.198	0.125	0.006	0.72	0.056	0.025	0.009	1
E585726		3.58	0.147	0.029	0.009	0.24	0.009	0.022	0.007	1
E585727		4.92	0.346	0.094	0.014	1.29	0.029	0.034	0.016	<1
E585728		2.98	0.021	0.013	0.004	0.22	0.007	<0.005	0.005	<1
E585729		3.23	0.015	0.017	0.005	0.46	0.005	<0.005	0.002	<1
E585730		3.82	0.115	0.049	0.009	0.62	0.011	0.017	0.007	<1
E585731		3.71	0.198	0.102	0.009	0.75	0.019	0.021	0.009	1
E585732		3.24	0.008	0.009	0.002	0.13	0.003	<0.005	0.001	<1
E585733		3.32	0.863	0.263	0.030	4.27	0.068	0.081	0.036	2
E585734		4.17	0.259	0.080	0.010	1.20	0.035	0.060	0.014	<1
E585735		3.33	0.050	0.133	0.007	0.51	0.117	<0.005	0.003	1
E585736		4.57	0.599	0.243	0.021	2.37	0.102	0.090	0.032	1
E585737		3.30	0.361	0.183	0.014	1.36	0.107	0.070	0.024	<1
E585738		4.01	0.018	0.016	0.005	0.16	0.005	<0.005	0.002	<1
E585739		0.07	1.045	0.071	0.010	1.16	0.036	0.088	0.171	1
E585740		3.91	0.327	0.069	0.012	2.22	0.022	0.029	0.006	<1
E585741		3.83	0.017	0.017	0.006	1.70	0.003	<0.005	0.002	<1
E585742		2.24	0.018	0.016	0.006	1.93	0.002	<0.005	0.001	<1
E585743		4.04	<0.005	0.006	<0.002	0.11	<0.001	<0.005	<0.001	<1
E585744		3.42	0.112	0.009	0.006	0.42	0.002	<0.005	0.001	<1
E585745		2.63	0.741	0.595	0.026	4.10	0.283	0.025	0.015	1
E585746		4.03	1.275	0.654	0.029	5.29	0.108	0.062	0.026	3
E585747		4.69	0.020	0.015	0.004	0.20	0.004	<0.005	0.002	1
E585748		3.83	0.140	0.064	0.007	0.66	0.019	0.013	0.007	1
E585749		4.23	0.144	0.126	0.008	0.81	0.031	0.018	0.006	1
E585750		4.48	0.103	0.053	0.005	0.42	0.016	0.010	0.004	<1
E585751		4.34	0.709	0.359	0.023	3.11	0.094	0.056	0.018	2
E585752		4.65	0.073	0.025	0.007	0.19	0.006	0.005	0.001	<1
E585753		4.60	0.788	0.223	0.022	3.24	0.109	0.075	0.021	1
E585754		3.88	0.195	0.212	0.008	0.90	0.116	0.042	0.009	2
E585755		4.58	0.400	0.335	0.014	1.68	0.170	0.109	0.022	2
E585756		2.60	0.141	0.085	0.008	0.63	0.036	0.019	0.007	1
E585757		4.14	0.071	0.038	0.006	0.38	0.011	0.006	0.003	<1
E585758		4.94	0.067	0.028	0.008	0.33	0.009	0.006	0.002	<1
E585759		3.98	0.032	0.035	0.005	0.35	0.014	<0.005	0.002	<1
E585760		4.56	0.016	0.017	0.006	0.14	0.005	<0.005	<0.001	<1
E585761		3.77	0.046	0.034	0.007	0.24	0.015	0.005	0.003	1
E585762		3.51	0.009	0.014	0.004	0.13	0.001	<0.005	<0.001	<1
E585763		4.24	0.059	0.013	0.006	0.10	0.003	0.005	0.003	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 28-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125927

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E585764		3.51	0.081	0.034	0.007	1.68	0.008	<0.005	0.003	1
E585765		4.32	0.430	0.356	0.015	2.10	0.172	0.050	0.023	2
E585766		3.57	0.853	0.564	0.023	2.83	0.297	0.184	0.130	3
E585767		3.59	0.258	0.297	0.010	0.72	0.233	0.051	0.032	1
E585768		2.38	0.011	0.013	0.004	0.14	0.002	<0.005	0.002	<1
E585769		4.21	0.231	0.196	0.010	0.51	0.086	0.053	0.050	<1
E585770		3.81	1.020	0.528	0.028	2.98	0.332	0.234	0.208	3
E585771		2.48	1.185	0.783	0.023	3.57	0.214	0.246	0.160	5
E585772		2.23	0.454	0.404	0.013	1.23	0.133	0.202	0.180	3
E585773		2.39	0.360	0.256	0.011	0.96	0.224	0.106	0.140	1
E585774		3.62	0.122	0.103	0.006	0.36	0.043	0.046	0.061	<1
E585775		2.89	0.015	0.010	0.003	0.06	0.003	<0.005	0.003	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 27-DEC-2007
Account: CNARMN

CERTIFICATE TB07125173

Project:

P.O. No.:

This report is for 12 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 27-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125173

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Au Check ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pt Check ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Pd Check ppm 0.001	Ag-AA62 Ag ppm 1
E586042		4.56	0.079	0.018	0.008	0.08	0.008		0.016		0.011		1
E586043		3.85	0.254	0.195	0.010	0.61	0.213	0.131	0.115	0.128	0.117	0.128	2
E586044		4.48	0.240	0.270	0.011	0.61	0.172		0.076		0.048		2
E586045		3.05	0.015	0.020	0.006	0.11	0.010		<0.005		0.001		<1
E586046		4.53	0.251	0.249	0.010	0.75	0.312	0.198	0.082	0.060	0.052	0.040	9
E586047		2.96	0.611	0.417	0.032	4.74	0.265		0.148		0.061		4
E586048		4.02	0.448	0.384	0.015	1.65	0.296	0.370	0.084	0.109	0.050	0.063	4
E586049		1.75	0.118	0.122	0.005	0.37	0.080		0.028		0.019		1
E586050		4.54	0.434	0.486	0.013	1.25	0.313		0.137		0.083		4
E586051		0.04	1.055	0.072	0.010	1.16	0.034		0.121		0.172		1
E586052		4.63	0.290	0.181	0.011	0.65	0.094		0.178		0.157		2
E586053		4.75	0.253	0.178	0.011	0.66	0.106		0.141		0.130		2

Comments: Additional Au result for sample E586043 is 0.122ppm; sample E586046 is 0.235ppm; sample E586048 is 0.370ppm

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 27-DEC-2007
Account: CNARMN

CERTIFICATE TB07125175

Project:

P.O. No.:

This report is for 24 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 27-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125175

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E583545		3.72	0.010	0.010	0.004	0.07	0.011	<0.005	0.007	<1
E583546		0.04	1.460	0.767	0.057	13.50	0.049	0.007	0.007	1
E583547		3.16	<0.005	0.009	0.002	0.06	0.002	<0.005	0.001	<1
E583548		4.59	0.173	0.215	0.009	0.60	0.065	0.069	0.049	2
E583549		4.37	0.046	0.011	0.007	0.05	0.001	<0.005	<0.001	<1
E583550		4.52	0.083	0.015	0.007	0.15	0.001	0.006	0.004	<1
E583551		3.83	0.408	0.277	0.017	1.73	0.178	0.053	0.026	<1
E583552		3.63	0.075	0.050	0.007	0.96	0.007	<0.005	0.004	<1
E583553		2.15	0.040	0.019	0.006	0.45	0.002	0.005	0.002	<1
E583554		3.94	0.266	0.120	0.010	1.07	0.027	0.026	0.014	<1
E583555		4.01	0.246	0.092	0.013	1.04	0.022	0.035	0.012	<1
E583556		4.67	0.243	0.120	0.011	1.05	0.016	0.034	0.013	<1
E583557		3.52	0.024	0.026	0.004	0.78	0.001	0.008	<0.001	<1
E583558		3.76	0.085	0.596	0.006	1.16	0.005	0.005	0.008	<1
E583559		3.68	1.995	0.829	0.057	10.30	0.028	0.308	0.050	<1
E583560		4.00	0.744	0.384	0.021	3.72	0.017	0.062	0.022	<1
E583561		3.85	0.319	0.191	0.012	1.80	0.015	0.073	0.017	<1
E583562		3.94	0.371	0.116	0.018	2.28	0.012	0.117	0.022	<1
E583563		2.79	0.122	0.076	0.007	0.70	0.009	0.034	0.007	<1
E583564		5.22	0.020	0.019	0.005	0.17	<0.001	<0.005	<0.001	<1
E583565		3.23	1.235	0.307	0.035	5.34	0.046	0.219	0.039	1
E583566		1.26	0.299	0.049	0.013	1.14	0.010	0.030	0.042	<1
E583567		3.53	0.047	0.024	0.005	0.18	0.005	0.009	0.003	<1
E583568		3.87	0.014	0.010	0.005	0.12	0.001	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 24-DEC-2007
Account: CNARMN

CERTIFICATE TB07125928

Project:

P.O. No.:

This report is for 65 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 24-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125928

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394885		4.03	0.082	0.037	0.008	0.35	0.010	0.016	0.008	<1
394886		0.07	0.919	0.065	0.010	1.04	0.034	0.101	0.169	<1
394887		4.28	0.193	0.083	0.010	0.68	0.025	0.030	0.013	<1
394888		4.57	0.289	0.199	0.012	1.21	0.046	0.038	0.017	<1
394889		4.09	0.475	0.208	0.016	2.23	0.070	0.059	0.027	<1
394890		2.27	0.015	0.016	0.005	0.16	0.010	<0.005	0.001	<1
394891		3.85	0.318	0.130	0.015	1.27	0.044	0.038	0.014	<1
394892		4.31	0.182	0.077	0.009	0.61	0.024	0.024	0.008	<1
394893		2.23	0.120	0.055	0.007	0.39	0.013	0.012	0.005	<1
394894		2.80	0.071	0.030	0.008	0.28	0.008	0.012	0.003	<1
394895		3.11	0.022	0.020	0.006	0.33	0.003	<0.005	0.001	<1
394896		2.73	0.015	0.015	0.005	0.27	0.003	<0.005	0.001	<1
394897		3.06	0.017	0.015	0.005	0.17	0.004	<0.005	0.001	<1
394898		3.38	0.032	0.025	0.006	0.26	0.005	<0.005	0.002	<1
394899		3.65	0.081	0.041	0.007	0.39	0.010	0.010	0.004	<1
394900		3.54	0.239	0.137	0.009	1.02	0.096	0.022	0.010	<1
394901		3.62	0.098	0.059	0.007	0.42	0.017	0.015	0.004	<1
394902		3.15	0.110	0.065	0.008	0.43	0.020	0.018	0.005	<1
394903		4.42	0.237	0.103	0.012	1.21	0.036	0.036	0.012	<1
394904		3.76	0.187	0.186	0.008	0.97	0.048	0.042	0.011	<1
394905		3.89	0.180	0.083	0.009	0.78	0.041	0.033	0.010	<1
394906		2.70	0.345	0.180	0.012	1.54	0.027	0.040	0.014	<1
394907		2.87	0.134	0.076	0.009	0.84	0.031	0.021	0.007	<1
394908		3.28	0.005	0.009	0.002	0.10	0.004	<0.005	<0.001	<1
394909		4.09	0.015	0.011	0.002	0.10	0.005	<0.005	<0.001	<1
394910		3.63	0.562	0.201	0.022	2.91	0.061	0.059	0.020	<1
394911		0.06	1.025	0.071	0.010	1.17	0.054	0.116	0.197	<1
394912		4.72	0.689	0.352	0.020	3.04	0.106	0.070	0.021	<1
394913		3.94	0.386	0.136	0.014	1.54	0.030	0.034	0.010	<1
394914		4.18	0.560	0.160	0.017	2.09	0.043	0.044	0.013	<1
394915		3.96	1.825	0.748	0.047	7.82	0.090	0.063	0.025	1
394916		2.69	1.885	0.572	0.043	8.01	0.149	0.110	0.060	1
394917		2.17	0.934	0.276	0.055	6.60	0.050	0.098	0.033	<1
394918		3.93	0.043	0.042	0.003	0.21	0.017	0.014	0.003	<1
394919		3.66	0.020	0.033	0.006	0.64	0.008	0.009	0.002	<1
394920		3.97	0.109	0.120	0.007	0.95	0.044	0.026	0.011	<1
394921		1.97	0.186	0.181	0.006	1.55	0.074	0.016	0.007	<1
394922		5.44	0.027	0.025	0.002	1.31	0.013	<0.005	0.002	<1
394923		1.51	0.088	0.070	0.004	1.01	0.036	<0.005	0.007	<1
394924		3.83	1.050	0.585	0.025	4.92	0.402	0.166	0.045	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phono: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 24-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07125928

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
394925		3.24	0.214	0.186	0.005	1.06	0.118	0.045	0.010	<1
394926		2.59	0.204	0.149	0.004	0.86	0.073	0.029	0.009	<1
394927		4.21	0.317	0.256	0.007	1.24	0.145	0.062	0.016	1
394928		3.82	0.897	0.390	0.021	3.86	0.079	0.050	0.021	2
394929		3.96	0.139	0.190	0.003	0.54	0.025	0.013	0.005	<1
394930		2.95	0.136	0.108	0.003	0.55	0.034	0.009	0.004	<1
394931		3.52	0.019	0.011	<0.002	0.34	0.005	<0.005	<0.001	<1
394932		3.80	0.015	0.007	<0.002	0.15	0.004	<0.005	<0.001	<1
394933		3.75	0.010	0.005	<0.002	0.21	0.004	<0.005	<0.001	<1
394934		3.24	0.090	0.060	0.003	0.41	0.039	0.010	0.003	<1
394935		4.20	0.152	0.077	0.005	1.05	0.041	0.031	0.009	<1
394936		2.57	0.011	0.009	<0.002	0.14	0.011	<0.005	<0.001	<1
394937		3.23	0.120	0.040	0.005	0.37	0.016	0.012	0.003	<1
394938		3.75	0.199	0.046	0.005	0.90	0.018	0.030	0.007	<1
394939		3.42	0.050	0.012	0.003	0.11	0.013	0.012	0.002	<1
394940		4.06	0.123	0.106	0.004	0.69	0.062	0.029	0.009	<1
394941		2.44	0.138	0.067	0.005	0.73	0.028	0.014	0.006	<1
394942		3.72	0.139	0.216	0.003	0.61	0.121	0.045	0.011	1
394943		2.17	0.429	0.447	0.011	1.43	0.547	0.171	0.050	3
394944		2.18	0.336	0.393	0.008	1.14	0.310	0.157	0.068	3
394945		4.59	0.297	0.307	0.007	0.81	0.353	0.114	0.094	2
394946		3.62	0.006	0.009	<0.002	0.05	0.006	<0.005	0.001	<1
394947		1.98	0.245	0.236	0.005	0.70	0.136	0.093	0.130	1
394948		3.29	0.122	0.089	0.003	0.36	0.034	0.061	0.057	1
394949		4.01	0.014	0.009	<0.002	0.12	0.070	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE TB07122540

Project:

P.O. No.:

This report is for 123 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenuo
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 964 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122540

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394234		2.77	0.016	0.015	0.005	0.07	0.005	<0.005	<0.001	<1
394235		2.54	0.018	0.028	0.006	0.18	0.016	<0.005	0.002	<1
394236		2.61	0.030	0.027	0.005	0.32	0.013	0.020	0.019	1
394237		2.27	0.025	0.022	0.005	0.16	0.011	0.012	0.022	<1
394236		1.80	0.053	0.042	0.004	0.18	0.022	0.013	0.021	<1
394239		3.36	0.097	0.023	0.008	0.27	0.054	0.016	0.018	<1
394240		2.37	0.082	0.005	0.009	0.25	0.086	<0.005	0.001	<1
394241		3.04	0.082	0.007	0.008	0.32	0.022	<0.005	0.002	<1
394242		2.20	0.083	0.010	0.009	0.14	0.003	<0.005	0.002	<1
394243		3.61	0.086	0.011	0.009	0.14	0.006	0.019	0.007	<1
394244		3.11	0.066	0.009	0.009	0.04	0.004	0.013	0.005	<1
394245		2.03	0.074	0.005	0.008	0.04	0.004	0.016	0.004	<1
394246		2.91	0.093	0.034	0.010	0.23	0.021	0.008	0.004	<1
394247		2.38	0.133	0.087	0.009	0.37	0.061	0.091	0.093	1
394246		3.23	0.111	0.032	0.009	0.19	0.024	0.056	0.052	<1
394249		2.59	0.078	0.009	0.009	0.12	0.005	0.005	0.002	<1
394250		2.93	0.111	0.027	0.008	0.19	0.008	0.052	0.011	<1
394251		2.84	0.169	0.118	0.010	0.40	0.118	0.041	0.023	1
394252		2.31	0.109	0.029	0.009	0.16	0.017	0.015	0.011	<1
394253		2.61	0.211	0.167	0.010	0.55	0.108	0.086	0.055	1
394254		2.78	0.091	0.028	0.008	0.08	0.014	0.015	0.010	<1
394255		2.58	0.079	0.033	0.008	0.10	0.022	0.013	0.008	1
394256		2.48	0.064	0.008	0.008	0.08	0.006	0.083	0.022	<1
394257		2.99	0.081	0.019	0.008	0.08	0.007	0.073	0.024	<1
394258		2.63	0.074	0.010	0.008	0.08	0.002	0.011	0.005	<1
394259		2.82	0.072	0.005	0.007	0.07	0.003	0.010	0.006	<1
394260		2.30	0.070	0.006	0.008	0.05	0.002	0.028	0.004	<1
394261		3.89	0.071	0.015	0.008	0.12	0.012	0.075	0.014	<1
394262		2.56	0.070	0.009	0.008	0.14	0.004	0.013	0.005	<1
394263		2.85	0.065	0.105	0.007	0.33	0.005	0.006	0.002	<1
394264		2.15	0.686	0.350	0.022	2.93	0.159	0.190	0.039	1
394265		2.91	0.765	0.741	0.021	2.94	0.273	0.124	0.028	3
394266		3.38	4.19	2.68	0.108	17.70	0.460	0.103	0.057	9
394267		0.06	1.045	0.072	0.010	1.18	0.062	0.110	0.172	1
394268		3.81	0.102	0.094	0.005	0.49	0.026	0.023	0.004	<1
394269		3.46	2.61	2.20	0.053	10.85	2.93	0.168	0.031	14
394270		1.44	3.72	0.638	0.079	13.35	0.068	0.107	0.070	3
394271		4.42	0.105	0.032	0.006	0.79	0.011	0.017	0.017	<1
394272		1.99	0.025	0.016	0.005	0.20	0.002	<0.005	0.001	<1
394273		2.60	0.117	0.097	0.005	0.63	0.012	<0.005	0.004	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122540

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394274		2.58	0.233	0.085	0.011	0.77	0.027	0.034	0.009	<1
394275		2.43	0.447	0.081	0.014	1.88	0.025	0.036	0.011	<1
394276		1.92	0.093	0.074	0.005	0.32	0.055	0.016	0.003	<1
394277		3.42	0.167	0.130	0.008	0.58	0.058	0.028	0.005	1
394278		2.44	0.083	0.063	0.009	0.64	0.048	0.008	0.003	<1
394279		2.66	0.593	0.325	0.016	2.61	0.069	0.050	0.021	1
394280		1.77	0.033	0.034	0.004	0.11	0.006	<0.005	0.002	<1
394281		3.77	0.809	0.505	0.019	4.03	0.128	0.056	0.021	2
394282		2.42	1.295	0.495	0.029	6.13	0.156	0.120	0.049	3
394283		3.43	0.778	0.461	0.022	3.72	0.206	0.106	0.032	2
394284		3.59	0.140	0.118	0.007	0.76	0.060	0.021	0.006	<1
394285		2.30	0.727	1.540	0.019	4.31	0.172	0.118	0.032	6
394286		2.41	0.154	0.226	0.007	0.84	0.092	0.036	0.006	1
394287		2.22	0.031	0.028	0.005	0.12	0.009	0.005	0.001	<1
394288		2.52	0.088	0.058	0.007	0.43	0.020	0.010	0.005	<1
394289		2.47	0.084	0.045	0.007	0.33	0.022	0.013	0.005	<1
394290		2.32	0.138	0.078	0.008	0.56	0.017	0.022	0.006	1
394291		3.12	0.235	0.106	0.011	1.12	0.031	0.039	0.013	<1
394292		2.19	0.091	0.023	0.008	0.17	0.008	0.015	0.005	<1
394293		2.34	0.123	0.049	0.008	0.64	0.013	0.018	0.006	<1
394294		2.53	0.070	0.053	0.007	0.62	0.010	0.006	0.003	1
394295		2.57	0.017	0.018	0.005	0.55	0.005	<0.005	0.002	<1
394296		0.06	1.075	0.073	0.011	1.20	0.065	0.108	0.171	1
394297		2.12	0.018	0.017	0.005	0.38	0.005	<0.005	0.001	2
394298		2.71	0.020	0.015	0.005	0.30	0.005	<0.005	0.001	<1
394299		4.46	0.161	0.052	0.009	0.63	0.017	0.024	0.006	<1
394300		2.10	0.011	0.012	0.004	0.08	0.004	<0.005	0.002	<1
394301		3.62	0.026	0.019	0.007	0.66	0.009	<0.005	0.002	<1
394302		3.82	0.018	0.013	0.005	1.13	0.004	<0.005	0.002	<1
394303		3.88	0.017	0.014	0.006	2.56	0.003	<0.005	0.002	<1
394304		2.57	0.016	0.016	0.007	1.58	0.005	<0.005	0.002	<1
394305		3.67	0.015	0.015	0.004	2.60	0.003	<0.005	0.002	<1
394306		1.54	0.098	0.015	0.005	0.39	0.003	0.013	0.006	<1
394307		1.49	0.020	0.021	0.006	1.61	0.007	<0.005	0.002	<1
394308		3.69	<0.005	0.005	0.002	0.11	0.001	<0.005	0.001	<1
394309		2.93	<0.005	0.005	<0.002	0.07	0.002	<0.005	0.001	<1
394310		1.74	0.138	0.110	0.006	0.51	0.099	0.030	0.008	1
394311		2.44	0.106	0.035	0.007	0.33	0.014	0.009	0.003	<1
394312		2.69	0.263	0.084	0.013	1.32	0.037	0.030	0.011	<1
394313		3.74	0.268	0.155	0.010	1.08	0.050	0.035	0.009	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122540

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394314		1.51	<0.005	0.006	0.003	0.13	0.002	<0.005	0.001	<1
394315		3.06	<0.005	0.005	<0.002	0.16	0.001	<0.005	0.002	<1
394316		2.15	0.016	0.011	0.004	0.03	0.004	<0.005	0.001	<1
394317		2.36	0.009	0.008	0.004	0.11	0.003	<0.005	<0.001	<1
394318		3.13	0.011	0.014	0.004	0.16	0.005	<0.005	<0.001	<1
394319		2.66	0.075	0.037	0.008	0.53	0.014	0.008	0.002	<1
394320		2.40	0.014	0.010	0.004	0.12	0.003	<0.005	0.005	<1
394321		2.37	0.011	0.020	0.004	0.24	0.008	<0.005	<0.001	<1
394322		2.16	0.045	0.031	0.005	0.21	0.012	0.005	0.002	<1
394323		2.34	0.163	0.150	0.009	1.24	0.117	0.026	0.007	<1
394324		0.06	1.045	0.069	0.011	1.13	0.061	0.096	0.172	1
394325		2.70	0.027	0.015	0.004	0.45	0.004	0.005	0.001	<1
394326		2.78	0.391	0.181	0.015	1.80	0.052	0.032	0.012	1
394327		2.79	0.015	0.007	0.003	0.14	0.001	<0.005	0.001	<1
394328		3.11	<0.005	0.005	<0.002	0.10	<0.001	<0.005	<0.001	<1
394329		1.82	0.048	0.018	0.004	0.15	0.005	0.007	0.003	<1
394330		2.30	0.035	0.017	0.003	0.22	0.005	<0.005	0.002	<1
394331		2.69	0.077	0.034	0.005	0.43	0.022	0.009	0.003	<1
394332		2.81	0.211	0.110	0.011	1.13	0.053	0.036	0.012	<1
394333		2.25	0.037	0.010	0.004	0.10	0.005	0.006	0.002	<1
394334		1.74	0.013	0.014	0.004	0.11	0.002	<0.005	0.002	1
394335		2.81	0.022	0.006	0.002	0.01	0.004	<0.005	0.001	<1
394336		1.39	0.040	0.011	0.005	0.06	0.005	<0.005	0.002	<1
394337		3.01	0.309	0.128	0.010	1.18	0.050	0.031	0.012	1
394338		3.81	0.388	0.179	0.014	2.09	0.053	0.031	0.012	1
394339		3.71	0.073	0.033	0.006	0.32	0.006	0.008	0.003	<1
394340		3.38	0.013	0.018	0.005	0.10	0.003	<0.005	0.002	<1
394341		3.95	0.019	0.024	0.005	0.28	0.008	<0.005	0.002	<1
394342		2.65	0.369	0.297	0.012	1.27	0.223	0.122	0.072	3
394343		3.01	0.563	0.394	0.018	1.86	0.312	0.300	0.238	4
394344		2.46	0.209	0.127	0.010	0.42	0.150	0.126	0.124	2
394345		2.51	0.563	0.273	0.015	1.45	0.343	0.488	0.620	2
394346		3.10	0.537	0.432	0.013	1.46	0.358	0.537	0.600	3
394347		2.22	0.307	0.228	0.009	0.66	0.173	0.200	0.217	2
394348		2.30	0.227	0.168	0.008	0.40	0.072	0.207	0.217	2
394349		2.58	0.340	0.315	0.010	0.73	0.138	0.157	0.135	3
394350		1.74	0.958	0.471	0.023	2.15	0.237	0.216	0.198	5
394351		2.60	0.135	0.078	0.007	0.40	0.033	0.080	0.079	1
394352		3.26	0.009	0.008	0.002	0.01	0.005	<0.005	0.004	1
394353		1.38	0.005	0.006	<0.002	0.05	0.002	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122540

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394354		3.71	0.009	0.010	0.004	0.03	0.004	<0.005	0.001	<1
394355		2.62	0.014	0.011	0.005	0.04	0.004	<0.005	0.001	1
394356		2.83	0.011	0.014	0.004	0.08	0.004	<0.005	0.001	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE TB07121349

Project:

P.O. No.:

This report is for 111 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121349

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
394012		3.08	0.014	0.016	0.005	0.16	0.006	<0.005	0.003	<1
394013		2.47	0.013	0.011	0.005	0.03	0.004	<0.005	0.001	<1
394014		2.78	0.015	0.016	0.004	0.12	0.006	<0.005	0.005	<1
394015		2.18	0.103	0.061	0.007	0.21	0.021	0.032	0.038	<1
394016		3.66	<0.005	0.012	0.002	0.13	0.008	<0.005	0.001	<1
394017		2.27	0.059	0.005	0.007	0.03	0.003	<0.005	0.004	<1
394018		2.40	0.062	<0.005	0.007	0.09	0.002	0.005	0.003	<1
394019		2.29	0.047	0.008	0.007	0.10	0.002	0.005	0.004	<1
394020		2.45	0.070	0.006	0.009	0.08	0.002	<0.005	0.002	<1
394021		3.08	0.069	0.028	0.007	0.10	0.058	0.008	0.009	<1
394022		2.54	0.178	0.191	0.011	0.52	0.105	0.061	0.050	1
394023		2.57	0.198	0.213	0.010	0.72	0.110	0.177	0.142	1
394024		2.58	0.202	0.132	0.009	0.48	0.124	0.099	0.090	<1
394025		2.59	0.193	0.144	0.009	0.48	0.064	0.048	0.050	<1
394026		0.06	1.050	0.070	0.010	1.15	0.041	0.096	0.172	<1
394027		2.65	0.074	0.007	0.008	0.08	0.003	<0.005	0.002	<1
394028		2.65	0.086	0.013	0.008	0.09	0.005	0.012	0.011	<1
394029		2.62	0.087	0.019	0.008	0.13	0.013	0.016	0.015	<1
394030		2.55	0.210	0.225	0.010	0.65	0.118	0.034	0.029	1
394031		2.78	0.142	0.102	0.009	0.37	0.085	0.028	0.018	<1
394032		2.85	0.125	0.087	0.009	0.34	0.027	0.033	0.034	<1
394033		2.52	0.136	0.085	0.008	0.33	0.051	0.051	0.039	<1
394034		2.71	0.173	0.117	0.009	0.48	0.072	0.094	0.085	<1
394035		2.62	0.090	0.024	0.008	0.23	0.015	0.034	0.030	<1
394036		2.62	0.063	0.010	0.008	0.10	0.004	<0.005	0.002	<1
394037		2.64	0.064	0.007	0.008	0.10	0.004	<0.005	0.002	<1
394038		2.72	0.067	0.007	0.008	0.07	0.003	<0.005	0.002	<1
394039		2.52	0.068	0.008	0.008	0.04	0.002	<0.005	0.001	<1
394040		2.69	0.100	0.035	0.009	0.20	0.015	0.013	0.008	<1
394041		2.72	0.245	0.264	0.010	0.69	0.123	0.063	0.039	2
394042		2.68	0.090	0.058	0.009	0.17	0.019	0.010	0.008	<1
394043		2.62	0.071	0.005	0.009	0.08	0.003	<0.005	0.002	<1
394044		2.73	0.062	0.007	0.008	0.08	0.005	<0.005	0.003	<1
394045		2.59	0.062	0.007	0.007	0.06	0.003	<0.005	0.002	<1
394046		2.87	0.062	0.009	0.007	0.09	0.003	<0.005	0.002	<1
394047		2.58	0.069	0.008	0.010	0.10	0.005	<0.005	0.002	<1
394048		2.52	0.065	0.007	0.008	0.09	0.005	<0.005	0.001	<1
394049		2.91	0.208	0.053	0.012	0.81	0.037	0.031	0.011	<1
394050		2.63	0.112	0.081	0.010	0.36	0.060	0.023	0.008	<1
394051		2.77	0.099	0.041	0.009	0.18	0.029	0.012	0.006	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121349

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
394052		2.98	0.114	0.069	0.009	0.25	0.045	0.028	0.022	<1
394053		1.73	0.168	0.121	0.008	0.38	0.075	0.064	0.039	1
394054		4.35	0.389	0.136	0.018	1.86	0.069	0.108	0.033	1
394055		2.54	0.013	0.005	0.004	0.08	0.001	<0.005	0.001	<1
394056		1.27	0.270	0.167	0.020	2.30	0.067	0.044	0.015	<1
394057		2.79	0.562	0.217	0.018	2.40	0.091	0.069	0.014	<1
394058		2.63	0.439	0.217	0.017	2.39	0.058	0.043	0.013	1
394059		0.04	1.040	0.070	0.011	1.17	0.046	0.112	0.168	1
394060		2.73	0.150	0.061	0.007	0.48	0.021	0.014	0.005	<1
394061		2.57	0.307	0.306	0.011	1.54	0.061	0.050	0.015	1
394062		2.70	0.393	0.178	0.014	1.72	0.055	0.070	0.010	1
394063		2.58	0.085	0.078	0.005	0.27	0.071	0.011	0.003	<1
394064		3.93	0.014	0.012	0.002	0.12	0.005	<0.005	<0.001	<1
394065		3.48	0.046	0.014	0.006	0.24	0.006	<0.005	0.001	<1
394066		1.96	0.094	0.117	0.009	1.89	0.059	0.006	0.004	1
394067		2.55	0.151	0.104	0.010	1.76	0.091	0.021	0.011	1
394068		2.36	0.356	0.408	0.011	1.29	0.358	0.097	0.040	2
394069		2.10	0.449	0.494	0.013	1.55	0.409	0.116	0.044	3
394070		2.32	0.375	0.320	0.023	2.63	0.228	0.077	0.028	2
394071		2.56	0.397	0.362	0.012	1.60	0.289	0.082	0.032	3
394072		2.41	0.397	0.479	0.011	1.50	0.425	0.123	0.034	4
394073		2.75	0.203	0.201	0.009	0.54	0.211	0.049	0.018	2
394074		2.60	0.326	0.437	0.011	1.18	0.306	0.100	0.040	4
394075		2.77	0.226	0.237	0.010	0.76	0.141	0.053	0.032	2
394076		2.73	0.448	0.507	0.013	1.46	0.268	0.094	0.042	4
394077		0.06	1.005	0.069	0.010	1.13	0.060	0.078	0.165	1
394078		2.18	0.635	0.725	0.016	2.15	0.555	0.142	0.058	5
394079		2.46	0.415	0.495	0.013	1.36	0.298	0.097	0.044	3
394080		2.05	0.479	0.563	0.014	1.98	0.271	0.129	0.059	4
394081		2.34	0.028	0.029	0.004	0.19	0.013	0.008	0.004	1
394082		2.13	0.171	0.143	0.009	0.74	0.081	0.039	0.025	1
394083		3.41	0.073	0.037	0.007	0.28	0.018	0.009	0.004	<1
394084		2.81	0.078	0.029	0.007	0.32	0.004	0.007	0.004	1
394085		2.63	0.023	0.016	0.006	0.14	0.005	<0.005	0.001	1
394086		2.93	0.025	0.013	0.006	0.04	0.006	<0.005	0.002	1
394087		2.67	0.025	0.018	0.005	0.08	0.006	<0.005	0.001	1
394088		2.67	0.025	0.009	0.006	0.06	0.002	<0.005	0.001	1
394089		2.64	0.023	0.008	0.005	0.04	0.002	<0.005	0.002	1
394090		2.28	0.173	0.086	0.010	0.84	0.023	0.020	0.007	1
394091		2.72	0.020	0.018	0.006	0.07	0.005	<0.005	0.002	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121349

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394092		2.70	0.042	0.019	0.006	0.17	0.009	0.009	0.003	1
394093		2.59	0.657	0.233	0.020	3.02	0.105	0.061	0.022	2
394094		2.92	0.138	0.045	0.009	0.77	0.017	0.018	0.007	2
394095		2.52	0.141	0.064	0.011	1.19	0.020	0.015	0.007	1
394096		2.53	0.147	0.065	0.010	0.92	0.023	0.020	0.007	1
394097		1.86	0.019	<0.005	0.006	0.04	<0.001	<0.005	0.001	1
394098		2.22	0.196	0.106	0.010	0.89	0.105	0.030	0.013	1
394099		3.14	0.016	0.016	0.006	0.30	0.010	<0.005	0.001	1
394100		2.18	<0.005	0.007	0.002	0.08	0.002	<0.005	<0.001	1
394101		2.55	<0.005	<0.005	0.002	0.05	0.001	<0.005	0.001	1
394102		2.44	0.005	<0.005	0.002	0.03	<0.001	<0.005	0.001	1
394103		3.10	0.065	0.012	0.006	0.43	0.012	0.071	0.006	1
394104		2.55	2.61	0.487	0.072	11.75	0.205	0.393	0.090	2
394105		2.73	2.71	0.682	0.054	11.40	0.113	0.118	0.044	3
394106		3.18	1.800	1.500	0.041	7.70	0.187	0.055	0.043	5
394107		1.74	0.021	0.013	0.004	0.28	0.005	<0.005	0.001	<1
394108		3.37	0.399	0.391	0.013	1.42	0.288	0.130	0.054	3
394109		1.16	0.197	0.214	0.005	0.48	0.096	0.058	0.026	2
394110		1.33	0.606	0.787	0.018	2.38	0.669	0.191	0.089	7
394111		2.92	0.526	0.626	0.014	1.88	0.482	0.135	0.073	5
394112		2.76	1.045	0.832	0.022	3.80	0.758	0.196	0.105	8
394113		3.35	0.425	0.398	0.013	1.09	0.165	0.148	0.108	3
394114		2.74	0.458	0.571	0.012	1.09	0.240	0.117	0.079	5
394115		1.91	0.542	0.845	0.015	1.79	0.280	0.179	0.108	7
394116		2.71	0.275	0.227	0.011	0.63	0.110	0.083	0.071	2
394117		2.16	0.249	0.180	0.012	0.49	0.090	0.136	0.134	2
394118		2.70	0.372	0.419	0.011	0.88	0.188	0.199	0.190	4
394119		2.27	0.298	0.282	0.013	0.70	0.161	0.125	0.126	2
394120		3.20	0.017	0.018	0.005	0.10	0.006	<0.005	0.002	<1
394121		2.09	0.011	0.010	0.004	0.04	0.004	<0.005	0.001	<1
394122		2.94	0.012	0.009	0.004	<0.01	0.003	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE TB07121348

Project:

P.O. No.:

This report is for 107 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121348

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E585578		2.53	0.013	0.014	0.005	0.17	0.014	<0.005	0.001	<1
E585579		3.95	0.073	0.059	0.006	0.37	0.059	0.021	0.054	<1
E585580		3.39	0.185	0.105	0.008	0.41	0.071	0.092	0.091	1
E585581		4.15	0.218	0.136	0.009	0.45	0.103	0.111	0.123	2
E585582		3.41	0.129	0.021	0.009	0.28	0.013	0.021	0.023	1
E585583		3.78	0.583	0.556	0.017	2.52	0.074	0.068	0.023	3
E585584		2.46	0.094	0.009	0.008	0.21	0.002	0.008	0.007	<1
E585585		4.00	0.287	0.271	0.011	1.13	0.162	0.076	0.040	3
E585586		3.64	0.271	0.134	0.009	1.01	0.050	0.023	0.008	1
E585587		3.64	0.190	0.097	0.008	0.54	0.049	0.018	0.011	1
E585588		3.92	0.046	<0.005	0.005	0.01	0.001	<0.005	0.002	1
E585589		2.60	0.035	0.009	0.004	0.14	0.004	<0.005	0.001	1
E585590		1.90	0.009	0.011	0.004	0.08	0.002	<0.005	<0.001	<1
E585591		3.97	0.045	0.006	0.004	0.06	0.003	<0.005	0.002	<1
E585592		3.68	0.044	0.024	0.004	0.10	0.006	<0.005	0.002	1
E585593		3.18	0.031	0.039	0.005	0.46	0.011	<0.005	0.003	1
E585594		3.17	0.017	0.033	<0.002	0.17	0.011	<0.005	0.001	<1
E585595		2.90	<0.005	0.006	<0.002	0.07	0.001	<0.005	<0.001	<1
E585596		2.34	<0.005	0.006	0.002	0.05	0.002	<0.005	<0.001	<1
E585597		3.49	0.037	0.006	0.005	0.07	0.002	<0.005	0.003	<1
E585598		4.16	0.087	0.035	0.005	0.12	0.022	0.007	0.003	<1
E585599		2.43	0.069	0.011	0.007	0.02	0.009	0.008	0.004	<1
E585600		2.90	0.106	0.045	0.006	0.17	0.019	0.013	0.006	<1
E585601		2.33	0.204	0.096	0.009	0.31	0.044	0.094	0.068	<1
E585602		2.47	0.471	0.384	0.014	1.57	0.297	0.253	0.259	3
E585603		1.88	0.250	0.169	0.009	0.63	0.076	0.150	0.148	1
E585604		2.73	0.289	0.199	0.009	0.71	0.103	0.078	0.051	<1
E585605		0.09	1.080	0.071	0.010	1.14	0.043	0.086	0.173	1
E585606		4.13	0.216	0.143	0.010	0.57	0.118	0.118	0.126	1
E585607		2.97	0.163	0.087	0.009	0.28	0.031	0.046	0.020	<1
E585608		2.27	0.262	0.162	0.011	0.79	0.119	0.033	0.050	<1
E585609		3.04	0.013	<0.005	0.006	0.04	0.003	<0.005	0.001	<1
E585610		2.39	0.291	0.303	0.010	0.91	0.221	0.110	0.115	2
E585611		2.64	0.235	0.228	0.008	0.68	0.090	0.160	0.201	1
E585612		3.85	0.395	0.369	0.015	1.35	0.178	0.200	0.218	2
E585613		3.74	0.316	0.240	0.012	0.92	0.210	0.188	0.167	1
E585614		4.21	0.241	0.195	0.011	0.67	0.142	0.143	0.126	1
E585615		4.16	0.311	0.238	0.011	0.77	0.153	0.122	0.111	1
E585616		4.02	0.474	0.448	0.013	1.34	0.275	0.158	0.139	3
E585617		3.36	0.487	0.405	0.016	1.54	0.279	0.204	0.212	23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121348

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E585618		2.69	0.208	0.146	0.009	0.43	0.094	0.156	0.216	1
E585619		3.99	0.144	0.045	0.009	0.25	0.031	0.025	0.011	<1
E585620		4.36	0.268	0.114	0.012	1.04	0.068	0.034	0.017	<1
E585621		3.99	0.229	0.161	0.013	1.45	0.043	0.026	0.014	<1
E585622		3.86	0.020	0.016	0.004	0.20	0.005	<0.005	0.002	<1
E585623		4.49	0.014	0.011	0.004	0.05	0.005	<0.005	0.001	<1
E585624		4.41	0.019	0.020	0.004	0.07	0.009	<0.005	0.002	<1
E585825		3.69	0.231	0.282	0.010	1.06	0.037	0.033	0.012	<1
E585626		0.10	1.040	0.071	0.010	1.14	0.047	0.100	0.173	3
E585627		4.40	0.615	0.393	0.019	2.79	0.074	0.096	0.031	2
E585628		4.24	0.035	0.012	0.005	0.14	0.004	<0.005	0.002	1
E585629		4.15	0.371	0.137	0.017	1.94	0.031	0.054	0.018	2
E585630		3.56	0.040	0.027	0.006	0.33	0.008	<0.005	0.002	1
E585631		4.79	0.053	0.041	0.007	0.79	0.018	<0.005	0.002	1
E585632		4.32	0.215	0.083	0.010	0.80	0.029	0.027	0.008	1
E585633		4.37	0.493	0.462	0.014	1.97	0.055	0.053	0.017	2
E585634		4.26	0.015	0.014	0.004	0.11	0.001	<0.005	<0.001	1
E585635		3.84	0.069	0.045	0.005	0.34	0.020	<0.005	0.001	2
E585636		4.48	0.043	0.036	0.006	0.57	0.012	<0.005	0.001	1
E585637		3.99	0.024	0.011	0.006	0.44	0.005	<0.005	0.001	<1
E585638		3.89	0.034	0.026	0.005	0.52	0.008	<0.005	0.001	1
E585639		3.85	0.026	0.022	0.005	0.56	0.007	<0.005	0.001	<1
E585640		4.25	0.076	0.031	0.008	0.50	0.015	0.018	0.005	<1
E585641		4.19	0.145	0.021	0.009	0.42	0.010	0.014	0.005	1
E585642		3.80	0.051	0.015	0.005	0.27	0.008	<0.005	0.002	1
E585643		3.77	0.013	0.009	0.002	0.20	0.004	<0.005	<0.001	1
E585644		3.88	0.616	0.134	0.019	2.19	0.046	0.035	0.010	1
E585645		4.39	0.350	0.127	0.011	1.38	0.023	0.016	0.007	1
E585646		5.09	0.170	0.128	0.009	0.70	0.044	0.020	0.007	<1
E585647		4.24	0.053	0.047	0.005	0.46	0.029	0.009	0.003	1
E585648		4.29	0.075	0.051	0.005	0.16	0.034	0.012	0.002	1
E585649		4.36	0.226	0.089	0.009	1.00	0.044	0.041	0.009	<1
E585650		4.00	0.028	0.027	0.006	0.39	0.008	<0.005	0.001	<1
E585851		4.25	0.564	0.478	0.016	2.56	0.087	0.060	0.017	2
E585652		4.85	0.242	0.104	0.011	1.01	0.036	0.024	0.008	<1
E585653		4.04	0.079	0.069	0.006	0.40	0.045	0.013	0.004	<1
E585654		0.10	1.050	0.072	0.011	1.16	0.057	0.092	0.178	1
E585655		4.78	0.025	0.020	0.006	0.19	0.010	<0.005	0.002	<1
E585656		4.17	0.578	0.188	0.017	2.37	0.046	0.034	0.012	1
E585657		4.24	0.194	0.213	0.009	1.06	0.057	0.037	0.007	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121348

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E585658		4.05	0.095	0.057	0.006	0.41	0.020	0.008	0.004	1
E585659		4.46	0.057	0.047	0.006	0.52	0.016	0.006	0.003	1
E585660		3.68	0.108	0.046	0.008	0.58	0.020	0.008	0.004	<1
E585661		4.63	0.528	0.138	0.018	2.39	0.061	0.026	0.006	<1
E585862		3.67	0.612	0.146	0.020	2.80	0.148	0.025	0.007	<1
E585663		4.53	0.425	0.202	0.014	1.93	0.085	0.026	0.010	1
E585664		3.97	0.193	0.102	0.010	0.93	0.059	0.026	0.011	1
E585665		4.13	0.023	0.032	0.005	0.21	0.015	0.007	0.003	<1
E585666		4.45	0.129	0.077	0.006	0.64	0.038	0.009	0.004	1
E585667		3.24	0.010	0.017	0.004	0.19	0.003	<0.005	0.001	<1
E585668		4.83	0.150	0.097	0.011	1.30	0.042	0.021	0.009	<1
E585669		4.16	0.106	0.067	0.006	0.56	0.064	0.017	0.007	<1
E585670		3.93	0.011	0.017	0.005	0.19	0.005	<0.005	<0.001	<1
E585671		4.35	0.009	0.013	0.005	0.12	0.004	<0.005	<0.001	<1
E585672		3.42	0.058	0.049	0.006	0.42	0.017	0.006	0.002	<1
E585673		4.15	0.130	0.101	0.007	0.73	0.032	0.010	0.005	<1
E585674		5.13	0.155	0.048	0.008	0.72	0.029	0.014	0.008	<1
E585675		3.78	0.383	0.122	0.011	1.58	0.031	0.039	0.010	1
E585676		2.94	0.451	0.439	0.016	2.67	0.124	0.048	0.014	2
E585677		3.30	0.408	0.346	0.030	3.42	0.075	0.051	0.015	2
E585878		3.06	0.634	0.757	0.022	3.07	0.756	0.101	0.049	14
E585679		3.20	0.529	0.229	0.014	1.20	0.177	0.091	0.075	2
E585680		3.01	0.265	0.396	0.009	0.83	0.270	0.089	0.055	3
E585681		2.84	0.023	0.023	0.004	0.07	0.017	<0.005	0.005	<1
E585682		4.00	0.139	0.111	0.007	0.27	0.038	0.053	0.060	1
E585683		2.39	0.108	0.157	0.006	0.56	0.361	0.043	0.058	1
E585684		5.93	0.010	0.011	0.005	0.08	0.006	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE TB07121345

Project:

P.O. No.:

This report is for 108 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121345

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394472		3.47	0.009	0.013	0.005	0.15	0.004	<0.005	<0.001	<1
394473		2.71	0.018	0.015	0.005	0.12	0.002	<0.005	0.017	<1
394474		2.35	0.011	0.017	0.005	0.29	0.009	<0.005	0.001	<1
394475		2.55	0.030	0.049	0.006	0.19	0.020	0.014	0.019	<1
394476		1.48	0.065	0.069	0.006	0.18	0.031	0.040	0.035	1
394477		3.81	0.155	0.097	0.010	0.44	0.059	0.102	0.179	2
394478		2.32	0.062	<0.005	0.007	0.03	0.001	0.005	0.005	<1
394479		2.88	0.069	0.007	0.008	0.06	0.001	<0.005	0.004	<1
394480		2.25	0.068	0.006	0.008	0.10	0.001	0.008	0.007	<1
394481		1.68	0.010	0.005	0.004	0.01	0.002	<0.005	<0.001	<1
394482		2.72	0.060	0.005	0.007	<0.01	0.011	<0.005	0.003	1
394483		2.14	0.050	<0.005	0.007	0.02	0.003	<0.005	0.002	<1
394484		2.58	0.084	0.009	0.007	0.08	0.002	<0.005	0.001	1
394485		2.66	0.063	0.009	0.008	0.08	0.005	<0.005	0.001	<1
394486		2.48	0.065	0.006	0.009	0.06	0.005	<0.005	0.001	1
394487		2.08	0.067	0.005	0.008	0.06	0.004	<0.005	0.002	2
394488		2.67	0.069	0.008	0.008	0.04	0.003	<0.005	0.001	<1
394489		2.56	0.069	0.008	0.008	0.07	0.004	<0.005	0.004	<1
394490		2.75	0.071	0.008	0.008	0.07	0.004	<0.005	0.002	<1
394491		2.86	0.069	0.008	0.009	0.07	0.003	<0.005	0.002	<1
394492		2.58	0.063	0.008	0.007	0.07	0.003	<0.005	0.001	<1
394493		2.61	0.067	0.010	0.008	0.06	0.003	<0.005	0.002	<1
394494		2.63	0.065	0.007	0.007	0.04	0.004	<0.005	0.002	1
394495		2.84	0.072	0.010	0.009	0.10	0.003	0.005	0.002	<1
394496		2.88	0.071	0.007	0.008	0.06	0.004	<0.005	0.002	<1
394497		2.91	0.068	0.009	0.008	0.06	0.004	0.005	0.002	1
394498		2.58	0.069	0.010	0.008	0.05	0.005	0.005	0.002	<1
394499		4.06	0.072	0.006	0.008	0.06	0.004	0.005	0.002	<1
394500		3.39	0.156	0.162	0.009	0.53	0.064	0.032	0.015	1
394501		3.20	0.053	0.013	0.007	0.03	0.007	0.005	0.001	1
394502		3.08	0.802	0.555	0.018	3.12	0.106	0.055	0.024	3
394503		4.38	1.255	0.366	0.025	4.23	0.122	0.149	0.034	2
394504		0.06	1.060	0.071	0.010	1.15	0.057	0.091	0.162	1
394505		4.17	0.226	0.079	0.010	1.02	0.020	0.031	0.006	1
394506		3.38	0.063	0.024	0.008	0.48	0.007	0.008	0.002	1
394507		4.13	1.140	0.436	0.032	4.72	0.136	0.057	0.029	3
394508		2.92	0.947	0.462	0.025	3.86	0.151	0.063	0.019	1
394509		1.60	0.860	0.352	0.021	2.86	0.127	0.115	0.024	2
394510		3.98	0.015	0.014	0.004	0.15	0.008	<0.005	0.001	1
394511		3.23	0.184	0.082	0.007	0.73	0.013	0.009	0.005	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121345

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
394512		2.83	0.965	0.338	0.025	3.95	0.091	0.056	0.019	1
394513		2.52	0.065	0.053	0.005	0.82	0.016	0.008	0.003	1
394514		3.08	0.026	0.017	0.005	0.45	0.007	<0.005	0.002	<1
394515		3.59	0.047	0.044	0.004	0.45	0.019	0.008	0.002	<1
394516		2.48	0.005	0.006	<0.002	0.20	0.002	<0.005	<0.001	<1
394517		4.52	0.029	0.023	0.004	0.48	0.009	<0.005	0.002	1
394518		2.71	0.029	0.018	0.005	0.47	0.007	<0.005	0.002	<1
394519		2.85	0.222	0.267	0.010	1.49	0.144	0.027	0.008	1
394520		1.94	0.169	0.049	0.010	0.91	0.021	0.016	0.007	<1
394521		3.21	0.139	0.066	0.007	0.85	0.017	0.011	0.004	<1
394522		3.03	0.023	0.015	0.004	0.42	0.006	<0.005	0.001	1
394523		2.51	0.023	0.011	0.004	0.36	0.004	<0.005	0.001	<1
394524		2.77	0.022	0.015	0.004	0.52	0.004	0.005	0.001	<1
394525		1.57	0.022	0.009	0.004	0.34	0.003	<0.005	0.001	<1
394526		3.31	0.027	0.015	0.005	0.30	0.009	<0.005	0.002	<1
394527		0.06	1.065	0.068	0.010	1.13	0.042	0.096	0.163	1
394528		2.41	0.101	0.019	0.007	0.24	0.006	0.005	0.002	<1
394529		1.92	0.040	0.033	0.005	0.39	0.017	0.009	0.002	1
394530		2.10	0.126	0.080	0.007	0.88	0.089	0.009	0.004	<1
394531		2.87	0.048	0.040	0.004	0.48	0.012	0.005	0.002	<1
394532		2.54	0.134	0.080	0.007	0.73	0.029	0.010	0.005	1
394533		2.41	0.146	0.065	0.007	0.72	0.022	0.021	0.010	<1
394534		2.63	0.420	0.144	0.016	2.64	0.046	0.069	0.015	<1
394535		3.43	0.064	0.039	0.005	0.52	0.013	<0.005	0.002	<1
394536		1.89	0.040	0.029	0.004	0.62	0.009	<0.005	0.001	1
394537		2.75	0.025	0.019	0.005	0.54	0.007	<0.005	0.002	<1
394538		3.87	0.030	0.017	0.005	0.26	0.005	<0.005	0.001	<1
394539		4.12	0.019	0.010	0.004	0.22	0.006	<0.005	0.001	<1
394540		4.60	0.066	0.028	0.005	0.50	0.012	0.006	0.003	<1
394541		4.44	0.108	0.064	0.006	0.55	0.019	0.021	0.006	<1
394542		4.86	0.038	0.034	0.002	0.20	0.027	0.008	0.002	<1
394543		3.88	0.005	0.005	<0.002	0.06	0.003	<0.005	<0.001	<1
394544		2.37	0.052	0.060	0.005	0.37	0.027	0.010	0.002	<1
394545		3.80	0.121	0.103	0.007	0.84	0.041	0.014	0.007	<1
394546		4.51	0.015	0.017	0.005	0.52	0.006	<0.005	0.002	<1
394547		2.94	0.010	0.010	0.004	0.37	0.001	<0.005	0.002	<1
394548		2.56	0.032	0.024	0.004	0.38	0.005	<0.005	0.003	<1
394549		2.11	0.010	0.014	0.004	0.34	0.007	<0.005	0.002	<1
394550		2.65	0.010	0.016	0.004	0.67	0.006	<0.005	0.002	<1
394551		2.85	0.459	0.177	0.015	2.38	0.060	0.044	0.020	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121345

Sample Description	Method	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394552		1.39	0.896	0.235	0.025	4.08	0.111	0.113	0.036	<1
394553		4.91	0.056	0.033	0.006	0.23	0.010	<0.005	0.002	<1
394554		2.95	0.025	0.012	0.005	0.05	0.004	<0.005	0.001	<1
394555		2.92	0.027	0.009	0.005	0.03	0.002	<0.005	0.001	<1
394556		1.96	0.024	0.012	0.005	0.02	0.004	<0.005	0.001	<1
394557		1.70	0.033	0.015	0.003	0.17	0.004	<0.005	0.001	<1
394558		1.88	0.541	0.166	0.013	2.03	0.025	0.034	0.013	<1
394559		2.89	0.235	0.119	0.010	1.18	0.086	0.034	0.010	<1
394560		2.98	0.096	0.049	0.008	0.61	0.022	0.015	0.007	<1
394561		1.87	0.194	0.080	0.010	0.82	0.031	0.026	0.013	<1
394562		2.14	0.048	0.015	0.003	0.27	0.007	<0.005	0.003	<1
394563		1.68	0.324	0.230	0.012	1.75	0.073	0.047	0.018	1
394564		2.94	0.398	0.352	0.014	1.28	0.238	0.118	0.059	3
394565		0.08	1.070	0.071	0.011	1.16	0.041	0.122	0.165	1
394566		2.70	0.616	0.580	0.015	1.88	0.455	0.212	0.159	5
394567		3.63	0.392	0.325	0.012	0.94	0.244	0.152	0.113	2
394568		2.72	0.753	0.732	0.018	1.89	0.397	0.287	0.244	6
394569		2.28	0.372	0.327	0.012	0.87	0.392	0.149	0.135	2
394570		2.61	0.237	0.200	0.010	0.42	0.094	0.094	0.085	1
394571		2.52	0.167	0.073	0.010	0.32	0.054	0.132	0.152	1
394572		2.33	0.105	0.021	0.008	0.11	0.025	0.039	0.040	1
394573		2.57	0.504	0.549	0.014	1.25	0.242	0.274	0.260	4
394574		2.28	0.160	0.184	0.009	0.30	0.042	0.076	0.061	1
394575		2.84	0.128	0.085	0.007	0.27	0.101	0.059	0.054	1
394576		2.01	0.011	0.010	0.004	0.12	0.104	<0.005	<0.001	<1
394577		1.80	0.012	0.008	0.003	0.01	0.007	0.008	0.007	<1
394578		2.23	0.005	0.005	0.002	0.11	0.001	<0.005	<0.001	<1
394579		2.34	0.012	0.010	0.004	0.03	0.004	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE TB07122543

Project:

P.O. No.:

This report is for 124 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122543

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366806		2.00	<0.005	<0.005	<0.002	0.13	<0.001	<0.005	0.001	<1
366807		2.07	<0.005	0.005	<0.002	0.25	0.001	<0.005	<0.001	<1
366808		1.98	0.020	0.008	0.002	0.09	0.003	0.005	0.004	1
366809		2.74	0.124	0.075	0.008	0.59	0.038	0.034	0.051	1
366810		2.21	0.073	<0.005	0.006	0.01	0.006	0.007	0.006	1
366811		2.49	0.073	0.005	0.006	0.04	0.004	0.006	0.003	<1
366812		2.20	0.075	0.007	0.007	<0.01	0.004	0.006	0.003	1
366813		2.35	0.077	0.005	0.007	0.04	0.004	0.005	0.003	<1
366814		2.55	0.085	0.008	0.007	0.04	0.004	0.005	0.003	<1
366815		2.34	0.080	0.031	0.006	0.04	0.014	0.007	0.003	<1
366816		2.43	0.072	<0.005	0.006	0.03	0.001	<0.005	0.003	<1
366817		2.27	0.073	0.005	0.006	0.08	0.005	0.005	0.005	1
366818		2.47	0.069	<0.005	0.007	0.03	0.002	0.006	0.002	1
366819		2.46	0.081	0.007	0.007	0.05	0.003	0.007	0.004	1
366820		2.65	0.105	0.058	0.009	0.15	0.034	0.021	0.010	1
366821		2.48	0.096	0.043	0.008	0.17	0.025	0.017	0.011	1
366822		2.52	0.140	0.114	0.009	0.45	0.088	0.038	0.025	1
366823		2.20	0.160	0.177	0.009	0.36	0.174	0.062	0.039	1
366824		2.71	0.118	0.105	0.010	0.54	0.057	0.032	0.022	1
366825		2.43	0.137	0.130	0.008	0.28	0.073	0.036	0.026	1
366826		2.48	0.167	0.150	0.009	0.43	0.104	0.044	0.030	1
366827		2.56	0.224	0.210	0.010	0.83	0.121	0.050	0.030	1
366828		2.42	0.132	0.121	0.009	0.40	0.063	0.034	0.022	1
366829		2.61	0.138	0.121	0.007	0.37	0.080	0.032	0.020	1
366830		2.60	0.110	0.075	0.007	0.19	0.036	0.022	0.014	1
366831		2.71	0.104	0.051	0.008	0.26	0.033	0.013	0.005	1
366832		2.68	0.097	0.044	0.008	0.28	0.028	0.013	0.005	1
366833		0.06	1.085	0.082	0.011	1.25	0.071	0.067	0.188	1
366834		2.75	0.088	0.053	0.009	0.32	0.025	0.015	0.005	1
366835		2.67	0.146	0.123	0.009	0.34	0.067	0.027	0.008	1
366836		2.81	0.463	0.401	0.013	1.58	0.212	0.107	0.024	2
366837		1.37	0.565	0.235	0.018	2.33	0.074	0.055	0.023	1
366838		2.53	0.015	0.014	0.005	0.12	0.004	<0.005	0.001	<1
366839		3.30	0.031	0.013	0.005	0.35	0.004	<0.005	0.004	1
366840		2.31	0.024	0.013	0.005	0.25	0.003	<0.005	0.003	<1
366841		2.72	0.030	0.016	0.004	1.43	0.004	<0.005	0.003	<1
366842		2.51	0.023	0.015	0.004	0.47	0.003	<0.005	0.003	<1
366843		2.25	0.031	0.019	0.006	0.46	0.004	0.005	0.003	<1
366844		2.25	0.030	0.027	0.003	0.33	0.006	<0.005	0.003	<1
366845		2.78	0.692	0.611	0.015	3.10	0.154	0.093	0.017	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 804 984 0221 Fax: 804 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122543

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366848		2.02	0.011	0.014	0.002	0.07	0.003	<0.005	0.001	1
366847		3.91	0.333	0.232	0.009	1.37	0.068	0.033	0.012	2
366848		3.56	0.022	0.017	0.004	0.45	0.005	<0.005	0.003	1
366849		1.48	0.212	0.211	0.009	1.21	0.099	0.042	0.010	1
366850		3.35	<0.005	0.005	<0.002	0.04	0.002	<0.005	<0.001	1
366851		2.98	<0.005	<0.005	<0.002	0.02	0.001	<0.005	<0.001	1
366852		2.14	0.032	0.033	0.004	0.39	0.013	<0.005	0.002	<1
366853		2.63	0.281	0.150	0.010	1.36	0.044	0.034	0.012	1
366854		2.93	0.558	0.340	0.017	2.40	0.138	0.067	0.020	2
366855		3.16	0.107	0.253	0.006	0.58	0.054	0.014	0.007	2
366856		2.74	0.543	0.094	0.021	2.21	0.046	0.039	0.019	1
366857		0.06	1.105	0.076	0.011	1.23	0.038	0.091	0.170	1
366858		2.68	1.320	0.785	0.033	5.74	0.133	0.081	0.047	5
366859		2.58	0.311	0.176	0.012	1.29	0.063	0.034	0.010	1
366860		2.33	0.272	0.209	0.009	1.06	0.175	0.036	0.013	2
366861		2.63	0.242	0.222	0.010	1.13	0.091	0.035	0.010	2
366862		2.56	0.190	0.179	0.008	0.76	0.065	0.025	0.010	2
366863		2.39	0.016	0.017	0.003	0.04	0.011	<0.005	0.004	<1
366864		2.68	0.118	0.093	0.006	0.49	0.040	0.021	0.007	1
366865		2.68	0.147	0.123	0.007	0.62	0.058	0.028	0.011	1
366866		2.46	0.046	0.055	0.007	0.91	0.018	<0.005	0.003	<1
366867		4.20	0.138	0.101	0.008	0.70	0.042	0.019	0.008	1
366868		4.05	0.135	0.128	0.008	1.08	0.082	0.023	0.010	1
366869		2.35	0.086	0.020	0.008	0.26	0.007	0.019	0.005	1
366870		2.84	0.153	0.061	0.010	1.31	0.032	0.053	0.012	1
366871		2.64	0.084	0.093	0.009	3.44	0.054	0.015	0.007	1
366872		2.80	0.017	0.018	0.005	3.13	0.006	<0.005	0.002	1
366873		2.51	0.016	0.021	0.005	3.08	0.006	<0.005	0.001	1
366874		3.77	0.019	0.024	0.005	2.87	0.008	<0.005	0.001	<1
366875		1.60	0.157	0.062	0.010	0.93	0.025	0.025	0.009	1
366876		2.23	0.341	0.283	0.014	1.73	0.188	0.055	0.016	2
366877		2.52	0.085	0.085	0.005	0.44	0.018	0.008	0.004	1
366878		3.73	0.118	0.056	0.007	0.38	0.026	0.021	0.006	<1
366879		0.89	0.023	0.012	0.005	0.22	0.002	<0.005	0.001	<1
366880		1.35	0.079	0.040	0.006	0.47	0.015	0.010	0.006	<1
366881		2.83	0.287	0.109	0.011	1.32	0.040	0.024	0.011	1
366882		2.40	0.049	0.040	0.005	0.41	0.012	<0.005	0.002	1
366883		2.61	0.094	0.075	0.006	1.29	0.022	0.008	0.004	1
366884		4.20	0.025	0.018	0.002	0.29	0.003	0.007	0.002	1
366885		2.08	0.050	0.031	0.004	0.58	0.011	0.005	0.002	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122543

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366886		2.94	<0.005	0.007	<0.002	0.11	0.003	<0.005	<0.001	<1
366887		3.95	0.008	0.008	0.002	0.15	0.004	<0.005	<0.001	1
366888		3.49	0.023	0.011	0.004	0.10	0.005	<0.005	0.002	1
366889		2.29	0.016	0.008	0.004	0.05	0.003	<0.005	0.002	<1
366890		3.08	0.087	0.038	0.006	0.42	0.017	0.007	0.002	<1
366891		1.88	0.177	0.049	0.009	0.82	0.034	0.013	0.005	1
366892		2.22	0.103	0.029	0.007	0.43	0.018	0.010	0.004	<1
366893		3.78	0.031	0.024	0.006	0.42	0.013	<0.005	0.003	<1
366894		4.32	0.277	0.147	0.011	1.11	0.089	0.030	0.008	1
366895		2.82	0.425	0.167	0.014	1.78	0.066	0.031	0.010	1
366896		2.39	0.076	0.033	0.006	0.20	0.014	0.006	0.002	1
366897		2.64	0.347	0.177	0.012	1.40	0.113	0.043	0.012	1
366898		3.01	0.581	0.293	0.018	2.61	0.061	0.089	0.016	2
366899		Not Recvd								
366900		2.57	0.232	0.084	0.011	1.22	0.030	0.017	0.006	<1
366901		2.49	0.404	0.167	0.013	1.75	0.055	0.020	0.009	1
366902		2.79	0.542	0.458	0.017	2.45	0.089	0.080	0.017	2
366903		2.12	0.052	0.109	0.004	0.58	0.028	<0.005	0.002	1
366904		2.32	0.023	0.014	0.003	0.14	0.005	<0.005	<0.001	<1
366905		2.71	0.016	0.008	0.003	0.06	0.002	<0.005	<0.001	<1
366906		2.42	0.009	0.005	0.003	0.11	0.002	<0.005	<0.001	<1
366907		2.58	0.018	0.010	0.003	0.23	0.002	<0.005	<0.001	1
366908		2.34	0.014	0.015	0.004	0.21	0.006	<0.005	0.002	<1
366909		2.96	0.095	0.052	0.006	0.67	0.018	0.022	0.018	1
366910		2.62	0.210	0.073	0.010	1.23	0.019	0.015	0.007	<1
366911		3.98	0.156	0.050	0.009	0.89	0.011	0.013	0.006	1
366912		3.50	0.511	0.210	0.017	2.26	0.057	0.043	0.017	1
366913		2.32	0.789	0.267	0.020	3.34	0.085	0.061	0.023	2
366914		2.37	0.506	0.175	0.016	2.09	0.063	0.052	0.016	1
366915		2.37	0.923	0.681	0.025	3.94	0.259	0.077	0.026	5
366916		2.63	1.070	0.606	0.043	5.61	0.453	0.201	0.063	5
366917		2.59	0.670	0.753	0.017	2.18	0.478	0.158	0.068	5
366918		2.61	0.633	1.010	0.015	2.35	0.439	0.205	0.102	7
366919		3.08	0.626	0.880	0.014	2.07	0.632	0.237	0.133	6
366920		0.06	1.075	0.072	0.009	1.19	0.055	0.104	0.184	1
366921		2.41	0.454	0.283	0.015	1.12	0.232	0.225	0.178	3
366922		2.52	0.181	0.104	0.009	0.41	0.096	0.111	0.115	1
366923		2.60	0.146	0.045	0.010	0.32	0.029	0.124	0.125	1
366924		2.71	0.096	0.010	0.010	0.06	0.004	0.009	0.009	1
366925		2.80	0.547	0.363	0.015	1.73	0.321	0.504	0.513	3

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122543

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366926		1.53	0.022	0.017	0.002	0.14	0.007	<0.005	0.006	1
366927		2.26	0.022	0.022	0.006	0.10	0.008	0.007	0.011	1
366928		2.80	0.017	0.013	0.005	0.05	0.004	<0.005	0.001	<1
366929		2.56	0.052	0.029	0.006	0.23	0.006	<0.005	0.002	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE TB07122568

Project:

P.O. No.:

This report is for 77 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122568

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E585501		4.00	0.039	0.014	0.005	0.20	0.002	<0.005	0.003	<1
E585502		3.22	0.015	0.012	0.003	0.22	0.002	<0.005	<0.001	<1
E585503		2.00	0.007	0.012	0.003	0.37	0.002	<0.005	<0.001	<1
E585504		3.30	0.067	0.024	0.007	0.12	0.004	0.005	0.003	<1
E585505		4.65	0.284	0.254	0.012	0.92	0.067	0.032	0.014	2
E585506		3.09	0.128	0.098	0.009	0.22	0.044	0.026	0.011	<1
E585507		3.94	0.208	0.104	0.009	0.32	0.079	0.078	0.125	1
E585508		2.61	0.165	0.127	0.008	0.28	0.074	0.060	0.066	<1
E585509		2.77	0.140	0.093	0.007	0.22	0.051	0.038	0.031	<1
E585510		2.48	0.308	0.226	0.012	0.84	0.151	0.150	0.161	<1
E585511		3.01	0.012	0.009	0.005	0.10	0.006	<0.005	0.001	1
E585512		4.92	0.258	0.089	0.012	0.74	0.040	0.063	0.046	<1
E585513		3.79	0.505	0.217	0.017	1.88	0.137	0.061	0.024	<1
E585514		2.63	0.134	0.061	0.008	0.37	0.025	0.028	0.008	1
E585515		2.36	0.417	0.268	0.016	1.97	0.035	0.057	0.021	<1
E585516		2.39	0.161	0.083	0.009	0.78	0.032	0.027	0.011	<1
E585517		0.06	1.050	0.122	0.011	1.08	0.084	0.066	0.165	1
E585518		2.63	0.021	0.016	0.005	0.21	0.002	<0.005	0.002	<1
E585519		4.55	0.019	0.020	0.006	0.36	0.003	<0.005	0.002	<1
E585520		4.05	0.307	0.131	0.012	1.28	0.050	0.045	0.016	1
E585521		4.00	0.631	0.347	0.019	2.66	0.156	0.080	0.030	1
E585522		3.77	0.458	0.293	0.014	1.74	0.087	0.039	0.016	2
E585523		1.92	0.238	0.273	0.009	0.86	0.186	0.020	0.008	1
E585524		3.04	0.013	0.009	0.002	0.06	0.003	<0.005	<0.001	<1
E585525		2.58	0.009	0.006	0.002	0.04	0.001	<0.005	<0.001	<1
E585526		4.13	0.020	0.015	0.003	0.05	0.007	<0.005	<0.001	<1
E585527		3.81	0.448	0.242	0.015	1.63	0.042	0.048	0.015	<1
E585528		4.25	0.405	0.192	0.014	1.60	0.066	0.038	0.014	<1
E585529		0.06	1.070	0.072	0.010	1.12	0.046	0.115	0.162	<1
E585530		3.71	0.063	0.019	0.006	0.14	0.004	0.006	0.002	<1
E585531		3.82	0.642	0.171	0.019	2.57	0.043	0.042	0.012	1
E585532		3.28	0.148	0.124	0.007	0.88	0.034	0.010	0.003	1
E585533		3.25	2.82	0.650	0.070	10.60	0.070	0.141	0.053	2
E585534		0.06	1.450	0.756	0.059	13.45	0.054	0.008	0.007	2
E585535		3.14	0.017	0.009	0.005	0.07	0.001	<0.005	<0.001	<1
E585536		3.26	4.19	0.747	0.098	16.00	0.037	0.059	0.050	3
E585537		3.80	0.260	0.349	0.011	1.61	0.125	0.029	0.013	1
E585538		3.64	0.234	0.334	0.009	1.15	0.102	0.067	0.030	1
E585539		4.40	0.275	0.222	0.010	0.79	0.124	0.124	0.097	1
E585540		4.63	0.305	0.316	0.011	1.09	0.258	0.158	0.134	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 804 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122568

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E585541		2.40	0.245	0.239	0.009	0.81	0.110	0.114	0.126	<1
E585542		3.48	0.156	0.084	0.007	0.40	0.037	0.030	0.037	<1
E585543		3.55	0.100	0.229	0.005	0.50	0.112	0.079	0.057	1
E585544		3.98	0.947	0.477	0.030	4.48	0.093	0.041	0.029	2
E585545		3.95	0.361	0.437	0.011	1.73	0.125	0.061	0.027	2
E585546		4.85	0.372	0.072	0.011	1.31	0.014	0.034	0.015	1
E585547		4.89	1.125	0.698	0.025	4.84	0.075	0.070	0.026	4
E585548		4.51	0.015	0.009	0.004	0.08	0.003	<0.005	0.001	<1
E585549		4.50	0.205	0.179	0.008	0.97	0.064	0.030	0.009	4
E585550		2.37	0.095	0.073	0.004	0.57	0.013	0.005	0.004	<1
E585551		2.50	0.098	0.038	0.006	0.76	0.013	0.011	0.006	<1
E585552		2.88	0.042	0.023	0.005	1.32	0.008	<0.005	0.002	<1
E585553		3.41	0.098	0.040	0.007	0.81	0.010	0.005	0.003	<1
E585554		4.15	0.197	0.098	0.010	1.04	0.054	0.016	0.006	<1
E585555		4.56	0.155	0.115	0.008	0.71	0.075	0.020	0.011	<1
E585558		4.82	0.105	0.124	0.005	0.70	0.056	0.029	0.008	<1
E585557		4.50	0.145	0.097	0.007	1.22	0.046	0.009	0.004	<1
E585558		3.00	0.019	0.022	0.005	0.75	0.007	<0.005	0.001	<1
E585559		3.92	0.078	0.049	0.005	0.39	0.063	0.011	0.004	<1
E585560		3.82	0.069	0.056	0.005	0.35	0.033	0.011	0.004	1
E585561		3.73	0.138	0.114	0.006	0.65	0.101	0.027	0.010	<1
E585562		2.80	0.037	0.037	0.005	0.32	0.016	<0.005	0.002	<1
E585563		0.06	1.045	0.068	0.010	1.13	0.039	0.076	0.163	<1
E585564		3.70	0.472	0.116	0.019	2.21	0.074	0.070	0.024	1
E585565		4.62	0.130	0.092	0.007	0.60	0.055	0.029	0.013	1
E585566		5.04	0.016	0.018	0.004	0.13	0.005	<0.005	0.001	<1
E585587		4.35	0.014	0.016	0.004	0.09	0.004	<0.005	0.002	<1
E585588		3.78	0.014	0.014	0.005	0.09	0.003	<0.005	0.002	<1
E585569		3.30	0.061	0.053	0.005	0.26	0.051	0.005	0.004	1
E585570		2.72	0.058	0.068	0.004	0.28	0.035	<0.005	0.004	<1
E585571		7.35	0.421	0.347	0.014	1.44	0.254	0.127	0.072	3
E585572		4.45	0.382	0.331	0.009	1.19	0.253	0.155	0.107	1
E585573		3.46	0.070	0.082	0.005	0.16	0.037	0.018	0.015	<1
E585574		3.66	0.233	0.201	0.007	0.71	0.079	0.066	0.054	1
E585575		6.13	0.294	0.191	0.010	0.84	0.063	0.114	0.105	2
E585576		4.15	0.013	0.008	0.004	0.08	0.002	<0.005	0.001	<1
E585577		2.81	0.014	0.007	0.003	0.05	0.005	<0.005	0.002	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE TB07122541

Project:

P.O. No.:

This report is for 64 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122541

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394674		2.57	0.028	0.016	0.006	0.07	0.007	<0.005	0.002	<1
394675		3.25	0.009	0.009	0.004	0.03	0.005	<0.005	0.002	<1
394676		3.36	0.135	0.094	0.010	0.35	0.070	0.070	0.093	<1
394677		2.61	0.057	0.009	0.008	0.08	0.002	<0.005	0.004	<1
394678		3.95	0.048	0.008	0.007	0.07	0.001	<0.005	0.002	<1
394679		1.84	0.017	0.006	0.004	0.02	0.003	<0.005	<0.001	<1
394680		3.55	0.010	<0.005	0.003	0.02	0.002	<0.005	<0.001	<1
394661		4.06	0.037	0.007	0.005	0.02	0.002	<0.005	0.003	<1
394682		0.06	1.045	0.071	0.010	1.11	0.046	0.098	0.168	<1
394683		3.86	0.047	0.005	0.006	0.01	0.001	<0.005	0.009	<1
394684		4.51	0.065	0.005	0.008	0.02	0.001	<0.005	0.002	<1
394685		3.62	0.064	0.005	0.007	0.03	0.001	<0.005	0.003	<1
394686		3.98	0.065	0.006	0.009	0.06	0.001	<0.005	0.002	<1
394687		3.90	0.064	<0.005	0.008	0.02	0.008	<0.005	0.005	<1
394668		4.46	0.059	0.007	0.008	0.05	<0.001	<0.005	0.002	<1
394669		3.88	0.048	0.008	0.007	0.08	0.002	<0.005	0.002	<1
394690		3.65	0.060	0.005	0.007	0.02	0.001	<0.005	0.003	<1
394691		2.71	0.012	0.015	0.005	0.05	0.001	<0.005	<0.001	<1
394692		3.85	0.066	0.007	0.007	0.06	<0.001	<0.005	0.002	<1
394693		3.95	0.066	0.008	0.008	0.08	0.001	<0.005	0.002	1
394694		3.72	0.060	0.007	0.008	0.03	<0.001	<0.005	0.002	<1
394695		4.15	0.065	0.006	0.009	0.06	0.002	<0.005	0.002	<1
394696		3.60	0.082	0.005	0.007	<0.01	<0.001	<0.005	0.002	<1
394697		4.46	0.069	0.006	0.007	0.02	<0.001	<0.005	0.001	1
394698		4.35	0.008	0.006	0.003	0.04	0.001	<0.005	<0.001	<1
394699		3.74	0.005	0.005	0.002	<0.01	<0.001	<0.005	<0.001	1
394700		2.46	<0.005	0.006	0.002	0.02	<0.001	<0.005	<0.001	1
394701		1.96	<0.005	0.007	0.003	0.12	0.001	<0.005	<0.001	1
394702		4.80	0.063	0.008	0.009	0.07	0.003	<0.005	0.002	<1
394703		3.37	0.060	<0.005	0.008	0.07	0.001	<0.005	0.002	1
394704		3.77	0.065	0.005	0.009	0.04	<0.001	<0.005	0.002	1
394705		0.06	1.040	0.070	0.012	1.12	0.050	0.109	0.172	1
394706		4.13	0.061	0.008	0.009	0.06	<0.001	<0.005	0.005	1
394707		3.83	0.056	0.006	0.008	0.06	0.001	<0.005	0.002	<1
394708		4.56	0.059	0.006	0.008	0.04	0.001	<0.005	0.002	1
394709		3.30	0.061	0.005	0.007	0.07	0.001	<0.005	0.001	<1
394710		3.96	0.064	0.009	0.009	0.04	0.003	<0.005	0.002	1
394711		3.81	0.063	<0.005	0.008	0.03	0.001	<0.005	0.002	1
394712		1.30	0.013	0.015	0.006	0.18	<0.001	<0.005	<0.001	<1
394713		3.72	0.062	<0.005	0.009	0.02	<0.001	<0.005	0.004	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122541

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394714		3.99	0.061	0.005	0.008	0.05	0.003	<0.005	0.002	1
394715		4.04	0.058	<0.005	0.007	0.02	<0.001	<0.005	0.002	<1
394716		4.00	0.062	<0.005	0.008	0.01	<0.001	<0.005	0.001	<1
394717		3.81	0.116	0.071	0.009	0.16	0.043	0.015	0.011	1
394718		3.47	0.399	0.283	0.013	0.91	0.218	0.251	0.210	2
394719		4.09	0.088	<0.005	0.008	0.03	0.002	0.011	0.007	1
394720		3.56	0.152	0.078	0.012	0.22	0.052	0.030	0.032	1
394721		4.78	0.167	0.092	0.010	0.82	0.084	0.025	0.020	1
394722		3.61	0.014	0.009	0.003	0.06	0.003	<0.005	0.001	<1
394723		0.75	0.014	0.015	0.006	0.09	0.001	<0.005	0.001	1
394724		3.08	0.172	0.155	0.009	0.45	0.083	0.054	0.035	1
394725		4.13	0.183	0.185	0.009	0.58	0.073	0.067	0.054	1
394726		3.60	0.207	0.211	0.010	0.76	0.142	0.076	0.063	2
394727		4.58	0.222	0.146	0.010	0.51	0.070	0.098	0.086	1
394728		4.39	0.110	0.050	0.009	0.14	0.249	0.038	0.039	1
394729		3.76	0.210	0.160	0.010	0.45	0.094	0.074	0.049	2
394730		5.31	0.244	0.227	0.013	0.74	0.054	0.073	0.042	2
394731		5.33	0.207	0.102	0.010	0.34	0.057	0.062	0.054	1
394732		4.70	0.145	0.141	0.009	0.26	0.072	0.085	0.082	1
394733		0.06	1.035	0.070	0.011	1.10	0.040	0.085	0.173	1
394734		4.64	0.259	0.293	0.011	0.58	0.299	0.184	0.151	2
394735		5.35	0.249	0.295	0.009	0.53	0.241	0.153	0.142	2
394736		2.55	0.074	0.086	0.006	0.13	0.033	0.033	0.041	1
394737		3.10	0.058	0.075	0.007	0.31	0.034	0.024	0.030	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE TB07122548

Project:

P.O. No.:

This report is for 39 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122548

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA82 Ag ppm 1
585685		4.58	0.124	0.087	0.009	0.32	0.093	0.022	0.007	<1
585688		4.74	0.126	0.088	0.008	0.24	0.088	0.027	0.009	1
585687		5.35	0.165	0.146	0.007	0.32	0.060	0.067	0.036	1
585688		1.98	0.007	0.012	<0.002	0.03	0.005	<0.005	<0.001	<1
585689		5.05	0.102	0.042	0.008	0.19	0.023	0.017	0.009	<1
585690		4.70	0.200	0.182	0.008	0.54	0.139	0.055	0.025	2
585691		5.05	0.816	0.966	0.018	2.75	0.967	0.217	0.091	8
585692		4.51	0.697	0.902	0.015	2.40	0.536	0.168	0.084	7
585693		4.12	0.449	0.483	0.011	1.35	0.289	0.128	0.079	4
585694		4.77	0.313	0.268	0.010	0.82	0.163	0.107	0.075	2
585695		4.57	0.437	0.432	0.011	1.20	0.272	0.164	0.118	4
585696		4.46	0.353	0.324	0.011	1.06	0.152	0.135	0.098	3
585697		4.04	0.250	0.236	0.008	0.55	0.098	0.069	0.049	2
585698		4.03	0.013	0.014	0.004	0.11	0.001	<0.005	0.001	<1
585699		4.89	0.319	0.283	0.009	0.84	0.142	0.087	0.056	3
585700		3.59	0.295	0.295	0.009	0.74	0.192	0.084	0.048	3
585701		4.73	0.487	0.522	0.013	1.59	0.388	0.159	0.053	6
585702		4.87	0.686	0.804	0.015	2.56	0.645	0.207	0.063	6
585703		3.87	0.045	0.034	0.002	0.20	0.018	0.009	0.002	<1
585704		4.87	0.032	0.032	<0.002	0.16	0.020	0.006	0.002	1
585705		3.81	0.392	0.555	0.012	1.80	0.277	0.109	0.023	3
585706		1.48	0.082	0.023	0.003	0.56	0.055	0.013	0.002	1
585707		4.59	0.795	1.100	0.029	5.12	0.184	0.067	0.011	5
585708		0.06	1.095	0.074	0.009	1.19	0.057	0.104	0.154	2
585709		3.13	0.058	0.031	0.006	1.05	0.011	0.010	0.002	1
585710		3.26	0.249	0.102	0.018	1.99	0.063	0.021	0.005	1
585711		3.90	0.008	0.023	0.005	1.04	0.008	0.005	0.003	<1
585712		3.65	0.603	0.243	0.024	3.84	0.097	0.024	0.009	1
585713		2.38	0.022	0.017	0.004	0.52	0.007	<0.005	<0.001	<1
585714		4.41	0.683	0.408	0.026	3.57	0.253	0.146	0.086	4
585715		4.17	0.310	0.310	0.011	0.77	0.186	0.123	0.082	3
585716		4.57	0.473	0.360	0.012	1.35	0.226	0.154	0.119	4
585717		4.29	0.270	0.198	0.010	0.62	0.155	0.122	0.112	2
585718		0.06	1.070	0.071	0.009	1.17	0.045	0.083	0.169	1
585719		3.30	0.319	0.337	0.009	0.63	0.105	0.199	0.167	2
585720		2.87	0.012	0.011	0.003	0.06	0.004	<0.005	0.001	<1
585721		3.79	0.423	0.368	0.009	1.02	0.246	0.193	0.171	3
585722		3.55	0.011	0.009	0.002	0.07	0.005	<0.005	0.002	<1
585723		3.88	0.014	0.013	0.005	0.22	0.012	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE TB07122549

Project:

P.O. No.:

This report is for 55 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122549

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
367560		1.90	0.013	0.011	0.003	0.10	0.003	<0.005	0.001	<1
367561		2.42	0.010	0.005	0.004	0.03	0.002	<0.005	<0.001	<1
367562		2.20	0.014	0.005	0.002	0.01	0.003	<0.005	0.001	<1
367563		2.38	0.009	0.010	0.003	0.13	0.003	<0.005	<0.001	<1
367564		2.92	0.059	0.059	0.004	0.35	0.025	0.025	0.027	<1
367565		2.09	0.126	0.131	0.004	0.67	0.092	0.054	0.106	<1
367566		1.68	0.276	0.219	0.010	0.82	0.112	0.269	0.259	1
367567		3.55	0.068	0.058	0.004	0.36	0.033	0.052	0.042	1
367568		2.81	0.067	0.079	0.005	0.51	0.038	0.064	0.046	1
367569		2.55	0.018	0.038	0.005	0.23	0.007	<0.005	0.008	<1
367570		3.06	0.014	0.026	0.005	0.23	0.008	<0.005	0.001	<1
367571		2.90	0.119	0.168	0.008	1.11	0.043	0.101	0.097	1
367572		3.46	0.094	0.094	0.008	0.63	0.042	0.073	0.056	1
367573		4.05	0.017	0.011	0.004	0.04	0.005	<0.005	0.003	<1
367574		3.97	0.015	0.010	0.004	0.10	0.003	<0.005	0.002	<1
367575		4.60	0.014	0.010	0.005	0.04	0.005	<0.005	0.001	<1
367576		3.73	0.015	0.013	0.004	0.08	0.005	<0.005	0.001	<1
367577		4.52	0.012	0.011	0.004	0.12	0.003	<0.005	0.002	<1
367578		5.08	0.026	0.020	0.005	0.11	0.007	<0.005	<0.001	<1
367579		4.55	0.014	0.021	0.005	0.09	0.005	<0.005	0.001	<1
367580		0.65	0.014	0.013	0.004	0.08	0.004	<0.005	0.003	<1
367581		2.72	0.008	0.014	0.003	0.10	0.003	<0.005	<0.001	<1
367582		4.28	0.012	0.011	0.004	0.03	0.003	<0.005	0.001	<1
367583		1.35	0.011	0.008	0.004	0.20	0.001	<0.005	0.001	<1
367584		4.44	0.070	0.031	0.006	0.38	0.008	0.013	0.004	<1
367585		0.06	1.075	0.071	0.010	1.16	0.062	0.099	0.172	<1
367586		2.26	0.114	0.046	0.009	0.62	0.010	0.028	0.007	<1
367587		2.49	0.101	0.044	0.006	0.59	0.008	0.023	0.006	<1
367588		2.75	0.121	0.056	0.009	0.78	0.011	0.020	0.006	<1
367589		1.28	0.015	0.008	0.004	0.07	0.002	<0.005	0.001	<1
367590		2.48	0.046	0.024	0.005	0.41	0.005	0.006	0.003	<1
367591		2.53	0.018	0.028	0.004	0.25	0.010	<0.005	0.002	<1
367592		3.44	0.018	0.011	0.004	0.23	0.003	<0.005	0.001	<1
367593		1.23	<0.005	0.010	0.003	0.23	0.002	<0.005	<0.001	<1
367594		2.75	0.039	0.030	0.005	0.56	0.007	0.005	0.003	<1
367595		2.65	0.084	0.016	0.007	0.40	0.003	0.008	0.002	<1
367596		2.19	0.029	0.024	0.005	0.28	0.005	0.005	0.002	<1
367597		3.20	0.020	0.011	0.006	0.34	0.003	<0.005	0.002	<1
367598		2.40	0.022	0.011	0.006	0.21	0.003	<0.005	0.001	<1
367599		2.66	0.020	0.009	0.006	0.14	0.002	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122549

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
367600		2.96	0.021	0.009	0.006	0.09	0.003	<0.005	0.001	<1
367601		3.29	0.024	0.011	0.006	0.06	0.003	<0.005	0.001	<1
367602		0.07	1.075	0.071	0.011	1.15	0.057	0.067	0.171	1
367603		1.56	0.007	0.009	0.003	0.38	0.001	<0.005	<0.001	<1
367604		1.69	0.023	0.011	0.005	0.09	0.004	<0.005	0.002	<1
367605		2.59	0.024	0.013	0.006	0.19	0.003	<0.005	0.001	<1
367606		1.51	0.033	0.027	0.006	0.30	0.006	<0.005	0.001	<1
367607		3.57	0.191	0.100	0.012	1.30	0.020	0.047	0.013	1
367608		3.38	0.196	0.126	0.011	0.77	0.039	0.085	0.053	1
367609		1.77	0.052	0.032	0.005	0.11	0.030	0.021	0.020	1
367610		2.40	0.039	0.049	0.005	0.29	0.018	0.019	0.027	1
367611		2.96	0.292	0.155	0.010	1.82	0.069	0.143	0.104	1
367612		2.49	0.070	0.077	0.007	0.45	0.044	0.065	0.063	1
367613		2.53	0.027	0.045	0.008	0.19	0.028	0.020	0.022	1
367614		2.81	0.011	0.012	0.006	0.08	0.006	0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE TB07121343

Project:

P.O. No.:

This report is for 130 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121343

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Au Check ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pt Check ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Pd Check ppm 0.001	Ag-AA62 Ag ppm 1
367685		2.91	<0.005	<0.005	0.003	0.09	0.011		<0.005		0.006		<1
367686		2.47	0.016	0.010	0.003	0.18	0.009		<0.005		0.003		1
367687		2.11	0.015	0.008	0.002	0.14	0.003		<0.005		0.003		<1
367688		1.43	0.023	0.017	0.005	0.06	0.010		<0.005		0.002		<1
367689		1.45	0.122	0.072	0.008	0.41	0.100		0.046		0.059		<1
367690		1.03	0.008	0.008	0.002	0.06	0.007		<0.005		0.003		<1
367691		3.55	0.146	0.091	0.008	0.29	0.052		0.050		0.057		1
367692		1.98	0.066	0.005	0.007	0.03	0.003		0.008		0.011		<1
367693		2.15	0.068	<0.005	0.008	0.06	0.001		0.006		0.007		1
367694		2.79	0.071	0.009	0.007	0.04	0.008		<0.005		0.003		<1
367695		2.44	0.064	<0.005	0.007	0.05	0.001		<0.005		0.005		<1
367696		2.21	0.067	<0.005	0.007	0.10	0.003		<0.005		0.004		<1
367697		2.11	0.053	<0.005	0.006	0.04	<0.001		<0.005		0.003		1
367698		2.33	0.069	0.006	0.008	0.10	0.004		<0.005		0.002		<1
367699		2.79	0.064	<0.005	0.006	0.08	0.002		<0.005		0.007		<1
367700		2.93	0.073	<0.005	0.007	0.07	0.003		<0.005		0.004		<1
367701		2.31	0.070	0.009	0.008	0.10	0.006		<0.005		0.003		<1
367702		0.06	1.070	0.072	0.010	1.18	0.073		0.116		0.184		2
367703		2.49	0.053	0.006	0.006	0.06	0.002		<0.005		0.002		<1
367704		2.59	0.061	0.008	0.006	0.05	0.002		<0.005		0.004		<1
367705		2.14	0.070	0.010	0.009	0.09	0.003		<0.005		0.003		<1
367706		2.71	0.071	0.010	0.007	0.07	0.001		<0.005		0.004		<1
367707		2.77	0.069	0.007	0.008	0.07	0.002		<0.005		0.005		1
367708		2.94	0.075	0.007	0.008	0.07	0.002		<0.005		0.003		1
367709		2.61	0.068	0.006	0.007	0.08	0.001		<0.005		0.003		2
367710		2.58	0.071	0.009	0.007	0.06	0.001		<0.005		0.002		<1
367711		2.63	0.068	0.007	0.007	0.06	<0.001		<0.005		0.001		<1
367712		1.80	0.007	0.006	0.003	0.04	0.001		<0.005		0.001		<1
367713		2.57	0.075	0.006	0.009	0.07	0.002		<0.005		0.003		<1
367714		2.88	0.073	0.006	0.008	0.06	0.001		<0.005		0.002		1
367715		2.59	0.072	0.007	0.008	0.09	0.002		<0.005		0.003		<1
367716		3.03	0.069	0.008	0.007	0.07	0.003		<0.005		0.005		<1
367717		2.49	0.066	<0.005	0.008	0.09	<0.001		<0.005		0.002		<1
367718		2.75	0.067	0.008	0.008	0.15	0.001		<0.005		0.003		<1
367719		2.51	0.071	0.011	0.008	0.17	0.003		<0.005		0.005		1
367720		2.90	0.071	0.007	0.008	0.06	0.003		<0.005		0.002		2
367721		2.35	0.069	0.005	0.008	0.07	0.001		<0.005		0.002		1
367722		2.54	0.072	0.008	0.008	0.09	0.002		<0.005		0.003		<1
367723		2.47	0.071	0.006	0.008	0.06	0.002		<0.005		0.002		<1
367724		2.71	0.073	0.007	0.007	0.06	<0.001		<0.005		0.002		<1

Comments: Additional Au results for sample - 367808 are 0.324ppm and 0.167ppm

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121343

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Au Check	Pt	Pt Check	Pd	Pd Check	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.001	0.005	0.005	0.001	0.001	1
367725		2.70	0.065	0.007	0.007	0.12	0.002		<0.005		0.002		1
367726		2.77	0.067	0.013	0.008	0.11	0.003		<0.005		0.005		<1
367727		2.69	0.068	0.007	0.008	0.09	0.002		<0.005		0.003		1
367728		2.85	0.071	0.021	0.008	0.11	0.002		<0.005		0.003		<1
367729		2.72	0.070	0.017	0.007	0.15	0.001		<0.005		0.003		<1
367730		2.89	0.068	0.008	0.008	0.04	0.005		<0.005		0.004		1
367731		2.83	0.102	0.038	0.008	0.21	0.051		0.015		0.006		<1
367732		1.45	0.081	0.021	0.008	0.07	0.003		<0.005		0.003		<1
367733		2.88	0.074	0.011	0.007	0.16	0.003		<0.005		0.002		<1
367734		2.89	0.074	0.014	0.007	0.11	0.002		<0.005		0.002		1
367735		0.06	1.080	0.084	0.011	1.27	0.054		0.117		0.184		1
367736		2.81	0.074	0.012	0.008	0.09	0.002		<0.005		0.002		<1
367737		2.95	0.068	<0.005	0.007	0.03	0.002		<0.005		0.002		1
367738		2.55	0.073	<0.005	0.007	0.05	0.002		<0.005		0.003		<1
367739		2.93	0.070	<0.005	0.008	0.02	0.001		<0.005		0.003		1
367740		2.66	0.070	<0.005	0.007	0.02	0.001		<0.005		0.004		<1
367741		2.70	0.081	<0.005	0.007	0.02	0.001		0.006		0.003		1
367742		2.61	0.065	<0.005	0.007	0.03	0.001		<0.005		0.004		1
367743		2.79	0.068	<0.005	0.007	<0.01	0.001		<0.005		0.004		<1
367744		2.52	0.157	0.105	0.008	0.21	0.046		0.037		0.016		1
367745		2.86	0.073	0.015	0.008	0.17	0.009		0.012		0.005		<1
367746		3.07	0.111	0.059	0.009	0.39	0.066		0.028		0.008		<1
367747		2.15	0.183	0.135	0.006	0.36	0.075		0.045		0.010		1
367748		2.48	0.154	0.154	0.009	0.45	0.155		0.037		0.010		<1
367749		4.53	0.145	0.120	0.008	0.32	0.048		0.052		0.019		1
367750		3.70	1.700	0.228	0.053	8.83	0.122		0.118		0.044		3
367751		3.34	1.095	0.795	0.072	9.84	0.319		0.079		0.050		5
367752		2.70	0.789	0.326	0.050	6.79	0.082		0.224		0.046		2
367753		0.06	1.085	0.070	0.011	1.23	0.047		0.123		0.168		1
367754		2.54	0.631	0.211	0.048	5.66	0.154		0.106		0.027		1
367755		3.16	3.82	0.406	0.072	15.55	0.161		0.118		0.071		3
367756		3.22	2.18	1.135	0.035	7.90	0.319		0.100		0.047		9
367757		0.83	0.039	0.008	0.002	0.13	0.006		<0.005		0.001		<1
367758		2.99	0.067	0.026	0.004	0.27	0.032		<0.005		0.001		<1
367759		3.81	0.943	0.458	0.027	4.10	0.130		0.096		0.026		3
367760		2.63	0.031	0.027	<0.002	0.07	0.071		<0.005		0.003		1
367761		3.54	0.010	0.006	<0.002	0.03	0.002		<0.005		<0.001		1
367762		3.35	0.201	0.121	0.010	0.48	0.080		0.122		0.106		3
367763		3.79	0.209	0.153	0.009	0.46	0.113		0.133		0.110		2
367764		2.70	0.481	0.503	0.014	1.74	0.287		0.188		0.135		4

Comments: Additional Au results for sample - 367808 are 0.324ppm and 0.167ppm

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121343

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Au Check ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pt Check ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Pd Check ppm 0.001	Ag-AA62 Ag ppm 1
367765		2.88	0.254	0.273	0.010	0.81	0.174		0.074		0.027		2
367766		4.44	0.118	0.041	0.009	0.18	0.022		0.017		0.007		<1
367767		3.83	0.707	0.899	0.015	2.40	0.618		0.183		0.066		9
367768		2.57	0.799	0.998	0.016	2.63	0.764		0.215		0.089		8
367769		3.30	0.774	0.871	0.016	2.36	0.522		0.170		0.097		6
367770		0.06	1.075	0.071	0.010	1.17	0.052		0.112		0.164		2
367771		2.92	0.497	0.492	0.012	1.36	0.255		0.119		0.073		3
367772		3.99	0.489	0.486	0.015	1.52	0.240		0.147		0.098		5
367773		4.68	0.306	0.263	0.010	0.71	0.161		0.192		0.159		2
367774		2.36	0.339	0.363	0.012	1.02	0.185		0.118		0.082		2
367775		3.23	0.177	0.114	0.009	0.33	0.051		0.048		0.036		<1
367776		2.85	0.262	0.254	0.010	0.77	0.145		0.085		0.050		2
367777		2.31	0.318	0.320	0.011	0.97	0.246		0.112		0.048		1
367778		1.81	1.485	0.290	0.049	7.63	0.167		0.128		0.039		2
367779		4.25	0.103	0.043	0.004	0.41	0.016		0.008		0.003		<1
367780		2.52	0.039	0.016	0.004	0.13	0.007		<0.005		0.002		1
367781		2.63	0.015	0.012	0.004	0.08	0.006		<0.005		0.001		<1
367782		2.10	0.005	0.006	<0.002	0.10	0.003		<0.005		<0.001		<1
367783		2.79	<0.005	0.006	<0.002	0.04	0.002		<0.005		<0.001		1
367784		2.12	0.005	0.006	0.002	0.05	0.002		<0.005		<0.001		<1
367785		2.29	<0.005	0.007	0.002	0.07	0.003		<0.005		<0.001		<1
367786		1.61	0.012	0.014	<0.002	0.09	0.006		<0.005		0.001		<1
367787		3.59	0.819	0.226	0.019	3.45	0.091		0.089		0.023		1
367788		0.92	0.019	0.014	0.003	0.21	0.004		<0.005		0.001		<1
367789		2.35	0.091	0.038	0.007	0.41	0.018		0.008		0.008		<1
367790		2.12	0.082	0.077	0.006	0.49	0.027		0.009		0.005		<1
367791		2.70	0.138	0.113	0.006	0.84	0.041		0.014		0.007		<1
367792		2.84	0.115	0.039	0.008	0.79	0.021		0.007		0.003		1
367793		2.62	0.983	0.369	0.023	3.76	0.141		0.109		0.028		1
367794		2.63	1.260	0.444	0.040	6.06	0.108		0.085		0.032		3
367795		2.45	0.385	0.531	0.010	1.45	0.570		0.125		0.031		2
367796		2.64	0.469	0.601	0.011	2.10	0.684		0.155		0.043		4
367797		2.66	0.302	0.444	0.008	1.15	0.789		0.112		0.027		2
367798		2.55	0.280	0.466	0.007	1.01	0.292		0.067		0.016		1
367799		2.40	0.344	0.299	0.013	1.69	0.110		0.033		0.009		<1
367800		2.96	0.520	0.124	0.012	2.08	0.055		0.031		0.011		1
367801		2.57	0.508	0.292	0.019	2.11	0.187		0.114		0.038		3
367802		3.28	0.510	0.663	0.016	1.84	0.581		0.180		0.114		5
367803		2.72	0.570	0.454	0.014	1.53	0.192		0.132		0.106		4
367804		2.84	0.899	0.813	0.018	2.43	0.892		0.329		0.238		8

Comments: Additional Au results for sample - 367808 are 0.324ppm and 0.167ppm

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 19-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121343

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Au Check ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pt Check ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Pd Check ppm 0.001	Ag-AA62 Ag ppm 1
367805		2.47	0.513	0.503	0.013	1.42	0.300		0.136		0.082		3
367806		2.72	0.179	0.128	0.009	0.29	0.069		0.076		0.089		1
367807		2.70	0.191	0.120	0.009	0.40	0.074		0.063		0.060		2
367808		2.49	0.809	0.236	0.012	1.18	0.186	0.234	0.110	0.114	0.115	0.118	1
367809		2.98	0.230	0.181	0.009	0.46	0.098		0.117		0.114		1
367810		2.46	0.137	0.087	0.009	0.25	0.047		0.067		0.088		1
367811		1.38	0.128	0.042	0.009	0.25	0.025		0.040		0.063		<1
367812		4.01	0.015	0.013	0.003	0.17	0.003		<0.005		0.002		<1
367813		2.43	0.012	0.011	0.004	0.08	0.005		<0.005		<0.001		<1
367814		2.24	0.013	0.008	0.004	0.07	0.002		<0.005		<0.001		<1

Comments: Additional Au results for sample - 367808 are 0.324ppm and 0.167ppm

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 18-DEC-2007
Account: CNARMN

CERTIFICATE TB07124124

Project:

P.O. No.:

This report is for 42 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 804 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 18-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07124124

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E804479		3.48	0.015	0.010	0.005	0.15	0.001	<0.005	0.001	1
E804480		3.39	0.015	0.012	0.006	0.14	0.005	<0.005	0.003	<1
E804481		3.19	0.017	0.010	0.006	0.09	0.003	<0.005	0.002	1
E804482		1.65	0.151	0.126	0.007	0.34	0.062	0.102	0.100	1
E804483		1.85	0.018	0.010	0.003	0.04	0.003	<0.005	0.002	<1
E804484		2.78	0.006	0.006	0.003	0.07	<0.001	<0.005	<0.001	<1
E804485		2.66	0.005	0.005	0.003	0.04	<0.001	<0.005	<0.001	<1
E804486		3.86	0.132	0.056	0.010	0.35	0.031	0.146	0.181	1
E804487		1.89	0.011	0.008	0.003	0.01	<0.001	<0.005	0.001	<1
E804488		1.92	0.149	0.092	0.011	0.36	0.373	0.064	0.038	<1
E804489		2.37	0.039	0.008	0.006	<0.01	0.001	0.054	0.010	1
E804490		3.96	0.032	0.019	0.004	0.02	0.010	0.014	0.034	<1
E804491		1.74	0.037	0.013	0.005	0.04	0.001	<0.005	0.001	1
E804492		3.42	0.039	0.012	0.006	0.05	0.003	<0.005	0.001	<1
E804493		3.27	0.039	0.005	0.006	0.02	<0.001	<0.005	<0.001	<1
E804494		2.50	0.039	<0.005	0.005	0.04	<0.001	<0.005	0.001	<1
E804495		2.15	0.050	0.019	0.007	0.10	0.002	0.006	0.001	<1
E804496		1.06	0.061	0.016	0.006	0.08	0.001	0.008	0.003	1
E804497		1.87	0.070	0.005	0.007	0.11	<0.001	0.012	0.008	1
E804498		1.66	0.052	0.017	0.005	0.05	0.010	<0.005	0.002	<1
E804499		1.49	0.047	0.005	0.006	0.03	<0.001	<0.005	0.001	<1
E804500		2.80	0.075	0.018	0.006	0.12	0.002	0.008	0.003	<1
E804501		2.60	0.060	<0.005	0.006	0.06	<0.001	<0.005	0.002	<1
E804502		3.40	0.058	<0.005	0.007	0.04	<0.001	0.005	0.002	<1
E804503		2.26	0.064	<0.005	0.006	0.09	<0.001	0.005	0.002	<1
E804504		3.16	0.079	<0.005	0.007	0.05	<0.001	0.009	0.004	<1
E804505		2.64	0.058	<0.005	0.006	0.02	<0.001	<0.005	0.002	1
E804506		3.10	0.072	0.007	0.006	0.09	<0.001	0.010	0.002	<1
E804507		3.86	0.127	0.091	0.008	0.75	0.016	0.017	0.008	<1
E804508		2.38	0.112	0.037	0.009	0.31	0.011	0.057	0.061	1
E804509		0.04	1.070	0.071	0.011	1.17	0.041	0.118	0.168	1
E804510		1.21	0.138	0.035	0.009	0.41	0.010	0.035	0.034	<1
E804511		2.29	0.237	0.215	0.011	0.68	0.099	0.256	0.217	2
E804512		3.90	0.012	0.017	0.002	0.05	0.009	0.009	0.005	<1
E804513		1.33	0.281	0.379	0.010	1.05	0.195	0.150	0.141	3
E804514		3.60	0.118	0.133	0.007	0.98	0.051	0.040	0.037	1
E804515		1.43	0.020	0.026	0.003	0.33	0.010	0.010	0.004	<1
E804516		2.33	0.015	0.011	0.004	0.06	0.003	<0.005	0.002	<1
E804517		1.98	0.028	0.012	0.005	0.06	0.005	<0.005	0.003	<1
E804518		3.29	0.012	0.009	0.005	0.03	0.001	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 18-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07124124

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
E804519		3.19	0.013	0.007	0.004	0.02	0.002	<0.005	<0.001	1
E804520		1.86	0.012	0.011	0.005	0.03	0.002	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-DEC-2007
Account: CNARMN

CERTIFICATE TB07122544

Project:

P.O. No.:

This report is for 111 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122544

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394123		2.53	0.017	0.012	0.005	0.31	0.002	<0.005	0.003	<1
394124		2.71	0.014	0.014	0.005	0.33	0.005	0.047	0.034	1
394125		2.76	0.016	0.022	0.005	0.30	0.008	<0.005	0.002	<1
394126		2.31	0.018	0.018	0.006	0.23	0.006	<0.005	0.002	1
394127		2.94	0.197	0.130	0.010	0.52	0.089	0.088	0.106	1
394128		3.44	0.269	0.124	0.012	0.77	0.053	0.044	0.023	1
394129		2.57	2.61	0.755	0.062	9.83	0.024	0.139	0.067	<1
394130		3.33	1.720	1.635	0.042	7.91	0.949	0.257	0.056	3
394131		2.41	0.016	0.011	0.006	0.12	0.001	<0.005	0.001	<1
394132		2.38	0.029	0.020	0.006	0.62	0.006	<0.005	0.001	<1
394133		1.31	1.610	0.506	0.041	6.30	0.033	0.164	0.048	<1
394134		2.56	0.072	0.021	0.004	0.28	0.002	0.011	0.002	<1
394135		1.04	0.005	0.007	0.003	0.08	0.009	<0.005	0.001	<1
394136		3.35	0.074	0.040	0.006	0.35	0.006	0.009	0.008	<1
394137		3.23	0.032	0.014	0.005	0.07	0.003	<0.005	0.001	1
394138		0.05	1.040	0.071	0.011	1.19	0.055	0.092	0.167	2
394139		2.65	0.310	0.116	0.014	1.55	0.035	0.087	0.014	1
394140		2.31	0.381	0.142	0.016	1.87	0.033	0.042	0.018	1
394141		2.72	0.380	0.166	0.016	1.93	0.024	0.059	0.015	1
394142		2.38	0.054	0.005	0.008	0.28	0.002	<0.005	0.003	<1
394143		2.74	0.095	0.032	0.007	0.50	0.012	0.008	0.004	1
394144		2.51	0.098	0.095	0.008	0.68	0.019	0.019	0.004	1
394145		2.43	0.479	0.154	0.016	2.71	0.013	0.035	0.015	1
394146		2.40	0.167	0.100	0.009	0.88	0.008	0.016	0.008	1
394147		2.69	0.015	0.013	0.004	0.11	0.002	0.008	0.003	<1
394148		3.60	0.040	0.025	0.006	0.20	0.003	<0.005	0.002	1
394149		4.73	0.019	0.012	0.005	0.05	0.003	<0.005	0.001	<1
394150		1.78	0.034	0.017	0.006	0.12	0.003	<0.005	0.001	1
394151		2.26	0.131	0.059	0.010	0.95	0.009	0.018	0.005	<1
394152		2.61	0.175	0.085	0.009	1.11	0.011	0.021	0.007	1
394153		2.66	0.190	0.115	0.011	1.25	0.022	0.025	0.008	<1
394154		2.64	0.216	0.109	0.011	1.36	0.018	0.029	0.009	1
394155		2.42	0.182	0.083	0.011	1.06	0.012	0.024	0.007	1
394156		2.90	0.321	0.145	0.014	1.60	0.021	0.043	0.012	1
394157		1.76	0.053	0.043	0.004	0.36	0.028	<0.005	0.001	1
394158		3.38	0.338	0.202	0.013	1.74	0.019	0.037	0.011	<1
394159		2.12	0.220	0.515	0.010	1.45	0.037	0.022	0.012	1
394160		2.82	1.375	2.05	0.037	8.07	0.019	0.087	0.037	3
394161		2.88	2.68	0.560	0.069	12.55	0.020	0.209	0.059	2
394162		2.39	1.015	0.667	0.030	4.57	0.027	0.053	0.025	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122544

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394163		1.90	0.091	0.037	0.005	0.65	0.004	0.010	0.005	1
394164		2.06	0.026	0.015	<0.002	0.18	0.001	<0.005	0.001	1
394165		2.31	0.009	<0.005	<0.002	0.19	<0.001	<0.005	<0.001	<1
394166		3.72	0.214	0.091	0.010	1.45	0.019	0.022	0.011	1
394167		3.05	0.104	0.061	0.005	0.72	0.008	0.010	0.005	<1
394168		2.41	0.097	0.054	0.005	0.78	0.008	0.010	0.005	<1
394169		2.84	0.051	0.033	0.004	0.51	0.008	<0.005	0.002	<1
394170		2.50	0.051	0.047	0.003	0.48	0.014	<0.005	0.002	<1
394171		2.39	0.020	0.012	0.002	0.17	0.002	<0.005	0.001	<1
394172		2.60	0.014	0.009	0.002	0.15	0.003	<0.005	0.001	<1
394173		2.87	0.031	0.018	0.003	0.32	0.004	0.005	0.003	<1
394174		2.48	0.043	0.036	0.003	0.26	0.009	0.006	0.003	<1
394175		2.79	0.170	0.073	0.009	1.05	0.018	0.025	0.009	<1
394176		2.55	0.305	0.142	0.012	1.65	0.020	0.051	0.021	<1
394177		0.06	1.090	0.069	0.009	1.15	0.038	0.118	0.165	<1
394178		2.46	0.167	0.097	0.006	0.89	0.014	0.019	0.006	<1
394179		2.58	0.159	0.099	0.007	0.97	0.016	0.018	0.005	<1
394180		2.80	0.202	0.108	0.007	1.17	0.013	0.025	0.008	<1
394181		2.73	0.189	0.079	0.008	0.97	0.009	0.023	0.007	<1
394162		2.70	0.287	0.064	0.009	1.42	0.010	0.031	0.008	<1
394183		2.57	0.357	0.108	0.013	2.00	0.031	0.048	0.018	<1
394184		2.42	0.099	0.123	0.004	0.66	0.061	0.057	0.039	<1
394185		2.23	0.116	0.145	0.004	0.54	0.069	0.054	0.040	<1
394186		2.41	0.347	0.122	0.011	1.46	0.021	0.045	0.022	<1
394187		2.23	0.080	0.270	0.003	0.53	0.010	0.009	0.004	<1
394188		2.97	1.465	0.998	0.052	7.84	0.042	0.222	0.045	1
394189		3.50	5.94	1.320	0.140	26.5	0.039	0.200	0.112	1
394190		1.26	0.021	0.006	0.002	0.11	<0.001	<0.005	0.001	<1
394191		2.35	0.092	0.144	0.011	0.75	0.027	0.279	0.131	<1
394192		3.45	0.264	0.172	0.011	1.83	0.027	0.345	0.399	<1
394193		2.61	0.193	0.090	0.009	1.08	0.024	0.194	0.196	<1
394194		1.80	0.182	0.094	0.007	0.48	0.030	0.222	0.216	<1
394195		2.91	0.073	0.031	0.003	0.07	0.028	0.056	0.057	<1
394196		2.87	0.286	0.223	0.009	0.64	0.151	0.200	0.227	1
394197		2.28	0.176	0.095	0.008	0.40	0.043	0.141	0.145	<1
394198		2.49	0.100	0.018	0.007	0.03	0.008	0.039	0.040	<1
394199		0.06	1.035	0.070	0.010	1.12	0.030	0.063	0.153	<1
394200		0.93	0.095	0.019	0.006	0.06	0.011	0.022	0.020	<1
394201		5.28	0.166	0.091	0.009	0.27	0.067	0.095	0.108	<1
394202		2.53	0.262	0.164	0.012	0.85	0.099	0.147	0.094	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122544

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394203		4.05	0.187	0.140	0.010	0.53	0.051	0.084	0.088	<1
394204		2.50	0.026	0.010	0.004	0.03	0.003	0.007	0.001	<1
394205		3.67	0.163	0.092	0.009	0.42	0.060	0.048	0.047	<1
394206		2.22	0.121	0.029	0.008	0.11	0.024	0.061	0.076	<1
394207		2.11	0.235	0.201	0.010	0.48	0.084	0.080	0.124	1
394208		2.00	0.163	0.156	0.007	0.83	0.120	0.099	0.114	1
394209		2.53	0.197	0.150	0.009	0.33	0.079	0.100	0.106	<1
394210		2.58	0.246	0.252	0.010	0.51	0.150	0.127	0.123	1
394211		Not Recvd								
394212		5.72	0.426	0.513	0.012	1.17	0.208	0.152	0.218	3
394213		0.98	0.520	0.115	0.013	3.15	0.054	0.183	0.232	<1
394214		4.32	0.030	0.021	0.006	0.17	0.008	0.006	0.003	<1
394215		1.24	0.023	0.030	0.006	0.14	0.010	0.011	0.003	<1
394216		2.00	0.014	0.023	0.005	0.08	0.009	<0.005	0.001	<1
394217		2.77	0.016	0.011	0.005	0.02	0.004	<0.005	<0.001	<1
394218		2.97	0.026	0.020	0.005	0.09	0.007	0.005	<0.001	<1
394219		2.11	0.023	0.013	0.005	0.10	0.006	0.009	0.004	<1
394220		2.13	0.009	0.006	0.003	0.03	0.006	0.005	<0.001	<1
394221		3.29	0.019	0.027	0.005	0.32	0.018	0.020	0.050	<1
394222		2.41	0.014	0.016	0.005	0.10	0.007	<0.005	<0.001	<1
394223		2.60	0.007	<0.005	0.003	0.03	<0.001	<0.005	<0.001	<1
394224		2.82	0.006	0.005	0.002	0.08	0.002	<0.005	<0.001	<1
394225		1.79	0.017	0.009	0.003	0.15	0.002	<0.005	<0.001	<1
394226		2.81	0.005	0.007	0.003	0.04	0.002	<0.005	<0.001	<1
394227		1.93	0.446	0.337	0.014	1.95	0.136	0.176	0.139	3
394228		2.77	0.070	0.082	0.006	0.25	0.030	0.035	0.037	<1
394229		2.38	0.029	0.019	0.005	0.30	0.010	0.024	0.022	<1
394230		2.27	0.031	0.072	0.006	0.34	0.036	0.013	0.007	<1
394231		2.61	0.016	0.012	0.004	0.05	0.004	<0.005	<0.001	<1
394232		2.75	0.015	0.018	0.004	0.07	0.015	<0.005	<0.001	<1
394233		2.67	0.015	0.010	0.005	0.04	0.004	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-DEC-2007
Account: CNARMN

CERTIFICATE TB07121344

Project:

P.O. No.:

This report is for 24 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121344

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
E585776		4.74	0.067	<0.005	0.009	0.02	0.001	<0.005	<0.001	<1
E585777		4.22	0.091	0.036	0.008	0.07	0.028	0.017	0.015	<1
E585778		4.76	0.205	0.227	0.009	0.48	0.288	0.052	0.028	2
E585779		3.87	0.220	0.216	0.010	0.53	0.133	0.063	0.025	3
E585780		3.26	0.015	0.023	0.002	0.05	0.013	<0.005	0.004	<1
E585781		4.86	0.334	0.354	0.013	1.00	0.279	0.120	0.081	3
E585782		4.60	0.325	0.309	0.013	1.02	0.196	0.131	0.086	3
E585783		0.06	1.055	0.073	0.011	1.17	0.031	0.110	0.166	1
E585784		3.97	0.097	0.017	0.010	0.06	0.009	0.029	0.023	<1
E585785		5.09	0.149	0.082	0.011	0.37	0.041	0.032	0.027	<1
E585786		3.87	0.310	0.258	0.012	1.02	0.157	0.113	0.093	2
E585787		3.76	0.122	0.079	0.011	0.33	0.026	0.027	0.021	<1
E585788		3.98	0.186	0.187	0.011	1.56	0.205	0.057	0.025	1
E585789		3.67	0.777	0.598	0.026	3.95	0.656	0.101	0.045	4
E585790		4.71	0.500	0.457	0.016	1.81	0.433	0.122	0.052	3
E585791		4.13	0.238	0.253	0.010	0.70	0.154	0.066	0.030	2
E585792		3.94	0.324	0.356	0.010	1.07	0.145	0.091	0.046	3
E585793		3.64	0.553	0.493	0.016	1.79	0.261	0.216	0.176	4
E585794		1.63	0.012	0.013	0.005	0.11	0.003	<0.005	<0.001	1
E585795		4.32	0.367	0.474	0.011	0.93	0.258	0.106	0.082	4
E585796		3.40	0.528	0.551	0.016	1.52	0.369	0.146	0.101	4
E585797		2.87	0.158	0.094	0.010	0.20	0.043	0.072	0.067	1
E585798		4.31	0.166	0.179	0.008	0.31	0.097	0.095	0.080	2
E585799		3.43	0.016	0.008	0.004	0.12	<0.001	<0.005	0.002	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE TB07122542

Project:

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Broeksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122542

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394357		2.60	0.015	0.014	0.005	0.09	0.004	<0.005	0.001	86
394358		2.78	0.017	0.028	0.006	0.14	0.006	<0.005	0.001	22
394359		2.50	0.019	0.017	0.007	0.14	0.004	<0.005	0.001	6
394360		2.41	0.023	0.034	0.006	0.38	0.009	0.008	0.009	7
394361		2.70	0.015	0.008	0.004	0.25	0.002	<0.005	0.003	7
394362		2.54	0.022	0.022	0.006	0.21	0.009	<0.005	0.003	<1
394363		2.14	0.136	0.086	0.008	0.40	0.046	0.039	0.052	66
394364		3.19	0.095	0.031	0.008	0.12	0.012	0.019	0.023	267
394365		1.98	0.056	0.009	0.006	0.02	0.004	<0.005	0.004	98
394366		2.24	0.071	0.005	0.007	0.03	0.001	<0.005	0.004	5
394367		1.68	0.074	0.005	0.008	0.13	0.001	<0.005	0.002	9
394368		2.38	0.100	0.054	0.009	0.21	0.019	0.021	0.028	5
394369		2.19	0.069	<0.005	0.008	0.05	0.002	<0.005	0.002	16
394370		2.71	0.062	0.005	0.007	0.07	0.004	<0.005	0.001	15
394371		2.52	0.072	0.009	0.008	0.10	0.003	<0.005	0.001	<1
394372		2.56	0.069	0.007	0.007	0.06	0.002	<0.005	0.003	13
394373		2.69	0.079	0.042	0.008	0.12	0.035	0.037	0.019	78
394374		2.69	0.078	0.015	0.007	0.05	0.005	0.019	0.014	<1
394375		2.52	0.068	<0.005	0.008	0.04	0.001	<0.005	0.002	<1
394376		2.38	0.071	<0.005	0.008	0.05	<0.001	<0.005	0.003	<1
394377		2.75	0.105	0.058	0.009	0.29	0.032	0.048	0.024	<1
394378		2.55	0.135	0.119	0.010	0.41	0.133	0.028	0.013	9
394379		0.06	1.055	0.072	0.010	1.15	0.049	0.084	0.170	4
394380		2.90	0.129	0.098	0.008	0.27	0.092	0.023	0.017	5
394381		2.63	0.116	0.098	0.008	0.32	0.143	0.038	0.026	103
394382		2.86	0.095	0.053	0.009	0.27	0.039	0.017	0.011	5
394383		2.29	0.123	0.088	0.009	0.31	0.063	0.037	0.021	5
394384		2.56	0.137	0.110	0.009	0.36	0.087	0.032	0.023	4
394385		2.74	0.094	0.041	0.010	0.30	0.023	0.011	0.008	7
394386		2.68	0.149	0.077	0.009	0.45	0.067	0.035	0.019	6
394387		3.87	0.371	0.295	0.013	1.46	0.173	0.050	0.013	6
394388		2.70	0.014	0.011	0.006	0.11	0.009	<0.005	<0.001	11
394389		3.64	0.017	0.012	0.005	0.12	0.003	<0.005	0.001	<1
394390		2.70	0.014	0.012	0.005	0.04	0.002	<0.005	0.002	<1
394391		2.43	0.015	0.021	0.005	0.09	0.004	0.005	0.001	<1
394392		2.62	0.015	0.018	0.005	0.09	0.004	<0.005	0.001	<1
394393		2.73	0.059	0.056	0.006	0.24	0.009	<0.005	0.004	<1
394394		2.59	0.447	0.382	0.016	2.05	0.143	0.095	0.043	2
394395		3.02	0.080	0.016	0.007	0.21	0.003	0.018	0.005	<1
394396		2.26	0.121	0.030	0.009	0.29	0.006	0.019	0.006	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122542

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394397		2.99	0.156	0.093	0.011	0.57	0.027	0.017	0.007	1
394398		2.59	0.070	0.012	0.007	0.09	0.002	0.010	0.004	1
394399		2.59	0.030	0.021	0.005	0.16	0.008	0.005	0.002	<1
394400		2.67	0.010	<0.005	0.002	0.03	0.002	<0.005	<0.001	<1
394401		2.44	<0.005	<0.005	0.002	0.03	<0.001	<0.005	<0.001	<1
394402		2.97	0.007	<0.005	0.002	0.02	0.002	<0.005	<0.001	1
394403		2.22	0.016	0.015	0.005	0.10	0.005	<0.005	0.001	<1
394404		2.35	0.019	0.018	0.006	0.14	0.005	<0.005	0.001	2
394405		4.06	0.016	0.015	0.006	0.40	0.005	<0.005	0.001	<1
394406		3.67	0.150	0.090	0.008	0.67	0.034	0.015	0.005	1
394407		2.99	0.068	0.030	0.006	0.27	0.007	0.008	0.002	<1
394408		0.06	1.070	0.072	0.010	1.20	0.038	0.119	0.168	1
394409		2.58	0.253	0.091	0.013	1.07	0.018	0.032	0.015	<1
394410		2.87	0.075	0.084	0.008	1.33	0.019	0.006	0.002	1
394411		2.24	0.413	0.200	0.015	1.74	0.031	0.038	0.011	1
394412		2.37	0.050	0.060	0.005	0.18	0.039	0.007	0.002	1
394413		2.88	0.038	0.015	0.006	0.22	0.004	0.006	0.002	<1
394414		2.71	0.088	0.024	0.007	0.23	0.007	0.016	0.002	<1
394415		2.81	0.291	0.691	0.011	1.61	0.175	0.047	0.013	3
394416		2.88	0.692	0.157	0.024	2.65	0.088	0.063	0.018	2
394417		2.74	0.206	0.143	0.011	1.18	0.030	0.019	0.006	1
394418		2.78	0.120	0.150	0.009	0.86	0.047	0.018	0.005	1
394419		2.76	0.270	0.156	0.011	1.15	0.056	0.053	0.013	2
394420		2.71	0.205	0.125	0.009	0.88	0.042	0.027	0.008	<1
394421		3.50	0.014	0.012	0.005	0.14	0.005	<0.005	0.001	1
394422		2.48	0.205	0.111	0.011	0.85	0.043	0.018	0.006	1
394423		2.45	0.032	0.017	0.005	0.19	0.010	<0.005	0.001	1
394424		2.95	0.023	0.015	0.005	0.10	0.007	0.005	0.001	1
394425		4.29	0.121	0.098	0.007	0.45	0.017	0.007	0.003	1
394426		3.74	0.029	0.014	0.005	0.19	0.005	0.005	0.001	<1
394427		2.64	0.037	0.034	0.005	0.26	0.017	0.008	0.002	<1
394428		2.58	0.034	0.047	0.006	0.41	0.019	<0.005	0.001	<1
394429		2.64	0.041	0.039	0.005	0.43	0.015	<0.005	0.002	1
394430		1.41	0.027	0.013	0.006	0.30	0.005	<0.005	0.001	<1
394431		1.29	0.244	0.130	0.009	1.03	0.034	0.030	0.009	1
394432		4.14	0.006	0.007	0.002	0.08	0.003	<0.005	<0.001	1
394433		1.81	0.678	0.220	0.017	2.85	0.064	0.037	0.019	2
394434		2.79	0.231	0.272	0.009	1.21	0.111	0.057	0.010	1
394435		2.72	0.152	0.119	0.009	0.79	0.022	0.008	0.004	<1
394436		2.69	0.452	0.344	0.013	1.88	0.118	0.087	0.017	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122542

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394437		4.46	0.294	0.125	0.011	1.14	0.067	0.037	0.018	1
394438		2.34	0.048	0.027	0.006	0.42	0.013	0.005	0.003	1
394439		2.21	0.164	0.124	0.009	0.90	0.022	0.021	0.007	1
394440		2.56	0.076	0.038	0.006	0.37	0.010	0.010	0.004	<1
394441		2.61	0.107	0.087	0.007	0.33	0.023	0.010	0.003	2
394442		3.65	0.423	0.442	0.015	3.23	0.171	0.014	0.011	2
394443		3.80	0.041	0.028	0.006	0.35	0.009	0.005	0.004	<1
394444		2.52	0.091	0.045	0.008	0.61	0.020	0.010	0.010	1
394445		2.69	0.163	0.069	0.011	0.89	0.013	0.026	0.009	1
394446		3.06	0.021	0.014	0.006	0.26	0.004	<0.005	0.001	1
394447		4.18	0.047	0.024	0.006	0.47	0.007	<0.005	0.002	1
394448		1.51	0.013	0.006	0.004	0.23	0.002	<0.005	<0.001	1
394449		3.40	0.016	0.008	0.003	0.12	0.003	<0.005	0.001	<1
394450		2.76	0.247	0.055	0.010	0.99	0.011	0.053	0.012	<1
394451		3.08	0.630	0.463	0.020	3.25	0.097	0.044	0.021	2
394452		2.97	0.514	0.459	0.013	2.96	0.094	0.016	0.011	1
394453		2.96	1.205	0.497	0.030	5.27	0.153	0.076	0.031	2
394454		0.04	1.080	0.072	0.011	1.18	0.052	0.121	0.171	1
394455		2.65	0.620	0.589	0.018	2.86	0.152	0.037	0.016	2
394456		2.62	1.280	0.967	0.025	4.75	0.064	0.036	0.014	3
394457		3.04	1.540	0.705	0.039	6.40	0.359	0.076	0.025	4
394458		2.70	1.100	0.206	0.023	3.77	0.119	0.127	0.014	2
394459		2.89	0.776	0.757	0.029	4.19	0.442	0.203	0.069	4
394460		2.30	0.738	0.795	0.020	3.17	3.70	0.169	0.101	6
394461		2.52	0.380	0.296	0.013	0.98	0.389	0.231	0.181	3
394462		3.44	0.015	0.014	0.004	0.17	0.032	<0.005	0.001	2
394463		3.03	0.115	0.025	0.009	0.16	0.014	0.048	0.055	<1
394464		2.54	0.098	0.008	0.009	0.07	0.004	0.032	0.036	<1
394465		3.07	0.162	0.065	0.008	0.26	0.054	0.080	0.093	<1
394466		2.28	0.228	0.171	0.008	0.49	0.114	0.153	0.169	2
394467		3.00	0.151	0.124	0.005	0.38	0.058	0.045	0.053	1
394468		2.67	0.056	0.036	0.002	0.20	0.022	0.028	0.037	<1
394469		2.45	0.016	0.007	0.004	0.07	0.002	<0.005	0.001	<1
394470		2.60	0.015	0.010	0.004	0.07	0.004	<0.005	0.001	<1
394471		2.65	0.015	0.013	0.004	0.05	0.005	<0.005	0.002	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE TB07122545

Project:

P.O. No.:

This report is for 111 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122545

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394738		2.60	0.017	0.012	0.006	0.11	0.002	<0.005	0.001	<1
394739		2.62	0.020	0.016	0.005	0.13	0.002	0.005	0.002	<1
394740		2.73	0.015	0.016	0.004	0.15	0.002	<0.005	0.001	1
394741		2.42	0.014	0.012	0.005	0.15	0.003	<0.005	0.001	1
394742		2.39	0.017	0.013	0.005	0.32	0.002	<0.005	0.002	1
394743		2.37	0.015	0.014	0.005	0.36	0.002	<0.005	0.001	1
394744		3.76	0.018	0.008	0.005	0.21	0.008	<0.005	0.001	<1
394745		2.24	0.006	0.010	0.002	0.57	0.001	<0.005	0.001	<1
394746		4.02	0.049	0.043	0.006	0.59	0.013	0.027	0.030	1
394747		3.12	0.078	0.039	0.006	0.14	0.013	0.024	0.015	1
394748		3.81	0.112	0.053	0.007	0.38	0.008	0.017	0.006	<1
394749		3.55	0.066	0.031	0.007	0.35	0.010	0.008	0.002	<1
394750		4.25	0.347	0.077	0.014	1.64	0.008	0.041	0.014	1
394751		2.73	0.312	0.102	0.010	1.48	0.011	0.030	0.010	1
394752		4.12	0.342	0.206	0.011	1.57	0.021	0.042	0.014	1
394753		3.23	0.066	0.038	0.004	0.29	0.006	0.010	0.003	<1
394754		2.72	0.020	0.014	0.005	0.10	0.001	<0.005	0.001	1
394755		3.77	0.009	0.007	0.002	0.07	0.004	<0.005	<0.001	1
394756		3.64	<0.005	0.006	<0.002	0.06	0.003	<0.005	<0.001	<1
394757		3.18	0.008	0.005	0.002	0.08	<0.001	<0.005	<0.001	<1
394758		3.67	0.027	0.024	0.005	0.24	0.002	0.011	0.001	<1
394759		2.62	0.005	0.010	0.003	0.19	0.001	<0.005	<0.001	1
394760		3.79	0.649	0.171	0.018	3.09	0.013	0.049	0.066	1
394761		3.63	0.208	0.084	0.007	1.10	0.014	0.011	0.008	<1
394762		4.45	0.324	0.554	0.011	1.88	0.034	0.045	0.008	1
394763		3.86	0.398	0.186	0.014	2.09	0.009	0.065	0.010	1
394764		3.94	0.686	1.005	0.021	3.86	0.043	0.025	0.019	1
394765		3.93	0.232	0.282	0.009	1.15	0.003	0.067	0.006	1
394766		4.29	1.045	0.684	0.034	5.91	0.012	0.078	0.023	<1
394767		0.06	1.485	0.785	0.059	13.70	0.055	0.010	0.007	2
394768		4.29	2.67	0.612	0.079	12.15	0.109	0.225	0.064	1
394769		4.19	0.444	1.100	0.015	3.34	0.055	0.290	0.022	1
394770		4.44	0.243	0.319	0.018	1.57	0.007	0.100	0.011	1
394771		4.38	0.858	0.176	0.031	3.83	0.070	0.137	0.021	2
394772		2.19	0.029	0.019	0.005	0.20	0.002	0.006	0.002	1
394773		3.92	0.154	0.057	0.009	0.69	0.004	0.077	0.008	1
394774		4.14	0.440	0.155	0.022	2.80	1.420	0.082	0.017	1
394775		4.20	0.018	0.021	0.004	0.06	0.005	0.005	0.006	<1
394776		2.84	1.535	1.285	0.049	7.88	1.945	0.108	0.042	4
394777		4.31	2.07	0.457	0.081	10.35	0.027	0.268	0.050	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122545

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394778		4.38	1.935	0.320	0.062	8.16	0.017	0.147	0.044	<1
394779		4.84	4.55	0.204	0.133	20.2	0.009	0.223	0.096	2
394780		4.51	1.970	0.333	0.056	9.91	0.123	0.135	0.046	1
394781		4.10	0.142	1.330	0.007	1.95	0.053	0.035	0.007	1
394782		4.03	1.460	1.010	0.042	6.66	0.018	0.057	0.041	1
394783		4.45	0.925	1.280	0.029	5.41	0.018	0.196	0.025	1
394784		0.06	1.060	0.071	0.011	1.21	0.065	0.121	0.166	2
394785		4.53	5.01	0.379	0.109	24.1	0.002	0.338	0.110	1
394786		4.61	0.129	0.445	0.005	0.90	0.033	0.108	0.006	1
394787		4.87	2.14	1.135	0.053	10.70	0.033	0.291	0.060	2
394788		5.90	3.35	0.471	0.075	16.10	0.011	0.185	0.077	2
394789		5.17	3.35	0.890	0.095	15.45	0.020	0.257	0.078	2
394790		5.19	3.33	0.681	0.087	16.20	0.014	0.263	0.080	1
394791		4.92	0.287	0.129	0.012	1.55	0.009	0.026	0.010	<1
394792		3.70	0.136	0.065	0.009	0.81	0.010	0.014	0.006	1
394793		4.42	0.041	0.030	0.005	0.32	0.008	<0.005	0.003	1
394794		4.32	0.065	0.031	0.007	0.28	0.017	0.009	0.004	<1
394795		3.95	0.112	0.052	0.007	0.49	0.011	0.014	0.005	1
394796		4.26	0.127	0.060	0.007	0.83	0.019	0.011	0.006	1
394797		4.03	0.108	0.046	0.007	0.64	0.018	0.016	0.006	1
394798		3.20	0.028	0.029	0.004	0.22	0.014	0.008	0.002	1
394799		4.98	0.135	0.068	0.008	0.75	0.024	0.016	0.007	<1
394800		4.01	0.057	0.022	0.006	0.32	0.006	0.006	0.004	<1
394801		4.24	0.072	0.038	0.005	0.39	0.013	0.008	0.004	1
394802		1.93	0.014	0.013	0.006	0.05	0.003	<0.005	0.002	1
394803		3.84	0.108	0.048	0.007	0.67	0.014	0.010	0.005	1
394804		4.10	0.236	0.219	0.009	1.02	0.041	0.028	0.016	1
394805		3.72	0.159	0.063	0.008	0.57	0.018	0.015	0.007	1
394806		5.23	0.339	0.153	0.013	1.38	0.038	0.032	0.014	1
394807		4.36	0.538	0.264	0.018	2.55	0.045	0.066	0.026	1
394808		3.24	0.167	0.042	0.009	0.93	0.018	0.026	0.018	1
394809		4.00	0.007	0.007	0.002	0.12	0.002	<0.005	0.001	1
394810		2.47	0.034	0.035	0.007	0.29	0.016	0.007	0.004	1
394811		4.16	0.026	0.023	0.006	0.39	0.009	<0.005	0.003	1
394812		4.80	0.017	0.016	0.005	0.71	0.005	<0.005	0.002	1
394813		2.79	0.304	0.106	0.013	1.13	0.018	0.024	0.008	<1
394814		2.80	0.139	0.044	0.009	0.41	0.010	0.016	0.006	<1
394815		2.30	0.030	0.014	0.006	0.30	0.003	<0.005	0.002	1
394816		4.49	0.469	0.092	0.021	2.20	0.031	0.040	0.014	1
394817		3.93	0.855	0.470	0.031	4.18	0.055	0.083	0.021	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA82 Ag ppm 1
394818		3.45	0.142	0.059	0.008	0.64	0.019	0.007	0.004	1
394819		2.10	0.030	0.016	0.005	0.47	0.005	<0.005	0.001	1
394820		2.21	0.111	0.076	0.007	0.67	0.037	0.016	0.005	1
394821		2.69	0.102	0.036	0.007	0.59	0.010	0.011	0.005	1
394822		3.38	0.069	0.036	0.008	0.59	0.010	0.007	0.004	1
394823		0.06	1.070	0.072	0.010	1.15	0.033	0.092	0.163	2
394824		3.50	0.426	0.155	0.015	1.85	0.042	0.028	0.014	2
394825		3.39	0.383	0.409	0.012	1.62	0.041	0.025	0.012	2
394826		3.93	0.577	0.551	0.015	2.58	0.875	0.047	0.021	3
394827		3.62	0.120	0.157	0.006	0.61	0.096	0.032	0.012	<1
394828		2.80	0.013	0.025	0.005	0.12	0.012	0.007	0.008	1
394829		2.40	0.147	0.374	0.009	0.98	0.125	0.034	0.011	2
394830		2.16	0.149	0.368	0.008	0.89	0.136	<0.005	0.003	2
394831		4.11	0.116	0.044	0.007	1.32	0.009	<0.005	0.004	2
394832		3.60	0.140	0.056	0.010	1.76	0.022	0.008	0.004	1
394833		2.91	0.089	0.020	0.008	0.59	0.008	0.009	0.002	1
394834		2.17	0.141	0.088	0.008	0.51	0.029	0.007	0.003	1
394835		3.40	0.020	0.060	0.006	1.18	0.023	<0.005	0.002	1
394836		3.87	0.125	0.077	0.008	0.90	0.034	0.010	0.004	<1
394837		3.63	0.168	0.104	0.010	1.06	0.040	0.026	0.011	1
394838		2.56	0.321	0.200	0.010	1.29	0.112	0.035	0.014	1
394839		4.03	0.219	0.121	0.010	0.77	0.038	0.040	0.027	1
394840		2.30	0.005	0.006	0.002	0.07	0.002	<0.005	0.001	<1
394841		2.99	0.243	0.211	0.017	1.43	0.067	0.036	0.023	1
394842		2.66	0.334	0.211	0.013	1.33	0.067	0.048	0.028	1
394843		2.52	0.217	0.118	0.012	0.76	0.086	0.057	0.052	1
394844		2.81	0.176	0.094	0.010	0.52	0.041	0.049	0.026	<1
394845		4.38	0.491	0.379	0.014	1.30	0.175	0.160	0.144	2
394846		4.32	0.174	0.137	0.008	0.36	0.078	0.075	0.100	1
394847		2.55	0.026	0.015	0.006	0.12	0.007	<0.005	0.003	<1
394848		1.59	0.012	<0.005	0.003	0.03	0.002	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE TB07122546

Project:

P.O. No.:

This report is for 70 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122546

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
367615		3.14	0.016	0.013	0.005	0.10	0.004	<0.005	<0.001	<1
367616		1.62	0.014	0.005	0.003	0.05	0.001	<0.005	<0.001	<1
367617		3.21	0.013	0.005	0.003	0.05	0.002	<0.005	<0.001	1
367618		2.74	0.023	0.018	0.005	0.13	0.011	0.012	0.011	<1
367619		3.99	0.174	0.130	0.008	0.40	0.077	0.132	0.134	1
367620		2.40	0.151	0.123	0.009	0.40	0.060	0.120	0.175	1
367621		2.79	0.179	0.137	0.007	0.42	0.090	0.087	0.087	1
367622		2.48	0.300	0.266	0.010	0.90	0.155	0.221	0.264	2
367623		0.04	1.095	0.067	0.010	1.17	0.044	0.086	0.177	1
367624		3.09	0.624	0.525	0.018	1.97	0.251	0.324	0.327	3
367625		2.16	0.108	0.007	0.007	0.12	0.003	0.005	0.002	1
367626		2.53	0.069	0.007	0.006	0.10	0.004	0.009	<0.001	<1
367627		2.43	0.057	0.009	0.005	0.06	0.002	<0.005	<0.001	<1
367628		2.87	0.051	<0.005	0.006	0.07	<0.001	<0.005	<0.001	1
367629		2.86	0.047	<0.005	0.006	0.06	<0.001	<0.005	<0.001	<1
367630		2.85	0.042	<0.005	0.005	0.01	<0.001	<0.005	<0.001	1
367631		2.59	0.131	0.066	0.007	0.35	0.019	0.016	<0.001	<1
367632		3.09	0.087	0.037	0.005	0.32	0.010	0.008	0.002	<1
367633		2.44	0.022	0.013	0.006	0.49	0.002	<0.005	<0.001	<1
367634		2.26	0.010	0.009	0.002	0.23	0.002	<0.005	<0.001	<1
367635		2.08	0.007	0.011	0.003	0.15	0.001	<0.005	<0.001	<1
367636		3.18	0.012	0.005	0.003	0.19	<0.001	<0.005	<0.001	<1
367637		3.51	0.015	0.008	0.003	0.11	0.003	<0.005	0.001	<1
367638		2.57	0.015	0.010	0.005	0.24	0.004	<0.005	<0.001	<1
367639		2.57	0.015	0.010	0.006	0.19	0.002	<0.005	<0.001	<1
367640		2.98	0.018	0.014	0.005	0.16	0.002	<0.005	<0.001	<1
367641		2.62	0.038	0.019	0.006	0.29	0.003	0.006	<0.001	<1
367642		2.40	0.042	0.030	0.006	0.28	0.004	0.011	<0.001	<1
367643		2.69	0.035	0.023	0.005	0.20	0.005	0.007	<0.001	<1
367644		2.60	0.013	0.016	0.006	0.23	0.001	<0.005	<0.001	<1
367645		2.84	0.026	0.016	0.005	0.18	0.006	0.006	<0.001	<1
367646		1.53	0.035	0.014	0.004	0.41	0.001	0.005	<0.001	<1
367647		3.37	0.006	0.006	0.002	0.22	0.001	<0.005	<0.001	<1
367648		2.85	0.016	0.014	0.005	0.10	0.003	<0.005	<0.001	<1
367649		2.84	0.017	0.017	0.005	0.16	0.003	<0.005	<0.001	<1
367650		3.04	0.024	0.018	0.006	0.42	0.003	0.005	<0.001	<1
367651		2.31	0.017	0.014	0.005	0.53	<0.001	<0.005	<0.001	<1
367652		3.16	0.029	0.027	0.006	0.60	0.003	<0.005	<0.001	<1
367653		3.20	0.043	0.011	0.005	0.19	0.001	0.005	<0.001	<1
367654		2.87	0.018	0.016	0.006	0.40	0.001	<0.005	<0.001	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122546

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
367655		3.08	0.015	0.023	0.004	0.49	0.002	<0.005	<0.001	1
367656		3.05	0.018	0.014	0.005	0.32	<0.001	<0.005	<0.001	<1
367657		2.87	0.019	0.016	0.005	0.41	0.003	<0.005	0.001	<1
367658		3.20	0.047	0.020	0.006	0.42	0.004	0.009	0.002	<1
367659		2.65	0.038	0.037	0.005	0.74	0.002	<0.005	0.001	<1
367660		2.56	0.013	0.012	0.005	0.18	0.002	<0.005	<0.001	<1
367661		3.06	0.052	0.034	0.006	0.39	0.005	0.007	0.002	<1
367662		2.67	0.049	0.025	0.007	0.40	0.005	0.006	0.003	<1
367663		2.65	0.068	0.033	0.007	0.57	0.006	0.013	0.004	<1
367664		2.83	0.022	0.011	0.005	0.45	0.001	<0.005	0.001	<1
367665		2.69	0.050	0.028	0.005	0.46	0.006	0.007	0.003	<1
367666		2.94	0.062	0.035	0.005	0.54	0.006	0.010	0.003	<1
367667		2.65	0.123	0.061	0.009	0.76	0.013	0.025	0.007	<1
367668		2.87	0.150	0.070	0.009	1.12	0.014	0.039	0.009	<1
367669		2.74	0.090	0.037	0.006	0.83	0.010	0.031	0.012	<1
367670		2.68	0.187	0.080	0.009	1.06	0.016	0.050	0.013	<1
367671		3.27	0.032	0.013	0.006	0.13	0.004	<0.005	0.001	<1
367672		2.77	0.264	0.063	0.011	1.06	0.013	0.058	0.021	1
367673		0.06	1.065	0.073	0.011	1.16	0.045	0.085	0.166	1
367674		3.16	0.170	0.102	0.009	0.53	0.072	0.073	0.059	<1
367675		3.33	0.018	0.018	0.005	0.06	0.013	0.005	0.007	<1
367676		3.47	0.022	0.026	0.005	0.17	0.022	0.017	0.017	<1
367677		1.54	0.020	0.012	0.005	0.15	0.006	<0.005	0.001	<1
367678		3.77	0.010	0.010	0.004	0.09	0.004	<0.005	<0.001	<1
367679		2.61	0.011	0.009	0.003	0.24	0.006	<0.005	<0.001	<1
367680		3.95	0.009	0.009	0.004	0.10	0.007	<0.005	<0.001	<1
367681		4.12	<0.005	<0.005	<0.002	0.01	0.001	<0.005	<0.001	<1
367682		3.07	0.012	<0.005	<0.002	0.11	0.002	<0.005	<0.001	<1
367683		2.88	0.007	0.006	0.003	0.09	0.003	<0.005	0.003	<1
367684		2.75	0.009	0.013	0.005	0.04	0.005	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE TB07122560

Project:

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 14-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122560

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
394849		2.74	0.082	0.021	0.007	0.17	0.008	0.028	0.011	<1
394850		2.85	0.033	0.025	0.005	0.12	0.014	<0.005	0.013	<1
394851		2.21	0.662	0.292	0.020	2.15	0.043	0.018	0.010	2
394852		3.67	0.839	0.115	0.026	2.70	0.037	0.090	0.024	1
394853		3.70	0.098	0.029	0.009	0.33	0.006	0.012	0.007	<1
394854		4.10	0.676	0.260	0.027	4.04	0.097	0.099	0.046	1
394855		2.27	0.207	0.128	0.011	1.49	0.033	0.032	0.015	1
394856		4.51	0.011	0.013	0.005	0.21	0.003	<0.005	<0.001	<1
394857		3.87	0.009	0.012	0.004	0.17	0.002	<0.005	<0.001	<1
394858		3.84	0.016	0.009	0.005	0.17	0.001	<0.005	0.001	<1
394859		3.14	0.090	0.068	0.007	0.49	0.012	0.026	0.023	1
394860		4.19	0.029	0.024	0.006	0.19	0.004	<0.005	0.003	<1
394861		3.74	0.026	0.013	0.006	0.13	0.003	<0.005	0.003	<1
394862		3.71	0.018	0.017	0.007	0.32	0.006	0.006	0.004	1
394863		4.96	0.059	0.048	0.006	0.22	0.020	0.010	0.004	1
394864		2.30	0.024	0.023	0.006	0.09	0.008	<0.005	0.003	<1
394865		3.93	0.034	0.030	0.005	0.20	0.021	0.016	0.012	<1
394866		2.04	0.050	0.036	0.005	0.17	0.016	0.016	0.019	<1
394867		3.26	0.336	0.244	0.008	1.01	0.114	0.280	0.200	2
394868		0.05	1.095	0.070	0.009	1.17	0.058	0.124	0.174	2
394869		3.90	0.161	0.008	0.008	0.21	<0.001	0.017	0.008	<1
394870		3.91	0.048	0.014	0.005	0.33	0.004	0.005	0.003	<1
394871		3.30	0.066	0.007	0.006	0.05	<0.001	0.006	0.003	1
394872		4.02	0.080	0.009	0.006	0.13	0.002	0.010	0.007	<1
394873		3.48	0.078	0.058	0.007	0.23	0.029	0.059	0.048	<1
394874		2.15	0.012	0.011	0.003	0.14	0.012	<0.005	<0.001	<1
394875		4.10	0.287	0.340	0.012	1.19	0.269	0.109	0.087	2
394876		4.71	0.421	0.252	0.013	1.14	0.136	0.160	0.171	1
394877		3.80	0.328	0.298	0.015	2.31	0.074	0.030	0.020	2
394878		2.58	0.377	0.217	0.014	1.46	0.108	0.047	0.021	1
394879		3.64	0.217	0.124	0.010	0.57	0.092	0.102	0.074	1
394880		2.55	0.006	0.006	0.002	0.04	0.004	<0.005	<0.001	1
394881		3.00	0.016	0.010	0.003	0.20	0.002	<0.005	0.001	1
394882		3.33	0.331	0.154	0.013	1.25	0.035	0.040	0.017	<1
394883		3.53	0.028	0.024	0.005	0.14	0.002	<0.005	0.002	<1
394884		3.68	0.021	0.025	0.004	0.24	0.003	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 13-DEC-2007
Account: CNARMN

CERTIFICATE TB07122547

Project:

P.O. No.:

This report is for 94 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 13-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122547

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Au Check	Pt	Pt Check	Pd	Pd Check	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.001	0.005	0.005	0.001	0.001	1
394580		1.53	0.124	0.063	0.006	0.47	0.025		0.039		0.043		<1
394581		3.19	0.136	0.067	0.008	0.41	0.013		0.015		0.003		<1
394582		2.28	0.190	0.068	0.009	0.62	0.013		0.013		0.004		1
394583		2.80	0.105	0.029	0.007	0.31	0.007		0.007		0.002		<1
394584		2.91	0.047	0.028	0.005	0.23	0.008		0.008		0.004		<1
394585		2.52	0.059	0.017	0.005	0.08	0.003		<0.005		0.002		1
394586		3.92	0.007	0.006	0.002	0.08	0.003		<0.005		<0.001		<1
394587		3.75	0.022	0.016	0.003	0.12	0.001		<0.005		<0.001		1
394588		2.16	0.149	0.079	0.007	0.51	0.015		0.012		0.003		<1
394589		1.12	0.005	0.008	<0.002	0.11	<0.001		<0.005		<0.001		<1
394590		3.50	0.644	0.497	0.020	2.82	0.036		0.067		0.016		<1
394591		2.52	0.017	0.014	0.005	0.17	0.001		<0.005		<0.001		<1
394592		3.50	1.105	1.000	0.029	5.28	0.080		0.117		0.031		<1
394593		4.53	2.86	0.949	0.072	11.90	0.087		0.272		0.065		1
394594		0.07	1.495	0.783	0.060	14.00	0.055		0.015		0.007		1
394595		4.13	3.16	1.670	0.077	14.25	0.039		0.167		0.063		2
394596		3.71	2.32	2.85	0.056	12.20	0.083	0.051	0.235	0.250	0.066	0.067	3
394597		3.73	0.045	0.031	0.005	0.17	0.002		0.009		0.006		1
394598		3.54	0.025	0.019	0.004	0.14	0.002		<0.005		0.001		1
394599		4.40	0.013	0.012	0.005	0.09	0.002		<0.005		<0.001		1
394600		3.83	0.019	0.027	0.005	0.07	0.010		<0.005		0.004		<1
394601		3.92	0.040	0.051	0.006	0.22	0.012		0.009		0.009		<1
394602		4.04	0.430	0.199	0.016	2.13	0.042		0.057		0.015		1
394603		3.58	0.305	0.127	0.013	1.65	0.027		0.038		0.011		<1
394604		4.96	0.255	0.094	0.011	1.33	0.022		0.029		0.008		1
394605		4.23	0.372	0.170	0.014	1.91	0.018		0.045		0.013		<1
394606		3.06	0.152	0.055	0.009	0.86	0.006		0.020		0.005		<1
394607		0.06	1.075	0.071	0.011	1.14	0.037		0.087		0.183		1
394608		4.02	0.201	0.081	0.010	1.10	0.008		0.040		0.007		<1
394609		3.44	0.464	0.179	0.018	2.35	0.017		0.048		0.015		1
394610		3.39	0.136	0.067	0.007	0.67	0.007		0.023		0.005		1
394611		3.85	0.009	0.006	0.002	0.10	<0.001		<0.005		0.001		1
394612		2.93	0.008	0.009	0.002	0.07	0.002		<0.005		<0.001		<1
394613		4.23	0.977	0.410	0.029	4.68	0.062		0.126		0.031		1
394614		4.20	1.850	0.801	0.050	8.98	0.090		0.113		0.052		1
394615		4.36	0.265	0.090	0.009	1.11	0.010		0.024		0.006		1
394616		3.73	0.833	0.258	0.023	3.63	0.160		0.082		0.028		1
394617		2.82	0.084	0.107	0.006	0.41	0.003		0.006		0.002		1
394618		3.52	0.686	0.233	0.021	3.54	0.039		0.062		0.021		1
394619		3.04	0.017	0.026	0.004	0.24	0.003		<0.005		<0.001		1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 13-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122547

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Au Check ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pt Check ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Pd Check ppm 0.001	Ag-AA62 Ag ppm 1
394620		4.03	0.011	0.014	0.004	0.14	0.001		<0.005		<0.001		1
394621		4.79	0.074	0.036	0.007	0.56	0.005		0.007		0.003		1
394622		4.34	0.007	0.013	0.004	0.14	0.002		<0.005		0.001		1
394623		2.51	0.011	<0.005	0.004	0.08	<0.001		<0.005		0.001		<1
394624		4.33	0.263	0.130	0.012	1.55	0.017		0.029		0.009		1
394625		4.01	0.163	0.114	0.009	1.01	0.010		0.021		0.005		<1
394626		2.73	0.014	0.012	0.005	0.13	0.001		<0.005		<0.001		1
394627		4.03	0.199	0.093	0.008	1.13	0.018		0.016		0.006		1
394628		4.03	1.290	1.110	0.037	6.85	0.041		0.133		0.045		1
394629		3.72	0.460	0.341	0.015	2.67	0.011		0.036		0.010		1
394630		3.88	0.040	0.029	0.005	0.24	0.062		0.021		0.036		<1
394631		3.72	0.019	0.017	0.005	0.18	0.004		<0.005		0.001		<1
394632		4.21	0.053	0.029	0.006	0.40	0.006		0.007		0.003		1
394633		2.12	0.082	0.039	0.006	0.44	0.008		0.007		0.004		<1
394634		3.61	0.687	0.245	0.022	3.22	0.042		0.060		0.034		1
394635		3.53	0.338	0.128	0.013	1.39	0.032		0.037		0.019		1
394636		3.76	0.223	0.057	0.011	0.62	0.018		0.031		0.007		<1
394637		3.96	0.161	0.077	0.009	0.61	0.021		0.017		0.006		1
394638		3.90	0.278	0.097	0.012	1.04	0.021		0.031		0.010		1
394639		4.03	0.301	0.095	0.014	1.19	0.024		0.029		0.010		1
394640		4.40	0.268	0.093	0.012	1.00	0.026		0.027		0.009		1
394641		3.91	0.148	0.057	0.007	0.57	0.012		0.015		0.005		<1
394642		4.11	0.350	0.126	0.013	1.36	0.038		0.035		0.011		<1
394643		3.93	0.663	0.469	0.021	2.74	0.109	0.203	0.056	0.046	0.019	0.018	2
394644		4.47	1.220	0.403	0.032	4.70	0.078		0.091		0.027		2
394645		4.38	3.56	1.435	0.080	14.30	0.080		0.087		0.048		5
394646		4.26	2.78	1.015	0.056	10.75	0.064		0.227		0.031		3
394647		3.91	1.090	0.540	0.028	4.45	0.092		0.041		0.010		3
394648		2.56	1.370	0.544	0.033	5.19	0.268		0.087		0.029		3
394649		2.77	2.02	0.563	0.052	8.11	0.116		0.089		0.043		3
394650		3.63	0.704	0.340	0.029	3.01	0.042		0.057		0.021		2
394651		2.67	0.296	0.212	0.009	1.36	0.038		0.022		0.008		1
394652		2.80	0.021	0.017	0.006	0.29	0.004		<0.005		0.001		<1
394653		3.96	1.030	0.671	0.026	4.28	0.218		0.134		0.033		4
394654		2.44	0.339	0.374	0.011	1.20	0.252		0.085		0.022		2
394655		2.90	0.096	0.135	0.006	0.64	0.065	0.080	0.034	0.037	0.006	0.005	1
394656		0.05	1.095	0.073	0.011	1.23	0.039	0.049	0.083	0.089	0.162	0.168	1
394657		2.18	0.027	0.024	0.005	0.45	0.006		<0.005		0.001		<1
394658		2.98	0.123	0.051	0.006	0.58	0.020		0.018		0.004		1
394659		3.28	0.163	0.072	0.008	0.61	0.029		0.014		0.008		1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 964 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 13-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07122547

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Au Check	Pt	Pt Check	Pd	Pd Check	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.001	0.005	0.005	0.001	0.001	1
394660		3.04	0.336	0.112	0.011	1.31	0.032		0.027		0.008		<1
394661		2.46	0.052	0.034	0.004	0.31	0.011		0.007		0.002		<1
394662		2.43	0.223	0.140	0.009	0.71	0.056		0.038		0.010		<1
394663		2.64	0.090	0.023	0.007	0.18	0.003		0.011		0.002		<1
394664		2.65	0.213	0.103	0.009	0.56	0.019		0.025		0.005		<1
394665		1.50	0.147	0.044	0.007	0.26	0.007		0.011		0.002		1
394666		2.77	0.113	0.034	0.008	0.42	0.005		0.013		0.001		<1
394667		4.07	0.139	0.108	0.009	0.49	0.038		0.029		0.011		<1
394668		3.09	0.077	0.009	0.008	0.05	0.003		0.013		0.005		1
394669		2.32	0.013	0.007	0.005	0.06	0.001		<0.005		<0.001		<1
394670		3.37	0.148	0.043	0.009	0.21	0.011		0.028		0.021		<1
394671		3.03	0.206	0.089	0.010	0.36	0.062		0.039		0.032		1
394672		2.58	0.079	0.083	0.007	0.33	0.019		0.018		0.020		<1
394673		2.65	0.015	0.023	0.005	0.12	0.014		<0.005		<0.001		<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE TB07121346

Project:

P.O. No.:

This report is for 75 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
DRY-21	High Temperature Drying
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121346

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
367815		2.71	0.013	0.013	0.005	0.08	0.005	<0.005	0.001	<1
367816		3.48	0.013	0.009	0.005	0.11	0.004	<0.005	0.001	1
367817		1.19	0.007	0.018	0.002	0.84	0.008	<0.005	0.003	<1
367818		2.69	0.022	0.034	0.005	0.34	0.004	<0.005	0.001	1
367819		2.95	0.009	0.007	0.003	0.10	0.003	<0.005	0.001	<1
367820		1.82	0.297	0.089	0.023	2.00	0.039	0.083	0.034	1
367821		2.84	0.852	0.476	0.027	3.92	0.076	0.093	0.038	<1
367822		3.25	0.839	0.520	0.027	3.79	0.075	0.078	0.029	2
367823		1.82	0.043	0.072	0.006	0.22	0.014	0.008	0.001	<1
367824		2.55	0.017	0.016	0.005	0.07	0.004	0.007	0.001	<1
367825		2.71	0.485	0.201	0.017	2.18	0.030	0.043	0.014	<1
367826		2.85	0.796	0.142	0.024	3.71	0.028	0.075	0.018	<1
367827		3.04	1.410	0.259	0.039	6.39	0.029	0.127	0.033	1
367828		2.69	0.053	0.029	0.005	0.21	0.003	0.006	0.002	<1
367829		2.66	0.024	0.015	0.005	0.17	0.003	<0.005	0.001	<1
367830		2.84	0.079	0.042	0.006	0.38	0.004	0.006	0.004	<1
367831		2.88	1.940	0.872	0.052	9.07	0.033	0.208	0.052	2
367832		3.12	2.45	0.430	0.067	10.85	0.095	0.196	0.059	<1
367833		0.06	1.075	0.069	0.011	1.15	0.041	0.096	0.173	1
367834		2.72	1.255	0.299	0.036	5.77	0.020	0.086	0.028	1
367835		3.45	0.998	0.620	0.028	4.56	0.071	0.094	0.024	<1
367836		3.00	0.015	0.015	0.005	0.13	0.003	<0.005	0.001	<1
367837		2.18	0.033	0.034	0.006	0.11	0.004	<0.005	0.001	1
367838		2.40	0.057	0.039	0.006	0.17	0.002	<0.005	0.004	1
367839		2.51	0.030	0.099	0.006	0.22	0.002	<0.005	0.004	<1
367840		2.76	0.332	0.171	0.013	1.59	0.024	0.024	0.011	<1
367841		2.82	0.032	0.007	0.004	0.04	0.001	<0.005	0.001	<1
367842		3.52	1.450	0.423	0.036	7.02	0.004	0.009	0.009	1
367843		2.01	2.43	0.650	0.065	11.20	0.093	0.220	0.090	2
367844		3.65	0.028	0.014	0.004	0.07	0.002	<0.005	0.001	1
367845		2.39	0.828	0.586	0.025	4.03	0.279	0.095	0.052	1
367846		2.95	0.524	0.121	0.018	2.37	0.013	0.049	0.012	<1
367847		2.75	0.179	0.027	0.009	0.60	0.004	0.007	0.005	1
367848		2.71	0.166	0.046	0.010	0.52	0.011	0.106	0.132	1
367849		2.71	0.094	0.020	0.008	0.13	0.009	0.053	0.037	<1
367850		3.50	0.154	0.079	0.010	0.30	0.038	0.076	0.077	1
367851		2.59	0.008	0.007	0.002	0.04	0.001	<0.005	<0.001	1
367852		3.74	0.209	0.079	0.011	0.64	0.031	0.121	0.153	<1
367853		3.43	1.535	0.375	0.066	8.46	0.016	0.076	0.033	<1
367854		2.55	0.887	0.395	0.026	4.27	0.028	0.144	0.026	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 964 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121346

Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
Sample Description LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
367855	2.63	0.338	0.601	0.013	1.85	0.023	0.107	0.017	<1
367856	0.06	1.070	0.068	0.011	1.11	0.051	0.094	0.178	1
367857	1.54	0.479	0.464	0.019	2.46	0.076	0.161	0.031	1
367858	3.20	0.037	0.037	0.005	0.12	0.003	0.009	0.002	<1
367859	3.61	0.017	0.017	0.006	0.13	0.009	<0.005	0.004	<1
367860	3.64	0.016	0.013	0.006	0.09	0.002	<0.005	0.001	<1
367861	3.87	0.033	0.023	0.006	0.27	0.002	0.008	0.003	<1
367862	4.09	0.021	0.020	0.005	0.18	0.001	<0.005	0.001	<1
367863	2.65	0.016	0.017	0.006	0.23	0.003	<0.005	0.002	<1
367864	1.95	0.157	0.072	0.011	1.27	0.011	0.046	0.011	<1
367865	2.63	0.186	0.051	0.010	1.04	0.012	0.075	0.013	<1
367866	3.37	0.028	0.047	0.007	1.67	0.008	0.005	0.002	<1
367867	2.31	0.051	0.039	0.007	1.34	0.006	0.016	0.005	<1
367868	2.57	0.042	0.022	0.006	0.24	0.002	0.011	0.002	<1
367869	2.12	0.045	0.039	0.007	0.34	0.005	0.005	0.003	<1
367870	2.55	0.088	0.031	0.007	0.40	0.004	0.027	0.005	<1
367871	3.15	0.053	0.018	0.005	0.46	0.003	0.012	0.004	1
367872	2.56	0.055	0.021	0.006	0.28	0.002	0.012	0.003	1
367873	2.34	0.076	0.033	0.005	0.34	0.002	0.015	0.005	1
367874	2.58	0.143	0.148	0.010	1.25	0.008	0.038	0.010	1
367875	3.87	0.450	0.193	0.020	2.35	0.094	0.168	0.034	<1
367876	3.31	0.031	0.014	0.004	0.32	<0.001	0.011	0.001	<1
367877	4.14	1.685	0.639	0.051	7.87	0.030	0.466	0.039	1
367878	3.25	1.455	0.623	0.043	6.32	0.031	0.481	0.097	1
367879	2.92	0.779	0.508	0.022	3.49	0.016	0.074	0.014	<1
367880	2.63	0.993	0.417	0.030	4.53	0.014	0.101	0.073	1
367881	2.95	0.141	0.036	0.010	0.60	0.005	0.013	0.013	<1
367882	3.21	0.170	0.118	0.011	0.48	0.052	0.116	0.127	<1
367883	3.10	0.363	0.326	0.011	0.75	0.172	0.223	0.257	1
367884	3.27	0.013	0.013	0.005	0.09	0.001	<0.005	0.002	1
367885	1.57	0.038	0.025	0.005	0.13	0.011	0.024	0.021	<1
367886	2.46	0.012	0.008	0.005	0.05	0.002	<0.005	0.001	1
367887	2.89	0.018	0.031	0.008	0.14	0.011	<0.005	0.001	1
367888	3.01	0.028	0.043	0.008	0.16	0.013	0.009	0.008	<1
367889	3.24	0.013	0.006	0.005	0.06	0.005	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE TB07117279

Project:

P.O. No.:

This report is for 132 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117279

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366674		2.83	0.016	0.007	0.005	0.15	0.003	<0.005	0.001	<1
366675		2.07	0.011	0.010	0.005	0.04	0.008	<0.005	0.001	1
366676		2.18	0.005	<0.005	0.002	0.16	<0.001	<0.005	<0.001	<1
366677		2.45	0.045	0.051	0.004	0.27	0.010	0.010	0.014	1
366678		1.14	0.010	0.008	0.002	0.02	0.006	<0.005	0.006	<1
366679		1.47	0.126	0.064	0.010	0.26	0.033	0.050	0.063	1
366680		2.15	0.080	0.005	0.009	0.07	0.001	0.005	0.004	<1
366681		2.27	0.072	<0.005	0.008	0.02	0.002	0.006	0.003	1
366682		2.36	0.069	0.006	0.007	0.07	0.003	0.006	0.004	1
366683		1.77	0.087	0.008	0.009	0.13	0.004	0.032	0.011	1
366684		2.32	0.099	0.020	0.009	0.12	0.009	0.031	0.012	<1
366685		2.78	0.087	0.037	0.007	0.11	0.022	0.029	0.012	1
366686		2.52	0.114	0.074	0.009	0.29	0.047	0.057	0.034	1
366687		2.23	0.091	0.031	0.008	0.12	0.017	0.026	0.016	1
366688		2.48	0.099	0.035	0.009	0.19	0.014	0.033	0.017	<1
366689		2.67	0.124	0.067	0.008	0.21	0.043	0.088	0.040	<1
366690		2.85	0.081	0.013	0.008	0.18	0.007	0.034	0.008	<1
366691		0.06	1.025	0.073	0.010	1.16	0.038	0.113	0.168	<1
366692		2.20	0.099	0.040	0.009	0.28	0.050	0.091	0.028	<1
366693		2.31	0.074	0.016	0.009	0.11	0.006	0.011	0.004	<1
366694		2.40	0.110	0.060	0.008	0.22	0.036	0.013	0.005	<1
366695		2.75	0.429	0.301	0.017	2.06	0.178	0.079	0.023	2
366696		2.46	0.070	0.023	0.008	0.32	0.012	0.013	0.004	1
366697		2.53	0.123	0.061	0.009	0.67	0.019	0.011	0.006	<1
366698		2.31	0.101	0.041	0.006	0.36	0.013	0.013	0.004	<1
366699		2.53	0.066	0.021	0.007	0.22	0.006	0.009	0.002	<1
366700		2.29	0.051	0.013	0.005	0.04	0.003	<0.005	0.001	<1
366701		2.39	0.039	0.034	0.006	0.87	0.018	0.006	0.008	<1
366702		2.44	0.099	0.051	0.008	0.45	0.018	0.018	0.007	<1
366703		1.47	0.092	0.062	0.008	0.23	0.014	0.015	0.006	<1
366704		3.59	0.162	0.086	0.010	0.66	0.022	0.024	0.009	<1
366705		3.01	0.097	0.044	0.009	0.61	0.013	0.013	0.006	<1
366706		2.38	0.065	0.032	0.007	0.19	0.009	0.011	0.004	<1
366707		2.57	0.031	0.023	0.005	0.26	0.007	<0.005	<0.001	<1
366708		2.80	0.298	0.153	0.013	0.92	0.049	0.053	0.018	1
366709		2.34	0.087	0.028	0.007	0.14	0.008	0.015	0.005	<1
366710		2.35	0.039	0.017	0.005	0.06	0.008	0.006	0.002	<1
366711		2.48	0.023	0.013	0.004	0.08	0.007	<0.005	0.001	<1
366712		2.39	0.050	0.033	0.005	0.07	0.015	0.008	0.004	<1
366713		2.52	0.010	0.021	0.005	0.11	0.012	0.008	0.006	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117279

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366714		1.89	0.196	0.075	0.009	0.41	0.030	0.038	0.016	<1
366715		3.11	<0.005	0.005	0.002	0.01	0.002	<0.005	<0.001	<1
366716		2.34	<0.005	<0.005	0.002	0.02	0.002	<0.005	<0.001	<1
366717		3.22	0.005	<0.005	0.002	0.03	0.002	<0.005	<0.001	1
366718		3.89	0.273	0.111	0.010	0.77	0.036	0.038	0.014	<1
366719		2.01	0.202	0.096	0.011	0.80	0.023	0.024	0.009	<1
366720		2.46	0.068	0.049	0.006	0.27	0.016	0.009	0.005	<1
366721		2.48	0.084	0.064	0.008	1.48	0.017	0.009	0.006	1
366722		0.06	1.010	0.068	0.010	1.13	0.042	0.123	0.174	<1
366723		2.76	0.069	0.053	0.007	0.24	0.015	<0.005	0.002	<1
366724		2.51	0.113	0.039	0.008	0.19	0.015	0.017	0.006	1
366725		2.58	0.096	0.050	0.007	0.19	0.015	0.011	0.004	1
366726		2.43	0.692	0.267	0.021	2.52	0.056	0.056	0.017	2
366727		2.79	0.497	0.165	0.017	1.90	0.026	0.046	0.012	1
366728		2.43	1.055	6.42	0.029	10.25	0.185	0.091	0.044	18
366729		2.99	2.48	0.415	0.058	9.48	0.052	0.176	0.044	2
366730		3.63	0.929	1.255	0.024	4.59	0.291	0.090	0.017	4
366731		1.99	0.013	0.014	0.003	0.16	0.003	<0.005	0.001	<1
366732		4.18	0.129	0.251	0.009	1.40	0.060	<0.005	0.003	1
366733		2.84	0.085	0.095	0.006	1.11	0.119	0.008	0.004	1
366734		2.70	0.068	0.209	0.006	1.54	0.065	0.015	0.004	1
366735		2.48	0.033	0.040	0.007	1.73	0.023	0.009	0.003	<1
366736		2.81	0.020	0.015	0.006	1.15	0.005	<0.005	0.002	<1
366737		2.10	0.044	0.048	0.007	1.42	0.014	0.005	0.003	1
366738		1.93	0.018	0.023	0.007	0.78	0.008	<0.005	0.001	1
366739		3.66	0.251	0.250	0.010	1.14	0.172	0.068	0.016	2
366740		2.28	0.207	0.392	0.008	0.95	0.147	0.052	0.013	3
366741		2.37	0.150	0.173	0.008	0.82	0.103	0.037	0.009	2
366742		2.47	0.090	0.055	0.008	0.53	0.023	0.014	0.007	1
366743		2.49	0.084	0.084	0.006	0.31	0.063	0.020	0.007	1
366744		2.66	0.109	0.076	0.008	0.39	0.038	0.023	0.009	1
366745		2.72	0.107	0.135	0.007	0.49	0.113	0.029	0.007	1
366746		2.44	0.179	0.251	0.010	1.13	0.129	0.046	0.010	3
366747		2.67	0.186	0.104	0.009	0.75	0.089	0.034	0.011	1
366748		2.09	0.138	0.134	0.009	0.72	0.090	0.029	0.009	1
366749		2.37	0.072	0.072	0.007	0.94	0.027	0.007	0.003	1
366750		2.53	0.212	0.084	0.010	0.92	0.055	0.023	0.009	1
366751		2.60	0.330	0.339	0.015	1.71	0.149	0.058	0.027	3
366752		2.67	0.176	0.109	0.010	0.80	0.043	0.020	0.007	1
366753		2.16	0.227	0.093	0.013	1.34	0.028	0.027	0.008	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117279

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366754		2.40	0.047	0.022	0.005	0.25	0.007	<0.005	0.001	1
366755		1.92	0.291	0.123	0.019	2.00	0.044	0.030	0.010	1
366756		2.82	0.054	0.026	0.003	0.36	0.017	<0.005	0.002	1
366757		2.61	0.007	0.006	0.002	0.09	0.002	<0.005	<0.001	<1
366758		2.03	0.150	0.139	0.006	0.64	0.088	0.033	0.008	1
366759		2.28	0.061	0.026	0.004	0.29	0.030	0.007	0.002	<1
366760		2.45	0.060	0.052	0.006	0.40	0.041	0.016	0.007	1
366761		2.53	0.462	0.301	0.015	2.07	0.241	0.079	0.023	3
366762		2.52	0.040	0.026	0.004	0.36	0.012	<0.005	0.001	<1
366763		2.18	0.031	0.016	0.004	0.38	0.007	<0.005	0.001	<1
366764		2.66	0.029	0.024	0.005	0.88	0.010	<0.005	0.001	<1
366765		2.55	0.029	0.021	0.006	0.74	0.009	<0.005	0.004	<1
366766		2.54	0.089	0.057	0.006	0.45	0.019	0.018	0.004	1
366767		2.38	0.305	0.159	0.014	1.57	0.047	0.036	0.012	1
366768		2.44	0.210	0.062	0.011	1.17	0.033	0.023	0.010	<1
366769		2.99	0.117	0.049	0.007	0.58	0.012	0.014	0.005	<1
366770		1.40	0.007	0.011	0.004	0.15	0.004	<0.005	<0.001	<1
366771		2.45	0.391	0.197	0.014	1.83	0.071	0.043	0.012	1
366772		2.39	0.079	0.021	0.007	0.41	0.005	0.005	0.002	<1
366773		2.35	0.052	0.023	0.003	0.54	0.011	0.007	0.002	<1
366774		2.57	0.050	0.020	0.004	0.24	0.004	0.006	0.002	<1
366775		2.41	0.547	0.195	0.019	2.68	0.045	0.053	0.019	1
366776		2.41	0.497	0.259	0.017	2.49	0.058	0.063	0.026	1
366777		2.39	0.154	0.122	0.009	0.92	0.045	0.013	0.007	<1
366778		3.20	0.133	0.046	0.009	0.70	0.018	0.013	0.005	<1
366779		2.81	0.064	0.032	0.006	0.35	0.017	0.007	0.002	<1
366780		2.57	0.136	0.071	0.008	0.60	0.017	0.020	0.019	<1
366781		2.34	0.186	0.099	0.010	0.91	0.059	0.029	0.018	<1
366782		3.09	0.231	0.141	0.012	1.87	0.040	0.021	0.010	1
366783		0.06	1.045	0.071	0.011	1.21	0.040	0.089	0.181	1
366784		2.42	0.027	0.014	0.007	0.43	0.004	<0.005	0.001	<1
366785		2.72	0.084	0.055	0.007	0.50	0.019	0.008	0.004	<1
366786		2.70	0.051	0.024	0.006	0.33	0.007	0.007	0.002	<1
366787		2.44	0.095	0.102	0.011	1.08	0.037	0.005	0.003	<1
366788		2.70	0.177	0.093	0.011	1.21	0.029	0.012	0.007	1
366789		2.57	0.093	0.042	0.007	0.56	0.013	0.009	0.003	<1
366790		2.37	0.515	0.195	0.017	2.44	0.067	0.046	0.019	1
366791		2.38	0.637	0.307	0.023	3.32	0.150	0.058	0.024	1
366792		2.89	0.138	0.031	0.007	0.55	0.013	0.014	0.006	<1
366793		2.17	0.028	0.018	0.005	0.04	0.008	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117279

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366794		2.53	0.570	0.354	0.014	1.95	0.098	0.068	0.029	2
366795		2.86	1.490	0.491	0.029	4.97	0.208	0.175	0.053	3
366796		2.81	1.800	0.479	0.033	5.39	0.253	0.134	0.044	3
366797		3.11	0.396	0.457	0.012	1.05	0.287	0.125	0.061	4
366798		2.52	0.672	0.537	0.016	1.79	0.409	0.340	0.300	6
366799		2.28	0.130	0.048	0.009	0.14	0.020	0.063	0.060	<1
366800		3.06	0.155	0.055	0.010	0.19	0.050	0.136	0.128	1
366801		2.78	0.495	0.355	0.015	1.34	0.148	0.549	0.580	3
366802		3.07	0.309	0.130	0.008	0.62	0.050	0.093	0.096	2
366803		1.79	0.030	0.048	0.004	0.16	0.015	0.023	0.021	1
366804		2.58	0.012	0.010	0.004	0.11	0.001	<0.005	<0.001	1
366805		2.41	0.016	0.009	0.005	<0.01	0.001	<0.005	<0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE TB07117278

Project:

P.O. No.:

This report is for 94 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117278

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
366930		2.59	0.007	0.005	0.003	0.15	<0.001	<0.005	0.001	<1
366931		2.13	0.019	0.012	0.005	0.10	0.003	<0.005	0.002	<1
366932		3.42	0.026	0.020	0.005	0.13	0.009	0.006	0.007	1
366933		1.82	0.178	0.114	0.009	0.41	0.064	0.043	0.058	<1
366934		2.94	0.182	0.108	0.009	0.48	0.046	0.077	0.086	1
366935		2.02	0.077	0.019	0.007	0.04	0.013	0.025	0.058	<1
366936		1.96	0.075	0.007	0.009	0.07	0.002	<0.005	0.003	<1
366937		2.33	0.076	0.007	0.009	0.06	0.003	0.005	0.010	<1
366938		2.76	0.068	0.005	0.009	0.05	0.001	<0.005	0.003	<1
366939		2.66	0.072	0.009	0.009	0.05	0.003	<0.005	0.003	<1
366940		2.66	0.070	0.009	0.009	0.13	0.006	<0.005	0.003	<1
366941		2.55	0.072	0.010	0.009	0.04	0.003	<0.005	0.002	<1
366942		2.66	0.068	0.013	0.008	0.05	0.003	<0.005	0.003	<1
366943		2.88	0.081	0.018	0.009	0.11	0.005	0.011	0.004	<1
366944		2.32	0.070	0.005	0.009	0.05	0.001	<0.005	0.002	<1
366945		3.11	0.083	0.008	0.009	0.05	0.002	<0.005	0.004	<1
366946		2.42	0.409	0.245	0.017	2.00	0.142	0.067	0.054	2
366947		2.79	0.115	0.048	0.007	0.24	0.019	0.022	0.013	<1
366948		2.88	0.073	0.018	0.008	0.10	0.005	0.007	0.006	<1
366949		0.06	1.035	0.071	0.011	1.13	0.049	0.105	0.169	1
366950		2.83	0.074	0.007	0.009	0.05	0.002	0.006	0.003	<1
366951		2.82	0.073	0.008	0.009	0.03	0.003	<0.005	0.004	<1
366952		2.91	0.090	0.046	0.008	0.12	0.030	0.009	0.008	<1
366953		2.73	0.261	0.316	0.012	0.87	0.249	0.074	0.037	1
366954		2.58	0.116	0.072	0.009	0.17	0.048	0.021	0.015	<1
366955		2.83	0.108	0.060	0.009	0.17	0.037	0.020	0.014	<1
366956		2.99	0.242	0.149	0.011	0.62	0.085	0.052	0.025	1
366957		1.47	0.972	0.725	0.066	8.76	1.055	0.104	0.037	3
366958		2.35	0.014	0.013	0.004	0.13	0.005	<0.005	<0.001	<1
366959		3.38	0.315	0.119	0.015	1.37	0.033	0.050	0.013	1
366960		2.76	0.358	0.293	0.011	1.21	0.116	0.051	0.014	<1
366961		2.40	0.047	0.025	0.005	0.06	0.013	0.005	0.002	<1
366962		2.39	0.195	0.142	0.009	0.60	0.035	0.024	0.011	1
366963		2.57	0.043	0.032	0.005	0.18	0.008	<0.005	0.005	1
366964		2.72	0.805	0.593	0.024	3.49	0.118	0.025	0.015	3
366965		2.83	0.793	0.887	0.019	3.43	0.321	0.107	0.021	3
366966		1.77	0.191	0.148	0.009	0.75	0.109	0.031	0.006	1
366967		2.43	0.156	0.062	0.007	0.57	0.099	0.034	0.004	<1
366968		2.51	0.237	0.237	0.011	1.15	0.148	0.045	0.013	<1
366969		2.33	0.407	0.288	0.013	1.77	0.138	0.048	0.015	3

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117278

Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
Sample Description LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366970	2.40	0.092	0.108	0.006	0.32	0.023	0.011	0.004	<1
366971	3.05	0.090	0.070	0.006	0.28	0.041	0.009	0.005	<1
366972	2.77	0.837	0.337	0.032	3.96	0.213	0.023	0.010	1
366973	2.21	0.067	0.058	0.004	0.31	0.022	0.006	0.002	<1
366974	3.46	0.006	0.005	<0.002	0.03	<0.001	<0.005	<0.001	<1
366975	3.79	0.476	0.402	0.016	2.11	0.228	0.110	0.032	3
366976	2.79	0.415	0.285	0.015	1.82	0.167	0.080	0.023	<1
366977	1.18	0.015	0.013	0.006	0.24	0.001	<0.005	0.001	<1
366978	2.80	0.337	0.347	0.014	1.77	0.163	0.070	0.022	2
366979	2.12	0.277	0.126	0.012	1.05	0.066	0.052	0.018	<1
366980	2.40	0.081	0.033	0.007	0.19	0.014	0.010	0.003	1
366981	2.60	0.015	0.012	0.005	0.16	0.002	<0.005	<0.001	<1
366982	3.24	0.064	0.014	0.007	0.09	0.005	0.008	0.002	<1
366983	0.06	1.115	0.073	0.012	1.18	0.047	0.095	0.166	<1
366984	2.46	0.139	0.085	0.007	0.43	0.019	0.014	0.005	2
366985	2.63	0.101	0.046	0.007	0.62	0.020	<0.005	0.003	3
366986	2.57	0.187	0.140	0.010	1.38	0.055	0.028	0.010	2
366987	2.09	0.326	0.231	0.013	1.46	0.136	0.068	0.021	3
366988	2.42	0.259	0.241	0.011	1.17	0.146	0.066	0.018	<1
366989	2.73	0.162	0.072	0.010	1.17	0.075	0.014	0.007	1
366990	2.94	0.021	0.010	0.005	0.32	0.003	<0.005	0.001	<1
366991	3.02	0.026	0.026	0.005	0.33	0.008	<0.005	0.001	<1
366992	3.43	0.497	0.155	0.023	2.69	0.065	0.048	0.017	<1
366993	2.72	0.904	0.382	0.027	4.32	0.101	0.085	0.032	2
366994	2.61	0.145	0.059	0.009	0.80	0.023	0.016	0.006	<1
366995	2.35	0.118	0.067	0.009	0.55	0.023	0.008	0.004	1
366996	2.57	0.053	0.042	0.007	0.92	0.010	<0.005	0.002	<1
366997	2.45	0.105	0.084	0.009	0.98	0.039	0.010	0.004	<1
366998	2.37	0.308	0.269	0.014	1.65	0.097	0.064	0.018	3
366999	2.99	0.021	0.018	0.006	0.32	0.007	<0.005	0.002	<1
367000	2.48	0.132	0.086	0.008	0.70	0.045	0.030	0.009	1
367501	2.56	0.205	0.084	0.010	0.92	0.031	0.023	0.008	<1
367502	2.71	0.018	0.020	0.004	0.29	0.007	<0.005	<0.001	<1
367503	2.66	0.185	0.095	0.009	0.98	0.053	0.025	0.009	1
367504	2.86	0.109	0.077	0.008	0.70	0.054	0.016	0.007	1
367505	2.37	0.037	0.038	0.003	0.33	0.003	0.005	0.001	<1
367506	2.66	0.149	0.088	0.008	1.01	0.034	0.012	0.005	1
367507	2.42	0.076	0.055	0.007	0.34	0.029	0.007	0.003	1
367508	3.05	0.323	0.211	0.013	1.49	0.090	0.058	0.013	1
367509	2.92	0.126	0.066	0.008	0.81	0.018	0.008	0.003	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117278

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
367510		2.99	0.180	0.068	0.009	0.79	0.012	0.014	0.004	1
367511		2.39	0.122	0.082	0.008	0.43	0.020	0.018	0.003	<1
367512		3.32	1.515	0.669	0.045	7.37	0.100	0.093	0.031	3
367513		2.10	0.026	0.019	0.003	0.22	0.007	<0.005	0.001	<1
367514		2.57	0.013	0.013	0.003	0.15	0.003	<0.005	<0.001	<1
367515		2.52	0.030	0.032	0.006	0.24	0.020	<0.005	0.002	<1
367516		2.45	0.012	0.014	0.005	0.62	0.005	<0.005	0.001	<1
367517		2.65	0.012	0.014	0.005	0.41	0.002	<0.005	0.001	1
367518		2.29	0.014	0.016	0.006	0.25	0.003	<0.005	0.001	<1
367519		2.20	0.014	0.013	0.005	0.18	0.003	<0.005	0.001	1
367520		2.82	0.014	0.014	0.005	0.20	0.003	<0.005	0.001	1
367521		2.63	0.019	0.021	0.005	0.17	0.007	<0.005	0.001	1
367522		2.24	0.014	0.014	0.005	0.09	0.004	<0.005	0.001	<1
367523		2.49	0.016	0.013	0.006	0.13	0.005	<0.005	0.002	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE TB07117247

Project:

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117247

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
367524		2.90	0.015	0.006	0.003	0.05	0.004	<0.005	<0.001	<1
367525		1.95	0.019	0.033	0.006	0.11	0.033	0.023	0.021	<1
367526		1.62	0.046	0.069	0.004	0.19	0.047	0.030	0.029	<1
367527		1.96	0.036	0.063	0.006	0.58	0.043	0.035	0.034	<1
367528		1.88	0.187	0.071	0.012	0.46	0.091	0.081	0.081	<1
367529		2.56	0.161	0.088	0.010	0.52	0.056	0.137	0.169	<1
367530		3.26	0.477	0.269	0.017	1.62	0.204	0.082	0.064	1
367531		2.02	0.258	0.176	0.009	0.72	0.325	0.129	0.109	<1
367532		2.37	0.039	0.008	0.006	0.03	0.002	<0.005	0.001	1
367533		2.57	0.043	0.012	0.005	0.05	0.003	<0.005	0.001	<1
367534		1.78	0.144	0.050	0.008	0.39	0.010	0.014	0.004	<1
367535		3.46	0.754	0.539	0.022	3.70	0.021	0.111	0.081	<1
367536		0.06	1.065	0.070	0.011	1.14	0.040	0.163	0.162	1
367537		3.31	0.097	0.030	0.006	0.49	0.005	<0.005	0.003	<1
367538		1.67	2.30	0.363	0.066	11.35	0.023	0.180	0.035	1
367539		2.52	0.512	0.888	0.018	3.17	0.056	0.073	0.012	1
367540		2.27	1.865	0.633	0.057	9.66	0.095	0.326	0.024	1
367541		0.87	0.024	0.020	0.006	0.15	0.003	<0.005	0.001	<1
367542		3.41	0.065	0.023	0.006	0.48	0.004	0.013	0.002	<1
367543		2.35	0.012	0.010	0.004	0.08	0.003	<0.005	0.001	<1
367544		2.50	0.058	0.025	0.005	0.33	0.005	0.011	0.003	<1
367545		2.75	0.095	0.051	0.007	0.57	0.005	0.035	0.007	<1
367546		2.29	0.057	0.021	0.005	0.39	0.004	0.014	0.004	<1
367547		2.59	0.016	0.012	0.005	0.16	0.003	<0.005	0.001	<1
367548		2.89	0.015	0.013	0.005	0.19	0.004	<0.005	0.001	1
367549		2.24	0.019	0.015	0.004	0.24	0.003	<0.005	0.001	<1
367550		2.47	0.009	0.007	0.003	0.20	0.002	<0.005	<0.001	<1
367551		2.72	0.016	0.014	0.006	0.23	0.003	<0.005	0.001	<1
367552		2.90	0.014	0.014	0.005	0.19	0.003	<0.005	0.001	<1
367553		2.64	0.015	0.010	0.006	0.16	0.003	<0.005	0.009	<1
367554		2.64	0.014	0.016	0.004	0.40	0.003	<0.005	0.002	<1
367555		2.63	0.016	0.015	0.005	0.27	0.003	<0.005	0.007	<1
367556		2.50	0.021	0.015	0.006	0.30	0.002	<0.005	0.001	<1
367557		2.90	0.022	0.013	0.005	0.15	0.003	<0.005	0.001	<1
367558		3.73	0.029	0.019	0.007	0.48	0.002	<0.005	0.001	<1
367559		4.03	0.056	0.025	0.007	0.55	0.003	0.006	0.003	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE TB07117276

Project:

P.O. No.:

This report is for 63 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117276

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366611		2.78	0.015	0.011	0.004	0.03	0.006	<0.005	0.001	<1
366612		2.42	0.014	0.014	0.004	0.06	0.014	<0.005	0.002	<1
366613		2.12	0.022	0.018	0.004	0.26	0.017	0.006	0.006	<1
366614		1.70	0.011	0.007	0.002	0.01	0.002	<0.005	<0.001	<1
366615		3.48	0.209	0.105	0.012	0.96	0.039	0.065	0.057	1
366616		2.86	0.215	0.150	0.008	0.67	0.076	0.078	0.074	<1
366617		3.19	1.735	1.255	0.045	7.24	0.102	0.126	0.037	4
366618		0.06	1.085	0.075	0.010	1.17	0.034	0.093	0.158	1
366619		2.38	2.35	1.050	0.066	9.22	0.215	0.104	0.041	5
366620		1.85	2.39	1.440	0.047	8.39	0.188	0.119	0.049	5
366621		2.53	0.022	0.019	0.005	0.11	0.003	<0.005	0.001	<1
366622		3.19	0.021	0.028	0.006	0.07	0.011	0.021	0.029	<1
366623		3.17	0.020	0.015	0.005	0.03	0.006	0.011	0.019	<1
366624		1.29	3.56	0.496	0.093	14.75	0.188	0.122	0.046	2
366625		2.47	0.012	0.008	0.002	0.20	0.003	<0.005	<0.001	<1
366626		1.73	0.053	0.022	0.006	0.23	0.009	0.008	0.006	<1
366627		1.04	0.108	0.096	0.008	0.79	0.045	0.024	0.007	<1
366628		1.98	0.013	0.009	0.004	0.38	0.005	<0.005	0.001	<1
366629		2.50	0.022	0.013	0.006	0.43	0.008	<0.005	0.002	<1
366630		4.11	0.021	0.014	0.005	0.60	0.005	<0.005	0.002	<1
366631		4.06	0.014	0.011	0.005	0.58	0.005	<0.005	0.002	<1
366632		2.41	0.018	0.008	0.006	0.37	0.004	<0.005	0.001	<1
366633		4.46	0.014	0.009	0.005	1.60	0.004	<0.005	0.001	<1
366634		3.56	0.113	0.043	0.007	2.21	0.009	0.006	0.003	<1
366635		2.36	0.311	0.106	0.012	1.48	0.027	0.015	0.006	1
366636		1.31	0.515	0.207	0.014	2.52	0.026	0.022	0.009	<1
366637		3.84	0.044	0.009	0.005	0.23	0.006	0.005	0.002	<1
366638		3.50	0.059	0.046	0.005	0.37	0.009	0.005	0.003	<1
366639		3.54	0.060	0.208	0.004	0.51	0.174	0.008	0.003	1
366640		3.55	0.091	0.079	0.007	0.70	0.045	0.017	0.004	<1
366641		3.97	0.200	0.091	0.008	0.92	0.036	0.022	0.008	<1
366642		3.95	0.098	0.080	0.007	0.52	0.046	0.019	0.006	1
366643		3.62	0.015	0.007	0.004	0.10	0.005	<0.005	<0.001	<1
366644		2.84	0.093	0.025	0.007	0.26	0.009	0.014	0.006	1
366645		2.72	0.181	0.084	0.010	0.69	0.039	0.022	0.010	<1
366646		2.83	0.231	0.105	0.013	1.41	0.032	0.026	0.009	<1
366647		3.74	0.287	0.106	0.011	1.07	0.033	0.031	0.013	1
366648		0.05	1.070	0.066	0.010	1.13	0.050	0.102	0.174	1
366649		2.26	1.280	0.527	0.056	7.38	0.103	0.152	0.047	3
366650		2.80	0.057	0.035	0.005	0.18	0.012	<0.005	0.002	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117276

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
366651		2.03	0.309	0.377	0.014	1.42	0.144	0.105	0.036	2
366652		2.45	0.376	0.127	0.015	1.29	0.035	0.031	0.021	1
366653		2.76	0.384	0.141	0.013	1.44	0.056	0.046	0.047	<1
366654		2.65	0.421	0.319	0.013	1.64	0.191	0.075	0.032	2
366655		1.14	0.014	0.008	0.004	0.15	0.004	<0.005	0.001	<1
366656		2.60	0.135	0.049	0.006	0.46	0.018	0.016	0.005	<1
366657		2.71	0.555	0.328	0.032	2.28	0.195	0.169	0.134	4
366658		2.70	0.253	0.187	0.010	0.57	0.176	0.112	0.118	1
366659		3.05	0.253	0.098	0.014	1.08	0.066	0.104	0.104	1
366660		2.58	0.186	0.087	0.009	0.29	0.047	0.029	0.028	1
366661		2.36	0.160	0.259	0.009	0.38	0.075	0.042	0.041	2
366662		2.29	0.267	0.254	0.012	0.68	0.125	0.131	0.084	2
366663		3.21	0.140	0.140	0.009	0.23	0.079	0.065	0.039	1
366664		2.24	0.269	0.396	0.011	0.73	0.202	0.128	0.088	3
366665		3.27	0.563	0.631	0.015	1.50	0.314	0.196	0.143	5
366666		2.04	0.115	0.046	0.009	0.07	0.042	0.036	0.021	1
366667		2.59	0.120	0.048	0.008	0.09	0.027	0.044	0.050	<1
366668		2.44	0.174	0.127	0.010	0.39	0.130	0.104	0.120	1
366669		1.32	0.512	0.347	0.015	1.97	0.221	0.167	1.245	4
366670		2.74	0.018	0.046	<0.002	0.11	0.026	0.008	0.045	1
366671		2.31	0.050	0.027	0.002	0.23	0.009	0.013	0.020	1
366672		2.72	0.006	<0.005	<0.002	0.06	0.001	<0.005	0.001	<1
366673		2.34	0.006	0.011	0.003	0.06	0.005	<0.005	0.001	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE TB07117277

Project:

P.O. No.:

This report is for 122 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117277

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
367890		2.74	0.017	0.018	0.007	0.13	0.009	<0.005	0.001	1
367891		2.16	0.013	0.015	0.004	0.10	0.007	<0.005	0.001	<1
367892		2.63	0.032	0.034	0.005	0.12	0.028	0.014	0.019	<1
367893		2.04	0.107	0.077	0.006	0.37	0.051	0.035	0.042	<1
367894		2.67	0.064	0.008	0.009	0.09	0.006	0.007	0.007	1
367895		2.61	0.068	0.006	0.008	0.05	0.004	<0.005	0.004	<1
367896		2.50	0.087	0.075	0.009	0.18	0.043	0.017	0.013	<1
367897		2.42	0.082	<0.005	0.010	0.06	0.003	0.006	0.005	1
367898		2.79	0.065	0.006	0.007	0.06	0.003	0.005	0.002	1
367899		2.35	0.053	0.008	0.006	0.03	0.004	<0.005	0.002	<1
367900		2.50	0.065	0.008	0.008	0.07	0.006	<0.005	0.002	1
367901		2.40	0.064	0.009	0.007	0.03	0.004	<0.005	0.002	<1
367902		2.49	0.068	0.009	0.009	0.06	0.005	<0.005	0.002	<1
367903		2.72	0.116	0.009	0.008	0.06	0.005	<0.005	0.002	<1
367904		2.69	0.073	0.008	0.008	0.07	0.005	<0.005	0.002	<1
367905		3.02	0.066	0.007	0.008	0.04	0.004	0.005	0.002	<1
367906		2.40	0.073	0.006	0.009	0.06	0.003	<0.005	0.003	<1
367907		2.72	0.069	0.007	0.009	0.09	0.004	0.005	0.003	<1
367908		2.73	0.072	0.007	0.008	0.05	0.004	<0.005	0.002	<1
367909		2.32	0.074	0.007	0.009	0.06	0.005	<0.005	0.002	<1
367910		2.33	0.072	0.005	0.008	0.04	0.003	<0.005	0.002	1
367911		2.71	0.065	0.006	0.008	0.05	0.003	<0.005	0.001	<1
367912		2.54	0.221	0.231	0.011	0.46	0.130	0.046	0.029	2
367913		0.06	1.025	0.069	0.012	1.11	0.070	0.130	0.172	1
367914		2.94	0.176	0.163	0.011	0.51	0.149	0.042	0.024	2
367915		2.60	0.079	0.020	0.008	0.09	0.011	0.010	0.006	<1
367916		2.75	0.100	0.035	0.008	0.20	0.021	0.014	0.008	1
367917		2.32	0.123	0.065	0.009	0.21	0.017	0.019	0.011	1
367918		2.38	0.070	0.005	0.009	0.03	0.002	0.006	0.003	1
367919		2.35	0.070	0.006	0.009	0.02	0.003	0.005	0.003	<1
367920		2.64	0.069	0.007	0.008	0.05	0.004	<0.005	0.002	<1
367921		2.82	0.065	0.005	0.007	0.03	0.003	<0.005	0.002	<1
367922		1.52	0.063	<0.005	0.008	0.04	0.002	<0.005	0.001	<1
367923		4.48	0.087	0.029	0.008	0.14	0.020	0.023	0.013	1
367924		1.64	0.140	0.115	0.009	0.24	0.056	0.031	0.012	2
367925		2.67	0.140	0.116	0.010	0.21	0.042	0.055	0.019	1
367926		3.84	0.143	0.071	0.006	0.38	0.031	0.024	0.011	1
367927		1.71	0.087	0.072	0.010	1.04	0.038	0.007	0.003	1
367928		1.83	0.016	0.018	0.005	0.40	0.006	<0.005	0.001	1
367929		2.56	0.106	0.078	0.009	0.78	0.029	0.015	0.004	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117277

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
367930		4.70	0.092	0.033	0.006	0.20	0.014	0.011	0.003	1
367931		Not Recvd								
367932		2.47	0.022	0.043	0.005	0.63	0.010	<0.005	<0.001	1
367933		1.77	0.076	0.061	0.007	0.47	0.030	0.012	0.004	1
367934		2.89	0.180	0.095	0.009	0.56	0.060	0.028	0.010	1
367935		2.40	0.044	0.055	0.007	0.73	0.024	<0.005	0.001	1
367936		2.68	0.040	0.029	0.006	0.33	0.011	<0.005	<0.001	1
367937		2.64	0.078	0.046	0.009	0.81	0.017	0.013	0.005	1
367938		2.25	0.016	0.014	0.007	2.22	0.003	<0.005	<0.001	<1
367939		2.73	0.010	0.009	0.004	1.73	0.002	<0.005	<0.001	1
367940		3.13	0.037	0.023	0.005	0.42	0.007	<0.005	0.001	<1
367941		2.26	0.128	0.101	0.009	0.73	0.036	0.015	0.003	<1
367942		2.16	0.257	0.228	0.012	1.27	0.102	0.025	0.010	1
367943		2.77	0.087	0.082	0.006	1.72	0.036	0.009	0.004	<1
367944		3.07	0.017	0.015	0.006	2.45	0.008	<0.005	0.001	<1
367945		2.15	0.070	0.034	0.007	0.22	0.017	0.014	0.003	<1
367946		2.69	0.200	0.132	0.010	0.82	0.123	0.040	0.010	<1
367947		2.48	0.181	0.117	0.009	0.62	0.053	0.024	0.008	<1
367948		2.35	0.077	0.087	0.005	0.26	0.067	0.017	0.004	1
367949		2.77	0.137	0.078	0.009	0.67	0.018	0.022	0.006	<1
367950		2.33	0.251	0.109	0.012	1.23	0.030	0.019	0.007	<1
367951		2.52	0.017	0.027	0.005	0.69	0.005	<0.005	<0.001	1
367952		0.06	1.045	0.072	0.011	1.14	0.035	0.095	0.159	1
367953		1.95	0.202	0.070	0.010	0.74	0.020	0.017	0.005	1
367954		1.65	0.032	0.014	0.005	0.30	0.002	<0.005	0.001	<1
367955		3.00	0.113	0.043	0.007	0.37	0.010	0.012	0.003	<1
367956		2.30	0.056	0.020	0.006	0.52	0.004	<0.005	0.003	<1
367957		1.86	0.163	0.104	0.009	1.08	0.012	<0.005	0.007	<1
367958		1.01	0.017	0.009	0.005	0.03	0.002	<0.005	<0.001	1
367959		2.45	0.082	0.045	0.006	1.02	0.013	0.008	0.003	1
367960		2.87	0.033	0.019	0.005	0.58	0.008	<0.005	0.002	1
367961		3.15	0.062	0.028	0.006	1.45	0.012	0.007	0.002	1
367962		1.91	0.113	0.047	0.009	0.61	0.016	<0.005	<0.001	1
367963		2.18	0.006	0.007	0.002	0.24	0.001	<0.005	<0.001	1
367964		2.91	0.007	<0.005	<0.002	0.08	<0.001	<0.005	<0.001	1
367965		2.44	0.072	0.055	0.006	0.32	0.019	0.008	0.004	<1
367966		2.47	0.264	0.129	0.011	1.27	0.045	0.030	0.010	1
367967		2.38	0.051	0.022	0.005	0.15	0.008	<0.005	0.002	<1
367968		3.15	0.041	0.026	0.004	0.09	0.005	<0.005	0.001	1
367969		3.16	0.109	0.067	0.007	0.56	0.021	0.019	0.006	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117277

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
367970		2.58	0.021	0.006	0.005	0.05	0.001	<0.005	0.001	<1
367971		2.78	0.183	0.092	0.010	1.21	0.033	0.020	0.008	1
367972		2.43	0.026	0.011	0.006	0.11	0.005	<0.005	0.001	1
367973		2.58	0.071	0.076	0.005	0.25	0.090	0.023	0.013	1
367974		2.36	0.181	0.131	0.007	0.80	0.041	0.015	0.015	<1
367975		2.94	0.043	0.033	0.004	0.09	0.018	0.009	0.007	<1
367976		2.34	0.026	0.022	0.004	0.16	0.010	0.007	0.003	<1
367977		2.29	0.029	0.016	0.004	0.04	0.009	<0.005	0.001	<1
367978		3.37	0.043	0.021	0.006	0.15	0.009	0.005	0.005	<1
367979		1.80	0.010	0.006	0.002	0.14	0.002	<0.005	<0.001	<1
367980		2.21	<0.005	<0.005	0.002	0.03	0.002	<0.005	<0.001	<1
367961		3.10	0.009	<0.005	0.004	0.06	0.001	<0.005	<0.001	<1
367982		2.06	0.052	0.031	0.006	0.16	0.012	<0.005	0.002	<1
367983		2.79	0.127	0.057	0.010	0.71	0.020	0.016	0.007	<1
367984		2.37	0.035	0.024	0.006	0.23	0.009	<0.005	0.001	<1
367985		2.62	0.260	0.119	0.011	1.58	0.030	0.037	0.014	1
367966		2.50	0.293	0.104	0.012	1.47	0.049	0.038	0.012	1
367967		2.34	0.015	0.013	0.005	0.18	0.002	<0.005	0.001	<1
367988		2.50	0.017	0.015	0.007	0.23	0.005	<0.005	0.001	<1
367989		2.42	0.026	0.014	0.005	0.13	0.004	<0.005	0.002	<1
367990		2.19	0.030	0.021	0.004	0.14	0.007	<0.005	0.002	<1
367991		2.34	0.783	0.300	0.026	3.55	0.074	0.102	0.025	1
367992		2.83	0.984	0.518	0.020	3.70	0.118	0.033	0.026	1
367993		0.07	1.065	0.069	0.012	1.14	0.041	0.106	0.171	1
367994		2.68	0.244	0.116	0.011	1.25	0.043	0.032	0.013	<1
367995		2.34	1.040	0.818	0.024	4.44	0.700	0.139	0.034	2
367996		3.48	1.020	0.515	0.024	3.84	0.286	0.093	0.024	4
367997		1.67	0.018	0.020	0.005	0.10	0.007	<0.005	<0.001	<1
367998		2.27	0.418	0.435	0.015	1.40	0.440	0.115	0.059	4
367999		2.88	0.545	0.488	0.015	1.79	0.451	0.187	0.107	5
368000		2.90	0.539	0.470	0.015	2.18	0.347	0.130	0.100	3
394001		2.96	0.631	0.873	0.016	1.80	0.400	0.273	0.207	6
394002		2.38	0.595	0.895	0.018	1.99	0.343	0.247	0.156	7
394003		2.42	0.596	0.430	0.018	1.93	0.272	0.157	0.118	4
394004		2.83	0.313	0.283	0.011	0.66	0.102	0.087	0.097	2
394005		3.18	0.328	0.298	0.011	0.77	0.206	0.294	0.300	2
394006		1.53	0.012	0.005	0.003	0.15	0.002	<0.005	0.002	<1
394007		1.30	0.077	0.063	0.006	0.17	0.033	0.075	0.097	<1
394008		2.36	0.006	<0.005	0.003	0.01	0.003	<0.005	<0.001	<1
394009		2.42	0.011	0.008	0.005	0.03	0.004	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 10-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07117277

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
394010		2.69	0.011	0.010	0.005	0.11	0.004	<0.005	<0.001	<1
394011		2.30	0.017	0.019	0.006	0.18	0.008	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07115312

Project:

P.O. No.:

This report is for 81 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07115312

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
366491		2.74	0.014	0.013	0.006	0.17	0.006	<0.005	0.003	<1
366492		2.72	0.015	0.012	0.005	0.24	0.256	<0.005	0.004	<1
366493		3.09	<0.005	<0.005	0.002	0.08	0.002	<0.005	<0.001	<1
366494		1.72	0.151	0.090	0.008	0.46	0.019	0.034	0.039	<1
366495		2.40	0.999	0.492	0.031	4.40	0.467	0.142	0.033	1
366496		0.06	1.405	0.748	0.057	13.55	0.065	<0.005	0.006	2
366497		2.72	1.145	0.442	0.035	4.87	0.048	0.166	0.035	1
366498		2.13	1.025	0.341	0.030	4.15	0.060	0.136	0.031	1
366499		3.62	0.698	0.330	0.023	3.20	0.109	0.107	0.022	1
366500		2.88	0.017	0.015	0.006	0.16	0.002	<0.005	0.001	1
366501		3.56	0.076	0.097	0.007	0.34	0.005	<0.005	0.004	<1
366502		4.16	0.023	0.011	0.006	0.16	0.001	<0.005	<0.001	2
366503		3.28	0.019	0.010	0.007	0.12	0.002	<0.005	<0.001	<1
366504		3.99	0.007	0.006	0.003	0.11	<0.001	<0.005	<0.001	<1
366505		4.22	<0.005	0.006	0.004	0.09	0.001	<0.005	<0.001	<1
366506		2.31	0.024	0.010	0.007	0.08	0.001	<0.005	0.002	<1
366507		4.39	0.089	0.047	0.007	0.38	0.004	<0.005	0.003	<1
366508		2.50	0.242	0.099	0.013	1.57	0.020	0.026	0.009	<1
366509		3.51	0.394	0.180	0.016	2.17	0.030	0.041	0.014	<1
366510		3.70	0.027	0.015	0.006	0.04	0.003	<0.005	0.002	<1
366511		4.50	0.126	0.097	0.009	0.87	0.010	0.012	0.006	<1
366512		3.17	0.045	0.019	0.005	0.33	0.002	<0.005	0.001	<1
366513		3.75	0.154	0.079	0.009	1.09	0.011	0.016	0.006	<1
366514		4.61	0.181	0.095	0.011	1.05	0.011	0.034	0.010	<1
366515		2.12	0.005	0.005	0.003	0.07	<0.001	<0.005	<0.001	<1
366516		2.67	0.009	0.008	0.004	0.15	<0.001	<0.005	<0.001	<1
366517		4.04	0.034	0.022	0.007	0.22	0.002	0.008	0.002	1
366518		2.95	0.052	0.025	0.007	0.36	0.002	0.012	0.002	<1
366519		2.45	0.083	0.049	0.008	0.60	0.003	0.023	0.006	1
366520		2.70	0.041	0.019	0.007	0.18	0.003	0.008	0.003	<1
366521		2.76	0.022	0.008	0.006	0.07	0.001	<0.005	0.002	<1
366522		2.93	0.031	0.019	0.007	0.31	0.003	0.007	0.002	<1
366523		2.87	0.018	0.016	0.006	0.54	<0.001	<0.005	0.001	<1
366524		2.57	0.027	0.045	0.006	0.23	0.007	<0.005	0.001	<1
366525		0.06	1.005	0.071	0.011	1.13	0.042	0.081	0.173	1
366526		2.33	0.053	0.040	0.007	0.27	0.006	0.009	0.004	<1
366527		2.60	0.132	0.049	0.009	0.64	0.007	0.030	0.008	<1
366528		2.88	0.259	0.063	0.016	1.53	0.006	0.071	0.015	<1
366529		2.38	0.015	0.014	0.006	0.14	0.002	<0.005	<0.001	<1
366530		3.08	0.064	0.030	0.007	0.34	0.006	0.013	0.003	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07115312

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA82
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366531		3.94	0.018	0.017	0.005	0.14	0.002	<0.005	0.001	<1
366532		4.25	0.017	0.016	0.006	0.14	0.002	<0.005	0.001	1
366533		3.98	0.014	0.012	0.006	0.11	0.002	<0.005	0.001	1
366534		4.60	0.015	0.015	0.006	0.18	0.002	<0.005	0.001	<1
366535		4.03	0.016	0.009	0.006	0.11	0.001	<0.005	0.001	<1
366536		2.47	0.015	0.016	0.006	0.08	0.002	<0.005	0.001	<1
366537		2.93	0.203	0.059	0.012	1.02	0.008	0.059	0.012	<1
366538		4.98	0.015	0.023	0.005	0.17	0.005	<0.005	0.001	<1
366539		4.09	0.052	0.036	0.008	0.23	0.004	<0.005	0.002	<1
366540		2.87	0.389	0.132	0.017	1.83	0.013	0.102	0.026	<1
366541		2.18	0.651	0.163	0.021	3.38	0.020	0.154	0.042	<1
366542		2.85	0.181	0.062	0.010	1.08	0.044	0.017	0.007	<1
366543		2.66	0.443	0.084	0.019	2.70	0.008	0.114	0.027	<1
366544		2.50	0.016	0.017	0.006	0.16	0.003	<0.005	0.001	<1
366545		2.83	0.064	0.046	0.009	1.16	0.006	<0.005	0.004	<1
366546		2.69	0.062	0.043	0.007	0.78	0.007	0.006	0.004	<1
366547		2.66	0.118	0.069	0.011	1.33	0.009	0.008	0.006	1
366548		2.95	0.145	0.073	0.010	1.12	0.009	0.013	0.006	1
366549		2.76	0.139	0.091	0.009	1.11	0.014	0.014	0.005	1
366550		2.62	0.391	0.228	0.018	2.97	0.028	0.047	0.021	1
366551		0.06	1.080	0.072	0.012	1.21	0.036	0.090	0.166	1
366552		2.43	0.224	0.135	0.011	1.30	0.024	0.036	0.020	<1
366553		2.74	0.578	0.245	0.019	2.91	0.014	0.069	0.023	1
366554		2.32	0.524	0.132	0.022	2.41	0.006	0.030	0.018	1
366555		3.27	1.175	0.391	0.034	5.28	0.033	0.198	0.033	<1
366556		2.84	0.051	0.025	0.007	0.16	0.003	<0.005	0.002	1
366557		2.68	0.222	0.127	0.013	1.17	0.019	0.031	0.013	1
366558		2.42	0.056	0.024	0.007	0.32	0.004	<0.005	0.004	1
366559		2.94	0.158	0.063	0.010	0.81	0.015	0.028	0.007	<1
366560		3.40	0.100	0.075	0.007	0.67	0.011	<0.005	0.004	1
366561		2.05	1.785	1.310	0.048	9.03	0.003	0.008	0.004	2
366562		3.45	3.65	1.335	0.131	17.80	0.052	0.336	0.079	2
366563		0.06	1.510	0.788	0.062	14.00	0.060	0.009	0.007	1
366564		2.97	2.55	0.557	0.090	13.80	0.093	0.449	0.057	1
366565		3.84	5.50	1.200	0.140	25.9	0.203	0.304	0.121	2
366566		2.58	0.037	0.022	0.007	0.26	0.002	<0.005	0.001	1
366567		2.61	0.313	0.388	0.013	1.60	0.006	0.029	0.026	1
366568		2.53	0.232	0.223	0.010	0.52	0.146	0.110	0.093	1
366569		4.73	0.102	0.108	0.007	0.31	0.041	0.027	0.021	1
366570		3.54	0.028	0.027	0.006	0.09	0.010	0.009	0.005	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07115312

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366571		2.38	0.008	0.009	0.003	0.09	0.005	<0.005	<0.001	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07112225

Project:

P.O. No.:

This report is for 62 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112225

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
366305		3.17	0.019	0.041	0.012	10.25	<0.01	5.26	0.011	0.07	0.126	7.38	10.55	0.2	7.82	0.14
366306		2.51	0.005	<0.005	<0.001	13.70	<0.01	1.51	<0.002	<0.01	0.007	1.40	2.01	0.6	0.38	0.03
366307		1.97	<0.001	<0.005	<0.001	13.80	<0.01	1.58	<0.002	<0.01	0.006	1.48	2.11	1.3	0.38	0.03
366308		1.75	0.001	<0.005	<0.001	14.10	<0.01	4.21	<0.002	<0.01	0.007	3.90	5.58	0.5	2.54	0.08
366309		2.54	<0.001	<0.005	<0.001	13.85	<0.01	6.43	<0.002	0.01	0.006	5.70	8.15	0.1	4.29	0.12
366310		2.01	0.015	0.039	0.009	10.95	<0.01	8.76	0.011	0.05	0.139	9.27	13.25	0.1	8.36	0.18
366311		3.14	0.013	0.022	0.005	9.89	<0.01	8.14	0.009	0.09	0.081	8.64	12.35	0.1	11.10	0.19
366312		2.44	0.024	0.062	0.018	9.74	<0.01	8.88	0.022	0.08	0.337	11.60	16.55	0.1	10.25	0.19
366313		2.57	0.024	0.058	0.014	9.96	<0.01	8.88	0.017	0.09	0.161	11.20	16.05	0.1	10.75	0.20
366314		2.39	0.003	0.011	0.003	14.35	<0.01	11.45	0.007	0.04	0.028	6.65	12.35	0.1	7.10	0.17
366315		0.06	0.049	0.007	0.007	9.60	<0.01	5.30	0.059	0.05	0.763	22.0	31.4	0.4	6.31	0.12
366318		3.40	0.024	0.114	0.025	9.57	0.01	7.50	0.032	0.09	0.223	12.45	17.80	0.1	9.99	0.18
366317		2.20	0.003	0.012	0.003	15.00	<0.01	9.03	0.006	0.04	0.021	7.63	10.90	0.1	9.87	0.17
366318		3.10	0.002	<0.005	0.003	16.00	<0.01	9.53	0.005	0.03	0.011	7.29	10.45	0.1	9.71	0.17
366319		2.79	0.003	0.005	0.003	15.50	<0.01	9.76	0.006	0.03	0.011	7.33	10.50	0.1	9.26	0.17
366320		2.38	0.012	0.033	0.012	13.15	<0.01	9.87	0.013	0.06	0.095	9.19	13.15	0.1	8.83	0.17
366321		2.59	0.025	0.022	0.011	11.95	<0.01	11.30	0.011	0.05	0.126	6.64	12.35	0.1	8.77	0.18
366322		2.73	0.029	0.120	0.028	11.25	<0.01	7.97	0.022	0.08	0.212	10.65	15.20	0.2	9.40	0.17
366323		2.49	0.032	0.039	0.012	11.80	<0.01	10.10	0.011	0.06	0.127	8.27	11.80	0.1	8.88	0.17
366324		4.04	0.022	0.179	0.036	11.35	<0.01	8.46	0.020	0.08	0.332	11.30	16.15	0.1	9.33	0.17
366325		2.70	0.002	<0.005	<0.001	13.65	<0.01	13.40	0.005	0.02	0.017	7.67	10.95	0.3	3.11	0.21
366326		1.88	0.004	<0.005	0.001	14.95	<0.01	10.70	0.005	0.03	0.024	8.89	12.70	0.1	8.12	0.19
366327		2.50	0.003	<0.005	0.001	14.30	<0.01	10.55	0.005	0.03	0.013	8.64	12.35	0.2	7.62	0.20
366328		1.65	0.001	<0.005	0.001	14.05	<0.01	12.30	0.005	0.02	0.032	8.36	11.95	0.3	6.84	0.20
366329		3.07	0.001	<0.005	0.001	14.50	<0.01	13.30	0.005	0.03	0.017	8.26	11.80	0.2	6.00	0.21
366330		2.72	0.001	<0.005	0.001	14.80	<0.01	13.25	0.005	0.03	0.016	8.22	11.75	0.2	5.96	0.20
366331		3.50	0.003	<0.005	0.001	14.20	<0.01	11.65	0.005	0.04	0.017	8.08	11.55	0.2	7.41	0.20
366332		1.86	0.013	0.099	0.021	10.05	<0.01	9.61	0.017	0.08	0.151	10.30	14.75	0.1	9.76	0.20
366333		2.69	0.007	0.041	0.009	10.85	<0.01	8.66	0.009	0.07	0.052	8.37	11.95	0.2	10.05	0.20
366334		2.37	0.009	0.013	0.018	13.70	<0.01	11.00	0.006	0.04	0.025	8.22	11.75	0.1	8.40	0.18
366335		2.89	0.009	0.014	0.006	13.45	<0.01	10.90	0.007	0.04	0.043	9.88	14.10	0.1	9.73	0.23
366336		3.02	0.010	0.038	0.014	11.30	<0.01	9.30	0.009	0.06	0.116	9.51	13.60	0.3	8.62	0.22
366337		3.03	0.012	0.050	0.012	14.50	<0.01	11.75	0.011	0.04	0.046	10.20	14.60	0.1	7.45	0.21
366336		0.06	0.043	0.087	0.159	11.90	0.01	4.77	0.009	0.08	0.072	5.83	8.33	0.7	8.42	0.16
366339		2.75	0.003	<0.005	0.001	15.10	<0.01	12.60	0.006	0.04	0.013	8.89	12.70	<0.1	7.27	0.21
366340		3.21	0.002	<0.005	0.001	14.70	<0.01	11.10	0.006	0.04	0.014	8.96	12.80	0.1	7.43	0.21
366341		3.16	0.003	<0.005	0.001	14.70	<0.01	13.20	0.005	0.04	0.016	8.58	12.25	0.1	6.96	0.22
366342		2.71	0.003	<0.005	0.001	14.85	<0.01	12.60	0.005	0.03	0.014	8.89	12.70	0.1	7.02	0.22
366343		3.12	0.002	<0.005	0.001	16.45	<0.01	13.45	0.004	0.04	0.013	9.38	13.40	0.1	7.06	0.23
366344		2.60	0.002	<0.005	0.001	14.75	<0.01	13.40	0.005	0.03	0.014	8.72	12.45	0.1	6.96	0.23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112225

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
366305		0.327	0.07	<0.01	1.45	54.6	0.43	0.01	<1
366306		<0.005	0.05	<0.01	0.15	74.7	0.19	<0.01	<1
366307		0.005	0.05	<0.01	0.11	74.4	0.19	<0.01	<1
366308		0.006	0.11	<0.01	0.15	63.5	0.49	<0.01	<1
366309		0.008	0.21	<0.01	0.12	55.4	0.87	0.01	<1
366310		0.305	0.07	<0.01	1.65	44.2	0.62	0.01	<1
366311		0.216	0.07	<0.01	0.63	50.6	0.53	0.01	<1
366312		0.673	0.05	<0.01	3.40	45.7	0.57	0.01	<1
366313		0.522	0.05	<0.01	2.52	47.2	0.52	0.01	<1
366314		0.085	0.03	<0.01	0.76	44.2	0.76	0.01	<1
366315		1.465	0.10	<0.01	13.40	32.2	0.22	0.01	2
366316		0.842	0.04	<0.01	4.58	44.4	0.40	0.01	<1
366317		0.062	0.03	<0.01	0.22	47.0	0.54	0.01	<1
366316		0.026	0.03	<0.01	0.05	44.5	0.54	0.01	<1
366319		0.030	0.04	<0.01	0.05	45.3	0.54	0.01	<1
366320		0.294	<0.02	<0.01	1.77	45.3	0.49	0.01	<1
366321		0.265	0.04	<0.01	1.58	46.5	0.63	0.01	<1
366322		0.650	0.07	<0.01	3.21	46.7	0.49	0.01	<1
366323		0.230	<0.02	<0.01	1.22	48.6	0.54	0.01	<1
366324		0.573	0.03	<0.01	3.10	45.7	0.53	0.01	<1
366325		0.016	0.09	<0.01	0.09	42.2	0.86	0.01	<1
366326		0.021	0.04	<0.01	0.11	46.5	0.81	0.01	<1
366327		0.027	0.05	<0.01	0.12	46.0	0.76	0.01	<1
366328		0.015	0.04	<0.01	0.35	45.5	0.78	0.01	<1
366329		0.018	0.05	<0.01	0.37	45.6	0.79	0.01	<1
366330		0.016	0.03	<0.01	0.34	46.5	0.79	0.01	<1
366331		0.020	0.03	<0.01	0.13	45.0	0.71	0.01	<1
366332		0.348	<0.02	<0.01	2.08	45.2	0.54	0.05	<1
366333		0.129	0.03	<0.01	0.76	46.6	0.50	0.01	<1
366334		0.041	0.02	<0.01	0.36	46.4	0.67	0.01	<1
366335		0.095	0.03	<0.01	0.69	49.0	0.93	0.04	<1
366336		0.204	0.02	<0.01	1.12	46.5	0.83	0.01	<1
366337		0.192	0.02	<0.01	1.20	42.2	0.80	0.01	<1
366338		1.060	0.08	<0.01	1.18	52.7	0.35	0.01	<1
366339		0.016	0.04	<0.01	0.06	44.8	0.80	0.01	<1
366340		0.019	0.02	<0.01	0.09	43.7	0.82	0.01	<1
366341		0.016	0.04	<0.01	0.11	44.1	0.80	0.01	<1
366342		0.016	0.04	<0.01	0.08	44.7	0.83	0.01	<1
366343		0.016	0.02	<0.01	0.09	47.4	0.90	0.01	<1
366344		0.016	0.06	<0.01	0.12	45.4	0.77	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112225

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
366345		2.74	0.001	<0.005	0.001	13.75	<0.01	13.50	0.003	0.03	0.013	7.23	10.35	0.1	5.31	0.20
366346		3.10	0.003	<0.005	0.001	15.10	<0.01	11.60	0.005	0.06	0.013	8.53	12.20	0.1	6.72	0.21
366347		5.39	0.002	<0.005	0.001	13.95	<0.01	12.50	0.005	0.03	0.015	7.91	11.30	<0.1	6.67	0.20
366348		2.72	0.004	<0.005	0.001	14.20	<0.01	13.30	0.005	0.03	0.013	8.46	12.10	0.1	6.94	0.22
366349		3.07	0.002	<0.005	0.001	14.90	<0.01	13.70	0.005	0.03	0.013	8.44	12.05	0.1	6.42	0.22
366350		2.76	0.004	<0.005	0.001	14.95	<0.01	12.60	0.004	0.03	0.014	8.56	12.25	0.1	6.95	0.21
366351		2.87	0.004	<0.005	0.001	14.50	<0.01	12.50	0.006	0.03	0.014	8.65	12.35	<0.1	8.14	0.21
366352		2.26	0.003	<0.005	0.002	14.15	<0.01	11.65	0.005	0.05	0.017	8.72	12.45	0.1	8.42	0.21
366353		2.38	0.004	<0.005	0.008	15.80	<0.01	12.90	0.005	0.04	0.016	8.57	12.25	0.1	7.08	0.21
366354		2.58	0.005	<0.005	0.004	14.40	<0.01	11.20	0.005	0.04	0.013	8.51	12.15	0.2	7.46	0.19
366355		2.41	0.013	0.086	0.023	7.71	<0.01	6.94	0.014	0.14	0.112	9.10	13.00	0.1	12.40	0.20
366356		2.53	0.041	0.149	0.037	7.30	<0.01	6.69	0.018	0.14	0.247	9.88	14.15	0.1	12.55	0.18
366357		2.77	0.026	0.193	0.044	6.94	<0.01	7.05	0.021	0.13	0.363	10.35	14.80	0.1	11.90	0.18
366358		2.57	0.003	<0.005	0.001	14.20	0.01	13.70	0.004	0.03	0.013	6.46	9.24	0.2	2.55	0.20
366359		2.99	0.027	0.155	0.038	7.39	<0.01	7.67	0.019	0.12	0.258	9.30	13.30	0.1	11.05	0.17
366360		2.48	0.019	0.133	0.031	8.04	<0.01	6.46	0.018	0.12	0.200	9.20	13.15	0.1	11.15	0.17
366361		2.87	0.012	0.058	0.014	8.63	<0.01	7.46	0.013	0.13	0.132	8.20	11.70	0.1	11.90	0.18
366362		2.32	0.019	0.083	0.029	8.54	<0.01	7.82	0.016	0.12	0.221	9.56	13.65	<0.1	11.50	0.18
366363		2.70	0.012	0.025	0.033	16.15	<0.01	14.30	0.006	0.04	0.028	7.27	10.40	0.2	3.89	0.17
366364		2.74	0.340	<0.005	0.002	15.75	<0.01	16.25	0.005	0.04	0.015	7.31	10.45	0.3	3.18	0.19
366365		2.44	0.038	<0.005	0.001	15.25	<0.01	13.30	0.005	0.03	0.017	8.12	11.60	0.4	3.76	0.19
366366		2.45	0.005	<0.005	0.001	14.65	<0.01	9.87	0.003	0.02	0.007	7.31	10.45	0.1	4.64	0.16

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112225

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA82
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
366345		0.010	0.06	<0.01	0.10	43.7	0.74	0.01	<1
366346		0.016	0.03	<0.01	0.14	46.8	0.87	0.01	<1
366347		0.011	<0.02	<0.01	0.15	44.4	0.78	0.01	<1
366348		0.014	0.05	<0.01	0.14	44.9	0.76	0.01	<1
366349		0.017	0.05	<0.01	0.13	45.5	0.82	0.01	<1
366350		0.015	0.05	<0.01	0.11	46.3	0.83	0.01	<1
366351		0.018	0.03	<0.01	0.17	45.6	0.75	0.01	<1
366352		0.026	0.02	<0.01	0.14	45.7	0.75	0.01	<1
366353		0.017	0.03	<0.01	0.14	46.8	0.85	0.01	<1
366354		0.016	0.02	<0.01	0.13	43.8	0.78	0.01	<1
366355		0.308	0.06	<0.01	1.44	50.3	0.41	0.01	<1
366356		0.522	0.04	<0.01	2.44	50.6	0.37	0.01	<1
366357		0.604	0.06	<0.01	2.97	48.9	0.34	0.01	<1
366358		0.015	0.04	<0.01	0.17	43.7	0.91	0.01	<1
366359		0.499	<0.02	<0.01	2.42	48.1	0.34	0.01	<1
366360		0.429	0.04	<0.01	2.10	49.6	0.49	0.01	<1
366361		0.256	0.04	<0.01	1.21	51.6	0.39	0.01	<1
366362		0.379	0.05	<0.01	1.94	47.7	0.48	0.01	<1
366363		0.053	0.02	<0.01	0.36	44.1	0.81	0.01	<1
366364		0.020	0.02	<0.01	0.16	44.1	0.94	0.01	<1
366365		0.016	0.08	<0.01	0.15	46.8	0.99	0.01	<1
366366		0.008	0.09	<0.01	0.05	47.6	0.85	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07112224

Project:

P.O. No.:

This report is for 47 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112224

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
365204		3.96	0.019	0.012	0.005	0.10	0.006	<0.005	0.005	<1
365205		2.97	0.019	0.021	0.006	0.14	0.015	<0.005	0.005	1
365206		1.78	0.051	0.049	0.006	0.10	0.027	0.028	0.024	<1
365207		2.63	0.185	0.092	0.011	0.50	0.060	0.097	0.091	<1
365208		3.95	0.242	0.205	0.011	0.74	0.305	0.054	0.034	2
365209		4.23	0.128	0.066	0.007	0.36	0.241	0.020	0.006	<1
365210		4.11	0.118	0.056	0.007	0.45	0.018	0.014	0.003	<1
365211		2.64	1.215	0.338	0.033	5.36	0.017	0.144	0.020	<1
365212		3.00	0.017	0.017	0.007	0.12	0.002	<0.005	0.001	<1
365213		3.36	1.075	0.201	0.033	5.41	0.039	0.192	0.019	<1
365214		3.20	1.040	0.480	0.030	5.22	0.052	0.146	0.019	<1
365215		4.18	0.478	0.191	0.018	2.50	0.022	0.056	0.014	<1
365216		3.95	0.391	0.146	0.021	2.64	0.033	0.106	0.012	<1
365217		4.20	0.031	0.019	0.005	0.19	0.003	<0.005	0.002	<1
365218		0.07	1.085	0.070	0.011	1.17	0.032	0.098	0.157	1
365219		3.89	0.213	0.138	0.010	1.15	0.023	0.066	0.018	<1
365220		4.18	0.668	0.459	0.022	3.70	0.038	0.208	0.037	1
365221		3.84	0.060	0.032	0.007	0.35	0.006	0.012	0.004	<1
365222		4.05	0.190	0.068	0.012	0.81	0.010	0.051	0.012	<1
365223		4.77	0.126	0.058	0.010	0.66	0.008	0.042	0.009	<1
365224		4.26	0.069	0.034	0.009	0.59	0.005	0.010	0.005	<1
365225		2.88	0.023	0.012	0.007	0.16	0.001	<0.005	0.002	<1
365226		2.32	0.148	0.084	0.010	0.75	0.014	0.031	0.010	<1
365227		3.79	0.007	0.007	<0.002	0.20	<0.001	<0.005	<0.001	<1
365228		3.19	0.005	0.005	0.002	0.12	<0.001	<0.005	<0.001	<1
365229		3.62	0.018	0.019	0.004	0.22	0.003	<0.005	0.002	<1
365230		3.71	0.018	0.012	0.003	0.20	0.002	<0.005	0.001	<1
365231		4.22	0.018	0.015	0.005	0.23	0.003	<0.005	0.001	<1
365232		3.63	0.018	0.024	0.005	0.30	0.004	<0.005	0.002	<1
365233		4.59	0.017	0.014	0.005	0.25	0.002	<0.005	0.002	<1
365234		4.10	0.021	0.015	0.005	0.39	0.001	<0.005	0.001	<1
365235		4.55	0.079	0.050	0.006	0.58	0.008	0.013	0.005	<1
365236		0.06	1.025	0.069	0.011	1.12	0.037	0.104	0.168	1
365237		3.57	0.306	0.097	0.013	1.70	0.051	0.096	0.025	<1
365238		4.45	0.805	0.552	0.028	4.52	0.036	0.283	0.068	1
365239		4.22	0.372	0.182	0.015	1.72	0.023	0.100	0.026	<1
365240		4.23	0.451	0.177	0.017	2.08	0.037	0.126	0.032	<1
365241		1.02	0.313	0.226	0.014	1.64	0.031	0.089	0.022	<1
365242		2.97	0.075	0.027	0.005	0.34	0.004	0.016	0.004	1
365243		3.82	0.570	0.248	0.020	3.04	0.015	0.147	0.036	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112224

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
365244		3.64	0.341	0.269	0.012	1.79	0.015	0.056	0.018	<1
365245		2.29	0.014	0.016	0.004	0.15	0.001	<0.005	0.001	<1
365246		3.94	1.310	0.874	0.039	6.71	0.069	0.403	0.064	1
365247		3.32	0.109	0.058	0.006	0.48	0.013	0.013	0.009	<1
365248		3.69	0.095	0.044	0.005	0.38	0.013	0.020	0.019	<1
365249		3.90	0.027	0.028	0.004	0.21	0.017	0.005	0.010	1
365250		2.82	0.013	0.008	0.003	0.04	0.004	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07112223

Project:

P.O. No.:

This report is for 77 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112223

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366228		2.78	0.013	0.010	0.004	0.03	0.017	<0.005	0.010	<1
366229		2.90	0.032	0.020	0.006	0.11	0.007	<0.005	0.001	<1
366230		2.88	0.013	0.013	0.005	0.05	0.005	<0.005	<0.001	<1
366231		2.91	0.012	0.011	0.004	0.05	0.005	<0.005	<0.001	<1
366232		2.87	0.015	0.011	0.005	0.04	0.008	<0.005	<0.001	<1
366233		2.42	0.015	0.014	0.005	0.11	0.007	<0.005	0.001	<1
366234		3.36	0.015	0.008	0.003	0.05	0.007	<0.005	<0.001	<1
366235		2.07	0.006	0.006	<0.002	0.05	0.003	<0.005	<0.001	<1
366236		2.97	<0.005	<0.005	<0.002	0.05	0.005	<0.005	<0.001	<1
366237		2.21	0.013	0.018	0.006	0.28	0.005	<0.005	<0.001	<1
366238		2.93	0.014	0.011	0.006	0.04	0.002	<0.005	0.002	<1
366239		4.14	0.042	0.032	0.006	0.14	0.018	0.012	0.014	1
366240		2.54	0.166	0.113	0.010	0.46	0.075	0.199	0.170	<1
366241		1.28	0.008	0.015	0.003	0.15	0.017	<0.005	0.005	<1
366242		2.95	0.123	0.055	0.007	0.27	0.028	0.037	0.012	<1
366243		3.45	0.196	0.099	0.010	0.58	0.032	0.017	0.004	1
366244		4.45	2.02	1.105	0.051	8.46	0.244	0.266	0.058	1
366245		2.56	0.035	0.022	0.005	0.23	0.011	<0.005	<0.001	<1
366246		3.86	0.815	0.208	0.024	3.31	0.044	0.093	0.024	<1
366247		1.64	0.107	0.053	0.006	0.45	0.009	0.019	0.003	<1
366248		3.49	0.014	0.007	0.004	0.14	0.003	0.006	<0.001	<1
366249		2.00	1.860	0.606	0.052	9.01	0.040	0.130	0.051	<1
366250		2.56	0.422	0.214	0.016	2.38	0.030	0.055	0.016	<1
366251		2.51	0.393	0.079	0.021	2.41	0.016	0.058	0.013	<1
366252		2.95	0.038	0.013	0.005	0.19	0.003	0.008	0.001	<1
366253		0.06	1.445	0.739	0.058	12.90	NSS	NSS	NSS	1
366254		2.65	0.022	0.015	0.005	0.06	0.003	<0.005	<0.001	<1
366255		2.20	0.026	0.011	0.005	0.07	0.004	<0.005	<0.001	<1
366256		2.23	1.010	0.494	0.031	5.17	0.034	0.246	0.046	1
366257		4.08	0.033	0.039	0.007	0.26	0.008	0.012	0.002	<1
366258		2.75	0.018	0.017	0.007	0.27	0.004	<0.005	0.001	<1
366259		2.98	0.016	0.010	0.005	0.25	0.005	<0.005	<0.001	<1
366260		2.87	0.016	0.018	0.005	0.32	0.003	<0.005	<0.001	<1
366261		2.78	0.015	0.011	0.004	0.29	0.001	<0.005	<0.001	<1
366262		2.47	0.018	0.017	0.005	0.50	0.004	<0.005	<0.001	<1
366263		3.71	0.193	0.072	0.011	0.75	0.012	0.048	0.010	<1
366264		1.81	0.031	0.023	0.006	0.44	0.005	0.007	0.001	<1
366265		3.00	0.018	0.015	0.007	0.16	0.003	<0.005	<0.001	<1
366266		2.88	0.015	0.016	0.006	0.12	0.006	<0.005	0.001	<1
366267		2.84	0.010	0.009	0.004	0.11	0.002	<0.005	0.003	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112223

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366268		2.58	0.011	0.012	0.005	0.14	0.002	<0.005	<0.001	<1
366269		3.02	0.019	0.010	0.006	0.16	0.002	0.009	0.001	<1
366270		2.56	0.014	0.011	0.006	0.12	0.005	<0.005	<0.001	1
366271		2.61	0.013	0.008	0.006	0.22	0.004	<0.005	<0.001	<1
366272		2.68	0.016	0.015	0.005	0.12	0.001	<0.005	0.001	<1
366273		2.65	0.015	0.013	0.006	0.13	0.003	<0.005	<0.001	<1
366274		2.57	0.014	0.018	0.006	0.18	0.004	<0.005	0.001	<1
366275		0.06	1.030	0.072	0.011	1.17	0.041	0.100	0.179	<1
366276		2.68	0.014	0.010	0.005	0.12	0.003	<0.005	<0.001	<1
366277		2.97	0.015	0.012	0.005	0.16	0.003	<0.005	0.001	<1
366278		2.46	0.014	0.012	0.005	0.13	0.004	<0.005	<0.001	<1
366279		2.92	0.014	0.014	0.005	0.12	0.006	0.009	<0.001	<1
366280		2.89	0.018	0.014	0.005	0.23	0.003	<0.005	<0.001	<1
366281		2.88	0.015	0.017	0.005	0.14	0.015	0.005	0.004	<1
366282		2.86	0.016	0.015	0.005	0.11	0.007	<0.005	0.001	<1
366283		4.22	0.015	0.014	0.006	0.15	0.002	<0.005	0.001	<1
366284		3.53	0.025	0.011	0.006	0.05	0.004	<0.005	<0.001	<1
366285		3.52	0.082	0.036	0.007	0.40	0.018	0.018	0.005	<1
366286		3.17	0.018	0.009	0.005	0.13	0.004	<0.005	0.001	<1
366287		1.37	0.016	0.012	0.004	0.19	0.003	<0.005	<0.001	<1
366288		3.58	0.024	0.011	0.005	0.17	0.002	<0.005	<0.001	<1
366289		3.15	0.029	0.017	0.006	0.22	0.004	<0.005	<0.001	<1
366290		2.54	0.030	0.011	0.007	0.17	0.007	0.005	0.002	<1
366291		2.67	0.159	0.103	0.008	1.10	0.048	0.039	0.009	1
366292		1.77	0.167	0.061	0.008	0.92	0.010	0.062	0.010	<1
366293		1.88	1.505	1.735	0.067	10.75	0.228	0.493	0.103	3
366294		1.99	0.015	0.020	0.005	0.15	0.004	0.009	0.001	<1
366295		1.87	0.214	0.096	0.011	0.92	0.016	0.053	0.015	<1
366296		1.58	0.066	0.005	0.008	0.18	0.005	0.010	0.007	<1
366297		3.45	0.123	0.041	0.009	0.14	0.029	0.131	0.053	<1
366298		2.37	0.070	0.153	0.007	0.64	0.053	0.025	0.018	1
366299		2.71	0.075	0.078	0.005	0.49	0.522	0.025	0.017	<1
366300		2.70	0.055	0.036	0.008	0.94	0.022	0.020	0.010	<1
366301		2.66	0.041	0.049	0.005	0.89	0.019	0.039	0.036	<1
366302		1.94	0.025	0.017	0.006	0.49	0.005	0.009	0.003	<1
366303		2.66	0.014	0.008	0.005	0.07	0.004	0.005	0.001	<1
366304		3.24	0.013	0.016	0.005	0.11	0.008	<0.005	0.006	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112223

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07112222

Project:

P.O. No.:

This report is for 53 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Broeksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112222

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Au-GRA21 Au ppm 0.05	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01
365001		3.84	0.024	0.008	0.003		14.25	<0.01	10.05	0.006	0.02	0.044	8.34	11.90	0.1	5.19
365002		4.27	0.043	0.038	0.029		14.05	<0.01	10.80	0.007	0.02	0.067	7.21	10.30	0.2	3.88
365003		2.67	0.025	0.050	0.044		6.61	<0.01	7.45	0.009	0.14	0.062	7.72	11.05	0.1	16.00
365004		2.98	0.063	0.045	0.039		3.40	<0.01	8.77	0.009	0.21	0.104	7.87	11.25	0.1	19.65
365005		2.88	0.089	0.041	0.015		4.32	<0.01	9.66	0.010	0.22	0.153	7.85	11.20	0.1	17.95
365006		2.63	0.278	0.073	0.049		4.01	<0.01	7.95	0.013	0.25	0.249	9.12	13.05	<0.1	19.65
365007		2.51	0.081	0.069	0.045		5.35	<0.01	8.79	0.021	0.20	0.473	9.72	13.90	<0.1	12.15
365008		0.06	0.050	0.080	0.159		11.90	<0.01	4.92	0.010	0.07	0.072	6.02	8.61	0.6	8.77
365009		2.43	0.040	0.011	0.007		7.19	<0.01	10.60	0.006	0.14	0.265	6.96	9.95	0.1	11.25
365010		1.43	0.004	0.007	0.005		8.38	<0.01	9.53	0.012	0.10	0.042	7.25	10.35	<0.1	10.20
365011		2.61	0.001	<0.005	0.001		14.80	<0.01	12.50	0.004	0.03	0.012	7.66	10.95	0.3	2.59
365012		3.45	0.011	0.026	0.019		11.70	<0.01	10.90	0.007	0.09	0.049	6.78	9.69	<0.1	7.26
365013		3.86	0.004	0.007	0.004		16.15	<0.01	14.80	0.006	0.04	0.017	7.77	11.10	<0.1	4.23
365014		4.16	0.003	0.006	<0.001		16.15	<0.01	15.75	0.006	0.03	0.014	7.97	11.40	<0.1	4.31
365015		2.71	0.002	<0.005	<0.001		16.65	<0.01	15.45	0.005	0.04	0.006	7.74	11.05	<0.1	3.58
365016		3.89	0.001	<0.005	<0.001		15.30	<0.01	17.70	0.005	0.04	0.009	7.94	11.35	0.1	3.23
365017		3.34	0.002	0.006	<0.001		16.55	<0.01	15.15	0.005	0.03	0.012	7.26	10.40	<0.1	2.76
365018		3.71	0.009	0.031	0.007		12.95	<0.01	11.20	0.008	0.06	0.059	8.64	12.35	<0.1	8.80
365019		2.77	0.008	0.043	0.009		11.95	<0.01	11.00	0.009	0.08	0.068	9.01	12.90	<0.1	9.83
365020		2.22	0.002	0.005	0.001		14.50	<0.01	8.85	0.004	0.04	0.014	6.78	9.69	<0.1	5.28
365021		2.79	0.002	0.007	0.002		13.80	<0.01	10.90	0.006	0.05	0.022	8.29	11.85	0.1	7.54
365022		2.23	0.001	0.005	0.002		14.30	<0.01	12.85	0.005	0.05	0.018	8.29	11.85	0.1	6.87
365023		2.66	0.001	0.005	<0.001		13.90	<0.01	12.60	0.005	0.05	0.018	8.56	12.25	<0.1	7.49
365024		2.57	0.003	0.005	0.001		13.45	<0.01	12.20	0.005	0.06	0.018	8.36	11.95	0.1	8.15
365025		2.04	0.003	0.009	0.003		12.65	<0.01	11.45	0.008	0.06	0.022	8.11	11.60	0.1	7.46
365026		3.31	0.005	<0.005	<0.001		15.05	<0.01	6.37	0.002	0.02	0.007	5.32	7.61	0.3	3.00
365027		1.52	0.004	<0.005	0.001		13.40	<0.01	10.70	0.004	0.03	0.021	6.94	9.92	0.2	5.30
365028		3.61	0.013	0.023	0.042		14.20	<0.01	9.29	0.006	0.04	0.010	7.01	10.00	0.2	8.18
365029		2.93	0.003	0.009	0.003		12.80	<0.01	11.40	0.007	0.05	0.025	8.14	11.65	0.1	7.77
365030		2.55	0.004	<0.005	0.001		13.95	<0.01	11.95	0.005	0.03	0.015	8.59	12.30	0.3	6.83
365031		0.06	0.051	0.098	0.156		11.65	<0.01	5.13	0.009	0.04	0.076	6.08	8.69	0.7	8.41
365032		2.31	0.004	<0.005	0.002		13.35	<0.01	12.60	0.003	0.02	0.041	7.66	10.95	0.2	6.90
365033		2.02	0.004	<0.005	0.002		13.65	<0.01	12.35	0.005	0.02	0.018	8.56	12.25	0.1	7.60
365034		3.89	0.002	<0.005	0.002		14.00	<0.01	11.20	0.004	0.02	0.019	8.62	12.35	0.2	8.05
365035		2.21	0.002	<0.005	<0.001		14.50	<0.01	6.25	0.002	<0.01	0.014	6.53	9.34	1.0	3.73
365036		2.69	0.002	<0.005	<0.001		14.35	<0.01	5.02	0.002	<0.01	<0.005	6.42	9.19	1.1	2.58
365037		2.02	0.002	<0.005	0.001		14.10	<0.01	11.95	0.004	0.02	0.026	7.81	11.15	0.2	7.39
365038		2.54	0.002	<0.005	<0.001		13.45	<0.01	14.70	0.004	0.01	0.014	6.89	9.85	0.2	2.19
365039		2.45	0.002	<0.005	0.002		14.00	<0.01	12.35	0.005	0.03	0.015	7.80	11.15	0.2	7.55
365040		2.68	0.004	0.008	0.003		13.90	<0.01	10.50	0.004	0.02	0.028	7.52	10.75	0.1	6.76

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112222

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	MnO	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	%	ppm
	LOR	0.01	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365001		0.20	0.020	0.09	<0.01	0.07	45.7	0.88	0.01	1
365002		0.18	0.045	0.07	<0.01	0.22	44.2	0.88	0.01	<1
385003		0.19	0.126	0.04	<0.01	0.28	50.3	0.30	0.01	<1
365004		0.21	0.152	0.04	<0.01	0.36	52.2	0.26	0.01	<1
365005		0.22	0.169	0.04	<0.01	0.51	51.3	0.28	0.01	1
385006		0.22	0.324	0.02	<0.01	1.08	50.4	0.27	0.01	4
365007		0.21	0.807	0.05	<0.01	2.68	46.6	0.31	0.01	3
365008		0.17	1.080	0.07	<0.01	1.10	53.2	0.35	0.01	1
365009		0.19	0.112	0.07	<0.01	0.47	51.1	0.38	0.01	<1
365010		0.19	0.256	0.07	<0.01	0.74	51.2	0.51	0.01	<1
365011		0.25	0.010	0.07	<0.01	0.12	43.2	0.93	0.01	<1
365012		0.18	0.095	0.02	<0.01	0.24	47.2	0.63	0.01	<1
365013		0.19	0.021	<0.02	<0.01	0.07	44.0	0.88	0.01	<1
365014		0.21	0.015	0.02	<0.01	0.07	45.4	0.90	0.01	<1
365015		0.21	0.016	0.02	<0.01	0.09	45.7	0.93	0.01	<1
365016		0.24	0.011	0.07	<0.01	0.04	46.8	0.92	0.01	1
365017		0.21	0.013	0.05	<0.01	0.11	46.8	0.97	0.01	<1
365018		0.20	0.113	0.05	<0.01	0.71	47.8	0.68	0.01	<1
365019		0.20	0.144	0.05	<0.01	0.82	48.7	0.58	0.01	<1
365020		0.17	0.019	0.09	<0.01	0.22	53.0	0.70	0.01	<1
365021		0.21	0.035	0.07	<0.01	0.38	48.0	0.75	0.01	<1
365022		0.21	0.020	0.05	<0.01	0.20	47.1	0.78	0.01	<1
385023		0.21	0.025	0.07	<0.01	0.21	47.0	0.76	0.01	<1
365024		0.22	0.027	0.07	<0.01	0.21	48.4	0.74	0.01	<1
365025		0.21	0.039	0.05	<0.01	0.32	45.2	0.70	0.01	<1
365026		0.11	0.006	0.23	<0.01	0.21	57.3	0.74	0.01	<1
365027		0.17	0.021	0.11	<0.01	0.63	48.2	0.76	0.01	<1
365028		0.17	0.019	0.05	<0.01	0.11	48.8	0.47	0.01	<1
385029		0.20	0.048	0.05	<0.01	0.64	46.4	0.64	0.01	1
365030		0.20	0.017	0.07	<0.01	0.35	46.0	0.81	0.01	<1
365031		0.16	1.065	0.09	<0.01	1.17	54.9	0.35	0.01	1
365032		0.18	0.028	0.05	<0.01	0.41	47.3	0.64	0.01	<1
365033		0.19	0.026	0.07	<0.01	0.40	47.7	0.78	0.01	<1
365034		0.20	0.035	0.05	<0.01	0.46	48.2	0.68	0.01	<1
365035		0.10	0.007	0.23	<0.01	5.14	54.2	0.95	0.01	<1
365036		0.07	<0.005	0.30	<0.01	6.44	55.2	1.02	<0.01	<1
365037		0.19	0.029	0.09	<0.01	0.80	49.3	0.68	0.01	<1
365038		0.24	0.012	0.07	<0.01	0.12	44.4	0.85	0.01	<1
365039		0.19	0.027	0.05	<0.01	0.22	49.0	0.71	0.01	<1
365040		0.17	0.049	0.09	<0.01	0.39	52.5	0.67	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112222

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Au-GRA21 Au ppm 0.05	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01
365041		2.22	0.005	0.008	0.003		13.10	<0.01	11.95	0.005	0.02	0.028	8.38	12.00	0.2	7.54
365042		2.42	0.005	<0.005	0.001		13.65	<0.01	12.00	0.005	0.05	0.023	7.33	10.50	0.1	7.26
365043		2.86	0.006	0.012	0.004		13.10	<0.01	8.09	0.006	0.05	0.041	6.64	9.49	0.1	6.18
365044		2.52	0.012	0.042	0.011		11.40	<0.01	10.00	0.010	0.07	0.074	8.51	12.15	0.1	9.75
365045		2.97	0.006	0.017	0.007		12.35	<0.01	10.80	0.009	0.07	0.046	9.09	13.00	0.1	9.20
365046		2.33	0.013	0.035	0.008		10.60	<0.01	10.55	0.010	0.06	0.078	7.92	11.35	0.1	8.75
365047		2.46	0.006	0.016	0.005		12.95	<0.01	7.31	0.006	0.05	0.048	6.55	9.37	0.1	6.54
365048		2.25	0.016	0.043	0.012		11.75	<0.01	9.13	0.010	0.06	0.085	8.44	12.05	0.1	9.22
365049		2.66	0.018	0.063	0.015		11.80	0.01	9.13	0.012	0.07	0.102	8.79	12.55	0.1	9.28
365050		0.06	0.052	0.097	0.154		11.55	0.01	4.41	0.010	0.06	0.068	5.62	8.03	0.7	8.23
365051		2.09	>10.0	0.070	0.022	15.70	11.75	<0.01	8.76	0.013	0.05	0.112	8.88	12.70	0.1	8.92
365052		4.32	0.036	0.006	0.001		13.80	<0.01	15.55	0.004	0.01	0.020	7.96	11.40	0.5	3.56
365053		4.16	0.043	<0.005	<0.001		14.40	<0.01	8.26	0.002	<0.01	0.010	6.11	8.73	0.6	3.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112222

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	MnO	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	%	ppm
	LOR	0.01	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365041		0.19	0.044	0.05	<0.01	0.34	47.7	0.69	0.01	<1
365042		0.18	0.023	0.03	<0.01	0.18	45.8	0.66	0.01	<1
365043		0.14	0.075	0.14	<0.01	0.57	51.7	0.68	0.01	<1
365044		0.19	0.165	0.06	<0.01	0.96	46.1	0.52	0.01	<1
365045		0.21	0.097	0.05	<0.01	0.79	44.9	0.70	0.01	<1
365046		0.18	0.141	0.04	<0.01	0.91	46.9	0.52	0.01	<1
365047		0.14	0.089	0.08	<0.01	0.65	53.1	0.57	0.01	<1
365048		0.18	0.188	0.05	<0.01	0.94	47.8	0.56	0.01	<1
365049		0.18	0.228	0.05	<0.01	1.25	46.7	0.57	0.01	<1
365050		0.16	1.020	0.08	<0.01	1.07	53.2	0.34	0.01	1
365051		0.19	0.260	0.06	<0.01	1.18	43.9	0.60	0.01	<1
365052		0.20	0.028	0.05	<0.01	0.28	46.2	0.86	0.01	<1
365053		0.15	0.007	0.27	<0.01	0.09	52.1	0.94	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07112221

Project:

P.O. No.:

This report is for 69 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112221

Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
Sample Description LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
365405	2.79	0.014	0.011	0.007	0.05	0.005	<0.005	<0.001	<1
365406	2.71	0.011	0.008	0.005	0.15	0.003	<0.005	<0.001	<1
365407	2.95	0.062	0.023	0.005	0.21	0.005	0.012	0.016	<1
365408	2.41	2.40	1.065	0.083	12.55	0.116	0.251	0.089	3
365409	1.97	3.41	1.505	0.095	16.90	0.142	0.465	0.086	3
365410	2.96	0.028	0.023	0.006	0.17	0.003	0.006	0.001	<1
365411	3.46	0.760	0.533	0.024	4.08	0.078	0.042	0.011	1
365412	2.38	0.218	0.725	0.011	2.02	0.155	0.027	0.006	2
365413	4.20	0.079	0.115	0.007	1.16	0.006	<0.005	0.001	<1
365414	1.56	0.382	0.280	0.014	2.00	0.050	0.024	0.007	1
365415	2.26	1.480	0.615	0.043	7.25	0.094	0.108	0.021	1
365416	2.99	3.65	0.470	0.102	16.25	0.040	0.388	0.050	1
365417	0.06	1.470	0.770	0.059	13.75	0.067	0.015	0.007	2
365418	3.03	0.171	0.612	0.008	2.17	0.032	<0.005	0.001	<1
365419	3.05	0.195	0.402	0.010	1.95	0.020	<0.005	0.002	1
365420	1.42	0.206	0.424	0.010	1.95	0.017	<0.005	0.004	1
365421	3.67	0.041	0.083	0.006	0.23	0.014	<0.005	0.004	1
365422	2.49	0.019	0.015	0.006	0.02	0.004	<0.005	0.003	<1
365423	3.58	0.023	0.018	0.006	0.04	0.008	0.006	0.004	<1
365424	3.91	0.058	0.022	0.005	0.10	0.003	0.006	0.002	<1
365425	2.37	0.053	0.102	0.007	0.42	0.040	<0.005	0.003	<1
365426	2.49	0.067	0.048	0.009	0.66	0.008	<0.005	0.002	<1
365427	2.44	0.051	0.024	0.005	0.44	0.001	<0.005	0.001	<1
365428	4.52	0.006	0.005	0.002	0.20	<0.001	<0.005	<0.001	1
365429	3.24	0.021	0.014	0.006	0.49	0.003	<0.005	0.001	<1
365430	2.60	0.025	0.020	0.005	0.29	0.002	<0.005	<0.001	<1
365431	2.59	0.356	0.125	0.014	1.67	0.017	0.034	0.010	<1
365432	3.02	0.436	0.201	0.017	2.17	0.032	0.043	0.014	1
365433	1.69	0.085	0.037	0.006	0.22	0.009	0.006	0.002	<1
365434	3.59	0.017	0.017	0.006	0.44	0.006	<0.005	0.001	<1
365435	2.55	0.009	0.006	0.002	0.23	0.002	<0.005	<0.001	<1
365436	2.72	0.009	0.007	0.004	0.11	<0.001	<0.005	<0.001	<1
365437	2.75	0.798	1.960	0.020	5.26	0.082	0.204	0.028	2
365438	2.39	3.48	1.060	0.096	16.05	0.105	0.395	0.095	1
365439	2.74	0.018	0.020	0.005	0.17	0.002	<0.005	0.001	1
365440	4.15	0.178	0.072	0.011	0.93	0.009	0.037	0.005	<1
365441	4.09	0.012	0.017	0.005	0.48	0.003	0.009	<0.001	<1
365442	4.35	0.014	0.011	0.005	0.16	0.003	0.005	0.001	<1
365443	4.15	0.017	0.013	0.006	0.17	0.002	<0.005	0.001	<1
365444	3.96	0.020	0.014	0.007	0.27	0.002	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112221

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
365445		3.62	0.080	0.038	0.008	0.53	0.007	0.026	0.005	<1
365446		2.70	0.017	0.017	0.007	0.26	0.005	<0.005	0.001	<1
365447		3.14	0.016	0.010	0.005	0.09	<0.001	0.005	<0.001	<1
365448		1.92	0.034	0.022	0.007	0.24	0.002	0.009	0.002	<1
365449		0.07	1.070	0.069	0.011	1.14	0.046	0.097	0.156	1
365450		3.57	0.030	0.028	0.006	0.28	0.005	0.007	0.003	<1
365451		3.86	0.020	0.016	0.005	0.11	0.002	0.006	0.001	<1
365452		2.45	0.159	0.062	0.009	0.64	0.010	0.036	0.009	<1
365453		1.61	0.110	0.052	0.008	0.69	0.011	0.020	0.008	<1
365454		2.44	0.724	0.393	0.027	3.93	0.026	0.233	0.055	1
365455		2.53	0.015	0.012	0.006	0.08	0.002	<0.005	<0.001	<1
365456		2.57	1.245	0.264	0.045	5.83	0.027	0.334	0.075	<1
365457		3.42	0.171	0.088	0.009	0.83	0.009	0.063	0.012	<1
365458		0.06	1.080	0.071	0.011	1.12	0.043	0.099	0.149	1
365459		3.37	0.087	0.018	0.009	0.34	0.004	0.021	0.005	<1
365460		3.52	0.025	0.011	0.006	0.03	0.003	<0.005	0.001	<1
365461		1.36	0.012	0.006	0.004	0.20	<0.001	<0.005	<0.001	<1
365462		1.21	0.010	0.005	0.004	0.23	<0.001	<0.005	<0.001	<1
365463		5.16	0.025	0.009	0.007	0.11	<0.001	<0.005	<0.001	<1
365464		3.96	0.370	0.125	0.015	1.80	0.012	0.077	0.023	<1
365465		2.80	0.320	0.111	0.015	1.62	0.010	0.083	0.017	<1
365466		2.98	0.194	0.318	0.009	1.11	0.089	0.052	0.009	1
365467		3.29	0.938	0.135	0.039	4.55	0.021	0.138	0.118	<1
365468		0.06	1.525	0.783	0.061	13.25	0.048	<0.005	0.004	2
365469		2.16	0.216	0.176	0.011	0.76	0.046	0.086	0.097	<1
365470		2.31	0.203	0.146	0.009	0.56	0.044	0.089	0.112	1
365471		2.64	0.035	0.021	0.006	0.10	0.008	0.011	0.011	<1
365472		2.53	0.021	0.024	0.004	0.29	0.011	0.016	0.011	<1
365473		3.38	0.012	0.007	0.006	0.06	0.005	<0.005	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07112158

Project:

P.O. No.:

This report is for 51 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112158

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366440		2.69	0.021	0.011	0.004	0.05	0.003	0.005	0.001	1
366441		2.65	0.022	0.010	0.005	0.07	0.004	<0.005	<0.001	1
366442		0.06	1.065	0.069	0.010	1.19	0.053	0.105	0.172	1
366443		2.95	0.021	0.007	0.004	0.02	0.002	0.006	0.001	<1
366444		3.52	0.242	0.100	0.011	1.38	0.010	0.060	0.018	<1
366445		3.97	0.127	0.066	0.008	0.58	0.013	0.024	0.008	1
366446		4.27	0.067	0.070	0.007	0.27	0.008	0.012	0.004	<1
366447		3.02	0.880	0.197	0.024	3.55	0.012	0.211	0.047	1
366448		1.91	0.065	0.025	0.005	0.30	0.002	0.023	0.005	<1
366449		3.61	0.023	0.012	0.004	0.06	0.002	0.008	0.001	1
366450		3.44	0.037	0.014	0.006	0.27	0.001	0.009	0.002	<1
366451		4.07	0.018	0.014	0.005	0.06	0.002	0.011	0.001	1
366452		3.48	0.018	0.012	0.004	0.12	0.003	<0.005	<0.001	<1
366453		3.00	0.019	0.015	0.004	0.16	0.002	<0.005	<0.001	<1
366454		3.81	0.502	0.293	0.018	2.61	0.022	0.156	0.033	<1
366455		2.15	0.029	0.013	0.005	0.14	0.002	<0.005	0.001	1
366456		4.09	0.395	0.140	0.016	1.97	0.018	0.125	0.026	<1
366457		3.73	0.589	0.207	0.022	3.06	0.096	0.165	0.042	1
366458		4.03	0.633	0.184	0.022	3.20	0.019	0.186	0.041	<1
366459		4.08	0.322	0.153	0.013	1.83	0.012	0.086	0.022	<1
366460		4.30	0.143	0.059	0.008	0.72	0.007	0.048	0.009	<1
366461		2.79	0.311	0.134	0.014	1.71	0.014	0.097	0.022	<1
366462		2.08	0.062	0.038	0.006	0.28	0.006	0.012	0.003	<1
366463		3.27	1.235	0.332	0.043	6.56	0.042	0.359	0.091	1
366464		3.74	0.678	0.301	0.024	3.60	0.034	0.214	0.044	<1
366465		4.20	0.765	0.398	0.027	4.19	0.067	0.219	0.047	<1
366466		3.17	0.895	0.395	0.029	4.85	0.033	0.272	0.048	<1
366467		4.41	0.759	0.333	0.027	4.21	0.055	0.246	0.052	<1
366468		3.43	1.055	0.437	0.035	5.59	0.061	0.318	0.071	<1
366469		3.74	0.031	0.020	0.005	0.18	0.003	0.006	0.001	<1
366470		3.00	0.014	0.017	0.004	0.17	0.001	<0.005	0.001	<1
366471		2.88	0.419	0.148	0.018	1.85	0.017	0.127	0.025	<1
366472		3.93	0.262	0.098	0.012	1.28	0.014	0.065	0.016	1
366473		3.63	0.846	0.269	0.029	4.54	0.030	0.252	0.056	<1
366474		2.75	0.015	0.012	0.004	0.12	0.002	<0.005	0.001	<1
366475		2.55	0.469	0.227	0.017	2.48	0.061	0.141	0.030	1
366476		1.44	0.281	0.106	0.012	1.30	0.016	0.071	0.018	1
366477		4.22	0.066	0.042	0.006	0.93	0.004	0.007	0.005	<1
366478		4.23	0.030	0.027	0.005	0.83	0.002	<0.005	0.001	<1
366479		3.74	0.039	0.025	0.004	0.56	0.002	0.006	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112158

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1
366480		4.13	0.143	0.085	0.008	0.95	0.012	0.026	0.006	<1
366481		4.44	0.313	0.149	0.013	1.78	0.021	0.041	0.012	<1
366482		4.08	0.554	0.188	0.019	2.58	0.029	0.059	0.020	<1
366483		4.01	0.246	0.071	0.009	1.01	0.009	0.031	0.011	<1
366484		3.50	1.050	0.241	0.028	4.57	0.047	0.155	0.031	1
366485		2.28	1.260	0.453	0.033	5.24	0.163	0.169	0.049	1
366486		2.39	0.401	0.304	0.014	1.27	0.150	0.155	0.154	1
366487		1.76	0.264	0.245	0.009	0.60	0.149	0.152	0.152	1
366488		3.20	0.249	0.202	0.006	0.49	0.109	0.158	0.145	1
366489		3.94	0.026	0.017	0.004	0.06	0.009	0.009	0.005	<1
366490		3.66	0.022	0.016	0.004	0.05	0.014	<0.005	0.033	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07112155

Project:

P.O. No.:

This report is for 65 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112155

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
365790		4.01	0.008	<0.005	0.002	13.90	<0.01	8.89	0.006	0.05	0.014	8.58	12.25	0.1	8.21	0.18
365791		3.99	0.021	0.016	0.015	12.95	0.01	9.86	0.010	0.05	0.069	7.86	11.25	0.1	8.97	0.17
365792		2.13	0.004	<0.005	<0.001	15.00	<0.01	3.95	0.002	0.03	0.005	3.68	5.28	1.0	1.95	0.08
365793		3.39	0.004	<0.005	<0.001	14.65	<0.01	3.37	0.003	0.02	<0.005	3.78	5.40	0.6	2.35	0.08
365794		1.59	0.050	0.177	0.249	2.65	<0.01	4.48	0.010	0.26	0.083	7.73	11.05	<0.1	20.6	0.19
365795		2.48	0.024	0.084	0.098	2.46	0.01	3.40	0.012	0.31	0.030	8.87	12.70	0.1	23.5	0.22
365796		2.22	0.041	0.032	0.012	3.54	<0.01	4.28	0.011	0.25	0.078	8.62	12.30	0.1	21.1	0.22
365797		2.79	0.003	0.005	<0.001	14.15	<0.01	11.70	0.006	0.04	0.014	7.43	10.60	0.3	4.09	0.19
365798		2.08	0.746	0.083	0.043	9.44	<0.01	2.55	0.023	0.17	0.889	12.90	18.45	1.4	12.60	0.18
365799		2.98	0.091	0.047	0.013	7.63	0.01	4.48	0.025	0.28	0.359	11.10	15.85	1.3	13.45	0.20
365800		0.06	0.052	0.015	0.005	9.77	0.01	5.31	0.060	0.05	0.768	22.5	32.2	0.4	6.52	0.12
365801		2.68	0.034	0.041	0.009	7.53	0.01	4.03	0.017	0.30	0.228	9.88	14.15	1.4	14.00	0.21
365802		2.73	0.094	0.049	0.011	8.24	0.01	3.97	0.020	0.28	0.468	10.40	14.90	1.4	13.35	0.20
365803		2.80	0.091	0.061	0.016	7.11	0.01	3.59	0.023	0.30	0.339	11.35	16.20	1.6	14.30	0.17
365804		3.33	0.230	0.156	0.030	6.09	0.01	2.30	0.059	0.30	0.417	17.35	24.8	1.4	12.70	0.13
365805		1.87	0.047	0.107	0.024	9.81	0.01	4.43	0.017	0.23	0.324	11.00	15.75	0.5	13.75	0.18
365806		2.78	0.043	0.040	0.014	9.15	0.01	6.73	0.021	0.25	0.165	10.20	14.55	0.4	12.00	0.18
365807		2.81	0.024	0.005	<0.001	11.90	0.01	6.79	0.008	0.06	0.047	9.00	12.85	1.4	8.22	0.18
365808		2.46	0.177	0.099	0.031	6.33	<0.01	5.98	0.042	0.28	0.583	14.75	21.1	0.1	13.85	0.18
365809		3.41	0.020	0.018	0.006	12.05	0.01	9.10	0.007	0.10	0.057	7.02	10.05	0.1	8.15	0.18
365810		3.15	0.045	0.038	0.023	8.19	0.01	7.01	0.033	0.25	0.327	12.75	18.25	0.1	12.85	0.17
365811		2.33	0.276	0.019	0.004	14.50	<0.01	10.85	0.010	0.05	0.203	8.34	11.90	0.4	4.53	0.20
365812		3.11	0.089	0.095	0.030	10.85	<0.01	6.35	0.023	0.14	0.567	11.35	16.25	0.1	10.15	0.17
365813		1.54	0.674	0.140	0.046	2.14	0.01	3.10	0.172	0.17	0.951	34.0	48.6	<0.1	6.26	0.09
365814		0.08	0.070	0.006	0.006	9.76	0.01	5.14	0.062	0.08	0.763	22.8	32.7	0.4	6.56	0.12
365815		2.64	0.206	0.133	0.043	6.36	0.01	5.95	0.029	0.29	0.721	13.65	19.55	<0.1	14.40	0.18
365816		3.38	0.019	0.051	0.024	13.10	<0.01	5.69	0.012	0.10	0.134	9.22	13.20	<0.1	10.75	0.17
365817		3.24	0.008	0.005	0.001	14.70	<0.01	5.17	<0.002	<0.01	0.027	4.34	6.20	0.3	2.91	0.09
365818		3.95	0.006	<0.005	<0.001	14.60	<0.01	5.21	<0.002	<0.01	0.015	4.27	6.11	0.7	2.54	0.09
365819		3.91	0.006	<0.005	<0.001	14.55	<0.01	5.27	<0.002	<0.01	0.014	4.23	6.05	0.6	2.58	0.09
365820		4.06	0.009	0.006	0.004	13.35	<0.01	9.82	0.004	0.03	0.030	8.57	12.25	0.2	7.91	0.19
365821		4.24	0.008	<0.005	0.001	13.55	<0.01	10.60	0.004	0.02	0.019	8.16	11.65	0.1	6.79	0.18
365822		4.32	0.006	<0.005	<0.001	12.65	<0.01	9.94	0.003	0.02	0.012	7.56	10.80	0.1	8.87	0.18
365823		3.84	0.007	0.006	0.001	13.25	<0.01	11.05	0.004	0.03	0.020	8.09	11.55	0.3	7.48	0.19
365824		4.03	0.022	0.028	0.008	10.25	<0.01	10.70	0.010	0.09	0.129	8.88	12.70	0.1	9.46	0.18
365825		3.41	0.008	0.006	0.003	12.95	<0.01	6.77	0.004	0.03	0.040	5.16	7.38	0.2	4.61	0.11
365826		3.29	0.046	0.017	0.005	11.65	<0.01	10.50	0.007	0.07	0.167	8.04	11.50	<0.1	7.97	0.17
365827		3.81	0.025	0.006	0.003	12.90	<0.01	9.48	0.006	0.04	0.103	8.32	11.90	<0.1	8.23	0.17
365828		3.90	0.007	<0.005	<0.001	13.75	<0.01	9.33	0.004	0.02	0.016	8.41	12.00	0.1	7.48	0.18
365829		4.04	0.045	0.029	0.006	12.35	<0.01	8.20	0.007	0.06	0.139	8.01	11.45	0.1	8.79	0.16

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112155

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365790		0.023	<0.02	<0.01	0.02	44.2	0.75	0.01	<1
365791		0.165	<0.02	<0.01	0.38	42.6	0.54	0.01	1
365792		<0.005	0.17	<0.01	<0.01	64.4	0.51	0.01	1
365793		0.009	0.14	<0.01	<0.01	62.9	0.48	<0.01	<1
365794		0.178	<0.02	<0.01	0.40	51.0	0.18	0.01	1
365795		0.119	<0.02	<0.01	0.26	49.0	0.19	0.01	<1
365796		0.148	<0.02	<0.01	0.38	49.1	0.22	0.01	<1
365797		0.019	<0.02	<0.01	0.14	44.8	0.90	0.01	1
365798		1.015	0.03	<0.01	3.83	44.2	0.44	0.01	4
365799		0.742	<0.02	<0.01	3.02	47.1	0.42	0.01	2
365800		1.490	0.06	<0.01	13.80	33.1	0.22	0.01	3
365801		0.473	<0.02	<0.01	1.58	49.3	0.45	0.01	2
365802		0.583	<0.02	<0.01	2.06	47.9	0.41	0.01	2
365803		0.805	0.05	<0.01	3.11	47.2	0.46	0.01	1
365804		2.11	<0.02	<0.01	8.61	40.5	0.44	0.01	2
365805		0.597	<0.02	<0.01	2.04	47.1	0.46	0.01	2
365806		0.647	<0.02	<0.01	2.64	47.1	0.50	0.01	1
365807		0.063	<0.02	<0.01	0.72	47.1	0.73	0.01	<1
365808		1.365	0.02	<0.01	5.86	44.7	0.54	0.01	2
365809		0.072	0.05	<0.01	0.41	47.6	0.54	0.01	1
365810		1.320	0.05	<0.01	4.52	42.0	0.46	0.01	1
365811		0.201	0.06	<0.01	0.88	46.3	0.87	0.01	1
365812		0.922	0.04	<0.01	3.50	43.2	0.48	0.01	2
365813		6.22	0.02	<0.01	25.9	18.00	0.26	0.02	3
365814		1.510	0.10	<0.01	13.80	33.2	0.23	0.01	3
365815		1.310	<0.02	<0.01	5.02	45.1	0.51	0.01	2
365816		0.347	<0.02	<0.01	1.22	45.6	0.44	0.01	1
365817		0.041	0.17	<0.01	0.19	60.9	0.66	0.01	<1
365818		0.011	0.17	<0.01	0.07	62.9	0.64	<0.01	1
365819		0.007	0.17	<0.01	0.10	61.9	0.64	<0.01	1
365820		0.083	0.03	<0.01	0.87	44.6	0.61	0.01	<1
365821		0.025	0.04	<0.01	1.21	41.6	0.69	0.01	<1
365822		0.021	0.03	<0.01	0.52	45.0	0.62	0.01	1
365823		0.025	0.05	<0.01	0.54	40.0	0.64	0.01	<1
365824		0.314	0.06	<0.01	1.55	45.6	0.54	0.01	1
365825		0.125	0.17	<0.01	0.67	54.9	0.67	<0.01	<1
365826		0.168	0.05	<0.01	0.93	42.3	0.54	0.01	1
365827		0.106	0.04	<0.01	0.58	42.4	0.62	0.01	1
365828		0.022	0.05	<0.01	0.31	44.0	0.70	0.01	<1
365829		0.190	0.06	<0.01	0.89	45.5	0.56	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112155

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
	Analyte	Recvd Wt.	Au	Pt	Pd	Al2O3	As	CaO	Co	Cr	Cu	Fe	Fe2O3	K	MgO	MnO
	Units	kg	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%	%	%
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.05	0.002	0.01	0.005	0.05	0.05	0.1	0.01	0.01
365830		3.94	0.037	0.019	0.007	11.70	<0.01	9.02	0.009	0.05	0.072	8.95	12.80	0.1	8.40	0.17
365831		3.37	0.032	0.015	0.007	12.40	<0.01	7.79	0.009	0.05	0.174	8.12	11.60	0.1	6.68	0.16
365832		3.56	0.045	0.028	0.011	10.80	<0.01	6.68	0.011	0.07	0.098	9.71	13.90	<0.1	11.05	0.18
365833		1.58	0.159	0.180	0.068	6.24	<0.01	4.33	0.048	0.17	0.832	19.60	28.0	0.1	10.65	0.16
365834		1.89	0.330	0.157	0.063	6.28	<0.01	5.28	0.012	0.23	0.548	10.70	15.35	0.1	15.85	0.19
365835		3.04	0.328	0.142	0.085	5.09	<0.01	4.56	0.011	0.27	0.452	10.40	14.85	0.1	18.15	0.20
365836		0.06	0.045	0.097	0.169	12.30	0.01	4.87	0.009	0.08	0.069	6.14	8.78	0.7	8.51	0.16
365837		2.77	0.330	0.157	0.069	5.36	<0.01	5.01	0.013	0.24	0.561	9.88	14.15	0.6	17.45	0.20
365838		2.35	0.037	<0.005	0.001	13.95	<0.01	10.65	0.002	<0.01	0.013	7.61	10.90	0.5	3.73	0.23
365839		2.60	0.711	0.123	0.056	5.60	<0.01	6.33	0.018	0.22	0.471	10.50	15.05	0.7	15.20	0.20
365840		2.68	0.195	0.130	0.095	7.46	<0.01	3.66	0.013	0.12	0.255	8.75	12.50	0.3	13.15	0.15
365841		2.80	0.720	0.120	0.066	6.04	<0.01	7.13	0.019	0.14	1.005	9.33	13.35	0.1	9.24	0.18
365842		1.73	0.103	0.097	0.049	6.20	<0.01	5.19	0.011	0.11	0.317	9.34	13.35	0.1	13.65	0.19
365843		2.31	0.089	0.092	0.068	4.25	<0.01	7.83	0.009	0.19	0.175	8.40	12.00	0.1	18.00	0.21
365844		1.93	0.007	0.007	0.009	4.94	<0.01	7.22	0.007	0.17	0.008	8.45	12.10	0.3	19.20	0.22
365845		2.36	0.335	0.296	0.251	4.87	<0.01	5.41	0.012	0.20	0.468	10.10	14.40	0.4	18.30	0.20
365846		2.80	0.165	0.149	0.214	4.39	<0.01	3.56	0.010	0.18	0.337	9.54	13.65	0.2	20.5	0.17
365847		0.81	0.040	0.019	0.031	5.43	<0.01	4.94	0.007	0.12	0.037	7.94	11.35	<0.1	19.05	0.16
365848		3.22	0.048	0.025	0.029	13.40	<0.01	4.87	0.002	0.04	0.069	5.61	8.02	0.6	5.75	0.12
365849		2.64	0.005	0.007	<0.001	15.40	<0.01	3.83	<0.002	<0.01	0.008	4.90	7.01	0.5	3.48	0.09
365850		2.16	0.174	0.189	0.198	5.70	<0.01	13.20	0.011	0.10	0.338	8.17	11.70	<0.1	11.40	0.17
365851		2.73	0.061	0.054	0.085	13.55	<0.01	12.50	0.013	0.02	0.276	8.69	12.40	0.4	4.62	0.15
365852		1.96	0.016	0.017	0.021	15.55	<0.01	9.84	0.006	0.01	0.047	8.64	12.35	0.3	3.98	0.17
365853		3.66	0.007	<0.005	<0.001	14.10	<0.01	9.16	0.004	0.04	0.015	8.75	12.50	0.1	6.11	0.20
365854		4.02	0.007	<0.005	0.001	14.55	<0.01	7.83	0.004	0.03	0.013	9.18	13.10	0.1	6.89	0.20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112155

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA82
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365830		0.167	0.05	<0.01	1.30	44.0	0.62	0.01	<1
365831		0.201	0.09	<0.01	1.23	45.2	0.63	0.01	1
365832		0.236	0.08	<0.01	1.33	45.0	0.58	0.01	<1
365833		3.02	0.05	<0.01	9.60	37.1	0.50	0.01	4
365834		0.497	0.04	<0.01	1.72	49.5	0.41	0.01	1
365835		0.436	0.05	<0.01	1.30	50.7	0.37	0.01	3
365836		1.055	0.11	<0.01	1.19	54.7	0.36	0.01	1
365837		0.491	0.02	<0.01	1.50	49.7	0.32	0.01	4
365838		0.012	0.07	<0.01	0.12	50.2	0.67	0.01	<1
365839		0.704	0.02	<0.01	2.45	48.4	0.34	0.01	3
365840		0.475	0.08	<0.01	1.59	52.8	0.39	0.01	1
365841		0.747	0.04	<0.01	2.85	50.6	0.26	0.01	7
365842		0.438	0.16	<0.01	1.37	53.9	0.52	0.01	3
365843		0.194	<0.02	<0.01	0.53	51.2	0.25	0.01	1
365844		0.080	0.03	<0.01	0.03	51.7	0.26	0.01	<1
365845		0.473	0.02	<0.01	1.53	49.6	0.28	0.01	3
365846		0.328	0.03	<0.01	0.99	50.9	0.29	0.01	2
365847		0.121	0.08	<0.01	0.15	49.1	0.35	0.01	1
365848		0.073	0.09	<0.01	0.24	58.7	0.53	0.01	<1
365849		0.013	0.15	<0.01	0.04	59.2	0.61	0.01	<1
365850		0.455	0.06	<0.01	1.58	45.3	0.46	0.01	1
365851		0.312	0.04	<0.01	1.74	40.2	0.63	0.01	2
365852		0.062	0.06	<0.01	0.51	44.3	1.02	0.01	1
365853		0.019	0.05	<0.01	0.07	47.2	0.90	0.01	<1
365854		0.015	0.05	<0.01	0.06	47.1	0.95	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE TB07112154

Project:

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112154

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Au Check ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pt Check ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP23 Pd Check ppm 0.001	Ag-AA62 Ag ppm 1
365710		2.89	0.013	0.015	0.005	0.21	0.008		<0.005		0.003		<1
365711		2.49	0.024	0.032	0.004	0.24	0.018		0.008		0.009		<1
365712		3.56	0.033	0.048	0.006	0.22	0.026		0.019		0.018		1
365713		2.57	0.251	0.190	0.009	0.72	0.096		0.226		0.181		<1
365714		2.02	0.399	0.350	0.011	1.39	0.207		0.072		0.039		2
365715		1.53	0.051	0.005	0.005	0.05	0.001		0.007		0.002		1
365716		1.99	0.028	0.011	0.005	0.02	0.008		<0.005		0.001		<1
365717		2.16	0.031	<0.005	0.004	0.03	<0.001		<0.005		0.001		<1
365718		2.25	0.035	<0.005	0.004	0.02	0.002		<0.005		0.001		<1
365719		2.39	0.056	<0.005	0.005	0.05	<0.001		<0.005		0.001		1
365720		2.27	0.060	0.010	0.005	0.06	0.002		0.008		0.003		<1
365721		0.06	1.470	0.798	0.059	12.70	0.047		0.010		0.007		2
365722		2.67	0.047	<0.005	0.005	0.02	0.002		<0.005		0.001		<1
365723		3.13	0.254	0.182	0.008	1.01	0.007		0.058		0.006		<1
365724		3.04	0.097	0.032	0.005	0.16	0.006		0.012		0.004		<1
365725		1.48	0.036	0.014	0.004	0.24	0.003		0.006		0.005		<1
365726		2.38	0.027	<0.005	0.003	0.06	0.003		<0.005		0.002		<1
365727		1.83	0.044	0.081	0.006	0.40	0.028		0.009		0.006		<1
365728		2.54	0.020	<0.005	0.004	0.07	0.001		<0.005		0.004		<1
365729		2.93	0.035	0.020	0.004	0.34	0.006		<0.005		0.002		<1
365730		2.74	0.059	0.032	0.006	0.34	0.006		0.008		0.004		<1
365731		2.36	0.280	0.132	0.011	1.47	0.007		0.083		0.009		1
365732		3.61	3.86	1.605	0.108	19.75	0.053		0.155		0.091		2
365733		4.71	7.17	0.310	0.173	31.0	0.021		0.284		0.118		1
365734		2.75	0.028	0.015	0.003	0.20	0.002		<0.005		0.001		<1
365735		2.75	0.044	0.051	0.005	0.21	0.014		<0.005		0.004		<1
365736		1.65	2.90	2.34	0.072	14.45	0.040		0.198		0.085		2
365737		4.27	2.02	1.900	0.052	10.85	0.020		0.132		0.038		1
365738		3.47	1.080	0.638	0.032	5.19	0.018		0.091		0.035		1
365739		2.94	0.041	0.115	0.005	0.65	0.022		0.007		0.001		<1
365740		3.27	0.021	0.114	0.003	0.29	0.015		0.015		<0.001		<1
365741		2.52	0.836	2.10	0.021	5.24	0.013		0.043		0.036		2
365742		3.28	0.062	0.103	0.005	0.39	0.005		0.014		0.002		<1
365743		1.87	2.07	1.915	0.059	11.45	1.135	2.30	0.188	0.189	0.050	0.051	1
365744		3.60	0.645	0.805	0.026	3.65	0.026		0.057		0.017		<1
365745		2.82	3.18	1.465	0.077	14.30	0.049		0.267		0.092		1
365746		2.71	0.543	1.570	0.017	3.62	0.025		0.186		0.018		1
365747		1.31	6.52	0.473	0.191	25.3	0.016		0.676		0.158		1
365748		2.16	1.215	4.97	0.034	10.20	0.153		0.206		0.056		3
365749		2.20	0.247	5.02	0.008	5.83	4.32		0.046		0.017		4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 5-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112154

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Au Check	Pt	Pt Check	Pd	Pd Check	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.001	0.005	0.005	0.001	0.001	1
365750		2.99	0.090	0.622	0.006	0.93	0.015		<0.005		0.004		<1
365751		3.28	3.57	0.564	0.093	15.15	0.015		0.654		0.088		<1
365752		2.71	3.10	1.650	0.092	13.85	0.037		0.310		0.122		1
365753		2.30	0.154	0.112	0.009	0.65	0.013		0.013		0.018		<1
365754		2.39	0.065	0.023	0.007	0.16	0.005		0.012		0.004		<1
365755		2.51	0.066	0.020	0.005	0.11	0.008		0.013		0.006		<1
365756		2.42	0.417	0.260	0.014	1.74	0.074		0.047		0.021		1
365757		2.99	0.437	0.187	0.014	1.77	0.079		0.050		0.018		1
365758		3.27	0.668	0.205	0.020	2.80	0.047		0.058		0.027		<1
365759		2.84	0.054	0.041	0.006	0.40	0.016		0.009		0.005		<1
365760		2.78	0.021	0.017	0.004	0.31	0.005		<0.005		0.001		<1
365761		0.06	1.095	0.073	0.010	1.20	0.044		0.101		0.172		<1
365762		1.66	0.022	0.017	0.006	0.30	0.005		0.005		0.002		<1
365763		3.53	0.137	0.039	0.008	0.34	0.012		0.014		0.005		1
365764		3.53	0.025	0.019	0.006	0.61	0.005		<0.005		0.003		<1
365765		1.47	0.346	0.327	0.013	1.31	0.204		0.112		0.041		1
365766		2.49	0.109	0.049	0.007	0.29	0.022		0.009		0.006		1
365767		2.14	0.024	0.012	0.004	0.08	0.005		<0.005		0.001		<1
365768		2.68	0.049	0.035	0.005	0.22	0.013		0.008		0.002		<1
365769		2.55	0.098	0.043	0.006	0.38	0.015		0.013		0.003		1
365770		3.78	0.144	0.066	0.008	0.89	0.014		0.006		0.004		<1
365771		3.06	0.349	0.151	0.012	1.48	0.049		0.034		0.011		<1
365772		3.49	0.371	0.256	0.013	1.68	0.051		0.028		0.013		<1
365773		2.70	0.506	0.389	0.015	2.31	0.035		0.047		0.017		1
365774		2.36	0.617	0.302	0.023	2.99	0.092		0.077		0.020		2
365775		2.62	0.432	0.745	0.014	2.10	0.201		0.070		0.019		4
365776		2.51	0.075	0.033	0.008	0.13	0.015		0.013		0.006		<1
365777		1.38	0.016	0.016	0.004	0.30	0.003		<0.005		<0.001		<1
365778		2.59	0.305	0.322	0.011	1.21	0.219		0.070		0.014		2
365779		2.63	0.432	0.234	0.014	1.70	0.095		0.068		0.020		2
365780		2.49	0.023	0.018	0.004	0.10	0.009		0.009		0.003		<1
365781		2.83	0.319	0.239	0.009	1.23	0.143		0.055		0.010		2
365782		1.35	0.165	0.081	0.009	0.76	0.052		0.018		0.007		1
365783		3.84	0.444	0.193	0.015	1.22	0.075		0.131		0.096		1
365784		2.08	0.236	0.160	0.010	0.66	0.068		0.049		0.055		2
365785		1.98	0.188	0.124	0.008	0.40	0.048		0.047		0.049		1
365786		1.53	0.136	0.073	0.006	0.38	0.035		0.041		0.045		<1
365787		3.43	0.016	0.011	0.004	0.10	0.009		<0.005		0.001		<1
365788		2.33	0.010	<0.005	0.006	0.02	0.004		0.005		0.001		1
365789		2.88	0.010	0.016	0.004	0.07	0.008		<0.005		0.001		<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 4-DEC-2007
Account: CNARMN

CERTIFICATE TB07115311

Project:

P.O. No.:

This report is for 34 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 4-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07115311

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
366367		1.81	0.335	0.142	0.015	1.43	0.020	0.151	0.038	1
366368		2.06	0.104	0.045	0.006	0.34	0.006	0.019	0.005	<1
366369		4.16	0.889	0.389	0.032	4.95	0.021	0.255	0.060	<1
366370		3.80	0.059	0.039	0.005	0.37	0.004	0.009	0.008	1
366371		2.68	0.017	0.012	0.004	0.46	0.001	0.011	0.026	1
366372		1.95	0.057	0.019	0.006	0.48	0.002	<0.005	0.003	<1
366373		2.73	0.215	0.095	0.011	1.15	0.018	0.038	0.014	<1
366374		1.87	0.701	0.340	0.026	4.18	0.032	0.248	0.064	<1
366375		2.28	0.013	0.013	0.004	0.13	0.004	<0.005	0.001	1
366376		3.04	0.009	0.008	0.002	0.12	0.001	<0.005	0.001	<1
366377		2.02	0.017	0.015	0.005	0.09	0.004	<0.005	0.001	<1
366378		2.50	0.013	0.012	0.006	0.06	0.003	<0.005	0.001	<1
366379		2.30	0.020	0.010	0.004	0.07	0.002	<0.005	0.003	<1
366380		2.83	0.021	0.013	0.005	0.10	0.003	<0.005	0.002	<1
366381		2.67	0.026	0.015	0.006	0.12	0.002	<0.005	0.001	<1
366382		2.43	0.017	0.014	0.006	0.09	0.002	<0.005	0.001	<1
366383		2.49	0.021	0.011	0.005	0.07	0.002	<0.005	0.001	<1
366384		3.79	0.016	0.013	0.005	0.11	0.002	<0.005	0.002	<1
366385		0.07	1.030	0.071	0.010	1.11	0.040	0.073	0.170	1
366386		4.14	0.120	0.069	0.009	0.80	0.009	0.025	0.007	1
366387		3.23	0.124	0.061	0.009	0.94	0.010	0.028	0.009	<1
366388		3.72	0.638	0.252	0.024	3.33	0.030	0.184	0.040	1
366389		2.62	0.397	0.137	0.017	1.98	0.014	0.121	0.028	<1
366390		2.88	0.452	0.261	0.018	2.26	0.035	0.125	0.034	1
366391		2.49	0.288	0.207	0.011	1.46	0.054	0.090	0.018	1
366392		2.66	0.772	0.284	0.027	3.79	0.040	0.179	0.040	1
366393		3.78	1.045	0.451	0.039	5.88	0.052	0.447	0.188	1
366394		2.37	0.019	0.014	0.003	0.16	0.002	<0.005	0.002	<1
366395		1.80	0.061	0.026	0.005	0.32	0.003	0.010	0.016	<1
366396		2.41	0.012	0.005	0.003	0.07	0.002	<0.005	0.001	<1
366397		2.69	0.006	0.005	0.002	0.07	0.001	<0.005	0.001	<1
366398		2.58	0.016	0.013	0.003	0.08	0.003	<0.005	0.003	<1
366399		2.85	0.014	0.041	0.006	0.10	0.015	<0.005	0.001	<1
366400		3.31	0.017	0.008	0.004	0.03	0.003	<0.005	0.001	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-DEC-2007
Account: CNARMN

CERTIFICATE TB07121347

Project:

P.O. No.:

This report is for 4 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-OCT-2007.

The following have access to data associated with this certificate:

TODD KEAST	DEAN MACEACHERN	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
ATTN: ACCOUNTS PAYABLE
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 2-DEC-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07121347

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
367451		4.94	0.064	0.033	0.007	0.31	0.007	0.011	0.006	17
367452		2.94	0.962	0.205	0.030	4.20	0.023	0.281	0.055	19
367453		2.77	0.708	0.315	0.025	3.29	0.028	0.217	0.072	13
367454		5.66	0.158	0.061	0.010	0.78	0.024	0.044	0.015	5

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE TB07112226

Project:

P.O. No.:

This report is for 27 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE TB07112159

Project:

P.O. No.:

This report is for 88 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112159

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
E804729		4.67	0.018	<0.005	<0.001	14.75	<0.01	6.24	0.004	0.02	0.006	6.49	9.29	0.6	2.80	0.15
E804730		4.47	0.016	0.007	0.004	15.20	<0.01	7.57	0.005	0.03	0.012	7.61	10.90	0.6	3.02	0.19
E804731		3.18	0.042	0.084	0.079	7.61	<0.01	10.25	0.009	0.22	0.099	7.65	10.95	0.1	14.05	0.20
E804732		3.05	0.083	0.012	0.010	4.84	<0.01	16.45	0.008	0.18	0.029	8.42	12.05	0.1	14.65	0.30
E804733		2.48	0.044	0.037	0.027	4.86	<0.01	12.25	0.010	0.25	0.074	7.23	10.35	<0.1	14.85	0.20
E804734		2.88	0.005	<0.005	0.001	15.05	<0.01	3.50	0.003	0.04	0.011	3.92	5.60	0.4	3.14	0.08
E804735		3.32	0.007	0.008	0.001	15.90	<0.01	7.39	0.007	0.02	0.031	7.36	10.55	0.2	8.12	0.15
E804736		2.99	0.002	<0.005	0.001	16.15	<0.01	6.87	0.005	0.03	0.008	6.72	9.61	0.1	7.98	0.15
E804737		3.28	0.005	<0.005	0.005	14.00	<0.01	2.21	0.003	0.02	0.067	1.50	2.14	0.4	0.61	0.03
E804738		2.86	0.002	<0.005	0.001	17.05	<0.01	9.64	0.005	0.05	0.011	7.13	10.20	0.2	7.68	0.16
E804739		2.97	0.002	<0.005	0.001	17.05	<0.01	10.15	0.006	0.03	0.014	7.74	11.05	0.2	8.21	0.17
E804740		2.39	0.002	0.007	0.001	16.95	<0.01	9.46	0.006	0.06	0.010	7.24	10.35	0.2	7.98	0.17
E804741		4.10	0.002	0.006	0.001	15.90	<0.01	9.40	0.006	0.04	0.016	6.78	9.69	0.2	8.14	0.16
E804742		2.57	0.002	0.005	0.001	9.12	<0.01	6.94	0.006	0.14	0.016	6.62	9.74	0.1	12.45	0.20
E804743		3.39	0.001	<0.005	<0.001	15.00	<0.01	10.55	0.005	0.03	0.005	7.73	11.05	0.2	5.13	0.19
E804744		2.45	0.001	<0.005	0.001	17.10	<0.01	7.83	0.005	0.04	0.013	6.80	9.72	0.2	8.22	0.16
E804745		2.49	0.006	<0.005	0.001	16.00	<0.01	7.96	0.005	0.03	0.013	6.94	9.92	0.3	8.04	0.17
E804746		2.08	0.017	0.015	0.034	16.60	<0.01	7.95	0.005	0.10	0.011	7.15	10.20	0.3	8.29	0.17
E804747		3.06	0.003	0.006	0.002	18.75	<0.01	9.15	0.003	0.03	0.013	6.55	9.37	0.4	7.27	0.15
E804748		4.04	0.004	0.011	0.003	16.30	<0.01	9.09	0.006	0.04	0.023	7.03	10.05	0.3	8.36	0.16
E804749		2.53	0.011	<0.005	<0.001	15.40	<0.01	5.55	0.003	0.03	0.007	4.55	6.50	0.3	2.92	0.09
E804750		2.94	0.003	<0.005	0.002	14.70	<0.01	5.51	0.002	0.02	0.008	4.34	6.20	0.5	2.64	0.09
E804751		2.75	0.004	0.005	<0.001	15.00	<0.01	5.51	0.003	0.01	0.013	4.38	6.26	0.6	2.55	0.09
E804752		2.46	0.001	<0.005	<0.001	15.30	<0.01	5.25	0.002	0.02	0.005	4.60	6.58	0.6	2.54	0.09
E804753		2.77	0.001	<0.005	<0.001	14.90	<0.01	5.56	0.002	0.03	0.006	4.49	6.41	0.6	2.50	0.09
E804754		3.19	0.002	<0.005	<0.001	15.25	<0.01	4.99	<0.002	0.02	0.007	4.60	6.58	0.8	2.52	0.09
E804755		3.09	0.001	<0.005	<0.001	15.30	<0.01	5.40	0.002	0.02	<0.005	4.46	6.37	0.6	2.51	0.09
E804756		3.71	0.001	0.007	<0.001	15.15	<0.01	4.77	0.002	0.02	0.011	4.55	6.50	0.6	2.67	0.09
E804757		3.12	0.009	<0.005	<0.001	12.90	<0.01	10.10	0.005	0.02	0.041	8.65	12.35	0.7	7.48	0.20
E804758		3.07	0.453	0.009	0.001	12.90	<0.01	10.60	0.004	0.02	0.372	8.55	12.25	0.3	8.67	0.19
E804759		3.16	0.004	0.005	0.001	17.35	<0.01	9.55	0.004	0.03	0.022	7.10	10.15	0.2	7.00	0.15
E804760		3.25	0.006	0.007	0.002	15.25	<0.01	9.35	0.005	0.04	0.014	7.00	10.00	0.3	9.47	0.17
E804761		0.92	0.003	<0.005	0.002	15.30	<0.01	8.97	0.005	0.04	0.014	6.99	10.00	0.3	8.93	0.17
E804762		2.86	0.002	0.005	0.001	15.25	<0.01	9.49	0.005	0.04	0.013	7.44	10.65	0.3	9.55	0.17
E804763		2.92	0.002	<0.005	0.002	14.95	<0.01	9.68	0.005	0.05	0.013	7.54	10.80	0.2	9.30	0.17
E804764		4.52	0.002	<0.005	0.001	15.20	<0.01	10.25	0.006	0.04	0.014	8.32	11.90	0.1	9.83	0.18
E804785		4.68	0.003	<0.005	0.002	14.70	<0.01	8.92	0.006	0.04	0.015	8.35	11.95	0.1	10.40	0.18
E804766		4.75	0.003	<0.005	0.001	14.55	<0.01	9.70	0.006	0.04	0.017	8.27	11.80	0.1	9.60	0.18
E804767		3.09	0.004	<0.005	0.003	14.65	<0.01	9.50	0.006	0.04	0.014	7.67	10.95	0.1	9.58	0.17
E804768		3.33	0.004	<0.005	0.001	14.75	<0.01	9.55	0.006	0.04	0.013	8.40	12.00	0.1	10.00	0.18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112159

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
E804729		<0.005	0.25	<0.01	0.24	58.2	1.26	0.01	<1
E804730		0.013	0.21	<0.01	0.12	48.5	1.40	0.01	<1
E804731		0.139	0.05	<0.01	0.35	43.0	0.27	0.01	<1
E804732		0.084	0.02	<0.01	0.32	27.6	0.23	0.01	<1
E804733		0.187	0.02	<0.01	0.50	39.4	0.29	0.01	<1
E804734		0.017	0.16	<0.01	0.05	62.5	0.48	<0.01	<1
E804735		0.061	0.05	<0.01	0.32	42.9	0.57	0.01	<1
E804736		0.027	0.05	<0.01	0.02	43.9	0.56	0.01	<1
E804737		0.047	0.07	<0.01	0.35	74.6	0.19	<0.01	<1
E804738		0.024	0.05	<0.01	0.12	45.6	0.48	0.01	<1
E804739		0.023	0.07	<0.01	0.16	46.5	0.58	0.01	<1
E804740		0.022	0.02	<0.01	0.01	47.9	0.55	0.01	<1
E804741		0.020	0.02	<0.01	0.17	47.3	0.52	0.01	<1
E804742		0.075	0.08	<0.01	0.12	54.5	0.49	0.01	<1
E804743		0.017	0.07	<0.01	0.05	48.7	0.85	0.01	<1
E804744		0.019	0.03	<0.01	0.09	46.4	0.47	0.01	<1
E804745		0.024	0.05	<0.01	0.09	43.8	0.52	0.01	<1
E804746		0.052	0.06	<0.01	0.03	43.8	0.56	0.01	<1
E804747		0.019	0.05	<0.01	0.03	45.8	0.56	0.01	<1
E804748		0.058	0.04	<0.01	0.23	45.9	0.50	0.01	<1
E804749		0.007	0.17	<0.01	0.10	60.1	0.65	<0.01	<1
E804750		0.044	0.14	<0.01	0.23	58.6	0.62	0.01	<1
E804751		0.008	0.15	<0.01	0.06	60.4	0.63	0.01	<1
E804752		0.007	0.15	<0.01	0.04	61.1	0.63	0.01	<1
E804753		0.008	0.13	<0.01	0.05	60.2	0.62	0.01	<1
E804754		0.006	0.15	<0.01	0.04	61.1	0.64	0.01	<1
E804755		0.007	0.16	<0.01	0.02	61.7	0.63	<0.01	<1
E804756		0.026	0.16	<0.01	0.07	59.6	0.63	<0.01	<1
E804757		0.022	0.04	<0.01	0.12	46.4	0.93	0.01	<1
E804758		0.040	0.06	<0.01	0.55	46.9	0.78	0.01	<1
E804759		0.026	0.05	<0.01	0.05	46.7	0.61	0.01	<1
E804760		0.024	0.03	<0.01	0.04	49.0	0.40	0.01	<1
E804761		0.021	0.04	<0.01	0.04	48.5	0.45	0.01	1
E804762		0.025	0.05	<0.01	0.06	49.2	0.50	0.01	<1
E804763		0.028	0.03	<0.01	0.05	47.8	0.47	0.01	<1
E804764		0.031	0.02	<0.01	0.11	45.8	0.56	0.01	<1
E804765		0.031	0.05	<0.01	0.09	45.8	0.51	0.01	<1
E804766		0.029	<0.02	<0.01	0.17	46.2	0.60	0.01	1
E804767		0.031	0.03	<0.01	0.05	46.9	0.47	0.01	<1
E804768		0.028	0.02	<0.01	0.14	44.2	0.56	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112159

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
	Analyte	Recvd Wt.	Au	Pt	Pd	Al2O3	As	CaO	Co	Cr	Cu	Fe	Fe2O3	K	MgO	MnO
	Units	kg	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%	%	%
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.05	0.002	0.01	0.005	0.05	0.05	0.1	0.01	0.01
E804769		2.45	0.003	<0.005	0.002	14.90	<0.01	9.50	0.006	0.03	0.014	8.20	11.70	0.1	9.82	0.18
E804770		3.65	0.003	<0.005	0.002	14.85	<0.01	10.15	0.006	0.04	0.013	8.31	11.85	0.1	9.48	0.18
E804771		3.41	0.004	<0.005	0.001	14.60	<0.01	10.10	0.005	0.03	0.015	7.89	11.30	0.1	9.24	0.18
E804772		2.68	0.006	<0.005	0.001	14.95	<0.01	9.87	0.006	0.04	0.016	8.23	11.75	0.1	9.45	0.18
E804773		3.06	0.005	0.005	0.001	14.35	<0.01	9.29	0.005	0.04	0.012	7.63	10.90	0.1	8.84	0.18
E804774		2.70	0.006	<0.005	0.002	14.75	<0.01	9.78	0.004	0.05	0.011	6.42	9.17	0.3	8.39	0.16
E804775		3.25	0.012	0.005	0.003	14.45	<0.01	8.54	0.005	0.06	0.028	6.61	9.45	0.2	9.01	0.16
E804776		3.13	0.009	0.020	0.005	7.99	<0.01	8.43	0.009	0.15	0.042	9.02	12.90	0.1	13.60	0.22
E804777		3.28	0.004	<0.005	0.001	14.90	<0.01	9.85	0.005	0.04	0.023	7.81	11.15	0.1	8.56	0.17
E804778		2.74	0.004	<0.005	0.001	14.45	<0.01	9.65	0.007	0.04	0.020	8.02	11.45	0.1	9.03	0.17
E804779		1.89	0.011	0.017	0.006	10.00	<0.01	10.05	0.009	0.10	0.051	9.02	12.90	0.1	10.85	0.22
E804780		3.30	0.003	0.005	0.001	14.55	<0.01	11.55	0.007	0.03	0.015	8.95	12.80	0.1	7.37	0.20
E804781		4.40	0.002	0.005	0.001	14.85	0.01	12.65	0.007	0.03	0.015	9.08	13.00	0.1	6.86	0.21
E804782		3.83	0.001	<0.005	0.001	15.25	<0.01	12.10	0.007	0.04	0.011	8.87	12.70	0.1	6.96	0.22
E804783		4.21	0.003	<0.005	0.001	14.40	<0.01	11.20	0.007	0.03	0.019	8.73	12.45	0.1	7.32	0.21
E804784		4.17	0.001	<0.005	0.001	14.80	<0.01	11.40	0.007	0.03	0.013	9.09	13.00	0.1	7.35	0.22
E804785		5.12	0.003	0.005	0.001	14.50	0.01	12.65	0.007	0.04	0.013	8.59	12.30	0.1	6.53	0.21
E804786		3.99	0.006	<0.005	0.003	14.20	<0.01	11.65	0.007	0.03	0.029	8.76	12.50	0.1	6.96	0.21
E804787		2.86	0.011	0.009	0.002	11.90	<0.01	8.33	0.008	0.02	0.024	10.20	14.55	2.0	6.97	0.20
E804788		2.71	0.046	0.029	0.012	6.41	<0.01	8.28	0.011	0.14	0.140	10.35	14.75	0.3	13.30	0.23
E804789		2.43	0.003	<0.005	<0.001	15.70	<0.01	3.38	0.004	0.02	0.005	6.81	9.74	0.5	5.53	0.12
E804790		3.87	0.005	<0.005	0.002	13.95	<0.01	5.11	0.005	0.02	0.019	5.21	7.45	0.3	3.97	0.11
E804791		3.71	0.003	<0.005	0.001	13.70	<0.01	8.34	0.007	0.02	0.008	8.80	12.60	0.4	8.88	0.19
E804792		2.54	0.003	<0.005	<0.001	13.30	<0.01	8.30	0.006	0.02	0.008	9.11	13.00	0.7	8.18	0.19
E804793		3.41	0.011	0.019	0.006	7.32	<0.01	7.11	0.008	0.20	0.038	9.76	13.95	0.1	14.75	0.24
E804794		3.69	0.006	0.008	0.001	14.10	<0.01	11.65	0.008	0.03	0.015	8.70	12.45	0.3	7.52	0.19
E804795		4.86	0.004	0.009	0.001	14.00	<0.01	11.55	0.006	0.03	0.012	8.48	12.10	0.2	7.06	0.18
E804796		4.34	0.006	0.007	0.001	12.40	<0.01	10.80	0.008	0.03	0.017	8.04	11.50	0.2	6.82	0.18
E804797		5.03	0.007	0.006	0.001	12.80	0.01	9.85	0.007	0.04	0.023	7.82	11.20	0.1	7.48	0.19
E804798		3.51	0.012	0.017	0.002	13.20	<0.01	7.77	0.007	0.09	0.034	7.84	11.20	0.1	8.90	0.18
E804799		1.82	0.003	0.007	<0.001	14.05	<0.01	5.84	0.005	0.02	0.010	5.39	7.71	0.4	4.34	0.11
E804800		2.68	0.006	<0.005	0.004	14.65	<0.01	8.23	0.007	0.03	0.005	8.25	11.80	0.1	8.00	0.17
E804801		2.26	0.011	0.009	0.002	13.20	<0.01	8.82	0.006	0.04	0.024	7.64	10.90	0.1	7.01	0.17
E804802		2.25	0.007	0.009	0.002	13.50	<0.01	12.30	0.006	0.03	0.015	7.91	11.30	0.1	6.28	0.19
E804803		3.70	0.007	0.014	0.001	14.60	<0.01	11.85	0.007	0.04	0.015	8.33	11.90	0.2	6.24	0.20
E804804		4.27	0.007	0.005	0.001	14.65	<0.01	12.60	0.007	0.04	0.017	8.56	12.25	0.3	6.23	0.20
E804805		1.49	0.007	0.008	0.001	14.35	<0.01	11.15	0.007	0.03	0.018	8.82	12.60	0.1	8.09	0.19
E804806		1.27	0.024	0.030	0.008	14.10	0.01	9.13	0.012	0.05	0.049	8.40	12.00	0.1	9.09	0.17
E804807		1.35	0.030	0.006	0.004	14.95	<0.01	7.72	0.008	0.04	0.069	7.17	10.25	0.1	8.69	0.15
E804808		2.50	0.031	0.028	0.004	16.15	<0.01	8.17	0.007	0.05	0.034	7.18	10.25	0.1	8.11	0.15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112159

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
E804769		0.027	0.02	<0.01	0.12	43.5	0.58	0.01	<1
E804770		0.028	0.03	<0.01	0.15	45.3	0.63	0.01	<1
E804771		0.028	0.04	<0.01	0.11	44.0	0.56	0.01	<1
E804772		0.027	0.03	<0.01	0.06	44.9	0.59	0.01	<1
E804773		0.029	0.05	<0.01	0.04	42.2	0.57	0.01	<1
E804774		0.018	0.04	<0.01	0.02	49.4	0.42	0.01	<1
E804775		0.034	0.05	<0.01	0.08	49.4	0.36	0.01	<1
E804776		0.103	0.06	<0.01	0.61	50.9	0.51	0.01	<1
E804777		0.020	0.04	<0.01	0.35	45.7	0.58	0.01	<1
E804778		0.023	<0.02	<0.01	0.26	46.1	0.55	0.01	<1
E804779		0.104	<0.02	<0.01	0.80	47.3	0.56	0.01	<1
E804780		0.015	<0.02	<0.01	0.78	45.1	0.70	0.01	<1
E804781		0.016	<0.02	<0.01	0.74	45.3	0.74	0.01	<1
E804782		0.016	<0.02	<0.01	0.48	46.1	0.76	0.01	<1
E804783		0.014	<0.02	<0.01	0.63	45.6	0.70	0.01	<1
E804784		0.016	<0.02	<0.01	0.30	45.4	0.74	0.01	<1
E804785		0.017	<0.02	<0.01	0.73	44.6	0.68	0.01	<1
E804786		0.060	<0.02	<0.01	0.64	43.6	0.70	0.01	<1
E804787		0.037	<0.02	<0.01	0.32	44.8	0.85	0.01	<1
E804788		0.253	<0.02	<0.01	1.07	48.3	0.69	0.01	<1
E804789		0.026	0.11	<0.01	0.05	54.4	0.59	0.01	<1
E804790		0.041	0.14	<0.01	0.24	58.0	0.63	<0.01	<1
E804791		0.015	<0.02	<0.01	0.12	47.6	0.72	0.01	<1
E804792		0.023	<0.02	<0.01	0.08	47.2	0.67	0.01	<1
E804793		0.122	<0.02	<0.01	0.29	50.7	0.49	0.01	<1
E804794		0.016	<0.02	<0.01	0.88	44.3	0.68	0.01	<1
E804795		0.016	0.02	<0.01	0.52	43.3	0.68	0.01	<1
E804796		0.015	<0.02	<0.01	0.91	38.7	0.60	0.01	<1
E804797		0.023	<0.02	<0.01	0.39	42.2	0.62	0.01	<1
E804798		0.065	<0.02	<0.01	0.25	43.9	0.56	0.01	<1
E804799		0.009	0.18	<0.01	0.22	53.3	0.84	<0.01	<1
E804800		0.020	0.09	<0.01	0.20	46.9	0.85	0.01	<1
E804801		0.028	0.09	<0.01	0.55	47.4	0.81	0.01	<1
E804802		0.016	<0.02	<0.01	0.56	43.5	0.67	0.01	<1
E804803		0.016	<0.02	<0.01	0.35	46.8	0.74	0.01	<1
E804804		0.017	<0.02	<0.01	0.45	46.2	0.75	0.01	<1
E804805		0.016	<0.02	<0.01	0.63	45.5	0.69	0.01	<1
E804806		0.125	<0.02	<0.01	0.82	46.1	0.54	0.01	<1
E804807		0.045	0.02	<0.01	0.70	47.9	0.32	0.01	<1
E804808		0.093	<0.02	<0.01	0.42	44.9	0.52	0.01	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112159

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
	Analyte	Recvd Wt.	Au	Pt	Pd	Al2O3	As	CaO	Co	Cr	Cu	Fe	Fe2O3	K	MgO	MnO
	Units	kg	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%	%	%
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.05	0.002	0.01	0.005	0.05	0.05	0.1	0.01	0.01
E804809		2.49	0.018	0.007	<0.001	14.50	<0.01	8.96	0.005	0.05	0.017	5.75	8.22	0.2	7.19	0.14
E804810		3.10	0.015	0.011	0.002	15.55	<0.01	9.11	0.005	0.06	0.029	6.39	9.13	0.3	6.43	0.14
E804811		2.46	0.024	0.014	0.001	16.50	<0.01	8.36	0.006	0.05	0.028	6.60	9.43	0.1	7.68	0.14
E804812		3.33	0.047	0.022	0.005	12.95	<0.01	7.21	0.007	0.05	0.099	7.50	10.70	0.1	8.38	0.16
E804813		2.84	0.021	0.005	0.001	13.15	0.01	8.91	0.006	0.03	0.030	8.15	11.65	0.1	7.10	0.17
E804814		1.23	0.097	0.202	0.258	6.54	<0.01	5.09	0.011	0.23	0.337	8.94	12.80	0.1	16.15	0.19
E804815		4.06	0.019	0.019	0.018	13.55	<0.01	10.20	0.005	0.04	0.036	7.05	10.10	0.4	4.69	0.16
E804816		4.41	0.006	0.006	0.001	13.75	<0.01	8.08	0.003	0.03	0.012	5.70	6.15	0.9	3.08	0.14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112159

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
E804809		0.028	<0.02	<0.01	0.05	48.0	0.43	<0.01	1
E804810		0.040	<0.02	<0.01	0.19	46.8	0.68	0.01	1
E804811		0.048	0.05	<0.01	0.17	45.3	0.49	0.01	1
E804812		0.057	<0.02	<0.01	0.95	45.0	0.45	0.01	1
E804813		0.019	<0.02	<0.01	1.34	41.0	0.67	0.01	<1
E804814		0.342	0.03	<0.01	1.00	48.3	0.33	0.01	3
E804815		0.055	0.07	<0.01	0.39	43.6	0.75	0.01	<1
E804816		0.010	0.12	<0.01	0.08	49.4	0.73	0.01	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE TB07112157

Project:

P.O. No.:

This report is for 95 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 964 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112157

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
365251		4.16	0.011	0.014	0.006	0.32	0.006	<0.005	0.001	<1
365252		2.85	0.012	0.012	0.004	0.27	0.005	<0.005	<0.001	<1
365253		2.77	0.076	0.171	0.009	1.67	0.143	0.060	0.057	1
365254		1.44	0.093	0.056	0.006	0.38	0.024	0.057	0.053	<1
365255		4.70	0.924	0.196	0.022	3.17	0.016	0.067	0.014	<1
365256		3.10	2.34	0.772	0.057	9.39	0.119	0.142	0.035	89
365257		0.06	1.465	0.752	0.058	13.40	0.046	0.005	0.007	3
365258		3.07	1.115	0.355	0.046	5.93	0.052	0.142	0.046	1
365259		3.09	1.495	0.561	0.041	5.81	0.090	0.122	0.057	2
365260		2.76	1.275	0.973	0.035	5.02	0.037	0.092	0.037	3
365261		3.23	0.103	0.045	0.007	0.47	0.011	0.013	0.005	1
365262		3.16	0.178	0.229	0.009	0.91	0.035	0.012	0.012	1
365263		2.68	3.55	1.200	0.082	15.90	0.240	0.253	0.091	2
365264		3.48	3.85	0.737	0.092	16.30	0.025	0.135	0.091	1
365265		2.24	0.026	0.016	0.005	0.15	0.004	<0.005	0.001	<1
365266		2.02	0.044	0.029	0.005	0.39	0.005	<0.005	0.002	1
365267		2.54	0.140	0.081	0.006	1.20	0.010	<0.005	0.004	1
365268		1.92	0.041	0.024	0.003	0.43	0.003	<0.005	0.001	1
365269		2.43	5.69	1.325	0.145	25.2	0.041	0.191	0.134	2
365270		4.01	0.595	0.206	0.017	2.60	0.015	0.075	0.015	1
365271		2.99	4.32	0.700	0.085	20.7	0.017	0.246	0.109	1
365272		3.10	0.451	0.488	0.015	2.16	0.043	0.040	0.028	1
365273		2.61	0.148	0.067	0.009	0.37	0.041	0.163	0.190	<1
365274		2.87	0.172	0.105	0.009	0.54	0.047	0.144	0.101	1
365275		2.46	0.271	0.118	0.010	0.83	0.090	0.059	0.014	1
365276		2.21	0.414	0.423	0.018	2.23	0.107	0.108	0.028	2
365277		3.09	0.163	0.164	0.008	0.57	0.101	0.067	0.023	2
365278		2.80	0.080	0.038	0.005	0.20	0.014	<0.005	0.004	1
365279		2.53	0.063	0.023	0.006	0.13	0.010	<0.005	0.001	1
365280		2.59	0.065	0.028	0.006	0.19	0.012	<0.005	<0.001	1
365281		2.64	0.067	0.027	0.006	0.14	0.011	<0.005	0.001	1
365282		2.52	0.068	0.030	0.008	0.33	0.012	0.006	0.002	1
365283		2.55	0.060	0.022	0.007	0.20	0.010	0.010	0.003	1
365284		2.92	0.054	0.016	0.007	0.19	0.006	0.008	0.003	1
365285		2.69	0.051	0.016	0.007	0.11	0.005	<0.005	0.002	1
365286		2.56	0.075	0.054	0.008	0.69	0.021	<0.005	0.001	1
365287		2.72	0.068	0.021	0.009	0.24	0.010	<0.005	0.002	<1
365288		2.57	0.074	0.025	0.009	0.32	0.013	0.024	0.035	1
365289		2.59	0.137	0.080	0.011	0.51	0.036	0.019	0.016	1
365290		0.06	1.065	0.069	0.012	1.14	0.044	0.082	0.160	2

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112157

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
365291		4.15	0.154	0.150	0.012	0.98	0.073	0.073	0.015	2
365292		3.59	1.120	0.247	0.028	4.41	0.049	0.066	0.025	2
365293		2.19	0.012	0.011	0.005	0.06	0.002	<0.005	0.001	<1
365294		3.92	0.222	0.088	0.015	1.38	0.022	0.014	0.004	<1
365295		4.07	0.019	0.012	0.005	0.04	0.005	<0.005	0.001	<1
365296		4.10	0.045	0.016	0.005	0.10	0.005	<0.005	0.002	<1
365297		3.92	0.285	0.185	0.011	1.00	0.037	0.055	0.042	1
365298		2.59	0.416	0.067	0.014	1.39	0.017	0.033	0.012	<1
365299		3.37	3.08	0.355	0.089	12.00	0.074	0.109	0.054	2
365300		3.01	0.018	0.011	0.004	0.15	0.002	<0.005	0.001	<1
365301		4.39	0.235	0.066	0.011	0.75	0.031	0.017	0.006	<1
365302		3.71	0.079	0.017	0.008	0.07	0.009	0.008	0.004	<1
365303		3.26	0.078	<0.005	0.009	0.01	0.002	0.007	0.005	<1
365304		3.36	0.080	0.013	0.010	0.25	0.006	0.005	0.002	<1
365305		3.96	0.073	<0.005	0.009	0.03	0.001	0.006	0.005	<1
365306		2.25	<0.005	<0.005	0.002	0.01	0.001	<0.005	<0.001	<1
365307		3.99	0.083	<0.005	0.010	0.01	0.002	0.007	0.007	<1
365308		2.63	0.105	0.022	0.010	0.10	0.011	0.010	0.013	1
365309		1.96	0.432	0.275	0.016	1.34	0.134	0.099	0.073	2
365310		0.06	1.045	0.071	0.011	1.14	0.033	0.078	0.162	1
365311		2.56	0.172	0.146	0.010	0.27	0.060	0.060	0.053	2
365312		2.88	0.268	0.267	0.012	0.66	0.162	0.096	0.077	2
365313		2.76	0.257	0.237	0.012	0.66	0.132	0.120	0.095	1
365314		3.83	0.045	0.034	0.006	0.11	0.052	0.025	0.020	<1
365315		3.42	0.020	0.024	0.006	0.09	0.013	0.007	0.008	<1
365316		3.03	0.022	0.035	0.006	0.14	0.016	<0.005	0.009	<1
365317		1.49	1.000	0.591	0.025	3.41	0.400	0.283	0.410	4
365318		2.31	1.050	0.833	0.026	4.05	0.662	0.692	0.776	5
365319		2.06	0.018	0.013	0.005	0.11	0.003	<0.005	0.004	<1
365320		1.84	0.395	0.183	0.013	1.03	0.103	0.131	0.183	1
365321		2.51	0.660	0.490	0.020	1.78	0.241	0.386	0.323	2
365322		3.50	0.257	0.171	0.009	0.75	0.057	0.029	0.043	1
365323		2.57	0.305	0.130	0.010	0.80	0.038	0.011	0.021	1
365324		2.36	0.270	0.220	0.009	0.91	0.052	0.027	0.037	2
365325		2.09	0.125	0.275	0.006	0.51	0.082	0.051	0.068	2
365326		1.92	0.232	0.352	0.007	0.75	0.130	0.184	0.186	2
365327		3.11	0.637	0.656	0.016	2.11	0.386	0.574	0.488	5
365328		0.06	1.045	0.072	0.010	1.16	0.056	0.090	0.171	1
365329		2.38	0.799	0.709	0.022	2.63	0.348	0.840	0.645	5
365330		2.40	0.413	0.885	0.012	1.71	0.265	0.427	0.475	7

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 26-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112157

Sample Description	Method	WEI-21	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	PGM-ICP23	PGM-ICP23	PGM-ICP23	Ag-AA62
	Analyte	Recvd Wt.	Ni	Cu	Co	S	Au	Pt	Pd	Ag
	Units	kg	%	%	%	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.002	0.01	0.001	0.005	0.001	1
365331		1.37	0.324	0.483	0.014	1.09	0.343	0.343	0.365	4
365332		3.02	0.247	0.225	0.011	0.84	0.083	0.082	0.105	2
365333		2.72	0.564	0.399	0.018	2.23	0.355	0.210	0.268	3
365334		2.17	0.777	0.514	0.019	3.07	0.161	0.264	0.379	4
365335		2.46	0.347	0.418	0.011	1.42	0.223	0.186	0.359	3
365336		3.51	0.071	0.068	0.004	0.16	0.017	0.030	0.052	1
365337		2.67	0.033	0.007	0.005	0.03	0.003	0.005	0.011	<1
365338		4.00	0.021	0.013	0.005	0.27	0.002	<0.005	0.004	1
365339		3.63	0.009	0.019	0.005	0.36	0.001	<0.005	<0.001	1
365340		2.71	0.009	0.018	0.006	0.39	0.008	<0.005	0.001	<1
365341		3.01	0.009	0.014	0.005	0.42	<0.001	<0.005	0.001	<1
365342		2.18	0.005	0.026	0.006	0.33	0.012	<0.005	<0.001	<1
365343		2.19	0.006	0.017	0.005	0.35	0.004	<0.005	<0.001	<1
365344		2.19	0.018	0.024	0.005	0.20	0.006	0.005	0.001	<1
365345		2.75	0.010	0.019	0.005	0.34	0.002	0.006	0.001	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-NOV-2007
Account: CNARMN

CERTIFICATE TB07112156

Project:

P.O. No.:

This report is for 72 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112156

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
365554		2.41	0.010	<0.005	0.002	13.90	<0.01	10.60	0.005	0.03	0.017	7.37	10.55	0.3	3.76	0.18
365555		2.47	0.004	<0.005	0.001	14.10	<0.01	10.00	0.005	0.02	0.011	7.72	11.05	0.6	4.06	0.19
365556		2.05	0.004	<0.005	0.001	13.55	<0.01	11.65	0.005	0.03	0.015	7.58	10.85	1.1	3.59	0.18
365557		1.01	0.019	0.015	0.017	12.90	<0.01	11.35	0.005	0.03	0.050	7.27	10.40	0.7	5.15	0.19
365558		3.42	0.177	0.054	0.039	6.46	<0.01	8.20	0.020	0.17	0.321	8.65	12.35	0.5	11.30	0.18
365559		2.59	0.005	0.016	0.003	8.35	<0.01	8.26	0.006	0.11	0.014	6.25	8.93	1.5	10.05	0.17
365560		2.52	0.002	0.009	0.002	8.82	<0.01	7.46	0.006	0.11	<0.005	6.47	9.25	1.8	10.45	0.16
365561		2.54	0.020	0.011	0.004	9.34	<0.01	7.54	0.008	0.09	0.070	6.71	9.60	1.6	10.15	0.16
365562		0.06	0.042	0.075	0.166	12.05	0.01	4.97	0.010	0.07	0.074	6.10	8.73	0.8	8.60	0.17
365563		2.25	0.035	0.014	0.005	9.35	<0.01	7.11	0.010	0.09	0.094	7.54	10.80	1.5	10.65	0.16
365564		2.44	0.044	0.017	0.004	8.79	<0.01	7.32	0.008	0.10	0.079	7.03	10.05	1.5	10.45	0.17
365565		1.91	0.092	0.076	0.010	8.52	<0.01	4.46	0.012	0.12	0.174	9.90	14.15	0.9	11.65	0.17
365566		4.11	0.113	0.428	0.086	4.66	<0.01	4.22	0.063	0.16	2.52	21.7	31.0	0.2	10.15	0.15
365567		2.24	0.011	0.100	0.047	10.25	<0.01	5.45	0.029	0.07	0.971	11.15	15.95	0.2	4.44	0.11
365568		2.25	0.003	<0.005	0.001	13.60	<0.01	4.23	0.002	0.01	0.013	4.07	5.82	0.3	2.23	0.09
365569		2.24	0.001	<0.005	0.002	14.50	<0.01	4.30	0.003	0.02	0.022	4.09	5.85	0.3	2.29	0.09
365570		1.69	0.030	0.248	0.066	7.77	<0.01	5.07	0.042	0.14	0.391	16.25	23.2	0.1	10.60	0.17
365571		3.35	0.003	<0.005	0.001	13.90	<0.01	12.00	0.005	0.05	0.016	8.45	12.05	0.1	5.65	0.21
365572		2.21	0.034	0.076	0.027	11.85	<0.01	9.00	0.023	0.07	0.268	11.05	15.80	0.2	8.80	0.18
365573		1.40	0.003	<0.005	0.003	17.40	<0.01	10.90	0.004	0.03	0.014	7.48	10.70	0.4	6.47	0.18
365574		2.60	0.002	0.007	0.005	16.55	<0.01	10.35	0.004	0.03	0.015	8.41	12.05	0.3	7.29	0.17
365575		2.78	0.002	0.005	0.004	16.95	<0.01	10.55	0.005	0.03	0.017	8.04	11.50	0.3	7.12	0.17
365576		2.78	0.004	<0.005	0.005	15.55	<0.01	10.85	0.006	0.03	0.025	8.50	12.15	0.2	8.14	0.18
365577		2.63	0.021	0.036	0.010	12.75	<0.01	10.25	0.012	0.06	0.141	9.82	14.05	0.2	8.76	0.19
365576		2.11	0.009	0.019	0.006	12.95	<0.01	11.20	0.009	0.05	0.067	9.11	13.05	0.2	7.91	0.19
365579		1.20	0.008	0.010	0.003	13.45	<0.01	11.85	0.007	0.03	0.049	8.45	12.10	0.2	7.51	0.20
365580		2.11	0.023	0.092	0.027	12.00	<0.01	8.72	0.014	0.06	0.124	10.25	14.65	0.3	7.98	0.19
365561		3.44	0.001	<0.005	<0.001	14.25	<0.01	6.39	0.003	0.02	0.010	5.49	7.85	0.2	4.37	0.12
365562		2.21	0.002	<0.005	<0.001	14.05	<0.01	6.92	0.003	0.02	0.009	5.63	8.05	0.2	4.53	0.13
365583		2.37	<0.001	<0.005	<0.001	14.05	<0.01	6.42	0.003	0.02	0.007	5.99	8.56	0.2	4.73	0.13
365584		2.36	<0.001	<0.005	<0.001	14.90	<0.01	6.38	0.002	0.02	0.005	5.54	7.93	0.2	3.80	0.12
365565		2.14	<0.001	<0.005	<0.001	14.30	<0.01	6.35	0.003	0.02	0.007	5.59	8.00	0.2	3.91	0.12
365586		2.33	0.005	0.021	0.008	13.20	<0.01	11.05	0.007	0.03	0.039	8.55	12.25	0.2	6.93	0.19
365587		2.38	0.003	<0.005	0.002	14.10	<0.01	12.45	0.005	0.03	0.013	8.47	12.10	0.2	7.13	0.20
365588		2.44	0.003	<0.005	0.001	14.80	<0.01	11.30	0.006	0.03	0.017	8.83	12.65	0.1	7.35	0.20
365589		2.22	0.006	0.007	0.003	14.10	<0.01	12.45	0.007	0.03	0.060	8.60	12.30	0.1	7.25	0.19
365590		2.77	0.001	<0.005	0.001	14.40	<0.01	11.00	0.005	0.04	0.008	8.80	12.60	0.2	7.82	0.20
365591		2.50	0.001	<0.005	0.001	14.15	<0.01	11.20	0.005	0.03	0.011	8.55	12.20	0.1	7.61	0.19
365592		2.83	0.001	<0.005	0.001	14.10	<0.01	11.40	0.005	0.03	0.011	6.37	11.95	0.1	7.20	0.19
365593		1.66	0.004	0.020	0.005	13.25	<0.01	9.06	0.006	0.05	0.028	8.33	11.90	0.2	8.96	0.18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112156

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365554		0.016	0.05	<0.01	0.07	46.9	0.67	0.01	1
365555		0.015	0.09	<0.01	0.06	45.7	0.97	0.01	<1
365556		0.016	0.04	<0.01	0.33	45.6	0.86	0.01	<1
365557		0.039	0.05	<0.01	0.34	44.0	0.69	0.01	1
365558		0.582	0.06	<0.01	2.27	49.6	0.35	0.01	2
365559		0.112	0.06	<0.01	0.08	53.3	0.40	0.01	1
365560		0.095	0.08	<0.01	0.06	52.5	0.42	0.01	<1
365561		0.149	0.06	<0.01	0.38	52.2	0.45	0.01	<1
365562		1.060	0.08	<0.01	1.17	57.6	0.35	0.01	1
365563		0.216	0.07	<0.01	0.73	52.8	0.43	0.01	<1
365564		0.181	0.08	<0.01	0.55	53.2	0.44	0.01	2
365565		0.352	0.10	<0.01	1.38	54.2	0.39	0.01	1
365566		2.53	<0.02	<0.01	12.80	36.2	0.31	0.02	3
365567		1.275	0.12	<0.01	5.90	49.8	0.47	0.01	1
365568		0.009	0.21	<0.01	0.12	59.3	0.59	0.01	<1
365569		0.013	0.20	<0.01	0.13	63.2	0.62	<0.01	<1
365570		1.715	0.05	<0.01	7.32	43.0	0.46	0.01	<1
365571		0.016	0.09	<0.01	0.21	47.6	0.88	0.01	1
365572		0.757	0.04	<0.01	3.14	43.3	0.48	0.01	1
365573		0.017	0.05	<0.01	0.04	48.2	0.60	0.01	<1
365574		0.018	0.06	<0.01	0.14	48.5	0.66	0.01	1
365575		0.016	0.06	<0.01	0.14	48.5	0.64	0.01	<1
365576		0.023	0.05	<0.01	0.21	49.4	0.69	0.01	1
365577		0.304	0.02	<0.01	1.78	46.8	0.56	0.01	1
365578		0.128	0.03	<0.01	1.20	45.3	0.61	0.01	<1
365579		0.070	0.04	<0.01	0.52	44.3	0.64	0.01	1
365580		0.321	0.08	<0.01	2.05	42.9	0.58	0.01	1
365581		0.010	0.21	<0.01	0.16	58.1	0.88	0.01	<1
365582		0.013	0.20	<0.01	0.15	57.6	0.87	0.01	<1
365583		0.012	0.23	<0.01	0.08	57.1	0.86	0.01	<1
365584		0.009	0.24	<0.01	0.15	58.4	0.91	0.01	<1
365585		0.008	0.20	<0.01	0.14	57.8	0.91	0.01	<1
365586		0.075	0.06	<0.01	0.64	45.4	0.69	0.01	<1
365587		0.020	0.05	<0.01	0.22	46.6	0.75	0.01	<1
365588		0.018	0.08	<0.01	0.16	47.2	0.80	0.01	<1
365589		0.049	0.02	<0.01	0.37	47.1	0.75	0.01	<1
365590		0.016	0.07	<0.01	0.12	46.7	0.79	0.01	<1
365591		0.014	0.05	<0.01	0.11	45.2	0.75	0.01	<1
365592		0.015	0.07	<0.01	0.20	46.7	0.76	0.01	<1
365593		0.080	0.05	<0.01	0.65	46.5	0.83	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112156

Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
Analyte	Recvd Wt.	Au	Pt	Pd	Al2O3	As	CaO	Co	Cr	Cu	Fe	Fe2O3	K	MgO	MnO
Units	kg	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%	%	%
Sample Description LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.05	0.002	0.01	0.005	0.05	0.05	0.1	0.01	0.01
365594	2.84	0.001	<0.005	0.001	14.40	<0.01	8.51	0.006	0.04	0.011	7.70	11.00	0.1	9.80	0.17
365595	2.36	0.002	<0.005	0.001	14.60	<0.01	8.64	0.005	0.03	0.012	7.75	11.05	0.2	10.10	0.17
365596	2.43	0.002	0.011	0.003	13.10	<0.01	7.23	0.006	0.04	0.034	6.82	9.75	0.1	8.55	0.14
365597	0.06	0.037	0.007	0.004	9.35	<0.01	5.07	0.055	0.05	0.746	22.0	31.4	0.4	6.18	0.11
365598	2.96	0.015	0.018	0.004	12.50	<0.01	8.62	0.006	0.04	0.028	8.00	11.45	0.1	10.30	0.17
365599	2.44	0.007	0.041	0.011	8.81	<0.01	6.83	0.009	0.11	0.059	7.85	11.25	0.1	11.25	0.17
365600	2.53	0.012	0.050	0.013	8.74	<0.01	7.34	0.009	0.11	0.087	8.49	12.15	0.1	11.35	0.18
365601	2.67	0.005	0.029	0.007	11.95	<0.01	7.50	0.007	0.07	0.042	8.15	11.65	0.2	10.55	0.17
365602	2.49	0.003	<0.005	<0.001	14.10	<0.01	10.20	0.005	0.02	0.012	8.38	12.00	0.1	8.02	0.20
365603	2.40	0.002	<0.005	0.002	14.20	<0.01	8.84	0.005	0.04	0.017	7.76	11.10	0.2	9.66	0.16
365604	2.41	0.012	0.055	0.013	10.20	<0.01	7.15	0.010	0.08	0.076	8.34	11.90	0.1	11.05	0.17
365605	2.60	0.037	0.081	0.021	7.47	<0.01	7.78	0.012	0.10	0.332	8.67	12.40	0.1	9.73	0.16
365606	4.29	0.063	0.186	0.049	8.05	<0.01	6.23	0.021	0.13	0.342	11.10	15.85	0.1	11.65	0.18
365607	4.14	0.002	0.007	0.001	14.45	<0.01	7.06	0.005	0.03	0.019	7.30	10.45	0.1	9.41	0.15
365608	2.86	0.002	<0.005	0.001	15.05	<0.01	8.04	0.004	0.03	0.009	7.57	10.80	0.1	9.64	0.16
365609	3.56	0.002	<0.005	0.001	15.05	<0.01	8.40	0.005	0.03	0.014	7.62	10.90	0.1	9.31	0.16
365610	2.15	<0.001	<0.005	<0.001	14.60	<0.01	5.46	0.002	0.01	0.006	4.20	6.01	0.7	2.39	0.08
365611	1.76	0.001	<0.005	0.001	14.55	<0.01	7.73	0.005	0.02	0.009	7.27	10.40	0.1	8.98	0.16
365612	2.40	0.017	<0.005	0.003	13.95	<0.01	9.07	0.006	0.03	0.062	7.66	10.95	0.1	9.06	0.16
365613	2.85	0.019	0.072	0.019	11.10	<0.01	10.25	0.013	0.06	0.116	9.94	14.20	0.6	8.30	0.17
365614	2.87	0.018	0.103	0.023	10.75	<0.01	8.08	0.018	0.07	0.151	10.05	14.35	0.2	9.06	0.17
365615	1.63	<0.001	<0.005	<0.001	14.55	<0.01	5.03	0.002	0.02	0.011	5.70	8.14	0.6	2.81	0.10
365616	2.90	0.024	0.050	0.023	12.75	<0.01	7.97	0.013	0.06	0.216	9.00	12.85	0.2	7.95	0.15
365617	2.55	0.003	<0.005	0.002	15.40	<0.01	8.78	0.004	0.03	0.013	6.21	8.88	0.1	6.92	0.14
365618	2.68	0.032	0.055	0.012	11.60	<0.01	6.40	0.019	0.05	0.426	10.55	15.10	0.4	7.20	0.17
365619	2.73	0.005	0.008	0.006	6.65	<0.01	5.04	0.006	0.17	0.019	8.21	11.75	0.3	15.50	0.20
365620	2.65	0.067	0.099	0.082	4.85	<0.01	4.95	0.009	0.21	0.104	9.25	13.20	<0.1	18.95	0.21
365621	3.05	0.217	0.074	0.049	8.53	<0.01	5.76	0.005	0.16	0.098	7.79	11.15	0.5	12.75	0.17
365622	2.46	0.018	0.011	0.011	13.40	<0.01	7.19	0.005	0.03	0.040	8.66	12.40	0.4	8.73	0.16
365623	2.49	0.003	<0.005	0.001	14.45	<0.01	7.72	0.004	0.02	0.010	7.71	11.00	0.1	6.59	0.14
365624	2.73	0.003	<0.005	0.001	14.85	<0.01	9.18	0.005	0.03	0.011	9.07	12.95	0.1	7.94	0.17
365625	2.84	0.004	<0.005	0.001	14.50	<0.01	7.90	0.005	0.03	0.018	9.47	13.55	0.1	8.54	0.19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 23-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112156

Sample Description	Method / Analyte / Units / LOR	ME-ICP81 Ni % 0.005	ME-ICP81 P2O5 % 0.02	ME-ICP81 Pb % 0.01	ME-ICP81 S % 0.01	ME-ICP81 SiO2 % 0.01	ME-ICP81 TiO2 % 0.01	ME-ICP81 Zn % 0.01	Ag-AA82 Ag ppm 1
365594		0.029	0.02	<0.01	0.25	43.3	0.57	0.01	<1
365595		0.029	0.02	<0.01	0.11	43.8	0.58	0.01	<1
365596		0.049	0.05	<0.01	0.31	47.9	0.51	0.01	<1
365597		1.375	0.11	<0.01	13.35	32.5	0.21	0.01	<1
365598		0.085	0.02	<0.01	0.42	44.6	0.53	0.01	<1
365599		0.168	0.05	<0.01	0.66	51.2	0.51	0.01	<1
365600		0.188	0.02	<0.01	0.87	51.6	0.51	0.01	<1
365601		0.104	0.05	<0.01	0.45	48.8	0.53	0.01	<1
365602		0.013	0.07	<0.01	0.16	46.1	0.94	0.01	<1
365603		0.037	0.02	<0.01	0.12	44.5	0.56	0.01	<1
365604		0.191	0.05	<0.01	0.77	47.9	0.48	0.01	<1
365605		0.285	0.09	<0.01	1.67	52.7	0.52	0.01	<1
365606		0.594	0.07	<0.01	2.99	47.0	0.44	0.01	<1
365607		0.039	0.05	<0.01	0.14	43.6	0.56	0.01	<1
365608		0.023	0.02	<0.01	0.05	45.5	0.58	0.01	<1
365609		0.027	0.02	<0.01	0.13	44.3	0.56	0.01	<1
365610		<0.005	0.14	<0.01	0.22	58.5	0.64	<0.01	<1
365611		0.023	0.05	<0.01	0.09	46.4	0.55	0.01	<1
365612		0.047	0.05	<0.01	0.39	43.0	0.59	0.01	<1
365613		0.273	0.02	<0.01	1.80	45.1	0.72	0.01	<1
365614		0.446	0.05	<0.01	2.42	46.0	0.52	0.01	<1
365615		0.005	0.32	<0.01	0.44	58.9	0.81	0.01	<1
365616		0.380	0.02	<0.01	1.86	42.8	0.53	0.01	<1
365617		0.021	<0.02	<0.01	0.03	43.4	0.48	0.01	<1
365618		0.577	0.07	<0.01	3.06	41.2	0.48	0.01	<1
365619		0.069	0.09	<0.01	0.17	53.9	0.40	0.01	<1
365620		0.166	0.05	<0.01	0.36	49.8	0.29	0.01	<1
365621		0.103	0.16	<0.01	0.24	53.2	0.50	0.01	<1
365622		0.037	0.02	<0.01	0.14	46.0	0.71	0.01	<1
365623		0.012	0.07	<0.01	0.06	49.3	0.80	0.01	<1
365624		0.013	0.05	<0.01	0.06	45.6	0.90	0.01	<1
365625		0.015	0.02	<0.01	0.16	45.9	0.90	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 22-NOV-2007
Account: CNARMN

CERTIFICATE TB07112150

Project:

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 22-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112150

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365474		0.017	0.09	<0.01	0.06	43.6	0.82	0.01	1
365475		0.018	0.05	<0.01	0.16	41.7	0.78	0.01	2
365476		0.163	0.21	<0.01	0.46	41.1	0.51	0.01	2
365477		0.193	0.07	<0.01	0.54	45.3	0.24	0.01	1
365478		0.082	0.07	<0.01	0.06	47.6	0.30	0.01	<1
365479		0.067	0.14	<0.01	0.04	49.0	0.28	0.01	<1
365480		0.171	0.21	<0.01	0.45	49.6	0.31	0.01	1
365481		0.011	0.23	<0.01	0.05	58.2	0.51	<0.01	1
365482		0.359	0.09	<0.01	1.36	45.6	0.24	0.01	2
365483		0.247	0.23	<0.01	0.81	47.4	0.41	0.01	1
365484		0.214	0.14	<0.01	0.74	46.4	0.46	0.01	1
365485		0.183	0.11	<0.01	0.63	47.8	0.40	0.01	1
365486		0.240	<0.02	<0.01	0.77	48.1	0.50	0.01	<1
365487		0.308	0.09	<0.01	1.28	49.6	0.43	0.01	<1
365488		1.030	0.16	<0.01	1.13	53.7	0.34	0.01	1
365489		0.520	0.18	<0.01	1.89	51.5	0.38	0.01	1
365490		0.193	0.05	<0.01	0.75	48.7	0.53	0.01	1
365491		0.409	0.23	<0.01	1.50	47.2	0.55	0.01	1
365492		0.015	0.05	<0.01	0.15	44.2	0.84	0.01	<1
365493		0.032	0.07	<0.01	0.04	42.0	0.38	0.01	1
365494		0.230	0.25	<0.01	0.67	51.1	0.38	0.01	<1
365495		0.203	<0.02	<0.01	0.48	50.4	0.32	0.01	1
365496		0.524	0.23	<0.01	1.79	47.8	0.37	0.01	1
365497		0.474	0.11	<0.01	1.81	45.0	0.42	0.01	1
365498		0.604	0.09	<0.01	2.25	48.1	0.44	0.01	4
365499		0.461	0.05	<0.01	1.66	45.6	0.45	0.01	1
365500		0.017	0.25	<0.01	0.11	60.0	0.64	0.01	<1
365501		0.007	0.21	<0.01	0.01	61.6	0.63	0.01	1
365502		0.016	0.16	<0.01	0.21	44.4	0.68	0.01	346
365503		0.045	0.16	<0.01	0.27	47.5	0.54	0.01	2
365504		0.213	0.11	<0.01	0.93	48.4	0.50	0.01	23
365505		0.049	0.07	<0.01	2.19	44.9	0.51	0.01	1
365506		0.796	0.05	0.01	3.02	46.6	0.51	0.01	2
365507		1.330	0.09	<0.01	4.71	43.7	0.49	0.01	<1
365506		1.445	0.18	<0.01	13.30	33.2	0.21	0.01	1
365509		0.019	0.02	<0.01	0.26	47.5	0.72	0.01	<1
365510		0.011	0.02	<0.01	0.25	46.5	0.65	0.01	<1
365511		0.340	0.02	<0.01	1.44	46.8	0.52	0.01	3
365512		0.012	<0.02	<0.01	0.61	46.4	0.56	0.01	<1
365513		0.021	<0.02	<0.01	0.30	46.7	0.58	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 22-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112150

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
365514		1.95	0.229	0.054	0.025	8.80	<0.01	5.00	0.024	0.15	0.511	12.65	18.05	<0.1	12.85	0.18
365515		2.55	0.003	<0.005	0.001	13.90	<0.01	12.05	0.004	0.02	0.013	8.47	9.25	0.4	2.91	0.17
365516		2.69	0.074	0.068	0.027	6.64	<0.01	7.27	0.022	0.22	0.338	11.65	16.65	0.1	14.75	0.20
365517		3.15	0.005	0.005	0.002	14.25	<0.01	11.55	0.005	0.03	0.018	8.32	11.90	0.6	7.10	0.17
365518		3.71	0.563	0.086	0.029	8.84	<0.01	7.19	0.010	0.22	0.299	9.55	13.65	0.1	13.60	0.21
365519		2.28	0.031	0.012	0.004	11.30	<0.01	10.00	0.008	0.13	0.040	7.22	10.30	0.1	10.00	0.18
365520		2.83	0.028	0.027	0.009	8.82	<0.01	8.28	0.009	0.17	0.078	8.31	11.90	<0.1	11.95	0.19
365521		2.88	0.009	0.010	0.003	9.50	<0.01	7.15	0.007	0.17	0.049	8.25	11.80	0.1	12.50	0.18
365522		2.71	0.016	0.025	0.007	7.73	<0.01	6.76	0.015	0.23	0.083	10.15	14.50	<0.1	14.10	0.19
365523		2.87	0.011	0.007	0.003	12.15	0.01	7.58	0.007	0.09	0.058	7.18	10.25	0.1	8.03	0.18
365524		2.76	0.017	0.018	0.010	11.40	0.01	5.93	0.012	0.07	0.178	7.91	11.30	0.2	6.81	0.13
365525		0.06	0.060	0.089	0.187	11.65	0.01	4.89	0.011	0.08	0.074	5.70	8.15	0.7	8.27	0.16
365526		3.84	0.025	0.029	0.006	12.65	<0.01	9.64	0.024	0.05	0.190	9.36	13.40	0.1	8.06	0.16
365527		1.97	0.024	0.042	0.009	12.80	<0.01	8.41	0.011	0.08	0.103	7.58	10.85	0.2	7.30	0.14
365528		2.31	0.081	0.055	0.013	10.60	<0.01	8.45	0.012	0.09	0.269	8.38	12.00	0.1	10.05	0.17
365529		2.72	0.167	0.057	0.021	9.69	0.01	8.47	0.014	0.11	0.394	8.41	12.05	0.1	10.65	0.17
365530		2.69	0.004	<0.005	0.001	13.90	<0.01	11.20	0.008	0.05	0.013	7.35	10.50	0.2	4.39	0.18
365531		2.22	0.036	0.016	0.008	13.75	<0.01	7.47	0.011	0.06	0.106	7.80	11.15	0.1	9.32	0.15
365532		3.05	0.003	<0.005	0.002	14.50	<0.01	9.00	0.006	0.03	0.011	7.18	10.25	0.1	6.44	0.14
365533		4.11	0.006	<0.005	0.002	14.35	0.01	10.30	0.005	0.03	0.018	8.09	11.55	<0.1	7.80	0.17
365534		1.97	0.005	<0.005	0.002	14.30	<0.01	10.25	0.006	0.03	0.013	8.13	11.60	<0.1	7.70	0.17
365535		2.25	0.008	<0.005	0.002	13.85	<0.01	10.85	0.006	0.03	0.019	7.80	11.15	0.1	7.35	0.17
365536		1.51	0.076	0.086	0.023	9.34	0.01	7.48	0.018	0.18	0.428	10.15	14.50	<0.1	12.15	0.18
365537		2.61	0.019	0.007	0.003	13.50	<0.01	8.64	0.006	0.06	0.091	7.72	11.05	0.1	7.96	0.16
365538		2.64	0.050	0.009	0.007	12.35	0.01	8.79	0.012	0.06	0.072	8.91	12.75	<0.1	8.28	0.17
365539		2.33	0.040	0.027	0.011	10.50	<0.01	8.53	0.014	0.09	0.193	6.56	9.38	0.1	4.86	0.12
365540		0.08	0.033	0.104	0.161	11.70	0.01	4.71	0.012	0.06	0.070	5.85	8.08	0.7	8.24	0.15
365541		2.25	0.027	0.022	0.011	12.25	0.01	7.79	0.011	0.07	0.154	7.73	11.05	0.1	7.75	0.15
365542		2.34	0.013	0.012	0.004	12.40	<0.01	8.68	0.005	0.04	0.056	6.27	8.98	0.1	7.34	0.15
365543		2.65	0.011	<0.005	0.003	12.95	<0.01	8.34	0.007	0.04	0.022	7.22	10.30	0.1	8.89	0.16
365544		4.01	0.012	<0.005	0.002	13.65	<0.01	7.63	0.006	0.03	0.018	7.71	11.00	<0.1	8.05	0.16
365545		3.63	0.167	0.060	0.027	9.57	<0.01	8.33	0.017	0.11	0.459	10.20	14.60	<0.1	11.60	0.18
365546		2.63	0.002	<0.005	0.001	15.50	<0.01	12.20	0.005	0.05	0.015	7.20	10.30	0.1	3.82	0.19
365547		2.59	0.043	0.020	0.012	13.65	<0.01	8.36	0.007	0.07	0.090	8.27	8.96	0.1	7.98	0.15
365548		2.65	0.027	0.008	0.006	12.35	<0.01	5.71	0.005	0.11	0.047	8.50	9.29	0.3	9.21	0.15
365549		2.80	0.147	0.066	0.032	7.47	<0.01	5.74	0.018	0.23	0.234	8.85	12.65	0.7	14.15	0.17
365550		4.21	0.112	0.075	0.060	7.79	<0.01	5.88	0.010	0.19	0.224	7.68	11.00	0.8	14.65	0.18
365551		4.37	0.026	0.032	0.020	11.05	<0.01	8.95	0.004	0.10	0.030	6.55	9.37	0.2	5.00	0.17
365552		2.57	0.005	<0.005	0.001	14.05	<0.01	8.06	0.005	0.03	0.010	8.46	12.10	0.1	6.55	0.17
365553		3.01	0.006	<0.005	0.003	13.85	<0.01	8.72	0.004	0.03	0.012	8.78	12.55	0.2	6.84	0.19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 22-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112150

Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
Units	%	%	%	%	%	%	%	ppm
Sample Description LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365514	0.957	<0.02	<0.01	3.58	43.5	0.61	0.01	1
365515	0.017	0.05	<0.01	0.11	46.3	0.86	0.01	<1
365516	0.800	0.02	<0.01	2.85	47.7	0.55	0.01	2
365517	0.028	0.02	<0.01	0.44	45.0	0.78	0.01	1
365518	0.325	0.05	<0.01	1.11	47.7	0.57	0.01	1
365519	0.083	0.02	<0.01	0.31	45.0	0.60	0.01	1
365520	0.160	<0.02	<0.01	1.04	45.4	0.52	0.01	1
365521	0.107	0.05	<0.01	0.30	45.6	0.57	0.01	1
365522	0.273	0.07	<0.01	1.41	47.4	0.69	0.01	1
365523	0.095	0.02	<0.01	0.48	46.1	0.60	0.01	1
365524	0.544	0.09	<0.01	2.10	48.2	0.53	0.01	1
365525	1.040	0.09	<0.01	1.13	53.1	0.35	0.01	1
365526	0.269	<0.02	<0.01	2.42	42.1	0.56	0.01	<1
365527	0.333	0.05	<0.01	1.34	46.1	0.72	0.01	1
365528	0.375	0.02	<0.01	1.47	45.3	0.48	0.01	1
365529	0.446	0.02	<0.01	1.86	44.3	0.38	0.01	2
365530	0.022	0.02	<0.01	0.18	44.9	0.91	0.01	1
365531	0.234	0.02	<0.01	1.25	44.2	0.38	0.01	<1
365532	0.034	0.05	<0.01	0.37	49.3	0.67	0.01	<1
365533	0.020	<0.02	<0.01	0.09	44.2	0.72	0.01	<1
365534	0.016	<0.02	<0.01	0.08	45.5	0.75	0.01	1
365535	0.019	<0.02	<0.01	0.13	44.4	0.73	0.01	1
365536	0.621	<0.02	<0.01	2.13	43.3	0.45	0.01	3
365537	0.088	<0.02	<0.01	0.71	43.4	0.61	0.01	1
365538	0.306	0.02	<0.01	1.40	40.1	0.61	0.01	1
365539	0.582	0.14	<0.01	2.23	48.8	0.53	0.01	1
365540	1.035	0.07	<0.01	1.15	53.1	0.35	0.01	1
365541	0.301	0.09	<0.01	1.25	45.8	0.51	0.01	2
365542	0.098	0.05	<0.01	0.34	45.4	0.56	0.01	1
365543	0.044	0.02	<0.01	0.19	43.0	0.60	0.01	1
365544	0.026	<0.02	<0.01	0.09	42.9	0.71	0.01	1
365545	0.563	0.02	<0.01	2.40	45.0	0.52	0.01	3
365546	0.012	0.07	<0.01	0.08	49.4	0.96	0.01	<1
365547	0.079	0.02	<0.01	0.55	44.0	0.46	0.01	1
365548	0.095	0.09	<0.01	0.31	50.6	0.57	0.01	2
365549	0.391	0.02	<0.01	1.77	48.1	0.39	0.01	1
365550	0.257	0.05	<0.01	0.83	49.8	0.35	0.01	1
365551	0.027	0.02	<0.01	0.13	49.8	0.64	0.01	<1
365552	0.015	0.05	<0.01	0.03	44.2	0.88	0.01	1
365553	0.008	0.07	<0.01	0.05	45.2	0.92	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-NOV-2007
Account: CNARMN

CERTIFICATE TB07119025

Project:

P.O. No.:

This report is for 11 Rock samples submitted to our lab in Thunder Bay, ON, Canada on 18-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
DRY-21	High Temperature Drying

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 20-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07119025

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01
14672		1.88	0.017	0.017	0.005	0.14
14741		0.94	0.011	0.364	0.008	0.55
14742		1.08	<0.005	1.655	0.005	1.34
14743		1.54	0.016	2.97	0.006	3.79
14744		1.55	0.008	2.17	0.009	1.88
14745		1.52	0.015	0.265	0.007	0.43
14746		1.56	0.008	1.270	0.005	0.77
14747		1.92	0.015	0.173	0.026	8.16
14748		1.34	0.011	0.025	0.004	0.07
14749		1.36	0.100	0.012	0.010	0.08
14750		1.63	0.006	0.011	0.005	0.05

Glate property

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 17-NOV-2007
Account: CNARMN

CERTIFICATE TB07112151

Project:

P.O. No.:

This report is for 85 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 17-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112151

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
365625		Not Recvd														
365626		3.21	0.009	<0.005	0.001	14.55	<0.01	10.00	0.004	0.02	0.015	6.97	9.96	1.4	3.75	0.17
365627		3.58	0.005	<0.005	0.001	14.15	<0.01	11.60	0.004	0.03	0.012	6.70	9.58	1.3	3.49	0.19
365628		1.72	0.015	0.011	0.012	13.50	<0.01	10.25	0.005	0.10	0.031	6.61	9.45	0.5	6.28	0.18
365629		0.79	0.083	0.063	0.060	4.43	<0.01	12.10	0.010	0.20	0.264	6.84	9.79	0.1	15.40	0.17
365630		3.32	0.020	0.032	0.019	8.01	<0.01	8.38	0.009	0.15	0.249	7.61	10.90	0.1	11.40	0.16
365631		3.41	0.036	0.122	0.068	9.47	<0.01	6.67	0.029	0.10	0.731	12.95	18.50	0.1	8.91	0.16
365632		4.90	0.252	0.253	0.038	5.61	<0.01	3.62	0.106	0.10	0.355	22.3	31.9	0.1	7.96	0.12
365633		4.03	0.268	0.309	0.057	5.89	<0.01	4.23	0.063	0.14	1.440	19.45	27.8	0.1	9.91	0.14
365634		3.01	1.260	0.197	0.057	4.87	<0.01	3.86	0.081	0.13	2.27	23.2	33.1	0.1	9.28	0.13
365635		2.86	0.191	0.306	0.054	4.50	<0.01	3.96	0.088	0.12	1.710	23.9	34.2	0.1	8.38	0.13
365636		2.21	0.151	0.096	0.077	6.37	<0.01	2.60	0.102	0.09	0.139	30.8	43.8	0.2	4.19	0.08
365637		3.40	0.028	0.109	0.017	14.75	<0.01	9.63	0.013	0.05	0.532	8.82	12.60	0.1	7.89	0.15
365638		2.51	0.016	<0.005	0.003	17.35	<0.01	9.38	0.004	0.04	0.037	7.03	10.05	0.1	7.40	0.15
365639		3.13	0.064	0.069	0.065	7.03	<0.01	4.97	0.076	0.07	1.555	20.9	29.8	<0.1	5.99	0.12
365640		4.10	0.015	0.071	0.025	12.85	<0.01	8.51	0.027	0.05	0.379	12.30	17.55	0.1	8.58	0.16
365641		2.34	0.007	<0.005	0.003	16.55	<0.01	8.94	0.004	0.03	0.043	7.48	10.70	0.2	8.92	0.17
365642		3.80	0.019	<0.005	0.003	17.70	<0.01	9.12	0.007	0.03	0.348	8.19	11.70	0.2	9.04	0.17
365643		4.33	0.039	0.057	0.013	14.20	<0.01	8.86	0.016	0.04	0.513	10.10	14.45	0.2	7.92	0.17
365644		3.85	0.023	0.032	0.016	11.05	<0.01	10.20	0.011	0.05	0.937	9.41	13.45	0.1	6.25	0.20
365645		4.33	0.625	0.118	0.020	11.10	<0.01	10.10	0.014	0.07	2.18	11.65	16.70	0.1	8.61	0.19
365646		4.03	0.029	0.254	0.047	9.32	<0.01	6.73	0.068	0.07	0.701	21.4	30.6	0.1	7.98	0.16
365647		2.27	0.014	0.097	0.015	15.30	<0.01	7.48	0.021	0.05	0.093	11.35	16.20	0.1	7.97	0.16
365648		2.60	0.003	<0.005	0.001	16.20	<0.01	5.93	0.002	0.02	0.013	3.92	5.61	0.2	2.44	0.09
365649		2.51	0.002	<0.005	0.001	16.75	<0.01	5.41	<0.002	0.04	0.011	4.92	7.03	0.3	2.50	0.10
365650		0.06	0.132	0.006	0.009	9.92	<0.01	5.59	0.059	0.05	0.778	22.8	32.7	0.4	6.54	0.13
365651		2.53	0.004	<0.005	0.001	16.95	<0.01	5.13	0.002	0.02	0.027	3.85	5.50	0.2	2.55	0.08
365652		2.40	0.024	0.515	0.059	8.17	<0.01	6.02	0.050	0.09	5.97	20.1	28.8	0.1	6.13	0.15
365653		2.74	0.003	<0.005	0.003	14.80	<0.01	5.58	0.005	0.02	0.027	5.03	7.19	0.2	2.63	0.09
365654		3.59	0.002	<0.005	0.001	14.90	<0.01	5.10	0.002	0.01	0.012	4.90	7.01	0.2	2.41	0.09
365655		3.83	0.002	<0.005	0.001	14.95	<0.01	5.18	0.002	0.01	0.005	4.79	6.85	0.2	2.32	0.09
365656		2.24	0.003	<0.005	0.001	13.90	<0.01	6.30	0.004	0.01	0.006	6.53	9.34	0.8	3.05	0.12
365657		4.42	0.008	0.093	0.035	10.10	<0.01	8.68	0.022	0.04	0.123	11.95	17.05	0.8	6.47	0.17
365658		4.29	1.245	0.258	0.034	10.15	<0.01	7.01	0.037	0.05	0.376	13.40	19.15	0.1	7.40	0.15
365659		2.60	0.009	<0.005	0.002	14.10	<0.01	10.80	0.006	0.03	0.014	8.56	12.25	0.2	5.88	0.21
365660		2.31	0.032	0.105	0.043	9.39	0.01	8.80	0.034	0.05	0.681	13.95	19.95	0.1	7.45	0.16
365661		2.72	0.013	0.023	0.007	13.55	<0.01	10.50	0.010	0.04	0.107	8.43	12.05	0.2	7.82	0.16
365662		2.89	0.015	0.041	0.010	11.70	<0.01	9.97	0.018	0.05	0.339	10.15	14.50	0.1	7.84	0.17
365663		2.96	0.015	0.033	0.015	11.65	<0.01	9.91	0.022	0.05	0.146	9.44	13.50	0.1	7.56	0.16
365664		0.06	0.038	0.087	0.164	11.45	0.01	4.85	0.010	0.06	0.069	5.58	7.98	0.7	8.13	0.15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 17-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112151

Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA82
Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
Units	%	%	%	%	%	%	%	ppm
Sample Description LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365625								
365626	0.009	0.09	<0.01	0.47	44.6	0.88	0.01	1
365627	0.012	0.02	<0.01	0.27	42.1	0.80	0.01	<1
365628	0.043	<0.02	<0.01	0.22	45.1	0.53	0.01	1
365629	0.305	<0.02	<0.01	1.51	47.9	0.27	0.01	1
365630	0.260	0.05	<0.01	1.27	50.2	0.35	0.01	1
365631	1.050	0.02	<0.01	5.50	42.1	0.37	0.02	1
365632	2.24	0.02	<0.01	14.65	32.6	0.33	0.02	1
365633	2.26	0.02	<0.01	10.80	38.2	0.33	0.02	2
365634	2.68	0.02	<0.01	14.65	34.0	0.30	0.02	4
365635	2.86	0.05	<0.01	15.30	32.1	0.29	0.04	2
365636	4.81	<0.02	<0.01	21.1	22.4	0.20	0.01	1
365637	0.305	0.05	<0.01	1.62	45.7	0.53	0.01	<1
365638	0.030	0.05	<0.01	0.11	47.0	0.54	0.01	<1
365639	2.67	<0.02	<0.01	12.95	27.7	0.34	0.01	2
365640	0.956	0.05	<0.01	4.27	42.5	0.59	0.01	1
365641	0.036	0.05	<0.01	0.47	45.0	0.53	0.01	<1
365642	0.105	0.02	<0.01	1.31	46.8	0.56	0.01	1
365643	0.508	0.02	<0.01	2.64	45.5	0.69	0.01	<1
365644	0.263	<0.02	<0.01	2.18	38.4	0.99	0.01	1
365645	0.509	<0.02	<0.01	3.99	44.3	0.56	0.02	2
365646	2.70	<0.02	<0.01	11.95	38.0	0.33	0.01	1
365647	0.672	<0.02	<0.01	3.15	45.9	0.55	0.01	<1
365648	0.024	0.21	<0.01	0.14	64.6	0.71	<0.01	<1
365649	0.063	0.16	<0.01	0.32	66.6	0.73	<0.01	<1
365650	1.525	0.09	<0.01	13.95	33.8	0.22	0.01	2
365651	0.017	0.18	<0.01	0.11	65.4	0.75	<0.01	1
365652	1.700	0.02	<0.01	13.35	32.0	0.31	0.02	6
365653	0.105	0.21	<0.01	0.52	59.8	0.68	<0.01	1
365654	0.005	0.18	<0.01	0.14	60.7	0.71	0.01	1
365655	<0.005	0.16	<0.01	0.07	60.0	0.70	0.01	<1
365656	<0.005	0.11	<0.01	0.14	55.7	0.94	0.01	<1
365657	0.764	0.05	<0.01	3.36	43.0	0.88	0.01	1
365658	1.035	0.02	<0.01	5.80	40.2	0.47	0.01	1
365659	0.025	0.07	<0.01	0.16	46.9	0.93	0.01	1
365660	1.195	<0.02	<0.01	6.09	36.4	0.43	0.01	1
365661	0.225	<0.02	<0.01	1.12	45.9	0.58	0.01	1
365662	0.482	0.05	<0.01	2.43	43.2	0.63	0.01	1
365663	0.507	<0.02	<0.01	2.53	40.6	0.53	0.01	1
365664	1.035	0.07	<0.01	1.13	52.4	0.34	0.01	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 17-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112151

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
365665		3.60	0.024	0.038	0.013	12.25	0.01	9.44	0.013	0.04	0.157	8.55	12.20	0.1	7.96	0.16
365666		2.35	0.029	0.057	0.025	11.00	<0.01	10.80	0.021	0.04	0.372	10.05	14.40	0.2	6.80	0.16
365667		1.19	0.007	<0.005	0.001	13.80	<0.01	4.69	0.002	0.01	0.037	3.75	5.36	0.6	2.52	0.08
365668		2.89	0.011	0.018	0.007	12.65	<0.01	8.32	0.009	0.04	0.101	8.40	12.00	0.1	8.00	0.17
365669		1.11	0.026	<0.005	0.001	14.40	<0.01	5.53	0.004	0.02	0.059	5.87	8.40	0.2	4.53	0.11
365670		3.19	0.073	0.069	0.030	10.30	<0.01	9.41	0.030	0.07	0.300	14.05	20.1	0.2	7.89	0.18
365671		3.71	0.005	<0.005	0.003	14.60	<0.01	13.45	0.008	0.04	0.013	8.53	12.20	0.3	6.40	0.21
365672		2.47	0.005	0.007	0.002	14.45	<0.01	12.55	0.005	0.04	0.066	8.25	11.80	0.2	6.94	0.20
365673		3.41	0.015	0.019	0.008	8.02	0.01	6.58	0.009	0.15	0.040	9.27	13.25	0.1	14.25	0.22
365674		3.83	0.032	0.048	0.015	5.66	<0.01	7.89	0.012	0.16	0.119	9.59	13.70	0.1	15.30	0.22
365675		4.02	0.211	0.098	0.033	5.62	<0.01	7.76	0.020	0.16	0.339	11.70	16.70	0.1	14.60	0.22
365676		4.18	0.077	0.129	0.038	5.32	<0.01	7.36	0.025	0.16	0.569	13.05	18.70	<0.1	14.55	0.20
365677		3.86	0.042	0.058	0.024	7.94	<0.01	5.91	0.015	0.14	0.181	10.30	14.70	0.1	14.25	0.20
365678		4.85	0.019	0.014	0.007	14.95	<0.01	5.74	0.008	0.06	0.060	8.03	11.50	0.2	9.59	0.16
365679		3.84	0.045	0.059	0.022	7.70	<0.01	6.39	0.017	0.14	0.321	10.40	14.90	0.1	13.35	0.19
365680		4.34	0.067	0.025	0.009	10.75	<0.01	7.34	0.008	0.09	0.249	9.27	13.25	1.0	11.05	0.18
365681		3.64	0.053	0.045	0.018	9.43	0.01	6.58	0.014	0.13	0.196	9.43	13.50	0.1	12.25	0.19
365682		3.69	0.014	0.020	0.006	10.70	<0.01	7.00	0.008	0.12	0.041	7.83	11.20	0.1	12.15	0.18
365683		4.05	0.078	0.052	0.020	7.13	<0.01	6.68	0.019	0.23	0.234	11.55	16.50	0.1	14.20	0.20
365684		3.55	0.033	0.018	0.008	9.66	<0.01	9.15	0.011	0.14	0.117	8.41	12.05	0.3	9.53	0.17
365685		4.03	0.051	0.066	0.020	8.02	0.01	7.27	0.029	0.17	0.325	12.60	18.00	0.3	11.55	0.18
365686		3.73	0.040	0.084	0.017	7.66	0.01	7.35	0.027	0.18	0.271	11.90	17.00	0.2	11.30	0.17
365687		3.24	0.053	0.049	0.012	12.40	<0.01	7.45	0.020	0.06	0.540	8.89	12.70	0.1	8.40	0.15
365688		4.65	0.148	0.062	0.020	9.75	<0.01	7.93	0.029	0.10	0.274	11.65	16.65	0.1	9.56	0.16
365689		3.42	0.106	0.058	0.025	13.55	<0.01	12.55	0.008	0.07	0.238	7.09	10.15	0.1	7.15	0.14
365690		4.03	0.157	0.065	0.021	10.30	<0.01	7.73	0.013	0.10	0.359	8.68	12.40	0.1	10.75	0.16
365691		2.75	0.236	0.061	0.013	13.65	<0.01	3.72	0.011	0.06	0.456	8.06	11.55	0.1	9.27	0.14
365692		2.28	0.025	<0.005	0.001	14.95	<0.01	4.16	0.003	0.01	0.048	4.39	6.27	0.2	2.80	0.08
365693		3.42	0.418	0.126	0.027	6.63	0.01	6.36	0.013	0.16	0.480	9.02	12.90	0.1	14.60	0.18
365694		2.07	0.016	0.015	0.005	6.86	<0.01	7.26	0.007	0.18	0.022	7.94	11.35	0.1	16.40	0.20
365695		1.79	0.017	<0.005	0.003	14.20	<0.01	7.36	0.005	0.04	0.010	6.03	8.61	0.1	7.65	0.15
365696		2.03	0.005	<0.005	0.001	14.15	<0.01	4.70	0.004	0.02	0.008	5.30	7.56	0.3	2.86	0.10
365697		3.04	0.013	0.007	0.005	11.50	0.01	6.86	0.005	0.07	0.022	6.49	9.28	0.1	9.12	0.16
365698		3.64	0.101	0.045	0.015	9.16	<0.01	5.35	0.023	0.13	0.151	9.39	13.40	0.1	12.45	0.16
365699		3.54	0.098	0.033	0.017	7.81	0.01	7.14	0.013	0.14	0.128	8.71	12.45	0.8	11.20	0.18
365700		3.11	0.032	0.037	0.036	3.49	<0.01	4.46	0.010	0.20	0.063	8.04	11.50	<0.1	19.60	0.18
365701		2.71	0.066	0.067	0.078	4.88	<0.01	4.80	0.012	0.17	0.202	8.96	12.80	<0.1	19.35	0.21
365702		3.20	0.248	0.214	0.222	3.01	<0.01	4.09	0.013	0.19	0.456	9.13	13.05	<0.1	20.2	0.15
365703		2.95	0.045	0.033	0.041	12.70	0.01	8.88	0.010	0.03	0.171	7.70	11.00	0.7	6.08	0.18
365704		3.51	0.043	0.028	0.025	12.35	0.01	8.78	0.008	0.03	0.121	8.17	11.70	0.6	7.26	0.21

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 17-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112151

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365665		0.328	<0.02	<0.01	1.63	41.4	0.52	0.01	1
365666		0.663	0.02	<0.01	3.41	37.5	0.52	0.01	<1
365667		0.017	0.16	<0.01	0.35	60.0	0.62	<0.01	<1
365666		0.179	0.05	<0.01	0.99	43.3	0.66	0.01	1
365669		0.052	0.23	<0.01	0.28	55.0	0.91	0.01	<1
365670		1.195	0.02	<0.01	5.51	39.8	0.65	0.01	1
365671		0.022	0.02	<0.01	0.22	44.5	0.81	0.01	1
365672		0.025	<0.02	<0.01	0.24	44.3	0.79	0.01	1
365673		0.127	<0.02	<0.01	0.33	49.9	0.42	0.01	1
365674		0.286	0.02	<0.01	1.00	49.7	0.39	0.01	1
365675		0.675	<0.02	<0.01	2.84	47.5	0.43	0.01	2
365676		0.945	0.02	<0.01	4.36	44.4	0.45	0.01	3
365677		0.430	<0.02	<0.01	1.58	48.9	0.39	0.01	2
365678		0.106	<0.02	<0.01	0.58	47.6	0.60	0.01	1
365679		0.484	0.02	<0.01	2.08	48.1	0.47	0.01	2
365680		0.168	0.07	<0.01	0.93	50.4	0.72	0.01	2
365681		0.402	0.05	<0.01	1.46	47.7	0.53	0.01	2
365682		0.109	0.02	<0.01	0.39	50.6	0.59	0.01	<1
365683		0.599	0.02	<0.01	2.37	47.8	0.69	0.01	2
365684		0.323	0.05	<0.01	1.24	45.5	0.68	0.01	1
365685		1.055	0.05	<0.01	3.85	42.2	0.58	0.01	1
365686		1.140	0.05	<0.01	3.90	45.5	0.47	0.01	1
365687		0.549	0.02	<0.01	2.69	43.4	0.35	0.01	3
365688		1.140	0.07	<0.01	4.13	44.0	0.50	0.01	1
365689		0.240	0.02	<0.01	0.95	46.1	0.48	0.01	2
365690		0.477	<0.02	<0.01	1.86	45.0	0.38	0.01	3
365691		0.322	0.02	<0.01	1.47	47.5	0.53	0.01	5
365692		0.018	0.09	<0.01	0.15	58.4	0.66	<0.01	1
365693		0.425	0.02	<0.01	1.53	48.3	0.42	0.01	4
365694		0.111	<0.02	<0.01	0.10	50.1	0.35	0.01	1
365695		0.025	0.14	<0.01	0.11	44.9	0.53	0.01	1
365696		0.008	0.30	<0.01	0.19	55.0	0.79	0.01	1
365697		0.041	0.05	<0.01	0.21	46.5	0.53	0.01	<1
365698		0.541	<0.02	<0.01	2.01	46.2	0.43	0.01	3
365699		0.256	<0.02	<0.01	1.24	47.8	0.56	0.01	2
365700		0.148	<0.02	<0.01	0.37	47.7	0.23	0.01	<1
365701		0.331	<0.02	<0.01	0.82	47.9	0.30	0.01	3
365702		0.459	<0.02	<0.01	1.64	48.1	0.26	0.01	3
365703		0.270	0.02	<0.01	0.77	43.1	0.73	0.01	3
365704		0.123	<0.02	<0.01	0.38	40.6	0.69	0.01	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 17-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112151

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP81 Al2O3 % 0.01	ME-ICP81 As % 0.01	ME-ICP81 CaO % 0.05	ME-ICP81 Co % 0.002	ME-ICP81 Cr % 0.01	ME-ICP81 Cu % 0.005	ME-ICP81 Fe % 0.05	ME-ICP81 Fe2O3 % 0.05	ME-ICP81 K % 0.1	ME-ICP81 MgO % 0.01	ME-ICP81 MnO % 0.01
365705		4.27	0.163	0.295	0.227	6.74	0.01	5.86	0.014	0.17	0.418	9.02	12.90	0.4	16.10	0.18
365706		4.08	0.035	0.029	0.031	7.94	<0.01	5.15	0.008	0.19	0.051	7.87	11.25	<0.1	15.40	0.17
365707		2.92	0.118	0.155	0.145	6.95	0.01	5.82	0.010	0.24	0.228	8.47	12.10	0.1	16.10	0.18
365708		3.82	0.015	0.019	0.031	12.90	<0.01	12.20	0.006	0.03	0.025	8.16	11.65	0.1	3.89	0.24
365709		3.98	0.007	<0.005	0.001	13.60	<0.01	13.65	0.004	0.03	0.009	7.67	10.95	0.2	2.99	0.26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 17-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112151

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365705		0.379	0.02	<0.01	1.28	50.8	0.41	0.01	3
365706		0.094	0.05	<0.01	0.10	47.2	0.40	0.01	<1
365707		0.238	0.05	<0.01	0.71	50.8	0.42	0.01	1
365708		0.103	0.05	<0.01	0.31	40.7	0.83	0.01	<1
365709		0.014	0.02	<0.01	0.07	43.3	0.91	0.01	1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE TB07112220

Project:

P.O. No.:

This report is for 39 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 964 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112220

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP81 Ni % 0.005	ME-ICP81 Cu % 0.005	ME-ICP81 Co % 0.002	ME-ICP81 S % 0.01	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	Ag-AA62 Ag ppm 1	Au-GRA21 Au ppm 0.05
366401		2.61	0.454	0.240	0.019	2.42	0.026	0.137	0.031	1	
366402		2.58	0.142	0.040	0.008	0.71	0.005	0.039	0.009	<1	
366403		3.93	0.030	0.019	0.004	0.16	0.002	<0.005	0.002	1	
366404		2.90	0.299	0.254	0.012	1.45	0.023	0.066	0.025	<1	
366405		4.24	0.065	0.027	0.005	0.35	0.004	0.019	0.004	<1	
366406		2.71	0.018	0.010	0.004	0.17	0.009	<0.005	0.001	<1	
366407		4.23	0.053	0.023	0.004	0.25	0.005	0.010	0.004	<1	
366408		3.40	0.267	0.137	0.010	1.36	0.024	0.077	0.018	1	
366409		2.16	0.014	0.015	0.004	0.10	0.003	<0.005	<0.001	<1	
366410		3.00	0.125	0.066	0.007	0.65	0.012	0.027	0.006	<1	
366411		2.87	0.678	0.241	0.021	3.59	0.033	0.170	0.041	1	
366412		2.56	0.453	0.124	0.016	2.35	0.036	0.119	0.030	<1	
366413		2.70	0.258	0.111	0.010	1.20	0.016	0.071	0.017	<1	
366414		2.72	0.261	0.094	0.010	1.11	0.012	0.056	0.017	<1	
366415		2.97	0.431	0.014	0.044	5.73	0.006	<0.005	0.017	<1	
366416		1.88	0.006	0.005	<0.002	0.17	0.001	<0.005	<0.001	<1	
366417		3.25	0.008	0.005	<0.002	0.10	0.001	<0.005	<0.001	<1	
366418		2.09	0.008	0.006	0.002	0.24	0.001	<0.005	<0.001	<1	
366419		2.84	0.013	0.009	0.003	0.36	0.002	<0.005	0.001	<1	
366420		3.19	0.015	0.013	0.004	0.75	0.003	<0.005	0.002	<1	
366421		2.62	0.014	0.012	0.004	0.59	0.006	0.007	0.001	<1	
366422		3.12	0.008	0.009	0.002	0.55	0.002	<0.005	0.001	<1	
366423		1.87	0.030	0.029	0.006	1.44	0.006	0.005	0.002	<1	
366424		2.31	0.142	0.065	0.008	1.15	0.011	0.018	0.006	1	
366425		0.06	1.495	0.739	0.057	13.60	0.051	0.008	0.008	1	
366426		1.78	0.245	0.110	0.011	1.30	0.015	0.039	0.013	<1	
366427		2.16	1.830	1.335	0.049	9.37	0.586	0.227	0.051	2	
366428		1.51	0.520	0.331	0.016	2.38	0.065	0.037	0.017	1	
366429		2.03	0.954	0.490	0.027	4.51	0.083	0.110	0.030	1	
366430		1.88	1.500	0.219	0.048	7.11	0.622	0.202	0.039	<1	
366431		3.16	0.246	0.170	0.008	0.90	>10.0	0.060	0.061	1	8.45
366432		2.44	0.120	0.069	0.006	0.18	0.051	0.042	0.032	<1	
366433		1.84	0.412	0.335	0.010	0.92	0.336	0.246	0.236	2	
366434		3.05	0.072	0.055	0.003	0.28	0.040	0.043	0.047	<1	
366435		2.19	0.167	0.146	0.005	0.54	0.122	0.114	0.105	1	
366436		2.39	0.021	0.012	0.003	0.13	0.006	0.005	0.004	<1	
366437		2.69	0.057	0.049	0.006	0.20	0.044	0.042	0.029	1	
366438		2.50	0.012	0.009	0.003	0.05	0.006	0.006	0.003	<1	
366439		2.43	0.017	0.011	0.004	0.03	0.006	0.005	0.003	<1	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE TB07112153

Project:

P.O. No.:

This report is for 69 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112153

Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
Analyte	Recvd Wt.	Au	Pt	Pd	Al2O3	As	CaO	Co	Cr	Cu	Fe	Fe2O3	K	MgO	MnO
Units	kg	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%	%	%
Sample Description LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.05	0.002	0.01	0.005	0.05	0.05	0.1	0.01	0.01
365862	3.60	0.007	0.009	0.012	14.05	<0.01	6.20	0.004	0.03	0.022	5.42	7.75	0.3	4.72	0.13
365863	1.78	0.025	0.099	0.111	4.01	0.01	21.3	0.010	0.18	0.030	5.87	8.40	<0.1	11.15	0.30
365864	2.04	0.050	0.080	0.096	3.17	<0.01	8.30	0.010	0.29	0.052	7.02	10.05	<0.1	18.85	0.18
365865	2.53	0.013	0.016	0.018	13.60	<0.01	3.09	0.003	0.02	0.008	5.62	8.04	0.2	5.10	0.11
365866	2.44	0.004	<0.005	0.001	14.15	0.01	4.81	0.003	0.01	0.005	4.26	6.09	0.1	2.86	0.10
365867	1.46	0.004	<0.005	0.001	13.15	<0.01	4.26	0.004	0.02	0.006	5.54	7.92	0.1	5.19	0.11
365868	1.82	0.014	0.022	0.005	8.29	0.01	8.27	0.007	0.12	0.026	7.57	10.80	0.1	11.35	0.19
365869	1.99	0.004	0.016	0.004	6.59	0.01	9.18	0.007	0.14	0.014	7.17	10.25	0.1	12.45	0.21
365870	2.63	0.003	0.018	0.006	7.24	0.01	8.53	0.008	0.13	0.021	7.40	10.60	0.1	11.90	0.19
365871	2.58	0.057	0.044	0.017	6.49	<0.01	7.68	0.014	0.15	0.202	8.83	12.60	0.1	13.60	0.18
365872	2.52	0.007	0.013	0.004	9.52	<0.01	6.82	0.007	0.10	0.025	8.75	12.50	0.4	13.30	0.19
365873	2.57	0.007	0.014	0.005	9.85	<0.01	7.65	0.006	0.11	0.021	7.97	11.40	0.1	11.90	0.19
365874	2.41	0.009	0.008	0.018	13.75	0.01	5.15	0.003	0.03	0.006	5.53	7.91	0.3	4.72	0.12
365875	1.44	0.003	<0.005	0.005	14.20	<0.01	3.62	0.004	0.02	0.006	5.46	7.81	0.2	4.72	0.10
365876	2.84	0.007	0.017	0.005	7.49	<0.01	6.60	0.008	0.16	0.019	8.34	11.90	0.1	15.20	0.19
365877	2.39	0.038	0.024	0.012	6.82	<0.01	8.35	0.009	0.15	0.079	8.33	11.90	0.1	14.30	0.19
365878	1.92	0.005	0.005	0.004	13.15	0.01	9.07	0.006	0.03	0.008	7.53	10.75	0.1	8.48	0.19
365879	2.72	0.024	0.031	0.011	6.97	<0.01	7.03	0.010	0.16	0.081	9.00	12.85	0.1	15.45	0.19
365880	1.77	0.046	0.054	0.021	6.84	<0.01	6.74	0.016	0.16	0.204	10.05	14.40	0.1	15.60	0.19
365881	2.44	0.080	0.029	0.013	12.95	0.01	7.26	0.011	0.06	0.150	8.79	12.55	0.1	9.03	0.17
365882	2.45	0.019	0.008	0.003	10.90	0.01	9.46	0.006	0.06	0.028	7.35	10.50	0.1	8.54	0.17
365883	2.65	0.025	0.022	0.009	8.52	0.01	9.92	0.011	0.09	0.073	8.14	11.65	0.1	9.49	0.19
365884	2.73	0.009	0.010	0.004	13.55	<0.01	6.77	0.006	0.08	0.042	7.93	11.35	0.1	10.55	0.17
365885	0.06	0.039	0.113	0.171	11.85	0.01	4.99	0.011	0.06	0.072	6.03	8.62	0.8	8.47	0.17
365886	1.51	0.317	0.045	0.015	10.90	0.01	6.51	0.012	0.08	0.573	9.76	13.95	0.1	10.25	0.18
365887	3.67	0.038	0.476	0.065	5.87	<0.01	4.83	0.081	0.08	1.210	24.2	34.6	0.1	8.12	0.15
365888	1.72	0.011	0.159	0.008	15.05	0.01	6.29	0.010	0.03	0.378	9.31	13.30	0.2	6.84	0.15
365889	1.93	0.129	0.563	0.105	3.16	<0.01	3.42	0.213	0.09	0.493	30.5	43.7	0.1	6.06	0.11
365890	3.38	0.038	0.176	0.115	2.38	<0.01	4.16	0.116	0.10	0.928	33.4	47.8	0.1	6.69	0.12
365891	2.79	0.003	0.007	0.004	14.70	<0.01	13.65	0.008	0.04	0.095	8.66	12.40	0.2	6.48	0.19
365892	1.85	0.002	0.007	0.002	14.65	<0.01	13.70	0.006	0.03	0.016	8.69	12.45	0.1	6.01	0.20
365893	1.97	0.002	0.008	0.004	15.40	<0.01	9.71	0.006	0.04	0.017	7.86	11.25	0.1	9.45	0.17
365894	2.68	0.019	0.031	0.013	11.15	<0.01	8.60	0.015	0.09	0.104	10.05	14.35	0.1	10.55	0.19
365895	2.03	0.029	0.024	0.012	12.15	0.01	9.22	0.011	0.08	0.101	8.63	12.35	0.1	9.94	0.18
365896	2.75	0.031	0.024	0.010	12.05	0.01	9.93	0.010	0.06	0.243	8.38	12.00	0.1	9.22	0.18
365897	2.06	0.429	0.155	0.059	9.12	<0.01	7.34	0.041	0.07	2.37	17.05	24.4	0.3	7.02	0.15
365898	2.85	0.046	0.357	0.053	8.59	<0.01	5.87	0.050	0.06	3.75	21.8	31.1	0.1	6.10	0.14
365899	0.06	0.062	0.011	0.007	9.41	<0.01	5.33	0.058	0.06	0.766	22.5	32.2	0.4	6.23	0.12
365900	2.80	0.022	0.178	0.049	10.15	0.01	7.32	0.066	0.03	0.375	20.1	28.8	0.4	5.40	0.15
365901	3.86	0.022	0.070	0.023	11.95	<0.01	9.44	0.037	0.03	0.351	16.00	22.9	1.0	7.25	0.22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CANADIAN ARROW MINES LTD.
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112153

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365862		0.036	0.11	<0.01	0.11	48.7	0.55	0.01	1
365863		0.148	<0.02	<0.01	0.27	26.7	0.18	0.01	<1
365864		0.124	<0.02	<0.01	0.22	44.0	0.21	0.01	<1
365865		0.011	0.14	<0.01	0.07	56.8	0.62	0.01	<1
365866		0.006	0.14	<0.01	0.02	58.9	0.65	0.01	<1
365867		0.013	0.14	<0.01	0.03	54.0	0.69	0.01	<1
365868		0.087	0.05	<0.01	0.19	47.8	0.46	0.01	<1
365869		0.093	0.02	<0.01	0.22	47.5	0.38	0.01	<1
365870		0.130	0.02	<0.01	0.31	50.5	0.41	0.01	<1
365871		0.319	0.02	<0.01	1.41	48.6	0.37	0.01	<1
365872		0.075	0.05	<0.01	0.17	50.8	0.54	0.01	<1
365873		0.065	0.05	<0.01	0.28	49.4	0.46	0.01	<1
365874		0.018	0.16	<0.01	0.11	58.5	0.63	0.01	<1
365875		0.011	0.18	<0.01	0.20	59.0	0.66	0.01	<1
365876		0.089	0.02	<0.01	0.12	52.8	0.36	0.01	<1
365877		0.163	0.02	<0.01	0.50	51.3	0.38	0.01	<1
365878		0.027	0.02	<0.01	0.06	43.1	0.60	0.01	<1
365879		0.197	0.05	<0.01	0.59	52.1	0.36	0.01	<1
365880		0.377	0.05	<0.01	1.42	49.7	0.37	0.01	<1
365881		0.224	0.02	<0.01	1.07	43.8	0.48	0.01	<1
365882		0.055	0.07	<0.01	0.41	50.4	0.52	0.01	<1
365883		0.185	0.07	<0.01	1.03	48.5	0.54	0.01	<1
365884		0.079	<0.02	<0.01	0.27	47.7	0.46	0.01	<1
365885		1.075	0.07	<0.01	1.14	55.0	0.35	0.01	1
365886		0.239	0.05	<0.01	1.39	46.3	0.31	0.01	<1
365887		2.98	<0.02	<0.01	13.85	31.6	0.27	0.01	1
365888		0.253	<0.02	<0.01	1.41	42.5	0.47	0.01	<1
365889		5.97	<0.02	<0.01	21.7	22.3	0.17	0.01	<1
365890		4.85	<0.02	<0.01	21.7	22.4	0.25	0.01	1
365891		0.123	0.02	<0.01	0.66	46.3	0.72	0.01	<1
365892		0.037	0.02	<0.01	0.30	45.9	0.85	0.01	<1
365893		0.038	0.02	<0.01	0.43	47.0	0.54	0.01	<1
365894		0.341	0.05	<0.01	2.00	46.8	0.52	0.01	<1
365895		0.209	0.07	<0.01	1.25	47.8	0.42	0.01	<1
365896		0.149	0.02	<0.01	0.81	46.3	0.38	0.01	<1
365897		1.635	0.05	<0.01	9.50	37.7	0.33	0.02	2
365898		2.11	<0.02	<0.01	12.60	30.5	0.32	0.01	3
365899		1.450	0.09	<0.01	13.10	32.7	0.21	0.01	1
365900		2.27	<0.02	<0.01	9.87	34.8	0.50	0.01	<1
365901		1.185	0.05	<0.01	4.83	46.4	0.99	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112153

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
	Analyte	Recvd Wt.	Au	Pt	Pd	Al2O3	As	CaO	Co	Cr	Cu	Fe	Fe2O3	K	MgO	MnO
	Units	kg	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%	%	%
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.05	0.002	0.01	0.005	0.05	0.05	0.1	0.01	0.01
365902		2.34	0.007	<0.005	<0.001	14.15	<0.01	12.05	0.006	0.03	0.015	8.28	11.85	0.2	5.00	0.20
365903		1.90	0.015	0.215	0.133	1.35	<0.01	1.68	0.151	0.06	0.238	41.9	59.9	0.1	2.57	0.06
365904		2.72	0.026	0.048	0.035	13.05	<0.01	6.55	0.024	0.02	1.785	12.90	18.45	0.2	6.01	0.16
365905		2.92	0.021	0.056	0.008	11.45	<0.01	10.50	0.028	0.03	0.261	11.75	16.80	0.4	7.16	0.21
365906		2.92	0.039	0.448	0.117	5.43	<0.01	5.12	0.112	0.07	2.90	28.1	40.2	0.1	5.09	0.12
365907		2.41	0.021	0.350	0.167	1.14	0.01	1.59	0.176	0.06	3.24	37.3	53.3	0.1	2.59	0.08
365908		0.94	0.007	0.239	0.010	16.00	0.01	7.43	0.014	0.03	0.103	10.20	14.60	0.1	7.94	0.16
365909		2.48	0.060	0.281	0.105	4.88	<0.01	4.20	0.111	0.08	1.485	30.1	43.1	0.1	5.33	0.10
365910		2.88	0.004	0.005	0.001	14.90	<0.01	5.47	0.002	0.01	0.165	4.06	5.81	0.3	2.43	0.08
365911		4.21	0.018	0.009	0.004	14.95	<0.01	5.42	<0.002	0.01	0.017	4.41	6.30	0.5	2.43	0.09
365912		2.50	0.004	<0.005	0.001	15.05	0.01	5.29	<0.002	0.01	0.011	4.63	6.62	0.7	2.52	0.09
365913		2.09	0.004	<0.005	0.001	14.65	<0.01	5.07	<0.002	0.02	0.008	4.23	6.04	0.3	2.48	0.09
365914		2.43	0.005	0.008	0.002	14.80	<0.01	8.77	0.004	0.04	0.017	6.41	9.16	0.2	6.96	0.15
365915		2.69	0.007	0.005	0.002	15.70	<0.01	6.83	0.004	0.04	0.025	6.24	8.92	0.2	6.91	0.14
365916		3.20	0.026	0.013	0.012	12.55	<0.01	12.35	0.008	0.05	0.102	9.80	14.00	0.1	7.06	0.20
365917		2.53	0.009	0.008	0.004	14.75	<0.01	9.02	0.006	0.05	0.030	7.49	10.70	0.1	8.74	0.17
365918		2.61	0.004	<0.005	0.001	17.10	<0.01	10.15	0.004	0.04	0.015	6.90	9.86	0.2	7.22	0.14
365919		2.16	0.005	<0.005	0.001	16.90	<0.01	10.10	0.004	0.04	0.016	6.68	9.56	0.2	7.11	0.14
365920		1.38	0.006	<0.005	0.001	16.85	<0.01	8.88	0.005	0.03	0.019	7.15	10.20	0.2	7.19	0.15
365921		3.91	0.004	0.007	0.001	13.80	<0.01	10.05	0.004	0.04	0.015	7.87	11.25	0.2	7.02	0.17
365922		3.98	0.007	0.007	0.002	12.00	<0.01	10.85	0.004	0.06	0.043	7.58	10.85	0.5	6.88	0.17
365923		3.84	0.016	0.012	0.005	11.50	<0.01	8.82	0.005	0.07	0.054	8.31	11.90	0.7	8.80	0.18
365924		3.95	0.067	0.035	0.014	9.25	0.01	7.93	0.013	0.11	0.184	8.59	12.30	0.9	9.71	0.19
365925		3.80	0.045	0.011	0.005	11.10	<0.01	9.71	0.007	0.05	0.089	7.08	10.10	1.1	8.02	0.17
365926		3.84	0.056	0.039	0.014	11.25	<0.01	9.48	0.011	0.08	0.107	8.34	11.90	0.8	9.07	0.18
365927		3.17	0.117	0.046	0.021	10.70	<0.01	8.49	0.012	0.08	0.228	8.01	11.45	0.2	7.39	0.17
365928		1.41	0.086	0.099	0.096	5.88	<0.01	7.95	0.013	0.15	0.160	9.26	13.25	0.1	14.20	0.18
365929		3.47	0.100	0.084	0.057	11.55	<0.01	8.52	0.007	0.04	0.175	9.22	13.20	0.1	8.09	0.21
365930		4.00	0.010	0.008	0.008	13.10	<0.01	8.77	0.003	0.03	0.033	7.22	10.30	0.1	5.17	0.17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112153

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365902		0.025	0.09	<0.01	0.24	45.3	0.88	0.01	<1
365903		6.70	<0.02	<0.01	29.4	9.09	0.11	0.01	<1
365904		0.610	0.05	<0.01	4.34	40.7	0.67	0.01	1
365905		0.327	0.02	<0.01	2.92	42.9	1.02	0.01	<1
365906		4.28	0.02	<0.01	19.05	22.8	0.48	0.01	2
365907		7.19	<0.02	<0.01	32.0	8.99	0.08	0.01	3
365908		0.415	<0.02	<0.01	1.87	45.1	0.52	0.01	<1
365909		4.50	<0.02	<0.01	20.5	23.7	0.23	0.02	1
365910		0.035	0.21	<0.01	0.32	61.1	0.62	<0.01	<1
365911		0.029	0.18	<0.01	0.22	60.6	0.63	0.01	<1
365912		0.009	0.23	<0.01	0.22	60.6	0.64	0.01	<1
365913		<0.005	0.18	<0.01	0.12	60.0	0.62	0.01	<1
365914		0.035	0.02	<0.01	0.10	47.0	0.56	0.01	<1
365915		0.039	0.09	<0.01	0.20	49.6	0.47	0.01	<1
365916		0.116	0.02	<0.01	3.80	40.7	0.48	0.01	<1
365917		0.050	0.02	<0.01	0.33	44.6	0.50	0.01	<1
365918		0.020	<0.02	<0.01	0.18	43.8	0.52	0.01	<1
365919		0.018	0.02	<0.01	0.23	43.3	0.49	0.01	<1
365920		0.019	0.02	<0.01	0.31	42.9	0.60	0.01	<1
365921		0.017	<0.02	<0.01	0.28	42.5	0.65	0.01	<1
365922		0.059	0.02	<0.01	1.17	41.0	0.58	0.01	<1
365923		0.129	0.05	<0.01	0.62	41.8	0.67	0.01	1
365924		0.350	0.05	<0.01	1.39	44.5	0.49	0.01	1
365925		0.125	<0.02	<0.01	0.46	39.8	0.45	0.01	<1
365926		0.406	<0.02	<0.01	1.33	40.9	0.43	0.01	1
365927		0.440	0.05	<0.01	1.74	46.3	0.51	0.01	2
365928		0.455	0.02	<0.01	1.84	44.5	0.33	0.01	1
365929		0.164	<0.02	<0.01	0.68	42.7	0.46	0.01	1
365930		0.033	0.11	<0.01	0.15	47.9	0.81	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE TB07112152

Project:

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-OCT-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE	TODD KEAST	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP81	ICP Fusion - Ore Grade	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

see last page - incorrect input of sample numbers by ALS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112152

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
	Analyte	Recvd Wt.	Au	Pt	Pd	Al2O3	As	CaO	Co	Cr	Cu	Fe	Fe2O3	K	MgO	MnO
	Units	kg	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%	%	%
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.05	0.002	0.01	0.005	0.05	0.05	0.1	0.01	0.01
365931		2.58	0.002	0.007	0.002	14.35	<0.01	4.66	<0.002	0.01	0.005	3.76	5.37	2.7	1.59	0.08
365932		2.72	0.003	<0.005	0.002	13.85	<0.01	5.93	0.002	0.01	0.008	3.57	5.10	2.2	1.46	0.08
365933		2.66	0.014	0.005	0.001	14.00	<0.01	6.07	0.003	0.01	0.011	2.87	4.11	2.5	1.07	0.09
365934		3.51	0.011	<0.005	0.005	13.40	<0.01	6.26	0.002	0.01	0.017	4.66	6.66	1.7	2.40	0.11
365935		4.35	0.030	0.024	0.027	7.14	<0.01	7.54	0.006	0.20	0.031	7.51	10.75	<0.1	14.50	0.16
365936		2.82	0.010	0.012	0.011	7.28	<0.01	6.01	0.009	0.21	0.011	7.57	10.80	<0.1	16.20	0.19
365937		2.62	0.005	0.007	0.008	8.49	0.01	5.92	0.006	0.18	<0.005	6.93	9.91	0.1	13.95	0.17
365938		3.68	0.009	0.009	0.013	6.17	0.01	5.36	0.009	0.22	0.005	7.55	10.80	0.1	18.35	0.17
365939		3.90	0.004	<0.005	0.001	13.85	<0.01	3.15	0.002	0.03	<0.005	3.87	5.53	0.6	3.20	0.07
365940		1.55	0.004	<0.005	<0.001	13.20	0.01	2.91	0.002	0.04	<0.005	4.33	6.19	0.3	4.42	0.08
365941		2.86	0.026	0.046	0.030	3.23	0.01	4.15	0.012	0.24	0.072	8.63	12.35	0.1	20.5	0.19
365942		3.33	0.083	0.100	0.041	4.01	0.01	4.45	0.013	0.20	0.275	8.35	11.95	0.1	18.20	0.18
365943		0.03	0.094	0.086	0.167	11.55	0.01	4.92	0.010	0.06	0.071	5.69	8.13	0.7	8.32	0.16
365944		4.15	0.017	0.067	0.086	3.98	<0.01	3.96	0.008	0.19	0.036	8.00	11.45	0.1	20.3	0.16
365945		1.74	0.158	0.146	0.022	4.82	<0.01	4.04	0.086	0.13	1.260	23.2	33.2	<0.1	7.70	0.12
365946		2.40	0.013	0.013	0.009	13.10	0.01	10.30	0.005	0.08	0.037	5.44	7.78	0.1	6.71	0.16
365947		2.20	0.009	0.011	0.013	14.50	<0.01	9.68	0.005	0.07	0.016	5.75	8.22	0.4	8.19	0.15
365948		2.50	0.068	0.028	0.016	15.15	0.01	9.67	0.005	0.06	0.094	6.98	9.98	0.7	5.91	0.16
365949		2.39	0.010	0.021	0.036	14.70	0.01	9.40	0.006	0.05	0.013	7.29	10.45	0.6	7.24	0.16
365950		2.70	0.014	0.005	0.005	13.75	0.01	10.45	0.007	0.05	0.039	6.84	9.79	0.3	8.57	0.17
365951		2.84	0.008	0.006	0.004	14.70	0.01	9.00	0.006	0.05	0.018	7.03	10.05	0.1	8.77	0.17
365952		2.34	0.004	<0.005	<0.001	14.30	<0.01	5.11	0.002	0.02	0.008	4.26	6.10	0.8	2.62	0.09
365953		2.29	0.007	<0.005	<0.001	14.35	<0.01	5.03	0.002	0.02	0.013	4.23	6.05	0.5	2.86	0.10
365954		2.69	0.046	0.018	0.006	11.00	0.01	10.70	0.008	0.07	0.049	8.23	11.75	0.1	8.39	0.20
365955		2.59	0.021	<0.005	0.002	12.90	0.01	10.30	0.006	0.03	0.035	7.46	10.65	0.1	5.10	0.21
365956		2.36	0.019	0.008	0.003	11.90	<0.01	9.89	0.006	0.10	0.054	7.29	10.40	0.1	8.13	0.17
365957		2.40	0.006	0.006	0.002	16.60	<0.01	6.18	0.005	0.03	0.009	7.07	10.10	0.1	8.07	0.13
365958		2.81	0.019	0.022	0.007	10.40	0.01	7.80	0.016	0.11	0.042	9.05	12.95	0.1	10.30	0.18
365959		2.76	0.006	<0.005	0.001	14.90	0.01	9.11	0.004	0.03	0.011	6.21	8.87	0.7	2.52	0.15
365960		2.58	0.012	<0.005	0.002	14.25	0.01	7.62	0.006	0.06	0.027	7.75	11.10	0.4	9.73	0.18
365961		2.39	0.013	0.007	0.002	15.45	<0.01	8.67	0.006	0.04	0.020	6.67	9.53	0.6	7.50	0.15
365962		1.75	0.012	0.007	0.001	11.05	<0.01	8.70	0.005	0.04	0.029	6.03	8.62	0.3	6.39	0.14
365963		3.49	0.036	<0.005	0.001	14.20	<0.01	4.42	0.005	0.02	0.054	4.16	5.94	0.4	2.74	0.08
365964		1.70	0.011	<0.005	0.003	14.50	<0.01	9.68	0.008	0.05	0.022	7.08	10.10	0.5	7.35	0.16
365965		2.57	0.008	0.010	0.001	14.95	0.01	9.20	0.006	0.04	0.015	6.68	9.55	0.4	7.58	0.16
365966		2.45	0.046	0.023	0.006	11.45	<0.01	8.51	0.007	0.08	0.105	7.72	11.05	0.1	9.62	0.17
365967		2.70	0.053	0.018	0.007	12.65	0.01	7.35	0.008	0.09	0.103	8.49	12.15	0.1	10.30	0.17
365968		2.47	0.125	0.055	0.026	7.71	0.01	12.70	0.021	0.10	0.437	9.88	14.10	<0.1	7.90	0.19
365969		2.19	0.025	0.016	0.008	12.30	<0.01	7.98	0.009	0.05	0.089	8.06	11.55	<0.1	7.93	0.15
365970		2.52	0.006	<0.005	0.001	14.10	0.01	7.55	0.008	0.04	0.012	7.82	11.15	<0.1	9.51	0.18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112152

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA62
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365931		0.008	0.07	<0.01	0.33	62.2	0.50	0.01	<1
365932		<0.005	0.07	<0.01	0.44	61.0	0.47	0.01	<1
365933		0.008	0.05	<0.01	0.30	60.2	0.47	0.01	<1
365934		0.009	0.02	<0.01	0.26	56.7	0.52	0.01	<1
365935		0.072	0.02	<0.01	0.19	46.2	0.39	0.01	<1
365936		0.073	0.05	<0.01	0.05	44.7	0.28	0.01	<1
365937		0.063	0.07	<0.01	0.04	48.6	0.34	0.01	<1
365938		0.085	<0.02	<0.01	0.09	46.3	0.22	0.01	<1
365939		0.014	0.11	<0.01	0.05	62.3	0.48	0.01	<1
365940		0.016	0.14	<0.01	0.04	61.2	0.47	0.01	<1
365941		0.276	<0.02	<0.01	0.71	48.1	0.23	0.01	<1
365942		0.412	0.02	<0.01	1.19	47.9	0.24	0.01	1
365943		1.050	0.07	<0.01	1.09	53.4	0.35	0.01	<1
365944		0.112	0.02	<0.01	0.28	51.2	0.23	0.01	<1
365945		4.01	0.05	<0.01	15.15	30.3	0.37	0.01	4
365946		0.052	0.05	<0.01	0.17	44.3	0.39	0.01	<1
365947		0.033	0.02	<0.01	0.11	46.4	0.50	0.01	<1
365948		0.068	0.02	<0.01	0.30	43.6	0.60	0.01	<1
365949		0.018	0.02	<0.01	0.08	41.6	0.58	0.01	<1
365950		0.034	<0.02	<0.01	0.12	41.2	0.50	0.01	1
365951		0.032	<0.02	<0.01	0.07	43.6	0.52	0.01	<1
365952		0.008	0.11	<0.01	0.09	59.4	0.62	0.01	<1
365953		0.007	0.14	<0.01	0.10	58.4	0.63	0.01	<1
365954		0.094	0.02	<0.01	1.48	42.7	0.53	0.03	<1
365955		0.023	0.02	<0.01	1.77	42.5	0.66	0.01	<1
365956		0.076	0.02	<0.01	0.43	44.7	0.58	0.01	<1
365957		0.020	0.02	<0.01	0.04	43.8	0.60	0.01	<1
365958		0.421	0.02	<0.01	1.85	44.2	0.53	0.01	<1
365959		0.015	0.11	<0.01	0.15	51.8	0.89	0.01	<1
365960		0.065	<0.02	<0.01	0.39	42.7	0.48	0.01	<1
365961		0.031	<0.02	<0.01	0.54	42.2	0.46	0.01	<1
365962		0.043	<0.02	<0.01	0.23	50.0	0.40	0.01	<1
365963		0.077	0.16	<0.01	0.57	58.7	0.65	<0.01	<1
365964		0.068	<0.02	<0.01	0.35	43.2	0.50	0.01	<1
365965		0.029	0.02	<0.01	0.05	41.4	0.44	0.01	<1
365966		0.091	0.05	<0.01	0.43	44.7	0.50	0.01	<1
365967		0.139	<0.02	<0.01	0.55	43.8	0.46	0.01	1
365968		0.697	0.02	<0.01	3.05	38.8	0.41	0.01	3
365969		0.140	0.02	<0.01	1.02	44.5	0.55	0.01	1
365970		0.043	0.02	<0.01	0.08	42.7	0.49	0.01	<1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112152

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81
	Analyte	Recvd Wt.	Au	Pt	Pd	Al2O3	As	CaO	Co	Cr	Cu	Fe	Fe2O3	K	MgO	MnO
	Units	kg	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%	%	%
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.05	0.002	0.01	0.005	0.05	0.05	0.1	0.01	0.01
365971		2.62	0.005	<0.005	0.002	13.50	<0.01	6.55	0.005	0.03	0.010	5.72	8.18	0.1	5.69	0.13
365972		2.36	0.010	0.012	0.004	11.65	0.01	6.68	0.007	0.06	0.023	7.20	10.30	<0.1	7.90	0.17
365973		2.59	0.057	0.013	0.006	12.25	0.01	8.48	0.009	0.08	0.137	6.84	9.78	0.3	7.30	0.15
365974		1.41	0.071	0.047	0.023	8.97	<0.01	9.40	0.021	0.10	0.279	10.50	15.00	<0.1	9.72	0.17
365975		3.03	0.005	<0.005	0.002	13.60	0.01	6.50	0.004	0.03	0.009	5.45	7.79	0.1	4.11	0.12
365976		1.75	0.008	<0.005	0.001	14.10	0.01	6.01	0.004	0.03	0.011	5.96	8.53	0.1	4.46	0.12
365977		2.78	0.007	0.006	0.001	13.30	<0.01	10.25	0.004	0.06	0.019	6.96	9.95	0.1	6.69	0.17
365978		1.98	0.019	0.014	<0.001	13.45	<0.01	7.96	0.005	0.06	0.050	7.32	10.45	0.1	8.19	0.16
365979		1.95	0.043	0.031	0.011	9.16	0.01	9.14	0.013	0.10	0.157	9.59	13.70	0.1	9.63	0.20
365980		3.23	0.115	0.059	0.019	5.77	0.01	9.70	0.017	0.15	0.416	11.35	16.25	<0.1	12.40	0.20
365981		2.19	0.007	<0.005	<0.001	14.10	<0.01	9.61	0.005	0.02	0.014	6.90	9.86	0.4	3.60	0.15
365982		3.99	0.051	<0.005	0.002	11.80	<0.01	9.98	0.008	0.02	0.138	8.89	12.70	0.1	4.62	0.16
365983		1.55	0.107	<0.005	0.007	13.30	0.01	6.65	0.011	0.02	0.251	9.70	13.85	0.1	4.70	0.14
365984		3.50	0.492	0.056	0.021	8.26	<0.01	6.72	0.037	0.16	0.715	14.40	20.6	<0.1	10.05	0.19
365985		0.06	0.055	0.083	0.174	11.45	0.01	4.84	0.011	0.06	0.071	5.93	8.48	0.7	8.30	0.16
365986		3.55	0.549	0.234	0.101	4.27	<0.01	4.39	0.036	0.19	1.170	12.05	17.20	0.1	15.75	0.18
365987		2.67	0.513	0.188	0.082	4.67	<0.01	4.87	0.018	0.18	0.960	10.05	14.35	0.2	16.40	0.20
365988		3.24	0.383	0.130	0.063	4.18	<0.01	5.57	0.015	0.22	0.635	9.41	13.45	0.3	16.70	0.21
365989		4.00	0.266	0.106	0.063	4.44	0.01	5.80	0.021	0.24	0.555	10.60	15.15	0.3	17.15	0.18
365990		1.48	0.077	0.009	0.006	4.52	0.01	6.85	0.010	0.29	0.107	8.24	11.80	0.1	17.35	0.19
365991		3.16	0.070	0.041	0.048	9.99	<0.01	5.50	0.016	0.08	0.177	7.30	10.45	0.4	7.27	0.16
365992		2.46	0.286	0.232	0.169	4.09	<0.01	5.95	0.014	0.16	0.465	8.71	12.45	0.1	16.00	0.17
365993		2.64	0.081	0.068	0.058	3.51	0.01	6.34	0.010	0.16	0.171	8.04	11.50	0.3	18.05	0.21
365994		3.40	0.248	0.122	0.088	4.25	0.01	5.89	0.014	0.18	0.439	9.47	13.55	0.4	18.40	0.18
365995		2.08	0.062	0.040	0.044	4.52	<0.01	3.62	0.010	0.17	0.112	8.46	12.10	0.3	20.4	0.14
365996		2.75	0.037	0.046	0.046	6.26	0.01	5.28	0.008	0.14	0.079	7.85	11.20	0.7	16.80	0.18
365997		3.29	0.007	0.011	0.004	5.87	<0.01	5.70	0.010	0.17	0.016	8.09	11.55	0.6	18.20	0.20
365998		2.45	0.264	0.175	0.123	5.75	0.01	4.99	0.011	0.16	0.541	9.04	12.90	0.7	17.95	0.20
365999		2.10	0.429	0.168	0.137	5.51	<0.01	4.90	0.011	0.16	0.803	9.00	12.85	0.5	16.35	0.21
366000		2.12	0.384	0.095	0.089	6.48	0.01	3.43	0.010	0.22	0.281	8.98	12.65	0.6	17.65	0.20
366001		3.95	0.012	0.012	0.015	4.30	<0.01	3.66	0.010	0.27	0.015	9.06	12.95	0.1	21.6	0.19
366002		2.18	0.012	0.044	0.070	6.20	<0.01	4.71	0.009	0.26	0.016	8.92	12.75	0.3	19.65	0.22
366003		3.03	0.074	0.064	0.051	6.41	<0.01	5.40	0.008	0.23	0.129	8.30	11.85	0.5	18.00	0.20
366004		2.56	0.015	0.011	0.014	6.95	0.01	5.57	0.008	0.22	0.025	8.23	11.75	0.2	17.75	0.19
366005		3.63	0.019	0.008	0.015	7.12	<0.01	6.49	0.006	0.20	0.045	7.75	11.10	<0.1	15.20	0.19
366006		1.43	0.007	0.009	0.007	11.00	0.01	4.48	0.003	0.08	0.015	5.11	7.30	0.1	7.25	0.13
366007		2.09	0.997	0.069	0.088	8.08	<0.01	7.31	0.009	0.12	0.226	7.18	10.25	<0.1	10.75	0.17
366008		2.84	0.006	<0.005	0.002	13.20	<0.01	9.18	0.004	0.02	0.008	7.05	10.10	0.1	4.30	0.18
366009		2.42	0.005	<0.005	0.002	13.50	<0.01	15.35	0.004	0.02	0.009	6.34	9.07	0.2	3.01	0.21
366010		2.58	0.003	<0.005	<0.001	13.95	<0.01	13.55	0.007	0.02	0.018	8.19	11.70	0.1	3.58	0.20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CANADIAN ARROW MINES LTD.**
236 CEDAR ST
SUDBURY ON P3B 1M7

Finalized Date: 16-NOV-2007
Account: CNARMN

CERTIFICATE OF ANALYSIS TB07112152

Sample Description	Method	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	ME-ICP81	Ag-AA82
	Analyte	Ni	P2O5	Pb	S	SiO2	TiO2	Zn	Ag
	Units	%	%	%	%	%	%	%	ppm
	LOR	0.005	0.02	0.01	0.01	0.01	0.01	0.01	1
365971		0.021	0.11	<0.01	0.07	50.3	0.57	0.01	<1
365972		0.052	0.05	<0.01	0.20	47.3	0.56	0.01	<1
365973		0.156	0.07	<0.01	0.98	46.6	0.45	0.01	<1
365974		0.670	0.05	<0.01	2.71	40.6	0.37	0.01	1
365975		0.015	0.18	<0.01	0.16	53.8	0.85	0.01	<1
365976		0.016	0.16	<0.01	0.25	53.3	0.86	0.01	<1
365977		0.021	<0.02	<0.01	0.47	44.0	0.66	0.01	<1
365978		0.043	<0.02	<0.01	0.42	46.2	0.49	0.01	1
365979		0.286	0.02	<0.01	1.80	44.9	0.94	0.01	1
365980		0.848	0.02	<0.01	2.87	43.4	0.49	0.01	1
365981		0.017	0.05	<0.01	0.13	48.7	0.85	0.01	<1
365982		0.164	0.11	<0.01	4.52	40.5	1.17	0.01	<1
365983		0.387	0.14	<0.01	4.60	44.7	1.35	0.01	2
365984		1.665	0.02	<0.01	6.19	37.3	0.51	0.01	4
365985		1.060	0.05	<0.01	1.13	53.5	0.35	0.01	1
365986		0.945	<0.02	<0.01	4.41	45.8	0.34	0.01	6
365967		0.691	0.02	<0.01	2.45	48.0	0.31	0.01	7
365988		0.508	0.02	<0.01	1.63	48.9	0.30	0.01	5
365989		0.845	<0.02	<0.01	2.67	46.9	0.25	0.02	3
365990		0.170	<0.02	<0.01	0.51	48.8	0.28	0.01	<1
365991		0.368	0.16	<0.01	1.40	51.0	0.58	0.01	2
365992		0.514	<0.02	<0.01	1.49	47.4	0.25	0.01	3
365993		0.183	<0.02	<0.01	0.45	47.3	0.24	0.01	2
365994		0.468	<0.02	<0.01	1.40	45.4	0.25	0.01	3
365995		0.152	<0.02	<0.01	0.36	48.0	0.23	0.01	1
365996		0.108	0.05	<0.01	0.15	48.5	0.26	0.01	1
365997		0.076	<0.02	<0.01	0.02	47.8	0.22	0.01	<1
365998		0.369	0.02	<0.01	0.88	48.2	0.24	0.01	5
365999		0.387	<0.02	<0.01	1.30	48.2	0.42	0.01	6
366000		0.193	0.02	<0.01	0.41	47.5	0.42	0.01	2
366001		0.095	0.02	<0.01	0.09	48.0	0.24	0.01	<1
366002		0.083	0.02	<0.01	0.01	49.1	0.29	0.01	1
366003		0.129	0.02	<0.01	0.20	47.2	0.30	0.01	1
366004		0.084	0.02	<0.01	0.02	45.9	0.30	0.01	1
366005		0.084	0.02	<0.01	0.06	46.2	0.34	0.01	<1
366006		0.034	0.05	<0.01	0.02	54.6	0.42	0.01	<1
366007		0.267	0.07	<0.01	0.91	49.7	0.40	0.01	1
366008		0.013	0.09	<0.01	0.09	47.5	0.77	0.01	<1
366009		0.007	0.07	<0.01	0.07	44.9	0.96	0.01	<1
366010		0.010	0.07	<0.01	0.14	45.0	1.04	0.01	1

→ incorrect input of sample #s by ALS. Should read 366601 not 366001 for example.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 15-May-07
Date Completed : 01-Jun-07
Job # 200741383
Reference :
Sample #: 73 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
102556		E805726	12	20	<10		2	73	367		696		
102557		E805727	<5	<15	<10		2	64	119		157		
102558		E805728	<5	<15	<10		1	24	40		38		
102559		E805729	<5	22	<10		< 1	26	32		34		
102560		E805730	<5	<15	<10		< 1	11	17		56		
102561		E805731	<5	21	<10		< 1	29	61		77		
102562		E805732	<5	15	<10		< 1	6	11		8		
102563		E805733	<5	<15	<10		< 1	4	17		7		
102564		E805734	<5	35	<10		< 1	6	15		6		
102565		E805735	<5	<15	<10		< 1	8	13		49		
102566	Check	E805735	<5	<15	<10		< 1	8	13		48		
102567		E805736	<5	<15	<10		< 1	7	12		64		
102568		E805737	15	54	11		2	162	1632		5009		
102569		E805738	6	16	<10		1	48	422		367		
102570		E805739	<5	<15	<10		1	40	97		138		
102571		E805740	<5	<15	<10		< 1	9	63		75		
102572		E805741	<5	<15	<10		< 1	25	88		301		
102573		E805742	10	32	<10		2	48	66		85		
102574		E805743	12	40	<10		2	113	1078		2643		
102575		E805744	<5	<15	<10		< 1	11	50		79		
102576		E805745	13	186	36		2	237	1953		6980		
102577	Check	E805745	13	199	33		2	231	1898		7151		
102578		E805746	8	54	<10		2	84	331		1291		
102579		E805747	16	92	<10		2	164	1116		4131		
102580		E805748	<5	<15	<10		2	63	177		283		
102581		E805749	11	<15	<10		< 1	24	136		231		
102582		E805750	<5	<15	<10		< 1	9	306		49		
102583		E805751	15	115	18		2	172	456		2738		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 15-May-07
Date Completed : 01-Jun-07
Job # 200741383
Reference :
Sample #: 73 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
102584		E805752	<5	34	<10		1	51	167		296		
102585		E805753	55	157	188		2	113	817		10633		
102586		E805754	<5	27	<10		1	52	117		128		
102587		E805755	<5	21	<10		1	52	146		127		
102588	Check	E805755	<5	25	<10		1	50	150		127		
102589		E805756	<5	49	16		1	67	474		960		
102590		E805757	<5	53	<10		1	79	129		388		
102591		E805758	<5	23	<10		1	51	40		59		
102592		E805759	<5	19	<10		2	51	54		46		
102593		E805760	5	<15	<10		1	42	70		40		
102594		E805761	9	21	<10		2	39	88		44		
102595		E805762	<5	<15	<10		1	47	67		83		
102596		E805763	8	<15	<10		2	44	166		99		
102597		E805764	11	37	<10		1	47	142		103		
102598		E805765	5	23	<10		1	42	124		98		
102599	Check	E805765	<5	<15	<10		1	42	126		97		
102600		E805766	8	<15	<10		1	46	138		100		
102601		E805767	7	22	<10		1	40	125		96		
102602		E805768	11	19	<10		1	43	148		99		
102603		E805769	8	<15	<10		< 1	38	110		89		
102604		E805770	11	19	<10		1	42	134		95		
102605		E805771	10	24	<10		< 1	36	91		85		
102606		E805772	17	36	18		2	59	137		125		
102607		E805773	12	56	20		1	50	190		168		
102608		E805774	9	<15	<10		1	57	254		416		
102609		E805775	6	24	<10		1	54	214		273		
102610	Check	E805775	15	<15	<10		1	60	205		472		
102611		E805776	<5	<15	<10		< 1	31	57		38		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demlaniuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 15-May-07
Date Completed : 01-Jun-07
Job # 200741383
Reference :
Sample #: 73 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
102612	E805777	32	116	26		2	167	2541		4240		
102613	E805778	10	23	<10		1	55	336		464		
102614	E805779	28	100	16		2	134	1857		2836		
102615	E805780	22	75	12		2	105	3012		2302		
102616	E805781	30	100	20		1	146	2004		3191		
102617	E805782	29	182	39		2	223	3064		7568		
102618	E805783	17	395	45		2	320	1702		9979		
102619	E805784	17	109	22		2	84	1935		1598		
102620	E805785	45	34	<10		2	51	609		635		
102621 Check	E805785	11	27	<10		1	50	570		628		
102622	E805786	54	97	184		3	101	755		10371		
102623	E805787	22	28	<10		2	100	1164		2575		
102624	E805788	68	87	35		2	78	2297		1851		
102625	E805789	5	<15	<10		2	35	49		75		
102626	E805790	63	98	65		2	71	1596		1598		
102627	E805791	32	34	30		2	38	274		250		
102628	E805792	118	111	114		4	99	3591		2603		
102629	E805793	25	83	50		2	51	653		1255		
102630	E805794	<5	<15	<10		2	41	48		101		
102631	E805795	<5	<15	<10		2	39	85		74		
102632 Check	E805795	10	<15	<10		2	38	92		70		
102633	E805796	10	32	<10		2	46	133		79		
102634	E805797	12	<15	<10		2	49	86		91		
102635	E805798	10	<15	<10		2	50	139		104		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

The results included on this report relate only to the items tested

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-12 01:53 PM
Job Number: 200741383
Date Recieved: 5/15/2007
Number of Samples: 73
Type of Sample: Core
Date Completed: 6/1/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
102556	E805726	0.30
102557	E805727	0.29
102558	E805728	0.07
102559	E805729	0.03
102560	E805730	0.06
102561	E805731	0.10
102562	E805732	0.03
102563	E805733	0.05
102564	E805734	0.06
102565	E805735	0.09
102567	E805736	0.11
102568	E805737	2.70
102569	E805738	0.27
102570	E805739	0.15
102571	E805740	0.16
102572	E805741	0.35
102573	E805742	0.21
102574	E805743	1.52
102575	E805744	0.10
102576	E805745	3.60
102578	E805746	0.68
102579	E805747	1.93
102580	E805748	0.46
102581	E805749	0.27
102582	E805750	0.11
102583	E805751	2.21
102584	E805752	0.28
102585	E805753	1.22
102586	E805754	0.15
102587	E805755	0.10
102589	E805756	0.66
102590	E805757	0.45
102591	E805758	0.11
102592	E805759	0.15
102593	E805760	0.16
102594	E805761	0.30
102595	E805762	0.15
102596	E805763	0.09
102597	E805764	0.05
102598	E805765	0.08
102600	E805766	0.06
102601	E805767	0.11
102602	E805768	0.12

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-12 01:53 PM
Job Number: 200741383
Date Recieved: 5/15/2007
Number of Samples: 73
Type of Sample: Core
Date Completed: 6/1/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
102603	E805769	0.13
102604	E805770	0.08
102605	E805771	0.05
102606	E805772	0.09
102607	E805773	0.24
102608	E805774	0.23
102609	E805775	0.19
102611	E805776	0.09
102612	E805777	2.13
102613	E805778	0.35
102614	E805779	1.85
102615	E805780	1.39
102616	E805781	1.89
102617	E805782	4.12
102618	E805783	4.67
102619	E805784	1.20
102620	E805785	0.27
102622	E805786	Insufficient Sample
102623	E805787	1.23
102624	E805788	0.98
102625	E805789	0.07
102626	E805790	0.68
102627	E805791	0.15
102628	E805792	1.72
102629	E805793	0.70
102630	E805794	0.05
102631	E805795	0.04
102633	E805796	0.04
102634	E805797	0.03
102635	E805798	0.06

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-05-29 01:19 PM
Job Number: 200741255
Date Recieved: 5/7/2007
Number of Samples: 183
Type of Sample: Core
Date Completed: 5/28/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
95666	805543	0.21
95667	805544	1.10
95668	805545	0.09
95669	805546	0.24
95670	805547	0.42
95671	805548	0.68
95672	805549	1.35
95673	805550	Insufficient Sample
95674	805551	0.95
95675	805552	0.70
95677	805553	3.40
95678	805554	5.94
95679	805555	2.93
95680	805556	1.74
95681	805557	0.61
95682	805558	0.09
95683	805559	2.21
95684	805560	1.10
95685	805561	0.87
95686	805562	0.53
95688	805563	1.23
95689	805564	Insufficient Sample
95690	805565	2.04
95691	805566	2.51
95692	805567	0.24
95693	805568	0.74
95694	805569	1.00
95695	805570	2.48
95696	805571	0.26
95697	805572	1.57
95699	805573	1.83
95700	805574	2.60
95701	805575	1.49
95702	805576	0.14
95703	805577	1.64
95704	805578	0.80
95705	805579	1.33
95706	805580	0.24
95707	805581	3.18
95708	805582	0.70
95710	805583	1.19
95711	805584	4.49
95712	805585	0.50

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-05-29 01:19 PM
Job Number: 200741255
Date Recieved: 5/7/2007
Number of Samples: 183
Type of Sample: Core
Date Completed: 5/28/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
95713	805586	0.33
95714	805587	1.29
95715	805588	0.28
95716	805589	0.08
95717	805590	0.16
95718	805591	0.25
95719	805592	0.29
95721	805593	0.21
95722	805594	5.13
95723	805595	0.22
95724	805596	0.16
95725	805597	0.15
95726	805598	0.05
95727	805599	0.25
95728	805600	0.05
95729	805601	0.05
95730	805602	0.13
95732	805603	0.08
95733	805604	0.24
95734	805605	0.40
95735	805606	0.27
95736	805607	0.16
95737	805608	0.06
95738	805609	0.08
95739	805610	5.25
95740	805611	6.76
95741	805612	9.94
95743	805613	0.24
95744	805614	7.38
95745	805615	0.32
95746	805616	7.49
95747	805617	0.38
95748	805618	0.23
95749	805619	2.32
95750	805620	0.06
95751	805621	0.07
95752	805622	0.11
95754	805623	Insufficient Sample
95755	805624	0.28
95756	805625	0.69
95757	805626	1.09
95758	805627	1.03
95759	805628	0.90

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-05-29 01:19 PM
Job Number: 200741255
Date Recieved: 5/7/2007
Number of Samples: 183
Type of Sample: Core
Date Completed: 5/28/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
95760	805629	0.90
95761	805630	0.23
95762	805631	0.23
95763	805632	0.13
95765	805633	0.11
95766	805634	0.52
95767	805635	0.19
95768	805636	0.82
95769	805637	1.71
95770	805638	0.83
95771	805639	1.96
95772	805640	0.07
95773	805641	1.43
95774	805642	3.07
95776	805643	1.91
95777	805644	1.89
95778	805645	1.23
95779	805646	2.00
95780	805647	1.45
95781	805648	0.54
95782	805649	0.69
95783	805650	0.86
95784	805651	1.29
95785	805652	Insufficient Sample
95786	805653	1.02
95788	805654	0.64
95789	805655	0.35
95790	805656	1.38
95791	805657	0.90
95792	805658	0.73
95793	805659	0.33
95794	805660	0.29
95795	805661	0.29
95796	805662	0.77
95798	805663	0.98
95799	805664	1.08
95800	805665	1.82
95801	805666	0.47
95802	805667	1.42
95803	805668	1.18
95804	805669	1.55
95805	805670	1.42
95806	805671	4.24

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-05-29 01:19 PM
Job Number: 200741255
Date Recieved: 5/7/2007
Number of Samples: 183
Type of Sample: Core
Date Completed: 5/28/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
95807	805672	3.25
95809	805673	0.86
95810	805674	0.61
95811	805675	0.54
95812	805676	0.84
95813	805677	1.57
95814	805678	1.34
95815	805679	0.27
95816	805680	0.65
95817	805681	2.26
95818	805682	4.18
95820	805683	1.82
95821	805684	1.08
95822	805685	7.12
95823	805686	3.92
95824	805687	Insufficient Sample
95825	805688	10.10
95826	805689	11.80
95827	805690	0.65
95828	805691	0.26
95829	805692	0.13
95831	805693	0.71
95832	805694	0.99
95833	805695	0.88
95834	805696	1.16
95835	805697	1.94
95836	805698	0.47
95837	805699	0.58
95838	805700	0.19
95839	805701	0.12
95840	805702	0.37
95842	805703	0.14
95843	805704	0.16
95844	805705	0.18
95845	805706	0.48
95846	805707	0.06
95847	805708	0.04
95848	805709	0.19
95849	805710	0.18
95850	805711	0.24
95851	805712	0.64
95853	805713	0.19
95854	805714	0.40

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-05-29 01:19 PM
Job Number: 200741255
Date Recieved: 5/7/2007
Number of Samples: 183
Type of Sample: Core
Date Completed: 5/28/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
95855	805715	0.14
95856	805716	0.18
95857	805717	0.29
95858	805718	0.16
95859	805719	0.09
95860	805720	0.06
95861	805721	1.17
95862	805722	0.43
95864	805723	0.17
95865	805724	0.07
95866	805725	0.07

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, May 29, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 07-May-07
Date Completed : 28-May-07
Job # 200741255
Reference :
Sample #: 183 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
95666	805543	10	<15	<10		< 1	43	210		181		
95667	805544	17	63	16		< 1	105	673		1630		
95668	805545	<5	<15	<10		< 1	22	47		58		
95669	805546	<5	<15	<10		< 1	42	166		209		
95670	805547	10	33	<10		< 1	62	407		895		
95671	805548	88	54	23		< 1	75	673		1551		
95672	805549	196	83	31		1	124	1490		2959		
95673	805550	51	20	12		4	580	8223		17268		
95674	805551	29	57	18		< 1	89	1013		1851		
95675	805552	13	41	16		1	80	851		1641		
95676 Check	805552	14	49	14		1	71	760		1506		
95677	805553	16	215	56		2	207	4408		6150		
95678	805554	81	196	55		3	324	12498		9817		
95679	805555	34	172	46		1	189	3570		5540		
95680	805556	18	36	22		< 1	92	814		1194		
95681	805557	6	20	11		< 1	43	159		166		
95682	805558	<5	<15	<10		1	42	140		91		
95683	805559	<5	<15	10		< 1	54	161		104		
95684	805560	218	19	<10		< 1	51	196		172		
95685	805561	5	<15	<10		1	59	203		132		
95686	805562	6	17	12		< 1	40	136		75		
95687 Check	805562	<5	<15	<10		< 1	41	138		74		
95688	805563	<5	<15	15		< 1	66	288		405		
95689	805564	47	130	201		2	100	740		2118		
95690	805565	9	<15	<10		1	80	458		222		
95691	805566	11	28	14		1	101	794		1290		
95692	805567	<5	16	<10		1	58	78		317		
95693	805568	5	18	<10		< 1	54	124		191		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, May 29, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 07-May-07
Date Completed : 28-May-07
Job # 200741255
Reference :
Sample #: 183 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
95694		805569	16	34	<10		< 1	49	220		190		
95695		805570	11	<15	<10		1	77	402		254		
95696		805571	14	27	<10		< 1	34	112		57		
95697		805572	8	<15	<10		< 1	52	292		105		
95698	Check	805572	7	<15	<10		< 1	51	281		98		
95699		805573	7	<15	<10		1	66	288		132		
95700		805574	11	88	26		1	73	394		149		
95701		805575	6	15	<10		2	71	281		464		
95702		805576	5	19	<10		< 1	6	44		16		
95703		805577	14	43	<10		2	83	535		713		
95704		805578	16	25	<10		1	69	591		1116		
95705		805579	13	58	11		1	102	792		2301		
95706		805580	8	<15	<10		1	46	134		112		
95707		805581	37	93	28		2	206	3807		6188		
95708		805582	16	27	<10		2	72	931		1497		
95709	Check	805582	16	30	<10		2	71	920		1493		
95710		805583	40	32	23		2	110	946		2425		
95711		805584	104	239	70		4	263	9946		8272		
95712		805585	30	73	44		1	62	866		1014		
95713		805586	69	89	97		< 1	36	701		425		
95714		805587	242	260	221		2	82	3764		2131		
95715		805588	121	258	189		1	47	1731		794		
95716		805589	7	<15	<10		1	22	99		44		
95717		805590	17	53	37		1	44	238		389		
95718		805591	8	31	<10		1	22	100		33		
95719		805592	8	28	<10		1	21	120		34		
95720	Check	805592	8	27	<10		1	21	117		34		
95721		805593	5	<15	<10		1	21	128		35		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, May 29, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 07-May-07
Date Completed : 28-May-07
Job # 200741255
Reference :
Sample #: 183 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
95722		805594	137	362	62		2	534	2824		6240		
95723		805595	17	64	54		1	46	492		582		
95724		805596	17	40	42		1	40	268		350		
95725		805597	9	29	12		1	27	66		62		
95726		805598	5	<15	<10		< 1	20	47		35		
95727		805599	7	<15	<10		1	25	72		15		
95728		805600	<5	<15	<10		< 1	21	41		33		
95729		805601	10	<15	<10		< 1	20	44		38		
95730		805602	29	29	27		2	43	408		595		
95731	Check	805602	29	27	30		2	44	419		594		
95732		805603	10	24	<10		1	32	105		151		
95733		805604	62	91	67		1	39	804		579		
95734		805605	55	80	79		< 1	29	678		707		
95735		805606	13	23	<10		< 1	21	761		535		
95736		805607	27	38	15		< 1	25	148		155		
95737		805608	7	30	<10		1	24	26		72		
95738		805609	18	30	<10		< 1	26	107		116		
95739		805610	27	148	26		1	126	1076		1006		
95740		805611	87	223	51		1	199	1427		1962		
95741		805612	165	344	58		1	213	2567		26928		
95742	Check	805612	128	340	59		1	189	2426		26218		
95743		805613	11	37	<10		< 1	17	71		87		
95744		805614	49	236	68		2	364	4747		22806		
95745		805615	5	28	<10		1	28	133		619		
95746		805616	48	289	63		2	358	4304		19900		
95747		805617	20	41	<10		2	50	335		209		
95748		805618	<5	18	<10		1	39	147		213		
95749		805619	51	91	26		2	143	1502		3769		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, May 29, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 07-May-07
Date Completed : 28-May-07
Job # 200741255
Reference :
Sample #: 183 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
95750		805620	24	28	<10		1	33	82		67		
95751		805621	<5	15	<10		2	39	44		98		
95752		805622	24	87	40		1	34	301		398		
95753	Check	805622	19	72	41		1	32	293		379		
95754		805623	43	106	168		2	80	629		8737		
95755		805624	<5	41	32		< 1	33	46		313		
95756		805625	9	64	16		1	54	359		907		
95757		805626	16	31	<10		2	75	712		1278		
95758		805627	14	45	<10		1	73	727		1370		
95759		805628	18	29	<10		2	72	684		1239		
95760		805629	8	<15	<10		1	42	163		131		
95761		805630	5	19	<10		1	37	152		119		
95762		805631	<5	<15	<10		1	27	107		44		
95763		805632	6	16	<10		1	38	133		114		
95764	Check	805632	<5	<15	<10		1	40	136		116		
95765		805633	<5	<15	<10		1	35	109		96		
95766		805634	29	25	<10		1	45	304		217		
95767		805635	<5	<15	<10		2	40	102		121		
95768		805636	9	<15	<10		1	47	343		387		
95769		805637	9	<15	<10		1	74	323		702		
95770		805638	7	<15	<10		1	46	206		161		
95771		805639	7	<15	<10		1	63	356		439		
95772		805640	<5	<15	<10		< 1	5	28		37		
95773		805641	<5	<15	<10		1	60	370		512		
95774		805642	8	<15	<10		< 1	67	306		188		
95775	Check	805642	8	<15	<10		< 1	69	312		194		
95776		805643	7	<15	<10		1	70	378		448		
95777		805644	6	<15	<10		2	101	298		574		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, May 29, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 07-May-07
Date Completed : 28-May-07
Job # 200741255
Reference :
Sample #: 183 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
95778	805645	5	<15	<10		2	89	232		505		
95779	805646	7	<15	<10		2	90	337		497		
95780	805647	15	28	<10		1	70	751		919		
95781	805648	5	23	<10		1	43	178		124		
95782	805649	6	<15	<10		< 1	40	148		106		
95783	805650	<5	<15	<10		1	37	90		88		
95784	805651	5	22	<10		2	60	142		152		
95785	805652	95	120	159		336	98	746		11568		
95786	805653	<5	24	<10		1	47	129		123		
95787 Check	805653	<5	<15	<10		1	46	127		115		
95788	805654	<5	<15	<10		1	44	152		151		
95789	805655	<5	17	<10		< 1	32	105		240		
95790	805656	17	<15	<10		< 1	73	678		856		
95791	805657	8	<15	<10		< 1	55	446		692		
95792	805658	5	<15	<10		< 1	39	217		119		
95793	805659	5	<15	<10		< 1	36	113		85		
95794	805660	<5	<15	<10		< 1	32	97		72		
95795	805661	8	32	<10		< 1	34	106		78		
95796	805662	8	23	<10		2	54	244		235		
95797 Check	805662	10	25	<10		2	53	239		227		
95798	805663	12	24	<10		< 1	45	350		361		
95799	805664	15	37	<10		< 1	69	648		966		
95800	805665	26	63	15		1	113	1325		2756		
95801	805666	12	24	<10		1	27	90		49		
95802	805667	17	35	<10		1	81	764		1677		
95803	805668	14	15	<10		1	64	672		919		
95804	805669	27	37	<10		1	92	1338		2129		
95805	805670	17	39	<10		1	85	796		1829		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, May 29, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 07-May-07
Date Completed : 28-May-07
Job # 200741255
Reference :
Sample #: 183 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
95806		805671	28	129	26		2	221	2702		8658		
95807		805672	38	83	13		2	181	2304		5811		
95808	Check	805672	56	84	13		2	171	2159		5621		
95809		805673	15	50	<10		1	61	902		1570		
95810		805674	42	66	33		2	54	1314		1155		
95811		805675	21	32	12		1	61	1095		1701		
95812		805676	47	65	30		2	64	1985		2099		
95813		805677	20	40	18		1	89	602		3152		
95814		805678	12	59	<10		2	77	1925		2747		
95815		805679	10	22	<10		< 1	34	321		434		
95816		805680	15	40	16		< 1	62	882		1198		
95817		805681	27	58	22		2	147	2501		4417		
95818		805682	40	113	32		2	261	1776		9434		
95819	Check	805682	31	97	19		2	302	1951		9299		
95820		805683	8	35	17		1	107	1142		3662		
95821		805684	6	50	<10		1	92	672		2307		
95822		805685	16	168	42		2	819	3997		21644		
95823		805686	28	68	20		2	174	3517		2421		
95824		805687	56	22	23		299	605	7983		16228		
95825		805688	79	178	73		8	666	57832		26216		
95826		805689	26	260	57		3	727	3414		25520		
95827		805690	15	<15	<10		2	53	748		1372		
95828		805691	<5	<15	<10		2	51	322		822		
95829		805692	<5	<15	<10		1	20	54		53		
95830	Check	805692	<5	<15	<10		1	22	58		56		
95831		805693	25	55	19		2	75	914		1841		
95832		805694	24	28	<10		2	89	726		1549		
95833		805695	20	46	21		2	57	269		609		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, May 29, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 07-May-07
Date Completed : 28-May-07
Job # 200741255
Reference :
Sample #: 183 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
95834	805696	25	17	<10		2	91	730		2000		
95835	805697	82	47	21		2	140	2070		4915		
95836	805698	14	43	16		2	54	329		601		
95837	805699	<5	18	<10		1	59	301		825		
95838	805700	<5	42	17		< 1	30	211		316		
95839	805701	16	56	41		< 1	38	413		478		
95840	805702	71	69	87		1	52	1306		1072		
95841 Check	805702	115	68	99		1	48	1265		1083		
95842	805703	15	43	34		< 1	41	478		631		
95843	805704	21	58	52		1	41	657		637		
95844	805705	26	<15	<10		1	30	654		799		
95845	805706	49	43	40		2	59	1072		1008		
95846	805707	<5	19	<10		1	27	49		97		
95847	805708	9	21	<10		1	19	38		38		
95848	805709	15	35	20		2	65	441		1000		
95849	805710	<5	35	16		2	57	173		159		
95850	805711	<5	<15	<10		2	44	117		97		
95851	805712	21	49	<10		2	55	178		147		
95852 Check	805712	21	72	13		2	55	179		149		
95853	805713	31	73	<10		2	58	441		713		
95854	805714	26	41	12		2	72	174		1264		
95855	805715	15	47	<10		2	40	93		579		
95856	805716	19	75	27		1	38	74		325		
95857	805717	33	71	38		1	41	420		532		
95858	805718	40	68	47		2	56	845		1094		
95859	805719	13	54	24		2	52	59		527		
95860	805720	25	58	15		1	43	109		476		
95861	805721	183	143	113		5	87	3524		2944		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-05/29/2007 01:18 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, May 29, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 07-May-07
Date Completed : 28-May-07
Job # 200741255
Reference :
Sample #: 183 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
95862		805722	80	90	60		3	69	1213		1497		
95863	Check	805722	90	79	67		3	64	1166		1398		
95864		805723	19	56	15		2	54	269		217		
95865		805724	6	<15	<10		2	49	102		131		
95866		805725	11	36	<10		2	45	100		118		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-05/29/2007 01:18 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 24-May-07
Date Completed : 11-Jun-07
Job # 200741473
Reference :
Sample #: 331 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
109239		E805106	1151	<15	<10		1	54	85		117		
109240		E805107	51	<15	<10		1	57	74		127		
109241		E805108	2074	<15	<10		1	51	71		113		
109242		E805109	89	31	<10		1	56	87		129		
109243		E805110	481	<15	<10		1	56	111		125		
109244		E805111	19	<15	<10		1	57	154		137		
109245		E805112	13	<15	<10		1	57	138		119		
109246		E805113	<5	<15	<10		< 1	6	13		8		
109247		E805114	<5	<15	<10		< 1	5	11		10		
109248		E805115	149	<15	<10		< 1	4	10		12		
109249	Check	E805115	123	<15	<10		< 1	6	10		12		
109250		E805116	12	23	<10		1	28	10		13		
109251		E805117	13	40	16		1	40	107		87		
109252		E805118	12	21	<10		< 1	30	28		12		
109253		E805119	29	<15	<10		1	52	96		117		
109254		E805120	9	<15	<10		1	49	120		113		
109255		E805121	1727	24	<10		1	41	121		86		
109256		E805122	44	24	<10		< 1	10	28		35		
109257		E805123	105	43	21		< 1	4	15		6		
109258		E805124	<5	27	<10		1	41	74		96		
109259		E805125	<5	16	<10		< 1	6	25		25		
109260	Check	E805125	<5	16	<10		< 1	6	26		25		
109261		E805126	7	21	<10		1	50	167		151		
109262		E805127	29	34	10		1	49	330		283		
109263		E805128	48	99	72		1	47	665		635		
109264		E805129	40	20	13		1	36	369		642		
109265		E805130	50	122	52		2	257	2376		9726		
109266		E805131	54	84	186		2	73	646		10548		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 24-May-07
Date Completed : 11-Jun-07
Job # 200741473
Reference :
Sample #: 331 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
109267		E805132	65	202	185		4	263	21476		13095		
109268		E805133	52	143	11		2	235	7192		11309		
109269		E805134	61	104	60		2	299	6164		11957		
109270		E805135	53	49	15		2	254	6092		9631		
109271	Check	E805135	61	28	39		2	249	6277		9801		
109272		E805136	52	80	65		2	231	2781		9192		
109273		E805137	8	<15	<10		< 1	14	171		229		
109274		E805138	41	71	25		1	344	3692		9802		
109275		E805139	<5	<15	<10		< 1	44	221		1163		
109276		E805140	6	<15	<10		< 1	59	152		1309		
109277		E805141	<5	<15	<10		< 1	26	73		84		
109278		E805142	9	23	<10		< 1	32	146		365		
109279		E805143	8	18	14		< 1	24	45		53		
109280		E805144	8	<15	13		< 1	60	222		1303		
109281		E805145	17	23	12		< 1	69	601		2166		
109282	Check	E805145	13	<15	12		< 1	74	609		2206		
109283		E805146	26	204	36		< 1	188	2678		7163		
109284		E805147	28	230	53		2	272	3058		8357		
109285		E805148	14	79	<10		< 1	85	911		2202		
109286		E805149	9	17	22		< 1	57	338		739		
109287		E805150	20	68	22		< 1	82	937		2011		
109288		E805151	6	30	13		< 1	39	160		192		
109289		E805152	9	<15	11		< 1	49	232		481		
109290		E805153	9	22	14		< 1	47	287		432		
109291		E805154	12	<15	<10		< 1	43	218		275		
109292		E805155	33	28	10		< 1	49	1530		591		
109293	Check	E805155	24	30	14		1	48	1482		566		
109294		E805156	14	25	<10		< 1	62	578		890		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 24-May-07
Date Completed : 11-Jun-07
Job # 200741473
Reference :
Sample #: 331 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
109295	E805157	14	<15	13		< 1	51	438		944		
109296	E805158	10	26	11		< 1	48	228		280		
109297	E805159	6	<15	<10		< 1	37	36		50		
109298	E805160	36	81	160		1	92	682		10889		
109299	E805161	7	<15	<10		< 1	40	34		47		
109300	E805162	7	<15	<10		1	50	52		55		
109301	E805163	15	19	<10		1	49	177		795		
109302	E805164	15	55	16		< 1	60	495		1076		
109303	E805165	8	<15	<10		1	42	66		59		
109304 Check	E805165	<5	<15	<10		1	42	60		58		
109305	E805166	9	<15	<10		< 1	41	124		84		
109306	E805167	14	<15	<10		< 1	38	142		101		
109307	E805168	113	<15	<10		< 1	35	105		88		
109308	E805169	7	<15	18		< 1	31	93		77		
109309	E805170	17	<15	<10		< 1	37	98		93		
109310	E805171	9	<15	<10		< 1	39	119		104		
109311	E805172	12	<15	<10		1	50	138		126		
109312	E805173	10	<15	<10		1	38	114		109		
109313	E805174	12	<15	<10		1	41	119		119		
109314	E805175	6	<15	18		1	38	127		104		
109315 Check	E805175	<5	26	<10		< 1	37	126		104		
109316	E805176	<5	<15	20		1	38	123		103		
109317	E805177	<5	<15	11		< 1	23	151		129		
109318	E805178	9	34	15		1	152	1439		4331		
109319	E805179	21	23	19		1	66	909		1445		
109320	E805180	8	17	16		< 1	34	155		315		
109321	E805181	11	<15	24		1	59	618		1059		
109322	E805182	16	<15	19		< 1	61	543		1008		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 24-May-07
Date Completed : 11-Jun-07
Job # 200741473
Reference :
Sample #: 331 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
109323		E805183	53	152	162		2	93	665		10868		
109324		E805184	25	42	30		2	119	1358		3533		
109325		E805185	101	126	135		3	474	9714		16795		
109326	Check	E805185	81	150	150		3	457	9507		17757		
109327		E805186	53	134	41		2	322	2491		11104		
109328		E805187	40	39	49		1	84	1424		2108		
109329		E805188	7	<15	13		1	34	83		91		
109330		E805189	23	36	45		1	50	1968		1784		
109331		E805190	187	148	120		3	72	4383		3574		
109332		E805191	36	<15	33		2	50	724		550		
109333		E805192	<5	<15	<10		1	36	104		121		
109334		E805193	<5	<15	16		< 1	44	109		101		
109335		E805194	10	<15	20		1	51	180		348		
109336		E805195	<5	<15	14		< 1	6	21		16		
109337	Check	E805195	<5	<15	14		< 1	5	22		12		
109338		E805196	7	<15	12		1	53	257		594		
109339		E805197	<5	<15	16		1	44	163		229		
109340		E805198	6	<15	27		< 1	39	156		293		
109341		E805199	<5	15	14		< 1	15	37		26		
109342		E805200	5	<15	<10		< 1	20	24		31		
109343		E805201	13	<15	<10		< 1	25	60		47		
109344		E805202	<5	<15	<10		< 1	31	142		81		
109345		E805203	<5	<15	<10		< 1	30	40		52		
109346		E805204	<5	<15	<10		< 1	54	474		789		
109347		E805205	17	31	<10		< 1	90	1404		2169		
109348	Check	E805205	18	35	15		< 1	88	1409		2142		
109349		E805206	150	<15	<10		3	532	7965		15016		
109350		E805207	7	<15	<10		< 1	58	543		788		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 24-May-07
Date Completed : 11-Jun-07
Job # 200741473
Reference :
Sample #: 331 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
109379	Check	E805233	30	139	32		2	144	671		4886		
109380		E805234	<5	<15	<10		1	38	156		231		
109381		E805235	6	19	<10		1	56	421		1192		
109382		E805236	25	69	<10		1	60	815		1289		
109383		E805237	12	54	11		1	64	821		1239		
109384		E805238	16	93	<10		2	90	664		2155		
109385		E805239	15	50	<10		1	73	662		1646		
109386		E805240	18	43	<10		1	76	976		1637		
109387		E805241	14	18	<10		1	33	692		424		
109388		E805242	11	18	<10		1	43	283		614		
109389		E805243	24	37	17		2	67	726		1190		
109390	Check	E805243	27	47	<10		2	67	689		1199		
109391		E805244	26	80	<10		2	77	1364		1884		
109392		E805245	24	129	27		2	105	554		2734		
109393		E805246	7	20	<10		2	52	352		359		
109394		E805247	<5	19	11		1	34	130		99		
109395		E805248	<5	<15	13		1	38	121		106		
109396		E805249	6	24	<10		1	35	111		93		
109397		E805250	7	<15	<10		1	53	114		103		
109398		E805251	<5	<15	<10		< 1	33	134		93		
109399		E805252	<5	30	<10		< 1	36	118		97		
109400		E805253	<5	22	<10		1	44	88		117		
109401	Check	E805253	5	<15	<10		1	44	91		120		
109402		E805254	<5	29	<10		< 1	33	92		88		
109403		E805255	17	21	<10		< 1	32	104		93		
109404		E805256	6	26	<10		< 1	34	129		94		
109405		E805257	<5	16	<10		< 1	37	103		99		
109406		E805258	<5	<15	<10		< 1	30	80		84		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, June 12, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 24-May-07
Date Completed : 11-Jun-07
Job # 200741473
Reference :
Sample #: 331 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
109463		E805310	6	<15	<10		1	41	107		119		
109464		E805311	<5	<15	<10		1	42	175		137		
109465		E805312	<5	21	23		1	42	70		135		
109466		E805313	32	42	12		1	40	179		111		
109467	Check	E805313	30	17	12		1	41	185		124		
109468		E805314	9	<15	<10		1	42	288		113		
109469		E805315	<5	<15	<10		1	40	183		119		
109470		E805316	<5	<15	14		1	36	48		165		
109471		E805317	7	<15	12		1	37	632		471		
109472		E805318	30	<15	<10		2	48	238		350		
109473		E805319	<5	<15	<10		2	47	156		323		
109474		E805320	<5	<15	<10		2	45	109		132		
109475		E805321	<5	<15	<10		2	41	150		98		
109476		E805322	<5	<15	<10		2	56	165		136		
109477		E805323	<5	<15	<10		2	55	79		134		
109478	Check	E805323	<5	<15	<10		2	55	74		132		
109479		E805324	6	<15	<10		2	53	122		120		
109480		E805325	<5	<15	<10		2	38	81		95		
109481		E805326	<5	<15	<10		2	50	107		117		
109482		E805327	<5	<15	<10		2	53	126		136		
109483		E805328	<5	<15	11		2	53	142		137		
109484		E805329	27	114	42		2	155	2754		4993		
109485		E805330	<5	<15	<10		2	58	223		316		
109486		E805331	<5	<15	<10		2	54	121		159		
109487		E805332	<5	<15	<10		2	52	112		126		
109488		E805333	<5	<15	<10		2	47	99		124		
109489	Check	E805333	<5	<15	<10		2	47	100		125		
109490		E805334	17	70	20		2	85	983		1882		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-18 07:48 AM
Job Number: 200741473
Date Recieved: 5/24/2007
Number of Samples: 331
Type of Sample: Core
Date Completed: 6/11/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
109239	E805106	0.08
109240	E805107	0.12
109241	E805108	0.05
109242	E805109	0.20
109243	E805110	0.35
109244	E805111	0.38
109245	E805112	0.39
109246	E805113	0.04
109247	E805114	0.02
109248	E805115	<0.01
109250	E805116	0.05
109251	E805117	0.05
109252	E805118	0.11
109253	E805119	0.10
109254	E805120	0.08
109255	E805121	0.33
109256	E805122	0.06
109257	E805123	0.02
109258	E805124	0.02
109259	E805125	0.02
109261	E805126	0.29
109262	E805127	0.39
109263	E805128	0.57
109264	E805129	0.35
109265	E805130	4.34
109266	E805131	1.19
109267	E805132	6.85
109268	E805133	5.04
109269	E805134	5.19
109270	E805135	4.70
109272	E805136	4.17
109273	E805137	0.14
109274	E805138	5.31
109275	E805139	0.86
109276	E805140	0.90
109277	E805141	0.12
109278	E805142	0.32
109279	E805143	0.11
109280	E805144	1.02
109281	E805145	1.42
109283	E805146	5.18
109284	E805147	4.87
109285	E805148	1.13

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-18 07:48 AM
Job Number: 200741473
Date Recieved: 5/24/2007
Number of Samples: 331
Type of Sample: Core
Date Completed: 6/11/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
109286	E805149	0.43
109287	E805150	1.25
109288	E805151	0.19
109289	E805152	0.37
109290	E805153	0.33
109291	E805154	0.26
109292	E805155	0.51
109294	E805156	1.01
109295	E805157	0.82
109296	E805158	0.40
109297	E805159	0.17
109298	E805160	1.21
109299	E805161	0.17
109300	E805162	0.26
109301	E805163	0.46
109302	E805164	0.71
109303	E805165	0.17
109305	E805166	0.23
109306	E805167	0.10
109307	E805168	0.12
109308	E805169	0.10
109309	E805170	0.13
109310	E805171	0.15
109311	E805172	0.11
109312	E805173	0.08
109313	E805174	0.07
109314	E805175	0.08
109316	E805176	0.09
109317	E805177	0.17
109318	E805178	2.95
109319	E805179	0.88
109320	E805180	0.62
109321	E805181	0.77
109322	E805182	0.77
109323	E805183	1.21
109324	E805184	1.97
109325	E805185	9.03
109327	E805186	5.32
109328	E805187	0.93
109329	E805188	0.18
109330	E805189	0.57
109331	E805190	0.17
109332	E805191	0.47

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-18 07:48 AM
Job Number: 200741473
Date Recieved: 5/24/2007
Number of Samples: 331
Type of Sample: Core
Date Completed: 6/11/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
109333	E805192	0.35
109334	E805193	0.55
109335	E805194	0.39
109336	E805195	0.10
109338	E805196	0.39
109339	E805197	0.42
109340	E805198	0.58
109341	E805199	0.11
109342	E805200	0.08
109343	E805201	0.18
109344	E805202	0.14
109345	E805203	0.15
109346	E805204	0.63
109347	E805205	1.51
109349	E805206	14.00
109350	E805207	0.58
109351	E805208	0.15
109352	E805209	0.08
109353	E805210	0.17
109354	E805211	0.83
109355	E805212	1.19
109356	E805213	0.40
109358	E805214	0.40
109359	E805215	0.45
109360	E805216	0.10
109361	E805217	1.63
109362	E805218	3.38
109363	E805219	5.68
109364	E805220	3.14
109365	E805221	1.10
109366	E805222	2.86
109367	E805223	0.51
109369	E805224	1.22
109370	E805225	0.53
109371	E805226	0.24
109372	E805227	0.87
109373	E805228	0.87
109374	E805229	0.10
109375	E805230	1.22
109376	E805231	1.78
109377	E805232	2.21
109378	E805233	2.65
109380	E805234	0.18

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-18 07:48 AM
Job Number: 200741473
Date Recieved: 5/24/2007
Number of Samples: 331
Type of Sample: Core
Date Completed: 6/11/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
109381	E805235	0.63
109382	E805236	0.85
109383	E805237	0.77
109384	E805238	1.23
109385	E805239	0.99
109386	E805240	1.10
109387	E805241	0.35
109388	E805242	0.49
109389	E805243	0.87
109391	E805244	1.32
109392	E805245	1.84
109393	E805246	0.41
109394	E805247	0.27
109395	E805248	0.19
109396	E805249	0.20
109397	E805250	0.09
109398	E805251	0.19
109399	E805252	0.18
109400	E805253	0.21
109402	E805254	0.16
109403	E805255	0.20
109404	E805256	0.12
109405	E805257	0.12
109406	E805258	0.16
109407	E805259	0.09
109408	E805260	1.25
109409	E805261	0.22
109410	E805262	0.54
109411	E805263	0.42
109413	E805264	0.19
109414	E805265	0.10
109415	E805266	0.24
109416	E805267	0.17
109417	E805268	0.45
109418	E805269	0.22
109419	E805270	0.37
109420	E805271	0.14
109421	E805272	1.54
109422	E805273	3.71
109424	E805274	0.09
109425	E805275	2.00
109426	E805276	2.28
109427	E805277	1.56

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-18 07:48 AM
Job Number: 200741473
Date Recieved: 5/24/2007
Number of Samples: 331
Type of Sample: Core
Date Completed: 6/11/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
109428	E805278	0.42
109429	E805279	1.02
109430	E805280	0.72
109431	E805281	0.74
109432	E805282	1.26
109433	E805283	0.51
109435	E805284	0.64
109436	E805285	0.57
109437	E805286	0.38
109438	E805287	0.39
109439	E805288	0.50
109440	E805289	0.52
109441	E805290	0.59
109442	E805291	0.55
109443	E805292	0.71
109444	E805293	0.89
109446	E805294	0.85
109447	E805295	0.12
109448	E805296	0.29
109449	E805297	0.21
109450	E805298	0.34
109451	E805299	0.44
109452	E805300	0.16
109453	E805301	0.21
109454	E805302	0.47
109455	E805303	0.61
109457	E805304	0.26
109458	E805305	0.39
109459	E805306	0.76
109460	E805307	0.46
109461	E805308	0.08
109462	E805309	0.37
109463	E805310	0.16
109464	E805311	0.20
109465	E805312	0.07
109466	E805313	0.12
109468	E805314	0.29
109469	E805315	0.20
109470	E805316	0.04
109471	E805317	0.25
109472	E805318	0.38
109473	E805319	0.14
109474	E805320	0.08

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-18 07:48 AM
Job Number: 200741473
Date Recieved: 5/24/2007
Number of Samples: 331
Type of Sample: Core
Date Completed: 6/11/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
109475	E805321	0.11
109476	E805322	0.08
109477	E805323	0.08
109479	E805324	0.08
109480	E805325	0.15
109481	E805326	0.09
109482	E805327	0.06
109483	E805328	0.17
109484	E805329	2.73
109485	E805330	0.26
109486	E805331	0.17
109487	E805332	0.20
109488	E805333	0.11
109490	E805334	1.04
109491	E805335	0.70
109492	E805336	0.66
109493	E805337	4.30
109494	E805338	14.00
109495	E805339	4.20
109496	E805340	9.19
109497	E805341	8.00
109498	E805342	8.07
109499	E805343	1.47
109501	E805344	4.54
109502	E805345	0.23
109503	E805346	5.54
109504	E805347	2.20
109505	E805348	0.68
109506	E805349	1.19
109507	E805350	0.15
109508	E805351	0.61
109509	E805352	0.52
109510	E805353	0.12
109512	E805354	0.24
109513	E805355	0.14
109514	E805356	1.30
109515	E805357	0.39
109516	E805358	0.12
109517	E805359	0.09
109518	E805360	0.13
109519	E805361	0.06
109520	E805362	0.07
109521	E805363	0.09

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5XS
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-18 07:48 AM
Job Number: 200741473
Date Recieved: 5/24/2007
Number of Samples: 331
Type of Sample: Core
Date Completed: 6/11/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
109523	E805364	0.33
109524	E805365	0.41
109525	E805366	0.26
109526	E805367	3.55
109527	E805368	13.00
109528	E805369	4.05
109529	E805370	2.77
109530	E805371	3.08
109531	E805372	1.56
109532	E805373	2.95
109534	E805374	0.11
109535	E805375	0.19
109536	E805376	0.15
109537	E805377	1.94
109538	E805378	1.49
109539	E805379	0.80
109540	E805380	1.92
109541	E805381	1.39
109542	E805382	0.98
109543	E805383	3.54
109545	E805384	1.88
109546	E805385	0.47
109547	E805386	0.65
109548	E805387	0.06
109549	E805388	2.67
109550	E805389	0.55
109551	E805390	0.20
109552	E805391	1.26
109553	E805392	2.00
109554	E805393	1.33
109556	E805394	1.38
109557	E805395	1.27
109558	E805396	1.74
109559	E805397	1.24
109560	E805398	0.85
109561	E805399	1.03
109562	E805400	0.71
109563	E805401	0.20
109564	E805402	0.17
109565	E805403	0.21
109567	E805404	0.22
109568	E805405	0.18
109569	E805406	0.10

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-15 10:35 AM
Job Number: 200741419
Date Recieved: 5/17/2007
Number of Samples: 101
Type of Sample: Core
Date Completed: 6/5/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
105227	E805799	0.68
105228	E805800	0.73
105229	E805001	0.74
105230	E805002	1.47
105231	E805003	0.06
105232	E805004	2.38
105233	E805005	0.39
105234	E805006	0.04
105235	E805007	0.52
105236	E805008	0.25
105238	E805009	0.24
105239	E805010	0.15
105240	E805011	0.13
105241	E805012	0.14
105242	E805013	0.18
105243	E805014	0.36
105244	E805015	0.88
105245	E805016	Insufficient Sample
105246	E805017	1.19
105247	E805018	0.56
105249	E805019	0.89
105250	E805020	0.95
105251	E805021	0.96
105252	E805022	0.13
105253	E805023	1.78
105254	E805024	2.23
105255	E805025	3.63
105256	E805026	1.50
105257	E805027	3.48
105258	E805028	2.14
105260	E805029	2.53
105261	E805030	0.25
105262	E805031	0.31
105263	E805032	0.03
105264	E805033	0.09
105265	E805034	0.02
105266	E805035	0.05
105267	E805036	0.13
105268	E805037	0.30
105269	E805038	0.65
105271	E805039	0.08
105272	E805040	0.05
105273	E805041	<0.01

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-15 10:35 AM
Job Number: 200741419
Date Recieved: 5/17/2007
Number of Samples: 101
Type of Sample: Core
Date Completed: 6/5/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
105274	E805042	1.62
105275	E805043	0.28
105276	E805044	Insufficient Sample
105277	E805045	0.11
105278	E805046	0.20
105279	E805047	0.03
105280	E805048	0.13
105282	E805049	0.20
105283	E805050	1.29
105284	E805051	0.48
105285	E805052	0.04
105286	E805053	0.55
105287	E805054	0.84
105288	E805055	0.45
105289	E805056	1.51
105290	E805057	1.03
105291	E805058	0.47
105293	E805059	1.06
105294	E805060	1.39
105295	E805061	0.65
105296	E805062	0.57
105297	E805063	Insufficient Sample
105298	E805064	0.38
105299	E805065	1.46
105300	E805066	1.87
105301	E805067	1.18
105302	E805068	0.65
105304	E805069	0.37
105305	E805070	0.09
105306	E805071	1.31
105307	E805072	1.14
105308	E805073	1.15
105309	E805074	0.86
105310	E805075	0.63
105311	E805076	0.70
105312	E805077	0.79
105313	E805078	0.76
105315	E805079	0.19
105316	E805080	0.04
105317	E805081	0.23
105318	E805082	0.10
105319	E805083	0.12
105320	E805084	0.29

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-15 10:35 AM
Job Number: 200741419
Date Recieved: 5/17/2007
Number of Samples: 101
Type of Sample: Core
Date Completed: 6/5/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
105321	E805085	0.02
105322	E805086	0.70
105323	E805087	0.42
105324	E805088	0.07
105325	E805089	0.74
105327	E805090	1.13
105328	E805091	0.05
105329	E805092	0.40
105330	E805093	0.06
105331	E805094	0.02
105332	E805095	0.03
105333	E805096	0.03
105334	E805097	0.02
105335	E805098	0.59
105336	E805099	0.16

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 06, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 17-May-07
Date Completed : 05-Jun-07
Job # 200741419
Reference :
Sample #: 101 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
105227	805799	19	61	18		2	65	1127		1260		
105228	805800	19	76	31		3	77	600		1584		
105229	805001	12	91	36		3	84	892		1748		
105230	805002	25	80	23		3	114	1916		2688		
105231	805003	<5	84	<10		3	52	170		128		
105232	805004	32	146	34		3	136	7060		4058		
105233	805005	<5	32	12		3	81	287		870		
105234	805006	8	32	<10		3	45	150		122		
105235	805007	14	41	11		3	62	1158		889		
105236	805008	6	31	12		3	52	225		380		
105237 Check	805008	7	34	<10		3	57	225		384		
105238	805009	<5	<15	<10		3	51	192		123		
105239	805010	5	42	13		3	49	159		112		
105240	805011	<5	40	<10		3	52	112		120		
105241	805012	5	35	<10		3	45	87		105		
105242	805013	<5	22	<10		3	38	62		63		
105243	805014	10	49	10		3	51	553		463		
105244	805015	7	46	24		3	73	247		552		
105245	805016	51	130	173		4	111	758		9817		
105246	805017	35	82	20		3	105	1491		2530		
105247	805018	12	61	20		4	72	691		964		
105248 Check	805018	12	60	21		4	70	688		974		
105249	805019	22	72	27		3	97	842		2030		
105250	805020	16	66	18		4	97	875		2123		
105251	805021	18	91	28		4	97	638		1570		
105252	805022	<5	<15	10		4	61	117		216		
105253	805023	<5	68	23		4	139	1837		3920		
105254	805024	<5	100	31		4	193	2168		5756		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4Pb, AL4SLF, AL4ICPAR

Certified By: _____
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 06, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 17-May-07
Date Completed : 05-Jun-07
Job # 200741419
Reference :
Sample #: 101 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
105255		805025	87	193	25		5	257	3648		8549		
105256		805026	11	32	18		4	125	1662		2803		
105257		805027	7	413	52		2	215	1318		8649		
105258		805028	6	61	19		2	153	1736		5505		
105259	Check	805028	7	65	26		2	145	1765		5325		
105260		805029	10	82	33		2	175	2188		7097		
105261		805030	<5	27	19		1	32	108		357		
105262		805031	11	65	34		2	53	845		562		
105263		805032	<5	<15	11		1	36	52		97		
105264		805033	<5	18	<10		1	40	162		109		
105265		805034	<5	<15	11		1	41	43		83		
105266		805035	<5	24	12		1	32	32		59		
105267		805036	<5	<15	<10		2	42	71		111		
105268		805037	8	<15	<10		1	38	79		77		
105269		805038	520	<15	<10		1	20	1064		12		
105270	Check	805038	522	18	11		1	20	1137		15		
105271		805039	<5	<15	<10		1	38	90		93		
105272		805040	<5	34	<10		< 1	22	55		65		
105273		805041	<5	32	14		< 1	20	7		54		
105274		805042	<5	121	27		< 1	121	394		3983		
105275		805043	<5	<15	<10		2	57	127		140		
105276		805044	25	116	178		2	107	775		12271		
105277		805045	<5	<15	17		< 1	24	27		55		
105278		805046	<5	17	12		< 1	16	70		225		
105279		805047	<5	23	<10		< 1	38	108		192		
105280		805048	<5	29	17		1	32	143		198		
105281	Check	805048	<5	25	16		< 1	33	148		194		
105282		805049	<5	23	<10		< 1	31	115		131		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4Pb, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-06/06/2007 11:55 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 06, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 17-May-07
Date Completed : 05-Jun-07
Job # 200741419
Reference :
Sample #: 101 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
105283		805050	6	25	23		2	115	1973		3438		
105284		805051	<5	26	<10		2	60	164		326		
105285		805052	<5	<15	<10		1	32	78		61		
105286		805053	<5	<15	<10		< 1	46	179		197		
105287		805054	<5	<15	12		< 1	58	332		373		
105288		805055	<5	<15	13		< 1	46	168		295		
105289		805056	19	<15	<10		< 1	60	352		210		
105290		805057	<5	<15	13		< 1	61	332		306		
105291		805058	<5	15	17		< 1	41	139		146		
105292	Check	805058	<5	<15	<10		< 1	40	146		153		
105293		805059	16	19	<10		< 1	56	272		364		
105294		805060	20	21	<10		< 1	71	453		360		
105295		805061	6	<15	<10		< 1	44	301		180		
105296		805062	<5	<15	<10		< 1	44	221		295		
105297		805063	48	128	165		2	100	713		9859		
105298		805064	<5	27	17		< 1	44	186		203		
105299		805065	<5	29	20		< 1	61	406		273		
105300		805066	<5	<15	<10		1	79	736		925		
105301		805067	194	<15	<10		1	69	436		706		
105302		805068	6	23	12		1	52	288		289		
105303	Check	805068	<5	<15	<10		< 1	54	281		286		
105304		805069	<5	29	23		< 1	48	179		314		
105305		805070	8	<15	<10		2	53	137		109		
105306		805071	12	46	19		< 1	88	639		1208		
105307		805072	<5	22	12		< 1	68	431		412		
105308		805073	6	16	12		< 1	57	181		142		
105309		805074	<5	<15	<10		1	58	161		138		
105310		805075	<5	18	<10		< 1	49	168		148		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4Pb, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-06/06/2007 11:55 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 06, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 17-May-07
Date Completed : 05-Jun-07
Job # 200741419
Reference :
Sample #: 101 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
105311		805076	<5	21	22		< 1	38	115		117		
105312		805077	<5	<15	<10		< 1	54	423		766		
105313		805078	10	22	17		< 1	58	512		1022		
105314	Check	805078	6	28	<10		< 1	62	447		1047		
105315		805079	<5	20	14		< 1	30	131		257		
105316		805080	9	19	<10		1	41	80		175		
105317		805081	6	20	22		1	44	210		522		
105318		805082	<5	<15	<10		1	38	79		142		
105319		805083	<5	19	10		1	37	104		204		
105320		805084	<5	28	20		1	50	122		134		
105321		805085	9	61	37		1	9	17		21		
105322		805086	15	42	17		1	85	359		1631		
105323		805087	21	37	<10		2	56	161		122		
105324		805088	17	44	14		1	25	50		39		
105325		805089	<5	20	<10		< 1	48	209		309		
105326	Check	805089	<5	<15	15		< 1	51	217		315		
105327		805090	26	<15	<10		2	73	698		2088		
105328		805091	7	<15	<10		1	22	34		38		
105329		805092	7	<15	<10		< 1	43	407		377		
105330		805093	8	<15	<10		1	45	126		106		
105331		805094	<5	<15	<10		< 1	33	47		174		
105332		805095	<5	<15	<10		< 1	35	82		304		
105333		805096	<5	<15	23		< 1	42	5		383		
105334		805097	10	23	19		< 1	46	24		429		
105335		805098	8	43	<10		1	79	422		1453		
105336		805099	141	39	42		1	51	731		699		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4Pb, AL4SLF, AL4ICPAR

Certified By
Derek Benlanluk H.Bsc., Laboratory Manager

AL917-0257-06/06/2007 11:55 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, June 18, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 08-Jun-07
Date Completed : 15-Jun-07
Job # 200741762
Reference :
Sample #: 42 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
129491	E805501	30	83	31		2	138	172		3707		
129492	E805502	23	<15	<10		< 1	34	272		285		
129493	E805503	91	145	107		1	44	744		588		
129494	E805504	102	212	165		3	49	1495		1145		
129495	E805505	47	63	49		1	31	702		609		
129496	E805506	43	57	57		2	44	823		853		
129497	E805507	227	224	151		3	68	3954		2920		
129498	E805508	18	<15	17		1	34	161		172		
129499	E805509	487	118	166		3	72	3338		2381		
129500	E805510	21	<15	25		2	44	342		571		
129501 Check	E805510	18	<15	28		2	44	343		567		
129502	E805511	10	27	<10		< 1	23	50		50		
129503	E805512	187	84	103		2	50	1671		1269		
129504	E805513	15	73	33		2	39	153		209		
129505	E805514	48	145	60		2	47	899		868		
129506	E805515	11	63	22		1	49	133		117		
129507	E805516	55	102	62		2	55	711		666		
129508	E805517	43	82	42		2	50	691		459		
129509	E805518	71	108	70		2	56	950		1127		
129510	E805519	42	91	38		2	54	696		370		
129511	E805520	13	62	22		< 1	26	35		62		
129512 Check	E805520	10	61	27		< 1	27	36		63		
129513	E805521	162	270	226		4	98	3957		4921		
129514	E805522	202	378	284		3	61	3628		2977		
129515	E805523	43	212	206		2	84	676		11080		
129516	E805524	9	29	19		1	33	63		71		
129517	E805525	111	69	40		3	54	2452		1486		
129518	E805526	62	153	96		3	55	941		997		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By: _____
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-25 09:30 AM
Job Number: 200741762
Date Recieved: 6/8/2007
Number of Samples: 42
Type of Sample: Core
Date Completed: 6/15/2007
Project ID:

* The results included on this report relate only
* This Certificate of Analysis should not be repr
of the laboratory.
*The methods used for these analysis are not a

Accur. #	Client Tag	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Cr ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	p
129491	E805501	2.44	<2	42	29	<1	3	1.94	<4	338	5.61	0.13	9	2.02	776	6	0.04	4
129492	E805502	1.49	<2	42	1	<1	<1	0.08	<4	1085	2.67	<0.01	<1	2.22	264	<1	0.01	1
129493	E805503	1.01	<2	44	<1	<1	<1	0.02	<4	1367	4.43	<0.01	<1	1.86	216	3	0.02	<1
129494	E805504	0.94	<2	44	<1	<1	<1	0.04	<4	1230	3.21	<0.01	<1	1.71	189	<1	0.02	<1
129495	E805505	1.27	<2	45	3	<1	<1	0.98	<4	705	2.14	0.03	3	1.72	392	<1	0.02	1
129496	E805506	2.24	2	46	11	<1	8	4.02	<4	635	3.15	0.12	12	2.53	866	<1	0.03	2
129497	E805507	1.61	<2	47	8	<1	1	3.03	<4	618	3.02	0.09	6	1.94	602	3	0.02	1
129498	E805508	2.43	<2	48	69	<1	1	1.68	<4	148	4.45	0.33	13	2.09	604	3	0.06	1
129499	E805509	1.82	3	44	<1	<1	2	0.73	<4	789	3.25	<0.01	4	2.26	354	<1	0.02	1
129500	E805510	2.92	<2	44	18	<1	8	4.95	<4	255	4.28	0.07	16	2.58	949	<1	0.03	1
129501	E805510	2.92	<2	35	18	<1	7	4.96	<4	253	4.28	0.07	17	2.60	948	<1	0.03	1
129502	E805511	1.60	<2	34	77	<1	<1	2.05	<4	46	2.93	0.18	5	1.04	442	3	0.04	4
129503	E805512	1.70	14	34	<1	<1	3	0.75	<4	1178	3.16	<0.01	<1	2.44	367	<1	0.01	1
129504	E805513	2.97	2	36	11	<1	<1	2.20	<4	162	5.50	0.04	14	2.27	816	5	0.05	1
129505	E805514	2.37	2	37	7	<1	2	3.63	<4	323	4.15	0.02	10	2.02	670	3	0.04	4
129506	E805515	1.88	13	39	13	<1	<1	3.50	<4	138	3.52	0.06	3	0.95	755	3	0.03	2
129507	E805516	3.36	<2	35	1	<1	<1	4.54	<4	146	5.51	0.01	16	2.66	881	<1	0.02	<1
129508	E805517	1.92	4	37	2	<1	<1	3.16	<4	178	3.10	0.02	5	1.33	498	2	0.03	<1
129509	E805518	1.86	5	36	3	<1	<1	3.78	<4	122	3.27	0.02	5	1.19	559	2	0.03	<1
129510	E805519	2.38	11	37	12	<1	<1	4.30	<4	185	4.58	0.03	9	1.56	752	5	0.03	1
129511	E805520	1.86	<2	40	<1	<1	<1	2.26	<4	84	3.78	0.02	6	1.32	544	3	0.06	6
129512	E805520	1.81	<2	36	<1	<1	<1	2.20	<4	82	3.69	0.01	6	1.29	531	4	0.05	6

Certified By:
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SXS
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-06 12:40 PM
Job Number: 200741384
Date Recieved: 5/15/2007
Number of Samples: 6
Type of Sample: Core
Date Completed: 6/1/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
102636	805100	0.07
102637	805101	0.04
102638	805102	0.04
102639	805103	0.01
102640	805104	0.09
102641	805105	0.17

Certified By:

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-06-06 12:40 PM
Job Number: 200741384
Date Recieved: 5/15/2007
Number of Samples: 6
Type of Sample: Core
Date Completed: 6/1/2007
Project ID:

* The results included on this report relate onl
* This Certificate of Analysis should not be re
of the laboratory.
*The methods used for these analysis are not

Accur. #	Client Tag	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Cr ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	P ppm
102636	805100	3.31	5	39	80	<1	5	5.64	<4	211	5.70	0.35	11	1.77	1183	5	0.04	270
102637	805101	2.60	4	41	50	<1	8	3.50	<4	212	4.29	0.21	7	1.24	813	4	0.07	358
102638	805102	3.10	4	44	83	<1	5	3.30	<4	183	5.45	0.37	10	1.66	963	6	0.04	306
102639	805103	2.01	<2	36	62	<1	10	2.51	<4	98	3.62	0.15	8	1.14	566	5	0.08	483
102640	805104	2.93	3	42	65	<1	5	4.19	<4	171	5.16	0.27	9	1.57	1026	5	0.04	287
102641	805105	2.86	4	37	76	<1	9	3.84	<4	192	5.18	0.27	10	1.49	991	5	0.05	212
102642	805105	2.88	8	38	76	<1	7	3.88	<4	195	5.22	0.27	10	1.50	1005	5	0.05	216

Certified By:
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5XS
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119318	E805437	11	<15	<10		< 1	64	346		333		
119319	E805438	<5	<15	14		< 1	65	383		403		
119320	E805439	<5	<15	<10		< 1	59	225		298		
119321	E805440	6	<15	<10		< 1	44	151		156		
119322	E805441	<5	<15	17		< 1	41	180		98		
119323	E805442	9	<15	<10		< 1	61	324		347		
119324	E805443	9	<15	11		< 1	63	284		310		
119325	E805444	12	<15	16		< 1	102	1047		2267		
119326	E805445	23	96	55		< 1	274	2612		7862		
119327	E805446	18	<15	14		< 1	87	534		1932		
119328 Check	E805446	6	<15	<10		< 1	83	528		1934		
119329	E805447	15	<15	11		< 1	64	631		1430		
119330	E805448	20	78	40		< 1	96	938		5042		
119331	E805449	170	71	61		2	117	4716		7250		
119332	E805450	160	115	98		3	68	6857		5453		
119333	E805451	101	84	25		2	44	2619		1568		
119334	E805452	40	<15	29		4	42	1584		1083		
119335	E805453	19	18	16		< 1	10	63		50		
119336	E805454	47	<15	<10		1	56	1386		1338		
119337	E805455	13	<15	15		< 1	55	261		297		
119338	E805456	12	<15	<10		< 1	34	74		67		
119339 Check	E805456	7	<15	<10		< 1	36	79		71		
119340	E805457	14	60	35		< 1	56	774		1720		
119341	E805458	14	54	26		< 1	50	844		1289		
119342	E805459	<5	<15	11		< 1	36	131		168		
119343	E805460	130	88	100		4	395	35220		42724		
119344	E805461	97	271	77		3	432	13395		47244		
119345	E805462	44	169	79		2	364	7150		16448		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Damianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119346		E805463	16	52	10		< 1	59	2631		1133		
119347		E805464	8	51	<10		2	61	961		550		
119348		E805465	153	213	128		4	970	11059		56100		
119349		E805466	13	76	10		1	48	187		287		
119350	Check	E805466	13	58	15		2	47	185		281		
119351		E805467	5	68	<10		2	59	254		900		
119352		E805468	16	55	21		2	65	579		1244		
119353		E805469	17	35	14		2	74	504		1127		
119354		E805470	26	46	21		2	100	895		1955		
119355		E805471	48	48	23		2	148	2233		4197		
119356		E805472	26	80	25		2	100	950		1962		
119357		E805473	12	67	16		1	23	53		66		
119358		E805474	45	108	16		2	77	1141		3953		
119359		E805475	14	47	17		2	82	537		1756		
119360		E805476	12	39	<10		2	65	391		1030		
119361	Check	E805476	8	41	11		< 1	71	419		986		
119362		E805477	<5	<15	<10		< 1	50	108		115		
119363		E805478	14	31	<10		< 1	51	375		651		
119364		E805479	39	91	22		< 1	176	2146		5740		
119365		E805480	59	100	32		< 1	149	2033		5237		
119366		E805481	58	101	28		< 1	207	2565		3090		
119367		E805482	<5	60	12		< 1	25	87		159		
119368		E805483	32	30	<10		< 1	98	1038		2898		
119369		E805484	149	54	38		2	206	3940		8258		
119370		E805485	200	280	150		1	452	7118		7281		
119371		E805486	131	120	67		< 1	143	2475		5004		
119372	Check	E805486	126	138	71		< 1	129	2305		4677		
119373		E805487	26	55	54		< 1	40	1485		985		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119374	E805488	142	211	152		< 1	77	2151		5615		
119375	E805489	11	25	36		1	49	148		214		
119376	E805490	8	77	29		< 1	21	48		42		
119377	E805491	198	100	60		< 1	23	28		47		
119378	E805492	8	26	21		< 1	37	49		89		
119379	E805493	7	37	21		< 1	39	54		80		
119380	E805494	207	125	76		4	64	5413		4443		
119381	E805495	7	42	27		2	53	5066		3053		
119382	E805496	185	100	63		3	116	4379		4166		
119383 Check	E805496	165	117	57		3	117	4407		4142		
119384	E805497	191	113	62		4	76	3713		2783		
119385	E805498	75	71	45		2	67	1443		1293		
119386	E805499	106	92	61		2	62	1622		1300		
119387	E805500	56	189	207		1	77	660		>10929		
119388	E805801	25	83	37		< 1	87	872		2713		
119389	E805802	28	119	40		< 1	174	2052		5870		
119390	E805803	56	141	48		2	210	2812		7907		
119391	E805804	24	88	40		2	109	1146		3114		
119392	E805805	30	204	51		2	288	3843		>14644		
119393	E805806	323	148	52		2	218	7878		9246		
119394 Check	E805806	342	163	71		2	214	8319		9810		
119395	E805807	76	135	104		4	508	7918		>16621		
119396	E805808	21	37	31		2	64	1140		1232		
119397	E805809	11	28	25		1	45	205		324		
119398	E805810	16	86	51		1	41	107		357		
119399	E805811	45	81	39		2	69	1637		2284		
119400	E805812	13	45	23		< 1	18	62		185		
119401	E805813	21	47	34		< 1	69	488		1719		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk, B.Sc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119402		E805814	22	39	36		1	112	1467		2706		
119403		E805815	16	72	39		< 1	126	322		2719		
119404		E805816	31	33	22		< 1	31	173		224		
119405	Check	E805816	28	33	19		< 1	28	172		213		
119406		E805817	9	30	26		< 1	21	42		62		
119407		E805818	23	44	31		< 1	23	144		137		
119408		E805819	40	116	70		1	276	4393		10918		
119409		E805820	16	74	36		< 1	58	149		202		
119410		E805821	16	60	40		< 1	73	366		1130		
119411		E805822	13	21	27		< 1	91	584		1424		
119412		E805823	15	62	<10		1	71	438		1051		
119413		E805824	14	60	14		1	49	255		568		
119414		E805825	16	<15	<10		1	82	722		1706		
119415		E805826	21	70	29		2	122	1517		3201		
119416	Check	E805826	24	80	25		1	114	1540		3186		
119417		E805827	6	63	<10		1	36	97		197		
119418		E805828	9	79	15		1	41	39		121		
119419		E805829	8	<15	<10		1	34	28		106		
119420		E805830	9	32	10		1	38	37		85		
119421		E805831	6	26	<10		1	21	68		74		
119422		E805832	7	<15	<10		1	28	35		79		
119423		E805833	18	<15	<10		1	31	53		80		
119424		E805834	9	27	<10		1	32	35		78		
119425		E805835	12	31	14		1	40	102		94		
119426		E805836	9	54	18		1	77	613		1481		
119427	Check	E805836	6	65	22		2	74	630		1454		
119428		E805837	19	15	18		2	84	711		1694		
119429		E805838	<5	<15	<10		< 1	12	56		51		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119430		E805839	10	<15	<10		1	56	206		419		
119431		E805840	<5	47	<10		1	29	26		36		
119432		E805841	<5	25	<10		< 1	26	62		35		
119433		E805842	45	130	24		2	221	8319		8997		
119434		E805843	11	50	<10		1	78	618		1700		
119435		E805844	8	53	13		< 1	29	104		118		
119436		E805845	9	67	<10		< 1	37	175		72		
119437		E805846	<5	20	<10		1	48	119		77		
119438	Check	E805846	<5	27	<10		2	50	115		76		
119439		E805847	10	67	15		< 1	54	225		543		
119440		E805848	61	169	183		2	99	673		10634		
119441		E805849	8	50	<10		< 1	41	313		535		
119442		E805850	5	30	<10		< 1	41	78		64		
119443		E805851	10	84	<10		< 1	85	191		1083		
119444		E805852	8	<15	<10		< 1	38	177		201		
119445		E805853	5	21	<10		< 1	39	142		62		
119446		E805854	6	<15	<10		< 1	39	231		179		
119447		E805855	12	42	<10		< 1	59	405		714		
119448		E805856	7	30	<10		< 1	56	337		688		
119449	Check	E805856	9	40	<10		< 1	66	333		678		
119450		E805857	6	35	<10		1	49	107		116		
119451		E805858	15	42	<10		< 1	56	127		123		
119452		E805859	43	45	<10		1	53	375		636		
119453		E805860	28	52	<10		1	82	159		163		
119454		E805861	8	24	<10		< 1	51	170		182		
119455		E805862	<5	40	<10		< 1	43	96		185		
119456		E805863	11	63	15		< 1	99	526		2242		
119457		E805864	27	76	<10		1	59	864		1001		

PROCEDURE CODES: AL4ARP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119458		E805865	14	62	<10		< 1	66	471		1112		
119459		E805866	62	65	12		< 1	92	1351		2233		
119460	Check	E805866	65	62	17		< 1	82	1349		2316		
119461		E805867	41	101	21		1	198	2602		5739		
119462		E805868	77	74	38		< 1	136	2071		4158		
119463		E805869	24	89	26		1	133	1099		4776		
119464		E805870	11	40	12		< 1	70	204		301		
119465		E805871	15	41	<10		< 1	59	234		352		
119466		E805872	10	47	<10		< 1	40	161		278		
119467		E805873	15	63	11		< 1	47	345		311		
119468		E805874	15	48	<10		< 1	59	384		611		
119469		E805875	8	32	<10		< 1	46	137		179		
119470		E805876	<5	<15	<10		< 1	67	176		169		
119471	Check	E805876	8	<15	<10		< 1	60	182		178		
119472		E805877	14	17	<10		< 1	66	298		546		
119473		E805878	10	<15	<10		< 1	70	84		155		
119474		E805879	8	<15	<10		< 1	64	178		128		
119475		E805880	17	28	16		< 1	65	143		177		
119476		E805881	17	32	21		< 1	45	360		401		
119477		E805882	18	<15	12		< 1	52	506		526		
119478		E805883	28	50	20		< 1	83	494		1371		
119479		E805884	13	42	17		< 1	39	142		117		
119480		E805885	20	58	29		< 1	50	118		126		
119481		E805886	12	84	19		< 1	58	291		628		
119482	Check	E805886	16	68	24		< 1	54	304		698		
119483		E805887	12	17	18		1	55	165		505		
119484		E805888	10	19	<10		< 1	14	124		114		
119485		E805889	12	18	<10		< 1	39	122		112		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demaniuk, H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119486		E805890	13	<15	12		< 1	38	154		117		
119487		E805891	14	<15	<10		< 1	29	171		139		
119488		E805892	8	<15	<10		< 1	13	128		156		
119489		E805893	27	<15	<10		1	62	1004		2327		
119490		E805894	48	44	<10		2	448	6892		>18060		
119491		E805895	34	58	15		1	185	2673		6235		
119492		E805896	26	61	16		1	119	1471		4102		
119493	Check	E805896	33	55	18		2	130	1510		3827		
119494		E805897	16	38	<10		1	81	803		2091		
119495		E805898	12	53	<10		1	52	866		512		
119496		E805899	12	<15	<10		< 1	26	339		794		
119497		E805900	13	27	<10		1	128	573		2822		
119498		E805901	23	53	11		< 1	41	658		767		
119499		E805902	25	53	12		1	43	782		1214		
119500		E805903	12	24	<10		1	69	832		2202		
119501		E805904	108	226	57		4	432	5835		>20220		
119502		E805905	15	28	10		1	49	141		197		
119503		E805906	32	36	<10		2	67	1215		991		
119504	Check	E805906	30	40	<10		< 1	87	1230		1062		
119505		E805907	<5	<15	<10		< 1	45	190		129		
119506		E805908	55	56	<10		< 1	192	2156		5653		
119507		E805909	98	96	58		2	616	5428		>54355		
119508		E805910	14	44	15		< 1	50	287		259		
119509		E805911	14	55	29		< 1	53	84		108		
119510		E805912	7	18	<10		< 1	33	87		48		
119511		E805913	74	45	15		3	178	4481		5032		
119512		E805914	49	76	23		1	106	1456		1300		
119513		E805915	42	75	12		2	142	3301		4547		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119514	Check	E805915	41	74	19		2	143	3269		4551		
119515		E805916	36	158	38		< 1	127	1283		3346		
119516		E805917	13	50	13		< 1	78	129		290		
119517		E805918	12	56	<10		< 1	47	107		137		
119518		E805919	327	248	53		8	276	12244		9926		
119519		E805920	22	60	19		< 1	57	268		979		
119520		E805921	24	44	15		< 1	91	626		1217		
119521		E805922	7	29	<10		< 1	53	93		537		
119522		E805923	61	42	18		< 1	122	1528		3401		
119523		E805924	49	45	<10		< 1	124	874		3361		
119524		E805925	19	42	18		< 1	64	468		895		
119525	Check	E805925	21	45	11		< 1	75	454		917		
119526		E805926	7	48	12		< 1	33	94		135		
119527		E805927	6	18	14		< 1	41	44		104		
119528		E805928	119	44	20		< 1	53	2094		865		
119529		E805929	332	247	193		4	117	5271		4875		
119530		E805930	22	48	19		< 1	73	352		249		
119531		E805931	10	<15	<10		< 1	63	94		119		
119532		E805932	15	23	<10		< 1	64	134		69		
119533		E805933	11	<15	<10		< 1	50	143		84		
119534		E805934	8	24	<10		< 1	51	155		55		
119535		E805935	15	<15	<10		< 1	51	80		47		
119536	Check	E805935	7	<15	<10		< 1	50	82		47		
119537		E805936	10	<15	<10		< 1	80	170		216		
119538		E805937	16	26	16		1	62	856		521		
119539		E805938	13	31	13		< 1	72	251		952		
119540		E805939	14	18	<10		< 1	77	363		826		
119541		E805940	20	54	<10		< 1	102	555		1638		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P78 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119542	E805941	45	80	25		1	93	1780		2639		
119543	E805942	7	<15	<10		< 1	58	74		188		
119544	E805943	38	19	<10		1	59	572		531		
119545	E805944	11	<15	<10		< 1	62	49		171		
119546	E805945	8	<15	<10		< 1	23	39		24		
119547 Check	E805945	<5	<15	<10		< 1	17	39		27		
119548	E805946	10	19	<10		1	27	74		42		
119549	E805947	76	94	18		4	129	6595		6942		
119550	E805948	109	137	161		1	67	620		11171		
119551	E805949	154	106	22		4	169	4971		6339		
119552	E805950	84	122	16		4	220	4961		8598		
119553	E805951	12	20	13		1	41	333		460		
119554	E805952	190	141	28		4	270	5644		7985		
119555	E805953	69	40	13		4	173	5521		7042		
119556	E805954	81	70	24		3	251	2738		7195		
119557	E805955	148	79	19		3	163	3922		6107		
119558 Check	E805955	156	88	21		3	159	3981		6020		
119559	E805956	9	21	<10		2	64	116		197		
119560	E805957	10	<15	<10		1	30	53		137		
119561	E805958	28	38	<10		2	115	1241		3326		
119562	E805959	27	27	<10		2	126	1622		3913		
119563	E805960	44	49	13		2	201	2084		6089		
119564	E805961	8	21	13		< 1	37	269		684		
119565	E805962	39	70	53		< 1	33	589		575		
119566	E805963	13	24	32		2	67	250		230		
119567	E805964	<5	<15	15		< 1	30	47		68		
119568	E805965	<5	<15	<10		1	41	76		81		
119569 Check	E805965	<5	<15	12		1	34	81		80		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119570	E805966	<5	<15	12		< 1	49	168		86		
119571	E805967	<5	35	<10		< 1	48	142		94		
119572	E805968	<5	16	<10		< 1	48	130		90		
119573	E805969	<5	32	<10		< 1	56	123		99		
119574	E805970	<5	20	<10		< 1	48	94		78		
119575	E805971	6	28	11		< 1	38	133		82		
119576	E805972	5	24	<10		< 1	44	100		80		
119577	E805973	10	47	13		< 1	51	183		164		
119578	E805974	15	<15	<10		1	46	708		747		
119579	E805975	8	<15	<10		1	47	233		290		
119580 Check	E805975	10	32	15		1	42	235		281		
119581	E805976	122	96	22		1	201	2213		5190		
119582	E805977	51	217	193		2	90	718		>10749		
119583	E805978	6	33	<10		2	44	152		132		
119584	E805979	<5	<15	<10		2	42	157		91		
119585	E805980	8	25	<10		2	31	138		59		
119586	E805981	6	<15	<10		2	35	120		54		
119587	E805982	<5	<15	<10		2	44	186		89		
119588	E805983	9	36	<10		2	52	108		68		
119589	E805984	12	32	<10		2	40	208		90		
119590	E805985	7	<15	13		1	22	79		58		
119591 Check	E805985	<5	17	<10		1	24	76		57		
119592	E805986	10	38	14		1	37	112		54		
119593	E805987	7	17	<10		2	35	53		60		
119594	E805988	9	28	<10		2	75	153		535		
119595	E805989	16	<15	15		2	51	124		279		
119596	E805990	36	<15	<10		2	41	2		165		
119597	E805991	76	133	22		4	380	5428		23979		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

The results included on this report relate only to the items tested

Certified By:
Derek Demianiuk H.Bsc, Laboratory Manager

AL917-0257-06/27/2007 09:05 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119598		E805992	11	<15	<10		2	57	148		150		
119599		E805993	106	73	28		3	147	2941		7357		
119600		E805994	13	<15	<10		1	61	285		709		
119601		E805995	24	22	<10		1	74	645		1264		
119602	Check	E805995	21	23	<10		1	70	626		1216		
119603		E805996	23	20	<10		1	60	458		872		
119604		E805997	27	24	<10		1	70	667		1642		
119605		E805998	37	56	18		5	170	1664		4390		
119606		E805999	63	81	24		2	187	1872		3899		
119607		E806000	16	49	<10		1	89	675		1842		
119608		E806001	<5	38	<10		< 1	19	69		84		
119609		E806002	<5	16	<10		1	46	179		512		
119610		E806003	44	30	<10		3	166	2123		6325		
119611		E806004	56	24	<10		3	562	7633		17110		
119612		E806005	273	44	14		3	288	4582		11027		
119613	Check	E806005	268	58	<10		4	313	4830		11925		
119614		E806006	5	<15	<10		< 1	26	82		142		
119615		E806007	26	<15	<10		1	26	107		83		
119616		E806008	60	79	81		2	99	1319		1978		
119617		E806009	70	84	113		2	71	2130		1860		
119618		E806010	12	24	16		1	37	144		165		
119619		E806011	20	29	17		1	42	227		365		
119620		E806012	100	127	137		2	82	2323		1962		
119621		E806013	161	127	180		3	104	5432		3344		
119622		E806014	75	68	120		2	91	2822		2413		
119623		E806015	169	<15	108		6	874	9305		53738		
119624	Check	E806015	157	15	93		6	911	9523		55187		
119625		E806016	8	<15	16		1	66	383		662		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119626	E806017	8	<15	14		< 1	25	71		104		
119627	E806018	638	<15	72		8	596	17309		49754		
119628	E806019	75	<15	49		5	571	8049		49197		
119629	E806020	39	60	43		< 1	60	1131		1498		
119630	E806021	63	73	86		2	100	1544		2331		
119631	E806022	30	69	60		2	80	1004		985		
119632	E806023	19	<15	26		2	69	262		194		
119633	E806024	10	<15	13		1	49	63		73		
119634	E806025	25	34	17		1	114	1343		2182		
119635 Check	E806025	20	52	28		1	115	1305		2043		
119636	E806026	25	19	40		2	291	2035		8543		
119637	E806027	37	75	37		2	303	4190		10441		
119638	E806028	9	<15	22		1	59	340		256		
119639	E806029	<5	<15	25		2	75	188		172		
119640	E806030	<5	<15	10		1	58	135		146		
119641	E806031	<5	35	<10		1	35	129		70		
119642	E806032	6	32	<10		2	73	622		513		
119643	E806033	22	256	60		2	463	7139		19424		
119644	E806034	10	50	<10		2	59	174		267		
119645	E806035	16	32	<10		2	67	2659		941		
119646 Check	E806035	8	65	<10		2	72	2720		957		
119647	E806036	6	<15	17		1	48	231		221		
119648	E806037	10	<15	11		1	70	275		512		
119649	E806038	10	<15	12		1	61	295		232		
119650	E806039	<5	<15	10		2	59	151		205		
119651	E806040	<5	<15	<10		1	52	139		136		
119652	E806041	5	<15	11		< 1	50	210		140		
119653	E806042	<5	<15	<10		< 1	32	105		115		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119654		E806043	<5	<15	<10		< 1	33	110		117		
119655		E806044	5	<15	<10		< 1	42	112		123		
119656		E806045	<5	<15	<10		< 1	49	126		130		
119657	Check	E806045	6	<15	<10		< 1	54	135		134		
119658		E806046	<5	<15	<10		1	56	130		123		
119659		E806047	<5	<15	<10		1	51	125		127		
119660		E806048	6	<15	<10		1	54	126		139		
119661		E806049	7	<15	<10		< 1	47	103		115		
119662		E806050	<5	<15	14		< 1	53	210		295		
119663		E806051	7	<15	15		< 1	48	125		122		
119664		E806052	9	<15	13		1	58	514		854		
119665		E806053	11	28	23		< 1	52	400		611		
119666		E806054	6	<15	23		1	54	181		468		
119667		E806055	49	91	45		2	322	5141		11134		
119668	Check	E806055	46	103	61		2	328	5318		11396		
119669		E806056	<5	<15	<10		2	105	638		10797		
119670		E806057	9	<15	17		1	66	137		220		
119671		E806058	10	<15	20		1	57	322		317		
119672		E806059	29	247	47		< 1	51	220		217		
119673		E806060	<5	<15	<10		< 1	44	129		149		
119674		E806061	6	<15	<10		1	52	177		145		
119675		E806062	5	<15	<10		1	59	176		254		
119676		E806063	6	<15	<10		1	57	170		249		
119677		E806064	11	18	<10		1	44	80		95		
119678		E806065	6	29	<10		< 1	50	139		149		
119679	Check	E806065	7	28	<10		< 1	50	138		154		
119680		E806066	12	<15	<10		1	40	411		336		
119681		E806067	23	17	<10		1	53	677		994		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119682		E806068	12	21	<10		2	72	589		1649		
119683		E806069	17	38	<10		2	95	1179		2741		
119684		E806070	16	<15	<10		1	52	276		663		
119685		E806071	7	<15	<10		2	60	68		129		
119686		E806072	27	19	<10		2	61	205		415		
119687		E806073	<5	<15	<10		2	100	666		>10886		
119688		E806074	5	<15	<10		2	50	123		130		
119689		E806075	8	<15	11		2	49	107		143		
119690	Check	E806075	7	<15	<10		2	46	102		136		
119691		E806076	7	<15	<10		2	45	95		154		
119692		E806077	<5	<15	<10		1	42	84		122		
119693		E806078	6	<15	<10		1	39	96		147		
119694		E806079	7	<15	<10		2	39	81		115		
119695		E806080	9	<15	13		2	40	55		122		
119696		E806081	6	<15	<10		2	38	64		121		
119697		E806082	<5	<15	<10		2	41	31		118		
119698		E806083	6	<15	16		2	55	132		535		
119699		E806084	11	<15	<10		2	66	211		685		
119700		E806085	<5	<15	<10		2	65	210		755		
119701	Check	E806085	<5	<15	<10		2	64	200		729		
119702		E806086	34	70	23		2	113	675		2354		
119703		E806087	<5	<15	12		2	101	643		>11193		
119704		E806088	100	112	85		3	66	2336		1843		
119705		E806089	123	272	154		3	63	2762		1787		
119706		E806090	109	82	80		3	66	2342		2387		
119707		E806091	207	199	139		4	105	4477		4365		
119708		E806092	5	25	<10		2	64	134		151		
119709		E806093	5	<15	13		1	29	85		60		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119710		E806094	8	<15	22		2	35	132		243		
119711		E806095	29	36	34		2	52	1107		1047		
119712	Check	E806095	31	43	41		2	44	1080		999		
119713		E806096	17	21	20		2	64	1466		1739		
119714		E806097	111	93	74		2	64	2218		1720		
119715		E806098	30	38	28		3	87	1236		2025		
119716		E806099	<5	<15	15		1	20	60		80		
119717		E806100	6	<15	<10		1	30	74		160		
119718		E806101	29	<15	15		4	64	1618		600		
119719		E806102	135	83	41		4	155	2897		4884		
119720		E806103	100	78	52		4	142	2483		4693		
119721		E806104	86	38	94		4	569	7278		>15242		
119722		E806105	149	23	31		7	290	8979		22128		
119723	Check	E806105	282	161	58		7	281	8496		>22245		
119724		E806106	69	50	29		4	232	3234		6954		
119725		E806107	7	<15	<10		2	39	97		139		
119726		E806108	111	72	26		4	140	2969		2800		
119727		E806109	14	<15	11		2	33	314		203		
119728		E806110	78	137	120		3	91	2556		2928		
119729		E806111	32	20	20		3	70	566		621		
119730		E806112	12	<15	12		2	62	157		145		
119731		E806113	6	<15	<10		2	46	98		95		
119732		E806114	7	<15	13		2	47	78		105		
119733		E806115	<5	<15	11		1	27	38		53		
119734	Check	E806115	6	16	20		1	27	38		55		
119735		E806116	7	16	<10		< 1	13	26		32		
119736		E806117	<5	<15	13		1	29	45		61		
119737		E806118	<5	<15	10		< 1	13	39		26		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119738	E806119	7	<15	14		2	52	110		120		
119739	E806120	27	<15	23		2	49	112		114		
119740	E806121	11	21	15		2	60	112		139		
119741	E806122	52	103	33		2	195	3678		7163		
119742	E806123	67	271	77		3	376	6424		34037		
119743	E806124	40	126	18		4	502	7714		14350		
119744	E806125	473	213	53		3	364	9135		28239		
119745 Check	E806125	419	210	60		3	362	8784		29448		
119746	E806126	56	138	38		2	281	1990		23213		
119747	E806127	23	96	28		2	186	1855		6972		
119748	E806128	9	17	<10		2	46	177		404		
119749	E806129	11	<15	<10		2	39	159		158		
119750	E806130	33	<15	17		2	41	267		400		
119751	E806131	15	<15	11		2	31	78		151		
119752	E806132	31	145	59		2	278	1706		9601		
119753	E806133	11	<15	16		2	36	104		126		
119754	E806134	20	42	27		2	76	1038		2902		
119755	E806135	31	75	37		2	152	1479		6092		
119756 Check	E806135	25	80	35		2	143	1533		6033		
119757	E806136	15	<15	11		< 1	67	514		1505		
119758	E806137	21	<15	18		1	48	1483		742		
119759	E806138	22	<15	23		< 1	44	1635		1178		
119760	E806139	70	276	173		3	729	4484		55555		
119761	E806140	161	278	167		3	663	16428		45385		
119762	E806141	11	<15	16		1	45	125		158		
119763	E806142	15	<15	16		< 1	36	1554		811		
119764	E806143	9	<15	<10		1	28	136		126		
119765	E806144	14	<15	19		< 1	28	207		79		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119766		E806145	19	<15	18		1	35	182		136		
119767	Check	E806145	13	<15	19		1	34	185		140		
119768		E806146	55	<15	19		2	87	4017		2452		
119769		E806147	19	<15	22		2	99	746		2428		
119770		E806148	13	<15	24		2	87	607		2266		
119771		E806149	<5	<15	<10		1	29	84		64		
119772		E806150	9	<15	18		1	28	86		75		
119773		E806151	14	<15	22		1	48	237		484		
119774		E806152	16	19	19		1	53	339		770		
119775		E806153	9	<15	<10		1	68	567		1755		
119776		E806154	10	43	<10		< 1	48	470		726		
119777		E806155	28	82	<10		1	224	1869		7055		
119778	Check	E806155	38	109	<10		1	232	1964		7583		
119779		E806156	25	38	<10		1	81	972		2573		
119780		E806157	8	18	<10		1	58	729		1583		
119781		E806158	11	26	<10		1	95	1035		2607		
119782		E806159	13	38	<10		1	100	1121		2533		
119783		E806160	7	35	<10		1	54	382		921		
119784		E806161	13	36	<10		1	85	768		1651		
119785		E806162	12	<15	<10		1	77	574		1126		
119786		E806163	11	29	<10		1	78	653		1578		
119787		E806164	5	28	<10		1	38	173		210		
119788		E806165	<5	19	<10		1	42	2306		846		
119789	Check	E806165	<5	<15	<10		1	43	2228		794		
119790		E806166	<5	21	<10		1	46	2249		801		
119791		E806167	15508	133	142		3	412	27092		24864		
119792		E806168	48	233	36		3	449	8728		30088		
119793		E806169	12	<15	<10		1	97	1925		3694		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119794		E806170	11	22	<10		< 1	29	193		128		
119795		E806171	17	<15	11		1	79	839		1625		
119796		E806172	76	200	65		3	1073	5744		46671		
119797		E806173	35	89	77		3	1361	1854		62590		
119798		E806174	46	<15	13		4	481	7680		14686		
119799		E806175	346	366	95		3	994	4366		64279		
119800	Check	E806175	347	399	118		3	982	4430		53373		
119801		E806176	7	30	<10		2	44	108		319		
119802		E806177	13	<15	<10		1	61	3958		1359		
119803		E806178	68	79	35		2	216	7133		9152		
119804		E806179	58	<15	23		1	100	2686		2877		
119805		E806180	<5	<15	<10		1	26	115		189		
119806		E806181	<5	<15	<10		1	38	206		433		
119807		E806182					No Sample						
119808		E806183	10	17	16		< 1	72	282		1458		
119809		E806184	16	34	<10		< 1	37	402		358		
119810		E806185	8	<15	<10		1	63	611		815		
119811	Check	E806185	14	19	14		1	61	599		804		
119812		E806186	5	<15	<10		1	29	68		98		
119813		E806187	<5	<15	12		1	31	48		106		
119814		E806188	<5	<15	<10		1	29	40		88		
119815		E806189	<5	<15	<10		1	28	46		81		
119816		E806190	<5	<15	<10		1	31	65		99		
119817		E806191	6	<15	<10		2	55	233		299		
119818		E806192	<5	<15	<10		2	50	131		497		
119819		E806193	5	<15	<10		2	61	229		912		
119820		E806194	16	<15	<10		2	49	514		449		
119821		E806195	12	<15	10		2	52	406		503		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119822	Check	E806195	10	<15	<10		2	51	384		480		
119823		E806196	<5	<15	<10		2	45	193		80		
119824		E806197	<5	<15	<10		2	45	143		69		
119825		E806198	<5	<15	<10		1	33	84		54		
119826		E806199	<5	<15	<10		1	40	141		71		
119827		E806200	37	91	37		2	189	1670		5757		
119828		E806201	22	<15	<10		2	139	1526		3461		
119829		E806202	57	49	21		2	197	2420		8015		
119830		E806203	11	<15	<10		2	123	1507		4364		
119831		E806204	31	19	<10		2	108	1434		3377		
119832		E806205	10	<15	<10		1	34	160		261		
119833	Check	E806205	9	<15	<10		1	33	151		248		
119834		E806206	<5	<15	<10		2	79	633		10846		
119835		E806207	6	<15	<10		1	50	358		1329		
119836		E806208	12	25	<10		1	47	166		151		
119837		E806209	93	37	11		2	91	2902		4518		
119838		E806210	13	<15	<10		1	37	226		368		
119839		E806211	10	<15	<10		1	24	123		70		
119840		E806212	8	<15	<10		1	34	165		104		
119841		E806213	11	<15	<10		1	35	220		383		
119842		E806214	9	17	<10		1	30	164		76		
119843		E806215	8	22	<10		< 1	22	139		69		
119844	Check	E806215	9	25	17		< 1	25	135		70		
119845		E806216	39	<15	<10		2	62	1579		1338		
119846		E806217	27	<15	<10		2	55	546		968		
119847		E806218	98	29	19		3	214	2885		7569		
119848		E806219	54	<15	<10		2	143	2639		6407		
119849		E806220	8	<15	31		2	91	2481		3878		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119850		E806221	37	<15	13		< 1	10	94		72		
119851		E806222	16	39	<10		1	38	415		255		
119852		E806223	7	24	18		1	88	317		1706		
119853		E806224	13	25	12		2	63	845		1581		
119854		E806225	80	150	38		3	164	5970		7610		
119855	Check	E806225	80	166	33		3	173	6011		7684		
119856		E806226	221	160	51		3	754	3094		41478		
119857		E806227	25	143	70		4	498	7607		14688		
119858		E806228	104	136	61		3	223	4281		19883		
119859		E806229	52	42	12		3	65	2188		1246		
119860		E806230	22	21	<10		3	65	1109		1531		
119861		E806231	110	63	22		3	92	1635		3162		
119862		E806232	20	25	<10		2	64	395		684		
119863		E806233	9	<15	<10		2	49	198		381		
119864		E806234	149	86	35		6	282	6671		17576		
119865		E806235	12	<15	<10		1	46	212		105		
119866	Check	E806235	12	<15	<10		1	38	192		99		
119867		E806236	<5	<15	<10		1	30	72		40		
119868		E806237	<5	<15	<10		1	35	91		51		
119869		E806238	30	251	50		1	32	68		44		
119870		E806239	37	41	19		2	87	1070		2557		
119871		E806240	31	<15	<10		1	76	1152		1422		
119872		E806241	8	36	14		1	94	403		2642		
119873		E806242	39	22	<10		2	58	889		797		
119874		E806243	33	<15	<10		2	48	923		59		
119875		E806244	64	<15	<10		2	77	2229		905		
119876		E806245	141	207	86		5	451	7499		36131		
119877	Check	E806245	123	181	31		6	442	7202		36092		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Wednesday, June 27, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 30-May-07
Date Completed : 22-Jun-07
Job # 200741624
Reference :
Sample #: 552 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
119878		E806246	70	82	46		4	314	3527		23872		
119879		E806247	37	69	29		2	106	807		3655		
119880		E806248	92	64	28		3	204	1452		6495		
119881		E806249	596	218	121		6	346	4506		25613		
119882		E806250	191	232	134		10	233	11354		20052		
119883		E806251	101	155	136		4	116	3846		5060		
119884		E806252	5	25	<10		< 1	23	138		92		
119885		E806253	10	35	30		2	55	277		692		
119886		E806254	6	45	13		1	49	75		124		
119887		E806255	<5	21	<10		1	47	86		100		
119888	Check	E806255	6	27	<10		1	46	91		105		
119889		E806256	6	33	<10		< 1	20	38		49		
119890		E806257	<5	<15	<10		1	33	65		70		
119891		E806258	12	<15	<10		1	66	173		167		
119892		E806259	28	37	<10		1	71	422		1099		
119893		E806260	8	19	<10		< 1	52	167		152		
119894		E806261	7	27	<10		< 1	47	209		216		
119895		E806262	11	33	<10		1	43	233		790		
119896		E806263	28	26	<10		2	100	854		1854		
119897		E806264	25	28	13		2	117	1186		3298		
119898		E806265	16	16	<10		2	112	895		2706		
119899	Check	E806265	17	<15	<10		2	110	894		2687		
119900		E806266	<5	<15	<10		2	98	659		11162		
119901		E806267	22	18	<10		2	80	1013		1960		
119902		E806268	343	169	30		5	975	4064		48549		
119903		E806269	63	53	14		4	138	5678		6365		
119904		E806270	11	<15	<10		2	57	351		377		
119905		E806271	9	<15	<10		2	45	215		254		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150607	E806731	19.60
150608	E806732	0.92
150609	E806733	1.77
150610	E806734	0.15
150611	E806735	0.11
150612	E806735	Insufficient Sample
150613	E806736	0.11
150614	E806737	2.21
150615	E806738	0.06
150616	E806739	Insufficient Sample
150617	E806740	1.47
150618	E806741	1.95
150619	E806742	0.96
150620	E806743	0.23
150621	E806744	0.44
150622	E806745	0.31
150623	E806745	Insufficient Sample
150624	E806746	0.44
150625	E806747	0.62
150626	E806748	0.68
150627	E806749	0.12
150628	E806750	0.47
150629	E806751	0.40
150630	E806752	0.63
150631	E806753	0.19
150632	E806754	0.39
150633	E806755	0.27
150634	E806755	Insufficient Sample
150635	E806756	0.26
150636	E806757	0.61
150637	E806758	0.12
150638	E806759	0.11
150639	E806760	0.13
150640	E806761	0.13
150641	E806762	0.22
150642	E806763	0.31
150643	E806764	1.02
150644	E806765	1.89
150645	E806765	Insufficient Sample
150646	E806766	Insufficient Sample
150647	E806767	1.93
150648	E806768	0.23

Certified By: 

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150649	E806769	0.12
150650	E806770	0.15
150651	E806771	0.18
150652	E806772	0.02
150653	E806773	0.24
150654	E806774	0.74
150655	E806775	1.15
150656	E806775	Insufficient Sample
150657	E806776	0.60
150658	E806777	1.58
150659	E806778	1.43
150660	E806779	0.50
150661	E806780	0.51
150662	E806781	0.44
150663	E806782	1.84
150664	E806783	1.96
150665	E806784	1.76
150666	E806785	2.29
150667	E806785	Insufficient Sample
150668	E806786	3.36
150669	E806787	2.24
150670	E806788	1.10
150671	E806789	0.42
150672	E806790	1.54
150673	E806791	0.36
150674	E806792	0.39
150675	E806793	0.21
150676	E806794	0.53
150677	E806795	0.25
150678	E806795	Insufficient Sample
150679	E806796	1.96
150680	E806797	0.43
150681	E806798	1.51
150682	E806799	Insufficient Sample
150683	E806800	4.29
150684	E806801	3.93
150685	E806802	Insufficient Sample
150686	E806803	11.40
150687	E806804	0.85
150688	E806805	0.53
150689	E806805	Insufficient Sample
150690	E806806	0.38

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150691	E806807	0.93
150692	E806808	0.73
150693	E806809	1.31
150694	E806810	0.78
150695	E806811	0.15
150696	E806812	0.10
150697	E806813	0.17
150698	E806814	0.37
150699	E806815	1.47
150700	E806815	Insufficient Sample
150701	E806816	0.13
150702	E806817	0.09
150703	E806818	0.14
150704	E806819	0.24
150705	E806820	0.21
150706	E806821	0.31
150707	E806822	0.16
150708	E806823	0.38
150709	E806824	0.86
150710	E806825	0.07
150711	E806825	Insufficient Sample
150712	E806826	0.29
150713	E806827	0.15
150714	E806828	Insufficient Sample
150715	E806829	0.31
150716	E806830	0.34
150717	E806831	0.32
150718	E806832	0.23
150719	E806833	0.14
150720	E806834	0.04
150721	E806835	0.08
150722	E806835	Insufficient Sample
150723	E806836	0.12
150724	E806837	0.21
150725	E806838	0.03
150726	E806839	0.07
150727	E806840	0.08
150728	E806841	0.15
150729	E806842	0.19
150730	E806843	0.18
150731	E806844	0.19
150732	E806845	0.27

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150733	E806845	Insufficient Sample
150734	E806846	0.09
150735	E806847	0.13
150736	E806848	0.03
150737	E806849	0.06
150738	E806850	0.08
150739	E806851	0.15
150740	E806852	0.28
150741	E806853	0.18
150742	E806854	0.17
150743	E806855	0.13
150744	E806855	Insufficient Sample
150745	E806856	0.27
150746	E806857	0.23
150747	E806858	0.10
150748	E806859	0.05
150749	E806860	0.22
150750	E806861	0.23
150751	E806862	0.37
150752	E806863	0.25
150753	E806864	0.08
150754	E806865	0.07
150755	E806865	Insufficient Sample
150756	E806866	0.47
150757	E806867	0.69
150758	E806868	0.61
150759	E806869	0.44
150760	E806870	0.07
150761	E806871	0.35
150762	E806872	0.22
150763	E806873	1.28
150764	E806874	Insufficient Sample
150765	E806875	0.71
150766	E806875	Insufficient Sample
150767	E806876	0.39
150768	E806877	0.31
150769	E806878	0.14
150770	E806879	1.22
150771	E806880	0.53
150772	E806881	1.82
150773	E806882	3.79
150774	E806883	0.52

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150775	E806884	1.83
150776	E806885	Insufficient Sample
150777	E806886	0.60
150778	E806886	Insufficient Sample
150779	E806887	0.55
150780	E806888	0.59
150781	E806889	1.14
150782	E806890	0.19
150783	E806891	0.16
150784	E806892	0.05
150785	E806893	0.09
150786	E806894	0.21
150787	E806895	0.15
150788	E806895	Insufficient Sample
150789	E806896	0.09
150790	E806897	0.54
150791	E806898	0.43
150792	E806899	0.06
150793	E806900	0.04
150794	E806901	0.07
150795	E806902	0.08
150796	E806903	0.20
150797	E806904	0.46
150798	E806905	0.60
150799	E806905	Insufficient Sample
150800	E806906	1.51
150801	E806907	0.25
150802	E806908	1.71
150803	E806909	0.25
150804	E806910	0.24
150805	E806911	0.23
150806	E806912	0.26
150807	E806913	0.21
150808	E806914	0.13
150809	E806915	0.13
150810	E806915	Insufficient Sample
150811	E806916	0.22
150812	E806917	0.16
150813	E806918	0.46
150814	E806919	0.16
150815	E806920	3.24
150816	E806921	0.11

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150817	E806922	0.34
150818	E806923	0.12
150819	E806924	0.09
150820	E806925	0.10
150821	E806925	Insufficient Sample
150822	E806926	0.07
150823	E806927	0.84
150824	E806928	Insufficient Sample
150825	E806929	1.00
150826	E806930	2.53
150827	E806931	0.63
150828	E806932	0.30
150829	E806933	0.24
150830	E806934	5.64
150831	E806935	Insufficient Sample
150832	E806936	0.06
150833	E806936	Insufficient Sample
150834	E806937	0.19
150835	E806938	0.07
150836	E806939	0.07
150837	E806940	1.07
150838	E806941	0.79
150839	E806942	0.97
150840	E806943	1.24
150841	E806944	0.36
150842	E806945	0.46
150843	E806945	Insufficient Sample
150844	E806946	0.54
150845	E806947	0.70
150846	E806948	0.79
150847	E806949	0.33
150848	E806950	0.03
150849	E806951	0.52
150850	E806952	0.44
150851	E806953	0.07
150852	E806954	0.08
150853	E806955	0.27
150854	E806955	Insufficient Sample
150855	E806956	0.65
150856	E806957	0.04
150857	E806958	0.16
150858	E806959	0.43

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150859	E806960	0.77
150860	E806961	0.10
150861	E806962	0.14
150862	E806963	0.04
150863	E806964	0.15
150864	E806965	0.50
150865	E806965	Insufficient Sample
150866	E806966	0.32
150867	E806967	0.34
150868	E806968	0.22
150869	E806969	0.30
150870	E806970	0.55
150871	E806971	0.27
150872	E806972	0.29
150873	E806973	0.29
150874	E806974	0.08
150875	E806975	0.49
150876	E806975	Insufficient Sample
150877	E806976	0.06
150878	E806977	0.38
150879	E806978	0.58
150880	E806979	0.03
150881	E806980	0.05
150882	E806981	0.28
150883	E806982	0.23
150884	E806983	Insufficient Sample
150885	E806984	0.24
150886	E806985	0.71
150887	E806985	Insufficient Sample
150888	E806986	0.25
150889	E806987	0.64
150890	E806988	0.84
150891	E806989	Insufficient Sample
150892	E806990	1.31
150893	E806991	0.82
150894	E806992	3.67
150895	E806993	1.86
150896	E806994	1.31
150897	E806995	3.19
150898	E806995	Insufficient Sample
150899	E806996	2.57
150900	E806997	1.14

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150901	E806998	Insufficient Sample
150902	E806999	1.42
150903	E807000	1.35
150904	E807070	0.18
150905	E807071	0.08
150906	E807072	0.23
150907	E807073	0.28
150908	E807074	0.41
150909	E807074	Insufficient Sample
150910	E807075	0.25
150911	E807076	0.42
150912	E807077	0.16
150913	E807078	Insufficient Sample
150914	E807079	0.50
150915	E807080	0.03
150916	E807081	0.03
150917	E807082	0.21
150918	E807083	0.21
150919	E807084	0.11
150920	E807084	Insufficient Sample
150921	E807085	0.14
150922	E807086	0.09
150923	E807087	0.16
150924	E807088	0.16
150925	E807089	0.25
150926	E807090	0.09
150927	E807091	1.29
150928	E807092	0.18
150929	E807093	0.35
150930	E807094	0.40
150931	E807094	Insufficient Sample
150932	E807095	0.24
150933	E807096	0.23
150934	E807097	0.53
150935	E807098	0.46
150936	E807099	0.14
150937	E807100	0.55
150938	E807101	0.76
150939	E807102	0.31
150940	E807103	0.51
150941	E807104	0.16
150942	E807104	Insufficient Sample

Certified By

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150943	E807105	0.29
150944	E807106	1.36
150945	E807107	1.05
150946	E807108	1.31
150947	E807109	0.49
150948	E807110	1.07
150949	E807111	0.36
150950	E807112	2.37
150951	E807113	1.37
150952	E807114	2.56
150953	E807114	Insufficient Sample
150954	E807115	Insufficient Sample
150955	E807116	9.01
150956	E807117	4.33
150957	E807118	0.04
150958	E807119	0.18
150959	E807120	0.14
150960	E807121	0.14
150961	E807122	0.11
150962	E807123	1.10
150963	E807124	2.07
150964	E807124	Insufficient Sample
150965	E807125	0.55
150966	E807126	1.47
150967	E807127	0.27
150968	E807128	1.75
150969	E807129	2.17
150970	E807130	2.46
150971	E807131	0.68
150972	E807132	0.62
150973	E807133	0.50
150974	E807134	0.09
150975	E807134	Insufficient Sample
150976	E807135	0.25
150977	E807136	0.18
150978	E807351	1.05
150979	E807352	1.19
150980	E807353	1.35
150981	E807354	1.12
150982	E807355	0.48
150983	E807356	0.55
150984	E807357	0.97

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
150985	E807358	1.18
150986	E807358	Insufficient Sample
150987	E807359	1.36
150988	E807360	0.91
150989	E807361	0.04
150990	E807362	0.19
150991	E807363	0.40
150992	E807364	0.74
150993	E807365	1.14
150994	E807366	0.50
150995	E807367	2.11
150996	E807368	4.67
150997	E807368	Insufficient Sample
150998	E807369	0.20
150999	E807370	1.46
151000	E807371	Insufficient Sample
151001	E807372	0.61
151002	E807373	0.70
151003	E807374	0.45
151004	E807375	0.11
151005	E807376	0.02
151006	E807377	0.03
151007	E807378	0.86
151008	E807378	Insufficient Sample
151009	E807379	0.19
151010	E807380	0.03
151011	E807381	0.16
151012	E807382	0.16
151013	E807383	0.17
151014	E807384	0.08
151015	E807385	0.18
151016	E807386	1.02
151017	E807387	0.91
151018	E807388	0.14
151019	E807388	Insufficient Sample
151020	E807389	0.08
151021	E807390	0.16
151022	E807391	0.19
151023	E807392	0.28
151024	E807393	0.14
151025	E807394	0.27
151026	E807395	0.36

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
151027	E807396	0.26
151028	E807397	0.28
151029	E807398	0.45
151030	E807398	Insufficient Sample
151031	E807399	0.54
151032	E807400	0.29
151033	E807401	0.08
151034	E807402	0.26
151035	E807403	0.21
151036	E807404	0.51
151037	E807405	0.68
151038	E807406	0.90
151039	E807407	0.42
151040	E807408	Insufficient Sample
151041	E807409	0.52
151042	E807409	Insufficient Sample
151043	E807410	0.27
151044	E807411	0.91
151045	E807412	0.08
151046	E807413	0.07
151047	E807414	0.02
151048	E807415	0.03
151049	E807416	0.02
151050	E807417	0.07
151051	E807418	0.04
151052	E807418	Insufficient Sample
151053	E807419	0.06
151054	E807420	2.68
151055	E807421	2.71
151056	E807422	0.75
151057	E807423	Insufficient Sample
151058	E807424	1.00
151059	E807425	0.97
151060	E807426	1.46
151061	E807427	Insufficient Sample
151062	E807428	0.04
151063	E807428	Insufficient Sample
151064	E807429	0.02
151065	E807430	0.02
151066	E807431	0.02
151067	E807432	<0.01
151068	E807433	0.02

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:19:02 AM
Job Number: 200742035
Date Received: Jun 21, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 9, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
151069	E807434	0.04

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5XS
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150607	E806731	<0.005	0.024	0.027		2.47	0.1256	0.8061		5.1286		
150608	E806732	0.010	0.017	0.018		<1	0.0074	0.1105		0.2134		
150609	E806733	0.013	<0.015	0.032		1.30	0.0130	0.3847		0.4017		
150610	E806734	<0.005	<0.015	<0.01		<1	0.0028	0.0119		0.0177		
150611	E806735	<0.005	<0.015	0.016		<1	0.0028	0.0046		0.0103		
150612 Dup	E806735	<0.005	<0.015	0.014		<1	0.0028	0.0046		0.0101		
150613	E806736	<0.005	<0.015	0.016		<1	0.0020	0.0042		0.0076		
150614	E806737	0.010	0.039	0.035		<1	0.0161	0.1806		0.4608		
150615	E806738	<0.005	0.015	0.028		<1	0.0036	0.0129		0.0172		
150616	E806739	0.023	0.069	0.139		1.96	0.0099	0.0712		1.0847		
150617	E806740	0.011	0.018	0.026		<1	0.0112	0.2718		0.3006		
150618	E806741	<0.005	<0.015	0.014		1.15	0.0148	0.2583		0.4027		
150619	E806742	<0.005	<0.015	0.016		<1	0.0058	0.0255		0.0925		
150620	E806743	<0.005	<0.015	0.021		1.30	0.0058	0.0172		0.0150		
150621	E806744	<0.005	0.029	0.027		<1	0.0050	0.0142		0.0133		
150622	E806745	<0.005	<0.015	<0.01		<1	0.0044	0.0131		0.0121		
150623 Dup	E806745	<0.005	0.027	0.022		<1	0.0045	0.0134		0.0127		
150624	E806746	<0.005	<0.015	0.018		<1	0.0037	0.0098		0.0091		
150625	E806747	<0.005	<0.015	0.025		<1	0.0046	0.0134		0.0127		
150626	E806748	<0.005	<0.015	0.013		<1	0.0043	0.0166		0.0126		
150627	E806749	<0.005	<0.015	0.016		<1	0.0045	0.0096		0.0113		
150628	E806750	<0.005	0.030	0.016		<1	0.0041	0.0127		0.0111		
150629	E806751	<0.005	<0.015	0.018		<1	0.0042	0.0129		0.0111		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150630	E806752	<0.005	<0.015	0.019		<1	0.0051	0.0165		0.0154		
150631	E806753	<0.005	<0.015	0.013		1.02	0.0050	0.0115		0.0132		
150632	E806754	<0.005	<0.015	0.017		<1	0.0043	0.0151		0.0120		
150633	E806755	0.008	0.032	<0.01		<1	0.0044	0.0122		0.0127		
150634 Dup	E806755	0.007	0.043	0.027		<1	0.0041	0.0116		0.0121		
150635	E806756	0.010	0.027	0.018		<1	0.0040	0.0152		0.0185		
150636	E806757	0.012	0.053	0.032		<1	0.0059	0.0163		0.0146		
150637	E806758	0.005	0.036	0.022		<1	0.0032	0.0041		0.0096		
150638	E806759	0.007	0.032	0.019		<1	0.0032	0.0042		0.0072		
150639	E806760	<0.005	0.026	0.012		<1	0.0024	0.0041		0.0049		
150640	E806761	0.009	0.037	0.010		<1	0.0033	0.0060		0.0062		
150641	E806762	0.007	0.045	0.022		1.06	0.0044	0.0149		0.0357		
150642	E806763	0.010	0.038	<0.01		1.11	0.0054	0.0170		0.0181		
150643	E806764	0.035	0.063	0.019		1.50	0.0083	0.1282		0.1747		
150644	E806765	0.184	0.065	0.034		1.85	0.0149	0.2151		0.5987		
150645 Dup	E806765	0.096	0.106	0.025		1.99	0.0161	0.2244		0.6399		
150646	E806766	0.048	0.135	0.102		1.68	0.0099	0.0707		1.0910		
150647	E806767	0.093	0.098	0.025		2.11	0.0124	0.3800		0.5152		
150648	E806768	0.017	0.033	<0.01		1.24	0.0049	0.0316		0.0779		
150649	E806769	<0.005	<0.015	<0.01		<1	0.0023	0.0058		0.0048		
150650	E806770	0.005	0.043	<0.01		<1	0.0028	0.0043		0.0048		
150651	E806771	0.009	0.039	<0.01		<1	0.0044	0.0142		0.0216		
150652	E806772	<0.005	0.074	0.018		1.04	0.0044	0.0008		0.0106		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150653	E806773	0.014	0.027	<0.01		<1	0.0044	0.0328		0.0751		
150654	E806774	0.086	0.113	0.064		1.69	0.0055	0.1879		0.1618		
150655	E806775	0.135	0.121	0.044		2.88	0.0067	0.3884		0.2142		
150656 Dup	E806775	0.226	0.116	0.057		2.48	0.0066	0.3887		0.2178		
150657	E806776	0.081	0.070	<0.01		1.81	0.0059	0.2069		0.1710		
150658	E806777	0.147	0.043	0.032		3.65	0.0102	0.4745		0.3632		
150659	E806778	0.192	0.063	0.027		2.79	0.0093	0.3378		0.3437		
150660	E806779	0.072	0.032	<0.01		1.53	0.0053	0.1497		0.1087		
150661	E806780	0.118	<0.015	<0.01		1.01	0.0052	0.1258		0.1042		
150662	E806781	0.036	0.025	0.032		<1	0.0045	0.1025		0.0965		
150663	E806782	0.027	0.021	<0.01		3.48	0.0098	0.4643		0.3551		
150664	E806783	0.160	0.046	0.019		2.41	0.0125	0.2413		0.4360		
150665	E806784	0.068	0.077	0.046		2.27	0.0077	0.2987		0.3233		
150666	E806785	0.170	0.108	0.026		2.49	0.0128	0.4016		0.6494		
150667 Dup	E806785	0.165	0.103	0.035		2.42	0.0124	0.4119		0.6378		
150668	E806786	0.182	0.125	0.047		3.54	0.0158	0.4471		0.9322		
150669	E806787	0.102	0.096	0.022		2.13	0.0140	0.2386		0.4798		
150670	E806788	0.070	0.080	0.026		1.51	0.0082	0.1508		0.2138		
150671	E806789	0.041	0.060	0.015		<1	0.0045	0.0502		0.0880		
150672	E806790	0.137	0.080	0.027		1.72	0.0099	0.2018		0.2015		
150673	E806791	0.042	0.044	<0.01		<1	0.0038	0.0486		0.0686		
150674	E806792	0.020	<0.015	<0.01		<1	0.0041	0.0255		0.0237		
150675	E806793	0.009	<0.015	<0.01		<1	0.0033	0.0120		0.0115		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150676	E806794	0.025	<0.015	<0.01		<1	0.0048	0.0367		0.0235		
150677	E806795	0.013	0.020	0.012		<1	0.0043	0.0149		0.0134		
150678 Dup	E806795	0.012	0.017	<0.01		<1	0.0038	0.0138		0.0130		
150679	E806796	0.144	0.078	0.026		2.15	0.0110	0.3128		0.4328		
150680	E806797	0.028	<0.015	<0.01		1.55	0.0042	0.1521		0.0420		
150681	E806798	0.070	0.037	0.036		2.33	0.0106	0.2700		0.3565		
150682	E806799	0.059	<0.015	0.031		2.86	0.0610	0.7708		1.4951		
150683	E806800	0.111	0.099	0.028		5.75	0.0116	1.0110		1.0575		
150684	E806801	0.358	0.051	0.012		1.76	0.0282	0.2446		1.0421		
150685	E806802	0.058	<0.015	<0.01		3.07	0.0593	0.7648		1.4977		
150686	E806803	0.248	0.166	0.075		7.43	0.0515	2.7985		4.3208		
150687	E806804	0.128	0.074	0.068		2.07	0.0054	0.3074		0.1923		
150688	E806805	0.079	0.051	0.020		1.50	0.0041	0.1682		0.1071		
150689 Dup	E806805	0.086	0.050	0.043		1.38	0.0038	0.1567		0.0957		
150690	E806806	<0.005	<0.015	<0.01		<1	0.0054	0.0149		0.0102		
150691	E806807	0.090	0.077	0.059		2.64	0.0070	0.3360		0.2070		
150692	E806808	0.123	0.095	0.059		1.93	0.0067	0.2385		0.1567		
150693	E806809	0.148	0.141	0.109		3.12	0.0082	0.3739		0.3269		
150694	E806810	0.046	0.051	0.035		1.95	0.0061	0.2361		0.1684		
150695	E806811	0.015	<0.015	<0.01		<1	0.0032	0.0292		0.0318		
150696	E806812	0.015	0.027	0.020		<1	0.0034	0.0140		0.0249		
150697	E806813	0.022	0.017	0.030		<1	0.0037	0.0298		0.0379		
150698	E806814	0.042	0.098	0.087		<1	0.0047	0.0751		0.0759		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150699	E806815	0.015	0.052	0.041		3.80	0.0089	0.2838		0.3894		
150700 Dup	E806815	0.220	0.394	0.267		3.63	0.0075	0.2816		0.3957		
150701	E806816	0.271	0.231	0.147		1.22	0.0033	0.0118		0.0146		
150702	E806817	0.008	<0.015	0.010		1.29	0.0041	0.0101		0.0111		
150703	E806818	<0.005	<0.015	<0.01		1.42	0.0057	0.0154		0.0139		
150704	E806819	<0.005	<0.015	<0.01		1.67	0.0046	0.0149		0.0121		
150705	E806820	0.005	<0.015	<0.01		1.56	0.0046	0.0102		0.0109		
150706	E806821	<0.005	<0.015	0.015		1.72	0.0051	0.0349		0.0335		
150707	E806822	0.016	<0.015	0.014		1.37	0.0045	0.0195		0.0180		
150708	E806823	<0.005	<0.015	0.018		1.48	0.0063	0.0159		0.0308		
150709	E806824	0.010	<0.015	<0.01		1.41	0.0056	0.0175		0.0210		
150710	E806825	0.007	0.044	0.015		1.49	0.0051	0.0109		0.0108		
150711 Dup	E806825	0.008	0.043	<0.01		1.40	0.0051	0.0110		0.0110		
150712	E806826	0.012	<0.015	<0.01		1.47	0.0054	0.0191		0.0254		
150713	E806827	0.032	<0.015	<0.01		1.54	0.0054	0.0466		0.0597		
150714	E806828	0.045	0.109	0.146		1.07	0.0097	0.0701		1.0859		
150715	E806829	0.023	0.024	<0.01		1.12	0.0055	0.0354		0.0587		
150716	E806830	0.016	<0.015	<0.01		1.08	0.0048	0.0402		0.0822		
150717	E806831	0.023	<0.015	<0.01		1.12	0.0050	0.0301		0.0571		
150718	E806832	0.011	0.021	<0.01		1.19	0.0050	0.0125		0.0199		
150719	E806833	0.013	<0.015	<0.01		1.15	0.0050	0.0130		0.0213		
150720	E806834	0.007	0.061	0.017		<1	0.0036	0.0058		0.0256		
150721	E806835	0.019	0.143	0.127		<1	0.0037	0.0151		0.0536		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150722 Dup	E806835	0.017	0.167	0.123		<1	0.0034	0.0146		0.0532		
150723	E806836	0.015	0.080	0.098		<1	0.0049	0.0207		0.0710		
150724	E806837	0.036	0.015	<0.01		1.30	0.0057	0.0608		0.0475		
150725	E806838	<0.005	<0.015	<0.01		<1	0.0033	0.0020		0.0069		
150726	E806839	0.008	0.020	<0.01		<1	0.0034	0.0076		0.0171		
150727	E806840	0.006	<0.015	<0.01		<1	0.0050	0.0074		0.0186		
150728	E806841	0.007	<0.015	<0.01		<1	0.0046	0.0189		0.0206		
150729	E806842	0.011	<0.015	<0.01		<1	0.0045	0.0299		0.0189		
150730	E806843	0.012	0.031	<0.01		<1	0.0039	0.0168		0.0199		
150731	E806844	0.011	0.020	<0.01		<1	0.0031	0.0201		0.0158		
150732	E806845	0.005	<0.015	<0.01		<1	0.0044	0.0183		0.0142		
150733 Dup	E806845	0.009	<0.015	<0.01		<1	0.0043	0.0181		0.0151		
150734	E806846	0.005	<0.015	<0.01		<1	0.0033	0.0065		0.0163		
150735	E806847	0.011	0.074	0.014		<1	0.0040	0.0170		0.0220		
150736	E806848	0.006	0.038	0.012		<1	0.0016	0.0030		0.0032		
150737	E806849	0.007	0.041	0.015		<1	0.0019	0.0029		0.0035		
150738	E806850	0.015	0.114	0.043		<1	0.0032	0.0087		0.0112		
150739	E806851	0.006	0.049	0.013		<1	0.0029	0.0171		0.0111		
150740	E806852	0.007	0.021	<0.01		<1	0.0036	0.0214		0.0095		
150741	E806853	0.011	0.086	0.023		<1	0.0032	0.0146		0.0080		
150742	E806854	59.747	0.065	0.053		<1	0.0029	0.0155		0.0072		
150743	E806855	0.007	0.030	0.013		<1	0.0027	0.0113		0.0201		
150744 Dup	E806855	0.007	0.055	0.022		<1	0.0025	0.0112		0.0196		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150745	E806856	0.019	0.055	0.033		<1	0.0037	0.0598		0.0675		
150746	E806857	0.020	0.104	0.057		<1	0.0039	0.0381		0.0512		
150747	E806858	0.007	0.071	0.026		<1	0.0029	0.0094		0.0223		
150748	E806859	<0.005	0.017	0.015		1.17	0.0044	0.0021		0.0198		
150749	E806860	0.012	0.028	0.016		1.08	0.0052	0.0223		0.0415		
150750	E806861	0.011	0.039	0.021		<1	0.0050	0.0239		0.0191		
150751	E806862	0.008	<0.015	<0.01		<1	0.0037	0.0187		0.0141		
150752	E806863	<0.005	<0.015	0.010		1.29	0.0042	0.0177		0.0110		
150753	E806864	0.010	0.062	0.029		2.18	0.0052	0.0120		0.0111		
150754	E806865	0.008	<0.015	<0.01		1.31	0.0041	0.0121		0.0100		
150755 Dup	E806865	0.008	0.028	<0.01		1.36	0.0035	0.0118		0.0100		
150756	E806866	0.017	0.037	0.020		<1	0.0049	0.0556		0.1059		
150757	E806867	0.017	0.025	0.024		1.13	0.0067	0.0799		0.1771		
150758	E806868	0.023	0.049	0.029		1.17	0.0058	0.0578		0.0919		
150759	E806869	0.009	0.023	0.016		<1	0.0055	0.0460		0.1421		
150760	E806870	0.011	0.039	0.017		<1	0.0018	0.0053		0.0234		
150761	E806871	0.030	<0.015	<0.01		1.18	0.0053	0.0771		0.0526		
150762	E806872	0.022	0.025	0.053		<1	0.0047	0.0228		0.0512		
150763	E806873	0.107	0.054	0.084		1.74	0.0142	0.1778		0.2870		
150764	E806874	0.050	0.076	0.112		2.28	0.0097	0.0706		1.0902		
150765	E806875	0.028	0.030	0.010		1.62	0.0086	0.0940		0.1820		
150766 Dup	E806875	0.025	0.022	<0.01		1.59	0.0090	0.0997		0.1887		
150767	E806876	0.019	<0.015	<0.01		<1	0.0058	0.0464		0.0925		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150768	E806877	0.016	<0.015	<0.01		<1	0.0054	0.0459		0.0740		
150769	E806878	0.012	<0.015	<0.01		<1	0.0042	0.0299		0.0335		
150770	E806879	0.017	<0.015	0.027		1.11	0.0096	0.0749		0.2334		
150771	E806880	0.031	<0.015	<0.01		1.07	0.0052	0.0762		0.0970		
150772	E806881	0.087	0.187	0.179		1.41	0.0092	0.2898		0.2932		
150773	E806882	0.064	0.075	0.044		2.05	0.0179	0.4006		0.8376		
150774	E806883	0.043	<0.015	<0.01		1.12	0.0051	0.1274		0.1232		
150775	E806884	0.024	0.045	0.046		1.53	0.0130	0.0978		0.4374		
150776	E806885	0.044	0.097	0.155		1.79	0.0102	0.0723		1.0888		
150777	E806886	0.022	0.041	<0.01		<1	0.0054	0.0757		0.1485		
150778 Dup	E806886	0.019	0.036	<0.01		<1	0.0047	0.0714		0.1410		
150779	E806887	0.011	<0.015	<0.01		<1	0.0062	0.0288		0.1212		
150780	E806888	0.029	0.046	<0.01		<1	0.0066	0.0664		0.1432		
150781	E806889	0.022	0.034	0.013		1.23	0.0082	0.0922		0.2488		
150782	E806890	0.011	<0.015	<0.01		<1	0.0044	0.0209		0.0553		
150783	E806891	0.008	0.019	<0.01		<1	0.0045	0.0098		0.0543		
150784	E806892	0.006	0.026	<0.01		<1	0.0032	0.0039		0.0186		
150785	E806893	0.008	<0.015	<0.01		<1	0.0045	0.0142		0.0109		
150786	E806894	0.009	<0.015	<0.01		<1	0.0030	0.0115		0.0238		
150787	E806895	0.020	<0.015	<0.01		<1	0.0049	0.0074		0.0105		
150788 Dup	E806895	0.020	<0.015	<0.01		<1	0.0049	0.0074		0.0104		
150789	E806896	<0.005	<0.015	<0.01		<1	0.0024	0.0035		0.0061		
150790	E806897	0.050	<0.015	<0.01		<1	0.0061	0.0974		0.1582		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:



Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150791	E806898	0.055	0.093	0.019		<1	0.0056	0.0661		0.1396		
150792	E806899	<0.005	<0.015	<0.01		<1	0.0022	0.0060		0.0075		
150793	E806900	0.006	0.032	<0.01		<1	0.0023	0.0029		0.0035		
150794	E806901	<0.005	<0.015	<0.01		<1	0.0023	0.0031		0.0034		
150795	E806902	0.006	<0.015	<0.01		<1	0.0037	0.0060		0.0146		
150796	E806903	0.011	0.022	<0.01		1.05	0.0039	0.0168		0.0456		
150797	E806904	0.011	0.025	<0.01		1.32	0.0051	0.0339		0.1943		
150798	E806905	0.019	0.039	<0.01		1.25	0.0052	0.1169		0.2278		
150799 Dup	E806905	0.014	0.023	<0.01		1.28	0.0043	0.1242		0.2368		
150800	E806906	0.007	<0.015	<0.01		1.46	0.0075	0.1562		0.4543		
150801	E806907	0.005	<0.015	<0.01		<1	0.0055	0.0216		0.0857		
150802	E806908	0.018	0.039	<0.01		1.56	0.0123	0.1267		0.3947		
150803	E806909	0.009	0.027	<0.01		1.20	0.0053	0.0283		0.0636		
150804	E806910	0.005	0.029	<0.01		<1	0.0032	0.0064		0.0104		
150805	E806911	0.007	<0.015	<0.01		1.34	0.0047	0.0143		0.0212		
150806	E806912	<0.005	<0.015	<0.01		<1	0.0027	0.0045		0.0050		
150807	E806913	<0.005	0.019	<0.01		<1	0.0056	0.0066		0.0131		
150808	E806914	0.021	0.026	<0.01		<1	0.0021	0.0036		0.0030		
150809	E806915	0.006	<0.015	<0.01		<1	0.0042	0.0069		0.0125		
150810 Dup	E806915	<0.005	0.044	<0.01		<1	0.0044	0.0069		0.0130		
150811	E806916	0.009	<0.015	<0.01		<1	0.0044	0.0081		0.0152		
150812	E806917	0.013	<0.015	<0.01		<1	0.0042	0.0076		0.0162		
150813	E806918	0.048	0.067	<0.01		<1	0.0053	0.0610		0.0786		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150814	E806919	<0.005	<0.015	<0.01		<1	0.0045	0.0170		0.0403		
150815	E806920	0.029	0.039	0.015		2.40	0.0138	0.3015		0.5671		
150816	E806921	0.010	<0.015	<0.01		<1	0.0030	0.0109		0.0093		
150817	E806922	0.020	<0.015	<0.01		<1	0.0049	0.0395		0.0207		
150818	E806923	0.011	<0.015	<0.01		<1	0.0046	0.0057		0.0115		
150819	E806924	0.011	<0.015	<0.01		<1	0.0037	0.0119		0.0059		
150820	E806925	0.012	<0.015	<0.01		<1	0.0027	0.0121		0.0053		
150821 Dup	E806925	0.010	<0.015	0.012		<1	0.0032	0.0124		0.0055		
150822	E806926	0.007	<0.015	<0.01		<1	0.0035	0.0082		0.0058		
150823	E806927	0.039	<0.015	<0.01		1.18	0.0070	0.1032		0.1485		
150824	E806928	0.065	<0.015	<0.01		3.36	0.0589	0.7695		1.4927		
150825	E806929	0.040	0.025	<0.01		1.21	0.0079	0.0751		0.1893		
150826	E806930	0.072	0.037	<0.01		2.05	0.0126	0.2968		0.4581		
150827	E806931	0.032	0.045	0.031		1.13	0.0060	0.0683		0.1194		
150828	E806932	0.051	0.049	0.024		<1	0.0044	0.0409		0.0361		
150829	E806933	0.029	<0.015	<0.01		<1	0.0044	0.0459		0.0376		
150830	E806934	0.419	0.053	0.012		2.66	0.0338	0.1872		0.3823		
150831	E806935	0.066	<0.015	0.080		3.20	0.0584	0.7690		1.4944		
150832	E806936	<0.005	0.053	0.038		<1	0.0027	0.0151		0.0356		
150833 Dup	E806936	0.017	0.063	0.029		<1	0.0025	0.0148		0.0338		
150834	E806937	0.012	<0.015	0.012		<1	0.0046	0.0227		0.0160		
150835	E806938	0.008	<0.015	<0.01		1.01	0.0036	0.0150		0.0109		
150836	E806939	0.006	0.023	0.011		1.92	0.0031	0.0105		0.0109		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150837	E806940	0.022	0.025	<0.01		<1	0.0064	0.0826		0.1048		
150838	E806941	0.013	0.028	<0.01		1.02	0.0059	0.0619		0.1257		
150839	E806942	0.025	0.047	<0.01		1.01	0.0064	0.0717		0.1386		
150840	E806943	0.043	0.048	<0.01		1.32	0.0067	0.1028		0.1913		
150841	E806944	0.011	0.023	<0.01		<1	0.0045	0.0210		0.0271		
150842	E806945	0.022	0.066	<0.01		1.10	0.0050	0.0332		0.0644		
150843 Dup	E806945	0.026	0.047	<0.01		1.13	0.0053	0.0318		0.0632		
150844	E806946	0.019	0.039	<0.01		1.15	0.0046	0.0429		0.0776		
150845	E806947	0.031	0.039	<0.01		1.40	0.0065	0.0636		0.1115		
150846	E806948	0.036	0.050	<0.01		1.36	0.0079	0.0757		0.1712		
150847	E806949	0.025	0.041	<0.01		1.33	0.0060	0.0485		0.0835		
150848	E806950	0.005	0.034	0.013		<1	0.0025	0.0010		0.0261		
150849	E806951	0.017	0.059	0.025		<1	0.0065	0.0326		0.1229		
150850	E806952	0.015	0.057	0.043		<1	0.0060	0.0464		0.1099		
150851	E806953	0.006	<0.015	0.077		<1	0.0037	0.0044		0.0300		
150852	E806954	<0.005	<0.015	<0.01		<1	0.0031	0.0033		0.0257		
150853	E806955	0.017	0.119	0.045		<1	0.0042	0.0229		0.0577		
150854 Dup	E806955	0.012	0.098	0.058		<1	0.0047	0.0241		0.0607		
150855	E806956	0.015	0.051	0.083		<1	0.0069	0.0981		0.1115		
150856	E806957	0.009	0.040	0.053		<1	0.0042	0.0165		0.0283		
150857	E806958	0.007	0.040	0.044		<1	0.0027	0.0210		0.0200		
150858	E806959	0.029	0.118	0.157		<1	0.0057	0.1074		0.0882		
150859	E806960	0.105	0.328	0.259		<1	0.0068	0.1787		0.1300		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150860	E806961	0.021	0.074	0.055		<1	0.0040	0.0428		0.0484		
150861	E806962	0.029	0.112	0.077		<1	0.0037	0.0629		0.0474		
150862	E806963	<0.005	0.027	0.025		<1	0.0029	0.0208		0.0282		
150863	E806964	0.023	0.147	0.061		<1	0.0038	0.0343		0.0466		
150864	E806965	0.053	0.189	0.116		1.01	0.0078	0.0429		0.1266		
150865 Dup	E806965	0.034	0.113	0.083		1.32	0.0084	0.0422		0.1310		
150866	E806966	0.016	0.056	0.043		<1	0.0036	0.0179		0.0458		
150867	E806967	<0.005	0.062	0.071		<1	0.0035	0.0214		0.0463		
150868	E806968	0.032	0.160	0.072		<1	0.0035	0.0246		0.0523		
150869	E806969	0.034	0.114	0.046		<1	0.0034	0.0390		0.0492		
150870	E806970	0.011	0.031	0.012		<1	0.0038	0.0246		0.0448		
150871	E806971	0.007	0.086	<0.01		<1	0.0033	0.0247		0.0424		
150872	E806972	0.044	0.036	0.062		<1	0.0036	0.0724		0.0498		
150873	E806973	0.111	0.112	0.080		1.04	0.0043	0.1798		0.0638		
150874	E806974	0.012	0.026	<0.01		4.92	0.0030	0.0198		0.0356		
150875	E806975	0.019	0.046	<0.01		<1	0.0066	0.0499		0.0919		
150876 Dup	E806975	0.022	<0.015	<0.01		<1	0.0067	0.0485		0.0947		
150877	E806976	<0.005	0.023	<0.01		<1	0.0048	0.0030		0.0126		
150878	E806977	0.017	0.042	<0.01		<1	0.0052	0.0503		0.0807		
150879	E806978	0.019	0.020	0.027		<1	0.0069	0.0522		0.1131		
150880	E806979	0.007	<0.015	0.015		<1	0.0062	0.0152		0.0343		
150881	E806980	0.007	<0.015	<0.01		<1	0.0044	0.0057		0.0188		
150882	E806981	<0.005	<0.015	0.019		<1	0.0055	0.0109		0.0204		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150883	E806982	0.014	0.066	0.048		<1	0.0049	0.0104		0.0203		
150884	E806983					<1	0.0094	0.0712		1.0877		
150885	E806984	0.007	<0.015	<0.01		<1	0.0051	0.0161		0.0206		
150886	E806985	0.013	<0.015	0.015		<1	0.0078	0.0496		0.1260		
150887 Dup	E806985	0.015	<0.015	0.015		<1	0.0072	0.0468		0.1186		
150888	E806986	0.010	<0.015	<0.01		<1	0.0043	0.0080		0.0139		
150889	E806987	0.010	0.022	<0.01		<1	0.0056	0.0233		0.0136		
150890	E806988	0.010	0.017	0.015		<1	0.0093	0.0449		0.1963		
150891	E806989					2.36	0.0620	0.7679		1.4918		
150892	E806990	0.018	<0.015	0.010		<1	0.0109	0.1213		0.2793		
150893	E806991	0.029	<0.015	<0.01		<1	0.0071	0.0835		0.1845		
150894	E806992	0.073	0.029	0.014		1.67	0.0171	0.5961		0.7295		
150895	E806993	0.082	0.053	0.017		<1	0.0097	0.3042		0.3491		
150896	E806994	0.100	0.054	0.022		<1	0.0078	0.2551		0.2507		
150897	E806995	0.133	0.015	0.040		3.51	0.0184	0.5015		0.6490		
150898 Dup	E806995	0.182	0.040	<0.01		3.51	0.0181	0.4928		0.6230		
150899	E806996	0.090	0.024	0.022		1.46	0.0148	0.3306		0.5922		
150900	E806997	0.031	<0.015	0.011		<1	0.0065	0.1241		0.0981		
150901	E806998	0.086	0.102	0.161		1.06	0.0096	0.0707		1.0942		
150902	E806999	0.020	<0.015	<0.01		<1	0.0067	0.0462		0.0464		
150903	E807000	0.009	<0.015	<0.01		2.67	0.0065	0.0468		0.0527		
150904	E807070	0.007	0.020	<0.01		<1	0.0044	0.0281		0.0592		
150905	E807071	<0.005	<0.015	<0.01		<1	0.0039	0.0091		0.0486		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:



Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150906	E807072	0.007	0.037	<0.01		<1	0.0049	0.0216		0.0810		
150907	E807073	0.008	0.021	<0.01		<1	0.0048	0.0296		0.0859		
150908	E807074	0.048	<0.015	<0.01		<1	0.0053	0.0514		0.0924		
150909 Dup	E807074	0.021	<0.015	0.013		<1	0.0047	0.0482		0.0895		
150910	E807075	0.017	<0.015	<0.01		<1	0.0101	0.0712		1.0854		
150911	E807076	0.020	0.017	<0.01		<1	0.0051	0.0478		0.0981		
150912	E807077	<0.005	<0.015	<0.01		<1	0.0055	0.0874		0.1029		
150913	E807078	<0.005	<0.015	<0.01		<1	0.0031	0.0103		0.0294		
150914	E807079	0.008	<0.015	<0.01		<1	0.0067	0.0407		0.1173		
150915	E807080	0.011	0.026	<0.01		<1	0.0056	0.0030		0.0172		
150916	E807081	0.006	<0.015	<0.01		<1	0.0024	0.0121		0.0247		
150917	E807082	0.011	<0.015	<0.01		<1	0.0043	0.0123		0.0206		
150918	E807083	<0.005	<0.015	<0.01		<1	0.0046	0.0119		0.0178		
150919	E807084	<0.005	<0.015	<0.01		<1	0.0035	0.0132		0.0197		
150920 Dup	E807084	0.051	<0.015	<0.01		<1	0.0037	0.0134		0.0197		
150921	E807085	0.011	<0.015	<0.01		<1	0.0041	0.0116		0.0297		
150922	E807086	0.007	0.027	0.015		<1	0.0033	0.0118		0.0291		
150923	E807087	0.008	0.023	<0.01		<1	0.0037	0.0272		0.0353		
150924	E807088	0.024	0.015	<0.01		<1	0.0040	0.0265		0.0355		
150925	E807089	0.013	<0.015	<0.01		<1	0.0038	0.0788		0.0361		
150926	E807090	<0.005	<0.015	<0.01		<1	0.0022	0.0047		0.0044		
150927	E807091	0.153	0.071	<0.01		2.49	0.0079	0.3742		0.1912		
150928	E807092	0.029	<0.015	<0.01		<1	0.0040	0.0478		0.0266		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150929	E807093	0.030	0.041	<0.01		<1	0.0044	0.0612		0.0363		
150930	E807094	0.020	<0.015	<0.01		1.02	0.0052	0.0238		0.0236		
150931 Dup	E807094	0.026	<0.015	<0.01		1.08	0.0051	0.0227		0.0228		
150932	E807095	0.017	<0.015	<0.01		<1	0.0038	0.0148		0.0112		
150933	E807096	0.022	<0.015	<0.01		1.02	0.0036	0.0216		0.0100		
150934	E807097	0.046	<0.015	<0.01		1.05	0.0048	0.0658		0.0338		
150935	E807098	0.063	0.020	<0.01		<1	0.0044	0.0739		0.0363		
150936	E807099	0.024	0.016	<0.01		<1	0.0026	0.0188		0.0108		
150937	E807100	0.030	0.020	<0.01		1.08	0.0048	0.0570		0.1024		
150938	E807101	0.055	0.060	<0.01		1.29	0.0057	0.1226		0.1566		
150939	E807102	0.087	0.022	<0.01		<1	0.0040	0.0570		0.0333		
150940	E807103	0.133	0.040	0.011		1.33	0.0053	0.0821		0.0637		
150941	E807104	0.012	0.017	<0.01		<1	0.0045	0.0286		0.0474		
150942 Dup	E807104	0.011	<0.015	0.015		<1	0.0047	0.0285		0.0468		
150943	E807105	0.020	0.019	<0.01		<1	0.0039	0.0497		0.0597		
150944	E807106	0.008	0.031	<0.01		<1	0.0061	0.0278		0.0389		
150945	E807107	0.018	0.020	0.017		<1	0.0075	0.0533		0.1019		
150946	E807108	0.033	0.044	0.044		<1	0.0082	0.0754		0.2046		
150947	E807109	0.011	0.019	<0.01		<1	0.0051	0.0186		0.0135		
150948	E807110	0.024	0.030	0.015		1.09	0.0074	0.0780		0.1415		
150949	E807111	0.030	<0.015	<0.01		<1	0.0056	0.0380		0.0603		
150950	E807112	0.061	0.050	0.029		1.70	0.0154	0.2409		0.6043		
150951	E807113	0.196	0.035	<0.01		1.46	0.0107	0.2330		0.3685		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150952	E807114	0.023	0.024	<0.01		4.95	0.0079	3.1426		0.2940		
150953 Dup	E807114	0.044	<0.015	<0.01		5.78	0.0116	3.1884		0.5016		
150954	E807115	0.051	<0.015	0.058		3.23	0.0573	0.7701		1.5057		
150955	E807116	0.487	0.059	0.020		4.08	0.0674	0.8313		2.2413		
150956	E807117	0.067	0.065	0.036		3.02	0.0210	0.5868		0.9626		
150957	E807118	<0.005	<0.015	<0.01		<1	0.0045	0.0049		0.0154		
150958	E807119	0.020	<0.015	<0.01		<1	0.0026	0.0530		0.0242		
150959	E807120	0.010	<0.015	<0.01		<1	0.0018	0.0313		0.0085		
150960	E807121	0.018	<0.015	<0.01		<1	0.0020	0.0496		0.0079		
150961	E807122	0.009	<0.015	<0.01		<1	0.0020	0.0192		0.0055		
150962	E807123	0.795	0.048	0.022		1.22	0.0093	0.1662		0.2244		
150963	E807124	0.074	0.086	0.034		1.37	0.0134	0.2094		0.4600		
150964 Dup	E807124	0.084	0.083	0.032		1.34	0.0127	0.2019		0.4501		
150965	E807125	0.072	0.031	0.013		1.21	0.0070	0.1292		0.1729		
150966	E807126	0.163	0.040	<0.01		2.01	0.0147	0.1884		0.3558		
150967	E807127	0.024	<0.015	<0.01		<1	0.0052	0.0266		0.0506		
150968	E807128	0.234	0.032	<0.01		3.20	0.0124	0.4570		0.4149		
150969	E807129	0.350	0.113	0.051		3.84	0.0143	0.5573		0.6851		
150970	E807130	0.585	0.176	0.112		6.20	0.0140	0.6229		0.6939		
150971	E807131	0.099	0.110	0.094		1.44	0.0066	0.1632		0.1446		
150972	E807132	0.087	0.187	0.179		1.92	0.0068	0.1972		0.1617		
150973	E807133	0.107	0.119	0.135		2.06	0.0051	0.1927		0.1617		
150974	E807134	0.020	0.039	0.044		<1	0.0024	0.0196		0.0330		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150975 Dup	E807134	0.025	0.044	0.043		<1	0.0025	0.0195		0.0349		
150976	E807135	0.015	<0.015	0.015		<1	0.0043	0.0123		0.0165		
150977	E807136	0.015	<0.015	<0.01		<1	0.0055	0.0174		0.0137		
150978	E807351	0.031	<0.015	0.017		<1	0.0059	0.0826		0.0547		
150979	E807352	0.023	0.020	<0.01		<1	0.0058	0.0459		0.0524		
150980	E807353	0.019	<0.015	<0.01		<1	0.0049	0.0174		0.0272		
150981	E807354	0.014	<0.015	0.011		<1	0.0042	0.0137		0.0188		
150982	E807355	0.020	<0.015	<0.01		<1	0.0046	0.0186		0.0213		
150983	E807356	0.027	0.022	<0.01		<1	0.0047	0.0290		0.0249		
150984	E807357	0.121	0.061	<0.01		1.19	0.0071	0.1604		0.1584		
150985	E807358	0.035	<0.015	<0.01		1.30	0.0059	0.0816		0.0701		
150986 Dup	E807358	0.035	0.016	0.012		1.20	0.0068	0.0871		0.0793		
150987	E807359	0.033	0.030	0.011		<1	0.0054	0.0744		0.0659		
150988	E807360	0.038	<0.015	<0.01		1.59	0.0067	0.1256		0.1475		
150989	E807361	0.007	<0.015	<0.01		1.06	0.0053	0.0054		0.0112		
150990	E807362	0.011	0.018	<0.01		<1	0.0031	0.0240		0.0298		
150991	E807363	0.038	<0.015	<0.01		<1	0.0039	0.0643		0.0359		
150992	E807364	0.039	<0.015	<0.01		1.36	0.0052	0.0883		0.0655		
150993	E807365	0.049	<0.015	0.013		1.56	0.0090	0.0890		0.2009		
150994	E807366	0.018	<0.015	<0.01		1.05	0.0061	0.0498		0.0961		
150995	E807367	0.039	0.029	<0.01		1.78	0.0123	0.1649		0.4306		
150996	E807368	0.080	0.049	0.031		2.60	0.0295	0.3065		1.0065		
150997 Dup	E807368	0.069	0.056	0.047		2.49	0.0265	0.3187		0.9529		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
150998	E807369	0.014	<0.015	<0.01		<1	0.0037	0.0464		0.0423		
150999	E807370	0.040	0.021	<0.01		1.14	0.0083	0.1347		0.2088		
151000	E807371	0.047	0.085	0.156		1.33	0.0095	0.0707		1.0945		
151001	E807372	0.025	<0.015	0.011		<1	0.0060	0.0531		0.1179		
151002	E807373	0.027	<0.015	<0.01		1.88	0.0068	0.0572		0.1199		
151003	E807374	0.024	<0.015	<0.01		<1	0.0049	0.0326		0.0131		
151004	E807375	0.016	<0.015	<0.01		<1	0.0031	0.0112		0.0204		
151005	E807376	0.008	<0.015	<0.01		<1	0.0026	0.0032		0.0125		
151006	E807377	0.011	<0.015	<0.01		<1	0.0028	0.0095		0.0139		
151007	E807378	0.020	0.016	<0.01		<1	0.0057	0.0282		0.0219		
151008 Dup	E807378	0.019	<0.015	<0.01		<1	0.0067	0.0274		0.0223		
151009	E807379	0.016	<0.015	<0.01		<1	0.0041	0.0169		0.0429		
151010	E807380	0.011	0.020	<0.01		<1	0.0033	0.0028		0.0179		
151011	E807381	0.012	<0.015	<0.01		<1	0.0027	0.0053		0.0046		
151012	E807382	0.013	<0.015	<0.01		<1	0.0027	0.0032		0.0063		
151013	E807383	0.013	<0.015	<0.01		<1	0.0020	0.0031		0.0058		
151014	E807384	0.015	<0.015	<0.01		1.13	0.0044	0.0053		0.0114		
151015	E807385	0.012	<0.015	0.015		<1	0.0025	0.0048		0.0144		
151016	E807386	0.041	0.023	<0.01		1.83	0.0072	0.2664		0.1812		
151017	E807387	0.042	<0.015	<0.01		1.34	0.0066	0.1637		0.1800		
151018	E807388	0.008	0.020	<0.01		<1	0.0025	0.0147		0.0091		
151019 Dup	E807388	0.007	<0.015	<0.01		<1	0.0028	0.0141		0.0086		
151020	E807389	<0.005	<0.015	<0.01		<1	0.0023	0.0037		0.0038		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
151021	E807390	<0.005	<0.015	<0.01		<1	0.0022	0.0063		0.0057		
151022	E807391	0.006	<0.015	<0.01		<1	0.0055	0.0094		0.0129		
151023	E807392	0.006	<0.015	<0.01		<1	0.0051	0.0130		0.0102		
151024	E807393	0.008	<0.015	<0.01		1.16	0.0048	0.0115		0.0123		
151025	E807394	<0.005	<0.015	<0.01		1.27	0.0054	0.0101		0.0108		
151026	E807395	0.007	<0.015	<0.01		1.32	0.0062	0.0101		0.0123		
151027	E807396	0.007	<0.015	<0.01		1.53	0.0055	0.0108		0.0115		
151028	E807397	0.010	<0.015	<0.01		1.37	0.0051	0.0150		0.0128		
151029	E807398	0.007	<0.015	<0.01		1.24	0.0054	0.0154		0.0113		
151030 Dup	E807398	<0.005	<0.015	<0.01		1.32	0.0057	0.0145		0.0114		
151031	E807399	0.010	0.036	<0.01		1.10	0.0056	0.0304		0.0347		
151032	E807400	0.012	0.025	<0.01		1.06	0.0044	0.0124		0.0095		
151033	E807401	0.007	0.032	<0.01		<1	0.0037	0.0082		0.0113		
151034	E807402	0.009	0.032	<0.01		1.04	0.0046	0.0167		0.0081		
151035	E807403	0.007	0.037	0.018		<1	0.0043	0.0095		0.0064		
151036	E807404	0.010	0.035	<0.01		1.47	0.0056	0.0165		0.0074		
151037	E807405	0.009	0.032	0.015		1.53	0.0059	0.0160		0.0067		
151038	E807406	0.017	0.046	0.028		1.51	0.0041	0.0150		0.0053		
151039	E807407	0.011	0.029	<0.01		1.22	0.0047	0.0117		0.0068		
151040	E807408	0.061	0.108	0.213		1.60	0.0100	0.0695		1.0913		
151041	E807409	0.014	<0.015	<0.01		1.41	0.0048	0.0167		0.0077		
151042 Dup	E807409	0.014	<0.015	<0.01		1.08	0.0052	0.0166		0.0074		
151043	E807410	0.010	0.019	<0.01		1.39	0.0047	0.0138		0.0116		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
151044	E807411	0.035	0.015	<0.01		1.46	0.0069	0.0492		0.1108		
151045	E807412	<0.005	0.036	0.013		<1	0.0020	0.0031		0.0049		
151046	E807413	0.007	<0.015	<0.01		<1	0.0020	0.0046		0.0045		
151047	E807414	0.008	<0.015	<0.01		<1	0.0018	0.0036		0.0043		
151048	E807415	0.009	<0.015	<0.01		1.08	0.0041	0.0034		0.0113		
151049	E807416	0.006	<0.015	<0.01		1.07	0.0045	0.0027		0.0097		
151050	E807417	0.009	<0.015	<0.01		<1	0.0019	0.0040		0.0040		
151051	E807418	0.006	<0.015	<0.01		<1	0.0028	0.0058		0.0074		
151052 Dup	E807418	0.007	0.016	<0.01		<1	0.0027	0.0055		0.0075		
151053	E807419	0.014	<0.015	<0.01		1.01	0.0038	0.0148		0.0274		
151054	E807420	0.551	0.205	0.099		6.70	0.0144	0.9341		0.5713		
151055	E807421	0.731	0.212	0.104		7.46	0.0126	0.7895		0.5398		
151056	E807422	0.211	0.070	0.043		2.83	0.0057	0.2971		0.1438		
151057	E807423	0.043	<0.015	<0.01		3.14	0.0596	0.7815		1.5067		
151058	E807424	0.284	0.098	0.032		3.45	0.0065	0.3666		0.2158		
151059	E807425	0.173	0.082	0.036		2.34	0.0074	0.2497		0.2090		
151060	E807426	0.044	0.038	<0.01		1.64	0.0105	0.1251		0.2742		
151061	E807427	0.047	0.089	<0.01		3.08	0.0589	0.7663		1.5044		
151062	E807428	0.005	0.017	0.013		<1	0.0018	0.0079		0.0086		
151063 Dup	E807428	0.008	<0.015	<0.01		<1	0.0015	0.0080		0.0085		
151064	E807429	<0.005	<0.015	<0.01		<1	0.0016	0.0032		0.0086		
151065	E807430	<0.005	<0.015	<0.01		<1	0.0022	0.0043		0.0042		
151066	E807431	0.007	0.082	<0.01		<1	0.0023	0.0026		0.0044		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 21, 2007
Date Completed: Aug 10, 2007

Job #: 200742035
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
151067	E807432	<0.005	0.032	0.015		<1	0.0023	0.0046		0.0040		
151068	E807433	0.009	0.048	<0.01		<1	0.0022	0.0037		0.0061		
151069	E807434	0.013	0.099	<0.01		<1	0.0030	0.0165		0.0125		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-03 10:48 AM
Job Number: 200741764
Date Recieved: 6/8/2007
Number of Samples: 177
Type of Sample: Core
Date Completed: 6/29/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
129601	E806289	0.28
129602	E806290	3.48
129603	E806291	0.19
129604	E806292	0.56
129605	E806293	0.07
129606	E806294	1.27
129607	E806295	5.68
129609	E806296	0.19
129610	E806297	<0.01
129611	E806298	0.12
129612	E806299	0.11
129613	E806300	0.07
129614	E806301	0.08
129615	E806302	0.08
129616	E806303	0.03
129617	E806304	0.04
129618	E806305	0.36
129620	E806306	0.26
129621	E806307	0.43
129622	E806308	1.00
129623	E806309	0.54
129624	E806310	1.02
129625	E806311	Insufficient Sample
129626	E806312	0.28
129627	E806313	0.22
129628	E806314	0.19
129629	E806315	0.11
129631	E806316	0.19
129632	E806317	0.11
129633	E806318	0.19
129634	E806319	0.10
129635	E806320	0.06
129636	E806321	0.08
129637	E806322	0.98
129638	E806323	0.92
129639	E806324	1.20
129640	E806325	No Sample Received
129642	E806326	0.24
129643	E806327	0.94
129644	E806328	1.76
129645	E806329	0.06
129646	E806330	2.11
129647	E806331	1.73

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-03 10:48 AM
Job Number: 200741764
Date Recieved: 6/8/2007
Number of Samples: 177
Type of Sample: Core
Date Completed: 6/29/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
129648	E806332	2.06
129649	E806333	2.04
129650	E806334	0.05
129651	E806335	0.30
129653	E806336	1.66
129654	E806337	0.57
129655	E806338	0.64
129656	E806339	3.61
129657	E806340	0.53
129658	E806341	0.84
129659	E806342	Insufficient Sample
129660	E806343	2.75
129661	E806344	1.75
129662	E806345	0.50
129664	E806346	0.72
129665	E806347	2.91
129666	E806348	0.82
129667	E806349	2.39
129668	E806350	0.02
129669	E806351	0.05
129670	E806352	0.02
129671	E806353	1.38
129672	E806354	0.04
129674	E806355	0.06
129675	E806356	0.02
129676	E806357	0.04
129677	E806358	0.06
129678	E806359	0.09
129679	E806360	0.40
129680	E806361	0.36
129681	E806362	0.45
129682	E806363	1.06
129683	E806364	0.52
129685	E806365	0.21
129686	E806366	0.37
129687	E806367	0.03
129688	E806368	0.18
129689	E806369	0.78
129690	E806370	1.42
129691	E806371	1.62
129692	E806372	Insufficient Sample
129693	E806373	2.40
129694	E806374	0.42

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-03 10:48 AM
Job Number: 200741764
Date Recieved: 6/8/2007
Number of Samples: 177
Type of Sample: Core
Date Completed: 6/29/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
129696	E806375	0.15
129697	E806376	0.56
129698	E806377	0.62
129699	E806378	0.45
129700	E806379	1.10
129701	E806380	0.80
129702	E806381	0.28
129703	E806382	0.80
129704	E806383	0.45
129705	E806384	0.63
129706	E806385	0.47
129708	E806386	0.77
129709	E806387	1.08
129710	E806388	0.12
129711	E806389	0.95
129712	E806390	0.68
129713	E806391	0.14
129714	E806392	0.33
129715	E806393	0.82
129716	E806394	0.07
129717	E806395	1.85
129719	E806396	0.33
129720	E806397	0.17
129721	E806398	0.09
129722	E806399	0.06
129723	E806400	0.06
129724	E806401	0.25
129725	E806402	0.13
129726	E806403	0.29
129727	E806404	0.31
129728	E806405	0.66
129730	E806406	0.02
129731	E806407	0.04
129732	E806408	0.17
129733	E806409	0.18
129734	E806410	0.08
129735	E806411	0.13
129736	E806412	0.15
129737	E806413	Insufficient Sample
129738	E806414	0.05
129739	E806415	0.86
129741	E806416	0.73
129742	E806417	1.10

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-03 10:48 AM
Job Number: 200741764
Date Recieved: 6/8/2007
Number of Samples: 177
Type of Sample: Core
Date Completed: 6/29/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
129743	E806418	1.78
129744	E806419	0.18
129745	E806420	0.20
129746	E806421	0.05
129747	E806422	1.00
129748	E806423	0.18
129749	E806424	1.04
129750	E806425	0.97
129752	E806426	0.42
129753	E806427	1.25
129754	E806428	9.20
129755	E806429	Insufficient Sample
129756	E806430	15.50
129757	E806431	13.10
129758	E806432	0.07
129759	E806433	0.97
129760	E806434	0.66
129761	E806435	0.44
129763	E806436	1.77
129764	E806437	1.89
129765	E806438	2.08
129766	E806439	3.33
129767	E806440	4.19
129768	E806441	3.47
129769	E806442	Insufficient Sample
129770	E806443	2.11
129771	E806444	0.66
129772	E806445	0.57
129774	E806446	0.62
129775	E806447	0.15
129776	E806448	0.58
129777	E806449	2.86
129778	E806450	1.26
129779	E806451	1.64
129780	E806452	3.05
129781	E806453	1.69
129782	E806454	1.42
129783	E806455	Insufficient Sample
129784	E806456	2.90
129786	E806457	0.03
129787	E806458	3.61
129788	E806459	4.08
129789	E806460	1.17

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-03 10:48 AM
Job Number: 200741764
Date Recieved: 6/8/2007
Number of Samples: 177
Type of Sample: Core
Date Completed: 6/29/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
129790	E806461	0.07
129791	E806462	0.04
129792	E806463	0.04
129793	E806464	0.05
129794	E806465	0.01

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, July 03, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 08-Jun-07
Date Completed : 29-Jun-07
Job # 200741764
Reference :
Sample #: 177 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
129601		E806289	<5	18	<10		1	51	143		182		
129602		E806290	22	21	<10		3	213	6001		6986		
129603		E806291	<5	30	14		2	58	146		157		
129604		E806292	9	<15	11		2	64	753		1074		
129605		E806293	<5	<15	<10		1	24	86		90		
129606		E806294	17	<15	11		1	99	717		2495		
129607		E806295	25	36	<10		2	355	5931		10482		
129608	Check	E806295	17	52	19		2	365	5832		10589		
129609		E806296	9	<15	<10		1	30	1045		306		
129610		E806297	7	<15	<10		1	32	34		162		
129611		E806298	<5	51	<10		1	33	69		85		
129612		E806299	6	36	<10		1	33	104		115		
129613		E806300	<5	<15	<10		< 1	21	52		56		
129614		E806301	<5	64	17		1	31	111		75		
129615		E806302	8	24	<10		1	25	202		227		
129616		E806303	10	72	<10		1	34	160		105		
129617		E806304	<5	29	<10		1	28	107		111		
129618		E806305	12	<15	<10		1	39	347		303		
129619	Check	E806305	12	31	<10		1	40	345		308		
129620		E806306	9	27	<10		1	40	134		144		
129621		E806307	18	<15	24		1	52	462		546		
129622		E806308	43	40	<10		2	64	470		1254		
129623		E806309	21	<15	<10		2	83	439		1275		
129624		E806310	19	41	<10		2	76	573		1469		
129625		E806311	<5	123	223		2	92	671		10654		
129626		E806312	<5	<15	<10		1	39	222		321		
129627		E806313	<5	<15	<10		< 1	32	161		244		
129628		E806314	7	26	<10		< 1	31	136		226		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, July 03, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 08-Jun-07
Date Completed : 29-Jun-07
Job # 200741764
Reference :
Sample #: 177 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
129629	E806315	6	<15	<10		1	39	159		230		
129630 Check	E806315	<5	16	<10		< 1	31	156		222		
129631	E806316	7	<15	<10		1	39	181		276		
129632	E806317	6	<15	<10		1	32	161		253		
129633	E806318	9	15	<10		< 1	38	225		289		
129634	E806319	<5	<15	<10		< 1	27	155		184		
129635	E806320	7	<15	<10		< 1	24	138		155		
129636	E806321	8	27	<10		< 1	18	122		132		
129637	E806322	144	97	21		2	68	2162		1930		
129638	E806323	286	15	11		2	55	3369		2167		
129639	E806324	56	40	20		2	118	2302		2433		
129640	E806325					No Sample						
129641 Check	E806325					No Sample						
129642	E806326	21	<15	20		2	59	311		937		
129643	E806327	31	<15	<10		2	94	734		2092		
129644	E806328	51	19	20		2	138	1388		4055		
129645	E806329	8	<15	<10		2	48	164		108		
129646	E806330	58	74	<10		3	187	2462		5974		
129647	E806331	54	61	17		2	118	1649		4487		
129648	E806332	81	75	24		3	149	2084		4986		
129649	E806333	62	35	<10		2	144	2056		5022		
129650	E806334	<5	17	<10		2	37	81		190		
129651	E806335	9	<15	<10		1	50	317		541		
129652 Check	E806335	14	<15	10		1	48	310		532		
129653	E806336	19	71	98		2	90	1219		4319		
129654	E806337	16	32	60		1	58	452		969		
129655	E806338	35	<15	24		2	65	767		923		
129656	E806339	158	108	51		4	205	4691		9419		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, July 03, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaccachern@canadianarrowmines.com

Date Received : 08-Jun-07
Date Completed : 29-Jun-07
Job # 200741764
Reference :
Sample #: 177 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
129657		E806340	55	44	38		2	50	957		1383		
129658		E806341	27	23	23		3	101	1213		1878		
129659		E806342	54	173	243		2	106	729		10680		
129660		E806343	134	61	47		7	176	8264		6784		
129661		E806344	100	52	63		3	161	2349		3396		
129662		E806345	108	81	44		3	71	1941		1468		
129663	Check	E806345	110	63	46		3	76	1936		1495		
129664		E806346	144	82	45		3	78	2795		2007		
129665		E806347	559	126	95		5	180	4975		7703		
129666		E806348	85	42	49		3	110	2348		1606		
129667		E806349	281	103	54		5	140	5504		5279		
129668		E806350	7	<15	18		1	35	61		64		
129669		E806351	9	36	13		1	33	104		43		
129670		E806352	6	26	29		1	34	45		39		
129671		E806353	175	118	85		6	135	5763		3630		
129672		E806354	12	26	32		3	68	160		179		
129673	Check	E806354	13	25	32		2	66	151		178		
129674		E806355	8	<15	15		2	72	122		148		
129675		E806356	7	<15	14		2	71	114		135		
129676		E806357	9	20	22		2	70	108		112		
129677		E806358	6	42	31		1	33	34		49		
129678		E806359	<5	37	<10		1	34	35		41		
129679		E806360	<5	43	<10		2	55	122		194		
129680		E806361	5	79	<10		1	61	284		619		
129681		E806362	5	41	<10		1	59	301		518		
129682		E806363	12	58	<10		2	83	643		1160		
129683		E806364	6	19	<10		2	62	290		470		
129684	Check	E806364	6	<15	<10		2	63	299		515		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-07/03/2007 10:48 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, July 03, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 08-Jun-07
Date Completed : 29-Jun-07
Job # 200741764
Reference :
Sample #: 177 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
129685		E806365	<5	32	<10		1	38	75		141		
129686		E806366	<5	48	<10		2	74	268		731		
129687		E806367	<5	<15	<10		1	43	57		129		
129688		E806368	<5	58	<10		2	54	141		354		
129689		E806369	<5	41	<10		1	74	468		1009		
129690		E806370	9	55	<10		2	105	1567		2274		
129691		E806371	20	67	<10		2	93	866		1634		
129692		E806372	31	111	115		3	107	671		11090		
129693		E806373	29	56	13		2	132	1476		3606		
129694		E806374	9	53	<10		1	67	285		483		
129695	Check	E806374	7	47	<10		1	65	287		470		
129696		E806375	<5	54	<10		1	51	111		131		
129697		E806376	<5	26	<10		1	59	177		133		
129698		E806377	<5	35	<10		1	53	118		118		
129699		E806378	<5	27	<10		2	56	88		117		
129700		E806379	<5	28	<10		2	63	151		119		
129701		E806380	<5	33	<10		1	39	146		104		
129702		E806381	<5	43	<10		1	28	110		95		
129703		E806382	7	17	<10		< 1	33	152		78		
129704		E806383	<5	32	<10		1	34	128		124		
129705		E806384	<5	<15	<10		1	43	149		126		
129706		E806385	27	<15	<10		1	50	120		142		
129707	Check	E806385	10	<15	<10		1	41	118		134		
129708		E806386	<5	39	<10		1	42	170		121		
129709		E806387	9	<15	<10		< 1	36	106		102		
129710		E806388	6	<15	<10		1	35	108		134		
129711		E806389	7	23	<10		< 1	45	162		121		
129712		E806390	<5	19	<10		< 1	38	127		124		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, July 03, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 08-Jun-07
Date Completed : 29-Jun-07
Job # 200741764
Reference :
Sample #: 177 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
129713		E806391	5	33	<10		1	41	109		123		
129714		E806392	6	27	<10		1	65	576		1253		
129715		E806393	16	43	<10		< 1	44	160		129		
129716		E806394	7	21	<10		1	36	139		100		
129717		E806395	25	34	<10		< 1	71	856		1551		
129718	Check	E806395	22	28	<10		1	78	893		1639		
129719		E806396	64	25	<10		< 1	48	460		484		
129720		E806397	8	<15	<10		1	34	241		218		
129721		E806398	<5	26	<10		< 1	18	49		40		
129722		E806399	<5	<15	<10		< 1	20	44		45		
129723		E806400	<5	23	<10		< 1	22	43		46		
129724		E806401	6	27	<10		1	49	200		622		
129725		E806402	12	40	<10		< 1	30	319		172		
129726		E806403	7	<15	<10		< 1	24	143		183		
129727		E806404	<5	<15	19		1	60	254		573		
129728		E806405	21	21	28		2	71	851		1222		
129729	Check	E806405	11	20	22		2	75	877		1255		
129730		E806406	<5	<15	20		1	41	48		100		
129731		E806407	<5	<15	<10		< 1	19	137		86		
129732		E806408	6	26	18		< 1	27	175		330		
129733		E806409	10	<15	24		< 1	29	250		147		
129734		E806410	17	<15	26		< 1	29	155		170		
129735		E806411	12	<15	14		< 1	27	257		198		
129736		E806412	21	<15	13		1	30	328		474		
129737		E806413	47	80	212		2	93	654		11004		
129738		E806414	<5	16	14		1	33	130		225		
129739		E806415	13	46	21		1	67	889		1818		
129740	Check	E806415	18	19	21		2	72	929		1856		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By
Derek Demianiuk H.Bsc., Laboratory Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, July 03, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 08-Jun-07
Date Completed : 29-Jun-07
Job # 200741764
Reference :
Sample #: 177 Core

Accurassay #		Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
129741		E806416	21	36	24		2	83	622		1845		
129742		E806417	8	<15	<10		1	87	911		2309		
129743		E806418	21	15	38		2	110	1853		4135		
129744		E806419	<5	<15	23		1	48	262		425		
129745		E806420	<5	<15	25		1	38	131		187		
129746		E806421	<5	<15	11		< 1	27	89		130		
129747		E806422	30	<15	16		1	91	985		2385		
129748		E806423	<5	<15	12		2	44	236		621		
129749		E806424	18	23	19		2	103	789		2666		
129750		E806425	20	<15	<10		2	96	981		2433		
129751	Check	E806425	10	<15	<10		2	103	994		2540		
129752		E806426	17	<15	<10		1	49	308		498		
129753		E806427	14	<15	<10		2	103	1025		3027		
129754		E806428	67	177	118		4	504	8247		26088		
129755		E806429					4	520	7028		15747		
129756		E806430	65	79	30		4	746	6960		40538		
129757		E806431	9	<15	<10		4	585	5704		36945		
129758		E806432	<5	<15	<10		< 1	17	70		135		
129759		E806433	18	<15	<10		2	43	3109		726		
129760		E806434	8	<15	<10		2	34	983		176		
129761		E806435	15	<15	<10		< 1	35	232		144		
129762	Check	E806435	11	<15	<10		1	39	237		143		
129763		E806436	40	<15	<10		1	56	805		907		
129764		E806437	21	<15	<10		1	59	486		841		
129765		E806438	38	20	<10		1	61	630		703		
129766		E806439	37	<15	<10		1	67	663		364		
129767		E806440	72	<15	<10		1	57	1071		449		
129768		E806441	19	<15	<10		1	54	329		106		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-07/03/2007 10:48 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, July 03, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email dmaceachern@canadianarrowmines.com

Date Received : 08-Jun-07
Date Completed : 29-Jun-07
Job # 200741764
Reference :
Sample #: 177 Core

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
129769	E806442	10	<15	<10		1	44	210		168		
129770	E806443	177	26	<10		3	140	2318		3156		
129771	E806444	9	<15	<10		2	48	202		325		
129772	E806445	6	<15	<10		2	43	101		115		
129773 Check	E806445	11	<15	<10		2	41	98		108		
129774	E806446	13	<15	<10		2	48	163		193		
129775	E806447	9	<15	<10		2	50	93		160		
129776	E806448	22	<15	<10		2	59	582		676		
129777	E806449	606	147	50		7	103	9280		8426		
129778	E806450	151	112	49		5	79	4074		2678		
129779	E806451	182	107	81		3	108	2718		3069		
129780	E806452	506	200	93		9	125	9328		6508		
129781	E806453	154	105	37		6	81	5449		3364		
129782	E806454	182	138	80		5	78	5712		2742		
129783	E806455	62	29	<10		4	571	7646		15632		
129784	E806456	178	281	170		11	176	11689		7506		
129785 Check	E806456	261	227	131		10	163	12421		7473		
129786	E806457	8	44	<10		2	29	179		172		
129787	E806458	1024	274	136		9	213	9781		9419		
129788	E806459	308	125	51		8	242	8916		12343		
129789	E806460	685	104	63		4	98	2758		3691		
129790	E806461	7	48	<10		2	34	227		198		
129791	E806462	5	44	<10		2	56	126		133		
129792	E806463	<5	26	<10		2	56	102		128		
129793	E806464	<5	44	<10		2	45	53		114		
129794	E806465	<5	34	<10		2	28	54		65		
129795 Check	E806465	<5	37	<10		2	54	57		128		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF, AL4ICPAR

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-07/03/2007 10:48 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119318	E805437	1.56
119319	E805438	1.57
119320	E805439	1.17
119321	E805440	0.94
119322	E805441	0.13
119323	E805442	1.54
119324	E805443	1.05
119325	E805444	1.52
119326	E805445	4.12
119327	E805446	1.24
119329	E805447	0.92
119330	E805448	1.58
119331	E805449	1.99
119332	E805450	1.58
119333	E805451	0.56
119334	E805452	0.32
119335	E805453	0.03
119336	E805454	0.56
119337	E805455	0.23
119338	E805456	0.02
119340	E805457	0.71
119341	E805458	0.63
119342	E805459	0.14
119343	E805460	13.60
119344	E805461	13.80
119345	E805462	Insufficient Sample
119346	E805463	0.80
119347	E805464	0.42
119348	E805465	16.10
119349	E805466	0.12
119351	E805467	0.23
119352	E805468	0.49
119353	E805469	0.58
119354	E805470	0.77
119355	E805471	1.73
119356	E805472	0.79
119357	E805473	0.02
119358	E805474	0.75
119359	E805475	0.54
119360	E805476	0.30
119362	E805477	0.03
119363	E805478	0.20
119364	E805479	2.57

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119365	E805480	2.16
119366	E805481	3.34
119367	E805482	0.10
119368	E805483	1.18
119369	E805484	3.26
119370	E805485	Insufficient Sample
119371	E805486	2.19
119373	E805487	0.40
119374	E805488	1.32
119375	E805489	0.64
119376	E805490	0.13
119377	E805491	0.03
119378	E805492	0.02
119379	E805493	0.07
119380	E805494	1.33
119381	E805495	0.85
119382	E805496	2.32
119384	E805497	1.03
119385	E805498	0.49
119386	E805499	0.44
119387	E805500	Insufficient Sample
119388	E805801	1.01
119389	E805802	2.46
119390	E805803	3.67
119391	E805804	1.34
119392	E805805	5.94
119393	E805806	4.84
119395	E805807	Insufficient Sample
119396	E805808	0.87
119397	E805809	0.29
119398	E805810	0.15
119399	E805811	1.16
119400	E805812	0.04
119401	E805813	0.85
119402	E805814	1.56
119403	E805815	1.62
119404	E805816	0.16
119406	E805817	0.06
119407	E805818	0.12
119408	E805819	6.23
119409	E805820	0.09
119410	E805821	0.75
119411	E805822	0.95

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119412	E805823	0.60
119413	E805824	0.35
119414	E805825	1.00
119415	E805826	1.82
119417	E805827	0.18
119418	E805828	0.02
119419	E805829	0.01
119420	E805830	0.05
119421	E805831	0.07
119422	E805832	0.18
119423	E805833	0.13
119424	E805834	0.14
119425	E805835	0.04
119426	E805836	0.81
119428	E805837	0.90
119429	E805838	0.05
119430	E805839	0.36
119431	E805840	0.10
119432	E805841	0.17
119433	E805842	4.35
119434	E805843	0.55
119435	E805844	0.08
119436	E805845	0.10
119437	E805846	0.09
119439	E805847	0.39
119440	E805848	Insufficient Sample
119441	E805849	0.34
119442	E805850	0.07
119443	E805851	0.79
119444	E805852	0.22
119445	E805853	0.11
119446	E805854	0.23
119447	E805855	0.55
119448	E805856	0.72
119450	E805857	0.20
119451	E805858	0.25
119452	E805859	0.42
119453	E805860	0.03
119454	E805861	0.11
119455	E805862	0.05
119456	E805863	1.21
119457	E805864	0.61
119458	E805865	0.61

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119459	E805866	1.13
119461	E805867	3.19
119462	E805868	1.99
119463	E805869	2.42
119464	E805870	0.59
119465	E805871	0.35
119466	E805872	0.16
119467	E805873	0.20
119468	E805874	0.44
119469	E805875	0.14
119470	E805876	0.23
119472	E805877	0.41
119473	E805878	0.02
119474	E805879	0.22
119475	E805880	0.13
119476	E805881	0.22
119477	E805882	0.47
119478	E805883	0.65
119479	E805884	0.13
119480	E805885	0.07
119481	E805886	0.63
119483	E805887	0.18
119484	E805888	0.04
119485	E805889	0.09
119486	E805890	0.05
119487	E805891	0.03
119488	E805892	0.12
119489	E805893	1.08
119490	E805894	Insufficient Sample
119491	E805895	2.77
119492	E805896	1.65
119494	E805897	0.74
119495	E805898	0.32
119496	E805899	0.23
119497	E805900	1.34
119498	E805901	0.35
119499	E805902	0.42
119500	E805903	0.71
119501	E805904	7.39
119502	E805905	0.07
119503	E805906	0.79
119505	E805907	0.32
119506	E805908	11.00

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119507	E805909	2.43
119508	E805910	0.52
119509	E805911	0.23
119510	E805912	0.41
119511	E805913	2.20
119512	E805914	0.71
119513	E805915	1.82
119515	E805916	1.33
119516	E805917	0.14
119517	E805918	0.47
119518	E805919	5.65
119519	E805920	0.25
119520	E805921	0.35
119521	E805922	0.04
119522	E805923	1.23
119523	E805924	1.18
119524	E805925	0.25
119526	E805926	0.08
119527	E805927	<0.01
119528	E805928	0.44
119529	E805929	1.75
119530	E805930	0.41
119531	E805931	0.02
119532	E805932	0.14
119533	E805933	0.09
119534	E805934	0.16
119535	E805935	0.08
119537	E805936	0.14
119538	E805937	0.32
119539	E805938	0.33
119540	E805939	0.30
119541	E805940	0.68
119542	E805941	1.09
119543	E805942	0.17
119544	E805943	0.39
119545	E805944	0.05
119546	E805945	0.10
119548	E805946	0.08
119549	E805947	2.57
119550	E805948	Insufficient Sample
119551	E805949	2.53
119552	E805950	3.16
119553	E805951	0.26

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119554	E805952	3.33
119555	E805953	2.54
119556	E805954	3.09
119557	E805955	1.92
119559	E805956	0.06
119560	E805957	0.06
119561	E805958	0.92
119562	E805959	1.19
119563	E805960	2.26
119564	E805961	0.18
119565	E805962	0.17
119566	E805963	0.09
119567	E805964	0.02
119568	E805965	0.04
119570	E805966	1.47
119571	E805967	1.69
119572	E805968	1.68
119573	E805969	1.88
119574	E805970	1.56
119575	E805971	1.16
119576	E805972	2.65
119577	E805973	1.48
119578	E805974	1.07
119579	E805975	0.52
119581	E805976	2.94
119582	E805977	Insufficient Sample
119583	E805978	0.15
119584	E805979	0.28
119585	E805980	0.14
119586	E805981	0.07
119587	E805982	0.09
119588	E805983	0.15
119589	E805984	0.05
119590	E805985	0.03
119592	E805986	0.05
119593	E805987	0.04
119594	E805988	1.07
119595	E805989	0.28
119596	E805990	0.02
119597	E805991	8.89
119598	E805992	0.09
119599	E805993	2.17
119600	E805994	0.21

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119649	E806038	1.24
119650	E806039	0.39
119651	E806040	0.54
119652	E806041	0.72
119653	E806042	0.51
119654	E806043	0.49
119655	E806044	0.40
119656	E806045	0.38
119658	E806046	1.33
119659	E806047	0.72
119660	E806048	0.75
119661	E806049	0.39
119662	E806050	0.44
119663	E806051	0.17
119664	E806052	0.56
119665	E806053	0.38
119666	E806054	0.20
119667	E806055	5.08
119669	E806056	Insufficient Sample
119670	E806057	0.42
119671	E806058	0.41
119672	E806059	0.44
119673	E806060	0.20
119674	E806061	0.83
119675	E806062	0.27
119676	E806063	0.59
119677	E806064	0.01
119678	E806065	0.63
119680	E806066	0.39
119681	E806067	0.76
119682	E806068	0.94
119683	E806069	1.34
119684	E806070	0.23
119685	E806071	0.01
119686	E806072	0.38
119687	E806073	Insufficient Sample
119688	E806074	0.20
119689	E806075	0.13
119691	E806076	0.38
119692	E806077	0.42
119693	E806078	0.39
119694	E806079	0.21
119695	E806080	0.06

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119791	E806167	7.63
119792	E806168	8.08
119793	E806169	1.98
119794	E806170	0.09
119795	E806171	1.24
119796	E806172	18.10
119797	E806173	20.00
119798	E806174	Insufficient Sample
119799	E806175	21.90
119801	E806176	0.15
119802	E806177	0.90
119803	E806178	4.57
119804	E806179	1.79
119805	E806180	0.06
119806	E806181	0.26
119807	E806182	No Sample Received
119808	E806183	1.15
119809	E806184	0.46
119810	E806185	1.38
119812	E806186	0.17
119813	E806187	0.02
119814	E806188	0.05
119815	E806189	0.15
119816	E806190	0.18
119817	E806191	0.24
119818	E806192	0.10
119819	E806193	0.42
119820	E806194	0.14
119821	E806195	0.25
119823	E806196	0.19
119824	E806197	0.08
119825	E806198	0.08
119826	E806199	0.09
119827	E806200	2.35
119828	E806201	1.59
119829	E806202	2.91
119830	E806203	1.50
119831	E806204	1.19
119832	E806205	0.06
119834	E806206	Insufficient Sample
119835	E806207	0.32
119836	E806208	0.33
119837	E806209	1.40

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119838	E806210	0.13
119839	E806211	0.06
119840	E806212	0.13
119841	E806213	0.29
119842	E806214	0.19
119843	E806215	0.08
119845	E806216	0.73
119846	E806217	0.41
119847	E806218	3.48
119848	E806219	2.44
119849	E806220	1.64
119850	E806221	0.06
119851	E806222	0.30
119852	E806223	0.83
119853	E806224	0.79
119854	E806225	3.42
119856	E806226	10.40
119857	E806227	Insufficient Sample
119858	E806228	4.64
119859	E806229	1.42
119860	E806230	0.66
119861	E806231	1.25
119862	E806232	0.31
119863	E806233	0.13
119864	E806234	4.05
119865	E806235	0.22
119867	E806236	0.09
119868	E806237	0.04
119869	E806238	0.08
119870	E806239	1.23
119871	E806240	0.91
119872	E806241	1.22
119873	E806242	0.86
119874	E806243	0.43
119875	E806244	0.80
119876	E806245	8.81
119878	E806246	4.39
119879	E806247	1.04
119880	E806248	2.23
119881	E806249	5.47
119882	E806250	4.62
119883	E806251	1.78
119884	E806252	0.04

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-07-09 05:56 PM
Job Number: 200741624
Date Recieved: 5/30/2007
Number of Samples: 552
Type of Sample: Core
Date Completed: 6/22/2007
Project ID:

Accurassay #	Client Tag	S(tot) %
119885	E806253	0.21
119886	E806254	0.03
119887	E806255	0.09
119889	E806256	<0.01
119890	E806257	0.05
119891	E806258	1.06
119892	E806259	0.72
119893	E806260	2.36
119894	E806261	1.98
119895	E806262	0.33
119896	E806263	1.39
119897	E806264	1.85
119898	E806265	1.86
119900	E806266	Insufficient Sample
119901	E806267	1.19
119902	E806268	13.00
119903	E806269	2.48
119904	E806270	0.33
119905	E806271	0.24
119906	E806272	4.32
119907	E806273	0.69
119908	E806274	0.90
119909	E806275	16.00
119911	E806276	0.09
119912	E806277	0.17
119913	E806278	0.14
119914	E806279	1.73
119915	E806280	0.02
119916	E806281	0.05
119917	E806282	1.51
119918	E806283	0.10
119919	E806284	0.14
119920	E806285	2.09
119922	E806286	0.05
119923	E806287	0.04
119924	E806288	0.05

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 02:05:16 PM
Job Number: 200742403
Date Received: Jul 11, 2007
Number of Samples: 22
Type of Sample: Core
Date Completed: Aug 10, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
174765	14806	1.86
174766	14807	0.39
174767	14808	1.11
174768	14809	3.81
174769	14810	4.31
174770	14811	0.28
174771	14812	1.61
174772	14813	0.13
174773	14814	0.01
174774	14815	0.10
174775	14815	Insufficient Sample
174776	14816	0.07
174777	14817	0.25
174778	14818	0.45
174779	14819	0.40
174780	14820	0.04
174781	14821	0.82
174782	14822	0.26
174783	14823	0.38
174784	14824	0.58
174785	14825	0.84
174786	14825	Insufficient Sample
174787	14826	6.39
197309	14827	0.17

Certified By: 

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, August 10, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 10, 2007

Job #: 200742403
Reference:

Sample #: 22 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
174765	14806	145	55	69		6.40	122	4507		2627		
174766	14807	52	<15	25		1.86	54	909		760		
174767	14808	80	15	46		2.88	92	1713		1678		
174768	14809	174	78	242		4.79	235	6108		5891		
174769	14810	134	141	236		4.54	229	3709		6964		
174770	14811	71	<15	30		1.98	37	1302		623		
174771	14812	138	114	95		3.54	107	3694		3613		
174772	14813	27	<15	<10		1.06	41	177		260		
174773	14814	13	<15	<10		1.11	28	28		54		
174774	14815	29	<15	<10		1.26	31	158		123		
174775 Dup	14815	27	27	<10		1.26	30	149		118		
174776	14816	18	20	<10		1.30	21	98		23		
174777	14817	13	19	<10		1.10	27	174		44		
174778	14818	21	18	<10		1.71	31	467		139		
174779	14819	19	<15	<10		1.73	39	177		15		
174780	14820	10	17	<10		1.46	32	55		15		
174781	14821	45	146	60		2.49	42	2908		958		
174782	14822	11	38	14		2.32	35	475		279		
174783	14823	26	75	22		1.79	53	763		658		
174784	14824	24	64	20		2.01	53	916		524		
174785	14825	23	65	31		1.93	57	2053		986		
174786 Dup	14825	45	103	30		2.04	65	2096		1027		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/10/2007 4:36 PM

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, August 10, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 10, 2007

Job #: 200742403
Reference:

Sample #: 22 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
174787	14826	9	637	49		1.64	301	1172		6101		
197309	14827	8	<15	<10		<1	23	81		71		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/10/2007 4:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171412	313642	1.21
171413	313643	1.32
171414	313644	0.15
171415	313645	0.14
171416	313646	0.04
171417	313647	2.37
171418	313648	0.33
171419	313649	0.02
171420	313650	<0.01
171421	313651	0.03
171423	313652	0.36
171424	313653	0.02
171425	313654	0.23
171426	313655	0.24
171427	313656	0.01
171428	313657	<0.01
171429	313658	0.31
171430	313659	0.05
171431	313660	0.12
171432	313661	0.06
171434	313662	0.09
171435	313663	0.01
171436	313664	0.04
171437	313665	No Sample Received
171438	313666	No Sample Received
171439	313667	0.02
171440	313668	0.12
171441	313669	0.04
171442	313670	0.01
171443	313671	0.11
171445	313672	<0.01
171446	313673	0.21
171447	313674	0.04
171448	313675	0.06
171449	313676	0.18
171450	313677	0.04
171451	313678	0.14
171452	313679	0.05
171453	313680	0.64
171454	313681	0.20
171456	313682	0.03
171457	313683	0.01
171458	313684	0.52

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171459	313685	0.48
171460	313686	0.16
171461	313687	0.15
171462	313688	0.73
171463	313689	0.85
171464	313690	3.22
171465	313691	1.38
171467	313692	0.29
171468	313693	0.42
171469	313694	0.96
171470	313695	0.63
171471	313696	0.30
171472	313697	0.01
171473	313698	0.15
171474	313699	No Sample Received
171475	313700	0.12
171476	313701	0.93
171478	313702	0.50
171479	313703	0.72
171480	313704	0.14
171481	313705	0.39
171482	313706	0.86
171483	313707	0.16
171484	313708	0.58
171485	313709	0.65
171486	313710	0.33
171487	313711	2.10
171488	313712	1.71
171489	313713	3.11
171490	313714	0.40
171491	313715	0.96
171492	313716	0.32
171493	313717	0.47
171494	313718	3.55
171495	313719	No Sample Received
171496	313720	1.76
171497	313721	0.78
171499	313722	2.08
171500	313723	<0.01
171501	313724	2.11
171502	313725	0.88
171503	313726	1.19
171504	313727	2.24

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171505	313728	2.46
171506	313729	2.41
171507	313730	No Sample Received
171508	313731	2.03
171510	313732	0.93
171511	313733	1.50
171512	313734	0.53
171513	313735	0.31
171514	313736	0.19
171515	313737	0.14
171516	313738	0.06
171517	313739	0.13
171518	313740	0.05
171519	313741	0.01
171521	313742	<0.01
171522	313743	0.03
171523	313744	0.04
171524	313745	0.11
171525	313746	0.03
171526	313747	0.20
171527	313748	0.06
171528	313749	0.04
171529	313750	0.02
171530	313751	0.04
171532	313752	0.03
171533	313753	0.14
171534	313754	0.33
171535	313755	0.04
171536	313756	0.04
171537	313757	0.04
171538	313758	0.06
171539	314560	0.03
171540	314561	0.05
171541	314562	0.01
171542	314563	0.05
171544	314564	0.03
171545	314565	0.05
171546	314566	1.59
171547	314567	No Sample Received
171548	314568	1.24
171549	314569	1.36
171550	314570	0.12
171551	314571	0.04

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171552	314572	0.12
171553	314573	0.28
171555	314574	0.29
171556	314575	0.38
171557	314576	2.71
171558	314577	No Sample Received
171559	314578	1.16
171560	314579	2.23
171561	314580	0.16
171562	314581	0.60
171563	314582	2.23
171564	314583	0.64
171566	314584	2.64
171567	314585	2.24
171568	314586	4.09
171569	314587	1.77
171570	314588	2.44
171571	314589	1.71
171572	314590	0.92
171573	314591	0.14
171574	314592	0.67
171575	314593	0.05
171577	314594	0.12
171578	314595	0.09
171579	314598	0.05
171580	314599	0.05
171581	314600	0.03
171582	314601	0.30
171583	314602	0.03
171584	314603	0.08
171585	314604	0.06
171587	314605	0.03
171588	314606	0.01
171589	314607	<0.01
171590	314608	0.05
171591	314609	0.03
171592	314610	0.01
171593	314611	0.06
171594	314612	0.04
171595	314613	0.09
171596	314614	0.21
171598	314615	0.47
171599	314616	0.74

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171600	314617	0.70
171601	314618	0.80
171602	314619	1.36
171603	314620	0.96
171604	314621	0.93
171605	314622	No Sample Received
171606	314623	0.66
171607	314624	<0.01
171609	314625	0.35
171610	314626	0.50
171611	314627	0.32
171612	314628	0.99
171613	314629	0.17
171614	314630	0.07
171615	314631	1.95
171616	314632	0.75
171617	314633	0.10
171618	314634	0.21
171620	314635	0.52
171621	314636	0.23
171622	314637	1.54
171623	314638	1.61
171624	314639	0.02
171625	314640	0.77
171626	314641	0.09
171627	314642	0.47
171628	314643	0.02
171630	314644	1.02
171631	314645	0.47
171632	314646	No Sample Received
171633	314647	0.84
171634	314648	1.42
171635	314649	5.15
171636	314650	No Sample Received
171637	314651	3.05
171638	314652	7.51
171639	314653	0.97
171641	314654	2.59
171642	314655	4.33
171643	314656	1.28
171644	314657	2.03
171645	314658	3.23
171646	314659	4.61

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171647	314660	1.54
171648	314661	7.18
171649	314662	0.15
171650	314663	0.63
171652	314664	0.71
171653	314665	0.30
171654	314666	2.58
171655	314667	3.07
171656	314668	1.76
171657	314669	1.25
171658	314670	1.17
171659	314671	0.18
171660	314672	0.07
171661	314673	0.44
171663	314674	0.21
171664	314675	0.44
171665	314676	0.03
171666	314677	0.04
171667	314678	0.03
171668	314679	0.04
171669	314680	0.03
171670	314681	0.02
171671	314682	0.03
171672	314683	0.03
171674	314684	0.10
171675	314685	0.06
171676	314686	0.05
171677	314687	0.09
171678	314688	0.02
171679	314689	0.02
171680	314690	0.05
171681	314691	0.35
171682	314692	2.11
171683	314693	0.02
171685	314694	0.05
171686	314695	No Sample Received
171687	314696	0.11
171688	314697	0.07
171689	314698	0.06
171690	314699	0.52
171691	314700	0.06
171692	314701	0.04
171693	314702	0.04

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171694	314703	0.05
171696	314704	0.02
171697	314705	0.04
171698	314706	0.04
171699	314707	0.03
171700	314708	0.02
171701	314709	0.08
171702	314710	0.02
171703	314711	0.03
171704	314712	0.04
171705	314713	0.05
171707	314714	0.08
171708	314715	0.10
171709	314716	0.03
171710	314717	0.04
171711	314718	0.06
171712	314719	0.04
171713	314720	0.07
171714	314721	0.04
171715	314722	0.10
171716	314723	0.02
171718	314724	0.02
171719	314725	0.03
171720	314726	<0.01
171721	314727	<0.01
171722	314728	<0.01
171723	314729	No Sample Received
171724	314730	0.24
171725	314731	0.51
171726	314732	0.06
171727	314733	0.90
171729	314734	0.98
171730	314735	0.17
171731	314736	0.04
171732	314737	0.28
171733	314738	0.88
171734	314739	1.34
171735	314740	1.73
171736	314741	0.67
171737	314742	0.52
171738	314743	0.08
171740	314744	0.02
171741	314745	0.03

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171742	314746	0.51
171743	314747	1.01
171744	314748	0.34
171745	314749	1.19
171746	314750	1.03
171747	314751	0.70
171748	314752	1.12
171749	314753	0.73
171751	314754	0.03
171752	314755	0.15
171753	314756	0.41
171754	314757	0.50
171755	314758	0.05
171756	314759	0.06
171757	314760	0.03
171758	314761	0.03
171759	807278	No Sample Received
171760	807279	No Sample Received
171761	807280	No Sample Received
171763	807281	No Sample Received
171764	807282	No Sample Received
171765	807283	No Sample Received
171766	807284	No Sample Received
171767	807285	No Sample Received
171768	807286	No Sample Received
171769	807287	No Sample Received
171770	807288	No Sample Received
171771	807289	No Sample Received
171772	807290	No Sample Received
171774	807291	No Sample Received
171775	807292	No Sample Received
171776	807293	No Sample Received
171777	807294	No Sample Received
171778	807295	No Sample Received
171779	807296	No Sample Received
171780	807297	No Sample Received
171781	807298	No Sample Received
171782	807299	No Sample Received
171783	807300	No Sample Received
171785	807301	No Sample Received
171786	807302	No Sample Received
171787	807303	No Sample Received
171788	807304	No Sample Received

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171789	807305	No Sample Received
171790	807306	No Sample Received
171791	807307	No Sample Received
171792	807308	No Sample Received
171793	807309	No Sample Received
171795	807310	No Sample Received
171796	807311	No Sample Received
171797	807312	No Sample Received
171798	807313	No Sample Received
171799	807314	No Sample Received
171800	807315	No Sample Received
171801	807316	No Sample Received
171802	807317	No Sample Received
171803	807318	No Sample Received
171804	807319	No Sample Received
171805	807320	No Sample Received
171807	807321	No Sample Received
171808	807322	No Sample Received
171809	807323	No Sample Received
171810	807324	No Sample Received
171811	807325	No Sample Received
171812	807326	No Sample Received
171813	807327	No Sample Received
171814	807328	No Sample Received
171815	807329	No Sample Received
171816	807330	No Sample Received
171818	807331	No Sample Received
171819	807332	No Sample Received
171820	807333	No Sample Received
171821	807334	No Sample Received
171822	807335	No Sample Received
171823	807336	No Sample Received
171824	807337	No Sample Received
171825	807338	No Sample Received
171826	807339	No Sample Received
171827	807340	No Sample Received
171829	807341	No Sample Received
171830	807342	No Sample Received
171831	807343	No Sample Received
171832	807344	No Sample Received
171833	807345	No Sample Received
171834	807346	No Sample Received
171835	807347	No Sample Received

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:24:58 AM
Job Number: 200742351
Date Received: Jul 9, 2007
Number of Samples: 390
Type of Sample: Core
Date Completed: Aug 2, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
171836	807348	No Sample Received
171837	807349	No Sample Received
171838	807350	No Sample Received

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171412	313642	0.426	0.096	0.054		6.19	0.0106	0.5465		0.2849		
171413	313643	0.258	0.157	0.127		5.10	0.0097	0.4552		0.2677		
171414	313644	0.058	0.055	0.074		2.04	0.0049	0.0475		0.0333		
171415	313645	0.028	<0.015	0.039		1.75	0.0037	0.0545		0.0399		
171416	313646	0.023	0.025	0.013		1.74	0.0034	0.0106		0.0232		
171417	313647	0.010	0.059	0.017		3.98	0.0173	0.2068		0.5395		
171418	313648	0.016	0.086	0.047		2.54	0.0067	0.0833		0.0705		
171419	313649	0.009	0.031	0.025		2.27	0.0048	0.0085		0.0332		
171420	313650	<0.005	<0.015	0.010		2.15	0.0047	0.0119		0.0277		
171421	313651	<0.005	0.064	0.029		2.03	0.0042	0.0106		0.0267		
171422 Dup	313651	0.010	<0.015	0.027		1.88	0.0042	0.0098		0.0261		
171423	313652	0.007	0.039	0.016		1.78	0.0045	0.0071		0.0237		
171424	313653	<0.005	<0.015	<0.01		1.64	0.0036	0.0061		0.0261		
171425	313654	<0.005	0.036	0.025		2.37	0.0049	0.0806		0.0489		
171426	313655	0.043	0.018	0.042		2.17	0.0052	0.0508		0.0547		
171427	313656	0.027	0.035	<0.01		1.35	0.0039	0.0050		0.0244		
171428	313657	<0.005	<0.015	<0.01		1.25	0.0037	0.0034		0.0238		
171429	313658	0.005	<0.015	<0.01		2.03	0.0066	0.0137		0.1394		
171430	313659	0.011	0.046	0.033		1.70	0.0046	0.0178		0.0475		
171431	313660	0.008	0.033	0.043		1.63	0.0048	0.0180		0.0475		
171432	313661	0.008	0.020	0.014		1.61	0.0045	0.0049		0.0248		
171433 Dup	313661	0.010	0.026	0.010		1.50	0.0050	0.0052		0.0250		
171434	313662	<0.005	0.020	<0.01		1.88	0.0059	0.0054		0.0307		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171435	313663	<0.005	<0.015	<0.01		1.44	0.0038	0.0028		0.0210		
171436	313664	0.008	<0.015	<0.01		1.34	0.0036	0.0107		0.0076		
171437	313665					No Sample Received						
171438	313666					No Sample Received						
171439	313667	0.008	0.028	0.020		2.06	0.0063	0.0069		0.0397		
171440	313668	<0.005	<0.015	<0.01		2.19	0.0069	0.0082		0.0435		
171441	313669	<0.005	0.016	<0.01		2.23	0.0065	0.0051		0.0456		
171442	313670	<0.005	0.027	<0.01		2.45	0.0069	0.0050		0.0510		
171443	313671	0.009	0.058	0.035		2.10	0.0068	0.0065		0.0470		
171444 Dup	313671	<0.005	0.016	<0.01		2.04	0.0074	0.0067		0.0514		
171445	313672	<0.005	0.024	<0.01		1.83	0.0043	0.0036		0.0195		
171446	313673	0.039	0.060	0.046		2.95	0.0069	0.0999		0.0969		
171447	313674	<0.005	<0.015	<0.01		2.32	0.0055	0.0111		0.0149		
171448	313675	<0.005	0.019	<0.01		2.04	0.0061	0.0095		0.0124		
171449	313676	<0.005	<0.015	<0.01		2.09	0.0059	0.0110		0.0109		
171450	313677	<0.005	<0.015	<0.01		1.82	0.0039	0.0047		0.0088		
171451	313678	<0.005	<0.015	<0.01		2.00	0.0066	0.0111		0.0128		
171452	313679	0.015	0.030	<0.01		1.46	0.0048	0.0120		0.0088		
171453	313680	0.234	0.060	0.013		3.86	0.0068	0.2294		0.1277		
171454	313681	0.010	0.021	<0.01		1.40	0.0052	0.0148		0.0126		
171455 Dup	313681	0.006	<0.015	<0.01		1.49	0.0057	0.0145		0.0122		
171456	313682	<0.005	<0.015	<0.01		1.17	0.0026	0.0045		0.0060		
171457	313683	<0.005	<0.015	<0.01		1.11	0.0026	0.0055		0.0046		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171458	313684	0.178	0.063	0.053		2.63	0.0057	0.1829		0.1000		
171459	313685	0.049	0.051	0.036		2.80	0.0046	0.1813		0.1009		
171460	313686	0.008	0.039	0.045		1.74	0.0041	0.0586		0.0344		
171461	313687	0.036	<0.015	0.024		2.03	0.0050	0.0476		0.0358		
171462	313688	0.174	0.082	0.055		4.65	0.0081	0.2904		0.1322		
171463	313689	0.267	0.065	0.042		4.11	0.0078	0.3762		0.2225		
171464	313690	0.485	0.166	0.078		8.49	0.0159	1.0533		0.3020		
171465	313691	0.218	0.080	0.036		4.91	0.0105	0.6046		0.3805		
171466 Dup	313691	0.251	0.106	0.050		4.68	0.0106	0.5822		0.3907		
171467	313692	0.020	0.031	0.024		2.06	0.0063	0.0756		0.0654		
171468	313693	0.186	0.073	0.050		2.28	0.0068	0.1046		0.0818		
171469	313694	0.098	0.049	0.040		4.01	0.0082	0.3475		0.1923		
171470	313695	0.065	0.039	0.037		2.55	0.0078	0.1898		0.0929		
171471	313696	0.031	0.028	0.037		2.41	0.0063	0.1006		0.0602		
171472	313697	<0.005	<0.015	0.016		<1	0.0020	0.0048		0.0040		
171473	313698	0.036	0.055	<0.01		2.37	0.0062	0.0784		0.0752		
171474	313699	0.043	0.163	0.168		1.72	0.0092	0.0710		1.0812		
171475	313700	0.029	0.043	<0.01		1.35	0.0041	0.0372		0.0591		
171476	313701	0.119	0.057	0.035		3.64	0.0073	0.3017		0.2240		
171477 Dup	313701	0.143	0.086	0.055		3.79	0.0077	0.2587		0.2325		
171478	313702	0.074	0.072	0.034		2.38	0.0064	0.1652		0.1071		
171479	313703	0.141	0.069	0.052		2.86	0.0070	0.2391		0.1295		
171480	313704	0.007	<0.015	<0.01		1.11	0.0029	0.0085		0.0117		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171481	313705	0.048	0.042	0.020		2.33	0.0065	0.0918		0.0910		
171482	313706	0.053	0.037	<0.01		2.95	0.0107	0.1151		0.2269		
171483	313707	0.024	<0.015	<0.01		2.47	0.0080	0.0565		0.1067		
171484	313708	0.036	0.050	<0.01		2.49	0.0090	0.0786		0.1622		
171485	313709	0.029	0.027	0.018		2.23	0.0080	0.0466		0.2082		
171486	313710	0.010	<0.015	<0.01		2.04	0.0051	0.0136		0.0312		
171487	313711	0.065	0.066	0.022		2.79	0.0170	0.2597		0.5228		
171488	313712	0.065	0.020	<0.01		2.60	0.0150	0.1234		0.3843		
171489	313713	0.028	0.023	<0.01		3.12	0.0224	0.2556		0.5742		
171490	313714	0.033	<0.015	<0.01		1.41	0.0041	0.0264		0.0179		
171491	313715	0.018	<0.015	0.019		1.60	0.0074	0.0433		0.1546		
171492	313716	0.011	<0.015	<0.01		1.63	0.0051	0.0151		0.0170		
171493	313717	0.015	<0.015	0.016		1.50	0.0047	0.0193		0.0159		
171494	313718	0.081	0.089	0.024		2.48	0.0170	0.3654		0.3532		
171495	313719	0.047	<0.015	0.011		4.52	0.0587	0.7811		1.4996		
171496	313720	0.022	0.017	<0.01		3.40	0.0147	0.1609		0.4154		
171497	313721	0.030	<0.015	<0.01		3.07	0.0067	0.0431		0.0524		
171498 Dup	313721	0.024	<0.015	<0.01		3.16	0.0071	0.0441		0.0535		
171499	313722	0.034	<0.015	<0.01		1.97	0.0039	0.0384		0.0423		
171500	313723	0.015	<0.015	<0.01		2.01	0.0032	0.0099		0.0116		
171501	313724	0.178	0.095	0.056		6.77	0.0123	0.5662		0.4437		
171502	313725	0.033	0.025	<0.01		5.26	0.0093	0.2550		0.1908		
171503	313726	0.184	0.080	0.048		4.71	0.0103	0.3493		0.2519		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171504	313727	0.380	0.118	0.064		8.83	0.0125	0.9456		0.4985		
171505	313728	0.017	<0.015	<0.01		9.94	0.0127	0.9498		0.5672		
171506	313729	0.570	0.187	0.092		9.07	0.0125	0.9178		0.5509		
171507	313730	0.006	<0.015	0.012		2.90	0.0105	0.0715		0.5237		
171508	313731	0.300	0.170	0.104		7.41	0.0132	0.7040		0.4479		
171509 Dup	313731	0.279	0.181	0.114		6.36	0.0130	0.6354		0.4591		
171510	313732	0.089	0.130	0.099		3.42	0.0070	0.2309		0.2865		
171511	313733	0.159	0.287	0.265		4.05	0.0113	0.3010		0.2303		
171512	313734	0.057	0.193	0.213		3.44	0.0091	0.1823		0.1314		
171513	313735	0.094	0.032	0.027		1.50	0.0040	0.0567		0.0431		
171514	313736	0.013	<0.015	<0.01		2.04	0.0035	0.0102		0.0109		
171515	313737	0.011	0.031	0.017		1.83	0.0036	0.0043		0.0114		
171516	313738	0.009	0.026	0.016		2.08	0.0049	0.0082		0.0243		
171517	313739	0.034	0.015	0.010		1.81	0.0051	0.0120		0.0108		
171518	313740	0.017	<0.015	<0.01		1.75	0.0041	0.0230		0.0240		
171519	313741	0.006	<0.015	0.017		1.57	0.0035	0.0052		0.0214		
171520 Dup	313741	0.010	0.018	0.012		1.51	0.0036	0.0045		0.0212		
171521	313742	0.005	0.023	0.018		1.69	0.0045	0.0041		0.0250		
171522	313743	<0.005	<0.015	0.014		2.00	0.0049	0.0038		0.0295		
171523	313744	0.008	0.028	0.033		1.74	0.0047	0.0042		0.0304		
171524	313745	0.007	0.026	<0.01		2.11	0.0059	0.0048		0.0340		
171525	313746	0.008	<0.015	0.014		2.22	0.0052	0.0031		0.0290		
171526	313747	0.037	0.030	0.044		2.67	0.0070	0.0485		0.0673		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171527	313748	0.006	<0.015	<0.01		2.13	0.0053	0.0034		0.0307		
171528	313749	0.006	<0.015	0.014		2.31	0.0055	0.0038		0.0370		
171529	313750	0.011	<0.015	<0.01		1.32	0.0021	0.0055		0.0054		
171530	313751	0.019	0.099	0.095		2.34	0.0052	0.0037		0.0336		
171531 Dup	313751	0.009	0.114	0.075		2.17	0.0052	0.0034		0.0326		
171532	313752	0.010	<0.015	<0.01		2.09	0.0049	0.0042		0.0308		
171533	313753	0.015	0.018	0.021		2.21	0.0054	0.0290		0.0478		
171534	313754	0.022	<0.015	<0.01		2.62	0.0060	0.0462		0.0472		
171535	313755	0.009	0.015	<0.01		1.84	0.0050	0.0104		0.0106		
171536	313756	0.009	<0.015	<0.01		2.23	0.0046	0.0071		0.0108		
171537	313757	<0.005	0.028	<0.01		2.07	0.0053	0.0060		0.0203		
171538	313758	<0.005	0.025	<0.01		2.00	0.0063	0.0060		0.0151		
171539	314560	0.007	<0.015	<0.01		2.15	0.0053	0.0075		0.0175		
171540	314561	0.007	<0.015	<0.01		1.48	0.0025	0.0054		0.0052		
171541	314562	<0.005	0.021	<0.01		1.10	0.0030	0.0062		0.0066		
171542	314563	<0.005	<0.015	<0.01		1.44	0.0027	0.0037		0.0047		
171543 Dup	314563	0.007	<0.015	<0.01		1.39	0.0031	0.0040		0.0049		
171544	314564	0.005	<0.015	<0.01		1.34	0.0028	0.0051		0.0048		
171545	314565	0.006	<0.015	<0.01		1.30	0.0026	0.0049		0.0057		
171546	314566	0.054	0.076	<0.01		2.28	0.0110	0.1588		0.2806		
171547	314567	0.047	0.121	0.179		2.29	0.0109	0.0722		1.0886		
171548	314568	0.054	0.077	<0.01		2.03	0.0098	0.1323		0.2298		
171549	314569	0.054	0.060	<0.01		1.91	0.0087	0.1221		0.2032		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171550	314570	0.005	0.028	<0.01		1.38	0.0037	0.0074		0.0121		
171551	314571	<0.005	0.016	<0.01		1.40	0.0037	0.0042		0.0103		
171552	314572	0.007	0.023	<0.01		1.21	0.0035	0.0055		0.0085		
171553	314573	0.010	<0.015	<0.01		1.97	0.0058	0.0178		0.0310		
171554 Dup	314573	0.005	<0.015	0.037		1.76	0.0061	0.0180		0.0332		
171555	314574	0.006	0.017	<0.01		1.69	0.0054	0.0137		0.0183		
171556	314575	0.033	0.016	<0.01		1.92	0.0065	0.0292		0.0515		
171557	314576	0.039	0.036	0.032		2.82	0.0156	0.3240		0.5271		
171558	314577	0.100	0.062	0.175		3.92	0.0539	0.7646		1.4832		
171559	314578	0.146	0.024	<0.01		2.87	0.0089	0.2975		0.1915		
171560	314579	0.095	0.031	0.054		2.33	0.0119	0.1922		0.2030		
171561	314580	0.009	<0.015	0.014		<1	0.0028	0.0146		0.0180		
171562	314581	0.027	<0.015	<0.01		2.27	0.0059	0.0380		0.0407		
171563	314582	0.250	0.064	<0.01		3.91	0.0108	0.3214		0.2437		
171564	314583	0.028	<0.015	<0.01		2.26	0.0078	0.0303		0.0380		
171565 Dup	314583	0.027	0.015	<0.01		2.11	0.0061	0.0285		0.0357		
171566	314584	0.304	0.083	0.012		4.30	0.0134	0.3466		0.4444		
171567	314585	0.128	0.024	0.031		6.81	0.0153	0.7236		0.5725		
171568	314586	0.256	0.065	0.036		7.02	0.0195	0.7020		0.6766		
171569	314587	0.053	<0.015	<0.01		5.36	0.0107	0.4979		0.4137		
171570	314588	0.563	0.194	0.081		6.85	0.0170	0.7231		0.6988		
171571	314589	0.141	0.078	0.050		6.13	0.0141	0.5498		0.4272		
171572	314590	0.131	0.046	0.071		3.89	0.0082	0.3403		0.2816		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171573	314591	<0.005	0.025	<0.01		1.91	0.0033	0.0120		0.0127		
171574	314592	0.016	0.024	0.018		1.36	0.0062	0.0407		0.0924		
171575	314593	0.007	0.018	<0.01		1.12	0.0047	0.0146		0.0128		
171576 Dup	314593	0.013	<0.015	<0.01		<1	0.0056	0.0146		0.0134		
171577	314594	0.012	<0.015	<0.01		<1	0.0033	0.0090		0.0077		
171578	314595	0.018	<0.015	<0.01		1.24	0.0045	0.0062		0.0099		
171579	314598	0.009	0.023	0.020		<1	0.0040	0.0058		0.0215		
171580	314599	0.007	<0.015	<0.01		<1	0.0049	0.0069		0.0260		
171581	314600	0.009	<0.015	0.045		<1	0.0042	0.0057		0.0272		
171582	314601	0.007	0.033	<0.01		<1	0.0038	0.0063		0.0256		
171583	314602	0.010	0.027	<0.01		<1	0.0037	0.0058		0.0233		
171584	314603	0.014	0.062	<0.01		<1	0.0034	0.0077		0.0250		
171585	314604	0.006	<0.015	<0.01		<1	0.0041	0.0060		0.0227		
171586 Dup	314604	<0.005	<0.015	0.011		<1	0.0039	0.0063		0.0236		
171587	314605	0.026	<0.015	<0.01		<1	0.0039	0.0054		0.0251		
171588	314606	0.028	0.023	0.012		<1	0.0037	0.0044		0.0251		
171589	314607	<0.005	<0.015	0.016		1.40	0.0043	0.0042		0.0272		
171590	314608	0.009	0.041	0.026		1.20	0.0040	0.0052		0.0260		
171591	314609	<0.005	0.018	0.013		1.43	0.0040	0.0057		0.0248		
171592	314610	0.030	0.034	0.218		1.23	0.0043	0.0063		0.0230		
171593	314611	0.009	0.018	0.017		1.28	0.0039	0.0103		0.0316		
171594	314612	0.006	0.016	0.017		<1	0.0024	0.0065		0.0057		
171595	314613	0.012	<0.015	0.014		<1	0.0026	0.0135		0.0119		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171596	314614	0.040	0.035	0.027		1.40	0.0040	0.0456		0.0334		
171597 Dup	314614	0.032	0.061	0.031		1.41	0.0044	0.0470		0.0359		
171598	314615	0.148	0.043	0.037		2.83	0.0049	0.2364		0.1444		
171599	314616	0.151	0.077	0.038		3.07	0.0057	0.2726		0.1769		
171600	314617	0.316	0.069	0.043		2.86	0.0070	0.2442		0.1953		
171601	314618	0.179	0.088	0.047		2.61	0.0074	0.2562		0.1477		
171602	314619	0.376	0.115	0.053		5.51	0.0114	0.4943		0.3552		
171603	314620	0.220	0.112	0.071		3.54	0.0090	0.3425		0.2476		
171604	314621	0.214	0.101	0.072		3.56	0.0065	0.4550		0.2557		
171605	314622	0.046	0.062	0.115		1.42	0.0105	0.0690		0.5219		
171606	314623	0.263	0.089	0.059		3.34	0.0069	0.2431		0.1844		
171607	314624	<0.005	0.020	0.023		1.08	0.0033	0.0077		0.0275		
171608 Dup	314624	<0.005	0.019	<0.01		1.19	0.0035	0.0064		0.0254		
171609	314625	0.060	0.103	0.049		2.43	0.0051	0.1711		0.0836		
171610	314626	0.070	0.059	0.055		2.37	0.0067	0.1446		0.0791		
171611	314627	0.039	0.068	0.057		1.86	0.0060	0.0856		0.0588		
171612	314628	0.216	0.115	0.069		4.66	0.0082	0.4237		0.1984		
171613	314629	0.040	0.049	0.027		1.88	0.0049	0.0510		0.0382		
171614	314630	0.019	0.029	0.036		1.70	0.0039	0.0503		0.0392		
171615	314631	0.337	0.124	0.086		7.22	0.0141	0.5612		0.4352		
171616	314632	0.142	0.064	0.043		3.33	0.0079	0.2381		0.1945		
171617	314633	0.019	0.017	0.030		1.67	0.0045	0.0344		0.0462		
171618	314634	0.019	0.023	0.028		2.04	0.0046	0.0621		0.0587		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171619 Dup	314634	0.036	0.020	0.030		1.91	0.0049	0.0612		0.0545		
171620	314635	0.091	0.047	0.043		2.54	0.0065	0.1567		0.0746		
171621	314636	0.037	0.024	0.033		2.17	0.0053	0.0795		0.0461		
171622	314637	0.269	0.108	0.087		5.34	0.0109	0.5026		0.3771		
171623	314638	0.291	0.105	0.088		5.58	0.0115	0.4847		0.3479		
171624	314639	0.013	<0.015	0.021		1.03	0.0022	0.0086		0.0059		
171625	314640	0.127	0.075	0.059		4.01	0.0083	0.2971		0.1984		
171626	314641	0.011	<0.015	0.024		1.57	0.0054	0.0108		0.0111		
171627	314642	0.069	0.051	0.051		9.79	0.0057	0.1287		0.0750		
171628	314643	0.052	0.023	0.041		1.99	0.0025	0.0414		0.0276		
171629 Dup	314643	0.048	0.039	0.036		1.88	0.0029	0.0427		0.0310		
171630	314644	0.085	0.094	0.045		4.23	0.0089	0.3363		0.1109		
171631	314645	0.159	0.084	0.034		2.66	0.0069	0.1463		0.0701		
171632	314646					No Sample Received						
171633	314647	0.178	0.100	0.032		3.55	0.0085	0.2990		0.1896		
171634	314648	0.374	0.129	0.035		4.51	0.0095	0.5130		0.3146		
171635	314649	0.323	0.135	0.050		5.63	0.0309	0.5702		0.9404		
171636	314650	0.064	0.070	0.039		3.98	0.0617	0.7685		1.4954		
171637	314651	0.666	0.192	0.052		6.82	0.0208	0.8643		0.8087		
171638	314652	0.405	0.131	0.042		5.34	0.0517	0.6306		1.5589		
171639	314653	0.178	0.196	0.081		4.94	0.0352	0.7614		1.6626		
171640 Dup	314653	0.158	0.139	0.058		4.83	0.0363	0.7406		1.6519		
171641	314654	0.038	0.032	<0.01		2.63	0.0168	0.1882		0.6793		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171642	314655	0.144	0.129	0.011		3.77	0.0240	0.4156		1.0620		
171643	314656	0.029	0.066	<0.01		2.06	0.0110	0.0561		0.2519		
171644	314657	0.060	0.056	0.015		2.19	0.0138	0.1376		0.5401		
171645	314658	0.067	0.125	<0.01		2.66	0.0206	0.2473		0.6516		
171646	314659	0.132	0.088	<0.01		2.86	0.0255	0.3823		0.8917		
171647	314660	0.048	0.026	<0.01		2.01	0.0122	0.1546		0.3342		
171648	314661	0.117	0.104	0.013		6.34	0.0428	0.8225		1.6416		
171649	314662	0.013	<0.015	<0.01		1.62	0.0049	0.0174		0.0166		
171650	314663	0.018	0.039	<0.01		1.98	0.0066	0.0321		0.0607		
171651 Dup	314663	0.020	<0.015	<0.01		2.12	0.0065	0.0321		0.0608		
171652	314664	0.018	<0.015	<0.01		1.84	0.0059	0.0210		0.0144		
171653	314665	0.039	0.041	<0.01		1.82	0.0063	0.0557		0.0675		
171654	314666	0.333	0.072	<0.01		9.10	0.0137	0.9640		0.6323		
171655	314667	0.519	0.168	0.022		8.57	0.0164	0.8200		0.6657		
171656	314668	0.416	0.166	0.051		5.04	0.0117	0.5014		0.3445		
171657	314669	0.301	0.220	0.132		4.32	0.0099	0.3768		0.2918		
171658	314670	0.155	0.229	0.140		3.79	0.0102	0.3699		0.3018		
171659	314671	0.034	0.065	0.036		1.25	0.0058	0.0719		0.0658		
171660	314672	0.017	0.103	0.085		<1	0.0039	0.0201		0.0319		
171661	314673	0.056	0.075	0.016		10.72	0.0075	0.1329		0.1079		
171662 Dup	314673	0.170	0.080	0.014		5.61	0.0075	0.1282		0.1030		
171663	314674	0.018	0.045	<0.01		1.98	0.0036	0.0162		0.0210		
171664	314675	0.091	0.091	0.038		2.75	0.0058	0.2091		0.0859		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171665	314676	0.011	0.021	<0.01		1.47	0.0046	0.0038		0.0287		
171666	314677	0.008	0.050	<0.01		1.27	0.0054	0.0056		0.0287		
171667	314678	0.008	0.018	<0.01		1.08	0.0060	0.0051		0.0314		
171668	314679	0.005	0.026	<0.01		1.04	0.0055	0.0032		0.0285		
171669	314680	0.008	0.043	<0.01		1.22	0.0050	0.0036		0.0324		
171670	314681	<0.005	0.032	<0.01		1.15	0.0055	0.0035		0.0313		
171671	314682	0.008	0.052	<0.01		1.08	0.0046	0.0044		0.0252		
171672	314683	0.006	0.020	<0.01		1.53	0.0055	0.0029		0.0363		
171673 Dup	314683	0.006	0.037	<0.01		4.79	0.0059	0.0030		0.0377		
171674	314684	0.028	0.066	0.060		1.79	0.0062	0.0296		0.0600		
171675	314685	0.014	0.033	0.024		1.62	0.0071	0.0111		0.0190		
171676	314686	0.014	0.047	0.022		1.65	0.0070	0.0099		0.0134		
171677	314687	0.012	0.037	0.019		10.75	0.0062	0.0112		0.0121		
171678	314688	0.013	0.048	0.026		<1	0.0047	0.0113		0.0100		
171679	314689	0.009	0.036	0.018		1.15	0.0075	0.0106		0.0162		
171680	314690	0.018	0.052	0.018		<1	0.0054	0.0125		0.0138		
171681	314691	0.024	0.041	0.037		1.55	0.0078	0.0648		0.1012		
171682	314692	0.103	0.137	0.147		1.74	0.0133	0.2375		0.5744		
171683	314693	0.034	0.068	0.023		1.08	0.0042	0.0110		0.0177		
171684 Dup	314693	0.011	0.029	0.017		1.07	0.0041	0.0109		0.0170		
171685	314694	0.010	0.037	0.020		1.22	0.0053	0.0038		0.0311		
171686	314695	0.052	0.147	0.168		1.46	0.0099	0.0719		1.0972		
171687	314696	0.009	0.021	0.021		1.44	0.0058	0.0049		0.0346		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171688	314697	0.009	0.021	0.056		1.28	0.0056	0.0034		0.0343		
171689	314698	0.012	0.065	0.059		1.06	0.0053	0.0021		0.0283		
171690	314699	0.016	0.020	0.141		<1	0.0057	0.0057		0.0313		
171691	314700	0.025	0.065	0.116		1.08	0.0063	0.0057		0.0318		
171692	314701	0.030	0.058	0.996		<1	0.0057	0.0054		0.0318		
171693	314702	0.013	0.052	0.020		<1	0.0037	0.0060		0.0229		
171694	314703	0.020	0.032	0.096		<1	0.0039	0.0061		0.0248		
171695 Dup	314703	0.007	0.025	0.021		<1	0.0036	0.0058		0.0235		
171696	314704	0.012	<0.015	0.033		<1	0.0036	0.0040		0.0245		
171697	314705	0.010	<0.015	0.029		<1	0.0037	0.0041		0.0250		
171698	314706	0.008	0.036	0.015		<1	0.0041	0.0032		0.0244		
171699	314707	0.014	0.022	0.026		1.12	0.0039	0.0031		0.0237		
171700	314708	0.018	<0.015	0.040		1.10	0.0043	0.0036		0.0230		
171701	314709	0.018	0.041	0.028		<1	0.0039	0.0053		0.0225		
171702	314710	0.011	<0.015	0.024		1.12	0.0039	0.0048		0.0239		
171703	314711	0.017	<0.015	0.040		1.09	0.0042	0.0039		0.0216		
171704	314712	0.021	<0.015	0.134		<1	0.0040	0.0061		0.0229		
171705	314713	0.035	0.088	0.115		<1	0.0039	0.0057		0.0234		
171706 Dup	314713	0.021	<0.015	0.025		<1	0.0039	0.0056		0.0243		
171707	314714	0.010	<0.015	0.014		<1	0.0044	0.0071		0.0234		
171708	314715	0.006	<0.015	0.017		<1	0.0042	0.0068		0.0232		
171709	314716	0.011	<0.015	<0.01		1.06	0.0031	0.0059		0.0212		
171710	314717	0.013	<0.015	0.013		<1	0.0038	0.0062		0.0229		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171711	314718	0.010	<0.015	<0.01		<1	0.0041	0.0058		0.0208		
171712	314719	0.011	<0.015	<0.01		1.29	0.0044	0.0053		0.0231		
171713	314720	0.008	<0.015	<0.01		<1	0.0026	0.0041		0.0055		
171714	314721	0.014	<0.015	<0.01		<1	0.0028	0.0086		0.0056		
171715	314722	0.008	<0.015	0.020		1.05	0.0039	0.0018		0.0188		
171716	314723	0.011	<0.015	0.029		1.01	0.0039	0.0032		0.0215		
171717 Dup	314723	0.014	<0.015	0.023		1.05	0.0040	0.0029		0.0204		
171718	314724	0.008	<0.015	0.018		<1	0.0038	0.0043		0.0197		
171719	314725	0.008	0.019	0.034		<1	0.0038	0.0046		0.0196		
171720	314726	0.011	<0.015	0.016		<1	0.0038	0.0030		0.0236		
171721	314727	0.011	<0.015	0.030		<1	0.0036	0.0036		0.0216		
171722	314728	0.011	0.015	<0.01		<1	0.0019	0.0034		0.0047		
171723	314729	No Sample Received										
171724	314730	0.125	0.052	0.035		2.13	0.0048	0.1011		0.0694		
171725	314731	0.201	0.055	0.054		2.17	0.0056	0.2002		0.1411		
171726	314732	0.016	<0.015	0.054		1.32	0.0047	0.0208		0.0151		
171727	314733	0.161	0.113	0.089		3.69	0.0074	0.3403		0.1961		
171728 Dup	314733	0.168	0.105	0.071		4.05	0.0071	0.3200		0.1857		
171729	314734	0.196	0.159	0.178		3.38	0.0086	0.2893		0.1932		
171730	314735	0.034	0.037	0.045		1.69	0.0048	0.0518		0.0542		
171731	314736	0.005	0.018	0.159		1.16	0.0035	0.0069		0.0230		
171732	314737	0.034	0.017	0.010		1.46	0.0050	0.0402		0.0420		
171733	314738	0.145	0.202	0.151		2.95	0.0083	0.2837		0.1339		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171734	314739	0.272	0.171	0.087		4.07	0.0114	0.3655		0.2941		
171735	314740	0.388	0.164	0.088		5.90	0.0106	0.6207		0.4129		
171736	314741	0.076	0.143	0.106		2.26	0.0054	0.1989		0.1256		
171737	314742	0.092	0.129	0.107		2.64	0.0054	0.2042		0.2279		
171738	314743	0.019	0.020	<0.01		<1	0.0036	0.0250		0.0519		
171739 Dup	314743	0.019	<0.015	0.016		<1	0.0036	0.0242		0.0508		
171740	314744	0.006	0.029	0.032		<1	0.0032	0.0030		0.0196		
171741	314745	0.016	0.027	0.052		1.27	0.0036	0.0129		0.0314		
171742	314746	0.074	0.070	0.082		2.67	0.0063	0.1445		0.0726		
171743	314747	0.221	0.216	0.225		3.28	0.0082	0.3277		0.2324		
171744	314748	0.170	0.139	0.125		3.40	0.0049	0.1553		0.0936		
171745	314749	0.202	0.104	0.087		5.45	0.0078	0.3461		0.2593		
171746	314750	0.187	0.108	0.108		3.34	0.0072	0.3612		0.2746		
171747	314751	0.084	0.100	0.107		2.89	0.0066	0.3073		0.1952		
171748	314752	0.459	0.149	0.144		4.17	0.0075	0.4530		0.3135		
171749	314753	0.194	0.082	0.073		2.97	0.0072	0.2477		0.1576		
171750 Dup	314753	0.159	0.116	0.097		2.84	0.0072	0.2406		0.1533		
171751	314754	0.018	<0.015	0.027		<1	0.0030	0.0123		0.0296		
171752	314755	0.041	0.072	0.071		1.91	0.0054	0.0703		0.0831		
171753	314756	0.046	0.069	0.067		2.05	0.0065	0.0986		0.1431		
171754	314757	0.109	0.142	0.136		2.23	0.0052	0.1466		0.1388		
171755	314758	0.015	<0.015	0.023		1.85	0.0040	0.0182		0.0258		
171756	314759	0.016	<0.015	<0.01		1.64	0.0040	0.0099		0.0093		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171757	314760	0.013	<0.015	<0.01		1.88	0.0051	0.0080		0.0120		
171758	314761	0.016	<0.015	<0.01		1.98	0.0052	0.0101		0.0127		
171759	807278	No Sample Received										
171760	807279	No Sample Received										
171761	807280	No Sample Received										
171762 Dup	807280	No Sample Received										
171763	807281	No Sample Received										
171764	807282	No Sample Received										
171765	807283	No Sample Received										
171766	807284	No Sample Received										
171767	807285	No Sample Received										
171768	807286	No Sample Received										
171769	807287	No Sample Received										
171770	807288	No Sample Received										
171771	807289	No Sample Received										
171772	807290	No Sample Received										
171773 Dup	807290	No Sample Received										
171774	807291	No Sample Received										
171775	807292	No Sample Received										
171776	807293	No Sample Received										
171777	807294	No Sample Received										
171778	807295	No Sample Received										
171779	807296	No Sample Received										

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171780	807297					No Sample Received						
171781	807298					No Sample Received						
171782	807299					No Sample Received						
171783	807300					No Sample Received						
171784 Dup	807300					No Sample Received						
171785	807301					No Sample Received						
171786	807302					No Sample Received						
171787	807303					No Sample Received						
171788	807304					No Sample Received						
171789	807305					No Sample Received						
171790	807306					No Sample Received						
171791	807307					No Sample Received						
171792	807308					No Sample Received						
171793	807309					No Sample Received						
171794 Dup	807309					No Sample Received						
171795	807310					No Sample Received						
171796	807311					No Sample Received						
171797	807312					No Sample Received						
171798	807313					No Sample Received						
171799	807314					No Sample Received						
171800	807315					No Sample Received						
171801	807316					No Sample Received						
171802	807317					No Sample Received						

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171803	807318					No Sample Received						
171804	807319					No Sample Received						
171805	807320					No Sample Received						
171806 Dup	807320					No Sample Received						
171807	807321					No Sample Received						
171808	807322					No Sample Received						
171809	807323					No Sample Received						
171810	807324					No Sample Received						
171811	807325					No Sample Received						
171812	807326					No Sample Received						
171813	807327					No Sample Received						
171814	807328					No Sample Received						
171815	807329					No Sample Received						
171816	807330					No Sample Received						
171817 Dup	807330					No Sample Received						
171818	807331					No Sample Received						
171819	807332					No Sample Received						
171820	807333					No Sample Received						
171821	807334					No Sample Received						
171822	807335					No Sample Received						
171823	807336					No Sample Received						
171824	807337					No Sample Received						
171825	807338					No Sample Received						

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:



Jason Moore, General Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Thursday, August 2, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 9, 2007
Date Completed: Aug 2, 2007

Job #: 200742351
Reference:

Sample #: 390 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
171826	807339					No Sample Received						
171827	807340					No Sample Received						
171828 Dup	807340					No Sample Received						
171829	807341					No Sample Received						
171830	807342					No Sample Received						
171831	807343					No Sample Received						
171832	807344					No Sample Received						
171833	807345					No Sample Received						
171834	807346					No Sample Received						
171835	807347					No Sample Received						
171836	807348					No Sample Received						
171837	807349					No Sample Received						
171838	807350					No Sample Received						
171839 Dup	807350					No Sample Received						

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/02/2007 4:26 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157642	E807137	0.006	<0.015	<0.01		<1	0.0038	0.0116		0.0156		
157643	E807138	0.011	0.022	<0.01		<1	0.0039	0.0125		0.0209		
157644	E807139	0.010	<0.015	<0.01		1.09	0.0041	0.0188		0.0191		
157645	E807140	0.008	<0.015	<0.01		<1	0.0024	0.0108		0.0126		
157646	E807141	0.009	0.035	<0.01		<1	0.0034	0.0073		0.0116		
157647	E807142	0.010	0.026	<0.01		<1	0.0030	0.0098		0.0090		
157648	E807143	0.014	0.030	<0.01		<1	0.0034	0.0101		0.0164		
157649	E807144	0.014	0.041	<0.01		1.32	0.0041	0.0137		0.0200		
157650	E807145	0.012	0.023	<0.01		1.44	0.0053	0.0229		0.0374		
157651	E807146	0.013	0.023	<0.01		<1	0.0037	0.0193		0.0288		
157652 Dup	E807146	0.014	<0.015	<0.01		<1	0.0039	0.0200		0.0295		
157653	E807147	0.006	<0.015	<0.01		<1	0.0037	0.0120		0.0185		
157654	E807148	0.008	0.042	<0.01		<1	0.0035	0.0098		0.0191		
157655	E807149	0.017	0.036	<0.01		<1	0.0051	0.0172		0.0198		
157656	E807150	0.008	0.023	<0.01		<1	0.0040	0.0174		0.0201		
157657	E807151	0.011	0.040	<0.01		<1	0.0033	0.0122		0.0289		
157658	E807152	<0.005	0.017	<0.01		<1	0.0031	0.0092		0.0213		
157659	E807153	0.011	<0.015	<0.01		<1	0.0044	0.0283		0.0557		
157660	E807154	0.035	0.093	0.155		1.81	0.0101	0.0709		1.0900		
157661	E807155	0.008	<0.015	<0.01		<1	0.0040	0.0221		0.0150		
157662	E807156	0.006	<0.015	<0.01		1.37	0.0062	0.0264		0.0437		
157663 Dup	E807156	0.005	<0.015	<0.01		1.27	0.0056	0.0254		0.0403		
157664	E807157	0.012	0.060	0.013		1.65	0.0063	0.0426		0.0820		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157665	E807158	0.014	0.043	<0.01		1.65	0.0062	0.0423		0.0783		
157666	E807159	0.027	0.038	<0.01		2.15	0.0107	0.0883		0.2214		
157667	E807160	0.021	0.037	<0.01		1.99	0.0072	0.0497		0.0462		
157668	E807161	0.030	0.043	0.020		2.05	0.0084	0.0943		0.1866		
157669	E807162	0.012	0.026	0.011		2.04	0.0056	0.0069		0.0134		
157670	E807163	0.014	0.016	0.012		1.67	0.0053	0.0391		0.0836		
157671	E807164	0.055	0.045	0.029		2.02	0.0103	0.1729		0.3115		
157672	E807165	0.015	0.020	0.016		1.34	0.0044	0.0269		0.0760		
157673	E807166	0.059	0.046	0.022		2.58	0.0104	0.1254		0.2574		
157674 Dup	E807166	0.050	0.059	0.033		2.59	0.0109	0.1386		0.2662		
157675	E807167	0.015	0.034	0.019		1.05	0.0033	0.0291		0.0392		
157676	E807168	0.014	0.084	0.065		1.17	0.0043	0.0172		0.0485		
157677	E807169	0.009	0.039	0.030		<1	0.0040	0.0080		0.0374		
157678	E807170	0.009	0.029	0.021		<1	0.0032	<0.0001		0.0230		
157679	E807171	0.010	0.034	0.015		1.43	0.0039	0.0029		0.0218		
157680	E807172	0.018	0.062	0.046		1.18	0.0053	0.0288		0.0707		
157681	E807173	<0.005	<0.015	<0.01		1.04	0.0026	0.0036		0.0059		
157682	E807174	<0.005	<0.015	<0.01		1.05	0.0022	0.0033		0.0052		
157683	E807175	<0.005	<0.015	<0.01		1.05	0.0022	0.0038		0.0051		
157684	E807176	0.034	0.023	0.010		2.25	0.0178	0.0817		0.4161		
157685 Dup	E807176	0.031	0.020	<0.01		2.23	0.0176	0.0786		0.4072		
157686	E807177	0.026	0.018	<0.01		1.51	0.0086	0.0676		0.1298		
157687	E807178	<0.005	<0.015	<0.01		<1	0.0027	0.0263		0.0248		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157688	E807179	<0.005	<0.015	<0.01		<1	0.0038	0.0125		0.0075		
157689	E807180	0.012	0.016	<0.01		1.17	0.0045	0.0201		0.0293		
157690	E807181	0.020	0.019	<0.01		1.04	0.0053	0.0376		0.0696		
157691	E807182	0.045	0.033	0.011		1.61	0.0129	0.1511		0.2673		
157692	E807183	0.067	0.056	0.024		2.98	0.0158	0.3281		0.4955		
157693	E807184	0.084	0.092	0.037		2.60	0.0223	0.1914		1.9824		
157694	E807185	0.129	0.119	<0.01		4.45	0.0616	0.7622		1.5052		
157695	E807186	0.100	0.093	0.014		2.63	0.0192	0.1867		0.6883		
157696 Dup	E807186	0.073	0.100	0.028		2.34	0.0225	0.1834		0.7300		
157697	E807187	0.038	0.090	0.027		2.52	0.0194	0.1871		0.7518		
157698	E807188	0.005	<0.015	<0.01		1.61	0.0048	0.0065		0.0190		
157699	E807189	0.203	0.096	0.023		1.96	0.0240	0.1274		0.5851		
157700	E807190	0.059	0.056	0.013		1.74	0.0083	0.1755		0.2961		
157701	E807191	0.019	0.027	<0.01		1.31	0.0056	0.0650		0.0858		
157702	E807192	0.028	0.048	0.011		1.50	0.0068	0.0705		0.1054		
157703	E807193	0.030	0.038	<0.01		1.36	0.0050	0.0452		0.0580		
157704	E807194	0.171	0.044	<0.01		2.73	0.0083	0.3088		0.2302		
157705	E807195	0.017	0.022	<0.01		1.29	0.0056	0.0305		0.0233		
157706	E807196	0.012	<0.015	<0.01		1.24	0.0055	0.0203		0.0186		
157707 Dup	E807196	0.014	0.057	0.011		1.15	0.0055	0.0194		0.0186		
157708	E807197	0.067	0.075	0.024		2.23	0.0127	0.2312		0.4430		
157709	E807198	0.007	0.021	<0.01		1.05	0.0040	0.0052		0.0247		
157710	E807199	0.025	0.030	<0.01		1.26	0.0042	0.0551		0.0355		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:



Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157711	E807200	0.064	0.155	0.186		1.73	0.0093	0.0677		1.0970		
157712	E807201	0.160	0.069	0.011		3.05	0.0092	0.2532		0.2946		
157713	E807202	0.023	0.018	<0.01		2.01	0.0057	0.0401		0.0716		
157714	E807203	0.946	0.116	0.027		5.18	0.0294	0.7138		0.9886		
157715	E807204	0.015	0.025	<0.01		1.25	0.0058	0.0112		0.0189		
157716	E807205	0.024	0.022	<0.01		1.17	0.0042	0.0295		0.0418		
157717	E807206	0.106	0.069	0.013		2.20	0.0183	0.2082		0.4567		
157718 Dup	E807206	0.095	0.057	<0.01		2.17	0.0167	0.1987		0.4451		
157719	E807207	0.058	0.056	<0.01		1.95	0.0100	0.2248		0.3287		
157720	E807208	0.032	0.029	<0.01		1.66	0.0072	0.0967		0.1936		
157721	E807209	0.009	<0.015	<0.01		1.57	0.0049	0.0122		0.0316		
157722	E807210	0.009	<0.015	<0.01		1.73	0.0057	0.0077		0.0258		
157723	E807211	0.057	0.041	<0.01		1.46	0.0095	0.0541		0.1539		
157724	E807212	0.014	0.019	0.016		1.39	0.0064	0.0280		0.0563		
157725	E807213	0.011	<0.015	0.010		1.17	0.0055	0.0487		0.0770		
157726	E807214	0.028	0.133	0.016		1.21	0.0053	0.0638		0.0985		
157727	E807215	0.016	<0.015	<0.01		1.03	0.0050	0.0482		0.0950		
157728	E807216	0.023	0.034	<0.01		1.22	0.0047	0.0729		0.1006		
157729 Dup	E807216	0.029	0.042	<0.01		1.13	0.0052	0.0791		0.1053		
157730	E807217	0.047	<0.015	<0.01		1.62	0.0090	0.1229		0.2175		
157731	E807218	0.047	0.028	0.014		2.06	0.0113	0.1305		0.3457		
157732	E807219	0.031	<0.015	<0.01		2.21	0.0083	0.0665		0.2179		
157733	E807220	0.042	0.054	<0.01		2.15	0.0085	0.1348		0.1282		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157734	E807221	0.006	<0.015	<0.01		1.45	0.0048	0.0114		0.0163		
157735	E807222	0.011	<0.015	<0.01		1.68	0.0044	0.0166		0.0182		
157736	E807223	0.009	<0.015	<0.01		2.04	0.0048	0.0100		0.0179		
157737	E807224	0.008	<0.015	<0.01		2.21	0.0068	0.0399		0.0875		
157738	E807225	0.014	0.032	<0.01		2.34	0.0051	0.0128		0.0316		
157739	E807226	0.019	<0.015	<0.01		2.27	0.0059	0.0113		0.0213		
157740 Dup	E807226	0.014	0.018	<0.01		2.22	0.0059	0.0113		0.0202		
157741	E807227	0.132	0.058	0.020		4.80	0.0151	0.4243		0.8023		
157742	E807228	0.379	0.196	0.121		7.17	0.0183	1.7846		0.9870		
157743	E807229	0.304	0.406	0.309		4.98	0.0128	0.5510		0.4855		
157744	E807230	0.054	0.016	<0.01		3.78	0.0602	0.7617		1.5089		
157745	E807231	0.097	0.144	0.148		2.29	0.0079	0.1646		0.2012		
157746	E807232	0.012	0.029	0.033		<1	0.0025	0.0079		0.0089		
157747	E807233	0.008	<0.015	<0.01		1.44	0.0048	0.0116		0.0101		
157748	E807234	0.006	<0.015	<0.01		1.30	0.0039	0.0068		0.0082		
157749	E807235	0.045	0.018	<0.01		1.83	0.0127	0.1636		0.2703		
157750	E807236	0.036	0.029	0.018		1.51	0.0097	0.0871		0.1670		
157751 Dup	E807236	0.038	0.034	0.019		1.45	0.0097	0.0885		0.1701		
157752	E807237	0.046	<0.015	<0.01		1.63	0.0120	0.0919		0.3915		
157753	E807238	0.020	<0.015	<0.01		<1	0.0068	0.0558		0.1032		
157754	E807239	0.013	<0.015	<0.01		<1	0.0043	0.0198		0.0281		
157755	E807240	0.008	<0.015	<0.01		1.09	0.0033	0.0072		0.0074		
157756	E807241	0.017	<0.015	<0.01		1.07	0.0038	0.0283		0.0477		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:



Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157757	E807242	0.016	<0.015	<0.01		1.33	0.0053	0.0341		0.0510		
157758	E807243	0.026	<0.015	<0.01		1.84	0.0062	0.0467		0.0682		
157759	E807244	0.020	<0.015	<0.01		1.29	0.0037	0.0340		0.0392		
157760	E807245	0.021	<0.015	<0.01		1.58	0.0044	0.0225		0.0165		
157761	E807246	0.029	0.051	0.034		1.96	0.0072	0.0437		0.0946		
157762 Dup	E807246	0.022	0.054	0.050		1.92	0.0071	0.0439		0.0964		
157763	E807247	0.017	0.019	0.014		1.56	0.0049	0.0222		0.0533		
157764	E807248	0.095	0.115	0.057		5.21	0.0232	0.3484		1.1811		
157765	E807249	0.271	0.160	0.089		4.17	0.0130	0.3803		0.3761		
157766	E807250	0.086	0.071	0.049		2.26	0.0061	0.1393		0.1364		
157767	E807251	0.122	0.124	0.051		3.39	0.0080	0.2644		0.1953		
157768	E807252	0.110	0.111	0.060		4.41	0.0202	0.2935		0.8131		
157769	E807253	0.232	0.068	0.045		3.74	0.0134	0.2289		0.4064		
157770	E807254	0.019	0.040	0.021		2.75	0.0103	0.0829		0.1583		
157771	E807255	0.058	0.041	0.029		2.27	0.0077	0.0647		0.1474		
157772	E807256	0.019	0.018	0.023		2.05	0.0066	0.0299		0.0724		
157773 Dup	E807256	0.025	0.040	0.035		2.05	0.0072	0.0308		0.0781		
157774	E807257	0.068	0.140	0.196		2.28	0.0104	0.0703		1.0914		
157775	E807258	0.060	0.019	0.032		3.10	0.0198	0.1614		0.4673		
157776	E807259	0.083	<0.015	<0.01		2.98	0.0091	0.1213		0.1862		
157777	E807260	0.034	<0.015	<0.01		4.76	0.0086	0.3456		0.2107		
157778	E807261	0.006	<0.015	<0.01		3.01	0.0055	0.0208		0.0145		
157779	E807262	0.306	0.133	0.041		5.99	0.0177	0.3942		0.3948		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157780	E807263	0.376	0.110	0.052		10.83	0.0182	0.6317		0.5557		
157781	E807264	0.103	0.024	0.025		6.41	0.0098	0.4003		0.3710		
157782	E807265	0.249	0.069	0.029		7.18	0.0120	0.5141		0.3876		
157783	E807266	0.369	0.117	0.054		8.16	0.0122	0.5840		0.4477		
157784 Dup	E807266	0.275	0.043	0.026		8.13	0.0122	0.5909		0.4738		
157785	E807267	0.493	0.166	0.113		10.53	0.0143	0.7520		0.6089		
157786	E807268	0.238	0.159	0.137		5.74	0.0083	0.2419		0.2032		
157787	E807269	0.168	0.099	0.157		4.54	0.0061	0.2906		0.1500		
157788	E807270	0.063	0.042	0.072		2.71	0.0045	0.1012		0.0545		
157789	E807271	0.048	0.084	0.058		3.18	0.0054	0.1074		0.1017		
157790	E807272	0.015	<0.015	0.013		2.27	0.0051	0.0152		0.0125		
157791	E807273	0.008	<0.015	<0.01		1.61	0.0014	0.0046		0.0031		
157792	E807274	0.011	0.019	0.043		1.64	0.0042	0.0370		0.0568		
157793	E807275	0.015	<0.015	0.018		3.15	0.0044	0.0148		0.0183		
157794	E807276	0.007	<0.015	0.011		1.97	0.0041	0.0100		0.0096		
157795 Dup	E807276	0.009	<0.015	<0.01		2.09	0.0040	0.0096		0.0089		
157796	E807277	0.046	0.051	0.151		3.00	0.0096	0.0699		1.0995		
157797	E807278	0.006	<0.015	<0.01		1.79	0.0021	0.0047		0.0063		
157798	E807279	0.010	<0.015	<0.01		1.69	0.0022	0.0069		0.0077		
157799	E807280	<0.005	<0.015	<0.01		1.27	0.0033	0.0065		0.0257		
157800	E807281	0.009	0.024	<0.01		<1	0.0034	0.0061		0.0191		
157801	E807282	0.007	0.027	0.022		1.17	0.0034	0.0067		0.0240		
157802	E807283	0.085	0.025	0.021		2.10	0.0048	0.1080		0.0713		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157803	E807284	0.311	0.082	0.030		3.70	0.0089	0.4004		0.2304		
157804	E807285	0.016	<0.015	<0.01		1.84	0.0050	0.1000		0.0619		
157805	E807286	0.034	0.033	0.018		1.81	0.0048	0.0847		0.0496		
157806 Dup	E807286	0.027	0.028	<0.01		1.86	0.0050	0.0856		0.0511		
157807	E807287	0.034	<0.015	<0.01		3.16	0.0144	0.1192		0.1932		
157808	E807288	0.116	0.034	<0.01		8.47	0.0244	1.9459		0.3769		
157809	E807289	0.017	<0.015	<0.01		2.39	0.0058	0.0786		0.1083		
157810	E807290	0.009	<0.015	<0.01		1.90	0.0041	0.0141		0.0444		
157811	E807291	0.037	0.055	0.011		3.47	0.0258	0.2978		1.2955		
157812	E807292	0.049	0.030	<0.01		2.86	0.0230	0.2292		0.6349		
157813	E807293	0.011	<0.015	<0.01		1.57	0.0038	0.0142		0.0119		
157814	E807294	0.013	<0.015	<0.01		2.68	0.0052	0.0535		0.0544		
157815	E807295	0.006	<0.015	<0.01		2.27	0.0047	0.0110		0.0180		
157816	E807296	0.019	0.025	<0.01		2.55	0.0063	0.0570		0.0853		
157817 Dup	E807296	0.022	0.015	<0.01		2.45	0.0065	0.0582		0.0851		
157818	E807297	0.055	0.069	0.152		2.56	0.0094	0.0683		1.0868		
157819	E807298	0.036	0.035	0.011		2.76	0.0101	0.1537		0.2641		
157820	E807299	0.049	0.041	<0.01		2.58	0.0115	0.1928		0.3087		
157821	E807300	0.218	0.080	<0.01		3.11	0.0155	0.3682		0.4878		
157822	E807301	0.133	0.073	0.018		3.13	0.0149	0.3081		0.5514		
157823	E807302	0.071	0.056	0.011		2.90	0.0154	0.3658		0.6301		
157824	E807303	0.039	0.038	<0.01		2.86	0.0147	0.2621		0.6048		
157825	E807304	0.062	0.051	0.022		2.71	0.0267	0.2886		1.2419		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157826	E807305	0.079	0.133	0.016		4.64	0.0311	2.0365		1.1655		
157827	E807306	0.079	0.119	0.024		2.88	0.0162	0.3173		0.5523		
157828 Dup	E807306	0.078	0.124	0.037		3.07	0.0172	0.3328		0.5769		
157829	E807307	0.062	0.032	0.011		2.29	0.0107	0.2607		0.2904		
157830	E807308	0.040	0.088	0.025		1.44	0.0032	0.0604		0.0625		
157831	E807309	0.421	0.042	0.014		1.09	0.0025	0.0090		0.0215		
157832	E807310	0.083	0.033	0.014		<1	0.0020	0.0037		0.0043		
157833	E807311	0.014	0.025	0.016		1.54	0.0056	0.0317		0.0200		
157834	E807312	0.030	0.054	0.016		1.65	0.0083	0.0875		0.1615		
157835	E807313	0.102	0.113	0.044		2.23	0.0179	0.1816		0.6341		
157836	E807314	0.100	0.081	0.031		1.49	0.0065	0.1440		0.1130		
157837	E807315	0.019	0.029	0.022		1.21	0.0054	0.0361		0.0532		
157838	E807316	0.013	0.035	<0.01		1.98	0.0055	0.0392		0.0409		
157839 Dup	E807316	0.009	0.028	0.012		1.73	0.0060	0.0414		0.0417		
157840	E807317	0.015	0.020	0.012		1.09	0.0042	0.0063		0.0187		
157841	E807318	0.046	0.051	0.022		2.29	0.0058	0.2183		0.1075		
157842	E807319	0.048	0.161	0.156		1.88	0.0101	0.0686		1.0922		
157843	E807320	0.084	0.071	0.031		2.12	0.0088	0.2086		0.2354		
157844	E807321	0.007	0.034	0.021		<1	0.0030	0.0085		0.0079		
157845	E807322	0.012	0.053	0.026		<1	0.0029	0.0048		0.0059		
157846	E807323	0.044	0.083	0.032		1.90	0.0105	0.1048		0.2789		
157847	E807324	0.019	0.033	0.025		1.24	0.0046	0.0365		0.0723		
157848	E807325	0.070	0.054	0.023		1.18	0.0042	0.0954		0.0737		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157849	E807326	0.106	0.044	<0.01		2.08	0.0064	0.1108		0.1575		
157850 Dup	E807326	0.085	0.051	<0.01		1.75	0.0063	0.1099		0.1549		
157851	E807327	0.044	0.061	0.023		1.75	0.0086	0.0874		0.1888		
157852	E807328	0.086	0.071	0.017		2.41	0.0093	0.2172		0.2365		
157853	E807329	0.009	<0.015	<0.01		1.44	0.0061	0.0154		0.0211		
157854	E807330	0.005	<0.015	<0.01		1.15	0.0030	0.0055		0.0068		
157855	E807331	0.010	0.016	<0.01		1.61	0.0055	0.0141		0.0221		
157856	E807332	0.014	<0.015	<0.01		1.51	0.0058	0.0127		0.0131		
157857	E807333	0.010	<0.015	<0.01		1.56	0.0056	0.0159		0.0153		
157858	E807334	0.007	0.019	<0.01		1.13	0.0048	0.0137		0.0193		
157859	E807335	0.008	<0.015	<0.01		1.20	0.0049	0.0148		0.0197		
157860	E807336	0.010	0.020	<0.01		1.63	0.0061	0.0125		0.0219		
157861 Dup	E807336	0.010	0.025	<0.01		1.57	0.0059	0.0120		0.0123		
157862	E807337	0.053	0.030	<0.01		1.96	0.0099	0.1658		0.2549		
157863	E807338	0.012	<0.015	<0.01		1.36	0.0058	0.0151		0.0144		
157864	E807339	0.014	<0.015	<0.01		1.75	0.0048	0.0151		0.0120		
157865	E807340	0.012	0.026	<0.01		1.64	0.0049	0.0138		0.0129		
157866	E807341	0.038	0.019	<0.01		1.55	0.0057	0.0528		0.0679		
157867	E807342	0.010	0.022	<0.01		1.40	0.0047	0.0116		0.0337		
157868	E807343	0.087	0.154	0.192		2.46	0.0095	0.0711		1.0804		
157869	E807344	0.037	0.036	<0.01		2.18	0.0121	0.1102		0.3546		
157870	E807345	0.023	0.041	<0.01		1.68	0.0073	0.0843		0.1656		
157871	E807346	0.034	0.041	<0.01		1.89	0.0109	0.1617		0.3353		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157872 Dup	E807346	0.045	0.038	<0.01		1.98	0.0107	0.1592		0.3299		
157873	E807347	0.023	<0.015	<0.01		2.05	0.0064	0.1170		0.0828		
157874	E807348	0.028	0.022	0.014		2.03	0.0075	0.1012		0.1799		
157875	E807349	0.010	<0.015	<0.01		1.61	0.0048	0.0157		0.0125		
157876	E807350					No Sample Received						
157877	E807435	0.027	0.034	0.026		1.38	0.0039	0.0450		0.0273		
157878 Dup	E807435	0.019	0.026	0.035		1.45	0.0034	0.0434		0.0272		
157879	E807436	0.022	0.048	0.034		1.41	0.0044	0.0383		0.0247		
157880	E807437	0.007	0.020	<0.01		1.62	0.0040	0.0494		0.0384		
157881	E807438	0.083	0.044	0.032		2.16	0.0065	0.1416		0.0790		
157882	E807439	0.069	0.049	0.021		2.42	0.0070	0.1681		0.1156		
157883	E807440	0.008	<0.015	<0.01		1.28	0.0047	0.0283		0.1136		
157884	E807441	0.028	0.027	0.010		1.43	0.0037	0.0224		0.0277		
157885	E807442	0.042	0.031	<0.01		1.33	0.0045	0.0410		0.0480		
157886	E807443	0.012	<0.015	<0.01		1.02	0.0040	0.0137		0.0402		
157887	E807444	0.088	0.027	<0.01		1.58	0.0060	0.1037		0.1096		
157888	E807445	0.193	0.100	0.025		3.55	0.0110	0.3781		0.3833		
157889 Dup	E807445	0.208	0.086	0.035		3.73	0.0120	0.3921		0.4086		
157890	E807446	0.030	0.027	0.016		1.99	0.0068	0.0372		0.1196		
157891	E807447	0.015	<0.015	0.010		1.94	0.0058	0.0254		0.0528		
157892	E807448	0.023	0.017	<0.01		1.54	0.0050	0.0173		0.0421		
157893	E807449	0.009	<0.015	<0.01		<1	0.0036	0.0078		0.0247		
157894	E807450	0.013	0.018	0.010		<1	0.0028	0.0174		0.0271		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157895	E807451	0.010	<0.015	<0.01		<1	0.0024	0.0148		0.0199		
157896	E807452	0.070	0.132	0.157		1.99	0.0095	0.0681		1.0878		
157897	E807453	0.025	0.025	0.017		<1	0.0043	0.0409		0.0298		
157898	E807454	0.015	0.015	0.011		<1	0.0042	0.0367		0.0547		
157899	E807455	0.015	<0.015	<0.01		<1	0.0042	0.0133		0.0471		
157900 Dup	E807455	0.011	0.020	0.011		<1	0.0046	0.0137		0.0491		
157901	E807456	0.017	0.023	<0.01		1.22	0.0059	0.0338		0.0908		
157902	E807457	0.013	<0.015	<0.01		<1	0.0044	0.0195		0.0222		
157903	E807458	0.018	0.028	0.022		<1	0.0044	0.0281		0.0445		
157904	E807459	0.012	<0.015	0.021		1.08	0.0043	0.0217		0.0238		
157905	E807460	0.009	<0.015	0.024		<1	0.0043	0.0236		0.0567		
157906	E807461	0.009	0.023	0.021		<1	0.0049	0.0192		0.0444		
157907	E807462	0.011	<0.015	0.033		1.02	0.0043	0.0137		0.0144		
157908	E807463	0.006	<0.015	0.027		<1	0.0044	0.0142		0.0234		
157909	E807464	0.020	0.021	0.032		1.06	0.0058	0.0535		0.0673		
157910	E807465	0.013	0.023	0.025		<1	0.0057	0.0098		0.0752		
157911 Dup	E807465	0.006	0.026	<0.01		<1	0.0059	0.0104		0.0812		
157912	E807466	0.020	<0.015	<0.01		1.16	0.0062	0.0378		0.0706		
157913	E807467	0.013	<0.015	<0.01		<1	0.0053	0.0424		0.0555		
157914	E807468	0.068	0.076	0.017		1.89	0.0160	0.2687		0.5173		
157915	E807469	0.012	<0.015	<0.01		<1	0.0056	0.0235		0.0498		
157916	E807470	0.035	0.035	<0.01		1.05	0.0061	0.0956		0.0971		
157917	E807471	0.006	<0.015	<0.01		<1	0.0047	0.0155		0.0529		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157918	E807472	0.006	<0.015	<0.01		<1	0.0029	0.0045		0.0143		
157919	E807473	0.006	<0.015	<0.01		1.02	0.0040	0.0081		0.0104		
157920	E807474	0.006	<0.015	<0.01		<1	0.0019	0.0024		0.0039		
157921	E807475	0.008	<0.015	<0.01		<1	0.0016	0.0040		0.0041		
157922 Dup	E807475	<0.005	<0.015	<0.01		<1	0.0016	0.0039		0.0036		
157923	E807476	0.027	0.046	<0.01		1.20	0.0096	0.1174		0.2705		
157924	E807477	0.050	<0.015	<0.01		3.49	0.0608	0.7460		1.4963		
157925	E807478	0.038	0.043	<0.01		1.31	0.0153	0.1669		0.4877		
157926	E807479	0.016	0.018	<0.01		1.11	0.0080	0.0601		0.1899		
157927	E807480	0.011	<0.015	<0.01		<1	0.0052	0.0540		0.1168		
157928	E807481	0.064	0.027	0.015		4.55	0.0235	1.3718		1.1214		
157929	E807482	0.127	0.116	0.103		5.05	0.0905	1.0383		4.7419		
157930	E807483	0.082	0.070	0.041		2.88	0.0514	0.7261		1.4772		
157931	E807484	0.015	<0.015	0.023		1.36	0.0133	0.0806		0.2976		
157932	E807485	0.011	<0.015	<0.01		<1	0.0051	0.0272		0.0825		
157933	E807486	0.014	<0.015	<0.01		<1	0.0050	0.0214		0.0351		
157934	E807487	0.007	<0.015	0.012		1.26	0.0051	0.0244		0.0689		
157935	E807488	0.013	<0.015	<0.01		1.18	0.0072	0.0628		0.1688		
157936	E807489	0.015	0.017	0.016		1.08	0.0047	0.0221		0.1014		
157937	E807490	0.054	0.089	0.037		6.07	0.0911	1.9631		2.0343		
157938	E807491	0.048	0.029	0.013		2.78	0.0155	0.4042		0.5509		
157939	E807492	0.016	0.027	0.014		1.24	0.0059	0.0289		0.0222		
157940	E807493	0.041	0.024	0.014		2.14	0.0112	0.1146		0.2364		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157941	E807494	0.020	0.021	0.019		1.56	0.0055	0.0223		0.0421		
157942	E807495	0.024	0.021	0.017		1.39	0.0055	0.0207		0.0598		
157943 Dup	E807495	0.018	<0.015	0.011		1.33	0.0053	0.0190		0.0569		
157944	E807496	0.054	0.032	0.013		1.45	0.0071	0.0545		0.1425		
157945	E807497	0.032	0.027	<0.01		1.60	0.0081	0.0827		0.2335		
157946	E807498	0.155	0.119	0.036		3.21	0.0473	0.4206		1.5213		
157947	E807499	0.065	0.032	0.019		3.42	0.0607	0.7531		1.4953		
157948	E807500	0.251	0.100	0.032		2.79	0.0254	0.4419		1.0714		
157949	313501	0.115	0.092	0.031		3.49	0.0180	0.5888		0.6363		
157950	313502	0.064	0.087	0.038		3.17	0.0176	0.4114		1.4036		
157951	313503	0.026	0.029	0.020		1.35	0.0047	0.0586		0.1139		
157952	313504	0.011	0.045	<0.01		1.56	0.0041	0.0338		0.0339		
157953	313505	0.006	0.025	<0.01		1.20	0.0034	0.0128		0.0188		
157954 Dup	313505	<0.005	0.027	<0.01		1.37	0.0030	0.0135		0.0187		
157955	313506	0.008	<0.015	<0.01		1.47	0.0034	0.0266		0.0286		
157956	313507	0.012	0.030	<0.01		1.64	0.0043	0.0375		0.0486		
157957	313508	<0.005	0.032	<0.01		1.80	0.0025	0.0196		0.0194		
157958	313509	<0.005	0.024	<0.01		1.38	0.0002	0.0097		0.0044		
157959	313510	<0.005	0.025	<0.01		1.30	<0.0001	0.0033		0.0026		
157960	313511	<0.005	0.034	<0.01		1.30	<0.0001	0.0020		0.0023		
157961	313512	0.006	0.032	<0.01		1.45	<0.0001	0.0018		0.0023		
157962	313513	0.010	0.025	<0.01		2.11	0.0051	0.0471		0.0872		
157963	313514	0.010	0.036	<0.01		1.70	0.0046	0.0512		0.1025		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157964	313515	0.006	0.026	0.013		<1	0.0045	0.0508		0.0984		
157965 Dup	313515	0.018	0.044	<0.01		1.70	0.0044	0.0497		0.1000		
157966	313516	0.012	0.042	<0.01		1.72	0.0111	0.0346		0.1394		
157967	313517	0.104	0.096	<0.01		3.00	0.0114	0.2243		0.3282		
157968	313518	0.052	0.023	<0.01		2.20	0.0015	0.0769		0.0380		
157969	313519	<0.005	0.029	<0.01		1.86	0.0031	0.0096		0.0113		
157970	313520	0.185	0.043	<0.01		2.38	0.0053	0.0543		0.0816		
157971	313521	0.047	0.053	<0.01		2.47	0.0084	0.1209		0.1774		
157972	313522	0.010	0.026	<0.01		1.83	0.0036	0.0184		0.0189		
157973	313523	0.017	0.030	0.018		1.80	0.0036	0.0228		0.0188		
157974	313524	0.013	0.028	<0.01		2.06	0.0047	0.0424		0.0711		
157975	313525	0.031	0.025	<0.01		1.87	0.0052	0.0637		0.1065		
157976 Dup	313525	0.030	0.044	<0.01		2.01	0.0054	0.0625		0.1117		
157977	313526	0.059	0.055	0.016		2.16	0.0067	0.0803		0.1254		
157978	313527	0.014	0.068	0.023		1.70	0.0018	0.0144		0.0181		
157979	313528	0.016	0.024	0.011		1.88	0.0040	0.0238		0.0215		
157980	313529	0.008	0.041	0.021		1.39	<0.0001	0.0043		0.0013		
157981	313530	0.045	0.049	0.016		2.37	0.0076	0.0916		0.1919		
157982	313531	0.054	0.034	0.015		4.39	0.0595	0.7548		1.5184		
157983	313532	0.029	0.075	0.025		2.52	0.0072	0.0670		0.2079		
157984	313533	0.345	0.135	0.054		3.89	0.0237	0.3902		0.8581		
157985	313534	0.029	0.040	0.018		2.28	0.0034	0.0477		0.0564		
157986	313535	0.011	0.029	0.015		2.32	0.0039	0.0193		0.0312		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
157987 Dup	313535	0.011	0.046	0.022		2.38	0.0044	0.0205		0.0343		
157988	313536	0.015	0.028	0.032		2.46	0.0045	0.0360		0.0649		
157989	313537	0.018	0.048	0.017		2.30	0.0032	0.0288		0.0580		
157990	313538	0.039	0.079	0.035		1.51	0.0154	0.0852		0.2349		
157991	313539	0.060	0.057	0.026		1.88	0.0080	0.1210		0.2554		
157992	313540	0.023	0.029	0.023		1.57	0.0067	0.0456		0.0779		
157993	313541	0.103	0.068	0.025		2.55	0.0129	0.2046		0.4207		
157994	313542	0.090	0.025	0.021		2.64	0.0088	0.2213		0.2001		
157995	313543	0.192	0.100	0.038		3.04	0.0083	0.2971		0.2368		
157996	313544	0.395	0.102	0.024		7.93	0.0113	0.5976		0.2542		
157997	313545	0.080	0.053	0.022		3.37	0.0621	0.7559		1.4812		
157998	313546	0.562	0.245	0.102		6.57	0.0217	0.6654		0.7073		
157999 Dup	313546	0.486	0.244	0.093		6.54	0.0216	0.6665		0.7410		
158000	313547	0.834	0.236	0.093		8.24	0.0181	0.7913		0.8254		
158001	313548	0.303	0.156	0.108		4.65	0.0100	0.5651		0.3068		
158002	313549	0.093	0.189	0.163		3.12	0.0107	0.3204		0.2382		
158003	313550	0.057	0.063	0.051		2.72	0.0076	0.2562		0.1815		
158004	313551	0.133	0.229	0.215		2.68	0.0070	0.2450		0.2051		
158005	313552	0.075	0.216	0.194		3.55	0.0086	0.2919		0.2950		
158006	313553	0.148	0.141	0.090		3.96	0.0069	0.3126		0.1778		
158007	313554	0.018	0.016	<0.01		1.87	0.0027	0.0076		0.0168		
158008	313555	0.012	<0.015	<0.01		2.48	0.0050	0.0084		0.0172		
158009 Dup	313555	0.014	0.019	<0.01		2.40	0.0053	0.0083		0.0176		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
158010	313556	0.013	0.015	<0.01		2.06	0.0041	0.0064		0.0142		
158011	313557	0.013	<0.015	<0.01		2.38	0.0059	0.0151		0.0139		
158012	313558	0.017	<0.015	<0.01		2.36	0.0055	0.0186		0.0159		
158013	313559	0.010	<0.015	<0.01		2.03	0.0052	0.0120		0.0120		
158014	313560	0.010	<0.015	<0.01		1.28	0.0014	0.0039		0.0041		
158015	313561	0.014	0.016	<0.01		1.98	0.0053	0.0148		0.0210		
158016	313562	0.013	0.020	<0.01		2.07	0.0051	0.0159		0.0211		
158017	313563	0.013	<0.015	<0.01		2.00	0.0048	0.0184		0.0344		
158018	313564	0.010	<0.015	<0.01		2.01	0.0051	0.0141		0.0252		
158019	313565	0.025	0.044	0.014		2.71	0.0115	0.1435		0.2953		
158020 Dup	313565	0.034	0.038	0.013		2.76	0.0120	0.1435		0.3106		
158021	313566	<0.005	<0.015	<0.01		1.46	0.0022	0.0046		0.0055		
158022	313567	0.005	<0.015	<0.01		1.36	0.0021	0.0062		0.0060		
158023	313568	0.017	<0.015	<0.01		2.50	0.0101	0.0872		0.1954		
158024	313569	0.187	0.057	0.028		5.09	0.0146	0.6888		0.6842		
158025	313570	0.023	0.020	<0.01		1.02	0.0024	0.0282		0.0371		
158026	313571	0.061	0.054	<0.01		1.87	0.0134	0.1516		0.5802		
158027	313572	0.141	0.146	0.030		3.17	0.0270	0.4527		1.0750		
158028	313573	0.082	0.077	0.043		3.74	0.0264	0.8074		1.2717		
158029	313574	0.054	0.072	0.016		4.30	0.0107	0.1805		0.1678		
158030	313575	0.058	0.053	0.036		2.09	0.0120	0.1354		0.2682		
158031 Dup	313575	0.050	0.082	0.038		2.16	0.0120	0.1313		0.2666		
158032	313576	0.090	0.046	0.012		1.88	0.0071	0.2034		0.1948		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
158033	313577	0.179	0.098	0.039		2.93	0.0081	0.4404		0.3419		
158034	313578	0.066	0.054	0.021		1.78	0.0101	0.1835		0.3501		
158035	313579	0.068	0.068	0.018		1.67	0.0072	0.1307		0.2316		
158036	313580	0.086	0.053	0.026		1.73	0.0151	0.1345		0.3691		
158037	313581	0.047	0.091	0.016		1.02	0.0058	0.0450		0.1247		
158038	313582	0.042	0.047	0.020		1.33	0.0041	0.0566		0.0574		
158039	313583	0.313	0.050	0.022		1.40	0.0068	0.1108		0.0913		
158040	313584	0.012	0.025	<0.01		1.15	0.0069	0.0302		0.0277		
158041	313585	0.048	0.062	<0.01		2.19	0.0126	0.0982		0.2200		
158042 Dup	313585	0.039	0.054	<0.01		2.06	0.0118	0.0944		0.2118		
158043	313586	0.056	0.044	<0.01		2.11	0.0054	0.1174		0.1103		
158044	313587	0.025	0.033	<0.01		1.60	0.0045	0.0724		0.0661		
158045	313588	0.042	0.034	<0.01		1.51	0.0041	0.0741		0.0683		
158046	313589	0.039	0.054	<0.01		1.40	0.0057	0.0359		0.1354		
158047	313590	0.060	0.065	<0.01		2.24	0.0111	0.2439		0.3170		
158048	313591	0.078	0.056	0.025		1.85	0.0098	0.1588		0.2440		
158049	313592	0.008	<0.015	0.028		<1	0.0035	0.0054		0.0114		
158050	313593	0.013	<0.015	0.023		<1	0.0040	0.0117		0.0079		
158051	313594	0.023	<0.015	0.026		1.16	0.0064	0.0351		0.1179		
158052	313595	0.006	0.027	<0.01		1.54	0.0045	0.0102		0.0160		
158053 Dup	313595	0.007	0.048	<0.01		1.43	0.0045	0.0109		0.0166		
158054	313596	0.012	<0.015	<0.01		1.58	0.0054	0.0387		0.0858		
158055	313597	0.010	<0.015	<0.01		1.80	0.0053	0.0279		0.0358		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:



Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
158056	313598	0.008	<0.015	<0.01		1.81	0.0056	0.0187		0.0211		
158057	313599	0.043	0.039	<0.01		2.33	0.0161	0.2737		0.6334		
158058	313600	0.051	0.034	<0.01		7.53	0.0587	0.7589		1.4857		
158059	313601	0.015	0.015	<0.01		1.45	0.0089	0.1728		0.3086		
158060	313602	0.204	<0.015	<0.01		1.18	0.0067	0.0843		0.1082		
158061	313603	0.043	0.029	<0.01		1.58	0.0112	0.1362		0.2587		
158062	313604	0.020	<0.015	<0.01		1.07	0.0055	0.0237		0.0251		
158063	313605	<0.005	<0.015	<0.01		1.19	0.0038	0.0103		0.0105		
158064 Dup	313605	<0.005	<0.015	<0.01		1.40	0.0038	0.0105		0.0118		
158065	313606	0.005	<0.015	<0.01		1.22	0.0046	0.0115		0.0118		
158066	313607	0.097	0.043	0.010		1.64	0.0107	0.2116		0.2393		
158067	313608	0.069	0.105	0.164		2.08	0.0096	0.0725		1.0828		
158068	313609	0.086	0.041	0.012		1.96	0.0143	0.2668		0.3622		
158069	313610	0.021	<0.015	<0.01		1.50	0.0064	0.0763		0.0580		
158070	313611	0.021	0.029	<0.01		1.36	0.0078	0.0654		0.1206		
158071	313612	0.036	0.031	<0.01		1.72	0.0080	0.0751		0.1393		
158072	313613	0.013	<0.015	<0.01		1.37	0.0064	0.0363		0.0788		
158073	313614	0.035	0.025	<0.01		1.68	0.0100	0.1238		0.1813		
158074	313615	<0.005	<0.015	<0.01		1.08	0.0028	0.0051		0.0041		
158075 Dup	313615	<0.005	<0.015	<0.01		1.03	0.0028	0.0049		0.0038		
158076	313616	<0.005	<0.015	<0.01		1.06	0.0025	0.0052		0.0032		
158077	313617	0.005	<0.015	<0.01		1.29	0.0023	0.0050		0.0047		
158078	313618	0.018	0.027	<0.01		1.48	0.0068	0.0970		0.1685		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
158079	313619	0.012	<0.015	<0.01		1.32	0.0043	0.0267		0.0282		
158080	313620	0.104	0.087	0.028		2.52	0.0214	0.2437		0.7173		
158081	313621	0.086	0.036	<0.01		4.17	0.0637	0.7445		1.4726		
158082	313622	0.036	<0.015	<0.01		1.41	0.0038	0.0160		0.0139		
158083	313623	0.021	<0.015	<0.01		1.29	0.0035	0.0098		0.0118		
158084	313624	0.017	0.015	<0.01		1.49	0.0041	0.0063		0.0194		
158085	313625	0.042	0.048	<0.01		2.40	0.0107	0.1076		0.2285		
158086 Dup	313625	0.061	0.041	<0.01		2.24	0.0108	0.1029		0.2172		
158087	313626	0.044	0.024	<0.01		1.82	0.0061	0.0549		0.1036		
158088	313627	0.105	0.044	0.012		2.64	0.0134	0.1614		0.4075		
158089	313628	0.213	0.100	0.029		5.08	0.0148	0.5223		0.5768		
158090	313629	0.452	0.110	0.031		7.50	0.0125	0.9093		0.5258		
158091	313630	0.061	0.030	<0.01		3.68	0.0613	0.7706		1.5061		
158092	313631	0.492	0.169	0.071		9.55	0.0148	2.0469		0.6704		
158093	313632	0.683	0.173	0.096		9.88	0.0132	1.2693		0.5739		
158094	313633	0.114	0.132	0.135		2.90	0.0054	0.2760		0.1388		
158095	313634	0.071	0.048	0.061		1.42	0.0044	0.0995		0.1018		
158096	313635	0.075	0.027	0.046		1.19	0.0040	0.1210		0.0976		
158097 Dup	313635	0.072	0.052	0.059		1.62	0.0048	0.1212		0.0942		
158098	313636	0.056	0.084	0.084		1.08	0.0044	0.0433		0.0575		
158099	313637	0.021	<0.015	<0.01		2.09	0.0058	0.0054		0.0137		
158100	313638	0.013	<0.015	<0.01		<1	0.0034	0.0089		0.0074		
158101	313639	0.354	0.019	<0.01		1.52	0.0041	0.0124		0.0084		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 28, 2007
Date Completed: Jul 24, 2007

Job #: 200742137
Reference:

Sample #: 421 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
158102	313640	0.024	<0.015	<0.01		1.43	0.0041	0.0131		0.0092		
158103	313641	0.013	<0.015	<0.01		1.29	0.0038	0.0061		0.0070		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-08/21/2007 5:34 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
157642	E807137	0.07
157643	E807138	0.06
157644	E807139	0.08
157645	E807140	0.04
157646	E807141	0.02
157647	E807142	0.11
157648	E807143	0.04
157649	E807144	0.04
157650	E807145	0.05
157651	E807146	0.04
157653	E807147	0.02
157654	E807148	0.02
157655	E807149	0.13
157656	E807150	0.06
157657	E807151	0.10
157658	E807152	0.05
157659	E807153	0.21
157660	E807154	Insufficient Sample
157661	E807155	0.15
157662	E807156	0.33
157664	E807157	0.33
157665	E807158	0.38
157666	E807159	1.31
157667	E807160	0.96
157668	E807161	0.84
157669	E807162	0.04
157670	E807163	0.30
157671	E807164	1.44
157672	E807165	0.18
157673	E807166	0.97
157675	E807167	0.09
157676	E807168	0.16
157677	E807169	0.23
157678	E807170	<0.01
157679	E807171	0.03
157680	E807172	0.16
157681	E807173	0.04
157682	E807174	0.03
157683	E807175	0.10
157684	E807176	2.38
157686	E807177	1.83
157687	E807178	0.19
157688	E807179	0.21
157689	E807180	0.35

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
157690	E807181	0.68
157691	E807182	1.51
157692	E807183	2.25
157693	E807184	3.83
157694	E807185	Insufficient Sample
157695	E807186	2.74
157697	E807187	3.13
157698	E807188	0.10
157699	E807189	2.98
157700	E807190	1.22
157701	E807191	0.43
157702	E807192	0.62
157703	E807193	0.39
157704	E807194	1.32
157705	E807195	1.44
157706	E807196	1.41
157708	E807197	2.17
157709	E807198	0.05
157710	E807199	0.13
157711	E807200	Insufficient Sample
157712	E807201	1.31
157713	E807202	0.29
157714	E807203	4.57
157715	E807204	0.23
157716	E807205	0.15
157717	E807206	2.37
157719	E807207	1.54
157720	E807208	1.03
157721	E807209	0.12
157722	E807210	0.22
157723	E807211	1.34
157724	E807212	0.66
157725	E807213	0.54
157726	E807214	0.55
157727	E807215	0.55
157728	E807216	0.53
157730	E807217	1.45
157731	E807218	2.12
157732	E807219	1.37
157733	E807220	1.88
157734	E807221	0.22
157735	E807222	0.46
157736	E807223	0.23
157737	E807224	0.55

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
157738	E807225	0.09
157739	E807226	0.16
157741	E807227	2.56
157742	E807228	3.60
157743	E807229	1.72
157744	E807230	Insufficient Sample
157745	E807231	0.55
157746	E807232	0.08
157747	E807233	0.26
157748	E807234	0.04
157749	E807235	1.96
157750	E807236	1.48
157752	E807237	2.17
157753	E807238	0.93
157754	E807239	0.56
157755	E807240	0.33
157756	E807241	0.34
157757	E807242	0.30
157758	E807243	0.67
157759	E807244	0.21
157760	E807245	0.12
157761	E807246	0.60
157763	E807247	0.34
157764	E807248	3.97
157765	E807249	1.60
157766	E807250	0.40
157767	E807251	0.86
157768	E807252	2.71
157769	E807253	1.82
157770	E807254	1.23
157771	E807255	0.72
157772	E807256	0.55
157774	E807257	Insufficient Sample
157775	E807258	2.71
157776	E807259	0.94
157777	E807260	0.95
157778	E807261	0.15
157779	E807262	2.23
157780	E807263	2.80
157781	E807264	1.25
157782	E807265	1.66
157783	E807266	1.86
157785	E807267	2.48
157786	E807268	0.55

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
157787	E807269	0.67
157788	E807270	0.18
157789	E807271	0.47
157790	E807272	0.05
157791	E807273	<0.01
157792	E807274	0.17
157793	E807275	0.05
157794	E807276	0.05
157796	E807277	Insufficient Sample
157797	E807278	0.05
157798	E807279	0.07
157799	E807280	0.05
157800	E807281	0.08
157801	E807282	0.04
157802	E807283	0.31
157803	E807284	0.98
157804	E807285	0.31
157805	E807286	0.24
157807	E807287	1.82
157808	E807288	5.55
157809	E807289	0.57
157810	E807290	0.17
157811	E807291	5.20
157812	E807292	3.58
157813	E807293	0.12
157814	E807294	0.55
157815	E807295	0.68
157816	E807296	0.70
157818	E807297	Insufficient Sample
157819	E807298	1.37
157820	E807299	1.53
157821	E807300	2.80
157822	E807301	2.72
157823	E807302	2.88
157824	E807303	2.89
157825	E807304	5.42
157826	E807305	5.60
157827	E807306	2.75
157829	E807307	1.76
157830	E807308	0.23
157831	E807309	0.10
157832	E807310	0.04
157833	E807311	0.82
157834	E807312	0.89

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
157835	E807313	3.19
157836	E807314	0.69
157837	E807315	0.31
157838	E807316	0.13
157840	E807317	0.03
157841	E807318	0.57
157842	E807319	Insufficient Sample
157843	E807320	1.10
157844	E807321	0.10
157845	E807322	0.11
157846	E807323	1.38
157847	E807324	0.26
157848	E807325	0.32
157849	E807326	0.75
157851	E807327	1.35
157852	E807328	1.76
157853	E807329	0.50
157854	E807330	0.01
157855	E807331	0.51
157856	E807332	0.47
157857	E807333	0.63
157858	E807334	0.50
157859	E807335	0.42
157860	E807336	0.82
157862	E807337	1.65
157863	E807338	0.60
157864	E807339	0.28
157865	E807340	0.32
157866	E807341	0.49
157867	E807342	0.12
157868	E807343	Insufficient Sample
157869	E807344	1.85
157870	E807345	1.11
157871	E807346	1.88
157873	E807347	0.52
157874	E807348	0.01
157875	E807349	0.42
157876	E807350	No Sample Received
157877	E807435	0.18
157879	E807436	0.16
157880	E807437	0.10
157881	E807438	0.49
157882	E807439	0.60
157883	E807440	0.08

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
157884	E807441	0.12
157885	E807442	0.18
157886	E807443	0.12
157887	E807444	0.44
157888	E807445	1.69
157890	E807446	0.35
157891	E807447	0.22
157892	E807448	0.13
157893	E807449	0.05
157894	E807450	0.07
157895	E807451	0.05
157896	E807452	Insufficient Sample
157897	E807453	0.30
157898	E807454	0.22
157899	E807455	0.10
157901	E807456	0.47
157902	E807457	0.05
157903	E807458	0.20
157904	E807459	0.06
157905	E807460	0.24
157906	E807461	0.08
157907	E807462	0.05
157908	E807463	0.05
157909	E807464	0.23
157910	E807465	0.21
157912	E807466	0.21
157913	E807467	0.15
157914	E807468	2.06
157915	E807469	0.13
157916	E807470	0.33
157917	E807471	0.11
157918	E807472	0.05
157919	E807473	0.07
157920	E807474	0.02
157921	E807475	0.03
157923	E807476	1.29
157924	E807477	Insufficient Sample
157925	E807478	2.43
157926	E807479	0.85
157927	E807480	0.43
157928	E807481	5.36
157929	E807482	18.30
157930	E807483	7.76
157931	E807484	1.37

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
157932	E807485	0.27
157933	E807486	0.12
157934	E807487	0.17
157935	E807488	0.66
157936	E807489	0.43
157937	E807490	9.00
157938	E807491	2.49
157939	E807492	0.31
157940	E807493	1.56
157941	E807494	0.52
157942	E807495	0.26
157944	E807496	0.59
157945	E807497	0.90
157946	E807498	6.91
157947	E807499	Insufficient Sample
157948	E807500	4.61
157949	313501	3.41
157950	313502	5.97
157951	313503	1.19
157952	313504	0.86
157953	313505	0.59
157955	313506	0.94
157956	313507	1.06
157957	313508	0.29
157958	313509	0.13
157959	313510	0.05
157960	313511	0.04
157961	313512	0.06
157962	313513	0.44
157963	313514	0.24
157964	313515	0.41
157966	313516	1.04
157967	313517	1.79
157968	313518	0.31
157969	313519	0.14
157970	313520	0.43
157971	313521	1.31
157972	313522	0.41
157973	313523	0.49
157974	313524	0.60
157975	313525	0.84
157977	313526	1.20
157978	313527	0.17
157979	313528	2.02

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
157980	313529	0.22
157981	313530	1.63
157982	313531	Insufficient Sample
157983	313532	1.21
157984	313533	4.22
157985	313534	0.46
157986	313535	0.31
157988	313536	0.47
157989	313537	0.26
157990	313538	2.18
157991	313539	1.32
157992	313540	1.30
157993	313541	2.25
157994	313542	2.63
157995	313543	1.79
157996	313544	1.83
157997	313545	Insufficient Sample
157998	313546	3.11
158000	313547	1.52
158001	313548	0.66
158002	313549	3.13
158003	313550	1.27
158004	313551	0.69
158005	313552	0.99
158006	313553	0.70
158007	313554	<0.01
158008	313555	<0.01
158010	313556	<0.01
158011	313557	0.04
158012	313558	0.07
158013	313559	0.13
158014	313560	0.02
158015	313561	0.25
158016	313562	0.23
158017	313563	0.27
158018	313564	0.42
158019	313565	1.67
158021	313566	0.08
158022	313567	0.07
158023	313568	1.37
158024	313569	3.06
158025	313570	0.13
158026	313571	2.44
158027	313572	4.19

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
158028	313573	5.69
158029	313574	1.21
158030	313575	1.53
158032	313576	0.85
158033	313577	1.81
158034	313578	1.78
158035	313579	1.04
158036	313580	2.06
158037	313581	0.82
158038	313582	0.36
158039	313583	0.85
158040	313584	1.50
158041	313585	2.14
158043	313586	0.74
158044	313587	0.40
158045	313588	0.38
158046	313589	0.89
158047	313590	1.69
158048	313591	1.38
158049	313592	0.09
158050	313593	0.08
158051	313594	0.81
158052	313595	0.09
158054	313596	0.29
158055	313597	0.19
158056	313598	0.23
158057	313599	2.71
158058	313600	Insufficient Sample
158059	313601	1.18
158060	313602	0.74
158061	313603	1.65
158062	313604	0.19
158063	313605	0.04
158065	313606	0.09
158066	313607	1.66
158067	313608	Insufficient Sample
158068	313609	2.43
158069	313610	0.64
158070	313611	0.69
158071	313612	0.95
158072	313613	0.50
158073	313614	1.34
158074	313615	0.04
158076	313616	0.07

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-30 08:49:11 AM
Job Number: 200742137
Date Received: Jun 28, 2007
Number of Samples: 421
Type of Sample: Core
Date Completed: Jul 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
158077	313617	0.06
158078	313618	0.86
158079	313619	0.23
158080	313620	3.54
158081	313621	Insufficient Sample
158082	313622	0.07
158083	313623	0.10
158084	313624	0.08
158085	313625	1.05
158087	313626	0.39
158088	313627	2.63
158089	313628	2.94
158090	313629	2.62
158091	313630	Insufficient Sample
158092	313631	2.77
158093	313632	2.98
158094	313633	0.59
158095	313634	0.31
158096	313635	0.37
158098	313636	0.21
158099	313637	<0.01
158100	313638	0.02
158101	313639	0.03
158102	313640	0.02
158103	313641	0.06

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
136100	E806619	1.48
136101	E806620	0.28
136102	E806621	1.44
136103	E806622	2.82
136104	E806623	0.29
136105	E806624	20.60
136106	E806625	0.19
136107	E806625	Insufficient Sample
136108	E806626	0.17
136109	E806627	0.10
136110	E806628	0.09
136111	E806629	0.07
136112	E806630	0.05
136113	E806631	0.98
136114	E806632	Insufficient Sample
136115	E806633	0.10
136116	E806634	0.30
136117	E806635	0.04
136118	E806635	Insufficient Sample
136119	E806636	0.14
136120	E806637	0.22
136121	E806638	0.10
136122	E806639	1.04
136123	E806640	0.86
136124	E806641	2.14
136125	E806642	1.12
136126	E806643	2.47
136127	E806644	1.24
136128	E806645	0.26
136129	E806645	Insufficient Sample
136130	E806646	0.15
136131	E806647	0.05
136132	E806648	0.79
136133	E806649	0.88
136134	E806650	0.44
136135	E806651	0.34
136136	E806652	0.14
136137	E806653	0.31
136138	E806654	0.81
136139	E806655	0.34
136140	E806655	Insufficient Sample
136141	E806656	0.20

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
136142	E806657	0.24
136143	E806658	0.50
136144	E806659	0.61
136145	E806660	Insufficient Sample
136146	E806661	0.56
136147	E806662	0.07
136148	E806663	0.28
136149	E806664	0.40
136150	E806665	0.43
136151	E806665	Insufficient Sample
136152	E806666	0.10
136153	E806667	1.06
136154	E806668	1.12
136155	E806669	0.39
136156	E806670	0.53
136157	E806671	0.48
136158	E806672	0.22
136159	E806673	0.21
136160	E806674	0.73
136161	E806675	1.16
136162	E806675	Insufficient Sample
136163	E806676	0.11
136164	E806677	0.10
136165	E806678	0.27
136166	E806679	0.64
136167	E806680	0.39
136168	E806681	0.92
136169	E806682	0.13
136170	E806683	3.53
136171	E806684	0.59
136172	E806685	0.90
136173	E806685	Insufficient Sample
136174	E806686	1.64
136175	E806687	6.04
136176	E806688	Insufficient Sample
136177	E806689	3.42
136178	E806690	9.05
136179	E806691	0.46
136180	E806692	0.36
136181	E806693	0.36
136182	E806694	0.83
136183	E806695	2.19

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
136184	E806695	Insufficient Sample
136185	E806696	0.58
136186	E806697	0.32
136187	E806698	1.17
136188	E806699	0.82
136189	E806700	0.39
136190	E806701	0.35
136191	E806702	0.33
136192	E806703	0.17
136193	E806704	0.52
136194	E806705	0.71
136195	E806705	Insufficient Sample
136196	E806706	0.64
136197	E806707	0.05
136198	E806708	0.13
136199	E806709	0.14
136200	E806710	0.63
136201	E806711	8.69
136202	E806712	0.09
136203	E806713	17.90
136204	E806714	1.04
136205	E806715	2.03
136206	E806715	Insufficient Sample
136207	E806716	1.44
136208	E806717	0.78
136209	E806718	1.00
136210	E806719	1.18
136211	E806720	1.19
136212	E806721	1.66
136213	E806722	0.05
136214	E806723	1.81
136215	E806724	1.99
136216	E806725	0.71
136217	E806725	Insufficient Sample
136218	E806726	2.29
136219	E806727	3.04
136220	E806728	0.08
136221	E806729	0.10
136222	E806730	0.07
136223	E807001	0.94
136224	E807002	0.57
136225	E807003	0.98

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
136226	E807004	2.03
136227	E807005	3.65
136228	E807005	Insufficient Sample
136229	E807006	1.77
136230	E807007	0.09
136231	E807008	0.08
136232	E807009	0.06
136233	E807010	0.11
136234	E807011	0.06
136235	E807012	0.12
136236	E807013	0.11
136237	E807014	0.14
136238	E807015	0.14
136239	E807015	Insufficient Sample
136240	E807016	0.17
136241	E807017	0.07
136242	E807018	0.18
136243	E807019	0.31
136244	E807020	0.96
136245	E807021	0.64
136246	E807022	0.64
136247	E807023	0.51
136248	E807024	0.31
136249	E807025	0.15
136250	E807025	Insufficient Sample
136251	E807026	0.04
136252	E807027	1.03
136253	E807028	Insufficient Sample
136254	E807029	0.93
136255	E807030	0.53
136256	E807031	1.33
136257	E807032	0.08
136258	E807033	2.16
136259	E807034	2.23
136260	E807035	2.27
136261	E807035	Insufficient Sample
136262	E807036	1.38
136263	E807037	1.41
136264	E807038	1.33
136265	E807039	2.53
136266	E807040	Insufficient Sample
136267	E807041	3.22

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
136268	E807042	1.88
136269	E807043	2.32
136270	E807044	3.10
136271	E807045	1.25
136272	E807045	Insufficient Sample
136273	E807046	1.36
136274	E807047	2.30
136275	E807048	1.99
136276	E807049	1.38
136277	E807050	0.62
136278	E807051	0.47
136279	E807052	0.23
136280	E807053	0.55
136281	E807054	2.09
136282	E807055	3.64
136283	E807055	Insufficient Sample
136284	E807056	0.14
136285	E807057	1.44
136286	E807058	2.32
136287	E807059	1.07
136288	E807060	0.38
136289	E807061	0.95
136290	E807062	0.46
136291	E807063	0.27
136292	E807064	1.70
136293	E807065	0.19
136294	E807065	Insufficient Sample
136295	E807066	0.54
136296	E807067	0.18
136297	E807068	0.18
136298	E807069	0.14

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
135932	E806466	0.015	0.060	0.013		1.18	0.0069	0.0627		0.1749		
135933	E806467	0.010	0.020	<0.01		1.31	0.0041	0.0293		0.0203		
135934	E806468	0.022	0.035	<0.01		1.45	0.0075	0.1366		0.1868		
135935	E806469	0.013	0.039	0.013		1.23	0.0039	0.0189		0.0319		
135936	E806470	0.012	<0.015	<0.01		1.25	0.0037	0.0269		0.0242		
135937	E806471	0.009	<0.015	<0.01		1.10	0.0033	0.0383		0.0196		
135938	E806472	0.018	0.016	<0.01		1.12	0.0028	0.0324		0.0435		
135939	E806473	0.014	<0.015	<0.01		1.54	0.0048	0.0618		0.0798		
135940	E806474	0.014	<0.015	<0.01		1.32	0.0039	0.0492		0.0520		
135941	E806475	0.020	0.059	0.013		1.68	0.0095	0.1364		0.3075		
135942 Dup	E806475	0.022	0.067	0.025		1.66	0.0099	0.1418		0.3188		
135943	E806476	0.060	0.148	0.167		2.62	0.0099	0.0707		1.0925		
135944	E806477	0.117	0.039	0.012		2.83	0.0070	0.6997		0.1810		
135945	E806478	0.008	<0.015	<0.01		1.25	0.0023	0.0183		0.0077		
135946	E806479	0.018	<0.015	<0.01		1.25	0.0034	0.0376		0.0243		
135947	E806480	0.058	0.188	0.076		3.52	0.0635	0.1118		2.4526		
135948	E806481	0.015	0.106	0.020		1.76	0.0164	0.0957		0.6026		
135949	E806482	0.032	0.069	0.023		1.88	0.0108	0.1577		0.2593		
135950	E806483	0.036	0.107	0.052		1.65	0.0191	0.2950		0.4270		
135951	E806484	0.058	0.117	0.036		1.60	0.0136	0.3765		0.3063		
135952	E806485	0.014	<0.015	0.011		1.12	0.0042	0.0148		0.0108		
135953 Dup	E806485	0.012	<0.015	<0.01		1.12	0.0039	0.0143		0.0106		
135954	E806486	0.007	0.032	0.010		1.50	0.0044	0.0122		0.0442		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SXS
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
135955	E806487	0.016	0.031	0.013		1.31	0.0045	0.0425		0.0338		
135956	E806488	0.014	0.023	0.011		1.11	0.0045	0.0310		0.0321		
135957	E806489	0.015	0.038	0.010		1.40	0.0045	0.0210		0.0366		
135958	E806490	0.015	0.039	0.021		1.39	0.0083	0.0806		0.1512		
135959	E806491	0.018	0.032	<0.01		<1	0.0066	0.0684		0.1284		
135960	E806492	0.010	0.019	<0.01		1.20	0.0032	0.0158		0.0212		
135961	E806493	0.016	0.042	0.013		1.42	0.0040	0.0337		0.0508		
135962	E806494	0.006	<0.015	0.013		1.71	0.0033	0.0077		0.0134		
135963	E806495	<0.005	<0.015	<0.01		1.60	0.0035	0.0071		0.0129		
135964 Dup	E806495	<0.005	<0.015	<0.01		1.47	0.0040	0.0072		0.0133		
135965	E806496	0.006	<0.015	<0.01		1.35	0.0038	0.0230		0.0239		
135966	E806497	0.008	0.024	<0.01		1.22	0.0035	0.0282		0.0299		
135967	E806498	0.010	<0.015	0.016		1.21	0.0060	0.0382		0.0436		
135968	E806499	0.009	0.051	<0.01		<1	0.0038	0.0193		0.0191		
135969	E806500	<0.005	<0.015	<0.01		<1	0.0039	0.0148		0.0115		
135970	E806501	0.022	0.049	0.014		<1	0.0051	0.0616		0.0656		
135971	E806502	0.046	0.084	0.150		1.44	0.0099	0.0701		1.0994		
135972	E806503	0.022	0.038	0.021		<1	0.0060	0.0739		0.1188		
135973	E806504	0.023	0.054	0.012		<1	0.0087	0.1192		0.2082		
135974	E806505	0.015	0.051	<0.01		<1	0.0020	0.0317		0.0467		
135975 Dup	E806505	0.019	0.021	0.012		<1	0.0022	0.0316		0.0461		
135976	E806506	0.109	<0.015	0.016		<1	0.0027	0.0585		0.0564		
135977	E806507	0.023	0.047	<0.01		<1	0.0027	0.0292		0.0462		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
135978	E806508	0.014	0.031	0.013		<1	0.0033	0.0379		0.0418		
135979	E806509	0.012	0.073	<0.01		1.54	0.0037	0.0109		0.0101		
135980	E806510	0.024	0.053	<0.01		1.26	0.0079	0.0806		0.1479		
135981	E806511	0.021	0.028	0.018		1.30	0.0050	0.0488		0.0860		
135982	E806512	0.012	0.048	<0.01		1.09	0.0031	0.0160		0.0081		
135983	E806513	0.011	0.051	<0.01		1.33	0.0041	0.0205		0.0322		
135984	E806514	0.009	0.019	<0.01		1.48	0.0037	0.0271		0.0258		
135985	E806515	0.012	0.038	<0.01		1.65	0.0030	0.0099		0.0109		
135986 Dup	E806515	0.013	0.031	0.011		1.48	0.0030	0.0103		0.0110		
135987	E806516	0.009	0.066	<0.01		1.38	0.0033	0.0183		0.0118		
135988	E806517	0.017	0.061	0.012		1.51	0.0033	0.0174		0.0095		
135989	E806518	0.008	0.057	<0.01		1.31	0.0032	0.0111		0.0332		
135990	E806519	0.009	0.062	<0.01		1.16	0.0025	0.0031		0.0231		
135991	E806520	0.009	0.029	<0.01		1.44	0.0029	0.0072		0.0051		
135992	E806521	0.010	0.049	<0.01		2.58	0.0047	0.0158		0.0072		
135993	E806522	0.006	0.028	<0.01		2.71	0.0047	0.0105		0.0222		
135994	E806523	0.014	0.030	<0.01		2.15	0.0057	0.0472		0.0707		
135995	E806524	0.038	0.027	<0.01		1.48	0.0056	0.0750		0.1425		
135996	E806525	0.007	0.032	<0.01		1.78	0.0043	0.0112		0.0229		
135997 Dup	E806525	0.007	0.038	<0.01		1.80	0.0039	0.0109		0.0228		
135998	E806526	0.006	0.032	<0.01		1.42	0.0051	0.0108		0.0232		
135999	E806527	0.012	0.091	0.012		1.59	0.0048	0.0137		0.0115		
136000	E806528	0.011	0.063	<0.01		1.52	0.0045	0.0135		0.0096		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136001	E806529	0.006	<0.015	<0.01		1.59	0.0043	0.0136		0.0100		
136002	E806530	0.015	0.050	0.011		1.75	0.0049	0.0143		0.0113		
136003	E806531	0.008	0.042	<0.01		1.39	0.0046	0.0169		0.0107		
136004	E806532	0.014	0.116	<0.01		1.56	0.0063	0.0343		0.0777		
136005	E806533	0.010	0.033	<0.01		1.38	0.0043	0.0171		0.0132		
136006	E806534	0.021	0.056	0.015		1.48	0.0079	0.0782		0.1531		
136007	E806535	0.010	0.051	0.017		1.97	0.0049	0.0151		0.0222		
136008 Dup	E806535	0.008	0.020	<0.01		1.92	0.0047	0.0151		0.0217		
136009	E806536	0.021	0.070	<0.01		1.34	0.0052	0.0745		0.1445		
136010	E806537	0.025	0.073	<0.01		1.64	0.0072	0.0594		0.1231		
136011	E806538	0.028	0.125	0.139		2.21	0.0099	0.0709		1.1003		
136012	E806539	0.033	0.053	0.012		1.36	0.0070	0.0658		0.0500		
136013	E806540	0.016	0.071	<0.01		1.72	0.0078	0.0524		0.2139		
136014	E806541	0.010	0.028	<0.01		1.65	0.0078	0.0109		0.0192		
136015	E806542	0.011	0.028	<0.01		1.11	0.0020	0.0113		0.0063		
136016	E806543	0.012	0.049	<0.01		1.22	0.0023	0.0176		0.0057		
136017	E806544	0.010	0.024	<0.01		<1	0.0027	0.0174		0.0061		
136018	E806545	0.018	<0.015	<0.01		1.10	0.0025	0.0157		0.0062		
136019 Dup	E806545	0.019	0.017	<0.01		1.12	0.0027	0.0161		0.0060		
136020	E806546	0.018	0.028	<0.01		1.92	0.0045	0.0447		0.0450		
136021	E806547	0.012	0.039	<0.01		1.56	0.0040	0.0271		0.0166		
136022	E806548	0.036	0.113	0.018		2.36	0.0137	0.1938		0.5123		
136023	E806549	0.042	0.077	<0.01		5.20	0.0111	1.1751		0.3777		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136024	E806550	0.009	<0.015	<0.01		1.57	0.0041	0.0173		0.0134		
136025	E806551	0.008	0.036	<0.01		1.50	0.0039	0.0119		0.0112		
136026	E806552	0.011	0.016	<0.01		1.36	0.0038	0.0127		0.0110		
136027	E806553	0.010	0.035	<0.01		1.40	0.0038	0.0128		0.0098		
136028	E806554	0.012	0.027	<0.01		1.48	0.0037	0.0135		0.0106		
136029	E806555	0.046	0.051	<0.01		1.48	0.0097	0.2385		0.3358		
136030 Dup	E806555	0.038	0.052	<0.01		1.55	0.0041	0.1415		0.1269		
136031	E806556	0.028	0.075	<0.01		1.31	0.0062	0.0935		0.2162		
136032	E806557	0.110	0.089	<0.01		2.63	0.0256	0.3858		0.7618		
136033	E806558	0.133	0.083	0.014		2.00	0.0098	0.2881		0.3206		
136034	E806559	0.149	0.061	0.012		2.07	0.0140	0.2290		0.4422		
136035	E806560	0.063	0.076	<0.01		3.55	0.0619	0.7646		1.5085		
136036	E806561	0.743	0.032	<0.01		3.87	0.0210	0.7532		0.7914		
136037	E806562	0.081	0.049	<0.01		1.79	0.0101	0.1769		0.3565		
136038	E806563	0.242	0.100	0.019		3.29	0.0383	0.3247		1.2915		
136039	E806564	0.458	0.101	0.024		3.94	0.0270	0.5800		1.4978		
136040	E806565	0.013	0.033	<0.01		1.69	0.0046	0.0152		0.0206		
136041 Dup	E806565	0.022	0.046	0.017		1.60	0.0046	0.0159		0.0213		
136042	E806566	0.009	0.020	<0.01		<1	0.0024	0.0098		0.0313		
136043	E806567	0.008	0.025	<0.01		<1	0.0018	0.0033		0.0106		
136044	E806568	0.041	0.036	<0.01		1.59	0.0046	0.0883		0.0743		
136045	E806569	0.013	0.018	<0.01		1.64	0.0045	0.0127		0.0126		
136046	E806570	0.014	<0.015	<0.01		1.72	0.0042	0.0130		0.0242		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

QAQC problems - Need assays rerun for Ni - Don't use this one.

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
135932		E806466	0.015	0.060	0.013		1.18	0.0111	0.0558		0.2407		
135933		E806467	0.010	0.020	<0.01		1.31	0.0058	0.0278		0.0316		
135934		E806468	0.022	0.035	<0.01		1.45	0.0116	0.1362		0.2637		
135935		E806469	0.013	0.039	0.013		1.23	0.0066	0.0207		0.0457		
135936		E806470	0.012	<0.015	<0.01		1.25	0.0069	0.0291		0.0407		
135937		E806471	0.009	<0.015	<0.01		1.10	0.0065	0.0397		0.0317		
135938		E806472	0.018	0.016	<0.01		1.12	0.0054	0.0421		0.0722		
135939		E806473	0.014	<0.015	<0.01		1.54	0.0098	0.0760		0.1299		
135940		E806474	0.014	<0.015	<0.01		1.32	0.0078	0.0626		0.0899		
135941		E806475	0.020	0.059	0.013		1.68	0.0191	0.1722		0.4899		
135942	Dup	E806475	0.022	0.067	0.025		1.66	0.0191	0.1705		0.4992		
135943		E806476	0.060	0.148	0.167		2.62	0.0161	0.0865		1.0825	✓	
135944		E806477	0.117	0.039	0.012		2.83	0.0141	0.9099		0.3094		
135945		E806478	0.008	<0.015	<0.01		1.25	0.0023	0.0213		0.0093		
135946		E806479	0.018	<0.015	<0.01		1.25	0.0041	0.0436		0.0291		
135947		E806480	0.058	0.188	0.076		3.52	0.1113	0.1343		2.4526		
135948		E806481	0.015	0.106	0.020		1.76	0.0160	0.0853		0.6483		
135949		E806482	0.032	0.069	0.023		1.88	0.0125	0.1603		0.3206		
135950		E806483	0.036	0.107	0.052		1.65	0.0212	0.3086		0.5014		
135951		E806484	0.058	0.117	0.036		1.60	0.0155	0.3718		0.3745		
135952		E806485	0.014	<0.015	0.011		1.12	0.0049	0.0142		0.0115		
135953	Dup	E806485	0.012	<0.015	<0.01		1.12	0.0044	0.0132		0.0114		
135954		E806486	0.007	0.032	0.010		1.50	0.0052	0.0358		0.0413		
135955		E806487	0.016	0.031	0.013		1.31	0.0051	0.0104		0.0587		
135956		E806488	0.014	0.023	0.011		1.11	0.0054	0.0266		0.0336		
135957		E806489	0.015	0.038	0.010		1.40	0.0050	0.0174		0.0382		
135958		E806490	0.015	0.039	0.021		1.39	0.0098	0.0798		0.1980		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
135959		E806491	0.018	0.032	<0.01		<1	0.0079	0.0619		0.1467		
135960		E806492	0.010	0.019	<0.01		1.20	0.0047	0.0152		0.0272		
135961		E806493	0.016	0.042	0.013		1.42	0.0063	0.0406		0.0734		
135962		E806494	0.006	<0.015	0.013		1.71	0.0065	0.0093		0.0249		
135963		E806495	<0.005	<0.015	<0.01		1.60	0.0059	0.0080		0.0230		
135964	Dup	E806495	<0.005	<0.015	<0.01		1.47	0.0064	0.0080		0.0216		
135965		E806496	0.006	<0.015	<0.01		1.35	0.0071	0.0271		0.0402		
135966		E806497	0.008	0.024	<0.01		1.22	0.0069	0.0315		0.0486		
135967		E806498	0.010	<0.015	0.016		1.21	0.0097	0.0441		0.0621		
135968		E806499	0.009	0.051	<0.01		<1	0.0055	0.0171		0.0241		
135969		E806500	<0.005	<0.015	<0.01		<1	0.0058	0.0156		0.0162		
135970		E806501	0.022	0.049	0.014		<1	0.0080	0.0656		0.0879		
135971		E806502	0.046	0.084	0.150		1.44	0.0114	0.0701		1.0994	✓	
135972		E806503	0.022	0.038	0.021		<1	0.0083	0.0768		0.1547		
135973		E806504	0.023	0.054	0.012		<1	0.0120	0.1295		0.2658		
135974		E806505	0.015	0.051	<0.01		<1	0.0040	0.0309		0.0532		
135975	Dup	E806505	0.019	0.021	0.012		<1	0.0040	0.0345		0.0538		
135976		E806506	0.109	<0.015	0.016		<1	0.0055	0.0686		0.0882		
135977		E806507	0.023	0.047	<0.01		<1	0.0049	0.0361		0.0665		
135978		E806508	0.014	0.031	0.013		<1	0.0052	0.0434		0.0591		
135979		E806509	0.012	0.073	<0.01		1.54	0.0057	0.0128		0.0171		
135980		E806510	0.024	0.053	<0.01		1.26	0.0119	0.0916		0.1985		
135981		E806511	0.021	0.028	0.018		1.30	0.0079	0.0590		0.1307		
135982		E806512	0.012	0.048	<0.01		1.09	0.0052	0.0172		0.0116		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
135983		E806513	0.011	0.051	<0.01		1.33	0.0066	0.0236		0.0470		
135984		E806514	0.009	0.019	<0.01		1.48	0.0057	0.0292		0.0415		
135985		E806515	0.012	0.038	<0.01		1.65	0.0055	0.0112		0.0182		
135986	Dup	E806515	0.013	0.031	0.011		1.48	0.0055	0.0105		0.0176		
135987		E806516	0.009	0.066	<0.01		1.38	0.0059	0.0202		0.0192		
135988		E806517	0.017	0.061	0.012		1.51	0.0047	0.0187		0.0145		
135989		E806518	0.008	0.057	<0.01		1.31	0.0048	0.0121		0.0515		
135990		E806519	0.009	0.062	<0.01		1.16	0.0040	0.0031		0.0372		
135991		E806520	0.009	0.029	<0.01		1.44	0.0044	0.0077		0.0075		
135992		E806521	0.010	0.049	<0.01		2.58	0.0076	0.0152		0.0109		
135993		E806522	0.006	0.028	<0.01		2.71	0.0073	0.0104		0.0355		
135994		E806523	0.014	0.030	<0.01		2.15	0.0083	0.0472		0.1005		
135995		E806524	0.038	0.027	<0.01		1.48	0.0082	0.0883		0.1887		
135996		E806525	0.007	0.032	<0.01		1.78	0.0055	0.0105		0.0288		
135997	Dup	E806525	0.007	0.038	<0.01		1.80	0.0059	0.0110		0.0315		
135998		E806526	0.006	0.032	<0.01		1.42	0.0075	0.0075		0.0350		
135999		E806527	0.012	0.091	0.012		1.59	0.0097	0.0151		0.0257		
136000		E806528	0.011	0.063	<0.01		1.52	0.0096	0.0143		0.0210		
136001		E806529	0.006	<0.015	<0.01		1.59	0.0080	0.0140		0.0208		
136002		E806530	0.015	0.050	0.011		1.75	0.0092	0.0154		0.0219		
136003		E806531	0.008	0.042	<0.01		1.39	0.0095	0.0183		0.0214		
136004		E806532	0.014	0.116	<0.01		1.56	0.0116	0.0395		0.1563		
136005		E806533	0.010	0.033	<0.01		1.38	0.0078	0.0175		0.0253		
136006		E806534	0.021	0.056	0.015		1.48	0.0147	0.0814		0.2658		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136007		E806535	0.010	0.051	0.017		1.97	0.0087	0.0156		0.0416		
136008	Dup	E806535	0.008	0.020	<0.01		1.92	0.0087	0.0155		0.0424		
136009		E806536	0.021	0.070	<0.01		1.34	0.0097	0.0754		0.2590		
136010		E806537	0.025	0.073	<0.01		1.64	0.0146	0.0644		0.2306		
136011		E806538	0.028	0.125	0.139		2.21	0.0186	0.0709		1.1103		
136012		E806539	0.033	0.053	0.012		1.36	0.0121	0.0669		0.0749		
136013		E806540	0.016	0.071	<0.01		1.72	0.0180	0.0645		0.4437		
136014		E806541	0.010	0.028	<0.01		1.65	0.0078	0.0109		0.0192		
136015		E806542	0.011	0.028	<0.01		1.11	0.0053	0.0127		0.0116		
136016		E806543	0.012	0.049	<0.01		1.22	0.0054	0.0209		0.0106		
136017		E806544	0.010	0.024	<0.01		<1	0.0048	0.0212		0.0121		
136018		E806545	0.018	<0.015	<0.01		1.10	0.0053	0.0178		0.0108		
136019	Dup	E806545	0.019	0.017	<0.01		1.12	0.0052	0.0180		0.0112		
136020		E806546	0.018	0.028	<0.01		1.92	0.0095	0.0527		0.0854		
136021		E806547	0.012	0.039	<0.01		1.56	0.0087	0.0310		0.0315		
136022		E806548	0.036	0.113	0.018		2.36	0.0348	0.2288		0.9578		
136023		E806549	0.042	0.077	<0.01		5.20	0.0282	1.1750		0.7307		
136024		E806550	0.009	<0.015	<0.01		1.57	0.0089	0.0188		0.0262		
136025		E806551	0.008	0.036	<0.01		1.50	0.0086	0.0136		0.0219		
136026		E806552	0.011	0.016	<0.01		1.36	0.0095	0.0149		0.0221		
136027		E806553	0.010	0.035	<0.01		1.40	0.0078	0.0136		0.0180		
136028		E806554	0.012	0.027	<0.01		1.48	0.0072	0.0134		0.0167		
136029		E806555	0.046	0.051	<0.01		1.48	0.0097	0.1579		0.2396		
136030	Dup	E806555	0.038	0.052	<0.01		1.55	0.0098	0.1504		0.2193		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136031		E806556	0.028	0.075	<0.01		1.31	0.0099	0.0851		0.3126		
136032		E806557	0.110	0.089	<0.01		2.63	0.0431	0.3298		0.8982		
136033		E806558	0.133	0.083	0.014		2.00	0.0164	0.2619		0.4322		
136034		E806559	0.149	0.061	0.012		2.07	0.0271	0.2225		0.6864		
136035		E806560	0.063	0.076	<0.01		3.55	0.0907	0.6974		1.6285		
136036		E806561	0.743	0.032	<0.01		3.87	0.0381	0.7085		0.9829		
136037		E806562	0.081	0.049	<0.01		1.79	0.0188	0.1730		0.5532		
136038		E806563	0.242	0.100	0.019		3.29	0.0752	0.3240		1.3098		
136039		E806564	0.458	0.101	0.024		3.94	0.0616	0.6884		1.5160		
136040		E806565	0.013	0.033	<0.01		1.69	0.0109	0.0151		0.0348		
136041	Dup	E806565	0.022	0.046	0.017		1.60	0.0110	0.0156		0.0362		
136042		E806566	0.009	0.020	<0.01		<1	0.0065	0.0105		0.0678		
136043		E806567	0.008	0.025	<0.01		<1	0.0043	0.0037		0.0228		
136044		E806568	0.041	0.036	<0.01		1.59	0.0122	0.1089		0.1600		
136045		E806569	0.013	0.018	<0.01		1.64	0.0078	0.0131		0.0220		
136046		E806570	0.014	<0.015	<0.01		1.72	0.0082	0.0131		0.0454		
136047		E806571	0.033	0.052	0.019		2.37	0.0163	0.0857		0.2567		
136048		E806572	0.011	0.020	<0.01		1.71	0.0110	0.0754		0.1779		
136049		E806573	0.031	0.051	<0.01		2.10	0.0185	0.1693		0.4167		
136050		E806574	0.011	<0.015	<0.01		2.39	0.0125	0.0414		0.1478		
136051		E806575	0.011	<0.015	<0.01		1.55	0.0090	0.0361		0.0551		
136052	Dup	E806575	0.018	<0.015	<0.01		1.53	0.0090	0.0348		0.0537		
136053		E806576	0.027	<0.015	<0.01		1.54	0.0130	0.0654		0.2039		
136054		E806577	0.010	<0.015	<0.01		1.83	0.0101	0.0157		0.0269		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136055		E806578	0.009	<0.015	<0.01		1.52	0.0083	0.0149		0.0215		
136056		E806579	<0.005	<0.015	<0.01		1.73	0.0086	0.0110		0.0221		
136057		E806580	<0.005	<0.015	<0.01		1.43	0.0066	0.0092		0.0205		
136058		E806581	0.021	<0.015	0.010		1.58	0.0158	0.0667		0.3045		
136059		E806582	0.040	0.086	0.137		2.21	0.0187	0.0691		1.5050	✓	
136060		E806583	0.013	0.016	<0.01		1.39	0.0116	0.0562		0.1663		
136061		E806584	<0.005	<0.015	<0.01		1.64	0.0152	0.1145		0.2840		
136062		E806585	0.032	0.050	0.011		1.49	0.0156	0.0930		0.1781		
136063	Dup	E806585	0.049	<0.015	<0.01		1.34	0.0154	0.0912		0.1758		
136064		E806586	0.019	0.018	<0.01		1.89	0.0227	0.1359		0.5722		
136065		E806587	0.029	0.018	<0.01		1.83	0.0266	0.1359		0.5695		
136066		E806588	0.017	<0.015	<0.01		1.74	0.0156	0.0826		0.2759		
136067		E806589	0.019	0.021	<0.01		1.79	0.0079	0.0113		0.0183		
136068		E806590	0.017	<0.015	<0.01		1.57	0.0106	0.0152		0.0237		
136069		E806591	0.021	<0.015	<0.01		1.73	0.0145	0.0583		0.0947		
136070		E806592	0.040	0.066	<0.01		2.05	0.0179	0.1423		0.4733		
136071		E806593	0.056	0.030	<0.01		3.50	0.0530	0.3434		0.9187		
136072		E806594	0.154	0.053	0.013		4.40	0.0580	0.7215		0.7715		
136073		E806595	0.051	0.019	<0.01		1.81	0.0420	0.1173		0.8000		
136074	Dup	E806595	0.057	0.061	0.013		1.84	0.0435	0.1205		0.8266		
136075		E806596	0.061	0.029	0.018		1.93	0.0457	0.1335		0.6659		
136076		E806597	0.026	0.018	<0.01		1.35	0.0167	0.0412		0.2501		
136077		E806598	0.044	0.028	<0.01		1.89	0.0317	0.1462		0.6641		
136078		E806599	0.033	0.036	<0.01		1.73	0.0242	0.1028		0.2900		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007
Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136079		E806600	0.037	<0.015	<0.01		1.50	0.0352	0.0877		0.5658		
136080		E806601	0.033	<0.015	<0.01		1.81	0.0210	0.0494		0.3908		
136081		E806602	0.059	0.085	0.015		2.70	0.0876	0.4717		1.9826		
136082		E806603	0.040	0.027	<0.01		1.43	0.0219	0.0822		0.5803		
136083		E806604	0.034	0.034	0.010		1.73	0.0239	0.0462		0.6100		
136084		E806605	0.035	0.034	<0.01		2.26	0.0232	0.0495		0.2889		
136085	Dup	E806605	0.043	0.035	<0.01		1.80	0.0236	0.0513		0.2986		
136086		E806606	0.039	0.055	<0.01		2.15	0.0153	0.0504		0.4076		
136087		E806607	8.883	0.462	0.064		5.72	0.1938	0.8673		4.0197		
136088		E806608	0.234	0.512	0.044		2.57	0.0702	0.2408		1.2406		
136089		E806609	0.048	0.033	<0.01		1.59	0.0132	0.0659		0.2092		
136090		E806610	0.081	0.036	<0.01		1.98	0.0229	0.1346		0.3281		
136091		E806611	0.041	0.038	<0.01		2.00	0.0206	0.0522		0.1071		
136092		E806612	0.030	0.049	0.016		1.52	0.0247	0.1400		0.4461		
136093		E806613	0.033	0.068	<0.01		2.04	0.0291	0.2160		0.5818		
136094		E806614	0.028	0.032	0.015		1.61	0.0290	0.1821		0.5850		
136095		E806615	0.063	0.130	0.025		3.03	0.0784	0.7103		0.9663		
136096	Dup	E806615	0.099	0.132	0.020		4.28	0.0873	0.7522		0.9806		
136097		E806616	0.028	0.021	0.013		2.01	0.0326	0.1303		0.6133		
136098		E806617	0.062	0.178	0.042		2.85	0.1368	0.4380		0.6949		
136099		E806618	0.032	0.018	<0.01		1.76	0.0274	0.1602		0.5489		
136100		E806619	0.029	<0.015	<0.01		1.88	0.0272	0.2306		0.6553		
136101		E806620	0.019	<0.015	<0.01		1.71	0.0144	0.0343		0.1476		
136102		E806621	0.084	0.054	<0.01		2.36	0.0194	0.2707		0.2378		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007
Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136103		E806622	0.038	0.043	0.017		3.55	0.0454	0.9471		0.6217		
136104		E806623	0.017	<0.015	<0.01		2.25	0.0154	0.1093		0.1427		
136105		E806624	0.097	0.599	0.077		4.26	0.4052	0.2522		4.9217		
136106		E806625	0.021	<0.015	<0.01		1.54	0.0069	0.0309		0.0962		
136107	Dup	E806625	0.035	0.018	<0.01		1.43	0.0067	0.0305		0.0996		
136108		E806626	0.013	0.024	<0.01		<1	0.0071	0.0068		0.0562		
136109		E806627	0.016	<0.015	<0.01		<1	0.0050	0.0059		0.0099		
136110		E806628	0.021	0.017	<0.01		2.31	0.0144	0.0099		0.0468		
136111		E806629	0.041	0.025	<0.01		1.88	0.0137	0.0078		0.0452		
136112		E806630	0.021	0.021	<0.01		2.26	0.0138	0.0084		0.0449		
136113		E806631	0.033	0.034	<0.01		1.43	0.0280	0.0863		0.3199		
136114		E806632	0.077	0.113	0.164		2.42	0.0307	0.0756		1.5357		
136115		E806633	0.022	<0.015	<0.01		1.62	0.0119	0.0173		0.0700		
136116		E806634	0.361	<0.015	<0.01		1.92	0.0158	0.0235		0.0900		
136117		E806635	0.035	<0.015	<0.01		2.33	0.0154	0.0037		0.0288		
136118	Dup	E806635	0.036	<0.015	<0.01		2.33	0.0153	0.0037		0.0300		
136119		E806636	0.022	<0.015	<0.01		2.16	0.0132	0.0094		0.0148		
136120		E806637	0.021	<0.015	<0.01		1.83	0.0125	0.0175		0.0411		
136121		E806638	0.020	<0.015	<0.01		2.88	0.0168	0.0168		0.0972		
136122		E806639	0.044	0.021	<0.01		2.56	0.0299	0.1137		0.3563		
136123		E806640	0.034	0.037	<0.01		1.96	0.0239	0.1621		0.4046		
136124		E806641	0.048	0.078	0.011		2.35	0.0464	0.2843		0.7281		
136125		E806642	0.039	0.047	<0.01		2.04	0.0245	0.2399		0.4489		
136126		E806643	0.092	0.057	<0.01		1.77	0.0151	0.3088		0.4474		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136127		E806644	0.044	0.058	<0.01		1.52	0.0133	0.0714		0.1311		
136128		E806645	0.022	<0.015	<0.01		<1	0.0038	0.0200		0.0359		
136129	Dup	E806645	0.036	<0.015	<0.01		<1	0.0036	0.0189		0.0336		
136130		E806646	0.021	0.028	<0.01		<1	0.0028	0.0069		0.0066		
136131		E806647	0.019	0.019	<0.01		1.00	0.0047	0.0150		0.0198		
136132		E806648	0.022	<0.015	<0.01		<1	0.0048	0.0173		0.0131		
136133		E806649	0.018	<0.015	<0.01		<1	0.0047	0.0157		0.0126		
136134		E806650	0.023	<0.015	<0.01		<1	0.0043	0.0145		0.0126		
136135		E806651	0.019	<0.015	<0.01		<1	0.0040	0.0143		0.0101		
136136		E806652	0.019	<0.015	<0.01		<1	0.0042	0.0123		0.0115		
136137		E806653	0.024	0.021	<0.01		<1	0.0042	0.0115		0.0123		
136138		E806654	0.032	0.095	0.021		<1	0.0049	0.0233		0.0121		
136139		E806655	0.023	<0.015	<0.01		<1	0.0041	0.0131		0.0106		
136140	Dup	E806655	0.036	<0.015	<0.01		<1	0.0041	0.0137		0.0112		
136141		E806656	0.018	<0.015	<0.01		<1	0.0043	0.0093		0.0123		
136142		E806657	0.020	0.017	<0.01		<1	0.0049	0.0218		0.0130		
136143		E806658	0.027	0.015	<0.01		<1	0.0056	0.0622		0.0805		
136144		E806659	0.031	<0.015	<0.01		1.16	0.0076	0.0471		0.0747		
136145		E806660	0.095	0.115	0.183		1.80	0.0100	0.0706		1.2794		
136146		E806661	0.039	0.030	<0.01		<1	0.0062	0.0653		0.1082		
136147		E806662	0.029	<0.015	<0.01		<1	0.0029	0.0263		0.0076		
136148		E806663	0.028	0.025	0.013		<1	0.0044	0.0272		0.0470		
136149		E806664	0.080	0.019	0.012		<1	0.0064	0.0234		0.0901		
136150		E806665	0.025	0.035	0.012		<1	0.0064	0.0459		0.0969		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007
Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136151	Dup	E806665	0.039	0.017	0.015		<1	0.0057	0.0428		0.0860		
136152		E806666	0.019	0.025	<0.01		<1	0.0046	0.0195		0.0130		
136153		E806667	0.040	0.048	0.019		1.37	0.0093	0.0934		0.1563		
136154		E806668	0.040	0.038	0.014		1.11	0.0081	0.0456		0.0625		
136155		E806669	0.030	0.019	0.012		<1	0.0059	0.0567		0.0762		
136156		E806670	0.029	0.018	<0.01		<1	0.0075	0.0380		0.1133		
136157		E806671	0.031	<0.015	<0.01		1.01	0.0059	0.0250		0.0358		
136158		E806672	0.032	0.016	0.022		<1	0.0041	0.0101		0.0150		
136159		E806673	0.020	<0.015	<0.01		<1	0.0038	0.0131		0.0058		
136160		E806674	0.030	0.018	<0.01		1.05	0.0056	0.0310		0.0127		
136161		E806675	0.068	0.032	0.017		1.18	0.0093	0.0981		0.1984		
136162	Dup	E806675	0.053	0.055	0.017		1.40	0.0096	0.1012		0.1968		
136163		E806676	0.013	0.025	<0.01		<1	0.0035	0.0079		0.0114		
136164		E806677	0.009	<0.015	<0.01		<1	0.0036	0.0050		0.0089		
136165		E806678	0.021	0.026	<0.01		1.45	0.0051	0.0178		0.0329		
136166		E806679	<0.005	0.021	<0.01		1.45	0.0087	0.0901		0.1577		
136167		E806680	0.032	0.043	<0.01		1.30	0.0058	0.0360		0.0716		
136168		E806681	0.040	0.043	<0.01		2.07	0.0102	0.1208		0.2052		
136169		E806682	0.011	0.025	<0.01		<1	0.0026	0.0053		0.0058		
136170		E806683	0.059	0.020	<0.01		1.87	0.0192	0.1871		0.8280		
136171		E806684	0.021	<0.015	<0.01		1.22	0.0057	0.0152		0.0200		
136172		E806685	0.018	<0.015	<0.01		1.24	0.0058	0.0119		0.0184		
136173	Dup	E806685	0.026	<0.015	<0.01		1.06	0.0055	0.0113		0.0173		
136174		E806686	0.022	<0.015	<0.01		1.27	0.0065	0.0135		0.0197		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136175		E806687	0.056	0.065	0.034		2.33	0.0394	0.1995		1.4469		
136176		E806688	0.244	0.140	<0.01		4.20	0.0527	0.7582		1.6446		
136177		E806689	0.033	0.031	0.015		2.79	0.0231	0.2892		0.7510		
136178		E806690	0.043	0.044	0.017		3.48	0.0730	0.4097		1.9911		
136179		E806691	0.033	0.025	<0.01		1.02	0.0062	0.0535		0.0754		
136180		E806692	0.020	<0.015	<0.01		<1	0.0053	0.0206		0.0554		
136181		E806693	0.029	<0.015	<0.01		<1	0.0051	0.0318		0.0176		
136182		E806694	0.036	<0.015	<0.01		<1	0.0044	0.0440		0.0232		
136183		E806695	0.053	<0.015	<0.01		1.64	0.0095	0.0787		0.0721		
136184	Dup	E806695	0.070	0.018	<0.01		1.93	0.0079	0.0700		0.0628		
136185		E806696	0.026	<0.015	<0.01		1.53	0.0052	0.0237		0.0183		
136186		E806697	0.023	<0.015	<0.01		<1	0.0044	0.0141		0.0113		
136187		E806698	0.059	<0.015	<0.01		1.49	0.0053	0.1036		0.0741		
136188		E806699	0.045	<0.015	<0.01		1.17	0.0042	0.0698		0.0507		
136189		E806700	0.025	<0.015	<0.01		1.27	0.0060	0.0210		0.0207		
136190		E806701	0.035	<0.015	0.010		<1	0.0040	0.0273		0.0227		
136191		E806702	0.037	<0.015	<0.01		<1	0.0035	0.0229		0.0155		
136192		E806703	0.022	<0.015	<0.01		1.10	0.0032	0.0115		0.0055		
136193		E806704	0.047	0.063	0.020		1.17	0.0046	0.0766		0.0862		
136194		E806705	0.034	<0.015	0.015		1.31	0.0067	0.0757		0.1031		
136195	Dup	E806705	0.038	<0.015	0.021		1.74	0.0075	0.0806		0.1209		
136196		E806706	0.034	<0.015	0.014		1.66	0.0077	0.0655		0.1073		
136197		E806707	0.025	0.022	0.035		1.26	0.0039	0.0171		0.0270		
136198		E806708	0.025	<0.015	0.012		1.59	0.0052	0.0230		0.0384		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136199		E806709	0.030	0.029	0.016		1.00	0.0038	0.0540		0.0668		
136200		E806710	0.047	0.072	0.029		1.63	0.0058	0.1954		0.1557		
136201		E806711	<0.005	<0.015	<0.01		5.88	0.0471	0.8830		2.2805		
136202		E806712	0.020	<0.015	0.023		1.93	0.0056	0.0133		0.0264		
136203		E806713	0.542	0.343	0.188		6.71	0.1244	0.6982		5.2566		
136204		E806714	0.158	0.107	0.064		3.97	0.0089	0.4157		0.2586		
136205		E806715	0.352	0.194	0.133		7.56	0.0136	0.6267		0.5268		
136206	Dup	E806715	0.405	0.215	0.147		10.46	0.0136	0.6304		0.5213		
136207		E806716	0.223	0.254	0.158		5.35	0.0106	0.4533		0.3315		
136208		E806717	0.094	0.126	0.098		2.54	0.0078	0.2134		0.1272		
136209		E806718	0.163	0.218	0.162		4.00	0.0101	0.3518		0.2330		
136210		E806719	0.104	0.113	0.084		4.38	0.0096	0.4210		0.2927		
136211		E806720	0.291	0.215	0.182		4.74	0.0100	0.4411		0.3659		
136212		E806721	0.417	0.442	0.435		6.11	0.0120	0.5525		0.4510		
136213		E806722	0.023	0.021	0.012		1.53	0.0044	0.0140		0.0109		
136214		E806723	0.410	0.566	0.484		5.76	0.0130	0.5530		0.4929		
136215		E806724	0.391	0.491	0.419		5.88	0.0135	0.6449		0.5523		
136216		E806725	0.134	0.211	0.199		2.68	0.0070	0.1942		0.1846		
136217	Dup	E806725	0.149	0.207	0.204		3.03	0.0066	0.1801		0.1722		
136218		E806726	0.339	0.223	0.143		6.23	0.0128	0.6012		0.5169		
136219		E806727	0.260	0.162	0.122		7.58	0.0184	0.7448		0.7730		
136220		E806728	0.020	<0.015	<0.01		2.44	0.0061	0.0148		0.0279		
136221		E806729	0.029	0.040	0.024		2.04	0.0064	0.0136		0.0145		
136222		E806730	0.021	<0.015	<0.01		2.16	0.0062	0.0152		0.0136		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136223		E807001	0.297	0.108	0.078		3.91	0.0095	0.2786		0.2415		
136224		E807002	0.286	0.081	0.085		3.34	0.0075	0.1985		0.1434		
136225		E807003	0.272	0.126	0.110		4.51	0.0100	0.1929		0.3006		
136226		E807004	0.283	0.299	0.214		5.90	0.0139	0.4613		0.4922		
136227		E807005	0.628	0.494	0.300		11.46	0.0184	1.1283		1.3408		
136228	Dup	E807005	0.683	0.583	0.382		10.87	0.0184	1.2649		1.3249		
136229		E807006	0.222	0.265	0.206		5.90	0.0132	0.4563		0.5263		
136230		E807007	0.025	0.046	0.019		1.35	0.0036	0.0182		0.0169		
136231		E807008	0.020	<0.015	<0.01		2.23	0.0049	0.0152		0.0149		
136232		E807009	0.019	0.016	<0.01		2.18	0.0053	0.0067		0.0133		
136233		E807010	0.023	<0.015	<0.01		2.33	0.0062	0.0161		0.0150		
136234		E807011	0.020	<0.015	<0.01		1.95	0.0057	0.0124		0.0118		
136235		E807012	0.020	0.023	<0.01		1.68	0.0054	0.0119		0.0197		
136236		E807013	0.016	<0.015	<0.01		1.74	0.0049	0.0072		0.0202		
136237		E807014	0.019	<0.015	<0.01		1.90	0.0056	0.0080		0.0214		
136238		E807015	0.024	<0.015	<0.01		1.95	0.0060	0.0113		0.0232		
136239	Dup	E807015	0.035	<0.015	<0.01		1.97	0.0062	0.0112		0.0233		
136240		E807016	0.022	<0.015	<0.01		1.45	0.0052	0.0231		0.0399		
136241		E807017	0.018	<0.015	<0.01		1.56	0.0044	0.0104		0.0195		
136242		E807018	0.019	0.016	<0.01		1.36	0.0044	0.0213		0.0331		
136243		E807019	0.025	<0.015	<0.01		1.71	0.0063	0.0227		0.0397		
136244		E807020	0.037	0.030	<0.01		2.39	0.0098	0.1143		0.1815		
136245		E807021	0.032	0.049	0.031		2.38	0.0073	0.0874		0.1399		
136246		E807022	0.034	0.069	0.026		1.79	0.0088	0.0449		0.1395		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136247		E807023	0.039	0.022	<0.01		2.06	0.0075	0.0437		0.0871		
136248		E807024	0.026	0.023	0.011		1.78	0.0050	0.0208		0.0109		
136249		E807025	0.030	<0.015	0.017		1.87	0.0055	0.0229		0.0446		
136250	Dup	E807025	0.043	<0.015	0.019		1.76	0.0053	0.0217		0.0422		
136251		E807026	0.015	0.018	<0.01		1.66	0.0044	0.0043		0.0232		
136252		E807027	0.051	0.032	0.024		2.44	0.0106	0.0996		0.2123		
136253		E807028	0.150	0.151	0.166		2.57	0.0104	0.0729		1.2836	X	
136254		E807029	0.097	0.082	0.038		3.20	0.0087	0.1891		0.2269		
136255		E807030	0.079	0.080	0.051		2.64	0.0065	0.1646		0.1376		
136256		E807031	0.219	0.194	0.127		3.55	0.0096	0.3895		0.3347		
136257		E807032	0.024	0.052	0.015		1.57	0.0058	0.0194		0.0162		
136258		E807033	0.349	0.198	0.145		5.22	0.0136	0.3925		0.5324		
136259		E807034	0.399	0.243	0.156		5.23	0.0132	0.6354		0.5769		
136260		E807035	0.360	0.235	0.142		5.26	0.0142	0.5245		0.5621		
136261	Dup	E807035	0.348	0.246	0.142		4.18	0.0134	0.5235		0.5452		
136262		E807036	0.187	0.146	0.090		3.44	0.0091	0.3378		0.2082		
136263		E807037	0.193	0.295	0.162		3.11	0.0109	0.2750		0.3749		
136264		E807038	0.103	0.079	0.062		4.17	0.0098	0.2715		0.3474		
136265		E807039	0.441	0.276	0.186		5.42	0.0149	0.6798		0.6214		
136266		E807040	0.126	0.167	0.154		2.56	0.0103	0.0701		1.2242		
136267		E807041	0.675	0.304	0.119		7.32	0.0175	0.9441		0.6992		
136268		E807042	0.427	0.165	0.088		5.46	0.0134	0.5416		0.4578		
136269		E807043	2.356	0.080	0.037		5.73	0.0124	0.5382		0.4948		
136270		E807044	0.239	0.120	0.040		5.32	0.0219	0.4413		0.6842		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #		Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136271		E807045	0.057	0.029	0.011		2.15	0.0077	0.0730		0.1351		
136272	Dup	E807045	0.057	0.040	<0.01		2.15	0.0071	0.0725		0.1275		
136273		E807046	0.103	0.072	0.022		2.81	0.0071	0.1895		0.2266		
136274		E807047	0.099	0.041	<0.01		3.27	0.0123	0.1919		0.3589		
136275		E807048	0.040	0.035	0.011		2.82	0.0066	0.0703		0.1599		
136276		E807049	0.018	0.019	<0.01		1.48	0.0052	0.0142		0.0146		
136277		E807050	0.026	0.027	<0.01		1.68	0.0059	0.0235		0.0368		
136278		E807051	0.056	0.048	0.013		1.79	0.0059	0.0522		0.0474		
136279		E807052	0.024	0.039	<0.01		1.61	0.0046	0.0381		0.0499		
136280		E807053	0.023	0.017	<0.01		2.02	0.0069	0.0409		0.1012		
136281		E807054	0.104	0.092	0.029		3.90	0.0133	0.2602		0.4797		
136282		E807055	0.236	0.119	0.034		5.73	0.0221	0.6585		0.8195		
136283	Dup	E807055	0.232	0.103	0.036		5.85	0.0221	0.6532		0.8203		
136284		E807056	0.023	0.054	<0.01		1.53	0.0055	0.0210		0.0205		
136285		E807057	0.212	0.137	0.084		4.92	0.0108	0.3860		0.3138		
136286		E807058	0.327	0.268	0.202		8.05	0.0136	0.8258		0.5657		
136287		E807059	0.166	0.156	0.140		4.30	0.0088	0.3302		0.2631		
136288		E807060	0.037	0.045	0.030		1.83	0.0060	0.1007		0.0706		
136289		E807061	<0.005	<0.015	<0.01		2.95	0.0090	0.2461		0.2016		
136290		E807062	0.093	0.067	0.059		1.34	0.0051	0.0854		0.0724		
136291		E807063	0.041	0.080	0.057		1.34	0.0047	0.0469		0.0702		
136292		E807064	0.142	0.257	0.219		4.12	0.0110	0.3251		0.4086		
136293		E807065	0.020	<0.015	0.012		1.49	0.0049	0.0171		0.0116		
136294	Dup	E807065	0.023	<0.015	<0.01		1.53	0.0053	0.0179		0.0117		

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, July 16, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#: dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Jun 26, 2007

Job #: 200741874
Reference:
Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136295	E807066	0.058	0.119	0.094		2.31	0.0059	0.1020		0.1564		
136296	E807067	0.031	0.064	0.021		1.85	0.0055	0.0354		0.0558		
136297	E807068	0.021	0.017	<0.01		1.56	0.0056	0.0188		0.0239		
136298	E807069	0.017	<0.015	<0.01		1.58	0.0048	0.0125		0.0107		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By: _____
Derck Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-07/16/2007 1:45 AM

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 11:04:06 AM
Job Number: 200742777
Date Received: Aug 3, 2007
Number of Samples: 27
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
203382	C447451	0.35
203383	C447452	0.02
203384	C447453	0.05
203385	C447454	0.02
203386	C447455	0.26
203387	C447456	0.23
203388	C447457	0.38
203389	C447458	1.60
203390	C447459	2.23
203392	C447460	0.23
203393	C447461	2.29
203394	C447462	0.08
203395	C447463	0.02
203396	C447464	1.22
203397	C447465	1.86
203398	C447466	2.27
203399	C447467	1.05
203400	C447468	0.83
203401	C447469	0.64
203403	C447470	1.57
203404	C447471	0.13
203405	C447472	0.05
203406	C447473	0.06
203407	C447474	0.79
203408	C447475	0.02
203409	C447476	1.89
203410	C447477	0.98

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 3, 2007
Date Completed: Sep 28, 2007

Job #: 200742777
Reference:

Sample #: 27 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
203382	C447451	109	221	137		2.26	44	917		866		
203383	C447452	37	<15	11		1.01	30	29		180		
203384	C447453	<5	<15	18		1.26	39	51		246		
203385	C447454	<5	<15	<10		1.07	24	23		54		
203386	C447455	153	<15	<10		2.29	54	908		674		
203387	C447456	131	25	45		2.62	52	1174		639		
203388	C447457	160	63	29		3.17	63	2222		1362		
203389	C447458	61	37	31		3.13	167	1921		2287		
203390	C447459	111	57	15		2.98	147	2833		5674		
203391 Dup	C447459	117	48	34		3.02	147	2790		5747		
203392	C447460	89	<15	<10		2.55	93	656		798		
203393	C447461	46	25	20		3.96	137	2898		5670		
203394	C447462	19	<15	14		2.40	63	390		975		
203395	C447463	16	<15	10		1.23	37	117		426		
203396	C447464	219	71	33		5.26	73	4809		2341		
203397	C447465	52	36	14		6.08	101	6286		3478		
203398	C447466	349	142	51		7.16	122	6555		4647		
203399	C447467	71	40	16		3.42	106	1309		1798		
203400	C447468	72	51	12		2.65	70	834		1250		
203401	C447469	76	72	15		3.00	80	1199		1401		
203402 Dup	C447469	65	66	23		2.90	76	1132		1336		
203403	C447470	42	28	<10		3.44	116	1927		1335		
203404	C447471	11	17	<10		2.59	60	254		630		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 3, 2007
Date Completed: Sep 28, 2007

Job #: 200742777
Reference:

Sample #: 27 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
203405	C447472	7	<15	<10		2.61	52	132		355		
203406	C447473	8	19	<10		2.36	47	143		427		
203407	C447474	23	27	<10		2.48	102	793		1723		
203408	C447475	<5	<15	<10		1.19	36	38		279		
203409	C447476	117	43	17		1.80	98	1391		1853		
203410	C447477	54	44	24		1.96	78	1225		1443		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 11:10:00 AM
Job Number: 200743011
Date Received: Aug 21, 2007
Number of Samples: 38
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
218665	367064	1.84
218666	367065	1.83
218667	367066	6.44
218668	367067	0.64
218669	367068	0.12
218670	367069	1.18
218671	367070	0.34
218672	367071	0.30
218673	367072	0.11
218674	367073	0.45
218676	367074	0.29
218677	367075	0.24
218678	367076	0.23
218679	367077	0.64
218680	367078	0.40
218681	367079	0.26
218682	367080	0.29
218683	367081	0.34
218684	367082	0.13
218685	367083	1.10
218687	367084	0.51
218688	367085	0.81
218689	367086	0.31
218690	367087	0.05
218691	367088	0.52
218692	367089	0.58
218693	367090	0.49
218694	367091	1.20
218695	367092	0.87
218696	367093	1.12
218698	367094	1.36
218699	367095	1.21
218700	367096	0.27
218701	367097	1.19
218702	367098	0.68
218703	367099	0.67

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 11:10:00 AM
Job Number: 200743011
Date Received: Aug 21, 2007
Number of Samples: 38
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
218704	367100	0.60
218705	367101	0.53

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 21, 2007
Date Completed: Sep 28, 2007

Job #: 200743011
Reference:

Sample #: 38 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
218665	367064	14	53	<10		2.43	144	1634		4187		
218666	367065	30	107	34		2.50	130	1870		3841		
218667	367066	46	177	45		2.59	372	1346		13923		
218668	367067	11	33	<10		1.88	74	531		1029		
218669	367068	<5	<15	<10		1.54	34	83		252		
218670	367069	13	30	<10		2.04	98	1012		1689		
218671	367070	<5	17	<10		1.96	55	268		491		
218672	367071	<5	16	<10		2.58	60	295		494		
218673	367072	<5	25	<10		1.87	43	92		268		
218674	367073	16	51	20		2.32	67	359		912		
218675 Dup	367073	8	24	<10		2.27	66	360		908		
218676	367074	<5	28	<10		1.79	56	352		519		
218677	367075	8	32	<10		1.94	61	484		738		
218678	367076	<5	16	<10		2.02	53	140		188		
218679	367077	6	22	<10		1.71	59	305		255		
218680	367078	10	36	<10		1.87	59	205		293		
218681	367079	7	21	<10		2.33	56	143		151		
218682	367080	<5	32	<10		1.93	56	280		773		
218683	367081	6	46	<10		1.56	56	372		766		
218684	367082	6	20	<10		2.40	56	231		272		
218685	367083	318	70	16		2.43	80	4167		1265		
218686 Dup	367083	315	76	17		2.46	81	4162		1280		
218687	367084	23	141	24		1.32	62	886		684		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:47 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 21, 2007
Date Completed: Sep 28, 2007

Job #: 200743011
Reference:

Sample #: 38 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
218688	367085	38	93	19		1.55	93	1622		1549		
218689	367086	14	50	11		1.36	54	353		844		
218690	367087	7	<15	<10		1.42	34	97		110		
218691	367088	16	15	10		1.17	44	331		191		
218692	367089	20	22	15		1.38	64	421		917		
218693	367090	25	20	17		1.43	50	596		900		
218694	367091	22	<15	<10		1.76	87	1165		1992		
218695	367092	27	46	15		1.61	76	744		1762		
218696	367093	26	<15	24		1.34	86	984		2073		
218697 Dup	367093	74	81	20		1.29	86	1005		2089		
218698	367094	24	145	30		1.77	104	2028		1801		
218699	367095	48	82	22		1.20	96	1410		2072		
218700	367096	14	<15	<10		1.06	44	151		358		
218701	367097	12	62	18		<1	95	968		2509		
218702	367098	29	<15	13		1.25	55	68		319		
218703	367099	10	<15	<10		1.35	59	60		260		
218704	367100	7	<15	<10		1.22	95	303		1526		
218705	367101	46	71	58		1.30	54	1653		1161		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:47 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 3, 2007
Date Completed: Sep 28, 2007

Job #: 200742774
Reference:

Sample #: 33 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
203322	C447351	41	90	37		1.63	288	1412		13743		
203323	C447352	47	19	22		1.93	148	2449		3509		
203324	C447353	66	120	58		3.00	347	3654		11801		
203325	C447354	54	53	27		3.80	145	10517		3248		
203326	C447355	24	32	14		1.93	291	1118		6175		
203327	C447356	139	96	25		4.83	252	5027		8497		
203328	C447357	13	<15	<10		<1	35	111		391		
203329	C447358	9	<15	<10		1.35	61	235		394		
203330	C447359	73	<15	14		2.14	87	1094		1685		
203331	C447360	17	<15	<10		1.06	39	69		175		
203332 Dup	C447360	13	27	17		<1	38	68		171		
203333	C447478	232	128	46		5.80	298	7699		8916		
203334	C447479	128	95	20		3.69	145	5758		1776		
203335	C447480	72	61	35		1.86	1	2240		19		
203336	C447481	10	<15	13		1.54	1	418		5		
203337	C447482	7	<15	20		1.49	<1	190		5		
203338	C447483	14	<15	21		1.81	1	108		366		
203339	C447484	22	16	19		1.22	1	432		695		
203340	C447485	18	43	13		1.68	1	479		11		
203341	C447486	30	<15	<10		1.94	1	638		11		
203342	C447487	11	<15	13		1.72	1	277		7		
203343	C447488	11	<15	<10		1.65	1	224		5		
203344	C447489	<5	<15	10		<1	<1	57		1		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 3, 2007
Date Completed: Sep 28, 2007

Job #: 200742774
Reference:

Sample #: 33 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
203345	C447490	7	<15	<10		<1	<1	55		1		
203346 Dup	C447490	7	<15	12		<1	<1	54		1		
203347	C447491	20	<15	10		<1	<1	68		2		
203348	C447492	<5	<15	10		1.41	<1	218		4		
203349	C447493	7	<15	<10		1.42	<1	244		6		
203350	C447494	<5	<15	<10		1.03	<1	71		2		
203351	C447495	42	17	<10		2.05	2	2319		23		
203352	C447496	9	<15	<10		1.69	1	625		15		
203353	C447497	6	<15	<10		1.52	1	252		7		
203354	C447498	8	<15	<10		1.78	1	383		10		
203355	C447499	41	51	<10		2.07	2	3038		87		
203356	C447500	27	38	19		2.39	3	5657		81		
203357 Dup	C447500	33	22	18		2.33	3	5631		78		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:51 PM

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 11:00:30 AM
Job Number: 200742774
Date Received: Aug 3, 2007
Number of Samples: 33
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
203322	C447351	5.60
203323	C447352	1.09
203324	C447353	5.48
203325	C447354	2.83
203326	C447355	2.77
203327	C447356	5.10
203328	C447357	0.19
203329	C447358	0.60
203330	C447359	0.75
203331	C447360	0.14
203333	C447478	5.25
203334	C447479	2.44
203335	C447480	0.54
203336	C447481	0.13
203337	C447482	0.08
203338	C447483	0.08
203339	C447484	0.28
203340	C447485	0.30
203341	C447486	0.30
203342	C447487	0.10
203343	C447488	0.13
203344	C447489	0.01
203345	C447490	0.03
203347	C447491	0.07
203348	C447492	0.15
203349	C447493	0.07
203350	C447494	0.03
203351	C447495	0.63
203352	C447496	0.25
203353	C447497	0.22
203354	C447498	0.19
203355	C447499	1.57
203356	C447500	1.91

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-11 09:14:43 AM
Job Number: 200743019
Date Received: Aug 21, 2007
Number of Samples: 18
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
219218	367255	0.29
219219	367256	0.30
219220	367257	0.51
219221	367258	0.64
219222	367259	0.46
219223	367260	0.51
219224	367261	0.29
219225	367262	0.40
219226	367263	0.51
219227	367264	0.57
219229	367265	0.83
219230	367266	0.47
219231	367267	0.30
219232	367268	0.02
219233	367269	0.54
219234	367270	0.66
219235	367271	0.15
219236	367272	0.67

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 21, 2007
Date Completed: Sep 28, 2007

Job #: 200743019
Reference:

Sample #: 18 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
219218	367255	16	<15	14		1.44	52	111		105		
219219	367256	8	<15	11		1.34	44	96		106		
219220	367257	6	<15	<10		1.44	47	98		112		
219221	367258	18	<15	<10		1.58	58	89		117		
219222	367259	8	18	<10		1.21	47	92		95		
219223	367260	5	<15	<10		1.54	59	111		117		
219224	367261	<5	<15	<10		1.21	42	77		94		
219225	367262	12	21	<10		1.22	39	91		97		
219226	367263	12	<15	<10		1.56	39	98		102		
219227	367264	13	74	26		1.77	53	129		115		
219228 Dup	367264	16	70	26		1.33	52	127		114		
219229	367265	44	<15	<10		1.86	43	77		99		
219230	367266	17	47	25		1.80	58	165		240		
219231	367267	31	43	31		1.53	46	475		570		
219232	367268	<5	27	26		1.48	46	21		369		
219233	367269	48	58	26		1.93	43	1018		526		
219234	367270	295	267	167		3.53	55	4236		1326		
219235	367271	26	37	14		1.73	49	633		586		
219236	367272	49	151	45		2.04	97	2615		1099		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:49 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 21, 2007
Date Completed: Sep 28, 2007

Job #: 200743018
Reference:

Sample #: 42 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
219145	367022	46	89	26		2.16	137	2597		3817		
219146	367023	11	<15	<10		2.07	101	1576		2487		
219147	367024	6	<15	<10		1.20	23	33		130		
219148	367025	10	24	<10		2.04	133	343		1564		
219149	367026	10	35	14		1.64	122	465		1705		
219150	367027	14	19	<10		1.27	98	525		1411		
219151	367028	6	<15	<10		1.28	67	74		342		
219152	367029	6	<15	11		1.19	66	92		353		
219153	367030	21	<15	<10		1.56	95	251		360		
219154	367031	103	<15	<10		1.29	145	899		1813		
219155 Dup	367031	22	17	10		1.51	164	985		2143		
219156	367032	14	<15	<10		1.49	168	1063		2992		
219157	367033	24	117	21		1.42	202	739		4484		
219158	367034	10	<15	12		1.20	81	390		589		
219159	367035	<5	<15	<10		<1	54	92		158		
219160	367036	14	<15	<10		<1	45	129		92		
219161	367037	6	<15	<10		<1	41	109		62		
219162	367038	23	134	54		1.62	413	844		907		
219163	367039	31	337	82		1.84	566	3128		3292		
219164	367040	41	293	70		1.96	448	5111		9085		
219165	367041	6	<15	10		1.06	55	131		214		
219166 Dup	367041	5	<15	<10		1.07	59	131		214		
219167	367042	<5	<15	<10		<1	45	77		107		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 21, 2007
Date Completed: Sep 28, 2007

Job #: 200743018
Reference:

Sample #: 42 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
219168	367043	6	<15	12		<1	49	93		171		
219169	367044	17	24	16		1.02	100	557		1397		
219170	367045	6	27	<10		<1	66	284		704		
219171	367046	8	73	29		1.30	191	731		4299		
219172	367047	19	124	22		1.26	204	1916		5204		
219173	367048	52	135	36		1.33	284	1897		7018		
219174	367049	9	60	26		<1	92	579		1247		
219175	367050	15	114	24		1.56	176	3053		4267		
219176	367051	<5	<15	<10		<1	34	32		115		
219177 Dup	367051	<5	<15	12		<1	33	30		114		
219178	367052	8	<15	<10		<1	44	68		148		
219179	367053	5	<15	<10		1.04	51	116		143		
219180	367054	<5	<15	<10		<1	43	76		127		
219181	367055	7	<15	13		<1	46	66		126		
219182	367056	<5	<15	<10		<1	52	98		141		
219183	367057	11	39	14		1.11	64	622		855		
219184	367058	8	34	12		<1	38	125		328		
219185	367059	69	214	47		1.27	235	3200		5890		
219186	367060	7	<15	<10		<1	28	44		56		
219187	367061	9	<15	<10		<1	57	144		153		
219188 Dup	367061	13	<15	10		1.34	69	184		179		
219189	367062	13	<15	13		<1	24	14		<1		
219190	367063	<5	<15	<10		<1	22	29		1		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:50 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-11 09:13:26 AM
Job Number: 200743018
Date Received: Aug 21, 2007
Number of Samples: 42
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
219145	367022	2.17
219146	367023	0.93
219147	367024	0.03
219148	367025	0.50
219149	367026	0.77
219150	367027	0.65
219151	367028	0.01
219152	367029	0.05
219153	367030	0.05
219154	367031	0.86
219156	367032	1.11
219157	367033	1.35
219158	367034	0.28
219159	367035	0.02
219160	367036	0.04
219161	367037	0.05
219162	367038	1.38
219163	367039	6.10
219164	367040	4.43
219165	367041	0.13
219167	367042	0.06
219168	367043	0.13
219169	367044	0.50
219170	367045	0.14
219171	367046	1.61
219172	367047	2.26
219173	367048	2.65
219174	367049	0.45
219175	367050	1.78
219176	367051	0.01
219178	367052	0.02
219179	367053	0.05
219180	367054	0.04
219181	367055	0.02
219182	367056	0.04
219183	367057	0.27

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-11 09:13:26 AM
Job Number: 200743018
Date Received: Aug 21, 2007
Number of Samples: 42
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
219184	367058	0.06
219185	367059	2.94
219186	367060	0.02
219187	367061	0.04
219189	367062	0.01
219190	367063	0.05

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, September 4, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 20, 2007
Date Completed: Sep 4, 2007

Job #: 200742540
Reference: extra sample

Sample #: 1 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
186153	E807350	0.033	0.026	0.011		<1	0.0071	0.0340		0.0866		
186154 Dup	E807350	0.027	0.016	0.012		<1	0.0067	0.0313		0.0821		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Co, AL4Ni, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-09/04/2007 3:56 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 10:57:13 AM
Job Number: 200742677
Date Received: Jul 27, 2007
Number of Samples: 57
Type of Sample: Core
Date Completed: Sep 21, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
195117	314256	0.04
195118	314257	0.05
195119	314258	0.09
195120	314259	0.04
195121	314260	0.18
195122	314261	0.17
195123	314262	0.11
195124	314263	0.11
195125	314264	0.12
195126	314265	0.08
195128	314266	0.17
195129	314267	0.23
195130	314268	0.15
195131	314269	0.52
195132	314270	0.06
195133	314271	0.17
195134	314272	0.20
195135	314273	0.01
195136	314274	0.07
195137	314275	0.17
195139	314276	0.60
195140	314277	1.32
195141	314278	0.59
195142	314279	0.22
195143	314280	0.67
195144	314281	0.34
195145	314282	0.09
195146	314283	0.48
195147	314284	0.43
195148	314285	0.31
195150	314286	0.42
195151	314287	0.29
195152	314288	0.23
195153	314289	0.22
195154	314290	0.30
195155	314291	0.12

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 10:57:13 AM
Job Number: 200742677
Date Received: Jul 27, 2007
Number of Samples: 57
Type of Sample: Core
Date Completed: Sep 21, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
195156	314292	0.27
195157	314293	0.16
195158	314294	0.30
195159	314295	0.82
195161	314296	0.31
195162	314297	0.60
195163	314298	0.44
195164	314299	0.87
195165	314300	1.22
195166	314301	0.56
195167	314302	0.63
195168	314303	0.11
195169	314304	0.25
195170	314305	0.25
195172	314306	0.09
195173	314307	0.20
195174	314308	0.38
195175	314309	0.20
195176	314310	0.34
195177	314311	0.84
195178	314312	1.29

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 27, 2007
Date Completed: Sep 21, 2007

Job #: 200742677
Reference:

Sample #: 57 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
195117	314256	7	<15	<10		1.06	28	15		13		
195118	314257	<5	<15	<10		1.24	30	12		14		
195119	314258	<5	<15	<10		1.12	30	14		12		
195120	314259	6	<15	<10		1.39	49	80		100		
195121	314260	<5	<15	<10		1.25	55	122		116		
195122	314261	5	<15	17		1.44	55	86		120		
195123	314262	<5	<15	<10		1.54	51	90		115		
195124	314263	5	<15	<10		<1	51	143		114		
195125	314264	<5	<15	<10		1.01	30	43		81		
195126	314265	<5	<15	<10		1.27	41	111		92		
195127 Dup	314265	<5	<15	<10		1.26	40	109		90		
195128	314266	<5	<15	<10		<1	32	85		66		
195129	314267	<5	<15	<10		1.03	43	87		72		
195130	314268	6	<15	<10		<1	48	136		109		
195131	314269	89	64	126		1.64	60	1257		958		
195132	314270	5	16	14		<1	33	116		138		
195133	314271	6	<15	<10		<1	55	185		255		
195134	314272	12	<15	<10		<1	41	329		97		
195135	314273	<5	<15	<10		<1	38	41		94		
195136	314274	<5	<15	<10		<1	50	85		117		
195137	314275	<5	<15	<10		1.22	49	212		432		
195138 Dup	314275	<5	<15	<10		1.33	51	227		469		
195139	314276	<5	<15	<10		1.27	49	361		647		

PROCEDURE CODES: AL4AU3, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/21/2007 4:04 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 27, 2007
Date Completed: Sep 21, 2007

Job #: 200742677
Reference:

Sample #: 57 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
195140	314277					1.38	99	719		10990		
195141	314278	<5	28	16		1.10	55	368		802		
195142	314279	6	21	<10		<1	37	169		248		
195143	314280	<5	32	17		<1	46	240		373		
195144	314281	8	20	12		<1	26	84		112		
195145	314282	<5	<15	11		<1	25	52		46		
195146	314283	14	35	23		<1	41	238		430		
195147	314284	6	20	15		<1	42	324		366		
195148	314285	9	35	11		<1	38	230		235		
195149 Dup	314285	<5	24	<10		<1	38	235		242		
195150	314286	<5	30	<10		<1	49	379		547		
195151	314287	<5	16	13		<1	47	141		101		
195152	314288	<5	28	11		<1	33	101		169		
195153	314289	<5	38	13		<1	41	172		108		
195154	314290	7	<15	12		<1	34	116		92		
195155	314291	<5	17	18		<1	37	103		101		
195156	314292	<5	<15	<10		<1	42	117		107		
195157	314293	<5	<15	<10		<1	44	125		119		
195158	314294	<5	23	22		<1	44	119		127		
195159	314295	<5	39	18		<1	51	310		289		
195160 Dup	314295	<5	<15	17		1.27	58	338		317		
195161	314296	<5	33	<10		1.74	63	269		439		
195162	314297	<5	28	15		1.21	58	315		621		

PROCEDURE CODES: AL4AU3, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/21/2007 4:04 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 27, 2007
Date Completed: Sep 21, 2007

Job #: 200742677
Reference:

Sample #: 57 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
195163	314298	<5	27	<10		1.07	59	461		778		
195164	314299	15	49	11		1.08	75	729		1325		
195165	314300	69	104	187		1.84	100	709		10979		
195166	314301	5	31	14		1.01	55	528		735		
195167	314302	14	35	11		1.43	69	579		1001		
195168	314303	18	24	30		1.96	59	369		207		
195169	314304	12	<15	<10		1.54	52	105		120		
195170	314305	172	<15	<10		1.65	55	110		122		
195171 Dup	314305	9	22	<10		1.50	53	104		116		
195172	314306	7	21	13		1.03	34	92		91		
195173	314307	288	21	21		1.03	44	127		96		
195174	314308	<5	17	<10		1.27	61	140		129		
195175	314309	7	23	<10		1.36	58	85		117		
195176	314310	6	26	13		1.03	52	102		121		
195177	314311	17	<15	<10		<1	51	101		114		
195178	314312	8	32	23		<1	47	114		97		

PROCEDURE CODES: AL4AU3, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/21/2007 4:04 PM

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 10:56:30 AM
Job Number: 200742678
Date Received: Jul 27, 2007
Number of Samples: 70
Type of Sample: Core
Date Completed: Sep 21, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
195179	314313	0.16
195180	314314	0.16
195181	314315	0.08
195182	314316	0.60
195183	314317	0.08
195184	314318	0.03
195185	314319	0.30
195186	314320	7.77
195187	314321	13.50
195188	314322	1.53
195190	314323	1.56
195191	314324	2.31
195192	314325	3.23
195193	314326	9.83
195194	314327	0.70
195195	314328	1.49
195196	314329	4.01
195197	314330	2.85
195198	314331	4.71
195199	314332	1.57
195201	314333	0.92
195202	314334	5.02
195203	314335	4.95
195204	314336	0.33
195205	314337	0.28
195206	314338	0.11
195207	314339	0.20
195208	314340	0.69
195209	314341	0.16
195210	314342	0.13
195212	314343	0.11
195213	314344	0.18
195214	314345	0.15
195215	314346	0.10
195216	314347	0.14
195217	314348	0.10

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 10:56:30 AM
Job Number: 200742678
Date Received: Jul 27, 2007
Number of Samples: 70
Type of Sample: Core
Date Completed: Sep 21, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
195218	314349	0.13
195219	314350	0.06
195220	314351	0.17
195221	314352	0.14
195223	314353	0.15
195224	314354	0.18
195225	314355	0.07
195226	314356	0.15
195227	314357	0.70
195228	314358	0.98
195229	314359	1.15
195230	314360	0.12
195231	314361	0.23
195232	314362	0.29
195234	314363	0.15
195235	314364	0.15
195236	314365	0.21
195237	314366	0.18
195238	314367	0.17
195239	314368	0.23
195240	314369	0.16
195241	314370	2.40
195242	314371	0.37
195243	314372	1.65
195245	314373	15.30
195246	314374	13.30
195247	314375	2.11
195248	314376	0.07
195249	314377	0.13
195250	314378	0.41
195251	314379	0.18
195252	314380	0.04
195253	314381	0.05
195254	314382	0.06

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 27, 2007
Date Completed: Sep 21, 2007

Job #: 200742678
Reference:

Sample #: 70 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
195179	314313	<5	46	<10		1.17	39	58		48		
195180	314314	7	<15	<10		1.53	46	90		76		
195181	314315	6	<15	<10		1.26	37	93		147		
195182	314316	86	39	36		2.29	64	1407		1299		
195183	314317	5	15	<10		1.39	50	114		482		
195184	314318	<5	32	<10		1.36	46	33		260		
195185	314319	<5	<15	<10		1.68	75	398		1334		
195186	314320	11	238	20		2.78	439	5021		6704		
195187	314321	91	250	<10		3.71	592	7784		15493		
195188	314322	37	206	99		1.88	115	2335		3607		
195189 Rep	314322	22	199	104		1.84	117	2367		3689		
195190	314323	43	126	47		1.85	121	2557		3936		
195191	314324	39	133	42		1.50	164	3366		5024		
195192	314325	18	58	28		2.10	178	4877		6737		
195193	314326	<5	<15	<10		2.15	467	4047		23170		
195194	314327	<5	<15	<10		1.67	73	345		792		
195195	314328	<5	83	16		1.27	113	651		2908		
195196	314329	20	190	93		1.50	220	2364		7290		
195197	314330	143	101	24		1.57	165	4763		4792		
195198	314331	34	222	38		1.71	226	4998		8663		
195199	314332	14	92	32		1.44	108	1861		3193		
195200 Dup	314332	9	80	36		1.24	104	1789		2999		
195201	314333	15	59	<10		1.25	58	2533		1292		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/21/2007 2:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 27, 2007
Date Completed: Sep 21, 2007

Job #: 200742678
Reference:

Sample #: 70 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
195202	314334	90	332	46		2.01	249	5398		8971		
195203	314335	35	340	65		1.77	267	3787		8908		
195204	314336	<5	<15	<10		1.09	22	73		92		
195205	314337	6	34	14		<1	41	153		209		
195206	314338	<5	<15	<10		<1	31	119		93		
195207	314339	<5	<15	<10		<1	36	139		104		
195208	314340	10	61	26		1.31	67	397		1316		
195209	314341	<5	<15	<10		1.14	32	106		93		
195210	314342	<5	19	16		1.15	39	161		117		
195211 Dup	314342	11	<15	<10		1.10	38	163		115		
195212	314343	5	20	26		1.31	40	91		106		
195213	314344	<5	<15	<10		1.27	36	156		105		
195214	314345	<5	<15	<10		1.20	40	116		119		
195215	314346	<5	<15	<10		1.44	41	147		125		
195216	314347	<5	<15	<10		1.07	35	129		98		
195217	314348	<5	<15	11		1.07	36	99		116		
195218	314349	<5	<15	<10		<1	29	109		97		
195219	314350	<5	<15	<10		1.27	40	85		110		
195220	314351	<5	<15	<10		<1	29	101		91		
195221	314352	<5	<15	<10		<1	35	103		90		
195222 Dup	314352	<5	<15	<10		<1	26	97		87		
195223	314353	<5	<15	<10		<1	23	87		83		
195224	314354	<5	<15	<10		<1	34	160		98		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/21/2007 2:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 27, 2007
Date Completed: Sep 21, 2007

Job #: 200742678
Reference:

Sample #: 70 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
195225	314355	<5	<15	14		1.26	44	65		108		
195226	314356	<5	<15	<10		<1	25	46		37		
195227	314357	9	36	14		1.28	67	723		1204		
195228	314358	<5	40	24		1.43	82	705		1901		
195229	314359	46	117	150		2.03	100	709		10935		
195230	314360	<5	<15	<10		1.55	44	103		156		
195231	314361	7	<15	<10		1.53	56	187		294		
195232	314362	<5	23	<10		1.35	48	131		146		
195233 Dup	314362	<5	25	<10		1.27	49	133		146		
195234	314363	8	<15	<10		1.31	46	103		133		
195235	314364	<5	<15	<10		1.43	43	111		130		
195236	314365	15	<15	<10		<1	1	<1		<1		
195237	314366	<5	<15	<10		1.36	46	125		167		
195238	314367	<5	<15	<10		1.44	48	120		197		
195239	314368	<5	18	<10		1.46	46	110		181		
195240	314369	<5	<15	13		1.39	46	99		196		
195241	314370	<5	39	<10		1.84	139	2665		4248		
195242	314371	5	<15	<10		1.54	52	154		107		
195243	314372	12	250	25		1.49	101	1161		2984		
195244 Dup	314372	10	231	25		1.48	95	1108		2894		
195245	314373	55	707	227		3.35	764	6477		39706		
195246	314374	71	34	<10		3.72	604	7777		15497		
195247	314375	103	186	114		1.97	138	1903		4493		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By: 

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/21/2007 2:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 27, 2007
Date Completed: Sep 21, 2007

Job #: 200742678
Reference:

Sample #: 70 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
195248	314376	5	<15	18		1.61	42	135		245		
195249	314377	47	34	30		1.43	27	176		257		
195250	314378	53	45	64		1.32	69	546		706		
195251	314379	28	42	20		1.14	66	429		344		
195252	314380	5	16	12		1.07	43	129		94		
195253	314381	<5	<15	<10		1.59	56	81		107		
195254	314382	<5	<15	<10		<1	47	127		96		
195255 Dup	314382	<5	<15	15		<1	46	112		90		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/21/2007 2:58 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 02:04:55 PM
Job Number: 200742406
Date Received: Jul 11, 2007
Number of Samples: 76
Type of Sample: Core
Date Completed: Aug 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
174874	314029	0.19
174875	314030	0.08
174876	314031	0.18
174877	314032	0.13
174878	314033	0.10
174879	314034	0.13
174880	314035	0.30
174881	314036	0.06
174882	314037	0.08
174883	314038	0.11
174884	314038	Insufficient Sample
174885	314039	0.10
174886	314040	0.08
174887	314041	0.08
174888	314042	0.09
174889	314043	0.10
174890	314044	0.06
174891	314045	0.05
174892	314046	0.05
174893	314047	0.06
174894	314048	Insufficient Sample
174895	314049	0.04
174896	314049	Insufficient Sample
174897	314050	0.10
174898	314051	0.05
174899	314052	0.08
174900	314053	0.10
174901	314054	0.08
174902	314055	0.14
174903	314056	0.04
174904	314057	0.06
174905	314058	0.06
174906	314058	0.10
174907	314059	Insufficient Sample
174908	314060	0.07
174909	314061	0.12
174910	314062	0.21
174911	314063	0.17
174912	314064	Insufficient Sample
174913	314065	0.15
174914	314066	0.22
174915	314067	0.83
174916	314068	0.70

Certified By: 

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 02:04:55 PM
Job Number: 200742406
Date Received: Jul 11, 2007
Number of Samples: 76
Type of Sample: Core
Date Completed: Aug 24, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
174917	314068	0.15
174918	314069	Insufficient Sample
174919	314070	0.37
174920	314071	0.66
174921	314072	0.99
174922	314073	1.35
174923	314074	0.47
174924	314075	0.26
174925	314076	0.62
174926	314077	0.32
174927	314078	0.50
174928	314078	0.43
174929	314079	Insufficient Sample
174930	314080	0.18
174931	314081	0.10
174932	314082	0.11
174933	314083	0.49
174934	314084	0.49
174935	314085	0.29
174936	314086	0.88
174937	314087	Insufficient Sample
174938	314088	0.01
174939	314088	0.50
174940	314089	Insufficient Sample
174941	314090	0.38
174942	314091	0.17
174943	314092	0.03
174944	314093	0.12
174945	314094	0.08
174946	314095	0.20
174947	314096	0.09
174948	314097	0.13
174949	314098	0.04
174950	314098	Insufficient Sample
174951	314099	0.11
174952	314100	0.09
174953	314101	0.26
174954	314102	0.05
174955	314103	0.02
174956	314104	0.10

Certified By: 

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, August 24, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 24, 2007

Job #: 200742406
Reference:

Sample #: 76 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
174874	314029	5	17	<10		<1	31	63		145		
174875	314030	8	<15	11		1.23	31	55		77		
174876	314031	<5	<15	<10		<1	14	92		142		
174877	314032	10	<15	<10		2.02	54	130		136		
174878	314033	6	<15	<10		2.01	25	23		11		
174879	314034	<5	<15	<10		1.53	35	58		58		
174880	314035	9	19	17		1.76	42	115		118		
174881	314036	7	37	<10		1.53	32	42		86		
174882	314037	10	50	15		1.51	48	89		104		
174883	314038	8	31	<10		1.78	43	154		91		
174884 Dup	314038	14	45	15		1.54	37	141		86		
174885	314039	7	45	<10		1.61	37	134		82		
174886	314040	9	34	<10		1.38	39	91		79		
174887	314041	<5	37	11		1.37	35	40		70		
174888	314042	9	59	19		1.45	36	48		53		
174889	314043	8	33	<10		1.58	46	137		100		
174890	314044	9	52	11		1.27	37	91		78		
174891	314045	6	30	12		1.63	44	123		98		
174892	314046	7	46	16		1.69	39	56		78		
174893	314047	10	44	14		2.04	47	77		87		
174894	314048	72	131	133		2.00	95	722		10875		
174895	314049	18	35	13		1.37	27	46		47		
174896 Dup	314049	19	67	19		1.31	30	47		44		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL917-0257-08/24/2007 3:25 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, August 24, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 24, 2007

Job #: 200742406
Reference:

Sample #: 76 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
174897	314050	11	32	<10		1.49	40	104		86		
174898	314051	<5	<15	<10		1.67	47	118		95		
174899	314052	<5	18	<10		1.63	47	141		110		
174900	314053	<5	<15	<10		1.80	50	90		101		
174901	314054	11	<15	<10		1.68	45	131		102		
174902	314055	6	38	<10		1.96	53	132		116		
174903	314056	62	36	<10		1.83	50	94		111		
174904	314057	104	49	<10		1.93	53	97		112		
174905	314058	8	57	12		1.71	50	122		112		
174906 Dup	314058	5	40	<10		1.67	52	118		111		
174907	314059	<5	29	<10		1.63	41	92		82		
174908	314060	29	42	<10		1.27	29	75		42		
174909	314061	<5	46	<10		1.19	30	53		42		
174910	314062	7	21	<10		1.28	38	165		180		
174911	314063	105	<15	<10		1.59	46	148		120		
174912	314064	43	75	195		2.31	98	708		11018		
174913	314065	17	<15	<10		1.44	46	128		121		
174914	314066	37	<15	<10		1.45	41	165		110		
174915	314067	40	<15	<10		1.41	63	425		657		
174916	314068	<5	<15	19		1.27	64	441		873		
174917 Dup	314068	19	18	<10		<1	58	421		825		
174918	314069	15	<15	21		1.30	41	132		175		
174919	314070	9	<15	<10		1.50	45	126		116		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/24/2007 3:25 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, August 24, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 24, 2007

Job #: 200742406
Reference:

Sample #: 76 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
174920	314071	7	<15	<10		1.18	41	131		135		
174921	314072	<5	<15	<10		1.17	50	187		353		
174922	314073	17	23	<10		1.50	72	859		1220		
174923	314074	7	<15	11		1.48	48	248		333		
174924	314075	<5	<15	<10		1.41	42	164		183		
174925	314076	<5	<15	21		1.50	59	362		759		
174926	314077	<5	<15	18		1.72	54	357		475		
174927	314078	<5	<15	16		1.79	59	321		544		
174928 Dup	314078	<5	<15	15		1.87	65	322		590		
174929	314079	<5	<15	23		2.20	59	353		356		
174930	314080	<5	<15	18		2.25	60	48		580		
174931	314081	<5	<15	12		2.08	48	98		240		
174932	314082	<5	<15	<10		1.41	34	100		185		
174933	314083	9	22	17		2.02	60	355		624		
174934	314084	5	<15	<10		1.57	41	155		171		
174935	314085	12	15	<10		1.50	72	441		907		
174936	314086	10	17	18		1.70	46	244		223		
174937	314087	37	52	115		2.28	96	698		11014		
174938	314088	<5	<15	11		<1	25	46		55		
174939 Dup	314088	<5	<15	13		1.01	27	47		51		
174940	314089	<5	<15	10		1.19	39	155		78		
174941	314090	<5	<15	16		1.26	43	106		104		
174942	314091	<5	<15	<10		1.69	49	129		308		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/24/2007 3:25 PM

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, August 24, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 24, 2007

Job #: 200742406
Reference:

Sample #: 76 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
174943	314092	<5	<15	<10		1.98	54	100		194		
174944	314093	<5	<15	<10		1.14	26	38		35		
174945	314094	<5	<15	<10		1.08	26	79		56		
174946	314095	<5	<15	<10		1.61	45	129		83		
174947	314096	<5	<15	14		1.20	34	103		72		
174948	314097	<5	<15	<10		1.16	33	97		68		
174949	314098	7	<15	17		1.37	45	122		89		
174950 Dup	314098	<5	<15	<10		1.38	49	123		91		
174951	314099	10	20	<10		1.16	35	93		77		
174952	314100	10	<15	<10		1.59	42	109		90		
174953	314101	<5	<15	<10		1.71	52	115		100		
174954	314102	<5	<15	<10		1.15	21	35		30		
174955	314103	5	16	<10		1.16	23	31		29		
174956	314104	6	<15	<10		2.06	55	79		106		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/24/2007 3:25 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 02:05:05 PM
Job Number: 200742405
Date Received: Jul 11, 2007
Number of Samples: 20
Type of Sample: Core
Date Completed: Aug 14, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
174852	314236	0.10
174853	314237	0.01
174854	314238	0.06
174855	314239	0.07
174856	314240	0.07
174857	314241	0.09
174858	314242	0.17
174859	314243	0.09
174860	314244	0.10
174861	314245	0.08
174862	314245	Insufficient Sample
174863	314246	0.09
174864	314247	0.06
174865	314248	0.12
174866	314249	Insufficient Sample
174867	314250	0.07
174868	314251	0.13
174869	314252	0.06
174870	314253	0.03
174871	314254	0.03
174872	314255	0.11
174873	314255	Insufficient Sample

Certified By: _____

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 14, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 14, 2007

Job #: 200742405
Reference:

Sample #: 20 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
174852	314236	<0.005	<0.015	<0.01		1.58	0.0053	0.0064		0.0114		
174853	314237	0.043	<0.015	<0.01		1.91	0.0049	0.0097		0.0105		
174854	314238	0.174	<0.015	<0.01		1.97	0.0038	0.0097		0.0093		
174855	314239	0.248	<0.015	<0.01		2.19	0.0037	0.0106		0.0095		
174856	314240	<0.005	0.021	<0.01		1.84	0.0046	0.0093		0.0100		
174857	314241	<0.005	0.019	<0.01		1.89	0.0043	0.0071		0.0087		
174858	314242	0.008	0.030	<0.01		1.92	0.0031	0.0039		0.0064		
174859	314243	<0.005	<0.015	<0.01		1.89	0.0048	0.0114		0.0114		
174860	314244	<0.005	0.036	<0.01		1.74	0.0044	0.0107		0.0098		
174861	314245	<0.005	0.030	0.012		1.47	0.0041	0.0120		0.0092		
174862 Dup	314245	0.005	0.037	0.011		1.47	0.0043	0.0121		0.0090		
174863	314246	<0.005	0.016	<0.01		1.36	0.0032	0.0086		0.0080		
174864	314247	<0.005	0.034	<0.01		1.22	0.0040	0.0082		0.0100		
174865	314248	<0.005	<0.015	<0.01		1.02	0.0024	0.0043		0.0034		
174866	314249					1.74	0.0086	0.0678		1.1082		
174867	314250	<0.005	0.017	<0.01		1.50	0.0042	0.0058		0.0068		
174868	314251	<0.005	0.026	<0.01		1.18	0.0041	0.0099		0.0072		
174869	314252	<0.005	0.022	<0.01		1.35	0.0039	0.0100		0.0094		
174870	314253	<0.005	0.030	<0.01		1.44	0.0046	0.0053		0.0100		
174871	314254	<0.005	0.028	<0.01		1.33	0.0025	0.0047		0.0051		
174872	314255	0.009	0.018	<0.01		1.62	0.0044	0.0162		0.0101		
174873 Dup	314255	0.008	0.026	<0.01		1.71	0.0042	0.0155		0.0094		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By: 

Derek Demianiuk H.Bsc., Laboratory Manager

AL912-0257-08/14/2007 1:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 02:05:10 PM
Job Number: 200742404
Date Received: Jul 11, 2007
Number of Samples: 59
Type of Sample: Core
Date Completed: Aug 14, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
174788	314177	0.15
174789	314178	0.18
174790	314179	0.20
174791	314180	0.06
174792	314181	0.06
174793	314182	0.06
174794	314183	0.06
174795	314184	0.11
174796	314185	0.08
174797	314186	0.09
174798	314186	Insufficient Sample
174799	314187	0.09
174800	314188	0.09
174801	314189	0.09
174802	314190	0.14
174803	314191	0.10
174804	314192	0.07
174805	314193	0.02
174806	314194	0.06
174807	314195	0.06
174808	314196	0.07
174809	314196	Insufficient Sample
174810	314197	0.07
174811	314198	0.09
174812	314199	0.04
174813	314200	0.02
174814	314201	0.07
174815	314202	0.06
174816	314203	0.07
174817	314204	0.16
174818	314205	0.06
174819	314206	0.06
174820	314206	Insufficient Sample
174821	314207	0.11
174822	314208	0.05
174823	314209	Insufficient Sample
174824	314210	0.13
174825	314211	0.06
174826	314212	0.21
174827	314213	0.05
174828	314214	0.04
174829	314215	0.02
174830	314216	0.02

Certified By: 

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 02:05:10 PM
Job Number: 200742404
Date Received: Jul 11, 2007
Number of Samples: 59
Type of Sample: Core
Date Completed: Aug 14, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
174831	314216	Insufficient Sample
174832	314217	0.03
174833	314218	0.04
174834	314219	0.02
174835	314220	0.11
174836	314221	0.03
174837	314222	0.10
174838	314223	0.14
174839	314224	0.04
174840	314225	0.23
174841	314226	0.05
174842	314226	Insufficient Sample
174843	314227	0.09
174844	314228	0.10
174845	314229	0.13
174846	314230	0.18
174847	314231	0.04
174848	314232	0.04
174849	314233	0.03
174850	314234	0.07
174851	314235	0.03

Certified By: 

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 14, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 14, 2007

Job #: 200742404
Reference:

Sample #: 59 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
174788	314177	<0.005	0.016	<0.01		1.26	0.0059	0.0127		0.0140		
174789	314178	<0.005	0.039	<0.01		1.18	0.0059	0.0121		0.0130		
174790	314179	<0.005	0.021	0.014		1.35	0.0066	0.0151		0.0143		
174791	314180	<0.005	0.042	<0.01		1.06	0.0044	0.0108		0.0096		
174792	314181	<0.005	0.021	<0.01		<1	0.0042	0.0106		0.0094		
174793	314182	<0.005	0.061	0.011		1.01	0.0046	0.0130		0.0101		
174794	314183	<0.005	0.037	<0.01		1.05	0.0047	0.0108		0.0106		
174795	314184	<0.005	0.029	<0.01		<1	0.0046	0.0131		0.0100		
174796	314185	<0.005	<0.015	<0.01		1.25	0.0053	0.0128		0.0112		
174797	314186	0.007	<0.015	<0.01		<1	0.0044	0.0104		0.0096		
174798 Dup	314186	<0.005	<0.015	<0.01		<1	0.0045	0.0109		0.0097		
174799	314187	<0.005	<0.015	<0.01		1.58	0.0053	0.0102		0.0100		
174800	314188	<0.005	<0.015	<0.01		1.73	0.0059	0.0113		0.0117		
174801	314189	<0.005	<0.015	<0.01		1.26	0.0049	0.0132		0.0107		
174802	314190	<0.005	<0.015	<0.01		<1	0.0047	0.0107		0.0100		
174803	314191	<0.005	<0.015	<0.01		<1	0.0041	0.0124		0.0095		
174804	314192	<0.005	<0.015	<0.01		<1	0.0039	0.0113		0.0088		
174805	314193	0.006	<0.015	<0.01		1.02	0.0047	0.0130		0.0101		
174806	314194	<0.005	<0.015	<0.01		1.15	0.0047	0.0106		0.0101		
174807	314195	<0.005	0.018	<0.01		<1	0.0042	0.0112		0.0092		
174808	314196	<0.005	<0.015	<0.01		1.21	0.0046	0.0110		0.0099		
174809 Dup	314196	<0.005	<0.015	<0.01		1.08	0.0042	0.0106		0.0095		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL912-0257-08/14/2007 1:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 14, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 14, 2007

Job #: 200742404
Reference:

Sample #: 59 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
174810	314197	<0.005	<0.015	<0.01		<1	0.0040	0.0081		0.0083		
174811	314198	0.007	<0.015	<0.01		<1	0.0039	0.0115		0.0085		
174812	314199	0.006	<0.015	<0.01		1.34	0.0045	0.0117		0.0101		
174813	314200	<0.005	<0.015	<0.01		<1	0.0041	0.0073		0.0080		
174814	314201	<0.005	<0.015	0.011		<1	0.0042	0.0063		0.0087		
174815	314202	0.006	<0.015	<0.01		<1	0.0032	0.0061		0.0065		
174816	314203	0.008	<0.015	<0.01		<1	0.0037	0.0077		0.0065		
174817	314204	0.009	0.017	<0.01		1.19	0.0041	0.0103		0.0072		
174818	314205	0.015	<0.015	<0.01		<1	0.0041	0.0101		0.0069		
174819	314206	0.005	<0.015	<0.01		<1	0.0033	0.0138		0.0063		
174820 Dup	314206	<0.005	0.016	0.013		<1	0.0034	0.0138		0.0063		
174821	314207	<0.005	<0.015	<0.01		<1	0.0033	0.0097		0.0069		
174822	314208	<0.005	<0.015	<0.01		1.14	0.0042	0.0083		0.0092		
174823	314209	0.040	0.085	0.153		1.70	0.0093	0.0687		1.0898		
174824	314210	0.012	0.038	0.014		1.30	0.0041	0.0170		0.0087		
174825	314211	<0.005	0.036	<0.01		<1	0.0028	0.0062		0.0038		
174826	314212	0.026	<0.015	<0.01		<1	0.0036	0.0137		0.0061		
174827	314213	<0.005	0.015	<0.01		<1	0.0026	0.0058		0.0054		
174828	314214	<0.005	<0.015	<0.01		<1	0.0024	0.0120		0.0049		
174829	314215	<0.005	<0.015	<0.01		<1	0.0028	0.0103		0.0055		
174830	314216	<0.005	<0.015	<0.01		1.05	0.0037	0.0098		0.0068		
174831 Dup	314216	0.007	<0.015	<0.01		<1	0.0035	0.0099		0.0067		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL912-0257-08/14/2007 1:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 14, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 14, 2007

Job #: 200742404
Reference:

Sample #: 59 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
174832	314217	0.005	0.023	<0.01		1.15	0.0035	0.0125		0.0071		
174833	314218	0.006	<0.015	<0.01		<1	0.0022	0.0076		0.0044		
174834	314219	<0.005	0.018	<0.01		<1	0.0031	0.0030		0.0083		
174835	314220	0.006	0.015	<0.01		1.11	0.0041	0.0063		0.0083		
174836	314221	<0.005	0.018	<0.01		1.49	0.0048	0.0009		0.0193		
174837	314222	<0.005	<0.015	<0.01		<1	0.0032	0.0073		0.0049		
174838	314223	0.020	<0.015	<0.01		1.06	0.0028	0.0360		0.0043		
174839	314224	<0.005	0.030	0.011		1.42	0.0045	0.0081		0.0163		
174840	314225	0.012	<0.015	<0.01		1.55	0.0054	0.0542		0.0196		
174841	314226	<0.005	0.025	<0.01		<1	0.0037	0.0066		0.0140		
174842 Dup	314226	0.006	0.029	<0.01		1.08	0.0039	0.0070		0.0145		
174843	314227	<0.005	0.019	<0.01		1.33	0.0049	0.0079		0.0143		
174844	314228	<0.005	<0.015	0.019		1.05	0.0033	0.0039		0.0086		
174845	314229	<0.005	<0.015	<0.01		1.73	0.0053	0.0093		0.0212		
174846	314230	0.010	0.046	<0.01		1.91	0.0070	0.0187		0.0577		
174847	314231	<0.005	<0.015	<0.01		<1	0.0024	0.0031		0.0036		
174848	314232	0.006	<0.015	<0.01		<1	0.0021	0.0028		0.0030		
174849	314233	<0.005	0.026	<0.01		<1	0.0021	0.0036		0.0042		
174850	314234	<0.005	<0.015	<0.01		1.57	0.0050	0.0096		0.0114		
174851	314235	0.010	<0.015	<0.01		<1	0.0025	0.0113		0.0045		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL912-0257-08/14/2007 1:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 01:59:23 PM
Job Number: 200742471
Date Received: Jul 11, 2007
Number of Samples: 80
Type of Sample: Core
Date Completed: Aug 13, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
180442	313871	0.76
180443	313872	0.02
180444	313873	<0.01
180445	313874	0.24
180446	313875	0.42
180447	313876	<0.01
180448	313877	0.04
180449	313878	0.24
180450	313879	0.10
180451	313880	0.12
180452	313880	Insufficient Sample
180453	313881	<0.01
180454	313882	0.04
180455	313883	0.05
180456	313884	0.05
180457	313885	0.03
180458	313886	0.04
180459	313887	0.02
180460	313888	0.03
180461	313889	0.01
180462	313890	0.91
180463	313890	Insufficient Sample
180464	313891	1.48
180465	313892	Insufficient Sample
180466	313893	0.88
180467	313894	1.06
180468	313895	0.57
180469	313896	0.30
180470	313897	0.89
180471	313898	0.16
180472	313899	0.02
180473	313900	0.01
180474	313900	Insufficient Sample
180475	313901	0.06
180476	313902	0.03
180477	313903	0.25
180478	313904	0.55
180479	313905	0.70
180480	313906	0.46
180481	313907	0.03
180482	313908	0.01
180483	313909	0.11
180484	313910	0.36

Certified By: _____

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 01:59:23 PM
Job Number: 200742471
Date Received: Jul 11, 2007
Number of Samples: 80
Type of Sample: Core
Date Completed: Aug 13, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
180485	313910	Insufficient Sample
180486	313911	Insufficient Sample
180487	313912	0.22
180488	313913	0.57
180489	313914	0.59
180490	313915	0.84
180491	313916	0.50
180492	313917	0.01
180493	313918	0.19
180494	313919	0.81
180495	313920	Insufficient Sample
180496	313921	0.61
180497	313921	Insufficient Sample
180498	313922	0.31
180499	313923	0.58
180500	313924	0.57
180501	313925	0.44
180502	313926	1.35
180503	313927	2.23
180504	313928	1.47
180505	313929	0.24
180506	313930	0.80
180507	313931	Insufficient Sample
180508	313931	0.90
180509	313932	0.55
180510	313933	0.38
180511	313934	1.08
180512	313935	0.57
180513	313936	Insufficient Sample
180514	313937	0.08
180515	313938	0.04
180516	313939	0.04
180517	313940	0.06
180518	313941	0.02
180519	313941	Insufficient Sample
180520	313942	0.02
180521	313943	0.04
180522	313944	0.03
180523	313945	0.22
180524	313946	0.13
180525	313947	0.02
180526	313948	0.05
180527	313949	0.05

Certified By: 

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 01:59:23 PM
Job Number: 200742471
Date Received: Jul 11, 2007
Number of Samples: 80
Type of Sample: Core
Date Completed: Aug 13, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
180528	313950	<0.01

Certified By: _____

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, August 13, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 13, 2007

Job #: 200742471
Reference:

Sample #: 80 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
180442	313871	7	<15	<10			49	115		111		
180443	313872	6	<15	<10			51	61		126		
180444	313873	8	<15	<10			63	72		144		
180445	313874	34	28	20			63	777		958		
180446	313875	16	17	26			58	639		872		
180447	313876	9	<15	<10			26	67		54		
180448	313877	5	<15	<10			48	48		224		
180449	313878	7	<15	<10			54	111		106		
180450	313879	6	<15	<10			51	59		211		
180451	313880	7	<15	11			28	46		40		
180452 Dup	313880	10	<15	<10			29	52		42		
180453	313881	<5	<15	<10			23	37		40		
180454	313882	6	<15	<10			41	66		209		
180455	313883	<5	<15	<10			39	55		208		
180456	313884	9	28	13			38	49		201		
180457	313885	6	<15	<10			37	39		200		
180458	313886	6	<15	<10			41	65		242		
180459	313887	6	<15	12			39	64		202		
180460	313888	6	<15	11			38	46		217		
180461	313889	<5	<15	<10			40	34		208		
180462	313890	108	50	42			87	2007		1261		
180463 Dup	313890	79	81	39			88	2046		1235		

PROCEDURE CODES: AL4APP, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/13/2007 4:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, August 13, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 13, 2007

Job #: 200742471
Reference:

Sample #: 80 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
180464	313891	194	82	34			118	4092		2674		
180465	313892	34	61	108			97	744		10512		
180466	313893	151	84	44			77	3576		2062		
180467	313894	182	107	68			73	4266		2576		
180468	313895	123	37	24			61	2282		1060		
180469	313896	102	59	26			42	1233		602		
180470	313897	53	42	20			82	3911		1913		
180471	313898	37	16	13			36	916		554		
180472	313899	9	<15	<10			32	69		190		
180473	313900	5	<15	<10			36	54		202		
180474 Dup	313900	9	<15	<10			34	56		202		
180475	313901	31	30	21			41	241		360		
180476	313902	41	70	35			44	347		487		
180477	313903	10	51	13			53	110		92		
180478	313904	84	94	63			75	1264		932		
180479	313905	88	135	94			90	1435		1370		
180480	313906	77	91	76			53	1657		1185		
180481	313907	9	46	18			38	152		308		
180482	313908	8	33	12			34	34		193		
180483	313909	22	54	42			40	477		334		
180484	313910	130	86	69			48	1646		939		
180485 Dup	313910	120	84	87			51	1661		974		

PROCEDURE CODES: AL4APP, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/13/2007 4:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, August 13, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 13, 2007

Job #: 200742471
Reference:

Sample #: 80 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
180486	313911	52	89	116			101	738		10972		
180487	313912	69	37	35			52	1095		718		
180488	313913	96	113	85			59	1880		1136		
180489	313914	321	95	87			65	1767		1429		
180490	313915	124	64	38			67	2443		1419		
180491	313916	111	97	78			61	1654		1105		
180492	313917	14	42	37			34	37		193		
180493	313918	63	72	60			45	582		633		
180494	313919	165	94	96			70	2038		2074		
180495	313920	39	116	121			98	690		10225		
180496	313921	63	44	44			69	1196		869		
180497 Dup	313921	62	62	56			74	1227		1001		
180498	313922	84	75	65			58	775		662		
180499	313923	151	100	81			60	2024		1602		
180500	313924	114	138	78			68	1893		1057		
180501	313925	139	82	82			62	1693		1010		
180502	313926	177	228	4518			99	5868		2594		
180503	313927	365	155	67			141	5475		3086		
180504	313928	344	83	35			105	4763		2474		
180505	313929	35	24	12			56	325		175		
180506	313930	166	107	49			78	2802		1813		
180507	313931	339	110	43			80	3330		2116		

PROCEDURE CODES: AL4APP, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/13/2007 4:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Monday, August 13, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 13, 2007

Job #: 200742471
Reference:

Sample #: 80 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
180508 Dup	313931	327	114	42			79	3458		2153		
180509	313932	167	91	68			59	1511		1200		
180510	313933	53	99	84			58	922		593		
180511	313934	117	207	159			91	2297		1914		
180512	313935	87	136	93			78	1561		1036		
180513	313936	65	91	121			87	719		11340		
180514	313937	10	50	<10			43	71		325		
180515	313938	8	29	18			46	35		271		
180516	313939	13	31	15			51	30		296		
180517	313940	<5	<15	<10			43	60		236		
180518	313941	<5	<15	<10			47	33		303		
180519 Dup	313941	<5	<15	<10			48	28		301		
180520	313942	<5	<15	<10			40	26		266		
180521	313943	11	<15	<10			43	73		268		
180522	313944	<5	<15	<10			54	45		316		
180523	313945	20	24	14			53	465		602		
180524	313946	9	<15	<10			51	125		94		
180525	313947	<5	<15	<10			44	121		187		
180526	313948	<5	<15	<10			46	83		95		
180527	313949	6	<15	<10			46	159		101		
180528	313950	<5	<15	<10			38	104		83		

PROCEDURE CODES: AL4APP, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By: 

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/13/2007 4:10 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-31 02:05:22 PM
Job Number: 200742402
Date Received: Jul 11, 2007
Number of Samples: 26
Type of Sample: Core
Date Completed: Aug 10, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
174737	314151	0.10
174738	314152	2.63
174739	314153	0.07
174740	314154	0.11
174741	314155	0.12
174742	314156	0.18
174743	314157	0.08
174744	314158	0.15
174745	314159	0.10
174746	314160	0.06
174747	314160	Insufficient Sample
174748	314161	0.15
174749	314162	0.06
174750	314163	0.08
174751	314164	0.05
174752	314165	0.03
174753	314166	0.03
174754	314167	0.02
174755	314168	0.08
174756	314169	0.03
174757	314170	0.04
174758	314170	Insufficient Sample
174759	314171	0.10
174760	314172	0.11
174761	314173	<0.01
174762	314174	0.03
174763	314175	0.09
174764	314176	0.13

Certified By: 

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, August 10, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 10, 2007

Job #: 200742402
Reference:

Sample #: 26 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
174737	314151	8	<15	<10		3.09	56	76		169		
174738	314152	6	<15	<10		2.92	60	363		204		
174739	314153	<5	<15	<10		2.70	51	81		140		
174740	314154	5	<15	<10		2.43	34	33		180		
174741	314155	<5	<15	<10		2.99	48	146		285		
174742	314156	<5	<15	<10		2.02	24	61		33		
174743	314157	<5	<15	<10		3.04	47	53		159		
174744	314158	<5	<15	<10		2.44	23	53		34		
174745	314159	<5	<15	<10		2.32	23	36		49		
174746	314160	<5	<15	<10		3.05	43	9		161		
174747 Dup	314160	<5	<15	<10		3.06	42	627		158		
174748	314161	9	<15	<10		2.59	27	11		39		
174749	314162	<5	<15	<10		3.13	48	119		122		
174750	314163	<5	<15	<10		2.39	25	38		64		
174751	314164	5	32	<10		2.16	24	49		42		
174752	314165	<5	34	<10		2.24	45	79		185		
174753	314166	<5	37	<10		1.86	43	125		186		
174754	314167	<5	19	<10		2.08	44	31		183		
174755	314168	<5	22	<10		2.67	55	94		108		
174756	314169	<5	45	<10		1.90	43	82		94		
174757	314170	6	36	<10		1.76	45	155		91		
174758 Dup	314170	6	36	<10		1.60	38	300		84		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/10/2007 4:36 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, August 10, 2007

Canadian Arrow Mines Ltd.
Suite 3, 33 Iroquois Rd., P.O. Box 1001
Timmins, ON, CAN
P4N7H6
Ph#: (705) 264-6211
Fax#: (705) 264-6144
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jul 11, 2007
Date Completed: Aug 10, 2007

Job #: 200742402
Reference:

Sample #: 26 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
174759	314171	<5	36	<10		2.00	50	106		105		
174760	314172	7	25	<10		2.11	46	79		88		
174761	314173	6	17	<10		1.87	29	20		56		
174762	314174	<5	24	17		1.85	36	56		70		
174763	314175	10	<15	40		2.25	50	115		110		
174764	314176	9	<15	<10		2.25	49	97		102		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-08/10/2007 4:36 PM

Correct Data

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136047	E806571	0.033	0.052	0.019		2.37	0.0072	0.0699		0.1124		
136048	E806572	0.011	0.020	<0.01		1.71	0.0057	0.0734		0.0952		
136049	E806573	0.031	0.051	<0.01		2.10	0.0092	0.1654		0.2071		
136050	E806574	0.011	<0.015	<0.01		2.39	0.0064	0.0408		0.0809		
136051	E806575	0.011	<0.015	<0.01		1.55	0.0044	0.0334		0.0282		
136052 Dup	E806575	0.018	<0.015	<0.01		1.53	0.0044	0.0334		0.0285		
136053	E806576	0.027	<0.015	<0.01		1.54	0.0054	0.0581		0.1027		
136054	E806577	0.010	<0.015	<0.01		1.83	0.0052	0.0156		0.0141		
136055	E806578	0.009	<0.015	<0.01		1.52	0.0040	0.0143		0.0117		
136056	E806579	<0.005	<0.015	<0.01		1.73	0.0041	0.0103		0.0112		
136057	E806580	<0.005	<0.015	<0.01		1.43	0.0034	0.0088		0.0107		
136058	E806581	0.021	<0.015	0.010		1.58	0.0065	0.0572		0.1517		
136059	E806582	0.040	0.086	0.137		2.21	0.0101	0.0710		1.0850		
136060	E806583	0.013	0.016	<0.01		1.39	0.0057	0.0540		0.0869		
136061	E806584	<0.005	<0.015	<0.01		1.64	0.0065	0.1024		0.1455		
136062	E806585	0.032	0.050	0.011		1.49	0.0073	0.0858		0.0905		
136063 Dup	E806585	0.049	<0.015	<0.01		1.34	0.0070	0.0890		0.0929		
136064	E806586	0.019	0.018	<0.01		1.89	0.0103	0.1298		0.3057		
136065	E806587	0.029	0.018	<0.01		1.83	0.0117	0.1304		0.3162		
136066	E806588	0.017	<0.015	<0.01		1.74	0.0067	0.0802		0.1518		
136067	E806589	0.019	0.021	<0.01		1.79	0.0036	0.0108		0.0093		
136068	E806590	0.017	<0.015	<0.01		1.57	0.0050	0.0138		0.0117		
136069	E806591	0.021	<0.015	<0.01		1.73	0.0063	0.0536		0.0493		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136070	E806592	0.040	0.066	<0.01		2.05	0.0032	0.0532		0.0972		
136071	E806593	0.056	0.030	<0.01		3.50	0.0243	0.3723		0.8553		
136072	E806594	0.154	0.053	0.013		4.40	0.0141	0.6362		0.5995		
136073	E806595	0.051	0.019	<0.01		1.81	0.0092	0.1048		0.2619		
136074 Dup	E806595	0.057	0.061	0.013		1.84	0.0101	0.1124		0.2696		
136075	E806596	0.061	0.029	0.018		1.93	0.0109	0.1309		0.2260		
136076	E806597	0.026	0.018	<0.01		1.35	0.0050	0.0392		0.0737		
136077	E806598	0.044	0.028	<0.01		1.89	0.0083	0.1368		0.2324		
136078	E806599	0.033	0.036	<0.01		1.73	0.0062	0.0974		0.1006		
136079	E806600	0.037	<0.015	<0.01		1.50	0.0090	0.0855		0.2059		
136080	E806601	0.033	<0.015	<0.01		1.81	0.0059	0.0473		0.1357		
136081	E806602	0.059	0.085	0.015		2.70	0.0221	0.4030		0.6882		
136082	E806603	0.040	0.027	<0.01		1.43	0.0064	0.0832		0.2114		
136083	E806604	0.034	0.034	0.010		1.73	0.0064	0.0453		0.1953		
136084	E806605	0.035	0.034	<0.01		2.26	0.0061	0.0495		0.1053		
136085 Dup	E806605	0.043	0.035	<0.01		1.80	0.0054	0.0461		0.0946		
136086	E806606	0.039	0.055	<0.01		2.15	0.0047	0.0470		0.1339		
136087	E806607	8.883	0.462	0.064		5.72	0.0587	0.7331		4.1682		
136088	E806608	0.234	0.512	0.044		2.57	0.0206	0.2399		1.2396		
136089	E806609	0.048	0.033	<0.01		1.59	0.0042	0.0564		0.0813		
136090	E806610	0.081	0.036	<0.01		1.98	0.0080	0.1342		0.1619		
136091	E806611	0.041	0.038	<0.01		2.00	0.0050	0.0376		0.0355		
136092	E806612	0.030	0.049	0.016		1.52	0.0060	0.1055		0.1540		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136093	E806613	0.033	0.068	<0.01		2.04	0.0070	0.1662		0.2205		
136094	E806614	0.028	0.032	0.015		1.61	0.0070	0.1298		0.2067		
136095	E806615	0.063	0.130	0.025		3.03	0.0181	0.5198		0.6985		
136096 Dup	E806615	0.099	0.132	0.020		4.28	0.0184	0.5212		0.7122		
136097	E806616	0.028	0.021	0.013		2.01	0.0083	0.0988		0.2178		
136098	E806617	0.062	0.178	0.042		2.85	0.0369	0.3592		1.2651		
136099	E806618	0.032	0.018	<0.01		1.76	0.0065	0.1209		0.1863		
136100	E806619	0.029	<0.015	<0.01		1.88	0.0069	0.1678		0.2226		
136101	E806620	0.019	<0.015	<0.01		1.71	0.0040	0.0244		0.0487		
136102	E806621	0.084	0.054	<0.01		2.36	0.0059	0.2083		0.0821		
136103	E806622	0.038	0.043	0.017		3.55	0.0105	0.7285		0.2177		
136104	E806623	0.017	<0.015	<0.01		2.25	0.0041	0.0816		0.0485		
136105	E806624	0.097	0.599	0.077		4.26	0.1455	0.1923		4.9216		
136106	E806625	0.021	<0.015	<0.01		1.54	0.0023	0.0225		0.0357		
136107 Dup	E806625	0.035	0.018	<0.01		1.43	0.0022	0.0217		0.0337		
136108	E806626	0.013	0.024	<0.01		<1	0.0023	0.0052		0.0189		
136109	E806627	0.016	<0.015	<0.01		<1	0.0015	0.0049		0.0048		
136110	E806628	0.021	0.017	<0.01		2.31	0.0041	0.0075		0.0151		
136111	E806629	0.041	0.025	<0.01		1.88	0.0037	0.0059		0.0141		
136112	E806630	0.021	0.021	<0.01		2.26	0.0037	0.0063		0.0143		
136113	E806631	0.033	0.034	<0.01		1.43	0.0065	0.0545		0.1017		
136114	E806632	0.077	0.113	0.164		2.42	0.0100	0.0708		1.0857		
136115	E806633	0.022	<0.015	<0.01		1.62	0.0031	0.0116		0.0195		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136116	E806634	0.361	<0.015	<0.01		1.92	0.0044	0.0161		0.0270		
136117	E806635	0.035	<0.015	<0.01		2.33	0.0043	0.0027		0.0095		
136118 Dup	E806635	0.036	<0.015	<0.01		2.33	0.0044	0.0027		0.0095		
136119	E806636	0.022	<0.015	<0.01		2.16	0.0034	0.0068		0.0053		
136120	E806637	0.021	<0.015	<0.01		1.83	0.0034	0.0134		0.0130		
136121	E806638	0.020	<0.015	<0.01		2.88	0.0048	0.0129		0.0299		
136122	E806639	0.044	0.021	<0.01		2.56	0.0083	0.0881		0.1409		
136123	E806640	0.034	0.037	<0.01		1.96	0.0049	0.1108		0.1232		
136124	E806641	0.048	0.078	0.011		2.35	0.0093	0.1960		0.2247		
136125	E806642	0.039	0.047	<0.01		2.04	0.0049	0.1682		0.1428		
136126	E806643	0.092	0.057	<0.01		1.77	0.0094	0.2334		0.3339		
136127	E806644	0.044	0.058	<0.01		1.52	0.0101	0.0576		0.1189		
136128	E806645	0.022	<0.015	<0.01		<1	0.0026	0.0148		0.0318		
136129 Dup	E806645	0.036	<0.015	<0.01		<1	0.0029	0.0171		0.0311		
136130	E806646	0.021	0.028	<0.01		<1	0.0037	0.0124		0.0159		
136131	E806647	0.019	0.019	<0.01		1.00	0.0023	0.0053		0.0056		
136132	E806648	0.022	<0.015	<0.01		<1	0.0038	0.0139		0.0111		
136133	E806649	0.018	<0.015	<0.01		<1	0.0039	0.0127		0.0102		
136134	E806650	0.023	<0.015	<0.01		<1	0.0034	0.0117		0.0102		
136135	E806651	0.019	<0.015	<0.01		<1	0.0029	0.0110		0.0080		
136136	E806652	0.019	<0.015	<0.01		<1	0.0034	0.0097		0.0092		
136137	E806653	0.024	0.021	<0.01		<1	0.0034	0.0090		0.0099		
136138	E806654	0.032	0.095	0.021		<1	0.0040	0.0186		0.0100		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136139	E806655	0.023	<0.015	<0.01		<1	0.0031	0.0102		0.0082		
136140 Dup	E806655	0.036	<0.015	<0.01		<1	0.0031	0.0099		0.0081		
136141	E806656	0.018	<0.015	<0.01		<1	0.0031	0.0067		0.0091		
136142	E806657	0.020	0.017	<0.01		<1	0.0034	0.0190		0.0102		
136143	E806658	0.027	0.015	<0.01		<1	0.0044	0.0516		0.0675		
136144	E806659	0.031	<0.015	<0.01		1.16	0.0060	0.0433		0.0688		
136145	E806660	0.095	0.115	0.183		1.80	0.0100	0.0706		1.0894		
136146	E806661	0.039	0.030	<0.01		<1	0.0049	0.0563		0.1050		
136147	E806662	0.029	<0.015	<0.01		<1	0.0019	0.0201		0.0055		
136148	E806663	0.028	0.025	0.013		<1	0.0034	0.0243		0.0442		
136149	E806664	0.080	0.019	0.012		<1	0.0048	0.0196		0.0746		
136150	E806665	0.025	0.035	0.012		<1	0.0049	0.0410		0.0818		
136151 Dup	E806665	0.039	0.017	0.015		<1	0.0049	0.0402		0.0847		
136152	E806666	0.019	0.025	<0.01		<1	0.0045	0.0184		0.0131		
136153	E806667	0.040	0.048	0.019		1.37	0.0076	0.0828		0.1442		
136154	E806668	0.040	0.038	0.014		1.11	0.0069	0.0421		0.0559		
136155	E806669	0.030	0.019	0.012		<1	0.0049	0.0481		0.0691		
136156	E806670	0.029	0.018	<0.01		<1	0.0057	0.0321		0.0974		
136157	E806671	0.031	<0.015	<0.01		1.01	0.0046	0.0221		0.0313		
136158	E806672	0.032	0.016	0.022		<1	0.0033	0.0087		0.0133		
136159	E806673	0.020	<0.015	<0.01		<1	0.0027	0.0107		0.0048		
136160	E806674	0.030	0.018	<0.01		1.05	0.0044	0.0253		0.0106		
136161	E806675	0.068	0.032	0.017		1.18	0.0075	0.0891		0.1763		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:



Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136162 Dup	E806675	0.053	0.055	0.017		1.40	0.0069	0.0868		0.1683		
136163	E806676	0.013	0.025	<0.01		<1	0.0028	0.0067		0.0097		
136164	E806677	0.009	<0.015	<0.01		<1	0.0028	0.0046		0.0091		
136165	E806678	0.021	0.026	<0.01		1.45	0.0038	0.0141		0.0272		
136166	E806679	<0.005	0.021	<0.01		1.45	0.0067	0.0771		0.1339		
136167	E806680	0.032	0.043	<0.01		1.30	0.0042	0.0277		0.0567		
136168	E806681	0.040	0.043	<0.01		2.07	0.0076	0.1002		0.1585		
136169	E806682	0.011	0.025	<0.01		<1	0.0016	0.0043		0.0046		
136170	E806683	0.059	0.020	<0.01		1.87	0.0140	0.1429		0.6840		
136171	E806684	0.021	<0.015	<0.01		1.22	0.0053	0.0142		0.0191		
136172	E806685	0.018	<0.015	<0.01		1.24	0.0050	0.0104		0.0152		
136173 Dup	E806685	0.026	<0.015	<0.01		1.06	0.0049	0.0103		0.0152		
136174	E806686	0.022	<0.015	<0.01		1.27	0.0057	0.0128		0.0170		
136175	E806687	0.056	0.065	0.034		2.33	0.0392	0.1913		1.4332		
136176	E806688	0.244	0.140	<0.01		4.20	0.0575	0.7630		1.5046		
136177	E806689	0.033	0.031	0.015		2.79	0.0219	0.2778		0.7656		
136178	E806690	0.043	0.044	0.017		3.48	0.0724	0.3850		1.9836		
136179	E806691	0.033	0.025	<0.01		1.02	0.0066	0.0532		0.0791		
136180	E806692	0.020	<0.015	<0.01		<1	0.0052	0.0209		0.0592		
136181	E806693	0.029	<0.015	<0.01		<1	0.0052	0.0320		0.0179		
136182	E806694	0.036	<0.015	<0.01		<1	0.0051	0.0458		0.0232		
136183	E806695	0.053	<0.015	<0.01		1.64	0.0076	0.0700		0.0623		
136184 Dup	E806695	0.070	0.018	<0.01		1.93	0.0079	0.0674		0.0628		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136185	E806696	0.026	<0.015	<0.01		1.53	0.0045	0.0218		0.0165		
136186	E806697	0.023	<0.015	<0.01		<1	0.0036	0.0121		0.0093		
136187	E806698	0.059	<0.015	<0.01		1.49	0.0051	0.0963		0.0683		
136188	E806699	0.045	<0.015	<0.01		1.17	0.0035	0.0655		0.0456		
136189	E806700	0.025	<0.015	<0.01		1.27	0.0044	0.0181		0.0167		
136190	E806701	0.035	<0.015	0.010		<1	0.0038	0.0263		0.0203		
136191	E806702	0.037	<0.015	<0.01		<1	0.0031	0.0222		0.0140		
136192	E806703	0.022	<0.015	<0.01		1.10	0.0026	0.0109		0.0050		
136193	E806704	0.047	0.063	0.020		1.17	0.0039	0.0677		0.0746		
136194	E806705	0.034	<0.015	0.015		1.31	0.0054	0.0674		0.0952		
136195 Dup	E806705	0.038	<0.015	0.021		1.74	0.0053	0.0648		0.0940		
136196	E806706	0.034	<0.015	0.014		1.66	0.0058	0.0550		0.0882		
136197	E806707	0.025	0.022	0.035		1.26	0.0025	0.0133		0.0171		
136198	E806708	0.025	<0.015	0.012		1.59	0.0036	0.0180		0.0275		
136199	E806709	0.030	0.029	0.016		1.00	0.0021	0.0386		0.0459		
136200	E806710	0.047	0.072	0.029		1.63	0.0048	0.1671		0.1373		
136201	E806711	<0.005	<0.015	<0.01		5.88	0.0424	0.7022		2.2535		
136202	E806712	0.020	<0.015	0.023		1.93	0.0047	0.0133		0.0250		
136203	E806713	0.542	0.343	0.188		6.71	0.1250	0.6344		5.2566		
136204	E806714	0.158	0.107	0.064		3.97	0.0074	0.3639		0.2253		
136205	E806715	0.352	0.194	0.133		7.56	0.0117	0.6438		0.4859		
136206 Dup	E806715	0.405	0.215	0.147		10.46	0.0117	0.6458		0.4794		
136207	E806716	0.223	0.254	0.158		5.35	0.0089	0.4272		0.3049		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136208	E806717	0.094	0.126	0.098		2.54	0.0066	0.1942		0.1201		
136209	E806718	0.163	0.218	0.162		4.00	0.0080	0.3100		0.2067		
136210	E806719	0.104	0.113	0.084		4.38	0.0078	0.3937		0.2626		
136211	E806720	0.291	0.215	0.182		4.74	0.0088	0.4156		0.3550		
136212	E806721	0.417	0.442	0.435		6.11	0.0114	0.5233		0.4456		
136213	E806722	0.023	0.021	0.012		1.53	0.0042	0.0125		0.0102		
136214	E806723	0.410	0.566	0.484		5.76	0.0124	0.5311		0.4925		
136215	E806724	0.391	0.491	0.419		5.88	0.0120	0.5743		0.5304		
136216	E806725	0.134	0.211	0.199		2.68	0.0065	0.1764		0.1744		
136217 Dup	E806725	0.149	0.207	0.204		3.03	0.0065	0.1738		0.1741		
136218	E806726	0.339	0.223	0.143		6.23	0.0123	0.5749		0.5408		
136219	E806727	0.260	0.162	0.122		7.58	0.0163	0.6679		0.7536		
136220	E806728	0.020	<0.015	<0.01		2.44	0.0051	0.0140		0.0228		
136221	E806729	0.029	0.040	0.024		2.04	0.0057	0.0119		0.0118		
136222	E806730	0.021	<0.015	<0.01		2.16	0.0050	0.0133		0.0112		
136223	E807001	0.297	0.108	0.078		3.91	0.0075	0.2506		0.2002		
136224	E807002	0.286	0.081	0.085		3.34	0.0062	0.1755		0.1252		
136225	E807003	0.272	0.126	0.110		4.51	0.0083	0.2930		0.2496		
136226	E807004	0.283	0.299	0.214		5.90	0.0133	0.4679		0.5079		
136227	E807005	0.628	0.494	0.300		11.46	0.0186	1.1244		1.3461		
136228 Dup	E807005	0.683	0.583	0.382		10.87	0.0194	1.1627		1.3303		
136229	E807006	0.222	0.265	0.206		5.90	0.0142	0.5134		0.6078		
136230	E807007	0.025	0.046	0.019		1.35	0.0040	0.0189		0.0176		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136231	E807008	0.020	<0.015	<0.01		2.23	0.0051	0.0143		0.0149		
136232	E807009	0.019	0.016	<0.01		2.18	0.0053	0.0071		0.0131		
136233	E807010	0.023	<0.015	<0.01		2.33	0.0058	0.0140		0.0140		
136234	E807011	0.020	<0.015	<0.01		1.95	0.0058	0.0128		0.0120		
136235	E807012	0.020	0.023	<0.01		1.68	0.0041	0.0102		0.0175		
136236	E807013	0.016	<0.015	<0.01		1.74	0.0040	0.0067		0.0192		
136237	E807014	0.019	<0.015	<0.01		1.90	0.0050	0.0080		0.0224		
136238	E807015	0.024	<0.015	<0.01		1.95	0.0054	0.0111		0.0244		
136239 Dup	E807015	0.035	<0.015	<0.01		1.97	0.0055	0.0114		0.0249		
136240	E807016	0.022	<0.015	<0.01		1.45	0.0046	0.0210		0.0408		
136241	E807017	0.018	<0.015	<0.01		1.56	0.0040	0.0101		0.0187		
136242	E807018	0.019	0.016	<0.01		1.36	0.0040	0.0212		0.0345		
136243	E807019	0.025	<0.015	<0.01		1.71	0.0057	0.0219		0.0395		
136244	E807020	0.037	0.030	<0.01		2.39	0.0091	0.1105		0.1898		
136245	E807021	0.032	0.049	0.031		2.38	0.0061	0.0847		0.1375		
136246	E807022	0.034	0.069	0.026		1.79	0.0074	0.0416		0.1462		
136247	E807023	0.039	0.022	<0.01		2.06	0.0064	0.0419		0.0877		
136248	E807024	0.026	0.023	0.011		1.78	0.0044	0.0193		0.0096		
136249	E807025	0.030	<0.015	0.017		1.87	0.0044	0.0213		0.0433		
136250 Dup	E807025	0.043	<0.015	0.019		1.76	0.0043	0.0193		0.0389		
136251	E807026	0.015	0.018	<0.01		1.66	0.0037	0.0043		0.0222		
136252	E807027	0.051	0.032	0.024		2.44	0.0094	0.0959		0.2126		
136253	E807028	0.150	0.151	0.166		2.57	0.0104	0.0729		1.0836		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136254	E807029	0.097	0.082	0.038		3.20	0.0074	0.1808		0.2238		
136255	E807030	0.079	0.080	0.051		2.64	0.0052	0.1528		0.1343		
136256	E807031	0.219	0.194	0.127		3.55	0.0081	0.3849		0.3274		
136257	E807032	0.024	0.052	0.015		1.57	0.0040	0.0162		0.0129		
136258	E807033	0.349	0.198	0.145		5.22	0.0114	0.6109		0.5417		
136259	E807034	0.399	0.243	0.156		5.23	0.0107	0.5708		0.5255		
136260	E807035	0.360	0.235	0.142		5.26	0.0111	0.5509		0.5134		
136261 Dup	E807035	0.348	0.246	0.142		4.18	0.0107	0.5420		0.5079		
136262	E807036	0.187	0.146	0.090		3.44	0.0061	0.2819		0.2125		
136263	E807037	0.193	0.295	0.162		3.11	0.0086	0.2435		0.3313		
136264	E807038	0.103	0.079	0.062		4.17	0.0081	0.2654		0.3072		
136265	E807039	0.441	0.276	0.186		5.42	0.0127	0.6090		0.5498		
136266	E807040	0.126	0.167	0.154		2.56	0.0103	0.0701		1.0942		
136267	E807041	0.675	0.304	0.119		7.32	0.0153	0.8446		0.6539		
136268	E807042	0.427	0.165	0.088		5.46	0.0122	0.5612		0.4651		
136269	E807043	2.356	0.080	0.037		5.73	0.0127	0.5834		0.5513		
136270	E807044	0.239	0.120	0.040		5.32	0.0208	0.4507		0.7019		
136271	E807045	0.057	0.029	0.011		2.15	0.0070	0.0765		0.1436		
136272 Dup	E807045	0.057	0.040	<0.01		2.15	0.0072	0.0726		0.1407		
136273	E807046	0.103	0.072	0.022		2.81	0.0066	0.1915		0.2320		
136274	E807047	0.099	0.041	<0.01		3.27	0.0115	0.1926		0.3614		
136275	E807048	0.040	0.035	0.011		2.82	0.0064	0.0702		0.1559		
136276	E807049	0.018	0.019	<0.01		1.48	0.0044	0.0138		0.0129		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:

Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Tuesday, August 21, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Jun 12, 2007
Date Completed: Aug 10, 2007

Job #: 200741874
Reference:

Sample #: 334 Core

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Rh ppm	Ag ppm	Co %	Cu %	Fe %	Ni %	Pb %	Zn %
136277	E807050	0.026	0.027	<0.01		1.68	0.0050	0.0235		0.0349		
136278	E807051	0.056	0.048	0.013		1.79	0.0056	0.0606		0.0507		
136279	E807052	0.024	0.039	<0.01		1.61	0.0041	0.0469		0.0578		
136280	E807053	0.023	0.017	<0.01		2.02	0.0065	0.0453		0.1131		
136281	E807054	0.104	0.092	0.029		3.90	0.0150	0.3202		0.5851		
136282	E807055	0.236	0.119	0.034		5.73	0.0255	0.8071		0.9944		
136283 Dup	E807055	0.232	0.103	0.036		5.85	0.0251	0.8002		1.0336		
136284	E807056	0.023	0.054	<0.01		1.53	0.0056	0.0256		0.0234		
136285	E807057	0.212	0.137	0.084		4.92	0.0116	0.4809		0.3737		
136286	E807058	0.327	0.268	0.202		8.05	0.0157	1.0844		0.7374		
136287	E807059	0.166	0.156	0.140		4.30	0.0097	0.4132		0.3203		
136288	E807060	0.037	0.045	0.030		1.83	0.0059	0.1276		0.0865		
136289	E807061	<0.005	<0.015	<0.01		2.95	0.0090	0.3053		0.2466		
136290	E807062	0.093	0.067	0.059		1.34	0.0057	0.1040		0.0914		
136291	E807063	0.041	0.080	0.057		1.34	0.0048	0.0493		0.0808		
136292	E807064	0.142	0.257	0.219		4.12	0.0116	0.3798		0.4890		
136293	E807065	0.020	<0.015	0.012		1.49	0.0055	0.0188		0.0131		
136294 Dup	E807065	0.023	<0.015	<0.01		1.53	0.0050	0.0182		0.0119		
136295	E807066	0.058	0.119	0.094		2.31	0.0058	0.1114		0.1829		
136296	E807067	0.031	0.064	0.021		1.85	0.0052	0.0377		0.0619		
136297	E807068	0.021	0.017	<0.01		1.56	0.0060	0.0211		0.0268		
136298	E807069	0.017	<0.015	<0.01		1.58	0.0046	0.0120		0.0104		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4ICPAR, AL4SLF

Certified By:



Jason Moore, General Manager

AL912-0257-08/21/2007 5:33 PM

Correct Data

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
135932	E806466	1.05
135933	E806467	0.31
135934	E806468	1.21
135935	E806469	0.24
135936	E806470	0.27
135937	E806471	0.30
135938	E806472	0.29
135939	E806473	0.59
135940	E806474	0.43
135941	E806475	1.91
135942	E806475	Insufficient Sample
135943	E806476	Insufficient Sample
135944	E806477	1.86
135945	E806478	0.10
135946	E806479	0.25
135947	E806480	11.60
135948	E806481	2.62
135949	E806482	1.43
135950	E806483	2.83
135951	E806484	2.34
135952	E806485	0.13
135953	E806485	Insufficient Sample
135954	E806486	0.17
135955	E806487	0.16
135956	E806488	0.11
135957	E806489	0.08
135958	E806490	0.91
135959	E806491	0.90
135960	E806492	0.15
135961	E806493	0.33
135962	E806494	0.14
135963	E806495	0.15
135964	E806495	Insufficient Sample
135965	E806496	0.22
135966	E806497	0.19
135967	E806498	0.43
135968	E806499	0.25
135969	E806500	0.76
135970	E806501	0.73
135971	E806502	Insufficient Sample
135972	E806503	0.77
135973	E806504	1.47

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B SX5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
135974	E806505	0.18
135975	E806505	Insufficient Sample
135976	E806506	0.26
135977	E806507	0.20
135978	E806508	0.25
135979	E806509	0.12
135980	E806510	0.93
135981	E806511	0.49
135982	E806512	0.27
135983	E806513	0.30
135984	E806514	0.13
135985	E806515	0.10
135986	E806515	Insufficient Sample
135987	E806516	0.12
135988	E806517	0.19
135989	E806518	0.14
135990	E806519	0.04
135991	E806520	0.06
135992	E806521	0.20
135993	E806522	0.07
135994	E806523	0.40
135995	E806524	0.53
135996	E806525	0.07
135997	E806525	Insufficient Sample
135998	E806526	0.10
135999	E806527	0.27
136000	E806528	0.27
136001	E806529	0.34
136002	E806530	0.26
136003	E806531	0.51
136004	E806532	0.37
136005	E806533	0.20
136006	E806534	0.67
136007	E806535	0.09
136008	E806535	Insufficient Sample
136009	E806536	0.64
136010	E806537	0.82
136011	E806538	Insufficient Sample
136012	E806539	1.27
136013	E806540	1.03
136014	E806541	0.05
136015	E806542	0.09

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
136016	E806543	0.16
136017	E806544	0.18
136018	E806545	0.14
136019	E806545	Insufficient Sample
136020	E806546	0.20
136021	E806547	0.22
136022	E806548	2.41
136023	E806549	2.58
136024	E806550	0.10
136025	E806551	0.14
136026	E806552	0.21
136027	E806553	0.13
136028	E806554	0.09
136029	E806555	0.67
136030	E806555	Insufficient Sample
136031	E806556	0.87
136032	E806557	3.55
136033	E806558	1.52
136034	E806559	2.01
136035	E806560	Insufficient Sample
136036	E806561	3.92
136037	E806562	1.64
136038	E806563	4.91
136039	E806564	6.22
136040	E806565	0.09
136041	E806565	Insufficient Sample
136042	E806566	0.14
136043	E806567	0.04
136044	E806568	0.34
136045	E806569	0.32
136046	E806570	0.30
136047	E806571	0.45
136048	E806572	0.59
136049	E806573	0.97
136050	E806574	0.25
136051	E806575	0.14
136052	E806575	Insufficient Sample
136053	E806576	0.46
136054	E806577	0.32
136055	E806578	0.19
136056	E806579	0.09
136057	E806580	0.08

Certified By:

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 07-08-08 09:20:05
Job Number: 200741874
Date Received: Jun 12, 2007
Number of Samples: 334
Type of Sample: Core
Date Completed: Jul 12, 2007
Project ID:

Accurassay #	Client Tag	S(tot) %
136058	E806581	1.01
136059	E806582	Insufficient Sample
136060	E806583	0.61
136061	E806584	0.90
136062	E806585	1.55
136063	E806585	Insufficient Sample
136064	E806586	1.54
136065	E806587	1.40
136066	E806588	1.00
136067	E806589	0.06
136068	E806590	1.00
136069	E806591	2.96
136070	E806592	1.03
136071	E806593	3.46
136072	E806594	3.16
136073	E806595	1.52
136074	E806595	Insufficient Sample
136075	E806596	1.78
136076	E806597	0.35
136077	E806598	1.09
136078	E806599	0.65
136079	E806600	1.08
136080	E806601	0.55
136081	E806602	4.09
136082	E806603	1.02
136083	E806604	1.00
136084	E806605	0.82
136085	E806605	Insufficient Sample
136086	E806606	0.51
136087	E806607	11.40
136088	E806608	4.30
136089	E806609	0.35
136090	E806610	1.53
136091	E806611	1.55
136092	E806612	1.04
136093	E806613	1.39
136094	E806614	1.40
136095	E806615	4.23
136096	E806615	Insufficient Sample
136097	E806616	1.28
136098	E806617	7.33
136099	E806618	1.26

Certified By:

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 11:04:06 AM
Job Number: 200742777
Date Received: Aug 3, 2007
Number of Samples: 27
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
203382	C447451	0.35
203383	C447452	0.02
203384	C447453	0.05
203385	C447454	0.02
203386	C447455	0.26
203387	C447456	0.23
203388	C447457	0.38
203389	C447458	1.60
203390	C447459	2.23
203392	C447460	0.23
203393	C447461	2.29
203394	C447462	0.08
203395	C447463	0.02
203396	C447464	1.22
203397	C447465	1.86
203398	C447466	2.27
203399	C447467	1.05
203400	C447468	0.83
203401	C447469	0.64
203403	C447470	1.57
203404	C447471	0.13
203405	C447472	0.05
203406	C447473	0.06
203407	C447474	0.79
203408	C447475	0.02
203409	C447476	1.89
203410	C447477	0.98

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 3, 2007
Date Completed: Sep 28, 2007

Job #: 200742777
Reference:

Sample #: 27 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
203382	C447451	109	221	137		2.26	44	917		866		
203383	C447452	37	<15	11		1.01	30	29		180		
203384	C447453	<5	<15	18		1.26	39	51		246		
203385	C447454	<5	<15	<10		1.07	24	23		54		
203386	C447455	153	<15	<10		2.29	54	908		674		
203387	C447456	131	25	45		2.62	52	1174		639		
203388	C447457	160	63	29		3.17	63	2222		1362		
203389	C447458	61	37	31		3.13	167	1921		2287		
203390	C447459	111	57	15		2.98	147	2833		5674		
203391 Dup	C447459	117	48	34		3.02	147	2790		5747		
203392	C447460	89	<15	<10		2.55	93	656		798		
203393	C447461	46	25	20		3.96	137	2898		5670		
203394	C447462	19	<15	14		2.40	63	390		975		
203395	C447463	16	<15	10		1.23	37	117		426		
203396	C447464	219	71	33		5.26	73	4809		2341		
203397	C447465	52	36	14		6.08	101	6286		3478		
203398	C447466	349	142	51		7.16	122	6555		4647		
203399	C447467	71	40	16		3.42	106	1309		1798		
203400	C447468	72	51	12		2.65	70	834		1250		
203401	C447469	76	72	15		3.00	80	1199		1401		
203402 Dup	C447469	65	66	23		2.90	76	1132		1336		
203403	C447470	42	28	<10		3.44	116	1927		1335		
203404	C447471	11	17	<10		2.59	60	254		630		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:51 PM

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 3, 2007
Date Completed: Sep 28, 2007

Job #: 200742777
Reference:

Sample #: 27 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
203405	C447472	7	<15	<10		2.61	52	132		355		
203406	C447473	8	19	<10		2.36	47	143		427		
203407	C447474	23	27	<10		2.48	102	793		1723		
203408	C447475	<5	<15	<10		1.19	36	38		279		
203409	C447476	117	43	17		1.80	98	1391		1853		
203410	C447477	54	44	24		1.96	78	1225		1443		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:51 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 11:10:00 AM
Job Number: 200743011
Date Received: Aug 21, 2007
Number of Samples: 38
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
218665	367064	1.84
218666	367065	1.83
218667	367066	6.44
218668	367067	0.64
218669	367068	0.12
218670	367069	1.18
218671	367070	0.34
218672	367071	0.30
218673	367072	0.11
218674	367073	0.45
218676	367074	0.29
218677	367075	0.24
218678	367076	0.23
218679	367077	0.64
218680	367078	0.40
218681	367079	0.26
218682	367080	0.29
218683	367081	0.34
218684	367082	0.13
218685	367083	1.10
218687	367084	0.51
218688	367085	0.81
218689	367086	0.31
218690	367087	0.05
218691	367088	0.52
218692	367089	0.58
218693	367090	0.49
218694	367091	1.20
218695	367092	0.87
218696	367093	1.12
218698	367094	1.36
218699	367095	1.21
218700	367096	0.27
218701	367097	1.19
218702	367098	0.68
218703	367099	0.67

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Canadian Arrow Mines Ltd.
Date Created: 08-01-09 11:10:00 AM
Job Number: 200743011
Date Received: Aug 21, 2007
Number of Samples: 38
Type of Sample: Core
Date Completed: Sep 28, 2007
Project ID:

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	S %
218704	367100	0.60
218705	367101	0.53

Certified By: _____
Derek Demianiuk, H.Bsc.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 21, 2007
Date Completed: Sep 28, 2007

Job #: 200743011
Reference:

Sample #: 38 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
218665	367064	14	53	<10		2.43	144	1634		4187		
218666	367065	30	107	34		2.50	130	1870		3841		
218667	367066	46	177	45		2.59	372	1346		13923		
218668	367067	11	33	<10		1.88	74	531		1029		
218669	367068	<5	<15	<10		1.54	34	83		252		
218670	367069	13	30	<10		2.04	98	1012		1689		
218671	367070	<5	17	<10		1.96	55	268		491		
218672	367071	<5	16	<10		2.58	60	295		494		
218673	367072	<5	25	<10		1.87	43	92		268		
218674	367073	16	51	20		2.32	67	359		912		
218675 Dup	367073	8	24	<10		2.27	66	360		908		
218676	367074	<5	28	<10		1.79	56	352		519		
218677	367075	8	32	<10		1.94	61	484		738		
218678	367076	<5	16	<10		2.02	53	140		188		
218679	367077	6	22	<10		1.71	59	305		255		
218680	367078	10	36	<10		1.87	59	205		293		
218681	367079	7	21	<10		2.33	56	143		151		
218682	367080	<5	32	<10		1.93	56	280		773		
218683	367081	6	46	<10		1.56	56	372		766		
218684	367082	6	20	<10		2.40	56	231		272		
218685	367083	318	70	16		2.43	80	4167		1265		
218686 Dup	367083	315	76	17		2.46	81	4162		1280		
218687	367084	23	141	24		1.32	62	886		684		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:47 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Certificate of Analysis

Friday, September 28, 2007

Canadian Arrow Mines Ltd.
Canadian Arrow Mines Ltd.
Sudbury, ON, CAN
P3B1M7
Ph#: (705) 673-8259
Fax#: (705) 673-5450
Email#:
dmaceachern@canadianarrowmines.com

Date Received: Aug 21, 2007
Date Completed: Sep 28, 2007

Job #: 200743011
Reference:

Sample #: 38 Core

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
218688	367085	38	93	19		1.55	93	1622		1549		
218689	367086	14	50	11		1.36	54	353		844		
218690	367087	7	<15	<10		1.42	34	97		110		
218691	367088	16	15	10		1.17	44	331		191		
218692	367089	20	22	15		1.38	64	421		917		
218693	367090	25	20	17		1.43	50	596		900		
218694	367091	22	<15	<10		1.76	87	1165		1992		
218695	367092	27	46	15		1.61	76	744		1762		
218696	367093	26	<15	24		1.34	86	984		2073		
218697 Dup	367093	74	81	20		1.29	86	1005		2089		
218698	367094	24	145	30		1.77	104	2028		1801		
218699	367095	48	82	22		1.20	96	1410		2072		
218700	367096	14	<15	<10		1.06	44	151		358		
218701	367097	12	62	18		<1	95	968		2509		
218702	367098	29	<15	13		1.25	55	68		319		
218703	367099	10	<15	<10		1.35	59	60		260		
218704	367100	7	<15	<10		1.22	95	303		1526		
218705	367101	46	71	58		1.30	54	1653		1161		

PROCEDURE CODES: AL4APP, AL4Ag, AL4Co, AL4Cu, AL4Ni, AL4SLF

Certified

The results included on this report relate only to the items tested
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

By:

Derek Demianiuk H.Bsc., Laboratory Manager

AL917-0257-09/28/2007 3:47 PM

APPENDIX III

DRILL SECTIONS


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
KB-07-055
KB-07-056
KB-07-057
KB-07-059
KB-07-158
KB-07-159
KB-07-165
K390
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12222N
P & E MINING CONSULTANTS
Project
Kenbridge Cu-Ni Project
Scale
1:750
Date
June 28, 2008
Corridor and Attitude
Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-01
K365
K360
KB-07-165
KB-07-158
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12237N
P & E MINING CONSULTANTS
Project
Kenbridge Cu-Ni Project
Scale
1:750
Date
June 28, 2008
Corridor and Attitude
Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-02
KB-07-052
KB-07-053
KB-07-054
KB-07-127
KB-07-141
K365
K360
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12252N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-04
CHN-07-03
KB-07-084
KB-07-053
KB-07-085
KB-07-086
KB-07-054
KB-07-139
KB-07-127
KB-07-077
KB-07-141
KB-07-140
KB-07-058
K365
K390
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12267N
P & E MINING CONSULTANTS
Project
Kenbridge Cu-Ni Project
Scale
1:750
Date
June 28, 2008
Corridor and Attitude
Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.

800 NE | 900 NE | 1000 NE | 1100 NE | 1200 NE | 1300 NE | 1400 NE



Ni & Cu

0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12282N

P & E MINING CONSULTANTS

Project	Kenbridge Cu-Ni Project
Scale	1:750
Date	June 28, 2008
Corridor and Attitude	Clipping ± 7.5m

Using Gemcom Software

-50 0 50 100

Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07040
KB-07-080
KB-07-081
KB-07-082
KB-07-083
KB-07-164
KB-07-138
KB-07-123
KB-07-078
KB-07-125
K3108
K3110
K3109
K361
K362
K559
K561
K560
K1203
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12297N
P & E MINING CONSULTANTS
Project
Kenbridge Cu-Ni Project
Scale
1:750
Date
June 28, 2008
Corridor and Attitude
Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-07
CHN-07-11
KB-07-044
KB-07-045
KB-07-046
KB-07-075
KB-07-076
KB-07-077
KB-07-085
KB-07-086
KB-07-087
KB-07-088
KB-07-089
KB-07-090
KB-07-091
KB-07-092
KB-07-093
KB-07-094
KB-07-095
KB-07-096
KB-07-097
KB-07-098
KB-07-099
KB-07-100
KB-07-101
KB-07-102
KB-07-103
KB-07-104
KB-07-105
KB-07-106
KB-07-107
KB-07-108
KB-07-109
KB-07-110
KB-07-111
KB-07-112
KB-07-113
KB-07-114
KB-07-115
KB-07-116
KB-07-117
KB-07-118
KB-07-119
KB-07-120
KB-07-121
KB-07-122
KB-07-123
KB-07-124
KB-07-125
KB-07-126
KB-07-127
KB-07-128
KB-07-129
KB-07-130
KB-07-131
KB-07-132
KB-07-133
KB-07-134
KB-07-135
KB-07-136
KB-07-137
KB-07-138
KB-07-139
KB-07-140
KB-07-141
KB-07-142
KB-07-143
KB-07-144
KB-07-145
KB-07-146
KB-07-147
KB-07-148
KB-07-149
KB-07-150
KB-07-151
KB-07-152
KB-07-153
KB-07-154
KB-07-155
KB-07-156
KB-07-157
KB-07-158
KB-07-159
KB-07-160
KB-07-161
KB-07-162
KB-07-163
KB-07-164
KB-07-165
KB-07-166
KB-07-167
KB-07-168
KB-07-169
KB-07-170
KB-07-171
KB-07-172
KB-07-173
KB-07-174
KB-07-175
KB-07-176
KB-07-177
KB-07-178
KB-07-179
KB-07-180
KB-07-181
KB-07-182
KB-07-183
KB-07-184
KB-07-185
KB-07-186
KB-07-187
KB-07-188
KB-07-189
KB-07-190
KB-07-191
KB-07-192
KB-07-193
KB-07-194
K325
K326
K327
K391
K392
K517
K518
K519
K803
K1203
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12312N
P & E MINING CONSULTANTS
Project
Kenbridge Cu-Ni Project
Scale
1:750
Date
June 28, 2008
Corridor and Attitude
Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-14
CHN-07-13A
CHN-07-13
CHN-07-12
KB-07-102
KB-07-101
KB-07-100
KB-07-082
KB-07-041
KB-07-076
KB-07-099
KB-07-093
KB-07-122
KB-07-137
KB-07-157
K393
K329
K330
K584
K394
K520
K521
K586
K603
K803
K903
KB-07-192
K1103
K1203
K1403
K1504
K1703
K1804
K2003
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12327N
P & E MINING CONSULTANTS
Project
Kenbridge Cu-Ni Project
Scale
1:750
Date
June 28, 2008
Corridor and Attitude
Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-17
CHN-07-18A
CHN-07-18
CHN-07-15
CHN-07-16
KB-07-039
KB-07-040
KB-07-041
KB-07-070
KB-05-13
KB-07-136
KB-07-154
KB-07-155
K396
K397
K398
K522
K523
K555
K332
F03
F04
F15
F20
K1603
K1503
K1103
K1203
K1403
K1504
K1703
K1804
K2003
CAS
MV
MDCHL
FD
TSCH
GABPYXT
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12342N
P & E MINING CONSULTANTS
Project
Kenbridge Cu-Ni Project
Scale
1:750
Date
June 28, 2008
Corridor and Attitude
Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-26
CHN-07-18
CHN-07-20
CHN-07-19
CHN-07-16
CHN-07-22
KB-07-039
KB-07-095
KB-07-096
KB-07-040
KB-07-097
KB-07-098
KB-07-041
KB-07-043
KB-07-153
KB-07-070
KB-05-05
K399
K3101
K3100
K333
K334
K524
K525
K554
K585
K603
K803
K903
K1103
K1203
K1403
K1504
K1703
K1804
K2003
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12357N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.

800 NE | 900 NE | 1000 NE | 1100 NE | 1200 NE | 1300 NE | 1400 NE



Ni & Cu	
0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12372N

P & E MINING CONSULTANTS

Project	**Kenbridge Cu-Ni Project**
Scale	**1:750**
Date	**June 28, 2008**
Corridor and Attitude	**Clipping ± 7.5m**

Using Gemcom Software

-50 0 50 100

Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-24
CHN-07-25
CHN-07-26
CHN-07-27
CHN-07-28
CHN-07-29
KB-07-092
KB-05-04
KB-07-094
KB-07-093
KB-05-12
K379
K3106
K347
K348
KB-07-038
K378
K548
K277
KB-07-166
K3107
KB-07-071
K550
K549
KB-07-151
KB-07-196
K803
K903
KB-07-168
KB-07-197
K603
KB-07-167
K1103
K1204
K1203
K1403
K1505
K1504
K1703
K1804
K1805
K2005
K2003
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12387N
P & E MINING CONSULTANTS
Project
Kenbridge Cu-Ni Project
Scale
1:750
Date
June 28, 2008
Corridor and Attitude
Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.

800 NE | 900 NE | 1000 NE | 1100 NE | 1200 NE | 1300 NE | 1400 NE



Ni & Cu	
0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12402N

P & E MINING CONSULTANTS

Project	**Kenbridge Cu-Ni Project**
Scale	**1:750**
Date	**June 28, 2008**
Corridor and Attitude	**Clipping ± 7.5m**

Using Gemcom Software

-50 0 50 100

Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-10
CHN-07-32
CHN-07-08
CHN-07-33
CHN-07-34
KB-07-087
KB-07-089
KB-07-034
KB-07-129
KB-07-130
KB-07-115
KB-07-190
KB-06-09
K304
K305
K306
K307
K302
K303
K540
K541
K542
K543
K539
K6013
K803
K903
K1103
K1204
K1203
K1403
K1504
K1505
K1703
K1804
K1805
K2003
K2005
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12417N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12432N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-38
CHN-07-40
KB-07-111
KB-07-073
KB-07-113
KB-07-126
KB-07-119
KB-07-120
KB-07-121
KB-07-169
KB-07-181
KB-07-182
KB-07-183
KB-07-103
KB-07-104
K318
K321
K320
K322
K529
K530
K602
K802
K902
K1102
K1205
K1202
K1402
K1503
K1506
K1502A
K1702
K1803
K1802
K2004
K2002
K2007
K2006
K2012
K2011
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12447N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.



800 NE

900 NE

1000 NE

1100 NE

1200 NE

1300 NE

1400 NE

Ni & Cu

0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12462N

P & E MINING CONSULTANTS

Project	**Kenbridge Cu-Ni Project**
Scale	**1:750**
Date	**June 28, 2008**
Corridor and Attitude	**Clipping ± 7.5m**

Using Gemcom Software

-50 0 50 100

Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-40
CHN-07-42
KB-07-144
KB-07-160
KB-07-309
KB-07-161
KB-07-027
KB-07-110
KB-07-074
K366
KB-07-108
KB-07-025
K339
K340
KB-05-03
KB-07-118
K360
K369
K516
K514
K515
KB-07-135
F11
KB-05-01
K578
K579
K580
K202
KB-07-142
KB-07-143
KB-07-141
K802
K902
KB-08-184
KB-07-091
K1102
K1205
K1202
KB-08-186
K1402
K1503
K1502A
K1506
K1702
K1803
K1802
K2004
K2002
K2007
K2006
K2012
TSCH
MDCHL
MV
FD
GABPYXT
PYXT
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12477N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
CHN-07-44
KB-07-029
KB-07-160
KB-07-109
K802
KB-07-067
K341
K342
KB-05-15
K339
K382
K503
K502
K505
K504
KB-07-114
KB-07-030
KB-05-02
K513
K512
K602
F37
F25
F31
F36
K802
KB-07-144
K902
F42
F30
K506
K385
K1202
KB-07-149
K1402
KB-07-180
K1502A
K1506
K1702
K1802
K2002
K2007
K2006
Ni & Cu
0.01% 0.2%
0.2% 0.3%
0.3% 0.5%
0.5% 1.0%
1.0% 100%
Canadian Arrow Mines Ltd
Vertical Section 12492N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50 0 50 100
Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.

800 NE

900 NE

1000 NE

1100 NE

1200 NE

1300 NE

1400 NE

KB-07-105

KB-07-106

KB-07-107

KB-07-132

KB-05-18

KB-05-19

KB-07-134

KB-07-133

KB-07-145

KB-07-146

KB-07-147

KB-07-148

KB-07-149

K343

K344

K380

K381

K802

K902

K1102

K1202

K1402

K1502A

K1506

K1702

K1802

K2002

K2007

Ni & Cu

0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12507N

P & E MINING CONSULTANTS

Project	Kenbridge Cu-Ni Project
Scale	1:750
Date	June 28, 2008
Corridor and Attitude	Clipping ± 7.5m

Using Gemcom Software

-50 0 50 100

Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
KB-07-060
KB-07-106
KB-07-160
KB-07-061
KB-07-107
KB-07-066
KB-08-188
KB-08-187
K345
K346
K386
K509
K507
K602
K902
K802
K1102
K1202
K1402
K1502A
K1506
K1702
K1802
K2002
K2007
F46
F44
F51
TSCH
MV
GABPYXT
Ni & Cu
0.01% 0.2%
0.2% 0.3%
0.3% 0.5%
0.5% 1.0%
1.0% 100%
Canadian Arrow Mines Ltd
Vertical Section 12522N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50 0 50 100
Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.

800 NE | 900 NE | 1000 NE | 1100 NE | 1200 NE | 1300 NE | 1400 NE

KB-07-160

K508

KB-08-189

KB-08-187

K1102

K1202

K1402

K1506

K1702

K2002

K2007

Ni & Cu

0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12537N

P & E MINING CONSULTANTS

Project	**Kenbridge Cu-Ni Project**
Scale	**1:750**
Date	**June 28, 2008**
Corridor and Attitude	**Clipping ± 7.5m**

Using Gemcom Software

-50 0 50 100

Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.

800 NE | 900 NE | 1000 NE | 1100 NE | 1200 NE | 1300 NE | 1400 NE

KB-07-062

KB-07-063

KB-07-160

KB-08-187

F26

K1202

K1506

K2002

K2007

Ni & Cu

0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12552N

P & E MINING CONSULTANTS

Project	**Kenbridge Cu-Ni Project**
Scale	**1:750**
Date	**June 28, 2008**
Corridor and Attitude	**Clipping ± 7.5m**

Using Gemcom Software

-50 0 50 100

Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.

800 NE | 900 NE | 1000 NE | 1100 NE | 1200 NE | 1300 NE | 1400 NE

KB-07-160

K1506

K2007

Ni & Cu

0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12567N

P & E MINING CONSULTANTS

Project	**Kenbridge Cu-Ni Project**
Scale	**1:750**
Date	**June 28, 2008**
Corridor and Attitude	**Clipping ± 7.5m**

Using Gemcom Software

-50 0 50 100

Scale 1:750

1500 Elev.

1400 Elev.

1300 Elev.

1200 Elev.

1100 Elev.

1000 Elev.

900 Elev.

800 Elev.

800 NE

900 NE

1000 NE

1100 NE

1200 NE

1300 NE

1400 NE



Ni & Cu

0.01%	0.2%
0.2%	0.3%
0.3%	0.5%
0.5%	1.0%
1.0%	100%

Canadian Arrow Mines Ltd

Vertical Section 12582N

P & E MINING CONSULTANTS

Project	**Kenbridge Cu-Ni Project**
Scale	**1:750**
Date	**June 28, 2008**
Corridor and Attitude	**Clipping ± 7.5m**

Using Gemcom Software

-50 0 50 100

Scale 1:750


1500 Elev.
1400 Elev.
1300 Elev.
1200 Elev.
1100 Elev.
1000 Elev.
900 Elev.
800 Elev.
800 NE
900 NE
1000 NE
1100 NE
1200 NE
1300 NE
1400 NE
KB-07-064
Ni & Cu
0.01%
0.2%
0.2%
0.3%
0.3%
0.5%
0.5%
1.0%
1.0%
100%
Canadian Arrow Mines Ltd
Vertical Section 12597N
P & E MINING CONSULTANTS
Project Kenbridge Cu-Ni Project
Scale 1:750
Date June 28, 2008
Corridor and Attitude Clipping ± 7.5m
Using Gemcom Software
-50
0
50
100
Scale 1:750

5,481,700 mN
453,800 mE
453,900 mE
454,000 mE
454,100 mE
5,481,600 mN
5,481,500 mN
5,481,400 mN
5,481,300 mN
5,481,200 mN

K4732
K6668
G1010108
K6674
K6634
G1010102
K6672
G1010112

N

KB-07-64
KB-07-65
KB-07-62
KB-07-161
KB-07-60
KB-07-63
KB-07-105
KB-07-61
KB-07-27
KB-07-29
KB-07-106
KB-07-30
KB-07-66
KB-07-110
KB-07-160
KB-07-26
KB-07-31
KB-07-107
KB-07-22
KB-07-111
KB-07-74
KB-07-109
KB-07-67
KB-07-134
KB-07-132
KB-07-133
KB-07-87
KB-07-23
KB-07-112
KB-07-25
KB-07-108
KB-08-188
KB-08-189
KB-07-32
KB-07-28
KB-07-114
KB-07-88
KB-07-73
KB-07-94
KB-07-113
KB-07-118
KB-07-147
KB-07-145
KB-07-146
KB-07-33
KB-07-89
KB-07-24
KB-07-162
KB-07-135
KB-07-35
KB-07-72
KB-08-187
KB-07-95
KB-07-36
KB-07-93
KB-07-90
KB-07-128
KB-07-34
KB-07-39
KB-07-37
KB-07-180
KB-07-148
KB-07-149
KB-07-143
KB-07-142
KB-07-96
KB-07-92
KB-07-120
KB-07-119
KB-07-121
KB-07-102
KB-07-129
KB-07-130
KB-07-40
KB-07-38
KB-07-97
KB-07-71
KB-07-44
KB-07-91
KB-07-103
KB-07-101
KB-07-150
KB-07-104
KB-07-75
KB-07-42
KB-07-41
KB-07-98
KB-07-68
KB-07-80
KB-07-186
KB-08-184
KB-08-185
KB-07-191
KB-07-169
KB-07-190
KB-07-45
KB-07-151
KB-07-43
KB-07-100
KB-07-69
KB-07-81
KB-07-163
KB-07-152
KB-07-164
KB-07-46
KB-07-76
KB-07-99
KB-07-182
KB-07-181
KB-07-183
KB-07-48
KB-07-82
KB-07-153
KB-07-117
KB-07-115
KB-07-116
KB-07-49
KB-07-47
KB-07-84
KB-07-50
KB-07-70
KB-07-52
KB-07-83
KB-07-168
KB-07-166
KB-07-167
KB-07-85
KB-07-78
KB-07-51
KB-07-122
KB-07-77
KB-07-53
KB-07-136
KB-07-86
KB-07-123
KB-07-154
KB-07-155
KB-07-55
KB-07-54
KB-07-124
KB-07-125
KB-07-137
KB-08-197
KB-08-195
KB-08-196
KB-07-126
KB-07-56
KB-07-138
KB-07-157
KB-07-156
KB-07-57
KB-07-127
KB-07-139
KB-07-140
KB-07-58
KB-07-141
KB-07-194
KB-07-192
KB-07-193
KB-07-165
KB-07-59
KB-07-158
KB-07-159

Transmission Line
Railway
Trail, Secondary Road
Road
Watercourse
Swamp, wetland
Lake
Topo contour, 50 m

Drill hole Collar and Trace
Patent Outline, with Disposition number and G number

0 25 50
meters

CANADIAN ARROW MINES LTD.

Drawing: KBddhs050112	Kenbridge Property 2007-2008 Drillholes Location Plan
Date:05/01/2012	
Author: K.Kettles	
Office: Sudbury	
Scale: 1:1000	
	Projection: NAD 83 Zone 15

5,481,700 mN
453,800 mE
453,900 mE
454,000 mE
454,100 mE
5,481,600 mN
5,481,500 mN
5,481,400 mN
5,481,300 mN
5,481,200 mN

K4732
K6668
G1010108
K6674
K6634
G1010102
K6672
G1010112

N

KB-07-64
KB-07-65
KB-07-62
KB-07-161
KB-07-60
KB-07-63
KB-07-105
KB-07-61
KB-07-27
KB-07-29
KB-07-106
KB-07-30
KB-07-66
KB-07-110
KB-07-160
KB-07-26
KB-07-31
KB-07-107
KB-07-22
KB-07-111
KB-07-74
KB-07-109
KB-07-67
KB-07-134
KB-07-132
KB-07-133
KB-07-87
KB-07-23
KB-07-112
KB-07-25
KB-07-108
KB-08-188
KB-08-189
KB-07-32
KB-07-28
KB-07-114
KB-07-88
KB-07-73
KB-07-94
KB-07-113
KB-07-118
KB-07-147
KB-07-145
KB-07-146
KB-07-33
KB-07-89
KB-07-24
KB-07-162
KB-07-135
KB-07-35
KB-07-72
KB-08-187
KB-07-95
KB-07-36
KB-07-93
KB-07-90
KB-07-128
KB-07-34
KB-07-39
KB-07-37
KB-07-180
KB-07-148
KB-07-149
KB-07-143
KB-07-142
KB-07-96
KB-07-92
KB-07-120
KB-07-119
KB-07-121
KB-07-102
KB-07-129
KB-07-130
KB-07-40
KB-07-38
KB-07-97
KB-07-71
KB-07-44
KB-07-91
KB-07-103
KB-07-101
KB-07-150
KB-07-104
KB-07-75
KB-07-42
KB-07-41
KB-07-98
KB-07-68
KB-07-80
KB-07-186
KB-08-184
KB-08-185
KB-07-191
KB-07-169
KB-07-190
KB-07-45
KB-07-151
KB-07-43
KB-07-100
KB-07-69
KB-07-81
KB-07-163
KB-07-152
KB-07-164
KB-07-46
KB-07-76
KB-07-99
KB-07-182
KB-07-181
KB-07-183
KB-07-48
KB-07-82
KB-07-153
KB-07-117
KB-07-115
KB-07-116
KB-07-49
KB-07-47
KB-07-84
KB-07-50
KB-07-70
KB-07-52
KB-07-83
KB-07-168
KB-07-166
KB-07-167
KB-07-85
KB-07-78
KB-07-51
KB-07-122
KB-07-77
KB-07-53
KB-07-136
KB-07-86
KB-07-123
KB-07-154
KB-07-155
KB-07-55
KB-07-54
KB-07-124
KB-07-125
KB-07-137
KB-08-197
KB-08-195
KB-08-196
KB-07-126
KB-07-56
KB-07-138
KB-07-157
KB-07-156
KB-07-57
KB-07-127
KB-07-139
KB-07-140
KB-07-58
KB-07-141
KB-07-194
KB-07-192
KB-07-193
KB-07-165
KB-07-59
KB-07-158
KB-07-159

Transmission Line
Railway
Trail, Secondary Road
Road
Watercourse
Swamp, wetland
Lake
Topo contour, 50 m

Drill hole Collar and Trace
Patent Outline, with Disposition number and G number

0 25 50
meters

CANADIAN ARROW MINES LTD.

Drawing: KBddhs050112	Kenbridge Property 2007-2008 Drillholes Location Plan
Date:05/01/2012	
Author: K.Kettles	
Office: Sudbury	
Scale: 1:1000	
	Projection: NAD 83 Zone 15